

QUARTERLY SUMMARY REPORT

PERIOD: April 1, 2013 through June 30, 2013

Date of Report: July 15, 2013

Location: American Drive-in Cleaners Site, 3801 Hempstead Turnpike, Levittown, NY

Activities During Reporting Period (April through June 2013)

- Monthly monitoring of the Beverage Center SSDS
- Performance of quarterly groundwater monitoring on May 16, 2013 at monitoring wells MW-7S, MW-7I, MW-7D, MW-8S, MW-8I, MW-9S, MW-9I, MW-9D.
- Submittal of 2012-2013 PRR submitted to NYSDEC for review on May 30, 2013

Anticipated Activities During Next Reporting Period (July through September 2013)

- Performance of quarterly groundwater monitoring in accordance with SMP with approved revisions.
- Monthly monitoring of the Beverage Center SSDS.
- Revise 2012-2013 PRR, as necessary, following receipt of comments from NYSDEC.

Summary and Conclusions


Groundwater Monitoring—Sampling was performed on May 16, 2013 in accordance with the requirements specified in the March 2010 SMP and July 2012 modifications. Table 1 is attached and includes both historic and current monitoring data. Figure 1, which shows the current PCE concentrations and groundwater elevation information, is also attached.

The 2nd quarter 2013 data included detections of PCE in one onsite intermediate-level well (MW-7I) and one offsite intermediate-level well (MW-8I) in excess of the NYSDEC Class GA Ambient Water Quality Standard. The detected level in MW-7I was noted to increase slightly relative to last quarter's result but remains below historic levels; the level in MW-8I was noted to decrease relative to last quarter. The extent of groundwater impacted by PCE in excess of its NYSDEC Standard remains delineated. FPM recommends that quarterly monitoring be continued in accordance with the SMP and modifications.

Beverage Center SSDS Monitoring - Monitoring of the Beverage Center SSDS was performed monthly during the monitoring period. No issues with SSDS performance or operation were noted.

Attachments

- Table 1—Groundwater Analytical Results
- Figure 1—Site Plan



FPM GROUP

FIGURE 1
SITE PLAN
AMERICAN DRIVE-IN CLEANERS SITE
LEVITTOWN, NY

TABLE 1
GROUNDWATER ANALYTICAL RESULTS
AMERICAN DRIVE-IN CLEANERS
3801 HEMPSTEAD TURNPIKE, LEVITTOWN, NEW YORK

Analytical Parameter	Units	Date Sampled	MW-1I	MW-1S	MW-2S	MW-3S	MW-4I	MW-4S	MW-5S	MW-6I	MW-6S	MW-7D	MW-7I	MW-7S	MW-8I	MW-8S	MW-9D	MW-9I	MW-9S	MW-10I	MW-10S	MW-11S	MW-12S	TOGS Groundwater Standards		
Tetrachloroethene	ug/L	1990	NA	274	NA	NA	NA	64	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	5	
		1/20/98	NA	260	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA		
		2/25/98	NA	NA	NA	NA	NA	NA	76	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA		
		3/18/98	ND	180	ND	ND	NA	40	ND	ND	34	NA	120	6,800	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA		
		4/22/98	ND	250	ND	ND	NA	130	ND	ND	8	NA	130	5,200	NA	NA	NA	NA	NA	150	NA	NA	NA	NA		
		2/3/99	2	360	ND	ND	NA	580	ND	ND	2	2	1,400	16,000	180	1,500	ND	ND	150	NA	NA	NA	NA	NA		
		7/30/99	NA	NA	NA	NA	NA	380	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA		
		1/20/00	NA	NA	NA	NA	NA	180	NA	NA	NA	NA	1,600	3,400	NA	570	NA	NA	74	NA	NA	NA	NA	NA		
		9/14/04	ND	ND	NA	NA	0.62 J	1.0 J	NA	NS	NS	0.51 J	1,800 D	0.77J	NS	ND	ND	ND	2.6 J	1.9 J	12	ND	NA			
		9/6/05	ND	ND	NA	NA	NS	NS	NA	NS	NS	0.90 J	77	1.2	NS	ND	NS	NS	NS	1.3	2	ND	NA			
		9/7/05	NS	NS	NA	NA	ND	8.8	NA	NS	NS	0.90 J	77	1.2	NS	ND	NS	NS	NS	1.3	2	ND	NA			
		10/26/07	ND	ND	NA	NA	NS	NS	NA	ND	ND	ND	ND	220	570	ND	NS	NS	NS	ND	ND	NS	NS	NA		
		1/25/08	ND	ND	NA	ND	ND	ND	NM	ND	ND	ND	120	ND	350	ND	ND	ND	ND	ND	ND	ND	ND	ND		
		4/30/08	ND	ND	NA	ND	ND	ND	NS	ND	ND	ND	120	ND	110	ND	ND	ND	ND	ND	ND	ND	ND	ND		
		7/28-29/08	ND	ND	NA	ND	ND	ND	NS	ND	ND	ND	120	ND	110	ND	ND	ND	ND	ND	ND	ND	ND	ND		
		10/27/08	NS	NS	NS	NS	NS	NS	NS	NS	NS	ND	88	6.7	ND	ND	ND	ND	ND	NS	NS	NS	NS	NS		
		1/31/09	NS	NS	NS	NS	NS	NS	NS	NS	NS	ND	110	14	110	ND	ND	ND	ND	NS	NS	NS	NS	NS		
		4/29/09	NS	NS	NS	NS	NS	NS	NS	NS	NS	0.68	88	ND	240	ND	ND	ND	ND	NS	NS	NS	NS	NS		
		7/27/09	NS	NS	NS	NS	NS	NS	NS	NS	NS	1.6	39	1.6	36	6.2	1.5	ND	1.1	NS	NS	NS	NS	NS		
		10/8/09	NS	NS	NS	NS	NS	NS	NS	NS	NS	ND	170	1.9	190	2.6	ND	ND	ND	NS	NS	NS	NS	NS		
		1/27/10	NS	NS	NS	NS	NS	NS	NS	NS	NS	ND	36	3.8	110	ND	ND	ND	ND	NS	NS	NS	NS	NS		
		4/8/10	NS	NS	NS	NS	NS	NS	NS	NS	NS	ND	2.4	4.3	2.2	ND	ND	ND	ND	NS	NS	NS	NS	NS		
		7/14-16/10	ND	ND	ND	ND	ND	ND	1.5 J	ND	ND	ND	ND	7.9	4.5 J	250	ND	ND	ND	ND	ND	ND	ND	ND		ND
		10/21/10	NS	NS	NS	NS	NS	NS	NS	NS	NS	ND	ND	8.6	72	ND	ND	ND	ND	NS	NS	NS	NS	NS		
		1/31/11	NS	NS	NS	NS	NS	NS	NS	NS	NS	ND	0.87 J	3.8 J	ND	2.1 J	ND	ND	ND	NS	NS	NS	NS	NS		
		4/26/11	NS	NS	NS	NS	NS	NS	NS	NS	NS	ND	140	ND	100	ND	ND	ND	ND	1.2 J	ND	ND	ND	ND		
		8/1-2/2011	ND	ND	NS	ND	ND	ND	1.2 J	ND	ND	ND	ND	56	0.64 J	120	ND	ND	ND	ND	NS	NS	NS	NS		
		11/8/11	NS	NS	NS	NS	NS	NS	NS	NS	NS	0.20 J	56	0.64 J	120	ND	ND	ND	ND	0.16 J	NS	NS	NS	NS		
2/15/12	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	18	2	85	0.38 J	0.17 J	ND	0.21 J	NS	NS	NS	NS	NS				
5/22/12	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	ND	83	0.74 J	16	0.80 J	ND	ND	0.21 J	NS	NS	NS	NS				
8/22/12	NS	NS	NS	NS	NS	NS	1.3	NS	0.15 J	ND	0.12 J	35	0.51 J	22	0.35 J	ND	ND	0.15 J	NS	NS	NS	NS				
12/4/12	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	ND	82	0.72 J	28	0.43 J	ND	ND	0.15 J	NS	NS	NS	NS				
2/20/13	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	ND	82	0.72 J	28	0.43 J	ND	ND	0.15 J	NS	NS	NS	NS				
5/16/13	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	0.14 J	97	1.0	6.1	ND	ND	0.16 J	ND	NS	NS	NS	NS				
Toluene	ug/L	9/14/04	ND	ND	NA	NA	ND	0.50 J	NA	NS	NS	0.53 J	ND	ND	NS	ND	0.57 J	0.53 J	ND	ND	ND	0.50 J	NA	5		
		7/27/09	NS	NS	NS	NS	NS	NS	NS	NS	NS	ND	ND	ND	ND	ND	ND	ND	0.89	NS	NS	NS	NS			
		7/14-16/10	ND	ND	ND	ND	ND	ND	1.2 J	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND			
		1/31/2011	NS	NS	NS	NS	NS	NS	NS	NS	NS	ND	ND	ND	ND	ND	0.72 J	ND	NS	NS	NS	NS				
		11/8/2011	NS	NS	NS	NS	NS	NS	NS	NS	NS	ND	ND	ND	ND	ND	0.20 J	ND	NS	NS	NS	NS				
		2/20/2013	NS	NS	NS	NS	NS	NS	NS	NS	NS	ND	ND	ND	ND	ND	0.24 J	0.18 J	NS	NS	NS	NS				
Xylenes (total)	ug/L	9/14/04	ND	ND	NA	NA	ND	0.56 J	NA	NS	NS	0.66 J	0.82 J	ND	NS	ND	0.56 J	0.65 J	ND	0.56 J	ND	0.84 J	NA	5		
		1/27/10	NS	NS	NS	NS	NS	NS	NS	NS	NS	ND	ND	ND	ND	ND	ND	ND	3.2	NS	NS	NS	NS			
Acetone	ug/L	9/14/04	ND	ND	NA	NA	ND	ND	NA	NS	NS	ND	6.1	1.1	18	2	2.5	2.9	32	NS	NS	NS	NS	50		
		4/29/09	NS	NS	NS	NS	NS	NS	NS	NS	NS	ND	ND	ND	ND	ND	ND	49	13	NS	NS	NS	NS			
		7/27/09	NS	NS	NS	NS	NS	NS	NS	NS	NS	ND	ND	ND	ND	ND	ND	ND	NS	NS	NS	NS				
		10/8/09	NS	NS	NS	NS	NS	NS	NS	NS	NS	ND	ND	ND	5.7	ND	ND	ND	NS	NS	NS	NS				
		1/27/10	NS	NS	NS	NS	NS	NS	NS	NS	NS	ND	ND	ND	ND	2.7	3	2.1	4.5	NS	NS	NS	NS			
		4/8/10	NS	NS	NS	NS	NS	NS	NS	NS	NS	ND	ND	ND	ND	2.7	3	2.1	4.5	NS	NS	NS	NS			
		7/14-16/10	2.7 J	ND	ND	ND	ND	ND	12	ND	ND	ND	ND	ND	62	ND	4.2 J	4.0 J	2.3 J	ND	1.8 J	ND	1.9 J			
		10/21/10	NS	NS	NS	NS	NS	NS	NS	NS	NS	ND	ND	ND	ND	ND	ND	ND	2.0 J	NS	NS	NS	NS			
		1/31/11	NS	NS	NS	NS	NS	NS	NS	NS	NS	1.7 J	1.9 J	1.5 J	2.1 J	2.5 J	10	10	1.8 J	NS	NS	NS	NS			
		4/26/11	NS	NS	NS	NS	NS	NS	NS	NS	NS	2.5 JB	ND	ND	ND	3.1 J	3.7 J	ND	6.2 JB	NS	NS	NS	NS			
		8/1-2/2011	2.4 J	ND	ND	2.2 J	ND	1.8 J	13	1.8 J	ND	2.1 J	1.5 J	1.3 J	2.3 J	2.4 J	ND	7.1 J	2.3 J	1.6 J	1.2 J	ND	ND			
		8/22/12	NS	NS	NS	NS	NS	21	NS	ND	ND	ND	ND	ND	ND	ND	27	NA	NA	4	NA	NA	NA		NA	
1,1-Dichloroethane	ug/L	2/4/99	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	ND	140	NA	10	NA	NA	1	NA	NA	NA	NA	5		
		1/20/00	NA	NA	NA	NA	NA	ND	NA	NA	NA	NA	ND	0.51 J	NS	ND	ND	ND	ND	ND	ND	ND	NA			
		9/14/04	ND	ND	NA	NA	ND	ND	NA	NS	NS	ND	NS	NS	NS	ND	0.53 J	ND	ND	NS	NS	NS	NA			
		9/6/05	ND	ND	NA	NA	NS	NS	NA	NS	NS	NS	NS	NS	NS	ND	NS	NS	NS	ND	1.4	ND	NA			
		9/7/05	NS	NS	NA	NA	ND	ND	NA	NS	NS	ND	ND	ND	NS	ND	NS	NS	NS	ND	ND	ND	ND			
		1/25/08	ND	ND	NA	ND	ND	ND	NM	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND			
		4/29/09	NS	NS	NS	NS	NS	NS	NS	NS	NS	ND	ND	ND	ND	ND	2.7	ND	ND	NS	NS	NS	NS			
		7/27/09	NS	NS	NS	NS	NS	NS	NS	NS	NS	ND	ND	ND	ND	ND	1.7	ND	ND	NS	NS	NS	NS			
		11/8/11	NS	NS	NS	NS	NS	NS	NS	NS	NS	0.22 J	ND	ND	ND	ND	ND	ND	NS	NS	NS	NS	NS			
2/15/12	NS	NS	NS	NS	NS	NS	NS	NS	NS	0.22 J	ND	ND	ND	ND	0.52 J	ND	ND	NS	NS	NS	NS					
8/22/12	NS	NS	NS	NS	NS	ND	NS	ND	ND	ND	ND	ND	ND	ND	0.60 J	ND	ND	ND	NS	NS	NS					

TABLE 1 (CONTINUED)
GROUNDWATER ANALYTICAL RESULTS
AMERICAN DRIVE-IN CLEANERS
3801 HEMPSTEAD TURNPIKE, LEVITTOWN, NEW YORK

NYSDEC Class GA Ambient Water Quality Standard																									
Analytical Parameter	Units	Date Sampled	MW-1I	MW-1S	MW-2S	MW-3S	MW-4I	MW-4S	MW-5S	MW-6I	MW-6S	MW-7D	MW-7I	MW-7S	MW-8I	MW-8S	MW-9D	MW-9I	MW-9S	MW-10I	MW-10S	MW-11S	MW-12S		
Chloroform	ug/L	9/14/04	ND	ND	NA	NA	ND	ND	NA	NS	NS	ND	ND	0.84 J	NS	ND	ND	0.57 J	ND	ND	0.79 J	ND	NA	7	
		9/6/05	ND	0.62 J	NA	NA	NS	NS	NA	NS	NS	NS	NS	0.81 J	NS	ND	NS	NS	ND	3.3	ND	NA			
		9/7/05	NS	NS	NA	NA	ND	ND	NA	NS	NS	ND	ND	1.1	ND	ND	ND	ND	NS	NS	NS	NS			
		4/29/09	NS	NS	NS	NS	NS	NS	NS	NS	NS	ND	ND	0.76	ND	ND	ND	ND	NS	NS	NS	NS			
		7/27/09	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	0.32 J	ND	ND	ND	ND	0.67 J	ND	0.72 J	NS	NS	NS		
		11/8/11	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	0.31 J	ND	0.17 J	0.097 J	ND	0.24 J	ND	NS	NS	NS	NS		
		2/15/12	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	0.18 J	ND	0.38 J	ND	ND	ND	0.45 J	NS	NS	NS	NS		
		5/22/12	NS	NS	NS	NS	NS	NS	0.45 J	NS	ND	0.13 J	ND	ND	0.11 J	ND	0.13 J	0.27 J	ND	1.1	ND	NS	NS		NS
		8/22/12	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	0.36 J	ND	ND	ND	ND	ND	0.18 J	NS	NS	NS	NS		
		12/4/12	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	0.11 J	ND	0.22 J	ND	0.43 J	ND	ND	NS	NS	NS	NS		
1,1,1-Trichloroethane	ug/L	2/20/13	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	0.26 J	ND	ND	0.23 J	ND	0.29 J	NS	NS	NS	NS		
		5/16/13	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	ND	ND	0.26 J	ND	ND	0.23 J	ND	0.29 J	NS	NS	NS	NS	
		3/18/98	ND	4	ND	ND	NA	ND	ND	ND	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	5	
		4/22/99	ND	6	ND	ND	NA	NA	NA	1	ND	NA	ND	ND	ND	ND	26	ND	ND	4	NA	NA	NA		NA
		2/3/99	ND	9	ND	ND	NA	ND	ND	ND	ND	ND	ND	ND	ND	ND	26	ND	ND	4	NA	NA	NA		NA
		7/30/99	NA	NA	NA	NA	NA	2	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	3	NA	NA	NA		NA
		1/20/00	NA	NA	NA	NA	NA	1	NA	NA	NA	NA	ND	230	NA	14	NA	NA	3	NA	NA	NA	NA		NA
		9/14/04	ND	ND	NA	NA	ND	ND	NA	NS	NS	ND	ND	0.87 J	NS	ND	ND	ND	NS	NS	ND	1.5	ND		NA
		9/7/05	NS	NS	NA	NA	ND	ND	NA	NS	NS	ND	ND	ND	NS	ND	NS	NS	NS	NS	NS	NS	NS		NS
		5/22/12	NS	NS	NS	NS	NS	ND	ND	NS	NS	NS	ND	ND	0.23 J	ND	ND	ND	ND	NS	NS	NS	NS		
8/22/12	NS	NS	NS	NS	NS	0.67 J	NS	NS	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NS	NS	NS	NS			
Methylene Chloride	ug/L	9/14/04	ND	ND	NA	NA	ND	ND	NA	NS	NS	0.93 J	ND	ND	NS	ND	ND	ND	ND	NS	NS	NS	NS		5
		4/29/09	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	ND	1.9	ND	12	ND	ND	ND	NS	NS	NS	NS		
		7/14-16/10	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	12 B	ND	ND	ND	ND	ND	ND	ND		
Chloromethane	ug/L	9/6/05	ND	ND	NA	NA	NS	NS	NA	NS	NS	NS	NS	NS	NS	NS	0.46 J	ND	ND	NS	NS	NS	NS	50	
		11/8/11	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	ND	ND	ND	ND	ND	ND	NS	NS	NS	NS	NS		
Bromodichloromethane	ug/L	9/6/05	ND	0.90 J	NA	NA	NS	NS	NA	NS	NS	NS	NS	NS	NS	NS	ND	NS	NS	ND	ND	0.65 J	NA	50	
		9/7/05	NS	NS	NA	NA	ND	ND	NA	NS	NS	ND	ND	ND	ND	ND	ND	1.2	ND	ND	NS	NS	NS		NS
		1/27/10	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	ND	ND	ND	ND	ND	0.35 J	ND	ND	NS	NS	NS		NS
Benzene	ug/L	11/8/11	NS	NS	NS	NS	NS	NS	NS	NS	NS	ND	ND	ND	0.22 J	0.26 J	ND	ND	ND	NS	NS	NS	NS	1	
		12/4/12	NS	NS	NS	NS	NS	NS	NS	NS	NS	ND	ND	0.093 J	ND	ND	ND	ND	ND	NS	NS	NS	NS		
		11/8/11	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	ND	ND	0.20 J	0.28 J	ND	ND	ND	NS	NS	NS	NS		5
Chlorobenzene	ug/L	11/8/11	NS	NS	NS	NS	NS	NS	NS	NS	NS	ND	ND	ND	0.20 J	0.28 J	ND	ND	ND	NS	NS	NS	NA	50	
		9/6/05	ND	1.1	NA	NA	NS	NS	NA	NS	NS	NS	ND	ND	NS	NS	NS	NS	NS	ND	ND	0.87J	NA		
Bromoform	ug/L	9/7/05	NS	NS	NA	NA	ND	ND	NA	NS	NS	ND	ND	ND	NS	ND	NS	NS	NS	ND	ND	0.87J	NA	5	
		9/7/05	NS	NS	NA	NA	ND	ND	NA	NS	NS	ND	ND	ND	NS	ND	NS	NS	NS	ND	ND	0.87J	NA		
Carbon Tetrachloride	ug/L	9/7/05	NS	NS	NA	NA	ND	ND	NA	NS	NS	ND	ND	ND	NS	ND	NS	NS	NS	ND	0.67 J	ND	NA	-	
Carbon Disulfide	ug/L	1/31/09	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	ND	ND	ND	ND	ND	ND	ND	ND	NS	NS	NS	-	
Methyl isobutyl ketone	ug/L	8/22/12	NS	NS	NS	NS	NS	ND	NS	0.67 J	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NS	NS	NS	-	
		4/29/09	NS	NS	NS	NS	NS	NS	NS	NS	NS	ND	ND	ND	0.71 J	0.80 J	3.2 J	1.9 J	0.50 J	NS	NS	NS	NS		
		10/21/10	NS	NS	NS	NS	NS	NS	NS	NS	NS	ND	ND	ND	ND	ND	ND	ND	2.0 J	NS	NS	NS	NS		
		4/26/11	NS	NS	NS	NS	NS	NS	NS	NS	NS	ND	ND	ND	ND	ND	ND	ND	2.0 J	NS	NS	NS	NS		
		5/22/2012	NS	NS	NS	NS	NS	NS	NS	NS	NS	ND	ND	ND	ND	ND	ND	1.2 J	ND	ND	NS	NS	NS	NS	
Methyl Ethyl ketone (2-Butanone)	ug/L	12/4/2012	NS	NS	NS	NS	NS	NS	NS	NS	NS	ND	ND	ND	ND	ND	ND	1.7 J	ND	ND	NS	NS	NS	NS	
		2/20/2013	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	ND	ND	ND	ND	ND	2.3 J	4.0 J	ND	NS	NS	NS	NS	
		1/31/09	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	ND	ND	ND	ND	ND	5 J	ND	NS	NS	NS	NS	50	
		4/29/09	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	ND	ND	ND	ND	ND	ND	11	NS	NS	NS	NS		
		1/27/10	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	ND	ND	ND	ND	0.58	ND	ND	ND	NS	NS	NS		NS
4/8/10	NS	NS	NS	NS	NS	NS	NS	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NS	NS	NS	NS			
1,1-Dichloroethene	ug/L	7/14-16/10	NS	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND		ND
		1/31/11	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	ND	ND	ND	ND	ND	2.1 J	2.6 J	ND	NS	NS	NS	NS	
		8/22/12	NS	NS	NS	NS	NS	NS	8.5	NS	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NS	NS	NS	NS	
		4/29/09	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	ND	ND	ND	ND	ND	1.5	ND	ND	NS	NS	NS	NS	
		7/27/09	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	ND	ND	ND	ND	ND	0.94	ND	ND	NS	NS	NS	NS	
Trichloroethene	ug/L	2/15/12	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	ND	ND	ND	ND	ND	0.19 J	ND	ND	NS	NS	NS	NS	
		8/22/12	NS	NS	NS	NS	NS	ND	NS	NS	NS	ND	ND	ND	ND	ND	ND	0.39 J	ND	ND	NS	NS	NS	NS	
		5/16/16	NS	NS	NS	NS	NS	ND	NS	NS	NS	ND	ND	ND	ND	ND	ND	1.2	ND	ND	ND	ND	ND	ND	
		7/27/09	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	1.2	ND	ND	NS	NS	NS	NS
		1/27/10	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	ND	ND	ND	ND	ND	0.7	ND	ND	NS	NS	NS	NS	
		11/8/11	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	0.37 J	ND	ND	ND	ND	ND	ND	NS	NS	NS	NS	NS	
		2/15/12	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	0.23 J	ND	0.14 J	ND	ND	ND	ND	NS	NS	NS	NS	NS	
		2/15/12	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	0.18 J	ND	ND	ND	ND	ND	ND	NS	NS	NS	NS	NS	
		8/22/12	NS	NS	NS	NS	NS	ND	NS	NS	NS	NS	0.17 J	ND	ND	ND	ND	ND	0.55 J	ND	ND	NS	NS	NS	NS

Notes:
ND = Not Detected above the method detection limit of the laboratory
Bold and shaded values indicate concentrations in excess of Class GA Ambient Water Quality Standard
NS = Not sampled
NA = Not available
J = Laboratory Estimate
B= analyte was found in an associated laboratory blank