

QUARTERLY SUMMARY REPORT

PERIOD: October 1, 2013 through December 31, 2013

Date of Report: January 9, 2014

Location: American Drive-in Cleaners Site, 3801 Hempstead Turnpike, Levittown, NY

Activities During Reporting Period (October through December 2013)

- Monthly monitoring of the Beverage Center SSDS
- Performance of quarterly groundwater monitoring on November 25, 2013 at monitoring wells MW-7S, MW-7I, MW-7D, MW-8S, MW-8I, MW-9S, MW-9I and MW-9D.

Anticipated Activities During Next Reporting Period (January through March 2014)

- Performance of quarterly groundwater monitoring in accordance with SMP with approved revisions.
- Monthly monitoring of the Beverage Center SSDS.

Summary and Conclusions

Groundwater Monitoring – Sampling was performed on November 25, 2013 in accordance with the requirements specified in the March 2010 SMP and July 2012 modifications. Table 1 is attached and includes both historic and most recent monitoring data. Figure 1, which shows the most recent PCE concentrations and groundwater elevation information, is also attached.

The 4th quarter 2013 data included detections of PCE in one onsite intermediate-level well (MW-7I) and one offsite intermediate-level well (MW-8I) in excess of the NYSDEC Class GA Ambient Water Quality Standard. The detected level in MW-7I was noted to decrease relative to last quarter's result and it remained well below historic levels. The detection in MW-8I was noted to slightly increase relative to last quarter's result, but it remained well below historic levels. The extent of groundwater impacted by PCE in excess of its NYSDEC Standard remains delineated. FPM recommends that quarterly monitoring be continued in accordance with the SMP and modifications.

Beverage Center SSDS Monitoring - Monitoring of the Beverage Center SSDS was performed monthly during the monitoring period. No issues with SSDS performance or operation were noted.

Attachments

- Table 1 – Groundwater Analytical Results
- Figure 1 – Site Plan




TABLE 1
GROUNDWATER ANALYTICAL RESULTS
AMERICAN DRIVE-IN CLEANERS
3801 HEMPSTEAD TURNPIKE, LEVITTOWN, NEW YORK

Analytical Parameter	Units	Date Sampled	MW-1I	MW-1S	MW-2S	MW-3S	MW-4I	MW-4S	MW-5S	MW-6I	MW-6S	MW-7D	MW-7I	MW-7S	MW-8I	MW-8S	MW-9D	MW-9I	MW-9S	MW-10I	MW-10S	MW-11S	MW-12S	TOGS Groundwater Standards	
Tetrachloroethene	ug/L	1990	NA	274	NA	NA	NA	64	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	5	
		1/20/98	NA	260	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA		
		2/25/98	NA	NA	NA	NA	NA	76	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA		
		3/18/98	ND	180	ND	ND	NA	40	ND	ND	34	NA	120	6,800	NA	NA	NA	NA	NA	NA	NA	NA	NA		
		4/22/98	ND	250	ND	ND	NA	130	ND	ND	8	NA	130	5,200	NA	NA	NA	NA	NA	NA	NA	NA	NA		
		2/3/99	2	360	ND	ND	NA	580	ND	ND	2	2	1,400	16,000	180	1,500	ND	ND	150	NA	NA	NA	NA		
		7/30/99	NA	NA	NA	NA	NA	380	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA		
		1/20/00	NA	NA	NA	NA	NA	180	NA	NA	NA	NA	1,600	3,400	NA	570	NA	NA	74	NA	NA	NA	NA		
		9/14/04	ND	ND	NA	NA	0.62 J	1.0 J	NA	NS	NS	0.51 J	1,800 D	0.77J	NS	ND	ND	ND	2.6 J	1.9 J	12	ND	NA		
		9/6/05	ND	ND	NA	NA	NS	NS	NA	NS	NS	NS	NS	NS	NS	NS	ND	ND	0.82 J	NS	NS	NS	NA		
		9/7/05	NS	NS	NA	NA	ND	8.8	NA	NS	NS	0.90 J	77	1.2	NS	ND	NS	NS	NS	1.3	2	ND	NA		
		10/26/07	ND	ND	NA	NA	NS	NS	NA	ND	ND	ND	ND	220	570	ND	NS	NS	NS	ND	ND	NS	NA		
		1/25/08	ND	ND	NA	ND	ND	ND	NM	ND	ND	ND	120	ND	350	ND	ND	ND	ND	ND	ND	ND	ND		
		4/30/08	ND	ND	NA	ND	ND	ND	NS	ND	ND	ND	34	ND	200	ND	ND	ND	ND	ND	ND	ND	ND		
		7/28-29/08	ND	ND	NA	ND	ND	ND	NS	ND	ND	ND	120	ND	110	ND	ND	ND	ND	ND	NS	NS	NS		NS
		10/27/08	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	ND	88	6.7	ND	ND	ND	ND	ND	NS	NS	NS		NS
		1/31/09	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	ND	110	14	110	ND	ND	ND	ND	NS	NS	NS		NS
		4/29/09	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	0.68	88	ND	240	ND	ND	ND	ND	NS	NS	NS		NS
		7/27/09	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	1.6	39	1.6	36	6.2	1.5	ND	1.1	NS	NS	NS		NS
		10/8/09	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	ND	170	1.9	190	2.6	ND	ND	ND	NS	NS	NS		NS
		1/27/10	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	ND	36	3.8	110	ND	ND	ND	ND	NS	NS	NS		NS
		4/8/10	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	ND	2.4	4.3	2.2	ND	ND	ND	ND	NS	NS	NS		NS
		7/14-16/10	ND	ND	ND	ND	ND	1.5 J	ND	ND	ND	ND	ND	7.9	4.5 J	250	ND	ND	ND	ND	ND	ND	ND		ND
		10/21/10	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	ND	ND	8.6	72	ND	ND	ND	ND	NS	NS	NS		NS
		1/31/11	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	ND	8.1	ND	1.1 J	ND	ND	ND	ND	NS	NS	NS		NS
		4/26/11	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	ND	0.87 J	3.8 J	ND	2.1 J	ND	ND	ND	NS	NS	NS		NS
		8/1-2/2011	ND	ND	NS	ND	ND	1.2 J	ND	ND	ND	ND	ND	140	ND	100	ND	ND	ND	ND	1.2 J	ND	ND		ND
		11/8/11	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	0.20 J	56	0.64 J	120	ND	ND	ND	ND	NS	NS	NS		NS
		2/15/12	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	0.19 J	18	2	85	0.38 J	0.17 J	ND	0.16 J	NS	NS	NS		NS
		5/22/12	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	ND	83	0.74 J	16	0.80 J	ND	ND	0.21 J	NS	NS	NS		NS
		8/22/12	NS	NS	NS	NS	NS	NS	1.3	NS	0.15 J	ND	0.12 J	35	0.51 J	22	0.35 J	ND	ND	ND	ND	NS	NS		NS
		12/4/12	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	0.11 J	49	1.5	20	0.43 J	0.10 J	ND	ND	NS	NS	NS		NS
		2/20/13	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	ND	82	0.72 J	28	0.43 J	ND	ND	0.15 J	NS	NS	NS		NS
		5/16/13	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	0.14 J	97	1	6.1	ND	ND	0.16 J	ND	NS	NS	NS		NS
		9/4/13	NS	NS	NS	NS	NS	NS	0.79 J	NS	ND	ND	ND	310	0.81 J	140	0.35 J	ND	ND	0.11 J	ND	NS	NS		NS
		11/25/16	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	0.28 J	170	ND	180	0.42 J	ND	ND	0.25 J	NS	NS	NS		NS
Toluene	ug/L	9/14/04	ND	ND	NA	NA	ND	0.50 J	NA	NS	NS	0.53 J	ND	ND	NS	ND	0.57 J	0.53 J	ND	ND	ND	0.50 J	NA	5	
		7/27/09	NS	NS	NS	NS	NS	NS	NS	NS	NS	ND	ND	ND	ND	ND	ND	ND	0.89	NS	NS	NS	NS		
		7/14-16/10	ND	ND	ND	ND	ND	1.2 J	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NS	NS	NS	NS		
		1/31/2011	NS	NS	NS	NS	NS	NS	NS	NS	NS	ND	ND	ND	ND	ND	0.20 J	ND	NS	NS	NS	NS	NS		
		11/8/2011	NS	NS	NS	NS	NS	NS	NS	NS	NS	ND	ND	ND	ND	ND	0.24 J	0.18 J	NS	NS	NS	NS	NS		
		2/20/2013	NS	NS	NS	NS	NS	NS	NS	NS	NS	ND	ND	ND	ND	ND	4.6	0.41 J	ND	ND	NS	NS	NS		NS
Xylenes (total)	ug/L	9/14/04	ND	ND	NA	NA	ND	0.56 J	NA	NS	NS	0.66 J	0.82 J	ND	NS	ND	0.56 J	0.65 J	ND	0.56 J	ND	0.84 J	NA	5	
		1/27/10	NS	NS	NS	NS	NS	NS	NS	NS	NS	ND	ND	ND	ND	ND	ND	3.2	NS	NS	NS	NS	NS		
Acetone	ug/L	9/14/04	ND	ND	NA	NA	ND	ND	NA	NS	NS	2.2 J	ND	0.86 J	NS	ND	ND	ND	ND	ND	ND	ND	NA	50	
		4/29/09	NS	NS	NS	NS	NS	NS	NS	NS	NS	ND	ND	ND	ND	ND	ND	49	13	NS	NS	NS	NS		
		7/27/09	NS	NS	NS	NS	NS	NS	NS	NS	NS	ND	ND	ND	ND	ND	ND	49	13	NS	NS	NS	NS		
		10/8/09	NS	NS	NS	NS	NS	NS	NS	NS	NS	ND	ND	ND	5.7	ND	ND	ND	NS	NS	NS	NS	NS		
		1/27/10	NS	NS	NS	NS	NS	NS	NS	NS	NS	1.5	2.6	1.3	3.9	3.9	2.2	ND	1.2	NS	NS	NS	NS		
		4/8/10	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	ND	ND	ND	2.7	3	2.1	4.5	NS	NS	NS	NS		
		7/14-16/10	2.7 J	ND	ND	ND	ND	ND	12	ND	ND	ND	ND	ND	ND	ND	4.2 J	4.0 J	2.3 J	ND	1.8 J	ND	1.9 J		
		10/21/10	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	1.7 J	1.9 J	1.5 J	2.1 J	2.5 J	10	10	1.8 J	NS	NS	NS		NS
		1/31/11	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	2.5 JB	ND	ND	ND	3.1 J	3.7 J	ND	6.2 JB	NS	NS	NS		NS
		4/26/11	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	2.5 JB	ND	ND	ND	3.1 J	3.7 J	ND	6.2 JB	NS	NS	NS		NS
		8/1-2/2011	2.4 J	ND	ND	2.2 J	ND	1.8 J	13	1.8 J	ND	2.1 J	1.5 J	1.3 J	2.3 J	2.4 J	ND	7.1 J	2.3 J	1.6 J	1.2 J	ND	ND		
1,1-Dichloroethane	ug/L	8/22/12	NS	NS	NS	NS	NS	21	NS	ND	ND	ND	ND	ND	ND	27	NA	NA	4	NA	NA	NA	NA	5	
		2/4/99	NA	NA	NA	NA	NA	NA	NA	NA	NA	ND	ND	ND	ND	ND	1	NA	NA	NA	NA	NA	NA		
		1/20/00	NA	NA	NA	NA	NA	ND	NA	NA	NA	NA	ND	140	NA	10	NA	NA	1	NA	NA	NA	NA		
		9/14/04	ND	ND	NA	NA	ND	NA	NS	NS	NS	ND	ND	0.51 J	NS	ND	ND	ND	NS	NS	NS	NA	NA		
		9/6/05	ND	ND	NA	NA	NS	NS	NA	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	ND	1.4	ND	NA		
		9/7/05	NS	NS	NA	NA	ND	ND	NA	NS	NS	ND	ND	ND	NS	ND	NS	NS	NS	ND	NS	NS	NS		
		1/25/08	ND	ND	NA	ND	ND	ND	NM	ND	ND	ND	ND	ND	ND	ND	2.7	ND	ND	NS	NS	NS	NS		
		4/29/09	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	ND	ND	ND	ND	1.7	ND	ND	NS	NS	NS	NS		
		7/27/09	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	ND	ND	ND	ND	1.7	ND	ND	NS	NS	NS	NS		
		11/8/11	NS	NS</																					

TABLE 1 (CONTINUED)
GROUNDWATER ANALYTICAL RESULTS
AMERICAN DRIVE-IN CLEANERS
3801 HEMPSTEAD TURNPIKE, LEVITTOWN, NEW YORK

Analytical Parameter	Units	Date Sampled	MW-11	MW-15	MW-25	MW-35	MW-41	MW-45	MW-55	MW-61	MW-65	MW-7D	MW-7I	MW-7S	MW-8I	MW-8S	MW-9D	MW-9I	MW-9S	MW-10I	MW-10S	MW-11S	MW-12S	NYSDEC Class GA Ambient Water Quality Standard		
Chloroform	ug/L	9/14/04	ND	ND	NA	NA	ND	ND	NA	NS	NS	ND	ND	0.84 J	NS	NS	ND	ND	0.57 J	ND	ND	0.79 J	ND	NA	7	
		9/6/05	ND	0.62 J	NA	NA	NS	NS	NA	NS	NS	NS	NS	NS	NS	NS	NS	ND	1.3	ND	NS	NS	NS	NA		
		9/7/05	NS	NS	NA	NA	ND	ND	NA	NS	NS	ND	ND	0.81 J	NS	ND	NS	NS	NS	ND	3.3	ND	NA			
		4/29/09	NS	NS	NS	NS	NS	NS	NS	NS	NS	ND	ND	1.1	ND	ND	ND	ND	ND	NS	NS	NS	NS			
		7/27/09	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	ND	ND	0.78	ND	ND	ND	ND	ND	NS	NS	NS	NS		
		11/8/11	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	0.32 J	ND	ND	ND	ND	0.67 J	ND	0.72 J	NS	NS	NS	NS		
		2/15/12	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	0.31 J	ND	0.17 J	0.097 J	ND	0.24 J	ND	ND	NS	NS	NS	NS		
		5/22/12	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	0.18 J	ND	0.38 J	ND	ND	ND	0.45 J	NS	NS	NS	NS			
		8/22/12	NS	NS	NS	NS	NS	0.45 J	NS	ND	0.13 J	ND	0.11 J	ND	0.22 J	ND	0.43 J	ND	ND	ND	NS	NS	NS	NS		
		12/4/12	NS	NS	NS	NS	NS	NS	NS	NS	NS	0.11 J	ND	0.22 J	ND	0.43 J	ND	ND	ND	NS	NS	NS	NS			
		2/20/13	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	0.36 J	ND	ND	ND	ND	ND	0.18 J	NS	NS	NS	NS			
		5/16/13	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	ND	ND	0.26 J	ND	ND	0.23 J	ND	0.29 J	NS	NS	NS	NS		
		9/4/13	NS	NS	NS	NS	NS	0.41 J	NS	ND	0.20 J	0.13 J	ND	0.23 J	ND	ND	ND	0.12 J	ND	0.18 J	ND	NS	NS	NS		
		11/25/13	NS	NS	NS	NS	NS	NS	NS	ND	0.40 J	ND	ND	0.26 J	NS	NS	0.30 J	ND	0.33 J	NS	NS	NS	NS			
1,1,1-Trichloroethane	ug/L	3/18/08	ND	4	ND	ND	NA	ND	ND	ND	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	5		
		4/22/09	ND	9	ND	ND	NA	NA	NA	1	ND	NA	ND	ND	NA	NA	NA	NA	NA	NA	NA	NA	NA			
		2/3/09	ND	9	ND	ND	NA	ND	ND	ND	ND	ND	ND	ND	26	ND	ND	4	NA	NA	NA	NA	NA			
		7/30/09	NA	NA	NA	NA	NA	2	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA			
		1/20/00	NA	NA	NA	NA	NA	1	NA	NA	NA	NA	ND	250	NA	14	NA	NA	3	NA	NA	NA	NA			
		9/14/04	ND	ND	NA	NA	ND	ND	NA	NS	NS	NS	ND	ND	0.87 J	NS	ND	ND	ND	ND	ND	ND	NA			
		9/7/05	NS	NS	NA	NA	ND	ND	NA	NS	NS	NS	ND	ND	ND	NS	NS	NS	NS	ND	1.5	ND	NA			
		5/22/12	NS	NS	NS	NS	ND	ND	NS	NS	NS	NS	ND	ND	0.23 J	ND	ND	ND	ND	NS	NS	NS	NS			
		8/22/12	NS	NS	NS	NS	NS	0.67 J	NS	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NS	NS	NS			
		9/4/13	NS	NS	NS	NS	NS	0.47 J	NS	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NS	NS	NS			
		Methylene Chloride	ug/L	9/14/04	ND	ND	NA	NA	ND	ND	NA	NS	NS	0.93 J	ND	ND	NS	ND	ND	ND	ND	ND	ND		ND	NA
				4/29/09	NS	NS	NS	NS	NS	NS	NS	NS	NS	ND	1.9	ND	12	ND	ND	ND	ND	NS	NS		NS	NS
				7/14-16/10	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	12 B	ND	ND	ND	ND	ND	ND		ND	ND
				9/6/05	ND	ND	NA	NA	NS	NS	NA	NS	NS	NS	NS	NS	NS	NS	NS	ND	ND	1.6	NS		NS	NS
Bromodichloromethane	ug/L	11/8/11	NS	NS	NS	NS	NS	NS	NS	NS	NS	ND	ND	ND	ND	ND	0.46 J	ND	ND	NS	NS	NS	NS	50		
Dibromochloromethane	ug/L	9/6/05	ND	0.90 J	NA	NA	NS	NS	NA	NS	NA	NS	NS	NS	NS	NS	NS	ND	ND	ND	NS	NS	NA			
		9/7/05	NS	NS	NA	NA	ND	ND	NA	NS	NS	NS	ND	ND	ND	NS	NS	NS	NS	ND	ND	0.65 J	NA			
		1/27/10	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	ND	ND	ND	ND	1.2	ND	ND	NS	NS	NS	NS			
		11/8/11	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	ND	ND	ND	ND	0.35 J	ND	ND	NS	NS	NS	NS			
Benzene	ug/L	11/8/11	NS	NS	NS	NS	NS	NS	NS	NS	NS	ND	ND	ND	0.22 J	0.26 J	ND	ND	ND	NS	NS	NS	NS	1		
		12/4/12	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	ND	ND	0.093 J	ND	ND	ND	ND	NS	NS	NS	NS			
Chlorobenzene	ug/L	11/8/11	NS	NS	NS	NS	NS	NS	NS	NS	NS	ND	ND	ND	0.20 J	0.28 J	ND	ND	ND	NS	NS	NS	NS	5		
Bromoform	ug/L	9/6/05	ND	1.1	NA	NA	NS	NS	NA	NS	NS	NS	NS	NS	NS	NS	ND	ND	ND	NS	NS	NS	NA	50		
		9/7/05	NS	NS	NA	NA	ND	ND	NA	NS	NS	ND	ND	ND	NS	NS	NS	NS	NS	ND	ND	0.87 J	NA			
Carbon Tetrachloride	ug/L	9/7/05	NS	NS	NA	NA	ND	ND	NA	NS	NS	ND	ND	ND	NS	NS	NS	NS	NS	ND	0.67 J	ND	NA	5		
Carbon Disulfide	ug/L	1/31/09	NS	NS	NS	NS	NS	NS	NS	NS	NS	ND	ND	2 J	ND	ND	ND	ND	ND	NS	NS	NS	NS	-		
		8/22/12	NS	NS	NS	NS	NS	NS	0.67 J	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NS	NS	NS				
Methyl isobutyl ketone	ug/L	4/29/09	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	ND	ND	ND	ND	ND	ND	ND	2.5	NS	NS	NS	-		
		10/21/10	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	ND	ND	ND	0.71 J	0.80 J	3.2 J	1.9 J	0.50 J	NS	NS	NS			
		4/26/11	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	ND	ND	ND	ND	ND	ND	2.0 J	NS	NS	NS	NS			
		5/22/2012	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	ND	ND	ND	ND	ND	1.2 J	ND	ND	NS	NS	NS		NS	
		12/4/2012	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	ND	ND	ND	ND	ND	1.7 J	ND	ND	NS	NS	NS		NS	
		2/20/2013	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	ND	ND	ND	ND	ND	2.3 J	4.0 J	ND	NS	NS	NS		NS	
Methyl Ethyl ketone (2-Butanone)	ug/L	1/31/09	NS	NS	NS	NS	NS	NS	NS	NS	NS	ND	ND	ND	ND	ND	ND	ND	11	NS	NS	NS	NS	50		
		4/29/09	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	ND	ND	ND	ND	ND	ND	ND	NS	NS	NS	NS			
		1/27/10	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	ND	ND	ND	ND	0.58	ND	ND	ND	NS	NS	NS		NS	
		4/8/10	NS	NS	NS	NS	NS	NS	NS	NS	NS	ND	ND	ND	ND	ND	ND	ND	ND	NS	NS	NS	NS			
		7/14-16/10	NS	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND		ND	
		1/31/11	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	ND	ND	ND	ND	ND	ND	ND	ND	NS	NS	NS		NS	
1,1-Dichloroethene	ug/L	8/22/12	NS	NS	NS	NS	NS	8.5	NS	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NS	NS	NS	5		
		4/29/09	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	ND	ND	ND	ND	ND	1.5	ND	ND	NS	NS	NS		NS	
		7/27/09	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	ND	ND	ND	ND	ND	0.94	ND	ND	NS	NS	NS		NS	
		2/15/12	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	ND	ND	ND	ND	ND	0.19 J	ND	ND	NS	NS	NS		NS	
		8/22/12	NS	NS	NS	NS	NS	ND	NS	ND	ND	ND	ND	ND	ND	ND	ND	0.19 J	ND	ND	NS	NS	NS		NS	
		5/16/13	NS	NS	NS	NS	NS	NS	ND	NS	NS	NS	ND	ND	ND	ND	ND	0.39 J	ND	ND	NS	NS	NS		NS	
Trichloroethene	ug/L	9/16/13	NS	NS	NS	NS	NS	ND	NS	ND	ND	ND	0.29 J (cis)	ND	ND	ND	ND	ND	ND	ND	NS	NS	NS	5		
		11/25/13	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	ND	NS	ND	ND	ND	0.29 J	ND	ND	NS	NS	NS		NS	
		7/27/09	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	1.2	ND	ND	ND	ND	ND		ND	
		1/27/10	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	ND	ND	ND	ND	ND	0.7	ND	ND	NS	NS	NS		NS	
		11/18/11	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	0.37 J	ND	ND	ND	ND	ND	ND	ND	NS	NS	NS		NS	
		2/15/12	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	0.23 J	ND	0.14 J	ND	ND	0.42 J	ND	ND	NS	NS	NS		NS	
		2/15/12	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	0.18 J	ND	ND	ND	ND	ND	ND	ND	NS	NS	NS		NS	
		8/22/12	NS	NS	NS	NS	NS	ND	NS	NS	ND	ND	ND	ND	ND	ND	ND	0.55 J	ND	ND	ND	NS	NS		NS	
		12/4/12	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	0.17 J	ND	ND	ND	ND	ND	ND	ND	NS	NS	NS		NS	
		2/20/13	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	0.36 J	ND	ND	ND	ND	ND	ND	ND	NS	NS	NS		NS	
		5/16/13	NS	NS	NS	NS	NS	NS	NS	NS	NS	ND	ND	ND	ND	ND	ND	0.35 J	ND	ND	NS	NS	NS	NS		
		9/4/13	NS	NS	NS	NS	NS	ND	NS	ND	ND	ND	ND	ND	ND	ND	ND	0.47 J	ND	ND	NS	NS	NS	NS		
		11/25/13	NS	NS</																						