

ANALYTICAL REPORT

Job Number: 460-36866-1

Job Description: Site No: 130050 DEC Hempstead 206

For:
New York State D.E.C.
625 Broadway
11th Floor
Albany, NY 12233
Attention: Mr. David Gardner



Approved for release.
Larry Decker
Project Manager I
2/28/2012 9:32 AM

Larry Decker
Project Manager I
larry.decker@testamericainc.com
02/28/2012

cc: Mr. Greg Mann
Mrs. Tracy Salvitti
Ms. Karen Sanford

The test results in this report meet all NELAP requirements unless specified within the case narrative. Pursuant to NELAP, this report may not be reproduced, except in full, without the written approval of the laboratory. All questions regarding this report should be directed to the TestAmerica Edison Project Manager.

TestAmerica Edison Certifications and Approvals: Connecticut: CTDOH #PH-0200, New Jersey: NJDEP (NELAP) #12028, New York: NYDOH (NELAP) #11452, NYDOH (ELAP) #11452, Pennsylvania: PADEP (NELAP) 68-00522 and Rhode Island: RIDOH LAO00132

TestAmerica Laboratories, Inc.


TestAmerica Edison 777 New Durham Road, Edison, NJ 08817
Tel (732) 549-3900 Fax (732) 549-3679 www.testamericainc.com



Job Number: 460-36866-1

Job Description: Site No: 130050 DEC Hempstead 206

I certify that this data package is in compliance with the terms and conditions of the contract, both technically and for completeness, for other than the conditions detailed within the body of this report. Release of the data contained in this sample data package and in the electronic data deliverable has been authorized by the Laboratory Manager or his/her designee, as verified by the following signature.

A handwritten signature in black ink, appearing to be 'LD', with a long horizontal line extending to the right from the end of the signature.

Approved for release.
Larry Decker
Project Manager I
2/28/2012 9:32 AM

Larry Decker

Table of Contents

Cover Title Page	1
Report Narrative	4
Executive Summary	5
Method Summary	6
Method / Analyst Summary	7
Sample Summary	8
Sample Results	9
Sample Datasheets	10
Data Qualifiers	14
QC Results	15
Qc Association Summary	16
Surrogate Recovery Report	17
Qc Reports	18
Client Chain of Custody	21
Sample Receipt Checklist	22

CASE NARRATIVE

Client: New York State D.E.C.

Project: Site No: 130050 DEC Hempstead 206

Report Number: 460-36866-1

This case narrative is in the form of an exception report, where only the anomalies related to this report, method specific performance and/or QA/QC issues are discussed. If there are no issues to report, this narrative will include a statement that documents that there are no relevant data issues.

It should be noted that samples with elevated Reporting Limits (RLs) as a result of a dilution may not be able to satisfy customer reporting limits in some cases. Such increases in the RLs are unavoidable but acceptable consequence of sample dilution that enables quantification of target analytes or interferences which exceed the calibration range of the instrument.

Calculations are performed before rounding to avoid round-off errors in calculated results.

All holding times were met and proper preservation noted for the methods performed on these samples, unless otherwise detailed in the individual sections below.

RECEIPT

The samples were received on 02/13/2012; the samples arrived in good condition, properly preserved and on ice. The temperature of the coolers at receipt was 4.2 C.

Note: All samples which require thermal preservation are considered acceptable if the arrival temperature is within 2C of the required temperature or method specified range. For samples with a specified temperature of 4C, samples with a temperature ranging from just above freezing temperature of water to 6C shall be acceptable. Samples that are hand delivered immediately following collection may not meet these criteria, however they will be deemed acceptable according to NELAC standards, if there is evidence that the chilling process has begun, such as arrival on ice, etc.

TOTAL METALS

Sample 460-36866-3 was analyzed for total metals in accordance with EPA SW-846 Method 6010B. The samples were prepared and analyzed on 02/20/2012.

No difficulties were encountered during the metals analysis.

All quality control parameters were within the acceptance limits.

VOLATILE ORGANIC COMPOUNDS (GC-MS)

Samples 460-36866-1 through 460-36866-3 were analyzed for volatile organic compounds (GC-MS) in accordance with EPA Method 624. The samples were analyzed on 02/18/2012.

Method(s) 624: The matrix spike / matrix spike duplicate (MS/MSD) %RPD could not be calculated for 2-Chloroethyl vinyl ether due to the sample preservation.

No difficulties were encountered during the volatiles analyses.

All quality control parameters were within the acceptance limits.

EXECUTIVE SUMMARY - Detections

Client: New York State D.E.C.

Job Number: 460-36866-1

Lab Sample ID	Client Sample ID	Result	Qualifier	Reporting Limit	Units	Method
460-36866-1 Tetrachloroethene	EW-1	17		1.0	ug/L	624
460-36866-2 Chloroform	EW-2	0.30	J	1.0	ug/L	624
460-36866-2 Tetrachloroethene	EW-2	43		1.0	ug/L	624
460-36866-3 Manganese	AS	13.4	J	15.0	ug/L	6010B

METHOD SUMMARY

Client: New York State D.E.C.

Job Number: 460-36866-1

Description	Lab Location	Method	Preparation Method
Matrix: Water			
Volatile Organic Compounds (GC/MS)	TAL EDI	40CFR136A 624	
Metals (ICP)	TAL EDI	SW846 6010B	
Preparation, Total Metals	TAL EDI		SW846 3010A

Lab References:

TAL EDI = TestAmerica Edison

Method References:

40CFR136A = "Methods for Organic Chemical Analysis of Municipal Industrial Wastewater", 40CFR, Part 136, Appendix A, October 26, 1984 and subsequent revisions.

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

METHOD / ANALYST SUMMARY

Client: New York State D.E.C.

Job Number: 460-36866-1

Method	Analyst	Analyst ID
40CFR136A 624	Moroney, Christopher J	CJM
SW846 6010B	Chang, Churn Der	CDC

SAMPLE SUMMARY

Client: New York State D.E.C.

Job Number: 460-36866-1

Lab Sample ID	Client Sample ID	Client Matrix	Date/Time Sampled	Date/Time Received
460-36866-1	EW-1	Water	02/10/2012 1205	02/13/2012 1735
460-36866-2	EW-2	Water	02/10/2012 1200	02/13/2012 1735
460-36866-3	AS	Water	02/10/2012 1150	02/13/2012 1735

SAMPLE RESULTS

Analytical Data

Client: New York State D.E.C.

Job Number: 460-36866-1

Client Sample ID: EW-1

Lab Sample ID: 460-36866-1

Date Sampled: 02/10/2012 1205

Client Matrix: Water

Date Received: 02/13/2012 1735

624 Volatile Organic Compounds (GC/MS)

Analysis Method: 624	Analysis Batch: 460-102756	Instrument ID: VOAMS3
N/A	Prep Batch: N/A	Lab File ID: c65670.d
Dilution: 1.0		Initial Weight/Volume: 5 mL
Analysis Date: 02/18/2012 0058		Final Weight/Volume: 5 mL
Prep Date: N/A		

Analyte	Result (ug/L)	Qualifier	MDL	RL
Chloromethane	1.0	U	0.10	1.0
Bromomethane	1.0	U	0.18	1.0
Vinyl chloride	1.0	U	0.14	1.0
Chloroethane	1.0	U	0.17	1.0
Methylene Chloride	1.0	U	0.18	1.0
Trichlorofluoromethane	1.0	U	0.15	1.0
1,1-Dichloroethene	1.0	U	0.090	1.0
1,1-Dichloroethane	1.0	U	0.13	1.0
trans-1,2-Dichloroethene	1.0	U	0.13	1.0
cis-1,2-Dichloroethene	1.0	U	0.18	1.0
Chloroform	1.0	U	0.080	1.0
1,2-Dichloroethane	1.0	U	0.19	1.0
1,1,1-Trichloroethane	1.0	U	0.060	1.0
Carbon tetrachloride	1.0	U	0.060	1.0
Bromodichloromethane	1.0	U	0.12	1.0
1,2-Dichloropropane	1.0	U	0.090	1.0
cis-1,3-Dichloropropene	1.0	U	0.18	1.0
Trichloroethene	1.0	U	0.090	1.0
Dibromochloromethane	1.0	U	0.20	1.0
1,1,2-Trichloroethane	1.0	U	0.19	1.0
trans-1,3-Dichloropropene	1.0	U	0.24	1.0
2-Chloroethyl vinyl ether	1.0	U	0.34	1.0
Bromoform	1.0	U	0.19	1.0
Tetrachloroethene	17		0.10	1.0
1,1,2,2-Tetrachloroethane	1.0	U	0.16	1.0
Chlorobenzene	1.0	U	0.11	1.0
1,3-Dichlorobenzene	1.0	U	0.14	1.0
1,4-Dichlorobenzene	1.0	U	0.23	1.0
1,2-Dichlorobenzene	1.0	U	0.21	1.0
Dichlorodifluoromethane	1.0	U	0.22	1.0

Surrogate	%Rec	Qualifier	Acceptance Limits
1,2-Dichloroethane-d4 (Surr)	111		70 - 130
Toluene-d8 (Surr)	104		70 - 130
4-Bromofluorobenzene	99		70 - 130

Analytical Data

Client: New York State D.E.C.

Job Number: 460-36866-1

Client Sample ID: EW-2

Lab Sample ID: 460-36866-2

Date Sampled: 02/10/2012 1200

Client Matrix: Water

Date Received: 02/13/2012 1735

624 Volatile Organic Compounds (GC/MS)

Analysis Method: 624	Analysis Batch: 460-102756	Instrument ID: VOAMS3
N/A	Prep Batch: N/A	Lab File ID: c65671.d
Dilution: 1.0		Initial Weight/Volume: 5 mL
Analysis Date: 02/18/2012 0122		Final Weight/Volume: 5 mL
Prep Date: N/A		

Analyte	Result (ug/L)	Qualifier	MDL	RL
Chloromethane	1.0	U	0.10	1.0
Bromomethane	1.0	U	0.18	1.0
Vinyl chloride	1.0	U	0.14	1.0
Chloroethane	1.0	U	0.17	1.0
Methylene Chloride	1.0	U	0.18	1.0
Trichlorofluoromethane	1.0	U	0.15	1.0
1,1-Dichloroethene	1.0	U	0.090	1.0
1,1-Dichloroethane	1.0	U	0.13	1.0
trans-1,2-Dichloroethene	1.0	U	0.13	1.0
cis-1,2-Dichloroethene	1.0	U	0.18	1.0
Chloroform	0.30	J	0.080	1.0
1,2-Dichloroethane	1.0	U	0.19	1.0
1,1,1-Trichloroethane	1.0	U	0.060	1.0
Carbon tetrachloride	1.0	U	0.060	1.0
Bromodichloromethane	1.0	U	0.12	1.0
1,2-Dichloropropane	1.0	U	0.090	1.0
cis-1,3-Dichloropropene	1.0	U	0.18	1.0
Trichloroethene	1.0	U	0.090	1.0
Dibromochloromethane	1.0	U	0.20	1.0
1,1,2-Trichloroethane	1.0	U	0.19	1.0
trans-1,3-Dichloropropene	1.0	U	0.24	1.0
2-Chloroethyl vinyl ether	1.0	U	0.34	1.0
Bromoform	1.0	U	0.19	1.0
Tetrachloroethene	43		0.10	1.0
1,1,2,2-Tetrachloroethane	1.0	U	0.16	1.0
Chlorobenzene	1.0	U	0.11	1.0
1,3-Dichlorobenzene	1.0	U	0.14	1.0
1,4-Dichlorobenzene	1.0	U	0.23	1.0
1,2-Dichlorobenzene	1.0	U	0.21	1.0
Dichlorodifluoromethane	1.0	U	0.22	1.0

Surrogate	%Rec	Qualifier	Acceptance Limits
1,2-Dichloroethane-d4 (Surr)	108		70 - 130
Toluene-d8 (Surr)	101		70 - 130
4-Bromofluorobenzene	102		70 - 130

Analytical Data

Client: New York State D.E.C.

Job Number: 460-36866-1

Client Sample ID: AS

Lab Sample ID: 460-36866-3

Date Sampled: 02/10/2012 1150

Client Matrix: Water

Date Received: 02/13/2012 1735

624 Volatile Organic Compounds (GC/MS)

Analysis Method: 624	Analysis Batch: 460-102756	Instrument ID: VOAMS3
N/A	Prep Batch: N/A	Lab File ID: c65672.d
Dilution: 1.0		Initial Weight/Volume: 5 mL
Analysis Date: 02/18/2012 0145		Final Weight/Volume: 5 mL
Prep Date: N/A		

Analyte	Result (ug/L)	Qualifier	MDL	RL
Chloromethane	1.0	U	0.10	1.0
Bromomethane	1.0	U	0.18	1.0
Vinyl chloride	1.0	U	0.14	1.0
Chloroethane	1.0	U	0.17	1.0
Methylene Chloride	1.0	U	0.18	1.0
Trichlorofluoromethane	1.0	U	0.15	1.0
1,1-Dichloroethene	1.0	U	0.090	1.0
1,1-Dichloroethane	1.0	U	0.13	1.0
trans-1,2-Dichloroethene	1.0	U	0.13	1.0
cis-1,2-Dichloroethene	1.0	U	0.18	1.0
Chloroform	1.0	U	0.080	1.0
1,2-Dichloroethane	1.0	U	0.19	1.0
1,1,1-Trichloroethane	1.0	U	0.060	1.0
Carbon tetrachloride	1.0	U	0.060	1.0
Bromodichloromethane	1.0	U	0.12	1.0
1,2-Dichloropropane	1.0	U	0.090	1.0
cis-1,3-Dichloropropene	1.0	U	0.18	1.0
Trichloroethene	1.0	U	0.090	1.0
Dibromochloromethane	1.0	U	0.20	1.0
1,1,2-Trichloroethane	1.0	U	0.19	1.0
trans-1,3-Dichloropropene	1.0	U	0.24	1.0
2-Chloroethyl vinyl ether	1.0	U	0.34	1.0
Bromoform	1.0	U	0.19	1.0
Tetrachloroethene	1.0	U	0.10	1.0
1,1,2,2-Tetrachloroethane	1.0	U	0.16	1.0
Chlorobenzene	1.0	U	0.11	1.0
1,3-Dichlorobenzene	1.0	U	0.14	1.0
1,4-Dichlorobenzene	1.0	U	0.23	1.0
1,2-Dichlorobenzene	1.0	U	0.21	1.0
Dichlorodifluoromethane	1.0	U	0.22	1.0

Surrogate	%Rec	Qualifier	Acceptance Limits
1,2-Dichloroethane-d4 (Surr)	110		70 - 130
Toluene-d8 (Surr)	106		70 - 130
4-Bromofluorobenzene	101		70 - 130

Analytical Data

Client: New York State D.E.C.

Job Number: 460-36866-1

Client Sample ID: AS

Lab Sample ID: 460-36866-3

Date Sampled: 02/10/2012 1150

Client Matrix: Water

Date Received: 02/13/2012 1735

6010B Metals (ICP)

Analysis Method: 6010B

Analysis Batch: 460-103065

Instrument ID: ICP4

Prep Method: 3010A

Prep Batch: 460-102927

Lab File ID: 02202012B.asc

Dilution: 1.0

Initial Weight/Volume: 50 mL

Analysis Date: 02/20/2012 2157

Final Weight/Volume: 50 mL

Prep Date: 02/20/2012 0933

Analyte	Result (ug/L)	Qualifier	MDL	RL
Iron	150	U	73.6	150
Manganese	13.4	J	4.3	15.0

DATA REPORTING QUALIFIERS

Client: New York State D.E.C.

Job Number: 460-36866-1

Lab Section	Qualifier	Description
GC/MS VOA	U	Analyzed for but not detected.
	J	Indicates an estimated value.
Metals	U	Indicates analyzed for but not detected.
	J	Sample result is greater than the MDL but below the CRDL

QUALITY CONTROL RESULTS

Quality Control Results

Client: New York State D.E.C.

Job Number: 460-36866-1

QC Association Summary

Lab Sample ID	Client Sample ID	Report Basis	Client Matrix	Method	Prep Batch
GC/MS VOA					
Analysis Batch:460-102756					
LCS 460-102756/3	Lab Control Sample	T	Water	624	
MB 460-102756/4	Method Blank	T	Water	624	
460-36866-1	EW-1	T	Water	624	
460-36866-2	EW-2	T	Water	624	
460-36866-3	AS	T	Water	624	

Report Basis

T = Total

Metals

Prep Batch: 460-102927					
LCS 460-102927/2-A	Lab Control Sample	T	Water	3010A	
MB 460-102927/1-A	Method Blank	T	Water	3010A	
460-36866-3	AS	T	Water	3010A	
Analysis Batch:460-103065					
LCS 460-102927/2-A	Lab Control Sample	T	Water	6010B	460-102927
MB 460-102927/1-A	Method Blank	T	Water	6010B	460-102927
460-36866-3	AS	T	Water	6010B	460-102927

Report Basis

T = Total

Client: New York State D.E.C.

Job Number: 460-36866-1

Surrogate Recovery Report

624 Volatile Organic Compounds (GC/MS)

Client Matrix: Water

Lab Sample ID	Client Sample ID	DCA %Rec	TOL %Rec	BFB %Rec
460-36866-1	EW-1	111	104	99
460-36866-2	EW-2	108	101	102
460-36866-3	AS	110	106	101
MB 460-102756/4		109	105	102
LCS 460-102756/3		105	107	91

Surrogate	Acceptance Limits
DCA = 1,2-Dichloroethane-d4 (Surr)	70-130
TOL = Toluene-d8 (Surr)	70-130
BFB = 4-Bromofluorobenzene	70-130

Quality Control Results

Client: New York State D.E.C.

Job Number: 460-36866-1

Method Blank - Batch: 460-102756

Method: 624

Preparation: N/A

Lab Sample ID: MB 460-102756/4
 Client Matrix: Water
 Dilution: 1.0
 Analysis Date: 02/17/2012 2106
 Prep Date: N/A
 Leach Date: N/A

Analysis Batch: 460-102756
 Prep Batch: N/A
 Leach Batch: N/A
 Units: ug/L

Instrument ID: VOAMS3
 Lab File ID: c65660.d
 Initial Weight/Volume: 5 mL
 Final Weight/Volume: 5 mL

Analyte	Result	Qual	MDL	RL
Chloromethane	1.0	U	0.10	1.0
Bromomethane	1.0	U	0.18	1.0
Vinyl chloride	1.0	U	0.14	1.0
Chloroethane	1.0	U	0.17	1.0
Methylene Chloride	1.0	U	0.18	1.0
Trichlorofluoromethane	1.0	U	0.15	1.0
1,1-Dichloroethene	1.0	U	0.090	1.0
1,1-Dichloroethane	1.0	U	0.13	1.0
trans-1,2-Dichloroethene	1.0	U	0.13	1.0
cis-1,2-Dichloroethene	1.0	U	0.18	1.0
Chloroform	1.0	U	0.080	1.0
1,2-Dichloroethane	1.0	U	0.19	1.0
1,1,1-Trichloroethane	1.0	U	0.060	1.0
Carbon tetrachloride	1.0	U	0.060	1.0
Bromodichloromethane	1.0	U	0.12	1.0
1,2-Dichloropropane	1.0	U	0.090	1.0
cis-1,3-Dichloropropene	1.0	U	0.18	1.0
Trichloroethene	1.0	U	0.090	1.0
Dibromochloromethane	1.0	U	0.20	1.0
1,1,2-Trichloroethane	1.0	U	0.19	1.0
trans-1,3-Dichloropropene	1.0	U	0.24	1.0
2-Chloroethyl vinyl ether	1.0	U	0.34	1.0
Bromoform	1.0	U	0.19	1.0
Tetrachloroethene	1.0	U	0.10	1.0
1,1,2,2-Tetrachloroethane	1.0	U	0.16	1.0
Chlorobenzene	1.0	U	0.11	1.0
1,3-Dichlorobenzene	1.0	U	0.14	1.0
1,4-Dichlorobenzene	1.0	U	0.23	1.0
1,2-Dichlorobenzene	1.0	U	0.21	1.0
Dichlorodifluoromethane	1.0	U	0.22	1.0

Surrogate	% Rec	Acceptance Limits
1,2-Dichloroethane-d4 (Surr)	109	70 - 130
Toluene-d8 (Surr)	105	70 - 130
4-Bromofluorobenzene	102	70 - 130

Quality Control Results

Client: New York State D.E.C.

Job Number: 460-36866-1

Lab Control Sample - Batch: 460-102756

Method: 624

Preparation: N/A

Lab Sample ID: LCS 460-102756/3	Analysis Batch: 460-102756	Instrument ID: VOAMS3
Client Matrix: Water	Prep Batch: N/A	Lab File ID: c65657.d
Dilution: 1.0	Leach Batch: N/A	Initial Weight/Volume: 5 mL
Analysis Date: 02/17/2012 1957	Units: ug/L	Final Weight/Volume: 5 mL
Prep Date: N/A		
Leach Date: N/A		

Analyte	Spike Amount	Result	% Rec.	Limit	Qual
Chloromethane	20.0	22.7	114	0 - 273	
Bromomethane	20.0	29.6	148	0 - 242	
Vinyl chloride	20.0	29.6	148	0 - 251	
Chloroethane	20.0	31.3	157	14 - 230	
Methylene Chloride	20.0	23.2	116	0 - 221	
Trichlorofluoromethane	20.0	24.6	123	17 - 181	
1,1-Dichloroethene	20.0	23.0	115	0 - 234	
1,1-Dichloroethane	20.0	24.2	121	59 - 155	
trans-1,2-Dichloroethene	20.0	23.6	118	54 - 156	
Chloroform	20.0	19.6	98	51 - 138	
1,2-Dichloroethane	20.0	21.3	106	49 - 155	
1,1,1-Trichloroethane	20.0	17.8	89	52 - 162	
Carbon tetrachloride	20.0	17.3	86	70 - 140	
Bromodichloromethane	20.0	19.9	100	35 - 155	
1,2-Dichloropropane	20.0	18.5	93	0 - 210	
cis-1,3-Dichloropropene	20.0	17.6	88	0 - 227	
Trichloroethene	20.0	18.7	94	71 - 157	
Dibromochloromethane	20.0	18.7	94	53 - 149	
1,1,2-Trichloroethane	20.0	19.7	99	52 - 150	
trans-1,3-Dichloropropene	20.0	16.7	83	17 - 183	
Bromoform	20.0	20.3	101	45 - 169	
Tetrachloroethene	20.0	19.0	95	64 - 148	
1,1,2,2-Tetrachloroethane	20.0	18.3	92	46 - 157	
Chlorobenzene	20.0	20.4	102	37 - 160	
1,3-Dichlorobenzene	20.0	20.1	101	59 - 156	
1,4-Dichlorobenzene	20.0	20.0	100	18 - 190	
1,2-Dichlorobenzene	20.0	20.1	100	18 - 190	
Surrogate		% Rec		Acceptance Limits	
1,2-Dichloroethane-d4 (Surr)		105		70 - 130	
Toluene-d8 (Surr)		107		70 - 130	
4-Bromofluorobenzene		91		70 - 130	

Quality Control Results

Client: New York State D.E.C.

Job Number: 460-36866-1

Method Blank - Batch: 460-102927

Lab Sample ID: MB 460-102927/1-A
 Client Matrix: Water
 Dilution: 1.0
 Analysis Date: 02/20/2012 2054
 Prep Date: 02/20/2012 0933
 Leach Date: N/A

Analysis Batch: 460-103065
 Prep Batch: 460-102927
 Leach Batch: N/A
 Units: ug/L

**Method: 6010B
 Preparation: 3010A**

Instrument ID: ICP4
 Lab File ID: 02202012B.asc
 Initial Weight/Volume: 50 mL
 Final Weight/Volume: 50 mL

Analyte	Result	Qual	MDL	RL
Iron	150	U	73.6	150
Manganese	15.0	U	4.3	15.0

Lab Control Sample - Batch: 460-102927

Lab Sample ID: LCS 460-102927/2-A
 Client Matrix: Water
 Dilution: 1.0
 Analysis Date: 02/20/2012 2044
 Prep Date: 02/20/2012 0933
 Leach Date: N/A

Analysis Batch: 460-103065
 Prep Batch: 460-102927
 Leach Batch: N/A
 Units: ug/L

**Method: 6010B
 Preparation: 3010A**

Instrument ID: ICP4
 Lab File ID: 02202012B.asc
 Initial Weight/Volume: 50 mL
 Final Weight/Volume: 50 mL

Analyte	Spike Amount	Result	% Rec.	Limit	Qual
Iron	1000	978.3	98	80 - 120	
Manganese	500	512.0	102	80 - 120	

Chain of Custody Record

Client Contact: **Karen Sanford** Field Sampler: **EM/LES** TAT Required (business days): **10 day** Lab Pmt/Contact: **34866** COC Number: **18795**

Company: **EKR** Mobile/Field Number: **EM/LES** Deliverable Type (Report/EED): **EED/EED** Lab Job Number (Lab Use Only): **34866** Page **2** of **5**

Address: **225 Atlantic Ave** E-Mail: **EM/LES** Sample Disposal: Return to Client Disposal by Lab Archive for Months (A fee may be assessed if samples are retained for longer than 1 month)

City, State, Zip: **Yonkers, NY 10472** PO #: **WO #:** Project #: **548 ID 130050** State Regulatory QC Criteria Requirements:

Phone: **93-417-6400** Project #: **548 ID 130050** State Regulatory QC Criteria Requirements:

Email: **K.SANFORD@EKR.COM** Project #: **548 ID 130050** State Regulatory QC Criteria Requirements:

Project Name/Location (State): **DOCK STATION** SOW#: **548 ID 130050** State Regulatory QC Criteria Requirements:

TA # **EU-1** Field Sample Identification **EU-2** Collection Date **2-10-12** Collection Time (24-Hour Clock) **1205** Matrix **AP** MS/MSD (Yes or No) **Unpreserved** H2SO4 **3** HNO3 **3** HCL **3** NaOH **3** ZnAc/NaOH **3** Other **60164024**

Containers for each sample may be combined on one line) **AS** **2-10-12** **1150** **AP** **MS/MSD** **Unpreserved** **H2SO4** **HNO3** **HCL** **NaOH** **ZnAc/NaOH** **Other** **60164024**

Relinquished by: **EM/LES** Date/Time: **2-10-12/1500** Company: **EKR** Received by: **EM/LES** Date/Time: **2-10-12/1500** Company: **EKR**

Relinquished by: **EM/LES** Date/Time: **2-13-12** Company: **EKR** Received by: **EM/LES** Date/Time: **2-13-12** Company: **EKR**

Relinquished by: **EM/LES** Date/Time: **2-13-12** Company: **EKR** Received by: **EM/LES** Date/Time: **2-13-12** Company: **EKR**

Relinquished by: **EM/LES** Date/Time: **2-13-12** Company: **EKR** Received by: **EM/LES** Date/Time: **2-13-12** Company: **EKR**

Relinquished by: **EM/LES** Date/Time: **2-13-12** Company: **EKR** Received by: **EM/LES** Date/Time: **2-13-12** Company: **EKR**

Relinquished by: **EM/LES** Date/Time: **2-13-12** Company: **EKR** Received by: **EM/LES** Date/Time: **2-13-12** Company: **EKR**

Relinquished by: **EM/LES** Date/Time: **2-13-12** Company: **EKR** Received by: **EM/LES** Date/Time: **2-13-12** Company: **EKR**

Relinquished by: **EM/LES** Date/Time: **2-13-12** Company: **EKR** Received by: **EM/LES** Date/Time: **2-13-12** Company: **EKR**

Relinquished by: **EM/LES** Date/Time: **2-13-12** Company: **EKR** Received by: **EM/LES** Date/Time: **2-13-12** Company: **EKR**

Relinquished by: **EM/LES** Date/Time: **2-13-12** Company: **EKR** Received by: **EM/LES** Date/Time: **2-13-12** Company: **EKR**

Relinquished by: **EM/LES** Date/Time: **2-13-12** Company: **EKR** Received by: **EM/LES** Date/Time: **2-13-12** Company: **EKR**

Relinquished by: **EM/LES** Date/Time: **2-13-12** Company: **EKR** Received by: **EM/LES** Date/Time: **2-13-12** Company: **EKR**

Relinquished by: **EM/LES** Date/Time: **2-13-12** Company: **EKR** Received by: **EM/LES** Date/Time: **2-13-12** Company: **EKR**

Relinquished by: **EM/LES** Date/Time: **2-13-12** Company: **EKR** Received by: **EM/LES** Date/Time: **2-13-12** Company: **EKR**

Relinquished by: **EM/LES** Date/Time: **2-13-12** Company: **EKR** Received by: **EM/LES** Date/Time: **2-13-12** Company: **EKR**

Relinquished by: **EM/LES** Date/Time: **2-13-12** Company: **EKR** Received by: **EM/LES** Date/Time: **2-13-12** Company: **EKR**

Relinquished by: **EM/LES** Date/Time: **2-13-12** Company: **EKR** Received by: **EM/LES** Date/Time: **2-13-12** Company: **EKR**

Relinquished by: **EM/LES** Date/Time: **2-13-12** Company: **EKR** Received by: **EM/LES** Date/Time: **2-13-12** Company: **EKR**

Relinquished by: **EM/LES** Date/Time: **2-13-12** Company: **EKR** Received by: **EM/LES** Date/Time: **2-13-12** Company: **EKR**

Subwork

Login Sample Receipt Checklist

Client: New York State D.E.C.

Job Number: 460-36866-1

Login Number: 36866

List Source: TestAmerica Edison

List Number: 1

Creator: Bobo, Steve

Question	Answer	Comment
Radioactivity either was not measured or, if measured, is at or below background	N/A	
The cooler's custody seal, if present, is intact.	N/A	not present
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	4.2C IR# 50
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
Is the Field Sampler's name present on COC?	True	
There are no discrepancies between the sample IDs on the containers and the COC.	True	
Samples are received within Holding Time.	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified.	True	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
VOA sample vials do not have headspace or bubble is <6mm (1/4") in diameter.	True	
Multiphasic samples are not present.	N/A	
Samples do not require splitting or compositing.	N/A	
Residual Chlorine Checked.	N/A	No analysis requiring residual chlorine check assigned.