

February 4, 2003

Mr. Gerard Burke, P.E.
New York State
Department of Environmental Protection
625 Broadway, 12th Floor
Albany, New York 12233-7013


**Re: Merrick Cleaners
Site Code No. 1-30-065**

Dear Mr. Burke:

Groundwater samples were obtained for laboratory analysis from the on-site well M-3 and the three off-site wells (M-4, M-5, and M-6). The results are presented in Table 1. Figure 1 shows the location of the monitoring wells.

The results of groundwater analysis (Table 1) show a large increase in c-1,2 Dichloroethene in the on-site groundwater well M-3. In April 2002, the value for c-1,2 Dichloroethene was 360 µg/L (Table 2). Current test result levels for this breakdown product are 5,600 µg/L. I attribute this to the migration of contaminants from the former drywells due to the operation of the air sparging system. The off-site wells (MW-4, MW-5, and MW-6) are only minimally contaminated. It is anticipated that, with time, the contamination in MW-3 will decrease significantly.

Very truly yours,



Allen M. Serper, P.E.
Vice President

AMS:dv

TABLE 1**SUMMARY OF COMPOUNDS DETECTED IN THE
GROUNDWATER WELLS AT MERRICK CLEANERS**


Compounds (ug/l)	MW-3	MW-4	MW-5	MW-6
Vinyl Chloride	<5	<1	<1	<1
t-1, 2-Dichloroethene	27	<1	<1	<1
c-1,2-Dichloroethene	5,600	52	<1	10
Trichloroethylene	150	4	<1	<1
Tetrachloroethene	87	2	<1	<1
Ethyl Benzene	<5	19	<1	<1
m+p Xylene	<10	26	<2	<2
o Xylene	<5	32	<1	<1
135 Trimethylbenzene	<5	14	<1	<1
124-Trimethylbenzene	<5	15	<2	<1
ter ButylMethylEther	<5	<1	<1	<1
p-Ethyltoluene	<5	24	<1	<1
1245 Tetramethylbenzene	<5	3	<1	<1

TABLE 2**SUMMARY OF COMPOUNDS DETECTED IN THE
GROUNDWATER WELLS AT MERRICK CLEANERS****APRIL 2002**

Compounds (ug/l)	MW-3	MW-4	MW-5	MW-6
Vinyl Chloride	<1	<1	<1	16
t-1, 2-Dichloroethene	4	2	<1	3
c-1,2-Dichloroethene	360	160	<1	330
Trichloroethylene	21	1	<1	2
Tetrachloroethene	35	4	1	<1
Ethyl Benzene	<1	4	<1	<1
m+p Xylene	<2	3	<2	<2
o Xylene	<1	5	<1	<1
135 Trimethylbenzene	<1	5	<1	<1
124-Trimethylbenzene	<1	7	<1	<1
ter ButylMethylEther	<1	21	39	<1
p-Ethyltoluene	<1	4	<1	<1
1245 Tetramethylbenzene	<1	2	<1	<1

EEA Inc.
55 Hilton Avenue
Garden City, New York

Groundwater Sample Collection Locations



NOT TO SCALE

Property Located at:
Minuteman Cleaners
5640 Merrick Road
East Massapequa, New York

Figure 1

CHAIN OF CUSTODY RECORD

Client: EEA
Address: 55 H. Hen Ave
Garden City, NY 11530
Phone: (516) 746-9460 FAX: (516) 746-4432
Person receiving report: ~~Allen~~ ~~Scorper~~ Allen Scorper
Sampled by: Karen Brown
Source: Appleman
Job No.: 01802

TYPE & NUMBER OF CONTAINERS

TOTAL NUMBER OF CONTAINERS 3260 VACS

REMARKS-TESTS REQUIRED,
SPECIAL TURNAROUND, SPECIAL Q.C. etc[illegible]

Relinquished by: (Signature)	DATE/TIME	SEAL INTACT ?	Received by: (Signature)	Relinquished by: (Signature)	DATE/TIME	SEAL INTACT ?	Received by: (Signature)
Representing:		YES NO NA	Representing:	Representing:		YES NO NA	Representing:
Relinquished by: (Signature)	DATE/TIME	SEAL INTACT ?	Received by: (Signature)	Relinquished by: (Signature)	DATE/TIME	SEAL INTACT ?	Received by: (Signature)
Representing:		YES NO NA	Representing:	Representing:		YES NO NA	Representing:

ECOTEST LABORATORIES, INC.**ENVIRONMENTAL TESTING**

377 SHEFFIELD AVE. • N. BABYLON, N.Y. 11703 • (631) 422-5777 • FAX (631) 422-5770

Email: ecotestlab@aol.com Website: www.ecotestlabs.com

LAB NO.230286.01

01/30/03

Energy & Environmental Analysts, Inc.
55 Hilton Avenue
Garden City, NY 11530

ATTN: Al Serper

PO#:

SOURCE OF SAMPLE: Minute Man, #01802

SOURCE OF SAMPLE:

COLLECTED BY: Client

DATE COL'D:01/16/03 RECEIVED:01/16/03

TIME COL'D:1400

MATRIX:Water

SAMPLE: MW#3

ANALYTICAL PARAMETERS	UNITS	RESULT	FLAG	DATE OF ANALYSIS	LRL	ANALYTICAL METHOD
Dichlordifluomethane	ug/L	< 5		01/25/03	5	EPA8260
Chloromethane	ug/L	< 5		01/25/03	5	EPA8260
Vinyl Chloride	ug/L	< 5		01/25/03	5	EPA8260
Bromomethane	ug/L	< 5		01/25/03	5	EPA8260
Chloroethane	ug/L	< 5		01/25/03	5	EPA8260
Trichlorofluomethane	ug/L	< 5		01/25/03	5	EPA8260
1,1 Dichloroethene	ug/L	< 5		01/25/03	5	EPA8260
Methylene Chloride	ug/L	< 5		01/25/03	5	EPA8260
t-1,2-Dichloroethene	ug/L	27		01/25/03	5	EPA8260
1,1 Dichloroethane	ug/L	< 5		01/25/03	5	EPA8260
2,2-Dichloropropane	ug/L	< 5		01/25/03	5	EPA8260
c-1,2-Dichloroethene	ug/L	5600		01/24/02	100	EPA8260
Bromochloromethane	ug/L	< 5		01/25/03	5	EPA8260
Chloroform	ug/L	< 5		01/25/03	5	EPA8260
111 Trichloroethane	ug/L	< 5		01/25/03	5	EPA8260
Carbon Tetrachloride	ug/L	< 5		01/25/03	5	EPA8260
1,1-Dichloropropene	ug/L	< 5		01/25/03	5	EPA8260
Benzene	ug/L	< 5		01/25/03	5	EPA8260
1,2 Dichloroethane	ug/L	< 5		01/25/03	5	EPA8260
Trichloroethylene	ug/L	150		01/25/03	5	EPA8260
1,2 Dichloropropane	ug/L	< 5		01/25/03	5	EPA8260
Dibromomethane	ug/L	< 5		01/25/03	5	EPA8260
Bromodichloromethane	ug/L	< 5		01/25/03	5	EPA8260
c-1,3Dichloropropene	ug/L	< 5		01/25/03	5	EPA8260
Toluene	ug/L	< 5		01/25/03	5	EPA8260

cc:

LRL=Laboratory Reporting Limit

REMARKS:

DIRECTOR

rn = 2295

NYSDOH ID # 10320

Page 1 of 3

ECOTEST LABORATORIES, INC.**ENVIRONMENTAL TESTING**

377 SHEFFIELD AVE. • N. BABYLON, N.Y. 11703 • (631) 422-5777 • FAX (631) 422-5770

Email: ecotestlab@aol.com Website: www.ecotestlabs.com

LAB NO.230286.01

01/30/03

Energy & Environmental Analysts, Inc.
55 Hilton Avenue
Garden City, NY 11530

ATTN: Al Serper

PO#:

SOURCE OF SAMPLE: Minute Man. #01802

SOURCE OF SAMPLE:

COLLECTED BY: Client

DATE COL'D:01/16/03 RECEIVED:01/16/03

TIME COL'D:1400

MATRIX:Water

SAMPLE: MW#3

ANALYTICAL PARAMETERS	UNITS	RESULT	FLAG	DATE OF ANALYSIS	LRL	ANALYTICAL METHOD
t-1,3Dichloropropene	ug/L	< 5		01/25/03	5	EPA8260
112 Trichloroethane	ug/L	< 5		01/25/03	5	EPA8260
Tetrachloroethene	ug/L	87		01/25/03	5	EPA8260
1,3-Dichloropropane	ug/L	< 5		01/25/03	5	EPA8260
Chlorodibromomethane	ug/L	< 5		01/25/03	5	EPA8260
1,2 Dibromoethane	ug/L	< 5		01/25/03	5	EPA8260
Chlorobenzene	ug/L	< 5		01/25/03	5	EPA8260
Ethyl Benzene	ug/L	< 5		01/25/03	5	EPA8260
1112Tetrachloroethane	ug/L	< 5		01/25/03	5	EPA8260
m + p Xylene	ug/L	< 10		01/25/03	10	EPA8260
o Xylene	ug/L	< 5		01/25/03	5	EPA8260
Styrene	ug/L	< 5		01/25/03	5	EPA8260
Bromoform	ug/L	< 5		01/25/03	5	EPA8260
Isopropylbenzene	ug/L	< 5		01/25/03	5	EPA8260
Bromobenzene	ug/L	< 5		01/25/03	5	EPA8260
1122Tetrachloroethane	ug/L	< 5		01/25/03	5	EPA8260
123-Trichloropropane	ug/L	< 5		01/25/03	5	EPA8260
n-Propylbenzene	ug/L	< 5		01/25/03	5	EPA8260
2-Chlorotoluene	ug/L	< 5		01/25/03	5	EPA8260
135-Trimethylbenzene	ug/L	< 5		01/25/03	5	EPA8260
4-Chlorotoluene	ug/L	< 5		01/25/03	5	EPA8260
tert-Butylbenzene	ug/L	< 5		01/25/03	5	EPA8260
124-Trimethylbenzene	ug/L	< 5		01/25/03	5	EPA8260
sec-Butylbenzene	ug/L	< 5		01/25/03	5	EPA8260
p-Isopropyltoluene	ug/L	< 5		01/25/03	5	EPA8260

cc:

LRL=Laboratory Reporting Limit

REMARKS:

DIRECTOR

ECOTEST LABORATORIES, INC.**ENVIRONMENTAL TESTING**

377 SHEFFIELD AVE. • N. BABYLON, N.Y. 11703 • (631) 422-5777 • FAX (631) 422-5770

Email: ecotestlab@aol.com Website: www.ecotestlabs.com

LAB NO.230286.01

01/30/03

Energy & Environmental Analysts, Inc.
55 Hilton Avenue
Garden City, NY 11530

ATTN: Al Serper

PO#:

SOURCE OF SAMPLE: Minute Man, #01802

SOURCE OF SAMPLE:

COLLECTED BY: Client

DATE COL'D:01/16/03 RECEIVED:01/16/03

TIME COL'D:1400

MATRIX:Water

SAMPLE: MW#3

ANALYTICAL PARAMETERS	UNITS	RESULT	FLAG	DATE OF ANALYSIS	LRL	ANALYTICAL METHOD
1,3 Dichlorobenzene (v)	ug/L	< 5		01/25/03	5	EPA8260
1,4 Dichlorobenzene (v)	ug/L	< 5		01/25/03	5	EPA8260
n-Butylbenzene	ug/L	< 5		01/25/03	5	EPA8260
1,2 Dichlorobenzene (v)	ug/L	< 5		01/25/03	5	EPA8260
Dibromochloropropane	ug/L	< 5		01/25/03	5	EPA8260
124-Trichlorobenzene (v)	ug/L	< 5		01/25/03	5	EPA8260
Hexachlorobutadiene	ug/L	< 5		01/25/03	5	EPA8260
Naphthalene(v)	ug/L	< 5		01/25/03	5	EPA8260
123-Trichlorobenzene	ug/L	< 5		01/25/03	5	EPA8260
ter-ButylMethylEther	ug/L	< 5		01/25/03	5	EPA8260
p-Ethyltoluene	ug/L	< 5		01/25/03	5	EPA8260
Freon 113	ug/L	< 5		01/25/03	5	EPA8260
1245 Tetramethylbenz	ug/L	< 5		01/25/03	5	EPA8260
Acetone	ug/L	< 50		01/25/03	50	EPA8260
Methyl Ethyl Ketone	ug/L	< 50		01/25/03	50	EPA8260
Methylisobutylketone	ug/L	< 50		01/25/03	50	EPA8260
Chlorodifluoromethane	ug/L	< 5		01/25/03	5	EPA8260
p Diethylbenzene	ug/L	< 5		01/25/03	5	EPA8260

cc:

LRL=Laboratory Reporting Limit

REMARKS:

DIRECTOR

rn = 2297

NYSDOH ID # 10320

Page 3 of 3

ECOTEST LABORATORIES, INC.**ENVIRONMENTAL TESTING**

377 SHEFFIELD AVE. • N. BABYLON, N.Y. 11703 • (631) 422-5777 • FAX (631) 422-5770

Email: ecotestlab@aol.com Website: www.ecotestlabs.com

LAB NO.230286.02

01/30/03

Energy & Environmental Analysts, Inc.
55 Hilton Avenue
Garden City, NY 11530

ATTN: Al Serper

PO#:

SOURCE OF SAMPLE: Minute Man, #01802

SOURCE OF SAMPLE:

COLLECTED BY: Client

DATE COL'D:01/16/03 RECEIVED:01/16/03

TIME COL'D:1430

MATRIX:Water

SAMPLE: MW#4

ANALYTICAL PARAMETERS	UNITS	RESULT	FLAG	DATE OF ANALYSIS	LRL	ANALYTICAL METHOD
Dichlorodifluomethane	ug/L	< 1		01/25/03	1	EPA8260
Chloromethane	ug/L	< 1		01/25/03	1	EPA8260
Vinyl Chloride	ug/L	< 1		01/25/03	1	EPA8260
Bromomethane	ug/L	< 1		01/25/03	1	EPA8260
Chloroethane	ug/L	< 1		01/25/03	1	EPA8260
Trichlorofluomethane	ug/L	< 1		01/25/03	1	EPA8260
1,1 Dichloroethene	ug/L	< 1		01/25/03	1	EPA8260
Methylene Chloride	ug/L	< 1		01/25/03	1	EPA8260
t-1,2-Dichloroethene	ug/L	< 1		01/25/03	1	EPA8260
1,1 Dichloroethane	ug/L	< 1		01/25/03	1	EPA8260
2,2-Dichloropropane	ug/L	< 1		01/25/03	1	EPA8260
c-1,2-Dichloroethene	ug/L	52		01/25/03	1	EPA8260
Bromochloromethane	ug/L	< 1		01/25/03	1	EPA8260
Chloroform	ug/L	< 1		01/25/03	1	EPA8260
111 Trichloroethane	ug/L	< 1		01/25/03	1	EPA8260
Carbon Tetrachloride	ug/L	< 1		01/25/03	1	EPA8260
1,1-Dichloropropene	ug/L	< 1		01/25/03	1	EPA8260
Benzene	ug/L	< 1		01/25/03	1	EPA8260
1,2 Dichloroethane	ug/L	< 1		01/25/03	1	EPA8260
Trichloroethylene	ug/L	4		01/25/03	1	EPA8260
1,2 Dichloropropane	ug/L	< 1		01/25/03	1	EPA8260
Dibromomethane	ug/L	< 1		01/25/03	1	EPA8260
Bromodichloromethane	ug/L	< 1		01/25/03	1	EPA8260
c-1,3Dichloropropene	ug/L	< 1		01/25/03	1	EPA8260
Toluene	ug/L	< 1		01/25/03	1	EPA8260

cc:

LRL=Laboratory Reporting Limit

REMARKS:

DIRECTOR

ECOTEST LABORATORIES, INC.**ENVIRONMENTAL TESTING**

377 SHEFFIELD AVE. • N. BABYLON, N.Y. 11703 • (631) 422-5777 • FAX (631) 422-5770

Email: ecotestlab@aol.com Website: www.ecotestlabs.com

LAB NO.230286.02

01/30/03

Energy & Environmental Analysts, Inc.
55 Hilton Avenue
Garden City, NY 11530

ATTN: Al Serper

PO#:

SOURCE OF SAMPLE: Minute Man, #01802

SOURCE OF SAMPLE:

COLLECTED BY: Client

DATE COL'D:01/16/03 RECEIVED:01/16/03

TIME COL'D:1430

MATRIX:Water SAMPLE: MW#4

ANALYTICAL PARAMETERS	UNITS	RESULT	FLAG	DATE OF ANALYSIS	LRL	ANALYTICAL METHOD
t-1,3Dichloropropene	ug/L	< 1		01/25/03	1	EPA8260
112 Trichloroethane	ug/L	< 1		01/25/03	1	EPA8260
Tetrachloroethene	ug/L	2		01/25/03	1	EPA8260
1,3-Dichloropropane	ug/L	< 1		01/25/03	1	EPA8260
Chlorodibromomethane	ug/L	< 1		01/25/03	1	EPA8260
1,2 Dibromoethane	ug/L	< 1		01/25/03	1	EPA8260
Chlorobenzene	ug/L	< 1		01/25/03	1	EPA8260
Ethyl Benzene	ug/L	19		01/25/03	1	EPA8260
1112Tetrachloroethane	ug/L	< 1		01/25/03	1	EPA8260
m + p Xylene	ug/L	26		01/25/03	2	EPA8260
o Xylene	ug/L	32		01/25/03	1	EPA8260
Styrene	ug/L	< 1		01/25/03	1	EPA8260
Bromoform	ug/L	< 1		01/25/03	1	EPA8260
Isopropylbenzene	ug/L	1		01/25/03	1	EPA8260
Bromobenzene	ug/L	< 1		01/25/03	1	EPA8260
1122Tetrachloroethane	ug/L	< 1		01/25/03	1	EPA8260
123-Trichloropropane	ug/L	< 1		01/25/03	1	EPA8260
n-Propylbenzene	ug/L	1		01/25/03	1	EPA8260
2-Chlorotoluene	ug/L	< 1		01/25/03	1	EPA8260
135-Trimethylbenzene	ug/L	14		01/25/03	1	EPA8260
4-Chlorotoluene	ug/L	< 1		01/25/03	1	EPA8260
tert-Butylbenzene	ug/L	< 1		01/25/03	1	EPA8260
124-Trimethylbenzene	ug/L	15		01/25/03	1	EPA8260
sec-Butylbenzene	ug/L	< 1		01/25/03	1	EPA8260
p-Isopropyltoluene	ug/L	1		01/25/03	1	EPA8260

cc:

LRL=Laboratory Reporting Limit

REMARKS:

DIRECTOR

rn = 2299

NYSDOH ID # 10320

Page 2 of 3

ECOTEST LABORATORIES, INC.**ENVIRONMENTAL TESTING**

377 SHEFFIELD AVE. • N. BABYLON, N.Y. 11703 • (631) 422-5777 • FAX (631) 422-5770

Email: ecotestlab@aol.com Website: www.ecotestlabs.com

LAB NO.230286.02

01/30/03

Energy & Environmental Analysts, Inc.
55 Hilton Avenue
Garden City, NY 11530

ATTN: Al Serper

PO#:

SOURCE OF SAMPLE: Minute Man, #01802

SOURCE OF SAMPLE:

COLLECTED BY: Client

DATE COL'D:01/16/03 RECEIVED:01/16/03

TIME COL'D:1430

MATRIX:Water SAMPLE: MW#4

ANALYTICAL PARAMETERS	UNITS	RESULT	FLAG	DATE OF ANALYSIS	LRL	ANALYTICAL METHOD
1,3 Dichlorobenzene (v)	ug/L	< 1		01/25/03	1	EPA8260
1,4 Dichlorobenzene (v)	ug/L	< 1		01/25/03	1	EPA8260
n-Butylbenzene	ug/L	< 1		01/25/03	1	EPA8260
1,2 Dichlorobenzene (v)	ug/L	< 1		01/25/03	1	EPA8260
Dibromochloropropane	ug/L	< 1		01/25/03	1	EPA8260
124-Trichlorobenzene (v)	ug/L	< 1		01/25/03	1	EPA8260
Hexachlorobutadiene	ug/L	< 1		01/25/03	1	EPA8260
Naphthalene(v)	ug/L	< 1		01/25/03	1	EPA8260
123-Trichlorobenzene	ug/L	< 1		01/25/03	1	EPA8260
ter-ButylMethylEther	ug/L	< 1		01/25/03	1	EPA8260
p-Ethyltoluene	ug/L	24		01/25/03	1	EPA8260
Freon 113	ug/L	< 1		01/25/03	1	EPA8260
1245 Tetramethylbenz	ug/L	3		01/25/03	1	EPA8260
Acetone	ug/L	< 10		01/25/03	10	EPA8260
Methyl Ethyl Ketone	ug/L	< 10		01/25/03	10	EPA8260
Methylisobutylketone	ug/L	< 10		01/25/03	10	EPA8260
Chlorodifluoromethane	ug/L	< 1		01/25/03	1	EPA8260
p Diethylbenzene	ug/L	< 1		01/25/03	1	EPA8260

cc:

LRL=Laboratory Reporting Limit

REMARKS:

DIRECTOR

rn = 2300

NYSDOH ID # 10320

Page 3 of 3

ECOTEST LABORATORIES, INC.**ENVIRONMENTAL TESTING**

377 SHEFFIELD AVE. • N. BABYLON, N.Y. 11703 • (631) 422-5777 • FAX (631) 422-5770

Email: ecotestlab@aol.com Website: www.ecotestlabs.com

LAB NO.230286.03

01/30/03

Energy & Environmental Analysts, Inc.
55 Hilton Avenue
Garden City, NY 11530

ATTN: Al Serper

PO#:

SOURCE OF SAMPLE: Minute Man, #01802

SOURCE OF SAMPLE:

COLLECTED BY: Client

DATE COL'D:01/16/03 RECEIVED:01/16/03

TIME COL'D:1500

MATRIX:Water

SAMPLE: MW#5

ANALYTICAL PARAMETERS	UNITS	RESULT	FLAG	DATE OF ANALYSIS	LRL	ANALYTICAL METHOD
Dichlordifluomethane	ug/L	< 1		01/28/03	1	EPA8260
Chloromethane	ug/L	< 1		01/28/03	1	EPA8260
Vinyl Chloride	ug/L	< 1		01/28/03	1	EPA8260
Bromomethane	ug/L	< 1		01/28/03	1	EPA8260
Chloroethane	ug/L	< 1		01/28/03	1	EPA8260
Trichlorofluomethane	ug/L	< 1		01/28/03	1	EPA8260
1,1 Dichloroethene	ug/L	< 1		01/28/03	1	EPA8260
Methylene Chloride	ug/L	< 1		01/28/03	1	EPA8260
t-1,2-Dichloroethene	ug/L	< 1		01/28/03	1	EPA8260
1,1 Dichloroethane	ug/L	< 1		01/28/03	1	EPA8260
2,2-Dichloropropane	ug/L	< 1		01/28/03	1	EPA8260
c-1,2-Dichloroethene	ug/L	< 1		01/28/03	1	EPA8260
Bromochloromethane	ug/L	< 1		01/28/03	1	EPA8260
Chloroform	ug/L	< 1		01/28/03	1	EPA8260
111 Trichloroethane	ug/L	< 1		01/28/03	1	EPA8260
Carbon Tetrachloride	ug/L	< 1		01/28/03	1	EPA8260
1,1-Dichloropropene	ug/L	< 1		01/28/03	1	EPA8260
Benzene	ug/L	< 1		01/28/03	1	EPA8260
1,2 Dichloroethane	ug/L	< 1		01/28/03	1	EPA8260
Trichloroethylene	ug/L	< 1		01/28/03	1	EPA8260
1,2 Dichloropropane	ug/L	< 1		01/28/03	1	EPA8260
Dibromomethane	ug/L	< 1		01/28/03	1	EPA8260
Bromodichloromethane	ug/L	< 1		01/28/03	1	EPA8260
c-1,3Dichloropropene	ug/L	< 1		01/28/03	1	EPA8260
Toluene	ug/L	< 1		01/28/03	1	EPA8260

cc:

LRL=Laboratory Reporting Limit

REMARKS:

DIRECTOR

rn = 2301

NYSDOH ID # 10320

Page 1 of 3

ECOTEST LABORATORIES, INC.**ENVIRONMENTAL TESTING**

377 SHEFFIELD AVE. • N. BABYLON, N.Y. 11703 • (631) 422-5777 • FAX (631) 422-5770

Email: ecotestlab@aol.com Website: www.ecotestlabs.com

LAB NO.230286.03

01/30/03

Energy & Environmental Analysts, Inc.
55 Hilton Avenue
Garden City, NY 11530

ATTN: Al Serper

PO#:

SOURCE OF SAMPLE: Minute Man, #01802

SOURCE OF SAMPLE:

COLLECTED BY: Client

DATE COL'D:01/16/03 RECEIVED:01/16/03

TIME COL'D:1500

MATRIX:Water

SAMPLE: MW#5

ANALYTICAL PARAMETERS	UNITS	RESULT	FLAG	DATE OF ANALYSIS	LRL	ANALYTICAL METHOD
t-1,3Dichloropropene	ug/L	< 1		01/28/03	1	EPA8260
112 Trichloroethane	ug/L	< 1		01/28/03	1	EPA8260
Tetrachloroethene	ug/L	< 1		01/28/03	1	EPA8260
1,3-Dichloropropane	ug/L	< 1		01/28/03	1	EPA8260
Chlorodibromomethane	ug/L	< 1		01/28/03	1	EPA8260
1,2 Dibromoethane	ug/L	< 1		01/28/03	1	EPA8260
Chlorobenzene	ug/L	< 1		01/28/03	1	EPA8260
Ethyl Benzene	ug/L	< 1		01/28/03	1	EPA8260
1112Tetrachloroethane	ug/L	< 1		01/28/03	1	EPA8260
m + p Xylene	ug/L	< 2		01/28/03	2	EPA8260
o Xylene	ug/L	< 1		01/28/03	1	EPA8260
Styrene	ug/L	< 1		01/28/03	1	EPA8260
Bromoform	ug/L	< 1		01/28/03	1	EPA8260
Isopropylbenzene	ug/L	< 1		01/28/03	1	EPA8260
Bromobenzene	ug/L	< 1		01/28/03	1	EPA8260
1122Tetrachloroethane	ug/L	< 1		01/28/03	1	EPA8260
123-Trichloropropane	ug/L	< 1		01/28/03	1	EPA8260
n-Propylbenzene	ug/L	< 1		01/28/03	1	EPA8260
2-Chlorotoluene	ug/L	< 1		01/28/03	1	EPA8260
135-Trimethylbenzene	ug/L	< 1		01/28/03	1	EPA8260
4-Chlorotoluene	ug/L	< 1		01/28/03	1	EPA8260
tert-Butylbenzene	ug/L	< 1		01/28/03	1	EPA8260
124-Trimethylbenzene	ug/L	2		01/28/03	1	EPA8260
sec-Butylbenzene	ug/L	< 1		01/28/03	1	EPA8260
p-Isopropyltoluene	ug/L	< 1		01/28/03	1	EPA8260

cc:

LRL=Laboratory Reporting Limit

REMARKS:

DIRECTOR

ECOTEST LABORATORIES, INC.**ENVIRONMENTAL TESTING**

377 SHEFFIELD AVE. • N. BABYLON, N.Y. 11703 • (631) 422-5777 • FAX (631) 422-5770

Email: ecotestlab@aol.com Website: www.ecotestlabs.com

LAB NO.230286.03

01/30/03

Energy & Environmental Analysts, Inc.

55 Hilton Avenue

Garden City, NY 11530

ATTN: Al Serper

PO#:

SOURCE OF SAMPLE: Minute Man, #01802

SOURCE OF SAMPLE:

COLLECTED BY: Client

DATE COL'D:01/16/03 RECEIVED:01/16/03

TIME COL'D:1500

MATRIX:Water

SAMPLE: MW#5

ANALYTICAL PARAMETERS	UNITS	RESULT	FLAG	DATE OF ANALYSIS	LRL	ANALYTICAL METHOD
1,3 Dichlorobenzene (v)	ug/L	< 1		01/28/03	1	EPA8260
1,4 Dichlorobenzene (v)	ug/L	< 1		01/28/03	1	EPA8260
n-Butylbenzene	ug/L	< 1		01/28/03	1	EPA8260
1,2 Dichlorobenzene (v)	ug/L	< 1		01/28/03	1	EPA8260
Dibromochloropropane	ug/L	< 1		01/28/03	1	EPA8260
124-Trichlorobenzene (v)	ug/L	< 1		01/28/03	1	EPA8260
Hexachlorobutadiene	ug/L	< 1		01/28/03	1	EPA8260
Naphthalene(v)	ug/L	< 1		01/28/03	1	EPA8260
123-Trichlorobenzene	ug/L	< 1		01/28/03	1	EPA8260
ter-ButylMethylEther	ug/L	< 1		01/28/03	1	EPA8260
p-Ethyltoluene	ug/L	< 1		01/28/03	1	EPA8260
Freon 113	ug/L	< 1		01/28/03	1	EPA8260
1245 Tetramethylbenz	ug/L	< 1		01/28/03	1	EPA8260
Acetone	ug/L	< 10		01/28/03	10	EPA8260
Methyl Ethyl Ketone	ug/L	< 10		01/28/03	10	EPA8260
Methylisobutylketone	ug/L	< 10		01/28/03	10	EPA8260
Chlorodifluoromethane	ug/L	< 1		01/28/03	1	EPA8260
p Diethylbenzene	ug/L	< 1		01/28/03	1	EPA8260

cc:

LRL=Laboratory Reporting Limit

REMARKS:

DIRECTOR

rn = 2303

NYSDOH ID # 10320

Page 3 of 3

ECOTEST LABORATORIES, INC.**ENVIRONMENTAL TESTING**

377 SHEFFIELD AVE. • N. BABYLON, N.Y. 11703 • (631) 422-5777 • FAX (631) 422-5770

Email: ecotestlab@aol.com Website: www.ecotestlabs.com

LAB NO.230286.04

01/30/03

Energy & Environmental Analysts, Inc.

55 Hilton Avenue

Garden City, NY 11530

ATTN: Al Serper

PO#:

SOURCE OF SAMPLE: Minute Man. #01802

SOURCE OF SAMPLE:

COLLECTED BY: Client

DATE COL'D:01/16/03 RECEIVED:01/16/03

TIME COL'D:1530

MATRIX:Water

SAMPLE: MW#6

ANALYTICAL PARAMETERS	UNITS	RESULT	FLAG	DATE OF ANALYSIS	LRL	ANALYTICAL METHOD
Dichlorodifluomethane	ug/L	< 1		01/28/03	1	EPA8260
Chloromethane	ug/L	< 1		01/28/03	1	EPA8260
Vinyl Chloride	ug/L	< 1		01/28/03	1	EPA8260
Bromomethane	ug/L	< 1		01/28/03	1	EPA8260
Chloroethane	ug/L	< 1		01/28/03	1	EPA8260
Trichlorofluomethane	ug/L	< 1		01/28/03	1	EPA8260
1,1 Dichloroethene	ug/L	< 1		01/28/03	1	EPA8260
Methylene Chloride	ug/L	< 1		01/28/03	1	EPA8260
t-1,2-Dichloroethene	ug/L	< 1		01/28/03	1	EPA8260
1,1 Dichloroethane	ug/L	< 1		01/28/03	1	EPA8260
2,2-Dichloropropane	ug/L	< 1		01/28/03	1	EPA8260
c-1,2-Dichloroethene	ug/L	10		01/28/03	1	EPA8260
Bromochloromethane	ug/L	< 1		01/28/03	1	EPA8260
Chloroform	ug/L	< 1		01/28/03	1	EPA8260
111 Trichloroethane	ug/L	< 1		01/28/03	1	EPA8260
Carbon Tetrachloride	ug/L	< 1		01/28/03	1	EPA8260
1,1-Dichloropropene	ug/L	< 1		01/28/03	1	EPA8260
Benzene	ug/L	< 1		01/28/03	1	EPA8260
1,2 Dichloroethane	ug/L	< 1		01/28/03	1	EPA8260
Trichloroethylene	ug/L	< 1		01/28/03	1	EPA8260
1,2 Dichloropropane	ug/L	< 1		01/28/03	1	EPA8260
Dibromomethane	ug/L	< 1		01/28/03	1	EPA8260
Bromodichloromethane	ug/L	< 1		01/28/03	1	EPA8260
c-1,3Dichloropropene	ug/L	< 1		01/28/03	1	EPA8260
Toluene	ug/L	< 1		01/28/03	1	EPA8260

cc:

LRL=Laboratory Reporting Limit

REMARKS:

DIRECTOR

rn = 2304

NYSDOH ID # 10320

Page 1 of 3

ECOTEST LABORATORIES, INC.**ENVIRONMENTAL TESTING**

377 SHEFFIELD AVE. • N. BABYLON, N.Y. 11703 • (631) 422-5777 • FAX (631) 422-5770

Email: ecotestlab@aol.com Website: www.ecotestlabs.com

LAB NO.230286.04

01/30/03

Energy & Environmental Analysts, Inc.

55 Hilton Avenue

Garden City, NY 11530

ATTN: Al Serper

PO#:

SOURCE OF SAMPLE: Minute Man, #01802

SOURCE OF SAMPLE:

COLLECTED BY: Client

DATE COL'D:01/16/03 RECEIVED:01/16/03

TIME COL'D:1530

MATRIX:Water

SAMPLE: MW#6

ANALYTICAL PARAMETERS	UNITS	RESULT	FLAG	DATE OF ANALYSIS	LRL	ANALYTICAL METHOD
t-1,3Dichloropropene	ug/L	< 1		01/28/03	1	EPA8260
112 Trichloroethane	ug/L	< 1		01/28/03	1	EPA8260
Tetrachloroethene	ug/L	< 1		01/28/03	1	EPA8260
1,3-Dichloropropane	ug/L	< 1		01/28/03	1	EPA8260
Chlorodibromomethane	ug/L	< 1		01/28/03	1	EPA8260
1,2 Dibromoethane	ug/L	< 1		01/28/03	1	EPA8260
Chlorobenzene	ug/L	< 1		01/28/03	1	EPA8260
Ethyl Benzene	ug/L	< 1		01/28/03	1	EPA8260
1112Tetrachloroethane	ug/L	< 1		01/28/03	1	EPA8260
m + p Xylene	ug/L	< 2		01/28/03	2	EPA8260
o Xylene	ug/L	< 1		01/28/03	1	EPA8260
Styrene	ug/L	< 1		01/28/03	1	EPA8260
Bromoform	ug/L	< 1		01/28/03	1	EPA8260
Isopropylbenzene	ug/L	< 1		01/28/03	1	EPA8260
Bromobenzene	ug/L	< 1		01/28/03	1	EPA8260
1122Tetrachloroethane	ug/L	< 1		01/28/03	1	EPA8260
123-Trichloropropane	ug/L	< 1		01/28/03	1	EPA8260
n-Propylbenzene	ug/L	< 1		01/28/03	1	EPA8260
2-Chlorotoluene	ug/L	< 1		01/28/03	1	EPA8260
135-Trimethylbenzene	ug/L	< 1		01/28/03	1	EPA8260
4-Chlorotoluene	ug/L	< 1		01/28/03	1	EPA8260
tert-Butylbenzene	ug/L	< 1		01/28/03	1	EPA8260
124-Trimethylbenzene	ug/L	< 1		01/28/03	1	EPA8260
sec-Butylbenzene	ug/L	< 1		01/28/03	1	EPA8260
p-Isopropyltoluene	ug/L	< 1		01/28/03	1	EPA8260

cc:

LRL=Laboratory Reporting Limit

REMARKS:

DIRECTOR

ECOTEST LABORATORIES, INC.**ENVIRONMENTAL TESTING**

377 SHEFFIELD AVE. • N. BABYLON, N.Y. 11703 • (631) 422-5777 • FAX (631) 422-5770

Email: ecotestlab@aol.com Website: www.ecotestlabs.com

LAB NO.230286.04

01/30/03

Energy & Environmental Analysts, Inc.

55 Hilton Avenue

Garden City, NY 11530

ATTN: Al Serper

PO#:

SOURCE OF SAMPLE: Minute Man, #01802

SOURCE OF SAMPLE:

COLLECTED BY: Client

DATE COL'D:01/16/03 RECEIVED:01/16/03

TIME COL'D:1530

MATRIX:Water

SAMPLE: MW#6

ANALYTICAL PARAMETERS	UNITS	RESULT	FLAG	DATE OF ANALYSIS	LRL	ANALYTICAL METHOD
1,3 Dichlorobenzene (v)	ug/L	< 1		01/28/03	1	EPA8260
1,4 Dichlorobenzene (v)	ug/L	< 1		01/28/03	1	EPA8260
n-Butylbenzene	ug/L	< 1		01/28/03	1	EPA8260
1,2 Dichlorobenzene (v)	ug/L	< 1		01/28/03	1	EPA8260
Dibromochloropropane	ug/L	< 1		01/28/03	1	EPA8260
124-Trichlorobenzene (v)	ug/L	< 1		01/28/03	1	EPA8260
Hexachlorobutadiene	ug/L	< 1		01/28/03	1	EPA8260
Naphthalene(v)	ug/L	< 1		01/28/03	1	EPA8260
123-Trichlorobenzene	ug/L	< 1		01/28/03	1	EPA8260
ter-ButylMethylEther	ug/L	< 1		01/28/03	1	EPA8260
p-Ethyltoluene	ug/L	< 1		01/28/03	1	EPA8260
Freon 113	ug/L	< 1		01/28/03	1	EPA8260
1245 Tetramethylbenz	ug/L	< 1		01/28/03	1	EPA8260
Acetone	ug/L	< 10		01/28/03	10	EPA8260
Methyl Ethyl Ketone	ug/L	< 10		01/28/03	10	EPA8260
Methylisobutylketone	ug/L	< 10		01/28/03	10	EPA8260
Chlorodifluoromethane	ug/L	< 1		01/28/03	1	EPA8260
p Diethylbenzene	ug/L	< 1		01/28/03	1	EPA8260

cc:

LRL=Laboratory Reporting Limit

REMARKS:

DIRECTOR

rn = 2306

NYSDOH ID # 10320

Page 3 of 3