



**SITE INVESTIGATION REPORT
For
GROUNDWATER SAMPLING
&
OFF-SITE SOIL VAPOR EVALUATION**

For

**MERRICK CLEANERS (a.k.a MINUTE MAN CLEANERS)
5640 Merrick Road, East Massapequa, New York
NYSDEC SITE #1-30-065**

April 2012

Prepared for:

**Merrick Cleaners, Inc.
213 Rivendale Court
Melville, NY 11747**

Prepared by:

**CA RICH CONSULTANTS, INC.
17 Dupont Street
Plainview, NY 11803-1614**



April 17, 0212

NEW YORK STATE DEPARTMENT OF ENVIRONMENTAL CONSERVATION

DIVISION OF ENVIRONMENTAL REMEDIATION

Remedial Bureau A, Section B

625 Broadway, 11th Floor Cell 083

Albany, New York 12207-2942

Attention: Cyn Whitfield, P.E.
Environmental Engineer

Re: **Environmental Site Investigation
Merrick Cleaners Site Code No. 1-30-065
5640 Merrick Road, East Massapequa, NY
Agreement Index # W1-0866-00-03**

Dear Ms. Whitfield:

CA RICH Consultants, Inc. is pleased to submit the attached Environmental Site Investigation for the above-referenced location. In addition, a CD containing a complete electronic copy of the report is included in the rear cover of this hardcopy.

If you have any questions pertaining to the report, please feel free to contact the undersigned.

Sincerely,

CA RICH CONSULTANTS, INC.

A handwritten signature in black ink, appearing to read "Victoria Whelan".

Victoria Whelan
Project Environmental Scientist

A handwritten signature in black ink, appearing to read "Steve Sobstyl".

Steve Sobstyl
Senior Project Manager

Table of Contents

<u>Section</u>	<u>Page</u>
1.0 INTRODUCTION	1
2.0 SITE HISTORY	1
2.1 Current Investigation	
3.0 SUMMARY OF WORK ACTIVITIES	2
3.1 Soil Vapor Probe Installation and Soil Vapor Sampling	
3.2 Groundwater Sampling	
4.0 FINDINGS	3
4.1 Soil Vapor Quality	
4.2 Groundwater Quality	
5.0 CONCLUSIONS AND RECOMMENDATIONS	4
6.0 INVESTIGATION LIMITATIONS	5
REFERENCES	6
FIGURES	
1	Site Location Map
2	Soil Vapor and Groundwater Sampling Locations
TABLES	
1	Summary of Volatile Organic Compounds in Soil Vapor Samples
2	Summary of Volatile Organic Compounds in Groundwater Samples
APPENDICES	
A.	Laboratory Analytical Results

1.0 INTRODUCTION

The following report was prepared by CA RICH Consultants, Inc. ("CA RICH") of Plainview, New York, on behalf of its client, Merrick Cleaners, Inc., (the "Client") for the property located at 5640 Merrick Road, East Massapequa, New York (hereinafter referred to as the Property or Site).

This report documents the results of groundwater and soil vapor testing activities recently completed by CA RICH in conformance with the Work Plan dated August 19, 2011 and the subsequent Work Plan Addendum dated, January 10, 2012 (Ref. 1 and 2) that were approved by the New York State Department of Environmental Conservation ("NYSDEC").

2.0 SITE HISTORY

Reports provided to CA Rich about the Site document that the operation of the Merrick Cleaners Site had impacted soil and groundwater with the dry cleaning chemical perchloroethylene (PCE), and its degradation byproducts. Remedial measures at the Site previously conducted by EEA, Inc. dating back to the 1990's included the removal of bottom soils from on-site leaching pools, installation and operation of Air Sparge/Soil Vapor Extraction (AS/SVE) system and the possible application HRC® to enhance the biological degradation of chlorinated hydrocarbons (PCE) in groundwater (Ref. 3).

Additional information regarding the site history is provided in the Record of Decision (ROD).

Record of Decision – Minuteman Cleaners Site Number 1-30-065, March 1999
East Massapequa, Nassau County, New York

2.1 CURRENT INVESTIGATION

The purpose of the current investigation was to obtain a round of groundwater quality samples from the existing monitoring well network from shallow intermediate and deep zones within the well screens and to determine if soil vapor is present at the location along Carmen Boulevard, in accordance with the approved Work Plan and Work Plan Addendum. This report provides the results of these soil vapor and groundwater testing activities.

3.0 SUMMARY OF WORK ACTIVITIES

3.1 SOIL VAPOR PROBE INSTALLATION

On February 22, 2012, soil vapor probe points were installed at two locations for sample collection purposes. The soil vapor points were installed by drilling a 1/2-inch diameter hole using a manually operated hammer-drill equipped with a carbide bit. The hole was advanced approximately 5 feet below grade. The points were constructed of 1/4-inch stainless steel pipe and were connected to 1/4-inch polyethylene tubing. A three-way nylon "T" connector assembly was connected to a vacuum pump and a pre-cleaned six-liter SUMMA® air sampling canister. The vapor probe assembly was sealed at the surface with a hydrated bentonite seal.

In accordance with the procedures set forth in the New York State Department of Health ("NYSDOH"), October 2006, Final Guidance for Evaluating Soil Vapor Intrusion in the State of New York (Ref. 4), before collecting the soil vapor sample, the sample tubing was purged using a vacuum pump set at a rate of approximately 0.2 liters per minute. A helium tracer gas was used to enrich the atmosphere around the sampling location. The tracer gas verifies that ambient air is not inadvertently drawn down into the soil vapor sample. Both the purge volume from the sampling tube and the helium-enriched air within the container were screened for the tracer gas using a Dielectric MGD® Model 2002 gas detector. The helium gas was not detected above 10% during the helium tracer test confirming a proper seal.

Following the purging and tracer gas verification steps, the soil vapor samples were collected using the SUMMA® canister set to fill at a rate of not more than 0.2 liters per minute with an approximate fill time of 2-hours. The samples were analyzed for VOCs using USEPA Method T0-15 by a NYS-certified laboratory.

3.2 GROUNDWATER SAMPLING

On January 18, 2012, the six existing monitoring wells were located and re-developed. A Watera™ Hydro-lift 2 inertial pump connected to 3/4-inch polyethylene tubing with a surge block and check valve was used to redevelop the wells. The redevelopment was necessary because the wells had not been sampled for a period of years and was conducted to ensure that there was no bio-fouling of the screens in preparation for sample collection. On February 8, 2012, passive diffusion bags (PDBs) were installed into each monitoring well. The PDBs were installed at three intervals in each well. A PDB was installed at a deep, intermediate and shallow interval based on the screen length of the well. On February 22, 2012 the PDB's were retrieved from the monitoring wells and the groundwater was collected for laboratory analysis. In addition, a

HydraSleeve® sampler was installed in-line with the PDBs. Field parameter measurements including, pH, turbidity, ORP, Specific conductivity and DO, were recorded at the time of sample collection from the HydraSleeve®.

The groundwater samples were placed in a cooler on-ice and submitted to Accutest Laboratories of New Jersey for chemical analysis. The specified analysis included VOCs via EPA Method 8260.

4.0 FINDINGS

4.1 SOIL VAPOR QUALITY

The chemical analysis of the two soil vapor samples for VOC's via EPA Method TO-15 collected indicates the following:

- VOCs – Detections were found for the following compounds: Trichloroethylene, toluene, tetrachloroethylene, propylene, p-m xylene, o-xylene, hexane, heptane, methylene chloride, methyl ethyl ketone, isopropyl alcohol, ethanol, ethyl benzene, ethyl acetate, benzene, acetone, 1,2,4-Trimethylbenzene, Tertiary butyl alcohol, and dichlorodifluoromethane.

The detected levels were low and were related to gasoline compounds and not to dry cleaning operations. A summary of the analytical detections is provided on Table 1. A complete copy of the original laboratory analytical report is included as Appendix A.

4.2 GROUNDWATER QUALITY

The chemical analysis of eighteen groundwater samples, analyzed for VOC's via EPA method 8260, collected indicates the presence of the following VOC's:

- VOCs – Acetone, chloroform, cyclohexane, ethyl benzene, isopropyl benzene, m,p-xylene, methyl cyclohexane, o-xylene, tetrachloroethene, toluene, trans-1,2-dichloroethene, and trichloroethene were detected in at trace levels far below applicable groundwater standards. Two compounds, cis-1, 2-dichloroethene and vinyl chloride were detected above TOGs. Cis-1, 2-dichloroethene is a breakdown compound of the chemical of concern, PCE.

While there were two compounds detected above the NYSDEC TOGS standard in a few wells, neither PCE nor TCE were detected above regulatory standards. The results were compared to the applicable TOGS standards (Ref. 5). A summary of the analytical detections and applicable

standards is provided on Table 2. A complete copy of the original laboratory analytical report is included as Appendix A.

5.0 CONCLUSIONS

This investigation was performed in accordance with the NYSDEC approved Work Plan. Based on our findings, CA RICH has the following conclusions and recommendations:

- The uppermost groundwater underlying the Site occurs at approximately 2 to 9 feet below grade and is assumed to flow in a south-westerly direction. The depth to groundwater ranges widely as the site is in close proximity to the canal and may be tidally influenced.
- The chemical analyses of the groundwater samples revealed the presence of cis, 1,2-dichloroethene above NYSDEC TOGS drinking water standards in monitoring wells, MW-1, MW-3, MW-4 and MW-6 at all intervals. Vinyl chloride was also detected above NYSDEC TOGS in well MW-6 at all shallow, intermediate, and deep sample intervals. Detections of PCE and TCE were not detected above regulatory standards.
- The chemical analyses of the soil vapor samples revealed the presence of low level VOCs. The VOC detections were mainly related to gasoline compounds and not related to dry cleaning chemicals.

Based upon the results of this investigation, CA RICH has the following recommendations:

- After the results of this investigation are reviewed by the NYSDEC and the NYSDOH, we can agree on which residences should be used for the indoor air study.

6.0 INVESTIGATION LIMITATIONS

CA RICH performed the environmental work described herein in accordance with an approved limited scope of work and generally accepted protocols utilized within the environmental consulting profession. There were no intentional deviations or deletions from standard procedures in the performance of this work. The approved scope of work, as jointly agreed upon, was limited to the review of selected readily available and reasonably accessible documents/reports made available to CA RICH, and our evaluation of specific areas on the Site utilizing approved specific methods of investigation. As such, our findings and conclusions are limited to only those areas and media as described and studied herein.

CA RICH cannot warrant site-wide conditions because there may remain unknown or hidden conditions that could not be revealed during the limited testing conducted. Also, the undersigned cannot be held responsible for innocent or intentional misrepresentations or inaccurate information furnished to CA RICH regarding the environmental integrity of the area that may pose any potential for further environmental. However, we do acknowledge that to the best of our belief, the information we have supplied is true, complete and correct, and that facts or figures that may have an adverse effect upon the validity of the findings, conclusions and/or any recommendations provided in this Report have not purposely been omitted.


Should future testing/remediation activities reveal additional areas of environmental concern, then the findings and conclusions of this investigation and any further agency review may be subject to additional information needs and revision. In addition, CA RICH subcontracted State-certified Accutest Laboratories of New Jersey as an independent entity to chemically analyze the environmental samples collected by CA RICH as part of this investigation.

CA RICH has no interest other than professional in this assignment and neither its performance, nor compensation for same, is contingent upon the findings or conclusions represented herein.

REFERENCES

- 1) CA RICH Environmental Specialists Inc., Work Plan: Groundwater Sampling and off-site Soil Vapor Intrusion Evaluation, Merrick Cleaners Site; NYSDEC Code No. 1-30-065, East Massapequa, NY. August 2011
- 2) CA RICH Environmental Specialists Inc., Addendum #1 Work Plan: Groundwater Sampling and Off-site Soil Vapor Intrusion Evaluation, Merrick Cleaners Site Code No. 1-30-065, East Massapequa, NY. January 2012
- 3) NYSDEC, Record of Decision – Minuteman Cleaners Site Number 1-30-065, East Massapequa, Nassau County, New York March 1999
- 4) NYSDOH, Final Guidance for Evaluating Soil Vapor Intrusion in the State of New York October 2006
- 5) New York State Department of Environmental Conservation, Division of Water Technical and Operation Guidance Series (1.1.1): Ambient Water Quality Standards and Guidance Values and Groundwater Effluent Limitations. June 1998

Figures



N



CA RICH CONSULTANTS, INC.
17 Dupont Street,
Plainview, NY 11803

TITLE:

SITE LOCATION MAP

DATE:

08/17/11

SCALE:

As Shown

FIGURE:

1

DRAWING:

**Merrick Cleaners
5640 Merrick Road
East Massapequa, New York**

DRAWN BY:

J.T.C.

APPR. BY:

S.T.S.

Adapted from Yahoo Maps.



LEGEND

- ⊕ **MW-5** Monitoring Well
- **SV-2** Soil Vapor Point

Site Building

0 50 100
Approximate
Graphic Scale in Feet



Note:

Map Adapted from Google Earth Image
Dated September 19, 2010.

CA RICH CONSULTANTS, INC.

Environmental Specialists Since 1982
17 Dupont Street, Plainview, New York 11803

TITLE: Area Map with Groundwater Monitoring Wells and Soil Vapor Testing Locations		DATE: 2/23/2012
FIGURE: 2		SCALE: As Shown
DRAWING NO: 2011-816	Merrick Cleaners 5640 Merrick Road East Massapequa, NY	DRAWN BY: S.T.M.
		APPR. BY: S.T.S.

Tables

Table 1

**Summary of Analytical Results of Volatile Organic Compounds Detected In Soil Vapor Samples
Merrick Cleaners
5460 Merrick Road, East Massapequa NY**

Sample ID Matrix Date Sampled	SV-1 Soil Vapor 2/22/2012	SV-2 Soil Vapor 2/22/2012
Volatile Organic Compounds via EPA Method TO-15		
Units	<u>ug/m³</u>	<u>ug/m³</u>
Trichloroethylene	ND	0.16
Toluene	3.9	8.3
Tetrachloroethylene	2.0	1.7
Propylene	ND	0.82 J
p- & m- Xylenes	ND	3.2
o-Xylene	ND	1.2
Hexane	0.65 J	0.49 J
Heptane	ND	0.43 J
Methylene chloride	1.0	ND
Methyl ethyl ketone	1.2	1.1
Isopropyl alcohol	0.95	0.71 J
Ethanol	11.7	10.7
Ethyl Benzene	ND	1.0
Ethyl acetate	11.6	4.3
Benzene	17.1	23.9
Acetone	18.5	24.0
1,2,4-Trimethylbenzene	ND	1.3
Tertiary butyl alcohol	ND	1.1
Dichlorodifluoromethane	0.52 J	0.46 J

All concentrations are shown in ug/m³-micrograms per cubic meter

All samples collected over 2 hour period

J - Indicates an estimated value

ND - Not detected at or above reporting limits

Table 2
Summary of Analytical Results of Volatile Organic Compounds In Groundwater Samples
Merrick Cleaners
5460 Merrick Road, East Massapequa NY

Sample ID	MW-1	MW-XX	MW-1	MW-1	MW-2	MW-2	MW-2	MW-3	MW-3	MW-3	MW-4	MW-4	MW-4	MW-5	MW-5	MW-5	MW-6	MW-6	MW-6	Trip Blank	NYSDEC
Depth	10 - 11.5ft	Duplicate	14 - 5.5ft	16.5 - 18ft	10 - 11.5ft	14.5 - 16ft	17 - 18.5ft	9 - 10.5ft	13 - 14.5ft	15.5 - 17ft	9 - 10.5ft	13 - 14.5ft	15.5 - 17ft	8 - 9.5ft	12.5 - 14ft	15 - 16.5ft	4.5 - 5ft	7.5 - 9ft	9.6 - 11ft		TOGS*
Matrix	Groundwater	Groundwater	Groundwater	Groundwater	Groundwater	Groundwater	Groundwater	Groundwater	Groundwater	Groundwater	Groundwater	Groundwater	Groundwater	Groundwater	Groundwater	Groundwater	Groundwater	Groundwater	Groundwater		
Date Sampled	2/22/2012	2/22/2012	2/22/2012	2/22/2012	2/22/2012	2/22/2012	2/22/2012	2/22/2012	2/22/2012	2/22/2012	2/22/2012	2/22/2012	2/22/2012	2/22/2012	2/22/2012	2/22/2012	2/22/2012	2/22/2012	2/22/2012	2/22/2012	
VOCs via EPA Method 8260																					
Units	<u>ug/l</u>	<u>ug/l</u>	<u>ug/l</u>	<u>ug/l</u>	<u>ug/l</u>	<u>ug/l</u>	<u>ug/l</u>	<u>ug/l</u>	<u>ug/l</u>	<u>ug/l</u>	<u>ug/l</u>	<u>ug/l</u>	<u>ug/l</u>	<u>ug/l</u>	<u>ug/l</u>	<u>ug/l</u>	<u>ug/l</u>	<u>ug/l</u>	<u>ug/l</u>	<u>ug/l</u>	<u>ug/l</u>
Acetone	ND	ND	9.0 J	9.9 J	9.9 J	10.2	ND	11.4	10.0	10.5	7.7 J	13.7	9.3 J	10.4	10.3	12.1	ND	8.9 J	9.0 J	ND	50
Chloroform	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.43 J	ND	ND	ND	ND	ND	ND	7
Cyclohexane	0.67 J	0.61 J	0.68 J	0.51 J	ND	ND	ND	ND	ND	ND	ND	0.44 J	0.96 J	ND	ND	ND	ND	ND	ND	ND	NVG
cis-1,2-Dichloroethene	6.9	6.5	6.1	6.2	ND	ND	ND	11.9	7.0	7.1	201	456	569	ND	ND	ND	383	263	323	ND	5
Ethylbenzene	0.31 J	0.28 J	0.36 J	0.34 J	ND	ND	ND	ND	ND	ND	ND	0.36 J	1.1	ND	ND	ND	ND	ND	ND	ND	5
Isopropylbenzene	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.25 J	0.84 J	ND	ND	ND	ND	ND	ND	ND	5
m,p-Xylene	0.63 J	0.66 J	0.63 J	0.65 J	ND	ND	ND	ND	ND	ND	ND	0.83 J	2.3	ND	ND	ND	ND	ND	ND	0.62 J	5
Methylcyclohexane	2.0 J	1.9 J	2.0 J	1.9 J	ND	ND	ND	ND	ND	ND	ND	0.30 J	0.92 J	ND	ND	ND	ND	ND	ND	ND	NVG
o-Xylene	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	3.1 J	6.9	ND	ND	ND	ND	ND	ND	ND	5
Tetrachloroethene	1.0	1.0	0.93 J	0.87 J	ND	ND	ND	3.2	1.6	1.6	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	5
Toluene	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	2.2	5
trans-1,2-Dichloroethene	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	1.5	2.7	4.3	ND	ND	ND	2.8	2.3	2.5	ND	5
Trichloroethene	1.7	1.6	1.4	1.5	ND	ND	ND	2.1	1.1	1.1	0.29 J	0.66 J	0.85 J	ND	ND	ND	0.22 J	ND	ND	ND	5
Vinyl chloride	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	2.6	1.9	ND	ND	ND	4.6	3.3	4.3	ND	2

Notes: All concentrations are reported in micrograms per liter (ug/L) or parts per billion.	
NVG - No Value Given ND - Not detected at or above reporting limits MW-XX- is a duplicate of MW-1 (10-11.5 ft.) J-Indicates an estimated value	*NYSDEC Technical and Operational Guidance Series (1.1.1) Ambient Water Quality Standards and Guidance Values and Groundwater Effluent Limitations; June 1998

APPENDIX A

Laboratory Analytical Results



04/17/12

Technical Report for

C. A. Rich Consultants

Merrick Cleaners, Merrick Road, Massapequa, NY

Accutest Job Number: JB93

Sampling Date: 02/22/12

Report to:

C. A. Rich Consultants

dshapiro@carichinc.com

ATTN: Deborah Shapiro

Total number of pages in report: **13**



Test results contained within this data package meet the requirements of the National Environmental Laboratory Accreditation Conference and/or state specific certification programs as applicable.


Paul Ioannidis
Lab Director

Client Service contact: Tony Esposito 732-329-0200

Certifications: NJ(12129), NY(10983), CA, CT, DE, FL, IL, IN, KS, KY, LA, MA, MD, MI, MT, NC, OH VAP (CL0056), PA, RI, SC, TN, VA, WV

This report shall not be reproduced, except in its entirety, without the written approval of Accutest Laboratories.
Test results relate only to samples analyzed.

Table of Contents

-1-

Section 1: Sample Summary	3
Section 2: Case Narrative/Conformance Summary	4
Section 3: Sample Results	5
3.1: JB93-1: SV-1	6
3.2: JB93-2: SV-2	8
Section 4: Misc. Forms	10
4.1: Chain of Custody	11
4.2: Summa Canister and Flow Controller Log	13



Sample Summary

C. A. Rich Consultants

Job No: JB93

Merrick Cleaners, Merrick Road, Massapequa, NY

Sample Number	Collected		Matrix Code	Type	Client Sample ID
	Date	Time By			
JB93-1	02/22/12	15:07 JC	02/24/12	AIR Soil Vapor Comp.	SV-1
JB93-2	02/22/12	15:07 JC	02/24/12	AIR Soil Vapor Comp.	SV-2



CASE NARRATIVE / CONFORMANCE SUMMARY

Client: C. A. Rich Consultants

Job No JB93

Site: Merrick Cleaners, Merrick Road, Massapequa, NY

Report Date 3/8/2012 2:56:24 PM

On 02/24/2012, 2 Sample(s), 0 Trip Blank(s) and 0 Field Blank(s) were received at Accutest Laboratories . Samples were intact and chemically preserved, unless noted below. An Accutest Job Number of JB93 was assigned to the project. Laboratory sample ID, client sample ID and dates of sample collection are detailed in the report's Results Summary Section.

Specified quality control criteria were achieved for this job except as noted below. For more information, please refer to the analytical results and QC summary pages.

Volatiles by GCMS By Method TO-15

Matrix: AIR

Batch ID: VW1442

- All samples were analyzed within the recommended method holding time.
- All method blanks for this batch meet method specific criteria.
- Sample(s) JB608-5DUP were used as the QC samples indicated.

Accutest certifies that data reported for samples received, listed on the associated custody chain or analytical task order, were produced to specifications meeting Accutest's Quality System precision, accuracy and completeness objectives except as noted.

Estimated non-standard method measurement uncertainty data is available on request, based on quality control bias and implicit for standard methods. Acceptable uncertainty requires tested parameter quality control data to meet method criteria.

Accutest Laboratories is not responsible for data quality assumptions if partial reports are used and recommends that this report be used in its entirety. Data release is authorized by Accutest Laboratories indicated via signature on the report cover

Sample Results

Report of Analysis

Report of Analysis

Page 1 of 2

Client Sample ID:	SV-1		
Lab Sample ID:	JB93-1		
Matrix:	AIR - Soil Vapor Comp.	Summa ID: A313	Date Sampled: 02/22/12
Method:	TO-15		Date Received: 02/24/12
Project:	Merrick Cleaners, Merrick Road, Massapequa, NY		Percent Solids: n/a

Run #	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	W35444.D	1	03/05/12	YMH	n/a	n/a	VW1442
Run #2							

Run #	Initial Volume
Run #1	100 ml
Run #2	

CAS No.	MW	Compound	Result	RL	MDL	Units	Q	Result	RL	Units
67-64-1	58.08	Acetone	18.5	0.80	0.15	ppbv		43.9	1.9	ug/m3
106-99-0	54.09	1,3-Butadiene	ND	0.80	0.097	ppbv		ND	1.8	ug/m3
71-43-2	78.11	Benzene	17.1	0.80	0.18	ppbv		54.6	2.6	ug/m3
75-27-4	163.8	Bromodichloromethane	ND	0.80	0.12	ppbv		ND	5.4	ug/m3
75-25-2	252.8	Bromoform	ND	0.80	0.15	ppbv		ND	8.3	ug/m3
74-83-9	94.94	Bromomethane	ND	0.80	0.15	ppbv		ND	3.1	ug/m3
593-60-2	106.9	Bromoethene	ND	0.80	0.15	ppbv		ND	3.5	ug/m3
100-44-7	126	Benzyl Chloride	ND	0.80	0.16	ppbv		ND	4.1	ug/m3
75-15-0	76.14	Carbon disulfide	ND	0.80	0.13	ppbv		ND	2.5	ug/m3
108-90-7	112.6	Chlorobenzene	ND	0.80	0.11	ppbv		ND	3.7	ug/m3
75-00-3	64.52	Chloroethane	ND	0.80	0.16	ppbv		ND	2.1	ug/m3
67-66-3	119.4	Chloroform	ND	0.80	0.11	ppbv		ND	3.9	ug/m3
74-87-3	50.49	Chloromethane	ND	0.80	0.15	ppbv		ND	1.7	ug/m3
107-05-1	76.53	3-Chloropropene	ND	0.80	0.17	ppbv		ND	2.5	ug/m3
95-49-8	126.6	2-Chlorotoluene	ND	0.80	0.12	ppbv		ND	4.1	ug/m3
56-23-5	153.8	Carbon tetrachloride	ND	0.80	0.16	ppbv		ND	5.0	ug/m3
110-82-7	84.16	Cyclohexane	ND	0.80	0.13	ppbv		ND	2.8	ug/m3
75-34-3	98.96	1,1-Dichloroethane	ND	0.80	0.11	ppbv		ND	3.2	ug/m3
75-35-4	96.94	1,1-Dichloroethylene	ND	0.80	0.18	ppbv		ND	3.2	ug/m3
106-93-4	187.9	1,2-Dibromoethane	ND	0.80	0.11	ppbv		ND	6.1	ug/m3
107-06-2	98.96	1,2-Dichloroethane	ND	0.80	0.17	ppbv		ND	3.2	ug/m3
78-87-5	113	1,2-Dichloropropane	ND	0.80	0.15	ppbv		ND	3.7	ug/m3
123-91-1	88.12	1,4-Dioxane	ND	0.80	0.22	ppbv		ND	2.9	ug/m3
75-71-8	120.9	Dichlorodifluoromethane	0.52	0.80	0.15	ppbv	J	2.6	4.0	ug/m3
124-48-1	208.3	Dibromochloromethane	ND	0.80	0.11	ppbv		ND	6.8	ug/m3
156-60-5	96.94	trans-1,2-Dichloroethylene	ND	0.80	0.13	ppbv		ND	3.2	ug/m3
156-59-2	96.94	cis-1,2-Dichloroethylene	ND	0.80	0.15	ppbv		ND	3.2	ug/m3
10061-01-5	111	cis-1,3-Dichloropropene	ND	0.80	0.17	ppbv		ND	3.6	ug/m3
541-73-1	147	m-Dichlorobenzene	ND	0.80	0.15	ppbv		ND	4.8	ug/m3
95-50-1	147	o-Dichlorobenzene	ND	0.80	0.11	ppbv		ND	4.8	ug/m3
106-46-7	147	p-Dichlorobenzene	ND	0.80	0.10	ppbv		ND	4.8	ug/m3
10061-02-6	111	trans-1,3-Dichloropropene	ND	0.80	0.16	ppbv		ND	3.6	ug/m3

ND = Not detected MDL - Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

B = Indicates analyte found in associated method blank

N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID: SV-1	Date Sampled: 02/22/12
Lab Sample ID: JB93-1	Date Received: 02/24/12
Matrix: AIR - Soil Vapor Comp. Summa ID: A313	Percent Solids: n/a
Method: TO-15	
Project: Merrick Cleaners, Merrick Road, Massapequa, NY	

CAS No.	MW	Compound	Result	RL	MDL	Units	Q	Result	RL	Units
64-17-5	46.07	Ethanol	11.7	2.0	0.38	ppbv		22.0	3.8	ug/m3
100-41-4	106.2	Ethylbenzene	ND	0.80	0.12	ppbv		ND	3.5	ug/m3
141-78-6	88	Ethyl Acetate	11.6	0.80	0.24	ppbv		41.8	2.9	ug/m3
622-96-8	120.2	4-Ethyltoluene	ND	0.80	0.096	ppbv		ND	3.9	ug/m3
76-13-1	187.4	Freon 113	ND	0.80	0.14	ppbv		ND	6.1	ug/m3
76-14-2	170.9	Freon 114	ND	0.80	0.12	ppbv		ND	5.6	ug/m3
142-82-5	100.2	Heptane	ND	0.80	0.13	ppbv		ND	3.3	ug/m3
87-68-3	260.8	Hexachlorobutadiene	ND	0.80	0.18	ppbv		ND	8.5	ug/m3
110-54-3	86.17	Hexane	0.65	0.80	0.18	ppbv	J	2.3	2.8	ug/m3
591-78-6	100	2-Hexanone	ND	0.80	0.17	ppbv		ND	3.3	ug/m3
67-63-0	60.1	Isopropyl Alcohol	0.95	0.80	0.23	ppbv		2.3	2.0	ug/m3
75-09-2	84.94	Methylene chloride	1.0	0.80	0.11	ppbv		3.5	2.8	ug/m3
78-93-3	72.11	Methyl ethyl ketone	1.2	0.80	0.19	ppbv		3.5	2.4	ug/m3
108-10-1	100.2	Methyl Isobutyl Ketone	ND	0.80	0.14	ppbv		ND	3.3	ug/m3
1634-04-4	88.15	Methyl Tert Butyl Ether	ND	0.80	0.11	ppbv		ND	2.9	ug/m3
80-62-6	100.12	Methylmethacrylate	ND	0.80	0.17	ppbv		ND	3.3	ug/m3
115-07-1	42	Propylene	ND	2.0	0.28	ppbv		ND	3.4	ug/m3
100-42-5	104.1	Styrene	ND	0.80	0.11	ppbv		ND	3.4	ug/m3
71-55-6	133.4	1,1,1-Trichloroethane	ND	0.80	0.088	ppbv		ND	4.4	ug/m3
79-34-5	167.9	1,1,2,2-Tetrachloroethane	ND	0.80	0.12	ppbv		ND	5.5	ug/m3
79-00-5	133.4	1,1,2-Trichloroethane	ND	0.80	0.12	ppbv		ND	4.4	ug/m3
120-82-1	181.5	1,2,4-Trichlorobenzene	ND	0.80	0.20	ppbv		ND	5.9	ug/m3
95-63-6	120.2	1,2,4-Trimethylbenzene	ND	0.80	0.096	ppbv		ND	3.9	ug/m3
108-67-8	120.2	1,3,5-Trimethylbenzene	ND	0.80	0.11	ppbv		ND	3.9	ug/m3
540-84-1	114.2	2,2,4-Trimethylpentane	ND	0.80	0.11	ppbv		ND	3.7	ug/m3
75-65-0	74.12	Tertiary Butyl Alcohol	ND	0.80	0.13	ppbv		ND	2.4	ug/m3
127-18-4	165.8	Tetrachloroethylene	2.0	0.16	0.11	ppbv		14	1.1	ug/m3
109-99-9	72.11	Tetrahydrofuran	ND	0.80	0.19	ppbv		ND	2.4	ug/m3
108-88-3	92.14	Toluene	3.9	0.80	0.16	ppbv		15	3.0	ug/m3
79-01-6	131.4	Trichloroethylene	ND	0.16	0.13	ppbv		ND	0.86	ug/m3
75-69-4	137.4	Trichlorofluoromethane	ND	0.80	0.17	ppbv		ND	4.5	ug/m3
75-01-4	62.5	Vinyl chloride	ND	0.80	0.13	ppbv		ND	2.0	ug/m3
108-05-4	86	Vinyl Acetate	ND	0.80	0.23	ppbv		ND	2.8	ug/m3
	106.2	m,p-Xylene	ND	0.80	0.12	ppbv		ND	3.5	ug/m3
95-47-6	106.2	o-Xylene	ND	0.80	0.12	ppbv		ND	3.5	ug/m3
1330-20-7	106.2	Xylenes (total)	ND	0.80	0.12	ppbv		ND	3.5	ug/m3

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
460-00-4	4-Bromofluorobenzene	89%		65-128%

ND = Not detected MDL - Method Detection Limit
 RL = Reporting Limit
 E = Indicates value exceeds calibration range

J = Indicates an estimated value
 B = Indicates analyte found in associated method blank
 N = Indicates presumptive evidence of a compound

Report of Analysis

Page 1 of 2

Client Sample ID:	SV-2		
Lab Sample ID:	JB93-2		
Matrix:	AIR - Soil Vapor Comp.	Summa ID: A740	Date Sampled: 02/22/12
Method:	TO-15		Date Received: 02/24/12
Project:	Merrick Cleaners, Merrick Road, Massapequa, NY		Percent Solids: n/a

Run #	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	W35445.D	1	03/05/12	YMH	n/a	n/a	VW1442
Run #2							

Run #	Initial Volume
Run #1	100 ml
Run #2	

CAS No.	MW	Compound	Result	RL	MDL	Units	Q	Result	RL	Units
67-64-1	58.08	Acetone	24.0	0.80	0.15	ppbv		57.0	1.9	ug/m3
106-99-0	54.09	1,3-Butadiene	ND	0.80	0.097	ppbv		ND	1.8	ug/m3
71-43-2	78.11	Benzene	23.9	0.80	0.18	ppbv		76.4	2.6	ug/m3
75-27-4	163.8	Bromodichloromethane	ND	0.80	0.12	ppbv		ND	5.4	ug/m3
75-25-2	252.8	Bromoform	ND	0.80	0.15	ppbv		ND	8.3	ug/m3
74-83-9	94.94	Bromomethane	ND	0.80	0.15	ppbv		ND	3.1	ug/m3
593-60-2	106.9	Bromoethene	ND	0.80	0.15	ppbv		ND	3.5	ug/m3
100-44-7	126	Benzyl Chloride	ND	0.80	0.16	ppbv		ND	4.1	ug/m3
75-15-0	76.14	Carbon disulfide	ND	0.80	0.13	ppbv		ND	2.5	ug/m3
108-90-7	112.6	Chlorobenzene	ND	0.80	0.11	ppbv		ND	3.7	ug/m3
75-00-3	64.52	Chloroethane	ND	0.80	0.16	ppbv		ND	2.1	ug/m3
67-66-3	119.4	Chloroform	ND	0.80	0.11	ppbv		ND	3.9	ug/m3
74-87-3	50.49	Chloromethane	ND	0.80	0.15	ppbv		ND	1.7	ug/m3
107-05-1	76.53	3-Chloropropene	ND	0.80	0.17	ppbv		ND	2.5	ug/m3
95-49-8	126.6	2-Chlorotoluene	ND	0.80	0.12	ppbv		ND	4.1	ug/m3
56-23-5	153.8	Carbon tetrachloride	ND	0.80	0.16	ppbv		ND	5.0	ug/m3
110-82-7	84.16	Cyclohexane	ND	0.80	0.13	ppbv		ND	2.8	ug/m3
75-34-3	98.96	1,1-Dichloroethane	ND	0.80	0.11	ppbv		ND	3.2	ug/m3
75-35-4	96.94	1,1-Dichloroethylene	ND	0.80	0.18	ppbv		ND	3.2	ug/m3
106-93-4	187.9	1,2-Dibromoethane	ND	0.80	0.11	ppbv		ND	6.1	ug/m3
107-06-2	98.96	1,2-Dichloroethane	ND	0.80	0.17	ppbv		ND	3.2	ug/m3
78-87-5	113	1,2-Dichloropropane	ND	0.80	0.15	ppbv		ND	3.7	ug/m3
123-91-1	88.12	1,4-Dioxane	ND	0.80	0.22	ppbv		ND	2.9	ug/m3
75-71-8	120.9	Dichlorodifluoromethane	0.46	0.80	0.15	ppbv	J	2.3	4.0	ug/m3
124-48-1	208.3	Dibromochloromethane	ND	0.80	0.11	ppbv		ND	6.8	ug/m3
156-60-5	96.94	trans-1,2-Dichloroethylene	ND	0.80	0.13	ppbv		ND	3.2	ug/m3
156-59-2	96.94	cis-1,2-Dichloroethylene	ND	0.80	0.15	ppbv		ND	3.2	ug/m3
10061-01-5	111	cis-1,3-Dichloropropene	ND	0.80	0.17	ppbv		ND	3.6	ug/m3
541-73-1	147	m-Dichlorobenzene	ND	0.80	0.15	ppbv		ND	4.8	ug/m3
95-50-1	147	o-Dichlorobenzene	ND	0.80	0.11	ppbv		ND	4.8	ug/m3
106-46-7	147	p-Dichlorobenzene	ND	0.80	0.10	ppbv		ND	4.8	ug/m3
10061-02-6	111	trans-1,3-Dichloropropene	ND	0.80	0.16	ppbv		ND	3.6	ug/m3

ND = Not detected MDL - Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

B = Indicates analyte found in associated method blank

N = Indicates presumptive evidence of a compound

Report of Analysis

Page 2 of 2

Client Sample ID: SV-2	Date Sampled: 02/22/12
Lab Sample ID: JB93-2	Date Received: 02/24/12
Matrix: AIR - Soil Vapor Comp. Summa ID: A740	Percent Solids: n/a
Method: TO-15	
Project: Merrick Cleaners, Merrick Road, Massapequa, NY	

CAS No.	MW	Compound	Result	RL	MDL	Units	Q	Result	RL	Units
64-17-5	46.07	Ethanol	10.7	2.0	0.38	ppbv		20.2	3.8	ug/m3
100-41-4	106.2	Ethylbenzene	1.0	0.80	0.12	ppbv		4.3	3.5	ug/m3
141-78-6	88	Ethyl Acetate	4.3	0.80	0.24	ppbv		15	2.9	ug/m3
622-96-8	120.2	4-Ethyltoluene	ND	0.80	0.096	ppbv		ND	3.9	ug/m3
76-13-1	187.4	Freon 113	ND	0.80	0.14	ppbv		ND	6.1	ug/m3
76-14-2	170.9	Freon 114	ND	0.80	0.12	ppbv		ND	5.6	ug/m3
142-82-5	100.2	Heptane	0.43	0.80	0.13	ppbv	J	1.8	3.3	ug/m3
87-68-3	260.8	Hexachlorobutadiene	ND	0.80	0.18	ppbv		ND	8.5	ug/m3
110-54-3	86.17	Hexane	0.49	0.80	0.18	ppbv	J	1.7	2.8	ug/m3
591-78-6	100	2-Hexanone	ND	0.80	0.17	ppbv		ND	3.3	ug/m3
67-63-0	60.1	Isopropyl Alcohol	0.71	0.80	0.23	ppbv	J	1.7	2.0	ug/m3
75-09-2	84.94	Methylene chloride	ND	0.80	0.11	ppbv		ND	2.8	ug/m3
78-93-3	72.11	Methyl ethyl ketone	1.1	0.80	0.19	ppbv		3.2	2.4	ug/m3
108-10-1	100.2	Methyl Isobutyl Ketone	ND	0.80	0.14	ppbv		ND	3.3	ug/m3
1634-04-4	88.15	Methyl Tert Butyl Ether	ND	0.80	0.11	ppbv		ND	2.9	ug/m3
80-62-6	100.12	Methylmethacrylate	ND	0.80	0.17	ppbv		ND	3.3	ug/m3
115-07-1	42	Propylene	0.82	2.0	0.28	ppbv	J	1.4	3.4	ug/m3
100-42-5	104.1	Styrene	ND	0.80	0.11	ppbv		ND	3.4	ug/m3
71-55-6	133.4	1,1,1-Trichloroethane	ND	0.80	0.088	ppbv		ND	4.4	ug/m3
79-34-5	167.9	1,1,2,2-Tetrachloroethane	ND	0.80	0.12	ppbv		ND	5.5	ug/m3
79-00-5	133.4	1,1,2-Trichloroethane	ND	0.80	0.12	ppbv		ND	4.4	ug/m3
120-82-1	181.5	1,2,4-Trichlorobenzene	ND	0.80	0.20	ppbv		ND	5.9	ug/m3
95-63-6	120.2	1,2,4-Trimethylbenzene	1.3	0.80	0.096	ppbv		6.4	3.9	ug/m3
108-67-8	120.2	1,3,5-Trimethylbenzene	ND	0.80	0.11	ppbv		ND	3.9	ug/m3
540-84-1	114.2	2,2,4-Trimethylpentane	ND	0.80	0.11	ppbv		ND	3.7	ug/m3
75-65-0	74.12	Tertiary Butyl Alcohol	1.1	0.80	0.13	ppbv		3.3	2.4	ug/m3
127-18-4	165.8	Tetrachloroethylene	1.7	0.16	0.11	ppbv		12	1.1	ug/m3
109-99-9	72.11	Tetrahydrofuran	ND	0.80	0.19	ppbv		ND	2.4	ug/m3
108-88-3	92.14	Toluene	8.3	0.80	0.16	ppbv		31	3.0	ug/m3
79-01-6	131.4	Trichloroethylene	0.16	0.16	0.13	ppbv		0.86	0.86	ug/m3
75-69-4	137.4	Trichlorofluoromethane	ND	0.80	0.17	ppbv		ND	4.5	ug/m3
75-01-4	62.5	Vinyl chloride	ND	0.80	0.13	ppbv		ND	2.0	ug/m3
108-05-4	86	Vinyl Acetate	ND	0.80	0.23	ppbv		ND	2.8	ug/m3
	106.2	m,p-Xylene	3.2	0.80	0.12	ppbv		14	3.5	ug/m3
95-47-6	106.2	o-Xylene	1.2	0.80	0.12	ppbv		5.2	3.5	ug/m3
1330-20-7	106.2	Xylenes (total)	4.4	0.80	0.12	ppbv		19	3.5	ug/m3

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
460-00-4	4-Bromofluorobenzene	90%		65-128%

ND = Not detected MDL - Method Detection Limit
 RL = Reporting Limit
 E = Indicates value exceeds calibration range

J = Indicates an estimated value
 B = Indicates analyte found in associated method blank
 N = Indicates presumptive evidence of a compound

Misc. Forms

Custody Documents and Other Forms

Includes the following where applicable:

- Chain of Custody
- Summa Canister and Flow Controller Log

Air Sampling Field Data Sheet

2235 US Highway 130, Dayton, NJ 08810

Tel: 732.329.0200 Fax: 732.329.3499

FED-EX Tracking #

D-Ex Tracking #
87704676 8158

Lab Quote #

Bottle Order Control #

Bomb Order Control # TE-2/14/2012-6

Lab Job #

JB93

PAGE / OF /

[illegible]

JB93: Chain of Custody

Page 1 of 2

Accutest Laboratories Sample Receipt Summary

Accutest Job Number: JB93 Client: _____ Project: _____
 Date / Time Received: 2/24/2012 Delivery Method: _____ Airbill #'s: _____

Cooler Temps (Initial/Adjusted):

Cooler Security 1. Custody Seals Present: ☒ Y ☐ N 2. Custody Seals Intact: ☒ Y ☐ N	3. COC Present: ☒ Y ☐ N 4. Smpl Dates/Time OK: ☒ Y ☐ N
---	---

Cooler Temperature
 1. Temp criteria achieved: ☒ Y ☐ N
 2. Cooler temp verification: _____
 3. Cooler media: _____
 4. No. Coolers: 0

<u>Quality Control Preservation</u>	<u>Y</u>	<u>or</u>	<u>N</u>	<u>N/A</u>
1. Trip Blank present / cooler:	☐		☐	☒
2. Trip Blank listed on COC:	☐		☐	☒
3. Samples preserved properly:	☒		☐	
4. VOCs headspace free:	☐		☐	☒

Sample Integrity - Documentation
 1. Sample labels present on bottles: ☒ Y ☐ N
 2. Container labeling complete: ☒ Y ☐ N
 3. Sample container label / COC agree: ☒ Y ☐ N

Sample Integrity - Condition
 1. Sample recvd within HT: ☒ Y ☐ N
 2. All containers accounted for: ☒ Y ☐ N
 3. Condition of sample: Intact

<u>Sample Integrity - Instructions</u>	<u>Y</u>	<u>or</u>	<u>N</u>	<u>N/A</u>
1. Analysis requested is clear:	☒		☐	
2. Bottles received for unspecified tests	☐		☒	
3. Sufficient volume recvd for analysis:	☒		☐	
4. Compositing instructions clear:	☐		☐	☒
5. Filtering instructions clear:	☐		☐	☒

Comments

Summa Canister and Flow Controller Log

Page 1 of 1

Job Number: JB93

Account: CARICH C. A. Rich Consultants

Project: Merrick Cleaners, Merrick Road, Massapequa, NY

Received: 02/24/12

SUMMA CANISTERS													
Shipping							Receiving						
Summa ID	Vac L	Date " Hg	Date Out	By	SCC Batch	SCC FileID	Sample Number	Date In	By	Vac " Hg	Pres psig	Final psig	Dil Fact
A313	6	29.4	02/15/12	HT	CP5255	2W34218.D	JB93-1	02/24/12	RC	2			1
A740	6	29.4	02/15/12	HT	CP5258	3W26210.D	JB93-2	02/24/12	RC	0			1

FLOW CONTROLLERS								
Shipping					Receiving			
Flow Crtl ID	Date Out	By	cc/ min	Time hrs.	Date In	By	cc/ min	
FC139	02/15/12	HT	41	2	02/24/12	RC	40.8	
FC241	02/15/12	HT	41	2	02/24/12	RC	42	

Accutest Bottle Order(s):

TE-2/14/2012-6

Prep Date	Room Temp(F)	Bar Pres "Hg
02/15/12	70	29.92



04/17/12

Technical Report for

C. A. Rich Consultants

Merrick Cleaners, Merrick Road, Massapequa, NY

Accutest Job Number: JB151

Sampling Date: 02/22/12

Report to:

C. A. Rich Consultants

dshapiro@carichinc.com

ATTN: Deborah Shapiro

Total number of pages in report: **54**



Test results contained within this data package meet the requirements of the National Environmental Laboratory Accreditation Conference and/or state specific certification programs as applicable.


Paul Ioannidis
Lab Director

Client Service contact: Tony Esposito 732-329-0200

Certifications: NJ(12129), NY(10983), CA, CT, DE, FL, IL, IN, KS, KY, LA, MA, MD, MI, MT, NC, OH VAP (CL0056), PA, RI, SC, TN, VA, WV

This report shall not be reproduced, except in its entirety, without the written approval of Accutest Laboratories.
Test results relate only to samples analyzed.

Table of Contents

-1-

Section 1: Sample Summary	3
Section 2: Case Narrative/Conformance Summary	5
Section 3: Sample Results	6
3.1: JB151-1: MW-1 (10-11.5')	7
3.2: JB151-2: MW-1 (16.5-18')	9
3.3: JB151-3: MW-2 (10-11.5')	11
3.4: JB151-4: MW-2 (17-18.5')	13
3.5: JB151-5: MW-3 (9.0-10.5')	15
3.6: JB151-6: MW-3 (15.5-17')	17
3.7: JB151-7: MW-4 (9-10.5')	19
3.8: JB151-8: MW-4 (15.5-17')	21
3.9: JB151-9: MW-5 (8-9.5')	23
3.10: JB151-10: MW-5 (15-16.5')	25
3.11: JB151-11: MW-6 (4-5.5')	27
3.12: JB151-12: MW-6 (9.5-11')	29
3.13: JB151-13: MW-1 (14-15.5')	31
3.14: JB151-14: MW-2 (14.5-16')	33
3.15: JB151-15: MW-3 (13-14.5')	35
3.16: JB151-16: MW-4 (13-14.5')	37
3.17: JB151-17: MW-5 (12.5-14')	39
3.18: JB151-18: MW-6 (7.5-9')	41
3.19: JB151-19: TRIP BLANK 2/22	43
3.20: JB151-20: MW-XX	45
3.21: JB151-21: PDB PREFILLED BLANK	47
Section 4: Misc. Forms	49
4.1: Chain of Custody	50

Sample Summary

C. A. Rich Consultants

Job No: JB151

Merrick Cleaners, Merrick Road, Massapequa, NY

Sample Number	Collected Date	Time By	Received	Matrix Code	Type	Client Sample ID
JB151-1	02/22/12	13:15 JC	02/24/12	AQ	Ground Water	MW-1 (10-11.5')
JB151-2	02/22/12	13:25 JC	02/24/12	AQ	Ground Water	MW-1 (16.5-18')
JB151-3	02/22/12	12:30 JC	02/24/12	AQ	Ground Water	MW-2 (10-11.5')
JB151-4	02/22/12	12:40 JC	02/24/12	AQ	Ground Water	MW-2 (17-18.5')
JB151-5	02/22/12	13:40 JC	02/24/12	AQ	Ground Water	MW-3 (9.0-10.5')
JB151-6	02/22/12	13:45 JC	02/24/12	AQ	Ground Water	MW-3 (15.5-17')
JB151-7	02/22/12	14:05 JC	02/24/12	AQ	Ground Water	MW-4 (9-10.5')
JB151-8	02/22/12	14:13 JC	02/24/12	AQ	Ground Water	MW-4 (15.5-17')
JB151-9	02/22/12	14:30 JC	02/24/12	AQ	Ground Water	MW-5 (8-9.5')
JB151-10	02/22/12	14:36 JC	02/24/12	AQ	Ground Water	MW-5 (15-16.5')
JB151-11	02/22/12	14:58 JC	02/24/12	AQ	Ground Water	MW-6 (4-5.5')
JB151-12	02/22/12	15:03 JC	02/24/12	AQ	Ground Water	MW-6 (9.5-11')
JB151-13	02/22/12	13:20 JC	02/24/12	AQ	Ground Water	MW-1 (14-15.5')

Sample Summary

(continued)

C. A. Rich Consultants

Job No: JB151

Merrick Cleaners, Merrick Road, Massapequa, NY

Sample Number	Collected			Received	Matrix		Client Sample ID
	Date	Time	By		Code	Type	
JB151-14	02/22/12	12:35	JC	02/24/12	AQ	Ground Water	MW-2 (14.5-16')
JB151-14D	02/22/12	12:35	JC	02/24/12	AQ	Water Dup/MSD	MW-2 (14.5-16') MSD
JB151-14S	02/22/12	12:35	JC	02/24/12	AQ	Water Matrix Spike	MW-2 (14.5-16') MS
JB151-15	02/22/12	13:42	JC	02/24/12	AQ	Ground Water	MW-3 (13-14.5')
JB151-16	02/22/12	14:09	JC	02/24/12	AQ	Ground Water	MW-4 (13-14.5')
JB151-17	02/22/12	14:33	JC	02/24/12	AQ	Ground Water	MW-5 (12.5-14')
JB151-18	02/22/12	15:01	JC	02/24/12	AQ	Ground Water	MW-6 (7.5-9')
JB151-19	02/22/12	15:03	JC	02/24/12	AQ	Trip Blank Water	TRIP BLANK 2/22
JB151-20	02/22/12	00:00	JC	02/24/12	AQ	Ground Water	MW-XX
JB151-21	02/22/12	15:03	JC	02/24/12	AQ	Trip Blank Water	PDB PREFILLED BLANK

CASE NARRATIVE / CONFORMANCE SUMMARY

Client: C. A. Rich Consultants

Job No JB151

Site: Merrick Cleaners, Merrick Road, Massapequa, NY

Report Date 3/9/2012 6:57:29 PM

On 02/24/2012, 19 Sample(s), 2 Trip Blank(s) and 0 Field Blank(s) were received at Accutest Laboratories at a temperature of 4.3 C. Samples were intact and chemically preserved, unless noted below. An Accutest Job Number of JB151 was assigned to the project. Laboratory sample ID, client sample ID and dates of sample collection are detailed in the report's Results Summary Section.

Specified quality control criteria were achieved for this job except as noted below. For more information, please refer to the analytical results and QC summary pages.

Volatiles by GCMS By Method SW846 8260B

Matrix: AQ

Batch ID: V2E3372

- All samples were analyzed within the recommended method holding time.
- All method blanks for this batch meet method specific criteria.
- Sample(s) JB151-14MS, JB151-14MSD were used as the QC samples indicated.

Matrix: AQ

Batch ID: V2E3373

- All samples were analyzed within the recommended method holding time.
- All method blanks for this batch meet method specific criteria.
- Sample(s) JB151-2MS, JB151-2MSD were used as the QC samples indicated.

Matrix: AQ

Batch ID: V2E3375

- All samples were analyzed within the recommended method holding time.
- All method blanks for this batch meet method specific criteria.
- Sample(s) JB444-1MS, JB444-1MSD were used as the QC samples indicated.
- Matrix Spike Recovery(s) for Acetone are outside control limits. Outside control limits due to matrix interference.
- Matrix Spike Duplicate Recovery(s) for Acetone are outside control limits. Probable cause due to matrix interference.
- JB444-1MSD: (pH=7)Sample is not acid preservation per method/client criteria. Sample analyzed within 7 days holding time.
- JB444-1MS: (pH=7)Sample is not acid preservation per method/client criteria. Sample analyzed within 7 days holding time.

Accutest certifies that data reported for samples received, listed on the associated custody chain or analytical task order, were produced to specifications meeting Accutest's Quality System precision, accuracy and completeness objectives except as noted.

Estimated non-standard method measurement uncertainty data is available on request, based on quality control bias and implicit for standard methods. Acceptable uncertainty requires tested parameter quality control data to meet method criteria.

Accutest Laboratories is not responsible for data quality assumptions if partial reports are used and recommends that this report be used in its entirety. Data release is authorized by Accutest Laboratories indicated via signature on the report cover

Sample Results

Report of Analysis

Report of Analysis

Page 1 of 2

Client Sample ID:	MW-1 (10-11.5')	Date Sampled:	02/22/12
Lab Sample ID:	JB151-1	Date Received:	02/24/12
Matrix:	AQ - Ground Water	Percent Solids:	n/a
Method:	SW846 8260B		
Project:	Merrick Cleaners, Merrick Road, Massapequa, NY		

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	2E75125.D	1	02/29/12	MAH	n/a	n/a	V2E3373
Run #2							

	Purge Volume
Run #1	5.0 ml
Run #2	

VOA TCL List (SOM0 1.1)

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone	ND	10	7.6	ug/l	
71-43-2	Benzene	ND	1.0	0.22	ug/l	
74-97-5	Bromochloromethane	ND	5.0	0.40	ug/l	
75-27-4	Bromodichloromethane	ND	1.0	0.23	ug/l	
75-25-2	Bromoform	ND	4.0	0.24	ug/l	
74-83-9	Bromomethane	ND	2.0	0.31	ug/l	
78-93-3	2-Butanone (MEK)	ND	10	2.9	ug/l	
75-15-0	Carbon disulfide	ND	2.0	0.18	ug/l	
56-23-5	Carbon tetrachloride	ND	1.0	0.19	ug/l	
108-90-7	Chlorobenzene	ND	1.0	0.22	ug/l	
75-00-3	Chloroethane	ND	1.0	0.37	ug/l	
67-66-3	Chloroform	ND	1.0	0.21	ug/l	
74-87-3	Chloromethane	ND	1.0	0.22	ug/l	
110-82-7	Cyclohexane	0.67	5.0	0.29	ug/l	J
96-12-8	1,2-Dibromo-3-chloropropane	ND	10	1.3	ug/l	
124-48-1	Dibromochloromethane	ND	1.0	0.20	ug/l	
106-93-4	1,2-Dibromoethane	ND	2.0	0.21	ug/l	
95-50-1	1,2-Dichlorobenzene	ND	1.0	0.18	ug/l	
541-73-1	1,3-Dichlorobenzene	ND	1.0	0.29	ug/l	
106-46-7	1,4-Dichlorobenzene	ND	1.0	0.26	ug/l	
75-71-8	Dichlorodifluoromethane	ND	5.0	0.31	ug/l	
75-34-3	1,1-Dichloroethane	ND	1.0	0.19	ug/l	
107-06-2	1,2-Dichloroethane	ND	1.0	0.18	ug/l	
75-35-4	1,1-Dichloroethene	ND	1.0	0.28	ug/l	
156-59-2	cis-1,2-Dichloroethene	6.9	1.0	0.22	ug/l	
156-60-5	trans-1,2-Dichloroethene	ND	1.0	0.31	ug/l	
78-87-5	1,2-Dichloropropane	ND	1.0	0.22	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	1.0	0.22	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	1.0	0.19	ug/l	
123-91-1	1,4-Dioxane	ND	130	72	ug/l	
100-41-4	Ethylbenzene	0.31	1.0	0.21	ug/l	J
76-13-1	Freon 113	ND	5.0	0.49	ug/l	

ND = Not detected MDL - Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

B = Indicates analyte found in associated method blank

N = Indicates presumptive evidence of a compound

Report of Analysis

Page 2 of 2

Client Sample ID: MW-1 (10-11.5')	
Lab Sample ID: JB151-1	Date Sampled: 02/22/12
Matrix: AQ - Ground Water	Date Received: 02/24/12
Method: SW846 8260B	Percent Solids: n/a
Project: Merrick Cleaners, Merrick Road, Massapequa, NY	

VOA TCL List (SOM0 1.1)

CAS No.	Compound	Result	RL	MDL	Units	Q
591-78-6	2-Hexanone	ND	5.0	3.0	ug/l	
98-82-8	Isopropylbenzene	ND	2.0	0.19	ug/l	
79-20-9	Methyl Acetate	ND	5.0	2.9	ug/l	
108-87-2	Methylcyclohexane	2.0	5.0	0.18	ug/l	J
1634-04-4	Methyl Tert Butyl Ether	ND	1.0	0.18	ug/l	
108-10-1	4-Methyl-2-pentanone(MIBK)	ND	5.0	1.2	ug/l	
75-09-2	Methylene chloride	ND	2.0	0.20	ug/l	
100-42-5	Styrene	ND	5.0	0.23	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	1.0	0.20	ug/l	
127-18-4	Tetrachloroethene	1.0	1.0	0.32	ug/l	
108-88-3	Toluene	ND	1.0	0.15	ug/l	
87-61-6	1,2,3-Trichlorobenzene	ND	5.0	0.69	ug/l	
120-82-1	1,2,4-Trichlorobenzene	ND	5.0	0.15	ug/l	
71-55-6	1,1,1-Trichloroethane	ND	1.0	0.24	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	1.0	0.23	ug/l	
79-01-6	Trichloroethene	1.7	1.0	0.21	ug/l	
75-69-4	Trichlorofluoromethane	ND	5.0	0.35	ug/l	
75-01-4	Vinyl chloride	ND	1.0	0.27	ug/l	
	m,p-Xylene	0.63	1.0	0.32	ug/l	J
95-47-6	o-Xylene	ND	1.0	0.17	ug/l	
1330-20-7	Xylene (total)	0.63	1.0	0.17	ug/l	J

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	104%		77-120%
17060-07-0	1,2-Dichloroethane-D4	97%		70-127%
2037-26-5	Toluene-D8	103%		79-120%
460-00-4	4-Bromofluorobenzene	94%		76-118%

ND = Not detected MDL - Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

B = Indicates analyte found in associated method blank

N = Indicates presumptive evidence of a compound

Report of Analysis

Page 1 of 2

Client Sample ID:	MW-1 (16.5-18')	Date Sampled:	02/22/12
Lab Sample ID:	JB151-2	Date Received:	02/24/12
Matrix:	AQ - Ground Water	Percent Solids:	n/a
Method:	SW846 8260B		
Project:	Merrick Cleaners, Merrick Road, Massapequa, NY		

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	2E75111.D	1	02/29/12	MAH	n/a	n/a	V2E3373
Run #2							

	Purge Volume
Run #1	5.0 ml
Run #2	

VOA TCL List (SOM0 1.1)

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone	9.9	10	7.6	ug/l	J
71-43-2	Benzene	ND	1.0	0.22	ug/l	
74-97-5	Bromochloromethane	ND	5.0	0.40	ug/l	
75-27-4	Bromodichloromethane	ND	1.0	0.23	ug/l	
75-25-2	Bromoform	ND	4.0	0.24	ug/l	
74-83-9	Bromomethane	ND	2.0	0.31	ug/l	
78-93-3	2-Butanone (MEK)	ND	10	2.9	ug/l	
75-15-0	Carbon disulfide	ND	2.0	0.18	ug/l	
56-23-5	Carbon tetrachloride	ND	1.0	0.19	ug/l	
108-90-7	Chlorobenzene	ND	1.0	0.22	ug/l	
75-00-3	Chloroethane	ND	1.0	0.37	ug/l	
67-66-3	Chloroform	ND	1.0	0.21	ug/l	
74-87-3	Chloromethane	ND	1.0	0.22	ug/l	
110-82-7	Cyclohexane	0.51	5.0	0.29	ug/l	J
96-12-8	1,2-Dibromo-3-chloropropane	ND	10	1.3	ug/l	
124-48-1	Dibromochloromethane	ND	1.0	0.20	ug/l	
106-93-4	1,2-Dibromoethane	ND	2.0	0.21	ug/l	
95-50-1	1,2-Dichlorobenzene	ND	1.0	0.18	ug/l	
541-73-1	1,3-Dichlorobenzene	ND	1.0	0.29	ug/l	
106-46-7	1,4-Dichlorobenzene	ND	1.0	0.26	ug/l	
75-71-8	Dichlorodifluoromethane	ND	5.0	0.31	ug/l	
75-34-3	1,1-Dichloroethane	ND	1.0	0.19	ug/l	
107-06-2	1,2-Dichloroethane	ND	1.0	0.18	ug/l	
75-35-4	1,1-Dichloroethene	ND	1.0	0.28	ug/l	
156-59-2	cis-1,2-Dichloroethene	6.2	1.0	0.22	ug/l	
156-60-5	trans-1,2-Dichloroethene	ND	1.0	0.31	ug/l	
78-87-5	1,2-Dichloropropane	ND	1.0	0.22	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	1.0	0.22	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	1.0	0.19	ug/l	
123-91-1	1,4-Dioxane	ND	130	72	ug/l	
100-41-4	Ethylbenzene	0.34	1.0	0.21	ug/l	J
76-13-1	Freon 113	ND	5.0	0.49	ug/l	

ND = Not detected MDL - Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

B = Indicates analyte found in associated method blank

N = Indicates presumptive evidence of a compound

Report of Analysis

Page 2 of 2

Client Sample ID: MW-1 (16.5-18')	
Lab Sample ID: JB151-2	Date Sampled: 02/22/12
Matrix: AQ - Ground Water	Date Received: 02/24/12
Method: SW846 8260B	Percent Solids: n/a
Project: Merrick Cleaners, Merrick Road, Massapequa, NY	

VOA TCL List (SOM0 1.1)

CAS No.	Compound	Result	RL	MDL	Units	Q
591-78-6	2-Hexanone	ND	5.0	3.0	ug/l	
98-82-8	Isopropylbenzene	ND	2.0	0.19	ug/l	
79-20-9	Methyl Acetate	ND	5.0	2.9	ug/l	
108-87-2	Methylcyclohexane	1.9	5.0	0.18	ug/l	J
1634-04-4	Methyl Tert Butyl Ether	ND	1.0	0.18	ug/l	
108-10-1	4-Methyl-2-pentanone(MIBK)	ND	5.0	1.2	ug/l	
75-09-2	Methylene chloride	ND	2.0	0.20	ug/l	
100-42-5	Styrene	ND	5.0	0.23	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	1.0	0.20	ug/l	
127-18-4	Tetrachloroethene	0.87	1.0	0.32	ug/l	J
108-88-3	Toluene	ND	1.0	0.15	ug/l	
87-61-6	1,2,3-Trichlorobenzene	ND	5.0	0.69	ug/l	
120-82-1	1,2,4-Trichlorobenzene	ND	5.0	0.15	ug/l	
71-55-6	1,1,1-Trichloroethane	ND	1.0	0.24	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	1.0	0.23	ug/l	
79-01-6	Trichloroethene	1.5	1.0	0.21	ug/l	
75-69-4	Trichlorofluoromethane	ND	5.0	0.35	ug/l	
75-01-4	Vinyl chloride	ND	1.0	0.27	ug/l	
	m,p-Xylene	0.65	1.0	0.32	ug/l	J
95-47-6	o-Xylene	ND	1.0	0.17	ug/l	
1330-20-7	Xylene (total)	0.65	1.0	0.17	ug/l	J

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	103%		77-120%
17060-07-0	1,2-Dichloroethane-D4	97%		70-127%
2037-26-5	Toluene-D8	103%		79-120%
460-00-4	4-Bromofluorobenzene	93%		76-118%

ND = Not detected MDL - Method Detection Limit
 RL = Reporting Limit
 E = Indicates value exceeds calibration range

J = Indicates an estimated value
 B = Indicates analyte found in associated method blank
 N = Indicates presumptive evidence of a compound

Report of Analysis

Page 1 of 2

Client Sample ID:	MW-2 (10-11.5')	Date Sampled:	02/22/12
Lab Sample ID:	JB151-3	Date Received:	02/24/12
Matrix:	AQ - Ground Water	Percent Solids:	n/a
Method:	SW846 8260B		
Project:	Merrick Cleaners, Merrick Road, Massapequa, NY		

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	2E75091.D	1	02/29/12	MAH	n/a	n/a	V2E3372
Run #2							

	Purge Volume
Run #1	5.0 ml
Run #2	

VOA TCL List (SOM0 1.1)

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone	9.9	10	7.6	ug/l	J
71-43-2	Benzene	ND	1.0	0.22	ug/l	
74-97-5	Bromochloromethane	ND	5.0	0.40	ug/l	
75-27-4	Bromodichloromethane	ND	1.0	0.23	ug/l	
75-25-2	Bromoform	ND	4.0	0.24	ug/l	
74-83-9	Bromomethane	ND	2.0	0.31	ug/l	
78-93-3	2-Butanone (MEK)	ND	10	2.9	ug/l	
75-15-0	Carbon disulfide	ND	2.0	0.18	ug/l	
56-23-5	Carbon tetrachloride	ND	1.0	0.19	ug/l	
108-90-7	Chlorobenzene	ND	1.0	0.22	ug/l	
75-00-3	Chloroethane	ND	1.0	0.37	ug/l	
67-66-3	Chloroform	ND	1.0	0.21	ug/l	
74-87-3	Chloromethane	ND	1.0	0.22	ug/l	
110-82-7	Cyclohexane	ND	5.0	0.29	ug/l	
96-12-8	1,2-Dibromo-3-chloropropane	ND	10	1.3	ug/l	
124-48-1	Dibromochloromethane	ND	1.0	0.20	ug/l	
106-93-4	1,2-Dibromoethane	ND	2.0	0.21	ug/l	
95-50-1	1,2-Dichlorobenzene	ND	1.0	0.18	ug/l	
541-73-1	1,3-Dichlorobenzene	ND	1.0	0.29	ug/l	
106-46-7	1,4-Dichlorobenzene	ND	1.0	0.26	ug/l	
75-71-8	Dichlorodifluoromethane	ND	5.0	0.31	ug/l	
75-34-3	1,1-Dichloroethane	ND	1.0	0.19	ug/l	
107-06-2	1,2-Dichloroethane	ND	1.0	0.18	ug/l	
75-35-4	1,1-Dichloroethene	ND	1.0	0.28	ug/l	
156-59-2	cis-1,2-Dichloroethene	ND	1.0	0.22	ug/l	
156-60-5	trans-1,2-Dichloroethene	ND	1.0	0.31	ug/l	
78-87-5	1,2-Dichloropropane	ND	1.0	0.22	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	1.0	0.22	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	1.0	0.19	ug/l	
123-91-1	1,4-Dioxane	ND	130	72	ug/l	
100-41-4	Ethylbenzene	ND	1.0	0.21	ug/l	
76-13-1	Freon 113	ND	5.0	0.49	ug/l	

ND = Not detected MDL - Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

B = Indicates analyte found in associated method blank

N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID: MW-2 (10-11.5')	
Lab Sample ID: JB151-3	Date Sampled: 02/22/12
Matrix: AQ - Ground Water	Date Received: 02/24/12
Method: SW846 8260B	Percent Solids: n/a
Project: Merrick Cleaners, Merrick Road, Massapequa, NY	

VOA TCL List (SOM0 1.1)

CAS No.	Compound	Result	RL	MDL	Units	Q
591-78-6	2-Hexanone	ND	5.0	3.0	ug/l	
98-82-8	Isopropylbenzene	ND	2.0	0.19	ug/l	
79-20-9	Methyl Acetate	ND	5.0	2.9	ug/l	
108-87-2	Methylcyclohexane	ND	5.0	0.18	ug/l	
1634-04-4	Methyl Tert Butyl Ether	ND	1.0	0.18	ug/l	
108-10-1	4-Methyl-2-pentanone(MIBK)	ND	5.0	1.2	ug/l	
75-09-2	Methylene chloride	ND	2.0	0.20	ug/l	
100-42-5	Styrene	ND	5.0	0.23	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	1.0	0.20	ug/l	
127-18-4	Tetrachloroethene	ND	1.0	0.32	ug/l	
108-88-3	Toluene	ND	1.0	0.15	ug/l	
87-61-6	1,2,3-Trichlorobenzene	ND	5.0	0.69	ug/l	
120-82-1	1,2,4-Trichlorobenzene	ND	5.0	0.15	ug/l	
71-55-6	1,1,1-Trichloroethane	ND	1.0	0.24	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	1.0	0.23	ug/l	
79-01-6	Trichloroethene	ND	1.0	0.21	ug/l	
75-69-4	Trichlorofluoromethane	ND	5.0	0.35	ug/l	
75-01-4	Vinyl chloride	ND	1.0	0.27	ug/l	
	m,p-Xylene	ND	1.0	0.32	ug/l	
95-47-6	o-Xylene	ND	1.0	0.17	ug/l	
1330-20-7	Xylene (total)	ND	1.0	0.17	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	100%		77-120%
17060-07-0	1,2-Dichloroethane-D4	93%		70-127%
2037-26-5	Toluene-D8	102%		79-120%
460-00-4	4-Bromofluorobenzene	94%		76-118%

ND = Not detected MDL - Method Detection Limit
 RL = Reporting Limit
 E = Indicates value exceeds calibration range

J = Indicates an estimated value
 B = Indicates analyte found in associated method blank
 N = Indicates presumptive evidence of a compound

Report of Analysis

Page 1 of 2

Client Sample ID:	MW-2 (17-18.5')	Date Sampled:	02/22/12
Lab Sample ID:	JB151-4	Date Received:	02/24/12
Matrix:	AQ - Ground Water	Percent Solids:	n/a
Method:	SW846 8260B		
Project:	Merrick Cleaners, Merrick Road, Massapequa, NY		

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	2E75092.D	1	02/29/12	MAH	n/a	n/a	V2E3372
Run #2							

	Purge Volume
Run #1	5.0 ml
Run #2	

VOA TCL List (SOM0 1.1)

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone	ND	10	7.6	ug/l	
71-43-2	Benzene	ND	1.0	0.22	ug/l	
74-97-5	Bromochloromethane	ND	5.0	0.40	ug/l	
75-27-4	Bromodichloromethane	ND	1.0	0.23	ug/l	
75-25-2	Bromoform	ND	4.0	0.24	ug/l	
74-83-9	Bromomethane	ND	2.0	0.31	ug/l	
78-93-3	2-Butanone (MEK)	ND	10	2.9	ug/l	
75-15-0	Carbon disulfide	ND	2.0	0.18	ug/l	
56-23-5	Carbon tetrachloride	ND	1.0	0.19	ug/l	
108-90-7	Chlorobenzene	ND	1.0	0.22	ug/l	
75-00-3	Chloroethane	ND	1.0	0.37	ug/l	
67-66-3	Chloroform	ND	1.0	0.21	ug/l	
74-87-3	Chloromethane	ND	1.0	0.22	ug/l	
110-82-7	Cyclohexane	ND	5.0	0.29	ug/l	
96-12-8	1,2-Dibromo-3-chloropropane	ND	10	1.3	ug/l	
124-48-1	Dibromochloromethane	ND	1.0	0.20	ug/l	
106-93-4	1,2-Dibromoethane	ND	2.0	0.21	ug/l	
95-50-1	1,2-Dichlorobenzene	ND	1.0	0.18	ug/l	
541-73-1	1,3-Dichlorobenzene	ND	1.0	0.29	ug/l	
106-46-7	1,4-Dichlorobenzene	ND	1.0	0.26	ug/l	
75-71-8	Dichlorodifluoromethane	ND	5.0	0.31	ug/l	
75-34-3	1,1-Dichloroethane	ND	1.0	0.19	ug/l	
107-06-2	1,2-Dichloroethane	ND	1.0	0.18	ug/l	
75-35-4	1,1-Dichloroethene	ND	1.0	0.28	ug/l	
156-59-2	cis-1,2-Dichloroethene	ND	1.0	0.22	ug/l	
156-60-5	trans-1,2-Dichloroethene	ND	1.0	0.31	ug/l	
78-87-5	1,2-Dichloropropane	ND	1.0	0.22	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	1.0	0.22	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	1.0	0.19	ug/l	
123-91-1	1,4-Dioxane	ND	130	72	ug/l	
100-41-4	Ethylbenzene	ND	1.0	0.21	ug/l	
76-13-1	Freon 113	ND	5.0	0.49	ug/l	

ND = Not detected MDL - Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

B = Indicates analyte found in associated method blank

N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID: MW-2 (17-18.5')	Date Sampled: 02/22/12
Lab Sample ID: JB151-4	Date Received: 02/24/12
Matrix: AQ - Ground Water	Percent Solids: n/a
Method: SW846 8260B	
Project: Merrick Cleaners, Merrick Road, Massapequa, NY	

VOA TCL List (SOM0 1.1)

CAS No.	Compound	Result	RL	MDL	Units	Q
591-78-6	2-Hexanone	ND	5.0	3.0	ug/l	
98-82-8	Isopropylbenzene	ND	2.0	0.19	ug/l	
79-20-9	Methyl Acetate	ND	5.0	2.9	ug/l	
108-87-2	Methylcyclohexane	ND	5.0	0.18	ug/l	
1634-04-4	Methyl Tert Butyl Ether	ND	1.0	0.18	ug/l	
108-10-1	4-Methyl-2-pentanone(MIBK)	ND	5.0	1.2	ug/l	
75-09-2	Methylene chloride	ND	2.0	0.20	ug/l	
100-42-5	Styrene	ND	5.0	0.23	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	1.0	0.20	ug/l	
127-18-4	Tetrachloroethene	ND	1.0	0.32	ug/l	
108-88-3	Toluene	ND	1.0	0.15	ug/l	
87-61-6	1,2,3-Trichlorobenzene	ND	5.0	0.69	ug/l	
120-82-1	1,2,4-Trichlorobenzene	ND	5.0	0.15	ug/l	
71-55-6	1,1,1-Trichloroethane	ND	1.0	0.24	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	1.0	0.23	ug/l	
79-01-6	Trichloroethene	ND	1.0	0.21	ug/l	
75-69-4	Trichlorofluoromethane	ND	5.0	0.35	ug/l	
75-01-4	Vinyl chloride	ND	1.0	0.27	ug/l	
	m,p-Xylene	ND	1.0	0.32	ug/l	
95-47-6	o-Xylene	ND	1.0	0.17	ug/l	
1330-20-7	Xylene (total)	ND	1.0	0.17	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	102%		77-120%
17060-07-0	1,2-Dichloroethane-D4	95%		70-127%
2037-26-5	Toluene-D8	102%		79-120%
460-00-4	4-Bromofluorobenzene	94%		76-118%

ND = Not detected MDL - Method Detection Limit
 RL = Reporting Limit
 E = Indicates value exceeds calibration range

J = Indicates an estimated value
 B = Indicates analyte found in associated method blank
 N = Indicates presumptive evidence of a compound

Report of Analysis

Page 1 of 2

Client Sample ID:	MW-3 (9.0-10.5')	Date Sampled:	02/22/12
Lab Sample ID:	JB151-5	Date Received:	02/24/12
Matrix:	AQ - Ground Water	Percent Solids:	n/a
Method:	SW846 8260B		
Project:	Merrick Cleaners, Merrick Road, Massapequa, NY		

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	2E75093.D	1	02/29/12	MAH	n/a	n/a	V2E3372
Run #2							

	Purge Volume
Run #1	5.0 ml
Run #2	

VOA TCL List (SOM0 1.1)

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone	11.4	10	7.6	ug/l	
71-43-2	Benzene	ND	1.0	0.22	ug/l	
74-97-5	Bromochloromethane	ND	5.0	0.40	ug/l	
75-27-4	Bromodichloromethane	ND	1.0	0.23	ug/l	
75-25-2	Bromoform	ND	4.0	0.24	ug/l	
74-83-9	Bromomethane	ND	2.0	0.31	ug/l	
78-93-3	2-Butanone (MEK)	ND	10	2.9	ug/l	
75-15-0	Carbon disulfide	ND	2.0	0.18	ug/l	
56-23-5	Carbon tetrachloride	ND	1.0	0.19	ug/l	
108-90-7	Chlorobenzene	ND	1.0	0.22	ug/l	
75-00-3	Chloroethane	ND	1.0	0.37	ug/l	
67-66-3	Chloroform	ND	1.0	0.21	ug/l	
74-87-3	Chloromethane	ND	1.0	0.22	ug/l	
110-82-7	Cyclohexane	ND	5.0	0.29	ug/l	
96-12-8	1,2-Dibromo-3-chloropropane	ND	10	1.3	ug/l	
124-48-1	Dibromochloromethane	ND	1.0	0.20	ug/l	
106-93-4	1,2-Dibromoethane	ND	2.0	0.21	ug/l	
95-50-1	1,2-Dichlorobenzene	ND	1.0	0.18	ug/l	
541-73-1	1,3-Dichlorobenzene	ND	1.0	0.29	ug/l	
106-46-7	1,4-Dichlorobenzene	ND	1.0	0.26	ug/l	
75-71-8	Dichlorodifluoromethane	ND	5.0	0.31	ug/l	
75-34-3	1,1-Dichloroethane	ND	1.0	0.19	ug/l	
107-06-2	1,2-Dichloroethane	ND	1.0	0.18	ug/l	
75-35-4	1,1-Dichloroethene	ND	1.0	0.28	ug/l	
156-59-2	cis-1,2-Dichloroethene	11.9	1.0	0.22	ug/l	
156-60-5	trans-1,2-Dichloroethene	ND	1.0	0.31	ug/l	
78-87-5	1,2-Dichloropropane	ND	1.0	0.22	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	1.0	0.22	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	1.0	0.19	ug/l	
123-91-1	1,4-Dioxane	ND	130	72	ug/l	
100-41-4	Ethylbenzene	ND	1.0	0.21	ug/l	
76-13-1	Freon 113	ND	5.0	0.49	ug/l	

ND = Not detected MDL - Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

B = Indicates analyte found in associated method blank

N = Indicates presumptive evidence of a compound

Report of Analysis

Page 2 of 2

Client Sample ID: MW-3 (9.0-10.5')	
Lab Sample ID: JB151-5	Date Sampled: 02/22/12
Matrix: AQ - Ground Water	Date Received: 02/24/12
Method: SW846 8260B	Percent Solids: n/a
Project: Merrick Cleaners, Merrick Road, Massapequa, NY	

VOA TCL List (SOM0 1.1)

CAS No.	Compound	Result	RL	MDL	Units	Q
591-78-6	2-Hexanone	ND	5.0	3.0	ug/l	
98-82-8	Isopropylbenzene	ND	2.0	0.19	ug/l	
79-20-9	Methyl Acetate	ND	5.0	2.9	ug/l	
108-87-2	Methylcyclohexane	ND	5.0	0.18	ug/l	
1634-04-4	Methyl Tert Butyl Ether	ND	1.0	0.18	ug/l	
108-10-1	4-Methyl-2-pentanone(MIBK)	ND	5.0	1.2	ug/l	
75-09-2	Methylene chloride	ND	2.0	0.20	ug/l	
100-42-5	Styrene	ND	5.0	0.23	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	1.0	0.20	ug/l	
127-18-4	Tetrachloroethene	3.2	1.0	0.32	ug/l	
108-88-3	Toluene	ND	1.0	0.15	ug/l	
87-61-6	1,2,3-Trichlorobenzene	ND	5.0	0.69	ug/l	
120-82-1	1,2,4-Trichlorobenzene	ND	5.0	0.15	ug/l	
71-55-6	1,1,1-Trichloroethane	ND	1.0	0.24	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	1.0	0.23	ug/l	
79-01-6	Trichloroethene	2.1	1.0	0.21	ug/l	
75-69-4	Trichlorofluoromethane	ND	5.0	0.35	ug/l	
75-01-4	Vinyl chloride	ND	1.0	0.27	ug/l	
	m,p-Xylene	ND	1.0	0.32	ug/l	
95-47-6	o-Xylene	ND	1.0	0.17	ug/l	
1330-20-7	Xylene (total)	ND	1.0	0.17	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	103%		77-120%
17060-07-0	1,2-Dichloroethane-D4	94%		70-127%
2037-26-5	Toluene-D8	103%		79-120%
460-00-4	4-Bromofluorobenzene	94%		76-118%

ND = Not detected MDL - Method Detection Limit
 RL = Reporting Limit
 E = Indicates value exceeds calibration range

J = Indicates an estimated value
 B = Indicates analyte found in associated method blank
 N = Indicates presumptive evidence of a compound

Report of Analysis

Page 1 of 2

Client Sample ID:	MW-3 (15.5-17')	Date Sampled:	02/22/12
Lab Sample ID:	JB151-6	Date Received:	02/24/12
Matrix:	AQ - Ground Water	Percent Solids:	n/a
Method:	SW846 8260B		
Project:	Merrick Cleaners, Merrick Road, Massapequa, NY		

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	2E75094.D	1	02/29/12	MAH	n/a	n/a	V2E3372
Run #2							

	Purge Volume
Run #1	5.0 ml
Run #2	

VOA TCL List (SOM0 1.1)

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone	10.5	10	7.6	ug/l	
71-43-2	Benzene	ND	1.0	0.22	ug/l	
74-97-5	Bromochloromethane	ND	5.0	0.40	ug/l	
75-27-4	Bromodichloromethane	ND	1.0	0.23	ug/l	
75-25-2	Bromoform	ND	4.0	0.24	ug/l	
74-83-9	Bromomethane	ND	2.0	0.31	ug/l	
78-93-3	2-Butanone (MEK)	ND	10	2.9	ug/l	
75-15-0	Carbon disulfide	ND	2.0	0.18	ug/l	
56-23-5	Carbon tetrachloride	ND	1.0	0.19	ug/l	
108-90-7	Chlorobenzene	ND	1.0	0.22	ug/l	
75-00-3	Chloroethane	ND	1.0	0.37	ug/l	
67-66-3	Chloroform	ND	1.0	0.21	ug/l	
74-87-3	Chloromethane	ND	1.0	0.22	ug/l	
110-82-7	Cyclohexane	ND	5.0	0.29	ug/l	
96-12-8	1,2-Dibromo-3-chloropropane	ND	10	1.3	ug/l	
124-48-1	Dibromochloromethane	ND	1.0	0.20	ug/l	
106-93-4	1,2-Dibromoethane	ND	2.0	0.21	ug/l	
95-50-1	1,2-Dichlorobenzene	ND	1.0	0.18	ug/l	
541-73-1	1,3-Dichlorobenzene	ND	1.0	0.29	ug/l	
106-46-7	1,4-Dichlorobenzene	ND	1.0	0.26	ug/l	
75-71-8	Dichlorodifluoromethane	ND	5.0	0.31	ug/l	
75-34-3	1,1-Dichloroethane	ND	1.0	0.19	ug/l	
107-06-2	1,2-Dichloroethane	ND	1.0	0.18	ug/l	
75-35-4	1,1-Dichloroethene	ND	1.0	0.28	ug/l	
156-59-2	cis-1,2-Dichloroethene	7.1	1.0	0.22	ug/l	
156-60-5	trans-1,2-Dichloroethene	ND	1.0	0.31	ug/l	
78-87-5	1,2-Dichloropropane	ND	1.0	0.22	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	1.0	0.22	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	1.0	0.19	ug/l	
123-91-1	1,4-Dioxane	ND	130	72	ug/l	
100-41-4	Ethylbenzene	ND	1.0	0.21	ug/l	
76-13-1	Freon 113	ND	5.0	0.49	ug/l	

ND = Not detected MDL - Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

B = Indicates analyte found in associated method blank

N = Indicates presumptive evidence of a compound

Report of Analysis

Page 2 of 2

Client Sample ID: MW-3 (15.5-17')	Date Sampled: 02/22/12
Lab Sample ID: JB151-6	Date Received: 02/24/12
Matrix: AQ - Ground Water	Percent Solids: n/a
Method: SW846 8260B	
Project: Merrick Cleaners, Merrick Road, Massapequa, NY	

VOA TCL List (SOM0 1.1)

CAS No.	Compound	Result	RL	MDL	Units	Q
591-78-6	2-Hexanone	ND	5.0	3.0	ug/l	
98-82-8	Isopropylbenzene	ND	2.0	0.19	ug/l	
79-20-9	Methyl Acetate	ND	5.0	2.9	ug/l	
108-87-2	Methylcyclohexane	ND	5.0	0.18	ug/l	
1634-04-4	Methyl Tert Butyl Ether	ND	1.0	0.18	ug/l	
108-10-1	4-Methyl-2-pentanone(MIBK)	ND	5.0	1.2	ug/l	
75-09-2	Methylene chloride	ND	2.0	0.20	ug/l	
100-42-5	Styrene	ND	5.0	0.23	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	1.0	0.20	ug/l	
127-18-4	Tetrachloroethene	1.6	1.0	0.32	ug/l	
108-88-3	Toluene	ND	1.0	0.15	ug/l	
87-61-6	1,2,3-Trichlorobenzene	ND	5.0	0.69	ug/l	
120-82-1	1,2,4-Trichlorobenzene	ND	5.0	0.15	ug/l	
71-55-6	1,1,1-Trichloroethane	ND	1.0	0.24	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	1.0	0.23	ug/l	
79-01-6	Trichloroethene	1.1	1.0	0.21	ug/l	
75-69-4	Trichlorofluoromethane	ND	5.0	0.35	ug/l	
75-01-4	Vinyl chloride	ND	1.0	0.27	ug/l	
	m,p-Xylene	ND	1.0	0.32	ug/l	
95-47-6	o-Xylene	ND	1.0	0.17	ug/l	
1330-20-7	Xylene (total)	ND	1.0	0.17	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	102%		77-120%
17060-07-0	1,2-Dichloroethane-D4	95%		70-127%
2037-26-5	Toluene-D8	103%		79-120%
460-00-4	4-Bromofluorobenzene	94%		76-118%

ND = Not detected MDL - Method Detection Limit
 RL = Reporting Limit
 E = Indicates value exceeds calibration range

J = Indicates an estimated value
 B = Indicates analyte found in associated method blank
 N = Indicates presumptive evidence of a compound

Report of Analysis

Page 1 of 2

Client Sample ID:	MW-4 (9-10.5')	Date Sampled:	02/22/12
Lab Sample ID:	JB151-7	Date Received:	02/24/12
Matrix:	AQ - Ground Water	Percent Solids:	n/a
Method:	SW846 8260B		
Project:	Merrick Cleaners, Merrick Road, Massapequa, NY		

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	2E75095.D	1	02/29/12	MAH	n/a	n/a	V2E3372
Run #2	2E75109.D	5	02/29/12	MAH	n/a	n/a	V2E3373

	Purge Volume
Run #1	5.0 ml
Run #2	5.0 ml

VOA TCL List (SOM0 1.1)

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone	7.7	10	7.6	ug/l	J
71-43-2	Benzene	ND	1.0	0.22	ug/l	
74-97-5	Bromochloromethane	ND	5.0	0.40	ug/l	
75-27-4	Bromodichloromethane	ND	1.0	0.23	ug/l	
75-25-2	Bromoform	ND	4.0	0.24	ug/l	
74-83-9	Bromomethane	ND	2.0	0.31	ug/l	
78-93-3	2-Butanone (MEK)	ND	10	2.9	ug/l	
75-15-0	Carbon disulfide	ND	2.0	0.18	ug/l	
56-23-5	Carbon tetrachloride	ND	1.0	0.19	ug/l	
108-90-7	Chlorobenzene	ND	1.0	0.22	ug/l	
75-00-3	Chloroethane	ND	1.0	0.37	ug/l	
67-66-3	Chloroform	ND	1.0	0.21	ug/l	
74-87-3	Chloromethane	ND	1.0	0.22	ug/l	
110-82-7	Cyclohexane	ND	5.0	0.29	ug/l	
96-12-8	1,2-Dibromo-3-chloropropane	ND	10	1.3	ug/l	
124-48-1	Dibromochloromethane	ND	1.0	0.20	ug/l	
106-93-4	1,2-Dibromoethane	ND	2.0	0.21	ug/l	
95-50-1	1,2-Dichlorobenzene	ND	1.0	0.18	ug/l	
541-73-1	1,3-Dichlorobenzene	ND	1.0	0.29	ug/l	
106-46-7	1,4-Dichlorobenzene	ND	1.0	0.26	ug/l	
75-71-8	Dichlorodifluoromethane	ND	5.0	0.31	ug/l	
75-34-3	1,1-Dichloroethane	ND	1.0	0.19	ug/l	
107-06-2	1,2-Dichloroethane	ND	1.0	0.18	ug/l	
75-35-4	1,1-Dichloroethene	ND	1.0	0.28	ug/l	
156-59-2	cis-1,2-Dichloroethene	201 ^a	5.0	1.1	ug/l	
156-60-5	trans-1,2-Dichloroethene	1.5	1.0	0.31	ug/l	
78-87-5	1,2-Dichloropropane	ND	1.0	0.22	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	1.0	0.22	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	1.0	0.19	ug/l	
123-91-1	1,4-Dioxane	ND	130	72	ug/l	
100-41-4	Ethylbenzene	ND	1.0	0.21	ug/l	
76-13-1	Freon 113	ND	5.0	0.49	ug/l	

ND = Not detected MDL - Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

B = Indicates analyte found in associated method blank

N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID: MW-4 (9-10.5')	
Lab Sample ID: JB151-7	Date Sampled: 02/22/12
Matrix: AQ - Ground Water	Date Received: 02/24/12
Method: SW846 8260B	Percent Solids: n/a
Project: Merrick Cleaners, Merrick Road, Massapequa, NY	

VOA TCL List (SOM0 1.1)

CAS No.	Compound	Result	RL	MDL	Units	Q
591-78-6	2-Hexanone	ND	5.0	3.0	ug/l	
98-82-8	Isopropylbenzene	ND	2.0	0.19	ug/l	
79-20-9	Methyl Acetate	ND	5.0	2.9	ug/l	
108-87-2	Methylcyclohexane	ND	5.0	0.18	ug/l	
1634-04-4	Methyl Tert Butyl Ether	ND	1.0	0.18	ug/l	
108-10-1	4-Methyl-2-pentanone(MIBK)	ND	5.0	1.2	ug/l	
75-09-2	Methylene chloride	ND	2.0	0.20	ug/l	
100-42-5	Styrene	ND	5.0	0.23	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	1.0	0.20	ug/l	
127-18-4	Tetrachloroethene	ND	1.0	0.32	ug/l	
108-88-3	Toluene	ND	1.0	0.15	ug/l	
87-61-6	1,2,3-Trichlorobenzene	ND	5.0	0.69	ug/l	
120-82-1	1,2,4-Trichlorobenzene	ND	5.0	0.15	ug/l	
71-55-6	1,1,1-Trichloroethane	ND	1.0	0.24	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	1.0	0.23	ug/l	
79-01-6	Trichloroethene	0.29	1.0	0.21	ug/l	J
75-69-4	Trichlorofluoromethane	ND	5.0	0.35	ug/l	
75-01-4	Vinyl chloride	ND	1.0	0.27	ug/l	
	m,p-Xylene	ND	1.0	0.32	ug/l	
95-47-6	o-Xylene	ND	1.0	0.17	ug/l	
1330-20-7	Xylene (total)	ND	1.0	0.17	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	100%	104%	77-120%
17060-07-0	1,2-Dichloroethane-D4	92%	99%	70-127%
2037-26-5	Toluene-D8	102%	102%	79-120%
460-00-4	4-Bromofluorobenzene	93%	97%	76-118%

(a) Result is from Run# 2

ND = Not detected MDL - Method Detection Limit
 RL = Reporting Limit
 E = Indicates value exceeds calibration range

J = Indicates an estimated value
 B = Indicates analyte found in associated method blank
 N = Indicates presumptive evidence of a compound

Report of Analysis

Page 1 of 2

Client Sample ID:	MW-4 (15.5-17')	Date Sampled:	02/22/12
Lab Sample ID:	JB151-8	Date Received:	02/24/12
Matrix:	AQ - Ground Water	Percent Solids:	n/a
Method:	SW846 8260B		
Project:	Merrick Cleaners, Merrick Road, Massapequa, NY		

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	2E75113.D	1	02/29/12	MAH	n/a	n/a	V2E3373
Run #2	2E75114.D	10	02/29/12	MAH	n/a	n/a	V2E3373

	Purge Volume
Run #1	5.0 ml
Run #2	5.0 ml

VOA TCL List (SOM0 1.1)

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone	9.3	10	7.6	ug/l	J
71-43-2	Benzene	ND	1.0	0.22	ug/l	
74-97-5	Bromochloromethane	ND	5.0	0.40	ug/l	
75-27-4	Bromodichloromethane	ND	1.0	0.23	ug/l	
75-25-2	Bromoform	ND	4.0	0.24	ug/l	
74-83-9	Bromomethane	ND	2.0	0.31	ug/l	
78-93-3	2-Butanone (MEK)	ND	10	2.9	ug/l	
75-15-0	Carbon disulfide	ND	2.0	0.18	ug/l	
56-23-5	Carbon tetrachloride	ND	1.0	0.19	ug/l	
108-90-7	Chlorobenzene	ND	1.0	0.22	ug/l	
75-00-3	Chloroethane	ND	1.0	0.37	ug/l	
67-66-3	Chloroform	ND	1.0	0.21	ug/l	
74-87-3	Chloromethane	ND	1.0	0.22	ug/l	
110-82-7	Cyclohexane	0.96	5.0	0.29	ug/l	J
96-12-8	1,2-Dibromo-3-chloropropane	ND	10	1.3	ug/l	
124-48-1	Dibromochloromethane	ND	1.0	0.20	ug/l	
106-93-4	1,2-Dibromoethane	ND	2.0	0.21	ug/l	
95-50-1	1,2-Dichlorobenzene	ND	1.0	0.18	ug/l	
541-73-1	1,3-Dichlorobenzene	ND	1.0	0.29	ug/l	
106-46-7	1,4-Dichlorobenzene	ND	1.0	0.26	ug/l	
75-71-8	Dichlorodifluoromethane	ND	5.0	0.31	ug/l	
75-34-3	1,1-Dichloroethane	ND	1.0	0.19	ug/l	
107-06-2	1,2-Dichloroethane	ND	1.0	0.18	ug/l	
75-35-4	1,1-Dichloroethene	ND	1.0	0.28	ug/l	
156-59-2	cis-1,2-Dichloroethene	569 ^a	10	2.2	ug/l	
156-60-5	trans-1,2-Dichloroethene	4.3	1.0	0.31	ug/l	
78-87-5	1,2-Dichloropropane	ND	1.0	0.22	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	1.0	0.22	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	1.0	0.19	ug/l	
123-91-1	1,4-Dioxane	ND	130	72	ug/l	
100-41-4	Ethylbenzene	1.1	1.0	0.21	ug/l	
76-13-1	Freon 113	ND	5.0	0.49	ug/l	

ND = Not detected MDL - Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

B = Indicates analyte found in associated method blank

N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID:	MW-4 (15.5-17')	Date Sampled:	02/22/12
Lab Sample ID:	JB151-8	Date Received:	02/24/12
Matrix:	AQ - Ground Water	Percent Solids:	n/a
Method:	SW846 8260B		
Project:	Merrick Cleaners, Merrick Road, Massapequa, NY		

VOA TCL List (SOM0 1.1)

CAS No.	Compound	Result	RL	MDL	Units	Q
591-78-6	2-Hexanone	ND	5.0	3.0	ug/l	
98-82-8	Isopropylbenzene	0.84	2.0	0.19	ug/l	J
79-20-9	Methyl Acetate	ND	5.0	2.9	ug/l	
108-87-2	Methylcyclohexane	0.92	5.0	0.18	ug/l	J
1634-04-4	Methyl Tert Butyl Ether	ND	1.0	0.18	ug/l	
108-10-1	4-Methyl-2-pentanone(MIBK)	ND	5.0	1.2	ug/l	
75-09-2	Methylene chloride	ND	2.0	0.20	ug/l	
100-42-5	Styrene	ND	5.0	0.23	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	1.0	0.20	ug/l	
127-18-4	Tetrachloroethene	ND	1.0	0.32	ug/l	
108-88-3	Toluene	ND	1.0	0.15	ug/l	
87-61-6	1,2,3-Trichlorobenzene	ND	5.0	0.69	ug/l	
120-82-1	1,2,4-Trichlorobenzene	ND	5.0	0.15	ug/l	
71-55-6	1,1,1-Trichloroethane	ND	1.0	0.24	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	1.0	0.23	ug/l	
79-01-6	Trichloroethene	0.85	1.0	0.21	ug/l	J
75-69-4	Trichlorofluoromethane	ND	5.0	0.35	ug/l	
75-01-4	Vinyl chloride	1.9	1.0	0.27	ug/l	
	m,p-Xylene	2.3	1.0	0.32	ug/l	
95-47-6	o-Xylene	6.9	1.0	0.17	ug/l	
1330-20-7	Xylene (total)	9.1	1.0	0.17	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	103%	102%	77-120%
17060-07-0	1,2-Dichloroethane-D4	95%	95%	70-127%
2037-26-5	Toluene-D8	102%	102%	79-120%
460-00-4	4-Bromofluorobenzene	92%	93%	76-118%

(a) Result is from Run# 2

ND = Not detected MDL - Method Detection Limit
 RL = Reporting Limit
 E = Indicates value exceeds calibration range

J = Indicates an estimated value
 B = Indicates analyte found in associated method blank
 N = Indicates presumptive evidence of a compound

Report of Analysis

Page 1 of 2

Client Sample ID:	MW-5 (8-9.5')	Date Sampled:	02/22/12
Lab Sample ID:	JB151-9	Date Received:	02/24/12
Matrix:	AQ - Ground Water	Percent Solids:	n/a
Method:	SW846 8260B		
Project:	Merrick Cleaners, Merrick Road, Massapequa, NY		

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	2E75097.D	1	02/29/12	MAH	n/a	n/a	V2E3372
Run #2							

	Purge Volume
Run #1	5.0 ml
Run #2	

VOA TCL List (SOM0 1.1)

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone	10.4	10	7.6	ug/l	
71-43-2	Benzene	ND	1.0	0.22	ug/l	
74-97-5	Bromochloromethane	ND	5.0	0.40	ug/l	
75-27-4	Bromodichloromethane	ND	1.0	0.23	ug/l	
75-25-2	Bromoform	ND	4.0	0.24	ug/l	
74-83-9	Bromomethane	ND	2.0	0.31	ug/l	
78-93-3	2-Butanone (MEK)	ND	10	2.9	ug/l	
75-15-0	Carbon disulfide	ND	2.0	0.18	ug/l	
56-23-5	Carbon tetrachloride	ND	1.0	0.19	ug/l	
108-90-7	Chlorobenzene	ND	1.0	0.22	ug/l	
75-00-3	Chloroethane	ND	1.0	0.37	ug/l	
67-66-3	Chloroform	0.43	1.0	0.21	ug/l	J
74-87-3	Chloromethane	ND	1.0	0.22	ug/l	
110-82-7	Cyclohexane	ND	5.0	0.29	ug/l	
96-12-8	1,2-Dibromo-3-chloropropane	ND	10	1.3	ug/l	
124-48-1	Dibromochloromethane	ND	1.0	0.20	ug/l	
106-93-4	1,2-Dibromoethane	ND	2.0	0.21	ug/l	
95-50-1	1,2-Dichlorobenzene	ND	1.0	0.18	ug/l	
541-73-1	1,3-Dichlorobenzene	ND	1.0	0.29	ug/l	
106-46-7	1,4-Dichlorobenzene	ND	1.0	0.26	ug/l	
75-71-8	Dichlorodifluoromethane	ND	5.0	0.31	ug/l	
75-34-3	1,1-Dichloroethane	ND	1.0	0.19	ug/l	
107-06-2	1,2-Dichloroethane	ND	1.0	0.18	ug/l	
75-35-4	1,1-Dichloroethene	ND	1.0	0.28	ug/l	
156-59-2	cis-1,2-Dichloroethene	ND	1.0	0.22	ug/l	
156-60-5	trans-1,2-Dichloroethene	ND	1.0	0.31	ug/l	
78-87-5	1,2-Dichloropropane	ND	1.0	0.22	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	1.0	0.22	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	1.0	0.19	ug/l	
123-91-1	1,4-Dioxane	ND	130	72	ug/l	
100-41-4	Ethylbenzene	ND	1.0	0.21	ug/l	
76-13-1	Freon 113	ND	5.0	0.49	ug/l	

ND = Not detected MDL - Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

B = Indicates analyte found in associated method blank

N = Indicates presumptive evidence of a compound

Report of Analysis

Page 2 of 2

Client Sample ID: MW-5 (8-9.5')	
Lab Sample ID: JB151-9	Date Sampled: 02/22/12
Matrix: AQ - Ground Water	Date Received: 02/24/12
Method: SW846 8260B	Percent Solids: n/a
Project: Merrick Cleaners, Merrick Road, Massapequa, NY	

VOA TCL List (SOM0 1.1)

CAS No.	Compound	Result	RL	MDL	Units	Q
591-78-6	2-Hexanone	ND	5.0	3.0	ug/l	
98-82-8	Isopropylbenzene	ND	2.0	0.19	ug/l	
79-20-9	Methyl Acetate	ND	5.0	2.9	ug/l	
108-87-2	Methylcyclohexane	ND	5.0	0.18	ug/l	
1634-04-4	Methyl Tert Butyl Ether	ND	1.0	0.18	ug/l	
108-10-1	4-Methyl-2-pentanone(MIBK)	ND	5.0	1.2	ug/l	
75-09-2	Methylene chloride	ND	2.0	0.20	ug/l	
100-42-5	Styrene	ND	5.0	0.23	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	1.0	0.20	ug/l	
127-18-4	Tetrachloroethene	ND	1.0	0.32	ug/l	
108-88-3	Toluene	ND	1.0	0.15	ug/l	
87-61-6	1,2,3-Trichlorobenzene	ND	5.0	0.69	ug/l	
120-82-1	1,2,4-Trichlorobenzene	ND	5.0	0.15	ug/l	
71-55-6	1,1,1-Trichloroethane	ND	1.0	0.24	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	1.0	0.23	ug/l	
79-01-6	Trichloroethene	ND	1.0	0.21	ug/l	
75-69-4	Trichlorofluoromethane	ND	5.0	0.35	ug/l	
75-01-4	Vinyl chloride	ND	1.0	0.27	ug/l	
	m,p-Xylene	ND	1.0	0.32	ug/l	
95-47-6	o-Xylene	ND	1.0	0.17	ug/l	
1330-20-7	Xylene (total)	ND	1.0	0.17	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	103%		77-120%
17060-07-0	1,2-Dichloroethane-D4	95%		70-127%
2037-26-5	Toluene-D8	102%		79-120%
460-00-4	4-Bromofluorobenzene	92%		76-118%

ND = Not detected MDL - Method Detection Limit
 RL = Reporting Limit
 E = Indicates value exceeds calibration range

J = Indicates an estimated value
 B = Indicates analyte found in associated method blank
 N = Indicates presumptive evidence of a compound

Report of Analysis

Page 1 of 2

Client Sample ID:	MW-5 (15-16.5')	Date Sampled:	02/22/12
Lab Sample ID:	JB151-10	Date Received:	02/24/12
Matrix:	AQ - Ground Water	Percent Solids:	n/a
Method:	SW846 8260B		
Project:	Merrick Cleaners, Merrick Road, Massapequa, NY		

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	2E75098.D	1	02/29/12	MAH	n/a	n/a	V2E3372
Run #2							

	Purge Volume
Run #1	5.0 ml
Run #2	

VOA TCL List (SOM0 1.1)

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone	12.1	10	7.6	ug/l	
71-43-2	Benzene	ND	1.0	0.22	ug/l	
74-97-5	Bromochloromethane	ND	5.0	0.40	ug/l	
75-27-4	Bromodichloromethane	ND	1.0	0.23	ug/l	
75-25-2	Bromoform	ND	4.0	0.24	ug/l	
74-83-9	Bromomethane	ND	2.0	0.31	ug/l	
78-93-3	2-Butanone (MEK)	ND	10	2.9	ug/l	
75-15-0	Carbon disulfide	ND	2.0	0.18	ug/l	
56-23-5	Carbon tetrachloride	ND	1.0	0.19	ug/l	
108-90-7	Chlorobenzene	ND	1.0	0.22	ug/l	
75-00-3	Chloroethane	ND	1.0	0.37	ug/l	
67-66-3	Chloroform	ND	1.0	0.21	ug/l	
74-87-3	Chloromethane	ND	1.0	0.22	ug/l	
110-82-7	Cyclohexane	ND	5.0	0.29	ug/l	
96-12-8	1,2-Dibromo-3-chloropropane	ND	10	1.3	ug/l	
124-48-1	Dibromochloromethane	ND	1.0	0.20	ug/l	
106-93-4	1,2-Dibromoethane	ND	2.0	0.21	ug/l	
95-50-1	1,2-Dichlorobenzene	ND	1.0	0.18	ug/l	
541-73-1	1,3-Dichlorobenzene	ND	1.0	0.29	ug/l	
106-46-7	1,4-Dichlorobenzene	ND	1.0	0.26	ug/l	
75-71-8	Dichlorodifluoromethane	ND	5.0	0.31	ug/l	
75-34-3	1,1-Dichloroethane	ND	1.0	0.19	ug/l	
107-06-2	1,2-Dichloroethane	ND	1.0	0.18	ug/l	
75-35-4	1,1-Dichloroethene	ND	1.0	0.28	ug/l	
156-59-2	cis-1,2-Dichloroethene	ND	1.0	0.22	ug/l	
156-60-5	trans-1,2-Dichloroethene	ND	1.0	0.31	ug/l	
78-87-5	1,2-Dichloropropane	ND	1.0	0.22	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	1.0	0.22	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	1.0	0.19	ug/l	
123-91-1	1,4-Dioxane	ND	130	72	ug/l	
100-41-4	Ethylbenzene	ND	1.0	0.21	ug/l	
76-13-1	Freon 113	ND	5.0	0.49	ug/l	

ND = Not detected MDL - Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

B = Indicates analyte found in associated method blank

N = Indicates presumptive evidence of a compound

Report of Analysis

Page 2 of 2

Client Sample ID: MW-5 (15-16.5')	
Lab Sample ID: JB151-10	Date Sampled: 02/22/12
Matrix: AQ - Ground Water	Date Received: 02/24/12
Method: SW846 8260B	Percent Solids: n/a
Project: Merrick Cleaners, Merrick Road, Massapequa, NY	

VOA TCL List (SOM0 1.1)

CAS No.	Compound	Result	RL	MDL	Units	Q
591-78-6	2-Hexanone	ND	5.0	3.0	ug/l	
98-82-8	Isopropylbenzene	ND	2.0	0.19	ug/l	
79-20-9	Methyl Acetate	ND	5.0	2.9	ug/l	
108-87-2	Methylcyclohexane	ND	5.0	0.18	ug/l	
1634-04-4	Methyl Tert Butyl Ether	ND	1.0	0.18	ug/l	
108-10-1	4-Methyl-2-pentanone(MIBK)	ND	5.0	1.2	ug/l	
75-09-2	Methylene chloride	ND	2.0	0.20	ug/l	
100-42-5	Styrene	ND	5.0	0.23	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	1.0	0.20	ug/l	
127-18-4	Tetrachloroethene	ND	1.0	0.32	ug/l	
108-88-3	Toluene	ND	1.0	0.15	ug/l	
87-61-6	1,2,3-Trichlorobenzene	ND	5.0	0.69	ug/l	
120-82-1	1,2,4-Trichlorobenzene	ND	5.0	0.15	ug/l	
71-55-6	1,1,1-Trichloroethane	ND	1.0	0.24	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	1.0	0.23	ug/l	
79-01-6	Trichloroethene	ND	1.0	0.21	ug/l	
75-69-4	Trichlorofluoromethane	ND	5.0	0.35	ug/l	
75-01-4	Vinyl chloride	ND	1.0	0.27	ug/l	
	m,p-Xylene	ND	1.0	0.32	ug/l	
95-47-6	o-Xylene	ND	1.0	0.17	ug/l	
1330-20-7	Xylene (total)	ND	1.0	0.17	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	102%		77-120%
17060-07-0	1,2-Dichloroethane-D4	96%		70-127%
2037-26-5	Toluene-D8	103%		79-120%
460-00-4	4-Bromofluorobenzene	94%		76-118%

ND = Not detected MDL - Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

B = Indicates analyte found in associated method blank

N = Indicates presumptive evidence of a compound

Report of Analysis

Page 1 of 2

Client Sample ID:	MW-6 (4-5.5')	Date Sampled:	02/22/12
Lab Sample ID:	JB151-11	Date Received:	02/24/12
Matrix:	AQ - Ground Water	Percent Solids:	n/a
Method:	SW846 8260B		
Project:	Merrick Cleaners, Merrick Road, Massapequa, NY		

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	2E75099.D	1	02/29/12	MAH	n/a	n/a	V2E3372
Run #2	2E75112.D	10	02/29/12	MAH	n/a	n/a	V2E3373

	Purge Volume
Run #1	5.0 ml
Run #2	5.0 ml

VOA TCL List (SOM0 1.1)

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone	ND	10	7.6	ug/l	
71-43-2	Benzene	ND	1.0	0.22	ug/l	
74-97-5	Bromochloromethane	ND	5.0	0.40	ug/l	
75-27-4	Bromodichloromethane	ND	1.0	0.23	ug/l	
75-25-2	Bromoform	ND	4.0	0.24	ug/l	
74-83-9	Bromomethane	ND	2.0	0.31	ug/l	
78-93-3	2-Butanone (MEK)	ND	10	2.9	ug/l	
75-15-0	Carbon disulfide	ND	2.0	0.18	ug/l	
56-23-5	Carbon tetrachloride	ND	1.0	0.19	ug/l	
108-90-7	Chlorobenzene	ND	1.0	0.22	ug/l	
75-00-3	Chloroethane	ND	1.0	0.37	ug/l	
67-66-3	Chloroform	ND	1.0	0.21	ug/l	
74-87-3	Chloromethane	ND	1.0	0.22	ug/l	
110-82-7	Cyclohexane	ND	5.0	0.29	ug/l	
96-12-8	1,2-Dibromo-3-chloropropane	ND	10	1.3	ug/l	
124-48-1	Dibromochloromethane	ND	1.0	0.20	ug/l	
106-93-4	1,2-Dibromoethane	ND	2.0	0.21	ug/l	
95-50-1	1,2-Dichlorobenzene	ND	1.0	0.18	ug/l	
541-73-1	1,3-Dichlorobenzene	ND	1.0	0.29	ug/l	
106-46-7	1,4-Dichlorobenzene	ND	1.0	0.26	ug/l	
75-71-8	Dichlorodifluoromethane	ND	5.0	0.31	ug/l	
75-34-3	1,1-Dichloroethane	ND	1.0	0.19	ug/l	
107-06-2	1,2-Dichloroethane	ND	1.0	0.18	ug/l	
75-35-4	1,1-Dichloroethene	ND	1.0	0.28	ug/l	
156-59-2	cis-1,2-Dichloroethene	383 ^a	10	2.2	ug/l	
156-60-5	trans-1,2-Dichloroethene	2.8	1.0	0.31	ug/l	
78-87-5	1,2-Dichloropropane	ND	1.0	0.22	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	1.0	0.22	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	1.0	0.19	ug/l	
123-91-1	1,4-Dioxane	ND	130	72	ug/l	
100-41-4	Ethylbenzene	ND	1.0	0.21	ug/l	
76-13-1	Freon 113	ND	5.0	0.49	ug/l	

ND = Not detected MDL - Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

B = Indicates analyte found in associated method blank

N = Indicates presumptive evidence of a compound

Report of Analysis

Page 2 of 2

Client Sample ID: MW-6 (4-5.5')	
Lab Sample ID: JB151-11	Date Sampled: 02/22/12
Matrix: AQ - Ground Water	Date Received: 02/24/12
Method: SW846 8260B	Percent Solids: n/a
Project: Merrick Cleaners, Merrick Road, Massapequa, NY	

VOA TCL List (SOM0 1.1)

CAS No.	Compound	Result	RL	MDL	Units	Q
591-78-6	2-Hexanone	ND	5.0	3.0	ug/l	
98-82-8	Isopropylbenzene	ND	2.0	0.19	ug/l	
79-20-9	Methyl Acetate	ND	5.0	2.9	ug/l	
108-87-2	Methylcyclohexane	ND	5.0	0.18	ug/l	
1634-04-4	Methyl Tert Butyl Ether	ND	1.0	0.18	ug/l	
108-10-1	4-Methyl-2-pentanone(MIBK)	ND	5.0	1.2	ug/l	
75-09-2	Methylene chloride	ND	2.0	0.20	ug/l	
100-42-5	Styrene	ND	5.0	0.23	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	1.0	0.20	ug/l	
127-18-4	Tetrachloroethene	ND	1.0	0.32	ug/l	
108-88-3	Toluene	ND	1.0	0.15	ug/l	
87-61-6	1,2,3-Trichlorobenzene	ND	5.0	0.69	ug/l	
120-82-1	1,2,4-Trichlorobenzene	ND	5.0	0.15	ug/l	
71-55-6	1,1,1-Trichloroethane	ND	1.0	0.24	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	1.0	0.23	ug/l	
79-01-6	Trichloroethene	0.22	1.0	0.21	ug/l	J
75-69-4	Trichlorofluoromethane	ND	5.0	0.35	ug/l	
75-01-4	Vinyl chloride	4.6	1.0	0.27	ug/l	
	m,p-Xylene	ND	1.0	0.32	ug/l	
95-47-6	o-Xylene	ND	1.0	0.17	ug/l	
1330-20-7	Xylene (total)	ND	1.0	0.17	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	101%	103%	77-120%
17060-07-0	1,2-Dichloroethane-D4	92%	96%	70-127%
2037-26-5	Toluene-D8	100%	101%	79-120%
460-00-4	4-Bromofluorobenzene	93%	93%	76-118%

(a) Result is from Run# 2

ND = Not detected MDL - Method Detection Limit
 RL = Reporting Limit
 E = Indicates value exceeds calibration range

J = Indicates an estimated value
 B = Indicates analyte found in associated method blank
 N = Indicates presumptive evidence of a compound

Report of Analysis

Page 1 of 2

Client Sample ID:	MW-6 (9.5-11')	Date Sampled:	02/22/12
Lab Sample ID:	JB151-12	Date Received:	02/24/12
Matrix:	AQ - Ground Water	Percent Solids:	n/a
Method:	SW846 8260B		
Project:	Merrick Cleaners, Merrick Road, Massapequa, NY		

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	2E75100.D	1	02/29/12	MAH	n/a	n/a	V2E3372
Run #2	2E75116.D	10	02/29/12	MAH	n/a	n/a	V2E3373

	Purge Volume
Run #1	5.0 ml
Run #2	5.0 ml

VOA TCL List (SOM0 1.1)

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone	9.0	10	7.6	ug/l	J
71-43-2	Benzene	ND	1.0	0.22	ug/l	
74-97-5	Bromochloromethane	ND	5.0	0.40	ug/l	
75-27-4	Bromodichloromethane	ND	1.0	0.23	ug/l	
75-25-2	Bromoform	ND	4.0	0.24	ug/l	
74-83-9	Bromomethane	ND	2.0	0.31	ug/l	
78-93-3	2-Butanone (MEK)	ND	10	2.9	ug/l	
75-15-0	Carbon disulfide	ND	2.0	0.18	ug/l	
56-23-5	Carbon tetrachloride	ND	1.0	0.19	ug/l	
108-90-7	Chlorobenzene	ND	1.0	0.22	ug/l	
75-00-3	Chloroethane	ND	1.0	0.37	ug/l	
67-66-3	Chloroform	ND	1.0	0.21	ug/l	
74-87-3	Chloromethane	ND	1.0	0.22	ug/l	
110-82-7	Cyclohexane	ND	5.0	0.29	ug/l	
96-12-8	1,2-Dibromo-3-chloropropane	ND	10	1.3	ug/l	
124-48-1	Dibromochloromethane	ND	1.0	0.20	ug/l	
106-93-4	1,2-Dibromoethane	ND	2.0	0.21	ug/l	
95-50-1	1,2-Dichlorobenzene	ND	1.0	0.18	ug/l	
541-73-1	1,3-Dichlorobenzene	ND	1.0	0.29	ug/l	
106-46-7	1,4-Dichlorobenzene	ND	1.0	0.26	ug/l	
75-71-8	Dichlorodifluoromethane	ND	5.0	0.31	ug/l	
75-34-3	1,1-Dichloroethane	ND	1.0	0.19	ug/l	
107-06-2	1,2-Dichloroethane	ND	1.0	0.18	ug/l	
75-35-4	1,1-Dichloroethene	ND	1.0	0.28	ug/l	
156-59-2	cis-1,2-Dichloroethene	323 ^a	10	2.2	ug/l	
156-60-5	trans-1,2-Dichloroethene	2.5	1.0	0.31	ug/l	
78-87-5	1,2-Dichloropropane	ND	1.0	0.22	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	1.0	0.22	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	1.0	0.19	ug/l	
123-91-1	1,4-Dioxane	ND	130	72	ug/l	
100-41-4	Ethylbenzene	ND	1.0	0.21	ug/l	
76-13-1	Freon 113	ND	5.0	0.49	ug/l	

ND = Not detected MDL - Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

B = Indicates analyte found in associated method blank

N = Indicates presumptive evidence of a compound

Report of Analysis

Page 2 of 2

Client Sample ID: MW-6 (9.5-11')	Date Sampled: 02/22/12
Lab Sample ID: JB151-12	Date Received: 02/24/12
Matrix: AQ - Ground Water	Percent Solids: n/a
Method: SW846 8260B	
Project: Merrick Cleaners, Merrick Road, Massapequa, NY	

VOA TCL List (SOM0 1.1)

CAS No.	Compound	Result	RL	MDL	Units	Q
591-78-6	2-Hexanone	ND	5.0	3.0	ug/l	
98-82-8	Isopropylbenzene	ND	2.0	0.19	ug/l	
79-20-9	Methyl Acetate	ND	5.0	2.9	ug/l	
108-87-2	Methylcyclohexane	ND	5.0	0.18	ug/l	
1634-04-4	Methyl Tert Butyl Ether	ND	1.0	0.18	ug/l	
108-10-1	4-Methyl-2-pentanone(MIBK)	ND	5.0	1.2	ug/l	
75-09-2	Methylene chloride	ND	2.0	0.20	ug/l	
100-42-5	Styrene	ND	5.0	0.23	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	1.0	0.20	ug/l	
127-18-4	Tetrachloroethene	ND	1.0	0.32	ug/l	
108-88-3	Toluene	ND	1.0	0.15	ug/l	
87-61-6	1,2,3-Trichlorobenzene	ND	5.0	0.69	ug/l	
120-82-1	1,2,4-Trichlorobenzene	ND	5.0	0.15	ug/l	
71-55-6	1,1,1-Trichloroethane	ND	1.0	0.24	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	1.0	0.23	ug/l	
79-01-6	Trichloroethene	ND	1.0	0.21	ug/l	
75-69-4	Trichlorofluoromethane	ND	5.0	0.35	ug/l	
75-01-4	Vinyl chloride	4.3	1.0	0.27	ug/l	
	m,p-Xylene	ND	1.0	0.32	ug/l	
95-47-6	o-Xylene	ND	1.0	0.17	ug/l	
1330-20-7	Xylene (total)	ND	1.0	0.17	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	101%	103%	77-120%
17060-07-0	1,2-Dichloroethane-D4	93%	96%	70-127%
2037-26-5	Toluene-D8	102%	101%	79-120%
460-00-4	4-Bromofluorobenzene	93%	94%	76-118%

(a) Result is from Run# 2

ND = Not detected MDL - Method Detection Limit
 RL = Reporting Limit
 E = Indicates value exceeds calibration range

J = Indicates an estimated value
 B = Indicates analyte found in associated method blank
 N = Indicates presumptive evidence of a compound

Report of Analysis

Page 1 of 2

Client Sample ID:	MW-1 (14-15.5')	Date Sampled:	02/22/12
Lab Sample ID:	JB151-13	Date Received:	02/24/12
Matrix:	AQ - Ground Water	Percent Solids:	n/a
Method:	SW846 8260B		
Project:	Merrick Cleaners, Merrick Road, Massapequa, NY		

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	2E75115.D	1	02/29/12	MAH	n/a	n/a	V2E3373
Run #2							

	Purge Volume
Run #1	5.0 ml
Run #2	

VOA TCL List (SOM0 1.1)

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone	9.0	10	7.6	ug/l	J
71-43-2	Benzene	ND	1.0	0.22	ug/l	
74-97-5	Bromochloromethane	ND	5.0	0.40	ug/l	
75-27-4	Bromodichloromethane	ND	1.0	0.23	ug/l	
75-25-2	Bromoform	ND	4.0	0.24	ug/l	
74-83-9	Bromomethane	ND	2.0	0.31	ug/l	
78-93-3	2-Butanone (MEK)	ND	10	2.9	ug/l	
75-15-0	Carbon disulfide	ND	2.0	0.18	ug/l	
56-23-5	Carbon tetrachloride	ND	1.0	0.19	ug/l	
108-90-7	Chlorobenzene	ND	1.0	0.22	ug/l	
75-00-3	Chloroethane	ND	1.0	0.37	ug/l	
67-66-3	Chloroform	ND	1.0	0.21	ug/l	
74-87-3	Chloromethane	ND	1.0	0.22	ug/l	
110-82-7	Cyclohexane	0.68	5.0	0.29	ug/l	J
96-12-8	1,2-Dibromo-3-chloropropane	ND	10	1.3	ug/l	
124-48-1	Dibromochloromethane	ND	1.0	0.20	ug/l	
106-93-4	1,2-Dibromoethane	ND	2.0	0.21	ug/l	
95-50-1	1,2-Dichlorobenzene	ND	1.0	0.18	ug/l	
541-73-1	1,3-Dichlorobenzene	ND	1.0	0.29	ug/l	
106-46-7	1,4-Dichlorobenzene	ND	1.0	0.26	ug/l	
75-71-8	Dichlorodifluoromethane	ND	5.0	0.31	ug/l	
75-34-3	1,1-Dichloroethane	ND	1.0	0.19	ug/l	
107-06-2	1,2-Dichloroethane	ND	1.0	0.18	ug/l	
75-35-4	1,1-Dichloroethene	ND	1.0	0.28	ug/l	
156-59-2	cis-1,2-Dichloroethene	6.1	1.0	0.22	ug/l	
156-60-5	trans-1,2-Dichloroethene	ND	1.0	0.31	ug/l	
78-87-5	1,2-Dichloropropane	ND	1.0	0.22	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	1.0	0.22	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	1.0	0.19	ug/l	
123-91-1	1,4-Dioxane	ND	130	72	ug/l	
100-41-4	Ethylbenzene	0.36	1.0	0.21	ug/l	J
76-13-1	Freon 113	ND	5.0	0.49	ug/l	

ND = Not detected MDL - Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

B = Indicates analyte found in associated method blank

N = Indicates presumptive evidence of a compound

Report of Analysis

Page 2 of 2

Client Sample ID: MW-1 (14-15.5')	
Lab Sample ID: JB151-13	Date Sampled: 02/22/12
Matrix: AQ - Ground Water	Date Received: 02/24/12
Method: SW846 8260B	Percent Solids: n/a
Project: Merrick Cleaners, Merrick Road, Massapequa, NY	

VOA TCL List (SOM0 1.1)

CAS No.	Compound	Result	RL	MDL	Units	Q
591-78-6	2-Hexanone	ND	5.0	3.0	ug/l	
98-82-8	Isopropylbenzene	ND	2.0	0.19	ug/l	
79-20-9	Methyl Acetate	ND	5.0	2.9	ug/l	
108-87-2	Methylcyclohexane	2.0	5.0	0.18	ug/l	J
1634-04-4	Methyl Tert Butyl Ether	ND	1.0	0.18	ug/l	
108-10-1	4-Methyl-2-pentanone(MIBK)	ND	5.0	1.2	ug/l	
75-09-2	Methylene chloride	ND	2.0	0.20	ug/l	
100-42-5	Styrene	ND	5.0	0.23	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	1.0	0.20	ug/l	
127-18-4	Tetrachloroethene	0.93	1.0	0.32	ug/l	J
108-88-3	Toluene	ND	1.0	0.15	ug/l	
87-61-6	1,2,3-Trichlorobenzene	ND	5.0	0.69	ug/l	
120-82-1	1,2,4-Trichlorobenzene	ND	5.0	0.15	ug/l	
71-55-6	1,1,1-Trichloroethane	ND	1.0	0.24	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	1.0	0.23	ug/l	
79-01-6	Trichloroethene	1.4	1.0	0.21	ug/l	
75-69-4	Trichlorofluoromethane	ND	5.0	0.35	ug/l	
75-01-4	Vinyl chloride	ND	1.0	0.27	ug/l	
	m,p-Xylene	0.63	1.0	0.32	ug/l	J
95-47-6	o-Xylene	ND	1.0	0.17	ug/l	
1330-20-7	Xylene (total)	0.63	1.0	0.17	ug/l	J

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	102%		77-120%
17060-07-0	1,2-Dichloroethane-D4	97%		70-127%
2037-26-5	Toluene-D8	103%		79-120%
460-00-4	4-Bromofluorobenzene	92%		76-118%

ND = Not detected MDL - Method Detection Limit
 RL = Reporting Limit
 E = Indicates value exceeds calibration range

J = Indicates an estimated value
 B = Indicates analyte found in associated method blank
 N = Indicates presumptive evidence of a compound

Report of Analysis

Page 1 of 2

Client Sample ID:	MW-2 (14.5-16')	Date Sampled:	02/22/12
Lab Sample ID:	JB151-14	Date Received:	02/24/12
Matrix:	AQ - Ground Water	Percent Solids:	n/a
Method:	SW846 8260B		
Project:	Merrick Cleaners, Merrick Road, Massapequa, NY		

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	2E75088.D	1	02/28/12	MAH	n/a	n/a	V2E3372
Run #2							

	Purge Volume
Run #1	5.0 ml
Run #2	

VOA TCL List (SOM0 1.1)

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone	10.2	10	7.6	ug/l	
71-43-2	Benzene	ND	1.0	0.22	ug/l	
74-97-5	Bromochloromethane	ND	5.0	0.40	ug/l	
75-27-4	Bromodichloromethane	ND	1.0	0.23	ug/l	
75-25-2	Bromoform	ND	4.0	0.24	ug/l	
74-83-9	Bromomethane	ND	2.0	0.31	ug/l	
78-93-3	2-Butanone (MEK)	ND	10	2.9	ug/l	
75-15-0	Carbon disulfide	ND	2.0	0.18	ug/l	
56-23-5	Carbon tetrachloride	ND	1.0	0.19	ug/l	
108-90-7	Chlorobenzene	ND	1.0	0.22	ug/l	
75-00-3	Chloroethane	ND	1.0	0.37	ug/l	
67-66-3	Chloroform	ND	1.0	0.21	ug/l	
74-87-3	Chloromethane	ND	1.0	0.22	ug/l	
110-82-7	Cyclohexane	ND	5.0	0.29	ug/l	
96-12-8	1,2-Dibromo-3-chloropropane	ND	10	1.3	ug/l	
124-48-1	Dibromochloromethane	ND	1.0	0.20	ug/l	
106-93-4	1,2-Dibromoethane	ND	2.0	0.21	ug/l	
95-50-1	1,2-Dichlorobenzene	ND	1.0	0.18	ug/l	
541-73-1	1,3-Dichlorobenzene	ND	1.0	0.29	ug/l	
106-46-7	1,4-Dichlorobenzene	ND	1.0	0.26	ug/l	
75-71-8	Dichlorodifluoromethane	ND	5.0	0.31	ug/l	
75-34-3	1,1-Dichloroethane	ND	1.0	0.19	ug/l	
107-06-2	1,2-Dichloroethane	ND	1.0	0.18	ug/l	
75-35-4	1,1-Dichloroethene	ND	1.0	0.28	ug/l	
156-59-2	cis-1,2-Dichloroethene	ND	1.0	0.22	ug/l	
156-60-5	trans-1,2-Dichloroethene	ND	1.0	0.31	ug/l	
78-87-5	1,2-Dichloropropane	ND	1.0	0.22	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	1.0	0.22	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	1.0	0.19	ug/l	
123-91-1	1,4-Dioxane	ND	130	72	ug/l	
100-41-4	Ethylbenzene	ND	1.0	0.21	ug/l	
76-13-1	Freon 113	ND	5.0	0.49	ug/l	

ND = Not detected MDL - Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

B = Indicates analyte found in associated method blank

N = Indicates presumptive evidence of a compound

Report of Analysis

Page 2 of 2

Client Sample ID: MW-2 (14.5-16')	Date Sampled: 02/22/12
Lab Sample ID: JB151-14	Date Received: 02/24/12
Matrix: AQ - Ground Water	Percent Solids: n/a
Method: SW846 8260B	
Project: Merrick Cleaners, Merrick Road, Massapequa, NY	

VOA TCL List (SOM0 1.1)

CAS No.	Compound	Result	RL	MDL	Units	Q
591-78-6	2-Hexanone	ND	5.0	3.0	ug/l	
98-82-8	Isopropylbenzene	ND	2.0	0.19	ug/l	
79-20-9	Methyl Acetate	ND	5.0	2.9	ug/l	
108-87-2	Methylcyclohexane	ND	5.0	0.18	ug/l	
1634-04-4	Methyl Tert Butyl Ether	ND	1.0	0.18	ug/l	
108-10-1	4-Methyl-2-pentanone(MIBK)	ND	5.0	1.2	ug/l	
75-09-2	Methylene chloride	ND	2.0	0.20	ug/l	
100-42-5	Styrene	ND	5.0	0.23	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	1.0	0.20	ug/l	
127-18-4	Tetrachloroethene	ND	1.0	0.32	ug/l	
108-88-3	Toluene	ND	1.0	0.15	ug/l	
87-61-6	1,2,3-Trichlorobenzene	ND	5.0	0.69	ug/l	
120-82-1	1,2,4-Trichlorobenzene	ND	5.0	0.15	ug/l	
71-55-6	1,1,1-Trichloroethane	ND	1.0	0.24	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	1.0	0.23	ug/l	
79-01-6	Trichloroethene	ND	1.0	0.21	ug/l	
75-69-4	Trichlorofluoromethane	ND	5.0	0.35	ug/l	
75-01-4	Vinyl chloride	ND	1.0	0.27	ug/l	
	m,p-Xylene	ND	1.0	0.32	ug/l	
95-47-6	o-Xylene	ND	1.0	0.17	ug/l	
1330-20-7	Xylene (total)	ND	1.0	0.17	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	100%		77-120%
17060-07-0	1,2-Dichloroethane-D4	92%		70-127%
2037-26-5	Toluene-D8	102%		79-120%
460-00-4	4-Bromofluorobenzene	93%		76-118%

ND = Not detected MDL - Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

B = Indicates analyte found in associated method blank

N = Indicates presumptive evidence of a compound

Report of Analysis

Page 1 of 2

Client Sample ID:	MW-3 (13-14.5')	Date Sampled:	02/22/12
Lab Sample ID:	JB151-15	Date Received:	02/24/12
Matrix:	AQ - Ground Water	Percent Solids:	n/a
Method:	SW846 8260B		
Project:	Merrick Cleaners, Merrick Road, Massapequa, NY		

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	2E75102.D	1	02/29/12	MAH	n/a	n/a	V2E3372
Run #2							

	Purge Volume
Run #1	5.0 ml
Run #2	

VOA TCL List (SOM0 1.1)

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone	10.0	10	7.6	ug/l	
71-43-2	Benzene	ND	1.0	0.22	ug/l	
74-97-5	Bromochloromethane	ND	5.0	0.40	ug/l	
75-27-4	Bromodichloromethane	ND	1.0	0.23	ug/l	
75-25-2	Bromoform	ND	4.0	0.24	ug/l	
74-83-9	Bromomethane	ND	2.0	0.31	ug/l	
78-93-3	2-Butanone (MEK)	ND	10	2.9	ug/l	
75-15-0	Carbon disulfide	ND	2.0	0.18	ug/l	
56-23-5	Carbon tetrachloride	ND	1.0	0.19	ug/l	
108-90-7	Chlorobenzene	ND	1.0	0.22	ug/l	
75-00-3	Chloroethane	ND	1.0	0.37	ug/l	
67-66-3	Chloroform	ND	1.0	0.21	ug/l	
74-87-3	Chloromethane	ND	1.0	0.22	ug/l	
110-82-7	Cyclohexane	ND	5.0	0.29	ug/l	
96-12-8	1,2-Dibromo-3-chloropropane	ND	10	1.3	ug/l	
124-48-1	Dibromochloromethane	ND	1.0	0.20	ug/l	
106-93-4	1,2-Dibromoethane	ND	2.0	0.21	ug/l	
95-50-1	1,2-Dichlorobenzene	ND	1.0	0.18	ug/l	
541-73-1	1,3-Dichlorobenzene	ND	1.0	0.29	ug/l	
106-46-7	1,4-Dichlorobenzene	ND	1.0	0.26	ug/l	
75-71-8	Dichlorodifluoromethane	ND	5.0	0.31	ug/l	
75-34-3	1,1-Dichloroethane	ND	1.0	0.19	ug/l	
107-06-2	1,2-Dichloroethane	ND	1.0	0.18	ug/l	
75-35-4	1,1-Dichloroethene	ND	1.0	0.28	ug/l	
156-59-2	cis-1,2-Dichloroethene	7.0	1.0	0.22	ug/l	
156-60-5	trans-1,2-Dichloroethene	ND	1.0	0.31	ug/l	
78-87-5	1,2-Dichloropropane	ND	1.0	0.22	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	1.0	0.22	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	1.0	0.19	ug/l	
123-91-1	1,4-Dioxane	ND	130	72	ug/l	
100-41-4	Ethylbenzene	ND	1.0	0.21	ug/l	
76-13-1	Freon 113	ND	5.0	0.49	ug/l	

ND = Not detected MDL - Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

B = Indicates analyte found in associated method blank

N = Indicates presumptive evidence of a compound

Report of Analysis

Page 2 of 2

Client Sample ID: MW-3 (13-14.5')	Date Sampled: 02/22/12
Lab Sample ID: JB151-15	Date Received: 02/24/12
Matrix: AQ - Ground Water	Percent Solids: n/a
Method: SW846 8260B	
Project: Merrick Cleaners, Merrick Road, Massapequa, NY	

VOA TCL List (SOM0 1.1)

CAS No.	Compound	Result	RL	MDL	Units	Q
591-78-6	2-Hexanone	ND	5.0	3.0	ug/l	
98-82-8	Isopropylbenzene	ND	2.0	0.19	ug/l	
79-20-9	Methyl Acetate	ND	5.0	2.9	ug/l	
108-87-2	Methylcyclohexane	ND	5.0	0.18	ug/l	
1634-04-4	Methyl Tert Butyl Ether	ND	1.0	0.18	ug/l	
108-10-1	4-Methyl-2-pentanone(MIBK)	ND	5.0	1.2	ug/l	
75-09-2	Methylene chloride	ND	2.0	0.20	ug/l	
100-42-5	Styrene	ND	5.0	0.23	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	1.0	0.20	ug/l	
127-18-4	Tetrachloroethene	1.6	1.0	0.32	ug/l	
108-88-3	Toluene	ND	1.0	0.15	ug/l	
87-61-6	1,2,3-Trichlorobenzene	ND	5.0	0.69	ug/l	
120-82-1	1,2,4-Trichlorobenzene	ND	5.0	0.15	ug/l	
71-55-6	1,1,1-Trichloroethane	ND	1.0	0.24	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	1.0	0.23	ug/l	
79-01-6	Trichloroethene	1.1	1.0	0.21	ug/l	
75-69-4	Trichlorofluoromethane	ND	5.0	0.35	ug/l	
75-01-4	Vinyl chloride	ND	1.0	0.27	ug/l	
	m,p-Xylene	ND	1.0	0.32	ug/l	
95-47-6	o-Xylene	ND	1.0	0.17	ug/l	
1330-20-7	Xylene (total)	ND	1.0	0.17	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	102%		77-120%
17060-07-0	1,2-Dichloroethane-D4	96%		70-127%
2037-26-5	Toluene-D8	102%		79-120%
460-00-4	4-Bromofluorobenzene	94%		76-118%

ND = Not detected MDL - Method Detection Limit
 RL = Reporting Limit
 E = Indicates value exceeds calibration range

J = Indicates an estimated value
 B = Indicates analyte found in associated method blank
 N = Indicates presumptive evidence of a compound

Report of Analysis

Page 1 of 2

Client Sample ID:	MW-4 (13-14.5')	Date Sampled:	02/22/12
Lab Sample ID:	JB151-16	Date Received:	02/24/12
Matrix:	AQ - Ground Water	Percent Solids:	n/a
Method:	SW846 8260B		
Project:	Merrick Cleaners, Merrick Road, Massapequa, NY		

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	2E75117.D	1	02/29/12	MAH	n/a	n/a	V2E3373
Run #2	2E75120.D	10	02/29/12	MAH	n/a	n/a	V2E3373

	Purge Volume
Run #1	5.0 ml
Run #2	5.0 ml

VOA TCL List (SOM0 1.1)

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone	13.7	10	7.6	ug/l	
71-43-2	Benzene	ND	1.0	0.22	ug/l	
74-97-5	Bromochloromethane	ND	5.0	0.40	ug/l	
75-27-4	Bromodichloromethane	ND	1.0	0.23	ug/l	
75-25-2	Bromoform	ND	4.0	0.24	ug/l	
74-83-9	Bromomethane	ND	2.0	0.31	ug/l	
78-93-3	2-Butanone (MEK)	ND	10	2.9	ug/l	
75-15-0	Carbon disulfide	ND	2.0	0.18	ug/l	
56-23-5	Carbon tetrachloride	ND	1.0	0.19	ug/l	
108-90-7	Chlorobenzene	ND	1.0	0.22	ug/l	
75-00-3	Chloroethane	ND	1.0	0.37	ug/l	
67-66-3	Chloroform	ND	1.0	0.21	ug/l	
74-87-3	Chloromethane	ND	1.0	0.22	ug/l	
110-82-7	Cyclohexane	0.44	5.0	0.29	ug/l	J
96-12-8	1,2-Dibromo-3-chloropropane	ND	10	1.3	ug/l	
124-48-1	Dibromochloromethane	ND	1.0	0.20	ug/l	
106-93-4	1,2-Dibromoethane	ND	2.0	0.21	ug/l	
95-50-1	1,2-Dichlorobenzene	ND	1.0	0.18	ug/l	
541-73-1	1,3-Dichlorobenzene	ND	1.0	0.29	ug/l	
106-46-7	1,4-Dichlorobenzene	ND	1.0	0.26	ug/l	
75-71-8	Dichlorodifluoromethane	ND	5.0	0.31	ug/l	
75-34-3	1,1-Dichloroethane	ND	1.0	0.19	ug/l	
107-06-2	1,2-Dichloroethane	ND	1.0	0.18	ug/l	
75-35-4	1,1-Dichloroethene	ND	1.0	0.28	ug/l	
156-59-2	cis-1,2-Dichloroethene	456 ^a	10	2.2	ug/l	
156-60-5	trans-1,2-Dichloroethene	2.7	1.0	0.31	ug/l	
78-87-5	1,2-Dichloropropane	ND	1.0	0.22	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	1.0	0.22	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	1.0	0.19	ug/l	
123-91-1	1,4-Dioxane	ND	130	72	ug/l	
100-41-4	Ethylbenzene	0.36	1.0	0.21	ug/l	J
76-13-1	Freon 113	ND	5.0	0.49	ug/l	

ND = Not detected MDL - Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

B = Indicates analyte found in associated method blank

N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID: MW-4 (13-14.5')	
Lab Sample ID: JB151-16	Date Sampled: 02/22/12
Matrix: AQ - Ground Water	Date Received: 02/24/12
Method: SW846 8260B	Percent Solids: n/a
Project: Merrick Cleaners, Merrick Road, Massapequa, NY	

VOA TCL List (SOM0 1.1)

CAS No.	Compound	Result	RL	MDL	Units	Q
591-78-6	2-Hexanone	ND	5.0	3.0	ug/l	
98-82-8	Isopropylbenzene	0.25	2.0	0.19	ug/l	J
79-20-9	Methyl Acetate	ND	5.0	2.9	ug/l	
108-87-2	Methylcyclohexane	0.30	5.0	0.18	ug/l	J
1634-04-4	Methyl Tert Butyl Ether	ND	1.0	0.18	ug/l	
108-10-1	4-Methyl-2-pentanone(MIBK)	ND	5.0	1.2	ug/l	
75-09-2	Methylene chloride	ND	2.0	0.20	ug/l	
100-42-5	Styrene	ND	5.0	0.23	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	1.0	0.20	ug/l	
127-18-4	Tetrachloroethene	ND	1.0	0.32	ug/l	
108-88-3	Toluene	ND	1.0	0.15	ug/l	
87-61-6	1,2,3-Trichlorobenzene	ND	5.0	0.69	ug/l	
120-82-1	1,2,4-Trichlorobenzene	ND	5.0	0.15	ug/l	
71-55-6	1,1,1-Trichloroethane	ND	1.0	0.24	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	1.0	0.23	ug/l	
79-01-6	Trichloroethene	0.66	1.0	0.21	ug/l	J
75-69-4	Trichlorofluoromethane	ND	5.0	0.35	ug/l	
75-01-4	Vinyl chloride	2.6	1.0	0.27	ug/l	
	m,p-Xylene	0.83	1.0	0.32	ug/l	J
95-47-6	o-Xylene	3.1	1.0	0.17	ug/l	
1330-20-7	Xylene (total)	3.9	1.0	0.17	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	101%	102%	77-120%
17060-07-0	1,2-Dichloroethane-D4	95%	95%	70-127%
2037-26-5	Toluene-D8	101%	103%	79-120%
460-00-4	4-Bromofluorobenzene	94%	96%	76-118%

(a) Result is from Run# 2

ND = Not detected MDL - Method Detection Limit
 RL = Reporting Limit
 E = Indicates value exceeds calibration range

J = Indicates an estimated value
 B = Indicates analyte found in associated method blank
 N = Indicates presumptive evidence of a compound

Report of Analysis

Page 1 of 2

Client Sample ID:	MW-5 (12.5-14')	Date Sampled:	02/22/12
Lab Sample ID:	JB151-17	Date Received:	02/24/12
Matrix:	AQ - Ground Water	Percent Solids:	n/a
Method:	SW846 8260B		
Project:	Merrick Cleaners, Merrick Road, Massapequa, NY		

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	2E75104.D	1	02/29/12	MAH	n/a	n/a	V2E3372
Run #2							

	Purge Volume
Run #1	5.0 ml
Run #2	

VOA TCL List (SOM0 1.1)

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone	10.3	10	7.6	ug/l	
71-43-2	Benzene	ND	1.0	0.22	ug/l	
74-97-5	Bromochloromethane	ND	5.0	0.40	ug/l	
75-27-4	Bromodichloromethane	ND	1.0	0.23	ug/l	
75-25-2	Bromoform	ND	4.0	0.24	ug/l	
74-83-9	Bromomethane	ND	2.0	0.31	ug/l	
78-93-3	2-Butanone (MEK)	ND	10	2.9	ug/l	
75-15-0	Carbon disulfide	ND	2.0	0.18	ug/l	
56-23-5	Carbon tetrachloride	ND	1.0	0.19	ug/l	
108-90-7	Chlorobenzene	ND	1.0	0.22	ug/l	
75-00-3	Chloroethane	ND	1.0	0.37	ug/l	
67-66-3	Chloroform	ND	1.0	0.21	ug/l	
74-87-3	Chloromethane	ND	1.0	0.22	ug/l	
110-82-7	Cyclohexane	ND	5.0	0.29	ug/l	
96-12-8	1,2-Dibromo-3-chloropropane	ND	10	1.3	ug/l	
124-48-1	Dibromochloromethane	ND	1.0	0.20	ug/l	
106-93-4	1,2-Dibromoethane	ND	2.0	0.21	ug/l	
95-50-1	1,2-Dichlorobenzene	ND	1.0	0.18	ug/l	
541-73-1	1,3-Dichlorobenzene	ND	1.0	0.29	ug/l	
106-46-7	1,4-Dichlorobenzene	ND	1.0	0.26	ug/l	
75-71-8	Dichlorodifluoromethane	ND	5.0	0.31	ug/l	
75-34-3	1,1-Dichloroethane	ND	1.0	0.19	ug/l	
107-06-2	1,2-Dichloroethane	ND	1.0	0.18	ug/l	
75-35-4	1,1-Dichloroethene	ND	1.0	0.28	ug/l	
156-59-2	cis-1,2-Dichloroethene	ND	1.0	0.22	ug/l	
156-60-5	trans-1,2-Dichloroethene	ND	1.0	0.31	ug/l	
78-87-5	1,2-Dichloropropane	ND	1.0	0.22	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	1.0	0.22	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	1.0	0.19	ug/l	
123-91-1	1,4-Dioxane	ND	130	72	ug/l	
100-41-4	Ethylbenzene	ND	1.0	0.21	ug/l	
76-13-1	Freon 113	ND	5.0	0.49	ug/l	

ND = Not detected MDL - Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

B = Indicates analyte found in associated method blank

N = Indicates presumptive evidence of a compound

Report of Analysis

Page 2 of 2

Client Sample ID: MW-5 (12.5-14')	Date Sampled: 02/22/12
Lab Sample ID: JB151-17	Date Received: 02/24/12
Matrix: AQ - Ground Water	Percent Solids: n/a
Method: SW846 8260B	
Project: Merrick Cleaners, Merrick Road, Massapequa, NY	

VOA TCL List (SOM0 1.1)

CAS No.	Compound	Result	RL	MDL	Units	Q
591-78-6	2-Hexanone	ND	5.0	3.0	ug/l	
98-82-8	Isopropylbenzene	ND	2.0	0.19	ug/l	
79-20-9	Methyl Acetate	ND	5.0	2.9	ug/l	
108-87-2	Methylcyclohexane	ND	5.0	0.18	ug/l	
1634-04-4	Methyl Tert Butyl Ether	ND	1.0	0.18	ug/l	
108-10-1	4-Methyl-2-pentanone(MIBK)	ND	5.0	1.2	ug/l	
75-09-2	Methylene chloride	ND	2.0	0.20	ug/l	
100-42-5	Styrene	ND	5.0	0.23	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	1.0	0.20	ug/l	
127-18-4	Tetrachloroethene	ND	1.0	0.32	ug/l	
108-88-3	Toluene	ND	1.0	0.15	ug/l	
87-61-6	1,2,3-Trichlorobenzene	ND	5.0	0.69	ug/l	
120-82-1	1,2,4-Trichlorobenzene	ND	5.0	0.15	ug/l	
71-55-6	1,1,1-Trichloroethane	ND	1.0	0.24	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	1.0	0.23	ug/l	
79-01-6	Trichloroethene	ND	1.0	0.21	ug/l	
75-69-4	Trichlorofluoromethane	ND	5.0	0.35	ug/l	
75-01-4	Vinyl chloride	ND	1.0	0.27	ug/l	
	m,p-Xylene	ND	1.0	0.32	ug/l	
95-47-6	o-Xylene	ND	1.0	0.17	ug/l	
1330-20-7	Xylene (total)	ND	1.0	0.17	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	102%		77-120%
17060-07-0	1,2-Dichloroethane-D4	96%		70-127%
2037-26-5	Toluene-D8	101%		79-120%
460-00-4	4-Bromofluorobenzene	93%		76-118%

ND = Not detected MDL - Method Detection Limit
 RL = Reporting Limit
 E = Indicates value exceeds calibration range

J = Indicates an estimated value
 B = Indicates analyte found in associated method blank
 N = Indicates presumptive evidence of a compound

Report of Analysis

Page 1 of 2

Client Sample ID:	MW-6 (7.5-9')	Date Sampled:	02/22/12
Lab Sample ID:	JB151-18	Date Received:	02/24/12
Matrix:	AQ - Ground Water	Percent Solids:	n/a
Method:	SW846 8260B		
Project:	Merrick Cleaners, Merrick Road, Massapequa, NY		

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	2E75167.D	1	03/01/12	MAH	n/a	n/a	V2E3375
Run #2	2E75157.D	10	03/01/12	MAH	n/a	n/a	V2E3375

	Purge Volume
Run #1	5.0 ml
Run #2	5.0 ml

VOA TCL List (SOM0 1.1)

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone	8.9	10	7.6	ug/l	J
71-43-2	Benzene	ND	1.0	0.22	ug/l	
74-97-5	Bromochloromethane	ND	5.0	0.40	ug/l	
75-27-4	Bromodichloromethane	ND	1.0	0.23	ug/l	
75-25-2	Bromoform	ND	4.0	0.24	ug/l	
74-83-9	Bromomethane	ND	2.0	0.31	ug/l	
78-93-3	2-Butanone (MEK)	ND	10	2.9	ug/l	
75-15-0	Carbon disulfide	ND	2.0	0.18	ug/l	
56-23-5	Carbon tetrachloride	ND	1.0	0.19	ug/l	
108-90-7	Chlorobenzene	ND	1.0	0.22	ug/l	
75-00-3	Chloroethane	ND	1.0	0.37	ug/l	
67-66-3	Chloroform	ND	1.0	0.21	ug/l	
74-87-3	Chloromethane	ND	1.0	0.22	ug/l	
110-82-7	Cyclohexane	ND	5.0	0.29	ug/l	
96-12-8	1,2-Dibromo-3-chloropropane	ND	10	1.3	ug/l	
124-48-1	Dibromochloromethane	ND	1.0	0.20	ug/l	
106-93-4	1,2-Dibromoethane	ND	2.0	0.21	ug/l	
95-50-1	1,2-Dichlorobenzene	ND	1.0	0.18	ug/l	
541-73-1	1,3-Dichlorobenzene	ND	1.0	0.29	ug/l	
106-46-7	1,4-Dichlorobenzene	ND	1.0	0.26	ug/l	
75-71-8	Dichlorodifluoromethane	ND	5.0	0.31	ug/l	
75-34-3	1,1-Dichloroethane	ND	1.0	0.19	ug/l	
107-06-2	1,2-Dichloroethane	ND	1.0	0.18	ug/l	
75-35-4	1,1-Dichloroethene	ND	1.0	0.28	ug/l	
156-59-2	cis-1,2-Dichloroethene	263 ^a	10	2.2	ug/l	
156-60-5	trans-1,2-Dichloroethene	2.3	1.0	0.31	ug/l	
78-87-5	1,2-Dichloropropane	ND	1.0	0.22	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	1.0	0.22	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	1.0	0.19	ug/l	
123-91-1	1,4-Dioxane	ND	130	72	ug/l	
100-41-4	Ethylbenzene	ND	1.0	0.21	ug/l	
76-13-1	Freon 113	ND	5.0	0.49	ug/l	

ND = Not detected MDL - Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

B = Indicates analyte found in associated method blank

N = Indicates presumptive evidence of a compound

Report of Analysis

Page 2 of 2

Client Sample ID: MW-6 (7.5-9')	
Lab Sample ID: JB151-18	Date Sampled: 02/22/12
Matrix: AQ - Ground Water	Date Received: 02/24/12
Method: SW846 8260B	Percent Solids: n/a
Project: Merrick Cleaners, Merrick Road, Massapequa, NY	

VOA TCL List (SOM0 1.1)

CAS No.	Compound	Result	RL	MDL	Units	Q
591-78-6	2-Hexanone	ND	5.0	3.0	ug/l	
98-82-8	Isopropylbenzene	ND	2.0	0.19	ug/l	
79-20-9	Methyl Acetate	ND	5.0	2.9	ug/l	
108-87-2	Methylcyclohexane	ND	5.0	0.18	ug/l	
1634-04-4	Methyl Tert Butyl Ether	ND	1.0	0.18	ug/l	
108-10-1	4-Methyl-2-pentanone(MIBK)	ND	5.0	1.2	ug/l	
75-09-2	Methylene chloride	ND	2.0	0.20	ug/l	
100-42-5	Styrene	ND	5.0	0.23	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	1.0	0.20	ug/l	
127-18-4	Tetrachloroethene	ND	1.0	0.32	ug/l	
108-88-3	Toluene	ND	1.0	0.15	ug/l	
87-61-6	1,2,3-Trichlorobenzene	ND	5.0	0.69	ug/l	
120-82-1	1,2,4-Trichlorobenzene	ND	5.0	0.15	ug/l	
71-55-6	1,1,1-Trichloroethane	ND	1.0	0.24	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	1.0	0.23	ug/l	
79-01-6	Trichloroethene	ND	1.0	0.21	ug/l	
75-69-4	Trichlorofluoromethane	ND	5.0	0.35	ug/l	
75-01-4	Vinyl chloride	3.3	1.0	0.27	ug/l	
	m,p-Xylene	ND	1.0	0.32	ug/l	
95-47-6	o-Xylene	ND	1.0	0.17	ug/l	
1330-20-7	Xylene (total)	ND	1.0	0.17	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	103%	102%	77-120%
17060-07-0	1,2-Dichloroethane-D4	95%	99%	70-127%
2037-26-5	Toluene-D8	102%	102%	79-120%
460-00-4	4-Bromofluorobenzene	94%	96%	76-118%

(a) Result is from Run# 2

ND = Not detected MDL - Method Detection Limit
 RL = Reporting Limit
 E = Indicates value exceeds calibration range

J = Indicates an estimated value
 B = Indicates analyte found in associated method blank
 N = Indicates presumptive evidence of a compound

Report of Analysis

Page 1 of 2

Client Sample ID:	TRIP BLANK 2/22	Date Sampled:	02/22/12
Lab Sample ID:	JB151-19	Date Received:	02/24/12
Matrix:	AQ - Trip Blank Water	Percent Solids:	n/a
Method:	SW846 8260B		
Project:	Merrick Cleaners, Merrick Road, Massapequa, NY		

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	2E75158.D	1	03/01/12	MAH	n/a	n/a	V2E3375
Run #2							

	Purge Volume
Run #1	5.0 ml
Run #2	

VOA TCL List (SOM0 1.1)

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone	ND	10	7.6	ug/l	
71-43-2	Benzene	ND	1.0	0.22	ug/l	
74-97-5	Bromochloromethane	ND	5.0	0.40	ug/l	
75-27-4	Bromodichloromethane	ND	1.0	0.23	ug/l	
75-25-2	Bromoform	ND	4.0	0.24	ug/l	
74-83-9	Bromomethane	ND	2.0	0.31	ug/l	
78-93-3	2-Butanone (MEK)	ND	10	2.9	ug/l	
75-15-0	Carbon disulfide	ND	2.0	0.18	ug/l	
56-23-5	Carbon tetrachloride	ND	1.0	0.19	ug/l	
108-90-7	Chlorobenzene	ND	1.0	0.22	ug/l	
75-00-3	Chloroethane	ND	1.0	0.37	ug/l	
67-66-3	Chloroform	ND	1.0	0.21	ug/l	
74-87-3	Chloromethane	ND	1.0	0.22	ug/l	
110-82-7	Cyclohexane	ND	5.0	0.29	ug/l	
96-12-8	1,2-Dibromo-3-chloropropane	ND	10	1.3	ug/l	
124-48-1	Dibromochloromethane	ND	1.0	0.20	ug/l	
106-93-4	1,2-Dibromoethane	ND	2.0	0.21	ug/l	
95-50-1	1,2-Dichlorobenzene	ND	1.0	0.18	ug/l	
541-73-1	1,3-Dichlorobenzene	ND	1.0	0.29	ug/l	
106-46-7	1,4-Dichlorobenzene	ND	1.0	0.26	ug/l	
75-71-8	Dichlorodifluoromethane	ND	5.0	0.31	ug/l	
75-34-3	1,1-Dichloroethane	ND	1.0	0.19	ug/l	
107-06-2	1,2-Dichloroethane	ND	1.0	0.18	ug/l	
75-35-4	1,1-Dichloroethene	ND	1.0	0.28	ug/l	
156-59-2	cis-1,2-Dichloroethene	ND	1.0	0.22	ug/l	
156-60-5	trans-1,2-Dichloroethene	ND	1.0	0.31	ug/l	
78-87-5	1,2-Dichloropropane	ND	1.0	0.22	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	1.0	0.22	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	1.0	0.19	ug/l	
123-91-1	1,4-Dioxane	ND	130	72	ug/l	
100-41-4	Ethylbenzene	ND	1.0	0.21	ug/l	
76-13-1	Freon 113	ND	5.0	0.49	ug/l	

ND = Not detected MDL - Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

B = Indicates analyte found in associated method blank

N = Indicates presumptive evidence of a compound

Report of Analysis

Page 2 of 2

Client Sample ID:	TRIP BLANK 2/22	Date Sampled:	02/22/12
Lab Sample ID:	JB151-19	Date Received:	02/24/12
Matrix:	AQ - Trip Blank Water	Percent Solids:	n/a
Method:	SW846 8260B		
Project:	Merrick Cleaners, Merrick Road, Massapequa, NY		

VOA TCL List (SOM0 1.1)

CAS No.	Compound	Result	RL	MDL	Units	Q
591-78-6	2-Hexanone	ND	5.0	3.0	ug/l	
98-82-8	Isopropylbenzene	ND	2.0	0.19	ug/l	
79-20-9	Methyl Acetate	ND	5.0	2.9	ug/l	
108-87-2	Methylcyclohexane	ND	5.0	0.18	ug/l	
1634-04-4	Methyl Tert Butyl Ether	ND	1.0	0.18	ug/l	
108-10-1	4-Methyl-2-pentanone(MIBK)	ND	5.0	1.2	ug/l	
75-09-2	Methylene chloride	ND	2.0	0.20	ug/l	
100-42-5	Styrene	ND	5.0	0.23	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	1.0	0.20	ug/l	
127-18-4	Tetrachloroethene	ND	1.0	0.32	ug/l	
108-88-3	Toluene	2.2	1.0	0.15	ug/l	
87-61-6	1,2,3-Trichlorobenzene	ND	5.0	0.69	ug/l	
120-82-1	1,2,4-Trichlorobenzene	ND	5.0	0.15	ug/l	
71-55-6	1,1,1-Trichloroethane	ND	1.0	0.24	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	1.0	0.23	ug/l	
79-01-6	Trichloroethene	ND	1.0	0.21	ug/l	
75-69-4	Trichlorofluoromethane	ND	5.0	0.35	ug/l	
75-01-4	Vinyl chloride	ND	1.0	0.27	ug/l	
	m,p-Xylene	0.62	1.0	0.32	ug/l	J
95-47-6	o-Xylene	ND	1.0	0.17	ug/l	
1330-20-7	Xylene (total)	0.62	1.0	0.17	ug/l	J

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	103%		77-120%
17060-07-0	1,2-Dichloroethane-D4	98%		70-127%
2037-26-5	Toluene-D8	102%		79-120%
460-00-4	4-Bromofluorobenzene	93%		76-118%

ND = Not detected MDL - Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

B = Indicates analyte found in associated method blank

N = Indicates presumptive evidence of a compound

Report of Analysis

Page 1 of 2

Client Sample ID:	MW-XX	Date Sampled:	02/22/12
Lab Sample ID:	JB151-20	Date Received:	02/24/12
Matrix:	AQ - Ground Water	Percent Solids:	n/a
Method:	SW846 8260B		
Project:	Merrick Cleaners, Merrick Road, Massapequa, NY		

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	2E75126.D	1	02/29/12	MAH	n/a	n/a	V2E3373
Run #2							

	Purge Volume
Run #1	5.0 ml
Run #2	

VOA TCL List (SOM0 1.1)

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone	ND	10	7.6	ug/l	
71-43-2	Benzene	ND	1.0	0.22	ug/l	
74-97-5	Bromochloromethane	ND	5.0	0.40	ug/l	
75-27-4	Bromodichloromethane	ND	1.0	0.23	ug/l	
75-25-2	Bromoform	ND	4.0	0.24	ug/l	
74-83-9	Bromomethane	ND	2.0	0.31	ug/l	
78-93-3	2-Butanone (MEK)	ND	10	2.9	ug/l	
75-15-0	Carbon disulfide	ND	2.0	0.18	ug/l	
56-23-5	Carbon tetrachloride	ND	1.0	0.19	ug/l	
108-90-7	Chlorobenzene	ND	1.0	0.22	ug/l	
75-00-3	Chloroethane	ND	1.0	0.37	ug/l	
67-66-3	Chloroform	ND	1.0	0.21	ug/l	
74-87-3	Chloromethane	ND	1.0	0.22	ug/l	
110-82-7	Cyclohexane	0.61	5.0	0.29	ug/l	J
96-12-8	1,2-Dibromo-3-chloropropane	ND	10	1.3	ug/l	
124-48-1	Dibromochloromethane	ND	1.0	0.20	ug/l	
106-93-4	1,2-Dibromoethane	ND	2.0	0.21	ug/l	
95-50-1	1,2-Dichlorobenzene	ND	1.0	0.18	ug/l	
541-73-1	1,3-Dichlorobenzene	ND	1.0	0.29	ug/l	
106-46-7	1,4-Dichlorobenzene	ND	1.0	0.26	ug/l	
75-71-8	Dichlorodifluoromethane	ND	5.0	0.31	ug/l	
75-34-3	1,1-Dichloroethane	ND	1.0	0.19	ug/l	
107-06-2	1,2-Dichloroethane	ND	1.0	0.18	ug/l	
75-35-4	1,1-Dichloroethene	ND	1.0	0.28	ug/l	
156-59-2	cis-1,2-Dichloroethene	6.5	1.0	0.22	ug/l	
156-60-5	trans-1,2-Dichloroethene	ND	1.0	0.31	ug/l	
78-87-5	1,2-Dichloropropane	ND	1.0	0.22	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	1.0	0.22	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	1.0	0.19	ug/l	
123-91-1	1,4-Dioxane	ND	130	72	ug/l	
100-41-4	Ethylbenzene	0.28	1.0	0.21	ug/l	J
76-13-1	Freon 113	ND	5.0	0.49	ug/l	

ND = Not detected MDL - Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

B = Indicates analyte found in associated method blank

N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID: MW-XX	Date Sampled: 02/22/12
Lab Sample ID: JB151-20	Date Received: 02/24/12
Matrix: AQ - Ground Water	Percent Solids: n/a
Method: SW846 8260B	
Project: Merrick Cleaners, Merrick Road, Massapequa, NY	

VOA TCL List (SOM0 1.1)

CAS No.	Compound	Result	RL	MDL	Units	Q
591-78-6	2-Hexanone	ND	5.0	3.0	ug/l	
98-82-8	Isopropylbenzene	ND	2.0	0.19	ug/l	
79-20-9	Methyl Acetate	ND	5.0	2.9	ug/l	
108-87-2	Methylcyclohexane	1.9	5.0	0.18	ug/l	J
1634-04-4	Methyl Tert Butyl Ether	ND	1.0	0.18	ug/l	
108-10-1	4-Methyl-2-pentanone(MIBK)	ND	5.0	1.2	ug/l	
75-09-2	Methylene chloride	ND	2.0	0.20	ug/l	
100-42-5	Styrene	ND	5.0	0.23	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	1.0	0.20	ug/l	
127-18-4	Tetrachloroethene	1.0	1.0	0.32	ug/l	
108-88-3	Toluene	ND	1.0	0.15	ug/l	
87-61-6	1,2,3-Trichlorobenzene	ND	5.0	0.69	ug/l	
120-82-1	1,2,4-Trichlorobenzene	ND	5.0	0.15	ug/l	
71-55-6	1,1,1-Trichloroethane	ND	1.0	0.24	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	1.0	0.23	ug/l	
79-01-6	Trichloroethene	1.6	1.0	0.21	ug/l	
75-69-4	Trichlorofluoromethane	ND	5.0	0.35	ug/l	
75-01-4	Vinyl chloride	ND	1.0	0.27	ug/l	
	m,p-Xylene	0.66	1.0	0.32	ug/l	J
95-47-6	o-Xylene	ND	1.0	0.17	ug/l	
1330-20-7	Xylene (total)	0.66	1.0	0.17	ug/l	J

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	104%		77-120%
17060-07-0	1,2-Dichloroethane-D4	97%		70-127%
2037-26-5	Toluene-D8	102%		79-120%
460-00-4	4-Bromofluorobenzene	93%		76-118%

ND = Not detected MDL - Method Detection Limit
 RL = Reporting Limit
 E = Indicates value exceeds calibration range

J = Indicates an estimated value
 B = Indicates analyte found in associated method blank
 N = Indicates presumptive evidence of a compound

Report of Analysis

Page 1 of 2

Client Sample ID:	PDB PREFILLED BLANK	Date Sampled:	02/22/12
Lab Sample ID:	JB151-21	Date Received:	02/24/12
Matrix:	AQ - Trip Blank Water	Percent Solids:	n/a
Method:	SW846 8260B		
Project:	Merrick Cleaners, Merrick Road, Massapequa, NY		

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	2E75127.D	1	02/29/12	MAH	n/a	n/a	V2E3373
Run #2							

	Purge Volume
Run #1	5.0 ml
Run #2	

VOA TCL List (SOM0 1.1)

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone	12.9	10	7.6	ug/l	
71-43-2	Benzene	ND	1.0	0.22	ug/l	
74-97-5	Bromochloromethane	ND	5.0	0.40	ug/l	
75-27-4	Bromodichloromethane	ND	1.0	0.23	ug/l	
75-25-2	Bromoform	ND	4.0	0.24	ug/l	
74-83-9	Bromomethane	ND	2.0	0.31	ug/l	
78-93-3	2-Butanone (MEK)	ND	10	2.9	ug/l	
75-15-0	Carbon disulfide	ND	2.0	0.18	ug/l	
56-23-5	Carbon tetrachloride	ND	1.0	0.19	ug/l	
108-90-7	Chlorobenzene	ND	1.0	0.22	ug/l	
75-00-3	Chloroethane	ND	1.0	0.37	ug/l	
67-66-3	Chloroform	ND	1.0	0.21	ug/l	
74-87-3	Chloromethane	ND	1.0	0.22	ug/l	
110-82-7	Cyclohexane	ND	5.0	0.29	ug/l	
96-12-8	1,2-Dibromo-3-chloropropane	ND	10	1.3	ug/l	
124-48-1	Dibromochloromethane	ND	1.0	0.20	ug/l	
106-93-4	1,2-Dibromoethane	ND	2.0	0.21	ug/l	
95-50-1	1,2-Dichlorobenzene	ND	1.0	0.18	ug/l	
541-73-1	1,3-Dichlorobenzene	ND	1.0	0.29	ug/l	
106-46-7	1,4-Dichlorobenzene	ND	1.0	0.26	ug/l	
75-71-8	Dichlorodifluoromethane	ND	5.0	0.31	ug/l	
75-34-3	1,1-Dichloroethane	ND	1.0	0.19	ug/l	
107-06-2	1,2-Dichloroethane	ND	1.0	0.18	ug/l	
75-35-4	1,1-Dichloroethene	ND	1.0	0.28	ug/l	
156-59-2	cis-1,2-Dichloroethene	ND	1.0	0.22	ug/l	
156-60-5	trans-1,2-Dichloroethene	ND	1.0	0.31	ug/l	
78-87-5	1,2-Dichloropropane	ND	1.0	0.22	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	1.0	0.22	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	1.0	0.19	ug/l	
123-91-1	1,4-Dioxane	ND	130	72	ug/l	
100-41-4	Ethylbenzene	ND	1.0	0.21	ug/l	
76-13-1	Freon 113	ND	5.0	0.49	ug/l	

ND = Not detected MDL - Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

B = Indicates analyte found in associated method blank

N = Indicates presumptive evidence of a compound

Report of Analysis

Page 2 of 2

Client Sample ID:	PDB PREFILLED BLANK	Date Sampled:	02/22/12
Lab Sample ID:	JB151-21	Date Received:	02/24/12
Matrix:	AQ - Trip Blank Water	Percent Solids:	n/a
Method:	SW846 8260B		
Project:	Merrick Cleaners, Merrick Road, Massapequa, NY		

VOA TCL List (SOM0 1.1)

CAS No.	Compound	Result	RL	MDL	Units	Q
591-78-6	2-Hexanone	ND	5.0	3.0	ug/l	
98-82-8	Isopropylbenzene	ND	2.0	0.19	ug/l	
79-20-9	Methyl Acetate	ND	5.0	2.9	ug/l	
108-87-2	Methylcyclohexane	ND	5.0	0.18	ug/l	
1634-04-4	Methyl Tert Butyl Ether	ND	1.0	0.18	ug/l	
108-10-1	4-Methyl-2-pentanone(MIBK)	ND	5.0	1.2	ug/l	
75-09-2	Methylene chloride	0.34	2.0	0.20	ug/l	J
100-42-5	Styrene	ND	5.0	0.23	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	1.0	0.20	ug/l	
127-18-4	Tetrachloroethene	ND	1.0	0.32	ug/l	
108-88-3	Toluene	0.51	1.0	0.15	ug/l	J
87-61-6	1,2,3-Trichlorobenzene	ND	5.0	0.69	ug/l	
120-82-1	1,2,4-Trichlorobenzene	ND	5.0	0.15	ug/l	
71-55-6	1,1,1-Trichloroethane	ND	1.0	0.24	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	1.0	0.23	ug/l	
79-01-6	Trichloroethene	ND	1.0	0.21	ug/l	
75-69-4	Trichlorofluoromethane	ND	5.0	0.35	ug/l	
75-01-4	Vinyl chloride	ND	1.0	0.27	ug/l	
	m,p-Xylene	ND	1.0	0.32	ug/l	
95-47-6	o-Xylene	ND	1.0	0.17	ug/l	
1330-20-7	Xylene (total)	ND	1.0	0.17	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	104%		77-120%
17060-07-0	1,2-Dichloroethane-D4	98%		70-127%
2037-26-5	Toluene-D8	102%		79-120%
460-00-4	4-Bromofluorobenzene	93%		76-118%

ND = Not detected MDL - Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

B = Indicates analyte found in associated method blank

N = Indicates presumptive evidence of a compound

Misc. Forms

Custody Documents and Other Forms

Includes the following where applicable:

- Chain of Custody

CHAIN OF CUSTODY

2235 Route 130, Dayton, NJ 08810
Tel: 732-329-0200 FAX: 732-329-3499/3480
www.acctest.com

FED-EX Tracking # 877046768104 Order Control # TE-2/14/2012-6
Accutest Quote # JB151 Accutest Job # JB151

Client / Reporting Information		Project Information		Requested Analysis (see TEST CODE sheet)												Matrix Codes											
Company Name <u>CA Rich Consultants</u>		Project Name <u>Merrick Cleaners</u>		LAB USE ONLY DW - Drinking Water GW - Ground Water WW - Water SW - Surface Water SO - Soil SL - Sludge SED - Sediment OI - Oil LIQ - Other Liquid AIR - Air SOL - Other Solid WP - Wipe FB - Field Blank EB - Equipment Blank RB - Rinse Blank TB - Trip Blank LAB USE ONLY																							
Street Address <u>17 Duport Street</u>		Street <u>Merrick Road</u>																									
City State Zip <u>Plainville NY 11803</u>		City State Zip <u>Massapequa NY</u>																									
Project Contact <u>Victoria Whelan</u>		Project #																									
Phone # <u>516-576-8844</u>		Client Purchase Order #																									
Sampler(s) Name(s) <u>Jason Cooper/Michael J...</u>		Project Manager																									
Field ID / Point of Collection		MECH/DI Vial #		Collection		Date		Time		Sampled by		Matrix		# of bottles		Number of preserved bottles											
																DCI REDH HN03 HN04 HN05 HN06 HN07 HN08 HN09 HN10 HN11 HN12 HN13 HN14 HN15 HN16 HN17 HN18 HN19 HN20 HN21 HN22 HN23 HN24 HN25 HN26 HN27 HN28 HN29 HN30 HN31 HN32 HN33 HN34 HN35 HN36 HN37 HN38 HN39 HN40 HN41 HN42 HN43 HN44 HN45 HN46 HN47 HN48 HN49 HN50 HN51 HN52 HN53 HN54 HN55 HN56 HN57 HN58 HN59 HN60 HN61 HN62 HN63 HN64 HN65 HN66 HN67 HN68 HN69 HN70 HN71 HN72 HN73 HN74 HN75 HN76 HN77 HN78 HN79 HN80 HN81 HN82 HN83 HN84 HN85 HN86 HN87 HN88 HN89 HN90 HN91 HN92 HN93 HN94 HN95 HN96 HN97 HN98 HN99 HN100 HN101 HN102 HN103 HN104 HN105 HN106 HN107 HN108 HN109 HN110 HN111 HN112 HN113 HN114 HN115 HN116 HN117 HN118 HN119 HN120 HN121 HN122 HN123 HN124 HN125 HN126 HN127 HN128 HN129 HN130 HN131 HN132 HN133 HN134 HN135 HN136 HN137 HN138 HN139 HN140 HN141 HN142 HN143 HN144 HN145 HN146 HN147 HN148 HN149 HN150 HN151 HN152 HN153 HN154 HN155 HN156 HN157 HN158 HN159 HN160 HN161 HN162 HN163 HN164 HN165 HN166 HN167 HN168 HN169 HN170 HN171 HN172 HN173 HN174 HN175 HN176 HN177 HN178 HN179 HN180 HN181 HN182 HN183 HN184 HN185 HN186 HN187 HN188 HN189 HN190 HN191 HN192 HN193 HN194 HN195 HN196 HN197 HN198 HN199 HN200											
Turnaround Time (Business days)		Approved By (Accutest PM) / Date:		Data Deliverable Information												Comments / Special Instructions											
☒ Std. 15 Business Days ☐ Std. 10 Business Days (by Contract only) ☐ 10 Day RUSH ☐ 5 Day RUSH ☐ 3 Day EMERGENCY ☐ 2 Day EMERGENCY ☐ 1 Day EMERGENCY Emergency & Rush TIA data available VIA Lablink		☐ Commercial "A" (Level 1) ☐ Commercial "B" (Level 2) ☐ FULLT1 (Level 3+4) ☐ NJ Reduced ☐ Commercial "C" Commercial "A" = Results Only Commercial "B" = Results + QC Summary NJ Reduced = Results + QC Summary + Partial Raw data		☐ NYASP Category A ☒ NYASP Category B ☐ State Forms ☐ EDD Format ☐ Other _____																							
Relinquished by Sampler:		Date Time:		Received By:		Date Time:		Received By:		Relinquished by:												Date Time:		Received By:			
Relinquished by:		Date Time:		Received By:		Date Time:		Received By:		Custody Seal # <u>306</u>												Preserved where applicable		On Ice		Cooler Temp. <u>4.3°C</u>	

JB151: Chain of Custody

Page 1 of 5

Client / Reporting Information		Project Information		Requested Analysis (see TEST CODE sheet)												Matrix Codes			
Company Name CA Rick		Project Name Merrick Cleans														DW - Drinking Water GW - Ground Water WW - Water SW - Surface Water SO - Soil SL - Sludge SED - Sediment OI - Oil LIQ - Other Liquid AIR - Air SOL - Other Solid WP - Wipe FB - Field Blank EB - Equipment Blank RB - Rinse Blank TB - Trip Blank			
Street Address 17 Dupont Street		Street Merrick Road																	
City State Zip Plainville NY 11803		City State Massapequa NY																	
Project Contact Victoria Walek		Project #																	
Phone # 516-576-8844		Fax #		Client Purchase Order #		City State Zip													
Sampler(s) Name(s) Jason Cooper / Mike Vayer		Phone #		Project Manager		Attention:													
Account Sample #	Field ID / Point of Collection	MECHMOI Vial #	Collection		Sampled by	Matrix	# of bottles	Number of preserved bottles										LAB USE ONLY	
			Date	Time				HC	NOH	PHOS	MBDA	NOE	DI Water	MECH	ENCORE				
-13	MW-1 (14-15.5')		2/22/12	1320	FW	3	X												
-14	MW-2 (14.5-16')		2/22/12	1235	FW	2	X												
-15	MW-3 (13-14.5')		2/22/12	1342	FW	3	X												
-16	MW-4 (13-14.5')		2/22/12	1409	FW	3	X												
-17	MW-5 (12.5-14')		2/22/12	1433	FW	3	X												
-18	MW-6 (7.5-9')		2/22/12	1501	FW	3	X												
-19	Trip blank 2/22-		2/22/12		FW	1	X												
-14	MW-2 (14.5-16') MS		2/22/12	1235	FW	2	X												
-14	MW-2 (14.5-16') MSD		2/22/12	1235	FW	2	X												
-20	MW-X X		2/22/12		FW	3	X												
-21	PDB Prefilled Blank		2-22-12		WW	2	X												
Turnaround Time (Business days)				Data Deliverable Information												Comments / Special Instructions			
☒ Std. 15 Business Days ☐ Std. 10 Business Days (by Contract only) ☐ 10 Day RUSH ☐ 5 Day RUSH ☐ 3 Day EMERGENCY ☐ 2 Day EMERGENCY ☐ 1 Day EMERGENCY Emergency & Rush T/A data available VIA Lablink		Approved By (Accutest PM): / Date:		☐ Commercial "A" (Level 1) ☐ Commercial "B" (Level 2) ☐ FULLT1 (Level 3+4) ☐ NJ Reduced ☐ Commercial "C" ☒ NYASP Category A ☒ NYASP Category B ☐ State Forms ☐ EDD Format ☐ Other _____ Commercial "A" = Results Only Commercial "B" = Results + QC Summary NJ Reduced = Results + QC Summary + Partial Raw data												#MSB 2-24-12			
Sample Custody must be documented below each time samples change possession, including courier delivery.																			
Relinquished by Sampler: JA T. Cooper		Date Time: 2/23/12 1530		Received By: 1 FedEx		Relinquished By: 2 FCB EP		Date Time: 2-24-12 1000		Received By: 2									
Relinquished by Sampler:		Date Time:		Received By:		Relinquished By:		Date Time:		Received By:									
Relinquished by:		Date Time:		Received By:		Custody Seal #		☐ Intact ☐ Not intact		Preserved where applicable ☐		On Ice ☐		Cooler Temp.					

JB151: Chain of Custody

Page 2 of 5



Sample Log-In Summary

Lab Name: ACCUTEST Page 1 of 1

Received by (Print Name): ANDREW SIA Log-in Date: 2/24/12

Received by (Signature): [Signature]

		CORRESPONDING		REMARKS: CONDITION OF SAMPLE SHIPMENT, ETC.
Case Number:	N/A	SAMPLE TAG #	ASSIGNED LAB #	
SDG Number:	N/A			
SAS Number:	N/A			
REMARKS:				
1. Custody Seal(s)	<u>Present/Absent*</u> <u>Intact/Broken</u>			
2. Custody Seal Numbers:	<u>306 INTACT</u>			
3. Chain-of-Custody Records	<u>Present/Absent*</u>			
4. Contract Lab Sample Inform.	<u>Present/Absent* N/A</u>			
5. Airbill	<u>Airbill/Sticker</u>			
6. Airbill No.:	<u>260X 5770 4676 8769</u>			
7. Sample Tags Sample Tag Nos.	<u>Present/Absent* N/A</u> <u>Listed/Not Listed on</u>			
8. Sample Condition	<u>Chain-of-Custody</u> <u>Intact/Broken*</u> <u>Leaking</u>			
9. Does Information on custody rec., CLSIS, & sample tags agree	<u>CCC + 100% agree</u> <u>(Yes/No*)</u>			
10. Date received at Lab:	<u>2/24/12</u>			
11. Time Received:	<u>1000</u>			
12. Do aqueous VOC vials have headspace?	<u>Yes/No*</u>			
13. Are preserved voc soil samples fully immersed in preservative?	<u>Yes/No* (N/A)</u>			
Sample Transfer				
Fraction:				
Area #:				
By:				
On:				
<u>See Internal</u>				
<u>Chain of Custody</u>				

* Contract B1SR and attach record of resolution

Reviewed By:

Date:

Logbook No.:

Logbook Page No.:

Form: SM10-02

Rev. Date: 8/21/03

Accutest Laboratories Sample Receipt Summary

Accutest Job Number: JB151 **Client:** CA RICH CONSULTANTS - NY **Project:** MERRICK CLEANERS - NY
Date / Time Received: 2/24/2012 10:00 **Delivery Method:** FedEx **Airbill #s:** 877046768169

Cooler Temps (Initial/Adjusted): #1: (4.3/4.3):

Cooler Security

Y or N

Y or N

- | | |
|--|--|
| 1. Custody Seals Present: ☒ Y ☐ N | 3. COC Present: ☒ Y ☐ N |
| 2. Custody Seals Intact: ☒ Y ☐ N | 4. Smpl Dates/Time OK ☐ Y ☒ N |

Cooler Temperature

Y or N

- | | |
|---|--|
| 1. Temp criteria achieved: ☒ Y ☐ N | |
| 2. Cooler temp verification: _____ | |
| 3. Cooler media: _____ | |
| 4. No, Coolers _____ | |

Quality Control Preservation

Y

N

N/A

- | | |
|---|--|
| 1. Trip Blank present / cooler: ☒ Y ☐ N ☐ N/A | |
| 2. Trip Blank listed on COC: ☒ Y ☐ N ☐ N/A | |
| 3. Samples preserved properly: ☒ Y ☐ N ☐ N/A | |
| 4. VOCs headspace free: ☒ Y ☐ N ☐ N/A | |

Sample Integrity - Documentation

Y or N

- | | |
|---|--|
| 1. Sample labels present on bottles: ☒ Y ☐ N | 2. Container labeling complete: ☒ Y ☐ N |
| 3. Sample container label / COC agree: ☒ Y ☐ N | |

Sample Integrity - Condition

Y or N

- | | |
|---|---|
| 1. Sample recvd within HT: ☒ Y ☐ N | 2. All containers accounted for: ☒ Y ☐ N |
| 3. Condition of sample: _____ | Broken / Leaking _____ |

Sample Integrity - Instructions

Y

N

N/A

- | | |
|---|--|
| 1. Analysis requested is clear: ☒ Y ☐ N | 2. Bottles received for unspecified tests: ☐ Y ☒ N |
| 3. Sufficient volume recvd for analysis: ☒ Y ☐ N | 4. Compositing instructions clear: ☐ Y ☐ N ☒ N/A |
| 5. Filtering instructions clear: ☐ Y ☐ N | ☒ N/A |

Comments -4 1 OF 3 VOC'S REC'D BROKEN
 -14 MS/MSD - ONLY 6 VIALS REC'D
 -19 NATB - REC'D 1 VIAL
 -21 NO COLLECTION TIME ON LABEL OR COC

Accutest Job Number: JB151

CSR: Michelle _____

Response Date: 2/27/2012

Response: -4, run analysis w/no voa screen
-14, 6 vials should be enough, please run sample plus MS/MSD
-19, please proceed as noted
-21, use time of 0000

Analyze for V8260TCL11

Per Jason Cooper

4.1
4