

Emerging Contaminant Sampling Initiative

EC Form 1: Initial Groundwater Sampling Results Evaluation



Site Name: Stanton Cleaners

Site ID: 130072

Date(s) Sampled: January 19, 2018

Class: 4

Number of Monitoring Wells: 8

(attach figure showing sampling locations)

Groundwater Screening

Chemical	Screening Level	Max. Concentration Detected	Check Box if Screening Level Exceeded
1,4-dioxane in groundwater	0.35 ug/L (ppb)	2.5	☒
PFOA + PFOS in groundwater	70 ng/L (ppt)	88.6	☒
Awareness			
Other PFAS (not PFOA/PFOS)	Any one compound over 100 ng/L	25.8	☐
Total PFAS (incl. PFOA/PFOS)	Total concentration over 500 ng/L	146.2	☐

Stop here if no screening levels are exceeded. No further action required at this time.

Proximity to Water Supplies

Water Supply Type	Any wells within ½ mile of site?	Distance (ft)	Method(s) used to confirm water supply well locations
Public well(s)	yes	1440	GIS Buffer Zone Map
Private well(s)	No		GIS Buffer Zone Map

If water supply wells are confirmed within ½ mile of site, discuss need for sampling these supply wells with DOH. Create a *EC Water Supply Sampling* project in UIS to track drinking water sampling efforts as directed.

Apparent Source(s)

Chemical	Past use or storage of chemical on-site?	Describe reasons for suspecting apparent source(s)
1,4-dioxane	No	
PFAS	No	

If an apparent on-site source is suspected, evaluate the potential for off-site contaminant migration and incorporate into ongoing remedial program if possible.


Further action required at this time?

☒ Yes ☐ No

If yes, summarize site-specific next steps in the box at the bottom of page 2 of this form.


Project Manager


Bureau Director


Section Chief
1/19/2018
Date Signed

Emerging Contaminant Sampling Initiative

EC Form 1: Initial Groundwater Sampling Results Evaluation




Checklist for Completing EC Form 1:

- ☒ Did you include a value in "Maximum Level Detected" even if the screening levels were not exceeded?
- ☒ Did you enter "ND" if nothing detected or "NA" if not analyzed?
- ☒ Did you check your units (ug/L vs ng/L)?
- ☒ Did you include PFOA & PFOS when totaling "Total PFAS"?
- ☒ Did you check yes or no for "Is further action required at this time?"
- ☒ Did you attach "next steps" if applicable?
- ☒ Did you attach a figure with sampling locations?
- ☒ Did you attach emerging contaminant data? (not necessarily full data package—only enough for all reviewers to double check that the form is filled out properly)
- ☒ Did you read through the internal DER Emerging Contaminant website for guidance on what to do if you have exceedances?
- ☒ Did you check with state/local DOH or with local public water suppliers to help determine the presence of private drinking water wells?
- ☒ Did you complete the UIS EC project current status per the internal DER Emerging Contaminant website?
- ☒ Is the data in EQUIS?
- ☐ Did you put this form in DecDocs when completed?
- ☐ Has a copy of the signed form been sent to Caryn Bower and Eric Hausamann?

Site-specific next steps or additional comments

Project to be added to sample the Public Supply wells.

130072, Stanton Cleaners 1/2 Mile Radius Search



CHEMICAL_NAME CAS_RN					1,	
Location	Sample Name	Sample Date	Matrix	Analytical Method	EQuIS Date Loaded	Result
CL-4D	EPA-CL-4D-011818	18 Jan 2018	WG	SW8270DSIM	12/28/2018 2:35:00	0.42
EPA-CL-4S	EPA-CL-4S-011818	18 Jan 2018	WG	SW8270DSIM	12/28/2018 2:35:00	0.42
EPA-EXT-02	EPA-EXT-02-012218	22 Jan 2018	WG	SW8270DSIM	12/28/2018 2:35:00	0.11
EPA-MW-23	EPA-MW-23-011918	19 Jan 2018	WG	SW8270DSIM	12/28/2018 2:35:00	0.4
EPA-MW-26	EPA-MW-26-012218	22 Jan 2018	WG	SW8270DSIM	12/28/2018 2:35:00	2.5
ST-MW-15	ST-MW-15-012218	22 Jan 2018	WG	SW8270DSIM	12/28/2018 2:35:00	0.046
ST-MW-16	St-MW-16-011918	19 Jan 2018	WG	SW8270DSIM	12/28/2018 2:35:00	0.4
ST-MW-18	ST-MW-18-012218	22 Jan 2018	WG	SW8270DSIM	12/28/2018 2:35:00	0.42
ST-MW-19	ST-MW-19-011918	19 Jan 2018	WG	SW8270DSIM	12/28/2018 2:35:00	0.42
ST-MW-20	ST-MW-20-012218	22 Jan 2018	WG	SW8270DSIM	12/28/2018 2:35:00	0.3

4-Dioxane (P-Dioxane)		
123-91-1		
Qual	Unit	RDL
U	ug/l	0.42
U	ug/l	0.42
J	ug/l	0.42
U	ug/l	0.40
	ug/l	0.43
J	ug/l	0.40
U	ug/l	0.40
U	ug/l	0.42
U	ug/l	0.42
J	ug/l	0.43

CHEMICAL_NAME CAS_RN					Perfluor	
Location	Sample Name	Sample Date	Matrix	Analytical Method	EQUS Date Loaded	Result
EPA-EXT-02	EPA-EXT-02-012218	22 Jan 2018	WG	E537-LL	12/28/2018 2:35:00	2.81
EPA-MW-23	BB-EPA-MW-23-011918	19 Jan 2018	WG	E537-LL	12/28/2018 2:35:00	2.03
EPA-MW-23	EPA-MW-23-011918	19 Jan 2018	WG	E537-LL	12/28/2018 2:35:00	2.98
EPA-MW-26	BB-EPA-MW-26-012218	22 Jan 2018	WG	E537-LL	12/28/2018 2:35:00	1.64
EPA-MW-26	EPA-MW-26-012218	22 Jan 2018	WG	E537-LL	12/28/2018 2:35:00	4.3
ST-MW-15	BB-ST-MW-15-012218	22 Jan 2018	WG	E537-LL	12/28/2018 2:35:00	1.77
ST-MW-15	ST-MW-15-012218	22 Jan 2018	WG	E537-LL	12/28/2018 2:35:00	0.57
ST-MW-16	BB-ST-MW-16-011918	19 Jan 2018	WG	E537-LL	12/28/2018 2:35:00	2.01
ST-MW-16	St-MW-16-011918	19 Jan 2018	WG	E537-LL	12/28/2018 2:35:00	4.52
ST-MW-18	BB-ST-MW-18-012218	22 Jan 2018	WG	E537-LL	12/28/2018 2:35:00	1.77
ST-MW-18	ST-MW-18-012218	22 Jan 2018	WG	E537-LL	12/28/2018 2:35:00	0.65
ST-MW-19	BB-ST-MW-19-011918	19 Jan 2018	WG	E537-LL	12/28/2018 2:35:00	2.04
ST-MW-19	ST-MW-19-011918	19 Jan 2018	WG	E537-LL	12/28/2018 2:35:00	2.56
ST-MW-20	BB-ST-MW-20-012218	22 Jan 2018	WG	E537-LL	12/28/2018 2:35:00	1.65
ST-MW-20	ST-MW-20-012218	22 Jan 2018	WG	E537-LL	12/28/2018 2:35:00	2.44

robutanesulfonic acid (PFBS) 375-73-5			Perfluorobutanoic Acid 375-22-4			
Qual	Unit	RDL	EquIS Date Loaded	Result	Qual	Unit
	ng/l	1.80	12/28/2018 2:35:00	5.99	B	ng/l
U	ng/l	2.03	12/28/2018 2:35:00	0.43	BJ	ng/l
	ng/l	2.01	12/28/2018 2:35:00	9.32	B	ng/l
U	ng/l	1.64	12/28/2018 2:35:00	0.39	BJ	ng/l
	ng/l	1.98	12/28/2018 2:35:00	14	B	ng/l
U	ng/l	1.77	12/28/2018 2:35:00	0.61	BJ	ng/l
J	ng/l	1.70	12/28/2018 2:35:00	1.98	U	ng/l
U	ng/l	2.01	12/28/2018 2:35:00	1	BJ	ng/l
	ng/l	2.02	12/28/2018 2:35:00	7.72	U	ng/l
U	ng/l	1.77	12/28/2018 2:35:00	0.32	BJ	ng/l
J	ng/l	1.98	12/28/2018 2:35:00	5.97	B	ng/l
U	ng/l	2.04	12/28/2018 2:35:00	1	BJ	ng/l
	ng/l	2.00	12/28/2018 2:35:00	5.77	U	ng/l
U	ng/l	1.65	12/28/2018 2:35:00	0.51	BJ	ng/l
	ng/l	1.70	12/28/2018 2:35:00	3.8	B	ng/l

	Perfluorodecane Sulfonic Acid 335-77-3					
RDL	EQulS Date Loaded	Result	Qual	Unit	RDL	EQulS Date Loaded
1.80	12/28/2018 2:35:00	1.8	U	ng/l	1.80	12/28/2018 2:35:00
2.03	12/28/2018 2:35:00	2.03	U	ng/l	2.03	12/28/2018 2:35:00
2.01	12/28/2018 2:35:00	2.01	U	ng/l	2.01	12/28/2018 2:35:00
1.64	12/28/2018 2:35:00	1.64	U	ng/l	1.64	12/28/2018 2:35:00
1.98	12/28/2018 2:35:00	1.98	U	ng/l	1.98	12/28/2018 2:35:00
1.77	12/28/2018 2:35:00	1.77	U	ng/l	1.77	12/28/2018 2:35:00
1.98	12/28/2018 2:35:00	1.7	U	ng/l	1.70	12/28/2018 2:35:00
2.01	12/28/2018 2:35:00	2.01	U	ng/l	2.01	12/28/2018 2:35:00
7.72	12/28/2018 2:35:00	2.02	U	ng/l	2.02	12/28/2018 2:35:00
1.77	12/28/2018 2:35:00	1.77	U	ng/l	1.77	12/28/2018 2:35:00
1.98	12/28/2018 2:35:00	1.98	U	ng/l	1.98	12/28/2018 2:35:00
2.04	12/28/2018 2:35:00	2.04	U	ng/l	2.04	12/28/2018 2:35:00
5.77	12/28/2018 2:35:00	2	U	ng/l	2.00	12/28/2018 2:35:00
1.65	12/28/2018 2:35:00	1.65	U	ng/l	1.65	12/28/2018 2:35:00
1.70	12/28/2018 2:35:00	1.7	U	ng/l	1.70	12/28/2018 2:35:00

Perfluorodecanoic acid (PFDA) 335-76-2				Perfluorododecanoic acid (P 307-55-1		
Result	Qual	Unit	RDL	EquiS Date Loaded	Result	Qual
1.8	U	ng/l	1.80	12/28/2018 2:35:00	1.8	U
2.03	U	ng/l	2.03	12/28/2018 2:35:00	2.03	U
2.01	U	ng/l	2.01	12/28/2018 2:35:00	2.01	U
1.64	U	ng/l	1.64	12/28/2018 2:35:00	1.64	U
0.32	J	ng/l	1.98	12/28/2018 2:35:00	1.98	U
1.77	U	ng/l	1.77	12/28/2018 2:35:00	1.77	U
1.7	U	ng/l	1.70	12/28/2018 2:35:00	1.7	U
2.01	U	ng/l	2.01	12/28/2018 2:35:00	2.01	U
2.02	U	ng/l	2.02	12/28/2018 2:35:00	2.02	U
1.77	U	ng/l	1.77	12/28/2018 2:35:00	1.77	U
0.37	J	ng/l	1.98	12/28/2018 2:35:00	1.98	U
2.04	U	ng/l	2.04	12/28/2018 2:35:00	2.04	U
2	U	ng/l	2.00	12/28/2018 2:35:00	2	U
1.65	U	ng/l	1.65	12/28/2018 2:35:00	1.65	U
1.7	U	ng/l	1.70	12/28/2018 2:35:00	1.7	U

FDoA)		Perfluoroheptane Sulfonate (PFHPS) 375-92-8				
Unit	RDL	EQulS Date Loaded	Result	Qual	Unit	RDL
ng/l	1.80	12/28/2018 2:35:00	0.74	J	ng/l	1.80
ng/l	2.03	12/28/2018 2:35:00	2.03	U	ng/l	2.03
ng/l	2.01	12/28/2018 2:35:00	0.84	J	ng/l	2.01
ng/l	1.64	12/28/2018 2:35:00	1.64	U	ng/l	1.64
ng/l	1.98	12/28/2018 2:35:00	1.82	J	ng/l	1.98
ng/l	1.77	12/28/2018 2:35:00	1.77	U	ng/l	1.77
ng/l	1.70	12/28/2018 2:35:00	1.7	U	ng/l	1.70
ng/l	2.01	12/28/2018 2:35:00	2.01	U	ng/l	2.01
ng/l	2.02	12/28/2018 2:35:00	0.36	J	ng/l	2.02
ng/l	1.77	12/28/2018 2:35:00	1.77	U	ng/l	1.77
ng/l	1.98	12/28/2018 2:35:00	1.98	U	ng/l	1.98
ng/l	2.04	12/28/2018 2:35:00	2.04	U	ng/l	2.04
ng/l	2.00	12/28/2018 2:35:00	0.79	J	ng/l	2.00
ng/l	1.65	12/28/2018 2:35:00	1.65	U	ng/l	1.65
ng/l	1.70	12/28/2018 2:35:00	0.64	J	ng/l	1.70

Perfluoroheptanoic acid (PFHpA) 375-85-9					Perfluor	
EQulS Date Loaded	Result	Qual	Unit	RDL	EQulS Date Loaded	Result
12/28/2018 2:35:00	6.61		ng/l	1.80	12/28/2018 2:35:00	6.8
12/28/2018 2:35:00	2.03	U	ng/l	2.03	12/28/2018 2:35:00	0.29
12/28/2018 2:35:00	7.67		ng/l	2.01	12/28/2018 2:35:00	9.58
12/28/2018 2:35:00	1.64	U	ng/l	1.64	12/28/2018 2:35:00	0.19
12/28/2018 2:35:00	18.8		ng/l	1.98	12/28/2018 2:35:00	25.8
12/28/2018 2:35:00	1.77	U	ng/l	1.77	12/28/2018 2:35:00	0.25
12/28/2018 2:35:00	0.52	J	ng/l	1.70	12/28/2018 2:35:00	1.7
12/28/2018 2:35:00	2.01	U	ng/l	2.01	12/28/2018 2:35:00	0.26
12/28/2018 2:35:00	7.43		ng/l	2.02	12/28/2018 2:35:00	5.22
12/28/2018 2:35:00	1.77	U	ng/l	1.77	12/28/2018 2:35:00	0.27
12/28/2018 2:35:00	0.8	J	ng/l	1.98	12/28/2018 2:35:00	1.98
12/28/2018 2:35:00	2.04	U	ng/l	2.04	12/28/2018 2:35:00	0.29
12/28/2018 2:35:00	7.51		ng/l	2.00	12/28/2018 2:35:00	6.72
12/28/2018 2:35:00	1.65	U	ng/l	1.65	12/28/2018 2:35:00	0.23
12/28/2018 2:35:00	3.53		ng/l	1.70	12/28/2018 2:35:00	4.47

hexanesulfonic acid (PFHxS) 355-46-4			Perfluorohexanoic acid (PFHxA) 307-24-4			
Qual	Unit	RDL	EquIS Date Loaded	Result	Qual	Unit
B	ng/l	1.80	12/28/2018 2:35:00	9.15		ng/l
BJ	ng/l	2.03	12/28/2018 2:35:00	2.03	U	ng/l
B	ng/l	2.01	12/28/2018 2:35:00	13.1		ng/l
BJ	ng/l	1.64	12/28/2018 2:35:00	1.64	U	ng/l
B	ng/l	1.98	12/28/2018 2:35:00	28.8		ng/l
BJ	ng/l	1.77	12/28/2018 2:35:00	1.77	U	ng/l
U	ng/l	1.70	12/28/2018 2:35:00	0.6	J	ng/l
BJ	ng/l	2.01	12/28/2018 2:35:00	2.01	U	ng/l
B	ng/l	2.02	12/28/2018 2:35:00	10.6		ng/l
BJ	ng/l	1.77	12/28/2018 2:35:00	1.77	U	ng/l
U	ng/l	1.98	12/28/2018 2:35:00	1.73	J	ng/l
BJ	ng/l	2.04	12/28/2018 2:35:00	2.04	U	ng/l
B	ng/l	2.00	12/28/2018 2:35:00	7.79		ng/l
BJ	ng/l	1.65	12/28/2018 2:35:00	1.65	U	ng/l
B	ng/l	1.70	12/28/2018 2:35:00	6.2		ng/l

	Perfluorononanoic acid (PFNA) 375-95-1					
RDL	EQulS Date Loaded	Result	Qual	Unit	RDL	EQulS Date Loaded
1.80	12/28/2018 2:35:00	2.22		ng/l	1.80	12/28/2018 2:35:00
2.03	12/28/2018 2:35:00	2.03	U	ng/l	2.03	12/28/2018 2:35:00
2.01	12/28/2018 2:35:00	9.13		ng/l	2.01	12/28/2018 2:35:00
1.64	12/28/2018 2:35:00	1.64	U	ng/l	1.64	12/28/2018 2:35:00
1.98	12/28/2018 2:35:00	8.7		ng/l	1.98	12/28/2018 2:35:00
1.77	12/28/2018 2:35:00	1.77	U	ng/l	1.77	12/28/2018 2:35:00
1.70	12/28/2018 2:35:00	1.7	U	ng/l	1.70	12/28/2018 2:35:00
2.01	12/28/2018 2:35:00	2.01	U	ng/l	2.01	12/28/2018 2:35:00
2.02	12/28/2018 2:35:00	2.51		ng/l	2.02	12/28/2018 2:35:00
1.77	12/28/2018 2:35:00	1.77	U	ng/l	1.77	12/28/2018 2:35:00
1.98	12/28/2018 2:35:00	0.43	J	ng/l	1.98	12/28/2018 2:35:00
2.04	12/28/2018 2:35:00	2.04	U	ng/l	2.04	12/28/2018 2:35:00
2.00	12/28/2018 2:35:00	3.86		ng/l	2.00	12/28/2018 2:35:00
1.65	12/28/2018 2:35:00	1.65	U	ng/l	1.65	12/28/2018 2:35:00
1.70	12/28/2018 2:35:00	1.7	U	ng/l	1.70	12/28/2018 2:35:00

Perfluorooctane Sulfonamide (FOSA) 754-91-6				Perfluorooctanesulfonic acid 1763-23-1		
Result	Qual	Unit	RDL	EquiS Date Loaded	Result	Qual
1.8	U	ng/l	1.80	12/28/2018 2:35:00	15	
2.03	U	ng/l	2.03	12/28/2018 2:35:00	2.03	U
2.01	U	ng/l	2.01	12/28/2018 2:35:00	25.5	
1.64	U	ng/l	1.64	12/28/2018 2:35:00	1.64	U
1.98	U	ng/l	1.98	12/28/2018 2:35:00	64.2	
1.77	U	ng/l	1.77	12/28/2018 2:35:00	1.77	U
1.7	U	ng/l	1.70	12/28/2018 2:35:00	1.7	U
2.01	U	ng/l	2.01	12/28/2018 2:35:00	2.01	U
2.02	U	ng/l	2.02	12/28/2018 2:35:00	21.4	
1.77	U	ng/l	1.77	12/28/2018 2:35:00	1.77	U
1.98	U	ng/l	1.98	12/28/2018 2:35:00	1.12	J
2.04	U	ng/l	2.04	12/28/2018 2:35:00	2.04	U
2	U	ng/l	2.00	12/28/2018 2:35:00	20.8	
1.65	U	ng/l	1.65	12/28/2018 2:35:00	1.65	U
1.7	U	ng/l	1.70	12/28/2018 2:35:00	1.07	J

(PFOS)		Perfluorooctanoic acid (PFOA) 335-67-1				
Unit	RDL	EQulS Date Loaded	Result	Qual	Unit	RDL
ng/l	1.80	12/28/2018 2:35:00	17		ng/l	1.80
ng/l	2.03	12/28/2018 2:35:00	2.03	U	ng/l	2.03
ng/l	2.01	12/28/2018 2:35:00	19.8		ng/l	2.01
ng/l	1.64	12/28/2018 2:35:00	1.64	U	ng/l	1.64
ng/l	1.98	12/28/2018 2:35:00	24.4		ng/l	1.98
ng/l	1.77	12/28/2018 2:35:00	1.77	U	ng/l	1.77
ng/l	1.70	12/28/2018 2:35:00	1.2	J	ng/l	1.70
ng/l	2.01	12/28/2018 2:35:00	2.01	U	ng/l	2.01
ng/l	2.02	12/28/2018 2:35:00	13.5		ng/l	2.02
ng/l	1.77	12/28/2018 2:35:00	1.77	U	ng/l	1.77
ng/l	1.98	12/28/2018 2:35:00	1.19	J	ng/l	1.98
ng/l	2.04	12/28/2018 2:35:00	2.04	U	ng/l	2.04
ng/l	2.00	12/28/2018 2:35:00	25.4		ng/l	2.00
ng/l	1.65	12/28/2018 2:35:00	1.65	U	ng/l	1.65
ng/l	1.70	12/28/2018 2:35:00	3.46		ng/l	1.70

Perfluoropentanoic Acid (PFPeA) 2706-90-3					Perfluoro	
EQulS Date Loaded	Result	Qual	Unit	RDL	EQulS Date Loaded	Result
12/28/2018 2:35:00	11.7		ng/l	1.80	12/28/2018 2:35:00	1.8
12/28/2018 2:35:00	2.03	U	ng/l	2.03	12/28/2018 2:35:00	2.03
12/28/2018 2:35:00	21.6		ng/l	2.01	12/28/2018 2:35:00	2.01
12/28/2018 2:35:00	1.64	U	ng/l	1.64	12/28/2018 2:35:00	1.64
12/28/2018 2:35:00	40.7		ng/l	1.98	12/28/2018 2:35:00	1.98
12/28/2018 2:35:00	1.77	U	ng/l	1.77	12/28/2018 2:35:00	1.77
12/28/2018 2:35:00	0.6	J	ng/l	1.70	12/28/2018 2:35:00	1.7
12/28/2018 2:35:00	2.01	U	ng/l	2.01	12/28/2018 2:35:00	2.01
12/28/2018 2:35:00	15		ng/l	2.02	12/28/2018 2:35:00	2.02
12/28/2018 2:35:00	1.77	U	ng/l	1.77	12/28/2018 2:35:00	1.77
12/28/2018 2:35:00	1.1	J	ng/l	1.98	12/28/2018 2:35:00	1.98
12/28/2018 2:35:00	2.04	U	ng/l	2.04	12/28/2018 2:35:00	2.04
12/28/2018 2:35:00	8.22		ng/l	2.00	12/28/2018 2:35:00	2
12/28/2018 2:35:00	1.65	U	ng/l	1.65	12/28/2018 2:35:00	1.65
12/28/2018 2:35:00	6.13		ng/l	1.70	12/28/2018 2:35:00	1.7

rotetradecanoic acid (PFTA) 376-06-7			Perfluorotridecanoic Acid (PFTriA) 72629-94-8			
Qual	Unit	RDL	EquIS Date Loaded	Result	Qual	Unit
U	ng/l	1.80	12/28/2018 2:35:00	1.8	U	ng/l
U	ng/l	2.03	12/28/2018 2:35:00	2.03	U	ng/l
U	ng/l	2.01	12/28/2018 2:35:00	2.01	U	ng/l
U	ng/l	1.64	12/28/2018 2:35:00	1.64	U	ng/l
U	ng/l	1.98	12/28/2018 2:35:00	1.98	U	ng/l
U	ng/l	1.77	12/28/2018 2:35:00	1.77	U	ng/l
U	ng/l	1.70	12/28/2018 2:35:00	1.7	U	ng/l
U	ng/l	2.01	12/28/2018 2:35:00	2.01	U	ng/l
U	ng/l	2.02	12/28/2018 2:35:00	2.02	U	ng/l
U	ng/l	1.77	12/28/2018 2:35:00	1.77	U	ng/l
U	ng/l	1.98	12/28/2018 2:35:00	1.98	U	ng/l
U	ng/l	2.04	12/28/2018 2:35:00	2.04	U	ng/l
U	ng/l	2.00	12/28/2018 2:35:00	2	U	ng/l
U	ng/l	1.65	12/28/2018 2:35:00	1.65	U	ng/l
U	ng/l	1.70	12/28/2018 2:35:00	1.7	U	ng/l

	Perfluoroundecanoic Acid (PFUnA) 2058-94-8				
RDL	EQulS Date Loaded	Result	Qual	Unit	RDL
1.80	12/28/2018 2:35:00	1.8	U	ng/l	1.80
2.03	12/28/2018 2:35:00	2.03	U	ng/l	2.03
2.01	12/28/2018 2:35:00	2.01	U	ng/l	2.01
1.64	12/28/2018 2:35:00	1.64	U	ng/l	1.64
1.98	12/28/2018 2:35:00	1.98	U	ng/l	1.98
1.77	12/28/2018 2:35:00	1.77	U	ng/l	1.77
1.70	12/28/2018 2:35:00	1.7	U	ng/l	1.70
2.01	12/28/2018 2:35:00	2.01	U	ng/l	2.01
2.02	12/28/2018 2:35:00	2.02	U	ng/l	2.02
1.77	12/28/2018 2:35:00	1.77	U	ng/l	1.77
1.98	12/28/2018 2:35:00	1.98	U	ng/l	1.98
2.04	12/28/2018 2:35:00	2.04	U	ng/l	2.04
2.00	12/28/2018 2:35:00	2	U	ng/l	2.00
1.65	12/28/2018 2:35:00	1.65	U	ng/l	1.65
1.70	12/28/2018 2:35:00	1.7	U	ng/l	1.70