



December 7, 2015

Ms. Melissa Sweet
NYSDEC
625 Broadway
Albany, New York 12233-7013

Re: Former Munsey Cleaners Site - Port Washington, NY
Site #130081- CallOut ID#121148

Dear Ms. Sweet:

EnviroTrac Ltd. (EnviroTrac) was retained by the New York State Department of Environmental Conservation (NYSDEC) as an authorized Investigation & Remediation Standby Contractor to conduct groundwater and surface water sampling at the referenced Site. The assigned scope of work included collection of groundwater samples from 7 monitoring wells installed at the former Plaza Cleaners Site located at 966 Port Washington Blvd., 50 monitoring wells installed in the vicinity of the former Plaza Cleaners Site, 3 surface water samples from Baxter Pond, 4 surface water samples from Baxter Brook, and 2 grab samples from the Sandy Hollow Well Field. Figure 1 showing sampling locations is attached. Samples were analyzed by TestAmerica under a separate NYSDEC work authorization and results provided in an ASP Category B report and a NYSDEC format Electronic Data Deliverable (EDD). Quality assurance samples that were collected included duplicates and trip blanks. Results for the trip blank samples are provided in Table 1. Results for duplicates and parent samples are provided in Table 4.

Groundwater Sampling

Groundwater sampling employed a non-purge method and a total of 55 monitoring wells were tested utilizing pre-filled and sealed passive diffusion bag (PDB) samplers supplied by ALS Environmental. Two versions were used based on well construction; 24-inch, 220 ml PDBs were installed in wells with 5-foot screens and 48-inch, 220 ml units were used for those with 10 and 15-foot screens. The depth of the well and the depth to groundwater from top of casing (i.e., approximately land surface) were measured and documented prior to deployment of the PDBs on October 7-8, 2015. The PDBs were then installed at a depth corresponding to the approximate midpoint of the screen zone and left in place to equilibrate with the formation water for a three week period. They were subsequently retrieved and contents transferred to laboratory supplied 40 ml bottles during the period October 28-29, 2015 and shipped via courier to TestAmerica for analysis of volatile organic compounds (VOCs) by EPA SW-846 Method 8260C.

Monitoring well MC-3 could not be sampled as the road box had been filled with concrete sometime after the 2013 fall sampling and prior to sampling performed in the fall of 2014. Monitoring wells MC-10A, MC-10B and MC-10C (that comprise a multi-level well nest installed within a single manhole) were not sampled as the top portion of the well is severely damaged and the manhole could not be opened.

Table 2 provides a summary of pertinent data for the tested wells including PDB deployment and retrieval information. Tabulated laboratory results for the groundwater sampling are provided in Table 3. Figure 2 provides summarized results for tetrachloroethene (PCE), trichloroethene (TCE) and cis-1,2-dichloroethene (cis-1,2-DCE) for testing conducted in 2008, 2010, 2012, 2013, 2014 and 2015.

Surface Water Sampling

Grab samples were collected on October 29 and 28, 2015 from Baxter Pond (3 samples) and Baxter Brook (4 samples) and analyzed by TestAmerica for VOCs by EPA SW-846 Method 8260C. Results are summarized in Table 4. Figures 3 and 4 provide results for PCE detections at Baxter Pond (2012, 2013, 2014 and 2015) and Baxter Brook (2008, 2010, 2011, 2012, 2013, 2014 and 2015).


Sandy Hollow Well Field Sampling

Two grab samples were collected on September 25, 2015 from the Sandy Hollow Well Field and analyzed by TestAmerica for VOCs by EPA SW-846 Method 8260C. The samples represent "finished" water as they were collected after treatment. Results are summarized in Table 5.

Should you have any questions, comments, or require further information pertaining to this matter please do not hesitate to contact me.

Sincerely,

EnviroTrac Ltd.




Peter C. Breen, PG, CPG
Senior Project Manager


Attachments




FIGURES


M:\GISMOD\0266380\Sampling Locations_labels_DOT_Quad2.mxd





1 inch = 500 feet





TABLES

Table 1: Summary of Trip Blank Results
Former Munsey Cleaners
1029 Port Washington Boulevard, Port Washington (Nassau Co.)
Site #130081

	Trip Blank 1	Trip Blank 2
	28-Oct-15	29-Oct-15
Chemical Name	Result	Result
1,1,1-Trichloroethane	1.0 U	1.0 U
1,1,2,2-Tetrachloroethane	1.0 U	1.0 U
1,1,2-Trichloroethane	1.0 U	1.0 U
1,1-Dichloroethane	1.0 U	1.0 U
1,1-Dichloroethene	1.0 U	1.0 U
1,2-Dichloroethane	1.0 U	1.0 U
1,2-Dichloropropane	1.0 U	1.0 U
2-Hexanone	5.0 U	5.0 U
Acetone	5.0 U	5.0 U
Benzene	1.0 U	1.0 U
Dichlorobromomethane	1.0 U	1.0 U
Bromoform	1.0 U	1.0 U
Bromomethane	1.0 U	1.0 U
Carbon disulfide	1.0 U	1.0 U
Carbon tetrachloride	1.0 U	1.0 U
Chlorobenzene	1.0 U	1.0 U
Chloroethane	1.0 U	1.0 U
Chloroform	1.0 U	1.0 U
Chloromethane	1.0 U	1.0 U
cis-1,2-Dichloroethene	1.0 U	1.0 U
cis-1,3-Dichloropropene	1.0 U	1.0 U
Chlorodibromomethane	1.0 U	1.0 U
1,2-Dichloroethene, Total	2.0 U	2.0 U
Ethylbenzene	1.0 U	1.0 U
2-Butanone	5.0 U	5.0 U
4-Methyl-2-pentanone	5.0 U	5.0 U
Methylene Chloride	1.0 U	1.0 U
Styrene	1.0 U	1.0 U
Tetrachloroethene	1.0 U	1.0 U
Toluene	1.0 U	1.0 U
trans-1,2-Dichloroethene	1.0 U	1.0 U
trans-1,3-Dichloropropene	1.0 U	1.0 U
Trichloroethene	1.0 U	1.0 U
Vinyl chloride	1.0 U	1.0 U
Xylenes, Total	2.0 U	2.0 U

Notes:

All results in ug/l.

U - Compound was not detected relative to the indicated reporting limit.

J - Estimated value.

Analysis conducted by TestAmerica.

Table 2 - PDB Deployment and Retrieval Information
Former Munsey Cleaners
1029 Port Washington Boulevard, Port Washington (Nassau Co.)
Site #130081

24" 220 ml PDB Installations - 5 foot screen zone

Well Name	Bottom of Well (ft)	Deployment Date	Retrieval Date	Deployment Depth - MP to top of PDB (ft)	Depth to Water on Date of Deployment (ft)	Depth to Water on Date of Retrieval (ft)
MC-6B	67.34	10/7/15	10/29/15	63	41.04	41.08
MC-6C	85.14	10/7/15	10/29/15	81	39.84	40.29
MC-7B	69.19	10/8/15	10/29/15	65	25.07	25.04
MC-7C	87.60	10/8/15	10/29/15	84	25.09	25.06
MC-8B	79.95	10/7/15	10/29/15	76	51.26	51.31
MC-8C	89.15	10/7/15	10/29/15	86	51.43	51.47
MC-9B	60.92	10/8/15	10/28/15	57	40.36	40.57
MC-9C	69.93	10/8/15	10/28/15	66	40.27	40.44
MC-10B	43.39	Inaccessible				
MC-10C	61.00	Inaccessible				
MC-11B	101.02	10/7/15	10/28/15	97	76.38	76.51
MC-11C	125.77	10/7/15	10/28/15	123	76.07	76.22
MC-12B	66.05	10/7/15	10/28/15	62	0.33	0.33
MC-12C	96.90	10/7/15	10/28/15	93	0.33	0.33
PC-1B	43.12	10/7/15	10/29/15	39	25.92	25.74
PC-1C	90.10	10/7/15	10/29/15	86	24.12	24.32
PC-2B	82.80	10/7/15	10/28/15	78	64.14	64.28
PC-2C	94.12	10/7/15	10/28/15	91	63.32	64.39
PC-4B	44.52	10/7/15	10/29/15	40.5	20.70	20.67
PC-4C	62.70	10/7/15	10/29/15	59	20.50	20.48
PC-5C	120.05	10/7/15	10/29/15	116	21.15	20.92
PC-6C	128.92	10/7/15	10/29/15	124	57.91	62.18
PC-7A	32.57	10/8/15	10/29/15	29	23.85	23.83
PC-7B	73.25	10/8/15	10/29/15	70	24.29	24.25
PC-7C	119.90	10/8/15	10/29/15	116	24.28	24.19
PC-8B	105.00	10/8/15	10/29/15	100	31.80	31.79
PC-8C	147.50	10/8/15	10/29/15	143.5	31.98	31.98
PC-10C	101.95	10/7/15	10/28/15	95	15.38	1.86
PC-12B	91.30	10/8/15	10/29/15	88	28.33	28.18
PC-12C	137.96	10/8/15	10/29/15	134	28.37	28.37

48" 220 ml PDB Installations - 10 foot screen zone

Well Name	Bottom of Well (ft)	Deployment Date	Retrieval Date	Deployment Depth - MP to top of PDB (ft)	Depth to Water on Date of Deployment (ft)	Depth to Water on Date of Retrieval (ft)
MC-5	30.35	10/7/15	10/29/15	25	24.14	24.02
MC-7A	49.42	10/8/15	10/29/15	43	25.14	25.13
MC-8A	56.30	10/7/15	10/29/15	53	51.56	51.56
MC-9A	47.25	10/8/15	10/28/15	42	40.31	40.48
MC-10A	18.01	Inaccessible				
MC-11A	83.85	10/7/15	10/28/15	77	76.31	76.43
PC-1A	29.59	10/7/15	10/29/15	27	25.93	25.75
PC-2A	70.00	10/7/15	10/28/15	65	64.00	64.13
PC-3	74.95	10/7/15	10/28/15	68	63.29	63.40
PC-4A	32.15	10/7/15	10/29/15	25	18.56	18.49
PC-5B	70.53	10/7/15	10/29/15	63	21.09	21.09
PC-6A	81.90	10/7/15	10/29/15	75	60.91	61.19
PC-6B	113.09	10/7/15	10/29/15	107	60.84	60.84
PC-8A	38.24	10/8/15	10/29/15	33	31.65	31.52
PC-9	18.75	10/7/15	10/28/15	11.50	6.36	6.69
PC-10B	80.28	10/7/15	10/28/15	73	63.19	63.18
PC-11A	59.54	10/7/15	10/29/15	53	47.64	47.61
PC-11B	101.54	10/7/15	10/29/15	94	47.29	46.15
PC-12A	48.33	10/8/15	10/29/15	41	26.66	26.74

48" 220 ml PDB Installations - 15 foot screen zone

Well Name	Bottom of Well (ft)	Deployment Date	Retrieval Date	Deployment Depth - MP to top of PDB (ft)	Depth to Water on Date of Deployment (ft)	Depth to Water on Date of Retrieval (ft)
MC-3	39.56	Destroyed				
MW-1	32.83	10/8/15	10/29/15	29	24.74	24.69
MW-2	35.30	10/8/15	10/29/15	29	24.03	24.06
MW-3	34.52	10/8/15	10/29/15	27	22.93	22.92
MW-4	36.45	10/8/15	10/29/15	29	23.30	23.21
MW-5	37.09	10/8/15	10/29/15	29	23.72	23.65
MW-6	37.62	10/8/15	10/29/15	30	25.50	24.99
MW-7	38.47	10/8/15	10/29/15	32	27.09	27.01

Notes:

MP - Well measuring point elevation (approximately land surface).

PDB - Passive diffusion bag.

Table 3: Summary of Groundwater Sampling Results - MC wells
Former Munsey Cleaners
1029 Port Washington Boulevard, Port Washington (Nassau Co.)
Site #130081

Chemical Name	Regulatory Limit (1)	MC-3	MC-5	MC-6B	MC-6C	MC-7A	MC 7B	MC 7C	MC-8A
		-	29-Oct-15	29-Oct-15	29-Oct-15	29-Oct-15	29-Oct-15	29-Oct-15	29-Oct-15
Chemical Name	Regulatory Limit (1)	Result	Result	Result	Result	Result	Result	Result	Result
1,1,1-Trichloroethane	5	Destroyed	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	2.0 U	1.0 U
1,1,2,2-Tetrachloroethane	5		1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	2.0 U	1.0 U
1,1,2-Trichloroethane	1		1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	2.0 U	1.0 U
1,1-Dichloroethane	5		1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	2.0 U	1.0 U
1,1-Dichloroethene	5		1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	2.0 U	1.0 U
1,2-Dichloroethane	0.6		1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	2.0 U	1.0 U
1,2-Dichloropropane	5		1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	2.0 U	1.0 U
2-Hexanone	50		5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	10 U	5.0 U
Acetone	50		11	5.0 U	5.0 U	12	5.0 U	10 U	9.7
Benzene	1		1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	2.0 U	1.0 U
Dichlorobromomethane	50		1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	2.0 U	1.0 U
Bromoform	50		1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	2.0 U	1.0 U
Bromomethane	5		1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	2.0 U	1.0 U
Carbon disulfide	NA		1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	2.0 U	1.0 U
Carbon tetrachloride	5		1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	2.0 U	1.0 U
Chlorobenzene	5		1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	2.0 U	1.0 U
Chloroethane	5		1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	2.0 U	1.0 U
Chloroform	7		1.0 U	1.6	1.0 U	1.0 U	1.0 U	2.0 U	1.0 U
Chloromethane	5		1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	2.0 U	1.0 U
cis-1,2-Dichloroethene	5		1.0 U	1.0 U	4.8	1.0 U	1.0 U	2.0 U	1.0 U
cis-1,3-Dichloropropene	0.4		1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	2.0 U	1.0 U
Chlorodibromomethane	50		1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	2.0 U	1.0 U
1,2-Dichloroethene, Total	NA		2.0 U	2.0 U	5.1	2.0 U	2.0 U	4.0 U	2.0 U
Ethylbenzene	5		1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	2.0 U	1.0 U
2-Butanone	50		5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	10 U	5.0 U
4-Methyl-2-pentanone	NA		5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	10 U	5.0 U
Methylene Chloride	5		1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	2.0 U	1.0 U
Styrene	5		1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	2.0 U	1.0 U
Tetrachloroethene	5		63	31	1.0 U	58	57	680	3.2
Toluene	5		1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	2.0 U	1.0 U
trans-1,2-Dichloroethene	5		1.0 U	1.0 U	0.38 J	1.0 U	1.0 U	2.0 U	1.0 U
trans-1,3-Dichloropropene	0.4		1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	2.0 U	1.0 U
Trichloroethene	5		0.80 J	0.80 J	31	0.22 J	1.0 U	1.7 J	1.0 U
Vinyl chloride	2		1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	2.0 U	1.0 U
Xylenes, Total	5		2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	4.0 U	2.0 U

Notes:

All results in ug/l.

U - Compound was not detected relative to the indicated reporting limit.

J - Estimated value.

(1) - NY TOGS Class GA Groundwater Standards.

NA - Not applicable, no criteria provided.

Result exceeds the provided regulatory limit.

Analysis conducted by TestAmerica.

Table 3: Summary of Groundwater Sampling Results - MC wells
Former Munsey Cleaners
1029 Port Washington Boulevard, Port Washington (Nassau Co.)
Site #130081

Chemical Name	Regulatory Limit (1)	MC-8B	MC-8C	MC-9A	MC-9B	MC-9C	MC-10A	MC-10B	MC-10C
		29-Oct-15	29-Oct-15	28-Oct-15	28-Oct-15	28-Oct-15	-	-	-
Chemical Name	Regulatory Limit (1)	Result	Result	Result	Result	Result	Result	Result	Result
1,1,1-Trichloroethane	5	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	Inaccessible	Inaccessible	Inaccessible
1,1,2,2-Tetrachloroethane	5	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U			
1,1,2-Trichloroethane	1	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U			
1,1-Dichloroethane	5	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U			
1,1-Dichloroethene	5	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U			
1,2-Dichloroethane	0.6	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U			
1,2-Dichloropropane	5	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U			
2-Hexanone	50	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U			
Acetone	50	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U			
Benzene	1	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U			
Dichlorobromomethane	50	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U			
Bromoform	50	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U			
Bromomethane	5	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U			
Carbon disulfide	NA	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U			
Carbon tetrachloride	5	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U			
Chlorobenzene	5	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U			
Chloroethane	5	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U			
Chloroform	7	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U			
Chloromethane	5	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U			
cis-1,2-Dichloroethene	5	1.0 U	1.0 U	1.0 U	1.0 U	0.72 J			
cis-1,3-Dichloropropene	0.4	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U			
Chlorodibromomethane	50	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U			
1,2-Dichloroethene, Total	NA	2.0 U	2.0 U	2.0 U	2.0 U	0.72 J			
Ethylbenzene	5	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U			
2-Butanone	50	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U			
4-Methyl-2-pentanone	NA	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U			
Methylene Chloride	5	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U			
Styrene	5	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U			
Tetrachloroethene	5	9.7	11	0.46 J	8.5	25			
Toluene	5	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U			
trans-1,2-Dichloroethene	5	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U			
trans-1,3-Dichloropropene	0.4	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U			
Trichloroethene	5	1.0 U	1.0 U	1.0 U	1.3	4.4			
Vinyl chloride	2	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U			
Xylenes, Total	5	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U			

Notes:

All results in ug/l.

U - Compound was not detected relative to the indicated reporting limit.

J - Estimated value.

(1) - NY TOGS Class GA Groundwater Standards.

NA - Not applicable, no criteria provided.

Result exceeds the provided regulatory limit.

Analysis conducted by TestAmerica.

Table 3: Summary of Groundwater Sampling Results - MC wells
Former Munsey Cleaners
1029 Port Washington Boulevard, Port Washington (Nassau Co.)
Site #130081

Chemical Name	Regulatory Limit (1)	MC-11A	MC-11B	MC-11C	MC-12B	MC-12C
		28-Oct-15	28-Oct-15	28-Oct-15	28-Oct-15	28-Oct-15
Chemical Name	Regulatory Limit (1)	Result	Result	Result	Result	Result
1,1,1-Trichloroethane	5	1.0 U	1.0 U	1.0 U	2.0 U	1.0 U
1,1,2,2-Tetrachloroethane	5	1.0 U	1.0 U	1.0 U	2.0 U	1.0 U
1,1,2-Trichloroethane	1	1.0 U	1.0 U	1.0 U	2.0 U	1.0 U
1,1-Dichloroethane	5	1.0 U	1.0 U	1.0 U	2.0 U	1.0 U
1,1-Dichloroethene	5	1.0 U	1.0 U	1.0 U	2.0 U	0.49 J
1,2-Dichloroethane	0.6	1.0 U	1.0 U	1.0 U	2.0 U	1.0 U
1,2-Dichloropropane	5	1.0 U	1.0 U	1.0 U	2.0 U	1.0 U
2-Hexanone	50	5.0 U	5.0 U	5.0 U	10 U	5.0 U
Acetone	50	11	5.0 U	5.0 U	10 U	5.0 U
Benzene	1	1.0 U	1.0 U	1.0 U	2.0 U	1.0 U
Dichlorobromomethane	50	1.0 U	1.0 U	1.0 U	2.0 U	1.0 U
Bromoform	50	1.0 U	1.0 U	1.0 U	2.0 U	1.0 U
Bromomethane	5	1.0 U	1.0 U	1.0 U	2.0 U	1.0 U
Carbon disulfide	NA	1.0 U	1.0 U	1.0 U	2.0 U	1.0 U
Carbon tetrachloride	5	1.0 U	1.0 U	1.0 U	2.0 U	1.0 U
Chlorobenzene	5	1.0 U	1.0 U	1.0 U	2.0 U	1.0 U
Chloroethane	5	1.0 U	1.0 U	1.0 U	2.0 U	1.0 U
Chloroform	7	1.0 U	1.0 U	1.0 U	2.0 U	1.0 U
Chloromethane	5	1.0 U	1.0 U	1.0 U	2.0 U	1.0 U
cis-1,2-Dichloroethene	5	1.0 U	1.3	1.0 U	19	120
cis-1,3-Dichloropropene	0.4	1.0 U	1.0 U	1.0 U	2.0 U	1.0 U
Chlorodibromomethane	50	1.0 U	1.0 U	1.0 U	2.0 U	1.0 U
1,2-Dichloroethene, Total	NA	2.0 U	1.3 J	2.0 U	21	120
Ethylbenzene	5	1.0 U	1.0 U	1.0 U	2.0 U	1.0 U
2-Butanone	50	5.0 U	5.0 U	5.0 U	10 U	5.0 U
4-Methyl-2-pentanone	NA	5.0 U	5.0 U	5.0 U	10 U	5.0 U
Methylene Chloride	5	1.0 U	1.0 U	1.0 U	2.0 U	1.0 U
Styrene	5	1.0 U	1.0 U	1.0 U	2.0 U	1.0 U
Tetrachloroethene	5	29	33	1.0 U	690	50
Toluene	5	1.0 U	1.0 U	1.0 U	2.0 U	1.0 U
trans-1,2-Dichloroethene	5	1.0 U	1.0 U	1.0 U	1.6 J	2.4
trans-1,3-Dichloropropene	0.4	1.0 U	1.0 U	1.0 U	2.0 U	1.0 U
Trichloroethene	5	10	32	1.0 U	22	26
Vinyl chloride	2	1.0 U	1.0 U	1.0 U	2.0 U	0.92 J
Xylenes, Total	5	2.0 U	2.0 U	2.0 U	4.0 U	2.0 U

Notes:

All results in ug/l.

U - Compound was not detected relative to the indicated reporting limit.

J - Estimated value.

(1) - NY TOGS Class GA Groundwater Standards.

NA - Not applicable, no criteria provided.

Result exceeds the provided regulatory limit.

Analysis conducted by TestAmerica.

Table 3: Summary of Groundwater Sampling Results - PC wells
Former Munsey Cleaners
1029 Port Washington Boulevard, Port Washington (Nassau Co.)
Site #130081

Chemical Name	Regulatory Limit (1)	PC-1A	PC-1B	PC-1C	PC-2A	PC-2B	PC-2C	PC-3
		29-Oct-15	29-Oct-15	29-Oct-15	28-Oct-15	28-Oct-15	28-Oct-15	28-Oct-15
Chemical Name	Regulatory Limit (1)	Result	Result	Result	Result	Result	Result	Result
1,1,1-Trichloroethane	5	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
1,1,2,2-Tetrachloroethane	5	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
1,1,2-Trichloroethane	1	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
1,1-Dichloroethane	5	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
1,1-Dichloroethene	5	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
1,2-Dichloroethane	0.6	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
1,2-Dichloropropane	5	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
2-Hexanone	50	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U
Acetone	50	11	5.0 U	5.0 U	10	5.0 U	5.0 U	10
Benzene	1	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
Dichlorobromomethane	50	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
Bromoform	50	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
Bromomethane	5	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
Carbon disulfide	NA	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
Carbon tetrachloride	5	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
Chlorobenzene	5	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
Chloroethane	5	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
Chloroform	7	1.0 U	1.0 U	1.0 U	0.37 J	1.0 U	1.0 U	1.0 U
Chloromethane	5	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
cis-1,2-Dichloroethene	5	1.0 U	0.39 J	1.0 U	1.0 U	1.0 U	0.51 J	1.0 U
cis-1,3-Dichloropropene	0.4	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
Chlorodibromomethane	50	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
1,2-Dichloroethene, Total	NA	2.0 U	0.39 J	2.0 U	2.0 U	2.0 U	0.51 J	2.0 U
Ethylbenzene	5	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
2-Butanone	50	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U
4-Methyl-2-pentanone	NA	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U
Methylene Chloride	5	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
Styrene	5	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
Tetrachloroethene	5	0.35 J	27	1.0 U	0.32 J	1.2	0.66 J	1.0 U
Toluene	5	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
trans-1,2-Dichloroethene	5	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
trans-1,3-Dichloropropene	0.4	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
Trichloroethene	5	1.0 U	2.8	1.0 U	1.0 U	1.0 U	0.66 J	1.0 U
Vinyl chloride	2	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
Xylenes, Total	5	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U

Notes:

All results in ug/l.

U - Compound was not detected relative to the indicated reporting limit.

J - Estimated value.

(1) - NY TOGS Class GA Groundwater Standards.

NA - Not applicable, no criteria provided.

Result exceeds the provided regulatory limit.

Analysis conducted by TestAmerica.

Table 3: Summary of Groundwater Sampling Results - PC wells
Former Munsey Cleaners
1029 Port Washington Boulevard, Port Washington (Nassau Co.)
Site #130081

Chemical Name	Regulatory Limit (1)	PC-4A	PC-4B	PC-4C	PC-5B	PC-5C	PC-6A	PC-6B
		29-Oct-15	29-Oct-15	29-Oct-15	29-Oct-15	29-Oct-15	29-Oct-15	29-Oct-15
Chemical Name	Regulatory Limit (1)	Result	Result	Result	Result	Result	Result	Result
1,1,1-Trichloroethane	5	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	2.0 U
1,1,2,2-Tetrachloroethane	5	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	2.0 U
1,1,2-Trichloroethane	1	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	2.0 U
1,1-Dichloroethane	5	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	2.0 U
1,1-Dichloroethene	5	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	2.0 U
1,2-Dichloroethane	0.6	1.0 U	1.0 U	1.0 U	1.0 U	0.28 J	1.0 U	2.0 U
1,2-Dichloropropane	5	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	2.0 U
2-Hexanone	50	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	10 U
Acetone	50	11	5.0 U	5.0 U	12	5.0 U	11	10 U
Benzene	1	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	2.0 U
Dichlorobromomethane	50	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	2.0 U
Bromoform	50	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	2.0 U
Bromomethane	5	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	2.0 U
Carbon disulfide	NA	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	2.0 U
Carbon tetrachloride	5	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	2.0 U
Chlorobenzene	5	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	2.0 U
Chloroethane	5	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	2.0 U
Chloroform	7	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	2.0 U
Chloromethane	5	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	2.0 U
cis-1,2-Dichloroethene	5	1.0 U	1.0 U	1.0 U	7.0	15	1.0 U	42
cis-1,3-Dichloropropene	0.4	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	2.0 U
Chlorodibromomethane	50	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	2.0 U
1,2-Dichloroethene, Total	NA	2.0 U	2.0 U	2.0 U	7.0	15	2.0 U	44
Ethylbenzene	5	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	2.0 U
2-Butanone	50	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	10 U
4-Methyl-2-pentanone	NA	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	10 U
Methylene Chloride	5	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	2.0 U
Styrene	5	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	2.0 U
Tetrachloroethene	5	1.0 U	0.48 J	1.0 U	300	290	1.0 U	670
Toluene	5	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	2.0 U
trans-1,2-Dichloroethene	5	1.0 U	1.0 U	1.0 U	1.0 U	0.51 J	1.0 U	2.3
trans-1,3-Dichloropropene	0.4	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	2.0 U
Trichloroethene	5	1.0 U	1.0 U	1.0 U	5.8	19	1.0 U	46
Vinyl chloride	2	1.0 U	1.0 U	1.0 U	1.0 U	0.18 J	1.0 U	2.0 U
Xylenes, Total	5	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	4.0 U

Notes:

All results in ug/l.

U - Compound was not detected relative to the indicated reporting limit.

J - Estimated value.

(1) - NY TOGS Class GA Groundwater Standards.

NA - Not applicable, no criteria provided.

Result exceeds the provided regulatory limit.

Analysis conducted by TestAmerica.

Table 3: Summary of Groundwater Sampling Results - PC wells
Former Munsey Cleaners
1029 Port Washington Boulevard, Port Washington (Nassau Co.)
Site #130081

Chemical Name	Regulatory Limit (1)	PC-6C	PC-7A	PC-7B	PC-7C	PC-8A	PC-8B	PC-8C
		29-Oct-15	29-Oct-15	29-Oct-15	29-Oct-15	29-Oct-15	29-Oct-15	29-Oct-15
Chemical Name	Regulatory Limit (1)	Result	Result	Result	Result	Result	Result	Result
1,1,1-Trichloroethane	5	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
1,1,2,2-Tetrachloroethane	5	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
1,1,2-Trichloroethane	1	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
1,1-Dichloroethane	5	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
1,1-Dichloroethene	5	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
1,2-Dichloroethane	0.6	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
1,2-Dichloropropane	5	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
2-Hexanone	50	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U
Acetone	50	5.0 U	5.0 U	5.0 U	5.0 U	13	5.0 U	5.0 U
Benzene	1	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
Dichlorobromomethane	50	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
Bromoform	50	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
Bromomethane	5	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
Carbon disulfide	NA	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
Carbon tetrachloride	5	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
Chlorobenzene	5	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
Chloroethane	5	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
Chloroform	7	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
Chloromethane	5	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
cis-1,2-Dichloroethene	5	1.0 U	1.0 U	1.0 U	0.90 J	1.0 U	1.0 U	3.0
cis-1,3-Dichloropropene	0.4	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
Chlorodibromomethane	50	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
1,2-Dichloroethene, Total	NA	2.0 U	2.0 U	2.0 U	0.90 J	2.0 U	2.0 U	3.0
Ethylbenzene	5	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
2-Butanone	50	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U
4-Methyl-2-pentanone	NA	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U
Methylene Chloride	5	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
Styrene	5	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
Tetrachloroethene	5	1.0 U	120	37	41	1.4	36	1.0 U
Toluene	5	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	0.45 J
trans-1,2-Dichloroethene	5	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
trans-1,3-Dichloropropene	0.4	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
Trichloroethene	5	1.0 U	0.27 J	1.0 U	6.1	1.0 U	0.54 J	1.3
Vinyl chloride	2	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
Xylenes, Total	5	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U

Notes:

All results in ug/l.

U - Compound was not detected relative to the indicated reporting limit.

J - Estimated value.

(1) - NY TOGS Class GA Groundwater Standards.

NA - Not applicable, no criteria provided.

Result exceeds the provided regulatory limit.

Analysis conducted by TestAmerica.

Table 3: Summary of Groundwater Sampling Results - PC wells
Former Munsey Cleaners
1029 Port Washington Boulevard, Port Washington (Nassau Co.)
Site #130081

Chemical Name	Regulatory Limit (1)	PC-9	PC-10B	PC-10C	PC-11A	PC-11B	PC-12A	PC-12B	PC-12C
		28-Oct-15	28-Oct-15	28-Oct-15	29-Oct-15	29-Oct-15	29-Oct-15	29-Oct-15	29-Oct-15
Chemical Name	Regulatory Limit (1)	Result	Result	Result	Result	Result	Result	Result	Result
1,1,1-Trichloroethane	5	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
1,1,2,2-Tetrachloroethane	5	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
1,1,2-Trichloroethane	1	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
1,1-Dichloroethane	5	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
1,1-Dichloroethene	5	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
1,2-Dichloroethane	0.6	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	2.0	0.57 J
1,2-Dichloropropane	5	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
2-Hexanone	50	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U
Acetone	50	10	10	5.0 U	5.0 U	11	12	5.0 U	5.0 U
Benzene	1	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
Dichlorobromomethane	50	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
Bromoform	50	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
Bromomethane	5	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
Carbon disulfide	NA	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
Carbon tetrachloride	5	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
Chlorobenzene	5	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
Chloroethane	5	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
Chloroform	7	0.56 J	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
Chloromethane	5	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
cis-1,2-Dichloroethene	5	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
cis-1,3-Dichloropropene	0.4	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
Chlorodibromomethane	50	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
1,2-Dichloroethene, Total	NA	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U
Ethylbenzene	5	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
2-Butanone	50	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U
4-Methyl-2-pentanone	NA	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U
Methylene Chloride	5	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
Styrene	5	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
Tetrachloroethene	5	1.2	1.0 U	1.0 U	1.0 U	1.0 U	3.5	1.0 U	1.0 U
Toluene	5	1.0 U	1.0 U	0.79 J	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
trans-1,2-Dichloroethene	5	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
trans-1,3-Dichloropropene	0.4	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
Trichloroethene	5	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
Vinyl chloride	2	1.0 U	1.0 U	0.14 J	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
Xylenes, Total	5	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U

Notes:

All results in ug/l.

U - Compound was not detected relative to the indicated reporting limit.

J - Estimated value.

(1) - NY TOGS Class GA Groundwater Standards.

NA - Not applicable, no criteria provided.

Result exceeds the provided regulatory limit.

Analysis conducted by TestAmerica.

Table 3: Summary of Groundwater Sampling Results - MW wells
Former Munsey Cleaners
1029 Port Washington Boulevard, Port Washington (Nassau Co.)
Site #130081

Chemical Name	Regulatory Limit (1)	MW-1	MW-2	MW-3	MW-4	MW-5	MW-6	MW-7
		29-Oct-15	29-Oct-15	29-Oct-15	29-Oct-15	29-Oct-15	29-Oct-15	29-Oct-15
Chemical Name	Regulatory Limit (1)	Result	Result	Result	Result	Result	Result	Result
1,1,1-Trichloroethane	5	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
1,1,2,2-Tetrachloroethane	5	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
1,1,2-Trichloroethane	1	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
1,1-Dichloroethane	5	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
1,1-Dichloroethene	5	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
1,2-Dichloroethane	0.6	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
1,2-Dichloropropane	5	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
2-Hexanone	50	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U
Acetone	50	11	12	11	10	11	12	11
Benzene	1	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
Dichlorobromomethane	50	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
Bromoform	50	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
Bromomethane	5	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
Carbon disulfide	NA	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
Carbon tetrachloride	5	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
Chlorobenzene	5	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
Chloroethane	5	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
Chloroform	7	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
Chloromethane	5	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
cis-1,2-Dichloroethene	5	1.0 U	10	0.28 J	1.0 U	1.0 U	1.0 U	1.0 U
cis-1,3-Dichloropropene	0.4	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
Chlorodibromomethane	50	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
1,2-Dichloroethene, Total	NA	2.0 U	10	0.28 J	2.0 U	2.0 U	2.0 U	2.0 U
Ethylbenzene	5	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
2-Butanone	50	5.0 U	2.7 J	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U
4-Methyl-2-pentanone	NA	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U
Methylene Chloride	5	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
Styrene	5	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
Tetrachloroethene	5	22	4.2	140	9.5	240	1.2	59
Toluene	5	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
trans-1,2-Dichloroethene	5	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
trans-1,3-Dichloropropene	0.4	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
Trichloroethene	5	1.0 U	0.79 J	0.56 J	0.29 J	0.69 J	1.0 U	1.0 U
Vinyl chloride	2	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
Xylenes, Total	5	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U

Notes:

All results in ug/l.

U - Compound was not detected relative to the indicated reporting limit.

J - Estimated value.

(1) - NY TOGS Class GA Groundwater Standards.

NA - Not applicable, no criteria provided.

Result exceeds the provided regulatory limit.

Analysis conducted by TestAmerica.

Table 4: Summary of Surface Water Sampling Results
Former Munsey Cleaners
1029 Port Washington Boulevard, Port Washington (Nassau Co.)
Site #130081

	MC-BAX-1	MC-BAX-100 (1)	MC-BAX-2	MC-BAX-101 (2)	MC-BAX-3	MC-BAX-102 (3)	MC-SFC-1	MC-SFC-2	MC-SFC-3	MC-SFC-4
	29-Oct-15	29-Oct-15	29-Oct-15	29-Oct-15	29-Oct-15	29-Oct-15	29-Oct-15	29-Oct-15	29-Oct-15	29-Oct-15
Chemical Name	Result	Result	Result	Result	Result	Result	Result	Result	Result	Result
1,1,1-Trichloroethane	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
1,1,2,2-Tetrachloroethane	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
1,1,2-Trichloroethane	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
1,1-Dichloroethane	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
1,1-Dichloroethene	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
1,2-Dichloroethane	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	0.51 J	1.0 U	1.0 U	1.0 U
1,2-Dichloropropane	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
2-Hexanone	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U
Acetone	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U
Benzene	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
Dichlorobromomethane	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
Bromoform	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
Bromomethane	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
Carbon disulfide	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
Carbon tetrachloride	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
Chlorobenzene	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
Chloroethane	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
Chloroform	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
Chloromethane	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
cis-1,2-Dichloroethene	0.58 J	0.40 J	1.0 U	1.0 U	1.0 U	1.0 U	1.7	0.29 J	1.4	1.3
cis-1,3-Dichloropropene	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
Chlorodibromomethane	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
1,2-Dichloroethene, Total	0.58 J	0.40 J	2.0 U	2.0 U	2.0 U	2.0 U	1.7 J	0.29 J	1.4 J	1.3 J
Ethylbenzene	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
2-Butanone	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U
4-Methyl-2-pentanone	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U
Methylene Chloride	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
Styrene	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
Tetrachloroethene	4.7	4.3	0.74 J	0.85 J	0.77 J	0.89 J	1.4	4.5	7.0	9.0
Toluene	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
trans-1,2-Dichloroethene	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
trans-1,3-Dichloropropene	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
Trichloroethene	0.68 J	0.57 J	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	0.65 J	0.95 J
Vinyl chloride	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
Xylenes, Total	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U

Notes:

All results in ug/l.

(1) - Duplicate of MC-BAX-1.

(2) - Duplicate of MC-BAX-2.

(3) - Duplicate of MC-BAX-3.

U - Compound was not detected relative to the indicated reporting limit.

J - Estimated value.

Analysis conducted by TestAmerica.

Table 5: Summary of Sandy Hollow Well Field Sampling Results
Former Munsey Cleaners
1029 Port Washington Boulevard, Port Washington (Nassau Co.)
Site #130081

	PWSH-1	PWSH-2
	25-Sep-15	25-Sep-15
Analyte	Result	Result
1,1,1-Trichloroethane	1.0 U	1.0 U
1,1,2,2-Tetrachloroethane	1.0 U	1.0 U
1,1,2-Trichloroethane	1.0 U	1.0 U
1,1-Dichloroethane	1.0 U	1.0 U
1,1-Dichloroethene	1.0 U	1.0 U
1,2-Dichloroethane	1.0 U	1.0 U
1,2-Dichloropropane	1.0 U	1.0 U
2-Hexanone	5.0 U	5.0 U
Acetone	5.0 U	5.0 U
Benzene	1.0 U	1.0 U
Dichlorobromomethane	1.0 U	1.0 U
Bromoform	1.0 U	1.0 U
Bromomethane	1.0 U	1.0 U
Carbon disulfide	1.0 U	1.0 U
Carbon tetrachloride	1.0 U	1.0 U
Chlorobenzene	1.0 U	1.0 U
Chloroethane	1.0 U	1.0 U
Chloroform	0.32 J	1.0 U
Chloromethane	1.0 U	1.0 U
cis-1,2-Dichloroethene	1.0 U	1.0 U
cis-1,3-Dichloropropene	1.0 U	1.0 U
Chlorodibromomethane	1.0 U	1.0 U
1,2-Dichloroethene, Total	2.0 U	2.0 U
Ethylbenzene	1.0 U	1.0 U
2-Butanone	5.0 U	5.0 U
4-Methyl-2-pentanone	5.0 U	5.0 U
Methylene Chloride	1.0 U	1.0 U
Styrene	1.0 U	1.0 U
Tetrachloroethene	1.0 U	1.0 U
Toluene	1.0 U	1.0 U
trans-1,2-Dichloroethene	1.0 U	1.0 U
trans-1,3-Dichloropropene	1.0 U	1.0 U
Trichloroethene	1.0 U	1.0 U
Vinyl chloride	1.0 U	1.0 U
Xylenes, Total	2.0 U	2.0 U

Notes:

All results in ug/l.

U - Compound was not detected relative to the indicated reporting limit.

J - Estimated value.

Analysis conducted by TestAmerica.