ΕΝΥΙΚΟΝ

November 6, 2000

Federal Express

Crystal Montroy New York State Department of Environmental Conservation Bureau of Eastern Remedial Action 50 Wolf Road Albany, New York 12233-7010



Re: September 2000 Ground Water Monitoring Results Former Bulova Corporation Facility Valley Stream, New York NYSDEC Site No. 1-30-084

Dear Ms. Montroy:

ENVIRON International Corporation (ENVIRON) has prepared this letter, on behalf of Bulova Corporation (Bulova), to present results of the ground water monitoring activities completed during September 2000 at the former Bulova facility in Valley Stream, New York (the "Site"). The ground water monitoring activities completed during September 2000 represent the second quarterly sampling event to be performed during a two-year monitoring period. The following sections briefly summarize the results of these activities. As detailed in the *Operation and Maintenance Plan*, ENVIRON will prepare a report regarding the on-going monitoring activities following the two-year monitoring period.

The quarterly monitoring activities completed during September 2000 included the measurement of ground water levels at seven monitoring wells (MW-HD1 through MW-HD7) and the collection of ground water samples from four monitoring wells (MW-HD2, MW-HD4, MW-HD6, and MW-HD7). Activities completed during the September 2000 monitoring event were performed in accordance with the procedures detailed in the *Operation and Maintenance Plan* (ENVIRON, March 2000/May 24, 2000).

Ground water elevation data is summarized in Table 1 and presented on Figures 1 and 2. Consistent with the results of prior investigations, ground water level measurements collected during September 2000 indicate that local ground water flow at the Site is directed toward the southeast at a very small hydraulic gradient of less than 0.001 ft/ft. The ground water elevation at off-site monitoring well MW-HD7 indicates that regional ground water flow may be directed toward the south/southwest.

Consistent with the previously-identified seasonal fluctuations in VOC concentrations in ground water at the Site, the September 2000 sampling event detected increased VOC concentrations at monitoring wells MW-HD2 and MW-HD4. However, consistent with the

overall decreasing concentration trends at the Site, the concentration peaks detected during the September sampling events have also displayed an overall decreasing trend. Historical constituent concentrations at MW-HD4 are depicted on Figures 3 and 4. Reported VOC concentrations at monitoring well MW-HD6 during September 2000 were lower than prior sampling results and continue to display an overall decreasing trend. VOCs were not detected in the ground water sample collected at monitoring well MW-HD7.

A Data Usability Summary Report associated with the September 2000 sampling event is provided in Attachment A. Based on ENVIRON's review, all samples were successfully analyzed for the requested compounds.

Please contact us at your earliest convenience to discuss any questions or comments regarding the quarterly monitoring activities. The next quarterly monitoring event is scheduled for December 2000.

Sincerely,

Thomas V. Fúsillo Principal

Michael J. Potts Manager

TVF\MJP:srh 02-1961A\PRIN_WP\13764v1.DOC

Attachments

cc: B. Weber

TABLES

TABLE 1 Ground Water Elevation Data Former Bulova Corporation Facility – Valley Stream, New York					
	Top of Casing Elevation	September 26, 2000			
Monitoring Well	(ft AMSL)	(ft TOC)	(ft AMSL)		
MW-HD1	9.93	5.73	4.20		
MW-HD2	9.45	5.08	4.37		
MW-HD3	9.93	5.72	4.21		
MW-HD4	10.09	6.13	3.96		
MW-HD5	9.45	5.43	4.02		
MW-HD6	9.97	6.07	3.90		
MW-HD7	9.33	5.41	3.92		
Notes:					
1. Abbreviations:					
TOC: Top of casing					
AMSL: Above mean sea level					

TABLE 2
Summary of September 2000 Monitoring Well Sampling Results
Former Bulova Corporation Facility - Valley Stream, New York

Location Sample Date Collection Method Comments	MW-HD2 9/26/00 Bailer	MW-HD4 9/26/00 Bailer	MW-HD6 9/26/00 Bailer	MW-HD7 9/26/00 Bailer	MW-HD7 9/26/00 Bailer Duplicate	New York Ground Water Standards
Volatile Organic Compounds						
Benzene	1.8	ND	ND	ND	ND	0.7
Chlorobenzene	82.8	ND	ND	ND	ND	5
cis-1,2-Dichloroethene	ND	31.1	ND	ND	ND	5
1,2-Dichlorobenzene	34.7	ND	2.7 J	ND	ND	3
1,3-Dichlorobenzene	3.4 J	ND	ND	ND	ND	3
1,4-Dichlorobenzene	80.7	ND	8.5	ND	ND	3
1,1-Dichloroethane	ND	53.6	1.8 J	ND	ND	5
1,1-Dichloroethene	ND	351	2.7	ND	ND	5
1,1,1-Trichloroethane	ND	1,070	4.4 J	ND	ND	5
Tetrachloroethene	0.60 J	ND	4.5	ND	ND	5
Trichloroethene	ND	89.4	2.9	ND	ND	5
1,1,2-Trichloro-1,2,2-Trifluoroethane	ND	50.5	221	ND	ND	5

Notes:

All concentrations are reported in µg/l (parts per billion).
Only compounds detected in one or more samples are listed in this table.
Bold values exceed the New York Ground Water Standard.

Abbreviations: 4.

ND: Not Detected.

NA: Not Applicable. J: Estimated Value.

02-1961A\PRIN_WP\13595v1.DOC

FIGURES







ė1



ATTACHMENT A

Data Usability Summary Report

DATA USABILITY SUMMARY REPORT (DUSR) BULOVA: VALLEY STREAM SAMPLING EVENT – SEPTEMBER 2000

I. INTRODUCTION

During these sampling events, a total of seven aqueous samples, including wash and trip blanks were collected by ENVIRON and submitted to Accutest Laboratories in Dayton, New Jersey for analysis. The aqueous samples were analyzed for priority pollutant volatile organics (VOC) plus Feon 113 using SW846 Method 8260. Accutest prepared one data package (Job Number E77591) using the Category B Deliverables for New York Analytical Services Protocol (ASP). ENVIRON reviewed the analytical and quality assurance/quality control (QA/QC) results contained in the data packages as well as the raw data. The data validation procedure and criteria were based on the USEPA Contract Laboratory Program National Functional Guidelines for Organic Data Review (February 1994), and the appropriate methods where applicable. The USEPA data qualifiers used in this report are listed in Table 1.

Overall, the data is acceptable. The data package provided by Accutest meet the requirements for a DUSR. No data transfer deviations were identified.

The description of the data review is in Section II and summarizes the problems detected that required the qualification of data. All samples were successfully analyzed for the requested analyses.

<u>TABLE 1</u> Data Qualifier Definitions				
The following definitions provide brief explanations of the national qualifiers assigned to results in the data review process				
U	The analyte was analyzed for, but was not detected above, the reported sample quantitation limit.			
J	The analyte was positively identified; the associated numerical value is the approximate concentration of the analyte in the sample.			
N	The analysis indicates the presence of any analyte for which there is presumptive evidence to make a "tentative identification."			
NJ	The analysis indicates the presence of an analyte that has been "tentatively identified" and the associated numerical value represents its approximate concentration.			
UJ	The analyte was not detected above the reported sample quantitation limit. However, the reported quantitation limit is approximate and may or may not represent the actual limit of quantitation necessary to accurately and precisely measure the analyte in the sample.			
R	The sample results are rejected due to serious deficiencies in the ability to analyze the sample and meet quality control criteria. The presence or absence of the analyte cannot be verified.			

II. DATA REVIEW

VOLATILE ORGANIC ANALYSIS (SW846 Method 8260)

A. Technical Holding Time

The holding time requirement was met for all samples.

B. Instrument Performance Check

All field samples were analyzed within the 12 hour period following the injection of the BFB. Method 8260 requires analysis within 12 hours of the instrument performance check.

C. Calibration

Initial Calibration

No problems were identified during this review.

Continuing Calibration

No problems requiring data qualification were identified during this review.

D. Blanks

-

No problems were identified during this review.

E. Surrogate Standards

No problems requiring the qualification of data were identified during this review.

F. Matrix Spike/Matrix Spike Duplicate/Blank Spike (MS/MSD/BS)

The MS/MSD/BS analyses are used to determine long-term precision and accuracy of the analytical method for various matrices and/or sites. MS/MSD analyses are not used by themselves to qualify data points but are used in conjunction with other QC data to determine data usability issues.

No problems requiring the qualification of data were identified during this review.

G. Internal Standards

No problems were identified during this review.

H. Compound Identification, Quantitation and Detection Limits

No problems were identified during this review.

I. Overall Data Assessment

Data quality is acceptable.

02-1961A\PRIN_WP/13764v1.DOC