



**WHITESTONE
ASSOCIATES, INC.**

PRIVILEGED AND CONFIDENTIAL

786 MOUNTAIN BOULEVARD
SUITE 200
WATCHUNG, NJ 07069
908.668.7777
908.754.5936 FAX

GWYNEDD CORPORATE CENTER
1120 WELSH ROAD
SUITE 100
NORTH WALES, PA 19454
215.393.8200
215.393.8574 FAX

22630 DAVIS DRIVE
SUITE 200
STERLING, VA 20164
703.464.5858
703.464.8583 FAX

www.whitestoneassoc.com

SUMMARY REPORT OF FINDINGS

HISTORICAL SITE USE & ENVIRONMENTAL REGULATORY COMPLIANCE EVALUATION

**WALDBAUM'S SUPERMARKET - FARMINGDALE PLAZA
450 MAIN STREET
FARMINGDALE, NASSAU COUNTY, NEW YORK**

Prepared for:

**CUDDY & FEDER, LLP
90 Maple Avenue
White Plains, New York 10601-5196**

Prepared by:

**WHITESTONE ASSOCIATES, INC.
786 Mountain Boulevard, Suite 200
Watchung, New Jersey 07069**

**Whitestone Project #WJ03-6263
November 7, 2003**



November 11, 2003

786 MOUNTAIN BOULEVARD
SUITE 200
WATCHUNG, NJ 07069
908.668.7777
908.754.5936 FAX

GWYNEDD CORPORATE CENTER
1120 WELSH ROAD
SUITE 100
NORTH WALES, PA 19454
215.393.8200
215.393.8574 FAX

22630 DAVIS DRIVE
SUITE 200
STERLING, VA 20164
703.464.5858
703.464.8583 FAX

www.whitestoneassoc.com

via Federal Express

NEW YORK STATE DEPARTMENT OF ENVIRONMENTAL CONSERVATION
Division of Environmental Remediation
625 Broadway
Albany, New York 12233-7020

Attention: Mr. Joseph White

**Regarding: HISTORIC SITE USE & ENVIRONMENTAL
REGULATORY COMPLIANCE EVALUATION
FARMINGDALE PLAZA SITE
450 MAIN STREET
FARMINGDALE, NASSAU COUNTY, NEW YORK
WHITESTONE PROJECT NO.: WJ03-6263**

Dear Mr. White:

As discussed in our meeting on October 24, 2003, enclosed please find the above-referenced report. Once the Department has reviewed the report, please call me at 908-668-7777 or Robert Osar, Esq. at 914-761-1300 to set up a meeting or conference call to discuss this report and what steps need to be taken to have the above-referenced site delisted.

Thank you for your continued cooperation in this matter.

Sincerely,

WHITESTONE ASSOCIATES, INC.

Thomas K. Uzzo, P.E.A.
Principal

TKU/vp L:\WhitestoneOffice\2003\036263\NYSDECcover11-10-03.wpd

Enclosure

Copy: Alali Tamuno, Esq., NYSDEC (w/enclosure)
John Swartwout, NYSDEC (w/enclosure)
Heather Bishop, NYSDEC (w/enclosure)
Richard J. Scola, Esq., A&P (letter only)
Paul R. Bonvicino, Jr., AIA, A&P (letter only)
Robert Osar, Esq., Cuddy & Feder (letter only)

**HISTORICAL SITE USE & ENVIRONMENTAL
REGULATORY COMPLIANCE EVALUATION
Waldbaum's Supermarket - Farmingdale Plaza
450 Main Street
Farmingdale, Nassau County, New York**

TABLE OF CONTENTS

1.0	INTRODUCTION	1
2.0	SUMMARY OF FINDINGS	2
3.0	ENVIRONMENTAL REGULATORY DATABASE REVIEW	3
4.0	HISTORICAL USE INFORMATION (SUBJECT PROPERTY)	9
4.1	Sanborn Fire Insurance Maps	9
4.2	Aerial Photographs	9
4.3	City Directories	10
4.4	Property Tax Files	11
5.0	SUMMARY OF PREVIOUS ENVIRONMENTAL INVESTIGATIONS	12
5.1	Malcolm Pirnie, Inc. Phase I Environmental Site Assessment	12
5.2	Malcolm Pirnie, Inc. Phase II Site Investigations	12
5.3	Whitestone Associates, Inc. Limited Phase II Site Investigations	13
5.4	Miscellaneous Activities Related to Liberty Industrial Finishing NPL Site	13
5.4.1	Additional Sampling Activities and Results	13
5.4.2	Miscellaneous Regulatory Information	16
6.0	CONCLUSIONS AND RECOMMENDATIONS	18

REGULATORY COMPLIANCE EVALUATION
Waldbaum's Supermarket - Farmingdale Plaza
450 Main Street
Farmingdale, Nassau County, New York

TABLE OF CONTENTS
(Continued)

TABLES

TABLE 1	Malcolm Pirnie Sampling Data
TABLE 2	Whitestone Associates, Inc. Sampling Data
TABLE 3	USEPA/EarthTech Sampling Data
TABLE 4	Dames & Moore Sampling Data
TABLE 5	Summary of Groundwater Sampling Results

FIGURES

FIGURE 1	Site Location Map
FIGURE 2	Site Plan
FIGURE 3	Area Map
FIGURE 4	Groundwater Contour Map (Measured September 2000)
FIGURE 5	Groundwater Contour Map (Measured October 2000)
FIGURE 6	Groundwater Contour Map (Measured December 2000)
FIGURE 7	Groundwater Contour Map (Measured February 2001)
FIGURE 8	Groundwater Contour Map (Measured October 2001)

APPENDICES

APPENDIX 1	Site Photographs
APPENDIX 2	Database Records Search
APPENDIX 3	Fire Insurance Map Documentation
APPENDIX 4	Aerial Photographs
APPENDIX 5	City Directory Search
APPENDIX 6	Inspector Qualifications

SECTION 1.0

Introduction

Whitestone Associates, Inc. (Whitestone) was retained by Cuddy & Feder, LLP to perform a Historical Site Use and Environmental Regulatory Compliance Evaluation of the proposed Waldbaum's Supermarket - Farmingdale Plaza at 450 Main Street in Farmingdale, Nassau County, New York (hereinafter referred to as the "site" or the "subject property"). The purpose of this evaluation was to:

- ▶ obtain historical land use and environmental regulatory compliance information regarding the subject property as well as immediate surrounding properties; and
- ▶ analyze this information in the context of the New York State Department of Environmental Conservation (NYSDEC) designation of the on site dry cleaner, Farmingdale Plaza Cleaners, a Class 2 site.

Whitestone's scope of work included the following components:

- ▶ confirming current site ownership through the local and/or county tax assessor's office and evaluating historical ownership and land use purposes to the extent that such records are readily available;
- ▶ utilizing on-line services to access federal and state databases to determine if recognized environmental conditions exist on site or on adjacent or nearby properties;
- ▶ conducting a search for and review of Sanborn Fire Insurance Maps, aerial photographs and City Directories;
- ▶ accessing and reviewing publicly-available records from state and local environmental regulatory agencies to evaluate the past or current environmental enforcement, investigative or corrective actions which have been implemented at the subject site and adjacent properties; and
- ▶ performing an inspection of the subject site and surrounding area to verify current conditions and operations.

Whitestone's findings along with pertinent conclusions and recommendations are provided in the sections that follow.

SECTION 2.0 Summary of Findings

The subject property (the Site) currently is occupied by Farmingdale Plaza which includes a Waldbaum's Supermarket and three adjoining retail units to the south. The retail units are occupied from north to south by Farmingdale Plaza Cleaners (Plaza Cleaners), Lucky House Chinese Restaurant, and Main Street Cards and Gifts. The Plaza Cleaners is the specific location of the site designated by the NYSDEC as a Class 2 site. The supermarket comprises approximately 33,000 square feet (footprint) of the masonry structure. An asphalt paved parking lot and driveway areas are situated to the east and south of the site building. The Site encompasses an approximately four acre parcel comprising Lots 245, 250 and 269 in Block 102, Section 49 in the Village of Farmingdale, Town of Oyster Bay, Nassau County, New York. A *Site Location Map* is attached as Figure 1. A site plan and an area map also are attached as Figures 2 and 3.

The Farmingdale Plaza shopping center reportedly was constructed in the 1980's and currently is serviced by subsurface natural gas, electrical and municipal sanitary sewer and water lines. An underground storage tank (UST) reportedly was closed-in-place at the site in 1999. Additionally, a 500 gallon No. 2 heating oil aboveground storage tank (AST) formerly was located in the loading dock area. Adjacent properties include:

- ▶ Island Garden Apartments, a dental office, 7-Eleven convenience store, McDonald's restaurant and Fulton Street to the south with the Liberty Industrial Finishing NPL site located beyond Fulton Street;
- ▶ Hardscrabble Apartments, a residence, United States Post Office and Prospect Street to the north;
- ▶ Main Street Laundromat, Aerus, a CPA office, Spendless French Cleaners, a second hand store, Amy Nails, Step by Step dance studios, Classic Vaux Studios, Main Street Mail Center, Country Cupboard, Freedom Hair, an office complex and a Avanti Furniture to the east; and
- ▶ Hardscrabble Apartments, Milestone Apartments, Wild Bird Feed Barn, Weiden Street and residential properties to the west.

Site photographs are provided in Appendix I.

SECTION 3.0

Environmental Regulatory Database Review

On September 11, 2003, Whitestone utilized the services of Environmental Data Resources, Inc. (EDR) to conduct an electronic search of the federal and state databases listed below (see Appendix 2). This search revealed that the Site was identified on the LTANKS and NY Spills environmental regulatory databases. The database information is summarized as follows:

- Federal NPL Site List.** The National Priorities List (NPL), also known as the Superfund List, is USEPA's listing of uncontrolled or abandoned CERCLA hazardous waste sites. The database search and radius profile revealed one NPL site located within one mile of the property. The NPL site is identified as Liberty Industrial Finishing located at 55 Motor Parkway, Farmingdale, New York, approximately 0.2 mile south of the subject site. This site (EPA I.D. Number NYD000337295) is listed as having a "final" NPL status with cadmium, chloroform, dichlorobenzene, tetrachloroethylene, and dieldrin contamination in the soil along with organics and heavy metals contamination in the groundwater. Liberty Industrial Finishing reportedly operated at this site between 1948 and 1977 and conducted electroplating, anodizing and painting. According to the database, groundwater and soil have been contaminated with heavy metals and organics; groundwater discharge to Massapequa Creek has been documented; and a groundwater contaminant plume is migrating south of the site. A groundwater Interim Remedial Measure (IRM) to prevent contaminated groundwater from leaving the site currently is operational. A Remedial Investigation/Feasibility Study has been completed, and the United States Environmental Protection Agency (USEPA) has proposed a remedy for the groundwater plume and on-site soils. The database indicated that a final Record of Decision was scheduled to be completed in 2002.
- Federal CERCLIS List.** The Comprehensive Environmental Response, Compensation and Liability Information System (CERCLIS) list is a compilation of known or suspected uncontrolled or abandoned hazardous waste sites which USEPA has investigated or is investigating for the release or threatened release of hazardous substances pursuant to CERCLA. One CERCLIS site is present within a 0.5 mile radius of the property. The CERCLIS is identified as Liberty Industrial Finishing located at 55 Motor Parkway, Farmingdale, New York, approximately 0.2 mile south of the subject site. (See item #1 above).
- Federal CERCLIS NFRAP Site List.** The CERCLIS list is a compilation of known or suspected uncontrolled or abandoned hazardous waste sites which USEPA has investigated or is investigating for the release or threatened release of hazardous substances pursuant to CERCLA. The subject property is not a CERCLIS-No Further Remedial Action Planned (NFRAP) site. No CERCLIS NFRAP sites are located within a one mile radius of the subject property.
- Federal RCRA CORRACTS Facility List.** The Corrective Action Report (CORRACTS) identifies hazardous waste handlers with Resource Conservation and Recovery Act (RCRA) corrective action activity. The database search identified one CORRACTS site within a one mile radius of the property. The CORRACTS site is identified as Republic Environmental Systems located at 340 through 360 Eastern Parkway, Farmingdale, New York, approximately 0.75 mile northeast of the

subject site. A RCRA Facility Assessment (RFA) was completed at this site on October 28, 1992 and the facility was assigned a medium corrective action priority. In addition, this facility is listed on the PADS, RCRIS SQG, FINDS, RCRIS TSD, RAATS, CBS UST, CERCLIS-NFRAP and NY Spills databases. Detailed information regarding the CORRACTS listing was not readily available, however, this site is not suspected to present a significant threat to environmental conditions at the subject property due to its distance from the site.

5. **Federal RCRA Non-CORRACTS TSD Facilities List.** The Resource Conservation and Recovery System (RCRIS) Treatment, Storage and Disposal (TSD) Facilities report contains information pertaining to permitted facilities which treat, store, or dispose of hazardous wastes. This report includes information traced by the RCRA Administrative Action Tracking System (RAATS). The radius revealed no RCRIS TSD sites or RAATS sites within a 0.5 mile radius of the property.
6. **Federal RCRA Small Quantity Generators (SQG) List.** The RCRIS SQG report contains information pertaining to facilities which either generate between 100 kg and 1,000 kg per month of RCRA hazardous waste or meet other applicable requirements of RCRA. The radius profile revealed 12 RCRIS SQG sites within a 0.25 mile radius of the property. The RCRIS SQG nearest the subject site is identified as J P Printing, Inc. located at 331 Main Street, Farmingdale, New York, approximately 0.06 mile east of the subject site. No RCRA violations have been reported for this facility.
7. **Federal RCRA Large Quantity Generator (LQG) List.** The RCRIS LQG report contains information pertaining to facilities which generate more than 1,000 kg per month of RCRA hazardous waste or meet other applicable requirements of RCRA. The radius profile revealed no RCRIS LQG sites within a 0.25 mile radius of the property.
8. **Federal ERNS List.** The Emergency Response Notification System (ERNS) is a national computer database which stores information on the sudden and/or accidental release of hazardous substances, including petroleum, into the environment during the previous reporting year. No releases were reported by ERNS within a 0.05 mile radius of the property during this period.
9. **State-Equivalent NPL and CERCLIS Sites.** The State Hazardous Waste Site (SHWS) records are the State's equivalent to CERCLIS. These sites may or may not already be listed on the federal CERCLIS list. Priority sites planned for cleanup using state funds (state equivalent of Superfund) are identified along with sites where cleanup will be paid for by potentially responsible parties (PRPs). One SHWS site is located within a one mile radius of the property. The SHWS is identified as Liberty Industrial Finishing located at 55 Motor Parkway, Farmingdale, New York, approximately 0.2 mile south of the subject site. (See item #1 above).
10. **State Solid Waste Facilities/Landfill Sites.** The SWF/LS List is a listing of all active and inactive permitted waste disposal sites and processing facilities located in New York. No SWF/LS sites are located within a 0.5 mile radius of the property.
11. **State Leaking Underground Storage Tank List.** The LTANKS list is a comprehensive listing of all *reported* leaking USTs in the State of New York. The Waldbaum's Supermarket is listed twice on the LTANKS database. A spill was reported on March 22, 1997 due to potential leaks from a

7,500 gallon heating oil UST. Additionally, this tank reportedly failed a tightness test on November 20, 1998. The UST subsequently was abandoned in place, and soil samples did not document evidence of contamination. No further actions were required, and the case was closed by 2000. An additional 25 LTANKS sites have been reported within a 0.5 mile radius of the property. The LTANKS sites nearest the subject property include:

LUST Site	Address	Release Date & Tank Description	Case Status
Incorporated Village of Farmingdale	Main Street Farmingdale, NY	March 24, 1992 Diesel	Case Closed on June 26, 1992
Village Hall Fire Department	361 Main Street Farmingdale, NY	March 20, 1998 No. 2 Fuel Oil	Case Closed on March 22, 1998
Incorporated Village of Farmingdale	361 Main Street Farmingdale, NY	June 23, 1989 No. 2 Fuel Oil	Case Closed on September 29, 1989
Hardscrabble Apartments*	400-410 Main Street Farmingdale, NY	June 16, 1992 No. 2 Fuel Oil	Case Closed on June 2, 1997
Apartment Complex*	410 Main Street Farmingdale, NY	July 24, 1998 Not Reported	Case Closed on November 4, 1998
Hardscrabble Apartments*	410 Main Street Farmingdale, NY	August 13, 1999 No. 2 Fuel Oil	Not Reported
Stantan Management*	410 Main Street Farmingdale, NY	August 11, 1994 No. 2 Fuel Oil	Case Closed on August 18, 1994
* Adjacent to subject site.			

An impact to the subject site from these facilities is not anticipated due to their closed case status and/or distance from the subject property.

- New York Registered Storage Tank List.** The Registered Storage Tank list is a comprehensive listing of all *registered* USTs and ASTs in the State of New York. Seven registered storage tank sites are located within a 0.25 mile radius of the property including:

UST/AST Facility	Address	Number of USTs/ASTs	UST/AST Capacity (gallons)	Product
Liberty Industrial Finishing	55 Motor Parkway Farmingdale, NY	2	1 x 2,500 1 x 2,500	Sodium Hydroxide Sulfuric Acid

UST/AST Facility	Address	Number of USTs/ASTs	UST/AST Capacity (gallons)	Product
Delta Service Station	511 Fulton Avenue Farmingdale, NY	6	2 x 4,000 2 x 2,000 2 x 6,000	Empty Empty Unleaded Gasoline
Lee Dodge	330 Conklin Street Farmingdale, NY	4	2 x 2,000 1 x 3,000 1 x 240	Empty Empty Waste Oil
Farmingdale Village Fire Department	361 Main Street Farmingdale, NY	5	1 x 2,000 1 x 1,000 1 x 550 1 x 2,500 1 x 550	Empty Empty Empty Leaded Gasoline Diesel
Freedom Petroleum DBA US Oil	566 Fulton Street Farmingdale, NY	8	2 x 3,000 1 x 4,000 1 x 2,000 2 x 6,000 1 x 6,000 1 x 47	Empty Empty Empty Unleaded Gasoline Gasoline LPG
Romanelli & Sons	374 Fulton Street Farmingdale, NY	13	4 x 2,000 3 x 15,000 2 x 20,000 1 x 8,000 1 x 4,000 1 x 3,000 1 x 240	Empty Empty Empty Empty Empty Empty Waste Oil
Highway Petroleum DBA Delta	356 Fulton Street Farmingdale, NY	3	3 x 6,000	Unleaded Gasoline

An impact to the subject site from these facilities is not anticipated due to the closed case status and/or distance from the subject property.

13. **Hazardous Materials Information Reporting System.** HMIRS contains hazardous material spill incident information as reported to the Department of Transportation. The subject property is not listed as a HMIRS facility.
14. **PCB Activity Database System.** PADS identifies generators, transporters, commercial storage facilities and/or brokers, and disposers of PCBs who are required to notify USEPA of such activities. The subject property is not listed as a PADS site.
15. **Facility Index System.** FINDS contains both facility information and "pointers" to other sources that contain more detail. These include RCRIS; the permit compliance system (PCS); the Aerometric Information Retrieval System (AIRS); the FIFRA and TSCA Enforcement System (FATES); the

- FIFRA/TSCA Tracking System (FTTS); CERCLIS; DOCKET (enforcement docket used to manage and track information on civil judicial enforcement cases for all environmental statutes); the Federal Underground Injection Control and Federal Reporting Data System; Surface Impoundments; TSCA Chemical and Commerce Information System; RCRA-J (Medical Waste Transporters/Disposers); TRIS, and TSCA. The subject property is not listed as a FINDS facility.
16. **Toxic Chemical Release Inventory System.** TRIS identifies facilities which are permitted to release toxic chemicals to the air, water, and land in reportable quantities under SARA Title III, Section 313. The subject property is not listed as a TRIS facility.
 17. **The Federal Superfund Liens.** This list identifies properties which USEPA has the authority to file liens against in order to recover remedial action expenditures, or when the property owner receives notification of potential responsible party status. USEPA compiles a listing of filed notices of Superfund liens. The subject property is not listed as an NPL Liens site.
 18. **Toxic Substances Control Act.** TSCA identifies manufacturers and importers of chemical substances included on the TSCA Chemical Substance Inventory List, including data on the production volume of these substances by plant site. The subject property is not listed as a TSCA site.
 19. **Material Licensing Tracking System.** MLTS is maintained by the Nuclear Regulatory Commission and contains a list of approximately 8,100 sites which possess or use radioactive materials and which are subject to NRC licensing requirements. The MLTS list is updated quarterly. The subject property is not listed as a MLTS site.
 20. **Records of Decision.** ROD documents mandate a permanent remedy at an NPL (Superfund) site containing technical and health information to aid in the cleanup. One ROD is in effect for sites within a one mile radius of the property. The ROD site is identified as Liberty Industrial Finishing located at 55 Motor Parkway, Farmingdale, New York, approximately 0.2 mile south of the subject site. (See item #1 above).
 21. **Superfund (CERCLA) Consent Decrees.** Legal settlements that establish responsibility and standards for cleanup at NPL (Superfund) sites are often memorialized in Consent Decrees. One Consent Decree is reported for sites within a one mile radius of the property. The Consent site is identified as Liberty Industrial Finishing located at 55 Motor Parkway, Farmingdale, New York, approximately 0.2 mile south of the subject site. (See item #1 above).
 22. **NY Spills.** This list includes data on spills which have been reported to NYSDEC. The Waldbaum's supermarket is listed on the NY Spills database due to an apparent spill of approximately 10 gallons of No. 2 heating oil from a ceiling-mounted tank on December 28, 1998. The fuel oil, which was contained by the concrete floor, was diked and removed with the incident receiving closure on July 12, 2000. Four additional NY Spills sites are located within 0.125 miles of the subject site. The NY Spills site nearest the subject property is identified as LILCO located at the intersection of Prospect and Main Streets, approximately 0.125 mile north of the subject site. Spill No. 9202238 was assigned to this site on May 22, 1992 due to a leaking pole mounted transformer. Corrective action was taken, and the case was closed on May 26, 1992.

23. **Former Manufactured Gas (Coal Gas Site).** Historical coal gasification sites present a variety of potential environmental hazards. The subject property is not listed as a former coal gas site, and no former coal gas sites are located within a one mile radius of the subject site.
24. **Federal Reporting Data System.** FRDS provides information regarding public water supplies and their compliance with monitoring requirements, maximum contaminant levels, and other requirements of the Safe Drinking Water Act of 1986. One FRDS well was reported within a two mile radius of the site.
25. **Area Radon Information.** A national database has been developed by USEPA which is a compilation of the EPA/State Residential Radon Survey and the National Residential Radon Survey. The study includes data which has been supplemented by information collected at private sources such as universities and research institutions. Although no site-specific radon data is available for the subject property, the average radon activity for Nassau County is 0.64 picocuries per liter (pCi/L) for living areas and 1.10 pCi/L for basements. A total of 226 sites have been tested and reported for radon in Nassau County, New York with 2.0 percent of the sites experiencing radon levels in living areas exceeding USEPA's standard of 4.0 pCi/L. Additionally, 2.0 percent of the tested sites experienced radon levels in basement areas exceeding USEPA's standard of 4.0 pCi/L.

Based on the database record search, a total of 54 listed sites have been identified in the vicinity of the property. The database search also identified 57 "orphan" sites which could not be located electronically due to insufficient records. Upon initial evaluation of these sites and available information gathered by Whitestone, impact to the subject property by the off-site migration of contaminants from, or presence of hazardous substances at, nearby properties is possible. A copy of the EDR report is included as Appendix 2.

SECTION 4.0

Historical Use Information (Subject Property)

4.1 SANBORN FIRE INSURANCE MAPS

Sanborn Fire Insurance Maps are available for this property for the years 1920, 1929, 1942 and 1964. A summary of the pertinent features highlighted by the Sanborn Maps is outlined below. Copies of the Sanborn Maps are included as Appendix 3 to this report.

1920: In 1920, the Site was labeled as Public School District 22 and consisted of four buildings including classroom structures and a barn/shed. A coal room was identified in the southern site building. The southwestern portion of the subject site was not depicted on this Sanborn Map. Residences, a hotel and barns were located to the south; a grocery store and former transformer warehouse were located to the east across Main Street; and S&R Frame Manufacturing Company (including assembly, finishing, stamping and pickling operations) and Sperry Aircraft were present to the southeast at the corner of Richard Street and Main Street. Areas to the north and west of the subject site were not shown on this Sanborn Map.

1929: By 1929, the majority of the previous site structures had been demolished, and Farmingdale High School had been constructed. Commercial facilities/stores were present to the east across Main Street; two residences, a garage and wood shop, and a hotel and adjacent garages were present to the south; and vacant and residential properties were located to the west. The S&R Frame Manufacturing Company and Sperry Aircraft facilities at the corner of Richard Street and Main Street were demolished between 1920 and 1929.

1942: Farmingdale High School was located on the Site in 1942 and consisted of classrooms, an assembly hall, a gymnasium and an auditorium. Two residences and a store along with three garages and a wood shop were located to the south; additional stores including an auto sales and service facility and print shop were located to the east across Main Street; and vacant and residential properties were located to the west.

1964: By 1964, the High School at the site had been converted to Farmingdale Grammar School. The southwestern portion of the site remained residential. Country Gardens Apartments and a restaurant were situated to the south; stores including print shops were located to the east across Main Street; and a tire sales and service operation was situated to the southeast at the corner of Richard Street and Main Street.

4.2 AERIAL PHOTOGRAPHS

Aerial photographs for the years 1953, 1966, 1976, 1980 and 1994 were obtained from EDR and reviewed by Whitestone. Copies of the aerial photographs are provided in Appendix 4 with pertinent details summarized as follows:

- 1953:** In 1953, the school was present at the northern portion of the Site, and residences were located at the southwestern portion of the Site. A playground and ballfield were located to the west with residences and commercial facilities situated to the south, north and east. The industrial/commercial operations (including lagoons) at the former Liberty Industrial Finishing site along Motor Avenue were present in 1953.
- 1966:** In 1966, the Site and surrounding area appeared generally similar to the conditions identified on the 1953 aerial photograph, however, the commercial and residential properties to the south had been demolished and replaced with an apartment complex. Additional commercial development had occurred by 1966 along the southern side of Fulton Street to the north of the railroad tracks and the Liberty Industrial Finishing site.
- 1976:** In 1976, no significant changes to the Site and surrounding properties were apparent between 1966 and 1976, however, a commercial structure was constructed to the south of the site (current McDonald's restaurant).
- 1980:** In 1980, the school had been demolished, and the Site was characterized by disturbed ground and debris. Adjacent property use had not changed significantly since 1976.
- 1994:** By 1994, the shopping center structure and parking lot currently comprising the northern portions of the site and the access drive at the southwestern portion of the site had been constructed. Apartment complexes also were constructed immediately to the north and west between 1980 and 1994. Significant ground disturbance was present at the Liberty Industrial Finishing site to the south.

4.3 CITY DIRECTORIES

Whitestone conducted an electronic search of business directories at approximately five-year intervals for the years spanning 1971 through 2000. A copy of the City Directory listings is attached as Appendix 5. This search revealed that the following businesses to have occupied the subject site and adjacent properties.

- 1971:** Address Not Listed in Research Source (450)
Antique-Atorium (441)
Farmingdale Stamp & Coin (455)
- 1976:** Address Not Listed in Research Source (450)
Farmingdale Karate Center (441)
Branch Interior Service (449)
S&M Sewing Machine Repair (451)
American Life Insurance/J.J. Bohan Agency (453)
Farmingdale Stamp Shop (455)

- 1981: Address Not Listed in Research Source (450)
The Second Hand Store (441)
Cross Island Specialty (447)
Branch Interior Service (449)
S&M Sewing Machine Repair (451)
Quimby Equipment (453)
Apartment Building (455)

- 1986: Waldbaum's Supermarket/Grapes & Grains/Fotomat (450)
The Second Hand Store (441)
Cross Island Specialty (447)
Body Language Theater Arts (449)
F&M Cycle (451)
J.J. Bohan Agency (453)
Prelude Book Shop/Apartment Building (455)

- 1990: Grapes & Grains (450)
The Second Hand Store (441)
LI Compressor (447)
Body Language Theater Arts (449)
Prosthetic & Orthotic Service (451)
J.J. Bohan Agency (453)
Apartment Building (455)

- 2000: Lucky House Inc./Main St. Cards & Gifts (450)
The Second Hand Store (441)
Amy Nails (447)
Step Step Dance Studio (449)
Bohan Agency (451)
JEMD Medical Sales (453)
Apartment Building (455)

4.4 PROPERTY TAX FILES

Ownership information obtained from the Nassau County Assessor indicated that the Site which comprises Section 49, Block 102, Lots 245, 250 and 269 currently is owned by Farmingdale Marketplace, Inc. Whitestone also was informed that the site building was constructed in 1983.

SECTION 5.0

Summary of Previous Environmental Investigations

5.1 MALCOLM PIRNIE, INC. PHASE I ENVIRONMENTAL SITE ASSESSMENT

The September 25, 2000 Phase I Environmental Site Assessment (ESA) by Malcolm Pirnie, Inc. (MPI) concluded that no recognized environmental conditions (RECs) associated with on- or off-site conditions were identified at or in the vicinity of the Site. Subsequent amendments to MPI's Phase I ESA report included an acknowledgment that six on-site groundwater monitor wells had been installed on the Site by the United States Environmental Protection Agency (USEPA) as part of an off-site evaluation of the Liberty Industrial Finishing NPL site.

5.2 MALCOLM PIRNIE, INC. PHASE II SITE INVESTIGATIONS

The January 15, 2001 letter report by MPI entitled *Results of Phase II Investigation at the Waldbaum's Shopping Center, Farmingdale, New York* discussed the findings of soil and groundwater investigations conducted at the Site in November 2000. MPI indicated that the objective of these investigations was to evaluate the potential impact to subsurface conditions associated with the on-site dry cleaning operations (Plaza Cleaners) and historic off-site activities at the Liberty Industrial Finishing NPL site.

MPI's January 15, 2001 limited Phase II SI results described the collection and analyses of soil samples from two borings along with analyses of groundwater samples from two of the existing site groundwater monitor wells. The sample locations are shown on Figure 2 with analytical results summarized in Table 1.

MPI reported that no volatile organic compound (VOC) concentrations exceeding New York State Department of Environmental Conservation (NYSDEC) soil cleanup guidelines were encountered, however, benzene levels in groundwater from one of the on-site monitor wells slightly exceeded NYSDEC groundwater standards. This well, which was designated as MW-1 by MPI, corresponds to USEPA well MW-3A and WAI well MW-3.

MPI indicated in the January 15, 2001 report that the identified contaminants were related to off-site sources, and no further on-site activities were warranted. Additionally, MPI issued a February 12, 2001 Addendum which further stated that the subject property had not impacted contaminant conditions at the nearby Liberty Industrial Finishing site.

5.3 WHITESTONE ASSOCIATES, INC. LIMITED PHASE II SITE INVESTIGATIONS

Whitestone's February 19 and 20, 2001 sampling activities consisted of collection and analyses of soil and groundwater samples from six borings and groundwater sample collection/analyses from six existing site wells. No VOC constituents were reported in the soil samples in excess of NYSDEC soil cleanup objectives. VOC concentrations detected in groundwater samples only marginally exceeded NYSDEC standards/criteria.

Whitestone's April 2001 supplemental sampling activities were undertaken to further evaluate if current or past site operations may have impacted subsurface conditions, establish soil and groundwater conditions at reported upgradient and downgradient locations, and further assess if contamination at the Liberty Industrial Finishing NPL site (1/8 mile to 1/4 mile to the south of the Waldbaum's store) potentially may have emanated from the subject property.

The April 18, 2001 investigations included collection of three discrete groundwater samples at distinct horizons within each of four new borings (B-7 to B-10). PCE concentrations exceeding NYSDEC's groundwater standards/criteria were reported at two borings. Detectable VOC concentrations below NYSDEC groundwater criteria also were identified in groundwater samples. The results of the groundwater sampling activities indicate detectable VOC concentrations in the groundwater underneath the Site including apparent upgradient and cross-gradient of the current on-site dry cleaner. The VOC levels range from slightly below NYSDEC standards to marginal exceedances (within one order of magnitude or less) of applicable groundwater criteria.

Whitestone's sample locations are shown on Figure 2 with soil and groundwater sampling results summarized in Table 2.

5.4 MISCELLANEOUS ACTIVITIES RELATED TO LIBERTY INDUSTRIAL FINISHING NPL SITE

5.4.1 Additional Sampling Activities and Results

Miscellaneous documents obtained from USEPA and NYSDEC pursuant to Freedom of Information Act requests suggest that at least 70 monitor wells have been installed as part of the investigations associated with the Liberty Industrial Finishing site which is located approximately 1,000 feet south of the Site. Select well locations are shown on the area map comprising Figure 3.

USEPA monitor wells WMW-1, MW-1A, MW-1B, MW-2A, MW-3A and MW-8A are situated on the Site immediately to the south of the Site buildings and near the property boundary. USEPA well MW-4A is located along the southern entrance to the shopping center with MW-22A and MW-22B located to the south adjacent to Fulton Street. Monitor well MW-5B is located immediately north of Farmingdale Plaza. These wells reportedly are completed in various horizons within the unconsolidated Upper Glacial aquifer.

As indicated in Sections 4.1 to 4.3, the on-site wells have been sampled by MPI and Whitestone in 2000 and 2001. Similarly, data obtained from USEPA and NYSDEC indicate that select wells also have been sampled by EarthTech, Inc. and Dames & Moore between 1998 and 2001. The EarthTech and Dames & Moore data for the on-site and adjacent property wells are summarized in Tables 3 and 4, respectively.

The data indicate that the well numbers have been designated differently by the various sampling entities due to insufficient regulatory information prior to September 2003. The corresponding wells numbers are as follows:

USEPA Well No.	Corresponding Whitestone Well No.	Corresponding MPI Well No.
WMW-1	MW-1	MW-2
MW-1A	MW-6	MW-6
MW-1B	MW-5	MW-5
MW-2A	MW-4	MW-4
MW-3A	MW-3	MW-1
MW-4A	NS	NS
MW-5B	NS	NS
MW-8A	MW-2	MW-3
MW-22A	NS	NS
MW-22B	NS	NS
NOTES:		
NS Not Sampled		

The USEPA documents suggest that groundwater flows in a southerly direction in the area. The regulatory sampling data also indicated PCE and/or TCE exceedances of NYSDEC groundwater quality standards/criteria in USEPA designated wells WMW-1, MW-8A, MW-4A, MW-5B, MW-22A and MW-22B. Generally, the reported concentrations marginally exceeded or were within one order of magnitude of NYSDEC groundwater standards. However, PCE levels of 3,600 ppb in USEPA MW-4A and 1,100 ppb in MW-22A were reported during select sampling rounds.

A comparison of sampling results is presented in Table 5 which indicates similar PCE and TCE concentrations in USEPA WMW-1 (WAI MW-1), USEPA MW-8A (WAI MW-2), USEPA MW-5B and USEPA MW-22B. Additionally, groundwater samples collected from temporary wellpoints B-2, B-3, B-4, B-5, B-6 and B-7 installed by Whitestone in 2001 yielded similar PCE and/or TCE concentrations. The close

correlation between VOC levels in the groundwater at various locations across the site along with the absence of an impacted soil source area suggests a regional, rather than site-specific, condition.

As discussed above, elevated PCE levels were reported for groundwater samples collected from USEPA MW-4A and MW-22A. Additionally, groundwater samples collected by Whitestone from B-10 in 2001 displayed PCE concentrations up to 147 ppb. These locations are situated approximately 200 feet to 350 feet from the Plaza Cleaners facility with the intermediate area displaying significantly lower VOC concentrations, thereby, suggesting a separate contaminant source (other than the on-site dry cleaners) for the PCE levels at USEPA MW-4A, USEPA MW-22A and WAI B-10.

The USEPA and NYSDEC correspondence and notes tend to suggest a southerly groundwater flow direction. Available USEPA/EarthTech water level data for sampling events between September 2000 to October 2001 (presented in Table 3) were examined further to evaluate groundwater flow patterns. This information is summarized further as follows:

USEPA Well #	9/00 Water Levels (ft. asl)	10/00 Water Levels (ft. asl)	12/00 Water Levels (ft. asl)	2/01 Water Levels (ft. asl)	10/01 Water Levels (ft. asl)
WMW-1	47.28	47.36	46.65	46.96	45.66
MW-1A	47.25	47.29	46.57	46.92	45.47
MW-1B	47.23	47.29	46.63	46.96	45.40
MW-2A	47.37	47.38	47.36	47.15	45.42
MW-3A	47.31	47.35	45.56	47.06	45.37
MW-4A	47.34	47.41	46.72	47.06	45.60
MW-5B	48.06	48.10	47.43	47.83	46.33
MW-8A	47.42	47.48	46.80	46.89	45.55
MW-22A	47.36	47.46	46.80	47.13	45.13
MW-22B	47.39	47.47	46.79	47.15	45.15
NOTES:					
ft. asl feet above mean sea level					

This information indicates that water levels in USEPA wells MW-4A, MW-22A and MW-22B (located to the south of the main Farmingdale Plaza property) were higher than the static levels in WMW-1, MW-1A, MW-1B, MW-2A and/or MW-3A during the September 2000 to February 2001 measurement events. This indicates a northeasterly flexure in the groundwater flow direction from the southerly flow reported in the USEPA and NYSDEC documents. This flexure further suggests that the elevated VOC concentrations in

wells MW-4A and MW-22A are related to an off-site source. This apparent shift in groundwater flow direction is displayed on the groundwater contour maps comprising Figures 4 to 7. The flexure was not observed during the October 2001 gauging event depicted in Figure 8.

5.4.2 Miscellaneous Regulatory Information

Additional regulatory and historic site information obtained from the USEPA and NYSDEC files is summarized as follows:

- ▶ The Liberty Industrial Finishing NPL site is located approximately 1,000 feet south of the Farmingdale Plaza property. The NPL site reportedly was used by Liberty (previously Kirkham Engineering and Manufacturing Corporation) for aircraft parts manufacturing and finishing operations from 1934 until the late 1970's. The property reportedly was converted to an industrial park in the 1960's which was occupied by numerous tenants (including Liberty) for various industrial and commercial activities including apparent metal plating and finishing operations.
- ▶ Wastes historically were disposed in unlined basins and open dumps in the western portion of the site. Contaminated soil reportedly was removed from this area during several episodes since the late 1970's.
- ▶ Various *Administrative Consent Orders* (ACOs) have been executed by USEPA and/or NYSDEC and potentially responsible parties (PRPs) since 1978 to perform investigative and remedial tasks at the Liberty site.
- ▶ The Liberty Industrial Finishing site apparently was nominated for NPL status in 1984 and subsequently officially listed in 1986.
- ▶ NYSDEC notified A&P in November 2002 of the Department's intention to designate the Farmingdale Plaza site as a potential waste disposal site based on findings from investigations associated with the Liberty Industrial Finishing site. The NYSDEC correspondence suggested that portions of the groundwater contamination at the NPL site could potentially be related to the dry cleaning operations at Plaza Cleaners.
- ▶ NYSDEC correspondence from 2002 indicated that PCE concentrations in the groundwater in the Site wells reached 7.0 parts per billion (ppb) while "downgradient"/off-site levels were as high as 3,600 ppb. Based on this information, a New York State Department of Health (NYSDOH) letter on March 19, 2003 concurred that the Plaza Cleaners be listed as a Class 2 site and that further evaluation was needed to define the limits of the plume and potential exposures. NYSDEC subsequently issued an October 1, 2003 letter notification of inclusion of the Plaza Cleaners in the Registry of Inactive Hazardous Waste Disposal sites. The NYSDEC file contained no indication that NYSDEC had evidence of a spill or disposal of VOCs or other hazardous waste at the Plaza Cleaners.
- ▶ Other potential sources for the VOC groundwater contamination were discussed in correspondence and memos from NYSDEC's files. These sites included dry cleaners, launderers, carpet cleaners,

and flooring operations. The nearest off-site dry cleaner described is Spendless French Cleaners (formerly Broadway Cleaners) at 439 Main Street. The nearby facilities are shown on Figure 3.

SECTION 6.0

Conclusions and Recommendations

The following conclusions and recommendations are based on the limited historical documentation and environmental regulatory information reviewed to date by Whitestone along with available sampling results:

- ▶ The review of historical information and databases has not indicated a VOC spill at the Plaza Cleaners, and A&P has never been advised or notified of any such spill.
- ▶ Whitestone and MPI did not encounter any visual or analytical evidence of impacted soil and/or residually contaminated soil in the alleged on-site source area. Furthermore, soil sampling data obtained from NYSDEC and USEPA did not report VOC impacted soil conditions at the Site. This absence of a VOC contaminant source in Site soils suggests that the on-site Plaza Cleaners is not the source of the residual chlorinated solvent contamination in the groundwater to the south. No further actions are required to address on-site soil conditions.
- ▶ Low levels of VOC constituents occur in the groundwater at locations throughout the site at levels both marginally above and below NYSDEC's groundwater standards/criteria. The presence of these constituents at opposite property boundaries along with central portions of the Site suggest that the VOC occurrences likely are related to area-wide, background groundwater contaminant conditions rather than a site-specific incident or condition. More specifically, comparison of sampling results presented in Table 5 indicates similar PCE and TCE concentrations in USEPA WMW-1 (WAI MW-1), USEPA MW-8A (WAI MW-2), USEPA MW-5B and USEPA MW-22B. Additionally, groundwater samples collected from temporary wellpoints B-2, B-3, B-4, B-5, B-6 and B-7 installed by Whitestone in 2001 yielded similar PCE and/or TCE concentrations. The close correlation between these VOC levels in the groundwater collected from various Site locations along with the absence of an impacted soil source area further suggests a regional condition.
- ▶ Elevated PCE levels were reported for groundwater samples collected from USEPA MW-4A and MW-22A. Additionally, groundwater samples collected by Whitestone from B-10 in 2001 displayed PCE concentrations up to 147 ppb. These locations are situated approximately 200 feet to 350 feet from the Plaza Cleaners with the intermediate area displaying significantly lower VOC concentrations, thereby, suggesting the Plaza Cleaners is not the source of the PCE levels at USEPA MW-4A, USEPA MW-22A and WAI B-10.
- ▶ Well gauging information indicates that water levels in USEPA wells MW-4A, MW-22A and MW-22B (located to the south of the main Farmingdale Plaza property) were higher than the static levels in WMW-1, MW-1A, MW-1B, MW-2A and/or MW-3A during the September 2000 to February 2001 measurement events. This indicates a northeasterly flexure in the groundwater flow direction from the southerly flow reported in the USEPA and NYSDEC documents. This flexure further suggests that the elevated VOC concentrations in wells MW-4A and MW-22A are related to a source other than the Site or Plaza Cleaners. The flexure was observed in four of the five groundwater gauging events between September 2000 to October 2001.

- ▶ USEPA sampled the site wells in September 2003. This information should be obtained to further assess current contaminant conditions, groundwater flow patterns, and to locate the source of VOC contamination in the wells to the south of the Site (USEPA MW-4A, USEPA MW-22A and WAI B-10) which sporadically exhibit elevated VOC levels.



TABLES

TABLE 1
Malcolm Pirnie Sampling Data

TABLE 1

Summary of Analytical Results
Waldbaums Shopping Center
Farmingdale, NY

Parameter	NYS Soil Cleanup Guidelines TAGM #4046	NYS Soil Cleanup Guidelines STARS Memo #1	NYS Groundwater Quality Criteria TAGM #4046	FDSB109 SOIL ug/kg	FDSB212 SOIL ug/kg	FDMW-3 WATER ug/l	FDMW-1 WATER ug/l
1,1,1-Trichloroethane	800	NS	5				
1,1,2,2-Tetrachloroethane	600	NS	5				
1,1,2-Trichloroethane	6000	NS	5				
1,1-Dichloroethane	200	NS	5				
1,1-Dichloroethene	400	NS	5				
1,2-Dichloroethane	100	NS	5				
1,2-Dichloropropane	NS	NS	NS				
2-Chloroethyl Vinyl Ether	NS	NS	NS				
Benzene	60	14	0.7			0.8	0.9
Bromodichloromethane	NS	NS	NS				
Bromoform	NS	NS	NS				
Bromomethane	NS	NS	NS				
Carbon Tetrachloride	60	NS	5				
Chlorobenzene	1700	NS	5				0.6
Chloroethane	1900	NS	50				
Chloroform	300	NS	7				
Chloromethane	NS	NS	NS				
cis-1,2-Dichloroethene	NS	NS	NS			0.5	0.6
cis-1,3-Dichloropropene	NS	NS	NS				
Dibromochloromethane	N/A	NS	50				
Ethylbenzene	5500	100	5				
Methylene Chloride	100	NS	5				
Tetrachloroethene	1400	NS	5			0.6	0.6
Toluene	1500	100	5				
trans-1,2-Dichloroethene	300	NS	5				
trans-1,3-Dichloropropene	300	NS	5				
Trichloroethene	700	NS	5				
Trichlorofluoromethane	NS	NS	NS				
Vinyl Chloride	200	NS	2				
Xylene (Total)	1200	100	5				0.5

Qualifiers

U - The compound was not detected at the indicated concentration.

J - Data indicates the presence of a compound. The result is less than the quantitation limit but greater than zero.

B - The analyte was found in the laboratory blank as well as the sample.

NR - Not analyzed.

NS - No Standard or guideline value

N/A - Not Available

TABLE 2
Whitestone Associates, Inc.
Sampling Data

TABLE 2
Groundwater Sampling and Analytical Data Summary
Waldbaum's Supermarket - Farmingdale Plaza
450 East Main Street, Farmingdale, Nassau County, New York

Boring/ Monitor Well	Date Sampled	Interval/Depth Sampled (fbgs)	Detected VOC Contaminant Concentration (ppb)	NYSDEC GW Standard (ppb)*
B-1	2/20/01	20.0 - 23.0	Benzene - 1.2 Xylenes - 3.8	0.7 5.0
		27.0 - 30.0	ND	----
		34.0 - 37.0	ND	----
B-2	2/19/01	20.0 - 23.0	Trichloroethene - 2.8 Tetrachloroethene - 24	5.0 5.0
		27.0 - 30.0	ND	----
		34.0 - 37.0	ND	----
B-3	2/19/00	20.0 - 23.0	Tetrachloroethene - 4.0	5.0
		27.0 - 30.0	cis 1,2-Dichloroethene - 5.8 Tetrachloroethene - 1.1	NE 5.0
		34.0 - 37.0	cis 1,2-Dichloroethene - 100 Tetrachloroethene - 60	NE 5.0
B-4	2/19/01	19.5 - 22.5	ND	----
		26.5 - 29.5	cis 1,2-Dichloroethene - 32 Tetrachloroethene - 10	NE 5.0
		33.5 - 36.5	cis 1,2-Dichloroethene - 62 Tetrachloroethene - 64	NE 5.0
B-5	2/19/01	19.5 - 22.5	cis 1,2-Dichloroethene - 8.6 Tetrachloroethene - 7.6	NE 5.0
		26.5 - 29.5	cis 1,2-Dichloroethene - 15 Tetrachloroethene - 14	NE 5.0
		33.5 - 36.5	Tetrachloroethene - 12	5.0

TABLE 2 (continued)
Groundwater Sampling and Analytical Data Summary
Waldbaum's Supermarket - Farmingdale Plaza
450 East Main Street, Farmingdale, Nassau County, New York

Boring/ Monitor Well	Date Sampled	Interval/Depth Sampled (fbgs)	Detected VOC Contaminant Concentration (ppb)	NYSDEC GW Standard (ppb)*
B-6	2/20/01	19.5 - 22.5	Tetrachloroethene - 5.2	5.0
		26.5 - 29.5	cis 1,2-Dichloroethene - 23 Tetrachloroethene - 6.7	NE 5.0
		33.5 - 36.5	cis 1,2-Dichloroethene - 100 Tetrachloroethene - 48	NE 5.0
B-7	4/18/01	19.5 - 22.5	ND	-----
		26.5 - 29.5	trans-1,2 - dichloroethene - 0.279 Trichloroethene - 1.7 Tetrachloroethene - 19.3	5.0 5.0 5.0
		33.5 - 36.5	Trichloroethene - 3.8 Tetrachloroethene - 9.54	5.0 5.0
B-8	4/18/01	18.0 - 21.0	Tetrachloroethene - 0.374	5.0
		25.0 - 28.0	Tetrachloroethene - 0.536	5.0
		32.0 - 35.0	Chloroform - 0.208 Tetrachloroethene - 0.525	7.0 5.0
B-9	4/18/01	19.0 - 22.0	Tetrachloroethene - 1.11	5.0
		26.0 - 29.0	ND	-----
		33.0 - 36.0	Chloroform - 0.275	7.0
B-10	4/18/01	17.0 - 20.0	Tetrachloroethene - 3.06	5.0
		24.0 - 27.0	Trichloroethene - 0.788 Tetrachloroethene - 37	5.0 5.0
		31.0 - 34.0	Trichloroethene - 3.26 Tetrachloroethene - 147	5.0 5.0

TABLE 2 (continued)
Groundwater Sampling and Analytical Data Summary
Waldbaum's Supermarket - Farmingdale Plaza
450 East Main Street, Farmingdale, Nassau County, New York

Boring/ Monitor Well	Date Sampled	Interval/Depth Sampled (fbgs)	Detected VOC Contaminant Concentration (ppb)	NYSDEC GW Standard (ppb)*
MW-1	2/20/01	18.5	cis 1,2-Dichloroethene - 4.3 Tetrachloroethene - 12	NE 5.0
MW-2	2/20/01	18.5	cis 1,2-Dichloroethene - 100 Tetrachloroethene - 38	NE 5.0
MW-3	2/20/01	18.5	ND	----
MW-4	2/20/01	20.0	ND	----
MW-5	2/20/01	20.5	Benzene - 5.7	0.7
MW-6	2/20/01	20.5	ND	----

Notes:

fbgs feet below ground surface
VOC volatile organic compound
ppb parts per billion
GW Groundwater

* Groundwater Standards established in 1994 NYSDEC *Technical and Administrative Guidance Memorandum* (TAGM)

ND None Detected

NE Not Established

BOLD Exceeds TAGM Groundwater Standard

TABLE 2
Soil Sampling and Analytical Data Summary
Waldbaum's Supermarket - Farmingdale Plaza
450 East Main Street, Farmingdale, Nassau County, New York

Boring #	Date Installed	Total Depth (feet)	Depth to GW (feet)	Interval Sampled (fbs)	Detected VOC Contaminant Concentration (ppm)	NYSDEC Soil Cleanup Objective (ppm)*
B-1	2/20/01	37.0	20.0	2.0 - 4.0	Tetrachloroethene - 0.051	1.4
				19.0 - 19.5	ND	----
B-2	2/19/01	37.0	20.0	2.0 - 4.0	ND	----
				19.0 - 19.5	ND	----
B-3	2/19/01	37.0	20.0	2.0 - 4.0	ND	----
				19.0 - 19.5	ND	----
B-4	2/19/01	37.0	19.0	2.0 - 4.0	ND	----
				18.0 - 18.5	ND	----
B-5	2/19/01	37.0	17.5	2.0 - 4.0	ND	----
				16.5 - 17.0	ND	----
B-6	2/20/01	37.0	19.0	2.0 - 4.0	ND	----
				18.0 - 18.5	ND	----
B-7	4/18/01	36.5	19.5	2.0 - 4.0	ND	----
				19.0 - 19.5	Methylene chloride - 0.01B	0.1
B-8	4/18/01	35.0	18.0	2.0 - 4.0	Methylene chloride - 0.009B	0.1
				17.5 - 18.0	Methylene chloride - 0.008B	0.1
B-9	4/18/01	36.0	19.0	2.0 - 4.0	Methylene chloride - 0.008B	0.1
				18.5 - 19.0	Methylene chloride - 0.008B	0.1

TABLE 2 (continued)
Soil Sampling and Analytical Data Summary
Waldbaum's Supermarket - Farmingdale Plaza
450 East Main Street, Farmingdale, Nassau County, New York

Boring #	Date Installed	Total Depth (feet)	Depth to GW (feet)	Interval Sampled (fbgs)	Detected VOC Contaminant Concentration (ppm)	NYSDEC Soil Cleanup Objective (ppm)*
B-10	4/18/01	34.0	17.0	2.0 - 4.0	Methylene chloride - 0.008B	0.1
				16.5 - 17.0	Methylene chloride - 0.009B	0.1

Notes:

- GW Groundwater
- fbgs feet below ground surface
- VOC Volatile organic compound
- ppm parts per million
- * Established in 1994 NYSDEC *Technical and Administrative Guidance Memorandum (TAGM)*
- ND None Detected
- B Compound detected in laboratory method blank and sample
- BOLD** Exceeds TAGM Soil Cleanup Objectives

TABLE 3
USEPA/EarthTech
Sampling Data

TABLE 3-1
 SUMMARY OF MONITORING WELL CONSTRUCTION SPECIFICATIONS AND WATER LEVELS
 LIBERTY INDUSTRIAL FINISHING SITE AREA
 FARMINGDALE, NASSAU COUNTY, NEW YORK

Well ID	Northing ¹	Easting ¹	Ground Surface Elevation ² (ft MSL)	Top of Casing Elevation ³ (ft MSL)	Screen Interval (ft bgs)	Screen Elevation (ft MSL)	September 2000		October 2000		December 2000		February 2001		October 2001	
							Depth to Water (ft BTOC)	Groundwater Elevation (ft MSL)	Depth to Water (ft BTOC)	Groundwater Elevation (ft MSL)	Depth to Water (ft BTOC)	Groundwater Elevation (ft MSL)	Depth to Water (ft BTOC)	Groundwater Elevation (ft MSL)	Depth to Water (ft BTOC)	Groundwater Elevation (ft MSL)
EPV-MW-1A	183728.43010	2153674.31900	66.27	65.77	30.41 - 39.98	26.29 - 35.86	18.52	47.25	18.48	47.29	19.2	46.57	18.85	46.92	20.80	45.47
EPV-MW-1B	183729.65550	2153665.38500	66.27	65.81	109.18 - 118.71	(52.44) - (42.91)	18.58	47.37	18.52	47.29	19.18	46.63	18.85	46.96	20.87	45.40
EPV-MW-2A	183752.12806	2153569.21196	65.87	65.45	28.24 - 37.8	28.07 - 37.63	18.08	47.37	18.07	47.38	18.09	47.36	18.3	47.15	20.45	45.42
EPV-MW-3A	183774.65795	2153464.79408	65.18	64.76	20.7 - 30.25	34.93 - 44.48	17.45	47.31	17.38	47.35	19.2	45.56	17.7	47.06	19.81	45.37
EPV-MW-4A	183722.16480	2153295.03310	65.52	65.13	27.37 - 36.89	28.63 - 38.15	17.79	47.34	17.72	47.41	18.41	46.72	18.07	47.06	19.92	45.60
EPV-MW-5B	184215.01770	2153408.40700	67.66	67.28	76.36 - 85.9	(18.24) - (8.70)	19.22	48.06	19.18	48.10	19.85	47.43	19.45	47.83	21.33	46.33
EPV-MW-6B	183083.74810	2153256.81200	63.79	63.37	80.15 - 89.73	(25.94) - (16.36)	17.21	46.16	17.05	46.32	17.76	45.61	18.2	45.87	20.07	44.48
EPV-MW-7B	183032.80502	2153016.61797	64.40	64.07	80.44 - 89.99	(25.59) - (16.04)	18.05	46.02	17.82	46.26	18.51	45.56	17.3	45.87	20.80	44.33
EPV-MW-8A	183781.50719	2153412.87404	65.03	64.59	28.44 - 37.99	27.04 - 36.59	17.17	47.42	17.11	47.48	17.79	45.52	17.7	45.87	20.07	44.33
EPV-MW-9B	182731.99900	2152977.44700	65.14	64.77	85.07 - 95	(29.86) - (19.93)	NA	NA	NA	NA	19.25	45.52	18.9	45.87	20.80	44.31
EPV-MW-10B	182712.11540	2153080.20200	64.93	64.74	84.58 - 94.58	(29.65) - (19.65)	NA	NA	NA	NA	19.24	45.5	18.9	45.84	20.76	44.17
EPV-MW-11B	182724.53800	2153200.20200	64.97	64.70	79.48 - 89.47	(24.50) - (14.51)	NA	NA	NA	NA	NA	NA	NA	NA	20.65	44.32
EPV-MW-12B	182469.55700	2153114.80500	63.82	63.59	82.39 - 92.37	(28.55) - (18.57)	NA	NA	NA	NA	18.78	44.81	18.35	45.24	20.45	43.37
EPV-MW-13B	182560.49890	2153520.60170	63.36	63.11	83.64 - 93.63	(30.27) - (20.28)	NA	NA	NA	NA	18.06	45.05	18.74	44.37	19.70	43.66
EPV-MW-14B	182305.53200	2153394.34000	62.63	61.94	108.49 - 118.46	(55.83) - (45.86)	NA	NA	NA	NA	17.43	44.51	17.95	43.99	19.10	43.53
MW-2B	182582.1610	2152657.4380	63.38	64.17	50 - 60	3.38 - 13.38	NA	NA	18.77	45.4	20.01	44.16	18.62	45.55	NA	NA
MW-2C	182586.8450	2152662.2980	63.46	65.28	130 - 140	(76.54) - (66.54)	NA	NA								
MW-3	183072.5910	2152606.5100	68.18	72.25	10 - 21	47.18 - 58.18	21.36	50.89	21.17	51.08	NA	NA	21.35	50.9	NA	NA
MW-4	183318.8962	2152492.3240	65.62	67.22	13 - 28	37.62 - 52.62	20.77	46.45	20.56	46.66	21.16	46.06	20.8	46.42	NA	NA
MW-6D	182439.5366	2152597.1788	63.94	66.14	130 - 140	(76.90) - (66.06)	NA	NA	20.96	45.18	21.52	44.62	21.16	44.98	NA	NA
MW-7A	182442.7173	2152827.6720	65.96	67.49	105 - 25.5	40.46 - 55.46	20.81	46.68	20.52	46.97	21.12	46.37	20.31	47.18	NA	NA
MW-7B	182441.6630	2152861.4570	65.35	66.47	50 - 60	5.35 - 15.35	20.21	46.26	19.96	46.51	20.57	45.9	20.04	46.43	NA	NA
MW-8	182672.9419	2153833.0180	66.73	68.39	11 - 26	40.73 - 55.73	20.9	47.49	20.73	47.66	21.55	46.84	NA	NA	NA	NA
MW-9A	NA	NA	NA	NA	3.5 - 13.5	NA	3.72	NA	3.53	NA	3.79	NA	3.15	NA	NA	NA
MW-9B	NA	NA	NA	NA	40 - 50	NA	3.77	NA	3.55	NA	3.82	NA	3.18	NA	NA	NA
MW-9C	177519.5916	2152234.4780	40.18	39.79	90 - 100	(59.82) - (49.82)	5.34	31.45	4.85	34.94	4.94	34.85	4.42	35.37	NA	NA
MW-9D	177524.0176	2152240.4480	40.59	40.26	154 - 164	(123.41) - (113.41)	5.06	35.2	4.53	35.73	4.71	35.55	4.1	36.16	NA	NA
MW-10C	174554.6155	2151876.3002	32.96	32.60	90 - 100	(67.04) - (57.04)	NA	NA								
MW-11A	177933.7977	2152725.7800	50.31	49.90	4 - 19	31.31 - 46.31	9.83	40.07	9.7	40.2	10.11	39.79	9.31	40.59	NA	NA
MW-11B	177913.5169	2152736.5760	50.24	49.87	65 - 75	(24.76) - (14.76)	9.36	40.51	9.2	40.67	9.63	40.24	8.84	41.03	NA	NA
MW-11C	177888.6673	2152749.6180	50.18	49.86	110 - 120	(69.82) - (59.82)	10.41	39.45	10.08	39.78	10.43	39.43	9.5	40.36	NA	NA
MW-11D	179637.7408	2152575.1390	50.66	50.35	170 - 180	(129.34) - (119.34)	10.61	39.74	10.27	40.08	10.31	40.04	9.96	40.39	NA	NA
MW-11E	179640.5088	2152584.0390	50.70	50.17	210 - 220	(169.30) - (159.30)	10.64	39.53	10.23	39.94	10.32	39.85	10.03	40.14	NA	NA
MW-13	182233.2280	2151880.4430	60.87	60.34	8.5 - 23.5	37.47 - 52.47	NA	NA								
MW-14	181451.9321	2153438.4920	60.79	60.34	10 - 25	35.79 - 50.79	16.96	43.38	16.79	43.55	17.43	42.91	16.93	43.41	19.00	41.34
MW-15	181105.4140	2151626.2630	53.68	NA	4 - 19	34.68 - 49.68	11.04	41.81	10.03	41.97	10.47	41.53	9.68	42.32	12.13	39.87
MW-17A	179897.0917	2152324.7380	52.40	52.00	13 - 23	29.40 - 39.40	10.19	41.81	10.03	41.97	10.47	41.53	9.68	42.32	12.13	39.87
MW-17B	NA	NA	NA	NA	45 - 55	NA	10	NA	9.86	NA	10.35	NA	9.4	NA	18.63	NA
MW-18	182643.61430	2152749.74900	65.95	67.70	NA	NA	20.46	47.24	20.24	47.46	20.85	46.85	20.43	47.27	NA	NA
MW-20	182909.91577	2153137.07508	65.85	65.43	14 - 29	36.85 - 51.85	19.2	46.23	18.99	46.44	19.72	45.71	19.35	46.08	21.25	44.18
MW-21	182538.62030	2152889.01400	65.45	65.25	14 - 29	36.45 - 51.45	18.83	46.42	18.57	46.68	20.88	44.37	18.71	46.54	NA	NA
MW-22A	183474.98570	2153436.02500	68.60	68.23	14 - 29	39.60 - 54.60	20.87	47.36	20.77	47.46	21.43	46.8	21.1	47.13	23.10	45.13
MW-22B	183472.76730	2153442.81600	68.59	67.65	40 - 50	18.59 - 28.59	20.26	47.39	20.18	47.47	20.86	46.79	20.5	47.15	22.50	45.15
MW-23B	174166.69558	2152599.47877	35.12	34.88	51 - 61	(25.88) - (15.88)	NA	NA								
MW-24B	175421.93452	2155191.37405	43.95	43.50	50 - 60	(16.05) - (6.05)	NA	NA	12.63	30.87	14.78	28.72	12.1	31.4	12.18	31.32
MW-25B	175423.36155	2155198.34400	44.03	43.62	133 - 143	(98.97) - (88.97)	NA	NA	16.6	27.62	13.52	30.1	15.71	27.91	13.97	29.65
MW-25B	178943.15185	2152494.96180	45.73	44.99	42 - 52	(6.27) - 3.73	NA	NA								
MW-25C	178944.07587	2152503.64178	45.78	45.42	105 - 115	(69.22) - (59.22)	NA	NA								
MW-26C	179826.56493	2151945.15068	50.59	50.36	92 - 102	(51.41) - (41.41)	NA	NA	9.92	40.44	10.11	40.25	NA	NA	NA	NA
MW-27C	181426.08683	2153290.53984	61.15	60.95	109 - 119	(57.85) - (47.85)	NA	NA	16.96	43.99	17.5	43.45	17.07	43.88	19.60	41.95

TABLE 3-1
SUMMARY OF MONITORING WELL CONSTRUCTION SPECIFICATIONS AND WATER LEVELS
LIBERTY INDUSTRIAL FINISHING SITE AREA
FARMINGDALE, NASSAU COUNTY, NEW YORK

Well ID	Northing ¹	Easting ¹	Ground Surface Elevation ² (ft MSL)	Top of Casing Elevation ² (ft MSL)	Screen Interval (ft bgs)	Screen Elevation (ft MSL)	September 2000		October 2000		December 2000		February 2001		October 2001	
							Depth to Water (ft BTOC)	Groundwater Elevation (ft MSL)	Depth to Water (ft BTOC)	Groundwater Elevation (ft MSL)	Depth to Water (ft BTOC)	Groundwater Elevation (ft MSL)	Depth to Water (ft BTOC)	Groundwater Elevation (ft MSL)	Depth to Water (ft BTOC)	Groundwater Elevation (ft MSL)
MW-28B	179920.08511	2153825.96326	56.34	56.09	45 - 55	134 - 113.4	NA	NA	14.48	41.61	15	41.09	14.35	41.74	NA	NA
MW-28C	179919.13708	2153818.94331	56.33	56.06	112 - 122	(65.67) - (55.67)	NA	NA	14.28	41.78	15.05	41.01	14.5	41.56	NA	NA
MW-29B	181255.88083	2152405.19377	60.90	60.47	40 - 50	10.90 - 20.90	NA	NA	16.91	43.56	17.81	42.66	16.94	43.53	18.98	41.49
MW-29C	181257.26985	2152408.49372	60.80	60.58	109 - 119	(58.20) - (48.20)	NA	NA	17.29	43.29	17.66	42.92	17.23	43.35	19.55	41.03
MW-29D	181258.93486	2152413.06371	60.97	60.59	180 - 190	(129.03) - (119.03)	NA	NA	17.55	43.04	17.81	42.78	17.41	43.18	19.75	40.84
MW-30D	180840.34054	2154311.10816	58.94	58.60	102 - 112	(53.06) - (43.06)	NA	NA	16.23	42.37	16.93	41.67	16.43	42.17	NA	NA
MW-30E	180837.15451	2154303.63820	58.93	58.68	166 - 176	(117.07) - (107.07)	NA	NA	16.35	42.33	17.01	41.67	16.48	42.2	NA	NA
MW-31B	178933.87520	2153217.63910	54.47	54.02	52 - 62	(7.53) - 2.47	NA	NA	13.48	40.54	14.82	39.2	13.22	40.8	NA	NA
MW-31C	178940.39620	2153218.41907	53.80	53.44	111 - 121	(67.20) - (57.20)	NA	NA	14.48	38.96	14.84	38.6	14.31	39.13	NA	NA
MW-31D	178950.38222	2153219.88904	53.67	53.30	180 - 190	(136.33) - (126.33)	NA	NA	14.56	38.74	14.05	39.25	14.42	38.88	NA	NA
MW-32B	177388.56072	2154120.95120	50.41	49.97	50 - 60	(9.59) - (0.41)	NA	NA	14.1	35.87	13.59	36.38	13.69	36.28	NA	NA
MW-32C	177388.56072	2154120.95120	50.51	50.16	100 - 110	(59.49) - (49.49)	NA	NA	13.05	37.11	13.09	37.07	12.69	37.47	NA	NA
MW-33B	183089.69470	2153238.08000	64.33	63.98	40 - 50	14.33 - 24.33	17.42	NA	17.37	46.61	18.03	45.95	17.52	46.46	19.63	44.70
MW-34A	182407.70510	2153224.57500	62.94	62.50	35 - 45	17.94 - 27.94	17.38	NA	17.22	45.28	17.86	44.64	17.4	45.1	NA	NA
MW-36A	175916.87859	2152099.52435	37.57	37.19	5 - 15	22.57 - 32.57	NA	NA								
MW-36B	175916.14356	2152093.61439	37.40	37.23	40 - 50	(12.60) - (2.60)	NA	NA	NA	NA	13.51	23.72	NA	NA	NA	NA
MW-37C	180493.38104	2152706.05541	55.26	55.09	109 - 119	(63.74) - (53.74)	NA	NA	NA	NA	NA	NA	13.99	41.1	NA	NA
MW-37D	180499.26914	2152733.32528	55.52	54.86	168 - 178	(122.48) - (112.48)	NA	NA	13.09	41.77	NA	NA	12.94	41.92	NA	NA
MW-42	182437.82910	2152932.86400	64.17	63.98	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
WMW-1	183811.82060	2153373.73600	64.86	64.36	29 - 30	34.86 - 44.86	17.08	47.28	17	47.36	17.71	46.65	17.4	46.96	19.20	45.66

NOTES:

1. New York State Plane Coordinate System (NAD 83).
2. 1988 National Geodetic Vertical Datum (NGVD 88).

MSL - Mean Sea Level

bgs - below ground surface

BTOC - Below Top of Casing

NA - Not Available

(##) - Numbers in parentheses are negative

TABLE 5-1
 SUMMARY OF AUGUST, OCTOBER, AND NOVEMBER 2000 ANALYTICAL TEST RESULTS FOR SOIL
 VOLATILE ORGANIC COMPOUNDS
 LIBERTY INDUSTRIAL FINISHING SITE AREA
 FARMINGDALE, NASSAU COUNTY, NEW YORK

Analyte	Validated Data		Validated Data		Validated Data		Validated Data		Validated Data		Validated Data		Validated Data		Validated Data		Validated Data			
	Result	Keep/Limit	Flag	Result	Keep/Limit	Flag	Result	Keep/Limit	Flag	Result	Keep/Limit	Flag	Result	Keep/Limit	Flag	Result	Keep/Limit	Flag		
1,1,1-Trichloroethane	HQI	10		HQI	11		HQI	11		HQI	11		HQI	11		HQI	11		HQI	11
1,1,2-Trichloroethane	HQI	10		HQI	11		HQI	11		HQI	11		HQI	11		HQI	11		HQI	11
1,1,2,2-Tetrachloroethane	HQI	10		HQI	11		HQI	11		HQI	11		HQI	11		HQI	11		HQI	11
1,1-Dichloroethane	HQI	10		HQI	11		HQI	11		HQI	11		HQI	11		HQI	11		HQI	11
1,1-Dichloroethene	HQI	10		HQI	11		HQI	11		HQI	11		HQI	11		HQI	11		HQI	11
1,2,4-Trichlorobenzene	HQI	10		HQI	11		HQI	11		HQI	11		HQI	11		HQI	11		HQI	11
1,2-Dibromo-3-chloropropane	HQI	10		HQI	11		HQI	11		HQI	11		HQI	11		HQI	11		HQI	11
1,2-Dibromoethane	HQI	10		HQI	11		HQI	11		HQI	11		HQI	11		HQI	11		HQI	11
1,2-Dichlorobenzene	HQI	10		HQI	11		HQI	11		HQI	11		HQI	11		HQI	11		HQI	11
1,2-Dichloroethane	HQI	10		HQI	11		HQI	11		HQI	11		HQI	11		HQI	11		HQI	11
1,3-Dichloropropane	HQI	10		HQI	11		HQI	11		HQI	11		HQI	11		HQI	11		HQI	11
1,3-Dichlorobenzene	HQI	10		HQI	11		HQI	11		HQI	11		HQI	11		HQI	11		HQI	11
1,4-Dichlorobenzene	HQI	10		HQI	11		HQI	11		HQI	11		HQI	11		HQI	11		HQI	11
2-Butanone	HQI	10		HQI	11		HQI	11		HQI	11		HQI	11		HQI	11		HQI	11
2-Hexanone	HQI	10		HQI	11		HQI	11		HQI	11		HQI	11		HQI	11		HQI	11
4-Methyl-2-pentanone	HQI	10		HQI	11		HQI	11		HQI	11		HQI	11		HQI	11		HQI	11
Acetone	HQI	10		HQI	11		HQI	11		HQI	11		HQI	11		HQI	11		HQI	11
Benzene	HQI	10		HQI	11		HQI	11		HQI	11		HQI	11		HQI	11		HQI	11
1,1-Dibromochloroethane	HQI	10		HQI	11		HQI	11		HQI	11		HQI	11		HQI	11		HQI	11
Bromotoluene	HQI	10		HQI	11		HQI	11		HQI	11		HQI	11		HQI	11		HQI	11
Bromobenzene	HQI	10		HQI	11		HQI	11		HQI	11		HQI	11		HQI	11		HQI	11
Carbon disulfide	HQI	10		HQI	11		HQI	11		HQI	11		HQI	11		HQI	11		HQI	11
Carbon tetrachloride	HQI	10		HQI	11		HQI	11		HQI	11		HQI	11		HQI	11		HQI	11
Chlorobenzene	HQI	10		HQI	11		HQI	11		HQI	11		HQI	11		HQI	11		HQI	11
Chloroethane	HQI	10		HQI	11		HQI	11		HQI	11		HQI	11		HQI	11		HQI	11
Chloroform	HQI	10		HQI	11		HQI	11		HQI	11		HQI	11		HQI	11		HQI	11
Chloroethene	HQI	10		HQI	11		HQI	11		HQI	11		HQI	11		HQI	11		HQI	11
Cis-1,2-Dichloroethene	HQI	10		HQI	11		HQI	11		HQI	11		HQI	11		HQI	11		HQI	11
Cis-1,3-Dichloropropene	HQI	10		HQI	11		HQI	11		HQI	11		HQI	11		HQI	11		HQI	11
Cyclohexane	HQI	10		HQI	11		HQI	11		HQI	11		HQI	11		HQI	11		HQI	11
Dibromochloroethane	HQI	10		HQI	11		HQI	11		HQI	11		HQI	11		HQI	11		HQI	11
Dibromodifluoroethane	HQI	10		HQI	11		HQI	11		HQI	11		HQI	11		HQI	11		HQI	11
Ethylbenzene	HQI	10		HQI	11		HQI	11		HQI	11		HQI	11		HQI	11		HQI	11
Isopropylbenzene	HQI	10		HQI	11		HQI	11		HQI	11		HQI	11		HQI	11		HQI	11
Methyl acetate	HQI	10		HQI	11		HQI	11		HQI	11		HQI	11		HQI	11		HQI	11
Methylcyclohexane	HQI	10		HQI	11		HQI	11		HQI	11		HQI	11		HQI	11		HQI	11
Methylene chloride	HQI	10		HQI	11		HQI	11		HQI	11		HQI	11		HQI	11		HQI	11
Methyl tert-butyl ether	HQI	10		HQI	11		HQI	11		HQI	11		HQI	11		HQI	11		HQI	11
Styrene	HQI	10		HQI	11		HQI	11		HQI	11		HQI	11		HQI	11		HQI	11
Tetrahydrofuran	HQI	10		HQI	11		HQI	11		HQI	11		HQI	11		HQI	11		HQI	11
Toluene	HQI	10		HQI	11		HQI	11		HQI	11		HQI	11		HQI	11		HQI	11
Trans-1,2-Dichloroethene	HQI	10		HQI	11		HQI	11		HQI	11		HQI	11		HQI	11		HQI	11
Trans-1,3-Dichloropropene	HQI	10		HQI	11		HQI	11		HQI	11		HQI	11		HQI	11		HQI	11
Trichloroethene	HQI	10		HQI	11		HQI	11		HQI	11		HQI	11		HQI	11		HQI	11
Trichlorofluoroethane	HQI	10		HQI	11		HQI	11		HQI	11		HQI	11		HQI	11		HQI	11
Trichlorotrifluoroethane	HQI	10		HQI	11		HQI	11		HQI	11		HQI	11		HQI	11		HQI	11
Vinyl chloride	HQI	10		HQI	11		HQI	11		HQI	11		HQI	11		HQI	11		HQI	11
Xylenes (total)	HQI	10		HQI	11		HQI	11		HQI	11		HQI	11		HQI	11		HQI	11

Notes

NA = Not Available

HQI = Below quantitation limit

Shading indicates detected concentrations (see Table 5-9 during the data validation process)

L = Separates the laboratory added data quality and data validation quantities. The laboratory data quality precedes the "L" and the data validation quantities follow the "L"

A summary of data quality can be found in Table 5-9

Data is summarized from the analytical data packages provided in Appendix D

TABLE 5.3
 SUMMARY OF AT-GAS/IN-FIBER 2000 AND H-BRIARY/OCTOBER 2000 ANALYTICAL TEST RESULTS FOR GROUNDWATER
 VOLATILE ORGANIC COMPOUND
 LIBERTY INDUSTRIAL FINISHING SITE
 FARRINGDALE, NASSAU COUNTY, NEW YORK


Sample Location	Sample ID	Method	Unit	Result	Lab Report	Sample ID	Method	Unit	Result	Lab Report	Sample ID	Method	Unit	Result	Lab Report	Sample ID	Method	Unit	Result	Lab Report	Sample ID	Method	Unit	Result	Lab Report	Sample ID	Method	Unit	Result	Lab Report																																																																																																																																																																																																																																																																																																																																																																																																																																																																																						
11.1.1.1	WV-01	WATER	ug/L	ND	10/10/00	11.1.1.2	WV-02	WATER	ug/L	10/10/00	11.1.1.3	WV-03	WATER	ug/L	10/10/00	11.1.1.4	WV-04	WATER	ug/L	10/10/00	11.1.1.5	WV-05	WATER	ug/L	10/10/00	11.1.1.6	WV-06	WATER	ug/L	10/10/00	11.1.1.7	WV-07	WATER	ug/L	10/10/00	11.1.1.8	WV-08	WATER	ug/L	10/10/00	11.1.1.9	WV-09	WATER	ug/L	10/10/00	11.1.1.10	WV-10	WATER	ug/L	10/10/00	11.1.1.11	WV-11	WATER	ug/L	10/10/00	11.1.1.12	WV-12	WATER	ug/L	10/10/00	11.1.1.13	WV-13	WATER	ug/L	10/10/00	11.1.1.14	WV-14	WATER	ug/L	10/10/00	11.1.1.15	WV-15	WATER	ug/L	10/10/00	11.1.1.16	WV-16	WATER	ug/L	10/10/00	11.1.1.17	WV-17	WATER	ug/L	10/10/00	11.1.1.18	WV-18	WATER	ug/L	10/10/00	11.1.1.19	WV-19	WATER	ug/L	10/10/00	11.1.1.20	WV-20	WATER	ug/L	10/10/00	11.1.1.21	WV-21	WATER	ug/L	10/10/00	11.1.1.22	WV-22	WATER	ug/L	10/10/00	11.1.1.23	WV-23	WATER	ug/L	10/10/00	11.1.1.24	WV-24	WATER	ug/L	10/10/00	11.1.1.25	WV-25	WATER	ug/L	10/10/00	11.1.1.26	WV-26	WATER	ug/L	10/10/00	11.1.1.27	WV-27	WATER	ug/L	10/10/00	11.1.1.28	WV-28	WATER	ug/L	10/10/00	11.1.1.29	WV-29	WATER	ug/L	10/10/00	11.1.1.30	WV-30	WATER	ug/L	10/10/00	11.1.1.31	WV-31	WATER	ug/L	10/10/00	11.1.1.32	WV-32	WATER	ug/L	10/10/00	11.1.1.33	WV-33	WATER	ug/L	10/10/00	11.1.1.34	WV-34	WATER	ug/L	10/10/00	11.1.1.35	WV-35	WATER	ug/L	10/10/00	11.1.1.36	WV-36	WATER	ug/L	10/10/00	11.1.1.37	WV-37	WATER	ug/L	10/10/00	11.1.1.38	WV-38	WATER	ug/L	10/10/00	11.1.1.39	WV-39	WATER	ug/L	10/10/00	11.1.1.40	WV-40	WATER	ug/L	10/10/00	11.1.1.41	WV-41	WATER	ug/L	10/10/00	11.1.1.42	WV-42	WATER	ug/L	10/10/00	11.1.1.43	WV-43	WATER	ug/L	10/10/00	11.1.1.44	WV-44	WATER	ug/L	10/10/00	11.1.1.45	WV-45	WATER	ug/L	10/10/00	11.1.1.46	WV-46	WATER	ug/L	10/10/00	11.1.1.47	WV-47	WATER	ug/L	10/10/00	11.1.1.48	WV-48	WATER	ug/L	10/10/00	11.1.1.49	WV-49	WATER	ug/L	10/10/00	11.1.1.50	WV-50	WATER	ug/L	10/10/00	11.1.1.51	WV-51	WATER	ug/L	10/10/00	11.1.1.52	WV-52	WATER	ug/L	10/10/00	11.1.1.53	WV-53	WATER	ug/L	10/10/00	11.1.1.54	WV-54	WATER	ug/L	10/10/00	11.1.1.55	WV-55	WATER	ug/L	10/10/00	11.1.1.56	WV-56	WATER	ug/L	10/10/00	11.1.1.57	WV-57	WATER	ug/L	10/10/00	11.1.1.58	WV-58	WATER	ug/L	10/10/00	11.1.1.59	WV-59	WATER	ug/L	10/10/00	11.1.1.60	WV-60	WATER	ug/L	10/10/00	11.1.1.61	WV-61	WATER	ug/L	10/10/00	11.1.1.62	WV-62	WATER	ug/L	10/10/00	11.1.1.63	WV-63	WATER	ug/L	10/10/00	11.1.1.64	WV-64	WATER	ug/L	10/10/00	11.1.1.65	WV-65	WATER	ug/L	10/10/00	11.1.1.66	WV-66	WATER	ug/L	10/10/00	11.1.1.67	WV-67	WATER	ug/L	10/10/00	11.1.1.68	WV-68	WATER	ug/L	10/10/00	11.1.1.69	WV-69	WATER	ug/L	10/10/00	11.1.1.70	WV-70	WATER	ug/L	10/10/00	11.1.1.71	WV-71	WATER	ug/L	10/10/00	11.1.1.72	WV-72	WATER	ug/L	10/10/00	11.1.1.73	WV-73	WATER	ug/L	10/10/00	11.1.1.74	WV-74	WATER	ug/L	10/10/00	11.1.1.75	WV-75	WATER	ug/L	10/10/00	11.1.1.76	WV-76	WATER	ug/L	10/10/00	11.1.1.77	WV-77	WATER	ug/L	10/10/00	11.1.1.78	WV-78	WATER	ug/L	10/10/00	11.1.1.79	WV-79	WATER	ug/L	10/10/00	11.1.1.80	WV-80	WATER	ug/L	10/10/00	11.1.1.81	WV-81	WATER	ug/L	10/10/00	11.1.1.82	WV-82	WATER	ug/L	10/10/00	11.1.1.83	WV-83	WATER	ug/L	10/10/00	11.1.1.84	WV-84	WATER	ug/L	10/10/00	11.1.1.85	WV-85	WATER	ug/L	10/10/00	11.1.1.86	WV-86	WATER	ug/L	10/10/00	11.1.1.87	WV-87	WATER	ug/L	10/10/00	11.1.1.88	WV-88	WATER	ug/L	10/10/00	11.1.1.89	WV-89	WATER	ug/L	10/10/00	11.1.1.90	WV-90	WATER	ug/L	10/10/00	11.1.1.91	WV-91	WATER	ug/L	10/10/00	11.1.1.92	WV-92	WATER	ug/L	10/10/00	11.1.1.93	WV-93	WATER	ug/L	10/10/00	11.1.1.94	WV-94	WATER	ug/L	10/10/00	11.1.1.95	WV-95	WATER	ug/L	10/10/00	11.1.1.96	WV-96	WATER	ug/L	10/10/00	11.1.1.97	WV-97	WATER	ug/L	10/10/00	11.1.1.98	WV-98	WATER	ug/L	10/10/00	11.1.1.99	WV-99	WATER	ug/L	10/10/00	11.1.1.100	WV-100	WATER	ug/L	10/10/00

Notes:
 1. Lab Data Received is used as the Data Sampled for the 1-10-00 data.
 NA = Not Available
 ND = Below quantitation limit
 ND (M) = Not Detected (Method) - ND (M) reported during the data validation process.
 * = Separate laboratory analytical quality and data validation criteria. The laboratory data quality criteria are "7" and the data validation criteria are "7".
 A summary of data quality criteria can be found in Table 5.9.
 Data is summarized from the analytical data packages provided in Appendix D.

TABLE 4
Dames & Moore Sampling
Data

TABLE 1A
Summary of Groundwater Analytical Results (PCE)
July 27 and August 17, 1999 Sampling Events
Liberty Industrial Finishing Site
Farmingdale, New York

	MW-20	MW-22A	MW-22B	MW-33B	MW-34B
Location	on-site	upgradient		on-site	downgradient
Depth	25 ft	30 ft	50 ft	50 ft	45 ft
4/15/98			11		
8/17/98	18		4	430	200
1/27/99		18	20	930	610
4/22/99					
7/27/99	5.5	810	37	480	220
8/17/99	9.2	1100	26	510	130



Notes: Concentrations are in ug/L
PCE = tetrachloroethene




TABLE 1B
Summary of Groundwater Analytical Results (TCE)
July 27 and August 17, 1999 Sampling Events
Liberty Industrial Finishing Site
Farmingdale, New York

	MW-20	MW-22A	MW-22B	MW-33B	MW-34B
Location	on-site	upgradient		on-site	downgradient
Depth	25 ft	30 ft	50 ft	50 ft	45 ft
4/15/98			4		
8/17/98	0.6		1	13	30
1/27/99		3	8	21	110
4/22/99					
7/27/99	1.4	510	11	7.9	60
8/17/99	1.4	840	7.8	9.7	39

Notes: Concentrations are in ug/L
TCE = trichloroethene




TABLE 1C
Summary of Groundwater Analytical Results (cis-1,2-DCE)
July 27 and August 17, 1999 Sampling Events
Liberty Industrial Finishing Site
Farmingdale, New York

	MW-20	MW-22A	MW-22B	MW-33B	MW-34B
Location	on-site	upgradient		on-site	downgradient
Depth	25 ft	30 ft	50 ft	50 ft	45 ft
4/15/98			8		
8/17/98	0.6		0.8	27	69
1/27/99		18	9	60	180
4/22/99					
7/27/99	0.7	510	21	29	66
8/17/99	0.7	980	18	28	39

Notes: Concentrations are in ug/L
 cis-1,2-DCE = cis-1,2-dichloroethene




TABLE 5
Summary of Groundwater
Sampling Results

TABLE 5
Summary of Groundwater Sampling Results

Well #	Date Sampled	PCE (ppb)	TCE (ppb)	cis-1,2-DCE (ppb)
MW-1(W)/WMW-1(E)	8/3/00 (E)	36	4.1	2.2
	9/28/00 (E)	15	3	5
	2/7/01 (E)	18	4	7
	2/20/01 (W)	12	ND	4.3
	10/24/01 (E)	10	1.6	4
MW-2(W)/MW-8A(E)/ MW-3(M)	9/28/00 (E)	3	2	9
	11/30/00 (M)	0.6	ND	0.5
	2/8/01 (E)	20	8	47
	2/20/01 (W)	38	16	100
	10/24/01 (E)	14	6.5	37
MW-3(W)/MW-3A(E)/ MW-1(M)	9/28/00 (E)	4	0.6	1
	11/30/00 (M)	0.6	ND	0.6
	2/8/01 (E)	0.9	ND	0.7
	2/20/01 (W)	ND	ND	ND
	10/24/01 (E)	3.8	0.75	ND
MW-4(W)/MW-2A(E)	9/28/00 (E)	ND	ND	ND
	2/7/01 (E)	ND	ND	ND
	2/20/01 (W)	ND	ND	ND
	10/24/01 (E)	ND	0.75	ND
MW-5(W)/MW-1B(E)	9/28/00 (E)	2	ND	ND
	2/8/01 (E)	3	ND	ND
	2/20/01 (W)	ND	ND	ND
	10/24/01 (E)	3.1	ND	ND
MW-6(W)/MW-1A(E)	9/28/00 (E)	ND	ND	ND
	2/7/01 (E)	ND	ND	ND
	2/20/01 (W)	ND	ND	ND
	10/24/01 (E)	ND	ND	ND
MW-4A(E)	9/28/00 (E)	610	21	28
	2/7/01 (E)	3,600	ND	130


TABLE 5 (continued)
Summary of Groundwater Sampling Results

Well #	Date Sampled	PCE (ppb)	TCE (ppb)	cis-1,2-DCE (ppb)
	10/24/01 (E)	330	41	46
MW-5B(E)	9/28/00 (E)	7	2	3
	2/9/01 (E)	6	ND	ND
	10/24/01 (E)	12	2.9	3.1
MW-22A(E)	4/15/98 (D)	ND	ND	ND
	8/17/98 (D)	ND	ND	ND
	1/27/99 (D)	18	3	18
	7/27/99 (D)	810	510	510
	8/17/99 (D)	1,100	840	980
	8/4/00 (E)	240	72	96
	9/28/00 (E)	100	23	23
	2/9/01(E)	460	270	340
	10/24/01 (E)	55	8.6	6.3
MW-22B(E)	4/15/98 (D)	11	4	8
	8/17/98 (D)	4	1	0.8
	1/27/99 (D)	20	8	9
	7/27/99 (D)	37	11	21
	8/17/99 (D)	26	7.6	18
	8/4/00 (E)	3.5	1.2	4.7
	9/28/00 (E)	4	2	34
	2/8/01(E)	ND	ND	ND
	10/24/01 (E)	2	0.5	ND

Notes:
PCE Tetrachloroethene
TCE Trichloroethene
DCE Dichloroethene
ppb parts per billion
W Whitestone well designation or sample
E USEPA well designation or sample
D Dames & Moore sample
M Malcolm Pirnie sample
ND Not detected
Values shown in bold exceed NYSDEC groundwater standards/criteria



FIGURE 1
Site Location Map



TITLE: **Site Location Map**

CLIENT: **THE GREAT ATLANTIC & PACIFIC TEA COMPANY, INC.**

WHITESTONE ASSOCIATES, INC.
 786 MOUNTAIN BOULEVARD, SUITE 200
 WATCHUNG, NEW JERSEY 07069
 908.668.7777 ♦ 908.754.5936 FAX

PROJECT:	Waldbaum's Supermarket Site 450 East Main Street Farmingdale, Nassau County, New York	PROJECT #:	WJ03-6263	BY:	Delorme	PROJ. MGR.	TKU	DATE:	9/15/03	SCALE:	1" = 1,778'	FIGURE:	1
----------	---	------------	-----------	-----	---------	------------	-----	-------	---------	--------	-------------	---------	---




FIGURE 2
Site Plan

LEGEND

-  B-1 BORING LOCATION CONDUCTED BY WHITESTONE ASSOCIATES, INC. (02/19/01 AND 02/20/01)
-  B-1 BORING LOCATION CONDUCTED BY WHITESTONE ASSOCIATES, INC. (04/18/01)
-  FDSB1 BORING LOCATION CONDUCTED BY MALCOLM PIRNIE
-  MW-4 MONITOR WELL
- MW-5B* ITALICS DENOTES USEPA WELL #

REFERENCE

THIS PLAN IS BASED UPON AN AUGUST 16, 2000 (REVISED AUGUST 22, 2001) ALTA/ACSM LAND TITLE SURVEY PREPARED BY CONTROL POINT ASSOCIATES, INC.



TITLE:
SITE PLAN AND SAMPLE LOCATION MAP

CLIENT: THE GREAT ATLANTIC & PACIFIC TEA COMPANY, INC.



WHITESTONE ASSOCIATES, INC.

786 Mountain Boulevard, Suite 200
Watchung, New Jersey 07069

Phone (908) 668-7777 Fax (908) 754-5936

PROJECT: FARMINGDALE PLAZA
450 MAIN STREET
FARMINGDALE, NASSAU COUNTY, NEW YORK

PROJECT #:
WJ03-6263

BY:
MG

PROJ. MGR.:
TKU

DATE:
10/14/03

SCALE:
1"=80'


FIGURE:
2



FIGURE 3
Area Map

Legend

- + Governmental Database Sites
- Monitor Well Location
- ★ Farmingdale Plaza
- ☆ Liberty Industrial Finishing Site



TITLE:
AREA MAP

CLIENT: THE GREAT ATLANTIC & PACIFIC TEA COMPANY, INC.

WHITESTONE ASSOCIATES, INC.
 786 Mountain Boulevard, Suite 200
 Watchung, New Jersey 07069
 Phone (908) 668-7777 Fax (908) 754-5936

PROJECT: FARMINGDALE PLAZA
 450 MAIN STREET
 FARMINGDALE, NASSAU COUNTY, NEW YORK

PROJECT #:
WJ03-6263

BY:
MG

PROJ. MGR.:
TKU


DATE:
10/20/03

SCALE:
NTS

FIGURE:
3



FIGURES 4 to 8
Groundwater Contour Map
(September 2000 to October 2001)

LEGEND

-  48.00' GROUNDWATER CONTOUR
-  FLOW DIRECTION
-  B-1 BORING CONDUCTED BY WHITESTONE ASSOCIATES, INC. (02/19/01 AND 02/20/01)
-  B-1 BORING CONDUCTED BY WHITESTONE ASSOCIATES, INC. (04/18/01)
-  FDSB1 BORING CONDUCTED BY MALCOLM PIRNIE
-  MW-4 MONITOR WELL
- MW-5B* ITALICS DENOTES USEPA WELL #

REFERENCE

THIS PLAN IS BASED UPON AN AUGUST 16, 2000 (REVISED AUGUST 22, 2001) ALTA/ACSM LAND TITLE SURVEY PREPARED BY CONTROL POINT ASSOCIATES, INC.



TITLE:
**GROUNDWATER CONTOUR MAP
(MEASURED SEPTEMBER 2000)**

CLIENT: THE GREAT ATLANTIC & PACIFIC TEA COMPANY, INC.



WHITESTONE ASSOCIATES, INC.

786 Mountain Boulevard, Suite 200
Watchung, New Jersey 07069
Phone (908) 668-7777 Fax (908) 754-5936

PROJECT: FARMINDALE PLAZA
450 MAIN STREET
FARMINGDALE, NASSAU COUNTY, NEW YORK

PROJECT #:
WJ03-6263

BY:
MG

PROJ. MGR.:
TKU

DATE:
10/20/03

SCALE:
1"=80'



FIGURE:
4

LEGEND

- 48.00' — GROUNDWATER CONTOUR
- FLOW DIRECTION
- ⊕ B-1 BORING CONDUCTED BY WHITESTONE ASSOCIATES, INC. (02/19/01 AND 02/20/01)
- ⊕ B-1 BORING CONDUCTED BY WHITESTONE ASSOCIATES, INC. (04/18/01)
- ⊙ FDSB1 BORING CONDUCTED BY MALCOLM PIRNIE
- ⊕ MW-4 MONITOR WELL
- MW-5B* ITALICS DENOTES USEPA WELL #

REFERENCE

THIS PLAN IS BASED UPON AN AUGUST 16, 2000 (REVISED AUGUST 22, 2001) ALTA/ACSM LAND TITLE SURVEY PREPARED BY CONTROL POINT ASSOCIATES, INC.



TITLE:
GROUNDWATER CONTOUR MAP
(MEASURED OCTOBER 2000)

CLIENT: THE GREAT ATLANTIC & PACIFIC TEA COMPANY, INC.

WHITESTONE ASSOCIATES, INC.

786 Mountain Boulevard, Suite 200
 Watchung, New Jersey 07069
 Phone (908) 668-7777 Fax (908) 754-5936

PROJECT: FARMINGDALE PLAZA
 450 MAIN STREET
 FARMINGDALE, NASSAU COUNTY, NEW YORK

PROJECT #:
 WJ03-6263

BY:
 MG


PROJ. MGR.:
 TKU

DATE:
 10/20/03

SCALE:
 1"=80'



FIGURE:
 5

LEGEND

-  48.00' GROUNDWATER CONTOUR
-  FLOW DIRECTION
-  B-1 BORING CONDUCTED BY WHITESTONE ASSOCIATES, INC. (02/19/01 AND 02/20/01)
-  B-1 BORING CONDUCTED BY WHITESTONE ASSOCIATES, INC. (04/18/01)
-  FDSB1 BORING CONDUCTED BY MALCOLM PIRNIE
-  MW-4 MONITOR WELL
- MW-5B* ITALICS DENOTES USEPA WELL #

REFERENCE

THIS PLAN IS BASED UPON AN AUGUST 16, 2000 (REVISED AUGUST 22, 2001) ALTA/ACSM LAND TITLE SURVEY PREPARED BY CONTROL POINT ASSOCIATES, INC.



TITLE:
**GROUNDWATER CONTOUR MAP
(MEASURED DECEMBER 2000)**

CLIENT: THE GREAT ATLANTIC & PACIFIC TEA COMPANY, INC.

PROJECT: FARMINDALE PLAZA
450 MAIN STREET
FARMINGDALE, NASSAU COUNTY, NEW YORK



WHITESTONE ASSOCIATES, INC.

786 Mountain Boulevard, Suite 200
Watchung, New Jersey 07069
Phone (908) 668-7777 Fax (908) 754-5936

PROJECT #:
WJ03-6263

BY:
MG


PROJ. MGR.:
TKU

DATE:
10/20/03

SCALE:
1"=80'



FIGURE:
6

LEGEND

-  48.00' GROUNDWATER CONTOUR
-  FLOW DIRECTION
-  B-1 BORING CONDUCTED BY WHITESTONE ASSOCIATES, INC. (02/19/01 AND 02/20/01)
-  B-1 BORING CONDUCTED BY WHITESTONE ASSOCIATES, INC. (04/18/01)
-  FDSB1 BORING CONDUCTED BY MALCOLM PIRNIE
-  MW-4 MONITOR WELL
- MW-5B* ITALICS DENOTES USEPA WELL #

REFERENCE

THIS PLAN IS BASED UPON AN AUGUST 16, 2000 (REVISED AUGUST 22, 2001) ALTA/ACSM LAND TITLE SURVEY PREPARED BY CONTROL POINT ASSOCIATES, INC.



TITLE:
**GROUNDWATER CONTOUR MAP
(MEASURED FEBRUARY 2001)**

CLIENT: THE GREAT ATLANTIC & PACIFIC TEA COMPANY, INC.



WHITESTONE ASSOCIATES, INC.
786 Mountain Boulevard, Suite 200
Watchung, New Jersey 07069
Phone (908) 668-7777 Fax (908) 754-5936

PROJECT: FARMINGDALE PLAZA
450 MAIN STREET
FARMINGDALE, NASSAU COUNTY, NEW YORK

PROJECT #:
WJ03-6263

BY:
MG

PROJ. MGR.:
TKU

DATE:
10/20/03

SCALE:
1"=80'

FIGURE:
7

LEGEND

48.00' GROUNDWATER CONTOUR

→ FLOW DIRECTION

B-1 BORING CONDUCTED BY WHITESTONE ASSOCIATES, INC. (02/19/01 AND 02/20/01)

B-1 BORING CONDUCTED BY WHITESTONE ASSOCIATES, INC. (04/18/01)



FDSB1 BORING CONDUCTED BY MALCOLM PIRNIE

MW-4 MONITOR WELL

MW-5B ITALICS DENOTES USEPA WELL #

REFERENCE

THIS PLAN IS BASED UPON AN AUGUST 16, 2000 (REVISED AUGUST 22, 2001) ALTA/ACSM LAND TITLE SURVEY PREPARED BY CONTROL POINT ASSOCIATES, INC.



TITLE:
**GROUNDWATER CONTOUR MAP
(MEASURED OCTOBER 2001)**

CLIENT: THE GREAT ATLANTIC & PACIFIC TEA COMPANY, INC.



WHITESTONE ASSOCIATES, INC.

786 Mountain Boulevard, Suite 200
Watchung, New Jersey 07069
Phone (908) 668-7777 Fax (908) 754-5936

PROJECT: FARMINDALE PLAZA
450 MAIN STREET
FARMINGDALE, NASSAU COUNTY, NEW YORK

PROJECT #:
WJ03-6263

BY:
MG

PROJ. MGR.:
TKU

DATE:
10/20/03

SCALE:
1"=80'

FIGURE:
8

APPENDIX 1

Site Photographs



VIEW OF EASTERN EXTERIOR OF SITE BUILDING. VIEW TO THE NORTH.



VIEW OF EASTERN PORTION OF SITE. VIEW TO THE NORTH.



VIEW OF SOUTHEASTERN PORTION OF SITE. VIEW TO THE SOUTHEAST.



VIEW OF LOADING DOCK AREA. VIEW TO THE NORTHWEST.



VIEW OF SOUTHWESTERN PORTION OF SITE. VIEW TO THE WEST.



VIEW OF EASTERN PORTION OF SITE. VIEW TO THE EAST.



APPENDIX 2
Database Records Search



The EDR Radius Map with GeoCheck[®]

**Waldbaums Supermarket
450 Main Street
Farmingdale, NY 11735**

Inquiry Number: 01044801.1r

September 11, 2003

***The Source* For Environmental Risk Management Data**

3530 Post Road
Southport, Connecticut 06890

Nationwide Customer Service

Telephone: 1-800-352-0050
Fax: 1-800-231-6802
Internet: www.edrnet.com

TABLE OF CONTENTS

<u>SECTION</u>	<u>PAGE</u>
Executive Summary.....	ES1
Overview Map.....	2
Detail Map.....	3
Map Findings Summary.....	4
Map Findings.....	6
Orphan Summary.....	72
EPA Waste Codes.....	EPA-1
Government Records Searched/Data Currency Tracking.....	GR-1
 <u>GEOCHECK ADDENDUM</u>	
Physical Setting Source Addendum.....	A-1
Physical Setting Source Summary.....	A-2
Physical Setting Source Map.....	A-8
Physical Setting Source Map Findings.....	A-9
Physical Setting Source Records Searched.....	A-39

Thank you for your business.
Please contact EDR at 1-800-352-0050
with any questions or comments.

**Disclaimer
Copyright and Trademark Notice**

This report contains information obtained from a variety of public and other sources. NO WARRANTY EXPRESSED OR IMPLIED, IS MADE WHATSOEVER IN CONNECTION WITH THIS REPORT. ENVIRONMENTAL DATA RESOURCES INC. SPECIFICALLY DISCLAIMS THE MAKING OF ANY SUCH WARRANTIES, INCLUDING WITHOUT LIMITATION, MERCHANTABILITY OR FITNESS FOR A PARTICULAR USE OR PURPOSE. ALL RISK IS ASSUMED BY THE USER. IN NO EVENT SHALL EDR BE LIABLE TO ANYONE, WHETHER ARISING OUT OF ERRORS OR OMISSIONS, NEGLIGENCE, ACCIDENT OR ANY OTHER CAUSE, FOR ANY LOSS OR DAMAGE, INCLUDING, WITHOUT LIMITATION, SPECIAL, INCIDENTAL, CONSEQUENTIAL, OR EXEMPLARY DAMAGES.

Entire contents copyright 2003 by Environmental Data Resources, Inc. All rights reserved. Reproduction in any media or format, in whole or in part, of any report or map of Environmental Data Resources, Inc., or its affiliates, is prohibited without prior written permission.

EDR and the edr logos are trademarks of Environmental Data Resources, Inc. or its affiliates. All other trademarks used herein are the property of their respective owners.

EXECUTIVE SUMMARY

A search of available environmental records was conducted by Environmental Data Resources, Inc. (EDR). The report meets the government records search requirements of ASTM Standard Practice for Environmental Site Assessments, E 1527-00. Search distances are per ASTM standard or custom distances requested by the user.

TARGET PROPERTY INFORMATION

ADDRESS

450 MAIN STREET
FARMINGDALE, NY 11735

COORDINATES

Latitude (North): 40.729600 - 40° 43' 46.6"
Longitude (West): 73.445800 - 73° 26' 44.9"
Universal Transverse Mercator: Zone 18
UTM X (Meters): 631249.2
UTM Y (Meters): 4509691.0
Elevation: 67 ft. above sea level

USGS TOPOGRAPHIC MAP ASSOCIATED WITH TARGET PROPERTY

Target Property: 2440073-F4 AMITYVILLE, NY
Source: USGS 7.5 min quad index

TARGET PROPERTY SEARCH RESULTS

The target property was identified in the following government records. For more information on this property see page 6 of the attached EDR Radius Map report:

<u>Site</u>	<u>Database(s)</u>	<u>EPA ID</u>
WALDBAUMS SUPERMARKET 450 MAIN STREET FARMINGDALE, NY	LTANKS NY Spills	N/A
WALDBAUM SUPERMARKET 450 MAIN STREET FARMINGDALE, NY	LTANKS	N/A

DATABASES WITH NO MAPPED SITES

No mapped sites were found in EDR's search of available ("reasonably ascertainable ") government records either on the target property or within the ASTM E 1527-00 search radius around the target property for the following databases:

FEDERAL ASTM STANDARD

Proposed NPL..... Proposed National Priority List Sites

EXECUTIVE SUMMARY

CERC-NFRAP..... CERCLIS No Further Remedial Action Planned
RCRIS-TSD..... Resource Conservation and Recovery Information System
RCRIS-LQG..... Resource Conservation and Recovery Information System
ERNS..... Emergency Response Notification System

STATE ASTM STANDARD

SWF/LF..... Facility Register
CBS UST..... Chemical Bulk Storage Database
MOSF UST..... Major Oil Storage Facilities Database
VCP..... Voluntary Cleanup Agreements
SWTIRE..... Registered Waste Tire Storage & Facility List
SWRCY..... Registered Recycling Facility List

FEDERAL ASTM SUPPLEMENTAL

Delisted NPL..... National Priority List Deletions
FINDS..... Facility Index System/Facility Identification Initiative Program Summary Report
HMIRS..... Hazardous Materials Information Reporting System
MLTS..... Material Licensing Tracking System
MINES..... Mines Master Index File
NPL Liens..... Federal Superfund Liens
PADS..... PCB Activity Database System
DOD..... Department of Defense Sites
RAATS..... RCRA Administrative Action Tracking System
TRIS..... Toxic Chemical Release Inventory System
TSCA..... Toxic Substances Control Act
SSTS..... Section 7 Tracking Systems
FTTS..... FIFRA/ TSCA Tracking System - FIFRA (Federal Insecticide, Fungicide, & Rodenticide Act)/TSCA (Toxic Substances Control Act)

STATE OR LOCAL ASTM SUPPLEMENTAL

HSWDS..... Hazardous Substance Waste Disposal Site Inventory
AST..... Petroleum Bulk Storage
MOSF AST..... Major Oil Storage Facilities Database

EDR PROPRIETARY HISTORICAL DATABASES

Coal Gas..... Former Manufactured Gas (Coal Gas) Sites

BROWNFIELDS DATABASES

Brownfields..... Brownfields Site List
VCP..... Voluntary Cleanup Agreements

SURROUNDING SITES: SEARCH RESULTS

Surrounding sites were identified.

Elevations have been determined from the USGS Digital Elevation Model and should be evaluated on a relative (not an absolute) basis. Relative elevation information between sites of close proximity should be field verified. Sites with an elevation equal to or higher than the target property have been differentiated below from sites with an elevation lower than the target property. Page numbers and map identification numbers refer to the EDR Radius Map report where detailed data on individual sites can be reviewed.

Sites listed in ***bold italics*** are in multiple databases.

Unmappable (orphan) sites are not considered in the foregoing analysis.

EXECUTIVE SUMMARY

FEDERAL ASTM STANDARD

NPL: Also known as Superfund, the National Priority List database is a subset of CERCLIS and identifies over 1,200 sites for priority cleanup under the Superfund program. The source of this database is the U.S. EPA.

A review of the NPL list, as provided by EDR, and dated 07/22/2003 has revealed that there is 1 NPL site within approximately 1 mile of the target property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Dist / Dir</u>	<u>Map ID</u>	<u>Page</u>
LIBERTY INDUSTRIAL FINISHING	55 MOTOR PARKWAY	1/8 - 1/4 SSW	0	9

CERCLIS: The Comprehensive Environmental Response, Compensation and Liability Information System contains data on potentially hazardous waste sites that have been reported to the USEPA by states, municipalities, private companies and private persons, pursuant to Section 103 of the Comprehensive Environmental Response, Compensation and Liability Act (CERCLA).

CERCLIS contains sites which are either proposed to or on the National Priorities List (NPL) and sites which are in the screening and assessment phase for possible inclusion on the NPL.

A review of the CERCLIS list, as provided by EDR, and dated 06/16/2003 has revealed that there is 1 CERCLIS site within approximately 0.5 miles of the target property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Dist / Dir</u>	<u>Map ID</u>	<u>Page</u>
LIBERTY INDUSTRIAL FINISHING	55 MOTOR PARKWAY	1/8 - 1/4 SSW	0	9

CORRACTS: CORRACTS is a list of handlers with RCRA Corrective Action Activity. This report shows which nationally-defined corrective action core events have occurred for every handler that has had corrective action activity.

A review of the CORRACTS list, as provided by EDR, and dated 03/31/2003 has revealed that there is 1 CORRACTS site within approximately 1 mile of the target property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Dist / Dir</u>	<u>Map ID</u>	<u>Page</u>
REPUBLIC ENVIRONMENTAL SYSTEMS	340-360 EASTERN PKWY	1/2 - 1 NE	50	62

RCRIS: Resource Conservation and Recovery Information System. RCRIS includes selective information on sites which generate, transport, store, treat and/or dispose of hazardous waste as defined by the Resource Conservation and Recovery Act (RCRA). Conditionally exempt small quantity generators (CESQGs): generate less than 100 kg of hazardous waste, or less than 1 kg of acutely hazardous waste per month. Small quantity generators (SQGs): generate between 100 kg and 1,000 kg of hazardous waste per month. Large quantity generators (LQGs): generate over 1,000 kilograms (kg) of hazardous waste, or over 1 kg of acutely hazardous waste from the generator off-site to a facility that can recycle, treat, store, or dispose of the waste. TSDFs treat, store, or dispose of the waste.

A review of the RCRIS-SQG list, as provided by EDR, and dated 07/11/2003 has revealed that there are 12 RCRIS-SQG sites within approximately 0.25 miles of the target property.

EXECUTIVE SUMMARY

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Dist / Dir</u>	<u>Map ID</u>	<u>Page</u>
J P PRINTING INC-MINUTE MAN PR	331 MAIN ST	0 - 1/8 ESE	4	18
BUDGET CLEANER COIN OP	293 MAIN ST	0 - 1/8 NNE	B5	18
VILLAGE CLEANERS	281 MAIN ST	0 - 1/8 NNE	B6	19
ARROW SERVICE STATION	511 FULTON ST	1/8 - 1/4SW	G19	32
MOBIL SERVICE STATION	356 FULTON ST	1/8 - 1/4SW	G21	33
OCEAN SERVICE STATION	687 RTE 109	1/8 - 1/4SW	G22	34
AMOCO	605 W RTE 109	1/8 - 1/4SW	G23	34
OXFORD CAR SALES USA AUTO MALL	461 FULTON ST	1/8 - 1/4WSW	H25	36
ALL STAR AUTO COLLISION	454 FULTON ST	1/8 - 1/4WSW	H26	37
SUNOCO SERVICE STATION	FULTON AVE & BERNARD ST	1/8 - 1/4WSW	I28	38
STEV DS INC COLLISION SPECIALI	22 GWYNNE LANE	1/8 - 1/4WSW	30	40
WHITE SWAN CLEANERS	421 CONKLIN ST	1/8 - 1/4N	39	48

STATE ASTM STANDARD

SHWS: The State Hazardous Waste Sites records are the states' equivalent to CERCLIS. These sites may or may not already be listed on the federal CERCLIS list. Priority sites planned for cleanup using state funds (state equivalent of Superfund) are identified along with sites where cleanup will be paid for by potentially responsible parties. The data come from the Department of Environmental Conservation's Inactive Hazardous waste Disposal Sites in New York State.

A review of the SHWS list, as provided by EDR, has revealed that there is 1 SHWS site within approximately 1 mile of the target property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Dist / Dir</u>	<u>Map ID</u>	<u>Page</u>
LIBERTY INDUSTRIAL FINISHING	55 MOTOR PARKWAY	1/8 - 1/4SSW	0	9

LTANKS: Leaking Storage Tank Incident Reports. These records contain an inventory of reported leaking storage tank incidents reported from 4/1/86 through the most recent update. They can be either leaking underground storage tanks or leaking aboveground storage tanks. The causes of the incidents are tank test failures, tank failures or tank overfills

A review of the LTANKS list, as provided by EDR, and dated 01/01/2002 has revealed that there are 25 LTANKS sites within approximately 0.5 miles of the target property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Dist / Dir</u>	<u>Map ID</u>	<u>Page</u>
Not reported	315 MAIN STREET	0 - 1/8 ENE	3	17
INC VILL OF FARMINGDALE	MAIN STREET	0 - 1/8 N	C8	20
EUROPEAN AMERICAN BANK	266 MAIN STREET	0 - 1/8 N	C13	26
LEE DODGE	330 CONKLIN STREET	1/8 - 1/4NNW	K36	45
PERMIT RESEARCH CORP	RTE 109	1/8 - 1/4 N	37	46
HOWITT FARMINGDALE UFSD	GRANT AVE / VANCOTT A	1/4 - 1/2E	40	48
ABM MGT	210 FULTON STREET	1/4 - 1/2W	L41	49
KINGS WOOD GARDEN	210 FULTON STREET	1/4 - 1/2W	L42	50
METRO RESOURCES	545 CONKLIN AVENUE	1/4 - 1/2NE	43	51
AWARD PETROLEUM	150 NORTH MAIN STREET	1/4 - 1/2N	44	52
SNEEHAN RESIDENCE	61 JEFFERSON ROAD	1/4 - 1/2NW	48	60
<u>Lower Elevation</u>	<u>Address</u>	<u>Dist / Dir</u>	<u>Map ID</u>	<u>Page</u>
VILLAGE HALL FIRE DEPT	361 MAIN STREET	0 - 1/8 SE	D10	22

EXECUTIVE SUMMARY

<u>Lower Elevation</u>	<u>Address</u>	<u>Dist / Dir</u>	<u>Map ID</u>	<u>Page</u>
INCORP VILLAGE OF FARMING	361 MAIN STREET	0 - 1/8 SE	D11	23
DALEVIEW NURSING HOME	574 FULTON STREET	0 - 1/8 SSW	E15	27
JEFFERSON PARK ASSOC	600 FULTON ST	0 - 1/8 S	F17	30
APT BLDGS	666 FULTON STREET	1/8 - 1/4 SSE	24	35
RAINBOW HOUSE	700 FULTON STREET	1/8 - 1/4 SSE	27	37
HARDSRABBLE APTS	400-410 MAIN STREET	1/8 - 1/4 SSE	J29	38
APARTMENT COMPLEX	410 MAIN STREET	1/8 - 1/4 SSE	J31	41
HARD SCRABBLE APARTMENTS	410 MAIN STREET	1/8 - 1/4 SSE	J32	42
STANTAN MGT	410 MAIN ST	1/8 - 1/4 SSE	J33	43
150 FULTON REALTY CORP	150A FULTON ST	1/4 - 1/2 W	M45	53
EXXON S/S	153 FULTON STREET	1/4 - 1/2 W	M46	55
GULF STATION	150 FULTON STREET	1/4 - 1/2 W	M47	57
TIMSON RESIDENCE	936 FULTON STREET	1/4 - 1/2 ESE	49	61

UST: The Underground Storage Tank database contains registered USTs. USTs are regulated under Subtitle I of the Resource Conservation and Recovery Act (RCRA). The data come from the Department of Environmental Conservation's Petroleum Bulk Storage (PBS) Database.

A review of the UST list, as provided by EDR, and dated 01/01/2002 has revealed that there are 6 UST sites within approximately 0.25 miles of the target property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Dist / Dir</u>	<u>Map ID</u>	<u>Page</u>
DELTA - SERVICE STATION	511 FULTON ST	1/8 - 1/4 SW	G20	33
LEE DODGE	330 CONKLIN ST	1/8 - 1/4 NNW	K35	45

<u>Lower Elevation</u>	<u>Address</u>	<u>Dist / Dir</u>	<u>Map ID</u>	<u>Page</u>
FARMINGDALE VILLAGE FIRE DEPAR	361 MAIN ST	0 - 1/8 SE	D12	25
FREEDOM PETROLEUM DBA US OIL	566 FULTON ST	0 - 1/8 SSW	E14	27
INACTIVE - ROMANELLI & SONS	374 FULTON ST	1/8 - 1/4 W	I34	44
HIGHWAY PETROLEUM DBA DELTA PE	356 FULTON ST	1/8 - 1/4 W	38	47

FEDERAL ASTM SUPPLEMENTAL

CONSENT: Major Legal settlements that establish responsibility and standards for cleanup at NPL (superfund) sites. Released periodically by U.S. District Courts after settlement by parties to litigation matters.

A review of the CONSENT list, as provided by EDR, has revealed that there is 1 CONSENT site within approximately 1 mile of the target property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Dist / Dir</u>	<u>Map ID</u>	<u>Page</u>
LIBERTY INDUSTRIAL FINISHING	55 MOTOR PARKWAY	1/8 - 1/4 SSW	0	9

RODS: Record of Decision. ROD documents mandate a permanent remedy at an NPL (Superfund) site containing technical and health information to aid the cleanup.

A review of the ROD list, as provided by EDR, has revealed that there is 1 ROD site within

EXECUTIVE SUMMARY

approximately 1 mile of the target property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Dist / Dir</u>	<u>Map ID</u>	<u>Page</u>
<i>LIBERTY INDUSTRIAL FINISHING</i>	<i>55 MOTOR PARKWAY</i>	<i>1/8 - 1/4 SSW 0</i>		<i>9</i>

STATE OR LOCAL ASTM SUPPLEMENTAL

CBS AST: Chemical Bulk Storage Database. Registration data collected as required by 6 NYCRR Part 596. It includes facilities storing hazardous substances listed in 6 NYCRR Part 597, in aboveground tanks with capacities of 185 gallons or greater, and/or in underground tanks of any size. Includes facilities registered (and closed) since effective date of CBS regulations (July 15, 1988) through the date request is processed.

A review of the CBS AST list, as provided by EDR, and dated 01/01/2002 has revealed that there is 1 CBS AST site within approximately 0.25 miles of the target property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Dist / Dir</u>	<u>Map ID</u>	<u>Page</u>
<i>LIBERTY INDUSTRIAL FINISHING</i>	<i>55 MOTOR PARKWAY</i>	<i>1/8 - 1/4 SSW 0</i>		<i>9</i>

SPILLS: Data collected on spills reported to NYSDEC, is required by one or more of the following: Article 12 of the Navigation Law, 6 NYCRR Section 613.8 (from PBS regs), or 6 NYCRR Section 595.2 (from CBS regs). It includes spills active as of April 1, 1986, as well as spills occurring since this date.

A review of the NY Spills list, as provided by EDR, has revealed that there are 4 NY Spills sites within approximately 0.125 miles of the target property.


<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Dist / Dir</u>	<u>Map ID</u>	<u>Page</u>
LILCO	PROSPECT / MAIN STREE	0 - 1/8 N	C7	19
<u>Lower Elevation</u>	<u>Address</u>	<u>Dist / Dir</u>	<u>Map ID</u>	<u>Page</u>
FARMINGDALE FIRE DEPT	361 MAIN ST	0 - 1/8 SE	D9	21
SEED & FEED	621 FULTON STREET	0 - 1/8 S	F16	29
SOSA REALTY	625 FULTON STREET	0 - 1/8 S	F18	31

EXECUTIVE SUMMARY

Due to poor or inadequate address information, the following sites were not mapped:

Site Name	Database(s)
MINMILT REALTY (HYGRADE METAL MOUL	SHWS
OLD BETHPAGE LANDFILL	SHWS
FAIRCHILD REPUBLIC	CERCLIS, FINDS
ASBESTOS FARMINGDALE	CERC-NFRAP
AIRCRAFT PARKING	LTANKS
FUEL FARM	LTANKS
TRIANGLE FUEL	LTANKS
FARMINGDALE U.METHODIST C	LTANKS
ROMANELLI & SON	LTANKS
LARRY E TYREE CO INC	UST
HESS S/S #32262	UST
HIGHLIFT INC	UST
AUTOMATED BREAD DISTRIBUTORS	UST
WES DESIGN	UST
E M S DEVELOPMENT CORP	UST
MT ARARAT CEMETERY INC	UST
TRI KAY ASSOCIATES	UST
AIR EAST RENTALS LLC	UST
ST CHARLES CEMETARY	UST
C I REALTY CORP	UST
INACTIVE-SHELL	UST
HOLLYWOOD INN	RCRIS-SQG, FINDS
NYSDOT LOCKHEED REPUBLIC AIRPORT	RCRIS-SQG, FINDS
MOBIL SERVICE STATION	RCRIS-SQG, FINDS
BELLE ARBOR PROMOTION CO INC	RCRIS-SQG, FINDS
CASCADE LINEN & UNIFORM SUPPLY	RCRIS-SQG, FINDS
ATLANTIC TOOL & MFG NORTH CORP	RCRIS-SQG, FINDS
RTE 109	NY Spills
UNK	NY Spills
RTE 109/ RTE 110	NY Spills
STAPLES TRUCK	NY Spills
LILCO	NY Spills
REPUBLIC AIRPORT	NY Spills
UNK	NY Spills
CONKLIN ST/VOGEL WAY	NY Spills
UNK VEHICLE/LILCO	NY Spills
UNK	NY Spills
ROLLI RETREAD INC	NY Spills
LARRY E TYREE	NY Spills
TAONIC PLATING COMPANY	NY Spills
PETRO KING	NY Spills
ALEX YARMOSH	NY Spills
UNK	NY Spills
UNK	NY Spills
NYS DOT/ REPUBLIC AIRPORT	NY Spills
UNK	NY Spills
HUNAN HOUSE	NY Spills
SUSP DALE AUTO SALES	NY Spills
LILCO	NY Spills
S&S AUTO	NY Spills
LILCO	NY Spills
MAIN STREET/CONKLIN STEET	NY Spills
LILCO	NY Spills
SUNBEAM BREAD/CLASSIC	NY Spills
UNK	NY Spills
UNK	NY Spills
WELLWOOD AVE/CONKLIN ST	NY Spills

OVERVIEW MAP - 01044801.1r - Whitestone Associates, Inc.




- ⊛ Target Property
- ▲ Sites at elevations higher than or equal to the target property
- Sites at elevations lower than the target property
- ▲ Coal Gasification Sites
- National Priority List Sites
- Landfill Sites
- Dept. Defense Sites
- ⚡ County Boundary
- Oil & Gas pipelines
- ⊞ 100-year flood zone
- ⊞ 500-year flood zone
- Federal Wetlands

TARGET PROPERTY: Waldbaums Supermarket
ADDRESS: 450 Main Street
CITY/STATE/ZIP: Farmingdale NY 11735
LAT/LONG: 40.7296 / 73.4458

CUSTOMER: Whitestone Associates, Inc.
CONTACT: Vicki Perkins
INQUIRY #: 01044801.1r
DATE: September 11, 2003 8:07 am

DETAIL MAP - 01044801.1r - Whitestone Associates, Inc.



- ◻ Target Property
- ▲ Sites at elevations higher than or equal to the target property
- ◆ Sites at elevations lower than the target property
- ▲ Coal Gasification Sites
- ◻ Sensitive Receptors
- ◻ National Priority List Sites
- ◻ Landfill Sites
- ◻ Dept. Defense Sites

- ∩ County Boundary
- Oil & Gas pipelines
- - - 100-year flood zone
- - - 500-year flood zone

TARGET PROPERTY: Waldbaums Supermarket
ADDRESS: 450 Main Street
CITY/STATE/ZIP: Farmingdale NY 11735
LAT/LONG: 40.7296 / 73.4458

CUSTOMER: Whitestone Associates, Inc.
CONTACT: Vicki Perkins
INQUIRY #: 01044801.1r
DATE: September 11, 2003 8:07 am

MAP FINDINGS SUMMARY

Database	Target Property	Search Distance (Miles)	< 1/8	1/8 - 1/4	1/4 - 1/2	1/2 - 1	> 1	Total Plotted
<u>FEDERAL ASTM STANDARD</u>								
NPL		1.000	0	1	0	0	NR	1
Proposed NPL		1.000	0	0	0	0	NR	0
CERCLIS		0.500	0	1	0	NR	NR	1
CERC-NFRAP		0.250	0	0	NR	NR	NR	0
CORRACTS		1.000	0	0	0	1	NR	1
RCRIS-TSD		0.500	0	0	0	NR	NR	0
RCRIS Lg. Quan. Gen.		0.250	0	0	NR	NR	NR	0
RCRIS Sm. Quan. Gen.		0.250	3	9	NR	NR	NR	12
ERNS		TP	NR	NR	NR	NR	NR	0
<u>STATE ASTM STANDARD</u>								
State Haz. Waste		1.000	0	1	0	0	NR	1
State Landfill		0.500	0	0	0	NR	NR	0
LTANKS	X	0.500	7	8	10	NR	NR	25
UST		0.250	2	4	NR	NR	NR	6
CBS UST		0.250	0	0	NR	NR	NR	0
MOSF UST		0.500	0	0	0	NR	NR	0
VCP		0.500	0	0	0	NR	NR	0
SWTIRE		0.500	0	0	0	NR	NR	0
SWRCY		0.500	0	0	0	NR	NR	0
<u>FEDERAL ASTM SUPPLEMENTAL</u>								
CONSENT		1.000	0	1	0	0	NR	1
ROD		1.000	0	1	0	0	NR	1
Delisted NPL		1.000	0	0	0	0	NR	0
FINDS		TP	NR	NR	NR	NR	NR	0
HMIRS		TP	NR	NR	NR	NR	NR	0
MLTS		TP	NR	NR	NR	NR	NR	0
MINES		0.250	0	0	NR	NR	NR	0
NPL Liens		TP	NR	NR	NR	NR	NR	0
PADS		TP	NR	NR	NR	NR	NR	0
DOD		1.000	0	0	0	0	NR	0
RAATS		TP	NR	NR	NR	NR	NR	0
TRIS		TP	NR	NR	NR	NR	NR	0
TSCA		TP	NR	NR	NR	NR	NR	0
SSTS		TP	NR	NR	NR	NR	NR	0
FTTS		TP	NR	NR	NR	NR	NR	0
<u>STATE OR LOCAL ASTM SUPPLEMENTAL</u>								
HSWDS		0.500	0	0	0	NR	NR	0
AST		TP	NR	NR	NR	NR	NR	0
CBS AST		0.250	0	1	NR	NR	NR	1
MOSF AST		0.500	0	0	0	NR	NR	0

MAP FINDINGS SUMMARY

<u>Database</u>	<u>Target Property</u>	<u>Search Distance (Miles)</u>	<u>< 1/8</u>	<u>1/8 - 1/4</u>	<u>1/4 - 1/2</u>	<u>1/2 - 1</u>	<u>> 1</u>	<u>Total Plotted</u>
NY Spills	X	0.125	4	NR	NR	NR	NR	4
<u>EDR PROPRIETARY HISTORICAL DATABASES</u>								
Coal Gas		1.000	0	0	0	0	NR	0
<u>BROWNFIELDS DATABASES</u>								
Brownfields		0.500	0	0	0	NR	NR	0
VCP		0.500	0	0	0	NR	NR	0

NOTES:

AQUIFLOW - see EDR Physical Setting Source Addendum

TP = Target Property

NR = Not Requested at this Search Distance

Sites may be listed in more than one database

Map ID
Direction
Distance
Distance (ft.)
Elevation

MAP FINDINGS

Coal Gas Site Search: No site was found in a search of Real Property Scan's ENVIROHAZ database.

Database(s) EDR ID Number
EPA ID Number

A1 WALDBAUMS SUPERMARKET LTANKS S103575890
Target 450 MAIN STREET NY Spills N/A
Property FARMINGDALE, NY

Site 1 of 2 in cluster A

Actual:
67 ft.

SPILLS:

Spill Number: 9812074 Region of Spill: 1
Facility Contact: GUY MIGONOE Facility Tele: (516) 233-8588
Investigator: DONOVAN SWIS: 28
Caller Name: Not reported Caller Agency: Not reported
Caller Phone: Not reported Caller Extension: Not reported
Notifier Name: Not reported Notifier Agency: Not reported
Notifier Phone: Not reported Notifier Extension: Not reported
Spiller Contact: GUY MIGONOE Spiller Phone: (516) 233-8588
Spiller: WALDBAUMS SUPERMARKET
Spiller Address: 450 MAIN STREET
FARMINGDALE, NY
Spill Class: Known release with minimal potential for fire or hazard. DEC Response.
Willing Responsible Party. Corrective action taken.
Spill Closed Dt: 07/24/2000
Spill Cause: Equipment Failure Resource Affected: On Land
Water Affected: Not reported Spill Source: Other Non Commercial/Industrial
Spill Notifier: Responsible Party PBS Number: Not reported
Spill Date: 12/28/1998 11:30 Reported to Dept: 12/28/1998 12:31
Cleanup Ceased: Not reported
Last Inspection: Not reported
Cleanup Meets Standard: True
Recommended Penalty: Penalty Not Recommended
Spiller Cleanup Date: Not reported
Enforcement Date: Not reported
Investigation Complete: Not reported
UST Involvement: False
Spill Record Last Update: 07/25/2000
Is Updated: False
Corrective Action Plan Submitted: Not reported
Date Spill Entered In Computer Data File: 12/28/1998
Date Region Sent Summary to Central Office: Not reported
Tank Test:
PBS Number: Not reported
Tank Number: Not reported
Test Method: Not reported
Capacity of Failed Tank: Not reported
Leak Rate Failed Tank: Not reported
Gross Leak Rate: Not reported
Material:
Material Class Type: 1
Quantity Spilled: 30
Units: Gallons
Unknown Qty Spilled: 30
Quantity Recovered: 0
Unknown Qty Recovered: False
Material: #2 FUEL OIL
Class Type: Petroleum
Chem Abstract Service Number: #2 FUEL OIL

Map ID
Direction
Distance
Distance (ft.)
Elevation Site

MAP FINDINGS

Database(s) EDR ID Number
EPA ID Number

WALDBAUMS SUPERMARKET (Continued)

S103575890

Last Date: 12/07/1994
Num Times Material Entry In File: 24464

Remarks: TANK INSIDE BUILDING LEAKING. CLEANUP CREW ON SCENE.
DEC Remarks: PETRO IS NOT SURE WHERE THE LEAK IS COMING FROM. THERES A DAY TANK IN THE CEILING. OIL DRIPPED DOWN ONTO THE FLOOR OF THE PRODUCT DEPT AS PER CALLER. UNK SIZE OF TANK. STEVE IN PROCESS OF ARRANGING CLEANUP. PRODUCT ON THE FLOOR WAS DIKED BY PETRO. SPILL CONTAINED ON CONCRETE SURFACE. APPROX 10 GALS, NO DRAINS OR SOIL AFFECTED. FIRE NOT USED SPEEDI DRI FOR CLEANUP. SPEEDY DRY PROPERLY DISPOSED OF. NO FURTHER ACTION

LTANKS:

Spill Number: 9614751 Region of Spill: 1
Facility Contact: RAY BERGSTROM Facility Tele: (516) 576-3000
Investigator: GIBBONS SWIS: 28
Caller Name: Not reported Caller Agency: Not reported
Caller Phone: Not reported Caller Extension: Not reported
Notifier Name: Not reported Notifier Agency: Not reported
Notifier Phone: Not reported Notifier Extension: Not reported
Spiller Contact: RAY BERGSTROM Spiller Phone: (516) 576-3000
Spiller: WALDBAUMS SUPERMARKET
Spiller Address: 450 MAIN STREET
FARMINGDALE
Spill Class: Known release that creates potential for fire or hazard. DEC Response.
Willing Responsible Party. Corrective action taken.
Spill Closed Dt: 07/12/2000
Spill Cause: Tank Failure Resource Affected: On Land
Water Affected: Not reported Spill Source: Other Commercial/Industrial
Spill Notifier: Other PBS Number: Not reported
Spill Date: 03/22/1997 15:30 Reported to Dept: 03/22/1997 16:07
Cleanup Ceased: Not reported
Last Inspection: Not reported
Cleanup Meets Standard: True
Recommended Penalty: Penalty Not Recommended
Spiller Cleanup Date: Not reported
Enforcement Date: Not reported
Investigation Complete: Not reported
UST Involvement: False
Spill Record Last Update: 07/13/2000
Is Updated: False
Corrective Action Plan Submitted: Not reported
Date Spill Entered In Computer Data File: 03/22/1997
Date Region Sent Summary to Central Office: Not reported
Tank Test:
PBS Number: Not reported
Tank Number: Not reported
Test Method: Not reported
Capacity of Failed Tank: Not reported
Leak Rate Failed Tank: Not reported
Gross Leak Rate: Not reported
Material:
Material Class Type: 1
Quantity Spilled: 0
Units: Gallons
Unknown Qty Spilled: No
Quantity Recovered: 0
Unknown Qty Recovered: True
Material: #2 FUEL OIL
Class Type: Petroleum

Map ID
Direction
Distance
Distance (ft)
Elevation Site

MAP FINDINGS

Database(s)
EDR ID Number
EPA ID Number

WALDBAUMS SUPERMARKET (Continued)

S103575890

Chem Abstract Service Number: #2 FUEL OIL
Last Date: 12/07/1994
Num Times Material Entry In File: 24464
DEC Remarks: CALLED CALLER: HE SAID REMOTE FILL IS THE PROBLEM. DRIVER WENT TO FILL A
ND HE SAW OIL BUBBLING. STOPPED AND CALLED OFFICE. SERVICEMAN IS ON SCEN
E INVESTIGATING, NO PUDDLES OF OIL BUT DID FIND CONTAMINATION. NCFM ENRO
UTE TO LOOK, WALDBAUMS 531-8552.NNO CONTACT NAME
Spill Cause: WHILE FILLING A 7,500 GAL UNDERGROUND TANK THEY NOTICED BUBBLES COMMING
UP THE FILL TANK - CALLER THINKS THIS IS A GOOD INDICATION THAT THERE I
S A LEAK IN THE TANK OR LINES - THEY ARE BEING ADVISED OF CLEAN UP COMP
ANIES TO CONTACT AT THIS TIME

A2
Target
Property

WALDBAUM SUPERMARKET
450 MAIN STREET
FARMINGDALE, NY

LTANKS S103558491
N/A

Site 2 of 2 in cluster A

Actual:
67 ft.

LTANKS:

Spill Number: 9810582 Region of Spill: 1
Facility Contact: GUY MIGNONOE Facility Tele: (516) 233-8588
Investigator: DARCANGELO SWIS: 28
Caller Name: Not reported Caller Agency: Not reported
Caller Phone: Not reported Caller Extension: Not reported
Notifier Name: Not reported Notifier Agency: Not reported
Notifier Phone: Not reported Notifier Extension: Not reported
Spiller Contact: GUY MIGNONE Spiller Phone: (516) 233-8588
Spiller: WALDBAUM INC
Spiller Address: PO 9026 HEMLOCK ST/BLVD A
CENTRAL ISLIP, NY 11722
Spill Class: Known release that creates potential for fire or hazard. DEC Response.
Willing Responsible Party. Corrective action taken.
Spill Closed Dt: 03/03/1999
Spill Cause: Tank Test Failure Resource Affected: On Land
Water Affected: Not reported Spill Source: Other Commercial/Industrial
Spill Notifier: Tank Tester PBS Number: Not reported
Spill Date: 11/20/1998 14:00 Reported to Dept: 11/20/1998 14:36
Cleanup Ceased: Not reported
Last Inspection: Not reported
Cleanup Meets Standard: True
Recommended Penalty: Penalty Not Recommended
Spiller Cleanup Date: Not reported
Enforcement Date: Not reported
Investigation Complete: Not reported
UST Involvement: False
Spill Record Last Update: 03/04/1999
Is Updated: False
Corrective Action Plan Submitted: Not reported
Date Spill Entered In Computer Data File: 11/20/1998
Date Region Sent Summary to Central Office: Not reported
Tank Test:
PBS Number: Not reported
Tank Number: 1
Test Method: Horner EZ Check
Capacity of Failed Tank: 7500
Leak Rate Failed Tank: 0.00
Gross Leak Rate: Not reported
Material:
Material Class Type: 1

Map ID
 Direction
 Distance
 Distance (ft.)
 Elevation Site

MAP FINDINGS

Database(s) EDR ID Number
 EPA ID Number

WALDBAUM SUPERMARKET (Continued)

S103558491

Quantity Spilled: 0
 Units: Gallons
 Unknown Qty Spilled: No
 Quantity Recovered: 0
 Unknown Qty Recovered: False
 Material: #2 FUEL OIL
 Class Type: Petroleum
 Chem Abstract Service Number: #2 FUEL OIL
 Last Date: 12/07/1994
 Num Times Material Entry In File: 24464
 DEC Remarks: 1/5/99 FILE REASSIGNED TANK ABANDONED BECAUSE HIGH VOLTAGE ELECTRIC O
 VER THE TOP, NCDH WITNESSED ABANDONMENT, THREE SOIL BORINGS PERFORMED AR
 OUND THE PERIMETER OF TANK. ALL BORINGS TO GW, NO ODORS IN SOIL, IN ANY
 BORING, AT ANY DEPTH. MONITORING WWELL INSTALLED SOUTH OF TANK AS PER NC
 DH, NO ADDITIONAL WORK REQUIRED
 Spill Cause: GROSS FAILURE. REMEDIAL ACTION PLAN WILL BE SET UP AND THE TANK WILL MOS
 T LIKELY BE PULLED AND A TEMPORARY PLOT WILL BE PLACED.

**NPL
 Region
 SSW
 1/8-1/4
 995 ft.**

**LIBERTY INDUSTRIAL FINISHING
 55 MOTOR PARKWAY
 FARMINGDALE, NY 11735**

**CERCLIS 1000219816
 SHWS NYD000337295
 NPL
 CBS AST
 CONSENT
 ROD
 NY Spills**

CERCLIS Classification Data:

Site Incident Category: Not reported Federal Facility: Not a Federal Facility
 Non NPL Status: Not reported
 Ownership Status: Private NPL Status: Currently on the Final NPL
 Site Description: IND. PARK OPERATED AN ELECTROPLATING FAC. FRM 1948-1978. ABANDONED,
 REMEDIATED & FENCED LAGOONS ON SITE. REMEDIAL BR. IS PLANNING TO
 PERFORM ADDITIONAL SOIL SAMPLING. REMOVAL BR. IS ASSESSING THE NEED
 FOR ADDITIONAL FENCING TO LIMIT ACCESS.

CERCLIS Assessment History:

Assessment:	DISCOVERY	Completed:	04/10/1980
Assessment:	PRELIMINARY ASSESSMENT	Completed:	09/01/1984
Assessment:	PROPOSAL TO NPL	Completed:	10/15/1984
Assessment:	NPL RP SEARCH	Completed:	11/15/1984
Assessment:	SITE INSPECTION	Completed:	08/31/1985
Assessment:	FINAL LISTING ON NPL	Completed:	06/10/1986
Assessment:	NON-BINDING ALLOCATION OF RESP	Completed:	06/04/1988
Assessment:	REMOVAL ASSESSMENT	Completed:	09/13/1990
Assessment:	PRP RI/FS	Completed:	09/28/1990
Assessment:	RI/FS NEGOTIATIONS	Completed:	09/28/1990
Assessment:	REMOVAL ASSESSMENT	Completed:	08/08/1991
Assessment:	UNILATERAL ADMIN ORDER	Completed:	03/03/1992
Assessment:	REMOVAL ASSESSMENT	Completed:	02/07/1994
Assessment:	ADMIN ORDER ON CONSENT	Completed:	08/30/1994
Assessment:	UNILATERAL ADMIN ORDER	Completed:	08/30/1994
Assessment:	PRP REMOVAL	Completed:	04/24/1996
Assessment:	ADMIN ORDER ON CONSENT	Completed:	01/24/1997
Assessment:	COMBINED RI/FS	Completed:	01/24/1997
Assessment:	UNILATERAL ADMIN ORDER	Completed:	01/24/1997
Assessment:	REMOVAL ASSESSMENT	Completed:	03/16/1998
Assessment:	REMOVAL NEGOTIATIONS	Completed:	08/03/1998
Assessment:	UNILATERAL ADMIN ORDER	Completed:	08/03/1998
Assessment:	ADMIN ORDER ON CONSENT	Completed:	03/27/2002

Map ID
Direction
Distance
Distance (ft.)
Elevation Site

MAP FINDINGS

Database(s) EDR ID Number
EPA ID Number

LIBERTY INDUSTRIAL FINISHING (Continued)

1000219816

Assessment:	REMOVAL NEGOTIATIONS	Completed:	03/27/2002
Assessment:	PRP RI/FS	Completed:	03/28/2002
Assessment:	RECORD OF DECISION	Completed:	03/28/2002
Assessment:	COMBINED RI/FS	Completed:	03/28/2002
Assessment:	PPA ASSESSMENT	Completed:	09/20/2002
Assessment:	CONSENT AGREEMENT (ADMINISTRATIVE)	Completed:	09/20/2002

CERCLIS Site Status:

Not reported

CERCLIS Alias Name(s):

LIBERTY IND FINISHING
LIBERTY IND FINISHING
FIBERGLASS RESOURCES CORP(NYD045861267)
LIBERTY INDUSTRIAL FINISHING

NPL:

EPA ID:	NYD000337295
Region:	02
Federal:	General
Final Date:	06/10/1986

NPL Contaminant:

NPL Status:	Final
Substance Id:	A020
Case Num:	7440-47-3
Substance :	CHROMIUM AND COMPOUNDS, NOS (CR)
Pathway :	NOT INDICATED
GW Scoring :	Not reported
SW Scoring :	Not reported
Air Scoring:	Not reported
Soil Scoring:	Not reported
DC Scoring:	Not reported
FE Scoring:	Not reported

NPL Status:	Final
Substance Id:	A038
Case Num:	7440-02-0
Substance :	NICKEL AND COMPOUNDS, NOS (NI)
Pathway :	NOT INDICATED
GW Scoring :	Not reported
SW Scoring :	Not reported
Air Scoring:	Not reported
Soil Scoring:	Not reported
DC Scoring:	Not reported
FE Scoring:	Not reported

NPL Status:	Final
Substance Id:	C178
Case Num:	7440-50-8
Substance :	COPPER AND COMPOUNDS, NOS (CU)
Pathway :	NOT INDICATED
GW Scoring :	Not reported
SW Scoring :	Not reported
Air Scoring:	Not reported
Soil Scoring:	Not reported
DC Scoring:	Not reported
FE Scoring:	Not reported

NPL Status:	Final
Substance Id:	C247
Case Num:	7440-66-6

Map ID
Direction
Distance
Distance (ft.)
Elevation Site

MAP FINDINGS

Database(s)
EDR ID Number
EPA ID Number

LIBERTY INDUSTRIAL FINISHING (Continued)

1000219816

Substance : ZINC AND COMPOUNDS, NOS (ZN)
Pathway : NOT INDICATED
GW Scoring : Not reported
SW Scoring : Not reported
Air Scoring : Not reported
Soil Scoring : Not reported
DC Scoring : Not reported
FE Scoring : Not reported

NPL Status: Final
Substance Id: P030
Case Num: 420-04-2
Substance : CYANIDES (SOLUBLE SALTS), NOS
Pathway : NOT INDICATED
GW Scoring : Not reported
SW Scoring : Not reported
Air Scoring : Not reported
Soil Scoring : Not reported
DC Scoring : Not reported
FE Scoring : Not reported

NPL Status: Final
Substance Id: W001
Case Num: Not reported
Substance : HEAVY METALS, NOS
Pathway : NOT INDICATED
GW Scoring : Not reported
SW Scoring : Not reported
Air Scoring : Not reported
Soil Scoring : Not reported
DC Scoring : Not reported
FE Scoring : Not reported

NPL Status: Final
Substance Id: D006
Case Num: 7440-43-9
Substance : CADMIUM (CD)
Pathway : The Ground water migration route , or pathway.
GW Scoring : Toxicity
SW Scoring : Not reported
Air Scoring : Not reported
Soil Scoring : Not reported
DC Scoring : Not reported
FE Scoring : Not reported

NPL Site:
CERCLIS Id: NYD000337295
Site City: Farmingdale
Site State: NY
NPL Status: Final
Status Date: 06/10/86
Federal Site: Not reported
HRS Score: 50.65
GW Score: 87.62
SW Score: 0.00
Air Score: 0.00
Soil Score: 0.00
DC Score: 0.00
FE Score: 0.00

Map ID
Direction
Distance
Distance (ft.)
Elevation Site

MAP FINDINGS

Database(s) EDR ID Number
EPA ID Number

LIBERTY INDUSTRIAL FINISHING (Continued)

1000219816

NPL Char:

NPL Status: Final
Category Description: DEPTH TO AQUIFER
Category Value: 3

NPL Status: Final
Category Description: DISTANCE TO THE NEAREST POPULATION
Category Value: 1000

NPL Status: Final
Category Description: OBSERVED RELEASE-None
Category Value: Not reported

NPL Status: Final
Category Description: OTHER GROUND WATER USE-Industrial Process Cooling
Category Value: Not reported

NPL Status: Final
Category Description: OTHER GROUND WATER USE-Irrigation
Category Value: Not reported

NPL Status: Final
Category Description: PHYSICAL STATE-Liquid
Category Value: Not reported

NPL Status: Final
Category Description: PHYSICAL STATE-Sludge
Category Value: Not reported

NPL Status: Final
Category Description: SITE ACTIVITY WASTE SOURCE-Manufacturing
Category Value: Not reported

NPL Status: Final
Category Description: SITE ACTIVITY WASTE SOURCE-Manufacturing Electroplating
Category Value: Not reported

NPL Status: Final
Category Description: SURFACE WATER ADJACENT TO SITE-River
Category Value: Not reported

NPL Status: Final
Category Description: SURFACE WATER ADJACENT TO SITE-Stream
Category Value: Not reported

NPL SITE STATUS:

NPL Status: Final
Proposed Date: 10/15/1984
Final Date: 06/10/1986
Deleted Date: Not reported

ROD:

Full-text of USEPA Record of Decision(s) is available from EDR.

CONSENT:

Full-text of a consent decree on this site issued by a United States District Court is available from EDR.

SHWS:

EPA ID: NYD000337295 Region: 1
Acres: 10 User: Liberty Industrial Finishing Products
Owner: Mr. S. Holbriech c/o RGE, Inc.
PO Box 117 / 175 Jericho Turnpike
Syosset, NY 117
Owner Type: OW

Map ID
 Direction
 Distance
 Distance (ft.)
 Elevation Site

MAP FINDINGS

Database(s) EDR ID Number
 EPA ID Number

LIBERTY INDUSTRIAL FINISHING (Continued)

1000219816

Operator: Liberty Industrial Finishing Product
 55 Motor Avenue - Colt Industrial Park
 Farmingdale, NY 11735

Operator Type: OP
 Classification: SIGNIFICANT THREAT TO THE PUBLIC HEALTH OR ENVIRONMENT - ACTION
 REQUIRED.

Depth to Groundwater: Range: 5 to 10 feet.
 Legal Action Type: Enforcement Action
 Legal NY State: Not reported
 Legal Federal: X
 Legal state: NE
 Facility ID Number: 130005
 Dump: Not reported
 Pond: Not reported
 Structure: Not reported
 Lagoon: Yes
 Landfill: Not reported
 Lat/Long: 40° 43' 31" / 73° 27' 0"
 Disposal Start: 1948
 Disposal Term: 1977
 Air Data: Not reported
 Air Violation: Not reported
 Ground Water Data: Yes
 Surface Water Data: Yes
 SW Violation: Not reported
 Sediment Data: Not reported
 Soil Data: Yes
 Soil Type: Sand.
 Remediation Proposed: Not reported
 Remediation Active: Yes
 Remediation Design: Not reported
 Remediation Type: IRM-Groundwater pump and treat system.
 Quantity: unknown
 unknown
 unknown

NPL Status: NPL
 Hazardous Waste: Cadmium, chromium, dichlorobenzene,
 Tetrachloroethylene, dieldrin,
 Plating and painting wastes

Site Description: Liberty Industrial Finishing operated at 55 Motor Avenue between 1948 and 1977. Operations at this site included electroplating, anodizing and painting. In 1977, Liberty Industrial Finishing was cited for discharging wastewater into three leaching basins in violation of permit limits. The discharge exceeded NYCRR Part 703.6 limits for hexavalent chromium and cadmium. Investigations by the Nassau County Department of Health in 1979 & 1980 indicated two leaching basins and a sludge drying bed failed the E.P. Tox Test for cadmium in soils and sludge. There is a plume of groundwater contamination with cadmium, chromium, and organics moving towards the south. This plume is the result of the discharge of contaminated wastes to the lagoons dating back to the 1940s. In 1987 the Potentially Responsible Party (PRP) conducted an Interim Remedial Measure (IRM) by removing contaminated soil from the two leaching basins and the sludge drying bed. This soil was contaminated with chromium, cadmium, dieldrin, dichlorobenzene and tetrachloroethylene. Cadmium, chromium and organics were detected in the surface water and sediment of Massapequa Creek. An IRM was performed in 1994-95 which removed PCB contaminated soils from a

Map ID
 Direction
 Distance
 Distance (ft.)
 Elevation Site

MAP FINDINGS

Database(s) EDR ID Number
 EPA ID Number

LIBERTY INDUSTRIAL FINISHING (Continued)

1000219816

transformer pads. A groundwater IRM to prevent contaminated groundwater from leaving the site proper is currently operational. A Remedial Investigation/Feasibility Study (RI/FS) has been completed and the EPA has proposed a remedy for groundwater and site soils. The final Record of Decision (ROD) is scheduled to be completed in 2002.

Environmental Problems: Groundwater and soil have been contaminated with heavy metals and organics. Groundwater discharge to Massapequa Creek has been documented, and a plume of contamination is moving south of this site.

Health Problems: Soils contaminated with polychlorinated biphenyls (PCBs) were excavated and removed from transformer pad areas. The United States Environmental Protection Agency fenced the site and is evaluating additional measures to control trespassing on-site. Trespassers entering the site, particularly at the former disposal basin area are at risk of exposure to contaminated soils via ingestion, direct contact, and inhalation. Groundwater is contaminated on-site and off-site. An interim groundwater remedial action is in place to control the off-site migration of contaminated groundwater. Site related contamination has not been detected in nearby downgradient public drinking water supply wells. No private drinking water supply wells have been identified in the area. Contaminated groundwater discharged to the Massapequa Creek. The EPA has proposed remedial activities to remove contamination from accessible areas within the creek.

SPILLS:

Spill Number:	9910229	Region of Spill:	1
Facility Contact:	UNK	Facility Tele:	(000) 000-0000
Investigator:	UNASSIGNED	SWIS:	28
Caller Name:	Not reported	Caller Agency:	Not reported
Caller Phone:	Not reported	Caller Extension:	Not reported
Notifier Name:	Not reported	Notifier Agency:	Not reported
Notifier Phone:	Not reported	Notifier Extension:	Not reported
Spiller Contact:	Not reported	Spiller Phone:	(516) 364-3030
Spiller:	JEFFRY ROSMARIN		
Spiller Address:	55 MOTOR AVENUE FRAMINGDALE, NY		
Spill Class:	No spill occurred. No DEC Response. No corrective action required.		
Spill Closed Dt:	02/27/2001		
Spill Cause:	Other	Resource Affected:	On Land
Water Affected:	Not reported	Spill Source:	Other Commercial/Industrial
Spill Notifier:	Citizen	PBS Number:	Not reported
Spill Date:	11/23/1999 11:00	Reported to Dept:	11/23/1999 17:11
Cleanup Ceased:	Not reported		
Last Inspection:	Not reported		
Cleanup Meets Standard:	True		
Recommended Penalty:	Penalty Not Recommended		
Spiller Cleanup Date:	Not reported		
Enforcement Date:	Not reported		
Investigation Complete:	Not reported		
UST Involvement:	False		
Spill Record Last Update:	02/28/2001		
Is Updated:	False		
Corrective Action Plan Submitted:	Not reported		
Date Spill Entered In Computer Data File:	11/23/1999		
Date Region Sent Summary to Central Office:	Not reported		
Tank Test:			
PBS Number:	Not reported		
Tank Number:	Not reported		
Test Method:	Not reported		

Map ID
Direction
Distance
Distance (ft.)
Elevation

MAP FINDINGS

LIBERTY INDUSTRIAL FINISHING (Continued)

EDR ID Number
EPA ID Number

Database(s)

1000219816

Capacity of Failed Tank: Not reported
Leak Rate Failed Tank: Not reported
Gross Leak Rate: Not reported

Material:

Material Class Type: 1
Quantity Spilled: 0
Units: Gallons
Unknown Qty Spilled: No
Quantity Recovered: 0
Unknown Qty Recovered: True
Material: UNKNOWN PETROLEUM
Class Type: Petroleum
Chem Abstract Service Number: UNKNOWN PETROLEUM
Last Date: 09/29/1994
Num Times Material Entry In File: 16414

Remark: CALLER STATES THAT SUBJECT THERE HAS ILLEGALLY REMOVED CONTAMINATED SOIL IN THE PAST-USUALLY BEFORE A HOLIDAY WHEN HE FEELS IT IS LESS LIKELY ANY ONE WOULD DISCOVER THIS ACTION. ***DEC NOTE: SITE IS/WAS SUPERFUND SITE?***

DEC Remarks: SUPERFUND SITE, CLEANUP OVERSEEN BY DER

CBS AST:

CBS Number: 1-000546 Telephone: (516) 777-7559
Owner: URS CORPORATION

2325 MARYLAND RD.
WILLOW GROVE, PA 19090
(215) 657-5000

Facility Status: Active
Total Tanks: 2
Tank Status: In Service
Tank Error Status: No Missing Data
Tank Location: Aboveground
Install Date: 01/01
Capacity (Gal): 2500
Tank Type: Plastic
Substance: Single Hazardous Substance on DEC List
Extrnl Protection: None/None
Intrnl Protection: None
Tank Containment: Diking
Pipe Type: PLASTIC
Pipe Internal: None
Pipe External: None
Pipe Containment: Diking
Leak Detection: None
Overfill Protection: 5/5

Pipe Location: Aboveground

Haz Percent: 50

Chemical: Sodium hydroxide Tank Closed: Not reported
PBS Number: Not reported SWIS Code: 2824

Federal ID: Not reported
MOSF Number: Not reported CAS Number: 1310732
SPDES Number: Not reported ICS Number: Not reported

Facility Type: Other
Operator: URS Facility Town: OYSTER BAY
Emrgncy Contact: RALPH GOLIA Emrgncy Phone: (215) 657-5000
Certified Date: 12/27/2001 Expiration Date: 12/27/2003

Owner type: Corporate/Commercial
Owner Sub Type: Not reported

Mail Name: URS CORPORATION
Mail Contact: ERIC LINDHULT

Map ID
Direction
Distance
Distance (ft.)
Elevation

MAP FINDINGS

LIBERTY INDUSTRIAL FINISHING (Continued)

EDR ID Number
EPA ID Number

Database(s)

1000219816

2325 MARYLAND RD
2ND FLOOR
WILLOW GROVE, PA 19090
Mail Phone: (215) 657-5000
Tank Secret: False
Last Test: Not reported
Pipe Flag: False
Renew Date: Not reported
Is it There: False
Owner Status: F
Certificate Needs to be Printed: False
Fiscal Amt for Registration Fee Correct: True
Renewal Has Been Printed for Facility: False
Total Capacity of All Active Tanks(gal): 5000
Unique Tank Id Number: 001
Date Pre-Printed Renewal App Form Was Last Printed: / /
Date Entered: 12/26/2001 10:39:55
Due Date: Not reported
Owner Mark: 1
Date Expired: Not reported
Is Updated: False
CBS Number: 1-000546
Owner: URS CORPORATION
2325 MARYLAND RD.
WILLOW GROVE, PA 19090
(215) 657-5000
Telephone: (516) 777-7559
Facility Status: Active
Total Tanks: 2
Tank Status: In Service
Tank Error Status: No Missing Data
Tank Location: Aboveground
Install Date: 01/01
Capacity (Gal): 2500
Tank Type: Plastic
Substance: Single Hazardous Substance on DEC List
Extrnl Protection: None/None
Intrnl Protection: None
Tank Containment: Diking
Pipe Type: PLASTIC
Pipe Location: Aboveground
Pipe Internal: None
Pipe External: None/None
Pipe Containment: Diking
Haz Percent: 95
Leak Detection: None
Overfill Protection: 5/5
Chemical: Sulfuric acid
Tank Closed: Not reported
PBS Number: Not reported
SWIS Code: 2824
Federal ID: Not reported
CAS Number: 7664939
MOSF Number: Not reported
ICS Number: Not reported
SPDES Number: Not reported
Facility Type: Other
Operator: URS
Facility Town: OYSTER BAY
Emrgncy Contact: RALPH GOLIA
Emrgncy Phone: (215) 657-5000
Certified Date: 12/27/2001
Expiration Date: 12/27/2003
Owner type: Corporate/Commercial
Owner Sub Type: Not reported
Mail Name: URS CORPORATION
Mail Contact: ERIC LINDHULT
2325 MARYLAND RD
2ND FLOOR
WILLOW GROVE, PA 19090
Mail Phone: (215) 657-5000

Map ID
Direction
Distance
Distance (ft.)
Elevation Site

MAP FINDINGS

Database(s) EDR ID Number
EPA ID Number

LIBERTY INDUSTRIAL FINISHING (Continued)

1000219816

Tank Secret: False Date Entered: 12/26/2001 10:41:20
Last Test: Not reported Due Date: Not reported
Pipe Flag: False Owner Mark: 1
Renew Date: Not reported Date Expired: Not reported
Is it There: False Is Updated: False
Owner Status: F
Certificate Needs to be Printed: False
Fiscal Amt for Registration Fee Correct: True
Renewal Has Been Printed for Facility: False
Total Capacity of All Active Tanks(gal): 5000
Unique Tank Id Number: 002
Date Pre-Printed Renewal App Form Was Last Printed: / /

3
ENE
< 1/8
199 ft.

315 MAIN STREET
FARMINGDALE, NY

LTANKS S102668174
N/A

Relative:
Equal

LTANKS:

Actual:
67 ft.

Spill Number: 8607667 Region of Spill: 1
Facility Contact: Not reported Facility Tele: Not reported
Investigator: JEAN-LOUIS FD SWIS: 28
Caller Name: Not reported Caller Agency: Not reported
Caller Phone: Not reported Caller Extension: Not reported
Notifier Name: Not reported Notifier Agency: Not reported
Notifier Phone: Not reported Notifier Extension: Not reported
Spiller Contact: Not reported Spiller Phone: (516) 333-7500
Spiller: PETROLEUM HEAT & POWER
Spiller Address: 522 GRAND BLVD
WESTBURY, NY
Spill Class: Not reported
Spill Closed Dt: 03/23/1987
Spill Cause: Tank Overfill Resource Affected: On Land
Water Affected: Not reported Spill Source: Tank Truck
Spill Notifier: Responsible Party PBS Number: Not reported
Spill Date: 03/17/1987 14:00 Reported to Dept: 03/17/1987 14:20
Cleanup Ceased: 03/23/1987
Last Inspection: Not reported
Cleanup Meets Standard: True
Recommended Penalty: Penalty Not Recommended
Spiller Cleanup Date: Not reported
Enforcement Date: Not reported
Investigation Complete: Not reported
UST Involvement: False
Spill Record Last Update: 04/03/2001
Is Updated: False
Corrective Action Plan Submitted: Not reported
Date Spill Entered In Computer Data File: 03/19/1987
Date Region Sent Summary to Central Office: Not reported
Tank Test:
PBS Number: Not reported
Tank Number: Not reported
Test Method: Not reported
Capacity of Failed Tank: Not reported
Leak Rate Failed Tank: Not reported
Gross Leak Rate: Not reported
Material:
Material Class Type: 1
Quantity Spilled: 5

Map ID
Direction
Distance
Distance (ft.)
Elevation

MAP FINDINGS

Database(s)
EDR ID Number
EPA ID Number

(Continued)

S102668174

Units: Gallons
Unknown Qty Spilled: 5
Quantity Recovered: 0
Unknown Qty Recovered: False
Material: #2 FUEL OIL
Class Type: Petroleum
Chem Abstract Service Number: #2 FUEL OIL
Last Date: 12/07/1994
Num Times Material Entry In File: 24464
DEC Remarks: // : SPILLER CLEANING UP. // : SPILLER CLEANING UP.3/17/87 SPE
EDY DRY APPLIED. TANK OVERFILL.
Spill Cause: ON CONCRETE

4
ESE
< 1/8
253 ft.

J P PRINTING INC-MINUTE MAN PRESS
331 MAIN ST
FARMINGDALE, NY 11735

RCRIS-SQG 1000140698
FINDS NYD982720906

Relative:
Equal

RCRIS:

Owner: JEFF MILLER
(212) 555-1212
EPA ID: NYD982720906

Actual:
67 ft.

Contact: Not reported
Classification: Small Quantity Generator
TSDF Activities: Not reported
Violation Status: No violations found

NY MANIFEST

Additional detail is available in NY MANIFEST. Please contact your EDR Account Executive for more information.

CT MANIFEST

Additional detail is available in CT MANIFEST. Please contact your EDR Account Executive for more information.

FINDS:

Other Pertinent Environmental Activity Identified at Site:
Facility Registry System (FRS)
Resource Conservation and Recovery Act Information system (RCRAINFO)

B5
NNE
< 1/8
306 ft.

BUDGET CLEANER COIN OP
293 MAIN ST
FARMINGDALE, NY 11735

RCRIS-SQG 1000234251
FINDS NYD113009153

Relative:
Higher

Site 1 of 2 in cluster B

RCRIS:

Owner: JOHN SIM
(212) 555-1212
EPA ID: NYD113009153

Actual:
68 ft.

Contact: Not reported
Classification: Small Quantity Generator
TSDF Activities: Not reported

Map ID
Direction
Distance
Distance (ft.)
Elevation

MAP FINDINGS

Site Database(s) EDR ID Number
EPA ID Number

BUDGET CLEANER COIN OP (Continued)

1000234251

Violation Status: No violations found

FINDS:

Other Pertinent Environmental Activity Identified at Site:
Facility Registry System (FRS)
Resource Conservation and Recovery Act Information system (RCRAINFO)

B6
NNE
< 1/8
406 ft.

VILLAGE CLEANERS
281 MAIN ST
FARMINGDALE, NY 11735

RCRIS-SQG 1000276065
FINDS NYD981562093

Site 2 of 2 in cluster B

Relative:
Higher

Actual:
68 ft.

RCRIS:
Owner: TOM HACKETT
(516) 531-9312
EPA ID: NYD981562093
Contact: Not reported
Classification: Small Quantity Generator
TSD Activities: Not reported
Violation Status: No violations found

NY MANIFEST

Additional detail is available in NY MANIFEST. Please contact your EDR Account Executive for more information.

FINDS:

Other Pertinent Environmental Activity Identified at Site:
AIRS Facility System (AIRS/AFS)
Facility Registry System (FRS)
Resource Conservation and Recovery Act Information system (RCRAINFO)

C7
North
< 1/8
463 ft.

LILCO
PROSPECT / MAIN STREET
FARMINGDALE, NY

NY Spills S102136187
N/A

Site 1 of 3 in cluster C

Relative:
Higher

Actual:
69 ft.

SPILLS:
Spill Number: 9202238
Facility Contact: Not reported
Investigator: HAAS
Caller Name: Not reported
Caller Phone: Not reported
Notifier Name: Not reported
Notifier Phone: Not reported
Spiller Contact: Not reported
Spiller: LILCO
Spiller Address: Not reported
Spill Class: Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
Spill Closed Dt: 05/26/1992
Spill Cause: Equipment Failure
Water Affected: Not reported
Spill Notifier: Fire Department
Spill Date: 05/23/1992 17:00
Cleanup Ceased: 05/26/1992
Last Inspection: Not reported
Region of Spill: 1
Facility Tele: Not reported
SWIS: 28
Caller Agency: Not reported
Caller Extension: Not reported
Notifier Agency: Not reported
Notifier Extension: Not reported
Spiller Phone: Not reported
Resource Affected: On Land
Spill Source: Other Commercial/Industrial
PBS Number: Not reported
Reported to Dept: 05/22/1992 14:20

Map ID
Direction
Distance
Distance (ft.)
Elevation

MAP FINDINGS

LILCO (Continued)

EDR ID Number
EPA ID Number

Database(s)

S102136187

Cleanup Meets Standard: True
Recommended Penalty: Penalty Not Recommended
Spiller Cleanup Date: Not reported
Enforcement Date: Not reported
Investigation Complete: Not reported
UST Involvement: False
Spill Record Last Update: 11/10/1992
Is Updated: False
Corrective Action Plan Submitted: Not reported
Date Spill Entered In Computer Data File: 05/27/1992
Date Region Sent Summary to Central Office: Not reported
Tank Test:
PBS Number: Not reported
Tank Number: Not reported
Test Method: Not reported
Capacity of Failed Tank: Not reported
Leak Rate Failed Tank: Not reported
Gross Leak Rate: Not reported

Material:

Material Class Type: 1
Quantity Spilled: 0
Units: Gallons
Unknown Qty Spilled: No
Quantity Recovered: 0
Unknown Qty Recovered: False
Material: PCB OIL
Class Type: Petroleum
Chem Abstract Service Number: PCB OIL
Last Date: 07/28/1994
Num Times Material Entry In File: 1229

Remark: POLE MOUNTED TRANSFORMER, FD NOTICED LEAK FROM TRANSFORMER, LILCO NOTIFIED, SPILL CLEANED UP, NO FURTHER ACTION
DEC Remarks: Not reported

C8
North
< 1/8
479 ft.

INC VILL OF FARMINGDALE
MAIN STREET
FARMINGDALE, NY

LTANKS S100490821
N/A

Site 2 of 3 in cluster C

Relative:
Higher

LTANKS:

Actual:
69 ft.

Spill Number: 9113035
Facility Contact: Not reported
Investigator: T/T/F
Caller Name: Not reported
Caller Phone: Not reported
Notifier Name: Not reported
Notifier Phone: Not reported
Spiller Contact: Not reported
Spiller: INC VILL OF FARMINGDALE
Spiller Address: MAIN STREET
FARMINGDALE
Spill Class: Known release that creates potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
Spill Closed Dt: 06/26/1992
Spill Cause: Tank Test Failure
Water Affected: Not reported
Spill Notifier: Tank Tester
Spill Date: 03/24/1992 16:00
Region of Spill: 1
Facility Tele: Not reported
SWIS: 28
Caller Agency: Not reported
Caller Extension: Not reported
Notifier Agency: Not reported
Notifier Extension: Not reported
Spiller Phone: (516) 243-0111
Resource Affected: Groundwater
Spill Source: Other Non Commercial/Industrial
PBS Number: Not reported
Reported to Dept: 03/24/1992 17:05

Map ID
Direction
Distance
Distance (ft.)
Elevation Site

MAP FINDINGS

Database(s)
EDR ID Number
EPA ID Number

INC VILL OF FARMINGDALE (Continued)

S100490821

Cleanup Ceased: 06/26/1992
Last Inspection: Not reported
Cleanup Meets Standard: True
Recommended Penalty: Penalty Not Recommended
Spiller Cleanup Date: Not reported
Enforcement Date: Not reported
Investigation Complete: Not reported
UST Involvement: True
Spill Record Last Update: 06/30/1992
Is Updated: False
Corrective Action Plan Submitted: Not reported
Date Spill Entered In Computer Data File: 03/25/1992
Date Region Sent Summary to Central Office: Not reported
Tank Test:
PBS Number: Not reported
Tank Number: Not reported
Test Method: Not reported
Capacity of Failed Tank: 0
Leak Rate Failed Tank: 0.00
Gross Leak Rate: Not reported
Material:
Material Class Type: 1
Quantity Spilled: 0
Units: Gallons
Unknown Qty Spilled: No
Quantity Recovered: 0
Unknown Qty Recovered: False
Material: DIESEL
Class Type: Petroleum
Chem Abstract Service Number: DIESEL
Last Date: 07/28/1994
Num Times Material Entry In File: 10625
DEC Remarks: Not reported
Spill Cause: 550 FAILED AT -.173 PETROTITE, DONEGAL TESTER

D9 FARMINGDALE FIRE DEPT
SE 361 MAIN ST
< 1/8 FARMINGDALE, NY
529 ft.

NY Spills S103565955
N/A

Site 1 of 4 in cluster D

Relative:
Lower

Actual:
65 ft.

SPILLS:

Spill Number: 9205439
Facility Contact: Not reported
Investigator: RICE
Caller Name: Not reported
Caller Phone: Not reported
Notifier Name: Not reported
Notifier Phone: Not reported
Spiller Contact: Not reported
Spiller: FARMINGDALE FIRE DEPT
Spiller Address: Not reported
Spill Class: Known release that creates potential for fire or hazard. DEC Response.
Willing Responsible Party. Corrective action taken.
Spill Closed Dt: 09/16/1992
Spill Cause: Other
Water Affected: Not reported
Spill Notifier: Other
Spill Date: 07/16/1992 12:00
Region of Spill: 1
Facility Tele: Not reported
SWIS: 28
Caller Agency: Not reported
Caller Extension: Not reported
Notifier Agency: Not reported
Notifier Extension: Not reported
Spiller Phone: (516) 249-0093
Resource Affected: On Land
Spill Source: Other Non Commercial/Industrial
PBS Number: Not reported
Reported to Dept: 07/16/1992 12:00

Map ID
Direction
Distance
Distance (ft.)
Elevation

MAP FINDINGS

Database(s) EDR ID Number
EPA ID Number

FARMINGDALE FIRE DEPT (Continued)

S103565955

Cleanup Ceased: 09/16/1992
Last Inspection: Not reported
Cleanup Meets Standard: True
Recommended Penalty: Penalty Not Recommended
Spiller Cleanup Date: Not reported
Enforcement Date: Not reported
Investigation Complete: Not reported
UST Involvement: True
Spill Record Last Update: 09/18/1992
Is Updated: False
Corrective Action Plan Submitted: Not reported
Date Spill Entered In Computer Data File: 08/12/1992
Date Region Sent Summary to Central Office: Not reported
Tank Test:
PBS Number: Not reported
Tank Number: Not reported
Test Method: Not reported
Capacity of Failed Tank: Not reported
Leak Rate Failed Tank: Not reported
Gross Leak Rate: Not reported

Material:

Material Class Type: 1
Quantity Spilled: 0
Units: Gallons
Unknown Qty Spilled: No
Quantity Recovered: 0
Unknown Qty Recovered: False
Material: GASOLINE
Class Type: Petroleum
Chem Abstract Service Number: GASOLINE
Last Date: 09/29/1994
Num Times Material Entry In File: 21329

Remarks: GAS CONTAMINATION FOUND DURING 2K GAL GASOLINE TANK REMOVAL
DEC Remarks: 09/16/92: CONT FOUND AROUND FILL, EXCAVATED 20 YDS CONT SOIL, NO FURTHER
CONT FOUND.

D10
SE
< 1/8
529 ft.

VILLAGE HALL FIRE DEPT
361 MAIN STREET
FARMINGDALE, NY

LTANKS S103037442
N/A

Site 2 of 4 in cluster D

Relative:
Lower

Actual:
65 ft.

LTANKS:

Spill Number: 9714141
Facility Contact: GINA CONSTANTINI
Investigator: T/T/F
Caller Name: Not reported
Caller Phone: Not reported
Notifier Name: Not reported
Notifier Phone: Not reported
Spiller Contact: JACK SCHERER
Spiller: VILLAGE HALL FIRE DEPT
Spiller Address: 361 MAIN STREET
FARMINGDALE
Spill Class: Known release that creates potential for fire or hazard. DEC Response.
Willing Responsible Party. Corrective action taken.
Spill Closed Dt: 05/22/1998
Spill Cause: Tank Test Failure
Water Affected: Not reported
Region of Spill: 1
Facility Tele: (516) 249-3150
SWIS: 28
Caller Agency: Not reported
Caller Extension: Not reported
Notifier Agency: Not reported
Notifier Extension: Not reported
Spiller Phone: (516) 249-0111
Resource Affected: On Land
Spill Source: Other Non Commercial/Industrial

Map ID
Direction
Distance
Distance (ft.)
Elevation Site

MAP FINDINGS

Database(s) EDR ID Number
EPA ID Number

VILLAGE HALL FIRE DEPT (Continued)

S103037442

Spill Notifier: Responsible Party
Spill Date: 03/20/1998 14:30
Cleanup Ceased: Not reported
Last Inspection: Not reported
Cleanup Meets Standard: True
Recommended Penalty: Penalty Not Recommended
Spiller Cleanup Date: Not reported
Enforcement Date: Not reported
Investigation Complete: Not reported
UST Involvement: False
Spill Record Last Update: 05/26/1998
Is Updated: False
Corrective Action Plan Submitted: Not reported
Date Spill Entered In Computer Data File: 03/20/1998
Date Region Sent Summary to Central Office: Not reported
Tank Test:
PBS Number: Not reported
Tank Number: 001
Test Method: Petro-Tite
Capacity of Failed Tank: 2000
Leak Rate Failed Tank: -0.28
Gross Leak Rate: Not reported
Material:
Material Class Type: 1
Quantity Spilled: 0
Units: Gallons
Unknown Qty Spilled: No
Quantity Recovered: 0
Unknown Qty Recovered: False
Material: #2 FUEL OIL
Class Type: Petroleum
Chem Abstract Service Number: #2 FUEL OIL
Last Date: 12/07/1994
Num Times Material Entry In File: 24464
DEC Remarks: Not reported
Spill Cause: tank test failure - tyre notified - will uncover and retest

D11 INCORP VILLAGE OF FARMING
SE 361 MAIN STREET
< 1/8 FARMINGDALE, NY
529 ft.

LTANKS S100147776
N/A

Site 3 of 4 in cluster D

Relative:
Lower

LTANKS:

Actual:
65 ft.

Spill Number: 8903119
Facility Contact: Not reported
Investigator: LEUNG FD
Caller Name: Not reported
Caller Phone: Not reported
Notifier Name: Not reported
Notifier Phone: Not reported
Spiller Contact: Not reported
Spiller: INCORP VILLAGE OF FARMING
Spiller Address: Not reported
Spill Class: Not reported
Spill Closed Dt: 09/29/1989
Spill Cause: Tank Test Failure
Water Affected: Not reported
Spill Notifier: Tank Tester
Region of Spill: 1
Facility Tele: Not reported
SWIS: 28
Caller Agency: Not reported
Caller Extension: Not reported
Notifier Agency: Not reported
Notifier Extension: Not reported
Spiller Phone: Not reported
Resource Affected: Groundwater
Spill Source: Other Non Commercial/Industrial
PBS Number: Not reported

Map ID
Direction
Distance
Distance (ft.)
Elevation Site

MAP FINDINGS

Database(s) EDR ID Number
EPA ID Number

INCORP VILLAGE OF FARMING (Continued)

S100147776

Spill Date: 06/23/1989 12:00 Reported to Dept: 06/26/1989 09:10
Cleanup Ceased: 09/29/1989
Last Inspection: Not reported
Cleanup Meets Standard: True
Recommended Penalty: Penalty Not Recommended
Spiller Cleanup Date: Not reported
Enforcement Date: Not reported
Investigation Complete: Not reported
UST Involvement: False
Spill Record Last Update: 05/10/1999
Is Updated: False
Corrective Action Plan Submitted: Not reported
Date Spill Entered In Computer Data File: 06/28/1989
Date Region Sent Summary to Central Office: Not reported
Tank Test:
PBS Number: Not reported
Tank Number: Not reported
Test Method: Not reported
Capacity of Failed Tank: 0
Leak Rate Failed Tank: 0.00
Gross Leak Rate: Not reported
Material:
Material Class Type: 1
Quantity Spilled: 0
Units: Gallons
Unknown Qty Spilled: No
Quantity Recovered: 0
Unknown Qty Recovered: False
Material: #2 FUEL OIL
Class Type: Petroleum
Chem Abstract Service Number: #2 FUEL OIL
Last Date: 12/07/1994
Num Times Material Entry In File: 24464
DEC Remarks: 09/29/89: FUEL LINE REPAIRED. SYSTEM PASSED RETEST.
Spill Cause: 2K FAILED WITH GROSS LEAK F N TESTER. WILL EXCAVATE TRY TO LOCATE PROBLEM RETEST
Spill Number: 8906304 Region of Spill: 1
Facility Contact: Not reported Facility Tele: Not reported
Investigator: MIRZA FD SWIS: 28
Caller Name: Not reported Caller Agency: Not reported
Caller Phone: Not reported Caller Extension: Not reported
Notifier Name: Not reported Notifier Agency: Not reported
Notifier Phone: Not reported Notifier Extension: Not reported
Spiller Contact: Not reported Spiller Phone: Not reported
Spiller: UNK POSS BELCHER OIL
Spiller Address: Not reported
Spill Class: Not reported
Spill Closed Dt: 09/29/1989
Spill Cause: Tank Overfill Resource Affected: On Land
Water Affected: Not reported Spill Source: Other Non Commercial/Industrial
Spill Notifier: Police Department PBS Number: Not reported
Spill Date: 09/26/1989 14:55 Reported to Dept: 09/26/1989 16:05
Cleanup Ceased: 09/29/1989
Last Inspection: Not reported
Cleanup Meets Standard: True
Recommended Penalty: Penalty Not Recommended

Map ID
Direction
Distance
Distance (ft.)
Elevation Site

MAP FINDINGS

Database(s) EDR ID Number
EPA ID Number

INCORP VILLAGE OF FARMING (Continued)

S100147776

Spiller Cleanup Date: Not reported
Enforcement Date: Not reported
Investigation Complete: Not reported
UST Involvement: False
Spill Record Last Update: 05/26/1999
Is Updated: False
Corrective Action Plan Submitted: Not reported
Date Spill Entered In Computer Data File: 09/27/1989
Date Region Sent Summary to Central Office: Not reported

Tank Test:
PBS Number: Not reported
Tank Number: Not reported
Test Method: Not reported
Capacity of Failed Tank: Not reported
Leak Rate Failed Tank: Not reported
Gross Leak Rate: Not reported

Material:
Material Class Type: 1
Quantity Spilled: 30
Units: Gallons
Unknown Qty Spilled: 30
Quantity Recovered: 0
Unknown Qty Recovered: False
Material: #2 FUEL OIL
Class Type: Petroleum
Chem Abstract Service Number: #2 FUEL OIL
Last Date: 12/07/1994
Num Times Material Entry In File: 24464

DEC Remarks: 09/29/89: 2 CU YDS OF SOIL DISPOSED OFF BY RGM AT CHEMICAL POLLUTION CONTROL ON 9/26/89.

Spill Cause: CONTRACTOR ENROUTE TO CLEANUP

D12 FARMINGDALE VILLAGE FIRE DEPARTMENT
SE 361 MAIN ST
< 1/8 FARMINGDALE, NY 11735
529 ft.

UST U003845651
N/A

Site 4 of 4 in cluster D

Relative:
Lower

NY UST NCFM:
Tank Type: OUTDOOR UG HOR STEEL Tank Size: 2000
Tank Contents: EMPTY
Tank Type: OUTDOOR UG HOR STEEL Tank Size: 1000
Tank Contents: EMPTY
Tank Type: OUTDOOR UG HOR STEEL Tank Size: 550
Tank Contents: EMPTY
Tank Type: OUTDOOR UG HOR D/W F/G Tank Size: 2500
Tank Contents: REGULAR LEADED GASOLINE
Tank Type: OUTDOOR UG HOR D/W F/G Tank Size: 550
Tank Contents: DIESEL

Actual:
65 ft.

Map ID
Direction
Distance
Distance (ft.)
Elevation

MAP FINDINGS

Site Database(s) EDR ID Number
EPA ID Number

C13 EUROPEAN AMERICAN BANK LTANKS S100559863
North 266 MAIN STREET N/A
< 1/8 FARMINGDALE, NY
546 ft.

Relative:
Higher
Site 3 of 3 in cluster C

Actual:
69 ft.

LTANKS:
Spill Number: 9302157 Region of Spill: 1
Facility Contact: Not reported Facility Tele: Not reported
Investigator: SOTTILE SWIS: 28
Caller Name: Not reported Caller Agency: Not reported
Caller Phone: Not reported Caller Extension: Not reported
Notifier Name: Not reported Notifier Agency: Not reported
Notifier Phone: Not reported Notifier Extension: Not reported
Spiller Contact: Not reported Spiller Phone: (516) 694-0850
Spiller: EUROPEAN AMERICAN BANK
Spiller Address: Not reported
Spill Class: Known release that creates potential for fire or hazard. DEC Response.
Willing Responsible Party. Corrective action taken.
Spill Closed Dt: 07/13/1998
Spill Cause: Tank Test Failure Resource Affected: Groundwater
Water Affected: Not reported Spill Source: Other Commercial/Industrial
Spill Notifier: Tank Tester PBS Number: Not reported
Spill Date: 05/17/1993 11:00 Reported to Dept: 05/17/1993 12:22
Cleanup Ceased: Not reported
Last Inspection: Not reported
Cleanup Meets Standard: True
Recommended Penalty: Penalty Not Recommended
Spiller Cleanup Date: Not reported
Enforcement Date: Not reported
Investigation Complete: Not reported
UST Involvement: False
Spill Record Last Update: 02/16/2000
Is Updated: False
Corrective Action Plan Submitted: Not reported
Date Spill Entered In Computer Data File: 05/18/1993
Date Region Sent Summary to Central Office: Not reported
Tank Test:
PBS Number: Not reported
Tank Number: Not reported
Test Method: Not reported
Capacity of Failed Tank: 0
Leak Rate Failed Tank: 0.00
Gross Leak Rate: Not reported
Material:
Material Class Type: 1
Quantity Spilled: 0
Units: Gallons
Unknown Qty Spilled: No
Quantity Recovered: 0
Unknown Qty Recovered: False
Material: #2 FUEL OIL
Class Type: Petroleum
Chem Abstract Service Number: #2 FUEL OIL
Last Date: 12/07/1994
Num Times Material Entry In File: 24464
DEC Remarks: Not reported
Spill Cause: 1K FAILED GROSS LEAK, DRY AS A BONE TESTER, MOST LIKELY WILL REMOVE TANK

Map ID
 Direction
 Distance
 Distance (ft.)
 Elevation

MAP FINDINGS

EUROPEAN AMERICAN BANK (Continued)

Database(s) EDR ID Number
 EPA ID Number

S100559863

**E14
 SSW
 < 1/8
 613 ft.**

**FREEDOM PETROLEUM DBA US OIL
 566 FULTON ST
 FARMINGDALE, NY 11735**

**UST U003845725
 AST N/A**

Site 1 of 2 in cluster E

**Relative:
 Lower**

**Actual:
 66 ft.**

NY UST NCFM:			
Tank Type:	OUTDOOR UG HOR STEEL	Tank Size:	3000
Tank Contents:	EMPTY		
Tank Type:	OUTDOOR UG HOR STEEL	Tank Size:	4000
Tank Contents:	EMPTY		
Tank Type:	OUTDOOR UG HOR STEEL	Tank Size:	3000
Tank Contents:	EMPTY		
Tank Type:	OUTDOOR UG HOR STEEL	Tank Size:	2000
Tank Contents:	EMPTY		
Tank Type:	OUTDOOR UG HOR S/W F/G	Tank Size:	6000
Tank Contents:	HIGH UNLEADED GASOLINE		
Tank Type:	OUTDOOR UG HOR S/W F/G	Tank Size:	6000
Tank Contents:	LOW UNLEADED GASOLINE		
Tank Type:	OUTDOOR UG HOR S/W F/G	Tank Size:	6000
Tank Contents:	GASOLINE NOS		
NY NAFM AST:			
Tank Type:	OUTDOOR AG HOR ON STILT	Tank Size:	47
Contents:	LPG		

**E15
 SSW
 < 1/8
 614 ft.**

**DALEVIEW NURSING HOME
 574 FULTON STREET
 FARMINGDALE, NY**

**LTANKS S100149454
 N/A**

Site 2 of 2 in cluster E

**Relative:
 Lower**

**Actual:
 65 ft.**

LTANKS:		
Spill Number:	8710220	Region of Spill: 1
Facility Contact:	Not reported	Facility Tele: Not reported
Investigator:	GOERTZ	SWIS: 28
Caller Name:	Not reported	Caller Agency: Not reported
Caller Phone:	Not reported	Caller Extension: Not reported
Notifier Name:	Not reported	Notifier Agency: Not reported
Notifier Phone:	Not reported	Notifier Extension: Not reported
Spiller Contact:	Not reported	Spiller Phone: (516) 694-6242
Spiller:	DALEVIEW NURSING HOME	
Spiller Address:	Not reported	
Spill Class:	Not reported	
Spill Closed Dt:	06/29/1989	
Spill Cause:	Tank Test Failure	Resource Affected: Groundwater
Water Affected:	Not reported	Spill Source: Other Non Commercial/Industrial
Spill Notifier:	Tank Tester	PBS Number: Not reported
Spill Date:	03/05/1988 16:00	Reported to Dept: 03/07/1988 09:15
Cleanup Ceased:	06/29/1989	
Last Inspection:	Not reported	
Cleanup Meets Standard:	True	

Map ID
Direction
Distance
Distance (ft.)
Elevation Site

MAP FINDINGS

Database(s)
EDR ID Number
EPA ID Number

DALEVIEW NURSING HOME (Continued)

S100149454

Recommended Penalty: Penalty Not Recommended
Spiller Cleanup Date: Not reported
Enforcement Date: Not reported
Investigation Complete: Not reported
UST Involvement: False
Spill Record Last Update: 07/03/1989
Is Updated: False
Corrective Action Plan Submitted: Not reported
Date Spill Entered In Computer Data File: 03/09/1988
Date Region Sent Summary to Central Office: Not reported

Tank Test:
PBS Number: Not reported
Tank Number: Not reported
Test Method: Not reported
Capacity of Failed Tank: 0
Leak Rate Failed Tank: 0.00
Gross Leak Rate: Not reported

Material:
Material Class Type: 1
Quantity Spilled: 0
Units: Gallons
Unknown Qty Spilled: No
Quantity Recovered: 0
Unknown Qty Recovered: False
Material: #2 FUEL OIL
Class Type: Petroleum
Chem Abstract Service Number: #2 FUEL OIL
Last Date: 12/07/1994
Num Times Material Entry In File: 24464

DEC Remarks: 06/29/89: MONITORING WELLS AT THIS LOCATION HAVE NOT SHOWED FLOATING OR DISSOLVED PRODUCT FOR OVER A YEAR TANK HAS BEEN FILLED WITH CEMENT.
Spill Cause: 7500 U/G TANK FAILED HORNER SYSTEM TEST AT - 073 GPH. BAIN REPLACED VENT LINE WHILE TESTING. BAIN BLED OUT HIGH END OF TANK. BAIN WILL RETEST THIS WEEK.

Spill Number: 8710406
Facility Contact: Not reported
Investigator: GOERTZ FD
Caller Name: Not reported
Caller Phone: Not reported
Notifier Name: Not reported
Notifier Phone: Not reported
Spiller Contact: Not reported
Spiller: DALEVIEW NURSING HOME
Spiller Address: 574 FULTON STREET
FARMINGDALE, NY

Region of Spill: 1
Facility Tele: Not reported
SWIS: 28
Caller Agency: Not reported
Caller Extension: Not reported
Notifier Agency: Not reported
Notifier Extension: Not reported
Spiller Phone: Not reported

Spill Class: Not reported
Spill Closed Dt: 06/29/1989
Spill Cause: Tank Test Failure
Water Affected: Not reported
Spill Notifier: Tank Tester
Spill Date: 03/12/1987 15:25
Cleanup Ceased: 06/29/1989
Last Inspection: Not reported
Cleanup Meets Standard: True
Recommended Penalty: Penalty Not Recommended
Spiller Cleanup Date: Not reported

Resource Affected: Groundwater
Spill Source: Other Non Commercial/Industrial
PBS Number: Not reported
Reported to Dept: 03/12/1987 15:39

Map ID
Direction
Distance
Distance (ft.)
Elevation Site

MAP FINDINGS

Database(s) EDR ID Number
EPA ID Number

DALEVIEW NURSING HOME (Continued)

S100149454

Enforcement Date: Not reported
Investigation Complete: Not reported
UST Involvement: False
Spill Record Last Update: 01/07/2000
Is Updated: False
Corrective Action Plan Submitted: Not reported
Date Spill Entered in Computer Data File: 07/07/1988
Date Region Sent Summary to Central Office: Not reported

Tank Test:
PBS Number: Not reported
Tank Number: Not reported
Test Method: Not reported
Capacity of Failed Tank: 0
Leak Rate Failed Tank: 0.00
Gross Leak Rate: Not reported

Material:
Material Class Type: 1
Quantity Spilled: 0
Units: Gallons
Unknown Qty Spilled: No
Quantity Recovered: 0
Unknown Qty Recovered: False
Material: #2 FUEL OIL
Class Type: Petroleum
Chem Abstract Service Number: #2 FUEL OIL
Last Date: 12/07/1994
Num Times Material Entry In File: 24464

DEC Remarks: 06/29/89: TANK WAS ABANDONED AND WELLS WERE INSTALLED. WELLS DID NOT SHOW DISSOLVED FLOATING PRODUCT FOR OVER 1 YEAR.SEE SPILL 87-10220.

Spill Cause: SAME AS SPILL 87-10220 -.105 GPH, 7.5K TANK WILL ABANDON TANK

F16 SEED & FEED
South 621 FULTON STREET
< 1/8 FARMINGDALE, NY
627 ft.

NY Spills S102138266
N/A

Site 1 of 3 in cluster F

Relative:
Lower

SPILLS:

Actual:
64 ft.

Spill Number: 9000378
Facility Contact: Not reported
Investigator: GOMEZ
Caller Name: Not reported
Caller Phone: Not reported
Notifier Name: Not reported
Notifier Phone: Not reported
Spiller Contact: Not reported
Spiller: SEED & FEED
Spiller Address: Not reported
Spill Class: Not reported
Spill Closed Dt: 08/23/1990
Spill Cause: Unknown
Water Affected: Not reported
Spill Notifier: Health Department
Spill Date: 03/28/1990 12:00
Cleanup Ceased: 08/23/1990
Last Inspection: Not reported
Cleanup Meets Standard: True
Recommended Penalty: Penalty Not Recommended
Spiller Cleanup Date: Not reported

Region of Spill: 1
Facility Tele: Not reported
SWIS: 28
Caller Agency: Not reported
Caller Extension: Not reported
Notifier Agency: Not reported
Notifier Extension: Not reported
Spiller Phone: (516) 694-2180

Resource Affected: On Land
Spill Source: Other Commercial/Industrial
PBS Number: Not reported
Reported to Dept: 04/11/1990 10:30

Map ID
Direction
Distance
Distance (ft.)
Elevation Site

MAP FINDINGS

Database(s) EDR ID Number
EPA ID Number

SEED & FEED (Continued)

S102138266

Enforcement Date: Not reported
Investigation Complete: Not reported
UST Involvement: False
Spill Record Last Update: 08/24/1990
Is Updated: False
Corrective Action Plan Submitted: Not reported
Date Spill Entered In Computer Data File: 04/12/1990
Date Region Sent Summary to Central Office: Not reported

Tank Test:
PBS Number: Not reported
Tank Number: Not reported
Test Method: Not reported
Capacity of Failed Tank: Not reported
Leak Rate Failed Tank: Not reported
Gross Leak Rate: Not reported

Material:
Material Class Type: 1
Quantity Spilled: 0
Units: Gallons
Unknown Qty Spilled: No
Quantity Recovered: 0
Unknown Qty Recovered: False
Material: UNKNOWN PETROLEUM
Class Type: Petroleum
Chem Abstract Service Number: UNKNOWN PETROLEUM
Last Date: 09/29/1994
Num Times Material Entry In File: 16414

Remark: NCDH TOOK A SOIL SAMPLE FROM CESSPOOL. FORMERLY A GAS STATION. HIGH BTX CONCENTRATIONS. NCDH WILL SEND A COPY OF RESULTS
DEC Remarks: 08/23/90: CESSPOOL PUMPED OUT. NO FURTHER ACTION NECESSARY.

F17
South
< 1/8
635 ft.

JEFFERSON PARK ASSOC
600 FULTON ST
FARMINGDALE, NY

LTANKS S100491788
N/A

Site 2 of 3 in cluster F

Relative:
Lower

Actual:
64 ft.

LTANKS:

Spill Number: 9207701
Facility Contact: Not reported
Investigator: T/T/F
Caller Name: Not reported
Caller Phone: Not reported
Notifier Name: Not reported
Notifier Phone: Not reported
Spiller Contact: Not reported
Spiller: JEFFERSON PARK ASSOC
Spiller Address: 51-1 TERRYVILLE ROAD
PORT JEFFERSON, NY
Spill Class: No spill occurred. (Not Possible)
Spill Closed Dt: 04/01/1993
Spill Cause: Tank Test Failure
Water Affected: Not reported
Spill Notifier: Tank Tester
Spill Date: 10/02/1992 15:30
Cleanup Ceased: 04/01/1993
Last Inspection: Not reported
Cleanup Meets Standard: True
Recommended Penalty: Penalty Not Recommended

Region of Spill: 1
Facility Tele: Not reported
SWIS: 28
Caller Agency: Not reported
Caller Extension: Not reported
Notifier Agency: Not reported
Notifier Extension: Not reported
Spiller Phone: (516) 331-4141
Resource Affected: Groundwater
Spill Source: Other Commercial/Industrial
PBS Number: Not reported
Reported to Dept: 10/02/1992 09:53

Map ID
Direction
Distance
Distance (ft.)
Elevation Site

MAP FINDINGS

Database(s) EDR ID Number
EPA ID Number

JEFFERSON PARK ASSOC (Continued)

S100491788

Spiller Cleanup Date: Not reported
Enforcement Date: Not reported
Investigation Complete: Not reported
UST Involvement: False
Spill Record Last Update: 04/02/1993
Is Updated: False
Corrective Action Plan Submitted: Not reported
Date Spill Entered In Computer Data File: 10/06/1992
Date Region Sent Summary to Central Office: Not reported

Tank Test:
PBS Number: Not reported
Tank Number: Not reported
Test Method: Not reported
Capacity of Failed Tank: 0
Leak Rate Failed Tank: 0.00
Gross Leak Rate: Not reported

Material:
Material Class Type: 1
Quantity Spilled: 0
Units: Gallons
Unknown Qty Spilled: No
Quantity Recovered: 0
Unknown Qty Recovered: False
Material: #2 FUEL OIL
Class Type: Petroleum
Chem Abstract Service Number: #2 FUEL OIL
Last Date: 12/07/1994
Num Times Material Entry In File: 24464

DEC Remarks: 04/01/93: TANK ALONE PASSED TEST 10/15/92. TANK TILTED 3 HIGHER ON ONE SIDE, NEW FILL INSTALLED AT HIGH ENDS, SYSTEM RETESTED FROM THIS END, PASSED 10/20/92. NO CONT SOIL ENCOUNTERED.

Spill Cause: 3K FAILED AT -.412, PETROTITE, VOLINO TESTER

F18
South
< 1/8
636 ft.

SOSA REALTY
625 FULTON STREET
FARMINGDALE, NY

NY Spills S103564271
N/A

Site 3 of 3 in cluster F

Relative:
Lower

Actual:
64 ft.

SPILLS:

Spill Number: 8607105
Facility Contact: Not reported
Investigator: O'BRIEN FD
Caller Name: Not reported
Caller Phone: Not reported
Notifier Name: Not reported
Notifier Phone: Not reported
Spiller Contact: Not reported
Spiller: SOSA REALTY
Spiller Address: Not reported
Spill Class: Not reported
Spill Closed Dt: 02/20/1987
Spill Cause: Other
Water Affected: Not reported
Spill Notifier: Fire Department
Spill Date: 02/20/1987 13:30
Cleanup Ceased: 02/20/1987
Last Inspection: Not reported
Cleanup Meets Standard: True

Region of Spill: 1
Facility Tele: Not reported
SWIS: 28
Caller Agency: Not reported
Caller Extension: Not reported
Notifier Agency: Not reported
Notifier Extension: Not reported
Spiller Phone: Not reported

Resource Affected: On Land
Spill Source: Private Dwelling
PBS Number: Not reported
Reported to Dept: 02/20/1987 13:40

Map ID
Direction
Distance
Distance (ft.)
Elevation Site

MAP FINDINGS

Database(s) EDR ID Number
EPA ID Number

SOSA REALTY (Continued)

S103564271

Recommended Penalty: Penalty Not Recommended
Spiller Cleanup Date: Not reported
Enforcement Date: Not reported
Investigation Complete: Not reported
UST Involvement: False
Spill Record Last Update: 02/19/1999
Is Updated: False
Corrective Action Plan Submitted: Not reported
Date Spill Entered In Computer Data File: 02/24/1987
Date Region Sent Summary to Central Office: Not reported
Tank Test:
PBS Number: Not reported
Tank Number: Not reported
Test Method: Not reported
Capacity of Failed Tank: Not reported
Leak Rate Failed Tank: Not reported
Gross Leak Rate: Not reported

Units: Gallons
Unknown Qty Spilled: No
Quantity Recovered: 0
Unknown Qty Recovered: False
Material: UNKNOWN PETROLEUM
Class Type: Petroleum
Chem Abstract Service Number: UNKNOWN PETROLEUM
Last Date: 09/29/1994
Num Times Material Entry In File: 16414
Remarks: FIRE AT GARAGE BEHIND HOUSE.
DEC Remarks: / / : NCFM ON SCENE. DEC TO INVESTIGATE. 10/10/95: This is additional information about material spilled from the translation of the old spill file: TOXIC MATERIAL.

G19 ARROW SERVICE STATION
SW 511 FULTON ST
1/8-1/4 FARMINGDALE, NY 11735
662 ft.

RCRIS-SQG 1000553174
FINDS NYD986955888

Site 1 of 5 in cluster G

Relative:
Higher

RCRIS:
Owner: ARROW PETROLEUM
(516) 694-1193
EPA ID: NYD986955888
Contact: Not reported
Classification: Small Quantity Generator
TSDF Activities: Not reported
Violation Status: No violations found

Actual:
70 ft.

NY MANIFEST

Additional detail is available in NY MANIFEST. Please contact your EDR Account Executive for more information.

Map ID
Direction
Distance
Distance (ft.)
Elevation Site

MAP FINDINGS

Database(s) EDR ID Number
EPA ID Number

ARROW SERVICE STATION (Continued)

1000553174

FINDS:

Other Pertinent Environmental Activity Identified at Site:
Facility Registry System (FRS)
Resource Conservation and Recovery Act Information system (RCRAINFO)

**G20
SW
1/8-1/4
662 ft.**

**DELTA - SERVICE STATION
511 FULTON ST
FARMINGDALE, NY 11735**

**UST U003845538
N/A**

Site 2 of 5 in cluster G

**Relative:
Higher**

NY UST NCFM:

Tank Type: OUTDOOR UG HOR STEEL Tank Size: 4000
Tank Contents: EMPTY

Tank Type: OUTDOOR UG HOR STEEL Tank Size: 4000
Tank Contents: EMPTY

Tank Type: OUTDOOR UG HOR STEEL Tank Size: 2000
Tank Contents: EMPTY

Tank Type: OUTDOOR UG HOR STEEL Tank Size: 2000
Tank Contents: EMPTY

Tank Type: OUTDOOR UG HOR S/W F/G Tank Size: 6000
Tank Contents: LOW UNLEADED GASOLINE

Tank Type: OUTDOOR UG HOR S/W F/G Tank Size: 6000
Tank Contents: HIGH UNLEADED GASOLINE

**G21
SW
1/8-1/4
698 ft.**

**MOBIL SERVICE STATION
356 FULTON ST
FARMINGDALE, NY 11735**

**RCRIS-SQG 1000555639
FINDS NYD986981793**

Site 3 of 5 in cluster G

**Relative:
Higher**

RCRIS:

Owner: JOHN MIKE HOLDING CORP
(212) 555-1212

EPA ID: NYD986981793

Contact: Not reported

Classification: Small Quantity Generator

TSD Activities: Not reported

Violation Status: No violations found

**Actual:
70 ft.**

FINDS:

Other Pertinent Environmental Activity Identified at Site:
Facility Registry System (FRS)
ICIS
Resource Conservation and Recovery Act Information system (RCRAINFO)

Map ID
Direction
Distance
Distance (ft)
Elevation Site

MAP FINDINGS

Database(s) EDR ID Number
EPA ID Number

G22 OCEAN SERVICE STATION
SW 687 RTE 109
1/8-1/4 WEST BABYLON, NY 11704
723 ft.

RCRIS-SQG 1000556067
FINDS NYD986986198

Site 4 of 5 in cluster G

Relative:
Higher

RCRIS:

Owner: AWARD BABYLON SERVICE STATION INC
(516) 741-2434

Actual:
71 ft.

EPA ID: NYD986986198

Contact: Not reported

Classification: Small Quantity Generator
TSDF Activities: Not reported

Violation Status: Violations exist

Regulation Violated: Not reported
Area of Violation: GENERATOR-ANNUAL REPORTING REQUIREMENTS
Date Violation Determined: 04/30/1993
Actual Date Achieved Compliance: 08/04/1993
Enforcement Action: INITIAL 3008(A) COMPLIANCE ORDER
Enforcement Action Date: 08/04/1993
Penalty Type: Final Monetary Penalty

There are 1 violation record(s) reported at this site.

Evaluation _____ Area of Violation _____ Date of
Non-Financial Record Review GENERATOR-ANNUAL REPORTING REQUIREMENTS 19930804
Compliance

NY MANIFEST

Additional detail is available in NY MANIFEST. Please contact your EDR Account Executive for more information.

FINDS:

Other Pertinent Environmental Activity Identified at Site:
Facility Registry System (FRS)
Resource Conservation and Recovery Act Information system (RCRAINFO)

G23 AMOCO
SW 605 W RTE 109
1/8-1/4 WEST BABYLON, NY 11764
723 ft.

RCRIS-SQG 1000474241
FINDS NYD982738981

Site 5 of 5 in cluster G

Relative:
Higher

RCRIS:

Owner: AMOCO
(212) 555-1212

Actual:
71 ft.

EPA ID: NYD982738981

Contact: ED STOTS
(914) 234-9580

Classification: Small Quantity Generator
TSDF Activities: Not reported

Map ID
Direction
Distance
Distance (ft.)
Elevation Site

MAP FINDINGS

Database(s) EDR ID Number
EPA ID Number

AMOCO (Continued)

1000474241

Violation Status: No violations found

NY MANIFEST

Additional detail is available in NY MANIFEST. Please contact your EDR Account Executive for more information.

FINDS:

Other Pertinent Environmental Activity Identified at Site:

Facility Registry System (FRS)

Resource Conservation and Recovery Act Information system (RCRAINFO)

24
SSE
1/8-1/4
805 ft.

APT BLDGS
666 FULTON STREET
FARMINGDALE, NY

LTANKS S100781627
N/A

Relative:
Lower

Actual:
64 ft.

LTANKS:

Spill Number: 9311984
Facility Contact: Not reported
Investigator: T/T/F
Caller Name: Not reported
Caller Phone: Not reported
Notifier Name: Not reported
Notifier Phone: Not reported
Spiller Contact: Not reported
Spiller: APT BLDGS
Spiller Address: Not reported

Region of Spill: 1
Facility Tele: Not reported
SWIS: 28
Caller Agency: Not reported
Caller Extension: Not reported
Notifier Agency: Not reported
Notifier Extension: Not reported
Spiller Phone: Not reported

Spill Class: Known release that creates potential for fire or hazard. DEC Response.
Willing Responsible Party. Corrective action taken.

Spill Closed Dt: 09/02/1994

Spill Cause: Tank Test Failure

Resource Affected: Groundwater

Water Affected: Not reported

Spill Source: Other Commercial/Industrial

Spill Notifier: Tank Tester

PBS Number: Not reported

Spill Date: 01/11/1994 11:40

Reported to Dept: 01/11/1994 11:41

Cleanup Ceased: 09/02/1994

Last Inspection: Not reported

Cleanup Meets Standard: True

Recommended Penalty: Penalty Not Recommended

Spiller Cleanup Date: Not reported

Enforcement Date: Not reported

Investigation Complete: Not reported

UST Involvement: False

Spill Record Last Update: 09/06/1994

Is Updated: False

Corrective Action Plan Submitted: Not reported

Date Spill Entered In Computer Data File: 01/12/1994

Date Region Sent Summary to Central Office: Not reported

Tank Test:

PBS Number: Not reported

Tank Number: Not reported

Test Method: Not reported

Capacity of Failed Tank: 0

Leak Rate Failed Tank: 0.00

Gross Leak Rate: Not reported

Material:

Material Class Type: 1

Quantity Spilled: 0

Units: Gallons

Unknown Qty Spilled: No

Quantity Recovered: 0

Map ID
Direction
Distance
Distance (ft.)
Elevation

MAP FINDINGS

Database(s) EDR ID Number
EPA ID Number

APT BLDGS (Continued)

S100781627

Unknown Qty Recovered: False
Material: #2 FUEL OIL
Class Type: Petroleum
Chem Abstract Service Number: #2 FUEL OIL
Last Date: 12/07/1994
Num Times Material Entry In File: 24464
DEC Remarks: 09/02/94: 6/27/94 AUSTIN ATTENDED TANK REMOVAL, NO OTHER ACTION NEEDED.
Spill Cause: AIR TRAP IN TAN, INVALID LEAK RATE, EXCAVATE INVESTIGATE, 2800 FAILED
PETROTITE, TYREE TESTER

H25
WSW
1/8-1/4
808 ft.

OXFORD CAR SALES USA AUTO MALL OF NY
461 FULTON ST
FARMINGDALE, NY 11735

RCRIS-SQG 1000147418
FINDS NYD050594837

Site 1 of 2 in cluster H

Relative:
Higher

Actual:
71 ft.

RCRIS:
Owner: OXFORD CAR SALES USA AUTO MALL OF NY
(516) 420-0295
EPA ID: NYD050594837
Contact: Not reported

Classification: Small Quantity Generator
TSDF Activities: Not reported

Violation Status: Violations exist

Regulation Violated: Not reported
Area of Violation: GENERATOR-ANNUAL REPORTING REQUIREMENTS
Date Violation Determined: 03/01/1995
Actual Date Achieved Compliance: 08/02/1995
Enforcement Action: INITIAL 3008(A) COMPLIANCE ORDER
Enforcement Action Date: 06/23/1995
Penalty Type: Proposed Monetary Penalty
Enforcement Action: FINAL 3008(A) COMPLIANCE ORDER
Enforcement Action Date: 08/02/1995
Penalty Type: Proposed Monetary Penalty

There are 1 violation record(s) reported at this site:

<u>Evaluation</u>	<u>Area of Violation</u>	<u>Date of Compliance</u>
Non-Financial Record Review	GENERATOR-ANNUAL REPORTING REQUIREMENTS	19950802

NY MANIFEST

Additional detail is available in NY MANIFEST. Please contact your EDR Account Executive for more information.

FINDS:

Other Pertinent Environmental Activity Identified at Site:
Facility Registry System (FRS)
Resource Conservation and Recovery Act Information system (RCRAINFO)

Map ID
Direction
Distance
Distance (ft.)
Elevation Site

MAP FINDINGS

Database(s) EDR ID Number
EPA ID Number

RAINBOW HOUSE (Continued)

S102599882

PBS Number: Not reported
Tank Number: Not reported
Test Method: Not reported
Capacity of Failed Tank: 0
Leak Rate Failed Tank: 0.00
Gross Leak Rate: Not reported
Material:
Material Class Type: 1
Quantity Spilled: 0
Units: Gallons
Unknown Qty Spilled: No
Quantity Recovered: 0
Unknown Qty Recovered: False
Material: #2 FUEL OIL
Class Type: Petroleum
Chem Abstract Service Number: #2 FUEL OIL
Last Date: 12/07/1994
Num Times Material Entry In File: 24464
DEC Remarks: 04/02/92: TANK PASSED RETEST AFTER REPAIRING FITTING AT FILL, REC VD RES
ULTS 4/2/92.
Spill Cause: 8K FAILED AT GROSS LEAK. TANK TESTING INC TESTER. WILL EXCAVATE, REPAIR
AND RETEST

I28
WSW
1/8-1/4
1064 ft.

SUNOCO SERVICE STATION
FULTON AVE & BERNARD ST
FARMINGDALE, NY 11735

RCRIS-SQG 1000328699
FINDS NYD000698027

Site 1 of 2 in cluster I

Relative:
Equal

RCRIS:
Owner: SUN OIL COMPANY OF PENNSYLVANIA
(212) 555-1212
EPA ID: NYD000698027
Contact: Not reported
Classification: Small Quantity Generator
TSD Activities: Not reported
Violation Status: No violations found

Actual:
67 ft.

FINDS:

Other Pertinent Environmental Activity Identified at Site:
Facility Registry System (FRS)
Resource Conservation and Recovery Act Information system (RCRAINFO)

J29
SSE
1/8-1/4
1103 ft.

HARDSRABBLE APTS
400-410 MAIN STREET
FARMINGDALE, NY

LTANKS U003534225
N/A

Site 1 of 4 in cluster J

Relative:
Lower

LTANKS:
Spill Number: 9203203
Facility Contact: Not reported
Investigator: T/T/F
Caller Name: Not reported
Caller Phone: Not reported
Notifier Name: Not reported
Region of Spill: 1
Facility Tele: Not reported
SWIS: 28
Caller Agency: Not reported
Caller Extension: Not reported
Notifier Agency: Not reported

Actual:
64 ft.

Map ID
Direction
Distance
Distance (ft.)
Elevation Site

MAP FINDINGS

Database(s) EDR ID Number
EPA ID Number

HARDSRABBLE APTS (Continued)

U003534225

Spiller: HARDCRABBLE NURSING HOME
Spiller Address: Not reported
Spill Class: Known release with minimal potential for fire or hazard. DEC Response.
Willing Responsible Party. Corrective action taken.
Spill Closed Dt: 12/23/1993
Spill Cause: Tank Test Failure Resource Affected: Groundwater
Water Affected: Not reported Spill Source: Other Non Commercial/Industrial
Spill Notifier: Tank Tester PBS Number: Not reported
Spill Date: 08/18/1993 15:00 Reported to Dept: 08/18/1993 17:28
Cleanup Ceased: 12/23/1993
Last Inspection: Not reported
Cleanup Meets Standard: True
Recommended Penalty: Penalty Not Recommended
Spiller Cleanup Date: Not reported
Enforcement Date: Not reported
Investigation Complete: Not reported
UST Involvement: False
Spill Record Last Update: 03/20/2000
Is Updated: False
Corrective Action Plan Submitted: Not reported
Date Spill Entered In Computer Data File: 08/20/1993
Date Region Sent Summary to Central Office: Not reported
Tank Test:
PBS Number: Not reported
Tank Number: Not reported
Test Method: Not reported
Capacity of Failed Tank: 0
Leak Rate Failed Tank: 0.00
Gross Leak Rate: Not reported
Material:
Material Class Type: 1
Quantity Spilled: 0
Units: Gallons
Unknown Qty Spilled: No
Quantity Recovered: 0
Unknown Qty Recovered: False
Material: #2 FUEL OIL
Class Type: Petroleum
Chem Abstract Service Number: #2 FUEL OIL
Last Date: 12/07/1994
Num Times Material Entry In File: 24464
DEC Remarks: 12/23/93: SYSTEM RETEST FAILED 9/17/93, TANK REMOVED IN PRESENCE OF DEC
10/7/93, 5 YDS CONT SOIL REMOVED DISPOSED OF PROPERLY. NO FURTHER CONT
DETECTED. NO FURTHER ACTION.
Spill Cause: 2K FAILED AT -0.228, TANK FAILED DUE TO LEAKAGE, WILL EXCAVATE AND CHECK
LINES

30 STEV DS INC COLLISION SPECIALISTS
WSW 22 GWYNNE LANE
1/8-1/4 FARMINGDALE, NY 11735
1147 ft.

RCRIS-SQG 1000432972
FINDS NYD982794075

Relative:
Higher

Actual:
72 ft.

Map ID
Direction
Distance
Distance (ft.)
Elevation

MAP FINDINGS

Database(s)
EPA ID Number
EDR ID Number

STEV DS INC COLLISION SPECIALISTS (Continued)

1000432972

RCRIS:

Owner: STEVE DEPINTO
(212) 555-1212
EPA ID: NYD982794075
Contact: Not reported
Classification: Small Quantity Generator
TSD Activities: Not reported
Violation Status: No violations found

NY MANIFEST

Additional detail is available in NY MANIFEST. Please contact your EDR Account Executive for more information.

FINDS:

Other Pertinent Environmental Activity Identified at Site:
Facility Registry System (FRS)
Resource Conservation and Recovery Act Information system (RCRAINFO)

J31
SSE
1/8-1/4
1166 ft.

APARTMENT COMPLEX
410 MAIN STREET
FARMINGDALE, NY

LTANKS S103478187
N/A

Site 2 of 4 in cluster J

Relative:
Lower

LTANKS:

Actual:
64 ft.

Spill Number: 9805163
Facility Contact: KERRI MANN
Investigator: T/T/F
Caller Name: Not reported
Caller Phone: Not reported
Notifier Name: Not reported
Notifier Phone: Not reported
Spiller Contact: KERRI MANN
Spiller: STANAN MGT
Spiller Address: 33 FRONT STREET
HEMPSTEAD, NY 11550
Spill Class: Known release that creates potential for fire or hazard. DEC Response
Willing Responsible Party. Corrective action taken.
Spill Closed Dt: 11/04/1998
Spill Cause: Tank Test Failure
Water Affected: Not reported
Spill Notifier: Tank Tester
Spill Date: 07/24/1998 14:30
Cleanup Ceased: Not reported
Last Inspection: Not reported
Cleanup Meets Standard: True
Recommended Penalty: Penalty Not Recommended
Spiller Cleanup Date: Not reported
Enforcement Date: Not reported
Investigation Complete: Not reported
UST Involvement: False
Spill Record Last Update: 11/06/1998
Is Updated: False
Corrective Action Plan Submitted: Not reported
Date Spill Entered In Computer Data File: 07/24/1998
Date Region Sent Summary to Central Office: Not reported
Tank Test:
PBS Number: Not reported

Region of Spill: 1
Facility Tele: (516) 293-9872
SWIS: 28
Caller Agency: Not reported
Caller Extension: Not reported
Notifier Agency: Not reported
Notifier Extension: Not reported
Spiller Phone: (516) 486-1000
Resource Affected: On Land
Spill Source: Other Non Commercial/Industrial
PBS Number: Not reported
Reported to Dept: 07/24/1998 17:30

Map ID
Direction
Distance
Distance (ft.)
Elevation Site

MAP FINDINGS

Database(s) EDR ID Number
EPA ID Number

APARTMENT COMPLEX (Continued)

S103478187

Tank Number: 006
Test Method: Horner EZ Check
Capacity of Failed Tank: 2000
Leak Rate Failed Tank: 0.07
Gross Leak Rate: Not reported
Material:
Material Class Type: Not reported
Quantity Spilled: Not reported
Units: Not reported
Unknown Qty Spilled: Not reported
Quantity Recovered: Not reported
Unknown Qty Recovered: Not reported
Material: Not reported
Class Type: Not reported
Chem Abstract Service Number: Not reported
Last Date: Not reported
Num Times Material Entry In File: Not reported
DEC Remarks: Not reported
Spill Cause: TANK TO BE DUG UP NEXT WEEK AND THEY WILL CHECK THE VENT WHICH IS THE PO
SS PROBLEM

J32
SSE
1/8-1/4
1166 ft.

HARD SCRABBLE APARTMENTS
410 MAIN STREET
FARMINGDALE, NY

LTANKS S104191707
N/A

Site 3 of 4 in cluster J

Relative:
Lower

LTANKS

Actual:
64 ft.

Spill Number: 9905781
Facility Contact: Not reported
Investigator: T/T/F
Caller Name: Not reported
Caller Phone: Not reported
Notifier Name: Not reported
Notifier Phone: Not reported
Spiller Contact: JACKIE OR STEWART
Spiller: LEWIS OIL
Spiller Address: 65 SHORE ROAD
PORT WASHINGTON, NY 11050
Spill Class: Known release that creates potential for fire or hazard. DEC Response.
Willing Responsible Party: Corrective action taken.
Spill Closed Dt: Not reported
Spill Cause: Tank Test Failure
Water Affected: Not reported
Spill Notifier: Tank Tester
Spill Date: 08/13/1999 12:00
Cleanup Ceased: Not reported
Last Inspection: Not reported
Cleanup Meets Standard: False
Recommended Penalty: Penalty Not Recommended
Spiller Cleanup Date: Not reported
Enforcement Date: Not reported
Investigation Complete: Not reported
UST Involvement: False
Spill Record Last Update: 08/16/1999
Is Updated: False
Corrective Action Plan Submitted: Not reported
Date Spill Entered In Computer Data File: 08/13/1999
Date Region Sent Summary to Central Office: Not reported
Region of Spill: 1
Facility Tele: Not reported
SWIS: 28
Caller Agency: Not reported
Caller Extension: Not reported
Notifier Agency: Not reported
Notifier Extension: Not reported
Spiller Phone: (516) 883-1000
Resource Affected: On Land
Spill Source: Private Dwelling
PBS Number: Not reported
Reported to Dept: 08/13/1999 13:54

Map ID
 Direction
 Distance
 Distance (ft.)
 Elevation Site

MAP FINDINGS

Database(s) EDR ID Number
 EPA ID Number

HARD SCRABLE APARTMENTS (Continued)

S104191707

Tank Test:
 PBS Number: Not reported
 Tank Number: 005
 Test Method: Horner EZ Check
 Capacity of Failed Tank: 2000
 Leak Rate Failed Tank: 0.00
 Gross Leak Rate: Tank Test Failures only pass or fail

Material:
 Material Class Type: 1
 Quantity Spilled: 0
 Units: Gallons
 Unknown Qty Spilled: No
 Quantity Recovered: 0
 Unknown Qty Recovered: False
 Material: #2 FUEL OIL
 Class Type: Petroleum
 Chem Abstract Service Number: #2 FUEL OIL
 Last Date: 12/07/1994
 Num Times Material Entry In File: 24464

DEC Remarks: NEXT WEEK THEY PLAN TO EXCAVATE/EXPOSE PIPING AN TOP OF TANK, IF PIPING IS BAD THEY WILL REPAIR, IF TANK IS BAD THEY WILL REMOVE
 Spill Cause: CALLER STATES THAT A TANK FAILED THE HORNERN 2 TEST NO RELEASE OF MATERIAL NO CALLBACK NECESSARY

J33
 SSE
 1/8-1/4
 1166 ft.

**STANTAN MGT
 410 MAIN ST
 FARMINGDALE, NY**

**LTANKS S101173514
 N/A**

Site 4 of 4 in cluster J

Relative:
 Lower

LTANKS:

Actual:
 64 ft.

Spill Number: 9406438	Region of Spill: 1
Facility Contact: Not reported	Facility Tele: Not reported
Investigator: T/T/F	SWIS: 28
Caller Name: Not reported	Caller Agency: Not reported
Caller Phone: Not reported	Caller Extension: Not reported
Notifier Name: Not reported	Notifier Agency: Not reported
Notifier Phone: Not reported	Notifier Extension: Not reported
Spiller Contact: Not reported	Spiller Phone: Not reported
Spiller: STANTAN MGT	
Spiller Address: 33 FRONT STREET HEMPSTEAD	
Spill Class: Known release that creates potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.	
Spill Closed Dt: 08/18/1994	Resource Affected: Groundwater
Spill Cause: Tank Test Failure	Spill Source: Other Commercial/Industrial
Water Affected: Not reported	PBS Number: Not reported
Spill Notifier: Tank Tester	Reported to Dept: 08/11/1994 14:38
Spill Date: 08/11/1994 14:00	
Cleanup Ceased: 08/18/1994	
Last Inspection: Not reported	
Cleanup Meets Standard: True	
Recommended Penalty: Penalty Not Recommended	
Spiller Cleanup Date: Not reported	
Enforcement Date: Not reported	
Investigation Complete: Not reported	
UST Involvement: False	
Spill Record Last Update: 08/19/1994	
Is Updated: False	

Map ID
 Direction
 Distance
 Distance (ft.)
 Elevation Site

MAP FINDINGS

Database(s) EDR ID Number
 EPA ID Number

STANTAN MGT (Continued)

S101173514

Corrective Action Plan Submitted: Not reported
 Date Spill Entered In Computer Data File: 08/12/1994
 Date Region Sent Summary to Central Office: Not reported
 Tank Test:
 PBS Number: Not reported
 Tank Number: Not reported
 Test Method: Not reported
 Capacity of Failed Tank: 0
 Leak Rate Failed Tank: 0.00
 Gross Leak Rate: Not reported
 Material:
 Material Class Type: 1
 Quantity Spilled: 0
 Units: Gallons
 Unknown Qty Spilled: No
 Quantity Recovered: 0
 Unknown Qty Recovered: False
 Material: #2 FUEL OIL
 Class Type: Petroleum
 Chem Abstract Service Number: #2 FUEL OIL
 Last Date: 12/07/1994
 Num Times Material Entry In File: 24464
 DEC Remarks: 08/18/94: CRACKED CUPPLING ON FILL PIPE WAS FOUND, FILL VENT PIPING WERE REPLACED, SYSTEM PASSED RETEST 8/12/94, NO CONT FOUND PER LEWIS OIL, NO FURTHER ACTION.
 Spill Cause: 2K FAILED AT 0.067, HORNER EZ CHECK, WILL DIG UP AND RETEST TANK

134
 West
 1/8-1/4
 1182 ft.

INACTIVE - ROMANELLI & SONS
 374 FULTON ST
 FARMINGDALE, NY 11735

UST U003846707
 N/A

Site 2 of 2 in cluster 1

Relative:
 Lower
 Actual:
 66 ft.

NY UST NCFM:
 Tank Type: OUTDOOR UG HOR STEEL Tank Size: 2000
 Tank Contents: EMPTY
 Tank Type: OUTDOOR UG HOR STEEL Tank Size: 15000
 Tank Contents: EMPTY
 Tank Type: OUTDOOR UG HOR STEEL Tank Size: 15000
 Tank Contents: EMPTY
 Tank Type: OUTDOOR UG HOR STEEL Tank Size: 15000
 Tank Contents: EMPTY
 Tank Type: OUTDOOR UG HOR STEEL Tank Size: 20000
 Tank Contents: EMPTY
 Tank Type: OUTDOOR UG HOR STEEL Tank Size: 20000
 Tank Contents: EMPTY
 Tank Type: OUTDOOR UG HOR STEEL Tank Size: 8000
 Tank Contents: EMPTY
 Tank Type: OUTDOOR UG HOR STEEL Tank Size: 4000
 Tank Contents: EMPTY
 Tank Type: OUTDOOR UG HOR STEEL Tank Size: 2000

Map ID
Direction
Distance
Distance (ft)
Elevation

MAP FINDINGS

INACTIVE - ROMANELLI & SONS (Continued)

EDR ID Number
EPA ID Number

Database(s)

Tank Contents: EMPTY

U003846707

K35
NNW
1/8-1/4
1223 ft.

LEE DODGE
330 CONKLIN ST
FARMINGDALE, NY 11735

UST U003847041
AST N/A

Site 1 of 2 in cluster K

Relative:
Higher

Actual:
69 ft.

NY UST NCFM:
Tank Type: OUTDOOR UG HOR STEEL Tank Size: 2000
Tank Contents: EMPTY
Tank Type: OUTDOOR UG HOR STEEL Tank Size: 2000
Tank Contents: EMPTY
Tank Type: OUTDOOR UG HOR STEEL Tank Size: 3000
Tank Contents: EMPTY

Nassau County AST:

Facility ID: 057764 Tank ID: 0003
Tank Location: Indoors, Aboveground Capacity (Gal): 240
Tank Status: In Service Tank Material: STEEL
Int Protection: None
Ext Protection: PAINTED [e.g. asphaltic]
Piping Type: Steel/Iron Material Type: Waste
Description: WASTE OIL
Leak Detect: OTHER Containment: DOUBLE WALL TANK
Dispense Method: Suction Product Gauge: Yes
Fill Type: Pumped Install Date: 112001
Owner Name: LEE DODGE
Address: 330 CONKLIN ST.
FARMINGDALE, NY 11735
Permittee Name: ROBBIE LEE
Address: 330 CONKLIN ST.
FARMINGDALE, NY 11735

K36
NNW
1/8-1/4
1223 ft.

LEE DODGE
330 CONKLIN STREET
FARMINGDALE, NY

LTANKS S103824127
N/A

Site 2 of 2 in cluster K

Relative:
Higher

Actual:
69 ft.

LTANKS:
Spill Number: 9813935 Region of Spill: 1
Facility Contact: CRAIG SANTRY Facility Tele: (516) 789-3300
Investigator: FORD SWIS: 28
Caller Name: Not reported Caller Agency: Not reported
Caller Phone: Not reported Caller Extension: Not reported
Notifier Name: Not reported Notifier Agency: Not reported
Notifier Phone: Not reported Notifier Extension: Not reported
Spiller Contact: Not reported Spiller Phone: Not reported
Spiller: LEE DODGE
Spiller Address: 330 CONKLIN STREET
FARMINGDALE, NY
Spill Class: Known release that creates potential for fire or hazard. DEC Response.
Willing Responsible Party. Corrective action taken.
Spill Closed Dt: 06/08/1999

Map ID
Direction
Distance
Distance (ft.)
Elevation Site

MAP FINDINGS

Database(s) EDR ID Number
EPA ID Number

LEE DODGE (Continued)

S103824127

Spill Cause: Tank Failure Resource Affected: On Land
Water Affected: Not reported Spill Source: Other Commercial/Industrial
Spill Notifier: Other PBS Number: Not reported
Spill Date: 02/17/1999 10:00 Reported to Dept: 02/17/1999 10:37
Cleanup Ceased: Not reported
Last Inspection: Not reported
Cleanup Meets Standard: True
Recommended Penalty: Penalty Not Recommended
Spiller Cleanup Date: Not reported
Enforcement Date: Not reported
Investigation Complete: Not reported
UST Involvement: False
Spill Record Last Update: 06/10/1999
Is Updated: False
Corrective Action Plan Submitted: Not reported
Date Spill Entered In Computer Data File: 02/17/1999
Date Region Sent Summary to Central Office: Not reported
Tank Test:
PBS Number: Not reported
Tank Number: Not reported
Test Method: Not reported
Capacity of Failed Tank: Not reported
Leak Rate Failed Tank: Not reported
Gross Leak Rate: Not reported
Material:
Material Class Type: 1
Quantity Spilled: 0
Units: Gallons
Unknown Qty Spilled: No
Quantity Recovered: 0
Unknown Qty Recovered: False
Material: WASTE OIL
Class Type: Petroleum
Chem Abstract Service Number: WASTE OIL
Last Date: 09/27/1994
Num Times Material Entry In File: 9509
DEC Remarks: 1-275 WASTE OIL HAD SPLIT IN END CUP-WILL TRY DIG OUT OF IT 1-550 2
FUEL OIL STILL ROUTINE AT THIS POINT DISPOSAL RECPTS REC VD. SAMPLE R
ESULTS OF SIDE AND BOTTOM OK
Spill Cause: end cap is split and they found contaminated soil

37
North
1/8-1/4
1229 ft.

PERMIT RESEARCH CORP
RTE 109
FARMINGDALE, NY

LTANKS S100491073
N/A

Relative:
Higher

Actual:
70 ft.

LTANKS:

Spill Number: 9201462 Region of Spill: 1
Facility Contact: Not reported Facility Tele: Not reported
Investigator: RKY WELL SWIS: 28
Caller Name: Not reported Caller Agency: Not reported
Caller Phone: Not reported Caller Extension: Not reported
Notifier Name: Not reported Notifier Agency: Not reported
Notifier Phone: Not reported Notifier Extension: Not reported
Spiller Contact: Not reported Spiller Phone: Not reported
Spiller: PERMIT RESEARCH CORP
Spiller Address: Not reported
Spill Class: Known release that creates potential for fire or hazard. DEC Response.
Willing Responsible Party. Corrective action taken.

Map ID
 Direction
 Distance
 Distance (ft)
 Elevation Site

MAP FINDINGS

Database(s) EDR ID Number
 EPA ID Number

PERMIT RESEARCH CORP (Continued)

S100491073

Spill Closed Dt: Not reported
 Spill Cause: Tank Test Failure
 Water Affected: Not reported
 Spill Notifier: Tank Tester
 Spill Date: 05/05/1992 13:30
 Cleanup Ceased: Not reported
 Last Inspection: Not reported
 Cleanup Meets Standard: False
 Recommended Penalty: Penalty Not Recommended
 Spiller Cleanup Date: Not reported
 Enforcement Date: Not reported
 Investigation Complete: Not reported
 UST Involvement: True
 Spill Record Last Update: 10/01/2001
 Is Updated: False
 Corrective Action Plan Submitted: Not reported
 Date Spill Entered In Computer Data File: 05/07/1992
 Date Region Sent Summary to Central Office: Not reported
 Tank Test:
 PBS Number: Not reported
 Tank Number: Not reported
 Test Method: Not reported
 Capacity of Failed Tank: 0
 Leak Rate Failed Tank: 0.00
 Gross Leak Rate: Not reported
 Material:
 Material Class Type: 1
 Quantity Spilled: 0
 Units: Gallons
 Unknown Qty Spilled: No
 Quantity Recovered: 0
 Unknown Qty Recovered: False
 Material: GASOLINE
 Class Type: Petroleum
 Chem Abstract Service Number: GASOLINE
 Last Date: 09/29/1994
 Num Times Material Entry In File: 21329
 DEC Remarks: 2/7/00 FILE REASSIGNED
 Spill Cause: NO BRAND STATION, 3-6K FAILED GROSS LEAK, PETROTITE, ISLAND PUMP TANK
 TESTER, SUPER UNLEADED PLUS UNLEADED, REGULAR UNLEADED

<p>38 West 1/8-1/4 1266 ft.</p>	<p>HIGHWAY PETROLEUM DBA DELTA PETROLEUM 356 FULTON ST FARMINGDALE, NY 11735</p>	<p>UST U003846072 N/A</p>
<p>Relative: Lower</p>	<p>NY UST NCFM: Tank Type: OUTDOOR UG HOR S/W F/G Tank Contents: LOW UNLEADED GASOLINE</p>	<p>Tank Size: 6000</p>
<p>Actual: 65 ft.</p>	<p>Tank Type: OUTDOOR UG HOR S/W F/G Tank Contents: MIDDLE UNLEADED GASOLINE</p>	<p>Tank Size: 6000</p>
	<p>Tank Type: OUTDOOR UG HOR S/W F/G Tank Contents: HIGH UNLEADED GASOLINE</p>	<p>Tank Size: 6000</p>

Map ID
 Direction
 Distance
 Distance (ft.)
 Elevation Site

MAP FINDINGS

Database(s) EDR ID Number
 EPA ID Number

HIGHWAY PETROLEUM DBA DELTA PETROLEUM (Continued)

U003846072

39
North
1/8-1/4
1267 ft.

WHITE SWAN CLEANERS
421 CONKLIN ST
FARMINGDALE, NY 11735

RCRIS-SQG 1000397611
FINDS NYD981081698

Relative:
Higher

RCRIS:
Owner: SUN LIM CORP
(212) 555-1212

Actual:
71 ft.

EPA ID: NYD981081698
Contact: SUOK J HWANG
(516) 531-8800

Classification: Small Quantity Generator
TSDF Activities: Not reported

Violation Status: No violations found

NY MANIFEST

Additional detail is available in NY MANIFEST. Please contact your EDR Account Executive for more information.

FINDS:

Other Pertinent Environmental Activity Identified at Site:
 AIRS Facility System (AIRS/AFS)
 Facility Registry System (FRS)
 Resource Conservation and Recovery Act Information system (RCRAINFO)

40
East
1/4-1/2
1629 ft.

HOWITT FARMINGDALE UFSD
GRANT AVE / VANCOTT AVENU
FARMINGDALE, NY

LTANKS S100148917
N/A

Relative:
Higher

LTANKS:
Spill Number: 8702537
Facility Contact: Not reported
Investigator: O'NEILL FD
Caller Name: Not reported
Caller Phone: Not reported
Notifier Name: Not reported
Notifier Phone: Not reported
Spiller Contact: Not reported
Spiller: HOWITT FARMINGDALE UFSD
Spiller Address: VANCOTT AVE & GRANT AVE
FARMINGDALE, NY 11735

Region of Spill: 1
Facility Tele: Not reported
SWIS: 28
Caller Agency: Not reported
Caller Extension: Not reported
Notifier Agency: Not reported
Notifier Extension: Not reported
Spiller Phone: Not reported

Actual:
68 ft.

Spill Class: Not reported
Spill Closed Dt: 10/14/1987
Spill Cause: Tank Test Failure
Water Affected: Not reported
Spill Notifier: Tank Tester
Spill Date: 06/26/1987 15:00
Cleanup Ceased: 10/14/1987
Last Inspection: Not reported
Cleanup Meets Standard: True
Recommended Penalty: Penalty Not Recommended
Spiller Cleanup Date: Not reported
Enforcement Date: Not reported
Investigation Complete: Not reported
UST Involvement: True
Spill Record Last Update: 02/24/1999

Resource Affected: Groundwater
Spill Source: Other Non Commercial/Industrial
PBS Number: Not reported
Reported to Dept: 06/26/1987 15:35

Map ID
Direction
Distance
Distance (ft.)
Elevation Site

MAP FINDINGS

Database(s) EDR ID Number
EPA ID Number

HOWITT FARMINGDALE UFSD (Continued)

S100148917

Is Updated: False
Corrective Action Plan Submitted: Not reported
Date Spill Entered In Computer Data File: 07/01/1987
Date Region Sent Summary to Central Office: Not reported

Tank Test:
PBS Number: Not reported
Tank Number: Not reported
Test Method: Not reported
Capacity of Failed Tank: 0
Leak Rate Failed Tank: 0.00
Gross Leak Rate: Not reported

Material:
Material Class Type: 1
Quantity Spilled: 0
Units: Gallons
Unknown Qty Spilled: No
Quantity Recovered: 0
Unknown Qty Recovered: False
Material: GASOLINE
Class Type: Petroleum
Chem Abstract Service Number: GASOLINE
Last Date: 09/29/1994
Num Times Material Entry In File: 21329

DEC Remarks: / / : F N TO EXPOSE TANK AND RETEST. / / : F N TO EXPOSE TANK AN
D RETEST.9/25 PER F N,IT WAS AIR POCKET.NO FURTHER ACTION NEED TO BE TAK
EN. DEC NOT PRESENT DURING RETEST.

Spill Cause: 2K FAILED PETROTITE AT -.053 GPH.-INCONCLUSIVE DUE TO INCONSISTENT HEAT
READINGS.

L41 ABM MGT
West 210 FULTON STREET
1/4-1/2 FARMINGDALE, NY
1965 ft.

LTANKS S101173537
N/A

Site 1 of 2 in cluster L

Relative:
Equal

Actual:
67 ft.

LTANKS:

Spill Number: 9409110 Region of Spill: 1
Facility Contact: Not reported Facility Tele: Not reported
Investigator: T/T/F SWIS: 28
Caller Name: Not reported Caller Agency: Not reported
Caller Phone: Not reported Caller Extension: Not reported
Notifier Name: Not reported Notifier Agency: Not reported
Notifier Phone: Not reported Notifier Extension: Not reported
Spiller Contact: Not reported Spiller Phone: (516) 482-2155
Spiller: ABM MGT
Spiller Address: Not reported
Spill Class: Known release that creates potential for fire or hazard. DEC Response.
Willing Responsible Party. Corrective action taken.
Spill Closed Dt: 05/24/1995
Spill Cause: Tank Test Failure Resource Affected: Groundwater
Water Affected: Not reported Spill Source: Private Dwelling
Spill Notifier: Tank Tester PBS Number: Not reported
Spill Date: 10/07/1994 15 45 Reported to Dept: 10/07/1994 16 07
Cleanup Ceased: 05/24/1995
Last Inspection: Not reported
Cleanup Meets Standard: True
Recommended Penalty: Penalty Not Recommended
Spiller Cleanup Date: Not reported
Enforcement Date: Not reported

Map ID
Direction
Distance
Distance (ft.)
Elevation Site

MAP FINDINGS

Database(s) EDR ID Number
EPA ID Number

ABM MGT (Continued)

S101173537

Investigation Complete: Not reported
UST Involvement: False
Spill Record Last Update: 05/25/1995
Is Updated: False
Corrective Action Plan Submitted: Not reported
Date Spill Entered In Computer Data File: 10/11/1994
Date Region Sent Summary to Central Office: Not reported
Tank Test:
PBS Number: Not reported
Tank Number: Not reported
Test Method: Not reported
Capacity of Failed Tank: 0
Leak Rate Failed Tank: 0.00
Gross Leak Rate: Not reported
Material:
Material Class Type: 1
Quantity Spilled: 0
Units: Gallons
Unknown Qty Spilled: No
Quantity Recovered: 0
Unknown Qty Recovered: False
Material: #2 FUEL OIL
Class Type: Petroleum
Chem Abstract Service Number: #2 FUEL OIL
Last Date: 12/07/1994
Num Times Material Entry In File: 24464
DEC Remarks: 05/24/95: TANK REMOVED 12/27/94, 3 YDS CONT SOIL REMOVED AT WHICH POINT
CONTAMINATION NO LONGER DETECTED, SCHULZ ATTENDED, SOIL DISPOSED OF ,NO
FURTHER ACTION.
Spill Cause: AT KINGS WOOD GARDEN APTS, EX, INVEST, 7500 FAILED AT - .367, PETROTITE

L42
West
1/4-1/2
1965 ft.

KINGS WOOD GARDEN
210 FULTON STREET
FARMINGDALE, NY

LTANKS S100147159
N/A

Site 2 of 2 in cluster L

Relative:
Equal

LTANKS:

Actual:
67 ft.

Spill Number: 8802585
Facility Contact: Not reported
Investigator: GOERTZ FD
Caller Name: Not reported
Caller Phone: Not reported
Notifier Name: Not reported
Notifier Phone: Not reported
Spiller Contact: Not reported
Spiller: KINGS WOOD GARDEN
Spiller Address: 210 FULTON STREET
FARMINGDALE, NY
Spill Class: Not reported
Spill Closed Dt: 07/12/1988
Spill Cause: Tank Failure
Water Affected: Not reported
Spill Notifier: Tank Tester
Spill Date: 06/21/1988 15:45
Cleanup Ceased: 07/12/1988
Last Inspection: Not reported
Cleanup Meets Standard: True
Recommended Penalty: Penalty Not Recommended
Region of Spill: 1
Facility Tele: Not reported
SWIS: 28
Caller Agency: Not reported
Caller Extension: Not reported
Notifier Agency: Not reported
Notifier Extension: Not reported
Spiller Phone: Not reported
Resource Affected: Groundwater
Spill Source: Other Commercial/Industrial
PBS Number: Not reported
Reported to Dept: 06/21/1988 15:48

Map ID
Direction
Distance
Distance (ft.)
Elevation Site

MAP FINDINGS

Database(s) EDR ID Number
EPA ID Number

KINGS WOOD GARDEN (Continued)

S100147159

Spiller Cleanup Date: Not reported
Enforcement Date: Not reported
Investigation Complete: Not reported
UST Involvement: False
Spill Record Last Update: 03/23/1999
Is Updated: False
Corrective Action Plan Submitted: Not reported
Date Spill Entered In Computer Data File: 06/27/1988
Date Region Sent Summary to Central Office: Not reported

Tank Test:
PBS Number: Not reported
Tank Number: Not reported
Test Method: Not reported
Capacity of Failed Tank: Not reported
Leak Rate Failed Tank: Not reported
Gross Leak Rate: Not reported

Material:
Material Class Type: 1
Quantity Spilled: 0
Units: Gallons
Unknown Qty Spilled: No
Quantity Recovered: 0
Unknown Qty Recovered: False
Material: #2 FUEL OIL
Class Type: Petroleum
Chem Abstract Service Number: #2 FUEL OIL
Last Date: 12/07/1994
Num Times Material Entry In File: 24464

DEC Remarks: 07/01/88: TYREE RETESTED SYSTEM AFTER REMOVING REMOTE FILL SYSTEM PASS
ED. DEC NOT PRESENT DURING RETEST.

Spill Cause: 7500 FAILED GROSS LEAK. TYREE TESTER

43 METRO RESOURCES
NE 545 CONKLIN AVENUE
1/4-1/2 FARMINGDALE, NY
2037 ft.

LTANKS S102618991
N/A

Relative:
Higher

Actual:
71 ft.

LTANKS:

Spill Number: 8901896
Facility Contact: Not reported
Investigator: LEUNG FD
Caller Name: Not reported
Caller Phone: Not reported
Notifier Name: Not reported
Notifier Phone: Not reported
Spiller Contact: Not reported
Spiller: METRO RESOURCES
Spiller Address: PO BOX 3269
FARMINGDALE

Region of Spill: 1
Facility Tele: Not reported
SWIS: 28
Caller Agency: Not reported
Caller Extension: Not reported
Notifier Agency: Not reported
Notifier Extension: Not reported
Spiller Phone: (516) 752-7485

Spill Class: Not reported
Spill Closed Dt: 12/18/1989
Spill Cause: Tank Test Failure
Water Affected: Not reported
Spill Notifier: Tank Tester
Spill Date: 05/24/1989 14:00
Cleanup Ceased: 12/18/1989
Last Inspection: Not reported
Cleanup Meets Standard: True
Recommended Penalty: Penalty Not Recommended

Resource Affected: Groundwater
Spill Source: Gas Station
PBS Number: Not reported
Reported to Dept: 05/24/1989 14:15

Map ID
Direction
Distance
Distance (ft)
Elevation Site

MAP FINDINGS

Database(s) EDR ID Number
EPA ID Number

METRO RESOURCES (Continued)

S102618991

Spiller Cleanup Date: Not reported
Enforcement Date: Not reported
Investigation Complete: Not reported
UST Involvement: True
Spill Record Last Update: 05/07/1999
Is Updated: False
Corrective Action Plan Submitted: Not reported
Date Spill Entered In Computer Data File: 05/29/1989
Date Region Sent Summary to Central Office: Not reported
Tank Test:
PBS Number: Not reported
Tank Number: Not reported
Test Method: Not reported
Capacity of Failed Tank: 0
Leak Rate Failed Tank: 0.00
Gross Leak Rate: Not reported
Material:
Material Class Type: 1
Quantity Spilled: 0
Units: Gallons
Unknown Qty Spilled: No
Quantity Recovered: 0
Unknown Qty Recovered: False
Material: GASOLINE
Class Type: Petroleum
Chem Abstract Service Number: GASOLINE
Last Date: 09/29/1994
Num Times Material Entry In File: 21329
DEC Remarks: 12/18/89: SYSTEM PASSED RETEST AFTER AIR POCKET WAS BLEED.
Spill Cause: Not reported

44
North
1/4-1/2
2089 ft.

AWARD PETROLEUM
150 NORTH MAIN STREET
FARMINGDALE, NY

LTANKS S102659781
N/A

Relative:
Higher

Actual:
69 ft.

LTANKS:

Spill Number: 8904841
Facility Contact: Not reported
Investigator: LEUNG FD
Caller Name: Not reported
Caller Phone: Not reported
Notifier Name: Not reported
Notifier Phone: Not reported
Spiller Contact: Not reported
Spiller: AWARD PETROLEUM
Spiller Address: 500 OLD COUNTRY ROAD
GARDEN CITY, NY
Spill Class: Not reported
Spill Closed Dt: 09/11/1989
Spill Cause: Tank Test Failure
Water Affected: Not reported
Spill Notifier: Tank Tester
Spill Date: 08/15/1989 13:30
Cleanup Ceased: 09/11/1989
Last Inspection: Not reported
Cleanup Meets Standard: True
Recommended Penalty: Penalty Not Recommended
Spiller Cleanup Date: Not reported
Region of Spill: 1
Facility Tele: Not reported
SWIS: 28
Caller Agency: Not reported
Caller Extension: Not reported
Notifier Agency: Not reported
Notifier Extension: Not reported
Spiller Phone: (516) 741-3434
Resource Affected: Groundwater
Spill Source: Gas Station
PBS Number: Not reported
Reported to Dept: 08/15/1989 14:10

Map ID
Direction
Distance
Distance (ft.)
Elevation Site

MAP FINDINGS

Database(s) EDR ID Number
EPA ID Number

AWARD PETROLEUM (Continued)

S102659781

Enforcement Date: Not reported
Investigation Complete: Not reported
UST Involvement: True
Spill Record Last Update: 05/19/1999
Is Updated: False
Corrective Action Plan Submitted: Not reported
Date Spill Entered In Computer Data File: 08/18/1989
Date Region Sent Summary to Central Office: Not reported
Tank Test:
PBS Number: Not reported
Tank Number: Not reported
Test Method: Not reported
Capacity of Failed Tank: 0
Leak Rate Failed Tank: 0.00
Gross Leak Rate: Not reported
Material:
Material Class Type: 1
Quantity Spilled: 0
Units: Gallons
Unknown Qty Spilled: No
Quantity Recovered: 0
Unknown Qty Recovered: False
Material: GASOLINE
Class Type: Petroleum
Chem Abstract Service Number: GASOLINE
Last Date: 09/29/1994
Num Times Material Entry In File: 21329
DEC Remarks: 09/11/89: SYSTEM PASSED RETEST AFTER AIR POCKET WAS BLEED.
Spill Cause: UNCOVER 8/16/89 REPAIR AND RETEST. MONITORING WELLS ON SITE CLEAN. POSS
AIR POCKET. 1-8K GROSS LEAK. TYREE TESTER

M45 150 FULTON REALTY CORP
West 150A FULTON ST
1/4-1/2 FARMINGDALE, NY 11735
2142 ft.

RCRIS-SQG 1000555532
FINDS NYD986980696
LTANKS

Site 1 of 3 in cluster M

Relative: Lower
Actual: 64 ft.
RCRIS:
Owner: ARROW PETROLEUM
(516) 694-1193
EPA ID: NYD986980696
Contact: Not reported
Classification: Small Quantity Generator
TSD Activities: Not reported
Violation Status: No violations found

NY MANIFEST
Additional detail is available in NY MANIFEST. Please contact your EDR Account Executive for more information.

FINDS:
Other Pertinent Environmental Activity Identified at Site:
Facility Registry System (FRS)
Resource Conservation and Recovery Act Information system (RCRAINFO)

LTANKS:
Spill Number: 9801549 Region of Spill: 1
Facility Contact: KEN MEYER Facility Tele: Not reported
Investigator: FORD SWIS: 28

Map ID
Direction
Distance
Distance (ft.)
Elevation Site

MAP FINDINGS

Database(s) EDR ID Number
EPA ID Number

150 FULTON REALTY CORP (Continued)

1000555532

Caller Name: Not reported
Caller Agency: Not reported
Caller Phone: Not reported
Caller Extension: Not reported
Notifier Name: Not reported
Notifier Agency: Not reported
Notifier Phone: Not reported
Notifier Extension: Not reported
Spiller Contact: KEN MEYER
Spiller Phone: Not reported
Spiller: ARROW PETROLEUM
Spiller Address: 150 FULTON AVENUE
FARMINGDALE, NY
Spill Class: Known release with minimal potential for fire or hazard. DEC Response.
Unknown Responsible Party. Corrective action taken. (ISR)
Spill Closed Dt: 09/23/1998
Spill Cause: Tank Overfill
Resource Affected: In Sewer
Water Affected: Not reported
Spill Source: Gas Station
Spill Notifier: Fire Department
PBS Number: Not reported
Spill Date: 05/05/1998 18:00
Reported to Dept: 05/05/1998 23:15
Cleanup Ceased: Not reported
Last Inspection: Not reported
Cleanup Meets Standard: True
Recommended Penalty: Penalty Not Recommended
Spiller Cleanup Date: Not reported
Enforcement Date: Not reported
Investigation Complete: Not reported
UST Involvement: True
Spill Record Last Update: 09/24/1998
Is Updated: False
Corrective Action Plan Submitted: Not reported
Date Spill Entered In Computer Data File: 05/05/1998
Date Region Sent Summary to Central Office: Not reported
Tank Test:
PBS Number: Not reported
Tank Number: Not reported
Test Method: Not reported
Capacity of Failed Tank: Not reported
Leak Rate Failed Tank: Not reported
Gross Leak Rate: Not reported
Material:
Material Class Type: 1
Quantity Spilled: 25
Units: Gallons
Unknown Qty Spilled: 25
Quantity Recovered: 0
Unknown Qty Recovered: False
Material: DIESEL
Class Type: Petroleum
Chem Abstract Service Number: DIESEL
Last Date: 07/28/1994
Num Times Material Entry In File: 10625
DEC Remarks: TELECON WITH PAUL GUERNER NCFM DIESEL SPILL OF 25 GALS, 55 ON PUMP 20
GAL TANK. SPILL INTO ON SITE DRAINAGE. FD DIKED THE SPILL BUT SOME ENTER
ED DRAINS TYREE HIRED TO PICKUP SAND AND VAC UP OIL
Spill Cause: DISPENSER FILLING TRUCK AND FAILED TO SHUT OFF SPILLING PRODUCT

Map ID
Direction
Distance
Distance (ft.)
Elevation

MAP FINDINGS

Database(s) EDR ID Number
EPA ID Number

M46 EXXON S/S
West 153 FULTON STREET
1/4-1/2 FARMINGDALE, NY
2192 ft.

LTANKS 1000552537
NY Spills N/A

Site 2 of 3 in cluster M

Relative:
Lower

Actual:
64 ft.

SPILLS:

Spill Number: 9010105
Facility Contact: Not reported
Investigator: NONE
Caller Name: Not reported
Caller Phone: Not reported
Notifier Name: Not reported
Notifier Phone: Not reported
Spiller Contact: Not reported
Spiller: EXXON
Spiller Address: Not reported
Spill Class: Not reported
Spill Closed Dt: 12/18/1990
Spill Cause: Equipment Failure
Water Affected: Not reported
Spill Notifier: Responsible Party
Spill Date: 12/15/1990 12:00
Cleanup Ceased: 12/18/1990
Last Inspection: Not reported
Cleanup Meets Standard: True
Recommended Penalty: Penalty Not Recommended
Spiller Cleanup Date: Not reported
Enforcement Date: Not reported
Investigation Complete: Not reported
UST Involvement: True
Spill Record Last Update: Not reported
Is Updated: False
Corrective Action Plan Submitted: Not reported
Date Spill Entered In Computer Data File: 12/19/1990
Date Region Sent Summary to Central Office: Not reported
Tank Test:
PBS Number: Not reported
Tank Number: Not reported
Test Method: Not reported
Capacity of Failed Tank: Not reported
Leak Rate Failed Tank: Not reported
Gross Leak Rate: Not reported
Material:
Material Class Type: 1
Quantity Spilled: 1
Units: Gallons
Unknown Qty Spilled: Yes
Quantity Recovered: 0
Unknown Qty Recovered: False
Material: GASOLINE
Class Type: Petroleum
Chem Abstract Service Number: GASOLINE
Last Date: 09/29/1994
Num Times Material Entry In File: 21329

Region of Spill: 1
Facility Tele: Not reported
SWIS: 47
Caller Agency: Not reported
Caller Extension: Not reported
Notifier Agency: Not reported
Notifier Extension: Not reported
Spiller Phone: Not reported

Resource Affected: On Land
Spill Source: Gas Station
PBS Number: Not reported
Reported to Dept: 12/17/1990 16:26

Remark: LEAKING METER IN PUMP DISPENSER ON GROUND, REPAIR MADE. NO RESPONSE NEEDED
ED
DEC Remarks: Not reported

Map ID
Direction
Distance
Distance (ft.)
Elevation Site

MAP FINDINGS

Database(s) EDR ID Number
EPA ID Number

EXXON S/S (Continued)

1000552537

LTANKS:

Spill Number: 9106603
Facility Contact: Not reported
Investigator: DEROSA
Caller Name: Not reported
Caller Phone: Not reported
Notifier Name: Not reported
Notifier Phone: Not reported
Spiller Contact: Not reported
Spiller: EXXON S/S
Spiller Address: Not reported
Spill Class: Not reported
Spill Closed Dt: 12/31/1991
Spill Cause: Tank Test Failure
Water Affected: Not reported
Spill Notifier: Tank Tester
Spill Date: 09/18/1991 17:10
Cleanup Ceased: 12/31/1991
Last Inspection: Not reported
Cleanup Meets Standard: True
Recommended Penalty: Penalty Not Recommended
Spiller Cleanup Date: Not reported
Enforcement Date: Not reported
Investigation Complete: Not reported
UST Involvement: True
Spill Record Last Update: 01/02/1992
Is Updated: False
Corrective Action Plan Submitted: Not reported
Date Spill Entered In Computer Data File: 09/20/1991
Date Region Sent Summary to Central Office: Not reported
Tank Test:
PBS Number: Not reported
Tank Number: Not reported
Test Method: Not reported
Capacity of Failed Tank: 0
Leak Rate Failed Tank: 0.00
Gross Leak Rate: Not reported
Material:
Material Class Type: 1
Quantity Spilled: 0
Units: Gallons
Unknown Qty Spilled: No
Quantity Recovered: 0
Unknown Qty Recovered: False
Material: GASOLINE
Class Type: Petroleum
Chem Abstract Service Number: GASOLINE
Last Date: 09/29/1994
Num Times Material Entry In File: 21329
DEC Remarks: 12/29/91: U/L PLUS LINE EXPOSED AIR LEAK ON STREET LINE REPLACED WITH FI
BERGLASS LINE, NO CONTAMINATED SOIL ENCOUNTERED. ALL LINES PASSED RETEST
. NO FURTHER ACTION AT THIS TIME.
Spill Cause: PETROTITE TEST, FAILED AT -.028, CROMP CO TESTER, EXCAVATE, ISOLATE AND
RETEST

Map ID
Direction
Distance
Distance (ft.)
Elevation

MAP FINDINGS

EXXON S/S (Continued)

Database(s)
EPA ID Number

EPA ID Number
EPA ID Number

1000552537

M47
West
1/4-1/2
2254 ft.

GULF STATION
150 FULTON STREET
FARMINGDALE, NY

LTANKS
NY Spills
S102446351
N/A

Site 3 of 3 in cluster M

Relative:
Lower

Actual:
65 ft.

SPILLS:

Spill Number: 9610971
Region of Spill: 1
Facility Contact: ANDY BOWMAN
Facility Tele: (516) 234-6669
Investigator: ACAMPORA
SWIS: 28
Caller Name: Not reported
Caller Agency: Not reported
Caller Phone: Not reported
Caller Extension: Not reported
Notifier Name: Not reported
Notifier Agency: Not reported
Notifier Phone: Not reported
Notifier Extension: Not reported
Spiller Contact: Not reported
Spiller Phone: Not reported
Spiller: GULF
Spiller Address: 150 FULTON STREET
FARMINGDALE, NY
Spill Class: Known release that creates potential for fire or hazard. DEC Response.
Willing Responsible Party. Corrective action taken.
Spill Closed Dt: 02/27/1997
Spill Cause: Unknown
Resource Affected: On Land
Water Affected: Not reported
Spill Source: Gas Station
Spill Notifier: Other
PBS Number: Not reported
Spill Date: 12/05/1996 10:30
Reported to Dept: 12/05/1996 13:00
Cleanup Ceased: Not reported
Last Inspection: Not reported
Cleanup Meets Standard: True
Recommended Penalty: Penalty Not Recommended
Spiller Cleanup Date: Not reported
Enforcement Date: Not reported
Investigation Complete: Not reported
UST Involvement: False
Spill Record Last Update: 03/03/1997
Is Updated: False
Corrective Action Plan Submitted: Not reported
Date Spill Entered In Computer Data File: 12/05/1996
Date Region Sent Summary to Central Office: Not reported
Tank Test:
PBS Number: Not reported
Tank Number: Not reported
Test Method: Not reported
Capacity of Failed Tank: Not reported
Leak Rate Failed Tank: Not reported
Gross Leak Rate: Not reported
Material:
Material Class Type: 1
Quantity Spilled: 0
Units: Gallons
Unknown Qty Spilled: No
Quantity Recovered: 0
Unknown Qty Recovered: False
Material: GASOLINE
Class Type: Petroleum
Chem Abstract Service Number: GASOLINE
Last Date: 09/29/1994
Num Times Material Entry In File: 21329

Remark: FOUND GAS IN SEVERAL SUMP PITS - A PUMP CREW IS ENROUTE TO PUMP BACK INT

Map ID
Direction
Distance
Distance (ft.)
Elevation Site

MAP FINDINGS

Database(s) EDR ID Number
EPA ID Number

GULF STATION (Continued)

S102446351

DEC Remarks: O TANKS AND TO FIND LEAK
REFER TO 83-2032

LTANKS:

Spill Number:	0107346	Region of Spill:	1
Facility Contact:	SHERMAN	Facility Tele:	(516) 694-8068
Investigator:	T/T/F	SWIS:	28
Caller Name:	Not reported	Caller Agency:	Not reported
Caller Phone:	Not reported	Caller Extension:	Not reported
Notifier Name:	Not reported	Notifier Agency:	Not reported
Notifier Phone:	Not reported	Notifier Extension:	Not reported
Spiller Contact:	SHERMAN	Spiller Phone:	Not reported

Spiller: GULF STATION
Spiller Address: 150 FULTON STREET
FARMINGDALE, NY -

Spill Class: Known release that creates potential for fire or hazard. DEC Response.
Willing Responsible Party. Corrective action taken.

Spill Closed Dt:	Not reported	Resource Affected:	On Land
Spill Cause:	Tank Test Failure	Spill Source:	Gas Station
Water Affected:	Not reported	PBS Number:	Not reported
Spill Notifier:	Tank Tester	Reported to Dept:	10/17/2001 10:18
Spill Date:	10/17/2001 10:00		

Cleanup Ceased: Not reported
Last Inspection: Not reported
Cleanup Meets Standard: False
Recommended Penalty: Penalty Not Recommended
Spiller Cleanup Date: Not reported
Enforcement Date: Not reported
Investigation Complete: Not reported
UST Involvement: True
Spill Record Last Update: 10/18/2001
Is Updated: False
Corrective Action Plan Submitted: Not reported
Date Spill Entered In Computer Data File: 10/17/2001
Date Region Sent Summary to Central Office: Not reported

Tank Test:

PBS Number: Not reported
Tank Number: Not reported
Test Method: Petro-Tite
Capacity of Failed Tank: 10000
Leak Rate Failed Tank: 0.00
Gross Leak Rate: Not reported

Material:

Material Class Type: 1
Quantity Spilled: 0
Units: Gallons
Unknown Qty Spilled: No
Quantity Recovered: 0
Unknown Qty Recovered: False
Material: GASOLINE
Class Type: Petroleum
Chem Abstract Service Number: GASOLINE
Last Date: 09/29/1994
Num Times Material Entry In File: 21329

DEC Remarks: 10/17/01 TELECON TO MATT-SYSTEM TEST, BUT TYPE OF TEST ALLOWS THEM TO TELL ITS THE TANK, VISIBLE HOLE IN THE MANWAY, PRIVATELY OWNED STATION, SHERMAN IS OWNER, GAVE HIM NAMES OF CONTRACTORS,

Spill Cause: owner notified

Map ID
Direction
Distance
Distance (ft.)
Elevation Site

MAP FINDINGS

Database(s) EDR ID Number
EPA ID Number

GULF STATION (Continued)

S102446351

Spill Number: 0107347 Region of Spill: 1
Facility Contact: SHERMAN Facility Tele: (516) 694-8068
Investigator: T/T/F SWIS: 28
Caller Name: Not reported Caller Agency: Not reported
Caller Phone: Not reported Caller Extension: Not reported
Notifier Name: Not reported Notifier Agency: Not reported
Notifier Phone: Not reported Notifier Extension: Not reported
Spiller Contact: SHERMAN Spiller Phone: Not reported
Spiller: GULF STATION
Spiller Address: 150 FULTON STREET
FARMINGDALE, NY -
Spill Class: Known release that creates potential for fire or hazard. DEC Response.
Willing Responsible Party. Corrective action taken.
Spill Closed Dt: Not reported
Spill Cause: Tank Test Failure Resource Affected: On Land
Water Affected: Not reported Spill Source: Gas Station
Spill Notifier: Affected Persons PBS Number: Not reported
Spill Date: 10/17/2001 10:00 Reported to Dept: 10/17/2001 10:21
Cleanup Ceased: Not reported
Last Inspection: Not reported
Cleanup Meets Standard: False
Recommended Penalty: Penalty Not Recommended
Spiller Cleanup Date: Not reported
Enforcement Date: Not reported
Investigation Complete: Not reported
UST Involvement: True
Spill Record Last Update: 10/18/2001
Is Updated: False
Corrective Action Plan Submitted: Not reported
Date Spill Entered In Computer Data File: 10/17/2001
Date Region Sent Summary to Central Office: Not reported
Tank Test:
PBS Number: Not reported
Tank Number: Not reported
Test Method: Petro-Tite
Capacity of Failed Tank: 8000
Leak Rate Failed Tank: 0.00
Gross Leak Rate: Not reported
Material:
Material Class Type: 1
Quantity Spilled: 0
Units: Gallons
Unknown Qty Spilled: No
Quantity Recovered: 0
Unknown Qty Recovered: False
Material: GASOLINE
Class Type: Petroleum
Chem Abstract Service Number: GASOLINE
Last Date: 09/29/1994
Num Times Material Entry In File: 21329
DEC Remarks: 10/17/01 TELECON TO MATT-SYSTEM TEST. BUT TYPE OF TEST ALLOWS THEM TO TELL ITS THE TANK, LEAKING GASKET IN THE MANWAY, PRIVATELY OWNED STATION,
, SHERMAN IS OWNER GAVE HIM NAMES OF CONTRACTORS
Spill Cause: owner notified

Map ID
Direction
Distance
Distance (ft.)
Elevation Site

MAP FINDINGS

Database(s) EDR ID Number
EPA ID Number

GULF STATION (Continued)

S102446351

48
NW
1/4-1/2
2374 ft.

SNEEHAN RESIDENCE
61 JEFFERSON ROAD
FARMINGDALE, NY

LTANKS S102669723
N/A

Relative:
Higher

Actual:
80 ft.

LTANKS:

Spill Number: 9211996
Facility Contact: Not reported
Investigator: NONE
Caller Name: Not reported
Caller Phone: Not reported
Notifier Name: Not reported
Notifier Phone: Not reported
Spiller Contact: Not reported
Spiller: MEENAN OIL
Spiller Address: 3020 BURNS AVENUE
WANTAGH
Region of Spill: 1
Facility Tele: Not reported
SWIS: 28
Caller Agency: Not reported
Caller Extension: Not reported
Notifier Agency: Not reported
Notifier Extension: Not reported
Spiller Phone: Not reported
Spill Class: Known release with minimal potential for fire or hazard. DEC Response.
Willing Responsible Party. Corrective action taken.
Spill Closed Dt: 01/21/1993
Spill Cause: Tank Overfill
Water Affected: Not reported
Spill Notifier: Responsible Party
Spill Date: 01/20/1993 15:30
Cleanup Ceased: 01/21/1993
Last Inspection: Not reported
Cleanup Meets Standard: True
Recommended Penalty: Penalty Not Recommended
Spiller Cleanup Date: Not reported
Enforcement Date: Not reported
Investigation Complete: Not reported
UST Involvement: False
Spill Record Last Update: 11/27/2001
Is Updated: False
Resource Affected: On Land
Spill Source: Commercial Vehicle
PBS Number: Not reported
Reported to Dept: 01/20/1993 17:22
Corrective Action Plan Submitted: Not reported
Date Spill Entered In Computer Data File: 01/21/1993
Date Region Sent Summary to Central Office: Not reported
Tank Test:
PBS Number: Not reported
Tank Number: Not reported
Test Method: Not reported
Capacity of Failed Tank: Not reported
Leak Rate Failed Tank: Not reported
Gross Leak Rate: Not reported
Material:
Material Class Type: 1
Quantity Spilled: 1
Units: Gallons
Unknown Qty Spilled: Yes
Quantity Recovered: 0
Unknown Qty Recovered: False
Material: #2 FUEL OIL
Class Type: Petroleum
Chem Abstract Service Number: #2 FUEL OIL
Last Date: 12/07/1994
Num Times Material Entry In File: 24464

DEC Remarks: Not reported
Spill Cause: OIL CAME OUT OF OVERFLOW, WILL CLEANUP TOMORROW, NO RESPONSE NEEDED

Map ID
Direction
Distance
Distance (ft.)
Elevation Site

MAP FINDINGS

Database(s) EDR ID Number
EPA ID Number

SNEEHAN RESIDENCE (Continued)

S102669723

49
ESE
1/4-1/2
2505 ft.

TIMSON RESIDENCE
936 FULTON STREET
FARMINGDALE, NY

LTANKS S102670448
N/A

Relative:
Lower

Actual:
63 ft.

LTANKS:

Spill Number: 9413173 Region of Spill: 1
Facility Contact: Not reported Facility Tele: Not reported
Investigator: SCHULZ SWIS: 47
Caller Name: Not reported Caller Agency: Not reported
Caller Phone: Not reported Caller Extension: Not reported
Notifier Name: Not reported Notifier Agency: Not reported
Notifier Phone: Not reported Notifier Extension: Not reported
Spiller Contact: Not reported Spiller Phone: (516) 420-4354
Spiller: TIMSON RESIDENCE
Spiller Address: Not reported
Spill Class: Known release with minimal potential for fire or hazard. DEC Response.
Willing Responsible Party. Corrective action taken.
Spill Closed Dt: 05/01/1995
Spill Cause: Tank Overfill Resource Affected: On Land
Water Affected: Not reported Spill Source: Private Dwelling
Spill Notifier: Responsible Party PBS Number: Not reported
Spill Date: 01/03/1995 14:00 Reported to Dept: 01/03/1995 15:32
Cleanup Ceased: 05/01/1995
Last Inspection: Not reported
Cleanup Meets Standard: True
Recommended Penalty: Penalty Not Recommended
Spiller Cleanup Date: Not reported
Enforcement Date: Not reported
Investigation Complete: Not reported
UST Involvement: False
Spill Record Last Update: 05/02/1995
Is Updated: False
Corrective Action Plan Submitted: Not reported
Date Spill Entered In Computer Data File: 01/04/1995
Date Region Sent Summary to Central Office: Not reported
Tank Test:
PBS Number: Not reported
Tank Number: Not reported
Test Method: Not reported
Capacity of Failed Tank: Not reported
Leak Rate Failed Tank: Not reported
Gross Leak Rate: Not reported
Material:
Material Class Type: 1
Quantity Spilled: 1
Units: Gallons
Unknown Qty Spilled: Yes
Quantity Recovered: 0
Unknown Qty Recovered: False
Material: #2 FUEL OIL
Class Type: Petroleum
Chem Abstract Service Number: #2 FUEL OIL
Last Date: 12/07/1994
Num Times Material Entry In File: 24464

DEC Remarks: 05/01/95: SATISFACTORU CLEANUP.
Spill Cause: PRODUCT CAME OUT VENT, CLEANED UP BY SPILLER

Map ID
Direction
Distance
Distance (ft.)
Elevation

MAP FINDINGS

TIMSON RESIDENCE (Continued)

EDR ID Number
EPA ID Number

Database(s)

S102670448

50
NE
1/2-1
3404 ft.

REPUBLIC ENVIRONMENTAL SYSTEMS
340-360 EASTERN PKWY
FARMINGDALE, NY 11735

PADS 1000299184
RCRIS-SQG NYD000691949
FINDS
RCRIS-TSD
RAATS
CBS UST
CORRACTS
CERC-NFRAP
NY Spills

Relative:
Higher

Actual:
75 ft.

CERCLIS-NFRAP Classification Data:

Site Incident Category: Not reported
Non NPL Code: NFRAP
Ownership Status: County Owned

Federal Facility: Not a Federal Facility

NPL Status: Not on the NPL

CERCLIS-NFRAP Assessment History:

Assessment: DISCOVERY
Assessment: PRELIMINARY ASSESSMENT
Assessment: ARCHIVE SITE

Completed: 02/28/1989
Completed: 03/31/1989
Completed: 01/23/1996

CERCLIS-NFRAP Alias Name(s):
REPUBLIC ENVIRONMENTAL

CORRACTS Data:

EPA Id: NYD000691949
Region: 2
State: NY
Area Name: SITEWIDE
Original Scheduled Date: Not reported
New Scheduled Date: 07/06/2000
Actual Date: Not reported
Corrective Action: CA550 - Certification Of Remedy Completion Or Construction Completion

EPA Id: NYD000691949
Region: 2
State: NY
Area Name: AOC2 ASPHALT AREA SURROUNDING BLDG. 2
Original Scheduled Date: Not reported
New Scheduled Date: 07/06/2000
Actual Date: Not reported
Corrective Action: CA550 - Certification Of Remedy Completion Or Construction Completion

EPA Id: NYD000691949
Region: 2
State: NY
Area Name: AOC4 UNCOVERED AREA LOCATED AT SE CORNER
Original Scheduled Date: Not reported
New Scheduled Date: 02/19/1998
Actual Date: Not reported
Corrective Action: CA600SR - Stabilization Measures Implemented , Primary measure is source removal and/or treatment

EPA Id: NYD000691949
Region: 2
State: NY
Area Name: AOC1 CONCRETE LOADING/UNLOADING AREA
Original Scheduled Date: Not reported
New Scheduled Date: 07/06/2000
Actual Date: Not reported

Map ID
Direction
Distance
Distance (ft.)
Elevation Site

MAP FINDINGS

Database(s) EDR ID Number
EPA ID Number

REPUBLIC ENVIRONMENTAL SYSTEMS (Continued)

1000299184

Corrective Action: CA550 - Certification Of Remedy Completion Or Construction Completion

EPA Id: NYD000691949
Region: 2
State: NY
Area Name: AOC3 GRASSY AREA LOCATED SOUTH OF BLDG 1
Original Scheduled Date: Not reported
New Scheduled Date: 07/06/2000
Actual Date: Not reported
Corrective Action: CA550 - Certification Of Remedy Completion Or Construction Completion

The CORRACTS database contains 27 additional records for this site.
Please contact your EDR Account Executive for more information.

RCRIS Corrective Action Summary:

Event: RFI Approved
Event Date: 07/06/2000

Event: Certification Of Remedy Completion Or Construction Completion
Event Date: 07/06/2000

Event: RFA Completed
Event Date: 03/31/1998

Event: RFI Workplan Approved
Event Date: 03/31/1998

Event: RFI Approved
Event Date: 03/31/1998

Event: Stabilization Construction Completed
Event Date: 03/31/1998

Event: Date For Remedy Selection (CM Imposed)
Event Date: 03/31/1998

Event: RFI Workplan Approved
Event Date: 03/30/1998

Event: Stabilization Measures Implemented, Primary measure is source removal and/or treatment (e.g., soil or waste excavation, in-situ soil treatment, off-site treatment).
Event Date: 02/19/1998

Event: RFI Workplan Approved
Event Date: 04/07/1997

Event: RFI Workplan Approved
Event Date: 04/07/1997

Event: CMS Workplan Approved
Event Date: 04/07/1997

Event: RFI Workplan Approved
Event Date: 04/07/1997

Event: RFI Workplan Approved
Event Date: 04/07/1997

Map ID
Direction
Distance
Distance (ft.)
Elevation Site

MAP FINDINGS

Database(s) EDR ID Number
EPA ID Number

REPUBLIC ENVIRONMENTAL SYSTEMS (Continued)

1000299184

Event: Stabilization Measures Evaluation. This facility is not amenable to stabilization activity at the present time for reasons other than 1) it appears to be technically infeasible or inappropriate (NF) or 2) there is a lack of technical information (IN). Reasons for this conclusion may be the status of closure at the facility, the degree of risk, timing considerations, the status of corrective action work at the facility, or other administrative considerations.

Event Date: 09/16/1994

Event: CA Prioritization. Facility or area was assigned a medium corrective action priority.

Event Date: 11/30/1993

Event: RFA Completed

Event Date: 10/28/1992

RCRIS:

Owner: CHEMICAL MANAGEMENT INCORPORATED
(516) 454-6766

EPA ID: NYD000691949

Contact: RANDY ROYER
(516) 454-6766

Classification: TSDF
TSDF Activities: Used oil spec marketer

BIENNIAL REPORTS:

Last Biennial Reporting Year: 1999

Waste	Quantity (Lbs)
D008	121000.00

Violation Status: Violations exist

Regulation Violated:	Not reported
Area of Violation:	TSD-LAND BAN REQUIREMENTS
Date Violation Determined:	07/26/1993
Actual Date Achieved Compliance:	09/14/1998

Enforcement Action:	FINAL 3008(A) COMPLIANCE ORDER
Enforcement Action Date:	03/19/1997
Penalty Type:	Final Monetary Penalty

Regulation Violated:	Not reported
Area of Violation:	TSD-OTHER REQUIREMENTS (OVERSIGHT)
Date Violation Determined:	07/26/1993
Actual Date Achieved Compliance:	09/14/1998

Enforcement Action:	FINAL 3008(A) COMPLIANCE ORDER
Enforcement Action Date:	03/19/1997
Penalty Type:	Final Monetary Penalty

Regulation Violated:	Not reported
Area of Violation:	TSD-CLOSURE/POST-CLOSURE REQUIREMENTS
Date Violation Determined:	05/13/1993
Actual Date Achieved Compliance:	03/19/1997

Enforcement Action:	FINAL 3008(A) COMPLIANCE ORDER
Enforcement Action Date:	03/19/1997
Penalty Type:	Final Monetary Penalty

Regulation Violated:	Not reported
Area of Violation:	TSD-GROUNDWATER MONITORING REQUIREMENTS

Map ID
Direction
Distance
Distance (ft.)
Elevation Site

MAP FINDINGS

Database(s) EDR ID Number
EPA ID Number

REPUBLIC ENVIRONMENTAL SYSTEMS (Continued)

1000299184

Date Violation Determined: 03/01/1992
Actual Date Achieved Compliance: 03/19/1997
Enforcement Action: FINAL 3008(A) COMPLIANCE ORDER
Enforcement Action Date: 03/19/1997
Penalty Type: Final Monetary Penalty
Regulation Violated: Not reported
Area of Violation: TSD-OTHER REQUIREMENTS (OVERSIGHT)
Date Violation Determined: 02/21/1992
Actual Date Achieved Compliance: 09/14/1998
Enforcement Action: INITIAL 3008(A) COMPLIANCE ORDER
Enforcement Action Date: 06/04/1992
Penalty Type: Proposed Monetary Penalty
Regulation Violated: 373-3.9(D)(2)
Area of Violation: TSD-CONTAINERS REQUIREMENTS
Date Violation Determined: 11/12/1991
Actual Date Achieved Compliance: 11/12/1991
Enforcement Action: WRITTEN INFORMAL
Enforcement Action Date: 02/13/1985
Penalty Type: Not reported
Enforcement Action: VERBAL INFORMAL
Enforcement Action Date: 11/12/1991
Penalty Type: Not reported
Regulation Violated: Not reported
Area of Violation: TSD-OTHER REQUIREMENTS (OVERSIGHT)
Date Violation Determined: 11/12/1991
Actual Date Achieved Compliance: 09/29/1993
Enforcement Action: WRITTEN INFORMAL
Enforcement Action Date: 11/08/1985
Penalty Type: Not reported
Regulation Violated: Not reported
Area of Violation: TSD-OTHER REQUIREMENTS (OVERSIGHT)
Date Violation Determined: 06/23/1989
Actual Date Achieved Compliance: 11/14/1989
Enforcement Action: WRITTEN INFORMAL
Enforcement Action Date: 08/14/1989
Penalty Type: Not reported
Regulation Violated: Not reported
Area of Violation: TSD-OTHER REQUIREMENTS (OVERSIGHT)
Date Violation Determined: 06/29/1988
Actual Date Achieved Compliance: 10/27/1988
Enforcement Action: WRITTEN INFORMAL
Enforcement Action Date: 08/26/1988
Penalty Type: Not reported
Regulation Violated: Not reported
Area of Violation: GENERATOR-MANIFEST REQUIREMENTS
Date Violation Determined: 09/08/1987
Actual Date Achieved Compliance: 09/10/1987
Enforcement Action: WRITTEN INFORMAL
Enforcement Action Date: 09/08/1987
Penalty Type: Not reported

Map ID
Direction
Distance
Distance (ft.)
Elevation Site

MAP FINDINGS

Database(s) EDR ID Number
EPA ID Number

REPUBLIC ENVIRONMENTAL SYSTEMS (Continued)

1000299184

Regulation Violated:	Not reported
Area of Violation:	TSD-OTHER REQUIREMENTS (OVERSIGHT)
Date Violation Determined:	08/21/1987
Actual Date Achieved Compliance:	12/24/1987
Enforcement Action:	WRITTEN INFORMAL
Enforcement Action Date:	10/09/1987
Penalty Type:	Not reported
Regulation Violated:	Not reported
Area of Violation:	GENERATOR-MANIFEST REQUIREMENTS
Date Violation Determined:	07/24/1987
Actual Date Achieved Compliance:	07/26/1987
Enforcement Action:	WRITTEN INFORMAL
Enforcement Action Date:	07/24/1987
Penalty Type:	Not reported
Regulation Violated:	Not reported
Area of Violation:	TSD-OTHER REQUIREMENTS (OVERSIGHT)
Date Violation Determined:	08/15/1986
Actual Date Achieved Compliance:	10/24/1986
Enforcement Action:	WRITTEN INFORMAL
Enforcement Action Date:	09/26/1986
Penalty Type:	Not reported
Regulation Violated:	Not reported
Area of Violation:	TSD-OTHER REQUIREMENTS (OVERSIGHT)
Date Violation Determined:	01/31/1986
Actual Date Achieved Compliance:	10/08/1986
Enforcement Action:	FINAL 3008(A) COMPLIANCE ORDER
Enforcement Action Date:	09/22/1986
Penalty Type:	Final Monetary Penalty
Regulation Violated:	Not reported
Area of Violation:	TSD-OTHER REQUIREMENTS (OVERSIGHT)
Date Violation Determined:	01/31/1986
Actual Date Achieved Compliance:	10/24/1986
Enforcement Action:	WRITTEN INFORMAL
Enforcement Action Date:	01/31/1986
Penalty Type:	Not reported
Regulation Violated:	Not reported
Area of Violation:	TSD-OTHER REQUIREMENTS (OVERSIGHT)
Date Violation Determined:	01/08/1986
Actual Date Achieved Compliance:	04/11/1989
Enforcement Action:	INITIAL 3008(A) COMPLIANCE ORDER
Enforcement Action Date:	06/13/1986
Penalty Type:	Final Monetary Penalty
Regulation Violated:	Not reported
Area of Violation:	TSD-OTHER REQUIREMENTS (OVERSIGHT)
Date Violation Determined:	01/08/1986
Actual Date Achieved Compliance:	04/11/1989
Enforcement Action:	WRITTEN INFORMAL
Enforcement Action Date:	08/22/1986
Penalty Type:	Not reported
Regulation Violated:	Not reported

Map ID
 Direction
 Distance
 Distance (ft.)
 Elevation

MAP FINDINGS

REPUBLIC ENVIRONMENTAL SYSTEMS (Continued)

EDR ID Number
 EPA ID Number

Database(s)

1000299184

Area of Violation: TSD-OTHER REQUIREMENTS (OVERSIGHT)
 Date Violation Determined: 07/01/1985
 Actual Date Achieved Compliance: 04/30/1986

Enforcement Action: WRITTEN INFORMAL
 Enforcement Action Date: 11/08/1985
 Penalty Type: Not reported

Regulation Violated: Not reported
 Area of Violation: TSD-OTHER REQUIREMENTS (OVERSIGHT)
 Date Violation Determined: 09/26/1984
 Actual Date Achieved Compliance: 03/27/1985

Enforcement Action: WRITTEN INFORMAL
 Enforcement Action Date: 02/13/1985
 Penalty Type: Not reported

Enforcement Action: VERBAL INFORMAL
 Enforcement Action Date: 11/12/1991
 Penalty Type: Not reported

There are 19 violation record(s) reported at this site:

<u>Evaluation</u>	<u>Area of Violation</u>	<u>Date of Compliance</u>
Compliance Evaluation Inspection	TSD-OTHER REQUIREMENTS (OVERSIGHT)	19980914
	TSD-LAND BAN REQUIREMENTS	19980914
	TSD-OTHER REQUIREMENTS (OVERSIGHT)	19980914
Compliance Evaluation Inspection	TSD-OTHER REQUIREMENTS (OVERSIGHT)	19980914
Compliance Evaluation Inspection	TSD-CONTAINERS REQUIREMENTS	19911112
	TSD-OTHER REQUIREMENTS (OVERSIGHT)	19930929
Compliance Evaluation Inspection	TSD-OTHER REQUIREMENTS (OVERSIGHT)	19980914
	TSD-LAND BAN REQUIREMENTS	19980914
	TSD-OTHER REQUIREMENTS (OVERSIGHT)	19980914
Compliance GW Monitoring Evaluation	TSD-GOUNDWATER MONITORING REQUIREMENTS	19970319
	TSD-CLOSURE/POST-CLOSURE REQUIREMENTS	19970319
Compliance Evaluation Inspection	TSD-OTHER REQUIREMENTS (OVERSIGHT)	19891114
Compliance Evaluation Inspection	TSD-OTHER REQUIREMENTS (OVERSIGHT)	19881027
Non-Financial Record Review	GENERATOR-MANIFEST REQUIREMENTS	19870910
Compliance Evaluation Inspection	TSD-OTHER REQUIREMENTS (OVERSIGHT)	19871224
Non-Financial Record Review	GENERATOR-MANIFEST REQUIREMENTS	19870726
Compliance Evaluation Inspection	TSD-OTHER REQUIREMENTS (OVERSIGHT)	19861024
Compliance Evaluation Inspection	TSD-OTHER REQUIREMENTS (OVERSIGHT)	19861008
Other Evaluation	TSD-OTHER REQUIREMENTS (OVERSIGHT)	19861024
Compliance Evaluation Inspection	TSD-OTHER REQUIREMENTS (OVERSIGHT)	19890411
	TSD-OTHER REQUIREMENTS (OVERSIGHT)	19890411
Compliance Evaluation Inspection	TSD-OTHER REQUIREMENTS (OVERSIGHT)	19860430
Compliance Evaluation Inspection	TSD-OTHER REQUIREMENTS (OVERSIGHT)	19850327

NY MANIFEST

Additional detail is available in NY MANIFEST. Please contact your EDR Account Executive for more information.

CT MANIFEST

Additional detail is available in CT MANIFEST. Please contact your EDR Account Executive for more information.

Map ID
Direction
Distance
Distance (ft.)
Elevation Site

MAP FINDINGS

Database(s) EDR ID Number
EPA ID Number

REPUBLIC ENVIRONMENTAL SYSTEMS (Continued)

1000299184

FINDS:

Other Pertinent Environmental Activity Identified at Site:
Biennial Reporting System (BRS)
Facility Registry System (FRS)
ICIS
Resource Conservation and Recovery Act Information system (RCRAINFO)

SPILLS:

Spill Number: 8801480 Region of Spill: 1
Facility Contact: Not reported Facility Tele: Not reported
Investigator: MIRZA FD SWIS: 28
Caller Name: Not reported Caller Agency: Not reported
Caller Phone: Not reported Caller Extension: Not reported
Notifier Name: Not reported Notifier Agency: Not reported
Notifier Phone: Not reported Notifier Extension: Not reported
Spiller Contact: Not reported Spiller Phone: (516) 454-6766
Spiller: CHEMICAL MANAGEMENT
Spiller Address: 340 EASTERN PARKWAY
FARMINGDALE, NY 11735
Spill Class: Not reported
Spill Closed Dt: 06/08/1988
Spill Cause: Unknown Resource Affected: On Land
Water Affected: Not reported Spill Source: Other Commercial/Industrial
Spill Notifier: DEC PBS Number: Not reported
Spill Date: 05/18/1988 12:00 Reported to Dept: 05/13/1988 13:00
Cleanup Ceased: 06/08/1988
Last Inspection: Not reported
Cleanup Meets Standard: True
Recommended Penalty: Penalty Not Recommended
Spiller Cleanup Date: Not reported
Enforcement Date: Not reported
Investigation Complete: Not reported
UST Involvement: False
Spill Record Last Update: 03/19/1999
Is Updated: False
Corrective Action Plan Submitted: Not reported
Date Spill Entered In Computer Data File: 05/23/1988
Date Region Sent Summary to Central Office: Not reported
Tank Test:
PBS Number: Not reported
Tank Number: Not reported
Test Method: Not reported
Capacity of Failed Tank: Not reported
Leak Rate Failed Tank: Not reported
Gross Leak Rate: Not reported
Material:
Material Class Type: 1
Quantity Spilled: 30
Units: Gallons
Unknown Qty Spilled: 30
Quantity Recovered: 0
Unknown Qty Recovered: False
Material: #6 FUEL OIL
Class Type: Petroleum
Chem Abstract Service Number: #6 FUEL OIL
Last Date: 07/28/1994
Num Times Material Entry In File: 2190

Map ID
 Direction
 Distance
 Distance (ft.)
 Elevation Site

MAP FINDINGS

Database(s) EDR ID Number
 EPA ID Number

REPUBLIC ENVIRONMENTAL SYSTEMS (Continued)

1000299184

Remark: DEC DISCOVERED HALF A CUBIC YD OF CONTAMINATED SOIL DURING A ROUTINE 100
 00 GAL TANK REMOVAL. SOIL STOCKPILED ON SITE PENDING REMOVAL DISPOSAL.
 DEC Remarks: 06/08/88. NO HOLES. EXCAVATION CLEAN.

CBS UST:

CBS Number:	1-000423	ICS No:	Not reported
PBS No:	Not reported	MOSF No:	Not reported
Region:	STATE	Town:	OYSTER BAY
Operator:	JOHN DULL	Facility Tel:	(516) 454-6766
Emergency Contact:	JOHN DULL, (516) 454-6766		
Certification Date:	05/26/1992	Expiration Date:	12/10/1993
Owner:	REPUBLIC ENVIRONMENTAL SYSTEMS (NEW YORK) INC.		
Owner Address:	101 JESSUP ROAD THOROFARE, NJ 08086		
Owner Phone:	(609) 384-8000		
Owner Type:	Corporate/Commercial		
Facility Type:	UTILITY (i.e. WASTEWATER TREATMENT PLANT)		
Mail To:	REPUBLIC ENVIRONMENTAL SYSTEMS (NEW YORK) INC.		
Mail Address:	340 EASTERN PARKWAY FARMINGDALE, NY 11735 ATTN: JAY EGAN (516) 454-6766		

SPDES No:	Not reported	Facility Status:	CLOSED IN PLACE
Owner Subtype:	Not reported		
Tank Status:	Temp. Out of Service		
Tank Error Status:	No Missing Data		
Total Tanks:	0	Capacity:	5500 Gals
Tank Location:	Underground, vaulted, with access		
Install Date:	09/92		
CAS No:	7664939		
Substance:	Single Hazardous Substance on DEC List		
Tank Type:	Plastic	2nd Containmt:	Diking
Tank Internal:	None	Pipe Type:	PLASTIC
Tank External:	None		
Pipe Internal:	None	Pipe Location:	Aboveground
Pipe External:	None		
Pipe Containment:	Double-Walled	Haz Percent:	25
Leak Detection:	35		
Overfill Protection:	25		
Chemical:	Sulfuric acid	Tank Closed:	00/00
Tank Secret:	False	Date Entered:	12/02/1991 08:22:22
Last Test:	Not reported	Due Date:	Not reported
SWIS Code:	2824		
Cert Flag:	False		
Case No:	Not reported	Reserve Flag:	True
Pipe Flag:	False	Federal Amt:	True
Is it There:	False	Is Updated:	False
Owner Mark:	1	Lat/Long:	81 52 01 / 08 07 59
Renew Date:	09/01/93	Date Expired:	12/10/93
Total Capacity:	0		
Tank Number:	T-50		

CBS Number:	1-000423	ICS No:	Not reported
PBS No:	Not reported	MOSF No:	Not reported
Region:	STATE	Town:	OYSTER BAY
Operator:	JOHN DULL	Facility Tel:	(516) 454-6766
Emergency Contact:	JOHN DULL, (516) 454-6766		
Certification Date:	05/26/1992	Expiration Date:	12/10/1993

Map ID
 Direction
 Distance
 Distance (ft.)
 Elevation

MAP FINDINGS

REPUBLIC ENVIRONMENTAL SYSTEMS (Continued)

EDR ID Number
 EPA ID Number

Database(s)

1000299184

Owner:	REPUBLIC ENVIRONMENTAL SYSTEMS (NEW YORK) INC.		
Owner Address:	101 JESSUP ROAD THOROFARE, NJ 08086		
Owner Phone	(609) 384-8000		
Owner Type:	Corporate/Commercial		
Facility Type:	UTILITY (i.e. WASTEWATER TREATMENT PLANT)		
Mail To:	REPUBLIC ENVIRONMENTAL SYSTEMS (NEW YORK) INC.		
Mail Address	340 EASTERN PARKWAY FARMINGDALE, NY 11735 ATTN: JAY EGAN (516) 454-6766		
SPDES No:	Not reported	Facility Status:	CLOSED IN PLACE
Owner Subtype:	Not reported		
Tank Status:	Temp. Out of Service		
Tank Error Status:	No Missing Data		
Total Tanks:	0	Capacity:	5500 Gals
Tank Location:	Underground, vaulted, with access		
Install Date:	09/92		
CAS No:	1310732		
Substance:	Single Hazardous Substance on DEC List		
Tank Type:	Plastic	2nd Containmt:	Diking
Tank Internal:	None	Pipe Type:	PLASTIC
Tank External:	None	Pipe Location:	Aboveground
Pipe Internal:	None		
Pipe External:	None		
Pipe Containment:	Double-Walled	Haz Percent:	25
Leak Detection:	35		
Overfill Protection:	25		
Chemical:	Sodium hydroxide	Tank Closed:	00/00
Tank Secret:	False	Date Entered:	12/02/1991 08:22:43
Last Test:	Not reported	Due Date:	Not reported
SWIS Code:	2824		
Cert Flag:	False		
Case No:	Not reported	Reserve Flag:	True
Pipe Flag:	False	Federal Amt:	True
Is it There:	False	Is Updated:	False
Owner Mark:	1	Lat/Long:	81 52 01 / 08 07 59
Renew Date:	09/01/93	Date Expired:	12/10/93
Total Capacity:	0		
Tank Number:	T-51		
CBS Number:	1-000423	ICS No:	Not reported
PBS No:	Not reported	MOSF No:	Not reported
Region:	STATE	Town:	OYSTER BAY
Operator:	JOHN DULL	Facility Tel:	(516) 454-6766
Emergency Contact:	JOHN DULL, (516) 454-6766		
Certification Date:	05/26/1992	Expiration Date:	12/10/1993
Owner:	REPUBLIC ENVIRONMENTAL SYSTEMS (NEW YORK) INC.		
Owner Address:	101 JESSUP ROAD THOROFARE, NJ 08086		
Owner Phone	(609) 384-8000		
Owner Type:	Corporate/Commercial		
Facility Type:	UTILITY (i.e. WASTEWATER TREATMENT PLANT)		
Mail To:	REPUBLIC ENVIRONMENTAL SYSTEMS (NEW YORK) INC.		
Mail Address	340 EASTERN PARKWAY FARMINGDALE, NY 11735 ATTN: JAY EGAN		

Map ID
Direction
Distance
Distance (ft.)
Elevation

MAP FINDINGS

REPUBLIC ENVIRONMENTAL SYSTEMS (Continued)

EDR ID Number
EPA ID Number

Database(s)

1000299184

(516) 454-6766
SPDES No: Not reported Facility Status: CLOSED IN PLACE
Owner Subtype: Not reported
Tank Status: Temp. Out of Service
Tank Error Status: No Missing Data
Total Tanks: 0 Capacity: 5500 Gals
Tank Location: Underground, vaulted, with access
Install Date: 09/92
CAS No: 7681529
Substance: Single Hazardous Substance on DEC List
Tank Type: Plastic 2nd Containmt: Diking
Tank Internal: None Pipe Type: PLASTIC
Tank External: None
Pipe Internal: None Pipe Location: Aboveground
Pipe External: None
Pipe Containment: Double-Walled Haz Percent: 15
Leak Detection: 35
Overfill Protection: 25
Chemical: Sodium hypochlorite Tank Closed: 00/00
Tank Secret: False Date Entered: 12/02/1991 08:23:03
Last Test: Not reported Due Date: Not reported
SWIS Code: 2824
Cert Flag: False
Case No: Not reported Reserve Flag: True
Pipe Flag: False Federal Amt: True
Is it There: False Is Updated: False
Owner Mark: 1 Lat/Long: 81|52|01 / 08|07|59
Renew Date: 09/01/93 Date Expired: 12/10/93
Total Capacity: 0
Tank Number: T-52

ORPHAN SUMMARY

City	EDR ID	Site Name	Site Address	Zip	Database(s)
EAST FARMINGDALE	1004755534	HOLLYWOOD INN	400 RTE 109	11735	RCRIS-SQG, FINDS
EAST FARMINGDALE	S104191660	AIRCRAFT PARKING	RTE 109 EAST OF RTE 110	11735	LTANKS
EAST FARMINGDALE	S104646754		RTE 109	11735	NY Spills
EAST FARMINGDALE	S104783926	UNK	RTE 109 / NEW HIGHWAY	11735	NY Spills
EAST FARMINGDALE	S104648439		RTE 109/ RTE 110	11735	NY Spills
EAST FARMINGDALE	S104510096	STAPLES TRUCK	RTE 109/EAST CARMENS ROAD	11735	NY Spills
EAST FARMINGDALE	1000191396	NYS DOT LOCKHEED REPUBLIC AIRPORT	ADMIN BLDG GATE 1 RTE 110	11735	RCRIS-SQG, FINDS
EAST FARMINGDALE	S102094772	LILCO	CENTRAL HIGHWAY	11735	NY Spills
EAST FARMINGDALE	S102090369	REPUBLIC AIRPORT	CONKLIN STREET	11735	NY Spills
EAST FARMINGDALE	S104499079	UNK	CONKLIN STREET / VOGELWAY	11735	NY Spills
EAST FARMINGDALE	S104645851		CONKLIN ST/VOGEL WAY	11735	NY Spills
EAST FARMINGDALE	S102567140	UNK VEHICLE/LILCO	MAIN STREET	11735	NY Spills
EAST FARMINGDALE	1003864130	ASBESTOS FARMINGDALE	S SIDE LNG ISLND RR.@US ROUTE	11735	CERC-NFRAP
EAST FARMINGDALE	S103564659	UNK	SYDNEY AVE OFF RTE 109	11735	NY Spills
FARMINGDALE	1004758576	MOBIL SERVICE STATION	1009 RTE 109	11735	RCRIS-SQG, FINDS
FARMINGDALE	U003534492	LARRY E TYREE CO INC	208 RTE 109 FARMINGDALE RD	11735	UST
FARMINGDALE	U003534495	HESS S/S #32262	2265 RTE 109 FARMINGDALE RD	11735	UST
FARMINGDALE	U003534561	HIGHLIFT INC	1050 RTE 109 FARMINGDALE RD	11735	UST
FARMINGDALE	U003534956	AUTOMATED BREAD DISTRIBUTORS	218 RTE 109 FARMINGDALE RD	11735	UST
FARMINGDALE	U003535487	WES DESIGN	238 RTE 109 FARMINGDALE RD	11735	UST
FARMINGDALE	U003843303	E M S DEVELOPMENT CORP	RTE 109 FARMINGDALE RD	11735	UST
FARMINGDALE	U003843822	MT ARARAT CEMETERY INC	RTE 109 FARMINGDALE RD	11735	UST
FARMINGDALE	U003844081	TRI KAY ASSOCIATES	242 RTE 109 FARMINGDALE RD	11735	UST
FARMINGDALE	U003844868	AIR EAST RENTALS LLC	ROUTE 109	11735	UST
FARMINGDALE	S103565666	ROLLI RETREAD INC	1010 RTE 109		NY Spills
FARMINGDALE	S102136171	LARRY E TYREE	ROUTE 109		NY Spills
FARMINGDALE	S102139109	TAONIC PLATING COMPANY	RTE 109 / 33 PATLER ST		NY Spills
FARMINGDALE	S105135495	FUEL FARM	ROUTE 109		LTANKS
FARMINGDALE	S102136326	PETRO KING	RTE 24 HEMPSTEAD TPKE		NY Spills
FARMINGDALE	1000354421	FAIRCHILD REPUBLIC	BOARD HOLLOW RD	11735	CERCLIS, FINDS
FARMINGDALE	S102135928	ALEX YARMOSH	9 BURNT CIRCLE NORTH		NY Spills
FARMINGDALE	1004762999	BELLE ARBOR PROMOTION CO INC	921C CONKLIN ST	11735	RCRIS-SQG, FINDS
FARMINGDALE	S104513802	TRIANGLE FUEL	CONKLIN STREET BLDG 18	11735	LTANKS
FARMINGDALE	U003534480	ST CHARLES CEMETARY	CONKLIN ST	11735	UST
FARMINGDALE	U003535352	C I REALTY CORP	855 A CONKLIN ST	11735	UST
FARMINGDALE	S104786109	UNK	CONKLIN ST		NY Spills
FARMINGDALE	S104783657	UNK	CONKLIN STREET		NY Spills
FARMINGDALE	S103565538	NYS DOT/ REPUBLIC AIRPORT	CONKLIN STREET		NY Spills
FARMINGDALE	S104784697	UNK	CONKLIN STREET / RTE 24		NY Spills
FARMINGDALE	1004758217	CASCADE LINEN & UNIFORM SUPPLY	NW CORNER CONKLIN ST	11735	RCRIS-SQG, FINDS
FARMINGDALE	S104498819	HUNAN HOUSE	DOUD STREET / RTE 109		NY Spills
FARMINGDALE	1000553185	ATLANTIC TOOL & MFG NORTH CORP	228A FARMINGDALE RD & RTE 109	11735	RCRIS-SQG, FINDS
FARMINGDALE	S102137430	SUSP DALE AUTO SALES	FULTON / HEISSLER ROAD		NY Spills

ORPHAN SUMMARY

City	EDR ID	Site Name	Site Address	Zip	Database(s)
FARMINGDALE	S102136392	LILCO	FULTON STREET		NY Spills
FARMINGDALE	S103936874	S&S AUTO	FULTON STREET EB LANES		NY Spills
FARMINGDALE	U003913754	INACTIVE-SHELL	MAIN ST	11735	UST
FARMINGDALE	S102137410	LILCO	MAIN STREET		NY Spills
FARMINGDALE	S104646103		MAIN STREET/CONKLIN STEET		NY Spills
FARMINGDALE	S102136186	LILCO	MAIN ST / PROSPECT AVE		NY Spills
FARMINGDALE	S100149089	FARMINGDALE U.METHODIST C	MAIN ST / GRANT STREET		LTANKS
FARMINGDALE	S102135713	SUNBEAM BREAD/CLASSIC	MELVILLE RD(W/O MAIN ST)		NY Spills
FARMINGDALE	S104786737	UNK	MELVILLE RD/W/O RTE 110		NY Spills
FARMINGDALE	S103565900	UNK	MOTOR AVE OFF OF MAIN ST		NY Spills
FARMINGDALE	S104950909	ROMANELLI & SON	467 SECATOGUE/CONKLIN		LTANKS
FARMINGDALE	S105586291	MINMILT REALTY (HYGRADE METAL MOUL	540 SMITH STREET	11735	SHWS
FARMINGDALE	S105140197		WELLWOOD AVE/CONKLIN ST		NY Spills
OLD BETHPAGE	S100520995	OLD BETHPAGE LANDFILL	BETHPAGE-SWEETHOLLOW ROAD	11804	SHWS

EPA Waste Codes Addendum

Code	Description
------	-------------

D008	LEAD
------	------

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

To maintain currency of the following federal and state databases, EDR contacts the appropriate governmental agency on a monthly or quarterly basis, as required.

Elapsed ASTM days: Provides confirmation that this EDR report meets or exceeds the 90-day updating requirement of the ASTM standard.

FEDERAL ASTM STANDARD RECORDS

NPL: National Priority List

Source: EPA

Telephone: N/A

National Priorities List (Superfund). The NPL is a subset of CERCLIS and identifies over 1,200 sites for priority cleanup under the Superfund Program. NPL sites may encompass relatively large areas. As such, EDR provides polygon coverage for over 1,000 NPL site boundaries produced by EPA's Environmental Photographic Interpretation Center (EPIC) and regional EPA offices.

Date of Government Version: 07/22/03

Date Made Active at EDR: 08/26/03

Database Release Frequency: Semi-Annually

Date of Data Arrival at EDR: 08/04/03

Elapsed ASTM days: 22

Date of Last EDR Contact: 08/04/03

NPL Site Boundaries

Sources:

EPA's Environmental Photographic Interpretation Center (EPIC)

Telephone: 202-564-7333

EPA Region 1

Telephone 617-918-1143

EPA Region 3

Telephone 215-814-5418

EPA Region 4

Telephone 404-562-8033

EPA Region 6

Telephone: 214-655-6659

EPA Region 8

Telephone: 303-312-6774

Proposed NPL: Proposed National Priority List Sites

Source: EPA

Telephone: N/A

Date of Government Version: 06/10/03

Date Made Active at EDR: 08/26/03

Database Release Frequency: Semi-Annually

Date of Data Arrival at EDR: 08/04/03

Elapsed ASTM days: 22

Date of Last EDR Contact: 08/04/03

CERCLIS: Comprehensive Environmental Response, Compensation, and Liability Information System

Source: EPA

Telephone: 703-413-0223

CERCLIS contains data on potentially hazardous waste sites that have been reported to the USEPA by states, municipalities, private companies and private persons, pursuant to Section 103 of the Comprehensive Environmental Response, Compensation, and Liability Act (CERCLA). CERCLIS contains sites which are either proposed to or on the National Priorities List (NPL) and sites which are in the screening and assessment phase for possible inclusion on the NPL.

Date of Government Version: 06/16/03

Date Made Active at EDR: 08/01/03

Database Release Frequency: Quarterly

Date of Data Arrival at EDR: 06/23/03

Elapsed ASTM days: 39

Date of Last EDR Contact: 06/23/03

CERCLIS-NFRAP: CERCLIS No Further Remedial Action Planned

Source: EPA

Telephone: 703-413-0223

As of February 1995, CERCLIS sites designated "No Further Remedial Action Planned" (NFRAP) have been removed from CERCLIS. NFRAP sites may be sites where, following an initial investigation, no contamination was found, contamination was removed quickly without the need for the site to be placed on the NPL, or the contamination was not serious enough to require Federal Superfund action or NPL consideration. EPA has removed approximately 25,000 NFRAP sites to lift the unintended barriers to the redevelopment of these properties and has archived them as historical records so EPA does not needlessly repeat the investigations in the future. This policy change is part of the EPA's Brownfields Redevelopment Program to help cities, states, private investors and affected citizens to promote economic redevelopment of unproductive urban sites

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

Date of Government Version: 06/11/03
Date Made Active at EDR: 08/01/03
Database Release Frequency: Quarterly

Date of Data Arrival at EDR: 06/23/03
Elapsed ASTM days: 39
Date of Last EDR Contact: 06/23/03

CORRACTS: Corrective Action Report

Source: EPA
Telephone: 800-424-9346

CORRACTS identifies hazardous waste handlers with RCRA corrective action activity.

Date of Government Version: 03/31/03
Date Made Active at EDR: 05/08/03
Database Release Frequency: Semi-Annually

Date of Data Arrival at EDR: 04/07/03
Elapsed ASTM days: 31
Date of Last EDR Contact: 06/09/03

RCRIS: Resource Conservation and Recovery Information System

Source: EPA
Telephone: 800-424-9346

Resource Conservation and Recovery Information System. RCRIS includes selective information on sites which generate, transport, store, treat and/or dispose of hazardous waste as defined by the Resource Conservation and Recovery Act (RCRA). Conditionally exempt small quantity generators (CESQGs): generate less than 100 kg of hazardous waste, or less than 1 kg of acutely hazardous waste per month. Small quantity generators (SQGs): generate between 100 kg and 1,000 kg of hazardous waste per month. Large quantity generators (LQGs): generate over 1,000 kilograms (kg) of hazardous waste, or over 1 kg of acutely hazardous waste per month. Transporters are individuals or entities that move hazardous waste from the generator off-site to a facility that can recycle, treat, store, or dispose of the waste. TSDFs treat, store, or dispose of the waste.

Date of Government Version: 07/11/03
Date Made Active at EDR: 08/18/03
Database Release Frequency: Varies

Date of Data Arrival at EDR: 07/30/03
Elapsed ASTM days: 19
Date of Last EDR Contact: 06/26/03

ERNS: Emergency Response Notification System

Source: National Response Center, United States Coast Guard
Telephone: 202-260-2342

Emergency Response Notification System. ERNS records and stores information on reported releases of oil and hazardous substances.

Date of Government Version: 12/31/02
Date Made Active at EDR: 02/03/03
Database Release Frequency: Annually

Date of Data Arrival at EDR: 01/27/03
Elapsed ASTM days: 7
Date of Last EDR Contact: 07/28/03

FEDERAL ASTM SUPPLEMENTAL RECORDS

BRS: Biennial Reporting System

Source: EPA/NTIS
Telephone: 800-424-9346

The Biennial Reporting System is a national system administered by the EPA that collects data on the generation and management of hazardous waste. BRS captures detailed data from two groups: Large Quantity Generators (LQG) and Treatment, Storage, and Disposal Facilities.

Date of Government Version: 12/31/99
Database Release Frequency: Biennially

Date of Last EDR Contact: 06/16/03
Date of Next Scheduled EDR Contact: 09/15/03

CONSENT: Superfund (CERCLA) Consent Decrees

Source: EPA Regional Offices
Telephone: Varies

Major legal settlements that establish responsibility and standards for cleanup at NPL (Superfund) sites. Released periodically by United States District Courts after settlement by parties to litigation matters.

Date of Government Version: N/A
Database Release Frequency: Varies

Date of Last EDR Contact: N/A
Date of Next Scheduled EDR Contact: N/A

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

ROD: Records Of Decision

Source: EPA

Telephone: 703-416-0223

Record of Decision. ROD documents mandate a permanent remedy at an NPL (Superfund) site containing technical and health information to aid in the cleanup.

Date of Government Version: 07/09/03

Database Release Frequency: Annually

Date of Last EDR Contact: 07/07/03

Date of Next Scheduled EDR Contact: 10/06/03

DELISTED NPL: National Priority List Deletions

Source: EPA

Telephone: N/A

The National Oil and Hazardous Substances Pollution Contingency Plan (NCP) establishes the criteria that the EPA uses to delete sites from the NPL. In accordance with 40 CFR 300.425(e), sites may be deleted from the NPL where no further response is appropriate.

Date of Government Version: 07/22/03

Database Release Frequency: Quarterly

Date of Last EDR Contact: 08/04/03

Date of Next Scheduled EDR Contact: 11/03/03

FINDS: Facility Index System/Facility Identification Initiative Program Summary Report

Source: EPA

Telephone: N/A

Facility Index System. FINDS contains both facility information and 'pointers' to other sources that contain more detail. EDR includes the following FINDS databases in this report: PCS (Permit Compliance System), AIRS (Aerometric Information Retrieval System), DOCKET (Enforcement Docket used to manage and track information on civil judicial enforcement cases for all environmental statutes), FURS (Federal Underground Injection Control), C-DOCKET (Criminal Docket System used to track criminal enforcement actions for all environmental statutes), FFIS (Federal Facilities Information System), STATE (State Environmental Laws and Statutes), and PADS (PCB Activity Data System).

Date of Government Version: 07/25/03

Database Release Frequency: Quarterly

Date of Last EDR Contact: 07/02/03

Date of Next Scheduled EDR Contact: 10/06/03

HMIRS: Hazardous Materials Information Reporting System

Source: U.S. Department of Transportation

Telephone: 202-366-4555

Hazardous Materials Incident Report System. HMIRS contains hazardous material spill incidents reported to DOT.

Date of Government Version: 03/31/03

Database Release Frequency: Annually

Date of Last EDR Contact: 07/23/03

Date of Next Scheduled EDR Contact: 10/20/03

MLTS: Material Licensing Tracking System

Source: Nuclear Regulatory Commission

Telephone: 301-415-7169

MLTS is maintained by the Nuclear Regulatory Commission and contains a list of approximately 8,100 sites which possess or use radioactive materials and which are subject to NRC licensing requirements. To maintain currency, EDR contacts the Agency on a quarterly basis.

Date of Government Version: 04/23/03

Database Release Frequency: Quarterly

Date of Last EDR Contact: 07/02/03

Date of Next Scheduled EDR Contact: 10/06/03

MINES: Mines Master Index File

Source: Department of Labor, Mine Safety and Health Administration

Telephone: 303-231-5959

Date of Government Version: 06/07/03

Database Release Frequency: Semi-Annually

Date of Last EDR Contact: 06/30/03

Date of Next Scheduled EDR Contact: 09/29/03

NPL LIENS: Federal Superfund Liens

Source: EPA

Telephone: 205-564-4267

Federal Superfund Liens. Under the authority granted the USEPA by the Comprehensive Environmental Response, Compensation and Liability Act (CERCLA) of 1980, the USEPA has the authority to file liens against real property in order to recover remedial action expenditures or when the property owner receives notification of potential liability. USEPA compiles a listing of filed notices of Superfund Liens.

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

Date of Government Version: 10/15/91
Database Release Frequency: No Update Planned

Date of Last EDR Contact: 05/27/03
Date of Next Scheduled EDR Contact: 08/25/03

PADS: PCB Activity Database System

Source: EPA
Telephone: 202-564-3887

PCB Activity Database. PADS Identifies generators, transporters, commercial storers and/or brokers and disposers of PCB's who are required to notify the EPA of such activities.

Date of Government Version: 06/30/03
Database Release Frequency: Annually

Date of Last EDR Contact: 08/13/03
Date of Next Scheduled EDR Contact: 11/10/03

DOD: Department of Defense Sites

Source: USGS
Telephone: 703-648-5920

This data set consists of federally owned or administered lands, administered by the Department of Defense, that have any area equal to or greater than 640 acres of the United States, Puerto Rico, and the U.S. Virgin Islands.

Date of Government Version: 04/01/03
Database Release Frequency: Semi-Annually

Date of Last EDR Contact: 08/15/03
Date of Next Scheduled EDR Contact: 11/10/03

RAATS: RCRA Administrative Action Tracking System

Source: EPA
Telephone: 202-564-4104

RCRA Administration Action Tracking System. RAATS contains records based on enforcement actions issued under RCRA pertaining to major violators and includes administrative and civil actions brought by the EPA. For administration actions after September 30, 1995, data entry in the RAATS database was discontinued. EPA will retain a copy of the database for historical records. It was necessary to terminate RAATS because a decrease in agency resources made it impossible to continue to update the information contained in the database.

Date of Government Version: 04/17/95
Database Release Frequency: No Update Planned

Date of Last EDR Contact: 06/09/03
Date of Next Scheduled EDR Contact: 09/08/03

TRIS: Toxic Chemical Release Inventory System

Source: EPA
Telephone: 202-260-1531

Toxic Release Inventory System. TRIS identifies facilities which release toxic chemicals to the air, water and land in reportable quantities under SARA Title III Section 313.

Date of Government Version: 12/31/01
Database Release Frequency: Annually

Date of Last EDR Contact: 06/27/03
Date of Next Scheduled EDR Contact: 09/22/03

TSCA: Toxic Substances Control Act

Source: EPA
Telephone: 202-260-5521

Toxic Substances Control Act. TSCA identifies manufacturers and importers of chemical substances included on the TSCA Chemical Substance Inventory list. It includes data on the production volume of these substances by plant site.

Date of Government Version: 12/31/98
Database Release Frequency: Every 4 Years

Date of Last EDR Contact: 06/09/03
Date of Next Scheduled EDR Contact: 09/08/03

FTTS INSP: FIFRA/ TSCA Tracking System - FIFRA (Federal Insecticide, Fungicide, & Rodenticide Act)/TSCA (Toxic Substances Control Act)

Source: EPA
Telephone: 202-564-2501

Date of Government Version: 04/15/03
Database Release Frequency: Quarterly

Date of Last EDR Contact: 06/23/03
Date of Next Scheduled EDR Contact: 09/22/03

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

SSTS: Section 7 Tracking Systems

Source: EPA

Telephone: 202-564-5008

Section 7 of the Federal Insecticide, Fungicide and Rodenticide Act, as amended (92 Stat. 829) requires all registered pesticide-producing establishments to submit a report to the Environmental Protection Agency by March 1st each year. Each establishment must report the types and amounts of pesticides, active ingredients and devices being produced, and those having been produced and sold or distributed in the past year.

Date of Government Version: 12/31/00
Database Release Frequency: Annually

Date of Last EDR Contact: 07/24/03
Date of Next Scheduled EDR Contact: 10/20/03

FTTS: FIFRA/ TSCA Tracking System - FIFRA (Federal Insecticide, Fungicide, & Rodenticide Act)/TSCA (Toxic Substances Control Act)

Source: EPA/Office of Prevention, Pesticides and Toxic Substances

Telephone: 202-564-2501

FTTS tracks administrative cases and pesticide enforcement actions and compliance activities related to FIFRA, TSCA and EPCRA (Emergency Planning and Community Right-to-Know Act). To maintain currency, EDR contacts the Agency on a quarterly basis.

Date of Government Version: 04/15/03
Database Release Frequency: Quarterly

Date of Last EDR Contact: 06/23/03
Date of Next Scheduled EDR Contact: 09/22/03

STATE OF NEW YORK ASTM STANDARD RECORDS

SHWS: Inactive Hazardous Waste Disposal Sites in New York State

Source: Department of Environmental Conservation

Telephone: 518-402-9553

State Hazardous Waste Sites. State hazardous waste site records are the states' equivalent to CERCLIS. These sites may or may not already be listed on the federal CERCLIS list. Priority sites planned for cleanup using state funds (state equivalent of Superfund) are identified along with sites where cleanup will be paid for by potentially responsible parties. Available information varies by state.

Date of Government Version: 04/01/02
Date Made Active at EDR: 11/12/02
Database Release Frequency: Annually

Date of Data Arrival at EDR: 10/22/02
Elapsed ASTM days: 21
Date of Last EDR Contact: 07/08/03

SWF/LF: Facility Register

Source: Department of Environmental Conservation

Telephone: 518-457-2051

Solid Waste Facilities/Landfill Sites. SWF/LF type records typically contain an inventory of solid waste disposal facilities or landfills in a particular state. Depending on the state, these may be active or inactive facilities or open dumps that failed to meet RCRA Subtitle D Section 4004 criteria for solid waste landfills or disposal sites.

Date of Government Version: 07/25/03
Date Made Active at EDR: 08/20/03
Database Release Frequency: Semi-Annually

Date of Data Arrival at EDR: 08/06/03
Elapsed ASTM days: 14
Date of Last EDR Contact: 08/04/03

LTANKS: Spills Information Database

Source: Department of Environmental Conservation

Telephone: 518-402-9549

Leaking Storage Tank Incident Reports. These records contain an inventory of reported leaking storage tank incidents reported from 4/1/86 through the most recent update. They can be either leaking underground storage tanks or leaking aboveground storage tanks. The causes of the incidents are tank test failures, tank failures or tank overfills.

Date of Government Version: 01/01/02
Date Made Active at EDR: 03/22/02
Database Release Frequency: Varies

Date of Data Arrival at EDR: 02/20/02
Elapsed ASTM days: 30
Date of Last EDR Contact: 07/31/03

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

UST: Petroleum Bulk Storage (PBS) Database

Source: Department of Environmental Conservation
Telephone: 518-402-9549

Facilities that have petroleum storage capacities in excess of 1,100 gallons and less than 400,000 gallons.

Date of Government Version: 01/01/02

Date Made Active at EDR: 03/22/02

Database Release Frequency: Varies

Date of Data Arrival at EDR: 02/20/02

Elapsed ASTM days: 30

Date of Last EDR Contact: 07/31/03

CBS UST: Chemical Bulk Storage Database

Source: NYSDEC
Telephone: 518-402-9549

Facilities that store regulated hazardous substances in underground tanks of any size

Date of Government Version: 01/01/02

Date Made Active at EDR: 03/22/02

Database Release Frequency: Varies

Date of Data Arrival at EDR: 02/20/02

Elapsed ASTM days: 30

Date of Last EDR Contact: 07/31/03

MOSF UST: Major Oil Storage Facilities Database

Source: NYSDEC
Telephone: 518-402-9549

Facilities that may be onshore facilities or vessels, with petroleum storage capacities of 400,000 gallons or greater.

Date of Government Version: 01/01/02

Date Made Active at EDR: 03/22/02

Database Release Frequency: Varies

Date of Data Arrival at EDR: 02/20/02

Elapsed ASTM days: 30

Date of Last EDR Contact: 07/31/03

VCP: Voluntary Cleanup Agreements

Source: Department of Environmental Conservation
Telephone: 518-402-9711

The voluntary remedial program uses private monies to get contaminated sites remediated to levels allowing for the sites' productive use. The program covers virtually any kind of site and contamination.

Date of Government Version: 06/17/03

Date Made Active at EDR: 07/18/03

Database Release Frequency: Semi-Annually

Date of Data Arrival at EDR: 06/19/03

Elapsed ASTM days: 29

Date of Last EDR Contact: 06/16/03

SWRCY: Registered Recycling Facility List

Source: Department of Environmental Conservation
Telephone: 518-402-8705

A listing of recycling facilities.

Date of Government Version: 05/28/03

Date Made Active at EDR: 06/09/03

Database Release Frequency: Semi-Annually

Date of Data Arrival at EDR: 05/28/03

Elapsed ASTM days: 12

Date of Last EDR Contact: 08/18/03

SWTIRE: Registered Waste Tire Storage & Facility List

Source: Department of Environmental Conservation
Telephone: 518-402-8694

Date of Government Version: 11/01/02

Date Made Active at EDR: 03/04/03

Database Release Frequency: Annually

Date of Data Arrival at EDR: 02/18/03

Elapsed ASTM days: 14

Date of Last EDR Contact: 05/19/03

STATE OF NEW YORK ASTM SUPPLEMENTAL RECORDS

HSWDS: Hazardous Substance Waste Disposal Site Inventory

Source: Department of Environmental Conservation
Telephone: 518-402-9564

The list includes any known or suspected hazardous substance waste disposal sites. Also included are sites delisted from the Registry of Inactive Hazardous Waste Disposal Sites and non-registry sites which U.S. EPA Preliminary Assessment (PA) reports or Site Investigation (SI) reports were prepared.

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

Date of Government Version: 09/01/02
Database Release Frequency: Annually

Date of Last EDR Contact: 06/02/03
Date of Next Scheduled EDR Contact: 09/01/03

AST: Petroleum Bulk Storage
Source: Department of Environmental Conservation
Telephone: 518-402-9549
Registered Aboveground Storage Tanks.

Date of Government Version: 01/01/02
Database Release Frequency: Varies

Date of Last EDR Contact: 07/31/03
Date of Next Scheduled EDR Contact: 10/27/03

CBS AST: Chemical Bulk Storage Database
Source: NYSDEC
Telephone: 518-402-9549

Facilities that store regulated hazardous substances in aboveground tanks with capacities of 185 gallons or greater, and/or in underground tanks of any size.

Date of Government Version: 01/01/02
Database Release Frequency: Varies

Date of Last EDR Contact: 07/31/03
Date of Next Scheduled EDR Contact: 10/27/03

MOSF AST: Major Oil Storage Facilities Database

Source: NYSDEC
Telephone: 518-402-9549

Facilities that may be onshore facilities or vessels, with petroleum storage capacities of 400,000 gallons or greater.

Date of Government Version: 01/01/02
Database Release Frequency: Varies

Date of Last EDR Contact: 07/31/03
Date of Next Scheduled EDR Contact: 10/27/03

SPILLS: Spills Information Database

Source: Department of Environmental Conservation
Telephone: 518-402-9549

Data collected on spills reported to NYSDEC as required by one or more of the following: Article 12 of the Navigation Law, 6 NYCRR Section 613.8 (from PBS regs), or 6 NYCRR Section 595.2 (from CBS regs). It includes spills active as of April 1, 1986, as well as spills occurring since this date.

Date of Government Version: 01/01/02
Database Release Frequency: Varies

Date of Last EDR Contact: 07/31/03
Date of Next Scheduled EDR Contact: 10/27/03

MANIFEST: Facility and Manifest Data

Source: Department of Environmental Conservation
Telephone: 518-402-8651

Manifest is a document that lists and tracks hazardous waste from the generator through transporters to a TSD facility.

Date of Government Version: 06/17/03
Database Release Frequency: Annually

Date of Last EDR Contact: 06/02/03
Date of Next Scheduled EDR Contact: 09/01/03

LOCAL RECORDS

CORTLAND COUNTY:

Cortland County Storage Tank Listing

Source: Cortland County Health Department
Telephone: 607-753-5035

Date of Government Version: 07/07/03
Database Release Frequency: Quarterly

Date of Last EDR Contact: 06/02/03
Date of Next Scheduled EDR Contact: 09/01/03

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

Cortland County Storage Tank Listing

Source: Cortland County Health Department
Telephone: 607-753-5035

Date of Government Version: 07/07/03
Database Release Frequency: Quarterly

Date of Last EDR Contact: 06/02/03
Date of Next Scheduled EDR Contact: 09/01/03

NASSAU COUNTY:

Registered Tank Database

Source: Nassau County Health Department
Telephone: 516-571-3314

Date of Government Version: 05/21/03
Database Release Frequency: No Update Planned

Date of Last EDR Contact: 08/04/03
Date of Next Scheduled EDR Contact: 11/03/03

Registered Tank Database

Source: Nassau County Health Department
Telephone: 516-571-3314

Date of Government Version: 05/21/03
Database Release Frequency: No Update Planned

Date of Last EDR Contact: 08/04/03
Date of Next Scheduled EDR Contact: 11/03/03

Storage Tank Database

Source: Nassau County Office of the Fire Marshal
Telephone: 516-572-1000

Date of Government Version: N/A
Database Release Frequency: Varies

Date of Last EDR Contact: N/A
Date of Next Scheduled EDR Contact: N/A

Storage Tank Database

Source: Nassau County Office of the Fire Marshal
Telephone: 516-572-1000

Date of Government Version: 11/22/02
Database Release Frequency: Varies

Date of Last EDR Contact: 08/07/03
Date of Next Scheduled EDR Contact: 11/10/03

ROCKLAND COUNTY:

Petroleum Bulk Storage Database

Source: Rockland County Health Department
Telephone: 914-364-2605

Date of Government Version: 07/23/03
Database Release Frequency: Quarterly

Date of Last EDR Contact: 07/02/03
Date of Next Scheduled EDR Contact: 10/06/03

Petroleum Bulk Storage Database

Source: Rockland County Health Department
Telephone: 914-364-2605

Date of Government Version: 07/23/03
Database Release Frequency: Quarterly

Date of Last EDR Contact: 07/02/03
Date of Next Scheduled EDR Contact: 10/06/03

SUFFOLK COUNTY:

Storage Tank Database

Source: Suffolk County Department of Health Services
Telephone: 631-854-2521

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

Date of Government Version: 12/31/01
Database Release Frequency: Annually

Date of Last EDR Contact: 06/05/03
Date of Next Scheduled EDR Contact: 09/01/03

Storage Tank Database

Source: Suffolk County Department of Health Services
Telephone: 631-854-2521

Date of Government Version: 12/31/01
Database Release Frequency: Annually

Date of Last EDR Contact: 06/05/03
Date of Next Scheduled EDR Contact: 09/01/03

WESTCHESTER COUNTY:

Listing of Storage Tanks

Source: Westchester County Department of Health
Telephone: 914-813-5161
Listing of underground storage tanks in Westchester County.

Date of Government Version: 01/24/03
Database Release Frequency: Varies

Date of Last EDR Contact: 06/02/03
Date of Next Scheduled EDR Contact: 09/01/03

Listing of Storage Tanks

Source: Westchester County Department of Health
Telephone: 914-813-5161
Listing of aboveground storage tanks in Westchester County.

Date of Government Version: 01/24/03
Database Release Frequency: Varies

Date of Last EDR Contact: 06/02/03
Date of Next Scheduled EDR Contact: 09/01/03

EDR PROPRIETARY HISTORICAL DATABASES

Former Manufactured Gas (Coal Gas) Sites: The existence and location of Coal Gas sites is provided exclusively to EDR by Real Property Scan, Inc. ©Copyright 1993 Real Property Scan, Inc. For a technical description of the types of hazards which may be found at such sites, contact your EDR customer service representative.

Disclaimer Provided by Real Property Scan, Inc.

The information contained in this report has predominantly been obtained from publicly available sources produced by entities other than Real Property Scan. While reasonable steps have been taken to insure the accuracy of this report, Real Property Scan does not guarantee the accuracy of this report. Any liability on the part of Real Property Scan is strictly limited to a refund of the amount paid. No claim is made for the actual existence of toxins at any site. This report does not constitute a legal opinion.

STATE OF NEW YORK BROWNFIELDS DATABASES RECORDS

Brownfields: Brownfields Site List

Source: Department of Environmental Conservation
Telephone: 518-402-9764

Date of Government Version: 06/19/03
Database Release Frequency: Semi-Annually

Date of Last EDR Contact: 06/17/03
Date of Next Scheduled EDR Contact: 09/15/03

VCP: Voluntary Cleanup Agreements

Source: Department of Environmental Conservation
Telephone: 518-402-9711

The voluntary remedial program uses private monies to get contaminated sites remediated to levels allowing for the sites' productive use. The program covers virtually any kind of site and contamination.

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

Date of Government Version: 06/17/03
Database Release Frequency: Semi-Annually

Date of Last EDR Contact: 06/16/03
Date of Next Scheduled EDR Contact: 09/15/03

OTHER DATABASE(S)

Depending on the geographic area covered by this report, the data provided in these specialty databases may or may not be complete. For example, the existence of wetlands information data in a specific report does not mean that all wetlands in the area covered by the report are included. Moreover, the absence of any reported wetlands information does not necessarily mean that wetlands do not exist in the area covered by the report.

Oil/Gas Pipelines: This data was obtained by EDR from the USGS in 1994. It is referred to by USGS as GeoData Digital Line Graphs from 1:100,000-Scale Maps. It was extracted from the transportation category including some oil, but primarily gas pipelines.

Electric Power Transmission Line Data

Source: PennWell Corporation
Telephone: (800) 823-6277

This map includes information copyrighted by PennWell Corporation. This information is provided on a best effort basis and PennWell Corporation does not guarantee its accuracy nor warrant its fitness for any particular purpose. Such information has been reprinted with the permission of PennWell.

Sensitive Receptors: There are individuals deemed sensitive receptors due to their fragile immune systems and special sensitivity to environmental discharges. These sensitive receptors typically include the elderly, the sick, and children. While the location of all sensitive receptors cannot be determined, EDR indicates those buildings and facilities - schools, daycares, hospitals, medical centers, and nursing homes - where individuals who are sensitive receptors are likely to be located.

AHA Hospitals:

Source: American Hospital Association, Inc.
Telephone: 312-280-5991

The database includes a listing of hospitals based on the American Hospital Association's annual survey of hospitals.

Medical Centers: Provider of Services Listing

Source: Centers for Medicare & Medicaid Services
Telephone: 410-786-3000

A listing of hospitals with Medicare provider number, produced by Centers of Medicare & Medicaid Services, a federal agency within the U.S. Department of Health and Human Services.

Nursing Homes

Source: National Institutes of Health
Telephone: 301-594-6248

Information on Medicare and Medicaid certified nursing homes in the United States.

Public Schools

Source: National Center for Education Statistics
Telephone: 202-502-7300

The National Center for Education Statistics' primary database on elementary and secondary public education in the United States. It is a comprehensive, annual, national statistical database of all public elementary and secondary schools and school districts, which contains data that are comparable across all states.

Private Schools

Source: National Center for Education Statistics
Telephone: 202-502-7300

The National Center for Education Statistics' primary database on private school locations in the United States.

Daycare Centers: Day Care Providers

Source: Department of Health
Telephone: 212-676-2444

Flood Zone Data: This data, available in select counties across the country, was obtained by EDR in 1999 from the Federal Emergency Management Agency (FEMA). Data depicts 100-year and 500-year flood zones as defined by FEMA.

NWI: National Wetlands Inventory. This data, available in select counties across the country, was obtained by EDR in 2002 from the U.S. Fish and Wildlife Service.

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

STREET AND ADDRESS INFORMATION

© 2003 Geographic Data Technology, Inc., Rel. 07/2002. This product contains proprietary and confidential property of Geographic Data Technology, Inc. Unauthorized use, including copying for other than testing and standard backup procedures, of this product is expressly prohibited.

GEOCHECK® - PHYSICAL SETTING SOURCE ADDENDUM

TARGET PROPERTY ADDRESS

WALDBAUMS SUPERMARKET
450 MAIN STREET
FARMINGDALE, NY 11735

TARGET PROPERTY COORDINATES

Latitude (North):	40.729599 - 40° 43' 46.6"
Longitude (West):	73.445801 - 73° 26' 44.9"
Universal Transverse Mercator:	Zone 18
UTM X (Meters):	631249.2
UTM Y (Meters):	4509691.0
Elevation:	67 ft. above sea level

EDR's GeoCheck Physical Setting Source Addendum has been developed to assist the environmental professional with the collection of physical setting source information in accordance with ASTM 1527-00, Section 7.2.3. Section 7.2.3 requires that a current USGS 7.5 Minute Topographic Map (or equivalent, such as the USGS Digital Elevation Model) be reviewed. It also requires that one or more additional physical setting sources be sought when (1) conditions have been identified in which hazardous substances or petroleum products are likely to migrate to or from the property, and (2) more information than is provided in the current USGS 7.5 Minute Topographic Map (or equivalent) is generally obtained, pursuant to local good commercial or customary practice, to assess the impact of migration of recognized environmental conditions in connection with the property. Such additional physical setting sources generally include information about the topographic, hydrologic, hydrogeologic, and geologic characteristics of a site, and wells in the area.

Assessment of the impact of contaminant migration generally has two principle investigative components:

1. Groundwater flow direction, and
2. Groundwater flow velocity.

Groundwater flow direction may be impacted by surface topography, hydrology, hydrogeology, characteristics of the soil, and nearby wells. Groundwater flow velocity is generally impacted by the nature of the geologic strata. EDR's GeoCheck Physical Setting Source Addendum is provided to assist the environmental professional in forming an opinion about the impact of potential contaminant migration.

GEOCHECK[®] - PHYSICAL SETTING SOURCE SUMMARY

GROUNDWATER FLOW DIRECTION INFORMATION

Groundwater flow direction for a particular site is best determined by a qualified environmental professional using site-specific well data. If such data is not reasonably ascertainable, it may be necessary to rely on other sources of information, such as surface topographic information, hydrologic information, hydrogeologic data collected on nearby properties, and regional groundwater flow information (from deep aquifers).


TOPOGRAPHIC INFORMATION

Surface topography may be indicative of the direction of surficial groundwater flow. This information can be used to assist the environmental professional in forming an opinion about the impact of nearby contaminated properties or, should contamination exist on the target property, what downgradient sites might be impacted.

TARGET PROPERTY TOPOGRAPHY

USGS Topographic Map: 2440073-F4 AMITYVILLE, NY
 General Topographic Gradient: General SSW
 Source: USGS 7.5 min quad index

SURROUNDING TOPOGRAPHY: ELEVATION PROFILES



Source: Topography has been determined from the USGS 7.5' Digital Elevation Model and should be evaluated on a relative (not an absolute) basis. Relative elevation information between sites of close proximity should be field verified.

GEOCHECK® - PHYSICAL SETTING SOURCE SUMMARY

HYDROLOGIC INFORMATION

Surface water can act as a hydrologic barrier to groundwater flow. Such hydrologic information can be used to assist the environmental professional in forming an opinion about the impact of nearby contaminated properties or, should contamination exist on the target property, what downgradient sites might be impacted.

Refer to the Physical Setting Source Map following this summary for hydrologic information (major waterways and bodies of water).

FEMA FLOOD ZONE

<u>Target Property County</u> NASSAU, NY	<u>FEMA Flood Electronic Data</u> YES - refer to the Overview Map and Detail Map
Flood Plain Panel at Target Property:	36059C0252F
Additional Panels in search area:	36103C0835G 36103C0830G 36059C0256F 36059C0254F 36059C0258F

NATIONAL WETLAND INVENTORY

<u>NWI Quad at Target Property</u> AMITYVILLE	<u>NWI Electronic Data Coverage</u> YES - refer to the Overview Map and Detail Map
--	---

HYDROGEOLOGIC INFORMATION

Hydrogeologic information obtained by installation of wells on a specific site can often be an indicator of groundwater flow direction in the immediate area. Such hydrogeologic information can be used to assist the environmental professional in forming an opinion about the impact of nearby contaminated properties or, should contamination exist on the target property, what downgradient sites might be impacted.

Site-Specific Hydrogeological Data:*

Search Radius:	1.25 miles
Location Relative to TP:	1/2 - 1 Mile NNE
Site Name:	Polycom Huntsman Inc.
Site EPA ID Number:	NYD047663505
Groundwater Flow Direction:	South
Measured Depth to Water:	less than 2 feet below the bottom of the on-site recharge basin.
Hydraulic Connection:	The surficial glacial sand and gravel aquifer is hydraulically connected to the underlying Magothy aquifer although these aquifers are sometimes separated by the Gardiner Clay.
Sole Source Aquifer:	A sole source aquifer is present at or near the site
Data Quality:	Information is inferred in the CERCLIS investigation report(s)

AQUIFLOW®

Search Radius: 1.000 Mile.

EDR has developed the AQUIFLOW Information System to provide data on the general direction of groundwater flow at specific points. EDR has reviewed reports submitted by environmental professionals to regulatory authorities at select sites and has extracted the date of the report, groundwater flow direction as determined hydrogeologically, and the depth to water table.

<u>MAP ID</u>	<u>LOCATION FROM TP</u>	<u>GENERAL DIRECTION GROUNDWATER FLOW</u>
Not Reported		

* ©1996 Site-specific hydrogeological data gathered by CERCLIS Alerts, Inc., Barnbridge Island, WA. All rights reserved. All of the information and opinions presented are those of the cited EPA report(s), which were completed under a Comprehensive Environmental Response Compensation and Liability Information System (CERCLIS) investigation.

GEOCHECK[®] - PHYSICAL SETTING SOURCE SUMMARY

GROUNDWATER FLOW VELOCITY INFORMATION

Groundwater flow velocity information for a particular site is best determined by a qualified environmental professional using site specific geologic and soil strata data. If such data are not reasonably ascertainable, it may be necessary to rely on other sources of information, including geologic age identification, rock stratigraphic unit and soil characteristics data collected on nearby properties and regional soil information. In general, contaminant plumes move more quickly through sandy-gravelly types of soils than silty-clayey types of soils.

GEOLOGIC INFORMATION IN GENERAL AREA OF TARGET PROPERTY

Geologic information can be used by the environmental professional in forming an opinion about the relative speed at which contaminant migration may be occurring.

ROCK STRATIGRAPHIC UNIT

Era: Cenozoic
 System: Quaternary
 Series: Pleistocene
 Code: Qp (decoded above as Era, System & Series)

GEOLOGIC AGE IDENTIFICATION

Category: Stratified Sequence

Geologic Age and Rock Stratigraphic Unit Source: P.G. Schruben, R.E. Arndt and W.J. Bawiec, Geology of the Conterminous U.S. at 1:2,500,000 Scale - a digital representation of the 1974 P.B. King and H.M. Beikman Map, USGS Digital Data Series DDS - 11 (1994).

DOMINANT SOIL COMPOSITION IN GENERAL AREA OF TARGET PROPERTY

The U.S. Department of Agriculture's (USDA) Soil Conservation Service (SCS) leads the National Cooperative Soil Survey (NCSS) and is responsible for collecting, storing, maintaining and distributing soil survey information for privately owned lands in the United States. A soil map in a soil survey is a representation of soil patterns in a landscape. Soil maps for STATSGO are compiled by generalizing more detailed (SSURGO) soil survey maps. The following information is based on Soil Conservation Service STATSGO data.

Soil Component Name: URBAN LAND

Soil Surface Texture: variable

Hydrologic Group: Not reported

Soil Drainage Class: Not reported

Hydric Status: Soil does not meet the requirements for a hydric soil.

Corrosion Potential - Uncoated Steel: Not Reported

Depth to Bedrock Min: > 10 inches

Depth to Bedrock Max: > 10 inches

Soil Layer Information							
Layer	Boundary		Soil Texture Class	Classification		Permeability Rate (in/hr)	Soil Reaction (pH)
	Upper	Lower		AASHTO Group	Unified Soil		
1	0 inches	6 inches	variable	Not reported	Not reported	Max: 0.00 Min: 0.00	Max: 0.00 Min: 0.00

GEOCHECK® - PHYSICAL SETTING SOURCE SUMMARY

OTHER SOIL TYPES IN AREA

Based on Soil Conservation Service STATSGO data, the following additional subordinant soil types may appear within the general area of target property.

Soil Surface Textures: fine sandy loam
loam
loamy sand
silt loam
sand

Surficial Soil Types: fine sandy loam
loam
loamy sand
silt loam
sand

Shallow Soil Types: silt loam

Deeper Soil Types: sandy loam
gravelly - coarse sand
coarse sand

ADDITIONAL ENVIRONMENTAL RECORD SOURCES

According to ASTM E 1527-00, Section 7.2.2, "one or more additional state or local sources of environmental records may be checked, in the discretion of the environmental professional, to enhance and supplement federal and state sources... Factors to consider in determining which local or additional state records, if any, should be checked include (1) whether they are reasonably ascertainable, (2) whether they are sufficiently useful, accurate, and complete in light of the objective of the records review (see 7.1.1), and (3) whether they are obtained, pursuant to local, good commercial or customary practice." One of the record sources listed in Section 7.2.2 is water well information. Water well information can be used to assist the environmental professional in assessing sources that may impact groundwater flow direction, and in forming an opinion about the impact of contaminant migration on nearby drinking water wells.

WELL SEARCH DISTANCE INFORMATION

<u>DATABASE</u>	<u>SEARCH DISTANCE (miles)</u>
Federal USGS	1.000
Federal FRDS PWS	Nearest PWS within 1 mile
State Database	1.000

FEDERAL USGS WELL INFORMATION

<u>MAP ID</u>	<u>WELL ID</u>	<u>LOCATION FROM TP</u>
1	USGS0768962	0 - 1/8 Mile North
A2	USGS0769084	1/8 - 1/4 Mile North
A3	USGS0769085	1/8 - 1/4 Mile North
B5	USGS0768701	1/8 - 1/4 Mile South

GEOCHECK® - PHYSICAL SETTING SOURCE SUMMARY

FEDERAL USGS WELL INFORMATION

MAP ID	WELL ID	LOCATION FROM TP
B6	USGS0768801	1/8 - 1/4 Mile South
7	USGS0768754	1/8 - 1/4 Mile SW
C8	USGS0768809	1/4 - 1/2 Mile WSW
D9	USGS0768702	1/4 - 1/2 Mile SSW
D10	USGS0768703	1/4 - 1/2 Mile SSW
C11	USGS0768755	1/4 - 1/2 Mile WSW
C12	USGS0768808	1/4 - 1/2 Mile WSW
C13	USGS0768807	1/4 - 1/2 Mile WSW
D14	USGS0768694	1/4 - 1/2 Mile SSW
D15	USGS0768719	1/4 - 1/2 Mile SSW
D16	USGS0768718	1/4 - 1/2 Mile SSW
D17	USGS0768720	1/4 - 1/2 Mile SSW
E18	USGS0768614	1/4 - 1/2 Mile SSW
E19	USGS0768615	1/4 - 1/2 Mile SSW
E20	USGS0768623	1/4 - 1/2 Mile SSW
21	USGS0769017	1/2 - 1 Mile WNW
22	USGS0768583	1/2 - 1 Mile SSW
F23	USGS0769252	1/2 - 1 Mile NW
F24	USGS0769253	1/2 - 1 Mile NW
G25	USGS0768934	1/2 - 1 Mile NW
G26	USGS0768880	1/2 - 1 Mile East
G27	USGS0768935	1/2 - 1 Mile East
28	USGS0769377	1/2 - 1 Mile NNW
H29	USGS0769251	1/2 - 1 Mile NE
H30	USGS0769199	1/2 - 1 Mile NE
H31	USGS0769200	1/2 - 1 Mile NE
H32	USGS0769198	1/2 - 1 Mile NE
H33	USGS0769216	1/2 - 1 Mile NE
H34	USGS0769195	1/2 - 1 Mile NE
H35	USGS0769197	1/2 - 1 Mile NE
H36	USGS0769196	1/2 - 1 Mile NE
H37	USGS0769194	1/2 - 1 Mile NE
38	USGS0768862	1/2 - 1 Mile NE
H39	USGS0769215	1/2 - 1 Mile West
I40	USGS0768477	1/2 - 1 Mile NE
I41	USGS0768537	1/2 - 1 Mile SSW
42	USGS0769415	1/2 - 1 Mile SSW
43	USGS0768654	1/2 - 1 Mile SSW
J44	USGS0768548	1/2 - 1 Mile SW
J45	USGS0768549	1/2 - 1 Mile SW
K46	USGS0769424	1/2 - 1 Mile NNE
K47	USGS0769425	1/2 - 1 Mile NNE
48	USGS0768508	1/2 - 1 Mile SSW
49	USGS0768569	1/2 - 1 Mile SSW
50	USGS0768521	1/2 - 1 Mile SW
L51	USGS0771663	1/2 - 1 Mile SSW
52	USGS0789016	1/2 - 1 Mile SE
53	USGS0768495	1/2 - 1 Mile ENE
L54	USGS0768476	1/2 - 1 Mile SSW
M55	USGS0769470	1/2 - 1 Mile SE
M56	USGS0769461	1/2 - 1 Mile NNE
M57	USGS0769471	1/2 - 1 Mile NNE

GEOCHECK® - PHYSICAL SETTING SOURCE SUMMARY

FEDERAL USGS WELL INFORMATION

<u>MAP ID</u>	<u>WELL ID</u>	<u>LOCATION FROM TP</u>
M58	USGS0769460	1/2 - 1 Mile NNE

FEDERAL FRDS PUBLIC WATER SUPPLY SYSTEM INFORMATION


<u>MAP ID</u>	<u>WELL ID</u>	<u>LOCATION FROM TP</u>
A4	NY0008394	1/8 - 1/4 Mile North

Note: PWS System location is not always the same as well location.

STATE DATABASE WELL INFORMATION

<u>MAP ID</u>	<u>WELL ID</u>	<u>LOCATION FROM TP</u>
No Wells Found		

PHYSICAL SETTING SOURCE MAP - 01044801.1r



- County Boundary
- Major Roads
- Contour Lines
- Airports
- Earthquake epicenter, Richter 5 or greater
- Water Wells
- Public Water Supply Wells
- Cluster of Multiple Icons

- Groundwater Flow Direction
- Indeterminate Groundwater Flow at Location
- Groundwater Flow Varies at Location
- Closest Hydrogeological Data

TARGET PROPERTY: Waldbaums Supermarket
ADDRESS: 450 Main Street
CITY/STATE/ZIP: Farmingdale NY 11735
LAT/LONG: 40.7296 / 73.4458

CUSTOMER: Whitestone Associates, Inc.
CONTACT: Vicki Perkins
INQUIRY #: 01044801.1r
DATE: September 11, 2003 8:08 am

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID
 Direction
 Distance
 Elevation

Database EDR ID Number

1
North
0 - 1/8 Mile
Higher

FED USGS USGS0768962

Agency:	USGS	Site ID:	404351073264701
Site Name:	N 7124. 1		
Dec. Latitude:	40.73093		
Dec. Longitude:	-73.44596		
Coord Sys:	NAD83		
State:	NY		
County:	Nassau County		
Altitude:	70.		
Hydrologic code:	Not Reported		
Topographic:	Not Reported		
Site Type:	Ground-water other than Spring		
Const Date:	Not Reported	Inven Date:	Not Reported
Well Type:	Single well, other than collector or Ranney type		
Primary Aquifer:	Not Reported		
Aquifer type:	Not Reported		
Well depth:	155.		
Hole depth:	Not Reported	Source:	Not Reported
Project no:	Not Reported		

A2
North
1/8 - 1/4 Mile
Higher

FED USGS USGS0769084

Agency:	USGS	Site ID:	404356073264601
Site Name:	N 9106. 1		
Dec. Latitude:	40.73232		
Dec. Longitude:	-73.44568		
Coord Sys:	NAD83		
State:	NY		
County:	Nassau County		
Altitude:	73.0		
Hydrologic code:	02030202		
Topographic:	Not Reported		
Site Type:	Ground-water other than Spring		
Const Date:	19760527	Inven Date:	Not Reported
Well Type:	Single well, other than collector or Ranney type		
Primary Aquifer:	112GLCLU		
Aquifer type:	Not Reported		
Well depth:	60.		
Hole depth:	60.	Source:	Not Reported
Project no:	Not Reported		

A3
North
1/8 - 1/4 Mile
Higher

FED USGS USGS0769085

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Agency:	USGS	Site ID:	404356073264602
Site Name:	N 4040. 1		
Dec. Latitude:	40.73232		
Dec. Longitude:	-73.44568		
Coord Sys:	NAD83		
State:	NY		
County:	Nassau County		
Altitude:	Not Reported		
Hydrologic code:	02030202		
Topographic:	Not Reported		
Site Type:	Ground-water other than Spring		
Const Date:	Not Reported	Inven Date:	Not Reported
Well Type:	Single well, other than collector or Ranney type		
Primary Aquifer:	Not Reported		
Aquifer type:	Not Reported		
Well depth:	Not Reported		
Hole depth:	Not Reported	Source:	Not Reported
Project no:	Not Reported		

A4
North
1/8 - 1/4 Mile
Higher

FRDS PWS NY0008394

PWS ID:	NY0008394	PWS Status:	Active
Date Initiated:	Not Reported	Date Deactivated:	Not Reported
PWS Name:	CRYSTAL GROVE CAMPGROUND RD #1 161 COUNTY HIGHWAY 114 ST. JOHNSVILLE, NY 13452		
Addressee / Facility:	System Owner/Responsible Party WEEKES, JR. JAMES D C/O MR. JAMES WEEKES JR. RD #1 161 COUNTY HIGHWAY 114 ST. JOHNSVILLE, NY 13452		
Facility Latitude:	Not Reported	Facility Longitude:	Not Reported
City Served:	OPPENHEIM (T)	Population:	Not Reported
Treatment Class:	Not Reported		
PWS currently has or had major violation(s) or enforcement:		No	

B5
South
1/8 - 1/4 Mile
Lower

FED USGS USGS0768701

Agency:	USGS	Site ID:	404330073264001
Site Name:	N 1840. 2		
Dec. Latitude:	40.72649		
Dec. Longitude:	-73.44623		
Coord Sys:	NAD83		
State:	NY		
County:	Nassau County		
Altitude:	64.0		
Hydrologic code:	02030202		
Topographic:	Not Reported		
Site Type:	Ground-water other than Spring		
Const Date:	Not Reported	Inven Date:	Not Reported
Well Type:	Single well, other than collector or Ranney type		
Primary Aquifer:	112GLCLU		
Aquifer type:	Not Reported		
Well depth:	89.		
Hole depth:	159.	Source:	Not Reported
Project no:	Not Reported		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID		
Direction		
Distance		
Elevation	Database	EDR ID Number

B6		
South	FED USGS	USGS0768801
1/8 - 1/4 Mile		
Lower		

Agency:	USGS	Site ID:	404335073264803
Site Name:	N 1840. 1		
Dec. Latitude:	40.72649		
Dec. Longitude:	-73.44623		
Coord Sys:	NAD83		
State:	NY		
County:	Nassau County		
Altitude:	64.0		
Hydrologic code:	02030202		
Topographic:	Not Reported		
Site Type:	Ground-water other than Spring		
Const Date:	Not Reported	Inven Date:	Not Reported
Well Type:	Single well, other than collector or Ranney type		
Primary Aquifer:	Not Reported		
Aquifer type:	Not Reported		
Well depth:	159.		
Hole depth:	Not Reported	Source:	Not Reported
Project no:	Not Reported		

7		
SW	FED USGS	USGS0768754
1/8 - 1/4 Mile		
Higher		

Agency:	USGS	Site ID:	404338073270001
Site Name:	N 4010. 1		
Dec. Latitude:	40.72704		
Dec. Longitude:	-73.44873		
Coord Sys:	NAD83		
State:	NY		
County:	Nassau County		
Altitude:	64.0		
Hydrologic code:	02030202		
Topographic:	Not Reported		
Site Type:	Ground-water other than Spring		
Const Date:	Not Reported	Inven Date:	Not Reported
Well Type:	Single well, other than collector or Ranney type		
Primary Aquifer:	211MGTY		
Aquifer type:	Not Reported		
Well depth:	268.		
Hole depth:	Not Reported	Source:	Not Reported
Project no:	Not Reported		

C8		
WSW	FED USGS	USGS0768809
1/4 - 1/2 Mile		
Higher		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Agency:	USGS	Site ID:	404337073271102
Site Name:	N 7516. 1		
Dec. Latitude:	40.72704		
Dec. Longitude:	-73.45096		
Coord Sys:	NAD83		
State:	NY		
County:	Nassau County		
Altitude:	63.0		
Hydrologic code:	02030202		
Topographic:	Not Reported		
Site Type:	Ground-water other than Spring		
Const Date:	19640221	Inven Date:	Not Reported
Well Type:	Single well, other than collector or Ranney type		
Primary Aquifer:	211MGTY		
Aquifer type:	Not Reported		
Well depth:	589.		
Hole depth:	589.	Source:	Not Reported
Project no:	Not Reported		

D9
SSW
 1/4 - 1/2 Mile
 Lower

FED USGS USGS0768702

Agency:	USGS	Site ID:	404330073265403
Site Name:	N 1678. 1		
Dec. Latitude:	40.7251		
Dec. Longitude:	-73.4479		
Coord Sys:	NAD83		
State:	NY		
County:	Nassau County		
Altitude:	61.0		
Hydrologic code:	02030202		
Topographic:	Not Reported		
Site Type:	Ground-water other than Spring		
Const Date:	Not Reported	Inven Date:	Not Reported
Well Type:	Single well, other than collector or Ranney type		
Primary Aquifer:	112GLCLU		
Aquifer type:	Not Reported		
Well depth:	146.		
Hole depth:	Not Reported	Source:	Not Reported
Project no:	Not Reported		

D10
SSW
 1/4 - 1/2 Mile
 Lower

FED USGS USGS0768703

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Agency:	USGS	Site ID:	404330073265501
Site Name:	N 1965. 1		
Dec. Latitude:	40.7251		
Dec. Longitude:	-73.4479		
Coord Sys:	NAD83		
State:	NY		
County:	Nassau County		
Altitude:	61.0		
Hydrologic code:	02030201		
Topographic:	Not Reported		
Site Type:	Ground-water other than Spring		
Const Date:	Not Reported	Inven Date:	Not Reported
Well Type:	Single well, other than collector or Ranney type		
Primary Aquifer:	211MGTY		
Aquifer type:	Not Reported		
Well depth:	177.		
Hole depth:	Not Reported	Source:	Not Reported
Project no:	Not Reported		

C11
WSW
1/4 - 1/2 Mile
Higher

FED USGS USGS0768755

Agency:	USGS	Site ID:	404338073270701
Site Name:	N 7504. 1		
Dec. Latitude:	40.72732		
Dec. Longitude:	-73.45151		
Coord Sys:	NAD83		
State:	NY		
County:	Nassau County		
Altitude:	Not Reported		
Hydrologic code:	02030202		
Topographic:	Not Reported		
Site Type:	Ground-water other than Spring		
Const Date:	Not Reported	Inven Date:	Not Reported
Well Type:	Single well, other than collector or Ranney type		
Primary Aquifer:	Not Reported		
Aquifer type:	Not Reported		
Well depth:	Not Reported		
Hole depth:	Not Reported	Source:	Not Reported
Project no:	Not Reported		

C12
WSW
1/4 - 1/2 Mile
Higher

FED USGS USGS0768808

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Agency:	USGS	Site ID:	404337073271101
Site Name:	N 7515. 1		
Dec. Latitude:	40.72704		
Dec. Longitude:	-73.45151		
Coord Sys:	NAD83		
State:	NY		
County:	Nassau County		
Altitude:	63.0		
Hydrologic code:	02030202		
Topographic:	Not Reported		
Site Type:	Ground-water other than Spring		
Const Date:	Not Reported	Inven Date:	Not Reported
Well Type:	Single well, other than collector or Ranney type		
Primary Aquifer:	211MGTY		
Aquifer type:	Not Reported		
Well depth:	352.		
Hole depth:	Not Reported	Source:	Not Reported
Project no:	Not Reported		

**C13
WSW
1/4 - 1/2 Mile
Higher**

FED USGS USGS0768807

Agency:	USGS	Site ID:	404337073270703
Site Name:	N 7503. 1		
Dec. Latitude:	40.72704		
Dec. Longitude:	-73.45151		
Coord Sys:	NAD83		
State:	NY		
County:	Nassau County		
Altitude:	63.0		
Hydrologic code:	02030202		
Topographic:	Not Reported		
Site Type:	Ground-water other than Spring		
Const Date:	Not Reported	Inven Date:	Not Reported
Well Type:	Single well, other than collector or Ranney type		
Primary Aquifer:	Not Reported		
Aquifer type:	Not Reported		
Well depth:	665.		
Hole depth:	Not Reported	Source:	Not Reported
Project no:	Not Reported		

**D14
SSW
1/4 - 1/2 Mile
Lower**

FED USGS USGS0768694

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Agency:	USGS	Site ID:	404328073270101
Site Name:	N 8193. 1		
Dec. Latitude:	40.72482		
Dec. Longitude:	-73.44846		
Coord Sys:	NAD83		
State:	NY		
County:	Nassau County		
Altitude:	62.0		
Hydrologic code:	02030202		
Topographic:	Not Reported		
Site Type:	Ground-water other than Spring		
Const Date:	Not Reported	Inven Date:	Not Reported
Well Type:	Single well, other than collector or Ranney type		
Primary Aquifer:	112GLCLU		
Aquifer type:	Not Reported		
Well depth:	63.		
Hole depth:	Not Reported	Source:	Not Reported
Project no:	Not Reported		

**D15
SSW
1/4 - 1/2 Mile
Lower**

FED USGS USGS0768719

Agency:	USGS	Site ID:	404329073265702
Site Name:	N 7544. 1		
Dec. Latitude:	40.72482		
Dec. Longitude:	-73.44873		
Coord Sys:	NAD83		
State:	NY		
County:	Nassau County		
Altitude:	63.0		
Hydrologic code:	02030202		
Topographic:	Not Reported		
Site Type:	Ground-water other than Spring		
Const Date:	Not Reported	Inven Date:	Not Reported
Well Type:	Single well, other than collector or Ranney type		
Primary Aquifer:	Not Reported		
Aquifer type:	Not Reported		
Well depth:	96.		
Hole depth:	Not Reported	Source:	Not Reported
Project no:	Not Reported		

**D16
SSW
1/4 - 1/2 Mile
Lower**

FED USGS USGS0768718

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Agency:	USGS	Site ID:	404329073265701
Site Name:	N 8498. 1		
Dec. Latitude:	40.72482		
Dec. Longitude:	-73.44873		
Coord Sys:	NAD83		
State:	NY		
County:	Nassau County		
Altitude:	63.0		
Hydrologic code:	02030202		
Topographic:	Not Reported		
Site Type:	Ground-water other than Spring		
Const Date:	Not Reported	Inven Date:	Not Reported
Well Type:	Single well, other than collector or Ranney type		
Primary Aquifer:	112GLCLU		
Aquifer type:	Not Reported		
Well depth:	69.		
Hole depth:	Not Reported	Source:	Not Reported
Project no:	Not Reported		

D17
SSW
 1/4 - 1/2 Mile
 Lower

FED USGS USGS0768720

Agency:	USGS	Site ID:	404329073265703
Site Name:	N 7544. 2		
Dec. Latitude:	40.72482		
Dec. Longitude:	-73.44873		
Coord Sys:	NAD83		
State:	NY		
County:	Nassau County		
Altitude:	63.0		
Hydrologic code:	02030202		
Topographic:	Not Reported		
Site Type:	Ground-water other than Spring		
Const Date:	Not Reported	Inven Date:	Not Reported
Well Type:	Single well, other than collector or Ranney type		
Primary Aquifer:	Not Reported		
Aquifer type:	Not Reported		
Well depth:	63.		
Hole depth:	Not Reported	Source:	Not Reported
Project no:	Not Reported		

E18
SSW
 1/4 - 1/2 Mile
 Lower

FED USGS USGS0768614

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Agency:	USGS	Site ID:	404326073265702
Site Name:	N 7543. 1		
Dec. Latitude:	40.72399		
Dec. Longitude:	-73.44873		
Coord Sys:	NAD83		
State:	NY		
County:	Nassau County		
Altitude:	63.0		
Hydrologic code:	02030202		
Topographic:	Not Reported		
Site Type:	Ground-water other than Spring		
Const Date:	Not Reported	Inven Date:	Not Reported
Well Type:	Single well, other than collector or Ranney type		
Primary Aquifer:	Not Reported		
Aquifer type:	Not Reported		
Well depth:	142.		
Hole depth:	Not Reported	Source:	Not Reported
Project no:	Not Reported		

E19
SSW
 1/4 - 1/2 Mile
 Lower

FED USGS USGS0768615

Agency:	USGS	Site ID:	404326073265703
Site Name:	N 7543. 2		
Dec. Latitude:	40.72399		
Dec. Longitude:	-73.44873		
Coord Sys:	NAD83		
State:	NY		
County:	Nassau County		
Altitude:	63.0		
Hydrologic code:	02030202		
Topographic:	Not Reported		
Site Type:	Ground-water other than Spring		
Const Date:	Not Reported	Inven Date:	Not Reported
Well Type:	Single well, other than collector or Ranney type		
Primary Aquifer:	211MGTY		
Aquifer type:	Not Reported		
Well depth:	128.		
Hole depth:	Not Reported	Source:	Not Reported
Project no:	Not Reported		

E20
SSW
 1/4 - 1/2 Mile
 Lower

FED USGS USGS0768623

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Agency:	USGS	Site ID:	404327073265701
Site Name:	N 8035 1		
Dec. Latitude:	40.72399		
Dec. Longitude:	-73.44873		
Coord Sys:	NAD83		
State:	NY		
County:	Nassau County		
Altitude:	62.0		
Hydrologic code:	02030202		
Topographic:	Not Reported		
Site Type:	Ground-water other than Spring		
Const Date:	Not Reported	Inven Date:	Not Reported
Well Type:	Single well, other than collector or Ranney type		
Primary Aquifer:	112GLCLU		
Aquifer type:	Not Reported		
Well depth:	71.		
Hole depth:	Not Reported	Source:	Not Reported
Project no:	Not Reported		

21
WNW
1/2 - 1 Mile
Higher

FED USGS USGS0769017

Agency:	USGS	Site ID:	404355073272001
Site Name:	N 9029 1		
Dec. Latitude:	40.73204		
Dec. Longitude:	-73.45512		
Coord Sys:	NAD83		
State:	NY		
County:	Nassau County		
Altitude:	70.0		
Hydrologic code:	02030202		
Topographic:	Not Reported		
Site Type:	Ground-water other than Spring		
Const Date:	Not Reported	Inven Date:	Not Reported
Well Type:	Single well, other than collector or Ranney type		
Primary Aquifer:	112GLCLU		
Aquifer type:	Not Reported		
Well depth:	69.		
Hole depth:	Not Reported	Source:	Not Reported
Project no:	Not Reported		

22
SSW
1/2 - 1 Mile
Lower

FED USGS USGS0768583

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Agency:	USGS	Site ID:	404318073265501
Site Name:	N 6636. 1		
Dec. Latitude:	40.72177		
Dec. Longitude:	-73.44818		
Coord Sys:	NAD83		
State:	NY		
County:	Nassau County		
Altitude:	58.0		
Hydrologic code:	02030202		
Topographic:	Not Reported		
Site Type:	Ground-water other than Spring		
Const Date:	Not Reported	Inven Date:	Not Reported
Well Type:	Single well, other than collector or Ranney type		
Primary Aquifer:	Not Reported		
Aquifer type:	Not Reported		
Well depth:	200.		
Hole depth:	Not Reported	Source:	Not Reported
Project no:	Not Reported		

**F23
NW
1/2 - 1 Mile
Higher**

FED USGS USGS0769252

Agency:	USGS	Site ID:	404409073271101
Site Name:	N 1937. 1		
Dec. Latitude:	40.73593		
Dec. Longitude:	-73.45262		
Coord Sys:	NAD83		
State:	NY		
County:	Nassau County		
Altitude:	106.0		
Hydrologic code:	02030202		
Topographic:	Not Reported		
Site Type:	Ground-water other than Spring		
Const Date:	Not Reported	Inven Date:	Not Reported
Well Type:	Single well, other than collector or Ranney type		
Primary Aquifer:	211MGTY		
Aquifer type:	Not Reported		
Well depth:	150.		
Hole depth:	Not Reported	Source:	Not Reported
Project no:	Not Reported		

**F24
NW
1/2 - 1 Mile
Higher**

FED USGS USGS0769253

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Agency:	USGS	Site ID:	404409073271301
Site Name:	N 6644. 1		
Dec. Latitude:	40.73566		
Dec. Longitude:	-73.45318		
Coord Sys:	NAD83		
State:	NY		
County:	Nassau County		
Altitude:	101.0		
Hydrologic code:	02030202		
Topographic:	Not Reported		
Site Type:	Ground-water other than Spring		
Const Date:	19590701	Inven Date:	Not Reported
Well Type:	Single well, other than collector or Ranney type		
Primary Aquifer:	211MGTY		
Aquifer type:	Not Reported		
Well depth:	227.		
Hole depth:	238.	Source:	Not Reported
Project no:	Not Reported		

G25
East
1/2 - 1 Mile
Higher

FED USGS USGS0768934

Agency:	USGS	Site ID:	404347073260701
Site Name:	N 1249. 1		
Dec. Latitude:	40.72982		
Dec. Longitude:	-73.43484		
Coord Sys:	NAD83		
State:	NY		
County:	Nassau County		
Altitude:	68.0		
Hydrologic code:	02030202		
Topographic:	Not Reported		
Site Type:	Ground-water other than Spring		
Const Date:	19380329	Inven Date:	Not Reported
Well Type:	Single well, other than collector or Ranney type		
Primary Aquifer:	112GLCLU		
Aquifer type:	Not Reported		
Well depth:	34.		
Hole depth:	34.	Source:	Not Reported
Project no:	Not Reported		

G26
East
1/2 - 1 Mile
Higher

FED USGS USGS0768880

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Agency:	USGS	Site ID:	404348073260801
Site Name:	N 9923 1		
Dec. Latitude:	40.72982		
Dec. Longitude:	-73.43484		
Coord Sys:	NAD83		
State:	NY		
County:	Nassau County		
Altitude:	68.0		
Hydrologic code:	02030202		
Topographic:	Not Reported		
Site Type:	Ground-water other than Spring		
Const Date:	19811110	Inven Date:	Not Reported
Well Type:	Single well, other than collector or Ranney type		
Primary Aquifer:	112GLCLU		
Aquifer type:	Not Reported		
Well depth:	43.		
Hole depth:	47.	Source:	Not Reported
Project no:	Not Reported		

**G27
East
1/2 - 1 Mile
Higher**

FED USGS USGS0768935

Agency:	USGS	Site ID:	404347073260702
Site Name:	N 9662 1		
Dec. Latitude:	40.72982		
Dec. Longitude:	-73.43484		
Coord Sys:	NAD83		
State:	NY		
County:	Nassau County		
Altitude:	68.8		
Hydrologic code:	02030202		
Topographic:	Not Reported		
Site Type:	Ground-water other than Spring		
Const Date:	19790124	Inven Date:	Not Reported
Well Type:	Single well, other than collector or Ranney type		
Primary Aquifer:	112GLCLU		
Aquifer type:	Not Reported		
Well depth:	57.		
Hole depth:	57.	Source:	Not Reported
Project no:	Not Reported		

**28
NNW
1/2 - 1 Mile
Higher**

FED USGS USGS0769377

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Agency:	USGS	Site ID:	404414073270201
Site Name:	N 187. 1		
Dec. Latitude:	40.73732		
Dec. Longitude:	-73.45012		
Coord Sys:	NAD83		
State:	NY		
County:	Nassau County		
Altitude:	Not Reported		
Hydrologic code:	02030202		
Topographic:	Not Reported		
Site Type:	Ground-water other than Spring		
Const Date:	193510	Inven Date:	Not Reported
Well Type:	Single well, other than collector or Ranney type		
Primary Aquifer:	Not Reported		
Aquifer type:	Not Reported		
Well depth:	94.		
Hole depth:	94.	Source:	Not Reported
Project no:	Not Reported		

H29
NE
1/2 - 1 Mile
Higher

FED USGS USGS0769251

Agency:	USGS	Site ID:	404409073261601
Site Name:	N 9174. 1		
Dec. Latitude:	40.73593		
Dec. Longitude:	-73.43734		
Coord Sys:	NAD83		
State:	NY		
County:	Nassau County		
Altitude:	77.0		
Hydrologic code:	02030202		
Topographic:	Not Reported		
Site Type:	Ground-water other than Spring		
Const Date:	Not Reported	Inven Date:	Not Reported
Well Type:	Single well, other than collector or Ranney type		
Primary Aquifer:	112GLCLU		
Aquifer type:	Not Reported		
Well depth:	40.		
Hole depth:	Not Reported	Source:	Not Reported
Project no:	Not Reported		

H30
NE
1/2 - 1 Mile
Higher

FED USGS USGS0769199

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Agency:	USGS	Site ID:	404410073261612
Site Name:	N 7852. 1		
Dec. Latitude:	40.73621		
Dec. Longitude:	-73.43734		
Coord Sys:	NAD83		
State:	NY		
County:	Nassau County		
Altitude:	77.0		
Hydrologic code:	02030202		
Topographic:	Not Reported		
Site Type:	Ground-water other than Spring		
Const Date:	196604	Inven Date:	Not Reported
Well Type:	Single well, other than collector or Ranney type		
Primary Aquifer:	211MGTY		
Aquifer type:	Not Reported		
Well depth:	457.		
Hole depth:	615.	Source:	Not Reported
Project no:	Not Reported		

**H31
NE
1/2 - 1 Mile
Higher**

FED USGS USGS0769200

Agency:	USGS	Site ID:	404410073261613
Site Name:	N 9175. 1		
Dec. Latitude:	40.73621		
Dec. Longitude:	-73.43734		
Coord Sys:	NAD83		
State:	NY		
County:	Nassau County		
Altitude:	77.0		
Hydrologic code:	02030202		
Topographic:	Not Reported		
Site Type:	Ground-water other than Spring		
Const Date:	Not Reported	Inven Date:	Not Reported
Well Type:	Single well, other than collector or Ranney type		
Primary Aquifer:	112GLCLU		
Aquifer type:	Not Reported		
Well depth:	49.		
Hole depth:	Not Reported	Source:	Not Reported
Project no:	Not Reported		

**H32
NE
1/2 - 1 Mile
Higher**

FED USGS USGS0769198

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Agency:	USGS	Site ID:	404410073261611
Site Name:	N 705. 1		
Dec. Latitude:	40.73621		
Dec. Longitude:	-73.43734		
Coord Sys:	NAD83		
State:	NY		
County:	Nassau County		
Altitude:	77.0		
Hydrologic code:	02030202		
Topographic:	Not Reported		
Site Type:	Ground-water other than Spring		
Const Date:	Not Reported	Inven Date:	Not Reported
Well Type:	Single well, other than collector or Ranney type		
Primary Aquifer:	112GLCLU		
Aquifer type:	Not Reported		
Well depth:	32.		
Hole depth:	32.	Source:	Not Reported
Project no:	Not Reported		

**H33
NE
1/2 - 1 Mile
Higher**

FED USGS USGS0769216

Agency:	USGS	Site ID:	404411073261801
Site Name:	N 7852. 2		
Dec. Latitude:	40.73621		
Dec. Longitude:	-73.43734		
Coord Sys:	NAD83		
State:	NY		
County:	Nassau County		
Altitude:	77.0		
Hydrologic code:	02030202		
Topographic:	Not Reported		
Site Type:	Ground-water other than Spring		
Const Date:	Not Reported	Inven Date:	Not Reported
Well Type:	Single well, other than collector or Ranney type		
Primary Aquifer:	211MGTY		
Aquifer type:	Not Reported		
Well depth:	457.		
Hole depth:	Not Reported	Source:	Not Reported
Project no:	Not Reported		

**H34
NE
1/2 - 1 Mile
Higher**

FED USGS USGS0769195

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Agency:	USGS	Site ID:	404410073261608
Site Name:	N 188. 1		
Dec. Latitude:	40.73621		
Dec. Longitude:	-73.43734		
Coord Sys:	NAD83		
State:	NY		
County:	Nassau County		
Altitude:	75.0		
Hydrologic code:	02030202		
Topographic:	Not Reported		
Site Type:	Ground-water other than Spring		
Const Date:	193511	Inven Date:	Not Reported
Well Type:	Single well, other than collector or Ranney type		
Primary Aquifer:	211MGTY		
Aquifer type:	Not Reported		
Well depth:	150.		
Hole depth:	150.	Source:	Not Reported
Project no:	Not Reported		

**H35
NE
1/2 - 1 Mile
Higher**

FED USGS USGS0769197

Agency:	USGS	Site ID:	404410073261610
Site Name:	N 525. 2		
Dec. Latitude:	40.73621		
Dec. Longitude:	-73.43734		
Coord Sys:	NAD83		
State:	NY		
County:	Nassau County		
Altitude:	77.0		
Hydrologic code:	02030202		
Topographic:	Not Reported		
Site Type:	Ground-water other than Spring		
Const Date:	Not Reported	Inven Date:	Not Reported
Well Type:	Single well, other than collector or Ranney type		
Primary Aquifer:	112GLCLU		
Aquifer type:	Not Reported		
Well depth:	68.		
Hole depth:	68.	Source:	Not Reported
Project no:	Not Reported		

**H36
NE
1/2 - 1 Mile
Higher**

FED USGS USGS0769196

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Agency:	USGS	Site ID:	404410073261609
Site Name:	N 525. 1		
Dec. Latitude:	40.73621		
Dec. Longitude:	-73.43734		
Coord Sys:	NAD83		
State:	NY		
County:	Nassau County		
Altitude:	77.0		
Hydrologic code:	02030202		
Topographic:	Not Reported		
Site Type:	Ground-water other than Spring		
Const Date:	Not Reported	Inven Date:	Not Reported
Well Type:	Single well, other than collector or Ranney type		
Primary Aquifer:	112GLCLU		
Aquifer type:	Not Reported		
Well depth:	38.		
Hole depth:	38.	Source:	Not Reported
Project no:	Not Reported		

**H37
NE
1/2 - 1 Mile
Higher**

FED USGS USGS0769194

Agency:	USGS	Site ID:	404410073261501
Site Name:	N 9176. 1		
Dec. Latitude:	40.73621		
Dec. Longitude:	-73.43707		
Coord Sys:	NAD83		
State:	NY		
County:	Nassau County		
Altitude:	77.0		
Hydrologic code:	02030202		
Topographic:	Not Reported		
Site Type:	Ground-water other than Spring		
Const Date:	Not Reported	Inven Date:	Not Reported
Well Type:	Single well, other than collector or Ranney type		
Primary Aquifer:	112GLCLU		
Aquifer type:	Not Reported		
Well depth:	48.		
Hole depth:	Not Reported	Source:	Not Reported
Project no:	Not Reported		

**38
West
1/2 - 1 Mile
Higher**

FED USGS USGS0768862

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Agency:	USGS	Site ID:	404345073273101
Site Name:	N 9930. 1		
Dec. Latitude:	40.72927		
Dec. Longitude:	-73.45818		
Coord Sys:	NAD83		
State:	NY		
County:	Nassau County		
Altitude:	76.0		
Hydrologic code:	02030202		
Topographic:	Not Reported		
Site Type:	Ground-water other than Spring		
Const Date:	19820305	Inven Date:	Not Reported
Well Type:	Single well, other than collector or Ranney type		
Primary Aquifer:	112GLCLU		
Aquifer type:	Not Reported		
Well depth:	46.		
Hole depth:	46.	Source:	Not Reported
Project no:	Not Reported		

**H39
NE
1/2 - 1 Mile
Higher**

FED USGS USGS0769215

Agency:	USGS	Site ID:	404411073261501
Site Name:	N 706. 1		
Dec. Latitude:	40.73649		
Dec. Longitude:	-73.43734		
Coord Sys:	NAD83		
State:	NY		
County:	Nassau County		
Altitude:	77.0		
Hydrologic code:	02030202		
Topographic:	Not Reported		
Site Type:	Ground-water other than Spring		
Const Date:	Not Reported	Inven Date:	Not Reported
Well Type:	Single well, other than collector or Ranney type		
Primary Aquifer:	112GLCLU		
Aquifer type:	Not Reported		
Well depth:	70.		
Hole depth:	70.	Source:	Not Reported
Project no:	Not Reported		

**I40
SSW
1/2 - 1 Mile
Lower**

FED USGS USGS0768477

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Agency:	USGS	Site ID:	404310073270001
Site Name:	N 8417. 1		
Dec. Latitude:	40.71954		
Dec. Longitude:	-73.44957		
Coord Sys:	NAD83		
State:	NY		
County:	Nassau County		
Altitude:	54.0		
Hydrologic code:	02030202		
Topographic:	Not Reported		
Site Type:	Ground-water other than Spring		
Const Date:	Not Reported	Inven Date:	Not Reported
Well Type:	Single well, other than collector or Ranney type		
Primary Aquifer:	211MGTY		
Aquifer type:	Not Reported		
Well depth:	93.		
Hole depth:	Not Reported	Source:	Not Reported
Project no:	Not Reported		

I41
SSW
 1/2 - 1 Mile
 Lower

FED USGS USGS0768537

Agency:	USGS	Site ID:	404311073265901
Site Name:	N 8194. 1		
Dec. Latitude:	40.71954		
Dec. Longitude:	-73.44957		
Coord Sys:	NAD83		
State:	NY		
County:	Nassau County		
Altitude:	55.0		
Hydrologic code:	02030202		
Topographic:	Not Reported		
Site Type:	Ground-water other than Spring		
Const Date:	Not Reported	Inven Date:	Not Reported
Well Type:	Single well, other than collector or Ranney type		
Primary Aquifer:	112GLCLU		
Aquifer type:	Not Reported		
Well depth:	59		
Hole depth:	Not Reported	Source:	Not Reported
Project no:	Not Reported		

42
NNE
 1/2 - 1 Mile
 Higher

FED USGS USGS0769415

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Agency:	USGS	Site ID:	404421073262301
Site Name:	N 9980. 1		
Dec. Latitude:	40.73927		
Dec. Longitude:	-73.43929		
Coord Sys:	NAD83		
State:	NY		
County:	Nassau County		
Altitude:	81.0		
Hydrologic code:	02030202		
Topographic:	Not Reported		
Site Type:	Ground-water other than Spring		
Const Date:	19820614	Inven Date:	Not Reported
Well Type:	Single well, other than collector or Ranney type		
Primary Aquifer:	112GLCLU		
Aquifer type:	Not Reported		
Well depth:	58.		
Hole depth:	58.	Source:	Not Reported
Project no:	Not Reported		

**43
SW
1/2 - 1 Mile
Higher**

FED USGS USGS0768654

Agency:	USGS	Site ID:	404322073272901
Site Name:	N 9095. 1		
Dec. Latitude:	40.72288		
Dec. Longitude:	-73.45762		
Coord Sys:	NAD83		
State:	NY		
County:	Nassau County		
Altitude:	70.0		
Hydrologic code:	02030202		
Topographic:	Not Reported		
Site Type:	Ground-water other than Spring		
Const Date:	Not Reported	Inven Date:	Not Reported
Well Type:	Single well, other than collector or Ranney type		
Primary Aquifer:	211MGTY		
Aquifer type:	Not Reported		
Well depth:	204.		
Hole depth:	Not Reported	Source:	Not Reported
Project no:	Not Reported		

**J44
SW
1/2 - 1 Mile
Lower**

FED USGS USGS0768548

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Agency:	USGS	Site ID:	404313073271701
Site Name:	N 9420. 1		
Dec. Latitude:	40.72038		
Dec. Longitude:	-73.45429		
Coord Sys:	NAD83		
State:	NY		
County:	Nassau County		
Altitude:	56.0		
Hydrologic code:	02030202		
Topographic:	Not Reported		
Site Type:	Ground-water other than Spring		
Const Date:	Not Reported	Inven Date:	Not Reported
Well Type:	Single well, other than collector or Ranney type		
Primary Aquifer:	112GLCLU		
Aquifer type:	Not Reported		
Well depth:	11.		
Hole depth:	Not Reported	Source:	Not Reported
Project no:	Not Reported		

**J45
SW
1/2 - 1 Mile
Lower**

FED USGS USGS0768549

Agency:	USGS	Site ID:	404313073271702
Site Name:	N 9420. 2		
Dec. Latitude:	40.72038		
Dec. Longitude:	-73.45429		
Coord Sys:	NAD83		
State:	NY		
County:	Nassau County		
Altitude:	56.0		
Hydrologic code:	02030202		
Topographic:	Not Reported		
Site Type:	Ground-water other than Spring		
Const Date:	Not Reported	Inven Date:	Not Reported
Well Type:	Single well, other than collector or Ranney type		
Primary Aquifer:	112GLCLU		
Aquifer type:	Not Reported		
Well depth:	15.		
Hole depth:	Not Reported	Source:	Not Reported
Project no:	Not Reported		

**K46
NNE
1/2 - 1 Mile
Higher**

FED USGS USGS0769424

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Agency:	USGS	Site ID:	404425073262401
Site Name:	N 10382. 1		
Dec. Latitude:	40.74038		
Dec. Longitude:	-73.43957		
Coord Sys:	NAD83		
State:	NY		
County:	Nassau County		
Altitude:	Not Reported		
Hydrologic code:	02030202		
Topographic:	Not Reported		
Site Type:	Ground-water other than Spring		
Const Date:	19850514	Inven Date:	Not Reported
Well Type:	Single well, other than collector or Ranney type		
Primary Aquifer:	Not Reported		
Aquifer type:	Not Reported		
Well depth:	145.		
Hole depth:	150.	Source:	Not Reported
Project no:	Not Reported		

**K47
NNE
1/2 - 1 Mile
Higher**

FED USGS USGS0769425

Agency:	USGS	Site ID:	404425073262402
Site Name:	N 10383. 1		
Dec. Latitude:	40.74038		
Dec. Longitude:	-73.43957		
Coord Sys:	NAD83		
State:	NY		
County:	Nassau County		
Altitude:	Not Reported		
Hydrologic code:	02030202		
Topographic:	Not Reported		
Site Type:	Ground-water other than Spring		
Const Date:	19850514	Inven Date:	Not Reported
Well Type:	Single well, other than collector or Ranney type		
Primary Aquifer:	Not Reported		
Aquifer type:	Not Reported		
Well depth:	240.		
Hole depth:	252.	Source:	Not Reported
Project no:	Not Reported		

**48
SSW
1/2 - 1 Mile
Lower**

FED USGS USGS0768508

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Agency:	USGS	Site ID:	404304073265901
Site Name:	N 9440. 1		
Dec. Latitude:	40.71788		
Dec. Longitude:	-73.44929		
Coord Sys:	NAD83		
State:	NY		
County:	Nassau County		
Altitude:	36.0		
Hydrologic code:	02030202		
Topographic:	Not Reported		
Site Type:	Ground-water other than Spring		
Const Date:	Not Reported	Inven Date:	Not Reported
Well Type:	Single well, other than collector or Ranney type		
Primary Aquifer:	112GLCLU		
Aquifer type:	Not Reported		
Well depth:	6.		
Hole depth:	Not Reported	Source:	Not Reported
Project no:	Not Reported		

49
SW
 1/2 - 1 Mile
 Lower

FED USGS USGS0768569

Agency:	USGS	Site ID:	404312073272501
Site Name:	N 9421. 1		
Dec. Latitude:	40.7201		
Dec. Longitude:	-73.45651		
Coord Sys:	NAD83		
State:	NY		
County:	Nassau County		
Altitude:	62.0		
Hydrologic code:	02030202		
Topographic:	Not Reported		
Site Type:	Ground-water other than Spring		
Const Date:	Not Reported	Inven Date:	Not Reported
Well Type:	Single well, other than collector or Ranney type		
Primary Aquifer:	112GLCLU		
Aquifer type:	Not Reported		
Well depth:	17.		
Hole depth:	Not Reported	Source:	Not Reported
Project no:	Not Reported		

50
SSW
 1/2 - 1 Mile
 Lower

FED USGS USGS0768521

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Agency:	USGS	Site ID:	404307073271901
Site Name:	N 9422. 1		
Dec. Latitude:	40.71871		
Dec. Longitude:	-73.45485		
Coord Sys:	NAD83		
State:	NY		
County:	Nassau County		
Altitude:	58.0		
Hydrologic code:	02030202		
Topographic:	Not Reported		
Site Type:	Ground-water other than Spring		
Const Date:	Not Reported	Inven Date:	Not Reported
Well Type:	Single well, other than collector or Ranney type		
Primary Aquifer:	112GLCLU		
Aquifer type:	Not Reported		
Well depth:	16.		
Hole depth:	Not Reported	Source:	Not Reported
Project no:	Not Reported		

L51
SE
1/2 - 1 Mile
Lower

FED USGS USGS0771663

Agency:	USGS	Site ID:	404310073260201
Site Name:	N 12239. 1		
Dec. Latitude:	40.71954		
Dec. Longitude:	-73.43346		
Coord Sys:	NAD83		
State:	NY		
County:	Nassau County		
Altitude:	Not Reported		
Hydrologic code:	02030202		
Topographic:	Not Reported		
Site Type:	Ground-water other than Spring		
Const Date:	19930701	Inven Date:	Not Reported
Well Type:	Single well, other than collector or Ranney type		
Primary Aquifer:	112GLCLU		
Aquifer type:	Unconfined single aquifer		
Well depth:	45.6		
Hole depth:	45.6	Source:	O
Project no:	Not Reported		

52
ENE
1/2 - 1 Mile
Higher

FED USGS USGS0789016

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Agency:	USGS	Site ID:	404411073255001
Site Name:	S 18449. 1		
Dec. Latitude:	40.73649		
Dec. Longitude:	-73.43012		
Coord Sys:	NAD83		
State:	NY		
County:	Suffolk County		
Altitude:	Not Reported		
Hydrologic code:	02030202		
Topographic:	Not Reported		
Site Type:	Ground-water other than Spring		
Const Date:	Not Reported	Inven Date:	Not Reported
Well Type:	Single well, other than collector or Ranney type		
Primary Aquifer:	Not Reported		
Aquifer type:	Not Reported		
Well depth:	Not Reported		
Hole depth:	Not Reported	Source:	Not Reported
Project no:	Not Reported		

53
SSW
 1/2 - 1 Mile
 Lower

FED USGS USGS0768495

Agency:	USGS	Site ID:	404258073270301
Site Name:	N 7545. 1		
Dec. Latitude:	40.71621		
Dec. Longitude:	-73.4504		
Coord Sys:	NAD83		
State:	NY		
County:	Nassau County		
Altitude:	45.0		
Hydrologic code:	02030202		
Topographic:	Not Reported		
Site Type:	Ground-water other than Spring		
Const Date:	Not Reported	Inven Date:	Not Reported
Well Type:	Single well, other than collector or Ranney type		
Primary Aquifer:	211MGTY		
Aquifer type:	Not Reported		
Well depth:	97.		
Hole depth:	Not Reported	Source:	Not Reported
Project no:	Not Reported		

L54
SE
 1/2 - 1 Mile
 Lower

FED USGS USGS0768476

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Agency:	USGS	Site ID:	404310073261001
Site Name:	N 1250. 1		
Dec. Latitude:	40.71954		
Dec. Longitude:	-73.43318		
Coord Sys:	NAD83		
State:	NY		
County:	Nassau County		
Altitude:	62.0		
Hydrologic code:	02030202		
Topographic:	Not Reported		
Site Type:	Ground-water other than Spring		
Const Date:	19380510	Inven Date:	Not Reported
Well Type:	Single well, other than collector or Ranney type		
Primary Aquifer:	112GLCLU		
Aquifer type:	Not Reported		
Well depth:	33.		
Hole depth:	33.	Source:	Not Reported
Project no:	Not Reported		

M55
NNE
 1/2 - 1 Mile
 Higher

FED USGS USGS0769470

Agency:	USGS	Site ID:	404431073261401
Site Name:	N 1248. 1		
Dec. Latitude:	40.74204		
Dec. Longitude:	-73.43707		
Coord Sys:	NAD83		
State:	NY		
County:	Nassau County		
Altitude:	81.0		
Hydrologic code:	02030202		
Topographic:	Not Reported		
Site Type:	Ground-water other than Spring		
Const Date:	19380404	Inven Date:	Not Reported
Well Type:	Single well, other than collector or Ranney type		
Primary Aquifer:	112GLCLU		
Aquifer type:	Not Reported		
Well depth:	40.		
Hole depth:	40.	Source:	Not Reported
Project no:	Not Reported		

M56
NNE
 1/2 - 1 Mile
 Higher

FED USGS USGS0769461

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Agency:	USGS	Site ID:	404429073261702
Site Name:	N 1248. 3		
Dec. Latitude:	40.74204		
Dec. Longitude:	-73.43707		
Coord Sys:	NAD83		
State:	NY		
County:	Nassau County		
Altitude:	81.0		
Hydrologic code:	02030202		
Topographic:	Not Reported		
Site Type:	Ground-water other than Spring		
Const Date:	19650330	Inven Date:	Not Reported
Well Type:	Single well, other than collector or Ranney type		
Primary Aquifer:	112GLCLU		
Aquifer type:	Not Reported		
Well depth:	33.		
Hole depth:	33.	Source:	Not Reported
Project no:	Not Reported		

**M57
NNE
1/2 - 1 Mile
Higher**

FED USGS USGS0769471

Agency:	USGS	Site ID:	404431073261402
Site Name:	N 1828. 1		
Dec. Latitude:	40.74204		
Dec. Longitude:	-73.43707		
Coord Sys:	NAD83		
State:	NY		
County:	Nassau County		
Altitude:	81.9		
Hydrologic code:	02030202		
Topographic:	Not Reported		
Site Type:	Ground-water other than Spring		
Const Date:	Not Reported	Inven Date:	Not Reported
Well Type:	Single well, other than collector or Ranney type		
Primary Aquifer:	112GLCLU		
Aquifer type:	Not Reported		
Well depth:	37.		
Hole depth:	Not Reported	Source:	Not Reported
Project no:	Not Reported		

**M58
NNE
1/2 - 1 Mile
Higher**

FED USGS USGS0769460

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Agency:	USGS	Site ID:	404429073261701
Site Name:	N 1248. 2		
Dec. Latitude:	40.74204		
Dec. Longitude:	-73.43707		
Coord Sys:	NAD83		
State:	NY		
County:	Nassau County		
Altitude:	81.0		
Hydrologic code:	02030202		
Topographic:	Not Reported		
Site Type:	Ground-water other than Spring		
Const Date:	19571017	Inven Date:	Not Reported
Well Type:	Single well, other than collector or Ranney type		
Primary Aquifer:	112GLCLU		
Aquifer type:	Not Reported		
Well depth:	35.		
Hole depth:	35.	Source:	Not Reported
Project no:	Not Reported		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS RADON

AREA RADON INFORMATION

State Database: NY Radon

Basement Screening Results

Zip	Total Sites	Avg	>4 pCi/L	>20 pCi/L	Max	Mean	Standard Dev
11735	11	1.5	0	0	3	1.3	1.8

State Database: NY Radon

Basement Screening Results

Town	Total Sites	Avg	Mean	Standard Deviation	Max pCi/L	>4 pCi/L	>20 pCi/L
GLEN COVE	4	2	1.8	1.8	2.7	0	0
HEMPSTEAD	295	1.1	.8	2.3	8.3	1.4	0
LONG BEACH C.	2	.3	.2	2.7	.4	0	0
N. HEMPSTEAD	113	1.6	1.2	2.2	5.9	7.1	0
OYSTER BAY	163	1.7	1.2	2.4	11.4	8.6	0

Federal EPA Radon Zone for NASSAU County: 3

- Note: Zone 1 indoor average level > 4 pCi/L.
 : Zone 2 indoor average level >= 2 pCi/L and <= 4 pCi/L.
 : Zone 3 indoor average level < 2 pCi/L.

Federal Area Radon Information for NASSAU COUNTY, NY

Number of sites tested: 226

Area	Average Activity	% <4 pCi/L	% 4-20 pCi/L	% >20 pCi/L
Living Area	0.640 pCi/L	98%	2%	0%
Basement	1.100 pCi/L	98%	2%	0%

PHYSICAL SETTING SOURCE RECORDS SEARCHED

TOPOGRAPHIC INFORMATION

USGS 7.5' Digital Elevation Model (DEM)

Source: United States Geologic Survey

EDR acquired the USGS 7.5' Digital Elevation Model in 2002. 7.5-Minute DEMs correspond to the USGS 1:24,000- and 1:25,000-scale topographic quadrangle maps.

HYDROLOGIC INFORMATION

Flood Zone Data: This data, available in select counties across the country, was obtained by EDR in 1999 from the Federal Emergency Management Agency (FEMA). Data depicts 100-year and 500-year flood zones as defined by FEMA.

NWI: National Wetlands Inventory. This data, available in select counties across the country, was obtained by EDR in 2002 from the U.S. Fish and Wildlife Service.

HYDROGEOLOGIC INFORMATION

AQUIFLOW^R Information System

Source: EDR proprietary database of groundwater flow information

EDR has developed the AQUIFLOW Information System (AIS) to provide data on the general direction of groundwater flow at specific points. EDR has reviewed reports submitted to regulatory authorities at select sites and has extracted the date of the report, hydrogeologically determined groundwater flow direction and depth to water table information.

GEOLOGIC INFORMATION

Geologic Age and Rock Stratigraphic Unit

Source: P.G. Schruben, R.E. Arndt and W.J. Bawiec. Geology of the Conterminous U.S. at 1:2,500,000 Scale - A digital representation of the 1974 P.B. King and H.M. Beikman Map. USGS Digital Data Series DDS - 11 (1994).

STATSGO: State Soil Geographic Database

Source: Department of Agriculture, Natural Resources Conservation Services

The U.S. Department of Agriculture's (USDA) Soil Conservation Service (SCS) leads the national Cooperative Soil Survey (NCSS) and is responsible for collecting, storing, maintaining and distributing soil survey information for privately owned lands in the United States. A soil map in a soil survey is a representation of soil patterns in a landscape. Soil maps for STATSGO are compiled by generalizing more detailed (SSURGO) soil survey maps.

ADDITIONAL ENVIRONMENTAL RECORD SOURCES

FEDERAL WATER WELLS

PWS: Public Water Systems

Source: EPA/Office of Drinking Water

Telephone: 202-564-3750

Public Water System data from the Federal Reporting Data System. A PWS is any water system which provides water to at least 25 people for at least 60 days annually. PWSs provide water from wells, rivers and other sources.

PWS ENF: Public Water Systems Violation and Enforcement Data

Source: EPA/Office of Drinking Water

Telephone: 202-564-3750

Violation and Enforcement data for Public Water Systems from the Safe Drinking Water Information System (SDWIS) after August 1995. Prior to August 1995, the data came from the Federal Reporting Data System (FRDS).

USGS Water Wells: USGS National Water Inventory System (NWIS)

This database contains descriptive information on sites where the USGS collects or has collected data on surface water and/or groundwater. The groundwater data includes information on wells, springs, and other sources of groundwater.

PHYSICAL SETTING SOURCE RECORDS SEARCHED

STATE RECORDS

New York Public Water Wells

Source: New York Department of Health
Telephone: 518-458-6731

New York Facility and Manifest Data

Source: NYSDEC
Telephone: 518-457-6585
Facility and manifest data. Manifest is a document that lists and tracks hazardous waste from the generator through transporters to a tsd facility.

RADON

State Database: NY Radon

Source: Department of Health
Telephone: 518-402-7556
Radon Test Results

Area Radon Information

Source: USGS
Telephone: 703-356-4020
The National Radon Database has been developed by the U.S. Environmental Protection Agency (USEPA) and is a compilation of the EPA/State Residential Radon Survey and the National Residential Radon Survey. The study covers the years 1986 - 1992. Where necessary data has been supplemented by information collected at private sources such as universities and research institutions.

EPA Radon Zones

Source: EPA
Telephone: 703-356-4020
Sections 307 & 309 of IRAA directed EPA to list and identify areas of U.S. with the potential for elevated indoor radon levels.

OTHER

Airport Landing Facilities: Private and public use landing facilities

Source: Federal Aviation Administration, 800-457-6656

Epicenters: World earthquake epicenters, Richter 5 or greater

Source: Department of Commerce, National Oceanic and Atmospheric Administration

ORPHAN SUMMARY

City	EDR ID	Site Name	Site Address	Zip	Database(s)
EAST FARMINGDALE	1004755534	HOLLYWOOD INN	400 RTE 109	11735	RCRIS-SQG, FINDS
EAST FARMINGDALE	S104191660	AIRCRAFT PARKING	RTE 109 EAST OF RTE 110		LTANKS
EAST FARMINGDALE	S104646754		RTE 109		NY Spills
EAST FARMINGDALE	S104783926	UNK	RTE 109 / NEW HIGHWAY		NY Spills
EAST FARMINGDALE	S104648439		RTE 109/ RTE 110		NY Spills
EAST FARMINGDALE	S104510096	STAPLES TRUCK	RTE 109/EAST CARMENS ROAD		NY Spills
EAST FARMINGDALE	1000191396	NYS DOT LOCKHEED REPUBLIC AIRPORT	ADMIN BLDG GATE 1 RTE 110	11735	RCRIS-SQG, FINDS
EAST FARMINGDALE	S102094772	LILCO	CENTRAL HIGHWAY		NY Spills
EAST FARMINGDALE	S102090369	REPUBLIC AIRPORT	CONKLIN STREET		NY Spills
EAST FARMINGDALE	S104499079	UNK	CONKLIN STREET / VOGELWAY		NY Spills
EAST FARMINGDALE	S104645851		CONKLIN ST/VOGEL WAY		NY Spills
EAST FARMINGDALE	S102567140	UNK VEHICLE/LILCO	MAIN STREET		NY Spills
EAST FARMINGDALE	1003864130	ASBESTOS FARMINGDALE	S SIDE LNG ISLND RR.@US ROUTE 110	11735	CERC-NFRAP
EAST FARMINGDALE	S103564659	UNK	SYDNEY AVE OFF RTE 109		NY Spills
FARMINGDALE	1004758576	MOBIL SERVICE STATION	1009 RTE 109	11735	RCRIS-SQG, FINDS
FARMINGDALE	U003534492	LARRY E TYREE CO INC	208 RTE 109 FARMINGDALE RD	11735	UST
FARMINGDALE	U003534495	HESS S/S #32262	2265 RTE 109 FARMINGDALE RD	11735	UST
FARMINGDALE	U003534561	HIGHLIFT INC	1050 RTE 109 FARMINGDALE RD	11735	UST
FARMINGDALE	U003534956	AUTOMATED BREAD DISTRIBUTORS	218 RTE 109 FARMINGDALE RD	11735	UST
FARMINGDALE	U003535487	WES DESIGN	238 RTE 109 FARMINGDALE RD	11735	UST
FARMINGDALE	U003843303	E M S DEVELOPMENT CORP	RTE 109 FARMINGDALE RD	11735	UST
FARMINGDALE	U003843822	MT ARARAT CEMETERY INC	RTE 109 FARMINGDALE RD	11735	UST
FARMINGDALE	U003844081	TRI KAY ASSOCIATES	242 RTE 109 FARMINGDALE RD	11735	UST
FARMINGDALE	U003844868	AIR EAST RENTALS LLC	ROUTE 109	11735	UST
FARMINGDALE	S103565666	ROLI RETREAD INC	1010 RTE 109		NY Spills
FARMINGDALE	S102136171	LARRY E TYREE	ROUTE 109		NY Spills
FARMINGDALE	S102139109	TAONIC PLATING COMPANY	RTE 109 / 33 PATLER ST		NY Spills
FARMINGDALE	S105135495	FUEL FARM	ROUTE 109		LTANKS
FARMINGDALE	S102136326	PETRO KING	RTE 24 HEMPSTEAD TPKE		NY Spills
FARMINGDALE	1000354421	FAIRCHILD REPUBLIC	BOARD HOLLOW RD	11735	CERCLIS, FINDS
FARMINGDALE	S102135928	ALEX YARMOSH	9 BURNT CIRCLE NORTH		NY Spills
FARMINGDALE	1004762999	BELLE ARBOR PROMOTION CO INC	921C CONKLIN ST	11735	RCRIS-SQG, FINDS
FARMINGDALE	S104513802	TRIANGLE FUEL	CONKLIN STREET BLDG 18		LTANKS
FARMINGDALE	U003534480	ST CHARLES CEMETARY	CONKLIN ST	11735	UST
FARMINGDALE	U003535352	C I REALTY CORP	855 A CONKLIN ST	11735	UST
FARMINGDALE	S104786109	UNK	CONKLIN ST		NY Spills
FARMINGDALE	S104783657	UNK	CONKLIN STREET		NY Spills
FARMINGDALE	S103565538	NYS DOT/ REPUBLIC AIRPORT	CONKLIN STREET		NY Spills
FARMINGDALE	S104784697	UNK	CONKLIN STREET / RTE 24		NY Spills
FARMINGDALE	1004758217	CASCADE LINEN & UNIFORM SUPPLY	NW CORNER CONKLIN ST	11735	RCRIS-SQG, FINDS
FARMINGDALE	S104498819	HUNAN HOUSE	DOUD STREET / RTE 109		NY Spills
FARMINGDALE	1000553185	ATLANTIC TOOL & MFG NORTH CORP	228A FARMINGDALE RD & RTE 109	11735	RCRIS-SQG, FINDS
FARMINGDALE	S102137430	SUSP DALE AUTO SALES	FULTON / HEISSLER ROAD		NY Spills

ORPHAN SUMMARY

City	EDR ID	Site Name	Site Address	Zip	Database(s)
FARMINGDALE	S102136392	LILCO	FULTON STREET		NY Spills
FARMINGDALE	S103936874	S&S AUTO	FULTON STREET EB LANES		NY Spills
FARMINGDALE	U003913754	INACTIVE-SHELL	MAIN ST	11735	UST
FARMINGDALE	S102137410	LILCO	MAIN STREET		NY Spills
FARMINGDALE	S104646103		MAIN STREET/CONKLIN STEET		NY Spills
FARMINGDALE	S102136186	LILCO	MAIN ST / PROSPECT AVE		NY Spills
FARMINGDALE	S100149089	FARMINGDALE U.METHODIST C	MAIN ST / GRANT STREET		LTANKS
FARMINGDALE	S102135713	SUNBEAM BREAD/CLASSIC	MELVILLE RD(W/O MAIN ST)		NY Spills
FARMINGDALE	S104786737	UNK	MELVILLE RD/W/O RTE 110		NY Spills
FARMINGDALE	S103565900	UNK	MOTOR AVE OFF OF MAIN ST		NY Spills
FARMINGDALE	S104950909	ROMANELLI & SON	467 SECATOGUE/CONKLIN		LTANKS
FARMINGDALE	S105586291	MINMILT REALTY (HYGRADE METAL MOULDING)	540 SMITH STREET	11735	SHWS
FARMINGDALE	S105140197		WELLWOOD AVE/CONKLIN ST		NY Spills
OLD BETHPAGE	S100520995	OLD BETHPAGE LANDFILL	BETHPAGE-SWEETHOLLOW ROAD	11804	SHWS

DETAILED ORPHAN LISTING

Site	Database(s)	EDR ID Number EPA ID Number
------	-------------	--------------------------------

HOLLYWOOD INN
400 RTE 109
EAST FARMINGDALE, NY 11735

RCRIS-SQG 1004755534
FINDS NY0000071332

RCRIS:

Owner: US GOVERNMENT
(516) 694-7100
EPA ID: NY0000071332
Contact: GREGG SATZINGER
(516) 694-7100
Classification: Conditionally Exempt Small Quantity Generator
TSDF Activities: Not reported
Violation Status: No violations found

FINDS:

Other Pertinent Environmental Activity Identified at Site:
Facility Registry System (FRS)
Resource Conservation and Recovery Act Information system (RCRAINFO)

AIRCRAFT PARKING
RTE 109 EAST OF RTE 110
EAST FARMINGDALE, NY

LTANKS S104191660
N/A

LTANKS:

Spill Number:	9905517	Region of Spill:	1
Facility Contact:	CALLER	Facility Tele:	(516) 752-7707
Investigator:	DONOVAN	SWIS:	47
Caller Name:	Not reported	Caller Agency:	Not reported
Caller Phone:	Not reported	Caller Extension:	Not reported
Notifier Name:	Not reported	Notifier Agency:	Not reported
Notifier Phone:	Not reported	Notifier Extension:	Not reported
Spiller Contact:	GLEN GROSS	Spiller Phone:	(516) 752-9022
Spiller:	MILLION AIR		
Spiller Address:	REPUBLIC AIRPORT FARMINGDALE, NY		
Spill Class:	Known release that creates potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.		
Spill Closed Dt:	06/08/2001		
Spill Cause:	Tank Overfill	Resource Affected:	In Sewer
Water Affected:	Not reported	Spill Source:	Commercial Vehicle
Spill Notifier:	Affected Persons	PBS Number:	Not reported
Spill Date:	08/06/1999 16:17	Reported to Dept:	08/06/1999 16:28
Cleanup Ceased:	Not reported		
Last Inspection:	Not reported		
Cleanup Meets Standard:	True		
Recommended Penalty:	Penalty Not Recommended		
Spiller Cleanup Date:	Not reported		
Enforcement Date:	Not reported		
Investigation Complete:	Not reported		
UST Involvement:	False		
Spill Record Last Update:	06/11/2001		
Is Updated:	False		
Corrective Action Plan Submitted:	Not reported		
Date Spill Entered In Computer Data File:	08/06/1999		
Date Region Sent Summary to Central Office:	Not reported		
Tank Test:			
PBS Number:	Not reported		
Tank Number:	Not reported		

DETAILED ORPHAN LISTING

Site	Database(s)	EDR ID Number	EPA ID Number
------	-------------	---------------	---------------

AIRCRAFT PARKING (Continued)

S104191660

Test Method: Not reported
 Capacity of Failed Tank: Not reported
 Leak Rate Failed Tank: Not reported
 Gross Leak Rate: Not reported
 Material:
 Material Class Type: 1
 Quantity Spilled: 10
 Units: Gallons
 Unknown Qty Spilled: 10
 Quantity Recovered: 0
 Unknown Qty Recovered: False
 Material: JET FUEL
 Class Type: Petroleum
 Chem Abstract Service Number: JET FUEL
 Last Date: 07/28/1994
 Num Times Material Entry In File: 1264
 DEC Remarks: 8/6/99 TELECON WITH CHRIS SHULTE: AS PER CHRIS THE LEAK HAS BEEN STOPPED AND GASOLINE IS POOLED NEAR DRAIN. SOCKS AND SORBENTS ARE PLACED SPILL CLEANED UP, ONE DRUM GENERATED AND DISPOSED OF BY AMERICAN ENVIRONMENTAL, NO FURTHER ACTION
 Spill Cause: CALLER REPORTS 10 GALLONS SPILL FROM OVERFILL AND WENT INTO SEWER.

RTE 109
EAST FARMINGDALE, NY

NY Spills S104646754
N/A

SPILLS:

Spill Number: 9713936	Region of Spill: 1
Facility Contact: Not reported	Facility Tele: Not reported
Investigator: RAYMOND	SWIS: 47
Caller Name: Not reported	Caller Agency: Not reported
Caller Phone: Not reported	Caller Extension: Not reported
Notifier Name: Not reported	Notifier Agency: Not reported
Notifier Phone: Not reported	Notifier Extension: Not reported
Spiller Contact: Not reported	Spiller Phone: Not reported
Spiller: MILLIONAIRE	
Spiller Address: RTE 109	
	EAST FARMINGDALE, NY
Spill Class: Known release that creates potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.	
Spill Closed Dt: Not reported	
Spill Cause: Other	Resource Affected: Groundwater
Water Affected: Not reported	Spill Source: Other Commercial/Industrial
Spill Notifier: Health Department	PBS Number: Not reported
Spill Date: 03/13/1998 12:00	Reported to Dept: 03/17/1998 10:30
Cleanup Ceased: Not reported	
Last Inspection: Not reported	
Cleanup Meets Standard: False	
Recommended Penalty: Penalty Not Recommended	
Spiller Cleanup Date: Not reported	
Enforcement Date: Not reported	
Investigation Complete: Not reported	
UST Involvement: False	
Spill Record Last Update: 03/18/1998	
Is Updated: False	
Corrective Action Plan Submitted: Not reported	
Date Spill Entered In Computer Data File: 03/17/1998	
Date Region Sent Summary to Central Office: Not reported	

DETAILED ORPHAN LISTING

Site	Database(s)	EDR ID Number EPA ID Number
------	-------------	--------------------------------

(Continued)

S104646754

Tank Test:
 PBS Number: Not reported
 Tank Number: Not reported
 Test Method: Not reported
 Capacity of Failed Tank: Not reported
 Leak Rate Failed Tank: Not reported
 Gross Leak Rate: Not reported

Material:
 Material Class Type: 1
 Quantity Spilled: 0
 Units: Gallons
 Unknown Qty Spilled: No
 Quantity Recovered: 0
 Unknown Qty Recovered: False
 Material: #2 FUEL OIL
 Class Type: Petroleum
 Chem Abstract Service Number: #2 FUEL OIL
 Last Date: 12/07/1994
 Num Times Material Entry In File: 24464

Remark: CONTAMINATION FOUND DURING ROUTINE REMOVAL OF 3 550 GAL TANKS. WERE ABLE TO DIG OUT OF CONTAMINATION.

DEC Remarks: Not reported

UNK
RTE 109 / NEW HIGHWAY
EAST FARMINGDALE, NY

NY Spills S104783926
N/A

SPILLS:

Spill Number: 8806176	Region of Spill: 1
Facility Contact: Not reported	Facility Tele: Not reported
Investigator: MIRZA FD	SWIS: 47
Caller Name: Not reported	Caller Agency: Not reported
Caller Phone: Not reported	Caller Extension: Not reported
Notifier Name: Not reported	Notifier Agency: Not reported
Notifier Phone: Not reported	Notifier Extension: Not reported
Spiller Contact: Not reported	Spiller Phone: Not reported
Spiller: UNK	
Spiller Address: Not reported	
Spill Class: Not reported	
Spill Closed Dt: 11/22/1988	
Spill Cause: Traffic Accident	Resource Affected: On Land
Water Affected: Not reported	Spill Source: Passenger Vehicle
Spill Notifier: Fire Department	PBS Number: Not reported
Spill Date: 10/21/1988 13:40	Reported to Dept: 10/21/1988 14:10
Cleanup Ceased: 11/22/1988	
Last Inspection: Not reported	
Cleanup Meets Standard: True	
Recommended Penalty: Penalty Not Recommended	
Spiller Cleanup Date: Not reported	
Enforcement Date: Not reported	
Investigation Complete: Not reported	
UST Involvement: False	
Spill Record Last Update: 09/15/1998	
Is Updated: False	
Corrective Action Plan Submitted: Not reported	
Date Spill Entered in Computer Data File: 10/24/1988	
Date Region Sent Summary to Central Office: Not reported	
Tank Test:	

DETAILED ORPHAN LISTING

Site	Database(s)	EDR ID Number EPA ID Number
UNK (Continued)		S104783926
PBS Number: Not reported Tank Number: Not reported Test Method: Not reported Capacity of Failed Tank: Not reported Leak Rate Failed Tank: Not reported Gross Leak Rate: Not reported Material: Material Class Type: 1 Quantity Spilled: 30 Units: Gallons Unknown Qty Spilled: 30 Quantity Recovered: 0 Unknown Qty Recovered: False Material: DIESEL Class Type: Petroleum Chem Abstract Service Number: DIESEL Last Date: 07/28/1994 Num Times Material Entry In File: 10625 Remark: AUTO ACCIDENT. DIESEL CAME FROM PASS. VEHICLE. E.FARMINGDALE F.D. ON SCE NE DEC Remarks: 11/22/88: HEAVY RAIN,ROAD SANDED. NO OTHER ACTION.		

RTE 109/ RTE 110 EAST FARMINGDALE, NY	NY Spills S104648439 N/A
--	-------------------------------------

SPILLS:

Spill Number: 9812559	Region of Spill: 1
Facility Contact: Not reported	Facility Tele: Not reported
Investigator: DARCANGELO	SWIS: 47
Caller Name: Not reported	Caller Agency: Not reported
Caller Phone: Not reported	Caller Extension: Not reported
Notifier Name: Not reported	Notifier Agency: Not reported
Notifier Phone: Not reported	Notifier Extension: Not reported
Spiller Contact: Not reported	Spiller Phone: Not reported
Spiller: UNK	
Spiller Address: UNK	
Spill Class: Known release that creates potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.	
Spill Closed Dt: 03/23/2000	Resource Affected: In Sewer
Spill Cause: Traffic Accident	Spill Source: Other Commercial/Industrial
Water Affected: Not reported	PBS Number: Not reported
Spill Notifier: Affected Persons	Reported to Dept: 01/11/1999 21:55
Spill Date: 01/11/1999 21:15	
Cleanup Ceased: Not reported	
Last Inspection: Not reported	
Cleanup Meets Standard: True	
Recommended Penalty: Penalty Not Recommended	
Spiller Cleanup Date: Not reported	
Enforcement Date: Not reported	
Investigation Complete: Not reported	
UST Involvement: False	
Spill Record Last Update: 03/24/2000	
Is Updated: False	
Corrective Action Plan Submitted: Not reported	
Date Spill Entered In Computer Data File: 01/11/1999	
Date Region Sent Summary to Central Office: Not reported	

DETAILED ORPHAN LISTING

Site	Database(s)	EDR ID Number	EPA ID Number
------	-------------	---------------	---------------

(Continued)

S104648439

Tank Test:
 PBS Number: Not reported
 Tank Number: Not reported
 Test Method: Not reported
 Capacity of Failed Tank: Not reported
 Leak Rate Failed Tank: Not reported
 Gross Leak Rate: Not reported

Material:
 Material Class Type: 1
 Quantity Spilled: 150
 Units: Gallons
 Unknown Qty Spilled: 150
 Quantity Recovered: 0
 Unknown Qty Recovered: False
 Material: TRANSFORMER OIL
 Class Type: Petroleum
 Chem Abstract Service Number: TRANSFORMER OIL
 Last Date: 09/26/1994
 Num Times Material Entry In File: 533

Remark: traffic accident veh struck pole felling pole and transformer spill t
 o blacktop and grass area material has entered storm drain fire wa
 s burning involving vehicle and pole fd was on scene crew enroute
 for clean up

DEC Remarks: Not reported

STAPLES TRUCK
RTE 109/EAST CARMENS ROAD
EAST FARMINGDALE, NY

NY Spills S104510096
N/A

SPILLS:

Spill Number: 9913194	Region of Spill: 1
Facility Contact: JOE ARCURI	Facility Tele: (516) 226-1216
Investigator: NONE	SWIS: 47
Caller Name: Not reported	Caller Agency: Not reported
Caller Phone: Not reported	Caller Extension: Not reported
Notifier Name: Not reported	Notifier Agency: Not reported
Notifier Phone: Not reported	Notifier Extension: Not reported
Spiller Contact: PHILIP STAPLE	Spiller Phone: (631) 669-6508
Spiller: STAPLES TRUCKING	
Spiller Address: 26 MIDWOOD ROAD	
	WEST BABYLON, NY
Spill Class: Known release with minimal potential for fire or hazard. DEC Response.	
	Willing Responsible Party. Corrective action taken.
Spill Closed Dt: 02/22/2000	
Spill Cause: Traffic Accident	Resource Affected: On Land
Water Affected: Not reported	Spill Source: Commercial Vehicle
Spill Notifier: Fire Department	PBS Number: Not reported
Spill Date: 02/21/2000 07:00	Reported to Dept: 02/21/2000 10:15
Cleanup Ceased: Not reported	
Last Inspection: Not reported	
Cleanup Meets Standard: True	
Recommended Penalty: Penalty Not Recommended	
Spiller Cleanup Date: Not reported	
Enforcement Date: Not reported	
Investigation Complete: Not reported	
UST Involvement: False	
Spill Record Last Update: 02/28/2000	
Is Updated: False	

DETAILED ORPHAN LISTING

Site	Database(s)	EDR ID Number EPA ID Number
------	-------------	--------------------------------

STAPLES TRUCK (Continued)

S104510096

Corrective Action Plan Submitted: Not reported
 Date Spill Entered In Computer Data File: 02/21/2000
 Date Region Sent Summary to Central Office: Not reported
 Tank Test:
 PBS Number: Not reported
 Tank Number: Not reported
 Test Method: Not reported
 Capacity of Failed Tank: Not reported
 Leak Rate Failed Tank: Not reported
 Gross Leak Rate: Not reported

Material:
 Material Class Type: 1
 Quantity Spilled: 50
 Units: Gallons
 Unknown Qty Spilled: 50
 Quantity Recovered: 50
 Unknown Qty Recovered: False
 Material: DIESEL
 Class Type: Petroleum
 Chem Abstract Service Number: DIESEL
 Last Date: 07/28/1994
 Num Times Material Entry In File: 10625

Remarks: SPILL HAS BEEN RECOVERED AND CLEAN UP IS COMPLETE
 DEC Remarks: TELECON WITH ARCURI BABYLON FM OFFICE HANDLED ENTIRE CLEANUP AND DISPOSAL. NO DRAINS AFFECTED

**NYSDOT LOCKHEED REPUBLIC AIRPORT
 ADMIN BLDG GATE 1 RTE 110
 EAST FARMINGDALE, NY 11735**

**RCRIS-SQG 1000191396
 FINDS NYD114130313**

RCRIS:
 Owner: NY STATE DEPT OF TRANSPORTATION
 (212) 555-1212
 EPA ID: NYD114130313
 Contact: Not reported
 Classification: Small Quantity Generator
 TSD Activities: Not reported
 Violation Status: No violations found

NY MANIFEST
 Additional detail is available in NY MANIFEST. Please contact your EDR Account Executive for more information.

FINDS:
 Other Pertinent Environmental Activity Identified at Site:
 Facility Registry System (FRS)
 ICIS
 Resource Conservation and Recovery Act Information system (RCRAINFO)

**LILCO
 CENTRAL HIGHWAY
 EAST FARMINGDALE, NY**

**NY Spills S102094772
 N/A**

SPILLS:
 Spill Number: 8710414
 Facility Contact: Not reported
 Investigator: WALEK FD
 Caller Name: Not reported
 Region of Spill: 1
 Facility Tele: Not reported
 SWIS: 47
 Caller Agency: Not reported

DETAILED ORPHAN LISTING

Site	Database(s)	EDR ID Number	EPA ID Number
LILCO (Continued)		S102094772	
Caller Phone: Not reported Notifier Name: Not reported Notifier Phone: Not reported Spiller Contact: Not reported Spiller: LILCO Spiller Address: Not reported Spill Class: Not reported Spill Closed Dt: 04/06/1988 Spill Cause: Traffic Accident Water Affected: Not reported Spill Notifier: Responsible Party Spill Date: 03/14/1988 04:34 Cleanup Ceased: 04/06/1988 Last Inspection: Not reported Cleanup Meets Standard: True Recommended Penalty: Penalty Not Recommended Spiller Cleanup Date: Not reported Enforcement Date: Not reported Investigation Complete: Not reported UST Involvement: False Spill Record Last Update: 09/04/1998 Is Updated: False Corrective Action Plan Submitted: Not reported Date Spill Entered in Computer Data File: 03/15/1988 Date Region Sent Summary to Central Office: Not reported Tank Test: PBS Number: Not reported Tank Number: Not reported Test Method: Not reported Capacity of Failed Tank: Not reported Leak Rate Failed Tank: Not reported Gross Leak Rate: Not reported Material: Material Class Type: 1 Quantity Spilled: 2 Units: Gallons Unknown Qty Spilled: 2 Quantity Recovered: 0 Unknown Qty Recovered: False Material: UNKNOWN PETROLEUM Class Type: Petroleum Chem Abstract Service Number: UNKNOWN PETROLEUM Last Date: 09/29/1994 Num Times Material Entry In File: 16414 Material Class Type: 1 Quantity Spilled: 0 Units: Gallons Unknown Qty Spilled: No Quantity Recovered: 0 Unknown Qty Recovered: False Material: TRANSFORMER OIL Class Type: Petroleum Chem Abstract Service Number: TRANSFORMER OIL Last Date: 09/26/1994 Num Times Material Entry In File: 533	Caller Extension: Not reported Notifier Agency: Not reported Notifier Extension: Not reported Spiller Phone: (516) 420-6143 Resource Affected: On Land Spill Source: Other Commercial/Industrial PBS Number: Not reported Reported to Dept: 03/14/1988 09 26		
Remark:	SCHMITZ TO CALL BACK WITH TEST RESULTS. NOT KNOWN IF PCB OR NON PCB AT TIME OF REPORT.		

DETAILED ORPHAN LISTING

Site	Database(s)	EDR ID Number EPA ID Number
------	-------------	--------------------------------

LILCO (Continued)

S102094772

DEC Remarks: 04/05/88: AREA ALL CLEAN ONLY A STAIN REMAINS. SOME GRASS WAS REMOVED FR
ON AROUND THE POLE. NO FURTHER ACTION NEEDED.

**REPUBLIC AIRPORT
CONKLIN STREET
EAST FARMINGDALE, NY**

**NY Spills S102090369
N/A**

SPILLS:

Spill Number:	9106289	Region of Spill:	1
Facility Contact:	Not reported	Facility Tele:	Not reported
Investigator:	ACAMPORA	SWIS:	47
Caller Name:	Not reported	Caller Agency:	Not reported
Caller Phone:	Not reported	Caller Extension:	Not reported
Notifier Name:	Not reported	Notifier Agency:	Not reported
Notifier Phone:	Not reported	Notifier Extension:	Not reported
Spiller Contact:	Not reported	Spiller Phone:	(516) 752-7707
Spiller:	REPUBLIC AIRPORT		
Spiller Address:	RTE 110 E FARMINGDALE, NY		
Spill Class:	Known release that creates potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.		
Spill Closed Dt:	08/31/1995		
Spill Cause:	Vandalism	Resource Affected:	In Sewer
Water Affected:	Not reported	Spill Source:	Other Commercial/Industrial
Spill Notifier:	Responsible Party	PBS Number:	Not reported
Spill Date:	06/17/1991 12:00	Reported to Dept:	09/11/1991 09:30
Cleanup Ceased:	08/31/1995		
Last Inspection:	Not reported		
Cleanup Meets Standard:	True		
Recommended Penalty:	Penalty Not Recommended		
Spiller Cleanup Date:	Not reported		
Enforcement Date:	Not reported		
Investigation Complete:	Not reported		
UST Involvement:	False		
Spill Record Last Update:	08/31/1995		
Is Updated:	False		
Corrective Action Plan Submitted:	Not reported		
Date Spill Entered In Computer Data File:	09/11/1991		
Date Region Sent Summary to Central Office:	Not reported		
Tank Test:			
PBS Number:	Not reported		
Tank Number:	Not reported		
Test Method:	Not reported		
Capacity of Failed Tank:	Not reported		
Leak Rate Failed Tank:	Not reported		
Gross Leak Rate:	Not reported		
Material:			
Material Class Type:	1		
Quantity Spilled:	40		
Units:	Gallons		
Unknown Qty Spilled:	40		
Quantity Recovered:	0		
Unknown Qty Recovered:	False		
Material:	PCB OIL		
Class Type:	Petroleum		
Chem Abstract Service Number:	PCB OIL		
Last Date:	07/28/1994		
Num Times Material Entry In File:	1229		

DETAILED ORPHAN LISTING

Site	Database(s)	EDR ID Number EPA ID Number
------	-------------	--------------------------------

REPUBLIC AIRPORT (Continued)		S102090369
------------------------------	--	------------

Remark: TRANSFORMER WAS VANDALISED, SPILLED INTO DRYWELL/STORM DRAIN. OIL WATER PUMPED OUT, SOIL FROM BOTTOM EXCAVATED. DOING SOIL TESTING. HAVE EMPTIED TRANSFORMER

DEC Remarks: 08/31/95: SPILL CLEANED UP, DISPOSAL LETTER SENT, NO REPLY.

UNK CONKLIN STREET / VOGELWAY EAST FARMINGDALE, NY	NY Spills	S104499079 N/A
---	------------------	---------------------------------

SPILLS:

Spill Number:	9002916	Region of Spill:	1
Facility Contact:	Not reported	Facility Tele:	Not reported
Investigator:	ACAMPORA	SWIS:	47
Caller Name:	Not reported	Caller Agency:	Not reported
Caller Phone:	Not reported	Caller Extension:	Not reported
Notifier Name:	Not reported	Notifier Agency:	Not reported
Notifier Phone:	Not reported	Notifier Extension:	Not reported
Spiller Contact:	Not reported	Spiller Phone:	(516) 526-6720
Spiller:	UNK		
Spiller Address:	Not reported		
Spill Class:	Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.		
Spill Closed Dt:	Not reported	Resource Affected:	On Land
Spill Cause:	Equipment Failure	Spill Source:	Commercial Vehicle
Water Affected:	Not reported	PBS Number:	Not reported
Spill Notifier:	Fire Department	Reported to Dept:	06/13/1990 17:15
Spill Date:	06/13/1990 17:03		
Cleanup Ceased:	Not reported		
Last Inspection:	Not reported		
Cleanup Meets Standard:	False		
Recommended Penalty:	Penalty Not Recommended		
Spiller Cleanup Date:	Not reported		
Enforcement Date:	Not reported		
Investigation Complete:	Not reported		
UST Involvement:	False		
Spill Record Last Update:	01/27/2000		
Is Updated:	False		
Corrective Action Plan Submitted:	Not reported		
Date Spill Entered In Computer Data File:	06/18/1990		
Date Region Sent Summary to Central Office:	06/01/1999		
Tank Test:			
PBS Number:	Not reported		
Tank Number:	Not reported		
Test Method:	Not reported		
Capacity of Failed Tank:	Not reported		
Leak Rate Failed Tank:	Not reported		
Gross Leak Rate:	Not reported		
Material:			
Material Class Type:	1		
Quantity Spilled:	0		
Units:	Gallons		
Unknown Qty Spilled:	No		
Quantity Recovered:	0		
Unknown Qty Recovered:	False		
Material:	DIESEL		
Class Type:	Petroleum		
Chem Abstract Service Number:	DIESEL		
Last Date:	07/28/1994		

DETAILED ORPHAN LISTING

Site _____ Database(s) _____ EDR ID Number
 _____ EPA ID Number _____

UNK (Continued)

S104499079

Num Times Material Entry In File: 10625
 Remark: TRUCK LEAKED DIESEL FUEL ON ROADWAY, SPEEDY DRY APPLIED, DEC RESPONSE NE
 EDED.
 DEC Remarks: ***NOTE: FILE CURRENTLY MISSING. ***NOTE: APPEARS NO BILLS WERE EVE
 R SUBMITTED. NOT KNOWN WHETHER TOWN DETERMINE WHO SPILLER WAS AND BILLE
 D THEM DIRECTLY. 06/13/90 A): DEC notified of spill. Acampora resp
 onded. 06/13/90 B): Met Suffolk County PD CASE 90277556), BabyI
 on Fire Marshal CASE UNK), and E Farmingdale FD. 06/13/90 C): St
 ain on road. Most likely source was a truck s saddle tank. 06/13/90
 D): No drains impacted. FD had applied speedy dri; DEC performed some a
 dditional cleanup. No further cleanup needed.

CONKLIN ST/VOGEL WAY
 EAST FARMINGDALE, NY

NY Spills S104645851
 N/A

SPILLS:

Spill Number:	9700486	Region of Spill:	1
Facility Contact:	Not reported	Facility Tele:	Not reported
Investigator:	NONE	SWIS:	47
Caller Name:	Not reported	Caller Agency:	Not reported
Caller Phone:	Not reported	Caller Extension:	Not reported
Notifier Name:	Not reported	Notifier Agency:	Not reported
Notifier Phone:	Not reported	Notifier Extension:	Not reported
Spiller Contact:	Not reported	Spiller Phone:	Not reported
Spiller:	UNKNOWN		
Spiller Address:	Not reported		
Spill Class:	Possible release with minimal potential for fire or hazard or Known release with no damage. DEC Response Willing Responsible Party. Corrective action taken.		
Spill Closed Dt:	04/10/1997		
Spill Cause:	Unknown	Resource Affected:	On Land
Water Affected:	Not reported	Spill Source:	Unknown
Spill Notifier:	Fire Department	PBS Number:	Not reported
Spill Date:	04/10/1997 14:24	Reported to Dept:	04/10/1997 15:01
Cleanup Ceased:	Not reported		
Last Inspection:	Not reported		
Cleanup Meets Standard:	True		
Recommended Penalty:	Penalty Not Recommended		
Spiller Cleanup Date:	Not reported		
Enforcement Date:	Not reported		
Investigation Complete:	Not reported		
UST Involvement:	False		
Spill Record Last Update:	04/16/1997		
Is Updated:	False		
Corrective Action Plan Submitted:	Not reported		
Date Spill Entered In Computer Data File:	04/10/1997		
Date Region Sent Summary to Central Office:	Not reported		
Tank Test:			
PBS Number:	Not reported		
Tank Number:	Not reported		
Test Method:	Not reported		
Capacity of Failed Tank:	Not reported		
Leak Rate Failed Tank:	Not reported		
Gross Leak Rate:	Not reported		
Material:			
Material Class Type:	1		
Quantity Spilled:	3		

DETAILED ORPHAN LISTING

Site	Database(s)	EDR ID Number	EPA ID Number
------	-------------	---------------	---------------

(Continued)

S104645851

Units: Gallons
 Unknown Qty Spilled: 3
 Quantity Recovered: 0
 Unknown Qty Recovered: False
 Material: DIESEL
 Class Type: Petroleum
 Chem Abstract Service Number: DIESEL
 Last Date: 07/28/1994
 Num Times Material Entry In File: 10625

Remarks: SPILL FOUND ON GROUND, NO ONE AROUND.
 DEC Remarks: TOWN OF BABYLON FIRE PREVENTION IS ON SITE, THEY HAVE APPLIED ABSORBENTS . THEY HAVE FINISHED CLEANUP. DEC RESPONSE NOT REQUESTED. PER BABYLON FM BELIEVES QTY IS MUCH LESS THAN 30 GALS, FOUND A SHEEN THAT CONTINUED FOR 1/4 MILE. NO PUDDLES OR DRAINS, SANDED, NO DEC RESPONSE

**UNK VEHICLE/LILCO
 MAIN STREET
 EAST FARMINGDALE, NY**

**NY Spills S102567140
 N/A**

SPILLS:

Spill Number: 9312420	Region of Spill: 1
Facility Contact: Not reported	Facility Tele: Not reported
Investigator: LAMANNO	SWIS: 47
Caller Name: Not reported	Caller Agency: Not reported
Caller Phone: Not reported	Caller Extension: Not reported
Notifier Name: Not reported	Notifier Agency: Not reported
Notifier Phone: Not reported	Notifier Extension: Not reported
Spiller Contact: Not reported	Spiller Phone: Not reported
Spiller: UNK VEHICLE/LILCO	
Spiller Address: Not reported	
Spill Class: Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.	
Spill Closed Dt: 03/02/1994	
Spill Cause: Traffic Accident	Resource Affected: On Land
Water Affected: Not reported	Spill Source: Other Commercial/Industrial
Spill Notifier: Responsible Party	PBS Number: Not reported
Spill Date: 01/22/1994 11:40	Reported to Dept: 01/22/1994 13:49
Cleanup Ceased: 03/02/1994	
Last Inspection: Not reported	
Cleanup Meets Standard: True	
Recommended Penalty: Penalty Not Recommended	
Spiller Cleanup Date: Not reported	
Enforcement Date: Not reported	
Investigation Complete: Not reported	
UST Involvement: False	
Spill Record Last Update: 03/02/1994	
Is Updated: False	
Corrective Action Plan Submitted: Not reported	
Date Spill Entered In Computer Data File: 01/24/1994	
Date Region Sent Summary to Central Office: Not reported	
Tank Test:	
PBS Number: Not reported	
Tank Number: Not reported	
Test Method: Not reported	
Capacity of Failed Tank: Not reported	
Leak Rate Failed Tank: Not reported	
Gross Leak Rate: Not reported	

Material:

DETAILED ORPHAN LISTING

Site	Database(s)	EDR ID Number EPA ID Number
UNK VEHICLE/LILCO (Continued)		S102567140
Material Class Type: 1		
Quantity Spilled: 7		
Units: Gallons		
Unknown Qty Spilled: 7		
Quantity Recovered: 0		
Unknown Qty Recovered: False		
Material: NON PCB OIL		
Class Type: Petroleum		
Chem Abstract Service Number: NON PCB OIL		
Last Date: 09/28/1994		
Num Times Material Entry In File: 2798		
Remark: POLE 188 OR 189, CAR STRUCK POLE, TRANSFORMER LEAK TO SOIL AREA, MEG HI RED TO DO WORK		
DEC Remarks: 03/02/94: CLEANUP COMPLETED BY LILCO, NO ADDITIONAL ACTION.		

**ASBESTOS FARMINGDALE
S SIDE LNG ISLND RR,@US ROUTE 110
EAST FARMINGDALE, NY 11735**

**CERC-NFRAP 1003864130
NYD982181224**

CERCLIS-NFRAP Classification Data:

Site Incident Category: Non-Oil Spill	Federal Facility: Not a Federal Facility
Non NPL Code: NFRAP	
Ownership Status: Unknown	NPL Status: Not on the NPL
Site Description: ILLEGALLY ABANDONED BAGS OF ASBESTOS (LABELLED) OU LONG ISLAND RAILROAD RIGHT-OF-WAY.	

CERCLIS-NFRAP Assessment History:

Assessment: REMOVAL	Completed: 12/24/1986
Assessment: DISCOVERY	Completed: 03/23/1987
Assessment: PRELIMINARY ASSESSMENT	Completed: 05/11/1987
Assessment: SITE INSPECTION	Completed: 09/30/1996
Assessment: ARCHIVE SITE	Completed: 01/31/1997

CERCLIS-NFRAP Alias Name(s):
ASBESTOS FARMINGDALE

**UNK
SYDNEY AVE OFF RTE 109
EAST FARMINGDALE, NY**

**NY Spills S103564659
N/A**

SPILLS:

Spill Number: 8902213	Region of Spill: 1
Facility Contact: Not reported	Facility Tele: Not reported
Investigator: HOFMANN	SWIS: 47
Caller Name: Not reported	Caller Agency: Not reported
Caller Phone: Not reported	Caller Extension: Not reported
Notifier Name: Not reported	Notifier Agency: Not reported
Notifier Phone: Not reported	Notifier Extension: Not reported
Spiller Contact: Not reported	Spiller Phone: Not reported
Spiller: UNK	
Spiller Address: Not reported	
Spill Class: Not reported	
Spill Closed Dt: 03/25/1991	
Spill Cause: Other	Resource Affected: On Land
Water Affected: Not reported	Spill Source: Railroad Car
Spill Notifier: Police Department	PBS Number: Not reported
Spill Date: 06/03/1989 16:30	Reported to Dept: 06/03/1989 16:46
Cleanup Ceased: 03/25/1991	
Last Inspection: Not reported	
Cleanup Meets Standard: True	

DETAILED ORPHAN LISTING

Site	Database(s)	EDR ID Number EPA ID Number
------	-------------	--------------------------------

UNK (Continued)

S103564659

Recommended Penalty: Penalty Not Recommended
 Spiller Cleanup Date: Not reported
 Enforcement Date: Not reported
 Investigation Complete: Not reported
 UST Involvement: False
 Spill Record Last Update: 03/26/1991
 Is Updated: False
 Corrective Action Plan Submitted: Not reported
 Date Spill Entered In Computer Data File: 06/07/1989
 Date Region Sent Summary to Central Office: Not reported
 Tank Test:
 PBS Number: Not reported
 Tank Number: Not reported
 Test Method: Not reported
 Capacity of Failed Tank: Not reported
 Leak Rate Failed Tank: Not reported
 Gross Leak Rate: Not reported

Material:
 Material Class Type: 1
 Quantity Spilled: 0
 Units: Gallons
 Unknown Qty Spilled: No
 Quantity Recovered: 0
 Unknown Qty Recovered: False
 Material: UNKNOWN PETROLEUM
 Class Type: Petroleum
 Chem Abstract Service Number: UNKNOWN PETROLEUM
 Last Date: 09/29/1994
 Num Times Material Entry In File: 16414

Remark: A FIRE NEAR RAILROAD TRACK CAUSED RAILROAD CAR TO BREECH. RAILROAD CAR CO
 NTAINED UNK MATERIAL. FIRE IS OUT. RAILROAD HAS BEEN NOTIFIED.

DEC Remarks: Not reported

MOBIL SERVICE STATION
1009 RTE 109
FARMINGDALE, NY 11735

RCRIS-SQG 1004758576
FINDS NYD987009685

RCRIS:

Owner: TARTAN OIL
 (516) 420-8080
 EPA ID: NYD987009685
 Contact: ALAN LEON
 (516) 420-8080

Classification: Conditionally Exempt Small Quantity Generator
 TSDF Activities: Not reported

Violation Status: No violations found

NY MANIFEST

Additional detail is available in NY MANIFEST. Please contact your EDR Account Executive for more information.

DETAILED ORPHAN LISTING

Site	Database(s)	EDR ID Number EPA ID Number
------	-------------	--------------------------------

MOBIL SERVICE STATION (Continued)		1004758576
-----------------------------------	--	------------

FINDS:

Other Pertinent Environmental Activity Identified at Site:
 Facility Registry System (FRS)
 Resource Conservation and Recovery Act Information system (RCRAINFO)

LARRY E TYREE CO INC
208 RTE 109 FARMINGDALE RD
FARMINGDALE, NY 11735

UST U003534492
 N/A

Suffolk County UST:

Facility ID:	2263		
Owner:	LARRY E. TYREE CO.		
	208 RTE 109		
	FARMINGDALE, NY 11735		
Location:	UNDER, OUT	Tank ID:	1
Capacity:	0000006000	Installed:	80
Construction:	Single Walled Fiberglass Tank		
Dispenser:	SUCTION	Fill Type:	GRAVITY
Compliance:	Not reported		
Tank Status:	Permitted Tank. Permit Runs Out - 1986		
Content:	Gasoline		
Permit to Operate:	Not reported		

Facility ID:	2263		
Owner:	LARRY E. TYREE CO.		
	208 RTE 109		
	FARMINGDALE, NY 11735		
Location:	UNDER, OUT	Tank ID:	2
Capacity:	0000006000	Installed:	80
Construction:	Single Walled Fiberglass Tank		
Dispenser:	SUCTION	Fill Type:	PUMPED
Compliance:	Not reported		
Tank Status:	Permitted Tank. Permit Runs Out - 1986		
Content:	Diesel		
Permit to Operate:	Not reported		

Facility ID:	2263		
Owner:	LARRY E. TYREE CO.		
	208 RTE 109		
	FARMINGDALE, NY 11735		
Location:	UNDER, OUT	Tank ID:	3
Capacity:	0000006000	Installed:	80
Construction:	Single Walled Fiberglass Tank		
Dispenser:	SUCTION	Fill Type:	PUMPED
Compliance:	Not reported		
Tank Status:	Approved Plan for Upgrade of existing non-complying tank, awaiting construction for compliance inspection		
Content:	Industrial Waste		
Permit to Operate:	Not reported		

Facility ID:	2263		
Owner:	LARRY E. TYREE CO.		
	208 RTE 109		
	FARMINGDALE, NY 11735		
Location:	UNDER, OUT	Tank ID:	4
Capacity:	0000000550	Installed:	80
Construction:	STEEL		
Dispenser:	SUCTION	Fill Type:	GRAVITY

DETAILED ORPHAN LISTING

Site	Database(s)	EDR ID Number	EPA ID Number
LARRY E TYREE CO INC (Continued)			U003534492
Compliance:	010187		
Tank Status:	Removed Tank (Date Removed - 1987)		
Content:	Waste Oil		
Permit to Operate:	Not reported		
Facility ID:	2263		
Owner:	LARRY E. TYREE CO. 208 RTE 109 FARMINGDALE, NY 11735		
Location:	UNDER, OUT	Tank ID:	5
Capacity:	0000012000	Installed:	80
Construction:	Single Walled Fiberglass Tank		
Dispenser:	SUCTION	Fill Type:	GRAVITY
Compliance:	Not reported		
Tank Status:	Approved Plan for Upgrade of existing non-complying tank, awaiting construction for compliance inspection		
Content:	Industrial Waste		
Permit to Operate:	Not reported		
Facility ID:	2263		
Owner:	LARRY E. TYREE CO. 208 RTE 109 FARMINGDALE, NY 11735		
Location:	UNDER, OUT	Tank ID:	6
Capacity:	000001000	Installed:	Not reported
Construction:	Single Walled Fiberglass Tank		
Dispenser:	GRAVITY	Fill Type:	PUMPED
Compliance:	Not reported		
Tank Status:	Never Installed		
Content:	Industrial Waste		
Permit to Operate:	Not reported		
Facility ID:	2263		
Owner:	LARRY E. TYREE CO. 208 RTE 109 FARMINGDALE, NY 11735		
Location:	UNDER, OUT	Tank ID:	7
Capacity:	0000002000	Installed:	80
Construction:	STEEL		
Dispenser:	SUCTION	Fill Type:	PUMPED
Compliance:	081491		
Tank Status:	Removed Tank (Date Removed - 1991)		
Content:	Gasoline		
Permit to Operate:	Not reported		
Facility ID:	2263		
Owner:	LARRY E. TYREE CO. 208 RTE 109 FARMINGDALE, NY 11735		
Location:	UNDER, OUT	Tank ID:	8
Capacity:	0000006000	Installed:	83
Construction:	FRP / FRP		
Dispenser:	SUCTION	Fill Type:	GRAVITY
Compliance:	Not reported		
Tank Status:	Approved Plan for Upgrade of existing non-complying tank, awaiting construction for compliance inspection		
Content:	Industrial Waste		

DETAILED ORPHAN LISTING

Site	Database(s)	EDR ID Number	EPA ID Number
------	-------------	---------------	---------------

LARRY E TYREE CO INC (Continued) U003534492

Permit to Operate: Not reported

Facility ID: 2263
 Owner: LARRY E. TYREE CO.
 208 RTE 109
 FARMINGDALE, NY 11735

Location:	UNDER, OUT	Tank ID:	9
Capacity:	000001000	Installed:	87
Construction:	FRP / FRP		
Dispenser:	SUCTION	Fill Type:	GRAVITY
Compliance:	Not reported		
Tank Status:	Permitted Tank. Permit Runs Out - 1992		
Content:	Waste Oil		
Permit to Operate:	121487		

Facility ID: 2263
 Owner: LARRY E. TYREE CO.
 208 RTE 109
 FARMINGDALE, NY 11735

Location:	UNDER, OUT	Tank ID:	10
Capacity:	000002000	Installed:	Not reported
Construction:	FRP / FRP		
Dispenser:	SUCTION	Fill Type:	PUMPED
Compliance:	Not reported		
Tank Status:	Never Installed		
Content:	#2 Fuel Oil		
Permit to Operate:	Not reported		

Facility ID: 2263
 Owner: LARRY E. TYREE CO.
 208 RTE 109
 FARMINGDALE, NY 11735

Location:	UNDER, OUT	Tank ID:	12
Capacity:	000002000	Installed:	Not reported
Construction:	STEEL		
Dispenser:	SUCTION	Fill Type:	PUMPED
Compliance:	Not reported		
Tank Status:	Heating Oil Tanks Greater Than 1100 Gallons. Next test - 2002		
Content:	#2 Fuel Oil		
Permit to Operate:	Not reported		

HESS S/S #32262
2265 RTE 109 FARMINGDALE RD
FARMINGDALE, NY 11735

UST U003534495
 N/A

Suffolk County UST:

Facility ID: 2809
 Owner: MOTIVA ENTERPRISES LLC
 303 FELLOWSHIP RD
 MOORESTOWN, NJ 08057

Location:	UNDER, OUT	Tank ID:	1
Capacity:	000006000	Installed:	80
Construction:	Single Walled Fiberglass Tank		
Dispenser:	SUBMERSIBLE	Fill Type:	GRAVITY
Compliance:	Not reported		
Tank Status:	Permitted Tank. Permit Runs Out - 1986		
Content:	Gasoline		
Permit to Operate:	Not reported		

DETAILED ORPHAN LISTING

Site	Database(s)	EDR ID Number	EPA ID Number
------	-------------	---------------	---------------

HESS S/S #32262 (Continued)

U003534495

Facility ID:	2809		
Owner:	MOTIVA ENTERPRISES LLC 303 FELLOWSHIP RD MOORESTOWN, NJ 08057		
Location:	UNDER, OUT	Tank ID:	2
Capacity:	000006000	Installed:	80
Construction:	Single Walled Fiberglass Tank		
Dispenser:	SUBMERSIBLE	Fill Type:	GRAVITY
Compliance:	Not reported		
Tank Status:	Permitted Tank. Permit Runs Out - 1986		
Content:	Gasoline		
Permit to Operate:	Not reported		

Facility ID:	2809		
Owner:	MOTIVA ENTERPRISES LLC 303 FELLOWSHIP RD MOORESTOWN, NJ 08057		
Location:	UNDER, OUT	Tank ID:	3
Capacity:	000006000	Installed:	80
Construction:	Single Walled Fiberglass Tank		
Dispenser:	SUBMERSIBLE	Fill Type:	GRAVITY
Compliance:	Not reported		
Tank Status:	Permitted Tank. Permit Runs Out - 1986		
Content:	Gasoline		
Permit to Operate:	Not reported		

Facility ID:	2809		
Owner:	MOTIVA ENTERPRISES LLC 303 FELLOWSHIP RD MOORESTOWN, NJ 08057		
Location:	UNDER, OUT	Tank ID:	4
Capacity:	000006000	Installed:	80
Construction:	Single Walled Fiberglass Tank		
Dispenser:	SUBMERSIBLE	Fill Type:	GRAVITY
Compliance:	Not reported		
Tank Status:	Permitted Tank. Permit Runs Out - 1986		
Content:	Gasoline		
Permit to Operate:	Not reported		

Facility ID:	2809		
Owner:	MOTIVA ENTERPRISES LLC 303 FELLOWSHIP RD MOORESTOWN, NJ 08057		
Location:	UNDER, OUT	Tank ID:	5
Capacity:	000006000	Installed:	80
Construction:	Single Walled Fiberglass Tank		
Dispenser:	SUBMERSIBLE	Fill Type:	GRAVITY
Compliance:	Not reported		
Tank Status:	Permitted Tank. Permit Runs Out - 1986		
Content:	Gasoline		
Permit to Operate:	Not reported		

Facility ID:	2809		
Owner:	MOTIVA ENTERPRISES LLC 303 FELLOWSHIP RD MOORESTOWN, NJ 08057		

DETAILED ORPHAN LISTING

Site	Database(s)	EDR ID Number	EPA ID Number
------	-------------	---------------	---------------

HESS S/S #32262 (Continued)

U003534495

Location:	UNDER, OUT	Tank ID:	6
Capacity:	000006000	Installed:	80
Construction:	Single Walled Fiberglass Tank		
Dispenser:	SUBMERSIBLE	Fill Type:	PUMPED
Compliance:	Not reported		
Tank Status:	Permitted Tank. Permit Runs Out - 1986		
Content:	Diesel		
Permit to Operate:	Not reported		

Facility ID: 2809
 Owner: MOTIVA ENTERPRISES LLC
 303 FELLOWSHIP RD
 MOORESTOWN, NJ 08057

Location:	UNDER, OUT	Tank ID:	7
Capacity:	000008000	Installed:	Not reported
Construction:	STEEL		
Dispenser:	SUCTION	Fill Type:	GRAVITY
Compliance:	010181		
Tank Status:	Removed Tank (Date Removed - 1981)		
Content:	Gasoline		
Permit to Operate:	Not reported		

Facility ID: 2809
 Owner: MOTIVA ENTERPRISES LLC
 303 FELLOWSHIP RD
 MOORESTOWN, NJ 08057

Location:	UNDER, OUT	Tank ID:	8
Capacity:	000008000	Installed:	Not reported
Construction:	STEEL		
Dispenser:	SUCTION	Fill Type:	GRAVITY
Compliance:	010181		
Tank Status:	Removed Tank (Date Removed - 1981)		
Content:	Gasoline		
Permit to Operate:	Not reported		

Facility ID: 2809
 Owner: MOTIVA ENTERPRISES LLC
 303 FELLOWSHIP RD
 MOORESTOWN, NJ 08057

Location:	UNDER, OUT	Tank ID:	9
Capacity:	000008000	Installed:	Not reported
Construction:	STEEL		
Dispenser:	SUCTION	Fill Type:	GRAVITY
Compliance:	010181		
Tank Status:	Removed Tank (Date Removed - 1981)		
Content:	Gasoline		
Permit to Operate:	Not reported		

HIGHLIFT INC
1050 RTE 109 FARMINGDALE RD
FARMINGDALE, NY 11735

UST U003534561
 N/A

Suffolk County UST:

Facility ID: 2816
 Owner: J PICONE & SON
 1637 BROADHOLLOW RD
 FARMINGDALE, NY 11735

Location:	UNDER, OUT	Tank ID:	1
-----------	------------	----------	---

DETAILED ORPHAN LISTING

Site	Database(s)	EDR ID Number	EPA ID Number
HIGHLIFT INC (Continued)		U003534561	
Capacity:	000008000	Installed:	74
Construction:	STEEL		
Dispenser:	SUCTION	Fill Type:	GRAVITY
Compliance:	010188		
Tank Status:	Removed Tank (Date Removed - 1988)		
Content:	Gasoline		
Permit to Operate:	Not reported		
Facility ID:	2816		
Owner:	J PICONE & SON 1637 BROADHOLLOW RD FARMINGDALE, NY 11735		
Location:	UNDER, OUT	Tank ID:	2
Capacity:	000003000	Installed:	54
Construction:	STEEL		
Dispenser:	SUCTION	Fill Type:	GRAVITY
Compliance:	010188		
Tank Status:	Removed Tank (Date Removed - 1988)		
Content:	Gasoline		
Permit to Operate:	Not reported		
Facility ID:	2816		
Owner:	J PICONE & SON 1637 BROADHOLLOW RD FARMINGDALE, NY 11735		
Location:	UNDER, OUT	Tank ID:	3
Capacity:	000003000	Installed:	54
Construction:	STEEL		
Dispenser:	SUCTION	Fill Type:	GRAVITY
Compliance:	010188		
Tank Status:	Removed Tank (Date Removed - 1988)		
Content:	Gasoline		
Permit to Operate:	Not reported		
Facility ID:	2816		
Owner:	J PICONE & SON 1637 BROADHOLLOW RD FARMINGDALE, NY 11735		
Location:	UNDER, OUT	Tank ID:	4
Capacity:	000003000	Installed:	54
Construction:	STEEL		
Dispenser:	SUCTION	Fill Type:	GRAVITY
Compliance:	010188		
Tank Status:	Removed Tank (Date Removed - 1988)		
Content:	Gasoline		
Permit to Operate:	Not reported		
Facility ID:	2816		
Owner:	J PICONE & SON 1637 BROADHOLLOW RD FARMINGDALE, NY 11735		
Location:	UNDER, OUT	Tank ID:	5
Capacity:	000004000	Installed:	75
Construction:	STEEL		
Dispenser:	SUCTION	Fill Type:	PUMPED
Compliance:	010189		
Tank Status:	Removed Tank (Date Removed - 1989)		

DETAILED ORPHAN LISTING

Site	Database(s)	EDR ID Number EPA ID Number
------	-------------	--------------------------------

HIGHLIFT INC (Continued)		U003534561
--------------------------	--	------------

Content: Diesel
Permit to Operate: Not reported

AUTOMATED BREAD DISTRIBUTORS 218 RTE 109 FARMINGDALE RD FARMINGDALE, NY 11735	UST	U003534956 N/A
--	-----	-------------------

Suffolk County UST:
Facility ID: 2319
Owner: AUTOMATED BREAD DISTRIBUTORS
218 RTE 109
FARMINGDALE, NY 11735

Location: UNDER, OUT Tank ID: 1
Capacity: 0000003000 Installed: 65
Construction: STEEL
Dispenser: SUCTION Fill Type: PUMPED
Compliance: 010185
Tank Status: Abandoned (Date - 1985), approved by plan review, awaiting construction
for compliance inspection
Content: Diesel
Permit to Operate: Not reported

WES DESIGN 238 RTE 109 FARMINGDALE RD FARMINGDALE, NY 11735	UST	U003535487 N/A
--	-----	-------------------

Suffolk County UST:
Facility ID: 678
Owner: RONALD LUSTBERG
238 RTE 109
FARMINGDALE, NY 11735

Location: UNDER, OUT Tank ID: 1
Capacity: 000000550 Installed: 78
Construction: STEEL
Dispenser: Not reported Fill Type: GRAVITY
Compliance: Not reported
Tank Status: Exempt from Suffolk County Art 12 Regulation
Content: #2 Fuel Oil
Permit to Operate: Not reported

Facility ID: 678
Owner: RONALD LUSTBERG
238 RTE 109
FARMINGDALE, NY 11735

Location: UNDER, OUT Tank ID: 2
Capacity: 000000550 Installed: 78
Construction: STEEL
Dispenser: Not reported Fill Type: GRAVITY
Compliance: Not reported
Tank Status: Exempt from Suffolk County Art 12 Regulation
Content: #2 Fuel Oil
Permit to Operate: Not reported

Facility ID: 678
Owner: RONALD LUSTBERG
238 RTE 109
FARMINGDALE, NY 11735

Location: UNDER, OUT Tank ID: 3

DETAILED ORPHAN LISTING

Site	Database(s)	EDR ID Number	EPA ID Number
------	-------------	---------------	---------------

WES DESIGN (Continued)

U003535487

Capacity:	0000000550	Installed:	78
Construction:	STEEL		
Dispenser:	Not reported	Fill Type:	GRAVITY
Compliance:	Not reported		
Tank Status:	Exempt from Suffolk County Art 12 Regulation		
Content:	#2 Fuel Oil		
Permit to Operate:	Not reported		

E M S DEVELOPMENT CORP
RTE 109 FARMINGDALE RD
FARMINGDALE, NY 11735

UST U003843303
 N/A

Suffolk County UST:

Facility ID:	2416		
Owner:	FARMINGDALE CORPORATE CENTER 70 AUSTIN BLVD COMMACK, NY 11725		
Location:	UNDER, OUT	Tank ID:	1
Capacity:	0000007500	Installed:	85
Construction:	STEEL		
Dispenser:	SUCTION	Fill Type:	PUMPED
Compliance:	093092		
Tank Status:	Removed Tank (Date Removed - 1992)		
Content:	#2 Fuel Oil		
Permit to Operate:	Not reported		

MT ARARAT CEMETERY INC
RTE 109 FARMINGDALE RD
FARMINGDALE, NY 11735

UST U003843822
 N/A

Suffolk County UST:

Facility ID:	386		
Owner:	MT ARARAT CEMETERY INC PO BOX 355 FARMINGDALE, NY 11735		
Location:	UNDER, OUT	Tank ID:	1
Capacity:	0000000550	Installed:	86
Construction:	STEEL		
Dispenser:	SUCTION	Fill Type:	GRAVITY
Compliance:	Not reported		
Tank Status:	Permitted Tank. Permit Runs Out - 1991		
Content:	Gasoline		
Permit to Operate:	Not reported		

Facility ID:	386		
Owner:	MT ARARAT CEMETERY INC PO BOX 355 FARMINGDALE, NY 11735		
Location:	UNDER, OUT	Tank ID:	2
Capacity:	0000001000	Installed:	86
Construction:	STEEL		
Dispenser:	SUCTION	Fill Type:	GRAVITY
Compliance:	Not reported		
Tank Status:	Permitted Tank. Permit Runs Out - 1991		
Content:	Gasoline		
Permit to Operate:	Not reported		

Facility ID: 386

DETAILED ORPHAN LISTING

Site	Database(s)	EDR ID Number	EPA ID Number
------	-------------	---------------	---------------

MT ARARAT CEMETERY INC (Continued)

U003843822

Owner: MT ARARAT CEMETERY INC
PO BOX 355
FARMINGDALE, NY 11735

Location:	UNDER, OUT	Tank ID:	3
Capacity:	0000001000	Installed:	60
Construction:	STEEL		
Dispenser:	SUCTION	Fill Type:	GRAVITY
Compliance:	010186		
Tank Status:	Removed Tank (Date Removed - 1986)		
Content:	Gasoline		
Permit to Operate:	Not reported		

Facility ID: 386
Owner: MT ARARAT CEMETERY INC
PO BOX 355
FARMINGDALE, NY 11735

Location:	UNDER, OUT	Tank ID:	4
Capacity:	0000000275	Installed:	60
Construction:	STEEL		
Dispenser:	SUCTION	Fill Type:	GRAVITY
Compliance:	010186		
Tank Status:	Removed Tank (Date Removed - 1986)		
Content:	Gasoline		
Permit to Operate:	Not reported		

Facility ID: 386
Owner: MT ARARAT CEMETERY INC
PO BOX 355
FARMINGDALE, NY 11735

Location:	UNDER, OUT	Tank ID:	7
Capacity:	0000001000	Installed:	Not reported
Construction:	STEEL		
Dispenser:	SUCTION	Fill Type:	GRAVITY
Compliance:	Not reported		
Tank Status:	Exempt from Suffolk County Art 12 Regulation		
Content:	#2 Fuel Oil		
Permit to Operate:	Not reported		

Facility ID: 386
Owner: MT ARARAT CEMETERY INC
PO BOX 355
FARMINGDALE, NY 11735

Location:	UNDER, OUT	Tank ID:	8
Capacity:	0000001000	Installed:	Not reported
Construction:	STEEL		
Dispenser:	SUCTION	Fill Type:	GRAVITY
Compliance:	Not reported		
Tank Status:	Exempt from Suffolk County Art 12 Regulation		
Content:	#2 Fuel Oil		
Permit to Operate:	Not reported		

DETAILED ORPHAN LISTING

Site	Database(s)	EDR ID Number	EPA ID Number
------	-------------	---------------	---------------

TRI KAY ASSOCIATES
242 RTE 109 FARMINGDALE RD
FARMINGDALE, NY 11735

UST U003844081
N/A

Suffolk County UST:

Facility ID:	566		
Owner:	TRI-KAY ASSOCIATES		
	242 RTE 109		
	FARMINGDALE, NY 11735		
Location:	UNDER, OUT	Tank ID:	1
Capacity:	0000000550	Installed:	83
Construction:	STEEL		
Dispenser:	GRAVITY	Fill Type:	GRAVITY
Compliance:	Not reported		
Tank Status:	Exempt from Suffolk County Art 12 Regulation		
Content:	#2 Fuel Oil		
Permit to Operate:	Not reported		

Facility ID:	566		
Owner:	TRI-KAY ASSOCIATES		
	242 RTE 109		
	FARMINGDALE, NY 11735		
Location:	UNDER, OUT	Tank ID:	2
Capacity:	0000000550	Installed:	83
Construction:	STEEL		
Dispenser:	GRAVITY	Fill Type:	GRAVITY
Compliance:	Not reported		
Tank Status:	Exempt from Suffolk County Art 12 Regulation		
Content:	#2 Fuel Oil		
Permit to Operate:	Not reported		

Facility ID:	566		
Owner:	TRI-KAY ASSOCIATES		
	242 RTE 109		
	FARMINGDALE, NY 11735		
Location:	UNDER, OUT	Tank ID:	3
Capacity:	0000000550	Installed:	83
Construction:	STEEL		
Dispenser:	GRAVITY	Fill Type:	GRAVITY
Compliance:	Not reported		
Tank Status:	Exempt from Suffolk County Art 12 Regulation		
Content:	#2 Fuel Oil		
Permit to Operate:	Not reported		

Facility ID:	566		
Owner:	TRI-KAY ASSOCIATES		
	242 RTE 109		
	FARMINGDALE, NY 11735		
Location:	UNDER, OUT	Tank ID:	4
Capacity:	0000000550	Installed:	83
Construction:	STEEL		
Dispenser:	GRAVITY	Fill Type:	GRAVITY
Compliance:	Not reported		
Tank Status:	Exempt from Suffolk County Art 12 Regulation		
Content:	#2 Fuel Oil		
Permit to Operate:	Not reported		

Facility ID:	566		
Owner:	TRI-KAY ASSOCIATES		

DETAILED ORPHAN LISTING

Site	Database(s)	EDR ID Number	EPA ID Number
TRI KAY ASSOCIATES (Continued)		U003844081	
242 RTE 109 FARMINGDALE, NY 11735 Location: UNDER, OUT Capacity: 0000000550 Construction: STEEL Dispenser: GRAVITY Compliance: Not reported Tank Status: Exempt from Suffolk County Art 12 Regulation Content: #2 Fuel Oil Permit to Operate: Not reported Facility ID: 566 Owner: TRI-KAY ASSOCIATES 242 RTE 109 FARMINGDALE, NY 11735 Location: UNDER, OUT Capacity: 0000000550 Construction: STEEL Dispenser: GRAVITY Compliance: Not reported Tank Status: Exempt from Suffolk County Art 12 Regulation Content: #2 Fuel Oil Permit to Operate: Not reported	Tank ID: 5 Installed: 83 Fill Type: GRAVITY		

AIR EAST RENTALS LLC
ROUTE 109
FARMINGDALE, NY 11735

UST U003844868
 N/A

Suffolk County UST: Facility ID: 958 Owner: MICHAEL TARASCIO, AIR EAST AIRWAYS INC 864 SCHROERER AVE FRANKLIN SQUARE, NY 11010 Location: UNDER, OUT Capacity: 0000000550 Construction: STEEL / STEEL Dispenser: SUCTION Compliance: Not reported Tank Status: Never Installed Content: Oil/Water Seperator Permit to Operate: Not reported Facility ID: 958 Owner: MICHAEL TARASCIO, AIR EAST AIRWAYS INC 864 SCHROERER AVE FRANKLIN SQUARE, NY 11010 Location: UNDER, OUT Capacity: 0000000550 Construction: STEEL / STEEL Dispenser: SUCTION Compliance: Not reported Tank Status: Permitted Tank. Permit Runs Out - 2005 Content: Waste Oil Permit to Operate: 061500	Tank ID: 1 Installed: Not reported Fill Type: GRAVITY		
Location: UNDER, OUT Capacity: 0000000550 Construction: STEEL / STEEL Dispenser: SUCTION Compliance: Not reported Tank Status: Permitted Tank. Permit Runs Out - 2005 Content: Waste Oil Permit to Operate: 061500	Tank ID: 2 Installed: Not reported Fill Type: GRAVITY		

DETAILED ORPHAN LISTING

Site	Database(s)	EDR ID Number	EPA ID Number
------	-------------	---------------	---------------

ROLLI RETREAD INC
1010 RTE 109
FARMINGDALE, NY

NY Spills S103565666
N/A

SPILLS:

Spill Number:	9107218	Region of Spill:	1
Facility Contact:	Not reported	Facility Tele:	Not reported
Investigator:	KISPERT	SWIS:	28
Caller Name:	Not reported	Caller Agency:	Not reported
Caller Phone:	Not reported	Caller Extension:	Not reported
Notifier Name:	Not reported	Notifier Agency:	Not reported
Notifier Phone:	Not reported	Notifier Extension:	Not reported
Spiller Contact:	Not reported	Spiller Phone:	(516) 694-7670
Spiller:	ROLLI RETREAD INC		
Spiller Address:	1010 RTE 109		
	FARMINGDALE, NY		
Spill Class:	Not reported	Resource Affected:	In Sewer
Spill Closed Dt:	10/08/1991	Spill Source:	Other Commercial/Industrial
Spill Cause:	Other	PBS Number:	Not reported
Water Affected:	Not reported	Reported to Dept:	10/05/1991 04:17
Spill Notifier:	Fire Department		
Spill Date:	10/05/1991 02:46		
Cleanup Ceased:	10/08/1991		
Last Inspection:	Not reported		
Cleanup Meets Standard:	True		
Recommended Penalty:	Penalty Not Recommended		
Spiller Cleanup Date:	Not reported		
Enforcement Date:	Not reported		
Investigation Complete:	Not reported		
UST Involvement:	False		
Spill Record Last Update:	10/09/1991		
Is Updated:	False		
Corrective Action Plan Submitted:	Not reported		
Date Spill Entered In Computer Data File:	10/07/1991		
Date Region Sent Summary to Central Office:	Not reported		
Tank Test:			
PBS Number:	Not reported		
Tank Number:	Not reported		
Test Method:	Not reported		
Capacity of Failed Tank:	Not reported		
Leak Rate Failed Tank:	Not reported		
Gross Leak Rate:	Not reported		
Material:			
Material Class Type:	Not reported		
Quantity Spilled:	Not reported		
Units:	Not reported		
Unknown Qty Spilled:	Not reported		
Quantity Recovered:	Not reported		
Unknown Qty Recovered:	Not reported		
Material:	Not reported		
Class Type:	Not reported		
Chem Abstract Service Number:	Not reported		
Last Date:	Not reported		
Num Times Material Entry In File:	Not reported		

Remark: SUSPICIOUS FIRE CAUSED TIRES TO BURN, PADS APPLIED NEED CALL BACK. PADS IN DRAIN PICKED UP VERY LITTLE OIL, MOSTLY FIRE DEBRIS PIECES OF RUBBER COUNTY DRAIN,

DEC Remarks: 10/07/91: CHECKED DRAIN. NO NEED FOR FURTHER ACTION. 10/10/95: This is additional information about material spilled from the translation of th

DETAILED ORPHAN LISTING

Site	Database(s)	EDR ID Number EPA ID Number
------	-------------	--------------------------------

ROLLI RETREAD INC (Continued) e old spill file: TIRE FIRE.		S103565666
---	--	------------

LARRY E TYREE ROUTE 109 FARMINGDALE, NY	NY Spills	S102136171 N/A
--	------------------	---------------------------------

SPILLS:

Spill Number:	9201919	Region of Spill:	1
Facility Contact:	Not reported	Facility Tele:	Not reported
Investigator:	LUCE	SWIS:	47
Caller Name:	Not reported	Caller Agency:	Not reported
Caller Phone:	Not reported	Caller Extension:	Not reported
Notifier Name:	Not reported	Notifier Agency:	Not reported
Notifier Phone:	Not reported	Notifier Extension:	Not reported
Spiller Contact:	Not reported	Spiller Phone:	(516) 249-3150
Spiller:	LARRY E TYREE		
Spiller Address:	208 RTOE 109 FARMINGDALE, NY		
Spill Class:	Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.		
Spill Closed Dt:	09/20/1992		
Spill Cause:	Traffic Accident	Resource Affected:	In Sewer
Water Affected:	Not reported	Spill Source:	Commercial Vehicle
Spill Notifier:	Responsible Party	PBS Number:	Not reported
Spill Date:	05/16/1992 09:30	Reported to Dept:	05/16/1992 09:55
Cleanup Ceased:	09/20/1992		
Last Inspection:	Not reported		
Cleanup Meets Standard:	True		
Recommended Penalty:	Penalty Not Recommended		
Spiller Cleanup Date:	Not reported		
Enforcement Date:	Not reported		
Investigation Complete:	Not reported		
UST Involvement:	False		
Spill Record Last Update:	09/22/1992		
Is Updated:	False		
Corrective Action Plan Submitted:	Not reported		
Date Spill Entered In Computer Data File:	05/19/1992		
Date Region Sent Summary to Central Office:	Not reported		
Tank Test:			
PBS Number:	Not reported		
Tank Number:	Not reported		
Test Method:	Not reported		
Capacity of Failed Tank:	Not reported		
Leak Rate Failed Tank:	Not reported		
Gross Leak Rate:	Not reported		
Material:			
Material Class Type:	1		
Quantity Spilled:	5		
Units:	Gallons		
Unknown Qty Spilled:	5		
Quantity Recovered:	0		
Unknown Qty Recovered:	False		
Material:	DIESEL		
Class Type:	Petroleum		
Chem Abstract Service Number:	DIESEL		
Last Date:	07/28/1994		
Num Times Material Entry In File:	10625		

Remark: TRUCK REAR ENDED, SCPD ON SCENE, USED VAC TRUCK TO PUMP OUT, 1 DRUM OF S

DETAILED ORPHAN LISTING

Site	Database(s)	EDR ID Number EPA ID Number
LARRY E TYREE (Continued)		S102136171
OLID WASTE GENERATED DEC Remarks: 09/20/92: TYREE CLEANED UP 1 DRUM DEBRIS REMOVED. NO ADDITIONAL WORK N EEDED.		

TAONIC PLATING COMPANY	NY Spills	S102139109
RTE 109 / 33 PATLER ST		N/A
FARMINGDALE, NY		

SPILLS:

Spill Number:	9307692	Region of Spill:	1
Facility Contact:	Not reported	Facility Tele:	Not reported
Investigator:	GIBBONS	SWIS:	28
Caller Name:	Not reported	Caller Agency:	Not reported
Caller Phone:	Not reported	Caller Extension:	Not reported
Notifier Name:	Not reported	Notifier Agency:	Not reported
Notifier Phone:	Not reported	Notifier Extension:	Not reported
Spiller Contact:	Not reported	Spiller Phone:	Not reported
Spiller:	NORMA REALTY BLDG OWNER		
Spiller Address:	Not reported		
Spill Class:	Known release that creates a file or hazard. DEC Response. Willing Responsible Party. Corrective action taken.		
Spill Closed Dt:	06/15/1994	Resource Affected:	On Land
Spill Cause:	Housekeeping	Spill Source:	Other Commercial/Industrial
Water Affected:	Not reported	PBS Number:	Not reported
Spill Notifier:	Affected Persons	Reported to Dept:	09/24/1993 08:40
Spill Date:	09/24/1993 08:00		
Cleanup Ceased:	06/15/1994		
Last Inspection:	Not reported		
Cleanup Meets Standard:	True		
Recommended Penalty:	Penalty Not Recommended		
Spiller Cleanup Date:	Not reported		
Enforcement Date:	Not reported		
Investigation Complete:	Not reported		
UST Involvement:	False		
Spill Record Last Update:	11/27/2001		
Is Updated:	False		
Corrective Action Plan Submitted:	Not reported		
Date Spill Entered In Computer Data File:	09/27/1993		
Date Region Sent Summary to Central Office:	Not reported		
Tank Test:			
PBS Number:	Not reported		
Tank Number:	Not reported		
Test Method:	Not reported		
Capacity of Failed Tank:	Not reported		
Leak Rate Failed Tank:	Not reported		
Gross Leak Rate:	Not reported		
Material:			
Material Class Type:	Not reported		
Quantity Spilled:	Not reported		
Units:	Not reported		
Unknown Qty Spilled:	Not reported		
Quantity Recovered:	Not reported		
Unknown Qty Recovered:	Not reported		
Material:	Not reported		
Class Type:	Not reported		
Chem Abstract Service Number:	Not reported		
Last Date:	Not reported		
Num Times Material Entry In File:	Not reported		

DETAILED ORPHAN LISTING

Site	Database(s)	EDR ID Number	EPA ID Number
------	-------------	---------------	---------------

TAONIC PLATING COMPANY (Continued) S102139109

Remark: CALLER NOTICES ODOR AT SITE WHILE DOING CONSTRUCTION WORK. OPEN VATS TURNED OVER VAT OF CAUSTIC, ACID MATERIALS ESCAPING, NO AIR IN ROOM OUTSIDE, PLANT HAD FIRE IN BLDG

DEC Remarks: 06/15/94: SAME AS 93-03931. 10/10/95: This is additional information about material spilled from the translation of the old spill file: CYANIDE, ALKALINE.

FUEL FARM LTANKS S105135495
ROUTE 109 N/A
FARMINGDALE, NY

LTANKS:

Spill Number:	0106276	Region of Spill:	1
Facility Contact:	HEINZ HANSEN	Facility Tele:	(631) 752-7992
Investigator:	UNASSIGNED	SWIS:	47
Caller Name:	Not reported	Caller Agency:	Not reported
Caller Phone:	Not reported	Caller Extension:	Not reported
Notifier Name:	Not reported	Notifier Agency:	Not reported
Notifier Phone:	Not reported	Notifier Extension:	Not reported
Spiller Contact:	SHAWN ROSE	Spiller Phone:	(631) 752-9022
Spiller:	MILLION AIR		
Spiller Address:	ROUTE 109 FARMINGDALE, NY		
Spill Class:	Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.		
Spill Closed Dt:	Not reported		
Spill Cause:	Tank Overfill	Resource Affected:	On Land
Water Affected:	Not reported	Spill Source:	Non Major Facility > 1,100 gallons
Spill Notifier:	Other	PBS Number:	Not reported
Spill Date:	09/13/2001 23:10	Reported to Dept:	09/13/2001 23:47
Cleanup Ceased:	Not reported		
Last Inspection:	Not reported		
Cleanup Meets Standard:	False		
Recommended Penalty:	Penalty Not Recommended		
Spiller Cleanup Date:	Not reported		
Enforcement Date:	Not reported		
Investigation Complete:	Not reported		
UST Involvement:	False		
Spill Record Last Update:	10/04/2001		
Is Updated:	False		
Corrective Action Plan Submitted:	Not reported		
Date Spill Entered In Computer Data File:	09/13/2001		
Date Region Sent Summary to Central Office:	Not reported		
Tank Test:			
PBS Number:	Not reported		
Tank Number:	Not reported		
Test Method:	Not reported		
Capacity of Failed Tank:	Not reported		
Leak Rate Failed Tank:	Not reported		
Gross Leak Rate:	Not reported		
Material:			
Material Class Type:	1		
Quantity Spilled:	10		
Units:	Gallons		
Unknown Qty Spilled:	10		
Quantity Recovered:	10		
Unknown Qty Recovered:	False		
Material:	JET FUEL		

DETAILED ORPHAN LISTING

Site	Database(s)	EDR ID Number	EPA ID Number
------	-------------	---------------	---------------

FUEL FARM (Continued)		S105135495	
-----------------------	--	------------	--

Class Type: Petroleum
 Chem Abstract Service Number: JET FUEL
 Last Date: 07/28/1994
 Num Times Material Entry In File: 1264
 DEC Remarks: CLEANUP IN PROGRESS
 Spill Cause: Tank cross feed valve was open so when they filled a truck it also went to another tank, causing an overflow

PETRO KING	NY Spills	S102136326
RTE 24 HEMPSTEAD TPKE		N/A
FARMINGDALE, NY		

SPILLS:

Spill Number:	9205061	Region of Spill:	1
Facility Contact:	Not reported	Facility Tele:	Not reported
Investigator:	KISPERT	SWIS:	47
Caller Name:	Not reported	Caller Agency:	Not reported
Caller Phone:	Not reported	Caller Extension:	Not reported
Notifier Name:	Not reported	Notifier Agency:	Not reported
Notifier Phone:	Not reported	Notifier Extension:	Not reported
Spiller Contact:	Not reported	Spiller Phone:	Not reported
Spiller:	PETRO KING		
Spiller Address:	Not reported		
Spill Class:	Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.		
Spill Closed Dt:	08/04/1992		
Spill Cause:	Unknown	Resource Affected:	On Land
Water Affected:	Not reported	Spill Source:	Gas Station
Spill Notifier:	Other	PBS Number:	Not reported
Spill Date:	08/03/1992 07:00	Reported to Dept:	08/03/1992 07:23
Cleanup Ceased:	08/04/1992		
Last Inspection:	Not reported		
Cleanup Meets Standard:	True		
Recommended Penalty:	Penalty Not Recommended		
Spiller Cleanup Date:	Not reported		
Enforcement Date:	Not reported		
Investigation Complete:	Not reported		
UST Involvement:	False		
Spill Record Last Update:	08/07/1992		
Is Updated:	False		
Corrective Action Plan Submitted:	Not reported		
Date Spill Entered In Computer Data File:	08/05/1992		
Date Region Sent Summary to Central Office:	Not reported		
Tank Test:			
PBS Number:	Not reported		
Tank Number:	Not reported		
Test Method:	Not reported		
Capacity of Failed Tank:	Not reported		
Leak Rate Failed Tank:	Not reported		
Gross Leak Rate:	Not reported		
Material:			
Material Class Type:	1		
Quantity Spilled:	0		
Units:	Gallons		
Unknown Qty Spilled:	No		
Quantity Recovered:	0		
Unknown Qty Recovered:	False		
Material:	DIESEL		

DETAILED ORPHAN LISTING

Site	Database(s)	EDR ID Number EPA ID Number
------	-------------	--------------------------------

PETRO KING (Continued) S102136326

Class Type: Petroleum
 Chem Abstract Service Number: DIESEL
 Last Date: 07/28/1994
 Num Times Material Entry In File: 10625
 Remarks: FUEL COVERS ONE SIDE OF PARKING LOT, PETRO KING EMPLOYESS APPLYING SAND
 DEC Remarks: 08/04/92: SAME AS 92-05065.

**FAIRCHILD REPUBLIC
 BOARD HOLLOW RD
 FARMINGDALE, NY 11735**

**CERCLIS 1000354421
 FINDS NYD000512467**

CERCLIS Classification Data:

Site Incident Category: Not reported	Federal Facility: Not a Federal Facility
Non NPL Status: Other Cleanup Activity: State-Lead Cleanup	
Ownership Status: Other	NPL Status: Not on the NPL

CERCLIS Assessment History:

Assessment: DISCOVERY	Completed: 04/01/1983
Assessment: SITE INSPECTION	Completed: 04/01/1983
Assessment: HRS PACKAGE	Completed: 04/01/1983
Assessment: PRELIMINARY ASSESSMENT	Completed: 04/01/1983

CERCLIS Site Status:

Low

FINDS:

Other Pertinent Environmental Activity Identified at Site:
 Comperhensive Environmental Response, Compensation and Liability Information System (CERCLIS)
 Facility Registry System (FRS)

**ALEX YARMOSH
 9 BURNT CIRCLE NORTH
 FARMINGDALE, NY**

**NY Spills S102135928
 N/A**

SPILLS:

Spill Number: 8806613	Region of Spill: 1
Facility Contact: Not reported	Facility Tele: Not reported
Investigator: SCDH	SWIS: 47
Caller Name: Not reported	Caller Agency: Not reported
Caller Phone: Not reported	Caller Extension: Not reported
Notifier Name: Not reported	Notifier Agency: Not reported
Notifier Phone: Not reported	Notifier Extension: Not reported
Spiller Contact: Not reported	Spiller Phone: (516) 756-9835
Spiller: ALEX YARMOSH	
Spiller Address: Not reported	
Spill Class: Known release that creates potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.	
Spill Closed Dt: 07/28/1992	
Spill Cause: Housekeeping	Resource Affected: On Land
Water Affected: Not reported	Spill Source: Private Dwelling
Spill Notifier: Responsible Party	PBS Number: Not reported
Spill Date: 11/07/1988 15:40	Reported to Dept: 11/07/1988 15:40
Cleanup Ceased: 07/28/1992	
Last Inspection: Not reported	
Cleanup Meets Standard: True	
Recommended Penalty: Penalty Not Recommended	
Spiller Cleanup Date: Not reported	
Enforcement Date: Not reported	
Investigation Complete: Not reported	
UST Involvement: False	

DETAILED ORPHAN LISTING

Site	Database(s)	EDR ID Number EPA ID Number
------	-------------	--------------------------------

ALEX YARMOSH (Continued) S102135928

Spill Record Last Update: 11/05/1992
 Is Updated: False
 Corrective Action Plan Submitted: Not reported
 Date Spill Entered In Computer Data File: 11/09/1988
 Date Region Sent Summary to Central Office: Not reported
 Tank Test:
 PBS Number: Not reported
 Tank Number: Not reported
 Test Method: Not reported
 Capacity of Failed Tank: Not reported
 Leak Rate Failed Tank: Not reported
 Gross Leak Rate: Not reported
 Material:
 Material Class Type: 1
 Quantity Spilled: 0
 Units: Gallons
 Unknown Qty Spilled: No
 Quantity Recovered: 0
 Unknown Qty Recovered: False
 Material: WASTE OIL
 Class Type: Petroleum
 Chem Abstract Service Number: WASTE OIL
 Last Date: 09/27/1994
 Num Times Material Entry In File: 9509
 Remarks: SLOPPY HOUSEKEEPING ON SIDE OF GARAGE. DAVE OBRIG SCDH INSPECTOR
 DEC Remarks: Not reported

BELLE ARBOR PROMOTION CO INC
921C CONKLIN ST
FARMINGDALE, NY 11735

RCRIS-SQG 1004762999
FINDS NYR000102590

RCRIS.
 Owner: BELLE ARBOR PROMOTION CO INC
 (631) 249-4225
 EPA ID: NYR000102590
 Contact: PAUL TILLOSTON
 (631) 249-4225

Classification: Small Quantity Generator
 TSDF Activities: Not reported
 Violation Status: No violations found

NY MANIFEST
 Additional detail is available in NY MANIFEST. Please contact your EDR Account Executive for more information.

FINDS:
 Other Pertinent Environmental Activity Identified at Site:
 Facility Registry System (FRS)
 Resource Conservation and Recovery Act Information system (RCRAINFO)

DETAILED ORPHAN LISTING

Site	Database(s)	EDR ID Number	EPA ID Number
------	-------------	---------------	---------------

**TRIANGLE FUEL
CONKLIN STREET BLDG 18
FARMINGDALE, NY**

**LTANKS S104513802
N/A**

LTANKS:

Spill Number:	8605391	Region of Spill:	1
Facility Contact:	Not reported	Facility Tele:	Not reported
Investigator:	ACAMPORA FD	SWIS:	47
Caller Name:	Not reported	Caller Agency:	Not reported
Caller Phone:	Not reported	Caller Extension:	Not reported
Notifier Name:	Not reported	Notifier Agency:	Not reported
Notifier Phone:	Not reported	Notifier Extension:	Not reported
Spiller Contact:	Not reported	Spiller Phone:	Not reported
Spiller:	TRIANGLE FUEL		
Spiller Address:	Not reported		
Spill Class:	Not reported		
Spill Closed Dt:	12/01/1986		
Spill Cause:	Tank Overfill	Resource Affected:	On Land
Water Affected:	Not reported	Spill Source:	Tank Truck
Spill Notifier:	Affected Persons	PBS Number:	Not reported
Spill Date:	11/25/1986 10:38	Reported to Dept:	11/25/1986 11:03
Cleanup Ceased:	12/01/1986		
Last Inspection:	Not reported		
Cleanup Meets Standard:	True		
Recommended Penalty:	Penalty Not Recommended		
Spiller Cleanup Date:	Not reported		
Enforcement Date:	Not reported		
Investigation Complete:	Not reported		
UST Involvement:	False		
Spill Record Last Update:	07/13/1998		
Is Updated:	False		
Corrective Action Plan Submitted:	Not reported		
Date Spill Entered In Computer Data File:	12/03/1986		
Date Region Sent Summary to Central Office:	Not reported		
Tank Test:			
PBS Number:	Not reported		
Tank Number:	Not reported		
Test Method:	Not reported		
Capacity of Failed Tank:	Not reported		
Leak Rate Failed Tank:	Not reported		
Gross Leak Rate:	Not reported		
Material:			
Material Class Type:	1		
Quantity Spilled:	70		
Units:	Gallons		
Unknown Qty Spilled:	70		
Quantity Recovered:	0		
Unknown Qty Recovered:	False		
Material:	#6 FUEL OIL		
Class Type:	Petroleum		
Chem Abstract Service Number:	#6 FUEL OIL		
Last Date:	07/28/1994		
Num Times Material Entry In File:	2190		
DEC Remarks:	/// : SPILLER TO CLEAN/ DEC INVEST/.		
Spill Cause:	ON CONCRETE/AT FAIRCHILD-REPUBLIC/		

DETAILED ORPHAN LISTING

Site	Database(s)	EDR ID Number	EPA ID Number
ST CHARLES CEMETARY CONKLIN ST FARMINGDALE, NY 11735	UST	U003534480	N/A
Suffolk County UST:			
Facility ID:	1249		
Owner:	ST CHARLES CEMETERY CONKLIN STR/POB 149 FARMINGDALE, NY 11735		
Location:	UNDER, OUT	Tank ID:	1
Capacity:	0000002000	Installed:	64
Construction:	STEEL		
Dispenser:	SUCTION	Fill Type:	PUMPED
Compliance:	042591		
Tank Status:	Abandoned (Date - 1991), approved by plan review, awaiting construction for compliance inspection		
Content:	#2 Fuel Oil		
Permit to Operate:	Not reported		
Facility ID:	1249		
Owner:	ST CHARLES CEMETERY CONKLIN STR/POB 149 FARMINGDALE, NY 11735		
Location:	UNDER, OUT	Tank ID:	2
Capacity:	0000002000	Installed:	64
Construction:	STEEL		
Dispenser:	SUCTION	Fill Type:	PUMPED
Compliance:	042591		
Tank Status:	Removed Tank (Date Removed - 1991)		
Content:	Diesel		
Permit to Operate:	Not reported		
Facility ID:	1249		
Owner:	ST CHARLES CEMETERY CONKLIN STR/POB 149 FARMINGDALE, NY 11735		
Location:	UNDER, OUT	Tank ID:	3
Capacity:	000000500	Installed:	64
Construction:	STEEL		
Dispenser:	SUCTION	Fill Type:	GRAVITY
Compliance:	042591		
Tank Status:	Removed Tank (Date Removed - 1991)		
Content:	Gasoline		
Permit to Operate:	Not reported		
Facility ID:	1249		
Owner:	ST CHARLES CEMETERY CONKLIN STR/POB 149 FARMINGDALE, NY 11735		
Location:	UNDER, OUT	Tank ID:	4
Capacity:	0000001000	Installed:	64
Construction:	STEEL		
Dispenser:	SUCTION	Fill Type:	PUMPED
Compliance:	Not reported		
Tank Status:	Exempt from Suffolk County Art 12 Regulation		
Content:	#2 Fuel Oil		
Permit to Operate:	Not reported		
Facility ID:	1249		

DETAILED ORPHAN LISTING

Site	Database(s)	EDR ID Number	EPA ID Number
ST CHARLES CEMETARY (Continued)		U003534480	
Owner: ST CHARLES CEMETERY CONKLIN STR/POB 149 FARMINGDALE, NY 11735			
Location: UNDER, OUT Capacity: 000002500 Construction: STEEL Dispenser: SUCTION Compliance: 042591 Tank Status: Removed Tank (Date Removed - 1991) Content: Gasoline Permit to Operate: Not reported	Tank ID: 5 Installed: Not reported Fill Type: GRAVITY		
Facility ID: 1249 Owner: ST CHARLES CEMETERY CONKLIN STR/POB 149 FARMINGDALE, NY 11735			
Location: UNDER, OUT Capacity: 000003000 Construction: FRP / FRP Dispenser: SUCTION Compliance: Not reported Tank Status: Permitted Tank. Permit Runs Out - 1996 Content: Gasoline Permit to Operate: 042391	Tank ID: 7 Installed: 91 Fill Type: GRAVITY		
Facility ID: 1249 Owner: ST CHARLES CEMETERY CONKLIN STR/POB 149 FARMINGDALE, NY 11735			
Location: UNDER, OUT Capacity: 000003000 Construction: FRP / FRP Dispenser: SUCTION Compliance: Not reported Tank Status: Permitted Tank. Permit Runs Out - 1996 Content: Gasoline Permit to Operate: 042391	Tank ID: 8 Installed: 91 Fill Type: GRAVITY		
Facility ID: 1249 Owner: ST CHARLES CEMETERY CONKLIN STR/POB 149 FARMINGDALE, NY 11735			
Location: UNDER, OUT Capacity: 000003000 Construction: FRP / FRP Dispenser: SUCTION Compliance: Not reported Tank Status: Permitted Tank. Permit Runs Out - 1996 Content: Diesel Permit to Operate: 042391	Tank ID: 9 Installed: 91 Fill Type: PUMPED		
Facility ID: 1249 Owner: ST CHARLES CEMETERY CONKLIN STR/POB 149 FARMINGDALE, NY 11735			
Location: UNDER, OUT Capacity: 000002500	Tank ID: 10 Installed: 91		

DETAILED ORPHAN LISTING

Site	Database(s)	EDR ID Number	EPA ID Number
ST CHARLES CEMETARY (Continued)		U003534480	
Construction:	FRP / FRP		
Dispenser:	SUCTION	Fill Type:	PUMPED
Compliance:	Not reported		
Tank Status:	Permitted Tank. Permit Runs Out - 1996		
Content:	#2 Fuel Oil		
Permit to Operate:	042391		
Facility ID:	1249		
Owner:	ST CHARLES CEMETERY CONKLIN STR/POB 149 FARMINGDALE, NY 11735		
Location:	UNDER, OUT	Tank ID:	11
Capacity:	0000001000	Installed:	91
Construction:	FRP / FRP		
Dispenser:	SUCTION	Fill Type:	PUMPED
Compliance:	Not reported		
Tank Status:	Permitted Tank. Permit Runs Out - 1996		
Content:	#2 Fuel Oil		
Permit to Operate:	042391		
C I REALTY CORP 855 A CONKLIN ST FARMINGDALE, NY 11735		UST	U003535352 N/A
Suffolk County UST:			
Facility ID:	1722		
Owner:	C I REALTY CORP 14 DUBON CT FARMINGDALE, NY 11735		
Location:	UNDER, OUT	Tank ID:	1
Capacity:	0000002000	Installed:	Not reported
Construction:	STEEL		
Dispenser:	SUCTION	Fill Type:	PUMPED
Compliance:	062592		
Tank Status:	Removed Tank (Date Removed - 1992)		
Content:	#2 Fuel Oil		
Permit to Operate:	Not reported		
Facility ID:	1722		
Owner:	C I REALTY CORP 14 DUBON CT FARMINGDALE, NY 11735		
Location:	UNDER, OUT	Tank ID:	2
Capacity:	00000 1000	Installed:	Not reported
Construction:	STEEL		
Dispenser:	SUCTION	Fill Type:	PUMPED
Compliance:	062592		
Tank Status:	Removed Tank (Date Removed - 1992)		
Content:	#2 Fuel Oil		
Permit to Operate:	Not reported		
Facility ID:	1722		
Owner:	C I REALTY CORP 14 DUBON CT FARMINGDALE, NY 11735		
Location:	UNDER, OUT	Tank ID:	3
Capacity:	0000001000	Installed:	Not reported
Construction:	STEEL		

DETAILED ORPHAN LISTING

Site	Database(s)	EDR ID Number	EPA ID Number
C I REALTY CORP (Continued)		U003535352	
Dispenser:	SUCTION	Fill Type:	PUMPED
Compliance:	062592		
Tank Status:	Removed Tank (Date Removed - 1992)		
Content:	#2 Fuel Oil		
Permit to Operate:	Not reported		
Facility ID:	1722		
Owner:	C I REALTY CORP 14 DUBON CT FARMINGDALE, NY 11735		
Location:	UNDER, OUT	Tank ID:	4
Capacity:	000000550	Installed:	75
Construction:	STEEL		
Dispenser:	SUCTION	Fill Type:	PUMPED
Compliance:	072496		
Tank Status:	Removed Tank (Date Removed - 1996)		
Content:	#2 Fuel Oil		
Permit to Operate:	Not reported		
Facility ID:	1722		
Owner:	C I REALTY CORP 14 DUBON CT FARMINGDALE, NY 11735		
Location:	UNDER, OUT	Tank ID:	5
Capacity:	000000550	Installed:	75
Construction:	STEEL		
Dispenser:	SUCTION	Fill Type:	PUMPED
Compliance:	072496		
Tank Status:	Removed Tank (Date Removed - 1996)		
Content:	#2 Fuel Oil		
Permit to Operate:	Not reported		
Facility ID:	1722		
Owner:	C I REALTY CORP 14 DUBON CT FARMINGDALE, NY 11735		
Location:	UNDER, OUT	Tank ID:	6
Capacity:	000000550	Installed:	75
Construction:	STEEL		
Dispenser:	SUCTION	Fill Type:	PUMPED
Compliance:	072496		
Tank Status:	Removed Tank (Date Removed - 1996)		
Content:	#2 Fuel Oil		
Permit to Operate:	Not reported		
Facility ID:	1722		
Owner:	C I REALTY CORP 14 DUBON CT FARMINGDALE, NY 11735		
Location:	UNDER, OUT	Tank ID:	7
Capacity:	000000550	Installed:	75
Construction:	STEEL		
Dispenser:	SUCTION	Fill Type:	PUMPED
Compliance:	072496		
Tank Status:	Removed Tank (Date Removed - 1996)		
Content:	#2 Fuel Oil		
Permit to Operate:	Not reported		

DETAILED ORPHAN LISTING

Site	Database(s)	EDR ID Number	EPA ID Number
C I REALTY CORP (Continued)		U003535352	
Facility ID: 1722 Owner: C I REALTY CORP 14 DUBON CT FARMINGDALE, NY 11735 Location: UNDER, OUT Capacity: 0000000550 Construction: STEEL Dispenser: SUCTION Compliance: 072496 Tank Status: Removed Tank (Date Removed - 1996) Content: #2 Fuel Oil Permit to Operate: Not reported	Tank ID: 8 Installed: 75 Fill Type: PUMPED		
Facility ID: 1722 Owner: C I REALTY CORP 14 DUBON CT FARMINGDALE, NY 11735 Location: UNDER, OUT Capacity: 0000001000 Construction: STEEL Dispenser: SUCTION Compliance: 072496 Tank Status: Removed Tank (Date Removed - 1996) Content: #2 Fuel Oil Permit to Operate: Not reported	Tank ID: 9 Installed: 75 Fill Type: PUMPED		
Facility ID: 1722 Owner: C I REALTY CORP 14 DUBON CT FARMINGDALE, NY 11735 Location: UNDER, OUT Capacity: 0000000550 Construction: STEEL Dispenser: SUCTION Compliance: 092597 Tank Status: Removed Tank (Date Removed - 1997) Content: #2 Fuel Oil Permit to Operate: Not reported	Tank ID: 12 Installed: 75 Fill Type: GRAVITY		
Facility ID: 1722 Owner: C I REALTY CORP 14 DUBON CT FARMINGDALE, NY 11735 Location: UNDER, OUT Capacity: 0000002000 Construction: STEEL Dispenser: SUCTION Compliance: 092497 Tank Status: Removed Tank (Date Removed - 1997) Content: #2 Fuel Oil Permit to Operate: Not reported	Tank ID: 13 Installed: 75 Fill Type: GRAVITY		
Facility ID: 1722 Owner: C I REALTY CORP 14 DUBON CT FARMINGDALE, NY 11735			

DETAILED ORPHAN LISTING

Site	Database(s)	EDR ID Number	EPA ID Number
C I REALTY CORP (Continued)		U003535352	
Location:	UNDER, OUT	Tank ID:	14
Capacity:	000001000	Installed:	Not reported
Construction:	STEEL		
Dispenser:	SUCTION	Fill Type:	GRAVITY
Compliance:	091698		
Tank Status:	Removed Tank (Date Removed - 1998)		
Content:	#2 Fuel Oil		
Permit to Operate:	Not reported		
Facility ID:	1722		
Owner:	C I REALTY CORP 14 DUBON CT FARMINGDALE, NY 11735		
Location:	UNDER, OUT	Tank ID:	15
Capacity:	000000550	Installed:	Not reported
Construction:	STEEL		
Dispenser:	SUCTION	Fill Type:	GRAVITY
Compliance:	092497		
Tank Status:	Removed Tank (Date Removed - 1997)		
Content:	#2 Fuel Oil		
Permit to Operate:	Not reported		
Facility ID:	1722		
Owner:	C I REALTY CORP 14 DUBON CT FARMINGDALE, NY 11735		
Location:	UNDER, OUT	Tank ID:	16
Capacity:	000000550	Installed:	Not reported
Construction:	STEEL		
Dispenser:	SUCTION	Fill Type:	GRAVITY
Compliance:	092497		
Tank Status:	Removed Tank (Date Removed - 1997)		
Content:	#2 Fuel Oil		
Permit to Operate:	Not reported		
Facility ID:	1722		
Owner:	C I REALTY CORP 14 DUBON CT FARMINGDALE, NY 11735		
Location:	UNDER, OUT	Tank ID:	17
Capacity:	000000550	Installed:	Not reported
Construction:	STEEL		
Dispenser:	SUCTION	Fill Type:	GRAVITY
Compliance:	091698		
Tank Status:	Removed Tank (Date Removed - 1998)		
Content:	#2 Fuel Oil		
Permit to Operate:	Not reported		
Facility ID:	1722		
Owner:	C I REALTY CORP 14 DUBON CT FARMINGDALE, NY 11735		
Location:	UNDER, OUT	Tank ID:	18
Capacity:	000000550	Installed:	Not reported
Construction:	STEEL		
Dispenser:	SUCTION	Fill Type:	GRAVITY
Compliance:	092497		
Tank Status:	Removed Tank (Date Removed - 1997)		

DETAILED ORPHAN LISTING

Site	Database(s)	EDR ID Number EPA ID Number
------	-------------	--------------------------------

C I REALTY CORP (Continued)		U003535352
-----------------------------	--	------------

Content: #2 Fuel Oil
Permit to Operate: Not reported

Facility ID: 1722
Owner: C I REALTY CORP
14 DUBON CT
FARMINGDALE, NY 11735

Location:	UNDER, OUT	Tank ID:	19
Capacity:	000000550	Installed:	75
Construction:	STEEL		
Dispenser:	SUCTION	Fill Type:	GRAVITY
Compliance:	091698		
Tank Status:	Removed Tank (Date Removed - 1998)		
Content:	#2 Fuel Oil		
Permit to Operate:	Not reported		

Facility ID: 1722
Owner: C I REALTY CORP
14 DUBON CT
FARMINGDALE, NY 11735

Location:	UNDER, OUT	Tank ID:	20
Capacity:	000000550	Installed:	75
Construction:	STEEL		
Dispenser:	SUCTION	Fill Type:	GRAVITY
Compliance:	092597		
Tank Status:	Removed Tank (Date Removed - 1997)		
Content:	#2 Fuel Oil		
Permit to Operate:	Not reported		

Facility ID: 1722
Owner: C I REALTY CORP
14 DUBON CT
FARMINGDALE, NY 11735

Location:	UNDER, OUT	Tank ID:	23
Capacity:	000002000	Installed:	Not reported
Construction:	STEEL		
Dispenser:	Not reported	Fill Type:	Not reported
Compliance:	011199		
Tank Status:	Removed Tank (Date Removed - 1999)		
Content:	#2 Fuel Oil		
Permit to Operate:	Not reported		

UNK
CONKLIN ST
FARMINGDALE, NY

NY Spills S104786109
N/A

SPILLS:

Spill Number:	9400446	Region of Spill:	1
Facility Contact:	Not reported	Facility Tele:	Not reported
Investigator:	KISPERT	SWIS:	47
Caller Name:	Not reported	Caller Agency:	Not reported
Caller Phone:	Not reported	Caller Extension:	Not reported
Notifier Name:	Not reported	Notifier Agency:	Not reported
Notifier Phone:	Not reported	Notifier Extension:	Not reported
Spiller Contact:	Not reported	Spiller Phone:	Not reported
Spiller:	UNK		
Spiller Address:	Not reported		

DETAILED ORPHAN LISTING

Site	Database(s)	EDR ID Number EPA ID Number
------	-------------	--------------------------------

UNK (Continued)		S104786109
-----------------	--	------------

Spill Class: Known release that creates potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.

Spill Closed Dt: 04/19/1994

Spill Cause: Deliberate Resource Affected: in Sewer

Water Affected: Not reported Spill Source: Unknown

Spill Notifier: Police Department PBS Number: Not reported

Spill Date: 04/11/1994 10:00 Reported to Dept: 04/11/1994 10:50

Cleanup Ceased: 04/19/1994

Last Inspection: Not reported

Cleanup Meets Standard: True

Recommended Penalty: Penalty Not Recommended

Spiller Cleanup Date: Not reported

Enforcement Date: Not reported

Investigation Complete: Not reported

UST Involvement: False

Spill Record Last Update: 04/25/1994

Is Updated: False

Corrective Action Plan Submitted: Not reported

Date Spill Entered In Computer Data File: 04/12/1994

Date Region Sent Summary to Central Office: Not reported

Tank Test:

PBS Number: Not reported

Tank Number: Not reported

Test Method: Not reported

Capacity of Failed Tank: Not reported

Leak Rate Failed Tank: Not reported

Gross Leak Rate: Not reported

Material:

Material Class Type: 1

Quantity Spilled: 55

Units: Gallons

Unknown Qty Spilled: 55

Quantity Recovered: 0

Unknown Qty Recovered: False

Material: WASTE OIL

Class Type: Petroleum

Chem Abstract Service Number: WASTE OIL

Last Date: 09/27/1994

Num Times Material Entry In File: 9509

Remark: 55 GAL DRUM OF WASTE OIL KNOCKED OVER, LEAKING. DRUM WAS DUMPED INTO DR AIN.

DEC Remarks: Not reported

UNK
CONKLIN STREET
FARMINGDALE, NY

NY Spills S104783657
N/A

SPILLS:

Spill Number:	8706767	Region of Spill:	1
Facility Contact:	Not reported	Facility Tele:	Not reported
Investigator:	WALEK FD	SWIS:	47
Caller Name:	Not reported	Caller Agency:	Not reported
Caller Phone:	Not reported	Caller Extension:	Not reported
Notifier Name:	Not reported	Notifier Agency:	Not reported
Notifier Phone:	Not reported	Notifier Extension:	Not reported
Spiller Contact:	Not reported	Spiller Phone:	Not reported
Spiller:	UNK		
Spiller Address:	Not reported		

DETAILED ORPHAN LISTING

Site	Database(s)	EOR ID Number	EPA ID Number
------	-------------	---------------	---------------

UNK (Continued)			S104783657
-----------------	--	--	------------

Spill Class: Not reported
 Spill Closed Dt: 01/11/1988
 Spill Cause: Unknown
 Water Affected: Not reported
 Spill Notifier: Affected Persons
 Spill Date: 11/09/1987 15:00
 Cleanup Ceased: 01/11/1988
 Last Inspection: Not reported
 Cleanup Meets Standard: True
 Recommended Penalty: Penalty Not Recommended
 Spiller Cleanup Date: Not reported
 Enforcement Date: Not reported
 Investigation Complete: Not reported
 UST Involvement: False
 Spill Record Last Update: 09/01/1998
 Is Updated: False
 Corrective Action Plan Submitted: Not reported
 Date Spill Entered In Computer Data File: 11/13/1987
 Date Region Sent Summary to Central Office: Not reported
 Tank Test:
 PBS Number: Not reported
 Tank Number: Not reported
 Test Method: Not reported
 Capacity of Failed Tank: Not reported
 Leak Rate Failed Tank: Not reported
 Gross Leak Rate: Not reported

Material:
 Material Class Type: 1
 Quantity Spilled: 0
 Units: Gallons
 Unknown Qty Spilled: No
 Quantity Recovered: 0
 Unknown Qty Recovered: False
 Material: UNKNOWN PETROLEUM
 Class Type: Petroleum
 Chem Abstract Service Number: UNKNOWN PETROLEUM
 Last Date: 09/29/1994
 Num Times Material Entry In File: 16414

Remark: MR.WEBB SAYS THAT SECTIONS OF GROUND GRASS ARE STAINED PUDDLE LOOKS LI
 KE OIL/WATER-GRASS KILLED IN AREA.PLANT SITE BLDG 56 EAST PERIMETER
 DEC Remarks: / / : BELIEVES THE AIRCRAFT OWNERS DUMPING OIL THRU FENCE ONTO PROPERTY
 Y. / / : BELIEVES THE AIRCRAFT OWNERS DUMPING OIL THRU FENCE ONTO
 PROPERTY.12/10/87 AREA CLEAN. FAIRCHILD DID CLEANUP THE AREA IN RECHARGE
 BASIN. 10/10/95: This is additional information about material spille
 d from the translation of the old spill file: MOTOR OIL-POSS.

**NYS DOT/ REPUBLIC AIRPORT
 CONKLIN STREET
 FARMINGDALE, NY**

**NY Spills S103565538
 N/A**

SPILLS:

Spill Number:	9103123	Region of Spill:	1
Facility Contact:	Not reported	Facility Tele:	Not reported
Investigator:	MIRZA/GOMEZ	SWIS:	47
Caller Name:	Not reported	Caller Agency:	Not reported
Caller Phone:	Not reported	Caller Extension:	Not reported
Notifier Name:	Not reported	Notifier Agency:	Not reported
Notifier Phone:	Not reported	Notifier Extension:	Not reported

DETAILED ORPHAN LISTING

Site _____ Database(s) _____ EDR ID Number
 _____ EPA ID Number

NYS DOT/ REPUBLIC AIRPORT (Continued)

S103565538

Spiller Contact: Not reported Spiller Phone: Not reported
 Spiller: NYS DOT/ REPUBLIC AIRPORT
 Spiller Address: Not reported
 Spill Class: Not reported
 Spill Closed Dt: 07/01/1991
 Spill Cause: Other Resource Affected: On Land
 Water Affected: Not reported Spill Source: Other Non Commercial/Industrial
 Spill Notifier: Health Department PBS Number: Not reported
 Spill Date: 06/18/1991 15:00 Reported to Dept: 06/19/1991 08:35
 Cleanup Ceased: 07/01/1991
 Last Inspection: Not reported
 Cleanup Meets Standard: True
 Recommended Penalty: Penalty Not Recommended
 Spiller Cleanup Date: Not reported
 Enforcement Date: Not reported
 Investigation Complete: Not reported
 UST Involvement: False
 Spill Record Last Update: 09/12/1991
 Is Updated: False
 Corrective Action Plan Submitted: Not reported
 Date Spill Entered In Computer Data File: 06/20/1991
 Date Region Sent Summary to Central Office: Not reported
 Tank Test:
 PBS Number: Not reported
 Tank Number: Not reported
 Test Method: Not reported
 Capacity of Failed Tank: Not reported
 Leak Rate Failed Tank: Not reported
 Gross Leak Rate: Not reported
 Material:
 Material Class Type: 1
 Quantity Spilled: 0
 Units: Gallons
 Unknown Qty Spilled: No
 Quantity Recovered: 0
 Unknown Qty Recovered: False
 Material: #4 FUEL OIL
 Class Type: Petroleum
 Chem Abstract Service Number: #4 FUEL OIL
 Last Date: 12/05/1994
 Num Times Material Entry In File: 1751
 Remark: DISCOVERED SOIL DURING REMOVAL 2 OF 10 TANKS WERE LEAKING. CONT SOIL FOU
 ND. SCDH ON SITE
 DEC Remarks: 07/01/91: NO VISIBLE CONTAMINATION OF SOIL.

UNK
CONKLIN STREET / RTE 24
FARMINGDALE, NY

NY Spills S104784697
N/A

SPILLS:

Spill Number: 9005790 Region of Spill: 1
 Facility Contact: Not reported Facility Tele: Not reported
 Investigator: NCFM SWIS: 28
 Caller Name: Not reported Caller Agency: Not reported
 Caller Phone: Not reported Caller Extension: Not reported
 Notifier Name: Not reported Notifier Agency: Not reported
 Notifier Phone: Not reported Notifier Extension: Not reported
 Spiller Contact: Not reported Spiller Phone: Not reported

DETAILED ORPHAN LISTING

Site	Database(s)	EDR ID Number EPA ID Number
------	-------------	--------------------------------

UNK (Continued)		S104784697
-----------------	--	------------

Spiller: UNK
 Spiller Address: Not reported
 Spill Class: Not reported
 Spill Closed Dt: 08/27/1990
 Spill Cause: Unknown
 Water Affected: Not reported
 Spill Notifier: Local Agency
 Spill Date: 08/25/1990 09:30
 Cleanup Ceased: 08/27/1990
 Last Inspection: Not reported
 Cleanup Meets Standard: True
 Recommended Penalty: Penalty Not Recommended
 Spiller Cleanup Date: Not reported
 Enforcement Date: Not reported
 Investigation Complete: Not reported
 UST Involvement: False
 Spill Record Last Update: 02/04/2000
 Is Updated: False
 Corrective Action Plan Submitted: Not reported
 Date Spill Entered In Computer Data File: 08/31/1990
 Date Region Sent Summary to Central Office: Not reported
 Tank Test:
 PBS Number: Not reported
 Tank Number: Not reported
 Test Method: Not reported
 Capacity of Failed Tank: Not reported
 Leak Rate Failed Tank: Not reported
 Gross Leak Rate: Not reported
 Material:
 Material Class Type: 1
 Quantity Spilled: 5
 Units: Gallons
 Unknown Qty Spilled: 5
 Quantity Recovered: 0
 Unknown Qty Recovered: False
 Material: #2 FUEL OIL
 Class Type: Petroleum
 Chem Abstract Service Number: #2 FUEL OIL
 Last Date: 12/07/1994
 Num Times Material Entry In File: 24464
 Remark: TRUCK WENT THROUGH LEAKING OIL, HAVING DIFFICULTY GETTING SAND TRUCK APP
 ROX 3 GALS SPILLED OVER A LARGE AREA OF ROAD. ROAD SINCE SANDED SWEPT.
 NO DEC RESPONSE NEEDED
 DEC Remarks: Not reported

CASCADE LINEN & UNIFORM SUPPLY
NW CORNER CONKLIN ST
FARMINGDALE, NY 11735

RCRIS-SQG 1004758217
FINDS NYD986988038

DETAILED ORPHAN LISTING

Site	Database(s)	EDR ID Number EPA ID Number
------	-------------	--------------------------------

CASCADE LINEN & UNIFORM SUPPLY (Continued)

1004758217

RCRIS:

Owner: CASCADE LINEN & UNIFORM
(718) 963-9600
EPA ID: NYD986988038
Contact: BARNEY SUSSMAN
(718) 963-9600
Classification: Conditionally Exempt Small Quantity Generator
TSDF Activities: Not reported
Violation Status: No violations found

FINDS:

Other Pertinent Environmental Activity Identified at Site:
Facility Registry System (FRS)
Resource Conservation and Recovery Act Information system (RCRAINFO)

**HUNAN HOUSE
DOUD STREET / RTE 109
FARMINGDALE, NY**

**NY Spills S104498819
N/A**

SPILLS:

Spill Number: 8809068	Region of Spill: 1
Facility Contact: Not reported	Facility Tele: Not reported
Investigator: RAYMOND	SWIS: 28
Caller Name: Not reported	Caller Agency: Not reported
Caller Phone: Not reported	Caller Extension: Not reported
Notifier Name: Not reported	Notifier Agency: Not reported
Notifier Phone: Not reported	Notifier Extension: Not reported
Spiller Contact: Not reported	Spiller Phone: (516) 249-3010
Spiller: HUNAN HOUSE	
Spiller Address: RTE 109 FARMINGDALE, NY	
Spill Class: Known release that creates potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.	
Spill Closed Dt: 01/05/1993	
Spill Cause: Deliberate	Resource Affected: In Sewer
Water Affected: Not reported	Spill Source: Other Commercial/Industrial
Spill Notifier: Fire Department	PBS Number: Not reported
Spill Date: 02/21/1989 21:11	Reported to Dept: 02/21/1989 21:42
Cleanup Ceased: 01/05/1993	
Last Inspection: Not reported	
Cleanup Meets Standard: True	
Recommended Penalty: Penalty Not Recommended	
Spiller Cleanup Date: Not reported	
Enforcement Date: Not reported	
Investigation Complete: Not reported	
UST Involvement: False	
Spill Record Last Update: 01/12/2000	
Is Updated: False	
Corrective Action Plan Submitted: Not reported	
Date Spill Entered in Computer Data File: 02/23/1989	
Date Region Sent Summary to Central Office: Not reported	
Tank Test:	
PBS Number: Not reported	
Tank Number: Not reported	
Test Method: Not reported	
Capacity of Failed Tank: Not reported	

DETAILED ORPHAN LISTING

Site	Database(s)	EDR ID Number EPA ID Number
------	-------------	--------------------------------

HUNAN HOUSE (Continued)		S104498819
-------------------------	--	------------

Leak Rate Failed Tank: Not reported
 Gross Leak Rate: Not reported
 Material:
 Material Class Type: 1
 Quantity Spilled: 0
 Units: Gallons
 Unknown Qty Spilled: No
 Quantity Recovered: 0
 Unknown Qty Recovered: False
 Material: UNKNOWN PETROLEUM
 Class Type: Petroleum
 Chem Abstract Service Number: UNKNOWN PETROLEUM
 Last Date: 09/29/1994
 Num Times Material Entry In File: 16414
 Material Class Type: 3
 Quantity Spilled: 0
 Units: Gallons
 Unknown Qty Spilled: No
 Quantity Recovered: 0
 Unknown Qty Recovered: False
 Material: COOKING GREASE
 Class Type: Non Pet/Non Haz
 Chem Abstract Service Number: COOKING GREASE
 Last Date: Not reported
 Num Times Material Entry In File: 59
 Remark: WANT DEC CALL BACK RESPONSE (INSPECTOR HORISHNEY NCFM) ON SCENE. SUSPECT CHINESE RESTAURANT OR AUTO SHOP OIL FOAMING OUT OF STORM DRAIN.
 DEC Remarks: 01/05/93: COOKING GREASE IN DRAIN, DRAIN OVERFLOWED DURING RAIN, PROPERTY OWNER HAD TYREE CLEANUP.

ATLANTIC TOOL & MFG NORTH CORP
228A FARMINGDALE RD & RTE 109
FARMINGDALE, NY 11735

RCRIS-SQG 1000553185
FINDS NYD986956001

RCRIS:
 Owner: FRITZ E BOEHLM
 (516) 454-6533
 EPA ID: NYD986956001
 Contact: ANTHONY CATALANO
 (516) 454-6533
 Classification: Small Quantity Generator
 TSDF Activities: Not reported
 Violation Status: No violations found

NY MANIFEST

Additional detail is available in NY MANIFEST. Please contact your EDR Account Executive for more information.

FINDS:

Other Pertinent Environmental Activity Identified at Site:
 Facility Registry System (FRS)
 Resource Conservation and Recovery Act Information system (RCRAINFO)

DETAILED ORPHAN LISTING

Site	Database(s)	EDR ID Number	EPA ID Number
------	-------------	---------------	---------------

SUSP DALE AUTO SALES FULTON / HEISSLER ROAD FARMINGDALE, NY	NY Spills	S102137430	N/A
--	------------------	-------------------	------------

SPILLS:

Spill Number:	8710385	Region of Spill:	1
Facility Contact:	Not reported	Facility Tele:	Not reported
Investigator:	ACAMPORA FD	SWIS:	28
Caller Name:	Not reported	Caller Agency:	Not reported
Caller Phone:	Not reported	Caller Extension:	Not reported
Notifier Name:	Not reported	Notifier Agency:	Not reported
Notifier Phone:	Not reported	Notifier Extension:	Not reported
Spiller Contact:	Not reported	Spiller Phone:	Not reported
Spiller:	SUSP DALE AUTO SALES		
Spiller Address:	356 FULTON STREET FARMINGDALE, NY		
Spill Class:	Not reported	Resource Affected:	In Sewer
Spill Closed Dt:	01/12/1989	Spill Source:	Unknown
Spill Cause:	Unknown	PBS Number:	Not reported
Water Affected:	Not reported	Reported to Dept:	03/11/1988 15:40
Spill Notifier:	Health Department		
Spill Date:	03/11/1988 13:00		
Cleanup Ceased:	01/12/1989		
Last Inspection:	Not reported		
Cleanup Meets Standard:	True		
Recommended Penalty:	Penalty Not Recommended		
Spiller Cleanup Date:	Not reported		
Enforcement Date:	Not reported		
Investigation Complete:	Not reported		
UST Involvement:	False		
Spill Record Last Update:	03/18/1999		
Is Updated:	False		
Corrective Action Plan Submitted:	Not reported		
Date Spill Entered In Computer Data File:	03/15/1988		
Date Region Sent Summary to Central Office:	Not reported		
Tank Test:			
PBS Number:	Not reported		
Tank Number:	Not reported		
Test Method:	Not reported		
Capacity of Failed Tank:	Not reported		
Leak Rate Failed Tank:	Not reported		
Gross Leak Rate:	Not reported		
Material:			
Material Class Type:	1		
Quantity Spilled:	0		
Units:	Gallons		
Unknown Qty Spilled:	No		
Quantity Recovered:	0		
Unknown Qty Recovered:	False		
Material:	WASTE OIL		
Class Type:	Petroleum		
Chem Abstract Service Number:	WASTE OIL		
Last Date:	09/27/1994		
Num Times Material Entry In File:	9509		
Remarks:	STORM DRAIN IN AREA.		
DEC Remarks:	01/12/89: SUNOCO/DALE AUTO CLEANING OUT AFFECTED DRAIN.		

DETAILED ORPHAN LISTING

Site	Database(s)	EDR ID Number	EPA ID Number
------	-------------	---------------	---------------

LILCO
 FULTON STREET
 FARMINGDALE, NY

NY Spills S102136392
 N/A

SPILLS:

Spill Number:	9206858	Region of Spill:	1
Facility Contact:	Not reported	Facility Tele:	Not reported
Investigator:	DEROSA	SWIS:	28
Caller Name:	Not reported	Caller Agency:	Not reported
Caller Phone:	Not reported	Caller Extension:	Not reported
Notifier Name:	Not reported	Notifier Agency:	Not reported
Notifier Phone:	Not reported	Notifier Extension:	Not reported
Spiller Contact:	Not reported	Spiller Phone:	Not reported
Spiller:	LILCO		
Spiller Address:	Not reported		
Spill Class:	Known release that creates potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.		
Spill Closed Dt:	09/28/1992		
Spill Cause:	Equipment Failure	Resource Affected:	On Land
Water Affected:	Not reported	Spill Source:	Other Commercial/Industrial
Spill Notifier:	Responsible Party	PBS Number:	Not reported
Spill Date:	09/15/1992 11:45	Reported to Dept:	09/15/1992 12:05
Cleanup Ceased	09/28/1992		
Last Inspection:	Not reported		
Cleanup Meets Standard:	True		
Recommended Penalty:	Penalty Not Recommended		
Spiller Cleanup Date:	Not reported		
Enforcement Date:	Not reported		
Investigation Complete:	Not reported		
UST Involvement:	False		
Spill Record Last Update:	10/15/2001		
Is Updated:	False		
Corrective Action Plan Submitted:	Not reported		
Date Spill Entered In Computer Data File:	09/16/1992		
Date Region Sent Summary to Central Office:	Not reported		
Tank Test:			
PBS Number:	Not reported		
Tank Number:	Not reported		
Test Method:	Not reported		
Capacity of Failed Tank:	Not reported		
Leak Rate Failed Tank:	Not reported		
Gross Leak Rate:	Not reported		
Material:			
Material Class Type:	1		
Quantity Spilled:	75		
Units:	Gallons		
Unknown Qty Spilled:	75		
Quantity Recovered:	0		
Unknown Qty Recovered:	False		
Material:	NON PCB OIL		
Class Type:	Petroleum		
Chem Abstract Service Number:	NON PCB OIL		
Last Date:	09/28/1994		
Num Times Material Entry In File:	2798		
Remark:	WERE TRANSFERRING OIL WHEN PUMP CASE BROKE, APPLIED SPEEDI DRY. MEG HIRE D TO DO CLEANUP		
DEC Remarks:	Not reported		

DETAILED ORPHAN LISTING

Site	Database(s)	EDR ID Number	EPA ID Number
------	-------------	---------------	---------------

**S&S AUTO
FULTON STREET EB LANES
FARMINGDALE, NY**

**NY Spills S103936874
N/A**

SPILLS:

Spill Number:	9901292	Region of Spill:	1
Facility Contact:	RAYMOND MCGRATH	Facility Tele:	(516) 659-1917
Investigator:	DARCANGELO	SWIS:	28
Caller Name:	Not reported	Caller Agency:	Not reported
Caller Phone:	Not reported	Caller Extension:	Not reported
Notifier Name:	Not reported	Notifier Agency:	Not reported
Notifier Phone:	Not reported	Notifier Extension:	Not reported
Spiller Contact:	ROBERT HUGHES	Spiller Phone:	(516) 933-7822
Spiller:	S&S AUTOMOTIVE		
Spiller Address:	325 SOUTH OYSTER BAY ROAD PLAINVIEW, NY 11801		
Spill Class:	Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.		
Spill Closed Dt:	05/05/1999		
Spill Cause:	Other	Resource Affected:	In Sewer
Water Affected:	Not reported	Spill Source:	Commercial Vehicle
Spill Notifier:	Fire Department	PBS Number:	Not reported
Spill Date:	05/03/1999 17:30	Reported to Dept:	05/03/1999 18:40
Cleanup Ceased:	Not reported		
Last Inspection:	Not reported		
Cleanup Meets Standard:	True		
Recommended Penalty:	Penalty Not Recommended		
Spiller Cleanup Date:	Not reported		
Enforcement Date:	Not reported		
Investigation Complete:	Not reported		
UST Involvement:	False		
Spill Record Last Update:	05/05/1999		
Is Updated:	False		
Corrective Action Plan Submitted:	Not reported		
Date Spill Entered in Computer Data File:	05/03/1999		
Date Region Sent Summary to Central Office:	Not reported		
Tank Test:			
PBS Number:	Not reported		
Tank Number:	Not reported		
Test Method:	Not reported		
Capacity of Failed Tank:	Not reported		
Leak Rate Failed Tank:	Not reported		
Gross Leak Rate:	Not reported		
Material:			
Material Class Type:	1		
Quantity Spilled:	15		
Units:	Gallons		
Unknown Qty Spilled:	15		
Quantity Recovered:	0		
Unknown Qty Recovered:	False		
Material:	GASOLINE		
Class Type:	Petroleum		
Chem Abstract Service Number:	GASOLINE		
Last Date:	09/29/1994		
Num Times Material Entry In File:	21329		

Remark: CALLER REPORTING A TOW TRUCK STRUCK AN OBJECT THAT CAME UP AND RUPTURED THE GAS TANK. SPILL WENT INTO STORM DRAIN. PADS WERE PLACED DOWN TO RECOVER SPILL THAT IS STILL ON GROUND. NYS DOT NOTIFIED.

DEC Remarks: ACAMPORA CALL TO S S AUTOMOTIVE. EMPLOYEE KNEW NOTHING OF INCIDENT, NO S

DETAILED ORPHAN LISTING

Site _____ Database(s) _____ EDR ID Number _____
 EPA ID Number _____

S&S AUTO (Continued)

S103936874

UPERVISORS PRESENT ACAMPORA CONTACTED FIRE COM TELECON WITH MCGRATH: CL
 EANUP COMPLETED BY FD FM, NO RESPONSE REQUESTED CLEANUP PERFORMED B
 Y FM, DEC REMOVED RESIDUAL WASTE.CLEANUP COMPLETE

INACTIVE-SHELL
MAIN ST
FARMINGDALE, NY 11735

UST U003913754
N/A

NY UST NCFM.

Tank Type:	OUTDOOR UG HOR STEEL	Tank Size:	4000
Tank Contents:	EMPTY		
Tank Type:	OUTDOOR UG HOR STEEL	Tank Size:	4000
Tank Contents:	EMPTY		
Tank Type:	OUTDOOR UG HOR STEEL	Tank Size:	4000
Tank Contents:	EMPTY		
Tank Type:	OUTDOOR UG HOR STEEL	Tank Size:	4000
Tank Contents:	EMPTY		
Tank Type:	OUTDOOR UG HOR STEEL	Tank Size:	4000
Tank Contents:	EMPTY		
Tank Type:	OUTDOOR UG HOR STEEL	Tank Size:	4000
Tank Contents:	EMPTY		

LILCO
MAIN STREET
FARMINGDALE, NY

NY Spills S102137410
N/A

SPILLS:

Spill Number:	8709828	Region of Spill:	1
Facility Contact:	Not reported	Facility Tele:	Not reported
Investigator:	WALEK FD	SWIS:	28
Caller Name:	Not reported	Caller Agency:	Not reported
Caller Phone:	Not reported	Caller Extension:	Not reported
Notifier Name:	Not reported	Notifier Agency:	Not reported
Notifier Phone:	Not reported	Notifier Extension:	Not reported
Spiller Contact:	Not reported	Spiller Phone:	Not reported
Spiller:	LILCO		
Spiller Address:	175 EAST OLD COUNTRY ROAD HICKSVILLE, NY		
Spill Class:	Not reported	Resource Affected:	On Land
Spill Closed Dt:	02/22/1988	Spill Source:	Other Commercial/Industrial
Spill Cause:	Equipment Failure	PBS Number:	Not reported
Water Affected:	Not reported	Reported to Dept:	02/21/1988 10:32
Spill Notifier:	Responsible Party		
Spill Date:	02/21/1988 00:05		
Cleanup Ceased:	02/22/1988		
Last Inspection:	Not reported		
Cleanup Meets Standard:	True		
Recommended Penally:	Penalty Not Recommended		
Spiller Cleanup Date:	Not reported		
Enforcement Date:	Not reported		
Investigation Complete:	Not reported		
UST Involvement:	False		
Spill Record Last Update:	03/08/1999		

DETAILED ORPHAN LISTING

Site	Database(s)	EDR ID Number EPA ID Number
------	-------------	--------------------------------

LILCO (Continued)

S102137410

Is Updated: False
 Corrective Action Plan Submitted: Not reported
 Date Spill Entered In Computer Data File: 02/22/1988
 Date Region Sent Summary to Central Office: Not reported
 Tank Test:
 PBS Number: Not reported
 Tank Number: Not reported
 Test Method: Not reported
 Capacity of Failed Tank: Not reported
 Leak Rate Failed Tank: Not reported
 Gross Leak Rate: Not reported
 Material:
 Material Class Type: 1
 Quantity Spilled: 1
 Units: Gallons
 Unknown Qty Spilled: Yes
 Quantity Recovered: 0
 Unknown Qty Recovered: False
 Material: NON PCB OIL
 Class Type: Petroleum
 Chem Abstract Service Number: NON PCB OIL
 Last Date: 09/28/1994
 Num Times Material Entry In File: 2798
 Remarks: Not reported
 DEC Remarks: 02/22/88: AREA ALL CLEAN. ONLY A STAIN REMAINS ON THE ROAD THE SIDEWALK
 .NO FURTHER ACTION NEEDED.

**MAIN STREET/CONKLIN STEET
 FARMINGDALE, NY**

**NY Spills S104646103
 N/A**

SPILLS:

Spill Number:	9703965	Region of Spill:	1
Facility Contact:	Not reported	Facility Tele:	Not reported
Investigator:	PARISH	SWIS:	28
Caller Name:	Not reported	Caller Agency:	Not reported
Caller Phone:	Not reported	Caller Extension:	Not reported
Notifier Name:	Not reported	Notifier Agency:	Not reported
Notifier Phone:	Not reported	Notifier Extension:	Not reported
Spiller Contact:	Not reported	Spiller Phone:	Not reported
Spiller:	UPS		
Spiller Address:	901 SOUTH PORTLAND OAKLAHOMA CITY, OK -		
Spill Class:	Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.		
Spill Closed Dt:	07/09/1997		
Spill Cause:	Traffic Accident	Resource Affected:	On Land
Water Affected:	Not reported	Spill Source:	Commercial Vehicle
Spill Notifier:	Local Agency	PBS Number:	Not reported
Spill Date:	07/02/1997 06:00	Reported to Dept:	07/02/1997 06.59
Cleanup Ceased:	Not reported		
Last Inspection:	Not reported		
Cleanup Meets Standard:	True		
Recommended Penalty:	Penalty Not Recommended		
Spiller Cleanup Date:	Not reported		
Enforcement Date:	Not reported		
Investigation Complete:	Not reported		
UST Involvement:	False		

DETAILED ORPHAN LISTING

Site	Database(s)	EDR ID Number EPA ID Number
------	-------------	--------------------------------

(Continued)

S104646103

Spill Record Last Update: 07/10/1997
 Is Updated: False
 Corrective Action Plan Submitted: Not reported
 Date Spill Entered in Computer Data File: 07/02/1997
 Date Region Sent Summary to Central Office: Not reported
 Tank Test:
 PBS Number: Not reported
 Tank Number: Not reported
 Test Method: Not reported
 Capacity of Failed Tank: Not reported
 Leak Rate Failed Tank: Not reported
 Gross Leak Rate: Not reported
 Material:
 Material Class Type: 3
 Quantity Spilled: 5
 Units: Gallons
 Unknown Qty Spilled: 5
 Quantity Recovered: 4
 Unknown Qty Recovered: False
 Material: ANTIFREEZE
 Class Type: Non Pet/Non Haz
 Chem Abstract Service Number: ANTIFREEZE
 Last Date: Not reported
 Num Times Material Entry In File: 0
 Remark: 2 UPS TRUCKS WERE INVOLVED IN AN ACCIDENT - SMALL AMOUNT OF ANTIFREEZE W
 ENT INTO STORM SEWER
 DEC Remarks: SITE CHECKED, NO OTHER ACTIONS NEEDED

LILCO
MAIN ST / PROSPECT AVE
FARMINGDALE, NY

NY Spills S102136186
N/A

SPILLS:

Spill Number: 9202216	Region of Spill: 1
Facility Contact: Not reported	Facility Tele: Not reported
Investigator: HAAS	SWIS: 28
Caller Name: Not reported	Caller Agency: Not reported
Caller Phone: Not reported	Caller Extension: Not reported
Notifier Name: Not reported	Notifier Agency: Not reported
Notifier Phone: Not reported	Notifier Extension: Not reported
Spiller Contact: Not reported	Spiller Phone: Not reported
Spiller: LILCO	
Spiller Address: Not reported	
Spill Class: Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.	
Spill Closed Dt: 05/26/1992	
Spill Cause: Equipment Failure	Resource Affected: On Land
Water Affected: Not reported	Spill Source: Other Commercial/Industrial
Spill Notifier: Responsible Party	PBS Number: Not reported
Spill Date: 05/22/1992 17:11	Reported to Dept: 05/22/1992 19:08
Cleanup Ceased: 05/26/1992	
Last Inspection: Not reported	
Cleanup Meets Standard: True	
Recommended Penalty: Penalty Not Recommended	
Spiller Cleanup Date: Not reported	
Enforcement Date: Not reported	
Investigation Complete: Not reported	
UST Involvement: False	

DETAILED ORPHAN LISTING

<u>Site</u>	<u>Database(s)</u>	<u>EDR ID Number</u> <u>EPA ID Number</u>
-------------	--------------------	--

LILCO (Continued)

S102136186

Spill Record Last Update: 11/10/1992
 Is Updated: False
 Corrective Action Plan Submitted: Not reported
 Date Spill Entered In Computer Data File: 05/27/1992
 Date Region Sent Summary to Central Office: Not reported
 Tank Test:
 PBS Number: Not reported
 Tank Number: Not reported
 Test Method: Not reported
 Capacity of Failed Tank: Not reported
 Leak Rate Failed Tank: Not reported
 Gross Leak Rate: Not reported
 Material:
 Material Class Type: 1
 Quantity Spilled: 4
 Units: Gallons
 Unknown Qty Spilled: 4
 Quantity Recovered: 0
 Unknown Qty Recovered: False
 Material: NON PCB OIL
 Class Type: Petroleum
 Chem Abstract Service Number: NON PCB OIL
 Last Date: 09/28/1994
 Num Times Material Entry In File: 2798
 Remarks: POLE 18, OIL LEAKED ONTO STREET, LILCO TO CLEANUP
 DEC Remarks: Not reported

**FARMINGDALE U.METHODIST C
 MAIN ST / GRANT STREET
 FARMINGDALE, NY**

**LTANKS S100149089
 N/A**

LTANKS:

Spill Number: 8705370	Region of Spill: 1
Facility Contact: Not reported	Facility Tele: Not reported
Investigator: GOERTZ FD	SWIS: 28
Caller Name: Not reported	Caller Agency: Not reported
Caller Phone: Not reported	Caller Extension: Not reported
Notifier Name: Not reported	Notifier Agency: Not reported
Notifier Phone: Not reported	Notifier Extension: Not reported
Spiller Contact: Not reported	Spiller Phone: Not reported
Spiller: FARMINGDALE U.METHODIST C	
Spiller Address: Not reported	
Spill Class: Not reported	
Spill Closed Dt: 06/17/1988	
Spill Cause: Tank Test Failure	Resource Affected: Groundwater
Water Affected: Not reported	Spill Source: Other Non Commercial/Industrial
Spill Notifier: Tank Tester	PBS Number: Not reported
Spill Date: 09/25/1987 13:30	Reported to Dept: 09/26/1987 20:11
Cleanup Ceased: 06/17/1988	
Last Inspection: Not reported	
Cleanup Meets Standard: True	
Recommended Penalty: Penalty Not Recommended	
Spiller Cleanup Date: Not reported	
Enforcement Date: Not reported	
Investigation Complete: Not reported	
UST Involvement: False	
Spill Record Last Update: 01/03/2000	
Is Updated: False	

DETAILED ORPHAN LISTING

Site _____ Database(s) _____ EDR ID Number _____
 _____ EPA ID Number _____

FARMINGDALE U.METHODIST C (Continued)

S100149089

Corrective Action Plan Submitted: Not reported
 Date Spill Entered In Computer Data File: 09/29/1987
 Date Region Sent Summary to Central Office: Not reported

Tank Test:

PBS Number: Not reported
 Tank Number: Not reported
 Test Method: Not reported
 Capacity of Failed Tank: 0
 Leak Rate Failed Tank: 0.00
 Gross Leak Rate: Not reported

Material:

Material Class Type: 1
 Quantity Spilled: 0
 Units: Gallons
 Unknown Qty Spilled: No
 Quantity Recovered: 0
 Unknown Qty Recovered: False
 Material: #2 FUEL OIL
 Class Type: Petroleum
 Chem Abstract Service Number: #2 FUEL OIL
 Last Date: 12/07/1994
 Num Times Material Entry In File: 24464

DEC Remarks: / / : TANK TO BE PUMPED OUT. NCDH ON SCENE 10/30/87: TANK WAS REMOV
 ED BY TYREE IN THE PRESENCE OF NCDH AND NO CONTAMINATION WAS FOUND.

Spill Cause: AT CHURCH 2K COULD NOT HOLD PRODUCT.

Spill Number:	8705397	Region of Spill:	1
Facility Contact:	Not reported	Facility Tele:	Not reported
Investigator:	GOERTZ FD	SWIS:	28
Caller Name:	Not reported	Caller Agency:	Not reported
Caller Phone:	Not reported	Caller Extension:	Not reported
Notifier Name:	Not reported	Notifier Agency:	Not reported
Notifier Phone:	Not reported	Notifier Extension:	Not reported
Spiller Contact:	Not reported	Spiller Phone:	Not reported

Spiller: FARMINGDALE U.METHODIST C

Spiller Address: Not reported

Spill Class: Not reported

Spill Closed Dt: 06/17/1988

Spill Cause: Tank Test Failure

Water Affected: Not reported

Spill Notifier: Tank Tester

Spill Date: 09/25/1987 13:30

Cleanup Ceased: 06/17/1988

Last Inspection: Not reported

Cleanup Meets Standard: True

Recommended Penalty: Penalty Not Recommended

Spiller Cleanup Date: Not reported

Enforcement Date: Not reported

Investigation Complete: Not reported

UST Involvement: False

Spill Record Last Update: 03/03/1999

Is Updated: False

Corrective Action Plan Submitted: Not reported

Date Spill Entered In Computer Data File: 09/29/1987

Date Region Sent Summary to Central Office: Not reported

Tank Test:

PBS Number: Not reported

Resource Affected: Groundwater

Spill Source: Other Non Commercial/Industrial

PBS Number: Not reported

Reported to Dept: 09/28/1987 09:15

DETAILED ORPHAN LISTING

Site	Database(s)	EDR ID Number EPA ID Number
FARMINGDALE U.METHODIST C (Continued)		S100149089
Tank Number:	Not reported	
Test Method:	Not reported	
Capacity of Failed Tank:	0	
Leak Rate Failed Tank:	0.00	
Gross Leak Rate:	Not reported	
Material:		
Material Class Type:	1	
Quantity Spilled:	0	
Units:	Gallons	
Unknown Qty Spilled:	No	
Quantity Recovered:	0	
Unknown Qty Recovered:	False	
Material:	#2 FUEL OIL	
Class Type:	Petroleum	
Chem Abstract Service Number:	#2 FUEL OIL	
Last Date:	12/07/1994	
Num Times Material Entry In File:	24464	
DEC Remarks:	/ / : NCDH ON SCENE. CAPCO TESTER. 10/30/87: TANK WAS REMOVED BY TYR EE IN THE PRESENCE OF NCDH AND NO CONTAMINATION WAS FOUND.	
Spill Cause:	1.5K LEAK RATE -.101 GPH	

**SUNBEAM BREAD/CLASSIC
MELVILLE RD(W/O MAIN ST)
FARMINGDALE, NY**

**NY Spills S102135713
N/A**

SPILLS:

Spill Number:	8901388	Region of Spill:	1
Facility Contact:	Not reported	Facility Tele:	Not reported
Investigator:	LEUNG	SWIS:	28
Caller Name:	Not reported	Caller Agency:	Not reported
Caller Phone:	Not reported	Caller Extension:	Not reported
Notifier Name:	Not reported	Notifier Agency:	Not reported
Notifier Phone:	Not reported	Notifier Extension:	Not reported
Spiller Contact:	Not reported	Spiller Phone:	(516) 454-6167
Spiller:	SUN BEAM AKA AUTOMATED		
Spiller Address:	315 SMITH ST FARMINGDALE, NY 11735		
Spill Class:	Not reported	Resource Affected:	On Land
Spill Closed Dt:	06/01/1989	Spill Source:	Commercial Vehicle
Spill Cause:	Traffic Accident	PBS Number:	Not reported
Water Affected:	Not reported	Reported to Dept:	05/11/1989 17:45
Spill Notifier:	Local Agency		
Spill Date:	05/11/1989 16:00		
Cleanup Ceased:	06/01/1989		
Last Inspection:	19890511		
Cleanup Meets Standard:	True		
Recommended Penalty:	Penalty Recommended		
Spiller Cleanup Date:	Not reported		
Enforcement Date:	Not reported		
Investigation Complete:	Not reported		
UST Involvement:	False		
Spill Record Last Update:	08/29/1991		
Is Updated:	False		
Corrective Action Plan Submitted:	Not reported		
Date Spill Entered In Computer Data File:	05/12/1989		
Date Region Sent Summary to Central Office:	09/07/1990		
Tank Test:			
PBS Number:	Not reported		

DETAILED ORPHAN LISTING

Site _____ Database(s) _____ EDR ID Number
 _____ EPA ID Number _____

SUNBEAM BREAD/CLASSIC (Continued)

S102135713

Tank Number: Not reported
 Test Method: Not reported
 Capacity of Failed Tank: Not reported
 Leak Rate Failed Tank: Not reported
 Gross Leak Rate: Not reported

Material:

Material Class Type: 1
 Quantity Spilled: 30
 Units: Gallons
 Unknown Qty Spilled: 30
 Quantity Recovered: 30
 Unknown Qty Recovered: False
 Material: GASOLINE
 Class Type: Petroleum
 Chem Abstract Service Number: GASOLINE
 Last Date: 09/29/1994
 Num Times Material Entry In File: 21329

Remark: FIRE FROM ACCIDENT; FARMINGDALE FD APPLIED FOAM WATER; RUNOFF DIKED CONTAINED; DRIVER: JEREL SABELLA 164-41 86TH ST HOWARD BEACH NY 11414. LIC: SO 10450228963201069 NCFM HM142-89.

DEC Remarks: 05/11/89: TRUCK CROSSED RR AND LOST PART OF CHASSIS, THEN CAUGHT FIRE. SUN BEAM RENTED IT FROM CLASSIC TRUCK RENTING CORP 663 E56 ST BROOKLYN. F D FOAMED AREA. NCFM RESPOND; REPORT HM 142-89. NCPD ALSO?). 05/11/89: DEC ARRIVE 1900. DRIVER CALLED CLASSIC S DEPOT MGR JERRY BEINHACKER) WHO TRIED TO HIRE CLEANUP FIRM. HE WANTED TO HIRE TYREE, BUT DID NOT HAVE THE AUTHORITY TO PUT DEPOSIT DOWN AND COULD NOT REACH. 05/11/89: HIS SUPERIORS, AS OFFICE WAS CLOSED. DEC THEN HIRED TYREE TO CLEAN UP. APPROXIMATELY 40GAL OF LIQUID (WATER, FOAM, AND GAS) AND 1 DRUM OF SOLID S WERE PICKED UP. NO FURTHER ACTION NEEDED. 05/11/89: DRIVER: JEREL SABELLA 164-41 86TH ST HOWARD BEACH NY 11414 LIC. SO 10450228963201069 PLATE: CX 4995 83 FORD. 08/27/89: REVIEW OF DEC INSPECTOR S NOTES: VEHICLE WAS 83 FORD LIC CX4995. 08/20/90: DEC TO CLOSE REGIONAL FILE. 08/21/91: RECEIVE LETTER FROM AG OFFICE: CLASSIC APPARENTLY OUT OF BUSINESS. NEEDS INFO ON INSURER OF VEHICLE. 08/27/91: RECEIVE FAAX OF NCFM REPORT (HM142-89): VEHICLE- NOT GIVEN PLATE- (NY COMMERCIAL) CX4995 DRIVER- JEREL SABELLA 164-41 86 ST HOWARD BEACH NY 11414 PHONE- 718-848-2127 LIC- SO1452289632169. 08/29/91: INFO ON INSURANCE THROUGH ECOS VIA SHERIFF S DEPT: VEHICLE LAST REGISTERED 88-89 TO EASTERN LEASING 315 SMITH ST FARMINGDALE (NOTE: THIS IS SAME ADDRESS AS SUNBEAM) INSURANCE CO THEN : LIBERTY MUTUAL.

UNK
MELVILLE RD/W/O RTE 110
FARMINGDALE, NY

NY Spills S104786737
N/A

SPILLS:

Spill Number:	9505132	Region of Spill:	1
Facility Contact:	Not reported	Facility Tele:	Not reported
Investigator:	SCHULZ	SWIS:	47
Caller Name:	Not reported	Caller Agency:	Not reported
Caller Phone:	Not reported	Caller Extension:	Not reported
Notifier Name:	Not reported	Notifier Agency:	Not reported
Notifier Phone:	Not reported	Notifier Extension:	Not reported
Spiller Contact:	Not reported	Spiller Phone:	Not reported
Spiller:	UNK		
Spiller Address:	Not reported		
Spill Class:	Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party Corrective action taken.		

DETAILED ORPHAN LISTING

Site	Database(s)	EDR ID Number	EPA ID Number
------	-------------	---------------	---------------

UNK (Continued)

S104786737

Spill Closed Dt: 08/23/1995
 Spill Cause: Traffic Accident
 Water Affected: Not reported
 Spill Notifier: DEC
 Spill Date: 07/26/1995 13:30
 Cleanup Ceased: 08/23/1995
 Last Inspection: Not reported
 Cleanup Meets Standard: True
 Recommended Penalty: Penalty Not Recommended
 Spiller Cleanup Date: Not reported
 Enforcement Date: Not reported
 Investigation Complete: Not reported
 UST Involvement: False
 Spill Record Last Update: 08/24/1995
 Is Updated: False
 Corrective Action Plan Submitted: Not reported
 Date Spill Entered in Computer Data File: 07/28/1995
 Date Region Sent Summary to Central Office: Not reported
 Tank Test:
 PBS Number: Not reported
 Tank Number: Not reported
 Test Method: Not reported
 Capacity of Failed Tank: Not reported
 Leak Rate Failed Tank: Not reported
 Gross Leak Rate: Not reported
 Material:
 Material Class Type: 1
 Quantity Spilled: 4
 Units: Gallons
 Unknown Qty Spilled: 4
 Quantity Recovered: 0
 Unknown Qty Recovered: False
 Material: WASTE OIL
 Class Type: Petroleum
 Chem Abstract Service Number: WASTE OIL
 Last Date: 09/27/1994
 Num Times Material Entry In File: 9509
 Remarks: TWO VEHICLE TRAFFIC ACCIDENT, SPILL CLEANED UP WITH SPEEDI DRI
 DEC Remarks: 08/23/95: SPILL CLEANED UP WITH SPEEDI DRI. 10/10/95: This is additional information about material spilled from the translation of the old spill file: MOTOR OIL/ANTIFREEZE.

UNK
MOTOR AVE OFF OF MAIN ST
FARMINGDALE, NY

NY Spills S103565900
N/A

SPILLS:

Spill Number:	9203261	Region of Spill:	1
Facility Contact:	Not reported	Facility Tele:	Not reported
Investigator:	NONE	SWIS:	47
Caller Name:	Not reported	Caller Agency:	Not reported
Caller Phone:	Not reported	Caller Extension:	Not reported
Notifier Name:	Not reported	Notifier Agency:	Not reported
Notifier Phone:	Not reported	Notifier Extension:	Not reported
Spiller Contact:	Not reported	Spiller Phone:	Not reported
Spiller:	UNK		
Spiller Address:	Not reported		

DETAILED ORPHAN LISTING

Site	Database(s)	EDR ID Number	EPA ID Number
------	-------------	---------------	---------------

UNK (Continued)		S103565900	
-----------------	--	------------	--

Spill Class: Known release with minimal potential for fire or hazard. No DEC Response.
No corrective action required.

Spill Closed Dt: 06/18/1992

Spill Cause: Other Resource Affected: On Land

Water Affected: Not reported Spill Source: Other Non Commercial/Industrial

Spill Notifier: Fire Department PBS Number: Not reported

Spill Date: 06/17/1992 16:30 Reported to Dept: 06/17/1992 17:00

Cleanup Ceased: 06/18/1992

Last Inspection: Not reported

Cleanup Meets Standard: True

Recommended Penalty: Penalty Not Recommended

Spiller Cleanup Date: Not reported

Enforcement Date: Not reported

Investigation Complete: Not reported

UST Involvement: False

Spill Record Last Update: Not reported

Is Updated: False

Corrective Action Plan Submitted: Not reported

Date Spill Entered In Computer Data File: 06/19/1992

Date Region Sent Summary to Central Office: Not reported

Tank Test:

PBS Number: Not reported

Tank Number: Not reported

Test Method: Not reported

Capacity of Failed Tank: Not reported

Leak Rate Failed Tank: Not reported

Gross Leak Rate: Not reported

Material:

Material Class Type: 1

Quantity Spilled: 0

Units: Gallons

Unknown Qty Spilled: No

Quantity Recovered: 0

Unknown Qty Recovered: False

Material: UNKNOWN PETROLEUM

Class Type: Petroleum

Chem Abstract Service Number: UNKNOWN PETROLEUM

Last Date: 09/29/1994

Num Times Material Entry In File: 16414

Remark: TIRES BURNING, NO RESPONSE REQUIRED FOR NOTIFICATION PURPOSES FIRE OUT 1
5 MINUTE INCIDENT, NO RESPONSE NEEDED

DEC Remarks: 10/10/95: This is additional information about material spilled from the translation of the old spill file: BURNING TIRES.

ROMANELLI & SON
467 SECATOGUE/CONKLIN
FARMINGDALE, NY

LTANKS S104950909
N/A

LTANKS:

Spill Number: 0025395	Region of Spill: 1
Facility Contact: Not reported	Facility Tele: Not reported
Investigator: RAYMOND 00-138	SWIS: 28
Caller Name: Not reported	Caller Agency: Not reported
Caller Phone: Not reported	Caller Extension: Not reported
Notifier Name: Not reported	Notifier Agency: Not reported
Notifier Phone: Not reported	Notifier Extension: Not reported
Spiller Contact: Not reported	Spiller Phone: Not reported
Spiller: ROMANELLI & SONS	

DETAILED ORPHAN LISTING

Site	Database(s)	EDR ID Number EPA ID Number
------	-------------	--------------------------------

ROMANELLI & SON (Continued) S104950909

Spiller Address: Not reported
 Spill Class: Known release with minimal potential for fire or hazard. DEC Response.
 Willing Responsible Party. Corrective action taken.
 Spill Closed Dt: Not reported
 Spill Cause: Tank Overfill Resource Affected: On Land
 Water Affected: Not reported Spill Source: Tank Truck
 Spill Notifier: Affected Persons PBS Number: Not reported
 Spill Date: 01/29/2001 15:00 Reported to Dept: 02/06/2001 09:12
 Cleanup Ceased: Not reported
 Last Inspection: Not reported
 Cleanup Meets Standard: False
 Recommended Penalty: Penalty Not Recommended
 Spiller Cleanup Date: Not reported
 Enforcement Date: Not reported
 Investigation Complete: Not reported
 UST Involvement: False
 Spill Record Last Update: 02/07/2001
 Is Updated: False
 Corrective Action Plan Submitted: Not reported
 Date Spill Entered in Computer Data File: 02/06/2001 09:17
 Date Region Sent Summary to Central Office: Not reported
 Tank Test:
 PBS Number: Not reported
 Tank Number: Not reported
 Test Method: Not reported
 Capacity of Failed Tank: Not reported
 Leak Rate Failed Tank: Not reported
 Gross Leak Rate: Not reported
 Material:
 Material Class Type: 1
 Quantity Spilled: 0
 Units: Gallons
 Unknown Qty Spilled: No
 Quantity Recovered: 0
 Unknown Qty Recovered: False
 Material: #2 FUEL OIL
 Class Type: Petroleum
 Chem Abstract Service Number: #2 FUEL OIL
 Last Date: 12/07/1994
 Num Times Material Entry In File: 24464
 DEC Remarks: Not reported
 Spill Cause: HOME 516 293 2332. CALLER REPORTS PRP OVERFILLED HIS TANK. SPILLAGE IS OUTSIDE ON GROUND (UNK SIZE). THERE WAS ALSO SPILLAGE INSIDE ON CONCRETE FLOOR OVER APPROX 6 X 10 FT AREA. NO DRAINS INVOLVED. ROMANELLI DID SOME CLEANUP THAT NIGHT AND THE NNEXT DAY. ROMANELLI IS SUPPOSED TO CLEAN UP OUTSIDE TODAY.

MINMILT REALTY (HYGRADE METAL MOULDING)
540 SMITH STREET
FARMINGDALE, NY 11735

SHWS S105586291
N/A

SHWS:
 EPA ID: NYD001489269 Region: 1
 Acres: 2.28 User: Minmilt Realty
 Owner: Minmilt Realty
 540 Smith Street
 Farmingdale, NY 117
 Owner Type: OW

DETAILED ORPHAN LISTING

Site	Database(s)	EDR ID Number EPA ID Number
------	-------------	--------------------------------

MINMILT REALTY (HYGRADE METAL MOULDING) (Continued)

S105586291

Operator: Hygrade Metal Moulding Corporation
540 Smith Street
Farmingdale, NY 11735

Operator Type: OP

Classification: SIGNIFICANT THREAT TO THE PUBLIC HEALTH OR ENVIRONMENT - ACTION REQUIRED.

Depth to Groundwater: Range: 35 to 40 feet.

Legal Action Type: Consent Order -RI/FS

Legal NY State: X

Legal Federal: Not reported

Legal state: OS

Facility ID Number: 152147

Dump: Not reported

Pond: Not reported

Structure: Yes

Lagoon: Not reported

Landfill: Not reported

Lat/Long: 40° 45' 25" / 73° 24' 17"

Disposal Start: 10/1982

Disposal Term: 03/1990

Air Data: Not reported

Air Violation: Not reported

Ground Water Data: Yes

Surface Water Data: Not reported

SW Violation: Not reported

Sediment Data: Not reported

Soil Data: Yes

Soil Type: Sand and gravel.

Remediation Proposed: Not reported

Remediation Active: Yes

Remediation Design: Not reported

Remediation Type: IRM-SVE + groundwater pump and treat.

Quantity: unknown

NPL Status: ---

Hazardous Waste: Tetrachloroethylene {(PCE or "perc.") (F001)}

Site Description: This site is a metal forming facility consisting of a one-story industrial building on a 2.28 acre parcel. Industrial activities at this site included the use of vapor degreasers containing tetrachloroethylene (PCE). The spent degreasers were disposed into a leaching pool on-site without a SPDES permit. A Consent Order (CO) was signed on November 7, 1994 between the NYSDEC and the current owner to conduct a RI/FS and an IRM. The RI found that soils on the east side of the building were highly contaminated with PCE at levels up to 820 ppm, and groundwater contained PCE at levels up to 140,000 ppb. An Interim Remedial Measure (IRM) consisting of soil vapor extraction (SVE) and groundwater pump and treat were installed in February 1997 and are now operating. The Suffolk County Department of Health Services installed a monitoring well and took hydro punch samples on Central Avenue, about 1500 feet downgradient of the site, in July 1997. This sampling revealed an extensive PCE plume migrating from the site. An investigation of the off-site groundwater plume commenced in December 1998. Minmilt submitted a RI/FS for the off-site component for DEC review in December 1999. The SVE component of this remedy appears to have reached asymptotic conditions and will enter a temporary shut down period as removals have dropped to 0.33 pounds per month from over 1,000 pounds per month in March 1997 when this IRM began. Vapor phase activated carbon treatment was removed from the SVE off gas in April

DETAILED ORPHAN LISTING

Site	Database(s)	EDR ID Number	EPA ID Number
------	-------------	---------------	---------------

MINMILT REALTY (HYGRADE METAL MOULDING) (Continued)		S105586291	
---	--	------------	--

1999 as it is no longer required. The groundwater component is containing the plume and is presently removing a significant mass of PCE from the Upper Glacial and Magothy aquifers. As of the end of the fourth quarter in 2001, approximately 406 million gallons of groundwater have been treated and approximately 19,000 pounds of PCE have been removed. The revised off-site RI/FS has been approved. The proposed remedial action plan was released to the public on February 1, 2002. The PRAP calls for continued operation of the SVE and the groundwater extraction and treatment to clean up the soils and groundwater.

Environmental Problems: Contamination of a sole source aquifer by tetrachloroethylene (PCE) has been confirmed.

Health Problems: Operations at the site contaminated subsurface soils and groundwater with tetrachloroethene and other solvents. Employees at the nearby Pinelawn Memorial Park have been advised not to drink the facility's tap water due to solvent contamination in the facility's private drinking water supply well. With the exception of the memorial park, the area is supplied with public drinking water. The nearest active public drinking water supply well is about 4,500 feet downgradient of the site and is not impacted by site related contamination. Human exposure to contaminated subsurface soils is not expected to occur unless contaminated soils are excavated. Testing of indoor air at a building adjacent to the Minmilt building did not detect site related contamination.

WELLWOOD AVE/CONKLIN ST FARMINGDALE, NY	NY Spills	S105140197
		N/A

SPILLS:

Spill Number:	0104042	Region of Spill:	1
Facility Contact:	Not reported	Facility Tele:	Not reported
Investigator:	UNASSIGNED	SWIS:	47
Caller Name:	Not reported	Caller Agency:	Not reported
Caller Phone:	Not reported	Caller Extension:	Not reported
Notifier Name:	Not reported	Notifier Agency:	Not reported
Notifier Phone:	Not reported	Notifier Extension:	Not reported
Spiller Contact:	DONALD FORTE	Spiller Phone:	(631) 242-9637
Spiller:	CHIPCO CONSTRUCTION INC		
Spiller Address:	678 DEER PARK AVENUE DIX HILLS, NY		
Spill Class:	Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.		
Spill Closed Dt:	Not reported	Resource Affected:	On Land
Spill Cause:	Equipment Failure	Spill Source:	Commercial Vehicle
Water Affected:	Not reported	PBS Number:	Not reported
Spill Notifier:	Fire Department	Reported to Dept:	07/16/2001 17 09
Spill Date:	07/16/2001 16:30		
Cleanup Ceased:	Not reported		
Last Inspection:	Not reported		
Cleanup Meets Standard:	False		
Recommended Penalty:	Penalty Not Recommended		
Spiller Cleanup Date:	Not reported		
Enforcement Date:	Not reported		
Investigation Complete:	Not reported		
UST Involvement:	False		
Spill Record Last Update:	07/19/2001		
Is Updated:	False		
Corrective Action Plan Submitted:	Not reported		

DETAILED ORPHAN LISTING

Site	Database(s)	EDR ID Number EPA ID Number
------	-------------	--------------------------------

(Continued)

S105140197

Date Spill Entered in Computer Data File: 07/16/2001
 Date Region Sent Summary to Central Office: Not reported

Tank Test:
 PBS Number: Not reported
 Tank Number: Not reported
 Test Method: Not reported
 Capacity of Failed Tank: Not reported
 Leak Rate Failed Tank: Not reported
 Gross Leak Rate: Not reported

Material:
 Material Class Type: 1
 Quantity Spilled: 10
 Units: Gallons
 Unknown Qty Spilled: 10
 Quantity Recovered: 0
 Unknown Qty Recovered: False
 Material: MOTOR OIL
 Class Type: Petroleum
 Chem Abstract Service Number: MOTOR OIL
 Last Date: 07/28/1994
 Num Times Material Entry In File: 508

Remark: approx 2 mile surface spill occurred when oil filter of dump truck loose
 ned up -

DEC Remarks: 7/16/01 TELECON WITH JOE ARCURI: AS PER JOE, CLEANUP IS SCHEDULED FOR TO
 MORROW BY DPW, THE TOWN WILL APPLY SAND AT THE LOCATON AND SWEEP THE ARE
 A AT A LATER DATE

**OLD BETHPAGE LANDFILL
 BETHPAGE-SWEETHOLLOW ROAD
 OLD BETHPAGE, NY 11804**

**SHWS S100520995
 N/A**

SHWS:

EPA ID:	NYD980531727	Region:	1
Acres:	63	User:	*** Multiple Site Owners ***
Owner:	Town of Oyster Bay 150 Miller Avenue Syosset, NY 117		
Owner Type:	OW		
Operator:	Not reported		
Operator Type:	Not reported		
Classification:	SITE IS PROPERLY CLOSED - REQUIRES CONTINUED MANAGEMENT		
Depth to Groundwater:	Range: 70 to 75 feet.		
Legal Action Type:	Consent Order -EQBA		
Legal NY State:	X		
Legal Federal:	Not reported		
Legal state:	OS		
Facility ID Number	130001		
Dump:	Not reported		
Pond:	Not reported		
Structure:	Not reported		
Lagoon:	Not reported		
Landfill:	Yes		
Lat/Long:	40° 45' 51" / 73° 26' 54"		
Disposal Start:	1968		
Disposal Term:	1980		
Air Data:	Not reported		
Air Violation:	Not reported		
Ground Water Data:	Yes		

DETAILED ORPHAN LISTING

Site	Database(s)	EDR ID Number EPA ID Number
OLD BETHPAGE LANDFILL (Continued)		S100520995
Surface Water Data: SW Violation: Sediment Data: Soil Data: Soil Type: Remediation Proposed: Remediation Active: Remediation Design: Remediation Type: Quantity:	Not reported Not reported Not reported Not reported Clay and sand. Not reported Yes Not reported Groundwater pump & treat system. 400,000 lbs./year 240,000 lbs. 400,000 lbs. 1300 tons/year	
NPL Status: Hazardous Waste:	NPL Filter Cake-Celite, Carbon, Plasticizer (60% by wt) Toluene, Sulfonic acid catalyst Plasticizers, consisting of 26 TM Trimillitate and DOA Adipate Plasticizers and lesser amounts of phthalate and maleate plasticizers, such as DIBM & DOM Chromium & Aluminum hydroxide sludge.	
Site Description:	This is a landfill and incineration operation on a 134 acre property that is divided into several sections. The North section has two incinerator complexes and a baler facility. The landfill contains municipal and industrial waste. Air and groundwater quality studies have been conducted on site. An off-site groundwater investigation was completed pursuant to a consent order that is being administered by the court after an Attorney General lawsuit under CERCLA (Federal Superfund). A Remedial Investigation/Feasibility Study (RI/FS) was completed in 1987 and a 5 acre section of the landfill was encapsulated in 1989. A groundwater treatment system has been completed and operational since December 1991, and the construction of a cap over another 35 acre section of the landfill was completed in 1993. Landfill gas control and leachate collection systems were upgraded during 1993. The groundwater treatment facility (GTF) utilizes air stripping to remove volatile organic compounds from the groundwater. During the fourth quarter of 2001 the GTF pumped, treated and recharged 1.21 million gallons per day of groundwater with an average VOC concentration of 152 ppb. The facility was on-line 79% of the time during this period and operated at a treatment efficiency in excess of 99%. The groundwater quality is continuing to improve in response to the ongoing remediation. The site's treatment system will be used to treat the contaminant plume from the Claremont Poly ChemicalCorp. site. The Municipal Delegation Agreement was signed by the Town in April 2000. The Financial Assistance Agreement was submitted to EPA on August 22, 2000.	
Environmental Problems:	Hazardous waste disposal has caused contamination of a sole-source aquifer at levels above NYS standards and guidelines.	
Health Problems:	There are no known exposures to site contaminants. Potential exposure pathways have been addressed by remedial measures. These measures include containment and treatment of contaminated groundwater and landfill gas. The entire landfill has also been capped and secured by a fence, making it unlikely that on-site exposures will occur. A cancer incidence investigation for the census tract around the landfill did not detect a statistically significant excess of cancer cases for the years 1978 through 1985, the years for which relevant cancer	

DETAILED ORPHAN LISTING

<u>Site</u>	<u>Database(s)</u>	EDR ID Number
		EPA ID Number
OLD BETHPAGE LANDFILL (Continued)		S100520995
incidence data were available at the time of evaluation.		

APPENDIX 3
Fire Insurance Map
Documentation

1920




3 GRANT





PUBLIC SCHOOL DISTRICT 22.
HEAT: STEAM, FUEL: COAL, LIGHTS: ELEC - FIRE
USE AS SHOWN, & PYRENS.

SITE

PRIMARY DEPARTMENT





18



4

1929


3





FRAMINGDALE HIGH SCHOOL



18



10




MAIN

N.Y. . . 514

1942³

4

58




SITE

FARRINGDALE HIGH SCHOOL
PART BUILT FROM
LAND BELONGING TO
THE STATE

PUBLIC SCHOOL
DIST. 22

ASSEMBLY HALL
DIST. 22

(18)



North

PLUMBERS
N. H. & B.

AUTO SALES &
SERVICE


PRINTING

MAIN


10

653

653



WATER TANK



PLUMBERS
N. H. & B.

1964

3



4




FARMINGDALE
GRAMMAR SCHOOL
(BUILT 1922)

PUBLIC SCHOOL
DIST. 22

ASSEMBLY HALL

COUNTRY GARDEN APTS
37 FAMILY UNITS



ROSE

RICHAR

MAIN

FULTON

10

18

(17)

15

655

667

666

678

682

683

684

685

686

687

688

689

690

691

692

G

F

E

D

C


B

A

APPENDIX 4
Aerial Photographs



TITLE: 1953 Aerial Photograph		WHITESTONE ASSOCIATES, INC. 786 MOUNTAIN BOULEVARD, SUITE 200 WATCHUNG, NEW JERSEY 07069 908.668.7777 ♦ 908.754.5936 FAX				
CLIENT: THE GREAT ATLANTIC & PACIFIC TEA COMPANY, INC.						
PROJECT: Waldbaum's Supermarket Site 450 East Main Street Farmingdale, Nassau County, New York	PROJECT #: WJ03-6263	BY: EDR	PROJ. MGR. TKU	DATE: 1953	SCALE: 1" = 750'	FIGURE: AP-1



TITLE: 1966 Aerial Photograph

CLIENT: THE GREAT ATLANTIC & PACIFIC TEA COMPANY, INC.

WHITESTONE ASSOCIATES, INC.

786 MOUNTAIN BOULEVARD, SUITE 200

WATCHUNG, NEW JERSEY 07069

908.668.7777 ♦ 908.754.5936 FAX

PROJECT: Waldbaum's Supermarket Site
450 East Main Street
Farmingdale, Nassau County, New York

PROJECT #:
WJ03-6263

BY:
EDR

PROJ. MGR.
TKU

DATE:
1966

SCALE:
1" = 750'

FIGURE:
AP-2



TITLE: 1976 Aerial Photograph

CLIENT: THE GREAT ATLANTIC & PACIFIC TEA COMPANY, INC.

WHITESTONE ASSOCIATES, INC.

786 MOUNTAIN BOULEVARD, SUITE 200

WATCHUNG, NEW JERSEY 07069

908.668.7777 ♦ 908.754.5936 FAX

PROJECT: Waldbaum's Supermarket Site
450 East Main Street
Farmingdale, Nassau County, New York

PROJECT #:
WJ03-6263

BY:
EDR

PROJ. MGR.:
TKU

DATE:
1976

SCALE:
1" = 750'

FIGURE:
AP-3



TITLE: 1980 Aerial Photograph

CLIENT: THE GREAT ATLANTIC & PACIFIC TEA COMPANY, INC.

WHITESTONE ASSOCIATES, INC.

786 MOUNTAIN BOULEVARD, SUITE 200

WATCHUNG, NEW JERSEY 07069

908.668.7777 ♦ 908.754.5936 FAX

PROJECT: Waldbaum's Supermarket Site
450 East Main Street
Farmingdale, Nassau County, New York

PROJECT #:
WJ03-6263

BY:
EDR

PROJ. MGR.
TKU

DATE:
1980

SCALE:
1" = 750'

FIGURE:
AP-4



TITLE: 1994 Aerial Photograph		WHITESTONE ASSOCIATES, INC. 786 MOUNTAIN BOULEVARD, SUITE 200 WATCHUNG, NEW JERSEY 07069 908.668.7777 ♦ 908.754.5936 FAX					
CLIENT: THE GREAT ATLANTIC & PACIFIC TEA COMPANY, INC.							
PROJECT: Waldbaum's Supermarket Site 450 East Main Street Farmingdale, Nassau County, New York	PROJECT #: WJ03-6263	BY: EDR	PROJ. MGR. TKU	DATE: 1994	SCALE: 1" = 833'	FIGURE: AP-5	

APPENDIX 5
City Directory Search



The EDR-City Directory
Abstract

Waldbaums Food Mart
450 Main Street
Farmingdale, NY 11735

June 9, 2000

Inquiry Number: 503639-6

The Source
For Environmental
Risk Management
Data

3530 Post Road
Southport, Connecticut 06490

Nationwide Customer Service

Telephone: 1-800-352-0050
Fax: 1-800-231-6802

Environmental Data Resources, Inc.

City Directory Abstract

Environmental Data Resources, Inc.'s (EDR) City Directory Abstract is a screening tool designed to assist professionals in evaluating potential liability on a target property resulting from past activities. ASTM E 1527-97, Section 7.3 on Historical Use Information, identifies the prior use requirements for a Phase I environmental site assessment. The ASTM standard requires a review of *reasonably ascertainable standard historical sources*. *Reasonably ascertainable means information that is publicly available, obtainable from a source with reasonable time and cost constraints, and practically reviewable.*

To meet the prior use requirements of ASTM E 1527-97, Section 7.3.2, the following *standard historical sources* may be used: aerial photographs, fire insurance maps, property tax files, land title records (although these cannot be the sole historical source consulted), topographic maps, city directories, building department records, or zoning/land use records. ASTM E 1527-97 requires *"All obvious uses of the property shall be identified from the present, back to the property's obvious first developed use, or back to 1940, whichever is earlier. This task requires reviewing only as many of the standard historical sources as are necessary, and that are reasonably ascertainable and likely to be useful."* (ASTM E 1527-97, Section 7.3.2, page 11.)

EDR's City Directory Abstract includes a search and abstract of available city directory data.

City Directories

City directories have been published for cities and towns across the U.S. since the 1700s. Originally a list of residents, the city directory developed into a sophisticated tool for locating individuals and businesses in a particular urban or suburban area. Twentieth century directories are generally divided into three sections: a business index, a list of resident names and addresses, and a street index. With each address, the directory lists the name of the resident or, if a business is operated from this address, the name and type of business (if unclear from the name). While city directory coverage is comprehensive for major cities, it may be spotty for rural areas and small towns. ASTM E 1527-97 specifies that a *"review of city directories (standard historical sources) at less than approximately five year intervals is not required by this practice."* (ASTM E 1527-97, Section 7.3.2.1, page 11.)

Please call EDR Nationwide Customer Service at
1-800-352-0050 (8am-8pm EST)

with questions or comments about your report.

Thank you for your business!

Disclaimer

Copyright and Trademark Notice


This report contains information obtained from a variety of public and other sources. NO WARRANTY EXPRESSED OR IMPLIED, IS MADE WHATSOEVER IN CONNECTION WITH THIS REPORT. ENVIRONMENTAL DATA RESOURCES, INC. SPECIFICALLY DISCLAIMS THE MAKING OF ANY SUCH WARRANTIES, INCLUDING WITHOUT LIMITATION, WARRANTIES AS TO NON-INFRINGEMENT OF THIRD PARTY RIGHTS, ACCURACY, VALIDITY, COMPLETENESS, SUITABILITY, CONDITION, QUALITY, MERCHANTABILITY, OR FITNESS FOR A PARTICULAR USE OR PURPOSE OF THIS REPORT OR THE INFORMATION CONTAINED OR REFERENCED THEREIN OR USED IN CONNECTION WITH THE PREPARATION THEREOF. ALL RISK IS ASSUMED BY THE USER. No liability to anyone is assumed, whether arising out of errors or omissions, negligence, accident or any other cause, for any loss or damage, including, without limitation, special, incidental, consequential, or exemplary damages.

Entire contents copyright 2000 by Environmental Data Resources, Inc. All rights reserved. Reproduction in any media or format, in whole or in part, of any report or map of Environmental Data Resources, Inc., or its affiliates, is prohibited without prior written permission.

EDR and the edr logos are trademarks of Environmental Data Resources, Inc. or its affiliates. All other trademarks used herein are the property of their respective owners. Use of such trademarks does not constitute an endorsement by Environmental Data Resources, Inc., or its affiliates, of the organizations claiming ownership thereof or the information obtained from such organizations and contained herein.


Prior Use Report™ Timeline

Target Property



Adjoining Property Not Available


Front



Back



Left



Right



Legend:

= Historical Topographic Map (HT) *

= National Wetland Inventory Map (WT) *

Superscript number corresponds to graph ID in text

**Displayed on timeline when aerial photos, historical topos, flood prone, FEMA, wetland maps, or Aerial Research Summary are purchased.*

= Flood Prone/FEMA Maps (FP/FR) *

= Aerial Photos Included (P) *

= Aerial Photos Available *

= Residential (R)

= Commercial or Industrial (C)

Target Property: Waldbaums Food Mart
Address: 450 Main Street
City/State/Zip: Farmingdale, NY 11735

Customer: Whitestone Associates, Inc.
Contact: Leighann Tivoli
Inquiry #: 503639-6
Date: 06/09/00

4. SUMMARY

- *City Directories:*

Business directories including city, cross reference and telephone directories were reviewed, if available, at approximately five year intervals for the years spanning 1971 through 2000. (These years are not necessarily inclusive.) A summary of the information obtained is provided in the text of this report.

Date EDR Searched Historical Sources:

City Directories June 08, 2000

Target Property:

450 Main Street
Farmingdale, NY 11735

<u>PUR ID</u> <u>Year</u>	<u>Uses</u>	<u>Portion-Findings</u> <u>(FIM Information Only)</u>	<u>Source</u>
-- 1971	Address not Listed in Research Source		Cole's Criss-Cross Directory
-- 1976	Address not Listed in Research Source		Cole's Criss-Cross Directory
-- 1981	Address not Listed in Research Source		Cole's Criss-Cross Directory
1 1986	Grapes & Grains / Waldbaums Supermarket / Fotomat Corp	N/A	Cole's Criss-Cross Directory
2 1990	Grapes & Grains	N/A	Cole's Criss-Cross Directory
3 2000	Lucky House Inc / Main St Cards & Gifts	N/A	Cole's Criss-Cross Directory

Adjoining Properties

SURROUNDING AREA

441-455 Main Street
Farmingdale, NY 11735

Surrounding Area Property Log of Address Changes

2000 441-455 Main Street

<u>PUR ID</u> <u>Year</u>	<u>Uses</u>	<u>Portion-Findings</u> <u>(FIM Information Only)</u>	<u>Source</u>
1971	**Main Street Addresses** Antique-Atorium (441) Address Not Listed in Research Source (447) Address Not Listed in Research Source (449) Address Not Listed in Research Source (451) Address Not Listed in Research Source (453) Farmingdale Stamp & Coin (455)	N/A	Cole's Criss-Cross Directory
1976	**Main Street Addresses** Farmingdale Karate Center (441) Address Not Listed in Research Source (447) Branch Interior Service (449) S&M Sewing Machine Repair (451) American Life Insurance Co / JJ Bohan Agency (453) Farmingdale Stamp Shop (455)	N/A	Cole's Criss-Cross Directory
1981	**Main Street Addresses** The 2nd Hand Store (441) Cross Island Specialty / LI Compressor Company (447) Branch Interior Service (449)	N/A	Cole's Criss-Cross Directory

PUR ID
Year **Uses**
1981 (continued)

Portion-Findings
(FIM Information Only)

Source

S&M Sewing Machine Repair (451)
Commercial Office Building-Quimby Equipment Company (453)
Apartment Building (455)

1986 ****Main Street Addresses**** N/A **Cole's Criss-Cross Directory**

The 2nd Hand Store (441)
Cross Island Specialty / LI Compressor Company (447)
Body Lng Theatre Arts (449)
F&M Cycle Co South (451)
JJ Bohan Agency / Commerce Protection (453)
Prelude Book Shop / Apartment Building (455)

1990 ****Main Street Addresses**** N/A **Cole's Criss-Cross Directory**

The 2nd Hand Store (441)
LI Compressor Company (447)
Body Lng Theatre Arts (449)
Prosthetic & Orthotic Service (451)
JJ Bohan Agency / Commerce Protection / Law Office (453)
Apartment Building (455)

2000 ****Main Street Addresses**** N/A **Cole's Criss-Cross Directory**

The 2nd Hand Store (441)
Amy Nails (447)
Step Step Dance Studio (449)
Bohan Agency Inc (451)
JEMD Medical Sales / Commerce Protection / Law Office (453)
Apartment Building (455)

Glossary of Terms

A.A.A.

Aerial photograph flyer: Agriculture Adjustment Administration (Federal).

A.S.C.S

Aerial photograph flyer: Agricultural Stabilization and Conservation Service (Federal)

Address Change

Indicates that a change of address has occurred; indicates new address. A change of address may occur when a city, street, or the address ranges of a street are restructured.

Address in Research Source

Indicates that a property is listed at a different address than the one provided by the user. Generally occurs when a property is located on a corner or, when the physical address of a property is different than its mailing address.

Address Not Listed in Research Source

Occurs when a specific site address is not listed in city directories and/or fire insurance maps.

Adjoining

Any property that is contiguous, or a property that would be contiguous if not for a public thoroughfare, to the target property. *To differentiate from each adjoining property, stand at the target property's "front door" facing the street.*

Adjoining Back

Property directly to the rear of the target property.

Adjoining Front

Property directly in front of the target property.

Adjoining Left

Property directly to the left of the target property.

Adjoining Right

Property directly to the right of the target property.

Adjoining Surrounding Area

Property that may adjoin the target property but due to lack of specific map information cannot be located precisely. This situation typically occurs when city directory information, but not fire insurance map information, is available.

C.A.S

Aerial photograph flyer: Chicago Aerial Survey (private).

C.S.S.

Aerial photograph flyer: Commodity Stabilization Service (Federal).

Cartwright

Aerial photograph flyer: Cartwright (private)

CD

City Directory

Commercial

Any property including, but not limited to, property used for industrial, retail, office, agricultural, other commercial, medical, or educational purposes; property used for residential purposes that has more than four residential dwelling units.

Commercial or Industrial

Property that has either a commercial *or* an industrial use. Examples include retail stores, manufacturing facilities, factories, and apartment buildings.

D.N.R.

Aerial photograph flyer: Department of National Resources (state).

D.O.T.

Aerial photograph flyer: Department of Transportation (state).

Fairchild

Aerial photograph flyer: Fairchild (private).

FIM

Fire Insurance Map

Flood Insurance Rate Maps

Flood Insurance Rate Maps are produced by the Federal Emergency Management Agency (FEMA). These maps indicate special flood hazard areas, base flood elevations and flood insurance risk zones.

Flood Prone Area Maps

Flood Prone Area maps are produced by the United States Geological Survey (USGS). Areas identified as flood prone have been determined by available information gathered from past floods.

F.S.

Aerial photograph flyer: Forest Service (Federal).

Geonex

Aerial photograph flyer: Geonex (private).

M.C.

Aerial photograph flyer: Metropolitan Council of the Twin Cities Area (state).

Map Required Not Available in Local Collection

Property is located on a fire insurance map sheet not available in local and/or microfilm collection.

Mark Hurd

Aerial photograph flyer: Mark Hurd (private)

Multiple Locations

Indicates that there are two or more sites adjoining the target property's border.

N.A.P.P.

Aerial photograph flyer: National Aerial Photography Program (Federal).

National Wetland Inventory Maps

National Wetland Inventory Maps are produced by the U.S. Fish and Wildlife Service, a division of the U.S. Department of the Interior. Wetland and deepwater habitat information is identified on a 7.5 minute U.S.G.S. topographic map. The classification system used categorizes these habitats into five systems: marine, estuarine, riverine, lacustrine and palustrine.

No Return

Indicates that site owner was unavailable at time of surveyor's contact. *Applies only to city directories.*

No Structure Identified on Parcel

Used when site boundaries and/or site address is indicated on a fire insurance map; no structure details exist.

Other

Occurs when the site's classification is different than EDR's standard categories. Examples may include undeveloped land and buildings with no specified function.

P.M.A.

Aerial photograph flyer: Production and Marketing Administration (Federal).

Pacific Aerial

Aerial photograph flyer: Pacific Aerial (private)

Portion

Refers to the fire insurance map information identified on the four quadrants of a target or adjoining property. The portions are referred to as *Frontright*, *Frontleft*, *Backright*, and *Backleft* and are determined as if one were standing at the front door, facing the street.

Property Not Defined

Used when property is not clearly demarcated on a fire insurance map.

Residential

Any property having fewer than five dwelling units used exclusively for residential purposes.

Residential with Commercial Uses (a.k.a. Multiple Purpose Address)

A business (firm) and residence at the same address. Examples include a doctor, attorney, etc. working out of his/her home.

Sidwell

Aerial photograph flyer: Sidwell (private).

Site Not Mapped

Occurs when an adjoining property has not been mapped by fire insurance map surveyors.

Teledyne

Aerial photograph flyer: Teledyne (private)

Topographic Maps

Topographic maps are produced by the United States Geological Survey (USGS). These maps are color coded line and symbol representations of natural and selected artificial features plotted to scale.

Turnbow

Aerial photograph flyer: Michael Turnbow (private)

U.S.D.A.

Aerial photograph flyer: United States Department of Agriculture (Federal).

U.S.D.I.

Aerial photograph flyer: United States Department of the Interior (Federal).

U.S.G.S.

Aerial photograph flyer: United States Geological Survey (Federal).

Vacant

May refer to an unoccupied structure or land. *Used only when fire insurance map or city directory specifies 'vacant.'*

W.P.A.

Aerial photograph flyer: Works Progress Administration (Federal).

WALLACE

Aerial photograph flyer: Wallace (private).

APPENDIX 6
Inspector Qualifications

THOMAS K. UZZO, P.E.A.

Principal

EDUCATION:

B.S., **Environmental Engineering** (Emphasis on *Chemical Engineering, Hazardous Waste Treatment Technologies, & Environmental Toxicology*), University of Rochester, 1987.

EXPERIENCE:

A former USEPA enforcement officer, Mr. Uzzo is regarded as an authority on environmental regulatory compliance and waste management, including high hazard waste remediation. As such, he has been retained as a witness in several environmental litigation cases and has given numerous presentations to corporate clients on settlement negotiation strategies. He also has presented technical papers at the 12th Annual HazMat/International Conference in Philadelphia, Pennsylvania and the Superfund XVI Conference in Washington, D.C. The papers discussed available deactivation technologies for explosive and shock-sensitive chemical compounds, and focused on the industry trend away from disposal by detonation toward the use of on-site stabilization followed by off-site incineration.

PRINCIPAL • Whitestone Associates, Inc. • Watchung, New Jersey • 1994 - Present.

Mr. Uzzo is responsible for the overall management of all corporate activity (i.e., budgeting, estimating, accounting, technical review, regulatory interaction, purchasing, contract negotiation, client interface, job performance, QA/QC, environmental health and safety, personnel management, and risk evaluation).

Representative Experience:

- ▶ Conducted Phase I Environmental Site Assessments, Phase II Site Investigations, and Phase III remediation programs for corporate retail and industrial clients in New Jersey, New York, Pennsylvania, Connecticut, Massachusetts, Rhode Island, Maryland, Delaware, Virginia, Michigan, Georgia, and Indiana.
- ▶ Managed and secured six of the first 10 approvals for Brownfield site redevelopment reimbursement pursuant to New Jersey's Brownfield and Contaminated Site Remediation Act. Total reimbursement for these six projects will exceed \$7 million for past and future environmental expenditures.
- ▶ Prepared a corporate Waste Management Policy, TSDf and Transporter Auditing Policies, and Waste Minimization and Pollution Prevention programs for a major petrochemical storage and distribution corporation, and assisted in the implementation and adoption of corporate waste management, environmental auditing and waste minimization/pollution prevention programs at the company's multiple bulk storage terminal locations.
- ▶ Acted as technical liaison to a retail client's legal counsel in negotiating property transfer conditions pertaining to environmental concerns at multiple locations throughout the northeastern United States.
- ▶ Provided complete site assessment, waste characterization, remedial feasibility analyses, remedial design, and remediation oversight for remediation of petroleum sludge impoundments at a major petroleum storage and distribution terminal in Staten Island, New York.

THOMAS K. UZZO, P.E.A.

Page 2

EXPERIENCE (Continued):

- ▶ Acted as a technical consultant overseeing waste management (rail transportation of an acutely hazardous arsenic waste) activities on behalf of the responsible party steering committee at a USEPA Region III Superfund remedial effort in central Pennsylvania.
- ▶ Prepared applications and obtained 14 separate air discharge permits on an expedited basis in order to bring a North Brunswick, New Jersey client into compliance with a Notice of Violation issued by the Middlesex County (NJ) Health Department.
- ▶ Designed an indoor air quality survey and sick building syndrome assessment and sampling program for a network television broadcast facility and office complex in New York City.

DIRECTOR OF REGULATORY COMPLIANCE, OPERATIONS MANAGER • Code Environmental Services, Inc. • Edison, New Jersey • 1989 - 1994.

As director of regulatory compliance, Mr. Uzzo frequently acted as a liaison between Code, its clients, and applicable regulatory agencies. He was responsible for auditing all subcontracted TSDFs used on behalf of Code's clients, and enforced Code's corporate health and safety and QA/QC programs. He also developed UST closure plans, and was directly responsible for Code's lab pack and high hazard waste remediation programs.

Mr. Uzzo was promoted from operations manager to director of regulatory compliance in 1991. As Code's operations manager, he was responsible for bidding and managing all remedial operations conducted by the firm. He also assisted in the areas of business development and site investigation.

Representative Experience:

- ▶ Secured and managed numerous multi-year annual waste packaging and disposal contracts with laboratories, research & development facilities, and academic institutions throughout the tri-state area.
- ▶ Managed numerous shock-sensitive/explosive waste identification and stabilization projects for Rutgers University--including one involving the controlled, on-site detonation of a one pound container of picric acid. Administered other projects at various Rutgers' campuses including gas cylinder sampling and remediation; UST clean-out and closure; and facility decontamination.
- ▶ Directly responsible for bidding and securing an explosive/shock-sensitive material deactivation project at the Aqua-Tech/Groce Labs Superfund Site in Greer, South Carolina. Designed the remediation approach utilized by Code's High Hazard Remediation Team at this site, and oversaw the stabilization of 650 containers of shock-sensitive, reactive, and explosive chemicals; the thermal treatment of several hundred pounds of manufactured blasting agents and pyrotechnic materials; and the limited on-site detonation of compounds which could not be deactivated safely via stabilization.
- ▶ Secured an annual "Emergency Response Services Contract for Explosive Materials Remediation and Disposal" with the State of New Jersey.

THOMAS K. UZZO, P.E.A.

Page 3

EXPERIENCE (*Continued*):

- ▶ Designed and implemented a solids filtration system at Anchor Glass Container's wastewater treatment system in Aberdeen, New Jersey.
- ▶ Designed and implemented a number of projects at the U.S. Coast Guard Facility in Brooklyn, New York including lead decontamination of the Small Arms Firing Range and drummed waste identification, packaging, transportation, and disposal.
- ▶ Designed an UST management and closure plan for Procter and Gamble's Port Ivory facility in Staten Island, New York.
- ▶ Designed and implemented various site investigation waste consolidation and disposal programs for environmental consultants such as EBASCO, BCM, and RES to sample, characterize, consolidate, and dispose of drummed drill cuttings, well development waters, spent decontamination solutions, and PPE generated during Superfund and other hazardous site remedial investigations and corrective actions.

PROJECT MANAGER, ENFORCEMENT OFFICER • United States Environmental Protection Agency, Region II Emergency and Remedial Response (Superfund) Division • New York, New York • 1987 - 1989.

During his tenure with EPA, Mr. Uzzo managed 14 National Priorities List Superfund sites. His responsibilities included conducting PRP negotiation settlements and overseeing performance of remedial investigation/feasibility studies, removal actions, remedial design/remedial actions, past-cost recovery actions, and site access.

As an EPA enforcement officer, Mr. Uzzo worked closely with representatives from other federal agencies including the U.S. Department of Justice; U.S. Attorney General's Office; U.S. Department of the Interior; U.S. Department of Commerce; U.S. Fish and Wildlife Service; National Oceanic and Atmospheric Administration; Agency for Toxic Substances and Disease Registry; and the Federal Bureau of Investigation.

Representative Experience:

- ▶ Successfully negotiated a Judicial Consent Decree settlement with Morton Thiokol, Inc., for the Goose Farm Superfund site. The settlement was worth over \$18 million in past-cost recovery and future remedial actions. After settlement, Mr. Uzzo assumed responsibility for technical and regulatory oversight of the Goose Farm remedial design/remedial action. This entailed designing a soil sampling plan for PCB contamination and overseeing the subsequent removal of 13,000 cubic yards of PCB contaminated soil. Other work performed by Mr. Uzzo in association with this project included the preliminary design of a groundwater extraction, treatment, and re-injection system.
- ▶ Served as a technical consultant to the U.S. Department of Justice for the \$2.8 million LiPari Landfill Superfund site *de minimis* settlement. At the time, the LiPari Landfill site was ranked number one on USEPA's National Priorities List.

THOMAS K. UZZO, P.E.A.

Page 4

EXPERIENCE (*Continued*):

PROJECT SUPERVISOR • Environmental Solutions, Inc. • Waltham, Massachusetts • 1986.

As part of a college internship, Mr. Uzzo was responsible for supervising projects involving the abatement and encapsulation of asbestos containing materials in industrial and residential settings.

CERTIFICATIONS/LICENSES:

- ▶ PROFESSIONAL ENVIRONMENTAL AUDITOR, National Association of Safety and Health Professionals, License No. 1000894076.
- ▶ Hazardous Waste Supervisor per 29 CFR 1910.120.
- ▶ Licensed to Conduct Underground Storage Tank Closures and Subsurface Evaluations in Accordance with N.J.S.A. 58:10A-24.1-8 (UST License Number 0012320).

AWARDS:

- ▶ Outstanding Performance Evaluation Award, USEPA, 1988.
- ▶ Special Act or Service Award, USEPA, 1988.

PROFESSIONAL MEMBERSHIPS:

- ▶ Associate Member, Environmental Law Institute, Washington, D.C.
- ▶ General Member, National Association of Environmental Professionals, Washington, D.C.
- ▶ President, New Jersey Chapter of the National Association of Environmental Professionals, 1994 - Present.

SPECIAL TRAINING:

- ▶ 40 Hour OSHA Health & Safety Training Course for Hazardous Waste Site Operations with Annual Updates.
- ▶ 8 Hour Supervisor's OSHA Health & Safety Training Course for Hazardous Waste Site Operations.
- ▶ *Groundwater Monitoring and Sampling for the Practicing Groundwater Professional*, National Well Association, Baltimore, MD, 1988.
- ▶ Reactive and Explosives Materials Training, 1992.
- ▶ USEPA PCB Policy Seminar, Denver, CO, 1988.
- ▶ CERCLA/SARA/National Environmental Policy Act Review Seminar, New York, NY, 1988.
- ▶ "*Hazards*" in *Hazardous Waste Remediation*, Philadelphia, PA, 1990.
- ▶ USEPA Manager's Seminar on Risk Assessment Guidelines, New York, NY, 1989.
- ▶ National Association of Safety and Health Professionals, "Professional Environmental Auditor Seminar" (PEA), 1994.

PUBLICATIONS:

- ▶ Thomas K. Uzzo, "Deactivation of Explosive and Shock-Sensitive Chemical Compounds", 12th Annual HazMat/International Conference Program: Philadelphia, Pennsylvania, July 1994.
- ▶ Thomas K. Uzzo, "Identification & Deactivation of Explosive and Shock-Sensitive Chemical Compounds", Superfund XVI Conference Program: Washington, D.C., November 1995.

KEITH TOCKMAN, C.P.G.

Professional Geologist

EDUCATION:

B.S., **GEOLOGY**, University of Wyoming, 1976.

EXPERIENCE:

With over 25 years of professional experience, Mr. Tockman has participated in a wide variety of environmental investigation and remediation projects. In addition to his supervisory and technical experience, Mr. Tockman has represented clients in permitting and negotiating with regulatory agencies; trained geological and engineering personnel to supervise investigatory activities and complete follow-up reporting; functioned as a subcontracting officer; participated in business development and marketing programs; and written and implemented site safety plans.

PROFESSIONAL GEOLOGIST • Whitestone Associates, Inc. • Evergreen, Colorado • 1994 - Present.
CONSULTING GEOLOGIST • Colorado/New Jersey • 1980 - 1994.

Mr. Tockman provides geological, hydrogeological, and environmental compliance management and field support services to industrial and manufacturing companies, banks, mining companies, engineering and environmental consulting firms, realtors, attorneys, national retail and restaurant chains, private concerns, and public agencies on both a domestic and international basis.

Management services provided include design and implementation of groundwater investigations and monitoring programs; surface and subsurface geological site evaluations; design and implementation of Phase I Environmental Site Assessments, Phase II Site Investigations, and follow-up soil and groundwater remediation programs; drafting of proposals, permits, and reports; budget preparation, supervision of expenditures, and cost accounting; business development and marketing; serving as liaison between clients and regulatory agencies; hiring contractors; and coordinating personnel and equipment logistics.

Fieldwork has consisted of supervising drilling and well installation activities; management of construction projects; oversight of remediation activities; soil and groundwater sampling; permeability testing; geological mapping; geophysical surveys; soil gas surveys; and supervision of UST closure and cleanup activities.

Representative Experience:

- ▶ Managed all aspects of the installation of a \$900,000 free product recovery system at a Queens, New York facility for the New York City Transit Authority. Responsibilities included subcontract negotiation; supervision of system construction, well installation, and contaminant disposal activities; coordination of state and local permits; equipment procurement; and cost control.
- ▶ Completed groundwater investigations at Waste Tech Services' hazardous waste incinerator and landfill facility near Kimball, Nebraska. The project consisted of installing 130 to 240 foot deep wells and placement of the dedicated pumps needed to acquire baseline and continuous monitoring data. This high-profile project required continual interface and coordination with regulatory agencies, citizen coalition groups, media, and local politicians.
- ▶ Bid and secured a contract to complete remedial cleanup activities at the RTI Superfund Site in Morris County, New Jersey. In support of this project, Mr. Tockman wrote the site health and safety plan and then implemented a work program to remediate PCB contamination, locate and remove abandoned drums, remove assorted underground and aboveground storage tanks, and clean up sump areas. Responsibilities also included coordinating remedial activities with regulatory agencies, PRPs, and subcontractors.

KEITH TOCKMAN, C.P.G.

Page 2

EXPERIENCE (*Continued*):

- ▶ Designed and implemented soil groundwater investigation/remediation programs associated with commercial property transfers and related state driven actions. Management and administrative activities completed in association with these projects included review of previous actions and existing data; coordinating additional investigative and remedial activities with company representatives, attorneys, and regulatory agencies; designing and implementation of work plans; report preparation; soliciting and reviewing contractor bids; field and remedial action oversight; contaminant plume delineation; and arranging soil and waste disposal. Projects related to property transfer have been completed at the UPS/Square D facility in Secaucus, New Jersey; the Republic Container Corporation site in Jersey City, New Jersey; a former public works facility in Roselle, New Jersey; a metal fabrication operation in Parsippany, New Jersey; along with commercial facilities throughout the northeastern United States.
- ▶ Provided contracting services to environmental and engineering consulting firms encompassing technical management; regulatory agency liaison; administrative management including budgeting, accounting, purchasing, and scheduling; and personnel training and oversight.
- ▶ Designed and implemented UST closure programs consisting of tank removal, post-excavation sampling/investigation, remediation of contaminated soil and groundwater, and site restoration at industrial and commercial facilities, retail outlets, residences, and service stations throughout the eastern United States. Prepared closure plans, remedial action reports, and final reports in support of each of these projects as required by government agencies. Also hired excavation and tank cleaning subcontractors, and arranged for transportation and disposal of residual waste products and contaminated soil.
- ▶ Designed and supervised a monitor well drilling and sampling program to determine the extent of solvent plume associated with tank leakage at a leather seat cover manufacturing plant in Newark, New Jersey.
- ▶ Conducted numerous Phase I Environmental Site Assessments consisting of property inspection; personnel interviews; air photo interpretation; federal, state, and local records review; chain-of-title review; and final report preparation in accordance with ASTM standards. Sites inspected have included retail/commercial establishments; chemical processors; restaurants; a community college; automotive, manufacturing and industrial facilities; and private residences throughout the United States.
- ▶ Implemented soil gas surveys of potential subsurface contamination associated with historic solvent discharges at an equipment manufacturing facility in Clifton, New Jersey; leakage from gasoline and diesel USTs at an active truck stop in Gibson, Pennsylvania; and leakage from abandoned gasoline and waste oil USTs at a proposed retail store in Baltimore, Maryland.
- ▶ Conducted site assessment, sampling, characterization, and volumetric determination of sludge wastes contained in abandoned impoundments at a petroleum bulk storage facility in Staten Island, New York. Subsequently completed remedial feasibility analyses and remedial action design.
- ▶ Performed a magnetometer survey to locate buried drums containing cyanide at the Brewer Gold Mine near Jefferson, South Carolina. Subsequently supervised excavation and removal of the drums. Similar magnetometer surveys have been completed to locate abandoned USTs and subsurface debris at proposed commercial sites in New Jersey, New York, Pennsylvania, Delaware, and Maryland.

KEITH TOCKMAN, C.P.G.

Page 3

EXPERIENCE (Continued):

- ▶ Participated in the design and installation of wells for waterflood oil recovery on properties near Tulsa, Oklahoma for the Princeton Group. Responsibilities included interpretation of geophysical logs and construction of cross sections, contour maps, and isopach maps.
- ▶ Supervised well installation; packer, pump, and rising head tests of aquifers; trenching; and geological mapping at Homestake's McLaughlin gold mine in northern California to determine site suitability for waste dumps and tailings impoundments.
- ▶ Assisted on the Energy Transport Systems, Inc. (ETSI) program to develop an industrial water supply pipeline system in northeastern Wyoming. The project included review of geological, hydrogeological, and structural data; well drilling; and aquifer testing.
- ▶ Reviewed existing groundwater data to evaluate the effectiveness and costs of proposed remedial systems at a pharmaceutical facility in Boulder, Colorado; a gasoline station in Massapequa, New York; a computer manufacturer in Ridgefield, Connecticut; a retail store in Mamaroneck, New York; and a petroleum bulk storage facility in Staten Island, New York. Provided technical alternatives and/or modifications to proposed and operating systems.
- ▶ Managed numerous exploration and development projects for mining companies. Activities included general geological reconnaissance and mapping; sampling; design and supervision of drilling operations; reserve studies; and baseline environment studies on base, precious, and industrial minerals properties. Projects have been completed at numerous domestic and international sites including: scattered locations in Colorado, Wyoming, Utah, and Montana; Mohave and Cochise Counties, Arizona; Chesterfield and Lancaster Counties, South Carolina; San Bernardino County, California; Marquette County, Michigan; and the Indonesian islands of Irian Jaya, Kalimantan (Borneo), and Sulawesi.

PROJECT GEOLOGIST • Uranerz U.S.A., Inc. • Denver, Colorado • 1976 - 1980.

Mr. Tockman was responsible for prospect generation; logistics; implementation of drilling, geophysical, and mapping programs; budget and report preparation; submittal evaluation; landwork; permitting; personnel supervision; and administration of joint ventures on uranium properties primarily in the western United States. He also worked on properties in the Northern Territory, Australia, and Saskatchewan, Canada.

FIELD GEOLOGIST • Western Nuclear, Inc. • Casper, Wyoming • May 1975 - August 1975.

Mr. Tockman was responsible for supervising drilling and downhole geophysical logging operations on uranium exploration projects in Wyoming.

CERTIFICATIONS/LICENSES:

- ▶ **CERTIFIED PROFESSIONAL GEOLOGIST**, Indiana, Wyoming, Tennessee, Pennsylvania, American Institute of Professional Geologists.
- ▶ Hazardous Waste Supervisor per 29 CFR 1910.120.
- ▶ Licensed to Conduct Underground Storage Tank Closure in Accordance with N.J.S.A. 58:10A-24.1-8.

WHITESTONE ASSOCIATES, INC.

KEITH TOCKMAN, C.P.G.

Page 4

PROFESSIONAL MEMBERSHIPS:

- ▶ American Institute of Professional Geologists.
- ▶ Society for Mining, Metallurgy, and Exploration.

SPECIAL TRAINING:

- ▶ 40 Hour OSHA Health & Safety Training Course for Hazardous Waste Site Activities with Annual Updates.
- ▶ 8 Hour Supervisor's OSHA Health & Safety Training Course for Hazardous Waste Site Activities.

PUBLICATIONS:

- ▶ Tockman, K. and Cherrywell, C.H., 1993, *Pathfinder Geochemistry for the South Carolina Gold Deposits*: South Carolina Geology, v. 35, p. 79-83.
- ▶ Cherrywell, C.H. and Tockman, K., 1992, *Overview of Trace Element Geochemistry of South Carolina Gold Deposits*: Geological Society of America Abstracts with Programs, v. 24, no. 2, p. 8. Presented at Geological Society of America Southeastern Section 41st Annual Meeting, Winston-Salem, North Carolina, March 19, 1992.
- ▶ Cherrywell, C.H. and Tockman, K., 1992, *Gold Production in South Carolina*: South Carolina Geology, v.34, nos. 1 and 2, p. 69-70.
- ▶ Tockman, K. and Cherrywell, C.H., 1989, *Gold Exploration in Indonesia*: Mining Record, June 7, 1989. Presented at Denver Mining Club, Ltd. on June 8, 1989.
- ▶ Tockman, K., 1987, *Non-Metallic Industrial Mineral Production in Colorado*. Presented at Colorado Mining Association Annual Conference in Denver, Colorado, February 1987.

CHRISTOPHER SEIB

Environmental Services Manager

EDUCATION:

B.S., **Environmental Science**, Rutgers the State University of New Jersey, Cook College, 1999.

EXPERIENCE:

Mr. Seib is well versed in ISRA compliance having worked with both environmental consultants and NJDEP's Site Remediation Branch. He has performed a significant number of Phase I Environmental Site Assessments and has assisted in the design and implementation of Preliminary Assessment, Remedial Investigation, and Remedial Action projects. Mr. Seib has participated in the remediation of underground storage tanks and is experienced in multimedia sampling for environmental purposes. He also has field supervised ACM and lead surveys in support of numerous Whitestone projects.

ENVIRONMENTAL SERVICES MANAGER • Whitestone Associates, Inc. • Watchung, New Jersey • January 2000 - Present.

Mr. Seib has held a series of progressively responsible positions at Whitestone. He currently oversees a variety of environmental due diligence investigation services including Phase I Environmental Site Assessments, Phase II Site Investigations, and Phase III Remediation Management oversight for Whitestone's client base of industrial and manufacturing companies, engineers, realtors, attorneys, national retail and restaurant chains, private concerns, and public agencies. Mr. Seib is responsible for supervising environmental activities including data collection, assessment, and report generation.

Representative Experience:

- ▶ Conducted Phase I Environmental Site Assessments and supervised ACM surveys at multiple proposed and/or existing Commerce Bank sites in New Jersey for a commercial property developer. Prepared reports of findings which included recommendations for further action/investigation and cost estimates for required abatement.
- ▶ Participated in large-scale remedial investigation/remedial action project at the Vineland Construction Company Site in Kearny, New Jersey. Oversaw installation of monitoring wells to facilitate soil and groundwater sampling and analyses. Collected multimedia samples, screened soil samples with an OVM, and logged field results.
- ▶ Supervised the installation of nine geoprobe borings to facilitate soil and groundwater sampling and analyses at an A&P site in Brooklyn, New York.
- ▶ Performed multiple Phase I Environmental Site Assessments for retail, commercial, and industrial properties throughout New Jersey, New York, Connecticut, and Massachusetts.

ASSOCIATE ENVIRONMENTAL SCIENTIST • Killiam Associates, Waste Management Division • Millburn, New Jersey • June 1999 - January 2000.

Mr. Seib performed Phase I Environmental Site Assessments and prepared Remedial Cost Estimates for numerous properties including solid waste and energy businesses in New Jersey, New York, Connecticut,

WHITESTONE ASSOCIATES, INC.

CHRISTOPHER SEIB

Page 2

EXPERIENCE (*Continued*):

and Massachusetts. He also assisted in the performance of Preliminary Assessments and Site/Remedial Investigations in association with ISRA compliance.

Mr. Seib was directly responsible for identifying areas of environmental concern; designing Sampling and Analyses Plans; implementing Remedial Action Plans; interpreting analytical data; and preparing detailed reports.

REGULATORY COMPLIANCE INTERN • New Jersey Department of Environmental Protection, Division of Responsible Party Site Remediation • Bureau of Field Operations, Northern Office • May - June 1998.

Mr. Seib assisted case managers in the assessment of Site Investigation and Remedial Action Reports. During his internship, Mr. Seib:

- ▶ Observed and reviewed soil and water sampling procedures, installation of monitoring wells, and sample analytical results.
- ▶ Conducted field inspections and prepared appropriate reports.
- ▶ Assured compliance with Department regulations, particularly the Technical Requirements for Site Remediation, N.J.A.C. 7:26E.
- ▶ Maintained database and reviewed reports for Homeowner Underground Storage Tank Pilot Program for Hudson and Bergen counties.
- ▶ Recommended cases for closure.
- ▶ Designed and maintained a regulation variation database.

SPECIAL TRAINING AND CERTIFICATIONS:

- ▶ 40 Hour OSHA Health & Safety Training Course for Hazardous Waste Site Activities
- ▶ Confined Space Entry OSHA Certification

PROFESSIONAL ASSOCIATIONS:

- ▶ Lake Parsippany Property Owners Association: Lake Restoration Committee, Dredging Committee
- ▶ Epsilon Chapter of the Delta Phi Fraternity at Rutgers University
Treasurer, Rutgers Fraternity Council Representative, Rush Chair
Recipient of the New Brunswick Mayor's Award for Community Service

KEITH T. D'AMBROSIO, P.E.

Branch Manager, Pennsylvania Office

EDUCATION:

B.S., **Civil Engineering**, Widener University, Chester, Pennsylvania, 1991.

EXPERIENCE:

A Professional Engineer (P.E.) licensed in New Jersey, Pennsylvania, New York, and Delaware, Mr. D'Ambrosio has over 10 years of professional experience in environmental site investigation, remedial design, and remediation management and was appointed Branch Manager of Whitestone's Pennsylvania office in 1998. In addition to conducting numerous Phase I Environmental Site Assessments and Phase II Site Investigations, Mr. D'Ambrosio has extensive experience in Phase III Remedial Design and Management. He has prepared and/or managed the implementation of Feasibility Study Reports, Remedial Action Plans, Contract Drawings, Material and Performance Specifications, Quality Assurance Plans, Sampling and Analysis Plans, UST Closure Plans, and Final Closure Reports for projects located throughout the Northeast United States involving landfill design, construction, capping, and closure; contaminated soils and sediment excavation and disposal; UST closure; surface impoundment remediation; and wastewater treatment.

BRANCH MANAGER, PENNSYLVANIA OFFICE • Whitestone Associates, Inc. • North Wales, Pennsylvania • June 1996 - Present.

Mr. D'Ambrosio oversees and provides Phase I Environmental Site Assessment, Phase II Site Investigation, and Phase III Remediation Management services to Whitestone's client base of industrial and manufacturing companies, engineers, realtors, attorneys, national retail and restaurant chains, private concerns, and public agencies. As a project manager/engineer, Mr. D'Ambrosio is responsible for conducting/managing Phase I Environmental Site Assessments, Phase II Site Investigations, state agency reporting, and overall remedial site management including RFP development, contractor evaluation/selection, budget control, construction oversight, construction QA management, serving as liaison between clients and regulatory agencies, and preparing final Closure Reports.

Representative Experience:

- ▶ Managed site investigation projects including soil and groundwater investigations for commercial and industrial properties throughout the northeast.
- ▶ Managed investigation/remediation projects conducted concurrently with site redevelopment activities which did not impact the development/construction schedule and obtained No Further Action determination from several state agencies subsequent to property redevelopment.
- ▶ Managed numerous remediation projects in New Jersey under Memorandum of Agreements and obtained No Further Action letters for projects through the preparation of Deed Notices and engineering controls.
- ▶ Managed numerous remediation programs in Pennsylvania under PADEP, Act II Programs and obtained Covenant Not to Sue from the PADEP.
- ▶ Managed numerous New Jersey Industrial Site Recovery Act (ISRA) projects for clients with property transfers subject to the program.

KEITH T. D'AMBROSIO, P.E.

Page 2

EXPERIENCE (*Continued*):

SENIOR PROJECT ENGINEER I (12/95 - 6/96), PROJECT ENGINEER (1/94 - 11/95), ENGINEER (6/91 - 12/93), TECHNICIAN (5/90 - 9/90) • Blasland, Bouck & Lee, Inc. • Cranbury, New Jersey • June 1991 - June 1996.

Mr. D'Ambrosio held a series of progressively responsible positions with this nationally recognized environmental engineering firm. As *Senior Project Engineer*, Mr. D'Ambrosio was responsible for overall project management including budget management, acting as primary regulatory and client contact, remedial design, permitting, contractor evaluation/selection, construction QA program management, remedial oversight, and preparation of final closure certification reports.

Representative Experience:

- ▶ Prepared a Remedial Action Plan for the excavation and off-site disposal of 150 tons of chlorobenzene contaminated soil. Provided the client with oversight of the field activities and prepared closure certification report. All work was completed under budget and the closure certification was approved by the NJDEP.
- ▶ Prepared a Remedial Action Plan and a subsequent closure certification report for the placement of an asphalt cap over an area of low level surface soil contamination. All work was completed under budget and the closure certification was approved by the NJDEP.
- ▶ Prepared a Remedial Action Plan, Basis of Design Report, Contract Drawings, and Material and Performance Specification for the capping of contaminated sediment existing under a building and in a river located adjacent to the building. Design also included the installation of a steel sheet pile bulkhead. All required permit applications were submitted to the US Army Corps of Engineers and the NJDEP.

As a BB&L *Project Engineer*, Mr. D'Ambrosio functioned as task manager for several remediation projects; assisted project managers by directing specific tasks within the overall projects; and managed several construction oversight programs.

Representative Experience:

- ▶ Task Manager for the preparation of Contract Drawings and material and Performance Specifications for the construction of a 12-acre, double-composite-lined, RCRA hazardous waste landfill. The design utilized a geosynthetic clay liner, smooth and textured HDPE geomembrane, woven and non-woven geotextile, geosynthetic drainage composite, and HDPE pipe. Managed the project team (which included employees in two offices) and project budget, and acted as the primary client contact.
- ▶ Prepared a Remedial Action Plan, Material and Performance Specifications, and Contract Drawings for the remediation of a 12,000 cubic yard tar/sludge impoundment located at a NJ CERCLA facility. The remedial action included the solidification, excavation, and placement of the sludge in an on-site landfill. Acted as Resident Engineer and managed the construction oversight program during the implementation of the remedial action.
- ▶ Served as Resident Engineer for an ISRA remedial action project. Project included pouring a 45,000 square foot steel-reinforced concrete cap, the installation of a stormwater conveyance system, and tying

WHITESTONE ASSOCIATES, INC.

KEITH T. D'AMBROSIO, P.E.

Page 3

EXPERIENCE (*Continued*):

the new stormwater system into the existing public storm sewer system. Managed construction QA program and acted as the client contact during construction.

- ▶ Acted as the owner's representative for the oversight and inspection of an impoundment sludge dewatering, stabilization, and landfilling project at a NJ RCRA facility. Managed construction QA program and the monitoring and pumping of the landfill's leak detection system.

In the position of *Engineer* Mr. D'Ambrosio performed a diverse range of environmental investigation and engineering tasks associated with several major remediation projects.

Representative Experience:

- ▶ Prepared an Interim Remedial Action Plan for the excavation and off-site disposal of PCB and PAH contaminated soil and the capping of chromium contaminated soil at an NJ CERCLA facility. Provided client with oversight during implementation of the remedial activities.
- ▶ Designed Oil Water Separator Systems for an industrial client at three facilities. Each system utilized the facility's existing floor drain system, connected the floor drains to an oil water separator, and tied the separator's discharge into the existing sanitary sewer system. Obtained all state and local permits for the client.
- ▶ Prepared a Feasibility Study Report for five hazardous waste impoundments located at a NJ CERCLA facility.
- ▶ Prepared UST Closure Plans and Final Closure Reports.
- ▶ Prepared sampling and analysis plans for surface soil, subsurface soil, and impoundment sludge at several industrial facilities.
- ▶ Performed field activities including soil sampling, sludge sampling, groundwater sampling, sewer system investigations, UST removals, and construction oversight.
- ▶ Provided clients with oversight of the installation of groundwater monitoring wells including logging site stratigraphy.

Mr. D'Ambrosio assisted engineers and geologists in numerous environmental projects as a *Technician* during a summer internship with BB&L in 1990. His responsibilities included:

- ▶ Inputting data, manipulating and managing a data base (dBASE IV) containing soils analytical data for a NJ CERCLA facility. Data base contained more than 150 sample locations, each analyzed for full TCL/TAL analysis.
- ▶ Collecting effluent analytical samples from the discharge of a sewage treatment plant and surface water samples from the stream into which the effluent discharged. Also analyzed the stream's hydraulic properties and evaluated the effluent's impact on the stream.

KEITH T. D'AMBROSIO, P.E.

Page 4

CERTIFICATIONS/LICENSES:

- ▶ PROFESSIONAL ENGINEER - New Jersey, P.E. No. 39936.
- ▶ PROFESSIONAL ENGINEER - Pennsylvania, P.E. No. PE-053244-E.
- ▶ PROFESSIONAL ENGINEER - New York, P.E. No. 076095.
- ▶ PROFESSIONAL ENGINEER - Delaware, P.E. No. 11630.
- ▶ Licensed to Conduct Underground Storage Subsurface Evaluations in Accordance with N.J.S.A. 58:10A-24.1-8 (Certification No. 0003421).
- ▶ EnSys Immunoassay Field-Testing Method Certified.
- ▶ Hazardous Waste Supervisor per 29 CFR 1910.120.

PROFESSIONAL MEMBERSHIPS:

- ▶ American Society of Civil Engineers
- ▶ National Society of Professional Engineers
- ▶ International Geosynthetics Society

SPECIAL TRAINING:

- ▶ 40 Hour OSHA Health & Safety Training Course for Haz. Waste Site Activities with Annual Updates.
- ▶ 8 Hour Supervisor's OSHA Health & Safety Training Course for Hazardous Waste Site Activities.
- ▶ CPR and First Aid Training

PUBLICATIONS:

- ▶ "Case Study: Use of a Pilot Study to Determine the Feasibility of Segregating Complex Solid Waste Streams". Brzozowski, Paul S.; D'Ambrosio, Keith T. Proceedings of HMCRI Hazardous Materials Control 1992 Superfund Conference, Washington, D.C., December 1992.