

TABLE OF CONTENTS

BOOK 1

	<u>Page</u>
INTRODUCTION	1
Background	1
Remediation of Contaminated Soil-1998	5
Remediation of Contaminated Soil-1999/2000 ..	6
OBJECTIVE	11
FIELD ACTIVITIES	12
Monitoring Well Installation	12
Test Hole Drilling	13
Storm Drain Test Hole	14
Geoprobe Test Holes	14
SAND AND GROUNDWATER SAMPLING	15
Monitoring Well Sampling	15
Test Hole Sampling	16
Storm Drain Test Hole Sampling	16
Geoprobe Test Hole Sampling	17
Monitoring Well Survey	17
Groundwater Monitoring	18
RESULTS OF SAMPLING INVESTIGATION	19
Soil Quality	19
Monitoring Wells	19
Test Holes	19
Storm Drain	20
Water Quality	20
Hydrogeologic Setting	20
Monitoring Wells	21
Geoprobe Test Holes	22
DISCUSSION OF RESULTS	24

ILLUSTRATIONS

Site Plan (indicating monitoring well, geoprobe test holes, test holes, and storm drain test hole locations)

Typical Monitoring Well

APPENDICIES

APPENDIX

- A. NYSDEC Work Plan Approval Letter
- B. Geologic Logs
- C. Soil Analytical Data
- D. Monitoring Well Groundwater Laboratory Testing Results

BOOK 2

- E. Monitoring Well Soil Laboratory Testing Results

BOOK 3

- F. Test Hole Soil Laboratory Testing Results
- G. Storm Drain Test Hole Soil Laboratory Testing Results
- H. Geoprobe Groundwater Laboratory Testing Results
- I. Monitoring Well Soil Laboratory Testing Results Illustrated
- J. Test Hole Soil Laboratory Testing Results Illustrated
- K. Storm Drain Test Hole Soil Laboratory Testing Results Illustrated
- L. Geoprobe Groundwater Laboratory Testing Results Illustrated
- M. Photographs

APPENDIX F

TEST HOLE SOIL LABORATORY TESTING RESULTS

ARUS Analytical, Inc.

17 Bernice Drive Bayport, New York 11705 (631) 472-4848

To: Zytel, P.C.
265 Indianhead Road
Kings Park/Russell NY 11725
(631) 544-0092

Time Of Login : 10:10:19
Date:

Collected: 05/08/03
Received : 05/15/03
Completed: 05/19/03

Sample Taken By
Client

Reported By:

N.Y.S. Lab I.D. #10058

Sample : Project #6501
Soil Sample #B1-S1
Cell Phone
Soil Sample #B1-S1
Bore Dpth: 5'-7'
Analysis : EPA 8260 Analysis

Sample Number 22840305

Parameters	Results ug/kg	Parameters	Results ug/kg
chlorodifluoromethane	<1	Trichloroethene	<1
chlorodifluoromethane	<1	1,2-Dichloropropane	<1
chloromethane	<1	Dibromomethane	<1
vinylchloride	<1	Bromodichloromethane	<1
monomethane	<1	2-Chloroethylvinylethr	<1
chloroethane	<1	Cis-1,3-Dichloropropene	<1
trichlorofluoromethane	<1	4 Methyl-2-Pentanone	<1
1,2-Trichlorotrifluoroet	<1	Toluene	<1
1,1-Dichloroethene	<1	Trans-1,3-Dichloropropene	<1
acetone	<1	1,1,2-Trichloroethane	<1
Carbon Disulfide	<1	Tetrachloroethene	<1
Ethylene Chloride	<1	1,3-Dichloropropane	<1
trans-1,2-Dichloroethene	<1	2-Hexanone	<1
Methyl T-Butyl Ether	<1	Dibromochloromethane	<1
1,1-Dichloropropane	<1	1,2-Dibromomethane	<1
1,2-Dichloropropane	<1	Chlorobenzene	<1
Cis-1,2-Dichloroethene	<1	1,1,1,2-Tetrachloroethane	<1
Butanone	<1	Ethylbenzene	<1
Bromochloromethane	<1	M+P-Xylene	<1
chloroform	<1	O-Xylene	<1
1,1,1-Trichloroethane	<1	Styrene	<1
Carbon Tetrachloride	<1	Bromoform	<1
1,1-Dichloropropene	<1	Isopropylbenzene	<1
benzene	<1	Bromobenzene	<1
1,2-Dichloroethane	<1	1,1,2,2-Tetrachloroethane	<1

Comments

Peggy Parigoris Director of Laboratories


ARUS Analytical, Inc.

17 Bernice Drive Bayport, New York 11705 (631) 472-4848

To: Zytel, P.C.
265 Indianhead Road
Kings Park/Russell NY 11725
(631) 544-0092

Time Of Login : 10:11:13
Date:

Collected: 05/08/03
Received : 05/15/03
Completed: 05/19/03

Reported By: 

N.Y.S. Lab I.D. #10058

Sample Taken By
Client

Sample Number 22840305

Sample : Project #6501
Soil Sample #B1-S1
Cell Phone
Soil Sample #B1-S1
Bore Dpth: 5'-7'
Analysis : EPA 8260 Analysis

Parameters	Results ug/kg	Parameters	Results ug/kg
Propylbenzene	<1		
1,2,3-Trichloropropane	<1		
Ethyltoluene	<1		
1,3,5-Trimethylbenzene	<1		
1-Chlorotoluene	<1		
1-Chlorotoluene	<1		
tert-Butylbenzene	<1		
1,2,4-Trimethylbenzene	<1		
sec-Butylbenzene	<1		
Isopropyltoluene	<1		
1,3-Dichlorobenzene	<1		
1,4-Dichlorobenzene	<1		
1,2-Dichlorobenzene	<1		
Diethylbenzene	<1		
tert-Butylbenzene	<1		
1,2,4,5-Tetramethylbenzene	<1		
1,2-Dibromo-3-Chloropropane	<1		
1,2,4-Trichlorobenzene	<1		
1,2,3,4-Tetrachlorobutadiene	<1		
1,2,3,4-Tetrachlorobutadiene	<1		
1,2,3-Trichlorobenzene	<1		

Comments

Peggy Parigoris Director of Laboratories

RUS Analytical, Inc.

7 Bernice Drive Bayport, New York 11705 (631) 472-4848

To: Zytel, P.C.
265 Indianhead Road
Kings Park/Russell NY 11725
(631) 544-0092

Time Of Login : 10:13:33
Date:

Collected: 05/08/03
Received : 05/15/03
Completed: 05/19/03

Sample Taken By
Client

Reported By:

N.Y.S. Lab I.D. #10058

Sample : Project #6501
Soil Sample #B1-S2
Cell Phone
Soil Sample #B1-S2
Core Dpth: 10'-12'
Analysis : EPA 8260 Analysis

Sample Number 22850305

Parameters	Results ug/kg	Parameters	Results ug/kg
Chlorodifluoromethane	<1	Trichloroethene	<1
Chlorodifluoromethane	<1	1,2-Dichloropropane	<1
Chloromethane	<1	Dibromomethane	<1
vinylchloride	<1	Bromodichloromethane	<1
Bromomethane	<1	2-Chloroethylvinylethr	<1
chloroethane	<1	Cis-1,3-Dichloropropene	<1
ichlorofluoromethane	<1	4 Methyl-2-Pentanone	<1
1,2-Trichlorotrifluoroet	<1	Toluene	<1
1-Dichloroethene	<1	Trans-1,3-Dichloropropene	<1
etone	<1	1,1,2-Trichloroethane	<1
Carbon Disulfide	<1	Tetrachloroethene	<1
Ethylene Chloride	<1	1,3-Dichloropropane	<1
rans-1,2-Dichloroethene	<1	2-Hexanone	<1
thyl T-Butyl Ether	<1	Dibromochloromethane	<1
1-Dichloropropane	<1	1,2-Dibromomethane	<1
2-Dichloropropane	<1	Chlorobenzene	<1
is-1,2-Dichloroethene	<1	1,1,1,2-Tetrachloroethane	<1
Butanone	<1	Ethylbenzene	<1
romochloromethane	<1	M+P-Xylene	<1
chloroform	<1	O-Xylene	<1
1,1-Trichloroethane	<1	Styrene	<1
arbon Tetrachloride	<1	Bromoform	<1
1-Dichloropropene	<1	Isopropylbenzene	<1
nzene	<1	Bromobenzene	<1
2-Dichloroethane	<1	1,1,2,2-Tetrachloroethane	<1

Comments

Peggy Parigoris Director of Laboratories

ARUS Analytical, Inc.

7 Bernice Drive Bayport, New York 11705 (631) 472-4848

To: Zytel, P.C.
265 Indianhead Road
Kings Park/Russell NY 11725
(631) 544-0092

Time Of Login : 11:02:30
Date:

Collected: 05/06/03
Received : 05/15/03
Completed: 05/19/03

Sample Taken By
Client

Reported By:

N.Y.S. Lab. I.D. #10058

Sample : Project #6501
Soil Sample #B1-S2
Cell Phone
Soil Sample #B1-S2
Bore Dpth: 10'-12'
Analysis : EPA 8260 Analysis

Sample Number 22850305

Parameters	Results ug/kg	Parameters	Results ug/kg
m-Propylbenzene	<1		
1,2,3-Trichloropropane	<1		
Ethyltoluene	<1		
1,3,5-Trimethylbenzene	<1		
p-Chlorotoluene	<1		
o-Chlorotoluene	<1		
n-Butylbenzene	<1		
1,2,4-Trimethylbenzene	<1		
sec-Butylbenzene	<1		
Isopropyltoluene	<1		
1,3-Dichlorobenzene	<1		
1,4-Dichlorobenzene	<1		
1,2-Dichlorobenzene	<1		
Diethylbenzene	<1		
n-Butylbenzene	<1		
1,2,4,5-Tetramethylbenzene	<1		
1,2-Dibromo-3-Chloropropane	<1		
1,2,4-Trichlorobenzene	<1		
Hexachlorobutadiene	<1		
Phthalene	<1		
1,2,3-Trichlorobenzene	<1		

Comments

Peggy Parigoris Director of Laboratories

ARUS Analytical, Inc.

7 Bernice Drive Bayport, New York 11705 (631) 472-4848

To: Zytel, P.C.
265 Indianhead Road
Kings Park/Russell NY 11725
(631) 544-0092

Time Of Login : 10:14:35
Date:

Collected: 05/08/03
Received : 05/15/03
Completed: 05/19/03

Sample Taken By
Client

Reported By:

N.Y.S. Lab I.D. #10058

Sample : Project #6501
Soil Sample #B1-S3
Cell Phone
Soil Sample #B1-S3
Bore Dpth: 15'-17'
Analysis : EPA 8260 Analysis

Sample Number 22860305

Parameters	Results ug/kg	Parameters	Results ug/kg
chlorodifluoromethane	<1	Trichloroethene	<1
chlorodifluoromethane	<1	1,2-Dichloropropane	<1
chloromethane	<1	Dibromomethane	<1
nylchloride	<1	Bromodichloromethane	<1
romomethane	<1	2-Chloroethylvinylethr	<1
chloroethane	<1	Cis-1,3-Dichloropropene	<1
trichlorofluoromethane	<1	4 Methyl-2-Pentanone	<1
1,2-Trichlorotrifluoroet	<1	Toluene	<1
1-Dichloroethene	<1	Trans-1,3-Dichloropropene	<1
etone	<1	1,1,2-Trichloroethane	<1
arbon Disulfide	<1	Tetrachloroethene	<1
ethylene Chloride	<1	1,3-Dichloropropane	<1
rans-1,2-Dichloroethene	<1	2-Hexanone	<1
ethyl T-Butyl Ether	<1	Dibromochloromethane	<1
1-Dichloropropane	<1	1,2-Dibromomethane	<1
1,2-Dichloropropane	<1	Chlorobenzene	<1
s-1,2-Dichloroethene	<1	1,1,1,2-Tetrachloroethane	<1
Butanone	<1	Ethylbenzene	<1
romochloromethane	<1	M+P-Xylene	<1
chloroform	<1	O-Xylene	<1
1,1-Trichloroethane	<1	Styrene	<1
arbon Tetrachloride	<1	Bromoform	<1
1-Dichloropropene	<1	Isopropylbenzene	<1
enzene	<1	Bromobenzene	<1
2-Dichloroethane	<1	1,1,2,2-Tetrachloroethane	<1

Comments

Peggy Parigoris Director of Laboratories

ARUS Analytical, Inc.

7 Bernice Drive Bayport, New York 11705 (631) 472-4848


To: Zytel, P.C.
265 Indianhead Road
Kings Park/Russell NY 11725
(631) 544-0092

Time Of Login : 15:37:28
Date:

Collected: 05/08/03
Received : 05/15/03
Completed: 05/19/03

Sample Taken By
Client

Reported By:



N.Y.S. Lab I.D. #10058

Sample : Project #6501
Soil Sample #B1-S3
Cell Phone
Soil Sample #B1-S3
Bore Dpth: 15'-17'
Analysis : EPA 8260 Analysis

Sample Number 22860305

Parameters	Results ug/kg	Parameters	Results ug/kg
Propylbenzene	<1		
1,2,3-Trichloropropane	<1		
Ethyltoluene	<1		
1,3,5-Trimethylbenzene	<1		
p-Chlorotoluene	<1		
o-Chlorotoluene	<1		
n-tert-Butylbenzene	<1		
1,2,4-Trimethylbenzene	<1		
sec-Butylbenzene	<1		
Isopropyltoluene	<1		
1,3-Dichlorobenzene	<1		
1,4-Dichlorobenzene	<1		
1,2-Dichlorobenzene	<1		
Diethylbenzene	<1		
n-Butylbenzene	<1		
1,2,4,5-Tetramethylbenzene	<1		
1,2-Dibromo-3-Chloropropane	<1		
1,2,4-Trichlorobenzene	<1		
hexachlorobutadiene	<1		
phthalene	<1		
1,2,3-Trichlorobenzene	<1		

Comments

Peggy Parigoris Director of Laboratories

ARUS Analytical, Inc.

17 Bernice Drive Bayport, New York 11705 (631) 472-4848

To: Zytel, P.C.
265 Indianhead Road
Kings Park/Russell NY 11725
(631) 544-0092

Time Of Login : 10:15:17
Date:

Collected: 05/08/03
Received : 05/15/03
Completed: 05/19/03

Sample Taken By
Client

Reported By:

N.Y.S. Lab I.D. #10058

Sample : Project #6501
Soil Sample #B1-S4
Cell Phone
Soil Sample #B1-S4
Bore Dpth: 20'-22'
Analysis : EPA 8260 Analysis

Sample Number 22870305

Parameters	Results ug/kg	Parameters	Results ug/kg
Chlorodifluoromethane	<1	Trichloroethene	<1
Chlorodifluoromethane	<1	1,2-Dichloropropane	<1
Chloromethane	<1	Dibromomethane	<1
vinylchloride	<1	Bromodichloromethane	<1
Bromomethane	<1	2-Chloroethylvinylethr	<1
Chloroethane	<1	Cis-1,3-Dichloropropene	<1
Dichlorofluoromethane	<1	4 Methyl-2-Pentanone	<1
1,2-Trichlorotrifluoroet.	<1	Toluene	<1
1,1-Dichloroethene	<1	Trans-1,3-Dichloropropene	<1
Acetone	<1	1,1,2-Trichloroethane	<1
Carbon Disulfide	<1	Tetrachloroethene	<1
Ethylene Chloride	<1	1,3-Dichloropropane	<1
Trans-1,2-Dichloroethene	<1	2-Hexanone	<1
Methyl T-Butyl Ether	<1	Dibromochloromethane	<1
1,1-Dichloropropane	<1	1,2-Dibromomethane	<1
1,2-Dichloropropane	<1	Chlorobenzene	<1
Cis-1,2-Dichloroethene	<1	1,1,1,2-Tetrachloroethane	<1
Butanone	<1	Ethylbenzene	<1
Bromochloromethane	<1	M+P-Xylene	<1
Chloroform	<1	O-Xylene	<1
1,1,1-Trichloroethane	<1	Styrene	<1
Carbon Tetrachloride	<1	Bromoform	<1
1,1-Dichloropropene	<1	Isopropylbenzene	<1
Benzene	<1	Bromobenzene	<1
1,2-Dichloroethane	<1	1,1,2,2-Tetrachloroethane	<1

Comments

Peggy Parigoris Director of Laboratories

ARUS Analytical, Inc.

17 Bernice Drive Bayport, New York 11705 (631) 472-4848

To: Zytel, P.C.
265 Indianhead Road
Kings Park/Russell NY 11725
(631) 544-0092

Time Of Login : 15:46:27
Date:

Collected: 05/08/03
Received : 05/15/03
Completed: 05/19/03

Sample Taken By
Client

Reported By:

N.Y.S. Lab I.D. #10058

Sample : Project #6501
Soil Sample #B1-S4
Cell Phone
Soil Sample #B1-S4
Bore Dpth: 20'-22'
analysis : EPA 8260 Analysis

Sample Number 22870305

Parameters	Results	Parameters	Results
	ug/kg		ug/kg

m-Propylbenzene	<1
1,2,3-Trichloropropane	<1
p-Ethyltoluene	<1
m,3,5-Trimethylbenzene	<1
p-Chlorotoluene	<1
m-Chlorotoluene	<1
tert-Butylbenzene	<1
m,2,4-Trimethylbenzene	<1
sec-Butylbenzene	<1
p-Isopropyltoluene	<1
m,3-Dichlorobenzene	<1
m,4-Dichlorobenzene	<1
m,2-Dichlorobenzene	<1
Diethylbenzene	<1
p-Butylbenzene	<1
m,2,4,5-Tetramethylbenzene	<1
1,2-Dibromo-3-Chloropropane	<1
m,2,4-Trichlorobenzene	<1
Hexachlorobutadiene	<1
naphthalene	<1
m,2,3-Trichlorobenzene	<1

Comments

Peggy Parigoris Director of Laboratories

ARUS Analytical, Inc.

17 Bernice Drive Bayport, New York 11705 (631) 472-4848

To: Zytel, P.C.
265 Indianhead Road
Kings Park/Russell NY 11725
(631) 544-0092

Time Of Login : 15:49:53
Date:

Collected: 05/08/03
Received : 05/15/03
Completed: 05/19/03

Sample Taken By
Client

Reported By:

N.Y.S. Lab I.D. #10058

Sample : Project #6501
Soil Sample #B1-S5
Cell Phone
Soil Sample #B1-S5
Bore Dpth: 25'-27'
Analysis : EPA 8260 Analysis

Sample Number 22880805

Parameters	Results ug/kg	Parameters	Results ug/kg
------------	------------------	------------	------------------

m-Propylbenzene	<1		
1,2,3-Trichloropropane	<1		
p-Ethyltoluene	<1		
m,3,5-Trimethylbenzene	<1		
p-Chlorotoluene	<1		
m-Chlorotoluene	<1		
tert-Butylbenzene	<1		
1,2,4-Trimethylbenzene	<1		
sec-Butylbenzene	<1		
p-Isopropyltoluene	<1		
m,3-Dichlorobenzene	<1		
1,4-Dichlorobenzene	<1		
1,2-Dichlorobenzene	<1		
m-Diethylbenzene	<1		
p-Butylbenzene	<1		
1,2,4,5-Tetramethylbenzene	<1		
1,2-Dibromo-3-Chloropropane	<1		
1,2,4-Trichlorobenzene	<1		
hexachlorobutadiene	<1		
naphthalene	<1		
m,2,3-Trichlorobenzene	<1		

Comments

Peggy Parigoris Director of Laboratories

ARUS Analytical, Inc.

17 Bernice Drive Bayport, New York 11705 (631) 472-4848

To: Zytel, P.C.
265 Indianhead Road
Kings Park/Russell NY 11725
(631) 544-0092

Time Of Login : 15:56:27
Date:

Collected: 05/08/03
Received : 05/15/03
Completed: 05/19/03

Sample Taken By
Client

Reported By:

N.Y.S. Lab I.D. #10058

Sample : Project #6501
Soil Sample #B1-S5
Cell Phone
Soil Sample #B1-S5
Bore Dpth: 25'-27'
Analysis : EPA 8260 Analysis

Sample Number 22890305

Parameters	Results	Parameters	Results
	ug/kg		ug/kg

m-Propylbenzene	<1
1,2,3-Trichloropropane	<1
m-Ethyltoluene	<1
1,3,5-Trimethylbenzene	<1
m-Chlorotoluene	<1
p-Chlorotoluene	<1
n-tert-Butylbenzene	<1
1,2,4-Trimethylbenzene	<1
n-sec-Butylbenzene	<1
m-Isopropyltoluene	<1
1,3-Dichlorobenzene	<1
1,4-Dichlorobenzene	<1
1,2-Dichlorobenzene	<1
m-Diethylbenzene	<1
n-Butylbenzene	<1
1,2,4,5-Tetramethylbenzene	<1
1,2-Dibromo-3-Chloropropane	<1
1,2,4-Trichlorobenzene	<1
Hexachlorobutadiene	<1
naphthalene	<1
1,2,3-Trichlorobenzene	<1

Comments

Peggy Parigoris Director of Laboratories

ARUS Analytical, Inc.

17 Bernice Drive Bayport, New York 11705 (631) 472-4848

To: Zytel, P.C.
265 Indianhead Road
Kings Park/Russell NY 11725
(631) 544-0092

Time Of Login : 10:20:21
Date:

Collected: 05/08/03
Received : 05/15/03
Completed: 05/19/03

Sample Taken By
Client

Reported By:

N.Y.S. Lab I.D. #10058

Sample : Project #6501
Soil Sample #B1-S5
Cell Phone
Soil Sample #B1-S5
Bore Dpth: 25'-27'
Analysis : EPA 8260 Analysis

Sample Number 22880305

Parameters	Results ug/kg	Parameters	Results ug/kg
1,1-Dichlorodifluoromethane	<1	Trichloroethene	<1
1,2-Dichlorodifluoromethane	<1	1,2-Dichloropropane	<1
1,1-Dichloromethane	<1	Dibromomethane	<1
1,1,1-Trichloroethane	<1	Bromodichloromethane	<1
1,1,2-Trichloroethane	<1	2-Chloroethylvinylether	<1
1,1,1,2-Tetrachloroethane	<1	Cis-1,3-Dichloropropene	<1
1,1,2,2-Tetrachloroethane	<1	4 Methyl-2-Pentanone	<1
1,1,2-Trichlorotrifluoroethane	<1	Toluene	<1
1,1-Dichloroethene	<1	Trans-1,3-Dichloropropene	<1
Acetone	<1	1,1,2-Trichloroethane	<1
Carbon Disulfide	<1	Tetrachloroethene	<1
1,1,2,2-Tetrachloroethane	<1	1,3-Dichloropropane	<1
1,1,1-Trichloroethane	<1	2-Hexanone	<1
1,1,2,2-Tetrachloroethane	<1	Dibromochloromethane	<1
1,1,1-Trichloroethane	<1	1,2-Dibromomethane	<1
1,1,2,2-Tetrachloroethane	<1	Chlorobenzene	<1
1,1,1,2-Tetrachloroethane	<1	1,1,1,2-Tetrachloroethane	<1
1,2-Dichloroethane	<1	Ethylbenzene	<1
1,2-Dichloroethane	<1	M+P-Xylene	<1
1,2-Dichloroethane	<1	O-Xylene	<1
1,2-Dichloroethane	<1	Styrene	<1
1,2-Dichloroethane	<1	Bromoform	<1
1,2-Dichloroethane	<1	Isopropylbenzene	<1
1,2-Dichloroethane	<1	Bromobenzene	<1
1,2-Dichloroethane	<1	1,1,2,2-Tetrachloroethane	<1

Comments

Peggy Parigoris Director of Laboratories

RUS Analytical, Inc.

7 Bernice Drive Bayport, New York 11705 (631) 472-4848

To: Zytel, P.C.
265 Indianhead Road
Kings Park/Russell NY 11725
(631) 544-0092

Time Of Login : 10:22:43
Date:

Collected: 05/08/03
Received : 05/15/03
Completed: 05/19/03

Sample Taken By
Client

Reported By:

N.Y.S. Lab I.D. #10058

Sample : Project #6501
Soil Sample #B1-S6
Cell Phone
Soil Sample #B1-S6
Bore Dpth: 30'-32'
Analysis : EPA 8260 Analysis

Sample Number 22890305

Parameters	Results	Parameters	Results
	ug/kg		ug/kg
Chlorodifluoromethane	<1	Trichloroethene	<1
Chlorodifluoromethane	<1	1,2-Dichloropropane	<1
Chloromethane	<1	Dibromomethane	<1
Chloroethane	<1	Bromodichloromethane	<1
Chloroethane	<1	2-Chloroethylvinylether	<1
Dichlorofluoromethane	<1	Cis-1,3-Dichloropropene	<1
1,1,2-Trichlorotrifluoroethane	<1	4 Methyl-2-Pentanone	<1
1,1-Dichloroethene	<1	Toluene	<1
Acetone	<1	Trans-1,3-Dichloropropene	<1
Carbon Disulfide	<1	1,1,2-Trichloroethane	<1
Ethylene Chloride	<1	Tetrachloroethene	<1
Trans-1,2-Dichloroethene	<1	1,3-Dichloropropane	<1
Methyl T-Butyl Ether	<1	2-Hexanone	<1
1,1-Dichloropropane	<1	Dibromochloromethane	<1
1,2-Dichloropropane	<1	1,2-Dibromomethane	<1
Cis-1,2-Dichloroethene	<1	Chlorobenzene	<1
Butanone	<1	1,1,1,2-Tetrachloroethane	<1
Bromochloromethane	<1	Ethylbenzene	<1
Chloroform	<1	M+P-Xylene	<1
1,1,1-Trichloroethane	<1	O-Xylene	<1
Carbon Tetrachloride	<1	Styrene	<1
1,1-Dichloropropene	<1	Bromoform	<1
Benzene	<1	Isopropylbenzene	<1
1,2-Dichloroethane	<1	Bromobenzene	<1
		1,1,2,2-Tetrachloroethane	<1

Comments

Peggy Parigoris Director of Laboratories

ARUS Analytical, Inc.

7 Bernice Drive Bayport, New York 11705 (631) 472-4848

To: Zytel, P.C.
265 Indianhead Road
Kings Park/Russell NY 11725
(631) 544-0092

Time Of Login : 10:23:16
Date:

Collected: 05/08/03
Received : 05/15/03
Completed: 05/21/03

Sample Taken By
Client

Reported By:

N.Y.S. Lab I.D. #10058

Sample : Project #6501
Soil Sample #B1-S7
Cell Phone
Soil Sample #B1-S7
Bore Dpth: 35'-37'
Analysis : EPA 8260 Analysis

Sample Number 22900305

Parameters	Results ug/kg	Parameters	Results ug/kg
Dichlorodifluoromethane	<1	Trichloroethene	<1
Chlorodifluoromethane	<1	1,2-Dichloropropane	<1
Chloromethane	<1	Dibromomethane	<1
vinylchloride	<1	Bromodichloromethane	<1
Bromomethane	<1	2-Chloroethylvinylethr	<1
Chloroethane	<1	Cis-1,3-Dichloropropene	<1
Dichlorofluoromethane	<1	4 Methyl-2-Pentanone	<1
1,1,2-Trichlorotrifluoroet	<1	Toluene	<1
1-Dichloroethene	<1	Trans-1,3-Dichloropropene	<1
etone	<1	1,1,2-Trichloroethane	<1
Carbon Disulfide	<1	Tetrachloroethene	<1
Ethylene Chloride	<1	1,3-Dichloropropane	<1
trans-1,2-Dichloroethene	<1	2-Hexanone	<1
Methyl T-Butyl Ether	<1	Dibromochloromethane	<1
1,1-Dichloropropane	<1	1,2-Dibromomethane	<1
2-Dichloropropane	<1	Chlorobenzene	<1
is-1,2-Dichloroethene	<1	1,1,1,2-Tetrachloroethane	<1
Butanone	<1	Ethylbenzene	<1
Bromochloromethane	<1	M+P-Xylene	<1
Chloroform	<1	O-Xylene	<1
1,1,1-Trichloroethane	<1	Styrene	<1
Carbon Tetrachloride	<1	Bromoform	<1
1-Dichloropropene	<1	Isopropylbenzene	<1
Benzene	<1	Bromobenzene	<1
1,2-Dichloroethane	<1	1,1,2,2-Tetrachloroethane	<1

Comments

Peggy Parigoris Director of Laboratories

ARUS Analytical, Inc.

7 Bernice Drive Bayport, New York 11705 (631) 472-4848

To: Zytel, P.C.
265 Indianhead Road
Kings Park/Russell NY 11725
(631) 544-0092

Time Of Login : 16:02:20
Date:

Collected: 05/08/03
Received : 05/15/03
Completed: 05/21/03

Sample Taken By
Client:

Reported By:

N.Y.S. Lab I.D. #10058

Sample : Project #6501
Soil Sample #B1-S7
Cell Phone
Soil Sample #B1-S7
Bore Dpth: 35'-37'
Analysis : EPA 8260 Analysis

Sample Number 22900805

Parameters	Results ug/kg	Parameters	Results ug/kg
m-Propylbenzene	<1		
1,2,3-Trichloropropane	<1		
m-Ethyltoluene	<1		
m-3,5-Trimethylbenzene	<1		
m-Chlorotoluene	<1		
p-Chlorotoluene	<1		
tert-Butylbenzene	<1		
1,2,4-Trimethylbenzene	<1		
sec-Butylbenzene	<1		
Isopropyltoluene	<1		
m-3-Dichlorobenzene	<1		
p-4-Dichlorobenzene	<1		
o-2-Dichlorobenzene	<1		
Diethylbenzene	<1		
m-Butylbenzene	<1		
1,2,4,5-Tetramethylbenzene	<1		
1,2-Dibromo-3-Chloropropane	<1		
1,2,4-Trichlorobenzene	<1		
Hexachlorobutadiene	<1		
naphthalene	<1		
m-2,3-Trichlorobenzene	<1		

Comments

Peggy Parigoris Director of Laboratories

ARUS Analytical, Inc.

7 Bernice Drive Bayport, New York 11705 (631) 472-4848

To: Zytel, P.C.
265 Indianhead Road
Kings Park/Russell NY 11725
(631) 544-0092

Time Of Login : 10:04:25
Date:

Collected: 05/15/03
Received : 05/15/03
Completed: 05/21/03

Sample Taken By
Client

Reported By:


N.Y.S. Lab I.D. #19058

Sample : Project #6501
Liquid Sample #B1-1
Cell Phone
Liquid Sample #B1-1
Analysis : EPA 8260 Analysis

Sample Number 22820305

SOIL BORING

NORTH SIDE



Parameters	Results ppb (ug/l)	Parameters	Results ppb (ug/l)
chlorodifluoromethane	<50	Trichloroethene	<50
chlorodifluoromethane	<50	1,2-Dichloropropane	<50
chloromethane	<50	Dibromomethane	<50
nylchloride	<50	Bromodichloromethane	<50
omomethane	<50	2-Chloroethylvinylethr	<50
chloroethane	<50	Cis-1,3-Dichloropropene	<50
trichlorofluoromethane	<50	4 Methyl-2-Pentanone	<50
1,2-Trichlorotrifluoroet	<50	Toluene	<50
1-Dichloroethene	<50	Trans-1,3-Dichloropropene	<50
acetone	<50	1,1,2-Trichloroethane	<50
Carbon Disulfide	<50	Tetrachloroethene	1010
Ethylene Chloride	<50	1,3-Dichloropropane	<50
rans-1,2-Dichloroethene	<50	2-Hexanone	<50
Methyl T-Butyl Ether	<50	Dibromochloromethane	<50
1-Dichloropropane	<50	1,2-Dibromomethane	<50
2-Dichloropropane	<50	Chlorobenzene	<50
Cis-1,2-Dichloroethene	<50	1,1,1,2-Tetrachloroethane	<50
Butanone	<50	Ethylbenzene	<50
Bromochloromethane	<50	M+P-Xylene	<50
chloroform	<50	O-Xylene	<50
1,1-Trichloroethane	<50	Styrene	<50
Carbon Tetrachloride	<50	Bromoform	<50
1-Dichloropropene	<50	Isopropylbenzene	<50
benzene	<50	Bromobenzene	<50
2-Dichloroethane	<50	1,1,2,2-Tetrachloroethane	<50

Comments

Peggy Parigoris Director of Laboratories

UNIVERSAL

ARUS Analytical, Inc.

7 Bernice Drive Bayport, New York 11705 (631) 472-4848

To: Zytel, P.C.
265 Indianhead Road
Kings Park/Russell NY 11725
(631) 544-0092

Time Of Login : 10:05:30
Date:

Collected: 05/15/03
Received : 05/15/03
Completed: 05/21/03

Sample Taken By
Client

Reported By:

N.Y.S. Lab. I.D. #10058

Sample : Project #6501
Liquid Sample #B1-1
Cell Phone
Liquid Sample #B1-1
Analysis : EPA 8260 Analysis

Sample Number 22820305

Parameters	Results ppb (ug/l)	Parameters	Results ppb (ug/l)
Propylbenzene	<50		
2,3-Trichloropropane	<50		
Ethyltoluene	<50		
3,5-Trimethylbenzene	<50		
Chlorotoluene	<50		
Chlorotoluene	<50		
tert-Butylbenzene	<50		
2,4-Trimethylbenzene	<50		
sec-Butylbenzene	<50		
Isopropyltoluene	<50		
3-Dichlorobenzene	<50		
4-Dichlorobenzene	<50		
2-Dichlorobenzene	<50		
Diethylbenzene	<50		
Butylbenene	<50		
2,4,5-Tetramethylbenzene	<50		
2-Dibromo-3-Chloropropane	<50		
2,4-Trichlorobenzene	<50		
Hexachlorobutadiene	<50		
Naphthalene	<50		
2,3-Trichlorobenzene	<50		

Comments

Peggy Parigoris Director of Laboratories

ARUS Analytical, Inc.

7 Bernice Drive Bayport, New York 11705 (631) 472-4848

To: Zytel, P.C.
265 Indianhead Road
Kings Park/Russell NY 11725
(631) 544-0092

Time Of Login : 10:26:15
Date:

Collected: 05/08/03
Received : 05/15/03
Completed: 05/19/03

Sample Taken By
Client:

Reported By:

N.Y.S. Lab I.D. #10058

Sample : Project #6501
Soil Sample #B2-S1
Cell Phone
Soil Sample #B2-S1
Bore Dpth: 5'-7'
Analysis : EPA 8260 Analysis

Sample Number 22920305

Parameters	Results ug/kg	Parameters	Results ug/kg
Dichlorodifluoromethane	<1	Trichloroethene	<1
Chlorodifluoromethane	<1	1,2-Dichloropropane	<1
Chloromethane	<1	Dibromomethane	<1
Methylchloride	<1	Bromodichloromethane	<1
Bromomethane	<1	2-Chloroethylvinylethr	<1
Chloroethane	<1	Cis-1,3-Dichloropropene	<1
Dichlorofluoromethane	<1	4 Methyl-2-Pentanone	<1
1,1,2-Trichlorotrifluoroet	<1	Toluene	<1
1-Dichloroethene	<1	Trans-1,3-Dichloropropene	<1
Acetone	<1	1,1,2-Trichloroethane	<1
Carbon Disulfide	<1	Tetrachloroethene	<1
Methylene Chloride	<1	1,3-Dichloropropane	<1
trans-1,2-Dichloroethene	<1	2-Hexanone	<1
Methyl T-Butyl Ether	<1	Dibromochloromethane	<1
1,1-Dichloropropane	<1	1,2-Dibromomethane	<1
1,2-Dichloropropane	<1	Chlorobenzene	<1
trans-1,2-Dichloroethene	<1	1,1,1,2-Tetrachloroethane	<1
2-Butanone	<1	Ethylbenzene	<1
Bromochloromethane	<1	M+P-Xylene	<1
Chloroform	<1	O-Xylene	<1
1,1,1-Trichloroethane	<1	Styrene	<1
Carbon Tetrachloride	<1	Bromoform	<1
1,1-Dichloropropene	<1	Isopropylbenzene	<1
Benzene	<1	Bromobenzene	<1
1,2-Dichloroethane	<1	1,1,2,2-Tetrachloroethane	<1

Comments

Peggy Parigoris Director of Laboratories

ARUS Analytical, Inc.

17 Bernice Drive Bayport, New York 11705 (631) 472-4848

To: Zytel, P.C.
265 Indianhead Road
Kings Park/Russell NY 11725
(631) 544-0092

Time Of Login : 16:05:41
Date:

Collected:05/08/03
Received :05/05/03
Completed:05/19/03

Sample Taken By
Client

Reported By:

N.Y.S. Lab I.D. #10058

Sample : Project #6501
Soil Sample #B2-S1
Cell Phone
Soil Sample #B2-S1
Bore Dpth: 5'-7'
Analysis : EPA 8260 Analysis

Sample Number 22920305

Parameters	Results ug/kg	Parameters	Results ug/kg
------------	------------------	------------	------------------

m-Propylbenzene	<1		
1,2,3-Trichloropropane	<1		
m-Ethyltoluene	<1		
m,3,5-Trimethylbenzene	<1		
m-Chlorotoluene	<1		
p-Chlorotoluene	<1		
tert-Butylbenzene	<1		
1,2,4-Trimethylbenzene	<1		
sec-Butylbenzene	<1		
m-Isopropyltoluene	<1		
m,3-Dichlorobenzene	<1		
1,4-Dichlorobenzene	<1		
1,2-Dichlorobenzene	<1		
Diethylbenzene	<1		
p-Butylbenzene	<1		
1,2,4,5-Tetramethylbenzene	<1		
1,2-Dibromo-3-Chloropropane	<1		
m,2,4-Trichlorobenzene	<1		
Hexachlorobutadiene	<1		
naphthalene	<1		
m,2,3-Trichlorobenzene	<1		

Comments

Peggy Parigoris Director of Laboratories

ARUS Analytical, Inc.

7 Bernice Drive Bayport, New York 11705 (631) 472-4848

To: Zytel, P.C.
265 Indianhead Road
Kings Park/Russell NY 11725
(631) 544-0092

Time Of Login : 10:28:39
Date:

Collected: 05/08/03
Received: 05/15/03
Completed: 05/19/03

Sample Taken By
Client

Reported By:

N.Y.S. Lab I.D. #10058

Sample : Project #6501
Soil Sample #B2-S2
Cell Phone
Soil Sample #B2-S2
Bore Dpth: 10'-12'
Analysis : EPA 8260 Analysis

Sample Number 22930305

Parameters	Results ug/kg	Parameters	Results ug/kg
Dichlorodifluoromethane	<1	Trichloroethene	<1
Chlorodifluoromethane	<1	1,2-Dichloropropane	<1
Chloromethane	<1	Dibromomethane	<1
Vinylchloride	<1	Bromodichloromethane	<1
Bromomethane	<1	2-Chloroethylvinylethr	<1
Chloroethane	<1	Cis-1,3-Dichloropropene	<1
Dichlorofluoromethane	<1	4 Methyl-2-Pentanone	<1
1,1,2-Trichlorotrifluoroet	<1	Toluene	<1
1,1-Dichloroethene	<1	Trans-1,3-Dichloropropene	<1
Acetone	<1	1,1,2-Trichloroethane	<1
Carbon Disulfide	<1	Tetrachloroethene	<1
Methylene Chloride	<1	1,3-Dichloropropane	<1
Trans-1,2-Dichloroethene	<1	2-Hexanone	<1
Methyl T-Butyl Ether	<1	Dibromochloromethane	<1
1,1-Dichloropropane	<1	1,2-Dibromomethane	<1
1,2-Dichloropropane	<1	Chlorobenzene	<1
Cis-1,2-Dichloroethene	<1	1,1,1,2-Tetrachloroethane	<1
2-Butanone	<1	Ethylbenzene	<1
Bromochloromethane	<1	M+P-Xylene	<1
Chloroform	<1	O-Xylene	<1
1,1,1-Trichloroethane	<1	Styrene	<1
Carbon Tetrachloride	<1	Bromoform	<1
1,1-Dichloropropene	<1	Isopropylbenzene	<1
Benzene	<1	Bromobenzene	<1
1,2-Dichloroethane	<1	1,1,2,2-Tetrachloroethane	<1

Comments

Peggy Parigoris Director of Laboratories

ARUS Analytical, Inc.

17 Bernice Drive Bayport, New York 11705 (631) 472-4848

To: Zytel, P.C.
265 Indianhead Road
Kings Park/Russell NY 11725
(631) 544-0092

Time Of Login : 16:06:20
Date:

Collected: 05/08/03
Received : 05/15/03
Completed: 05/19/03

Sample Taken By
Client

Reported By:

N.Y.S. Lab I.D. #10058

Sample : Project #6501
Soil Sample #B2-S2
Cell Phone
Soil Sample #B2-S2
Bore Dpth: 10'-12'
Analysis : EPA 8260 Analysis

Sample Number 22930305

Parameters	Results ug/kg	Parameters	Results ug/kg
Propylbenzene	<1		
1,2,3-Trichloropropane	<1		
o-Ethyltoluene	<1		
1,3,5-Trimethylbenzene	<1		
o-Chlorotoluene	<1		
p-Chlorotoluene	<1		
tert-Butylbenzene	<1		
1,2,4-Trimethylbenzene	<1		
sec-Butylbenzene	<1		
o-Isopropyltoluene	<1		
1,3-Dichlorobenzene	<1		
1,4-Dichlorobenzene	<1		
1,2-Dichlorobenzene	<1		
Diethylbenzene	<1		
t-Butylbenzene	<1		
1,2,4,5-Tetramethylbenzene	<1		
1,2-Dibromo-3-Chloropropane	<1		
1,2,4-Trichlorobenzene	<1		
Hexachlorobutadiene	<1		
Naphthalene	<1		
1,2,3-Trichlorobenzene	<1		

Comments

Peggy Parigoris Director of Laboratories

ARUS Analytical, Inc.

17 Bernice Drive Bayport, New York 11705 (631) 472-4848

To: Zytel, P.C.
265 Indianhead Road
Kings Park/Russell NY 11725
(631) 544-0092

Time Of Login : 16:05:41
Date:

Collected: 05/08/03
Received : 05/15/03
Completed: 05/19/03

Sample Taken By
Client

Reported By:

N.Y.S. Lab I.D. #10058

Sample : Project #6501
Soil Sample #B2-S1
Cell Phone
Soil Sample #B2-S1
Bore Dpth: 5'-7'
Analysis : EPA 8260 Analysis

Sample Number 22920305

Parameters	Results	Parameters	Results
	ug/kg		ug/kg

-Propylbenzene	<1
,2,3-Trichloropropane	<1
-Ethyltoluene	<1
,3,5-Trimethylbenzene	<1
-Chlorotoluene	<1
-Chlorotoluene	<1
ort-Butylbenzene	<1
,2,4-Trimethylbenzene	<1
ic-Butylbenzene	<1
Isopropyltoluene	<1
,3-Dichlorobenzene	<1
4-Dichlorobenzene	<1
2-Dichlorobenzene	<1
-Diethylbenzene	<1
-Butylbenene	<1
2,4,5-Tetramethylbenzene	<1
2-Dibromo-3-Chloropropene	<1
,2,4-Trichlorobenzene	<1
1,2-Dichlorobutadiene	<1
1,2,3-Trichlorobenzene	<1

Comments

Peggy Parigoris Director of Laboratories

ARUS Analytical, Inc.

17 Bernice Drive Bayport, New York 11705 (631) 472-4848

To: Zytel, P.C.
265 Indianhead Road
Kings Park/Russell NY 11725
(631) 544-0092

Time Of Login : 16:06:20
Date:

Collected: 05/08/03
Received : 05/15/03
Completed: 05/19/03

Sample Taken By
Client

Reported By:

N.Y.S. Lab I.D. #10058

Sample : Project #6501
Soil Sample #B2-S2
Cell Phone
Soil Sample #B2-S2
Bore Dpth: 10'-12'
Analysis : EPA 8260 Analysis

Sample Number 22930305

Parameters	Results	Parameters	Results
	ug/kg		ug/kg

l-Propylbenzene	<1
,2,3-Trichloropropane	<1
-Ethyltoluene	<1
,3,5-Trimethylbenzene	<1
-Chlorotoluene	<1
-Chlorotoluene	<1
ort-Butylbenzene	<1
,2,4-Trimethylbenzene	<1
ec-Butylbenzene	<1
-Isopropyltoluene	<1
,3-Dichlorobenzene	<1
,4-Dichlorobenzene	<1
,2-Dichlorobenzene	<1
Diethylbenzene	<1
-Butylbenene	<1
,2,4,5-Tetramethylbenzene	<1
,2-Dibromo-3-Chloroporpan	<1
,2,4-Trichlorobenzene	<1
exachlorobutadiene	<1
phthalene	<1
,2,3-Trichlorobenzene	<1

Comments

Peggy Parigoris Director of Laboratories

ARUS Analytical, Inc.

17 Bernice Drive Bayport, New York 11705 (631) 472-4848

To: Zytel, P.C.
265 Indianhead Road
Kings Park/Russell NY 11725
(631) 544-0092

Time Of Login : 10:29:27
Date:

Collected: 05/08/03
Received : 05/15/03
Completed: 05/19/03

Sample Taken By
Client

Reported By:

N.Y.S. Lab. I.D. #10058

Sample : Project #6501
Soil Sample #B2-S3
Cell Phone
Soil Sample #B2-S3
Bore Dpth: 15'-17'
Analysis : EPA 8260 Analysis

Sample Number 22940305

Parameters	Results ug/kg	Parameters	Results ug/kg
Trichlorodifluoromethane	<1	Trichloroethene	<1
Dichlorodifluoromethane	<1	1,2-Dichloropropane	<1
Chloromethane	<1	Dibromomethane	<1
Vinylchloride	<1	Bromodichloromethane	<1
Bromomethane	<1	2-Chloroethylvinylether	<1
Chloroethane	<1	Cis-1,3-Dichloropropene	<1
Trichlorofluoromethane	<1	4 Methyl-2-Pentanone	<1
1,1,2-Trichlorotrifluoroethane	<1	Toluene	<1
1,1-Dichloroethene	<1	Trans-1,3-Dichloropropene	<1
Acetone	<1	1,1,2-Trichloroethane	<1
Carbon Disulfide	<1	Tetrachloroethene	<1
Ethylene Chloride	<1	1,3-Dichloropropane	<1
Trans-1,2-Dichloroethene	<1	2-Hexanone	<1
Methyl T-Butyl Ether	<1	Dibromochloromethane	<1
1,1-Dichloropropane	<1	1,2-Dibromomethane	<1
1,2-Dichloropropane	<1	Chlorobenzene	<1
Cis-1,2-Dichloroethene	<1	1,1,1,2-Tetrachloroethane	<1
Butanone	<1	Ethylbenzene	<1
Bromochloromethane	<1	M+P-Xylene	<1
Chloroform	<1	O-Xylene	<1
1,1,1-Trichloroethane	<1	Styrene	<1
Carbon Tetrachloride	<1	Bromoform	<1
1,1-Dichloropropene	<1	Isopropylbenzene	<1
Benzene	<1	Bromobenzene	<1
1,2-Dichloroethane	<1	1,1,2,2-Tetrachloroethane	<1

Comments

Peggy Parigoris Director of Laboratories

ARUS Analytical, Inc.


17 Bernice Drive Bayport, New York 11705 (631) 472-4848

To: Zytel, P.C.
265 Indianhead Road
Kings Park/Russell NY 11725
(631) 544-0092

Time Of Login : 16:06:58
Date:

Collected: 05/08/03
Received : 05/15/03
Completed: 05/19/03

Sample Taken By
Client

Reported By: 

N.Y.S. Lab I.D. #10058

Sample : Project #6501
Soil Sample #B2-S3
Cell Phone
Soil Sample #B2-S3
Bore Dpth: 15'-17'
Analysis : EPA 8260 Analysis

Sample Number 22940305

Parameters	Results ug/kg	Parameters	Results ug/kg
Propylbenzene	<1		
1,2,3-Trichloropropane	<1		
1-Ethyltoluene	<1		
1,3,5-Trimethylbenzene	<1		
1-Chlorotoluene	<1		
1-Chlorotoluene	<1		
1,4-Diethylbenzene	<1		
1,2,4-Trimethylbenzene	<1		
1,3-Diethylbenzene	<1		
1,4-Diethylbenzene	<1		
1,2-Diethylbenzene	<1		
1,2,4,5-Tetramethylbenzene	<1		
1,2-Dibromo-3-Chloropropane	<1		
1,2,4-Trichlorobenzene	<1		
1,2,3,4-Tetrachlorobutadiene	<1		
1,2,3,4-Tetrachlorobutadiene	<1		
1,2,3-Trichlorobenzene	<1		

Comments

Peggy Parigoris Director of Laboratories

ARUS Analytical, Inc.

17 Bernice Drive Bayport, New York 11705 (631) 472-4848

To: Zytel, P.C.
265 Indianhead Road
Kings Park/Russell NY 11725
(631) 544-0092

Time Of Login : 10:30:27
Date:

Collected:05/08/03
Received :05/15/03
Completed:05/19/03

Sample Taken By
Client

Reported By:

N.Y.S. Lab I.D. #10058

Sample : Project #6501
Soil Sample #B2-S4
Cell Phone
Soil Sample #B2-S4
Bore Dpth: 20'-22'
Analysis : EPA 8260 Analysis

Sample Number 22950305

Parameters	Results ug/kg	Parameters	Results ug/kg
Trichlorodifluoromethane	<1	Trichloroethene	<1
Dichlorodifluoromethane	<1	1,2-Dichloropropane	<1
Chloromethane	<1	Dibromomethane	<1
Vinylchloride	<1	Bromodichloromethane	<1
Bromomethane	<1	2-Chloroethylvinylethr	<1
Chloroethane	<1	Cis-1,3-Dichloropropene	<1
Dichlorofluoromethane	<1	4 Methyl-2-Pentanone	<1
1,1,2-Trichlorotrifluoroet	<1	Toluene	<1
1,1-Dichloroethene	<1	Trans-1,3-Dichloropropene	<1
Acetone	<1	1,1,2-Trichloroethane	<1
Carbon Disulfide	<1	Tetrachloroethene	<1
Methylene Chloride	<1	1,3-Dichloropropane	<1
Trans-1,2-Dichloroethene	<1	2-Hexanone	<1
Methyl T-Butyl Ether	<1	Dibromochloromethane	<1
1,1-Dichloropropane	<1	1,2-Dibromomethane	<1
1,2-Dichloropropane	<1	Chlorobenzene	<1
Cis-1,2-Dichloroethene	<1	1,1,1,2-Tetrachloroethane	<1
2-Butanone	<1	Ethylbenzene	<1
Bromochloromethane	<1	M+P-Xylene	<1
Chloroform	<1	O-Xylene	<1
1,1,1-Trichloroethane	<1	Styrene	<1
Carbon Tetrachloride	<1	Bromoform	<1
1,1-Dichloropropene	<1	Isopropylbenzene	<1
Benzene	<1	Bromobenzene	<1
1,2-Dichloroethane	<1	1,1,2,2-Tetrachloroethane	<1

Comments

Peggy Parigoris Director of Laboratories

ARUS Analytical, Inc.

17 Bernice Drive Bayport, New York 11705 (631) 472-4848

To: Zytel, P.C.
265 Indianhead Road
Kings Park/Russell NY 11725
(631) 544-0092

Time Of Login : 16:08:29
Date:

Collected: 05/08/03
Received : 05/15/03
Completed: 05/19/03

Sample Taken By
Client

Reported By:

N.Y.S. Lab I.D. #10058

Sample : Project #6501
Soil Sample #B2-S4
Cell Phone
Soil Sample #B2-S4
Bore Dpth: 20'-22'
Analysis : EPA 8260 Analysis

Sample Number 22950305

Parameters	Results ug/kg	Parameters	Results ug/kg
Propylbenzene	<1		
1,2,3-Trichloropropane	<1		
o-Ethyltoluene	<1		
m,3,5-Trimethylbenzene	<1		
p-Chlorotoluene	<1		
m-Chlorotoluene	<1		
tert-Butylbenzene	<1		
m,2,4-Trimethylbenzene	<1		
sec-Butylbenzene	<1		
o-Isopropyltoluene	<1		
m,3-Dichlorobenzene	<1		
o,4-Dichlorobenzene	<1		
m,2-Dichlorobenzene	<1		
o-Diethylbenzene	<1		
p-Butylbenzene	<1		
o,2,4,5-Tetramethylbenzene	<1		
o,2-Dibromo-3-Chloropropane	<1		
m,2,4-Trichlorobenzene	<1		
hexachlorobutadiene	<1		
naphthalene	<1		
m,2,3-Trichlorobenzene	<1		

Comments

Peggy Parigoris Director of Laboratories

ARUS Analytical, Inc.

17 Bernice Drive Bayport, New York 11705 (631) 472-4848

To: Zytel, P.C.
265 Indianhead Road
Kings Park/Russell NY 11725
(631) 544-0092

Time Of Login : 10:31:01
Date:

Collected: 05/08/03
Received: 05/15/03
Completed: 05/19/03

Sample Taken By
Client

Reported By:

N.Y.S. Lab. I.D. #10058

Sample : Project #6501
Soil Sample #B2-S5
Cell Phone
Soil Sample #B2-S5
Bore Dpth: 25'-27'
Analysis : EPA 8260 Analysis

Sample Number 22960305

Parameters	Results ug/kg	Parameters	Results ug/kg
Trichlorodifluoromethane	<1	Trichloroethene	<1
Dichlorodifluoromethane	<1	1,2-Dichloropropane	<1
Chloromethane	<1	Dibromomethane	<1
Vinylchloride	<1	Bromodichloromethane	<1
Bromomethane	<1	2-Chloroethylvinylethr	<1
Chloroethane	<1	Cis-1,3-Dichloropropene	<1
Dichlorofluoromethane	<1	4 Methyl-2-Pentanone	<1
1,1,2-Trichlorotrifluoroet	<1	Toluene	<1
1,1-Dichloroethene	<1	Trans-1,3-Dichloropropene	<1
Acetone	<1	1,1,2-Trichloroethane	<1
Carbon Disulfide	<1	Tetrachloroethene	<1
Methylene Chloride	<1	1,3-Dichloropropane	<1
Trans-1,2-Dichloroethene	<1	2-Hexanone	<1
Ethyl T-Butyl Ether	<1	Dibromochloromethane	<1
1,1-Dichloropropane	<1	1,2-Dibromomethane	<1
1,2-Dichloropropane	<1	Chlorobenzene	<1
Cis-1,2-Dichloroethene	<1	1,1,1,2-Tetrachloroethane	<1
2-Butanone	<1	Ethylbenzene	<1
Bromochloromethane	<1	M+P-Xylene	<1
Chloroform	<1	O-Xylene	<1
1,1,1-Trichloroethane	<1	Styrene	<1
Carbon Tetrachloride	<1	Bromoform	<1
1,1-Dichloropropene	<1	Isopropylbenzene	<1
Benzene	<1	Bromobenzene	<1
1,2-Dichloroethane	<1	1,1,2,2-Tetrachloroethane	<1

Comments

Peggy Parigoris Director of Laboratories

ARUS Analytical, Inc.

7 Bernice Drive Bayport, New York 11705 (631) 472-4848

To: Zytel, P.C.
265 Indianhead Road
Kings Park/Russell NY 11725
(631) 544-0092

Time Of Login : 16:09:42
Date:

Collected: 05/08/03
Received : 05/15/03
Completed: 05/19/03

Sample Taken By
Client

Reported By: *[Signature]*

N.Y.S. Lab I.D. #10058

Sample : Project #6501
Soil Sample #B2-S5
Cell Phone
Soil Sample #B2-S5
Bore Dpth: 25'-27'
Analysis : EPA 8260 Analysis

Sample Number 22960305

Parameters	Results ug/kg	Parameters	Results ug/kg
m-Propylbenzene	<1		
1,2,3-Trichloropropane	<1		
Ethyltoluene	<1		
m-3,5-Trimethylbenzene	<1		
p-Chlorotoluene	<1		
o-Chlorotoluene	<1		
tert-Butylbenzene	<1		
1,2,4-Trimethylbenzene	<1		
sec-Butylbenzene	<1		
Isopropyltoluene	<1		
m-3-Dichlorobenzene	<1		
p-4-Dichlorobenzene	<1		
o-2-Dichlorobenzene	<1		
Diethylbenzene	<1		
p-Butylbenzene	<1		
1,2,4,5-Tetramethylbenzene	<1		
1,2-Dibromo-3-Chloropropane	<1		
1,2,4-Trichlorobenzene	<1		
Hexachlorobutadiene	<1		
Phthalene	<1		
1,2,3-Trichlorobenzene	<1		

Comments

Peggy Parigoris Director of Laboratories

ARUS Analytical, Inc.

7 Bernice Drive Bayport, New York 11705 (631) 472-4848

To: Zytel, P.C.
265 Indianhead Road
Kings Park/Russell NY 11725
(631) 544-0092

Time Of Login : 10:31:36
Date:

Collected: 05/08/03
Received : 05/15/03
Completed: 05/21/03

Sample Taken By
Client

Reported By:

N.Y.S. Lab I.D. #10058

Sample : Project #6501
Soil Sample #B2-S6
Cell Phone
Soil Sample #B2-S6
Bore Dpth: 30'-32'
Analysis : EPA 8260 Analysis

Sample Number 22970305

Parameters	Results ug/kg	Parameters	Results ug/kg
Dichlorodifluoromethane	<1	Trichloroethene	<1
Chlorodifluoromethane	<1	1,2-Dichloropropane	<1
Chloromethane	<1	Dibromomethane	<1
vinylchloride	<1	Bromodichloromethane	<1
Bromomethane	<1	2-Chloroethylvinylethr	<1
Chloroethane	<1	Cis-1,3-Dichloropropene	<1
Dichlorofluoromethane	<1	4 Methyl-2-Pentanone	<1
1,1,2-Trichlorotrifluoroet	<1	Toluene	<1
1-Dichloroethene	<1	Trans-1,3-Dichloropropene	<1
acetone	<1	1,1,2-Trichloroethane	<1
Carbon Disulfide	<1	Tetrachloroethene	<1
Methylene Chloride	<1	1,3-Dichloropropane	<1
trans-1,2-Dichloroethene	<1	2-Hexanone	<1
Methyl T-Butyl Ether	<1	Dibromochloromethane	<1
1-Dichloropropane	<1	1,2-Dibromomethane	<1
2-Dichloropropane	<1	Chlorobenzene	<1
is-1,2-Dichloroethene	<1	1,1,1,2-Tetrachloroethane	<1
2-Butanone	<1	Ethylbenzene	<1
Bromochloromethane	<1	M+P-Xylene	<1
Chloroform	<1	O-Xylene	<1
1,1,1-Trichloroethane	<1	Styrene	<1
Carbon Tetrachloride	<1	Bromoform	<1
1-Dichloropropene	<1	Isopropylbenzene	<1
Benzene	<1	Bromobenzene	<1
1,2-Dichloroethane	<1	1,1,2,2-Tetrachloroethane	<1

Comments

Peggy Parigoris Director of Laboratories

ARUS Analytical, Inc.

7 Bernice Drive Bayport, New York 11705 (631) 472-4848

To: Zytel, P.C.
265 Indianhead Road
Kings Park/Russell NY 11725
(631) 544-0092

Time Of Login : 16:10:22
Date:

Collected: 05/08/03
Received : 05/15/03
Completed: 05/21/03

Reported By:

N.Y.S. Lab I.D. #10058

Sample Taken By
Client

Sample : Project #6501
Soil Sample #B2-S6
Cell Phone
Soil Sample #B2-S6
Bore Dpth: 30'-32'
Analysis : EPA 8260 Analysis

Sample Number 22970305

Parameters	Results ug/kg	Parameters	Results ug/kg
m-Propylbenzene	<1		
1,2,3-Trichloropropane	<1		
Ethyltoluene	<1		
1,3,5-Trimethylbenzene	<1		
m-Chlorotoluene	<1		
p-Chlorotoluene	<1		
n-Butylbenzene	<1		
1,2,4-Trimethylbenzene	<1		
sec-Butylbenzene	<1		
Isopropyltoluene	<1		
1,3-Dichlorobenzene	<1		
1,4-Dichlorobenzene	<1		
1,2-Dichlorobenzene	<1		
Diethylbenzene	<1		
n-Butylbenzene	<1		
1,2,4,5-Tetramethylbenzene	<1		
1,2-Dibromo-3-Chloropropane	<1		
1,2,4-Trichlorobenzene	<1		
Hexachlorobutadiene	<1		
naphthalene	<1		
1,2,3-Trichlorobenzene	<1		

Comments

Peggy Parigoris Director of Laboratories

ARUS Analytical, Inc.

7 Bernice Drive Bayport, New York 11705 (631) 472-4848

To: Zytel, P.C.
265 Indianhead Road
Kings Park/Russell NY 11725
(631) 544-0092

Time Of Login : 10:32:07
Date:

Collected: 05/08/03
Received : 05/15/03
Completed: 05/19/03

Sample Taken By
Client

Reported By:

N.Y.S. Lab I.D. #10058

Sample : Project #6501
Soil Sample #B2-S7
Cell Phone
Soil Sample #B2-S7
Bore Dpth: 35'-37'
Analysis : EPA 8260 Analysis

Sample Number 22980305

Parameters	Results ug/kg	Parameters	Results ug/kg
Dichlorodifluoromethane	<1	Trichloroethene	<1
Chlorodifluoromethane	<1	1,2-Dichloropropane	<1
Chloromethane	<1	Dibromomethane	<1
vinylchloride	<1	Bromodichloromethane	<1
Bromomethane	<1	2-Chloroethylvinylethr	<1
Chloroethane	<1	Cis-1,3-Dichloropropene	<1
Dichlorofluoromethane	<1	4 Methyl-2-Pentanone	<1
1,1,2-Trichlorotrifluoroet	<1	Toluene	<1
1-Dichloroethene	<1	Trans-1,3-Dichloropropene	<1
acetone	<1	1,1,2-Trichloroethane	<1
Carbon Disulfide	<1	Tetrachloroethene	<1
Methylene Chloride	<1	1,3-Dichloropropane	<1
Trans-1,2-Dichloroethene	<1	2-Hexanone	<1
Methyl T-Butyl Ether	<1	Dibromochloromethane	<1
1-Dichloropropane	<1	1,2-Dibromomethane	<1
2-Dichloropropane	<1	Chlorobenzene	<1
is-1,2-Dichloroethene	<1	1,1,1,2-Tetrachloroethane	<1
2-Butanone	<1	Ethylbenzene	<1
Bromochloromethane	<1	M+P-Xylene	<1
Chloroform	<1	O-Xylene	<1
1,1,1-Trichloroethane	<1	Styrene	<1
Carbon Tetrachloride	<1	Bromoform	<1
1-Dichloropropene	<1	Isopropylbenzene	<1
Benzene	<1	Bromobenzene	<1
1,2-Dichloroethane	<1	1,1,2,2-Tetrachloroethane	<1

Comments

Peggy Parigoris Director of Laboratories

ARUS Analytical, Inc.

7 Bernice Drive Bayport, New York 11705 (631) 472-4848

To: Zytel, P.C.
265 Indianhead Road
Kings Park/Russell NY 11725
(631) 544-0092

Time Of Login : 16:10:47
Date:

Collected: 05/08/03
Received : 05/15/03
Completed: 05/19/03

Sample Taken By
Client

Reported By:

N.Y.S. Lab I.D. #10058

Sample : Project #6501
Soil Sample #B2-S7
Cell Phone
Soil Sample #B2-S7
Bore Dpth: 35'-37'
Analysis : EPA 8260 Analysis

Sample Number 22980305

Parameters	Results ug/kg	Parameters	Results ug/kg
Propylbenzene	<1		
1,2,3-Trichloropropane	<1		
o-Ethyltoluene	<1		
m,3,5-Trimethylbenzene	<1		
p-Chlorotoluene	<1		
o-Chlorotoluene	<1		
tert-Butylbenzene	<1		
m,2,4-Trimethylbenzene	<1		
sec-Butylbenzene	<1		
p-Isopropyltoluene	<1		
m,3-Dichlorobenzene	<1		
o,4-Dichlorobenzene	<1		
p,2-Dichlorobenzene	<1		
m-Diethylbenzene	<1		
p-Butylbenzene	<1		
o,2,4,5-Tetramethylbenzene	<1		
o,2-Dibromo-3-Chloropropane	<1		
m,2,4-Trichlorobenzene	<1		
hexachlorobutadiene	<1		
naphthalene	<1		
m,2,3-Trichlorobenzene	<1		

Comments

Peggy Parigoris Director of Laboratories

ARUS Analytical, Inc.

7 Bernice Drive Bayport, New York 11705 (631) 472-4848

To: Zytel, P.C.
: 265 Indianhead Road
Kings Park/Russell NY 11725
(631) 544-0092

Time Of Login : 10:25:22
Date:

Collected: 05/15/03
Received : 05/15/03
Completed: 05/21/03

Sample Taken By
Client

Reported By:

N.Y.S. Lab I.D. #10058

Sample : Project #6501
Liquid Sample #B2
Cell Phone
Liquid Sample #B2
Analysis : EPA 8260 Analysis

Sample Number 22910305

*South
5,925*

Parameters	Results ppb (ug/l)	Parameters	Results ppb (ug/l)
Chlorodifluoromethane	<0.5	Trichloroethene	<0.5
Difluoromethane	<0.5	1,2-Dichloropropane	<0.5
Chloromethane	<0.5	Dibromomethane	<0.5
vinylchloride	<0.5	Bromodichloromethane	<0.5
Chloromethane	<0.5	2-Chloroethylvinylethr	<0.5
Chloroethane	<0.5	Cis-1,3-Dichloropropene	<0.5
Trichlorofluoromethane	<0.5	4 Methyl-2-Pentanone	<0.5
1,2-Trichlorotrifluoroet	<0.5	Toluene	<0.5
1-Dichloroethene	<0.5	Trans-1,3-Dichloropropene	<0.5
acetone	<0.5	1,1,2-Trichloroethane	<0.5
Carbon Disulfide	<0.5	Tetrachloroethene	29 ✓
Ethylene Chloride	<0.5	1,3-Dichloropropane	<0.5
rans-1,2-Dichloroethene	<0.5	2-Hexanone	<0.5
Methyl T-Butyl Ether	<0.5	Dibromochloromethane	<0.5
1-Dichloropropane	<0.5	1,2-Dibromomethane	<0.5
2-Dichloropropane	<0.5	Chlorobenzene	<0.5
Cis-1,2-Dichloroethene	<0.5	1,1,1,2-Tetrachloroethane	<0.5
Butanone	<0.5	Ethylbenzene	<0.5
Bromochloromethane	<0.5	M+P-Xylene	<0.5
Chloroform	<0.5	O-Xylene	<0.5
1,1-Trichloroethane	<0.5	Styrene	<0.5
Carbon Tetrachloride	<0.5	Bromoform	<0.5
1-Dichloropropene	<0.5	Isopropylbenzene	<0.5
Benzene	<0.5	Bromobenzene	<0.5
2-Dichloroethane	<0.5	1,1,2,2-Tetrachloroethane	<0.5

Comments

Peggy Parigoris Director of Laboratories

ARUS Analytical, Inc.

7 Bernice Drive Bayport, New York 11705 (631) 472-4848

To: Zytel, P.C.
265 Indianhead Road
Kings Park/Russell NY 11725
(631) 544-0092

Time Of Login : 16:04:15
Date:

Collected: 05/15/03
Received : 05/15/03
Completed: 05/21/03

Reported By:

N.Y.S. Lab I.D. #10058

Sample Taken By
Client

Sample : Project #6501
Liquid Sample #B2
Cell Phone
Liquid Sample #B2
Analysis : EPA 8260 Analysis

Sample Number 22910305

Parameters	Results ppb (ug/l)	Parameters	Results ppb (ug/l)
Propylbenzene	<0.5		
2,3-Trichloropropane	<0.5		
Ethyltoluene	<0.5		
3,5-Trimethylbenzene	<0.5		
Chlorotoluene	<0.5		
Chlorotoluene	<0.5		
tert-Butylbenzene	<0.5		
2,4-Trimethylbenzene	<0.5		
sec-Butylbenzene	<0.5		
Isopropyltoluene	<0.5		
3-Dichlorobenzene	<0.5		
4-Dichlorobenzene	<0.5		
2-Dichlorobenzene	<0.5		
Diethylbenzene	<0.5		
Butylbenene	<0.5		
2,4,5-Tetramethylbenzene	<0.5		
2-Dibromo-3-Chloropropane	<0.5		
2,4-Trichlorobenzene	<0.5		
hexachlorobutadiene	<0.5		
naphthalene	<0.5		
2,3-Trichlorobenzene	<0.5		

Comments

Peggy Parigoris Director of Laboratories

ARUS Analytical, Inc.

7 Bernice Drive Bayport, New York 11705 (631) 472-4848

To: Zytel, P.C.
265 Indianhead Road
Kings Park/Russell NY 11725
(631) 544-0092

Time Of Login : 10:34:57
Date:

Collected: 05/08/03
Received : 05/15/03
Completed: 05/19/03

Sample Taken By
Client

Reported By:

N.Y.S. Lab I.D. #10058

Sample : Project #6501
Soil Sample #B3-S1
Cell Phone
Soil Sample #B3-S1
Bore Dpth: 5'-7'
Analysis : EPA 8260 Analysis

Sample Number 23000305

Parameters	Results ug/kg	Parameters	Results ug/kg
chlorodifluoromethane	<1	Trichloroethene	<1
chlorodifluoromethane	<1	1,2-Dichloropropane	<1
chloromethane	<1	Dibromomethane	<1
vinylchloride	<1	Bromodichloromethane	<1
bromomethane	<1	2-Chloroethylvinylethr	<1
chloroethane	<1	Cis-1,3-Dichloropropene	<1
dichlorofluoromethane	<1	4 Methyl-2-Pentanone	<1
1,2-Trichlorotrifluoroet	<1	Toluene	<1
1-Dichloroethene	<1	Trans-1,3-Dichloropropene	<1
etone	<1	1,1,2-Trichloroethane	<1
Carbon Disulfide	<1	Tetrachloroethene	<1
ethylene Chloride	<1	1,3-Dichloropropane	<1
rans-1,2-Dichloroethene	<1	2-Hexanone	<1
ethyl T-Butyl Ether	<1	Dibromochloromethane	<1
1-Dichloropropane	<1	1,2-Dibromomethane	<1
2-Dichloropropane	<1	Chlorobenzene	<1
s-1,2-Dichloroethene	<1	1,1,1,2-Tetrachloroethane	<1
Butanone	<1	Ethylbenzene	<1
bromochloromethane	<1	M+P-Xylene	<1
loroform	<1	O-Xylene	<1
1,1-Trichloroethane	<1	Styrene	<1
Carbon Tetrachloride	<1	Bromoform	<1
1-Dichloropropene	<1	Isopropylbenzene	<1
enzene	<1	Bromobenzene	<1
2-Dichloroethane	<1	1,1,2,2-Tetrachloroethane	<1

Comments

Peggy Parigoris Director of Laboratories

ARUS Analytical, Inc.

17 Bernice Drive Bayport, New York 11705 (631) 472-4848

To: Zytel, P.C.
265 Indianhead Road
Kings Park/Russell NY 11725
(631) 544-0092

Time Of Login : 16:23:25
Date:

Collected: 05/08/03

Received : 05/15/03

Completed: 05/19/03

Reported By:

Sample Taken By
Client

N.Y.S. Lab I.D. #10058

Sample : Project #6501
Soil Sample #B3-S1
Cell Phone
Soil Sample #B3-S1
Bore Dpth: 5'-7'
Analysis : EPA 8260 Analysis

Sample Number 23000305

Parameters

Results
ug/kg

Parameters

Results
ug/kg

m-Propylbenzene <1
1,2,3-Trichloropropane <1
Ethyltoluene <1
1,3,5-Trimethylbenzene <1
o-Chlorotoluene <1
p-Chlorotoluene <1
tert-Butylbenzene <1
1,2,4-Trimethylbenzene <1
sec-Butylbenzene <1
Isopropyltoluene <1
1,3-Dichlorobenzene <1
1,4-Dichlorobenzene <1
1,2-Dichlorobenzene <1
Diethylbenzene <1
t-Butylbenzene <1
1,2,4,5-Tetramethylbenzene <1
1,2-Dibromo-3-Chloropropane <1
1,2,4-Trichlorobenzene <1
Hexachlorobutadiene <1
Naphthalene <1
1,2,3-Trichlorobenzene <1

Comments

Peggy Parigoris Director of Laboratories

ARUS Analytical, Inc.

7 Bernice Drive Bayport, New York 11705 (631) 472-4848

To: Zytel, P.C.
265 Indianhead Road
Kings Park/Russell NY 11725
(631) 544-0092

Time Of Login : 10:36:05
Date:

Collected: 05/08/03
Received: 05/15/03
Completed: 05/19/03

Sample Taken By
Client

Reported By:

N.Y.S. Lab I.D. #10058

Sample : Project #6501
Soil Sample #B3-S2
Cell Phone
Soil Sample #B3-S2
Bore Dpth: 10'-12'
Analysis : EPA 8260 Analysis

Sample Number: 23010305

Parameters	Results mg/kg	Parameters	Results mg/kg
Dichlorodifluoromethane	<1	Trichloroethene	<1
Chlorodifluoromethane	<1	1,2-Dichloropropane	<1
Chloromethane	<1	Dibromomethane	<1
Vinylchloride	<1	Bromodichloromethane	<1
Bromomethane	<1	2-Chloroethylvinylethr	<1
Chloroethane	<1	Cis-1,3-Dichloropropene	<1
Trichlorofluoromethane	<1	4 Methyl-2-Pentanone	<1
1,1,2-Trichlorotrifluoroet	<1	Toluene	<1
1,1-Dichloroethene	<1	Trans-1,3-Dichloropropene	<1
Acetone	<1	1,1,2-Trichloroethane	<1
Carbon Disulfide	<1	Tetrachloroethene	<1
Methylene Chloride	<1	1,3-Dichloropropane	<1
Trans-1,2-Dichloroethene	<1	2-Hexanone	<1
Methyl T-Butyl Ether	<1	Dibromochloromethane	<1
1,1-Dichloropropane	<1	1,2-Dibromomethane	<1
2,2-Dichloropropane	<1	Chlorobenzene	<1
Cis-1,2-Dichloroethene	<1	1,1,1,2-Tetrachloroethane	<1
Butanone	<1	Ethylbenzene	<1
Bromochloromethane	<1	M+P-Xylene	<1
Chloroform	<1	O-Xylene	<1
1,1,1-Trichloroethane	<1	Styrene	<1
Carbon Tetrachloride	<1	Bromoform	<1
1,1-Dichloropropene	<1	Isopropylbenzene	<1
Benzene	<1	Bromobenzene	<1
1,2-Dichloroethane	<1	1,1,2,2-Tetrachloroethane	<1

Comments

Peggy Parigoris Director of Laboratories

ARUS Analytical, Inc.

17 Bernice Drive Bayport, New York 11705 (631) 472-4848

To: Zytel, P.C.
265 Indianhead Road
Kings Park/Russell NY 11725
(631) 544-0092

Time Of Login : 16:24:00
Date:

Collected: 05/08/03
Received : 05/15/03
Completed: 05/19/03

Sample Taken By
Client

Reported By:

N.Y.S. Lab I.D. #10058

Sample : Project #6501
Soil Sample #B3-S2
Cell Phone
Soil Sample #B3-S2
Bore Dpth: 10'-12'
analysis : EPA 8260 Analysis

Sample Number 23010305

Parameters	Results ug/kg	Parameters	Results ug/kg
m-Propylbenzene	<1		
2,3-Trichloropropane	<1		
Ethyltoluene	<1		
3,5-Trimethylbenzene	<1		
o-Chlorotoluene	<1		
p-Chlorotoluene	<1		
tert-Butylbenzene	<1		
2,4-Trimethylbenzene	<1		
sec-Butylbenzene	<1		
Isopropyltoluene	<1		
1,3-Dichlorobenzene	<1		
1,4-Dichlorobenzene	<1		
1,2-Dichlorobenzene	<1		
Diethylbenzene	<1		
n-Butylbenzene	<1		
2,4,5-Tetramethylbenzene	<1		
2-Dibromo-3-Chloropropane	<1		
2,4-Trichlorobenzene	<1		
Hexachlorobutadiene	<1		
Phthalene	<1		
1,2,3-Trichlorobenzene	<1		

Comments

Peggy Parigoris Director of Laboratories

ARUS Analytical, Inc.

7 Bernice Drive Bayport, New York 11705 (631) 472-4848

To: Zytel, P.C.
265 Indianhead Road
Kings Park/Russell NY 11725
(631) 544-0092

Time Of Login : 10:36:38
Date:

Collected: 05/08/03
Received : 05/15/03
Completed: 05/19/03

Sample Taken By
Client

Reported By:

N.Y.S. Lab I.D. #19058

Sample : Project #6501
Soil Sample #B3-S3
Cell Phone
Soil Sample #B3-S3

Sample Number 23020305

Bore Dpth: 35'-37' 15-17
Analysis : EPA 8260 Analysis

Parameters	Results ug/kg	Parameters	Results ug/kg
chlorodifluoromethane	<1	Trichloroethene	<1
chlorodifluoromethane	<1	1,2-Dichloropropane	<1
chloromethane	<1	Dibromomethane	<1
vinylchloride	<1	Bromodichloromethane	<1
bromomethane	<1	2-Chloroethylvinylethr	<1
chloroethane	<1	Cis-1,3-Dichloropropene	<1
dichlorofluoromethane	<1	4 Methyl-2-Pentanone	<1
1,2-Trichlorotrifluoroet	<1	Toluene	<1
1,1-Dichloroethene	<1	Trans-1,3-Dichloropropene	<1
acetone	<1	1,1,2-Trichloroethane	<1
Carbon Disulfide	<1	Tetrachloroethene	<1
ethylene Chloride	<1	1,3-Dichloropropane	<1
trans-1,2-Dichloroethene	<1	2-Hexanone	<1
ethyl T-Butyl Ether	<1	Dibromochloromethane	<1
1,1-Dichloropropane	<1	1,2-Dibromomethane	<1
1,2-Dichloropropane	<1	Chlorobenzene	<1
1,1,2-Dichloroethene	<1	1,1,1,2-Tetrachloroethane	<1
Butanone	<1	Ethylbenzene	<1
bromochloromethane	<1	M+P-Xylene	<1
chloroform	<1	O-Xylene	<1
1,1,1-Trichloroethane	<1	Styrene	<1
Carbon Tetrachloride	<1	Bromoform	<1
1-Dichloropropene	<1	Isopropylbenzene	<1
benzene	<1	Bromobenzene	<1
1,2-Dichloroethane	<1	1,1,2,2-Tetrachloroethane	<1

Comments

Peggy Parigoris Director of Laboratories

ARUS Analytical, Inc.

17 Bernice Drive Bayport, New York 11705 (631) 472-4848

To: Zytel, P.C.
265 Indianhead Road
Kings Park/Russell NY 11725
(631) 544-0092

Time Of Login : 16:24:48
Date:

Collected: 05/08/03
Received : 05/15/03
Completed: 05/19/03

Sample Taken By
Client:

Reported By:

N.Y.S. Lab. I.D. #10058

Sample : Project #6501
Soil Sample #B3-S3
Cell Phone
Soil Sample #B3-S3

Sample Number 23020305

Bore Dpth: 35'-37' *47-17*
Analysis : EPA 8260 Analysis

Parameters	Results ug/kg	Parameters	Results ug/kg
m-Propylbenzene	<1		
1,2,3-Trichloropropane	<1		
m-Ethyltoluene	<1		
1,3,5-Trimethylbenzene	<1		
p-Chlorotoluene	<1		
o-Chlorotoluene	<1		
tert-Butylbenzene	<1		
1,2,4-Trimethylbenzene	<1		
n-Butylbenzene	<1		
m-Isopropyltoluene	<1		
1,3-Dichlorobenzene	<1		
1,4-Dichlorobenzene	<1		
1,2-Dichlorobenzene	<1		
Diethylbenzene	<1		
n-Butylbenzene	<1		
1,2,4,5-Tetramethylbenzene	<1		
1,2-Dibromo-3-Chloropropane	<1		
1,2,4-Trichlorobenzene	<1		
Hexachlorobutadiene	<1		
Naphthalene	<1		
1,2,3-Trichlorobenzene	<1		

Comments

Peggy Parigoris Director of Laboratories

ARUS Analytical, Inc.

7 Bernice Drive Bayport, New York 11705 (631) 472-4848

To: Zytel, P.C.
265 Indianhead Road
Kings Park/Russell NY 11725
(631) 544-0092

Time Of Login : 10:37:16
Date:

Collected: 05/08/03
Received : 05/15/03
Completed: 05/19/03

Sample Taken By
Client

Reported By:

N.Y.S. Lab I.D. #10058

Sample : Project #6501
Soil Sample #B3-S4
Cell Phone
Soil Sample #B3-S4
Bore Dpth: 20'-22'
Analysis : EPA 8260 Analysis

Sample Number 25030305

Parameters	Results	Parameters	Results
	ug/kg		ug/kg
Chlorodifluoromethane	<1	Trichloroethene	<1
Chlorodifluoromethane	<1	1,2-Dichloropropane	<1
Chloromethane	<1	Dibromomethane	<1
Chloromethane	<1	Bromodichloromethane	<1
Chloromethane	<1	2-Chloroethylvinylethr	<1
Chloroethane	<1	Cis-1,3-Dichloropropene	<1
Chlorofluoromethane	<1	4 Methyl-2-Pentanone	<1
1,1,2-Trichlorotrifluoroet	<1	Toluene	<1
1,1-Dichloroethene	<1	Trans-1,3-Dichloropropene	<1
Acetone	<1	1,1,2-Trichloroethane	<1
Carbon Disulfide	<1	Tetrachloroethene	<1
Methylene Chloride	<1	1,3-Dichloropropane	<1
Trans-1,2-Dichloroethene	<1	2-Hexanone	<1
Methyl T-Butyl Ether	<1	Dibromochloromethane	<1
1,1-Dichloropropane	<1	1,2-Dibromomethane	<1
1,2-Dichloropropane	<1	Chlorobenzene	<1
Cis-1,2-Dichloroethene	<1	1,1,1,2-Tetrachloroethane	<1
Butanone	<1	Ethylbenzene	<1
Bromochloromethane	<1	M+P-Xylene	<1
Chloroform	<1	O-Xylene	<1
1,1,1-Trichloroethane	<1	Styrene	<1
Carbon Tetrachloride	<1	Bromoform	<1
1,1-Dichloropropene	<1	Isopropylbenzene	<1
Benzene	<1	Bromobenzene	<1
1,2-Dichloroethane	<1	1,1,2,2-Tetrachloroethane	<1

Comments

Peggy Parigoris Director of Laboratories

ARUS Analytical, Inc.

17 Bernice Drive Bayport, New York 11705 (631) 472-4848

To: Zytel, P.C.
265 Indianhead Road
Kings Park/Russell NY 11725
(631) 544-0092

Time Of Login : 16:25:52
Date:

Collected: 05/08/03
Received : 05/15/03
Completed: 05/19/03

Sample Taken By
Client

Reported By:

N.Y.S. Lab I.D. #10058

Sample : Project #6501
Soil Sample #B3-S4
Cell Phone
Soil Sample #B3-S4
Bore Dpth: 20'-22'
Analysis : EPA 8260 Analysis

Sample Number 23030305

Parameters

Results
ug/kg

Parameters

Results
ug/kg

i-Propylbenzene <1
1,2,3-Trichloropropane <1
o-Ethyltoluene <1
1,3,5-Trimethylbenzene <1
o-Chlorotoluene <1
p-Chlorotoluene <1
tert-Butylbenzene <1
1,2,4-Trimethylbenzene <1
sec-Butylbenzene <1
Isopropyltoluene <1
1,3-Dichlorobenzene <1
1,4-Dichlorobenzene <1
1,2-Dichlorobenzene <1
Diethylbenzene <1
t-Butylbenzene <1
1,2,4,5-Tetramethylbenzene <1
1,2-Dibromo-3-Chloropropane <1
1,2,4-Trichlorobenzene <1
Hexachlorobutadiene <1
Naphthalene <1
1,2,3-Trichlorobenzene <1

Comments

Peggy Parigoris Director of Laboratories

ARUS Analytical, Inc.

17 Bernice Drive Bayport, New York 11705 (631) 472-4848

To: Zytel, P.C.
265 Indianhead Road
Kings Park/Russell NY 11725
(631) 544-0092

Time Of Login : 10:37:50
Date:

Collected: 05/08/03
Received : 05/15/03
Completed: 05/19/03

Sample Taken By
Client

Reported By:

N.Y.S. Lab I.D. #410058

Sample : Project #6501
Soil Sample #B3-S5
Cell Phone
Soil Sample #B3-S5
Bore Dpth: 25'-27'
Analysis : EPA 8260 Analysis

Sample Number 23040305

Parameters	Results ug/kg	Parameters	Results ug/kg
chlorodifluoromethane	<1	Trichloroethene	<1
chlorodifluoromethane	<1	1,2-Dichloropropane	<1
chloromethane	<1	Dibromomethane	<1
nylchloride	<1	Bromodichloromethane	<1
romomethane	<1	2-Chloroethylvinylethr	<1
hloroethane	<1	Cis-1,3-Dichloropropene	<1
richlorofluoromethane	<1	4 Methyl-2-Pentanone	<1
1,2-Trichlorotrifluoroet	<1	Toluene	<1
1-Dichloroethene	<1	Trans-1,3-Dichloropropene	<1
etone	<1	1,1,2-Trichloroethane	<1
arbon Disulfide	<1	Tetrachloroethene	<1
ethylene Chloride	<1	1,3-Dichloropropane	<1
rans-1,2-Dichloroethene	<1	2-Hexanone	<1
ethyl T-Butyl Ether	<1	Dibromochloromethane	<1
1-Dichloropropane	<1	1,2-Dibromomethane	<1
1,2-Dichloropropane	<1	Chlorobenzene	<1
s-1,2-Dichloroethene	<1	1,1,1,2-Tetrachloroethane	<1
Butanone	<1	Ethylbenzene	<1
romochloromethane	<1	M+P-Xylene	<1
hloroform	<1	O-Xylene	<1
1,1-Trichloroethane	<1	Styrene	<1
arbon Tetrachloride	<1	Bromoform	<1
1-Dichloropropene	<1	Isopropylbenzene	<1
enzene	<1	Bromobenzene	<1
1,2-Dichloroethane	<1	1,1,2,2-Tetrachloroethane	<1

Comments

Peggy Parigoris Director of Laboratories

ARUS Analytical, Inc.

17 Bernice Drive Bayport, New York 11705 (631) 472-4848

To: Zytel, P.C.
265 Indianhead Road
Kings Park/Russell NY 11725
(631) 544-0092

Time Of Login : 16:26:39
Date:

Collected: 05/08/03

Received : 05/15/03

Completed: 05/19/03

Reported By:

Sample Taken By
Client

N.Y.S. Lab I.D. #10058

Sample : Project #6501
Soil Sample #B3-S5
Cell Phone
Soil Sample #B3-S5
Bore Dpth: 25'-27'
Analysis : EPA 8260 Analysis

Sample Number 23040305

Parameters

Results
ug/kg

Parameters

Results
ug/kg

m-Propylbenzene <1
1,2,3-Trichloropropane <1
m-Ethyltoluene <1
1,3,5-Trimethylbenzene <1
m-Chlorotoluene <1
p-Chlorotoluene <1
tert-Butylbenzene <1
1,2,4-Trimethylbenzene <1
n-Butylbenzene <1
Isopropyltoluene <1
1,3-Dichlorobenzene <1
1,4-Dichlorobenzene <1
1,2-Dichlorobenzene <1
Diethylbenzene <1
t-Butylbenzene <1
1,2,4,5-Tetramethylbenzene <1
1,2-Dibromo-3-Chloropropane <1
1,2,4-Trichlorobenzene <1
Hexachlorobutadiene <1
Naphthalene <1
1,2,3-Trichlorobenzene <1

Comments

Peggy Parigoris Director of Laboratories

ARUS Analytical, Inc.

17 Bernice Drive Bayport, New York 11705 (631) 472-4848

To: Zytel, P.C.
265 Indianhead Road
Kings Park/Russell NY 11725
(631) 544-0092

Time Of Login : 10:38:27
Date:

Collected: 05/08/03
Received : 05/15/03
Completed: 05/19/03

Sample Taken By
Client

Reported By:

N.Y.S. Lab I.D. #19058

Sample : Project #6501
Soil Sample #B3-S6
Cell Phone
Soil Sample #B3-S6
Bore Dpth: 30'-32'
Analysis : EPA 8260 Analysis

Sample Number 23050305

Parameters	Results ug/kg	Parameters	Results ug/kg
Dichlorodifluoromethane	<1	Trichloroethene	<1
Chlorodifluoromethane	<1	1,2-Dichloropropane	<1
Chloromethane	<1	Dibromomethane	<1
Vinylchloride	<1	Bromodichloromethane	<1
Bromomethane	<1	2-Chloroethylvinylethr	<1
Chloroethane	<1	Cis-1,3-Dichloropropene	<1
Trichlorofluoromethane	<1	4 Methyl-2-Pentanone	<1
1,1,2-Trichlorotrifluoroet	<1	Toluene	<1
1,1-Dichloroethene	<1	Trans-1,3-Dichloropropene	<1
acetone	<1	1,1,2-Trichloroethane	<1
Carbon Disulfide	<1	Tetrachloroethene	<1
Methylene Chloride	<1	1,3-Dichloropropane	<1
Trans-1,2-Dichloroethene	<1	2-Hexanone	<1
Methyl T-Butyl Ether	<1	Dibromochloromethane	<1
1,1-Dichloropropane	<1	1,2-Dibromomethane	<1
1,2-Dichloropropane	<1	Chlorobenzene	<1
Cis-1,2-Dichloroethene	<1	1,1,1,2-Tetrachloroethane	<1
Butanone	<1	Ethylbenzene	<1
Bromochloromethane	<1	M+P-Xylene	<1
Chloroform	<1	O-Xylene	<1
1,1,1-Trichloroethane	<1	Styrene	<1
Carbon Tetrachloride	<1	Bromoform	<1
1,1-Dichloropropene	<1	Isopropylbenzene	<1
benzene	<1	Bromobenzene	<1
1,2-Dichloroethane	<1	1,1,2,2-Tetrachloroethane	<1

Comments

Peggy Parigoris Director of Laboratories

ARUS Analytical, Inc.

17 Bernice Drive Bayport, New York 11705 (631) 472-4848

To: Zytel, P.C.
265 Indianhead Road
Kings Park/Russell NY 11725
(631) 544-0092

Time Of Login : 16:27:17
Date:

Collected: 05/08/03
Received : 05/15/03
Completed: 05/19/03

Sample Taken By
Client

Reported By:

N.Y.S. Lab I.D. #10058

Sample : Project #6501
Soil Sample #B3-S6
Cell Phone
Soil Sample #B3-S6
Bore Dpth: 30'-32'
Analysis : EPA 8260 Analysis

Sample Number 23050305

Parameters	Results	Parameters	Results
	ug/kg		ug/kg

m-Propylbenzene	<1		
1,2,3-Trichloropropane	<1		
m-Ethyltoluene	<1		
1,3,5-Trimethylbenzene	<1		
p-Chlorotoluene	<1		
m-Chlorotoluene	<1		
n-tert-Butylbenzene	<1		
1,2,4-Trimethylbenzene	<1		
sec-Butylbenzene	<1		
m-Isopropyltoluene	<1		
1,3-Dichlorobenzene	<1		
1,4-Dichlorobenzene	<1		
1,2-Dichlorobenzene	<1		
m-Diethylbenzene	<1		
n-Butylbenzene	<1		
1,2,4,5-Tetramethylbenzene	<1		
1,2-Dibromo-3-Chloropropane	<1		
1,2,4-Trichlorobenzene	<1		
Hexachlorobutadiene	<1		
Naphthalene	<1		
1,2,3-Trichlorobenzene	<1		

Comments

Peggy Parigoris Director of Laboratories

ARUS Analytical, Inc.

17 Bernice Drive Bayport, New York 11705 (631) 472-4848

To: Zytel, P.C.
265 Indianhead Road
Kings Park/Russell NY 11725
(631) 544-0092

Time Of Login : 10:38:57
Date:

Collected: 05/08/03
Received : 05/15/03
Completed: 05/19/03

Sample Taken By
Client

Reported By:

N.Y.S. Lab I.D. #10058

Sample : Project #6501
Soil Sample #B3-S7
Cell Phone
Soil Sample #B3-S7
Bore Dpth: 35'-37'
Analysis : EPA 8260 Analysis

Sample Number 23060305

Parameters	Results ug/kg	Parameters	Results ug/kg
Dichlorodifluoromethane	<1	Trichloroethene	<1
Chlorodifluoromethane	<1	1,2-Dichloropropane	<1
Chloromethane	<1	Dibromomethane	<1
Vinylchloride	<1	Bromodichloromethane	<1
Bromomethane	<1	2-Chloroethylvinylethr	<1
Chloroethane	<1	Cis-1,3-Dichloropropene	<1
Trichlorofluoromethane	<1	4 Methyl-2-Pentanone	<1
1,1,2-Trichlorotrifluoroet	<1	Toluene	<1
1,1-Dichloroethene	<1	Trans-1,3-Dichloropropene	<1
Petone	<1	1,1,2-Trichloroethane	<1
Carbon Disulfide	<1	Tetrachloroethene	<1
Ethylene Chloride	<1	1,3-Dichloropropane	<1
Trans-1,2-Dichloroethene	<1	2-Hexanone	<1
Methyl T-Butyl Ether	<1	Dibromochloromethane	<1
1,1-Dichloropropane	<1	1,2-Dibromomethane	<1
1,2-Dichloropropane	<1	Chlorobenzene	<1
Cis-1,2-Dichloroethene	<1	1,1,1,2-Tetrachloroethane	<1
Butanone	<1	Ethylbenzene	<1
Bromochloromethane	<1	M+P-Xylene	<1
Chloroform	<1	O-Xylene	<1
1,1,1-Trichloroethane	<1	Styrene	<1
Carbon Tetrachloride	<1	Bromoform	<1
1,1-Dichloropropene	<1	Isopropylbenzene	<1
Benzene	<1	Bromobenzene	<1
1,2-Dichloroethane	<1	1,1,2,2-Tetrachloroethane	<1

Comments

Peggy Parigoris Director of Laboratories

ARUS Analytical, Inc.

17 Bernice Drive Bayport, New York 11705 (631) 472-4848

To: Zytel, P.C.
265 Indianhead Road
Kings Park/Russell NY 11725
(631) 544-0092

Time Of Login : 16:27:57
Date:

Collected: 05/08/03
Received : 05/15/03
Completed: 05/19/03

Sample Taken By
Client

Reported By:

N.Y.S. Lab ID: 110058

Sample : Project #6501
Soil Sample #B3-S7
Cell Phone
Soil Sample #B3-S7
Bore Dpth: 35'-37'
Analysis : EPA 8260 Analysis

Sample Number 23060305

Parameters	Results	Parameters	Results
	ug/kg		ug/kg

m-Propylbenzene	<1
1,2,3-Trichloropropane	<1
m-Ethyltoluene	<1
1,3,5-Trimethylbenzene	<1
m-Chlorotoluene	<1
p-Chlorotoluene	<1
tert-Butylbenzene	<1
1,2,4-Trimethylbenzene	<1
sec-Butylbenzene	<1
m-Isopropyltoluene	<1
1,3-Dichlorobenzene	<1
1,4-Dichlorobenzene	<1
1,2-Dichlorobenzene	<1
Diethylbenzene	<1
n-Butylbenzene	<1
1,2,4,5-Tetramethylbenzene	<1
1,2-Dibromo-3-Chloropropane	<1
1,2,4-Trichlorobenzene	<1
Hexachlorobutadiene	<1
Naphthalene	<1
1,2,3-Trichlorobenzene	<1

Comments

Peggy Parigoris Director of Laboratories

ARUS Analytical, Inc.

17 Bernice Drive Bayport, New York 11705 (631) 472-4848

To: Zytel, P.C.
265 Indianhead Road
Kings Park/Russell NY 11725
(631) 544-0092

Time Of Login : 10:33:57
Date:

Collected: 05/15/03
Received : 05/15/03
Completed: 05/21/03

Sample Taken By
Client

Reported By:

N.Y.S. Lab I.D. #10058

Sample : Project #6501
Liquid Sample #B3
Cell Phone
Liquid Sample #B3
Analysis : EPA 8260 Analysis

Sample Number 22990305

WEST

[Handwritten Signature]

Parameters	Results ppb (ug/l)	Parameters	Results ppb (ug/l)
Dichlorodifluoromethane	<50	Trichloroethene	<50
Chlorodifluoromethane	<50	1,2-Dichloropropane	<50
Chloromethane	<50	Dibromomethane	<50
Vinylchloride	<50	Bromodichloromethane	<50
Bromomethane	<50	2-Chloroethylvinylethr	<50
Chloroethane	<50	Cis-1,3-Dichloropropene	<50
Trichlorofluoromethane	<50	4 Methyl-2-Pentanone	<50
1,2-Trichlorotrifluoroet	<50	Toluene	<50
1,1-Dichloroethene	<50	Trans-1,3-Dichloropropene	<50
Acetone	<50	1,1,2-Trichloroethane	<50
Carbon Disulfide	<50	Tetrachloroethene	973 ✓
Methylene Chloride	<50	1,3-Dichloropropane	<50
Trans-1,2-Dichloroethene	<50	2-Hexanone	<50
Methyl T-Butyl Ether	<50	Dibromochloromethane	<50
1,1-Dichloropropane	<50	1,2-Dibromomethane	<50
2,2-Dichloropropane	<50	Chlorobenzene	<50
Cis-1,2-Dichloroethene	<50	1,1,1,2-Tetrachloroethane	<50
-Butanone	<50	Ethylbenzene	<50
Bromochloromethane	<50	M+P-Xylene	<50
Chloroform	<50	O-Xylene	<50
1,1,1-Trichloroethane	<50	Styrene	<50
Carbon Tetrachloride	<50	Bromoform	<50
1,1-Dichloropropene	<50	Isopropylbenzene	<50
Benzene	<50	Bromobenzene	<50
1,2-Dichloroethane	<50	1,1,2,2-Tetrachloroethane	<50

Comments

Peggy Parigoris Director of Laboratories

ARUS Analytical, Inc.

7 Bernice Drive Bayport, New York 11705 (631) 472-4848

To: Zytel, P.C.
265 Indianhead Road
Kings Park/Russell NY 11725
(631) 544-0092

Time Of Login : 16:16:24
Date:

Collected: 05/15/03
Received : 05/15/03
Completed: 05/21/03

Sample Taken By
Client

Reported By:

N.Y.S. Lab. I.D. #10058

Sample : Project #6501
Liquid Sample #B3
Cell Phone
Liquid Sample #B3
Analysis : EPA 8260 Analysis

Sample Number 22990305

Parameters	Results ppb (ug/l)	Parameters	Results ppb (ug/l)
Propylbenzene	<50		
1,2,3-Trichloropropane	<50		
1-Ethyltoluene	<50		
1,3,5-Trimethylbenzene	<50		
1-Chlorotoluene	<50		
1-Chlorotoluene	<50		
tert-Butylbenzene	<50		
1,2,4-Trimethylbenzene	<50		
sec-Butylbenzene	<50		
1-Isopropyltoluene	<50		
1,3-Dichlorobenzene	<50		
1,4-Dichlorobenzene	<50		
1,2-Dichlorobenzene	<50		
1-Diethylbenzene	<50		
1-Butylbenzene	<50		
1,2,4,5-Tetramethylbenzene	<50		
1,2-Dibromo-3-Chloropropane	<50		
1,2,4-Trichlorobenzene	<50		
1,2,3,4-Tetrachlorobutadiene	<50		
1-Naphthalene	<50		
1,2,3-Trichlorobenzene	<50		

Comments

Peggy Parigoris Director of Laboratories



26 NORTH MALL • PLAINVIEW, NY 11803
 (516) 293-2191 • FAX (516) 293-3152
 E-Mail: Info@SouthMallLabs.com
 Website: www.SouthMallLabs.com

January 20, 2004

Zytel P.C.
 265 Indian Head Road
 Kings Park, NY 11754

Att.: Mr. Russell Furia

Sample Description: Wastewater - W1
 Sample Collected By: Zytel P.C.
 Purchase Order Number: W
 Date Samples Received: 1/14/04
 Analysis Number: 152419

*INSTRUMENTS RECALIBRATED
 3 HOURS*

Analyte	Results	Method
Dichlorodifluoromethane, µg/L	<1.00	8260 ¹
Chloromethane, µg/L	<5.00	8260 ¹
Vinyl chloride, µg/L	<5.00	8260 ¹
Bromomethane, µg/L	<5.00	8260 ¹
Chloroethane, µg/L	<5.00	8260 ¹
Trichlorofluoromethane, µg/L	<1.00	8260 ¹
1,1-Dichloroethene, µg/L	<1.00	8260 ¹
Methylene chloride, µg/L	<1.00	8260 ¹
trans-1,2-Dichloroethene, µg/L	<5.00	8260 ¹
1,1-Dichloroethane, µg/L	<1.00	8260 ¹
2,2-Dichloropropane, µg/L	<5.00	8260 ¹
cis-1,2-Dichloroethene, µg/L	<5.00	8260 ¹
Bromochloromethane, µg/L	<1.00	8260 ¹
Chloroform, µg/L	<1.00	8260 ¹
1,1,1-Trichloroethane, µg/L	<1.00	8260 ¹
Carbon tetrachloride, µg/L	<5.00	8260 ¹
1,1-Dichloropropene, µg/L	<1.00	8260 ¹
Benzene, µg/L	<1.00	8260 ¹
1,2-Dichloroethane, µg/L	<1.00	8260 ¹
Trichloroethene, µg/L	<1.00	8260 ¹
1,2-Dichloropropane, µg/L	<1.00	8260 ¹
Dibromomethane, µg/L	<1.00	8260 ¹
Bromodichloromethane, µg/L	<1.00	8260 ¹
cis-1,3-Dichloropropene, µg/L	<1.00	8260 ¹
Toluene, µg/L	12.6	8260 ¹
trans-1,3-Dichloropropene, µg/L	<1.00	8260 ¹
1,1,2-Trichloroethane, µg/L	<5.00	8260 ¹
Tetrachloroethene, µg/L	21.7	8260 ¹
1,3-Dichloropropane, µg/L	<1.00	8260 ¹
Dibromochloromethane, µg/L	<1.00	8260 ¹
1,2-Dibromoethane, µg/L	<1.00	8260 ¹
Chlorobenzene, µg/L	<1.00	8260 ¹


Ref. 152419

<u>Analyte</u>	<u>Results</u>	<u>Method</u>
1,1,1,2-Tetrachloroethane, µg/L	<1.00	8260 ¹
Ethylbenzene, µg/L	1.37	8260 ¹
o-Xylene, µg/L	2.13	8260 ¹
m,p-Xylene, µg/L	4.86	8260 ¹
Styrene, µg/L	<1.00	8260 ¹
Bromoform, µg/L	<1.00	8260 ¹
Isopropylbenzene, µg/L	<1.00	8260 ¹
Bromobenzene, µg/L	<1.00	8260 ¹
1,1,2,2-Tetrachloroethane, µg/L	<1.00	8260 ¹
1,2,3-Trichloropropane, µg/L	<5.00	8260 ¹
n-Propylbenzene, µg/L	<1.00	8260 ¹
2-Chlorotoluene, µg/L	<1.00	8260 ¹
4-Chlorotoluene, µg/L	<5.00	8260 ¹
1,3,5-Trimethylbenzene, µg/L	<5.00	8260 ¹
tert-Butylbenzene, µg/L	<5.00	8260 ¹
1,2,4-Trimethylbenzene, µg/L	5.42	8260 ¹
sec-Butylbenzene, µg/L	<1.00	8260 ¹
1,3-Dichlorobenzene, µg/L	<1.00	8260 ¹
4-Isopropyltoluene, µg/L	<1.00	8260 ¹
1,4-Dichlorobenzene, µg/L	<1.00	8260 ¹
1,2-Dichlorobenzene, µg/L	<1.00	8260 ¹
n-Butylbenzene, µg/L	<1.00	8260 ¹
1,2-Dibromo-3-chloropropane, µg/L	<5.00	8260 ¹
1,2,4-Trichlorobenzene, µg/L	<5.00	8260 ¹
Hexachlorobutadiene, µg/L	<1.00	8260 ¹
Naphthalene, µg/L	9.35	8260 ¹
1,2,3-Trichlorobenzene, µg/L	<5.00	8260 ¹
Methyl-t-butyl ether, µg/L	<1.00	8260 ¹

¹EPA SW 846, 3rd edition

New York State ELAP Laboratory Identification #10950/EPA Laboratory Identification #NY01292

Laboratory Director: _____


Joseph P. Shaulys

JPS:el



26 NORTH MALL • PLAINVIEW, NY 11803
(516) 293-2191 • FAX (516) 293-3152
E-Mail: Info@SouthMallLabs.com
Website: www.SouthMallLabs.com

January 20, 2004

Zytel P.C.
265 Indian Head Road
Kings Park, NY 11754

Att.: Mr. Russell Furia

Sample Description: Wastewater - W2
Sample Collected By: Zytel P.C.
Purchase Order Number: W
Date Samples Received: 1/14/04
Analysis Number: 152420

<u>Analyte</u>	<u>Results</u>	<u>Method</u>
Dichlorodifluoromethane, µg/L	<1.00	8260 ¹
Chloromethane, µg/L	<5.00	8260 ¹
Vinyl chloride, µg/L	<5.00	8260 ¹
Bromomethane, µg/L	<5.00	8260 ¹
Chloroethane, µg/L	<5.00	8260 ¹
Trichlorofluoromethane, µg/L	<1.00	8260 ¹
1,1-Dichloroethene, µg/L	<1.00	8260 ¹
Methylene chloride, µg/L	<1.00	8260 ¹
trans-1,2-Dichloroethene, µg/L	<5.00	8260 ¹
1,1-Dichloroethane, µg/L	<1.00	8260 ¹
2,2-Dichloropropane, µg/L	<5.00	8260 ¹
cis-1,2-Dichloroethene, µg/L	<5.00	8260 ¹
Bromochloromethane, µg/L	<1.00	8260 ¹
Chloroform, µg/L	<1.00	8260 ¹
1,1,1-Trichloroethane, µg/L	<1.00	8260 ¹
Carbon tetrachloride, µg/L	<5.00	8260 ¹
1,1-Dichloropropene, µg/L	<1.00	8260 ¹
Benzene, µg/L	<1.00	8260 ¹
1,2-Dichloroethane, µg/L	<1.00	8260 ¹
Trichloroethene, µg/L	<1.00	8260 ¹
1,2-Dichloropropane, µg/L	<1.00	8260 ¹
Dibromomethane, µg/L	<1.00	8260 ¹
Bromodichloromethane, µg/L	<1.00	8260 ¹
cis-1,3-Dichloropropene, µg/L	<1.00	8260 ¹
Toluene, µg/L	11.4	8260 ¹
trans-1,3-Dichloropropene, µg/L	<1.00	8260 ¹
1,1,2-Trichloroethane, µg/L	<5.00	8260 ¹
Tetrachloroethene, µg/L	17.6	8260 ¹
1,3-Dichloropropane, µg/L	<1.00	8260 ¹
Dibromochloromethane, µg/L	<1.00	8260 ¹
1,2-Dibromoethane, µg/L	<1.00	8260 ¹
Chlorobenzene, µg/L	<1.00	8260 ¹

Ref. 152420

<u>Analyte</u>	<u>Results</u>	<u>Method</u>
1,1,1,2-Tetrachloroethane, µg/L	<1.00	8260 ¹
Ethylbenzene, µg/L	<1.00	8260 ¹
o-Xylene, µg/L	<1.00	8260 ¹
m,p-Xylene, µg/L	<1.00	8260 ¹
Styrene, µg/L	<1.00	8260 ¹
Bromoform, µg/L	<1.00	8260 ¹
Isopropylbenzene, µg/L	<1.00	8260 ¹
Bromobenzene, µg/L	<1.00	8260 ¹
1,1,2,2-Tetrachloroethane, µg/L	<1.00	8260 ¹
1,2,3-Trichloropropane, µg/L	<5.00	8260 ¹
n-Propylbenzene, µg/L	<1.00	8260 ¹
2-Chlorotoluene, µg/L	<1.00	8260 ¹
4-Chlorotoluene, µg/L	<5.00	8260 ¹
1,3,5-Trimethylbenzene, µg/L	<5.00	8260 ¹
tert-Butylbenzene, µg/L	<5.00	8260 ¹
1,2,4-Trimethylbenzene, µg/L	<1.00	8260 ¹
sec-Butylbenzene, µg/L	2.34	8260 ¹
1,3-Dichlorobenzene, µg/L	<1.00	8260 ¹
4-Isopropyltoluene, µg/L	<1.00	8260 ¹
1,4-Dichlorobenzene, µg/L	<1.00	8260 ¹
1,2-Dichlorobenzene, µg/L	<1.00	8260 ¹
n-Butylbenzene, µg/L	<1.00	8260 ¹
1,2-Dibromo-3-chloropropane, µg/L	<5.00	8260 ¹
1,2,4-Trichlorobenzene, µg/L	<5.00	8260 ¹
Hexachlorobutadiene, µg/L	<1.00	8260 ¹
Naphthalene, µg/L	<5.00	8260 ¹
1,2,3-Trichlorobenzene, µg/L	<5.00	8260 ¹
Methyl-t-butyl ether, µg/L	<1.00	8260 ¹

¹EPA SW 846, 3rd edition

New York State ELAP Laboratory Identification #10950/EPA Laboratory Identification #NY01292

Laboratory Director: _____

Joseph P. Shaulys



26 NORTH MALL • PLAINVIEW, NY 11803
 (516) 293-2191 • FAX (516) 293-3152
 E-Mail: Info@SouthMallLabs.com
 Website: www.SouthMallLabs.com

January 20, 2004

Zytel P.C.
 265 Indian Head Road
 Kings Park, NY 11754

Att.: Mr. Russell Furia

Sample Description: Wastewater - W3
 Sample Collected By: Zytel P.C.
 Purchase Order Number: W
 Date Samples Received: 1/14/04
 Analysis Number: 152421

<u>Analyte</u>	<u>Results</u>	<u>Method</u>
Dichlorodifluoromethane, µg/L	<1.00	8260 ¹
Chloromethane, µg/L	<5.00	8260 ¹
Vinyl chloride, µg/L	<5.00	8260 ¹
Bromomethane, µg/L	<5.00	8260 ¹
Chloroethane, µg/L	<5.00	8260 ¹
Trichlorofluoromethane, µg/L	<1.00	8260 ¹
1,1-Dichloroethene, µg/L	<1.00	8260 ¹
Methylene chloride, µg/L	<1.00	8260 ¹
trans-1,2-Dichloroethene, µg/L	<5.00	8260 ¹
1,1-Dichloroethane, µg/L	<1.00	8260 ¹
2,2-Dichloropropane, µg/L	<5.00	8260 ¹
cis-1,2-Dichloroethene, µg/L	<5.00	8260 ¹
Bromochloromethane, µg/L	<1.00	8260 ¹
Chloroform, µg/L	<1.00	8260 ¹
1,1,1-Trichloroethane, µg/L	<1.00	8260 ¹
Carbon tetrachloride, µg/L	<5.00	8260 ¹
1,1-Dichloropropene, µg/L	<1.00	8260 ¹
Benzene, µg/L	<1.00	8260 ¹
1,2-Dichloroethane, µg/L	<1.00	8260 ¹
Trichloroethene, µg/L	<1.00	8260 ¹
1,2-Dichloropropane, µg/L	<1.00	8260 ¹
Dibromomethane, µg/L	<1.00	8260 ¹
Bromodichloromethane, µg/L	<1.00	8260 ¹
cis-1,3-Dichloropropene, µg/L	<1.00	8260 ¹
Toluene, µg/L	<1.00	8260 ¹
trans-1,3-Dichloropropene, µg/L	<1.00	8260 ¹
1,1,2-Trichloroethane, µg/L	<5.00	8260 ¹
Tetrachloroethene, µg/L	22.4	8260 ¹
1,3-Dichloropropane, µg/L	<1.00	8260 ¹
Dibromochloromethane, µg/L	<1.00	8260 ¹
1,2-Dibromoethane, µg/L	<1.00	8260 ¹
Chlorobenzene, µg/L	<1.00	8260 ¹


Ref. 152421

<u>Analyte</u>	<u>Results</u>	<u>Method</u>
1,1,1,2-Tetrachloroethane, µg/L	<1.00	8260 ¹
Ethylbenzene, µg/L	<1.00	8260 ¹
o-Xylene, µg/L	<1.00	8260 ¹
m,p-Xylene, µg/L	<1.00	8260 ¹
Styrene, µg/L	<1.00	8260 ¹
Bromoform, µg/L	<1.00	8260 ¹
Isopropylbenzene, µg/L	<1.00	8260 ¹
Bromobenzene, µg/L	<1.00	8260 ¹
1,1,2,2-Tetrachloroethane, µg/L	<1.00	8260 ¹
1,2,3-Trichloropropane, µg/L	<5.00	8260 ¹
n-Propylbenzene, µg/L	<1.00	8260 ¹
2-Chlorotoluene, µg/L	<1.00	8260 ¹
4-Chlorotoluene, µg/L	<5.00	8260 ¹
1,3,5-Trimethylbenzene, µg/L	<5.00	8260 ¹
tert-Butylbenzene, µg/L	<5.00	8260 ¹
1,2,4-Trimethylbenzene, µg/L	<1.00	8260 ¹
sec-Butylbenzene, µg/L	<1.00	8260 ¹
1,3-Dichlorobenzene, µg/L	<1.00	8260 ¹
4-Isopropyltoluene, µg/L	<1.00	8260 ¹
1,4-Dichlorobenzene, µg/L	<1.00	8260 ¹
1,2-Dichlorobenzene, µg/L	<1.00	8260 ¹
n-Butylbenzene, µg/L	<1.00	8260 ¹
1,2-Dibromo-3-chloropropane, µg/L	<5.00	8260 ¹
1,2,4-Trichlorobenzene, µg/L	<5.00	8260 ¹
Hexachlorobutadiene, µg/L	<1.00	8260 ¹
Naphthalene, µg/L	<5.00	8260 ¹
1,2,3-Trichlorobenzene, µg/L	<5.00	8260 ¹
Methyl-t-butyl ether, µg/L	<1.00	8260 ¹

¹EPA SW 846, 3rd edition

New York State ELAP Laboratory Identification #10950/EPA Laboratory Identification #NY01292

Laboratory Director: _____



Joseph P. Shaulys

CHAIN OF CUSTODY RECORD



Client: Zytel P.C.	Report to: Russell Furia
Address: 265 Indian Head Road	Lab ID #: 10950
Kings Park, NY 11754	Cooler No.:
Telephone: (631) 544-0092/Fax: (631) 544-0113	Analysis Nos.: 152419-152421

SHADED AREAS FOR LABORATORY USE ONLY!

No.	Matrix		Sample		Containers		Sample Information			Date	Grab	Time	Analysis Required	HNO ₃	H ₂ SO ₄	HCl	None
	L	S	G	#	Type	Date	Comp.	Y	N								
1	✓			2	40 ML	1/13/04						8260					
2	✓			2	"	1/11						8260					
3	✓			2	"	1/11						8260					
4																	
5																	
6																	
7																	
8																	
9																	
10																	

No.	Matrix		Sample		Containers		Sample Information			Date	Grab	Time	Analysis Required	HNO ₃	H ₂ SO ₄	HCl	None
	L	S	G	#	Type	Date	Comp.	Y	N								
1	✓			2	40 ML	1/13/04						8260					
2	✓			2	"	1/11						8260					
3	✓			2	"	1/11						8260					
4																	
5																	
6																	
7																	
8																	
9																	
10																	

COLLECTED BY: *[Signature]*

PROJECT NAME/SPECIAL INSTRUCTIONS: *W-*

RELINQUISHED BY: *[Signature]* RECEIVED BY: *Loree De la Horra* DATE: *1/14/03* TIME: *1:40 PM*

RELINQUISHED BY: *[Signature]* RECEIVED BY: *[Signature]* DATE: *1/14/03* TIME: *1:45 PM*

APPENDIX G

STORM DRAIN TEST HOLE SOIL LABORATORY TESTING RESULTS

STORM DRAIN SOIL TEST HOLE

<u>Analyte</u>	<u>Results (ppb)</u> <u>[(-) is < 5.0]</u>	<u>Method</u> <u>(8260)</u>
Dichlorodifluoromethane	-	
Chloromethane	-	
Vinyl chloride	-	
Bromomethane	-	
Chloroethane	-	
Trichlorofluoromethane	-	
1,1-Dichloroethene	-	
Methylene chloride	-	
trans-1,2-Dichloroethene	-	
1,1-Dichloroethane	-	
2,2-Dichloropropane	-	
cis-1,2-Dichloroethene	-	
Bromochloromethane	-	
Chloroform	-	
1,1,1-Trichloroethane	-	
Carbon tetrachloride	-	
1,1-Dichloropropene	-	
Benzene	-	
1,2-Dichloroethane	-	
Trichloroethene	-	
1,2-Dichloropropane	-	
Dibromomethane	-	
Bromodichloromethane	-	
cis-1,3-Dichloropropene	-	
Toluene	-	
p-Ethyltoluene	-	
trans-1,3-Dichloropropene	-	
1,1,2-Trichloroethane	-	
Tetrachloroethene	15.3	
1,3-Dichloropropane	-	
Dibromochloromethane	-	
1,2-Dibromoethane	-	
Chlorobenzene	-	
1,1,1,2-Tetrachlorethane	-	
Ethylbenzene	-	
Xylene (s)	-	
Styrene	-	
Bromoform	-	
Isopropylbenzene	-	
Bromobenzene	-	
1,1,2,2-Tetrachloroethane	-	
1,2,3-Trichloropropane	-	
n-Propylbenzene	-	
2-Chlorotoluene	-	
4-Chlorotoluene	-	

1,3,5-Trimethylbenzene -
tert-Butylbenzene -
1,2,4-Trimethylbenzene -
sec-Butylbenzene -
1,3-Dichlorobenzene -
p-Isopropyltoluene -
1,4-Dichlorobenzene -
1,2-Dichlorobenzene -
n-Butylbenzene -
1,2-Dibromo-3-chloropropane -
1,2,4-Trichlorobenzene -
Hexachlorobutadiene -
Naphthalene -
1,2,3-Trichlorobenzene -

APPENDIX H

GEOPROBE GROUNDWATER LABORATORY TESTING RESULTS



26 NORTH MALL • PLAINVIEW, NY 11803
(516) 293-2191 • FAX (516) 293-3152
E-Mail: Info@SouthMallLabs.com
Website: www.SouthMallLabs.com

December 30, 2003

Zytel P.C.
265 Indian Head Road
Kings Park, NY 11754

Att.: Mr. Russell Furia

Sample Description: Wastewater - 1-30-34
Sample Collected By: Zytel P.C.
Purchase Order Number: Verbal
Date Samples Received: 12/19/03
Analysis Number: 151354

<u>Analyte</u>	<u>Results</u>	<u>Method</u>
Tetrachloroethene, µg/L	113.	8260 ¹

¹EPA SW 846, 3rd edition

ZEBRA
680

SPAR 30'
↓
74'

New York State ELAP Laboratory Identification #10950/EPA Laboratory Identification #NY01292

Laboratory Director: _____


Joseph P. Shaulys

JPS:el



26 NORTH MALL • PLAINVIEW, NY 11803
(516) 293-2191 • FAX (516) 293-3152
E-Mail: Info@SouthMallLabs.com
Website: www.SouthMallLabs.com

December 30, 2003

Zytel P.C.
265 Indian Head Road
Kings Park, NY 11754

Att.: Mr. Russell Furia

Sample Description: Wastewater - 1-40-44
Sample Collected By: Zytel P.C.
Purchase Order Number: Verbal
Date Samples Received: 12/19/03
Analysis Number: 151355

<u>Analyte</u>	<u>Results</u>	<u>Method</u>
Tetrachloroethene, µg/L	149.	8260 ¹

¹EPA SW 846, 3rd edition

New York State ELAP Laboratory Identification #10950/EPA Laboratory Identification #NY01292

Laboratory Director: _____


Joseph P. Shaulys

JPS:el



26 NORTH MALL • PLAINVIEW, NY 11803
(516) 293-2191 • FAX (516) 293-3152
E-Mail: Info@SouthMallLabs.com
Website: www.SouthMallLabs.com

December 30, 2003

Zytel P.C.
265 Indian Head Road
Kings Park, NY 11754

Att.: Mr. Russell Furia


Sample Description: Wastewater - 1-50-54
Sample Collected By: Zytel P.C.
Purchase Order Number: Verbal
Date Samples Received: 12/19/03
Analysis Number: 151356

<u>Analyte</u>	<u>Results</u>	<u>Method</u>
Tetrachloroethene, $\mu\text{g/L}$	<1.00	8260 ¹

¹EPA SW 846, 3rd edition

New York State ELAP Laboratory Identification #10950/EPA Laboratory Identification #NY01292

Laboratory Director: _____


Joseph P. Shaulys

JPS:el



26 NORTH MALL • PLAINVIEW, NY 11803
(516) 293-2191 • FAX (516) 293-3152
E-Mail: Info@SouthMallLabs.com
Website: www.SouthMallLabs.com

December 30, 2003

Zytel P.C.
265 Indian Head Road
Kings Park, NY 11754

Att.: Mr. Russell Furia


Sample Description: Wastewater - 1-60-64
Sample Collected By: Zytel P.C.
Purchase Order Number: Verbal
Date Samples Received: 12/19/03
Analysis Number: 151357

<u>Analyte</u>	<u>Results</u>	<u>Method</u>
Tetrachloroethene, $\mu\text{g/L}$	<1.00	8260 ¹

¹EPA SW 846, 3rd edition

New York State ELAP Laboratory Identification #10950/EPA Laboratory Identification #NY01292

Laboratory Director: _____


Joseph P. Shaulys

JPS:el



26 NORTH MALL • PLAINVIEW, NY 11803
(516) 293-2191 • FAX (516) 293-3152
E-Mail: Info@SouthMallLabs.com
Website: www.SouthMallLabs.com

December 30, 2003

Zytel P.C.
265 Indian Head Road
Kings Park, NY 11754

Att.: Mr. Russell Furia


Sample Description: Wastewater - 1-70-74
Sample Collected By: Zytel P.C.
Purchase Order Number: Verbal
Date Samples Received: 12/19/03
Analysis Number: 151358

<u>Analyte</u>	<u>Results</u>	<u>Method</u>
Tetrachloroethene, µg/L	<1.00	8260 ¹

¹EPA SW 846, 3rd edition

New York State ELAP Laboratory Identification #10950/EPA Laboratory Identification #NY01292

Laboratory Director: _____


Joseph P. Shaulys

JPS:el



26 NORTH MALL • PLAINVIEW, NY 11803
(516) 293-2191 • FAX (516) 293-3152
E-Mail: Info@SouthMallLabs.com
Website: www.SouthMallLabs.com

December 30, 2003

Zytel P.C.
265 Indian Head Road
Kings Park, NY 11754

Att.: Mr. Russell Furia

Sample Description: Wastewater - 2-30-34
Sample Collected By: Zytel P.C.
Purchase Order Number: Verbal
Date Samples Received: 12/19/03
Analysis Number: 151359

<u>Analyte</u>	<u>Results</u>	<u>Method</u>
Tetrachloroethene, µg/L	5.01	8260 ¹

¹EPA SW 846, 3rd edition

ZYT

New York State ELAP Laboratory Identification #10950/EPA Laboratory Identification #NY01292

Laboratory Director: Joseph P. Shaulys
Joseph P. Shaulys

JPS:el



26 NORTH MALL • PLAINVIEW, NY 11803
(516) 293-2191 • FAX (516) 293-3152
E-Mail: Info@SouthMallLabs.com
Website: www.SouthMallLabs.com

December 30, 2003

Zytel P.C.
265 Indian Head Road
Kings Park, NY 11754


Att.: Mr. Russell Furia

Sample Description: Wastewater - 2-40-44
Sample Collected By: Zytel P.C.
Purchase Order Number: Verbal
Date Samples Received: 12/19/03
Analysis Number: 151360

<u>Analyte</u>	<u>Results</u>	<u>Method</u>
Tetrachloroethene, µg/L	9.58	8260 ¹

¹EPA SW 846, 3rd edition

New York State ELAP Laboratory Identification #10950/EPA Laboratory Identification #NY01292

Laboratory Director: 
Joseph P. Shaulys

JPS:el



26 NORTH MALL • PLAINVIEW, NY 11803
(516) 293-2191 • FAX (516) 293-3152
E-Mail: Info@SouthMallLabs.com
Website: www.SouthMallLabs.com

December 30, 2003

Zytel P.C.
265 Indian Head Road
Kings Park, NY 11754

Att.: Mr. Russell Furia


Sample Description: Wastewater - 2-50-54
Sample Collected By: Zytel P.C.
Purchase Order Number: Verbal
Date Samples Received: 12/19/03
Analysis Number: 151361

<u>Analyte</u>	<u>Results</u>	<u>Method</u>
Tetrachloroethene, $\mu\text{g/L}$	<1.00	8260 ¹

¹EPA SW 846, 3rd edition

New York State ELAP Laboratory Identification #10950/EPA Laboratory Identification #NY01292

Laboratory Director: _____


Joseph P. Shaulys

JPS:el



26 NORTH MALL • PLAINVIEW, NY 11803
(516) 293-2191 • FAX (516) 293-3152
E-Mail: Info@SouthMallLabs.com
Website: www.SouthMallLabs.com

December 30, 2003

Zytel P.C.
265 Indian Head Road
Kings Park, NY 11754

Att.: Mr. Russell Furia


Sample Description:	Wastewater - 2-60-64
Sample Collected By:	Zytel P.C.
Purchase Order Number:	Verbal
Date Samples Received:	12/19/03
Analysis Number:	151362

<u>Analyte</u>	<u>Results</u>	<u>Method</u>
Tetrachloroethene, $\mu\text{g/L}$	<1.00	8260 ¹

¹EPA SW 846, 3rd edition

New York State ELAP Laboratory Identification #10950/EPA Laboratory Identification #NY01292

Laboratory Director: _____


Joseph P. Shaulys

JPS:el



26 NORTH MALL • PLAINVIEW, NY 11803
(516) 293-2191 • FAX (516) 293-3152
E-Mail: Info@SouthMallLabs.com
Website: www.SouthMallLabs.com

December 30, 2003

Zytel P.C.
265 Indian Head Road
Kings Park, NY 11754

Att.: Mr. Russell Furia


Sample Description: Wastewater - 2-70-74
Sample Collected By: Zytel P.C.
Purchase Order Number: Verbal
Date Samples Received: 12/19/03
Analysis Number: 151363

<u>Analyte</u>	<u>Results</u>	<u>Method</u>
Tetrachloroethene, $\mu\text{g/L}$	2.10	8260 ¹

¹EPA SW 846, 3rd edition

New York State ELAP Laboratory Identification #10950/EPA Laboratory Identification #NY01292

Laboratory Director: _____


Joseph P. Shaulys

JPS:el



26 NORTH MALL • PLAINVIEW, NY 11803
(516) 293-2191 • FAX (516) 293-3152
E-Mail: Info@SouthMallLabs.com
Website: www.SouthMallLabs.com

January 5, 2004

Zytel P.C.
265 Indian Head Road
Kings Park, NY 11754

Att.: Mr. Russell Furia


Sample Description: Wastewater - 3-30-34
Sample Collected By: Zytel P.C.
Purchase Order Number: Verbal
Date Samples Received: 12/19/03
Analysis Number: 151364

<u>Analyte</u>	<u>Results</u>	<u>Method</u>
Tetrachloroethene, $\mu\text{g/L}$	30.8	8260 ¹

¹EPA SW 846, 3rd edition

New York State ELAP Laboratory Identification #10950/EPA Laboratory Identification #NY01292

Laboratory Director: _____


Joseph P. Shaulys

JPS:el



26 NORTH MALL • PLAINVIEW, NY 11803
(516) 293-2191 • FAX (516) 293-3152
E-Mail: Info@SouthMallLabs.com
Website: www.SouthMallLabs.com

January 5, 2004

Zytel P.C.
265 Indian Head Road
Kings Park, NY 11754

Att.: Mr. Russell Furia


Sample Description: Wastewater - 3-40-44
Sample Collected By: Zytel P.C.
Purchase Order Number: Verbal
Date Samples Received: 12/19/03
Analysis Number: 151365

<u>Analyte</u>	<u>Results</u>	<u>Method</u>
Tetrachloroethene, $\mu\text{g/L}$	9.92	8260 ¹

¹EPA SW 846, 3rd edition

New York State ELAP Laboratory Identification #10950/EPA Laboratory Identification #NY01292

Laboratory Director: _____


Joseph P. Shaulys

JPS:el



26 NORTH MALL • PLAINVIEW, NY 11803
(516) 293-2191 • FAX (516) 293-3152
E-Mail: Info@SouthMallLabs.com
Website: www.SouthMallLabs.com

January 5, 2004

Zytel P.C.
265 Indian Head Road
Kings Park, NY 11754

Att.: Mr. Russell Furia

Sample Description: Wastewater - 3-50-54
Sample Collected By: Zytel P.C.
Purchase Order Number: Verbal
Date Samples Received: 12/19/03
Analysis Number: 151366

<u>Analyte</u>	<u>Results</u>	<u>Method</u>
Tetrachloroethene, µg/L	7.33	8260 ¹

¹EPA SW 846, 3rd edition

New York State ELAP Laboratory Identification #10950/EPA Laboratory Identification #NY01292

Laboratory Director: _____


Joseph P. Shaulys

JPS:el



26 NORTH MALL • PLAINVIEW, NY 11803
(516) 293-2191 • FAX (516) 293-3152
E-Mail: Info@SouthMallLabs.com
Website: www.SouthMallLabs.com

January 5, 2004

Zytel P.C.
265 Indian Head Road
Kings Park, NY 11754

Att.: Mr. Russell Furia


Sample Description: Wastewater - 3-60-64
Sample Collected By: Zytel P.C.
Purchase Order Number: Verbal
Date Samples Received: 12/19/03
Analysis Number: 151367

<u>Analyte</u>	<u>Results</u>	<u>Method</u>
Tetrachloroethene, $\mu\text{g/L}$	4.81	8260 ¹

¹EPA SW 846, 3rd edition

New York State ELAP Laboratory Identification #10950/EPA Laboratory Identification #NY01292

Laboratory Director: _____


Joseph P. Shaulys

JPS:el



26 NORTH MALL • PLAINVIEW, NY 11803
(516) 293-2191 • FAX (516) 293-3152
E-Mail: Info@SouthMallLabs.com
Website: www.SouthMallLabs.com

January 5, 2004

Zytel P.C.
265 Indian Head Road
Kings Park, NY 11754

Att.: Mr. Russell Furia


Sample Description: Wastewater - 3-70-74
Sample Collected By: Zytel P.C.
Purchase Order Number: Verbal
Date Samples Received: 12/19/03
Analysis Number: 151368

<u>Analyte</u>	<u>Results</u>	<u>Method</u>
Tetrachloroethene, $\mu\text{g/L}$	5.18	8260 ¹

¹EPA SW 846, 3rd edition

New York State ELAP Laboratory Identification #10950/EPA Laboratory Identification #NY01292

Laboratory Director: _____


Joseph P. Shaulys

JPS:el



26 NORTH MALL • PLAINVIEW, NY 11803
(516) 293-2191 • FAX (516) 293-3152
E-Mail: Info@SouthMallLabs.com
Website: www.SouthMallLabs.com

January 5, 2004

Zytel P.C.
265 Indian Head Road
Kings Park, NY 11754

Att.: Mr. Russell Furia


Sample Description: Wastewater - 4-30-34
Sample Collected By: Zytel P.C.
Purchase Order Number: Verbal
Date Samples Received: 12/19/03
Analysis Number: 151369

<u>Analyte</u>	<u>Results</u>	<u>Method</u>
Tetrachloroethene, $\mu\text{g/L}$	38.2	8260 ¹

¹EPA SW 846, 3rd edition

New York State ELAP Laboratory Identification #10950/EPA Laboratory Identification #NY01292

Laboratory Director: _____


Joseph P. Shaulys

JPS:el



26 NORTH MALL • PLAINVIEW, NY 11803
(516) 293-2191 • FAX (516) 293-3152
E-Mail: Info@SouthMallLabs.com
Website: www.SouthMallLabs.com

January 5, 2004

Zytel P.C.
265 Indian Head Road
Kings Park, NY 11754

Att.: Mr. Russell Furia


Sample Description: Wastewater - 4-40-44
Sample Collected By: Zytel P.C.
Purchase Order Number: Verbal
Date Samples Received: 12/19/03
Analysis Number: 151370

<u>Analyte</u>	<u>Results</u>	<u>Method</u>
Tetrachloroethene, µg/L	13.1	8260 ¹

¹EPA SW 846, 3rd edition

New York State ELAP Laboratory Identification #10950/EPA Laboratory Identification #NY01292

Laboratory Director: _____


Joseph P. Shaulys

JPS:el



26 NORTH MALL • PLAINVIEW, NY 11803
(516) 293-2191 • FAX (516) 293-3152
E-Mail: Info@SouthMallLabs.com
Website: www.SouthMallLabs.com

January 5, 2004

Zytel P.C.
265 Indian Head Road
Kings Park, NY 11754

Att.: Mr. Russell Furia


Sample Description: Wastewater - 4-50-54
Sample Collected By: Zytel P.C.
Purchase Order Number: Verbal
Date Samples Received: 12/19/03
Analysis Number: 151371

<u>Analyte</u>	<u>Results</u>	<u>Method</u>
Tetrachloroethene, $\mu\text{g/L}$	5.70	8260 ¹

¹EPA SW 846, 3rd edition

New York State ELAP Laboratory Identification #10950/EPA Laboratory Identification #NY01292

Laboratory Director: _____


Joseph P. Shaulys

JPS:el



26 NORTH MALL • PLAINVIEW, NY 11803
(516) 293-2191 • FAX (516) 293-3152
E-Mail: Info@SouthMallLabs.com
Website: www.SouthMallLabs.com

January 5, 2004

Zytel P.C.
265 Indian Head Road
Kings Park, NY 11754

Att.: Mr. Russell Furia


Sample Description: Wastewater - 4-60-64
Sample Collected By: Zytel P.C.
Purchase Order Number: Verbal
Date Samples Received: 12/19/03
Analysis Number: 151372

<u>Analyte</u>	<u>Results</u>	<u>Method</u>
Tetrachloroethene, µg/L	8.77	8260 ¹

¹EPA SW 846, 3rd edition

New York State ELAP Laboratory Identification #10950/EPA Laboratory Identification #NY01292

Laboratory Director: _____


Joseph P. Shaulys

JPS:el



26 NORTH MALL • PLAINVIEW, NY 11803
(516) 293-2191 • FAX (516) 293-3152
E-Mail: Info@SouthMallLabs.com
Website: www.SouthMallLabs.com

January 5, 2004

Zytel P.C.
265 Indian Head Road
Kings Park, NY 11754

Att.: Mr. Russell Furia


Sample Description: Wastewater - 4-70-74
Sample Collected By: Zytel P.C.
Purchase Order Number: Verbal
Date Samples Received: 12/19/03
Analysis Number: 151373

<u>Analyte</u>	<u>Results</u>	<u>Method</u>
Tetrachloroethene, µg/L	1.46	8260 ¹

¹EPA SW 846, 3rd edition

New York State ELAP Laboratory Identification #10950/EPA Laboratory Identification #NY01292

Laboratory Director: _____


Joseph P. Shaulys

JPS:el



ANALYTICAL LABS, INC.

26 NORTH MALL • PLAINVIEW, NY 11803
(516) 293-2191 • FAX (516) 293-3152
E-Mail: Info@SouthMallLabs.com
Website: www.SouthMallLabs.com

January 5, 2004

Zytel P.C.
265 Indian Head Road
Kings Park, NY 11754

Att.: Mr. Russell Furia

Sample Description:	Wastewater - 5-30-34
Sample Collected By:	Zytel P.C.
Purchase Order Number:	Verbal
Date Samples Received:	12/19/03
Analysis Number:	151374

Analyte

Tetrachloroethene, µg/L

¹EPA SW 846, 3rd edition

Results

720.

Method

8260¹

Handwritten: NORTH
(Circled)

New York State ELAP Laboratory Identification #10950/EPA Laboratory Identification #NY01292

Laboratory Director: _____

Handwritten Signature: Joseph P. Shaulys
Joseph P. Shaulys

JPS:el



26 NORTH MALL • PLAINVIEW, NY 11803
(516) 293-2191 • FAX (516) 293-3152
E-Mail: Info@SouthMallLabs.com
Website: www.SouthMallLabs.com

January 5, 2004

Zytel P.C.
265 Indian Head Road
Kings Park, NY 11754

Att.: Mr. Russell Furia


Sample Description: Wastewater - 5-40-44
Sample Collected By: Zytel P.C.
Purchase Order Number: Verbal
Date Samples Received: 12/19/03
Analysis Number: 151375

<u>Analyte</u>	<u>Results</u>	<u>Method</u>
Tetrachloroethene, $\mu\text{g/L}$	23.6	8260 ¹

¹EPA SW 846, 3rd edition

New York State ELAP Laboratory Identification #10950/EPA Laboratory Identification #NY01292

Laboratory Director: _____


Joseph P. Shaulys

JPS:el



26 NORTH MALL • PLAINVIEW, NY 11803
(516) 293-2191 • FAX (516) 293-3152
E-Mail: Info@SouthMallLabs.com
Website: www.SouthMallLabs.com

January 5, 2004

Zytel P.C.
265 Indian Head Road
Kings Park, NY 11754

Att.: Mr. Russell Furia


Sample Description: Wastewater - 5-50-54
Sample Collected By: Zytel P.C.
Purchase Order Number: Verbal
Date Samples Received: 12/19/03
Analysis Number: 151376

<u>Analyte</u>	<u>Results</u>	<u>Method</u>
Tetrachloroethene, $\mu\text{g/L}$	7.78	8260 ¹

¹EPA SW 846, 3rd edition

New York State ELAP Laboratory Identification #10950/EPA Laboratory Identification #NY01292

Laboratory Director: _____


Joseph P. Shaulys

JPS:el



26 NORTH MALL • PLAINVIEW, NY 11803
(516) 293-2191 • FAX (516) 293-3152
E-Mail: Info@SouthMallLabs.com
Website: www.SouthMallLabs.com

January 5, 2004

Zytel P.C.
265 Indian Head Road
Kings Park, NY 11754

Att.: Mr. Russell Furia


Sample Description: Wastewater - 5-60-64
Sample Collected By: Zytel P.C.
Purchase Order Number: Verbal
Date Samples Received: 12/19/03
Analysis Number: 151377

<u>Analyte</u>	<u>Results</u>	<u>Method</u>
Tetrachloroethene, $\mu\text{g/L}$	31.4	8260 ¹

¹EPA SW 846, 3rd edition

New York State ELAP Laboratory Identification #10950/EPA Laboratory Identification #NY01292

Laboratory Director: _____


Joseph P. Shaulys

JPS:el



26 NORTH MALL • PLAINVIEW, NY 11803
(516) 293-2191 • FAX (516) 293-3152
E-Mail: Info@SouthMallLabs.com
Website: www.SouthMallLabs.com

January 5, 2004

Zytel P.C.
265 Indian Head Road
Kings Park, NY 11754

Att.: Mr. Russell Furia

Sample Description: Wastewater - 5-70-74
Sample Collected By: Zytel P.C.
Purchase Order Number: Verbal
Date Samples Received: 12/19/03
Analysis Number: 151378

<u>Analyte</u>	<u>Results</u>	<u>Method</u>
Tetrachloroethene, $\mu\text{g/L}$	43.8	8260 ¹

¹EPA SW 846, 3rd edition

New York State ELAP Laboratory Identification #10950/EPA Laboratory Identification #NY01292

Laboratory Director: _____


Joseph P. Shaulys

JPS:el



26 NORTH MALL • PLAINVIEW, NY 11803
(516) 293-2191 • FAX (516) 293-3152
E-Mail: Info@SouthMallLabs.com
Website: www.SouthMallLabs.com

January 5, 2004

Zytel P.C.
265 Indian Head Road
Kings Park, NY 11754

Att.: Mr. Russell Furia


Sample Description: Wastewater - 6-30-34
Sample Collected By: Zytel P.C.
Purchase Order Number: Verbal
Date Samples Received: 12/19/03
Analysis Number: 151379

<u>Analyte</u>	<u>Results</u>	<u>Method</u>
Tetrachloroethene, $\mu\text{g/L}$	2.98	8260 ¹

¹EPA SW 846, 3rd edition

New York State ELAP Laboratory Identification #10950/EPA Laboratory Identification #NY01292

Laboratory Director: _____


Joseph P. Shaulys

JPS:el



26 NORTH MALL • PLAINVIEW, NY 11803
(516) 293-2191 • FAX (516) 293-3152
E-Mail: Info@SouthMallLabs.com
Website: www.SouthMallLabs.com

January 5, 2004

Zytel P.C.
265 Indian Head Road
Kings Park, NY 11754

Att.: Mr. Russell Furia


Sample Description: Wastewater - 6-40-44
Sample Collected By: Zytel P.C.
Purchase Order Number: Verbal
Date Samples Received: 12/19/03
Analysis Number: 151380

<u>Analyte</u>	<u>Results</u>	<u>Method</u>
Tetrachloroethene, µg/L	2.85	8260 ¹

¹EPA SW 846, 3rd edition

New York State ELAP Laboratory Identification #10950/EPA Laboratory Identification #NY01292

Laboratory Director: _____


Joseph P. Shaulys

JPS:el



26 NORTH MALL • PLAINVIEW, NY 11803
(516) 293-2191 • FAX (516) 293-3152
E-Mail: Info@SouthMallLabs.com
Website: www.SouthMallLabs.com

January 5, 2004

Zytel P.C.
265 Indian Head Road
Kings Park, NY 11754

Att.: Mr. Russell Furia


Sample Description: Wastewater - 6-50-54
Sample Collected By: Zytel P.C.
Purchase Order Number: Verbal
Date Samples Received: 12/19/03
Analysis Number: 151381

<u>Analyte</u>	<u>Results</u>	<u>Method</u>
Tetrachloroethene, $\mu\text{g/L}$	2.41	8260 ¹

¹EPA SW 846, 3rd edition

New York State ELAP Laboratory Identification #10950/EPA Laboratory Identification #NY01292

Laboratory Director: _____


Joseph P. Shaulys

JPS:el



26 NORTH MALL • PLAINVIEW, NY 11803
(516) 293-2191 • FAX (516) 293-3152
E-Mail: Info@SouthMallLabs.com
Website: www.SouthMallLabs.com

January 5, 2004

Zytel P.C.
265 Indian Head Road
Kings Park, NY 11754

Att.: Mr. Russell Furia

Sample Description: Wastewater - 6-60-64
Sample Collected By: Zytel P.C.
Purchase Order Number: Verbal
Date Samples Received: 12/19/03
Analysis Number: 151382

<u>Analyte</u>	<u>Results</u>	<u>Method</u>
Tetrachloroethene, µg/L	2.16	8260 ¹

¹EPA SW 846, 3rd edition

New York State ELAP Laboratory Identification #10950/EPA Laboratory Identification #NY01292

Laboratory Director: _____


Joseph P. Shawl

JPS:el



26 NORTH MALL • PLAINVIEW, NY 11803
(516) 293-2191 • FAX (516) 293-3152
E-Mail: Info@SouthMallLabs.com
Website: www.SouthMallLabs.com

January 5, 2004

Zytel P.C.
265 Indian Head Road
Kings Park, NY 11754

Att.: Mr. Russell Furia


Sample Description: Wastewater - 6-70-74
Sample Collected By: Zytel P.C.
Purchase Order Number: Verbal
Date Samples Received: 12/19/03
Analysis Number: 151383

<u>Analyte</u>	<u>Results</u>	<u>Method</u>
Tetrachloroethene, $\mu\text{g/L}$	1.33	8260 ¹

¹EPA SW 846, 3rd edition

New York State ELAP Laboratory Identification #10950/EPA Laboratory Identification #NY01292

Laboratory Director: _____


Joseph P. Shaulys

JPS:el



26 NORTH MALL • PLAINVIEW, NY 11803
(516) 293-2191 • FAX (516) 293-3152
E-Mail: Info@SouthMallLabs.com
Website: www.SouthMallLabs.com

January 5, 2004

Zytel P.C.
265 Indian Head Road
Kings Park, NY 11754

Att.: Mr. Russell Furia

Sample Description: Wastewater - 7-30-34
Sample Collected By: Zytel P.C.
Purchase Order Number: Verbal
Date Samples Received: 12/19/03
Analysis Number: 151384

<u>Analyte</u>	<u>Results</u>	<u>Method</u>
Tetrachloroethene, $\mu\text{g/L}$	330.	8260 ¹

¹EPA SW 846, 3rd edition

New York State ELAP Laboratory Identification #10950/EPA Laboratory Identification #NY01292

Laboratory Director: _____


Joseph P. Shaulys

JPS:el



26 NORTH MALL • PLAINVIEW, NY 11803
(516) 293-2191 • FAX (516) 293-3152
E-Mail: Info@SouthMallLabs.com
Website: www.SouthMallLabs.com

January 5, 2004

Zytel P.C.
265 Indian Head Road
Kings Park, NY 11754

Att.: Mr. Russell Furia


Sample Description: Wastewater - 7-40-44
Sample Collected By: Zytel P.C.
Purchase Order Number: Verbal
Date Samples Received: 12/19/03
Analysis Number: 151385

<u>Analyte</u>	<u>Results</u>	<u>Method</u>
Tetrachloroethene, $\mu\text{g/L}$	389.	8260 ¹

¹EPA SW 846, 3rd edition

New York State ELAP Laboratory Identification #10950/EPA Laboratory Identification #NY01292

Laboratory Director: _____


Joseph P. Shaulys

JPS:el



26 NORTH MALL • PLAINVIEW, NY 11803
(516) 293-2191 • FAX (516) 293-3152
E-Mail: Info@SouthMallLabs.com
Website: www.SouthMallLabs.com

January 5, 2004

Zytel P.C.
265 Indian Head Road
Kings Park, NY 11754

Att.: Mr. Russell Furia


Sample Description: Wastewater - 7-50-54
Sample Collected By: Zytel P.C.
Purchase Order Number: Verbal
Date Samples Received: 12/19/03
Analysis Number: 151386

<u>Analyte</u>	<u>Results</u>	<u>Method</u>
Tetrachloroethene, µg/L	6.99	8260 ¹

¹EPA SW 846, 3rd edition

New York State ELAP Laboratory Identification #10950/EPA Laboratory Identification #NY01292

Laboratory Director: _____


Joseph P. Shaulys

JPS:el



26 NORTH MALL • PLAINVIEW, NY 11803
(516) 293-2191 • FAX (516) 293-3152
E-Mail: Info@SouthMallLabs.com
Website: www.SouthMallLabs.com

January 5, 2004

Zytel P.C.
265 Indian Head Road
Kings Park, NY 11754

Att.: Mr. Russell Furia


Sample Description: Wastewater - 7-60-64
Sample Collected By: Zytel P.C.
Purchase Order Number: Verbal
Date Samples Received: 12/19/03
Analysis Number: 151387

<u>Analyte</u>	<u>Results</u>	<u>Method</u>
Tetrachloroethene, $\mu\text{g/L}$	<1.00	8260 ¹

¹EPA SW 846, 3rd edition

New York State ELAP Laboratory Identification #10950/EPA Laboratory Identification #NY01292

Laboratory Director: _____


Joseph P. Shaulys

JPS:el



26 NORTH MALL • PLAINVIEW, NY 11803
(516) 293-2191 • FAX (516) 293-3152
E-Mail: Info@SouthMallLabs.com
Website: www.SouthMallLabs.com

January 5, 2004

Zytel P.C.
265 Indian Head Road
Kings Park, NY 11754

Att.: Mr. Russell Furia


Sample Description: Wastewater - 7-70-74
Sample Collected By: Zytel P.C.
Purchase Order Number: Verbal
Date Samples Received: 12/19/03
Analysis Number: 151388

<u>Analyte</u>	<u>Results</u>	<u>Method</u>
Tetrachloroethene, $\mu\text{g/L}$	<1.00	8260 ¹

¹EPA SW 846, 3rd edition

New York State ELAP Laboratory Identification #10950/EPA Laboratory Identification #NY01292

Laboratory Director: _____


Joseph P. Shaulys

JPS:el

APPENDIX I

MONITORING WELL SOIL LABORATORY TESTING RESULTS ILLUSTRATED

MONITORING WELL M-1

<u>Depth (below ground surface)</u>	<u>PERC (ppb)</u>
5-7	332
10-12	0
15-17	13.4
20-22	3.5
25-27	15.0
30-32	0
35-37	30.7
40-42	104
45-47	0
50-52	170
55-57	10.2
60-62	28.8
65-67	0
70-72	7.76
75-77	0
80-82	0
85-87	27.2
90-92	11.8

MONITORING WELL M-2

<u>Depth (below ground surface</u>	<u>PERC (ppb)</u>
5-7	0
10-12	-
15-17	4.5
20-22	0
25-27	0
30-32	30.3
35-37	20.6
40-42	0
45-47	0
50-52	0
55-57	-
60-62	-
65-67	-
70-72	25.5
75-77	4.2
80-82	14.6
85-87	0
90-92	3.0

MONITORING WELL M-3

<u>Depth (below ground surface)</u>	<u>PERC (ppb)</u>
5-7	4.4
10-12	0
15-17	0
20-22	19.4
25-27	0
30-32	0
35-37	7.8
40-42	4.8

MONITORING WELL M-4

<u>Depth (below ground surface)</u>	<u>PERC (ppb)</u>
5-7	268
10-12	0
15-17	49.2
20-22	23.6
25-27	0
30-32	50.9
35-37	55
40-42	3.3

MONITORING WELL M-5

<u>Depth (below ground surface)</u>	<u>PERC (ppb)</u>
5-7	0
10-12	0
15-17	0
20-22	0
25-27	0
30-32	0
35-37	0
40-42	0

MONITORING WELL M-6

<u>Depth (below ground surface)</u>	<u>PERC (ppb)</u>
5-7	0
10-12	0
15-17	0
20-22	0
25-27	0
30-32	0
35-37	0
40-42	0

MONITORING WELL M-7

<u>Depth (below ground surface)</u>	<u>PERC (ppb)</u>
5-7	0
10-12	0
15-17	0
20-22	1.72
25-27	0
30-32	1.38
35-37	0
40-42	0
45-47	1.57

APPENDIX K

STORM DRAIN TEST HOLE SOIL LABORATORY TESTING RESULTS ILLUSTRATED

STORM DRAIN TEST HOLE

<u>Depth (below ground surface)</u>	<u>PERC (ppb)</u>
0-15 (Void, no soil)	-
15-17	15.3

APPENDIX J

TEST HOLE SOIL LABORATORY TESTING RESULTS ILLUSTRATED

EXTERIOR TEST HOLE B-1

<u>Depth (below ground surface)</u>	<u>PERC (ppb)</u>
5-7	0
10-12	0
15-17	0
20-22	0
25-27	1,010
30-32	0
35-37	0

EXTERIOR TEST HOLE B-2

<u>Depth (below ground surface)</u>	<u>PERC (ppb)</u>
5-7	0
10-12	0
15-17	0
20-22	0
25-27	29
30-32	0
35-37	0

EXTERIOR TEST HOLE B-3

<u>Depth (below ground surface)</u>	<u>PERC (ppb)</u>
5-7	0
10-12	0
15-17	0
20-22	0
25-27	973
30-32	0
35-37	0

INTERIOR TEST HOLE W-1

<u>Depth (below ground surface)</u>	<u>PERC (ppb)</u>
5-7	0
10-12	0
15-17	0
20-22	0
25-27	21.7
30-32	0
35-37	0

INTERIOR TEST HOLE W-2

<u>Depth (below ground surface)</u>	<u>PERC (ppb)</u>
5-7	0
10-12	0
15-17	0
20-22	0
25-27	17.6
30-32	0
35-37	0

INTERIOR TEST HOLE W-3

<u>Depth (below ground surface)</u>	<u>PERC (ppb)</u>
5-7	0
10-12	0
15-17	0
20-22	0
25-27	17.6
30-32	0
35-37	0

APPENDIX L

GEOPROBE GROUNDWATER LABORATORY TESTING RESULTS ILLUSTRATED

GEOPROBE GROUNDWATER TEST HOLE #1

<u>Depth (below ground surface)</u>	<u>PERC (ppb)</u>
30-34	113
40-44	149
50-54	<1.0
60-64	<1.0
70-74	<1.0

GEOPROBE GROUNDWATER TEST HOLE #2

<u>Depth (below ground surface)</u>	<u>PERC (ppb)</u>
30-34	5.01
40-44	9.58
50-54	<1.0
60-64	<1.0
70-74	2.10

GEOPROBE GROUNDWATER TEST HOLE #3

<u>Depth (below ground surface)</u>	<u>PERC (ppb)</u>
30-34	30.8
40-44	9.92
50-54	7.33
60-64	4.81
70-74	5.18

GEOPROBE GROUNDWATER TEST HOLE #4

<u>Depth (below ground surface)</u>	<u>PERC (ppb)</u>
30-34	38.2
40-44	13.1
50-54	5.7
60-64	8.77
70-74	1.46

GEOPROBE GROUNDWATER TEST HOLE #5

<u>Depth (below ground surface)</u>	<u>PERC (ppb)</u>
30-34	720
40-44	23.6
50-54	7.78
60-64	31.4
70-74	43.8

GEOPROBE GROUNDWATER TEST HOLE #6

<u>Depth (below ground surface)</u>	<u>PERC (ppb)</u>
30-34	2.98
40-44	2.85
50-54	2.41
60-64	2.16
70-74	1.33

GEOPROBE GROUNDWATER TEST HOLE #7

<u>Depth (below ground surface)</u>	<u>PERC (ppb)</u>
30-34	330
40-44	389
50-54	6.99
60-64	<1.0
70-74	<1.0

APPENDIX M
PHOTOGRAPHS









































































