

**Environmental Site Assessment  
Equine-Stellar Corp.  
131 Sunnyside Boulevard  
Plainview, NY**

**Volume 2 of 4 – Appendices 1-3**

**April 29, 2004**

**Prepared for:  
131 Sunnyside LLC.  
Astoria Federal Savings & Loan Association**

**Prepared by:  
Anson Environmental Ltd.  
771 New York Avenue  
Huntington, NY 11743**

Project # 03150

*“Your Environmental Partner”*

October 22, 2003

Mr. John Lovejoy  
Nassau County Department of Health  
240 Old Country Road  
Mineola, NY

Re: Underground Injection Control  
Equine-Stellar  
131 Sunnyside Boulevard  
Plainview, NY 11803

Dear Mr. Lovejoy:

On Wednesday, September 24 and October 15, 2003, Anson Environmental Ltd. (AEL) sampled the drywells at the former Equine-Stellar facility, 131 Sunnyside Boulevard, Plainview, New York. AEL collected bottom sediment from the eight on-site drywells and one interior drain. This work was performed for both the seller, Equine-Stellar and the buyer.

AEL collected bottom sediment samples using a hand auger from nine (9) structures identified on the site diagram on Figure 1. Samples were collected from the bottom of each structure and delivered to Long Island Analytical Laboratories Inc. (LIA) in Holbrook, New York. Each sample was analyzed for volatile organic compound (Nassau County list) using EPA Method 8260 and the Nassau County List of RCRA Metals.

The tables below summarize the data while the actual laboratory analytical data sheets are included in the Appendix. The table compares the results with the New York State Department of Conservation (NYSDEC) Technical and Administrative Guidance Memorandum (TAGM) #4046.

Compound	23 DW # 1	23 DW # 2	23 DW # 3	23 DW #4	Standard
Arsenic	2.01 mg/kg	3.41 mg/kg	*	*	7.5 mg/kg
Barium	8.51 mg/kg	<b>584 mg/kg</b>	11 mg/kg	22.5 mg/kg	300 mg/kg
Cadmium	*	<b>5.45 mg/kg</b>	*	*	1 mg/kg
Chromium	47.9 mg/kg	<b>213 mg/kg</b>	26.5 mg/kg	10.4 mg/kg	50 mg/kg **
Mercury	*	<b>0.229 mg/kg</b>	*	*	0.1 mg/kg
Lead	7.80 mg/kg	<b>397 mg/kg</b>	12.7 mg/kg	*	200 mg/kg
Selenium	*	<b>3.41 mg/kg</b>	*	*	2 mg/kg

*"Your Environmental Partner"*

Compound	DW-6	DW-7	DW-8	DW-9	23B1	Standard
Arsenic	2.37 mg/kg	<1.65 mg/kg	5.62 mg/kg	1.86 mg/kg	<b>9.51</b> mg/kg	7.5 mg/kg
Barium	39.8 mg/kg	27.8 mg/kg	66.1 mg/kg	65.6 mg/kg	<b>2,066</b> mg/kg	300 mg/kg
Cadmium	<b>2.74</b> mg/kg	3.92 mg/kg	<b>3.35</b> mg/kg	<b>2.80</b> mg/kg	<b>14.3</b> mg/kg	1 mg/kg
Chromium	<b>2,364</b> mg/kg	<b>180</b> mg/kg	<b>1,678</b> mg/kg	<b>266</b> mg/kg	<b>686</b> mg/kg	50 mg/kg **
Mercury	<b>0.303</b> mg/kg	<b>0.474</b> mg/kg	<b>1.33</b> mg/kg	<0.02 mg/kg	0.080 mg/kg	0.1 mg/kg
Lead	<b>315</b> mg/kg	19.2 mg/kg	112 mg/kg	106 mg/kg	<b>759</b> mg/kg	200 mg/kg
Selenium	<1.65 mg/kg	<1.65 mg/kg	<1.65 mg/kg	<1.65 mg/kg	<1.65 mg/kg	2 mg/kg

\*= Not Detected

\*\*= Verbal Communication with the NYSDEC and the NCDH state the Level for Chromium is 50 mg/Kg.

Numbers in **Bold** exceed the NYSDEC standards.

The sediment in the interior drain in the former hazardous materials storage area was sampled and was designated 23 B1. The laboratory data are summarized above.

When the laboratory analytical data are compared to the NCDH standards, six (23B1, 23DW2, DW6, DW7, DW8 and DW9) of the drywells/drains need to have some sediment removed because the sediment exceeds the NCDH action levels for metals, particularly chromium.

Samples were collected for disposal purposes for sediment. Laboratory analytical data for disposal will be available in approximately one week. Upon receipt of these data, the sediment will be classified and Mr. Maurice Ozman of the Nassau County Department of Public Works contacted to determine if the liquid waste could be disposed of at the county wastewater treatment facility at Bay Park. Once these data have been received, a copy will be sent to both you and the remediation contractor.

This notice is to inform you that Anson Environmental Ltd. (AEL) is preparing to remediate six drywells/drains at the above referenced site on October 29th. The contractor will provide a pump truck to remove liquid wastes contained in the storm drains and liquid wastes will subsequently be transported to the Bay Park Sewage Treatment Plant. A guzzler vacuum unit will then be employed to remove sediments and sludge from the storm drains until visibly clean soils are encountered or until the bottom of the storm drain rings are observed.

Once the cleanout of each drywell has been completed, endpoint samples will be collected by AEL and submitted for laboratory analysis using EPA methods 8260, 8270

and Nassau County List of Metals. Upon receipt of these laboratory data. AEL will forward a project report to you for your review.

It is understood that when the piping in the drywells is investigated using the video camera, additional underground structures may be identified. These structures may need to be sampled to determine if they are contaminated.


If you have any questions please feel free to contact myself at 631-351-3555 ext. 12.

Very truly yours,


A handwritten signature in black ink, appearing to read "Dean Anson II". The signature is written in a cursive style with some overlapping letters.

Dean Anson II

**PLANT PLAN**  
**EQUINE-STELLAR CORP.**  
PLANNERS, NEW YORK



**NOTE**  
Grade Elevation 130.0'



**Laboratory Data Sheets**

Client: Anson Environmental	Client ID: 131 Sunnyside Blvd., Plainview (23B1)
Date received: 9/24/03	Laboratory ID: 1022719
Date extracted: 9/24/03	Matrix: Soil
Date analyzed: 9/24/03	ELAP #: 11693

### NCDH PROTOCOL

PARAMETER	CAS No.	MDL	RESULTS ug/kg
ACETONE	67-64-1	50 ug/kg	<50
BENZENE	71-43-2	5 ug/kg	<5
n-BUTYLBENZENE	104-51-8	5 ug/kg	<5
sec-BUTYLBENZENE	135-98-8	5 ug/kg	<5
tert-BUTYLBENZENE	98-06-6	5 ug/kg	<5
BROMODICHLOROMETHANE	75-27-4	5 ug/kg	<5
BROMOFORM	75-25-2	5 ug/kg	<5
BROMOBENZENE	108-86-1	5 ug/kg	<5
2-CHLOROTOLUENE	95-49-8	5 ug/kg	<5
4-CHLOROTOLUENE	106-43-4	5 ug/kg	<5
CHLOROBENZENE	108-90-7	5 ug/kg	<5
CHLOROFORM	67-66-3	5 ug/kg	<5
CARBON TETRACHLORIDE	56-23-5	5 ug/kg	<5
o-DICHLOROBENZENE (1,2)	95-50-1	5 ug/kg	<5
m-DICHLOROBENZENE (1,3)	541-73-1	5 ug/kg	<5
p-DICHLOROBENZENE (1,4)	106-46-7	5 ug/kg	<5
1,2-DIBROMO-3-CHLOROPROPANE	96-12-8	5 ug/kg	<5
1,1-DICHLOROETHYLENE	75-35-4	5 ug/kg	<5
trans-1,2-DICHLOROETHYLENE	156-60-5	5 ug/kg	<5
1,1-DICHLOROETHANE	75-34-3	5 ug/kg	<5
cis-1,2-DICHLOROETHYLENE	159-59-2	5 ug/kg	<5
DIBROMOCHLOROMETHANE	124-48-1	5 ug/kg	<5
1,3-DICHLOROPROPANE	142-28-9	5 ug/kg	<5
1,1-DICHLOROPROPENE	563-58-6	5 ug/kg	<5
1,2-DICHLOROETHANE	107-06-02	5 ug/kg	<5
1,2-DICHLOROPROPANE	78-87-5	5 ug/kg	<5
2,2-DICHLOROPROPANE	594-20-7	5 ug/kg	<5
ETHYLBENZENE	100-414	5 ug/kg	<5

MDL = Minimum Detection Limit.



LIAI Inc.  
101-4 Colin Drive  
Holbrook, New York 11741  
Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

101-4 Colin Drive • Holbrook, New York 11741

Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: Anson Environmental	Client ID: 131 Sunnyside Blvd., Plainview (23B1)
Date received: 9/24/03	Laboratory ID: 1022719
Date extracted: 9/24/03	Matrix: Soil
Date analyzed: 9/24/03	ELAP #: 11693

### NCDH PROTOCOL

PARAMETER	CAS No.	MDL	RESULTS ug/kg
1,2-DIBROMOETHANE	106-93-4	5 ug/kg	<5
DIBROMOMETHANE	74-95-3	5 ug/kg	<5
cis-1,3-DICHLOROPROPENE	10061-01-5	5 ug/kg	<5
trans-1,3-DICHLOROPROPENE	10061-02-6	5 ug/kg	<5
HEXACHLOROBUTADIENE	87-68-3	5 ug/kg	<5
p-ISOPROPYLTOLUENE	99-87-6	5 ug/kg	<5
ISOPROPYLBENZENE	98-82-8	5 ug/kg	<5
METHYLENE CHLORIDE	75-09-2	5 ug/kg	<5
NAPHTHALENE	91-20-3	5 ug/kg	<5
n-PROPYLBENZENE	103-65-1	5 ug/kg	<5
STYRENE	100-42-5	5 ug/kg	<5
TRICHLOROFLUOROMETHANE	75-69-4	5 ug/kg	<5
1,2,3-TRICHLOROBENZENE	87-61-6	5 ug/kg	<5
1,2,4-TRICHLOROBENZENE	120-82-1	5 ug/kg	<5
1,2,4-TRIMETHYLBENZENE	95-63-6	5 ug/kg	<5
1,3,5-TRIMETHYLBENZENE	108-67-8	5 ug/kg	<5
1,1,1-TRICHLOROETHANE	71-55-6	5 ug/kg	<5
TRICHLOROETHYLENE	79-01-6	5 ug/kg	<5
1,1,2-TRICHLOROETHANE	79-00-5	5 ug/kg	<5
TETRACHLOROETHYLENE	127-18-4	5 ug/kg	<5
1,1,1,2-TETRACHLOROETHANE	630-20-6	5 ug/kg	<5
1,1,2,2-TETRACHLOROETHANE	79-34-5	5 ug/kg	<5
1,2,3-TRICHLOROPROPANE	96-18-4	5 ug/kg	<5
TOLUENE	108-88-3	5 ug/kg	<5
VINYL CHLORIDE	75-01-4	5 ug/kg	<5
p & m-XYLENES	1330-20-7	10 ug/kg	<10
o-XYLENE	95-47-6	5 ug/kg	<5

MDL = Minimum Detection Limit.



Michael Veraldi-Laboratory Director





Client: Anson Environmental	Client ID: 131 Sunnyside Blvd., Plainview (23B1)
Date received: 9/24/03	Laboratory ID: 1022719
Date extracted: 9/25, 9/30/03	Matrix: Soil
Date analyzed: 9/25, 9/30/03	ELAP #: 11693

### METALS ANALYSIS 8 RCRA


Parameter	MDL	Results mg/kg
SILVER, Ag	1.65 mg/kg	<1.65
ARSENIC, As	1.65 mg/kg	9.51
BARIUM, Ba	3.33 mg/kg	2,066
CADMIUM, Cd	1.00 mg/kg	14.3
CHROMIUM, Cr	1.65 mg/kg	686
MERCURY, Hg	0.020 mg/kg	0.080
LEAD, Pb	1.65 mg/kg	759
SELENIUM, Se	1.65 mg/kg	<1.65

MDL = Minimum Detection Limit.

Performed by SW-846 Method 6010



Michael Veraldi-Laboratory Director



Client: Anson Environmental	Client ID: 131 Sunnyside Blvd., Plainview (23DW#1)
Date received: 9/24/03	Laboratory ID: 1022723
Date extracted: 9/24/03	Matrix: Soil
Date analyzed: 9/24/03	ELAP #: 11693

### NCDH PROTOCOL

PARAMETER	CAS No.	MDL	RESULTS ug/kg
ACETONE	67-64-1	50 ug/kg	<50
BENZENE	71-43-2	5 ug/kg	<5
n-BUTYLBENZENE	104-51-8	5 ug/kg	<5
sec-BUTYLBENZENE	135-98-8	5 ug/kg	<5
tert-BUTYLBENZENE	98-06-6	5 ug/kg	<5
BROMODICHLOROMETHANE	75-27-4	5 ug/kg	<5
BROMOFORM	75-25-2	5 ug/kg	<5
BROMOBENZENE	108-86-1	5 ug/kg	<5
2-CHLOROTOLUENE	95-49-8	5 ug/kg	<5
4-CHLOROTOLUENE	106-43-4	5 ug/kg	<5
CHLOROBENZENE	108-90-7	5 ug/kg	<5
CHLOROFORM	67-66-3	5 ug/kg	<5
CARBON TETRACHLORIDE	56-23-5	5 ug/kg	<5
o-DICHLOROBENZENE (1,2)	95-50-1	5 ug/kg	<5
m-DICHLOROBENZENE (1,3)	541-73-1	5 ug/kg	<5
p-DICHLOROBENZENE (1,4)	106-46-7	5 ug/kg	<5
1,2-DIBROMO-3-CHLOROPROPANE	96-12-8	5 ug/kg	<5
1,1-DICHLOROETHYLENE	75-35-4	5 ug/kg	<5
trans-1,2-DICHLOROETHYLENE	156-60-5	5 ug/kg	<5
1,1-DICHLOROETHANE	75-34-3	5 ug/kg	<5
cis-1,2-DICHLOROETHYLENE	159-59-2	5 ug/kg	<5
DIBROMOCHLOROMETHANE	124-48-1	5 ug/kg	<5
1,3-DICHLOROPROPANE	142-28-9	5 ug/kg	<5
1,1-DICHLOROPROPENE	563-58-6	5 ug/kg	<5
1,2-DICHLOROETHANE	107-06-02	5 ug/kg	<5
1,2-DICHLOROPROPANE	78-87-5	5 ug/kg	<5
2,2-DICHLOROPROPANE	594-20-7	5 ug/kg	<5
ETHYLBENZENE	100-414	5 ug/kg	<5

MDL = Minimum Detection Limit.




Client: Anson Environmental	Client ID: 131 Sunnyside Blvd., Plainview (23DW#1)
Date received: 9/24/03	Laboratory ID: 1022723
Date extracted: 9/24/03	Matrix: Soil
Date analyzed: 9/24/03	ELAP #: 11693

## NCDH PROTOCOL

PARAMETER	CAS No.	MDL	RESULTS ug/kg
1,2-DIBROMOETHANE	106-93-4	5 ug/kg	<5
DIBROMOMETHANE	74-95-3	5 ug/kg	<5
cis-1,3-DICHLOROPROPENE	10061-01-5	5 ug/kg	<5
trans-1,3-DICHLOROPROPENE	10061-02-6	5 ug/kg	<5
HEXACHLOROBUTADIENE	87-68-3	5 ug/kg	<5
p-ISOPROPYLTOLUENE	99-87-6	5 ug/kg	<5
ISOPROPYLBENZENE	98-82-8	5 ug/kg	<5
METHYLENE CHLORIDE	75-09-2	5 ug/kg	<5
NAPHTHALENE	91-20-3	5 ug/kg	<5
n-PROPYLBENZENE	103-65-1	5 ug/kg	<5
STYRENE	100-42-5	5 ug/kg	<5
TRICHLOROFLUOROMETHANE	75-69-4	5 ug/kg	<5
1,2,3-TRICHLOROBENZENE	87-61-6	5 ug/kg	<5
1,2,4-TRICHLOROBENZENE	120-82-1	5 ug/kg	<5
1,2,4-TRIMETHYLBENZENE	95-63-6	5 ug/kg	<5
1,3,5-TRIMETHYLBENZENE	108-67-8	5 ug/kg	<5
1,1,1-TRICHLOROETHANE	71-55-6	5 ug/kg	<5
TRICHLOROETHYLENE	79-01-6	5 ug/kg	<5
1,1,2-TRICHLOROETHANE	79-00-5	5 ug/kg	<5
TETRACHLOROETHYLENE	127-18-4	5 ug/kg	<5
1,1,1,2-TETRACHLOROETHANE	630-20-6	5 ug/kg	<5
1,1,2,2-TETRACHLOROETHANE	79-34-5	5 ug/kg	<5
1,2,3-TRICHLOROPROPANE	96-18-4	5 ug/kg	<5
TOLUENE	108-88-3	5 ug/kg	<5
VINYL CHLORIDE	75-01-4	5 ug/kg	<5
p & m-XYLENES	1330-20-7	10 ug/kg	<10
o-XYLENE	95-47-6	5 ug/kg	<5

MDL = Minimum Detection Limit.



Michael Veraldi-Laboratory Director




Client: Anson Environmental	Client ID: 131 Sunnyside Blvd., Plainview (23DW#1)
Date received: 9/24/03	Laboratory ID: 1022723
Date extracted: 9/25, 9/30/03	Matrix: Soil
Date analyzed: 9/25, 9/30/03	ELAP #: 11693

### METALS ANALYSIS 8 RCRA

Parameter	MDL	Results mg/kg
SILVER, Ag	1.65 mg/kg	<1.65
ARSENIC, As	1.65 mg/kg	2.01
BARIUM, Ba	3.33 mg/kg	8.51
CADMIUM, Cd	1.00 mg/kg	<1.00
CHROMIUM, Cr	1.65 mg/kg	47.9
MERCURY, Hg	0.020 mg/kg	<0.020
LEAD, Pb	1.65 mg/kg	7.80
SELENIUM, Se	1.65 mg/kg	<1.65

MDL = Minimum Detection Limit.

Performed by SW-846 Method 6010



Michael Veraldi-Laboratory Director



Client: Anson Environmental	Client ID: 131 Sunnyside Blvd., Plainview (23DW#2)
Date received: 9/24/03	Laboratory ID: 1022724
Date extracted: 9/25/03	Matrix: Soil
Date analyzed: 9/25/03	ELAP #: 11693

## NCDH PROTOCOL

PARAMETER	CAS No.	MDL	RESULTS ug/kg
ACETONE	67-64-1	50 ug/kg	<50
BENZENE	71-43-2	5 ug/kg	<5
n-BUTYLBENZENE	104-51-8	5 ug/kg	<5
sec-BUTYLBENZENE	135-98-8	5 ug/kg	<5
tert-BUTYLBENZENE	98-06-6	5 ug/kg	<5
BROMODICHLOROMETHANE	75-27-4	5 ug/kg	<5
BROMOFORM	75-25-2	5 ug/kg	<5
BROMOBENZENE	108-86-1	5 ug/kg	<5
2-CHLOROTOLUENE	95-49-8	5 ug/kg	<5
4-CHLOROTOLUENE	106-43-4	5 ug/kg	<5
CHLOROBENZENE	108-90-7	5 ug/kg	<5
CHLOROFORM	67-66-3	5 ug/kg	<5
CARBON TETRACHLORIDE	56-23-5	5 ug/kg	<5
o-DICHLOROBENZENE (1,2)	95-50-1	5 ug/kg	<5
m-DICHLOROBENZENE (1,3)	541-73-1	5 ug/kg	<5
p-DICHLOROBENZENE (1,4)	106-46-7	5 ug/kg	<5
1,2-DIBROMO-3-CHLOROPROPANE	96-12-8	5 ug/kg	<5
1,1-DICHLOROETHYLENE	75-35-4	5 ug/kg	<5
trans-1,2-DICHLOROETHYLENE	156-60-5	5 ug/kg	<5
1,1-DICHLOROETHANE	75-34-3	5 ug/kg	<5
cis-1,2-DICHLOROETHYLENE	159-59-2	5 ug/kg	<5
DIBROMOCHLOROMETHANE	124-48-1	5 ug/kg	<5
1,3-DICHLOROPROPANE	142-28-9	5 ug/kg	<5
1,1-DICHLOROPROPENE	563-58-6	5 ug/kg	<5
1,2-DICHLOROETHANE	107-06-02	5 ug/kg	<5
1,2-DICHLOROPROPANE	78-87-5	5 ug/kg	<5
2,2-DICHLOROPROPANE	594-20-7	5 ug/kg	<5
ETHYLBENZENE	100-414	5 ug/kg	<5

MDL = Minimum Detection Limit.




Client: Anson Environmental	Client ID: 131 Sunnyside Blvd., Plainview (23DW#2)
Date received: 9/24/03	Laboratory ID: 1022724
Date extracted: 9/25/03	Matrix: Soil
Date analyzed: 9/25/03	ELAP #: 11693


### NCDH PROTOCOL

PARAMETER	CAS No.	MDL	RESULTS ug/kg
1,2-DIBROMOETHANE	106-93-4	5 ug/kg	<5
DIBROMOMETHANE	74-95-3	5 ug/kg	<5
cis-1,3-DICHLOROPROPENE	10061-01-5	5 ug/kg	<5
trans-1,3-DICHLOROPROPENE	10061-02-6	5 ug/kg	<5
HEXACHLOROCYCLOHEPTADIENE	87-68-3	5 ug/kg	<5
p-ISOPROPYLTOLUENE	99-87-6	5 ug/kg	<5
ISOPROPYLBENZENE	98-82-8	5 ug/kg	<5
METHYLENE CHLORIDE	75-09-2	5 ug/kg	<5
NAPHTHALENE	91-20-3	5 ug/kg	<5
n-PROPYLBENZENE	103-65-1	5 ug/kg	<5
STYRENE	100-42-5	5 ug/kg	<5
TRICHLOROFLUOROMETHANE	75-69-4	5 ug/kg	<5
1,2,3-TRICHLOROBENZENE	87-61-6	5 ug/kg	<5
1,2,4-TRICHLOROBENZENE	120-82-1	5 ug/kg	<5
1,2,4-TRIMETHYLBENZENE	95-63-6	5 ug/kg	<5
1,3,5-TRIMETHYLBENZENE	108-67-8	5 ug/kg	<5
1,1,1-TRICHLOROETHANE	71-55-6	5 ug/kg	<5
TRICHLOROETHYLENE	79-01-6	5 ug/kg	<5
1,1,2-TRICHLOROETHANE	79-00-5	5 ug/kg	<5
TETRACHLOROETHYLENE	127-18-4	5 ug/kg	<5
1,1,1,2-TETRACHLOROETHANE	630-20-6	5 ug/kg	<5
1,1,2,2-TETRACHLOROETHANE	79-34-5	5 ug/kg	<5
1,2,3-TRICHLOROPROPANE	96-18-4	5 ug/kg	<5
TOLUENE	108-88-3	5 ug/kg	<5
VINYL CHLORIDE	75-01-4	5 ug/kg	<5
p & m-XYLENES	1330-20-7	10 ug/kg	<10
o-XYLENE	95-47-6	5 ug/kg	<5

MDL = Minimum Detection Limit.



Michael Veraldi-Laboratory Director



Client: Anson Environmental	Client ID: 131 Sunnyside Blvd., Plainview (23DW#2)
Date received: 9/24/03	Laboratory ID: 1022724
Date extracted: 9/25, 9/30/03	Matrix: Soil
Date analyzed: 9/25, 9/30/03	ELAP #: 11693

## METALS ANALYSIS 8 RCRA

Parameter	MDL	Results mg/kg
SILVER, Ag	1.65 mg/kg	<1.65
ARSENIC, As	1.65 mg/kg	3.41
BARIUM, Ba	3.33 mg/kg	584
CADMIUM, Cd	1.00 mg/kg	5.45
CHROMIUM, Cr	1.65 mg/kg	213
MERCURY, Hg	0.020 mg/kg	0.229
LEAD, Pb	1.65 mg/kg	397
SELENIUM, Se	1.65 mg/kg	3.41

MDL = Minimum Detection Limit.

Performed by SW-846 Method 6010



Michael Veraldi-Laboratory Director

Client: Anson Environmental	Client ID: 131 Sunnyside Blvd., Plainview (23DW#3)
Date received: 9/24/03	Laboratory ID: 1022725
Date extracted: 9/25/03	Matrix: Soil
Date analyzed: 9/25/03	ELAP #: 11693

## NCDH PROTOCOL

PARAMETER	CAS No.	MDL	RESULTS ug/kg
ACETONE	67-64-1	50 ug/kg	<50
BENZENE	71-43-2	5 ug/kg	<5
n-BUTYLBENZENE	104-51-8	5 ug/kg	<5
sec-BUTYLBENZENE	135-98-8	5 ug/kg	<5
tert-BUTYLBENZENE	98-06-6	5 ug/kg	<5
BROMODICHLOROMETHANE	75-27-4	5 ug/kg	<5
BROMOFORM	75-25-2	5 ug/kg	<5
BROMOBENZENE	108-86-1	5 ug/kg	<5
2-CHLOROTOLUENE	95-49-8	5 ug/kg	<5
4-CHLOROTOLUENE	106-43-4	5 ug/kg	<5
CHLOROBENZENE	108-90-7	5 ug/kg	<5
CHLOROFORM	67-66-3	5 ug/kg	<5
CARBON TETRACHLORIDE	56-23-5	5 ug/kg	<5
o-DICHLOROBENZENE (1,2)	95-50-1	5 ug/kg	<5
m-DICHLOROBENZENE (1,3)	541-73-1	5 ug/kg	<5
p-DICHLOROBENZENE (1,4)	106-46-7	5 ug/kg	<5
1,2-DIBROMO-3-CHLOROPROPANE	96-12-8	5 ug/kg	<5
1,1-DICHLOROETHYLENE	75-35-4	5 ug/kg	<5
trans-1,2-DICHLOROETHYLENE	156-60-5	5 ug/kg	<5
1,1-DICHLOROETHANE	75-34-3	5 ug/kg	<5
cis-1,2-DICHLOROETHYLENE	159-59-2	5 ug/kg	<5
DIBROMOCHLOROMETHANE	124-48-1	5 ug/kg	<5
1,3-DICHLOROPROPANE	142-28-9	5 ug/kg	<5
1,1-DICHLOROPROPENE	563-58-6	5 ug/kg	<5
1,2-DICHLOROETHANE	107-06-02	5 ug/kg	<5
1,2-DICHLOROPROPANE	78-87-5	5 ug/kg	<5
2,2-DICHLOROPROPANE	594-20-7	5 ug/kg	<5
ETHYLBENZENE	100-414	5 ug/kg	<5

MDL = Minimum Detection Limit.





Client: Anson Environmental	Client ID: 131 Sunnyside Blvd., Plainview (23DW#3)
Date received: 9/24/03	Laboratory ID: 1022725
Date extracted: 9/25/03	Matrix: Soil
Date analyzed: 9/25/03	ELAP #: 11693

## NCDH PROTOCOL

PARAMETER	CAS No.	MDL	RESULTS ug/kg
1,2-DIBROMOETHANE	106-93-4	5 ug/kg	<5
DIBROMOMETHANE	74-95-3	5 ug/kg	<5
cis-1,3-DICHLOROPROPENE	10061-01-5	5 ug/kg	<5
trans-1,3-DICHLOROPROPENE	10061-02-6	5 ug/kg	<5
HEXACHLOROBUTADIENE	87-68-3	5 ug/kg	<5
p-ISOPROPYLTOLUENE	99-87-6	5 ug/kg	<5
ISOPROPYLBENZENE	98-82-8	5 ug/kg	<5
METHYLENE CHLORIDE	75-09-2	5 ug/kg	<5
NAPHTHALENE	91-20-3	5 ug/kg	<5
n-PROPYLBENZENE	103-65-1	5 ug/kg	<5
STYRENE	100-42-5	5 ug/kg	<5
TRICHLOROFLUOROMETHANE	75-69-4	5 ug/kg	<5
1,2,3-TRICHLOROBENZENE	87-61-6	5 ug/kg	<5
1,2,4-TRICHLOROBENZENE	120-82-1	5 ug/kg	<5
1,2,4-TRIMETHYLBENZENE	95-63-6	5 ug/kg	<5
1,3,5-TRIMETHYLBENZENE	108-67-8	5 ug/kg	<5
1,1,1-TRICHLOROETHANE	71-55-6	5 ug/kg	<5
TRICHLOROETHYLENE	79-01-6	5 ug/kg	<5
1,1,2-TRICHLOROETHANE	79-00-5	5 ug/kg	<5
TETRACHLOROETHYLENE	127-18-4	5 ug/kg	<5
1,1,1,2-TETRACHLOROETHANE	630-20-6	5 ug/kg	<5
1,1,2,2-TETRACHLOROETHANE	79-34-5	5 ug/kg	<5
1,2,3-TRICHLOROPROPANE	96-18-4	5 ug/kg	<5
TOLUENE	108-88-3	5 ug/kg	<5
VINYL CHLORIDE	75-01-4	5 ug/kg	<5
p & m-XYLENES	1330-20-7	10 ug/kg	<10
o-XYLENE	95-47-6	5 ug/kg	<5

MDL = Minimum Detection Limit.



Michael Veraldi-Laboratory Director



Client: Anson Environmental	Client ID: 131 Sunnyside Blvd., Plainview (23DW#3)
Date received: 9/24/03	Laboratory ID: 1022725
Date extracted: 9/25, 9/30/03	Matrix: Soil
Date analyzed: 9/25, 9/30/03	ELAP #: 11693

### METALS ANALYSIS 8 RCRA

Parameter	MDL	Results mg/kg
SILVER, Ag	1.65 mg/kg	<1.65
ARSENIC, As	1.65 mg/kg	<1.65
BARIUM, Ba	3.33 mg/kg	11.0
CADMIUM, Cd	1.00 mg/kg	<1.00
CHROMIUM, Cr	1.65 mg/kg	26.5
MERCURY, Hg	0.020 mg/kg	<0.020
LEAD, Pb	1.65 mg/kg	12.7
SELENIUM, Se	1.65 mg/kg	<1.65

MDL = Minimum Detection Limit.

Performed by SW-846 Method 6010



Michael Veraldi-Laboratory Director

Client: Anson Environmental	Client ID: 131 Sunnyside Blvd., Plainview (23DW#4)
Date received: 9/24/03	Laboratory ID: 1022726
Date extracted: 9/25/03	Matrix: Soil
Date analyzed: 9/25/03	ELAP #: 11693

### NCDH PROTOCOL

PARAMETER	CAS No.	MDL	RESULTS ug/kg
ACETONE	67-64-1	50 ug/kg	<50
BENZENE	71-43-2	5 ug/kg	<5
n-BUTYLBENZENE	104-51-8	5 ug/kg	<5
sec-BUTYLBENZENE	135-98-8	5 ug/kg	<5
tert-BUTYLBENZENE	98-06-6	5 ug/kg	<5
BROMODICHLOROMETHANE	75-27-4	5 ug/kg	<5
BROMOFORM	75-25-2	5 ug/kg	<5
BROMOBENZENE	108-86-1	5 ug/kg	<5
2-CHLOROTOLUENE	95-49-8	5 ug/kg	<5
4-CHLOROTOLUENE	106-43-4	5 ug/kg	<5
CHLOROBENZENE	108-90-7	5 ug/kg	<5
CHLOROFORM	67-66-3	5 ug/kg	<5
CARBON TETRACHLORIDE	56-23-5	5 ug/kg	<5
o-DICHLOROBENZENE (1,2)	95-50-1	5 ug/kg	<5
m-DICHLOROBENZENE (1,3)	541-73-1	5 ug/kg	<5
p-DICHLOROBENZENE (1,4)	106-46-7	5 ug/kg	<5
1,2-DIBROMO-3-CHLOROPROPANE	96-12-8	5 ug/kg	<5
1,1-DICHLOROETHYLENE	75-35-4	5 ug/kg	<5
trans-1,2-DICHLOROETHYLENE	156-60-5	5 ug/kg	<5
1,1-DICHLOROETHANE	75-34-3	5 ug/kg	<5
cis-1,2-DICHLOROETHYLENE	159-59-2	5 ug/kg	<5
DIBROMOCHLOROMETHANE	124-48-1	5 ug/kg	<5
1,3-DICHLOROPROPANE	142-28-9	5 ug/kg	<5
1,1-DICHLOROPROPENE	563-58-6	5 ug/kg	<5
1,2-DICHLOROETHANE	107-06-02	5 ug/kg	<5
1,2-DICHLOROPROPANE	78-87-5	5 ug/kg	<5
2,2-DICHLOROPROPANE	594-20-7	5 ug/kg	<5
ETHYLBENZENE	100-414	5 ug/kg	<5

MDL = Minimum Detection Limit.



Client: Anson Environmental	Client ID: 131 Sunnyside Blvd., Plainview (23DW#4)
Date received: 9/24/03	Laboratory ID: 1022726
Date extracted: 9/25/03	Matrix: Soil
Date analyzed: 9/25/03	ELAP #: 11693

### NCDH PROTOCOL

PARAMETER	CAS No.	MDL	RESULTS ug/kg
1,2-DIBROMOETHANE	106-93-4	5 ug/kg	<5
DIBROMOMETHANE	74-95-3	5 ug/kg	<5
cis-1,3-DICHLOROPROPENE	10061-01-5	5 ug/kg	<5
trans-1,3-DICHLOROPROPENE	10061-02-6	5 ug/kg	<5
HEXACHLOROCYCLOHEPTADIENE	87-68-3	5 ug/kg	<5
p-ISOPROPYLTOLUENE	99-87-6	5 ug/kg	<5
ISOPROPYLBENZENE	98-82-8	5 ug/kg	<5
METHYLENE CHLORIDE	75-09-2	5 ug/kg	<5
NAPHTHALENE	91-20-3	5 ug/kg	<5
n-PROPYLBENZENE	103-65-1	5 ug/kg	<5
STYRENE	100-42-5	5 ug/kg	<5
TRICHLOROFLUOROMETHANE	75-69-4	5 ug/kg	<5
1,2,3-TRICHLOROBENZENE	87-61-6	5 ug/kg	<5
1,2,4-TRICHLOROBENZENE	120-82-1	5 ug/kg	<5
1,2,4-TRIMETHYLBENZENE	95-63-6	5 ug/kg	<5
1,3,5-TRIMETHYLBENZENE	108-67-8	5 ug/kg	<5
1,1,1-TRICHLOROETHANE	71-55-6	5 ug/kg	<5
TRICHLOROETHYLENE	79-01-6	5 ug/kg	<5
1,1,2-TRICHLOROETHANE	79-00-5	5 ug/kg	<5
TETRACHLOROETHYLENE	127-18-4	5 ug/kg	<5
1,1,1,2-TETRACHLOROETHANE	630-20-6	5 ug/kg	<5
1,1,2,2-TETRACHLOROETHANE	79-34-5	5 ug/kg	<5
1,2,3-TRICHLOROPROPANE	96-18-4	5 ug/kg	<5
TOLUENE	108-88-3	5 ug/kg	<5
VINYL CHLORIDE	75-01-4	5 ug/kg	<5
p & m-XYLENES	1330-20-7	10 ug/kg	<10
o-XYLENE	95-47-6	5 ug/kg	<5

MDL = Minimum Detection Limit.



Michael Veraldi-Laboratory Director



Client: Anson Environmental	Client ID: 131 Sunnyside Blvd., Plainview (23DW#4)
Date received: 9/24/03	Laboratory ID: 1022726
Date extracted: 9/25, 9/30/03	Matrix: Soil
Date analyzed: 9/25, 9/30/03	ELAP #: 11693

### METALS ANALYSIS 8 RCRA


Parameter	MDL	Results mg/kg
SILVER, Ag	1.65 mg/kg	<1.65
ARSENIC, As	1.65 mg/kg	<1.65
BARIUM, Ba	3.33 mg/kg	22.5
CADMIUM, Cd	1.00 mg/kg	<1.00
CHROMIUM, Cr	1.65 mg/kg	10.4
MERCURY, Hg	0.020 mg/kg	<0.020
LEAD, Pb	1.65 mg/kg	5.59
SELENIUM, Se	1.65 mg/kg	<1.65

MDL = Minimum Detection Limit.

Performed by SW-846 Method 6010



Michael Veraldi-Laboratory Director



## CHAIN OF CUSTODY / REQUEST FOR ANALYSIS DOCUMENT

CLIENT NAME/ADDRESS  
 Anso Environmental Ltd  
 771 New York Ave  
 Huntington NY 11743  
 PROJECT LOCATION:  
 131 Sunnyvale Blvd, Plainville

CONTACT: D. Anso  
 PHONE: 351-3553  
 FAX: 351-3615

SAMPLER (SIGNATURE) [Signature] DATE 9/21/03 TIME  
 SAMPLER NAME (PRINT) Matt Schiefstein DATE 9/21/03 TIME

SAMPLE(S) SEALED YES / NO  
 CORRECT CONTAINER(S) YES / NO

L 0004307  
  
 \*0004307\*

TERMS & CONDITIONS: Accounts are payable in full within thirty days, outstanding balances accrue service charges of 1.5% per month.

LABORATORY ID # <small>For Laboratory Use Only</small>	MATRIX	TYPE	PRES.	SAMPLE # - LOCATION	ANALYSIS REQUIRED											# OF CONTAINERS								
					<div style="writing-mode: vertical-rl; transform: rotate(180deg);">                     MC 23450                      MC Metals                 </div>																			
1. 1022719	S	G	Ice	23B1	X	X																	2	
2. 1022720	S	G	Ice	23B2	X	X																		2
3. 1022721	S	G	Ice	23B3	X	X																		2
4. 1022722	S	G	Ice	23B4	X	X																		2
5. 1022723	S	G	Ice	23 DW#1	X	X																		2
6. 1022724	S	G	Ice	23 DW#2	X	X																		2
7. 1022725	S	G	Ice	23 DW#3	X	X																		2
8. 1022726	S	G	Ice	23 DW#4	X	X																		2
9.					X	X																		2
10.																								
11.																								
12.																								
13.																								
14.																								

MATRIX S=SOIL; L=LIQUID; SL=SLUDGE; A=AIR; W=WIPE; P=PAINT CHIPS; B=BULK RIAL  
 TYPE G=GRAB; C=COMPOSITE, SS=SPLIT SPOON PRES ICE, HCL, H<sub>2</sub>SO<sub>4</sub>, NAOH

TURNAROUND REQUIRED:  
 NORMAL  STAT  BY 1 / 1

COMMENTS / INSTRUCTIONS  
 NASSAU COUNTY LISTS

RELINQUISHED BY (SIGNATURE) [Signature]

DATE 7/23/03  
 TIME 1:25

PRINTED NAME Matt Schiefstein

RECEIVED BY LAB (SIGNATURE) [Signature]

DATE 9/21/03  
 TIME 11:50

PRINTED NAME

RELINQUISHED BY (SIGNATURE)

DATE  
 TIME

PRINTED NAME

RECEIVED BY SAMPLE CUSTODIAN [Signature]

DATE 9/24  
 TIME 7:35

PRINTED NAME

Client: Anson Environmental	Client ID: 131 Sunnyside Blvd., Plainview (23DW#1)
Date received: 9/24/03	Laboratory ID: 1022723
Date extracted: 9/24/03	Matrix: Soil
Date analyzed: 9/24/03	ELAP #: 11693

## NCDH PROTOCOL

PARAMETER	CAS No.	MDL	RESULTS ug/kg
ACETONE	67-64-1	50 ug/kg	<50
BENZENE	71-43-2	5 ug/kg	<5
n-BUTYLBENZENE	104-51-8	5 ug/kg	<5
sec-BUTYLBENZENE	135-98-8	5 ug/kg	<5
tert-BUTYLBENZENE	98-06-6	5 ug/kg	<5
BROMODICHLOROMETHANE	75-27-4	5 ug/kg	<5
BROMOFORM	75-25-2	5 ug/kg	<5
BROMOBENZENE	108-86-1	5 ug/kg	<5
2-CHLOROTOLUENE	95-49-8	5 ug/kg	<5
4-CHLOROTOLUENE	106-43-4	5 ug/kg	<5
CHLOROBENZENE	108-90-7	5 ug/kg	<5
CHLOROFORM	67-66-3	5 ug/kg	<5
CARBON TETRACHLORIDE	56-23-5	5 ug/kg	<5
o-DICHLOROBENZENE (1,2)	95-50-1	5 ug/kg	<5
m-DICHLOROBENZENE (1,3)	541-73-1	5 ug/kg	<5
p-DICHLOROBENZENE (1,4)	106-46-7	5 ug/kg	<5
1,2-DIBROMO-3-CHLOROPROPANE	96-12-8	5 ug/kg	<5
1,1-DICHLOROETHYLENE	75-35-4	5 ug/kg	<5
trans-1,2-DICHLOROETHYLENE	156-60-5	5 ug/kg	<5
1,1-DICHLOROETHANE	75-34-3	5 ug/kg	<5
cis-1,2-DICHLOROETHYLENE	159-59-2	5 ug/kg	<5
DIBROMOCHLOROMETHANE	124-48-1	5 ug/kg	<5
1,3-DICHLOROPROPANE	142-28-9	5 ug/kg	<5
1,1-DICHLOROPROPENE	563-58-6	5 ug/kg	<5
1,2-DICHLOROETHANE	107-06-02	5 ug/kg	<5
1,2-DICHLOROPROPANE	78-87-5	5 ug/kg	<5
2,2-DICHLOROPROPANE	594-20-7	5 ug/kg	<5
ETHYLBENZENE	100-414	5 ug/kg	<5

MDL = Minimum Detection Limit.



LONG  
ISLAND  
ANALYTICAL  
LABORATORIES INC.

101-4 Colin Drive • Holbrook, New York 11741


Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: Anson Environmental	Client ID: 131 Sunnyside Blvd., Plainview (23DW#1)
Date received: 9/24/03	Laboratory ID: 1022723
Date extracted: 9/24/03	Matrix: Soil
Date analyzed: 9/24/03	ELAP #: 11693

## NCDH PROTOCOL

PARAMETER	CAS No.	MDL	RESULTS ug/kg
1,2-DIBROMOETHANE	106-93-4	5 ug/kg	<5
DIBROMOMETHANE	74-95-3	5 ug/kg	<5
cis-1,3-DICHLOROPROPENE	10061-01-5	5 ug/kg	<5
trans-1,3-DICHLOROPROPENE	10061-02-6	5 ug/kg	<5
HEXACHLOROCYCLOHEPTADIENE	87-68-3	5 ug/kg	<5
p-ISOPROPYLTOLUENE	99-87-6	5 ug/kg	<5
ISOPROPYLBENZENE	98-82-8	5 ug/kg	<5
METHYLENE CHLORIDE	75-09-2	5 ug/kg	<5
NAPHTHALENE	91-20-3	5 ug/kg	<5
n-PROPYLBENZENE	103-65-1	5 ug/kg	<5
STYRENE	100-42-5	5 ug/kg	<5
TRICHLOROFLUOROMETHANE	75-69-4	5 ug/kg	<5
1,2,3-TRICHLOROBENZENE	87-61-6	5 ug/kg	<5
1,2,4-TRICHLOROBENZENE	120-82-1	5 ug/kg	<5
1,2,4-TRIMETHYLBENZENE	95-63-6	5 ug/kg	<5
1,3,5-TRIMETHYLBENZENE	108-67-8	5 ug/kg	<5
1,1,1-TRICHLOROETHANE	71-55-6	5 ug/kg	<5
TRICHLOROETHYLENE	79-01-6	5 ug/kg	<5
1,1,2-TRICHLOROETHANE	79-00-5	5 ug/kg	<5
TETRACHLOROETHYLENE	127-18-4	5 ug/kg	<5
1,1,1,2-TETRACHLOROETHANE	630-20-6	5 ug/kg	<5
1,1,2,2-TETRACHLOROETHANE	79-34-5	5 ug/kg	<5
1,2,3-TRICHLOROPROPANE	96-18-4	5 ug/kg	<5
TOLUENE	108-88-3	5 ug/kg	<5
VINYL CHLORIDE	75-01-4	5 ug/kg	<5
p & m-XYLENES	1330-20-7	10 ug/kg	<10
o-XYLENE	95-47-6	5 ug/kg	<5

MDL = Minimum Detection Limit.



Michael Veraldi-Laboratory Director



LIAL  
ANALYTICAL  
LABORATORIES INC.

101-4 Colin Drive • Holbrook, New York 11741

Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com



Client: Anson Environmental	Client ID: 131 Sunnyside Blvd., Plainview (23DW#1)
Date received: 9/24/03	Laboratory ID: 1022723
Date extracted: 9/25, 9/30/03	Matrix: Soil
Date analyzed: 9/25, 9/30/03	ELAP #: 11693

## METALS ANALYSIS 8 RCRA

Parameter	MDL	Results mg/kg
SILVER, Ag	1.65 mg/kg	<1.65
ARSENIC, As	1.65 mg/kg	2.01
BARIUM, Ba	3.33 mg/kg	8.51
CADMIUM, Cd	1.00 mg/kg	<1.00
CHROMIUM, Cr	1.65 mg/kg	47.9
MERCURY, Hg	0.020 mg/kg	<0.020
LEAD, Pb	1.65 mg/kg	7.80
SELENIUM, Se	1.65 mg/kg	<1.65

MDL = Minimum Detection Limit.

Performed by SW-846 Method 6010



Michael Veraldi-Laboratory Director



LONG  
ISLAND  
ANALYTICAL  
LABORATORIES INC.

101-4 Colin Drive • Holbrook, New York 11741

EMERGES ANALYTICAL SOLUTIONS TODAY™

Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: Anson	Client ID: 131 Sunnyside Blvd., 03150 (DW-1)
Date received: 10/30/03	Laboratory ID: 1025650
Date extracted: 11/4/03	Matrix: Soil
Date analyzed: 11/4/03	ELAP #: 11693

### EPA METHOD 8270(BN)

Parameter	CAS No.	MDL	Results ug/kg
Bis(2-CHLOROETHYL)ETHER	111-44-4	40 ug/kg	<80
1,3-DICHLOROBENZENE	541-73-1	40 ug/kg	<80
1,4-DICHLOROBENZENE	106-46-7	40 ug/kg	<80
1,2-DICHLOROBENZENE	95-50-1	40 ug/kg	<80
Bis(2-CHLOROISOPROPYL)ETHER	108-60-1	40 ug/kg	<80
HEXACHLOROETHANE	67-72-1	40 ug/kg	<80
N-NITROSODI-n-PROPYL AMINE	621-64-7	40 ug/kg	<80
NITROBENZENE	98-95-3	40 ug/kg	<80
ISOPHORONE	78-59-1	40 ug/kg	<80
Bis(2-CHLOROETHOXY)METHANE	111-91-1	40 ug/kg	<80
1,2,4-TRICHLOROBENZENE	120-82-1	40 ug/kg	<80
NAPHTHALENE	91-20-3	40 ug/kg	<80
HEXACHLOROBUTADIENE	87-68-3	40 ug/kg	<80
HEXACHLOROCYCLOPENTADIENE	77-47-4	40 ug/kg	<80
2-CHLORONAPHTHALENE	91-58-7	40 ug/kg	<80
ACENAPHTHYLENE	208-96-8	40 ug/kg	<80
DIMETHYLPHTHALATE	131-11-3	40 ug/kg	<80
2,6-DINITROTOLUENE	606-20-2	40 ug/kg	<80
ACENAPHTHENE	83-32-9	40 ug/kg	<80
2,4-DINTROTOLUENE	121-14-2	40 ug/kg	<80
FLUORENE	86-73-7	40 ug/kg	<80
4-CHLOROPHENYL PHENYL ETHER	7005-72-3	40 ug/kg	<80

MDL = Minimum Detection Limit.

Note: MDL's are raised due to matrix interference.



LONG  
ISLAND  
ANALYTICAL  
LABORATORIES, INC.

101-4 Colin Drive • Holbrook, New York 11741

Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: Anson	Client ID: 131 Sunnyside Blvd., 03150 (DW-1)
Date received: 10/30/03	Laboratory ID: 1025650
Date extracted: 11/4/03	Matrix: Soil
Date analyzed: 11/4/03	ELAP #: 11693

### EPA METHOD 8270(BN)

Parameter	CAS No.	MDL	Results ug/kg
DIETHYLPHTHALATE	84-66-2	40 ug/kg	<80
4-BROMOPHENYL-PHENYL ETHER	101-55-3	40 ug/kg	<80
HEXACHLOROBENZENE	118-74-1	40 ug/kg	<80
PHENANTHRENE	85-01-8	40 ug/kg	665
ANTHRACENE	120-12-7	40 ug/kg	<80
Di-n-BUTYLPHTHALATE	84-74-2	500 ug/kg	<500
FLUORANTHENE	206-44-0	40 ug/kg	1,300
PYRENE	129-00-0	40 ug/kg	1,040
BUTYLBENZYLPHTHALATE	85-68-7	40 ug/kg	<80
3,3-DICHLOROBENZIDINE	91-94-1	40 ug/kg	<80
BENZO-a-ANTHRACENE	56-55-3	40 ug/kg	348
CHRYSENE	218-01-9	40 ug/kg	697
Bis(2-ETHYLEXYL)PHTALATE	117-81-7	500 ug/kg	<500
DI-n-OCTYLPHTHALATE	117-84-0	40 ug/kg	<80
BENZO-b-FLUOROANTHENE	205-99-2	40 ug/kg	813
BENZO-k- FLUOROANTHENE	207-08-9	40 ug/kg	260
BENZO-a-PYRENE	50-32-8	40 ug/kg	480
INDENO(1,2,3-c,d)PYRENE	193-39-5	40 ug/kg	516
DIBENZO-a,h-ANTHRACENE	53-70-3	40 ug/kg	89
BENZO-g,h,i-PERYLENE	191-24-2	40 ug/kg	535

MDL = Minimum Detection Limit.

Note: MDL's are raised due to matrix interference.

*Michael Veraldi*

Michael Veraldi-Laboratory Director



LONG  
ISLAND  
ANALYTICAL  
LABORATORIES, INC.

101-4 Colin Drive • Holbrook, New York 11741

Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com


Client: Anson	Client ID: 131 Sunnyside Blvd., 03150 (DW-1)
Date received: 10/30/03	Laboratory ID: 1025650
Date extracted: 11/3, 11/4/03	Matrix: Soil
Date analyzed: 11/3, 11/4/03	ELAP #: 11693

### METALS ANALYSIS

Parameter	MDL	Results mg/kg
SILVER, Ag	1.65 mg/kg	<1.65
ARSENIC, As	1.65 mg/kg	<1.65
BARIUM, Ba	3.33 mg/kg	3.60
CADMIUM, Cd	1.00 mg/kg	<1.00
CHROMIUM, Cr	1.65 mg/kg	4.16
MERCURY, Hg	0.020 mg/kg	<0.020
LEAD, Pb	1.65 mg/kg	2.07
SELENIUM, Se	1.65 mg/kg	<1.65

MDL = Minimum Detection Limit.

Analysis by SW-846 Method 6010



Michael Veraldi-Laboratory Director

Client: Anson Environmental	Client ID: 131 Sunnyside Blvd., Plainview (DW #1)
Date received: 1/7/04	Laboratory ID: 1030256
Date extracted: 1/8/04	Matrix: Soil
Date analyzed: 1/8/04	ELAP #: 11693

### EPA METHOD 8270(BN)

Parameter	CAS No.	MDL	Results ug/kg
Bis(2-CHLOROETHYL)ETHER	111-44-4	40 ug/kg	<80
1,3-DICHLOROBENZENE	541-73-1	40 ug/kg	<80
1,4-DICHLOROBENZENE	106-46-7	40 ug/kg	119
1,2-DICHLOROBENZENE	95-50-1	40 ug/kg	<80
Bis(2-CHLOROISOPROPYL)ETHER	108-60-1	40 ug/kg	<80
HEXACHLOROETHANE	67-72-1	40 ug/kg	<80
N-NITROSODI-n-PROPYL AMINE	621-64-7	40 ug/kg	<80
NITROBENZENE	98-95-3	40 ug/kg	<80
ISOPHORONE	78-59-1	40 ug/kg	<80
Bis(2-CHLOROETHOXY)METHANE	111-91-1	40 ug/kg	<80
1,2,4-TRICHLOROBENZENE	120-82-1	40 ug/kg	<80
NAPHTHALENE	91-20-3	40 ug/kg	<80
HEXACHLOROBUTADIENE	87-68-3	40 ug/kg	<80
HEXACHLOROCYCLOPENTADIENE	77-47-4	40 ug/kg	<80
2-CHLORONAPHTHALENE	91-58-7	40 ug/kg	<80
ACENAPHTHYLENE	208-96-8	40 ug/kg	<80
DIMETHYLPHTHALATE	131-11-3	40 ug/kg	<80
2,6-DINITROTOLUENE	606-20-2	40 ug/kg	<80
ACENAPHTHENE	83-32-9	40 ug/kg	<80
2,4-DINTROTOLUENE	121-14-2	40 ug/kg	<80
FLUORENE	86-73-7	40 ug/kg	<80
4-CHLOROPHENYL PHENYL ETHER	7005-72-3	40 ug/kg	<80

MDL = Minimum Detection Limit.

Note: MDL's are raised due to matrix interference.


Client: Anson Environmental	Client ID: 131 Sunnyside Blvd., Plainview (DW #1)
Date received: 1/7/04	Laboratory ID: 1030256
Date extracted: 1/8/04	Matrix: Soil
Date analyzed: 1/8/04	ELAP #: 11693

### EPA METHOD 8270(BN)

Parameter	CAS No.	MDL	Results ug/kg
DIETHYLPHthalate	84-66-2	40 ug/kg	<80
4-BROMOPHENYL-PHENYL ETHER	101-55-3	40 ug/kg	<80
HEXACHLORO BENZENE	118-74-1	40 ug/kg	<80
PHENANTHRENE	85-01-8	40 ug/kg	<80
ANTHRACENE	120-12-7	40 ug/kg	<80
Di-n-BUTYLPHthalate	84-74-2	500 ug/kg	<500
FLUORANTHENE	206-44-0	40 ug/kg	<80
PYRENE	129-00-0	40 ug/kg	<80
BUTYLBENZYLPHthalate	85-68-7	40 ug/kg	<80
3,3-DICHLOROBENZIDINE	91-94-1	40 ug/kg	<80
BENZO-a-ANTHRACENE	56-55-3	40 ug/kg	<80
CHRYSENE	218-01-9	40 ug/kg	<80
Bis(2-ETHYLEXYL)PHTALATE	117-81-7	500 ug/kg	<500
DI-n-OCTYLPHthalate	117-84-0	40 ug/kg	<80
BENZO-b-FLUOROANTHENE	205-99-2	40 ug/kg	<80
BENZO-k- FLUOROANTHENE	207-08-9	40 ug/kg	<80
BENZO-a-PYRENE	50-32-8	40 ug/kg	<80
INDENO(1,2,3-c,d)PYRENE	193-39-5	40 ug/kg	<80
DIBENZO-a,h-ANTHRACENE	53-70-3	40 ug/kg	<80
BENZO-g,h,i-PERYLENE	191-24-2	40 ug/kg	<80

MDL = Minimum Detection Limit.

Note: MDL's are raised due to matrix interference.



Michael Veraldi-Laboratory Director

Client: Anson Environmental	Client ID: 131 Sunnyside Blvd., Plainview (23DW#2)
Date received: 9/24/03	Laboratory ID: 1022724
Date extracted: 9/25/03	Matrix: Soil
Date analyzed: 9/25/03	ELAP #: 11693

### NCDH PROTOCOL

PARAMETER	CAS No.	MDL	RESULTS ug/kg
ACETONE	67-64-1	50 ug/kg	<50
BENZENE	71-43-2	5 ug/kg	<5
n-BUTYLBENZENE	104-51-8	5 ug/kg	<5
sec-BUTYLBENZENE	135-98-8	5 ug/kg	<5
tert-BUTYLBENZENE	98-06-6	5 ug/kg	<5
BROMODICHLOROMETHANE	75-27-4	5 ug/kg	<5
BROMOFORM	75-25-2	5 ug/kg	<5
BROMOBENZENE	108-86-1	5 ug/kg	<5
2-CHLOROTOLUENE	95-49-8	5 ug/kg	<5
4-CHLOROTOLUENE	106-43-4	5 ug/kg	<5
CHLOROBENZENE	108-90-7	5 ug/kg	<5
CHLOROFORM	67-66-3	5 ug/kg	<5
CARBON TETRACHLORIDE	56-23-5	5 ug/kg	<5
o-DICHLOROBENZENE (1,2)	95-50-1	5 ug/kg	<5
m-DICHLOROBENZENE (1,3)	541-73-1	5 ug/kg	<5
p-DICHLOROBENZENE (1,4)	106-46-7	5 ug/kg	<5
1,2-DIBROMO-3-CHLOROPROPANE	96-12-8	5 ug/kg	<5
1,1-DICHLOROETHYLENE	75-35-4	5 ug/kg	<5
trans-1,2-DICHLOROETHYLENE	156-60-5	5 ug/kg	<5
1,1-DICHLOROETHANE	75-34-3	5 ug/kg	<5
cis-1,2-DICHLOROETHYLENE	159-59-2	5 ug/kg	<5
DIBROMOCHLOROMETHANE	124-48-1	5 ug/kg	<5
1,3-DICHLOROPROPANE	142-28-9	5 ug/kg	<5
1,1-DICHLOROPROPENE	563-58-6	5 ug/kg	<5
1,2-DICHLOROETHANE	107-06-02	5 ug/kg	<5
1,2-DICHLOROPROPANE	78-87-5	5 ug/kg	<5
2,2-DICHLOROPROPANE	594-20-7	5 ug/kg	<5
ETHYLBENZENE	100-414	5 ug/kg	<5

MDL = Minimum Detection Limit.



LOND  
ISLAND  
ANALYTICAL  
LABORATORIES INC.

101-4 Colin Drive • Holbrook, New York 11741


Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: Anson Environmental	Client ID: 131 Sunnyside Blvd., Plainview (23DW#2)
Date received: 9/24/03	Laboratory ID: 1022724
Date extracted: 9/25/03	Matrix: Soil
Date analyzed: 9/25/03	ELAP #: 11693

### NCDH PROTOCOL

PARAMETER	CAS No.	MDL	RESULTS ug/kg
1,2-DIBROMOETHANE	106-93-4	5 ug/kg	<5
DIBROMOMETHANE	74-95-3	5 ug/kg	<5
cis-1,3-DICHLOROPROPENE	10061-01-5	5 ug/kg	<5
trans-1,3-DICHLOROPROPENE	10061-02-6	5 ug/kg	<5
HEXACHLOROBUTADIENE	87-68-3	5 ug/kg	<5
p-ISOPROPYLTOLUENE	99-87-6	5 ug/kg	<5
ISOPROPYLBENZENE	98-82-8	5 ug/kg	<5
METHYLENE CHLORIDE	75-09-2	5 ug/kg	<5
NAPHTHALENE	91-20-3	5 ug/kg	<5
n-PROPYLBENZENE	103-65-1	5 ug/kg	<5
STYRENE	100-42-5	5 ug/kg	<5
TRICHLOROFLUOROMETHANE	75-69-4	5 ug/kg	<5
1,2,3-TRICHLOROBENZENE	87-61-6	5 ug/kg	<5
1,2,4-TRICHLOROBENZENE	120-82-1	5 ug/kg	<5
1,2,4-TRIMETHYLBENZENE	95-63-6	5 ug/kg	<5
1,3,5-TRIMETHYLBENZENE	108-67-8	5 ug/kg	<5
1,1,1-TRICHLOROETHANE	71-55-6	5 ug/kg	<5
TRICHLOROETHYLENE	79-01-6	5 ug/kg	<5
1,1,2-TRICHLOROETHANE	79-00-5	5 ug/kg	<5
TETRACHLOROETHYLENE	127-18-4	5 ug/kg	<5
1,1,1,2-TETRACHLOROETHANE	630-20-6	5 ug/kg	<5
1,1,2,2-TETRACHLOROETHANE	79-34-5	5 ug/kg	<5
1,2,3-TRICHLOROPROPANE	96-18-4	5 ug/kg	<5
TOLUENE	108-88-3	5 ug/kg	<5
VINYL CHLORIDE	75-01-4	5 ug/kg	<5
p & m-XYLENES	1330-20-7	10 ug/kg	<10
o-XYLENE	95-47-6	5 ug/kg	<5

MDL = Minimum Detection Limit.



Michael Veraldi-Laboratory Director



LIAL  
INC.  
ISLAND  
ANALYTICAL  
LABORATORIES INC.

101-4 Colin Drive • Holbrook, New York 11741

Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com



Client: Anson Environmental	Client ID: 131 Sunnyside Blvd., Plainview (23DW#2)
Date received: 9/24/03	Laboratory ID: 1022724
Date extracted: 9/25, 9/30/03	Matrix: Soil
Date analyzed: 9/25, 9/30/03	ELAP #: 11693

### METALS ANALYSIS 8 RCRA

Parameter	MDL	Results mg/kg
SILVER, Ag	1.65 mg/kg	<1.65
ARSENIC, As	1.65 mg/kg	3.41
BARIUM, Ba	3.33 mg/kg	584
CADMIUM, Cd	1.00 mg/kg	5.45
CHROMIUM, Cr	1.65 mg/kg	213
MERCURY, Hg	0.020 mg/kg	0.229
LEAD, Pb	1.65 mg/kg	397
SELENIUM, Se	1.65 mg/kg	3.41

MDL = Minimum Detection Limit.

Performed by SW-846 Method 6010



Michael Veraldi-Laboratory Director



101-4 Colin Drive • Holbrook, New York 11741

Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: Anson	Client ID: 131 Sunnyside Blvd., 03150 (DW-2)
Date received: 10/29/03	Laboratory ID: 1025523
Date extracted: 11/3/03	Matrix: Soil
Date analyzed: 11/3/03	ELAP #: 11693

### EPA METHOD 8270(BN)

Parameter	CAS No.	MDL	Results ug/kg
Bis(2-CHLOROETHYL)ETHER	111-44-4	40 ug/kg	<80
1,3-DICHLOROBENZENE	541-73-1	40 ug/kg	<80
1,4-DICHLOROBENZENE	106-46-7	40 ug/kg	<80
1,2-DICHLOROBENZENE	95-50-1	40 ug/kg	<80
Bis(2-CHLOROISOPROPYL)ETHER	108-60-1	40 ug/kg	<80
HEXACHLOROETHANE	67-72-1	40 ug/kg	<80
N-NITROSODI-n-PROPYL AMINE	621-64-7	40 ug/kg	<80
NITROBENZENE	98-95-3	40 ug/kg	<80
ISOPHORONE	78-59-1	40 ug/kg	<80
Bis(2-CHLOROETHOXY)METHANE	111-91-1	40 ug/kg	<80
1,2,4-TRICHLOROBENZENE	120-82-1	40 ug/kg	<80
NAPHTHALENE	91-20-3	40 ug/kg	<80
HEXACHLOROBUTADIENE	87-68-3	40 ug/kg	<80
HEXACHLOROCYCLOPENTADIENE	77-47-4	40 ug/kg	<80
2-CHLORONAPHTHALENE	91-58-7	40 ug/kg	<80
ACENAPHTHYLENE	208-96-8	40 ug/kg	<80
DIMETHYLPHTHALATE	131-11-3	40 ug/kg	<80
2,6-DINITROTOLUENE	606-20-2	40 ug/kg	<80
ACENAPHTHENE	83-32-9	40 ug/kg	129
2,4-DINTROTOLUENE	121-14-2	40 ug/kg	<80
FLUORENE	86-73-7	40 ug/kg	<80
4-CHLOROPHENYL PHENYL ETHER	7005-72-3	40 ug/kg	<80

MDL = Minimum Detection Limit.



Client: Anson	Client ID: 131 Sunnyside Blvd., 03150 (DW-2)
Date received: 10/29/03	Laboratory ID: 1025523
Date extracted: 11/3/03	Matrix: Soil
Date analyzed: 11/3/03	ELAP #: 11693

### EPA METHOD 8270(BN)

Parameter	CAS No.	MDL	Results ug/kg
DIETHYLPHthalATE	84-66-2	40 ug/kg	<80
4-BROMOPHENYL-PHENYL ETHER	101-55-3	40 ug/kg	<80
HEXACHLORO BENZENE	118-74-1	40 ug/kg	<80
PHENANTHRENE	85-01-8	40 ug/kg	935
ANTHRACENE	120-12-7	40 ug/kg	<80
Di-n-BUTYLPHthalATE	84-74-2	500 ug/kg	<500
FLUORANTHENE	206-44-0	40 ug/kg	1,920
PYRENE	129-00-0	40 ug/kg	1,555
BUTYLBENZYLPHthalATE	85-68-7	40 ug/kg	<80
3,3-DICHLOROBENZIDINE	91-94-1	40 ug/kg	<80
BENZO-a-ANTHRACENE	56-55-3	40 ug/kg	504
CHRYSENE	218-01-9	40 ug/kg	1,049
Bis(2-ETHYLEXYL)PHTALATE	117-81-7	500 ug/kg	<500
DI-n-OCTYLPHthalATE	117-84-0	40 ug/kg	<80
BENZO-b-FLUOROANTHENE	205-99-2	40 ug/kg	1,292
BENZO-k- FLUOROANTHENE	207-08-9	40 ug/kg	467
BENZO-a-PYRENE	50-32-8	40 ug/kg	751
INDENO(1,2,3-c,d)PYRENE	193-39-5	40 ug/kg	630
DIBENZO-a,h-ANTHRACENE	53-70-3	40 ug/kg	120
BENZO-g,h,i-PERYLENE	191-24-2	40 ug/kg	602

MDL = Minimum Detection Limit.

*Michael Veraldi*

Michael Veraldi-Laboratory Director



LONG  
ISLAND  
ANALYTICAL  
LABORATORIES, INC.

101-4 Colin Drive • Holbrook, New York 11741

Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com


Client: Anson	Client ID: 131 Sunnyside Blvd., 03150 (DW-2)
Date received: 10/29/03	Laboratory ID: 1025523
Date extracted: 10/30/03	Matrix: Soil
Date analyzed: 10/30, 11/3/03	ELAP #: 11693

### METALS ANALYSIS

Parameter	MDL	Results mg/kg
SILVER, Ag	1.65 mg/kg	<1.65
ARSENIC, As	1.65 mg/kg	<1.65
BARIUM, Ba	3.33 mg/kg	7.93
CADMIUM, Cd	1.00 mg/kg	<1.00
CHROMIUM, Cr	1.65 mg/kg	5.39
MERCURY, Hg	0.020 mg/kg	<0.020
LEAD, Pb	1.65 mg/kg	10.02
SELENIUM, Se	1.65 mg/kg	<1.65

MDL = Minimum Detection Limit.

Analysis by SW-846 Method 6010



Michael Veraldi-Laboratory Director

Client: Anson Environmental	Client ID: 131 Sunnyside Blvd. (DW-2)
Date received: 11/26/03	Laboratory ID: 1028046
Date extracted: 12/2/03	Matrix: Soil
Date analyzed: 12/2/03	ELAP #: 11693

### EPA METHOD 8270(BN)

Parameter	CAS No.	MDL	Results ug/kg
Bis(2-CHLOROETHYL)ETHER	111-44-4	40 ug/kg	<40
1,3-DICHLOROBENZENE	541-73-1	40 ug/kg	<40
1,4-DICHLOROBENZENE	106-46-7	40 ug/kg	<40
1,2-DICHLOROBENZENE	95-50-1	40 ug/kg	<40
Bis(2-CHLOROISOPROPYL)ETHER	108-60-1	40 ug/kg	<40
HEXACHLOROETHANE	67-72-1	40 ug/kg	<40
N-NITROSODI-n-PROPYL AMINE	621-64-7	40 ug/kg	<40
NITROBENZENE	98-95-3	40 ug/kg	<40
ISOPHORONE	78-59-1	40 ug/kg	<40
Bis(2-CHLOROETHOXY)METHANE	111-91-1	40 ug/kg	<40
1,2,4-TRICHLOROBENZENE	120-82-1	40 ug/kg	<40
NAPHTHALENE	91-20-3	40 ug/kg	<40
HEXACHLOROBUTADIENE	87-68-3	40 ug/kg	<40
HEXACHLOROCYCLOPENTADIENE	77-47-4	40 ug/kg	<40
2-CHLORONAPHTHALENE	91-58-7	40 ug/kg	<40
ACENAPHTHYLENE	208-96-8	40 ug/kg	<40
DIMETHYLPHTHALATE	131-11-3	40 ug/kg	<40
2,6-DINITROTOLUENE	606-20-2	40 ug/kg	<40
ACENAPHTHENE	83-32-9	40 ug/kg	<40
2,4-DINTROTOLUENE	121-14-2	40 ug/kg	<40
FLUORENE	86-73-7	40 ug/kg	<40
4-CHLOROPHENYL PHENYL ETHER	7005-72-3	40 ug/kg	<40

MDL = Minimum Detection Limit.



LONG  
ISLAND  
ANALYTICAL  
LABORATORIES, INC.

101-4 Colin Drive • Holbrook, New York 11741

Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: Anson Environmental	Client ID: 131 Sunnyside Blvd. (DW-2)
Date received: 11/26/03	Laboratory ID: 1028046
Date extracted: 12/2/03	Matrix: Soil
Date analyzed: 12/2/03	ELAP #: 11693

### EPA METHOD 8270(BN)

Parameter	CAS No.	MDL	Results ug/kg
DIETHYLPHTHALATE	84-66-2	40 ug/kg	<40
4-BROMOPHENYL-PHENYL ETHER	101-55-3	40 ug/kg	<40
HEXACHLORO BENZENE	118-74-1	40 ug/kg	<40
PHENANTHRENE	85-01-8	40 ug/kg	86
ANTHRACENE	120-12-7	40 ug/kg	<40
Di-n-BUTYLPHTHALATE	84-74-2	500 ug/kg	<500
FLUORANTHENE	206-44-0	40 ug/kg	200
PYRENE	129-00-0	40 ug/kg	160
BUTYLBENZYLPHTHALATE	85-68-7	40 ug/kg	<40
3,3-DICHLORO BENZIDINE	91-94-1	40 ug/kg	<40
BENZO-a-ANTHRACENE	56-55-3	40 ug/kg	58
CHRYSENE	218-01-9	40 ug/kg	92
Bis(2-ETHYLEXYL)PHTALATE	117-81-7	500 ug/kg	<500
DI-n-OCTYLPHTHALATE	117-84-0	40 ug/kg	<40
BENZO-b-FLUOROANTHENE	205-99-2	40 ug/kg	118
BENZO-k- FLUOROANTHENE	207-08-9	40 ug/kg	46
BENZO-a-PYRENE	50-32-8	40 ug/kg	71
INDENO(1,2,3-c,d)PYRENE	193-39-5	40 ug/kg	53
DIBENZO-a,h-ANTHRACENE	53-70-3	40 ug/kg	<40
BENZO-g,h,i-PERYLENE	191-24-2	40 ug/kg	54

MDL = Minimum Detection Limit.



Michael Veraldi-Laboratory Director



Client: Anson Environmental	Client ID: 131 Sunnyside Blvd. (DW-2)
Date received: 11/26/03	Laboratory ID: 1028046
Date extracted: 12/1, 12/2/03	Matrix: Soil
Date analyzed: 12/1, 12/2/03	ELAP #: 11693

### METALS ANALYSIS

Parameter	MDL	Results mg/kg
SILVER, Ag	1.65 mg/kg	<1.65
ARSENIC, As	1.65 mg/kg	3.07
BARIUM, Ba	3.33 mg/kg	7.52
CADMIUM, Cd	1.00 mg/kg	<1.00
CHROMIUM, Cr	1.65 mg/kg	4.99
MERCURY, Hg	0.020 mg/kg	<0.020
LEAD, Pb	1.65 mg/kg	9.06
SELENIUM, Se	1.65 mg/kg	<1.65
HEXAVALENT CHROMIUM	2.45 mg/kg	<2.45

MDL = Minimum Detection Limit.

Analysis by SW-846 Method 6010



Michael Veraldi-Laboratory Director

Client: Anson Environmental	Client ID: 131 Sunnyside Blvd. (DW-2)
Date received: 1/27/04	Laboratory ID: 1031639
Date extracted: 1/27/04	Matrix: Soil
Date analyzed: 1/27/04	ELAP #: 11693

### EPA METHOD 8270

Parameter	CAS No.	MDL	Results ug/kg
Bis(2-CHLOROETHYL)ETHER	111-44-4	40 ug/kg	<40
PHENOL	108-95-1	40 ug/kg	<40
2-CHLOROPHENOL	95-57-8	40 ug/kg	<40
1,3-DICHLOROBENZENE	541-73-1	40 ug/kg	<40
1,4-DICHLOROBENZENE	106-46-7	40 ug/kg	<40
1,2-DICHLOROBENZENE	95-50-1	40 ug/kg	<40
Bis(2-CHLOROISOPROPYL)ETHER	108-60-1	40 ug/kg	<40
2-METHYLPHENOL	95-48-7	40 ug/kg	<40
HEXACHLOROETHANE	67-72-1	40 ug/kg	<40
N-NITROSODI-n-PROPYL AMINE	621-64-7	40 ug/kg	<40
4-METHYLPHENOL	106-44-5	40 ug/kg	<40
NITROBENZENE	98-95-3	40 ug/kg	<40
ISOPHORONE	78-59-1	40 ug/kg	<40
2-NITROPHENOL	88-75-5	40 ug/kg	<40
2,4-DIMETHYLPHENOL	105-67-9	40 ug/kg	<40
Bis(2-CHLOROETHOXY)METHANE	111-91-1	40 ug/kg	<40
2,4-DICHLOROPHENOL	102-83-2	40 ug/kg	<40
1,2,4-TRICHLOROBENZENE	120-82-1	40 ug/kg	<40
NAPHTHALENE	91-20-3	40 ug/kg	<40
4-CHLOROANILINE	106-47-8	40 ug/kg	<40
HEXACHLOROBUTADIENE	87-68-3	40 ug/kg	<40
4-CHLORO-3-METHYLPHENOL	59-50-7	40 ug/kg	<40
2-METHYLNAPHTHALENE	91-57-6	40 ug/kg	<40
HEXACHLOROCYCLOPENTADIENE	77-47-4	66 ug/kg	<66
2,4,6-TRICHLOROPHENOL	88-06-2	40 ug/kg	<40
2,4,5-TRICHLOROPHENOL	95-95-4	40 ug/kg	<40
2-CHLORONAPHTHALENE	91-58-7	40 ug/kg	<40
2-NITROANILINE	88-74-4	40 ug/kg	<40
ACENAPHTHYLENE	208-96-8	40 ug/kg	<40
DIMETHYLPHTHALATE	131-11-3	40 ug/kg	<40
2,6-DINITROTOLUENE	606-20-2	40 ug/kg	<40
ACENAPHTHENE	83-32-9	40 ug/kg	<40

MDL = Minimum Detection Limit.





Client: Anson Environmental	Client ID: 131 Sunnyside Blvd. (DW-2)
Date received: 1/27/04	Laboratory ID: 1031639
Date extracted: 1/27/04	Matrix: Soil
Date analyzed: 1/27/04	ELAP #: 11693


### EPA METHOD 8270

Parameter	CAS No.	MDL	Results ug/kg
3-NITROANILINE	99-09-2	40 ug/kg	<40
2,4-DINITROPHENOL	51-28-5	40 ug/kg	<40
DIBENZOFURAN	132-64-9	40 ug/kg	<40
2,4-DINITROTOLUENE	121-14-2	40 ug/kg	<40
4-NITROPHENOL	100-02-7	40 ug/kg	<40
FLUORENE	86-73-7	40 ug/kg	<40
4-CHLOROPHENYL PHENYL ETHER	7005-72-3	40 ug/kg	<40
DIETHYLPHTHALATE	84-66-2	40 ug/kg	<40
4-NITROANILINE	100-01-6	40 ug/kg	<40
4,6-DINITRO-2-METHYLPHENOL	534-52-1	40 ug/kg	<40
N-NITROSODIPHENYLAMINE	86-30-6	40 ug/kg	<40
4-BROMOPHENYL-PHENYL ETHER	101-55-3	40 ug/kg	<40
HEXACHLOROBENZENE	118-74-1	40 ug/kg	<40
PENTACHLOROPHENOL	87-86-5	40 ug/kg	<40
PHENANTHRENE	85-01-8	40 ug/kg	<40
ANTHRACENE	120-12-7	40 ug/kg	<40
Di-n-BUTYLPHTHALATE	84-74-2	500 ug/kg	<500
FLUORANTHENE	206-44-0	40 ug/kg	<40
PYRENE	129-00-0	40 ug/kg	<40
BUTYLBENZYLPHTHALATE	85-68-7	40 ug/kg	<40
3,3-DICHLOROBENZIDINE	91-94-1	40 ug/kg	<40
BENZO-a-ANTHRACENE	56-55-3	40 ug/kg	<40
CHRYSENE	218-01-9	40 ug/kg	<40
Bis(2-ETHYLEXYL)PHTALATE	117-81-7	500 ug/kg	<500
DI-n-OCTYLPHTHALATE	117-84-0	40 ug/kg	<40
BENZO-b-FLUOROANTHENE	205-99-2	40 ug/kg	<40
BENZO-k-FLUOROANTHENE	207-08-9	40 ug/kg	<40
BENZO-a-PYRENE	50-32-8	40 ug/kg	<40
INDENO(1,2,3-c,d)PYRENE	193-39-5	40 ug/kg	<40
DIBENZO-a,h-ANTHRACENE	53-70-3	40 ug/kg	<40
BENZO-g,h,i-PERYLENE	191-24-2	40 ug/kg	<40

MDL = Minimum Detection Limit.

*Michael Veraldi*

Michael Veraldi-Laboratory Director



Client: Anson Environmental	Client ID: 131 Sunnyside Blvd., Plainview (23DW#3)
Date received: 9/24/03	Laboratory ID: 1022725
Date extracted: 9/25/03	Matrix: Soil
Date analyzed: 9/25/03	ELAP #: 11693

### NCDH PROTOCOL

PARAMETER	CAS No.	MDL	RESULTS ug/kg
ACETONE	67-64-1	50 ug/kg	<50
BENZENE	71-43-2	5 ug/kg	<5
n-BUTYLBENZENE	104-51-8	5 ug/kg	<5
sec-BUTYLBENZENE	135-98-8	5 ug/kg	<5
tert-BUTYLBENZENE	98-06-6	5 ug/kg	<5
BROMODICHLOROMETHANE	75-27-4	5 ug/kg	<5
BROMOFORM	75-25-2	5 ug/kg	<5
BROMOBENZENE	108-86-1	5 ug/kg	<5
2-CHLOROTOLUENE	95-49-8	5 ug/kg	<5
4-CHLOROTOLUENE	106-43-4	5 ug/kg	<5
CHLOROBENZENE	108-90-7	5 ug/kg	<5
CHLOROFORM	67-66-3	5 ug/kg	<5
CARBON TETRACHLORIDE	56-23-5	5 ug/kg	<5
o-DICHLOROBENZENE (1,2)	95-50-1	5 ug/kg	<5
m-DICHLOROBENZENE (1,3)	541-73-1	5 ug/kg	<5
p-DICHLOROBENZENE (1,4)	106-46-7	5 ug/kg	<5
1,2-DIBROMO-3-CHLOROPROPANE	96-12-8	5 ug/kg	<5
1,1-DICHLOROETHYLENE	75-35-4	5 ug/kg	<5
trans-1,2-DICHLOROETHYLENE	156-60-5	5 ug/kg	<5
1,1-DICHLOROETHANE	75-34-3	5 ug/kg	<5
cis-1,2-DICHLOROETHYLENE	159-59-2	5 ug/kg	<5
DIBROMOCHLOROMETHANE	124-48-1	5 ug/kg	<5
1,3-DICHLOROPROPANE	142-28-9	5 ug/kg	<5
1,1-DICHLOROPROPENE	563-58-6	5 ug/kg	<5
1,2-DICHLOROETHANE	107-06-02	5 ug/kg	<5
1,2-DICHLOROPROPANE	78-87-5	5 ug/kg	<5
2,2-DICHLOROPROPANE	594-20-7	5 ug/kg	<5
ETHYLBENZENE	100-414	5 ug/kg	<5

MDL = Minimum Detection Limit.



LIAI  
ISLAND  
ANALYTICAL  
LABORATORIES INC.

101-4 Colin Drive • Holbrook, New York 11741


Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: Anson Environmental	Client ID: 131 Sunnyside Blvd., Plainview (23DW#3)
Date received: 9/24/03	Laboratory ID: 1022725
Date extracted: 9/25/03	Matrix: Soil
Date analyzed: 9/25/03	ELAP #: 11693

## NCDH PROTOCOL

PARAMETER	CAS No.	MDL	RESULTS ug/kg
1,2-DIBROMOETHANE	106-93-4	5 ug/kg	<5
DIBROMOMETHANE	74-95-3	5 ug/kg	<5
cis-1,3-DICHLOROPROPENE	10061-01-5	5 ug/kg	<5
trans-1,3-DICHLOROPROPENE	10061-02-6	5 ug/kg	<5
HEXACHLOROCYCLOHEPTADIENE	87-68-3	5 ug/kg	<5
p-ISOPROPYLTOLUENE	99-87-6	5 ug/kg	<5
ISOPROPYLBENZENE	98-82-8	5 ug/kg	<5
METHYLENE CHLORIDE	75-09-2	5 ug/kg	<5
NAPHTHALENE	91-20-3	5 ug/kg	<5
n-PROPYLBENZENE	103-65-1	5 ug/kg	<5
STYRENE	100-42-5	5 ug/kg	<5
TRICHLOROFLUOROMETHANE	75-69-4	5 ug/kg	<5
1,2,3-TRICHLOROBENZENE	87-61-6	5 ug/kg	<5
1,2,4-TRICHLOROBENZENE	120-82-1	5 ug/kg	<5
1,2,4-TRIMETHYLBENZENE	95-63-6	5 ug/kg	<5
1,3,5-TRIMETHYLBENZENE	108-67-8	5 ug/kg	<5
1,1,1-TRICHLOROETHANE	71-55-6	5 ug/kg	<5
TRICHLOROETHYLENE	79-01-6	5 ug/kg	<5
1,1,2-TRICHLOROETHANE	79-00-5	5 ug/kg	<5
TETRACHLOROETHYLENE	127-18-4	5 ug/kg	<5
1,1,1,2-TETRACHLOROETHANE	630-20-6	5 ug/kg	<5
1,1,2,2-TETRACHLOROETHANE	79-34-5	5 ug/kg	<5
1,2,3-TRICHLOROPROPANE	96-18-4	5 ug/kg	<5
TOLUENE	108-88-3	5 ug/kg	<5
VINYL CHLORIDE	75-01-4	5 ug/kg	<5
p & m-XYLENES	1330-20-7	10 ug/kg	<10
o-XYLENE	95-47-6	5 ug/kg	<5

MDL = Minimum Detection Limit.



Michael Veraldi-Laboratory Director



LIAL  
INC.  
ANALYTICAL  
LABORATORIES, INC.

101-4 Colin Drive • Holbrook, New York 11741

Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com


Client: Anson Environmental	Client ID: 131 Sunnyside Blvd., Plainview (23DW#3)
Date received: 9/24/03	Laboratory ID: 1022725
Date extracted: 9/25, 9/30/03	Matrix: Soil
Date analyzed: 9/25, 9/30/03	ELAP #: 11693

### METALS ANALYSIS 8 RCRA

Parameter	MDL	Results mg/kg
SILVER, Ag	1.65 mg/kg	<1.65
ARSENIC, As	1.65 mg/kg	<1.65
BARIUM, Ba	3.33 mg/kg	11.0
CADMIUM, Cd	1.00 mg/kg	<1.00
CHROMIUM, Cr	1.65 mg/kg	26.5
MERCURY, Hg	0.020 mg/kg	<0.020
LEAD, Pb	1.65 mg/kg	12.7
SELENIUM, Se	1.65 mg/kg	<1.65

MDL = Minimum Detection Limit.

Performed by SW-846 Method 6010



Michael Veraldi-Laboratory Director



101-4 Colin Drive • Holbrook, New York 11741

LABORATORY ANALYTICAL SOLUTIONS FOR YOU™

Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: Anson	Client ID: 131 Sunnyside Blvd., 03150 (DW-3)
Date received: 10/30/03	Laboratory ID: 1025651
Date extracted: 11/4/03	Matrix: Soil
Date analyzed: 11/4/03	ELAP #: 11693

### EPA METHOD 8270(BN)

Parameter	CAS No.	MDL	Results ug/kg
Bis(2-CHLOROETHYL)ETHER	111-44-4	40 ug/kg	<80
1,3-DICHLOROBENZENE	541-73-1	40 ug/kg	<80
1,4-DICHLOROBENZENE	106-46-7	40 ug/kg	<80
1,2-DICHLOROBENZENE	95-50-1	40 ug/kg	<80
Bis(2-CHLOROISOPROPYL)ETHER	108-60-1	40 ug/kg	<80
HEXACHLOROETHANE	67-72-1	40 ug/kg	<80
N-NITROSODI-n-PROPYL AMINE	621-64-7	40 ug/kg	<80
NITROBENZENE	98-95-3	40 ug/kg	<80
ISOPHORONE	78-59-1	40 ug/kg	<80
Bis(2-CHLOROETHOXY)METHANE	111-91-1	40 ug/kg	<80
1,2,4-TRICHLOROBENZENE	120-82-1	40 ug/kg	<80
NAPHTHALENE	91-20-3	40 ug/kg	<80
HEXACHLOROBUTADIENE	87-68-3	40 ug/kg	<80
HEXACHLOROCYCLOPENTADIENE	77-47-4	40 ug/kg	<80
2-CHLORONAPHTHALENE	91-58-7	40 ug/kg	<80
ACENAPHTHYLENE	208-96-8	40 ug/kg	<80
DIMETHYLPHTHALATE	131-11-3	40 ug/kg	<80
2,6-DINITROTOLUENE	606-20-2	40 ug/kg	<80
ACENAPHTHENE	83-32-9	40 ug/kg	<80
2,4-DINTROTOLUENE	121-14-2	40 ug/kg	<80
FLUORENE	86-73-7	40 ug/kg	<80
4-CHLOROPHENYL PHENYL ETHER	7005-72-3	40 ug/kg	<80

MDL = Minimum Detection Limit.

Note: MDL's are raised due to matrix interference.



Client: Anson	Client ID: 131 Sunnyside Blvd., 03150 (DW-3)
Date received: 10/30/03	Laboratory ID: 1025651
Date extracted: 11/4/03	Matrix: Soil
Date analyzed: 11/4/03	ELAP #: 11693

### EPA METHOD 8270(BN)

Parameter	CAS No.	MDL	Results ug/kg
DIETHYLPHthalate	84-66-2	40 ug/kg	<80
4-BROMOPHENYL-PHENYL ETHER	101-55-3	40 ug/kg	<80
HEXACHLORO BENZENE	118-74-1	40 ug/kg	<80
PHENANTHRENE	85-01-8	40 ug/kg	789
ANTHRACENE	120-12-7	40 ug/kg	124
Di-n-BUTYLPHthalate	84-74-2	500 ug/kg	<500
FLUORANTHENE	206-44-0	40 ug/kg	1,296
PYRENE	129-00-0	40 ug/kg	1,030
BUTYLBENZYLPHthalate	85-68-7	40 ug/kg	<80
3,3-DICHLOROBENZIDINE	91-94-1	40 ug/kg	<80
BENZO-a-ANTHRACENE	56-55-3	40 ug/kg	354
CHRYSENE	218-01-9	40 ug/kg	666
Bis(2-ETHYLEXYL)PHTALATE	117-81-7	500 ug/kg	<500
DI-n-OCTYLPHthalate	117-84-0	40 ug/kg	<80
BENZO-b-FLUOROANTHENE	205-99-2	40 ug/kg	755
BENZO-k- FLUOROANTHENE	207-08-9	40 ug/kg	259
BENZO-a-PYRENE	50-32-8	40 ug/kg	430
INDENO(1,2,3-c,d)PYRENE	193-39-5	40 ug/kg	344
DIBENZO-a,h-ANTHRACENE	53-70-3	40 ug/kg	<80
BENZO-g,h,i-PERYLENE	191-24-2	40 ug/kg	352

MDL = Minimum Detection Limit.

Note: MDL's are raised due to matrix interference.



Michael Veraldi-Laboratory Director



LIONO  
ISLAND  
ANALYTICAL  
LABORATORIES INC.

101-4 Colin Drive • Holbrook, New York 11741

Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: Anson	Client ID: 131 Sunnyside Blvd., 03150 (DW-3)
Date received: 10/30/03	Laboratory ID: 1025651
Date extracted: 11/3, 11/4/03	Matrix: Soil
Date analyzed: 11/3, 11/4/03	ELAP #: 11693

### METALS ANALYSIS

Parameter	MDL	Results mg/kg
SILVER, Ag	1.65 mg/kg	<1.65
ARSENIC, As	1.65 mg/kg	<1.65
BARIUM, Ba	3.33 mg/kg	5.51
CADMIUM, Cd	1.00 mg/kg	<1.00
CHROMIUM, Cr	1.65 mg/kg	6.30
MERCURY, Hg	0.020 mg/kg	<0.020
LEAD, Pb	1.65 mg/kg	2.56
SELENIUM, Se	1.65 mg/kg	<1.65

MDL = Minimum Detection Limit.

Analysis by SW-846 Method 6010



Michael Veraldi-Laboratory Director



Client: Anson Environmental	Client ID: 131 Sunnyside Blvd. (DW-3)
Date received: 11/26/03	Laboratory ID: 1028049
Date extracted: 12/2/03	Matrix: Soil
Date analyzed: 12/2/03	ELAP #: 11693

### EPA METHOD 8270(BN)

Parameter	CAS No.	MDL	Results ug/kg
Bis(2-CHLOROETHYL)ETHER	111-44-4	40 ug/kg	<80
1,3-DICHLOROBENZENE	541-73-1	40 ug/kg	<80
1,4-DICHLOROBENZENE	106-46-7	40 ug/kg	<80
1,2-DICHLOROBENZENE	95-50-1	40 ug/kg	<80
Bis(2-CHLOROISOPROPYL)ETHER	108-60-1	40 ug/kg	<80
HEXACHLOROETHANE	67-72-1	40 ug/kg	<80
N-NITROSODI-n-PROPYL AMINE	621-64-7	40 ug/kg	<80
NITROBENZENE	98-95-3	40 ug/kg	<80
ISOPHORONE	78-59-1	40 ug/kg	<80
Bis(2-CHLOROETHOXY)METHANE	111-91-1	40 ug/kg	<80
1,2,4-TRICHLOROBENZENE	120-82-1	40 ug/kg	<80
NAPHTHALENE	91-20-3	40 ug/kg	<80
HEXACHLOROBUTADIENE	87-68-3	40 ug/kg	<80
HEXACHLOROCYCLOPENTADIENE	77-47-4	40 ug/kg	<80
2-CHLORONAPHTHALENE	91-58-7	40 ug/kg	<80
ACENAPHTHYLENE	208-96-8	40 ug/kg	<80
DIMETHYLPHTHALATE	131-11-3	40 ug/kg	<80
2,6-DINITROTOLUENE	606-20-2	40 ug/kg	<80
ACENAPHTHENE	83-32-9	40 ug/kg	<80
2,4-DINTROTOLUENE	121-14-2	40 ug/kg	<80
FLUORENE	86-73-7	40 ug/kg	<80
4-CHLOROPHENYL PHENYL ETHER	7005-72-3	40 ug/kg	<80

MDL = Minimum Detection Limit.

Note: MDL's are raised due to matrix interference.



Client: Anson Environmental	Client ID: 131 Sunnyside Blvd. (DW-3)
Date received: 11/26/03	Laboratory ID: 1028049
Date extracted: 12/2/03	Matrix: Soil
Date analyzed: 12/2/03	ELAP #: 11693

### EPA METHOD 8270(BN)

Parameter	CAS No.	MDL	Results ug/kg
DIETHYLPHTHALATE	84-66-2	40 ug/kg	<80
4-BROMOPHENYL-PHENYL ETHER	101-55-3	40 ug/kg	<80
HEXACHLOROBENZENE	118-74-1	40 ug/kg	<80
PHENANTHRENE	85-01-8	40 ug/kg	1,847
ANTHRACENE	120-12-7	40 ug/kg	<80
Di-n-BUTYLPHTHALATE	84-74-2	500 ug/kg	<500
FLUORANTHENE	206-44-0	40 ug/kg	4,165
PYRENE	129-00-0	40 ug/kg	3,184
BUTYLBENZYLPHTHALATE	85-68-7	40 ug/kg	<80
3,3-DICHLOROBENZIDINE	91-94-1	40 ug/kg	<80
BENZO-a-ANTHRACENE	56-55-3	40 ug/kg	823
CHRYSENE	218-01-9	40 ug/kg	1,782
Bis(2-ETHYLEXYL)PHTALATE	117-81-7	500 ug/kg	<500
DI-n-OCTYLPHTHALATE	117-84-0	40 ug/kg	<80
BENZO-b-FLUOROANTHENE	205-99-2	40 ug/kg	2,079
BENZO-k- FLUOROANTHENE	207-08-9	40 ug/kg	754
BENZO-a-PYRENE	50-32-8	40 ug/kg	1,130
INDENO(1,2,3-c,d)PYRENE	193-39-5	40 ug/kg	934
DIBENZO-a,h-ANTHRACENE	53-70-3	40 ug/kg	167
BENZO-g,h,i-PERYLENE	191-24-2	40 ug/kg	860

MDL = Minimum Detection Limit.

Note: MDL's are raised due to matrix interference.



Michael Veraldi-Laboratory Director



LONG  
ISLAND  
ANALYTICAL  
LABORATORIES INC.

101-4 Colin Drive • Holbrook, New York 11741

Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: Anson Environmental	Client ID: 131 Sunnyside Blvd. (DW-3)
Date received: 11/26/03	Laboratory ID: 1028049
Date extracted: 12/1, 12/2/03	Matrix: Soil
Date analyzed: 12/1, 12/2/03	ELAP #: 11693

### METALS ANALYSIS

Parameter	MDL	Results mg/kg
SILVER, Ag	1.65 mg/kg	<1.65
ARSENIC, As	1.65 mg/kg	1.86
BARIUM, Ba	3.33 mg/kg	8.53
CADMIUM, Cd	1.00 mg/kg	<1.00
CHROMIUM, Cr	1.65 mg/kg	7.66
MERCURY, Hg	0.020 mg/kg	<0.020
LEAD, Pb	1.65 mg/kg	2.69
SELENIUM, Se	1.65 mg/kg	<1.65
HEXAVALENT CHROMIUM	1.00 mg/kg	<1.00

MDL = Minimum Detection Limit.

Analysis by SW-846 Method 6010



Michael Veraldi-Laboratory Director



**LONG  
ISLAND  
ANALYTICAL  
LABORATORIES INC.**

101-4 Colin Drive • Holbrook, New York 11741

TOMORROW'S ANALYTICAL SOLUTIONS TODAY™

Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: Anson Environmental	Client ID: 131 Sunnyside Blvd., Plainview (DW #3)
Date received: 1/7/04	Laboratory ID: 1030257
Date extracted: 1/8/04	Matrix: Soil
Date analyzed: 1/8/04	ELAP #: 11693

### EPA METHOD 8270(BN)

Parameter	CAS No.	MDL	Results ug/kg
Bis(2-CHLOROETHYL)ETHER	111-44-4	40 ug/kg	<320
1,3-DICHLOROBENZENE	541-73-1	40 ug/kg	<320
1,4-DICHLOROBENZENE	106-46-7	40 ug/kg	<320
1,2-DICHLOROBENZENE	95-50-1	40 ug/kg	<320
Bis(2-CHLOROISOPROPYL)ETHER	108-60-1	40 ug/kg	<320
HEXACHLOROETHANE	67-72-1	40 ug/kg	<320
N-NITROSODI-n-PROPYL AMINE	621-64-7	40 ug/kg	<320
NITROBENZENE	98-95-3	40 ug/kg	<320
ISOPHORONE	78-59-1	40 ug/kg	<320
Bis(2-CHLOROETHOXY)METHANE	111-91-1	40 ug/kg	<320
1,2,4-TRICHLOROBENZENE	120-82-1	40 ug/kg	<320
NAPHTHALENE	91-20-3	40 ug/kg	<320
HEXACHLOROBUTADIENE	87-68-3	40 ug/kg	<320
HEXACHLOROCYCLOPENTADIENE	77-47-4	40 ug/kg	<320
2-CHLORONAPHTHALENE	91-58-7	40 ug/kg	<320
ACENAPHTHYLENE	208-96-8	40 ug/kg	<320
DIMETHYLPHTHALATE	131-11-3	40 ug/kg	<320
2,6-DINITROTOLUENE	606-20-2	40 ug/kg	<320
ACENAPHTHENE	83-32-9	40 ug/kg	677
2,4-DINTROTOLUENE	121-14-2	40 ug/kg	<320
FLUORENE	86-73-7	40 ug/kg	721
4-CHLOROPHENYL PHENYL ETHER	7005-72-3	40 ug/kg	<320

MDL = Minimum Detection Limit.

Note: MDL's are raised due to matrix interference.



LIAI  
ISLAND  
ANALYTICAL  
LABORATORIES, INC.

101-4 Colin Drive • Holbrook, New York 11741

Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: Anson Environmental	Client ID: 131 Sunnyside Blvd., Plainview (DW #3)
Date received: 1/7/04	Laboratory ID: 1030257
Date extracted: 1/8/04	Matrix: Soil
Date analyzed: 1/8/04	ELAP #: 11693

### EPA METHOD 8270(BN)

Parameter	CAS No.	MDL	Results ug/kg
DIETHYLPHTHALATE	84-66-2	40 ug/kg	<320
4-BROMOPHENYL-PHENYL ETHER	101-55-3	40 ug/kg	<320
HEXACHLOROBENZENE	118-74-1	40 ug/kg	<320
PHENANTHRENE	85-01-8	40 ug/kg	13,524
ANTHRACENE	120-12-7	40 ug/kg	608
Di-n-BUTYLPHTHALATE	84-74-2	500 ug/kg	<500
FLUORANTHENE	206-44-0	40 ug/kg	27,283
PYRENE	129-00-0	40 ug/kg	19,952
BUTYLBENZYLPHTHALATE	85-68-7	40 ug/kg	<320
3,3-DICHLOROBENZIDINE	91-94-1	40 ug/kg	<320
BENZO-a-ANTHRACENE	56-55-3	40 ug/kg	6,016
CHRYSENE	218-01-9	40 ug/kg	11,597
Bis(2-ETHYLEXYL)PHTALATE	117-81-7	500 ug/kg	<500
DI-n-OCTYLPHTHALATE	117-84-0	40 ug/kg	<320
BENZO-b-FLUOROANTHENE	205-99-2	40 ug/kg	11,605
BENZO-k- FLUOROANTHENE	207-08-9	40 ug/kg	9,672
BENZO-a-PYRENE	50-32-8	40 ug/kg	8,779
INDENO(1,2,3-c,d)PYRENE	193-39-5	40 ug/kg	5,967
DIBENZO-a,h-ANTHRACENE	53-70-3	40 ug/kg	1,170
BENZO-g,h,i-PERYLENE	191-24-2	40 ug/kg	5,266

MDL = Minimum Detection Limit.

Note: MDL's are raised due to matrix interference.



Michael Veraldi-Laboratory Director



LION  
ISLAND  
ANALYTICAL  
LABORATORIES INC.

101-4 Colin Drive • Holbrook, New York 11741

Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: Anson Environmental	Client ID: 131 Sunnyside Blvd, Plainview .....DW3 20ft
Date received: 1/26/04	Laboratory ID: 1031541
Date extracted: 1/27/04	Matrix: Soil
Date analyzed: 1/27/04	ELAP #: 11693

### EPA METHOD 8270(BN)

Parameter	CAS No.	MDL	Results ug/kg
Bis(2-CHLOROETHYL)ETHER	111-44-4	40 ug/kg	<40
1,3-DICHLOROBENZENE	541-73-1	40 ug/kg	<40
1,4-DICHLOROBENZENE	106-46-7	40 ug/kg	<40
1,2-DICHLOROBENZENE	95-50-1	40 ug/kg	<40
Bis(2-CHLOROISOPROPYL)ETHER	108-60-1	40 ug/kg	<40
HEXACHLOROETHANE	67-72-1	40 ug/kg	<40
N-NITROSODI-n-PROPYL AMINE	621-64-7	40 ug/kg	<40
NITROBENZENE	98-95-3	40 ug/kg	<40
ISOPHORONE	78-59-1	40 ug/kg	<40
Bis(2-CHLOROETHOXY)METHANE	111-91-1	40 ug/kg	<40
1,2,4-TRICHLOROBENZENE	120-82-1	40 ug/kg	<40
NAPHTHALENE	91-20-3	40 ug/kg	<40
HEXACHLOROBUTADIENE	87-68-3	40 ug/kg	<40
HEXACHLOROCYCLOPENTADIENE	77-47-4	40 ug/kg	<40
2-CHLORONAPHTHALENE	91-58-7	40 ug/kg	<40
ACENAPHTHYLENE	208-96-8	40 ug/kg	<40
DIMETHYLPHTHALATE	131-11-3	40 ug/kg	<40
2,6-DINITROTOLUENE	606-20-2	40 ug/kg	<40
ACENAPHTHENE	83-32-9	40 ug/kg	<40
2,4-DINTROTOLUENE	121-14-2	40 ug/kg	<40
FLUORENE	86-73-7	40 ug/kg	<40
4-CHLOROPHENYL PHENYL ETHER	7005-72-3	40 ug/kg	<40

MDL = Minimum Detection Limit.



LONG  
ISLAND  
ANALYTICAL  
LABORATORIES, INC.

101-4 Colin Drive • Holbrook, New York 11741

Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: Anson Environmental	Client ID: 131 Sunnyside Blvd, Plainview .....DW3 20ft
Date received: 1/26/04	Laboratory ID: 1031541
Date extracted: 1/27/04	Matrix: Soil
Date analyzed: 1/27/04	ELAP #: 11693

**EPA METHOD 8270(BN)**

Parameter	CAS No.	MDL	Results ug/kg
DIETHYLPHTHALATE	84-66-2	40 ug/kg	<40
4-BROMOPHENYL-PHENYL ETHER	101-55-3	40 ug/kg	<40
HEXACHLOROBENZENE	118-74-1	40 ug/kg	<40
PHENANTHRENE	85-01-8	40 ug/kg	<40
ANTHRACENE	120-12-7	40 ug/kg	<40
Di-n-BUTYLPHTHALATE	84-74-2	500 ug/kg	<500
FLUORANTHENE	206-44-0	40 ug/kg	<40
PYRENE	129-00-0	40 ug/kg	<40
BUTYLBENZYLPHTHALATE	85-68-7	40 ug/kg	<40
3,3-DICHLOROBENZIDINE	91-94-1	40 ug/kg	<40
BENZO-a-ANTHRACENE	56-55-3	40 ug/kg	<40
CHRYSENE	218-01-9	40 ug/kg	<40
Bis(2-ETHYLEXYL)PHTALATE	117-81-7	500 ug/kg	<500
DI-n-OCTYLPHTHALATE	117-84-0	40 ug/kg	<40
BENZO-b-FLUOROANTHENE	205-99-2	40 ug/kg	<40
BENZO-k- FLUOROANTHENE	207-08-9	40 ug/kg	<40
BENZO-a-PYRENE	50-32-8	40 ug/kg	<40
INDENO(1,2,3-c,d)PYRENE	193-39-5	40 ug/kg	<40
DIBENZO-a,h-ANTHRACENE	53-70-3	40 ug/kg	<40
BENZO-g,h,i-PERYLENE	191-24-2	40 ug/kg	<40

MDL = Minimum Detection Limit.

*Michael Veraldi*

Michael Veraldi-Laboratory Director



LIAI  
ISLAND  
ANALYTICAL  
LABORATORY, INC.

101-4 Colin Drive • Holbrook, New York 11741

Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: Anson Environmental	Client ID: 131 Sunnyside Blvd, Plainview .....DW3 24ft
Date received: 1/26/04	Laboratory ID: 1031542
Date extracted: 1/27/04	Matrix: Soil
Date analyzed: 1/27/04	ELAP #: 11693

### EPA METHOD 8270(BN)

Parameter	CAS No.	MDL	Results ug/kg
Bis(2-CHLOROETHYL)ETHER	111-44-4	40 ug/kg	<40
1,3-DICHLOROBENZENE	541-73-1	40 ug/kg	<40
1,4-DICHLOROBENZENE	106-46-7	40 ug/kg	<40
1,2-DICHLOROBENZENE	95-50-1	40 ug/kg	<40
Bis(2-CHLOROISOPROPYL)ETHER	108-60-1	40 ug/kg	<40
HEXACHLOROETHANE	67-72-1	40 ug/kg	<40
N-NITROSODI-n-PROPYL AMINE	621-64-7	40 ug/kg	<40
NITROBENZENE	98-95-3	40 ug/kg	<40
ISOPHORONE	78-59-1	40 ug/kg	<40
Bis(2-CHLOROETHOXY)METHANE	111-91-1	40 ug/kg	<40
1,2,4-TRICHLOROBENZENE	120-82-1	40 ug/kg	<40
NAPHTHALENE	91-20-3	40 ug/kg	<40
HEXACHLOROBUTADIENE	87-68-3	40 ug/kg	<40
HEXACHLOROCYCLOPENTADIENE	77-47-4	40 ug/kg	<40
2-CHLORONAPHTHALENE	91-58-7	40 ug/kg	<40
ACENAPHTHYLENE	208-96-8	40 ug/kg	<40
DIMETHYLPHTHALATE	131-11-3	40 ug/kg	<40
2,6-DINITROTOLUENE	606-20-2	40 ug/kg	<40
ACENAPHTHENE	83-32-9	40 ug/kg	<40
2,4-DINTROTOLUENE	121-14-2	40 ug/kg	<40
FLUORENE	86-73-7	40 ug/kg	<40
4-CHLOROPHENYL PHENYL ETHER	7005-72-3	40 ug/kg	<40

MDL = Minimum Detection Limit.



LIAI Inc.  
ANALYTICAL  
LABORATORY

101-4 Colin Drive • Holbrook, New York 11741

Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: Anson Environmental	Client ID: 131 Sunnyside Blvd, Plainview .....DW3 24ft
Date received: 1/26/04	Laboratory ID: 1031542
Date extracted: 1/27/04	Matrix: Soil
Date analyzed: 1/27/04	ELAP #: 11693

### EPA METHOD 8270(BN)

Parameter	CAS No.	MDL	Results ug/kg
DIETHYLPHthalATE	84-66-2	40 ug/kg	<40
4-BROMOPHENYL-PHENYL ETHER	101-55-3	40 ug/kg	<40
HEXACHLORO BENZENE	118-74-1	40 ug/kg	<40
PHENANTHRENE	85-01-8	40 ug/kg	<40
ANTHRACENE	120-12-7	40 ug/kg	<40
Di-n-BUTYLPHthalATE	84-74-2	500 ug/kg	<500
FLUORANTHENE	206-44-0	40 ug/kg	<40
PYRENE	129-00-0	40 ug/kg	<40
BUTYLBENZYLPHthalATE	85-68-7	40 ug/kg	<40
3,3-DICHLOROBENZIDINE	91-94-1	40 ug/kg	<40
BENZO-a-ANTHRACENE	56-55-3	40 ug/kg	<40
CHRYSENE	218-01-9	40 ug/kg	<40
Bis(2-ETHYLEXYL)PHTALATE	117-81-7	500 ug/kg	<500
DI-n-OCTYLPHthalATE	117-84-0	40 ug/kg	<40
BENZO-b-FLUOROANTHENE	205-99-2	40 ug/kg	<40
BENZO-k- FLUOROANTHENE	207-08-9	40 ug/kg	<40
BENZO-a-PYRENE	50-32-8	40 ug/kg	<40
INDENO(1,2,3-c,d)PYRENE	193-39-5	40 ug/kg	<40
DIBENZO-a,h-ANTHRACENE	53-70-3	40 ug/kg	<40
BENZO-g,h,i-PERYLENE	191-24-2	40 ug/kg	<40

MDL = Minimum Detection Limit.

*Michael Veraldi*

Michael Veraldi-Laboratory Director



LIAL INC.  
ANALYTICAL  
LABORATORY

101-4 Colin Drive • Holbrook, New York 11741

Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com



Client: Anson Environmental	Client ID: 131 Sunnyside Blvd, Plainview .....DW3 28ft
Date received: 1/26/04	Laboratory ID: 1031543
Date extracted: 1/27/04	Matrix: Soil
Date analyzed: 1/27/04	ELAP #: 11693

### EPA METHOD 8270(BN)

Parameter	CAS No.	MDL	Results ug/kg
Bis(2-CHLOROETHYL)ETHER	111-44-4	40 ug/kg	<40
1,3-DICHLOROBENZENE	541-73-1	40 ug/kg	<40
1,4-DICHLOROBENZENE	106-46-7	40 ug/kg	<40
1,2-DICHLOROBENZENE	95-50-1	40 ug/kg	<40
Bis(2-CHLOROISOPROPYL)ETHER	108-60-1	40 ug/kg	<40
HEXACHLOROETHANE	67-72-1	40 ug/kg	<40
N-NITROSODI-n-PROPYL AMINE	621-64-7	40 ug/kg	<40
NITROBENZENE	98-95-3	40 ug/kg	<40
ISOPHORONE	78-59-1	40 ug/kg	<40
Bis(2-CHLOROETHOXY)METHANE	111-91-1	40 ug/kg	<40
1,2,4-TRICHLOROBENZENE	120-82-1	40 ug/kg	<40
NAPHTHALENE	91-20-3	40 ug/kg	<40
HEXACHLOROBUTADIENE	87-68-3	40 ug/kg	<40
HEXACHLOROCYCLOPENTADIENE	77-47-4	40 ug/kg	<40
2-CHLORONAPHTHALENE	91-58-7	40 ug/kg	<40
ACENAPHTHYLENE	208-96-8	40 ug/kg	<40
DIMETHYLPHTHALATE	131-11-3	40 ug/kg	<40
2,6-DINITROTOLUENE	606-20-2	40 ug/kg	<40
ACENAPHTHENE	83-32-9	40 ug/kg	<40
2,4-DINTROTOLUENE	121-14-2	40 ug/kg	<40
FLUORENE	86-73-7	40 ug/kg	<40
4-CHLOROPHENYL PHENYL ETHER	7005-72-3	40 ug/kg	<40

MDL = Minimum Detection Limit.



LIAL  
ANALYTICAL  
LABORATORIES INC.

101-4 Colin Drive • Holbrook, New York 11741

Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: Anson Environmental	Client ID: 131 Sunnyside Blvd, Plainview .....DW3 28ft
Date received: 1/26/04	Laboratory ID: 1031543
Date extracted: 1/27/04	Matrix: Soil
Date analyzed: 1/27/04	ELAP #: 11693

**EPA METHOD 8270(BN)**

Parameter	CAS No.	MDL	Results ug/kg
DIETHYLPHTHALATE	84-66-2	40 ug/kg	<40
4-BROMOPHENYL-PHENYL ETHER	101-55-3	40 ug/kg	<40
HEXACHLOROBENZENE	118-74-1	40 ug/kg	<40
PHENANTHRENE	85-01-8	40 ug/kg	<40
ANTHRACENE	120-12-7	40 ug/kg	<40
Di-n-BUTYLPHTHALATE	84-74-2	500 ug/kg	<500
FLUORANTHENE	206-44-0	40 ug/kg	<40
PYRENE	129-00-0	40 ug/kg	<40
BUTYLBENZYLPHTHALATE	85-68-7	40 ug/kg	<40
3,3-DICHLOROBENZIDINE	91-94-1	40 ug/kg	<40
BENZO-a-ANTHRACENE	56-55-3	40 ug/kg	<40
CHRYSENE	218-01-9	40 ug/kg	<40
Bis(2-ETHYLEXYL)PHTALATE	117-81-7	500 ug/kg	<500
DI-n-OCTYLPHTHALATE	117-84-0	40 ug/kg	<40
BENZO-b-FLUOROANTHENE	205-99-2	40 ug/kg	<40
BENZO-k- FLUOROANTHENE	207-08-9	40 ug/kg	<40
BENZO-a-PYRENE	50-32-8	40 ug/kg	<40
INDENO(1,2,3-c,d)PYRENE	193-39-5	40 ug/kg	<40
DIBENZO-a,h-ANTHRACENE	53-70-3	40 ug/kg	<40
BENZO-g,h,i-PERYLENE	191-24-2	40 ug/kg	<40

MDL = Minimum Detection Limit.

*Michael Veraldi*

Michael Veraldi-Laboratory Director



LION  
ISLAND  
ANALYTICAL  
LABORATORIES INC.

101-4 Colin Drive • Holbrook, New York 11741

Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: Anson Environmental	Client ID: 131 Sunnyside Blvd 03150 .....DW #3
Date received: 2/16/04	Laboratory ID: 1032758
Date extracted: 2/16/04	Matrix: Soil
Date analyzed: 2/16/04	ELAP #: 11693

### EPA METHOD 8270(BN)

Parameter	CAS No.	MDL	Results ug/kg
Bis(2-CHLOROETHYL)ETHER	111-44-4	40 ug/kg	<40
1,3-DICHLOROBENZENE	541-73-1	40 ug/kg	<40
1,4-DICHLOROBENZENE	106-46-7	40 ug/kg	<40
1,2-DICHLOROBENZENE	95-50-1	40 ug/kg	<40
Bis(2-CHLOROISOPROPYL)ETHER	108-60-1	40 ug/kg	<40
HEXACHLOROETHANE	67-72-1	40 ug/kg	<40
N-NITROSODI-n-PROPYL AMINE	621-64-7	40 ug/kg	<40
NITROBENZENE	98-95-3	40 ug/kg	<40
ISOPHORONE	78-59-1	40 ug/kg	<40
Bis(2-CHLOROETHOXY)METHANE	111-91-1	40 ug/kg	<40
1,2,4-TRICHLOROBENZENE	120-82-1	40 ug/kg	<40
NAPHTHALENE	91-20-3	40 ug/kg	<40
HEXACHLOROBUTADIENE	87-68-3	40 ug/kg	<40
HEXACHLOROCYCLOPENTADIENE	77-47-4	40 ug/kg	<40
2-CHLORONAPHTHALENE	91-58-7	40 ug/kg	<40
ACENAPHTHYLENE	208-96-8	40 ug/kg	<40
DIMETHYLPHTHALATE	131-11-3	40 ug/kg	<40
2,6-DINITROTOLUENE	606-20-2	40 ug/kg	<40
ACENAPHTHENE	83-32-9	40 ug/kg	<40
2,4-DINTROTOLUENE	121-14-2	40 ug/kg	<40
FLUORENE	86-73-7	40 ug/kg	<40
4-CHLOROPHENYL PHENYL ETHER	7005-72-3	40 ug/kg	<40

MDL = Minimum Detection Limit.



ANALYTICAL  
LABORATORY

Client: Anson Environmental	Client ID: 131 Sunnyside Blvd 03150 .....DW #3
Date received: 2/16/04	Laboratory ID: 1032758
Date extracted: 2/16/04	Matrix: Soil
Date analyzed: 2/16/04	ELAP #: 11693

### EPA METHOD 8270(BN)

Parameter	CAS No.	MDL	Results ug/kg
DIETHYLPHTHALATE	84-66-2	40 ug/kg	<40
4-BROMOPHENYL-PHENYL ETHER	101-55-3	40 ug/kg	<40
HEXACHLOROBENZENE	118-74-1	40 ug/kg	<40
PHENANTHRENE	85-01-8	40 ug/kg	<40
ANTHRACENE	120-12-7	40 ug/kg	<40
Di-n-BUTYLPHTHALATE	84-74-2	500 ug/kg	<500
FLUORANTHENE	206-44-0	40 ug/kg	<40
PYRENE	129-00-0	40 ug/kg	<40
BUTYLBENZYLPHTHALATE	85-68-7	40 ug/kg	<40
3,3-DICHLOROBENZIDINE	91-94-1	40 ug/kg	<40
BENZO-a-ANTHRACENE	56-55-3	40 ug/kg	<40
CHRYSENE	218-01-9	40 ug/kg	<40
Bis(2-ETHYLEXYL)PHTALATE	117-81-7	500 ug/kg	<500
DI-n-OCTYLPHTHALATE	117-84-0	40 ug/kg	<40
BENZO-b-FLUOROANTHENE	205-99-2	40 ug/kg	<40
BENZO-k- FLUOROANTHENE	207-08-9	40 ug/kg	<40
BENZO-a-PYRENE	50-32-8	40 ug/kg	<40
INDENO(1,2,3-c,d)PYRENE	193-39-5	40 ug/kg	<40
DIBENZO-a,h-ANTHRACENE	53-70-3	40 ug/kg	<40
BENZO-g,h,i-PERYLENE	191-24-2	40 ug/kg	<40

MDL = Minimum Detection Limit.

*Michael Veraldi*

Michael Veraldi-Laboratory Director



LIAI  
ANALYTICAL  
LABORATORY

Client: Anson Environmental	Client ID: 131 Sunnyside Blvd., Plainview (23DW#4)
Date received: 9/24/03	Laboratory ID: 1022726
Date extracted: 9/25/03	Matrix: Soil
Date analyzed: 9/25/03	ELAP #: 11693

### NCDH PROTOCOL

PARAMETER	CAS No.	MDL	RESULTS ug/kg
ACETONE	67-64-1	50 ug/kg	<50
BENZENE	71-43-2	5 ug/kg	<5
n-BUTYLBENZENE	104-51-8	5 ug/kg	<5
sec-BUTYLBENZENE	135-98-8	5 ug/kg	<5
tert-BUTYLBENZENE	98-06-6	5 ug/kg	<5
BROMODICHLOROMETHANE	75-27-4	5 ug/kg	<5
BROMOFORM	75-25-2	5 ug/kg	<5
BROMOBENZENE	108-86-1	5 ug/kg	<5
2-CHLOROTOLUENE	95-49-8	5 ug/kg	<5
4-CHLOROTOLUENE	106-43-4	5 ug/kg	<5
CHLOROBENZENE	108-90-7	5 ug/kg	<5
CHLOROFORM	67-66-3	5 ug/kg	<5
CARBON TETRACHLORIDE	56-23-5	5 ug/kg	<5
o-DICHLOROBENZENE (1,2)	95-50-1	5 ug/kg	<5
m-DICHLOROBENZENE (1,3)	541-73-1	5 ug/kg	<5
p-DICHLOROBENZENE (1,4)	106-46-7	5 ug/kg	<5
1,2-DIBROMO-3-CHLOROPROPANE	96-12-8	5 ug/kg	<5
1,1-DICHLOROETHYLENE	75-35-4	5 ug/kg	<5
trans-1,2-DICHLOROETHYLENE	156-60-5	5 ug/kg	<5
1,1-DICHLOROETHANE	75-34-3	5 ug/kg	<5
cis-1,2-DICHLOROETHYLENE	159-59-2	5 ug/kg	<5
DIBROMOCHLOROMETHANE	124-48-1	5 ug/kg	<5
1,3-DICHLOROPROPANE	142-28-9	5 ug/kg	<5
1,1-DICHLOROPROPENE	563-58-6	5 ug/kg	<5
1,2-DICHLOROETHANE	107-06-02	5 ug/kg	<5
1,2-DICHLOROPROPANE	78-87-5	5 ug/kg	<5
2,2-DICHLOROPROPANE	594-20-7	5 ug/kg	<5
ETHYLBENZENE	100-414	5 ug/kg	<5

MDL = Minimum Detection Limit.



LIAL  
ISLAND  
ANALYTICAL  
LABORATORIES INC.

101-4 Colin Drive • Holbrook, New York 11741

Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: Anson Environmental	Client ID: 131 Sunnyside Blvd., Plainview (23DW#4)
Date received: 9/24/03	Laboratory ID: 1022726
Date extracted: 9/25/03	Matrix: Soil
Date analyzed: 9/25/03	ELAP #: 11693

## NCDH PROTOCOL

PARAMETER	CAS No.	MDL	RESULTS ug/kg
1,2-DIBROMOETHANE	106-93-4	5 ug/kg	<5
DIBROMOMETHANE	74-95-3	5 ug/kg	<5
cis-1,3-DICHLOROPROPENE	10061-01-5	5 ug/kg	<5
trans-1,3-DICHLOROPROPENE	10061-02-6	5 ug/kg	<5
HEXACHLOROCYCLOHEPTADIENE	87-68-3	5 ug/kg	<5
p-ISOPROPYLTOLUENE	99-87-6	5 ug/kg	<5
ISOPROPYLBENZENE	98-82-8	5 ug/kg	<5
METHYLENE CHLORIDE	75-09-2	5 ug/kg	<5
NAPHTHALENE	91-20-3	5 ug/kg	<5
n-PROPYLBENZENE	103-65-1	5 ug/kg	<5
STYRENE	100-42-5	5 ug/kg	<5
TRICHLOROFLUOROMETHANE	75-69-4	5 ug/kg	<5
1,2,3-TRICHLOROBENZENE	87-61-6	5 ug/kg	<5
1,2,4-TRICHLOROBENZENE	120-82-1	5 ug/kg	<5
1,2,4-TRIMETHYLBENZENE	95-63-6	5 ug/kg	<5
1,3,5-TRIMETHYLBENZENE	108-67-8	5 ug/kg	<5
1,1,1-TRICHLOROETHANE	71-55-6	5 ug/kg	<5
TRICHLOROETHYLENE	79-01-6	5 ug/kg	<5
1,1,2-TRICHLOROETHANE	79-00-5	5 ug/kg	<5
TETRACHLOROETHYLENE	127-18-4	5 ug/kg	<5
1,1,1,2-TETRACHLOROETHANE	630-20-6	5 ug/kg	<5
1,1,1,2,2-TETRACHLOROETHANE	79-34-5	5 ug/kg	<5
1,2,3-TRICHLOROPROPANE	96-18-4	5 ug/kg	<5
TOLUENE	108-88-3	5 ug/kg	<5
VINYL CHLORIDE	75-01-4	5 ug/kg	<5
p & m-XYLENES	1330-20-7	10 ug/kg	<10
o-XYLENE	95-47-6	5 ug/kg	<5

MDL = Minimum Detection Limit.



Michael Veraldi-Laboratory Director



LIAL  
INC.  
ANALYTICAL  
LABORATORIES INC.

101-4 Colin Drive • Holbrook, New York 11741

Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: Anson Environmental	Client ID: 131 Sunnyside Blvd., Plainview (23DW#4)
Date received: 9/24/03	Laboratory ID: 1022726
Date extracted: 9/25, 9/30/03	Matrix: Soil
Date analyzed: 9/25, 9/30/03	ELAP #: 11693

### METALS ANALYSIS 8 RCRA

Parameter	MDL	Results mg/kg
SILVER, Ag	1.65 mg/kg	<1.65
ARSENIC, As	1.65 mg/kg	<1.65
BARIUM, Ba	3.33 mg/kg	22.5
CADMIUM, Cd	1.00 mg/kg	<1.00
CHROMIUM, Cr	1.65 mg/kg	10.4
MERCURY, Hg	0.020 mg/kg	<0.020
LEAD, Pb	1.65 mg/kg	5.59
SELENIUM, Se	1.65 mg/kg	<1.65

MDL = Minimum Detection Limit.

Performed by SW-846 Method 6010



Michael Veraldi-Laboratory Director

Client: Anson	Client ID: 131 Sunnyside Blvd. (DW-4)
Date received: 10/31/03	Laboratory ID: 1025700
Date extracted: 11/7/03	Matrix: Soil
Date analyzed: 11/7/03	ELAP #: 11693

### EPA METHOD 8270(BN)

Parameter	CAS No.	MDL	Results ug/kg
Bis(2-CHLOROETHYL)ETHER	111-44-4	40 ug/kg	<40
1,3-DICHLOROBENZENE	541-73-1	40 ug/kg	<40
1,4-DICHLOROBENZENE	106-46-7	40 ug/kg	<40
1,2-DICHLOROBENZENE	95-50-1	40 ug/kg	<40
Bis(2-CHLOROISOPROPYL)ETHER	108-60-1	40 ug/kg	<40
HEXACHLOROETHANE	67-72-1	40 ug/kg	<40
N-NITROSODI-n-PROPYL AMINE	621-64-7	40 ug/kg	<40
NITROBENZENE	98-95-3	40 ug/kg	<40
ISOPHORONE	78-59-1	40 ug/kg	<40
Bis(2-CHLOROETHOXY)METHANE	111-91-1	40 ug/kg	<40
1,2,4-TRICHLOROBENZENE	120-82-1	40 ug/kg	<40
NAPHTHALENE	91-20-3	40 ug/kg	<40
HEXACHLOROBUTADIENE	87-68-3	40 ug/kg	<40
HEXACHLOROCYCLOPENTADIENE	77-47-4	40 ug/kg	<40
2-CHLORONAPHTHALENE	91-58-7	40 ug/kg	<40
ACENAPHTHYLENE	208-96-8	40 ug/kg	<40
DIMETHYLPHTHALATE	131-11-3	40 ug/kg	<40
2,6-DINITROTOLUENE	606-20-2	40 ug/kg	<40
ACENAPHTHENE	83-32-9	40 ug/kg	<40
2,4-DINTROTOLUENE	121-14-2	40 ug/kg	<40
FLUORENE	86-73-7	40 ug/kg	<40
4-CHLOROPHENYL PHENYL ETHER	7005-72-3	40 ug/kg	<40

MDL = Minimum Detection Limit.





Client: Anson	Client ID: 131 Sunnyside Blvd. (DW-4)
Date received: 10/31/03	Laboratory ID: 1025700
Date extracted: 11/7/03	Matrix: Soil
Date analyzed: 11/7/03	ELAP #: 11693

### EPA METHOD 8270(BN)

Parameter	CAS No.	MDL	Results ug/kg
DIETHYLPHTHALATE	84-66-2	40 ug/kg	<40
4-BROMOPHENYL-PHENYL ETHER	101-55-3	40 ug/kg	<40
HEXACHLOROBENZENE	118-74-1	40 ug/kg	<40
PHENANTHRENE	85-01-8	40 ug/kg	59
ANTHRACENE	120-12-7	40 ug/kg	<40
Di-n-BUTYLPHTHALATE	84-74-2	500 ug/kg	<500
FLUORANTHENE	206-44-0	40 ug/kg	143
PYRENE	129-00-0	40 ug/kg	119
BUTYLBENZYLPHTHALATE	85-68-7	40 ug/kg	<40
3,3-DICHLOROBENZIDINE	91-94-1	40 ug/kg	<40
BENZO-a-ANTHRACENE	56-55-3	40 ug/kg	42
CHRYSENE	218-01-9	40 ug/kg	63
Bis(2-ETHYLEXYL)PHTALATE	117-81-7	500 ug/kg	<500
DI-n-OCTYLPHTHALATE	117-84-0	40 ug/kg	<40
BENZO-b-FLUOROANTHENE	205-99-2	40 ug/kg	72
BENZO-k- FLUOROANTHENE	207-08-9	40 ug/kg	46
BENZO-a-PYRENE	50-32-8	40 ug/kg	54
INDENO(1,2,3-c,d)PYRENE	193-39-5	40 ug/kg	46
DIBENZO-a,h-ANTHRACENE	53-70-3	40 ug/kg	<40
BENZO-g,h,i-PERYLENE	191-24-2	40 ug/kg	<40

MDL = Minimum Detection Limit.



Michael Veraldi-Laboratory Director



LONG  
ISLAND  
ANALYTICAL  
LABORATORY, INC.

101-4 Colin Drive • Holbrook, New York 11741

Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: Anson	Client ID: 131 Sunnyside Blvd. (DW-4)
Date received: 10/31/03	Laboratory ID: 1025700
Date extracted: 11/4/03	Matrix: Soil
Date analyzed: 11/4/03	ELAP #: 11693

## METALS ANALYSIS

Parameter	MDL	Results mg/kg
SILVER, Ag	1.65 mg/kg	<1.65
ARSENIC, As	1.65 mg/kg	2.53
BARIUM, Ba	3.33 mg/kg	5.37
CADMIUM, Cd	1.00 mg/kg	<1.00
CHROMIUM, Cr	1.65 mg/kg	5.93
MERCURY, Hg	0.020 mg/kg	<0.020
LEAD, Pb	1.65 mg/kg	4.41
SELENIUM, Se	1.65 mg/kg	<1.65

MDL = Minimum Detection Limit.

Analysis by SW-846 Method 6010

*Michael Veraldi*

Michael Veraldi-Laboratory Director



LONG  
ISLAND  
ANALYTICAL  
LABORATORIES INC.

101-4 Colin Drive • Holbrook, New York 11741

Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: Anson	Client ID: 131 Sunnyside Blvd., 03150 (DW-5)
Date received: 10/30/03	Laboratory ID: 1025652
Date extracted: 11/4/03	Matrix: Soil
Date analyzed: 11/4/03	ELAP #: 11693

### NCDH PROTOCOL

PARAMETER	CAS No.	MDL	RESULTS ug/kg
ACETONE	67-64-1	50 ug/kg	<50
BENZENE	71-43-2	5 ug/kg	<5
n-BUTYLBENZENE	104-51-8	5 ug/kg	<5
sec-BUTYLBENZENE	135-98-8	5 ug/kg	<5
tert-BUTYLBENZENE	98-06-6	5 ug/kg	<5
BROMODICHLOROMETHANE	75-27-4	5 ug/kg	<5
BROMOFORM	75-25-2	5 ug/kg	<5
BROMOBENZENE	108-86-1	5 ug/kg	<5
2-CHLOROTOLUENE	95-49-8	5 ug/kg	<5
4-CHLOROTOLUENE	106-43-4	5 ug/kg	<5
CHLOROBENZENE	108-90-7	5 ug/kg	<5
CHLOROFORM	67-66-3	5 ug/kg	<5
CARBON TETRACHLORIDE	56-23-5	5 ug/kg	<5
o-DICHLOROBENZENE (1,2)	95-50-1	5 ug/kg	<5
m-DICHLOROBENZENE (1,3)	541-73-1	5 ug/kg	<5
p-DICHLOROBENZENE (1,4)	106-46-7	5 ug/kg	<5
1,2-DIBROMO-3-CHLOROPROPANE	96-12-8	5 ug/kg	<5
1,1-DICHLOROETHYLENE	75-35-4	5 ug/kg	<5
trans-1,2-DICHLOROETHYLENE	156-60-5	5 ug/kg	<5
1,1-DICHLOROETHANE	75-34-3	5 ug/kg	<5
cis-1,2-DICHLOROETHYLENE	159-59-2	5 ug/kg	<5
DIBROMOCHLOROMETHANE	124-48-1	5 ug/kg	<5
1,3-DICHLOROPROPANE	142-28-9	5 ug/kg	<5
1,1-DICHLOROPROPENE	563-58-6	5 ug/kg	<5
1,2-DICHLOROETHANE	107-06-02	5 ug/kg	<5
1,2-DICHLOROPROPANE	78-87-5	5 ug/kg	<5
2,2-DICHLOROPROPANE	594-20-7	5 ug/kg	<5
ETHYLBENZENE	100-414	5 ug/kg	<5

MDL = Minimum Detection Limit.



LONG  
ISLAND  
ANALYTICAL  
LABORATORY, INC.

101-4 Colin Drive • Holbrook, New York 11741

Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: Anson	Client ID: 131 Sunnyside Blvd., 03150 (DW-5)
Date received: 10/30/03	Laboratory ID: 1025652
Date extracted: 11/4/03	Matrix: Soil
Date analyzed: 11/4/03	ELAP #: 11693

## NCDH PROTOCOL

PARAMETER	CAS No.	MDL	RESULTS ug/kg
1,2-DIBROMOETHANE	106-93-4	5 ug/kg	<5
DIBROMOMETHANE	74-95-3	5 ug/kg	<5
cis-1,3-DICHLOROPROPENE	10061-01-5	5 ug/kg	<5
trans-1,3-DICHLOROPROPENE	10061-02-6	5 ug/kg	<5
HEXACHLOROCYCLOHEPTADIENE	87-68-3	5 ug/kg	<5
p-ISOPROPYLTOLUENE	99-87-6	5 ug/kg	<5
ISOPROPYLBENZENE	98-82-8	5 ug/kg	<5
METHYLENE CHLORIDE	75-09-2	5 ug/kg	<5
NAPHTHALENE	91-20-3	5 ug/kg	<5
n-PROPYLBENZENE	103-65-1	5 ug/kg	<5
STYRENE	100-42-5	5 ug/kg	<5
TRICHLOROFLUOROMETHANE	75-69-4	5 ug/kg	<5
1,2,3-TRICHLOROBENZENE	87-61-6	5 ug/kg	<5
1,2,4-TRICHLOROBENZENE	120-82-1	5 ug/kg	<5
1,2,4-TRIMETHYLBENZENE	95-63-6	5 ug/kg	<5
1,3,5-TRIMETHYLBENZENE	108-67-8	5 ug/kg	<5
1,1,1-TRICHLOROETHANE	71-55-6	5 ug/kg	<5
TRICHLOROETHYLENE	79-01-6	5 ug/kg	<5
1,1,2-TRICHLOROETHANE	79-00-5	5 ug/kg	<5
TETRACHLOROETHYLENE	127-18-4	5 ug/kg	<5
1,1,1,2-TETRACHLOROETHANE	630-20-6	5 ug/kg	<5
1,1,2,2-TETRACHLOROETHANE	79-34-5	5 ug/kg	<5
1,2,3-TRICHLOROPROPANE	96-18-4	5 ug/kg	<5
TOLUENE	108-88-3	5 ug/kg	<5
VINYL CHLORIDE	75-01-4	5 ug/kg	<5
p & m-XYLENES	1330-20-7	10 ug/kg	<10
o-XYLENE	95-47-6	5 ug/kg	<5

MDL = Minimum Detection Limit.

*Michael Veraldi*

Michael Veraldi-Laboratory Director



LONG  
ISLAND  
ANALYTICAL  
LABORATORY

101-4 Colin Drive • Holbrook, New York 11741

Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: Anson	Client ID: 131 Sunnyside Blvd., 03150 (DW-5)
Date received: 10/30/03	Laboratory ID: 1025652
Date extracted: 11/4/03	Matrix: Soil
Date analyzed: 11/4/03	ELAP #: 11693

### EPA METHOD 8270(BN)

Parameter	CAS No.	MDL	Results ug/kg
Bis(2-CHLOROETHYL)ETHER	111-44-4	40 ug/kg	<40
1,3-DICHLOROBENZENE	541-73-1	40 ug/kg	<40
1,4-DICHLOROBENZENE	106-46-7	40 ug/kg	<40
1,2-DICHLOROBENZENE	95-50-1	40 ug/kg	<40
Bis(2-CHLOROISOPROPYL)ETHER	108-60-1	40 ug/kg	<40
HEXACHLOROETHANE	67-72-1	40 ug/kg	<40
N-NITROSODI-n-PROPYL AMINE	621-64-7	40 ug/kg	<40
NITROBENZENE	98-95-3	40 ug/kg	<40
ISOPHORONE	78-59-1	40 ug/kg	<40
Bis(2-CHLOROETHOXY)METHANE	111-91-1	40 ug/kg	<40
1,2,4-TRICHLOROBENZENE	120-82-1	40 ug/kg	<40
NAPHTHALENE	91-20-3	40 ug/kg	<40
HEXACHLOROBUTADIENE	87-68-3	40 ug/kg	<40
HEXACHLOROCYCLOPENTADIENE	77-47-4	40 ug/kg	<40
2-CHLORONAPHTHALENE	91-58-7	40 ug/kg	<40
ACENAPHTHYLENE	208-96-8	40 ug/kg	<40
DIMETHYLPHTHALATE	131-11-3	40 ug/kg	<40
2,6-DINITROTOLUENE	606-20-2	40 ug/kg	<40
ACENAPHTHENE	83-32-9	40 ug/kg	<40
2,4-DINITROTOLUENE	121-14-2	40 ug/kg	<40
FLUORENE	86-73-7	40 ug/kg	<40
4-CHLOROPHENYL PHENYL ETHER	7005-72-3	40 ug/kg	<40

MDL = Minimum Detection Limit.



LONG  
ISLAND  
ANALYTICAL  
LABORATORIES, INC.

101-4 Colin Drive • Holbrook, New York 11741

Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: Anson	Client ID: 131 Sunnyside Blvd., 03150 (DW-5)
Date received: 10/30/03	Laboratory ID: 1025652
Date extracted: 11/4/03	Matrix: Soil
Date analyzed: 11/4/03	ELAP #: 11693

### EPA METHOD 8270(BN)

Parameter	CAS No.	MDL	Results ug/kg
DIETHYLPHTHALATE	84-66-2	40 ug/kg	<40
4-BROMOPHENYL-PHENYL ETHER	101-55-3	40 ug/kg	<40
HEXACHLOROBENZENE	118-74-1	40 ug/kg	<40
PHENANTHRENE	85-01-8	40 ug/kg	130
ANTHRACENE	120-12-7	40 ug/kg	<40
Di-n-BUTYLPHTHALATE	84-74-2	500 ug/kg	<500
FLUORANTHENE	206-44-0	40 ug/kg	223
PYRENE	129-00-0	40 ug/kg	172
BUTYLBENZYLPHTHALATE	85-68-7	40 ug/kg	<40
3,3-DICHLOROBENZIDINE	91-94-1	40 ug/kg	<40
BENZO-a-ANTHRACENE	56-55-3	40 ug/kg	54
CHRYSENE	218-01-9	40 ug/kg	112
Bis(2-ETHYLEXYL)PHTALATE	117-81-7	500 ug/kg	<500
DI-n-OCTYLPHTHALATE	117-84-0	40 ug/kg	<40
BENZO-b-FLUOROANTHENE	205-99-2	40 ug/kg	121
BENZO-k- FLUOROANTHENE	207-08-9	40 ug/kg	42
BENZO-a-PYRENE	50-32-8	40 ug/kg	69
INDENO(1,2,3-c,d)PYRENE	193-39-5	40 ug/kg	59
DIBENZO-a,h-ANTHRACENE	53-70-3	40 ug/kg	<40
BENZO-g,h,i-PERYLENE	191-24-2	40 ug/kg	57

MDL = Minimum Detection Limit.



Michael Veraldi-Laboratory Director



LONG  
ISLAND  
ANALYTICAL  
LABORATORIES INC.

101-4 Colin Drive • Holbrook, New York 11741

TOMORROW'S ANALYTICAL SOLUTIONS TODAY Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: Anson	Client ID: 131 Sunnyside Blvd., 03150 (DW-5)
Date received: 10/30/03	Laboratory ID: 1025652
Date extracted: 11/3, 11/4/03	Matrix: Soil
Date analyzed: 11/3, 11/4/03	ELAP #: 11693

### METALS ANALYSIS

Parameter	MDL	Results mg/kg
SILVER, Ag	1.65 mg/kg	<1.65
ARSENIC, As	1.65 mg/kg	4.56
BARIUM, Ba	3.33 mg/kg	6.99
CADMIUM, Cd	1.00 mg/kg	<1.00
CHROMIUM, Cr	1.65 mg/kg	3.28
MERCURY, Hg	0.020 mg/kg	<0.020
LEAD, Pb	1.65 mg/kg	<1.65
SELENIUM, Se	1.65 mg/kg	<1.65

MDL = Minimum Detection Limit.

Analysis by SW-846 Method 6010



Michael Veraldi-Laboratory Director



**LONG  
ISLAND  
ANALYTICAL  
LABORATORIES INC.**

101-4 Colin Drive • Holbrook, New York 11741

Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: Anson Environmental	Client ID: 131 Sunnyside Blvd. (DW-5)
Date received: 1/27/04	Laboratory ID: 1031640
Date extracted: 1/27/04	Matrix: Soil
Date analyzed: 1/27/04	ELAP #: 11693

### EPA METHOD 8270

Parameter	CAS No.	MDL	Results ug/kg
Bis(2-CHLOROETHYL)ETHER	111-44-4	40 ug/kg	<40
PHENOL	108-95-1	40 ug/kg	<40
2-CHLOROPHENOL	95-57-8	40 ug/kg	<40
1,3-DICHLOROBENZENE	541-73-1	40 ug/kg	<40
1,4-DICHLOROBENZENE	106-46-7	40 ug/kg	<40
1,2-DICHLOROBENZENE	95-50-1	40 ug/kg	<40
Bis(2-CHLOROISOPROPYL)ETHER	108-60-1	40 ug/kg	<40
2-METHYLPHENOL	95-48-7	40 ug/kg	<40
HEXACHLOROETHANE	67-72-1	40 ug/kg	<40
N-NITROSODI-n-PROPYL AMINE	621-64-7	40 ug/kg	<40
4-METHYLPHENOL	106-44-5	40 ug/kg	<40
NITROBENZENE	98-95-3	40 ug/kg	<40
ISOPHORONE	78-59-1	40 ug/kg	<40
2-NITROPHENOL	88-75-5	40 ug/kg	<40
2,4-DIMETHYLPHENOL	105-67-9	40 ug/kg	<40
Bis(2-CHLOROETHOXY)METHANE	111-91-1	40 ug/kg	<40
2,4-DICHLOROPHENOL	102-83-2	40 ug/kg	<40
1,2,4-TRICHLOROBENZENE	120-82-1	40 ug/kg	<40
NAPHTHALENE	91-20-3	40 ug/kg	<40
4-CHLOROANILINE	106-47-8	40 ug/kg	<40
HEXACHLOROBUTADIENE	87-68-3	40 ug/kg	<40
4-CHLORO-3-METHYLPHENOL	59-50-7	40 ug/kg	<40
2-METHYLNAPHTHALENE	91-57-6	40 ug/kg	<40
HEXACHLOROCYCLOPENTADIENE	77-47-4	66 ug/kg	<66
2,4,6-TRICHLOROPHENOL	88-06-2	40 ug/kg	<40
2,4,5-TRICHLOROPHENOL	95-95-4	40 ug/kg	<40
2-CHLORONAPHTHALENE	91-58-7	40 ug/kg	<40
2-NITROANILINE	88-74-4	40 ug/kg	<40
ACENAPHTHYLENE	208-96-8	40 ug/kg	<40
DIMETHYLPHTHALATE	131-11-3	40 ug/kg	<40
2,6-DINITROTOLUENE	606-20-2	40 ug/kg	<40
ACENAPHTHENE	83-32-9	40 ug/kg	<40

MDL = Minimum Detection Limit.



LONG  
ISLAND  
ANALYTICAL  
LABORATORY

101-4 Colin Drive • Holbrook, New York 11741

Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com



Client: Anson Environmental	Client ID: 131 Sunnyside Blvd. (DW-5)
Date received: 1/27/04	Laboratory ID: 1031640
Date extracted: 1/27/04	Matrix: Soil
Date analyzed: 1/27/04	ELAP #: 11693

### EPA METHOD 8270

Parameter	CAS No.	MDL	Results ug/kg
3-NITROANILINE	99-09-2	40 ug/kg	<40
2,4-DINITROPHENOL	51-28-5	40 ug/kg	<40
DIBENZOFURAN	132-64-9	40 ug/kg	<40
2,4-DINITROTOLUENE	121-14-2	40 ug/kg	<40
4-NITROPHENOL	100-02-7	40 ug/kg	<40
FLUORENE	86-73-7	40 ug/kg	<40
4-CHLOROPHENYL PHENYL ETHER	7005-72-3	40 ug/kg	<40
DIETHYLPHTHALATE	84-66-2	40 ug/kg	<40
4-NITROANILINE	100-01-6	40 ug/kg	<40
4,6-DINITRO-2-METHYLPHENOL	534-52-1	40 ug/kg	<40
N-NITROSODIPHENYLAMINE	86-30-6	40 ug/kg	<40
4-BROMOPHENYL-PHENYL ETHER	101-55-3	40 ug/kg	<40
HEXACHLOROBENZENE	118-74-1	40 ug/kg	<40
PENTACHLOROPHENOL	87-86-5	40 ug/kg	<40
PHENANTHRENE	85-01-8	40 ug/kg	<40
ANTHRACENE	120-12-7	40 ug/kg	<40
Di-n-BUTYLPHTHALATE	84-74-2	500 ug/kg	<500
FLUORANTHENE	206-44-0	40 ug/kg	101
PYRENE	129-00-0	40 ug/kg	80
BUTYLBENZYLPHTHALATE	85-68-7	40 ug/kg	<40
3,3-DICHLOROBENZIDINE	91-94-1	40 ug/kg	<40
BENZO-a-ANTHRACENE	56-55-3	40 ug/kg	<40
CHRYSENE	218-01-9	40 ug/kg	55
Bis(2-ETHYLEXYL)PHTALATE	117-81-7	500 ug/kg	<500
DI-n-OCTYLPHTHALATE	117-84-0	40 ug/kg	<40
BENZO-b-FLUOROANTHENE	205-99-2	40 ug/kg	47
BENZO-k-FLUOROANTHENE	207-08-9	40 ug/kg	<40
BENZO-a-PYRENE	50-32-8	40 ug/kg	40
INDENO(1,2,3-c,d)PYRENE	193-39-5	40 ug/kg	<40
DIBENZO-a,h-ANTHRACENE	53-70-3	40 ug/kg	<40
BENZO-g,h,i-PERYLENE	191-24-2	40 ug/kg	41

MDL = Minimum Detection Limit.

*Michael Veraldi*

Michael Veraldi-Laboratory Director



LONG  
ISLAND  
ANALYTICAL  
LABORATORY

101-4 Colin Drive • Holbrook, New York 11741

Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: Anson	Client ID: 131 Sunnyside Blvd. (DW-6)
Date received: 10/31/03	Laboratory ID: 1025702
Date extracted: 11/5/03	Matrix: Soil
Date analyzed: 11/5/03	ELAP #: 11693

### NCDH PROTOCOL

PARAMETER	CAS No.	MDL	RESULTS ug/kg
ACETONE	67-64-1	50 ug/kg	<50
BENZENE	71-43-2	5 ug/kg	<5
n-BUTYLBENZENE	104-51-8	5 ug/kg	<5
sec-BUTYLBENZENE	135-98-8	5 ug/kg	<5
tert-BUTYLBENZENE	98-06-6	5 ug/kg	<5
BROMODICHLOROMETHANE	75-27-4	5 ug/kg	<5
BROMOFORM	75-25-2	5 ug/kg	<5
BROMOBENZENE	108-86-1	5 ug/kg	<5
2-CHLOROTOLUENE	95-49-8	5 ug/kg	<5
4-CHLOROTOLUENE	106-43-4	5 ug/kg	<5
CHLOROBENZENE	108-90-7	5 ug/kg	<5
CHLOROFORM	67-66-3	5 ug/kg	<5
CARBON TETRACHLORIDE	56-23-5	5 ug/kg	<5
o-DICHLOROBENZENE (1,2)	95-50-1	5 ug/kg	<5
m-DICHLOROBENZENE (1,3)	541-73-1	5 ug/kg	<5
p-DICHLOROBENZENE (1,4)	106-46-7	5 ug/kg	<5
1,2-DIBROMO-3-CHLOROPROPANE	96-12-8	5 ug/kg	<5
1,1-DICHLOROETHYLENE	75-35-4	5 ug/kg	<5
trans-1,2-DICHLOROETHYLENE	156-60-5	5 ug/kg	<5
1,1-DICHLOROETHANE	75-34-3	5 ug/kg	<5
cis-1,2-DICHLOROETHYLENE	159-59-2	5 ug/kg	<5
DIBROMOCHLOROMETHANE	124-48-1	5 ug/kg	<5
1,3-DICHLOROPROPANE	142-28-9	5 ug/kg	<5
1,1-DICHLOROPROPENE	563-58-6	5 ug/kg	<5
1,2-DICHLOROETHANE	107-06-02	5 ug/kg	<5
1,2-DICHLOROPROPANE	78-87-5	5 ug/kg	<5
2,2-DICHLOROPROPANE	594-20-7	5 ug/kg	<5
ETHYLBENZENE	100-414	5 ug/kg	<5

MDL = Minimum Detection Limit.



Client: Anson	Client ID: 131 Sunnyside Blvd. (DW-6)
Date received: 10/31/03	Laboratory ID: 1025702
Date extracted: 11/5/03	Matrix: Soil
Date analyzed: 11/5/03	ELAP #: 11693

## NCDH PROTOCOL

PARAMETER	CAS No.	MDL	RESULTS ug/kg
1,2-DIBROMOETHANE	106-93-4	5 ug/kg	<5
DIBROMOMETHANE	74-95-3	5 ug/kg	<5
cis-1,3-DICHLOROPROPENE	10061-01-5	5 ug/kg	<5
trans-1,3-DICHLOROPROPENE	10061-02-6	5 ug/kg	<5
HEXACHLOROCYCLOHEPTADIENE	87-68-3	5 ug/kg	<5
p-ISOPROPYLTOLUENE	99-87-6	5 ug/kg	<5
ISOPROPYLBENZENE	98-82-8	5 ug/kg	<5
METHYLENE CHLORIDE	75-09-2	5 ug/kg	<5
NAPHTHALENE	91-20-3	5 ug/kg	<5
n-PROPYLBENZENE	103-65-1	5 ug/kg	<5
STYRENE	100-42-5	5 ug/kg	<5
TRICHLOROFLUOROMETHANE	75-69-4	5 ug/kg	<5
1,2,3-TRICHLOROBENZENE	87-61-6	5 ug/kg	<5
1,2,4-TRICHLOROBENZENE	120-82-1	5 ug/kg	<5
1,2,4-TRIMETHYLBENZENE	95-63-6	5 ug/kg	<5
1,3,5-TRIMETHYLBENZENE	108-67-8	5 ug/kg	<5
1,1,1-TRICHLOROETHANE	71-55-6	5 ug/kg	<5
TRICHLOROETHYLENE	79-01-6	5 ug/kg	18
1,1,2-TRICHLOROETHANE	79-00-5	5 ug/kg	<5
TETRACHLOROETHYLENE	127-18-4	5 ug/kg	<5
1,1,1,2-TETRACHLOROETHANE	630-20-6	5 ug/kg	<5
1,1,2,2-TETRACHLOROETHANE	79-34-5	5 ug/kg	<5
1,2,3-TRICHLOROPROPANE	96-18-4	5 ug/kg	<5
TOLUENE	108-88-3	5 ug/kg	<5
VINYL CHLORIDE	75-01-4	5 ug/kg	<5
p & m-XYLENES	1330-20-7	10 ug/kg	<10
o-XYLENE	95-47-6	5 ug/kg	<5

MDL = Minimum Detection Limit.

*Michael Veraldi*

Michael Veraldi-Laboratory Director



LONG ISLAND  
ANALYTICAL  
LABORATORY, INC.

101-4 Colin Drive • Holbrook, New York 11741

Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: Anson	Client ID: 131 Sunnyside Blvd. (DW-6)
Date received: 10/31/03	Laboratory ID: 1025702
Date extracted: 11/7/03	Matrix: Soil
Date analyzed: 11/7/03	ELAP #: 11693

### EPA METHOD 8270(BN)

Parameter	CAS No.	MDL	Results ug/kg
Bis(2-CHLOROETHYL)ETHER	111-44-4	40 ug/kg	<40
1,3-DICHLOROBENZENE	541-73-1	40 ug/kg	<40
1,4-DICHLOROBENZENE	106-46-7	40 ug/kg	<40
1,2-DICHLOROBENZENE	95-50-1	40 ug/kg	<40
Bis(2-CHLOROISOPROPYL)ETHER	108-60-1	40 ug/kg	<40
HEXACHLOROETHANE	67-72-1	40 ug/kg	<40
N-NITROSODI-n-PROPYL AMINE	621-64-7	40 ug/kg	<40
NITROBENZENE	98-95-3	40 ug/kg	<40
ISOPHORONE	78-59-1	40 ug/kg	<40
Bis(2-CHLOROETHOXY)METHANE	111-91-1	40 ug/kg	<40
1,2,4-TRICHLOROBENZENE	120-82-1	40 ug/kg	<40
NAPHTHALENE	91-20-3	40 ug/kg	<40
HEXACHLOROBUTADIENE	87-68-3	40 ug/kg	<40
HEXACHLOROCYCLOPENTADIENE	77-47-4	40 ug/kg	<40
2-CHLORONAPHTHALENE	91-58-7	40 ug/kg	<40
ACENAPHTHYLENE	208-96-8	40 ug/kg	<40
DIMETHYLPHTHALATE	131-11-3	40 ug/kg	<40
2,6-DINITROTOLUENE	606-20-2	40 ug/kg	<40
ACENAPHTHENE	83-32-9	40 ug/kg	<40
2,4-DINTROTOLUENE	121-14-2	40 ug/kg	<40
FLUORENE	86-73-7	40 ug/kg	<40
4-CHLOROPHENYL PHENYL ETHER	7005-72-3	40 ug/kg	<40

MDL = Minimum Detection Limit.



Client: Anson	Client ID: 131 Sunnyside Blvd. (DW-6)
Date received: 10/31/03	Laboratory ID: 1025702
Date extracted: 11/7/03	Matrix: Soil
Date analyzed: 11/7/03	ELAP #: 11693

### EPA METHOD 8270(BN)

Parameter	CAS No.	MDL	Results ug/kg
DIETHYLPHTHALATE	84-66-2	40 ug/kg	<40
4-BROMOPHENYL-PHENYL ETHER	101-55-3	40 ug/kg	<40
HEXACHLOROBENZENE	118-74-1	40 ug/kg	<40
PHENANTHRENE	85-01-8	40 ug/kg	<40
ANTHRACENE	120-12-7	40 ug/kg	<40
Di-n-BUTYLPHTHALATE	84-74-2	500 ug/kg	<500
FLUORANTHENE	206-44-0	40 ug/kg	149
PYRENE	129-00-0	40 ug/kg	308
BUTYLBENZYLPHTHALATE	85-68-7	40 ug/kg	<40
3,3-DICHLOROBENZIDINE	91-94-1	40 ug/kg	<40
BENZO-a-ANTHRACENE	56-55-3	40 ug/kg	132
CHRYSENE	218-01-9	40 ug/kg	232
Bis(2-ETHYLEXYL)PHTALATE	117-81-7	500 ug/kg	753
DI-n-OCTYLPHTHALATE	117-84-0	40 ug/kg	<40
BENZO-b-FLUOROANTHENE	205-99-2	40 ug/kg	550
BENZO-k- FLUOROANTHENE	207-08-9	40 ug/kg	318
BENZO-a-PYRENE	50-32-8	40 ug/kg	524
INDENO(1,2,3-c,d)PYRENE	193-39-5	40 ug/kg	448
DIBENZO-a,h-ANTHRACENE	53-70-3	40 ug/kg	93
BENZO-g,h,i-PERYLENE	191-24-2	40 ug/kg	369

MDL = Minimum Detection Limit.



Michael Veraldi-Laboratory Director



LONG  
ISLAND  
ANALYTICAL  
LABORATORY, INC.

101-4 Colin Drive • Holbrook, New York 11741

Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com


Client: Anson	Client ID: 131 Sunnyside Blvd. (DW-6)
Date received: 10/31/03	Laboratory ID: 1025702
Date extracted: 11/4/03	Matrix: Soil
Date analyzed: 11/4/03	ELAP #: 11693

### METALS ANALYSIS

Parameter	MDL	Results mg/kg
SILVER, Ag	1.65 mg/kg	<1.65
ARSENIC, As	1.65 mg/kg	<1.65
BARIUM, Ba	3.33 mg/kg	<3.33
CADMIUM, Cd	1.00 mg/kg	<1.00
CHROMIUM, Cr	1.65 mg/kg	99.2
MERCURY, Hg	0.020 mg/kg	<0.020
LEAD, Pb	1.65 mg/kg	42.3
SELENIUM, Se	1.65 mg/kg	<1.65

MDL = Minimum Detection Limit.

Analysis by SW-846 Method 6010



Michael Veraldi-Laboratory Director



Client: Anson	Client ID: 131 Sunnyside Blvd. (DW-6 98")
Date received: 11/17/03	Laboratory ID: 1027209
Date extracted: 11/18, 11/19/03	Matrix: Soil
Date analyzed: 11/18, 11/19/03	ELAP #: 11693

### METALS ANALYSIS

Parameter	MDL	Results mg/kg
SILVER, Ag	1.65 mg/kg	<1.65
ARSENIC, As	1.65 mg/kg	<1.65
BARIUM, Ba	3.33 mg/kg	<3.33
CADMIUM, Cd	1.00 mg/kg	<1.00
CHROMIUM, Cr	1.65 mg/kg	34.1
MERCURY, Hg	0.020 mg/kg	<0.020
LEAD, Pb	1.65 mg/kg	8.56
SELENIUM, Se	1.65 mg/kg	<1.65
HEXAVALENT CHROMIUM	1.00 mg/kg	<1.00

MDL = Minimum Detection Limit.

Performed by SW-846 Method 6010



Michael Veraldi-Laboratory Director



Client: Anson Environmental	Client ID: 131 Sunnyside Blvd. (DW-6)
Date received: 11/26/03	Laboratory ID: 1028042
Date extracted: 12/2/03	Matrix: Soil
Date analyzed: 12/2/03	ELAP #: 11693

### EPA METHOD 8270(BN)

Parameter	CAS No.	MDL	Results ug/kg
Bis(2-CHLOROETHYL)ETHER	111-44-4	40 ug/kg	<80
1,3-DICHLOROENZENE	541-73-1	40 ug/kg	<80
1,4-DICHLOROENZENE	106-46-7	40 ug/kg	<80
1,2-DICHLOROENZENE	95-50-1	40 ug/kg	<80
Bis(2-CHLOROISOPROPYL)ETHER	108-60-1	40 ug/kg	<80
HEXACHLOROETHANE	67-72-1	40 ug/kg	<80
N-NITROSODI-n-PROPYL AMINE	621-64-7	40 ug/kg	<80
NITROBENZENE	98-95-3	40 ug/kg	<80
ISOPHORONE	78-59-1	40 ug/kg	<80
Bis(2-CHLOROETHOXY)METHANE	111-91-1	40 ug/kg	<80
1,2,4-TRICHLOROENZENE	120-82-1	40 ug/kg	<80
NAPHTHALENE	91-20-3	40 ug/kg	<80
HEXACHLOROBUTADIENE	87-68-3	40 ug/kg	<80
HEXACHLOROCYCLOPENTADIENE	77-47-4	40 ug/kg	<80
2-CHLORONAPHTHALENE	91-58-7	40 ug/kg	<80
ACENAPHTHYLENE	208-96-8	40 ug/kg	<80
DIMETHYLPHTHALATE	131-11-3	40 ug/kg	<80
2,6-DINITROTOLUENE	606-20-2	40 ug/kg	<80
ACENAPHTHENE	83-32-9	40 ug/kg	<80
2,4-DINTROTOLUENE	121-14-2	40 ug/kg	<80
FLUORENE	86-73-7	40 ug/kg	<80
4-CHLOROPHENYL PHENYL ETHER	7005-72-3	40 ug/kg	<80

MDL = Minimum Detection Limit.

Note: MDL's are raised due to matrix interference.



Client: Anson Environmental	Client ID: 131 Sunnyside Blvd. (DW-6)
Date received: 11/26/03	Laboratory ID: 1028042
Date extracted: 12/2/03	Matrix: Soil
Date analyzed: 12/2/03	ELAP #: 11693

### EPA METHOD 8270(BN)

Parameter	CAS No.	MDL	Results ug/kg
DIETHYLPHTHALATE	84-66-2	40 ug/kg	<80
4-BROMOPHENYL-PHENYL ETHER	101-55-3	40 ug/kg	<80
HEXACHLOROBENZENE	118-74-1	40 ug/kg	<80
PHENANTHRENE	85-01-8	40 ug/kg	<80
ANTHRACENE	120-12-7	40 ug/kg	<80
Di-n-BUTYLPHTHALATE	84-74-2	500 ug/kg	<500
FLUORANTHENE	206-44-0	40 ug/kg	588
PYRENE	129-00-0	40 ug/kg	1,774
BUTYLBENZYLPHTHALATE	85-68-7	40 ug/kg	<80
3,3-DICHLOROBENZIDINE	91-94-1	40 ug/kg	<80
BENZO-a-ANTHRACENE	56-55-3	40 ug/kg	674
CHRYSENE	218-01-9	40 ug/kg	926
Bis(2-ETHYLEXYL)PHTALATE	117-81-7	500 ug/kg	<500
DI-n-OCTYLPHTHALATE	117-84-0	40 ug/kg	<80
BENZO-b-FLUOROANTHENE	205-99-2	40 ug/kg	1,034
BENZO-k- FLUOROANTHENE	207-08-9	40 ug/kg	424
BENZO-a-PYRENE	50-32-8	40 ug/kg	764
INDENO(1,2,3-c,d)PYRENE	193-39-5	40 ug/kg	403
DIBENZO-a,h-ANTHRACENE	53-70-3	40 ug/kg	121
BENZO-g,h,i-PERYLENE	191-24-2	40 ug/kg	405

MDL = Minimum Detection Limit.

Note: MDL's are raised due to matrix interference.

*Michael Veraldi*

Michael Veraldi-Laboratory Director

Client: Anson Environmental	Client ID: 131 Sunnyside Blvd. (DW-6)
Date received: 11/26/03	Laboratory ID: 1028042
Date extracted: 12/1, 12/2/03	Matrix: Soil
Date analyzed: 12/1, 12/2/03	ELAP #: 11693

### METALS ANALYSIS

Parameter	MDL	Results mg/kg
SILVER, Ag	1.65 mg/kg	<1.65
ARSENIC, As	1.65 mg/kg	5.36
BARIUM, Ba	3.33 mg/kg	<3.33
CADMIUM, Cd	1.00 mg/kg	<1.00
CHROMIUM, Cr	1.65 mg/kg	44.8
MERCURY, Hg	0.020 mg/kg	<0.020
LEAD, Pb	1.65 mg/kg	8.29
SELENIUM, Se	1.65 mg/kg	<1.65
HEXAVALENT CHROMIUM	1.00 mg/kg	<1.00

MDL = Minimum Detection Limit.

Analysis by SW-846 Method 6010



Michael Veraldi-Laboratory Director

Client: Anson Environmental	Client ID: 131 Sunnyside Blvd.
Date received: 12/19/03	Laboratory ID: 1029301-1029303
Date extracted: 12/22/03	Matrix: Soil
Date analyzed: 12/22/03	ELAP #: 11693

### TOTAL CHROMIUM ANALYSIS

LAB ID #	CLIENT ID	Results mg/kg
1029301	DW-13 Endpoint	20.20
1029302	DW-7 Endpoint	27.64
1029303	DW-6 Endpoint	2.77

Performed by SW-846 Method 6010



Michael Veraldi-Laboratory Director

Client: Anson Environmental	Client ID: 131 Sunnyside Blvd 03150 .....DW #6
Date received: 2/19/04	Laboratory ID: 1033041
Date extracted: 2/20/04	Matrix: Soil
Date analyzed: 2/20/04	ELAP #: 11693

### EPA METHOD 8270(BN)

Parameter	CAS No.	MDL	Results ug/kg
Bis(2-CHLOROETHYL)ETHER	111-44-4	40 ug/kg	<80
1,3-DICHLOROBENZENE	541-73-1	40 ug/kg	<80
1,4-DICHLOROBENZENE	106-46-7	40 ug/kg	<80
1,2-DICHLOROBENZENE	95-50-1	40 ug/kg	<80
Bis(2-CHLOROISOPROPYL)ETHER	108-60-1	40 ug/kg	<80
HEXACHLOROETHANE	67-72-1	40 ug/kg	<80
N-NITROSODI-n-PROPYL AMINE	621-64-7	40 ug/kg	<80
NITROBENZENE	98-95-3	40 ug/kg	<80
ISOPHORONE	78-59-1	40 ug/kg	<80
Bis(2-CHLOROETHOXY)METHANE	111-91-1	40 ug/kg	<80
1,2,4-TRICHLOROBENZENE	120-82-1	40 ug/kg	<80
NAPHTHALENE	91-20-3	40 ug/kg	<80
HEXACHLOROBUTADIENE	87-68-3	40 ug/kg	<80
HEXACHLOROCYCLOPENTADIENE	77-47-4	40 ug/kg	<80
2-CHLORONAPHTHALENE	91-58-7	40 ug/kg	<80
ACENAPHTHYLENE	208-96-8	40 ug/kg	<80
DIMETHYLPHTHALATE	131-11-3	40 ug/kg	<80
2,6-DINITROTOLUENE	606-20-2	40 ug/kg	<80
ACENAPHTHENE	83-32-9	40 ug/kg	102
2,4-DINTROTOLUENE	121-14-2	40 ug/kg	<80
FLUORENE	86-73-7	40 ug/kg	110
4-CHLOROPHENYL PHENYL ETHER	7005-72-3	40 ug/kg	<80

MDL = Minimum Detection Limit.



LIAL  
INC.  
ANALYTICAL  
LABORATORY

101-4 Colin Drive • Holbrook, New York 11741

Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: Anson Environmental	Client ID: 131 Sunnyside Blvd 03150 .....DW #6
Date received: 2/19/04	Laboratory ID: 1033041
Date extracted: 2/20/04	Matrix: Soil
Date analyzed: 2/20/04	ELAP #: 11693

### EPA METHOD 8270(BN)

Parameter	CAS No.	MDL	Results ug/kg
DIETHYLPHthalate	84-66-2	40 ug/kg	<80
4-BROMOPHENYL-PHENYL ETHER	101-55-3	40 ug/kg	<80
HEXACHLOROBENZENE	118-74-1	40 ug/kg	<80
PHENANTHRENE	85-01-8	40 ug/kg	1,366
ANTHRACENE	120-12-7	40 ug/kg	207
Di-n-BUTYLPHthalate	84-74-2	500 ug/kg	<500
FLUORANTHENE	206-44-0	40 ug/kg	2,311
PYRENE	129-00-0	40 ug/kg	2,011
BUTYLBENZYLPHthalate	85-68-7	40 ug/kg	<80
3,3-DICHLOROBENZIDINE	91-94-1	40 ug/kg	<80
BENZO-a-ANTHRACENE	56-55-3	40 ug/kg	920
CHRYSENE	218-01-9	40 ug/kg	1,053
Bis(2-ETHYLEXYL)PHTALATE	117-81-7	500 ug/kg	<500
DI-n-OCTYLPHthalate	117-84-0	40 ug/kg	<80
BENZO-b-FLUOROANTHENE	205-99-2	40 ug/kg	806
BENZO-k- FLUOROANTHENE	207-08-9	40 ug/kg	701
BENZO-a-PYRENE	50-32-8	40 ug/kg	721
INDENO(1,2,3-c,d)PYRENE	193-39-5	40 ug/kg	606
DIBENZO-a,h-ANTHRACENE	53-70-3	40 ug/kg	119
BENZO-g,h,i-PERYLENE	191-24-2	40 ug/kg	530

MDL = Minimum Detection Limit.

MDL raised due to matrix interference.

*Michael Veraldi*

Michael Veraldi-Laboratory Director



LONG ISLAND  
ANALYTICAL  
LABORATORY

101-4 Colin Drive • Holbrook, New York 11741

Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: Anson Environmental	Client ID: 131 Sunnyside (DW #6 13')
Date received: 2/24/04	Laboratory ID: 1033360
Date extracted: 2/24/04	Matrix: Soil
Date analyzed: 2/24/04	ELAP #: 11693

### EPA METHOD 8270(BN)

Parameter	CAS No.	MDL	Results ug/kg
Bis(2-CHLOROETHYL)ETHER	111-44-4	40 ug/kg	<40
1,3-DICHLOROBENZENE	541-73-1	40 ug/kg	<40
1,4-DICHLOROBENZENE	106-46-7	40 ug/kg	<40
1,2-DICHLOROBENZENE	95-50-1	40 ug/kg	<40
Bis(2-CHLOROISOPROPYL)ETHER	108-60-1	40 ug/kg	<40
HEXACHLOROETHANE	67-72-1	40 ug/kg	<40
N-NITROSODI-n-PROPYL AMINE	621-64-7	40 ug/kg	<40
NITROBENZENE	98-95-3	40 ug/kg	<40
ISOPHORONE	78-59-1	40 ug/kg	<40
Bis(2-CHLOROETHOXY)METHANE	111-91-1	40 ug/kg	<40
1,2,4-TRICHLOROBENZENE	120-82-1	40 ug/kg	<40
NAPHTHALENE	91-20-3	40 ug/kg	<40
HEXACHLOROBUTADIENE	87-68-3	40 ug/kg	<40
HEXACHLOROCYCLOPENTADIENE	77-47-4	40 ug/kg	<40
2-CHLORONAPHTHALENE	91-58-7	40 ug/kg	<40
ACENAPHTHYLENE	208-96-8	40 ug/kg	<40
DIMETHYLPHTHALATE	131-11-3	40 ug/kg	<40
2,6-DINITROTOLUENE	606-20-2	40 ug/kg	<40
ACENAPHTHENE	83-32-9	40 ug/kg	84
2,4-DINTROTOLUENE	121-14-2	40 ug/kg	<40
FLUORENE	86-73-7	40 ug/kg	85
4-CHLOROPHENYL PHENYL ETHER	7005-72-3	40 ug/kg	<40

MDL = Minimum Detection Limit.

Client: Anson Environmental	Client ID: 131 Sunnyside (DW #6 13')
Date received: 2/24/04	Laboratory ID: 1033360
Date extracted: 2/24/04	Matrix: Soil
Date analyzed: 2/24/04	ELAP #: 11693

### EPA METHOD 8270(BN)

Parameter	CAS No.	MDL	Results ug/kg
DIETHYLPHTHALATE	84-66-2	40 ug/kg	<40
4-BROMOPHENYL-PHENYL ETHER	101-55-3	40 ug/kg	<40
HEXACHLOROBENZENE	118-74-1	40 ug/kg	<40
PHENANTHRENE	85-01-8	40 ug/kg	807
ANTHRACENE	120-12-7	40 ug/kg	122
Di-n-BUTYLPHTHALATE	84-74-2	500 ug/kg	<500
FLUORANTHENE	206-44-0	40 ug/kg	1,204
PYRENE	129-00-0	40 ug/kg	1,056
BUTYLBENZYLPHTHALATE	85-68-7	40 ug/kg	<40
3,3-DICHLOROBENZIDINE	91-94-1	40 ug/kg	<40
BENZO-a-ANTHRACENE	56-55-3	40 ug/kg	458
CHRYSENE	218-01-9	40 ug/kg	678
Bis(2-ETHYLEXYL)PHTALATE	117-81-7	500 ug/kg	<500
DI-n-OCTYLPHTHALATE	117-84-0	40 ug/kg	<40
BENZO-b-FLUOROANTHENE	205-99-2	40 ug/kg	708
BENZO-k- FLUOROANTHENE	207-08-9	40 ug/kg	616
BENZO-a-PYRENE	50-32-8	40 ug/kg	650
INDENO(1,2,3-c,d)PYRENE	193-39-5	40 ug/kg	613
DIBENZO-a,h-ANTHRACENE	53-70-3	40 ug/kg	150
BENZO-g,h,i-PERYLENE	191-24-2	40 ug/kg	590

MDL = Minimum Detection Limit.



Michael Veraldi-Laboratory Director



LONG  
ISLAND  
ANALYTICAL  
LABORATORIES, INC.

101-4 Colin Drive • Holbrook, New York 11741

Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: Anson Environmental	Client ID: 131 Sunnyside Blvd .....DW 6 (14ft)
Date received: 2/26/04	Laboratory ID: 1033515
Date extracted: 2/26/04	Matrix: Soil
Date analyzed: 2/26/04	ELAP #: 11693

## EPA METHOD 8270

Parameter	CAS No.	MDL	Results ug/kg
Bis(2-CHLOROETHYL)ETHER	111-44-4	40 ug/kg	<40
PHENOL	108-95-1	40 ug/kg	<40
2-CHLOROPHENOL	95-57-8	40 ug/kg	<40
1,3-DICHLOROBENZENE	541-73-1	40 ug/kg	<40
1,4-DICHLOROBENZENE	106-46-7	40 ug/kg	<40
1,2-DICHLOROBENZENE	95-50-1	40 ug/kg	<40
Bis(2-CHLOROISOPROPYL)ETHER	108-60-1	40 ug/kg	<40
2-METHYLPHENOL	95-48-7	40 ug/kg	<40
HEXACHLOROETHANE	67-72-1	40 ug/kg	<40
N-NITROSODI-n-PROPYL AMINE	621-64-7	40 ug/kg	<40
4-METHYLPHENOL	106-44-5	40 ug/kg	<40
NITROBENZENE	98-95-3	40 ug/kg	<40
ISOPHORONE	78-59-1	40 ug/kg	<40
2-NITROPHENOL	88-75-5	40 ug/kg	<40
2,4-DIMETHYLPHENOL	105-67-9	40 ug/kg	<40
Bis(2-CHLOROETHOXY)METHANE	111-91-1	40 ug/kg	<40
2,4-DICHLOROPHENOL	102-83-2	40 ug/kg	<40
1,2,4-TRICHLOROBENZENE	120-82-1	40 ug/kg	<40
NAPHTHALENE	91-20-3	40 ug/kg	<40
4-CHLOROANILINE	106-47-8	40 ug/kg	<40
HEXACHLOROBUTADIENE	87-68-3	40 ug/kg	<40
4-CHLORO-3-METHYLPHENOL	59-50-7	40 ug/kg	<40
2-METHYLNAPHTHALENE	91-57-6	40 ug/kg	<40
HEXACHLOROCYCLOPENTADIENE	77-47-4	40 ug/kg	<40
2,4,6-TRICHLOROPHENOL	88-06-2	40 ug/kg	<40
2,4,5-TRICHLOROPHENOL	95-95-4	40 ug/kg	<40
2-CHLORONAPHTHALENE	91-58-7	40 ug/kg	<40
2-NITROANILINE	88-74-4	40 ug/kg	<40
ACENAPHTHYLENE	208-96-8	40 ug/kg	<40
DIMETHYLPHTHALATE	131-11-3	40 ug/kg	<40
2,6-DINITROTOLUENE	606-20-2	40 ug/kg	<40
ACENAPHTHENE	83-32-9	40 ug/kg	<40

MDL = Minimum Detection Limit.



LONG  
ISLAND  
ANALYTICAL  
LABORATORIES INC.

101-4 Colin Drive • Holbrook, New York 11741

LONG ISLAND ANALYTICAL SOLUTIONS (LIAL)

Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com



Client: Anson Environmental	Client ID: 131 Sunnyside Blvd .....DW 6 (14ft)
Date received: 2/26/04	Laboratory ID: 1033515
Date extracted: 2/26/04	Matrix: Soil
Date analyzed: 2/26/04	ELAP #: 11693

## EPA METHOD 8270

Parameter	CAS No.	MDL	Results ug/kg
3-NITROANILINE	99-09-2	40 ug/kg	<40
2,4-DINITROPHENOL	51-28-5	40 ug/kg	<40
DIBENZOFURAN	132-64-9	40 ug/kg	<40
2,4-DINITROTOLUENE	121-14-2	40 ug/kg	<40
4-NITROPHENOL	100-02-7	40 ug/kg	<40
FLUORENE	86-73-7	40 ug/kg	<40
4-CHLOROPHENYL PHENYL ETHER	7005-72-3	40 ug/kg	<40
DIETHYLPHTHALATE	84-66-2	40 ug/kg	<40
4-NITROANILINE	100-01-6	40 ug/kg	<40
4,6-DINITRO-2-METHYLPHENOL	534-52-1	40 ug/kg	<40
N-NITROSODIPHENYLAMINE	86-30-6	40 ug/kg	<40
4-BROMOPHENYL-PHENYL ETHER	101-55-3	40 ug/kg	<40
HEXACHLOROBENZENE	118-74-1	40 ug/kg	<40
PENTACHLOROPHENOL	87-86-5	40 ug/kg	<40
PHENANTHRENE	85-01-8	40 ug/kg	<40
ANTHRACENE	120-12-7	40 ug/kg	<40
Di-n-BUTYLPHTHALATE	84-74-2	500 ug/kg	<500
FLUORANTHENE	206-44-0	40 ug/kg	50
PYRENE	129-00-0	40 ug/kg	79
BUTYLBENZYLPHTHALATE	85-68-7	40 ug/kg	<40
3,3-DICHLOROBENZIDINE	91-94-1	40 ug/kg	<40
BENZO-a-ANTHRACENE	56-55-3	40 ug/kg	109
CHRYSENE	218-01-9	40 ug/kg	234
Bis(2-ETHYLEXYL)PHTALATE	117-81-7	500 ug/kg	<500
DI-n-OCTYLPHTHALATE	117-84-0	40 ug/kg	<40
BENZO-b-FLUOROANTHENE	205-99-2	40 ug/kg	455
BENZO-k- FLUOROANTHENE	207-08-9	40 ug/kg	355
BENZO-a-PYRENE	50-32-8	40 ug/kg	405
INDENO(1,2,3-c,d)PYRENE	193-39-5	40 ug/kg	253
DIBENZO-a,h-ANTHRACENE	53-70-3	40 ug/kg	60
BENZO-g,h,i-PERYLENE	191-24-2	40 ug/kg	213

MDL = Minimum Detection Limit.



Michael Veraldi-Laboratory Director



LONG  
ISLAND  
ANALYTICAL  
LABORATORIES INC

101-4 Colin Drive • Holbrook, New York 11741

Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: Anson Environmental	Client ID: 131 Sunnyside Blvd .....DW 6 (16ft)
Date received: 2/26/04	Laboratory ID: 1033516
Date extracted: 2/26/04	Matrix: Soil
Date analyzed: 2/26/04	ELAP #: 11693

### EPA METHOD 8270

Parameter	CAS No.	MDL	Results ug/kg
Bis(2-CHLOROETHYL)ETHER	111-44-4	40 ug/kg	<40
PHENOL	108-95-1	40 ug/kg	<40
2-CHLOROPHENOL	95-57-8	40 ug/kg	<40
1,3-DICHLOROBENZENE	541-73-1	40 ug/kg	<40
1,4-DICHLOROBENZENE	106-46-7	40 ug/kg	<40
1,2-DICHLOROBENZENE	95-50-1	40 ug/kg	<40
Bis(2-CHLOROISOPROPYL)ETHER	108-60-1	40 ug/kg	<40
2-METHYLPHENOL	95-48-7	40 ug/kg	<40
HEXACHLOROETHANE	67-72-1	40 ug/kg	<40
N-NITROSODI-n-PROPYL AMINE	621-64-7	40 ug/kg	<40
4-METHYLPHENOL	106-44-5	40 ug/kg	<40
NITROBENZENE	98-95-3	40 ug/kg	<40
ISOPHORONE	78-59-1	40 ug/kg	<40
2-NITROPHENOL	88-75-5	40 ug/kg	<40
2,4-DIMETHYLPHENOL	105-67-9	40 ug/kg	<40
Bis(2-CHLOROETHOXY)METHANE	111-91-1	40 ug/kg	<40
2,4-DICHLOROPHENOL	102-83-2	40 ug/kg	<40
1,2,4-TRICHLOROBENZENE	120-82-1	40 ug/kg	<40
NAPHTHALENE	91-20-3	40 ug/kg	<40
4-CHLOROANILINE	106-47-8	40 ug/kg	<40
HEXACHLOROBUTADIENE	87-68-3	40 ug/kg	426
4-CHLORO-3-METHYLPHENOL	59-50-7	40 ug/kg	<40
2-METHYLNAPHTHALENE	91-57-6	40 ug/kg	<40
HEXACHLOROCYCLOPENTADIENE	77-47-4	40 ug/kg	<40
2,4,6-TRICHLOROPHENOL	88-06-2	40 ug/kg	<40
2,4,5-TRICHLOROPHENOL	95-95-4	40 ug/kg	<40
2-CHLORONAPHTHALENE	91-58-7	40 ug/kg	<40
2-NITROANILINE	88-74-4	40 ug/kg	<40
ACENAPHTHYLENE	208-96-8	40 ug/kg	<40
DIMETHYLPHTHALATE	131-11-3	40 ug/kg	<40
2,6-DINITROTOLUENE	606-20-2	40 ug/kg	<40
ACENAPHTHENE	83-32-9	40 ug/kg	<40

MDL = Minimum Detection Limit.



**LONG  
ISLAND  
ANALYTICAL  
LABORATORIES INC.**

101-4 Colin Drive • Holbrook, New York 11741

TOMORROW'S SAFER, HEALTHIER, AND BETTER

Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: Anson Environmental	Client ID: 131 Sunnyside Blvd .....DW 6 (16ft)
Date received: 2/26/04	Laboratory ID: 1033516
Date extracted: 2/26/04	Matrix: Soil
Date analyzed: 2/26/04	ELAP #: 11693

## EPA METHOD 8270

Parameter	CAS No.	MDL	Results ug/kg
3-NITROANILINE	99-09-2	40 ug/kg	<40
2,4-DINITROPHENOL	51-28-5	40 ug/kg	<40
DIBENZOFURAN	132-64-9	40 ug/kg	<40
2,4-DINITROTOLUENE	121-14-2	40 ug/kg	<40
4-NITROPHENOL	100-02-7	40 ug/kg	<40
FLUORENE	86-73-7	40 ug/kg	<40
4-CHLOROPHENYL PHENYL ETHER	7005-72-3	40 ug/kg	<40
DIETHYLPHTHALATE	84-66-2	40 ug/kg	<40
4-NITROANILINE	100-01-6	40 ug/kg	<40
4,6-DINITRO-2-METHYLPHENOL	534-52-1	40 ug/kg	<40
N-NITROSODIPHENYLAMINE	86-30-6	40 ug/kg	<40
4-BROMOPHENYL-PHENYL ETHER	101-55-3	40 ug/kg	<40
HEXACHLOROENZENE	118-74-1	40 ug/kg	260
PENTACHLOROPHENOL	87-86-5	40 ug/kg	<40
PHENANTHRENE	85-01-8	40 ug/kg	<40
ANTHRACENE	120-12-7	40 ug/kg	<40
Di-n-BUTYLPHTHALATE	84-74-2	500 ug/kg	<500
FLUORANTHENE	206-44-0	40 ug/kg	102
PYRENE	129-00-0	40 ug/kg	141
BUTYLBENZYLPHTHALATE	85-68-7	40 ug/kg	<40
3,3-DICHLOROBENZIDINE	91-94-1	40 ug/kg	<40
BENZO-a-ANTHRACENE	56-55-3	40 ug/kg	384
CHRYSENE	218-01-9	40 ug/kg	953
Bis(2-ETHYLEXYL)PHTALATE	117-81-7	500 ug/kg	<500
DI-n-OCTYLPHTHALATE	117-84-0	40 ug/kg	<40
BENZO-b-FLUOROANTHENE	205-99-2	40 ug/kg	1,715
BENZO-k- FLUOROANTHENE	207-08-9	40 ug/kg	1,035
BENZO-a-PYRENE	50-32-8	40 ug/kg	1,798
INDENO(1,2,3-c,d)PYRENE	193-39-5	40 ug/kg	1,613
DIBENZO-a,h-ANTHRACENE	53-70-3	40 ug/kg	395
BENZO-g,h,i-PERYLENE	191-24-2	40 ug/kg	1,432

MDL = Minimum Detection Limit.



Michael Veraldi-Laboratory Director



LONG  
ISLAND  
ANALYTICAL  
LABORATORIES INC.

101-4 Colin Drive • Holbrook, New York 11741

TO WORK WITH ANALYTICAL SOLUTIONS TODAY!

Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: Anson Environmental	Client ID: 131 Sunnyside Blvd .....DW 6E (14ft)
Date received: 2/26/04	Laboratory ID: 1033517
Date extracted: 2/26/04	Matrix: Soil
Date analyzed: 2/26/04	ELAP #: 11693

## EPA METHOD 8270

Parameter	CAS No.	MDL	Results ug/kg
Bis(2-CHLOROETHYL)ETHER	111-44-4	40 ug/kg	<40
PHENOL	108-95-1	40 ug/kg	<40
2-CHLOROPHENOL	95-57-8	40 ug/kg	<40
1,3-DICHLOROBENZENE	541-73-1	40 ug/kg	<40
1,4-DICHLOROBENZENE	106-46-7	40 ug/kg	<40
1,2-DICHLOROBENZENE	95-50-1	40 ug/kg	<40
Bis(2-CHLOROISOPROPYL)ETHER	108-60-1	40 ug/kg	<40
2-METHYLPHENOL	95-48-7	40 ug/kg	<40
HEXACHLOROETHANE	67-72-1	40 ug/kg	<40
N-NITRO-SODIUM-PROPYL AMINE	621-61-7	40 ug/kg	<40
4-METHYLPHENOL	106-44-5	40 ug/kg	<40
NITROBENZENE	98-95-3	40 ug/kg	<40
ISOPHORONE	78-59-1	40 ug/kg	<40
2-NITROPHENOL	88-75-5	40 ug/kg	<40
2,4-DIMETHYLPHENOL	105-67-9	40 ug/kg	<40
Bis(2-CHLOROETHOXY)METHANE	111-91-1	40 ug/kg	<40
2,4-DICHLOROPHENOL	102-83-2	40 ug/kg	<40
1,2,4-TRICHLOROBENZENE	120-82-1	40 ug/kg	<40
NAPHTHALENE	91-20-3	40 ug/kg	<40
4-CHLOROANILINE	106-47-8	40 ug/kg	<40
HEXACHLOROBUTADIENE	87-68-3	40 ug/kg	<40
4-CHLORO-3-METHYLPHENOL	59-50-7	40 ug/kg	<40
2-METHYLNAPHTHALENE	91-57-6	40 ug/kg	<40
HEXACHLOROCYCLOPENTADIENE	77-47-4	40 ug/kg	<40
2,4,6-TRICHLOROPHENOL	88-06-2	40 ug/kg	<40
2,4,5-TRICHLOROPHENOL	95-95-4	40 ug/kg	<40
2-CHLORONAPHTHALENE	91-58-7	40 ug/kg	<40
2-NITROANILINE	98-74-4	40 ug/kg	<40
ACENAPHTHYLENE	208-96-8	40 ug/kg	<40
DIMETHYLPHTHALATE	131-11-3	40 ug/kg	<40
2,6-DINITROTOLUENE	606-20-2	40 ug/kg	<40
ACENAPHTHENE	83-32-9	40 ug/kg	<40

MDL = Minimum Detection Limit.



LONG  
ISLAND  
ANALYTICAL  
LABORATORIES INC.

101-4 Colin Drive • Holbrook, New York 11741


Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: Anson Environmental	Client ID: 131 Sunnyside Blvd .....DW 6E (14ft)
Date received: 2/26/04	Laboratory ID: 1033517
Date extracted: 2/26/04	Matrix: Soil
Date analyzed: 2/26/04	ELAP #: 11693

**EPA METHOD 8270**

Parameter	CAS No.	MDL	Results ug/kg
3-NITROANILINE	99-09-2	40 ug/kg	<40
2,4-DINITROPHENOL	51-28-5	40 ug/kg	<40
DIBENZOFURAN	132-64-9	40 ug/kg	<40
2,4-DINTROTOLUENE	121-14-2	40 ug/kg	<40
4-NITROPHENOL	100-02-7	40 ug/kg	<40
FLUORENE	86-73-7	40 ug/kg	<40
4-CHLOROPHENYL PHENYL ETHER	7005-72-3	40 ug/kg	<40
DIETHYLPHTHALATE	84-66-2	40 ug/kg	<40
4-NITROANILINE	100-01-6	40 ug/kg	<40
4,6-DINITRO-2-METHYLPHENOL	534-52-1	40 ug/kg	<40
N-NITROSODIPHENYLAMINE	86-30-6	40 ug/kg	<40
4-BROMOPHENYL-PHENYL ETHER	101-55-3	40 ug/kg	<40
HEXACHLOROBENZENE	118-74-1	40 ug/kg	<40
PENTACHLORPHENOL	87-86-5	40 ug/kg	<40
PHENANTHRENE	85-01-8	40 ug/kg	<40
ANTHRACENE	120-12-7	40 ug/kg	<40
Di-n-BUTYLPHTHALATE	84-74-2	500 ug/kg	<500
FLUORANTHENE	206-44-0	40 ug/kg	<40
PYRENE	129-00-0	40 ug/kg	<40
BUTYLBENZYLPHTHALATE	85-68-7	40 ug/kg	<40
3,3-DICHLOROBENZIDINE	91-94-1	40 ug/kg	<40
BENZO-a-ANTHRACENE	56-55-3	40 ug/kg	<40
CHRYSENE	218-01-9	40 ug/kg	<40
Bis(2-ETHYLEXYL)PHTALATE	117-81-7	500 ug/kg	<500
DI-n-OCTYLPHTHALATE	117-84-0	40 ug/kg	<40
BENZO-b-FLUOROANTHENE	205-99-2	40 ug/kg	<40
BENZO-k- FLUOROANTHENE	207-08-9	40 ug/kg	<40
BENZO-a-PYRENE	50-32-8	40 ug/kg	<40
INDENO(1,2,3-c,d)PYRENE	193-39-5	40 ug/kg	<40
DIBENZO-a,h-ANTHRACENE	53-70-3	40 ug/kg	<40
BENZO-g,h,i-PERYLENE	191-24-2	40 ug/kg	<40

MDL = Minimum Detection Limit.



Michael Veraldi-Laboratory Director



Client: Anson Environmental	Client ID: 131 Sunnyside Blvd .....DW 6E (16ft)
Date received: 2/26/04	Laboratory ID: 1033518
Date extracted: 2/26/04	Matrix: Soil
Date analyzed: 2/26/04	ELAP #: 11693

## EPA METHOD 8270

Parameter	CAS No.	MDL	Results ug/kg
Bis(2-CHLOROETHYL)ETHER	111-44-4	40 ug/kg	<40
PHENOL	108-95-1	40 ug/kg	<40
2-CHLOROPHENOL	95-57-8	40 ug/kg	<40
1,3-DICHLOROBENZENE	541-73-1	40 ug/kg	<40
1,4-DICHLOROBENZENE	106-46-7	40 ug/kg	<40
1,2-DICHLOROBENZENE	95-50-1	40 ug/kg	<40
Bis(2-CHLOROISOPROPYL)ETHER	108-60-1	40 ug/kg	<40
2-METHYLPHENOL	95-48-7	40 ug/kg	<40
HEXACHLOROETHANE	67-72-1	40 ug/kg	<40
N-NITROSODI-n-PROPYL AMINE	621-64-7	40 ug/kg	<40
4-METHYLPHENOL	106-44-5	40 ug/kg	<40
NITROBENZENE	98-95-3	40 ug/kg	<40
ISOPHORONE	78-59-1	40 ug/kg	<40
2-NITROPHENOL	88-75-5	40 ug/kg	<40
2,4-DIMETHYLPHENOL	105-67-9	40 ug/kg	<40
Bis(2-CHLOROETHOXY)METHANE	111-91-1	40 ug/kg	<40
2,4-DICHLOROPHENOL	102-83-2	40 ug/kg	<40
1,2,4-TRICHLOROBENZENE	120-82-1	40 ug/kg	<40
NAPHTHALENE	91-20-3	40 ug/kg	<40
4-CHLOROANILINE	106-47-8	40 ug/kg	<40
HEXACHLOROBUTADIENE	87-68-3	40 ug/kg	<40
4-CHLORO-3-METHYLPHENOL	59-50-7	40 ug/kg	<40
2-METHYLNAPHTHALENE	91-57-6	40 ug/kg	<40
HEXACHLOROCYCLOPENTADIENE	77-47-4	40 ug/kg	<40
2,4,6-TRICHLOROPHENOL	88-06-2	40 ug/kg	<40
2,4,5-TRICHLOROPHENOL	95-95-4	40 ug/kg	<40
2-CHLORONAPHTHALENE	91-58-7	40 ug/kg	<40
2-NITROANILINE	88-74-4	40 ug/kg	<40
ACENAPHTHYLENE	208-96-8	40 ug/kg	<40
DIMETHYLPHTHALATE	131-11-3	40 ug/kg	<40
2,6-DINITROTOLUENE	606-20-2	40 ug/kg	<40
ACENAPHTHENE	83-32-9	40 ug/kg	<40

MDL = Minimum Detection Limit.



LONG  
ISLAND  
ANALYTICAL  
LABORATORIES INC.

101-4 Colin Drive • Holbrook, New York 11741


Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: Anson Environmental	Client ID: 131 Sunnyside Blvd .....DW 6E (16ft)
Date received: 2/26/04	Laboratory ID: 1033518
Date extracted: 2/26/04	Matrix: Soil
Date analyzed: 2/26/04	ELAP #: 11693

## EPA METHOD 8270

Parameter	CAS No.	MDL	Results ug/kg
3-NITROANILINE	99-09-2	40 ug/kg	<40
2,4-DINITROPHENOL	51-28-5	40 ug/kg	<40
DIBENZOFURAN	132-64-9	40 ug/kg	<40
2,4-DINTROTOLUENE	121-14-2	40 ug/kg	<40
4-NITROPHENOL	100-02-7	40 ug/kg	<40
FLUORENE	86-73-7	40 ug/kg	<40
4-CHLOROPHENYL PHENYL ETHER	7005-72-3	40 ug/kg	<40
DIETHYLPHTHALATE	84-66-2	40 ug/kg	<40
4-NITROANILINE	100-01-6	40 ug/kg	<40
4,6-DINITRO-2-METHYLPHENOL	534-52-1	40 ug/kg	<40
N-NITROSODIPHENYLAMINE	86-30-6	40 ug/kg	<40
4-BROMOPHENYL-PHENYL ETHER	101-55-3	40 ug/kg	<40
HEXACHLOROBENZENE	118-74-1	40 ug/kg	<40
PENTACHLORPHENOL	87-86-5	40 ug/kg	<40
PHENANTHRENE	85-01-8	40 ug/kg	<40
ANTHRACENE	120-12-7	40 ug/kg	<40
Di-n-BUTYLPHTHALATE	84-74-2	500 ug/kg	<500
FLUORANTHENE	206-44-0	40 ug/kg	<40
PYRENE	129-00-0	40 ug/kg	<40
BUTYLBENZYLPHTHALATE	85-68-7	40 ug/kg	<40
3,3-DICHLOROBENZIDINE	91-94-1	40 ug/kg	<40
BENZO-a-ANTHRACENE	56-55-3	40 ug/kg	<40
CHRYSENE	218-01-9	40 ug/kg	<40
Bis(2-ETHYLEXYL)PHTALATE	117-81-7	500 ug/kg	<500
DI-n-OCTYLPHTHALATE	117-84-0	40 ug/kg	<40
BENZO-b-FLUOROANTHENE	205-99-2	40 ug/kg	<40
BENZO-k- FLUOROANTHENE	207-08-9	40 ug/kg	<40
BENZO-a-PYRENE	50-32-8	40 ug/kg	<40
INDENO(1,2,3-c,d)PYRENE	193-39-5	40 ug/kg	<40
DIBENZO-a,h-ANTHRACENE	53-70-3	40 ug/kg	<40
BENZO-g,h,i-PERYLENE	191-24-2	40 ug/kg	<40

MDL = Minimum Detection Limit.



Michael Veraldi-Laboratory Director



LONG  
ISLAND  
ANALYTICAL  
LABORATORY, INC.

101-4 Colin Drive • Holbrook, New York 11741


Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: Anson Environmental	Client ID: 131 Sunnyside Blvd .....DW 6 (20ft)
Date received: 2/26/04	Laboratory ID: 1033519
Date extracted: 2/26/04	Matrix: Soil
Date analyzed: 2/26/04	ELAP #: 11693

## EPA METHOD 8270

Parameter	CAS No.	MDL	Results ug/kg
Bis(2-CHLOROETHYL)ETHER	111-44-4	40 ug/kg	<40
PHENOL	108-95-1	40 ug/kg	<40
2-CHLOROPHENOL	95-57-8	40 ug/kg	<40
1,3-DICHLOROBENZENE	541-73-1	40 ug/kg	<40
1,4-DICHLOROBENZENE	106-46-7	40 ug/kg	<40
1,2-DICHLOROBENZENE	95-50-1	40 ug/kg	<40
Bis(2-CHLOROISOPROPYL)ETHER	108-60-1	40 ug/kg	<40
2-METHYLPHENOL	95-48-7	40 ug/kg	<40
HEXACHLOROETHANE	67-72-1	40 ug/kg	<40
N-NITROSODI-n-PROPYL AMINE	621-64-7	40 ug/kg	<40
4-METHYLPHENOL	106-44-5	40 ug/kg	<40
NITROBENZENE	98-95-3	40 ug/kg	<40
ISOPHORONE	78-59-1	40 ug/kg	<40
2-NITROPHENOL	88-75-5	40 ug/kg	<40
2,4-DIMETHYLPHENOL	105-67-9	40 ug/kg	<40
Bis(2-CHLOROETHOXY)METHANE	111-91-1	40 ug/kg	<40
2,4-DICHLOROPHENOL	102-83-2	40 ug/kg	<40
1,2,4-TRICHLOROBENZENE	120-82-1	40 ug/kg	<40
NAPHTHALENE	91-20-3	40 ug/kg	<40
4-CHLOROANILINE	106-47-8	40 ug/kg	<40
HEXACHLOROBUTADIENE	87-68-3	40 ug/kg	<40
4-CHLORO-3-METHYLPHENOL	59-50-7	40 ug/kg	<40
2-METHYLNAPHTHALENE	91-57-6	40 ug/kg	<40
HEXACHLOROCYCLOPENTADIENE	77-47-4	40 ug/kg	<40
2,4,6-TRICHLOROPHENOL	88-06-2	40 ug/kg	<40
2,4,5-TRICHLOROPHENOL	95-95-4	40 ug/kg	<40
2-CHLORONAPHTHALENE	91-58-7	40 ug/kg	<40
2-NITROANILINE	88-74-4	40 ug/kg	<40
ACENAPHTHYLENE	208-96-8	40 ug/kg	<40
DIMETHYLPHTHALATE	131-11-3	40 ug/kg	<40
2,6-DINITROTOLUENE	606-20-2	40 ug/kg	<40
ACENAPHTHENE	83-32-9	40 ug/kg	<40

MDL = Minimum Detection Limit.





Client: Anson Environmental	Client ID: 131 Sunnyside Blvd .....DW 6 (20ft)
Date received: 2/26/04	Laboratory ID: 1033519
Date extracted: 2/26/04	Matrix: Soil
Date analyzed: 2/26/04	ELAP #: 11693

**EPA METHOD 8270**

Parameter	CAS No.	MDL	Results ug/kg
3-NITROANILINE	99-09-2	40 ug/kg	<40
2,4-DINITROPHENOL	51-28-5	40 ug/kg	<40
DIBENZOFURAN	132-64-9	40 ug/kg	<40
2,4-DINTROTOLUENE	121-14-2	40 ug/kg	<40
4-NITROPHENOL	100-02-7	40 ug/kg	<40
FLUORENE	86-73-7	40 ug/kg	<40
4-CHLOROPHENYL PHENYL ETHER	7005-72-3	40 ug/kg	<40
DIETHYLPHTHALATE	84-66-2	40 ug/kg	<40
4-NITROANILINE	100-01-6	40 ug/kg	<40
4,6-DINITRO-2-METHYLPHENOL	534-52-1	40 ug/kg	<40
N-NITROSODIPHENYLAMINE	86-30-6	40 ug/kg	<40
4-BROMOPHENYL-PHENYL ETHER	101-55-3	40 ug/kg	<40
HEXACHLOROBENZENE	118-74-1	40 ug/kg	<40
PENTACHLORPHENOL	87-86-5	40 ug/kg	<40
PHENANTHRENE	85-01-8	40 ug/kg	<40
ANTHRACENE	120-12-7	40 ug/kg	<40
Di-n-BUTYLPHTHALATE	84-74-2	500 ug/kg	<500
FLUORANTHENE	206-44-0	40 ug/kg	77
PYRENE	129-00-0	40 ug/kg	121
BUTYLBENZYLPHTHALATE	85-68-7	40 ug/kg	<40
3,3-DICHLOROBENZIDINE	91-94-1	40 ug/kg	<40
BENZO-a-ANTHRACENE	56-55-3	40 ug/kg	<40
CHRYSENE	218-01-9	40 ug/kg	214
Bis(2-ETHYLEXYL)PHTALATE	117-81-7	500 ug/kg	<500
DI-n-OCTYLPHTHALATE	117-84-0	40 ug/kg	<40
BENZO-b-FLUOROANTHENE	205-99-2	40 ug/kg	518
BENZO-k- FLUOROANTHENE	207-08-9	40 ug/kg	314
BENZO-a-PYRENE	50-32-8	40 ug/kg	483
INDENO(1,2,3-c,d)PYRENE	193-39-5	40 ug/kg	311
DIBENZO-a,h-ANTHRACENE	53-70-3	40 ug/kg	67
BENZO-g,h,i-PERYLENE	191-24-2	40 ug/kg	258

MDL = Minimum Detection Limit.

*Michael Veraldi*

Michael Veraldi-Laboratory Director



**LONG  
ISLAND  
ANALYTICAL  
LABORATORIES INC.**

101-4 Colin Drive • Holbrook, New York 11741

Client: Anson Environmental	Client ID: 131 Sunnyside Blvd. 03150 .....DW 6 22'
Date received: 3/1/04	Laboratory ID: 1033899
Date extracted: 3/1/04	Matrix: Soil
Date analyzed: 3/1/04	ELAP #: 11693

### EPA METHOD 8270(BN)

Parameter	CAS No.	MDL	Results ug/kg
Bis(2-CHLOROETHYL)ETHER	111-44-4	40 ug/kg	<40
1,3-DICHLOROBENZENE	541-73-1	40 ug/kg	<40
1,4-DICHLOROBENZENE	106-46-7	40 ug/kg	<40
1,2-DICHLOROBENZENE	95-50-1	40 ug/kg	<40
Bis(2-CHLOROISOPROPYL)ETHER	108-60-1	40 ug/kg	<40
HEXACHLOROETHANE	67-72-1	40 ug/kg	<40
N-NITROSODI-n-PROPYL AMINE	621-64-7	40 ug/kg	<40
NITROBENZENE	98-95-3	40 ug/kg	<40
ISOPHORONE	78-59-1	40 ug/kg	<40
Bis(2-CHLOROETHOXY)METHANE	111-91-1	40 ug/kg	<40
1,2,4-TRICHLOROBENZENE	120-82-1	40 ug/kg	<40
NAPHTHALENE	91-20-3	40 ug/kg	<40
HEXACHLOROBUTADIENE	87-68-3	40 ug/kg	<40
HEXACHLOROCYCLOPENTADIENE	77-47-4	40 ug/kg	<40
2-CHLORONAPHTHALENE	91-58-7	40 ug/kg	<40
ACENAPHTHYLENE	208-96-8	40 ug/kg	<40
DIMETHYLPHTHALATE	131-11-3	40 ug/kg	<40
2,6-DINITROTOLUENE	606-20-2	40 ug/kg	<40
ACENAPHTHENE	83-32-9	40 ug/kg	<40
2,4-DINTROTOLUENE	121-14-2	40 ug/kg	<40
FLUORENE	86-73-7	40 ug/kg	<40
4-CHLOROPHENYL PHENYL ETHER	7005-72-3	40 ug/kg	<40

MDL = Minimum Detection Limit.



LONG  
ISLAND  
ANALYTICAL  
LABORATORIES INC

101-4 Colin Drive • Holbrook, New York 11741

Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: Anson Environmental	Client ID: 131 Sunnyside Blvd. 03150 .....DW 6 22'
Date received: 3/1/04	Laboratory ID: 1033899
Date extracted: 3/1/04	Matrix: Soil
Date analyzed: 3/1/04	ELAP #: 11693

**EPA METHOD 8270(BN)**

Parameter	CAS No.	MDL	Results ug/kg
DIETHYLPHthalate	84-66-2	40 ug/kg	<40
4-BROMOPHENYL-PHENYL ETHER	101-55-3	40 ug/kg	<40
HEXACHLORO BENZENE	118-74-1	40 ug/kg	<40
PHENANTHRENE	85-01-8	40 ug/kg	<40
ANTHRACENE	120-12-7	40 ug/kg	<40
Di-n-BUTYLPHthalate	84-74-2	500 ug/kg	<500
FLUORANTHENE	206-44-0	40 ug/kg	452
PYRENE	129-00-0	40 ug/kg	469
BUTYLBENZYLPHthalate	85-68-7	40 ug/kg	<40
3,3-DICHLORO BENZIDINE	91-94-1	40 ug/kg	<40
BENZO-a-ANTHRACENE	56-55-3	40 ug/kg	429
CHRYSENE	218-01-9	40 ug/kg	438
Bis(2-ETHYLEXYL)PHTALATE	117-81-7	500 ug/kg	<500
DI-n-OCTYLPHthalate	117-84-0	40 ug/kg	<40
BENZO-b-FLUOROANTHENE	205-99-2	40 ug/kg	237
BENZO-k- FLUOROANTHENE	207-08-9	40 ug/kg	273
BENZO-a-PYRENE	50-32-8	40 ug/kg	192
INDENO(1,2,3-c,d)PYRENE	193-39-5	40 ug/kg	135
DIBENZO-a,h-ANTHRACENE	53-70-3	40 ug/kg	<40
BENZO-g,h,i-PERYLENE	191-24-2	40 ug/kg	112

MDL = Minimum Detection Limit.

*Michael Veraldi*

Michael Veraldi-Laboratory Director



Client: Anson Environmental	Client ID: 131 Sunnyside Blvd. 03150 .....DW 6 26'
Date received: 3/1/04	Laboratory ID: 1033901
Date extracted: 3/1/04	Matrix: Soil
Date analyzed: 3/1/04	ELAP #: 11693

### EPA METHOD 8270(BN)

Parameter	CAS No.	MDL	Results ug/kg
Bis(2-CHLOROETHYL)ETHER	111-44-4	40 ug/kg	<40
1,3-DICHLOROBENZENE	541-73-1	40 ug/kg	<40
1,4-DICHLOROBENZENE	106-46-7	40 ug/kg	<40
1,2-DICHLOROBENZENE	95-50-1	40 ug/kg	<40
Bis(2-CHLOROISOPROPYL)ETHER	108-60-1	40 ug/kg	<40
HEXACHLOROETHANE	67-72-1	40 ug/kg	<40
N-NITROSODI-n-PROPYL AMINE	621-64-7	40 ug/kg	<40
NITROBENZENE	98-95-3	40 ug/kg	<40
ISOPHORONE	78-59-1	40 ug/kg	<40
Bis(2-CHLOROETHOXY)METHANE	111-91-1	40 ug/kg	<40
1,2,4-TRICHLOROBENZENE	120-82-1	40 ug/kg	<40
NAPHTHALENE	91-20-3	40 ug/kg	<40
HEXACHLOROBUTADIENE	87-68-3	40 ug/kg	<40
HEXACHLOROCYCLOPENTADIENE	77-47-4	40 ug/kg	<40
2-CHLORONAPHTHALENE	91-58-7	40 ug/kg	<40
ACENAPHTHYLENE	208-96-8	40 ug/kg	<40
DIMETHYLPHTHALATE	131-11-3	40 ug/kg	<40
2,6-DINITROTOLUENE	606-20-2	40 ug/kg	<40
ACENAPHTHENE	83-32-9	40 ug/kg	<40
2,4-DINTROTOLUENE	121-14-2	40 ug/kg	<40
FLUORENE	86-73-7	40 ug/kg	<40
4-CHLOROPHENYL PHENYL ETHER	7005-72-3	40 ug/kg	<40

MDL = Minimum Detection Limit.

Client: Anson Environmental	Client ID: 131 Sunnyside Blvd. 03150 .....DW 6 26'
Date received: 3/1/04	Laboratory ID: 1033901
Date extracted: 3/1/04	Matrix: Soil
Date analyzed: 3/1/04	ELAP #: 11693

### EPA METHOD 8270(BN)

Parameter	CAS No.	MDL	Results ug/kg
DIETHYLPHTHALATE	84-66-2	40 ug/kg	<40
4-BROMOPHENYL-PHENYL ETHER	101-55-3	40 ug/kg	<40
HEXACHLOROBENZENE	118-74-1	40 ug/kg	<40
PHENANTHRENE	85-01-8	40 ug/kg	<40
ANTHRACENE	120-12-7	40 ug/kg	<40
Di-n-BUTYLPHTHALATE	84-74-2	500 ug/kg	<500
FLUORANTHENE	206-44-0	40 ug/kg	<40
PYRENE	129-00-0	40 ug/kg	<40
BUTYLBENZYLPHTHALATE	85-68-7	40 ug/kg	<40
3,3-DICHLOROBENZIDINE	91-94-1	40 ug/kg	<40
BENZO-a-ANTHRACENE	56-55-3	40 ug/kg	<40
CHRYSENE	218-01-9	40 ug/kg	81
Bis(2-ETHYLEXYL)PHTALATE	117-81-7	500 ug/kg	<500
DI-n-OCTYLPHTHALATE	117-84-0	40 ug/kg	<40
BENZO-b-FLUOROANTHENE	205-99-2	40 ug/kg	78
BENZO-k- FLUOROANTHENE	207-08-9	40 ug/kg	111
BENZO-a-PYRENE	50-32-8	40 ug/kg	<40
INDENO(1,2,3-c,d)PYRENE	193-39-5	40 ug/kg	42
DIBENZO-a,h-ANTHRACENE	53-70-3	40 ug/kg	<40
BENZO-g,h,i-PERYLENE	191-24-2	40 ug/kg	<40

MDL = Minimum Detection Limit.

*Michael Veraldi*

Michael Veraldi-Laboratory Director



LIAI  
ISLAND  
ANALYTICAL  
LABORATORY, INC.

101-4 Colin Drive • Holbrook, New York 11741

Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: Anson Environmental	Client ID: 131 Sunnyside Blvd. (DW-6 23')
Date received: 4/8/04	Laboratory ID: 1038209
Date extracted: 4/9/04	Matrix: Soil
Date analyzed: 4/9/04	ELAP #: 11693

### EPA METHOD 8270(BN)

Parameter	CAS No.	MDL	Results ug/kg
Bis(2-CHLOROETHYL)ETHER	111-44-4	40 ug/kg	<40
1,3-DICHLOROBENZENE	541-73-1	40 ug/kg	<40
1,4-DICHLOROBENZENE	106-46-7	40 ug/kg	<40
1,2-DICHLOROBENZENE	95-50-1	40 ug/kg	<40
Bis(2-CHLOROISOPROPYL)ETHER	108-60-1	40 ug/kg	<40
HEXACHLOROETHANE	67-72-1	40 ug/kg	<40
N-NITROSODI-n-PROPYL AMINE	621-64-7	40 ug/kg	<40
NITROBENZENE	98-95-3	40 ug/kg	<40
ISOPHORONE	78-59-1	40 ug/kg	<40
Bis(2-CHLOROETHOXY)METHANE	111-91-1	40 ug/kg	<40
1,2,4-TRICHLOROBENZENE	120-82-1	40 ug/kg	<40
NAPHTHALENE	91-20-3	40 ug/kg	<40
HEXACHLOROBUTADIENE	87-68-3	40 ug/kg	<40
HEXACHLOROCYCLOPENTADIENE	77-47-4	66 ug/kg	<66
2-CHLORONAPHTHALENE	91-58-7	40 ug/kg	<40
ACENAPHTHYLENE	208-96-8	40 ug/kg	<40
DIMETHYLPHTHALATE	131-11-3	40 ug/kg	<40
2,6-DINITROTOLUENE	606-20-2	40 ug/kg	<40
ACENAPHTHENE	83-32-9	40 ug/kg	<40
2,4-DINTROTOLUENE	121-14-2	40 ug/kg	<40
FLUORENE	86-73-7	40 ug/kg	<40
4-CHLOROPHENYL PHENYL ETHER	7005-72-3	40 ug/kg	<40

MDL = Minimum Detection Limit.



LONG  
ISLAND  
ANALYTICAL  
LABORATORIES INC.

101-4 Colin Drive • Holbrook, New York 11741

Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: Anson Environmental	Client ID: 131 Sunnyside Blvd. (DW-6 23')
Date received: 4/8/04	Laboratory ID: 1038209
Date extracted: 4/9/04	Matrix: Soil
Date analyzed: 4/9/04	ELAP #: 11693

### EPA METHOD 8270(BN)

Parameter	CAS No.	MDL	Results ug/kg
DIETHYLPHTHALATE	84-66-2	40 ug/kg	<40
4-BROMOPHENYL-PHENYL ETHER	101-55-3	40 ug/kg	<40
HEXACHLOROBENZENE	118-74-1	40 ug/kg	<40
PHENANTHRENE	85-01-8	40 ug/kg	<40
ANTHRACENE	120-12-7	40 ug/kg	<40
Di-n-BUTYLPHTHALATE	84-74-2	500 ug/kg	<500
FLUORANTHENE	206-44-0	40 ug/kg	<40
PYRENE	129-00-0	40 ug/kg	<40
BUTYLBENZYLPHTHALATE	85-68-7	40 ug/kg	<40
3,3-DICHLOROBENZIDINE	91-94-1	40 ug/kg	<40
BENZO-a-ANTHRACENE	56-55-3	40 ug/kg	<40
CHRYSENE	218-01-9	40 ug/kg	<40
Bis(2-ETHYLEXYL)PHTALATE	117-81-7	500 ug/kg	<500
DI-n-OCTYLPHTHALATE	117-84-0	40 ug/kg	<40
BENZO-b-FLUOROANTHENE	205-99-2	40 ug/kg	<40
BENZO-k- FLUOROANTHENE	207-08-9	40 ug/kg	<40
BENZO-a-PYRENE	50-32-8	40 ug/kg	<40
INDENO(1,2,3-c,d)PYRENE	193-39-5	40 ug/kg	<40
DIBENZO-a,h-ANTHRACENE	53-70-3	40 ug/kg	<40
BENZO-g,h,i-PERYLENE	191-24-2	40 ug/kg	<40

MDL = Minimum Detection Limit.

*Michael Veraldi*

Michael Veraldi-Laboratory Director



LONG  
ISLAND  
ANALYTICAL  
LABORATORIES, INC.

101-4 Colin Drive • Holbrook, New York 11741

Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: Anson	Client ID: 131 Sunnyside Blvd., 03150 (DW-7)
Date received: 10/30/03	Laboratory ID: 1025653
Date extracted: 11/5/03	Matrix: Soil
Date analyzed: 11/5/03	ELAP #: 11693

### EPA METHOD 8270(BN)

Parameter	CAS No.	MDL	Results ug/kg
Bis(2-CHLOROETHYL)ETHER	111-44-4	40 ug/kg	<40
1,3-DICHLOROBENZENE	541-73-1	40 ug/kg	<40
1,4-DICHLOROBENZENE	106-46-7	40 ug/kg	<40
1,2-DICHLOROBENZENE	95-50-1	40 ug/kg	<40
Bis(2-CHLOROISOPROPYL)ETHER	108-60-1	40 ug/kg	<40
HEXACHLOROETHANE	67-72-1	40 ug/kg	<40
N-NITROSODI-n-PROPYL AMINE	621-64-7	40 ug/kg	<40
NITROBENZENE	98-95-3	40 ug/kg	<40
ISOPHORONE	78-59-1	40 ug/kg	<40
Bis(2-CHLOROETHOXY)METHANE	111-91-1	40 ug/kg	<40
1,2,4-TRICHLOROBENZENE	120-82-1	40 ug/kg	<40
NAPHTHALENE	91-20-3	40 ug/kg	<40
HEXACHLOROBUTADIENE	87-68-3	40 ug/kg	<40
HEXACHLOROCYCLOPENTADIENE	77-47-4	40 ug/kg	<40
2-CHLORONAPHTHALENE	91-58-7	40 ug/kg	<40
ACENAPHTHYLENE	208-96-8	40 ug/kg	<40
DIMETHYLPHTHALATE	131-11-3	40 ug/kg	<40
2,6-DINITROTOLUENE	606-20-2	40 ug/kg	<40
ACENAPHTHENE	83-32-9	40 ug/kg	<40
2,4-DINTROTOLUENE	121-14-2	40 ug/kg	<40
FLUORENE	86-73-7	40 ug/kg	<40
4-CHLOROPHENYL PHENYL ETHER	7005-72-3	40 ug/kg	<40

MDL = Minimum Detection Limit.



LONG  
ISLAND  
ANALYTICAL  
LABORATORIES, INC.

101-4 Colin Drive • Holbrook, New York 11741

Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com




Client: Anson	Client ID: 131 Sunnyside Blvd., 03150 (DW-7)
Date received: 10/30/03	Laboratory ID: 1025653
Date extracted: 11/5/03	Matrix: Soil
Date analyzed: 11/5/03	ELAP #: 11693

### EPA METHOD 8270(BN)

Parameter	CAS No.	MDL	Results ug/kg
DIETHYLPHTHALATE	84-66-2	40 ug/kg	<40
4-BROMOPHENYL-PHENYL ETHER	101-55-3	40 ug/kg	<40
HEXACHLOROBENZENE	118-74-1	40 ug/kg	<40
PHENANTHRENE	85-01-8	40 ug/kg	<40
ANTHRACENE	120-12-7	40 ug/kg	<40
Di-n-BUTYLPHTHALATE	84-74-2	500 ug/kg	<500
FLUORANTHENE	206-44-0	40 ug/kg	<40
PYRENE	129-00-0	40 ug/kg	<40
BUTYLBENZYLPHTHALATE	85-68-7	40 ug/kg	<40
3,3-DICHLOROBENZIDINE	91-94-1	40 ug/kg	<40
BENZO-a-ANTHRACENE	56-55-3	40 ug/kg	<40
CHRYSENE	218-01-9	40 ug/kg	<40
Bis(2-ETHYLEXYL)PHTALATE	117-81-7	500 ug/kg	<500
Di-n-OCTYLPHTHALATE	117-84-0	40 ug/kg	<40
BENZO-b-FLUOROANTHENE	205-99-2	40 ug/kg	<40
BENZO-k- FLUOROANTHENE	207-08-9	40 ug/kg	<40
BENZO-a-PYRENE	50-32-8	40 ug/kg	<40
INDENO(1,2,3-c,d)PYRENE	193-39-5	40 ug/kg	72
DIBENZO-a,h-ANTHRACENE	53-70-3	40 ug/kg	<40
BENZO-g,h,i-PERYLENE	191-24-2	40 ug/kg	109

MDL = Minimum Detection Limit.

  
Michael Veraldi-Laboratory Director



LONO  
ISLAND  
ANALYTICAL  
LABORATORIES, INC.

101-4 Colin Drive • Holbrook, New York 11741

Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: Anson	Client ID: 131 Sunnyside Blvd., 03150 (DW-7)
Date received: 10/30/03	Laboratory ID: 1025653
Date extracted: 11/3, 11/4/03	Matrix: Soil
Date analyzed: 11/3, 11/4/03	ELAP #: 11693

### METALS ANALYSIS

Parameter	MDL	Results mg/kg
SILVER, Ag	1.65 mg/kg	<1.65
ARSENIC, As	1.65 mg/kg	<1.65
BARIUM, Ba	3.33 mg/kg	4.07
CADMIUM, Cd	1.00 mg/kg	<1.00
CHROMIUM, Cr	1.65 mg/kg	11.4
MERCURY, Hg	0.020 mg/kg	<0.020
LEAD, Pb	1.65 mg/kg	<1.65
SELENIUM, Se	1.65 mg/kg	<1.65

MDL = Minimum Detection Limit.

Analysis by SW-846 Method 6010



Michael Veraldi-Laboratory Director



Client: Anson	Client ID: 131 Sunnyside Blvd. (DW-7 98")
Date received: 11/17/03	Laboratory ID: 1027208
Date extracted: 11/18, 11/19/03	Matrix: Soil
Date analyzed: 11/18, 11/19/03	ELAP #: 11693

### METALS ANALYSIS

Parameter	MDL	Results mg/kg
SILVER, Ag	1.65 mg/kg	<1.65
ARSENIC, As	1.65 mg/kg	<1.65
BARIUM, Ba	3.33 mg/kg	<3.33
CADMIUM, Cd	1.00 mg/kg	<1.00
CHROMIUM, Cr	1.65 mg/kg	4.97
MERCURY, Hg	0.020 mg/kg	<0.020
LEAD, Pb	1.65 mg/kg	<1.65
SELENIUM, Se	1.65 mg/kg	<1.65
HEXAVALENT CHROMIUM	1.00 mg/kg	<1.00

MDL = Minimum Detection Limit.

Performed by SW-846 Method 6010



Michael Veraldi-Laboratory Director

Client: Anson Environmental	Client ID: 131 Sunnyside Blvd. (DW-7)
Date received: 11/26/03	Laboratory ID: 1028051
Date extracted: 12/2/03	Matrix: Soil
Date analyzed: 12/2/03	ELAP #: 11693

### EPA METHOD 8270(BN)

Parameter	CAS No.	MDL	Results ug/kg
Bis(2-CHLOROETHYL)ETHER	111-44-4	40 ug/kg	<40
1,3-DICHLOROBENZENE	541-73-1	40 ug/kg	<40
1,4-DICHLOROBENZENE	106-46-7	40 ug/kg	<40
1,2-DICHLOROBENZENE	95-50-1	40 ug/kg	<40
Bis(2-CHLOROISOPROPYL)ETHER	108-60-1	40 ug/kg	<40
HEXACHLOROETHANE	67-72-1	40 ug/kg	<40
N-NITROSODI-n-PROPYL AMINE	621-64-7	40 ug/kg	<40
NITROBENZENE	98-95-3	40 ug/kg	<40
ISOPHORONE	78-59-1	40 ug/kg	<40
Bis(2-CHLOROETHOXY)METHANE	111-91-1	40 ug/kg	<40
1,2,4-TRICHLOROBENZENE	120-82-1	40 ug/kg	<40
NAPHTHALENE	91-20-3	40 ug/kg	<40
HEXACHLOROBUTADIENE	87-68-3	40 ug/kg	<40
HEXACHLOROCYCLOPENTADIENE	77-47-4	40 ug/kg	<40
2-CHLORONAPHTHALENE	91-58-7	40 ug/kg	<40
ACENAPHTHYLENE	208-96-8	40 ug/kg	<40
DIMETHYLPHTHALATE	131-11-3	40 ug/kg	<40
2,6-DINITROTOLUENE	606-20-2	40 ug/kg	<40
ACENAPHTHENE	83-32-9	40 ug/kg	<40
2,4-DINTROTOLUENE	121-14-2	40 ug/kg	<40
FLUORENE	86-73-7	40 ug/kg	<40
4-CHLOROPHENYL PHENYL ETHER	7005-72-3	40 ug/kg	<40

MDL = Minimum Detection Limit.

Client: Anson Environmental	Client ID: 131 Sunnyside Blvd. (DW-7)
Date received: 11/26/03	Laboratory ID: 1028051
Date extracted: 12/2/03	Matrix: Soil
Date analyzed: 12/2/03	ELAP #: 11693

### EPA METHOD 8270(BN)

Parameter	CAS No.	MDL	Results ug/kg
DIETHYLPHTHALATE	84-66-2	40 ug/kg	<40
4-BROMOPHENYL-PHENYL ETHER	101-55-3	40 ug/kg	<40
HEXACHLOROBENZENE	118-74-1	40 ug/kg	<40
PHENANTHRENE	85-01-8	40 ug/kg	<40
ANTHRACENE	120-12-7	40 ug/kg	<40
Di-n-BUTYLPHTHALATE	84-74-2	500 ug/kg	<500
FLUORANTHENE	206-44-0	40 ug/kg	<40
PYRENE	129-00-0	40 ug/kg	<40
BUTYLBENZYLPHTHALATE	85-68-7	40 ug/kg	<40
3,3-DICHLOROBENZIDINE	91-94-1	40 ug/kg	<40
BENZO-a-ANTHRACENE	56-55-3	40 ug/kg	<40
CHRYSENE	218-01-9	40 ug/kg	<40
Bis(2-ETHYLEXYL)PHTALATE	117-81-7	500 ug/kg	<500
DI-n-OCTYLPHTHALATE	117-84-0	40 ug/kg	<40
BENZO-b-FLUOROANTHENE	205-99-2	40 ug/kg	<40
BENZO-k- FLUOROANTHENE	207-08-9	40 ug/kg	<40
BENZO-a-PYRENE	50-32-8	40 ug/kg	<40
INDENO(1,2,3-c,d)PYRENE	193-39-5	40 ug/kg	<40
DIBENZO-a,h-ANTHRACENE	53-70-3	40 ug/kg	<40
BENZO-g,h,i-PERYLENE	191-24-2	40 ug/kg	44

MDL = Minimum Detection Limit.



Michael Veraldi-Laboratory Director



Client: Anson Environmental	Client ID: 131 Sunnyside Blvd. (DW-7)
Date received: 11/26/03	Laboratory ID: 1028051
Date extracted: 12/1, 12/2/03	Matrix: Soil
Date analyzed: 12/1, 12/2/03	ELAP #: 11693

### METALS ANALYSIS

Parameter	MDL	Results mg/kg
SILVER, Ag	1.65 mg/kg	<1.65
ARSENIC, As	1.65 mg/kg	<1.65
BARIUM, Ba	3.33 mg/kg	5.19
CADMIUM, Cd	1.00 mg/kg	<1.00
CHROMIUM, Cr	1.65 mg/kg	51.8
MERCURY, Hg	0.020 mg/kg	0.037
LEAD, Pb	1.65 mg/kg	2.45
SELENIUM, Se	1.65 mg/kg	<1.65
HEXAVALENT CHROMIUM	1.00 mg/kg	<1.00

MDL = Minimum Detection Limit.

Analysis by SW-846 Method 6010



Michael Veraldi-Laboratory Director

Client: Anson Environmental	Client ID: 131 Sunnyside Blvd.
Date received: 12/19/03	Laboratory ID: 1029301-1029303
Date extracted: 12/22/03	Matrix: Soil
Date analyzed: 12/22/03	ELAP #: 11693

### TOTAL CHROMIUM ANALYSIS

LAB ID #	CLIENT ID	Results mg/kg
1029301	DW-13 Endpoint	20.20
1029302	DW-7 Endpoint	27.64
1029303	DW-6 Endpoint	2.11

Performed by SW-846 Method 6010

*Michael Veraldi*

Michael Veraldi-Laboratory Director



LONG  
ISLAND  
ANALYTICAL  
LABORATORIES INC.

101-4 Colin Drive • Holbrook, New York 11741

Client: Anson	Client ID: 131 Sunnyside Blvd., 03150 (DW-8)
Date received: 10/30/03	Laboratory ID: 1025654
Date extracted: 11/5/03	Matrix: Soil
Date analyzed: 11/5/03	ELAP #: 11693

### EPA METHOD 8270(BN)

Parameter	CAS No.	MDL	Results ug/kg
Bis(2-CHLOROETHYL)ETHER	111-44-4	40 ug/kg	<40
1,3-DICHLOROBENZENE	541-73-1	40 ug/kg	<40
1,4-DICHLOROBENZENE	106-46-7	40 ug/kg	<40
1,2-DICHLOROBENZENE	95-50-1	40 ug/kg	<40
Bis(2-CHLOROISOPROPYL)ETHER	108-60-1	40 ug/kg	<40
HEXACHLOROETHANE	67-72-1	40 ug/kg	<40
N-NITROSODI-n-PROPYL AMINE	621-64-7	40 ug/kg	<40
NITROBENZENE	98-95-3	40 ug/kg	<40
ISOPHORONE	78-59-1	40 ug/kg	<40
Bis(2-CHLOROETHOXY)METHANE	111-91-1	40 ug/kg	<40
1,2,4-TRICHLOROBENZENE	120-82-1	40 ug/kg	<40
NAPHTHALENE	91-20-3	40 ug/kg	<40
HEXACHLOROBUTADIENE	87-68-3	40 ug/kg	<40
HEXACHLOROCYCLOPENTADIENE	77-47-4	40 ug/kg	<40
2-CHLORONAPHTHALENE	91-58-7	40 ug/kg	<40
ACENAPHTHYLENE	208-96-8	40 ug/kg	<40
DIMETHYLPHTHALATE	131-11-3	40 ug/kg	<40
2,6-DINITROTOLUENE	606-20-2	40 ug/kg	<40
ACENAPHTHENE	83-32-9	40 ug/kg	<40
2,4-DINTROTOLUENE	121-14-2	40 ug/kg	<40
FLUORENE	86-73-7	40 ug/kg	<40
4-CHLOROPHENYL PHENYL ETHER	7005-72-3	40 ug/kg	<40

MDL = Minimum Detection Limit.



LONG  
ISLAND  
ANALYTICAL  
LABORATORIES, INC.

101-4 Colin Drive • Holbrook, New York 11741

Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com



Client: Anson	Client ID: 131 Sunnyside Blvd., 03150 (DW-8)
Date received: 10/30/03	Laboratory ID: 1025654
Date extracted: 11/5/03	Matrix: Soil
Date analyzed: 11/5/03	ELAP #: 11693

### EPA METHOD 8270(BN)

Parameter	CAS No.	MDL	Results ug/kg
DIETHYLPHthalate	84-66-2	40 ug/kg	<40
4-BROMOPHENYL-PHENYL ETHER	101-55-3	40 ug/kg	<40
HEXACHLOROBENZENE	118-74-1	40 ug/kg	<40
PHENANTHRENE	85-01-8	40 ug/kg	<40
ANTHRACENE	120-12-7	40 ug/kg	<40
Di-n-BUTYLPHthalate	84-74-2	500 ug/kg	<500
FLUORANTHENE	206-44-0	40 ug/kg	<40
PYRENE	129-00-0	40 ug/kg	<40
BUTYLBENZYLPHthalate	85-68-7	40 ug/kg	<40
3,3-DICHLOROBENZIDINE	91-94-1	40 ug/kg	<40
BENZO-a-ANTHRACENE	56-55-3	40 ug/kg	<40
CHRYSENE	218-01-9	40 ug/kg	<40
Bis(2-ETHYLEXYL)PHTALATE	117-81-7	500 ug/kg	<500
DI-n-OCTYLPHthalate	117-84-0	40 ug/kg	<40
BENZO-b-FLUOROANTHENE	205-99-2	40 ug/kg	<40
BENZO-k- FLUOROANTHENE	207-08-9	40 ug/kg	<40
BENZO-a-PYRENE	50-32-8	40 ug/kg	<40
INDENO(1,2,3-c,d)PYRENE	193-39-5	40 ug/kg	<40
DIBENZO-a,h-ANTHRACENE	53-70-3	40 ug/kg	<40
BENZO-g,h,i-PERYLENE	191-24-2	40 ug/kg	<40

MDL = Minimum Detection Limit.

*Michael Veraldi*

Michael Veraldi-Laboratory Director



LONG  
ISLAND  
ANALYTICAL  
LABORATORY, INC.

101-4 Colin Drive • Holbrook, New York 11741

Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: Anson	Client ID: 131 Sunnyside Blvd., 03150 (DW-8)
Date received: 10/30/03	Laboratory ID: 1025654
Date extracted: 11/3, 11/4/03	Matrix: Soil
Date analyzed: 11/3, 11/4/03	ELAP #: 11693

## METALS ANALYSIS

Parameter	MDL	Results mg/kg
SILVER, Ag	1.65 mg/kg	<1.65
ARSENIC, As	1.65 mg/kg	<1.65
BARIUM, Ba	3.33 mg/kg	<3.33
CADMIUM, Cd	1.00 mg/kg	<1.00
CHROMIUM, Cr	1.65 mg/kg	68.9
MERCURY, Hg	0.020 mg/kg	<0.020
LEAD, Pb	1.65 mg/kg	<1.65
SELENIUM, Se	1.65 mg/kg	<1.65

MDL = Minimum Detection Limit.

Analysis by SW-846 Method 6010

*Michael Veraldi*

Michael Veraldi-Laboratory Director

Client: Anson	Client ID: 131 Sunnyside Blvd. (DW-8 98")
Date received: 11/17/03	Laboratory ID: 1027207
Date extracted: 11/18, 11/19/03	Matrix: Soil
Date analyzed: 11/18, 11/19/03	ELAP #: 11693

### METALS ANALYSIS

Parameter	MDL	Results mg/kg
SILVER, Ag	1.65 mg/kg	<1.65
ARSENIC, As	1.65 mg/kg	<1.65
BARIUM, Ba	3.33 mg/kg	4.25
CADMIUM, Cd	1.00 mg/kg	<1.00
CHROMIUM, Cr	1.65 mg/kg	176
MERCURY, Hg	0.020 mg/kg	0.057
LEAD, Pb	1.65 mg/kg	7.50
SELENIUM, Se	1.65 mg/kg	<1.65
HEXAVALENT CHROMIUM	1.00 mg/kg	<1.00

MDL = Minimum Detection Limit.

Performed by SW-846 Method 6010



Michael Veraldi-Laboratory Director



Client: Anson Environmental	Client ID: 131 Sunnyside Blvd. (DW-8)
Date received: 11/26/03	Laboratory ID: 1028041
Date extracted: 12/2/03	Matrix: Soil
Date analyzed: 12/2/03	ELAP #: 11693

### EPA METHOD 8270(BN)

Parameter	CAS No.	MDL	Results ug/kg
Bis(2-CHLOROETHYL)ETHER	111-44-4	40 ug/kg	<40
1,3-DICHLOROBENZENE	541-73-1	40 ug/kg	<40
1,4-DICHLOROBENZENE	106-46-7	40 ug/kg	<40
1,2-DICHLOROBENZENE	95-50-1	40 ug/kg	<40
Bis(2-CHLOROISOPROPYL)ETHER	108-60-1	40 ug/kg	<40
HEXACHLOROETHANE	67-72-1	40 ug/kg	<40
N-NITROSODI-n-PROPYL AMINE	621-64-7	40 ug/kg	<40
NITROBENZENE	98-95-3	40 ug/kg	<40
ISOPHORONE	78-59-1	40 ug/kg	<40
Bis(2-CHLOROETHOXY)METHANE	111-91-1	40 ug/kg	<40
1,2,4-TRICHLOROBENZENE	120-82-1	40 ug/kg	<40
NAPHTHALENE	91-20-3	40 ug/kg	<40
HEXACHLOROBUTADIENE	87-68-3	40 ug/kg	<40
HEXACHLOROCYCLOPENTADIENE	77-47-4	40 ug/kg	<40
2-CHLORONAPHTHALENE	91-58-7	40 ug/kg	<40
ACENAPHTHYLENE	208-96-8	40 ug/kg	<40
DIMETHYLPHTHALATE	131-11-3	40 ug/kg	<40
2,6-DINITROTOLUENE	606-20-2	40 ug/kg	<40
ACENAPHTHENE	83-32-9	40 ug/kg	<40
2,4-DINTROTOLUENE	121-14-2	40 ug/kg	<40
FLUORENE	86-73-7	40 ug/kg	<40
4-CHLOROPHENYL PHENYL ETHER	7005-72-3	40 ug/kg	<40

MDL = Minimum Detection Limit.




Client: Anson Environmental	Client ID: 131 Sunnyside Blvd. (DW-8)
Date received: 11/26/03	Laboratory ID: 1028041
Date extracted: 12/2/03	Matrix: Soil
Date analyzed: 12/2/03	ELAP #: 11693

### EPA METHOD 8270(BN)

Parameter	CAS No.	MDL	Results ug/kg
DIETHYLPHTHALATE	84-66-2	40 ug/kg	<40
4-BROMOPHENYL-PHENYL ETHER	101-55-3	40 ug/kg	<40
HEXACHLOROBENZENE	118-74-1	40 ug/kg	<40
PHENANTHRENE	85-01-8	40 ug/kg	<40
ANTHRACENE	120-12-7	40 ug/kg	<40
Di-n-BUTYLPHTHALATE	84-74-2	500 ug/kg	<500
FLUORANTHENE	206-44-0	40 ug/kg	<40
PYRENE	129-00-0	40 ug/kg	<40
BUTYLBENZYLPHTHALATE	85-68-7	40 ug/kg	<40
3,3-DICHLOROBENZIDINE	91-94-1	40 ug/kg	<40
BENZO-a-ANTHRACENE	56-55-3	40 ug/kg	<40
CHRYSENE	218-01-9	40 ug/kg	<40
Bis(2-ETHYLEXYL)PHTALATE	117-81-7	500 ug/kg	<500
DI-n-OCTYLPHTHALATE	117-84-0	40 ug/kg	<40
BENZO-b-FLUOROANTHENE	205-99-2	40 ug/kg	<40
BENZO-k- FLUOROANTHENE	207-08-9	40 ug/kg	<40
BENZO-a-PYRENE	50-32-8	40 ug/kg	<40
INDENO(1,2,3-c,d)PYRENE	193-39-5	40 ug/kg	<40
DIBENZO-a,h-ANTHRACENE	53-70-3	40 ug/kg	<40
BENZO-g,h,i-PERYLENE	191-24-2	40 ug/kg	<40

MDL = Minimum Detection Limit.



Michael Veraldi-Laboratory Director

Client: Anson Environmental	Client ID: 131 Sunnyside Blvd. (DW-8)
Date received: 11/26/03	Laboratory ID: 1028041
Date extracted: 12/1, 12/2/03	Matrix: Soil
Date analyzed: 12/1, 12/2/03	ELAP #: 11693

### METALS ANALYSIS

Parameter	MDL	Results mg/kg
SILVER, Ag	1.65 mg/kg	<1.65
ARSENIC, As	1.65 mg/kg	<1.65
BARIUM, Ba	3.33 mg/kg	3.55
CADMIUM, Cd	1.00 mg/kg	<1.00
CHROMIUM, Cr	1.65 mg/kg	63.0
MERCURY, Hg	0.020 mg/kg	<0.020
LEAD, Pb	1.65 mg/kg	2.50
SELENIUM, Se	1.65 mg/kg	<1.65
HEXAVALENT CHROMIUM	1.00 mg/kg	<1.00

MDL = Minimum Detection Limit.

Analysis by SW-846 Method 6010



Michael Veraldi-Laboratory Director


Client: Anson Environmental	Client ID: 131 Sunnyside, 03150
Date received: 12/17/03	Laboratory ID: 1029139-1029144
Date extracted: 12/18/03	Matrix: Soil
Date analyzed: 12/18/03	ELAP #: 11693

### TOTAL CHROMIUM ANALYSIS

Lab ID	Client ID	MRL	Results mg/kg
1029139	DW9 12.5'	1.65 mg/kg	1.78
1029140	DW8 13.5'	1.65 mg/kg	26.5
1029141	Drain 7N	1.65 mg/kg	7.58
1029142	Drain 7S	1.65 mg/kg	11.6
1029143	Drain 7W	1.65 mg/kg	7.92
1029144	Drain 7E	1.65 mg/kg	12.9

MRL = Minimum Reporting Limit

Performed by SW-846 Method 6010

  
Michael Veraldi-Laboratory Director

Client: Anson	Client ID: 131 Sunnyside Blvd., 03150 (DW-9)
Date received: 10/30/03	Laboratory ID: 1025655
Date extracted: 11/5/03	Matrix: Soil
Date analyzed: 11/5/03	ELAP #: 11693

### EPA METHOD 8270(BN)

Parameter	CAS No.	MDL	Results ug/kg
Bis(2-CHLOROETHYL)ETHER	111-44-4	40 ug/kg	<80
1,3-DICHLOROBENZENE	541-73-1	40 ug/kg	<80
1,4-DICHLOROBENZENE	106-46-7	40 ug/kg	<80
1,2-DICHLOROBENZENE	95-50-1	40 ug/kg	<80
Bis(2-CHLOROISOPROPYL)ETHER	108-60-1	40 ug/kg	<80
HEXACHLOROETHANE	67-72-1	40 ug/kg	<80
N-NITROSODI-n-PROPYL AMINE	621-64-7	40 ug/kg	<80
NITROBENZENE	98-95-3	40 ug/kg	<80
ISOPHORONE	78-59-1	40 ug/kg	<80
Bis(2-CHLOROETHOXY)METHANE	111-91-1	40 ug/kg	<80
1,2,4-TRICHLOROBENZENE	120-82-1	40 ug/kg	<80
NAPHTHALENE	91-20-3	40 ug/kg	<80
HEXACHLOROBUTADIENE	87-68-3	40 ug/kg	<80
HEXACHLOROCYCLOPENTADIENE	77-47-4	40 ug/kg	<80
2-CHLORONAPHTHALENE	91-58-7	40 ug/kg	<80
ACENAPHTHYLENE	208-96-8	40 ug/kg	<80
DIMETHYLPHTHALATE	131-11-3	40 ug/kg	<80
2,6-DINITROTOLUENE	606-20-2	40 ug/kg	<80
ACENAPHTHENE	83-32-9	40 ug/kg	<80
2,4-DINTROTOLUENE	121-14-2	40 ug/kg	<80
FLUORENE	86-73-7	40 ug/kg	<80
4-CHLOROPHENYL PHENYL ETHER	7005-72-3	40 ug/kg	<80

MDL = Minimum Detection Limit.

Note: MDL's are raised due to matrix interference.



LONG  
ISLAND  
ANALYTICAL  
LABORATORY

101-4 Colin Drive • Holbrook, New York 11741

Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com



Client: Anson	Client ID: 131 Sunnyside Blvd., 03150 (DW-9)
Date received: 10/30/03	Laboratory ID: 1025655
Date extracted: 11/5/03	Matrix: Soil
Date analyzed: 11/5/03	ELAP #: 11693

### EPA METHOD 8270(BN)

Parameter	CAS No.	MDL	Results ug/kg
DIETHYLPHthalate	84-66-2	40 ug/kg	<80
4-BROMOPHENYL-PHENYL ETHER	101-55-3	40 ug/kg	<80
HEXACHLORO BENZENE	118-74-1	40 ug/kg	<80
PHENANTHRENE	85-01-8	40 ug/kg	<80
ANTHRACENE	120-12-7	40 ug/kg	<80
Di-n-BUTYLPHthalate	84-74-2	500 ug/kg	<500
FLUORANTHENE	206-44-0	40 ug/kg	<80
PYRENE	129-00-0	40 ug/kg	<80
BUTYLBENZYLPHthalate	85-68-7	40 ug/kg	<80
3,3-DICHLOROBENZIDINE	91-94-1	40 ug/kg	<80
BENZO-a-ANTHRACENE	56-55-3	40 ug/kg	<80
CHRYSENE	218-01-9	40 ug/kg	<80
Bis(2-ETHYLEXYL)PHthalate	117-81-7	500 ug/kg	<500
DI-n-OCTYLPHthalate	117-84-0	40 ug/kg	<80
BENZO-b-FLUOROANTHENE	205-99-2	40 ug/kg	<80
BENZO-k- FLUOROANTHENE	207-08-9	40 ug/kg	<80
BENZO-a-PYRENE	50-32-8	40 ug/kg	<80
INDENO(1,2,3-c,d)PYRENE	193-39-5	40 ug/kg	<80
DIBENZO-a,h-ANTHRACENE	53-70-3	40 ug/kg	<80
BENZO-g,h,i-PERYLENE	191-24-2	40 ug/kg	<80

MDL = Minimum Detection Limit.

Note: MDL's are raised due to matrix interference.

*Michael Veraldi*

Michael Veraldi-Laboratory Director



LONG  
ISLAND  
ANALYTICAL  
LABORATORIES, INC.

101-4 Colin Drive • Holbrook, New York 11741

Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: Anson	Client ID: 131 Sunnyside Blvd., 03150 (DW-9)
Date received: 10/30/03	Laboratory ID: 1025655
Date extracted: 11/3, 11/4/03	Matrix: Soil
Date analyzed: 11/3, 11/4/03	ELAP #: 11693

### METALS ANALYSIS

Parameter	MDL	Results mg/kg
SILVER, Ag	1.65 mg/kg	<1.65
ARSENIC, As	1.65 mg/kg	<1.65
BARIUM, Ba	3.33 mg/kg	11.3
CADMIUM, Cd	1.00 mg/kg	<1.00
CHROMIUM, Cr	1.65 mg/kg	25.4
MERCURY, Hg	0.020 mg/kg	<0.020
LEAD, Pb	1.65 mg/kg	5.72
SELENIUM, Se	1.65 mg/kg	<1.65

MDL = Minimum Detection Limit.

Analysis by SW-846 Method 6010



Michael Veraldi-Laboratory Director



Client: Anson Environmental	Client ID: 131 Sunnyside Blvd. (DW-9)
Date received: 11/26/03	Laboratory ID: 1028047
Date extracted: 12/2/03	Matrix: Soil
Date analyzed: 12/2/03	ELAP #: 11693

### EPA METHOD 8270(BN)

Parameter	CAS No.	MDL	Results ug/kg
Bis(2-CHLOROETHYL)ETHER	111-44-4	40 ug/kg	<80
1,3-DICHLOROBENZENE	541-73-1	40 ug/kg	<80
1,4-DICHLOROBENZENE	106-46-7	40 ug/kg	<80
1,2-DICHLOROBENZENE	95-50-1	40 ug/kg	<80
Bis(2-CHLOROISOPROPYL)ETHER	108-60-1	40 ug/kg	<80
HEXACHLOROETHANE	67-72-1	40 ug/kg	<80
N-NITROSODI-n-PROPYL AMINE	621-64-7	40 ug/kg	<80
NITROBENZENE	98-95-3	40 ug/kg	<80
ISOPHORONE	78-59-1	40 ug/kg	<80
Bis(2-CHLOROETHOXY)METHANE	111-91-1	40 ug/kg	<80
1,2,4-TRICHLOROBENZENE	120-82-1	40 ug/kg	<80
NAPHTHALENE	91-20-3	40 ug/kg	<80
HEXACHLOROBUTADIENE	87-68-3	40 ug/kg	<80
HEXACHLOROCYCLOPENTADIENE	77-47-4	40 ug/kg	<80
2-CHLORONAPHTHALENE	91-58-7	40 ug/kg	<80
ACENAPHTHYLENE	208-96-8	40 ug/kg	<80
DIMETHYLPHTHALATE	131-11-3	40 ug/kg	<80
2,6-DINITROTOLUENE	606-20-2	40 ug/kg	<80
ACENAPHTHENE	83-32-9	40 ug/kg	<80
2,4-DINTROTOLUENE	121-14-2	40 ug/kg	<80
FLUORENE	86-73-7	40 ug/kg	<80
4-CHLOROPHENYL PHENYL ETHER	7005-72-3	40 ug/kg	<80

MDL = Minimum Detection Limit.

Note: MDL's are raised due to matrix interference.

Client: Anson Environmental	Client ID: 131 Sunnyside Blvd. (DW-9)
Date received: 11/26/03	Laboratory ID: 1028047
Date extracted: 12/2/03	Matrix: Soil
Date analyzed: 12/2/03	ELAP #: 11693

### EPA METHOD 8270(BN)

Parameter	CAS No.	MDL	Results ug/kg
DIETHYLPHthalate	84-66-2	40 ug/kg	<80
4-BROMOPHENYL-PHENYL ETHER	101-55-3	40 ug/kg	<80
HEXACHLORO BENZENE	118-74-1	40 ug/kg	<80
PHENANTHRENE	85-01-8	40 ug/kg	<80
ANTHRACENE	120-12-7	40 ug/kg	<80
Di-n-BUTYLPHthalate	84-74-2	500 ug/kg	<500
FLUORANTHENE	206-44-0	40 ug/kg	<80
PYRENE	129-00-0	40 ug/kg	<80
BUTYLBENZYLPHthalate	85-68-7	40 ug/kg	<80
3,3-DICHLORO BENZIDINE	91-94-1	40 ug/kg	<80
BENZO-a-ANTHRACENE	56-55-3	40 ug/kg	<80
CHRYSENE	218-01-9	40 ug/kg	<80
Bis(2-ETHYLEXYL)PHTALATE	117-81-7	500 ug/kg	<500
DI-n-OCTYLPHthalate	117-84-0	40 ug/kg	<80
BENZO-b-FLUOROANTHENE	205-99-2	40 ug/kg	<80
BENZO-k- FLUOROANTHENE	207-08-9	40 ug/kg	<80
BENZO-a-PYRENE	50-32-8	40 ug/kg	<80
INDENO(1,2,3-c,d)PYRENE	193-39-5	40 ug/kg	<80
DIBENZO-a,h-ANTHRACENE	53-70-3	40 ug/kg	<80
BENZO-g,h,i-PERYLENE	191-24-2	40 ug/kg	<80

MDL = Minimum Detection Limit.

Note: MDL's are raised due to matrix interference.

*Michael Veraldi*

Michael Veraldi-Laboratory Director


Client: Anson Environmental	Client ID: 131 Sunnyside Blvd. (DW-9)
Date received: 11/26/03	Laboratory ID: 1028047
Date extracted: 12/1, 12/2/03	Matrix: Soil
Date analyzed: 12/1, 12/2/03	ELAP #: 11693

### METALS ANALYSIS

Parameter	MDL	Results mg/kg
SILVER, Ag	1.65 mg/kg	<1.65
ARSENIC, As	1.65 mg/kg	<1.65
BARIUM, Ba	3.33 mg/kg	4.92
CADMIUM, Cd	1.00 mg/kg	<1.00
CHROMIUM, Cr	1.65 mg/kg	7.07
MERCURY, Hg	0.020 mg/kg	<0.020
LEAD, Pb	1.65 mg/kg	<1.65
SELENIUM, Se	1.65 mg/kg	<1.65
HEXAVALENT CHROMIUM	1.00 mg/kg	<1.00

MDL = Minimum Detection Limit.

Analysis by SW-846 Method 6010



Michael Veraldi-Laboratory Director


Client: Anson Environmental	Client ID: 131 Sunnyside, 03150
Date received: 12/17/03	Laboratory ID: 1029139-1029144
Date extracted: 12/18/03	Matrix: Soil
Date analyzed: 12/18/03	ELAP #: 11693

### TOTAL CHROMIUM ANALYSIS

Lab ID	Client ID	MRL	Results mg/kg
1029139	DW9 12.5'	1.65 mg/kg	1.78
1029140	DW8 13.5'	1.65 mg/kg	26.5
1029141	Drain 7N	1.65 mg/kg	7.58
1029142	Drain 7S	1.65 mg/kg	11.6
1029143	Drain 7W	1.65 mg/kg	7.92
1029144	Drain 7E	1.65 mg/kg	12.9

MRL = Minimum Reporting Limit

Performed by SW-846 Method 6010



Michael Veraldi-Laboratory Director

Client: Anson	Client ID: 131 Sunnyside Blvd., 03150 (DW-10)
Date received: 10/30/03	Laboratory ID: 1025656
Date extracted: 11/4/03	Matrix: Soil
Date analyzed: 11/4/03	ELAP #: 11693

### NCDH PROTOCOL

PARAMETER	CAS No.	MDL	RESULTS ug/kg
ACETONE	67-64-1	50 ug/kg	<50
BENZENE	71-43-2	5 ug/kg	<5
n-BUTYLBENZENE	104-51-8	5 ug/kg	<5
sec-BUTYLBENZENE	135-98-8	5 ug/kg	<5
tert-BUTYLBENZENE	98-06-6	5 ug/kg	<5
BROMODICHLOROMETHANE	75-27-4	5 ug/kg	<5
BROMOFORM	75-25-2	5 ug/kg	<5
BROMOBENZENE	108-86-1	5 ug/kg	<5
2-CHLOROTOLUENE	95-49-8	5 ug/kg	<5
4-CHLOROTOLUENE	106-43-4	5 ug/kg	<5
CHLOROBENZENE	108-90-7	5 ug/kg	<5
CHLOROFORM	67-66-3	5 ug/kg	<5
CARBON TETRACHLORIDE	56-23-5	5 ug/kg	<5
o-DICHLOROBENZENE (1,2)	95-50-1	5 ug/kg	<5
m-DICHLOROBENZENE (1,3)	541-73-1	5 ug/kg	<5
p-DICHLOROBENZENE (1,4)	106-46-7	5 ug/kg	<5
1,2-DIBROMO-3-CHLOROPROPANE	96-12-8	5 ug/kg	<5
1,1-DICHLOROETHYLENE	75-35-4	5 ug/kg	<5
trans-1,2-DICHLOROETHYLENE	156-60-5	5 ug/kg	<5
1,1-DICHLOROETHANE	75-34-3	5 ug/kg	<5
cis-1,2-DICHLOROETHYLENE	159-59-2	5 ug/kg	<5
DIBROMOCHLOROMETHANE	124-48-1	5 ug/kg	<5
1,3-DICHLOROPROPANE	142-28-9	5 ug/kg	<5
1,1-DICHLOROPROPENE	563-58-6	5 ug/kg	<5
1,2-DICHLOROETHANE	107-06-02	5 ug/kg	<5
1,2-DICHLOROPROPANE	78-87-5	5 ug/kg	<5
2,2-DICHLOROPROPANE	594-20-7	5 ug/kg	<5
ETHYLBENZENE	100-414	5 ug/kg	<5

MDL = Minimum Detection Limit.



LIAI  
ISLAND  
ANALYTICAL  
LABORATORY

Client: Anson	Client ID: 131 Sunnyside Blvd., 03150 (DW-10)
Date received: 10/30/03	Laboratory ID: 1025656
Date extracted: 11/4/03	Matrix: Soil
Date analyzed: 11/4/03	ELAP #: 11693

## NCDH PROTOCOL

PARAMETER	CAS No.	MDL	RESULTS ug/kg
1,2-DIBROMOETHANE	106-93-4	5 ug/kg	<5
DIBROMOMETHANE	74-95-3	5 ug/kg	<5
cis-1,3-DICHLOROPROPENE	10061-01-5	5 ug/kg	<5
trans-1,3-DICHLOROPROPENE	10061-02-6	5 ug/kg	<5
HEXACHLOROCYCLOHEPTADIENE	87-68-3	5 ug/kg	<5
p-ISOPROPYLTOLUENE	99-87-6	5 ug/kg	<5
ISOPROPYLBENZENE	98-82-8	5 ug/kg	<5
METHYLENE CHLORIDE	75-09-2	5 ug/kg	<5
NAPHTHALENE	91-20-3	5 ug/kg	<5
n-PROPYLBENZENE	103-65-1	5 ug/kg	<5
STYRENE	100-42-5	5 ug/kg	<5
TRICHLOROFLUOROMETHANE	75-69-4	5 ug/kg	<5
1,2,3-TRICHLOROBENZENE	87-61-6	5 ug/kg	<5
1,2,4-TRICHLOROBENZENE	120-82-1	5 ug/kg	<5
1,2,4-TRIMETHYLBENZENE	95-63-6	5 ug/kg	<5
1,3,5-TRIMETHYLBENZENE	108-67-8	5 ug/kg	<5
1,1,1-TRICHLOROETHANE	71-55-6	5 ug/kg	<5
TRICHLOROETHYLENE	79-01-6	5 ug/kg	<5
1,1,2-TRICHLOROETHANE	79-00-5	5 ug/kg	<5
TETRACHLOROETHYLENE	127-18-4	5 ug/kg	<5
1,1,1,2-TETRACHLOROETHANE	630-20-6	5 ug/kg	<5
1,1,2,2-TETRACHLOROETHANE	79-34-5	5 ug/kg	<5
1,2,3-TRICHLOROPROPANE	96-18-4	5 ug/kg	<5
TOLUENE	108-88-3	5 ug/kg	<5
VINYL CHLORIDE	75-01-4	5 ug/kg	<5
p & m-XYLENES	1330-20-7	10 ug/kg	<10
o-XYLENE	95-47-6	5 ug/kg	<5

MDL = Minimum Detection Limit.

*Michael Veraldi*

Michael Veraldi-Laboratory Director



LONG ISLAND  
ANALYTICAL  
LABORATORY INC.

101-4 Colin Drive • Holbrook, New York 11741

Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com



Client: Anson	Client ID: 131 Sunnyside Blvd., 03150 (DW-10)
Date received: 10/30/03	Laboratory ID: 1025656
Date extracted: 11/5/03	Matrix: Soil
Date analyzed: 11/5/03	ELAP #: 11693

### EPA METHOD 8270(BN)

Parameter	CAS No.	MDL	Results ug/kg
Bis(2-CHLOROETHYL)ETHER	111-44-4	40 ug/kg	<80
1,3-DICHLOROBENZENE	541-73-1	40 ug/kg	<80
1,4-DICHLOROBENZENE	106-46-7	40 ug/kg	<80
1,2-DICHLOROBENZENE	95-50-1	40 ug/kg	<80
Bis(2-CHLOROISOPROPYL)ETHER	108-60-1	40 ug/kg	<80
HEXACHLOROETHANE	67-72-1	40 ug/kg	<80
N-NITROSODI-n-PROPYL AMINE	621-64-7	40 ug/kg	<80
NITROBENZENE	98-95-3	40 ug/kg	<80
ISOPHORONE	78-59-1	40 ug/kg	<80
Bis(2-CHLOROETHOXY)METHANE	111-91-1	40 ug/kg	<80
1,2,4-TRICHLOROBENZENE	120-82-1	40 ug/kg	<80
NAPHTHALENE	91-20-3	40 ug/kg	<80
HEXACHLOROBUTADIENE	87-68-3	40 ug/kg	<80
HEXACHLOROCYCLOPENTADIENE	77-47-4	40 ug/kg	<80
2-CHLORONAPHTHALENE	91-58-7	40 ug/kg	<80
ACENAPHTHYLENE	208-96-8	40 ug/kg	<80
DIMETHYLPHTHALATE	131-11-3	40 ug/kg	<80
2,6-DINITROTOLUENE	606-20-2	40 ug/kg	<80
ACENAPHTHENE	83-32-9	40 ug/kg	<80
2,4-DINITROTOLUENE	121-14-2	40 ug/kg	<80
FLUORENE	86-73-7	40 ug/kg	<80
4-CHLOROPHENYL PHENYL ETHER	7005-72-3	40 ug/kg	<80

MDL = Minimum Detection Limit.

Note: MDL's are raised due to matrix interference.

Client: Anson	Client ID: 131 Sunnyside Blvd., 03150 (DW-10)
Date received: 10/30/03	Laboratory ID: 1025656
Date extracted: 11/5/03	Matrix: Soil
Date analyzed: 11/5/03	ELAP #: 11693

### EPA METHOD 8270(BN)

Parameter	CAS No.	MDL	Results ug/kg
DIETHYLPHTHALATE	84-66-2	40 ug/kg	<80
4-BROMOPHENYL-PHENYL ETHER	101-55-3	40 ug/kg	<80
HEXACHLOROBENZENE	118-74-1	40 ug/kg	<80
PHENANTHRENE	85-01-8	40 ug/kg	<80
ANTHRACENE	120-12-7	40 ug/kg	<80
Di-n-BUTYLPHTHALATE	84-74-2	500 ug/kg	<500
FLUORANTHENE	206-44-0	40 ug/kg	<80
PYRENE	129-00-0	40 ug/kg	<80
BUTYLBENZYLPHTHALATE	85-68-7	40 ug/kg	<80
3,3-DICHLOROBENZIDINE	91-94-1	40 ug/kg	<80
BENZO-a-ANTHRACENE	56-55-3	40 ug/kg	<80
CHRYSENE	218-01-9	40 ug/kg	<80
Bis(2-ETHYLEXYL)PHTALATE	117-81-7	500 ug/kg	<500
DI-n-OCTYLPHTHALATE	117-84-0	40 ug/kg	<80
BENZO-b-FLUOROANTHENE	205-99-2	40 ug/kg	<80
BENZO-k- FLUOROANTHENE	207-08-9	40 ug/kg	<80
BENZO-a-PYRENE	50-32-8	40 ug/kg	<80
INDENO(1,2,3-c,d)PYRENE	193-39-5	40 ug/kg	<80
DIBENZO-a,h-ANTHRACENE	53-70-3	40 ug/kg	<80
BENZO-g,h,i-PERYLENE	191-24-2	40 ug/kg	<80

MDL = Minimum Detection Limit.

Note: MDL's are raised due to matrix interference.

*Michael Veraldi*

Michael Veraldi-Laboratory Director

Client: Anson	Client ID: 131 Sunnyside Blvd., 03150 (DW-10)
Date received: 10/30/03	Laboratory ID: 1025656
Date extracted: 11/3, 11/4/03	Matrix: Soil
Date analyzed: 11/3, 11/4/03	ELAP #: 11693

### METALS ANALYSIS

Parameter	MDL	Results mg/kg
SILVER, Ag	1.65 mg/kg	<1.65
ARSENIC, As	1.65 mg/kg	<1.65
BARIUM, Ba	3.33 mg/kg	6.13
CADMIUM, Cd	1.00 mg/kg	<1.00
CHROMIUM, Cr	1.65 mg/kg	4.29
MERCURY, Hg	0.020 mg/kg	<0.020
LEAD, Pb	1.65 mg/kg	1.84
SELENIUM, Se	1.65 mg/kg	<1.65

MDL = Minimum Detection Limit.

Analysis by SW-846 Method 6010



Michael Veraldi-Laboratory Director

Client: Anson	Client ID: 131 Sunnyside Blvd. (DW-12)
Date received: 10/31/03	Laboratory ID: 1025701
Date extracted: 11/5/03	Matrix: Soil
Date analyzed: 11/5/03	ELAP #: 11693

### NCDH PROTOCOL

PARAMETER	CAS No.	MDL	RESULTS ug/kg
1,2-DIBROMOETHANE	106-93-4	5 ug/kg	<5
DIBROMOMETHANE	74-95-3	5 ug/kg	<5
cis-1,3-DICHLOROPROPENE	10061-01-5	5 ug/kg	<5
trans-1,3-DICHLOROPROPENE	10061-02-6	5 ug/kg	<5
HEXACHLOROCYCLOHEPTADIENE	87-68-3	5 ug/kg	<5
p-ISOPROPYLTOLUENE	99-87-6	5 ug/kg	<5
ISOPROPYLBENZENE	98-82-8	5 ug/kg	<5
METHYLENE CHLORIDE	75-09-2	5 ug/kg	<5
NAPHTHALENE	91-20-3	5 ug/kg	<5
n-PROPYLBENZENE	103-65-1	5 ug/kg	<5
STYRENE	100-42-5	5 ug/kg	<5
TRICHLOROFLUOROMETHANE	75-69-4	5 ug/kg	<5
1,2,3-TRICHLOROBENZENE	87-61-6	5 ug/kg	<5
1,2,4-TRICHLOROBENZENE	120-82-1	5 ug/kg	<5
1,2,4-TRIMETHYLBENZENE	95-63-6	5 ug/kg	<5
1,3,5-TRIMETHYLBENZENE	108-67-8	5 ug/kg	<5
1,1,1-TRICHLOROETHANE	71-55-6	5 ug/kg	<5
TRICHLOROETHYLENE	79-01-6	5 ug/kg	32
1,1,2-TRICHLOROETHANE	79-00-5	5 ug/kg	<5
TETRACHLOROETHYLENE	127-18-4	5 ug/kg	<5
1,1,1,2-TETRACHLOROETHANE	630-20-6	5 ug/kg	<5
1,1,2,2-TETRACHLOROETHANE	79-34-5	5 ug/kg	<5
1,2,3-TRICHLOROPROPANE	96-18-4	5 ug/kg	<5
TOLUENE	108-88-3	5 ug/kg	<5
VINYL CHLORIDE	75-01-4	5 ug/kg	<5
p & m-XYLENES	1330-20-7	10 ug/kg	<10
o-XYLENE	95-47-6	5 ug/kg	<5

MDL = Minimum Detection Limit.

*Michael Veraldi*

Michael Veraldi-Laboratory Director



Client: Anson	Client ID: 131 Sunnyside Blvd. (DW-12)
Date received: 10/31/03	Laboratory ID: 1025701
Date extracted: 11/7/03	Matrix: Soil
Date analyzed: 11/7/03	ELAP #: 11693

### EPA METHOD 8270(BN)

Parameter	CAS No.	MDL	Results ug/kg
Bis(2-CHLOROETHYL)ETHER	111-44-4	40 ug/kg	<40
1,3-DICHLOROBENZENE	541-73-1	40 ug/kg	<40
1,4-DICHLOROBENZENE	106-46-7	40 ug/kg	<40
1,2-DICHLOROBENZENE	95-50-1	40 ug/kg	<40
Bis(2-CHLOROISOPROPYL)ETHER	108-60-1	40 ug/kg	<40
HEXACHLOROETHANE	67-72-1	40 ug/kg	<40
N-NITROSODI-n-PROPYL AMINE	621-64-7	40 ug/kg	<40
NITROBENZENE	98-95-3	40 ug/kg	<40
ISOPHORONE	78-59-1	40 ug/kg	<40
Bis(2-CHLOROETHOXY)METHANE	111-91-1	40 ug/kg	<40
1,2,4-TRICHLOROBENZENE	120-82-1	40 ug/kg	<40
NAPHTHALENE	91-20-3	40 ug/kg	<40
HEXACHLOROBUTADIENE	87-68-3	40 ug/kg	<40
HEXACHLOROCYCLOPENTADIENE	77-47-4	40 ug/kg	<40
2-CHLORONAPHTHALENE	91-58-7	40 ug/kg	<40
ACENAPHTHYLENE	208-96-8	40 ug/kg	<40
DIMETHYLPHTHALATE	131-11-3	40 ug/kg	<40
2,6-DINITROTOLUENE	606-20-2	40 ug/kg	<40
ACENAPHTHENE	83-32-9	40 ug/kg	<40
2,4-DINTROTOLUENE	121-14-2	40 ug/kg	<40
FLUORENE	86-73-7	40 ug/kg	<40
4-CHLOROPHENYL PHENYL ETHER	7005-72-3	40 ug/kg	<40

MDL = Minimum Detection Limit.



Client: Anson	Client ID: 131 Sunnyside Blvd. (DW-12)
Date received: 10/31/03	Laboratory ID: 1025701
Date extracted: 11/7/03	Matrix: Soil
Date analyzed: 11/7/03	ELAP #: 11693

### EPA METHOD 8270(BN)

Parameter	CAS No.	MDL	Results ug/kg
DIETHYLPHthalate	84-66-2	40 ug/kg	<40
4-BROMOPHENYL-PHENYL ETHER	101-55-3	40 ug/kg	<40
HEXACHLORO BENZENE	118-74-1	40 ug/kg	<40
PHENANTHRENE	85-01-8	40 ug/kg	<40
ANTHRACENE	120-12-7	40 ug/kg	<40
Di-n-BUTYLPHthalate	84-74-2	500 ug/kg	<500
FLUORANTHENE	206-44-0	40 ug/kg	<40
PYRENE	129-00-0	40 ug/kg	<40
BUTYLBENZYLPHthalate	85-68-7	40 ug/kg	<40
3,3-DICHLORO BENZIDINE	91-94-1	40 ug/kg	<40
BENZO-a-ANTHRACENE	56-55-3	40 ug/kg	<40
CHRYSENE	218-01-9	40 ug/kg	<40
Bis(2-ETHYLEXYL)PHTALATE	117-81-7	500 ug/kg	<500
DI-n-OCTYLPHthalate	117-84-0	40 ug/kg	<40
BENZO-b-FLUOROANTHENE	205-99-2	40 ug/kg	<40
BENZO-k- FLUOROANTHENE	207-08-9	40 ug/kg	<40
BENZO-a-PYRENE	50-32-8	40 ug/kg	<40
INDENO(1,2,3-c,d)PYRENE	193-39-5	40 ug/kg	<40
DIBENZO-a,h-ANTHRACENE	53-70-3	40 ug/kg	<40
BENZO-g,h,i-PERYLENE	191-24-2	40 ug/kg	<40

MDL = Minimum Detection Limit.

*Michael Veraldi*

Michael Veraldi-Laboratory Director



Client: Anson	Client ID: 131 Sunnyside Blvd. (DW-12)
Date received: 10/31/03	Laboratory ID: 1025701
Date extracted: 11/4/03	Matrix: Soil
Date analyzed: 11/4/03	ELAP #: 11693

### METALS ANALYSIS

Parameter	MDL	Results mg/kg
SILVER, Ag	1.65 mg/kg	<1.65
ARSENIC, As	1.65 mg/kg	3.32
BARIUM, Ba	3.33 mg/kg	22.6
CADMIUM, Cd	1.00 mg/kg	<1.00
CHROMIUM, Cr	1.65 mg/kg	14.8
MERCURY, Hg	0.020 mg/kg	0.021
LEAD, Pb	1.65 mg/kg	5.56
SELENIUM, Se	1.65 mg/kg	<1.65

MDL = Minimum Detection Limit.

Analysis by SW-846 Method 6010



Michael Veraldi-Laboratory Director



Client: Anson Environmental	Client ID: 131 Sunnyside Blvd. (DW-12)
Date received: 11/26/03	Laboratory ID: 1028052
Date extracted: 12/2/03	Matrix: Soil
Date analyzed: 12/2/03	ELAP #: 11693

### EPA METHOD 8270(BN)

Parameter	CAS No.	MDL	Results ug/kg
Bis(2-CHLOROETHYL)ETHER	111-44-4	40 ug/kg	<40
1,3-DICHLOROBENZENE	541-73-1	40 ug/kg	<40
1,4-DICHLOROBENZENE	106-46-7	40 ug/kg	<40
1,2-DICHLOROBENZENE	95-50-1	40 ug/kg	<40
Bis(2-CHLOROISOPROPYL)ETHER	108-60-1	40 ug/kg	<40
HEXACHLOROETHANE	67-72-1	40 ug/kg	<40
N-NITROSODI-n-PROPYL AMINE	621-64-7	40 ug/kg	<40
NITROBENZENE	98-95-3	40 ug/kg	<40
ISOPHORONE	78-59-1	40 ug/kg	<40
Bis(2-CHLOROETHOXY)METHANE	111-91-1	40 ug/kg	<40
1,2,4-TRICHLOROBENZENE	120-82-1	40 ug/kg	<40
NAPHTHALENE	91-20-3	40 ug/kg	<40
HEXACHLOROBUTADIENE	87-68-3	40 ug/kg	<40
HEXACHLOROCYCLOPENTADIENE	77-47-4	40 ug/kg	<40
2-CHLORONAPHTHALENE	91-58-7	40 ug/kg	<40
ACENAPHTHYLENE	208-96-8	40 ug/kg	<40
DIMETHYLPHTHALATE	131-11-3	40 ug/kg	<40
2,6-DINITROTOLUENE	606-20-2	40 ug/kg	<40
ACENAPHTHENE	83-32-9	40 ug/kg	<40
2,4-DINTROTOLUENE	121-14-2	40 ug/kg	<40
FLUORENE	86-73-7	40 ug/kg	<40
4-CHLOROPHENYL PHENYL ETHER	7005-72-3	40 ug/kg	<40

MDL = Minimum Detection Limit.





Client: Anson Environmental	Client ID: 131 Sunnyside Blvd. (DW-12)
Date received: 11/26/03	Laboratory ID: 1028052
Date extracted: 12/2/03	Matrix: Soil
Date analyzed: 12/2/03	ELAP #: 11693

### EPA METHOD 8270(BN)

Parameter	CAS No.	MDL	Results ug/kg
DIETHYLPHthalate	84-66-2	40 ug/kg	<40
4-BROMOPHENYL-PHENYL ETHER	101-55-3	40 ug/kg	<40
HEXACHLORO BENZENE	118-74-1	40 ug/kg	<40
PHENANTHRENE	85-01-8	40 ug/kg	<40
ANTHRACENE	120-12-7	40 ug/kg	<40
Di-n-BUTYLPHthalate	84-74-2	500 ug/kg	<500
FLUORANTHENE	206-44-0	40 ug/kg	399
PYRENE	129-00-0	40 ug/kg	1,050
BUTYLBENZYLPHthalate	85-68-7	40 ug/kg	<40
3,3-DICHLOROBENZIDINE	91-94-1	40 ug/kg	<40
BENZO-a-ANTHRACENE	56-55-3	40 ug/kg	421
CHRYSENE	218-01-9	40 ug/kg	407
Bis(2-ETHYLEXYL)PHTALATE	117-81-7	500 ug/kg	<500
DI-n-OCTYLPHthalate	117-84-0	40 ug/kg	<40
BENZO-b-FLUOROANTHENE	205-99-2	40 ug/kg	609
BENZO-k- FLUOROANTHENE	207-08-9	40 ug/kg	228
BENZO-a-PYRENE	50-32-8	40 ug/kg	236
INDENO(1,2,3-c,d)PYRENE	193-39-5	40 ug/kg	238
DIBENZO-a,h-ANTHRACENE	53-70-3	40 ug/kg	76
BENZO-g,h,i-PERYLENE	191-24-2	40 ug/kg	213

MDL = Minimum Detection Limit.

*Michael Veraldi*

Michael Veraldi-Laboratory Director



LONG  
ISLAND  
ANALYTICAL  
LABORATORIES INC.

101-4 Colin Drive • Holbrook, New York 11741

Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com


Client: Anson Environmental	Client ID: 131 Sunnyside Blvd. (DW-12)
Date received: 11/26/03	Laboratory ID: 1028052
Date extracted: 12/1, 12/2/03	Matrix: Soil
Date analyzed: 12/1, 12/2/03	ELAP #: 11693

### METALS ANALYSIS

Parameter	MDL	Results mg/kg
SILVER, Ag	1.65 mg/kg	<1.65
ARSENIC, As	1.65 mg/kg	<1.65
BARIUM, Ba	3.33 mg/kg	<3.33
CADMIUM, Cd	1.00 mg/kg	<1.00
CHROMIUM, Cr	1.65 mg/kg	2.31
MERCURY, Hg	0.020 mg/kg	<0.020
LEAD, Pb	1.65 mg/kg	<1.65
SELENIUM, Se	1.65 mg/kg	<1.65
HEXAVALENT CHROMIUM	1.00 mg/kg	<1.00

MDL = Minimum Detection Limit.

Analysis by SW-846 Method 6010



Michael Veraldi-Laboratory Director



**LONG  
ISLAND  
ANALYTICAL  
LABORATORIES INC.**

101-4 Colin Drive • Holbrook, New York 11741

Client: Anson	Client ID: 131 Sunnyside Blvd. (DW-12)
Date received: 10/31/03	Laboratory ID: 1025701
Date extracted: 11/5/03	Matrix: Soil
Date analyzed: 11/5/03	ELAP #: 11693

### NCDH PROTOCOL

PARAMETER	CAS No.	MDL	RESULTS ug/kg
ACETONE	67-64-1	50 ug/kg	<50
BENZENE	71-43-2	5 ug/kg	<5
n-BUTYLBENZENE	104-51-8	5 ug/kg	<5
sec-BUTYLBENZENE	135-98-8	5 ug/kg	<5
tert-BUTYLBENZENE	98-06-6	5 ug/kg	<5
BROMODICHLOROMETHANE	75-27-4	5 ug/kg	<5
BROMOFORM	75-25-2	5 ug/kg	<5
BROMOBENZENE	108-86-1	5 ug/kg	<5
2-CHLOROTOLUENE	95-49-8	5 ug/kg	<5
4-CHLOROTOLUENE	106-43-4	5 ug/kg	<5
CHLOROBENZENE	108-90-7	5 ug/kg	<5
CHLOROFORM	67-66-3	5 ug/kg	<5
CARBON TETRACHLORIDE	56-23-5	5 ug/kg	<5
o-DICHLOROBENZENE (1,2)	95-50-1	5 ug/kg	<5
m-DICHLOROBENZENE (1,3)	541-73-1	5 ug/kg	<5
p-DICHLOROBENZENE (1,4)	106-46-7	5 ug/kg	<5
1,2-DIBROMO-3-CHLOROPROPANE	96-12-8	5 ug/kg	<5
1,1-DICHLOROETHYLENE	75-35-4	5 ug/kg	<5
trans-1,2-DICHLOROETHYLENE	156-60-5	5 ug/kg	<5
1,1-DICHLOROETHANE	75-34-3	5 ug/kg	<5
cis-1,2-DICHLOROETHYLENE	159-59-2	5 ug/kg	<5
DIBROMOCHLOROMETHANE	124-48-1	5 ug/kg	<5
1,3-DICHLOROPROPANE	142-28-9	5 ug/kg	<5
1,1-DICHLOROPROPENE	563-58-6	5 ug/kg	<5
1,2-DICHLOROETHANE	107-06-02	5 ug/kg	<5
1,2-DICHLOROPROPANE	78-87-5	5 ug/kg	<5
2,2-DICHLOROPROPANE	594-20-7	5 ug/kg	<5
ETHYLBENZENE	100-414	5 ug/kg	<5

MDL = Minimum Detection Limit.



LONG  
ISLAND  
ANALYTICAL  
LABORATORY

101-4 Colin Drive • Holbrook, New York 11741

Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: Anson Environmental	Client ID: 131 Sunnyside Blvd, Plainview .....DW12 17ft
Date received: 1/26/04	Laboratory ID: 1031544
Date extracted: 1/27/04	Matrix: Soil
Date analyzed: 1/27/04	ELAP #: 11693

### EPA METHOD 8270(BN)

Parameter	CAS No.	MDL	Results ug/kg
Bis(2-CHLOROETHYL)ETHER	111-44-4	40 ug/kg	<40
1,3-DICHLOROBENZENE	541-73-1	40 ug/kg	<40
1,4-DICHLOROBENZENE	106-46-7	40 ug/kg	<40
1,2-DICHLOROBENZENE	95-50-1	40 ug/kg	<40
Bis(2-CHLOROISOPROPYL)ETHER	108-60-1	40 ug/kg	<40
HEXACHLOROETHANE	67-72-1	40 ug/kg	<40
N-NITROSODI-n-PROPYL AMINE	621-64-7	40 ug/kg	<40
NITROBENZENE	98-95-3	40 ug/kg	<40
ISOPHORONE	78-59-1	40 ug/kg	<40
Bis(2-CHLOROETHOXY)METHANE	111-91-1	40 ug/kg	<40
1,2,4-TRICHLOROBENZENE	120-82-1	40 ug/kg	<40
NAPHTHALENE	91-20-3	40 ug/kg	<40
HEXACHLOROBUTADIENE	87-68-3	40 ug/kg	<40
HEXACHLOROCYCLOPENTADIENE	77-47-4	40 ug/kg	<40
2-CHLORONAPHTHALENE	91-58-7	40 ug/kg	<40
ACENAPHTHYLENE	208-96-8	40 ug/kg	<40
DIMETHYLPHTHALATE	131-11-3	40 ug/kg	<40
2,6-DINITROTOLUENE	606-20-2	40 ug/kg	<40
ACENAPHTHENE	83-32-9	40 ug/kg	<40
2,4-DINTROTOLUENE	121-14-2	40 ug/kg	<40
FLUORENE	86-73-7	40 ug/kg	<40
4-CHLOROPHENYL PHENYL ETHER	7005-72-3	40 ug/kg	<40

MDL = Minimum Detection Limit.



LIONG  
ISLAND  
ANALYTICAL  
LABORATORY, INC.

101-4 Colin Drive • Holbrook, New York 11741

Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: Anson Environmental	Client ID: 131 Sunnyside Blvd, Plainview .....DW12 17ft
Date received: 1/26/04	Laboratory ID: 1031544
Date extracted: 1/27/04	Matrix: Soil
Date analyzed: 1/27/04	ELAP #: 11693

### EPA METHOD 8270(BN)

Parameter	CAS No.	MDL	Results ug/kg
DIETHYLPHTHALATE	84-66-2	40 ug/kg	269
4-BROMOPHENYL-PHENYL ETHER	101-55-3	40 ug/kg	<40
HEXACHLOROBENZENE	118-74-1	40 ug/kg	<40
PHENANTHRENE	85-01-8	40 ug/kg	<40
ANTHRACENE	120-12-7	40 ug/kg	<40
Di-n-BUTYLPHTHALATE	84-74-2	500 ug/kg	<500
FLUORANTHENE	206-44-0	40 ug/kg	<40
PYRENE	129-00-0	40 ug/kg	<40
BUTYLBENZYLPHTHALATE	85-68-7	40 ug/kg	<40
3,3-DICHLOROBENZIDINE	91-94-1	40 ug/kg	<40
BENZO-a-ANTHRACENE	56-55-3	40 ug/kg	<40
CHRYSENE	218-01-9	40 ug/kg	60
Bis(2-ETHYLEXYL)PHTALATE	117-81-7	500 ug/kg	<500
DI-n-OCTYLPHTHALATE	117-84-0	40 ug/kg	<40
BENZO-b-FLUOROANTHENE	205-99-2	40 ug/kg	100
BENZO-k- FLUOROANTHENE	207-08-9	40 ug/kg	54
BENZO-a-PYRENE	50-32-8	40 ug/kg	131
INDENO(1,2,3-c,d)PYRENE	193-39-5	40 ug/kg	103
DIBENZO-a,h-ANTHRACENE	53-70-3	40 ug/kg	<40
BENZO-g,h,i-PERYLENE	191-24-2	40 ug/kg	98

MDL = Minimum Detection Limit.

*Michael Veraldi*

Michael Veraldi-Laboratory Director



LONG  
ISLAND  
ANALYTICAL  
LABORATORIES, INC.

101-4 Colin Drive • Holbrook, New York 11741

Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: Anson Environmental	Client ID: 131 Sunnyside Blvd, Plainview .....DW12 21ft
Date received: 1/26/04	Laboratory ID: 1031545
Date extracted: 1/27/04	Matrix: Soil
Date analyzed: 1/27/04	ELAP #: 11693

### EPA METHOD 8270(BN)

Parameter	CAS No.	MDL	Results ug/kg
Bis(2-CHLOROETHYL)ETHER	111-44-4	40 ug/kg	<40
1,3-DICHLOROBENZENE	541-73-1	40 ug/kg	<40
1,4-DICHLOROBENZENE	106-46-7	40 ug/kg	<40
1,2-DICHLOROBENZENE	95-50-1	40 ug/kg	<40
Bis(2-CHLOROISOPROPYL)ETHER	108-60-1	40 ug/kg	<40
HEXACHLOROETHANE	67-72-1	40 ug/kg	<40
N-NITROSODI-n-PROPYL AMINE	621-64-7	40 ug/kg	<40
NITROBENZENE	98-95-3	40 ug/kg	<40
ISOPHORONE	78-59-1	40 ug/kg	<40
Bis(2-CHLOROETHOXY)METHANE	111-91-1	40 ug/kg	<40
1,2,4-TRICHLOROBENZENE	120-82-1	40 ug/kg	<40
NAPHTHALENE	91-20-3	40 ug/kg	<40
HEXACHLOROBUTADIENE	87-68-3	40 ug/kg	<40
HEXACHLOROCYCLOPENTADIENE	77-47-4	40 ug/kg	<40
2-CHLORONAPHTHALENE	91-58-7	40 ug/kg	<40
ACENAPHTHYLENE	208-96-8	40 ug/kg	<40
DIMETHYLPHTHALATE	131-11-3	40 ug/kg	<40
2,6-DINITROTOLUENE	606-20-2	40 ug/kg	<40
ACENAPHTHENE	83-32-9	40 ug/kg	<40
2,4-DINTROTOLUENE	121-14-2	40 ug/kg	<40
FLUORENE	86-73-7	40 ug/kg	<40
4-CHLOROPHENYL PHENYL ETHER	7005-72-3	40 ug/kg	<40

MDL = Minimum Detection Limit.



LONG  
ISLAND  
ANALYTICAL  
LABORATORIES

101-4 Colin Drive • Holbrook, New York 11741

Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: Anson Environmental	Client ID: 131 Sunnyside Blvd, Plainview .....DW12 21ft
Date received: 1/26/04	Laboratory ID: 1031545
Date extracted: 1/27/04	Matrix: Soil
Date analyzed: 1/27/04	ELAP #: 11693

**EPA METHOD 8270(BN)**

Parameter	CAS No.	MDL	Results ug/kg
DIETHYLPHTHALATE	84-66-2	40 ug/kg	<40
4-BROMOPHENYL-PHENYL ETHER	101-55-3	40 ug/kg	<40
HEXACHLOROBENZENE	118-74-1	40 ug/kg	<40
PHENANTHRENE	85-01-8	40 ug/kg	40
ANTHRACENE	120-12-7	40 ug/kg	<40
Di-n-BUTYLPHTHALATE	84-74-2	500 ug/kg	<500
FLUORANTHENE	206-44-0	40 ug/kg	369
PYRENE	129-00-0	40 ug/kg	293
BUTYLBENZYLPHTHALATE	85-68-7	40 ug/kg	<40
3,3-DICHLOROBENZIDINE	91-94-1	40 ug/kg	<40
BENZO-a-ANTHRACENE	56-55-3	40 ug/kg	177
CHRYSENE	218-01-9	40 ug/kg	145
Bis(2-ETHYLEXYL)PHTALATE	117-81-7	500 ug/kg	<500
DI-n-OCTYLPHTHALATE	117-84-0	40 ug/kg	<40
BENZO-b-FLUOROANTHENE	205-99-2	40 ug/kg	80
BENZO-k- FLUOROANTHENE	207-08-9	40 ug/kg	95
BENZO-a-PYRENE	50-32-8	40 ug/kg	<40
INDENO(1,2,3-c,d)PYRENE	193-39-5	40 ug/kg	<40
DIBENZO-a,h-ANTHRACENE	53-70-3	40 ug/kg	<40
BENZO-g,h,i-PERYLENE	191-24-2	40 ug/kg	<40

MDL = Minimum Detection Limit.



Michael Veraldi-Laboratory Director



LIAL INC.  
ISLAND  
ANALYTICAL  
LABORATORY

101-4 Colin Drive • Holbrook, New York 11741

Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: Anson Environmental	Client ID: 131 Sunnyside Blvd, Plainview .....DW12 25ft
Date received: 1/26/04	Laboratory ID: 1031546
Date extracted: 1/27/04	Matrix: Soil
Date analyzed: 1/27/04	ELAP #: 11693

### EPA METHOD 8270(BN)

Parameter	CAS No.	MDL	Results ug/kg
Bis(2-CHLOROETHYL)ETHER	111-44-4	40 ug/kg	<40
1,3-DICHLOROBENZENE	541-73-1	40 ug/kg	<40
1,4-DICHLOROBENZENE	106-46-7	40 ug/kg	<40
1,2-DICHLOROBENZENE	95-50-1	40 ug/kg	<40
Bis(2-CHLOROISOPROPYL)ETHER	108-60-1	40 ug/kg	<40
HEXACHLOROETHANE	67-72-1	40 ug/kg	<40
N-NITROSODI-n-PROPYL AMINE	621-64-7	40 ug/kg	<40
NITROBENZENE	98-95-3	40 ug/kg	<40
ISOPHORONE	78-59-1	40 ug/kg	<40
Bis(2-CHLOROETHOXY)METHANE	111-91-1	40 ug/kg	<40
1,2,4-TRICHLOROBENZENE	120-82-1	40 ug/kg	<40
NAPHTHALENE	91-20-3	40 ug/kg	<40
HEXACHLOROBUTADIENE	87-68-3	40 ug/kg	<40
HEXACHLOROCYCLOPENTADIENE	77-47-4	40 ug/kg	<40
2-CHLORONAPHTHALENE	91-58-7	40 ug/kg	<40
ACENAPHTHYLENE	208-96-8	40 ug/kg	<40
DIMETHYLPHTHALATE	131-11-3	40 ug/kg	<40
2,6-DINITROTOLUENE	606-20-2	40 ug/kg	<40
ACENAPHTHENE	83-32-9	40 ug/kg	<40
2,4-DINTROTOLUENE	121-14-2	40 ug/kg	<40
FLUORENE	86-73-7	40 ug/kg	<40
4-CHLOROPHENYL PHENYL ETHER	7005-72-3	40 ug/kg	<40

MDL = Minimum Detection Limit.



LONG  
ISLAND  
ANALYTICAL  
LABORATORIES, INC.

101-4 Colin Drive • Holbrook, New York 11741

Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com



Client: Anson Environmental	Client ID: 131 Sunnyside Blvd, Plainview .....DW12 25ft
Date received: 1/26/04	Laboratory ID: 1031546
Date extracted: 1/27/04	Matrix: Soil
Date analyzed: 1/27/04	ELAP #: 11693

### EPA METHOD 8270(BN)

Parameter	CAS No.	MDL	Results ug/kg
DIETHYLPHTHALATE	84-66-2	40 ug/kg	<40
4-BROMOPHENYL-PHENYL ETHER	101-55-3	40 ug/kg	<40
HEXACHLOROBENZENE	118-74-1	40 ug/kg	<40
PHENANTHRENE	85-01-8	40 ug/kg	<40
ANTHRACENE	120-12-7	40 ug/kg	<40
Di-n-BUTYLPHTHALATE	84-74-2	500 ug/kg	<500
FLUORANTHENE	206-44-0	40 ug/kg	<40
PYRENE	129-00-0	40 ug/kg	<40
BUTYLBENZYLPHTHALATE	85-68-7	40 ug/kg	<40
3,3-DICHLOROBENZIDINE	91-94-1	40 ug/kg	<40
BENZO-a-ANTHRACENE	56-55-3	40 ug/kg	<40
CHRYSENE	218-01-9	40 ug/kg	<40
Bis(2-ETHYLEXYL)PHTALATE	117-81-7	500 ug/kg	<500
Di-n-OCTYLPHTHALATE	117-84-0	40 ug/kg	<40
BENZO-b-FLUOROANTHENE	205-99-2	40 ug/kg	<40
BENZO-k- FLUOROANTHENE	207-08-9	40 ug/kg	<40
BENZO-a-PYRENE	50-32-8	40 ug/kg	<40
INDENO(1,2,3-c,d)PYRENE	193-39-5	40 ug/kg	<40
DIBENZO-a,h-ANTHRACENE	53-70-3	40 ug/kg	<40
BENZO-g,h,i-PERYLENE	191-24-2	40 ug/kg	<40

MDL = Minimum Detection Limit.

*Michael Veraldi*

Michael Veraldi-Laboratory Director



LION  
ISLAND  
ANALYTICAL  
LABORATORIES INC.

101-4 Colin Drive • Holbrook, New York 11741

Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: Anson Environmental	Client ID: 4 Feb 2004 Soil Samples .....DW 12 20ft
Date received: 2/4/04	Laboratory ID: 1032122
Date extracted: 2/4/04	Matrix: Soil
Date analyzed: 2/4/04	ELAP #: 11693

**EPA METHOD 8270(BN)**

Parameter	CAS No.	MDL	Results ug/kg
Bis(2-CHLOROETHYL)ETHER	111-44-4	40 ug/kg	<40
1,3-DICHLOROBENZENE	541-73-1	40 ug/kg	<40
1,4-DICHLOROBENZENE	106-46-7	40 ug/kg	<40
1,2-DICHLOROBENZENE	95-50-1	40 ug/kg	<40
Bis(2-CHLOROISOPROPYL)ETHER	108-60-1	40 ug/kg	<40
HEXACHLOROETHANE	67-72-1	40 ug/kg	<40
N-NITROSODI-n-PROPYL AMINE	621-64-7	40 ug/kg	<40
NITROBENZENE	98-95-3	40 ug/kg	<40
ISOPHORONE	78-59-1	40 ug/kg	<40
Bis(2-CHLOROETHOXY)METHANE	111-91-1	40 ug/kg	<40
1,2,4-TRICHLOROBENZENE	120-82-1	40 ug/kg	<40
NAPHTHALENE	91-20-3	40 ug/kg	<40
HEXACHLOROBUTADIENE	87-68-3	40 ug/kg	<40
HEXACHLOROCYCLOPENTADIENE	77-47-4	40 ug/kg	<40
2-CHLORONAPHTHALENE	91-58-7	40 ug/kg	<40
ACENAPHTHYLENE	208-96-8	40 ug/kg	<40
DIMETHYLPHTHALATE	131-11-3	40 ug/kg	<40
2,6-DINITROTOLUENE	606-20-2	40 ug/kg	<40
ACENAPHTHENE	83-32-9	40 ug/kg	<40
2,4-DINTROTOLUENE	121-14-2	40 ug/kg	<40
FLUORENE	86-73-7	40 ug/kg	<40
4-CHLOROPHENYL PHENYL ETHER	7005-72-3	40 ug/kg	<40

MDL = Minimum Detection Limit.



Client: Anson Environmental	Client ID: 4 Feb 2004 Soil Samples .....DW 12 20ft
Date received: 2/4/04	Laboratory ID: 1032122
Date extracted: 2/4/04	Matrix: Soil
Date analyzed: 2/4/04	ELAP #: 11693

### EPA METHOD 8270(BN)

Parameter	CAS No.	MDL	Results ug/kg
DIETHYLPHTHALATE	84-66-2	40 ug/kg	<40
4-BROMOPHENYL-PHENYL ETHER	101-55-3	40 ug/kg	<40
HEXACHLOROBENZENE	118-74-1	40 ug/kg	<40
PHENANTHRENE	85-01-8	40 ug/kg	<40
ANTHRACENE	120-12-7	40 ug/kg	<40
Di-n-BUTYLPHTHALATE	84-74-2	500 ug/kg	<500
FLUORANTHENE	206-44-0	40 ug/kg	<40
PYRENE	129-00-0	40 ug/kg	<40
BUTYLBENZYLPHTHALATE	85-68-7	40 ug/kg	<40
3,3-DICHLOROBENZIDINE	91-94-1	40 ug/kg	<40
BENZO-a-ANTHRACENE	56-55-3	40 ug/kg	<40
CHRYSENE	218-01-9	40 ug/kg	<40
Bis(2-ETHYLEXYL)PHTALATE	117-81-7	500 ug/kg	<500
DI-n-OCTYLPHTHALATE	117-84-0	40 ug/kg	<40
BENZO-b-FLUOROANTHENE	205-99-2	40 ug/kg	<40
BENZO-k- FLUOROANTHENE	207-08-9	40 ug/kg	<40
BENZO-a-PYRENE	50-32-8	40 ug/kg	<40
INDENO(1,2,3-c,d)PYRENE	193-39-5	40 ug/kg	<40
DIBENZO-a,h-ANTHRACENE	53-70-3	40 ug/kg	<40
BENZO-g,h,i-PERYLENE	191-24-2	40 ug/kg	<40

MDL = Minimum Detection Limit.

*Michael Veraldi*

Michael Veraldi-Laboratory Director



LIAI  
ISLAND  
ANALYTICAL  
LABORATORY, INC.

101-4 Colin Drive • Holbrook, New York 11741

Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: Anson	Client ID: 131 Sunnyside Blvd. (DW-13)
Date received: 11/4/03	Laboratory ID: 1026022
Date extracted: 11/6/03	Matrix: Soil
Date analyzed: 11/6/03	ELAP #: 11693

## NCDH PROTOCOL

PARAMETER	CAS No.	MDL	RESULTS ug/kg
ACETONE	67-64-1	50 ug/kg	<50
BENZENE	71-43-2	5 ug/kg	<5
n-BUTYLBENZENE	104-51-8	5 ug/kg	<5
sec-BUTYLBENZENE	135-98-8	5 ug/kg	<5
tert-BUTYLBENZENE	98-06-6	5 ug/kg	<5
BROMODICHLOROMETHANE	75-27-4	5 ug/kg	<5
BROMOFORM	75-25-2	5 ug/kg	<5
BROMOBENZENE	108-86-1	5 ug/kg	<5
2-CHLOROTOLUENE	95-49-8	5 ug/kg	<5
4-CHLOROTOLUENE	106-43-4	5 ug/kg	<5
CHLOROBENZENE	108-90-7	5 ug/kg	<5
CHLOROFORM	67-66-3	5 ug/kg	<5
CARBON TETRACHLORIDE	56-23-5	5 ug/kg	<5
o-DICHLOROBENZENE (1,2)	95-50-1	5 ug/kg	<5
m-DICHLOROBENZENE (1,3)	541-73-1	5 ug/kg	<5
p-DICHLOROBENZENE (1,4)	106-46-7	5 ug/kg	<5
1,2-DIBROMO-3-CHLOROPROPANE	96-12-8	5 ug/kg	<5
1,1-DICHLOROETHYLENE	75-35-4	5 ug/kg	<5
trans-1,2-DICHLOROETHYLENE	156-60-5	5 ug/kg	<5
1,1-DICHLOROETHANE	75-34-3	5 ug/kg	<5
cis-1,2-DICHLOROETHYLENE	159-59-2	5 ug/kg	<5
DIBROMOCHLOROMETHANE	124-48-1	5 ug/kg	<5
1,3-DICHLOROPROPANE	142-28-9	5 ug/kg	<5
1,1-DICHLOROPROPENE	563-58-6	5 ug/kg	<5
1,2-DICHLOROETHANE	107-06-02	5 ug/kg	<5
1,2-DICHLOROPROPANE	78-87-5	5 ug/kg	<5
2,2-DICHLOROPROPANE	594-20-7	5 ug/kg	<5
ETHYLBENZENE	100-414	5 ug/kg	<5

MDL = Minimum Detection Limit.



Client: Anson	Client ID: 131 Sunnyside Blvd. (DW-13)
Date received: 11/4/03	Laboratory ID: 1026022
Date extracted: 11/6/03	Matrix: Soil
Date analyzed: 11/6/03	ELAP #: 11693

## NCDH PROTOCOL

PARAMETER	CAS No.	MDL	RESULTS ug/kg
1,2-DIBROMOETHANE	106-93-4	5 ug/kg	<5
DIBROMOMETHANE	74-95-3	5 ug/kg	<5
cis-1,3-DICHLOROPROPENE	10061-01-5	5 ug/kg	<5
trans-1,3-DICHLOROPROPENE	10061-02-6	5 ug/kg	<5
HEXACHLOROCYCLOHEPTADIENE	87-68-3	5 ug/kg	<5
p-ISOPROPYLTOLUENE	99-87-6	5 ug/kg	<5
ISOPROPYLBENZENE	98-82-8	5 ug/kg	<5
METHYLENE CHLORIDE	75-09-2	5 ug/kg	<5
NAPHTHALENE	91-20-3	5 ug/kg	<5
n-PROPYLBENZENE	103-65-1	5 ug/kg	<5
STYRENE	100-42-5	5 ug/kg	<5
TRICHLOROFLUOROMETHANE	75-69-4	5 ug/kg	<5
1,2,3-TRICHLOROBENZENE	87-61-6	5 ug/kg	<5
1,2,4-TRICHLOROBENZENE	120-82-1	5 ug/kg	<5
1,2,4-TRIMETHYLBENZENE	95-63-6	5 ug/kg	<5
1,3,5-TRIMETHYLBENZENE	108-67-8	5 ug/kg	<5
1,1,1-TRICHLOROETHANE	71-55-6	5 ug/kg	<5
TRICHLOROETHYLENE	79-01-6	5 ug/kg	<5
1,1,2-TRICHLOROETHANE	79-00-5	5 ug/kg	<5
TETRACHLOROETHYLENE	127-18-4	5 ug/kg	<5
1,1,1,2-TETRACHLOROETHANE	630-20-6	5 ug/kg	<5
1,1,2,2-TETRACHLOROETHANE	79-34-5	5 ug/kg	<5
1,2,3-TRICHLOROPROPANE	96-18-4	5 ug/kg	<5
TOLUENE	108-88-3	5 ug/kg	<5
VINYL CHLORIDE	75-01-4	5 ug/kg	<5
p & m-XYLENES	1330-20-7	10 ug/kg	<10
o-XYLENE	95-47-6	5 ug/kg	<5

MDL = Minimum Detection Limit.

*Michael Veraldi*

Michael Veraldi-Laboratory Director



Client: Anson	Client ID: 131 Sunnyside Blvd. (DW-13)
Date received: 11/4/03	Laboratory ID: 1026022
Date extracted: 11/13/03	Matrix: Soil
Date analyzed: 11/13/03	ELAP #: 11693

### EPA METHOD 8270(BN)

Parameter	CAS No.	MDL	Results ug/kg
Bis(2-CHLOROETHYL)ETHER	111-44-4	40 ug/kg	<40
1,3-DICHLOROBENZENE	541-73-1	40 ug/kg	<40
1,4-DICHLOROBENZENE	106-46-7	40 ug/kg	<40
1,2-DICHLOROBENZENE	95-50-1	40 ug/kg	<40
Bis(2-CHLOROISOPROPYL)ETHER	108-60-1	40 ug/kg	<40
HEXACHLOROETHANE	67-72-1	40 ug/kg	<40
N-NITROSODI-n-PROPYL AMINE	621-64-7	40 ug/kg	<40
NITROBENZENE	98-95-3	40 ug/kg	<40
ISOPHORONE	78-59-1	40 ug/kg	<40
Bis(2-CHLOROETHOXY)METHANE	111-91-1	40 ug/kg	<40
1,2,4-TRICHLOROBENZENE	120-82-1	40 ug/kg	<40
NAPHTHALENE	91-20-3	40 ug/kg	<40
HEXACHLOROBUTADIENE	87-68-3	40 ug/kg	<40
HEXACHLOROCYCLOPENTADIENE	77-47-4	40 ug/kg	<40
2-CHLORONAPHTHALENE	91-58-7	40 ug/kg	<40
ACENAPHTHYLENE	208-96-8	40 ug/kg	<40
DIMETHYLPHTHALATE	131-11-3	40 ug/kg	<40
2,6-DINITROTOLUENE	606-20-2	40 ug/kg	<40
ACENAPHTHENE	83-32-9	40 ug/kg	<40
2,4-DINTROTOLUENE	121-14-2	40 ug/kg	<40
FLUORENE	86-73-7	40 ug/kg	<40
4-CHLOROPHENYL PHENYL ETHER	7005-72-3	40 ug/kg	<40

MDL = Minimum Detection Limit.



Client: Anson	Client ID: 131 Sunnyside Blvd. (DW-13)
Date received: 11/4/03	Laboratory ID: 1026022
Date extracted: 11/13/03	Matrix: Soil
Date analyzed: 11/13/03	ELAP #: 11693

### EPA METHOD 8270(BN)

Parameter	CAS No.	MDL	Results ug/kg
DIETHYLPHTHALATE	84-66-2	40 ug/kg	<40
4-BROMOPHENYL-PHENYL ETHER	101-55-3	40 ug/kg	<40
HEXACHLOROBENZENE	118-74-1	40 ug/kg	<40
PHENANTHRENE	85-01-8	40 ug/kg	<40
ANTHRACENE	120-12-7	40 ug/kg	<40
Di-n-BUTYLPHTHALATE	84-74-2	500 ug/kg	<500
FLUORANTHENE	206-44-0	40 ug/kg	<40
PYRENE	129-00-0	40 ug/kg	<40
BUTYLBENZYLPHTHALATE	85-68-7	40 ug/kg	<40
3,3-DICHLOROBENZIDINE	91-94-1	40 ug/kg	<40
BENZO-a-ANTHRACENE	56-55-3	40 ug/kg	<40
CHRYSENE	218-01-9	40 ug/kg	<40
Bis(2-ETHYLEXYL)PHTALATE	117-81-7	500 ug/kg	<500
DI-n-OCTYLPHTHALATE	117-84-0	40 ug/kg	<40
BENZO-b-FLUOROANTHENE	205-99-2	40 ug/kg	<40
BENZO-k- FLUOROANTHENE	207-08-9	40 ug/kg	<40
BENZO-a-PYRENE	50-32-8	40 ug/kg	<40
INDENO(1,2,3-c,d)PYRENE	193-39-5	40 ug/kg	<40
DIBENZO-a,h-ANTHRACENE	53-70-3	40 ug/kg	<40
BENZO-g,h,i-PERYLENE	191-24-2	40 ug/kg	<40

MDL = Minimum Detection Limit.



Michael Veraldi-Laboratory Director



LONG  
ISLAND  
ANALYTICAL  
LABORATORIES INC.

101-4 Colin Drive • Holbrook, New York 11741

Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: Anson	Client ID: 131 Sunnyside Blvd. (DW-13)
Date received: 11/4/03	Laboratory ID: 1026022
Date extracted: 11/6, 11/7/03	Matrix: Soil
Date analyzed: 11/6, 11/7/03	ELAP #: 11693

## METALS ANALYSIS

Parameter	MDL	Results mg/kg
SILVER, Ag	1.65 mg/kg	<1.65
ARSENIC, As	1.65 mg/kg	<1.65
BARIUM, Ba	3.33 mg/kg	22.8
CADMIUM, Cd	1.00 mg/kg	<1.00
CHROMIUM, Cr	1.65 mg/kg	641
MERCURY, Hg	0.020 mg/kg	<0.020
LEAD, Pb	1.65 mg/kg	7.90
SELENIUM, Se	1.65 mg/kg	<1.65

MDL = Minimum Detection Limit.

Analysis by SW-846 Method 6010



Michael Veraldi-Laboratory Director



**LONG  
ISLAND  
ANALYTICAL  
LABORATORIES INC.**

101-4 Colin Drive • Holbrook, New York 11741

Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com




Client: Anson Environmental	Client ID: 131 Sunnyside Blvd. (DW-13)
Date received: 11/26/03	Laboratory ID: 1028050
Date extracted: 12/2/03	Matrix: Soil
Date analyzed: 12/2/03	ELAP #: 11693

### EPA METHOD 8270(BN)

Parameter	CAS No.	MDL	Results ug/kg
DIETHYLPHTHALATE	84-66-2	40 ug/kg	<40
4-BROMOPHENYL-PHENYL ETHER	101-55-3	40 ug/kg	<40
HEXACHLOROBENZENE	118-74-1	40 ug/kg	<40
PHENANTHRENE	85-01-8	40 ug/kg	<40
ANTHRACENE	120-12-7	40 ug/kg	<40
Di-n-BUTYLPHTHALATE	84-74-2	500 ug/kg	<500
FLUORANTHENE	206-44-0	40 ug/kg	<40
PYRENE	129-00-0	40 ug/kg	<40
BUTYLBENZYLPHTHALATE	85-68-7	40 ug/kg	<40
3,3-DICHLOROBENZIDINE	91-94-1	40 ug/kg	<40
BENZO-a-ANTHRACENE	56-55-3	40 ug/kg	<40
CHRYSENE	218-01-9	40 ug/kg	<40
Bis(2-ETHYLEXYL)PHTALATE	117-81-7	500 ug/kg	<500
DI-n-OCTYLPHTHALATE	117-84-0	40 ug/kg	<40
BENZO-b-FLUOROANTHENE	205-99-2	40 ug/kg	<40
BENZO-k- FLUOROANTHENE	207-08-9	40 ug/kg	<40
BENZO-a-PYRENE	50-32-8	40 ug/kg	<40
INDENO(1,2,3-c,d)PYRENE	193-39-5	40 ug/kg	<40
DIBENZO-a,h-ANTHRACENE	53-70-3	40 ug/kg	<40
BENZO-g,h,i-PERYLENE	191-24-2	40 ug/kg	<40

MDL = Minimum Detection Limit.



Michael Veraldi-Laboratory Director

Client: Anson Environmental	Client ID: 131 Sunnyside Blvd. (DW-13)
Date received: 11/26/03	Laboratory ID: 1028050
Date extracted: 12/2/03	Matrix: Soil
Date analyzed: 12/2/03	ELAP #: 11693

### EPA METHOD 8270(BN)

Parameter	CAS No.	MDL	Results ug/kg
Bis(2-CHLOROETHYL)ETHER	111-44-4	40 ug/kg	<40
1,3-DICHLOROBENZENE	541-73-1	40 ug/kg	<40
1,4-DICHLOROBENZENE	106-46-7	40 ug/kg	<40
1,2-DICHLOROBENZENE	95-50-1	40 ug/kg	<40
Bis(2-CHLOROISOPROPYL)ETHER	108-60-1	40 ug/kg	<40
HEXACHLOROETHANE	67-72-1	40 ug/kg	<40
N-NITROSODI-n-PROPYL AMINE	621-64-7	40 ug/kg	<40
NITROBENZENE	98-95-3	40 ug/kg	<40
ISOPHORONE	78-59-1	40 ug/kg	<40
Bis(2-CHLOROETHOXY)METHANE	111-91-1	40 ug/kg	<40
1,2,4-TRICHLOROBENZENE	120-82-1	40 ug/kg	<40
NAPHTHALENE	91-20-3	40 ug/kg	<40
HEXACHLOROBUTADIENE	87-68-3	40 ug/kg	<40
HEXACHLOROCYCLOPENTADIENE	77-47-4	40 ug/kg	<40
2-CHLORONAPHTHALENE	91-58-7	40 ug/kg	<40
ACENAPHTHYLENE	208-96-8	40 ug/kg	<40
DIMETHYLPHTHALATE	131-11-3	40 ug/kg	<40
2,6-DINITROTOLUENE	606-20-2	40 ug/kg	<40
ACENAPHTHENE	83-32-9	40 ug/kg	<40
2,4-DINITROTOLUENE	121-14-2	40 ug/kg	<40
FLUORENE	86-73-7	40 ug/kg	<40
4-CHLOROPHENYL PHENYL ETHER	7005-72-3	40 ug/kg	<40

MDL = Minimum Detection Limit.

Client: Anson Environmental	Client ID: 131 Sunnyside Blvd. (DW-13)
Date received: 11/26/03	Laboratory ID: 1028050
Date extracted: 12/1, 12/2/03	Matrix: Soil
Date analyzed: 12/1, 12/2/03	ELAP #: 11693

### METALS ANALYSIS

Parameter	MDL	Results mg/kg
SILVER, Ag	1.65 mg/kg	<1.65
ARSENIC, As	1.65 mg/kg	<1.65
BARIUM, Ba	3.33 mg/kg	7.88
CADMIUM, Cd	1.00 mg/kg	<1.00
CHROMIUM, Cr	1.65 mg/kg	45.3
MERCURY, Hg	0.020 mg/kg	<0.020
LEAD, Pb	1.65 mg/kg	<1.65
SELENIUM, Se	1.65 mg/kg	<1.65
HEXAVALENT CHROMIUM	1.00 mg/kg	<1.00

MDL = Minimum Detection Limit.

Analysis by SW-846 Method 6010



Michael Veraldi-Laboratory Director

Client: Anson Environmental	Client ID: 131 Sunnyside Blvd.
Date received: 12/19/03	Laboratory ID: 1029301-1029303
Date extracted: 12/22/03	Matrix: Soil
Date analyzed: 12/22/03	ELAP #: 11693

### TOTAL CHROMIUM ANALYSIS

LAB ID #	CLIENT ID	Results mg/kg
1029301	DW-13 Endpoint	20.20
<del>1029302</del>	<del>DW-7 Endpoint</del>	<del>27.64</del>
<del>1020000</del>	<del>DW-8 Endpoint</del>	<del>2.77</del>

Performed by SW-846 Method 6010

*Michael Veraldi*

Michael Veraldi-Laboratory Director



Client: Anson	Client ID: 131 Sunnyside Blvd. (DW-14)
Date received: 10/31/03	Laboratory ID: 1025705
Date extracted: 11/5/03	Matrix: Soil
Date analyzed: 11/5/03	ELAP #: 11693

### NCDH PROTOCOL

PARAMETER	CAS No.	MDL	RESULTS ug/kg
ACETONE	67-64-1	50 ug/kg	<50
BENZENE	71-43-2	5 ug/kg	<5
n-BUTYLBENZENE	104-51-8	5 ug/kg	<5
sec-BUTYLBENZENE	135-98-8	5 ug/kg	<5
tert-BUTYLBENZENE	98-06-6	5 ug/kg	<5
BROMODICHLOROMETHANE	75-27-4	5 ug/kg	<5
BROMOFORM	75-25-2	5 ug/kg	<5
BROMOBENZENE	108-86-1	5 ug/kg	<5
2-CHLOROTOLUENE	95-49-8	5 ug/kg	<5
4-CHLOROTOLUENE	106-43-4	5 ug/kg	<5
CHLOROBENZENE	108-90-7	5 ug/kg	<5
CHLOROFORM	67-66-3	5 ug/kg	<5
CARBON TETRACHLORIDE	56-23-5	5 ug/kg	<5
o-DICHLOROBENZENE (1,2)	95-50-1	5 ug/kg	<5
m-DICHLOROBENZENE (1,3)	541-73-1	5 ug/kg	<5
p-DICHLOROBENZENE (1,4)	106-46-7	5 ug/kg	<5
1,2-DIBROMO-3-CHLOROPROPANE	96-12-8	5 ug/kg	<5
1,1-DICHLOROETHYLENE	75-35-4	5 ug/kg	<5
trans-1,2-DICHLOROETHYLENE	156-60-5	5 ug/kg	<5
1,1-DICHLOROETHANE	75-34-3	5 ug/kg	<5
cis-1,2-DICHLOROETHYLENE	159-59-2	5 ug/kg	<5
DIBROMOCHLOROMETHANE	124-48-1	5 ug/kg	<5
1,3-DICHLOROPROPANE	142-28-9	5 ug/kg	<5
1,1-DICHLOROPROPENE	563-58-6	5 ug/kg	<5
1,2-DICHLOROETHANE	107-06-02	5 ug/kg	<5
1,2-DICHLOROPROPANE	78-87-5	5 ug/kg	<5
2,2-DICHLOROPROPANE	594-20-7	5 ug/kg	<5
ETHYLBENZENE	100-414	5 ug/kg	<5

MDL = Minimum Detection Limit.



LIAL  
ISLAND  
ANALYTICAL  
LABORATORY

101-4 Colin Drive • Holbrook, New York 11741

Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: Anson	Client ID: 131 Sunnyside Blvd. (DW-14)
Date received: 10/31/03	Laboratory ID: 1025705
Date extracted: 11/5/03	Matrix: Soil
Date analyzed: 11/5/03	ELAP #: 11693

### NCDH PROTOCOL

PARAMETER	CAS No.	MDL	RESULTS ug/kg
1,2-DIBROMOETHANE	106-93-4	5 ug/kg	<5
DIBROMOMETHANE	74-95-3	5 ug/kg	<5
cis-1,3-DICHLOROPROPENE	10061-01-5	5 ug/kg	<5
trans-1,3-DICHLOROPROPENE	10061-02-6	5 ug/kg	<5
HEXACHLOROCYCLOHEPTADIENE	87-68-3	5 ug/kg	<5
p-ISOPROPYLTOLUENE	99-87-6	5 ug/kg	<5
ISOPROPYLBENZENE	98-82-8	5 ug/kg	<5
METHYLENE CHLORIDE	75-09-2	5 ug/kg	<5
NAPHTHALENE	91-20-3	5 ug/kg	<5
n-PROPYLBENZENE	103-65-1	5 ug/kg	<5
STYRENE	100-42-5	5 ug/kg	<5
TRICHLOROFLUOROMETHANE	75-69-4	5 ug/kg	<5
1,2,3-TRICHLOROBENZENE	87-61-6	5 ug/kg	<5
1,2,4-TRICHLOROBENZENE	120-82-1	5 ug/kg	<5
1,2,4-TRIMETHYLBENZENE	95-63-6	5 ug/kg	<5
1,3,5-TRIMETHYLBENZENE	108-67-8	5 ug/kg	<5
1,1,1-TRICHLOROETHANE	71-55-6	5 ug/kg	<5
TRICHLOROETHYLENE	79-01-6	5 ug/kg	<5
1,1,2-TRICHLOROETHANE	79-00-5	5 ug/kg	<5
TETRACHLOROETHYLENE	127-18-4	5 ug/kg	<5
1,1,1,2-TETRACHLOROETHANE	630-20-6	5 ug/kg	<5
1,1,2,2-TETRACHLOROETHANE	79-34-5	5 ug/kg	<5
1,2,3-TRICHLOROPROPANE	96-18-4	5 ug/kg	<5
TOLUENE	108-88-3	5 ug/kg	<5
VINYL CHLORIDE	75-01-4	5 ug/kg	<5
p & m-XYLENES	1330-20-7	10 ug/kg	<10
o-XYLENE	95-47-6	5 ug/kg	<5

MDL = Minimum Detection Limit.

*Michael Veraldi*

Michael Veraldi-Laboratory Director



**LIAI**  
ISLAND  
ANALYTICAL  
LABORATORY

101-4 Colin Drive • Holbrook, New York 11741

Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: Anson	Client ID: 131 Sunnyside Blvd. (DW-14)
Date received: 10/31/03	Laboratory ID: 1025705
Date extracted: 11/10/03	Matrix: Soil
Date analyzed: 11/10/03	ELAP #: 11693

### EPA METHOD 8270(BN)

Parameter	CAS No.	MDL	Results ug/kg
Bis(2-CHLOROETHYL)ETHER	111-44-4	40 ug/kg	<80
1,3-DICHLOROBENZENE	541-73-1	40 ug/kg	<80
1,4-DICHLOROBENZENE	106-46-7	40 ug/kg	<80
1,2-DICHLOROBENZENE	95-50-1	40 ug/kg	<80
Bis(2-CHLOROISOPROPYL)ETHER	108-60-1	40 ug/kg	<80
HEXACHLOROETHANE	67-72-1	40 ug/kg	<80
N-NITROSODI-n-PROPYL AMINE	621-64-7	40 ug/kg	<80
NITROBENZENE	98-95-3	40 ug/kg	<80
ISOPHORONE	78-59-1	40 ug/kg	<80
Bis(2-CHLOROETHOXY)METHANE	111-91-1	40 ug/kg	<80
1,2,4-TRICHLOROBENZENE	120-82-1	40 ug/kg	<80
NAPHTHALENE	91-20-3	40 ug/kg	<80
HEXACHLOROBUTADIENE	87-68-3	40 ug/kg	<80
HEXACHLOROCYCLOPENTADIENE	77-47-4	40 ug/kg	<80
2-CHLORONAPHTHALENE	91-58-7	40 ug/kg	<80
ACENAPHTHYLENE	208-96-8	40 ug/kg	<80
DIMETHYLPHTHALATE	131-11-3	40 ug/kg	<80
2,6-DINITROTOLUENE	606-20-2	40 ug/kg	<80
ACENAPHTHENE	83-32-9	40 ug/kg	<80
2,4-DINITROTOLUENE	121-14-2	40 ug/kg	<80
FLUORENE	86-73-7	40 ug/kg	<80
4-CHLOROPHENYL PHENYL ETHER	7005-72-3	40 ug/kg	<80

MDL = Minimum Detection Limit.

Note: MDL's are raised due to matrix interference.




Client: Anson	Client ID: 131 Sunnyside Blvd. (DW-14)
Date received: 10/31/03	Laboratory ID: 1025705
Date extracted: 11/10/03	Matrix: Soil
Date analyzed: 11/10/03	ELAP #: 11693

### EPA METHOD 8270(BN)

Parameter	CAS No.	MDL	Results ug/kg
DIETHYLPHTHALATE	84-66-2	40 ug/kg	<80
4-BROMOPHENYL-PHENYL ETHER	101-55-3	40 ug/kg	<80
HEXACHLOROBENZENE	118-74-1	40 ug/kg	<80
PHENANTHRENE	85-01-8	40 ug/kg	<80
ANTHRACENE	120-12-7	40 ug/kg	<80
Di-n-BUTYLPHTHALATE	84-74-2	500 ug/kg	<500
FLUORANTHENE	206-44-0	40 ug/kg	<80
PYRENE	129-00-0	40 ug/kg	<80
BUTYLBENZYLPHTHALATE	85-68-7	40 ug/kg	<80
3,3-DICHLOROBENZIDINE	91-94-1	40 ug/kg	<80
BENZO-a-ANTHRACENE	56-55-3	40 ug/kg	<80
CHRYSENE	218-01-9	40 ug/kg	<80
Bis(2-ETHYLEXYL)PHTALATE	117-81-7	500 ug/kg	1,897
DI-n-OCTYLPHTHALATE	117-84-0	40 ug/kg	<80
BENZO-b-FLUOROANTHENE	205-99-2	40 ug/kg	<80
BENZO-k- FLUOROANTHENE	207-08-9	40 ug/kg	<80
BENZO-a-PYRENE	50-32-8	40 ug/kg	<80
INDENO(1,2,3-c,d)PYRENE	193-39-5	40 ug/kg	<80
DIBENZO-a,h-ANTHRACENE	53-70-3	40 ug/kg	<80
BENZO-g,h,i-PERYLENE	191-24-2	40 ug/kg	<80

MDL = Minimum Detection Limit.

Note: MDL's are raised due to matrix interference.



Michael Veraldi-Laboratory Director






Client: Anson	Client ID: 131 Sunnyside Blvd. (DW-14)
Date received: 10/31/03	Laboratory ID: 1025705
Date extracted: 11/4/03	Matrix: Soil
Date analyzed: 11/4/03	ELAP #: 11693

### METALS ANALYSIS

Parameter	MDL	Results mg/kg
SILVER, Ag	1.65 mg/kg	<1.65
ARSENIC, As	1.65 mg/kg	<1.65
BARIUM, Ba	3.33 mg/kg	17.5
CADMIUM, Cd	1.00 mg/kg	<1.00
CHROMIUM, Cr	1.65 mg/kg	8.34
MERCURY, Hg	0.020 mg/kg	<0.020
LEAD, Pb	1.65 mg/kg	2.45
SELENIUM, Se	1.65 mg/kg	<1.65

MDL = Minimum Detection Limit.

Analysis by SW-846 Method 6010



Michael Veraldi-Laboratory Director



**LONG  
ISLAND  
ANALYTICAL  
LABORATORIES INC.**

101-4 Colin Drive • Holbrook, New York 11741

Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: Anson	Client ID: 131 Sunnyside Blvd. (DW-15)
Date received: 11/4/03	Laboratory ID: 1026027
Date extracted: 11/6/03	Matrix: Soil
Date analyzed: 11/6/03	ELAP #: 11693

### NCDH PROTOCOL

PARAMETER	CAS No.	MDL	RESULTS ug/kg
ACETONE	67-64-1	50 ug/kg	<50
BENZENE	71-43-2	5 ug/kg	<5
n-BUTYLBENZENE	104-51-8	5 ug/kg	<5
sec-BUTYLBENZENE	135-98-8	5 ug/kg	<5
tert-BUTYLBENZENE	98-06-6	5 ug/kg	<5
BROMODICHLOROMETHANE	75-27-4	5 ug/kg	<5
BROMOFORM	75-25-2	5 ug/kg	<5
BROMOBENZENE	108-86-1	5 ug/kg	<5
2-CHLOROTOLUENE	95-49-8	5 ug/kg	<5
4-CHLOROTOLUENE	106-43-4	5 ug/kg	<5
CHLOROBENZENE	108-90-7	5 ug/kg	<5
CHLOROFORM	67-66-3	5 ug/kg	<5
CARBON TETRACHLORIDE	56-23-5	5 ug/kg	<5
o-DICHLOROBENZENE (1,2)	95-50-1	5 ug/kg	<5
m-DICHLOROBENZENE (1,3)	541-73-1	5 ug/kg	<5
p-DICHLOROBENZENE (1,4)	106-46-7	5 ug/kg	<5
1,2-DIBROMO-3-CHLOROPROPANE	96-12-8	5 ug/kg	<5
1,1-DICHLOROETHYLENE	75-35-4	5 ug/kg	<5
trans-1,2-DICHLOROETHYLENE	156-60-5	5 ug/kg	<5
1,1-DICHLOROETHANE	75-34-3	5 ug/kg	<5
cis-1,2-DICHLOROETHYLENE	159-59-2	5 ug/kg	<5
DIBROMOCHLOROMETHANE	124-48-1	5 ug/kg	<5
1,3-DICHLOROPROPANE	142-28-9	5 ug/kg	<5
1,1-DICHLOROPROPENE	563-58-6	5 ug/kg	<5
1,2-DICHLOROETHANE	107-06-02	5 ug/kg	<5
1,2-DICHLOROPROPANE	78-87-5	5 ug/kg	<5
2,2-DICHLOROPROPANE	594-20-7	5 ug/kg	<5
ETHYLBENZENE	100-414	5 ug/kg	<5

MDL = Minimum Detection Limit.



Client: Anson	Client ID: 131 Sunnyside Blvd. (DW-15)
Date received: 11/4/03	Laboratory ID: 1026027
Date extracted: 11/6/03	Matrix: Soil
Date analyzed: 11/6/03	ELAP #: 11693


## NCDH PROTOCOL

PARAMETER	CAS No.	MDL	RESULTS ug/kg
1,2-DIBROMOETHANE	106-93-4	5 ug/kg	<5
DIBROMOMETHANE	74-95-3	5 ug/kg	<5
cis-1,3-DICHLOROPROPENE	10061-01-5	5 ug/kg	<5
trans-1,3-DICHLOROPROPENE	10061-02-6	5 ug/kg	<5
HEXACHLOROCYCLOHEPTADIENE	87-68-3	5 ug/kg	<5
p-ISOPROPYLTOLUENE	99-87-6	5 ug/kg	<5
ISOPROPYLBENZENE	98-82-8	5 ug/kg	<5
METHYLENE CHLORIDE	75-09-2	5 ug/kg	<5
NAPHTHALENE	91-20-3	5 ug/kg	<5
n-PROPYLBENZENE	103-65-1	5 ug/kg	<5
STYRENE	100-42-5	5 ug/kg	<5
TRICHLOROFLUOROMETHANE	75-69-4	5 ug/kg	<5
1,2,3-TRICHLOROBENZENE	87-61-6	5 ug/kg	<5
1,2,4-TRICHLOROBENZENE	120-82-1	5 ug/kg	<5
1,2,4-TRIMETHYLBENZENE	95-63-6	5 ug/kg	<5
1,3,5-TRIMETHYLBENZENE	108-67-8	5 ug/kg	<5
1,1,1-TRICHLOROETHANE	71-55-6	5 ug/kg	<5
TRICHLOROETHYLENE	79-01-6	5 ug/kg	42
1,1,2-TRICHLOROETHANE	79-00-5	5 ug/kg	<5
TETRACHLOROETHYLENE	127-18-4	5 ug/kg	<5
1,1,1,2-TETRACHLOROETHANE	630-20-6	5 ug/kg	<5
1,1,2,2-TETRACHLOROETHANE	79-34-5	5 ug/kg	<5
1,2,3-TRICHLOROPROPANE	96-18-4	5 ug/kg	<5
TOLUENE	108-88-3	5 ug/kg	<5
VINYL CHLORIDE	75-01-4	5 ug/kg	<5
p & m-XYLENES	1330-20-7	10 ug/kg	<10
o-XYLENE	95-47-6	5 ug/kg	<5

MDL = Minimum Detection Limit.

*Michael Veraldi*

Michael Veraldi-Laboratory Director



Client: Anson	Client ID: 131 Sunnyside Blvd. (DW-15)
Date received: 11/4/03	Laboratory ID: 1026027
Date extracted: 11/13/03	Matrix: Soil
Date analyzed: 11/13/03	ELAP #: 11693

### EPA METHOD 8270(BN)

Parameter	CAS No.	MDL	Results ug/kg
Bis(2-CHLOROETHYL)ETHER	111-44-4	40 ug/kg	<80
1,3-DICHLOROBENZENE	541-73-1	40 ug/kg	<80
1,4-DICHLOROBENZENE	106-46-7	40 ug/kg	<80
1,2-DICHLOROBENZENE	95-50-1	40 ug/kg	<80
Bis(2-CHLOROISOPROPYL)ETHER	108-60-1	40 ug/kg	<80
HEXACHLOROETHANE	67-72-1	40 ug/kg	<80
N-NITROSODI-n-PROPYL AMINE	621-64-7	40 ug/kg	<80
NITROBENZENE	98-95-3	40 ug/kg	<80
ISOPHORONE	78-59-1	40 ug/kg	<80
Bis(2-CHLOROETHOXY)METHANE	111-91-1	40 ug/kg	<80
1,2,4-TRICHLOROBENZENE	120-82-1	40 ug/kg	<80
NAPHTHALENE	91-20-3	40 ug/kg	<80
HEXACHLOROBUTADIENE	87-68-3	40 ug/kg	<80
HEXACHLOROCYCLOPENTADIENE	77-47-4	40 ug/kg	<80
2-CHLORONAPHTHALENE	91-58-7	40 ug/kg	<80
ACENAPHTHYLENE	208-96-8	40 ug/kg	116
DIMETHYLPHTHALATE	131-11-3	40 ug/kg	<80
2,6-DINITROTOLUENE	606-20-2	40 ug/kg	<80
ACENAPHTHENE	83-32-9	40 ug/kg	<80
2,4-DINTROTOLUENE	121-14-2	40 ug/kg	<80
FLUORENE	86-73-7	40 ug/kg	<80
4-CHLOROPHENYL PHENYL ETHER	7005-72-3	40 ug/kg	<80

MDL = Minimum Detection Limit.

Note: MDL's are raised due to matrix interference.



Client: Anson	Client ID: 131 Sunnyside Blvd. (DW-15)
Date received: 11/4/03	Laboratory ID: 1026027
Date extracted: 11/13/03	Matrix: Soil
Date analyzed: 11/13/03	ELAP #: 11693

### EPA METHOD 8270(BN)

Parameter	CAS No.	MDL	Results ug/kg
DIETHYLPHTHALATE	84-66-2	40 ug/kg	<80
4-BROMOPHENYL-PHENYL ETHER	101-55-3	40 ug/kg	<80
HEXACHLOROBENZENE	118-74-1	40 ug/kg	<80
PHENANTHRENE	85-01-8	40 ug/kg	860
ANTHRACENE	120-12-7	40 ug/kg	164
Di-n-BUTYLPHTHALATE	84-74-2	500 ug/kg	<500
FLUORANTHENE	206-44-0	40 ug/kg	2,394
PYRENE	129-00-0	40 ug/kg	2,360
BUTYLBENZYLPHTHALATE	85-68-7	40 ug/kg	<80
3,3-DICHLOROBENZIDINE	91-94-1	40 ug/kg	<80
BENZO-a-ANTHRACENE	56-55-3	40 ug/kg	1,381
CHRYSENE	218-01-9	40 ug/kg	1,805
Bis(2-ETHYLEXYL)PHTALATE	117-81-7	500 ug/kg	863
DI-n-OCTYLPHTHALATE	117-84-0	40 ug/kg	<80
BENZO-b-FLUOROANTHENE	205-99-2	40 ug/kg	2,557
BENZO-k- FLUOROANTHENE	207-08-9	40 ug/kg	957
BENZO-a-PYRENE	50-32-8	40 ug/kg	1,630
INDENO(1,2,3-c,d)PYRENE	193-39-5	40 ug/kg	1,157
DIBENZO-a,h-ANTHRACENE	53-70-3	40 ug/kg	295
BENZO-g,h,i-PERYLENE	191-24-2	40 ug/kg	1,184

MDL = Minimum Detection Limit.

Note: MDL's are raised due to matrix interference.

*Michael Veraldi*

Michael Veraldi-Laboratory Director

Client: Anson	Client ID: 131 Sunnyside Blvd. (DW-15)
Date received: 11/4/03	Laboratory ID: 1026027
Date extracted: 11/6, 11/7/03	Matrix: Soil
Date analyzed: 11/6, 11/7/03	ELAP #: 11693

### METALS ANALYSIS

Parameter	MDL	Results mg/kg
SILVER, Ag	1.65 mg/kg	<1.65
ARSENIC, As	1.65 mg/kg	3.71
BARIUM, Ba	3.33 mg/kg	29.4
CADMIUM, Cd	1.00 mg/kg	1.04
CHROMIUM, Cr	1.65 mg/kg	62.9
MERCURY, Hg	0.020 mg/kg	0.069
LEAD, Pb	1.65 mg/kg	24.6
SELENIUM, Se	1.65 mg/kg	<1.65

MDL = Minimum Detection Limit.

Analysis by SW-846 Method 6010



Michael Veraldi-Laboratory Director



**LONG  
ISLAND  
ANALYTICAL  
LABORATORIES INC.**

101-4 Colin Drive • Holbrook, New York 11741

Client: Anson Environmental	Client ID: 131 Sunnyside Blvd. (DW-15)
Date received: 11/26/03	Laboratory ID: 1028048
Date extracted: 12/1/03	Matrix: Soil
Date analyzed: 12/1/03	ELAP #: 11693

### EPA METHOD 8270(BN)

Parameter	CAS No.	MDL	Results ug/kg
Bis(2-CHLOROETHYL)ETHER	111-44-4	40 ug/kg	<40
1,3-DICHLOROBENZENE	541-73-1	40 ug/kg	<40
1,4-DICHLOROBENZENE	106-46-7	40 ug/kg	<40
1,2-DICHLOROBENZENE	95-50-1	40 ug/kg	<40
Bis(2-CHLOROISOPROPYL)ETHER	108-60-1	40 ug/kg	<40
HEXACHLOROETHANE	67-72-1	40 ug/kg	<40
N-NITROSODI-n-PROPYL AMINE	621-64-7	40 ug/kg	<40
NITROBENZENE	98-95-3	40 ug/kg	<40
ISOPHORONE	78-59-1	40 ug/kg	<40
Bis(2-CHLOROETHOXY)METHANE	111-91-1	40 ug/kg	<40
1,2,4-TRICHLOROBENZENE	120-82-1	40 ug/kg	<40
NAPHTHALENE	91-20-3	40 ug/kg	<40
HEXACHLOROBUTADIENE	87-68-3	40 ug/kg	<40
HEXACHLOROCYCLOPENTADIENE	77-47-4	40 ug/kg	<40
2-CHLORONAPHTHALENE	91-58-7	40 ug/kg	<40
ACENAPHTHYLENE	208-96-8	40 ug/kg	<40
DIMETHYLPHTHALATE	131-11-3	40 ug/kg	<40
2,6-DINITROTOLUENE	606-20-2	40 ug/kg	<40
ACENAPHTHENE	83-32-9	40 ug/kg	<40
2,4-DINTROTOLUENE	121-14-2	40 ug/kg	<40
FLUORENE	86-73-7	40 ug/kg	<40
4-CHLOROPHENYL PHENYL ETHER	7005-72-3	40 ug/kg	<40

MDL = Minimum Detection Limit.

Client: Anson Environmental	Client ID: 131 Sunnyside Blvd. (DW-15)
Date received: 11/26/03	Laboratory ID: 1028048
Date extracted: 12/1/03	Matrix: Soil
Date analyzed: 12/1/03	ELAP #: 11693

### EPA METHOD 8270(BN)

Parameter	CAS No.	MDL	Results ug/kg
DIETHYLPHTHALATE	84-66-2	40 ug/kg	<40
4-BROMOPHENYL-PHENYL ETHER	101-55-3	40 ug/kg	<40
HEXACHLOROBENZENE	118-74-1	40 ug/kg	<40
PHENANTHRENE	85-01-8	40 ug/kg	<40
ANTHRACENE	120-12-7	40 ug/kg	<40
Di-n-BUTYLPHTHALATE	84-74-2	500 ug/kg	<500
FLUORANTHENE	206-44-0	40 ug/kg	<40
PYRENE	129-00-0	40 ug/kg	<40
BUTYLBENZYLPHTHALATE	85-68-7	40 ug/kg	<40
3,3-DICHLOROBENZIDINE	91-94-1	40 ug/kg	<40
BENZO-a-ANTHRACENE	56-55-3	40 ug/kg	<40
CHRYSENE	218-01-9	40 ug/kg	<40
Bis(2-ETHYLEXYL)PHTALATE	117-81-7	500 ug/kg	<500
DI-n-OCTYLPHTHALATE	117-84-0	40 ug/kg	<40
BENZO-b-FLUOROANTHENE	205-99-2	40 ug/kg	<40
BENZO-k- FLUOROANTHENE	207-08-9	40 ug/kg	<40
BENZO-a-PYRENE	50-32-8	40 ug/kg	<40
INDENO(1,2,3-c,d)PYRENE	193-39-5	40 ug/kg	<40
DIBENZO-a,h-ANTHRACENE	53-70-3	40 ug/kg	<40
BENZO-g,h,i-PERYLENE	191-24-2	40 ug/kg	<40

MDL = Minimum Detection Limit.

*Michael Veraldi*

Michael Veraldi-Laboratory Director



Client: Anson Environmental	Client ID: 131 Sunnyside Blvd. (DW-15)
Date received: 11/26/03	Laboratory ID: 1028048
Date extracted: 12/1, 12/2/03	Matrix: Soil
Date analyzed: 12/1, 12/2/03	ELAP #: 11693

### METALS ANALYSIS

Parameter	MDL	Results mg/kg
SILVER, Ag	1.65 mg/kg	<1.65
ARSENIC, As	1.65 mg/kg	<1.65
BARIUM, Ba	3.33 mg/kg	<3.33
CADMIUM, Cd	1.00 mg/kg	<1.00
CHROMIUM, Cr	1.65 mg/kg	2.60
MERCURY, Hg	0.020 mg/kg	<0.020
LEAD, Pb	1.65 mg/kg	<1.65
SELENIUM, Se	1.65 mg/kg	<1.65
HEXAVALENT CHROMIUM	1.00 mg/kg	<1.00

MDL = Minimum Detection Limit.

Analysis by SW-846 Method 6010



Michael Veraldi-Laboratory Director

Client: Anson Environmental	Client ID: 131 Sunnyside Blvd., Plainview (23B1)
Date received: 9/24/03	Laboratory ID: 1022719
Date extracted: 9/24/03	Matrix: Soil
Date analyzed: 9/24/03	ELAP #: 11693

### NCDH PROTOCOL

PARAMETER	CAS No.	MDL	RESULTS ug/kg
ACETONE	67-64-1	50 ug/kg	<50
BENZENE	71-43-2	5 ug/kg	<5
n-BUTYLBENZENE	104-51-8	5 ug/kg	<5
sec-BUTYLBENZENE	135-98-8	5 ug/kg	<5
tert-BUTYLBENZENE	98-06-6	5 ug/kg	<5
BROMODICHLOROMETHANE	75-27-4	5 ug/kg	<5
BROMOFORM	75-25-2	5 ug/kg	<5
BROMOBENZENE	108-86-1	5 ug/kg	<5
2-CHLOROTOLUENE	95-49-8	5 ug/kg	<5
4-CHLOROTOLUENE	106-43-4	5 ug/kg	<5
CHLOROBENZENE	108-90-7	5 ug/kg	<5
CHLOROFORM	67-66-3	5 ug/kg	<5
CARBON TETRACHLORIDE	56-23-5	5 ug/kg	<5
o-DICHLOROBENZENE (1,2)	95-50-1	5 ug/kg	<5
m-DICHLOROBENZENE (1,3)	541-73-1	5 ug/kg	<5
p-DICHLOROBENZENE (1,4)	106-46-7	5 ug/kg	<5
1,2-DIBROMO-3-CHLOROPROPANE	96-12-8	5 ug/kg	<5
1,1-DICHLOROETHYLENE	75-35-4	5 ug/kg	<5
trans-1,2-DICHLOROETHYLENE	156-60-5	5 ug/kg	<5
1,1-DICHLOROETHANE	75-34-3	5 ug/kg	<5
cis-1,2-DICHLOROETHYLENE	159-59-2	5 ug/kg	<5
DIBROMOCHLOROMETHANE	124-48-1	5 ug/kg	<5
1,3-DICHLOROPROPANE	142-28-9	5 ug/kg	<5
1,1-DICHLOROPROPENE	563-58-6	5 ug/kg	<5
1,2-DICHLOROETHANE	107-06-02	5 ug/kg	<5
1,2-DICHLOROPROPANE	78-87-5	5 ug/kg	<5
2,2-DICHLOROPROPANE	594-20-7	5 ug/kg	<5
ETHYLBENZENE	100-414	5 ug/kg	<5

MDL = Minimum Detection Limit.



LONG  
ISLAND  
ANALYTICAL  
LABORATORIES INC

101-4 Colin Drive • Holbrook, New York 11741

Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: Anson Environmental	Client ID: 131 Sunnyside Blvd., Plainview (23B1)
Date received: 9/24/03	Laboratory ID: 1022719
Date extracted: 9/24/03	Matrix: Soil
Date analyzed: 9/24/03	ELAP #: 11693

## NCDH PROTOCOL

PARAMETER	CAS No.	MDL	RESULTS ug/kg
1,2-DIBROMOETHANE	106-93-4	5 ug/kg	<5
DIBROMOMETHANE	74-95-3	5 ug/kg	<5
cis-1,3-DICHLOROPROPENE	10061-01-5	5 ug/kg	<5
trans-1,3-DICHLOROPROPENE	10061-02-6	5 ug/kg	<5
HEXACHLOROCYCLOHEPTADIENE	87-68-3	5 ug/kg	<5
p-ISOPROPYLTOLUENE	99-87-6	5 ug/kg	<5
ISOPROPYLBENZENE	98-82-8	5 ug/kg	<5
METHYLENE CHLORIDE	75-09-2	5 ug/kg	<5
NAPHTHALENE	91-20-3	5 ug/kg	<5
n-PROPYLBENZENE	103-65-1	5 ug/kg	<5
STYRENE	100-42-5	5 ug/kg	<5
TRICHLOROFLUOROMETHANE	75-69-4	5 ug/kg	<5
1,2,3-TRICHLOROBENZENE	87-61-6	5 ug/kg	<5
1,2,4-TRICHLOROBENZENE	120-82-1	5 ug/kg	<5
1,2,4-TRIMETHYLBENZENE	95-63-6	5 ug/kg	<5
1,3,5-TRIMETHYLBENZENE	108-67-8	5 ug/kg	<5
1,1,1-TRICHLOROETHANE	71-55-6	5 ug/kg	<5
TRICHLOROETHYLENE	79-01-6	5 ug/kg	<5
1,1,2-TRICHLOROETHANE	79-00-5	5 ug/kg	<5
TETRACHLOROETHYLENE	127-18-4	5 ug/kg	<5
1,1,1,2-TETRACHLOROETHANE	630-20-6	5 ug/kg	<5
1,1,2,2-TETRACHLOROETHANE	79-34-5	5 ug/kg	<5
1,2,3-TRICHLOROPROPANE	96-18-4	5 ug/kg	<5
TOLUENE	108-88-3	5 ug/kg	<5
VINYL CHLORIDE	75-01-4	5 ug/kg	<5
p & m-XYLENES	1330-20-7	10 ug/kg	<10
o-XYLENE	95-47-6	5 ug/kg	<5

MDL = Minimum Detection Limit.

*Michael Veraldi*

Michael Veraldi-Laboratory Director



LONG  
ISLAND  
ANALYTICAL  
LABORATORIES INC.

101-4 Colin Drive • Holbrook, New York 11741

Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: Anson Environmental	Client ID: 131 Sunnyside Blvd., Plainview (23B1)
Date received: 9/24/03	Laboratory ID: 1022719
Date extracted: 9/25, 9/30/03	Matrix: Soil
Date analyzed: 9/25, 9/30/03	ELAP #: 11693

### METALS ANALYSIS 8 RCRA

Parameter	MDL	Results mg/kg
SILVER, Ag	1.65 mg/kg	<1.65
ARSENIC, As	1.65 mg/kg	9.51
BARIUM, Ba	3.33 mg/kg	2,066
CADMIUM, Cd	1.00 mg/kg	14.3
CHROMIUM, Cr	1.65 mg/kg	686
MERCURY, Hg	0.020 mg/kg	0.080
LEAD, Pb	1.65 mg/kg	759
SELENIUM, Se	1.65 mg/kg	<1.65

MDL = Minimum Detection Limit.

Performed by SW-846 Method 6010



Michael Veraldi-Laboratory Director



Client: Anson	Client ID: 131 Sunnyside Blvd. (23B1)
Date received: 10/31/03	Laboratory ID: 1025704
Date extracted: 11/5/03	Matrix: Soil
Date analyzed: 11/5/03	ELAP #: 11693

### NCDH PROTOCOL

PARAMETER	CAS No.	MDL	RESULTS ug/kg
ACETONE	67-64-1	50 ug/kg	<50
BENZENE	71-43-2	5 ug/kg	<5
n-BUTYLBENZENE	104-51-8	5 ug/kg	<5
sec-BUTYLBENZENE	135-98-8	5 ug/kg	<5
tert-BUTYLBENZENE	98-06-6	5 ug/kg	<5
BROMODICHLOROMETHANE	75-27-4	5 ug/kg	<5
BROMOFORM	75-25-2	5 ug/kg	<5
BROMOBENZENE	108-86-1	5 ug/kg	<5
2-CHLOROTOLUENE	95-49-8	5 ug/kg	<5
4-CHLOROTOLUENE	106-43-4	5 ug/kg	<5
CHLOROBENZENE	108-90-7	5 ug/kg	<5
CHLOROFORM	67-66-3	5 ug/kg	<5
CARBON TETRACHLORIDE	56-23-5	5 ug/kg	<5
o-DICHLOROBENZENE (1,2)	95-50-1	5 ug/kg	<5
m-DICHLOROBENZENE (1,3)	541-73-1	5 ug/kg	<5
p-DICHLOROBENZENE (1,4)	106-46-7	5 ug/kg	<5
1,2-DIBROMO-3-CHLOROPROPANE	96-12-8	5 ug/kg	<5
1,1-DICHLOROETHYLENE	75-35-4	5 ug/kg	<5
trans-1,2-DICHLOROETHYLENE	156-60-5	5 ug/kg	<5
1,1-DICHLOROETHANE	75-34-3	5 ug/kg	<5
cis-1,2-DICHLOROETHYLENE	159-59-2	5 ug/kg	<5
DIBROMOCHLOROMETHANE	124-48-1	5 ug/kg	<5
1,3-DICHLOROPROPANE	142-28-9	5 ug/kg	<5
1,1-DICHLOROPROPENE	563-58-6	5 ug/kg	<5
1,2-DICHLOROETHANE	107-06-02	5 ug/kg	<5
1,2-DICHLOROPROPANE	78-87-5	5 ug/kg	<5
2,2-DICHLOROPROPANE	594-20-7	5 ug/kg	<5
ETHYLBENZENE	100-414	5 ug/kg	<5

MDL = Minimum Detection Limit.



LONG  
ISLAND  
ANALYTICAL  
LABORATORY, INC.

101-4 Colin Drive • Holbrook, New York 11741

Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: Anson	Client ID: 131 Sunnyside Blvd. (23B1)
Date received: 10/31/03	Laboratory ID: 1025704
Date extracted: 11/5/03	Matrix: Soil
Date analyzed: 11/5/03	ELAP #: 11693

### NCDH PROTOCOL

PARAMETER	CAS No.	MDL	RESULTS ug/kg
1,2-DIBROMOETHANE	106-93-4	5 ug/kg	<5
DIBROMOMETHANE	74-95-3	5 ug/kg	<5
cis-1,3-DICHLOROPROPENE	10061-01-5	5 ug/kg	<5
trans-1,3-DICHLOROPROPENE	10061-02-6	5 ug/kg	<5
HEXACHLOROBUTADIENE	87-68-3	5 ug/kg	<5
p-ISOPROPYLTOLUENE	99-87-6	5 ug/kg	<5
ISOPROPYLBENZENE	98-82-8	5 ug/kg	<5
METHYLENE CHLORIDE	75-09-2	5 ug/kg	<5
NAPHTHALENE	91-20-3	5 ug/kg	<5
n-PROPYLBENZENE	103-65-1	5 ug/kg	<5
STYRENE	100-42-5	5 ug/kg	<5
TRICHLOROFLUOROMETHANE	75-69-4	5 ug/kg	<5
1,2,3-TRICHLOROBENZENE	87-61-6	5 ug/kg	<5
1,2,4-TRICHLOROBENZENE	120-82-1	5 ug/kg	<5
1,2,4-TRIMETHYLBENZENE	95-63-6	5 ug/kg	<5
1,3,5-TRIMETHYLBENZENE	108-67-8	5 ug/kg	<5
1,1,1-TRICHLOROETHANE	71-55-6	5 ug/kg	<5
TRICHLOROETHYLENE	79-01-6	5 ug/kg	<5
1,1,2-TRICHLOROETHANE	79-00-5	5 ug/kg	<5
TETRACHLOROETHYLENE	127-18-4	5 ug/kg	<5
1,1,1,2-TETRACHLOROETHANE	630-20-6	5 ug/kg	<5
1,1,2,2-TETRACHLOROETHANE	79-34-5	5 ug/kg	<5
1,2,3-TRICHLOROPROPANE	96-18-4	5 ug/kg	<5
TOLUENE	108-88-3	5 ug/kg	<5
VINYL CHLORIDE	75-01-4	5 ug/kg	<5
p & m-XYLENES	1330-20-7	10 ug/kg	<10
o-XYLENE	95-47-6	5 ug/kg	<5

MDL = Minimum Detection Limit.

*Michael Veraldi*

Michael Veraldi-Laboratory Director



Client: Anson	Client ID: 131 Sunnyside Blvd. (23B1)
Date received: 10/31/03	Laboratory ID: 1025704
Date extracted: 11/7/03	Matrix: Soil
Date analyzed: 11/7/03	ELAP #: 11693

### EPA METHOD 8270(BN)

Parameter	CAS No.	MDL	Results ug/kg
Bis(2-CHLOROETHYL)ETHER	111-44-4	40 ug/kg	<40
1,3-DICHLOROBENZENE	541-73-1	40 ug/kg	<40
1,4-DICHLOROBENZENE	106-46-7	40 ug/kg	<40
1,2-DICHLOROBENZENE	95-50-1	40 ug/kg	<40
Bis(2-CHLOROISOPROPYL)ETHER	108-60-1	40 ug/kg	<40
HEXACHLOROETHANE	67-72-1	40 ug/kg	<40
N-NITROSODI-n-PROPYL AMINE	621-64-7	40 ug/kg	<40
NITROBENZENE	98-95-3	40 ug/kg	<40
ISOPHORONE	78-59-1	40 ug/kg	<40
Bis(2-CHLOROETHOXY)METHANE	111-91-1	40 ug/kg	<40
1,2,4-TRICHLOROBENZENE	120-82-1	40 ug/kg	<40
NAPHTHALENE	91-20-3	40 ug/kg	<40
HEXACHLOROBUTADIENE	87-68-3	40 ug/kg	<40
HEXACHLOROCYCLOPENTADIENE	77-47-4	40 ug/kg	<40
2-CHLORONAPHTHALENE	91-58-7	40 ug/kg	<40
ACENAPHTHYLENE	208-96-8	40 ug/kg	<40
DIMETHYLPHTHALATE	131-11-3	40 ug/kg	<40
2,6-DINITROTOLUENE	606-20-2	40 ug/kg	<40
ACENAPHTHENE	83-32-9	40 ug/kg	<40
2,4-DINITROTOLUENE	121-14-2	40 ug/kg	<40
FLUORENE	86-73-7	40 ug/kg	<40
4-CHLOROPHENYL PHENYL ETHER	7005-72-3	40 ug/kg	<40

MDL = Minimum Detection Limit.



LIAI  
ISLAND  
ANALYTICAL  
LABORATORIES

101-4 Colin Drive • Holbrook, New York 11741


Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: Anson	Client ID: 131 Sunnyside Blvd. (23B1)
Date received: 10/31/03	Laboratory ID: 1025704
Date extracted: 11/7/03	Matrix: Soil
Date analyzed: 11/7/03	ELAP #: 11693

### EPA METHOD 8270(BN)

Parameter	CAS No.	MDL	Results ug/kg
DIETHYLPHthalate	84-66-2	40 ug/kg	<40
4-BROMOPHENYL-PHENYL ETHER	101-55-3	40 ug/kg	<40
HEXACHLORO BENZENE	118-74-1	40 ug/kg	<40
PHENANTHRENE	85-01-8	40 ug/kg	<40
ANTHRACENE	120-12-7	40 ug/kg	<40
Di-n-BUTYLPHthalate	84-74-2	500 ug/kg	<500
FLUORANTHENE	206-44-0	40 ug/kg	<40
PYRENE	129-00-0	40 ug/kg	<40
BUTYLBENZYLPHthalate	85-68-7	40 ug/kg	<40
3,3-DICHLORO BENZIDINE	91-94-1	40 ug/kg	<40
BENZO-a-ANTHRACENE	56-55-3	40 ug/kg	<40
CHRYSENE	218-01-9	40 ug/kg	<40
Bis(2-ETHYLEXYL)PHTALATE	117-81-7	500 ug/kg	<500
DI-n-OCTYLPHthalate	117-84-0	40 ug/kg	<40
BENZO-b-FLUOROANTHENE	205-99-2	40 ug/kg	<40
BENZO-k- FLUOROANTHENE	207-08-9	40 ug/kg	<40
BENZO-a-PYRENE	50-32-8	40 ug/kg	<40
INDENO(1,2,3-c,d)PYRENE	193-39-5	40 ug/kg	<40
DIBENZO-a,h-ANTHRACENE	53-70-3	40 ug/kg	<40
BENZO-g,h,i-PERYLENE	191-24-2	40 ug/kg	<40

MDL = Minimum Detection Limit.



Michael Veraldi-Laboratory Director



LONG  
ISLAND  
ANALYTICAL  
LABORATORY, INC.

101-4 Colin Drive • Holbrook, New York 11741

Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com



Client: Anson	Client ID: 131 Sunnyside Blvd. (23B1)
Date received: 10/31/03	Laboratory ID: 1025704
Date extracted: 11/4/03	Matrix: Soil
Date analyzed: 11/4/03	ELAP #: 11693

### METALS ANALYSIS

Parameter	MDL	Results mg/kg
SILVER, Ag	1.65 mg/kg	<1.65
ARSENIC, As	1.65 mg/kg	<1.65
BARIUM, Ba	3.33 mg/kg	19.6
CADMIUM, Cd	1.00 mg/kg	7.78
CHROMIUM, Cr	1.65 mg/kg	10.3
MERCURY, Hg	0.020 mg/kg	<0.020
LEAD, Pb	1.65 mg/kg	3.17
SELENIUM, Se	1.65 mg/kg	<1.65

MDL = Minimum Detection Limit.

Analysis by SW-846 Method 6010



Michael Veraldi-Laboratory Director

Client: Anson	Client ID: 131 Sunnyside Blvd. (DW-16 54")
Date received: 11/17/03	Laboratory ID: 1027206
Date extracted: 11/18, 11/19/03	Matrix: Soil
Date analyzed: 11/18, 11/19/03	ELAP #: 11693

### METALS ANALYSIS

Parameter	MDL	Results mg/kg
SILVER, Ag	1.65 mg/kg	<1.65
ARSENIC, As	1.65 mg/kg	<1.65
BARIUM, Ba	3.33 mg/kg	4.89
CADMIUM, Cd	1.00 mg/kg	<1.00
CHROMIUM, Cr	1.65 mg/kg	2.86
MERCURY, Hg	0.020 mg/kg	<0.020
LEAD, Pb	1.65 mg/kg	<1.65
SELENIUM, Se	1.65 mg/kg	<1.65
HEXAVALENT CHROMIUM	1.00 mg/kg	<1.00

MDL = Minimum Detection Limit.

Performed by SW-846 Method 6010



Michael Veraldi-Laboratory Director



**LONG  
ISLAND  
ANALYTICAL  
LABORATORIES INC.**

101-4 Colin Drive • Holbrook, New York 11741

Tomorrow's Analytical Solutions Today™ Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: Anson Environmental	Client ID: 131 Sunnyside Blvd. (DW-16)
Date received: 11/26/03	Laboratory ID: 1028044
Date extracted: 12/2/03	Matrix: Soil
Date analyzed: 12/2/03	ELAP #: 11693

### EPA METHOD 8270(BN)

Parameter	CAS No.	MDL	Results ug/kg
Bis(2-CHLOROETHYL)ETHER	111-44-4	40 ug/kg	<40
1,3-DICHLOROBENZENE	541-73-1	40 ug/kg	<40
1,4-DICHLOROBENZENE	106-46-7	40 ug/kg	<40
1,2-DICHLOROBENZENE	95-50-1	40 ug/kg	<40
Bis(2-CHLOROISOPROPYL)ETHER	108-60-1	40 ug/kg	<40
HEXACHLOROETHANE	67-72-1	40 ug/kg	<40
N-NITROSODI-n-PROPYL AMINE	621-64-7	40 ug/kg	<40
NITROBENZENE	98-95-3	40 ug/kg	<40
ISOPHORONE	78-59-1	40 ug/kg	<40
Bis(2-CHLOROETHOXY)METHANE	111-91-1	40 ug/kg	<40
1,2,4-TRICHLOROBENZENE	120-82-1	40 ug/kg	<40
NAPHTHALENE	91-20-3	40 ug/kg	<40
HEXACHLOROBUTADIENE	87-68-3	40 ug/kg	<40
HEXACHLOROCYCLOPENTADIENE	77-47-4	40 ug/kg	<40
2-CHLORONAPHTHALENE	91-58-7	40 ug/kg	<40
ACENAPHTHYLENE	208-96-8	40 ug/kg	<40
DIMETHYLPHTHALATE	131-11-3	40 ug/kg	<40
2,6-DINITROTOLUENE	606-20-2	40 ug/kg	<40
ACENAPHTHENE	83-32-9	40 ug/kg	<40
2,4-DINTROTOLUENE	121-14-2	40 ug/kg	<40
FLUORENE	86-73-7	40 ug/kg	<40
4-CHLOROPHENYL PHENYL ETHER	7005-72-3	40 ug/kg	<40

MDL = Minimum Detection Limit.

Client: Anson Environmental	Client ID: 131 Sunnyside Blvd. (DW-16)
Date received: 11/26/03	Laboratory ID: 1028044
Date extracted: 12/2/03	Matrix: Soil
Date analyzed: 12/2/03	ELAP #: 11693

### EPA METHOD 8270(BN)

Parameter	CAS No.	MDL	Results ug/kg
DIETHYLPHthalate	84-66-2	40 ug/kg	<40
4-BROMOPHENYL-PHENYL ETHER	101-55-3	40 ug/kg	<40
HEXACHLORO BENZENE	118-74-1	40 ug/kg	<40
PHENANTHRENE	85-01-8	40 ug/kg	<40
ANTHRACENE	120-12-7	40 ug/kg	<40
Di-n-BUTYLPHthalate	84-74-2	500 ug/kg	<500
FLUORANTHENE	206-44-0	40 ug/kg	<40
PYRENE	129-00-0	40 ug/kg	<40
BUTYLBENZYLPHthalate	85-68-7	40 ug/kg	<40
3,3-DICHLOROBENZIDINE	91-94-1	40 ug/kg	<40
BENZO-a-ANTHRACENE	56-55-3	40 ug/kg	<40
CHRYSENE	218-01-9	40 ug/kg	<40
Bis(2-ETHYLEXYL)PHTALATE	117-81-7	500 ug/kg	<500
DI-n-OCTYLPHthalate	117-84-0	40 ug/kg	<40
BENZO-b-FLUOROANTHENE	205-99-2	40 ug/kg	<40
BENZO-k- FLUOROANTHENE	207-08-9	40 ug/kg	<40
BENZO-a-PYRENE	50-32-8	40 ug/kg	<40
INDENO(1,2,3-c,d)PYRENE	193-39-5	40 ug/kg	<40
DIBENZO-a,h-ANTHRACENE	53-70-3	40 ug/kg	<40
BENZO-g,h,i-PERYLENE	191-24-2	40 ug/kg	<40

MDL = Minimum Detection Limit.



Michael Veraldi-Laboratory Director

Client: Anson Environmental	Client ID: 131 Sunnyside Blvd. (DW-16)
Date received: 11/26/03	Laboratory ID: 1028044
Date extracted: 12/1, 12/2/03	Matrix: Soil
Date analyzed: 12/1, 12/2/03	ELAP #: 11693

### METALS ANALYSIS

Parameter	MDL	Results mg/kg
SILVER, Ag	1.65 mg/kg	<1.65
ARSENIC, As	1.65 mg/kg	2.10
BARIUM, Ba	3.33 mg/kg	10.7
CADMIUM, Cd	1.00 mg/kg	<1.00
CHROMIUM, Cr	1.65 mg/kg	5.90
MERCURY, Hg	0.020 mg/kg	<0.020
LEAD, Pb	1.65 mg/kg	<1.65
SELENIUM, Se	1.65 mg/kg	<1.65
HEXAVALENT CHROMIUM	1.00 mg/kg	<1.00

MDL = Minimum Detection Limit.

Analysis by SW-846 Method 6010



Michael Veraldi-Laboratory Director



Client: Anson Environmental	Client ID: 131 Sunnyside 03150 (Pool #1 {12-14'})
Date received: 10/15/03	Laboratory ID: 1024507
Date extracted: 10/16/03	Matrix: Soil
Date analyzed: 10/16/03	ELAP #: 11693

## NCDH PROTOCOL

PARAMETER	CAS No.	MDL	RESULTS ug/kg
ACETONE	67-64-1	50 ug/kg	<50
BENZENE	71-43-2	5 ug/kg	<5
n-BUTYLBENZENE	104-51-8	5 ug/kg	<5
sec-BUTYLBENZENE	135-98-8	5 ug/kg	<5
tert-BUTYLBENZENE	98-06-6	5 ug/kg	<5
BROMODICHLOROMETHANE	75-27-4	5 ug/kg	<5
BROMOFORM	75-25-2	5 ug/kg	<5
BROMOBENZENE	108-86-1	5 ug/kg	<5
2-CHLOROTOLUENE	95-49-8	5 ug/kg	<5
4-CHLOROTOLUENE	106-43-4	5 ug/kg	<5
CHLOROBENZENE	108-90-7	5 ug/kg	<5
CHLOROFORM	67-66-3	5 ug/kg	<5
CARBON TETRACHLORIDE	56-23-5	5 ug/kg	<5
o-DICHLOROBENZENE (1,2)	95-50-1	5 ug/kg	<5
m-DICHLOROBENZENE (1,3)	541-73-1	5 ug/kg	<5
p-DICHLOROBENZENE (1,4)	106-46-7	5 ug/kg	<5
1,2-DIBROMO-3-CHLOROPROPANE	96-12-8	5 ug/kg	<5
1,1-DICHLOROETHYLENE	75-35-4	5 ug/kg	<5
trans-1,2-DICHLOROETHYLENE	156-60-5	5 ug/kg	<5
1,1-DICHLOROETHANE	75-34-3	5 ug/kg	<5
cis-1,2-DICHLOROETHYLENE	159-59-2	5 ug/kg	<5
DIBROMOCHLOROMETHANE	124-48-1	5 ug/kg	<5
1,3-DICHLOROPROPANE	142-28-9	5 ug/kg	<5
1,1-DICHLOROPROPENE	563-58-6	5 ug/kg	<5
1,2-DICHLOROETHANE	107-06-02	5 ug/kg	<5
1,2-DICHLOROPROPANE	78-87-5	5 ug/kg	<5
2,2-DICHLOROPROPANE	594-20-7	5 ug/kg	<5
ETHYLBENZENE	100-414	5 ug/kg	<5

MDL = Minimum Detection Limit.



LONG  
ISLAND  
ANALYTICAL  
LABORATORIES, INC.

101-4 Colin Drive • Holbrook, New York 11741

Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: Anson Environmental	Client ID: 131 Sunnyside 03150 (Pool #1 {12-14'})
Date received: 10/15/03	Laboratory ID: 1024507
Date extracted: 10/16/03	Matrix: Soil
Date analyzed: 10/16/03	ELAP #: 11693

### NCDH PROTOCOL

PARAMETER	CAS No.	MDL	RESULTS ug/kg
1,2-DIBROMOETHANE	106-93-4	5 ug/kg	<5
DIBROMOMETHANE	74-95-3	5 ug/kg	<5
cis-1,3-DICHLOROPROPENE	10061-01-5	5 ug/kg	<5
trans-1,3-DICHLOROPROPENE	10061-02-6	5 ug/kg	<5
HEXACHLOROCYCLOHEPTADIENE	87-68-3	5 ug/kg	<5
p-ISOPROPYLTOLUENE	99-87-6	5 ug/kg	<5
ISOPROPYLBENZENE	98-82-8	5 ug/kg	<5
METHYLENE CHLORIDE	75-09-2	5 ug/kg	<5
NAPHTHALENE	91-20-3	5 ug/kg	<5
n-PROPYLBENZENE	103-65-1	5 ug/kg	<5
STYRENE	100-42-5	5 ug/kg	<5
TRICHLOROFLUOROMETHANE	75-69-4	5 ug/kg	<5
1,2,3-TRICHLOROENZENE	87-61-6	5 ug/kg	<5
1,2,4-TRICHLOROENZENE	120-82-1	5 ug/kg	<5
1,2,4-TRIMETHYLBENZENE	95-63-6	5 ug/kg	<5
1,3,5-TRIMETHYLBENZENE	108-67-8	5 ug/kg	<5
1,1,1-TRICHLOROETHANE	71-55-6	5 ug/kg	<5
TRICHLOROETHYLENE	79-01-6	5 ug/kg	<5
1,1,2-TRICHLOROETHANE	79-00-5	5 ug/kg	<5
TETRACHLOROETHYLENE	127-18-4	5 ug/kg	<5
1,1,1,2-TETRACHLOROETHANE	630-20-6	5 ug/kg	<5
1,1,2,2-TETRACHLOROETHANE	79-34-5	5 ug/kg	<5
1,2,3-TRICHLOROPROPANE	96-18-4	5 ug/kg	<5
TOLUENE	108-88-3	5 ug/kg	<5
VINYL CHLORIDE	75-01-4	5 ug/kg	<5
p & m-XYLENES	1330-20-7	10 ug/kg	<10
o-XYLENE	95-47-6	5 ug/kg	<5

MDL = Minimum Detection Limit.

*Michael Veraldi*

Michael Veraldi-Laboratory Director



LONG  
ISLAND  
ANALYTICAL  
LABORATORIES, INC.

101-4 Colin Drive • Holbrook, New York 11741

Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: Anson Environmental	Client ID: 131 Sunnyside 03150 (Pool #1 {12-14'})
Date received: 10/15/03	Laboratory ID: 1024507
Date extracted: 10/17, 10/20/03	Matrix: Soil
Date analyzed: 10/17, 10/20/03	ELAP #: 11693

### METALS ANALYSIS 8 RCRA

Parameter	MDL	Results mg/kg
SILVER, Ag	1.65 mg/kg	<1.65
ARSENIC, As	1.65 mg/kg	<1.65
BARIUM, Ba	3.33 mg/kg	<3.33
CADMIUM, Cd	1.00 mg/kg	<1.00
CHROMIUM, Cr	1.65 mg/kg	2.54
IV CHROMIUM	1.00 mg/kg	<1.00
MERCURY, Hg	0.020 mg/kg	<0.020
LEAD, Pb	1.65 mg/kg	<1.65
SELENIUM, Se	1.65 mg/kg	<1.65

MDL = Minimum Detection Limit.

Performed by SW-846 Method 6010



Michael Veraldi-Laboratory Director



**LONG  
ISLAND  
ANALYTICAL  
LABORATORIES INC.**

101-4 Colin Drive • Holbrook, New York 11741

Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com



Client: Anson Environmental	Client ID: 131 Sunnyside 03150 (Pool #1 {15-16'})
Date received: 10/15/03	Laboratory ID: 1024508
Date extracted: 10/16/03	Matrix: Soil
Date analyzed: 10/16/03	ELAP #: 11693

## NCDH PROTOCOL

PARAMETER	CAS No.	MDL	RESULTS ug/kg
ACETONE	67-64-1	50 ug/kg	<50
BENZENE	71-43-2	5 ug/kg	<5
n-BUTYLBENZENE	104-51-8	5 ug/kg	<5
sec-BUTYLBENZENE	135-98-8	5 ug/kg	<5
tert-BUTYLBENZENE	98-06-6	5 ug/kg	<5
BROMODICHLOROMETHANE	75-27-4	5 ug/kg	<5
BROMOFORM	75-25-2	5 ug/kg	<5
BROMOBENZENE	108-86-1	5 ug/kg	<5
2-CHLOROTOLUENE	95-49-8	5 ug/kg	<5
4-CHLOROTOLUENE	106-43-4	5 ug/kg	<5
CHLOROBENZENE	108-90-7	5 ug/kg	<5
CHLOROFORM	67-66-3	5 ug/kg	<5
CARBON TETRACHLORIDE	56-23-5	5 ug/kg	<5
o-DICHLOROBENZENE (1,2)	95-50-1	5 ug/kg	<5
m-DICHLOROBENZENE (1,3)	541-73-1	5 ug/kg	<5
p-DICHLOROBENZENE (1,4)	106-46-7	5 ug/kg	<5
1,2-DIBROMO-3-CHLOROPROPANE	96-12-8	5 ug/kg	<5
1,1-DICHLOROETHYLENE	75-35-4	5 ug/kg	<5
trans-1,2-DICHLOROETHYLENE	156-60-5	5 ug/kg	<5
1,1-DICHLOROETHANE	75-34-3	5 ug/kg	<5
cis-1,2-DICHLOROETHYLENE	159-59-2	5 ug/kg	23
DIBROMOCHLOROMETHANE	124-48-1	5 ug/kg	<5
1,3-DICHLOROPROPANE	142-28-9	5 ug/kg	<5
1,1-DICHLOROPROPENE	563-58-6	5 ug/kg	<5
1,2-DICHLOROETHANE	107-06-02	5 ug/kg	<5
1,2-DICHLOROPROPANE	78-87-5	5 ug/kg	<5
2,2-DICHLOROPROPANE	594-20-7	5 ug/kg	<5
ETHYLBENZENE	100-414	5 ug/kg	<5

MDL = Minimum Detection Limit.



LONG  
ISLAND  
ANALYTICAL  
LABORATORY, INC.

101-4 Colin Drive • Holbrook, New York 11741

Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: Anson Environmental	Client ID: 131 Sunnyside 03150 (Pool #1 {15-16'})
Date received: 10/15/03	Laboratory ID: 1024508
Date extracted: 10/16/03	Matrix: Soil
Date analyzed: 10/16/03	ELAP #: 11693

### NCDH PROTOCOL

PARAMETER	CAS No.	MDL	RESULTS ug/kg
1,2-DIBROMOETHANE	106-93-4	5 ug/kg	<5
DIBROMOMETHANE	74-95-3	5 ug/kg	<5
cis-1,3-DICHLOROPROPENE	10061-01-5	5 ug/kg	<5
trans-1,3-DICHLOROPROPENE	10061-02-6	5 ug/kg	<5
HEXACHLOROBUTADIENE	87-68-3	5 ug/kg	<5
p-ISOPROPYLTOLUENE	99-87-6	5 ug/kg	<5
ISOPROPYLBENZENE	98-82-8	5 ug/kg	<5
METHYLENE CHLORIDE	75-09-2	5 ug/kg	<5
NAPHTHALENE	91-20-3	5 ug/kg	<5
n-PROPYLBENZENE	103-65-1	5 ug/kg	<5
STYRENE	100-42-5	5 ug/kg	<5
TRICHLOROFLUOROMETHANE	75-69-4	5 ug/kg	<5
1,2,3-TRICHLOROBENZENE	87-61-6	5 ug/kg	<5
1,2,4-TRICHLOROBENZENE	120-82-1	5 ug/kg	<5
1,2,4-TRIMETHYLBENZENE	95-63-6	5 ug/kg	<5
1,3,5-TRIMETHYLBENZENE	108-67-8	5 ug/kg	<5
1,1,1-TRICHLOROETHANE	71-55-6	5 ug/kg	<5
TRICHLOROETHYLENE	79-01-6	5 ug/kg	25
1,1,2-TRICHLOROETHANE	79-00-5	5 ug/kg	<5
TETRACHLOROETHYLENE	127-18-4	5 ug/kg	<5
1,1,1,2-TETRACHLOROETHANE	630-20-6	5 ug/kg	<5
1,1,2,2-TETRACHLOROETHANE	79-34-5	5 ug/kg	<5
1,2,3-TRICHLOROPROPANE	96-18-4	5 ug/kg	<5
TOLUENE	108-88-3	5 ug/kg	<5
VINYL CHLORIDE	75-01-4	5 ug/kg	<5
p & m-XYLENES	1330-20-7	10 ug/kg	<10
o-XYLENE	95-47-6	5 ug/kg	<5

MDL = Minimum Detection Limit.

*Michael Veraldi*

Michael Veraldi-Laboratory Director



LONG  
ISLAND  
ANALYTICAL  
LABORATORY, INC.

101-4 Colin Drive • Holbrook, New York 11741

Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: Anson Environmental	Client ID: 131 Sunnyside 03150 (Pool #1 {15-16'})
Date received: 10/15/03*	Laboratory ID: 1024508A
Date extracted: 11/5/03	Matrix: Soil
Date analyzed: 11/5/03	ELAP #: 11693

### EPA METHOD 8270

Parameter	CAS No.	MDL	Results ug/kg
Bis(2-CHLOROETHYL)ETHER	111-44-4	40 ug/kg	<40
PHENOL	108-95-1	40 ug/kg	<40
2-CHLOROPHENOL	95-57-8	40 ug/kg	<40
1,3-DICHLOROBENZENE	541-73-1	40 ug/kg	<40
1,4-DICHLOROBENZENE	106-46-7	40 ug/kg	<40
1,2-DICHLOROBENZENE	95-50-1	40 ug/kg	<40
Bis(2-CHLOROISOPROPYL)ETHER	108-60-1	40 ug/kg	<40
2-METHYLPHENOL	95-48-7	40 ug/kg	<40
HEXACHLOROETHANE	67-72-1	40 ug/kg	<40
N-NITROSODI-n-PROPYL AMINE	621-64-7	40 ug/kg	<40
4-METHYLPHENOL	106-44-5	40 ug/kg	<40
NITROBENZENE	98-95-3	40 ug/kg	<40
ISOPHORONE	78-59-1	40 ug/kg	<40
2-NITROPHENOL	88-75-5	40 ug/kg	<40
2,4-DIMETHYLPHENOL	105-67-9	40 ug/kg	<40
Bis(2-CHLOROETHOXY)METHANE	111-91-1	40 ug/kg	<40
2,4-DICHLOROPHENOL	102-83-2	40 ug/kg	<40
1,2,4-TRICHLOROBENZENE	120-82-1	40 ug/kg	<40
NAPHTHALENE	91-20-3	40 ug/kg	<40
4-CHLOROANILINE	106-47-8	40 ug/kg	<40
HEXACHLOROBUTADIENE	87-68-3	40 ug/kg	<40
4-CHLORO-3-METHYLPHENOL	59-50-7	40 ug/kg	<40
2-METHYLNAPHTHALENE	91-57-6	40 ug/kg	<40
HEXACHLOROCYCLOPENTADIENE	77-47-4	66 ug/kg	<66
2,4,6-TRICHLOROPHENOL	88-06-2	40 ug/kg	<40
2,4,5-TRICHLOROPHENOL	95-95-4	40 ug/kg	<40
2-CHLORONAPHTHALENE	91-58-7	40 ug/kg	<40
2-NITROANILINE	88-74-4	40 ug/kg	<40
ACENAPHTHYLENE	208-96-8	40 ug/kg	<40
DIMETHYLPHTHALATE	131-11-3	40 ug/kg	<40
2,6-DINITROTOLUENE	606-20-2	40 ug/kg	<40
ACENAPHTHENE	83-32-9	40 ug/kg	<40

MDL = Minimum Detection Limit.

\*Sample was resubmitted on November 3, 2003.



LONG  
ISLAND  
ANALYTICAL  
LABORATORY

101-4 Colin Drive • Holbrook, New York 11741

Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: Anson Environmental	Client ID: 131 Sunnyside 03150 (Pool #1 {15-16'})
Date received: 10/15/03*	Laboratory ID: 1024508A
Date extracted: 11/5/03	Matrix: Soil
Date analyzed: 11/5/03	ELAP #: 11693

### EPA METHOD 8270

Parameter	CAS No.	MDL	Results ug/kg
3-NITROANILINE	99-09-2	40 ug/kg	<40
2,4-DINITROPHENOL	51-28-5	40 ug/kg	<40
DIBENZOFURAN	132-64-9	40 ug/kg	<40
2,4-DINITROTOLUENE	121-14-2	40 ug/kg	<40
4-NITROPHENOL	100-02-7	40 ug/kg	<40
FLUORENE	86-73-7	40 ug/kg	<40
4-CHLOROPHENYL PHENYL ETHER	7005-72-3	40 ug/kg	<40
DIETHYLPHthalate	84-66-2	40 ug/kg	<40
4-NITROANILINE	100-01-6	40 ug/kg	<40
4,6-DINITRO-2-METHYLPHENOL	534-52-1	40 ug/kg	<40
N-NITROSODIPHENYLAMINE	86-30-6	40 ug/kg	<40
4-BROMOPHENYL-PHENYL ETHER	101-55-3	40 ug/kg	<40
HEXACHLORO BENZENE	118-74-1	40 ug/kg	<40
PENTACHLOROPHENOL	87-86-5	40 ug/kg	<40
PHENANTHRENE	85-01-8	40 ug/kg	<40
ANTHRACENE	120-12-7	40 ug/kg	<40
Di-n-BUTYLPHthalate	84-74-2	500 ug/kg	<500
FLUORANTHENE	206-44-0	40 ug/kg	66
PYRENE	129-00-0	40 ug/kg	51
BUTYLBENZYLPHthalate	85-68-7	40 ug/kg	<40
3,3-DICHLORO BENZIDINE	91-94-1	40 ug/kg	<40
BENZO-a-ANTHRACENE	56-55-3	40 ug/kg	<40
CHRYSENE	218-01-9	40 ug/kg	<40
Bis(2-ETHYLEXYL)PHTALATE	117-81-7	500 ug/kg	<500
DI-n-OCTYLPHthalate	117-84-0	40 ug/kg	<40
BENZO-b-FLUOROANTHENE	205-99-2	40 ug/kg	<40
BENZO-k- FLUOROANTHENE	207-08-9	40 ug/kg	<40
BENZO-a-PYRENE	50-32-8	40 ug/kg	<40
INDENO(1,2,3-c,d)PYRENE	193-39-5	40 ug/kg	<40
DIBENZO-a,h-ANTHRACENE	53-70-3	40 ug/kg	<40
BENZO-g,h,i-PERYLENE	191-24-2	40 ug/kg	<40

MDL = Minimum Detection Limit.

\*Sample was resubmitted on November 3, 2003.



Michael Veraldi-Laboratory Director



Client: Anson Environmental	Client ID: 131 Sunnyside 03150 (Pool #1 {15-16'})
Date received: 10/15/03	Laboratory ID: 1024508
Date extracted: 10/17, 10/20/03	Matrix: Soil
Date analyzed: 10/17, 10/20/03	ELAP #: 11693

### METALS ANALYSIS 8 RCRA

Parameter	MDL	Results mg/kg
SILVER, Ag	1.65 mg/kg	<1.65
ARSENIC, As	1.65 mg/kg	1.82
BARIUM, Ba	3.33 mg/kg	<3.33
CADMIUM, Cd	1.00 mg/kg	<1.00
CHROMIUM, Cr	1.65 mg/kg	2.59
IV CHROMIUM	1.00 mg/kg	<1.00
MERCURY, Hg	0.020 mg/kg	<0.020
LEAD, Pb	1.65 mg/kg	<1.65
SELENIUM, Se	1.65 mg/kg	<1.65

MDL = Minimum Detection Limit.

Performed by SW-846 Method 6010



Michael Veraldi-Laboratory Director



**LONG  
ISLAND  
ANALYTICAL  
LABORATORIES INC.**

101-4 Colin Drive • Holbrook, New York 11741

Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: Anson Environmental	Client ID: 131 Sunnyside 03150 (Pool #1 {16-17'})
Date received: 10/15/03	Laboratory ID: 1024509
Date extracted: 10/16/03	Matrix: Soil
Date analyzed: 10/16/03	ELAP #: 11693

## NCDH PROTOCOL

PARAMETER	CAS No.	MDL	RESULTS ug/kg
ACETONE	67-64-1	50 ug/kg	<50
BENZENE	71-43-2	5 ug/kg	<5
n-BUTYLBENZENE	104-51-8	5 ug/kg	<5
sec-BUTYLBENZENE	135-98-8	5 ug/kg	<5
tert-BUTYLBENZENE	98-06-6	5 ug/kg	<5
BROMODICHLOROMETHANE	75-27-4	5 ug/kg	<5
BROMOFORM	75-25-2	5 ug/kg	<5
BROMOBENZENE	108-86-1	5 ug/kg	<5
2-CHLOROTOLUENE	95-49-8	5 ug/kg	<5
4-CHLOROTOLUENE	106-43-4	5 ug/kg	<5
CHLOROBENZENE	108-90-7	5 ug/kg	<5
CHLOROFORM	67-66-3	5 ug/kg	<5
CARBON TETRACHLORIDE	56-23-5	5 ug/kg	<5
o-DICHLOROBEZENE (1,2)	95-50-1	5 ug/kg	<5
m-DICHLOROBEZENE (1,3)	541-73-1	5 ug/kg	<5
p-DICHLOROBEZENE (1,4)	106-46-7	5 ug/kg	<5
1,2-DIBROMO-3-CHLOROPROPANE	96-12-8	5 ug/kg	<5
1,1-DICHLOROETHYLENE	75-35-4	5 ug/kg	<5
trans-1,2-DICHLOROETHYLENE	156-60-5	5 ug/kg	<5
1,1-DICHLOROETHANE	75-34-3	5 ug/kg	<5
cis-1,2-DICHLOROETHYLENE	159-59-2	5 ug/kg	<5
DIBROMOCHLOROMETHANE	124-48-1	5 ug/kg	<5
1,3-DICHLOROPROPANE	142-28-9	5 ug/kg	<5
1,1-DICHLOROPROPENE	563-58-6	5 ug/kg	<5
1,2-DICHLOROETHANE	107-06-02	5 ug/kg	<5
1,2-DICHLOROPROPANE	78-87-5	5 ug/kg	<5
2,2-DICHLOROPROPANE	594-20-7	5 ug/kg	<5
ETHYLBENZENE	100-414	5 ug/kg	<5

MDL = Minimum Detection Limit.



Client: Anson Environmental	Client ID: 131 Sunnyside 03150 (Pool #1 {16-17'})
Date received: 10/15/03	Laboratory ID: 1024509
Date extracted: 10/16/03	Matrix: Soil
Date analyzed: 10/16/03	ELAP #: 11693


### NCDH PROTOCOL

PARAMETER	CAS No.	MDL	RESULTS ug/kg
1,2-DIBROMOETHANE	106-93-4	5 ug/kg	<5
DIBROMOMETHANE	74-95-3	5 ug/kg	<5
cis-1,3-DICHLOROPROPENE	10061-01-5	5 ug/kg	<5
trans-1,3-DICHLOROPROPENE	10061-02-6	5 ug/kg	<5
HEXACHLOROBUTADIENE	87-68-3	5 ug/kg	<5
p-ISOPROPYLTOLUENE	99-87-6	5 ug/kg	<5
ISOPROPYLBENZENE	98-82-8	5 ug/kg	<5
METHYLENE CHLORIDE	75-09-2	5 ug/kg	<5
NAPHTHALENE	91-20-3	5 ug/kg	<5
n-PROPYLBENZENE	103-65-1	5 ug/kg	<5
STYRENE	100-42-5	5 ug/kg	<5
TRICHLOROFLUOROMETHANE	75-69-4	5 ug/kg	<5
1,2,3-TRICHLOROBENZENE	87-61-6	5 ug/kg	<5
1,2,4-TRICHLOROBENZENE	120-82-1	5 ug/kg	<5
1,2,4-TRIMETHYLBENZENE	95-63-6	5 ug/kg	<5
1,3,5-TRIMETHYLBENZENE	108-67-8	5 ug/kg	<5
1,1,1-TRICHLOROETHANE	71-55-6	5 ug/kg	<5
TRICHLOROETHYLENE	79-01-6	5 ug/kg	<5
1,1,2-TRICHLOROETHANE	79-00-5	5 ug/kg	<5
TETRACHLOROETHYLENE	127-18-4	5 ug/kg	<5
1,1,1,2-TETRACHLOROETHANE	630-20-6	5 ug/kg	<5
1,1,2,2-TETRACHLOROETHANE	79-34-5	5 ug/kg	<5
1,2,3-TRICHLOROPROPANE	96-18-4	5 ug/kg	<5
TOLUENE	108-88-3	5 ug/kg	<5
VINYL CHLORIDE	75-01-4	5 ug/kg	<5
p & m-XYLENES	1330-20-7	10 ug/kg	<10
o-XYLENE	95-47-6	5 ug/kg	<5

MDL = Minimum Detection Limit.

*Michael Veraldi*

Michael Veraldi-Laboratory Director



LONG  
ISLAND  
ANALYTICAL  
LABORATORY

101-4 Colin Drive • Holbrook, New York 11741

Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: Anson Environmental	Client ID: 131 Sunnyside 03150 (Pool #1 {16-17'})
Date received: 10/15/03	Laboratory ID: 1024509
Date extracted: 10/17, 10/20/03	Matrix: Soil
Date analyzed: 10/17, 10/20/03	ELAP #: 11693

### METALS ANALYSIS 8 RCRA

Parameter	MDL	Results mg/kg
SILVER, Ag	1.65 mg/kg	<1.65
ARSENIC, As	1.65 mg/kg	2.67
BARIUM, Ba	3.33 mg/kg	<3.33
CADMIUM, Cd	1.00 mg/kg	<1.00
CHROMIUM, Cr	1.65 mg/kg	3.07
IV CHROMIUM	1.00 mg/kg	<1.00
MERCURY, Hg	0.020 mg/kg	<0.020
LEAD, Pb	1.65 mg/kg	<1.65
SELENIUM, Se	1.65 mg/kg	<1.65

MDL = Minimum Detection Limit.

Performed by SW-846 Method 6010



Michael Veraldi-Laboratory Director



Client: Anson Environmental	Client ID: 131 Sunnyside 03150 (Pool #1 {18-19'})
Date received: 10/15/03	Laboratory ID: 1024510
Date extracted: 10/16/03	Matrix: Soil
Date analyzed: 10/16/03	ELAP #: 11693

### NCDH PROTOCOL

PARAMETER	CAS No.	MDL	RESULTS ug/kg
ACETONE	67-64-1	50 ug/kg	<50
BENZENE	71-43-2	5 ug/kg	<5
n-BUTYLBENZENE	104-51-8	5 ug/kg	<5
sec-BUTYLBENZENE	135-98-8	5 ug/kg	<5
tert-BUTYLBENZENE	98-06-6	5 ug/kg	<5
BROMODICHLOROMETHANE	75-27-4	5 ug/kg	<5
BROMOFORM	75-25-2	5 ug/kg	<5
BROMOBENZENE	108-86-1	5 ug/kg	<5
2-CHLOROTOLUENE	95-49-8	5 ug/kg	<5
4-CHLOROTOLUENE	106-43-4	5 ug/kg	<5
CHLOROBENZENE	108-90-7	5 ug/kg	<5
CHLOROFORM	67-66-3	5 ug/kg	<5
CARBON TETRACHLORIDE	56-23-5	5 ug/kg	<5
o-DICHLOROBENZENE (1,2)	95-50-1	5 ug/kg	<5
m-DICHLOROBENZENE (1,3)	541-73-1	5 ug/kg	<5
p-DICHLOROBENZENE (1,4)	106-46-7	5 ug/kg	<5
1,2-DIBROMO-3-CHLOROPROPANE	96-12-8	5 ug/kg	<5
1,1-DICHLOROETHYLENE	75-35-4	5 ug/kg	<5
trans-1,2-DICHLOROETHYLENE	156-60-5	5 ug/kg	<5
1,1-DICHLOROETHANE	75-34-3	5 ug/kg	<5
cis-1,2-DICHLOROETHYLENE	159-59-2	5 ug/kg	<5
DIBROMOCHLOROMETHANE	124-48-1	5 ug/kg	<5
1,3-DICHLOROPROPANE	142-28-9	5 ug/kg	<5
1,1-DICHLOROPROPENE	563-58-6	5 ug/kg	<5
1,2-DICHLOROETHANE	107-06-02	5 ug/kg	<5
1,2-DICHLOROPROPANE	78-87-5	5 ug/kg	<5
2,2-DICHLOROPROPANE	594-20-7	5 ug/kg	<5
ETHYLBENZENE	100-414	5 ug/kg	<5

MDL = Minimum Detection Limit.

Client: Anson Environmental	Client ID: 131 Sunnyside 03150 (Pool #1 {18-19'})
Date received: 10/15/03	Laboratory ID: 1024510
Date extracted: 10/16/03	Matrix: Soil
Date analyzed: 10/16/03	ELAP #: 11693

## NCDH PROTOCOL

PARAMETER	CAS No.	MDL	RESULTS ug/kg
1,2-DIBROMOETHANE	106-93-4	5 ug/kg	<5
DIBROMOMETHANE	74-95-3	5 ug/kg	<5
cis-1,3-DICHLOROPROPENE	10061-01-5	5 ug/kg	<5
trans-1,3-DICHLOROPROPENE	10061-02-6	5 ug/kg	<5
HEXACHLOROCYCLOHEPTADIENE	87-68-3	5 ug/kg	<5
p-ISOPROPYLTOLUENE	99-87-6	5 ug/kg	<5
ISOPROPYLBENZENE	98-82-8	5 ug/kg	<5
METHYLENE CHLORIDE	75-09-2	5 ug/kg	<5
NAPHTHALENE	91-20-3	5 ug/kg	<5
n-PROPYLBENZENE	103-65-1	5 ug/kg	<5
STYRENE	100-42-5	5 ug/kg	<5
TRICHLOROFLUOROMETHANE	75-69-4	5 ug/kg	<5
1,2,3-TRICHLOROBENZENE	87-61-6	5 ug/kg	<5
1,2,4-TRICHLOROBENZENE	120-82-1	5 ug/kg	<5
1,2,4-TRIMETHYLBENZENE	95-63-6	5 ug/kg	<5
1,3,5-TRIMETHYLBENZENE	108-67-8	5 ug/kg	<5
1,1,1-TRICHLOROETHANE	71-55-6	5 ug/kg	<5
TRICHLOROETHYLENE	79-01-6	5 ug/kg	<5
1,1,2-TRICHLOROETHANE	79-00-5	5 ug/kg	<5
TETRACHLOROETHYLENE	127-18-4	5 ug/kg	<5
1,1,1,2-TETRACHLOROETHANE	630-20-6	5 ug/kg	<5
1,1,2,2-TETRACHLOROETHANE	79-34-5	5 ug/kg	<5
1,2,3-TRICHLOROPROPANE	96-18-4	5 ug/kg	<5
TOLUENE	108-88-3	5 ug/kg	<5
VINYL CHLORIDE	75-01-4	5 ug/kg	<5
p & m-XYLENES	1330-20-7	10 ug/kg	<10
o-XYLENE	95-47-6	5 ug/kg	<5

MDL = Minimum Detection Limit.

*Michael Veraldi*

Michael Veraldi-Laboratory Director



Client: Anson Environmental	Client ID: 131 Sunnyside 03150 (Pool #1 {18-19'})
Date received: 10/15/03	Laboratory ID: 1024510
Date extracted: 10/17, 10/20/03	Matrix: Soil
Date analyzed: 10/17, 10/20/03	ELAP #: 11693

### METALS ANALYSIS 8 RCRA

Parameter	MDL	Results mg/kg
SILVER, Ag	1.65 mg/kg	<1.65
ARSENIC, As	1.65 mg/kg	<1.65
BARIUM, Ba	3.33 mg/kg	<3.33
CADMIUM, Cd	1.00 mg/kg	<1.00
CHROMIUM, Cr	1.65 mg/kg	2.06
IV CHROMIUM	1.00 mg/kg	<1.00
MERCURY, Hg	0.020 mg/kg	<0.020
LEAD, Pb	1.65 mg/kg	<1.65
SELENIUM, Se	1.65 mg/kg	<1.65

MDL = Minimum Detection Limit.

Performed by SW-846 Method 6010



Michael Veraldi-Laboratory Director



LONG  
ISLAND  
ANALYTICAL  
LABORATORIES INC.

101-4 Colin Drive • Holbrook, New York 11741

Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: Anson Environmental	Client ID: 131 Sunnyside 03150 (Pool #2 {12-14'})
Date received: 10/15/03	Laboratory ID: 1024511
Date extracted: 10/16/03	Matrix: Soil
Date analyzed: 10/16/03	ELAP #: 11693

### NCDH PROTOCOL

PARAMETER	CAS No.	MDL	RESULTS ug/kg
ACETONE	67-64-1	50 ug/kg	<50
BENZENE	71-43-2	5 ug/kg	<5
n-BUTYLBENZENE	104-51-8	5 ug/kg	<5
sec-BUTYLBENZENE	135-98-8	5 ug/kg	<5
tert-BUTYLBENZENE	98-06-6	5 ug/kg	<5
BROMODICHLOROMETHANE	75-27-4	5 ug/kg	<5
BROMOFORM	75-25-2	5 ug/kg	<5
BROMOBENZENE	108-86-1	5 ug/kg	<5
2-CHLOROTOLUENE	95-49-8	5 ug/kg	<5
4-CHLOROTOLUENE	106-43-4	5 ug/kg	<5
CHLOROBENZENE	108-90-7	5 ug/kg	<5
CHLOROFORM	67-66-3	5 ug/kg	<5
CARBON TETRACHLORIDE	56-23-5	5 ug/kg	<5
o-DICHLOROBENZENE (1,2)	95-50-1	5 ug/kg	<5
m-DICHLOROBENZENE (1,3)	541-73-1	5 ug/kg	<5
p-DICHLOROBENZENE (1,4)	106-46-7	5 ug/kg	<5
1,2-DIBROMO-3-CHLOROPROPANE	96-12-8	5 ug/kg	<5
1,1-DICHLOROETHYLENE	75-35-4	5 ug/kg	<5
trans-1,2-DICHLOROETHYLENE	156-60-5	5 ug/kg	<5
1,1-DICHLOROETHANE	75-34-3	5 ug/kg	<5
cis-1,2-DICHLOROETHYLENE	159-59-2	5 ug/kg	<5
DIBROMOCHLOROMETHANE	124-48-1	5 ug/kg	<5
1,3-DICHLOROPROPANE	142-28-9	5 ug/kg	<5
1,1-DICHLOROPROPENE	563-58-6	5 ug/kg	<5
1,2-DICHLOROETHANE	107-06-02	5 ug/kg	<5
1,2-DICHLOROPROPANE	78-87-5	5 ug/kg	<5
2,2-DICHLOROPROPANE	594-20-7	5 ug/kg	<5
ETHYLBENZENE	100-414	5 ug/kg	<5

MDL = Minimum Detection Limit.



Client: Anson Environmental	Client ID: 131 Sunnyside 03150 (Pool #2 {12-14'})
Date received: 10/15/03	Laboratory ID: 1024511
Date extracted: 10/16/03	Matrix: Soil
Date analyzed: 10/16/03	ELAP #: 11693

## NCDH PROTOCOL

PARAMETER	CAS No.	MDL	RESULTS ug/kg
1,2-DIBROMOETHANE	106-93-4	5 ug/kg	<5
DIBROMOMETHANE	74-95-3	5 ug/kg	<5
cis-1,3-DICHLOROPROPENE	10061-01-5	5 ug/kg	<5
trans-1,3-DICHLOROPROPENE	10061-02-6	5 ug/kg	<5
HEXACHLOROCYCLOHEPTADIENE	87-68-3	5 ug/kg	<5
p-ISOPROPYLTOLUENE	99-87-6	5 ug/kg	<5
ISOPROPYLBENZENE	98-82-8	5 ug/kg	<5
METHYLENE CHLORIDE	75-09-2	5 ug/kg	<5
NAPHTHALENE	91-20-3	5 ug/kg	<5
n-PROPYLBENZENE	103-65-1	5 ug/kg	<5
STYRENE	100-42-5	5 ug/kg	<5
TRICHLOROFLUOROMETHANE	75-69-4	5 ug/kg	<5
1,2,3-TRICHLOROBENZENE	87-61-6	5 ug/kg	<5
1,2,4-TRICHLOROBENZENE	120-82-1	5 ug/kg	<5
1,2,4-TRIMETHYLBENZENE	95-63-6	5 ug/kg	<5
1,3,5-TRIMETHYLBENZENE	108-67-8	5 ug/kg	<5
1,1,1-TRICHLOROETHANE	71-55-6	5 ug/kg	<5
TRICHLOROETHYLENE	79-01-6	5 ug/kg	<5
1,1,2-TRICHLOROETHANE	79-00-5	5 ug/kg	<5
TETRACHLOROETHYLENE	127-18-4	5 ug/kg	<5
1,1,1,2-TETRACHLOROETHANE	630-20-6	5 ug/kg	<5
1,1,2,2-TETRACHLOROETHANE	79-34-5	5 ug/kg	<5
1,2,3-TRICHLOROPROPANE	96-18-4	5 ug/kg	<5
TOLUENE	108-88-3	5 ug/kg	<5
VINYL CHLORIDE	75-01-4	5 ug/kg	<5
p & m-XYLENES	1330-20-7	10 ug/kg	<10
o-XYLENE	95-47-6	5 ug/kg	<5

MDL = Minimum Detection Limit.

*Michael Veraldi*

Michael Veraldi-Laboratory Director



Client: Anson Environmental	Client ID: 131 Sunnyside 03150 (Pool #2 {12-14'})
Date received: 10/15/03	Laboratory ID: 1024511
Date extracted: 10/17, 10/20/03	Matrix: Soil
Date analyzed: 10/17, 10/20/03	ELAP #: 11693

## METALS ANALYSIS 8 RCRA

Parameter	MDL	Results mg/kg
SILVER, Ag	1.65 mg/kg	<1.65
ARSENIC, As	1.65 mg/kg	3.12
BARIUM, Ba	3.33 mg/kg	<3.33
CADMIUM, Cd	1.00 mg/kg	<1.00
CHROMIUM, Cr	1.65 mg/kg	3.08
IV CHROMIUM	1.00 mg/kg	<1.00
MERCURY, Hg	0.020 mg/kg	<0.020
LEAD, Pb	1.65 mg/kg	<1.65
SELENIUM, Se	1.65 mg/kg	<1.65

MDL = Minimum Detection Limit.

Performed by SW-846 Method 6010



Michael Veraldi-Laboratory Director



**LONG  
ISLAND  
ANALYTICAL  
LABORATORIES INC.**

101-4 Colin Drive • Holbrook, New York 11741

MORRIS ANALYTICAL SOLUTIONS COMPANY

Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: Anson Environmental	Client ID: 131 Sunnyside 03150 (Pool #2 {15-16'})
Date received: 10/15/03	Laboratory ID: 1024512
Date extracted: 10/16/03	Matrix: Soil
Date analyzed: 10/16/03	ELAP #: 11693

## NCDH PROTOCOL

PARAMETER	CAS No.	MDL	RESULTS ug/kg
ACETONE	67-64-1	50 ug/kg	<50
BENZENE	71-43-2	5 ug/kg	<5
n-BUTYLBENZENE	104-51-8	5 ug/kg	<5
sec-BUTYLBENZENE	135-98-8	5 ug/kg	<5
tert-BUTYLBENZENE	98-06-6	5 ug/kg	<5
BROMODICHLOROMETHANE	75-27-4	5 ug/kg	<5
BROMOFORM	75-25-2	5 ug/kg	<5
BROMOBENZENE	108-86-1	5 ug/kg	<5
2-CHLOROTOLUENE	95-49-8	5 ug/kg	<5
4-CHLOROTOLUENE	106-43-4	5 ug/kg	<5
CHLOROBENZENE	108-90-7	5 ug/kg	<5
CHLOROFORM	67-66-3	5 ug/kg	<5
CARBON TETRACHLORIDE	56-23-5	5 ug/kg	<5
o-DICHLOROBENZENE (1,2)	95-50-1	5 ug/kg	<5
m-DICHLOROBENZENE (1,3)	541-73-1	5 ug/kg	<5
p-DICHLOROBENZENE (1,4)	106-46-7	5 ug/kg	<5
1,2-DIBROMO-3-CHLOROPROPANE	96-12-8	5 ug/kg	<5
1,1-DICHLOROETHYLENE	75-35-4	5 ug/kg	<5
trans-1,2-DICHLOROETHYLENE	156-60-5	5 ug/kg	<5
1,1-DICHLOROETHANE	75-34-3	5 ug/kg	<5
cis-1,2-DICHLOROETHYLENE	159-59-2	5 ug/kg	<5
DIBROMOCHLOROMETHANE	124-48-1	5 ug/kg	<5
1,3-DICHLOROPROPANE	142-28-9	5 ug/kg	<5
1,1-DICHLOROPROPENE	563-58-6	5 ug/kg	<5
1,2-DICHLOROETHANE	107-06-02	5 ug/kg	<5
1,2-DICHLOROPROPANE	78-87-5	5 ug/kg	<5
2,2-DICHLOROPROPANE	594-20-7	5 ug/kg	<5
ETHYLBENZENE	100-414	5 ug/kg	<5

MDL = Minimum Detection Limit.



LONG  
ISLAND  
ANALYTICAL  
LABORATORY

101-4 Colin Drive • Holbrook, New York 11741

Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: Anson Environmental	Client ID: 131 Sunnyside 03150 (Pool #2 {15-16'})
Date received: 10/15/03	Laboratory ID: 1024512
Date extracted: 10/16/03	Matrix: Soil
Date analyzed: 10/16/03	ELAP #: 11693

## NCDH PROTOCOL

PARAMETER	CAS No.	MDL	RESULTS ug/kg
1,2-DIBROMOETHANE	106-93-4	5 ug/kg	<5
DIBROMOMETHANE	74-95-3	5 ug/kg	<5
cis-1,3-DICHLOROPROPENE	10061-01-5	5 ug/kg	<5
trans-1,3-DICHLOROPROPENE	10061-02-6	5 ug/kg	<5
HEXACHLOROCYCLOHEPTADIENE	87-68-3	5 ug/kg	<5
p-ISOPROPYLTOLUENE	99-87-6	5 ug/kg	<5
ISOPROPYLBENZENE	98-82-8	5 ug/kg	<5
METHYLENE CHLORIDE	75-09-2	5 ug/kg	<5
NAPHTHALENE	91-20-3	5 ug/kg	<5
n-PROPYLBENZENE	103-65-1	5 ug/kg	<5
STYRENE	100-42-5	5 ug/kg	<5
TRICHLOROFLUOROMETHANE	75-69-4	5 ug/kg	<5
1,2,3-TRICHLOROBENZENE	87-61-6	5 ug/kg	<5
1,2,4-TRICHLOROBENZENE	120-82-1	5 ug/kg	<5
1,2,4-TRIMETHYLBENZENE	95-63-6	5 ug/kg	<5
1,3,5-TRIMETHYLBENZENE	108-67-8	5 ug/kg	<5
1,1,1-TRICHLOROETHANE	71-55-6	5 ug/kg	<5
TRICHLOROETHYLENE	79-01-6	5 ug/kg	<5
1,1,2-TRICHLOROETHANE	79-00-5	5 ug/kg	<5
TETRACHLOROETHYLENE	127-18-4	5 ug/kg	<5
1,1,1,2-TETRACHLOROETHANE	630-20-6	5 ug/kg	<5
1,1,2,2-TETRACHLOROETHANE	79-34-5	5 ug/kg	<5
1,2,3-TRICHLOROPROPANE	96-18-4	5 ug/kg	<5
TOLUENE	108-88-3	5 ug/kg	<5
VINYL CHLORIDE	75-01-4	5 ug/kg	<5
p & m-XYLENES	1330-20-7	10 ug/kg	<10
o-XYLENE	95-47-6	5 ug/kg	<5

MDL = Minimum Detection Limit.

*Michael Veraldi*

Michael Veraldi-Laboratory Director





Client: Anson Environmental	Client ID: 131 Sunnyside 03150 (Pool #2 {15-16'})
Date received: 10/15/03*	Laboratory ID: 1024512A
Date extracted: 11/5/03	Matrix: Soil
Date analyzed: 11/5/03	ELAP #: 11693

### EPA METHOD 8270

Parameter	CAS No.	MDL	Results ug/kg
Bis(2-CHLOROETHYL)ETHER	111-44-4	40 ug/kg	<40
PHENOL	108-95-1	40 ug/kg	<40
2-CHLOROPHENOL	95-57-8	40 ug/kg	<40
1,3-DICHLOROBENZENE	541-73-1	40 ug/kg	<40
1,4-DICHLOROBENZENE	106-46-7	40 ug/kg	<40
1,2-DICHLOROBENZENE	95-50-1	40 ug/kg	<40
Bis(2-CHLOROISOPROPYL)ETHER	108-60-1	40 ug/kg	<40
2-METHYLPHENOL	95-48-7	40 ug/kg	<40
HEXACHLOROETHANE	67-72-1	40 ug/kg	<40
N-NITROSODI-n-PROPYL AMINE	621-64-7	40 ug/kg	<40
4-METHYLPHENOL	106-44-5	40 ug/kg	<40
NITROBENZENE	98-95-3	40 ug/kg	<40
ISOPHORONE	78-59-1	40 ug/kg	<40
2-NITROPHENOL	88-75-5	40 ug/kg	<40
2,4-DIMETHYLPHENOL	105-67-9	40 ug/kg	<40
Bis(2-CHLOROETHOXY)METHANE	111-91-1	40 ug/kg	<40
2,4-DICHLOROPHENOL	102-83-2	40 ug/kg	<40
1,2,4-TRICHLOROBENZENE	120-82-1	40 ug/kg	<40
NAPHTHALENE	91-20-3	40 ug/kg	<40
4-CHLOROANILINE	106-47-8	40 ug/kg	<40
HEXACHLOROBUTADIENE	87-68-3	40 ug/kg	<40
4-CHLORO-3-METHYLPHENOL	59-50-7	40 ug/kg	<40
2-METHYLNAPHTHALENE	91-57-6	40 ug/kg	<40
HEXACHLOROCYCLOPENTADIENE	77-47-4	66 ug/kg	<66
2,4,6-TRICHLOROPHENOL	88-06-2	40 ug/kg	<40
2,4,5-TRICHLOROPHENOL	95-95-4	40 ug/kg	<40
2-CHLORONAPHTHALENE	91-58-7	40 ug/kg	<40
2-NITROANILINE	88-74-4	40 ug/kg	<40
ACENAPHTHYLENE	208-96-8	40 ug/kg	<40
DIMETHYLPHTHALATE	131-11-3	40 ug/kg	<40
2,6-DINITROTOLUENE	606-20-2	40 ug/kg	<40
ACENAPHTHENE	83-32-9	40 ug/kg	<40

MDL = Minimum Detection Limit.

\*Sample was resubmitted on November 3, 2003.



LIAL  
ISLAND  
ANALYTICAL  
LABORATORY

101-4 Colin Drive • Holbrook, New York 11741

Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: Anson Environmental	Client ID: 131 Sunnyside 03150 (Pool #2 {15-16'})
Date received: 10/15/03*	Laboratory ID: 1024512A
Date extracted: 11/5/03	Matrix: Soil
Date analyzed: 11/5/03	ELAP #: 11693

### EPA METHOD 8270

Parameter	CAS No.	MDL	Results ug/kg
3-NITROANILINE	99-09-2	40 ug/kg	<40
2,4-DINITROPHENOL	51-28-5	40 ug/kg	<40
DIBENZOFURAN	132-64-9	40 ug/kg	<40
2,4-DINITROTOLUENE	121-14-2	40 ug/kg	<40
4-NITROPHENOL	100-02-7	40 ug/kg	<40
FLUORENE	86-73-7	40 ug/kg	<40
4-CHLOROPHENYL PHENYL ETHER	7005-72-3	40 ug/kg	<40
DIETHYLPHTHALATE	84-66-2	40 ug/kg	<40
4-NITROANILINE	100-01-6	40 ug/kg	<40
4,6-DINITRO-2-METHYLPHENOL	534-52-1	40 ug/kg	<40
N-NITROSODIPHENYLAMINE	86-30-6	40 ug/kg	<40
4-BROMOPHENYL-PHENYL ETHER	101-55-3	40 ug/kg	<40
HEXACHLOROBENZENE	118-74-1	40 ug/kg	<40
PENTACHLOROPHENOL	87-86-5	40 ug/kg	<40
PHENANTHRENE	85-01-8	40 ug/kg	<40
ANTHRACENE	120-12-7	40 ug/kg	<40
Di-n-BUTYLPHTHALATE	84-74-2	500 ug/kg	<500
FLUORANTHENE	206-44-0	40 ug/kg	<40
PYRENE	129-00-0	40 ug/kg	<40
BUTYLBENZYLPHTHALATE	85-68-7	40 ug/kg	<40
3,3-DICHLOROBENZIDINE	91-94-1	40 ug/kg	<40
BENZO-a-ANTHRACENE	56-55-3	40 ug/kg	<40
CHRYSENE	218-01-9	40 ug/kg	<40
Bis(2-ETHYLEXYL)PHTALATE	117-81-7	500 ug/kg	<500
DI-n-OCTYLPHTHALATE	117-84-0	40 ug/kg	<40
BENZO-b-FLUOROANTHENE	205-99-2	40 ug/kg	<40
BENZO-k- FLUOROANTHENE	207-08-9	40 ug/kg	<40
BENZO-a-PYRENE	50-32-8	40 ug/kg	<40
INDENO(1,2,3-c,d)PYRENE	193-39-5	40 ug/kg	<40
DIBENZO-a,h-ANTHRACENE	53-70-3	40 ug/kg	<40
BENZO-g,h,i-PERYLENE	191-24-2	40 ug/kg	<40

MDL = Minimum Detection Limit.

\*Sample was resubmitted on November 3, 2003.

*Michael Veraldi*

Michael Veraldi-Laboratory Director



LONG  
ISLAND  
ANALYTICAL  
LABORATORIES

101-4 Colin Drive • Holbrook, New York 11741

Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: Anson Environmental	Client ID: 131 Sunnyside 03150 (Pool #2 {15-16'})
Date received: 10/15/03	Laboratory ID: 1024512
Date extracted: 10/17, 10/20/03	Matrix: Soil
Date analyzed: 10/17, 10/20/03	ELAP #: 11693

### METALS ANALYSIS 8 RCRA

Parameter	MDL	Results mg/kg
SILVER, Ag	1.65 mg/kg	1.85
ARSENIC, As	1.65 mg/kg	2.30
BARIUM, Ba	3.33 mg/kg	12.6
CADMIUM, Cd	1.00 mg/kg	<1.00
CHROMIUM, Cr	1.65 mg/kg	9.55
IV CHROMIUM	1.00 mg/kg	<1.00
MERCURY, Hg	0.020 mg/kg	<0.020
LEAD, Pb	1.65 mg/kg	6.94
SELENIUM, Se	1.65 mg/kg	<1.65

MDL = Minimum Detection Limit.

Performed by SW-846 Method 6010



Michael Veraldi-Laboratory Director



LONG  
ISLAND  
ANALYTICAL  
LABORATORIES INC.

101-4 Colin Drive • Holbrook, New York 11741

Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: Anson Environmental	Client ID: 131 Sunnyside 03150 (Pool #2 {18-19'})
Date received: 10/15/03	Laboratory ID: 1024513
Date extracted: 10/16/03	Matrix: Soil
Date analyzed: 10/16/03	ELAP #: 11693

## NCDH PROTOCOL

PARAMETER	CAS No.	MDL	RESULTS ug/kg
ACETONE	67-64-1	50 ug/kg	<50
BENZENE	71-43-2	5 ug/kg	<5
n-BUTYLBENZENE	104-51-8	5 ug/kg	<5
sec-BUTYLBENZENE	135-98-8	5 ug/kg	<5
tert-BUTYLBENZENE	98-06-6	5 ug/kg	<5
BROMODICHLOROMETHANE	75-27-4	5 ug/kg	<5
BROMOFORM	75-25-2	5 ug/kg	<5
BROMOBENZENE	108-86-1	5 ug/kg	<5
2-CHLOROTOLUENE	95-49-8	5 ug/kg	<5
4-CHLOROTOLUENE	106-43-4	5 ug/kg	<5
CHLOROBENZENE	108-90-7	5 ug/kg	<5
CHLOROFORM	67-66-3	5 ug/kg	<5
CARBON TETRACHLORIDE	56-23-5	5 ug/kg	<5
o-DICHLOROBENZENE (1,2)	95-50-1	5 ug/kg	<5
m-DICHLOROBENZENE (1,3)	541-73-1	5 ug/kg	<5
p-DICHLOROBENZENE (1,4)	106-46-7	5 ug/kg	<5
1,2-DIBROMO-3-CHLOROPROPANE	96-12-8	5 ug/kg	<5
1,1-DICHLOROETHYLENE	75-35-4	5 ug/kg	<5
trans-1,2-DICHLOROETHYLENE	156-60-5	5 ug/kg	<5
1,1-DICHLOROETHANE	75-34-3	5 ug/kg	<5
cis-1,2-DICHLOROETHYLENE	159-59-2	5 ug/kg	<5
DIBROMOCHLOROMETHANE	124-48-1	5 ug/kg	<5
1,3-DICHLOROPROPANE	142-28-9	5 ug/kg	<5
1,1-DICHLOROPROPENE	563-58-6	5 ug/kg	<5
1,2-DICHLOROETHANE	107-06-02	5 ug/kg	<5
1,2-DICHLOROPROPANE	78-87-5	5 ug/kg	<5
2,2-DICHLOROPROPANE	594-20-7	5 ug/kg	<5
ETHYLBENZENE	100-414	5 ug/kg	<5

MDL = Minimum Detection Limit.



LONG  
ISLAND  
ANALYTICAL  
LABORATORIES, INC.

101-4 Colin Drive • Holbrook, New York 11741

Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: Anson Environmental	Client ID: 131 Sunnyside 03150 (Pool #2 {18-19'})
Date received: 10/15/03	Laboratory ID: 1024513
Date extracted: 10/16/03	Matrix: Soil
Date analyzed: 10/16/03	ELAP #: 11693

### NCDH PROTOCOL

PARAMETER	CAS No.	MDL	RESULTS ug/kg
1,2-DIBROMOETHANE	106-93-4	5 ug/kg	<5
DIBROMOMETHANE	74-95-3	5 ug/kg	<5
cis-1,3-DICHLOROPROPENE	10061-01-5	5 ug/kg	<5
trans-1,3-DICHLOROPROPENE	10061-02-6	5 ug/kg	<5
HEXACHLOROBUTADIENE	87-68-3	5 ug/kg	<5
p-ISOPROPYLTOLUENE	99-87-6	5 ug/kg	<5
ISOPROPYLBENZENE	98-82-8	5 ug/kg	<5
METHYLENE CHLORIDE	75-09-2	5 ug/kg	<5
NAPHTHALENE	91-20-3	5 ug/kg	<5
n-PROPYLBENZENE	103-65-1	5 ug/kg	<5
STYRENE	100-42-5	5 ug/kg	<5
TRICHLOROFLUOROMETHANE	75-69-4	5 ug/kg	<5
1,2,3-TRICHLOROBENZENE	87-61-6	5 ug/kg	<5
1,2,4-TRICHLOROBENZENE	120-82-1	5 ug/kg	<5
1,2,4-TRIMETHYLBENZENE	95-63-6	5 ug/kg	<5
1,3,5-TRIMETHYLBENZENE	108-67-8	5 ug/kg	<5
1,1,1-TRICHLOROETHANE	71-55-6	5 ug/kg	<5
TRICHLOROETHYLENE	79-01-6	5 ug/kg	<5
1,1,2-TRICHLOROETHANE	79-00-5	5 ug/kg	<5
TETRACHLOROETHYLENE	127-18-4	5 ug/kg	<5
1,1,1,2-TETRACHLOROETHANE	630-20-6	5 ug/kg	<5
1,1,2,2-TETRACHLOROETHANE	79-34-5	5 ug/kg	<5
1,2,3-TRICHLOROPROPANE	96-18-4	5 ug/kg	<5
TOLUENE	108-88-3	5 ug/kg	<5
VINYL CHLORIDE	75-01-4	5 ug/kg	<5
p & m-XYLENES	1330-20-7	10 ug/kg	<10
o-XYLENE	95-47-6	5 ug/kg	<5

MDL = Minimum Detection Limit.

*Michael Veraldi*

Michael Veraldi-Laboratory Director




Client: Anson Environmental	Client ID: 131 Sunnyside 03150 (Pool #2 {18-19'})
Date received: 10/15/03	Laboratory ID: 1024513
Date extracted: 10/17, 10/20/03	Matrix: Soil
Date analyzed: 10/17, 10/20/03	ELAP #: 11693

## METALS ANALYSIS 8 RCRA

Parameter	MDL	Results mg/kg
SILVER, Ag	1.65 mg/kg	<1.65
ARSENIC, As	1.65 mg/kg	<1.65
BARIUM, Ba	3.33 mg/kg	<3.33
CADMIUM, Cd	1.00 mg/kg	<1.00
CHROMIUM, Cr	1.65 mg/kg	2.56
IV CHROMIUM	1.00 mg/kg	<1.00
MERCURY, Hg	0.020 mg/kg	<0.020
LEAD, Pb	1.65 mg/kg	<1.65
SELENIUM, Se	1.65 mg/kg	<1.65

MDL = Minimum Detection Limit.

Performed by SW-846 Method 6010



Michael Veraldi-Laboratory Director

Client: Anson	Client ID: 131 Sunnyside Blvd., 03150 (SS-1)
Date received: 10/29/03	Laboratory ID: 1025522
Date extracted: 11/3/03	Matrix: Soil
Date analyzed: 11/3/03	ELAP #: 11693

## NCDH PROTOCOL

PARAMETER	CAS No.	MDL	RESULTS ug/kg
ACETONE	67-64-1	50 ug/kg	<50
BENZENE	71-43-2	5 ug/kg	<5
n-BUTYLBENZENE	104-51-8	5 ug/kg	<5
sec-BUTYLBENZENE	135-98-8	5 ug/kg	<5
tert-BUTYLBENZENE	98-06-6	5 ug/kg	<5
BROMODICHLOROMETHANE	75-27-4	5 ug/kg	<5
BROMOFORM	75-25-2	5 ug/kg	<5
BROMOBENZENE	108-86-1	5 ug/kg	<5
2-CHLOROTOLUENE	95-49-8	5 ug/kg	<5
4-CHLOROTOLUENE	106-43-4	5 ug/kg	<5
CHLOROBENZENE	108-90-7	5 ug/kg	<5
CHLOROFORM	67-66-3	5 ug/kg	<5
CARBON TETRACHLORIDE	56-23-5	5 ug/kg	<5
o-DICHLOROBENZENE (1,2)	95-50-1	5 ug/kg	<5
m-DICHLOROBENZENE (1,3)	541-73-1	5 ug/kg	<5
p-DICHLOROBENZENE (1,4)	106-46-7	5 ug/kg	<5
1,2-DIBROMO-3-CHLOROPROPANE	96-12-8	5 ug/kg	<5
1,1-DICHLOROETHYLENE	75-35-4	5 ug/kg	<5
trans-1,2-DICHLOROETHYLENE	156-60-5	5 ug/kg	<5
1,1-DICHLOROETHANE	75-34-3	5 ug/kg	<5
cis-1,2-DICHLOROETHYLENE	159-59-2	5 ug/kg	<5
DIBROMOCHLOROMETHANE	124-48-1	5 ug/kg	<5
1,3-DICHLOROPROPANE	142-28-9	5 ug/kg	<5
1,1-DICHLOROPROPENE	563-58-6	5 ug/kg	<5
1,2-DICHLOROETHANE	107-06-02	5 ug/kg	<5
1,2-DICHLOROPROPANE	78-87-5	5 ug/kg	<5
2,2-DICHLOROPROPANE	594-20-7	5 ug/kg	<5
ETHYLBENZENE	100-414	5 ug/kg	<5

MDL = Minimum Detection Limit.



LONG  
ISLAND  
ANALYTICAL  
LABORATORY

101-4 Colin Drive • Holbrook, New York 11741

Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: Anson	Client ID: 131 Sunnyside Blvd., 03150 (SS-1)
Date received: 10/29/03	Laboratory ID: 1025522
Date extracted: 11/3/03	Matrix: Soil
Date analyzed: 11/3/03	ELAP #: 11693

## NCDH PROTOCOL

PARAMETER	CAS No.	MDL	RESULTS ug/kg
1,2-DIBROMOETHANE	106-93-4	5 ug/kg	<5
DIBROMOMETHANE	74-95-3	5 ug/kg	<5
cis-1,3-DICHLOROPROPENE	10061-01-5	5 ug/kg	<5
trans-1,3-DICHLOROPROPENE	10061-02-6	5 ug/kg	<5
HEXACHLOROCYCLOHEPTADIENE	87-68-3	5 ug/kg	<5
p-ISOPROPYLTOLUENE	99-87-6	5 ug/kg	<5
ISOPROPYLBENZENE	98-82-8	5 ug/kg	<5
METHYLENE CHLORIDE	75-09-2	5 ug/kg	<5
NAPHTHALENE	91-20-3	5 ug/kg	<5
n-PROPYLBENZENE	103-65-1	5 ug/kg	<5
STYRENE	100-42-5	5 ug/kg	<5
TRICHLOROFLUOROMETHANE	75-69-4	5 ug/kg	<5
1,2,3-TRICHLOROBENZENE	87-61-6	5 ug/kg	<5
1,2,4-TRICHLOROBENZENE	120-82-1	5 ug/kg	<5
1,2,4-TRIMETHYLBENZENE	95-63-6	5 ug/kg	<5
1,3,5-TRIMETHYLBENZENE	108-67-8	5 ug/kg	<5
1,1,1-TRICHLOROETHANE	71-55-6	5 ug/kg	<5
TRICHLOROETHYLENE	79-01-6	5 ug/kg	<5
1,1,2-TRICHLOROETHANE	79-00-5	5 ug/kg	<5
TETRACHLOROETHYLENE	127-18-4	5 ug/kg	<5
1,1,1,2-TETRACHLOROETHANE	630-20-6	5 ug/kg	<5
1,1,2,2-TETRACHLOROETHANE	79-34-5	5 ug/kg	<5
1,2,3-TRICHLOROPROPANE	96-18-4	5 ug/kg	<5
TOLUENE	108-88-3	5 ug/kg	<5
VINYL CHLORIDE	75-01-4	5 ug/kg	<5
p & m-XYLENES	1330-20-7	10 ug/kg	<10
o-XYLENE	95-47-6	5 ug/kg	<5

MDL = Minimum Detection Limit.

*Michael Veraldi*

Michael Veraldi-Laboratory Director





Client: Anson	Client ID: 131 Sunnyside Blvd., 03150 (SS-1)
Date received: 10/29/03	Laboratory ID: 1025522
Date extracted: 11/3/03	Matrix: Soil
Date analyzed: 11/3/03	ELAP #: 11693

### EPA METHOD 8270(BN)

Parameter	CAS No.	MDL	Results ug/kg
Bis(2-CHLOROETHYL)ETHER	111-44-4	40 ug/kg	<40
1,3-DICHLOROBENZENE	541-73-1	40 ug/kg	<40
1,4-DICHLOROBENZENE	106-46-7	40 ug/kg	<40
1,2-DICHLOROBENZENE	95-50-1	40 ug/kg	<40
Bis(2-CHLOROISOPROPYL)ETHER	108-60-1	40 ug/kg	<40
HEXACHLOROETHANE	67-72-1	40 ug/kg	<40
N-NITROSODI-n-PROPYL AMINE	621-64-7	40 ug/kg	<40
NITROBENZENE	98-95-3	40 ug/kg	<40
ISOPHORONE	78-59-1	40 ug/kg	<40
Bis(2-CHLOROETHOXY)METHANE	111-91-1	40 ug/kg	<40
1,2,4-TRICHLOROBENZENE	120-82-1	40 ug/kg	<40
NAPHTHALENE	91-20-3	40 ug/kg	<40
HEXACHLOROBUTADIENE	87-68-3	40 ug/kg	<40
HEXACHLOROCYCLOPENTADIENE	77-47-4	40 ug/kg	<40
2-CHLORONAPHTHALENE	91-58-7	40 ug/kg	<40
ACENAPHTHYLENE	208-96-8	40 ug/kg	<40
DIMETHYLPHTHALATE	131-11-3	40 ug/kg	<40
2,6-DINITROTOLUENE	606-20-2	40 ug/kg	<40
ACENAPHTHENE	83-32-9	40 ug/kg	<40
2,4-DINTROTOLUENE	121-14-2	40 ug/kg	<40
FLUORENE	86-73-7	40 ug/kg	<40
4-CHLOROPHENYL PHENYL ETHER	7005-72-3	40 ug/kg	<40


MDL = Minimum Detection Limit.

Client: Anson	Client ID: 131 Sunnyside Blvd., 03150 (SS-1)
Date received: 10/29/03	Laboratory ID: 1025522
Date extracted: 11/3/03	Matrix: Soil
Date analyzed: 11/3/03	ELAP #: 11693

### EPA METHOD 8270(BN)

Parameter	CAS No.	MDL	Results ug/kg
DIETHYLPHTHALATE	84-66-2	40 ug/kg	<40
4-BROMOPHENYL-PHENYL ETHER	101-55-3	40 ug/kg	<40
HEXACHLOROBENZENE	118-74-1	40 ug/kg	<40
PHENANTHRENE	85-01-8	40 ug/kg	<40
ANTHRACENE	120-12-7	40 ug/kg	<40
Di-n-BUTYLPHTHALATE	84-74-2	500 ug/kg	<500
FLUORANTHENE	206-44-0	40 ug/kg	<40
PYRENE	129-00-0	40 ug/kg	<40
BUTYLBENZYLPHTHALATE	85-68-7	40 ug/kg	<40
3,3-DICHLOROBENZIDINE	91-94-1	40 ug/kg	<40
BENZO-a-ANTHRACENE	56-55-3	40 ug/kg	<40
CHRYSENE	218-01-9	40 ug/kg	<40
Bis(2-ETHYLEXYL)PHTALATE	117-81-7	500 ug/kg	<500
DI-n-OCTYLPHTHALATE	117-84-0	40 ug/kg	<40
BENZO-b-FLUOROANTHENE	205-99-2	40 ug/kg	<40
BENZO-k- FLUOROANTHENE	207-08-9	40 ug/kg	<40
BENZO-a-PYRENE	50-32-8	40 ug/kg	<40
INDENO(1,2,3-c,d)PYRENE	193-39-5	40 ug/kg	<40
DIBENZO-a,h-ANTHRACENE	53-70-3	40 ug/kg	<40
BENZO-g,h,i-PERYLENE	191-24-2	40 ug/kg	<40

MDL = Minimum Detection Limit.



Michael Veraldi-Laboratory Director



LIONO  
ISLAND  
ANALYTICAL  
LABORATORIES

101-4 Colin Drive • Holbrook, New York 11741

Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: Anson	Client ID: 131 Sunnyside Blvd., 03150 (SS-1)
Date received: 10/29/03	Laboratory ID: 1025522
Date extracted: 10/31/03	Matrix: Soil
Date analyzed: 10/31, 11/3/03	ELAP #: 11693

## METALS ANALYSIS

Parameter	MDL	Results mg/kg
SILVER, Ag	1.65 mg/kg	<1.65
ARSENIC, As	1.65 mg/kg	<1.65
BARIUM, Ba	3.33 mg/kg	14.72
CADMIUM, Cd	1.00 mg/kg	<1.00
CHROMIUM, Cr	1.65 mg/kg	3.10
MERCURY, Hg	0.020 mg/kg	0.033
LEAD, Pb	1.65 mg/kg	4.38
SELENIUM, Se	1.65 mg/kg	<1.65

MDL = Minimum Detection Limit.

Analysis by SW-846 Method 6010

*Michael Veraldi*

Michael Veraldi-Laboratory Director

Client: Anson	Client ID: 131 Sunnyside Blvd., Plainview (SS-2)
Date received: 11/13/03	Laboratory ID: 1026890
Date extracted: 11/14/03	Matrix: Soil
Date analyzed: 11/14/03	ELAP #: 11693

## NCDH PROTOCOL

PARAMETER	CAS No.	MDL	RESULTS ug/kg
ACETONE	67-64-1	50 ug/kg	<50
BENZENE	71-43-2	5 ug/kg	<5
n-BUTYLBENZENE	104-51-8	5 ug/kg	<5
sec-BUTYLBENZENE	135-98-8	5 ug/kg	<5
tert-BUTYLBENZENE	98-06-6	5 ug/kg	<5
BROMODICHLOROMETHANE	75-27-4	5 ug/kg	<5
BROMOFORM	75-25-2	5 ug/kg	<5
BROMOBENZENE	108-86-1	5 ug/kg	<5
2-CHLOROTOLUENE	95-49-8	5 ug/kg	<5
4-CHLOROTOLUENE	106-43-4	5 ug/kg	<5
CHLOROBENZENE	108-90-7	5 ug/kg	<5
CHLOROFORM	67-66-3	5 ug/kg	<5
CARBON TETRACHLORIDE	56-23-5	5 ug/kg	<5
o-DICHLOROENZENE (1,2)	95-50-1	5 ug/kg	<5
m-DICHLOROENZENE (1,3)	541-73-1	5 ug/kg	<5
p-DICHLOROENZENE (1,4)	106-46-7	5 ug/kg	<5
1,2-DIBROMO-3-CHLOROPROPANE	96-12-8	5 ug/kg	<5
1,1-DICHLOROETHYLENE	75-35-4	5 ug/kg	<5
trans-1,2-DICHLOROETHYLENE	156-60-5	5 ug/kg	<5
1,1-DICHLOROETHANE	75-34-3	5 ug/kg	<5
cis-1,2-DICHLOROETHYLENE	159-59-2	5 ug/kg	<5
DIBROMOCHLOROMETHANE	124-48-1	5 ug/kg	<5
1,3-DICHLOROPROPANE	142-28-9	5 ug/kg	<5
1,1-DICHLOROPROPENE	563-58-6	5 ug/kg	<5
1,2-DICHLOROETHANE	107-06-02	5 ug/kg	<5
1,2-DICHLOROPROPANE	78-87-5	5 ug/kg	<5
2,2-DICHLOROPROPANE	594-20-7	5 ug/kg	<5
ETHYLBENZENE	100-414	5 ug/kg	<5

MDL = Minimum Detection Limit.



LION  
ISLAND  
ANALYTICAL  
LABORATORY

101-4 Colin Drive • Holbrook, New York 11741

Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: Anson	Client ID: 131 Sunnyside Blvd., Plainview (SS-2)
Date received: 11/13/03	Laboratory ID: 1026890
Date extracted: 11/14/03	Matrix: Soil
Date analyzed: 11/14/03	ELAP #: 11693

### NCDH PROTOCOL

PARAMETER	CAS No.	MDL	RESULTS ug/kg
1,2-DIBROMOETHANE	106-93-4	5 ug/kg	<5
DIBROMOMETHANE	74-95-3	5 ug/kg	<5
cis-1,3-DICHLOROPROPENE	10061-01-5	5 ug/kg	<5
trans-1,3-DICHLOROPROPENE	10061-02-6	5 ug/kg	<5
HEXACHLOROCYCLOHEPTADIENE	87-68-3	5 ug/kg	<5
p-ISOPROPYLTOLUENE	99-87-6	5 ug/kg	<5
ISOPROPYLBENZENE	98-82-8	5 ug/kg	<5
METHYLENE CHLORIDE	75-09-2	5 ug/kg	<5
NAPHTHALENE	91-20-3	5 ug/kg	<5
n-PROPYLBENZENE	103-65-1	5 ug/kg	<5
STYRENE	100-42-5	5 ug/kg	<5
TRICHLOROFLUOROMETHANE	75-69-4	5 ug/kg	<5
1,2,3-TRICHLOROBENZENE	87-61-6	5 ug/kg	<5
1,2,4-TRICHLOROBENZENE	120-82-1	5 ug/kg	<5
1,2,4-TRIMETHYLBENZENE	95-63-6	5 ug/kg	<5
1,3,5-TRIMETHYLBENZENE	108-67-8	5 ug/kg	<5
1,1,1-TRICHLOROETHANE	71-55-6	5 ug/kg	<5
TRICHLOROETHYLENE	79-01-6	5 ug/kg	64
1,1,2-TRICHLOROETHANE	79-00-5	5 ug/kg	<5
TETRACHLOROETHYLENE	127-18-4	5 ug/kg	<5
1,1,1,2-TETRACHLOROETHANE	630-20-6	5 ug/kg	<5
1,1,2,2-TETRACHLOROETHANE	79-34-5	5 ug/kg	<5
1,2,3-TRICHLOROPROPANE	96-18-4	5 ug/kg	<5
TOLUENE	108-88-3	5 ug/kg	<5
VINYL CHLORIDE	75-01-4	5 ug/kg	<5
p & m-XYLENES	1330-20-7	10 ug/kg	<10
o-XYLENE	95-47-6	5 ug/kg	<5

MDL = Minimum Detection Limit.

*Michael Veraldi*

Michael Veraldi-Laboratory Director



Client: Anson	Client ID: 131 Sunnyside Blvd., Plainview (SS-2)
Date received: 11/13/03	Laboratory ID: 1026890
Date extracted: 11/19/03	Matrix: Soil
Date analyzed: 11/19/03	ELAP #: 11693

### EPA METHOD 8270(BN)

Parameter	CAS No.	MDL	Results ug/kg
Bis(2-CHLOROETHYL)ETHER	111-44-4	40 ug/kg	<240
1,3-DICHLOROBENZENE	541-73-1	40 ug/kg	<240
1,4-DICHLOROBENZENE	106-46-7	40 ug/kg	<240
1,2-DICHLOROBENZENE	95-50-1	40 ug/kg	<240
Bis(2-CHLOROISOPROPYL)ETHER	108-60-1	40 ug/kg	<240
HEXACHLOROETHANE	67-72-1	40 ug/kg	<240
N-NITROSODI-n-PROPYL AMINE	621-64-7	40 ug/kg	<240
NITROBENZENE	98-95-3	40 ug/kg	<240
ISOPHORONE	78-59-1	40 ug/kg	<240
Bis(2-CHLOROETHOXY)METHANE	111-91-1	40 ug/kg	<240
1,2,4-TRICHLOROBENZENE	120-82-1	40 ug/kg	335
NAPHTHALENE	91-20-3	40 ug/kg	<240
HEXACHLOROBUTADIENE	87-68-3	40 ug/kg	<240
HEXACHLOROCYCLOPENTADIENE	77-47-4	40 ug/kg	<240
2-CHLORONAPHTHALENE	91-58-7	40 ug/kg	<240
ACENAPHTHYLENE	208-96-8	40 ug/kg	<240
DIMETHYLPHTHALATE	131-11-3	40 ug/kg	<240
2,6-DINITROTOLUENE	606-20-2	40 ug/kg	<240
ACENAPHTHENE	83-32-9	40 ug/kg	<240
2,4-DINTROTOLUENE	121-14-2	40 ug/kg	<240
FLUORENE	86-73-7	40 ug/kg	<240
4-CHLOROPHENYL PHENYL ETHER	7005-72-3	40 ug/kg	<240

MDL = Minimum Detection Limit.

Note: MDL's are raised due to matrix interference.

Client: Anson	Client ID: 131 Sunnyside Blvd., Plainview (SS-2)
Date received: 11/13/03	Laboratory ID: 1026890
Date extracted: 11/19/03	Matrix: Soil
Date analyzed: 11/19/03	ELAP #: 11693

### EPA METHOD 8270(BN)

Parameter	CAS No.	MDL	Results ug/kg
DIETHYLPHTHALATE	84-66-2	40 ug/kg	<240
4-BROMOPHENYL-PHENYL ETHER	101-55-3	40 ug/kg	<240
HEXACHLOROBENZENE	118-74-1	40 ug/kg	<240
PHENANTHRENE	85-01-8	40 ug/kg	<240
ANTHRACENE	120-12-7	40 ug/kg	<240
Di-n-BUTYLPHTHALATE	84-74-2	500 ug/kg	<500
FLUORANTHENE	206-44-0	40 ug/kg	360
PYRENE	129-00-0	40 ug/kg	374
BUTYLBENZYLPHTHALATE	85-68-7	40 ug/kg	<240
3,3-DICHLOROBENZIDINE	91-94-1	40 ug/kg	<240
BENZO-a-ANTHRACENE	56-55-3	40 ug/kg	<240
CHRYSENE	218-01-9	40 ug/kg	293
Bis(2-ETHYLEXYL)PHTALATE	117-81-7	500 ug/kg	<500
DI-n-OCTYLPHTHALATE	117-84-0	40 ug/kg	<240
BENZO-b-FLUOROANTHENE	205-99-2	40 ug/kg	326
BENZO-k- FLUOROANTHENE	207-08-9	40 ug/kg	<240
BENZO-a-PYRENE	50-32-8	40 ug/kg	259
INDENO(1,2,3-c,d)PYRENE	193-39-5	40 ug/kg	<240
DIBENZO-a,h-ANTHRACENE	53-70-3	40 ug/kg	<240
BENZO-g,h,i-PERYLENE	191-24-2	40 ug/kg	244

MDL = Minimum Detection Limit.

Note: MDL's are raised due to matrix interference.

*Michael Veraldi*

Michael Veraldi-Laboratory Director



LONG  
ISLAND  
ANALYTICAL  
LABORATORIES INC

101-4 Colin Drive • Holbrook, New York 11741

Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: Anson	Client ID: 131 Sunnyside Blvd., Plainview (SS-2)
Date received: 11/13/03	Laboratory ID: 1026890
Date extracted: 11/14, 11/15/03	Matrix: Soil
Date analyzed: 11/14, 11/15/03	ELAP #: 11693

## METALS ANALYSIS

Parameter	MDL	Results mg/kg
SILVER, Ag	1.65 mg/kg	<1.65
ARSENIC, As	1.65 mg/kg	9.43
BARIUM, Ba	3.33 mg/kg	104
CADMIUM, Cd	1.00 mg/kg	3.47
CHROMIUM, Cr	1.65 mg/kg	22.5
HEXAVALENT CHROMIUM	2.52 mg/kg	<2.52
MERCURY, Hg	0.020 mg/kg	0.450
LEAD, Pb	1.65 mg/kg	29.5
SELENIUM, Se	1.65 mg/kg	<1.65

MDL = Minimum Detection Limit.

Analysis by SW-846 Method 6010



Michael Veraldi-Laboratory Director



Client: Anson Environmental	Client ID: 131 Sunnyside Blvd. (SS-2)
Date received: 11/26/03	Laboratory ID: 1028043
Date extracted: 12/2/03	Matrix: Soil
Date analyzed: 12/2/03	ELAP #: 11693

### EPA METHOD 8270(BN)

Parameter	CAS No.	MDL	Results ug/kg
DIETHYLPHTHALATE	84-66-2	40 ug/kg	<80
4-BROMOPHENYL-PHENYL ETHER	101-55-3	40 ug/kg	<80
HEXACHLOROBENZENE	118-74-1	40 ug/kg	<80
PHENANTHRENE	85-01-8	40 ug/kg	<80
ANTHRACENE	120-12-7	40 ug/kg	<80
Di-n-BUTYLPHTHALATE	84-74-2	500 ug/kg	<500
FLUORANTHENE	206-44-0	40 ug/kg	<80
PYRENE	129-00-0	40 ug/kg	<80
BUTYLBENZYLPHTHALATE	85-68-7	40 ug/kg	<80
3,3-DICHLOROBENZIDINE	91-94-1	40 ug/kg	<80
BENZO-a-ANTHRACENE	56-55-3	40 ug/kg	<80
CHRYSENE	218-01-9	40 ug/kg	<80
Bis(2-ETHYLEXYL)PHTALATE	117-81-7	500 ug/kg	<500
DI-n-OCTYLPHTHALATE	117-84-0	40 ug/kg	<80
BENZO-b-FLUOROANTHENE	205-99-2	40 ug/kg	<80
BENZO-k- FLUOROANTHENE	207-08-9	40 ug/kg	<80
BENZO-a-PYRENE	50-32-8	40 ug/kg	<80
INDENO(1,2,3-c,d)PYRENE	193-39-5	40 ug/kg	<80
DIBENZO-a,h-ANTHRACENE	53-70-3	40 ug/kg	<80
BENZO-g,h,i-PERYLENE	191-24-2	40 ug/kg	<80

MDL = Minimum Detection Limit.

Note: MDL's are raised due to matrix interference.

*Michael Veraldi*

Michael Veraldi-Laboratory Director

Client: Anson Environmental	Client ID: 131 Sunnyside Blvd. (SS-2)
Date received: 11/26/03	Laboratory ID: 1028043
Date extracted: 12/2/03	Matrix: Soil
Date analyzed: 12/2/03	ELAP #: 11693

### EPA METHOD 8270(BN)

Parameter	CAS No.	MDL	Results ug/kg
Bis(2-CHLOROETHYL)ETHER	111-44-4	40 ug/kg	<80
1,3-DICHLOROBENZENE	541-73-1	40 ug/kg	<80
1,4-DICHLOROBENZENE	106-46-7	40 ug/kg	<80
1,2-DICHLOROBENZENE	95-50-1	40 ug/kg	<80
Bis(2-CHLOROISOPROPYL)ETHER	108-60-1	40 ug/kg	<80
HEXACHLOROETHANE	67-72-1	40 ug/kg	<80
N-NITROSODI-n-PROPYL AMINE	621-64-7	40 ug/kg	<80
NITROBENZENE	98-95-3	40 ug/kg	<80
ISOPHORONE	78-59-1	40 ug/kg	<80
Bis(2-CHLOROETHOXY)METHANE	111-91-1	40 ug/kg	<80
1,2,4-TRICHLOROBENZENE	120-82-1	40 ug/kg	<80
NAPHTHALENE	91-20-3	40 ug/kg	<80
HEXACHLOROBUTADIENE	87-68-3	40 ug/kg	<80
HEXACHLOROCYCLOPENTADIENE	77-47-4	40 ug/kg	<80
2-CHLORONAPHTHALENE	91-58-7	40 ug/kg	<80
ACENAPHTHYLENE	208-96-8	40 ug/kg	<80
DIMETHYLPHTHALATE	131-11-3	40 ug/kg	<80
2,6-DINITROTOLUENE	606-20-2	40 ug/kg	<80
ACENAPHTHENE	83-32-9	40 ug/kg	<80
2,4-DINTROTOLUENE	121-14-2	40 ug/kg	<80
FLUORENE	86-73-7	40 ug/kg	<80
4-CHLOROPHENYL PHENYL ETHER	7005-72-3	40 ug/kg	<80

MDL = Minimum Detection Limit.

Note: MDL's are raised due to matrix interference.

Client: Anson Environmental	Client ID: 131 Sunnyside Blvd. (SS-2)
Date received: 11/26/03	Laboratory ID: 1028043
Date extracted: 12/1, 12/2/03	Matrix: Soil
Date analyzed: 12/1, 12/2/03	ELAP #: 11693

### METALS ANALYSIS

Parameter	MDL	Results mg/kg
SILVER, Ag	1.65 mg/kg	<1.65
ARSENIC, As	1.65 mg/kg	2.05
BARIUM, Ba	3.33 mg/kg	12.4
CADMIUM, Cd	1.00 mg/kg	<1.00
CHROMIUM, Cr	1.65 mg/kg	5.02
MERCURY, Hg	0.020 mg/kg	0.029
LEAD, Pb	1.65 mg/kg	4.78
SELENIUM, Se	1.65 mg/kg	<1.65
HEXAVALENT CHROMIUM	1.00 mg/kg	<1.00

MDL = Minimum Detection Limit.

Analysis by SW-846 Method 6010



Michael Veraldi-Laboratory Director

Client: Anson	Client ID: 131 Sunnyside Blvd. (SS-3)
Date received: 10/31/03	Laboratory ID: 1025699
Date extracted: 11/5/03	Matrix: Soil
Date analyzed: 11/5/03	ELAP #: 11693

## NCDH PROTOCOL

PARAMETER	CAS No.	MDL	RESULTS ug/kg
ACETONE	67-64-1	50 ug/kg	<50
BENZENE	71-43-2	5 ug/kg	<5
n-BUTYLBENZENE	104-51-8	5 ug/kg	<5
sec-BUTYLBENZENE	135-98-8	5 ug/kg	<5
tert-BUTYLBENZENE	98-06-6	5 ug/kg	<5
BROMODICHLOROMETHANE	75-27-4	5 ug/kg	<5
BROMOFORM	75-25-2	5 ug/kg	<5
BROMOBENZENE	108-86-1	5 ug/kg	<5
2-CHLOROTOLUENE	95-49-8	5 ug/kg	<5
4-CHLOROTOLUENE	106-43-4	5 ug/kg	<5
CHLOROBENZENE	108-90-7	5 ug/kg	<5
CHLOROFORM	67-66-3	5 ug/kg	<5
CARBON TETRACHLORIDE	56-23-5	5 ug/kg	<5
o-DICHLOROBENZENE (1,2)	95-50-1	5 ug/kg	<5
m-DICHLOROBENZENE (1,3)	541-73-1	5 ug/kg	<5
p-DICHLOROBENZENE (1,4)	106-46-7	5 ug/kg	<5
1,2-DIBROMO-3-CHLOROPROPANE	96-12-8	5 ug/kg	<5
1,1-DICHLOROETHYLENE	75-35-4	5 ug/kg	<5
trans-1,2-DICHLOROETHYLENE	156-60-5	5 ug/kg	<5
1,1-DICHLOROETHANE	75-34-3	5 ug/kg	<5
cis-1,2-DICHLOROETHYLENE	159-59-2	5 ug/kg	<5
DIBROMOCHLOROMETHANE	124-48-1	5 ug/kg	<5
1,3-DICHLOROPROPANE	142-28-9	5 ug/kg	<5
1,1-DICHLOROPROPENE	563-58-6	5 ug/kg	<5
1,2-DICHLOROETHANE	107-06-02	5 ug/kg	<5
1,2-DICHLOROPROPANE	78-87-5	5 ug/kg	<5
2,2-DICHLOROPROPANE	594-20-7	5 ug/kg	<5
ETHYLBENZENE	100-414	5 ug/kg	<5

MDL = Minimum Detection Limit.



LONG  
ISLAND  
ANALYTICAL  
LABORATORY, INC.

101-4 Colin Drive • Holbrook, New York 11741


Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: Anson	Client ID: 131 Sunnyside Blvd. (SS-3)
Date received: 10/31/03	Laboratory ID: 1025699
Date extracted: 11/5/03	Matrix: Soil
Date analyzed: 11/5/03	ELAP #: 11693

### NCDH PROTOCOL

PARAMETER	CAS No.	MDL	RESULTS ug/kg
1,2-DIBROMOETHANE	106-93-4	5 ug/kg	<5
DIBROMOMETHANE	74-95-3	5 ug/kg	<5
cis-1,3-DICHLOROPROPENE	10061-01-5	5 ug/kg	<5
trans-1,3-DICHLOROPROPENE	10061-02-6	5 ug/kg	<5
HEXACHLOROCYCLOHEPTADIENE	87-68-3	5 ug/kg	<5
p-ISOPROPYLTOLUENE	99-87-6	5 ug/kg	<5
ISOPROPYLBENZENE	98-82-8	5 ug/kg	<5
METHYLENE CHLORIDE	75-09-2	5 ug/kg	<5
NAPHTHALENE	91-20-3	5 ug/kg	<5
n-PROPYLBENZENE	103-65-1	5 ug/kg	<5
STYRENE	100-42-5	5 ug/kg	<5
TRICHLOROFLUOROMETHANE	75-69-4	5 ug/kg	<5
1,2,3-TRICHLOROBENZENE	87-61-6	5 ug/kg	<5
1,2,4-TRICHLOROBENZENE	120-82-1	5 ug/kg	<5
1,2,4-TRIMETHYLBENZENE	95-63-6	5 ug/kg	<5
1,3,5-TRIMETHYLBENZENE	108-67-8	5 ug/kg	<5
1,1,1-TRICHLOROETHANE	71-55-6	5 ug/kg	<5
TRICHLOROETHYLENE	79-01-6	5 ug/kg	<5
1,1,2-TRICHLOROETHANE	79-00-5	5 ug/kg	<5
TETRACHLOROETHYLENE	127-18-4	5 ug/kg	<5
1,1,1,2-TETRACHLOROETHANE	630-20-6	5 ug/kg	<5
1,1,2,2-TETRACHLOROETHANE	79-34-5	5 ug/kg	<5
1,2,3-TRICHLOROPROPANE	96-18-4	5 ug/kg	<5
TOLUENE	108-88-3	5 ug/kg	<5
VINYL CHLORIDE	75-01-4	5 ug/kg	<5
p & m-XYLENES	1330-20-7	10 ug/kg	<10
o-XYLENE	95-47-6	5 ug/kg	<5

MDL = Minimum Detection Limit.



Michael Veraldi-Laboratory Director



Client: Anson	Client ID: 131 Sunnyside Blvd. (SS-3)
Date received: 10/31/03	Laboratory ID: 1025699
Date extracted: 11/7/03	Matrix: Soil
Date analyzed: 11/7/03	ELAP #: 11693

### EPA METHOD 8270(BN)

Parameter	CAS No.	MDL	Results ug/kg
Bis(2-CHLOROETHYL)ETHER	111-44-4	40 ug/kg	<40
1,3-DICHLOROBENZENE	541-73-1	40 ug/kg	<40
1,4-DICHLOROBENZENE	106-46-7	40 ug/kg	<40
1,2-DICHLOROBENZENE	95-50-1	40 ug/kg	<40
Bis(2-CHLOROISOPROPYL)ETHER	108-60-1	40 ug/kg	<40
HEXACHLOROETHANE	67-72-1	40 ug/kg	<40
N-NITROSODI-n-PROPYL AMINE	621-64-7	40 ug/kg	<40
NITROBENZENE	98-95-3	40 ug/kg	<40
ISOPHORONE	78-59-1	40 ug/kg	<40
Bis(2-CHLOROETHOXY)METHANE	111-91-1	40 ug/kg	<40
1,2,4-TRICHLOROBENZENE	120-82-1	40 ug/kg	<40
NAPHTHALENE	91-20-3	40 ug/kg	<40
HEXACHLOROBUTADIENE	87-68-3	40 ug/kg	<40
HEXACHLOROCYCLOPENTADIENE	77-47-4	40 ug/kg	<40
2-CHLORONAPHTHALENE	91-58-7	40 ug/kg	<40
ACENAPHTHYLENE	208-96-8	40 ug/kg	<40
DIMETHYLPHTHALATE	131-11-3	40 ug/kg	<40
2,6-DINITROTOLUENE	606-20-2	40 ug/kg	<40
ACENAPHTHENE	83-32-9	40 ug/kg	<40
2,4-DINTROTOLUENE	121-14-2	40 ug/kg	<40
FLUORENE	86-73-7	40 ug/kg	<40
4-CHLOROPHENYL PHENYL ETHER	7005-72-3	40 ug/kg	<40

MDL = Minimum Detection Limit.

Client: Anson	Client ID: 131 Sunnyside Blvd. (SS-3)
Date received: 10/31/03	Laboratory ID: 1025699
Date extracted: 11/7/03	Matrix: Soil
Date analyzed: 11/7/03	ELAP #: 11693


### EPA METHOD 8270(BN)

Parameter	CAS No.	MDL	Results ug/kg
DIETHYLPHthalate	84-66-2	40 ug/kg	<40
4-BROMOPHENYL-PHENYL ETHER	101-55-3	40 ug/kg	<40
HEXACHLOROBENZENE	118-74-1	40 ug/kg	<40
PHENANTHRENE	85-01-8	40 ug/kg	<40
ANTHRACENE	120-12-7	40 ug/kg	<40
Di-n-BUTYLPHthalate	84-74-2	500 ug/kg	<500
FLUORANTHENE	206-44-0	40 ug/kg	63
PYRENE	129-00-0	40 ug/kg	59
BUTYLBENZYLPHthalate	85-68-7	40 ug/kg	<40
3,3-DICHLOROBENZIDINE	91-94-1	40 ug/kg	<40
BENZO-a-ANTHRACENE	56-55-3	40 ug/kg	<40
CHRYSENE	218-01-9	40 ug/kg	<40
Bis(2-ETHYLEXYL)PHTALATE	117-81-7	500 ug/kg	<500
Di-n-OCTYLPHthalate	117-84-0	40 ug/kg	<40
BENZO-b-FLUOROANTHENE	205-99-2	40 ug/kg	80
BENZO-k- FLUOROANTHENE	207-08-9	40 ug/kg	<40
BENZO-a-PYRENE	50-32-8	40 ug/kg	40
INDENO(1,2,3-c,d)PYRENE	193-39-5	40 ug/kg	97
DIBENZO-a,h-ANTHRACENE	53-70-3	40 ug/kg	<40
BENZO-g,h,i-PERYLENE	191-24-2	40 ug/kg	75

MDL = Minimum Detection Limit.

*Michael Veraldi*

Michael Veraldi-Laboratory Director



Client: Anson	Client ID: 131 Sunnyside Blvd. (SS-3)
Date received: 10/31/03	Laboratory ID: 1025699
Date extracted: 11/4/03	Matrix: Soil
Date analyzed: 11/4/03	ELAP #: 11693

### METALS ANALYSIS

Parameter	MDL	Results mg/kg
SILVER, Ag	1.65 mg/kg	<1.65
ARSENIC, As	1.65 mg/kg	<1.65
BARIUM, Ba	3.33 mg/kg	7.85
CADMIUM, Cd	1.00 mg/kg	<1.00
CHROMIUM, Cr	1.65 mg/kg	2.67
MERCURY, Hg	0.020 mg/kg	0.050
LEAD, Pb	1.65 mg/kg	4.46
SELENIUM, Se	1.65 mg/kg	2.13

MDL = Minimum Detection Limit.

Analysis by SW-846 Method 6010



Michael Veraldi-Laboratory Director



**LONG  
ISLAND  
ANALYTICAL  
LABORATORIES INC.**

101-4 Colin Drive • Holbrook, New York 11741

OMGROWNS ANALYTICAL SOLUTIONS TODAY!

Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com




Client: Anson	Client ID: 131 Sunnyside Blvd. (SS-3)
Date received: 11/4/03	Laboratory ID: 1026021
Date extracted: 11/6/03	Matrix: Soil
Date analyzed: 11/6/03	ELAP #: 11693

### NCDH PROTOCOL

PARAMETER	CAS No.	MDL	RESULTS ug/kg
ACETONE	67-64-1	50 ug/kg	<50
BENZENE	71-43-2	5 ug/kg	<5
n-BUTYLBENZENE	104-51-8	5 ug/kg	<5
sec-BUTYLBENZENE	135-98-8	5 ug/kg	<5
tert-BUTYLBENZENE	98-06-6	5 ug/kg	<5
BROMODICHLOROMETHANE	75-27-4	5 ug/kg	<5
BROMOFORM	75-25-2	5 ug/kg	<5
BROMOBENZENE	108-86-1	5 ug/kg	<5
2-CHLOROTOLUENE	95-49-8	5 ug/kg	<5
4-CHLOROTOLUENE	106-43-4	5 ug/kg	<5
CHLOROBENZENE	108-90-7	5 ug/kg	<5
CHLOROFORM	67-66-3	5 ug/kg	<5
CARBON TETRACHLORIDE	56-23-5	5 ug/kg	<5
o-DICHLOROBENZENE (1,2)	95-50-1	5 ug/kg	<5
m-DICHLOROBENZENE (1,3)	541-73-1	5 ug/kg	<5
p-DICHLOROBENZENE (1,4)	106-46-7	5 ug/kg	<5
1,2-DIBROMO-3-CHLOROPROPANE	96-12-8	5 ug/kg	<5
1,1-DICHLOROETHYLENE	75-35-4	5 ug/kg	<5
trans-1,2-DICHLOROETHYLENE	156-60-5	5 ug/kg	<5
1,1-DICHLOROETHANE	75-34-3	5 ug/kg	<5
cis-1,2-DICHLOROETHYLENE	159-59-2	5 ug/kg	<5
DIBROMOCHLOROMETHANE	124-48-1	5 ug/kg	<5
1,3-DICHLOROPROPANE	142-28-9	5 ug/kg	<5
1,1-DICHLOROPROPENE	563-58-6	5 ug/kg	<5
1,2-DICHLOROETHANE	107-06-02	5 ug/kg	<5
1,2-DICHLOROPROPANE	78-87-5	5 ug/kg	<5
2,2-DICHLOROPROPANE	594-20-7	5 ug/kg	<5
ETHYLBENZENE	100-414	5 ug/kg	<5

MDL = Minimum Detection Limit.



Client: Anson	Client ID: 131 Sunnyside Blvd. (SS-3)
Date received: 11/4/03	Laboratory ID: 1026021
Date extracted: 11/6/03	Matrix: Soil
Date analyzed: 11/6/03	ELAP #: 11693

### NCDH PROTOCOL

PARAMETER	CAS No.	MDL	RESULTS ug/kg
1,2-DIBROMOETHANE	106-93-4	5 ug/kg	<5
DIBROMOMETHANE	74-95-3	5 ug/kg	<5
cis-1,3-DICHLOROPROPENE	10061-01-5	5 ug/kg	<5
trans-1,3-DICHLOROPROPENE	10061-02-6	5 ug/kg	<5
HEXACHLOROCYCLOHEPTADIENE	87-68-3	5 ug/kg	<5
p-ISOPROPYLTOLUENE	99-87-6	5 ug/kg	<5
ISOPROPYLBENZENE	98-82-8	5 ug/kg	<5
METHYLENE CHLORIDE	75-09-2	5 ug/kg	<5
NAPHTHALENE	91-20-3	5 ug/kg	<5
n-PROPYLBENZENE	103-65-1	5 ug/kg	<5
STYRENE	100-42-5	5 ug/kg	<5
TRICHLOROFLUOROMETHANE	75-69-4	5 ug/kg	<5
1,2,3-TRICHLOROBENZENE	87-61-6	5 ug/kg	<5
1,2,4-TRICHLOROBENZENE	120-82-1	5 ug/kg	<5
1,2,4-TRIMETHYLBENZENE	95-63-6	5 ug/kg	<5
1,3,5-TRIMETHYLBENZENE	108-67-8	5 ug/kg	<5
1,1,1-TRICHLOROETHANE	71-55-6	5 ug/kg	<5
TRICHLOROETHYLENE	79-01-6	5 ug/kg	<5
1,1,2-TRICHLOROETHANE	79-00-5	5 ug/kg	<5
TETRACHLOROETHYLENE	127-18-4	5 ug/kg	<5
1,1,1,2-TETRACHLOROETHANE	630-20-6	5 ug/kg	<5
1,1,2,2-TETRACHLOROETHANE	79-34-5	5 ug/kg	<5
1,2,3-TRICHLOROPROPANE	96-18-4	5 ug/kg	<5
TOLUENE	108-88-3	5 ug/kg	<5
VINYL CHLORIDE	75-01-4	5 ug/kg	<5
p & m-XYLENES	1330-20-7	10 ug/kg	<10
o-XYLENE	95-47-6	5 ug/kg	<5

MDL = Minimum Detection Limit.



Michael Veraldi-Laboratory Director



Client: Anson	Client ID: 131 Sunnyside Blvd. (SS-3)
Date received: 11/4/03	Laboratory ID: 1026021
Date extracted: 11/13/03	Matrix: Soil
Date analyzed: 11/13/03	ELAP #: 11693

### EPA METHOD 8270(BN)

Parameter	CAS No.	MDL	Results ug/kg
Bis(2-CHLOROETHYL)ETHER	111-44-4	40 ug/kg	<40
1,3-DICHLOROBENZENE	541-73-1	40 ug/kg	<40
1,4-DICHLOROBENZENE	106-46-7	40 ug/kg	<40
1,2-DICHLOROBENZENE	95-50-1	40 ug/kg	<40
Bis(2-CHLOROISOPROPYL)ETHER	108-60-1	40 ug/kg	<40
HEXACHLOROETHANE	67-72-1	40 ug/kg	<40
N-NITROSODI-n-PROPYL AMINE	621-64-7	40 ug/kg	<40
NITROBENZENE	98-95-3	40 ug/kg	<40
ISOPHORONE	78-59-1	40 ug/kg	<40
Bis(2-CHLOROETHOXY)METHANE	111-91-1	40 ug/kg	<40
1,2,4-TRICHLOROBENZENE	120-82-1	40 ug/kg	<40
NAPHTHALENE	91-20-3	40 ug/kg	<40
HEXACHLOROBUTADIENE	87-68-3	40 ug/kg	<40
HEXACHLOROCYCLOPENTADIENE	77-47-4	40 ug/kg	<40
2-CHLORONAPHTHALENE	91-58-7	40 ug/kg	<40
ACENAPHTHYLENE	208-96-8	40 ug/kg	<40
DIMETHYLPHTHALATE	131-11-3	40 ug/kg	<40
2,6-DINITROTOLUENE	606-20-2	40 ug/kg	<40
ACENAPHTHENE	83-32-9	40 ug/kg	<40
2,4-DINTROTOLUENE	121-14-2	40 ug/kg	<40
FLUORENE	86-73-7	40 ug/kg	<40
4-CHLOROPHENYL PHENYL ETHER	7005-72-3	40 ug/kg	<40

MDL = Minimum Detection Limit.



LONG  
ISLAND  
ANALYTICAL  
LABORATORIES, INC.

101-4 Colin Drive • Holbrook, New York 11741

Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: Anson	Client ID: 131 Sunnyside Blvd. (SS-3)
Date received: 11/4/03	Laboratory ID: 1026021
Date extracted: 11/13/03	Matrix: Soil
Date analyzed: 11/13/03	ELAP #: 11693

### EPA METHOD 8270(BN)

Parameter	CAS No.	MDL	Results ug/kg
DIETHYLPHTHALATE	84-66-2	40 ug/kg	<40
4-BROMOPHENYL-PHENYL ETHER	101-55-3	40 ug/kg	<40
HEXACHLOROBENZENE	118-74-1	40 ug/kg	<40
PHENANTHRENE	85-01-8	40 ug/kg	<40
ANTHRACENE	120-12-7	40 ug/kg	<40
Di-n-BUTYLPHTHALATE	84-74-2	500 ug/kg	<500
FLUORANTHENE	206-44-0	40 ug/kg	<40
PYRENE	129-00-0	40 ug/kg	<40
BUTYLBENZYLPHTHALATE	85-68-7	40 ug/kg	<40
3,3-DICHLOROBENZIDINE	91-94-1	40 ug/kg	<40
BENZO-a-ANTHRACENE	56-55-3	40 ug/kg	<40
CHRYSENE	218-01-9	40 ug/kg	<40
Bis(2-ETHYLEXYL)PHTALATE	117-81-7	500 ug/kg	<500
DI-n-OCTYLPHTHALATE	117-84-0	40 ug/kg	<40
BENZO-b-FLUOROANTHENE	205-99-2	40 ug/kg	<40
BENZO-k- FLUOROANTHENE	207-08-9	40 ug/kg	<40
BENZO-a-PYRENE	50-32-8	40 ug/kg	<40
INDENO(1,2,3-c,d)PYRENE	193-39-5	40 ug/kg	<40
DIBENZO-a,h-ANTHRACENE	53-70-3	40 ug/kg	<40
BENZO-g,h,i-PERYLENE	191-24-2	40 ug/kg	<40

MDL = Minimum Detection Limit.



Michael Veraldi-Laboratory Director



LONG  
ISLAND  
ANALYTICAL  
LABORATORIES, INC.

101-4 Colin Drive • Holbrook, New York 11741

Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: Anson	Client ID: 131 Sunnyside Blvd. (SS-3)
Date received: 11/4/03	Laboratory ID: 1026021
Date extracted: 11/6, 11/7/03	Matrix: Soil
Date analyzed: 11/6, 11/7/03	ELAP #: 11693

## METALS ANALYSIS

Parameter	MDL	Results mg/kg
SILVER, Ag	1.65 mg/kg	<1.65
ARSENIC, As	1.65 mg/kg	<1.65
BARIUM, Ba	3.33 mg/kg	5.90
CADMIUM, Cd	1.00 mg/kg	<1.00
CHROMIUM, Cr	1.65 mg/kg	2.97
MERCURY, Hg	0.020 mg/kg	0.028
LEAD, Pb	1.65 mg/kg	2.46
SELENIUM, Se	1.65 mg/kg	<1.65

MDL = Minimum Detection Limit.

Analysis by SW-846 Method 6010



Michael Veraldi-Laboratory Director



LONG  
ISLAND  
ANALYTICAL  
LABORATORIES INC.

101-4 Colin Drive • Holbrook, New York 11741

INTEGRATED ANALYTICAL SOLUTIONS TODAY!

Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com