

**Environmental Site Assessment
Equine-Stellar Corp.
131 Sunnyside Boulevard
Plainview, NY**

Volume 3 of 4 – Appendices 4-13

April 29, 2004

**Prepared for:
131 Sunnyside LLC.
Astoria Federal Savings & Loan Association**

**Prepared by:
Anson Environmental Ltd.
771 New York Avenue
Huntington, NY 11743**

Project # 03150

“Your Environmental Partner”

Client: Anson	Client ID: 131 Sunnyside Blvd. (Drain 5)
Date received: 10/31/03	Laboratory ID: 1025703
Date extracted: 11/5/03	Matrix: Soil
Date analyzed: 11/5/03	ELAP #: 11693

NCDH PROTOCOL

PARAMETER	CAS No.	MDL	RESULTS ug/kg
ACETONE	67-64-1	50 ug/kg	97
BENZENE	71-43-2	5 ug/kg	<5
n-BUTYLBENZENE	104-51-8	5 ug/kg	<5
sec-BUTYLBENZENE	135-98-8	5 ug/kg	<5
tert-BUTYLBENZENE	98-06-6	5 ug/kg	<5
BROMODICHLOROMETHANE	75-27-4	5 ug/kg	<5
BROMOFORM	75-25-2	5 ug/kg	<5
BROMOBENZENE	108-86-1	5 ug/kg	<5
2-CHLOROTOLUENE	95-49-8	5 ug/kg	<5
4-CHLOROTOLUENE	106-43-4	5 ug/kg	<5
CHLOROBENZENE	108-90-7	5 ug/kg	43
CHLOROFORM	67-66-3	5 ug/kg	<5
CARBON TETRACHLORIDE	56-23-5	5 ug/kg	<5
o-DICHLOROBENZENE (1,2)	95-50-1	5 ug/kg	<5
m-DICHLOROBENZENE (1,3)	541-73-1	5 ug/kg	<5
p-DICHLOROBENZENE (1,4)	106-46-7	5 ug/kg	304
1,2-DIBROMO-3-CHLOROPROPANE	96-12-8	5 ug/kg	<5
1,1-DICHLOROETHYLENE	75-35-4	5 ug/kg	<5
trans-1,2-DICHLOROETHYLENE	156-60-5	5 ug/kg	<5
1,1-DICHLOROETHANE	75-34-3	5 ug/kg	<5
cis-1,2-DICHLOROETHYLENE	159-59-2	5 ug/kg	<5
DIBROMOCHLOROMETHANE	124-48-1	5 ug/kg	<5
1,3-DICHLOROPROPANE	142-28-9	5 ug/kg	<5
1,1-DICHLOROPROPENE	563-58-6	5 ug/kg	<5
1,2-DICHLOROETHANE	107-06-02	5 ug/kg	<5
1,2-DICHLOROPROPANE	78-87-5	5 ug/kg	<5
2,2-DICHLOROPROPANE	594-20-7	5 ug/kg	<5
ETHYLBENZENE	100-414	5 ug/kg	<5

MDL = Minimum Detection Limit.



Client: Anson	Client ID: 131 Sunnyside Blvd. (Drain 5)
Date received: 10/31/03	Laboratory ID: 1025703
Date extracted: 11/5/03	Matrix: Soil
Date analyzed: 11/5/03	ELAP #: 11693

NCDH PROTOCOL

PARAMETER	CAS No.	MDL	RESULTS ug/kg
1,2-DIBROMOETHANE	106-93-4	5 ug/kg	<5
DIBROMOMETHANE	74-95-3	5 ug/kg	<5
cis-1,3-DICHLOROPROPENE	10061-01-5	5 ug/kg	<5
trans-1,3-DICHLOROPROPENE	10061-02-6	5 ug/kg	<5
HEXACHLOROBUTADIENE	87-68-3	5 ug/kg	<5
p-ISOPROPYLTOLUENE	99-87-6	5 ug/kg	<5
ISOPROPYLBENZENE	98-82-8	5 ug/kg	<5
METHYLENE CHLORIDE	75-09-2	5 ug/kg	<5
NAPHTHALENE	91-20-3	5 ug/kg	<5
n-PROPYLBENZENE	103-65-1	5 ug/kg	<5
STYRENE	100-42-5	5 ug/kg	<5
TRICHLOROFLUOROMETHANE	75-69-4	5 ug/kg	<5
1,2,3-TRICHLOROBENZENE	87-61-6	5 ug/kg	<5
1,2,4-TRICHLOROBENZENE	120-82-1	5 ug/kg	<5
1,2,4-TRIMETHYLBENZENE	95-63-6	5 ug/kg	<5
1,3,5-TRIMETHYLBENZENE	108-67-8	5 ug/kg	<5
1,1,1-TRICHLOROETHANE	71-55-6	5 ug/kg	<5
TRICHLOROETHYLENE	79-01-6	5 ug/kg	<5
1,1,2-TRICHLOROETHANE	79-00-5	5 ug/kg	<5
TETRACHLOROETHYLENE	127-18-4	5 ug/kg	<5
1,1,1,2-TETRACHLOROETHANE	630-20-6	5 ug/kg	<5
1,1,2,2-TETRACHLOROETHANE	79-34-5	5 ug/kg	<5
1,2,3-TRICHLOROPROPANE	96-18-4	5 ug/kg	<5
TOLUENE	108-88-3	5 ug/kg	<5
VINYL CHLORIDE	75-01-4	5 ug/kg	<5
p & m-XYLENES	1330-20-7	10 ug/kg	<10
o-XYLENE	95-47-6	5 ug/kg	<5

MDL = Minimum Detection Limit.



Michael Veraldi-Laboratory Director



LONG
ISLAND
ANALYTICAL
LABORATORY, INC.

101-4 Colin Drive • Holbrook, New York 11741

Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: Anson	Client ID: 131 Sunnyside Blvd. (Drain 5)
Date received: 10/31/03	Laboratory ID: 1025703
Date extracted: 11/7/03	Matrix: Soil
Date analyzed: 11/7/03	ELAP #: 11693

EPA METHOD 8270(BN)

Parameter	CAS No.	MDL	Results ug/kg
Bis(2-CHLOROETHYL)ETHER	111-44-4	40 ug/kg	<80
1,3-DICHLOROBENZENE	541-73-1	40 ug/kg	<80
1,4-DICHLOROBENZENE	106-46-7	40 ug/kg	2,604
1,2-DICHLOROBENZENE	95-50-1	40 ug/kg	<80
Bis(2-CHLOROISOPROPYL)ETHER	108-60-1	40 ug/kg	<80
HEXACHLOROETHANE	67-72-1	40 ug/kg	<80
N-NITROSODI-n-PROPYL AMINE	621-64-7	40 ug/kg	<80
NITROBENZENE	98-95-3	40 ug/kg	<80
ISOPHORONE	78-59-1	40 ug/kg	<80
Bis(2-CHLOROETHOXY)METHANE	111-91-1	40 ug/kg	<80
1,2,4-TRICHLOROBENZENE	120-82-1	40 ug/kg	<80
NAPHTHALENE	91-20-3	40 ug/kg	<80
HEXACHLOROBUTADIENE	87-68-3	40 ug/kg	<80
HEXACHLOROCYCLOPENTADIENE	77-47-4	40 ug/kg	<80
2-CHLORONAPHTHALENE	91-58-7	40 ug/kg	<80
ACENAPHTHYLENE	208-96-8	40 ug/kg	<80
DIMETHYLPHTHALATE	131-11-3	40 ug/kg	<80
2,6-DINITROTOLUENE	606-20-2	40 ug/kg	<80
ACENAPHTHENE	83-32-9	40 ug/kg	<80
2,4-DINTROTOLUENE	121-14-2	40 ug/kg	<80
FLUORENE	86-73-7	40 ug/kg	<80
4-CHLOROPHENYL PHENYL ETHER	7005-72-3	40 ug/kg	<80

MDL = Minimum Detection Limit.

Note: MDL's are raised due to matrix interference.



Client: Anson	Client ID: 131 Sunnyside Blvd. (Drain 5)
Date received: 10/31/03	Laboratory ID: 1025703
Date extracted: 11/7/03	Matrix: Soil
Date analyzed: 11/7/03	ELAP #: 11693

EPA METHOD 8270(BN)

Parameter	CAS No.	MDL	Results ug/kg
DIETHYLPHTHALATE	84-66-2	40 ug/kg	<80
4-BROMOPHENYL-PHENYL ETHER	101-55-3	40 ug/kg	<80
HEXACHLOROBENZENE	118-74-1	40 ug/kg	<80
PHENANTHRENE	85-01-8	40 ug/kg	<80
ANTHRACENE	120-12-7	40 ug/kg	<80
Di-n-BUTYLPHTHALATE	84-74-2	500 ug/kg	<500
FLUORANTHENE	206-44-0	40 ug/kg	<80
PYRENE	129-00-0	40 ug/kg	85
BUTYLBENZYLPHthalate	85-68-7	40 ug/kg	<80
3,3-DICHLOROBENZIDINE	91-94-1	40 ug/kg	<80
BENZO-a-ANTHRACENE	56-55-3	40 ug/kg	<80
CHRYSENE	218-01-9	40 ug/kg	<80
Bis(2-ETHYLEXYL)PHTALATE	117-81-7	500 ug/kg	984
DI-n-OCTYLPHTHALATE	117-84-0	40 ug/kg	<80
BENZO-b-FLUOROANTHENE	205-99-2	40 ug/kg	<80
BENZO-k- FLUOROANTHENE	207-08-9	40 ug/kg	<80
BENZO-a-PYRENE	50-32-8	40 ug/kg	127
INDENO(1,2,3-c,d)PYRENE	193-39-5	40 ug/kg	<80
DIBENZO-a,h-ANTHRACENE	53-70-3	40 ug/kg	<80
BENZO-g,h,i-PERYLENE	191-24-2	40 ug/kg	<80

MDL = Minimum Detection Limit.

Note: MDL's are raised due to matrix interference.

Michael Veraldi

Michael Veraldi-Laboratory Director



LIAI
ANALYTICAL
LABORATORY

101-4 Colin Drive • Holbrook, New York 11741

Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: Anson	Client ID: 131 Sunnyside Blvd. (Drain 5)
Date received: 10/31/03	Laboratory ID: 1025703
Date extracted: 11/4/03	Matrix: Soil
Date analyzed: 11/4/03	ELAP #: 11693

METALS ANALYSIS

Parameter	MDL	Results mg/kg
SILVER, Ag	1.65 mg/kg	<1.65
ARSENIC, As	1.65 mg/kg	2.15
BARIUM, Ba	3.33 mg/kg	32.2
CADMIUM, Cd	1.00 mg/kg	1.68
CHROMIUM, Cr	1.65 mg/kg	3,945
MERCURY, Hg	0.020 mg/kg	0.045
LEAD, Pb	1.65 mg/kg	14.6
SELENIUM, Se	1.65 mg/kg	<1.65

MDL = Minimum Detection Limit.

Analysis by SW-846 Method 6010



Michael Veraldi-Laboratory Director



LONG
ISLAND
ANALYTICAL
LABORATORIES INC.

101-4 Colin Drive • Holbrook, New York 11741

TOMORROW'S ANALYTICAL SOLUTIONS TODAY

Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: Anson	Client ID: 131 Sunnyside Blvd. (Drain 5N)
Date received: 11/17/03	Laboratory ID: 1027178
Date extracted: 11/18, 11/19/03	Matrix: Soil
Date analyzed: 11/18, 11/19/03	ELAP #: 11693

METALS ANALYSIS

Parameter	MDL	Results mg/kg
SILVER, Ag	1.65 mg/kg	<1.65
ARSENIC, As	1.65 mg/kg	<1.65
BARIUM, Ba	3.33 mg/kg	14.6
CADMIUM, Cd	1.00 mg/kg	<1.00
CHROMIUM, Cr	1.65 mg/kg	68.3
MERCURY, Hg	0.020 mg/kg	<0.020
LEAD, Pb	1.65 mg/kg	3.91
SELENIUM, Se	1.65 mg/kg	<1.65
HEXAVALENT CHROMIUM	1.00 mg/kg	<1.00

MDL = Minimum Detection Limit.

Performed by SW-846 Method 6010



Michael Veraldi-Laboratory Director



LONG
ISLAND
ANALYTICAL
LABORATORIES INC.

101-4 Colin Drive • Holbrook, New York 11741

Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: Anson	Client ID: 131 Sunnyside Blvd. (Drain 5E)
Date received: 11/17/03	Laboratory ID: 10271780
Date extracted: 11/18, 11/19/03	Matrix: Soil
Date analyzed: 11/18, 11/19/03	ELAP #: 11693

METALS ANALYSIS

Parameter	MDL	Results mg/kg
SILVER, Ag	1.65 mg/kg	<1.65
ARSENIC, As	1.65 mg/kg	<1.65
BARIUM, Ba	3.33 mg/kg	13.6
CADMIUM, Cd	1.00 mg/kg	<1.00
CHROMIUM, Cr	1.65 mg/kg	30.5
MERCURY, Hg	0.020 mg/kg	<0.020
LEAD, Pb	1.65 mg/kg	2.79
SELENIUM, Se	1.65 mg/kg	<1.65
HEXAVALENT CHROMIUM	1.00 mg/kg	<1.00

MDL = Minimum Detection Limit.

Performed by SW-846 Method 6010

Michael Veraldi

Michael Veraldi-Laboratory Director



LONG
ISLAND
ANALYTICAL
LABORATORIES INC.

101-4 Colin Drive • Holbrook, New York 11741

EMERGES ANALYTICAL SOLUTIONS TODAY™

Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: Anson	Client ID: 131 Sunnyside Blvd. (Drain 5W)
Date received: 11/17/03	Laboratory ID: 1027181
Date extracted: 11/18, 11/19/03	Matrix: Soil
Date analyzed: 11/18, 11/19/03	ELAP #: 11693

METALS ANALYSIS

Parameter	MDL	Results mg/kg
SILVER, Ag	1.65 mg/kg	<1.65
ARSENIC, As	1.65 mg/kg	<1.65
BARIUM, Ba	3.33 mg/kg	10.6
CADMIUM, Cd	1.00 mg/kg	<1.00
CHROMIUM, Cr	1.65 mg/kg	18.4
MERCURY, Hg	0.020 mg/kg	<0.020
LEAD, Pb	1.65 mg/kg	2.29
SELENIUM, Se	1.65 mg/kg	<1.65
HEXAVALENT CHROMIUM	1.00 mg/kg	<1.00

MDL = Minimum Detection Limit.

Performed by SW-846 Method 6010



Michael Veraldi-Laboratory Director



LONG
ISLAND
ANALYTICAL
LABORATORIES INC.

101-4 Colin Drive • Holbrook, New York 11741

TOMORROW'S ANALYTICAL SOLUTIONS TODAY

Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: Anson	Client ID: 131 Sunnyside Blvd. (Drain 5S)
Date received: 11/17/03	Laboratory ID: 1027179
Date extracted: 11/18, 11/19/03	Matrix: Soil
Date analyzed: 11/18, 11/19/03	ELAP #: 11693

METALS ANALYSIS

Parameter	MDL	Results mg/kg
SILVER, Ag	1.65 mg/kg	<1.65
ARSENIC, As	1.65 mg/kg	<1.65
BARIUM, Ba	3.33 mg/kg	15.9
CADMIUM, Cd	1.00 mg/kg	<1.00
CHROMIUM, Cr	1.65 mg/kg	24.7
MERCURY, Hg	0.020 mg/kg	<0.020
LEAD, Pb	1.65 mg/kg	2.76
SELENIUM, Se	1.65 mg/kg	<1.65
HEXAVALENT CHROMIUM	1.00 mg/kg	<1.00

MDL = Minimum Detection Limit.

Performed by SW-846 Method 6010



Michael Veraldi-Laboratory Director



LONG
ISLAND
ANALYTICAL
LABORATORIES INC.

101-4 Colin Drive • Holbrook, New York 11741

TOMORROW'S ANALYTICAL SOLUTIONS TODAY

Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: Anson	Client ID: 131 Sunnyside Blvd. (Surface Drain #6)
Date received: 11/4/03	Laboratory ID: 1026024
Date extracted: 11/6/03	Matrix: Soil
Date analyzed: 11/6/03	ELAP #: 11693

NCDH PROTOCOL

PARAMETER	CAS No.	MDL	RESULTS ug/kg
ACETONE	67-64-1	50 ug/kg	<50
BENZENE	71-43-2	5 ug/kg	<5
n-BUTYLBENZENE	104-51-8	5 ug/kg	<5
sec-BUTYLBENZENE	135-98-8	5 ug/kg	<5
tert-BUTYLBENZENE	98-06-6	5 ug/kg	<5
BROMODICHLOROMETHANE	75-27-4	5 ug/kg	<5
BROMOFORM	75-25-2	5 ug/kg	<5
BROMOBENZENE	108-86-1	5 ug/kg	<5
2-CHLOROTOLUENE	95-49-8	5 ug/kg	<5
4-CHLOROTOLUENE	106-43-4	5 ug/kg	<5
CHLOROBENZENE	108-90-7	5 ug/kg	<5
CHLOROFORM	67-66-3	5 ug/kg	<5
CARBON TETRACHLORIDE	56-23-5	5 ug/kg	<5
o-DICHLOROBENZENE (1,2)	95-50-1	5 ug/kg	<5
m-DICHLOROBENZENE (1,3)	541-73-1	5 ug/kg	<5
p-DICHLOROBENZENE (1,4)	106-46-7	5 ug/kg	<5
1,2-DIBROMO-3-CHLOROPROPANE	96-12-8	5 ug/kg	<5
1,1-DICHLOROETHYLENE	75-35-4	5 ug/kg	<5
trans-1,2-DICHLOROETHYLENE	156-60-5	5 ug/kg	<5
1,1-DICHLOROETHANE	75-34-3	5 ug/kg	<5
cis-1,2-DICHLOROETHYLENE	159-59-2	5 ug/kg	27
DIBROMOCHLOROMETHANE	124-48-1	5 ug/kg	<5
1,3-DICHLOROPROPANE	142-28-9	5 ug/kg	<5
1,1-DICHLOROPROPENE	563-58-6	5 ug/kg	<5
1,2-DICHLOROETHANE	107-06-02	5 ug/kg	<5
1,2-DICHLOROPROPANE	78-87-5	5 ug/kg	<5
2,2-DICHLOROPROPANE	594-20-7	5 ug/kg	<5
ETHYLBENZENE	100-414	5 ug/kg	<5

MDL = Minimum Detection Limit.



**LONG
ISLAND
ANALYTICAL
LABORATORY**

101-4 Colin Drive • Holbrook, New York 11741

Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: Anson	Client ID: 131 Sunnyside Blvd. (Surface Drain #6)
Date received: 11/4/03	Laboratory ID: 1026024
Date extracted: 11/6/03	Matrix: Soil
Date analyzed: 11/6/03	ELAP #: 11693

NCDH PROTOCOL

PARAMETER	CAS No.	MDL	RESULTS ug/kg
1,2-DIBROMOETHANE	106-93-4	5 ug/kg	<5
DIBROMOMETHANE	74-95-3	5 ug/kg	<5
cis-1,3-DICHLOROPROPENE	10061-01-5	5 ug/kg	<5
trans-1,3-DICHLOROPROPENE	10061-02-6	5 ug/kg	<5
HEXACHLOROCYCLOPENTADIENE	87-68-3	5 ug/kg	<5
p-ISOPROPYLTOLUENE	99-87-6	5 ug/kg	<5
ISOPROPYLBENZENE	98-82-8	5 ug/kg	<5
METHYLENE CHLORIDE	75-09-2	5 ug/kg	<5
NAPHTHALENE	91-20-3	5 ug/kg	<5
n-PROPYLBENZENE	103-65-1	5 ug/kg	<5
STYRENE	100-42-5	5 ug/kg	<5
TRICHLOROFLUOROMETHANE	75-69-4	5 ug/kg	<5
1,2,3-TRICHLOROBENZENE	87-61-6	5 ug/kg	<5
1,2,4-TRICHLOROBENZENE	120-82-1	5 ug/kg	<5
1,2,4-TRIMETHYLBENZENE	95-63-6	5 ug/kg	<5
1,3,5-TRIMETHYLBENZENE	108-67-8	5 ug/kg	<5
1,1,1-TRICHLOROETHANE	71-55-6	5 ug/kg	6
TRICHLOROETHYLENE	79-01-6	5 ug/kg	608
1,1,2-TRICHLOROETHANE	79-00-5	5 ug/kg	<5
TETRACHLOROETHYLENE	127-18-4	5 ug/kg	26
1,1,1,2-TETRACHLOROETHANE	630-20-6	5 ug/kg	<5
1,1,2,2-TETRACHLOROETHANE	79-34-5	5 ug/kg	<5
1,2,3-TRICHLOROPROPANE	96-18-4	5 ug/kg	<5
TOLUENE	108-88-3	5 ug/kg	<5
VINYL CHLORIDE	75-01-4	5 ug/kg	<5
p & m-XYLENES	1330-20-7	10 ug/kg	<10
o-XYLENE	95-47-6	5 ug/kg	<5

MDL = Minimum Detection Limit.



Michael Veraldi-Laboratory Director



101-4 Colin Drive • Holbrook, New York 11741

Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: Anson	Client ID: 131 Sunnyside Blvd. (Surface Drain #6)
Date received: 11/4/03	Laboratory ID: 1026024
Date extracted: 11/13/03	Matrix: Soil
Date analyzed: 11/13/03	ELAP #: 11693

EPA METHOD 8270(BN)

Parameter	CAS No.	MDL	Results ug/kg
Bis(2-CHLOROETHYL)ETHER	111-44-4	40 ug/kg	<80
1,3-DICHLOROBENZENE	541-73-1	40 ug/kg	<80
1,4-DICHLOROBENZENE	106-46-7	40 ug/kg	121
1,2-DICHLOROBENZENE	95-50-1	40 ug/kg	<80
Bis(2-CHLOROISOPROPYL)ETHER	108-60-1	40 ug/kg	<80
HEXACHLOROETHANE	67-72-1	40 ug/kg	<80
N-NITROSODI-n-PROPYL AMINE	621-64-7	40 ug/kg	<80
NITROBENZENE	98-95-3	40 ug/kg	<80
ISOPHORONE	78-59-1	40 ug/kg	<80
Bis(2-CHLOROETHOXY)METHANE	111-91-1	40 ug/kg	<80
1,2,4-TRICHLOROBENZENE	120-82-1	40 ug/kg	<80
NAPHTHALENE	91-20-3	40 ug/kg	<80
HEXACHLOROBUTADIENE	87-68-3	40 ug/kg	<80
HEXACHLOROCYCLOPENTADIENE	77-47-4	40 ug/kg	<80
2-CHLORONAPHTHALENE	91-58-7	40 ug/kg	<80
ACENAPHTHYLENE	208-96-8	40 ug/kg	<80
DIMETHYLPHTHALATE	131-11-3	40 ug/kg	<80
2,6-DINITROTOLUENE	606-20-2	40 ug/kg	<80
ACENAPHTHENE	83-32-9	40 ug/kg	<80
2,4-DINITROTOLUENE	121-14-2	40 ug/kg	<80
FLUORENE	86-73-7	40 ug/kg	<80
4-CHLOROPHENYL PHENYL ETHER	7005-72-3	40 ug/kg	<80

MDL = Minimum Detection Limit.

Note: MDL's are raised due to matrix interference.



LONG
ISLAND
ANALYTICAL
LABORATORIES, INC.

101-4 Colin Drive • Holbrook, New York 11741

Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: Anson	Client ID: 131 Sunnyside Blvd. (Surface Drain #6)
Date received: 11/4/03	Laboratory ID: 1026024
Date extracted: 11/13/03	Matrix: Soil
Date analyzed: 11/13/03	ELAP #: 11693

EPA METHOD 8270(BN)

Parameter	CAS No.	MDL	Results ug/kg
DIETHYLPHTHALATE	84-66-2	40 ug/kg	<80
4-BROMOPHENYL-PHENYL ETHER	101-55-3	40 ug/kg	<80
HEXACHLOROBENZENE	118-74-1	40 ug/kg	<80
PHENANTHRENE	85-01-8	40 ug/kg	<80
ANTHRACENE	120-12-7	40 ug/kg	<80
Di-n-BUTYLPHTHALATE	84-74-2	500 ug/kg	<500
FLUORANTHENE	206-44-0	40 ug/kg	<80
PYRENE	129-00-0	40 ug/kg	<80
BUTYLBENZYLPHTHALATE	85-68-7	40 ug/kg	<80
3,3-DICHLOROBENZIDINE	91-94-1	40 ug/kg	<80
BENZO-a-ANTHRACENE	56-55-3	40 ug/kg	<80
CHRYSENE	218-01-9	40 ug/kg	<80
Bis(2-ETHYLEXYL)PHTALATE	117-81-7	500 ug/kg	<500
DI-n-OCTYLPHTHALATE	117-84-0	40 ug/kg	<80
BENZO-b-FLUOROANTHENE	205-99-2	40 ug/kg	<80
BENZO-k- FLUOROANTHENE	207-08-9	40 ug/kg	<80
BENZO-a-PYRENE	50-32-8	40 ug/kg	<80
INDENO(1,2,3-c,d)PYRENE	193-39-5	40 ug/kg	<80
DIBENZO-a,h-ANTHRACENE	53-70-3	40 ug/kg	<80
BENZO-g,h,i-PERYLENE	191-24-2	40 ug/kg	<80

MDL = Minimum Detection Limit.

Note: MDL's are raised due to matrix interference.



Michael Veraldi-Laboratory Director



LONG
ISLAND
ANALYTICAL
LABORATORIES INC.

101-4 Colin Drive • Holbrook, New York 11741

Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: Anson	Client ID: 131 Sunnyside Blvd. (Surface Drain #6)
Date received: 11/4/03	Laboratory ID: 1026024
Date extracted: 11/6, 11/7/03	Matrix: Soil
Date analyzed: 11/6, 11/7/03	ELAP #: 11693

METALS ANALYSIS

Parameter	MDL	Results mg/kg
SILVER, Ag	1.65 mg/kg	8.02
ARSENIC, As	1.65 mg/kg	<1.65
BARIUM, Ba	3.33 mg/kg	25.3
CADMIUM, Cd	1.00 mg/kg	29.5
CHROMIUM, Cr	1.65 mg/kg	574
MERCURY, Hg	0.020 mg/kg	0.045
LEAD, Pb	1.65 mg/kg	60.8
SELENIUM, Se	1.65 mg/kg	<1.65

MDL = Minimum Detection Limit.

Analysis by SW-846 Method 6010



Michael Veraldi-Laboratory Director



LONG
ISLAND
ANALYTICAL
LABORATORIES INC.

101-4 Colin Drive • Holbrook, New York 11741

DIAGNOSIS ANALYTICAL SOLUTIONS TODAY

Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: Anson	Client ID: 131 Sunnyside Blvd. (Drain #6)
Date received: 11/4/03	Laboratory ID: 1026023
Date extracted: 11/6/03	Matrix: Soil
Date analyzed: 11/6/03	ELAP #: 11693

NCDH PROTOCOL

PARAMETER	CAS No.	MDL	RESULTS ug/kg
ACETONE	67-64-1	50 ug/kg	<50
BENZENE	71-43-2	5 ug/kg	<5
n-BUTYLBENZENE	104-51-8	5 ug/kg	<5
sec-BUTYLBENZENE	135-98-8	5 ug/kg	<5
tert-BUTYLBENZENE	98-06-6	5 ug/kg	<5
BROMODICHLOROMETHANE	75-27-4	5 ug/kg	<5
BROMOFORM	75-25-2	5 ug/kg	<5
BROMOBENZENE	108-86-1	5 ug/kg	<5
2-CHLOROTOLUENE	95-49-8	5 ug/kg	<5
4-CHLOROTOLUENE	106-43-4	5 ug/kg	<5
CHLOROBENZENE	108-90-7	5 ug/kg	<5
CHLOROFORM	67-66-3	5 ug/kg	<5
CARBON TETRACHLORIDE	56-23-5	5 ug/kg	<5
o-DICHLOROBENZENE (1,2)	95-50-1	5 ug/kg	<5
m-DICHLOROBENZENE (1,3)	541-73-1	5 ug/kg	<5
p-DICHLOROBENZENE (1,4)	106-46-7	5 ug/kg	<5
1,2-DIBROMO-3-CHLOROPROPANE	96-12-8	5 ug/kg	<5
1,1-DICHLOROETHYLENE	75-35-4	5 ug/kg	<5
trans-1,2-DICHLOROETHYLENE	156-60-5	5 ug/kg	<5
1,1-DICHLOROETHANE	75-34-3	5 ug/kg	<5
cis-1,2-DICHLOROETHYLENE	159-59-2	5 ug/kg	<5
DIBROMOCHLOROMETHANE	124-48-1	5 ug/kg	<5
1,3-DICHLOROPROPANE	142-28-9	5 ug/kg	<5
1,1-DICHLOROPROPENE	563-58-6	5 ug/kg	<5
1,2-DICHLOROETHANE	107-06-02	5 ug/kg	<5
1,2-DICHLOROPROPANE	78-87-5	5 ug/kg	<5
2,2-DICHLOROPROPANE	594-20-7	5 ug/kg	<5
ETHYLBENZENE	100-414	5 ug/kg	<5

MDL = Minimum Detection Limit.



LONG
ISLAND
ANALYTICAL
LABORATORIES, INC.

101-4 Colin Drive • Holbrook, New York 11741

Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: Anson	Client ID: 131 Sunnyside Blvd. (Drain #6)
Date received: 11/4/03	Laboratory ID: 1026023
Date extracted: 11/6/03	Matrix: Soil
Date analyzed: 11/6/03	ELAP #: 11693


NCDH PROTOCOL

PARAMETER	CAS No.	MDL	RESULTS ug/kg
1,2-DIBROMOETHANE	106-93-4	5 ug/kg	<5
DIBROMOMETHANE	74-95-3	5 ug/kg	<5
cis-1,3-DICHLOROPROPENE	10061-01-5	5 ug/kg	<5
trans-1,3-DICHLOROPROPENE	10061-02-6	5 ug/kg	<5
HEXACHLOROCYCLOPENTADIENE	87-68-3	5 ug/kg	<5
p-ISOPROPYLTOLUENE	99-87-6	5 ug/kg	<5
ISOPROPYLBENZENE	98-82-8	5 ug/kg	<5
METHYLENE CHLORIDE	75-09-2	5 ug/kg	<5
NAPHTHALENE	91-20-3	5 ug/kg	<5
n-PROPYLBENZENE	103-65-1	5 ug/kg	<5
STYRENE	100-42-5	5 ug/kg	<5
TRICHLOROFLUOROMETHANE	75-69-4	5 ug/kg	<5
1,2,3-TRICHLOROBENZENE	87-61-6	5 ug/kg	<5
1,2,4-TRICHLOROBENZENE	120-82-1	5 ug/kg	<5
1,2,4-TRIMETHYLBENZENE	95-63-6	5 ug/kg	<5
1,3,5-TRIMETHYLBENZENE	108-67-8	5 ug/kg	<5
1,1,1-TRICHLOROETHANE	71-55-6	5 ug/kg	<5
TRICHLOROETHYLENE	79-01-6	5 ug/kg	26
1,1,2-TRICHLOROETHANE	79-00-5	5 ug/kg	<5
TETRACHLOROETHYLENE	127-18-4	5 ug/kg	<5
1,1,1,2-TETRACHLOROETHANE	630-20-6	5 ug/kg	<5
1,1,2,2-TETRACHLOROETHANE	79-34-5	5 ug/kg	<5
1,2,3-TRICHLOROPROPANE	96-18-4	5 ug/kg	<5
TOLUENE	108-88-3	5 ug/kg	<5
VINYL CHLORIDE	75-01-4	5 ug/kg	<5
p & m-XYLENES	1330-20-7	10 ug/kg	<10
o-XYLENE	95-47-6	5 ug/kg	<5

MDL = Minimum Detection Limit.



Michael Veraldi-Laboratory Director



101-4 Colin Drive • Holbrook, New York 11741

Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: Anson	Client ID: 131 Sunnyside Blvd. (Drain #6)
Date received: 11/4/03	Laboratory ID: 1026023
Date extracted: 11/13/03	Matrix: Soil
Date analyzed: 11/13/03	ELAP #: 11693

EPA METHOD 8270(BN)

Parameter	CAS No.	MDL	Results ug/kg
Bis(2-CHLOROETHYL)ETHER	111-44-4	40 ug/kg	<40
1,3-DICHLOROBENZENE	541-73-1	40 ug/kg	<40
1,4-DICHLOROBENZENE	106-46-7	40 ug/kg	<40
1,2-DICHLOROBENZENE	95-50-1	40 ug/kg	<40
Bis(2-CHLOROISOPROPYL)ETHER	108-60-1	40 ug/kg	<40
HEXACHLOROETHANE	67-72-1	40 ug/kg	<40
N-NITROSODI-n-PROPYL AMINE	621-64-7	40 ug/kg	<40
NITROBENZENE	98-95-3	40 ug/kg	<40
ISOPHORONE	78-59-1	40 ug/kg	<40
Bis(2-CHLOROETHOXY)METHANE	111-91-1	40 ug/kg	<40
1,2,4-TRICHLOROBENZENE	120-82-1	40 ug/kg	<40
NAPHTHALENE	91-20-3	40 ug/kg	<40
HEXACHLOROBUTADIENE	87-68-3	40 ug/kg	<40
HEXACHLOROCYCLOPENTADIENE	77-47-4	40 ug/kg	<40
2-CHLORONAPHTHALENE	91-58-7	40 ug/kg	<40
ACENAPHTHYLENE	208-96-8	40 ug/kg	<40
DIMETHYLPHTHALATE	131-11-3	40 ug/kg	<40
2,6-DINITROTOLUENE	606-20-2	40 ug/kg	<40
ACENAPHTHENE	83-32-9	40 ug/kg	<40
2,4-DINITROTOLUENE	121-14-2	40 ug/kg	<40
FLUORENE	86-73-7	40 ug/kg	<40
4-CHLOROPHENYL PHENYL ETHER	7005-72-3	40 ug/kg	<40

MDL = Minimum Detection Limit.



LONG
ISLAND
ANALYTICAL
LABORATORY, INC.

101-4 Colin Drive • Holbrook, New York 11741

Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: Anson	Client ID: 131 Sunnyside Blvd. (Drain #6)
Date received: 11/4/03	Laboratory ID: 1026023
Date extracted: 11/13/03	Matrix: Soil
Date analyzed: 11/13/03	ELAP #: 11693

EPA METHOD 8270(BN)

Parameter	CAS No.	MDL	Results ug/kg
DIETHYLPHthalate	84-66-2	40 ug/kg	<40
4-BROMOPHENYL-PHENYL ETHER	101-55-3	40 ug/kg	<40
HEXACHLOROBENZENE	118-74-1	40 ug/kg	<40
PHENANTHRENE	85-01-8	40 ug/kg	<40
ANTHRACENE	120-12-7	40 ug/kg	<40
Di-n-BUTYLPHthalate	84-74-2	500 ug/kg	<500
FLUORANTHENE	206-44-0	40 ug/kg	<40
PYRENE	129-00-0	40 ug/kg	<40
BUTYLBENZYLPHthalate	85-68-7	40 ug/kg	<40
3,3-DICHLOROBENZIDINE	91-94-1	40 ug/kg	<40
BENZO-a-ANTHRACENE	56-55-3	40 ug/kg	<40
CHRYSENE	218-01-9	40 ug/kg	<40
Bis(2-ETHYLEXYL)PHTALATE	117-81-7	500 ug/kg	<500
DI-n-OCTYLPHthalate	117-84-0	40 ug/kg	<40
BENZO-b-FLUOROANTHENE	205-99-2	40 ug/kg	<40
BENZO-k- FLUOROANTHENE	207-08-9	40 ug/kg	<40
BENZO-a-PYRENE	50-32-8	40 ug/kg	<40
INDENO(1,2,3-c,d)PYRENE	193-39-5	40 ug/kg	<40
DIBENZO-a,h-ANTHRACENE	53-70-3	40 ug/kg	<40
BENZO-g,h,i-PERYLENE	191-24-2	40 ug/kg	<40

MDL = Minimum Detection Limit.

Michael Veraldi
Michael Veraldi-Laboratory Director



LONG
ISLAND
ANALYTICAL
LABORATORY, INC.

101-4 Colin Drive • Holbrook, New York 11741

Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: Anson	Client ID: 131 Sunnyside Blvd. (Drain #6)
Date received: 11/4/03	Laboratory ID: 1026023
Date extracted: 11/6, 11/7/03	Matrix: Soil
Date analyzed: 11/6, 11/7/03	ELAP #: 11693

METALS ANALYSIS

Parameter	MDL	Results mg/kg
SILVER, Ag	1.65 mg/kg	<1.65
ARSENIC, As	1.65 mg/kg	<1.65
BARIUM, Ba	3.33 mg/kg	29.7
CADMIUM, Cd	1.00 mg/kg	<1.00
CHROMIUM, Cr	1.65 mg/kg	23.4
MERCURY, Hg	0.020 mg/kg	<0.020
LEAD, Pb	1.65 mg/kg	2.98
SELENIUM, Se	1.65 mg/kg	<1.65

MDL = Minimum Detection Limit.

Analysis by SW-846 Method 6010



Michael Veraldi-Laboratory Director



LONG
ISLAND
ANALYTICAL
LABORATORIES INC.

101-4 Colin Drive • Holbrook, New York 11741

Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: Anson	Client ID: 131 Sunnyside Blvd. (Drain 6)
Date received: 11/18/03	Laboratory ID: 1027243
Date extracted: 11/19/03	Matrix: Soil
Date analyzed: 11/19/03	ELAP #: 11693

METALS ANALYSIS 8 RCRA

Parameter	MDL	Results mg/kg
SILVER, Ag	1.65 mg/kg	<1.65
ARSENIC, As	1.65 mg/kg	<1.65
BARIUM, Ba	3.33 mg/kg	6.01
CADMIUM, Cd	1.00 mg/kg	<1.00
CHROMIUM, Cr	1.65 mg/kg	2.21
MERCURY, Hg	0.020 mg/kg	<0.020
LEAD, Pb	1.65 mg/kg	<1.65
SELENIUM, Se	1.65 mg/kg	<1.65
HEXAVALENT CHROMIUM	5.01 mg/kg	<5.01

MDL = Minimum Detection Limit.

Performed by SW-846 Method 6010



Michael Veraldi-Laboratory Director



LONG
ISLAND
ANALYTICAL
LABORATORIES INC.

101-4 Colin Drive • Holbrook, New York 11741

TOMORROW'S ANALYTICAL SOLUTIONS TODAY

Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: Anson Environmental	Client ID: 131 Sunnyside Blvd., 03150 (Drain #6 North)
Date received: 12/2/03	Laboratory ID: 1028341
Date extracted: 12/3/03	Matrix: Soil
Date analyzed: 12/3/03	ELAP #: 11693

METALS ANALYSIS 8 RCRA

Parameter	MDL	Results mg/kg
SILVER, Ag	1.65 mg/kg	<1.65
ARSENIC, As	1.65 mg/kg	1.68
BARIUM, Ba	3.33 mg/kg	55.4
CADMIUM, Cd	1.00 mg/kg	<1.00
CHROMIUM, Cr	1.65 mg/kg	7.04
MERCURY, Hg	0.020 mg/kg	<0.020
LEAD, Pb	1.65 mg/kg	3.69
SELENIUM, Se	1.65 mg/kg	<1.65

MDL = Minimum Detection Limit.

Performed by SW-846 Method 6010



Michael Veraldi-Laboratory Director

Client: Anson Environmental	Client ID: 131 Sunnyside Blvd., 03150 (Drain #6 East)
Date received: 12/2/03	Laboratory ID: 1028342
Date extracted: 12/3/03	Matrix: Soil
Date analyzed: 12/3/03	ELAP #: 11693

METALS ANALYSIS 8 RCRA

Parameter	MDL	Results mg/kg
SILVER, Ag	1.65 mg/kg	<1.65
ARSENIC, As	1.65 mg/kg	<1.65
BARIUM, Ba	3.33 mg/kg	38.3
CADMIUM, Cd	1.00 mg/kg	<1.00
CHROMIUM, Cr	1.65 mg/kg	44.7
MERCURY, Hg	0.020 mg/kg	0.027
LEAD, Pb	1.65 mg/kg	2.55
SELENIUM, Se	1.65 mg/kg	<1.65

MDL = Minimum Detection Limit.

Performed by SW-846 Method 6010



Michael Veraldi-Laboratory Director


Client: Anson Environmental	Client ID: 131 Sunnyside Blvd., 03150 (Drain #6 West)
Date received: 12/2/03	Laboratory ID: 1028344
Date extracted: 12/3/03	Matrix: Soil
Date analyzed: 12/3/03	ELAP #: 11693

METALS ANALYSIS 8 RCRA

Parameter	MDL	Results mg/kg
SILVER, Ag	1.65 mg/kg	<1.65
ARSENIC, As	1.65 mg/kg	<1.65
BARIUM, Ba	3.33 mg/kg	40.5
CADMIUM, Cd	1.00 mg/kg	<1.00
CHROMIUM, Cr	1.65 mg/kg	11.7
MERCURY, Hg	0.020 mg/kg	<0.020
LEAD, Pb	1.65 mg/kg	2.62
SELENIUM, Se	1.65 mg/kg	<1.65

MDL = Minimum Detection Limit.

Performed by SW-846 Method 6010



Michael Veraldi-Laboratory Director

Client: Anson Environmental	Client ID: 131 Sunnyside Blvd., 03150 (Drain #6 South)
Date received: 12/2/03	Laboratory ID: 1028343
Date extracted: 12/3/03	Matrix: Soil
Date analyzed: 12/3/03	ELAP #: 11693

METALS ANALYSIS 8 RCRA

Parameter	MDL	Results mg/kg
SILVER, Ag	1.65 mg/kg	<1.65
ARSENIC, As	1.65 mg/kg	<1.65
BARIUM, Ba	3.33 mg/kg	20.7
CADMIUM, Cd	1.00 mg/kg	<1.00
CHROMIUM, Cr	1.65 mg/kg	5.46
MERCURY, Hg	0.020 mg/kg	0.03
LEAD, Pb	1.65 mg/kg	1.51
SELENIUM, Se	1.65 mg/kg	<1.65

MDL = Minimum Detection Limit.

Performed by SW-846 Method 6010



Michael Veraldi-Laboratory Director

Drain 7

Client: Anson Environmental	Client ID: 131 Sunnyside Blvd., 03150 (SB-5)
Date received: 10/13/03	Laboratory ID: 1024248
Date extracted: 10/16/03	Matrix: Soil
Date analyzed: 10/16/03	ELAP #: 11693

NCDH PROTOCOL

PARAMETER	CAS No.	MDL	RESULTS ug/kg
ACETONE	67-64-1	50 ug/kg	<50
BENZENE	71-43-2	5 ug/kg	<5
n-BUTYLBENZENE	104-51-8	5 ug/kg	<5
sec-BUTYLBENZENE	135-98-8	5 ug/kg	<5
tert-BUTYLBENZENE	98-06-6	5 ug/kg	<5
BROMODICHLOROMETHANE	75-27-4	5 ug/kg	<5
BROMOFORM	75-25-2	5 ug/kg	<5
BROMOBENZENE	108-86-1	5 ug/kg	<5
2-CHLOROTOLUENE	95-49-8	5 ug/kg	<5
4-CHLOROTOLUENE	106-43-4	5 ug/kg	<5
CHLOROBENZENE	108-90-7	5 ug/kg	<5
CHLOROFORM	67-66-3	5 ug/kg	<5
CARBON TETRACHLORIDE	56-23-5	5 ug/kg	<5
o-DICHLOROBENZENE (1,2)	95-50-1	5 ug/kg	<5
m-DICHLOROBENZENE (1,3)	541-73-1	5 ug/kg	<5
p-DICHLOROBENZENE (1,4)	106-46-7	5 ug/kg	<5
1,2-DIBROMO-3-CHLOROPROPANE	96-12-8	5 ug/kg	<5
1,1-DICHLOROETHYLENE	75-35-4	5 ug/kg	<5
trans-1,2-DICHLOROETHYLENE	156-60-5	5 ug/kg	<5
1,1-DICHLOROETHANE	75-34-3	5 ug/kg	<5
cis-1,2-DICHLOROETHYLENE	159-59-2	5 ug/kg	<5
DIBROMOCHLOROMETHANE	124-48-1	5 ug/kg	<5
1,3-DICHLOROPROPANE	142-28-9	5 ug/kg	<5
1,1-DICHLOROPROPENE	563-58-6	5 ug/kg	<5
1,2-DICHLOROETHANE	107-06-02	5 ug/kg	<5
1,2-DICHLOROPROPANE	78-87-5	5 ug/kg	<5
2,2-DICHLOROPROPANE	594-20-7	5 ug/kg	<5
ETHYLBENZENE	100-414	5 ug/kg	<5

MDL = Minimum Detection Limit.



LIAI, INC.
ISLAND ANALYTICAL
LABORATORY

101-4 Colin Drive • Holbrook, New York 11741

Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Drain 7

Client: Anson Environmental	Client ID: 131 Sunnyside Blvd., 03150 (SB-5)
Date received: 10/13/03	Laboratory ID: 1024248
Date extracted: 10/16/03	Matrix: Soil
Date analyzed: 10/16/03	ELAP #: 11693

NCDH PROTOCOL

PARAMETER	CAS No.	MDL	RESULTS ug/kg
1,2-DIBROMOETHANE	106-93-4	5 ug/kg	<5
DIBROMOMETHANE	74-95-3	5 ug/kg	<5
cis-1,3-DICHLOROPROPENE	10061-01-5	5 ug/kg	<5
trans-1,3-DICHLOROPROPENE	10061-02-6	5 ug/kg	<5
HEXACHLOROCYCLOPENTADIENE	87-68-3	5 ug/kg	<5
p-ISOPROPYLTOLUENE	99-87-6	5 ug/kg	<5
ISOPROPYLBENZENE	98-82-8	5 ug/kg	<5
METHYLENE CHLORIDE	75-09-2	5 ug/kg	<5
NAPHTHALENE	91-20-3	5 ug/kg	<5
n-PROPYLBENZENE	103-65-1	5 ug/kg	<5
STYRENE	100-42-5	5 ug/kg	<5
TRICHLOROFLUOROMETHANE	75-69-4	5 ug/kg	<5
1,2,3-TRICHLOROBENZENE	87-61-6	5 ug/kg	<5
1,2,4-TRICHLOROBENZENE	120-82-1	5 ug/kg	<5
1,2,4-TRIMETHYLBENZENE	95-63-6	5 ug/kg	<5
1,3,5-TRIMETHYLBENZENE	108-67-8	5 ug/kg	<5
1,1,1-TRICHLOROETHANE	71-55-6	5 ug/kg	<5
TRICHLOROETHYLENE	79-01-6	5 ug/kg	47
1,1,2-TRICHLOROETHANE	79-00-5	5 ug/kg	<5
TETRACHLOROETHYLENE	127-18-4	5 ug/kg	<5
1,1,1,2-TETRACHLOROETHANE	630-20-6	5 ug/kg	<5
1,1,2,2-TETRACHLOROETHANE	79-34-5	5 ug/kg	<5
1,2,3-TRICHLOROPROPANE	96-18-4	5 ug/kg	<5
TOLUENE	108-88-3	5 ug/kg	<5
VINYL CHLORIDE	75-01-4	5 ug/kg	<5
p & m-XYLENES	1330-20-7	10 ug/kg	<10
o-XYLENE	95-47-6	5 ug/kg	<5

MDL = Minimum Detection Limit.



Michael Veraldi-Laboratory Director



Drain 7

Client: Anson Environmental	Client ID: 131 Sunnyside Blvd., 03150 (SB-5)
Date received: 10/13/03	Laboratory ID: 1024248
Date extracted: 10/16/03	Matrix: Soil
Date analyzed: 10/16/03	ELAP #: 11693

EPA METHOD 8270(BN)

Parameter	CAS No.	MDL	Results ug/kg
Bis(2-CHLOROETHYL)ETHER	111-44-4	40 ug/kg	<120
1,3-DICHLOROBENZENE	541-73-1	40 ug/kg	<120
1,4-DICHLOROBENZENE	106-46-7	40 ug/kg	<120
1,2-DICHLOROBENZENE	95-50-1	40 ug/kg	<120
Bis(2-CHLOROISOPROPYL)ETHER	108-60-1	40 ug/kg	<120
HEXACHLOROETHANE	67-72-1	40 ug/kg	<120
N-NITROSODI-n-PROPYL AMINE	621-64-7	40 ug/kg	<120
NITROBENZENE	98-95-3	40 ug/kg	<120
ISOPHORONE	78-59-1	40 ug/kg	<120
Bis(2-CHLOROETHOXY)METHANE	111-91-1	40 ug/kg	<120
1,2,4-TRICHLOROBENZENE	120-82-1	40 ug/kg	<120
NAPHTHALENE	91-20-3	40 ug/kg	<120
HEXACHLOROBUTADIENE	87-68-3	40 ug/kg	<120
HEXACHLOROCYCLOPENTADIENE	77-47-4	40 ug/kg	<120
2-CHLORONAPHTHALENE	91-58-7	40 ug/kg	<120
ACENAPHTHYLENE	208-96-8	40 ug/kg	<120
DIMETHYLPHTHALATE	131-11-3	40 ug/kg	<120
2,6-DINITROTOLUENE	606-20-2	40 ug/kg	<120
ACENAPHTHENE	83-32-9	40 ug/kg	<120
2,4-DINITROTOLUENE	121-14-2	40 ug/kg	<120
FLUORENE	86-73-7	40 ug/kg	<120
4-CHLOROPHENYL PHENYL ETHER	7005-72-3	40 ug/kg	<120

MDL = Minimum Detection Limit.

Note: MDL's are raised due to matrix interference.

LIAISON
ANALYTICAL
LABORATORY

101-4 Colin Drive • Holbrook, New York 11741

Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Drain 7

Client: Anson Environmental	Client ID: 131 Sunnyside Blvd., 03150 (SB-5)
Date received: 10/13/03	Laboratory ID: 1024248
Date extracted: 10/16/03	Matrix: Soil
Date analyzed: 10/16/03	ELAP #: 11693

EPA METHOD 8270(BN)

Parameter	CAS No.	MDL	Results ug/kg
DIETHYLPHTHALATE	84-66-2	40 ug/kg	<120
4-BROMOPHENYL-PHENYL ETHER	101-55-3	40 ug/kg	<120
HEXACHLOROBENZENE	118-74-1	40 ug/kg	<120
PHENANTHRENE	85-01-8	40 ug/kg	<120
ANTHRACENE	120-12-7	40 ug/kg	<120
Di-n-BUTYLPHTHALATE	84-74-2	500 ug/kg	<500
FLUORANTHENE	206-44-0	40 ug/kg	176
PYRENE	129-00-0	40 ug/kg	176
BUTYLBENZYLPHTHALATE	85-68-7	40 ug/kg	275
3,3-DICHLOROBENZIDINE	91-94-1	40 ug/kg	<120
BENZO-a-ANTHRACENE	56-55-3	40 ug/kg	<120
CHRYSENE	218-01-9	40 ug/kg	122
Bis(2-ETHYLEXYL)PHTALATE	117-81-7	500 ug/kg	11,670
DI-n-OCTYLPHTHALATE	117-84-0	40 ug/kg	<120
BENZO-b-FLUOROANTHENE	205-99-2	40 ug/kg	<120
BENZO-k- FLUOROANTHENE	207-08-9	40 ug/kg	<120
BENZO-a-PYRENE	50-32-8	40 ug/kg	<120
INDENO(1,2,3-c,d)PYRENE	193-39-5	40 ug/kg	<120
DIBENZO-a,h-ANTHRACENE	53-70-3	40 ug/kg	<120
BENZO-g,h,i-PERYLENE	191-24-2	40 ug/kg	<120

MDL = Minimum Detection Limit.

Note: MDL's are raised due to matrix interference.



Michael Veraldi-Laboratory Director

LIAISON
ISLAND
ANALYTICAL
LABORATORIES, INC.

101-4 Colin Drive • Holbrook, New York 11741

Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Drain 7

Client: Anson Environmental	Client ID: 131 Sunnyside Blvd., 03150 (SB-5 {0-2})
Date received: 10/13/03	Laboratory ID: 1024241
Date extracted: 10/16, 10/17, 10/20/03	Matrix: Soil
Date analyzed: 10/16, 10/17, 10/20/03	ELAP #: 11693

METALS ANALYSIS

Parameter	MDL	Results mg/kg
SILVER, Ag	1.65 mg/kg	<1.65
ARSENIC, As	1.65 mg/kg	<1.65
BARIUM, Ba	3.33 mg/kg	6.85
CADMIUM, Cd	1.00 mg/kg	<1.00
CHROMIUM, Cr	1.65 mg/kg	2.46
CHROMIUM IV	1.25 mg/kg	<1.25
MERCURY, Hg	0.020 mg/kg	<0.020
LEAD, Pb	1.65 mg/kg	1.99
SELENIUM, Se	1.65 mg/kg	<1.65

MDL = Minimum Detection Limit.

Performed by SW-846 Method 6010



Michael Veraldi-Laboratory Director

Draw 7

Client: Anson Environmental	Client ID: 131 Sunnyside Blvd., 03150 (SB-5 {4-6})
Date received: 10/13/03	Laboratory ID: 1024242
Date extracted: 10/16, 10/17, 10/20/03	Matrix: Soil
Date analyzed: 10/16, 10/17, 10/20/03	ELAP #: 11693

METALS ANALYSIS

Parameter	MDL	Results mg/kg
SILVER, Ag	1.65 mg/kg	<1.65
ARSENIC, As	1.65 mg/kg	<1.65
BARIUM, Ba	3.33 mg/kg	158
CADMIUM, Cd	1.00 mg/kg	2.76
CHROMIUM, Cr	1.65 mg/kg	24.1
CHROMIUM IV	1.00 mg/kg	<1.00
MERCURY, Hg	0.020 mg/kg	<0.020
LEAD, Pb	1.65 mg/kg	32.2
SELENIUM, Se	1.65 mg/kg	<1.65

MDL = Minimum Detection Limit.

Performed by SW-846 Method 6010



Michael Veraldi-Laboratory Director

**LONG
ISLAND
ANALYTICAL
LABORATORIES INC.**

101-4 Colin Drive • Holbrook, New York 11741

SW-846 Method 6010

Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Drain 7

Client: Anson Environmental	Client ID: 131 Sunnyside Blvd., 03150 (SB-5 {10-12})
Date received: 10/13/03	Laboratory ID: 1024243
Date extracted: 10/16, 10/17, 10/24/03	Matrix: Soil
Date analyzed: 10/16, 10/17, 10/24/03	ELAP #: 11693

METALS ANALYSIS

Parameter	MDL	Results mg/kg
SILVER, Ag	1.65 mg/kg	<1.65
ARSENIC, As	1.65 mg/kg	4.10
BARIUM, Ba	3.33 mg/kg	2,993
CADMIUM, Cd	1.00 mg/kg	26.2
CHROMIUM, Cr	1.65 mg/kg	686
CHROMIUM IV	1.00 mg/kg	9.92
MERCURY, Hg	0.020 mg/kg	0.183
LEAD, Pb	1.65 mg/kg	566
SELENIUM, Se	1.65 mg/kg	<1.65

MDL = Minimum Detection Limit.

Performed by SW-846 Method 6010



Michael Veraldi-Laboratory Director

**LONG
ISLAND
ANALYTICAL
LABORATORIES INC.**

101-4 Colin Drive • Holbrook, New York 11741

TOMORROW'S ANALYTICAL SOLUTIONS TODAY™

Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Drain 7

Client: Anson Environmental	Client ID: 131 Sunnyside Blvd., 03150 (SB-5 {16-18})
Date received: 10/13/03	Laboratory ID: 1024244
Date extracted: 10/16, 10/17, 10/20/03	Matrix: Soil
Date analyzed: 10/16, 10/17, 10/20/03	ELAP #: 11693

METALS ANALYSIS

Parameter	MDL	Results mg/kg
SILVER, Ag	1.65 mg/kg	<1.65
ARSENIC, As	1.65 mg/kg	5.04
BARIUM, Ba	3.33 mg/kg	2,937
CADMIUM, Cd	1.00 mg/kg	53.3
CHROMIUM, Cr	1.65 mg/kg	612
CHROMIUM IV	2.51 mg/kg	<2.51
MERCURY, Hg	0.020 mg/kg	0.16
LEAD, Pb	1.65 mg/kg	771
SELENIUM, Se	1.65 mg/kg	<1.65

MDL = Minimum Detection Limit.

Performed by SW-846 Method 6010



Michael Veraldi-Laboratory Director

Client: Anson	Client ID: 131 Sunnyside Blvd. (Drain #7)
Date received: 11/4/03	Laboratory ID: 1026025
Date extracted: 11/6/03	Matrix: Soil
Date analyzed: 11/6/03	ELAP #: 11693

NCDH PROTOCOL

PARAMETER	CAS No.	MDL	RESULTS ug/kg
ACETONE	67-64-1	50 ug/kg	<50
BENZENE	71-43-2	5 ug/kg	<5
n-BUTYLBENZENE	104-51-8	5 ug/kg	<5
sec-BUTYLBENZENE	135-98-8	5 ug/kg	<5
tert-BUTYLBENZENE	98-06-6	5 ug/kg	<5
BROMODICHLOROMETHANE	75-27-4	5 ug/kg	<5
BROMOFORM	75-25-2	5 ug/kg	<5
BROMOBENZENE	108-86-1	5 ug/kg	<5
2-CHLOROTOLUENE	95-49-8	5 ug/kg	<5
4-CHLOROTOLUENE	106-43-4	5 ug/kg	<5
CHLOROBENZENE	108-90-7	5 ug/kg	<5
CHLOROFORM	67-66-3	5 ug/kg	<5
CARBON TETRACHLORIDE	56-23-5	5 ug/kg	<5
o-DICHLOROBENZENE (1,2)	95-50-1	5 ug/kg	<5
m-DICHLOROBENZENE (1,3)	541-73-1	5 ug/kg	<5
p-DICHLOROBENZENE (1,4)	106-46-7	5 ug/kg	<5
1,2-DIBROMO-3-CHLOROPROPANE	96-12-8	5 ug/kg	<5
1,1-DICHLOROETHYLENE	75-35-4	5 ug/kg	<5
trans-1,2-DICHLOROETHYLENE	156-60-5	5 ug/kg	<5
1,1-DICHLOROETHANE	75-34-3	5 ug/kg	<5
cis-1,2-DICHLOROETHYLENE	159-59-2	5 ug/kg	<5
DIBROMOCHLOROMETHANE	124-48-1	5 ug/kg	<5
1,3-DICHLOROPROPANE	142-28-9	5 ug/kg	<5
1,1-DICHLOROPROPENE	563-58-6	5 ug/kg	<5
1,2-DICHLOROETHANE	107-06-02	5 ug/kg	<5
1,2-DICHLOROPROPANE	78-87-5	5 ug/kg	<5
2,2-DICHLOROPROPANE	594-20-7	5 ug/kg	<5
ETHYLBENZENE	100-414	5 ug/kg	<5

MDL = Minimum Detection Limit.



LIAI
ANALYTICAL
LABORATORY

101-4 Colin Drive • Holbrook, New York 11741

Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: Anson	Client ID: 131 Sunnyside Blvd. (Drain #7)
Date received: 11/4/03	Laboratory ID: 1026025
Date extracted: 11/6/03	Matrix: Soil
Date analyzed: 11/6/03	ELAP #: 11693


NCDH PROTOCOL

PARAMETER	CAS No.	MDL	RESULTS ug/kg
1,2-DIBROMOETHANE	106-93-4	5 ug/kg	<5
DIBROMOMETHANE	74-95-3	5 ug/kg	<5
cis-1,3-DICHLOROPROPENE	10061-01-5	5 ug/kg	<5
trans-1,3-DICHLOROPROPENE	10061-02-6	5 ug/kg	<5
HEXACHLOROCYCLOHEPTADIENE	87-68-3	5 ug/kg	<5
p-ISOPROPYLTOLUENE	99-87-6	5 ug/kg	<5
ISOPROPYLBENZENE	98-82-8	5 ug/kg	<5
METHYLENE CHLORIDE	75-09-2	5 ug/kg	<5
NAPHTHALENE	91-20-3	5 ug/kg	<5
n-PROPYLBENZENE	103-65-1	5 ug/kg	<5
STYRENE	100-42-5	5 ug/kg	<5
TRICHLOROFLUOROMETHANE	75-69-4	5 ug/kg	<5
1,2,3-TRICHLOROBENZENE	87-61-6	5 ug/kg	<5
1,2,4-TRICHLOROBENZENE	120-82-1	5 ug/kg	<5
1,2,4-TRIMETHYLBENZENE	95-63-6	5 ug/kg	<5
1,3,5-TRIMETHYLBENZENE	108-67-8	5 ug/kg	<5
1,1,1-TRICHLOROETHANE	71-55-6	5 ug/kg	<5
TRICHLOROETHYLENE	79-01-6	5 ug/kg	<5
1,1,2-TRICHLOROETHANE	79-00-5	5 ug/kg	<5
TETRACHLOROETHYLENE	127-18-4	5 ug/kg	<5
1,1,1,2-TETRACHLOROETHANE	630-20-6	5 ug/kg	<5
1,1,2,2-TETRACHLOROETHANE	79-34-5	5 ug/kg	<5
1,2,3-TRICHLOROPROPANE	96-18-4	5 ug/kg	<5
TOLUENE	108-88-3	5 ug/kg	<5
VINYL CHLORIDE	75-01-4	5 ug/kg	<5
p & m-XYLENES	1330-20-7	10 ug/kg	<10
o-XYLENE	95-47-6	5 ug/kg	<5

MDL = Minimum Detection Limit.



Michael Veraldi-Laboratory Director



101-4 Colin Drive • Holbrook, New York 11741

Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: Anson	Client ID: 131 Sunnyside Blvd. (Drain #7)
Date received: 11/4/03	Laboratory ID: 1026025
Date extracted: 11/13/03	Matrix: Soil
Date analyzed: 11/13/03	ELAP #: 11693

EPA METHOD 8270(BN)

Parameter	CAS No.	MDL	Results ug/kg
Bis(2-CHLOROETHYL)ETHER	111-44-4	40 ug/kg	<40
1,3-DICHLOROBENZENE	541-73-1	40 ug/kg	<40
1,4-DICHLOROBENZENE	106-46-7	40 ug/kg	<40
1,2-DICHLOROBENZENE	95-50-1	40 ug/kg	<40
Bis(2-CHLOROISOPROPYL)ETHER	108-60-1	40 ug/kg	<40
HEXACHLOROETHANE	67-72-1	40 ug/kg	<40
N-NITROSODI-n-PROPYL AMINE	621-64-7	40 ug/kg	<40
NITROBENZENE	98-95-3	40 ug/kg	<40
ISOPHORONE	78-59-1	40 ug/kg	<40
Bis(2-CHLOROETHOXY)METHANE	111-91-1	40 ug/kg	<40
1,2,4-TRICHLOROBENZENE	120-82-1	40 ug/kg	<40
NAPHTHALENE	91-20-3	40 ug/kg	<40
HEXACHLOROBUTADIENE	87-68-3	40 ug/kg	<40
HEXACHLOROCYCLOPENTADIENE	77-47-4	40 ug/kg	<40
2-CHLORONAPHTHALENE	91-58-7	40 ug/kg	<40
ACENAPHTHYLENE	208-96-8	40 ug/kg	<40
DIMETHYLPHTHALATE	131-11-3	40 ug/kg	<40
2,6-DINITROTOLUENE	606-20-2	40 ug/kg	<40
ACENAPHTHENE	83-32-9	40 ug/kg	<40
2,4-DINITROTOLUENE	121-14-2	40 ug/kg	<40
FLUORENE	86-73-7	40 ug/kg	<40
4-CHLOROPHENYL PHENYL ETHER	7005-72-3	40 ug/kg	<40

MDL = Minimum Detection Limit.

Client: Anson	Client ID: 131 Sunnyside Blvd. (Drain #7)
Date received: 11/4/03	Laboratory ID: 1026025
Date extracted: 11/13/03	Matrix: Soil
Date analyzed: 11/13/03	ELAP #: 11693

EPA METHOD 8270(BN)

Parameter	CAS No.	MDL	Results ug/kg
DIETHYLPHTHALATE	84-66-2	40 ug/kg	<40
4-BROMOPHENYL-PHENYL ETHER	101-55-3	40 ug/kg	<40
HEXACHLOROBENZENE	118-74-1	40 ug/kg	<40
PHENANTHRENE	85-01-8	40 ug/kg	<40
ANTHRACENE	120-12-7	40 ug/kg	<40
Di-n-BUTYLPHTHALATE	84-74-2	500 ug/kg	<500
FLUORANTHENE	206-44-0	40 ug/kg	<40
PYRENE	129-00-0	40 ug/kg	<40
BUTYLBENZYLPHTHALATE	85-68-7	40 ug/kg	<40
3,3-DICHLOROBENZIDINE	91-94-1	40 ug/kg	<40
BENZO-a-ANTHRACENE	56-55-3	40 ug/kg	<40
CHRYSENE	218-01-9	40 ug/kg	<40
Bis(2-ETHYLEXYL)PHTALATE	117-81-7	500 ug/kg	<500
DI-n-OCTYLPHTHALATE	117-84-0	40 ug/kg	<40
BENZO-b-FLUOROANTHENE	205-99-2	40 ug/kg	<40
BENZO-k- FLUOROANTHENE	207-08-9	40 ug/kg	<40
BENZO-a-PYRENE	50-32-8	40 ug/kg	<40
INDENO(1,2,3-c,d)PYRENE	193-39-5	40 ug/kg	<40
DIBENZO-a,h-ANTHRACENE	53-70-3	40 ug/kg	<40
BENZO-g,h,i-PERYLENE	191-24-2	40 ug/kg	<40

MDL = Minimum Detection Limit.



Michael Veraldi-Laboratory Director



LIONO
ISLAND
ANALYTICAL
LABORATORIES INC.

101-4 Colin Drive • Holbrook, New York 11741

Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: Anson	Client ID: 131 Sunnyside Blvd. (Drain #7)
Date received: 11/4/03	Laboratory ID: 1026025
Date extracted: 11/6, 11/7/03	Matrix: Soil
Date analyzed: 11/6, 11/7/03	ELAP #: 11693

METALS ANALYSIS

Parameter	MDL	Results mg/kg
SILVER, Ag	1.65 mg/kg	<1.65
ARSENIC, As	1.65 mg/kg	<1.65
BARIUM, Ba	3.33 mg/kg	24.0
CADMIUM, Cd	1.00 mg/kg	<1.00
CHROMIUM, Cr	1.65 mg/kg	14.5
MERCURY, Hg	0.020 mg/kg	<0.020
LEAD, Pb	1.65 mg/kg	4.04
SELENIUM, Se	1.65 mg/kg	<1.65

MDL = Minimum Detection Limit.

Analysis by SW-846 Method 6010



Michael Veraldi-Laboratory Director



LONG
ISLAND
ANALYTICAL
LABORATORIES INC.

101-4 Colin Drive • Holbrook, New York 11741

"TOMORROW'S ANALYTICAL SOLUTIONS TODAY"

Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: Anson	Client ID: 131 Sunnyside Blvd. (Drain #7 North)
Date received: 11/4/03	Laboratory ID: 1026029
Date extracted: 11/6, 11/7/03	Matrix: Soil
Date analyzed: 11/6, 11/7/03	ELAP #: 11693

METALS ANALYSIS

Parameter	MDL	Results mg/kg
SILVER, Ag	1.65 mg/kg	<1.65
ARSENIC, As	1.65 mg/kg	<1.65
BARIUM, Ba	3.33 mg/kg	20.3
CADMIUM, Cd	1.00 mg/kg	<1.00
CHROMIUM, Cr	1.65 mg/kg	8.78
MERCURY, Hg	0.020 mg/kg	<0.020
LEAD, Pb	1.65 mg/kg	2.03
SELENIUM, Se	1.65 mg/kg	<1.65

MDL = Minimum Detection Limit.

Analysis by SW-846 Method 6010



Michael Veraldi-Laboratory Director



LONG
ISLAND
ANALYTICAL
LABORATORIES INC.

101-4 Colin Drive • Holbrook, New York 11741

TOMORROW'S ANALYTICAL SOLUTIONS TODAY

Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: Anson	Client ID: 131 Sunnyside Blvd. (Drain #7 East)
Date received: 11/4/03	Laboratory ID: 1026030
Date extracted: 11/6, 11/7/03	Matrix: Soil
Date analyzed: 11/6, 11/7/03	ELAP #: 11693

METALS ANALYSIS

Parameter	MDL	Results mg/kg
SILVER, Ag	1.65 mg/kg	<1.65
ARSENIC, As	1.65 mg/kg	<1.65
BARIUM, Ba	3.33 mg/kg	16.1
CADMIUM, Cd	1.00 mg/kg	<1.00
CHROMIUM, Cr	1.65 mg/kg	5.04
MERCURY, Hg	0.020 mg/kg	<0.020
LEAD, Pb	1.65 mg/kg	<1.65
SELENIUM, Se	1.65 mg/kg	<1.65

MDL = Minimum Detection Limit.

Analysis by SW-846 Method 6010



Michael Veraldi-Laboratory Director

Client: Anson	Client ID: 131 Sunnyside Blvd. (Drain #7 West)
Date received: 11/4/03	Laboratory ID: 1026031
Date extracted: 11/6, 11/7/03	Matrix: Soil
Date analyzed: 11/6, 11/7/03	ELAP #: 11693

METALS ANALYSIS

Parameter	MDL	Results mg/kg
SILVER, Ag	1.65 mg/kg	<1.65
ARSENIC, As	1.65 mg/kg	<1.65
BARIUM, Ba	3.33 mg/kg	86.6
CADMIUM, Cd	1.00 mg/kg	2.06
CHROMIUM, Cr	1.65 mg/kg	24.5
MERCURY, Hg	0.020 mg/kg	0.023
LEAD, Pb	1.65 mg/kg	13.6
SELENIUM, Se	1.65 mg/kg	<1.65

MDL = Minimum Detection Limit.

Analysis by SW-846 Method 6010



Michael Veraldi-Laboratory Director



LONG
ISLAND
ANALYTICAL
LABORATORIES INC.

101-4 Colin Drive • Holbrook, New York 11741

ENHANCING ANALYTICAL SOLUTIONS TODAY

Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com


Client: Anson	Client ID: 131 Sunnyside Blvd. (Drain #7 South)
Date received: 11/4/03	Laboratory ID: 1026028
Date extracted: 11/6, 11/7/03	Matrix: Soil
Date analyzed: 11/6, 11/7/03	ELAP #: 11693

METALS ANALYSIS

Parameter	MDL	Results mg/kg
SILVER, Ag	1.65 mg/kg	<1.65
ARSENIC, As	1.65 mg/kg	<1.65
BARIUM, Ba	3.33 mg/kg	13.6
CADMIUM, Cd	1.00 mg/kg	<1.00
CHROMIUM, Cr	1.65 mg/kg	9.98
MERCURY, Hg	0.020 mg/kg	<0.020
LEAD, Pb	1.65 mg/kg	<1.65
SELENIUM, Se	1.65 mg/kg	<1.65

MDL = Minimum Detection Limit.

Analysis by SW-846 Method 6010


Michael Veraldi-Laboratory Director



LONG
ISLAND
ANALYTICAL
LABORATORIES INC.

101-4 Colin Drive • Holbrook, New York 11741

"TOMORROW'S ANALYTICAL SOLUTIONS TODAY"

Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: Anson Environmental	Client ID: 131 Sunnyside Blvd., 03150 (Drain #7 West)
Date received: 12/2/03	Laboratory ID: 1028340
Date extracted: 12/3/03	Matrix: Soil
Date analyzed: 12/3/03	ELAP #: 11693

METALS ANALYSIS 8 RCRA

Parameter	MDL	Results mg/kg
SILVER, Ag	1.65 mg/kg	<1.65
ARSENIC, As	1.65 mg/kg	<1.65
BARIUM, Ba	3.33 mg/kg	29.3
CADMIUM, Cd	1.00 mg/kg	<1.00
CHROMIUM, Cr	1.65 mg/kg	28.7
MERCURY, Hg	0.020 mg/kg	0.024
LEAD, Pb	1.65 mg/kg	3.18
SELENIUM, Se	1.65 mg/kg	<1.65

MDL = Minimum Detection Limit.

Performed by SW-846 Method 6010



Michael Veraldi-Laboratory Director

Client: Anson	Client ID: 131 Sunnyside Blvd., 03150 (CB #1)
Date received: 10/30/03	Laboratory ID: 1025646
Date extracted: 11/3, 11/4/03	Matrix: Soil
Date analyzed: 11/3, 11/4/03	ELAP #: 11693

METALS ANALYSIS

Parameter	MDL	Results mg/kg
SILVER, Ag	1.65 mg/kg	<1.65
ARSENIC, As	1.65 mg/kg	<1.65
BARIUM, Ba	3.33 mg/kg	11.7
CADMIUM, Cd	1.00 mg/kg	<1.00
CHROMIUM, Cr	1.65 mg/kg	9.08
MERCURY, Hg	0.020 mg/kg	<0.020
LEAD, Pb	1.65 mg/kg	<1.65
SELENIUM, Se	1.65 mg/kg	<1.65

MDL = Minimum Detection Limit.

Analysis by SW-846 Method 6010



Michael Veraldi-Laboratory Director



**LONG
ISLAND
ANALYTICAL
LABORATORIES INC.**

101-4 Colin Drive • Holbrook, New York 11741

"TOMORROW'S ANALYTICAL SOLUTIONS TODAY"

Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: Anson	Client ID: 131 Sunnyside Blvd., 03150 (CB #2)
Date received: 10/30/03	Laboratory ID: 1025647
Date extracted: 11/3, 11/4/03	Matrix: Soil
Date analyzed: 11/3, 11/4/03	ELAP #: 11693

METALS ANALYSIS

Parameter	MDL	Results mg/kg
SILVER, Ag	1.65 mg/kg	<1.65
ARSENIC, As	1.65 mg/kg	<1.65
BARIUM, Ba	3.33 mg/kg	8.44
CADMIUM, Cd	1.00 mg/kg	<1.00
CHROMIUM, Cr	1.65 mg/kg	6.74
MERCURY, Hg	0.020 mg/kg	<0.020
LEAD, Pb	1.65 mg/kg	1.98
SELENIUM, Se	1.65 mg/kg	<1.65

MDL = Minimum Detection Limit.

Analysis by SW-846 Method 6010

Michael Veraldi

Michael Veraldi-Laboratory Director



**LONG
ISLAND
ANALYTICAL
LABORATORIES INC.**

101-4 Colin Drive • Holbrook, New York 11741

TOMORROW'S ANALYTICAL SOLUTIONS TODAY

Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: Anson	Client ID: 131 Sunnyside Blvd., 03150 (CB #3)
Date received: 10/30/03	Laboratory ID: 1025648
Date extracted: 11/3, 11/4/03	Matrix: Soil
Date analyzed: 11/3, 11/4/03	ELAP #: 11693

METALS ANALYSIS

Parameter	MDL	Results mg/kg
SILVER, Ag	1.65 mg/kg	<1.65
ARSENIC, As	1.65 mg/kg	<1.65
BARIUM, Ba	3.33 mg/kg	15.0
CADMIUM, Cd	1.00 mg/kg	<1.00
CHROMIUM, Cr	1.65 mg/kg	6.28
MERCURY, Hg	0.020 mg/kg	<0.020
LEAD, Pb	1.65 mg/kg	<1.65
SELENIUM, Se	1.65 mg/kg	<1.65

MDL = Minimum Detection Limit.

Analysis by SW-846 Method 6010

Michael Veraldi

Michael Veraldi-Laboratory Director

Client: Anson	Client ID: 131 Sunnyside Blvd., 03150 (CB #4)
Date received: 10/30/03	Laboratory ID: 1025649
Date extracted: 11/3, 11/4/03	Matrix: Soil
Date analyzed: 11/3, 11/4/03	ELAP #: 11693

METALS ANALYSIS

Parameter	MDL	Results mg/kg
SILVER, Ag	1.65 mg/kg	<1.65
ARSENIC, As	1.65 mg/kg	<1.65
BARIUM, Ba	3.33 mg/kg	17.2
CADMIUM, Cd	1.00 mg/kg	<1.00
CHROMIUM, Cr	1.65 mg/kg	6.91
MERCURY, Hg	0.020 mg/kg	<0.020
LEAD, Pb	1.65 mg/kg	<1.65
SELENIUM, Se	1.65 mg/kg	<1.65

MDL = Minimum Detection Limit.

Analysis by SW-846 Method 6010



Michael Veraldi-Laboratory Director



**LONG
ISLAND
ANALYTICAL
LABORATORIES INC.**

101-4 Colin Drive • Holbrook, New York 11741

"TOMORROW'S ANALYTICAL SOLUTIONS TODAY"

Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: Anson Environmental	Client ID: 131 Sunnyside Blvd., 03150 (Haz Mat Store #1)
Date received: 12/2/03	Laboratory ID: 1028345
Date extracted: 12/3/03	Matrix: Soil
Date analyzed: 12/3/03	ELAP #: 11693

METALS ANALYSIS 8 RCRA

Parameter	MDL	Results mg/kg
SILVER, Ag	1.65 mg/kg	<1.65
ARSENIC, As	1.65 mg/kg	3.56
BARIUM, Ba	3.33 mg/kg	11.1
CADMIUM, Cd	1.00 mg/kg	<1.00
CHROMIUM, Cr	1.65 mg/kg	6.06
MERCURY, Hg	0.020 mg/kg	0.024
LEAD, Pb	1.65 mg/kg	5.92
SELENIUM, Se	1.65 mg/kg	<1.65

MDL = Minimum Detection Limit.

Performed by SW-846 Method 6010



Michael Veraldi-Laboratory Director



LONG
ISLAND
ANALYTICAL
LABORATORIES INC

101-4 Colin Drive • Holbrook, New York 11741

LONG ISLAND ANALYTICAL LABORATORIES, INC.

Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: Anson Environmental	Client ID: 131 Sunnyside Blvd., 03150 (Haz Mat Store #2)
Date received: 12/2/03	Laboratory ID: 1028346
Date extracted: 12/3/03	Matrix: Soil
Date analyzed: 12/3/03	ELAP #: 11693

METALS ANALYSIS 8 RCRA

Parameter	MDL	Results mg/kg
SILVER, Ag	1.65 mg/kg	<1.65
ARSENIC, As	1.65 mg/kg	5.97
BARIUM, Ba	3.33 mg/kg	15.3
CADMIUM, Cd	1.00 mg/kg	<1.00
CHROMIUM, Cr	1.65 mg/kg	11.3
MERCURY, Hg	0.020 mg/kg	0.021
LEAD, Pb	1.65 mg/kg	5.67
SELENIUM, Se	1.65 mg/kg	<1.65

MDL = Minimum Detection Limit.

Performed by SW-846 Method 6010



Michael Veraldi-Laboratory Director



LONG
ISLAND
ANALYTICAL
LABORATORIES INC.

101-4 Colin Drive • Holbrook, New York 11741

WORLDWIDE ANALYTICAL SOLUTIONS INC. (716) 472-3400

Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Parameter	MDL	Results mg/kg
SILVER, Ag	1.65 mg/kg	<1.65
ARSENIC, As	1.65 mg/kg	2.46
BARIUM, Ba	3.33 mg/kg	33.5
CADMIUM, Cd	1.00 mg/kg	<1.00
CHROMIUM, Cr	1.65 mg/kg	6.83
MERCURY, Hg	0.020 mg/kg	<0.020
LEAD, Pb	1.65 mg/kg	2.51
SELENIUM, Se	1.65 mg/kg	<1.65

Performed by SW-846 Method 6010

Michael Vennart

Michael Veraldi-Laboratory Director



Client: Anson Environmental	Client ID: 131 Sunnyside Blvd., 03150 (Haz Mat Store #4)
Date received: 12/2/03	Laboratory ID: 1028348
Date extracted: 12/3/03	Matrix: Soil
Date analyzed: 12/3/03	ELAP #: 11693

METALS ANALYSIS 8 RCRA

Parameter	MDL	Results mg/kg
SILVER, Ag	1.65 mg/kg	<1.65
ARSENIC, As	1.65 mg/kg	2.14
BARIUM, Ba	3.33 mg/kg	12.1
CADMIUM, Cd	1.00 mg/kg	<1.00
CHROMIUM, Cr	1.65 mg/kg	8.18
MERCURY, Hg	0.020 mg/kg	0.023
LEAD, Pb	1.65 mg/kg	4.78
SELENIUM, Se	1.65 mg/kg	<1.65

MDL = Minimum Detection Limit.

Performed by SW-846 Method 6010



Michael Veraldi-Laboratory Director

Client: Anson Environmental	Client ID: 131 Sunnyside Blvd., 03150 (Haz Mat Store #5)
Date received: 12/2/03	Laboratory ID: 1028349
Date extracted: 12/3/03	Matrix: Soil
Date analyzed: 12/3/03	ELAP #: 11693

METALS ANALYSIS 8 RCRA

Parameter	MDL	Results mg/kg
SILVER, Ag	1.65 mg/kg	<1.65
ARSENIC, As	1.65 mg/kg	1.82
BARIUM, Ba	3.33 mg/kg	26.3
CADMIUM, Cd	1.00 mg/kg	<1.00
CHROMIUM, Cr	1.65 mg/kg	22.0
MERCURY, Hg	0.020 mg/kg	0.021
LEAD, Pb	1.65 mg/kg	7.01
SELENIUM, Se	1.65 mg/kg	<1.65

MDL = Minimum Detection Limit.

Performed by SW-846 Method 6010

Michael Veraldi

Michael Veraldi-Laboratory Director



LONG
ISLAND
ANALYTICAL
LABORATORIES INC.

101-4 Colin Drive • Holbrook, New York 11741

EMERGENCY ANALYTICAL SOLUTIONS TODAY!

Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: Anson Environmental	Client ID: 131 Sunnyside Blvd., 03150 (Haz Mat Store #6)
Date received: 12/2/03	Laboratory ID: 1028350
Date extracted: 12/3/03	Matrix: Soil
Date analyzed: 12/3/03	ELAP #: 11693

METALS ANALYSIS 8 RCRA

Parameter	MDL	Results mg/kg
SILVER, Ag	1.65 mg/kg	<1.65
ARSENIC, As	1.65 mg/kg	3.40
BARIUM, Ba	3.33 mg/kg	33.4
CADMIUM, Cd	1.00 mg/kg	<1.00
CHROMIUM, Cr	1.65 mg/kg	8.87
MERCURY, Hg	0.020 mg/kg	<0.020
LEAD, Pb	1.65 mg/kg	4.51
SELENIUM, Se	1.65 mg/kg	<1.65

MDL = Minimum Detection Limit.

Performed by SW-846 Method 6010



Michael Veraldi-Laboratory Director

Client: Anson	Client ID: 131 Sunnyside Blvd. (Plating Area NE {4-6"})
Date received: 11/24/03	Laboratory ID: 1027758
Date extracted: 11/25, 11/26/03	Matrix: Soil
Date analyzed: 11/25, 11/26/03	ELAP #: 11693

METALS ANALYSIS

Parameter	MDL	Results mg/kg
SILVER, Ag	1.65 mg/kg	<1.65
ARSENIC, As	1.65 mg/kg	2.78
BARIUM, Ba	3.33 mg/kg	13.8
CADMIUM, Cd	1.00 mg/kg	<1.00
CHROMIUM, Cr	1.65 mg/kg	5.66
MERCURY, Hg	0.020 mg/kg	0.021
LEAD, Pb	1.65 mg/kg	16.3
SELENIUM, Se	1.65 mg/kg	<1.65
HEXAVALENT CHROMIUM	2.48 mg/kg	<2.48

MDL = Minimum Detection Limit.

Performed by SW-846 Method 6010

Michael Veraldi

Michael Veraldi-Laboratory Director

Client: Anson	Client ID: 131 Sunnyside Blvd. (Plating Area NW {4-6"})
Date received: 11/24/03	Laboratory ID: 1027757
Date extracted: 11/25, 11/26/03	Matrix: Soil
Date analyzed: 11/25, 11/26/03	ELAP #: 11693

METALS ANALYSIS

Parameter	MDL	Results mg/kg
SILVER, Ag	1.65 mg/kg	<1.65
ARSENIC, As	1.65 mg/kg	3.02
BARIUM, Ba	3.33 mg/kg	18.5
CADMIUM, Cd	1.00 mg/kg	<1.00
CHROMIUM, Cr	1.65 mg/kg	5.64
MERCURY, Hg	0.020 mg/kg	<0.020
LEAD, Pb	1.65 mg/kg	13.0
SELENIUM, Se	1.65 mg/kg	<1.65
HEXAVALENT CHROMIUM	2.48 mg/kg	<2.48

MDL = Minimum Detection Limit.

Performed by SW-846 Method 6010



Michael Veraldi-Laboratory Director



LONG
ISLAND
ANALYTICAL
LABORATORIES INC.

101-4 Colin Drive • Holbrook, New York 11741

TOMORROW'S ANALYTICAL SOLUTIONS TODAY™

Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com


Client: Anson	Client ID: 131 Sunnyside Blvd. (Plating Area SE {4-6"})
Date received: 11/24/03	Laboratory ID: 1027756
Date extracted: 11/25, 11/26/03	Matrix: Soil
Date analyzed: 11/25, 11/26/03	ELAP #: 11693

METALS ANALYSIS

Parameter	MDL	Results mg/kg
SILVER, Ag	1.65 mg/kg	<1.65
ARSENIC, As	1.65 mg/kg	2.94
BARIUM, Ba	3.33 mg/kg	13.1
CADMIUM, Cd	1.00 mg/kg	<1.00
CHROMIUM, Cr	1.65 mg/kg	5.28
MERCURY, Hg	0.020 mg/kg	<0.020
LEAD, Pb	1.65 mg/kg	15.4
SELENIUM, Se	1.65 mg/kg	<1.65
HEXAVALENT CHROMIUM	5.00 mg/kg	<5.00

MDL = Minimum Detection Limit.

Performed by SW-846 Method 6010



Michael Veraldi-Laboratory Director



**LONG
ISLAND
ANALYTICAL
LABORATORIES INC.**

101-4 Colin Drive • Holbrook, New York 11741

"MORROWS ANALYTICAL SOLUTIONS TODAY"

Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: Anson	Client ID: 131 Sunnyside Blvd. (Plating Area SW {4-6"})
Date received: 11/24/03	Laboratory ID: 1027755
Date extracted: 11/25, 11/26/03	Matrix: Soil
Date analyzed: 11/25, 11/26/03	ELAP #: 11693

METALS ANALYSIS

Parameter	MDL	Results mg/kg
SILVER, Ag	1.65 mg/kg	<1.65
ARSENIC, As	1.65 mg/kg	3.62
BARIUM, Ba	3.33 mg/kg	21.8
CADMIUM, Cd	1.00 mg/kg	<1.00
CHROMIUM, Cr	1.65 mg/kg	5.95
MERCURY, Hg	0.020 mg/kg	0.02
LEAD, Pb	1.65 mg/kg	14.9
SELENIUM, Se	1.65 mg/kg	<1.65
HEXAVALENT CHROMIUM	4.82 mg/kg	<4.82

MDL = Minimum Detection Limit.

Performed by SW-846 Method 6010

Michael Veraldi

Michael Veraldi-Laboratory Director



**LONG
ISLAND
ANALYTICAL
LABORATORIES INC.**

101-4 Colin Drive • Holbrook, New York 11741

OMGROW'S ANALYTICAL SOLUTIONS TODAY?

Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: Anson	Client ID: 131 Sunnyside Blvd., Plainview (Fenced Area Endpoint)
Date received: 11/13/03	Laboratory ID: 1026893
Date extracted: 11/19/03	Matrix: Soil
Date analyzed: 11/19/03	ELAP #: 11693

EPA METHOD 8270(BN)

Parameter	CAS No.	MDL	Results ug/kg
Bis(2-CHLOROETHYL)ETHER	111-44-4	40 ug/kg	<240
1,3-DICHLOROBENZENE	541-73-1	40 ug/kg	<240
1,4-DICHLOROBENZENE	106-46-7	40 ug/kg	<240
1,2-DICHLOROBENZENE	95-50-1	40 ug/kg	<240
Bis(2-CHLOROISOPROPYL)ETHER	108-60-1	40 ug/kg	<240
HEXACHLOROETHANE	67-72-1	40 ug/kg	<240
N-NITROSODI-n-PROPYL AMINE	621-64-7	40 ug/kg	<240
NITROBENZENE	98-95-3	40 ug/kg	<240
ISOPHORONE	78-59-1	40 ug/kg	<240
Bis(2-CHLOROETHOXY)METHANE	111-91-1	40 ug/kg	<240
1,2,4-TRICHLOROBENZENE	120-82-1	40 ug/kg	<240
NAPHTHALENE	91-20-3	40 ug/kg	<240
HEXACHLOROBUTADIENE	87-68-3	40 ug/kg	<240
HEXACHLOROCYCLOPENTADIENE	77-47-4	40 ug/kg	<240
2-CHLORONAPHTHALENE	91-58-7	40 ug/kg	<240
ACENAPHTHYLENE	208-96-8	40 ug/kg	<240
DIMETHYLPHTHALATE	131-11-3	40 ug/kg	<240
2,6-DINITROTOLUENE	606-20-2	40 ug/kg	<240
ACENAPHTHENE	83-32-9	40 ug/kg	<240
2,4-DINITROTOLUENE	121-14-2	40 ug/kg	<240
FLUORENE	86-73-7	40 ug/kg	<240
4-CHLOROPHENYL PHENYL ETHER	7005-72-3	40 ug/kg	<240

MDL = Minimum Detection Limit.

Note: MDL's are raised due to matrix interference.

Client: Anson	Client ID: 131 Sunnyside Blvd., Plainview (Fenced Area Endpoint)
Date received: 11/13/03	Laboratory ID: 1026893
Date extracted: 11/19/03	Matrix: Soil
Date analyzed: 11/19/03	ELAP #: 11693

EPA METHOD 8270(BN)

Parameter	CAS No.	MDL	Results ug/kg
DIETHYLPHTHALATE	84-66-2	40 ug/kg	<240
4-BROMOPHENYL-PHENYL ETHER	101-55-3	40 ug/kg	<240
HEXACHLOROBENZENE	118-74-1	40 ug/kg	<240
PHENANTHRENE	85-01-8	40 ug/kg	256
ANTHRACENE	120-12-7	40 ug/kg	<240
Di-n-BUTYLPHTHALATE	84-74-2	500 ug/kg	<500
FLUORANTHENE	206-44-0	40 ug/kg	432
PYRENE	129-00-0	40 ug/kg	434
BUTYLBENZYLPHTHALATE	85-68-7	40 ug/kg	<240
3,3-DICHLOROBENZIDINE	91-94-1	40 ug/kg	<240
BENZO-a-ANTHRACENE	56-55-3	40 ug/kg	<240
CHRYSENE	218-01-9	40 ug/kg	321
Bis(2-ETHYLEXYL)PHTALATE	117-81-7	500 ug/kg	<500
DI-n-OCTYLPHTHALATE	117-84-0	40 ug/kg	<240
BENZO-b-FLUOROANTHENE	205-99-2	40 ug/kg	415
BENZO-k- FLUOROANTHENE	207-08-9	40 ug/kg	<240
BENZO-a-PYRENE	50-32-8	40 ug/kg	300
INDENO(1,2,3-c,d)PYRENE	193-39-5	40 ug/kg	<240
DIBENZO-a,h-ANTHRACENE	53-70-3	40 ug/kg	<240
BENZO-g,h,i-PERYLENE	191-24-2	40 ug/kg	247

MDL = Minimum Detection Limit.

Note: MDL's are raised due to matrix interference.



Michael Veraldi-Laboratory Director

Client: Anson	Client ID: 131 Sunnyside Blvd., Plainview (Fenced Area Endpoint)
Date received: 11/13/03	Laboratory ID: 1026893
Date extracted: 11/14, 11/15/03	Matrix: Soil
Date analyzed: 11/14, 11/15/03	ELAP #: 11693

METALS ANALYSIS

Parameter	MDL	Results mg/kg
SILVER, Ag	1.65 mg/kg	<1.65
ARSENIC, As	1.65 mg/kg	<1.65
BARIUM, Ba	3.33 mg/kg	4.40
CADMIUM, Cd	1.00 mg/kg	<1.00
CHROMIUM, Cr	1.65 mg/kg	3.00
HEXAVELANT CHROMIUM	1.00 mg/kg	<1.00
MERCURY, Hg	0.020 mg/kg	<0.020
LEAD, Pb	1.65 mg/kg	<1.65
SELENIUM, Se	1.65 mg/kg	<1.65

MDL = Minimum Detection Limit.

Analysis by SW-846 Method 6010



Michael Veraldi-Laboratory Director



LONG
ISLAND
ANALYTICAL
LABORATORIES INC.

101-4 Colin Drive • Holbrook, New York 11741

COMMITMENT TO ANALYTICAL SOLUTIONS TODAY

Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: Anson	Client ID: 131 Sunnyside Blvd., Plainview (Fenced Area)
Date received: 11/13/03	Laboratory ID: 1026892
Date extracted: 11/19/03	Matrix: Soil
Date analyzed: 11/19/03	ELAP #: 11693

EPA METHOD 8270(BN)

Parameter	CAS No.	MDL	Results ug/kg
Bis(2-CHLOROETHYL)ETHER	111-44-4	40 ug/kg	<240
1,3-DICHLOROBENZENE	541-73-1	40 ug/kg	<240
1,4-DICHLOROBENZENE	106-46-7	40 ug/kg	<240
1,2-DICHLOROBENZENE	95-50-1	40 ug/kg	<240
Bis(2-CHLOROISOPROPYL)ETHER	108-60-1	40 ug/kg	<240
HEXACHLOROETHANE	67-72-1	40 ug/kg	<240
N-NITROSODI-n-PROPYL AMINE	621-64-7	40 ug/kg	<240
NITROBENZENE	98-95-3	40 ug/kg	<240
ISOPHORONE	78-59-1	40 ug/kg	<240
Bis(2-CHLOROETHOXY)METHANE	111-91-1	40 ug/kg	<240
1,2,4-TRICHLOROBENZENE	120-82-1	40 ug/kg	<240
NAPHTHALENE	91-20-3	40 ug/kg	<240
HEXACHLOROBUTADIENE	87-68-3	40 ug/kg	<240
HEXACHLOROCYCLOPENTADIENE	77-47-4	40 ug/kg	<240
2-CHLORONAPHTHALENE	91-58-7	40 ug/kg	<240
ACENAPHTHYLENE	208-96-8	40 ug/kg	<240
DIMETHYLPHTHALATE	131-11-3	40 ug/kg	<240
2,6-DINITROTOLUENE	606-20-2	40 ug/kg	<240
ACENAPHTHENE	83-32-9	40 ug/kg	<240
2,4-DINITROTOLUENE	121-14-2	40 ug/kg	<240
FLUORENE	86-73-7	40 ug/kg	<240
4-CHLOROPHENYL PHENYL ETHER	7005-72-3	40 ug/kg	<240

MDL = Minimum Detection Limit.

Note: MDL's are raised due to matrix interference.



LONG
ISLAND
ANALYTICAL
LABORATORIES, INC.

101-4 Colin Drive • Holbrook, New York 11741

Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: Anson	Client ID: 131 Sunnyside Blvd., Plainview (Fenced Area)
Date received: 11/13/03	Laboratory ID: 1026892
Date extracted: 11/19/03	Matrix: Soil
Date analyzed: 11/19/03	ELAP #: 11693

EPA METHOD 8270(BN)

Parameter	CAS No.	MDL	Results ug/kg
DIETHYLPHTHALATE	84-66-2	40 ug/kg	<240
4-BROMOPHENYL-PHENYL ETHER	101-55-3	40 ug/kg	<240
HEXACHLOROBENZENE	118-74-1	40 ug/kg	<240
PHENANTHRENE	85-01-8	40 ug/kg	408
ANTHRACENE	120-12-7	40 ug/kg	<240
Di-n-BUTYLPHTHALATE	84-74-2	500 ug/kg	<500
FLUORANTHENE	206-44-0	40 ug/kg	586
PYRENE	129-00-0	40 ug/kg	582
BUTYLBENZYLPHthalATE	85-68-7	40 ug/kg	<240
3,3-DICHLOROBENZIDINE	91-94-1	40 ug/kg	<240
BENZO-a-ANTHRACENE	56-55-3	40 ug/kg	294
CHRYSENE	218-01-9	40 ug/kg	391
Bis(2-ETHYLEXYL)PHTALATE	117-81-7	500 ug/kg	<500
DI-n-OCTYLPHTHALATE	117-84-0	40 ug/kg	<240
BENZO-b-FLUOROANTHENE	205-99-2	40 ug/kg	470
BENZO-k- FLUOROANTHENE	207-08-9	40 ug/kg	<240
BENZO-a-PYRENE	50-32-8	40 ug/kg	342
INDENO(1,2,3-c,d)PYRENE	193-39-5	40 ug/kg	<240
DIBENZO-a,h-ANTHRACENE	53-70-3	40 ug/kg	<240
BENZO-g,h,i-PERYLENE	191-24-2	40 ug/kg	293

MDL = Minimum Detection Limit.

Note: MDL's are raised due to matrix interference.

Michael Veraldi

Michael Veraldi-Laboratory Director



LONG
ISLAND
ANALYTICAL
LABORATORY INC.

101-4 Colin Drive • Holbrook, New York 11741

TOMORROW'S ANALYTICAL SOLUTIONS TODAY Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: Anson	Client ID: 131 Sunnyside Blvd., Plainview (Fenced Area)
Date received: 11/13/03	Laboratory ID: 1026892
Date extracted: 11/14, 11/15/03	Matrix: Soil
Date analyzed: 11/14, 11/15/03	ELAP #: 11693

METALS ANALYSIS

Parameter	MDL	Results mg/kg
SILVER, Ag	1.65 mg/kg	<1.65
ARSENIC, As	1.65 mg/kg	2.50
BARIUM, Ba	3.33 mg/kg	20.5
CADMIUM, Cd	1.00 mg/kg	<1.00
CHROMIUM, Cr	1.65 mg/kg	11.4
HEXAVALANT CHROMIUM	2.46 mg/kg	<2.46
MERCURY, Hg	0.020 mg/kg	<0.020
LEAD, Pb	1.65 mg/kg	5.57
SELENIUM, Se	1.65 mg/kg	<1.65

MDL = Minimum Detection Limit.

Analysis by SW-846 Method 6010



Michael Veraldi-Laboratory Director



LONG
ISLAND
ANALYTICAL
LABORATORIES INC.

101-4 Colin Drive • Holbrook, New York 11741

Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: Anson Environmental	Client ID: 131 Sunnyside Blvd. (Fenced Area SE Corner 2')
Date received: 12/19/03	Laboratory ID: 1029293
Date extracted: 12/22/03	Matrix: Soil
Date analyzed: 12/22/03	ELAP #: 11693

EPA METHOD 8270(BN)

Parameter	CAS No.	MDL	Results ug/kg
Bis(2-CHLOROETHYL)ETHER	111-44-4	40 ug/kg	<40
1,3-DICHLOROBENZENE	541-73-1	40 ug/kg	<40
1,4-DICHLOROBENZENE	106-46-7	40 ug/kg	<40
1,2-DICHLOROBENZENE	95-50-1	40 ug/kg	<40
Bis(2-CHLOROISOPROPYL)ETHER	108-60-1	40 ug/kg	<40
HEXACHLOROETHANE	67-72-1	40 ug/kg	<40
N-NITROSODI-n-PROPYL AMINE	621-64-7	40 ug/kg	<40
NITROBENZENE	98-95-3	40 ug/kg	<40
ISOPHORONE	78-59-1	40 ug/kg	<40
Bis(2-CHLOROETHOXY)METHANE	111-91-1	40 ug/kg	<40
1,2,4-TRICHLOROBENZENE	120-82-1	40 ug/kg	<40
NAPHTHALENE	91-20-3	40 ug/kg	<40
HEXACHLOROBUTADIENE	87-68-3	40 ug/kg	<40
HEXACHLOROCYCLOPENTADIENE	77-47-4	66 ug/kg	<40
2-CHLORONAPHTHALENE	91-58-7	40 ug/kg	<40
ACENAPHTHYLENE	208-96-8	40 ug/kg	<40
DIMETHYLPHTHALATE	131-11-3	40 ug/kg	<40
2,6-DINITROTOLUENE	606-20-2	40 ug/kg	<40
ACENAPHTHENE	83-32-9	40 ug/kg	<40
2,4-DINITROTOLUENE	121-14-2	40 ug/kg	<40
FLUORENE	86-73-7	40 ug/kg	<40
4-CHLOROPHENYL PHENYL ETHER	7005-72-3	40 ug/kg	<40

MDL = Minimum Detection Limit.



LONG
ISLAND
ANALYTICAL
LABORATORY, INC.

101-4 Colin Drive • Holbrook, New York 11741

Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: Anson Environmental	Client ID: 131 Sunnyside Blvd. (Fenced Area SE Corner 2')
Date received: 12/19/03	Laboratory ID: 1029293
Date extracted: 12/22/03	Matrix: Soil
Date analyzed: 12/22/03	ELAP #: 11693

EPA METHOD 8270(BN)

Parameter	CAS No.	MDL	Results ug/kg
DIETHYLPHTHALATE	84-66-2	40 ug/kg	<40
4-BROMOPHENYL-PHENYL ETHER	101-55-3	40 ug/kg	<40
HEXACHLOROBENZENE	118-74-1	40 ug/kg	<40
PHENANTHRENE	85-01-8	40 ug/kg	<40
ANTHRACENE	120-12-7	40 ug/kg	<40
Di-n-BUTYLPHTHALATE	84-74-2	500 ug/kg	<500
FLUORANTHENE	206-44-0	40 ug/kg	<40
PYRENE	129-00-0	40 ug/kg	<40
BUTYLBENZYLPHTHALATE	85-68-7	40 ug/kg	<40
3,3-DICHLOROBENZIDINE	91-94-1	40 ug/kg	<40
BENZO-a-ANTHRACENE	56-55-3	40 ug/kg	<40
CHRYSENE	218-01-9	40 ug/kg	<40
Bis(2-ETHYLEXYL)PHTALATE	117-81-7	500 ug/kg	<500
DI-n-OCTYLPHTHALATE	117-84-0	40 ug/kg	<40
BENZO-b-FLUOROANTHENE	205-99-2	40 ug/kg	<40
BENZO-k- FLUOROANTHENE	207-08-9	40 ug/kg	<40
BENZO-a-PYRENE	50-32-8	40 ug/kg	<40
INDENO(1,2,3-c,d)PYRENE	193-39-5	40 ug/kg	<40
DIBENZO-a,h-ANTHRACENE	53-70-3	40 ug/kg	<40
BENZO-g,h,i-PERYLENE	191-24-2	40 ug/kg	<40

MDL = Minimum Detection Limit.



Michael Veraldi-Laboratory Director



LONG
ISLAND
ANALYTICAL
LABORATORY, INC.

101-4 Colin Drive • Holbrook, New York 11741

Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: Anson Environmental	Client ID: 131 Sunnyside Blvd. (Fenced Area SE Corner 2')
Date received: 12/19/03	Laboratory ID: 1029293
Date extracted: 12/22/03	Matrix: Soil
Date analyzed: 12/22/03	ELAP #: 11693

METALS ANALYSIS 8 RCRA

Parameter	MDL	Results mg/kg
SILVER, Ag	1.65 mg/kg	<1.65
ARSENIC, As	1.65 mg/kg	1.69
BARIUM, Ba	3.33 mg/kg	12.53
CADMIUM, Cd	1.00 mg/kg	<1.00
CHROMIUM, Cr	1.65 mg/kg	6.67
MERCURY, Hg	0.020 mg/kg	0.025
LEAD, Pb	1.65 mg/kg	3.33
SELENIUM, Se	1.65 mg/kg	<1.65

MDL = Minimum Detection Limit.

Performed by SW-846 Method 6010



Michael Veraldi-Laboratory Director



LONG
ISLAND
ANALYTICAL
LABORATORIES INC.

101-4 Colin Drive • Holbrook, New York 11741

Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: Anson Environmental	Client ID: 131 Sunnyside Blvd., 03150 (Fenced Area #1)
Date received: 12/2/03*	Laboratory ID: 1028323A
Date extracted: 12/19/03	Matrix: Soil
Date analyzed: 12/19/03	ELAP #: 11693

EPA METHOD 8270(BN)

Parameter	CAS No.	MDL	Results ug/kg
Bis(2-CHLOROETHYL)ETHER	111-44-4	40 ug/kg	<40
1,3-DICHLOROBENZENE	541-73-1	40 ug/kg	<40
1,4-DICHLOROBENZENE	106-46-7	40 ug/kg	<40
1,2-DICHLOROBENZENE	95-50-1	40 ug/kg	<40
Bis(2-CHLOROISOPROPYL)ETHER	108-60-1	40 ug/kg	<40
HEXACHLOROETHANE	67-72-1	40 ug/kg	<40
N-NITROSODI-n-PROPYL AMINE	621-64-7	40 ug/kg	<40
NITROBENZENE	98-95-3	40 ug/kg	<40
ISOPHORONE	78-59-1	40 ug/kg	<40
Bis(2-CHLOROETHOXY)METHANE	111-91-1	40 ug/kg	<40
1,2,4-TRICHLOROBENZENE	120-82-1	40 ug/kg	<40
NAPHTHALENE	91-20-3	40 ug/kg	<40
HEXACHLOROBUTADIENE	87-68-3	40 ug/kg	<40
HEXACHLOROCYCLOPENTADIENE	77-47-4	66 ug/kg	<66
2-CHLORONAPHTHALENE	91-58-7	40 ug/kg	<40
ACENAPHTHYLENE	208-96-8	40 ug/kg	<40
DIMETHYLPHTHALATE	131-11-3	40 ug/kg	<40
2,6-DINITROTOLUENE	606-20-2	40 ug/kg	<40
ACENAPHTHENE	83-32-9	40 ug/kg	<40
2,4-DINITROTOLUENE	121-14-2	40 ug/kg	<40
FLUORENE	86-73-7	40 ug/kg	<40
4-CHLOROPHENYL PHENYL ETHER	7005-72-3	40 ug/kg	<40

MDL = Minimum Detection Limit.

*Sample was resubmitted on December 18, 2003.


Client: Anson Environmental	Client ID: 131 Sunnyside Blvd., 03150 (Fenced Area #1)
Date received: 12/2/03*	Laboratory ID: 1028323A
Date extracted: 12/19/03	Matrix: Soil
Date analyzed: 12/19/03	ELAP #: 11693

EPA METHOD 8270(BN)

Parameter	CAS No.	MDL	Results ug/kg
DIETHYLPHthalate	84-66-2	40 ug/kg	<40
4-BROMOPHENYL-PHENYL ETHER	101-55-3	40 ug/kg	<40
HEXACHLOROBENZENE	118-74-1	40 ug/kg	<40
PHENANTHRENE	85-01-8	40 ug/kg	<40
ANTHRACENE	120-12-7	40 ug/kg	<40
Di-n-BUTYLPHthalate	84-74-2	500 ug/kg	<500
FLUORANTHENE	206-44-0	40 ug/kg	<40
PYRENE	129-00-0	40 ug/kg	<40
BUTYLBENZYLPHthalate	85-68-7	40 ug/kg	<40
3,3-DICHLOROBENZIDINE	91-94-1	40 ug/kg	<40
BENZO-a-ANTHRACENE	56-55-3	40 ug/kg	<40
CHRYSENE	218-01-9	40 ug/kg	<40
Bis(2-ETHYLEXYL)PHTALATE	117-81-7	500 ug/kg	<500
DI-n-OCTYLPHthalate	117-84-0	40 ug/kg	<40
BENZO-b-FLUOROANTHENE	205-99-2	40 ug/kg	<40
BENZO-k- FLUOROANTHENE	207-08-9	40 ug/kg	<40
BENZO-a-PYRENE	50-32-8	40 ug/kg	<40
INDENO(1,2,3-c,d)PYRENE	193-39-5	40 ug/kg	<40
DIBENZO-a,h-ANTHRACENE	53-70-3	40 ug/kg	<40
BENZO-g,h,i-PERYLENE	191-24-2	40 ug/kg	<40

MDL = Minimum Detection Limit.

*Sample was resubmitted on December 18, 2003.



Michael Veraldi-Laboratory Director



Client: Anson Environmental	Client ID: 131 Sunnyside Blvd., 03150 (Fenced Area #1)
Date received: 12/2/03	Laboratory ID: 1028323
Date extracted: 12/3/03	Matrix: Soil
Date analyzed: 12/3/03	ELAP #: 11693

METALS ANALYSIS 8 RCRA

Parameter	MDL	Results mg/kg
SILVER, Ag	1.65 mg/kg	<1.65
ARSENIC, As	1.65 mg/kg	<1.65
BARIUM, Ba	3.33 mg/kg	<3.33
CADMIUM, Cd	1.00 mg/kg	<1.00
CHROMIUM, Cr	1.65 mg/kg	1.82
MERCURY, Hg	0.020 mg/kg	<0.020
LEAD, Pb	1.65 mg/kg	<1.65
SELENIUM, Se	1.65 mg/kg	<1.65

MDL = Minimum Detection Limit.

Performed by SW-846 Method 6010



Michael Veraldi-Laboratory Director

Client: Anson Environmental	Client ID: 131 Sunnyside Blvd., 03150 (Fenced Area #2)
Date received: 12/2/03*	Laboratory ID: 1028324A
Date extracted: 12/19/03	Matrix: Soil
Date analyzed: 12/19/03	ELAP #: 11693

EPA METHOD 8270(BN)

Parameter	CAS No.	MDL	Results ug/kg
Bis(2-CHLOROETHYL)ETHER	111-44-4	40 ug/kg	<40
1,3-DICHLOROBENZENE	541-73-1	40 ug/kg	<40
1,4-DICHLOROBENZENE	106-46-7	40 ug/kg	<40
1,2-DICHLOROBENZENE	95-50-1	40 ug/kg	<40
Bis(2-CHLOROISOPROPYL)ETHER	108-60-1	40 ug/kg	<40
HEXACHLOROETHANE	67-72-1	40 ug/kg	<40
N-NITROSODI-n-PROPYL AMINE	621-64-7	40 ug/kg	<40
NITROBENZENE	98-95-3	40 ug/kg	<40
ISOPHORONE	78-59-1	40 ug/kg	<40
Bis(2-CHLOROETHOXY)METHANE	111-91-1	40 ug/kg	<40
1,2,4-TRICHLOROBENZENE	120-82-1	40 ug/kg	<40
NAPHTHALENE	91-20-3	40 ug/kg	<40
HEXACHLOROBUTADIENE	87-68-3	40 ug/kg	<40
HEXACHLOROCYCLOPENTADIENE	77-47-4	66 ug/kg	<66
2-CHLORONAPHTHALENE	91-58-7	40 ug/kg	<40
ACENAPHTHYLENE	208-96-8	40 ug/kg	<40
DIMETHYLPHTHALATE	131-11-3	40 ug/kg	<40
2,6-DINITROTOLUENE	606-20-2	40 ug/kg	<40
ACENAPHTHENE	83-32-9	40 ug/kg	<40
2,4-DINITROTOLUENE	121-14-2	40 ug/kg	<40
FLUORENE	86-73-7	40 ug/kg	<40
4-CHLOROPHENYL PHENYL ETHER	7005-72-3	40 ug/kg	<40

MDL = Minimum Detection Limit.

*Sample was resubmitted on December 18, 2003.



LIAISON
ANALYTICAL
LABORATORIES

101-4 Colin Drive • Holbrook, New York 11741

Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: Anson Environmental	Client ID: 131 Sunnyside Blvd., 03150 (Fenced Area #2)
Date received: 12/2/03*	Laboratory ID: 1028324A
Date extracted: 12/19/03	Matrix: Soil
Date analyzed: 12/19/03	ELAP #: 11693

EPA METHOD 8270(BN)

Parameter	CAS No.	MDL	Results ug/kg
DIETHYLPHthalate	84-66-2	40 ug/kg	<40
4-BROMOPHENYL-PHENYL ETHER	101-55-3	40 ug/kg	<40
HEXACHLOROBENZENE	118-74-1	40 ug/kg	<40
PHENANTHRENE	85-01-8	40 ug/kg	<40
ANTHRACENE	120-12-7	40 ug/kg	<40
Di-n-BUTYLPHthalate	84-74-2	500 ug/kg	<500
FLUORANTHENE	206-44-0	40 ug/kg	<40
PYRENE	129-00-0	40 ug/kg	<40
BUTYLBENZYLPHthalate	85-68-7	40 ug/kg	<40
3,3-DICHLOROBENZIDINE	91-94-1	40 ug/kg	<40
BENZO-a-ANTHRACENE	56-55-3	40 ug/kg	<40
CHRYSENE	218-01-9	40 ug/kg	<40
Bis(2-ETHYLEXYL)PHTALATE	117-81-7	500 ug/kg	<500
DI-n-OCTYLPHthalate	117-84-0	40 ug/kg	<40
BENZO-b-FLUOROANTHENE	205-99-2	40 ug/kg	<40
BENZO-k- FLUOROANTHENE	207-08-9	40 ug/kg	<40
BENZO-a-PYRENE	50-32-8	40 ug/kg	<40
INDENO(1,2,3-c,d)PYRENE	193-39-5	40 ug/kg	<40
DIBENZO-a,h-ANTHRACENE	53-70-3	40 ug/kg	<40
BENZO-g,h,i-PERYLENE	191-24-2	40 ug/kg	<40

MDL = Minimum Detection Limit.

*Sample was resubmitted on December 18, 2003.

Michael Veraldi

Michael Veraldi-Laboratory Director



LONG
ISLAND
ANALYTICAL
LABORATORY, INC.

101-4 Colin Drive • Holbrook, New York 11741

Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: Anson Environmental	Client ID: 131 Sunnyside Blvd., 03150 (Fenced Area #2)
Date received: 12/2/03	Laboratory ID: 1028324
Date extracted: 12/3/03	Matrix: Soil
Date analyzed: 12/3/03	ELAP #: 11693

METALS ANALYSIS 8 RCRA

Parameter	MDL	Results mg/kg
SILVER, Ag	1.65 mg/kg	<1.65
ARSENIC, As	1.65 mg/kg	<1.65
BARIUM, Ba	3.33 mg/kg	11.4
CADMIUM, Cd	1.00 mg/kg	<1.00
CHROMIUM, Cr	1.65 mg/kg	9.28
MERCURY, Hg	0.020 mg/kg	<0.020
LEAD, Pb	1.65 mg/kg	2.96
SELENIUM, Se	1.65 mg/kg	<1.65

MDL = Minimum Detection Limit.

Performed by SW-846 Method 6010



Michael Veraldi-Laboratory Director

Client: Anson Environmental	Client ID: 131 Sunnyside Blvd., 03150 (Fenced Area #3)
Date received: 12/2/03*	Laboratory ID: 1028325A
Date extracted: 12/19/03	Matrix: Soil
Date analyzed: 12/19/03	ELAP #: 11693

EPA METHOD 8270(BN)

Parameter	CAS No.	MDL	Results ug/kg
Bis(2-CHLOROETHYL)ETHER	111-44-4	40 ug/kg	<40
1,3-DICHLOROBENZENE	541-73-1	40 ug/kg	<40
1,4-DICHLOROBENZENE	106-46-7	40 ug/kg	<40
1,2-DICHLOROBENZENE	95-50-1	40 ug/kg	<40
Bis(2-CHLOROISOPROPYL)ETHER	108-60-1	40 ug/kg	<40
HEXACHLOROETHANE	67-72-1	40 ug/kg	<40
N-NITROSODI-n-PROPYL AMINE	621-64-7	40 ug/kg	<40
NITROBENZENE	98-95-3	40 ug/kg	<40
ISOPHORONE	78-59-1	40 ug/kg	<40
Bis(2-CHLOROETHOXY)METHANE	111-91-1	40 ug/kg	<40
1,2,4-TRICHLOROBENZENE	120-82-1	40 ug/kg	<40
NAPHTHALENE	91-20-3	40 ug/kg	<40
HEXACHLOROBUTADIENE	87-68-3	40 ug/kg	<40
HEXACHLOROCYCLOPENTADIENE	77-47-4	66 ug/kg	<66
2-CHLORONAPHTHALENE	91-58-7	40 ug/kg	<40
ACENAPHTHYLENE	208-96-8	40 ug/kg	<40
DIMETHYLPHTHALATE	131-11-3	40 ug/kg	<40
2,6-DINITROTOLUENE	606-20-2	40 ug/kg	<40
ACENAPHTHENE	83-32-9	40 ug/kg	<40
2,4-DINITROTOLUENE	121-14-2	40 ug/kg	<40
FLUORENE	86-73-7	40 ug/kg	<40
4-CHLOROPHENYL PHENYL ETHER	7005-72-3	40 ug/kg	<40

MDL = Minimum Detection Limit.

*Sample was resubmitted on December 18, 2003.

Client: Anson Environmental	Client ID: 131 Sunnyside Blvd., 03150 (Fenced Area #3)
Date received: 12/2/03*	Laboratory ID: 1028325A
Date extracted: 12/19/03	Matrix: Soil
Date analyzed: 12/19/03	ELAP #: 11693

EPA METHOD 8270(BN)

Parameter	CAS No.	MDL	Results ug/kg
DIETHYLPHTHALATE	84-66-2	40 ug/kg	<40
4-BROMOPHENYL-PHENYL ETHER	101-55-3	40 ug/kg	<40
HEXACHLOROBENZENE	118-74-1	40 ug/kg	<40
PHENANTHRENE	85-01-8	40 ug/kg	<40
ANTHRACENE	120-12-7	40 ug/kg	<40
Di-n-BUTYLPHTHALATE	84-74-2	500 ug/kg	<500
FLUORANTHENE	206-44-0	40 ug/kg	48
PYRENE	129-00-0	40 ug/kg	<40
BUTYLBENZYLPHTHALATE	85-68-7	40 ug/kg	<40
3,3-DICHLOROBENZIDINE	91-94-1	40 ug/kg	<40
BENZO-a-ANTHRACENE	56-55-3	40 ug/kg	<40
CHRYSENE	218-01-9	40 ug/kg	<40
Bis(2-ETHYLEXYL)PHTALATE	117-81-7	500 ug/kg	<500
DI-n-OCTYLPHTHALATE	117-84-0	40 ug/kg	<40
BENZO-b-FLUOROANTHENE	205-99-2	40 ug/kg	<40
BENZO-k- FLUOROANTHENE	207-08-9	40 ug/kg	<40
BENZO-a-PYRENE	50-32-8	40 ug/kg	<40
INDENO(1,2,3-c,d)PYRENE	193-39-5	40 ug/kg	<40
DIBENZO-a,h-ANTHRACENE	53-70-3	40 ug/kg	<40
BENZO-g,h,i-PERYLENE	191-24-2	40 ug/kg	<40

MDL = Minimum Detection Limit.

*Sample was resubmitted on December 18, 2003.



Michael Veraldi-Laboratory Director

Client: Anson Environmental	Client ID: 131 Sunnyside Blvd., 03150 (Fenced Area #3)
Date received: 12/2/03	Laboratory ID: 1028325
Date extracted: 12/3/03	Matrix: Soil
Date analyzed: 12/3/03	ELAP #: 11693

METALS ANALYSIS 8 RCRA

Parameter	MDL	Results mg/kg
SILVER, Ag	1.65 mg/kg	<1.65
ARSENIC, As	1.65 mg/kg	<1.65
BARIUM, Ba	3.33 mg/kg	<3.33
CADMIUM, Cd	1.00 mg/kg	<1.00
CHROMIUM, Cr	1.65 mg/kg	2.11
MERCURY, Hg	0.020 mg/kg	<0.020
LEAD, Pb	1.65 mg/kg	<1.65
SELENIUM, Se	1.65 mg/kg	<1.65

MDL = Minimum Detection Limit.

Performed by SW-846 Method 6010



Michael Veraldi-Laboratory Director

Client: Anson Environmental	Client ID: 131 Sunnyside Blvd., 03150 (Fenced Area #4)
Date received: 12/2/03*	Laboratory ID: 1028326A
Date extracted: 12/19/03	Matrix: Soil
Date analyzed: 12/19/03	ELAP #: 11693

EPA METHOD 8270(BN)

Parameter	CAS No.	MDL	Results ug/kg
Bis(2-CHLOROETHYL)ETHER	111-44-4	40 ug/kg	<80
1,3-DICHLOROBENZENE	541-73-1	40 ug/kg	<80
1,4-DICHLOROBENZENE	106-46-7	40 ug/kg	<80
1,2-DICHLOROBENZENE	95-50-1	40 ug/kg	<80
Bis(2-CHLOROISOPROPYL)ETHER	108-60-1	40 ug/kg	<80
HEXACHLOROETHANE	67-72-1	40 ug/kg	<80
N-NITROSODI-n-PROPYL AMINE	621-64-7	40 ug/kg	<80
NITROBENZENE	98-95-3	40 ug/kg	<80
ISOPHORONE	78-59-1	40 ug/kg	<80
Bis(2-CHLOROETHOXY)METHANE	111-91-1	40 ug/kg	<80
1,2,4-TRICHLOROBENZENE	120-82-1	40 ug/kg	<80
NAPHTHALENE	91-20-3	40 ug/kg	<80
HEXACHLOROBUTADIENE	87-68-3	40 ug/kg	<80
HEXACHLOROCYCLOPENTADIENE	77-47-4	66 ug/kg	<80
2-CHLORONAPHTHALENE	91-58-7	40 ug/kg	<80
ACENAPHTHYLENE	208-96-8	40 ug/kg	<80
DIMETHYLPHTHALATE	131-11-3	40 ug/kg	<80
2,6-DINITROTOLUENE	606-20-2	40 ug/kg	<80
ACENAPHTHENE	83-32-9	40 ug/kg	<80
2,4-DINITROTOLUENE	121-14-2	40 ug/kg	<80
FLUORENE	86-73-7	40 ug/kg	<80
4-CHLOROPHENYL PHENYL ETHER	7005-72-3	40 ug/kg	<80

MDL = Minimum Detection Limit.

*Sample was resubmitted on December 18, 2003.

Note: MDL's are raised due to matrix interference.



LION
ISLAND
ANALYTICAL
LABORATORY

101-4 Colin Drive • Holbrook, New York 11741

Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: Anson Environmental	Client ID: 131 Sunnyside Blvd., 03150 (Fenced Area #4)
Date received: 12/2/03*	Laboratory ID: 1028326A
Date extracted: 12/19/03	Matrix: Soil
Date analyzed: 12/19/03	ELAP #: 11693

EPA METHOD 8270(BN)

Parameter	CAS No.	MDL	Results ug/kg
DIETHYLPHTHALATE	84-66-2	40 ug/kg	<80
4-BROMOPHENYL-PHENYL ETHER	101-55-3	40 ug/kg	<80
HEXACHLOROBENZENE	118-74-1	40 ug/kg	<80
PHENANTHRENE	85-01-8	40 ug/kg	169
ANTHRACENE	120-12-7	40 ug/kg	<80
Di-n-BUTYLPHTHALATE	84-74-2	500 ug/kg	<500
FLUORANTHENE	206-44-0	40 ug/kg	301
PYRENE	129-00-0	40 ug/kg	209
BUTYLBENZYLPHTHALATE	85-68-7	40 ug/kg	<80
3,3-DICHLOROBENZIDINE	91-94-1	40 ug/kg	<80
BENZO-a-ANTHRACENE	56-55-3	40 ug/kg	<80
CHRYSENE	218-01-9	40 ug/kg	159
Bis(2-ETHYLEXYL)PHTALATE	117-81-7	500 ug/kg	<500
DI-n-OCTYLPHTHALATE	117-84-0	40 ug/kg	<80
BENZO-b-FLUOROANTHENE	205-99-2	40 ug/kg	106
BENZO-k- FLUOROANTHENE	207-08-9	40 ug/kg	82
BENZO-a-PYRENE	50-32-8	40 ug/kg	<80
INDENO(1,2,3-c,d)PYRENE	193-39-5	40 ug/kg	<80
DIBENZO-a,h-ANTHRACENE	53-70-3	40 ug/kg	<80
BENZO-g,h,i-PERYLENE	191-24-2	40 ug/kg	<80

MDL = Minimum Detection Limit.

*Sample was resubmitted on December 18, 2003.

Note: MDL's are raised due to matrix interference.

Michael Veraldi

Michael Veraldi-Laboratory Director



LONG
ISLAND
ANALYTICAL
LABORATORY, INC.

101-4 Colin Drive • Holbrook, New York 11741

Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com


Client: Anson Environmental	Client ID: 131 Sunnyside Blvd., 03150 (Fenced Area #4)
Date received: 12/2/03	Laboratory ID: 1028326
Date extracted: 12/3/03	Matrix: Soil
Date analyzed: 12/3/03	ELAP #: 11693

METALS ANALYSIS 8 RCRA

Parameter	MDL	Results mg/kg
SILVER, Ag	1.65 mg/kg	<1.65
ARSENIC, As	1.65 mg/kg	1.81
BARIUM, Ba	3.33 mg/kg	19.5
CADMIUM, Cd	1.00 mg/kg	<1.00
CHROMIUM, Cr	1.65 mg/kg	9.41
MERCURY, Hg	0.020 mg/kg	<0.020
LEAD, Pb	1.65 mg/kg	4.35
SELENIUM, Se	1.65 mg/kg	<1.65

MDL = Minimum Detection Limit.

Performed by SW-846 Method 6010



Michael Veraldi-Laboratory Director



LONG
ISLAND
ANALYTICAL
LABORATORIES INC.

101-4 Colin Drive • Holbrook, New York 11741

MEMBERSHIP ANALYTICAL SOLUTIONS (M.A.S.)

Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: Anson Environmental	Client ID: 131 Sunnyside Blvd., 03150 (Fenced Area #5)
Date received: 12/2/03*	Laboratory ID: 1028327A
Date extracted: 12/19/03	Matrix: Soil
Date analyzed: 12/19/03	ELAP #: 11693

EPA METHOD 8270(BN)

Parameter	CAS No.	MDL	Results ug/kg
Bis(2-CHLOROETHYL)ETHER	111-44-4	40 ug/kg	<80
1,3-DICHLOROBENZENE	541-73-1	40 ug/kg	<80
1,4-DICHLOROBENZENE	106-46-7	40 ug/kg	<80
1,2-DICHLOROBENZENE	95-50-1	40 ug/kg	<80
Bis(2-CHLOROISOPROPYL)ETHER	108-60-1	40 ug/kg	<80
HEXACHLOROETHANE	67-72-1	40 ug/kg	<80
N-NITROSODI-n-PROPYL AMINE	621-64-7	40 ug/kg	<80
NITROBENZENE	98-95-3	40 ug/kg	<80
ISOPHORONE	78-59-1	40 ug/kg	<80
Bis(2-CHLOROETHOXY)METHANE	111-91-1	40 ug/kg	<80
1,2,4-TRICHLOROBENZENE	120-82-1	40 ug/kg	<80
NAPHTHALENE	91-20-3	40 ug/kg	<80
HEXACHLOROBUTADIENE	87-68-3	40 ug/kg	<80
HEXACHLOROCYCLOPENTADIENE	77-47-4	66 ug/kg	<80
2-CHLORONAPHTHALENE	91-58-7	40 ug/kg	<80
ACENAPHTHYLENE	208-96-8	40 ug/kg	<80
DIMETHYLPHTHALATE	131-11-3	40 ug/kg	<80
2,6-DINITROTOLUENE	606-20-2	40 ug/kg	<80
ACENAPHTHENE	83-32-9	40 ug/kg	<80
2,4-DINITROTOLUENE	121-14-2	40 ug/kg	<80
FLUORENE	86-73-7	40 ug/kg	<80
4-CHLOROPHENYL PHENYL ETHER	7005-72-3	40 ug/kg	<80

MDL = Minimum Detection Limit.

*Sample was resubmitted on December 18, 2003.



LONG
ISLAND
ANALYTICAL
LABORATORY, INC.

101-4 Colin Drive • Holbrook, New York 11741

TOMORROW'S ANALYTICAL SOLUTIONS TODAY

Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: Anson Environmental	Client ID: 131 Sunnyside Blvd., 03150 (Fenced Area #5)
Date received: 12/2/03*	Laboratory ID: 1028327A
Date extracted: 12/19/03	Matrix: Soil
Date analyzed: 12/19/03	ELAP #: 11693

EPA METHOD 8270(BN)

Parameter	CAS No.	MDL	Results ug/kg
DIETHYLPHTHALATE	84-66-2	40 ug/kg	<80
4-BROMOPHENYL-PHENYL ETHER	101-55-3	40 ug/kg	<80
HEXACHLOROBENZENE	118-74-1	40 ug/kg	<80
PHENANTHRENE	85-01-8	40 ug/kg	<80
ANTHRACENE	120-12-7	40 ug/kg	<80
Di-n-BUTYLPHTHALATE	84-74-2	500 ug/kg	<500
FLUORANTHENE	206-44-0	40 ug/kg	<80
PYRENE	129-00-0	40 ug/kg	<80
BUTYLBENZYLPHTHALATE	85-68-7	40 ug/kg	<80
3,3-DICHLOROBENZIDINE	91-94-1	40 ug/kg	<80
BENZO-a-ANTHRACENE	56-55-3	40 ug/kg	<80
CHRYSENE	218-01-9	40 ug/kg	<80
Bis(2-ETHYLEXYL)PHTALATE	117-81-7	500 ug/kg	<500
DI-n-OCTYLPHTHALATE	117-84-0	40 ug/kg	<80
BENZO-b-FLUOROANTHENE	205-99-2	40 ug/kg	<80
BENZO-k- FLUOROANTHENE	207-08-9	40 ug/kg	<80
BENZO-a-PYRENE	50-32-8	40 ug/kg	<80
INDENO(1,2,3-c,d)PYRENE	193-39-5	40 ug/kg	<80
DIBENZO-a,h-ANTHRACENE	53-70-3	40 ug/kg	<80
BENZO-g,h,i-PERYLENE	191-24-2	40 ug/kg	<80

MDL = Minimum Detection Limit.

*Sample was resubmitted on December 18, 2003.

MDL's due to matrix interference.

Michael Veraldi

Michael Veraldi-Laboratory Director



LONG
ISLAND
ANALYTICAL
LABORATORY

101-4 Colin Drive • Holbrook, New York 11741

Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com


Client: Anson Environmental	Client ID: 131 Sunnyside Blvd., 03150 (Fenced Area #5)
Date received: 12/2/03	Laboratory ID: 1028327
Date extracted: 12/3/03	Matrix: Soil
Date analyzed: 12/3/03	ELAP #: 11693

METALS ANALYSIS 8 RCRA

Parameter	MDL	Results mg/kg
SILVER, Ag	1.65 mg/kg	<1.65
ARSENIC, As	1.65 mg/kg	<1.65
BARIUM, Ba	3.33 mg/kg	4.95
CADMIUM, Cd	1.00 mg/kg	<1.00
CHROMIUM, Cr	1.65 mg/kg	4.21
MERCURY, Hg	0.020 mg/kg	<0.020
LEAD, Pb	1.65 mg/kg	2.44
SELENIUM, Se	1.65 mg/kg	<1.65

MDL = Minimum Detection Limit.

Performed by SW-846 Method 6010



Michael Veraldi-Laboratory Director



LONG
ISLAND
ANALYTICAL
LABORATORIES INC.

101-4 Colin Drive • Holbrook, New York 11741

TOMORROW'S ANALYTICAL SOLUTIONS TODAY™

Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: Anson Environmental	Client ID: 131 Sunnyside Blvd., 03150 (Fenced Area #6)
Date received: 12/2/03*	Laboratory ID: 1028328A
Date extracted: 12/19/03	Matrix: Soil
Date analyzed: 12/19/03	ELAP #: 11693

EPA METHOD 8270(BN)

Parameter	CAS No.	MDL	Results ug/kg
Bis(2-CHLOROETHYL)ETHER	111-44-4	40 ug/kg	<80
1,3-DICHLOROBENZENE	541-73-1	40 ug/kg	<80
1,4-DICHLOROBENZENE	106-46-7	40 ug/kg	<80
1,2-DICHLOROBENZENE	95-50-1	40 ug/kg	<80
Bis(2-CHLOROISOPROPYL)ETHER	108-60-1	40 ug/kg	<80
HEXACHLOROETHANE	67-72-1	40 ug/kg	<80
N-NITROSODI-n-PROPYL AMINE	621-64-7	40 ug/kg	<80
NITROBENZENE	98-95-3	40 ug/kg	<80
ISOPHORONE	78-59-1	40 ug/kg	<80
Bis(2-CHLOROETHOXY)METHANE	111-91-1	40 ug/kg	<80
1,2,4-TRICHLOROBENZENE	120-82-1	40 ug/kg	<80
NAPHTHALENE	91-20-3	40 ug/kg	273
HEXACHLOROBUTADIENE	87-68-3	40 ug/kg	<80
HEXACHLOROCYCLOPENTADIENE	77-47-4	66 ug/kg	<80
2-CHLORONAPHTHALENE	91-58-7	40 ug/kg	<80
ACENAPHTHYLENE	208-96-8	40 ug/kg	<80
DIMETHYLPHTHALATE	131-11-3	40 ug/kg	<80
2,6-DINITROTOLUENE	606-20-2	40 ug/kg	<80
ACENAPHTHENE	83-32-9	40 ug/kg	<80
2,4-DINTROTOLUENE	121-14-2	40 ug/kg	<80
FLUORENE	86-73-7	40 ug/kg	<80
4-CHLOROPHENYL PHENYL ETHER	7005-72-3	40 ug/kg	<80

MDL = Minimum Detection Limit.

*Sample was resubmitted on December 18, 2003.



LONG
ISLAND
ANALYTICAL
LABORATORIES, INC.

101-4 Colin Drive • Holbrook, New York 11741

Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com


Client: Anson Environmental	Client ID: 131 Sunnyside Blvd., 03150 (Fenced Area #6)
Date received: 12/2/03*	Laboratory ID: 1028328A
Date extracted: 12/19/03	Matrix: Soil
Date analyzed: 12/19/03	ELAP #: 11693

EPA METHOD 8270(BN)

Parameter	CAS No.	MDL	Results ug/kg
DIETHYLPHthalATE	84-66-2	40 ug/kg	<80
4-BROMOPHENYL-PHENYL ETHER	101-55-3	40 ug/kg	<80
HEXACHLOROBENZENE	118-74-1	40 ug/kg	<80
PHENANTHRENE	85-01-8	40 ug/kg	159
ANTHRACENE	120-12-7	40 ug/kg	<80
Di-n-BUTYLPHthalATE	84-74-2	500 ug/kg	<500
FLUORANTHENE	206-44-0	40 ug/kg	436
PYRENE	129-00-0	40 ug/kg	340
BUTYLBENZYLPHthalATE	85-68-7	40 ug/kg	<80
3,3-DICHLOROBENZIDINE	91-94-1	40 ug/kg	<80
BENZO-a-ANTHRACENE	56-55-3	40 ug/kg	133
CHRYSENE	218-01-9	40 ug/kg	218
Bis(2-ETHYLEXYL)PHTALATE	117-81-7	500 ug/kg	<500
DI-n-OCTYLPHthalATE	117-84-0	40 ug/kg	<80
BENZO-b-FLUOROANTHENE	205-99-2	40 ug/kg	149
BENZO-k- FLUOROANTHENE	207-08-9	40 ug/kg	182
BENZO-a-PYRENE	50-32-8	40 ug/kg	147
INDENO(1,2,3-c,d)PYRENE	193-39-5	40 ug/kg	<80
DIBENZO-a,h-ANTHRACENE	53-70-3	40 ug/kg	<80
BENZO-g,h,i-PERYLENE	191-24-2	40 ug/kg	86

MDL = Minimum Detection Limit.

*Sample was resubmitted on December 18, 2003.



Michael Veraldi-Laboratory Director



LIONO
ISLAND
ANALYTICAL
LABORATORIES

101-4 Colin Drive • Holbrook, New York 11741

Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: Anson Environmental	Client ID: 131 Sunnyside Blvd., 03150 (Fenced Area #6)
Date received: 12/2/03	Laboratory ID: 1028328
Date extracted: 12/3/03	Matrix: Soil
Date analyzed: 12/3/03	ELAP #: 11693

METALS ANALYSIS 8 RCRA

Parameter	MDL	Results mg/kg
SILVER, Ag	1.65 mg/kg	<1.65
ARSENIC, As	1.65 mg/kg	<1.65
BARIUM, Ba	3.33 mg/kg	9.31
CADMIUM, Cd	1.00 mg/kg	<1.00
CHROMIUM, Cr	1.65 mg/kg	2.65
MERCURY, Hg	0.020 mg/kg	<0.020
LEAD, Pb	1.65 mg/kg	2.56
SELENIUM, Se	1.65 mg/kg	<1.65

MDL = Minimum Detection Limit.

Performed by SW-846 Method 6010



Michael Veraldi-Laboratory Director

Client: Anson Environmental	Client ID: 131 Sunnyside Blvd., 03150 (Fenced Area #7)
Date received: 12/2/03*	Laboratory ID: 1028329A
Date extracted: 12/19/03	Matrix: Soil
Date analyzed: 12/19/03	ELAP #: 11693

EPA METHOD 8270(BN)

Parameter	CAS No.	MDL	Results ug/kg
Bis(2-CHLOROETHYL)ETHER	111-44-4	40 ug/kg	<80
1,3-DICHLOROBENZENE	541-73-1	40 ug/kg	<80
1,4-DICHLOROBENZENE	106-46-7	40 ug/kg	<80
1,2-DICHLOROBENZENE	95-50-1	40 ug/kg	<80
Bis(2-CHLOROISOPROPYL)ETHER	108-60-1	40 ug/kg	<80
HEXACHLOROETHANE	67-72-1	40 ug/kg	<80
N-NITROSODI-n-PROPYL AMINE	621-64-7	40 ug/kg	<80
NITROBENZENE	98-95-3	40 ug/kg	<80
ISOPHORONE	78-59-1	40 ug/kg	<80
Bis(2-CHLOROETHOXY)METHANE	111-91-1	40 ug/kg	<80
1,2,4-TRICHLOROBENZENE	120-82-1	40 ug/kg	<80
NAPHTHALENE	91-20-3	40 ug/kg	<80
HEXACHLOROBUTADIENE	87-68-3	40 ug/kg	<80
HEXACHLOROCYCLOPENTADIENE	77-47-4	66 ug/kg	<80
2-CHLORONAPHTHALENE	91-58-7	40 ug/kg	<80
ACENAPHTHYLENE	208-96-8	40 ug/kg	<80
DIMETHYLPHTHALATE	131-11-3	40 ug/kg	<80
2,6-DINITROTOLUENE	606-20-2	40 ug/kg	<80
ACENAPHTHENE	83-32-9	40 ug/kg	<80
2,4-DINITROTOLUENE	121-14-2	40 ug/kg	<80
FLUORENE	86-73-7	40 ug/kg	<80
4-CHLOROPHENYL PHENYL ETHER	7005-72-3	40 ug/kg	<80

MDL = Minimum Detection Limit.

*Sample was resubmitted on December 18, 2003.



LONG
ISLAND
ANALYTICAL
LABORATORIES, INC.

101-4 Colin Drive • Holbrook, New York 11741

Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com


Client: Anson Environmental	Client ID: 131 Sunnyside Blvd., 03150 (Fenced Area #7)
Date received: 12/2/03*	Laboratory ID: 1028329A
Date extracted: 12/19/03	Matrix: Soil
Date analyzed: 12/19/03	ELAP #: 11693

EPA METHOD 8270(BN)

Parameter	CAS No.	MDL	Results ug/kg
DIETHYLPHthalATE	84-66-2	40 ug/kg	<80
4-BROMOPHENYL-PHENYL ETHER	101-55-3	40 ug/kg	<80
HEXACHLOROBENZENE	118-74-1	40 ug/kg	<80
PHENANTHRENE	85-01-8	40 ug/kg	578
ANTHRACENE	120-12-7	40 ug/kg	<80
Di-n-BUTYLPHthalATE	84-74-2	500 ug/kg	<500
FLUORANTHENE	206-44-0	40 ug/kg	1,590
PYRENE	129-00-0	40 ug/kg	1,257
BUTYLBENZYLPHthalATE	85-68-7	40 ug/kg	<80
3,3-DICHLOROBENZIDINE	91-94-1	40 ug/kg	<80
BENZO-a-ANTHRACENE	56-55-3	40 ug/kg	397
CHRYSENE	218-01-9	40 ug/kg	680
Bis(2-ETHYLEXYL)PHTALATE	117-81-7	500 ug/kg	<500
DI-n-OCTYLPHthalATE	117-84-0	40 ug/kg	<80
BENZO-b-FLUOROANTHENE	205-99-2	40 ug/kg	606
BENZO-k- FLUOROANTHENE	207-08-9	40 ug/kg	390
BENZO-a-PYRENE	50-32-8	40 ug/kg	424
INDENO(1,2,3-c,d)PYRENE	193-39-5	40 ug/kg	259
DIBENZO-a,h-ANTHRACENE	53-70-3	40 ug/kg	81
BENZO-g,h,i-PERYLENE	191-24-2	40 ug/kg	235

MDL = Minimum Detection Limit.

*Sample was resubmitted on December 18, 2003.



Michael Veraldi-Laboratory Director



LONG
ISLAND
ANALYTICAL
LABORATORY, INC.

101-4 Colin Drive • Holbrook, New York 11741

Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: Anson Environmental	Client ID: 131 Sunnyside Blvd., 03150 (Fenced Area #7)
Date received: 12/2/03	Laboratory ID: 1028329
Date extracted: 12/3/03	Matrix: Soil
Date analyzed: 12/3/03	ELAP #: 11693

METALS ANALYSIS 8 RCRA

Parameter	MDL	Results mg/kg
SILVER, Ag	1.65 mg/kg	<1.65
ARSENIC, As	1.65 mg/kg	<1.65
BARIUM, Ba	3.33 mg/kg	17.9
CADMIUM, Cd	1.00 mg/kg	1.94
CHROMIUM, Cr	1.65 mg/kg	9.39
MERCURY, Hg	0.020 mg/kg	<0.020
LEAD, Pb	1.65 mg/kg	6.52
SELENIUM, Se	1.65 mg/kg	<1.65

MDL = Minimum Detection Limit.

Performed by SW-846 Method 6010



Michael Veraldi-Laboratory Director



LONG
ISLAND
ANALYTICAL
LABORATORIES INC.

101-4 Colin Drive • Holbrook, New York 11741

"CHALLENGING ANALYTICAL SOLUTIONS TODAY"

Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: Anson Environmental	Client ID: 131 Sunnyside Blvd., 03150 (Fenced Area #8)
Date received: 12/2/03*	Laboratory ID: 1028330A
Date extracted: 12/19/03	Matrix: Soil
Date analyzed: 12/19/03	ELAP #: 11693

EPA METHOD 8270(BN)

Parameter	CAS No.	MDL	Results ug/kg
Bis(2-CHLOROETHYL)ETHER	111-44-4	40 ug/kg	<120
1,3-DICHLOROBENZENE	541-73-1	40 ug/kg	<120
1,4-DICHLOROBENZENE	106-46-7	40 ug/kg	<120
1,2-DICHLOROBENZENE	95-50-1	40 ug/kg	<120
Bis(2-CHLOROISOPROPYL)ETHER	108-60-1	40 ug/kg	<120
HEXACHLOROETHANE	67-72-1	40 ug/kg	<120
N-NITROSODI-n-PROPYL AMINE	621-64-7	40 ug/kg	<120
NITROBENZENE	98-95-3	40 ug/kg	<120
ISOPHORONE	78-59-1	40 ug/kg	<120
Bis(2-CHLOROETHOXY)METHANE	111-91-1	40 ug/kg	<120
1,2,4-TRICHLOROBENZENE	120-82-1	40 ug/kg	<120
NAPHTHALENE	91-20-3	40 ug/kg	<120
HEXACHLOROBUTADIENE	87-68-3	40 ug/kg	<120
HEXACHLOROCYCLOPENTADIENE	77-47-4	66 ug/kg	<120
2-CHLORONAPHTHALENE	91-58-7	40 ug/kg	<120
ACENAPHTHYLENE	208-96-8	40 ug/kg	264
DIMETHYLPHTHALATE	131-11-3	40 ug/kg	<120
2,6-DINITROTOLUENE	606-20-2	40 ug/kg	<120
ACENAPHTHENE	83-32-9	40 ug/kg	<120
2,4-DINTROTOLUENE	121-14-2	40 ug/kg	<120
FLUORENE	86-73-7	40 ug/kg	302
4-CHLOROPHENYL PHENYL ETHER	7005-72-3	40 ug/kg	<120

MDL = Minimum Detection Limit.

*Sample was resubmitted on December 18, 2003.


Client: Anson Environmental	Client ID: 131 Sunnyside Blvd., 03150 (Fenced Area #8)
Date received: 12/2/03*	Laboratory ID: 1028330A
Date extracted: 12/19/03	Matrix: Soil
Date analyzed: 12/19/03	ELAP #: 11693

EPA METHOD 8270(BN)

Parameter	CAS No.	MDL	Results ug/kg
DIETHYLPHTHALATE	84-66-2	40 ug/kg	<120
4-BROMOPHENYL-PHENYL ETHER	101-55-3	40 ug/kg	<120
HEXACHLOROBENZENE	118-74-1	40 ug/kg	<120
PHENANTHRENE	85-01-8	40 ug/kg	3,422
ANTHRACENE	120-12-7	40 ug/kg	335
Di-n-BUTYLPHTHALATE	84-74-2	500 ug/kg	<500
FLUORANTHENE	206-44-0	40 ug/kg	4,870
PYRENE	129-00-0	40 ug/kg	3,837
BUTYLBENZYLPHTHALATE	85-68-7	40 ug/kg	<120
3,3-DICHLOROBENZIDINE	91-94-1	40 ug/kg	<120
BENZO-a-ANTHRACENE	56-55-3	40 ug/kg	1,361
CHRYSENE	218-01-9	40 ug/kg	2,210
Bis(2-ETHYLEXYL)PHTALATE	117-81-7	500 ug/kg	<500
DI-n-OCTYLPHTHALATE	117-84-0	40 ug/kg	<120
BENZO-b-FLUOROANTHENE	205-99-2	40 ug/kg	1,850
BENZO-k- FLUOROANTHENE	207-08-9	40 ug/kg	1,530
BENZO-a-PYRENE	50-32-8	40 ug/kg	1,542
INDENO(1,2,3-c,d)PYRENE	193-39-5	40 ug/kg	997
DIBENZO-a,h-ANTHRACENE	53-70-3	40 ug/kg	248
BENZO-g,h,i-PERYLENE	191-24-2	40 ug/kg	954

MDL = Minimum Detection Limit.

*Sample was resubmitted on December 18, 2003.



Michael Veraldi-Laboratory Director



Client: Anson Environmental	Client ID: 131 Sunnyside Blvd., 03150 (Fenced Area #8)
Date received: 12/2/03	Laboratory ID: 1028330
Date extracted: 12/3/03	Matrix: Soil
Date analyzed: 12/3/03	ELAP #: 11693

METALS ANALYSIS 8 RCRA

Parameter	MDL	Results mg/kg
SILVER, Ag	1.65 mg/kg	<1.65
ARSENIC, As	1.65 mg/kg	1.67
BARIUM, Ba	3.33 mg/kg	17.8
CADMIUM, Cd	1.00 mg/kg	2.28
CHROMIUM, Cr	1.65 mg/kg	18.7
MERCURY, Hg	0.020 mg/kg	<0.020
LEAD, Pb	1.65 mg/kg	9.26
SELENIUM, Se	1.65 mg/kg	<1.65

MDL = Minimum Detection Limit.

Performed by SW-846 Method 6010



Michael Veraldi-Laboratory Director



LONG
ISLAND
ANALYTICAL
LABORATORIES INC.

101-4 Colin Drive • Holbrook, New York 11741

TOMORROW'S ANALYTICAL SOLUTIONS TODAY

Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: Anson Environmental	Client ID: 131 Sunnyside Blvd., 03150 (Fenced Area #9)
Date received: 12/2/03*	Laboratory ID: 1028331A
Date extracted: 12/19/03	Matrix: Soil
Date analyzed: 12/19/03	ELAP #: 11693

EPA METHOD 8270(BN)

Parameter	CAS No.	MDL	Results ug/kg
Bis(2-CHLOROETHYL)ETHER	111-44-4	40 ug/kg	<80
1,3-DICHLOROBENZENE	541-73-1	40 ug/kg	<80
1,4-DICHLOROBENZENE	106-46-7	40 ug/kg	<80
1,2-DICHLOROBENZENE	95-50-1	40 ug/kg	<80
Bis(2-CHLOROISOPROPYL)ETHER	108-60-1	40 ug/kg	<80
HEXACHLOROETHANE	67-72-1	40 ug/kg	<80
N-NITROSODI-n-PROPYL AMINE	621-64-7	40 ug/kg	<80
NITROBENZENE	98-95-3	40 ug/kg	<80
ISOPHORONE	78-59-1	40 ug/kg	<80
Bis(2-CHLOROETHOXY)METHANE	111-91-1	40 ug/kg	<80
1,2,4-TRICHLOROBENZENE	120-82-1	40 ug/kg	<80
NAPHTHALENE	91-20-3	40 ug/kg	<80
HEXACHLOROBUTADIENE	87-68-3	40 ug/kg	<80
HEXACHLOROCYCLOPENTADIENE	77-47-4	66 ug/kg	<80
2-CHLORONAPHTHALENE	91-58-7	40 ug/kg	<80
ACENAPHTHYLENE	208-96-8	40 ug/kg	<80
DIMETHYLPHTHALATE	131-11-3	40 ug/kg	<80
2,6-DINITROTOLUENE	606-20-2	40 ug/kg	<80
ACENAPHTHENE	83-32-9	40 ug/kg	<80
2,4-DINTROTOLUENE	121-14-2	40 ug/kg	<80
FLUORENE	86-73-7	40 ug/kg	<80
4-CHLOROPHENYL PHENYL ETHER	7005-72-3	40 ug/kg	<80

MDL = Minimum Detection Limit.

*Sample was resubmitted on December 18, 2003.




Client: Anson Environmental	Client ID: 131 Sunnyside Blvd., 03150 (Fenced Area #9)
Date received: 12/2/03*	Laboratory ID: 1028331A
Date extracted: 12/19/03	Matrix: Soil
Date analyzed: 12/19/03	ELAP #: 11693

EPA METHOD 8270(BN)

Parameter	CAS No.	MDL	Results ug/kg
DIETHYLPHTHALATE	84-66-2	40 ug/kg	<80
4-BROMOPHENYL-PHENYL ETHER	101-55-3	40 ug/kg	<80
HEXACHLOROBENZENE	118-74-1	40 ug/kg	<80
PHENANTHRENE	85-01-8	40 ug/kg	500
ANTHRACENE	120-12-7	40 ug/kg	<80
Di-n-BUTYLPHTHALATE	84-74-2	500 ug/kg	<500
FLUORANTHENE	206-44-0	40 ug/kg	1,021
PYRENE	129-00-0	40 ug/kg	798
BUTYLBENZYLPHTHALATE	85-68-7	40 ug/kg	<80
3,3-DICHLOROBENZIDINE	91-94-1	40 ug/kg	<80
BENZO-a-ANTHRACENE	56-55-3	40 ug/kg	302
CHRYSENE	218-01-9	40 ug/kg	406
Bis(2-ETHYLEXYL)PHTALATE	117-81-7	500 ug/kg	<500
DI-n-OCTYLPHTHALATE	117-84-0	40 ug/kg	<80
BENZO-b-FLUOROANTHENE	205-99-2	40 ug/kg	477
BENZO-k- FLUOROANTHENE	207-08-9	40 ug/kg	188
BENZO-a-PYRENE	50-32-8	40 ug/kg	306
INDENO(1,2,3-c,d)PYRENE	193-39-5	40 ug/kg	209
DIBENZO-a,h-ANTHRACENE	53-70-3	40 ug/kg	<80
BENZO-g,h,i-PERYLENE	191-24-2	40 ug/kg	199

MDL = Minimum Detection Limit.

*Sample was resubmitted on December 18, 2003.



Michael Veraldi-Laboratory Director



LONG
ISLAND
ANALYTICAL
LABORATORY, INC.

101-4 Colin Drive • Holbrook, New York 11741

Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: Anson Environmental	Client ID: 131 Sunnyside Blvd., 03150 (Fenced Area #9)
Date received: 12/2/03	Laboratory ID: 1028331
Date extracted: 12/3/03	Matrix: Soil
Date analyzed: 12/3/03	ELAP #: 11693

METALS ANALYSIS 8 RCRA

Parameter	MDL	Results mg/kg
SILVER, Ag	1.65 mg/kg	<1.65
ARSENIC, As	1.65 mg/kg	3.29
BARIUM, Ba	3.33 mg/kg	26.1
CADMIUM, Cd	1.00 mg/kg	<1.00
CHROMIUM, Cr	1.65 mg/kg	9.71
MERCURY, Hg	0.020 mg/kg	0.028
LEAD, Pb	1.65 mg/kg	5.36
SELENIUM, Se	1.65 mg/kg	<1.65

MDL = Minimum Detection Limit.

Performed by SW-846 Method 6010



Michael Veraldi-Laboratory Director

Client: Anson Environmental	Client ID: 131 Sunnyside Blvd., 03150 (Fenced Area #10)
Date received: 12/2/03*	Laboratory ID: 1028332A
Date extracted: 12/19/03	Matrix: Soil
Date analyzed: 12/19/03	ELAP #: 11693

EPA METHOD 8270(BN)

Parameter	CAS No.	MDL	Results ug/kg
Bis(2-CHLOROETHYL)ETHER	111-44-4	40 ug/kg	<40
1,3-DICHLOROBENZENE	541-73-1	40 ug/kg	<40
1,4-DICHLOROBENZENE	106-46-7	40 ug/kg	<40
1,2-DICHLOROBENZENE	95-50-1	40 ug/kg	<40
Bis(2-CHLOROISOPROPYL)ETHER	108-60-1	40 ug/kg	<40
HEXACHLOROETHANE	67-72-1	40 ug/kg	<40
N-NITROSODI-n-PROPYL AMINE	621-64-7	40 ug/kg	<40
NITROBENZENE	98-95-3	40 ug/kg	<40
ISOPHORONE	78-59-1	40 ug/kg	<40
Bis(2-CHLOROETHOXY)METHANE	111-91-1	40 ug/kg	<40
1,2,4-TRICHLOROBENZENE	120-82-1	40 ug/kg	<40
NAPHTHALENE	91-20-3	40 ug/kg	<40
HEXACHLOROBUTADIENE	87-68-3	40 ug/kg	<40
HEXACHLOROCYCLOPENTADIENE	77-47-4	66 ug/kg	<66
2-CHLORONAPHTHALENE	91-58-7	40 ug/kg	<40
ACENAPHTHYLENE	208-96-8	40 ug/kg	<40
DIMETHYLPHTHALATE	131-11-3	40 ug/kg	<40
2,6-DINITROTOLUENE	606-20-2	40 ug/kg	<40
ACENAPHTHENE	83-32-9	40 ug/kg	<40
2,4-DINITROTOLUENE	121-14-2	40 ug/kg	<40
FLUORENE	86-73-7	40 ug/kg	<40
4-CHLOROPHENYL PHENYL ETHER	7005-72-3	40 ug/kg	<40

MDL = Minimum Detection Limit.

*Sample was resubmitted on December 18, 2003.



LONG
ISLAND
ANALYTICAL
LABORATORIES, INC.

101-4 Colin Drive • Holbrook, New York 11741

Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: Anson Environmental	Client ID: 131 Sunnyside Blvd., 03150 (Fenced Area #10)
Date received: 12/2/03*	Laboratory ID: 1028332A
Date extracted: 12/19/03	Matrix: Soil
Date analyzed: 12/19/03	ELAP #: 11693

EPA METHOD 8270(BN)

Parameter	CAS No.	MDL	Results ug/kg
DIETHYLPHTHALATE	84-66-2	40 ug/kg	<40
4-BROMOPHENYL-PHENYL ETHER	101-55-3	40 ug/kg	<40
HEXACHLOROBENZENE	118-74-1	40 ug/kg	<40
PHENANTHRENE	85-01-8	40 ug/kg	<40
ANTHRACENE	120-12-7	40 ug/kg	<40
Di-n-BUTYLPHTHALATE	84-74-2	500 ug/kg	<500
FLUORANTHENE	206-44-0	40 ug/kg	<40
PYRENE	129-00-0	40 ug/kg	<40
BUTYLBENZYLPHTHALATE	85-68-7	40 ug/kg	<40
3,3-DICHLOROBENZIDINE	91-94-1	40 ug/kg	<40
BENZO-a-ANTHRACENE	56-55-3	40 ug/kg	<40
CHRYSENE	218-01-9	40 ug/kg	<40
Bis(2-ETHYLEXYL)PHTALATE	117-81-7	500 ug/kg	<500
DI-n-OCTYLPHTHALATE	117-84-0	40 ug/kg	<40
BENZO-b-FLUOROANTHENE	205-99-2	40 ug/kg	<40
BENZO-k- FLUOROANTHENE	207-08-9	40 ug/kg	<40
BENZO-a-PYRENE	50-32-8	40 ug/kg	<40
INDENO(1,2,3-c,d)PYRENE	193-39-5	40 ug/kg	<40
DIBENZO-a,h-ANTHRACENE	53-70-3	40 ug/kg	<40
BENZO-g,h,i-PERYLENE	191-24-2	40 ug/kg	<40

MDL = Minimum Detection Limit.

*Sample was resubmitted on December 18, 2003.

Michael Veraldi

Michael Veraldi-Laboratory Director



Client: Anson Environmental	Client ID: 131 Sunnyside Blvd., 03150 (Fenced Area #10)
Date received: 12/2/03	Laboratory ID: 1028332
Date extracted: 12/3/03	Matrix: Soil
Date analyzed: 12/3/03	ELAP #: 11693

METALS ANALYSIS 8 RCRA

Parameter	MDL	Results mg/kg
SILVER, Ag	1.65 mg/kg	<1.65
ARSENIC, As	1.65 mg/kg	<1.65
BARIUM, Ba	3.33 mg/kg	3.99
CADMIUM, Cd	1.00 mg/kg	<1.00
CHROMIUM, Cr	1.65 mg/kg	2.87
MERCURY, Hg	0.020 mg/kg	<0.020
LEAD, Pb	1.65 mg/kg	1.84
SELENIUM, Se	1.65 mg/kg	<1.65

MDL = Minimum Detection Limit.

Performed by SW-846 Method 6010

Michael Veraldi

Michael Veraldi-Laboratory Director

Client: Anson Environmental	Client ID: 131 Sunnyside Blvd., 03150 (Fenced Area #11)
Date received: 12/2/03*	Laboratory ID: 1028333A
Date extracted: 12/19/03	Matrix: Soil
Date analyzed: 12/19/03	ELAP #: 11693

EPA METHOD 8270(BN)

Parameter	CAS No.	MDL	Results ug/kg
Bis(2-CHLOROETHYL)ETHER	111-44-4	40 ug/kg	<80
1,3-DICHLOROBENZENE	541-73-1	40 ug/kg	<80
1,4-DICHLOROBENZENE	106-46-7	40 ug/kg	<80
1,2-DICHLOROBENZENE	95-50-1	40 ug/kg	<80
Bis(2-CHLOROISOPROPYL)ETHER	108-60-1	40 ug/kg	<80
HEXACHLOROETHANE	67-72-1	40 ug/kg	<80
N-NITROSODI-n-PROPYL AMINE	621-64-7	40 ug/kg	<80
NITROBENZENE	98-95-3	40 ug/kg	<80
ISOPHORONE	78-59-1	40 ug/kg	<80
Bis(2-CHLOROETHOXY)METHANE	111-91-1	40 ug/kg	<80
1,2,4-TRICHLOROBENZENE	120-82-1	40 ug/kg	<80
NAPHTHALENE	91-20-3	40 ug/kg	<80
HEXACHLOROBUTADIENE	87-68-3	40 ug/kg	<80
HEXACHLOROCYCLOPENTADIENE	77-47-4	66 ug/kg	<80
2-CHLORONAPHTHALENE	91-58-7	40 ug/kg	<80
ACENAPHTHYLENE	208-96-8	40 ug/kg	<80
DIMETHYLPHTHALATE	131-11-3	40 ug/kg	<80
2,6-DINITROTOLUENE	606-20-2	40 ug/kg	<80
ACENAPHTHENE	83-32-9	40 ug/kg	<80
2,4-DINITROTOLUENE	121-14-2	40 ug/kg	<80
FLUORENE	86-73-7	40 ug/kg	<80
4-CHLOROPHENYL PHENYL ETHER	7005-72-3	40 ug/kg	<80

MDL = Minimum Detection Limit.

*Sample was resubmitted on December 18, 2003.


Client: Anson Environmental	Client ID: 131 Sunnyside Blvd., 03150 (Fenced Area #11)
Date received: 12/2/03*	Laboratory ID: 1028333A
Date extracted: 12/19/03	Matrix: Soil
Date analyzed: 12/19/03	ELAP #: 11693

EPA METHOD 8270(BN)

Parameter	CAS No.	MDL	Results ug/kg
DIETHYLPHTHALATE	84-66-2	40 ug/kg	<80
4-BROMOPHENYL-PHENYL ETHER	101-55-3	40 ug/kg	<80
HEXACHLOROBENZENE	118-74-1	40 ug/kg	<80
PHENANTHRENE	85-01-8	40 ug/kg	296
ANTHRACENE	120-12-7	40 ug/kg	<80
Di-n-BUTYLPHTHALATE	84-74-2	500 ug/kg	<500
FLUORANTHENE	206-44-0	40 ug/kg	859
PYRENE	129-00-0	40 ug/kg	667
BUTYLBENZYLPHTHALATE	85-68-7	40 ug/kg	<80
3,3-DICHLOROBENZIDINE	91-94-1	40 ug/kg	<80
BENZO-a-ANTHRACENE	56-55-3	40 ug/kg	281
CHRYSENE	218-01-9	40 ug/kg	364
Bis(2-ETHYLEXYL)PHTALATE	117-81-7	500 ug/kg	<500
DI-n-OCTYLPHTHALATE	117-84-0	40 ug/kg	<80
BENZO-b-FLUOROANTHENE	205-99-2	40 ug/kg	295
BENZO-k- FLUOROANTHENE	207-08-9	40 ug/kg	272
BENZO-a-PYRENE	50-32-8	40 ug/kg	304
INDENO(1,2,3-c,d)PYRENE	193-39-5	40 ug/kg	157
DIBENZO-a,h-ANTHRACENE	53-70-3	40 ug/kg	<80
BENZO-g,h,i-PERYLENE	191-24-2	40 ug/kg	146

MDL = Minimum Detection Limit.

*Sample was resubmitted on December 18, 2003.



Michael Veraldi-Laboratory Director



LONG
ISLAND
ANALYTICAL
LABORATORIES, INC.

101-4 Colin Drive • Holbrook, New York 11741

Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com


Client: Anson Environmental	Client ID: 131 Sunnyside Blvd., 03150 (Fenced Area #11)
Date received: 12/2/03	Laboratory ID: 1028333
Date extracted: 12/3/03	Matrix: Soil
Date analyzed: 12/3/03	ELAP #: 11693

METALS ANALYSIS 8 RCRA

Parameter	MDL	Results mg/kg
SILVER, Ag	1.65 mg/kg	<1.65
ARSENIC, As	1.65 mg/kg	<1.65
BARIUM, Ba	3.33 mg/kg	6.40
CADMIUM, Cd	1.00 mg/kg	<1.00
CHROMIUM, Cr	1.65 mg/kg	3.89
MERCURY, Hg	0.020 mg/kg	<0.020
LEAD, Pb	1.65 mg/kg	2.14
SELENIUM, Se	1.65 mg/kg	<1.65

MDL = Minimum Detection Limit.

Performed by SW-846 Method 6010



Michael Veraldi-Laboratory Director

Client: Anson Environmental	Client ID: 131 Sunnyside Blvd., 03150 (Fenced Area #12)
Date received: 12/2/03*	Laboratory ID: 1028334A
Date extracted: 12/19/03	Matrix: Soil
Date analyzed: 12/19/03	ELAP #: 11693

EPA METHOD 8270(BN)

Parameter	CAS No.	MDL	Results ug/kg
Bis(2-CHLOROETHYL)ETHER	111-44-4	40 ug/kg	<40
1,3-DICHLOROBENZENE	541-73-1	40 ug/kg	<40
1,4-DICHLOROBENZENE	106-46-7	40 ug/kg	<40
1,2-DICHLOROBENZENE	95-50-1	40 ug/kg	<40
Bis(2-CHLOROISOPROPYL)ETHER	108-60-1	40 ug/kg	<40
HEXACHLOROETHANE	67-72-1	40 ug/kg	<40
N-NITROSODI-n-PROPYL AMINE	621-64-7	40 ug/kg	<40
NITROBENZENE	98-95-3	40 ug/kg	<40
ISOPHORONE	78-59-1	40 ug/kg	<40
Bis(2-CHLOROETHOXY)METHANE	111-91-1	40 ug/kg	<40
1,2,4-TRICHLOROBENZENE	120-82-1	40 ug/kg	<40
NAPHTHALENE	91-20-3	40 ug/kg	<40
HEXACHLOROBUTADIENE	87-68-3	40 ug/kg	<40
HEXACHLOROCYCLOPENTADIENE	77-47-4	66 ug/kg	<66
2-CHLORONAPHTHALENE	91-58-7	40 ug/kg	<40
ACENAPHTHYLENE	208-96-8	40 ug/kg	<40
DIMETHYLPHTHALATE	131-11-3	40 ug/kg	<40
2,6-DINITROTOLUENE	606-20-2	40 ug/kg	<40
ACENAPHTHENE	83-32-9	40 ug/kg	<40
2,4-DINTROTOLUENE	121-14-2	40 ug/kg	<40
FLUORENE	86-73-7	40 ug/kg	<40
4-CHLOROPHENYL PHENYL ETHER	7005-72-3	40 ug/kg	<40

MDL = Minimum Detection Limit.

*Sample was resubmitted on December 18, 2003.



LONG
ISLAND
ANALYTICAL
LABORATORIES, INC.

101-4 Colin Drive • Holbrook, New York 11741

Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com


Client: Anson Environmental	Client ID: 131 Sunnyside Blvd., 03150 (Fenced Area #12)
Date received: 12/2/03*	Laboratory ID: 1028334A
Date extracted: 12/19/03	Matrix: Soil
Date analyzed: 12/19/03	ELAP #: 11693

EPA METHOD 8270(BN)

Parameter	CAS No.	MDL	Results ug/kg
DIETHYLPHTHALATE	84-66-2	40 ug/kg	<40
4-BROMOPHENYL-PHENYL ETHER	101-55-3	40 ug/kg	<40
HEXACHLOROBENZENE	118-74-1	40 ug/kg	<40
PHENANTHRENE	85-01-8	40 ug/kg	<40
ANTHRACENE	120-12-7	40 ug/kg	<40
Di-n-BUTYLPHTHALATE	84-74-2	500 ug/kg	<500
FLUORANTHENE	206-44-0	40 ug/kg	<40
PYRENE	129-00-0	40 ug/kg	<40
BUTYLBENZYLPHTHALATE	85-68-7	40 ug/kg	<40
3,3-DICHLOROBENZIDINE	91-94-1	40 ug/kg	<40
BENZO-a-ANTHRACENE	56-55-3	40 ug/kg	<40
CHRYSENE	218-01-9	40 ug/kg	<40
Bis(2-ETHYLEXYL)PHTALATE	117-81-7	500 ug/kg	<500
DI-n-OCTYLPHTHALATE	117-84-0	40 ug/kg	<40
BENZO-b-FLUOROANTHENE	205-99-2	40 ug/kg	<40
BENZO-k- FLUOROANTHENE	207-08-9	40 ug/kg	<40
BENZO-a-PYRENE	50-32-8	40 ug/kg	<40
INDENO(1,2,3-c,d)PYRENE	193-39-5	40 ug/kg	<40
DIBENZO-a,h-ANTHRACENE	53-70-3	40 ug/kg	<40
BENZO-g,h,i-PERYLENE	191-24-2	40 ug/kg	<40

MDL = Minimum Detection Limit.

*Sample was resubmitted on December 18, 2003.



Michael Veraldi-Laboratory Director

Client: Anson Environmental	Client ID: 131 Sunnyside Blvd., 03150 (Fenced Area #12)
Date received: 12/2/03	Laboratory ID: 1028334
Date extracted: 12/3/03	Matrix: Soil
Date analyzed: 12/3/03	ELAP #: 11693

METALS ANALYSIS 8 RCRA

Parameter	MDL	Results mg/kg
SILVER, Ag	1.65 mg/kg	<1.65
ARSENIC, As	1.65 mg/kg	<1.65
BARIUM, Ba	3.33 mg/kg	4.36
CADMIUM, Cd	1.00 mg/kg	<1.00
CHROMIUM, Cr	1.65 mg/kg	3.50
MERCURY, Hg	0.020 mg/kg	<0.020
LEAD, Pb	1.65 mg/kg	<1.65
SELENIUM, Se	1.65 mg/kg	<1.65

MDL = Minimum Detection Limit.

Performed by SW-846 Method 6010



Michael Veraldi-Laboratory Director



LONG
ISLAND
ANALYTICAL
LABORATORIES INC.

101-4 Colin Drive • Holbrook, New York 11741

CHROMIUM ANALYTICAL SOLUTIONS (CCLAP)

Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: Anson Environmental	Client ID: 131 Sunnyside Blvd., Plainview (23B2)
Date received: 9/24/03	Laboratory ID: 1022720
Date extracted: 9/24/03	Matrix: Soil
Date analyzed: 9/24/03	ELAP #: 11693

NCDH PROTOCOL

PARAMETER	CAS No.	MDL	RESULTS ug/kg
ACETONE	67-64-1	50 ug/kg	<50
BENZENE	71-43-2	5 ug/kg	<5
n-BUTYLBENZENE	104-51-8	5 ug/kg	<5
sec-BUTYLBENZENE	135-98-8	5 ug/kg	<5
tert-BUTYLBENZENE	98-06-6	5 ug/kg	<5
BROMODICHLOROMETHANE	75-27-4	5 ug/kg	<5
BROMOFORM	75-25-2	5 ug/kg	<5
BROMOBENZENE	108-86-1	5 ug/kg	<5
2-CHLOROTOLUENE	95-49-8	5 ug/kg	<5
4-CHLOROTOLUENE	106-43-4	5 ug/kg	<5
CHLOROBENZENE	108-90-7	5 ug/kg	<5
CHLOROFORM	67-66-3	5 ug/kg	<5
CARBON TETRACHLORIDE	56-23-5	5 ug/kg	<5
o-DICHLOROBENZENE (1,2)	95-50-1	5 ug/kg	<5
m-DICHLOROBENZENE (1,3)	541-73-1	5 ug/kg	<5
p-DICHLOROBENZENE (1,4)	106-46-7	5 ug/kg	<5
1,2-DIBROMO-3-CHLOROPROPANE	96-12-8	5 ug/kg	<5
1,1-DICHLOROETHYLENE	75-35-4	5 ug/kg	<5
trans-1,2-DICHLOROETHYLENE	156-60-5	5 ug/kg	<5
1,1-DICHLOROETHANE	75-34-3	5 ug/kg	<5
cis-1,2-DICHLOROETHYLENE	159-59-2	5 ug/kg	<5
DIBROMOCHLOROMETHANE	124-48-1	5 ug/kg	<5
1,3-DICHLOROPROPANE	142-28-9	5 ug/kg	<5
1,1-DICHLOROPROPENE	563-58-6	5 ug/kg	<5
1,2-DICHLOROETHANE	107-06-02	5 ug/kg	<5
1,2-DICHLOROPROPANE	78-87-5	5 ug/kg	<5
2,2-DICHLOROPROPANE	594-20-7	5 ug/kg	<5
ETHYLBENZENE	100-414	5 ug/kg	<5

MDL = Minimum Detection Limit.



LONG
ISLAND
ANALYTICAL
LABORATORIES INC.

101-4 Colin Drive • Holbrook, New York 11741

Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: Anson Environmental	Client ID: 131 Sunnyside Blvd., Plainview (23B2)
Date received: 9/24/03	Laboratory ID: 1022720
Date extracted: 9/24/03	Matrix: Soil
Date analyzed: 9/24/03	ELAP #: 11693

NCDH PROTOCOL

PARAMETER	CAS No.	MDL	RESULTS ug/kg
1,2-DIBROMOETHANE	106-93-4	5 ug/kg	<5
DIBROMOMETHANE	74-95-3	5 ug/kg	<5
cis-1,3-DICHLOROPROPENE	10061-01-5	5 ug/kg	<5
trans-1,3-DICHLOROPROPENE	10061-02-6	5 ug/kg	<5
HEXACHLOROBUTADIENE	87-68-3	5 ug/kg	<5
p-ISOPROPYLTOLUENE	99-87-6	5 ug/kg	<5
ISOPROPYLBENZENE	98-82-8	5 ug/kg	<5
METHYLENE CHLORIDE	75-09-2	5 ug/kg	<5
NAPHTHALENE	91-20-3	5 ug/kg	<5
n-PROPYLBENZENE	103-65-1	5 ug/kg	<5
STYRENE	100-42-5	5 ug/kg	<5
TRICHLOROFLUOROMETHANE	75-69-4	5 ug/kg	<5
1,2,3-TRICHLOROBENZENE	87-61-6	5 ug/kg	<5
1,2,4-TRICHLOROBENZENE	120-82-1	5 ug/kg	<5
1,2,4-TRIMETHYLBENZENE	95-63-6	5 ug/kg	<5
1,3,5-TRIMETHYLBENZENE	108-67-8	5 ug/kg	<5
1,1,1-TRICHLOROETHANE	71-55-6	5 ug/kg	<5
TRICHLOROETHYLENE	79-01-6	5 ug/kg	63
1,1,2-TRICHLOROETHANE	79-00-5	5 ug/kg	<5
TETRACHLOROETHYLENE	127-18-4	5 ug/kg	<5
1,1,1,2-TETRACHLOROETHANE	630-20-6	5 ug/kg	<5
1,1,2,2-TETRACHLOROETHANE	79-34-5	5 ug/kg	<5
1,2,3-TRICHLOROPROPANE	96-18-4	5 ug/kg	<5
TOLUENE	108-88-3	5 ug/kg	<5
VINYL CHLORIDE	75-01-4	5 ug/kg	<5
p & m-XYLENES	1330-20-7	10 ug/kg	<10
o-XYLENE	95-47-6	5 ug/kg	<5

MDL = Minimum Detection Limit.



Michael Veraldi-Laboratory Director



LONG
ISLAND
ANALYTICAL
LABORATORIES INC.

101-4 Colin Drive • Holbrook, New York 11741

Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: Anson Environmental	Client ID: 131 Sunnyside Blvd., Plainview (23B2)
Date received: 9/24/03	Laboratory ID: 1022720
Date extracted: 9/25, 9/30/03	Matrix: Soil
Date analyzed: 9/25, 9/30/03	ELAP #: 11693

METALS ANALYSIS 8 RCRA

Parameter	MDL	Results mg/kg
SILVER, Ag	1.65 mg/kg	<1.65
ARSENIC, As	1.65 mg/kg	1.95
BARIUM, Ba	3.33 mg/kg	15.4
CADMIUM, Cd	1.00 mg/kg	<1.00
CHROMIUM, Cr	1.65 mg/kg	20.3
MERCURY, Hg	0.020 mg/kg	<0.020
LEAD, Pb	1.65 mg/kg	4.65
SELENIUM, Se	1.65 mg/kg	<1.65

MDL = Minimum Detection Limit.

Performed by SW-846 Method 6010



Michael Veraldi-Laboratory Director



LONG
ISLAND
ANALYTICAL
LABORATORIES INC.

101-4 Colin Drive • Holbrook, New York 11741

EMERGES ANALYTICAL SOLUTIONS TODAY™

Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: Anson Environmental	Client ID: 131 Sunnyside Blvd., Plainview (23B3)
Date received: 9/24/03	Laboratory ID: 1022721
Date extracted: 9/24/03	Matrix: Soil
Date analyzed: 9/24/03	ELAP #: 11693

NCDH PROTOCOL

PARAMETER	CAS No.	MDL	RESULTS ug/kg
ACETONE	67-64-1	50 ug/kg	175
BENZENE	71-43-2	5 ug/kg	<5
n-BUTYLBENZENE	104-51-8	5 ug/kg	<5
sec-BUTYLBENZENE	135-98-8	5 ug/kg	<5
tert-BUTYLBENZENE	98-06-6	5 ug/kg	<5
BROMODICHLOROMETHANE	75-27-4	5 ug/kg	<5
BROMOFORM	75-25-2	5 ug/kg	<5
BROMOBENZENE	108-86-1	5 ug/kg	<5
2-CHLOROTOLUENE	95-49-8	5 ug/kg	<5
4-CHLOROTOLUENE	106-43-4	5 ug/kg	<5
CHLOROBENZENE	108-90-7	5 ug/kg	<5
CHLOROFORM	67-66-3	5 ug/kg	<5
CARBON TETRACHLORIDE	56-23-5	5 ug/kg	<5
o-DICHLOROBENZENE (1,2)	95-50-1	5 ug/kg	<5
m-DICHLOROBENZENE (1,3)	541-73-1	5 ug/kg	<5
p-DICHLOROBENZENE (1,4)	106-46-7	5 ug/kg	<5
1,2-DIBROMO-3-CHLOROPROPANE	96-12-8	5 ug/kg	<5
1,1-DICHLOROETHYLENE	75-35-4	5 ug/kg	<5
trans-1,2-DICHLOROETHYLENE	156-60-5	5 ug/kg	<5
1,1-DICHLOROETHANE	75-34-3	5 ug/kg	<5
cis-1,2-DICHLOROETHYLENE	159-59-2	5 ug/kg	<5
DIBROMOCHLOROMETHANE	124-48-1	5 ug/kg	<5
1,3-DICHLOROPROPANE	142-28-9	5 ug/kg	<5
1,1-DICHLOROPROPENE	563-58-6	5 ug/kg	<5
1,2-DICHLOROETHANE	107-06-02	5 ug/kg	<5
1,2-DICHLOROPROPANE	78-87-5	5 ug/kg	<5
2,2-DICHLOROPROPANE	594-20-7	5 ug/kg	<5
ETHYLBENZENE	100-414	5 ug/kg	<5

MDL = Minimum Detection Limit.



LONG
ISLAND
ANALYTICAL
LABORATORIES, INC.

101-4 Colin Drive • Holbrook, New York 11741

Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: Anson Environmental	Client ID: 131 Sunnyside Blvd., Plainview (23B3)
Date received: 9/24/03	Laboratory ID: 1022721
Date extracted: 9/24/03	Matrix: Soil
Date analyzed: 9/24/03	ELAP #: 11693

NCDH PROTOCOL

PARAMETER	CAS No.	MDL	RESULTS ug/kg
1,2-DIBROMOETHANE	106-93-4	5 ug/kg	<5
DIBROMOMETHANE	74-95-3	5 ug/kg	<5
cis-1,3-DICHLOROPROPENE	10061-01-5	5 ug/kg	<5
trans-1,3-DICHLOROPROPENE	10061-02-6	5 ug/kg	<5
HEXACHLOROCYCLOHEPTADIENE	87-68-3	5 ug/kg	<5
p-ISOPROPYLTOLUENE	99-87-6	5 ug/kg	<5
ISOPROPYLBENZENE	98-82-8	5 ug/kg	<5
METHYLENE CHLORIDE	75-09-2	5 ug/kg	<5
NAPHTHALENE	91-20-3	5 ug/kg	<5
n-PROPYLBENZENE	103-65-1	5 ug/kg	<5
STYRENE	100-42-5	5 ug/kg	<5
TRICHLOROFLUOROMETHANE	75-69-4	5 ug/kg	<5
1,2,3-TRICHLOROBENZENE	87-61-6	5 ug/kg	<5
1,2,4-TRICHLOROBENZENE	120-82-1	5 ug/kg	<5
1,2,4-TRIMETHYLBENZENE	95-63-6	5 ug/kg	<5
1,3,5-TRIMETHYLBENZENE	108-67-8	5 ug/kg	<5
1,1,1-TRICHLOROETHANE	71-55-6	5 ug/kg	<5
TRICHLOROETHYLENE	79-01-6	5 ug/kg	32
1,1,2-TRICHLOROETHANE	79-00-5	5 ug/kg	<5
TETRACHLOROETHYLENE	127-18-4	5 ug/kg	<5
1,1,1,2-TETRACHLOROETHANE	630-20-6	5 ug/kg	<5
1,1,2,2-TETRACHLOROETHANE	79-34-5	5 ug/kg	<5
1,2,3-TRICHLOROPROPANE	96-18-4	5 ug/kg	<5
TOLUENE	108-88-3	5 ug/kg	<5
VINYL CHLORIDE	75-01-4	5 ug/kg	<5
p & m-XYLENES	1330-20-7	10 ug/kg	<10
o-XYLENE	95-47-6	5 ug/kg	<5

MDL = Minimum Detection Limit.



Michael Veraldi-Laboratory Director



LONG
ISLAND
ANALYTICAL
LABORATORIES INC.

101-4 Colin Drive • Holbrook, New York 11741

Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: Anson Environmental	Client ID: 131 Sunnyside Blvd., Plainview (23B3)
Date received: 9/24/03	Laboratory ID: 1022721
Date extracted: 9/25, 9/30/03	Matrix: Soil
Date analyzed: 9/25, 9/30/03	ELAP #: 11693

METALS ANALYSIS 8 RCRA

Parameter	MDL	Results mg/kg
SILVER, Ag	1.65 mg/kg	<1.65
ARSENIC, As	1.65 mg/kg	1.91
BARIUM, Ba	3.33 mg/kg	16.1
CADMIUM, Cd	1.00 mg/kg	<1.00
CHROMIUM, Cr	1.65 mg/kg	10.6
MERCURY, Hg	0.020 mg/kg	<0.020
LEAD, Pb	1.65 mg/kg	3.26
SELENIUM, Se	1.65 mg/kg	<1.65

MDL = Minimum Detection Limit.

Performed by SW-846 Method 6010



Michael Veraldi-Laboratory Director



LONG
ISLAND
ANALYTICAL
LABORATORIES INC.

101-4 Colin Drive • Holbrook, New York 11741

TOMORROW'S ANALYTICAL SOLUTIONS TODAY

Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: Anson Environmental	Client ID: 131 Sunnyside Blvd., Plainview (23B4)
Date received: 9/24/03	Laboratory ID: 1022722
Date extracted: 9/24/03	Matrix: Soil
Date analyzed: 9/24/03	ELAP #: 11693

NCDH PROTOCOL

PARAMETER	CAS No.	MDL	RESULTS ug/kg
ACETONE	67-64-1	50 ug/kg	<50
BENZENE	71-43-2	5 ug/kg	<5
n-BUTYLBENZENE	104-51-8	5 ug/kg	<5
sec-BUTYLBENZENE	135-98-8	5 ug/kg	<5
tert-BUTYLBENZENE	98-06-6	5 ug/kg	<5
BROMODICHLOROMETHANE	75-27-4	5 ug/kg	<5
BROMOFORM	75-25-2	5 ug/kg	<5
BROMOBENZENE	108-86-1	5 ug/kg	<5
2-CHLOROTOLUENE	95-49-8	5 ug/kg	<5
4-CHLOROTOLUENE	106-43-4	5 ug/kg	<5
CHLOROBENZENE	108-90-7	5 ug/kg	<5
CHLOROFORM	67-66-3	5 ug/kg	<5
CARBON TETRACHLORIDE	56-23-5	5 ug/kg	<5
o-DICHLOROBENZENE (1,2)	95-50-1	5 ug/kg	<5
m-DICHLOROBENZENE (1,3)	541-73-1	5 ug/kg	<5
p-DICHLOROBENZENE (1,4)	106-46-7	5 ug/kg	<5
1,2-DIBROMO-3-CHLOROPROPANE	96-12-8	5 ug/kg	<5
1,1-DICHLOROETHYLENE	75-35-4	5 ug/kg	<5
trans-1,2-DICHLOROETHYLENE	156-60-5	5 ug/kg	<5
1,1-DICHLOROETHANE	75-34-3	5 ug/kg	<5
cis-1,2-DICHLOROETHYLENE	159-59-2	5 ug/kg	<5
DIBROMOCHLOROMETHANE	124-48-1	5 ug/kg	<5
1,3-DICHLOROPROPANE	142-28-9	5 ug/kg	<5
1,1-DICHLOROPROPENE	563-58-6	5 ug/kg	<5
1,2-DICHLOROETHANE	107-06-02	5 ug/kg	<5
1,2-DICHLOROPROPANE	78-87-5	5 ug/kg	<5
2,2-DICHLOROPROPANE	594-20-7	5 ug/kg	<5
ETHYLBENZENE	100-414	5 ug/kg	<5


MDL = Minimum Detection Limit.

Client: Anson Environmental	Client ID: 131 Sunnyside Blvd., Plainview (23B4)
Date received: 9/24/03	Laboratory ID: 1022722
Date extracted: 9/24/03	Matrix: Soil
Date analyzed: 9/24/03	ELAP #: 11693

NCDH PROTOCOL

PARAMETER	CAS No.	MDL	RESULTS ug/kg
1,2-DIBROMOETHANE	106-93-4	5 ug/kg	<5
DIBROMOMETHANE	74-95-3	5 ug/kg	<5
cis-1,3-DICHLOROPROPENE	10061-01-5	5 ug/kg	<5
trans-1,3-DICHLOROPROPENE	10061-02-6	5 ug/kg	<5
HEXACHLOROCYCLOPENTADIENE	87-68-3	5 ug/kg	<5
p-ISOPROPYLTOLUENE	99-87-6	5 ug/kg	<5
ISOPROPYLBENZENE	98-82-8	5 ug/kg	<5
METHYLENE CHLORIDE	75-09-2	5 ug/kg	<5
NAPHTHALENE	91-20-3	5 ug/kg	<5
n-PROPYLBENZENE	103-65-1	5 ug/kg	<5
STYRENE	100-42-5	5 ug/kg	<5
TRICHLOROFLUOROMETHANE	75-69-4	5 ug/kg	<5
1,2,3-TRICHLOROBENZENE	87-61-6	5 ug/kg	<5
1,2,4-TRICHLOROBENZENE	120-82-1	5 ug/kg	<5
1,2,4-TRIMETHYLBENZENE	95-63-6	5 ug/kg	<5
1,3,5-TRIMETHYLBENZENE	108-67-8	5 ug/kg	<5
1,1,1-TRICHLOROETHANE	71-55-6	5 ug/kg	<5
TRICHLOROETHYLENE	79-01-6	5 ug/kg	121
1,1,2-TRICHLOROETHANE	79-00-5	5 ug/kg	<5
TETRACHLOROETHYLENE	127-18-4	5 ug/kg	6
1,1,1,2-TETRACHLOROETHANE	630-20-6	5 ug/kg	<5
1,1,2,2-TETRACHLOROETHANE	79-34-5	5 ug/kg	<5
1,2,3-TRICHLOROPROPANE	96-18-4	5 ug/kg	<5
TOLUENE	108-88-3	5 ug/kg	<5
VINYL CHLORIDE	75-01-4	5 ug/kg	<5
p & m-XYLENES	1330-20-7	10 ug/kg	<10
o-XYLENE	95-47-6	5 ug/kg	<5

MDL = Minimum Detection Limit.



Michael Veraldi-Laboratory Director



LIAI
ISLAND
ANALYTICAL
LABORATORIES INC

101-4 Colin Drive • Holbrook, New York 11741

Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAI@lialinc.com

Client: Anson Environmental	Client ID: 131 Sunnyside Blvd., Plainview (23B4)
Date received: 9/24/03	Laboratory ID: 1022722
Date extracted: 9/25, 9/30/03	Matrix: Soil
Date analyzed: 9/25, 9/30/03	ELAP #: 11693

METALS ANALYSIS 8 RCRA

Parameter	MDL	Results mg/kg
SILVER, Ag	1.65 mg/kg	<1.65
ARSENIC, As	1.65 mg/kg	1.86
BARIUM, Ba	3.33 mg/kg	12.9
CADMIUM, Cd	1.00 mg/kg	<1.00
CHROMIUM, Cr	1.65 mg/kg	14.4
MERCURY, Hg	0.020 mg/kg	<0.020
LEAD, Pb	1.65 mg/kg	6.72
SELENIUM, Se	1.65 mg/kg	<1.65

MDL = Minimum Detection Limit.

Performed by SW-846 Method 6010



Michael Veraldi-Laboratory Director



LONG
ISLAND
ANALYTICAL
LABORATORIES INC.

101-4 Colin Drive • Holbrook, New York 11741

"TOMORROW'S ANALYTICAL SOLUTIONS TODAY"

Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: Anson Environmental	Client ID: 131 Sunnyside Blvd., 03150 (SB-2 {0-2})
Date received: 10/13/03	Laboratory ID: 1024233
Date extracted: 10/16, 10/17, 10/20/03	Matrix: Soil
Date analyzed: 10/16, 10/17, 10/20/03	ELAP #: 11693

METALS ANALYSIS

Parameter	MDL	Results mg/kg
SILVER, Ag	1.65 mg/kg	<1.65
ARSENIC, As	1.65 mg/kg	1.80
BARIUM, Ba	3.33 mg/kg	16.2
CADMIUM, Cd	1.00 mg/kg	<1.00
CHROMIUM, Cr	1.65 mg/kg	8.70
CHROMIUM IV	1.00 mg/kg	<1.00
MERCURY, Hg	0.020 mg/kg	<0.020
LEAD, Pb	1.65 mg/kg	7.19
SELENIUM, Se	1.65 mg/kg	<1.65

MDL = Minimum Detection Limit.

Performed by SW-846 Method 6010



Michael Veraldi-Laboratory Director


Client: Anson Environmental	Client ID: 131 Sunnyside Blvd., 03150 (SB-2 {4-6})
Date received: 10/13/03	Laboratory ID: 1024234
Date extracted: 10/16, 10/17, 10/20/03	Matrix: Soil
Date analyzed: 10/16, 10/17, 10/20/03	ELAP #: 11693

METALS ANALYSIS

Parameter	MDL	Results mg/kg
SILVER, Ag	1.65 mg/kg	<1.65
ARSENIC, As	1.65 mg/kg	1.92
BARIUM, Ba	3.33 mg/kg	16.5
CADMIUM, Cd	1.00 mg/kg	<1.00
CHROMIUM, Cr	1.65 mg/kg	5.44
CHROMIUM IV	1.00 mg/kg	<1.00
MERCURY, Hg	0.020 mg/kg	<0.020
LEAD, Pb	1.65 mg/kg	4.59
SELENIUM, Se	1.65 mg/kg	<1.65

MDL = Minimum Detection Limit.

Performed by SW-846 Method 6010



Michael Veraldi-Laboratory Director

Client: Anson Environmental	Client ID: 131 Sunnyside Blvd., 03150 (SB-2 {10-12})
Date received: 10/13/03	Laboratory ID: 1024235
Date extracted: 10/16, 10/17, 10/20/03	Matrix: Soil
Date analyzed: 10/16, 10/17, 10/20/03	ELAP #: 11693

METALS ANALYSIS

Parameter	MDL	Results mg/kg
SILVER, Ag	1.65 mg/kg	<1.65
ARSENIC, As	1.65 mg/kg	<1.65
BARIUM, Ba	3.33 mg/kg	14.0
CADMIUM, Cd	1.00 mg/kg	<1.00
CHROMIUM, Cr	1.65 mg/kg	6.00
CHROMIUM IV	1.00 mg/kg	<1.00
MERCURY, Hg	0.020 mg/kg	<0.020
LEAD, Pb	1.65 mg/kg	2.70
SELENIUM, Se	1.65 mg/kg	<1.65

MDL = Minimum Detection Limit.

Performed by SW-846 Method 6010



Michael Veraldi-Laboratory Director

Parameter	MDL	Results mg/kg
SILVER, Ag	1.65 mg/kg	<1.65
ARSENIC, As	1.65 mg/kg	<1.65
BARIUM, Ba	3.33 mg/kg	12.4
CADMIUM, Cd	1.00 mg/kg	<1.00
CHROMIUM, Cr	1.65 mg/kg	4.60
CHROMIUM IV	1.00 mg/kg	<1.00
MERCURY, Hg	0.020 mg/kg	<0.020
LEAD, Pb	1.65 mg/kg	2.09
SELENIUM, Se	1.65 mg/kg	<1.65

Performed by SW-846 Method 6010

Michael Venzel



**LONG
ISLAND
ANALYTICAL
LABORATORIES INC.**

Client: Anson Environmental	Client ID: 131 Sunnyside Blvd., 03150 (SB-3 {0-2})
Date received: 10/13/03	Laboratory ID: 1024237
Date extracted: 10/16, 10/17, 10/20/03	Matrix: Soil
Date analyzed: 10/16, 10/17, 10/20/03	ELAP #: 11693

METALS ANALYSIS

Parameter	MDL	Results mg/kg
SILVER, Ag	1.65 mg/kg	<1.65
ARSENIC, As	1.65 mg/kg	1.97
BARIUM, Ba	3.33 mg/kg	14.2
CADMIUM, Cd	1.00 mg/kg	<1.00
CHROMIUM, Cr	1.65 mg/kg	7.15
CHROMIUM IV	1.25 mg/kg	<1.25
MERCURY, Hg	0.020 mg/kg	<0.020
LEAD, Pb	1.65 mg/kg	3.08
SELENIUM, Se	1.65 mg/kg	<1.65

MDL = Minimum Detection Limit.

Performed by SW-846 Method 6010



Michael Veraldi-Laboratory Director

Client: Anson Environmental	Client ID: 131 Sunnyside Blvd., 03150 (SB-3 {4-6})
Date received: 10/13/03	Laboratory ID: 1024238
Date extracted: 10/16, 10/17, 10/20/03	Matrix: Soil
Date analyzed: 10/16, 10/17, 10/20/03	ELAP #: 11693

METALS ANALYSIS

Parameter	MDL	Results mg/kg
SILVER, Ag	1.65 mg/kg	<1.65
ARSENIC, As	1.65 mg/kg	2.18
BARIUM, Ba	3.33 mg/kg	19.7
CADMIUM, Cd	1.00 mg/kg	<1.00
CHROMIUM, Cr	1.65 mg/kg	8.18
CHROMIUM IV	1.23 mg/kg	<1.23
MERCURY, Hg	0.020 mg/kg	<0.020
LEAD, Pb	1.65 mg/kg	4.09
SELENIUM, Se	1.65 mg/kg	<1.65

MDL = Minimum Detection Limit.

Performed by SW-846 Method 6010



Michael Veraldi-Laboratory Director



LONG
ISLAND
ANALYTICAL
LABORATORIES INC.

101-4 Colin Drive • Holbrook, New York 11741

Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: Anson Environmental	Client ID: 131 Sunnyside Blvd., 03150 (SB-3 {10-12})
Date received: 10/13/03	Laboratory ID: 1024239
Date extracted: 10/16, 10/17, 10/20/03	Matrix: Soil
Date analyzed: 10/16, 10/17, 10/20/03	ELAP #: 11693

METALS ANALYSIS

Parameter	MDL	Results mg/kg
SILVER, Ag	1.65 mg/kg	<1.65
ARSENIC, As	1.65 mg/kg	1.73
BARIUM, Ba	3.33 mg/kg	17.3
CADMIUM, Cd	1.00 mg/kg	<1.00
CHROMIUM, Cr	1.65 mg/kg	7.48
CHROMIUM IV	1.00 mg/kg	<1.00
MERCURY, Hg	0.020 mg/kg	<0.020
LEAD, Pb	1.65 mg/kg	4.97
SELENIUM, Se	1.65 mg/kg	<1.65

MDL = Minimum Detection Limit.

Performed by SW-846 Method 6010

Michael Veraldi

Michael Veraldi-Laboratory Director

Client: Anson Environmental	Client ID: 131 Sunnyside Blvd., 03150 (SB-3 {16-18})
Date received: 10/13/03	Laboratory ID: 1024240
Date extracted: 10/16, 10/17, 10/20/03	Matrix: Soil
Date analyzed: 10/16, 10/17, 10/20/03	ELAP #: 11693

METALS ANALYSIS

Parameter	MDL	Results mg/kg
SILVER, Ag	1.65 mg/kg	<1.65
ARSENIC, As	1.65 mg/kg	1.69
BARIUM, Ba	3.33 mg/kg	11.9
CADMIUM, Cd	1.00 mg/kg	<1.00
CHROMIUM, Cr	1.65 mg/kg	5.99
CHROMIUM IV	1.00 mg/kg	<1.00
MERCURY, Hg	0.020 mg/kg	<0.020
LEAD, Pb	1.65 mg/kg	3.32
SELENIUM, Se	1.65 mg/kg	<1.65

MDL = Minimum Detection Limit.

Performed by SW-846 Method 6010

Michael Veraldi

Michael Veraldi-Laboratory Director



LONG
ISLAND
ANALYTICAL
LABORATORIES INC.

101-4 Colin Drive • Holbrook, New York 11741

TOMORROW'S ANALYTICAL SOLUTIONS TODAY

Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: Anson	Client ID: 131 Sunnyside Blvd., 03150 (S1 B24-1)
Date received: 10/30/03	Laboratory ID: 1025541
Date extracted: 11/4/03	Matrix: Soil
Date analyzed: 11/4/03	ELAP #: 11693

NCDH PROTOCOL

PARAMETER	CAS No.	MDL	RESULTS ug/kg
ACETONE	67-64-1	50 ug/kg	<50
BENZENE	71-43-2	5 ug/kg	<5
n-BUTYLBENZENE	104-51-8	5 ug/kg	<5
sec-BUTYLBENZENE	135-98-8	5 ug/kg	<5
tert-BUTYLBENZENE	98-06-6	5 ug/kg	<5
BROMODICHLOROMETHANE	75-27-4	5 ug/kg	<5
BROMOFORM	75-25-2	5 ug/kg	<5
BROMOBENZENE	108-86-1	5 ug/kg	<5
2-CHLOROTOLUENE	95-49-8	5 ug/kg	<5
4-CHLOROTOLUENE	106-43-4	5 ug/kg	<5
CHLOROBENZENE	108-90-7	5 ug/kg	<5
CHLOROFORM	67-66-3	5 ug/kg	<5
CARBON TETRACHLORIDE	56-23-5	5 ug/kg	<5
o-DICHLOROBENZENE (1,2)	95-50-1	5 ug/kg	<5
m-DICHLOROBENZENE (1,3)	541-73-1	5 ug/kg	<5
p-DICHLOROBENZENE (1,4)	106-46-7	5 ug/kg	<5
1,2-DIBROMO-3-CHLOROPROPANE	96-12-8	5 ug/kg	<5
1,1-DICHLOROETHYLENE	75-35-4	5 ug/kg	<5
trans-1,2-DICHLOROETHYLENE	156-60-5	5 ug/kg	<5
1,1-DICHLOROETHANE	75-34-3	5 ug/kg	<5
cis-1,2-DICHLOROETHYLENE	159-59-2	5 ug/kg	<5
DIBROMOCHLOROMETHANE	124-48-1	5 ug/kg	<5
1,3-DICHLOROPROPANE	142-28-9	5 ug/kg	<5
1,1-DICHLOROPROPENE	563-58-6	5 ug/kg	<5
1,2-DICHLOROETHANE	107-06-02	5 ug/kg	<5
1,2-DICHLOROPROPANE	78-87-5	5 ug/kg	<5
2,2-DICHLOROPROPANE	594-20-7	5 ug/kg	<5
ETHYLBENZENE	100-414	5 ug/kg	<5

MDL = Minimum Detection Limit.



LIAI
ANALYTICAL
LABORATORY

101-4 Colin Drive • Holbrook, New York 11741

Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: Anson	Client ID: 131 Sunnyside Blvd., 03150 (S1 B24-1)
Date received: 10/30/03	Laboratory ID: 1025541
Date extracted: 11/4/03	Matrix: Soil
Date analyzed: 11/4/03	ELAP #: 11693


NCDH PROTOCOL

PARAMETER	CAS No.	MDL	RESULTS ug/kg
1,2-DIBROMOETHANE	106-93-4	5 ug/kg	<5
DIBROMOMETHANE	74-95-3	5 ug/kg	<5
cis-1,3-DICHLOROPROPENE	10061-01-5	5 ug/kg	<5
trans-1,3-DICHLOROPROPENE	10061-02-6	5 ug/kg	<5
HEXACHLOROBUTADIENE	87-68-3	5 ug/kg	<5
p-ISOPROPYLTOLUENE	99-87-6	5 ug/kg	<5
ISOPROPYLBENZENE	98-82-8	5 ug/kg	<5
METHYLENE CHLORIDE	75-09-2	5 ug/kg	<5
NAPHTHALENE	91-20-3	5 ug/kg	<5
n-PROPYLBENZENE	103-65-1	5 ug/kg	<5
STYRENE	100-42-5	5 ug/kg	<5
TRICHLOROFLUOROMETHANE	75-69-4	5 ug/kg	<5
1,2,3-TRICHLOROBENZENE	87-61-6	5 ug/kg	<5
1,2,4-TRICHLOROBENZENE	120-82-1	5 ug/kg	<5
1,2,4-TRIMETHYLBENZENE	95-63-6	5 ug/kg	<5
1,3,5-TRIMETHYLBENZENE	108-67-8	5 ug/kg	<5
1,1,1-TRICHLOROETHANE	71-55-6	5 ug/kg	<5
TRICHLOROETHYLENE	79-01-6	5 ug/kg	<5
1,1,2-TRICHLOROETHANE	79-00-5	5 ug/kg	<5
TETRACHLOROETHYLENE	127-18-4	5 ug/kg	<5
1,1,1,2-TETRACHLOROETHANE	630-20-6	5 ug/kg	<5
1,1,2,2-TETRACHLOROETHANE	79-34-5	5 ug/kg	<5
1,2,3-TRICHLOROPROPANE	96-18-4	5 ug/kg	<5
TOLUENE	108-88-3	5 ug/kg	<5
VINYL CHLORIDE	75-01-4	5 ug/kg	<5
p & m-XYLENES	1330-20-7	10 ug/kg	<10
o-XYLENE	95-47-6	5 ug/kg	<5

MDL = Minimum Detection Limit.

Michael Veraldi

Michael Veraldi-Laboratory Director



101-4 Colin Drive • Holbrook, New York 11741

Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: Anson	Client ID: 131 Sunnyside Blvd., 03150 (S1 B24-1)
Date received: 10/30/03	Laboratory ID: 1025541
Date extracted: 11/5/03	Matrix: Soil
Date analyzed: 11/5/03	ELAP #: 11693

EPA METHOD 8270(BN)

Parameter	CAS No.	MDL	Results ug/kg
Bis(2-CHLOROETHYL)ETHER	111-44-4	40 ug/kg	<200
1,3-DICHLOROBENZENE	541-73-1	40 ug/kg	<200
1,4-DICHLOROBENZENE	106-46-7	40 ug/kg	<200
1,2-DICHLOROBENZENE	95-50-1	40 ug/kg	<200
Bis(2-CHLOROISOPROPYL)ETHER	108-60-1	40 ug/kg	<200
HEXACHLOROETHANE	67-72-1	40 ug/kg	<200
N-NITROSODI-n-PROPYL AMINE	621-64-7	40 ug/kg	<200
NITROBENZENE	98-95-3	40 ug/kg	<200
ISOPHORONE	78-59-1	40 ug/kg	<200
Bis(2-CHLOROETHOXY)METHANE	111-91-1	40 ug/kg	<200
1,2,4-TRICHLOROBENZENE	120-82-1	40 ug/kg	<200
NAPHTHALENE	91-20-3	40 ug/kg	<200
HEXACHLOROBUTADIENE	87-68-3	40 ug/kg	<200
HEXACHLOROCYCLOPENTADIENE	77-47-4	40 ug/kg	<200
2-CHLORONAPHTHALENE	91-58-7	40 ug/kg	<200
ACENAPHTHYLENE	208-96-8	40 ug/kg	<200
DIMETHYLPHTHALATE	131-11-3	40 ug/kg	<200
2,6-DINITROTOLUENE	606-20-2	40 ug/kg	<200
ACENAPHTHENE	83-32-9	40 ug/kg	<200
2,4-DINITROTOLUENE	121-14-2	40 ug/kg	<200
FLUORENE	86-73-7	40 ug/kg	<200
4-CHLOROPHENYL PHENYL ETHER	7005-72-3	40 ug/kg	<200

MDL = Minimum Detection Limit.

Note: MDL's are raised due to matrix interference.

Client: Anson	Client ID: 131 Sunnyside Blvd., 03150 (S1 B24-1)
Date received: 10/30/03	Laboratory ID: 1025541
Date extracted: 11/5/03	Matrix: Soil
Date analyzed: 11/5/03	ELAP #: 11693

EPA METHOD 8270(BN)

Parameter	CAS No.	MDL	Results ug/kg
DIETHYLPHthalATE	84-66-2	40 ug/kg	<200
4-BROMOPHENYL-PHENYL ETHER	101-55-3	40 ug/kg	<200
HEXACHLOROBENZENE	118-74-1	40 ug/kg	<200
PHENANTHRENE	85-01-8	40 ug/kg	<200
ANTHRACENE	120-12-7	40 ug/kg	<200
Di-n-BUTYLPHthalATE	84-74-2	500 ug/kg	<500
FLUORANTHENE	206-44-0	40 ug/kg	<200
PYRENE	129-00-0	40 ug/kg	<200
BUTYLBENZYLPHthalATE	85-68-7	40 ug/kg	<200
3,3-DICHLOROBENZIDINE	91-94-1	40 ug/kg	<200
BENZO-a-ANTHRACENE	56-55-3	40 ug/kg	<200
CHRYSENE	218-01-9	40 ug/kg	<200
Bis(2-ETHYLEXYL)PHTALATE	117-81-7	500 ug/kg	<500
DI-n-OCTYLPHthalATE	117-84-0	40 ug/kg	<200
BENZO-b-FLUOROANTHENE	205-99-2	40 ug/kg	<200
BENZO-k- FLUOROANTHENE	207-08-9	40 ug/kg	<200
BENZO-a-PYRENE	50-32-8	40 ug/kg	<200
INDENO(1,2,3-c,d)PYRENE	193-39-5	40 ug/kg	<200
DIBENZO-a,h-ANTHRACENE	53-70-3	40 ug/kg	<200
BENZO-g,h,i-PERYLENE	191-24-2	40 ug/kg	<200

MDL = Minimum Detection Limit.

Note: MDL's are raised due to matrix interference.



Michael Veraldi-Laboratory Director



LONG
ISLAND
ANALYTICAL
LABORATORIES INC.

101-4 Colin Drive • Holbrook, New York 11741

Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: Anson	Client ID: 131 Sunnyside Blvd., 03150 (S1 B24-1)
Date received: 10/30/03	Laboratory ID: 1025541
Date extracted: 10/31/03	Matrix: Soil
Date analyzed: 10/31, 11/3/03	ELAP #: 11693

METALS ANALYSIS

Parameter	MDL	Results mg/kg
SILVER, Ag	1.65 mg/kg	<1.65
ARSENIC, As	1.65 mg/kg	2.56
BARIUM, Ba	3.33 mg/kg	19.89
CADMIUM, Cd	1.00 mg/kg	<1.00
CHROMIUM, Cr	1.65 mg/kg	10.7
MERCURY, Hg	0.020 mg/kg	<0.020
LEAD, Pb	1.65 mg/kg	4.24
SELENIUM, Se	1.65 mg/kg	<1.65

MDL = Minimum Detection Limit.

Analysis by SW-846 Method 6010

Michael Veraldi

Michael Veraldi-Laboratory Director



LONG
ISLAND
ANALYTICAL
LABORATORIES INC.

101-4 Colin Drive • Holbrook, New York 11741

TOMORROW'S ANALYTICAL SOLUTIONS TODAY™

Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: Anson	Client ID: 131 Sunnyside Blvd., 03150 (S2 B24-2)
Date received: 10/30/03	Laboratory ID: 1025542
Date extracted: 11/4/03	Matrix: Soil
Date analyzed: 11/4/03	ELAP #: 11693

NCDH PROTOCOL

PARAMETER	CAS No.	MDL	RESULTS ug/kg
ACETONE	67-64-1	50 ug/kg	<50
BENZENE	71-43-2	5 ug/kg	<5
n-BUTYLBENZENE	104-51-8	5 ug/kg	<5
sec-BUTYLBENZENE	135-98-8	5 ug/kg	<5
tert-BUTYLBENZENE	98-06-6	5 ug/kg	<5
BROMODICHLOROMETHANE	75-27-4	5 ug/kg	<5
BROMOFORM	75-25-2	5 ug/kg	<5
BROMOBENZENE	108-86-1	5 ug/kg	<5
2-CHLOROTOLUENE	95-49-8	5 ug/kg	<5
4-CHLOROTOLUENE	106-43-4	5 ug/kg	<5
CHLOROBENZENE	108-90-7	5 ug/kg	<5
CHLOROFORM	67-66-3	5 ug/kg	<5
CARBON TETRACHLORIDE	56-23-5	5 ug/kg	<5
o-DICHLOROBENZENE (1,2)	95-50-1	5 ug/kg	<5
m-DICHLOROBENZENE (1,3)	541-73-1	5 ug/kg	<5
p-DICHLOROBENZENE (1,4)	106-46-7	5 ug/kg	<5
1,2-DIBROMO-3-CHLOROPROPANE	96-12-8	5 ug/kg	<5
1,1-DICHLOROETHYLENE	75-35-4	5 ug/kg	<5
trans-1,2-DICHLOROETHYLENE	156-60-5	5 ug/kg	<5
1,1-DICHLOROETHANE	75-34-3	5 ug/kg	<5
cis-1,2-DICHLOROETHYLENE	159-59-2	5 ug/kg	<5
DIBROMOCHLOROMETHANE	124-48-1	5 ug/kg	<5
1,3-DICHLOROPROPANE	142-28-9	5 ug/kg	<5
1,1-DICHLOROPROPENE	563-58-6	5 ug/kg	<5
1,2-DICHLOROETHANE	107-06-02	5 ug/kg	<5
1,2-DICHLOROPROPANE	78-87-5	5 ug/kg	<5
2,2-DICHLOROPROPANE	594-20-7	5 ug/kg	<5
ETHYLBENZENE	100-414	5 ug/kg	<5

MDL = Minimum Detection Limit.



101-4 Colin Drive • Holbrook, New York 11741

Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: Anson	Client ID: 131 Sunnyside Blvd., 03150 (S2 B24-2)
Date received: 10/30/03	Laboratory ID: 1025542
Date extracted: 11/4/03	Matrix: Soil
Date analyzed: 11/4/03	ELAP #: 11693

NCDH PROTOCOL

PARAMETER	CAS No.	MDL	RESULTS ug/kg
1,2-DIBROMOETHANE	106-93-4	5 ug/kg	<5
DIBROMOMETHANE	74-95-3	5 ug/kg	<5
cis-1,3-DICHLOROPROPENE	10061-01-5	5 ug/kg	<5
trans-1,3-DICHLOROPROPENE	10061-02-6	5 ug/kg	<5
HEXACHLOROBUTADIENE	87-68-3	5 ug/kg	<5
p-ISOPROPYLTOLUENE	99-87-6	5 ug/kg	<5
ISOPROPYLBENZENE	98-82-8	5 ug/kg	<5
METHYLENE CHLORIDE	75-09-2	5 ug/kg	46
NAPHTHALENE	91-20-3	5 ug/kg	<5
n-PROPYLBENZENE	103-65-1	5 ug/kg	<5
STYRENE	100-42-5	5 ug/kg	<5
TRICHLOROFLUOROMETHANE	75-69-4	5 ug/kg	<5
1,2,3-TRICHLOROBENZENE	87-61-6	5 ug/kg	<5
1,2,4-TRICHLOROBENZENE	120-82-1	5 ug/kg	<5
1,2,4-TRIMETHYLBENZENE	95-63-6	5 ug/kg	<5
1,3,5-TRIMETHYLBENZENE	108-67-8	5 ug/kg	<5
1,1,1-TRICHLOROETHANE	71-55-6	5 ug/kg	<5
TRICHLOROETHYLENE	79-01-6	5 ug/kg	13
1,1,2-TRICHLOROETHANE	79-00-5	5 ug/kg	<5
TETRACHLOROETHYLENE	127-18-4	5 ug/kg	<5
1,1,1,2-TETRACHLOROETHANE	630-20-6	5 ug/kg	<5
1,1,2,2-TETRACHLOROETHANE	79-34-5	5 ug/kg	<5
1,2,3-TRICHLOROPROPANE	96-18-4	5 ug/kg	<5
TOLUENE	108-88-3	5 ug/kg	<5
VINYL CHLORIDE	75-01-4	5 ug/kg	<5
p & m-XYLENES	1330-20-7	10 ug/kg	<10
o-XYLENE	95-47-6	5 ug/kg	<5

MDL = Minimum Detection Limit.



Michael Veraldi-Laboratory Director



Client: Anson	Client ID: 131 Sunnyside Blvd., 03150 (S2 B24-2)
Date received: 10/30/03	Laboratory ID: 1025542
Date extracted: 11/5/03	Matrix: Soil
Date analyzed: 11/5/03	ELAP #: 11693

EPA METHOD 8270(BN)

Parameter	CAS No.	MDL	Results ug/kg
Bis(2-CHLOROETHYL)ETHER	111-44-4	40 ug/kg	<280
1,3-DICHLOROBENZENE	541-73-1	40 ug/kg	<280
1,4-DICHLOROBENZENE	106-46-7	40 ug/kg	<280
1,2-DICHLOROBENZENE	95-50-1	40 ug/kg	<280
Bis(2-CHLOROISOPROPYL)ETHER	108-60-1	40 ug/kg	<280
HEXACHLOROETHANE	67-72-1	40 ug/kg	<280
N-NITROSODI-n-PROPYL AMINE	621-64-7	40 ug/kg	<280
NITROBENZENE	98-95-3	40 ug/kg	<280
ISOPHORONE	78-59-1	40 ug/kg	<280
Bis(2-CHLOROETHOXY)METHANE	111-91-1	40 ug/kg	<280
1,2,4-TRICHLOROBENZENE	120-82-1	40 ug/kg	<280
NAPHTHALENE	91-20-3	40 ug/kg	<280
HEXACHLOROBUTADIENE	87-68-3	40 ug/kg	<280
HEXACHLOROCYCLOPENTADIENE	77-47-4	40 ug/kg	<280
2-CHLORONAPHTHALENE	91-58-7	40 ug/kg	<280
ACENAPHTHYLENE	208-96-8	40 ug/kg	<280
DIMETHYLPHTHALATE	131-11-3	40 ug/kg	<280
2,6-DINITROTOLUENE	606-20-2	40 ug/kg	<280
ACENAPHTHENE	83-32-9	40 ug/kg	<280
2,4-DINITROTOLUENE	121-14-2	40 ug/kg	<280
FLUORENE	86-73-7	40 ug/kg	555
4-CHLOROPHENYL PHENYL ETHER	7005-72-3	40 ug/kg	<280

MDL = Minimum Detection Limit.

Note: MDL's are raised due to matrix interference.

Client: Anson	Client ID: 131 Sunnyside Blvd., 03150 (S2 B24-2)
Date received: 10/30/03	Laboratory ID: 1025542
Date extracted: 11/5/03	Matrix: Soil
Date analyzed: 11/5/03	ELAP #: 11693

EPA METHOD 8270(BN)

Parameter	CAS No.	MDL	Results ug/kg
DIETHYLPHTHALATE	84-66-2	40 ug/kg	<280
4-BROMOPHENYL-PHENYL ETHER	101-55-3	40 ug/kg	<280
HEXACHLOROBENZENE	118-74-1	40 ug/kg	<280
PHENANTHRENE	85-01-8	40 ug/kg	11,578
ANTHRACENE	120-12-7	40 ug/kg	991
Di-n-BUTYLPHTHALATE	84-74-2	500 ug/kg	<500
FLUORANTHENE	206-44-0	40 ug/kg	22,488
PYRENE	129-00-0	40 ug/kg	991
BUTYLBENZYLPHTHALATE	85-68-7	40 ug/kg	<280
3,3-DICHLOROBENZIDINE	91-94-1	40 ug/kg	<280
BENZO-a-ANTHRACENE	56-55-3	40 ug/kg	6,568
CHRYSENE	218-01-9	40 ug/kg	14,604
Bis(2-ETHYLEXYL)PHTALATE	117-81-7	500 ug/kg	900
DI-n-OCTYLPHTHALATE	117-84-0	40 ug/kg	<280
BENZO-b-FLUOROANTHENE	205-99-2	40 ug/kg	16,209
BENZO-k- FLUOROANTHENE	207-08-9	40 ug/kg	5,609
BENZO-a-PYRENE	50-32-8	40 ug/kg	9,458
INDENO(1,2,3-c,d)PYRENE	193-39-5	40 ug/kg	8,064
DIBENZO-a,h-ANTHRACENE	53-70-3	40 ug/kg	1,779
BENZO-g,h,i-PERYLENE	191-24-2	40 ug/kg	7,641

MDL = Minimum Detection Limit.

Note: MDL's are raised due to matrix interference.



Michael Veraldi-Laboratory Director



Client: Anson	Client ID: 131 Sunnyside Blvd., 03150 (S2 B24-2)
Date received: 10/30/03	Laboratory ID: 1025542
Date extracted: 10/31/03	Matrix: Soil
Date analyzed: 10/31, 11/3/03	ELAP #: 11693

METALS ANALYSIS

Parameter	MDL	Results mg/kg
SILVER, Ag	1.65 mg/kg	<1.65
ARSENIC, As	1.65 mg/kg	5.15
BARIUM, Ba	3.33 mg/kg	72.4
CADMIUM, Cd	1.00 mg/kg	13.5
CHROMIUM, Cr	1.65 mg/kg	141
MERCURY, Hg	0.020 mg/kg	0.102
LEAD, Pb	1.65 mg/kg	90.7
SELENIUM, Se	1.65 mg/kg	<1.65

MDL = Minimum Detection Limit.

Analysis by SW-846 Method 6010

Michael Veraldi

Michael Veraldi-Laboratory Director

Client: Anson	Client ID: 131 Sunnyside Blvd., 03150 (S3 B24-3)
Date received: 10/30/03	Laboratory ID: 1025543
Date extracted: 11/4/03	Matrix: Soil
Date analyzed: 11/4/03	ELAP #: 11693

NCDH PROTOCOL

PARAMETER	CAS No.	MDL	RESULTS ug/kg
ACETONE	67-64-1	50 ug/kg	<50
BENZENE	71-43-2	5 ug/kg	<5
n-BUTYLBENZENE	104-51-8	5 ug/kg	<5
sec-BUTYLBENZENE	135-98-8	5 ug/kg	<5
tert-BUTYLBENZENE	98-06-6	5 ug/kg	<5
BROMODICHLOROMETHANE	75-27-4	5 ug/kg	<5
BROMOFORM	75-25-2	5 ug/kg	<5
BROMOBENZENE	108-86-1	5 ug/kg	<5
2-CHLOROTOLUENE	95-49-8	5 ug/kg	<5
4-CHLOROTOLUENE	106-43-4	5 ug/kg	<5
CHLOROBENZENE	108-90-7	5 ug/kg	<5
CHLOROFORM	67-66-3	5 ug/kg	<5
CARBON TETRACHLORIDE	56-23-5	5 ug/kg	<5
o-DICHLOROBENZENE (1,2)	95-50-1	5 ug/kg	<5
m-DICHLOROBENZENE (1,3)	541-73-1	5 ug/kg	<5
p-DICHLOROBENZENE (1,4)	106-46-7	5 ug/kg	<5
1,2-DIBROMO-3-CHLOROPROPANE	96-12-8	5 ug/kg	<5
1,1-DICHLOROETHYLENE	75-35-4	5 ug/kg	<5
trans-1,2-DICHLOROETHYLENE	156-60-5	5 ug/kg	<5
1,1-DICHLOROETHANE	75-34-3	5 ug/kg	<5
cis-1,2-DICHLOROETHYLENE	159-59-2	5 ug/kg	<5
DIBROMOCHLOROMETHANE	124-48-1	5 ug/kg	<5
1,3-DICHLOROPROPANE	142-28-9	5 ug/kg	<5
1,1-DICHLOROPROPENE	563-58-6	5 ug/kg	<5
1,2-DICHLOROETHANE	107-06-02	5 ug/kg	<5
1,2-DICHLOROPROPANE	78-87-5	5 ug/kg	<5
2,2-DICHLOROPROPANE	594-20-7	5 ug/kg	<5
ETHYLBENZENE	100-414	5 ug/kg	<5

MDL = Minimum Detection Limit.



Client: Anson	Client ID: 131 Sunnyside Blvd., 03150 (S3 B24-3)
Date received: 10/30/03	Laboratory ID: 1025543
Date extracted: 11/4/03	Matrix: Soil
Date analyzed: 11/4/03	ELAP #: 11693

NCDH PROTOCOL

PARAMETER	CAS No.	MDL	RESULTS ug/kg
1,2-DIBROMOETHANE	106-93-4	5 ug/kg	<5
DIBROMOMETHANE	74-95-3	5 ug/kg	<5
cis-1,3-DICHLOROPROPENE	10061-01-5	5 ug/kg	<5
trans-1,3-DICHLOROPROPENE	10061-02-6	5 ug/kg	<5
HEXACHLOROCYCLOPENTADIENE	87-68-3	5 ug/kg	<5
p-ISOPROPYLTOLUENE	99-87-6	5 ug/kg	<5
ISOPROPYLBENZENE	98-82-8	5 ug/kg	<5
METHYLENE CHLORIDE	75-09-2	5 ug/kg	<5
NAPHTHALENE	91-20-3	5 ug/kg	<5
n-PROPYLBENZENE	103-65-1	5 ug/kg	<5
STYRENE	100-42-5	5 ug/kg	<5
TRICHLOROFLUOROMETHANE	75-69-4	5 ug/kg	<5
1,2,3-TRICHLOROBENZENE	87-61-6	5 ug/kg	<5
1,2,4-TRICHLOROBENZENE	120-82-1	5 ug/kg	<5
1,2,4-TRIMETHYLBENZENE	95-63-6	5 ug/kg	<5
1,3,5-TRIMETHYLBENZENE	108-67-8	5 ug/kg	<5
1,1,1-TRICHLOROETHANE	71-55-6	5 ug/kg	<5
TRICHLOROETHYLENE	79-01-6	5 ug/kg	<5
1,1,2-TRICHLOROETHANE	79-00-5	5 ug/kg	<5
TETRACHLOROETHYLENE	127-18-4	5 ug/kg	<5
1,1,1,2-TETRACHLOROETHANE	630-20-6	5 ug/kg	<5
1,1,2,2-TETRACHLOROETHANE	79-34-5	5 ug/kg	<5
1,2,3-TRICHLOROPROPANE	96-18-4	5 ug/kg	<5
TOLUENE	108-88-3	5 ug/kg	<5
VINYL CHLORIDE	75-01-4	5 ug/kg	<5
p & m-XYLENES	1330-20-7	10 ug/kg	<10
o-XYLENE	95-47-6	5 ug/kg	<5

MDL = Minimum Detection Limit.



Michael Veraldi-Laboratory Director



Client: Anson	Client ID: 131 Sunnyside Blvd., 03150 (S3 B24-3)
Date received: 10/30/03	Laboratory ID: 1025543
Date extracted: 11/5/03	Matrix: Soil
Date analyzed: 11/5/03	ELAP #: 11693

EPA METHOD 8270(BN)

Parameter	CAS No.	MDL	Results ug/kg
Bis(2-CHLOROETHYL)ETHER	111-44-4	40 ug/kg	<280
1,3-DICHLOROBENZENE	541-73-1	40 ug/kg	<280
1,4-DICHLOROBENZENE	106-46-7	40 ug/kg	<280
1,2-DICHLOROBENZENE	95-50-1	40 ug/kg	<280
Bis(2-CHLOROISOPROPYL)ETHER	108-60-1	40 ug/kg	<280
HEXACHLOROETHANE	67-72-1	40 ug/kg	<280
N-NITROSODI-n-PROPYL AMINE	621-64-7	40 ug/kg	<280
NITROBENZENE	98-95-3	40 ug/kg	<280
ISOPHORONE	78-59-1	40 ug/kg	<280
Bis(2-CHLOROETHOXY)METHANE	111-91-1	40 ug/kg	<280
1,2,4-TRICHLOROBENZENE	120-82-1	40 ug/kg	<280
NAPHTHALENE	91-20-3	40 ug/kg	547
HEXACHLOROBUTADIENE	87-68-3	40 ug/kg	<280
HEXACHLOROCYCLOPENTADIENE	77-47-4	40 ug/kg	<280
2-CHLORONAPHTHALENE	91-58-7	40 ug/kg	<280
ACENAPHTHYLENE	208-96-8	40 ug/kg	<280
DIMETHYLPHTHALATE	131-11-3	40 ug/kg	<280
2,6-DINITROTOLUENE	606-20-2	40 ug/kg	<280
ACENAPHTHENE	83-32-9	40 ug/kg	599
2,4-DINITROTOLUENE	121-14-2	40 ug/kg	<280
FLUORENE	86-73-7	40 ug/kg	657
4-CHLOROPHENYL PHENYL ETHER	7005-72-3	40 ug/kg	<280

MDL = Minimum Detection Limit.

Note: MDL's are raised due to matrix interference.



LIAISON
ISLAND
ANALYTICAL
LABORATORY

101-4 Colin Drive • Holbrook, New York 11741

Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: Anson	Client ID: 131 Sunnyside Blvd., 03150 (S3 B24-3)
Date received: 10/30/03	Laboratory ID: 1025543
Date extracted: 11/5/03	Matrix: Soil
Date analyzed: 11/5/03	ELAP #: 11693

EPA METHOD 8270(BN)

Parameter	CAS No.	MDL	Results ug/kg
DIETHYLPHthalate	84-66-2	40 ug/kg	<280
4-BROMOPHENYL-PHENYL ETHER	101-55-3	40 ug/kg	<280
HEXACHLOROBENZENE	118-74-1	40 ug/kg	<280
PHENANTHRENE	85-01-8	40 ug/kg	16,734
ANTHRACENE	120-12-7	40 ug/kg	1,254
Di-n-BUTYLPHthalate	84-74-2	500 ug/kg	<500
FLUORANTHENE	206-44-0	40 ug/kg	30,859
PYRENE	129-00-0	40 ug/kg	25,597
BUTYLBENZYLPHthalate	85-68-7	40 ug/kg	<280
3,3-DICHLOROBENZIDINE	91-94-1	40 ug/kg	<280
BENZO-a-ANTHRACENE	56-55-3	40 ug/kg	8,624
CHRYSENE	218-01-9	40 ug/kg	19,487
Bis(2-ETHYLEXYL)PHTALATE	117-81-7	500 ug/kg	1,918
DI-n-OCTYLPHthalate	117-84-0	40 ug/kg	<280
BENZO-b-FLUOROANTHENE	205-99-2	40 ug/kg	22,253
BENZO-k- FLUOROANTHENE	207-08-9	40 ug/kg	7,472
BENZO-a-PYRENE	50-32-8	40 ug/kg	12,700
INDENO(1,2,3-c,d)PYRENE	193-39-5	40 ug/kg	10,748
DIBENZO-a,h-ANTHRACENE	53-70-3	40 ug/kg	2,448
BENZO-g,h,i-PERYLENE	191-24-2	40 ug/kg	10,388

MDL = Minimum Detection Limit.

Note: MDL's are raised due to matrix interference.



Michael Veraldi-Laboratory Director



LONG
ISLAND
ANALYTICAL
LABORATORIES, INC.

101-4 Colin Drive • Holbrook, New York 11741

Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: Anson	Client ID: 131 Sunnyside Blvd., 03150 (S3 B24-3)
Date received: 10/30/03	Laboratory ID: 1025543
Date extracted: 10/31/03	Matrix: Soil
Date analyzed: 10/31, 11/3/03	ELAP #: 11693

METALS ANALYSIS

Parameter	MDL	Results mg/kg
SILVER, Ag	1.65 mg/kg	<1.65
ARSENIC, As	1.65 mg/kg	2.34
BARIUM, Ba	3.33 mg/kg	72.6
CADMIUM, Cd	1.00 mg/kg	11.1
CHROMIUM, Cr	1.65 mg/kg	57.2
MERCURY, Hg	0.020 mg/kg	0.239
LEAD, Pb	1.65 mg/kg	128
SELENIUM, Se	1.65 mg/kg	<1.65

MDL = Minimum Detection Limit.

Analysis by SW-846 Method 6010

Michael Veraldi

Michael Veraldi-Laboratory Director

Client: Anson	Client ID: 131 Sunnyside Blvd., 03150 (S4 B24-4)
Date received: 10/30/03	Laboratory ID: 1025544
Date extracted: 11/4/03	Matrix: Soil
Date analyzed: 11/4/03	ELAP #: 11693

NCDH PROTOCOL

PARAMETER	CAS No.	MDL	RESULTS ug/kg
ACETONE	67-64-1	50 ug/kg	<50
BENZENE	71-43-2	5 ug/kg	<5
n-BUTYLBENZENE	104-51-8	5 ug/kg	<5
sec-BUTYLBENZENE	135-98-8	5 ug/kg	<5
tert-BUTYLBENZENE	98-06-6	5 ug/kg	<5
BROMODICHLOROMETHANE	75-27-4	5 ug/kg	<5
BROMOFORM	75-25-2	5 ug/kg	<5
BROMOBENZENE	108-86-1	5 ug/kg	<5
2-CHLOROTOLUENE	95-49-8	5 ug/kg	<5
4-CHLOROTOLUENE	106-43-4	5 ug/kg	<5
CHLOROBENZENE	108-90-7	5 ug/kg	<5
CHLOROFORM	67-66-3	5 ug/kg	<5
CARBON TETRACHLORIDE	56-23-5	5 ug/kg	<5
o-DICHLOROBENZENE (1,2)	95-50-1	5 ug/kg	<5
m-DICHLOROBENZENE (1,3)	541-73-1	5 ug/kg	<5
p-DICHLOROBENZENE (1,4)	106-46-7	5 ug/kg	<5
1,2-DIBROMO-3-CHLOROPROPANE	96-12-8	5 ug/kg	<5
1,1-DICHLOROETHYLENE	75-35-4	5 ug/kg	<5
trans-1,2-DICHLOROETHYLENE	156-60-5	5 ug/kg	<5
1,1-DICHLOROETHANE	75-34-3	5 ug/kg	<5
cis-1,2-DICHLOROETHYLENE	159-59-2	5 ug/kg	<5
DIBROMOCHLOROMETHANE	124-48-1	5 ug/kg	<5
1,3-DICHLOROPROPANE	142-28-9	5 ug/kg	<5
1,1-DICHLOROPROPENE	563-58-6	5 ug/kg	<5
1,2-DICHLOROETHANE	107-06-02	5 ug/kg	<5
1,2-DICHLOROPROPANE	78-87-5	5 ug/kg	<5
2,2-DICHLOROPROPANE	594-20-7	5 ug/kg	<5
ETHYLBENZENE	100-414	5 ug/kg	<5

MDL = Minimum Detection Limit.



LONG ISLAND
ANALYTICAL
LABORATORY, INC.

101-4 Colin Drive • Holbrook, New York 11741

Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: Anson	Client ID: 131 Sunnyside Blvd., 03150 (S4 B24-4)
Date received: 10/30/03	Laboratory ID: 1025544
Date extracted: 11/4/03	Matrix: Soil
Date analyzed: 11/4/03	ELAP #: 11693

NCDH PROTOCOL

PARAMETER	CAS No.	MDL	RESULTS ug/kg
1,2-DIBROMOETHANE	106-93-4	5 ug/kg	<5
DIBROMOMETHANE	74-95-3	5 ug/kg	<5
cis-1,3-DICHLOROPROPENE	10061-01-5	5 ug/kg	<5
trans-1,3-DICHLOROPROPENE	10061-02-6	5 ug/kg	<5
HEXACHLOROBUTADIENE	87-68-3	5 ug/kg	<5
p-ISOPROPYLTOLUENE	99-87-6	5 ug/kg	<5
ISOPROPYLBENZENE	98-82-8	5 ug/kg	<5
METHYLENE CHLORIDE	75-09-2	5 ug/kg	<5
NAPHTHALENE	91-20-3	5 ug/kg	<5
n-PROPYLBENZENE	103-65-1	5 ug/kg	<5
STYRENE	100-42-5	5 ug/kg	<5
TRICHLOROFLUOROMETHANE	75-69-4	5 ug/kg	<5
1,2,3-TRICHLOROBENZENE	87-61-6	5 ug/kg	<5
1,2,4-TRICHLOROBENZENE	120-82-1	5 ug/kg	<5
1,2,4-TRIMETHYLBENZENE	95-63-6	5 ug/kg	<5
1,3,5-TRIMETHYLBENZENE	108-67-8	5 ug/kg	<5
1,1,1-TRICHLOROETHANE	71-55-6	5 ug/kg	<5
TRICHLOROETHYLENE	79-01-6	5 ug/kg	<5
1,1,2-TRICHLOROETHANE	79-00-5	5 ug/kg	<5
TETRACHLOROETHYLENE	127-18-4	5 ug/kg	<5
1,1,1,2-TETRACHLOROETHANE	630-20-6	5 ug/kg	<5
1,1,2,2-TETRACHLOROETHANE	79-34-5	5 ug/kg	<5
1,2,3-TRICHLOROPROPANE	96-18-4	5 ug/kg	<5
TOLUENE	108-88-3	5 ug/kg	<5
VINYL CHLORIDE	75-01-4	5 ug/kg	<5
p & m-XYLENES	1330-20-7	10 ug/kg	<10
o-XYLENE	95-47-6	5 ug/kg	<5

MDL = Minimum Detection Limit.

Michael Veraldi

Michael Veraldi-Laboratory Director



LIAI INC.
ANALYTICAL
LABORATORY

101-4 Colin Drive • Holbrook, New York 11741

Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: Anson	Client ID: 131 Sunnyside Blvd., 03150 (S4 B24-4)
Date received: 10/30/03	Laboratory ID: 1025544
Date extracted: 11/5/03	Matrix: Soil
Date analyzed: 11/5/03	ELAP #: 11693

EPA METHOD 8270(BN)

Parameter	CAS No.	MDL	Results ug/kg
Bis(2-CHLOROETHYL)ETHER	111-44-4	40 ug/kg	<320
1,3-DICHLOROBENZENE	541-73-1	40 ug/kg	<320
1,4-DICHLOROBENZENE	106-46-7	40 ug/kg	<320
1,2-DICHLOROBENZENE	95-50-1	40 ug/kg	<320
Bis(2-CHLOROISOPROPYL)ETHER	108-60-1	40 ug/kg	<320
HEXACHLOROETHANE	67-72-1	40 ug/kg	<320
N-NITROSODI-n-PROPYL AMINE	621-64-7	40 ug/kg	<320
NITROBENZENE	98-95-3	40 ug/kg	<320
ISOPHORONE	78-59-1	40 ug/kg	<320
Bis(2-CHLOROETHOXY)METHANE	111-91-1	40 ug/kg	<320
1,2,4-TRICHLOROBENZENE	120-82-1	40 ug/kg	<320
NAPHTHALENE	91-20-3	40 ug/kg	<320
HEXACHLOROBUTADIENE	87-68-3	40 ug/kg	<320
HEXACHLOROCYCLOPENTADIENE	77-47-4	40 ug/kg	<320
2-CHLORONAPHTHALENE	91-58-7	40 ug/kg	<320
ACENAPHTHYLENE	208-96-8	40 ug/kg	<320
DIMETHYLPHTHALATE	131-11-3	40 ug/kg	<320
2,6-DINITROTOLUENE	606-20-2	40 ug/kg	<320
ACENAPHTHENE	83-32-9	40 ug/kg	889
2,4-DINITROTOLUENE	121-14-2	40 ug/kg	<320
FLUORENE	86-73-7	40 ug/kg	10,005
4-CHLOROPHENYL PHENYL ETHER	7005-72-3	40 ug/kg	<320

MDL = Minimum Detection Limit.

Note: MDL's are raised due to matrix interference.



LONG
ISLAND
ANALYTICAL
LABORATORY, INC.

101-4 Colin Drive • Holbrook, New York 11741

Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: Anson	Client ID: 131 Sunnyside Blvd., 03150 (S4 B24-4)
Date received: 10/30/03	Laboratory ID: 1025544
Date extracted: 11/5/03	Matrix: Soil
Date analyzed: 11/5/03	ELAP #: 11693

EPA METHOD 8270(BN)

Parameter	CAS No.	MDL	Results ug/kg
DIETHYLPHTHALATE	84-66-2	40 ug/kg	<320
4-BROMOPHENYL-PHENYL ETHER	101-55-3	40 ug/kg	<320
HEXACHLOROBENZENE	118-74-1	40 ug/kg	<320
PHENANTHRENE	85-01-8	40 ug/kg	23,013
ANTHRACENE	120-12-7	40 ug/kg	2,030
Di-n-BUTYLPHTHALATE	84-74-2	500 ug/kg	<500
FLUORANTHENE	206-44-0	40 ug/kg	46,080
PYRENE	129-00-0	40 ug/kg	38,864
BUTYLBENZYLPHTHALATE	85-68-7	40 ug/kg	<320
3,3-DICHLOROBENZIDINE	91-94-1	40 ug/kg	<320
BENZO-a-ANTHRACENE	56-55-3	40 ug/kg	14,695
CHRYSENE	218-01-9	40 ug/kg	27,436
Bis(2-ETHYLEXYL)PHTALATE	117-81-7	500 ug/kg	912
DI-n-OCTYLPHTHALATE	117-84-0	40 ug/kg	<320
BENZO-b-FLUOROANTHENE	205-99-2	40 ug/kg	30,798
BENZO-k- FLUOROANTHENE	207-08-9	40 ug/kg	11,563
BENZO-a-PYRENE	50-32-8	40 ug/kg	18,955
INDENO(1,2,3-c,d)PYRENE	193-39-5	40 ug/kg	15,009
DIBENZO-a,h-ANTHRACENE	53-70-3	40 ug/kg	3,683
BENZO-g,h,i-PERYLENE	191-24-2	40 ug/kg	14,816

MDL = Minimum Detection Limit.

Note: MDL's are raised due to matrix interference.

Michael Veraldi

Michael Veraldi-Laboratory Director

Client: Anson	Client ID: 131 Sunnyside Blvd., 03150 (S4 B24-4)
Date received: 10/30/03	Laboratory ID: 1025544
Date extracted: 10/31/03	Matrix: Soil
Date analyzed: 10/31, 11/3/03	ELAP #: 11693

METALS ANALYSIS

Parameter	MDL	Results mg/kg
SILVER, Ag	1.65 mg/kg	5.40
ARSENIC, As	1.65 mg/kg	4.33
BARIUM, Ba	3.33 mg/kg	109
CADMIUM, Cd	1.00 mg/kg	15.8
CHROMIUM, Cr	1.65 mg/kg	185
MERCURY, Hg	0.020 mg/kg	0.151
LEAD, Pb	1.65 mg/kg	181
SELENIUM, Se	1.65 mg/kg	<1.65

MDL = Minimum Detection Limit.

Analysis by SW-846 Method 6010

Michael Veraldi

Michael Veraldi-Laboratory Director



**LONG
ISLAND
ANALYTICAL
LABORATORIES INC.**

101-4 Colin Drive • Holbrook, New York 11741

Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: Anson	Client ID: 131 Sunnyside Blvd., 03150 (S5 B24-5)
Date received: 10/30/03	Laboratory ID: 1025545
Date extracted: 11/4/03	Matrix: Soil
Date analyzed: 11/4/03	ELAP #: 11693

NCDH PROTOCOL

PARAMETER	CAS No.	MDL	RESULTS ug/kg
ACETONE	67-64-1	50 ug/kg	<50
BENZENE	71-43-2	5 ug/kg	<5
n-BUTYLBENZENE	104-51-8	5 ug/kg	<5
sec-BUTYLBENZENE	135-98-8	5 ug/kg	<5
tert-BUTYLBENZENE	98-06-6	5 ug/kg	<5
BROMODICHLOROMETHANE	75-27-4	5 ug/kg	<5
BROMOFORM	75-25-2	5 ug/kg	<5
BROMOBENZENE	108-86-1	5 ug/kg	<5
2-CHLOROTOLUENE	95-49-8	5 ug/kg	<5
4-CHLOROTOLUENE	106-43-4	5 ug/kg	<5
CHLOROBENZENE	108-90-7	5 ug/kg	<5
CHLOROFORM	67-66-3	5 ug/kg	<5
CARBON TETRACHLORIDE	56-23-5	5 ug/kg	<5
o-DICHLOROBENZENE (1,2)	95-50-1	5 ug/kg	<5
m-DICHLOROBENZENE (1,3)	541-73-1	5 ug/kg	<5
p-DICHLOROBENZENE (1,4)	106-46-7	5 ug/kg	<5
1,2-DIBROMO-3-CHLOROPROPANE	96-12-8	5 ug/kg	<5
1,1-DICHLOROETHYLENE	75-35-4	5 ug/kg	<5
trans-1,2-DICHLOROETHYLENE	156-60-5	5 ug/kg	<5
1,1-DICHLOROETHANE	75-34-3	5 ug/kg	<5
cis-1,2-DICHLOROETHYLENE	159-59-2	5 ug/kg	<5
DIBROMOCHLOROMETHANE	124-48-1	5 ug/kg	<5
1,3-DICHLOROPROPANE	142-28-9	5 ug/kg	<5
1,1-DICHLOROPROPENE	563-58-6	5 ug/kg	<5
1,2-DICHLOROETHANE	107-06-02	5 ug/kg	<5
1,2-DICHLOROPROPANE	78-87-5	5 ug/kg	<5
2,2-DICHLOROPROPANE	594-20-7	5 ug/kg	<5
ETHYLBENZENE	100-414	5 ug/kg	<5

MDL = Minimum Detection Limit.




Client: Anson	Client ID: 131 Sunnyside Blvd., 03150 (S5 B24-5)
Date received: 10/30/03	Laboratory ID: 1025545
Date extracted: 11/4/03	Matrix: Soil
Date analyzed: 11/4/03	ELAP #: 11693

NCDH PROTOCOL

PARAMETER	CAS No.	MDL	RESULTS ug/kg
1,2-DIBROMOETHANE	106-93-4	5 ug/kg	<5
DIBROMOMETHANE	74-95-3	5 ug/kg	<5
cis-1,3-DICHLOROPROPENE	10061-01-5	5 ug/kg	<5
trans-1,3-DICHLOROPROPENE	10061-02-6	5 ug/kg	<5
HEXACHLOROBUTADIENE	87-68-3	5 ug/kg	<5
p-ISOPROPYLTOLUENE	99-87-6	5 ug/kg	<5
ISOPROPYLBENZENE	98-82-8	5 ug/kg	<5
METHYLENE CHLORIDE	75-09-2	5 ug/kg	10
NAPHTHALENE	91-20-3	5 ug/kg	<5
n-PROPYLBENZENE	103-65-1	5 ug/kg	<5
STYRENE	100-42-5	5 ug/kg	<5
TRICHLOROFLUOROMETHANE	75-69-4	5 ug/kg	<5
1,2,3-TRICHLOROBENZENE	87-61-6	5 ug/kg	<5
1,2,4-TRICHLOROBENZENE	120-82-1	5 ug/kg	<5
1,2,4-TRIMETHYLBENZENE	95-63-6	5 ug/kg	15
1,3,5-TRIMETHYLBENZENE	108-67-8	5 ug/kg	9
1,1,1-TRICHLOROETHANE	71-55-6	5 ug/kg	<5
TRICHLOROETHYLENE	79-01-6	5 ug/kg	<5
1,1,2-TRICHLOROETHANE	79-00-5	5 ug/kg	<5
TETRACHLOROETHYLENE	127-18-4	5 ug/kg	<5
1,1,1,2-TETRACHLOROETHANE	630-20-6	5 ug/kg	<5
1,1,2,2-TETRACHLOROETHANE	79-34-5	5 ug/kg	<5
1,2,3-TRICHLOROPROPANE	96-18-4	5 ug/kg	<5
TOLUENE	108-88-3	5 ug/kg	<5
VINYL CHLORIDE	75-01-4	5 ug/kg	<5
p & m-XYLENES	1330-20-7	10 ug/kg	<10
o-XYLENE	95-47-6	5 ug/kg	<5

MDL = Minimum Detection Limit.



Michael Veraldi-Laboratory Director



LIAI
ISLAND
ANALYTICAL
LABORATORY, INC.

101-4 Colin Drive • Holbrook, New York 11741

Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: Anson	Client ID: 131 Sunnyside Blvd., 03150 (S5 B24-5)
Date received: 10/30/03	Laboratory ID: 1025545
Date extracted: 11/6/03	Matrix: Soil
Date analyzed: 11/6/03	ELAP #: 11693

EPA METHOD 8270(BN)

Parameter	CAS No.	MDL	Results ug/kg
Bis(2-CHLOROETHYL)ETHER	111-44-4	40 ug/kg	<320
1,3-DICHLOROBENZENE	541-73-1	40 ug/kg	<320
1,4-DICHLOROBENZENE	106-46-7	40 ug/kg	<320
1,2-DICHLOROBENZENE	95-50-1	40 ug/kg	<320
Bis(2-CHLOROISOPROPYL)ETHER	108-60-1	40 ug/kg	<320
HEXACHLOROETHANE	67-72-1	40 ug/kg	<320
N-NITROSODI-n-PROPYL AMINE	621-64-7	40 ug/kg	<320
NITROBENZENE	98-95-3	40 ug/kg	<320
ISOPHORONE	78-59-1	40 ug/kg	<320
Bis(2-CHLOROETHOXY)METHANE	111-91-1	40 ug/kg	<320
1,2,4-TRICHLOROBENZENE	120-82-1	40 ug/kg	<320
NAPHTHALENE	91-20-3	40 ug/kg	<320
HEXACHLOROBUTADIENE	87-68-3	40 ug/kg	<320
HEXACHLOROCYCLOPENTADIENE	77-47-4	40 ug/kg	<320
2-CHLORONAPHTHALENE	91-58-7	40 ug/kg	<320
ACENAPHTHYLENE	208-96-8	40 ug/kg	<320
DIMETHYLPHTHALATE	131-11-3	40 ug/kg	<320
2,6-DINITROTOLUENE	606-20-2	40 ug/kg	<320
ACENAPHTHENE	83-32-9	40 ug/kg	<320
2,4-DINITROTOLUENE	121-14-2	40 ug/kg	<320
FLUORENE	86-73-7	40 ug/kg	<320
4-CHLOROPHENYL PHENYL ETHER	7005-72-3	40 ug/kg	<320

MDL = Minimum Detection Limit.

Note: MDL's are raised due to matrix interference.



LONG
ISLAND
ANALYTICAL
LABORATORIES, INC.

101-4 Colin Drive • Holbrook, New York 11741

Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: Anson	Client ID: 131 Sunnyside Blvd., 03150 (S5 B24-5)
Date received: 10/30/03	Laboratory ID: 1025545
Date extracted: 11/6/03	Matrix: Soil
Date analyzed: 11/6/03	ELAP #: 11693

EPA METHOD 8270(BN)

Parameter	CAS No.	MDL	Results ug/kg
DIETHYLPHTHALATE	84-66-2	40 ug/kg	<320
4-BROMOPHENYL-PHENYL ETHER	101-55-3	40 ug/kg	<320
HEXACHLOROBENZENE	118-74-1	40 ug/kg	<320
PHENANTHRENE	85-01-8	40 ug/kg	632
ANTHRACENE	120-12-7	40 ug/kg	<320
Di-n-BUTYLPHTHALATE	84-74-2	500 ug/kg	<500
FLUORANTHENE	206-44-0	40 ug/kg	2,226
PYRENE	129-00-0	40 ug/kg	1,368
BUTYLBENZYLPHTHALATE	85-68-7	40 ug/kg	<320
3,3-DICHLOROBENZIDINE	91-94-1	40 ug/kg	<320
BENZO-a-ANTHRACENE	56-55-3	40 ug/kg	<320
CHRYSENE	218-01-9	40 ug/kg	1,390
Bis(2-ETHYLEXYL)PHTALATE	117-81-7	500 ug/kg	<500
DI-n-OCTYLPHTHALATE	117-84-0	40 ug/kg	<320
BENZO-b-FLUOROANTHENE	205-99-2	40 ug/kg	1,162
BENZO-k- FLUOROANTHENE	207-08-9	40 ug/kg	361
BENZO-a-PYRENE	50-32-8	40 ug/kg	542
INDENO(1,2,3-c,d)PYRENE	193-39-5	40 ug/kg	444
DIBENZO-a,h-ANTHRACENE	53-70-3	40 ug/kg	<320
BENZO-g,h,i-PERYLENE	191-24-2	40 ug/kg	411

MDL = Minimum Detection Limit.

Note: MDL's are raised due to matrix interference.



Michael Veraldi-Laboratory Director



LONG
ISLAND
ANALYTICAL
LABORATORIES, INC.

101-4 Colin Drive • Holbrook, New York 11741

Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: Anson	Client ID: 131 Sunnyside Blvd., 03150 (S5 B24-5)
Date received: 10/30/03	Laboratory ID: 1025545
Date extracted: 10/31/03	Matrix: Soil
Date analyzed: 10/31, 11/3/03	ELAP #: 11693

METALS ANALYSIS

Parameter	MDL	Results mg/kg
SILVER, Ag	1.65 mg/kg	<1.65
ARSENIC, As	1.65 mg/kg	2.81
BARIUM, Ba	3.33 mg/kg	11.8
CADMIUM, Cd	1.00 mg/kg	<1.00
CHROMIUM, Cr	1.65 mg/kg	12.73
MERCURY, Hg	0.020 mg/kg	0.021
LEAD, Pb	1.65 mg/kg	28.66
SELENIUM, Se	1.65 mg/kg	<1.65

MDL = Minimum Detection Limit.

Analysis by SW-846 Method 6010



Michael Veraldi-Laboratory Director



LONG
ISLAND
ANALYTICAL
LABORATORIES INC.

101-4 Colin Drive • Holbrook, New York 11741

TOMORROW'S ANALYTICAL SOLUTIONS TODAY

Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: Anson Environmental	Client ID: 131 Sunnyside Blvd. (18B7)
Date received: 12/19/03	Laboratory ID: 1029294
Date extracted: 12/22/03	Matrix: Soil
Date analyzed: 12/22/03	ELAP #: 11693

METALS ANALYSIS 8 RCRA

Parameter	MDL	Results mg/kg
SILVER, Ag	1.65 mg/kg	<1.65
ARSENIC, As	1.65 mg/kg	2.99
BARIUM, Ba	3.33 mg/kg	9.52
CADMIUM, Cd	1.00 mg/kg	<1.00
CHROMIUM, Cr	1.65 mg/kg	5.19
MERCURY, Hg	0.020 mg/kg	<0.02
LEAD, Pb	1.65 mg/kg	3.10
SELENIUM, Se	1.65 mg/kg	<1.65

MDL = Minimum Detection Limit.

Performed by SW-846 Method 6010

Michael Veraldi

Michael Veraldi-Laboratory Director



LONG
ISLAND
ANALYTICAL
LABORATORIES INC.

101-4 Colin Drive • Holbrook, New York 11741

TOMORROW'S ANALYTICAL SOLUTIONS TODAY

Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: Anson Environmental	Client ID: 131 Sunnyside Blvd. (18B8)
Date received: 12/19/03	Laboratory ID: 1029295
Date extracted: 12/22/03	Matrix: Soil
Date analyzed: 12/22/03	ELAP #: 11693

METALS ANALYSIS 8 RCRA

Parameter	MDL	Results mg/kg
SILVER, Ag	1.65 mg/kg	<1.65
ARSENIC, As	1.65 mg/kg	<1.65
BARIUM, Ba	3.33 mg/kg	3.68
CADMIUM, Cd	1.00 mg/kg	<1.00
CHROMIUM, Cr	1.65 mg/kg	3.44
MERCURY, Hg	0.020 mg/kg	<0.02
LEAD, Pb	1.65 mg/kg	<1.65
SELENIUM, Se	1.65 mg/kg	<1.65

MDL = Minimum Detection Limit.

Performed by SW-846 Method 6010

Michael Veraldi

Michael Veraldi-Laboratory Director

Client: Anson Environmental	Client ID: 131 Sunnyside Blvd. (18B9)
Date received: 12/19/03	Laboratory ID: 1029296
Date extracted: 12/22/03	Matrix: Soil
Date analyzed: 12/22/03	ELAP #: 11693

METALS ANALYSIS 8 RCRA

Parameter	MDL	Results mg/kg
SILVER, Ag	1.65 mg/kg	<1.65
ARSENIC, As	1.65 mg/kg	<1.65
BARIUM, Ba	3.33 mg/kg	<3.33
CADMIUM, Cd	1.00 mg/kg	<1.00
CHROMIUM, Cr	1.65 mg/kg	<1.65
MERCURY, Hg	0.020 mg/kg	<0.02
LEAD, Pb	1.65 mg/kg	<1.65
SELENIUM, Se	1.65 mg/kg	<1.65

MDL = Minimum Detection Limit.

Performed by SW-846 Method 6010

Michael Veraldi

Michael Veraldi-Laboratory Director



LONG
ISLAND
ANALYTICAL
LABORATORIES INC.

101-4 Colin Drive • Holbrook, New York 11741

Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: Anson	Client ID: 131 Sunnyside Blvd. (PF-1 {13'})
Date received: 11/4/03	Laboratory ID: 1026026
Date extracted: 11/6, 11/7/03	Matrix: Soil
Date analyzed: 11/6, 11/7/03	ELAP #: 11693

METALS ANALYSIS

Parameter	MDL	Results mg/kg
SILVER, Ag	1.65 mg/kg	<1.65
ARSENIC, As	1.65 mg/kg	<1.65
BARIUM, Ba	3.33 mg/kg	7.70
CADMIUM, Cd	1.00 mg/kg	<1.00
CHROMIUM, Cr	1.65 mg/kg	2.30
MERCURY, Hg	0.020 mg/kg	<0.020
LEAD, Pb	1.65 mg/kg	<1.65
SELENIUM, Se	1.65 mg/kg	<1.65

MDL = Minimum Detection Limit.

Analysis by SW-846 Method 6010



Michael Veraldi-Laboratory Director



LONG
ISLAND
ANALYTICAL
LABORATORIES INC.

101-4 Colin Drive • Holbrook, New York 11741

EMERSONS ANALYTICAL SOLUTIONS TODAY*

Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: Anson	Client ID: 131 Sunnyside Blvd. (PF 1 {18-20'})
Date received: 11/24/03	Laboratory ID: 1027751
Date extracted: 11/25, 11/26/03	Matrix: Soil
Date analyzed: 11/25, 11/26/03	ELAP #: 11693

METALS ANALYSIS

Parameter	MDL	Results mg/kg
SILVER, Ag	1.65 mg/kg	<1.65
ARSENIC, As	1.65 mg/kg	2.39
BARIUM, Ba	3.33 mg/kg	3.94
CADMIUM, Cd	1.00 mg/kg	<1.00
CHROMIUM, Cr	1.65 mg/kg	7.27
MERCURY, Hg	0.020 mg/kg	<0.020
LEAD, Pb	1.65 mg/kg	<1.65
SELENIUM, Se	1.65 mg/kg	<1.65
HEXAVALENT CHROMIUM	<1.00 mg/kg	<1.00

MDL = Minimum Detection Limit.

Performed by SW-846 Method 6010



Michael Veraldi-Laboratory Director

Client: Anson	Client ID: 131 Sunnyside Blvd. (PF 2 {18-20'})
Date received: 11/24/03	Laboratory ID: 1027752
Date extracted: 11/25, 11/26/03	Matrix: Soil
Date analyzed: 11/25, 11/26/03	ELAP #: 11693

METALS ANALYSIS

Parameter	MDL	Results mg/kg
SILVER, Ag	1.65 mg/kg	<1.65
ARSENIC, As	1.65 mg/kg	2.03
BARIUM, Ba	3.33 mg/kg	5.77
CADMIUM, Cd	1.00 mg/kg	<1.00
CHROMIUM, Cr	1.65 mg/kg	2.91
MERCURY, Hg	0.020 mg/kg	<0.020
LEAD, Pb	1.65 mg/kg	<1.65
SELENIUM, Se	1.65 mg/kg	<1.65
HEXAVALENT CHROMIUM	<1.00 mg/kg	<1.00

MDL = Minimum Detection Limit.

Performed by SW-846 Method 6010



Michael Veraldi-Laboratory Director

2 of 10 pages


Client: Anson	Client ID: 131 Sunnyside Blvd. (PF 3 {16-18'})
Date received: 11/24/03	Laboratory ID: 1027750
Date extracted: 11/25, 11/26/03	Matrix: Soil
Date analyzed: 11/25, 11/26/03	ELAP #: 11693

METALS ANALYSIS

Parameter	MDL	Results mg/kg
SILVER, Ag	1.65 mg/kg	<1.65
ARSENIC, As	1.65 mg/kg	1.74
BARIUM, Ba	3.33 mg/kg	3.66
CADMIUM, Cd	1.00 mg/kg	<1.00
CHROMIUM, Cr	1.65 mg/kg	2.85
MERCURY, Hg	0.020 mg/kg	<0.020
LEAD, Pb	1.65 mg/kg	<1.65
SELENIUM, Se	1.65 mg/kg	<1.65
HEXAVALENT CHROMIUM	<1.00 mg/kg	<1.00

MDL = Minimum Detection Limit.

Performed by SW-846 Method 6010



Michael Veraldi-Laboratory Director

Client: Anson	Client ID: 131 Sunnyside Blvd. (PF 4 {16-18'})
Date received: 11/24/03	Laboratory ID: 1027753
Date extracted: 11/25, 11/26/03	Matrix: Soil
Date analyzed: 11/25, 11/26/03	ELAP #: 11693

METALS ANALYSIS

Parameter	MDL	Results mg/kg
SILVER, Ag	1.65 mg/kg	<1.65
ARSENIC, As	1.65 mg/kg	1.65
BARIUM, Ba	3.33 mg/kg	3.72
CADMIUM, Cd	1.00 mg/kg	<1.00
CHROMIUM, Cr	1.65 mg/kg	2.95
MERCURY, Hg	0.020 mg/kg	<0.020
LEAD, Pb	1.65 mg/kg	<1.65
SELENIUM, Se	1.65 mg/kg	<1.65
HEXAVALENT CHROMIUM	<1.00 mg/kg	<1.00

MDL = Minimum Detection Limit.

Performed by SW-846 Method 6010

Michael Veraldi

Michael Veraldi-Laboratory Director



**LONG
ISLAND
ANALYTICAL
LABORATORIES INC.**

101-4 Colin Drive • Holbrook, New York 11741

"TOMORROW'S ANALYTICAL SOLUTIONS TODAY" Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: Anson	Client ID: 131 Sunnyside Blvd. (PF 5 {16-18'})
Date received: 11/24/03	Laboratory ID: 1027754
Date extracted: 11/25, 11/26/03	Matrix: Soil
Date analyzed: 11/25, 11/26/03	ELAP #: 11693

METALS ANALYSIS

Parameter	MDL	Results mg/kg
SILVER, Ag	1.65 mg/kg	<1.65
ARSENIC, As	1.65 mg/kg	3.56
BARIUM, Ba	3.33 mg/kg	4.74
CADMIUM, Cd	1.00 mg/kg	<1.00
CHROMIUM, Cr	1.65 mg/kg	4.84
MERCURY, Hg	0.020 mg/kg	<0.020
LEAD, Pb	1.65 mg/kg	<1.65
SELENIUM, Se	1.65 mg/kg	<1.65
HEXAVALENT CHROMIUM	<1.00 mg/kg	<1.00

MDL = Minimum Detection Limit.

Performed by SW-846 Method 6010



Michael Veraldi-Laboratory Director



**LONG
ISLAND
ANALYTICAL
LABORATORIES INC.**

101-4 Colin Drive • Holbrook, New York 11741

TOMORROWS ANALYTICAL SOLUTIONS TODAY™

Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: Anson	Client ID: 131 Sunnyside Blvd., Plainview (PF-6 {0-4})
Date received: 11/13/03	Laboratory ID: 1026891
Date extracted: 11/14, 11/15/03	Matrix: Soil
Date analyzed: 11/14, 11/15/03	ELAP #: 11693

METALS ANALYSIS

Parameter	MDL	Results mg/kg
SILVER, Ag	1.65 mg/kg	<1.65
ARSENIC, As	1.65 mg/kg	2.68
BARIUM, Ba	3.33 mg/kg	55.1
CADMIUM, Cd	1.00 mg/kg	<1.00
CHROMIUM, Cr	1.65 mg/kg	11.8
HEXAVALENT CHROMIUM	1.00 mg/kg	<1.00
MERCURY, Hg	0.020 mg/kg	<0.020
LEAD, Pb	1.65 mg/kg	3.78
SELENIUM, Se	1.65 mg/kg	<1.65

MDL = Minimum Detection Limit.

Analysis by SW-846 Method 6010



Michael Veraldi-Laboratory Director



LONG
ISLAND
ANALYTICAL
LABORATORIES INC.

101-4 Colin Drive • Holbrook, New York 11741

Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: Anson	Client ID: 131 Sunnyside Blvd., Plainview (Parking Lot Anomaly South)
Date received: 11/13/03	Laboratory ID: 1026894
Date extracted: 11/19/03	Matrix: Soil
Date analyzed: 11/19/03	ELAP #: 11693

EPA METHOD 8270(BN)

Parameter	CAS No.	MDL	Results ug/kg
Bis(2-CHLOROETHYL)ETHER	111-44-4	40 ug/kg	<240
1,3-DICHLOROBENZENE	541-73-1	40 ug/kg	<240
1,4-DICHLOROBENZENE	106-46-7	40 ug/kg	<240
1,2-DICHLOROBENZENE	95-50-1	40 ug/kg	<240
Bis(2-CHLOROISOPROPYL)ETHER	108-60-1	40 ug/kg	<240
HEXACHLOROETHANE	67-72-1	40 ug/kg	<240
N-NITROSODI-n-PROPYL AMINE	621-64-7	40 ug/kg	<240
NITROBENZENE	98-95-3	40 ug/kg	<240
ISOPHORONE	78-59-1	40 ug/kg	<240
Bis(2-CHLOROETHOXY)METHANE	111-91-1	40 ug/kg	<240
1,2,4-TRICHLOROBENZENE	120-82-1	40 ug/kg	428
NAPHTHALENE	91-20-3	40 ug/kg	<240
HEXACHLOROBUTADIENE	87-68-3	40 ug/kg	<240
HEXACHLOROCYCLOPENTADIENE	77-47-4	40 ug/kg	<240
2-CHLORONAPHTHALENE	91-58-7	40 ug/kg	<240
ACENAPHTHYLENE	208-96-8	40 ug/kg	<240
DIMETHYLPHTHALATE	131-11-3	40 ug/kg	<240
2,6-DINITROTOLUENE	606-20-2	40 ug/kg	<240
ACENAPHTHENE	83-32-9	40 ug/kg	<240
2,4-DINITROTOLUENE	121-14-2	40 ug/kg	<240
FLUORENE	86-73-7	40 ug/kg	<240
4-CHLOROPHENYL PHENYL ETHER	7005-72-3	40 ug/kg	<240

MDL = Minimum Detection Limit.

Note: MDL's are raised due to matrix interference.



LONG
ISLAND
ANALYTICAL
LABORATORIES INC

101-4 Colin Drive • Holbrook, New York 11741

Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: Anson	Client ID: 131 Sunnyside Blvd., Plainview (Parking Lot Anomaly South)
Date received: 11/13/03	Laboratory ID: 1026894
Date extracted: 11/19/03	Matrix: Soil
Date analyzed: 11/19/03	ELAP #: 11693

EPA METHOD 8270(BN)

Parameter	CAS No.	MDL	Results ug/kg
DIETHYLPHthalate	84-66-2	40 ug/kg	<240
4-BROMOPHENYL-PHENYL ETHER	101-55-3	40 ug/kg	<240
HEXACHLOROBENZENE	118-74-1	40 ug/kg	<240
PHENANTHRENE	85-01-8	40 ug/kg	523
ANTHRACENE	120-12-7	40 ug/kg	<240
Di-n-BUTYLPHthalate	84-74-2	500 ug/kg	<500
FLUORANTHENE	206-44-0	40 ug/kg	721
PYRENE	129-00-0	40 ug/kg	687
BUTYLBENZYLPHthalate	85-68-7	40 ug/kg	<240
3,3-DICHLOROBENZIDINE	91-94-1	40 ug/kg	<240
BENZO-a-ANTHRACENE	56-55-3	40 ug/kg	330
CHRYSENE	218-01-9	40 ug/kg	460
Bis(2-ETHYLEXYL)PHTALATE	117-81-7	500 ug/kg	<500
DI-n-OCTYLPHthalate	117-84-0	40 ug/kg	<240
BENZO-b-FLUOROANTHENE	205-99-2	40 ug/kg	482
BENZO-k- FLUOROANTHENE	207-08-9	40 ug/kg	<240
BENZO-a-PYRENE	50-32-8	40 ug/kg	377
INDENO(1,2,3-c,d)PYRENE	193-39-5	40 ug/kg	<240
DIBENZO-a,h-ANTHRACENE	53-70-3	40 ug/kg	<240
BENZO-g,h,i-PERYLENE	191-24-2	40 ug/kg	254

MDL = Minimum Detection Limit.

Note: MDL's are raised due to matrix interference.



Michael Veraldi-Laboratory Director

Client: Anson	Client ID: 131 Sunnyside Blvd., Plainview (Parking Lot Anomaly South)
Date received: 11/13/03	Laboratory ID: 1026894
Date extracted: 11/14, 11/15/03	Matrix: Soil
Date analyzed: 11/14, 11/15/03	ELAP #: 11693

METALS ANALYSIS

Parameter	MDL	Results mg/kg
SILVER, Ag	1.65 mg/kg	<1.65
ARSENIC, As	1.65 mg/kg	3.20
BARIUM, Ba	3.33 mg/kg	57.2
CADMIUM, Cd	1.00 mg/kg	<1.00
CHROMIUM, Cr	1.65 mg/kg	22.4
HEXAVALANT CHROMIUM	2.51 mg/kg	<2.51
MERCURY, Hg	0.020 mg/kg	0.046
LEAD, Pb	1.65 mg/kg	30.6
SELENIUM, Se	1.65 mg/kg	<1.65

MDL = Minimum Detection Limit.

Analysis by SW-846 Method 6010

Michael Veraldi

Michael Veraldi-Laboratory Director



LONG
ISLAND
ANALYTICAL
LABORATORIES INC.

101-4 Colin Drive • Holbrook, New York 11741

"TOMORROW'S ANALYTICAL SOLUTIONS TODAY"

Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: Anson	Client ID: 131 Sunnyside Blvd., Plainview (Parking Lot Anomaly North)
Date received: 11/13/03	Laboratory ID: 1026895
Date extracted: 11/19/03	Matrix: Soil
Date analyzed: 11/19/03	ELAP #: 11693

EPA METHOD 8270(BN)

Parameter	CAS No.	MDL	Results ug/kg
Bis(2-CHLOROETHYL)ETHER	111-44-4	40 ug/kg	<40
1,3-DICHLOROBENZENE	541-73-1	40 ug/kg	<40
1,4-DICHLOROBENZENE	106-46-7	40 ug/kg	<40
1,2-DICHLOROBENZENE	95-50-1	40 ug/kg	<40
Bis(2-CHLOROISOPROPYL)ETHER	108-60-1	40 ug/kg	<40
HEXACHLOROETHANE	67-72-1	40 ug/kg	<40
N-NITROSODI-n-PROPYL AMINE	621-64-7	40 ug/kg	<40
NITROBENZENE	98-95-3	40 ug/kg	<40
ISOPHORONE	78-59-1	40 ug/kg	<40
Bis(2-CHLOROETHOXY)METHANE	111-91-1	40 ug/kg	<40
1,2,4-TRICHLOROBENZENE	120-82-1	40 ug/kg	<40
NAPHTHALENE	91-20-3	40 ug/kg	<40
HEXACHLOROBUTADIENE	87-68-3	40 ug/kg	<40
HEXACHLOROCYCLOPENTADIENE	77-47-4	40 ug/kg	<40
2-CHLORONAPHTHALENE	91-58-7	40 ug/kg	<40
ACENAPHTHYLENE	208-96-8	40 ug/kg	<40
DIMETHYLPHTHALATE	131-11-3	40 ug/kg	<40
2,6-DINITROTOLUENE	606-20-2	40 ug/kg	<40
ACENAPHTHENE	83-32-9	40 ug/kg	<40
2,4-DINITROTOLUENE	121-14-2	40 ug/kg	<40
FLUORENE	86-73-7	40 ug/kg	<40
4-CHLOROPHENYL PHENYL ETHER	7005-72-3	40 ug/kg	<40

MDL = Minimum Detection Limit.



LONG
ISLAND
ANALYTICAL
LABORATORY

101-4 Colin Drive • Holbrook, New York 11741

Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: Anson	Client ID: 131 Sunnyside Blvd., Plainview (Parking Lot Anomaly North)
Date received: 11/13/03	Laboratory ID: 1026895
Date extracted: 11/19/03	Matrix: Soil
Date analyzed: 11/19/03	ELAP #: 11693

EPA METHOD 8270(BN)

Parameter	CAS No.	MDL	Results ug/kg
DIETHYLPHthalATE	84-66-2	40 ug/kg	<40
4-BROMOPHENYL-PHENYL ETHER	101-55-3	40 ug/kg	<40
HEXACHLOROBENZENE	118-74-1	40 ug/kg	<40
PHENANTHRENE	85-01-8	40 ug/kg	<40
ANTHRACENE	120-12-7	40 ug/kg	<40
Di-n-BUTYLPHthalATE	84-74-2	500 ug/kg	<500
FLUORANTHENE	206-44-0	40 ug/kg	<40
PYRENE	129-00-0	40 ug/kg	<40
BUTYLBENZYLPHthalATE	85-68-7	40 ug/kg	<40
3,3-DICHLOROBENZIDINE	91-94-1	40 ug/kg	<40
BENZO-a-ANTHRACENE	56-55-3	40 ug/kg	<40
CHRYSENE	218-01-9	40 ug/kg	<40
Bis(2-ETHYLEXYL)PHTALATE	117-81-7	500 ug/kg	<500
DI-n-OCTYLPHthalATE	117-84-0	40 ug/kg	<40
BENZO-b-FLUOROANTHENE	205-99-2	40 ug/kg	<40
BENZO-k- FLUOROANTHENE	207-08-9	40 ug/kg	<40
BENZO-a-PYRENE	50-32-8	40 ug/kg	<40
INDENO(1,2,3-c,d)PYRENE	193-39-5	40 ug/kg	<40
DIBENZO-a,h-ANTHRACENE	53-70-3	40 ug/kg	<40
BENZO-g,h,i-PERYLENE	191-24-2	40 ug/kg	<40

MDL = Minimum Detection Limit.



Michael Veraldi-Laboratory Director



LONG
ISLAND
ANALYTICAL
LABORATORIES, INC.

101-4 Colin Drive • Holbrook, New York 11741

Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: Anson	Client ID: 131 Sunnyside Blvd., Plainview (Parking Lot Anomaly North)
Date received: 11/13/03	Laboratory ID: 1026895
Date extracted: 11/14, 11/15/03	Matrix: Soil
Date analyzed: 11/14, 11/15/03	ELAP #: 11693

METALS ANALYSIS

Parameter	MDL	Results mg/kg
SILVER, Ag	1.65 mg/kg	<1.65
ARSENIC, As	1.65 mg/kg	3.02
BARIUM, Ba	3.33 mg/kg	28.8
CADMIUM, Cd	1.00 mg/kg	<1.00
CHROMIUM, Cr	1.65 mg/kg	10.3
HEXAVALANT CHROMIUM	1.00 mg/kg	<1.00
MERCURY, Hg	0.020 mg/kg	<0.020
LEAD, Pb	1.65 mg/kg	4.54
SELENIUM, Se	1.65 mg/kg	<1.65

MDL = Minimum Detection Limit.

Analysis by SW-846 Method 6010



Michael Veraldi-Laboratory Director



LONG
ISLAND
ANALYTICAL
LABORATORIES INC.

101-4 Colin Drive • Holbrook, New York 11741

FOR MORE ANALYTICAL SOLUTIONS VISIT

Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: Anson	Client ID: 131 Sunnyside Blvd. (PDW)
Date received: 11/17/03	Laboratory ID: 1027212
Date extracted: 11/18, 11/19/03	Matrix: Soil
Date analyzed: 11/18, 11/19/03	ELAP #: 11693

METALS ANALYSIS

Parameter	MDL	Results mg/kg
SILVER, Ag	1.65 mg/kg	<1.65
ARSENIC, As	1.65 mg/kg	<1.65
BARIUM, Ba	3.33 mg/kg	<3.33
CADMIUM, Cd	1.00 mg/kg	<1.00
CHROMIUM, Cr	1.65 mg/kg	3.75
MERCURY, Hg	0.020 mg/kg	<0.020
LEAD, Pb	1.65 mg/kg	<1.65
SELENIUM, Se	1.65 mg/kg	<1.65
HEXAVALENT CHROMIUM	4.94 mg/kg	<4.94

MDL = Minimum Detection Limit.

Performed by SW-846 Method 6010

Michael Veraldi

Michael Veraldi-Laboratory Director

Client: Anson	Client ID: 131 Sunnyside Blvd. (PF 3 {16-18'})
Date received: 11/24/03	Laboratory ID: 1027750
Date extracted: 11/25, 11/26/03	Matrix: Soil
Date analyzed: 11/25, 11/26/03	ELAP #: 11693

METALS ANALYSIS

Parameter	MDL	Results mg/kg
SILVER, Ag	1.65 mg/kg	<1.65
ARSENIC, As	1.65 mg/kg	1.74
BARIUM, Ba	3.33 mg/kg	3.66
CADMIUM, Cd	1.00 mg/kg	<1.00
CHROMIUM, Cr	1.65 mg/kg	2.85
MERCURY, Hg	0.020 mg/kg	<0.020
LEAD, Pb	1.65 mg/kg	<1.65
SELENIUM, Se	1.65 mg/kg	<1.65
HEXAVALENT CHROMIUM	<1.00 mg/kg	<1.00

MDL = Minimum Detection Limit.

Performed by SW-846 Method 6010



Michael Veraldi-Laboratory Director



LONG
ISLAND
ANALYTICAL
LABORATORIES INC.

101-4 Colin Drive • Holbrook, New York 11741

TOMORROW'S ANALYTICAL SOLUTIONS TODAY™

Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: Anson Environmental	Client ID: 131 Sunnyside Blvd. (PF Driveway Anomaly)
Date received: 12/19/03	Laboratory ID: 1029288
Date extracted: 12/22/03	Matrix: Soil
Date analyzed: 12/22/03	ELAP #: 11693

EPA METHOD 8270(BN)

Parameter	CAS No.	MDL	Results ug/kg
Bis(2-CHLOROETHYL)ETHER	111-44-4	40 ug/kg	<80
1,3-DICHLOROBENZENE	541-73-1	40 ug/kg	<80
1,4-DICHLOROBENZENE	106-46-7	40 ug/kg	<80
1,2-DICHLOROBENZENE	95-50-1	40 ug/kg	<80
Bis(2-CHLOROISOPROPYL)ETHER	108-60-1	40 ug/kg	<80
HEXACHLOROETHANE	67-72-1	40 ug/kg	<80
N-NITROSODI-n-PROPYL AMINE	621-64-7	40 ug/kg	<80
NITROBENZENE	98-95-3	40 ug/kg	<80
ISOPHORONE	78-59-1	40 ug/kg	<80
Bis(2-CHLOROETHOXY)METHANE	111-91-1	40 ug/kg	<80
1,2,4-TRICHLOROBENZENE	120-82-1	40 ug/kg	<80
NAPHTHALENE	91-20-3	40 ug/kg	<80
HEXACHLOROBUTADIENE	87-68-3	40 ug/kg	<80
HEXACHLOROCYCLOPENTADIENE	77-47-4	66 ug/kg	<66
2-CHLORONAPHTHALENE	91-58-7	40 ug/kg	<80
ACENAPHTHYLENE	208-96-8	40 ug/kg	<80
DIMETHYLPHTHALATE	131-11-3	40 ug/kg	<80
2,6-DINITROTOLUENE	606-20-2	40 ug/kg	<80
ACENAPHTHENE	83-32-9	40 ug/kg	<80
2,4-DINITROTOLUENE	121-14-2	40 ug/kg	<80
FLUORENE	86-73-7	40 ug/kg	<80
4-CHLOROPHENYL PHENYL ETHER	7005-72-3	40 ug/kg	<80

MDL = Minimum Detection Limit.



LONG
ISLAND
ANALYTICAL
LABORATORIES, INC.

101-4 Colin Drive • Holbrook, New York 11741

Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: Anson Environmental	Client ID: 131 Sunnyside Blvd. (PF Driveway Anomaly)
Date received: 12/19/03	Laboratory ID: 1029288
Date extracted: 12/22/03	Matrix: Soil
Date analyzed: 12/22/03	ELAP #: 11693

EPA METHOD 8270(BN)

Parameter	CAS No.	MDL	Results ug/kg
DIETHYLPHthalate	84-66-2	40 ug/kg	<80
4-BROMOPHENYL-PHENYL ETHER	101-55-3	40 ug/kg	<80
HEXACHLOROBENZENE	118-74-1	40 ug/kg	<80
PHENANTHRENE	85-01-8	40 ug/kg	422
ANTHRACENE	120-12-7	40 ug/kg	<80
Di-n-BUTYLPHthalate	84-74-2	500 ug/kg	<500
FLUORANTHENE	206-44-0	40 ug/kg	666
PYRENE	129-00-0	40 ug/kg	563
BUTYLBENZYLPHthalate	85-68-7	40 ug/kg	<80
3,3-DICHLOROBENZIDINE	91-94-1	40 ug/kg	<80
BENZO-a-ANTHRACENE	56-55-3	40 ug/kg	215
CHRYSENE	218-01-9	40 ug/kg	369
Bis(2-ETHYLEXYL)PHTALATE	117-81-7	500 ug/kg	<500
DI-n-OCTYLPHthalate	117-84-0	40 ug/kg	<80
BENZO-b-FLUOROANTHENE	205-99-2	40 ug/kg	437
BENZO-k- FLUOROANTHENE	207-08-9	40 ug/kg	237
BENZO-a-PYRENE	50-32-8	40 ug/kg	305
INDENO(1,2,3-c,d)PYRENE	193-39-5	40 ug/kg	230
DIBENZO-a,h-ANTHRACENE	53-70-3	40 ug/kg	<80
BENZO-g,h,i-PERYLENE	191-24-2	40 ug/kg	229

MDL = Minimum Detection Limit.

MDL's raised due to matrix interference.



Michael Veraldi-Laboratory Director



LONG
ISLAND
ANALYTICAL
LABORATORIES, INC.

101-4 Colin Drive • Holbrook, New York 11741

Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: Anson Environmental	Client ID: 131 Sunnyside Blvd. (PF Driveway Anomaly)
Date received: 12/19/03	Laboratory ID: 1029288
Date extracted: 12/22/03	Matrix: Soil
Date analyzed: 12/22/03	ELAP #: 11693

METALS ANALYSIS 8 RCRA

Parameter	MDL	Results mg/kg
SILVER, Ag	1.65 mg/kg	<1.65
ARSENIC, As	1.65 mg/kg	1.66
BARIUM, Ba	3.33 mg/kg	10.26
CADMIUM, Cd	1.00 mg/kg	<1.00
CHROMIUM, Cr	1.65 mg/kg	6.74
MERCURY, Hg	0.020 mg/kg	0.052
LEAD, Pb	1.65 mg/kg	3.53
SELENIUM, Se	1.65 mg/kg	<1.65

MDL = Minimum Detection Limit.

Performed by SW-846 Method 6010

Michael Veraldi

Michael Veraldi-Laboratory Director



LONG
ISLAND
ANALYTICAL
LABORATORIES INC.

101-4 Colin Drive • Holbrook, New York 11741

EXCEEDS ALL FEDERAL REQUIREMENTS

Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: Anson Environmental	Client ID: 4 Feb 2004 Soil SamplesParking Lot
Date received: 2/4/04	Laboratory ID: 1032123
Date extracted: 2/4/04	Matrix: Soil
Date analyzed: 2/4/04	ELAP #: 11693

EPA METHOD 8270(BN)

Parameter	CAS No.	MDL	Results ug/kg
Bis(2-CHLOROETHYL)ETHER	111-44-4	40 ug/kg	<40
1,3-DICHLOROBENZENE	541-73-1	40 ug/kg	<40
1,4-DICHLOROBENZENE	106-46-7	40 ug/kg	<40
1,2-DICHLOROBENZENE	95-50-1	40 ug/kg	<40
Bis(2-CHLOROISOPROPYL)ETHER	108-60-1	40 ug/kg	<40
HEXACHLOROETHANE	67-72-1	40 ug/kg	<40
N-NITROSODI-n-PROPYL AMINE	621-64-7	40 ug/kg	<40
NITROBENZENE	98-95-3	40 ug/kg	<40
ISOPHORONE	78-59-1	40 ug/kg	<40
Bis(2-CHLOROETHOXY)METHANE	111-91-1	40 ug/kg	<40
1,2,4-TRICHLOROBENZENE	120-82-1	40 ug/kg	<40
NAPHTHALENE	91-20-3	40 ug/kg	<40
HEXACHLOROBUTADIENE	87-68-3	40 ug/kg	<40
HEXACHLOROCYCLOPENTADIENE	77-47-4	40 ug/kg	<40
2-CHLORONAPHTHALENE	91-58-7	40 ug/kg	<40
ACENAPHTHYLENE	208-96-8	40 ug/kg	<40
DIMETHYLPHTHALATE	131-11-3	40 ug/kg	<40
2,6-DINITROTOLUENE	606-20-2	40 ug/kg	<40
ACENAPHTHENE	83-32-9	40 ug/kg	<40
2,4-DINTROTOLUENE	121-14-2	40 ug/kg	<40
FLUORENE	86-73-7	40 ug/kg	<40
4-CHLOROPHENYL PHENYL ETHER	7005-72-3	40 ug/kg	<40

MDL = Minimum Detection Limit.



LIAI
ISLAND
ANALYTICAL
LABORATORY

101-4 Colin Drive • Holbrook, New York 11741


Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: Anson Environmental	Client ID: 4 Feb 2004 Soil SamplesParking Lot
Date received: 2/4/04	Laboratory ID: 1032123
Date extracted: 2/4/04	Matrix: Soil
Date analyzed: 2/4/04	ELAP #: 11693

EPA METHOD 8270(BN)

Parameter	CAS No.	MDL	Results ug/kg
DIETHYLPHTHALATE	84-66-2	40 ug/kg	<40
4-BROMOPHENYL-PHENYL ETHER	101-55-3	40 ug/kg	<40
HEXACHLOROBENZENE	118-74-1	40 ug/kg	<40
PHENANTHRENE	85-01-8	40 ug/kg	<40
ANTHRACENE	120-12-7	40 ug/kg	<40
Di-n-BUTYLPHTHALATE	84-74-2	500 ug/kg	<500
FLUORANTHENE	206-44-0	40 ug/kg	<40
PYRENE	129-00-0	40 ug/kg	<40
BUTYLBENZYLPHTHALATE	85-68-7	40 ug/kg	<40
3,3-DICHLOROBENZIDINE	91-94-1	40 ug/kg	<40
BENZO-a-ANTHRACENE	56-55-3	40 ug/kg	<40
CHRYSENE	218-01-9	40 ug/kg	<40
Bis(2-ETHYLEXYL)PHTALATE	117-81-7	500 ug/kg	<500
DI-n-OCTYLPHTHALATE	117-84-0	40 ug/kg	<40
BENZO-b-FLUOROANTHENE	205-99-2	40 ug/kg	<40
BENZO-k- FLUOROANTHENE	207-08-9	40 ug/kg	<40
BENZO-a-PYRENE	50-32-8	40 ug/kg	<40
INDENO(1,2,3-c,d)PYRENE	193-39-5	40 ug/kg	<40
DIBENZO-a,h-ANTHRACENE	53-70-3	40 ug/kg	<40
BENZO-g,h,i-PERYLENE	191-24-2	40 ug/kg	<40

MDL = Minimum Detection Limit.



Michael Veraldi-Laboratory Director

Client: Anson Environmental	Client ID: 4 Feb 2004 Soil SamplesParking Lot
Date received: 2/4/04	Laboratory ID: 1032123
Date extracted: 2/5, 2/6/04	Matrix: Soil
Date analyzed: 2/5, 2/6/04	ELAP #: 11693

METALS ANALYSIS

Parameter	MDL	Results mg/kg
SILVER, Ag	1.65 mg/kg	<1.65
ARSENIC, As	1.65 mg/kg	4.21
BARIUM, Ba	3.33 mg/kg	19.5
CADMIUM, Cd	1.00 mg/kg	<1.00
CHROMIUM, Cr	1.65 mg/kg	9.83
MERCURY, Hg	0.020 mg/kg	<0.02
LEAD, Pb	1.65 mg/kg	7.92
SELENIUM, Se	1.65 mg/kg	<1.65

MDL = Minimum Detection Limit.

Analysis by SW-846 Method 6010

Michael Veraldi

Michael Veraldi-Laboratory Director



LONG
ISLAND
ANALYTICAL
LABORATORIES INC.

101-4 Colin Drive • Holbrook, New York 11741

Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: Anson Environmental	Client ID: 131 Sunnyside Blvd.
Date received: 12/4/03	Laboratory ID: 1028432-1028455
Date extracted: 12/4/03	Matrix: Soil
Date analyzed: 12/4/03	ELAP #: 11693

ANALYTICAL REPORT

Lab ID #	Client ID	Cadmium, Cd Results mg/kg	Chromium, Cr Results mg/kg
1028432	DW-6 8'	<1.00	14.9
1028433	DW-6 10'	<1.00	33.7
1028434	DW-6 5' Past 2'	<1.00	18.5
1028435	DW-6 5' Past 4'	<1.00	9.56
1028436	DW-6 10' Past 2'	<1.00	34.6
1028437	DW-6 10' Past 4'	<1.00	5.74
1028438	DW-6 15' Past 2'	1.80	57.5
1028439	DW-6 15' Past 4'	<1.00	3.49
1028440	DW-6 20' Past 2'	<1.00	50.8
1028441	DW-6 20' Past 4'	10.2	14.9
1028442	DW-6 25' Past 2'	<1.00	47.1
1028443	DW-6 25' Past 4'	<1.00	31.8
1028444	DW-6 30' Past 2'	<1.00	2.36
1028445	DW-6 30' Past 4'	<1.00	11.4
1028446	DW-6 35' Past 2'	<1.00	27.4
1028447	DW-6 35' Past 4'	<1.00	3.05
1028448	DW-6 40' Past 2'	<1.00	8.68
1028449	DW-6 40' Past 4'	<1.00	<1.65
1028450	DW-6 45' Past 2'	<1.00	12.3
1028451	DW-6 45' Past 4'	<1.00	2.94
1028452	DW-6 50' Past 2'	1.01	47.3
1028453	DW-6 50' Past 4'	<1.00	3.09
1028454	DW-6 55' Past 2'	<1.00	23.7
1028455	DW-6 55' Past 4'	<1.00	<1.65

Performed by SW-846 Method 6010

Michael Veraldi

Michael Veraldi-Laboratory Director



**LONG
ISLAND
ANALYTICAL
LABORATORIES INC.**

101-4 Colin Drive • Holbrook, New York 11741

Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: Anson Environmental	Client ID: 131 Sunnyside Blvd.
Date received: 12/4/03	Laboratory ID: 1028456-1028475
Date extracted: 12/4/03	Matrix: Soil
Date analyzed: 12/4/03	ELAP #: 11693

ANALYTICAL REPORT

Lab ID #	Client ID	Cadmium, Cd Results mg/kg	Chromium, Cr Results mg/kg
1028456	DW-6 60' Past 2'	<1.00	4.77
1028457	DW-6 60' Past 4'	<1.00	2.05
1028458	DW-6 65' Past 2'	<1.00	22.9
1028459	DW-6 65' Past 4'	<1.00	2.59
1028460	DW-6 70' Past 2'	<1.00	11.1
1028461	DW-6 70' Past 4'	<1.00	2.70
1028462	DW-6 75' Past 2'	<1.00	9.48
1028463	DW-6 75' Past 4'	<1.00	<1.65
1028464	DW-6 80' Past 2'	<1.00	2.96
1028465	DW-6 80' Past 4'	<1.00	<1.65
1028466	DW-6 85' Past 2'	<1.00	11.5
1028467	DW-6 85' Past 4'	<1.00	3.41
1028468	DW-6 90' Past 2'	<1.00	19.9
1028469	DW-6 90' Past 4'	<1.00	2.11
1028470	DW-6 95' Past 2'	<1.00	8.81
1028471	DW-6 95' Past 4'	<1.00	2.51
1028472	DW-6 100' Past 2'	<1.00	14.7
1028473	DW-6 100' Past 4'	<1.00	2.45
1028474	DW-6 105' Past 2'	<1.00	76.7
1028475	DW-6 105' Past 4'	<1.00	4.06

Performed by SW-846 Method 6010

Michael Veraldi

Michael Veraldi-Laboratory Director



Client: Anson Environmental	Client ID: 131 Sunnyside Blvd.
Date received: 12/4/03	Laboratory ID: 1028476-1028505
Date extracted: 12/4/03	Matrix: Soil
Date analyzed: 12/4/03	ELAP #: 11693

ANALYTICAL REPORT

Lab ID #	Client ID	Cadmium, Cd Results mg/kg	Chromium, Cr Results mg/kg
1028476	DW-7 12'	<1.00	3.73
1028477	DW-7 14'	<1.00	2.51
1028478	DW-7 5' Past 2'	<1.00	25.1
1028479	DW-7 5' Past 4'	<1.00	6.34
1028480	DW-7 10' Past 2'	2.85	511
1028481	DW-7 10' Past 4'	<1.00	2.34
1028482	DW-7 15' Past 2'	<1.00	13.5
1028483	DW-7 15' Past 4'	<1.00	5.42
1028484	DW-7 20' Past 2'	<1.00	14.4
1028485	DW-7 20' Past 4'	<1.00	2.90
1028486	DW-7 25' Past 2'	<1.00	8.13
1028487	DW-7 25' Past 4'	<1.00	3.63
1028488	DW-7 30' Past 2'	<1.00	12.6
1028489	DW-7 30' Past 4'	<1.00	6.75
1028490	DW-7 35' Past 2'	<1.00	9.35
1028491	DW-7 35' Past 4'	<1.00	6.20
1028492	DW-7 40' Past 2'	<1.00	8.44
1028493	DW-7 40' Past 4'	<1.00	5.29
1028494	DW-7 45' Past 2'	<1.00	10.7
1028495	DW-7 45' Past 4'	<1.00	5.34
1028496	DW-7 50' Past 2'	<1.00	6.41
1028497	DW-7 50' Past 4'	<1.00	<1.65
1028498	DW-7 55' Past 2'	<1.00	5.84
1028499	DW-7 55' Past 4'	<1.00	<1.65
1028500	DW-7 60' Past 2'	<1.00	6.76
1028501	DW-7 60' Past 4'	<1.00	2.21
1028502	DW-7 65' Past 2'	<1.00	8.32
1028503	DW-7 65' Past 4'	<1.00	<1.65
1028504	DW-7 70' Past 2'	<1.00	2.44
1028505	DW-7 70' Past 4'	<1.00	22.0

Performed by SW-846 Method 6010

Michael Veraldi

Michael Veraldi-Laboratory Director



LIAI
ANALYTICAL
LABORATORIES, INC.

101-4 Colin Drive • Holbrook, New York 11741

Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: Anson Environmental	Client ID: 131 Sunnyside Blvd.
Date received: 12/4/03	Laboratory ID: 1028506-1028523
Date extracted: 12/4, 12/5/03	Matrix: Soil
Date analyzed: 12/4, 12/5/03	ELAP #: 11693

ANALYTICAL REPORT

Lab ID #	Client ID	Cadmium, Cd Results mg/kg	Chromium, Cr Results mg/kg
1028506	DW-8 9'8" Past 2'	<1.00	37.5
1028507	DW-8 11'8" Past 4'	<1.00	9.36
1028508	DW-8 5' Past 2'	<1.00	2.97
1028509	DW-8 5' Past 4'	<1.00	2.29
1028510	DW-8 10' Past 2'	<1.00	11.1
1028511	DW-8 10' Past 4'	<1.00	3.15
1028512	DW-8 15' Past 2'	<1.00	8.86
1028513	DW-8 15' Past 4'	<1.00	7.47
1028514	DW-8 20' Past 2'	<1.00	12.0
1028515	DW-8 20' Past 4'	<1.00	4.01
1028516	DW-8 25' Past 2'	<1.00	3.86
1028517	DW-8 25' Past 4'	<1.00	6.89
1028518	DW-8 30' Past 2'	<1.00	5.51
1028519	DW-8 30' Past 4'	<1.00	5.04
1028520	DW-8 35' Past 2'	<1.00	9.00
1028521	DW-8 35' Past 4'	<1.00	2.93
1028522	DW-8 40' Past 2'	<1.00	5.00
1028523	DW-8 40' Past 4'	<1.00	2.62

Performed by SW-846 Method 6010

Michael Veraldi

Michael Veraldi-Laboratory Director



LONG
ISLAND
ANALYTICAL
LABORATORIES INC.

101-4 Colin Drive • Holbrook, New York 11741

Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: Anson Environmental	Client ID: 131 Sunnyside Blvd.
Date received: 12/4/03	Laboratory ID: 1028524-1028537
Date extracted: 12/5/03	Matrix: Soil
Date analyzed: 12/5/03	ELAP #: 11693

ANALYTICAL REPORT

Lab ID #	Client ID	Cadmium, Cd Results mg/kg	Chromium, Cr Results mg/kg
1028524	DW-9 6'	<1.00	3.56
1028525	DW-9 8'	<1.00	2.05
1028526	DW-9 5' Past 2'	<1.00	15.9
1028527	DW-9 5' Past 4'	<1.00	8.97
1028528	DW-9 10' Past 2'	<1.00	10.3
1028529	DW-9 10' Past 4'	<1.00	5.22
1028530	DW-9 15' Past 2'	<1.00	7.54
1028531	DW-9 15' Past 4'	<1.00	2.69
1028532	DW-9 20' Past 2'	<1.00	9.65
1028533	DW-9 20' Past 4'	<1.00	9.89
1028534	DW-9 25' Past 2'	<1.00	5.95
1028535	DW-9 25' Past 4'	<1.00	6.70
1028536	DW-9 30' Past 2'	<1.00	4.09
1028537	DW-9 30' Past 4'	<1.00	4.59

Performed by SW-846 Method 6010

Michael Veraldi

Michael Veraldi-Laboratory Director

Client: Anson Environmental	Client ID: 131 Sunnyside Blvd.
Date received: 12/19/03	Laboratory ID: 1029289-1029292
Date extracted: 12/22/03	Matrix: Soil
Date analyzed: 12/22/03	ELAP #: 11693

TOTAL CHROMIUM ANALYSIS

LAB ID #	CLIENT ID	Results mg/kg
1029289	Drain 6 North	9.33
1029290	Drain 6 South	6.91
1029291	Drain 6 East	3.66
1029292	Drain 6 West	7.76

Performed by SW-846 Method 6010

Michael Veraldi

Michael Veraldi-Laboratory Director



LONG
ISLAND
ANALYTICAL
LABORATORIES INC.

101-4 Colin Drive • Holbrook, New York 11741

TOMORROW'S ANALYTICAL SOLUTIONS TODAY

Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: Anson Environmental	Client ID: 131 Sunnyside Blvd.
Date received: 12/19/03	Laboratory ID: 1029297-1029301
Date extracted: 12/22/03	Matrix: Soil
Date analyzed: 12/22/03	ELAP #: 11693

METALS ANALYSIS

Lab ID #	Client ID	Chromium, Cr Results mg/kg	Cadmium, Cd Results mg/kg
1029297	DW-7 10' away	4.62	<1.00
1029298	DW-6 105' away	2.33	<1.00
1029299	DW-6 50' away	<1.65	<1.00
1029300	DW-6 15' away	2.10	<1.00

MDL = Minimum Detection Limit.

Performed by SW-846 Method 6010



Michael Veraldi-Laboratory Director

14 of 14 pages

Client: Anson Environmental	Client ID: 131 Sunnyside Blvd.
Date received: 12/19/03	Laboratory ID: 1029304
Date extracted: 12/22/03	Matrix: Soil
Date analyzed: 12/22/03	ELAP #: 11693

METALS ANALYSIS

Lab ID #	Client ID	Chromium, Cr Results mg/kg	Cadmium, Cd Results mg/kg
1029304	DW6 20' away	2.25	<1.00

MDL = Minimum Detection Limit.

Performed by SW-846 Method 6010



Michael Veraldi-Laboratory Director



LONG
ISLAND
ANALYTICAL
LABORATORIES INC.

101-4 Colin Drive • Holbrook, New York 11741

TOMORROW'S ANALYTICAL SOLUTIONS TODAY

Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: Anson	Client ID: 131 Sunnyside Blvd. (Hydro-punch 80')
Date received: 11/18/03	Laboratory ID: 1027245
Date extracted: 11/19/03	Matrix: Liquid
Date analyzed: 11/19/03	ELAP #: 11693

METALS ANALYSIS

PARAMETER	MDL	RESULTS mg/L
SILVER, Ag	0.05 mg/L	<0.05
ARSENIC, As	0.05 mg/L	0.14
BARIUM, Ba	1.00 mg/L	<1.00
CADMIUM, Cd	0.05 mg/L	<0.05
CHROMIUM, Cr	0.05 mg/L	0.16
MERCURY, Hg	0.002 mg/L	<0.002
LEAD, Pb	0.005 mg/L	0.134
SELENIUM, Se	0.05 mg/L	<0.05
HEXAVALENT CHROMIUM	1.00 mg/L	<1.00

MDL = Minimum Detection Limit.

Method: SW846, 7000 series analysis

Michael Veraldi

Michael Veraldi-Laboratory Director



**LONG
ISLAND
ANALYTICAL
LABORATORIES INC.**

101-4 Colin Drive • Holbrook, New York 11741

TOMORROW'S ANALYTICAL SOLUTIONS TODAY

Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

2 of 2 pages

Client: Anson	Client ID: 131 Sunnyside Blvd. (Hydro-punch 80')
Date received: 11/18/03*	Laboratory ID: 1027245A
Date extracted: 11/26/03	Matrix: Liquid
Date analyzed: 11/26/03	ELAP #: 11693

TOTAL CHROMIUM-FILTERED

PARAMETER	MDL	RESULTS mg/L
CHROMIUM, Cr	0.05 mg/L	<0.05

MDL = Minimum Detection Limit.

Method: SW846, 7000 series analysis



Michael Veraldi-Laboratory Director



Client: Anson	Client ID: 131 Sunnyside Blvd. (Hydro-punch 80')
Date received: 11/18/03	Laboratory ID: 1027245
Date extracted: 11/19/03	Matrix: Liquid
Date analyzed: 11/19/03	ELAP #: 11693

NCDH PROTOCOL

PARAMETER	CAS No.	MDL	RESULTS ug/L
ACETONE	67-64-1	50 ug/L	<50
BENZENE	71-43-2	0.7 ug/L	<0.7
n-BUTYLBENZENE	104-51-8	5 ug/L	<5
sec-BUTYLBENZENE	135-98-8	5 ug/L	<5
tert-BUTYLBENZENE	98-06-6	5 ug/L	<5
BROMODICHLOROMETHANE	75-27-4	5 ug/L	<5
BROMOFORM	75-25-2	5 ug/L	<5
BROMOBENZENE	108-86-1	5 ug/L	<5
BROMOCHLOROMETHANE	74-97-5	5 ug/L	<5
2-CHLOROTOLUENE	95-49-8	5 ug/L	<5
4-CHLOROTOLUENE	106-43-4	5 ug/L	<5
CHLOROBENZENE	108-90-7	5 ug/L	<5
CHLOROFORM	67-66-3	5 ug/L	<5
CARBON TETRACHLORIDE	56-23-5	5 ug/L	<5
o-DICHLOROBENZENE (1,2)	95-50-1	5 ug/L	<5
m-DICHLOROBENZENE (1,3)	541-73-1	5 ug/L	<5
p-DICHLOROBENZENE (1,4)	106-46-7	5 ug/L	<5
1,2-DIBROMO-3-CHLOROPROPANE	96-12-8	5 ug/L	<5
1,1-DICHLOROETHYLENE	75-35-4	5 ug/L	<5
trans-1,2-DICHLOROETHYLENE	156-60-5	5 ug/L	<5
1,1-DICHLOROETHANE	75-34-3	5 ug/L	<5
cis-1,2-DICHLOROETHYLENE	156-59-2	5 ug/L	<5
DIBROMOCHLOROMETHANE	124-48-1	5 ug/L	<5
1,3-DICHLOROPROPANE	142-28-9	5 ug/L	<5
1,1-DICHLOROPROPENE	563-58-6	5 ug/L	<5
1,2-DICHLOROETHANE	107-06-2	5 ug/L	<5
1,2-DICHLOROPROPANE	78-87-5	5 ug/L	<5
2,2-DICHLOROPROPANE	594-20-7	5 ug/L	<5
ETHYLBENZENE	100-41-4	5 ug/L	<5

MDL = Minimum Detection Limit.



**LONG
ISLAND
ANALYTICAL
LABORATORIES, INC.**

101-4 Colin Drive • Holbrook, New York 11741

TOMORROW'S ANALYTICAL SOLUTIONS TODAY

Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: Anson	Client ID: 131 Sunnyside Blvd. (Hydro-punch 80')
Date received: 11/18/03	Laboratory ID: 1027245
Date extracted: 11/19/03	Matrix: Liquid
Date analyzed: 11/19/03	ELAP #: 11693

NCDH PROTOCOL

PARAMETER	CAS No.	MDL	RESULTS ug/L
1,2-DIBROMOETHANE	106-93-4	5 ug/L	<5
DIBROMOMETHANE	74-95-3	5 ug/L	<5
cis-1,3-DICHLOROPROPENE	10061-01-5	5 ug/L	<5
trans-1,3-DICHLOROPROPENE	10061-02-6	5 ug/L	<5
HEXACHLOROBUTADIENE	87-68-3	5 ug/L	<5
p-ISOPROPYLTOLUENE	99-87-6	5 ug/L	<5
ISOPROPYLBENZENE	98-82-8	5 ug/L	<5
METHYLENE CHLORIDE	75-09-2	5 ug/L	<5
NAPHTHALENE	91-20-3	5 ug/L	<5
n-PROPYLBENZENE	103-65-1	5 ug/L	<5
STYRENE	100-42-5	5 ug/L	<5
TRICHLOROFLUOROMETHANE	75-69-4	5 ug/L	<5
1,2,3-TRICHLOROBENZENE	87-61-6	5 ug/L	<5
1,2,4-TRICHLOROBENZENE	120-82-1	5 ug/L	<5
1,2,4-TRIMETHYLBENZENE	95-63-6	5 ug/L	<5
1,3,5-TRIMETHYLBENZENE	108-67-8	5 ug/L	<5
1,1,1-TRICHLOROETHANE	71-55-6	5 ug/L	<5
TRICHLOROETHYLENE	79-01-6	5 ug/L	7
1,1,2-TRICHLOROETHANE	79-00-5	5 ug/L	<5
TETRACHLOROETHYLENE	127-18-4	5 ug/L	<5
1,1,1,2-TETRACHLOROETHANE	630-20-6	5 ug/L	<5
1,1,2,2-TETRACHLOROETHANE	79-34-5	5 ug/L	<5
1,2,3-TRICHLOROPROPANE	96-18-4	5 ug/L	<5
TOLUENE	108-88-3	5 ug/L	<5
VINYL CHLORIDE	75-01-4	5 ug/L	<5
p & m-XYLENES	1330-20-7	10 ug/L	<10
o-XYLENE	95-47-6	5 ug/L	<5

MDL = Minimum Detection Limit.



Michael Veraldi-Laboratory Director



LIAI
ISLAND
ANALYTICAL
LABORATORY, INC.

101-4 Colin Drive • Holbrook, New York 11741

Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: Anson	Client ID: 131 Sunnyside Blvd. (Hydro-punch 80')
Date received: 11/18/03	Laboratory ID: 1027245
Date extracted: 11/18/03	Matrix: Liquid
Date analyzed: 11/18/03	ELAP #: 11693

EPA METHOD 8270(BN)

Parameter	CAS No.	MDL	Results ug/L
Bis(2-CHLOROETHYL)ETHER	111-44-4	5 ug/L	<5
1,3-DICHLOROBENZENE	541-73-1	5 ug/L	<5
1,4-DICHLOROBENZENE	106-46-7	5 ug/L	<5
1,2-DICHLOROBENZENE	95-50-1	5 ug/L	<5
Bis(2-CHLOROISOPROPYL)ETHER	108-60-1	5 ug/L	<5
HEXACHLOROETHANE	67-72-1	5 ug/L	<5
N-NITROSODI-n-PROPYL AMINE	621-64-7	5 ug/L	<5
NITROBENZENE	98-95-3	5 ug/L	<5
ISOPHORONE	78-59-1	5 ug/L	<5
Bis(2-CHLOROETHOXY)METHANE	111-91-1	5 ug/L	<5
1,2,4-TRICHLOROBENZENE	120-82-1	5 ug/L	<5
NAPHTHALENE	91-20-3	5 ug/L	<5
HEXACHLOROBUTADIENE	87-68-3	5 ug/L	<5
HEXACHLOROCYCLOPENTADIENE	77-47-4	5 ug/L	<5
2-CHLORONAPHTHALENE	91-58-7	5 ug/L	<5
ACENAPHTHYLENE	208-96-8	5 ug/L	<5
DIMETHYLPHTHALATE	131-11-3	5 ug/L	<5
2,6-DINITROTOLUENE	606-20-2	5 ug/L	<5
ACENAPHTHENE	83-32-9	5 ug/L	<5
2,4-DINITROTOLUENE	121-14-2	5 ug/L	<5
FLUORENE	86-73-7	5 ug/L	<5
4-CHLOROPHENYL PHENYL ETHER	7005-72-3	5 ug/L	<5

MDL = Minimum Detection Limit.



LONG
ISLAND
ANALYTICAL
LABORATORIES, INC.

101-4 Colin Drive • Holbrook, New York 11741

Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: Anson	Client ID: 131 Sunnyside Blvd. (Hydro-punch 80')
Date received: 11/18/03	Laboratory ID: 1027245
Date extracted: 11/18/03	Matrix: Liquid
Date analyzed: 11/18/03	ELAP #: 11693

EPA METHOD 8270(BN)

Parameter	CAS No.	MDL	Results ug/L
DIETHYLPHTHALATE	84-66-2	5 ug/L	<5
4-BROMOPHENYL-PHENYL ETHER	101-55-3	5 ug/L	<5
HEXACHLOROBENZENE	118-74-1	5 ug/L	<5
PHENANTHRENE	85-01-8	5 ug/L	<5
ANTHRACENE	120-12-7	5 ug/L	<5
Di-n-BUTYLPHTHALATE	84-74-2	5 ug/L	<5
FLUORANTHENE	206-44-0	5 ug/L	<5
PYRENE	129-00-0	5 ug/L	<5
BUTYLBENZYLPHTHALATE	85-68-7	5 ug/L	<5
3,3-DICHLOROBENZIDINE	91-94-1	5 ug/L	<5
BENZO-a-ANTHRACENE	56-55-3	5 ug/L	<5
CHRYSENE	218-01-9	5 ug/L	<5
Bis(2-ETHYLEXYL)PHTALATE	117-81-7	5 ug/L	<5
DI-n-OCTYLPHTHALATE	117-84-0	5 ug/L	<5
BENZO-b-FLUOROANTHENE	205-99-2	5 ug/L	<5
BENZO-k- FLUOROANTHENE	207-08-9	5 ug/L	<5
BENZO-a-PYRENE	50-32-8	5 ug/L	<5
INDENO(1,2,3-c,d)PYRENE	193-39-5	5 ug/L	<5
DIBENZO-a,h-ANTHRACENE	53-70-3	5 ug/L	<5
BENZO-g,h,i-PERYLENE	191-24-2	5 ug/L	<5

MDL = Minimum Detection Limit.



Michael Veraldi-Laboratory Director



LONG
ISLAND
ANALYTICAL
LABORATORIES INC.

101-4 Colin Drive • Holbrook, New York 11741

10/10/2003 LABORATORY REPORT

Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

B001, S001, S001T

Microscopic Screen

A microscopic screen is a rapid analytical technique for confirming the presence and identity of fungi in or on the surface of a sample. Bulk, swab, and dust samples undergo an aqueous extraction and subsequent microscopic analysis and the counts are therefore subject to a dilution factor. Tape samples are analyzed directly and spores are counted. All samples are analyzed via light microscopy at 600X magnification. The results are reported as **total**, meaning they include both viable and non-viable fungal spores. This technique does not allow for the differentiation between *Aspergillus* and *Penicillium* spores. Small (~1-3 μ) spherical fungal spores that cannot be identified and may include *Aspergillus*, *Penicillium*, and *Trichoderma* are grouped together as *Amerospores*.

A003, A004, A005, A006, B002, B003, B004, B007, CC002, CC003, CC004, CC005, S002, S003, S004, S007 W001, W002, W003, W004

Culture Analyses for Fungi and Bacteria

Cultureable microorganisms are those that are viable when media is inoculated, and will grow on the selected media and at the selected temperature. This technique has certain limitations when analyzing for certain types of fungi, specifically *Stachybotrys*. Some reports indicate that the recovery efficiency of *Stachybotrys* spores can be as low as 10% when compared to total spore techniques.

The type of media and incubation temperature can vary depending on the scope of the survey. Isolates are identified to the service level requested. Typical analysis includes identification of most fungi to the genus level. *Aspergillus* and *Penicillium* species are differentiated based on morphology with each variant reported separately. Morphological variants are identified by colony color/shape and may or may not be the same throughout the project. Identification to the species level can be performed if requested in advance. General incubation parameters are summarized below. Incubation times can vary depending on specific growth characteristics. Samples submitted for culture analysis using Cornmeal Agar (CMA) or Cellulose Agar are for 14 days.

Test	Incubation Temperature (° C)	Minimum Incubation Time
Environmental Bacteria	28	48 hours
Total Fungi	20-25	7-10 days
Thermophilic fungi	37	7-10 days
Thermophilic Actinomycetes	50	48 hours

Common Culture Media

Acronym	Name
BAP	Tryptic Soy Agar with 5% Sheep Blood
PCA	Plate Count Agar
BCYE	Buffered Charcoal Yeast Extract Agar
PDA	Potato Dextrose Agar
MEA	Malt Extract Agar
DG-18	Dichloran Glycerol Agar
SAB	Sabauroud's Dextrose Agar
RBA	Rose Bengal Agar

Data Qualifiers

The *Data Qualifiers* identify issues or events that are relevant to your analytical results. A data qualifier includes information about the validity, the source of the data whether calculated, entered or estimated, and the value of an observation. If applicable, a key is attached to each report type. In each case the data qualifiers provide information vital to the interpretation of the laboratory data.

This communication is intended only for the individual or entity to which it is directed. It may contain information that is privileged, confidential, or otherwise exempt from disclosure under applicable law. Dissemination, distribution, or copying of this communication by anyone other than the intended recipient, or a duly designated employee or agent of such recipient, is prohibited. If you have received this communication in error, please notify us immediately by telephone at 800.651.4802, and delete this message and all attachments thereto.

For additional information, or if you have any questions regarding this report, please do not hesitate to call.

Sincerely,



Randy Cavadini
Project Manager
Aerotech Laboratories, Inc.
800-651-4802

Analytical References

1. Medically Important Fungi: A Guide to Identification, 3rd ed., ASM, 1995.
2. Standard Methods for the Examination of Water and Wastewater, 19th ed., APHA, 1995.
3. Sampling and Identifying Allergenic Pollens and Molds, Blewstone, 1990.
4. Identifying Filamentous Fungi: A Clinical Laboratory Handbook, Star, 1996.
5. Manual of Clinical Microbiology, 7th ed., ASM, 1999.
6. A Laboratory Guide to Common *Aspergillus* Species and their Teleomorphs, CSIRO, 1994.
7. Bioaerosols: Assessment and Control, ACGIH, 1999.



AEROTECH LABORATORIES, INC.

Anson Environmental Ltd
771 New York Avenue
Huntington, NY 11743
Attn: Matthew Schieferstein

AIHA EMLAP No. 102297
Total Fungal Spore and Mycelia Counts-Bulk
Aerotech Method: B001

Lab Number: A-309-4742
Project Name: 131 Sunnyside Blvd
Project Number: 03150
Date Received: 9/26/2003
Date Reported: 9/29/2003

Lab Number	1			
Sample Identification	131 Sunnyside			
Date Analyzed	9/29/2003			
Dilution Factor	400			
Analyte	Total Count	Count/Gram		%
		Result	D L	
Mycelial Fragments	1,461	584,200	4,600	n/a
Total Fungal Spores	70,806	28,322,200	4,600	100
Fungal Spore Identification				
Alternaria				
Americospores				
Arthrinium				
Ascospores				
Aspergillus/Penicillium- Like	11,500	4,600,000	4,600	16
Basidiospores				
Bipolaris/Dreschlera				
Botrytis				
Chaetomium	92	36,800	4,600	<1
Cladosporium				
Curvularia				
Epicoccum				
Fusarium				
Memnoniella				
Nigrospora				
Oidium/Peronospora				
Pithomyces/Utiocladium	2,404	961,400	4,600	3
Rusts				
Smuts/Myxomycetes/Periconia				
Stachybotrys	56,810	22,724,000	4,600	80
Stemphylium				
Torula				
Unidentified Conidia				
Data Qualifiers:	D7			

Laboratory Manager: *Matthew Schieferstein*

Project Manager:

Matthew Schieferstein

B001 Page 1 of 2

B001-AH-CLIENT REPORT (REV. 11-01) (MAY 2002) (C) 2003, VAPCS



AEROTECH LABORATORIES, INC.

Anson Environmental Ltd
771 New York Avenue
Huntington, NY 11743
Attn: Matthew Schieferstein

AIHA EMLAP No. 102297
Total Fungal Spore and Mycelia Counts-Bulk
Aerotech Method: B001

Lab Number: A-309-4742
Project Name: 131 Sunnyside Blvd
Project Number: 03150
Date Received: 9/26/2003
Date Reported: 9/29/2003

Data Qualifiers

Listed below are the data qualifiers included in the analytical report to explain any analytical or quality control issues.

Qualifier Number	Description
D7	Excessive debris. Reported results could be low.

Laboratory Manager: *Lydia Beck*
AEROTECH LABORATORIES, INC. 131 SUNNYSIDE BLVD, G-05
HUNTINGTON, NY 11743

Project Manager: *Regina*

B001 Page 2 of 2



AEROTECH LABORATORIES, INC.

Anson Environmental Ltd
771 New York Avenue
Huntington, NY 11743
Attn: Matthew Schieferstein

AIHA EMLAP No. 102297
Culturable Bacteria at 28°C and Gram Stain Identification-Bulk
Aerotech Method: B004

Lab Number: A-309-4742
Project Name: 131 Sunnyside Blvd
Project Number: 03150
Date Received: 9/26/2003
Date Reported: 9/30/2003

Lab Number	1		
Sample Identification	131 Sunnyside		
Date Prepared	9/27/2003		
Date Analyzed	9/30/2003		
Culture Media	PCA		
Dilution Factor	10		
Bacteria	CFU/Gram		%
	Result	DL	
Total	<180	180	n/a
Gram Positive Cocci			
Bacillus Species			
Gram Positive Bacilli			
Gram Negative Bacilli			
Actinomycetes			
Data Qualifiers:			

Laboratory Manager:

Project Manager:

B004 Page 1 of 1

Small text line at the bottom of the page, likely a footer or disclaimer.



AEROTECH LABORATORIES, INC.

Anson Environmental Ltd
771 New York Avenue
Huntington, NY 11743
Attn: Matthew Schieferstein

AIHA EMLAP No. 102297
Culturable Fungi at 25°C-Bulk
Aerotech Method: B002

Lab Number: A-309-4742
Project Name: 131 Sunnyside Blvd
Project Number: 03150
Date Received: 9/26/2003
Date Reported: 10/6/2003

Lab Number	1		
Sample Identification	131 Sunnyside		
Date Prepared	9/27/2003		
Date Analyzed	10/6/2003		
Culture Media	Potato Dextrose (PDA)		
Dilution Factor	10		
Fungi	CFU/Gram		
	Result	DL	%
Total	1,280,000	180	100
Acremonium	23,200	180	2
Alternaria			
Aspergillus niger			
Aspergillus species Var. 1	162,000	180	13
Aspergillus species Var. 2			
Aureobasidium			
Bipolaris			
Chaetomium			
Cladosporium	534,000	180	42
Curvularia			
Epicoccum			
Fusarium			
Geotrichum			
Mucor			
Mycelia Sterilia			
Nigrospora			
Paecilomyces			
Penicillium species Var. 1	510,000	180	40
Penicillium species Var. 2			
Pithomyces			
Rhizopus			
Sporothrix			
Sporotrichum			
Stachybotrys	46,400	180	4
Syncephalastrum			
Trichoderma			
Yeast			
Data Qualifiers:			

Laboratory Manager:

Project Manager:

B002 Page 1 of 1

EMSL Analytical, Inc.

208 Stone Hinge Lane, Carle Place, NY 11514

Phone: (516) 997-7251 Fax: (516) 997-7528 Email: carleplacelab@emsl.com



Attn: Anson Environmental Ltd.
771 New York Avenue
Huntington, NY 11743

Fax: (631) 351-3615 Phone: (631) 351-3555
Project: 131 Sunnyville Blvd Plainview: Entire Building, Prj:
03150

Customer ID: ANSO50
Customer PO:
Received: 10/09/03 10:02 AM
EMSL Order: 060306929
EMSL Project ID:


Analysis Date 10/13/2003

Asbestos Analysis of Non-Friable Organically Bound materials by Transmission Electron Microscopy via NYS ELAP Method 198.4

AMPLE ID	DESCRIPTION	APPEARANCE	% MATRIX MATERIAL	% NON-ASBESTOS FIBERS	ASBESTOS TYPES	% TOTAL ASBESTOS
T 1 - 1 060306929-0001	Office Spaces: Gray 12x12 & Mastic	Gray Non-Fibrous Homogeneous	100.0	None	No Asbestos Detected	
T 1 - 2 060306929-0002	Office Spaces: Gray 12x12 & Mastic	Gray Non-Fibrous Homogeneous	100.0	None	No Asbestos Detected	
T 1 - 3 060306929-0003	Office Spaces: Gray 12x12 & Mastic	Gray Non-Fibrous Homogeneous	100.0	None	No Asbestos Detected	
FT 2 - 1 0306929-0004	Under Carpet: Beige 12x12 & Mastic	Tan Fibrous Homogeneous	84.7	None	15.3 Chrysotile	15.3
FT 2 - 2 060306929-0005	Under Carpet: Beige 12x12 & Mastic	Tan Non-Fibrous Homogeneous				
Not Analyzed						
FT 2 - 3 0306929-0006	Under Carpet: Beige 12x12 & Mastic	Tan Non-Fibrous Homogeneous				
Not Analyzed						
FT 3 - 1 0306929-0007	2nd Floor: Red Tile & Mastic	Brown Non-Fibrous Homogeneous	100.0	None	No Asbestos Detected	
FT 3 - 2 060306929-0008	2nd Floor: Red Tile & Mastic	Brown Non-Fibrous Homogeneous	100.0	None	No Asbestos Detected	
FT 3 - 3 060306929-0009	2nd Floor: Red Tile & Mastic	Brown Non-Fibrous Homogeneous	100.0	None	No Asbestos Detected	

Analyst(s)

Mahrudin Lalic (9)


Michelle McGowan
or other approved signatory

This laboratory is not responsible for % asbestos in total sample when the residue only is submitted for analysis. The above report relates only to the items tested. This report may not be reproduced, except in full, without written approval by EMSL Analytical, Inc.

ACCREDITATIONS: AIHA #102344, NVLAP #101048-10 and NY STATE ELAP #11469

11TNOB-2

THIS IS THE LAST PAGE OF THE REPORT.

Client and Address Anson Environmental Ltd, 771 New York Ave, Huntington NY 11743				Date Sampled 10/7/03
Site Address 131 Sunnyside Blvd, Plainville		Work Area Entire Building		Date Submitted 10/8/03
Project Manager M. Schieferstein		Inspector M. Schieferstein	Project # 03150	Turn Around Time 3 Days
Fax Results To: 631-351-3615		Page Results To:		Phone Results To:
Analytical Procedure (Circle One)		PLM EPA 600	PLM P.C.	PLM NOB
		PLM NOB	Other	Billing #
Sample Number	Location	Sample Description		Comments
FT 1-1	Office Spaces	Gray 12x12 + Mastic		Sample both
1-2	↓	↓		layers. Stop
1-3	↓	↓		@ 1st Positive!
FT 2-1	Under Carpet	Beige 12x12 + Mastic		Sample both
2-2	↓	↓		layers. Stop
2-3	↓	↓		@ 1st Positive!
FT 3-1	2 nd Floor	Red Tile + Mastic		Sample both
3-2	↓	↓		layers. Stop
3-3	↓	↓		@ 1st Positive!
				RECEIVED EMSL ANALYTICAL INC. 03 OCT -9 AM 10:02
Requested By: Signature	Date/Time	Agent ID	Received By: Signature	Date/Time
	10/6/03	1145	Parenti	10/9/03
Requested By: Signature	Date/Time	Agent ID	Received By: Signature	Date/Time
Comments: 060306929				

EMSL Analytical, Inc.

208 Stone Hinge Lane, Carle Place, NY 11514

Phone: (516) 997-7251 Fax: (516) 997-7528 Email: carleplacelab@emsl.com



Attn: Anson Environmental Ltd.
771 New York Avenue
Huntington, NY 11743

Fax: (631) 351-3615 Phone: (631) 351-3555

Project: 131 Sunnyside Blvd. - 2nd Floor

03150

Customer ID: ANSO50

Customer PO:

Received: 10/21/03 10:00 AM

EMSL Order: 060307161

EMSL Project ID:

Analysis Date 10/24/2003

Asbestos Analysis of Non-Friable Organically Bound materials by Transmission Electron Microscopy via NYS ELAP Method 198.4

SAMPLE ID	DESCRIPTION	APPEARANCE	% MATRIX MATERIAL	% NON-ASBESTOS FIBERS	ASBESTOS TYPES	% TOTAL ASBESTOS
1 1-1 060307161-0001	2nd Floor - Beige Layer & Black Layer	Black/Beige Non-Fibrous Homogeneous	100.0	None	No Asbestos Detected	
1 1-1A 060307161-0004	2nd Floor - Beige Layer & Black Layer	Black Non-Fibrous Homogeneous	100.0	None	No Asbestos Detected	
1 1-1B 060307161-0007	2nd Floor - Beige Layer & Black Layer	Black Non-Fibrous Homogeneous	100.0	None	No Asbestos Detected	
F1 1-2 060307161-0002	2nd Floor - Beige Layer & Black Layer	Beige Non-Fibrous Homogeneous	100.0	None	No Asbestos Detected	
F1 1-2A 060307161-0005	2nd Floor - Beige Layer & Black Layer	Beige Non-Fibrous Homogeneous	100.0	None	No Asbestos Detected	
1 1-2B 060307161-0008	2nd Floor - Beige Layer & Black Layer	Black Non-Fibrous Homogeneous	100.0	None	No Asbestos Detected	
1 1-3 060307161-0003	2nd Floor - Beige Layer & Black Layer	Beige Fibrous Homogeneous	99.8	None	<1 Chrysotile	<1
1 1-3A 060307161-0006	2nd Floor - Beige Layer & Black Layer	Beige Non-Fibrous Homogeneous	100.0	None	No Asbestos Detected	
F1 1-3B 060307161-0009	2nd Floor - Beige Layer & Black Layer	Black Non-Fibrous Homogeneous	99.9	None	<1 Chrysotile	<1

Analyst(s)

David Altenburg (3)

Daniel Clarke (6)

Michelle McGowan
or other approved signatory

This laboratory is not responsible for % asbestos in total sample when the residue only is submitted for analysis. The above report relates only to the items tested. This report may not be reproduced, except in full, without written approval by EMSL Analytical, Inc.

ACCREDITATIONS: AIHA #102344, NVLAP #101048-10 and NY STATE ELAP #11469

ATNOB-2


THIS IS THE LAST PAGE OF THE REPORT.

EMSL 208 Stonehenge Lane Carle Place NY 11514 Phone (516) 997-7251 Fax (516) 997-7528

EMSL Analytical, Inc.

208 Stone Hinge Lane, Carle Place, NY 11514

Phone: (516) 997-7251 Fax: (516) 997-7528 Email: carleplacelab@emsl.com



Attn: Anson Environmental Ltd.
771 New York Avenue
Huntington, NY 11743

Fax: (631) 351-3615

Phone: (631) 351-3555

Project:

Customer ID: ANSO50

Customer PO:

Received: 11/19/03 5:04 PM

EMSL Order: 060307743

EMSL Project ID:

Analysis Date: 11/20/03

Phase Contrast Microscopy (PCM) Fiber Count by NIOSH 7400, Fourth Edition, Issue 2, 8/15/94

Sample	Location	Sample Date	Volume	Fibers	Fields	LOD (fib/cc)	Fibers/mm ²	Fibers/cc	Notes
U01 060307743-0001	Main Office	11/19/03	1260.00	<5.5	100	0.002	<7.0	<0.002	
U02 060307743-0002	Main Office	11/19/03	1260.00	<5.5	100	0.002	<7.0	<0.002	
U03 060307743-0003	Main Office	11/19/03	1260.00	<5.5	100	0.002	<7.0	<0.002	
U04 060307743-0004	Main Office	11/19/03	1260.00	<5.5	100	0.002	<7.0	<0.002	
U05 060307743-0005	Main Office	11/19/03	1260.00	<5.5	100	0.002	<7.0	<0.002	
U01 060307743-0006	Office 1	11/19/03	1260.00	<5.5	100	0.002	<7.0	<0.002	
U02 060307743-0007	Office 2	11/19/03	1260.00	<5.5	100	0.002	<7.0	<0.002	
U03 060307743-0008	Office 2	11/19/03	1260.00	<5.5	100	0.002	<7.0	<0.002	
U04 060307743-0009	Hallway	11/19/03	1260.00	<5.5	100	0.002	<7.0	<0.002	
U05 060307743-0010	Hallway	11/19/03	1260.00	<5.5	100	0.002	<7.0	<0.002	

Report revised 11/25/03

No discernable field blank sample(s) submitted with this sample set.

Analyst(s)

David Altenburg (10)

Michelle McGowan
or other approved signatory

Limit of detection is 7 fibers/mm². The laboratory is not responsible for data reported in fibers/cc, which is dependent on volume collected by non-laboratory personnel. This report relates only to the samples reported above. This report may not be reproduced, except in full, without written approval by EMSL.

Analysis performed by EMSL Long Island (NY State ELAP #11469)

PCM-2

THIS IS THE LAST PAGE OF THE REPORT.

Page OF

EMSL 208 Stonehenge Lane Carle Place, NY 11514 Phone (516) 997-7251 Fax (516) 997-7528