

REMEDIATION REPORT

***71 Clinton Road
Garden City, New York***

October 2003

Prepared for:

United States Environmental Protection Agency - Region 2
Groundwater Compliance Section
290 Broadway
New York, New York 1007-1866

Nassau County Department of Health
240 Old Country Road
Mineola, NY 11501-4250

TABLE OF CONTENTS

<u>Section</u>	<u>Page</u>
1.0 Introduction	1
2.0 Underground Storage Tank Program Issues	3
2.1 20,000-Gallon UST Closure.....	3
2.2 Suspected Underground Storage Tank Investigation	3
3.0 Underground Injection Control Program Issues	5
3.1 Former Boiler Room	5
3.1.1 Piping Investigation.....	5
3.1.2 Blowdown Pits Remediation/ Investigation	6
3.1.3 Floor Drain Abandonment	7
3.2 Drywell Remediation	7
3.3 Distribution Pool Remediation	8
3.4 Leaching Pools	9
3.5 Out-of-Service Cesspools.....	11
3.6 Roof Drain Leaching Pool.....	12
3.7 Federal Express Maintenance Garage.....	13
3.7.1 Floor Drains	13
3.7.2 Catch Basin.....	14
4.0 Injection Well Inventory	15
5.0 Conclusion.....	16

FIGURES

Figure 1 - Piping Diagram Former Boiler Room Area

TABLES

- Table 1 - Summary of Analytical Results From Initial Sediment Samples Collected From Former Cesspools and Blowdown Pits and Roof Drain/Drywells
- Table 2 - Summary of Analytical Results From Liquid, Pre-Remediation Sediment and Endpoint Soil Samples From Distribution Pool
- Table 3 - Summary of Analytical Results From Endpoint Samples Collected From the Leaching Pools
- Table 4 - Summary of Analytical Results From Initial Sediment Samples Collected From the Leaching Pools

APPENDICES

Appendix A - Site Map
Appendix B - Long Island Analytical Laboratories, Inc. - 10/3/2002
Appendix C - Long Island Analytical Laboratories, Inc. - 10/22/2002
Appendix D - JMS Environmental, Inc. Services, Inc. - 6/12/03
Appendix E - RGM Waste Manifest - 10/23/02
Appendix F - Long Island Analytical Laboratories, Inc. - 10/31/2002
Appendix G - JMS Environmental, Inc. Services, Inc. - 6/10/03
Appendix H - Blue Water Environmental Waste Manifest - 9/8/03
Appendix I - JMS Environmental, Inc. Services, Inc. - 8/26/03
Appendix J - Citywide Invoice - 6/19/03
Appendix K - JMS Environmental, Inc. Services, Inc. - 6/27/03
Appendix L - Windriver Environmental Work Order - 8/21/03
Appendix M - JMS Environmental, Inc. Services, Inc. - 9/3/03
Appendix N - Windriver Environmental Work Order - 9/11/03
Appendix O - JMS Environmental, Inc. Services, Inc. - 9/18/03
Appendix P - Clean Earth Waste Manifest - 9/15/03
Appendix Q - Approval Letter from NCDPW - 6/12/03
Appendix R - Photographs
Appendix S - USEPA Inventory of Injection Wells

1.0 INTRODUCTION

Cody Ehlers Group (CEG) has addressed the underground storage tank (UST) and underground injection control (UIC) issues identified at the site located at 71 Clinton Road, Garden City, New York (site). CEG performed the work on behalf of Stewart & Clinton, LLC, the current owners of the property. The UST and UIC issues were originally identified by Freudanthal & Elkowitz Consulting Group, Inc. during their Phase I and Phase II Environmental Site Assessment activities at the site in December 2001.

This *Remediation Report* represents the culmination of the investigation and remediation work performed by CEG at the site. CEG initially submitted the *Remedial Action Plan* for the site to the Nassau County Department of Health (NCDOH) in August 2002. The NCDOH approved this plan in a letter dated September 4, 2002. Following implementation of the initial plan, CEG submitted the *Supplemental Investigation Work Plan* in March 2003 in response to a letter from the U.S. Environmental Protection Agency (USEPA) dated January 23, 2003. The work plan was approved by the USEPA in a letter dated May 1, 2003. Based upon the results of our investigation and remedial activities, the identified issues at the site have been addressed to the satisfaction of the USEPA and the NCDOH. Therefore, CEG respectfully requests closure for the UST and UIC issues identified at the site and USEPA approval to continue operating drywells and leaching pools at the site for roof and parking lot drainage under the "authorized by rule" provision in the UIC program.

This report divides the environmental issues at the site per the two applicable programs: 1) the UST program administered by the NCDOH; and 2) the UIC program administered by both the USEPA and the NCDOH. The investigation and remedial work was conducted in a manner designed to be consistent with the USEPA UIC program guidelines and regulations, NCDOH *Cleanup Guidelines for Remediation of Drywells and Individual Septic Systems*, and NCDOH UST regulations. Specifically, the following environmental issues were addressed:

- the removed 20,000-Gallon UST to the south of Building No. 10;
- the suspected UST reported in the courtyard between Buildings No. 1 and No. 2;
- the two blowdown pits and other floor drains in the former boiler room (Building No. 7);

- the drywell identified to the south of the former boiler room;
- the distribution pool identified to the south of the former boiler room;
- the four leaching pools identified to the south of the former boiler room;
- the two out-of-service cesspools near the location of former Buildings No. 5 and No. 6;
- the roof-drain drywell to the southwest of Building No. 1;
- the floor drains identified in the current Federal Express (FedEx) Maintenance Garage; and
- the catch basin in front of the FedEx Maintenance Garage;

The historical locations of the site buildings are presented in the map included in Appendix A.

As required, this report is being submitted to the USEPA and the NCDOH for review and approval. Following approval, CEG requests that the drywells and leaching pools used at the site for the collection of stormwater remain in operation and be "authorized by rule".

2.0 UNDERGROUND STORAGE TANK PROGRAM ISSUES

Two issues were identified at the site with respect to the NCDOH UST program. The first involved the former 20,000-gallon UST removed from the rear of Building No. 10. The other involved a suspected UST in the courtyard between Buildings No. 1 and No. 2. No remedial action was required at either location.

2.1 20,000-Gallon UST Closure

The 20,000-gallon heating oil UST was removed in November 1998 and a closure report was submitted to the NCDOH by Action Remediation, Inc. (Action). Closure issues related to this UST are discussed in the *Remedial Action Plan* submitted to the NCDOH by CEG in August 2002. It is our understanding that the closure of the UST is complete and no further action is required.

2.2 Suspected Underground Storage Tank Investigation

During a Phase I investigation conducted in 1995, Norfolk Environmental (Norfolk) observed an apparent fill pipe in the northeast corner of the courtyard between Buildings No. 1 and No. 2. The fill pipe extended approximately 4 feet below grade and contained approximately 10 inches of liquid (apparently water). The characteristics of the pipe indicated that it might be connected to an abandoned UST.

There was no historical information found regarding a UST at this location. Historical maps of the courtyard indicate that an electrical station was present at this location until 1945. The relatively small size and location of the apparent UST suggest that it may have been used to store fuel for an emergency generator at the former electrical station.

Norfolk drilled two soil borings around the apparent UST in December 1995 and encountered refusal at a depth of around 3 feet below grade (concrete). Norfolk observed no indication of contamination in either boring.

CEG conducted an inspection of the area but did not find the aforementioned fill pipe. There are a number of new underground utilities beneath this area and it appears that several natural-gas meters have been installed on a concrete pad that covers a good portion of the area where the fill pipe was located. CEG excavated soil outside the concrete pad to a depth of around three feet below grade. The area was excavated by hand due to the large number of buried utilities. No signs of a buried UST were detected in the excavation.

Later, CEG had Environmental Contracting Services, Inc. (ECS) excavate additional test pits in the area of the suspected UST on October 10, 2002, but again no evidence of a UST was found.

If there was an abandoned UST at this location, it appears to have been removed. This was likely done to make room for the installation of the new underground utilities and the gas meters in the immediate area of the suspected UST. The two soil borings drilled by Norfolk found no indication that a leak had occurred. Consequently, no further action is considered necessary regarding this issue.

3.0 UNDERGROUND INJECTION CONTROL PROGRAM ISSUES

The UIC issues identified at the site included: the two blowdown pits and other floor drains in the former boiler room (Building No. 7); the drywell, distribution pool and four leaching pools identified to the south of the former boiler room; the two out-of-service cesspools near the location of former Buildings No. 5 and No. 6; the roof-drain drywell to the southwest of Building No. 1; the floor drains identified in the current FedEx Maintenance Garage; and the catch basin located in front of the FedEx Maintenance Garage. Unless specifically mentioned otherwise, the analysis of initial investigatory sediment samples included the parameters specified in the NCDOH *Cleanup Guidelines for Remediation of Drywells and Individual Septic Systems* and the requirements of the USEPA. Specifically, the list of analytical parameters included: total RCRA metals (EPA Method 6010); volatile organic compounds (VOCs) (EPA Method 8260); and the semi-volatile organic compounds (SVOCs) (EPA Method 8270) listed in the NYSDEC STARS Guidance Manual. A laboratory registered with New York State was used to analyze the samples.

3.1 Former Boiler Room

To address the UIC issues in the former boiler room, CEG conducted a pipe tracing and dye testing investigation to determine the discharge points of the various floor drains and pits. Also, contaminated sediment was excavated from the two blowdown pits in the former boiler room to the extent practicable and, as a result, deeper soil quality was investigated. To prevent future unauthorized discharges, the floor drains and blowdown pits were sealed following completion of the investigation and remediation.

3.1.1 Piping Investigation

CEG was not able to obtain additional historical blueprints for the facility other than those previously found during earlier site investigations. Consequently, CEG conducted dye tests and used pipe-tracing instrumentation to investigate the underground piping network associated with the former boiler room. The results of the pipe tracing and dye testing are summarized in Figure 1.

The results of the dye testing and pipe tracing performed by CEG indicate that the piping in both blowdown pits (BDP-1 and BDP-2) discharged to drywell BDW-1. Also, two floor drains (FD-1 and FD-2) were also found to discharge to drywell BDW-1; however, two other floor drains (FD-3 and FD-4) were clogged and could not be traced. The roof drain from the garage (RD-1) and the two roof

drains from the former boiler room (RD-2) were also found to be connected to drywell BDW-1; the former connection for another roof drain (RD-3) for the boiler room is clogged and is no longer connected. Additionally, one of two stubbed pipes in the former boiler room was determined to be connected to drywell BDW-1; dye testing of the other stubbed pipe proved inconclusive (i.e., dye was not observed discharging to the drywell, distribution pool or the leaching pools). Similarly, dye testing of the former toilet drain (TD-1) proved inconclusive as well.

Several of the pipes connected to the drywell and distribution pool were also dye tested and traced by CEG. The results indicate that the distribution pool discharges to drywell BDW-1, which in turn discharges to the westernmost leaching pool to the south of the building (CP/LP-1). Catch basin DW-2 was also found to be connected to leaching pool CP/LP-1 using dye. The four leaching pools (CP/LP-1 through -4) appear to be interconnected based upon the observed drainage patterns for the site (i.e., the pools were pumped dry but were later found to contain water following several days of rain).

3.1.2 Blowdown Pits Remediation/Investigation

The two blowdown pits are located inside the former boiler room in Building No. 7. The initial samples collected from the pits by CEG on September 26, 2002 showed levels of SVOCs and metals above the New York State Recommended Soil Cleanup Objectives (RSCOs). Total petroleum hydrocarbons (TPH) were also detected in both samples. The results are summarized in Table 1 and the laboratory analytical report is included as Appendix B.

During October 2002, the blowdown pits were excavated by ECS to the extent feasible using hand tools (i.e., shovels and pails) and a "super sucker" vacuum guzzler with an extended hose hoisted through the open window. Approximately 1 cubic yard of soil was removed. Post-remediation samples were collected from each pit. The levels of mercury detected in the post-remediation samples from pits BDP-1 and BDP-2 were 1.75 parts per million (ppm) and 1.03 ppm, respectively. The laboratory report for the blowdown pit post-remediation samples is included as Appendix C and the results are summarized in Table 1.

In a letter dated January 23, 2003, the USEPA required further investigation of the mercury detected in the blowdown pits. The USEPA specifically required that a boring be drilled beneath each pit until either ground water was encountered or a "clean sample" was reached, whichever came first.

CEG retained Land, Air Water Environmental Services, Inc. (LAW) to drill borings beneath each of the blowdown pits. The borings were each drilled to a total depth of 30 feet below grade. On June 5, 2003, CEG collected a soil sample from each of the borings (BDP-1 and BDP-2) for laboratory analysis for total mercury. The sample from BDP-1 was collected at a depth interval of 27 feet to 30 feet below grade and the sample from BDP-2 was collected at a depth interval of 22.5 feet to 25 feet below grade. Ground water was encountered in boring BDP-1 at a depth of 30 feet below grade. Both samples were split with the NCDOH. The laboratory report is attached (Appendix D).

Mercury was not detected in either of the samples collected by CEG. Based upon the sampling results and discussions with the NCDOH, both pits were abandoned in place by filling them completely with clean fill from an off site source. The openings in the floor for the former pits were sealed with concrete.

3.1.3 Floor Drain Abandonment

Following testing and tracing of the piping network associated with the former boiler room, CEG had the floor drains and the toilet drain sealed with concrete. As mentioned above, the former boiler blowdown pits were also sealed. The roof drains remain connected to drywell BDW-1.

3.2 Drywell Remediation

The drywell (BDW-1) located in the rear of the building was originally determined to be connected to a floor drain (FD-1) in the former boiler room. It also receives runoff from two roof drain systems, one for the former boiler room and the other for the garage.

On September 23, 2002, CEG collected a sediment sample from the drywell and had it analyzed for NCDOH parameters, along with TPH. The report from the laboratory is included as Appendix B and the results are summarized in Table 1.

As shown in Table 1, SVOCs and metals were detected in the sediment sample collected from drywell BDW-1. The levels of some of the PAHs exceeded the RSCOs. Following discussions with the NCDOH, CEG directed ECS to include this drywell as part of planned remedial work for the site.

Under the direction of CEG, ECS used a vacuum guzzler truck to remove standing water and sediment from the bottom of the drywell on October 25,

2002. Sediment removal continued until visibly clean soils were encountered. Approximately 3 cubic yards of sediment and 5,00 gallons of water were removed from the drywell. The soil disposal manifest is provided in Appendix E.

CEG collected a post-remedial endpoint sample (BDW-1) from the drywell under the observation of the NCDOH. The report from the laboratory is included as Appendix F and the results are summarized in Table 1.

As discussed with the NCDOH, benzo(a)pyrene was detected in the endpoint sample from the drywell at a concentration slightly above the RSCOs. With the concurrence of the NCDOH, further remediation of the drywell was not considered warranted. With USEPA and NCDOH approval, the drywell will remain in operation for the collection of parking lot runoff and roof drainage in this area of the site.

3.3 Distribution Pool Remediation

The "distribution pool" was located between drywell BDW-1 and the boiler room. The pool was constructed of concrete block sides with no bottom and a solid manhole cover over a concrete collar. Inside the pool was a steel tank with a capacity of approximately 35 gallons. There appeared to be a 2-inch steel pipe that elbowed down to the tank and may have been connected in the past. The pool and tank were partially filled with sediment and water. Historical blueprints of this area circa 1959 refer to the distribution pool as the "new transformer vault and yard drain".

On June 5, 2003, CEG directed LAW to probe the bottom of the pool using the Geoprobe and a steel rod. LAW was able to penetrate to a depth of over 17 feet below grade at one location in the pool. Concluding that the pool did not have a solid bottom, CEG collected a sample of the sediment (DP-1 S) and the water (DP-1 L) in the pool.

The liquid sample was analyzed for VOCs, metals and pH to characterize the water for disposal purposes. The sediment sample was analyzed for the NCDOH parameters. The laboratory report is included in Appendix G and the results are summarized in Table 2.

The sampling results from the distribution pool were compared to the criteria listed in NYSDEC TAGM 4046. The results showed levels of metals in the pool sediment above the criteria. Based upon discussions with the NCDOH, the pool

was remediated. Since the pool serves no current purpose at the facility, CEG elected to remove the entire pool including excavating the surrounding soil.

Under the direction of CEG, Action Remediation Co., Inc. removed the distribution pool on August 20, 2003. In addition to the concrete collar, the tank and the concrete blocks, Action excavated approximately 28 tons of soil from the former location of the pool. The final excavation was approximately 11 feet deep and ground water was not encountered. The soil disposal manifests are provided in Appendix H.

CEG collected four sidewall samples (N DP-1, S DP-1, E DP-1 and W DP-1) and a bottom sample (B DP-1) from the excavation. The samples were also screened with a photo-ionization detector (PID). In accordance with discussions with the NCDOH, CEG submitted the samples for metals. The three samples exhibiting the highest PID readings were also submitted for laboratory analysis for VOCs. The laboratory report is included as Appendix I. The analytical results are summarized in Table 2.

No VOCs were detected in the post-excavation samples collected from the former distribution pool. Mercury and silver were also not detected in the post-excavation samples. Other metals were detected, but at significantly lower concentrations than those detected in the initial sediment sample from the pool. Based upon discussions with the NCDOH, the levels of metals in remaining soils in the excavation meet the RSCOs.

Following NCDOH's review of the post-excavation results, CEG directed Action to backfill the excavation with clean fill. CEG had Action plug each of the pipes connected to the former pool with concrete before finishing backfilling the excavation. This area will be paved in the near future.

3.4 Leaching Pools

There are four active leaching pools (CP/LP-1 through CP/LP-4) that are connected to the drywell (BDW-1) located outside of the former boiler room. In addition to the drywell, the four leaching pools also receive overflow drainage from a catch basin (DW-1) located in front of the FedEx Maintenance Garage. The pools are positioned parallel to the railroad tracks to the south of the site. The locations of the pools are shown in Figure 1.

Each pool has a six-foot long collar that is approximately three-feet in diameter. Water was present in the pools at a depth of approximately 12.5 feet below

grade. The depth to sediment could not be determined at that time because of the floating material in the pools. Two pipes were observed protruding through the sidewall of the westernmost pool (CP/LP-1).

Due to the floating material in the pools, they were originally thought to have been used as cesspools in the past. Prior to demolition of the interior of the boiler room, there had reportedly been a bathroom in the northeast corner of the room. CEG observed a toilet flange and a drain in the area. The floor drain (FD-4) was dye tested, but was clogged. The dye test performed at the toilet flange proved inconclusive since dye was not observed discharging at any of the locations monitored during the test. An historical drawing of the site dated July 23, 1959 indicates that sewer lines ran into this area of the boiler room. Moreover, the sewer lines run in the opposite direction of the four leaching pools. This information suggests that the toilet and drain in the boiler room were never connected to the four pools.

The existing bathrooms in the FedEx building that were nearest the pools were dye tested to confirm that they discharged to the sanitary sewer. The dye test was witnessed by the NCDOH. The test determined that the bathrooms are connected to the municipal sewer system.

CEG directed Citywide to pump the water from each of the pools on June 19, 2003 in order to determine if the pools were active cesspools and if they were interconnected. Approximately 8,000 gallons of wastewater was removed from the pools (Appendix J). No discharge into the pools was observed flowing into the pools after they were pumped dry. CEG observed water in the pools on July 21, 2003. Several inches of rain had fallen during the period since the pools were pumped dry. Given the connection of pipes to the westernmost pool and the appearance of rainwater in the pools, it appears that the pools are interconnected and are actively receiving roof and parking lot drainage from the site.

CEG collected initial samples from the pools on June 19, 2003 under the observation of the NCDOH. The results are summarized in Table 3. The complete laboratory report is included as Appendix K.

The sampling results indicated that the four pools contained PAHs and metals in excess of the NCDOH criteria. With the NCDOH's concurrence, CEG directed Action to use a guzzler to remediate the four pools. Action removed approximately 15 cubic yards of sediment from the pools using the guzzler on August 21, 2003 and August 22, 2003. Prior to removing the sediment, the Wind

River Company removed approximately 10,000 gallons of water from the pools for off-site disposal (Appendix L).

CEG collected post-excavation samples from the pools following removal of sediment to the extent practicable using the guzzler. A hard, layer of dark-stained sediment in CP/LP-1 could not be retrieved by the guzzler. The results from the endpoint samples collected by CEG are presented in Table 4. The laboratory results are presented in Appendix M.

Based upon discussions with the NCDOH, CEG agreed to further remediate leaching pool CP/LP-1. CEG had Action use an orange-peel shovel to break up and remove the hard layer of dark sediment from the pool on September 11, 2003. Less than 2,000 gallons of water were vacuumed from the pool prior to sediment excavation (Appendix N). Action removed approximately 5 cubic yards of additional sediment and indigenous soil was encountered at the bottom of the pool. CEG collected an endpoint sample that was analyzed for VOCs and metals with the agreement of the NCDOH. The results of the final endpoint sample from CP/LP-1 are included in Table 4 and the laboratory report is provided in Appendix O.

The laboratory results from the final endpoint samples were reviewed with the NCDOH. Based upon discussions with the NCDOH, no further remediation was considered necessary. "Clean" sand was deposited into the bottom of each of the pools to stabilize the bottoms from erosion or settlement.

The sediment removed from the pools was stored in roll-off containers and was stabilized with lime. Waste Recycling Solutions transported and disposed of the waste at Clean Earth. The manifest is provided as Appendix P.

Water from the pools was disposed of at the Nassau County Department of Public Works (NCDPW) treatment plant in Bay Park, New York with NCDPW approval. The approval letter from the NCDPW is included as Appendix Q.

3.5 Out-of-Service Cesspools

CEG directed the remediation and closure of the two out-of-service cesspools located in the southwestern corner of the site near the Long Island Railroad tracks. The cesspools appear to have been connected to former Buildings No. 5 and No. 6. The buildings were demolished during redevelopment of the site.

In 1996, zinc and chromium were detected in sediment samples collected from the two former cesspools at levels above the New York State RSCOs. Based upon discussions with the NCDOH, the levels of chromium and zinc were high enough to require that the cesspools either be re-tested or remediated prior to closure.

CEG collected a sediment sample (P-Cess and S-Cess) from the bottom of each cesspool on September 26, 2002. The sampling was observed by Mr. Bruce McKay of the NCDOH. The samples were analyzed for the parameters listed in the NCDOH protocol for the closure of cesspools. The samples were further analyzed for RCRA metals via TCLP for potential waste characterization purposes. The laboratory report is included in Appendix B. The results are summarized in Table 1.

The results from the samples collected from the cesspools showed concentrations of metals and PAHs in excess of the RSCOs. Following discussions with the NCDOH, CEG subcontracted ECS to remediate the two cesspools. Both pools were initially approximately 26 feet deep and were dry. A hard, dark layer of sediment approximately six feet thick was removed by ECS from each former cesspool on October 23, 2002. Less dense, native sand was encountered under the layer of sediment. The excavated material was transported off site by RGM/Earthcare for disposal as non-hazardous waste. The waste disposal manifest is included as Appendix E.

CEG collected confirmatory endpoint samples from each cesspool under the observation of Bruce McKay of the NCDOH. The samples were submitted to a New York-certified laboratory for analysis for NCDOH parameters. The laboratory report is provided in Appendix F. The results are summarized in Table 1.

The results of the endpoint samples indicated that the regulatory cleanup objectives had been achieved (i.e., there were no compounds detected in the samples above the RSCOs). Following NCDOH and USEPA approval, the cesspools were backfilled with clean sand by ECS. The manhole covers were subsequently removed by Action Remediation and permanently sealed with pre-cast concrete covers.

3.6 Roof Drain Leaching Pool

CEG collected a sediment sample (Roof Drain) from the bottom of a roof drain leaching pool located to the southwest of Building No. 1. The sample was

collected under the observation of the NCDOH and was analyzed for the parameters listed in the NCDOH protocol for the closure of cesspools. The results from the sample are summarized in Table 1 and the laboratory report is included in Appendix B.

As shown in Table 1, low levels of TPH, PAHs and metals were detected in the sample collected from the roof drain drywell. The results were submitted to the NCDOH for review. The NCDOH indicated that no further action would be required. With USEPA approval, the pool will remain in operation for the drainage of the roof at Building No. 1 under the "authorized by rule" provision in the UIC program.

3.7 Federal Express Maintenance Garage

The NCDOH found two floor drains inside the FedEx maintenance garage. At the request of the NCDOH, CEG investigated the floor drains. FedEx is a tenant of Building No. 10 and conducted extensive remodeling of the building, including addition of the garage, prior to occupying it. No plans or permits were obtained from FedEx.

There is also a catch basin located outside the FedEx garage that the NCDOH indicated should either be investigated or remediated. Although not originally part of the proposed work plans for the site, these issues were addressed by CEG and are discussed within this report.

3.7.1 Floor Drains

The NCDOH requested that the floor drains be investigated to determine where they discharge. The two drains are currently active and appear to be interconnected. Representatives of Sutton & Edwards, the property management company for the property, had no information on the drains and suggested that FedEx may have installed the drains.

CEG conducted a dye test of the drains on July 21, 2003. The northernmost drain was clogged at the time and could not be tested. Dye was injected into the southernmost drain and was found to be discharging into a grit separator housed inside a large sump located beneath the floor of the FedEx building. The grit separator is piped to a large submersible pump that is connected to the sanitary piping from the bathroom located on the second floor. CEG determined that the second floor bathroom was connected to the municipal sanitary sewer system during a dye test conducted on June 5, 2003.

Since the drains are connected to the sanitary sewer, they are not regulated under the UIC program. If there are permitting issues associated with these drains, the responsibility would be with FedEx.

3.7.2 Catch Basin

The NCDOH observed a grated drainage structure in the parking lot at the entrance to the FedEx maintenance garage that they originally designated as SD-1. The NCDOH indicated that the structure appeared to be a drywell and should either be investigated or remediated together with the four leaching pools (CP/LP-1 through CP/LP-4) behind the former boiler room. CEG had the drywell (DW-2) vacuumed with a guzzler on August 21, 2003. The suspected drywell turned out to be a catch basin with a solid bottom. CEG had the residual material in the catch basin cleaned out. Less than 1 cubic yard of material was removed. No compliance samples were collected. The NCDOH was present during the clean out and observed the solid bottom of the catch basin.

The removed sediment was disposed offsite and a copy of the manifest is included in Appendix P. A photograph of the bottom of the catch basin is included in Appendix R.

CEG dye tested the catch basin on June 5, 2003. The test indicated that water flows from the catch basin to the westernmost leaching pool behind the boiler room (CP/LP-1). This connection has been left intact and remains part of the drainage infrastructure for the site.

4.0 INJECTION WELL INVENTORY


At the request of the USEPA, CEG has completed an inventory of drywells and leaching pools at the site. As documented in this report, two former cesspools (P-Cess and S-Cess) and one former leaching pool (the "distribution pool" or DP-1) were abandoned under the supervision of the NCDOH. At the time of this report, CEG identified 43 active drywells or leaching pools on the 16 acres of property that comprise the site. With USEPA approval, the wells and pools will remain in operation under the "authorized by rule" provision in the UIC program. A completed Inventory of Injection Wells form is included in Appendix S.

5.0 CONCLUSION

CEG has conducted the investigation, remediation and closure of the environmental issues identified at the site in accordance with the work plans submitted to the NCDOH and the USEPA, the various discussions with the NCDOH and USEPA personnel involved with the project, applicable regulations and available NCDOH and USEPA guidance documents. Based upon feedback from the NCDOH and the USEPA, it is our understanding that we have satisfied their requirements and that no further action is required regarding these issues. If this is indeed the case, please signify our compliance with a letter indicated that no further action is required at this site.

As previously indicated, a total of 43 drywells and leaching pools will continue to operate at the site. These structures will be designated for receipt of parking lot runoff and roof drainage derived from precipitation. As such, we request that these structures be considered "permitted by rule" under the Federal program.

Figure




LEGEND

- FD- FLOOR DRAIN
- RD- ROOF DRAIN
- DW- DRY WELL
- CP/LP- CESS POOL/LEACHING POOL

- GRATED MANHOLE COVER
- SOLID MANHOLE COVER

- DESIGNATES DIRECTION OF FLOW

- PIPING FROM UNDETERMINED SOURCE
- LINE CONNECTS RD-1, FD-1, FD-2, BDP-1 AND BDP-2
- LINE CONNECTS BDP-1 WITH BDW-1
- LINE CONNECTS DP-1 WITH BDW-1
- LINE CONNECTS DW-2 WITH CP/CP-1



CODY EHLERS GROUP

EHS CONSULTING AND SERVICES

140 SHERMAN STREET, FAIRFIELD, CONNECTICUT 06824

SITE PLAN

DATE:
10/28/03

SCALE:
AS SHOWN

FIGURE:

1

GARDEN CITY, NEW YORK

CAD FILE:
240-001B

APPR BY:
J.D.

Tables

Table 1
Summary of Analytical Results from Initial and Endpoint Sediment Samples Collected From the Former Cesspools and Blowdown Pits and the Active Roof Drain and Drywell
71 Clinton Road
Garden City, New York

Sample Designation	P-Cess	P-Cess	P-Cess	S-Cess	S-Cess	BDP-1	BDP-1	BDP-1	BDP-2	BDP-2	BDP-2	BDW-1	BDW-1	Roof Drain
Sample Type	Initial	Endpoint	Initial	Initial	Endpoint	Initial	Endpoint	Boring	Initial	Endpoint	Boring	Initial	Endpoint	Initial
Sample Date	9/23/02	10/25/02	9/26/02	10/24/02	9/26/02	9/26/02	10/24/02	6/5/03	9/26/02	10/24/02	6/5/03	9/26/02	10/25/02	9/26/02
VOCs (mg/kg)														
TRICHLOROETHYLENE	7	ND	10	ND	ND	ND	ND	NA	21	ND	NA	ND	ND	ND
TETRACHLOROETHYLENE	54	ND	32	ND	ND	ND	ND	NA	17	6	NA	ND	ND	ND
PAHs (ug/kg)														
PHENANTHRENE	4,195	ND	1,862	ND	ND	5,946	ND	NA	4,110,000	ND	NA	9,635	713	171
FLUORANTHRENE	7,102	ND	3,365	45	ND	6,174	ND	NA	3,634,000	ND	NA	16,014	358	359
PYRENE	5,797	ND	3,050	40	ND	4,742	ND	NA	2,732,000	ND	NA	12,151	558	299
BENZO-a-ANTHRACENE	2,432	ND	1,295	ND	ND	2,138	ND	NA	1,304,389	ND	NA	3,732	181	117
CHRYSENE	4,133	ND	2,289	ND	ND	2,545	ND	NA	1,721,356	ND	NA	8,586	183	234
BENZO-b-FLUOROANTHRENE	5,000	ND	2,190	ND	ND	2,486	ND	NA	1,524,295	ND	NA	8,359	ND	218
BENZO-k-FLUOROANTHRENE	3,508	ND	1,790	ND	ND	1,835	ND	NA	1,154,397	ND	NA	6,488	100	204
BENZO-a-PYRENE	4,621	ND	2,095	ND	ND	2,472	ND	NA	1,501,661	ND	NA	6,527	196	199
INDENOX1,2,3-cd-PYRENE	3,354	ND	1,409	ND	ND	1,533	ND	NA	999,421	ND	NA	5,125	ND	156
BENZO-g,h,i-PERYLENE	3,061	ND	1,403	ND	ND	1,419	ND	NA	854,758	ND	NA	4,489	330	153
Di-a-BUTYLPHTHALATE	ND	ND	ND	ND	ND	ND	ND	NA	ND	ND	NA	ND	ND	122
BUTYLBENZYLPHTHALATE	ND	ND	ND	ND	ND	ND	ND	NA	ND	ND	NA	ND	ND	83
Bis(2-ETHYLEXYL)PHTHALATE	ND	ND	ND	ND	ND	349	ND	NA	ND	ND	NA	657	ND	252
DIBENZO-a,b-ANTHRACENE	ND	ND	ND	ND	ND	344	ND	NA	226,962	ND	NA	1,023	ND	ND
NAPHTHALENE	ND	ND	ND	ND	ND	239	ND	NA	395,521	ND	NA	ND	ND	ND
ACENAPHTHENE	ND	ND	ND	ND	ND	343	ND	NA	289,561	ND	NA	368	198	ND
FLUORENE	ND	ND	ND	ND	ND	550	ND	NA	427,973	ND	NA	559	216	ND
ANTHRACENE	ND	ND	ND	ND	ND	1,290	ND	NA	1,009,438	ND	NA	1,047	210	ND
ACENAPHTHYLENE	ND	ND	ND	ND	ND	ND	ND	NA	59,628	ND	NA	ND	ND	ND
TOTAL METALS ANALYSIS (mg/kg)														
ARSENIC, As	5.35	ND	3.22	ND	ND	2.06	ND	NA	6.52	ND	NA	ND	ND	3.04
BARIUM, Ba	85.9	5.76	57.7	ND	ND	59	24.3	NA	1,484	29.7	NA	46.5	9.14	20.9
CADMIUM, Cd	8.72	ND	19.2	ND	ND	1.07	ND	NA	2.56	ND	NA	1.44	ND	ND
CHROMIUM, Cr	33.6	1.73	29.1	2.09	7.67	7.11	7.11	NA	18.3	5.01	NA	9.58	3.08	8.21
MERCURY, Hg	0.19	0.29	0.23	0.31	0.86	0.86	1.75	ND	0.72	1.03	ND	0.13	0.31	0.04
LEAD, Pb	491	3.22	2,280	4.88	27.4	27.4	5.43	NA	355	6.35	NA	45.3	10.2	30.7
TCLP METALS ANALYSIS (mg/l)														
ARSENIC, As	ND	NA	NA	NA	NA	NA	NA	NA	ND	NA	NA	NA	NA	NA
BARIUM, Ba	ND	NA	NA	NA	NA	NA	NA	NA	ND	NA	NA	NA	NA	NA
CADMIUM, Cd	0.2	NA	0.26	NA	NA	NA	NA	NA	ND	NA	NA	NA	NA	NA
CHROMIUM, Cr	ND	NA	NA	NA	NA	NA	NA	NA	ND	NA	NA	NA	NA	NA
MERCURY, Hg	ND	NA	NA	NA	NA	NA	NA	NA	ND	NA	NA	NA	NA	NA
LEAD, Pb	0.46	NA	0.43	NA	NA	NA	NA	NA	ND	NA	NA	NA	NA	NA
TPH 8015 ANALYSIS (mg/kg)	7,940	17	4,176	51	979	85	NA	NA	46,286	459	NA	2,064	513	12

Notes:
ND - Not Detected
ppb - Parts Per Billion
ppm - Parts Per Million
SB - Site Background
NA - Not Analyzed

Table 2
Summary of Analytical Results from Liquid, Pre-Remediation Sediment and Endpoint Soil Samples Collected From Distribution Pool
71 Clinton Road
Garden City, New York

Sample Designation	DP-1 L	NYSDEC	DP-1 S	N DP-1	S DP-1	E DP-1	W DP-1	B DP-1
Sample Type	Liquid	TAGM	Sediment	Endpoint	Endpoint	Endpoint	Endpoint	Endpoint
Sample Date	6/5/03	RSCO	6/5/03	6/19/03	6/19/03	6/19/03	6/19/03	6/19/03
ORGANICS (ppb)								
Naphthalene	ND<5	13,000	ND<5	ND<5	NA	ND<5	NA	ND<5
1,3,5-trimethylbenzene	ND<5	3,300	ND<5	ND<5	NA	ND<5	NA	ND<5
1,2,4-trimethylbenzene	ND<5	10,000	ND<5	ND<5	NA	ND<5	NA	ND<5
sec-Butylbenzene	ND<5	10,000	ND<5	ND<5	NA	ND<5	NA	ND<5
p-Isopropyltoluene	9.7	10,000	ND<5	ND<5	NA	ND<5	NA	ND<5
n-Butylbenzene	13.1	10,000	ND<5	ND<5	NA	ND<5	NA	ND<5
Ethylbenzene	ND<5	5,500	ND<5	ND<5	NA	ND<5	NA	ND<5
Isopropylbenzene	ND<5	2,300	ND<5	ND<5	NA	ND<5	NA	ND<5
Naphthalene	ND<5	13,000	ND<5	ND<5	NA	ND<5	NA	ND<5
Toluene	ND<5	1,500	11.1	ND<5	NA	ND<5	NA	ND<5
o-xylene	ND<5	600	ND<5	ND<5	NA	ND<5	NA	ND<5
m&p xylene	ND<5	800	ND<5	ND<5	NA	ND<5	NA	ND<5
n-Propylbenzene	ND<5	3,700	ND<5	ND<5	NA	ND<5	NA	ND<5
METALS (ppm)								
Silver	ND	SB	3.8	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5
Arsenic	ND	7.5 or SB	8.5	3.5	1	2.3	2.2	5.1
Barium	0.37	300 or SB	526	93.3	18.7	54.3	46.1	68.8
Cadmium	0.012	1 or SB	21.3	2.7	<0.5	1.7	<0.5	2.8
Chromium	0.029	10 or SB	83.1	9.3	7.4	6.6	11	9.3
Lead	0.17	SB	603	58	16	53	14	144
Mercury	0.0004	0.10	0.53	ND<0.1	ND<0.1	ND<0.1	ND<0.1	ND<0.1

Notes:

ND - Not Detected
ppb - Parts Per Billion
ppm - Parts Per Million
SB - Site Background

Table 3
Summary of Analytical Results from Initial Sediment Samples Collected From the Leaching Pools
71 Clinton Road
Garden City, New York

Sample Date	NYSDEC	Sample Identification			
	TAGM RSCO	CP/LP-1 6/19/03	CP/LP-2 6/19/03	CP/LP-3 6/19/03	CP/LP-4 6/19/03
ORGANICS (ppb)					
Naphthalene	13,000	ND<3,300	ND<3,300	ND<3,300	38,000
Acenaphthylene	41,000	ND<3,300	ND<3,300	7,500	87,000
Acenaphthene	50,000	ND<3,300	ND<3,300	5,400	45,000
Fluorene	50,000	ND<3,300	ND<3,300	18,000	150,000
Phenanthrene	50,000	23,000	29,000	4,800	310,000
Anthracene	50,000	18,000	20,000	7,300	ND<3,300
Fluoranthene	50,000	8,200	10,000	9,000	ND<3,300
Benzo(a)anthracene	224	13,000	ND<3,300	88,000	71,000
Chrysene	400	11,000	ND<3,300	ND<3,300	ND<3,300
Benzo(a)pyrene	61	6,400	ND<3,300	5,400	ND<3,300
Indeno(1,2,3-cd)pyrene	3,200	5,200	3,800	7,500	ND<3,300
Dibenz(a,h)anthracene	14	3,500	ND<3,300	ND<3,300	ND<3,300
Benzo(g,h,i)perylene	50,000	ND<3,300	5,300	15,000	ND<3,300
1,3,5-trimethylbenzene	3,300	5.1	19	14	14
1,2,4-trimethylbenzene	10,000	13	22	57	57
sec-Butylbenzene	10,000	ND<5	ND<5	42	140
p-Isopropyltoluene	10,000	ND<5	ND<5	77	110
n-Butylbenzene	10,000	ND<5	ND<5	30	71
1,1,2,2-Tetrachloroethane	600	ND<5	ND<5	ND<5	ND<5
trans-1,3-Dichloropropene	NS	ND<5	11	ND<5	ND<5
Ethylbenzene	5,500	ND<5	5.1	16	11
Isopropylbenzene	2,300	ND<5	ND<5	10	28
Naphthalene	13,000	7.1	ND<5	ND<5	ND<5
Toluene	1,500	ND<5	ND<5	ND<5	100
o-xylene	600	ND<5	7.4	19	20
m&p xylene	800	ND<5	9.5	56	39
n-Propylbenzene	3,700	ND<5	5.3	27	62
METALS (ppm)					
Silver	SB	ND	4.7	6	7.1
Arsenic	7.5 or SB	3.5	10.9	8.7	5.2
Barium	300 or SB	161	1610	1120	318
Cadmium	1 or SB	3.8	25.6	36.6	27.1
Chromium	10 or SB	27.8	91.3	135	89.1
Lead	SB	71	350	218	161
Mercury	0.1	0.2	2.24	1.54	3.64

Notes:

ND - Not Detected
ppb - Parts Per Billion
ppm - Parts Per Million
SB - Site Background
NS - Not Specified
NA - Not Analyzed


Table 4
Summary of Analytical Results from Endpoint Samples Collected From Leaching Pools
71 Clinton Road
Garden City, New York

<i>Sample Date</i>	NYSDEC	Sample Identification				
	TAGM RSCO	CP/LP-1 8/22/03	CP/LP-1 9/11/03	CP/LP-2 8/22/03	CP/LP-3 8/22/03	CP/LP-4 8/22/03
ORGANICS (ppb)						
Naphthalene	13,000	ND<330	NA	ND<330	ND<330	ND<330
Acenaphthylene	41,000	ND<330	NA	ND<330	ND<330	ND<330
Acenaphthene	50,000	ND<330	NA	ND<330	ND<330	ND<330
Fluorene	50,000	ND<330	NA	ND<330	ND<330	ND<330
Phenanthrene	50,000	ND<330	NA	ND<330	ND<330	ND<330
Anthracene	50,000	ND<330	NA	ND<330	ND<330	ND<330
Fluoranthene	50,000	ND<330	NA	ND<330	ND<330	ND<330
Benzo(a)anthracene	224	ND<330	NA	ND<330	ND<330	ND<330
Chrysene	400	ND<330	NA	ND<330	ND<330	ND<330
Benzo(a)pyrene	61	ND<330	NA	ND<330	ND<330	ND<330
Indeno(1,2,3-cd)pyrene	3,200	ND<330	NA	ND<330	ND<330	ND<330
Dibenz(a,h)anthracene	14	ND<330	NA	ND<330	ND<330	ND<330
Benzo(g,h,i)perylene	50,000	ND<330	NA	ND<330	ND<330	ND<330
trans-1,3-Dichloropropene	NS	ND<5	11	ND<5	ND<5	ND<5
1,3,5-trimethylbenzene	3,300	23	ND<5	ND<5	ND<5	ND<5
1,2,4-trimethylbenzene	10,000	ND<5	ND<5	ND<5	ND<5	ND<5
tert-Butylbenzene	10,000	ND<5	ND<5	ND<5	ND<5	ND<5
p-Isopropyltoluene	10,000	21	ND<5	ND<5	ND<5	ND<5
n-Butylbenzene	10,000	ND<5	ND<5	ND<5	ND<5	ND<5
1,1,2,2-Tetrachloroethane	600	350	ND<5	ND<5	ND<5	ND<5
Ethylbenzene	5,500	ND<5	ND<5	ND<5	ND<5	ND<5
Isopropylbenzene	2,300	ND<5	ND<5	ND<5	ND<5	ND<5
Naphthalene	13,000	ND<5	ND<5	ND<5	ND<5	ND<5
Toluene	1,500	ND<5	ND<5	ND<5	ND<5	ND<5
o-xylene	600	ND<5	ND<5	ND<5	ND<5	ND<5
m&p xylene	800	ND<5	ND<5	ND<5	ND<5	ND<5
n-Propylbenzene	3,700	ND<5	ND<5	ND<5	ND<5	ND<5
METALS (ppm)						
Silver	SB	ND<1	ND<0.5	ND<0.5	ND<0.5	ND<0.5
Arsenic	7.5 or SB	8.8	ND<1	1.7	ND<1	ND<1
Barium	300 or SB	148	3.21	7.6	5.2	4.1
Cadmium	1 or SB	42.4	ND<0.5	ND<0.5	ND<0.5	ND<0.5
Chromium	10 or SB	70	1.4	2.9	3.2	4
Lead	SB	357	ND<0.5	23	23	8
Mercury	0.1	2.03	ND<0.1	ND<0.1	ND<0.1	ND<0.1

Notes:


ND - Not Detected
ppb - Parts Per Billion
ppm - Parts Per Million
SB - Site Background
NS - Not Specified
NA - Not Analyzed

Appendix A - Site Map



LEGEND

- 20K-3 ● SAMPLE LOCATIONS
- +—+—+— FENCE LINE
- ▨ GRASS AREA



 NORFOLK ENVIRONMENTAL 1538 POST ROAD, FAIRFIELD, CONNECTICUT 06430 Division of Norfolk International Corporation Stoughton, Massachusetts 02072		DATE	1/31/96
		SCALE	AS SHOWN
TITLE SAMPLE LOCATIONS ESSELTE PENDAFLEX CORP. CLINTON RD., GARDEN CITY, NEW YORK		DRAWN BY:	J.J.S.
FIGURE 1		APPR BY:	M.C.
DRAWING NO. 85-031B.1		LAZARUS BURMAN	

Appendix B - Long Island Analytical Laboratories, Inc. - 10/3/2002



1 of 32 pages

October 3, 2002

Cody Ehlers Group
Jeff Day
140 Sherman Street
Fairfield, CT 06430

Re: Berman

Dear Mr. Day:

Enclosed please find the Laboratory Analysis Report(s) for sample(s) received on September 26, 2002. Long Island Analytical Laboratories analyzed the samples on October 2, 2002 for the following:

CLIENT ID	ANALYSIS
P-Cess	NCDH Protocol with TPH 8015
S-Cess	NCDH Protocol with TPH 8015
Roof Drain	NCDH Protocol with TPH 8015
BDP-1	NCDH Protocol with TPH 8015
BDP-2	NCDH Protocol with TPH 8015
BDW-1	NCDH Protocol with TPH 8015

If you have any questions or require further information, please call at your convenience. Long Island Analytical Laboratories would like to thank you for the opportunity to be of service to you.

Best Regards,

Long Island Analytical Laboratories, Inc.

Client: Cody Ehlers Group	Client ID: Berman (P-Cess)
Date received: 9/26/02	Laboratory ID: 0225781
Date extracted: 9/29/02	Matrix: Soil
Date analyzed: 9/29/02	ELAP #: 11693

NCDH PROTOCOL

PARAMETER	CAS No.	RESULTS ug/kg
ACETONE	67-64-1	<50
BENZENE	71-43-2	<5
n-BUTYLBENZENE	104-51-8	<5
sec-BUTYLBENZENE	135-98-8	<5
tert-BUTYLBENZENE	98-06-6	<5
BROMODICHLOROMETHANE	75-27-4	<5
BROMOFORM	75-25-2	<5
BROMOBENZENE	108-86-1	<5
2-CHLOROTOLUENE	95-49-8	<5
4-CHLOROTOLUENE	106-43-4	<5
CHLOROBENZENE	108-90-7	<5
CHLOROFORM	67-66-3	<5
CARBON TETRACHLORIDE	56-23-5	<5
o-DICHLOROBENZENE (1,2)	95-50-1	<5
m-DICHLOROBENZENE (1,3)	541-73-1	<5
p-DICHLOROBENZENE (1,4)	106-46-7	<5
1,2-DIBROMO-3-CHLOROPROPANE	96-12-8	<5
1,1-DICHLOROETHYLENE	75-35-4	<5
trans-1,2-DICHLOROETHYLENE	156-60-5	<5
1,1-DICHLOROETHANE	75-34-3	<5
cis-1,2-DICHLOROETHYLENE	159-59-2	<5
DIBROMOCHLOROMETHANE	124-48-1	<5
1,3-DICHLOROPROPANE	142-28-9	<5
1,1-DICHLOROPROPENE	563-58-6	<5
1,2-DICHLOROETHANE	107-06-02	<5
1,2-DICHLOROPROPANE	78-87-5	<5
2,2-DICHLOROPROPANE	594-20-7	<5
ETHYLBENZENE	100-414	<5



**LONG
ISLAND
ANALYTICAL
LABORATORIES INC.**

101-4 Colin Drive • Holbrook, New York 11741

"TOMORROWS ANALYTICAL SOLUTIONS TODAY"

Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: Cody Ehlers Group	Client ID: Berman (P-Cess)
Date received: 9/26/02	Laboratory ID: 0225781
Date extracted: 9/29/02	Matrix: Soil
Date analyzed: 9/29/02	ELAP #: 11693

NCDH PROTOCOL

PARAMETER	CAS No.	RESULTS ug/kg
1,2-DIBROMOETHANE	106-93-4	<5
DIBROMOMETHANE	74-95-3	<5
cis-1,3-DICHLOROPROPENE	10061-01-5	<5
trans-1,3-DICHLOROPROPENE	10061-02-6	<5
HEXACHLOROBUTADIENE	87-68-3	<5
p-ISOPROPYLTOLUENE	99-87-6	<5
ISOPROPYLBENZENE	98-82-8	<5
METHYLENE CHLORIDE	75-09-2	<5
NAPHTHALENE	91-20-3	<5
n-PROPYLBENZENE	103-65-1	<5
STYRENE	100-42-5	<5
TRICHLOROFLUOROMETHANE	75-69-4	<5
1,2,3-TRICHLOROBENZENE	87-61-6	<5
1,2,4-TRICHLOROBENZENE	120-82-1	<5
1,2,4-TRIMETHYLBENZENE	95-63-6	<5
1,3,5-TRIMETHYLBENZENE	108-67-8	<5
1,1,1-TRICHLOROETHANE	71-55-6	<5
TRICHLOROETHYLENE	79-01-6	7
1,1,2-TRICHLOROETHANE	79-00-5	<5
TETRACHLOROETHYLENE	127-18-4	54
1,1,1,2-TETRACHLOROETHANE	630-20-6	<5
1,1,2,2-TETRACHLOROETHANE	79-34-5	<5
1,2,3-TRICHLOROPROPANE	96-18-4	<5
TOLUENE	108-88-3	<5
VINYL CHLORIDE	75-01-4	<5
p & m-XYLENES	1330-20-7	<10
o-XYLENE	95-47-6	<5

Michael Venzel

Laboratory Director



**LONG
ISLAND
ANALYTICAL
LABORATORIES INC.**

101-4 Colin Drive • Holbrook, New York 11741

"TOMORROWS ANALYTICAL SOLUTIONS TODAY"

Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: Cody Ehlers Group	Client ID: Berman (P-Cess)
Date received: 9/26/02	Laboratory ID: 0225781
Date extracted: 10/1/02	Matrix: Soil
Date analyzed: 10/1/02	ELAP #: 11693

EPA METHOD 8270(BN)

Parameter	CAS No.	Results ug/kg
Bis(2-CHLOROETHYL)ETHER	111-44-4	<1,000
1,3-DICHLOROBENZENE	541-73-1	<1,000
1,4-DICHLOROBENZENE	106-46-7	<1,000
1,2-DICHLOROBENZENE	95-50-1	<1,000
Bis(2-CHLOROISOPROPYL)ETHER	108-60-1	<1,000
HEXACHLOROETHANE	67-72-1	<1,000
N-NITROSODI-n-PROPYL AMINE	621-64-7	<1,000
NITROBENZENE	98-95-3	<1,000
ISOPHORONE	78-59-1	<1,000
Bis(2-CHLOROETHOXY)METHANE	111-91-1	<1,000
1,2,4-TRICHLOROBENZENE	120-82-1	<1,000
NAPHTHALENE	91-20-3	<1,000
HEXACHLOROBUTADIENE	87-68-3	<1,000
HEXACHLOROCYCLOPENTADIENE	77-47-4	<1,000
2-CHLORONAPHTHALENE	91-58-7	<1,000
ACENAPHTHYLENE	208-96-8	<1,000
DIMETHYLPHTHALATE	131-11-3	<1,000
2,6-DINITROTOLUENE	606-20-2	<1,000
ACENAPHTHENE	83-32-9	<1,000
2,4-DINTROTOLUENE	121-14-2	<1,000
FLUORENE	86-73-7	<1,000
4-CHLOROPHENYL PHENYL ETHER	7005-72-3	<1,000

Note: MDL's are raised due to matrix interference.



**LONG
ISLAND
ANALYTICAL
LABORATORIES INC.**

101-4 Colin Drive • Holbrook, New York 11741

"TOMORROW'S ANALYTICAL SOLUTIONS TODAY"

Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: Cody Ehlers Group	Client ID: Berman (P-Cess)
Date received: 9/26/02	Laboratory ID: 0225781
Date extracted: 10/1/02	Matrix: Soil
Date analyzed: 10/1/02	ELAP #: 11693

EPA METHOD 8270(BN)

Parameter	CAS No.	Results ug/kg
DIETHYLPHTHALATE	84-66-2	<1,000
4-BROMOPHENYL-PHENYL ETHER	101-55-3	<1,000
HEXACHLOROBENZENE	118-74-1	<1,000
PHENANTHRENE	85-01-8	4,195
ANTHRACENE	120-12-7	<1,000
Di-n-BUTYLPHTHALATE	84-74-2	<1,000
FLUORANTHENE	206-44-0	7,102
PYRENE	129-00-0	5,797
BUTYLBENZYLPHTHALATE	85-68-7	<1,000
3,3-DICHLOROBENZIDINE	91-94-1	<1,000
BENZO-a-ANTHRACENE	56-55-3	2,432
CHRYSENE	218-01-9	4,133
Bis(2-ETHYLEXYL)PHTALATE	117-81-7	<1,000
DI-n-OCTYLPHTHALATE	117-84-0	<1,000
BENZO-b-FLUOROANTHENE	205-99-2	5,000
BENZO-k- FLUOROANTHENE	207-08-9	3,508
BENZO-a-PYRENE	50-32-8	4,621
INDENO(1,2,3-c,d)PYRENE	193-39-5	3,354
DIBENZO-a,h-ANTHRACENE	53-70-3	<1,000
BENZO-g,h,i-PERYLENE	191-24-2	3,061

Note: MDL's are raised due to matrix interference.

Michael Vennard

Laboratory Director



**LONG
ISLAND
ANALYTICAL
LABORATORIES INC.**

101-4 Colin Drive • Holbrook, New York 11741

"TOMORROWS ANALYTICAL SOLUTIONS TODAY"

Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: Cody Ehlers Group	Client ID: Berman (P-Cess)
Date received: 9/26/02	Laboratory ID: 0225781
Date extracted: 10/2/02	Matrix: Soil
Date analyzed: 10/2/02	ELAP #: 11693

METALS ANALYSIS

Parameter	MDL	Results mg/kg
SILVER, Ag	1.65 mg/kg	<1.65
ARSENIC, As	1.65 mg/kg	5.35
BARIUM, Ba	3.33 mg/kg	85.9
CADMIUM, Cd	1.00 mg/kg	8.72
CHROMIUM, Cr	1.65 mg/kg	33.6
MERCURY, Hg	0.020 mg/kg	0.19
LEAD, Pb	1.65 mg/kg	491
SELENIUM, Se	1.65 mg/kg	<1.65

Analysis by SW-846 Method 6010

Michael Vennard

Laboratory Director



**LONG
ISLAND
ANALYTICAL
LABORATORIES INC.**

101-4 Colin Drive • Holbrook, New York 11741

"TOMORROWS ANALYTICAL SOLUTIONS TODAY"

Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: Cody Ehlers Group	Client ID: Berman (S-Cess)
Date received: 9/26/02	Laboratory ID: 0225782
Date extracted: 9/29/02	Matrix: Soil
Date analyzed: 9/29/02	ELAP #: 11693

NCDH PROTOCOL

PARAMETER	CAS No.	RESULTS ug/kg
ACETONE	67-64-1	<50
BENZENE	71-43-2	<5
n-BUTYLBENZENE	104-51-8	<5
sec-BUTYLBENZENE	135-98-8	<5
tert-BUTYLBENZENE	98-06-6	<5
BROMODICHLOROMETHANE	75-27-4	<5
BROMOFORM	75-25-2	<5
BROMOBENZENE	108-86-1	<5
2-CHLOROTOLUENE	95-49-8	<5
4-CHLOROTOLUENE	106-43-4	<5
CHLOROBENZENE	108-90-7	<5
CHLOROFORM	67-66-3	<5
CARBON TETRACHLORIDE	56-23-5	<5
o-DICHLOROBENZENE (1,2)	95-50-1	<5
m-DICHLOROBENZENE (1,3)	541-73-1	<5
p-DICHLOROBENZENE (1,4)	106-46-7	<5
1,2-DIBROMO-3-CHLOROPROPANE	96-12-8	<5
1,1-DICHLOROETHYLENE	75-35-4	<5
trans-1,2-DICHLOROETHYLENE	156-60-5	<5
1,1-DICHLOROETHANE	75-34-3	<5
cis-1,2-DICHLOROETHYLENE	159-59-2	<5
DIBROMOCHLOROMETHANE	124-48-1	<5
1,3-DICHLOROPROPANE	142-28-9	<5
1,1-DICHLOROPROPENE	563-58-6	<5
1,2-DICHLOROETHANE	107-06-02	<5
1,2-DICHLOROPROPANE	78-87-5	<5
2,2-DICHLOROPROPANE	594-20-7	<5
ETHYLBENZENE	100-414	<5



**LONG
ISLAND
ANALYTICAL
LABORATORIES INC.**

101-4 Colin Drive • Holbrook, New York 11741

"TOMORROWS ANALYTICAL SOLUTIONS TODAY"

Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: Cody Ehlers Group	Client ID: Berman (S-Cess)
Date received: 9/26/02	Laboratory ID: 0225782
Date extracted: 9/29/02	Matrix: Soil
Date analyzed: 9/29/02	ELAP #: 11693

NCDH PROTOCOL

PARAMETER	CAS No.	RESULTS ug/kg
1,2-DIBROMOETHANE	106-93-4	<5
DIBROMOMETHANE	74-95-3	<5
cis-1,3-DICHLOROPROPENE	10061-01-5	<5
trans-1,3-DICHLOROPROPENE	10061-02-6	<5
HEXACHLOROBUTADIENE	87-68-3	<5
p-ISOPROPYLTOLUENE	99-87-6	<5
ISOPROPYLBENZENE	98-82-8	<5
METHYLENE CHLORIDE	75-09-2	<5
NAPHTHALENE	91-20-3	<5
n-PROPYLBENZENE	103-65-1	<5
STYRENE	100-42-5	<5
TRICHLOROFLUOROMETHANE	75-69-4	<5
1,2,3-TRICHLOROBENZENE	87-61-6	<5
1,2,4-TRICHLOROBENZENE	120-82-1	<5
1,2,4-TRIMETHYLBENZENE	95-63-6	<5
1,3,5-TRIMETHYLBENZENE	108-67-8	<5
1,1,1-TRICHLOROETHANE	71-55-6	<5
TRICHLOROETHYLENE	79-01-6	10
1,1,2-TRICHLOROETHANE	79-00-5	<5
TETRACHLOROETHYLENE	127-18-4	32
1,1,1,2-TETRACHLOROETHANE	630-20-6	<5
1,1,2,2-TETRACHLOROETHANE	79-34-5	<5
1,2,3-TRICHLOROPROPANE	96-18-4	<5
TOLUENE	108-88-3	<5
VINYL CHLORIDE	75-01-4	<5
p & m-XYLENES	1330-20-7	<10
o-XYLENE	95-47-6	<5

Michael Vennard

Laboratory Director



**LONG
ISLAND
ANALYTICAL
LABORATORIES INC.**

101-4 Colin Drive • Holbrook, New York 11741

"TOMORROWS ANALYTICAL SOLUTIONS TODAY"

Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: Cody Ehlers Group	Client ID: Berman (S-Cess)
Date received: 9/26/02	Laboratory ID: 0225782
Date extracted: 10/1/02	Matrix: Soil
Date analyzed: 10/1/02	ELAP #: 11693

EPA METHOD 8270(BN)

Parameter	CAS No.	Results ug/kg
Bis(2-CHLOROETHYL)ETHER	111-44-4	<1,000
1,3-DICHLOROBENZENE	541-73-1	<1,000
1,4-DICHLOROBENZENE	106-46-7	<1,000
1,2-DICHLOROBENZENE	95-50-1	<1,000
Bis(2-CHLOROISOPROPYL)ETHER	108-60-1	<1,000
HEXACHLOROETHANE	67-72-1	<1,000
N-NITROSODI-n-PROPYL AMINE	621-64-7	<1,000
NITROBENZENE	98-95-3	<1,000
ISOPHORONE	78-59-1	<1,000
Bis(2-CHLOROETHOXY)METHANE	111-91-1	<1,000
1,2,4-TRICHLOROBENZENE	120-82-1	<1,000
NAPHTHALENE	91-20-3	<1,000
HEXACHLOROBUTADIENE	87-68-3	<1,000
HEXACHLOROCYCLOPENTADIENE	77-47-4	<1,000
2-CHLORONAPHTHALENE	91-58-7	<1,000
ACENAPHTHYLENE	208-96-8	<1,000
DIMETHYLPHTHALATE	131-11-3	<1,000
2,6-DINITROTOLUENE	606-20-2	<1,000
ACENAPHTHENE	83-32-9	<1,000
2,4-DINITROTOLUENE	121-14-2	<1,000
FLUORENE	86-73-7	<1,000
4-CHLOROPHENYL PHENYL ETHER	7005-72-3	<1,000

Note: MDL's are raised due to matrix interference.



**LONG
ISLAND
ANALYTICAL
LABORATORIES INC.**

101-4 Colin Drive • Holbrook, New York 11741

"TOMORROWS ANALYTICAL SOLUTIONS TODAY"

Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: Cody Ehlers Group	Client ID: Berman (S-Cess)
Date received: 9/26/02	Laboratory ID: 0225782
Date extracted: 10/1/02	Matrix: Soil
Date analyzed: 10/1/02	ELAP #: 11693

EPA METHOD 8270(BN)

Parameter	CAS No.	Results ug/kg
DIETHYLPHTHALATE	84-66-2	<1,000
4-BROMOPHENYL-PHENYL ETHER	101-55-3	<1,000
HEXACHLOROBENZENE	118-74-1	<1,000
PHENANTHRENE	85-01-8	1,862
ANTHRACENE	120-12-7	<1,000
Di-n-BUTYLPHTHALATE	84-74-2	<1,000
FLUORANTHENE	206-44-0	3,365
PYRENE	129-00-0	3,050
BUTYLBENZYLPHTHALATE	85-68-7	<1,000
3,3-DICHLOROBENZIDINE	91-94-1	<1,000
BENZO-a-ANTHRACENE	56-55-3	1,295
CHRYSENE	218-01-9	2,289
Bis(2-ETHYLEXYL)PHTALATE	117-81-7	<1,000
DI-n-OCTYLPHTHALATE	117-84-0	<1,000
BENZO-b-FLUOROANTHENE	205-99-2	2,190
BENZO-k- FLUOROANTHENE	207-08-9	1,790
BENZO-a-PYRENE	50-32-8	2,095
INDENO(1,2,3-c,d)PYRENE	193-39-5	1,409
DIBENZO-a,h-ANTHRACENE	53-70-3	<1,000
BENZO-g,h,i-PERYLENE	191-24-2	1,403

Note: MDL's are raised due to matrix interference.

Michael Vennard

Laboratory Director



**LONG
ISLAND
ANALYTICAL
LABORATORIES INC.**

101-4 Colin Drive • Holbrook, New York 11741

"TOMORROWS ANALYTICAL SOLUTIONS TODAY"

Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: Cody Ehlers Group	Client ID: Berman (S-Cess)
Date received: 9/26/02	Laboratory ID: 0226782
Date extracted: 10/2/02	Matrix: Soil
Date analyzed: 10/2/02	ELAP #: 11693

METALS ANALYSIS

Parameter	MDL	Results mg/kg
SILVER, Ag	1.65 mg/kg	<1.65
ARSENIC, As	1.65 mg/kg	3.22
BARIUM, Ba	3.33 mg/kg	57.7
CADMIUM, Cd	1.00 mg/kg	19.2
CHROMIUM, Cr	1.65 mg/kg	29.1
MERCURY, Hg	0.020 mg/kg	0.23
LEAD, Pb	1.65 mg/kg	2,280
SELENIUM, Se	1.65 mg/kg	<1.65

Analysis by SW-846 Method 6010

Michael Vennard

Laboratory Director



**LONG
ISLAND
ANALYTICAL
LABORATORIES INC.**

101-4 Colin Drive • Holbrook, New York 11741

"TOMORROWS ANALYTICAL SOLUTIONS TODAY"

Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: Cody Ehlers Group	Client ID: Berman (Roof Drain)
Date received: 9/26/02	Laboratory ID: 0225783
Date extracted: 9/29/02	Matrix: Soil
Date analyzed: 9/29/02	ELAP #: 11693

NCDH PROTOCOL

PARAMETER	CAS No.	RESULTS ug/kg
ACETONE	67-64-1	<50
BENZENE	71-43-2	<5
n-BUTYLBENZENE	104-51-8	<5
sec-BUTYLBENZENE	135-98-8	<5
tert-BUTYLBENZENE	98-06-6	<5
BROMODICHLOROMETHANE	75-27-4	<5
BROMOFORM	75-25-2	<5
BROMOBENZENE	108-86-1	<5
2-CHLOROTOLUENE	95-49-8	<5
4-CHLOROTOLUENE	106-43-4	<5
CHLOROBENZENE	108-90-7	<5
CHLOROFORM	67-66-3	<5
CARBON TETRACHLORIDE	56-23-5	<5
o-DICHLOROBENZENE (1,2)	95-50-1	<5
m-DICHLOROBENZENE (1,3)	541-73-1	<5
p-DICHLOROBENZENE (1,4)	106-46-7	<5
1,2-DIBROMO-3-CHLOROPROPANE	96-12-8	<5
1,1-DICHLOROETHYLENE	75-35-4	<5
trans-1,2-DICHLOROETHYLENE	156-60-5	<5
1,1-DICHLOROETHANE	75-34-3	<5
cis-1,2-DICHLOROETHYLENE	159-59-2	<5
DIBROMOCHLOROMETHANE	124-48-1	<5
1,3-DICHLOROPROPANE	142-28-9	<5
1,1-DICHLOROPROPENE	563-58-6	<5
1,2-DICHLOROETHANE	107-06-02	<5
1,2-DICHLOROPROPANE	78-87-5	<5
2,2-DICHLOROPROPANE	594-20-7	<5
ETHYLBENZENE	100-414	<5



**LONG
ISLAND
ANALYTICAL
LABORATORIES INC.**

101-4 Colin Drive • Holbrook, New York 11741

"TOMORROWS ANALYTICAL SOLUTIONS TODAY"

Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: Cody Ehlers Group	Client ID: Berman (Roof Drain)
Date received: 9/26/02	Laboratory ID: 0225783
Date extracted: 9/29/02	Matrix: Soil
Date analyzed: 9/29/02	ELAP #: 11693

NCDH PROTOCOL

PARAMETER	CAS No.	RESULTS ug/kg
1,2-DIBROMOETHANE	106-93-4	<5
DIBROMOMETHANE	74-95-3	<5
cis-1,3-DICHLOROPROPENE	10061-01-5	<5
trans-1,3-DICHLOROPROPENE	10061-02-6	<5
HEXACHLOROBUTADIENE	87-68-3	<5
p-ISOPROPYLTOLUENE	99-87-6	<5
ISOPROPYLBENZENE	98-82-8	<5
METHYLENE CHLORIDE	75-09-2	<5
NAPHTHALENE	91-20-3	<5
n-PROPYLBENZENE	103-65-1	<5
STYRENE	100-42-5	<5
TRICHLOROFLUOROMETHANE	75-69-4	<5
1,2,3-TRICHLOROBENZENE	87-61-6	<5
1,2,4-TRICHLOROBENZENE	120-82-1	<5
1,2,4-TRIMETHYLBENZENE	95-63-6	<5
1,3,5-TRIMETHYLBENZENE	108-67-8	<5
1,1,1-TRICHLOROETHANE	71-55-6	<5
TRICHLOROETHYLENE	79-01-6	<5
1,1,2-TRICHLOROETHANE	79-00-5	<5
TETRACHLOROETHYLENE	127-18-4	<5
1,1,1,2-TETRACHLOROETHANE	630-20-6	<5
1,1,2,2-TETRACHLOROETHANE	79-34-5	<5
1,2,3-TRICHLOROPROPANE	96-18-4	<5
TOLUENE	108-88-3	<5
VINYL CHLORIDE	75-01-4	<5
p & m-XYLENES	1330-20-7	<10
o-XYLENE	95-47-6	<5

Michael Vennard

Laboratory Director



**LONG
ISLAND
ANALYTICAL
LABORATORIES INC.**

101-4 Colin Drive • Holbrook, New York 11741

"TOMORROWS ANALYTICAL SOLUTIONS TODAY"

Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: Cody Ehlers Group	Client ID: Berman (Roof Drain)
Date received: 9/26/02	Laboratory ID: 0225783
Date extracted: 10/1/02	Matrix: Soil
Date analyzed: 10/1/02	ELAP #: 11693

EPA METHOD 8270(BN)

Parameter	CAS No.	Results ug/kg
Bis(2-CHLOROETHYL)ETHER	111-44-4	<40
1,3-DICHLOROBENZENE	541-73-1	<40
1,4-DICHLOROBENZENE	106-46-7	<40
1,2-DICHLOROBENZENE	95-50-1	<40
Bis(2-CHLOROISOPROPYL)ETHER	108-60-1	<40
HEXACHLOROETHANE	67-72-1	<40
N-NITROSODI-n-PROPYL AMINE	621-64-7	<40
NITROBENZENE	98-95-3	<40
ISOPHORONE	78-59-1	<40
Bis(2-CHLOROETHOXY)METHANE	111-91-1	<40
1,2,4-TRICHLOROBENZENE	120-82-1	<40
NAPHTHALENE	91-20-3	<40
HEXACHLOROBUTADIENE	87-68-3	<40
HEXACHLOROCYCLOPENTADIENE	77-47-4	<40
2-CHLORONAPHTHALENE	91-58-7	<40
ACENAPHTHYLENE	208-96-8	<40
DIMETHYLPHTHALATE	131-11-3	<40
2,6-DINITROTOLUENE	606-20-2	<40
ACENAPHTHENE	83-32-9	<40
2,4-DINTROTOLUENE	121-14-2	<40
FLUORENE	86-73-7	<40
4-CHLOROPHENYL PHENYL ETHER	7005-72-3	<40



**LONG
ISLAND
ANALYTICAL
LABORATORIES INC.**

101-4 Colin Drive • Holbrook, New York 11741

"TOMORROWS ANALYTICAL SOLUTIONS TODAY"

Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: Cody Ehlers Group	Client ID: Berman (Roof Drain)
Date received: 9/26/02	Laboratory ID: 0225783
Date extracted: 10/1/02	Matrix: Soil
Date analyzed: 10/1/02	ELAP #: 11693

EPA METHOD 8270(BN)

Parameter	CAS No.	Results ug/kg
DIETHYLPHTHALATE	84-66-2	<40
4-BROMOPHENYL-PHENYL ETHER	101-55-3	<40
HEXACHLOROBENZENE	118-74-1	<40
PHENANTHRENE	85-01-8	171
ANTHRACENE	120-12-7	<40
Di-n-BUTYLPHTHALATE	84-74-2	122
FLUORANTHENE	206-44-0	359
PYRENE	129-00-0	299
BUTYLBENZYLPHTHALATE	85-68-7	83
3,3-DICHLOROBENZIDINE	91-94-1	<40
BENZO-a-ANTHRACENE	56-55-3	117
CHRYSENE	218-01-9	234
Bis(2-ETHYLEXYL)PHTALATE	117-81-7	252
DI-n-OCTYLPHTHALATE	117-84-0	<40
BENZO-b-FLUOROANTHENE	205-99-2	218
BENZO-k- FLUOROANTHENE	207-08-9	204
BENZO-a-PYRENE	50-32-8	199
INDENO(1,2,3-c,d)PYRENE	193-39-5	156
DIBENZO-a,h-ANTHRACENE	53-70-3	<40
BENZO-g,h,i-PERYLENE	191-24-2	153

Michael Vennard

Laboratory Director



**LONG
ISLAND
ANALYTICAL
LABORATORIES INC.**

101-4 Colin Drive • Holbrook, New York 11741

"TOMORROWS ANALYTICAL SOLUTIONS TODAY"

Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: Cody Ehlers Group	Client ID: Berman (Roof Drain)
Date received: 9/26/02	Laboratory ID: 0225783
Date extracted: 10/2/02	Matrix: Soil
Date analyzed: 10/2/02	ELAP #: 11693

METALS ANALYSIS

Parameter	MDL	Results mg/kg
SILVER, Ag	1.65 mg/kg	<1.65
ARSENIC, As	1.65 mg/kg	3.04
BARIUM, Ba	3.33 mg/kg	20.9
CADMIUM, Cd	1.00 mg/kg	<1.00
CHROMIUM, Cr	1.65 mg/kg	8.21
MERCURY, Hg	0.020 mg/kg	0.04
LEAD, Pb	1.65 mg/kg	30.7
SELENIUM, Se	1.65 mg/kg	<1.65

Analysis by SW-846 Method 6010

Michael Vennard

Laboratory Director



**LONG
ISLAND
ANALYTICAL
LABORATORIES INC.**

101-4 Colin Drive • Holbrook, New York 11741

"TOMORROWS ANALYTICAL SOLUTIONS TODAY"

Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: Cody Ehlers Group	Client ID: Berman (BDP-1)
Date received: 9/26/02	Laboratory ID: 0225784
Date extracted: 9/29/02	Matrix: Soil
Date analyzed: 9/29/02	ELAP #: 11693

NCDH PROTOCOL

PARAMETER	CAS No.	RESULTS ug/kg
ACETONE	67-64-1	<50
BENZENE	71-43-2	<5
n-BUTYLBENZENE	104-51-8	<5
sec-BUTYLBENZENE	135-98-8	<5
tert-BUTYLBENZENE	98-06-6	<5
BROMODICHLOROMETHANE	75-27-4	<5
BROMOFORM	75-25-2	<5
BROMOBENZENE	108-86-1	<5
2-CHLOROTOLUENE	95-49-8	<5
4-CHLOROTOLUENE	106-43-4	<5
CHLOROBENZENE	108-90-7	<5
CHLOROFORM	67-66-3	<5
CARBON TETRACHLORIDE	56-23-5	<5
o-DICHLOROBENZENE (1,2)	95-50-1	<5
m-DICHLOROBENZENE (1,3)	541-73-1	<5
p-DICHLOROBENZENE (1,4)	106-46-7	<5
1,2-DIBROMO-3-CHLOROPROPANE	96-12-8	<5
1,1-DICHLOROETHYLENE	75-35-4	<5
trans-1,2-DICHLOROETHYLENE	156-60-5	<5
1,1-DICHLOROETHANE	75-34-3	<5
cis-1,2-DICHLOROETHYLENE	159-59-2	<5
DIBROMOCHLOROMETHANE	124-48-1	<5
1,3-DICHLOROPROPANE	142-28-9	<5
1,1-DICHLOROPROPENE	563-58-6	<5
1,2-DICHLOROETHANE	107-06-02	<5
1,2-DICHLOROPROPANE	78-87-5	<5
2,2-DICHLOROPROPANE	594-20-7	<5
ETHYLBENZENE	100-414	<5



**LONG
ISLAND
ANALYTICAL
LABORATORIES INC.**

101-4 Colin Drive • Holbrook, New York 11741

"TOMORROWS ANALYTICAL SOLUTIONS TODAY"

Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: Cody Ehlers Group	Client ID: Berman (BDP-1)
Date received: 9/26/02	Laboratory ID: 0225784
Date extracted: 9/29/02	Matrix: Soil
Date analyzed: 9/29/02	ELAP #: 11693

NCDH PROTOCOL

PARAMETER	CAS No.	RESULTS ug/kg
1,2-DIBROMOETHANE	106-93-4	<5
DIBROMOMETHANE	74-95-3	<5
cis-1,3-DICHLOROPROPENE	10061-01-5	<5
trans-1,3-DICHLOROPROPENE	10061-02-6	<5
HEXACHLOROBUTADIENE	87-68-3	<5
p-ISOPROPYLTOLUENE	99-87-6	<5
ISOPROPYLBENZENE	98-82-8	<5
METHYLENE CHLORIDE	75-09-2	<5
NAPHTHALENE	91-20-3	<5
n-PROPYLBENZENE	103-65-1	<5
STYRENE	100-42-5	<5
TRICHLOROFLUOROMETHANE	75-69-4	<5
1,2,3-TRICHLOROBENZENE	87-61-6	<5
1,2,4-TRICHLOROBENZENE	120-82-1	<5
1,2,4-TRIMETHYLBENZENE	95-63-6	<5
1,3,5-TRIMETHYLBENZENE	108-67-8	<5
1,1,1-TRICHLOROETHANE	71-55-6	<5
TRICHLOROETHYLENE	79-01-6	<5
1,1,2-TRICHLOROETHANE	79-00-5	<5
TETRACHLOROETHYLENE	127-18-4	<5
1,1,1,2-TETRACHLOROETHANE	630-20-6	<5
1,1,2,2-TETRACHLOROETHANE	79-34-5	<5
1,2,3-TRICHLOROPROPANE	96-18-4	<5
TOLUENE	108-88-3	<5
VINYL CHLORIDE	75-01-4	<5
p & m-XYLENES	1330-20-7	<10
o-XYLENE	95-47-6	<5

Michael Vennard

Laboratory Director



**LONG
ISLAND
ANALYTICAL
LABORATORIES INC.**

101-4 Colin Drive • Holbrook, New York 11741

"TOMORROW'S ANALYTICAL SOLUTIONS TODAY"

Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: Cody Ehlers Group	Client ID: Berman (BDP-1)
Date received: 9/26/02	Laboratory ID: 0225784
Date extracted: 10/1/02	Matrix: Soil
Date analyzed: 10/1/02	ELAP #: 11693

EPA METHOD 8270(BN)

Parameter	CAS No.	Results ug/kg
Bis(2-CHLOROETHYL)ETHER	111-44-4	<200
1,3-DICHLOROBENZENE	541-73-1	<200
1,4-DICHLOROBENZENE	106-46-7	<200
1,2-DICHLOROBENZENE	95-50-1	<200
Bis(2-CHLOROISOPROPYL)ETHER	108-60-1	<200
HEXACHLOROETHANE	67-72-1	<200
N-NITROSODI-n-PROPYL AMINE	621-64-7	<200
NITROBENZENE	98-95-3	<200
ISOPHORONE	78-59-1	<200
Bis(2-CHLOROETHOXY)METHANE	111-91-1	<200
1,2,4-TRICHLOROBENZENE	120-82-1	<200
NAPHTHALENE	91-20-3	239
HEXACHLOROBUTADIENE	87-68-3	<200
HEXACHLOROCYCLOPENTADIENE	77-47-4	<200
2-CHLORONAPHTHALENE	91-58-7	<200
ACENAPHTHYLENE	208-96-8	<200
DIMETHYLPHTHALATE	131-11-3	<200
2,6-DINITROTOLUENE	606-20-2	<200
ACENAPHTHENE	83-32-9	343
2,4-DINTROTOLUENE	121-14-2	<200
FLUORENE	86-73-7	550
4-CHLOROPHENYL PHENYL ETHER	7005-72-3	<200

Note: MDL's are raised due to matrix interference.



**LONG
ISLAND
ANALYTICAL
LABORATORIES INC.**

101-4 Colin Drive • Holbrook, New York 11741

"TOMORROWS ANALYTICAL SOLUTIONS TODAY"

Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: Cody Ehlers Group	Client ID: Berman (BDP-1)
Date received: 9/26/02	Laboratory ID: 0225784
Date extracted: 10/1/02	Matrix: Soil
Date analyzed: 10/1/02	ELAP #: 11693

EPA METHOD 8270(BN)

Parameter	CAS No.	Results ug/kg
DIETHYLPHTHALATE	84-66-2	<200
4-BROMOPHENYL-PHENYL ETHER	101-55-3	<200
HEXACHLOROBENZENE	118-74-1	<200
PHENANTHRENE	85-01-8	5,946
ANTHRACENE	120-12-7	1,290
Di-n-BUTYLPHTHALATE	84-74-2	<200
FLUORANTHENE	206-44-0	6,174
PYRENE	129-00-0	4,742
BUTYLBENZYLPHTHALATE	85-68-7	<200
3,3-DICHLOROBENZIDINE	91-94-1	<200
BENZO-a-ANTHRACENE	56-55-3	2,138
CHRYSENE	218-01-9	2,545
Bis(2-ETHYLEXYL)PHTALATE	117-81-7	349
DI-n-OCTYLPHTHALATE	117-84-0	<200
BENZO-b-FLUOROANTHENE	205-99-2	2,486
BENZO-k- FLUOROANTHENE	207-08-9	1,835
BENZO-a-PYRENE	50-32-8	2,472
INDENO(1,2,3-c,d)PYRENE	193-39-5	1,533
DIBENZO-a,h-ANTHRACENE	53-70-3	344
BENZO-g,h,i-PERYLENE	191-24-2	1,419

Note: MDL's are raised due to matrix interference.

Michael Vennard

Laboratory Director



**LONG
ISLAND
ANALYTICAL
LABORATORIES INC.**

101-4 Colin Drive • Holbrook, New York 11741

"TOMORROWS ANALYTICAL SOLUTIONS TODAY"


Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: Cody Ehlers Group	Client ID: Berman (BDP-1)
Date received: 9/26/02	Laboratory ID: 0225784
Date extracted: 10/2/02	Matrix: Soil
Date analyzed: 10/2/02	ELAP #: 11693

METALS ANALYSIS

Parameter	MDL	Results mg/kg
SILVER, Ag	1.65 mg/kg	<1.65
ARSENIC, As	1.65 mg/kg	2.06
BARIUM, Ba	3.33 mg/kg	59.0
CADMIUM, Cd	1.00 mg/kg	1.07
CHROMIUM, Cr	1.65 mg/kg	7.67
MERCURY, Hg	0.020 mg/kg	0.86
LEAD, Pb	1.65 mg/kg	27.4
SELENIUM, Se	1.65 mg/kg	<1.65

Analysis by SW-846 Method 6010



Laboratory Director



**LONG
ISLAND
ANALYTICAL
LABORATORIES INC.**

101-4 Colin Drive • Holbrook, New York 11741

"TOMORROWS ANALYTICAL SOLUTIONS TODAY"

Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: Cody Ehlers Group	Client ID: Berman (BDP-2)
Date received: 9/26/02	Laboratory ID: 0225785
Date extracted: 9/29/02	Matrix: Soil
Date analyzed: 9/29/02	ELAP #: 11693

NCDH PROTOCOL

PARAMETER	CAS No.	RESULTS ug/kg
ACETONE	67-64-1	<50
BENZENE	71-43-2	<5
n-BUTYLBENZENE	104-51-8	<5
sec-BUTYLBENZENE	135-98-8	<5
tert-BUTYLBENZENE	98-06-6	<5
BROMODICHLOROMETHANE	75-27-4	<5
BROMOFORM	75-25-2	<5
BROMOBENZENE	108-86-1	<5
2-CHLOROTOLUENE	95-49-8	<5
4-CHLOROTOLUENE	106-43-4	<5
CHLOROBENZENE	108-90-7	<5
CHLOROFORM	67-66-3	<5
CARBON TETRACHLORIDE	56-23-5	<5
o-DICHLOROBENZENE (1,2)	95-50-1	<5
m-DICHLOROBENZENE (1,3)	541-73-1	<5
p-DICHLOROBENZENE (1,4)	106-46-7	<5
1,2-DIBROMO-3-CHLOROPROPANE	96-12-8	<5
1,1-DICHLOROETHYLENE	75-35-4	<5
trans-1,2-DICHLOROETHYLENE	156-60-5	<5
1,1-DICHLOROETHANE	75-34-3	<5
cis-1,2-DICHLOROETHYLENE	159-59-2	<5
DIBROMOCHLOROMETHANE	124-48-1	<5
1,3-DICHLOROPROPANE	142-28-9	<5
1,1-DICHLOROPROPENE	563-58-6	<5
1,2-DICHLOROETHANE	107-06-02	<5
1,2-DICHLOROPROPANE	78-87-5	<5
2,2-DICHLOROPROPANE	594-20-7	<5
ETHYLBENZENE	100-414	<5



**LONG
ISLAND
ANALYTICAL
LABORATORIES INC.**

101-4 Colin Drive • Holbrook, New York 11741

"TOMORROWS ANALYTICAL SOLUTIONS TODAY"

Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: Cody Ehlers Group	Client ID: Berman (BDP-2)
Date received: 9/26/02	Laboratory ID: 0225785
Date extracted: 9/29/02	Matrix: Soil
Date analyzed: 9/29/02	ELAP #: 11693

NCDH PROTOCOL

PARAMETER	CAS No.	RESULTS ug/kg
1,2-DIBROMOETHANE	106-93-4	<5
DIBROMOMETHANE	74-95-3	<5
cis-1,3-DICHLOROPROPENE	10061-01-5	<5
trans-1,3-DICHLOROPROPENE	10061-02-6	<5
HEXACHLOROBUTADIENE	87-68-3	<5
p-ISOPROPYLTOLUENE	99-87-6	<5
ISOPROPYLBENZENE	98-82-8	<5
METHYLENE CHLORIDE	75-09-2	<5
NAPHTHALENE	91-20-3	<5
n-PROPYLBENZENE	103-65-1	<5
STYRENE	100-42-5	<5
TRICHLOROFLUOROMETHANE	75-69-4	<5
1,2,3-TRICHLOROBENZENE	87-61-6	<5
1,2,4-TRICHLOROBENZENE	120-82-1	<5
1,2,4-TRIMETHYLBENZENE	95-63-6	<5
1,3,5-TRIMETHYLBENZENE	108-67-8	<5
1,1,1-TRICHLOROETHANE	71-55-6	<5
TRICHLOROETHYLENE	79-01-6	21
1,1,2-TRICHLOROETHANE	79-00-5	<5
TETRACHLOROETHYLENE	127-18-4	17
1,1,1,2-TETRACHLOROETHANE	630-20-6	<5
1,1,2,2-TETRACHLOROETHANE	79-34-5	<5
1,2,3-TRICHLOROPROPANE	96-18-4	<5
TOLUENE	108-88-3	<5
VINYL CHLORIDE	75-01-4	<5
p & m-XYLENES	1330-20-7	<10
o-XYLENE	95-47-6	<5

Michael Venzel

Laboratory Director



**LONG
ISLAND
ANALYTICAL
LABORATORIES INC.**

101-4 Colin Drive • Holbrook, New York 11741

"TOMORROWS ANALYTICAL SOLUTIONS TODAY"

Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: Cody Ehlers Group	Client ID: Berman (BDP-2)
Date received: 9/26/02	Laboratory ID: 0225785
Date extracted: 10/1/02	Matrix: Soil
Date analyzed: 10/1/02	ELAP #: 11693

EPA METHOD 8270(BN)

Parameter	CAS No.	Results ug/kg
Bis(2-CHLOROETHYL)ETHER	111-44-4	<20,000
1,3-DICHLOROBENZENE	541-73-1	<20,000
1,4-DICHLOROBENZENE	106-46-7	<20,000
1,2-DICHLOROBENZENE	95-50-1	<20,000
Bis(2-CHLOROISOPROPYL)ETHER	108-60-1	<20,000
HEXACHLOROETHANE	67-72-1	<20,000
N-NITROSODI-n-PROPYL AMINE	621-64-7	<20,000
NITROBENZENE	98-95-3	<20,000
ISOPHORONE	78-59-1	<20,000
Bis(2-CHLOROETHOXY)METHANE	111-91-1	<20,000
1,2,4-TRICHLOROBENZENE	120-82-1	<20,000
NAPHTHALENE	91-20-3	395,521
HEXACHLOROBUTADIENE	87-68-3	<20,000
HEXACHLOROCYCLOPENTADIENE	77-47-4	<20,000
2-CHLORONAPHTHALENE	91-58-7	<20,000
ACENAPHTHYLENE	208-96-8	59,628
DIMETHYLPHTHALATE	131-11-3	<20,000
2,6-DINITROTOLUENE	606-20-2	<20,000
ACENAPHTHENE	83-32-9	289,561
2,4-DINTROTOLUENE	121-14-2	<20,000
FLUORENE	86-73-7	427,973
4-CHLOROPHENYL PHENYL ETHER	7005-72-3	<20,000

Note: MDL's are raised due to matrix interference.



**LONG
ISLAND
ANALYTICAL
LABORATORIES INC.**

101-4 Colin Drive • Holbrook, New York 11741

"TOMORROWS ANALYTICAL SOLUTIONS TODAY"

Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: Cody Ehlers Group	Client ID: Berman (BDP-2)
Date received: 9/26/02	Laboratory ID: 0225785
Date extracted: 10/1/02	Matrix: Soil
Date analyzed: 10/1/02	ELAP #: 11693

EPA METHOD 8270(BN)

Parameter	CAS No.	Results ug/kg
DIETHYLPHthalate	84-66-2	<20,000
4-BROMOPHENYL-PHENYL ETHER	101-55-3	<20,000
HEXACHLOROBENZENE	118-74-1	<20,000
PHENANTHRENE	85-01-8	4,110,000
ANTHRACENE	120-12-7	1,009,438
Di-n-BUTYLPHthalate	84-74-2	<20,000
FLUORANTHENE	206-44-0	3,634,000
PYRENE	129-00-0	2,732,000
BUTYLBENZYLPHthalate	85-68-7	<20,000
3,3-DICHLOROBENZIDINE	91-94-1	<20,000
BENZO-a-ANTHRACENE	56-55-3	1,304,389
CHRYSENE	218-01-9	1,721,356
Bis(2-ETHYLEXYL)PHTALATE	117-81-7	<20,000
DI-n-OCTYLPHthalate	117-84-0	<20,000
BENZO-b-FLUOROANTHENE	205-99-2	1,528,295
BENZO-k- FLUOROANTHENE	207-08-9	1,154,397
BENZO-a-PYRENE	50-32-8	1,501,661
INDENO(1,2,3-c,d)PYRENE	193-39-5	999,421
DIBENZO-a,h-ANTHRACENE	53-70-3	226,962
BENZO-g,h,i-PERYLENE	191-24-2	854,758

Note: MDL's are raised due to matrix interference.

Michael Vennard

Laboratory Director



**LONG
ISLAND
ANALYTICAL
LABORATORIES INC.**

101-4 Colin Drive • Holbrook, New York 11741

"TOMORROWS ANALYTICAL SOLUTIONS TODAY"

Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: Cody Ehlers Group	Client ID: Berman (BDP-2)
Date received: 9/26/02	Laboratory ID: 0225785
Date extracted: 10/2/02	Matrix: Soil
Date analyzed: 10/2/02	ELAP #: 11693

METALS ANALYSIS

Parameter	MDL	Results mg/kg
SILVER, Ag	1.65 mg/kg	<1.65
ARSENIC, As	1.65 mg/kg	6.52
BARIUM, Ba	3.33 mg/kg	1,484
CADMIUM, Cd	1.00 mg/kg	2.56
CHROMIUM, Cr	1.65 mg/kg	18.3
MERCURY, Hg	0.020 mg/kg	0.72
LEAD, Pb	1.65 mg/kg	355
SELENIUM, Se	1.65 mg/kg	<1.65

Analysis by SW-846 Method 6010

Michael Vennard

Laboratory Director



**LONG
ISLAND
ANALYTICAL
LABORATORIES INC.**

101-4 Colin Drive • Holbrook, New York 11741

"TOMORROWS ANALYTICAL SOLUTIONS TODAY"

Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: Cody Ehlers Group	Client ID: Berman (BDW-1)
Date received: 9/26/02	Laboratory ID: 0225786
Date extracted: 9/29/02	Matrix: Soil
Date analyzed: 9/29/02	ELAP #: 11693

NCDH PROTOCOL

PARAMETER	CAS No.	RESULTS ug/kg
ACETONE	67-64-1	<50
BENZENE	71-43-2	<5
n-BUTYLBENZENE	104-51-8	<5
sec-BUTYLBENZENE	135-98-8	<5
tert-BUTYLBENZENE	98-06-6	<5
BROMODICHLOROMETHANE	75-27-4	<5
BROMOFORM	75-25-2	<5
BROMOBENZENE	108-86-1	<5
2-CHLOROTOLUENE	95-49-8	<5
4-CHLOROTOLUENE	106-43-4	<5
CHLOROBENZENE	108-90-7	<5
CHLOROFORM	67-66-3	<5
CARBON TETRACHLORIDE	56-23-5	<5
o-DICHLOROBENZENE (1,2)	95-50-1	<5
m-DICHLOROBENZENE (1,3)	541-73-1	<5
p-DICHLOROBENZENE (1,4)	106-46-7	<5
1,2-DIBROMO-3-CHLOROPROPANE	96-12-8	<5
1,1-DICHLOROETHYLENE	75-35-4	<5
trans-1,2-DICHLOROETHYLENE	156-60-5	<5
1,1-DICHLOROETHANE	75-34-3	<5
cis-1,2-DICHLOROETHYLENE	159-59-2	<5
DIBROMOCHLOROMETHANE	124-48-1	<5
1,3-DICHLOROPROPANE	142-28-9	<5
1,1-DICHLOROPROPENE	563-58-6	<5
1,2-DICHLOROETHANE	107-06-02	<5
1,2-DICHLOROPROPANE	78-87-5	<5
2,2-DICHLOROPROPANE	594-20-7	<5
ETHYLBENZENE	100-414	<5



**LONG
ISLAND
ANALYTICAL
LABORATORIES INC.**

101-4 Colin Drive • Holbrook, New York 11741

"TOMORROW'S ANALYTICAL SOLUTIONS TODAY"

Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: Cody Ehlers Group	Client ID: Berman (BDW-1)
Date received: 9/26/02	Laboratory ID: 0225786
Date extracted: 9/29/02	Matrix: Soil
Date analyzed: 9/29/02	ELAP #: 11693

NCDH PROTOCOL

PARAMETER	CAS No.	RESULTS ug/kg
1,2-DIBROMOETHANE	106-93-4	<5
DIBROMOMETHANE	74-95-3	<5
cis-1,3-DICHLOROPROPENE	10061-01-5	<5
trans-1,3-DICHLOROPROPENE	10061-02-6	<5
HEXACHLOROBUTADIENE	87-68-3	<5
p-ISOPROPYLTOLUENE	99-87-6	<5
ISOPROPYLBENZENE	98-82-8	<5
METHYLENE CHLORIDE	75-09-2	<5
NAPHTHALENE	91-20-3	<5
n-PROPYLBENZENE	103-65-1	<5
STYRENE	100-42-5	<5
TRICHLOROFLUOROMETHANE	75-69-4	<5
1,2,3-TRICHLOROBENZENE	87-61-6	<5
1,2,4-TRICHLOROBENZENE	120-82-1	<5
1,2,4-TRIMETHYLBENZENE	95-63-6	<5
1,3,5-TRIMETHYLBENZENE	108-67-8	<5
1,1,1-TRICHLOROETHANE	71-55-6	<5
TRICHLOROETHYLENE	79-01-6	<5
1,1,2-TRICHLOROETHANE	79-00-5	<5
TETRACHLOROETHYLENE	127-18-4	<5
1,1,1,2-TETRACHLOROETHANE	630-20-6	<5
1,1,2,2-TETRACHLOROETHANE	79-34-5	<5
1,2,3-TRICHLOROPROPANE	96-18-4	<5
TOLUENE	108-88-3	<5
VINYL CHLORIDE	75-01-4	<5
p & m-XYLENES	1330-20-7	<10
o-XYLENE	95-47-6	<5

Michael Vennard

Laboratory Director



**LONG
ISLAND
ANALYTICAL
LABORATORIES INC.**

101-4 Colin Drive • Holbrook, New York 11741

"TOMORROWS ANALYTICAL SOLUTIONS TODAY"

Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: Cody Ehlers Group	Client ID: Berman (BDW-1)
Date received: 9/26/02	Laboratory ID: 0225786
Date extracted: 10/1/02	Matrix: Soil
Date analyzed: 10/1/02	ELAP #: 11693

EPA METHOD 8270(BN)

Parameter	CAS No.	Results ug/kg
Bis(2-CHLOROETHYL)ETHER	111-44-4	<300
1,3-DICHLOROBENZENE	541-73-1	<300
1,4-DICHLOROBENZENE	106-46-7	<300
1,2-DICHLOROBENZENE	95-50-1	<300
Bis(2-CHLOROISOPROPYL)ETHER	108-60-1	<300
HEXACHLOROETHANE	67-72-1	<300
N-NITROSODI-n-PROPYL AMINE	621-64-7	<300
NITROBENZENE	98-95-3	<300
ISOPHORONE	78-59-1	<300
Bis(2-CHLOROETHOXY)METHANE	111-91-1	<300
1,2,4-TRICHLOROBENZENE	120-82-1	<300
NAPHTHALENE	91-20-3	<300
HEXACHLOROBUTADIENE	87-68-3	<300
HEXACHLOROCYCLOPENTADIENE	77-47-4	<300
2-CHLORONAPHTHALENE	91-58-7	<300
ACENAPHTHYLENE	208-96-8	<300
DIMETHYLPHTHALATE	131-11-3	<300
2,6-DINITROTOLUENE	606-20-2	<300
ACENAPHTHENE	83-32-9	368
2,4-DINTROTOLUENE	121-14-2	<300
FLUORENE	86-73-7	559
4-CHLOROPHENYL PHENYL ETHER	7005-72-3	<300

Note: MDL's are raised due to matrix interference.



**LONG
ISLAND
ANALYTICAL
LABORATORIES INC.**

101-4 Colin Drive • Holbrook, New York 11741

"TOMORROWS ANALYTICAL SOLUTIONS TODAY"

Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: Cody Ehlers Group	Client ID: Berman (BDW-1)
Date received: 9/26/02	Laboratory ID: 0225786
Date extracted: 10/1/02	Matrix: Soil
Date analyzed: 10/1/02	ELAP #: 11693

EPA METHOD 8270(BN)

Parameter	CAS No.	Results ug/kg
DIETHYLPHTHALATE	84-66-2	<300
4-BROMOPHENYL-PHENYL ETHER	101-55-3	<300
HEXACHLOROBENZENE	118-74-1	<300
PHENANTHRENE	85-01-8	9,635
ANTHRACENE	120-12-7	1,047
Di-n-BUTYLPHTHALATE	84-74-2	<300
FLUORANTHENE	206-44-0	16,014
PYRENE	129-00-0	12,151
BUTYLBENZYLPHTHALATE	85-68-7	<300
3,3-DICHLOROBENZIDINE	91-94-1	<300
BENZO-a-ANTHRACENE	56-55-3	3,732
CHRYSENE	218-01-9	8,586
Bis(2-ETHYLEXYL)PHTALATE	117-81-7	657
Di-n-OCTYLPHTHALATE	117-84-0	<300
BENZO-b-FLUOROANTHENE	205-99-2	8,359
BENZO-k- FLUOROANTHENE	207-08-9	6,488
BENZO-a-PYRENE	50-32-8	6,527
INDENO(1,2,3-c,d)PYRENE	193-39-5	5,125
DIBENZO-a,h-ANTHRACENE	53-70-3	1,023
BENZO-g,h,i-PERYLENE	191-24-2	4,489

Note: MDL's are raised due to matrix interference.

Michael Vennard

Laboratory Director



**LONG
ISLAND
ANALYTICAL
LABORATORIES INC.**

101-4 Colin Drive • Holbrook, New York 11741

"TOMORROWS ANALYTICAL SOLUTIONS TODAY"

Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: Cody Ehlers Group	Client ID: Berman (BDW-1)
Date received: 9/26/02	Laboratory ID: 0225786
Date extracted: 10/2/02	Matrix: Soil
Date analyzed: 10/2/02	ELAP #: 11693

METALS ANALYSIS

Parameter	MDL	Results mg/kg
SILVER, Ag	1.65 mg/kg	<1.65
ARSENIC, As	1.65 mg/kg	<1.65
BARIUM, Ba	3.33 mg/kg	46.5
CADMIUM, Cd	1.00 mg/kg	1.44
CHROMIUM, Cr	1.65 mg/kg	9.58
MERCURY, Hg	0.020 mg/kg	0.13
LEAD, Pb	1.65 mg/kg	45.3
SELENIUM, Se	1.65 mg/kg	<1.65

Analysis by SW-846 Method 6010

Michael Vennard

Laboratory Director



**LONG
ISLAND
ANALYTICAL
LABORATORIES INC.**

101-4 Colin Drive • Holbrook, New York 11741

"TOMORROWS ANALYTICAL SOLUTIONS TODAY"

Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: Cody Ehlers Group	Client ID: Berman
Date received: 9/26/02	Laboratory ID: 0225781-0225786
Date extracted: 10/2/02	Matrix: Soil
Date analyzed: 10/2/02	ELAP #: 11693

TPH 8015 ANALYSIS

Lab ID#	Client ID	Results mg/kg
0225781	P-Cess	7,940
0225782	S-Cess	4,176
0225783	Roof Drain	12
0225784	BDP-1	979
0225785	BDP-2	46,286
0225786	BDW-1	2,064



Laboratory Director

**LONG
ISLAND
ANALYTICAL
LABORATORIES INC.**

101-4 Colin Drive • Holbrook, New York 11741

"TOMORROWS ANALYTICAL SOLUTIONS TODAY"

Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com



**80 Lupes Drive
Stratford, CT 06615
Tel (203) 377-9984
FAX (203) 377-9952**

[illegible]

Appendix C - Long Island Analytical Laboratories, Inc. - 10/22/2002



1 of 4 pages

October 22, 2002

Cody Ehlers Group
Jeff Day
140 Sherman Street
Fairfield, CT 06430

Re: Berman

Dear Mr. Day:

Enclosed please find the Laboratory Analysis Report(s) for sample(s) received on September 26, 2002. Long Island Analytical Laboratories analyzed the samples on October 21, 2002 for the following:

CLIENT ID	ANALYSIS
P-Cess	TCLP Metals
S-Cess	TCLP Metals
BDP-2	TCLP Metals

If you have any questions or require further information, please call at your convenience. Long Island Analytical Laboratories would like to thank you for the opportunity to be of service to you.

Best Regards,

Long Island Analytical Laboratories, Inc.

Client: Cody Ehlers Group	Client ID: Berman (P-Cess)
Date received: 9/26/02	Laboratory ID: 0225781A
Date extracted: 10/17/02	Matrix: Soil
Date analyzed: 10/18, 10/21/02	ELAP #: 11693

TCLP METALS ANALYSIS

PARAMETER	REGULATORY LIMIT	RESULTS mg/L
SILVER, Ag	5.00 PPM	<0.05
ARSENIC, As	5.00 PPM	<0.05
BARIUM, Ba	100.00 PPM	<1.00
CADMIUM, Cd	1.00 PPM	0.20
CHROMIUM, Cr	5.00 PPM	<0.05
MERCURY, Hg	0.20 PPM	<0.020
LEAD, Pb	5.00 PPM	0.46
SELENIUM, Se	1.00 PPM	<0.05

Method: SW846, 1311 extraction tcpl, 7000 series analysis

Michael Verrill

Laboratory Director



**LONG
ISLAND
ANALYTICAL
LABORATORIES INC.**

101-4 Colin Drive • Holbrook, New York 11741

"TOMORROW'S ANALYTICAL SOLUTIONS TODAY"

Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: Cody Ehlers Group	Client ID: Berman (S-Cess)
Date received: 9/26/02	Laboratory ID: 0225782A
Date extracted: 10/17/02	Matrix: Soil
Date analyzed: 10/18, 10/21/02	ELAP #: 11693

TCLP METALS ANALYSIS

PARAMETER	REGULATORY LIMIT	RESULTS mg/L
SILVER, Ag	5.00 PPM	<0.05
ARSENIC, As	5.00 PPM	<0.05
BARIUM, Ba	100.00 PPM	<1.00
CADMIUM, Cd	1.00 PPM	0.26
CHROMIUM, Cr	5.00 PPM	<0.05
MERCURY, Hg	0.20 PPM	<0.020
LEAD, Pb	5.00 PPM	0.43
SELENIUM, Se	1.00 PPM	<0.05

Method: SW846, 1311 extraction tcip, 7000 series analysis

Michael Vennard

Laboratory Director



**LONG
ISLAND
ANALYTICAL
LABORATORIES INC.**

101-4 Colin Drive • Holbrook, New York 11741

"TOMORROW'S ANALYTICAL SOLUTIONS TODAY"

Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: Cody Ehlers Group	Client ID: Berman (BDP-2)
Date received: 9/26/02	Laboratory ID: 0225785A
Date extracted: 10/17/02	Matrix: Soil
Date analyzed: 10/18, 10/21/02	ELAP #: 11693

TCLP METALS ANALYSIS

PARAMETER	REGULATORY LIMIT	RESULTS mg/L
SILVER, Ag	5.00 PPM	<0.05
ARSENIC, As	5.00 PPM	<0.05
BARIUM, Ba	100.00 PPM	<1.00
CADMIUM, Cd	1.00 PPM	<0.05
CHROMIUM, Cr	5.00 PPM	<0.05
MERCURY, Hg	0.20 PPM	<0.020
LEAD, Pb	5.00 PPM	<0.05
SELENIUM, Se	1.00 PPM	<0.05

Method: SW846, 1311 extraction tcip, 7000 series analysis

Michael Vennard

Laboratory Director



**LONG
ISLAND
ANALYTICAL
LABORATORIES INC.**


101-4 Colin Drive • Holbrook, New York 11741

"TOMORROW'S ANALYTICAL SOLUTIONS TODAY"

Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

P.02

Appendix D - JMS Environmental, Inc. Services, Inc. - 6/12/03



JMS ENVIRONMENTAL SERVICES, INC.

1500 SUMMER STREET

STAMFORD, CONNECTICUT 06905

NELAC, CT and NY State Certified Environmental Laboratory

Cody Ehlers Group: BDP - 1

Mailing Information:

Name: Cody Ehlers Group

Address: 140 Sherman St

City: Fairfield

State: CT

Zip: 06824

Telephone: 203-259-7722

Fax: 203-259-6088

Collector's Information:

Name: CEG

Address of site:

City: Garden City

State: NY

Zip:

Telephone:

Sample's Information:

Site: Blowdown Pit

Preservative: HNO₃

Temperature: <4C

Date Collected: 6/5/2003

Time Collected:

Date Received: 6/6/2003

Time Received: 11:40

Lab No.: J033851

Date Analyzed	Test Name	Result	Method
6/12/03	Total Mercury	BDL mg/kg	E1311/SW6010

mg/L milligrams per kilogram

BDL- Below Detection Limit


Signature:

Michael Lapman
President

State #: PH-0218

ELAP#: 11715

Ref #: 11301



JMS ENVIRONMENTAL SERVICES, INC.

1500 SUMMER STREET

STAMFORD, CONNECTICUT 06905

NELAC, CT and NY State Certified Environmental Laboratory

Cody Ehlers Group: BDP - 2

Mailing Information:

Name: Cody Ehlers Group

Address: 140 Sherman St

City: Fairfield

State: CT

Zip: 06824

Telephone: 203-259-7722 **Fax:** 203-259-6088

Collector's Information:

Name: CEG

Address of site:

City: Garden City

State: NY

Zip:

Telephone:

Sample's Information:

Site: Blowdown Pit

Preservative: HNO3

Temperature: <4C

Date Collected: 6/5/2003

Time Collected:

Date Received: 6/6/2003

Time Received: 11:40

Lab No.: J033850

Date Analyzed	Test Name	Result	Method
6/12/03	Total Mercury	BDL mg/kg	E1311/SW6010

mg/L milligrams per kilogram

BDL- Below Detection Limit

Signature:

Michael Lapman
President

State #: PH-0218

ELAP#: 11715

Ref #: 11301



0695-

Fairfield, CT 06424

603	1140
-----	------

RECEIVED BY:

# OF CONTAINERS	DATE	TIME	LOCATION	REMARKS
1	10/10/19	14:00	1000	1000
2	10/10/19	14:00	1000	1000
3	10/10/19	14:00	1000	1000
4	10/10/19	14:00	1000	1000
5	10/10/19	14:00	1000	1000
6	10/10/19	14:00	1000	1000
7	10/10/19	14:00	1000	1000
8	10/10/19	14:00	1000	1000
9	10/10/19	14:00	1000	1000
10	10/10/19	14:00	1000	1000
11	10/10/19	14:00	1000	1000
12	10/10/19	14:00	1000	1000
13	10/10/19	14:00	1000	1000
14	10/10/19	14:00	1000	1000
15	10/10/19	14:00	1000	1000
16	10/10/19	14:00	1000	1000
17	10/10/19	14:00	1000	1000
18	10/10/19	14:00	1000	1000
19	10/10/19	14:00	1000	1000
20	10/10/19	14:00	1000	1000
21	10/10/19	14:00	1000	1000
22	10/10/19	14:00	1000	1000
23	10/10/19	14:00	1000	1000
24	10/10/19	14:00	1000	1000
25	10/10/19	14:00	1000	1000
26	10/10/19	14:00	1000	1000
27	10/10/19	14:00	1000	1000
28	10/10/19	14:00	1000	1000
29	10/10/19	14:00	1000	1000
30	10/10/19	14:00	1000	1000
31	10/10/19	14:00	1000	1000
32	10/10/19	14:00	1000	1000
33	10/10/19	14:00	1000	1000
34	10/10/19	14:00	1000	1000
35	10/10/19	14:00	1000	1000
36	10/10/19	14:00	1000	1000
37	10/10/19	14:00	1000	1000
38	10/10/19	14:00	1000	1000
39	10/10/19	14:00	1000	1000
40	10/10/19	14:00	1000	1000
41	10/10/19	14:00	1000	1000
42	10/10/19	14:00	1000	1000
43	10/10/19	14:00	1000	1000
44	10/10/19	14:00	1000	1000
45	10/10/19	14:00	1000	1000
46	10/10/19	14:00	1000	1000
47	10/10/19	14:00	1000	1000
48	10/10/19	14:00	1000	1000
49	10/10/19	14:00	1000	1000
50	10/10/19	14:00	1000	1000
51	10/10/19	14:00	1000	1000
52	10/10/19	14:00	1000	1000
53	10/10/19	14:00	1000	1000
54	10/10/19	14:00	1000	1000
55	10/10/19	14:00	1000	1000
56	10/10/19	14:00	1000	1000
57	10/10/19	14:00	1000	1000
58	10/10/19	14:00	1000	1000
59	10/10/19	14:00	1000	1000
60	10/10/19	14:00	1000	1000
61	10/10/19	14:00	1000	1000
62	10/10/19	14:00	1000	1000
63	10/10/19	14:00	1000	1000
64	10/10/19	14:00	1000	1000
65	10/10/19	14:00	1000	1000
66	10/10/19	14:00	1000	1000
67	10/10/19	14:00	1000	1000
68	10/10/19</			

5

—



CEG

COMMENTS

Appendix E - RGM Waste Manifest - 10/23/02

12/13/

155659

MECHANIC	HELPER	DATE
Kend	M. H. H.	10/23/0

☐ LATE NIGHT
☐ SUNDAY
☐ HOLIDAY

☐ NEW	
☐ REFERRAL	
☐ REPEAT	

PUMPING	Sigma Sigma #1	Sumner #153	CHEMICALS
---------	----------------	-------------	-----------

LABOR
SINK TUB TOILET
LINE CLEANING
(350 gals removed)

2. Elongation 100138

TOTAL	
TAX	

NET 10 DAYS. 1 1/2% Service Charge per Month on Overdue Accounts.

(11). That the facilities to be pumped contain only sanitary sewage; (2). That I have not been notified by the Suffolk County Department of Health or the Nassau County Department of Health or any family or person added any chemical solvent waste or industrial wastes of any kind to the facility system pumped by a licensed industrial hauler. That neither I nor any person in my family or

any kind have been added, legal action may be undertaken by the appropriate agencies against any or all parties involved. I, hereby affirm under penalty of perjury that information provided on this form is true to the best of my knowledge and belief. False statements made herein are punishable as a Class A misdemeanor.

Customer's Signature _____
Date _____

10-23

JOB WORK ORDER

RG M

15997

7000-99C (189)

	Arrived on job	A.M./P.M.	Left job	A.M./P.M.
Mechanic	7:00	A.M.	12:00	P.M.

ADDRESS 71 Clinton Rd Garden City NY		CITY GARDEN CITY NY
PHONE 516-466-1000		

☐ NEW	
☐ REFERRAL	
☐ REPEAT	

12/1/77

SINK TUB TOILET	
LABOR	
OTHER	

	SUB TOTAL	

of the Purchaser to inform the Service Company of any below ground or hidden perils. The Seller shall not be responsible for damage above or below ground to property or hidden perils. Signor assumes liability representatively and personally for pay-
CHECK NO. _____
DATE PAID _____
TOTAL _____

NET 10 DAYS, 1% Service Charge per month on Overdue Accounts ☐ EARLY PAYMENT DISCOUNT ☐ LATE PAYMENT PENALTY ☐

[illegible]

1. I, hereby affirm under penalty of perjury that information provided on this form is true and correct to the best of my knowledge and belief. False statements made herein are punishable as a Class A misdemeanor pursuant to Section 210.45 of the Penal Law.

Customer's Signature _____
Date 10/1/2012

PRIVATE
NON-HAZARDOUS
DOCUMENT OF CARGO

N.Y. State 364 Permit No. 1A-033

RGM ID # SS-1

Truck License Number 33308AW

IDENTIFICATION

Generator: Essette Company name, mailing address and telephone number
71 Clinton rd.
Garden City, N.Y.

Transporter: RGM/Earthcare
972 Nicolls rd
Deer Park N.Y. 11729

TSD Treatment: RGM/Earthcare
Storage or Disposal Facility: 972 Nicolls rd
Deer Park N.Y. 11729

WASTE INFORMATION

Description	Containers No. Type	Total Quantity	Unit Wt/Vol	RGM Code #
<u>Non Hazardous</u> <u>Solids / sludge</u>	<u>1</u> <u>DT</u>	<u>12</u>	<u>yds</u>	

I hereby certify that the above waste description is complete and accurate, and that no component exist in the wastes which render it hazardous as defined by 6 NY CRR Section 371 and 372.

[Signature]
Generator's Signature

10-23-07
Date

[Signature]
Transporter's Signature

10/23/07
Date

[Signature]
TSD Signature

10/23/07
Date

Appendix F - Long Island Analytical Laboratories, Inc. - 10/31/2002



**LONG
ISLAND
ANALYTICAL
LABORATORIES INC.**

NYSDOH ELAP# 11693
USEPA# NY01273
CTDOH# PH-0284

"TOMORROWS ANALYTICAL SOLUTIONS TODAY"

1 of 22 pages

October 31, 2002

Cody Ehlers Group
Jeff Day
140 Sherman Street
Fairfield, CT 06430

Re: Stewart & Clinton

Dear Mr. Day:

Enclosed please find the Laboratory Analysis Report(s) for sample(s) received on October 25, 2002. Long Island Analytical Laboratories analyzed the samples on October 30, 2002 for the following:

CLIENT ID	ANALYSIS
P-Cess	EPA 8260, EPA 8270PAH, Total (8) Metals, TPH 8015
S-Cess	EPA 8260, EPA 8270PAH, Total (8) Metals, TPH 8015
BDW-1	EPA 8260, EPA 8270PAH, Total (8) Metals, TPH 8015
BDP-1	EPA 8260, EPA 8270PAH, Total (8) Metals, TPH 8015
BDP-2	EPA 8260, EPA 8270PAH, Total (8) Metals, TPH 8015

If you have any questions or require further information, please call at your convenience. Long Island Analytical Laboratories would like to thank you for the opportunity to be of service to you.

Best Regards,

Long Island Analytical Laboratories, Inc.

2 of 22 pages

Client: Cody Ehlers Group	Client ID: Stewart & Clinton (P-Cess)
Date received: 10/25/02	Laboratory ID: 0227500
Date extracted: 10/29/02	Matrix: Soil
Date analyzed: 10/29/02	ELAP #: 11693

EPA METHOD 8260

Parameter	CAS No.	Results ug/kg
BENZENE	71-43-2	<5
BROMOBENZENE	108-86-1	<5
BROMOCHLOROMETHANE	74-97-5	<5
BROMODICHLOROMETHANE	75-27-4	<5
BROMOFORM	75-25-2	<5
BROMOMETHANE	74-83-9	<5
n-BUTYLBENZENE	104-51-8	<5
sec-BUTYLBENZENE	135-98-8	<5
tert-BUTYLBENZENE	98-06-6	<5
CARBON TETRACHLORIDE	56-23-5	<5
CHLOROBENZENE	108-90-7	<5
CHLORODIBROMOMETHANE	124-48-1	<5
CHLOROETHANE	75-00-3	<5
CHLOROFORM	67-66-3	<5
CHLOROMETHANE	74-87-3	<5
2-CHLOROTOLUENE	95-49-8	<5
4-CHLOROTOLUENE	106-43-4	<5
1,2-DIBROMO-3-CHLOROPROPANE	96-12-8	<5
1,2-DIBROMOETHANE	106-93-4	<5
DIBROMOMETHANE	74-95-3	<5
1,2-DICHLOROBENZENE	95-50-1	<5
1,3-DICHLOROBENZENE	541-73-1	<5
1,4-DICHLOROBENZENE	106-46-7	<5
DICHLORODIFLUOROMETHANE	75-71-8	<5
1,1-DICHLOROETHANE	75-34-3	<5
1,2-DICHLOROETHANE	107-06-2	<5
1,1-DICHLOROETHENE	75-35-4	<5
cis-1,2-DICHLOROETHENE	156-59-2	<5
trans-1,2-DICHLOROETHENE	156-60-5	<5
1,2-DICHLOROPROPANE	78-87-5	<5
1,3-DICHLOROPROPANE	142-28-9	<5
2,2-DICHLOROPROPANE	594-20-7	<5



**LONG
ISLAND
ANALYTICAL
LABORATORIES INC.**

101-4 Colin Drive • Holbrook, New York 11741

"TOMORROWS ANALYTICAL SOLUTIONS TODAY"

Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

3 of 22 pages

Client: Cody Ehlers Group	Client ID: Stewart & Clinton (P-Cess)
Date received: 10/25/02	Laboratory ID: 0227500
Date extracted: 10/29/02	Matrix: Soil
Date analyzed: 10/29/02	ELAP #: 11693

EPA METHOD 8260

Parameter	CAS No.	Results ug/kg
1,1-DICHLOROPROPENE	563-58-6	<5
ETHYLBENZENE	100-41-4	<5
HEXACHLOROBUTADIENE	87-68-3	<5
ISOPROPYLBENZENE	98-82-8	<5
p-ISOPROPYLTOLUENE	99-87-6	<5
METHYLENE CHLORIDE	75-09-2	<5
NAPHTHALENE	91-20-3	<5
n-PROPYLBENZENE	103-65-1	<5
STYRENE	100-42-5	<5
1,1,1,2-TETRACHLOROETHANE	630-20-6	<5
1,1,2,2-TETRACHLOROETHANE	79-34-5	<5
TETRACHLOROETHENE	127-18-4	<5
TOLUENE	108-88-3	<5
1,2,3-TRICHLOROBENZENE	87-61-6	<5
1,2,4-TRICHLOROBENZENE	120-82-1	<5
1,1,1-TRICHLOROETHANE	71-55-6	<5
1,1,2-TRICHLOROETHANE	79-00-5	<5
TRICHLOROETHENE	79-01-6	<5
TRICHLOROFLUOROMETHANE	75-69-4	<5
1,2,3-TRICHLOROPROPANE	96-18-4	<5
1,3,5-TRIMETHYLBENZENE	108-67-8	<5
1,2,4-TRIMETHYLBENZENE	95-63-6	<5
VINYL CHLORIDE	75-01-4	<5
ACETONE	67-64-1	<50
CARBON DISULFIDE	75-15-0	<5
2-BUTANONE (MEK)	78-93-3	<10
VINYL ACETATE	108-05-4	<5
2-HEXANONE	591-78-6	<5
p & m-XYLENE	1330-20-7	<10
o-XYLENE	1330-20-7	<5
MTBE	1634-04-4	<5



Laboratory Director



**LONG
ISLAND
ANALYTICAL
LABORATORIES INC.**

101-4 Colin Drive • Holbrook, New York 11741

"TOMORROW'S ANALYTICAL SOLUTIONS TODAY"

Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

4 of 22 pages

Client: Cody Ehlers Group	Client ID: Stewart & Clinton (P-Cess)
Date received: 10/25/02	Laboratory ID: 0227500
Date extracted: 10/29/02	Matrix: Soil
Date analyzed: 10/29/02	ELAP #: 11693

EPA METHOD 8270-PAH

PARAMETER	CAS No.	RESULTS ug/kg
ACENAPHTHENE	83-32-9	<40
ACENAPHTHALENE	208-96-8	<40
ANTHRACENE	120-12-7	<40
BENZO(a)ANTHRACENE	56-55-3	<40
BENZO(a)PYRENE	50-32-8	<40
BENZO(b)FLUORANTHENE	205-99-2	<40
BENZO(ghi)PERYLENE	191-24-2	<40
BENZO(k)FLUORANTHENE	207-08-9	<40
CHRYSENE	218-01-9	<40
DIBENZO(a,h)ANTHRACENE	53-70-3	<40
FLUORANTHENE	206-44-0	<40
FLUORENE	86-73-7	<40
INDENO(1,2,3-cd)PYRENE	193-39-5	<40
NAPHTHALENE	91-20-3	<40
PHENANTHRENE	85-01-8	<40
PYRENE	129-00-0	<40

Michael Vennard

Laboratory Director

**LONG
ISLAND
ANALYTICAL
LABORATORIES INC.**

101-4 Colin Drive • Holbrook, New York 11741

"TOMORROW'S ANALYTICAL SOLUTIONS TODAY"

Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

5 of 22 pages

Client: Cody Ehlers Group	Client ID: Stewart & Clinton (P-Cess)
Date received: 10/25/02	Laboratory ID: 0227500
Date extracted: 10/30/02	Matrix: Soil
Date analyzed: 10/30/02	ELAP #: 11693

METALS ANALYSIS 8 RCRA

Parameter	MDL	Results mg/kg
SILVER, Ag	1.65 mg/kg	<1.65
ARSENIC, As	1.65 mg/kg	<1.65
BARIUM, Ba	3.33 mg/kg	5.76
CADMIUM, Cd	1.00 mg/kg	<1.00
CHROMIUM, Cr	1.65 mg/kg	1.73
MERCURY, Hg	0.020 mg/kg	0.29
LEAD, Pb	1.65 mg/kg	3.22
SELENIUM, Se	1.65 mg/kg	<1.65

Performed by SW-846 Method 6010

Michael Venzel

Laboratory Director



**LONG
ISLAND
ANALYTICAL
LABORATORIES INC.**

101-4 Colin Drive • Holbrook, New York 11741

"TOMORROW'S ANALYTICAL SOLUTIONS TODAY"

Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

6 of 22 pages

Client: Cody Ehlers Group	Client ID: Stewart & Clinton (S-Cess)
Date received: 10/25/02	Laboratory ID: 0227501
Date extracted: 10/29/02	Matrix: Soil
Date analyzed: 10/29/02	ELAP #: 11693

EPA METHOD 8260

Parameter	CAS No.	Results ug/kg
BENZENE	71-43-2	<5
BROMOBENZENE	108-86-1	<5
BROMOCHLOROMETHANE	74-97-5	<5
BROMODICHLOROMETHANE	75-27-4	<5
BROMOFORM	75-25-2	<5
BROMOMETHANE	74-83-9	<5
n-BUTYLBENZENE	104-51-8	<5
sec-BUTYLBENZENE	135-98-8	<5
tert-BUTYLBENZENE	98-06-6	<5
CARBON TETRACHLORIDE	56-23-5	<5
CHLOROBENZENE	108-90-7	<5
CHLORODIBROMOMETHANE	124-48-1	<5
CHLOROETHANE	75-00-3	<5
CHLOROFORM	67-66-3	<5
CHLOROMETHANE	74-87-3	<5
2-CHLOROTOLUENE	95-49-8	<5
4-CHLOROTOLUENE	106-43-4	<5
1,2-DIBROMO-3-CHLOROPROPANE	96-12-8	<5
1,2-DIBROMOETHANE	106-93-4	<5
DIBROMOMETHANE	74-95-3	<5
1,2-DICHLOROBENZENE	95-50-1	<5
1,3-DICHLOROBENZENE	541-73-1	<5
1,4-DICHLOROBENZENE	106-46-7	<5
DICHLORODIFLUOROMETHANE	75-71-8	<5
1,1-DICHLOROETHANE	75-34-3	<5
1,2-DICHLOROETHANE	107-06-2	<5
1,1-DICHLOROETHENE	75-35-4	<5
cis-1,2-DICHLOROETHENE	156-59-2	<5
trans-1,2-DICHLOROETHENE	156-60-5	<5
1,2-DICHLOROPROPANE	78-87-5	<5
1,3-DICHLOROPROPANE	142-28-9	<5
2,2-DICHLOROPROPANE	594-20-7	<5



**LONG
ISLAND
ANALYTICAL
LABORATORIES INC.**

101-4 Colin Drive • Holbrook, New York 11741

"TOMORROW'S ANALYTICAL SOLUTIONS TODAY"

Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

7 of 22 pages

Client: Cody Ehlers Group	Client ID: Stewart & Clinton (S-Cess)
Date received: 10/25/02	Laboratory ID: 0227501
Date extracted: 10/29/02	Matrix: Soil
Date analyzed: 10/29/02	ELAP #: 11693

EPA METHOD 8260

Parameter	CAS No.	Results ug/kg
1,1-DICHLOROPROPENE	563-58-6	<5
ETHYLBENZENE	100-41-4	<5
HEXACHLOROBUTADIENE	87-68-3	<5
ISOPROPYLBENZENE	98-82-8	<5
p-ISOPROPYLTOLUENE	99-87-6	<5
METHYLENE CHLORIDE	75-09-2	<5
NAPHTHALENE	91-20-3	<5
n-PROPYLBENZENE	103-65-1	<5
STYRENE	100-42-5	<5
1,1,1,2-TETRACHLOROETHANE	630-20-6	<5
1,1,2,2-TETRACHLOROETHANE	79-34-5	<5
TETRACHLOROETHENE	127-18-4	<5
TOLUENE	108-88-3	<5
1,2,3-TRICHLOROBENZENE	87-61-6	<5
1,2,4-TRICHLOROBENZENE	120-82-1	<5
1,1,1-TRICHLOROETHANE	71-55-6	<5
1,1,2-TRICHLOROETHANE	79-00-5	<5
TRICHLOROETHENE	79-01-6	<5
TRICHLOROFLUOROMETHANE	75-69-4	<5
1,2,3-TRICHLOROPROPANE	96-18-4	<5
1,3,5-TRIMETHYLBENZENE	108-67-8	<5
1,2,4-TRIMETHYLBENZENE	95-63-6	<5
VINYL CHLORIDE	75-01-4	<5
ACETONE	67-64-1	<50
CARBON DISULFIDE	75-15-0	<5
2-BUTANONE (MEK)	78-93-3	<10
VINYL ACETATE	108-05-4	<5
2-HEXANONE	591-78-6	<5
p & m-XYLENE	1330-20-7	<10
o-XYLENE	1330-20-7	<5
MTBE	1634-04-4	<5



Laboratory Director



**LONG
ISLAND
ANALYTICAL
LABORATORIES INC.**

101-4 Colin Drive • Holbrook, New York 11741

"TOMORROWS ANALYTICAL SOLUTIONS TODAY"


Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

8 of 22 pages

Client: Cody Ehlers Group	Client ID: Stewart & Clinton (S-Cess)
Date received: 10/25/02	Laboratory ID: 0227501
Date extracted: 10/29/02	Matrix: Soil
Date analyzed: 10/29/02	ELAP #: 11693

EPA METHOD 8270-PAH

PARAMETER	CAS No.	RESULTS ug/kg
ACENAPHTHENE	83-32-9	<40
ACENAPHTHALENE	208-96-8	<40
ANTHRACENE	120-12-7	<40
BENZO(a)ANTHRACENE	56-55-3	<40
BENZO(a)PYRENE	50-32-8	<40
BENZO(b)FLUORANTHENE	205-99-2	<40
BENZO(ghi)PERYLENE	191-24-2	<40
BENZO(k)FLUORANTHENE	207-08-9	<40
CHRYSENE	218-01-9	<40
DIBENZO(a,h)ANTHRACENE	53-70-3	<40
FLUORANTHENE	206-44-0	45
FLUORENE	86-73-7	<40
INDENO(1,2,3-cd)PYRENE	193-39-5	<40
NAPHTHALENE	91-20-3	<40
PHENANTHRENE	85-01-8	<40
PYRENE	129-00-0	40



Laboratory Director

**LONG
ISLAND
ANALYTICAL
LABORATORIES INC.**

101-4 Colin Drive • Holbrook, New York 11741

"TOMORROW'S ANALYTICAL SOLUTIONS TODAY"

Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

9 of 22 pages

Client: Cody Ehlers Group	Client ID: Stewart & Clinton (S-Cess)
Date received: 10/25/02	Laboratory ID: 0227501
Date extracted: 10/30/02	Matrix: Soil
Date analyzed: 10/30/02	ELAP #: 11693

METALS ANALYSIS 8 RCRA

Parameter	MDL	Results mg/kg
SILVER, Ag	1.65 mg/kg	<1.65
ARSENIC, As	1.65 mg/kg	<1.65
BARIUM, Ba	3.33 mg/kg	<3.33
CADMIUM, Cd	1.00 mg/kg	<1.00
CHROMIUM, Cr	1.65 mg/kg	2.09
MERCURY, Hg	0.020 mg/kg	0.31
LEAD, Pb	1.65 mg/kg	4.88
SELENIUM, Se	1.65 mg/kg	<1.65

Performed by SW-846 Method 6010

Michael Vennard

Laboratory Director

**LONG
ISLAND
ANALYTICAL
LABORATORIES INC.**

101-4 Colin Drive • Holbrook, New York 11741

Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

"TOMORROW'S ANALYTICAL SOLUTIONS TODAY"

10 of 22 pages

Client: Cody Ehlers Group	Client ID: Stewart & Clinton (BDW-1)
Date received: 10/25/02	Laboratory ID: 0227502
Date extracted: 10/29/02	Matrix: Soil
Date analyzed: 10/29/02	ELAP #: 11693

EPA METHOD 8260

Parameter	CAS No.	Results ug/kg
BENZENE	71-43-2	<5
BROMOBENZENE	108-86-1	<5
BROMOCHLOROMETHANE	74-97-5	<5
BROMODICHLOROMETHANE	75-27-4	<5
BROMOFORM	75-25-2	<5
BROMOMETHANE	74-83-9	<5
n-BUTYLBENZENE	104-51-8	<5
sec-BUTYLBENZENE	135-98-8	<5
tert-BUTYLBENZENE	98-06-6	<5
CARBON TETRACHLORIDE	56-23-5	<5
CHLOROBENZENE	108-90-7	<5
CHLORODIBROMOMETHANE	124-48-1	<5
CHLOROETHANE	75-00-3	<5
CHLOROFORM	67-66-3	<5
CHLOROMETHANE	74-87-3	<5
2-CHLOROTOLUENE	95-49-8	<5
4-CHLOROTOLUENE	106-43-4	<5
1,2-DIBROMO-3-CHLOROPROPANE	96-12-8	<5
1,2-DIBROMOETHANE	106-93-4	<5
DIBROMOMETHANE	74-95-3	<5
1,2-DICHLOROBENZENE	95-50-1	<5
1,3-DICHLOROBENZENE	541-73-1	<5
1,4-DICHLOROBENZENE	106-46-7	<5
DICHLORODIFLUOROMETHANE	75-71-8	<5
1,1-DICHLOROETHANE	75-34-3	<5
1,2-DICHLOROETHANE	107-06-2	<5
1,1-DICHLOROETHENE	75-35-4	<5
cis-1,2-DICHLOROETHENE	156-59-2	<5
trans-1,2-DICHLOROETHENE	156-60-5	<5
1,2-DICHLOROPROPANE	78-87-5	<5
1,3-DICHLOROPROPANE	142-28-9	<5
2,2-DICHLOROPROPANE	594-20-7	<5



**LONG
ISLAND
ANALYTICAL
LABORATORIES INC.**

101-4 Colin Drive • Holbrook, New York 11741

"TOMORROW'S ANALYTICAL SOLUTIONS TODAY"

Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

11 of 22 pages

Client: Cody Ehlers Group	Client ID: Stewart & Clinton (BDW-1)
Date received: 10/25/02	Laboratory ID: 0227502
Date extracted: 10/29/02	Matrix: Soil
Date analyzed: 10/29/02	ELAP #: 11693

EPA METHOD 8260

Parameter	CAS No.	Results ug/kg
1,1-DICHLOROPROPENE	563-58-6	<5
ETHYLBENZENE	100-41-4	<5
HEXACHLOROBUTADIENE	87-68-3	<5
ISOPROPYLBENZENE	98-82-8	<5
p-ISOPROPYLTOLUENE	99-87-6	<5
METHYLENE CHLORIDE	75-09-2	<5
NAPHTHALENE	91-20-3	<5
n-PROPYLBENZENE	103-65-1	<5
STYRENE	100-42-5	<5
1,1,1,2-TETRACHLOROETHANE	630-20-6	<5
1,1,2,2-TETRACHLOROETHANE	79-34-5	<5
TETRACHLOROETHENE	127-18-4	<5
TOLUENE	108-88-3	<5
1,2,3-TRICHLOROBENZENE	87-61-6	<5
1,2,4-TRICHLOROBENZENE	120-82-1	<5
1,1,1-TRICHLOROETHANE	71-55-6	<5
1,1,2-TRICHLOROETHANE	79-00-5	<5
TRICHLOROETHENE	79-01-6	<5
TRICHLOROFLUOROMETHANE	75-69-4	<5
1,2,3-TRICHLOROPROPANE	96-18-4	<5
1,3,5-TRIMETHYLBENZENE	108-67-8	<5
1,2,4-TRIMETHYLBENZENE	95-63-6	<5
VINYL CHLORIDE	75-01-4	<5
ACETONE	67-64-1	<50
CARBON DISULFIDE	75-15-0	<5
2-BUTANONE (MEK)	78-93-3	<10
VINYL ACETATE	108-05-4	<5
2-HEXANONE	591-78-6	<5
p & m-XYLENE	1330-20-7	<10
o-XYLENE	1330-20-7	<5
MTBE	1634-04-4	<5



Laboratory Director



**LONG
ISLAND
ANALYTICAL
LABORATORIES INC.**

101-4 Colin Drive • Holbrook, New York 11741

"TOMORROW'S ANALYTICAL SOLUTIONS TODAY"

Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

12 of 22 pages

Client: Cody Ehlers Group	Client ID: Stewart & Clinton (BDW-1)
Date received: 10/25/02	Laboratory ID: 0227502
Date extracted: 10/29/02	Matrix: Soil
Date analyzed: 10/29/02	ELAP #: 11693

EPA METHOD 8270-PAH

PARAMETER	CAS No.	RESULTS ug/kg
ACENAPHTHENE	83-32-9	198
ACENAPHTHALENE	208-96-8	<100
ANTHRACENE	120-12-7	210
BENZO(a)ANTHRACENE	56-55-3	181
BENZO(a)PYRENE	50-32-8	196
BENZO(b)FLUORANTHENE	205-99-2	<100
BENZO(ghi)PERYLENE	191-24-2	330
BENZO(k)FLUORANTHENE	207-08-9	100
CHRYSENE	218-01-9	183
DIBENZO(a,h)ANTHRACENE	53-70-3	<100
FLUORANTHENE	206-44-0	358
FLUORENE	86-73-7	216
INDENO(1,2,3-cd)PYRENE	193-39-5	<100
NAPHTHALENE	91-20-3	<100
PHENANTHRENE	85-01-8	713
PYRENE	129-00-0	558

Note: MDL's are raised due to matrix interference.

Michael Vennard

Laboratory Director

**LONG
ISLAND
ANALYTICAL
LABORATORIES INC.**

101-4 Colin Drive • Holbrook, New York 11741

"TOMORROW'S ANALYTICAL SOLUTIONS TODAY" Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com


13 of 22 pages

Client: Cody Ehlers Group	Client ID: Stewart & Clinton (BDW-1)
Date received: 10/25/02	Laboratory ID: 0227502
Date extracted: 10/30/02	Matrix: Soil
Date analyzed: 10/30/02	ELAP #: 11693

METALS ANALYSIS 8 RCRA

Parameter	MDL	Results mg/kg
SILVER, Ag	1.65 mg/kg	<1.65
ARSENIC, As	1.65 mg/kg	<1.65
BARIUM, Ba	3.33 mg/kg	9.14
CADMIUM, Cd	1.00 mg/kg	<1.00
CHROMIUM, Cr	1.65 mg/kg	3.08
MERCURY, Hg	0.020 mg/kg	0.31
LEAD, Pb	1.65 mg/kg	10.2
SELENIUM, Se	1.65 mg/kg	<1.65

Performed by SW-846 Method 6010



Laboratory Director

**LONG
ISLAND
ANALYTICAL
LABORATORIES INC.**

101-4 Colin Drive • Holbrook, New York 11741

"TOMORROWS ANALYTICAL SOLUTIONS TODAY"

Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

14 of 22 pages

Client: Cody Ehlers Group	Client ID: Stewart & Clinton (BDP-1)
Date received: 10/25/02	Laboratory ID: 0227503
Date extracted: 10/29/02	Matrix: Soil
Date analyzed: 10/29/02	ELAP #: 11693

EPA METHOD 8260

Parameter	CAS No.	Results ug/kg
BENZENE	71-43-2	<5
BROMOBENZENE	108-86-1	<5
BROMOCHLOROMETHANE	74-97-5	<5
BROMODICHLOROMETHANE	75-27-4	<5
BROMOFORM	75-25-2	<5
BROMOMETHANE	74-83-9	<5
n-BUTYLBENZENE	104-51-8	<5
sec-BUTYLBENZENE	135-98-8	<5
tert-BUTYLBENZENE	98-06-6	<5
CARBON TETRACHLORIDE	56-23-5	<5
CHLOROBENZENE	108-90-7	<5
CHLORODIBROMOMETHANE	124-48-1	<5
CHLOROETHANE	75-00-3	<5
CHLOROFORM	67-66-3	<5
CHLOROMETHANE	74-87-3	<5
2-CHLOROTOLUENE	95-49-8	<5
4-CHLOROTOLUENE	106-43-4	<5
1,2-DIBROMO-3-CHLOROPROPANE	96-12-8	<5
1,2-DIBROMOETHANE	106-93-4	<5
DIBROMOMETHANE	74-95-3	<5
1,2-DICHLOROBENZENE	95-50-1	<5
1,3-DICHLOROBENZENE	541-73-1	<5
1,4-DICHLOROBENZENE	106-46-7	<5
DICHLORODIFLUOROMETHANE	75-71-8	<5
1,1-DICHLOROETHANE	75-34-3	<5
1,2-DICHLOROETHANE	107-06-2	<5
1,1-DICHLOROETHENE	75-35-4	<5
cis-1,2-DICHLOROETHENE	156-59-2	<5
trans-1,2-DICHLOROETHENE	156-60-5	<5
1,2-DICHLOROPROPANE	78-87-5	<5
1,3-DICHLOROPROPANE	142-28-9	<5
2,2-DICHLOROPROPANE	594-20-7	<5



**LONG
ISLAND
ANALYTICAL
LABORATORIES INC.**

101-4 Colin Drive • Holbrook, New York 11741

"TOMORROW'S ANALYTICAL SOLUTIONS TODAY"


Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

15 of 22 pages

Client: Cody Ehlers Group	Client ID: Stewart & Clinton (BDP-1)
Date received: 10/25/02	Laboratory ID: 0227503
Date extracted: 10/29/02	Matrix: Soil
Date analyzed: 10/29/02	ELAP #: 11693

EPA METHOD 8260

Parameter	CAS No.	Results ug/kg
1,1-DICHLOROPROPENE	563-58-6	<5
ETHYLBENZENE	100-41-4	<5
HEXACHLOROBUTADIENE	87-68-3	<5
ISOPROPYLBENZENE	98-82-8	<5
p-ISOPROPYLTOLUENE	99-87-6	<5
METHYLENE CHLORIDE	75-09-2	<5
NAPHTHALENE	91-20-3	<5
n-PROPYLBENZENE	103-65-1	<5
STYRENE	100-42-5	<5
1,1,1,2-TETRACHLOROETHANE	630-20-6	<5
1,1,2,2-TETRACHLOROETHANE	79-34-5	<5
TETRACHLOROETHENE	127-18-4	<5
TOLUENE	108-88-3	<5
1,2,3-TRICHLOROBENZENE	87-61-6	<5
1,2,4-TRICHLOROBENZENE	120-82-1	<5
1,1,1-TRICHLOROETHANE	71-55-6	<5
1,1,2-TRICHLOROETHANE	79-00-5	<5
TRICHLOROETHENE	79-01-6	<5
TRICHLOROFLUOROMETHANE	75-69-4	<5
1,2,3-TRICHLOROPROPANE	96-18-4	<5
1,3,5-TRIMETHYLBENZENE	108-67-8	<5
1,2,4-TRIMETHYLBENZENE	95-63-6	<5
VINYL CHLORIDE	75-01-4	<5
ACETONE	67-64-1	<50
CARBON DISULFIDE	75-15-0	<5
2-BUTANONE (MEK)	78-93-3	<10
VINYL ACETATE	108-05-4	<5
2-HEXANONE	591-78-6	<5
p & m-XYLENE	1330-20-7	<10
o-XYLENE	1330-20-7	<5
MTBE	1634-04-4	<5



Laboratory Director



**LONG
ISLAND
ANALYTICAL
LABORATORIES INC.**

101-4 Colin Drive • Holbrook, New York 11741

"TOMORROW'S ANALYTICAL SOLUTIONS TODAY"

Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

16 of 22 pages

Client: Cody Ehlers Group	Client ID: Stewart & Clinton (BDP-1)
Date received: 10/25/02	Laboratory ID: 0227503
Date extracted: 10/29/02	Matrix: Soil
Date analyzed: 10/29/02	ELAP #: 11693

EPA METHOD 8270-PAH

PARAMETER	CAS No.	RESULTS ug/kg
ACENAPHTHENE	83-32-9	<40
ACENAPHTHALENE	208-96-8	<40
ANTHRACENE	120-12-7	<40
BENZO(a)ANTHRACENE	56-55-3	<40
BENZO(a)PYRENE	50-32-8	<40
BENZO(b)FLUORANTHENE	205-99-2	<40
BENZO(ghi)PERYLENE	191-24-2	<40
BENZO(k)FLUORANTHENE	207-08-9	<40
CHRYSENE	218-01-9	<40
DIBENZO(a,h)ANTHRACENE	53-70-3	<40
FLUORANTHENE	206-44-0	<40
FLUORENE	86-73-7	<40
INDENO(1,2,3-cd)PYRENE	193-39-5	<40
NAPHTHALENE	91-20-3	<40
PHENANTHRENE	85-01-8	<40
PYRENE	129-00-0	<40

Michael Vennard

Laboratory Director

**LONG
ISLAND
ANALYTICAL
LABORATORIES INC.****"TOMORROW'S ANALYTICAL SOLUTIONS TODAY"**

101-4 Colin Drive • Holbrook, New York 11741

Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com


17 of 22 pages

Client: Cody Ehlers Group	Client ID: Stewart & Clinton (BDP-1)
Date received: 10/25/02	Laboratory ID: 0227503
Date extracted: 10/30/02	Matrix: Soil
Date analyzed: 10/30/02	ELAP #: 11693

METALS ANALYSIS 8 RCRA

Parameter	MDL	Results mg/kg
SILVER, Ag	1.65 mg/kg	<1.65
ARSENIC, As	1.65 mg/kg	<1.65
BARIUM, Ba	3.33 mg/kg	24.3
CADMIUM, Cd	1.00 mg/kg	<1.00
CHROMIUM, Cr	1.65 mg/kg	7.11
MERCURY, Hg	0.020 mg/kg	1.75
LEAD, Pb	1.65 mg/kg	5.43
SELENIUM, Se	1.65 mg/kg	<1.65

Performed by SW-846 Method 6010



Laboratory Director

**LONG
ISLAND
ANALYTICAL
LABORATORIES INC.**

101-4 Colin Drive • Holbrook, New York 11741

"TOMORROWS ANALYTICAL SOLUTIONS TODAY"

Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

18 of 22 pages

Client: Cody Ehlers Group	Client ID: Stewart & Clinton (BDP-2)
Date received: 10/25/02	Laboratory ID: 0227504
Date extracted: 10/29/02	Matrix: Soil
Date analyzed: 10/29/02	ELAP #: 11693

EPA METHOD 8260

Parameter	CAS No.	Results ug/kg
BENZENE	71-43-2	<5
BROMOBENZENE	108-86-1	<5
BROMOCHLOROMETHANE	74-97-5	<5
BROMODICHLOROMETHANE	75-27-4	<5
BROMOFORM	75-25-2	<5
BROMOMETHANE	74-83-9	<5
n-BUTYLBENZENE	104-51-8	<5
sec-BUTYLBENZENE	135-98-8	<5
tert-BUTYLBENZENE	98-06-6	<5
CARBON TETRACHLORIDE	56-23-5	<5
CHLOROBENZENE	108-90-7	<5
CHLORODIBROMOMETHANE	124-48-1	<5
CHLOROETHANE	75-00-3	<5
CHLOROFORM	67-66-3	<5
CHLOROMETHANE	74-87-3	<5
2-CHLOROTOLUENE	95-49-8	<5
4-CHLOROTOLUENE	106-43-4	<5
1,2-DIBROMO-3-CHLOROPROPANE	96-12-8	<5
1,2-DIBROMOETHANE	106-93-4	<5
DIBROMOMETHANE	74-95-3	<5
1,2-DICHLOROBENZENE	95-50-1	<5
1,3-DICHLOROBENZENE	541-73-1	<5
1,4-DICHLOROBENZENE	106-46-7	<5
DICHLORODIFLUOROMETHANE	75-71-8	<5
1,1-DICHLOROETHANE	75-34-3	<5
1,2-DICHLOROETHANE	107-06-2	<5
1,1-DICHLOROETHENE	75-35-4	<5
cis-1,2-DICHLOROETHENE	156-59-2	<5
trans-1,2-DICHLOROETHENE	156-60-5	<5
1,2-DICHLOROPROPANE	78-87-5	<5
1,3-DICHLOROPROPANE	142-28-9	<5
2,2-DICHLOROPROPANE	594-20-7	<5



**LONG
ISLAND
ANALYTICAL
LABORATORIES INC.**

101-4 Colin Drive • Holbrook, New York 11741

"TOMORROW'S ANALYTICAL SOLUTIONS TODAY"

Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

19 of 22 pages

Client: Cody Ehlers Group	Client ID: Stewart & Clinton (BDP-2)
Date received: 10/25/02	Laboratory ID: 0227504
Date extracted: 10/29/02	Matrix: Soil
Date analyzed: 10/29/02	ELAP #: 11693

EPA METHOD 8260

Parameter	CAS No.	Results ug/kg
1,1-DICHLOROPROPENE	563-58-6	<5
ETHYLBENZENE	100-41-4	<5
HEXACHLOROBUTADIENE	87-68-3	<5
ISOPROPYLBENZENE	98-82-8	<5
p-ISOPROPYLTOLUENE	99-87-6	<5
METHYLENE CHLORIDE	75-09-2	<5
NAPHTHALENE	91-20-3	<5
n-PROPYLBENZENE	103-65-1	<5
STYRENE	100-42-5	<5
1,1,1,2-TETRACHLOROETHANE	630-20-6	<5
1,1,2,2-TETRACHLOROETHANE	79-34-5	<5
TETRACHLOROETHENE	127-18-4	6
TOLUENE	108-88-3	<5
1,2,3-TRICHLOROBENZENE	87-61-6	<5
1,2,4-TRICHLOROBENZENE	120-82-1	<5
1,1,1-TRICHLOROETHANE	71-55-6	<5
1,1,2-TRICHLOROETHANE	79-00-5	<5
TRICHLOROETHENE	79-01-6	<5
TRICHLOROFLUOROMETHANE	75-69-4	<5
1,2,3-TRICHLOROPROPANE	96-18-4	<5
1,3,5-TRIMETHYLBENZENE	108-67-8	<5
1,2,4-TRIMETHYLBENZENE	95-63-6	<5
VINYL CHLORIDE	75-01-4	<5
ACETONE	67-64-1	<50
CARBON DISULFIDE	75-15-0	<5
2-BUTANONE (MEK)	78-93-3	<10
VINYL ACETATE	108-05-4	<5
2-HEXANONE	591-78-6	<5
p & m-XYLENE	1330-20-7	<10
o-XYLENE	1330-20-7	<5
MTBE	1634-04-4	<5

Michael Venzel

Laboratory Director



**LONG
ISLAND
ANALYTICAL
LABORATORIES INC.**

101-4 Colin Drive • Holbrook, New York 11741

"TOMORROW'S ANALYTICAL SOLUTIONS TODAY"

Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

20 of 22 pages

Client: Cody Ehlers Group	Client ID: Stewart & Clinton (BDP-2)
Date received: 10/25/02	Laboratory ID: 0227504
Date extracted: 10/29/02	Matrix: Soil
Date analyzed: 10/29/02	ELAP #: 11693

EPA METHOD 8270-PAH

PARAMETER	CAS No.	RESULTS ug/kg
ACENAPHTHENE	83-32-9	<100
ACENAPHTHALENE	208-96-8	<100
ANTHRACENE	120-12-7	<100
BENZO(a)ANTHRACENE	56-55-3	<100
BENZO(a)PYRENE	50-32-8	<100
BENZO(b)FLUORANTHENE	205-99-2	<100
BENZO(ghi)PERYLENE	191-24-2	<100
BENZO(k)FLUORANTHENE	207-08-9	<100
CHRYSENE	218-01-9	<100
DIBENZO(a,h)ANTHRACENE	53-70-3	<100
FLUORANTHENE	206-44-0	<100
FLUORENE	86-73-7	<100
INDENO(1,2,3-cd)PYRENE	193-39-5	<100
NAPHTHALENE	91-20-3	<100
PHENANTHRENE	85-01-8	<100
PYRENE	129-00-0	<100

Note: MDL's are raised due to matrix interference.

Michael Venable

Laboratory Director

**LONG
ISLAND
ANALYTICAL
LABORATORIES INC.**

101-4 Colin Drive • Holbrook, New York 11741

"TOMORROW'S ANALYTICAL SOLUTIONS TODAY" Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

21 of 22 pages

Client: Cody Ehlers Group	Client ID: Stewart & Clinton (BDP-2)
Date received: 10/25/02	Laboratory ID: 0227504
Date extracted: 10/30/02	Matrix: Soil
Date analyzed: 10/30/02	ELAP #: 11693

METALS ANALYSIS 8 RCRA

Parameter	MDL	Results mg/kg
SILVER, Ag	1.65 mg/kg	<1.65
ARSENIC, As	1.65 mg/kg	<1.65
BARIUM, Ba	3.33 mg/kg	29.7
CADMIUM, Cd	1.00 mg/kg	<1.00
CHROMIUM, Cr	1.65 mg/kg	5.01
MERCURY, Hg	0.020 mg/kg	1.03
LEAD, Pb	1.65 mg/kg	6.35
SELENIUM, Se	1.65 mg/kg	<1.65

Performed by SW-846 Method 6010

Michael Vennard

Laboratory Director

**LONG
ISLAND
ANALYTICAL
LABORATORIES INC.****"TOMORROW'S ANALYTICAL SOLUTIONS TODAY"**

101-4 Colin Drive • Holbrook, New York 11741

Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

22 of 22 pages

Client: Cody Ehlers Group	Client ID: Stewart & Clinton
Date received: 10/25/02	Laboratory ID: 0227500-0227504
Date extracted: 10/29/02	Matrix: Soil
Date analyzed: 10/29/02	ELAP #: 11693

TPH 8015 ANALYSIS

Lab ID#	Client ID	Results mg/kg
0227500	P-Cess	17
0227501	S-Cess	51
0227502	BDW-1	513
0227503	BDP-1	85
0227504	BDP-2	459

Michael Verrill

Laboratory Director

**LONG
ISLAND
ANALYTICAL
LABORATORIES INC.**

101-4 Colin Drive • Holbrook, New York 11741

"TOMORROW'S ANALYTICAL SOLUTIONS TODAY"


Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

TOTAL P.22

80 Lupes Drive
Stratford, CT 06615
Tel (203) 377-9984
Fax (203) 377-9952

[illegible]

Appendix G - JMS Environmental, Inc. Services, Inc. - 6/10/03



JMS ENVIRONMENTAL SERVICES, INC.

1500 SUMMER STREET

STAMFORD, CONNECTICUT 06905

NELAC, CT and NY State Certified Environmental Laboratory

Cody Ehlers Group: DP-1L

Mailing Information:

Name: Cody Ehlers Group

Address: 140 Sherman St

City: Fairfield

State: CT

Zip: 06824

Telephone: 203-259-7722 **Fax:** 203-259-6088

Collector's Information:

Name: CEG

Address of site:

City: Garden City

State: NY

Zip:

Telephone:

Sample's Information:

Site: Distribution Pool

Preservative: HCL

Temperature: <4C

Date Collected: 6/5/2003


Time Collected:

Date Received: 6/6/2003

Time Received: 11:40

Lab No.: J033848

Date Analyzed	Test Name	Result	Method
	EPA 8260		
6/10/2003	Benzene	<5 ug/L	8260
6/10/2003	Bromochloromethane	<5 ug/L	8260
6/10/2003	Bromodichloromethane	<5 ug/L	8260
6/10/2003	Bromoform	<5 ug/L	8260
6/10/2003	Bromomethane	<5 ug/L	8260
6/10/2003	n-Butanol	<5 ug/L	8260
6/10/2003	t-Butyl alcohol	<5 ug/L	8260
6/10/2003	Carbon disulfide	<5 ug/L	8260
6/10/2003	Carbon tetrachloride	<5 ug/L	8260
6/10/2003	Chlorobenzene	<5 ug/L	8260
6/10/2003	Chlorodibromomethane	<5 ug/L	8260
6/10/2003	Chloroethane	<5 ug/L	8260
6/10/2003	Chloroform	<5 ug/L	8260
6/10/2003	Chloromethane	<5 ug/L	8260
6/10/2003	1,2-Dibromo-3-chloropropane	<5 ug/L	8260
6/10/2003	1,2-Dibromoethane	<5 ug/L	8260
6/10/2003	Dibromomethane	<5 ug/L	8260
6/10/2003	1,2-Dichlorobenzene	<5 ug/L	8260
6/10/2003	1,3-Dichlorobenzene	<5 ug/L	8260
6/10/2003	1,4-Dichlorobenzene	<5 ug/L	8260
6/10/2003	cis-1,4-Dichloro-2-butene	<5 ug/L	8260
6/10/2003	trans-1,4-Dichloro-2-butene	<5 ug/L	8260
6/10/2003	Dichlorodifluoromethane	<5 ug/L	8260
6/10/2003	1,1-Dichloroethane	<5 ug/L	8260
6/10/2003	1,2-Dichloroethane	<5 ug/L	8260
6/10/2003	1,1-Dichloroethene	<5 ug/L	8260
6/10/2003	trans-1,2-Dichloroethene	<5 ug/L	8260
6/10/2003	1,2-Dichloropropane	<5 ug/L	8260
6/10/2003	cis-1,3-Dichloropropene	<5 ug/L	8260
6/10/2003	trans-1,3-Dichloropropene	<5 ug/L	8260



JMS ENVIRONMENTAL SERVICES, INC.

1500 SUMMER STREET

STAMFORD, CONNECTICUT 06905

NELAC, CT and NY State Certified Environmental Laboratory

Cody Ehlers Group: DP-1L

Mailing Information:

Name: Cody Ehlers Group

Address: 140 Sherman St

City: Fairfield

State: CT

Zip: 06824

Telephone: 203-259-7722 **Fax:** 203-259-6088

Collector's Information:

Name: CEG

Address of site:

City: Garden City

State: NY

Zip:

Telephone:

Sample's Information:

Site: Distribution Pool

Preservative: HCL

Temperature: <4C

Date Collected: 6/5/2003


Time Collected:

Date Received: 6/6/2003

Time Received: 11:40

Lab No.: J033848

Date Analyzed	Test Name	Result	Method
	EPA 8260 cont.		
6/10/2003	Ethylbenzene	<5 ug/L	8260
6/10/2003	Hexachlorobutadiene	<5 ug/L	8260
6/10/2003	Hexachloroethane	<5 ug/L	8260
6/10/2003	Isobutyl alcohol	<5 ug/L	8260
6/10/2003	Isopropylbenzene	<5 ug/L	8260
6/10/2003	Methylene chloride	<5 ug/L	8260
6/10/2003	Naphthalene	<5 ug/L	8260
6/10/2003	Nitrobenzene	<5 ug/L	8260
6/10/2003	n-Nitroso-di-n-butylamine	<5 ug/L	8260
6/10/2003	Pentachloroethane	<5 ug/L	8260
6/10/2003	1-Propanol	<5 ug/L	8260
6/10/2003	Styrene	<5 ug/L	8260
6/10/2003	1,1,1,2-Tetrachloroethane	<5 ug/L	8260
6/10/2003	1,1,2,2-Tetrachloroethane	<5 ug/L	8260
6/10/2003	Tetrachloroethene	<5 ug/L	8260
6/10/2003	Toluene	<5 ug/L	8260
6/10/2003	1,2,4-Trichlorobenzene	<5 ug/L	8260
6/10/2003	1,1,1-Trichloroethane	<5 ug/L	8260
6/10/2003	1,1,2-Trichloroethane	<5 ug/L	8260
6/10/2003	Trichloroethene	<5 ug/L	8260
6/10/2003	Trichlorofluoromethane	<5 ug/L	8260
6/10/2003	1,2,3-Trichloropropane	<5 ug/L	8260
6/10/2003	Vinyl chloride	<5 ug/L	8260
6/10/2003	o-xylene	<5 ug/L	8260
6/10/2003	m&p xylene	<5 ug/L	8260
6/10/2003	Bromobenzene	<5 ug/L	8260
6/10/2003	n-Propylbenzene	<5 ug/L	8260
6/10/2003	2-Chlorotoluene	<5 ug/L	8260
6/10/2003	4-Chlorotoluene	<5 ug/L	8260
6/10/2003	tert-Butylbenzene	<5 ug/L	8260



JMS ENVIRONMENTAL SERVICES, INC.
1500 SUMMER STREET
STAMFORD, CONNECTICUT 06905

NELAC, CT and NY State Certified Environmental Laboratory

Cody Ehlers Group: DP-1L

Mailing Information:

Name: Cody Ehlers Group

Address: 140 Sherman St

City: Fairfield

State: CT

Zip: 06824

Telephone: 203-259-7722 **Fax:** 203-259-6088

Collector's Information:

Name: CEG

Address of site:

City: Garden City

State: NY

Zip:

Telephone:

Sample's Information:

Site: Distribution Pool

Preservative: HCL

Temperature: <4C

Date Collected: 6/5/2003

Time Collected:

Date Received: 6/6/2003

Time Received: 11:40

Lab No.: J033848


Date Analyzed	Test Name	Result	Method
	EPA 8260 cont.		
6/10/2003	1,3,5-trimethylbenzene	<5 ug/L	8260
6/10/2003	1,2,4-trimethylbenzene	<5 ug/L	8260
6/10/2003	sec-Butylbenzene	<5 ug/L	8260
6/10/2003	p-Isopropyltoluene	9.7 ug/L	8260
6/10/2003	n-Butylbenzene	13.1 ug/L	8260
6/10/2003	Iodomethane	<5 ug/L	8260
6/10/2003	MTBE	<5 ug/L	8260

<-Less Than
ug/L-micrograms per Liter

Signature:

Michael Lapman
President

State #: PH-0218
ELAP#: 11715



JMS ENVIRONMENTAL SERVICES, INC.

1500 SUMMER STREET

STAMFORD, CONNECTICUT 06905

NELAC, CT and NY State Certified Environmental Laboratory

Cody Ehlers Group: DP-1L

Mailing Information:

Name: Cody Ehlers Group

Address: 140 Sherman St

City: Fairfield

State: CT

Zip: 06824

Telephone: 203-259-7722

Fax: 203-259-6088

Collector's Information:

Name: CEG

Address of site:

City: Garden City

State: NY

Zip:

Telephone:

Sample's Information:

Site: Distribution Pool

Preservative: NHO3

Temperature: <4C

Date Collected: 6/5/2003

Time Collected:

Date Received: 6/6/2003

Time Received: 11:40

Lab No.: J033848

Date Analyzed	Test Name	Result	Method
6/10/03	Silver	BDL mg/L	200.7/6010
6/10/03	Arsenic	BDL mg/L	206.2
6/10/03	Barium	0.37 mg/L	6010/E200.7
6/10/03	Cadmium	0.012 mg/L	6010/E200.7
6/10/03	Chromium	0.029 mg/L	200.7/6010
6/10/03	Lead	0.17 mg/L	7421/S3113B
6/10/03	Selenium	BDL mg/L	6010/200.7
6/10/03	Mercury	0.0004 mg/L	7470/E245.1

mg/L milligrams per liter

BDL - Below Detection Limit


Signature:

Michael Lapman
President

State #: PH-0218

ELAP#: 11715

Ref #: 11301



JMS ENVIRONMENTAL SERVICES, INC.

1500 SUMMER STREET

STAMFORD, CONNECTICUT 06905

NELAC, CT and NY State Certified Environmental Laboratory

Cody Ehlers Group: DP-1L

Mailing Information:

Name: Cody Ehlers Group

Address: 140 Sherman St

City: Fairfield

State: CT

Zip: 06824

Telephone: 203-259-7722 **Fax:** 203-259-6088

Collector's Information:

Name: CEG

Address of site:

City: Garden City

State: NY

Zip:

Telephone:

Sample's Information:

Site: Distribution Pool

Preservative: N/A

Temperature: <4C

Date Collected: 6/5/2003

Time Collected:

Date Received: 6/6/2003

Time Received: 11:40

Lab No.: J033848

Date Analyzed	Test Name	Result	Method
6/9/03	pH	6.45 S.U.	SMWW 4500 H B

N/A = Not Applicable

S.U.- Standard Unit

Signature:

Michael Lapman
President

State #: PH-0218

ELAP #: 11715



JMS ENVIRONMENTAL SERVICES, INC.

1500 SUMMER STREET

STAMFORD, CONNECTICUT 06905

NELAC, CT and NY State Certified Environmental Laboratory

Cody Ehlers Group: DP-1 S

Mailing Information:

Name: Cody Ehlers Group

Address: 140 Sherman St

City: Fairfield

State: CT

Zip: 06824

Telephone: 203-259-7722

Fax: 203-259-6088

Collector's Information:

Name: CEG

Address of site:

City: Garden City

State: NY

Zip:

Telephone:

Sample's Information:

Site: Distribution Pool

Preservative: N/A

Temperature: <4C

Date Collected: 6/5/2003


Time Collected:

Date Received: 6/6/2003

Time Received: 11:40

Lab No.: J033849

Date Analyzed	Test Name	Result	Method
	EPA 8260		
6/10/2003	Benzene	<5 ug/kg	8260
6/10/2003	Bromochloromethane	<5 ug/kg	8260
6/10/2003	Bromodichloromethane	<5 ug/kg	8260
6/10/2003	Bromoform	<5 ug/kg	8260
6/10/2003	Bromomethane	<5 ug/kg	8260
6/10/2003	n-Butanol	<5 ug/kg	8260
6/10/2003	t-Butyl alcohol	<5 ug/kg	8260
6/10/2003	Carbon disulfide	<5 ug/kg	8260
6/10/2003	Carbon tetrachloride	<5 ug/kg	8260
6/10/2003	Chlorobenzene	<5 ug/kg	8260
6/10/2003	Chlorodibromomethane	<5 ug/kg	8260
6/10/2003	Chloroethane	<5 ug/kg	8260
6/10/2003	Chloroform	<5 ug/kg	8260
6/10/2003	Chloromethane	<5 ug/kg	8260
6/10/2003	1,2-Dibromo-3-chloropropane	<5 ug/kg	8260
6/10/2003	1,2-Dibromoethane	<5 ug/kg	8260
6/10/2003	Dibromomethane	<5 ug/kg	8260
6/10/2003	1,2-Dichlorobenzene	<5 ug/kg	8260
6/10/2003	1,3-Dichlorobenzene	<5 ug/kg	8260
6/10/2003	1,4-Dichlorobenzene	<5 ug/kg	8260
6/10/2003	cis-1,4-Dichloro-2-butene	<5 ug/kg	8260
6/10/2003	trans-1,4-Dichloro-2-butene	<5 ug/kg	8260
6/10/2003	Dichlorodifluoromethane	<5 ug/kg	8260
6/10/2003	1,1-Dichloroethane	<5 ug/kg	8260
6/10/2003	1,2-Dichloroethane	<5 ug/kg	8260
6/10/2003	1,1-Dichloroethene	<5 ug/kg	8260
6/10/2003	trans-1,2-Dichloroethene	<5 ug/kg	8260
6/10/2003	1,2-Dichloropropane	<5 ug/kg	8260
6/10/2003	cis-1,3-Dichloropropene	<5 ug/kg	8260
6/10/2003	trans-1,3-Dichloropropene	<5 ug/kg	8260



JMS ENVIRONMENTAL SERVICES, INC.
1500 SUMMER STREET
STAMFORD, CONNECTICUT 06905

NELAC, CT and NY State Certified Environmental Laboratory

Cody Ehlers Group: DP-1 S

Mailing Information:

Name: Cody Ehlers Group

Address: 140 Sherman St

City: Fairfield

State: CT

Zip: 06824

Telephone: 203-259-7722

Fax: 203-259-6088

Collector's Information:

Name: CEG

Address of site:

City: Garden City

State: NY

Zip:

Telephone:

Sample's Information:

Site: Distribution Pool

Preservative: N/A

Temperature: <4C

Date Collected: 6/5/2003


Time Collected:

Date Received: 6/6/2003

Time Received: 11:40

Lab No.: J033849

Date Analyzed	Test Name	Result	Method
	EPA 8260 cont.		
6/10/2003	Ethylbenzene	<5 ug/kg	8260
6/10/2003	Hexachlorobutadiene	<5 ug/kg	8260
6/10/2003	Hexachloroethane	<5 ug/kg	8260
6/10/2003	Isobutyl alcohol	<5 ug/kg	8260
6/10/2003	Isopropylbenzene	<5 ug/kg	8260
6/10/2003	Methylene chloride	<5 ug/kg	8260
6/10/2003	Naphthalene	<5 ug/kg	8260
6/10/2003	Nitrobenzene	<5 ug/kg	8260
6/10/2003	n-Nitroso-di-n-butylamine	<5 ug/kg	8260
6/10/2003	Pentachloroethane	<5 ug/kg	8260
6/10/2003	1-Propanol	<5 ug/kg	8260
6/10/2003	Styrene	<5 ug/kg	8260
6/10/2003	1,1,1,2-Tetrachloroethane	<5 ug/kg	8260
6/10/2003	1,1,2,2-Tetrachloroethane	<5 ug/kg	8260
6/10/2003	Tetrachloroethene	<5 ug/kg	8260
6/10/2003	Toluene	11.1 ug/kg	8260
6/10/2003	1,2,4-Trichlorobenzene	<5 ug/kg	8260
6/10/2003	1,1,1-Trichloroethane	<5 ug/kg	8260
6/10/2003	1,1,2-Trichloroethane	<5 ug/kg	8260
6/10/2003	Trichloroethene	<5 ug/kg	8260
6/10/2003	Trichlorofluoromethane	<5 ug/kg	8260
6/10/2003	1,2,3-Trichloropropane	<5 ug/kg	8260
6/10/2003	Vinyl chloride	<5 ug/kg	8260
6/10/2003	o-xylene	<5 ug/kg	8260
6/10/2003	m&p xylene	<5 ug/kg	8260
6/10/2003	Bromobenzene	<5 ug/kg	8260
6/10/2003	n-Propylbenzene	<5 ug/kg	8260
6/10/2003	2-Chlorotoluene	<5 ug/kg	8260
6/10/2003	4-Chlorotoluene	<5 ug/kg	8260
6/10/2003	tert-Butylbenzene	<5 ug/kg	8260



JMS ENVIRONMENTAL SERVICES, INC.
1500 SUMMER STREET
STAMFORD, CONNECTICUT 06905

NELAC, CT and NY State Certified Environmental Laboratory

Cody Ehlers Group: DP-1 S

Mailing Information:

Name: Cody Ehlers Group

Address: 140 Sherman St

City: Fairfield

State: CT

Zip: 06824

Telephone: 203-259-7722 **Fax:** 203-259-6088

Collector's Information:

Name: CEG

Address of site:

City: Garden City

State: NY

Zip:

Telephone:

Sample's Information:

Site: Distribution Pool

Preservative: N/A

Temperature: <4C

Date Collected: 6/5/2003

Time Collected:

Date Received: 6/6/2003

Time Received: 11:40

Lab No.: J033849


Date Analyzed	Test Name	Result	Method
	EPA 8260 cont.		
6/10/2003	1,3,5-trimethylbenzene	<5 ug/kg	8260
6/10/2003	1,2,4-trimethylbenzene	<5 ug/kg	8260
6/10/2003	sec-Butylbenzene	<5 ug/kg	8260
6/10/2003	p-Isopropyltoluene	<5 ug/kg	8260
6/10/2003	n-Butylbenzene	<5 ug/kg	8260
6/10/2003	Iodomethane	<5 ug/kg	8260
6/10/2003	MTBE	<5 ug/kg	8260

<-Less Than
ug/kg-micrograms per kilograms

Signature:

Michael Lapman
Michael Lapman
President

State #: PH-0218
ELAP#: 11715



JMS ENVIRONMENTAL SERVICES, INC.

1500 SUMMER STREET

STAMFORD, CONNECTICUT 06905

NELAC, CT and NY State Certified Environmental Laboratory

Cody Ehlers Group: DP-1 S

Mailing Information:

Name: Cody Ehlers Group

Address: 140 Sherman St

City: Fairfield

State: CT

Zip: 06824

Telephone: 203-259-7722

Fax: 203-259-6088

Collector's Information:

Name: CEG

Address of site:

City: Garden City

State: NY

Zip:

Telephone:

Sample's Information:

Site: Distribution Pool

Preservative: N/A

Temperature: <4C

Date Collected: 6/5/2003

Time Collected:

Date Received: 6/6/2003

Time Received: 11:40

Lab No.: J033849

Date Analyzed	Test Name	Result	Method
	EPA 8270		
6/7/03	Naphthalene	<3300 ug/kg	8270
6/7/03	Acenaphthylene	<3300 ug/kg	8270
6/7/03	Acenaphthene	<3300 ug/kg	8270
6/7/03	Fluorene	<3300 ug/kg	8270
6/7/03	Phenanthrene	<3300 ug/kg	8270
6/7/03	Anthracene	<3300 ug/kg	8270
6/7/03	Fluoranthene	<3300 ug/kg	8270
6/7/03	Pyrene	<3300 ug/kg	8270
6/7/03	Benzo(a)anthracene	<3300 ug/kg	8270
6/7/03	Chrysene	<3300 ug/kg	8270
6/7/03	Benzo(b)fluoranthene	<3300 ug/kg	8270
6/7/03	Benzo(k)fluoranthene	<3300 ug/kg	8270
6/7/03	Benzo(a)pyrene	<3300 ug/kg	8270
6/7/03	Indeno(1,2,3-cd)pyrene	<3300 ug/kg	8270
6/7/03	Dibenz(a,h)anthracene	<3300 ug/kg	8270
6/7/03	Benzo(g,h,i)perylene	<3300 ug/kg	8270

<-Less Than


ug/kg-micrograms per kilogram

Signature:

Michael Lapman
President

State #: PH-0218

ELAP#: 11715



JMS ENVIRONMENTAL SERVICES, INC.

1500 SUMMER STREET

STAMFORD, CONNECTICUT 06905

NELAC, CT and NY State Certified Environmental Laboratory

Cody Ehlers Group: DP-1 S

Mailing Information:

Name: Cody Ehlers Group

Address: 140 Sherman St

City: Fairfield

State: CT

Zip: 06824

Telephone: 203-259-7722

Fax: 203-259-6088

Collector's Information:

Name: CEG

Address of site:

City: Garden City

State: NY

Zip:

Telephone:

Sample's Information:

Site: Distribution Pool

Preservative: N/A

Temperature: <4C

Date Collected: 6/5/2003

Time Collected:

Date Received: 6/6/2003

Time Received: 11:40

Lab No.: J033849

Date Analyzed	Test Name	Result	Method
6/11/03	Silver	3.80 mg/kg	E1311/SW6010
6/11/03	Arsenic	8.5 mg/kg	E1311/SW6010
6/12/03	Barium	526 mg/kg	E1311/SW6010
6/11/03	Cadmium	21.3 mg/kg	E1311/SW6010
6/11/03	Chromium	83.1 mg/kg	E1311/SW6010
6/11/03	Lead	603 mg/kg	E1311/SW6010
6/11/03	Selenium	BDL mg/kg	E1311/SW6010
6/12/03	Mercury	0.53 mg/kg	E1311/SW6010

mg/L milligrams per kilogram

BDL- Below Detection Limit

Signature:

Michael Lapman
President

State #: PH-0218

ELAP#: 11715

Ref #: 11301



80 Lupes Drive
Stratford, CT 06615
Tel (203) 377-9984
FAX (203) 377-9952

[illegible]

Appendix H - Blue Water Environmental Waste Manifest - 9/8/03

Posillico Bros. Asphalt Co.1610 New Highway, Farmingdale, N.Y. 11735
Plant Tele: 293-2620, 2621Ticket #
04505009/08/03
13:17Customer 178
BLUE WATER ENVIRONMENTAL
1510 NEW HIGHWAY
FARMINGDALE, NY 11735
C.O. #:Job: BW03352
MAN#Truck #
ACTION

Delivery Out

Product - Name
5010 - C/SOIL

JMF#

Amount
12.590 TN


Plant Name: PBA

Received By: _____

Driver Name: Tony J. Davis

PROJECT #03210

	TONS	Kg
Gross:	30.330	27.515
Tare:	17.740	16.054
Net:	12.590	11.422

Posillico Bros. Asphalt Co.1610 New Highway, Farmingdale, N.Y. 11735
Plant Tele: 293-2620, 2621Ticket #
04503009/08/03
10:15Customer 178
BLUE WATER ENVIRONMENTAL
610 NEW HIGHWAY
FARMINGDALE, NY 11735
P.O. #:Job: BN03052
MAN#Truck #
ACTION



Delivery Out

Product - Name
S010 - C/SOIL

JMF#

Amount
15.320 TN


Plant Name: PBA

Received By: Driver Name: 

PROJECT #03210

	TONS	Mg
Gross:	33.060	29.992
Tare:	17.740	16.094
Net:	15.320	13.898

Appendix I - JMS Environmental, Inc. Services, Inc. - 8/26/03



JMS ENVIRONMENTAL SERVICES, INC.

1500 SUMMER STREET

STAMFORD, CONNECTICUT 06905

NELAC, CT and NY State Certified Environmental Laboratory

Cody Ehlers Group: N DP-1

Mailing Information:

Name: Cody Ehlers Group

Address: 140 Sherman St

City: Fairfield

State: CT

Zip: 06824

Telephone: 203-259-7722 **Fax:** 203-259-6088

Collector's Information:

Name: Jeff Day

Address of site:

City:

State: NY

Zip:

Telephone:

Sample's Information:

Site:

Preservative: N/A

Temperature: <4C

Date Collected: 8/20/03

Time Collected:

Date Received: 8/20/03

Time Received: 15:15

Lab No.: J036057

Date Analyzed	Test Name	Result	Method
	EPA 8260		
8/26/2003	Benzene	<5 ug/kg	8260
8/26/2003	Bromochloromethane	<5 ug/kg	8260
8/26/2003	Bromodichloromethane	<5 ug/kg	8260
8/26/2003	Bromoform	<5 ug/kg	8260
8/26/2003	Bromomethane	<5 ug/kg	8260
8/26/2003	n-Butanol	<5 ug/kg	8260
8/26/2003	t-Butyl alcohol	<5 ug/kg	8260
8/26/2003	Carbon disulfide	<5 ug/kg	8260
8/26/2003	Carbon tetrachloride	<5 ug/kg	8260
8/26/2003	Chlorobenzene	<5 ug/kg	8260
8/26/2003	Chlorodibromomethane	<5 ug/kg	8260
8/26/2003	Chloroethane	<5 ug/kg	8260
8/26/2003	Chloroform	<5 ug/kg	8260
8/26/2003	Chloromethane	<5 ug/kg	8260
8/26/2003	1,2-Dibromo-3-chloropropane	<5 ug/kg	8260
8/26/2003	1,2-Dibromoethane	<5 ug/kg	8260
8/26/2003	Dibromomethane	<5 ug/kg	8260
8/26/2003	1,2-Dichlorobenzene	<5 ug/kg	8260
8/26/2003	1,3-Dichlorobenzene	<5 ug/kg	8260
8/26/2003	1,4-Dichlorobenzene	<5 ug/kg	8260
8/26/2003	cis-1,4-Dichloro-2-butene	<5 ug/kg	8260
8/26/2003	trans-1,4-Dichloro-2-butene	<5 ug/kg	8260
8/26/2003	Dichlorodifluoromethane	<5 ug/kg	8260
8/26/2003	1,1-Dichloroethane	<5 ug/kg	8260
8/26/2003	1,2-Dichloroethane	<5 ug/kg	8260
8/26/2003	1,1-Dichloroethene	<5 ug/kg	8260
8/26/2003	trans-1,2-Dichloroethene	<5 ug/kg	8260
8/26/2003	1,2-Dichloropropane	<5 ug/kg	8260
8/26/2003	cis-1,3-Dichloropropene	<5 ug/kg	8260
8/26/2003	trans-1,3-Dichloropropene	<5 ug/kg	8260



JMS ENVIRONMENTAL SERVICES, INC.

1500 SUMMER STREET

STAMFORD, CONNECTICUT 06905

NELAC, CT and NY State Certified Environmental Laboratory

Cody Ehlers Group: N DP-1

Mailing Information:

Name: Cody Ehlers Group

Address: 140 Sherman St

City: Fairfield

State: CT

Zip: 06824

Telephone: 203-259-7722 **Fax:** 203-259-6088

Collector's Information:

Name: Jeff Day

Address of site:

City:

State: NY

Zip:

Telephone:

Sample's Information:

Site:

Preservative: N/A

Temperature: <4C

Date Collected: 8/20/03


Time Collected:

Date Received: 8/20/03

Time Received: 15:15

Lab No.: J036057

Date Analyzed	Test Name	Result	Method
	EPA 8260 cont.		
8/26/2003	Ethylbenzene	<5 ug/kg	8260
8/26/2003	Hexachlorobutadiene	<5 ug/kg	8260
8/26/2003	Hexachloroethane	<5 ug/kg	8260
8/26/2003	Isobutyl alcohol	<5 ug/kg	8260
8/26/2003	Isopropylbenzene	<5 ug/kg	8260
8/26/2003	Methylene chloride	<5 ug/kg	8260
8/26/2003	Naphthalene	<5 ug/kg	8260
8/26/2003	Nitrobenzene	<5 ug/kg	8260
8/26/2003	n-Nitroso-di-n-butylamine	<5 ug/kg	8260
8/26/2003	Pentachloroethane	<5 ug/kg	8260
8/26/2003	1-Propanol	<5 ug/kg	8260
8/26/2003	Styrene	<5 ug/kg	8260
8/26/2003	1,1,1,2-Tetrachloroethane	<5 ug/kg	8260
8/26/2003	1,1,2,2-Tetrachloroethane	<5 ug/kg	8260
8/26/2003	Tetrachloroethene	<5 ug/kg	8260
8/26/2003	Toluene	<5 ug/kg	8260
8/26/2003	1,2,4-Trichlorobenzene	<5 ug/kg	8260
8/26/2003	1,1,1-Trichloroethane	<5 ug/kg	8260
8/26/2003	1,1,2-Trichloroethane	<5 ug/kg	8260
8/26/2003	Trichloroethene	<5 ug/kg	8260
8/26/2003	Trichlorofluoromethane	<5 ug/kg	8260
8/26/2003	1,2,3-Trichloropropane	<5 ug/kg	8260
8/26/2003	Vinyl chloride	<5 ug/kg	8260
8/26/2003	o-xylene	<5 ug/kg	8260
8/26/2003	m&p xylene	<5 ug/kg	8260
8/26/2003	Bromobenzene	<5 ug/kg	8260
8/26/2003	n-Propylbenzene	<5 ug/kg	8260
8/26/2003	2-Chlorotoluene	<5 ug/kg	8260
8/26/2003	4-Chlorotoluene	<5 ug/kg	8260
8/26/2003	tert-Butylbenzene	<5 ug/kg	8260



JMS ENVIRONMENTAL SERVICES, INC.

1500 SUMMER STREET

STAMFORD, CONNECTICUT 06905

NELAC, CT and NY State Certified Environmental Laboratory

Cody Ehlers Group: N DP-1

Mailing Information:

Name: Cody Ehlers Group

Address: 140 Sherman St

City: Fairfield

State: CT

Zip: 06824

Telephone: 203-259-7722 **Fax:** 203-259-6088

Collector's Information:

Name: Jeff Day

Address of site:

City:

State: NY

Zip:

Telephone:

Sample's Information:

Site:

Date Collected: 8/20/03

Date Received: 8/20/03

Preservative: N/A

Time Collected:

Time Received: 15:15

Temperature: <4C

Lab No.: J036057

Date Analyzed	Test Name	Result	Method
	EPA 8260 cont.		
8/26/2003	1,3,5-trimethylbenzene	<5 ug/kg	8260
8/26/2003	1,2,4-trimethylbenzene	<5 ug/kg	8260
8/26/2003	sec-Butylbenzene	<5 ug/kg	8260
8/26/2003	p-Isopropyltoluene	<5 ug/kg	8260
8/26/2003	n-Butylbenzene	<5 ug/kg	8260
8/26/2003	Iodomethane	<5 ug/kg	8260
8/26/2003	+ MTBE	<5 ug/kg	8260

Comments: + Not a NELAC approved analyte


<-Less Than
ug/kg-micrograms per kilogram

Signature:

Michael Lapman
President

State #: PH-0218

ELAP#: 11715



JMS ENVIRONMENTAL SERVICES, INC.

1500 SUMMER STREET

STAMFORD, CONNECTICUT 06905

NELAC, CT and NY State Certified Environmental Laboratory

Cody Ehlers Group: N DP-1

Mailing Information:

Name: Cody Ehlers Group

Address: 140 Sherman St

City: Fairfield

State: CT

Zip: 06824

Telephone: 203-259-7722 **Fax:** 203-259-6088

Collector's Information:

Name: Jeff Day

Address of site:

City:

State: NY

Zip:

Telephone:

Sample's Information:

Site:

Preservative: N/A

Temperature: <4C

Date Collected: 8/20/03

Time Collected:

Date Received: 8/20/03

Time Received: 15:15

Lab No.: J036057

Date Analyzed	Test Name	Result	Method
8/25/03	Silver	<0.50 mg/kg	6010/E200.7
8/25/03	Arsenic	3.5 mg/kg	6010/E200.7
8/25/03	Barium	93.3 mg/kg	6010/E200.7
8/25/03	Cadmium	2.70 mg/kg	6010/E200.7
8/25/03	Chromium	9.30 mg/kg	6010/E200.7
8/25/03	Lead	58 mg/kg	SMWW3111B
8/25/03	Selenium	<2.5 mg/kg	6010/200.7
8/26/03	Mercury	<0.10 mg/kg	SW-7471
8/25/03	Percent Solid	86 %	E160.3

mg/kg- milligrams per kilogram

BDL- Below Detection Limit


Signature:

Michael Lapman
President

State #: PH-0218

ELAP#: 11715

Ref #: 11301



JMS ENVIRONMENTAL SERVICES, INC.

1500 SUMMER STREET

STAMFORD, CONNECTICUT 06905

NELAC, CT and NY State Certified Environmental Laboratory

Cody Ehlers Group: S DP-1

Mailing Information:

Name: Cody Ehlers Group

Address: 140 Sherman St

City: Fairfield

State: CT

Zip: 06824

Telephone: 203-259-7722 **Fax:** 203-259-6088

Collector's Information:

Name: Jeff Day

Address of site:

City:

State: NY

Zip:

Telephone:

Sample's Information:

Site:

Preservative: N/A

Temperature: <4C

Date Collected: 8/20/03

Time Collected:

Date Received: 8/20/03

Time Received: 15:15

Lab No.: J036058

Date Analyzed	Test Name	Result	Method
8/25/03	Silver	<0.50 mg/kg	6010/E200.7
8/25/03	Arsenic	1.0 mg/kg	6010/E200.7
8/25/03	Barium	18.7 mg/kg	6010/E200.7
8/25/03	Cadmium	<0.50 mg/kg	6010/E200.7
8/25/03	Chromium	7.40 mg/kg	6010/E200.7
8/25/03	Lead	16.0 mg/kg	SMWW3111B
8/25/03	Selenium	<2.5 mg/kg	6010/200.7
8/26/03	Mercury	<0.1 mg/kg	SW-7471
8/25/03	Percent Solid	93 %	E160.3

mg/kg- milligrams per kilogram

BDL- Below Detection Limit


Signature:

Michael Lapman
President

State #: PH-0218

ELAP#: 11715

Ref #: 11301



JMS ENVIRONMENTAL SERVICES, INC.
1500 SUMMER STREET
STAMFORD, CONNECTICUT 06905

NELAC, CT and NY State Certified Environmental Laboratory

Cody Ehlers Group: E DP-1

Mailing Information:

Name: Cody Ehlers Group

Address: 140 Sherman St

City: Fairfield

State: CT

Zip: 06824

Telephone: 203-259-7722 **Fax:** 203-259-6088

Collector's Information:

Name: Jeff Day

Address of site:

City:

State: NY

Zip:

Telephone:

Sample's Information:

Site:

Preservative: N/A

Temperature: <4C

Date Collected: 8/20/03


Time Collected:

Date Received: 8/20/03

Time Received: 15:15

Lab No.: J036059

Date Analyzed	Test Name	Result	Method
	EPA 8260		
8/26/2003	Benzene	<5 ug/kg	8260
8/26/2003	Bromochloromethane	<5 ug/kg	8260
8/26/2003	Bromodichloromethane	<5 ug/kg	8260
8/26/2003	Bromoform	<5 ug/kg	8260
8/26/2003	Bromomethane	<5 ug/kg	8260
8/26/2003	n-Butanol	<5 ug/kg	8260
8/26/2003	t-Butyl alcohol	<5 ug/kg	8260
8/26/2003	Carbon disulfide	<5 ug/kg	8260
8/26/2003	Carbon tetrachloride	<5 ug/kg	8260
8/26/2003	Chlorobenzene	<5 ug/kg	8260
8/26/2003	Chlorodibromomethane	<5 ug/kg	8260
8/26/2003	Chloroethane	<5 ug/kg	8260
8/26/2003	Chloroform	<5 ug/kg	8260
8/26/2003	Chloromethane	<5 ug/kg	8260
8/26/2003	1,2-Dibromo-3-chloropropane	<5 ug/kg	8260
8/26/2003	1,2-Dibromoethane	<5 ug/kg	8260
8/26/2003	Dibromomethane	<5 ug/kg	8260
8/26/2003	1,2-Dichlorobenzene	<5 ug/kg	8260
8/26/2003	1,3-Dichlorobenzene	<5 ug/kg	8260
8/26/2003	1,4-Dichlorobenzene	<5 ug/kg	8260
8/26/2003	cis-1,4-Dichloro-2-butene	<5 ug/kg	8260
8/26/2003	trans-1,4-Dichloro-2-butene	<5 ug/kg	8260
8/26/2003	Dichlorodifluoromethane	<5 ug/kg	8260
8/26/2003	1,1-Dichloroethane	<5 ug/kg	8260
8/26/2003	1,2-Dichloroethane	<5 ug/kg	8260
8/26/2003	1,1-Dichloroethene	<5 ug/kg	8260
8/26/2003	trans-1,2-Dichloroethene	<5 ug/kg	8260
8/26/2003	1,2-Dichloropropane	<5 ug/kg	8260
8/26/2003	cis-1,3-Dichloropropene	<5 ug/kg	8260
8/26/2003	trans-1,3-Dichloropropene	<5 ug/kg	8260



JMS ENVIRONMENTAL SERVICES, INC.

1500 SUMMER STREET

STAMFORD, CONNECTICUT 06905

NELAC, CT and NY State Certified Environmental Laboratory

Cody Ehlers Group: E DP-1

Mailing Information:

Name: Cody Ehlers Group

Address: 140 Sherman St

City: Fairfield

State: CT

Zip: 06824

Telephone: 203-259-7722 **Fax:** 203-259-6088

Collector's Information:

Name: Jeff Day

Address of site:

City:

State: NY

Zip:

Telephone:

Sample's Information:

Site:

Preservative: N/A

Temperature: <4C

Date Collected: 8/20/03


Time Collected:

Date Received: 8/20/03

Time Received: 15:15

Lab No.: J036059

Date Analyzed	Test Name	Result	Method
	EPA 8260 cont.		
8/26/2003	Ethylbenzene	<5 ug/kg	8260
8/26/2003	Hexachlorobutadiene	<5 ug/kg	8260
8/26/2003	Hexachloroethane	<5 ug/kg	8260
8/26/2003	Isobutyl alcohol	<5 ug/kg	8260
8/26/2003	Isopropylbenzene	<5 ug/kg	8260
8/26/2003	Methylene chloride	<5 ug/kg	8260
8/26/2003	Naphthalene	<5 ug/kg	8260
8/26/2003	Nitrobenzene	<5 ug/kg	8260
8/26/2003	n-Nitroso-di-n-butylamine	<5 ug/kg	8260
8/26/2003	Pentachloroethane	<5 ug/kg	8260
8/26/2003	1-Propanol	<5 ug/kg	8260
8/26/2003	Styrene	<5 ug/kg	8260
8/26/2003	1,1,1,2-Tetrachloroethane	<5 ug/kg	8260
8/26/2003	1,1,2,2-Tetrachloroethane	<5 ug/kg	8260
8/26/2003	Tetrachloroethene	<5 ug/kg	8260
8/26/2003	Toluene	<5 ug/kg	8260
8/26/2003	1,2,4-Trichlorobenzene	<5 ug/kg	8260
8/26/2003	1,1,1-Trichloroethane	<5 ug/kg	8260
8/26/2003	1,1,2-Trichloroethane	<5 ug/kg	8260
8/26/2003	Trichloroethene	<5 ug/kg	8260
8/26/2003	Trichlorofluoromethane	<5 ug/kg	8260
8/26/2003	1,2,3-Trichloropropane	<5 ug/kg	8260
8/26/2003	Vinyl chloride	<5 ug/kg	8260
8/26/2003	o-xylene	<5 ug/kg	8260
8/26/2003	m&p xylene	<5 ug/kg	8260
8/26/2003	Bromobenzene	<5 ug/kg	8260
8/26/2003	n-Propylbenzene	<5 ug/kg	8260
8/26/2003	2-Chlorotoluene	<5 ug/kg	8260
8/26/2003	4-Chlorotoluene	<5 ug/kg	8260
8/26/2003	tert-Butylbenzene	<5 ug/kg	8260



JMS ENVIRONMENTAL SERVICES, INC.
1500 SUMMER STREET
STAMFORD, CONNECTICUT 06905

NELAC, CT and NY State Certified Environmental Laboratory

Cody Ehlers Group: E DP-1

Mailing Information:

Name: Cody Ehlers Group

Address: 140 Sherman St

City: Fairfield

State: CT

Zip: 06824

Telephone: 203-259-7722 **Fax:** 203-259-6088

Collector's Information:

Name: Jeff Day

Address of site:

City:

State: NY

Zip:

Telephone:

Sample's Information:

Site:

Preservative: N/A

Temperature: <4C

Date Collected: 8/20/03

Time Collected:

Date Received: 8/20/03

Time Received: 15:15

Lab No.: J036059

Date Analyzed	Test Name	Result	Method
	EPA 8260 cont.		
8/26/2003	1,3,5-trimethylbenzene	<5 ug/kg	8260
8/26/2003	1,2,4-trimethylbenzene	<5 ug/kg	8260
8/26/2003	sec-Butylbenzene	<5 ug/kg	8260
8/26/2003	p-Isopropyltoluene	<5 ug/kg	8260
8/26/2003	n-Butylbenzene	<5 ug/kg	8260
8/26/2003	Iodomethane	<5 ug/kg	8260
8/26/2003	+ MTBE	<5 ug/kg	8260

Comments: + Not a NELAC approved analyte

<-Less Than
ug/kg-micrograms per kilogram


Signature:

Michael Lapman
President

State #: PH-0218

ELAP#: 11715

Tel 203 961 9911 Toll Free 1 866 567 5097 Fax 203 961 9919 jmsenvironmental.com



JMS ENVIRONMENTAL SERVICES, INC.

1500 SUMMER STREET

STAMFORD, CONNECTICUT 06905

NELAC, CT and NY State Certified Environmental Laboratory

Cody Ehlers Group: E DP-1

Mailing Information:

Name: Cody Ehlers Group

Address: 140 Sherman St

City: Fairfield

State: CT

Zip: 06824

Telephone: 203-259-7722 **Fax:** 203-259-6088

Collector's Information:

Name: Jeff Day

Address of site:

City:

State: NY

Zip:

Telephone:

Sample's Information:

Site:

Preservative: N/A

Temperature: <4C

Date Collected: 8/20/03

Time Collected:

Date Received: 8/20/03

Time Received: 15:15

Lab No.: J036059

Date Analyzed	Test Name	Result	Method
8/25/03	Silver	<0.50 mg/kg	6010/E200.7
8/25/03	Arsenic	2.3 mg/kg	6010/E200.7
8/25/03	Barium	54.3 mg/kg	6010/E200.7
8/25/03	Cadmium	1.70 mg/kg	6010/E200.7
8/25/03	Chromium	6.60 mg/kg	6010/E200.7
8/25/03	Lead	53.0 mg/kg	SMWW3111B
8/25/03	Selenium	<2.5 mg/kg	6010/200.7
8/26/03	Mercury	<0.10 mg/kg	SW-7471
8/25/03	Percent Solid	85 %	E160.3

mg/kg- milligrams per kilogram

BDL- Below Detection Limit


Signature:

Michael Lapman
President

State #: PH-0218

ELAP#: 11715

Ref #: 11301



JMS ENVIRONMENTAL SERVICES, INC.

1500 SUMMER STREET

STAMFORD, CONNECTICUT 06905

NELAC, CT and NY State Certified Environmental Laboratory

Cody Ehlers Group: W DP-1

Mailing Information:

Name: Cody Ehlers Group

Address: 140 Sherman St

City: Fairfield

State: CT

Zip: 06824

Telephone: 203-259-7722 **Fax:** 203-259-6088

Collector's Information:

Name: Jeff Day

Address of site:

City:

State: NY

Zip:

Telephone:

Sample's Information:

Site:

Preservative: N/A

Temperature: <4C

Date Collected: 8/20/03

Time Collected:

Date Received: 8/20/03

Time Received: 15:15

Lab No.: J036060

Date Analyzed	Test Name	Result	Method
8/25/03	Silver	<0.50 mg/kg	6010/E200.7
8/25/03	Arsenic	2.2 mg/kg	6010/E200.7
8/25/03	Barium	46.1 mg/kg	6010/E200.7
8/25/03	Cadmium	<0.50 mg/kg	6010/E200.7
8/25/03	Chromium	11.0 mg/kg	6010/E200.7
8/25/03	Lead	14.0 mg/kg	SMWW3111B
8/25/03	Selenium	<2.5 mg/kg	6010/200.7
8/26/03	Mercury	<0.10 mg/kg	SW-7471
8/25/03	Percent Solid	89 %	E160.3

mg/kg- milligrams per kilogram
BDL- Below Detection Limit


Signature:

Michael Lapman
President

State #: PH-0218

ELAP#: 11715

Ref #: 11301



JMS ENVIRONMENTAL SERVICES, INC.

1500 SUMMER STREET

STAMFORD, CONNECTICUT 06905

NELAC, CT and NY State Certified Environmental Laboratory

Cody Ehlers Group: B DP-1

Mailing Information:

Name: Cody Ehlers Group

Address: 140 Sherman St

City: Fairfield

State: CT

Zip: 06824

Telephone: 203-259-7722 **Fax:** 203-259-6088

Collector's Information:

Name: Jeff Day

Address of site:

City:

State: NY


Zip:

Telephone:

Sample's Information:

Site: **Date Collected:** 8/20/03 **Date Received:** 8/20/03
Preservative: N/A **Time Collected:** **Time Received:** 15:15
Temperature: <4C **Lab No.:** J036061

Date Analyzed	Test Name	Result	Method
	EPA 8260		
8/26/2003	Benzene	<5 ug/kg	8260
8/26/2003	Bromochloromethane	<5 ug/kg	8260
8/26/2003	Bromodichloromethane	<5 ug/kg	8260
8/26/2003	Bromoform	<5 ug/kg	8260
8/26/2003	Bromomethane	<5 ug/kg	8260
8/26/2003	n-Butanol	<5 ug/kg	8260
8/26/2003	t-Butyl alcohol	<5 ug/kg	8260
8/26/2003	Carbon disulfide	<5 ug/kg	8260
8/26/2003	Carbon tetrachloride	<5 ug/kg	8260
8/26/2003	Chlorobenzene	<5 ug/kg	8260
8/26/2003	Chlorodibromomethane	<5 ug/kg	8260
8/26/2003	Chloroethane	<5 ug/kg	8260
8/26/2003	Chloroform	<5 ug/kg	8260
8/26/2003	Chloromethane	<5 ug/kg	8260
8/26/2003	1,2-Dibromo-3-chloropropane	<5 ug/kg	8260
8/26/2003	1,2-Dibromoethane	<5 ug/kg	8260
8/26/2003	Dibromomethane	<5 ug/kg	8260
8/26/2003	1,2-Dichlorobenzene	<5 ug/kg	8260
8/26/2003	1,3-Dichlorobenzene	<5 ug/kg	8260
8/26/2003	1,4-Dichlorobenzene	<5 ug/kg	8260
8/26/2003	cis-1,4-Dichloro-2-butene	<5 ug/kg	8260
8/26/2003	trans-1,4-Dichloro-2-butene	<5 ug/kg	8260
8/26/2003	Dichlorodifluoromethane	<5 ug/kg	8260
8/26/2003	1,1-Dichloroethane	<5 ug/kg	8260
8/26/2003	1,2-Dichloroethane	<5 ug/kg	8260
8/26/2003	1,1-Dichloroethene	<5 ug/kg	8260
8/26/2003	trans-1,2-Dichloroethene	<5 ug/kg	8260
8/26/2003	1,2-Dichloropropane	<5 ug/kg	8260
8/26/2003	cis-1,3-Dichloropropene	<5 ug/kg	8260
8/26/2003	trans-1,3-Dichloropropene	<5 ug/kg	8260



JMS ENVIRONMENTAL SERVICES, INC.

1500 SUMMER STREET

STAMFORD, CONNECTICUT 06905

NELAC, CT and NY State Certified Environmental Laboratory

Cody Ehlers Group: B DP-1

Mailing Information:

Name: Cody Ehlers Group

Address: 140 Sherman St

City: Fairfield

State: CT

Zip: 06824

Telephone: 203-259-7722 **Fax:** 203-259-6088

Collector's Information:

Name: Jeff Day

Address of site:

City:

State: NY

Zip:

Telephone:

Sample's Information:

Site:

Preservative: N/A

Temperature: <4C

Date Collected: 8/20/03


Time Collected:

Date Received: 8/20/03

Time Received: 15:15

Lab No.: J036061

Date Analyzed	Test Name	Result	Method
	EPA 8260 cont.		
8/26/2003	Ethylbenzene	<5 ug/kg	8260
8/26/2003	Hexachlorobutadiene	<5 ug/kg	8260
8/26/2003	Hexachloroethane	<5 ug/kg	8260
8/26/2003	Isobutyl alcohol	<5 ug/kg	8260
8/26/2003	Isopropylbenzene	<5 ug/kg	8260
8/26/2003	Methylene chloride	<5 ug/kg	8260
8/26/2003	Naphthalene	<5 ug/kg	8260
8/26/2003	Nitrobenzene	<5 ug/kg	8260
8/26/2003	n-Nitroso-di-n-butylamine	<5 ug/kg	8260
8/26/2003	Pentachloroethane	<5 ug/kg	8260
8/26/2003	1-Propanol	<5 ug/kg	8260
8/26/2003	Styrene	<5 ug/kg	8260
8/26/2003	1,1,1,2-Tetrachloroethane	<5 ug/kg	8260
8/26/2003	1,1,2,2-Tetrachloroethane	<5 ug/kg	8260
8/26/2003	Tetrachloroethene	<5 ug/kg	8260
8/26/2003	Toluene	<5 ug/kg	8260
8/26/2003	1,2,4-Trichlorobenzene	<5 ug/kg	8260
8/26/2003	1,1,1-Trichloroethane	<5 ug/kg	8260
8/26/2003	1,1,2-Trichloroethane	<5 ug/kg	8260
8/26/2003	Trichloroethene	<5 ug/kg	8260
8/26/2003	Trichlorofluoromethane	<5 ug/kg	8260
8/26/2003	1,2,3-Trichloropropane	<5 ug/kg	8260
8/26/2003	Vinyl chloride	<5 ug/kg	8260
8/26/2003	o-xylene	<5 ug/kg	8260
8/26/2003	m&p xylene	<5 ug/kg	8260
8/26/2003	Bromobenzene	<5 ug/kg	8260
8/26/2003	n-Propylbenzene	<5 ug/kg	8260
8/26/2003	2-Chlorotoluene	<5 ug/kg	8260
8/26/2003	4-Chlorotoluene	<5 ug/kg	8260
8/26/2003	tert-Butylbenzene	<5 ug/kg	8260



JMS ENVIRONMENTAL SERVICES, INC.

1500 SUMMER STREET

STAMFORD, CONNECTICUT 06905

NELAC, CT and NY State Certified Environmental Laboratory

Cody Ehlers Group: B DP-1

Mailing Information:

Name: Cody Ehlers Group

Address: 140 Sherman St

City: Fairfield

State: CT

Zip: 06824

Telephone: 203-259-7722 **Fax:** 203-259-6088

Collector's Information:

Name: Jeff Day

Address of site:

City:

State: NY

Zip:

Telephone:

Sample's Information:

Site:

Preservative: N/A

Temperature: <4C

Date Collected: 8/20/03

Time Collected:

Date Received: 8/20/03

Time Received: 15:15

Lab No.: J036061

Date Analyzed	Test Name	Result	Method
	EPA 8260 cont.		
8/26/2003	1,3,5-trimethylbenzene	<5 ug/kg	8260
8/26/2003	1,2,4-trimethylbenzene	<5 ug/kg	8260
8/26/2003	sec-Butylbenzene	<5 ug/kg	8260
8/26/2003	p-Isopropyltoluene	<5 ug/kg	8260
8/26/2003	n-Butylbenzene	<5 ug/kg	8260
8/26/2003	Iodomethane	<5 ug/kg	8260
8/26/2003	+ MTBE	<5 ug/kg	8260

Comments: + Not a NELAC approved analyte

<-Less Than
ug/kg-micrograms per kilogram


Signature:

Michael Lapman
President

State #: PH-0218

ELAP#: 11715

Tel 203 961 9911 Toll Free 1 866 567 5097 Fax 203 961 9919 jmsenvironmental.com



JMS ENVIRONMENTAL SERVICES, INC.

1500 SUMMER STREET

STAMFORD, CONNECTICUT 06905

NELAC, CT and NY State Certified Environmental Laboratory

Cody Ehlers Group: B DP-1

Mailing Information:

Name: Cody Ehlers Group

Address: 140 Sherman St

City: Fairfield

State: CT

Zip: 06824

Telephone: 203-259-7722 **Fax:** 203-259-6088

Collector's Information:

Name: Jeff Day

Address of site:

City:

State: NY

Zip:

Telephone:

Sample's Information:

Site: **Date Collected:** 8/20/03 **Date Received:** 8/20/03
Preservative: N/A **Time Collected:** **Time Received:** 15:15
Temperature: <4C **Lab No.:** J036061

Date Analyzed	Test Name	Result	Method
8/25/03	Silver	<0.50 mg/kg	6010/E200.7
8/25/03	Arsenic	5.1 mg/kg	6010/E200.7
8/25/03	Barium	68.8 mg/kg	6010/E200.7
8/25/03	Cadmium	2.8 mg/kg	6010/E200.7
8/25/03	Chromium	9.30 mg/kg	6010/E200.7
8/25/03	Lead	144 mg/kg	SMWW3111B
8/25/03	Selenium	<2.5 mg/kg	6010/200.7
8/26/03	Mercury	<0.10 mg/kg	SW-7471
8/25/03	Percent Solid	86 %	E160.0

mg/kg- milligrams per kilogram

BDL- Below Detection Limit

Signature:

Michael Lapman
President

State #: PH-0218

ELAP#: 11715

Ref #: 11301

Appendix J - Citywide Invoice - 6/19/03

152

**Long Island
Sewer & Drain Inc.**(516) 825-1900
(631) 669-3221**CityWide**

Sewer & Drain Service Corp.

100 Voice Road, P.O. Box 350
Carle Place, NY 11514
(516) 747-2344 • (718) 846-6765
Fax (718) 343-6820
www.citywidesewers.com**Drainz-
A-Way**(516) 483-4438
(718) 767-7560SUTTON EDWARDS MANAGEMENT
ATTN JOHN PROSHA
1981 MARCUS AVE SUITE E 104
LAKE SUCCESS NY 11042Invoice No: F-3230-03
Work Order: FC9051
Date of Job 06/19/03SUTTON EDWARDS MANAGEMENT
Service at: 71 CLINTON RD SUTT
AGOOD

FEDERAL EXPRESS PARKING LOT	1875.00
PUMPED 7000 GALLONS OF WATER FROM PARKING LOT WITH HEAVY DUTY PUMP TRUCK	
PUMPED 8000 GALLONS FROM DRYWELL WITH HEAVY DUTY PUMP TRUCK	
JC	

SUBTOTAL	1875.00
TAX	164.06
TOTAL	2039.06

PAYMENT: NET 30 DAYS
CITY WIDE OFFERS DRAIN CARE PRODUCTS
TO KEEP YOUR DRAINS FLOWING FREE & CLEAR**APPROVED**PAID
JUL 28 2003**ENTERED**JUL 07 2003
BY:

BY: 003442 / 2,175.00 1948

Please detach and return with payment


SUTTON EDWARDS MANAGEMENT
ATTN JOHN PROSHA
1981 MARCUS AVE SUITE E 104
LAKE SUCCESS NY 11042Invoice No: F-3230-03
Work Order: FC9051
Date of Job 06/19/03

Service At: 71 CLINTON RD SUTT

Balance Due: 2039.06

City-Wide Sewer & Drain Service
100 Voice Road • P.O. Box 350
Carle Place, New York 11514**QUICK & RELIABLE SERVICE ANYWHERE**

Appendix K - JMS Environmental, Inc. Services, Inc. - 6/27/03



JMS ENVIRONMENTAL SERVICES, INC.
1500 SUMMER STREET
STAMFORD, CONNECTICUT 06905

NELAC, CT and NY State Certified Environmental Laboratory

Cody Ehlers Group: CP/LP-1

Mailing Information:

Name: Cody Ehlers Group

Address: 140 Sherman St

City: Fairfield

State: CT

Zip: 06824

Telephone: 203-259-7722 **Fax:** 203-259-6088

Collector's Information:

Name: Jeff Day

Address of site: 71 Clinton Rd

City: Garden City

State: NY

Zip:

Telephone:

Sample's Information:

Site:

Preservative: N/A

Temperature: <4C

Date Collected: 6/19/03


Time Collected:

Date Received: 6/19/03

Time Received: 17:00

Lab No.: J034244

Date Analyzed	Test Name	Result	Method
	EPA 8260		
6/27/2003	Benzene	<5 ug/kg	8260
6/27/2003	Bromochloromethane	<5 ug/kg	8260
6/27/2003	Bromodichloromethane	<5 ug/kg	8260
6/27/2003	Bromoform	<5 ug/kg	8260
6/27/2003	Bromomethane	<5 ug/kg	8260
6/27/2003	n-Butanol	<5 ug/kg	8260
6/27/2003	t-Butyl alcohol	<5 ug/kg	8260
6/27/2003	Carbon disulfide	<5 ug/kg	8260
6/27/2003	Carbon tetrachloride	<5 ug/kg	8260
6/27/2003	Chlorobenzene	<5 ug/kg	8260
6/27/2003	Chlorodibromomethane	<5 ug/kg	8260
6/27/2003	Chloroethane	<5 ug/kg	8260
6/27/2003	Chloroform	<5 ug/kg	8260
6/27/2003	Chloromethane	<5 ug/kg	8260
6/27/2003	1,2-Dibromo-3-chloropropane	<5 ug/kg	8260
6/27/2003	1,2-Dibromoethane	<5 ug/kg	8260
6/27/2003	Dibromomethane	<5 ug/kg	8260
6/27/2003	1,2-Dichlorobenzene	<5 ug/kg	8260
6/27/2003	1,3-Dichlorobenzene	<5 ug/kg	8260
6/27/2003	1,4-Dichlorobenzene	<5 ug/kg	8260
6/27/2003	cis-1,4-Dichloro-2-butene	<5 ug/kg	8260
6/27/2003	trans-1,4-Dichloro-2-butene	<5 ug/kg	8260
6/27/2003	Dichlorodifluoromethane	<5 ug/kg	8260
6/27/2003	1,1-Dichloroethane	<5 ug/kg	8260
6/27/2003	1,2-Dichloroethane	<5 ug/kg	8260
6/27/2003	1,1-Dichloroethene	<5 ug/kg	8260
6/27/2003	trans-1,2-Dichloroethene	<5 ug/kg	8260
6/27/2003	1,2-Dichloropropane	<5 ug/kg	8260
6/27/2003	cis-1,3-Dichloropropene	<5 ug/kg	8260
6/27/2003	trans-1,3-Dichloropropene	<5 ug/kg	8260



JMS ENVIRONMENTAL SERVICES, INC.
1500 SUMMER STREET
STAMFORD, CONNECTICUT 06905

NELAC, CT and NY State Certified Environmental Laboratory

Cody Ehlers Group: CP/LP-1

Mailing Information:

Name: Cody Ehlers Group

Address: 140 Sherman St

City: Fairfield

State: CT

Zip: 06824

Telephone: 203-259-7722 **Fax:** 203-259-6088

Collector's Information:

Name: Jeff Day

Address of site: 71 Clinton Rd

City: Garden City

State: NY

Zip:

Telephone:

Sample's Information:

Site:

Preservative: N/A

Temperature: <4C

Date Collected: 6/19/03


Time Collected:

Date Received: 6/19/03

Time Received: 17:00

Lab No.: J034244

Date Analyzed	Test Name	Result	Method
	EPA 8260 cont.		
6/27/2003	Ethylbenzene	<5 ug/kg	8260
6/27/2003	Hexachlorobutadiene	<5 ug/kg	8260
6/27/2003	Hexachloroethane	<5 ug/kg	8260
6/27/2003	Isobutyl alcohol	<5 ug/kg	8260
6/27/2003	Isopropylbenzene	<5 ug/kg	8260
6/27/2003	Methylene chloride	<5 ug/kg	8260
6/27/2003	Naphthalene	7.1 ug/kg	8260
6/27/2003	Nitrobenzene	<5 ug/kg	8260
6/27/2003	n-Nitroso-di-n-butylamine	<5 ug/kg	8260
6/27/2003	Pentachloroethane	<5 ug/kg	8260
6/27/2003	1-Propanol	<5 ug/kg	8260
6/27/2003	Styrene	<5 ug/kg	8260
6/27/2003	1,1,1,2-Tetrachloroethane	<5 ug/kg	8260
6/27/2003	1,1,2,2-Tetrachloroethane	<5 ug/kg	8260
6/27/2003	Tetrachloroethene	<5 ug/kg	8260
6/27/2003	Toluene	<5 ug/kg	8260
6/27/2003	1,2,4-Trichlorobenzene	<5 ug/kg	8260
6/27/2003	1,1,1-Trichloroethane	<5 ug/kg	8260
6/27/2003	1,1,2-Trichloroethane	<5 ug/kg	8260
6/27/2003	Trichloroethene	<5 ug/kg	8260
6/27/2003	Trichlorofluoromethane	<5 ug/kg	8260
6/27/2003	1,2,3-Trichloropropane	<5 ug/kg	8260
6/27/2003	Vinyl chloride	<5 ug/kg	8260
6/27/2003	o-xylene	<5 ug/kg	8260
6/27/2003	m&p xylene	<5 ug/kg	8260
6/27/2003	Bromobenzene	<5 ug/kg	8260
6/27/2003	n-Propylbenzene	<5 ug/kg	8260
6/27/2003	2-Chlorotoluene	<5 ug/kg	8260
6/27/2003	4-Chlorotoluene	<5 ug/kg	8260
6/27/2003	tert-Butylbenzene	<5 ug/kg	8260



JMS ENVIRONMENTAL SERVICES, INC.

1500 SUMMER STREET

STAMFORD, CONNECTICUT 06905

NELAC, CT and NY State Certified Environmental Laboratory

Cody Ehlers Group: CP/LP-1

Mailing Information:

Name: Cody Ehlers Group

Address: 140 Sherman St

City: Fairfield

State: CT

Zip: 06824

Telephone: 203-259-7722 **Fax:** 203-259-6088

Collector's Information:

Name: Jeff Day

Address of site: 71 Clinton Rd

City: Garden City

State: NY

Zip:

Telephone:

Sample's Information:

Site:

Preservative: N/A

Temperature: <4C

Date Collected: 6/19/03

Time Collected:

Date Received: 6/19/03

Time Received: 17:00

Lab No.: J034244

Date Analyzed	Test Name	Result	Method
	EPA 8260 cont.		
6/27/2003	1,3,5-trimethylbenzene	5.1 ug/kg	8260
6/27/2003	1,2,4-trimethylbenzene	13 ug/kg	8260
6/27/2003	sec-Butylbenzene	<5 ug/kg	8260
6/27/2003	p-Isopropyltoluene	<5 ug/kg	8260
6/27/2003	n-Butylbenzene	<5 ug/kg	8260
6/27/2003	Iodomethane	<5 ug/kg	8260
6/27/2003	MTBE	<5 ug/kg	8260

<-Less Than
ug/kg-micrograms per kilogram

Signature:

Michael Lapman
President

State #: PH-0218

ELAP#: 11715

Tel 203 961 9911 Toll Free 1 866 567 5097 Fax 203 961 9919 jmsenvironmental.com



JMS ENVIRONMENTAL SERVICES, INC.

1500 SUMMER STREET

STAMFORD, CONNECTICUT 06905

NELAC, CT and NY State Certified Environmental Laboratory

Cody Ehlers Group: CP/LP-1

Mailing Information:

Name: Cody Ehlers Group

Address: 140 Sherman St

City: Fairfield

State: CT

Zip: 06824

Telephone: 203-259-7722 **Fax:** 203-259-6088

Collector's Information:

Name: Jeff Day

Address of site: 71 Clinton Rd

City: Garden City

State: NY

Zip:

Telephone:

Sample's Information:

Site:

Preservative: N/A

Temperature: <4C

Date Collected: 6/19/03

Time Collected:

Date Received: 6/19/03

Time Received: 17:00

Lab No.: J034244

Date Analyzed	Test Name	Result	Method
	EPA 8270		
6/25/03	Naphthalene	<3300 ug/kg	8270
6/25/03	Acenaphthylene	<3300 ug/kg	8270
6/25/03	Acenaphthene	<3300 ug/kg	8270
6/25/03	Fluorene	<3300 ug/kg	8270
6/25/03	Phenanthrene	23000 ug/kg	8270
6/25/03	Anthracene	18000 ug/kg	8270
6/25/03	Fluoranthene	8200 ug/kg	8270
6/25/03	Pyrene	<3300 ug/kg	8270
6/25/03	Benzo(a)anthracene	13000 ug/kg	8270
6/25/03	Chrysene	11000 ug/kg	8270
6/25/03	Benzo(b)fluoranthene	<3300 ug/kg	8270
6/25/03	Benzo(k)fluoranthene	<3300 ug/kg	8270
6/25/03	Benzo(a)pyrene	6400 ug/kg	8270
6/25/03	Indeno(1,2,3-cd)pyrene	5200 ug/kg	8270
6/25/03	Dibenz(a,h)anthracene	3500 ug/kg	8270
6/25/03	Benzo(g,h,i)perylene	<3300 ug/kg	8270

<-Less Than


ug/kg-micrograms per kilogram

Signature:

Michael Lapman
President

State #: PH-0218

ELAP#: 11715



JMS ENVIRONMENTAL SERVICES, INC.
1500 SUMMER STREET
STAMFORD, CONNECTICUT 06905

NELAC, CT and NY State Certified Environmental Laboratory

Cody Ehlers Group: CP/LP-1

Mailing Information:

Name: Cody Ehlers Group

Address: 140 Sherman St

City: Fairfield

State: CT

Zip: 06824

Telephone: 203-259-7722 **Fax:** 203-259-6088

Collector's Information:

Name: Jeff Day

Address of site: 71 Clinton Rd

City: Garden City

State: NY

Zip:

Telephone:

Sample's Information:

Site:

Preservative: N/A

Temperature: <4C

Date Collected: 6/19/03

Time Collected:

Date Received: 6/19/03

Time Received: 17:00

Lab No.: J034244

Date Analyzed	Test Name	Result	Method
6/25/03	Silver	BDL mg/kg	200.7/6010
6/25/03	Arsenic	3.5 mg/kg	206.2
6/25/03	Barium	161 mg/kg	6010/E200.7
6/25/03	Cadmium	3.80 mg/kg	6010/E200.7
6/25/03	Chromium	27.8 mg/kg	200.7/6010
6/25/03	Lead	71.0 mg/kg	7421/S3113B
6/25/03	Selenium	BDL mg/kg	6010/200.7
6/26/03	Mercury	0.20 mg/kg	7470/E245.1

mg/kg- milligrams per kilogram

BDL- Below Detection Limit


Signature:

Michael Lapman
President

State #: PH-0218

ELAP#: 11715

Ref #: 11301



JMS ENVIRONMENTAL SERVICES, INC.

1500 SUMMER STREET

STAMFORD, CONNECTICUT 06905

NELAC, CT and NY State Certified Environmental Laboratory

Cody Ehlers Group: CP/LP-2

Mailing Information:

Name: Cody Ehlers Group

Address: 140 Sherman St

City: Fairfield

State: CT

Zip: 06824

Telephone: 203-259-7722 **Fax:** 203-259-6088

Collector's Information:

Name: Jeff Day

Address of site: 71 Clinton Rd

City: Garden City

State: NY

Zip:

Telephone:

Sample's Information:

Site:

Preservative: N/A

Temperature: <4C

Date Collected: 6/19/03


Time Collected:

Date Received: 6/19/03

Time Received: 17:00

Lab No.: J034245

Date Analyzed	Test Name	Result	Method
	EPA 8260		
6/27/2003	Benzene	<5 ug/kg	8260
6/27/2003	Bromochloromethane	<5 ug/kg	8260
6/27/2003	Bromodichloromethane	<5 ug/kg	8260
6/27/2003	Bromoform	<5 ug/kg	8260
6/27/2003	Bromomethane	<5 ug/kg	8260
6/27/2003	n-Butanol	<5 ug/kg	8260
6/27/2003	t-Butyl alcohol	<5 ug/kg	8260
6/27/2003	Carbon disulfide	<5 ug/kg	8260
6/27/2003	Carbon tetrachloride	<5 ug/kg	8260
6/27/2003	Chlorobenzene	<5 ug/kg	8260
6/27/2003	Chlorodibromomethane	<5 ug/kg	8260
6/27/2003	Chloroethane	<5 ug/kg	8260
6/27/2003	Chloroform	<5 ug/kg	8260
6/27/2003	Chloromethane	<5 ug/kg	8260
6/27/2003	1,2-Dibromo-3-chloropropane	<5 ug/kg	8260
6/27/2003	1,2-Dibromoethane	<5 ug/kg	8260
6/27/2003	Dibromomethane	<5 ug/kg	8260
6/27/2003	1,2-Dichlorobenzene	<5 ug/kg	8260
6/27/2003	1,3-Dichlorobenzene	<5 ug/kg	8260
6/27/2003	1,4-Dichlorobenzene	<5 ug/kg	8260
6/27/2003	cis-1,4-Dichloro-2-butene	<5 ug/kg	8260
6/27/2003	trans-1,4-Dichloro-2-butene	<5 ug/kg	8260
6/27/2003	Dichlorodifluoromethane	<5 ug/kg	8260
6/27/2003	1,1-Dichloroethane	<5 ug/kg	8260
6/27/2003	1,2-Dichloroethane	<5 ug/kg	8260
6/27/2003	1,1-Dichloroethene	<5 ug/kg	8260
6/27/2003	trans-1,2-Dichloroethene	<5 ug/kg	8260
6/27/2003	1,2-Dichloropropane	<5 ug/kg	8260
6/27/2003	cis-1,3-Dichloropropene	<5 ug/kg	8260
6/27/2003	trans-1,3-Dichloropropene	<5 ug/kg	8260



JMS ENVIRONMENTAL SERVICES, INC.

1500 SUMMER STREET

STAMFORD, CONNECTICUT 06905

NELAC, CT and NY State Certified Environmental Laboratory

Cody Ehlers Group: CP/LP-2

Mailing Information:

Name: Cody Ehlers Group

Address: 140 Sherman St

City: Fairfield

State: CT

Zip: 06824

Telephone: 203-259-7722 **Fax:** 203-259-6088

Collector's Information:

Name: Jeff Day

Address of site: 71 Clinton Rd

City: Garden City

State: NY

Zip:

Telephone:

Sample's Information:

Site:

Preservative: N/A

Temperature: <4C

Date Collected: 6/19/03


Time Collected:

Date Received: 6/19/03

Time Received: 17:00

Lab No.: J034245

Date Analyzed	Test Name	Result	Method
	EPA 8260 cont.		
6/27/2003	Ethylbenzene	5.1 ug/kg	8260
6/27/2003	Hexachlorobutadiene	<5 ug/kg	8260
6/27/2003	Hexachloroethane	<5 ug/kg	8260
6/27/2003	Isobutyl alcohol	<5 ug/kg	8260
6/27/2003	Isopropylbenzene	<5 ug/kg	8260
6/27/2003	Methylene chloride	<5 ug/kg	8260
6/27/2003	Naphthalene	<5 ug/kg	8260
6/27/2003	Nitrobenzene	<5 ug/kg	8260
6/27/2003	n-Nitroso-di-n-butylamine	<5 ug/kg	8260
6/27/2003	Pentachloroethane	<5 ug/kg	8260
6/27/2003	1-Propanol	<5 ug/kg	8260
6/27/2003	Styrene	<5 ug/kg	8260
6/27/2003	1,1,1,2-Tetrachloroethane	<5 ug/kg	8260
6/27/2003	1,1,2,2-Tetrachloroethane	<5 ug/kg	8260
6/27/2003	Tetrachloroethene	<5 ug/kg	8260
6/27/2003	Toluene	<5 ug/kg	8260
6/27/2003	1,2,4-Trichlorobenzene	<5 ug/kg	8260
6/27/2003	1,1,1-Trichloroethane	<5 ug/kg	8260
6/27/2003	1,1,2-Trichloroethane	<5 ug/kg	8260
6/27/2003	Trichloroethene	<5 ug/kg	8260
6/27/2003	Trichlorofluoromethane	<5 ug/kg	8260
6/27/2003	1,2,3-Trichloropropane	<5 ug/kg	8260
6/27/2003	Vinyl chloride	<5 ug/kg	8260
6/27/2003	o-xylene	7.4 ug/kg	8260
6/27/2003	m&p xylene	9.5 ug/kg	8260
6/27/2003	Bromobenzene	<5 ug/kg	8260
6/27/2003	n-Propylbenzene	5.3 ug/kg	8260
6/27/2003	2-Chlorotoluene	<5 ug/kg	8260
6/27/2003	4-Chlorotoluene	<5 ug/kg	8260
6/27/2003	tert-Butylbenzene	<5 ug/kg	8260



JMS ENVIRONMENTAL SERVICES, INC.

1500 SUMMER STREET

STAMFORD, CONNECTICUT 06905

NELAC, CT and NY State Certified Environmental Laboratory

Cody Ehlers Group: CP/LP-2

Mailing Information:

Name: Cody Ehlers Group

Address: 140 Sherman St

City: Fairfield

State: CT

Zip: 06824

Telephone: 203-259-7722 **Fax:** 203-259-6088

Collector's Information:

Name: Jeff Day

Address of site: 71 Clinton Rd

City: Garden City

State: NY

Zip:

Telephone:

Sample's Information:

Site:

Preservative: N/A

Temperature: <4C

Date Collected: 6/19/03

Time Collected:

Date Received: 6/19/03

Time Received: 17:00

Lab No.: J034245

Date Analyzed	Test Name	Result	Method
	EPA 8260 cont.		
6/27/2003	1,3,5-trimethylbenzene	19 ug/kg	8260
6/27/2003	1,2,4-trimethylbenzene	22 ug/kg	8260
6/27/2003	sec-Butylbenzene	<5 ug/kg	8260
6/27/2003	p-Isopropyltoluene	<5 ug/kg	8260
6/27/2003	n-Butylbenzene	<5 ug/kg	8260
6/27/2003	Iodomethane	<5 ug/kg	8260
6/27/2003	MTBE	<5 ug/kg	8260

<-Less Than

ug/kg-micrograms per kilogram


Signature:

Michael Lapman
President

State #: PH-0218

ELAP#: 11715

Tel 203 961 9911 Toll Free 1 866 567 5097 Fax 203 961 9919 jmsenvironmental.com



JMS ENVIRONMENTAL SERVICES, INC.

1500 SUMMER STREET

STAMFORD, CONNECTICUT 06905

NELAC, CT and NY State Certified Environmental Laboratory

Cody Ehlers Group: CP/LP-2

Mailing Information:

Name: Cody Ehlers Group

Address: 140 Sherman St

City: Fairfield

State: CT

Zip: 06824

Telephone: 203-259-7722 **Fax:** 203-259-6088

Collector's Information:

Name: Jeff Day

Address of site: 71 Clinton Rd

City: Garden City

State: NY

Zip:

Telephone:

Sample's Information:

Site:
Preservative: N/A
Temperature: <4C


Date Collected: 6/19/03
Time Collected:

Date Received: 6/19/03
Time Received: 17:00
Lab No.: J034245


Date Analyzed	Test Name	Result	Method
	EPA 8270		
6/25/03	Naphthalene	<3300 ug/kg	8270
6/25/03	Acenaphthylene	<3300 ug/kg	8270
6/25/03	Acenaphthene	<3300 ug/kg	8270
6/25/03	Fluorene	<3300 ug/kg	8270
6/25/03	Phenanthrene	29000 ug/kg	8270
6/25/03	Anthracene	20000 ug/kg	8270
6/25/03	Fluoranthene	10000 ug/kg	8270
6/25/03	Pyrene	<3300 ug/kg	8270
6/25/03	Benzo(a)anthracene	<3300 ug/kg	8270
6/25/03	Chrysene	<3300 ug/kg	8270
6/25/03	Benzo(b)fluoranthene	<3300 ug/kg	8270
6/25/03	Benzo(k)fluoranthene	<3300 ug/kg	8270
6/25/03	Benzo(a)pyrene	<3300 ug/kg	8270
6/25/03	Indeno(1,2,3-cd)pyrene	3800 ug/kg	8270
6/25/03	Dibenz(a,h)anthracene	<3300 ug/kg	8270
6/25/03	Benzo(g,h,i)perylene	5300 ug/kg	8270

<-Less Than
ug/kg-micrograms per kilogram

Signature:


Michael Lapman
President

State #: PH-0218
ELAP#: 11715



JMS ENVIRONMENTAL SERVICES, INC.

1500 SUMMER STREET

STAMFORD, CONNECTICUT 06905

NELAC, CT and NY State Certified Environmental Laboratory

Cody Ehlers Group: CP/LP-2

Mailing Information:

Name: Cody Ehlers Group

Address: 140 Sherman St

City: Fairfield

State: CT

Zip: 06824

Telephone: 203-259-7722 **Fax:** 203-259-6088

Collector's Information:

Name: Jeff Day

Address of site: 71 Clinton Rd

City: Garden City

State: NY

Zip:

Telephone:

Sample's Information:

Site:

Preservative: N/A

Temperature: <4C

Date Collected: 6/19/03

Time Collected:

Date Received: 6/19/03

Time Received: 17:00

Lab No.: J034245

Date Analyzed	Test Name	Result	Method
6/25/03	Silver	4.70 mg/kg	200.7/6010
6/25/03	Arsenic	10.9 mg/kg	206.2
6/25/03	Barium	1610 mg/kg	6010/E200.7
6/25/03	Cadmium	25.6 mg/kg	6010/E200.7
6/25/03	Chromium	91.3 mg/kg	200.7/6010
6/25/03	Lead	350 mg/kg	7421/S3113B
6/25/03	Selenium	BDL mg/kg	6010/200.7
6/26/03	Mercury	2.24 mg/kg	7470/E245.1

mg/kg- milligrams per kilogram

BDL- Below Detection Limit

Signature:

Michael Lapman
President

State #: PH-0218

ELAP#: 11715

Ref #: 11301



JMS ENVIRONMENTAL SERVICES, INC.

1500 SUMMER STREET

STAMFORD, CONNECTICUT 06905

NELAC, CT and NY State Certified Environmental Laboratory

Cody Ehlers Group: CP/LP-3

Mailing Information:

Name: Cody Ehlers Group

Address: 140 Sherman St

City: Fairfield

State: CT

Zip: 06824

Telephone: 203-259-7722 **Fax:** 203-259-6088

Collector's Information:

Name: Jeff Day

Address of site: 71 Clinton Rd

City: Garden City

State: NY

Zip:

Telephone:

Sample's Information:

Site:

Preservative: N/A

Temperature: <4C

Date Collected: 6/19/03


Time Collected:

Date Received: 6/19/03

Time Received: 17:00

Lab No.: J034246

Date Analyzed	Test Name	Result	Method
	EPA 8260		
6/27/2003	Benzene	<5 ug/kg	8260
6/27/2003	Bromochloromethane	<5 ug/kg	8260
6/27/2003	Bromodichloromethane	<5 ug/kg	8260
6/27/2003	Bromoform	<5 ug/kg	8260
6/27/2003	Bromomethane	<5 ug/kg	8260
6/27/2003	n-Butanol	<5 ug/kg	8260
6/27/2003	t-Butyl alcohol	<5 ug/kg	8260
6/27/2003	Carbon disulfide	<5 ug/kg	8260
6/27/2003	Carbon tetrachloride	<5 ug/kg	8260
6/27/2003	Chlorobenzene	<5 ug/kg	8260
6/27/2003	Chlorodibromomethane	<5 ug/kg	8260
6/27/2003	Chloroethane	<5 ug/kg	8260
6/27/2003	Chloroform	<5 ug/kg	8260
6/27/2003	Chloromethane	<5 ug/kg	8260
6/27/2003	1,2-Dibromo-3-chloropropane	<5 ug/kg	8260
6/27/2003	1,2-Dibromoethane	<5 ug/kg	8260
6/27/2003	Dibromomethane	<5 ug/kg	8260
6/27/2003	1,2-Dichlorobenzene	<5 ug/kg	8260
6/27/2003	1,3-Dichlorobenzene	<5 ug/kg	8260
6/27/2003	1,4-Dichlorobenzene	<5 ug/kg	8260
6/27/2003	cis-1,4-Dichloro-2-butene	<5 ug/kg	8260
6/27/2003	trans-1,4-Dichloro-2-butene	<5 ug/kg	8260
6/27/2003	Dichlorodifluoromethane	<5 ug/kg	8260
6/27/2003	1,1-Dichloroethane	<5 ug/kg	8260
6/27/2003	1,2-Dichloroethane	<5 ug/kg	8260
6/27/2003	1,1-Dichloroethene	<5 ug/kg	8260
6/27/2003	trans-1,2-Dichloroethene	<5 ug/kg	8260
6/27/2003	1,2-Dichloropropane	<5 ug/kg	8260
6/27/2003	cis-1,3-Dichloropropene	<5 ug/kg	8260
6/27/2003	trans-1,3-Dichloropropene	<5 ug/kg	8260



JMS ENVIRONMENTAL SERVICES, INC.
1500 SUMMER STREET
STAMFORD, CONNECTICUT 06905

NELAC, CT and NY State Certified Environmental Laboratory

Cody Ehlers Group: CP/LP-3

Mailing Information:

Name: Cody Ehlers Group

Address: 140 Sherman St

City: Fairfield

State: CT

Zip: 06824

Telephone: 203-259-7722 **Fax:** 203-259-6088

Collector's Information:

Name: Jeff Day

Address of site: 71 Clinton Rd

City: Garden City

State: NY

Zip:

Telephone:

Sample's Information:

Site:

Preservative: N/A

Temperature: <4C

Date Collected: 6/19/03


Time Collected:

Date Received: 6/19/03

Time Received: 17:00

Lab No.: J034246

Date Analyzed	Test Name	Result	Method
	EPA 8260 cont.		
6/27/2003	Ethylbenzene	16 ug/kg	8260
6/27/2003	Hexachlorobutadiene	<5 ug/kg	8260
6/27/2003	Hexachloroethane	<5 ug/kg	8260
6/27/2003	Isobutyl alcohol	<5 ug/kg	8260
6/27/2003	Isopropylbenzene	10 ug/kg	8260
6/27/2003	Methylene chloride	<5 ug/kg	8260
6/27/2003	Naphthalene	<5 ug/kg	8260
6/27/2003	Nitrobenzene	<5 ug/kg	8260
6/27/2003	n-Nitroso-di-n-butylamine	<5 ug/kg	8260
6/27/2003	Pentachloroethane	<5 ug/kg	8260
6/27/2003	1-Propanol	<5 ug/kg	8260
6/27/2003	Styrene	<5 ug/kg	8260
6/27/2003	1,1,1,2-Tetrachloroethane	<5 ug/kg	8260
6/27/2003	1,1,2,2-Tetrachloroethane	<5 ug/kg	8260
6/27/2003	Tetrachloroethene	<5 ug/kg	8260
6/27/2003	Toluene	<5 ug/kg	8260
6/27/2003	1,2,4-Trichlorobenzene	<5 ug/kg	8260
6/27/2003	1,1,1-Trichloroethane	<5 ug/kg	8260
6/27/2003	1,1,2-Trichloroethane	<5 ug/kg	8260
6/27/2003	Trichloroethene	<5 ug/kg	8260
6/27/2003	Trichlorofluoromethane	<5 ug/kg	8260
6/27/2003	1,2,3-Trichloropropane	<5 ug/kg	8260
6/27/2003	Vinyl chloride	<5 ug/kg	8260
6/27/2003	o-xylene	19 ug/kg	8260
6/27/2003	m&p xylene	56 ug/kg	8260
6/27/2003	Bromobenzene	<5 ug/kg	8260
6/27/2003	n-Propylbenzene	27 ug/kg	8260
6/27/2003	2-Chlorotoluene	<5 ug/kg	8260
6/27/2003	4-Chlorotoluene	<5 ug/kg	8260
6/27/2003	tert-Butylbenzene	<5 ug/kg	8260



JMS ENVIRONMENTAL SERVICES, INC.
1500 SUMMER STREET
STAMFORD, CONNECTICUT 06905

NELAC, CT and NY State Certified Environmental Laboratory

Cody Ehlers Group: CP/LP-3

Mailing Information:

Name: Cody Ehlers Group

Address: 140 Sherman St

City: Fairfield

State: CT

Zip: 06824

Telephone: 203-259-7722 **Fax:** 203-259-6088

Collector's Information:

Name: Jeff Day

Address of site: 71 Clinton Rd

City: Garden City

State: NY

Zip:

Telephone:

Sample's Information:

Site:

Preservative: N/A

Temperature: <4C

Date Collected: 6/19/03

Time Collected:

Date Received: 6/19/03

Time Received: 17:00

Lab No.: J034246

Date Analyzed	Test Name	Result	Method
	EPA 8260 cont.		
6/27/2003	1,3,5-trimethylbenzene	14 ug/kg	8260
6/27/2003	1,2,4-trimethylbenzene	57 ug/kg	8260
6/27/2003	sec-Butylbenzene	42 ug/kg	8260
6/27/2003	p-Isopropyltoluene	77 ug/kg	8260
6/27/2003	n-Butylbenzene	30 ug/kg	8260
6/27/2003	Iodomethane	<5 ug/kg	8260
6/27/2003	MTBE	<5 ug/kg	8260

<-Less Than
ug/kg-micrograms per kilogram


Signature:

Michael Lapman
President

State #: PH-0218

ELAP#: 11715

Tel 203 961 9911 Toll Free 1 866 567 5097 Fax 203 961 9919 jmsenvironmental.com



JMS ENVIRONMENTAL SERVICES, INC.
1500 SUMMER STREET
STAMFORD, CONNECTICUT 06905

NELAC, CT and NY State Certified Environmental Laboratory

Cody Ehlers Group: CP/LP-3

Mailing Information:

Name: Cody Ehlers Group

Address: 140 Sherman St

City: Fairfield

State: CT

Zip: 06824

Telephone: 203-259-7722 **Fax:** 203-259-6088

Collector's Information:

Name: Jeff Day

Address of site: 71 Clinton Rd

City: Garden City

State: NY

Zip:

Telephone:

Sample's Information:

Site:

Preservative: N/A

Temperature: <4C

Date Collected: 6/19/03

Time Collected:

Date Received: 6/19/03

Time Received: 17:00

Lab No.: J034246

Date Analyzed	Test Name	Result	Method
	EPA 8270		
6/25/03	Naphthalene	<3300 ug/kg	8270
6/25/03	Acenaphthylene	7500 ug/kg	8270
6/25/03	Acenaphthene	5400 ug/kg	8270
6/25/03	Fluorene	18000 ug/kg	8270
6/25/03	Phenanthrene	4800 ug/kg	8270
6/25/03	Anthracene	7300 ug/kg	8270
6/25/03	Fluoranthene	9000 ug/kg	8270
6/25/03	Pyrene	<3300 ug/kg	8270
6/25/03	Benzo(a)anthracene	8800 ug/kg	8270
6/25/03	Chrysene	<3300 ug/kg	8270
6/25/03	Benzo(b)fluoranthene	<3300 ug/kg	8270
6/25/03	Benzo(k)fluoranthene	<3300 ug/kg	8270
6/25/03	Benzo(a)pyrene	5400 ug/kg	8270
6/25/03	Indeno(1,2,3-cd)pyrene	7500 ug/kg	8270
6/25/03	Dibenz(a,h)anthracene	<3300 ug/kg	8270
6/25/03	Benzo(g,h,i)perylene	15000 ug/kg	8270

<-Less Than


ug/kg-micrograms per kilogram

Signature:

Michael Lapman
President

State #: PH-0218

ELAP#: 11715



JMS ENVIRONMENTAL SERVICES, INC.
1500 SUMMER STREET
STAMFORD, CONNECTICUT 06905

NELAC, CT and NY State Certified Environmental Laboratory

Cody Ehlers Group: CP/LP-3

Mailing Information:

Name: Cody Ehlers Group

Address: 140 Sherman St

City: Fairfield

State: CT

Zip: 06824

Telephone: 203-259-7722 **Fax:** 203-259-6088

Collector's Information:

Name: Jeff Day

Address of site: 71 Clinton Rd

City: Garden City

State: NY

Zip:

Telephone:

Sample's Information:

Site:

Preservative: N/A

Temperature: <4C

Date Collected: 6/19/03

Time Collected:

Date Received: 6/19/03

Time Received: 17:00

Lab No.: J034246

Date Analyzed	Test Name	Result	Method
6/25/03	Silver	6.00 mg/kg	200.7/6010
6/25/03	Arsenic	8.7 mg/kg	206.2
6/25/03	Barium	1120 mg/kg	6010/E200.7
6/25/03	Cadmium	36.6 mg/kg	6010/E200.7
6/25/03	Chromium	135 mg/kg	200.7/6010
6/25/03	Lead	218 mg/kg	7421/S3113B
6/25/03	Selenium	BDL mg/kg	6010/200.7
6/26/03	Mercury	1.54 mg/kg	7470/E245.1

mg/kg- milligrams per kilogram

BDL- Below Detection Limit


Signature:

Michael Lapman
President

State #: PH-0218

ELAP#: 11715

Ref #: 11301



JMS ENVIRONMENTAL SERVICES, INC.

1500 SUMMER STREET

STAMFORD, CONNECTICUT 06905

NELAC, CT and NY State Certified Environmental Laboratory

Cody Ehlers Group: CP/LP-4

Mailing Information:

Name: Cody Ehlers Group

Address: 140 Sherman St

City: Fairfield

State: CT

Zip: 06824

Telephone: 203-259-7722 **Fax:** 203-259-6088

Collector's Information:

Name: Jeff Day

Address of site: 71 Clinton Rd

City: Garden City

State: NY

Zip:

Telephone:

Sample's Information:

Site:

Preservative: N/A

Temperature: <4C

Date Collected: 6/19/03


Time Collected:

Date Received: 6/19/03

Time Received: 17:00

Lab No.: J034247

Date Analyzed	Test Name	Result	Method
	EPA 8260		
6/27/2003	Benzene	<5 ug/kg	8260
6/27/2003	Bromochloromethane	<5 ug/kg	8260
6/27/2003	Bromodichloromethane	<5 ug/kg	8260
6/27/2003	Bromoform	<5 ug/kg	8260
6/27/2003	Bromomethane	<5 ug/kg	8260
6/27/2003	n-Butanol	<5 ug/kg	8260
6/27/2003	t-Butyl alcohol	<5 ug/kg	8260
6/27/2003	Carbon disulfide	<5 ug/kg	8260
6/27/2003	Carbon tetrachloride	<5 ug/kg	8260
6/27/2003	Chlorobenzene	<5 ug/kg	8260
6/27/2003	Chlorodibromomethane	<5 ug/kg	8260
6/27/2003	Chloroethane	<5 ug/kg	8260
6/27/2003	Chloroform	<5 ug/kg	8260
6/27/2003	Chloromethane	<5 ug/kg	8260
6/27/2003	1,2-Dibromo-3-chloropropane	<5 ug/kg	8260
6/27/2003	1,2-Dibromoethane	<5 ug/kg	8260
6/27/2003	Dibromomethane	<5 ug/kg	8260
6/27/2003	1,2-Dichlorobenzene	<5 ug/kg	8260
6/27/2003	1,3-Dichlorobenzene	<5 ug/kg	8260
6/27/2003	1,4-Dichlorobenzene	<5 ug/kg	8260
6/27/2003	cis-1,4-Dichloro-2-butene	<5 ug/kg	8260
6/27/2003	trans-1,4-Dichloro-2-butene	<5 ug/kg	8260
6/27/2003	Dichlorodifluoromethane	<5 ug/kg	8260
6/27/2003	1,1-Dichloroethane	<5 ug/kg	8260
6/27/2003	1,2-Dichloroethane	<5 ug/kg	8260
6/27/2003	1,1-Dichloroethene	<5 ug/kg	8260
6/27/2003	trans-1,2-Dichloroethene	<5 ug/kg	8260
6/27/2003	1,2-Dichloropropane	<5 ug/kg	8260
6/27/2003	cis-1,3-Dichloropropene	<5 ug/kg	8260
6/27/2003	trans-1,3-Dichloropropene	<5 ug/kg	8260



JMS ENVIRONMENTAL SERVICES, INC.

1500 SUMMER STREET

STAMFORD, CONNECTICUT 06905

NELAC, CT and NY State Certified Environmental Laboratory

Cody Ehlers Group: CP/LP-4

Mailing Information:

Name: Cody Ehlers Group

Address: 140 Sherman St

City: Fairfield

State: CT

Zip: 06824

Telephone: 203-259-7722 **Fax:** 203-259-6088

Collector's Information:

Name: Jeff Day

Address of site: 71 Clinton Rd

City: Garden City

State: NY

Zip:

Telephone:

Sample's Information:

Site:

Preservative: N/A

Temperature: <4C

Date Collected: 6/19/03


Time Collected:

Date Received: 6/19/03

Time Received: 17:00

Lab No.: J034247

Date Analyzed	Test Name	Result	Method
	EPA 8260 cont.		
6/27/2003	Ethylbenzene	11 ug/kg	8260
6/27/2003	Hexachlorobutadiene	<5 ug/kg	8260
6/27/2003	Hexachloroethane	<5 ug/kg	8260
6/27/2003	Isobutyl alcohol	<5 ug/kg	8260
6/27/2003	Isopropylbenzene	28 ug/kg	8260
6/27/2003	Methylene chloride	<5 ug/kg	8260
6/27/2003	Naphthalene	<5 ug/kg	8260
6/27/2003	Nitrobenzene	<5 ug/kg	8260
6/27/2003	n-Nitroso-di-n-butylamine	<5 ug/kg	8260
6/27/2003	Pentachloroethane	<5 ug/kg	8260
6/27/2003	1-Propanol	<5 ug/kg	8260
6/27/2003	Styrene	<5 ug/kg	8260
6/27/2003	1,1,1,2-Tetrachloroethane	<5 ug/kg	8260
6/27/2003	1,1,2,2-Tetrachloroethane	<5 ug/kg	8260
6/27/2003	Tetrachloroethene	<5 ug/kg	8260
6/27/2003	Toluene	100 ug/kg	8260
6/27/2003	1,2,4-Trichlorobenzene	<5 ug/kg	8260
6/27/2003	1,1,1-Trichloroethane	<5 ug/kg	8260
6/27/2003	1,1,2-Trichloroethane	<5 ug/kg	8260
6/27/2003	Trichloroethene	<5 ug/kg	8260
6/27/2003	Trichlorofluoromethane	<5 ug/kg	8260
6/27/2003	1,2,3-Trichloropropane	<5 ug/kg	8260
6/27/2003	Vinyl chloride	<5 ug/kg	8260
6/27/2003	o-xylene	20 ug/kg	8260
6/27/2003	m&p xylene	39 ug/kg	8260
6/27/2003	Bromobenzene	<5 ug/kg	8260
6/27/2003	n-Propylbenzene	62 ug/kg	8260
6/27/2003	2-Chlorotoluene	<5 ug/kg	8260
6/27/2003	4-Chlorotoluene	<5 ug/kg	8260
6/27/2003	tert-Butylbenzene	<5 ug/kg	8260



JMS ENVIRONMENTAL SERVICES, INC.
1500 SUMMER STREET
STAMFORD, CONNECTICUT 06905

NELAC, CT and NY State Certified Environmental Laboratory

Cody Ehlers Group: CP/LP-4

Mailing Information:

Name: Cody Ehlers Group

Address: 140 Sherman St

City: Fairfield

State: CT

Zip: 06824

Telephone: 203-259-7722 **Fax:** 203-259-6088

Collector's Information:

Name: Jeff Day

Address of site: 71 Clinton Rd

City: Garden City

State: NY

Zip:

Telephone:

Sample's Information:

Site:

Preservative: N/A

Temperature: <4C

Date Collected: 6/19/03

Time Collected:

Date Received: 6/19/03

Time Received: 17:00

Lab No.: J034247

Date Analyzed	Test Name	Result	Method
	EPA 8260 cont.		
6/27/2003	1,3,5-trimethylbenzene	14 ug/kg	8260
6/27/2003	1,2,4-trimethylbenzene	57 ug/kg	8260
6/27/2003	sec-Butylbenzene	140 ug/kg	8260
6/27/2003	p-Isopropyltoluene	110 ug/kg	8260
6/27/2003	n-Butylbenzene	71 ug/kg	8260
6/27/2003	Iodomethane	<5 ug/kg	8260
6/27/2003	MTBE	<5 ug/kg	8260

<-Less Than

ug/kg-micrograms per kilogram


Signature:

Michael Lapman
President

State #: PH-0218

ELAP#: 11715

Tel 203 961 9911 Toll Free 1 866 567 5097 Fax 203 961 9919 jmsenvironmental.com



JMS ENVIRONMENTAL SERVICES, INC.

1500 SUMMER STREET

STAMFORD, CONNECTICUT 06905

NELAC, CT and NY State Certified Environmental Laboratory

Cody Ehlers Group: CP/LP-4

Mailing Information:

Name: Cody Ehlers Group

Address: 140 Sherman St

City: Fairfield

State: CT

Zip: 06824

Telephone: 203-259-7722 **Fax:** 203-259-6088

Collector's Information:

Name: Jeff Day

Address of site: 71 Clinton Rd

City: Garden City

State: NY

Zip:

Telephone:

Sample's Information:

Site:

Preservative: N/A

Temperature: <4C

Date Collected: 6/19/03

Time Collected:

Date Received: 6/19/03

Time Received: 17:00

Lab No.: J034247

Date Analyzed	Test Name	Result	Method
	EPA 8270		
6/25/03	Naphthalene	38000 ug/kg	8270
6/25/03	Acenaphthylene	87000 ug/kg	8270
6/25/03	Acenaphthene	45000 ug/kg	8270
6/25/03	Fluorene	150000 ug/kg	8270
6/25/03	Phenanthrene	310000 ug/kg	8270
6/25/03	Anthracene	<33000 ug/kg	8270
6/25/03	Fluoranthene	<33000 ug/kg	8270
6/25/03	Pyrene	<33000 ug/kg	8270
6/25/03	Benzo(a)anthracene	71000 ug/kg	8270
6/25/03	Chrysene	<33000 ug/kg	8270
6/25/03	Benzo(b)fluoranthene	<33000 ug/kg	8270
6/25/03	Benzo(k)fluoranthene	<33000 ug/kg	8270
6/25/03	Benzo(a)pyrene	<33000 ug/kg	8270
6/25/03	Indeno(1,2,3-cd)pyrene	<33000 ug/kg	8270
6/25/03	Dibenz(a,h)anthracene	<33000 ug/kg	8270
6/25/03	Benzo(g,h,i)perylene	<33000 ug/kg	8270

<-Less Than

ug/kg-micrograms per kilogram


Signature:

Michael Lapman

President

State #: PH-0218

ELAP#: 11715



JMS ENVIRONMENTAL SERVICES, INC.

1500 SUMMER STREET

STAMFORD, CONNECTICUT 06905

NELAC, CT and NY State Certified Environmental Laboratory

Cody Ehlers Group: CP/LP-4

Mailing Information:

Name: Cody Ehlers Group

Address: 140 Sherman St

City: Fairfield

State: CT

Zip: 06824

Telephone: 203-259-7722 **Fax:** 203-259-6088

Collector's Information:

Name: Jeff Day

Address of site: 71 Clinton Rd

City: Garden City

State: NY

Zip:

Telephone:

Sample's Information:

Site:

Preservative: N/A

Temperature: <4C

Date Collected: 6/19/03

Time Collected:

Date Received: 6/19/03

Time Received: 17:00

Lab No.: J034247

Date Analyzed	Test Name	Result	Method
6/25/03	Silver	7.10 mg/kg	200.7/6010
6/25/03	Arsenic	5.2 mg/kg	206.2
6/25/03	Barium	318 mg/kg	6010/E200.7
6/25/03	Cadmium	27.1 mg/kg	6010/E200.7
6/25/03	Chromium	89.1 mg/kg	200.7/6010
6/25/03	Lead	161 mg/kg	7421/S3113B
6/25/03	Selenium	BDL mg/kg	6010/200.7
6/26/03	Mercury	3.64 mg/kg	7470/E245.1

mg/kg- milligrams per kilogram

BDL- Below Detection Limit


Signature:

Michael Lapman
President

State #: PH-0218

ELAP#: 11715

Ref #: 11301



JMS ENVIRONMENTAL SERVICES INC.

1500 Summer Street Stamford, CT 06905

Telephone (203) 961-9911 Fax (203) 961-9919

Sample Record Sheet

Instructions: Please fill out all of the requested information and return it with your sample. State regulations require that this information be given to the laboratory. All of the information will appear on your report. One form per sample site.

Name: Cody Ehlers Group Collectors Name: Jeff Day

Address: 140 Sherman St. Collectors Telephone No.: 203-259-7722

Fairfield, CT Date Collected: 6/19/03

Address of Site: 71 Clinton Rd. Time Collected: _____

Garden City, NY

Source of Sample: ☐ Kitchen Tap ☐ Bathroom Tap ☐ Other _____

Filter: ☐ Present ☐ Not Present Type of Filter: _____

Matrix: ☐ Water ☐ Soil ☐ Air ☐ Paint ☐ Other Sludge

Processing Options: ☐ STAT ☐ Normal ☐ Pick Up ☐ FAX _____

4 samples

CP/LP-1, CP/LP-2
CP/LP-3, CP/LP-4

TEST REQUESTED

(Please check appropriate tests)

Profile _____
(includes 13 analytes)

Total Coliform _____

Lead (1st Draw) _____

Lead (Flush) _____

EPA 524.2 _____

Radon _____

Other: 8260, 8270 (PAHs only), RCRA metals

For Lab Use Only

Date Received: _____

Temp Upon Receipt: _____ °C

Time Received: _____

Lab Number: _____

Payment Amount: _____ Cash ☐ Check ☐

Rec'd: ML

6-19-03

Appendix L - Windriver Environmental Work Order - 8/21/03

Suffolk: 631-968-5060 631-587-1200
631-289-2600 631-567-0459

East End Suffolk: 631-698-5061
Nassau: 631-283-1403
516-933-8820



JOB WORK ORDER

16226

Arrived on job A.M. / P.M.
Left job A.M. / P.M.

MECHANIC RICK HELPER _____ DATE 8/21/02

JOB NAME <u>FED ex Bldg</u>		JOB PHONE _____
ADDRESS <u>71 Clinton Ave</u>		☐ LATE NIGHT ☐ SUNDAY ☐ HOLIDAY
CITY <u>GARDEN CITY</u>		
BILL TO	PHONE _____	
ADDRESS <u>3010 Burns Ave</u>		☐ NEW ☐ REFERRAL ☐ REPEAT
CITY <u>NANTAGH</u>		

PUMPING 5000 GALLCommercial

CHEMICALS

LINE CLEANING

SINK TUB TOILET

LABOR

OTHER

SUB TOTAL	
TAX	
TOTAL	

Purchaser shall provide access to job site. It shall be the obligation of the Purchaser to inform the Service Company of any above or below ground or hidden perils. The Seller shall not be responsible for damage above or below ground to property or hidden perils. Signor assumes liability representatively and personally for payment of contract amount.

"COLLECTION COSTS"-I agree to pay any cost of collection money I owe under this agreement, including court costs, attorney fees, and any other disbursements not in excess of 18% of the unpaid debt.

DATE PAID _____

CHECK NO. _____

AMT. REC'D. _____

☐ CASH ☐ M.C. ☐ VISA ☐ LEFT BILL

GENERATOR SIGNED STATEMENT

I, _____, hereby affirm that I am the owner, or user, of the Individual Sewage Disposal Facility (septic tank/leaching facilities) located at the address of the invoice and:
 (1). That the facilities to be pumped contain only sanitary sewage; (2). That I have not been notified by the Suffolk County Department of Health or the Nassau County Department of Health to have this system pumped by a licensed industrial hauler. That neither I nor any person in my family or in my employ have added any chemical solvent waste or industrial wastes of any kind to the facility to be pumped and that I make this Statement knowing that the waste will be disposed of at a Municipal Sewage Treatment Facility and that in the event that any chemical solvent waste or industrial waste of any kind have been added, legal action may be undertaken by the appropriate regulatory agency against any or all parties involved.

"I, hereby affirm under penalty of perjury that information provided on this form is true to the best of my knowledge and belief. False statements made herein are punishable as a Class A misdemeanor pursuant to Section 210.45 of the Penal Law."


INV#2104749

Customer's Signature

Date

[illegible]

Appendix M - JMS Environmental, Inc. Services, Inc. - 9/3/03



JMS ENVIRONMENTAL SERVICES, INC.
1500 SUMMER STREET
STAMFORD, CONNECTICUT 06905

NELAC, CT and NY State Certified Environmental Laboratory

Cody Ehlers Group: CP/LP-1

Mailing Information:

Name: Cody Ehlers Group

Address: 140 Sherman St

City: Fairfield

State: CT

Zip: 06824

Telephone: 203-259-7722 **Fax:** 203-259-6088

Collector's Information:

Name: Jeff Day

Address of site:

City: Garden City

State: NY

Zip:

Telephone:


Sample's Information:

Site:
Preservative: N/A
Temperature: <4C

Date Collected: 8/22/03
Time Collected:

Date Received: 8/22/03
Time Received: 16:50
Lab No.: J036135

Date Analyzed	Test Name	Result	Method
	EPA 8260		
9/3/2003	Benzene	<5 ug/kg	8260
9/3/2003	Bromochloromethane	<5 ug/kg	8260
9/3/2003	Bromodichloromethane	<5 ug/kg	8260
9/3/2003	Bromoform	<5 ug/kg	8260
9/3/2003	Bromomethane	<5 ug/kg	8260
9/3/2003	n-Butanol	<5 ug/kg	8260
9/3/2003	t-Butyl alcohol	<5 ug/kg	8260
9/3/2003	Carbon disulfide	<5 ug/kg	8260
9/3/2003	Carbon tetrachloride	<5 ug/kg	8260
9/3/2003	Chlorobenzene	<5 ug/kg	8260
9/3/2003	Chlorodibromomethane	<5 ug/kg	8260
9/3/2003	Chloroethane	<5 ug/kg	8260
9/3/2003	Chloroform	<5 ug/kg	8260
9/3/2003	Chloromethane	<5 ug/kg	8260
9/3/2003	1,2-Dibromo-3-chloropropane	<5 ug/kg	8260
9/3/2003	1,2-Dibromoethane	<5 ug/kg	8260
9/3/2003	Dibromomethane	<5 ug/kg	8260
9/3/2003	1,2-Dichlorobenzene	<5 ug/kg	8260
9/3/2003	1,3-Dichlorobenzene	<5 ug/kg	8260
9/3/2003	1,4-Dichlorobenzene	<5 ug/kg	8260
9/3/2003	cis-1,4-Dichloro-2-butene	<5 ug/kg	8260
9/3/2003	trans-1,4-Dichloro-2-butene	<5 ug/kg	8260
9/3/2003	Dichlorodifluoromethane	<5 ug/kg	8260
9/3/2003	1,1-Dichloroethane	<5 ug/kg	8260
9/3/2003	1,2-Dichloroethane	<5 ug/kg	8260
9/3/2003	1,1-Dichloroethene	<5 ug/kg	8260
9/3/2003	trans-1,2-Dichloroethene	<5 ug/kg	8260
9/3/2003	1,2-Dichloropropane	<5 ug/kg	8260
9/3/2003	cis-1,3-Dichloropropene	<5 ug/kg	8260
9/3/2003	trans-1,3-Dichloropropene	<5 ug/kg	8260



JMS ENVIRONMENTAL SERVICES, INC.
1500 SUMMER STREET
STAMFORD, CONNECTICUT 06905

NELAC, CT and NY State Certified Environmental Laboratory

Cody Ehlers Group: CP/LP-1

Mailing Information:

Name: Cody Ehlers Group

Address: 140 Sherman St

City: Fairfield

State: CT

Zip: 06824

Telephone: 203-259-7722 **Fax:** 203-259-6088

Collector's Information:

Name: Jeff Day

Address of site:

City: Garden City

State: NY

Zip:

Telephone:

Sample's Information:

Site:

Date Collected: 8/22/03

Date Received: 8/22/03

Preservative: N/A

Time Collected:

Time Received: 16:50

Temperature: <4C

Lab No.: J036135

Date Analyzed	Test Name	Result	Method
	EPA 8260 cont.		
9/3/2003	Ethylbenzene	<5 ug/kg	8260
9/3/2003	Hexachlorobutadiene	<5 ug/kg	8260
9/3/2003	Hexachloroethane	<5 ug/kg	8260
9/3/2003	Isobutyl alcohol	<5 ug/kg	8260
9/3/2003	Isopropylbenzene	<5 ug/kg	8260
9/3/2003	Methylene chloride	<5 ug/kg	8260
9/3/2003	Naphthalene	<5 ug/kg	8260
9/3/2003	Nitrobenzene	<5 ug/kg	8260
9/3/2003	n-Nitroso-di-n-butylamine	<5 ug/kg	8260
9/3/2003	Pentachloroethane	<5 ug/kg	8260
9/3/2003	1-Propanol	<5 ug/kg	8260
9/3/2003	Styrene	<5 ug/kg	8260
9/3/2003	1,1,1,2-Tetrachloroethane	<5 ug/kg	8260
9/3/2003	1,1,2,2-Tetrachloroethane	350 ug/kg	8260
9/3/2003	Tetrachloroethene	<5 ug/kg	8260
9/3/2003	Toluene	<5 ug/kg	8260
9/3/2003	1,2,4-Trichlorobenzene	<5 ug/kg	8260
9/3/2003	1,1,1-Trichloroethane	<5 ug/kg	8260
9/3/2003	1,1,2-Trichloroethane	<5 ug/kg	8260
9/3/2003	Trichloroethene	<5 ug/kg	8260
9/3/2003	Trichlorofluoromethane	<5 ug/kg	8260
9/3/2003	1,2,3-Trichloropropane	<5 ug/kg	8260
9/3/2003	Vinyl chloride	<5 ug/kg	8260
9/3/2003	o-xylene	<5 ug/kg	8260
9/3/2003	m&p xylene	<5 ug/kg	8260
9/3/2003	Bromobenzene	<5 ug/kg	8260
9/3/2003	n-Propylbenzene	22 ug/kg	8260
9/3/2003	2-Chlorotoluene	<5 ug/kg	8260
9/3/2003	4-Chlorotoluene	<5 ug/kg	8260
9/3/2003	tert-Butylbenzene	21 ug/kg	8260



JMS ENVIRONMENTAL SERVICES, INC.

1500 SUMMER STREET

STAMFORD, CONNECTICUT 06905

NELAC, CT and NY State Certified Environmental Laboratory

Cody Ehlers Group: CP/LP-1

Mailing Information:

Name: Cody Ehlers Group

Address: 140 Sherman St

City: Fairfield

State: CT

Zip: 06824

Telephone: 203-259-7722 **Fax:** 203-259-6088

Collector's Information:

Name: Jeff Day

Address of site:

City: Garden City

State: NY

Zip:

Telephone:

Sample's Information:

Site:

Preservative: N/A

Temperature: <4C

Date Collected: 8/22/03

Time Collected:

Date Received: 8/22/03

Time Received: 16:50

Lab No.: J036135

Date Analyzed	Test Name	Result	Method
	EPA 8260 cont.		
9/3/2003	1,3,5-trimethylbenzene	23 ug/kg	8260
9/3/2003	1,2,4-trimethylbenzene	<5 ug/kg	8260
9/3/2003	sec-Butylbenzene	<5 ug/kg	8260
9/3/2003	p-Isopropyltoluene	21 ug/kg	8260
9/3/2003	n-Butylbenzene	<5 ug/kg	8260
9/3/2003	Iodomethane	<5 ug/kg	8260
9/3/2003	+ MTBE	<5 ug/kg	8260

Comments: + Not a NELAC approved analyte

<-Less Than

ug/kg-micrograms per kilogram


Signature:

Michael Lapman
President

State #: PH-0218

ELAP#: 11715

Tel 203 961 9911 Toll Free 1 866 567 5097 Fax 203 961 9919 jmsenvironmental.com



JMS ENVIRONMENTAL SERVICES, INC.

1500 SUMMER STREET

STAMFORD, CONNECTICUT 06905

NELAC, CT and NY State Certified Environmental Laboratory

Cody Ehlers Group: CP/LP-1

Mailing Information:

Name: Cody Ehlers Group

Address: 140 Sherman St

City: Fairfield

State: CT

Zip: 06824

Telephone: 203-259-7722 **Fax:** 203-259-6088

Collector's Information:

Name: Jeff Day

Address of site:

City: Garden City

State: NY

Zip:

Telephone:

Sample's Information:

Site:

Preservative: N/A

Temperature: <4C

Date Collected: 8/22/03

Time Collected:

Date Received: 8/22/03

Time Received: 16:50

Lab No.: J036135

Date Analyzed	Test Name	Result	Method
	EPA 8270		
9/6/03	Naphthalene	<330 ug/kg	8270
9/6/03	Acenaphthylene	<330 ug/kg	8270
9/6/03	Acenaphthene	<330 ug/kg	8270
9/6/03	Fluorene	<330 ug/kg	8270
9/6/03	Phenanthrene	<330 ug/kg	8270
9/6/03	Anthracene	<330 ug/kg	8270
9/6/03	Fluoranthene	<330 ug/kg	8270
9/6/03	Pyrene	<330 ug/kg	8270
9/6/03	Benzo(a)anthracene	<330 ug/kg	8270
9/6/03	Chrysene	<330 ug/kg	8270
9/6/03	Benzo(b)fluoranthene	<330 ug/kg	8270
9/6/03	Benzo(k)fluoranthene	<330 ug/kg	8270
9/6/03	Benzo(a)pyrene	<330 ug/kg	8270
9/6/03	Indeno(1,2,3-cd)pyrene	<330 ug/kg	8270
9/6/03	Dibenz(a,h)anthracene	<330 ug/kg	8270
9/6/03	Benzo(g,h,i)perylene	<330 ug/kg	8270

<-Less Than

ug/kg-micrograms per kilogram


Signature:

Michael Lapman

President

State #: PH-0218

ELAP#: 11715



JMS ENVIRONMENTAL SERVICES, INC.

1500 SUMMER STREET

STAMFORD, CONNECTICUT 06905

NELAC, CT and NY State Certified Environmental Laboratory

Cody Ehlers Group: CP/LP-1

Mailing Information:

Name: Cody Ehlers Group

Address: 140 Sherman St

City: Fairfield

State: CT

Zip: 06824

Telephone: 203-259-7722 **Fax:** 203-259-6088

Collector's Information:

Name: Jeff Day

Address of site:

City: Garden City

State: NY

Zip:

Telephone:

Sample's Information:

Site:

Preservative: N/A

Temperature: <4C

Date Collected: 8/22/03

Time Collected:

Date Received: 8/22/03

Time Received: 16:50

Lab No.: J036135

Date Analyzed	Test Name	Result	Method
8/27/03	Silver	<1.0 mg/kg	6010/E200.7
8/27/03	Arsenic	8.8 mg/kg	6010/E200.7
8/27/03	Barium	148 mg/kg	6010/E200.7
8/27/03	Cadmium	42.4 mg/kg	6010/E200.7
8/27/03	Chromium	70.0 mg/kg	6010/E200.7
8/27/03	Lead	357 mg/kg	SWMM3111B
8/27/03	Selenium	<5.0 mg/kg	6010/E200.7
8/27/03	Mercury	2.03 mg/kg	SW 7471
8/27/03	Percent Solid	86 %	E 160.3

mg/kg- milligrams per kilogram

BDL- Below Detection Limit


Signature:

Michael Lapman
President

State #: PH-0218

ELAP#: 11715

Ref #: 11301



JMS ENVIRONMENTAL SERVICES, INC.

1500 SUMMER STREET

STAMFORD, CONNECTICUT 06905

NELAC, CT and NY State Certified Environmental Laboratory

Cody Ehlers Group: CP/LP-2

Mailing Information:

Name: Cody Ehlers Group

Address: 140 Sherman St

City: Fairfield

State: CT

Zip: 06824

Telephone: 203-259-7722 Fax: 203-259-6088

Collector's Information:

Name: Jeff Day

Address of site:

City: Garden City

State: NY

Zip:

Telephone:

Sample's Information:

Site:

Preservative: N/A

Temperature: <4C

Date Collected: 8/21/03


Time Collected:

Date Received: 8/22/03

Time Received: 16:50

Lab No.: J036136

Date Analyzed	Test Name	Result	Method
	EPA 8260		
9/3/2003	Benzene	<5 ug/kg	8260
9/3/2003	Bromochloromethane	<5 ug/kg	8260
9/3/2003	Bromodichloromethane	<5 ug/kg	8260
9/3/2003	Bromoform	<5 ug/kg	8260
9/3/2003	Bromomethane	<5 ug/kg	8260
9/3/2003	n-Butanol	<5 ug/kg	8260
9/3/2003	t-Butyl alcohol	<5 ug/kg	8260
9/3/2003	Carbon disulfide	<5 ug/kg	8260
9/3/2003	Carbon tetrachloride	<5 ug/kg	8260
9/3/2003	Chlorobenzene	<5 ug/kg	8260
9/3/2003	Chlorodibromomethane	<5 ug/kg	8260
9/3/2003	Chloroethane	<5 ug/kg	8260
9/3/2003	Chloroform	<5 ug/kg	8260
9/3/2003	Chloromethane	<5 ug/kg	8260
9/3/2003	1,2-Dibromo-3-chloropropane	<5 ug/kg	8260
9/3/2003	1,2-Dibromoethane	<5 ug/kg	8260
9/3/2003	Dibromomethane	<5 ug/kg	8260
9/3/2003	1,2-Dichlorobenzene	<5 ug/kg	8260
9/3/2003	1,3-Dichlorobenzene	<5 ug/kg	8260
9/3/2003	1,4-Dichlorobenzene	<5 ug/kg	8260
9/3/2003	cis-1,4-Dichloro-2-butene	<5 ug/kg	8260
9/3/2003	trans-1,4-Dichloro-2-butene	<5 ug/kg	8260
9/3/2003	Dichlorodifluoromethane	<5 ug/kg	8260
9/3/2003	1,1-Dichloroethane	<5 ug/kg	8260
9/3/2003	1,2-Dichloroethane	<5 ug/kg	8260
9/3/2003	1,1-Dichloroethene	<5 ug/kg	8260
9/3/2003	trans-1,2-Dichloroethene	<5 ug/kg	8260
9/3/2003	1,2-Dichloropropane	<5 ug/kg	8260
9/3/2003	cis-1,3-Dichloropropene	<5 ug/kg	8260
9/3/2003	trans-1,3-Dichloropropene	<5 ug/kg	8260



JMS ENVIRONMENTAL SERVICES, INC.

1500 SUMMER STREET
STAMFORD, CONNECTICUT 06905

NELAC, CT and NY State Certified Environmental Laboratory

Cody Ehlers Group: CP/LP-2

Mailing Information:

Name: Cody Ehlers Group

Address: 140 Sherman St

City: Fairfield

State: CT

Zip: 06824

Telephone: 203-259-7722 **Fax:** 203-259-6088

Collector's Information:

Name: Jeff Day

Address of site:

City: Garden City

State: NY

Zip:

Telephone:

Sample's Information:

Site:

Preservative: N/A

Temperature: <4C

Date Collected: 8/21/03


Time Collected:

Date Received: 8/22/03

Time Received: 16:50

Lab No.: J036136

Date Analyzed	Test Name	Result	Method
	EPA 8260 cont.		
9/3/2003	Ethylbenzene	<5 ug/kg	8260
9/3/2003	Hexachlorobutadiene	<5 ug/kg	8260
9/3/2003	Hexachloroethane	<5 ug/kg	8260
9/3/2003	Isobutyl alcohol	<5 ug/kg	8260
9/3/2003	Isopropylbenzene	<5 ug/kg	8260
9/3/2003	Methylene chloride	<5 ug/kg	8260
9/3/2003	Naphthalene	<5 ug/kg	8260
9/3/2003	Nitrobenzene	<5 ug/kg	8260
9/3/2003	n-Nitroso-di-n-butylamine	<5 ug/kg	8260
9/3/2003	Pentachloroethane	<5 ug/kg	8260
9/3/2003	1-Propanol	<5 ug/kg	8260
9/3/2003	Styrene	<5 ug/kg	8260
9/3/2003	1,1,1,2-Tetrachloroethane	<5 ug/kg	8260
9/3/2003	1,1,2,2-Tetrachloroethane	<5 ug/kg	8260
9/3/2003	Tetrachloroethene	<5 ug/kg	8260
9/3/2003	Toluene	<5 ug/kg	8260
9/3/2003	1,2,4-Trichlorobenzene	<5 ug/kg	8260
9/3/2003	1,1,1-Trichloroethane	<5 ug/kg	8260
9/3/2003	1,1,2-Trichloroethane	<5 ug/kg	8260
9/3/2003	Trichloroethene	<5 ug/kg	8260
9/3/2003	Trichlorofluoromethane	<5 ug/kg	8260
9/3/2003	1,2,3-Trichloropropane	<5 ug/kg	8260
9/3/2003	Vinyl chloride	<5 ug/kg	8260
9/3/2003	o-xylene	<5 ug/kg	8260
9/3/2003	m&p xylene	<5 ug/kg	8260
9/3/2003	Bromobenzene	<5 ug/kg	8260
9/3/2003	n-Propylbenzene	<5 ug/kg	8260
9/3/2003	2-Chlorotoluene	<5 ug/kg	8260
9/3/2003	4-Chlorotoluene	<5 ug/kg	8260
9/3/2003	tert-Butylbenzene	<5 ug/kg	8260



JMS ENVIRONMENTAL SERVICES, INC.

1500 SUMMER STREET

STAMFORD, CONNECTICUT 06905

NELAC, CT and NY State Certified Environmental Laboratory

Cody Ehlers Group: CP/LP-2

Mailing Information:

Name: Cody Ehlers Group

Address: 140 Sherman St

City: Fairfield

State: CT

Zip: 06824

Telephone: 203-259-7722 **Fax:** 203-259-6088

Collector's Information:

Name: Jeff Day

Address of site:

City: Garden City

State: NY

Zip:

Telephone:

Sample's Information:

Site:

Preservative: N/A

Temperature: <4C

Date Collected: 8/21/03

Time Collected:

Date Received: 8/22/03

Time Received: 16:50

Lab No.: J036136

Date Analyzed	Test Name	Result	Method
	EPA 8260 cont.		
9/3/2003	1,3,5-trimethylbenzene	<5 ug/kg	8260
9/3/2003	1,2,4-trimethylbenzene	<5 ug/kg	8260
9/3/2003	sec-Butylbenzene	<5 ug/kg	8260
9/3/2003	p-Isopropyltoluene	<5 ug/kg	8260
9/3/2003	n-Butylbenzene	<5 ug/kg	8260
9/3/2003	Iodomethane	<5 ug/kg	8260
9/3/2003	+ MTBE	<5 ug/kg	8260

Comments: + Not a NELAC approved analyte

<-Less Than
ug/kg-micrograms per kilogram


Signature:

Michael Lapman
President

State #: PH-0218

ELAP#: 11715

Tel 203 961 9911 Toll Free 1 866 567 5097 Fax 203 961 9919 jmsenvironmental.com



JMS ENVIRONMENTAL SERVICES, INC.

1500 SUMMER STREET

STAMFORD, CONNECTICUT 06905

NELAC, CT and NY State Certified Environmental Laboratory

Cody Ehlers Group: CP/LP-2

Mailing Information:

Name: Cody Ehlers Group

Address: 140 Sherman St

City: Fairfield

State: CT

Zip: 06824

Telephone: 203-259-7722 **Fax:** 203-259-6088

Collector's Information:

Name: Jeff Day

Address of site:

City: Garden City

State: NY

Zip:

Telephone:

Sample's Information:

Site:

Preservative: N/A

Temperature: <4C

Date Collected: 8/21/03

Time Collected:

Date Received: 8/22/03

Time Received: 16:50

Lab No.: J036136

Date Analyzed	Test Name	Result	Method
	EPA 8270		
9/6/03	Naphthalene	<330 ug/kg	8270
9/6/03	Acenaphthylene	<330 ug/kg	8270
9/6/03	Acenaphthene	<330 ug/kg	8270
9/6/03	Fluorene	<330 ug/kg	8270
9/6/03	Phenanthrene	<330 ug/kg	8270
9/6/03	Anthracene	<330 ug/kg	8270
9/6/03	Fluoranthene	<330 ug/kg	8270
9/6/03	Pyrene	<330 ug/kg	8270
9/6/03	Benzo(a)anthracene	<330 ug/kg	8270
9/6/03	Chrysene	<330 ug/kg	8270
9/6/03	Benzo(b)fluoranthene	<330 ug/kg	8270
9/6/03	Benzo(k)fluoranthene	<330 ug/kg	8270
9/6/03	Benzo(a)pyrene	<330 ug/kg	8270
9/6/03	Indeno(1,2,3-cd)pyrene	<330 ug/kg	8270
9/6/03	Dibenz(a,h)anthracene	<330 ug/kg	8270
9/6/03	Benzo(g,h,i)perylene	<330 ug/kg	8270

<-Less Than

ug/kg-micrograms per kilogram

Signature:

Michael Lapman

President

State #: PH-0218

ELAP#: 11715



JMS ENVIRONMENTAL SERVICES, INC.

1500 SUMMER STREET

STAMFORD, CONNECTICUT 06905

NELAC, CT and NY State Certified Environmental Laboratory

Cody Ehlers Group: CP/LP-2

Mailing Information:

Name: Cody Ehlers Group

Address: 140 Sherman St

City: Fairfield

State: CT

Zip: 06824

Telephone: 203-259-7722 **Fax:** 203-259-6088

Collector's Information:

Name: Jeff Day

Address of site:

City: Garden City

State: NY

Zip:

Telephone:

Sample's Information:

Site:

Preservative: N/A

Temperature: <4C

Date Collected: 8/21/03

Time Collected:

Date Received: 8/22/03

Time Received: 16:50

Lab No.: J036136

Date Analyzed	Test Name	Result	Method
8/27/03	Silver	<0.50 mg/kg	6010/E200.7
8/27/03	Arsenic	1.7 mg/kg	6010/E200.7
8/27/03	Barium	7.60 mg/kg	6010/E200.7
8/27/03	Cadmium	<0.50 mg/kg	6010/E200.7
8/27/03	Chromium	2.90 mg/kg	6010/E200.7
8/27/03	Lead	23.0 mg/kg	SWMM 3111B
8/27/03	Selenium	<2.5 mg/kg	6010/E200.7
8/27/03	Mercury	<0.10 mg/kg	SW-7471
8/27/03	Percent Solid	86 %	E160.3

mg/kg- milligrams per kilogram

BDL- Below Detection Limit


Signature:

Michael Lapman
President

State #: PH-0218

ELAP#: 11715

Ref #: 11301



JMS ENVIRONMENTAL SERVICES, INC.

1500 SUMMER STREET

STAMFORD, CONNECTICUT 06905

NELAC, CT and NY State Certified Environmental Laboratory

Cody Ehlers Group: CP/LP-3

Mailing Information:

Name: Cody Ehlers Group

Address: 140 Sherman St

City: Fairfield

State: CT

Zip: 06824

Telephone: 203-259-7722 **Fax:** 203-259-6088

Collector's Information:

Name: Jeff Day

Address of site:

City: Garden City

State: NY

Zip:

Telephone:

Sample's Information:

Site:

Preservative: N/A

Temperature: <4C

Date Collected: 8/22/03


Time Collected:

Date Received: 8/22/03

Time Received: 16:50

Lab No.: J036137

Date Analyzed	Test Name	Result	Method
	EPA 8260		
9/3/2003	Benzene	<5 ug/kg	8260
9/3/2003	Bromochloromethane	<5 ug/kg	8260
9/3/2003	Bromodichloromethane	<5 ug/kg	8260
9/3/2003	Bromoform	<5 ug/kg	8260
9/3/2003	Bromomethane	<5 ug/kg	8260
9/3/2003	n-Butanol	<5 ug/kg	8260
9/3/2003	t-Butyl alcohol	<5 ug/kg	8260
9/3/2003	Carbon disulfide	<5 ug/kg	8260
9/3/2003	Carbon tetrachloride	<5 ug/kg	8260
9/3/2003	Chlorobenzene	<5 ug/kg	8260
9/3/2003	Chlorodibromomethane	<5 ug/kg	8260
9/3/2003	Chloroethane	<5 ug/kg	8260
9/3/2003	Chloroform	<5 ug/kg	8260
9/3/2003	Chloromethane	<5 ug/kg	8260
9/3/2003	1,2-Dibromo-3-chloropropane	<5 ug/kg	8260
9/3/2003	1,2-Dibromoethane	<5 ug/kg	8260
9/3/2003	Dibromomethane	<5 ug/kg	8260
9/3/2003	1,2-Dichlorobenzene	<5 ug/kg	8260
9/3/2003	1,3-Dichlorobenzene	<5 ug/kg	8260
9/3/2003	1,4-Dichlorobenzene	<5 ug/kg	8260
9/3/2003	cis-1,4-Dichloro-2-butene	<5 ug/kg	8260
9/3/2003	trans-1,4-Dichloro-2-butene	<5 ug/kg	8260
9/3/2003	Dichlorodifluoromethane	<5 ug/kg	8260
9/3/2003	1,1-Dichloroethane	<5 ug/kg	8260
9/3/2003	1,2-Dichloroethane	<5 ug/kg	8260
9/3/2003	1,1-Dichloroethene	<5 ug/kg	8260
9/3/2003	trans-1,2-Dichloroethene	<5 ug/kg	8260
9/3/2003	1,2-Dichloropropane	<5 ug/kg	8260
9/3/2003	cis-1,3-Dichloropropene	<5 ug/kg	8260
9/3/2003	trans-1,3-Dichloropropene	<5 ug/kg	8260



JMS ENVIRONMENTAL SERVICES, INC.

1500 SUMMER STREET

STAMFORD, CONNECTICUT 06905

NELAC, CT and NY State Certified Environmental Laboratory

Cody Ehlers Group: CP/LP-3

Mailing Information:

Name: Cody Ehlers Group

Address: 140 Sherman St

City: Fairfield

State: CT

Zip: 06824

Telephone: 203-259-7722 **Fax:** 203-259-6088

Collector's Information:

Name: Jeff Day

Address of site:

City: Garden City

State: NY

Zip:

Telephone:

Sample's Information:

Site:

Preservative: N/A

Temperature: <4C

Date Collected: 8/22/03


Time Collected:

Date Received: 8/22/03

Time Received: 16:50

Lab No.: J036137

Date Analyzed	Test Name	Result	Method
	EPA 8260 cont.		
9/3/2003	Ethylbenzene	<5 ug/kg	8260
9/3/2003	Hexachlorobutadiene	<5 ug/kg	8260
9/3/2003	Hexachloroethane	<5 ug/kg	8260
9/3/2003	Isobutyl alcohol	<5 ug/kg	8260
9/3/2003	Isopropylbenzene	<5 ug/kg	8260
9/3/2003	Methylene chloride	<5 ug/kg	8260
9/3/2003	Naphthalene	<5 ug/kg	8260
9/3/2003	Nitrobenzene	<5 ug/kg	8260
9/3/2003	n-Nitroso-di-n-butylamine	<5 ug/kg	8260
9/3/2003	Pentachloroethane	<5 ug/kg	8260
9/3/2003	1-Propanol	<5 ug/kg	8260
9/3/2003	Styrene	<5 ug/kg	8260
9/3/2003	1,1,1,2-Tetrachloroethane	<5 ug/kg	8260
9/3/2003	1,1,2,2-Tetrachloroethane	<5 ug/kg	8260
9/3/2003	Tetrachloroethene	<5 ug/kg	8260
9/3/2003	Toluene	<5 ug/kg	8260
9/3/2003	1,2,4-Trichlorobenzene	<5 ug/kg	8260
9/3/2003	1,1,1-Trichloroethane	<5 ug/kg	8260
9/3/2003	1,1,2-Trichloroethane	<5 ug/kg	8260
9/3/2003	Trichloroethene	<5 ug/kg	8260
9/3/2003	Trichlorofluoromethane	<5 ug/kg	8260
9/3/2003	1,2,3-Trichloropropane	<5 ug/kg	8260
9/3/2003	Vinyl chloride	<5 ug/kg	8260
9/3/2003	o-xylene	<5 ug/kg	8260
9/3/2003	m&p xylene	<5 ug/kg	8260
9/3/2003	Bromobenzene	<5 ug/kg	8260
9/3/2003	n-Propylbenzene	<5 ug/kg	8260
9/3/2003	2-Chlorotoluene	<5 ug/kg	8260
9/3/2003	4-Chlorotoluene	<5 ug/kg	8260
9/3/2003	tert-Butylbenzene	<5 ug/kg	8260



JMS ENVIRONMENTAL SERVICES, INC.
1500 SUMMER STREET
STAMFORD, CONNECTICUT 06905

NELAC, CT and NY State Certified Environmental Laboratory

Cody Ehlers Group: CP/LP-3

Mailing Information:

Name: Cody Ehlers Group

Address: 140 Sherman St

City: Fairfield

State: CT

Zip: 06824

Telephone: 203-259-7722 **Fax:** 203-259-6088

Collector's Information:

Name: Jeff Day

Address of site:

City: Garden City

State: NY

Zip:

Telephone:

Sample's Information:

Site:

Preservative: N/A

Temperature: <4C

Date Collected: 8/22/03

Time Collected:

Date Received: 8/22/03

Time Received: 16:50

Lab No.: J036137

Date Analyzed	Test Name	Result	Method
	EPA 8260 cont.		
9/3/2003	1,3,5-trimethylbenzene	<5 ug/kg	8260
9/3/2003	1,2,4-trimethylbenzene	<5 ug/kg	8260
9/3/2003	sec-Butylbenzene	<5 ug/kg	8260
9/3/2003	p-Isopropyltoluene	<5 ug/kg	8260
9/3/2003	n-Butylbenzene	<5 ug/kg	8260
9/3/2003	Iodomethane	<5 ug/kg	8260
9/3/2003	+ MTBE	<5 ug/kg	8260

Comments: + Not a NELAC approved analyte

<-Less Than


ug/kg-micrograms per kilogram

Signature:

Michael Lapman
President

State #: PH-0218

ELAP#: 11715



JMS ENVIRONMENTAL SERVICES, INC.

1500 SUMMER STREET

STAMFORD, CONNECTICUT 06905

NELAC, CT and NY State Certified Environmental Laboratory

Cody Ehlers Group: CP/LP-3

Mailing Information:

Name: Cody Ehlers Group

Address: 140 Sherman St

City: Fairfield

State: CT

Zip: 06824

Telephone: 203-259-7722 **Fax:** 203-259-6088

Collector's Information:

Name: Jeff Day

Address of site:

City: Garden City

State: NY

Zip:

Telephone:

Sample's Information:

Site:
Preservative: N/A
Temperature: <4C

Date Collected: 8/22/03
Time Collected:

Date Received: 8/22/03
Time Received: 16:50
Lab No.: J036137


Date Analyzed	Test Name	Result	Method
	EPA 8270		
9/6/03	Naphthalene	<330 ug/kg	8270
9/6/03	Acenaphthylene	<330 ug/kg	8270
9/6/03	Acenaphthene	<330 ug/kg	8270
9/6/03	Fluorene	<330 ug/kg	8270
9/6/03	Phenanthrene	<330 ug/kg	8270
9/6/03	Anthracene	<330 ug/kg	8270
9/6/03	Fluoranthene	<330 ug/kg	8270
9/6/03	Pyrene	<330 ug/kg	8270
9/6/03	Benzo(a)anthracene	<330 ug/kg	8270
9/6/03	Chrysene	<330 ug/kg	8270
9/6/03	Benzo(b)fluoranthene	<330 ug/kg	8270
9/6/03	Benzo(k)fluoranthene	<330 ug/kg	8270
9/6/03	Benzo(a)pyrene	<330 ug/kg	8270
9/6/03	Indeno(1,2,3-cd)pyrene	<330 ug/kg	8270
9/6/03	Dibenz(a,h)anthracene	<330 ug/kg	8270
9/6/03	Benzo(g,h,i)perylene	<330 ug/kg	8270

<-Less Than
ug/kg-micrograms per kilogram

Signature:


Michael Lapman
President

State #: PH-0218
ELAP#: 11715



JMS ENVIRONMENTAL SERVICES, INC.

1500 SUMMER STREET
STAMFORD, CONNECTICUT 06905

NELAC, CT and NY State Certified Environmental Laboratory

Cody Ehlers Group: CP/LP-3

Mailing Information:

Name: Cody Ehlers Group

Address: 140 Sherman St

City: Fairfield

State: CT

Zip: 06824

Telephone: 203-259-7722 **Fax:** 203-259-6088

Collector's Information:

Name: Jeff Day

Address of site:

City: Garden City

State: NY

Zip:

Telephone:

Sample's Information:

Site:

Preservative: N/A

Temperature: <4C

Date Collected: 8/22/03

Time Collected:

Date Received: 8/22/03

Time Received: 16:50

Lab No.: J036137


Date Analyzed	Test Name	Result	Method
8/27/03	Silver	<0.50 mg/kg	6010/E200.7
8/27/03	Arsenic	<1.0 mg/kg	6010/E200.7
8/27/03	Barium	5.20 mg/kg	6010/E200.7
8/27/03	Cadmium	<0.50 mg/kg	6010/E200.7
8/27/03	Chromium	3.20 mg/kg	6010/E200.7
8/27/03	Lead	23.0 mg/kg	SWMM 3111B
8/27/03	Selenium	<2.5 mg/kg	6010/E200.7
8/27/03	Mercury	<0.10 mg/kg	SW-7471
8/27/03	Percent Solid	88 %	E160.3

mg/kg- milligrams per kilogram
BDL- Below Detection Limit

Signature:


Michael Lapman
President

State #: PH-0218
ELAP#: 11715
Ref #: 11301



JMS ENVIRONMENTAL SERVICES, INC.

1500 SUMMER STREET

STAMFORD, CONNECTICUT 06905

NELAC, CT and NY State Certified Environmental Laboratory

Cody Ehlers Group: CP/LP-4

Mailing Information:

Name: Cody Ehlers Group

Address: 140 Sherman St

City: Fairfield

State: CT

Zip: 06824

Telephone: 203-259-7722 **Fax:** 203-259-6088

Collector's Information:

Name: Jeff Day

Address of site:

City: Garden City

State: NY

Zip:

Telephone:

Sample's Information:

Site:

Preservative: N/A

Temperature: <4C

Date Collected: 8/22/03


Time Collected:

Date Received: 8/22/03

Time Received: 16:50

Lab No.: J036138

Date Analyzed	Test Name	Result	Method
	EPA 8260		
9/3/2003	Benzene	<5 ug/kg	8260
9/3/2003	Bromochloromethane	<5 ug/kg	8260
9/3/2003	Bromodichloromethane	<5 ug/kg	8260
9/3/2003	Bromoform	<5 ug/kg	8260
9/3/2003	Bromomethane	<5 ug/kg	8260
9/3/2003	n-Butanol	<5 ug/kg	8260
9/3/2003	t-Butyl alcohol	<5 ug/kg	8260
9/3/2003	Carbon disulfide	<5 ug/kg	8260
9/3/2003	Carbon tetrachloride	<5 ug/kg	8260
9/3/2003	Chlorobenzene	<5 ug/kg	8260
9/3/2003	Chlorodibromomethane	<5 ug/kg	8260
9/3/2003	Chloroethane	<5 ug/kg	8260
9/3/2003	Chloroform	<5 ug/kg	8260
9/3/2003	Chloromethane	<5 ug/kg	8260
9/3/2003	1,2-Dibromo-3-chloropropane	<5 ug/kg	8260
9/3/2003	1,2-Dibromoethane	<5 ug/kg	8260
9/3/2003	Dibromomethane	<5 ug/kg	8260
9/3/2003	1,2-Dichlorobenzene	<5 ug/kg	8260
9/3/2003	1,3-Dichlorobenzene	<5 ug/kg	8260
9/3/2003	1,4-Dichlorobenzene	<5 ug/kg	8260
9/3/2003	cis-1,4-Dichloro-2-butene	<5 ug/kg	8260
9/3/2003	trans-1,4-Dichloro-2-butene	<5 ug/kg	8260
9/3/2003	Dichlorodifluoromethane	<5 ug/kg	8260
9/3/2003	1,1-Dichloroethane	<5 ug/kg	8260
9/3/2003	1,2-Dichloroethane	<5 ug/kg	8260
9/3/2003	1,1-Dichloroethene	<5 ug/kg	8260
9/3/2003	trans-1,2-Dichloroethene	<5 ug/kg	8260
9/3/2003	1,2-Dichloropropane	<5 ug/kg	8260
9/3/2003	cis-1,3-Dichloropropene	<5 ug/kg	8260
9/3/2003	trans-1,3-Dichloropropene	<5 ug/kg	8260



JMS ENVIRONMENTAL SERVICES, INC.

1500 SUMMER STREET

STAMFORD, CONNECTICUT 06905

NELAC, CT and NY State Certified Environmental Laboratory

Cody Ehlers Group: CP/LP-4

Mailing Information:

Name: Cody Ehlers Group

Address: 140 Sherman St

City: Fairfield

State: CT

Zip: 06824

Telephone: 203-259-7722 **Fax:** 203-259-6088

Collector's Information:

Name: Jeff Day

Address of site:

City: Garden City

State: NY

Zip:

Telephone:

Sample's Information:

Site:

Preservative: N/A

Temperature: <4C

Date Collected: 8/22/03


Time Collected:

Date Received: 8/22/03

Time Received: 16:50

Lab No.: J036138

Date Analyzed	Test Name	Result	Method
	EPA 8260 cont.		
9/3/2003	Ethylbenzene	<5 ug/kg	8260
9/3/2003	Hexachlorobutadiene	<5 ug/kg	8260
9/3/2003	Hexachloroethane	<5 ug/kg	8260
9/3/2003	Isobutyl alcohol	<5 ug/kg	8260
9/3/2003	Isopropylbenzene	<5 ug/kg	8260
9/3/2003	Methylene chloride	<5 ug/kg	8260
9/3/2003	Naphthalene	<5 ug/kg	8260
9/3/2003	Nitrobenzene	<5 ug/kg	8260
9/3/2003	n-Nitroso-di-n-butylamine	<5 ug/kg	8260
9/3/2003	Pentachloroethane	<5 ug/kg	8260
9/3/2003	1-Propanol	<5 ug/kg	8260
9/3/2003	Styrene	<5 ug/kg	8260
9/3/2003	1,1,1,2-Tetrachloroethane	<5 ug/kg	8260
9/3/2003	1,1,2,2-Tetrachloroethane	<5 ug/kg	8260
9/3/2003	Tetrachloroethene	<5 ug/kg	8260
9/3/2003	Toluene	<5 ug/kg	8260
9/3/2003	1,2,4-Trichlorobenzene	<5 ug/kg	8260
9/3/2003	1,1,1-Trichloroethane	<5 ug/kg	8260
9/3/2003	1,1,2-Trichloroethane	<5 ug/kg	8260
9/3/2003	Trichloroethene	<5 ug/kg	8260
9/3/2003	Trichlorofluoromethane	<5 ug/kg	8260
9/3/2003	1,2,3-Trichloropropane	<5 ug/kg	8260
9/3/2003	Vinyl chloride	<5 ug/kg	8260
9/3/2003	o-xylene	<5 ug/kg	8260
9/3/2003	m&p xylene	<5 ug/kg	8260
9/3/2003	Bromobenzene	<5 ug/kg	8260
9/3/2003	n-Propylbenzene	<5 ug/kg	8260
9/3/2003	2-Chlorotoluene	<5 ug/kg	8260
9/3/2003	4-Chlorotoluene	<5 ug/kg	8260
9/3/2003	tert-Butylbenzene	<5 ug/kg	8260



JMS ENVIRONMENTAL SERVICES, INC.

1500 SUMMER STREET

STAMFORD, CONNECTICUT 06905

NELAC, CT and NY State Certified Environmental Laboratory

Cody Ehlers Group: CP/LP-4

Mailing Information:

Name: Cody Ehlers Group

Address: 140 Sherman St

City: Fairfield

State: CT

Zip: 06824

Telephone: 203-259-7722 **Fax:** 203-259-6088

Collector's Information:

Name: Jeff Day

Address of site:

City: Garden City

State: NY

Zip:

Telephone:

Sample's Information:

Site:

Preservative: N/A

Temperature: <4C

Date Collected: 8/22/03

Time Collected:

Date Received: 8/22/03

Time Received: 16:50

Lab No.: J036138

Date Analyzed	Test Name	Result	Method
	EPA 8260 cont.		
9/3/2003	1,3,5-trimethylbenzene	<5 ug/kg	8260
9/3/2003	1,2,4-trimethylbenzene	<5 ug/kg	8260
9/3/2003	sec-Butylbenzene	<5 ug/kg	8260
9/3/2003	p-Isopropyltoluene	<5 ug/kg	8260
9/3/2003	n-Butylbenzene	<5 ug/kg	8260
9/3/2003	Iodomethane	<5 ug/kg	8260
9/3/2003	+ MTBE	<5 ug/kg	8260

Comments: + Not a NELAC approved analyte

<-Less Than

ug/kg-micrograms per kilogram


Signature:

Michael Lapman
President

State #: PH-0218

ELAP#: 11715

Tel 203 961 9911 Toll Free 1 866 567 5097 Fax 203 961 9919 jmsenvironmental.com



JMS ENVIRONMENTAL SERVICES, INC.
1500 SUMMER STREET
STAMFORD, CONNECTICUT 06905

NELAC, CT and NY State Certified Environmental Laboratory

Cody Ehlers Group: CP/LP-4

Mailing Information:

Name: Cody Ehlers Group

Address: 140 Sherman St

City: Fairfield

State: CT

Zip: 06824

Telephone: 203-259-7722 **Fax:** 203-259-6088

Collector's Information:

Name: Jeff Day

Address of site:

City: Garden City

State: NY

Zip:

Telephone:

Sample's Information:

Site:
Preservative: N/A
Temperature: <4C


Date Collected: 8/22/03
Time Collected:

Date Received: 8/22/03
Time Received: 16:50
Lab No.: J036138


Date Analyzed	Test Name	Result	Method
	EPA 8270		
9/6/03	Naphthalene	<330 ug/kg	8270
9/6/03	Acenaphthylene	<330 ug/kg	8270
9/6/03	Acenaphthene	<330 ug/kg	8270
9/6/03	Fluorene	<330 ug/kg	8270
9/6/03	Phenanthrene	<330 ug/kg	8270
9/6/03	Anthracene	<330 ug/kg	8270
9/6/03	Fluoranthene	<330 ug/kg	8270
9/6/03	Pyrene	<330 ug/kg	8270
9/6/03	Benzo(a)anthracene	<330 ug/kg	8270
9/6/03	Chrysene	<330 ug/kg	8270
9/6/03	Benzo(b)fluoranthene	<330 ug/kg	8270
9/6/03	Benzo(k)fluoranthene	<330 ug/kg	8270
9/6/03	Benzo(a)pyrene	<330 ug/kg	8270
9/6/03	Indeno(1,2,3-cd)pyrene	<330 ug/kg	8270
9/6/03	Dibenz(a,h)anthracene	<330 ug/kg	8270
9/6/03	Benzo(g,h,i)perylene	<330 ug/kg	8270

<-Less Than
ug/kg-micrograms per kilogram

Signature:


Michael Lapman
President

State #: PH-0218
ELAP#: 11715



JMS ENVIRONMENTAL SERVICES, INC.
1500 SUMMER STREET
STAMFORD, CONNECTICUT 06905

NELAC, CT and NY State Certified Environmental Laboratory

Cody Ehlers Group: CP/LP-4

Mailing Information:

Name: Cody Ehlers Group

Address: 140 Sherman St

City: Fairfield

State: CT

Zip: 06824

Telephone: 203-259-7722 **Fax:** 203-259-6088

Collector's Information:

Name: Jeff Day

Address of site:

City: Garden City

State: NY

Zip:

Telephone:

Sample's Information:

Site:

Preservative: N/A

Temperature: <4C

Date Collected: 8/22/03

Time Collected:

Date Received: 8/22/03

Time Received: 16:50

Lab No.: J036138

Date Analyzed	Test Name	Result	Method
8/27/03	Silver	<0.50 mg/kg	6010/E200.7
8/27/03	Arsenic	<1.0 mg/kg	6010/E200.7
8/27/03	Barium	4.10 mg/kg	6010/E200.7
8/27/03	Cadmium	<0.50 mg/kg	6010/E200.7
8/27/03	Chromium	4.00 mg/kg	6010/E200.7
8/27/03	Lead	8.00 mg/kg	SMWW 3111B
8/27/03	Selenium	<2.5 mg/kg	6010/E200.7
8/27/03	Mercury	<0.1 mg/kg	SW-7471
8/27/03	Percent Solid	96 %	E160.3

mg/kg- milligrams per kilogram

BDL- Below Detection Limit

Signature:

Michael Lapman
President

State #: PH-0218

ELAP#: 11715

Ref #: 11301



JMS

80 Lupes Drive
Stratford, CT 06615
Tel (203) 377-9984
Fax (203) 377-9952

[illegible]

Appendix N - Windriver Environmental Work Order - 9/11/03

Suffolk: 631-968-5060
631-289-2600

631-587-1200
631-567-0459
631-698-5061
631-283-1403
516-933-8820



JOB WORK ORDER
14266

East End Suffolk:
Nassau:

Arrived on job A.M. / P.M.
Left job A.M. / P.M.

MECHANIC

HELPER

DATE

JOHN

9/11/03

JOB NAME
FED EX BLD.

ADDRESS
71 CLINTON AVE

CITY
GARDEN CITY

BILL TO
ACTION REGENERATION

PHONE
731-3000

ADDRESS
3010 BURNS AVE

WANTAULT N.Y. 11793 516 731-3000

☐ LATE NIGHT
☐ SUNDAY
☐ HOLIDAY

☐ NEW
☐ REFERRAL
☐ REPEAT

PUMPING
MIN 2000 GAL

CHEMICALS

LINE CLEANING
SINK TUB TOILET
LABOR
OTHER

AS PER
MIKE STAZZO

SUB TOTAL
TAX
TOTAL

DATE PAID
CHECK NO.
AMT. REC'D.
☐ CASH ☐ M.C. ☐ VISA ☐ LEFT BILL


Purchaser shall provide access to job site. It shall be the obligation of the Purchaser to inform the Service Company of any above or below ground or hidden perils. The Seller shall not be responsible for damage above or below ground to property or hidden perils. Signor assumes liability representatively and personally for payment of contract amount.

"COLLECTION COSTS"- I agree to pay any cost of collection money I owe under this agreement, including court costs, attorney fees, and any other disbursements not in excess of 18% of the unpaid debt.

GENERATOR SIGNED STATEMENT

I, _____, hereby affirm that I am the owner, or user, of the individual Sewage Disposal Facility (septic tank/leaching facilities) located at the address of the invoice and:
(1). That the facilities to be pumped contain only sanitary sewage; (2). That I have not been notified by the Suffolk County Department of Health or the Nassau County Department of Health to have this system pumped by a licensed industrial hauler. That neither I nor any person in my family or in my employ have added any chemical solvent waste or industrial wastes of any kind to the facility to be pumped and that I make this Statement knowing that the waste will be disposed of at a Municipal Septage Treatment Facility and that in the event that any chemical solvent waste or industrial waste of any kind have been added, legal action may be undertaken by the appropriate regulatory agency against any or all parties involved.

"I, hereby affirm under penalty of perjury that information provided on this form is true to the best of my knowledge and belief. False statements made herein are punishable as a Class A misdemeanor pursuant to Section 210.45 of the Penal Law".




9-11-03

Customer's Signature

Date

Appendix O - JMS Environmental, Inc. Services, Inc. - 9/18/03



JMS ENVIRONMENTAL SERVICES, INC.
1500 SUMMER STREET
STAMFORD, CONNECTICUT 06905

NELAC, CT and NY State Certified Environmental Laboratory

Cody Ehlers Group: Esselle

Mailing Information:

Name: Cody Ehlers Group

Address: 140 Sherman St

City: Fairfield

State: CT

Zip: 06824

Telephone: 203-259-7722 **Fax:** 203-259-6088

Collector's Information:

Name: Jeff Day

Address of site: 71 Clinton

City: Garden City

State: NY

Zip:

Telephone:

Sample's Information:

Site: cp/lp-1

Preservative: N/A

Temperature: <4C

Date Collected: 9/11/03


Time Collected: 14:00

Date Received: 9/11/03

Time Received: 16:15

Lab No.: J036640

Date Analyzed	Test Name	Result	Method
	EPA 8260		
9/18/2003	Benzene	<5 ug/kg	8260
9/18/2003	Bromochloromethane	<5 ug/kg	8260
9/18/2003	Bromodichloromethane	<5 ug/kg	8260
9/18/2003	Bromoform	<5 ug/kg	8260
9/18/2003	Bromomethane	<5 ug/kg	8260
9/18/2003	n-Butanol	<5 ug/kg	8260
9/18/2003	t-Butyl alcohol	<5 ug/kg	8260
9/18/2003	Carbon disulfide	<5 ug/kg	8260
9/18/2003	Carbon tetrachloride	<5 ug/kg	8260
9/18/2003	Chlorobenzene	<5 ug/kg	8260
9/18/2003	Chlorodibromomethane	<5 ug/kg	8260
9/18/2003	Chloroethane	<5 ug/kg	8260
9/18/2003	Chloroform	<5 ug/kg	8260
9/18/2003	Chloromethane	<5 ug/kg	8260
9/18/2003	1,2-Dibromo-3-chloropropane	<5 ug/kg	8260
9/18/2003	1,2-Dibromoethane	<5 ug/kg	8260
9/18/2003	Dibromomethane	<5 ug/kg	8260
9/18/2003	1,2-Dichlorobenzene	<5 ug/kg	8260
9/18/2003	1,3-Dichlorobenzene	<5 ug/kg	8260
9/18/2003	1,4-Dichlorobenzene	<5 ug/kg	8260
9/18/2003	cis-1,4-Dichloro-2-butene	<5 ug/kg	8260
9/18/2003	trans-1,4-Dichloro-2-butene	<5 ug/kg	8260
9/18/2003	Dichlorodifluoromethane	<5 ug/kg	8260
9/18/2003	1,1-Dichloroethane	<5 ug/kg	8260
9/18/2003	1,2-Dichloroethane	<5 ug/kg	8260
9/18/2003	1,1-Dichloroethene	<5 ug/kg	8260
9/18/2003	trans-1,2-Dichloroethene	<5 ug/kg	8260
9/18/2003	1,2-Dichloropropane	<5 ug/kg	8260
9/18/2003	cis-1,3-Dichloropropene	<5 ug/kg	8260
9/18/2003	trans-1,3-Dichloropropene	11 ug/kg	8260



JMS ENVIRONMENTAL SERVICES, INC.
1500 SUMMER STREET
STAMFORD, CONNECTICUT 06905

NELAC, CT and NY State Certified Environmental Laboratory

Cody Ehlers Group: Esselle

Mailing Information:

Name: Cody Ehlers Group

Address: 140 Sherman St

City: Fairfield

State: CT

Zip: 06824

Telephone: 203-259-7722 **Fax:** 203-259-6088

Collector's Information:

Name: Jeff Day

Address of site: 71 Clinton

City: Garden City

State: NY

Zip:

Telephone:

Sample's Information:

Site: cp/lp-1

Preservative: N/A

Temperature: <4C

Date Collected: 9/11/03


Time Collected: 14:00

Date Received: 9/11/03

Time Received: 16:15

Lab No.: J036640

Date Analyzed	Test Name	Result	Method
	EPA 8260 cont.		
9/18/2003	Ethylbenzene	<5 ug/kg	8260
9/18/2003	Hexachlorobutadiene	<5 ug/kg	8260
9/18/2003	Hexachloroethane	<5 ug/kg	8260
9/18/2003	Isobutyl alcohol	<5 ug/kg	8260
9/18/2003	Isopropylbenzene	<5 ug/kg	8260
9/18/2003	Methylene chloride	<5 ug/kg	8260
9/18/2003	Naphthalene	<5 ug/kg	8260
9/18/2003	Nitrobenzene	<5 ug/kg	8260
9/18/2003	n-Nitroso-di-n-butylamine	<5 ug/kg	8260
9/18/2003	Pentachloroethane	<5 ug/kg	8260
9/18/2003	1-Propanol	<5 ug/kg	8260
9/18/2003	Styrene	<5 ug/kg	8260
9/18/2003	1,1,1,2-Tetrachloroethane	<5 ug/kg	8260
9/18/2003	1,1,2,2-Tetrachloroethane	<5 ug/kg	8260
9/18/2003	Tetrachloroethene	<5 ug/kg	8260
9/18/2003	Toluene	<5 ug/kg	8260
9/18/2003	1,2,4-Trichlorobenzene	<5 ug/kg	8260
9/18/2003	1,1,1-Trichloroethane	<5 ug/kg	8260
9/18/2003	1,1,2-Trichloroethane	<5 ug/kg	8260
9/18/2003	Trichloroethene	<5 ug/kg	8260
9/18/2003	Trichlorofluoromethane	<5 ug/kg	8260
9/18/2003	1,2,3-Trichloropropane	<5 ug/kg	8260
9/18/2003	Vinyl chloride	<5 ug/kg	8260
9/18/2003	o-xylene	<5 ug/kg	8260
9/18/2003	m&p xylene	<5 ug/kg	8260
9/18/2003	Bromobenzene	<5 ug/kg	8260
9/18/2003	n-Propylbenzene	<5 ug/kg	8260
9/18/2003	2-Chlorotoluene	<5 ug/kg	8260
9/18/2003	4-Chlorotoluene	<5 ug/kg	8260
9/18/2003	tert-Butylbenzene	<5 ug/kg	8260



JMS ENVIRONMENTAL SERVICES, INC.
1500 SUMMER STREET
STAMFORD, CONNECTICUT 06905

NELAC, CT and NY State Certified Environmental Laboratory

Cody Ehlers Group: Esselle

Mailing Information:

Name: Cody Ehlers Group

Address: 140 Sherman St

City: Fairfield

State: CT

Zip: 06824

Telephone: 203-259-7722 **Fax:** 203-259-6088

Collector's Information:

Name: Jeff Day

Address of site: 71 Clinton

City: Garden City

State: NY

Zip:

Telephone:

Sample's Information:

Site: cp/p-1

Preservative: N/A

Temperature: <4C

Date Collected: 9/11/03

Time Collected: 14:00

Date Received: 9/11/03

Time Received: 16:15

Lab No.: J036640

Date Analyzed	Test Name	Result	Method
	EPA 8260 cont.		
9/18/2003	1,3,5-trimethylbenzene	<5 ug/kg	8260
9/18/2003	1,2,4-trimethylbenzene	<5 ug/kg	8260
9/18/2003	sec-Butylbenzene	<5 ug/kg	8260
9/18/2003	p-Isopropyltoluene	<5 ug/kg	8260
9/18/2003	n-Butylbenzene	<5 ug/kg	8260
9/18/2003	Iodomethane	<5 ug/kg	8260
9/18/2003	+ MTBE	<5 ug/kg	8260

Comments: + Not a NELAC approved analyte


<-Less Than
ug/kg-micrograms per kilogram

Signature:

Michael Lapman
President

State #: PH-0218
ELAP#: 11715

Tel 203 961 9911 Toll Free 1 866 567 5097 Fax 203 961 9919 jmsenvironmental.com



JMS ENVIRONMENTAL SERVICES, INC.
1500 SUMMER STREET
STAMFORD, CONNECTICUT 06905

NELAC, CT and NY State Certified Environmental Laboratory

Cody Ehlers Group: Esselle

Mailing Information:

Name: Cody Ehlers Group

Address: 140 Sherman St

City: Fairfield

State: CT

Zip: 06824

Telephone: 203-259-7722 **Fax:** 203-259-6088

Collector's Information:

Name: Jeff Day

Address of site: 71 Clinton

City: Garden City

State: NY

Zip:

Telephone:

Sample's Information:

Site: cp/lp-1

Preservative: N/A

Temperature: <4C

Date Collected: 9/11/03

Time Collected: 14:00

Date Received: 9/11/03

Time Received: 16:15

Lab No.: J036640

Date Analyzed	Test Name	Result	Method
9/16/03	Silver	<0.50 mg/kg	6010/E200.7
9/16/03	Arsenic	<1.0 mg/kg	6010/E200.7
9/16/03	Barium	3.21 mg/kg	6010/E200.7
9/16/03	Cadmium	<0.50 mg/kg	6010/E200.7
9/16/03	Chromium	1.40 mg/kg	6010/E200.7
9/16/03	Lead	<0.50 mg/kg	6010/E200.7
9/16/03	Selenium	<2.5 mg/kg	6010/E200.7
9/16/03	Mercury	<0.10 mg/kg	SW 7471
9/16/03	Percent Solid	97 %	E160.3

mg/kg- milligrams per kilogram
BDL- Below Detection Limit

Signature:

Michael Lapman
President

State #: PH-0218
ELAP#: 11715
Ref #: 11301



COMPLETE ENVIRONMENTAL TESTING, INC.

CHAIN OF CUSTODY

80 Lupes Drive
Stratford, CT 06615
Tel (203) 377-9984
Fax (203) 377-9952

COMPANY NAME AND ADDRESS

Cody Thibault Group

RELINQUISHED BY:

DATE

TIME

RECEIVED BY:

DATE

TIME

RELINQUISHED BY:

DATE

TIME

RECEIVED BY:

DATE

TIME

RELINQUISHED BY:

DATE

TIME

RECEIVED BY:

DATE

TIME

SAMPLE I.D.

DATE

TIME

SAMPLE
MATRIX

PRIORITY TURNAROUND

SAME
DAY

24
HR

2-3
DAY

STANDARD
TURNAROUND

OF
CONTAINERS

CEP-1

9/1/03

2:00

Soil

X

1

ANALYSIS REQUIRED

REPORT TO: J. Day
PROJECT #: 64016
PROJECT LOCATION: 7111 W. 1st
PURCHASE ORDER #: (order 4/11/03)
SAMPLED BY: J. Day

RCMA No. 13
8260 W. 1st

SPECIAL INSTRUCTIONS

COMMENTS

Appendix P - Clean Earth Waste Manifest - 9/15/03

*** NON-HAZARDOUS WASTE ***

MANIFEST

1957

H. 5985 WRS#1

Date 9/15/03

Document Number

Tractor or Truck License Number

Tanker or Semi-Trailer License Number

GENERATOR

Company Name: SUTTON + EDWARDS / CODY ELLYES GROUP

Company Address: 71 CLINTON AVE GARDEN CITY

Telephone: 516-781-3000

Contact: Ralph

TRANSPORTER

Waste Recycling Solutions

1850 Route 112, Medford, N.Y. 11763

(631) 654-3811

EPA Transporter I.D. No. NYR 000062166

NYSDEC 364 Transporter Permit No. 1A-415

TREATMENT/RECYCLING/DISPOSAL FACILITY

Facility Name: CLEAN EARTH OF Philadelphia PA

Facility Address: 3201 S 61ST Philadelphia PA

Telephone: Contact:

WASTE INFORMATION

Description and Quantity

Approx 15 cu yds of non-hazardous
petroleum contaminated soil for
treatment at clean earth

Generator

Transporter

Treatment/Recycling/Disposal Facility

Date

Date

Date

9/15/03

09/19/03

09/17/03

Oct 08 03 11:11a
Sep 30 03 09:28a

ACTION/FIBER
Michael J. Rodgers

5167813085
6317588154

p.10
p.1

Transaction No.
53641

Clean Earth of Phila., Inc.
3201 S. 61st Street
Philadelphia, Pa. 19153
Have a nice day!

Date Time Scale
In: 0
Out: 09/19/2003 08:17 1

Vehicle ID: WRS1
Customer ID: A
Material ID: 001
Approval ID: 5985

Waste Recycling Solutions
Allied Environmental
Soil
CODY EHLERS GROUP

New Field
Gross: 27.81 tn
Tare: 18.87 tn (M)
Net: 8.94 tn

Operator: 3

Operator Signature: 

Driver Signature: 

Approval Load Count: 1
Approval Net Weight: 8.94 tn

*** NON-HAZARDOUS WASTE ***
MANIFEST

N^o 2025

5985

Date 9-24-03

Document Number _____

Tractor or Truck License Number _____

Tanker or Semi-Trailer License Number _____

GENERATOR

Company Name: SUTTON + EDWARDS / Cody E. Lyles Group

Company Address: 71 CLINTON AVE Garden City

Telephone: 516-781-3000 Contact: Ralph

TRANSPORTER

Waste Recycling Solutions 1850 Route 112, Medford, N.Y. 11763 (631) 654-3811

EPA Transporter I.D. No. NYR 000062166 NYSDEC 364 Transporter Permit No. 1A-415

TREATMENT/RECYCLING/DISPOSAL FACILITY

Facility Name: CLEAN EARTH OF Philadelphia PA

Facility Address: 3201 SOUTH 61ST Philadelphia PA

Telephone: _____ Contact: _____

WASTE INFORMATION

Description and Quantity

Approx 15 cu yds of non-hazardous
PETROLEUM CONTAMINATED SOIL FOR
DISPOSAL AT CLEAN EARTH

Generator W. J. Rodgers Date 9-24-03

Transporter Waste of Pennsylvania Date 9-24-03

Treatment/Recycling/Disposal Facility Lee Date 09/25/03

Oct 08 03 11:12a
Sep 26 03 04:33p

ACTION/FIBER
Michael J. Rodgers

5167813085
6317588154

p.12
p.3

Transaction No. 53696
Clean Earth of Phila., Inc.
3201 S. 61st Street
Philadelphia, Pa. 19153
Have a nice day!

Date Time Scale
In: 0
Out: 09/25/2003 09:15 1

Vehicle ID: WR14 Waste Recycling
Customer ID: A Allied Environmental
Material ID: 001 Soil
Approval ID: 5985 CODY EHLERS GROUP

New Field
Gross: 28.56 tn
Tare: 16.24 tn (M)
Nett: 12.32 tn

Operator: 3

Operator Signature: LEH

Driver Signature: Ronald H. [Signature]

Approval Load Count : 2
Approval Net Weight : 21.26 tn

Appendix Q - Approval Letter from NCDPW - 6/12/03

THOMAS R. SUOZZI
COUNTY EXECUTIVE



PETER J. GERBASI, P.E.
COMMISSIONER

COUNTY OF NASSAU
DEPARTMENT OF PUBLIC WORKS
1550 Franklin Avenue
MINEOLA, NEW YORK 11501-4822

June 12, 2003

Mr. Jeff Day
Cody Ehlers Group
140 Sherman Street
Fairfield, Connecticut 06824

Re: FedEx, 71 CLINTON ROAD, GARDEN CITY

Dear Mr. Day:

Your request to dispose of approximately 20,000 gallons of septic system wastewater from the above referenced site at the "Bay Park Scavenger Waste Disposal Facility" has been reviewed and is approved.

This determination is based on the laboratory analysis of the wastewater and the non-hazardous nature of the subject wastes. This approval is limited to the liquid phase only.

The wastewater must be pumped and transported by a New York State Department of Environmental Conservation approved and Nassau County permitted company.

Thank you for your concern and cooperation. If you have any additional questions, please feel free to contact me at (516) 571-7352.

Very truly yours,

A handwritten signature in dark ink, appearing to read "Maurice J. Osman".

Maurice J. Osman
Chief Chemist

MJO:kb

c: John Lovejoy, Nassau County Department of Health
✓ Richard Cotugno, Nassau County Department of Public Works
Matthew Reilly, Bay Park Sewage Treatment Plant

Appendix R – Photographs




Photo 2: Drywell and Distribution Pool




Photo 1: Leaching Pools




Photo 3: Location of Suspected UST



Photo 4: Former Cesspool




Photo 5: Catch Basin



Photo 6: Floor Drain in Former Boiler Room




Photo 7: Blowdown Pit in Former Boiler Room



Photo 8: Blowdown Pit in Former Boiler Room



Photo 9: Sealed Blowdown Pit



Photo 10: Sealed Blowdown Pit



Photo 11: Sealed Toilet Flange



Photo 12: Sealed Floor Drain



Photo 13: Sediment From Leaching Pool




Photo 14: Former Distribution Pool



Photo 15: Distribution Pool Sidewalls




Photo 16: Tank Removed from Distribution Poc

Appendix S - USEPA Inventory of Injection Wells

Type or print all information. See reverse for instructions.



INVENTORY OF INJECTION WELLS

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY OFFICE OF GROUND WATER AND DRINKING WATER

(This information is collected under the authority of the Safe Drinking Water Act)

PAPERWORK REDUCTION ACT NOTICE

The public reporting burden for this collection of information is estimated at about 1 hour per year, including time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding the burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to Chief, Information Policy Branch, 2136, U.S. Environmental Protection Agency, 401 M Street, SW, Washington, DC 20460, and to the Office of Management and Budget, Paperwork Reduction Project, Washington, DC 20503.

1. DATE PREPARED (Year, Month, Day)

YR	MO	DY
03	10	01

2. FACILITY ID NUMBER

N	Y	0	1	3	7	3	5	4	9	5	7
---	---	---	---	---	---	---	---	---	---	---	---

3. TRANSACTION TYPE (Please mark one of the following)

☐ Deletion	☒ First Time Entry
☐ Entry Change	☐ Replacement

4. FACILITY NAME AND LOCATION

A. NAME (last, first, and middle initial)

Stewart & Clinton, LLC

C. LATITUDE

DEG	MIN	SEC
40	43	46.9000

E. TOWNSHIP/RANGE

TOWNSHIP	RANGE	SECT	1/4 SECT

B. STREET ADDRESS/ROUTE NUMBER

71 Clinton Road

D. LONGITUDE

DEG	MIN	SEC
073	37	09.1000

F. CITY/TOWN

Garden City

G. STATE

N.Y.

H. ZIP CODE

1	1	5	3	0	4	7	5	7
---	---	---	---	---	---	---	---	---

I. NUMERIC COUNTY CODE

0	5	9
---	---	---

J. INDIAN LAND (mark "x")

☐ Yes ☒ No

5. LEGAL CONTACT:

A. TYPE (mark "x")

☐ Owner ☒ Operator

B. NAME (last, first, and middle initial)

Costa, Chris

C. PHONE

(area code and number)

5	1	6	3	2	8	6	5	0	0
---	---	---	---	---	---	---	---	---	---

D. ORGANIZATION

Sutton & Edwards

E. STREET/P.O. BOX

1981 Marcus Avenue

F. CITY/TOWN

Lake Success

G. STATE

NY

H. ZIP CODE

1	1	0	4	2	3	2	0	0
---	---	---	---	---	---	---	---	---

I. OWNERSHIP (mark "x")

☒ PRIVATE	☐ PUBLIC	☐ SPECIFY OTHER
☐ STATE	☐ FEDERAL	

6. WELL INFORMATION:

A. CLASS AND TYPE	B. NUMBER OF WELLS		C. TOTAL NUMBER OF WELLS	D. WELL OPERATION STATUS				
	COMM	NON-COMM		UC	AC	TA	PA	AN
V 5H		43	43	43				
V 5A	1		1				1	
V 5E		2	2				2	

COMMENTS (Optional):

Closed two (2) cesspools and one (1) leaching pool that received industrial wastewater in the past. Closure performed under observation of USEPA and Nassau County Department of Health

KEY:

DEG = Degree
MIN = Minute
SEC = Second

SECT = Section
1/4 SECT = Quarter Section

COMM = Commercial
NON-COMM = Non-Commercial

AC = Active
UC = Under Construction
TA = Temporarily Abandoned
PA = Permanently Abandoned and Approved by State
AN = Permanently Abandoned and not Approved by State