



e-mail: eweinstock@carichinc.com

September 3, 2013

email: mlsweet@gw.dec.state.ny.us

New York State Department of Environmental Conservation

Division of Environmental Remediation
625 Broadway
Albany, New York 12207-2942

Attention: Melissa Sweet
Project Manager

Re: **Supplemental Remedial Investigation
Interim Progress Report
Elks Plaza
157-189 West Merrick Road, Freeport, N.Y.
NYSDEC Site No.: 1-30-193**

Dear Ms. Sweet:

In accordance with our Supplemental Remedial Investigation (R.I.) Work Plan (Ref. 1), CA RICH Consultants, Inc. (CA RICH) is pleased to provide you with this Interim Progress Report on behalf of Elks Plaza, LLC. The goal of the Supplemental R.I. was to monitor off-site migration of perchloroethylene (PCE) in groundwater downgradient of the site.

A Geoprobe sampling device was mobilized to the site and installed three groundwater borings along Smith Street. Groundwater samples were collected at 15, 30, 45, and 60 feet below grade. The attached boring location map and data summary table were prepared and will be included in the revised R.I. Report.

PCE was detected slightly above the groundwater standard of 5 ug/l in two samples. It was detected in the central boring placed along Smith Street at a concentration of 5.6 ug/l in the 41 to 45 foot sample and at a concentration of 9.8 ug/l in the 56 to 60 foot sample.

We believe the results of this Supplemental R.I. adequately address the off-site delineation of PCE at this site for the following reasons:

- Only two of the 12 samples collected had PCE detections above groundwater standards;
- The two detections were only slightly above the groundwater standard of 5.0 ug/l;
- There are no public supply wells downgradient of the site;

- There are no known private supply wells downgradient of the site;
- There have been no sources of PCE detected in the soil at the property;
- A downgradient monitoring well (MW-2) was installed at the site property line, the highest PCE detection from this well was 17.7 ug/l;
- A SVE system was operated at the site to remove PCE from below the building; and
- A SSD system remains in operation at the site.

We will not resubmit the R.I. Report until we hear back from you regarding this last round of testing. If you have any questions regarding this Interim Progress Report, please do not hesitate to call our Office.

Sincerely,

CA RICH CONSULTANTS, INC.




Eric A. Weinstock
Vice President

cc: John Swartwout
jbswarto@gw.dec.state.ny.us
Renata Ockerby
reo02@health.state.ny.us
George Tsilogiannis
Tsilos45@yahoo.com
Lois Reisman
loisreisman@gmail.com
Suzanne Avena, Esq.
savena@garfunkelwild.com

References

1. CA Rich Consultants, Inc. July 2013, Supplemental Remedial Investigation Work Plan, Elks Plaza LLC - Site # 130193, 157 -189 West Merrick Road, Freeport, NY.



209 Smith
11-15' = 1.5
26-30' = ND
41-45' = 5.6
56-60' = 9.8

189 Smith
11-15' = ND
26-30' = 0.51 J
41-45' = 0.93 J
56-60' = 0.67 J

227 Smith
11-15' = ND
26-30' = ND
41-45' = 1.6
56-60' = 3.1

CA RICH CONSULTANTS, INC.	
Environmental Specialists Since 1982 17 Duport Street, Plainview, New York 11803	
TITLE:	DATE: 8/23/2013
Supplemental R.I. PCE Detections in Groundwater Borings	SCALE: As Shown
FIGURE: 9	DRAWN BY: T.R.B./J.T.C.
DRAWING NO: 2013-3	APPR BY: E.A.W.

Legend

 Temporary Groundwater Boring

Note:
1. Groundwater concentration are in ug/L or parts per billion.

Table 6
Volatile Organic Compounds in Discreet Geoprobe Groundwater Samples
Elks Plaza
Freeport, NY

Sample ID Depth Matrix Date Sampled Units	189 Smith 11-15 ft Groundwater 8/9/2013 ug/l	189 Smith 26-30 ft Groundwater 8/9/2013 ug/l	189 Smith 41-45 ft Groundwater 8/9/2013 ug/l	189 Smith 56-60 ft Groundwater 8/9/2013 ug/l	209 Smith 11-15 ft Groundwater 8/8/2013 ug/l	209 Smith 26-30 ft Groundwater 8/8/2013 ug/l	209 Smith 41-45 ft Groundwater 8/8/2013 ug/l	209 Smith 56-60 ft Groundwater 8/8/2013 ug/l	227 Smith 11-15 ft Groundwater 8/8/2013 ug/l	227 Smith 26-30 ft Groundwater 8/8/2013 ug/l	227 Smith 41-45 ft Groundwater 8/8/2013 ug/l	227 Smith 56-60 ft Groundwater 8/8/2013 ug/l	MW-XX Groundwater 8/8/2013 ug/l	Field Blank 8/9 Field Blank Water 8/9/2013 ug/l	TRIP BLANK Trip Blank Water 8/9/2013 ug/l	*NYS TOGS Groundwater Standards ug/l
Volatiles (SW846 8260B)																
Acetone	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NS
Benzene	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	1
Bromochloromethane	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	5
Bromodichloromethane	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NS
Bromoform	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NS
Bromomethane	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	5
2-Butanone (MEK)	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NS
Carbon disulfide	ND	ND	0.21 J	ND	0.27 J	ND	0.22 J	0.20 J	ND	0.23 J	0.24 J	0.22 J	0.22 J	ND	ND	60
Carbon tetrachloride	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	5
Chlorobenzene	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	5
Chloroethane	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	5
Chloroform	ND	ND	ND	0.22 J	ND	ND	ND	0.27 J	ND	ND	ND	ND	ND	ND	ND	7
Chloromethane	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	5
Cyclohexane	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NS
1,2-Dibromo-3-chloropropane	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.04
Dibromochloromethane	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NS
1,2-Dibromoethane	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.0006
1,2-Dichlorobenzene	ND	ND	0.37 J	0.22 J	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	3
1,3-Dichlorobenzene	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	3
1,4-Dichlorobenzene	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	3
Dichlorodifluoromethane	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	5
1,1-Dichloroethane	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	5
1,2-Dichloroethane	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.6
1,1-Dichloroethene	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	5
cis-1,2-Dichloroethene	ND	ND	ND	ND	ND	ND	0.48 J	ND	ND	ND	ND	ND	ND	ND	ND	5
trans-1,2-Dichloroethene	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	5
1,2-Dichloropropane	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	1
cis-1,3-Dichloropropene	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NS
trans-1,3-Dichloropropene	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NS
1,4-Dioxane	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NS
Ethylbenzene	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	5
Freon 113	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	5
2-Hexanone	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NS
Isopropylbenzene	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	5
Methyl Acetate	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NS
Methylcyclohexane	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NS
Methyl Tert Butyl Ether	ND	ND	0.58 J	0.67 J	ND	ND	0.46 J	0.46 J	ND	ND	0.36 J	0.46 J	ND	ND	ND	10
4-Methyl-2-pentanone(MIBK)	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NS
Methylene chloride	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	5
Styrene	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	5
1,1,2,2-Tetrachloroethane	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	5
Tetrachloroethene	ND	0.51 J	0.93 J	0.67 J	1.5	ND	5.6	9.8	ND	ND	1.6	3.1	1.4	ND	ND	5
Toluene	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	5
1,2,3-Trichlorobenzene	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	5
1,2,4-Trichlorobenzene	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	5
1,1,1-Trichloroethane	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	5
1,1,2-Trichloroethane	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	1
Trichloroethene	ND	ND	ND	ND	ND	ND	0.41 J	0.89 J	ND	ND	ND	ND	ND	ND	ND	5
Trichlorofluoromethane	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	5
Vinyl chloride	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	2
m,p-Xylene	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	5
o-Xylene	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	5
Xylene (total)	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	5

Notes:

J- Analyte detected below quantitation limits.

ND- Not detected at or above laboratory detection limits.

NS- No standard for specific compound

*NYSDEC Technical and Operational Guidance Series (1.1.1)

Ambient water Quality Standards and Guidance Values

and Groundwater Effluent Limitations June 1998

Bold and Boxed Indicates Value Exceeds Standard

MW-XX is a duplicate of 209 Smith (11-15')

ug/l= micrograms per liter or parts per billion

Sample Summary

C. A. Rich Consultants

Job No: JB44675

Elks Plaza, Freeport, NY

Project No: GALAXY/ELKS PLAZA/SSD

Sample Number	Collected			Received	Matrix		Client Sample ID
	Date	Time	By		Code	Type	
JB44675-1	08/08/13	08:50	JC	08/13/13	AQ	Ground Water	227 SMITH (11-14')
JB44675-2	08/08/13	09:13	JC	08/13/13	AQ	Ground Water	227 SMITH (26-30')
JB44675-2D	08/08/13	09:13	JC	08/13/13	AQ	Water Dup/MSD	227 SMITH (26-30')
JB44675-2S	08/08/13	09:13	JC	08/13/13	AQ	Water Matrix Spike	227 SMITH (26-30')
JB44675-3	08/08/13	09:55	JC	08/13/13	AQ	Ground Water	227 SMITH (41-45')
JB44675-4	08/08/13	11:15	JC	08/13/13	AQ	Ground Water	227 SMITH (56-60')
JB44675-5	08/08/13	11:50	JC	08/13/13	AQ	Ground Water	209 SMITH (11-15')
JB44675-6	08/08/13	12:00	JC	08/13/13	AQ	Ground Water	209 SMITH (26-30')
JB44675-7	08/08/13	12:20	JC	08/13/13	AQ	Ground Water	209 SMITH (41-45')
JB44675-8	08/08/13	13:00	JC	08/13/13	AQ	Ground Water	209 SMITH (56-60')
JB44675-9	08/09/13	08:35	JC	08/13/13	AQ	Ground Water	189 SMITH (11-14')
JB44675-10	08/09/13	09:00	JC	08/13/13	AQ	Ground Water	189 SMITH (26-30')
JB44675-11	08/09/13	10:00	JC	08/13/13	AQ	Ground Water	189 SMITH (41-45')

Sample Summary

(continued)

C. A. Rich Consultants

Job No: JB44675

Elks Plaza, Freeport, NY

Project No: GALAXY/ELKS PLAZA/SSD

Sample Number	Collected		Received	Matrix		Client Sample ID
	Date	Time By		Code	Type	
JB44675-12	08/09/13	11:15 JC	08/13/13	AQ	Ground Water	189 SMITH (56-60')
JB44675-13	08/09/13	12:00 JC	08/13/13	AQ	Field Blank Water	FIELD BLANK 8/9
JB44675-14	08/09/13	12:00 JC	08/13/13	AQ	Trip Blank Water	TRIP BLANK
JB44675-15	08/08/13	00:00 JC	08/13/13	AQ	Ground Water	MW-XX

Report of Analysis

Page 1 of 2

Client Sample ID:	227 SMITH (11-14')	Date Sampled:	08/08/13
Lab Sample ID:	JB44675-1	Date Received:	08/13/13
Matrix:	AQ - Ground Water	Percent Solids:	n/a
Method:	SW846 8260B		
Project:	Elks Plaza, Freeport, NY		

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	2E93525.D	1	08/17/13	TYG	n/a	n/a	V2E4207
Run #2							

	Purge Volume
Run #1	5.0 ml
Run #2	

VOA TCL List (SOM0 1.1)

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone	ND	10	3.3	ug/l	
71-43-2	Benzene	ND	1.0	0.24	ug/l	
74-97-5	Bromochloromethane	ND	5.0	0.30	ug/l	
75-27-4	Bromodichloromethane	ND	1.0	0.21	ug/l	
75-25-2	Bromoform	ND	4.0	0.21	ug/l	
74-83-9	Bromomethane	ND	2.0	0.22	ug/l	
78-93-3	2-Butanone (MEK)	ND	10	2.4	ug/l	
75-15-0	Carbon disulfide	ND	2.0	0.19	ug/l	
56-23-5	Carbon tetrachloride	ND	1.0	0.22	ug/l	
108-90-7	Chlorobenzene	ND	1.0	0.23	ug/l	
75-00-3	Chloroethane	ND	1.0	0.26	ug/l	
67-66-3	Chloroform	ND	1.0	0.20	ug/l	
74-87-3	Chloromethane	ND	1.0	0.21	ug/l	
110-82-7	Cyclohexane	ND	5.0	0.35	ug/l	
96-12-8	1,2-Dibromo-3-chloropropane	ND	10	0.54	ug/l	
124-48-1	Dibromochloromethane	ND	1.0	0.14	ug/l	
106-93-4	1,2-Dibromoethane	ND	2.0	0.20	ug/l	
95-50-1	1,2-Dichlorobenzene	ND	1.0	0.22	ug/l	
541-73-1	1,3-Dichlorobenzene	ND	1.0	0.22	ug/l	
106-46-7	1,4-Dichlorobenzene	ND	1.0	0.30	ug/l	
75-71-8	Dichlorodifluoromethane	ND	5.0	0.27	ug/l	
75-34-3	1,1-Dichloroethane	ND	1.0	0.11	ug/l	
107-06-2	1,2-Dichloroethane	ND	1.0	0.26	ug/l	
75-35-4	1,1-Dichloroethene	ND	1.0	0.19	ug/l	
156-59-2	cis-1,2-Dichloroethene	ND	1.0	0.19	ug/l	
156-60-5	trans-1,2-Dichloroethene	ND	1.0	0.21	ug/l	
78-87-5	1,2-Dichloropropane	ND	1.0	0.48	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	1.0	0.21	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	1.0	0.19	ug/l	
123-91-1	1,4-Dioxane	ND	130	75	ug/l	
100-41-4	Ethylbenzene	ND	1.0	0.23	ug/l	
76-13-1	Freon 113	ND	5.0	0.53	ug/l	

ND = Not detected MDL - Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

B = Indicates analyte found in associated method blank

N = Indicates presumptive evidence of a compound

Report of Analysis

Page 2 of 2

Client Sample ID: 227 SMITH (11-14')
Lab Sample ID: JB44675-1
Matrix: AQ - Ground Water
Method: SW846 8260B
Project: Elks Plaza, Freeport, NY

Date Sampled: 08/08/13
Date Received: 08/13/13
Percent Solids: n/a

VOA TCL List (SOM0 1.1)

CAS No.	Compound	Result	RL	MDL	Units	Q
591-78-6	2-Hexanone	ND	5.0	1.1	ug/l	
98-82-8	Isopropylbenzene	ND	2.0	0.45	ug/l	
79-20-9	Methyl Acetate	ND	5.0	1.2	ug/l	
108-87-2	Methylcyclohexane	ND	5.0	0.26	ug/l	
1634-04-4	Methyl Tert Butyl Ether	ND	1.0	0.16	ug/l	
108-10-1	4-Methyl-2-pentanone(MIBK)	ND	5.0	0.83	ug/l	
75-09-2	Methylene chloride	ND	2.0	0.70	ug/l	
100-42-5	Styrene	ND	5.0	0.21	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	1.0	0.21	ug/l	
127-18-4	Tetrachloroethene	ND	1.0	0.28	ug/l	
108-88-3	Toluene	ND	1.0	0.23	ug/l	
87-61-6	1,2,3-Trichlorobenzene	ND	5.0	0.28	ug/l	
120-82-1	1,2,4-Trichlorobenzene	ND	5.0	0.20	ug/l	
71-55-6	1,1,1-Trichloroethane	ND	1.0	0.24	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	1.0	0.29	ug/l	
79-01-6	Trichloroethene	ND	1.0	0.22	ug/l	
75-69-4	Trichlorofluoromethane	ND	5.0	0.27	ug/l	
75-01-4	Vinyl chloride	ND	1.0	0.21	ug/l	
	m,p-Xylene	ND	1.0	0.42	ug/l	
95-47-6	o-Xylene	ND	1.0	0.24	ug/l	
1330-20-7	Xylene (total)	ND	1.0	0.24	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	97%		79-117%
17060-07-0	1,2-Dichloroethane-D4	97%		72-123%
2037-26-5	Toluene-D8	98%		82-118%
460-00-4	4-Bromofluorobenzene	93%		75-118%

ND = Not detected MDL - Method Detection Limit
 RL = Reporting Limit
 E = Indicates value exceeds calibration range

J = Indicates an estimated value
 B = Indicates analyte found in associated method blank
 N = Indicates presumptive evidence of a compound

Report of Analysis

Page 1 of 2

Client Sample ID:	227 SMITH (26-30')	Date Sampled:	08/08/13
Lab Sample ID:	JB44675-2	Date Received:	08/13/13
Matrix:	AQ - Ground Water	Percent Solids:	n/a
Method:	SW846 8260B		
Project:	Elks Plaza, Freeport, NY		

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	2E93524.D	1	08/17/13	TYG	n/a	n/a	V2E4207
Run #2							

	Purge Volume
Run #1	5.0 ml
Run #2	

VOA TCL List (SOM0 1.1)

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone	ND	10	3.3	ug/l	
71-43-2	Benzene	ND	1.0	0.24	ug/l	
74-97-5	Bromochloromethane	ND	5.0	0.30	ug/l	
75-27-4	Bromodichloromethane	ND	1.0	0.21	ug/l	
75-25-2	Bromoform	ND	4.0	0.21	ug/l	
74-83-9	Bromomethane	ND	2.0	0.22	ug/l	
78-93-3	2-Butanone (MEK)	ND	10	2.4	ug/l	
75-15-0	Carbon disulfide	0.23	2.0	0.19	ug/l	J
56-23-5	Carbon tetrachloride	ND	1.0	0.22	ug/l	
108-90-7	Chlorobenzene	ND	1.0	0.23	ug/l	
75-00-3	Chloroethane	ND	1.0	0.26	ug/l	
67-66-3	Chloroform	ND	1.0	0.20	ug/l	
74-87-3	Chloromethane	ND	1.0	0.21	ug/l	
110-82-7	Cyclohexane	ND	5.0	0.35	ug/l	
96-12-8	1,2-Dibromo-3-chloropropane	ND	10	0.54	ug/l	
124-48-1	Dibromochloromethane	ND	1.0	0.14	ug/l	
106-93-4	1,2-Dibromoethane	ND	2.0	0.20	ug/l	
95-50-1	1,2-Dichlorobenzene	ND	1.0	0.22	ug/l	
541-73-1	1,3-Dichlorobenzene	ND	1.0	0.22	ug/l	
106-46-7	1,4-Dichlorobenzene	ND	1.0	0.30	ug/l	
75-71-8	Dichlorodifluoromethane	ND	5.0	0.27	ug/l	
75-34-3	1,1-Dichloroethane	ND	1.0	0.11	ug/l	
107-06-2	1,2-Dichloroethane	ND	1.0	0.26	ug/l	
75-35-4	1,1-Dichloroethene	ND	1.0	0.19	ug/l	
156-59-2	cis-1,2-Dichloroethene	ND	1.0	0.19	ug/l	
156-60-5	trans-1,2-Dichloroethene	ND	1.0	0.21	ug/l	
78-87-5	1,2-Dichloropropane	ND	1.0	0.48	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	1.0	0.21	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	1.0	0.19	ug/l	
123-91-1	1,4-Dioxane	ND	130	75	ug/l	
100-41-4	Ethylbenzene	ND	1.0	0.23	ug/l	
76-13-1	Freon 113	ND	5.0	0.53	ug/l	

ND = Not detected MDL - Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

B = Indicates analyte found in associated method blank

N = Indicates presumptive evidence of a compound

Report of Analysis

Page 2 of 2

Client Sample ID: 227 SMITH (26-30')
Lab Sample ID: JB44675-2
Matrix: AQ - Ground Water
Method: SW846 8260B
Project: Elks Plaza, Freeport, NY

Date Sampled: 08/08/13
Date Received: 08/13/13
Percent Solids: n/a

VOA TCL List (SOM0 1.1)

CAS No.	Compound	Result	RL	MDL	Units	Q
591-78-6	2-Hexanone	ND	5.0	1.1	ug/l	
98-82-8	Isopropylbenzene	ND	2.0	0.45	ug/l	
79-20-9	Methyl Acetate	ND	5.0	1.2	ug/l	
108-87-2	Methylcyclohexane	ND	5.0	0.26	ug/l	
1634-04-4	Methyl Tert Butyl Ether	ND	1.0	0.16	ug/l	
108-10-1	4-Methyl-2-pentanone(MIBK)	ND	5.0	0.83	ug/l	
75-09-2	Methylene chloride	ND	2.0	0.70	ug/l	
100-42-5	Styrene	ND	5.0	0.21	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	1.0	0.21	ug/l	
127-18-4	Tetrachloroethene	ND	1.0	0.28	ug/l	
108-88-3	Toluene	ND	1.0	0.23	ug/l	
87-61-6	1,2,3-Trichlorobenzene	ND	5.0	0.28	ug/l	
120-82-1	1,2,4-Trichlorobenzene	ND	5.0	0.20	ug/l	
71-55-6	1,1,1-Trichloroethane	ND	1.0	0.24	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	1.0	0.29	ug/l	
79-01-6	Trichloroethene	ND	1.0	0.22	ug/l	
75-69-4	Trichlorofluoromethane	ND	5.0	0.27	ug/l	
75-01-4	Vinyl chloride	ND	1.0	0.21	ug/l	
	m,p-Xylene	ND	1.0	0.42	ug/l	
95-47-6	o-Xylene	ND	1.0	0.24	ug/l	
1330-20-7	Xylene (total)	ND	1.0	0.24	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	98%		79-117%
17060-07-0	1,2-Dichloroethane-D4	96%		72-123%
2037-26-5	Toluene-D8	98%		82-118%
460-00-4	4-Bromofluorobenzene	93%		75-118%

ND = Not detected MDL - Method Detection Limit
 RL = Reporting Limit
 E = Indicates value exceeds calibration range

J = Indicates an estimated value
 B = Indicates analyte found in associated method blank
 N = Indicates presumptive evidence of a compound

Report of Analysis

Page 1 of 2

Client Sample ID:	227 SMITH (41-45')	Date Sampled:	08/08/13
Lab Sample ID:	JB44675-3	Date Received:	08/13/13
Matrix:	AQ - Ground Water	Percent Solids:	n/a
Method:	SW846 8260B		
Project:	Elks Plaza, Freeport, NY		

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	2E93526.D	1	08/17/13	TYG	n/a	n/a	V2E4207
Run #2							

	Purge Volume
Run #1	5.0 ml
Run #2	

VOA TCL List (SOM0 1.1)

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone	ND	10	3.3	ug/l	
71-43-2	Benzene	ND	1.0	0.24	ug/l	
74-97-5	Bromochloromethane	ND	5.0	0.30	ug/l	
75-27-4	Bromodichloromethane	ND	1.0	0.21	ug/l	
75-25-2	Bromoform	ND	4.0	0.21	ug/l	
74-83-9	Bromomethane	ND	2.0	0.22	ug/l	
78-93-3	2-Butanone (MEK)	ND	10	2.4	ug/l	
75-15-0	Carbon disulfide	0.24	2.0	0.19	ug/l	J
56-23-5	Carbon tetrachloride	ND	1.0	0.22	ug/l	
108-90-7	Chlorobenzene	ND	1.0	0.23	ug/l	
75-00-3	Chloroethane	ND	1.0	0.26	ug/l	
67-66-3	Chloroform	ND	1.0	0.20	ug/l	
74-87-3	Chloromethane	ND	1.0	0.21	ug/l	
110-82-7	Cyclohexane	ND	5.0	0.35	ug/l	
96-12-8	1,2-Dibromo-3-chloropropane	ND	10	0.54	ug/l	
124-48-1	Dibromochloromethane	ND	1.0	0.14	ug/l	
106-93-4	1,2-Dibromoethane	ND	2.0	0.20	ug/l	
95-50-1	1,2-Dichlorobenzene	ND	1.0	0.22	ug/l	
541-73-1	1,3-Dichlorobenzene	ND	1.0	0.22	ug/l	
106-46-7	1,4-Dichlorobenzene	ND	1.0	0.30	ug/l	
75-71-8	Dichlorodifluoromethane	ND	5.0	0.27	ug/l	
75-34-3	1,1-Dichloroethane	ND	1.0	0.11	ug/l	
107-06-2	1,2-Dichloroethane	ND	1.0	0.26	ug/l	
75-35-4	1,1-Dichloroethene	ND	1.0	0.19	ug/l	
156-59-2	cis-1,2-Dichloroethene	ND	1.0	0.19	ug/l	
156-60-5	trans-1,2-Dichloroethene	ND	1.0	0.21	ug/l	
78-87-5	1,2-Dichloropropane	ND	1.0	0.48	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	1.0	0.21	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	1.0	0.19	ug/l	
123-91-1	1,4-Dioxane	ND	130	75	ug/l	
100-41-4	Ethylbenzene	ND	1.0	0.23	ug/l	
76-13-1	Freon 113	ND	5.0	0.53	ug/l	

ND = Not detected MDL - Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

B = Indicates analyte found in associated method blank

N = Indicates presumptive evidence of a compound

Report of Analysis

Page 2 of 2

Client Sample ID:	227 SMITH (41-45')	Date Sampled:	08/08/13
Lab Sample ID:	JB44675-3	Date Received:	08/13/13
Matrix:	AQ - Ground Water	Percent Solids:	n/a
Method:	SW846 8260B		
Project:	Elks Plaza, Freeport, NY		

VOA TCL List (SOM0 1.1)

CAS No.	Compound	Result	RL	MDL	Units	Q
591-78-6	2-Hexanone	ND	5.0	1.1	ug/l	
98-82-8	Isopropylbenzene	ND	2.0	0.45	ug/l	
79-20-9	Methyl Acetate	ND	5.0	1.2	ug/l	
108-87-2	Methylcyclohexane	ND	5.0	0.26	ug/l	
1634-04-4	Methyl Tert Butyl Ether	0.36	1.0	0.16	ug/l	J
108-10-1	4-Methyl-2-pentanone(MIBK)	ND	5.0	0.83	ug/l	
75-09-2	Methylene chloride	ND	2.0	0.70	ug/l	
100-42-5	Styrene	ND	5.0	0.21	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	1.0	0.21	ug/l	
127-18-4	Tetrachloroethene	1.6	1.0	0.28	ug/l	
108-88-3	Toluene	ND	1.0	0.23	ug/l	
87-61-6	1,2,3-Trichlorobenzene	ND	5.0	0.28	ug/l	
120-82-1	1,2,4-Trichlorobenzene	ND	5.0	0.20	ug/l	
71-55-6	1,1,1-Trichloroethane	ND	1.0	0.24	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	1.0	0.29	ug/l	
79-01-6	Trichloroethene	ND	1.0	0.22	ug/l	
75-69-4	Trichlorofluoromethane	ND	5.0	0.27	ug/l	
75-01-4	Vinyl chloride	ND	1.0	0.21	ug/l	
	m,p-Xylene	ND	1.0	0.42	ug/l	
95-47-6	o-Xylene	ND	1.0	0.24	ug/l	
1330-20-7	Xylene (total)	ND	1.0	0.24	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	97%		79-117%
17060-07-0	1,2-Dichloroethane-D4	95%		72-123%
2037-26-5	Toluene-D8	97%		82-118%
460-00-4	4-Bromofluorobenzene	94%		75-118%

ND = Not detected MDL - Method Detection Limit
 RL = Reporting Limit
 E = Indicates value exceeds calibration range

J = Indicates an estimated value
 B = Indicates analyte found in associated method blank
 N = Indicates presumptive evidence of a compound

Report of Analysis

Page 1 of 2

Client Sample ID:	227 SMITH (56-60')	Date Sampled:	08/08/13
Lab Sample ID:	JB44675-4	Date Received:	08/13/13
Matrix:	AQ - Ground Water	Percent Solids:	n/a
Method:	SW846 8260B		
Project:	Elks Plaza, Freeport, NY		

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	2E93527.D	1	08/17/13	TYG	n/a	n/a	V2E4207
Run #2							

	Purge Volume
Run #1	5.0 ml
Run #2	

VOA TCL List (SOM0 1.1)

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone	ND	10	3.3	ug/l	
71-43-2	Benzene	ND	1.0	0.24	ug/l	
74-97-5	Bromochloromethane	ND	5.0	0.30	ug/l	
75-27-4	Bromodichloromethane	ND	1.0	0.21	ug/l	
75-25-2	Bromoform	ND	4.0	0.21	ug/l	
74-83-9	Bromomethane	ND	2.0	0.22	ug/l	
78-93-3	2-Butanone (MEK)	ND	10	2.4	ug/l	
75-15-0	Carbon disulfide	0.22	2.0	0.19	ug/l	J
56-23-5	Carbon tetrachloride	ND	1.0	0.22	ug/l	
108-90-7	Chlorobenzene	ND	1.0	0.23	ug/l	
75-00-3	Chloroethane	ND	1.0	0.26	ug/l	
67-66-3	Chloroform	ND	1.0	0.20	ug/l	
74-87-3	Chloromethane	ND	1.0	0.21	ug/l	
110-82-7	Cyclohexane	ND	5.0	0.35	ug/l	
96-12-8	1,2-Dibromo-3-chloropropane	ND	10	0.54	ug/l	
124-48-1	Dibromochloromethane	ND	1.0	0.14	ug/l	
106-93-4	1,2-Dibromoethane	ND	2.0	0.20	ug/l	
95-50-1	1,2-Dichlorobenzene	ND	1.0	0.22	ug/l	
541-73-1	1,3-Dichlorobenzene	ND	1.0	0.22	ug/l	
106-46-7	1,4-Dichlorobenzene	ND	1.0	0.30	ug/l	
75-71-8	Dichlorodifluoromethane	ND	5.0	0.27	ug/l	
75-34-3	1,1-Dichloroethane	ND	1.0	0.11	ug/l	
107-06-2	1,2-Dichloroethane	ND	1.0	0.26	ug/l	
75-35-4	1,1-Dichloroethene	ND	1.0	0.19	ug/l	
156-59-2	cis-1,2-Dichloroethene	ND	1.0	0.19	ug/l	
156-60-5	trans-1,2-Dichloroethene	ND	1.0	0.21	ug/l	
78-87-5	1,2-Dichloropropane	ND	1.0	0.48	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	1.0	0.21	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	1.0	0.19	ug/l	
123-91-1	1,4-Dioxane	ND	130	75	ug/l	
100-41-4	Ethylbenzene	ND	1.0	0.23	ug/l	
76-13-1	Freon 113	ND	5.0	0.53	ug/l	

ND = Not detected MDL - Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

B = Indicates analyte found in associated method blank

N = Indicates presumptive evidence of a compound

Report of Analysis

Page 2 of 2

Client Sample ID:	227 SMITH (56-60')	Date Sampled:	08/08/13
Lab Sample ID:	JB44675-4	Date Received:	08/13/13
Matrix:	AQ - Ground Water	Percent Solids:	n/a
Method:	SW846 8260B		
Project:	Elks Plaza, Freeport, NY		

VOA TCL List (SOM0 1.1)

CAS No.	Compound	Result	RL	MDL	Units	Q
591-78-6	2-Hexanone	ND	5.0	1.1	ug/l	
98-82-8	Isopropylbenzene	ND	2.0	0.45	ug/l	
79-20-9	Methyl Acetate	ND	5.0	1.2	ug/l	
108-87-2	Methylcyclohexane	ND	5.0	0.26	ug/l	
1634-04-4	Methyl Tert Butyl Ether	0.46	1.0	0.16	ug/l	J
108-10-1	4-Methyl-2-pentanone(MIBK)	ND	5.0	0.83	ug/l	
75-09-2	Methylene chloride	ND	2.0	0.70	ug/l	
100-42-5	Styrene	ND	5.0	0.21	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	1.0	0.21	ug/l	
127-18-4	Tetrachloroethene	3.1	1.0	0.28	ug/l	
108-88-3	Toluene	ND	1.0	0.23	ug/l	
87-61-6	1,2,3-Trichlorobenzene	ND	5.0	0.28	ug/l	
120-82-1	1,2,4-Trichlorobenzene	ND	5.0	0.20	ug/l	
71-55-6	1,1,1-Trichloroethane	ND	1.0	0.24	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	1.0	0.29	ug/l	
79-01-6	Trichloroethene	ND	1.0	0.22	ug/l	
75-69-4	Trichlorofluoromethane	ND	5.0	0.27	ug/l	
75-01-4	Vinyl chloride	ND	1.0	0.21	ug/l	
	m,p-Xylene	ND	1.0	0.42	ug/l	
95-47-6	o-Xylene	ND	1.0	0.24	ug/l	
1330-20-7	Xylene (total)	ND	1.0	0.24	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	97%		79-117%
17060-07-0	1,2-Dichloroethane-D4	96%		72-123%
2037-26-5	Toluene-D8	97%		82-118%
460-00-4	4-Bromofluorobenzene	93%		75-118%

ND = Not detected MDL - Method Detection Limit
 RL = Reporting Limit
 E = Indicates value exceeds calibration range

J = Indicates an estimated value
 B = Indicates analyte found in associated method blank
 N = Indicates presumptive evidence of a compound

Report of Analysis

Page 1 of 2

Client Sample ID:	209 SMITH (11-15')	Date Sampled:	08/08/13
Lab Sample ID:	JB44675-5	Date Received:	08/13/13
Matrix:	AQ - Ground Water	Percent Solids:	n/a
Method:	SW846 8260B		
Project:	Elks Plaza, Freeport, NY		

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	2E93528.D	1	08/17/13	TYG	n/a	n/a	V2E4207
Run #2							

	Purge Volume
Run #1	5.0 ml
Run #2	

VOA TCL List (SOM0 1.1)

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone	ND	10	3.3	ug/l	
71-43-2	Benzene	ND	1.0	0.24	ug/l	
74-97-5	Bromochloromethane	ND	5.0	0.30	ug/l	
75-27-4	Bromodichloromethane	ND	1.0	0.21	ug/l	
75-25-2	Bromoform	ND	4.0	0.21	ug/l	
74-83-9	Bromomethane	ND	2.0	0.22	ug/l	
78-93-3	2-Butanone (MEK)	ND	10	2.4	ug/l	
75-15-0	Carbon disulfide	0.27	2.0	0.19	ug/l	J
56-23-5	Carbon tetrachloride	ND	1.0	0.22	ug/l	
108-90-7	Chlorobenzene	ND	1.0	0.23	ug/l	
75-00-3	Chloroethane	ND	1.0	0.26	ug/l	
67-66-3	Chloroform	ND	1.0	0.20	ug/l	
74-87-3	Chloromethane	ND	1.0	0.21	ug/l	
110-82-7	Cyclohexane	ND	5.0	0.35	ug/l	
96-12-8	1,2-Dibromo-3-chloropropane	ND	10	0.54	ug/l	
124-48-1	Dibromochloromethane	ND	1.0	0.14	ug/l	
106-93-4	1,2-Dibromoethane	ND	2.0	0.20	ug/l	
95-50-1	1,2-Dichlorobenzene	ND	1.0	0.22	ug/l	
541-73-1	1,3-Dichlorobenzene	ND	1.0	0.22	ug/l	
106-46-7	1,4-Dichlorobenzene	ND	1.0	0.30	ug/l	
75-71-8	Dichlorodifluoromethane	ND	5.0	0.27	ug/l	
75-34-3	1,1-Dichloroethane	ND	1.0	0.11	ug/l	
107-06-2	1,2-Dichloroethane	ND	1.0	0.26	ug/l	
75-35-4	1,1-Dichloroethene	ND	1.0	0.19	ug/l	
156-59-2	cis-1,2-Dichloroethene	ND	1.0	0.19	ug/l	
156-60-5	trans-1,2-Dichloroethene	ND	1.0	0.21	ug/l	
78-87-5	1,2-Dichloropropane	ND	1.0	0.48	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	1.0	0.21	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	1.0	0.19	ug/l	
123-91-1	1,4-Dioxane	ND	130	75	ug/l	
100-41-4	Ethylbenzene	ND	1.0	0.23	ug/l	
76-13-1	Freon 113	ND	5.0	0.53	ug/l	

ND = Not detected MDL - Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

B = Indicates analyte found in associated method blank

N = Indicates presumptive evidence of a compound

Report of Analysis

Page 2 of 2

Client Sample ID:	209 SMITH (11-15')	Date Sampled:	08/08/13
Lab Sample ID:	JB44675-5	Date Received:	08/13/13
Matrix:	AQ - Ground Water	Percent Solids:	n/a
Method:	SW846 8260B		
Project:	Elks Plaza, Freeport, NY		

VOA TCL List (SOM0 1.1)

CAS No.	Compound	Result	RL	MDL	Units	Q
591-78-6	2-Hexanone	ND	5.0	1.1	ug/l	
98-82-8	Isopropylbenzene	ND	2.0	0.45	ug/l	
79-20-9	Methyl Acetate	ND	5.0	1.2	ug/l	
108-87-2	Methylcyclohexane	ND	5.0	0.26	ug/l	
1634-04-4	Methyl Tert Butyl Ether	ND	1.0	0.16	ug/l	
108-10-1	4-Methyl-2-pentanone(MIBK)	ND	5.0	0.83	ug/l	
75-09-2	Methylene chloride	ND	2.0	0.70	ug/l	
100-42-5	Styrene	ND	5.0	0.21	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	1.0	0.21	ug/l	
127-18-4	Tetrachloroethene	1.5	1.0	0.28	ug/l	
108-88-3	Toluene	ND	1.0	0.23	ug/l	
87-61-6	1,2,3-Trichlorobenzene	ND	5.0	0.28	ug/l	
120-82-1	1,2,4-Trichlorobenzene	ND	5.0	0.20	ug/l	
71-55-6	1,1,1-Trichloroethane	ND	1.0	0.24	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	1.0	0.29	ug/l	
79-01-6	Trichloroethene	ND	1.0	0.22	ug/l	
75-69-4	Trichlorofluoromethane	ND	5.0	0.27	ug/l	
75-01-4	Vinyl chloride	ND	1.0	0.21	ug/l	
	m,p-Xylene	ND	1.0	0.42	ug/l	
95-47-6	o-Xylene	ND	1.0	0.24	ug/l	
1330-20-7	Xylene (total)	ND	1.0	0.24	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	98%		79-117%
17060-07-0	1,2-Dichloroethane-D4	96%		72-123%
2037-26-5	Toluene-D8	97%		82-118%
460-00-4	4-Bromofluorobenzene	93%		75-118%

ND = Not detected MDL - Method Detection Limit
 RL = Reporting Limit
 E = Indicates value exceeds calibration range

J = Indicates an estimated value
 B = Indicates analyte found in associated method blank
 N = Indicates presumptive evidence of a compound

Report of Analysis

Page 1 of 2

Client Sample ID:	209 SMITH (26-30')	Date Sampled:	08/08/13
Lab Sample ID:	JB44675-6	Date Received:	08/13/13
Matrix:	AQ - Ground Water	Percent Solids:	n/a
Method:	SW846 8260B		
Project:	Elks Plaza, Freeport, NY		

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	2E93529.D	1	08/17/13	TYG	n/a	n/a	V2E4207
Run #2							

	Purge Volume
Run #1	5.0 ml
Run #2	

VOA TCL List (SOM0 1.1)

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone	ND	10	3.3	ug/l	
71-43-2	Benzene	ND	1.0	0.24	ug/l	
74-97-5	Bromochloromethane	ND	5.0	0.30	ug/l	
75-27-4	Bromodichloromethane	ND	1.0	0.21	ug/l	
75-25-2	Bromoform	ND	4.0	0.21	ug/l	
74-83-9	Bromomethane	ND	2.0	0.22	ug/l	
78-93-3	2-Butanone (MEK)	ND	10	2.4	ug/l	
75-15-0	Carbon disulfide	ND	2.0	0.19	ug/l	
56-23-5	Carbon tetrachloride	ND	1.0	0.22	ug/l	
108-90-7	Chlorobenzene	ND	1.0	0.23	ug/l	
75-00-3	Chloroethane	ND	1.0	0.26	ug/l	
67-66-3	Chloroform	ND	1.0	0.20	ug/l	
74-87-3	Chloromethane	ND	1.0	0.21	ug/l	
110-82-7	Cyclohexane	ND	5.0	0.35	ug/l	
96-12-8	1,2-Dibromo-3-chloropropane	ND	10	0.54	ug/l	
124-48-1	Dibromochloromethane	ND	1.0	0.14	ug/l	
106-93-4	1,2-Dibromoethane	ND	2.0	0.20	ug/l	
95-50-1	1,2-Dichlorobenzene	ND	1.0	0.22	ug/l	
541-73-1	1,3-Dichlorobenzene	ND	1.0	0.22	ug/l	
106-46-7	1,4-Dichlorobenzene	ND	1.0	0.30	ug/l	
75-71-8	Dichlorodifluoromethane	ND	5.0	0.27	ug/l	
75-34-3	1,1-Dichloroethane	ND	1.0	0.11	ug/l	
107-06-2	1,2-Dichloroethane	ND	1.0	0.26	ug/l	
75-35-4	1,1-Dichloroethene	ND	1.0	0.19	ug/l	
156-59-2	cis-1,2-Dichloroethene	ND	1.0	0.19	ug/l	
156-60-5	trans-1,2-Dichloroethene	ND	1.0	0.21	ug/l	
78-87-5	1,2-Dichloropropane	ND	1.0	0.48	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	1.0	0.21	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	1.0	0.19	ug/l	
123-91-1	1,4-Dioxane	ND	130	75	ug/l	
100-41-4	Ethylbenzene	ND	1.0	0.23	ug/l	
76-13-1	Freon 113	ND	5.0	0.53	ug/l	

ND = Not detected MDL - Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

B = Indicates analyte found in associated method blank

N = Indicates presumptive evidence of a compound

Report of Analysis

Page 2 of 2

Client Sample ID:	209 SMITH (26-30')	Date Sampled:	08/08/13
Lab Sample ID:	JB44675-6	Date Received:	08/13/13
Matrix:	AQ - Ground Water	Percent Solids:	n/a
Method:	SW846 8260B		
Project:	Elks Plaza, Freeport, NY		

VOA TCL List (SOM0 1.1)

CAS No.	Compound	Result	RL	MDL	Units	Q
591-78-6	2-Hexanone	ND	5.0	1.1	ug/l	
98-82-8	Isopropylbenzene	ND	2.0	0.45	ug/l	
79-20-9	Methyl Acetate	ND	5.0	1.2	ug/l	
108-87-2	Methylcyclohexane	ND	5.0	0.26	ug/l	
1634-04-4	Methyl Tert Butyl Ether	ND	1.0	0.16	ug/l	
108-10-1	4-Methyl-2-pentanone(MIBK)	ND	5.0	0.83	ug/l	
75-09-2	Methylene chloride	ND	2.0	0.70	ug/l	
100-42-5	Styrene	ND	5.0	0.21	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	1.0	0.21	ug/l	
127-18-4	Tetrachloroethene	ND	1.0	0.28	ug/l	
108-88-3	Toluene	ND	1.0	0.23	ug/l	
87-61-6	1,2,3-Trichlorobenzene	ND	5.0	0.28	ug/l	
120-82-1	1,2,4-Trichlorobenzene	ND	5.0	0.20	ug/l	
71-55-6	1,1,1-Trichloroethane	ND	1.0	0.24	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	1.0	0.29	ug/l	
79-01-6	Trichloroethene	ND	1.0	0.22	ug/l	
75-69-4	Trichlorofluoromethane	ND	5.0	0.27	ug/l	
75-01-4	Vinyl chloride	ND	1.0	0.21	ug/l	
	m,p-Xylene	ND	1.0	0.42	ug/l	
95-47-6	o-Xylene	ND	1.0	0.24	ug/l	
1330-20-7	Xylene (total)	ND	1.0	0.24	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	97%		79-117%
17060-07-0	1,2-Dichloroethane-D4	97%		72-123%
2037-26-5	Toluene-D8	98%		82-118%
460-00-4	4-Bromofluorobenzene	93%		75-118%

ND = Not detected MDL - Method Detection Limit
 RL = Reporting Limit
 E = Indicates value exceeds calibration range

J = Indicates an estimated value
 B = Indicates analyte found in associated method blank
 N = Indicates presumptive evidence of a compound

Report of Analysis

Page 1 of 2

Client Sample ID:	209 SMITH (41-45')	Date Sampled:	08/08/13
Lab Sample ID:	JB44675-7	Date Received:	08/13/13
Matrix:	AQ - Ground Water	Percent Solids:	n/a
Method:	SW846 8260B		
Project:	Elks Plaza, Freeport, NY		

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	2E93530.D	1	08/17/13	TYG	n/a	n/a	V2E4207
Run #2							

	Purge Volume
Run #1	5.0 ml
Run #2	

VOA TCL List (SOM0 1.1)

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone	ND	10	3.3	ug/l	
71-43-2	Benzene	ND	1.0	0.24	ug/l	
74-97-5	Bromochloromethane	ND	5.0	0.30	ug/l	
75-27-4	Bromodichloromethane	ND	1.0	0.21	ug/l	
75-25-2	Bromoform	ND	4.0	0.21	ug/l	
74-83-9	Bromomethane	ND	2.0	0.22	ug/l	
78-93-3	2-Butanone (MEK)	ND	10	2.4	ug/l	
75-15-0	Carbon disulfide	0.22	2.0	0.19	ug/l	J
56-23-5	Carbon tetrachloride	ND	1.0	0.22	ug/l	
108-90-7	Chlorobenzene	ND	1.0	0.23	ug/l	
75-00-3	Chloroethane	ND	1.0	0.26	ug/l	
67-66-3	Chloroform	ND	1.0	0.20	ug/l	
74-87-3	Chloromethane	ND	1.0	0.21	ug/l	
110-82-7	Cyclohexane	ND	5.0	0.35	ug/l	
96-12-8	1,2-Dibromo-3-chloropropane	ND	10	0.54	ug/l	
124-48-1	Dibromochloromethane	ND	1.0	0.14	ug/l	
106-93-4	1,2-Dibromoethane	ND	2.0	0.20	ug/l	
95-50-1	1,2-Dichlorobenzene	ND	1.0	0.22	ug/l	
541-73-1	1,3-Dichlorobenzene	ND	1.0	0.22	ug/l	
106-46-7	1,4-Dichlorobenzene	ND	1.0	0.30	ug/l	
75-71-8	Dichlorodifluoromethane	ND	5.0	0.27	ug/l	
75-34-3	1,1-Dichloroethane	ND	1.0	0.11	ug/l	
107-06-2	1,2-Dichloroethane	ND	1.0	0.26	ug/l	
75-35-4	1,1-Dichloroethene	ND	1.0	0.19	ug/l	
156-59-2	cis-1,2-Dichloroethene	0.48	1.0	0.19	ug/l	J
156-60-5	trans-1,2-Dichloroethene	ND	1.0	0.21	ug/l	
78-87-5	1,2-Dichloropropane	ND	1.0	0.48	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	1.0	0.21	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	1.0	0.19	ug/l	
123-91-1	1,4-Dioxane	ND	130	75	ug/l	
100-41-4	Ethylbenzene	ND	1.0	0.23	ug/l	
76-13-1	Freon 113	ND	5.0	0.53	ug/l	

ND = Not detected MDL - Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

B = Indicates analyte found in associated method blank

N = Indicates presumptive evidence of a compound

Report of Analysis

Page 2 of 2

Client Sample ID:	209 SMITH (41-45')	Date Sampled:	08/08/13
Lab Sample ID:	JB44675-7	Date Received:	08/13/13
Matrix:	AQ - Ground Water	Percent Solids:	n/a
Method:	SW846 8260B		
Project:	Elks Plaza, Freeport, NY		

VOA TCL List (SOM0 1.1)

CAS No.	Compound	Result	RL	MDL	Units	Q
591-78-6	2-Hexanone	ND	5.0	1.1	ug/l	
98-82-8	Isopropylbenzene	ND	2.0	0.45	ug/l	
79-20-9	Methyl Acetate	ND	5.0	1.2	ug/l	
108-87-2	Methylcyclohexane	ND	5.0	0.26	ug/l	
1634-04-4	Methyl Tert Butyl Ether	0.46	1.0	0.16	ug/l	J
108-10-1	4-Methyl-2-pentanone(MIBK)	ND	5.0	0.83	ug/l	
75-09-2	Methylene chloride	ND	2.0	0.70	ug/l	
100-42-5	Styrene	ND	5.0	0.21	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	1.0	0.21	ug/l	
127-18-4	Tetrachloroethene	5.6	1.0	0.28	ug/l	
108-88-3	Toluene	ND	1.0	0.23	ug/l	
87-61-6	1,2,3-Trichlorobenzene	ND	5.0	0.28	ug/l	
120-82-1	1,2,4-Trichlorobenzene	ND	5.0	0.20	ug/l	
71-55-6	1,1,1-Trichloroethane	ND	1.0	0.24	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	1.0	0.29	ug/l	
79-01-6	Trichloroethene	0.41	1.0	0.22	ug/l	J
75-69-4	Trichlorofluoromethane	ND	5.0	0.27	ug/l	
75-01-4	Vinyl chloride	ND	1.0	0.21	ug/l	
	m,p-Xylene	ND	1.0	0.42	ug/l	
95-47-6	o-Xylene	ND	1.0	0.24	ug/l	
1330-20-7	Xylene (total)	ND	1.0	0.24	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	98%		79-117%
17060-07-0	1,2-Dichloroethane-D4	98%		72-123%
2037-26-5	Toluene-D8	98%		82-118%
460-00-4	4-Bromofluorobenzene	93%		75-118%

ND = Not detected MDL - Method Detection Limit
 RL = Reporting Limit
 E = Indicates value exceeds calibration range

J = Indicates an estimated value
 B = Indicates analyte found in associated method blank
 N = Indicates presumptive evidence of a compound

Report of Analysis

Page 1 of 2

Client Sample ID:	209 SMITH (56-60')		
Lab Sample ID:	JB44675-8	Date Sampled:	08/08/13
Matrix:	AQ - Ground Water	Date Received:	08/13/13
Method:	SW846 8260B	Percent Solids:	n/a
Project:	Elks Plaza, Freeport, NY		

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	2E93531.D	1	08/17/13	TYG	n/a	n/a	V2E4207
Run #2							

	Purge Volume
Run #1	5.0 ml
Run #2	

VOA TCL List (SOM0 1.1)

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone	ND	10	3.3	ug/l	
71-43-2	Benzene	ND	1.0	0.24	ug/l	
74-97-5	Bromochloromethane	ND	5.0	0.30	ug/l	
75-27-4	Bromodichloromethane	ND	1.0	0.21	ug/l	
75-25-2	Bromoform	ND	4.0	0.21	ug/l	
74-83-9	Bromomethane	ND	2.0	0.22	ug/l	
78-93-3	2-Butanone (MEK)	ND	10	2.4	ug/l	
75-15-0	Carbon disulfide	0.20	2.0	0.19	ug/l	J
56-23-5	Carbon tetrachloride	ND	1.0	0.22	ug/l	
108-90-7	Chlorobenzene	ND	1.0	0.23	ug/l	
75-00-3	Chloroethane	ND	1.0	0.26	ug/l	
67-66-3	Chloroform	0.27	1.0	0.20	ug/l	J
74-87-3	Chloromethane	ND	1.0	0.21	ug/l	
110-82-7	Cyclohexane	ND	5.0	0.35	ug/l	
96-12-8	1,2-Dibromo-3-chloropropane	ND	10	0.54	ug/l	
124-48-1	Dibromochloromethane	ND	1.0	0.14	ug/l	
106-93-4	1,2-Dibromoethane	ND	2.0	0.20	ug/l	
95-50-1	1,2-Dichlorobenzene	ND	1.0	0.22	ug/l	
541-73-1	1,3-Dichlorobenzene	ND	1.0	0.22	ug/l	
106-46-7	1,4-Dichlorobenzene	ND	1.0	0.30	ug/l	
75-71-8	Dichlorodifluoromethane	ND	5.0	0.27	ug/l	
75-34-3	1,1-Dichloroethane	ND	1.0	0.11	ug/l	
107-06-2	1,2-Dichloroethane	ND	1.0	0.26	ug/l	
75-35-4	1,1-Dichloroethene	ND	1.0	0.19	ug/l	
156-59-2	cis-1,2-Dichloroethene	ND	1.0	0.19	ug/l	
156-60-5	trans-1,2-Dichloroethene	ND	1.0	0.21	ug/l	
78-87-5	1,2-Dichloropropane	ND	1.0	0.48	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	1.0	0.21	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	1.0	0.19	ug/l	
123-91-1	1,4-Dioxane	ND	130	75	ug/l	
100-41-4	Ethylbenzene	ND	1.0	0.23	ug/l	
76-13-1	Freon 113	ND	5.0	0.53	ug/l	

ND = Not detected MDL - Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

B = Indicates analyte found in associated method blank

N = Indicates presumptive evidence of a compound

Report of Analysis

Page 2 of 2

Client Sample ID:	209 SMITH (56-60')	Date Sampled:	08/08/13
Lab Sample ID:	JB44675-8	Date Received:	08/13/13
Matrix:	AQ - Ground Water	Percent Solids:	n/a
Method:	SW846 8260B		
Project:	Elks Plaza, Freeport, NY		

VOA TCL List (SOM0 1.1)

CAS No.	Compound	Result	RL	MDL	Units	Q
591-78-6	2-Hexanone	ND	5.0	1.1	ug/l	
98-82-8	Isopropylbenzene	ND	2.0	0.45	ug/l	
79-20-9	Methyl Acetate	ND	5.0	1.2	ug/l	
108-87-2	Methylcyclohexane	ND	5.0	0.26	ug/l	
1634-04-4	Methyl Tert Butyl Ether	0.46	1.0	0.16	ug/l	J
108-10-1	4-Methyl-2-pentanone(MIBK)	ND	5.0	0.83	ug/l	
75-09-2	Methylene chloride	ND	2.0	0.70	ug/l	
100-42-5	Styrene	ND	5.0	0.21	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	1.0	0.21	ug/l	
127-18-4	Tetrachloroethene	9.8	1.0	0.28	ug/l	
108-88-3	Toluene	ND	1.0	0.23	ug/l	
87-61-6	1,2,3-Trichlorobenzene	ND	5.0	0.28	ug/l	
120-82-1	1,2,4-Trichlorobenzene	ND	5.0	0.20	ug/l	
71-55-6	1,1,1-Trichloroethane	ND	1.0	0.24	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	1.0	0.29	ug/l	
79-01-6	Trichloroethene	0.89	1.0	0.22	ug/l	J
75-69-4	Trichlorofluoromethane	ND	5.0	0.27	ug/l	
75-01-4	Vinyl chloride	ND	1.0	0.21	ug/l	
	m,p-Xylene	ND	1.0	0.42	ug/l	
95-47-6	o-Xylene	ND	1.0	0.24	ug/l	
1330-20-7	Xylene (total)	ND	1.0	0.24	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	99%		79-117%
17060-07-0	1,2-Dichloroethane-D4	99%		72-123%
2037-26-5	Toluene-D8	97%		82-118%
460-00-4	4-Bromofluorobenzene	92%		75-118%

ND = Not detected MDL - Method Detection Limit
 RL = Reporting Limit
 E = Indicates value exceeds calibration range

J = Indicates an estimated value
 B = Indicates analyte found in associated method blank
 N = Indicates presumptive evidence of a compound

Report of Analysis

Page 1 of 2

Client Sample ID:	189 SMITH (11-14')	Date Sampled:	08/09/13
Lab Sample ID:	JB44675-9	Date Received:	08/13/13
Matrix:	AQ - Ground Water	Percent Solids:	n/a
Method:	SW846 8260B		
Project:	Elks Plaza, Freeport, NY		

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	2E93532.D	1	08/17/13	TYG	n/a	n/a	V2E4207
Run #2							

	Purge Volume
Run #1	5.0 ml
Run #2	

VOA TCL List (SOM0 1.1)

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone	ND	10	3.3	ug/l	
71-43-2	Benzene	ND	1.0	0.24	ug/l	
74-97-5	Bromochloromethane	ND	5.0	0.30	ug/l	
75-27-4	Bromodichloromethane	ND	1.0	0.21	ug/l	
75-25-2	Bromoform	ND	4.0	0.21	ug/l	
74-83-9	Bromomethane	ND	2.0	0.22	ug/l	
78-93-3	2-Butanone (MEK)	ND	10	2.4	ug/l	
75-15-0	Carbon disulfide	ND	2.0	0.19	ug/l	
56-23-5	Carbon tetrachloride	ND	1.0	0.22	ug/l	
108-90-7	Chlorobenzene	ND	1.0	0.23	ug/l	
75-00-3	Chloroethane	ND	1.0	0.26	ug/l	
67-66-3	Chloroform	ND	1.0	0.20	ug/l	
74-87-3	Chloromethane	ND	1.0	0.21	ug/l	
110-82-7	Cyclohexane	ND	5.0	0.35	ug/l	
96-12-8	1,2-Dibromo-3-chloropropane	ND	10	0.54	ug/l	
124-48-1	Dibromochloromethane	ND	1.0	0.14	ug/l	
106-93-4	1,2-Dibromoethane	ND	2.0	0.20	ug/l	
95-50-1	1,2-Dichlorobenzene	ND	1.0	0.22	ug/l	
541-73-1	1,3-Dichlorobenzene	ND	1.0	0.22	ug/l	
106-46-7	1,4-Dichlorobenzene	ND	1.0	0.30	ug/l	
75-71-8	Dichlorodifluoromethane	ND	5.0	0.27	ug/l	
75-34-3	1,1-Dichloroethane	ND	1.0	0.11	ug/l	
107-06-2	1,2-Dichloroethane	ND	1.0	0.26	ug/l	
75-35-4	1,1-Dichloroethene	ND	1.0	0.19	ug/l	
156-59-2	cis-1,2-Dichloroethene	ND	1.0	0.19	ug/l	
156-60-5	trans-1,2-Dichloroethene	ND	1.0	0.21	ug/l	
78-87-5	1,2-Dichloropropane	ND	1.0	0.48	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	1.0	0.21	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	1.0	0.19	ug/l	
123-91-1	1,4-Dioxane	ND	130	75	ug/l	
100-41-4	Ethylbenzene	ND	1.0	0.23	ug/l	
76-13-1	Freon 113	ND	5.0	0.53	ug/l	

ND = Not detected MDL - Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

B = Indicates analyte found in associated method blank

N = Indicates presumptive evidence of a compound

Report of Analysis

Page 2 of 2

Client Sample ID:	189 SMITH (11-14')	Date Sampled:	08/09/13
Lab Sample ID:	JB44675-9	Date Received:	08/13/13
Matrix:	AQ - Ground Water	Percent Solids:	n/a
Method:	SW846 8260B		
Project:	Elks Plaza, Freeport, NY		

VOA TCL List (SOM0 1.1)

CAS No.	Compound	Result	RL	MDL	Units	Q
591-78-6	2-Hexanone	ND	5.0	1.1	ug/l	
98-82-8	Isopropylbenzene	ND	2.0	0.45	ug/l	
79-20-9	Methyl Acetate	ND	5.0	1.2	ug/l	
108-87-2	Methylcyclohexane	ND	5.0	0.26	ug/l	
1634-04-4	Methyl Tert Butyl Ether	ND	1.0	0.16	ug/l	
108-10-1	4-Methyl-2-pentanone(MIBK)	ND	5.0	0.83	ug/l	
75-09-2	Methylene chloride	ND	2.0	0.70	ug/l	
100-42-5	Styrene	ND	5.0	0.21	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	1.0	0.21	ug/l	
127-18-4	Tetrachloroethene	ND	1.0	0.28	ug/l	
108-88-3	Toluene	ND	1.0	0.23	ug/l	
87-61-6	1,2,3-Trichlorobenzene	ND	5.0	0.28	ug/l	
120-82-1	1,2,4-Trichlorobenzene	ND	5.0	0.20	ug/l	
71-55-6	1,1,1-Trichloroethane	ND	1.0	0.24	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	1.0	0.29	ug/l	
79-01-6	Trichloroethene	ND	1.0	0.22	ug/l	
75-69-4	Trichlorofluoromethane	ND	5.0	0.27	ug/l	
75-01-4	Vinyl chloride	ND	1.0	0.21	ug/l	
	m,p-Xylene	ND	1.0	0.42	ug/l	
95-47-6	o-Xylene	ND	1.0	0.24	ug/l	
1330-20-7	Xylene (total)	ND	1.0	0.24	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	99%		79-117%
17060-07-0	1,2-Dichloroethane-D4	98%		72-123%
2037-26-5	Toluene-D8	97%		82-118%
460-00-4	4-Bromofluorobenzene	92%		75-118%

ND = Not detected MDL - Method Detection Limit
 RL = Reporting Limit
 E = Indicates value exceeds calibration range

J = Indicates an estimated value
 B = Indicates analyte found in associated method blank
 N = Indicates presumptive evidence of a compound

Report of Analysis

Page 1 of 2

Client Sample ID:	189 SMITH (26-30')	Date Sampled:	08/09/13
Lab Sample ID:	JB44675-10	Date Received:	08/13/13
Matrix:	AQ - Ground Water	Percent Solids:	n/a
Method:	SW846 8260B		
Project:	Elks Plaza, Freeport, NY		

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	2E93533.D	1	08/17/13	TYG	n/a	n/a	V2E4207
Run #2							

	Purge Volume
Run #1	5.0 ml
Run #2	

VOA TCL List (SOM0 1.1)

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone	ND	10	3.3	ug/l	
71-43-2	Benzene	ND	1.0	0.24	ug/l	
74-97-5	Bromochloromethane	ND	5.0	0.30	ug/l	
75-27-4	Bromodichloromethane	ND	1.0	0.21	ug/l	
75-25-2	Bromoform	ND	4.0	0.21	ug/l	
74-83-9	Bromomethane	ND	2.0	0.22	ug/l	
78-93-3	2-Butanone (MEK)	ND	10	2.4	ug/l	
75-15-0	Carbon disulfide	ND	2.0	0.19	ug/l	
56-23-5	Carbon tetrachloride	ND	1.0	0.22	ug/l	
108-90-7	Chlorobenzene	ND	1.0	0.23	ug/l	
75-00-3	Chloroethane	ND	1.0	0.26	ug/l	
67-66-3	Chloroform	ND	1.0	0.20	ug/l	
74-87-3	Chloromethane	ND	1.0	0.21	ug/l	
110-82-7	Cyclohexane	ND	5.0	0.35	ug/l	
96-12-8	1,2-Dibromo-3-chloropropane	ND	10	0.54	ug/l	
124-48-1	Dibromochloromethane	ND	1.0	0.14	ug/l	
106-93-4	1,2-Dibromoethane	ND	2.0	0.20	ug/l	
95-50-1	1,2-Dichlorobenzene	ND	1.0	0.22	ug/l	
541-73-1	1,3-Dichlorobenzene	ND	1.0	0.22	ug/l	
106-46-7	1,4-Dichlorobenzene	ND	1.0	0.30	ug/l	
75-71-8	Dichlorodifluoromethane	ND	5.0	0.27	ug/l	
75-34-3	1,1-Dichloroethane	ND	1.0	0.11	ug/l	
107-06-2	1,2-Dichloroethane	ND	1.0	0.26	ug/l	
75-35-4	1,1-Dichloroethene	ND	1.0	0.19	ug/l	
156-59-2	cis-1,2-Dichloroethene	ND	1.0	0.19	ug/l	
156-60-5	trans-1,2-Dichloroethene	ND	1.0	0.21	ug/l	
78-87-5	1,2-Dichloropropane	ND	1.0	0.48	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	1.0	0.21	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	1.0	0.19	ug/l	
123-91-1	1,4-Dioxane	ND	130	75	ug/l	
100-41-4	Ethylbenzene	ND	1.0	0.23	ug/l	
76-13-1	Freon 113	ND	5.0	0.53	ug/l	

ND = Not detected MDL - Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

B = Indicates analyte found in associated method blank

N = Indicates presumptive evidence of a compound

Report of Analysis

Page 2 of 2

Client Sample ID:	189 SMITH (26-30')	Date Sampled:	08/09/13
Lab Sample ID:	JB44675-10	Date Received:	08/13/13
Matrix:	AQ - Ground Water	Percent Solids:	n/a
Method:	SW846 8260B		
Project:	Elks Plaza, Freeport, NY		

VOA TCL List (SOM0 1.1)

CAS No.	Compound	Result	RL	MDL	Units	Q
591-78-6	2-Hexanone	ND	5.0	1.1	ug/l	
98-82-8	Isopropylbenzene	ND	2.0	0.45	ug/l	
79-20-9	Methyl Acetate	ND	5.0	1.2	ug/l	
108-87-2	Methylcyclohexane	ND	5.0	0.26	ug/l	
1634-04-4	Methyl Tert Butyl Ether	ND	1.0	0.16	ug/l	
108-10-1	4-Methyl-2-pentanone(MIBK)	ND	5.0	0.83	ug/l	
75-09-2	Methylene chloride	ND	2.0	0.70	ug/l	
100-42-5	Styrene	ND	5.0	0.21	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	1.0	0.21	ug/l	
127-18-4	Tetrachloroethene	0.51	1.0	0.28	ug/l	J
108-88-3	Toluene	ND	1.0	0.23	ug/l	
87-61-6	1,2,3-Trichlorobenzene	ND	5.0	0.28	ug/l	
120-82-1	1,2,4-Trichlorobenzene	ND	5.0	0.20	ug/l	
71-55-6	1,1,1-Trichloroethane	ND	1.0	0.24	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	1.0	0.29	ug/l	
79-01-6	Trichloroethene	ND	1.0	0.22	ug/l	
75-69-4	Trichlorofluoromethane	ND	5.0	0.27	ug/l	
75-01-4	Vinyl chloride	ND	1.0	0.21	ug/l	
	m,p-Xylene	ND	1.0	0.42	ug/l	
95-47-6	o-Xylene	ND	1.0	0.24	ug/l	
1330-20-7	Xylene (total)	ND	1.0	0.24	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	100%		79-117%
17060-07-0	1,2-Dichloroethane-D4	98%		72-123%
2037-26-5	Toluene-D8	99%		82-118%
460-00-4	4-Bromofluorobenzene	91%		75-118%

ND = Not detected MDL - Method Detection Limit
 RL = Reporting Limit
 E = Indicates value exceeds calibration range

J = Indicates an estimated value
 B = Indicates analyte found in associated method blank
 N = Indicates presumptive evidence of a compound

Report of Analysis

Page 1 of 2

Client Sample ID:	189 SMITH (41-45')	Date Sampled:	08/09/13
Lab Sample ID:	JB44675-11	Date Received:	08/13/13
Matrix:	AQ - Ground Water	Percent Solids:	n/a
Method:	SW846 8260B		
Project:	Elks Plaza, Freeport, NY		

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	2E93534.D	1	08/17/13	TYG	n/a	n/a	V2E4207
Run #2							

	Purge Volume
Run #1	5.0 ml
Run #2	

VOA TCL List (SOM0 1.1)

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone	ND	10	3.3	ug/l	
71-43-2	Benzene	ND	1.0	0.24	ug/l	
74-97-5	Bromochloromethane	ND	5.0	0.30	ug/l	
75-27-4	Bromodichloromethane	ND	1.0	0.21	ug/l	
75-25-2	Bromoform	ND	4.0	0.21	ug/l	
74-83-9	Bromomethane	ND	2.0	0.22	ug/l	
78-93-3	2-Butanone (MEK)	ND	10	2.4	ug/l	
75-15-0	Carbon disulfide	0.21	2.0	0.19	ug/l	J
56-23-5	Carbon tetrachloride	ND	1.0	0.22	ug/l	
108-90-7	Chlorobenzene	ND	1.0	0.23	ug/l	
75-00-3	Chloroethane	ND	1.0	0.26	ug/l	
67-66-3	Chloroform	ND	1.0	0.20	ug/l	
74-87-3	Chloromethane	ND	1.0	0.21	ug/l	
110-82-7	Cyclohexane	ND	5.0	0.35	ug/l	
96-12-8	1,2-Dibromo-3-chloropropane	ND	10	0.54	ug/l	
124-48-1	Dibromochloromethane	ND	1.0	0.14	ug/l	
106-93-4	1,2-Dibromoethane	ND	2.0	0.20	ug/l	
95-50-1	1,2-Dichlorobenzene	0.37	1.0	0.22	ug/l	J
541-73-1	1,3-Dichlorobenzene	ND	1.0	0.22	ug/l	
106-46-7	1,4-Dichlorobenzene	ND	1.0	0.30	ug/l	
75-71-8	Dichlorodifluoromethane	ND	5.0	0.27	ug/l	
75-34-3	1,1-Dichloroethane	ND	1.0	0.11	ug/l	
107-06-2	1,2-Dichloroethane	ND	1.0	0.26	ug/l	
75-35-4	1,1-Dichloroethene	ND	1.0	0.19	ug/l	
156-59-2	cis-1,2-Dichloroethene	ND	1.0	0.19	ug/l	
156-60-5	trans-1,2-Dichloroethene	ND	1.0	0.21	ug/l	
78-87-5	1,2-Dichloropropane	ND	1.0	0.48	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	1.0	0.21	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	1.0	0.19	ug/l	
123-91-1	1,4-Dioxane	ND	130	75	ug/l	
100-41-4	Ethylbenzene	ND	1.0	0.23	ug/l	
76-13-1	Freon 113	ND	5.0	0.53	ug/l	

ND = Not detected MDL - Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

B = Indicates analyte found in associated method blank

N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID:	189 SMITH (41-45')	Date Sampled:	08/09/13
Lab Sample ID:	JB44675-11	Date Received:	08/13/13
Matrix:	AQ - Ground Water	Percent Solids:	n/a
Method:	SW846 8260B		
Project:	Elks Plaza, Freeport, NY		

VOA TCL List (SOM0 1.1)

CAS No.	Compound	Result	RL	MDL	Units	Q
591-78-6	2-Hexanone	ND	5.0	1.1	ug/l	
98-82-8	Isopropylbenzene	ND	2.0	0.45	ug/l	
79-20-9	Methyl Acetate	ND	5.0	1.2	ug/l	
108-87-2	Methylcyclohexane	ND	5.0	0.26	ug/l	
1634-04-4	Methyl Tert Butyl Ether	0.58	1.0	0.16	ug/l	J
108-10-1	4-Methyl-2-pentanone(MIBK)	ND	5.0	0.83	ug/l	
75-09-2	Methylene chloride	ND	2.0	0.70	ug/l	
100-42-5	Styrene	ND	5.0	0.21	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	1.0	0.21	ug/l	
127-18-4	Tetrachloroethene	0.93	1.0	0.28	ug/l	J
108-88-3	Toluene	ND	1.0	0.23	ug/l	
87-61-6	1,2,3-Trichlorobenzene	ND	5.0	0.28	ug/l	
120-82-1	1,2,4-Trichlorobenzene	ND	5.0	0.20	ug/l	
71-55-6	1,1,1-Trichloroethane	ND	1.0	0.24	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	1.0	0.29	ug/l	
79-01-6	Trichloroethene	ND	1.0	0.22	ug/l	
75-69-4	Trichlorofluoromethane	ND	5.0	0.27	ug/l	
75-01-4	Vinyl chloride	ND	1.0	0.21	ug/l	
	m,p-Xylene	ND	1.0	0.42	ug/l	
95-47-6	o-Xylene	ND	1.0	0.24	ug/l	
1330-20-7	Xylene (total)	ND	1.0	0.24	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	100%		79-117%
17060-07-0	1,2-Dichloroethane-D4	100%		72-123%
2037-26-5	Toluene-D8	97%		82-118%
460-00-4	4-Bromofluorobenzene	94%		75-118%

ND = Not detected MDL - Method Detection Limit
 RL = Reporting Limit
 E = Indicates value exceeds calibration range

J = Indicates an estimated value
 B = Indicates analyte found in associated method blank
 N = Indicates presumptive evidence of a compound

Report of Analysis

Page 1 of 2

Client Sample ID:	189 SMITH (56-60')	Date Sampled:	08/09/13
Lab Sample ID:	JB44675-12	Date Received:	08/13/13
Matrix:	AQ - Ground Water	Percent Solids:	n/a
Method:	SW846 8260B		
Project:	Elks Plaza, Freeport, NY		

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	2E93535.D	1	08/17/13	TYG	n/a	n/a	V2E4207
Run #2							

	Purge Volume
Run #1	5.0 ml
Run #2	

VOA TCL List (SOM0 1.1)

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone	ND	10	3.3	ug/l	
71-43-2	Benzene	ND	1.0	0.24	ug/l	
74-97-5	Bromochloromethane	ND	5.0	0.30	ug/l	
75-27-4	Bromodichloromethane	ND	1.0	0.21	ug/l	
75-25-2	Bromoform	ND	4.0	0.21	ug/l	
74-83-9	Bromomethane	ND	2.0	0.22	ug/l	
78-93-3	2-Butanone (MEK)	ND	10	2.4	ug/l	
75-15-0	Carbon disulfide	ND	2.0	0.19	ug/l	
56-23-5	Carbon tetrachloride	ND	1.0	0.22	ug/l	
108-90-7	Chlorobenzene	ND	1.0	0.23	ug/l	
75-00-3	Chloroethane	ND	1.0	0.26	ug/l	
67-66-3	Chloroform	0.22	1.0	0.20	ug/l	J
74-87-3	Chloromethane	ND	1.0	0.21	ug/l	
110-82-7	Cyclohexane	ND	5.0	0.35	ug/l	
96-12-8	1,2-Dibromo-3-chloropropane	ND	10	0.54	ug/l	
124-48-1	Dibromochloromethane	ND	1.0	0.14	ug/l	
106-93-4	1,2-Dibromoethane	ND	2.0	0.20	ug/l	
95-50-1	1,2-Dichlorobenzene	0.22	1.0	0.22	ug/l	J
541-73-1	1,3-Dichlorobenzene	ND	1.0	0.22	ug/l	
106-46-7	1,4-Dichlorobenzene	ND	1.0	0.30	ug/l	
75-71-8	Dichlorodifluoromethane	ND	5.0	0.27	ug/l	
75-34-3	1,1-Dichloroethane	ND	1.0	0.11	ug/l	
107-06-2	1,2-Dichloroethane	ND	1.0	0.26	ug/l	
75-35-4	1,1-Dichloroethene	ND	1.0	0.19	ug/l	
156-59-2	cis-1,2-Dichloroethene	ND	1.0	0.19	ug/l	
156-60-5	trans-1,2-Dichloroethene	ND	1.0	0.21	ug/l	
78-87-5	1,2-Dichloropropane	ND	1.0	0.48	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	1.0	0.21	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	1.0	0.19	ug/l	
123-91-1	1,4-Dioxane	ND	130	75	ug/l	
100-41-4	Ethylbenzene	ND	1.0	0.23	ug/l	
76-13-1	Freon 113	ND	5.0	0.53	ug/l	

ND = Not detected MDL - Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

B = Indicates analyte found in associated method blank

N = Indicates presumptive evidence of a compound

Report of Analysis

Page 2 of 2

Client Sample ID:	189 SMITH (56-60')	Date Sampled:	08/09/13
Lab Sample ID:	JB44675-12	Date Received:	08/13/13
Matrix:	AQ - Ground Water	Percent Solids:	n/a
Method:	SW846 8260B		
Project:	Elks Plaza, Freeport, NY		

VOA TCL List (SOM0 1.1)

CAS No.	Compound	Result	RL	MDL	Units	Q
591-78-6	2-Hexanone	ND	5.0	1.1	ug/l	
98-82-8	Isopropylbenzene	ND	2.0	0.45	ug/l	
79-20-9	Methyl Acetate	ND	5.0	1.2	ug/l	
108-87-2	Methylcyclohexane	ND	5.0	0.26	ug/l	
1634-04-4	Methyl Tert Butyl Ether	0.67	1.0	0.16	ug/l	J
108-10-1	4-Methyl-2-pentanone(MIBK)	ND	5.0	0.83	ug/l	
75-09-2	Methylene chloride	ND	2.0	0.70	ug/l	
100-42-5	Styrene	ND	5.0	0.21	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	1.0	0.21	ug/l	
127-18-4	Tetrachloroethene	0.67	1.0	0.28	ug/l	J
108-88-3	Toluene	ND	1.0	0.23	ug/l	
87-61-6	1,2,3-Trichlorobenzene	ND	5.0	0.28	ug/l	
120-82-1	1,2,4-Trichlorobenzene	ND	5.0	0.20	ug/l	
71-55-6	1,1,1-Trichloroethane	ND	1.0	0.24	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	1.0	0.29	ug/l	
79-01-6	Trichloroethene	ND	1.0	0.22	ug/l	
75-69-4	Trichlorofluoromethane	ND	5.0	0.27	ug/l	
75-01-4	Vinyl chloride	ND	1.0	0.21	ug/l	
	m,p-Xylene	ND	1.0	0.42	ug/l	
95-47-6	o-Xylene	ND	1.0	0.24	ug/l	
1330-20-7	Xylene (total)	ND	1.0	0.24	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	98%		79-117%
17060-07-0	1,2-Dichloroethane-D4	99%		72-123%
2037-26-5	Toluene-D8	98%		82-118%
460-00-4	4-Bromofluorobenzene	92%		75-118%

ND = Not detected MDL - Method Detection Limit
 RL = Reporting Limit
 E = Indicates value exceeds calibration range

J = Indicates an estimated value
 B = Indicates analyte found in associated method blank
 N = Indicates presumptive evidence of a compound

Report of Analysis

Page 1 of 2

Client Sample ID:	FIELD BLANK 8/9	Date Sampled:	08/09/13
Lab Sample ID:	JB44675-13	Date Received:	08/13/13
Matrix:	AQ - Field Blank Water	Percent Solids:	n/a
Method:	SW846 8260B		
Project:	Elks Plaza, Freeport, NY		

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	2E93522.D	1	08/17/13	TYG	n/a	n/a	V2E4207
Run #2							

	Purge Volume
Run #1	5.0 ml
Run #2	

VOA TCL List (SOM0 1.1)

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone	ND	10	3.3	ug/l	
71-43-2	Benzene	ND	1.0	0.24	ug/l	
74-97-5	Bromochloromethane	ND	5.0	0.30	ug/l	
75-27-4	Bromodichloromethane	ND	1.0	0.21	ug/l	
75-25-2	Bromoform	ND	4.0	0.21	ug/l	
74-83-9	Bromomethane	ND	2.0	0.22	ug/l	
78-93-3	2-Butanone (MEK)	ND	10	2.4	ug/l	
75-15-0	Carbon disulfide	ND	2.0	0.19	ug/l	
56-23-5	Carbon tetrachloride	ND	1.0	0.22	ug/l	
108-90-7	Chlorobenzene	ND	1.0	0.23	ug/l	
75-00-3	Chloroethane	ND	1.0	0.26	ug/l	
67-66-3	Chloroform	ND	1.0	0.20	ug/l	
74-87-3	Chloromethane	ND	1.0	0.21	ug/l	
110-82-7	Cyclohexane	ND	5.0	0.35	ug/l	
96-12-8	1,2-Dibromo-3-chloropropane	ND	10	0.54	ug/l	
124-48-1	Dibromochloromethane	ND	1.0	0.14	ug/l	
106-93-4	1,2-Dibromoethane	ND	2.0	0.20	ug/l	
95-50-1	1,2-Dichlorobenzene	ND	1.0	0.22	ug/l	
541-73-1	1,3-Dichlorobenzene	ND	1.0	0.22	ug/l	
106-46-7	1,4-Dichlorobenzene	ND	1.0	0.30	ug/l	
75-71-8	Dichlorodifluoromethane	ND	5.0	0.27	ug/l	
75-34-3	1,1-Dichloroethane	ND	1.0	0.11	ug/l	
107-06-2	1,2-Dichloroethane	ND	1.0	0.26	ug/l	
75-35-4	1,1-Dichloroethene	ND	1.0	0.19	ug/l	
156-59-2	cis-1,2-Dichloroethene	ND	1.0	0.19	ug/l	
156-60-5	trans-1,2-Dichloroethene	ND	1.0	0.21	ug/l	
78-87-5	1,2-Dichloropropane	ND	1.0	0.48	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	1.0	0.21	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	1.0	0.19	ug/l	
123-91-1	1,4-Dioxane	ND	130	75	ug/l	
100-41-4	Ethylbenzene	ND	1.0	0.23	ug/l	
76-13-1	Freon 113	ND	5.0	0.53	ug/l	

ND = Not detected MDL - Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

B = Indicates analyte found in associated method blank

N = Indicates presumptive evidence of a compound

Report of Analysis

Page 2 of 2

Client Sample ID: FIELD BLANK 8/9
Lab Sample ID: JB44675-13
Matrix: AQ - Field Blank Water
Method: SW846 8260B
Project: Elks Plaza, Freeport, NY

Date Sampled: 08/09/13
Date Received: 08/13/13
Percent Solids: n/a

VOA TCL List (SOM0 1.1)

CAS No.	Compound	Result	RL	MDL	Units	Q
591-78-6	2-Hexanone	ND	5.0	1.1	ug/l	
98-82-8	Isopropylbenzene	ND	2.0	0.45	ug/l	
79-20-9	Methyl Acetate	ND	5.0	1.2	ug/l	
108-87-2	Methylcyclohexane	ND	5.0	0.26	ug/l	
1634-04-4	Methyl Tert Butyl Ether	ND	1.0	0.16	ug/l	
108-10-1	4-Methyl-2-pentanone(MIBK)	ND	5.0	0.83	ug/l	
75-09-2	Methylene chloride	ND	2.0	0.70	ug/l	
100-42-5	Styrene	ND	5.0	0.21	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	1.0	0.21	ug/l	
127-18-4	Tetrachloroethene	ND	1.0	0.28	ug/l	
108-88-3	Toluene	ND	1.0	0.23	ug/l	
87-61-6	1,2,3-Trichlorobenzene	ND	5.0	0.28	ug/l	
120-82-1	1,2,4-Trichlorobenzene	ND	5.0	0.20	ug/l	
71-55-6	1,1,1-Trichloroethane	ND	1.0	0.24	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	1.0	0.29	ug/l	
79-01-6	Trichloroethene	ND	1.0	0.22	ug/l	
75-69-4	Trichlorofluoromethane	ND	5.0	0.27	ug/l	
75-01-4	Vinyl chloride	ND	1.0	0.21	ug/l	
	m,p-Xylene	ND	1.0	0.42	ug/l	
95-47-6	o-Xylene	ND	1.0	0.24	ug/l	
1330-20-7	Xylene (total)	ND	1.0	0.24	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	98%		79-117%
17060-07-0	1,2-Dichloroethane-D4	96%		72-123%
2037-26-5	Toluene-D8	97%		82-118%
460-00-4	4-Bromofluorobenzene	93%		75-118%

ND = Not detected MDL - Method Detection Limit
 RL = Reporting Limit
 E = Indicates value exceeds calibration range

J = Indicates an estimated value
 B = Indicates analyte found in associated method blank
 N = Indicates presumptive evidence of a compound

Report of Analysis

Page 1 of 2

Client Sample ID:	TRIP BLANK	Date Sampled:	08/09/13
Lab Sample ID:	JB44675-14	Date Received:	08/13/13
Matrix:	AQ - Trip Blank Water	Percent Solids:	n/a
Method:	SW846 8260B		
Project:	Elks Plaza, Freeport, NY		

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	2E93523.D	1	08/17/13	TYG	n/a	n/a	V2E4207
Run #2							

	Purge Volume
Run #1	5.0 ml
Run #2	

VOA TCL List (SOM0 1.1)

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone	ND	10	3.3	ug/l	
71-43-2	Benzene	ND	1.0	0.24	ug/l	
74-97-5	Bromochloromethane	ND	5.0	0.30	ug/l	
75-27-4	Bromodichloromethane	ND	1.0	0.21	ug/l	
75-25-2	Bromoform	ND	4.0	0.21	ug/l	
74-83-9	Bromomethane	ND	2.0	0.22	ug/l	
78-93-3	2-Butanone (MEK)	ND	10	2.4	ug/l	
75-15-0	Carbon disulfide	ND	2.0	0.19	ug/l	
56-23-5	Carbon tetrachloride	ND	1.0	0.22	ug/l	
108-90-7	Chlorobenzene	ND	1.0	0.23	ug/l	
75-00-3	Chloroethane	ND	1.0	0.26	ug/l	
67-66-3	Chloroform	ND	1.0	0.20	ug/l	
74-87-3	Chloromethane	ND	1.0	0.21	ug/l	
110-82-7	Cyclohexane	ND	5.0	0.35	ug/l	
96-12-8	1,2-Dibromo-3-chloropropane	ND	10	0.54	ug/l	
124-48-1	Dibromochloromethane	ND	1.0	0.14	ug/l	
106-93-4	1,2-Dibromoethane	ND	2.0	0.20	ug/l	
95-50-1	1,2-Dichlorobenzene	ND	1.0	0.22	ug/l	
541-73-1	1,3-Dichlorobenzene	ND	1.0	0.22	ug/l	
106-46-7	1,4-Dichlorobenzene	ND	1.0	0.30	ug/l	
75-71-8	Dichlorodifluoromethane	ND	5.0	0.27	ug/l	
75-34-3	1,1-Dichloroethane	ND	1.0	0.11	ug/l	
107-06-2	1,2-Dichloroethane	ND	1.0	0.26	ug/l	
75-35-4	1,1-Dichloroethene	ND	1.0	0.19	ug/l	
156-59-2	cis-1,2-Dichloroethene	ND	1.0	0.19	ug/l	
156-60-5	trans-1,2-Dichloroethene	ND	1.0	0.21	ug/l	
78-87-5	1,2-Dichloropropane	ND	1.0	0.48	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	1.0	0.21	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	1.0	0.19	ug/l	
123-91-1	1,4-Dioxane	ND	130	75	ug/l	
100-41-4	Ethylbenzene	ND	1.0	0.23	ug/l	
76-13-1	Freon 113	ND	5.0	0.53	ug/l	

ND = Not detected MDL - Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

B = Indicates analyte found in associated method blank

N = Indicates presumptive evidence of a compound

Report of Analysis

Page 2 of 2

Client Sample ID:	TRIP BLANK	Date Sampled:	08/09/13
Lab Sample ID:	JB44675-14	Date Received:	08/13/13
Matrix:	AQ - Trip Blank Water	Percent Solids:	n/a
Method:	SW846 8260B		
Project:	Elks Plaza, Freeport, NY		

VOA TCL List (SOM0 1.1)

CAS No.	Compound	Result	RL	MDL	Units	Q
591-78-6	2-Hexanone	ND	5.0	1.1	ug/l	
98-82-8	Isopropylbenzene	ND	2.0	0.45	ug/l	
79-20-9	Methyl Acetate	ND	5.0	1.2	ug/l	
108-87-2	Methylcyclohexane	ND	5.0	0.26	ug/l	
1634-04-4	Methyl Tert Butyl Ether	ND	1.0	0.16	ug/l	
108-10-1	4-Methyl-2-pentanone(MIBK)	ND	5.0	0.83	ug/l	
75-09-2	Methylene chloride	ND	2.0	0.70	ug/l	
100-42-5	Styrene	ND	5.0	0.21	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	1.0	0.21	ug/l	
127-18-4	Tetrachloroethene	ND	1.0	0.28	ug/l	
108-88-3	Toluene	ND	1.0	0.23	ug/l	
87-61-6	1,2,3-Trichlorobenzene	ND	5.0	0.28	ug/l	
120-82-1	1,2,4-Trichlorobenzene	ND	5.0	0.20	ug/l	
71-55-6	1,1,1-Trichloroethane	ND	1.0	0.24	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	1.0	0.29	ug/l	
79-01-6	Trichloroethene	ND	1.0	0.22	ug/l	
75-69-4	Trichlorofluoromethane	ND	5.0	0.27	ug/l	
75-01-4	Vinyl chloride	ND	1.0	0.21	ug/l	
	m,p-Xylene	ND	1.0	0.42	ug/l	
95-47-6	o-Xylene	ND	1.0	0.24	ug/l	
1330-20-7	Xylene (total)	ND	1.0	0.24	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	98%		79-117%
17060-07-0	1,2-Dichloroethane-D4	95%		72-123%
2037-26-5	Toluene-D8	96%		82-118%
460-00-4	4-Bromofluorobenzene	93%		75-118%

ND = Not detected MDL - Method Detection Limit
 RL = Reporting Limit
 E = Indicates value exceeds calibration range

J = Indicates an estimated value
 B = Indicates analyte found in associated method blank
 N = Indicates presumptive evidence of a compound

Report of Analysis

Page 1 of 2

Client Sample ID:	MW-XX	
Lab Sample ID:	JB44675-15	Date Sampled: 08/08/13
Matrix:	AQ - Ground Water	Date Received: 08/13/13
Method:	SW846 8260B	Percent Solids: n/a
Project:	Elks Plaza, Freeport, NY	

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	2E93536.D	1	08/17/13	TYG	n/a	n/a	V2E4207
Run #2							

	Purge Volume
Run #1	5.0 ml
Run #2	

VOA TCL List (SOM0 1.1)

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone	ND	10	3.3	ug/l	
71-43-2	Benzene	ND	1.0	0.24	ug/l	
74-97-5	Bromochloromethane	ND	5.0	0.30	ug/l	
75-27-4	Bromodichloromethane	ND	1.0	0.21	ug/l	
75-25-2	Bromoform	ND	4.0	0.21	ug/l	
74-83-9	Bromomethane	ND	2.0	0.22	ug/l	
78-93-3	2-Butanone (MEK)	ND	10	2.4	ug/l	
75-15-0	Carbon disulfide	0.22	2.0	0.19	ug/l	J
56-23-5	Carbon tetrachloride	ND	1.0	0.22	ug/l	
108-90-7	Chlorobenzene	ND	1.0	0.23	ug/l	
75-00-3	Chloroethane	ND	1.0	0.26	ug/l	
67-66-3	Chloroform	ND	1.0	0.20	ug/l	
74-87-3	Chloromethane	ND	1.0	0.21	ug/l	
110-82-7	Cyclohexane	ND	5.0	0.35	ug/l	
96-12-8	1,2-Dibromo-3-chloropropane	ND	10	0.54	ug/l	
124-48-1	Dibromochloromethane	ND	1.0	0.14	ug/l	
106-93-4	1,2-Dibromoethane	ND	2.0	0.20	ug/l	
95-50-1	1,2-Dichlorobenzene	ND	1.0	0.22	ug/l	
541-73-1	1,3-Dichlorobenzene	ND	1.0	0.22	ug/l	
106-46-7	1,4-Dichlorobenzene	ND	1.0	0.30	ug/l	
75-71-8	Dichlorodifluoromethane	ND	5.0	0.27	ug/l	
75-34-3	1,1-Dichloroethane	ND	1.0	0.11	ug/l	
107-06-2	1,2-Dichloroethane	ND	1.0	0.26	ug/l	
75-35-4	1,1-Dichloroethene	ND	1.0	0.19	ug/l	
156-59-2	cis-1,2-Dichloroethene	ND	1.0	0.19	ug/l	
156-60-5	trans-1,2-Dichloroethene	ND	1.0	0.21	ug/l	
78-87-5	1,2-Dichloropropane	ND	1.0	0.48	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	1.0	0.21	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	1.0	0.19	ug/l	
123-91-1	1,4-Dioxane	ND	130	75	ug/l	
100-41-4	Ethylbenzene	ND	1.0	0.23	ug/l	
76-13-1	Freon 113	ND	5.0	0.53	ug/l	

ND = Not detected MDL - Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

B = Indicates analyte found in associated method blank

N = Indicates presumptive evidence of a compound

Report of Analysis

Page 2 of 2

Client Sample ID:	MW-XX	Date Sampled:	08/08/13
Lab Sample ID:	JB44675-15	Date Received:	08/13/13
Matrix:	AQ - Ground Water	Percent Solids:	n/a
Method:	SW846 8260B		
Project:	Elks Plaza, Freeport, NY		

VOA TCL List (SOM0 1.1)

CAS No.	Compound	Result	RL	MDL	Units	Q
591-78-6	2-Hexanone	ND	5.0	1.1	ug/l	
98-82-8	Isopropylbenzene	ND	2.0	0.45	ug/l	
79-20-9	Methyl Acetate	ND	5.0	1.2	ug/l	
108-87-2	Methylcyclohexane	ND	5.0	0.26	ug/l	
1634-04-4	Methyl Tert Butyl Ether	ND	1.0	0.16	ug/l	
108-10-1	4-Methyl-2-pentanone(MIBK)	ND	5.0	0.83	ug/l	
75-09-2	Methylene chloride	ND	2.0	0.70	ug/l	
100-42-5	Styrene	ND	5.0	0.21	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	1.0	0.21	ug/l	
127-18-4	Tetrachloroethene	1.4	1.0	0.28	ug/l	
108-88-3	Toluene	ND	1.0	0.23	ug/l	
87-61-6	1,2,3-Trichlorobenzene	ND	5.0	0.28	ug/l	
120-82-1	1,2,4-Trichlorobenzene	ND	5.0	0.20	ug/l	
71-55-6	1,1,1-Trichloroethane	ND	1.0	0.24	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	1.0	0.29	ug/l	
79-01-6	Trichloroethene	ND	1.0	0.22	ug/l	
75-69-4	Trichlorofluoromethane	ND	5.0	0.27	ug/l	
75-01-4	Vinyl chloride	ND	1.0	0.21	ug/l	
	m,p-Xylene	ND	1.0	0.42	ug/l	
95-47-6	o-Xylene	ND	1.0	0.24	ug/l	
1330-20-7	Xylene (total)	ND	1.0	0.24	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	100%		79-117%
17060-07-0	1,2-Dichloroethane-D4	99%		72-123%
2037-26-5	Toluene-D8	97%		82-118%
460-00-4	4-Bromofluorobenzene	93%		75-118%

ND = Not detected MDL - Method Detection Limit
 RL = Reporting Limit
 E = Indicates value exceeds calibration range

J = Indicates an estimated value
 B = Indicates analyte found in associated method blank
 N = Indicates presumptive evidence of a compound



CHAIN OF CUSTODY

PAGE 1 OF 2

2235 Route 130, Dayton, NJ 08810
TEL: 732-329-0200 FAX: 732-329-3499/3480
www.acctest.com

FED-EX Tracking #	Pickup	Bottle Order Control #	
Accutest Quote #		Accutest Job #	JB44675
Client / Reporting Information		Project Information	
Company Name CA Rich Consultants, Inc.		Project Name Elks Plaza	
Street Address 17 Duport Street		City W. Merrick Road	
City Plainville NY		State NY	
Zip 11803		Billing Information (if different from Report to)	
Project Contact Eric Weinstein eweinstei@carichinc.com		Company Name	
Phone # 516-576-8844		Street Address	
Fax # 516-576-0093		City	
Sampler(s) Name(s) Sasm Cooper		State	
Phone #		Zip	
Project Manager		Attention:	
Client Purchase Order #			
MECH/DI Val #			
Date		Time	
Sampled by		Matrix	
# of bottles		HCl	
HNO3		H2SO4	
NONE		DI Water	
MEDH		ENCORE	
Number of preserved Bottles			
Field ID / Point of Collection			
1 227 Smith (11-14)		8/8/2013 0950	
2 227 Smith (26-30)		8/8/2013 0913	
3 227 Smith (26-30) ms		8/8/2013 0913	
4 227 Smith (26-30) ms		8/8/2013 0913	
5 227 Smith (41-45)		8/8/2013 0955	
6 227 Smith (56-60)		8/8/2013 1115	
7 209 Smith (11-15)		8/8/2013 1150	
8 209 Smith (26-30)		8/8/2013 1200	
9 209 Smith (41-45)		8/8/2013 1220	
10 209 Smith (56-60)		8/8/2013 1300	
Turnaround Time (Business days)		Data Deliverable Information	
X Std. 10 Business Days		Commercial "A" (Level 1)	
5 Day RUSH		Commercial "B" (Level 2)	
3 Day EMERGENCY		FULLT1 (Level 3+4)	
2 Day EMERGENCY		NJ Reduced	
1 Day EMERGENCY		Commercial "C"	
Other		Commercial "A" = Results Only	
Emergency & Rush TIA data available VIA Lablink		Commercial "B" = Results + QC Summary	
Approved By (Accutest PM): I Date:		Commercial "C" = Results + QC Summary + Partial Raw data	
NYSP Category A		NYSP Category B	
State Forms		EDD Format	
Other		Other	
Sample Custody must be documented below each time samples change possession, including courier delivery.			
Relinquished by Sampler:	Date Time:	Relinquished By:	Date Time:
1 Sam Cooper		2 Dan Hardin	8-12-13
Relinquished by Sampler:	Date Time:	Relinquished By:	Date Time:
3		4	8/8/13
Relinquished by:	Date Time:	Relinquished By:	Date Time:
5		6	
Custody Seal #	Intact	Preserved where applicable	On Ice
	Not intact		Cooler Temp.

2A

JK JB-00

JB44675: Chain of Custody

Page 1 of 4



Accutest Laboratories Sample Receipt Summary

Accutest Job Number: JB44675

Client: CA RICH

Project: ELK PLAZA

Date / Time Received: 8/13/2013 18:04

Delivery Method: Accutest Courier

Airbill #s:

Cooler Temps (Initial/Adjusted): #1: (6/6): 0

Cooler Security

Y or N

Y or N

- | | | | | | |
|---------------------------|-------------------------------------|--------------------------|-----------------------|-------------------------------------|-------------------------------------|
| 1. Custody Seals Present: | ☒ | ☐ | 3. COC Present: | ☒ | ☐ |
| 2. Custody Seals Intact: | ☒ | ☐ | 4. Smpl Dates/Time OK | ☐ | ☒ |

Cooler Temperature

Y or N

- | | | |
|------------------------------|-------------------------------------|--------------------------|
| 1. Temp criteria achieved: | ☒ | ☐ |
| 2. Cooler temp verification: | IR Gun | |
| 3. Cooler media: | Ice (bag) | |
| 4. No. Coolers | | |

Quality Control Preservation

Y

N

N/A

- | | | | |
|---------------------------------|-------------------------------------|--------------------------|--------------------------|
| 1. Trip Blank present / cooler: | ☒ | ☐ | ☐ |
| 2. Trip Blank listed on COC: | ☒ | ☐ | ☐ |
| 3. Samples preserved properly: | ☒ | ☐ | |
| 4. VOCs headspace free: | ☒ | ☐ | ☐ |

Sample Integrity - Documentation

Y or N

- | | | |
|--|-------------------------------------|-------------------------------------|
| 1. Sample labels present on bottles: | ☒ | ☐ |
| 2. Container labeling complete: | ☐ | ☒ |
| 3. Sample container label / COC agree: | ☐ | ☒ |

Sample Integrity - Condition

Y or N

- | | | |
|----------------------------------|-------------------------------------|--------------------------|
| 1. Sample recvd within HT: | ☒ | ☐ |
| 2. All containers accounted for: | ☒ | ☐ |
| 3. Condition of sample: | Intact | |

Sample Integrity - Instructions

Y

N

N/A

- | | | | |
|---|-------------------------------------|-------------------------------------|-------------------------------------|
| 1. Analysis requested is clear: | ☒ | ☐ | |
| 2. Bottles received for unspecified tests | ☐ | ☒ | |
| 3. Sufficient volume recvd for analysis: | ☒ | ☐ | |
| 4. Compositing instructions clear: | ☐ | ☐ | ☒ |
| 5. Filtering instructions clear: | ☐ | ☐ | ☒ |

Comments 1. There are no collection times on any of the bottle labels.

2. Samples -9 thru -12 appear to have incomplete ID's written on the COC. With no collection times to cross reference, -9 thru -12 were set up according to the depth that appears on the sample bottle label.
-9: 189 Smith (11-15')
-10: 189 Smith (26-30')
-11: 189 Smith (41-45')
-12: 189 Smith (56-60')

Accutest Laboratories
V: 732.329.0200

2235 US Highway 130
F: 732.329.3499

Dayton, New Jersey
www.accutest.com

JB44675: Chain of Custody

Page 3 of 4



Sample Receipt Summary - Problem Resolution

Accutest Job Number: JB44675

CSR: Kelly Patterson

Response Date: 8/16/2013

Response: 1. Use collection times off the COC they are correct

2. Samples should read on the COC as:

-9: 189 Smith (11-14')

-10: 189 Smith (26-30')

-11: 189 Smith (41-45')

-12: 189 Smith (56-60')