



Goldman
Environmental
Consultants, Inc.

60 Brooks Drive
Braintree, MA 02184

781-356-9140
Fax 781-356-9147
www.goldmanenvironmental.com

August 7, 2007

Mr. Steven Sanders
Allied Environmental Group
2163 Merrick Ave
Merrick, NY 11566

**Re: Disposal Sampling Results
Watts Water Technology
Wyandanch Site
Wyandanch, NY 11798**

Dear Mr. Sanders;

Attached please find the results of Goldman Environmental Consultant's, Inc. (GEC) most recent round of disposal sampling and analysis. Based on our estimates of the quantity of soil to be disposed, GEC constructed three (3) composite samples of soil with each composite being made up of five discrete samples. Each discrete sample was collected from within and immediately beside eight of the forty (40) remaining leachate structures. In addition GEC collected a composite sample from the concrete making up five of the leachate structures. The purpose of the sampling and analysis, at your request, was to determine the concentrations of metals and other disposal analytes in the soils within and immediately beside a representative number of infiltration structures.

I am attaching a rough field sketch showing the location of the structures and each discrete sample. Composite 1 was made up of discrete samples 1 – 5, Composite 2 was made of discrete samples 6 – 10 and Composite 3 was made of discrete samples 11 – 15.

A summary of the metals analytical data is summarized in the attached table. Data for volatile organic compounds (VOCs), semi-volatile organics (SVOCs), total petroleum hydrocarbons (TPH) and TCLP metals were not tabulated but are presented in the attached laboratory reports.

Please review the attached data and let Bob Rein or either of the undersigned know how to proceed from here. Please send or refer us to the necessary forms so that we can move this project along as quickly as possible.

Sincerely,
Goldman Environmental Consultants, Inc.

Richard Kranes, PG
Senior Geologist

Brian T. Butler, PG
Senior Project Manager

Cc: Robert Rein, Watts Water Technologies, Inc.

Table 1A
Summary of Soil Analytical Data: Metals
Former Jameco Facility
NY

(unit, parts per million [ppm], mg/kg)


Sample Identification	Sample Grid	Sample Depth (ft)	Sample Date	Antimony	Arsenic	Barium	Cadmium	Chromium	Copper	Lead	Nickel	Zinc	RDL
AOC #3 MW-3	S-2	4-6	11/1991	NA	4.50	3.09	NA	2.99	6.15	ND	5.83	5.03	--
	S-2	9-11	11/1991	NA	6.75	6.38	NA	8.13	14.3	ND	18.3	7.53	--
	S-2	14-16	11/1991	NA	8.75	5.92	NA	19.6	40.0	ND	12.1	15.5	--
	S-2	19-21	11/1991	NA	7.70	6.45	NA	27.2	65.4	ND	40.6	15.5	--
MW-4	E-6	4-6	11/1991	NA	2.70	5.72	NA	9.43	3.25	ND	28.7	16.6	--
	E-6	9-11	11/1991	NA	1.88	6.49	NA	57.1	83.1	ND	33.7	11.9	--
	E-6	14-16	11/1991	NA	1.30	9.77	NA	68.2	89.7	ND	37.9	11.5	--
	E-6	19-21	11/1991	NA	0.67	5.90	NA	43.7	90.6	ND	42.5	12.0	--
LP-1 LP-2 LP-3 LP-4 LP-1* LP-2* LP-3* LP-4 LP-4 Duplicate B-32 B-32 B-33 B-33 B-34 B-34	NG	NG	11/1991	NA	NA	287	NA	474	182	NA	326	104	--
	NG	NG	11/1991	NA	NA	330	NA	800	496	NA	754	317	--
	NG	NG	11/1991	NA	NA	373	NA	1,340	299	NA	1,095	468	--
	NG	NG	11/1991	NA	NA	765	NA	1,100	280	NA	938	236	--
	NE-14	6-8	11/18/1998	2.60	ND	0.42	ND	602	98.3	17.1	777	155	--
	NE-14	6-8	11/18/1998	127	5.00	307	ND	17,500	1,900	296	13,300	3440	--
	NW-13	6-8	11/18/1998	121	3.4	NA	0.71	23,700	4,400	328	8,420	2,120	--
	NW-13	6-8	11/18/1998	233	9.40	561	ND	31,700	4,760	684	20,600	6,800	--
	E-5	5-7	11/18/1998	5.30	ND	0.47	ND	905	197	16	1,220	226	--
	SW-4	6-8	11/18/1998	5.70	ND	0.63	NA	580	106	12.7	752	164	--
	SW-4	6-8	11/18/1998	6.20	ND	0.63	NA	693	119	15.4	904	203	--
	NO-11	0-2	11/18/1998	4.40	2.10	NA	ND	961	955	102	516	190	--
	NO-11	5-7	11/18/1998	0.78	ND	0.42	ND	3.40	1.60	1.40	2.20	28.9	--
	S-2	0-2	11/18/1998	ND	0.058	NA	ND	85.1	51.6	11.4	32.3	18.9	--
	S-2	5-7	11/18/1998	ND	0.44	NA	ND	2.00	1.90	0.93	1.20	7.00	--
	W-9	0-2	11/18/1998	1.30	ND	0.48	ND	182	262	36.8	440	89.9	--
SE-1 E-5 S-2 E-6 E-10 NE-14 NO-7 NO-11 N-15 NO-12 NO-8 S-3 SW-4 W-9 NW-13 50 Oswego St. 50 Oswego St. Composite 1 Composite 2 Concrete 1 (Average New 2006 Conc.)	SE-1	NA	9/19/06	ND	5	40.8	ND	25.3	14.8	3	14.4	7.82	0.5
	E-5	NA	9/19/06	ND	5	146	ND	248	90.9	0.5	81.4	25.5	0.5
	S-2	NA	9/19/06	ND	5	32.9	ND	25.6	12.7	0.5	15.3	11.9	0.5
	E-6	NA	9/19/06	ND	5	1.18	ND	114	59.6	0.5	130	41.2	0.5
	E-10	NA	9/19/06	ND	5	282	ND	578	122	0.5	261	61.8	0.5
	NE-14	NA	9/20/06	ND	5	25.6	ND	121	100	0.5	111	60.6	0.5
	NO-7	NA	9/20/06	ND	5	1.4	ND	34.9	35.6	0.5	38.2	22	0.5
	NO-11	NA	9/20/06	ND	5	12.1	ND	80	64.8	0.5	62.1	26.4	0.5
	N-15	NA	9/20/06	ND	5	70.8	ND	680	242	0.5	498	136	0.5
	NO-12	NA	9/20/06	ND	5	15.1	ND	54.3	67.5	0.5	63.5	23.8	0.5
	NO-8	NA	9/20/06	ND	5	17.1	ND	98	113	0.5	64.4	23.1	0.5
	S-3	NA	9/21/06	ND	5	25.3	ND	66.4	35.9	0.5	84.7	26.9	0.5
	SW-4	NA	9/21/06	ND	5	10.8	ND	57.4	25.5	0.5	27.2	8.78	0.5
	W-9	NA	9/21/06	ND	5	130	ND	352	198	0.5	140	42.7	0.5
	NW-13	NA	9/21/06	ND	5	38.5	ND	85.3	34.1	0.5	37.2	12.1	0.5
Residuals To Remain	S-1 Back	0.3	1/24/2007	NA	4.0	3.5	ND	0.58	12	75	23	12	58
	S-2 Side	0.3	1/24/2007	NA	3	ND	ND	0.56	29	11	23	18	56
	Composite 1	NA	7/23/2007	NA	NA	NA	NA	1500	0.538	320	1.08	260	1.08
	Composite 2	NA	7/23/2007	NA	NA	NA	NA	570	0.556	190	1.11	72	1.11
Residuals To Be Remediated/Removed	Composite 3	NA	7/23/2007	NA	NA	NA	NA	850	0.543	200	1.09	98	1.09
	Concrete 1	NA	7/23/2007	NA	NA	NA	NA	430	0.625	450	1.25	230	1.25
	(Average New 2006 Conc.)	NA	7/23/2007	NA	0.77	60	NA	175	81	NA	109	35	NA
								12,925	2,103		10,116	3,444	
LEACHATE SUMP	Remediate	10/26/06		NA	ND	100	16.6	75,700	12,400	5.0	72,300	27,100	5.0
MTSDEC	USGS Background			No Information	4.8	290	0.1-1	40-60	15-25	14	15-25	60-80	
	Eastern USA Background				3-12	15-600	1 or SB	33	13	4-61	11	40	
	NYS Background				7.5 or SB	300 or SB	1 or SB	1.5-40	1-50	SB 4-61	0.5-25	0.5-25	
	Soil Cleanup Objective			SB	0.1	2.0	0.05	50 or SB	25 or SB	0.03	0.4	20 or SB	
MCP Method 1 Standards	Required Detection Limits			0.6	30	1,000	30	1,000	NS	300	300	0.4	

Bold= Bold results exceed standards.
Grid Samples= Composite samples from each grid location
50 Oswego St. = Property abutting AOC #3
Green= Residual soils to remain

RDL = Reported Detection Limit
ND = Not Detected above RDL
LP= Leaching Pit Samples
MW/B= Soil boring samples

Red= Exceed USGS Background Range
NG= Not Given
NA= Not Analyzed
SB= Site Background

[House]



ECOTEST LABORATORIES, INC.

ENVIRONMENTAL TESTING

377 SHEFFIELD AVE. • N. BABYLON, N.Y. 11703 • (631) 422-5777 • FAX (631) 422-5770

Email: ecotestlab@aol.com Website: www.ecotestlabs.com

LAB NO.273174.01

08/02/07

Watts Water Technologies
815 Chestnut Street
North Andover, MA 01845

ATTN: Robert Rein

PO#:

SOURCE OF SAMPLE: AOC-3

SOURCE OF SAMPLE:

COLLECTED BY: Goldman Env DATE COL'D:07/23/07 RECEIVED:07/23/07
TIME COL'D:1030

MATRIX:Soil

SAMPLE: Composite 1

Results reported on a dry weight basis

ANALYTICAL PARAMETERS	UNITS	RESULT	FLAG	DATE OF ANALYSIS	LRL	ANALYTICAL METHOD
Dichlordifluoromethane	ug/Kg	< 5.4		07/25/07	5.3763	EPA8260
Chloromethane	ug/Kg	< 5.4		07/25/07	5.3763	EPA8260
Vinyl Chloride	ug/Kg	< 5.4		07/25/07	5.3763	EPA8260
Bromomethane	ug/Kg	< 5.4		07/25/07	5.3763	EPA8260
Chloroethane	ug/Kg	< 5.4		07/25/07	5.3763	EPA8260
Trichlorofluoromethane	ug/Kg	< 5.4		07/25/07	5.3763	EPA8260
1,1 Dichloroethene	ug/Kg	< 5.4		07/25/07	5.3763	EPA8260
Methylene Chloride	ug/Kg	< 5.4		07/25/07	5.3763	EPA8260
t-1,2-Dichloroethene	ug/Kg	< 5.4		07/25/07	5.3763	EPA8260
1,1 Dichloroethane	ug/Kg	< 5.4		07/25/07	5.3763	EPA8260
2,2-Dichloropropane	ug/Kg	< 5.4		07/25/07	5.3763	EPA8260
c-1,2-Dichloroethene	ug/Kg	< 5.4		07/25/07	5.3763	EPA8260
Bromochloromethane	ug/Kg	< 5.4		07/25/07	5.3763	EPA8260
Chloroform	ug/Kg	< 5.4		07/25/07	5.3763	EPA8260
111 Trichloroethane	ug/Kg	< 5.4		07/25/07	5.3763	EPA8260
Carbon Tetrachloride	ug/Kg	< 5.4		07/25/07	5.3763	EPA8260
1,1-Dichloropropene	ug/Kg	< 5.4		07/25/07	5.3763	EPA8260
Benzene	ug/Kg	< 5.4		07/25/07	5.3763	EPA8260
1,2 Dichloroethane	ug/Kg	< 5.4		07/25/07	5.3763	EPA8260
Trichloroethene	ug/Kg	< 5.4		07/25/07	5.3763	EPA8260
1,2 Dichloropropane	ug/Kg	< 5.4		07/25/07	5.3763	EPA8260
Dibromomethane	ug/Kg	< 5.4		07/25/07	5.3763	EPA8260
Bromodichloromethane	ug/Kg	< 5.4		07/25/07	5.3763	EPA8260
c-1,3Dichloropropene	ug/Kg	< 5.4		07/25/07	5.3763	EPA8260
Toluene	ug/Kg	< 5.4		07/25/07	5.3763	EPA8260

cc:Goldman Env., Rick Kranes

LRL=Laboratory Reporting Limit

REMARKS:

DIRECTOR

rn = 21864

NYSDOH ID # 10320

Page 1 of 6

ECOTEST LABORATORIES, INC.

ENVIRONMENTAL TESTING

377 SHEFFIELD AVE. • N. BABYLON, N.Y. 11703 • (631) 422-5777 • FAX (631) 422-5770

Email: ecotestlab@aol.com Website: www.ecotestlabs.com

LAB NO.273174.01

08/02/07

Watts Water Technologies
815 Chestnut Street
North Andover, MA 01845

ATTN: Robert Rein

PO#:

SOURCE OF SAMPLE: AOC-3

SOURCE OF SAMPLE:

COLLECTED BY: Goldman Env DATE COL'D:07/23/07 RECEIVED:07/23/07
TIME COL'D:1030

MATRIX:Soil SAMPLE: Composite 1

Results reported on a dry weight basis

ANALYTICAL PARAMETERS	UNITS	RESULT	DATE OF		ANALYTICAL
			FLAG	ANALYSIS	
t-1,3Dichloropropene	ug/Kg	< 5.4		07/25/07	5.3763 EPA8260
112 Trichloroethane	ug/Kg	< 5.4		07/25/07	5.3763 EPA8260
Tetrachloroethene	ug/Kg	< 5.4		07/25/07	5.3763 EPA8260
1,3-Dichloropropane	ug/Kg	< 5.4		07/25/07	5.3763 EPA8260
Chlorodibromomethane	ug/Kg	< 5.4		07/25/07	5.3763 EPA8260
1,2 Dibromoethane	ug/Kg	< 5.4		07/25/07	5.3763 EPA8260
Chlorobenzene	ug/Kg	< 5.4		07/25/07	5.3763 EPA8260
Ethyl Benzene	ug/Kg	< 5.4		07/25/07	5.3763 EPA8260
1112Tetrachloroethane	ug/Kg	< 5.4		07/25/07	5.3763 EPA8260
m + p Xylene	ug/Kg	< 11		07/25/07	10.752 EPA8260
o Xylene	ug/Kg	< 5.4		07/25/07	5.3763 EPA8260
Styrene	ug/Kg	< 5.4		07/25/07	5.3763 EPA8260
Bromoform	ug/Kg	< 5.4		07/25/07	5.3763 EPA8260
Isopropylbenzene	ug/Kg	< 5.4		07/25/07	5.3763 EPA8260
Bromobenzene	ug/Kg	< 5.4		07/25/07	5.3763 EPA8260
1122Tetrachloroethane	ug/Kg	< 5.4		07/25/07	5.3763 EPA8260
123-Trichloropropane	ug/Kg	< 5.4		07/25/07	5.3763 EPA8260
n-Propylbenzene	ug/Kg	< 5.4		07/25/07	5.3763 EPA8260
2-Chlorotoluene	ug/Kg	< 5.4		07/25/07	5.3763 EPA8260
135-Trimethylbenzene	ug/Kg	< 5.4		07/25/07	5.3763 EPA8260
4-Chlorotoluene	ug/Kg	< 5.4		07/25/07	5.3763 EPA8260
tert-Butylbenzene	ug/Kg	< 5.4		07/25/07	5.3763 EPA8260
124-Trimethylbenzene	ug/Kg	< 5.4		07/25/07	5.3763 EPA8260
sec-Butylbenzene	ug/Kg	< 5.4		07/25/07	5.3763 EPA8260
p-Isopropyltoluene	ug/Kg	< 5.4		07/25/07	5.3763 EPA8260

cc:Goldman Env., Rick Kranes

LRL=Laboratory Reporting Limit

REMARKS:

DIRECTOR

rn = 21865

NYSDOH ID # 10320

Page 2 of 6

ECOTEST LABORATORIES, INC.

ENVIRONMENTAL TESTING

377 SHEFFIELD AVE. • N. BABYLON, N.Y. 11703 • (631) 422-5777 • FAX (631) 422-5770

Email: ecotestlab@aol.com Website: www.ecotestlabs.com

LAB NO.273174.01

08/02/07

Watts Water Technologies
815 Chestnut Street
North Andover, MA 01845
ATTN: Robert Rein

PO#:

SOURCE OF SAMPLE: AOC-3

SOURCE OF SAMPLE:

COLLECTED BY: Goldman Env DATE COL'D:07/23/07 RECEIVED:07/23/07
TIME COL'D:1030

MATRIX:Soil SAMPLE: Composite 1

Results reported on a dry weight basis

ANALYTICAL PARAMETERS	UNITS	RESULT	DATE OF FLAG ANALYSIS	LRL	ANALYTICAL METHOD
1,3 Dichlorobenzene (v)	ug/Kg	< 5.4	07/25/07	5.3763	EPA8260
1,4 Dichlorobenzene (v)	ug/Kg	< 5.4	07/25/07	5.3763	EPA8260
n-Butylbenzene	ug/Kg	< 5.4	07/25/07	5.3763	EPA8260
1,2 Dichlorobenzene (v)	ug/Kg	< 5.4	07/25/07	5.3763	EPA8260
Dibromochloropropane	ug/Kg	< 5.4	07/25/07	5.3763	EPA8260
124-Trichlorobenzene (v)	ug/Kg	< 5.4	07/25/07	5.3763	EPA8260
Hexachlorobutadiene	ug/Kg	< 5.4	07/25/07	5.3763	EPA8260
Naphthalene(v)	ug/Kg	< 5.4	07/25/07	5.3763	EPA8260
123-Trichlorobenzene	ug/Kg	< 5.4	07/25/07	5.3763	EPA8260
ter. ButylMethylEther	ug/Kg	< 5.4	07/25/07	5.3763	EPA8260
p-Ethyltoluene	ug/Kg	< 5.4	07/25/07	5.3763	EPA8260
Freon 113	ug/Kg	< 5.4	07/25/07	5.3763	EPA8260
1245 Tetramethylbenz	ug/Kg	< 5.4	07/25/07	5.3763	EPA8260
Acetone	ug/Kg	< 54	07/25/07	53.763	EPA8260
Methyl Ethyl Ketone	ug/Kg	< 54	07/25/07	53.763	EPA8260
Methylisobutylketone	ug/Kg	< 54	07/25/07	53.763	EPA8260
Chlorodifluoromethane	ug/Kg	< 5.4	07/25/07	5.3763	EPA8260
p Diethylbenzene	ug/Kg	< 5.4	07/25/07	5.3763	EPA8260
% Solids		93	07/25/07	0.1	SM182540G

cc:Goldman Env., Rick Kranes

LRL=Laboratory Reporting Limit

REMARKS:

DIRECTOR 

rn = 21866

NYSDOH ID # 10320

Page 3 of 6

ECOTEST LABORATORIES, INC.

ENVIRONMENTAL TESTING

377 SHEFFIELD AVE. • N. BABYLON, N.Y. 11703 • (631) 422-5777 • FAX (631) 422-5770

Email: ecotestlab@aol.com Website: www.ecotestlabs.com

LAB NO. 273174.01

08/02/07

Watts Water Technologies
815 Chestnut Street
North Andover, MA 01845

ATTN: Robert Rein

PO#:

SOURCE OF SAMPLE: AOC-3

SOURCE OF SAMPLE:

COLLECTED BY: Goldman Env DATE COL'D: 07/23/07 RECEIVED: 07/23/07
TIME COL'D: 1030

MATRIX: Soil

SAMPLE: Composite 1

Results reported on a dry weight basis

ANALYTICAL PARAMETERS	UNITS	RESULT	FLAG	DATE OF ANALYSIS	LRL	ANALYTICAL METHOD
Naphthalene(sv)	ug/Kg	< 110		07/30/07	107.52	EPA8270
2-Methylnaphthalene	ug/Kg	< 110		07/30/07	107.52	EPA8270
Acenaphthylene	ug/Kg	< 110		07/30/07	107.52	EPA8270
Acenaphthene	ug/Kg	< 110		07/30/07	107.52	EPA8270
Fluorene	ug/Kg	< 110		07/30/07	107.52	EPA8270
Phenanthrene	ug/Kg	< 110		07/30/07	107.52	EPA8270
Anthracene	ug/Kg	< 110		07/30/07	107.52	EPA8270
Fluoranthene	ug/Kg	< 110		07/30/07	107.52	EPA8270
Pyrene	ug/Kg	< 110		07/30/07	107.52	EPA8270
Benzo(a)anthracene	ug/Kg	< 110		07/30/07	107.52	EPA8270
Chrysene	ug/Kg	< 110		07/30/07	107.52	EPA8270
Benzo(b)fluoranthene	ug/Kg	< 110		07/30/07	107.52	EPA8270
Benzo(k)fluoranthene	ug/Kg	< 110		07/30/07	107.52	EPA8270
Benzo(a)pyrene	ug/Kg	< 110		07/30/07	107.52	EPA8270
Indeno(1,2,3-cd)pyrene	ug/Kg	< 110		07/30/07	107.52	EPA8270
Dibenzo(a,h)anthracene	ug/Kg	< 110		07/30/07	107.52	EPA8270
Benzo(ghi)perylene	ug/Kg	< 110		07/30/07	107.52	EPA8270

cc: Goldman Env., Rick Kranes

LRL=Laboratory Reporting Limit

REMARKS:

DIRECTOR

rn = 21867

NYSDOH ID # 10320

Page 4 of 6

ECOTEST LABORATORIES, INC.

ENVIRONMENTAL TESTING

377 SHEFFIELD AVE. • N. BABYLON, N.Y. 11703 • (631) 422-5777 • FAX (631) 422-5770

Email: ecotestlab@aol.com Website: www.ecotestlabs.com

LAB NO.273174.01

08/02/07

Watts Water Technologies
815 Chestnut Street
North Andover, MA 01845

ATTN: Robert Rein

PO#:

SOURCE OF SAMPLE: AOC-3

SOURCE OF SAMPLE:

COLLECTED BY: Goldman Env DATE COL'D:07/23/07 RECEIVED:07/23/07
TIME COL'D:1030

MATRIX:Soil SAMPLE: Composite 1

Results reported on a dry weight basis

ANALYTICAL PARAMETERS	UNITS	RESULT	DATE OF ANALYSIS	LRL	ANALYTICAL METHOD
Chromium as Cr	mg/Kg	1500	07/24/07	0.5376	EPA6010
Copper as Cu	mg/Kg	320	07/24/07	1.0752	EPA6010
Nickel as Ni	mg/Kg	970	07/24/07	1.0752	EPA6010
Zinc as Zn	mg/Kg	260	07/24/07	1.0752	EPA6010
Reactive cyanide	mg/Kg	< 2.2	07/30/07	2.1505	EPA335.4
Sulfide as S	mg/Kg	< 2.2	07/30/07	2.1505	EPA376.3
Flash Point deg C		> 100	07/27/07	25	EPA1010
pH (lab) units		6.1	07/24/07	0.1	EPA9045C
TotalPet.Hydro.(GC)	mg/Kg	11	07/31/07	0.4301	EPA8015

cc:Goldman Env., Rick Kranes

LRL=Laboratory Reporting Limit

REMARKS:

DIRECTOR

rn = 21868

NYSDOH ID # 10320

Page 5 of 6

ECOTEST LABORATORIES, INC.

ENVIRONMENTAL TESTING

377 SHEFFIELD AVE. • N. BABYLON, N.Y. 11703 • (631) 422-5777 • FAX (631) 422-5770

Email: ecotestlab@aol.com Website: www.ecotestlabs.com

LAB NO. 273174.01

08/02/07

Watts Water Technologies
815 Chestnut Street
North Andover, MA 01845

ATTN: Robert Rein

PO#:

SOURCE OF SAMPLE: AOC-3

SOURCE OF SAMPLE:

COLLECTED BY: Goldman Env DATE COL'D: 07/23/07 RECEIVED: 07/23/07
TIME COL'D: 1030

MATRIX: Extract SAMPLE: Composite 1
Soil
TCLP

ANALYTICAL PARAMETERS

	UNITS	RESULT
Chromium as Cr	mg/L	0.23
Copper as Cu	mg/L	1.5
Nickel as Ni	mg/L	1.8
Zinc as Zn	mg/L	1.6
TCLP Extraction		

FLAG	DATE OF ANALYSIS	LRL	ANALYTICAL METHOD
	07/24/07	0.05	EPA6010
	07/24/07	0.1	EPA6010
	07/24/07	0.1	EPA6010
	07/24/07	0.1	EPA6010
	07/23/07		EPA1311

cc: Goldman Env., Rick Kranes

LRL=Laboratory Reporting Limit

REMARKS:

DIRECTOR

rn = 21869

NYSDOH ID # 10320

Page 6 of 6

ECOTEST LABORATORIES, INC.

ENVIRONMENTAL TESTING

377 SHEFFIELD AVE. • N. BABYLON, N.Y. 11703 • (631) 422-5777 • FAX (631) 422-5770

Email: ecotestlab@aol.com Website: www.ecotestlabs.com

LAB NO. 273174.02

08/02/07

Watts Water Technologies
815 Chestnut Street
North Andover, MA 01845

ATTN: Robert Rein

PO#:

SOURCE OF SAMPLE: AOC-3

SOURCE OF SAMPLE:

COLLECTED BY: Goldman Env DATE COL'D: 07/23/07 RECEIVED: 07/23/07
TIME COL'D: 1145

MATRIX: Soil SAMPLE: Composite 2

Results reported on a dry weight basis

ANALYTICAL PARAMETERS	UNITS	RESULT	DATE OF ANALYSIS	LRL	ANALYTICAL METHOD
Dichlorodifluoromethane	ug/Kg	< 5.6	07/25/07	5.5555	EPA8260
Chloromethane	ug/Kg	< 5.6	07/25/07	5.5555	EPA8260
Vinyl Chloride	ug/Kg	< 5.6	07/25/07	5.5555	EPA8260
Bromomethane	ug/Kg	< 5.6	07/25/07	5.5555	EPA8260
Chloroethane	ug/Kg	< 5.6	07/25/07	5.5555	EPA8260
Trichlorofluoromethane	ug/Kg	< 5.6	07/25/07	5.5555	EPA8260
1,1 Dichloroethene	ug/Kg	< 5.6	07/25/07	5.5555	EPA8260
Methylene Chloride	ug/Kg	< 5.6	07/25/07	5.5555	EPA8260
t-1,2-Dichloroethene	ug/Kg	< 5.6	07/25/07	5.5555	EPA8260
1,1 Dichloroethane	ug/Kg	< 5.6	07/25/07	5.5555	EPA8260
2,2-Dichloropropane	ug/Kg	< 5.6	07/25/07	5.5555	EPA8260
c-1,2-Dichloroethene	ug/Kg	< 5.6	07/25/07	5.5555	EPA8260
Bromochloromethane	ug/Kg	< 5.6	07/25/07	5.5555	EPA8260
Chloroform	ug/Kg	< 5.6	07/25/07	5.5555	EPA8260
111 Trichloroethane	ug/Kg	< 5.6	07/25/07	5.5555	EPA8260
Carbon Tetrachloride	ug/Kg	< 5.6	07/25/07	5.5555	EPA8260
1,1-Dichloropropene	ug/Kg	< 5.6	07/25/07	5.5555	EPA8260
Benzene	ug/Kg	< 5.6	07/25/07	5.5555	EPA8260
1,2 Dichloroethane	ug/Kg	< 5.6	07/25/07	5.5555	EPA8260
Trichloroethene	ug/Kg	< 5.6	07/25/07	5.5555	EPA8260
1,2 Dichloropropane	ug/Kg	< 5.6	07/25/07	5.5555	EPA8260
Dibromomethane	ug/Kg	< 5.6	07/25/07	5.5555	EPA8260
Bromodichloromethane	ug/Kg	< 5.6	07/25/07	5.5555	EPA8260
c-1,3Dichloropropene	ug/Kg	< 5.6	07/25/07	5.5555	EPA8260
Toluene	ug/Kg	< 5.6	07/25/07	5.5555	EPA8260

cc: Goldman Env., Rick Kranes

LRL=Laboratory Reporting Limit

REMARKS:

DIRECTOR

rn = 21870

NYSDOH ID # 10320

Page 1 of 6

ECOTEST LABORATORIES, INC.

ENVIRONMENTAL TESTING

377 SHEFFIELD AVE. • N. BABYLON, N.Y. 11703 • (631) 422-5777 • FAX (631) 422-5770

Email: ecotestlab@aol.com Website: www.ecotestlabs.com

LAB NO. 273174.02

08/02/07

Watts Water Technologies
815 Chestnut Street
North Andover, MA 01845

ATTN: Robert Rein

PO#:

SOURCE OF SAMPLE: AOC-3

SOURCE OF SAMPLE:

COLLECTED BY: Goldman Env DATE COL'D: 07/23/07 RECEIVED: 07/23/07

TIME COL'D: 1145

MATRIX: Soil

SAMPLE: Composite 2

Results reported on a dry weight basis

ANALYTICAL PARAMETERS	UNITS	RESULT	FLAG	DATE OF ANALYSIS	LRL	ANALYTICAL METHOD
t-1,3Dichloropropene	ug/Kg	< 5.6		07/25/07	5.5555	EPA8260
112 Trichloroethane	ug/Kg	< 5.6		07/25/07	5.5555	EPA8260
Tetrachloroethene	ug/Kg	< 5.6		07/25/07	5.5555	EPA8260
1,3-Dichloropropane	ug/Kg	< 5.6		07/25/07	5.5555	EPA8260
Chlorodibromomethane	ug/Kg	< 5.6		07/25/07	5.5555	EPA8260
1,2 Dibromoethane	ug/Kg	< 5.6		07/25/07	5.5555	EPA8260
Chlorobenzene	ug/Kg	< 5.6		07/25/07	5.5555	EPA8260
Ethyl Benzene	ug/Kg	< 5.6		07/25/07	5.5555	EPA8260
1112Tetrachloroethane	ug/Kg	< 5.6		07/25/07	5.5555	EPA8260
m + p Xylene	ug/Kg	< 11		07/25/07	11.111	EPA8260
o Xylene	ug/Kg	< 5.6		07/25/07	5.5555	EPA8260
Styrene	ug/Kg	< 5.6		07/25/07	5.5555	EPA8260
Bromoform	ug/Kg	< 5.6		07/25/07	5.5555	EPA8260
Isopropylbenzene	ug/Kg	< 5.6		07/25/07	5.5555	EPA8260
Bromobenzene	ug/Kg	< 5.6		07/25/07	5.5555	EPA8260
1122Tetrachloroethane	ug/Kg	< 5.6		07/25/07	5.5555	EPA8260
123-Trichloropropane	ug/Kg	< 5.6		07/25/07	5.5555	EPA8260
n-Propylbenzene	ug/Kg	< 5.6		07/25/07	5.5555	EPA8260
2-Chlorotoluene	ug/Kg	< 5.6		07/25/07	5.5555	EPA8260
135-Trimethylbenzene	ug/Kg	< 5.6		07/25/07	5.5555	EPA8260
4-Chlorotoluene	ug/Kg	< 5.6		07/25/07	5.5555	EPA8260
tert-Butylbenzene	ug/Kg	< 5.6		07/25/07	5.5555	EPA8260
124-Trimethylbenzene	ug/Kg	< 5.6		07/25/07	5.5555	EPA8260
sec-Butylbenzene	ug/Kg	< 5.6		07/25/07	5.5555	EPA8260
p-Isopropyltoluene	ug/Kg	< 5.6		07/25/07	5.5555	EPA8260

cc: Goldman Env., Rick Kranes

LRL=Laboratory Reporting Limit

REMARKS:

DIRECTOR

rn = 21871

NYSDOH ID # 10320

Page 2 of 6

ECOTEST LABORATORIES, INC.

ENVIRONMENTAL TESTING

377 SHEFFIELD AVE. • N. BABYLON, N.Y. 11703 • (631) 422-5777 • FAX (631) 422-5770

Email: ecotestlab@aol.com Website: www.ecotestlabs.com

LAB NO. 273174.02

08/02/07

Watts Water Technologies
815 Chestnut Street
North Andover, MA 01845

ATTN: Robert Rein

PO#:

SOURCE OF SAMPLE: AOC-3

SOURCE OF SAMPLE:

COLLECTED BY: Goldman Env DATE COL'D: 07/23/07 RECEIVED: 07/23/07
TIME COL'D: 1145

MATRIX: Soil SAMPLE: Composite 2

Results reported on a dry weight basis

ANALYTICAL PARAMETERS	UNITS	RESULT	FLAG	DATE OF ANALYSIS	LRL	ANALYTICAL METHOD
1,3 Dichlorobenzene (v)	ug/Kg	< 5.6		07/25/07	5.5555	EPA8260
1,4 Dichlorobenzene (v)	ug/Kg	< 5.6		07/25/07	5.5555	EPA8260
n-Butylbenzene	ug/Kg	< 5.6		07/25/07	5.5555	EPA8260
1,2 Dichlorobenzene (v)	ug/Kg	< 5.6		07/25/07	5.5555	EPA8260
Dibromochloropropane	ug/Kg	< 5.6		07/25/07	5.5555	EPA8260
124-Trichlorobenzene (v)	ug/Kg	< 5.6		07/25/07	5.5555	EPA8260
Hexachlorobutadiene	ug/Kg	< 5.6		07/25/07	5.5555	EPA8260
Naphthalene(v)	ug/Kg	< 5.6		07/25/07	5.5555	EPA8260
123-Trichlorobenzene	ug/Kg	< 5.6		07/25/07	5.5555	EPA8260
ter. ButylMethylEther	ug/Kg	< 5.6		07/25/07	5.5555	EPA8260
p-Ethyltoluene	ug/Kg	< 5.6		07/25/07	5.5555	EPA8260
Freon 113	ug/Kg	< 5.6		07/25/07	5.5555	EPA8260
1245 Tetramethylbenz	ug/Kg	< 5.6		07/25/07	5.5555	EPA8260
Acetone	ug/Kg	< 56		07/25/07	55.555	EPA8260
Methyl Ethyl Ketone	ug/Kg	< 56		07/25/07	55.555	EPA8260
Methylisobutylketone	ug/Kg	< 56		07/25/07	55.555	EPA8260
Chlorodifluoromethane	ug/Kg	< 5.6		07/25/07	5.5555	EPA8260
p Diethylbenzene	ug/Kg	< 5.6		07/25/07	5.5555	EPA8260
% Solids		90		07/25/07	0.1	SM182540G

cc: Goldman Env., Rick Kranes

LRL=Laboratory Reporting Limit

REMARKS:

DIRECTOR

rn = 21872

NYSDOH ID # 10320

Page 3 of 6

ECOTEST LABORATORIES, INC.

ENVIRONMENTAL TESTING

377 SHEFFIELD AVE. • N. BABYLON, N.Y. 11703 • (631) 422-5777 • FAX (631) 422-5770

Email: ecotestlab@aol.com Website: www.ecotestlabs.com

LAB NO. 273174.02

08/02/07

Watts Water Technologies
815 Chestnut Street
North Andover, MA 01845

ATTN: Robert Rein

PO#:

SOURCE OF SAMPLE: AOC-3

SOURCE OF SAMPLE:

COLLECTED BY: Goldman Env DATE COL'D: 07/23/07 RECEIVED: 07/23/07
TIME COL'D: 1145

MATRIX: Soil

SAMPLE: Composite 2

Results reported on a dry weight basis

ANALYTICAL PARAMETERS	UNITS	RESULT	FLAG	DATE OF ANALYSIS	LRL	ANALYTICAL METHOD
Naphthalene(sv)	ug/Kg	< 110		07/30/07	111.11	EPA8270
2-Methylnaphthalene	ug/Kg	< 110		07/30/07	111.11	EPA8270
Acenaphthylene	ug/Kg	< 110		07/30/07	111.11	EPA8270
Acenaphthene	ug/Kg	< 110		07/30/07	111.11	EPA8270
Fluorene	ug/Kg	< 110		07/30/07	111.11	EPA8270
Phenanthrene	ug/Kg	< 110		07/30/07	111.11	EPA8270
Anthracene	ug/Kg	< 110		07/30/07	111.11	EPA8270
Fluoranthene	ug/Kg	< 110		07/30/07	111.11	EPA8270
Pyrene	ug/Kg	< 110		07/30/07	111.11	EPA8270
Benzo(a)anthracene	ug/Kg	< 110		07/30/07	111.11	EPA8270
Chrysene	ug/Kg	< 110		07/30/07	111.11	EPA8270
Benzo(b)fluoranthene	ug/Kg	< 110		07/30/07	111.11	EPA8270
Benzo(k)fluoranthene	ug/Kg	< 110		07/30/07	111.11	EPA8270
Benzo(a)pyrene	ug/Kg	< 110		07/30/07	111.11	EPA8270
Indeno(1,2,3-cd)pyrene	ug/Kg	< 110		07/30/07	111.11	EPA8270
Dibenzo(a,h)anthracene	ug/Kg	< 110		07/30/07	111.11	EPA8270
Benzo(ghi)perylene	ug/Kg	< 110		07/30/07	111.11	EPA8270

cc: Goldman Env., Rick Kranes

LRL=Laboratory Reporting Limit

REMARKS:

DIRECTOR

rn = 21873

NYSDOH ID # 10320

Page 4 of 6

ECOTEST LABORATORIES, INC.

ENVIRONMENTAL TESTING

377 SHEFFIELD AVE. • N. BABYLON, N.Y. 11703 • (631) 422-5777 • FAX (631) 422-5770

Email: ecotestlab@aol.com Website: www.ecotestlabs.com

LAB NO. 273174.02

08/02/07

Watts Water Technologies
815 Chestnut Street
North Andover, MA 01845

ATTN: Robert Rein

PO#:

SOURCE OF SAMPLE: AOC-3

SOURCE OF SAMPLE:

COLLECTED BY: Goldman Env DATE COL'D: 07/23/07 RECEIVED: 07/23/07
TIME COL'D: 1145

MATRIX: Soil SAMPLE: Composite 2

Results reported on a dry weight basis

ANALYTICAL PARAMETERS	UNITS	RESULT	FLAG	DATE OF ANALYSIS	LRL	ANALYTICAL METHOD
Chromium as Cr	mg/Kg	570		07/24/07	0.5555	EPA6010
Copper as Cu	mg/Kg	190		07/24/07	1.1111	EPA6010
Nickel as Ni	mg/Kg	320		07/24/07	1.1111	EPA6010
Zinc as Zn	mg/Kg	72		07/24/07	1.1111	EPA6010
Reactive cyanide	mg/Kg	< 2.2		07/30/07	2.2222	EPA335.4
Sulfide as S	mg/Kg	< 2.2		07/30/07	2.2222	EPA376.3
Flash Point deg C		> 100		07/27/07	25	EPA1010
pH (lab) units		5.7		07/24/07	0.1	EPA9045C
TotalPet.Hydro.(GC)	mg/Kg	17		07/31/07	0.4444	EPA8015

cc: Goldman Env., Rick Kranes

LRL=Laboratory Reporting Limit

REMARKS:

DIRECTOR

rn = 21874

NYSDOH ID # 10320

Page 5 of 6

ECOTEST LABORATORIES, INC.

ENVIRONMENTAL TESTING

377 SHEFFIELD AVE. • N. BABYLON, N.Y. 11703 • (631) 422-5777 • FAX (631) 422-5770

Email: ecotestlab@aol.com Website: www.ecotestlabs.com

LAB NO. 273174.02

08/02/07

Watts Water Technologies
815 Chestnut Street
North Andover, MA 01845

ATTN: Robert Rein

PO#:

SOURCE OF SAMPLE: AOC-3

SOURCE OF SAMPLE:

COLLECTED BY: Goldman Env DATE COL'D: 07/23/07 RECEIVED: 07/23/07
TIME COL'D: 1145

MATRIX: Extract SAMPLE: Composite 2
Soil
TCLP

ANALYTICAL PARAMETERS

UNITS RESULT

FLAG	DATE OF ANALYSIS	LRL	ANALYTICAL METHOD
	07/24/07	0.05	EPA6010
	07/24/07	0.1	EPA6010
	07/24/07	0.1	EPA6010
	07/24/07	0.1	EPA6010
	07/23/07		EPA1311

Chromium as Cr

mg/L 0.16

Copper as Cu

mg/L 1.3

Nickel as Ni

mg/L 0.86

Zinc as Zn

mg/L 0.9


TCLP Extraction

cc: Goldman Env., Rick Kranes

LRL=Laboratory Reporting Limit

REMARKS:

DIRECTOR



rn = 21875

NYSDOH ID # 10320

Page 6 of 6

ECOTEST LABORATORIES, INC.**ENVIRONMENTAL TESTING**

377 SHEFFIELD AVE. • N. BABYLON, N.Y. 11703 • (631) 422-5777 • FAX (631) 422-5770

Email: ecotestlab@aol.com Website: www.ecotestlabs.com

LAB NO.273174.03

08/02/07

Watts Water Technologies
815 Chestnut Street
North Andover, MA 01845

ATTN: Robert Rein

PO#:

SOURCE OF SAMPLE: AOC-3

SOURCE OF SAMPLE:

COLLECTED BY: Goldman Env DATE COL'D:07/23/07 RECEIVED:07/23/07
TIME COL'D:1245

MATRIX:Soil

SAMPLE: Composite 3

Results reported on a dry weight basis

ANALYTICAL PARAMETERS	UNITS	RESULT	FLAG	DATE OF ANALYSIS	LRL	ANALYTICAL METHOD
Dichlordifluoromethane	ug/Kg	< 5.4		07/25/07	5.4347	EPA8260
Chloromethane	ug/Kg	< 5.4		07/25/07	5.4347	EPA8260
Vinyl Chloride	ug/Kg	< 5.4		07/25/07	5.4347	EPA8260
Bromomethane	ug/Kg	< 5.4		07/25/07	5.4347	EPA8260
Chloroethane	ug/Kg	< 5.4		07/25/07	5.4347	EPA8260
Trichlorofluoromethane	ug/Kg	< 5.4		07/25/07	5.4347	EPA8260
1,1 Dichloroethene	ug/Kg	< 5.4		07/25/07	5.4347	EPA8260
Methylene Chloride	ug/Kg	< 5.4		07/25/07	5.4347	EPA8260
t-1,2-Dichloroethene	ug/Kg	< 5.4		07/25/07	5.4347	EPA8260
1,1 Dichloroethane	ug/Kg	< 5.4		07/25/07	5.4347	EPA8260
2,2-Dichloropropane	ug/Kg	< 5.4		07/25/07	5.4347	EPA8260
c-1,2-Dichloroethene	ug/Kg	< 5.4		07/25/07	5.4347	EPA8260
Bromochloromethane	ug/Kg	< 5.4		07/25/07	5.4347	EPA8260
Chloroform	ug/Kg	< 5.4		07/25/07	5.4347	EPA8260
111 Trichloroethane	ug/Kg	< 5.4		07/25/07	5.4347	EPA8260
Carbon Tetrachloride	ug/Kg	< 5.4		07/25/07	5.4347	EPA8260
1,1-Dichloropropene	ug/Kg	< 5.4		07/25/07	5.4347	EPA8260
Benzene	ug/Kg	< 5.4		07/25/07	5.4347	EPA8260
1,2 Dichloroethane	ug/Kg	< 5.4		07/25/07	5.4347	EPA8260
Trichloroethene	ug/Kg	< 5.4		07/25/07	5.4347	EPA8260
1,2 Dichloropropane	ug/Kg	< 5.4		07/25/07	5.4347	EPA8260
Dibromomethane	ug/Kg	< 5.4		07/25/07	5.4347	EPA8260
Bromodichloromethane	ug/Kg	< 5.4		07/25/07	5.4347	EPA8260
c-1,3Dichloropropene	ug/Kg	< 5.4		07/25/07	5.4347	EPA8260
Toluene	ug/Kg	< 5.4		07/25/07	5.4347	EPA8260

cc:Goldman Env., Rick Kranes

LRL=Laboratory Reporting Limit

REMARKS:

DIRECTOR

rn = 21876

NYSDOH ID # 10320

Page 1 of 6

ECOTEST LABORATORIES, INC.**ENVIRONMENTAL TESTING**

377 SHEFFIELD AVE. • N. BABYLON, N.Y. 11703 • (631) 422-5777 • FAX (631) 422-5770

Email: ecotestlab@aol.com Website: www.ecotestlabs.com

LAB NO. 273174.03

08/02/07

Watts Water Technologies
815 Chestnut Street
North Andover, MA 01845

ATTN: Robert Rein

PO#:

SOURCE OF SAMPLE: AOC-3

SOURCE OF SAMPLE:

COLLECTED BY: Goldman Env DATE COL'D: 07/23/07 RECEIVED: 07/23/07
TIME COL'D: 1245

MATRIX: Soil

SAMPLE: Composite 3

Results reported on a dry weight basis

ANALYTICAL PARAMETERS	UNITS	RESULT	FLAG	DATE OF ANALYSIS	LRL	ANALYTICAL METHOD
t-1,3Dichloropropene	ug/Kg	< 5.4		07/25/07	5.4347	EPA8260
112 Trichloroethane	ug/Kg	< 5.4		07/25/07	5.4347	EPA8260
Tetrachloroethene	ug/Kg	< 5.4		07/25/07	5.4347	EPA8260
1,3-Dichloropropane	ug/Kg	< 5.4		07/25/07	5.4347	EPA8260
Chlorodibromomethane	ug/Kg	< 5.4		07/25/07	5.4347	EPA8260
1,2 Dibromoethane	ug/Kg	< 5.4		07/25/07	5.4347	EPA8260
Chlorobenzene	ug/Kg	< 5.4		07/25/07	5.4347	EPA8260
Ethyl Benzene	ug/Kg	< 5.4		07/25/07	5.4347	EPA8260
1112Tetrachloroethane	ug/Kg	< 5.4		07/25/07	5.4347	EPA8260
m + p Xylene	ug/Kg	< 11		07/25/07	10.869	EPA8260
o Xylene	ug/Kg	< 5.4		07/25/07	5.4347	EPA8260
Styrene	ug/Kg	< 5.4		07/25/07	5.4347	EPA8260
Bromoform	ug/Kg	< 5.4		07/25/07	5.4347	EPA8260
Isopropylbenzene	ug/Kg	< 5.4		07/25/07	5.4347	EPA8260
Bromobenzene	ug/Kg	< 5.4		07/25/07	5.4347	EPA8260
1122Tetrachloroethane	ug/Kg	< 5.4		07/25/07	5.4347	EPA8260
123-Trichloropropane	ug/Kg	< 5.4		07/25/07	5.4347	EPA8260
n-Propylbenzene	ug/Kg	< 5.4		07/25/07	5.4347	EPA8260
2-Chlorotoluene	ug/Kg	< 5.4		07/25/07	5.4347	EPA8260
135-Trimethylbenzene	ug/Kg	< 5.4		07/25/07	5.4347	EPA8260
4-Chlorotoluene	ug/Kg	< 5.4		07/25/07	5.4347	EPA8260
tert-Butylbenzene	ug/Kg	< 5.4		07/25/07	5.4347	EPA8260
124-Trimethylbenzene	ug/Kg	< 5.4		07/25/07	5.4347	EPA8260
sec-Butylbenzene	ug/Kg	< 5.4		07/25/07	5.4347	EPA8260
p-Isopropyltoluene	ug/Kg	< 5.4		07/25/07	5.4347	EPA8260

cc: Goldman Env., Rick Krane

LRL=Laboratory Reporting Limit

REMARKS:

DIRECTOR

rn = 21877

NYSDOH ID # 10320

Page 2 of 6

ECOTEST LABORATORIES, INC.

ENVIRONMENTAL TESTING

377 SHEFFIELD AVE. • N. BABYLON, N.Y. 11703 • (631) 422-5777 • FAX (631) 422-5770

Email: ecotestlab@aol.com Website: www.ecotestlabs.com

LAB NO. 273174.03

08/02/07

Watts Water Technologies
815 Chestnut Street
North Andover, MA 01845

ATTN: Robert Rein

PO#:

SOURCE OF SAMPLE: AOC-3

SOURCE OF SAMPLE:

COLLECTED BY: Goldman Env DATE COL'D: 07/23/07 RECEIVED: 07/23/07
TIME COL'D: 1245

MATRIX: Soil SAMPLE: Composite 3

Results reported on a dry weight basis

ANALYTICAL PARAMETERS	UNITS	RESULT	FLAG	DATE OF ANALYSIS	LRL	ANALYTICAL METHOD
1,3 Dichlorobenzene (v)	ug/Kg	< 5.4		07/25/07	5.4347	EPA8260
1,4 Dichlorobenzene (v)	ug/Kg	< 5.4		07/25/07	5.4347	EPA8260
n-Butylbenzene	ug/Kg	< 5.4		07/25/07	5.4347	EPA8260
1,2 Dichlorobenzene (v)	ug/Kg	< 5.4		07/25/07	5.4347	EPA8260
Dibromochloropropane	ug/Kg	< 5.4		07/25/07	5.4347	EPA8260
124-Trichlorobenzene (v)	ug/Kg	< 5.4		07/25/07	5.4347	EPA8260
Hexachlorobutadiene	ug/Kg	< 5.4		07/25/07	5.4347	EPA8260
Naphthalene(v)	ug/Kg	< 5.4		07/25/07	5.4347	EPA8260
123-Trichlorobenzene	ug/Kg	< 5.4		07/25/07	5.4347	EPA8260
ter. ButylMethylEther	ug/Kg	< 5.4		07/25/07	5.4347	EPA8260
p-Ethyltoluene	ug/Kg	< 5.4		07/25/07	5.4347	EPA8260
Freon 113	ug/Kg	< 5.4		07/25/07	5.4347	EPA8260
1245 Tetramethylbenz	ug/Kg	< 5.4		07/25/07	5.4347	EPA8260
Acetone	ug/Kg	< 54		07/25/07	54.347	EPA8260
Methyl Ethyl Ketone	ug/Kg	< 54		07/25/07	54.347	EPA8260
Methylisobutylketone	ug/Kg	< 54		07/25/07	54.347	EPA8260
Chlorodifluoromethane	ug/Kg	< 5.4		07/25/07	5.4347	EPA8260
p Diethylbenzene	ug/Kg	< 5.4		07/25/07	5.4347	EPA8260
% Solids		92		07/25/07	0.1	SM182540G

cc: Goldman Env., Rick Kranes

LRL=Laboratory Reporting Limit

REMARKS:

DIRECTOR

rn = 21878

NYSDOH ID # 10320

Page 3 of 6

ECOTEST LABORATORIES, INC.

ENVIRONMENTAL TESTING

377 SHEFFIELD AVE. • N. BABYLON, N.Y. 11703 • (631) 422-5777 • FAX (631) 422-5770

Email: ecotestlab@aol.com Website: www.ecotestlabs.com

LAB NO. 273174.03

08/02/07

Watts Water Technologies
815 Chestnut Street
North Andover, MA 01845

ATTN: Robert Rein

PO#:

SOURCE OF SAMPLE: AOC-3

SOURCE OF SAMPLE:

COLLECTED BY: Goldman Env DATE COL'D: 07/23/07 RECEIVED: 07/23/07
TIME COL'D: 1245

MATRIX: Soil

SAMPLE: Composite 3

Results reported on a dry weight basis

ANALYTICAL PARAMETERS	UNITS	RESULT	FLAG	DATE OF	LRL	ANALYTICAL
				ANALYSIS		METHOD
Naphthalene(sv)	ug/Kg	< 110		07/30/07	108.69	EPA8270
2-Methylnaphthalene	ug/Kg	< 110		07/30/07	108.69	EPA8270
Acenaphthylene	ug/Kg	< 110		07/30/07	108.69	EPA8270
Acenaphthene	ug/Kg	< 110		07/30/07	108.69	EPA8270
Fluorene	ug/Kg	< 110		07/30/07	108.69	EPA8270
Phenanthrene	ug/Kg	< 110		07/30/07	108.69	EPA8270
Anthracene	ug/Kg	< 110		07/30/07	108.69	EPA8270
Fluoranthene	ug/Kg	< 110		07/30/07	108.69	EPA8270
Pyrene	ug/Kg	< 110		07/30/07	108.69	EPA8270
Benzo(a)anthracene	ug/Kg	< 110		07/30/07	108.69	EPA8270
Chrysene	ug/Kg	< 110		07/30/07	108.69	EPA8270
Benzo(b)fluoranthene	ug/Kg	< 110		07/30/07	108.69	EPA8270
Benzo(k)fluoranthene	ug/Kg	< 110		07/30/07	108.69	EPA8270
Benzo(a)pyrene	ug/Kg	< 110		07/30/07	108.69	EPA8270
Indeno(1,2,3-cd)pyrene	ug/Kg	< 110		07/30/07	108.69	EPA8270
Dibenzo(a,h)anthracene	ug/Kg	< 110		07/30/07	108.69	EPA8270
Benzo(ghi)perylene	ug/Kg	< 110		07/30/07	108.69	EPA8270

cc:Goldman Env., Rick Kranes

LRL=Laboratory Reporting Limit

REMARKS:

DIRECTOR

rn = 21879

NYSDOH ID # 10320

Page 4 of 6

ECOTEST LABORATORIES, INC.

ENVIRONMENTAL TESTING

377 SHEFFIELD AVE. • N. BABYLON, N.Y. 11703 • (631) 422-5777 • FAX (631) 422-5770

Email: ecotestlab@aol.com Website: www.ecotestlabs.com

LAB NO.273174.03

08/02/07

Watts Water Technologies
815 Chestnut Street
North Andover, MA 01845

ATTN: Robert Rein

PO#:

SOURCE OF SAMPLE: AOC-3

SOURCE OF SAMPLE:

COLLECTED BY: Goldman Env DATE COL'D:07/23/07 RECEIVED:07/23/07
TIME COL'D:1245

MATRIX:Soil SAMPLE: Composite 3

Results reported on a dry weight basis

ANALYTICAL PARAMETERS	UNITS	RESULT	DATE OF ANALYSIS	LRL	ANALYTICAL METHOD
Chromium as Cr	mg/Kg	850	07/24/07	0.5434	EPA6010
Copper as Cu	mg/Kg	200	07/24/07	1.0869	EPA6010
Nickel as Ni	mg/Kg	350	07/24/07	1.0869	EPA6010
Zinc as Zn	mg/Kg	98	07/24/07	1.0869	EPA6010
Reactive cyanide	mg/Kg	< 2.2	07/30/07	2.1739	EPA335.4
Sulfide as S	mg/Kg	< 2.2	07/30/07	2.1739	EPA376.3
Flash Point deg C		> 100	07/27/07	25	EPA1010
pH (lab) units		6.2	07/24/07	0.1	EPA9045C
TotalPet.Hydro.(GC)	mg/Kg	13	07/31/07	0.4347	EPA8015

cc:Goldman Env., Rick Kranes

LRL=Laboratory Reporting Limit

REMARKS:

DIRECTOR

rn = 21880

NYSDOH ID # 10320

Page 5 of 6

ECOTEST LABORATORIES, INC.

ENVIRONMENTAL TESTING

377 SHEFFIELD AVE. • N. BABYLON, N.Y. 11703 • (631) 422-5777 • FAX (631) 422-5770

Email: ecotestlab@aol.com Website: www.ecotestlabs.com

LAB NO. 273174.03

08/02/07

Watts Water Technologies
815 Chestnut Street
North Andover, MA 01845

ATTN: Robert Rein

PO#:

SOURCE OF SAMPLE: AOC-3

SOURCE OF SAMPLE:

COLLECTED BY: Goldman Env DATE COL'D: 07/23/07 RECEIVED: 07/23/07
TIME COL'D: 1245

MATRIX: Extract SAMPLE: Composite 3
Soil
TCLP

ANALYTICAL PARAMETERS	UNITS	RESULT	FLAG	DATE OF ANALYSIS	LRL	ANALYTICAL METHOD
Chromium as Cr	mg/L	0.2		07/24/07	0.05	EPA6010
Copper as Cu	mg/L	1.6		07/24/07	0.1	EPA6010
Nickel as Ni	mg/L	1.3		07/24/07	0.1	EPA6010
Zinc as Zn	mg/L	1.7		07/24/07	0.1	EPA6010
TCLP Extraction				07/23/07		EPA1311

cc: Goldman Env., Rick Kranes

LRL=Laboratory Reporting Limit

REMARKS:

DIRECTOR

rn = 21881

NYSDOH ID # 10320

Page 6 of 6

ECOTEST LABORATORIES, INC.

ENVIRONMENTAL TESTING

377 SHEFFIELD AVE. • N. BABYLON, N.Y. 11703 • (631) 422-5777 • FAX (631) 422-5770

Email: ecotestlab@aol.com Website: www.ecotestlabs.com

LAB NO.273174.04

08/02/07

Watts Water Technologies
815 Chestnut Street
North Andover, MA 01845

ATTN: Robert Rein

PO#:

SOURCE OF SAMPLE: AOC-3

SOURCE OF SAMPLE:

COLLECTED BY: Goldman Env DATE COL'D:07/23/07 RECEIVED:07/23/07
TIME COL'D:1300

MATRIX:Solid SAMPLE: Concrete 1

Results reported on a dry weight basis

ANALYTICAL PARAMETERS
TION=600ordifluoromethane

UNITS RESULT
ug/Kg < 6.3

DATE OF	ANALYTICAL
FLAG ANALYSIS	METHOD
LRL	
07/25/07 6.25	EPA8260

@PJL ENTER LANGUAGE=PCL

ECOTEST LABORATORIES, INC.

ENVIRONMENTAL TESTING

377 SHEFFIELD AVE. • N. BABYLON, N.Y. 11703 • (631) 422-5777 • FAX (631) 422-5770

Email: ecotestlab@aol.com Website: www.ecotestlabs.com

LAB NO. 273174.01

08/02/07

Watts Water Technologies
815 Chestnut Street
North Andover, MA 01845

ATTN: Robert Rein

PO#:

SOURCE OF SAMPLE: AOC-3

SOURCE OF SAMPLE:

COLLECTED BY: Goldman Env DATE COL'D: 07/23/07 RECEIVED: 07/23/07
TIME COL'D: 1030

MATRIX: Soil SAMPLE: Composite 1

Results reported on a dry weight basis

ANALYTICAL PARAMETERS	UNITS	RESULT	DATE OF ANALYSIS	LRL	ANALYTICAL METHOD
Dichlorodifluoromethane	ug/Kg	< 5.4	07/25/07	5.3763	EPA8260
Chloromethane	ug/Kg	< 5.4	07/25/07	5.3763	EPA8260
Vinyl Chloride	ug/Kg	< 5.4	07/25/07	5.3763	EPA8260
Bromomethane	ug/Kg	< 5.4	07/25/07	5.3763	EPA8260
Chloroethane	ug/Kg	< 5.4	07/25/07	5.3763	EPA8260
Trichlorofluoromethane	ug/Kg	< 5.4	07/25/07	5.3763	EPA8260
1,1 Dichloroethene	ug/Kg	< 5.4	07/25/07	5.3763	EPA8260
Methylene Chloride	ug/Kg	< 5.4	07/25/07	5.3763	EPA8260
t-1,2-Dichloroethene	ug/Kg	< 5.4	07/25/07	5.3763	EPA8260
1,1 Dichloroethane	ug/Kg	< 5.4	07/25/07	5.3763	EPA8260
2,2-Dichloropropane	ug/Kg	< 5.4	07/25/07	5.3763	EPA8260
c-1,2-Dichloroethene	ug/Kg	< 5.4	07/25/07	5.3763	EPA8260
Bromochloromethane	ug/Kg	< 5.4	07/25/07	5.3763	EPA8260
Chloroform	ug/Kg	< 5.4	07/25/07	5.3763	EPA8260
111 Trichloroethane	ug/Kg	< 5.4	07/25/07	5.3763	EPA8260
Carbon Tetrachloride	ug/Kg	< 5.4	07/25/07	5.3763	EPA8260
1,1-Dichloropropene	ug/Kg	< 5.4	07/25/07	5.3763	EPA8260
Benzene	ug/Kg	< 5.4	07/25/07	5.3763	EPA8260
1,2 Dichloroethane	ug/Kg	< 5.4	07/25/07	5.3763	EPA8260
Trichloroethene	ug/Kg	< 5.4	07/25/07	5.3763	EPA8260
1,2 Dichloropropane	ug/Kg	< 5.4	07/25/07	5.3763	EPA8260
Dibromomethane	ug/Kg	< 5.4	07/25/07	5.3763	EPA8260
Bromodichloromethane	ug/Kg	< 5.4	07/25/07	5.3763	EPA8260
c-1,3Dichloropropene	ug/Kg	< 5.4	07/25/07	5.3763	EPA8260
Toluene	ug/Kg	< 5.4	07/25/07	5.3763	EPA8260

cc: Goldman Env., Rick Kranes

LRL=Laboratory Reporting Limit

REMARKS:

DIRECTOR

rn = 21864

NYSDOH ID # 10320

Page 1 of 6

ECOTEST LABORATORIES, INC.

ENVIRONMENTAL TESTING

377 SHEFFIELD AVE. • N. BABYLON, N.Y. 11703 • (631) 422-5777 • FAX (631) 422-5770

Email: ecotestlab@aol.com Website: www.ecotestlabs.com

LAB NO.273174.01

08/02/07

Watts Water Technologies
815 Chestnut Street
North Andover, MA 01845

ATTN: Robert Rein

PO#:

SOURCE OF SAMPLE: AOC-3

SOURCE OF SAMPLE:

COLLECTED BY: Goldman Env DATE COL'D:07/23/07 RECEIVED:07/23/07
TIME COL'D:1030

MATRIX:Soil SAMPLE: Composite 1

Results reported on a dry weight basis

ANALYTICAL PARAMETERS	UNITS	RESULT	FLAG	DATE OF ANALYSIS	LRL	ANALYTICAL METHOD
t-1,3Dichloropropene	ug/Kg	< 5.4		07/25/07	5.3763	EPA8260
112 Trichloroethane	ug/Kg	< 5.4		07/25/07	5.3763	EPA8260
Tetrachloroethene	ug/Kg	< 5.4		07/25/07	5.3763	EPA8260
1,3-Dichloropropane	ug/Kg	< 5.4		07/25/07	5.3763	EPA8260
Chlorodibromomethane	ug/Kg	< 5.4		07/25/07	5.3763	EPA8260
1,2 Dibromoethane	ug/Kg	< 5.4		07/25/07	5.3763	EPA8260
Chlorobenzene	ug/Kg	< 5.4		07/25/07	5.3763	EPA8260
Ethyl Benzene	ug/Kg	< 5.4		07/25/07	5.3763	EPA8260
1112Tetrachloroethane	ug/Kg	< 5.4		07/25/07	5.3763	EPA8260
m + p Xylene	ug/Kg	< 11		07/25/07	10.752	EPA8260
o Xylene	ug/Kg	< 5.4		07/25/07	5.3763	EPA8260
Styrene	ug/Kg	< 5.4		07/25/07	5.3763	EPA8260
Bromoform	ug/Kg	< 5.4		07/25/07	5.3763	EPA8260
Isopropylbenzene	ug/Kg	< 5.4		07/25/07	5.3763	EPA8260
Bromobenzene	ug/Kg	< 5.4		07/25/07	5.3763	EPA8260
1122Tetrachloroethane	ug/Kg	< 5.4		07/25/07	5.3763	EPA8260
123-Trichloropropane	ug/Kg	< 5.4		07/25/07	5.3763	EPA8260
n-Propylbenzene	ug/Kg	< 5.4		07/25/07	5.3763	EPA8260
2-Chlorotoluene	ug/Kg	< 5.4		07/25/07	5.3763	EPA8260
135-Trimethylbenzene	ug/Kg	< 5.4		07/25/07	5.3763	EPA8260
4-Chlorotoluene	ug/Kg	< 5.4		07/25/07	5.3763	EPA8260
tert-Butylbenzene	ug/Kg	< 5.4		07/25/07	5.3763	EPA8260
124-Trimethylbenzene	ug/Kg	< 5.4		07/25/07	5.3763	EPA8260
sec-Butylbenzene	ug/Kg	< 5.4		07/25/07	5.3763	EPA8260
p-Isopropyltoluene	ug/Kg	< 5.4		07/25/07	5.3763	EPA8260

cc:Goldman Env., Rick Kranes

LRL=Laboratory Reporting Limit

REMARKS:

DIRECTOR

rn = 21865

NYSDOH ID # 10320

Page 2 of 6

ECOTEST LABORATORIES, INC.

ENVIRONMENTAL TESTING

377 SHEFFIELD AVE. • N. BABYLON, N.Y. 11703 • (631) 422-5777 • FAX (631) 422-5770

Email: ecotestlab@aol.com Website: www.ecotestlabs.com

LAB NO.273174.01

08/02/07

Watts Water Technologies
815 Chestnut Street
North Andover, MA 01845

ATTN: Robert Rein

PO#:

SOURCE OF SAMPLE: AOC-3

SOURCE OF SAMPLE:

COLLECTED BY: Goldman Env DATE COL'D:07/23/07 RECEIVED:07/23/07
TIME COL'D:1030

MATRIX:Soil

SAMPLE: Composite 1

Results reported on a dry weight basis

ANALYTICAL PARAMETERS	UNITS	RESULT	FLAG	DATE OF ANALYSIS	LRL	ANALYTICAL METHOD
1,3 Dichlorobenzene (v)	ug/Kg	< 5.4		07/25/07	5.3763	EPA8260
1,4 Dichlorobenzene (v)	ug/Kg	< 5.4		07/25/07	5.3763	EPA8260
n-Butylbenzene	ug/Kg	< 5.4		07/25/07	5.3763	EPA8260
1,2 Dichlorobenzene (v)	ug/Kg	< 5.4		07/25/07	5.3763	EPA8260
Dibromochloropropane	ug/Kg	< 5.4		07/25/07	5.3763	EPA8260
124-Trichlorobenzene (v)	ug/Kg	< 5.4		07/25/07	5.3763	EPA8260
Hexachlorobutadiene	ug/Kg	< 5.4		07/25/07	5.3763	EPA8260
Naphthalene(v)	ug/Kg	< 5.4		07/25/07	5.3763	EPA8260
123-Trichlorobenzene	ug/Kg	< 5.4		07/25/07	5.3763	EPA8260
ter. ButylMethylEther	ug/Kg	< 5.4		07/25/07	5.3763	EPA8260
p-Ethyltoluene	ug/Kg	< 5.4		07/25/07	5.3763	EPA8260
Freon 113	ug/Kg	< 5.4		07/25/07	5.3763	EPA8260
1245 Tetramethylbenz	ug/Kg	< 5.4		07/25/07	5.3763	EPA8260
Acetone	ug/Kg	< 54		07/25/07	53.763	EPA8260
Methyl Ethyl Ketone	ug/Kg	< 54		07/25/07	53.763	EPA8260
Methylisobutylketone	ug/Kg	< 54		07/25/07	53.763	EPA8260
Chlorodifluoromethane	ug/Kg	< 5.4		07/25/07	5.3763	EPA8260
p Diethylbenzene	ug/Kg	< 5.4		07/25/07	5.3763	EPA8260
% Solids		93		07/25/07	0.1	SM182540G

cc:Goldman Env., Rick Kranes

LRL=Laboratory Reporting Limit

REMARKS:

DIRECTOR

rn = 21866

NYSDOH ID # 10320

Page 3 of 6

ECOTEST LABORATORIES, INC.

ENVIRONMENTAL TESTING

377 SHEFFIELD AVE. • N. BABYLON, N.Y. 11703 • (631) 422-5777 • FAX (631) 422-5770

Email: ecotestlab@aol.com Website: www.ecotestlabs.com

LAB NO. 273174.01

08/02/07

Watts Water Technologies
815 Chestnut Street
North Andover, MA 01845

ATTN: Robert Rein

PO#:

SOURCE OF SAMPLE: AOC-3

SOURCE OF SAMPLE:

COLLECTED BY: Goldman Env DATE COL'D: 07/23/07 RECEIVED: 07/23/07
TIME COL'D: 1030

MATRIX: Soil

SAMPLE: Composite 1

Results reported on a dry weight basis

ANALYTICAL PARAMETERS	UNITS	RESULT	FLAG	DATE OF	LRL	ANALYTICAL
				ANALYSIS		METHOD
Naphthalene(sv)	ug/Kg	< 110		07/30/07	107.52	EPA8270
2-Methylnaphthalene	ug/Kg	< 110		07/30/07	107.52	EPA8270
Acenaphthylene	ug/Kg	< 110		07/30/07	107.52	EPA8270
Acenaphthene	ug/Kg	< 110		07/30/07	107.52	EPA8270
Fluorene	ug/Kg	< 110		07/30/07	107.52	EPA8270
Phenanthrene	ug/Kg	< 110		07/30/07	107.52	EPA8270
Anthracene	ug/Kg	< 110		07/30/07	107.52	EPA8270
Fluoranthene	ug/Kg	< 110		07/30/07	107.52	EPA8270
Pyrene	ug/Kg	< 110		07/30/07	107.52	EPA8270
Benzo(a)anthracene	ug/Kg	< 110		07/30/07	107.52	EPA8270
Chrysene	ug/Kg	< 110		07/30/07	107.52	EPA8270
Benzo(b)fluoranthene	ug/Kg	< 110		07/30/07	107.52	EPA8270
Benzo(k)fluoranthene	ug/Kg	< 110		07/30/07	107.52	EPA8270
Benzo(a)pyrene	ug/Kg	< 110		07/30/07	107.52	EPA8270
Indeno(1,2,3-cd)pyrene	ug/Kg	< 110		07/30/07	107.52	EPA8270
Dibenzo(a,h)anthracene	ug/Kg	< 110		07/30/07	107.52	EPA8270
Benzo(ghi)perylene	ug/Kg	< 110		07/30/07	107.52	EPA8270

cc: Goldman Env., Rick Kranes

LRL=Laboratory Reporting Limit

REMARKS:

DIRECTOR

rn = 21867

NYSDOH ID # 10320

Page 4 of 6

ECOTEST LABORATORIES, INC.

ENVIRONMENTAL TESTING

377 SHEFFIELD AVE. • N. BABYLON, N.Y. 11703 • (631) 422-5777 • FAX (631) 422-5770

Email: ecotestlab@aol.com Website: www.ecotestlabs.com

LAB NO.273174.01

08/02/07

Watts Water Technologies
815 Chestnut Street
North Andover, MA 01845

ATTN: Robert Rein

PO#:

SOURCE OF SAMPLE: AOC-3

SOURCE OF SAMPLE:

COLLECTED BY: Goldman Env DATE COL'D:07/23/07 RECEIVED:07/23/07
TIME COL'D:1030

MATRIX:Soil

SAMPLE: Composite 1

Results reported on a dry weight basis

ANALYTICAL PARAMETERS

Chromium as Cr

Copper as Cu

Nickel as Ni

Zinc as Zn

Reactive cyanide

Sulfide as S

Flash Point deg C

pH (lab) units

TotalPet.Hydro.(GC)

UNITS RESULT

mg/Kg 1500

mg/Kg 320

mg/Kg 970

mg/Kg 260

mg/Kg < 2.2

mg/Kg < 2.2

> 100

6.1

mg/Kg 11

DATE OF ANALYSIS	LRL	ANALYTICAL METHOD
07/24/07	0.5376	EPA6010
07/24/07	1.0752	EPA6010
07/24/07	1.0752	EPA6010
07/24/07	1.0752	EPA6010
07/30/07	2.1505	EPA335.4
07/30/07	2.1505	EPA376.3
07/27/07	25	EPA1010
07/24/07	0.1	EPA9045C
07/31/07	0.4301	EPA8015

cc:Goldman Env., Rick Kranes

LRL=Laboratory Reporting Limit

REMARKS:

DIRECTOR

rn = 21868

NYSDOH ID # 10320

Page 5 of 6

ECOTEST LABORATORIES, INC.

ENVIRONMENTAL TESTING

377 SHEFFIELD AVE. • N. BABYLON, N.Y. 11703 • (631) 422-5777 • FAX (631) 422-5770

Email: ecotestlab@aol.com Website: www.ecotestlabs.com

LAB NO.273174.01

08/02/07

Watts Water Technologies
815 Chestnut Street
North Andover, MA 01845

ATTN: Robert Rein

PO#:

SOURCE OF SAMPLE: AOC-3

SOURCE OF SAMPLE:

COLLECTED BY: Goldman Env DATE COL'D:07/23/07 RECEIVED:07/23/07
TIME COL'D:1030

MATRIX:Extract SAMPLE: Composite 1
Soil
TCLP

ANALYTICAL PARAMETERS	UNITS	RESULT	FLAG	DATE OF ANALYSIS	LRL	ANALYTICAL METHOD
Chromium as Cr	mg/L	0.23		07/24/07	0.05	EPA6010
Copper as Cu	mg/L	1.5		07/24/07	0.1	EPA6010
Nickel as Ni	mg/L	1.8		07/24/07	0.1	EPA6010
Zinc as Zn	mg/L	1.6		07/24/07	0.1	EPA6010
TCLP Extraction				07/23/07		EPA1311

cc:Goldman Env., Rick Kranes

LRL=Laboratory Reporting Limit

REMARKS:

DIRECTOR

rn = 21869

NYSDOH ID # 10320

Page 6 of 6

ECOTEST LABORATORIES, INC.

ENVIRONMENTAL TESTING

377 SHEFFIELD AVE. • N. BABYLON, N.Y. 11703 • (631) 422-5777 • FAX (631) 422-5770

Email: ecotestlab@aol.com Website: www.ecotestlabs.com

LAB NO. 273174.02

08/02/07

Watts Water Technologies
815 Chestnut Street
North Andover, MA 01845

ATTN: Robert Rein

PO#:

SOURCE OF SAMPLE: AOC-3

SOURCE OF SAMPLE:

COLLECTED BY: Goldman Env DATE COL'D: 07/23/07 RECEIVED: 07/23/07
TIME COL'D: 1145

MATRIX: Soil

SAMPLE: Composite 2

Results reported on a dry weight basis

ANALYTICAL PARAMETERS	UNITS	RESULT	FLAG	DATE OF ANALYSIS	LRL	ANALYTICAL METHOD
Dichlorodifluoromethane	ug/Kg	< 5.6		07/25/07	5.5555	EPA8260
Chloromethane	ug/Kg	< 5.6		07/25/07	5.5555	EPA8260
Vinyl Chloride	ug/Kg	< 5.6		07/25/07	5.5555	EPA8260
Bromomethane	ug/Kg	< 5.6		07/25/07	5.5555	EPA8260
Chloroethane	ug/Kg	< 5.6		07/25/07	5.5555	EPA8260
Trichlorofluoromethane	ug/Kg	< 5.6		07/25/07	5.5555	EPA8260
1,1 Dichloroethene	ug/Kg	< 5.6		07/25/07	5.5555	EPA8260
Methylene Chloride	ug/Kg	< 5.6		07/25/07	5.5555	EPA8260
t-1,2-Dichloroethene	ug/Kg	< 5.6		07/25/07	5.5555	EPA8260
1,1 Dichloroethane	ug/Kg	< 5.6		07/25/07	5.5555	EPA8260
2,2-Dichloropropane	ug/Kg	< 5.6		07/25/07	5.5555	EPA8260
c-1,2-Dichloroethene	ug/Kg	< 5.6		07/25/07	5.5555	EPA8260
Bromochloromethane	ug/Kg	< 5.6		07/25/07	5.5555	EPA8260
Chloroform	ug/Kg	< 5.6		07/25/07	5.5555	EPA8260
111 Trichloroethane	ug/Kg	< 5.6		07/25/07	5.5555	EPA8260
Carbon Tetrachloride	ug/Kg	< 5.6		07/25/07	5.5555	EPA8260
1,1-Dichloropropene	ug/Kg	< 5.6		07/25/07	5.5555	EPA8260
Benzene	ug/Kg	< 5.6		07/25/07	5.5555	EPA8260
1,2 Dichloroethane	ug/Kg	< 5.6		07/25/07	5.5555	EPA8260
Trichloroethene	ug/Kg	< 5.6		07/25/07	5.5555	EPA8260
1,2 Dichloropropane	ug/Kg	< 5.6		07/25/07	5.5555	EPA8260
Dibromomethane	ug/Kg	< 5.6		07/25/07	5.5555	EPA8260
Bromodichloromethane	ug/Kg	< 5.6		07/25/07	5.5555	EPA8260
c-1,3Dichloropropene	ug/Kg	< 5.6		07/25/07	5.5555	EPA8260
Toluene	ug/Kg	< 5.6		07/25/07	5.5555	EPA8260

cc: Goldman Env., Rick Kranes

LRL=Laboratory Reporting Limit

REMARKS:

DIRECTOR

rn = 21870

NYSDOH ID # 10320

Page 1 of 6

ECOTEST LABORATORIES, INC.

ENVIRONMENTAL TESTING

377 SHEFFIELD AVE. • N. BABYLON, N.Y. 11703 • (631) 422-5777 • FAX (631) 422-5770

Email: ecotestlab@aol.com Website: www.ecotestlabs.com

LAB NO. 273174.02

08/02/07

Watts Water Technologies
815 Chestnut Street
North Andover, MA 01845

ATTN: Robert Rein

PO#:

SOURCE OF SAMPLE: AOC-3

SOURCE OF SAMPLE:

COLLECTED BY: Goldman Env DATE COL'D: 07/23/07 RECEIVED: 07/23/07
TIME COL'D: 1145

MATRIX: Soil

SAMPLE: Composite 2

Results reported on a dry weight basis

ANALYTICAL PARAMETERS	UNITS	RESULT	FLAG	DATE OF ANALYSIS	LRL	ANALYTICAL METHOD
t-1,3Dichloropropene	ug/Kg	< 5.6		07/25/07	5.5555	EPA8260
112 Trichloroethane	ug/Kg	< 5.6		07/25/07	5.5555	EPA8260
Tetrachloroethene	ug/Kg	< 5.6		07/25/07	5.5555	EPA8260
1,3-Dichloropropane	ug/Kg	< 5.6		07/25/07	5.5555	EPA8260
Chlorodibromomethane	ug/Kg	< 5.6		07/25/07	5.5555	EPA8260
1,2 Dibromoethane	ug/Kg	< 5.6		07/25/07	5.5555	EPA8260
Chlorobenzene	ug/Kg	< 5.6		07/25/07	5.5555	EPA8260
Ethyl Benzene	ug/Kg	< 5.6		07/25/07	5.5555	EPA8260
1112Tetrachloroethane	ug/Kg	< 5.6		07/25/07	5.5555	EPA8260
m + p Xylene	ug/Kg	< 11		07/25/07	11.111	EPA8260
o Xylene	ug/Kg	< 5.6		07/25/07	5.5555	EPA8260
Styrene	ug/Kg	< 5.6		07/25/07	5.5555	EPA8260
Bromoform	ug/Kg	< 5.6		07/25/07	5.5555	EPA8260
Isopropylbenzene	ug/Kg	< 5.6		07/25/07	5.5555	EPA8260
Bromobenzene	ug/Kg	< 5.6		07/25/07	5.5555	EPA8260
1122Tetrachloroethane	ug/Kg	< 5.6		07/25/07	5.5555	EPA8260
123-Trichloropropane	ug/Kg	< 5.6		07/25/07	5.5555	EPA8260
n-Propylbenzene	ug/Kg	< 5.6		07/25/07	5.5555	EPA8260
2-Chlorotoluene	ug/Kg	< 5.6		07/25/07	5.5555	EPA8260
135-Trimethylbenzene	ug/Kg	< 5.6		07/25/07	5.5555	EPA8260
4-Chlorotoluene	ug/Kg	< 5.6		07/25/07	5.5555	EPA8260
tert-Butylbenzene	ug/Kg	< 5.6		07/25/07	5.5555	EPA8260
124-Trimethylbenzene	ug/Kg	< 5.6		07/25/07	5.5555	EPA8260
sec-Butylbenzene	ug/Kg	< 5.6		07/25/07	5.5555	EPA8260
p-Isopropyltoluene	ug/Kg	< 5.6		07/25/07	5.5555	EPA8260

cc: Goldman Env., Rick Kranes

LRL=Laboratory Reporting Limit

REMARKS:

DIRECTOR

rn = 21871

NYSDOH ID # 10320

Page 2 of 6

ECOTEST LABORATORIES, INC.

ENVIRONMENTAL TESTING

377 SHEFFIELD AVE. • N. BABYLON, N.Y. 11703 • (631) 422-5777 • FAX (631) 422-5770

Email: ecotestlab@aol.com Website: www.ecotestlabs.com

LAB NO. 273174.02

08/02/07

Watts Water Technologies
815 Chestnut Street
North Andover, MA 01845

ATTN: Robert Rein

PO#:

SOURCE OF SAMPLE: AOC-3

SOURCE OF SAMPLE:

COLLECTED BY: Goldman Env DATE COL'D: 07/23/07 RECEIVED: 07/23/07
TIME COL'D: 1145

MATRIX: Soil

SAMPLE: Composite 2

Results reported on a dry weight basis

ANALYTICAL PARAMETERS	UNITS	RESULT	FLAG	DATE OF ANALYSIS	LRL	ANALYTICAL METHOD
1,3 Dichlorobenzene (v)	ug/Kg	< 5.6		07/25/07	5.5555	EPA8260
1,4 Dichlorobenzene (v)	ug/Kg	< 5.6		07/25/07	5.5555	EPA8260
n-Butylbenzene	ug/Kg	< 5.6		07/25/07	5.5555	EPA8260
1,2 Dichlorobenzene (v)	ug/Kg	< 5.6		07/25/07	5.5555	EPA8260
Dibromochloropropane	ug/Kg	< 5.6		07/25/07	5.5555	EPA8260
124-Trichlorobenzene (v)	ug/Kg	< 5.6		07/25/07	5.5555	EPA8260
Hexachlorobutadiene	ug/Kg	< 5.6		07/25/07	5.5555	EPA8260
Naphthalene(v)	ug/Kg	< 5.6		07/25/07	5.5555	EPA8260
123-Trichlorobenzene	ug/Kg	< 5.6		07/25/07	5.5555	EPA8260
ter. ButylMethylEther	ug/Kg	< 5.6		07/25/07	5.5555	EPA8260
p-Ethyltoluene	ug/Kg	< 5.6		07/25/07	5.5555	EPA8260
Freon 113	ug/Kg	< 5.6		07/25/07	5.5555	EPA8260
1245 Tetramethylbenz	ug/Kg	< 5.6		07/25/07	5.5555	EPA8260
Acetone	ug/Kg	< 56		07/25/07	55.555	EPA8260
Methyl Ethyl Ketone	ug/Kg	< 56		07/25/07	55.555	EPA8260
Methylisobutylketone	ug/Kg	< 56		07/25/07	55.555	EPA8260
Chlorodifluoromethane	ug/Kg	< 5.6		07/25/07	5.5555	EPA8260
p Diethylbenzene	ug/Kg	< 5.6		07/25/07	5.5555	EPA8260
% Solids		90		07/25/07	0.1	SM182540G

cc: Goldman Env., Rick Kranes

LRL=Laboratory Reporting Limit

REMARKS:

DIRECTOR

rn = 21872

NYSDOH ID # 10320

Page 3 of 6

ECOTEST LABORATORIES, INC.

ENVIRONMENTAL TESTING

377 SHEFFIELD AVE. • N. BABYLON, N.Y. 11703 • (631) 422-5777 • FAX (631) 422-5770

Email: ecotestlab@aol.com Website: www.ecotestlabs.com

LAB NO. 273174.02

08/02/07

Watts Water Technologies
815 Chestnut Street
North Andover, MA 01845

ATTN: Robert Rein

PO#:

SOURCE OF SAMPLE: AOC-3

SOURCE OF SAMPLE:

COLLECTED BY: Goldman Env DATE COL'D: 07/23/07 RECEIVED: 07/23/07
TIME COL'D: 1145

MATRIX: Soil

SAMPLE: Composite 2

Results reported on a dry weight basis

ANALYTICAL PARAMETERS	UNITS	RESULT	DATE OF		ANALYTICAL
			FLAG	ANALYSIS LRL	
Naphthalene(sv)	ug/Kg	< 110		07/30/07 111.11	EPA8270
2-Methylnaphthalene	ug/Kg	< 110		07/30/07 111.11	EPA8270
Acenaphthylene	ug/Kg	< 110		07/30/07 111.11	EPA8270
Acenaphthene	ug/Kg	< 110		07/30/07 111.11	EPA8270
Fluorene	ug/Kg	< 110		07/30/07 111.11	EPA8270
Phenanthrene	ug/Kg	< 110		07/30/07 111.11	EPA8270
Anthracene	ug/Kg	< 110		07/30/07 111.11	EPA8270
Fluoranthene	ug/Kg	< 110		07/30/07 111.11	EPA8270
Pyrene	ug/Kg	< 110		07/30/07 111.11	EPA8270
Benzo(a)anthracene	ug/Kg	< 110		07/30/07 111.11	EPA8270
Chrysene	ug/Kg	< 110		07/30/07 111.11	EPA8270
Benzo(b)fluoranthene	ug/Kg	< 110		07/30/07 111.11	EPA8270
Benzo(k)fluoranthene	ug/Kg	< 110		07/30/07 111.11	EPA8270
Benzo(a)pyrene	ug/Kg	< 110		07/30/07 111.11	EPA8270
Indeno(1,2,3-cd)pyrene	ug/Kg	< 110		07/30/07 111.11	EPA8270
Dibenzo(a,h)anthracene	ug/Kg	< 110		07/30/07 111.11	EPA8270
Benzo(ghi)perylene	ug/Kg	< 110		07/30/07 111.11	EPA8270

cc: Goldman Env., Rick Kranes

LRL=Laboratory Reporting Limit

REMARKS:

DIRECTOR

rn = 21873

NYSDOH ID # 10320

Page 4 of 6

ECOTEST LABORATORIES, INC.

ENVIRONMENTAL TESTING

377 SHEFFIELD AVE. • N. BABYLON, N.Y. 11703 • (631) 422-5777 • FAX (631) 422-5770

Email: ecotestlab@aol.com Website: www.ecotestlabs.com

LAB NO. 273174.02

08/02/07

Watts Water Technologies
815 Chestnut Street
North Andover, MA 01845

ATTN: Robert Rein

PO#:

SOURCE OF SAMPLE: AOC-3

SOURCE OF SAMPLE:

COLLECTED BY: Goldman Env DATE COL'D: 07/23/07 RECEIVED: 07/23/07
TIME COL'D: 1145

MATRIX: Soil SAMPLE: Composite 2

Results reported on a dry weight basis

ANALYTICAL PARAMETERS	UNITS	RESULT	DATE OF ANALYSIS	FLAG	LRL	ANALYTICAL METHOD
Chromium as Cr	mg/Kg	570	07/24/07		0.5555	EPA6010
Copper as Cu	mg/Kg	190	07/24/07		1.1111	EPA6010
Nickel as Ni	mg/Kg	320	07/24/07		1.1111	EPA6010
Zinc as Zn	mg/Kg	72	07/24/07		1.1111	EPA6010
Reactive cyanide	mg/Kg	< 2.2	07/30/07		2.2222	EPA335.4
Sulfide as S	mg/Kg	< 2.2	07/30/07		2.2222	EPA376.3
Flash Point deg C		> 100	07/27/07		25	EPA1010
pH (lab) units		5.7	07/24/07		0.1	EPA9045C
TotalPet.Hydro.(GC)	mg/Kg	17	07/31/07		0.4444	EPA8015

cc: Goldman Env.. Rick Kranes

LRL=Laboratory Reporting Limit

REMARKS:

DIRECTOR



rn = 21874

NYSDOH ID # 10320

Page 5 of 6

ECOTEST LABORATORIES, INC.

ENVIRONMENTAL TESTING

377 SHEFFIELD AVE. • N. BABYLON, N.Y. 11703 • (631) 422-5777 • FAX (631) 422-5770

Email: ecotestlab@aol.com Website: www.ecotestlabs.com

LAB NO.273174.02

08/02/07

Watts Water Technologies
815 Chestnut Street
North Andover, MA 01845

ATTN: Robert Rein

PO#:

SOURCE OF SAMPLE: AOC-3

SOURCE OF SAMPLE:

COLLECTED BY: Goldman Env DATE COL'D:07/23/07 RECEIVED:07/23/07
TIME COL'D:1145

MATRIX:Extract SAMPLE: Composite 2
Soil
TCLP

ANALYTICAL PARAMETERS

UNITS RESULT

Chromium as Cr

mg/L 0.16

Copper as Cu

mg/L 1.3

Nickel as Ni

mg/L 0.86

Zinc as Zn

mg/L 0.9

TCLP Extraction

FLAG	DATE OF ANALYSIS	LRL
	07/24/07	0.05
	07/24/07	0.1
	07/24/07	0.1
	07/24/07	0.1
	07/23/07	

ANALYTICAL METHOD

EPA6010

EPA6010

EPA6010

EPA6010

EPA1311

cc:Goldman Env., Rick Kranes

LRL=Laboratory Reporting Limit

REMARKS:

DIRECTOR

rn = 21875

NYSDOH ID # 10320

Page 6 of 6

ECOTEST LABORATORIES, INC.

ENVIRONMENTAL TESTING

377 SHEFFIELD AVE. • N. BABYLON, N.Y. 11703 • (631) 422-5777 • FAX (631) 422-5770

Email: ecotestlab@aol.com Website: www.ecotestlabs.com

LAB NO. 273174.03

08/02/07

Watts Water Technologies
815 Chestnut Street
North Andover, MA 01845

ATTN: Robert Rein

PO#:

SOURCE OF SAMPLE: AOC-3

SOURCE OF SAMPLE:

COLLECTED BY: Goldman Env DATE COL'D: 07/23/07 RECEIVED: 07/23/07
TIME COL'D: 1245

MATRIX: Soil

SAMPLE: Composite 3

Results reported on a dry weight basis

ANALYTICAL PARAMETERS	UNITS	RESULT	FLAG	DATE OF	LRL	ANALYTICAL
				ANALYSIS		METHOD
Dichlorodifluoromethane	ug/Kg	< 5.4		07/25/07	5.4347	EPA8260
Chloromethane	ug/Kg	< 5.4		07/25/07	5.4347	EPA8260
Vinyl Chloride	ug/Kg	< 5.4		07/25/07	5.4347	EPA8260
Bromomethane	ug/Kg	< 5.4		07/25/07	5.4347	EPA8260
Chloroethane	ug/Kg	< 5.4		07/25/07	5.4347	EPA8260
Trichlorofluoromethane	ug/Kg	< 5.4		07/25/07	5.4347	EPA8260
1,1 Dichloroethene	ug/Kg	< 5.4		07/25/07	5.4347	EPA8260
Methylene Chloride	ug/Kg	< 5.4		07/25/07	5.4347	EPA8260
t-1,2-Dichloroethene	ug/Kg	< 5.4		07/25/07	5.4347	EPA8260
1,1 Dichloroethane	ug/Kg	< 5.4		07/25/07	5.4347	EPA8260
2,2-Dichloropropane	ug/Kg	< 5.4		07/25/07	5.4347	EPA8260
c-1,2-Dichloroethene	ug/Kg	< 5.4		07/25/07	5.4347	EPA8260
Bromochloromethane	ug/Kg	< 5.4		07/25/07	5.4347	EPA8260
Chloroform	ug/Kg	< 5.4		07/25/07	5.4347	EPA8260
111 Trichloroethane	ug/Kg	< 5.4		07/25/07	5.4347	EPA8260
Carbon Tetrachloride	ug/Kg	< 5.4		07/25/07	5.4347	EPA8260
1,1-Dichloropropene	ug/Kg	< 5.4		07/25/07	5.4347	EPA8260
Benzene	ug/Kg	< 5.4		07/25/07	5.4347	EPA8260
1,2 Dichloroethane	ug/Kg	< 5.4		07/25/07	5.4347	EPA8260
Trichloroethene	ug/Kg	< 5.4		07/25/07	5.4347	EPA8260
1,2 Dichloropropane	ug/Kg	< 5.4		07/25/07	5.4347	EPA8260
Dibromomethane	ug/Kg	< 5.4		07/25/07	5.4347	EPA8260
Bromodichloromethane	ug/Kg	< 5.4		07/25/07	5.4347	EPA8260
c-1,3Dichloropropene	ug/Kg	< 5.4		07/25/07	5.4347	EPA8260
Toluene	ug/Kg	< 5.4		07/25/07	5.4347	EPA8260

cc: Goldman Env., Rick Kranes

LRL=Laboratory Reporting Limit

REMARKS:

DIRECTOR

rn = 21876

NYSDOH ID # 10320

Page 1 of 6

ECOTEST LABORATORIES, INC.

ENVIRONMENTAL TESTING

377 SHEFFIELD AVE. • N. BABYLON, N.Y. 11703 • (631) 422-5777 • FAX (631) 422-5770

Email: ecotestlab@aol.com Website: www.ecotestlabs.com

LAB NO. 273174.03

08/02/07

Watts Water Technologies
815 Chestnut Street
North Andover, MA 01845

ATTN: Robert Rein

PO#:

SOURCE OF SAMPLE: AOC-3

SOURCE OF SAMPLE:

COLLECTED BY: Goldman Env DATE COL'D: 07/23/07 RECEIVED: 07/23/07
TIME COL'D: 1245

MATRIX: Soil

SAMPLE: Composite 3

Results reported on a dry weight basis

ANALYTICAL PARAMETERS	UNITS	RESULT	FLAG	DATE OF ANALYSIS	LRL	ANALYTICAL METHOD
t-1,3Dichloropropene	ug/Kg	< 5.4		07/25/07	5.4347	EPA8260
112 Trichloroethane	ug/Kg	< 5.4		07/25/07	5.4347	EPA8260
Tetrachloroethene	ug/Kg	< 5.4		07/25/07	5.4347	EPA8260
1,3-Dichloropropane	ug/Kg	< 5.4		07/25/07	5.4347	EPA8260
Chlorodibromomethane	ug/Kg	< 5.4		07/25/07	5.4347	EPA8260
1,2 Dibromoethane	ug/Kg	< 5.4		07/25/07	5.4347	EPA8260
Chlorobenzene	ug/Kg	< 5.4		07/25/07	5.4347	EPA8260
Ethyl Benzene	ug/Kg	< 5.4		07/25/07	5.4347	EPA8260
1112Tetrachloroethane	ug/Kg	< 5.4		07/25/07	5.4347	EPA8260
m + p Xylene	ug/Kg	< 11		07/25/07	10.869	EPA8260
o Xylene	ug/Kg	< 5.4		07/25/07	5.4347	EPA8260
Styrene	ug/Kg	< 5.4		07/25/07	5.4347	EPA8260
Bromoform	ug/Kg	< 5.4		07/25/07	5.4347	EPA8260
Isopropylbenzene	ug/Kg	< 5.4		07/25/07	5.4347	EPA8260
Bromobenzene	ug/Kg	< 5.4		07/25/07	5.4347	EPA8260
1122Tetrachloroethane	ug/Kg	< 5.4		07/25/07	5.4347	EPA8260
123-Trichloropropane	ug/Kg	< 5.4		07/25/07	5.4347	EPA8260
n-Propylbenzene	ug/Kg	< 5.4		07/25/07	5.4347	EPA8260
2-Chlorotoluene	ug/Kg	< 5.4		07/25/07	5.4347	EPA8260
135-Trimethylbenzene	ug/Kg	< 5.4		07/25/07	5.4347	EPA8260
4-Chlorotoluene	ug/Kg	< 5.4		07/25/07	5.4347	EPA8260
tert-Butylbenzene	ug/Kg	< 5.4		07/25/07	5.4347	EPA8260
124-Trimethylbenzene	ug/Kg	< 5.4		07/25/07	5.4347	EPA8260
sec-Butylbenzene	ug/Kg	< 5.4		07/25/07	5.4347	EPA8260
p-Isopropyltoluene	ug/Kg	< 5.4		07/25/07	5.4347	EPA8260

cc: Goldman Env., Rick Kranes

LRL=Laboratory Reporting Limit

REMARKS:

DIRECTOR

rn = 21877

NYSDOH ID # 10320

Page 2 of 6

ECOTEST LABORATORIES, INC.

ENVIRONMENTAL TESTING

377 SHEFFIELD AVE. • N. BABYLON, N.Y. 11703 • (631) 422-5777 • FAX (631) 422-5770

Email: ecotestlab@aol.com Website: www.ecotestlabs.com

LAB NO. 273174.03

08/02/07

Watts Water Technologies
815 Chestnut Street
North Andover, MA 01845

ATTN: Robert Rein

PO#:

SOURCE OF SAMPLE: AOC-3

SOURCE OF SAMPLE:

COLLECTED BY: Goldman Env DATE COL'D: 07/23/07 RECEIVED: 07/23/07
TIME COL'D: 1245

MATRIX: Soil SAMPLE: Composite 3

Results reported on a dry weight basis

ANALYTICAL PARAMETERS	UNITS	RESULT	FLAG	DATE OF ANALYSIS	LRL	ANALYTICAL METHOD
1,3 Dichlorobenzene (v)	ug/Kg	< 5.4		07/25/07	5.4347	EPA8260
1,4 Dichlorobenzene (v)	ug/Kg	< 5.4		07/25/07	5.4347	EPA8260
n-Butylbenzene	ug/Kg	< 5.4		07/25/07	5.4347	EPA8260
1,2 Dichlorobenzene (v)	ug/Kg	< 5.4		07/25/07	5.4347	EPA8260
Dibromochloropropane	ug/Kg	< 5.4		07/25/07	5.4347	EPA8260
124-Trichlorobenzene (v)	ug/Kg	< 5.4		07/25/07	5.4347	EPA8260
Hexachlorobutadiene	ug/Kg	< 5.4		07/25/07	5.4347	EPA8260
Naphthalene(v)	ug/Kg	< 5.4		07/25/07	5.4347	EPA8260
123-Trichlorobenzene	ug/Kg	< 5.4		07/25/07	5.4347	EPA8260
ter. ButylMethylEther	ug/Kg	< 5.4		07/25/07	5.4347	EPA8260
p-Ethyltoluene	ug/Kg	< 5.4		07/25/07	5.4347	EPA8260
Freon 113	ug/Kg	< 5.4		07/25/07	5.4347	EPA8260
1245 Tetramethylbenz	ug/Kg	< 5.4		07/25/07	5.4347	EPA8260
Acetone	ug/Kg	< 54		07/25/07	54.347	EPA8260
Methyl Ethyl Ketone	ug/Kg	< 54		07/25/07	54.347	EPA8260
Methylisobutylketone	ug/Kg	< 54		07/25/07	54.347	EPA8260
Chlorodifluoromethane	ug/Kg	< 5.4		07/25/07	5.4347	EPA8260
p Diethylbenzene	ug/Kg	< 5.4		07/25/07	5.4347	EPA8260
% Solids		92		07/25/07	0.1	SM182540G

cc:Goldman Env., Rick Kranes

LRL=Laboratory Reporting Limit

REMARKS:

DIRECTOR

rn = 21878

NYSDOH ID # 10320

Page 3 of 6

ECOTEST LABORATORIES, INC.

ENVIRONMENTAL TESTING

377 SHEFFIELD AVE. • N. BABYLON, N.Y. 11703 • (631) 422-5777 • FAX (631) 422-5770

Email: ecotestlab@aol.com Website: www.ecotestlabs.com

LAB NO. 273174.03

08/02/07

Watts Water Technologies
815 Chestnut Street
North Andover, MA 01845

ATTN: Robert Rein

PO#:

SOURCE OF SAMPLE: AOC-3

SOURCE OF SAMPLE:

COLLECTED BY: Goldman Env DATE COL'D: 07/23/07 RECEIVED: 07/23/07
TIME COL'D: 1245

MATRIX: Soil

SAMPLE: Composite 3

Results reported on a dry weight basis

ANALYTICAL PARAMETERS	UNITS	RESULT	FLAG	DATE OF	LRL	ANALYTICAL
				ANALYSIS		METHOD
Naphthalene(sv)	ug/Kg	< 110		07/30/07	108.69	EPA8270
2-Methylnaphthalene	ug/Kg	< 110		07/30/07	108.69	EPA8270
Acenaphthylene	ug/Kg	< 110		07/30/07	108.69	EPA8270
Acenaphthene	ug/Kg	< 110		07/30/07	108.69	EPA8270
Fluorene	ug/Kg	< 110		07/30/07	108.69	EPA8270
Phenanthrene	ug/Kg	< 110		07/30/07	108.69	EPA8270
Anthracene	ug/Kg	< 110		07/30/07	108.69	EPA8270
Fluoranthene	ug/Kg	< 110		07/30/07	108.69	EPA8270
Pyrene	ug/Kg	< 110		07/30/07	108.69	EPA8270
Benzo(a)anthracene	ug/Kg	< 110		07/30/07	108.69	EPA8270
Chrysene	ug/Kg	< 110		07/30/07	108.69	EPA8270
Benzo(b)fluoranthene	ug/Kg	< 110		07/30/07	108.69	EPA8270
Benzo(k)fluoranthene	ug/Kg	< 110		07/30/07	108.69	EPA8270
Benzo(a)pyrene	ug/Kg	< 110		07/30/07	108.69	EPA8270
Indeno(1,2,3-cd)pyrene	ug/Kg	< 110		07/30/07	108.69	EPA8270
Dibenzo(a,h)anthracene	ug/Kg	< 110		07/30/07	108.69	EPA8270
Benzo(ghi)perylene	ug/Kg	< 110		07/30/07	108.69	EPA8270

cc: Goldman Env., Rick Kranes

LRL=Laboratory Reporting Limit

REMARKS:

DIRECTOR

rn = 21879

NYSDOH ID # 10320

Page 4 of 6

ECOTEST LABORATORIES, INC.

ENVIRONMENTAL TESTING

377 SHEFFIELD AVE. • N. BABYLON, N.Y. 11703 • (631) 422-5777 • FAX (631) 422-5770

Email: ecotestlab@aol.com Website: www.ecotestlabs.com

LAB NO. 273174.03

08/02/07

Watts Water Technologies
815 Chestnut Street
North Andover, MA 01845

ATTN: Robert Rein

PO#:

SOURCE OF SAMPLE: AOC-3

SOURCE OF SAMPLE:

COLLECTED BY: Goldman Env DATE COL'D: 07/23/07 RECEIVED: 07/23/07
TIME COL'D: 1245

MATRIX: Soil SAMPLE: Composite 3

Results reported on a dry weight basis

ANALYTICAL PARAMETERS	UNITS	RESULT	DATE OF FLAG ANALYSIS	LRL	ANALYTICAL METHOD
Chromium as Cr	mg/Kg	850	07/24/07	0.5434	EPA6010
Copper as Cu	mg/Kg	200	07/24/07	1.0869	EPA6010
Nickel as Ni	mg/Kg	350	07/24/07	1.0869	EPA6010
Zinc as Zn	mg/Kg	98	07/24/07	1.0869	EPA6010
Reactive cyanide	mg/Kg	< 2.2	07/30/07	2.1739	EPA335.4
Sulfide as S	mg/Kg	< 2.2	07/30/07	2.1739	EPA376.3
Flash Point deg C		> 100	07/27/07	25	EPA1010
pH (lab) units		6.2	07/24/07	0.1	EPA9045C
TotalPet.Hydro.(GC)	mg/Kg	13	07/31/07	0.4347	EPA8015

cc: Goldman Env., Rick Kranes

LRL=Laboratory Reporting Limit

REMARKS:

DIRECTORY

rn = 21880

NYSDOH ID # 10320

Page 5 of 6

ECOTEST LABORATORIES, INC.

ENVIRONMENTAL TESTING

377 SHEFFIELD AVE. • N. BABYLON, N.Y. 11703 • (631) 422-5777 • FAX (631) 422-5770

Email: ecotestlab@aol.com Website: www.ecotestlabs.com

LAB NO. 273174.03

08/02/07

Watts Water Technologies
815 Chestnut Street
North Andover, MA 01845

ATTN: Robert Rein

PO#:

SOURCE OF SAMPLE: AOC-3

SOURCE OF SAMPLE:

COLLECTED BY: Goldman Env DATE COL'D: 07/23/07 RECEIVED: 07/23/07
TIME COL'D: 1245

MATRIX: Extract SAMPLE: Composite 3
Soil
TCLP

ANALYTICAL PARAMETERS

UNITS RESULT

Chromium as Cr
Copper as Cu
Nickel as Ni
Zinc as Zn
TCLP Extraction

mg/L 0.2
mg/L 1.6
mg/L 1.3
mg/L 1.7

FLAG	DATE OF ANALYSIS	LRL	ANALYTICAL METHOD
	07/24/07	0.05	EPA6010
	07/24/07	0.1	EPA6010
	07/24/07	0.1	EPA6010
	07/24/07	0.1	EPA6010
	07/23/07		EPA1311

cc: Goldman Env., Rick Kranes

LRL=Laboratory Reporting Limit

REMARKS:

DIRECTOR

rn = 21881

NYSDOH ID # 10320

Page 6 of 6

ECOTEST LABORATORIES, INC.**ENVIRONMENTAL TESTING**

377 SHEFFIELD AVE. • N. BABYLON, N.Y. 11703 • (631) 422-5777 • FAX (631) 422-5770

Email: ecotestlab@aol.com Website: www.ecotestlabs.com

LAB NO.273174.04

08/02/07

Watts Water Technologies
815 Chestnut Street
North Andover, MA 01845

ATTN: Robert Rein

PO#:

SOURCE OF SAMPLE: AOC-3

SOURCE OF SAMPLE:

COLLECTED BY: Goldman Env DATE COL'D:07/23/07 RECEIVED:07/23/07
TIME COL'D:1300

MATRIX:Solid SAMPLE: Concrete 1

Results reported on a dry weight basis

ANALYTICAL PARAMETERS	UNITS	RESULT	FLAG	DATE OF ANALYSIS	LRL	ANALYTICAL METHOD
Dichlorodifluoromethane	ug/Kg	< 6.3		07/25/07	6.25	EPA8260
Chloromethane	ug/Kg	< 6.3		07/25/07	6.25	EPA8260
Vinyl Chloride	ug/Kg	< 6.3		07/25/07	6.25	EPA8260
Bromomethane	ug/Kg	< 6.3		07/25/07	6.25	EPA8260
Chloroethane	ug/Kg	< 6.3		07/25/07	6.25	EPA8260
Trichlorofluoromethane	ug/Kg	< 6.3		07/25/07	6.25	EPA8260
1,1 Dichloroethene	ug/Kg	< 6.3		07/25/07	6.25	EPA8260
Methylene Chloride	ug/Kg	< 6.3		07/25/07	6.25	EPA8260
t-1,2-Dichloroethene	ug/Kg	< 6.3		07/25/07	6.25	EPA8260
1,1 Dichloroethane	ug/Kg	< 6.3		07/25/07	6.25	EPA8260
2,2-Dichloropropane	ug/Kg	< 6.3		07/25/07	6.25	EPA8260
c-1,2-Dichloroethene	ug/Kg	< 6.3		07/25/07	6.25	EPA8260
Bromochloromethane	ug/Kg	< 6.3		07/25/07	6.25	EPA8260
Chloroform	ug/Kg	< 6.3		07/25/07	6.25	EPA8260
111 Trichloroethane	ug/Kg	< 6.3		07/25/07	6.25	EPA8260
Carbon Tetrachloride	ug/Kg	< 6.3		07/25/07	6.25	EPA8260
1,1-Dichloropropene	ug/Kg	< 6.3		07/25/07	6.25	EPA8260
Benzene	ug/Kg	< 6.3		07/25/07	6.25	EPA8260
1,2 Dichloroethane	ug/Kg	< 6.3		07/25/07	6.25	EPA8260
Trichloroethene	ug/Kg	< 6.3		07/25/07	6.25	EPA8260
1,2 Dichloropropane	ug/Kg	< 6.3		07/25/07	6.25	EPA8260
Dibromomethane	ug/Kg	< 6.3		07/25/07	6.25	EPA8260
Bromodichloromethane	ug/Kg	< 6.3		07/25/07	6.25	EPA8260
c-1,3Dichloropropene	ug/Kg	< 6.3		07/25/07	6.25	EPA8260
Toluene	ug/Kg	< 6.3		07/25/07	6.25	EPA8260

cc:Goldman Env., Rick Kranes

LRL=Laboratory Reporting Limit

REMARKS:

DIRECTOR

rn = 21882

NYSDOH ID # 10320

Page 1 of 6

ECOTEST LABORATORIES, INC.**ENVIRONMENTAL TESTING**

377 SHEFFIELD AVE. • N. BABYLON, N.Y. 11703 • (631) 422-5777 • FAX (631) 422-5770

Email: ecotestlab@aol.com Website: www.ecotestlabs.com

LAB NO. 273174.04

08/02/07

Watts Water Technologies
815 Chestnut Street
North Andover, MA 01845

ATTN: Robert Rein

PO#:

SOURCE OF SAMPLE: AOC-3

SOURCE OF SAMPLE:

COLLECTED BY: Goldman Env DATE COL'D: 07/23/07 RECEIVED: 07/23/07
TIME COL'D: 1300

MATRIX: Solid SAMPLE: Concrete 1

Results reported on a dry weight basis

ANALYTICAL PARAMETERS	UNITS	RESULT	FLAG	DATE OF ANALYSIS	LRL	ANALYTICAL METHOD
t-1,3Dichloropropene	ug/Kg	< 6.3		07/25/07	6.25	EPA8260
112 Trichloroethane	ug/Kg	< 6.3		07/25/07	6.25	EPA8260
Tetrachloroethene	ug/Kg	< 6.3		07/25/07	6.25	EPA8260
1,3-Dichloropropane	ug/Kg	< 6.3		07/25/07	6.25	EPA8260
Chlorodibromomethane	ug/Kg	< 6.3		07/25/07	6.25	EPA8260
1,2 Dibromoethane	ug/Kg	< 6.3		07/25/07	6.25	EPA8260
Chlorobenzene	ug/Kg	< 6.3		07/25/07	6.25	EPA8260
Ethyl Benzene	ug/Kg	< 6.3		07/25/07	6.25	EPA8260
1112Tetrachloroethane	ug/Kg	< 6.3		07/25/07	6.25	EPA8260
m + p Xylene	ug/Kg	< 13		07/25/07	12.5	EPA8260
o Xylene	ug/Kg	< 6.3		07/25/07	6.25	EPA8260
Styrene	ug/Kg	< 6.3		07/25/07	6.25	EPA8260
Bromoform	ug/Kg	< 6.3		07/25/07	6.25	EPA8260
Isopropylbenzene	ug/Kg	< 6.3		07/25/07	6.25	EPA8260
Bromobenzene	ug/Kg	< 6.3		07/25/07	6.25	EPA8260
1122Tetrachloroethane	ug/Kg	< 6.3		07/25/07	6.25	EPA8260
123-Trichloropropane	ug/Kg	< 6.3		07/25/07	6.25	EPA8260
n-Propylbenzene	ug/Kg	< 6.3		07/25/07	6.25	EPA8260
2-Chlorotoluene	ug/Kg	< 6.3		07/25/07	6.25	EPA8260
135-Trimethylbenzene	ug/Kg	< 6.3		07/25/07	6.25	EPA8260
4-Chlorotoluene	ug/Kg	< 6.3		07/25/07	6.25	EPA8260
tert-Butylbenzene	ug/Kg	< 6.3		07/25/07	6.25	EPA8260
124-Trimethylbenzene	ug/Kg	< 6.3		07/25/07	6.25	EPA8260
sec-Butylbenzene	ug/Kg	< 6.3		07/25/07	6.25	EPA8260
p-Isopropyltoluene	ug/Kg	< 6.3		07/25/07	6.25	EPA8260

cc: Goldman Env., Rick Kranes

LRL=Laboratory Reporting Limit

REMARKS:

DIRECTOR

rn = 21883

NYSDOH ID # 10320

Page 2 of 6

ECOTEST LABORATORIES, INC.

ENVIRONMENTAL TESTING

377 SHEFFIELD AVE. • N. BABYLON, N.Y. 11703 • (631) 422-5777 • FAX (631) 422-5770

Email: ecotestlab@aol.com Website: www.ecotestlabs.com

LAB NO.273174.04

08/02/07

Watts Water Technologies
815 Chestnut Street
North Andover, MA 01845

ATTN: Robert Rein

PO#:

SOURCE OF SAMPLE: AOC-3

SOURCE OF SAMPLE:

COLLECTED BY: Goldman Env DATE COL'D:07/23/07 RECEIVED:07/23/07
TIME COL'D:1300

MATRIX:Solid SAMPLE: Concrete 1

Results reported on a dry weight basis

ANALYTICAL PARAMETERS	UNITS	RESULT	FLAG	DATE OF ANALYSIS	LRL	ANALYTICAL METHOD
1,3 Dichlorobenzene (v)	ug/Kg	< 6.3		07/25/07	6.25	EPA8260
1,4 Dichlorobenzene (v)	ug/Kg	< 6.3		07/25/07	6.25	EPA8260
n-Butylbenzene	ug/Kg	< 6.3		07/25/07	6.25	EPA8260
1,2 Dichlorobenzene (v)	ug/Kg	< 6.3		07/25/07	6.25	EPA8260
Dibromochloropropane	ug/Kg	< 6.3		07/25/07	6.25	EPA8260
124-Trichlorobenzene (v)	ug/Kg	< 6.3		07/25/07	6.25	EPA8260
Hexachlorobutadiene	ug/Kg	< 6.3		07/25/07	6.25	EPA8260
Naphthalene(v)	ug/Kg	< 6.3		07/25/07	6.25	EPA8260
123-Trichlorobenzene	ug/Kg	< 6.3		07/25/07	6.25	EPA8260
ter. ButylMethylEther	ug/Kg	< 6.3		07/25/07	6.25	EPA8260
p-Ethyltoluene	ug/Kg	< 6.3		07/25/07	6.25	EPA8260
Freon 113	ug/Kg	< 6.3		07/25/07	6.25	EPA8260
1245 Tetramethylbenz	ug/Kg	< 6.3		07/25/07	6.25	EPA8260
Acetone	ug/Kg	110		07/25/07	62.5	EPA8260
Methyl Ethyl Ketone	ug/Kg	< 63		07/25/07	62.5	EPA8260
Methylisobutylketone	ug/Kg	< 63		07/25/07	62.5	EPA8260
Chlorodifluoromethane	ug/Kg	< 6.3		07/25/07	6.25	EPA8260
p Diethylbenzene	ug/Kg	< 6.3		07/25/07	6.25	EPA8260
% Solids		80		07/25/07	0.1	SM182540G

cc:Goldman Env., Rick Kranes

LRL=Laboratory Reporting Limit

REMARKS:

DIRECTOR

rn = 21884

NYSDOH ID # 10320

Page 3 of 6

ECOTEST LABORATORIES, INC.**ENVIRONMENTAL TESTING**

377 SHEFFIELD AVE. • N. BABYLON, N.Y. 11703 • (631) 422-5777 • FAX (631) 422-5770

Email: ecotestlab@aol.com Website: www.ecotestlabs.com

LAB NO. 273174.04

08/02/07

Watts Water Technologies
815 Chestnut Street
North Andover, MA 01845

ATTN: Robert Rein

PO#:

SOURCE OF SAMPLE: AOC-3

SOURCE OF SAMPLE:

COLLECTED BY: Goldman Env DATE COL'D: 07/23/07 RECEIVED: 07/23/07
TIME COL'D: 1300

MATRIX: Solid SAMPLE: Concrete 1

Results reported on a dry weight basis

ANALYTICAL PARAMETERS	UNITS	RESULT	FLAG	DATE OF ANALYSIS	LRL	ANALYTICAL METHOD
Naphthalene(sv)	ug/Kg	< 250		07/31/07	250	EPA8270
2-Methylnaphthalene	ug/Kg	< 250		07/31/07	250	EPA8270
Acenaphthylene	ug/Kg	< 250		07/31/07	250	EPA8270
Acenaphthene	ug/Kg	< 250		07/31/07	250	EPA8270
Fluorene	ug/Kg	< 250		07/31/07	250	EPA8270
Phenanthrene	ug/Kg	< 250		07/31/07	250	EPA8270
Anthracene	ug/Kg	< 250		07/31/07	250	EPA8270
Fluoranthene	ug/Kg	< 250		07/31/07	250	EPA8270
Pyrene	ug/Kg	< 250		07/31/07	250	EPA8270
Benzo(a)anthracene	ug/Kg	< 250		07/31/07	250	EPA8270
Chrysene	ug/Kg	< 250		07/31/07	250	EPA8270
Benzo(b)fluoranthene	ug/Kg	< 250		07/31/07	250	EPA8270
Benzo(k)fluoranthene	ug/Kg	< 250		07/31/07	250	EPA8270
Benzo(a)pyrene	ug/Kg	< 250		07/31/07	250	EPA8270
Indeno(1,2,3-cd)pyrene	ug/Kg	< 250		07/31/07	250	EPA8270
Dibenzo(a,h)anthracene	ug/Kg	< 250		07/31/07	250	EPA8270
Benzo(ghi)perylene	ug/Kg	< 250		07/31/07	250	EPA8270

cc: Goldman Env., Rick Kranes

LRL=Laboratory Reporting Limit

REMARKS: Elevated detection limit due to interference.

DIRECTOR

rn = 21885

NYSDOH ID # 10320

Page 4 of 6

ECOTEST LABORATORIES, INC.

ENVIRONMENTAL TESTING

377 SHEFFIELD AVE. • N. BABYLON, N.Y. 11703 • (631) 422-5777 • FAX (631) 422-5770

Email: ecotestlab@aol.com Website: www.ecotestlabs.com

LAB NO.273174.04

08/02/07

Watts Water Technologies
815 Chestnut Street
North Andover, MA 01845

ATTN: Robert Rein

PO#:

SOURCE OF SAMPLE: AOC-3

SOURCE OF SAMPLE:

COLLECTED BY: Goldman Env DATE COL'D:07/23/07 RECEIVED:07/23/07
TIME COL'D:1300

MATRIX:Solid SAMPLE: Concrete 1

Results reported on a dry weight basis

ANALYTICAL PARAMETERS	UNITS	RESULT	FLAG	DATE OF ANALYSIS	LRL	ANALYTICAL METHOD
Chromium as Cr	mg/Kg	430		07/24/07	0.625	EPA6010
Copper as Cu	mg/Kg	450		07/24/07	1.25	EPA6010
Nickel as Ni	mg/Kg	1200		07/24/07	1.25	EPA6010
Zinc as Zn	mg/Kg	230		07/24/07	1.25	EPA6010
Reactive cyanide	mg/Kg	< 2.5		07/30/07	2.5	EPA335.4
Sulfide as S	mg/Kg	< 2.5		07/30/07	2.5	EPA376.3
Flash Point deg C		> 100		07/27/07	25	EPA1010
pH (lab) units		11.5		07/24/07	0.1	EPA9045C
TotalPet.Hydro.(GC)	mg/Kg	180		07/31/07	5	EPA8015

cc:Goldman Env., Rick Kranes

LRL=Laboratory Reporting Limit

REMARKS:

DIRECTOR

rn = 21886

NYSDOH ID # 10320

Page 5 of 6

ECOTEST LABORATORIES, INC.

ENVIRONMENTAL TESTING

377 SHEFFIELD AVE. • N. BABYLON, N.Y. 11703 • (631) 422-5777 • FAX (631) 422-5770

Email: ecotestlab@aol.com Website: www.ecotestlabs.com

LAB NO.273174.04

08/02/07

Watts Water Technologies
815 Chestnut Street
North Andover, MA 01845

ATTN: Robert Rein

PO#:

SOURCE OF SAMPLE: AOC-3

SOURCE OF SAMPLE:

COLLECTED BY: Goldman Env DATE COL'D:07/23/07 RECEIVED:07/23/07
TIME COL'D:1300

MATRIX:Extract SAMPLE: Concrete 1
Solid
TCLP

ANALYTICAL PARAMETERS

Chromium as Cr
Copper as Cu
Nickel as Ni
Zinc as Zn
TCLP Extraction

UNITS	RESULT
mg/L	< 0.05
mg/L	< 0.1
mg/L	< 0.1
mg/L	< 0.1

FLAG	DATE OF ANALYSIS	LRL	ANALYTICAL METHOD
	07/24/07	0.05	EPA6010
	07/24/07	0.1	EPA6010
	07/24/07	0.1	EPA6010
	07/24/07	0.1	EPA6010
	07/23/07		EPA1311

cc:Goldman Env., Rick Kranes

LRL=Laboratory Reporting Limit

REMARKS:

DIRECTOR

rn = 21887

NYSDOH ID # 10320

Page 6 of 6