

110 Sand Company

170 Cabot Street
West Babylon, New York 11704
631-249-4108 Fax 631-249-4126

PIT LOCATION: BETHPAGE/SPAGNOLI ROAD, MELVILLE, N.Y. 11747 (631) 694-2822 FAX (631) 694-2832

December 18, 2007

Eastern Environmental Solutions, Inc.
258 Line Rd
Manorville, N.Y. 11949

Attention: Mike Flynn


Re: Watts Water / Former Jamco
275 Wyandanch Av, Wyandanch, NY

To Whom it May Concern:

Please be advised that the soil fill material being provided for the above referenced jobsite is virgin material from the 110 Sand Company pit located at 136 Spagnoli Rd, Melville, NY.

If I can be of any further assistance, please do not hesitate to call me at the above phone number.

Very truly yours,



James Debis, P.E.
Engineer



**LONG
ISLAND
ANALYTICAL
LABORATORIES INC.**

"TOMORROW'S ANALYTICAL SOLUTIONS TODAY"

NYSDOH ELAP# 11693
USEPA# NY01273
CTDOH# PH-0284
AIHA# 164456
NJDEP# NY012
PADEP# 68-2943

LONG ISLAND ANALYTICAL LABORATORIES, INC. DATA REPORTING FLAGS

For reporting results, the following "Flags" are used:

- A: Time not supplied by client, may have exceeded holding time
- B: Holding time exceeded, results cannot be used for regulatory purposes
- C: Minimum detection limit raised due to matrix interference
- D: Minimum detection limit raised due to target compound interference
- E: Minimum detection limit raised due to non-target compound interference
- F: Minimum detection limit raised due to insufficient sample volume
- G: Sample received in incorrect container
- H: Sample not preserved, corrected upon receipt
- I: Dilution Water does not meet QC Criteria
- J: Estimated concentration, exceeds calibration range
- K: Target compound found in blank
- L: Subcontractor ELAP #11398
- M: Subcontractor ELAP #10320
- N: Subcontractor NVLAP #102047.0
- O: Subcontractor AIHA #103005
- P: Subcontractor A2LA 2004-01
- Q: Subcontractor ELAP #11026
- R: Subcontractor ELAP #10155
- S: Subcontractor ELAP #11501
- T: Subcontractor CTC
- U: Subcontractor ELAP #11685
- V: QC affected by matrix
- W: Subcontractor ELAP #10248
- X: QC does not meet acceptance criteria
- Y: Sample container received with head space
- Z: Insufficient sample volume received
- AA: Preliminary results, cannot be used for regulatory purposes.
- BB: Spike recovery does not meet QC criteria due to high target concentration
- CC: Date reported below the lower limit of quantitation and should be considered to have an increased quantitative uncertainty.
- DD: Sampling information not supplied and/or sample not taken by qualified technician, therefore verifiability of the report is limited to results only. Report cannot be used for regulatory purposes.
- EE: Subcontractor ELAP : #11777
- FF: Unable to verify that the wipe samples submitted conform to ASTM E1792 or specifications issued by the EPA.

Eastern Environmental Solutions, Inc.

"Innovative Solutions for Today's Environmental Concerns"

258 Line Road
Manorville, New York 11949
Office: (631) 727-2700
Fax: (631) 727-2777


24 Hr Emergency Spill Response • Tank Installations, Abandonment & Removals • Contaminated Soil Excavation & Removal • Groundwater Remediation & Disposal • Well Drilling & Installation • Geoprobe® Services • Diffusion Well Installations • Site Restoration • Structural & Content Decontamination • Soil & Groundwater Sampling & Testing • Subsurface Investigations • Vector® Truck Services • Hydro-Excavation • Roll Off Container Services • Vacuum Tanker Truck Services • RCRA Plant Closures • Industrial Plant Cleaning & Closures • Drywell, Sanitary & Drainage Installations, Cleaning & Repairs • Video Inspections, Manhole Grouting & Root Cutting • Hazardous Waste Removal, Transportation & Disposal • Indoor Air Quality Surveys • Mold & Lead Based Paint Abatement • Environmental Inspections

---FAX TRANSMITTAL---

To:	Jaime Ascher / Brian Butler GEC		From:	Michael O. Flynn, Jr.	
Company:	NYS DEC		Date:	12-18-07	
RE:			Project:	Watts / former Jameco	
Fax:	444-0248		Pages (including cover):	11	
☐ Urgent	☒ For Review	☐ Please Comment	☐ Please Reply	☐ Please Recycle	

Backfill analysis & virgin soil letter from source.

Please call if you have any questions.



This telecopy is privileged and contains confidential information intended only for the person(s) named above. Any other distribution, copying or disclosure is strictly prohibited. If you have received this telecopy in error, please notify us immediately by telephone and return the original transmission to us by mail without making a copy.

OSHA Trained • Licensed • Bonded • Insured

"Innovative Solutions for Today's Environmental Concerns"

Investigation

Remediation

Restoration



**LONG
ISLAND
ANALYTICAL
LABORATORIES INC.**

NYSDOH ELAP# 11699
USEPA# NY01273
CTDOH# PH-0284
AIHA# 164456
NJDEP# NY012
PADEP# 88-2949

"TOMORROW'S ANALYTICAL SOLUTIONS TODAY"

1 of 7 pages

December 18, 2007

Eastern Environmental Solutions, Inc.
Mike Flynn
258 Line Road
Manorville, New York 11949

Re: **110 Sand**

Dear Mr. Flynn:

Enclosed please find the Laboratory Analysis Report(s) for sample(s) received on December 13, 2007. Long Island Analytical Laboratories analyzed the samples on December 18, 2007 for the following:

CLIENT ID	ANALYSIS
Virgin Backfill	EPA 8260, EPA 8270, Total (8) Metals including Copper, Nickel, Zinc, TPH 418.1

Samples received at 10°C.

If you have any questions or require further information, please call at your convenience. Long Island Analytical Laboratories Inc. is a NELAP accredited laboratory. All reported results meet the requirements of the NELAP standards unless noted above. Report shall not be reproduced except in full, without the written approval of the laboratory. Long Island Analytical Laboratories would like to thank you for the opportunity to be of service to you.

Best Regards,

Long Island Analytical Laboratories, Inc.

2 of 7 pages

Client: Eastern Environmental	Client ID: 110 Sand (Virgin Backfill)
Date received: 12/13/07	Laboratory ID: 1150019
Date extracted: 12/14/07	Matrix: Soil
Date analyzed: 12/14/07	ELAP #: 11693

EPA METHOD 8260

PARAMETER	CAS No.	MDL	RESULTS ug/kg	FLAG
DICHLORODIFLUOROMETHANE	75-71-8	5 ug/kg	<5	
CHLOROMETHANE	74-87-3	5 ug/kg	<5	
VINYL CHLORIDE	75-01-4	5 ug/kg	<5	
BROMOMETHANE	74-83-9	5 ug/kg	<5	
CHLOROETHANE	75-00-3	5 ug/kg	<5	
TRICHLOROFLUOROMETHANE	75-69-4	5 ug/kg	<5	
1,1-DICHLOROETHENE	75-35-4	5 ug/kg	<5	
METHYLENE CHLORIDE	75-09-2	5 ug/kg	<5	
trans-1,2-DICHLOROETHENE	156-60-5	5 ug/kg	<5	
1,1-DICHLOROETHANE	75-34-3	5 ug/kg	<5	
2,2-DICHLOROPROPANE	594-20-7	5 ug/kg	<5	
cis-1,2-DICHLOROETHENE	156-59-2	5 ug/kg	<5	
BROMOCHLOROMETHANE	74-97-5	5 ug/kg	<5	
CHLOROFORM	67-66-3	5 ug/kg	<5	
1,1,1-TRICHLOROETHANE	71-55-6	5 ug/kg	<5	
CARBON TETRACHLORIDE	56-23-5	5 ug/kg	<5	
1,1-DICHLOROPROPENE	563-58-6	5 ug/kg	<5	
BENZENE	71-43-2	5 ug/kg	<5	
1,2-DICHLOROETHANE	107-06-2	5 ug/kg	<5	
TRICHLOROETHENE	79-01-6	5 ug/kg	<5	
1,2-DICHLOROPROPANE	78-87-5	5 ug/kg	<5	
DIBROMOMETHANE	74-95-3	5 ug/kg	<5	
BROMODICHLOROMETHANE	75-27-4	5 ug/kg	<5	
cis-1,3-DICHLOROPROPENE	10061-01-5	5 ug/kg	<5	
TOLUENE	108-88-3	5 ug/kg	<5	
trans-1,3-DICHLOROPROPENE	10061-02-6	5 ug/kg	<5	
1,1,2-TRICHLOROETHANE	79-00-5	5 ug/kg	<5	
TETRACHLOROETHYLENE	127-18-4	5 ug/kg	<5	
1,3-DICHLOROPROPANE	142-28-9	5 ug/kg	<5	
DIBROMOCHLOROMETHANE	124-48-1	5 ug/kg	<5	
1,2-DIBROMOETHANE	106-93-4	5 ug/kg	<5	
CHLOROBENZENE	108-90-7	5 ug/kg	<5	
1,1,1,2-TETRACHLOROETHANE	630-20-6	5 ug/kg	<5	
ETHYLBENZENE	100-41-4	5 ug/kg	<5	
STYRENE	100-42-5	5 ug/kg	<5	
BROMOFORM	75-25-2	5 ug/kg	<5	

MDL = Minimum Detection Limit.

Calculated on a wet weight basis



**LONG
ISLAND
ANALYTICAL
LABORATORIES INC.**

110 Colin Drive • Holbrook, New York 11741

TOMORROW'S ANALYTICAL SOLUTIONS TODAY™

Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

3 of 7 pages

Client: Eastern Environmental	Client ID: 110 Sand (Virgin Backfill)
Date received: 12/13/07	Laboratory ID: 1150019
Date extracted: 12/14/07	Matrix: Soil
Date analyzed: 12/14/07	ELAP #: 11693

EPA METHOD 8260

PARAMETER	CAS No.	MDL	RESULTS ug/kg	FLAG
ISOPROPYLBENZENE	98-82-8	5 ug/kg	<5	
BROMOBENZENE	108-86-1	5 ug/kg	<5	
1,1,2,2-TETRACHLOROETHANE	79-34-5	5 ug/kg	<5	
1,2,3-TRICHLOROPROPANE	96-18-4	5 ug/kg	<5	
n-PROPYLBENZENE	103-65-1	5 ug/kg	<5	
2-CHLOROTOLUENE	95-49-8	5 ug/kg	<5	
4-CHLOROTOLUENE	106-43-4	5 ug/kg	<5	
1,3,5-TRIMETHYLBENZENE	108-67-8	5 ug/kg	<5	
tert-BUTYLBENZENE	98-06-6	5 ug/kg	<5	
1,2,4-TRIMETHYLBENZENE	95-63-8	5 ug/kg	<5	
sec-BUTYLBENZENE	135-98-8	5 ug/kg	<5	
1,3-DICHLOROBENZENE	541-73-1	5 ug/kg	<5	
P-ISOPROPYLTOLUENE	99-87-6	5 ug/kg	<5	
1,4-DICHLOROBENZENE	106-46-7	5 ug/kg	<5	
1,2-DICHLOROBENZENE	95-50-1	5 ug/kg	<5	
n-BUTYLBENZENE	104-51-8	5 ug/kg	<5	
1,2-DIBROMO-3-CHLOROPROPANE	96-12-8	5 ug/kg	<5	
1,2,4-TRICHLOROBENZENE	120-82-1	5 ug/kg	<5	
HEXACHLOROBUTADIENE	87-68-3	5 ug/kg	<5	
NAPHTHALENE	91-20-3	5 ug/kg	<5	
1,2,3-TRICHLOROBENZENE	87-61-6	5 ug/kg	<5	
2-CHLOROETHYL VINYL ETHER	110-75-8	5 ug/kg	<5	
ACETONE	67-64-1	50 ug/kg	<50	
METHYL ETHYL KETONE	78-93-3	10 ug/kg	<10	
METHYL ISOBUTYL KETONE	108-10-1	5 ug/kg	<5	
p & m-XYLENES	1330-20-7	10 ug/kg	<10	
o-XYLENE	1330-20-7	5 ug/kg	<5	
CARBON DISULFIDE	751-15-0	5 ug/kg	<5	
MTBE	1634-04-4	5 ug/kg	<5	
VINYL ACETATE	108-05-4	5 ug/kg	<5	
2-HEXANONE	591-78-6	5 ug/kg	<5	

MDL = Minimum Detection Limit.

Calculated on a wet weight basis



Michael Veraldi-Laboratory Director



**LONG
ISLAND
ANALYTICAL
LABORATORIES INC.**

110 Colin Drive • Holbrook, New York 11741

TOMORROW'S ANALYTICAL SOLUTIONS TODAY™

Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

4 of 7 pages

Client: Eastern Environmental	Client ID: 110 Sand (Virgin Backfill)
Date received: 12/13/07	Laboratory ID: 1150019
Date extracted: 12/17/07	Matrix: Soil
Date analyzed: 12/17/07	ELAP #: 11693

EPA METHOD 8270

Parameter	CAS No.	MDL	Results ug/kg	Flag
N-NITROSODIMETHYLAMINE	62-75-9	40 ug/kg	<40	
PHENOL	108-95-2	40 ug/kg	<40	
ANILINE	62-53-3	40 ug/kg	<40	
2-CHLOROPHENOL	95-57-8	40 ug/kg	<40	
Bis(2-CHLOROETHYL)ETHER	111-44-4	40 ug/kg	<40	
1,3-DICHLOROBENZENE	541-73-1	40 ug/kg	<40	
1,4-DICHLOROBENZENE	106-46-7	40 ug/kg	<40	
BENZYL ALCOHOL	100-51-6	40 ug/kg	<40	
1,2-DICHLOROBENZENE	95-50-1	40 ug/kg	<40	
2-METHYLPHENOL	95-48-7	40 ug/kg	<40	
Bis(2-CHLOROISOPROPYL)ETHER	108-60-1	40 ug/kg	<40	
HEXACHLOROETHANE	67-72-1	40 ug/kg	<40	
3+4-METHYLPHENOL	15831-10-4	40 ug/kg	<40	
N-NITROSODI-n-PROPYL AMINE	621-64-7	40 ug/kg	<40	
NITROBENZENE	98-95-3	40 ug/kg	<40	
ISOPHORONE	78-59-1	40 ug/kg	<40	
2-NITROPHENOL	88-75-5	40 ug/kg	<40	
2,4-DIMETHYLPHENOL	105-67-9	40 ug/kg	<40	
BENZOIC ACID	65-80-8	40 ug/kg	<40	
Bis(2-CHLOROETHOXY)METHANE	111-91-1	40 ug/kg	<40	
2,4-DICHLOROPHENOL	102-83-2	40 ug/kg	<40	
1,2,4-TRICHLOROBENZENE	120-82-1	40 ug/kg	<40	
NAPHTHALENE	91-20-3	40 ug/kg	<40	
4-CHLOROANILINE	106-47-8	40 ug/kg	<40	
HEXACHLOROBUTADIENE	87-68-3	40 ug/kg	<40	
4-CHLORO-3-METHYLPHENOL	59-50-7	40 ug/kg	<40	
2-METHYLNAPHTHALENE	91-57-6	40 ug/kg	<40	
HEXACHLOROCYCLOPENTADIENE	77-47-4	66 ug/kg	<66	
2,4,6-TRICHLOROPHENOL	88-06-2	40 ug/kg	<40	
2,4,5-TRICHLOROPHENOL	95-95-4	40 ug/kg	<40	
2-CHLORONAPHTHALENE	91-58-7	40 ug/kg	<40	
2-NITROANILINE	88-74-4	40 ug/kg	<40	
DIMETHYLPHTHALATE	131-11-3	40 ug/kg	<40	
ACENAPHTHYLENE	208-96-8	40 ug/kg	<40	
2,6-DINITROTOLUENE	606-20-2	40 ug/kg	<40	
3-NITROANILINE	99-09-2	40 ug/kg	<40	

MDL = Minimum Detection Limit.

Calculated on a wet weight basis



**LONG
ISLAND
ANALYTICAL
LABORATORIES INC.**

110 Colin Drive • Holbrook, New York 11741

"EMERGENCY ANALYTICAL SOLUTIONS TODAY"

Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

5 of 7 pages

Client: Eastern Environmental	Client ID: 110 Sand (Virgin Backfill)
Date received: 12/13/07	Laboratory ID: 1150019
Date extracted: 12/17/07	Matrix: Soil
Date analyzed: 12/17/07	ELAP #: 11693

EPA METHOD 8270

Parameter	CAS No.	MDL	Results ug/kg	Flag
ACENAPHTHENE	83-32-9	40 ug/kg	<40	
2,4-DINITROPHENOL	51-28-5	40 ug/kg	<40	
DIBENZOFURAN	132-84-9	40 ug/kg	<40	
4-NITROPHENOL	100-02-7	40 ug/kg	<40	
2,4-DINITROTOLUENE	121-14-2	40 ug/kg	<40	
FLUORENE	86-73-7	40 ug/kg	<40	
DIETHYLPHTHALATE	84-66-2	40 ug/kg	<40	
4-CHLOROPHENYL PHENYL ETHER	7005-72-3	40 ug/kg	<40	
4-NITROANILINE	100-01-6	40 ug/kg	<40	
4,6-DINITRO-2-METHYLPHENOL	534-52-1	40 ug/kg	<40	
N-NITROSODIPHENYLAMINE	86-30-6	40 ug/kg	<40	
AZOBENZENE	103-33-3	40 ug/kg	<40	
4-BROMOPHENYL-PHENYL ETHER	101-55-3	40 ug/kg	<40	
HEXACHLOROBENZENE	118-74-1	40 ug/kg	<40	
PENTACHLORPHENOL	87-86-5	40 ug/kg	<40	
PHENANTHRENE	85-01-8	40 ug/kg	<40	
ANTHRACENE	120-12-7	40 ug/kg	<40	
CARBAZOLE	86-74-8	40 ug/kg	<40	
Di-n-BUTYLPHTHALATE	84-74-2	500 ug/kg	<500	
FLUORANTHENE	206-44-0	40 ug/kg	<40	
PYRENE	129-00-0	40 ug/kg	<40	
BUTYLBENZYLPHTHALATE	85-68-7	40 ug/kg	<40	
BENZO-a-ANTHRACENE	56-55-3	40 ug/kg	<40	
CHRYSENE	218-01-9	40 ug/kg	<40	
3,3-DICHLOROBENZIDINE	91-94-1	40 ug/kg	<40	
Bis(2-ETHYLEXYL)PHTALATE	117-81-7	500 ug/kg	<500	
DI-n-OCTYLPHTHALATE	117-84-0	40 ug/kg	<40	
BENZO-b-FLUOROANTHENE	205-99-2	40 ug/kg	<40	
BENZO-k- FLUOROANTHENE	207-08-9	40 ug/kg	<40	
BENZO-a-PYRENE	50-32-8	40 ug/kg	<40	
INDENO(1,2,3-c,d)PYRENE	193-39-5	40 ug/kg	<40	
DIBENZO-a,h-ANTHRACENE	53-70-3	40 ug/kg	<40	
BENZO-g,h,i-PERYLENE	191-24-2	40 ug/kg	<40	

MDL = Minimum Detection Limit.

Calculated on a wet weight basis

Michael Veraldi

Michael Veraldi-Laboratory Director



**LONG
ISLAND
ANALYTICAL
LABORATORIES INC.**

110 Colin Drive • Holbrook, New York 11741

INNOVATIVE ANALYTICAL SOLUTIONS TODAY™

Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com



110 Colin Drive • Holbrook, New York 11741 • Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Pg. 09 of 09

Environmental Laboratory

CHAIN OF CUSTODY / REQUEST FOR ANALYSIS DOCUMENT

18

CLIENT NAME/ADDRESS Eastern Env. Solutions		CONTACT: PHONE: FAX:		DATE		TIME		SAMPLE(S) SEALED		YES / NO		LA 0036103 (FI)	
PROJECT LOCATION: 110 SAMP		SAMPLER NAME (PRINT) WM. Milligan		DATE 12/13/07		TIME 12:13		CORRECT CONTAINER(S)		YES / NO YES			

TERMS & CONDITIONS: Accounts are payable in full within thirty days, outstanding balances accrue service charges of 1.5% per month.						SAMPLES RECEIVED AT	
LABORATORY ID. # For Laboratory Use Only		MATRIX	TYPE	PRES.	PH UNITS	RES. CHLORINE PPM	SAMPLE # LOCATION
110019		SG					Virginia Beach, VA

TURNAROUND REQUIRED: ☐ NORMAL ☐ STAT		COMMENTS / INSTRUCTIONS 8 RCRA inc. REV 4:10	
BY 1			
RELINQUISHED BY (SIGNATURE) WM. Milligan	DATE 12/13/07	TIME 12:13	PRINTED NAME WM. Milligan
RELINQUISHED BY (SIGNATURE)	DATE	TIME	PRINTED NAME

WHITE - OFFICE / CANARY - LAB / PINK - SAMPLE CUSTODIAN / GOLDENROD - CLIENT

6 of 7 pages

Client: Eastern Environmental	Client ID: 110 Sand (Virgin Backfill)
Date received: 12/13/07	Laboratory ID: 1150019
Date analyzed: See Below	Matrix: Soil

METALS ANALYSIS

Parameter	MDL	Date Analyzed	Results mg/kg	Flag
SILVER, Ag	1.65 mg/kg	12/17/07	<1.65	
ARSENIC, As	1.65 mg/kg	12/17/07	<1.65	
BARIUM, Ba	3.33 mg/kg	12/17/07	4.00	
CADMIUM, Cd	1.00 mg/kg	12/17/07	<1.00	
CHROMIUM, Cr	1.65 mg/kg	12/17/07	3.24	
MERCURY, Hg•	0.020 mg/kg	12/14/07	<0.020	
LEAD, Pb	1.65 mg/kg	12/17/07	1.78	
SELENIUM, Se	1.65 mg/kg	12/17/07	<1.65	
COPPER, Cu	1.65 mg/kg	12/17/07	2.03	
NICKEL, Ni	1.65 mg/kg	12/17/07	<1.65	
ZINC, Zn	1.65 mg/kg	12/17/07	4.10	

MDL = Minimum Detection Limit.
Performed by EPA Method 6010B
•Method: EPA 7471A

Calculated on a wet weight basis

Michael Veraldi

Michael Veraldi-Laboratory Director



**LONG
ISLAND
ANALYTICAL
LABORATORIES INC.**

"TOMORROW'S ANALYTICAL SOLUTIONS TODAY"

110 Colin Drive • Holbrook, New York 11741

Phone (631) 472-9400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

7 of 7 pages

Client: Eastern Environmental	Client ID: 110 Sand (Virgin Backfill)
Date received: 12/13/07	Laboratory ID: 1150019
Date extracted: 12/18/07	Matrix: Soil
Date analyzed: 12/18/07	ELAP #: 11693


TPH 418.1 ANALYSIS

LAB ID #	CLIENT ID	MDL	RESULTS mg/kg	FLAG
1150019	Virgin Backfill	10 mg/kg	23	

MDL = Minimum Detection Limit.

Extraction Solvent: Tetrachloroethylene

Calculated on a wet weight basis



Michael Veraldi-Laboratory Director



**LONG
ISLAND
ANALYTICAL
LABORATORIES INC.**

110 Colin Drive • Holbrook, New York 11741

"TOMORROW'S ANALYTICAL SOLUTIONS TODAY"

Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

12/20/2007 16:45 FAX 16317272777
DEC-20-2007 15:46Eastern Environmental
L.I. ANALYTICAL LABS. INC

631 472 8505 P.02

003/006

**LONG
ISLAND
ANALYTICAL
LABORATORIES INC.**NYS DOH ELAP# 11683
USEPA# NY01273
CTDOH# PH-8284
AMA# 164466
NJDEP# NY012
PADEP# 68-2943

TOMORROW'S ANALYTICAL SOLUTIONS TODAY

1 of 3 pages

December 20, 2007

Eastern Environmental Solutions, Inc.
Mike Flynn
258 Line Road
Manorville, New York 11949

Re: 118 Sample

Dear Mr. Flynn:

Enclosed please find the Laboratory Analysis Report(s) for sample(s) resubmitted on December 18, 2007. Long Island Analytical Laboratories analyzed the samples on December 20, 2007 for the following:

CLIENT ID	ANALYSIS
Virgin Backfill	EPA 8081/8082, EPA 8151

Samples received at 10°C.

If you have any questions or require further information, please call at your convenience. Long Island Analytical Laboratories Inc. is a NELAP accredited laboratory. All reported results meet the requirements of the NELAP standards unless noted above. Report shall not be reproduced except in full, without the written approval of the laboratory. Long Island Analytical Laboratories would like to thank you for the opportunity to be of service to you.

Best Regards,

Long Island Analytical Laboratories, Inc.

12/20/2007 16:45 FAX 18317272777
DEC-20-2007 15:46

Eastern Environmental

L.I. ANALYTICAL LABS. INC

631 472 8585 P.05

2 of 3 pages

Client: Eastern Environmental	Client ID: 110 Sand (Virgin Backfill)
Date received: 12/13/07*	Laboratory ID: 1150019A
Date extracted: 12/19/07	Matrix: Soil
Date analyzed: 12/19/07	ELAP #: 11693

PESTICIDES EPA METHOD 8081/8082

COMPOUND	CAS No.	MDL	RESULTS ug/kg	FLAG
Aldrin	309-00-2	5 ug/kg	<5	
α - BHC	319-84-6	5 ug/kg	<5	
β - BHC	319-85-7	5 ug/kg	<5	
δ - BHC	319-86-8	5 ug/kg	<5	
γ - BHC (Lindane)	58-89-9	5 ug/kg	<5	
Chlordane	12789-03-6	15 ug/kg	<15	
4,4'- DDD	72-54-8	5 ug/kg	<5	
4,4'-DDE	72-55-9	5 ug/kg	<5	
4,4'-DDT	50-29-3	5 ug/kg	<5	
Dieldrin	60-57-1	5 ug/kg	<5	
Endosulfan I	959-98-8	5 ug/kg	<5	
Endosulfan II	33212-65-9	5 ug/kg	<5	
Endosulfan sulfate	1031-07-8	5 ug/kg	<5	
Endrin	72-20-8	5 ug/kg	<5	
Endrin aldehyde	7421-93-4	5 ug/kg	<5	
Heptachlor	76-44-8	5 ug/kg	<5	
Heptachlor epoxide	1024-57-3	5 ug/kg	<5	
4,4'-Methoxychlor	72-43-5	5 ug/kg	<5	
Toxaphene	8001-35-2	200 ug/kg	<200	
Endrin ketone	53494-70-5	5 ug/kg	<5	
Arochlor 1016	12674-11-2	200 ug/kg	<200	
Arochlor 1221	1104-28-2	200 ug/kg	<200	
Arochlor 1232	11141-18-5	200 ug/kg	<200	
Arochlor 1242	53469-21-9	200 ug/kg	<200	
Arochlor 1248	12672-29-6	200 ug/kg	<200	
Arochlor 1254	11097-69-1	200 ug/kg	<200	
Arochlor 1260	11096-82-5	200 ug/kg	<200	

MDL = Minimum Detection Limit.

*Sample was resubmitted on December 18th 2007.

Calculated on a wet weight basis


 Michael Veraldi-Laboratory Director


**LONG
ISLAND
ANALYTICAL
LABORATORIES INC.**

ANALYTICAL SOLUTIONS TODAY™

110 Colin Drive • Holbrook, New York 11741

Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Eastern Environmental

12/20/2007 16:46 FAX 16317272777

DEC-22-2007 15:47

L.I. ANALYTICAL LABS. INC

631 472 8505

P.04

3 of 3 pages

Client: Eastern Environmental	Client ID: 110 Sand (Virgin Backfill)
Date received: 12/13/07*	Laboratory ID: 1150019A
Date extracted: 12/20/07	Matrix: Soil
Date analyzed: 12/20/07	ELAP #: 11693


EPA METHOD 8151

PARAMETER	CAS #	MDL	RESULTS ug/kg	FLAG
DICAMBA	1918-00-9	50 ug/kg	<50	
2,4-D	94-75-7	50 ug/kg	<50	
SILVEX(2,4,5-TP)	93-72-1	50 ug/kg	<50	
2,4,5-T	93-76-5	50 ug/kg	<50	
2,4-DB	94-82-6	50 ug/kg	<50	

MDL = Minimum Detection Limit

*Sample was resubmitted on December 18th 2007.

Calculated on a wet weight basis


Michael Veraldi-Laboratory Director

110 Colln Drive • Holbrook, New York 11741

Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

TOTAL P.04