

**FINAL
COMPLETION REPORT**

**Former Hazardous Waste Management Facility
Perimeter Area
Soil Remediation**

**Brookhaven National Laboratory
Upton, New York**

April 2010

**Prepared for:
Brookhaven Science Associates, LLC
Building No. 460
Upton, NY 11973
Prime Contract No. DE-AC02-98CH10886**

**Prepared By:
P.W. Grosser Consulting, Inc.**



Department of Energy

Brookhaven Site Office

P.O. Box 5000

Upton, New York 11973

APR 30 2010

Mr. Chek Beng Ng
New York State Department of
Environmental Conservation
Division of Environmental Remediation
625 Broadway – 11th Floor
Albany, New York 12233

Mr. Doug Pocze
Federal Facilities Section
U.S. EPA - Region II
290 Broadway – 18th Floor
New York, New York 10007-1866



Dear Mr. Ng and Mr. Pocze:

SUBJECT: BROOKHAVEN NATIONAL LABORATORY (BNL) INTERAGENCY
AGREEMENT (IAG): FINAL COMPLETION REPORT FOR THE FORMER
HAZARDOUS WASTE MANAGEMENT FACILITY (FHWMF) PERIMETER
AREA

Enclosed please find responses to comments received from the regulators on the draft document along with two copies of the revised report. Please insert these copies into the previously transmitted binders containing the draft completion report. The appendices are not included as they have not changed from the draft report.

If you have any questions please contact Terri Kneitel, of my staff, at (631) 344-2112.

Sincerely,

John Sattler
Brookhaven Project Director
Office of Environmental Management

Enclosures:
As Stated

cc: A. Rapiejko, SCDHS, w/encls.
D. O'Hehir, NYSDEC, w/encls.
C. Costello, NYSDOH, w/encls.
M. Soucie, NYSDOH, w/encls.
S. Karpinski, NYSDOH, w/encls.

T. Kneitel, EM-BHSO, w/encls.
C. Armitage, BSA, w/o encls.
T. Jernigan, BSA, w/o encls.
S. Kumar, BSA, w/o encls.
A. Lockwood, BSA, w/o encls.



| # | Page | EPA AND NYSDEC Comment/Issue | BSA Response | Acceptance (Yes/No) |
|-----------------------|---|--|--|--|
| EPA COMMENT(S) | | | | |
| 1. | Executive Summary, Page ii. Paragraph 2 | It's not clear from the Paragraph 2 statements that the dose described is the dose above average regional background and that it is caused by residual contaminants in soil. Please clarify. | The calculated dose is based upon actual soil concentrations from samples collected at the site. It is dose from residual radionuclides in the soil. No change made to the text. | See response to Comment #6. The instruments used were Ludlum-2221 models with calibration dates of 1/12/10 and 1/10/10 as detailed on the FSS survey form in Appendix A. The MDC data for the instruments is included in Appendix A of the approved Field Sampling Plan (Field Sampling Plan Former Hazardous Waste Management Facility Perimeter Soils, August 19, 2009). |
| 2. | Page 15, Paragraph 3 | An excavation action level of 21,500 cpm for the NaI detector did not prevent 2 out of 9 ORISE soil samples from exceeding the cleanup level in the contiguous area. Please include information on the instrument used to determine completion of excavation including its calibration date. Include the MDC levels. | In summary, the MDCs for the four different scanning techniques are as follows: <ul style="list-style-type: none"> ■ Scan – bare NaI detector 1.4 pCi g⁻¹ ■ Stop (4 sec) – bare NaI detector 1.2 pCi g⁻¹ ■ Scan – collimated NaI detector 4.0 pCi g⁻¹ ■ Stop (4 sec) – collimated NaI detector 2.0 pCi g⁻¹ | |

Brookhaven Environmental Management Completion Projects Document Review Form
 Reviewed Document: Completion Report Former HWMF Perimeter Area Soil Remediation
 Review: EPA, Douglas M. Pocze; NYSDEC,

| # | Page | EPA AND NYSDEC Comment/Issue | BSA Response Acceptance (Yes/No) |
|-----|----------------------|--|---|
| 3. | Figure 3-3 | Include coloration in the legend for the "NON EXCAVATED" legend symbol. Also add units in the legend. | Coloration is there, just didn't reproduce well, BNL will make sure future copies show legend. Scale is in Feet. No change made to the text. |
| 4. | Page 20, Paragraph 4 | Explain how the number of samples was determined for the Final Status Survey. The calculation was not included. | Sample numbers and locations were determined as detailed in Appendix C of the approved Field Sampling Plan. |
| 5.1 | Appendix A | Include information on the approximate time it took to perform the FSS walkover survey. | The walkover survey was completed in approximately 10 man-hours. |
| 5.2 | Appendix A | Provide information on the approximate survey velocity and height of the instrument over the ground surface. Include the MDC levels. | 100% scan using a bare 2" x 2" NaI detector (100% scan is defined as walking at 0.5 meters/sec and moving the probe in a serpentine motion. The technician followed 1 meter-wide lanes over the areas surveyed. Probe height was 1-inch above ground surface. The MDC data for the instruments is included in Appendix A of the approved Field Sampling Plan (Field Sampling Plan Former Hazardous Waste Management Facility Perimeter Soils, August 19, 2009). |
| | | | In summary, the MDCs for the four different scanning techniques are as follows: <ul style="list-style-type: none"> ▪ Scan – bare NaI detector 1.4 pCi g⁻¹ ▪ Stop (4 sec) – bare NaI detector 1.2 pCi g⁻¹ |

Brookhaven Environmental Management Completion Projects Document Review Form
 Reviewed Document: Completion Report Former HWMF Perimeter Area Soil Remediation
 Review: EPA, Douglas M. Pocze; NYSDEC,

| # | Page | EPA AND NYSDEC Comment/Issue | BSA Response | Acceptance (Yes/No) |
|-----|----------------------|--|---|---------------------|
| | | | <ul style="list-style-type: none"> ▪ Scan – collimated NaI detector 4.0 pCi g⁻¹ ▪ Stop (4 sec) – collimated NaI detector 2.0 pCi g⁻¹ | |
| 5.3 | Appendix A | Explain why the LB5100S4 calibration was past due at the time of the survey. | The LB5100S4 calibration due date was 7/17/10 as indicated on the survey (dated 10/22/09) that follows the survey in question. The 10/20/09 survey has a typo showing the date as 7/17/09. | |
| 5.4 | Appendix A | Explain why Trimble Pro XRS instrument calibration data is missing. | Calibration is not applicable for the Trimble GPS unit. | |
| 5.5 | Appendix A | Please clarify the discrepancy as to why there are 23 ORISE samples reported in the table yet ORISE reports 19 samples in Table B-3 on page B-4. | Four of the samples (the last four on the table) were from another project collected by ORISE at the same time as the survey for the Former HWMF Perimeter Area. | |
| 6. | Page 37, Section 9.0 | Include a discussion as to the reasons why BNL's final status survey showed no samples over 40% of cleanup level yet two out of nine ORISE samples taken at the same area exceed cleanup levels and four out of nine samples exceed 40% of cleanup level (i.e., maximum detected in BNL survey). | BNL samples were collected following MARSSIM protocols (randomly generated). ORISE samples were a combination of randomly located and samples biased to areas of highest detected count rates. The areal extent of the two samples that exceeded 23 pCi/g amounted to less than 3 square feet over an approximately 19,000 square foot survey unit. | |
| 7. | N/A | Perhaps such information can be included in the Lessons Learned section. | No additional lessons learned information was identified. | |

| # | Page | EPA AND NYSDEC Comment/Issue | BSA Response | Acceptance (Yes/No) |
|---|------|--|---|---------------------|
| | | NYSDEC COMMENT(S) In several sections of the document it is discussed how additional contamination was found outside the "discrete areas" that were identified to be remediated as part of the FHW MF Perimeter Soils Area. Section 3.1.2 mentioned that these additional "discrete areas" were not subjected to a Final Status Survey (FSS). It should be mentioned in the Executive Summary that additional investigation and/or remediation for these discrete areas should be performed to further define and/or cleanup additional contamination that may be present. | Executive summary has been revised to include the need for additional investigation of the "discrete areas" using language from the Annual Schedules Update/Report. | |

**FINAL
COMPLETION REPORT**

**Former Hazardous Waste Management Facility
Perimeter Area
Soil Remediation**

**Brookhaven National Laboratory
Upton, New York**

April 2010

**Prepared for:
Brookhaven Science Associates, LLC
Building No. 460
Upton, NY 11973
Prime Contract No. DE-AC02-98CH10886**

**Prepared By:
P.W. Grosser Consulting, Inc.**



Executive Summary

Radiological contamination was identified in surface soil in the perimeter area of the former HWMF (near Brookhaven Avenue) in 2005, referred to herein as the former HWMF Perimeter Area. Additional investigation identified radiological contamination within an area of 18,750 ft² (1,750 m²) north of Brookhaven Avenue, referred to herein as the contiguous area, as well as in eleven discrete locations within wooded areas adjacent to the northeastern, northwestern, and southeastern corners of the former HWMF boundaries. The contamination is believed to be a result of historical operations associated with the transfer of wastes to the former HWMF and historical stormwater runoff from contaminated soils within the facility.

The cleanup of the former HWMF Perimeter Area was performed as a non-time-critical removal action authorized by the *Final Action Memorandum, Removal Action for Contaminated Soil from the Former Hazardous Waste Management Facility Perimeter Area* (June, 2009). The cleanup of this area used the same cleanup goals and methodology required for radiologically contaminated soils in the Operable Unit (OU) I Record of Decision (ROD).

The soil cleanup objectives for radiological contamination were based on a dose, from remaining concentrations of all radionuclides present, of less than or equal to 15 millirem per year (mrem/year) above background to a resident (non-farmer) after 50 years of institutional control.

Soil remediation activities for the former HWMF Perimeter Area commenced in June, 2009 and were completed in November, 2009. The following summarizes the as-left conditions at the former HWMF Perimeter Area and how they satisfy the requirements of the OU I ROD:

- The average Cs-137 and Ra-226 concentrations within the contiguous area following remediation are 4.38 picocurie per gram (pCi/g) and 0.65 pCi/g, respectively. Sr-90 concentrations were below laboratory detection limits (1.1 pCi/g). The as-left average concentrations are well below the site cleanup goals (Cs-137=23 pCi/g, Sr-90=15 pCi/g and Ra-226=5pCi/g). The maximum concentrations for the contiguous area survey unit were as follows: 11.0 pCi/g Cs-137, <1.1 pCi/g Sr-90, and 0.76 pCi/g Ra-226.
- The as-left concentrations for discrete areas that were located outside of the contiguous area but within the scope of this project were below the site cleanup goals. The maximum concentrations for discrete areas were as follows: 15.10 pCi/g Cs-137, <1.1 pCi/g Sr-90, and 0.593 Ra-226.
- Chemical results for soil samples analyzed for mercury and lead also indicated that residual soil concentrations for these contaminants are within the respective

cleanup goals, i.e., 400 mg/kg for lead and 1.84 mg/kg for mercury. Soil sample results from the contiguous area and discrete areas ranged from 9.86 mg/kg to 13.0 mg/kg for lead and were below laboratory detection limits for mercury.

- The maximum projected dose to a resident (non-famer) after 50 years of institutional controls is 5.6 millirem/yr. The maximum projected dose to an industrial worker with no decay time is 3.1 millirem/yr. The results of the dose assessment are below the dose objective of 15 millirem/yr and the New York State Department of Environmental Conservation ALARA goal of 10 millirem/yr established in the Action Memorandum.
- Site restoration was completed at the former HWMF Perimeter Area in December 2009. Restoration included backfilling with topsoil, re-grading, and reseeding the site with Long Island native grasses.

The former HWMF Perimeter Area meets all the completion requirements as specified in Office of Solid Waste and Emergency Response (OSWER) Directive 9320.2-09-A-P, *Closeout Procedures for National Priorities List Sites*. Post remediation operation and maintenance activities at the former HWMF Perimeter Area will be performed by BNL's Groundwater Protection (formerly Long Term Response Action) Group to ensure that land uses remain protective of public health and the environment. These activities will include institutional controls (land use controls, notifications and restrictions, work planning controls such as digging permits, and government ownership). The topsoil cover, placed during site restoration to bring the site back to original grades.

The ARRA-funded portion of the cleanup was completed in December 2009. Additional areas of contamination were found in the vicinity of the Former HWMF perimeter area. The characterization of these areas is currently in progress.

TABLE OF CONTENTS

| | |
|--|-----------|
| EXECUTIVE SUMMARY | 1 |
| 1.0 INTRODUCTION | 1 |
| 1.1 PURPOSE | 1 |
| 1.2 SITE DESCRIPTION AND OPERATIONAL HISTORY | 2 |
| 1.3 REGULATORY AND ENFORCEMENT HISTORY | 3 |
| 1.4 SITE INVESTIGATION..... | 4 |
| 1.5 PREVIOUS REMEDIAL ACTIVITIES | 6 |
| 1.6 BNL OPERABLE UNITS | 6 |
| 2.0 OPERABLE UNIT BACKGROUND..... | 7 |
| 2.1 SITE CLEANUP CRITERIA | 7 |
| 2.2 DESIGN CRITERIA | 8 |
| 2.3 COMMUNITY RELATIONS ACTIVITIES | 9 |
| 2.3.1 <i>BNL Community Relations</i> | 9 |
| 2.3.2 <i>Community Involvement</i> | 9 |
| 3.0 CONSTRUCTION ACTIVITIES..... | 10 |
| 3.1 SOIL EXCAVATION | 15 |
| 3.1.1 <i>Contiguous Area Excavation</i> | 16 |
| 3.1.2 <i>Discrete Area Excavation and Sampling</i> | 18 |
| 3.2 FINAL STATUS SURVEY AND SAMPLING | 20 |
| 3.2.1 <i>Final Status Survey Design</i> | 20 |
| 3.2.2 <i>Final Status Survey and Sampling Results</i> | 22 |
| 3.2.3 <i>Sign Test and Elevated Measurement Comparison</i> | 24 |
| 3.2.4 <i>Post Remediation Dose Assessment</i> | 26 |
| 3.2.5 <i>Final Status Survey Conclusions</i> | 27 |
| 3.2.6 <i>Final Status Survey Independent Verification</i> | 27 |
| 3.3 WASTE MANAGEMENT | 28 |
| 3.3.1 <i>Waste Characterization and Handling</i> | 28 |
| 3.3.2 <i>Waste Shipment and Disposal</i> | 29 |
| 3.3.3 <i>Pollution Prevention and Waste Minimization Opportunities</i> | 30 |
| 3.4 SITE RESTORATION | 31 |
| 4.0 CHRONOLOGY OF EVENTS..... | 32 |
| 5.0 PERFORMANCE STANDARDS AND CONSTRUCTION QUALITY CONTROL | 33 |
| 6.0 FINAL INSPECTION AND CERTIFICATIONS..... | 34 |
| 6.1 INDUSTRIAL HYGIENE OVERSIGHT | 34 |
| 6.2 RADILOGICAL MONITORING | 34 |
| 7.0 OPERATION AND MAINTENANCE ACTIVITES | 36 |
| 8.0 SUMMARY OF PROJECT COSTS | 37 |
| 9.0 OBSERVATIONS AND LESSONS LEARNED | 37 |
| 10.0 PROTECTIVENESS..... | 38 |
| 11.0 FIVE YEAR REVIEW..... | 38 |

FIGURES

- Figure 1-1: Location of Brookhaven National Laboratory
- Figure 1-2: Former HWMF Location
- Figure 1-3: Locations of Cs-137 contamination detected during 2007 investigation at the former HWMF Perimeter Area
- Figure 3-1: Former HWMF Perimeter Area (Contiguous Area) Pre-Remediation Radiological Walkover Survey Results
- Figure 3-2: Former HWMF Perimeter Area (Discrete areas) Pre-Remediation Radiological Walkover Survey Results
- Figure 3-3: Final Excavation Depths Within the Contiguous Area
- Figure 3-4: Hot Spot Endpoint Soil Sample Locations
- Figure 3-5: Former HWMF Perimeter Soils Area FSS Survey Unit Soil Sample Locations
- Figure 3-6: Former HWMF Perimeter Area Post-Excavation Radiological Walkover Survey Results

TABLES

- Table 2-1: Radionuclides and Chemical Contaminants of Concern in the Former HWMF Perimeter Area
- Table 3-1: Summary of Former HWMF Perimeter Area Soil Sample Results for Radionuclides
- Table 3-2: Soil Sample Results and Sign Test Statistic
- Table 3-3: Summary of Post Remediation Dose Assessment Results
- Table 3-4: Summary of Post Remediation Dose Assessment Results with ORISE Data Included
- Table 4-1: Chronology of Remedial Events for the Former HWMF

PHOTOGRAPHS

- Photograph 1: Pre-Excavation Conditions at the former HWMF Perimeter Area
- Photograph 2: Soil Removal at the former HWMF Perimeter Area
- Photograph 3: Loading Lift Liner into Railcar
- Photograph 4: Former HWMF Perimeter Area (Contiguous Area) After Site Restoration

APPENDICES

- Appendix A: Former HWMF Perimeter Area Final Status Survey and Endpoint Results
- Appendix B: RESRAD Dose Assessment Summary Reports
- Appendix C: Oak Ridge Institute for Science and Education (ORISE) Independent Verification Survey Report for the Former HWMF Perimeter Area
- Appendix D: Former HWMF Perimeter Area Waste Verification Results
- Appendix E: Summary of Railcar Shipments
- Appendix F: Final Former HWMF Perimeter Area Action Memorandum

ACRONYM LIST

| | |
|----------------|--|
| AF | Area Factor |
| ALARA | As Low As Reasonably Achievable |
| AOC | Area of Concern |
| AM | Action Memorandum |
| ARRA | American Recovery and Reinvestment Act |
| BGRR | Brookhaven Graphite Research Reactor |
| BNL | Brookhaven National Laboratory |
| BSA | Brookhaven Science Associates |
| CAC | Community Advisory Council |
| CDM | CDM Federal Programs |
| CPM | Counts Per Minute |
| CERCLA | Comprehensive Environmental Response, Compensation & Liability Act |
| CY | Cubic Yards |
| DAC-Hr | Derived Air Concentration-Hour |
| DOE | Department Of Energy |
| EMC | Elevated Measurement Comparison |
| EPA | United States Environmental Protection Agency |
| EPD | Environmental Protection Division |
| ERP | Environmental Restoration Projects |
| FS | Feasibility Study |
| FSS | Final Status Survey |
| GEL | General Engineering Laboratory |
| GPS | Global Positioning System |
| HFBR | High Flux Beam Reactor |
| HWMF | Hazardous Waste Management Facility |
| IAG | Interagency Agreement |
| IH | Industrial Hygiene |
| ISOCS | In Situ Object Counting System |
| IVS | Independent Verification Survey |
| JRA | Job Risk Assessment |
| LUCMP | Land Use Controls Management Plan |
| M ² | Square Meter |
| mg/kg | Milligrams per Kilograms |
| MARSSIM | Multi-Agency Radiological Survey and Site Investigation Manual |
| Mrem/yr | millirem per year |
| Nal | Sodium Iodide |
| NYSDEC | New York State Department of Environmental Conservation |
| NYSDOH | New York State Department of Health |
| ORISE | Oak Ridge Institute for Science and Education |
| OSWER | Office of Solid Waste and Emergency Response |
| OU | Operable Unit |
| PCB | Polychlorinated Biphenyl |
| pCi/g | Picocuries per Gram |
| PPE | Personal Protection Equipment |

Final Completion Report – Former HWMF Perimeter Area Soil Remediation, April 2010

| | |
|--------|--|
| QA/QC | Quality Assurance/Quality Control |
| RCRA | Resource Conservation and Recovery Act |
| RCD | Radiological Controls Division |
| RCT | Radiological Controls Technician |
| RDIP | Remedial Design Implementation Plan |
| RESRAD | Residual Radioactivity Computer Code |
| RI | Remedial Investigation |
| ROD | Record of Decision |
| SCDHS | Suffolk County Department of Health Services |
| SI | Supplemental Investigation |
| RWP | Radiological Work Permit |
| SAIC | Science Application International Corporation |
| SOP | Standard Operating Procedure |
| SU | Survey Unit |
| TAGM | Technical and Administrative Guidance Memorandum |
| TCLP | Toxicity Characteristic Leaching Procedure |
| TLD | Thermoluminescent Dosimeter |
| UIC | Underground Injection Control |
| URS | URS Corporation |
| USC | United States Code |
| WAC | Waste Acceptance Criteria |
| WCS | Waste Confirmation Sample |
| WLA | Waste Loading Area |
| WP | Work Procedure |

1.0 INTRODUCTION

1.1 Purpose

The purpose of this completion report is to document remedial activities completed at the former Hazardous Waste Management Facility (HWMF) Perimeter Area, Brookhaven National Laboratory (BNL), performed with funding under the American Recovery and Reinvestment Act (ARRA) and in accordance with *Closeout Procedures at National Priority List Sites, OSWER Directive 9320.2-09A-P* (EPA, 2000a). Activities include:

- The excavation of contaminated soil above site cleanup goals;
- The results of the final status survey (FSS) and sampling, including Oak Ridge Institute for Science and Education (ORISE) independent verification survey (IVS) and sampling results;
- The post closure dose assessment in accordance with the Residual Radioactivity Computer Code (RESRAD);
- The characterization and disposal of soil and debris at Energy Solutions Disposal Facility of Clive, Utah; and
- Site restoration.

Remedial activities at the former HWMF Perimeter Area were performed by BNL's Environmental Restoration Projects (ERP), ERP seconded and task order subcontractors, Brookhaven Science Associates (BSA) Radiological Control Division (RCD) and Environmental Protection Division (EPD) personnel. Verification radiological surveys and sampling were performed by the Oak Ridge Institute for Science and Education (ORISE).

Work was performed in accordance with the Operable Unit (OU) I Record of Decision (ROD) and the *Final Action Memorandum, Removal Action for Contaminated Soil from the Former Hazardous Waste Management Facility Perimeter Area* (June, 2009). The final status survey (FSS) was performed in accordance with the *Former Hazardous Waste Management Facility Perimeter Area Field Sampling Plan* (BNL, June 2009). This remedial work is identified throughout this document as the Former HWMF Perimeter Area Project.

The scope of work for the Former HWMF Perimeter Area Project included the following:

- Remove radiologically contaminated soils above prescribed cleanup goals as identified in "*Investigation and Characterization of the Brookhaven Avenue Cs-137 Contamination*" (BNL, 2007);
- Package, transport, and dispose of radiologically and chemically contaminated soils and debris at an off-site permitted facility;
- Collect and analyze discrete area endpoint samples to ensure cleanup goals have been achieved;

- Perform Final Status Survey;
- Perform site restoration; and
- Prepare a dose assessment and a completion report.

1.2 Site Description and Operational History

BNL site is located in Suffolk County, New York, and is comprised of approximately 5,320 acres. Approximately 1,650 acres are developed. The U.S. Army occupied the BNL site, formerly Camp Upton, during World Wars I and II. Between the wars, the Civilian Conservation Corps operated the site. It was transferred to the Atomic Energy Commission in 1947, to the Energy Research and Development Administration in 1975, and to the U.S. DOE in 1977. A map illustrating the location of the BNL site is presented as Figure 1-1.




Figure 1-1. Location of Brookhaven National Laboratory

The former HWMF, which comprises about 12 acres, is located in the southeastern portion of the BNL site (Figure 1-2). It was used from the 1940s to 1997 as the central receiving facility for processing, limited treatment (neutralization), and storage of radioactive waste, hazardous waste, and mixed waste generated at BNL. The former HWMF operated as a Resource Conservation and Recovery Act (RCRA) permitted facility from 1992 until it underwent RCRA closure in 1998. As a result of several spills of hazardous and radioactive materials during operations at the former HWMF, the soils became contaminated with levels of cesium-137 (Cs-137), strontium-90 (Sr-90), mercury, and lead. Remediation of the former HWMF was completed in September, 2005, as documented by *Former Hazardous Waste Management Facility Soil Remediation Closeout Report* (Envirocon, September 2005).




Figure 1-2 Former HWMF Location

In 2005, approximately two acres were segregated from the former HWMF and were designated as the Waste Loading Area (WLA). The remediation of the WLA soils was completed in 2008, as documented by *High Flux Beam Reactor Waste Loading Area Area of Concern 31 Soil Remediation Completion Report*, (BNL, June 2009). The WLA has been designated as a staging area for loading bulk waste into railcars from the Former HWMF, Building 811 and Brookhaven Graphite Research Reactor (BGRR) Projects.

Radiological contamination was identified in surface soil in the perimeter area of the former HWMF (near Brookhaven Avenue) as the result of a radiological walkover survey that was performed in 2005. The contamination is believed to be a result of historical operations associated with the transfer of wastes to the former HWMF and historical stormwater runoff from contaminated soils within the facility. Additional site investigations relative to the former HWMF Perimeter Area (*Investigation and Characterization of the Brookhaven Avenue Cs-137 Contamination*, BNL, 2007), as well as the extent of soil contamination and site cleanup criteria are discussed in subsequent sections of this report.

1.3 Regulatory and Enforcement History

In 1980, the BNL site was placed on New York State's Department of Environmental Conservation (NYSDEC) list of Inactive Hazardous Waste Sites. On December 21, 1989, the BNL site was included on the U.S. Environmental Protection Agency (EPA)

National Priorities List because of soil and groundwater contamination that resulted from BNL's past operations. Subsequently, the EPA, NYSDEC, and DOE entered into a Federal Facilities Agreement (herein referred to as the Interagency Agreement; [IAG]) that became effective in May 1992 (Administrative Docket Number: II-CERCLA-FFA-00201) to coordinate the cleanup.

The IAG identified AOCs that were grouped into OUs to be evaluated for response actions. The IAG required a Remedial Investigation/Feasibility Study (RI/FS) for OU I, pursuant to 42 United States Code (USC) 9601 et. seq., to meet Comprehensive Environmental Response, Compensation and Liability Act (CERCLA) requirements. OU I consists of areas of soil contamination at the BNL site where waste was historically managed or disposed, including the former HWMF. The OUs and AOCs identified by the IAG are discussed further in Sections 1.6 and 2.0.

Upon completion and review of the results of a Remedial Investigation (RI) and Feasibility Study (FS) for OU I, the OU I Record of Decision (ROD) was signed in August, 1999. The OU I ROD specified the excavation and off-site disposal of radiologically and chemically contaminated soils.

The decision to complete the removal of radiologically contaminated soil from the former HWMF Perimeter Area Project was documented by the *Final Action Memorandum, Removal Action for Contaminated Soil from the Former Hazardous Waste Management Facility Perimeter Area* (June, 2009). The memorandum specified that the residential cleanup goals for radiologically contaminated soils in the OU I ROD be used for the former HWMF Perimeter Area Project.

1.4 Site Investigation

A radiological walkover survey performed in 2005 identified contamination the former HWMF Perimeter Area surface soils. Additional investigation and characterization of the former HWMF Perimeter Area was performed in 2007: *Investigation and Characterization of the Brookhaven Avenue Cs-137 Contamination* (BNL, 2007). The investigation identified Cs-137 contamination in the former HWMF Perimeter Area surface soils, specifically in areas north/northeast and east of the former HWMF, as well as to the west along Brookhaven Avenue. Surface soil (0-6") concentrations ranged from near background to 43 pCi/g in the contiguous area, while localized areas of contamination, referred to herein as discrete areas, ranged from 2.8 pCi/g to 322 pCi/g. Concentrations of Cs-137 were not detected above site cleanup criteria in deeper soil sample intervals (>6"). The locations of Cs-137 identified within the former HWMF Perimeter Area are illustrated by Figure 1-3.




Figure 1-3 Locations of Cs-137 contamination detected during 2007 investigation at the former HWMF Perimeter Area

1.5 Previous Remedial Activities

Limited excavation of several areas within the former HWMF Perimeter Area with Cs-137 concentrations exceeding cleanup goals was performed between August and September, 2008. Discrete areas I, K, T, U, and W were remediated or partially remediated.

1.6 BNL Operable Units

As part of remedial efforts at BNL, 30 AOCs were identified and grouped into seven OUs. The seven OUs were subsequently reduced to six OUs as a result of combining OU II and OU VII. The former HWMF was designated as AOC 1 within OU I. In February 2009, AOC 31, comprising the HFBR complex and the WLA, was established.

This report documents completion of the remedial action for the former HWMF Perimeter Area, which is outside of the boundaries of both AOC 1 and AOC 31. As described in Section 2.1, the cleanup goals established in the OU I ROD were used for the Former HWMF Perimeter Area Project.

2.0 OPERABLE UNIT BACKGROUND

2.1 *Site Cleanup Criteria*

The radiological contaminants of concern for the former HWMF Perimeter Area are the same as those for OU I radiologically contaminated soils: Cs-137, Ra-226, and Sr-90. The cleanup goals for specific radionuclides were calculated using RESRAD, but a residential scenario is considered for the former HWMF Perimeter Area Project, while an industrial scenario was used for the former HWMF and the WLA. The dose limit used was 15 millirem per year (mrem/yr) above background (*OSWER Directive 9200.4-1*, EPA, 1997), residential land use with 50 years of institutional control by the DOE, and industrial land use with no decay time (0 years). In addition, the NYSDEC cleanup guideline of 10 mrem/yr, from Technical Administrative Guidance Memorandum (TAGM) 4003, was adopted as an ALARA goal. The primary radiological isotope present at the site was Cs-137; its cleanup goal established in the OU I ROD is 23 pCi/g, and this value was used for the former HWMF Perimeter Area as documented in the Action Memorandum (AM).

The potential for radiologically contaminated soil to impact groundwater was also considered. A soil cleanup goal of 15 pCi/g was calculated for Sr-90, based on its potential to impact the groundwater. The goal also protects both residential and industrial uses. A cleanup goal of 5 pCi/g was selected for Radium-226 (Ra-226) based on DOE Order 5400.5, *Radiation Protection of the Environment and the Public*.

The chemical contaminants of concern for the former HWMF Perimeter Area are the same as those at the former HWMF: mercury and lead. The cleanup goal established for mercury is 1.84 mg/kg, based on the EPA's soil screening level guidance (*OSWER Directive 9355.4-23*) for protecting groundwater and residential use. A cleanup goal of 400 mg/kg for lead was also chosen based on the EPA's soil screening level guidance; this level is protective of residential use. The cleanup goals for these chemical contaminants were developed for the Former HWMF Soils Removal Project and applied to the former HWMF Perimeter Area as documented in the AM.

Radionuclides and chemical contaminants of concern for the former HWMF Perimeter Area are listed in Table 2-1.

Table 2-1**Radionuclides and Chemical Contaminants of Concern in the Former HWMF Perimeter Area**

| Radionuclides of Concern | Cleanup Value (pCi/g) | Source of Cleanup Goal Value |
|---------------------------------|-----------------------------------|-------------------------------------|
| Cs-137 | 23 | OU I ROD (BNL, 2009) |
| Sr-90 | 15 | OU I ROD (BNL, 2009) |
| Ra-226 | 5 | OU I ROD (BNL, 2009) and DOE 5400.5 |
| H-3 | 9.6 E+15* | CDM 1996, Table 6.2-10 |
| Co-60 | 1,100 | CDM 1996, Table 6.2-10 |
| U-235 | 11 | CDM 1996, Table 6.2-10 |
| U-238 | 9 | CDM 1999, Table 1-3 |
| Pu-238 | 65 | CDM 1996, Table 6.2 |
| Pu-239/, Pu-240 | 40 | CDM 1996, Table 6.2 |
| Am-241 | 39 | CDM 1996, Table 6.2-10 |
| Chemical Contaminant | Soil Cleanup Level (mg/kg) | Source of Cleanup Goal Value |
| Mercury | 1.84 | OUI ROD (BNL, 1999) |
| Lead | 400 | OUI ROD (BNL, 1999) |

* The value of 9.6E+15 is listed for tritium in the RESRAD output; however, the value of 424 pCi/g would be used if tritium is detected in soils. The value of 424 pCi/g is based on the conservative assumptions of a residential scenario and 0 years decay.

2.2 Design Criteria

Technical specifications and design criteria for the former HWMF Perimeter Area Project were established in the *Final Action Memorandum, Removal Action for Contaminated Soil from the Former Hazardous Waste Management Facility Perimeter Area*, June 2009 and the *Field Sampling Plan for the Former Hazardous Waste Management Facility Perimeter Area*, August 2009.

The remedial design included:

- A plan and process for ensuring the total exposure from all radioisotopes does not exceed 15 mrem/yr above background following the 50-year period for institutional control for the site;
- Methods to reduce waste volumes that require offsite disposal;
- Establishing a correlation of concentrations to counts per minute (cpm) to be used in guiding excavation activities, and
- An approach for post-remediation sampling to confirm that cleanup goals have been achieved.

2.3 Community Relations Activities

2.3.1 BNL Community Relations

The BNL Community Involvement Plan was published April 15, 1999. It is supplemented by project-specific plans. In the case of the HFBR, a Communications Plan for the Regulatory Decision-Making Process for Decommissioning the High Flux Beam Reactor was developed. In accordance with these two plans and CERCLA Sections 113 (k)(2)(B)(i-v) and 117, the Community Relations Program focuses on informing and involving the public in the decision-making process to ensure that the views of the internal and external stakeholder communities are considered. A variety of activities are used to provide information and to seek public participation, including distribution of materials to a stakeholders' mailing list; holding community meetings, information sessions, tours, and workshops; and preparing and distributing fact sheets. The Administrative Record, which documents the basis for removal and remedial actions, was established and is maintained at the libraries listed below:

Brookhaven National Laboratory
Research Library
Bldg. 477A
Upton, NY 11973
631-344-3483 or 631-344-3489

Stony Brook University
Melville Library
Special Collections and University Archives
Room E-2320
Stony Brook, NY 11794
Phone: (631) 632-7119

U.S. EPA - Region II
Records Room
290 Broadway, 18th Floor
New York, New York 10007
212-637-4308

2.3.2 Community Involvement

After radiological contamination was identified in the Former HWMF Perimeter Area soils, the BNL Community Advisory Council (CAC) was briefed on February 9, 2006. The cleanup of the soils using ARRA funds was discussed with the CAC on April 15, 2009 and November 12, 2009.

The cleanup of the soils was performed using the OU I cleanup goals and methodology as specified in the *Final Action Memorandum, Removal Action for Contaminated Soil from the Former Hazardous Waste Management Facility Perimeter Area*.

3.0 CONSTRUCTION ACTIVITIES

All pre-construction tasks were completed prior to beginning cleanup activities, including equipment mobilization, radiological walkover surveys, site inspections, excavation area mark-outs, silt fence installation, and securing the general work area.

As noted in Section 1.2, radiological contamination identified in surface soil in the former HWMF Perimeter Area is believed to be a result of historical operations associated with the transfer of wastes to the former HWMF and historical runoff from contaminated soils within the facility. The objective of the former HWMF Perimeter Area Project was to safely characterize, remediate, and dispose of radiologically and chemically contaminated soil in accordance with the AM, as well as the project specific plans. Following the soil excavation activities, a final status survey (FSS), endpoint sampling, and a dose assessment were performed by BNL ERP. The FSS and endpoint sampling were independently verified by ORISE. This work is further discussed in Section 3.2. The FSS was completed using the *Multi-Agency Radiological Survey and Site Investigation Manual (MARSSIM)* guidelines.

A Job Risk Assessment (JRA), Radiological Work Permit (RWP), and project specific work procedures were developed to address hazards and work steps associated with the Former HWMF Perimeter Area Project. The information presented in the project plans was reviewed by the site workers prior to initiating the project work activities. Copies of project plans were available onsite at all times for site workers to thoroughly review.

The *Former Hazardous Waste Management Facility Perimeter Area Field Sampling Plan* (BNL, June 2009) was prepared and detailed the data quality objectives (DQOs) and quality assurance (QA) requirements for the FSS. The FSP also presented the radiological survey level (21,500 cpm with unshielded sodium iodide detector) to be used in guiding the excavation and in determining when the excavation was completed.



Photograph 1 – Pre-Excavation Conditions at the former HWMF Perimeter Area

A pre-excavation radiological walkover survey of the former HWMF Perimeter Area was performed in June, 2009. It indicated that radiological contamination was present within a contiguous area north of Brookhaven Avenue where gamma survey results were greater than 21,500 counts per minute (cpm), as shown in Figure 3-1.

The contiguous area was considered for a Final Status Survey (FSS). The contiguous area of Cs-137 contaminated soils is approximately 18,750 ft² (1,750 m²). In accordance with the MARSSIM guidelines for survey unit (SU) classification and size, this was designated as one SU, a physical area of structure or land area of specified size and shape for which a separate decision will be made on whether or not cleanup goals are met. Soils contaminated above cleanup goals were designated as Class 1 survey units. The maximum suggested area for Class 1 soil area survey units is 2,000 m².




Figure 3-1 – Former HWMF Perimeter Area (Contiguous Area) Pre-Remediation Radiological Walkover Survey Results

In addition to the contiguous area, a pre-excavation survey was performed at eleven isolated areas identified during 2007 characterization activities. These isolated areas, referred to herein as discrete areas, were detected in the wooded areas adjacent to the northeastern, northwestern, and southeastern corners of the former HWMF boundaries. The eleven discrete areas were designated I through P, T, U and W, as shown in Figure 3-2. Based upon the pre-excavation walkover survey several of the areas (K, T, and U), which were previously remediated, did not require additional excavation.

As discussed further in Section 3.1, additional areas of elevated radioactivity were detected during pre-remediation radiological surveys adjacent to the eleven discrete areas. These additional areas of elevated radioactivity were not remediated since they were considered to be outside of the scope of the ARRA-funded former HWMF Perimeter Area Project. Furthermore, the presence of these areas of elevated radioactivity precluded the completion of a FSS in the vicinity of the eleven discrete areas. Instead, each discrete area within the scope of the Former HWMF Perimeter Area Project was addressed separately during surveying, sampling and soil remediation.

Additional characterization activities for the areas identified adjacent to the former HWMF Perimeter Area Project are being performed by BNL EPD. These characterization activities will be reported during weekly IAG teleconferences, as necessary.




Figure 3-2 – Former HWMF Perimeter Area (Discrete Areas) Pre-Remediation Radiological Walkover Survey Results

3.1 Soil Excavation

Prior to the start of excavation activities, clearing, grubbing and size reduction of vegetation was performed in the contiguous area and in the vicinity of the discrete areas where concentrations greater than 21,500 cpm were detected during pre-excavation radiological surveys. This material was stockpiled, chipped to reduce volume, characterized and shipped via truck in intermodal containers to Energy Solutions Disposal Facility of Clive, Utah as detailed in Section 3.3. Vegetation characterization results are included with waste verification results in Appendix F.

Upon completion of the clearing and grubbing, the survey unit boundaries for the contiguous area and the discrete areas were marked. Contaminated soil was excavated in six-inch lifts. In process field screening was performed using a Sodium Iodide (NaI) gamma scintillation detector after each lift to determine if additional excavation was required. Soil was removed with an excavator with an attached cutting edge and placed into an onsite soil stockpile or direct loaded into a staged Lift Liner. The Lift Liners were then sealed and loaded into railcars for shipment and final disposal at Energy Solutions Disposal Facility of Clive, Utah, as described further in Section 3.3.

Cs-137 was the primary radiological contaminant driving the remediation of the site. As a result, gamma count rates using field instruments (NaI gamma scintillation detectors) were used to identify areas requiring excavation to meet the site cleanup goals. In accordance with the *Field Sampling Plan for the Former Hazardous Waste Management Facility Perimeter Area* (BNL, August 2009), an excavation action level of 21,500 cpm for the unshielded NaI gamma scintillation detector was established as the criterion for determining when excavations were complete. This criterion was determined using a correlation between data from NaI gamma scintillation detector surveys, onsite In-situ Object Counting System (ISOCS) analyses, and offsite gamma spectroscopy analyses at GEL Laboratories, LLC of Charleston, South Carolina. Correlation curves and the associated data used in establishing the excavation action level are presented and further discussed in Appendix B of the *Field Sampling Plan for the Former Hazardous Waste Management Facility Perimeter Area* (BNL, August 2009).

Although mercury and lead were also considered contaminants of concern, radiological surveys determined the excavation depth and endpoint samples were collected to ensure cleanup goals were met for chemical contaminants. Additional excavating was not necessary to meet the site cleanup criteria for mercury and lead, as discussed in Section 3.2.2.



Photograph 2 – Soil removal at the former HWMF Perimeter Area.

3.1.1 Contiguous Area Excavation

The 18,750 ft² (1,750 m²) contiguous area of contamination was characterized and excavated as a single Class 1 SU. Once in-process field screenings with NaI gamma scintillation detectors indicated that site cleanup criteria were met (<21,500 cpm), preliminary soil samples were collected and analyzed using an on-site ISOCS to confirm the field screening results. Approximately 50 soils samples were collected from the contiguous area and analyzed before beginning the FSS. None of the soil samples collected from the excavation exceeded 23 pCi/g. The FSS was performed, as discussed in Section 3.2, upon completing the removal of soil above site cleanup criteria. A map showing the final excavation depths within the Class 1 SU is presented as Figure 3-3.




Figure 3-3 – Final Excavation Depths within the Contiguous Area

3.1.2 Discrete Area Excavation and Sampling

Eight discrete areas (I, J, L through P, and W) were remediated outside of the contiguous area (discrete areas K, T, and U were remediated in 2007 and did not require additional excavation). The discrete areas were located near the northeastern, northwestern, and southeastern corners of the former HWMF boundaries. As previously discussed, additional discrete areas that were considered to be outside of the scope of the former HWMF Perimeter Area Project were detected in the vicinity of discrete areas I through P during pre-remediation radiological surveys. The presence of these additional discrete areas precluded the completion of a FSS for these areas. Instead, the eleven discrete areas within the scope of the former HWMF Perimeter Area Project were treated separately during surveying, sampling and soil remediation. At each location, contaminated soil was removed until field screenings with NaI gamma scintillation detectors indicated that the remaining soil was below the excavation action level (21,500 cpm). Endpoint soil samples were collected at each location and analyzed for the radionuclides of concern to confirm that the site cleanup criteria were met (including discrete areas K, T, and U). In addition, a composite sample consisting of an aliquot from each of the eleven discrete areas was analyzed for mercury and lead. The eleven discrete area endpoint sample locations are illustrated below by Figure 3-4.

Discrete area endpoint samples were analyzed at an offsite laboratory to confirm that the site cleanup criteria were met. Results for the eleven endpoint samples were below the cleanup criteria for the radionuclides of concern. The maximum concentrations for discrete areas were as follows: 15.10 pCi/g Cs-137, <1.1 pCi/g Sr-90, and 0.593 Ra-226.

Chemical results for the composite sample analyzed for mercury and lead also indicated that residual soil concentrations for these contaminants at the eleven discrete areas are within their respective cleanup goals. The composite soil sample results were 0.0222 mg/kg for mercury and 9.22 mg/kg for lead.

Radiological and chemical results for the discrete area endpoint samples are summarized in Appendix A.




Figure 3-4 – Discrete Area Endpoint Soil Sample Locations

3.2 Final Status Survey and Sampling

As indicated in Section 3.1, excavation of radiologically contaminated soils was controlled by conducting excavation surveys with gamma scintillation detectors. Gamma count rates were used to determine when the excavations were complete in each area. During excavation activities, walkover surveys were performed and soil samples were collected and analyzed for Cs-137 using the onsite ISOCS unit. Following completion of the excavation surveys, a FSS was performed as specified in Section 3.2.1.

As discussed in Section 2.1, the primary radionuclides of concern, based on exposure potential, were Sr-90, Cs-137 and Ra-226. Other radionuclides of concern that were monitored include Am-241, Pu-238, Pu-239/240, U-235, U-238, Co-60 and tritium. These additional radionuclides were present in the former HWMF prior to remediation, so it is possible that they would be present in the former HWMF Perimeter Area. Several samples were also collected for analysis of mercury and lead, which were previously detected within the former HWMF but not anticipated in the former HWMF Perimeter Area.

3.2.1 Final Status Survey Design

The area to the north of Brookhaven Ave. was designated as the contiguous area of contamination. One Class 1 survey unit is established for this contiguous area. The suggested maximum size area for a Class 1 survey unit is 2000 m² for soil areas. The contiguous area is approximately 1750 m², and is considered a single survey unit for the FSS.

A two-step approach to cleanup confirmation for radiological soil contamination was followed using *MARSSIM* for the former HWMF Perimeter Area Project. The first step consisted of a GPS-based gamma scintillation walkover survey of the contiguous area. Gamma walkover surveys were conducted using unshielded two-inch-by-two-inch NaI detectors in conjunction with a Ludlum Model 2221 scaler/ratemeter and a PRO XR Satellite Receiver Trimble model TSCe Data Logger (Trimble Unit). The second step involved the collection of 18 soil samples, in accordance with BNL EM standard operating procedures (SOP) for offsite analysis to verify that residual radiological contamination levels were sufficiently low to meet the cleanup goals established for the site.

In addition, one composite soil sample and one grab sample was collected from the contiguous area. The samples were analyzed for mercury and lead to ensure site cleanup goals for these compounds were met.

The final dimension of the contiguous area Class 1 SU and the associated FSS soil sample locations are illustrated below by Figure 3-5.




Figure 3-5 – Former HWMF Perimeter Soils Area FSS Survey Unit Soil Sample Locations

3.2.2 Final Status Survey and Sampling Results

The results of the final status radiological walkover survey exhibit count rates below 21,500 cpm for all areas within the contiguous area of the former HWMF Perimeter Area, as shown in Figure 3-6. Figure 3-6 also shows the post-excavation walkover survey results for discrete areas outside of the contiguous area, which were remediated as described in Section 3.1.2. As specified in Appendix B of the *Field Sampling Plan for the Former Hazardous Waste Management Facility Perimeter Area* (BNL, August 2009), the 21,500 cpm count rate was determined to approximate a Cs-137 concentration of 15 pCi/g in soil, or two-thirds of the cleanup goal for Cs-137 in soil when using the unshielded NaI gamma scintillation detector. Radiological walkover surveys indicated that about 80-90% of the area was less than 15,000 cpm, and about 10-20% of the area ranged up to 21,500 cpm. In addition, individual one-minute fixed count measurements were taken with the NaI probe at each of the 18 BNL sample points. The results ranged from 8,552 to 17,201 cpm. Radiological survey forms for gamma walkover and fixed point readings are provided in Appendix A.



Figure 3-6 – Former HWMF Perimeter Area Post-Remediation Radiological Walkover Survey Results

BNL selected 18 soil sample locations based on a random start location. All the soil samples were below the site cleanup goals for Cs-137, Sr-90 and Ra-226, 23 pCi/g, 15 pCi/g and 5 pCi/g, respectively. A summary of the soil sample results are provided below in Table 3.1.

Table 3-1 Summary of Former HWMF Perimeter Soils Area Soil Sample Results for Radionuclides

| | Cs-137 (pCi/g) | Sr-90 (pCi/g) | Ra-226 (pCi/g) |
|--------------|-----------------------|---|-----------------------|
| Cleanup Goal | 23 | 15 | 5 |
| Average | 4.38 | 1.1 (detection level on composite sample) | 0.65 |
| Maximum | 11.0 | 1.1 | 0.76 |

Chemical results for soil samples analyzed for mercury and lead also indicated that residual soil concentrations for these contaminants are within their respective cleanup goals, i.e., 400 mg/kg for lead and 1.84 mg/kg for mercury. Lead results ranged from 9.86 to 13.0 mg/kg and mercury results ranged from 0.02 to 0.03 mg/kg. The mercury results were detectable but below the reporting level of 0.2 mg/kg.

Radiological and chemical results for offsite laboratory soil sample analysis are provided in Appendix A.

3.2.3 Sign Test and Elevated Measurement Comparison

Since no samples exceeded the cleanup criteria, the survey unit does not require testing with the sign test or the elevated measurement comparison. The sign test checks whether a sufficient number of sample locations are less than the cleanup criteria. Although the sign test was not required, it was performed, and Table 3-2 presents the sign test results along with survey data for the 18 points and provides the individual readings for each of the radionuclides of concern.

Table 3-2 Soil Sample Results and Sign Test Statistic

| Location (BNL Sample No) | Cs-137 (pCi/g) | Fraction of Limit for Cs-137 | Ra-226 (pCi/g) | Fraction of Limit for Ra- 226 | Ratios including Sr- 90 | DCGL (1.0) - Sum | Sign |
|---|---------------------------|---|---------------------------|--|--|-----------------------------|-------------|
| SU-1 | 5.34 | 0.23 | 0.66 | 0.13 | 0.44 | 0.56 | + |
| SU-2 | 1.43 | 0.06 | 0.63 | 0.13 | 0.26 | 0.74 | + |
| SU-3 | 8.03 | 0.35 | 0.71 | 0.14 | 0.56 | 0.44 | + |
| SU-4 | 11.00 | 0.48 | 0.54 | 0.11 | 0.66 | 0.34 | + |
| SU-5 | 2.05 | 0.09 | 0.73 | 0.15 | 0.31 | 0.69 | + |
| SU-6 | 8.73 | 0.38 | 0.62 | 0.12 | 0.58 | 0.42 | + |
| SU-7 | 1.69 | 0.07 | 0.50 | 0.10 | 0.25 | 0.75 | + |
| SU-8 | 4.72 | 0.21 | 0.69 | 0.14 | 0.42 | 0.58 | + |
| SU-9 | 3.91 | 0.17 | 0.65 | 0.13 | 0.37 | 0.63 | + |
| SU-10 | 2.22 | 0.10 | 0.52 | 0.10 | 0.27 | 0.73 | + |
| SU-11 | 0.52 | 0.02 | 0.76 | 0.15 | 0.25 | 0.75 | + |
| SU-12 | 1.85 | 0.08 | 0.70 | 0.14 | 0.29 | 0.71 | + |
| SU-13 | 2.30 | 0.10 | 0.64 | 0.13 | 0.30 | 0.70 | + |
| SU-14 | 2.89 | 0.13 | 0.62 | 0.12 | 0.32 | 0.68 | + |
| SU-15 | 9.02 | 0.39 | 0.63 | 0.13 | 0.59 | 0.41 | + |
| SU-16 | 3.57 | 0.16 | 0.69 | 0.14 | 0.37 | 0.63 | + |
| SU-17 | 2.67 | 0.12 | 0.63 | 0.13 | 0.32 | 0.68 | + |
| SU-18 | 6.91 | 0.30 | 0.72 | 0.14 | 0.52 | 0.48 | + |
| Average | 4.38 | 0.19 | 0.65 | 0.13 | 0.39 | # of positives | 18 |

The sign test is not necessary if no samples exceed the ratio of 1.0. However, it is shown here for completeness. From Table I.3 of MARSSIM, for 18 sample points and alpha = 0.05, at least 12 values of the sign test must be positive. Since there are 18 positive values, this SU would pass the sign test based on this data.

Note that Ra-226 background on BNL property had previously been established at approximately 0.56 pCi/g (CDM, 1996), and previous work on the former HWMF indicated an average of 0.49 pCi/g (Envirocon, 2005). Therefore, the average Ra-226 value of 0.65 pCi/g from the WLA is close to background levels. For determination of acceptable levels of cleanup, the value of 0.65 pCi/g was used as a conservative measure, with no subtraction of background Ra-226 in the soil. However, when performing the post-remediation dose assessment using RESRAD, background is subtracted to obtain a more accurate result.

3.2.4 Post Remediation Dose Assessment

A dose assessment was conducted to evaluate radiological dose impacts from residual radioactive materials remaining following the completion of the former HWMF Perimeter Area Project. The dose assessment for the soil excavation areas was conducted using RESRAD, Version 6.4 (ANL, 2001). The average concentration for each radionuclide was used as input to the model in order to determine the projected dose. As described in section 3.2.2, the Ra-226 concentrations were close to background concentrations (0.65 pCi/g average, compared to 0.56 pCi/g background). The RESRAD model was run with no background subtract Ra-226 = 0.65 pCi/g) and with full background subtract (Ra-226 = 0.65 – 0.56 = 0.09 pCi/g).

Two potential radiological dose scenarios were evaluated following remediation. The first assessment considered the radiation dose to a hypothetical future resident (non-farmer) assuming 50 years of institutional control. The second assessment considers the radiation dose to a current industrial worker (no decay). The parameters and pathways used in the dose assessment for the former HWMF Perimeter Area were used for this dose assessment, and the RESRAD summary reports are included as Appendix B.

The results of the dose assessment are shown in Table 3-3 below. The maximum projected dose to a resident Year 50 (5.6 mrem/year) at the former HWMF Perimeter Area would be below the dose objective (non-farmer) of 15 mrem/year. For an industrial worker with no decay time, the maximum projected dose to a industrial worker at Year 0 (3.1 mrem/year) is also less than 15 mrem/year. The results also indicate that the NYSDEC TAGM 4003 guideline of 10 mrem/yr would also be met under each of the two scenarios described above. If background was not subtracted for Ra-226 (use 0.65 pCi/g without background subtracted), then the residential and industrial doses would be 14.7 and 4.4 mrem/yr, respectively.

Table 3-3 Summary of Post-Remediation Dose Assessment Results

| | Resident at 50 years (mrem/yr) | Industrial Worker at 0 years (mrem/yr) |
|-------------|---------------------------------------|---|
| Dose | 5.6 | 3.1 |

3.2.5 Final Status Survey Conclusions

As indicated above, results of the FSS and sampling following the completion of the remediation of the contiguous portion of the former HWMF Perimeter Area demonstrate conformance to the site cleanup goals established for the project.

3.2.6 Final Status Survey Independent Verification

The Independent Verification Survey (IVS) was conducted by an ORISE survey team. The ORISE survey team conducted surveying and sampling during a visit in October 2009.

ORISE performed a gamma walkover survey, which was used, in part, to specify judgmental sample locations for soil analysis. Six randomly selected locations and three judgmental locations were used to collect soil samples in the contiguous area. Of the random locations, one sample indicated that the sum of the ratios to the limit exceeded 1.0 (result was 1.03). Two of the three judgmental samples indicated Cs-137 results above the cleanup goals, and they are discussed in the ORISE Verification Report (ORISE, 2009).

With additional data available in the survey unit, statistical tests were performed on the combination of BNL and ORISE samples to determine if the combined sample population would meet the cleanup criteria.

Using the total 24 sample points (18 BNL plus 6 ORISE), the MARSSIM Table I.3 is used to determine the number of acceptable values. In the sign test method, a sample point that has a positive value is below the cleanup criteria. From Table I.3 of *MARSSIM*, for 24 sample points and alpha = 0.05, at least 16 values of the sign test must be positive. Since there are 23 positive values, this survey unit passes the sign test.

The one sample location that exceeded the sum of the fractions limit is considered in the Elevated Measurement Comparison (EMC). As described in the Field Sample Plan, Area Factors have been developed for various sized areas down to 1 m². The area of contamination was small, and the Area Factor (AF) for 1 m² is applicable (AF = 9.6). The results of this test indicate a sum of the fractions of 0.49. This is less than 1.0, and the survey unit would pass the Elevated Measurement Comparison.

Although the three judgmental samples do not need to be included in the sign test or the EMC, the survey unit would still pass both statistical tests if the data was included.

RESRAD was re-run with the ORISE data included to see if the results of the dose assessment would be below the dose objective for the residential and industrial worker scenarios. Note that the 6 random plus 3 judgmental locations in the contiguous survey unit were included in the soil average to add a level of conservatism. Results are summarized in Table 3-4.

Table 3-4 Summary of Post-Remediation Dose Assessment Results with ORISE Data Included

| | Resident at 50 years (mrem/yr) | Industrial Worker at 0 years (mrem/yr) |
|------|--------------------------------|--|
| Dose | 7.2 | 5.5 |

The two areas within the contiguous area and three additional areas of Cs-137 concentrations above the 23 pCi/g cleanup goal adjacent to discrete areas T and W identified by ORISE, were subsequently remediated by hand excavation in October 2009. Post-excavation radiological survey and end-point sampling results from these five areas are documented on radiological survey forms included in Appendix A.

The results of the IVS are documented in *Independent Verification Survey Report for the Former HWMF Perimeter Soils Area, Brookhaven National Laboratory, Upton, New York* (ORISE, October, 2009), provided in Appendix C.

3.3 Waste Management

3.3.1 Waste Characterization and Handling

The waste management strategy, waste characterization, packaging, handling, and storage were performed in accordance with the *Waste Management Plan for Removal of Radioactive Soil and Debris from the Former HWMF Perimeter Area Remediation Project* (BNL, April, 2009).

Excavated soil contaminated above cleanup goals was placed in Lift Liners and loaded into railcars for shipment to Energy Solutions Disposal Facility of Clive, Utah for final disposal. Wood from the former HWMF Perimeter Area, as well as construction debris and plastic used during remedial activities, were size reduced and placed into intermodal containers for shipment via truck, or sealed in Lift Liners and loaded into railcars for shipment and final disposal at Energy Solutions Disposal Facility of Clive, Utah.



Photograph 3 – Loading Lift Liner containing contaminated soil into railcar at the WLA.

Waste verification sampling for soil and debris disposal was performed, in accordance with the *Waste Management Plan for Removal of Radioactive Soil and Debris from the Former HWMF Perimeter Area Remediation Project* (BNL, April, 2009). Three waste verification samples were collected for the five railcars and three intermodal containers that were shipped (total of 307 CY of waste soil and debris). Samples were analyzed for comparison to Energy Solution's Waste Acceptance Criteria (WAC), which includes complete TCLP, gamma spectroscopy, Strontium-90 analysis, alpha spectroscopy, gross beta, PCBs/Pesticides, and physical parameters (pH, Reactivity, flashpoint). Waste verification samples were collected by ERP personnel and analyzed by GEL Laboratories, LLC of Charleston, South Carolina. According to these sample results, the soil and debris shipped met the Energy Solutions WAC. Waste verification results were submitted to BNL's Waste Management Division. Waste verification data is included in Appendix D.

3.3.2 Waste Shipment and Disposal

MHF Services provided railcars for transportation of the waste soil and debris to Energy Solutions Disposal Facility of Clive, Utah. After the railcars arrived on site, they were inspected and released for loading. The bottom of the inside of each railcar was covered with a geotextile liner prior to the placement of the loaded and sealed Lift Liners. Approximately 60-90 tons of waste was placed into each rail car and approximately

11,500 to 12,500 pounds of waste was placed into each intermodal container. The weights of the soil and debris were determined utilizing a scale on the crane used to hoist Lift Liners into the railcars. Either a hard or soft tarp cover was secured over each railcar prior to shipment.

Waste loading and shipping was initiated on June 23, 2009 and was completed on September 12, 2009. A total of five railcars and three intermodal containers were loaded and transported to Energy Solutions Disposal Facility of Clive, Utah for final disposal, which equates to approximately 427 tons (307 CY) of soil and debris. All waste shipped as part of the former HWMF Perimeter Area Soil Removal Project was accepted by Energy Solutions. Waste soil and debris shipments are summarized in a table included in Appendix E.

3.3.3 Pollution Prevention and Waste Minimization Opportunities

Waste minimization and pollution prevention methods employed during remedial activities at the FHWMF include:

- Operating equipment outside of the controlled areas as much as possible to minimize contact with contaminated areas;
- Excavation in as small a lift as possible to minimize excavation of soil below cleanup goals;
- Constructing run-on berms around excavations to prevent the spread of surface contamination;
- Size reducing waste to meet the Energy Solutions WAC; and
- Judicious use of consumables (PPE).

3.4 Site Restoration

Site restoration of the former HWMF Perimeter Area included backfilling and re-grading of the contiguous area with topsoil, to bring the site back to its original grade, from BNL's composting operations, which contains material that had been tested to ensure compliance with NYSDEC guidelines. The contiguous area was reseeded with native Long Island grasses. Site restoration activities were completed in December 2009. Future site controls are discussed in Section 7.0.



Photograph 4 – Former HWMF Perimeter Area (Contiguous Area) After Site Restoration

4.0 CHRONOLOGY OF EVENTS

The following table lists a chronology of the main remedial events and the associated plans/reports for the former HWMF Perimeter Area:

Table 4-1
Chronology of Remedial Events for the Former HWMF

| Date | Remedial Event or Document |
|-------------------------|--|
| October 2005 | Radiological contamination identified in areas surrounding the former HWMF |
| November 2007 | Issued report <i>Investigation and Characterization of the Brookhaven Avenue Cs-317 Contamination</i> |
| June 2009 | Issued final <i>Action Memorandum, Removal Action for Contaminated Soil from the Former Hazardous Waste Management Facility Perimeter Area</i> |
| June-August 2009 | Excavated contaminated soil above cleanup goals at the former HWMF Perimeter Area |
| August-September 2009 | Performed FSS and IVS of former HWMF Perimeter Area, completed waste shipments |
| October 2009 | Remediate five areas identified by ORISE |
| October – December 2009 | Site restoration of the former HWMF Perimeter Area |

5.0 PERFORMANCE STANDARDS AND CONSTRUCTION QUALITY CONTROL

As discussed in Section 3.2.2, the concentrations for Cs-137, Sr-90, and Ra-226 in soil were below the cleanup goals of 23 pCi/g, 15 pCi/g and 5 pCi/g, respectively. The calculated radiological doses from all radioisotopes were also below the levels stipulated in the AM. In addition, concentrations of mercury and lead in soil were below the cleanup goals of 1.84 mg/kg and 400 mg/kg, respectively.

Physical and radiological inspections were conducted on both incoming and outgoing railcars. Inspections were also conducted on stormwater control measures as well as excavation operations. Excavation monitoring and field sampling procedures were also reviewed periodically.

Quality control/quality assurance (QA/QC) samples were collected in accordance with *Field Sampling Plan for the Former Hazardous Waste Management Facility Perimeter Area* (BNL, August 2009). Field duplicates were collected at a frequency of one per twenty soil samples and analyzed for the radiological and chemical contaminants of concern. QA/QC results are summarized provided in Appendix A.

6.0 FINAL INSPECTION AND CERTIFICATIONS

As described in Section 3.2., the IVS was performed by ORISE upon the completion of FSS performed by ERP. Based on the results of the FSS, an evaluation of the dose from the remaining activity was performed using RESRAD, and results were within the design criteria described in Section 2.2.

There was strict adherence to industrial safety and radiological safety precautions during the remediation. Work was performed under written and approved procedures, and any potentially hazardous steps were highlighted in the procedure to ensure understanding and compliance. A Job Risk Analysis was performed and approved for the remediation work. Radiological safety was accomplished by the presence of Radiation Control Technicians and performance of all work under a Radiological Work Permit.

6.1 *Industrial Hygiene Oversight*

IH oversight was conducted by ERP personnel in accordance with ERP procedures. The JRA identified hazards associated with each of the tasks identified and specified the required controls for each hazard. A designated Site Health and Safety Officer was onsite during cleanup activities to ensure controls were in place as specified in the JRA, including the use of safety equipment and safe work practices.

6.2 *Radiological Monitoring*

Radiological monitoring was conducted by BNL Radiological Control Technicians (RCTs) during cleanup activities. Radiological monitoring included general area air sample collection. General area air samples were collected with Science Application International Corporation (SAIC) low volume air samplers positioned downwind of cleanup activities and at the soil and debris dumping/railcar loading area. General area air sample results were used to track derived air concentration-hour (DAC-Hr) exposures. All general area air sample results were below 0.5 DAC.

Thermoluminescent dosimeters (TLD) were worn by each individual entering the work zone. No worker received a measurable dose by TLD while working on the Former HWMF Perimeter Area Project.

Workers entering the work zone were also required to have an annual whole body count prior to starting work on the project. In addition workers were required to complete a whole body monitoring using a PCM-1B or equivalent hand held instrument each time they exited the site, in accordance with BNL Radiological Control Manual requirements.

In addition to personal and general area monitoring, equipment used during cleanup activities was monitored for radiological contamination. All equipment that was released

Final Completion Report – Former HWMF Perimeter Area Soil Remediation, April 2010

from the work zone was surveyed in accordance with FS-SOP-1005, *Radiological Surveys Required For Release of Materials from Areas Controlled For Radiological Purposes* (BNL, November 2007).

7.0 OPERATION AND MAINTENANCE ACTIVITES

Land use and institutional control information for the former HWMF Perimeter Area will be included in a BNL *Factsheet: Former Hazardous Waste Management Facility Perimeter Area*. In addition, the BNL LUCMP will be revised to include the former HWMF Perimeter Area.

Post remediation operation and maintenance activities at the former HWMF Perimeter Area will be similar to those detailed in the *Operable Unit 1 Soils and Operable Unit V Long-Term Monitoring and Maintenance Plan* (BNL, May 2006) to ensure that land uses remain protective of public health and the environment. These activities will include institutional controls (land use controls, notifications and restrictions, work planning controls such as digging permits, and government ownership).

BNL's Groundwater Protection Group will perform operation and maintenance activities, in addition to maintaining institutional controls. This group will ensure that the controls listed above are in place. The DOE will ensure enforcement of all institutional controls.

8.0 SUMMARY OF PROJECT COSTS

The remediation of soils at the former HWMF Perimeter Area cost approximately \$950,000 to complete. The original estimate cost for former HWMF Perimeter Area remediation was \$1,062,000.

The clean-up costs of the former HWMF Perimeter Area included the following details:

| | |
|---------------------------------|------------|
| Engineering and planning | \$ 150,000 |
| Remediation & Restoration | \$ 550,000 |
| Waste Transportation & Disposal | \$ 250,000 |
| Total Cost | \$ 950,000 |

Costs associated with the characterization and initial remediation of former HWMF Perimeter Area soils is approximately \$100,000.

9.0 OBSERVATIONS AND LESSONS LEARNED

The following is a summary of the lessons learned from this project and the corrective actions for future projects:

- Used a railcar soft top that was installed using bungee cords instead of tie downs. The soft top was easier to install and provided for a better fitting cover.
- The project team was not successful in renting a forklift that could be approved for use with the lifting rack used to transfer loaded Lift Liners. Ultimately an attachment to a front end loader was approved for use. However, the rated capacity for the loader attachment was approximately 10,000 lbs less than the maximum rated capacity for the lifting rack and package. In the future an appropriately sized forklift needs to be identified early on in the planning process.
- Excavating in 6-inch lifts minimized the volume of soil removed. Installation of a smooth cutting edge on the excavator was important in being able to achieve the small lifts.
- When clearing wooded areas for excavation large trees should be left behind and only small saplings and underbrush removed to minimize waste volumes and time spent clearing and grubbing. If subsequent radiological surveys identify contamination around trees they can be removed individually.

10.0 PROTECTIVENESS

The removal of contaminated soils at the former HWMF Perimeter Area (associated with the scope of the project) as well as the implementation of monitoring and institutional controls will protect human health and the environment. The removal of these wastes has minimized both the risk of exposure to on-site workers and the risks associated with future-use scenarios by decreasing radiation dose levels at the site. These actions have also minimized the potential for the migration of contaminants into the underlying groundwater.

11.0 FIVE YEAR REVIEW

Five-year reviews will be conducted to determine whether the remedy implemented continues to be protective of human health and the environment. These reviews will be performed in accordance with the *Comprehensive Five-Year Review Guidance, OSWER No. 9355.7-03B-P* (EPA, June 2001). The former HWMF, including the Perimeter Area, will be included in the second sitewide Five-Year Review in 2011.

REFERENCES

- ANL, 2001. *User's Manual for RESRAD Version 6*, Environmental Assessment Division, Argonne National Laboratory, ANL/EAD-4, July 2001.
- BNL, Factsheet: *Former Hazardous Waste Management Facility*
- BNL, 1992. Interagency Agreement, May 1992.
- BNL, 1996. BNL Final Remedial Investigation/Risk Assessment – Final Report, Operable Unit I/VI, CDM Federal Programs Corp., June 1996.
- BNL, 1999a. *Record of Decision, Operable Unit I and Radiologically Contaminated Soils*, August 1999.
- BNL, 2001. FS-SOP-1040, *Airborne Radioactivity Sampling and Analysis*, December 2001.
- BNL, 2003a. EM-SOP-601, *Collection of Soil Samples, Rev. 1*, March 2003.
- BNL, 2003b. EM-SOP-200, *Collection and Frequency of Field Quality Control Samples*, March 2003.
- BNL, 2005. *Operable Unit 1 Soils and Operable Unit V Long-Term Monitoring and Maintenance Plan*, May 2006.
- BNL, 2006. FS-SOP-4027, *Entry/Egress Requirements for Areas Controlled for Radiological Purposes*, June 2006.
- BNL, 2007a. FS-SOP-1005, *Radiological Surveys Required for Release of Materials from Areas Controlled for Radiological Purposes*, November 2007.
- BNL, 2007b. *Investigation and Characterization of the Brookhaven Avenue Cs-137 Contamination*, November, 2007.
- BNL, 2008. ERP-WP-605-02, *FHWMF Perimeter Area Final Status Survey*, April 2008.
- BNL, 2009a. *Waste Management Plan for Removal of Radioactive Soil and Debris from the Former HWMF Perimeter Area Remediation Project*, April 2009.
- BNL, 2009b. ERP-WP-605-01, *Remediation of the Former HWMF Perimeter Area, Rev.1*, May 2009.
- BNL, 2009c. ERP-JRA-605-001, *Remediation of the Former HWMF Perimeter Area*, May 2009.

BNL, 2009d. *Final Action Memorandum, Removal Action for Contaminated Soil from the Former Hazardous Waste Management Facility Perimeter Area*, June 2009.

BNL, 2009e. *High Flux Beam Reactor Waste Loading Area Area of Concern 31 Soil Remediation Completion Report*, June 2009.

BNL, 2009f. *Field Sampling Plan for the Former Hazardous Waste Management Facility Perimeter Area*, August 2009.

BNL, 2009g. RWP 2009-ERP-010, *Remediation of the Perimeter of the FHWMF*.

BNL, 2009h. *Land Use Controls Management Plan, Revision 3*, prepared by Brookhaven Science Associates for the U.S. Department of Energy, June 2009.

CDM, 1996. *Final Remedial Investigation and Risk Assessment Report for Operable Unit I/VI*, 1996.

CDM, 1999. *Final Feasibility Study Report for Operable Unit I Radiologically Contaminated Soils*, 1999.

Comprehensive Environmental Response, Compensation, and Liability Act (CERCLA), Title 42, U.S. Code, Sec. 9620 et seq.

Department of Energy, DOE Order 5400.5, *Radiation Protection of the Environment and the Public*, as amended.

Envirocon, 2005. *Former Hazardous Waste Management Facility Soil Remediation Closeout Report*, September 2005.

EPA, 1997. *Establishment of Cleanup Levels for CERCLA Sites with Radioactive Contamination* (OSWER Directive 9200.14-18), 1997.

EPA, 2000a. *Close Out Procedures for National Priorities List Sites* (OSWER Directive 9320.2-09A-P), January 2000.

EPA, 2000b. *Multi-Agency Radiological Survey and Site Investigation Manual, Revision 1*, August 2000.

EPA, 2001. *Comprehensive Five-Year Review Guidance* (OSWER Directive 9355.7-03B-P), June 2001.

NYSDEC, 1993. *New York State Department of Environmental Conservation TAGM 4003: Cleanup Guideline for Soils Contaminated with Radioactive Materials*, September, 1993.

Final Completion Report – Former HWMF Perimeter Area Soil Remediation, April 2010

NYSDEC, 1994. *New York State Department of Environmental Conservation TAGM 4046: Determination of Soil Cleanup Objectives and Cleanup Levels*, January, 1994.

RESRAD, Residual Radioactive Material Guideline Computer Code, Version 6.4.

APPENDIX A

Former HWMF Perimeter Soils Area Final Status Survey and Endpoint Results

- 1- BNL FSS and Endpoint Sample Results
- 2- BNL Radiological Survey Form s – Gamma Walkover Survey and Fixed Point Readings
- 3- Analytical Results

Final Status Survey Surface Soil Sample Radiochemical Results

| Sample ID | Lab ID | CEI Result (ppm) | Be-7 | Cs-134 | Cs-137 | Ce-557 | Ce-6 | Eu-147 | Eu-154 | Mn-54 | Eu-154 | Pb-210 | Pb-218 | Pb-226 | Pb-234 | U-234 | Zr-48 | |
|-----------|-----------|------------------|--------|---------|--------|--------|--------|--------|---------|---------|---------|---------|---------|---------|---------|---------|---------|--------|
| FSS-1 | 27475-001 | U | 0.0507 | U | 0.0483 | U | 0.0483 | U | 0.00324 | U | 0.00324 | U | 0.00325 | U | 0.00325 | U | 0.00344 | |
| FSS-2 | 0.6 | 27475-002 | U | 0.0742 | U | 0.0334 | U | 0.0790 | J | 1.43 | U | 0.00272 | U | 0.00285 | U | 0.00285 | U | 0.0337 |
| FSS-3 | 0.6 | 27475-003 | U | 0.0204 | U | 0.0166 | U | 0.0468 | B33 | 1.0 | U | 0.00555 | U | 0.00555 | U | 0.00555 | U | 0.0332 |
| FSS-4 | 0.6 | 27475-004 | U | 0.0969 | U | 0.11 | U | 0.0756 | - | 1.10 | U | 0.00676 | U | 0.00676 | U | 0.00676 | U | 0.034 |
| FSS-5 | 0.6 | 27475-005 | U | 0.0196 | U | 0.116 | U | 0.0906 | J | 2.05 | U | 0.00657 | U | 0.00657 | U | 0.00657 | U | 0.0336 |
| FSS-6 | 0.6 | 27475-006 | U | 0.0643 | U | 0.0259 | U | 0.0601 | B73 | 0.73 | U | 0.00794 | U | 0.00794 | U | 0.00794 | U | 0.0336 |
| FSS-7 | 0.6 | 27475-007 | U | 0.0561 | U | 0.024 | U | 0.0497 | U | 0.06103 | U | 0.01316 | U | 0.01316 | U | 0.01316 | U | 0.0336 |
| FSS-8 | 0.6 | 27475-008 | U | 0.0733 | U | 0.226 | U | 0.0497 | B73 | 0.69 | U | 0.00585 | U | 0.00585 | U | 0.00585 | U | 0.0336 |
| FSS-9 | 0.6 | 27475-009 | U | 0.0412 | U | 0.0919 | U | 0.0451 | U | 0.0656 | U | 0.00565 | U | 0.00565 | U | 0.00565 | U | 0.0336 |
| FSS-10 | 0.6 | 27475-010 | U | 0.00713 | U | 0.0279 | U | 0.0619 | J | 2.22 | U | 0.00443 | U | 0.00443 | U | 0.00443 | U | 0.0336 |
| FSS-11 | 0.6 | 27475-011 | U | 0.0444 | U | 0.0596 | U | 0.0517 | J | 0.91 | U | 0.00297 | U | 0.00297 | U | 0.00297 | U | 0.0336 |
| FSS-12 | 0.6 | 27475-012 | U | 0.0415 | U | 0.0879 | U | 0.0716 | J | 1.85 | U | 0.00835 | U | 0.00835 | U | 0.00835 | U | 0.0337 |
| FSS-13 | 0.6 | 27475-013 | U | 0.138 | U | 0.0863 | U | 0.0627 | J | 2.30 | U | 0.00339 | U | 0.00339 | U | 0.00339 | U | 0.0338 |
| FSS-14 | 0.6 | 27475-014 | U | 0.0207 | U | 0.175 | U | 0.0866 | B88 | 0.89 | U | 0.00316 | U | 0.00316 | U | 0.00316 | U | 0.0337 |
| FSS-15 | 0.6 | 27475-015 | U | 0.0858 | U | 0.052 | U | 0.0519 | U | 0.062 | U | 0.00286 | U | 0.00286 | U | 0.00286 | U | 0.0337 |
| FSS-16 | 0.6 | 27475-016 | U | 0.0852 | U | 0.108 | U | 0.0525 | U | 0.062 | U | 0.00256 | U | 0.00256 | U | 0.00256 | U | 0.0336 |
| FSS-17 | 0.6 | 27475-017 | U | 0.0719 | U | 0.0483 | U | 0.0411 | U | 0.067 | U | 0.00236 | U | 0.00236 | U | 0.00236 | U | 0.0336 |
| FSS-18 | 0.6 | 27475-018 | U | 0.0346 | U | 0.0531 | U | 0.0387 | B91 | 0.91 | U | 0.00405 | U | 0.00405 | U | 0.00405 | U | 0.0336 |
| FSS-CMP | 0.6 | 27475-019 | U | 0.0282 | U | 0.0378 | U | 0.0505 | J | 3.69 | U | 0.0091 | U | 0.00623 | U | 0.00623 | U | 0.0336 |

Final Status Survey Soil Boiling Results

| Location | Depth (m) | Lab ID | CEI Result (ppm) | | | | | | | | | | | | | | Zr-48 | | |
|----------|-----------|-----------|------------------|---------|--------|---------|--------|--------|--------|----------|--------|----------|--------|---------|--------|---------|--------|---------|---|
| | | | An-241 | Be-7 | Cs-134 | Cs-137 | Ce-557 | Ce-6 | Eu-140 | Eu-142 | Eu-144 | Mn-54 | Eu-145 | Eu-146 | Eu-148 | Eu-154 | Eu-155 | Eu-156 | |
| FSS-2 | 0.2 | 27475-001 | U | 0.0365 | U | 0.0771 | U | 0.0469 | J | 0.77 | U | 0.00445 | U | 0.00753 | U | 0.00354 | U | 0.00354 | U |
| FSS-2 | 2.4 | 27475-002 | U | 0.06766 | DL | -0.0756 | U | 0.135 | U | 0.00243 | DL | 0.00417 | U | 0.02161 | U | 0.00216 | U | 0.0103 | |
| FSS-2 | 4.6 | 27475-003 | U | 0.0973 | U | -0.0142 | U | 0.0688 | U | 0.0143 | U | -0.00226 | U | 0.00482 | U | 0.00603 | U | 0.0441 | |
| FSS-2 | 6.8 | 27475-004 | U | 0.0289 | U | 0.0869 | U | 0.0461 | U | -0.00449 | U | 0.00282 | U | 0.0488 | U | 0.00219 | U | 0.02 | |
| FSS-2 | 0.2 | 27475-005 | U | 0.0242 | U | -0.0801 | J | 0.71 | U | -0.00133 | U | 0.00116 | U | 0.0445 | U | 0.00389 | U | 0.0387 | |
| FSS-9 | 0.2 | 27475-006 | U | 0.0448 | U | 0.02 | U | 0.0989 | U | 0.0084 | U | 0.00238 | U | 0.00634 | U | 0.00634 | U | 0.0384 | |
| FSS-9 | 4.6 | 27475-007 | U | 0.0597 | U | 0.044 | U | 0.0145 | U | 0.0111 | U | 0.00845 | U | 0.0368 | U | 0.00559 | U | 0.0384 | |
| FSS-9 | 6.8 | 27475-008 | U | 0.0242 | U | 0.084 | U | 0.0869 | U | 0.0127 | U | 0.00226 | U | 0.0366 | U | 0.00559 | U | 0.0384 | |
| FSS-16 | 2.2 | 27475-009 | U | 0.0467 | U | 0.146 | U | 0.0502 | U | 0.0227 | U | 0.00226 | U | 0.0366 | U | 0.00559 | U | 0.0384 | |
| FSS-16 | 4.6 | 27475-010 | U | 0.0467 | U | 0.146 | U | 0.0502 | U | 0.0227 | U | 0.00226 | U | 0.0366 | U | 0.00559 | U | 0.0384 | |
| FSS-16 | 6.8 | 27475-011 | U | 0.0467 | U | 0.146 | U | 0.0502 | U | 0.0227 | U | 0.00226 | U | 0.0366 | U | 0.00559 | U | 0.0384 | |
| FSS-16 | 2.2 | 27475-012 | U | 0.0467 | U | 0.146 | U | 0.0502 | U | 0.0227 | U | 0.00226 | U | 0.0366 | U | 0.00559 | U | 0.0384 | |
| FSS-16 | 4.6 | 27475-013 | U | 0.0467 | U | 0.146 | U | 0.0502 | U | 0.0227 | U | 0.00226 | U | 0.0366 | U | 0.00559 | U | 0.0384 | |
| FSS-16 | 6.8 | 27475-014 | U | 0.0467 | U | 0.146 | U | 0.0502 | U | 0.0227 | U | 0.00226 | U | 0.0366 | U | 0.00559 | U | 0.0384 | |
| FSS-16 | 2.2 | 27475-015 | U | 0.0467 | U | 0.146 | U | 0.0502 | U | 0.0227 | U | 0.00226 | U | 0.0366 | U | 0.00559 | U | 0.0384 | |
| FSS-16 | 4.6 | 27475-016 | U | 0.0467 | U | 0.146 | U | 0.0502 | U | 0.0227 | U | 0.00226 | U | 0.0366 | U | 0.00559 | U | 0.0384 | |
| FSS-16 | 6.8 | 27475-017 | U | 0.0467 | U | 0.146 | U | 0.0502 | U | 0.0227 | U | 0.00226 | U | 0.0366 | U | 0.00559 | U | 0.0384 | |

Final Status Survey Surface Soil Sample Chemical Results

| Sample ID | Lab ID | CEI Result (ppm) | Measure | End |
|----------------------------------|-----------|------------------|---------|------|
| FSS-1 (Contiguous Area) | 27475-001 | J | 0.0195 | 9.86 |
| FSS-COMP (Contiguous Area) | 27475-019 | J | 0.0315 | 13.0 |

NOTES:

- U - Undetected, sample result <MDA
- DL - Detection limit for spectrometry
- J - External value, the sample result was greater than the MDA but less than the required detection limit
- ND - Non-detect
- D - Sample result reported from diluted aliquot of the sample

Discrete Area Soil Sample Radiological Results

| Sample ID | Lab ID | Location | Depth (ft) | Geiger Count (PCU) | | | | | | | | | | | | |
|-----------|--------|----------|------------|--------------------|------|--------|--------|--------|--------|----------|--------|----------|--------|----------|--------|---------|
| | | | | Am-241 | Bk-7 | Cf-118 | Cs-137 | Cs-138 | Cs-139 | Cs-140 | Cs-141 | Cs-142 | Cs-143 | Cs-144 | Cs-145 | |
| FSS-1 | 035 | 2788-001 | U | 0.0075 | D | 0.715 | U | 0.755 | U | -2.22 | D | 0.00724 | U | -0.00005 | U | 0.00000 |
| FSS-1 | 035 | 2788-002 | U | -3.35E-05 | D | 0.108 | U | 0.055 | U | -2.56 | D | -0.00053 | U | 0.00000 | U | 0.00000 |
| FSS-1 | 035 | 2788-003 | U | -0.6441 | D | 0.199 | U | 0.055 | U | -1.00 | D | 0.00056 | U | 0.00000 | U | 0.00000 |
| FSS-1 | 035 | 2788-004 | U | -0.1000 | D | 0.199 | U | 0.055 | U | -0.00057 | D | 0.00056 | U | 0.00000 | U | 0.00000 |
| FSS-1 | 035 | 2788-005 | U | -0.00005 | D | 0.199 | U | 0.055 | U | -0.00058 | D | 0.00056 | U | 0.00000 | U | 0.00000 |
| FSS-1 | 035 | 2788-006 | U | -0.00005 | D | 0.199 | U | 0.055 | U | -0.00059 | D | 0.00056 | U | 0.00000 | U | 0.00000 |
| FSS-1 | 035 | 2788-007 | U | -0.00005 | D | 0.199 | U | 0.055 | U | -0.00059 | D | 0.00056 | U | 0.00000 | U | 0.00000 |
| FSS-1 | 035 | 2788-008 | U | -0.00005 | D | 0.199 | U | 0.055 | U | -0.00059 | D | 0.00056 | U | 0.00000 | U | 0.00000 |
| FSS-1 | 035 | 2788-009 | U | -0.00005 | D | 0.199 | U | 0.055 | U | -0.00059 | D | 0.00056 | U | 0.00000 | U | 0.00000 |
| FSS-1 | 035 | 2788-010 | U | -0.00005 | D | 0.199 | U | 0.055 | U | -0.00059 | D | 0.00056 | U | 0.00000 | U | 0.00000 |
| FSS-1 | 035 | 2788-011 | U | -0.00005 | D | 0.199 | U | 0.055 | U | -0.00059 | D | 0.00056 | U | 0.00000 | U | 0.00000 |
| FSS-1 | 035 | 2788-012 | U | -0.00005 | D | 0.199 | U | 0.055 | U | -0.00059 | D | 0.00056 | U | 0.00000 | U | 0.00000 |
| FSS-COMP | 045 | 2788-013 | J | 0.0222 | | 9.92 | | | | | | | | | | |

Discrete Area Soil Sample Chemical Results

| Sample ID | Lab ID | Geiger Result (mg/kg) | |
|-----------|--------|-----------------------|--------|
| | | Method | Result |
| FSS-COMP | 045 | 2788-013 | J |

NOTES:

U - Undetect; sample result <MDA.

U - Uncertain Indication for gamma spectroscopy

J - Estimated Value; the sample result was greater than the MDA but less than the required detection limit

ND - Non-detect

DL - Sample result reported from diluted aliquot of the sample

Radiological Quality Control/Quality Assurance Sample Results

| Sample ID | Lab ID | Location (m) | GEI T. Result (pCi/g) | | | | | | | | | | | | | | | | | | |
|-----------|--------|--------------|-----------------------|---------|--------|---------|-------|----------|--------|----------|--------|----------|--------|------------|--------|----------|-------|----------|-----------|---------|--------|
| | | | Am-241 | Bk-7 | Cs-134 | Cs-137 | Ce-57 | Cd-60 | Eu-162 | Eu-164 | Eu-165 | Pu-238 | Pu-239 | Pu-239/240 | Ru-226 | Na-22 | Sr-80 | H-3 | U-235/236 | U-238 | Zn-65 |
| FB-1 | 0 | 2.477-013 | U | -0.0333 | U | 0.0204 | U | -0.00278 | U | -0.00863 | U | 0.0182 | U | 0.0165 | U | -0.00518 | U | 0.409 | NA | NA | U |
| BD-1 | 0-2 | 2.477-014 | U | 0.0613 | U | 0.102 | DL | 0.0562 | U | -0.0671 | U | -0.0627 | U | -0.0057 | NA | NA | NA | -0.274 | NA | NA | NA |
| BD-1 | 2-4 | 2.477-015 | U | 0.0212 | U | -0.0119 | U | 0.075 | U | -0.0057 | U | 5.70E-05 | U | -0.0153 | U | 0.0671 | U | 0.3712 | NA | NA | 0.0129 |
| BD-1 | 4-6 | 2.477-016 | U | 0.065 | U | 0.0679 | U | 0.0679 | U | -0.018 | U | -0.00628 | U | -0.0283 | U | 0.0388 | U | -0.00567 | U | 0.3712 | NA |
| BD-1 | 6-8 | 2.477-017 | U | 0.0458 | U | 0.0892 | U | 0.047 | U | -0.0129 | U | -0.00628 | U | -0.0283 | U | 0.0388 | U | -0.00567 | U | 0.3712 | NA |
| BD-1 | 0-0.5 | 2.477-020 | U | 0.166 | DL | 0.122 | U | 0.0748 | U | 8.58 | U | -0.00917 | U | -0.00577 | U | 0.0287 | U | 0.0146 | U | -0.0156 | NA |
| FB-1 | 0 | 2.747-021 | U | 0.0175 | U | -0.0355 | U | 0.0178 | U | -0.0108 | U | -0.00772 | U | -0.0014 | U | -0.0157 | U | 0.021 | U | -0.0156 | NA |
| BD-1 | 0-0.5 | 2.747-024 | U | 0.0205 | U | -0.0597 | U | 0.0792 | U | 4.42 | U | 0.00316 | U | 0.024 | U | 0.00185 | U | 0.00785 | U | 0.133 | U |
| FB-1 | 0 | 2.747-015 | U | 0.0457 | U | 0.042 | U | 0.0259 | U | 0.00275 | U | -0.00268 | U | 0.0165 | U | -0.00034 | U | 0.0056 | U | -0.0422 | NA |
| FB-1 | 0 | 2.747-015 | U | 0.0457 | U | 0.042 | U | 0.0259 | U | 0.00275 | U | -0.00268 | U | 0.0165 | U | -0.00034 | U | 0.0056 | U | -0.0422 | NA |

Chemical Quality Control/Quality Assurance Sample Results

| Sample ID | Lab ID | Location (m) | GeI T. Result (mg/kg) |
|-----------|--------|--------------|-----------------------|
| FB-1 | 0 | 2.747-021 | Mercury Lead |

NOTES:

U - Undetected, sample result <MDA.

DL - Uncertain identification for gamma spectroscopy

J - Estimated Value, the sample result was greater than the MDA but less than the required detection limit

ND - Non-detect

DL - Sample result reported from diluted aliquot of the sample

Radionuclide Concentrations By Gamma Spectroscopy
Procedure CP1 - Revision 16

Reported Data

| ORISE Sample ID | Sample Date | Geom. | SQ | Detector No. | Cs-137 pCi/g | MDC | | |
|-----------------------|----------------|-------|--------|-----------------|-----------------|-----|------|------|
| 5062S0001 | 9/29/2009 | LM | 636.67 | DET07 | 54.3 | ± | 4.7 | 0.16 |
| 5062S0002 | 9/29/2009 | LM | 638.18 | DET08 | 30.5 | ± | 2.8 | 0.13 |
| 5062S0003 | 9/29/2009 | FM | 871 | DET07 | 4.86 | ± | 0.65 | 0.05 |
| 5062S0004 | 9/29/2009 | LM | 728.78 | DET08 | 20.9 | ± | 1.9 | 0.08 |
| 5062S0005 | 9/29/2009 | LM | 596.91 | DET07 | 2.31 | ± | 0.22 | 0.06 |
| 5062S0006 | 9/29/2009 | LM | 689.61 | DET08 | 9.82 | ± | 0.92 | 0.06 |
| 5062S0007 | 9/29/2009 | LM | 705.23 | DET06 | 1.55 | ± | 0.13 | 0.04 |
| 5062S0008 | 9/29/2009 | LM | 730.88 | DET09 | 5.10 | ± | 0.47 | 0.07 |
| 5062S0009 | 9/29/2009 | LM | 494.01 | DET06 | 8.40 | ± | 0.60 | 0.07 |
| 5062S0010 | 9/29/2009 | LM | 661.5 | DET07 | 18.2 | ± | 1.6 | 0.10 |
| 5062S0011 | 9/29/2009 | LM | 519.66 | DET08 | 26.6 | ± | 2.5 | 0.10 |
| 5062S0012 | 9/29/2009 | LM | 733.92 | DET09 | 30.8 | ± | 2.8 | 0.13 |
| 5062S0013 | 9/29/2009 | LM | 654.7 | DET09 | 47.5 | ± | 4.3 | 0.19 |
| 5062S0014 | 9/29/2009 | LM | 592.29 | DET06 | 1.51 | ± | 0.13 | 0.05 |
| 5062S0015 | 9/29/2009 | LM | 584.89 | DET07 | 0.96 | ± | 0.11 | 0.05 |
| 5062S0016 | 9/29/2009 | LM | 524.94 | DET08 | 1.79 | ± | 0.18 | 0.05 |
| 5062S0017 | 9/29/2009 | LM | 521.02 | DET09 | 1.07 | ± | 0.12 | 0.06 |
| 5062S0018 | 9/29/2009 | LM | 470.12 | DET06 | 2.43 | ± | 0.20 | 0.06 |
| 5062S0019 | 9/29/2009 | LM | 446.91 | DET07 | 1.88 | ± | 0.19 | 0.06 |
| 5062S0020 | 9/29/2009 | LM | 799.82 | DET08 | 0.18 | ± | 0.03 | 0.02 |
| 5062S0021 | 9/29/2009 | FM | 890.82 | DET09 | 0.03 | ± | 0.01 | 0.03 |
| 5062S0022 | 9/29/2009 | FM | 861.63 | DET07 | 0.06 | ± | 0.02 | 0.03 |
| 5062S0023 | 9/29/2009 | FM | 965.43 | DET08 | 0.10 | ± | 0.02 | 0.02 |


| RADIOLOGICAL SURVEY FORM | | REASON FOR SURVEY | | INSTRUMENT | |
|--|----------|--|----------------|--|----------|
| FS-SOP-1000 | | <input type="checkbox"/> Routine _____ <input type="checkbox"/> Special _____ <input checked="" type="checkbox"/> RWP# 2009-ERP-010 <input type="checkbox"/> WP | | Model # 022027631 Serial # N/A CAL DUE | |
| Location / Equipment: F.H.W.M.F., @ M.S.R.A. | | Date: 08/12/09 | Time: 17:00 | Trimble ProXRS | 01/12/10 |
| | | Survey: Final status GPS walk over of the main soil remediation area, post excavation | | LUD-2221 ¹ | 01/10/10 |
| | | | | LUD-2221 ² | 211784 |
| | | | | N/A | → |
| <p>Main Soil Remediation Area</p> <p>Brookhaven Avenue</p> <p>Loading ramp area</p> | | | | | |
| <p>Note: The dark spots / marks inside of the MSRA are standing trees and large root infra structure.</p> <p>LEGEND</p> <ul style="list-style-type: none"> ○ - SMEAR SURVEY LOCATION ▲ - AIR SAMPLE LOCATION ■ - MASSLINN SURVEY LOCATION # - DIRECT FRISK LOCATION ▬ C - CONTAMINATION * - CONTACT <p>XXX = contact reading Y = radiation type ZZZ = reading @ 30cm</p> | | | | | |
| AIRBORNE ACTIVITY SURVEY | | | | | |
| Sample # | Duration | Flow Rate | Field Analysis | | |
| | | | cpm | μCi/sec | % DAC |
| N/A | | | | | → |
| DOSE RATE (HIGHEST) | | | | | |
| CONTACT READING | | N/A | | | |
| GENERAL AREA READING | | | | | |
| MASSLINN SURVEY RESULTS (in dpm) | | | | | |
| 1. | N/A | 2. | 6. | 3. | 7. |
| 4. | 8. | 5. | N/A | 6. | 7. |
| SMEAR SURVEY RESULTS (dpm/100cm ²) α , β - γ , ^{3}H | | | | | |
| 1. | N/A | 8. | N/A | 15. | N/A |
| 2. | | 9. | | 16. | |
| 3. | | 10. | | 17. | |
| 4. | | 11. | | 18. | |
| 5. | | 12. | | 19. | |
| 6. | | 13. | | 20. | |
| 7. | ↓ | 14. | ↓ | 21. | ↓ |

Surveyed By: Sean A. Gully

Date: 09/03/09

Reviewed By:


Date: 9/9/09



Coordinate System: NAD83, New York Long Island - Units: Feet

0 62.5 125 250
[Scale bar] Feet

**GPS-Based Radiological Survey
Brookhaven National Laboratory
SRA
August 12, 2009**



Page 2 of 2

RADIOLOGICAL SURVEY FORM
FS-SOP-000

REASON FOR SURVEY
 Routine _____ Special _____

RWP# 2009-ERP-010 WP

Location / Equipment: F.H.W.M.F., @ M.S.R.A.


Date: 08/18/09 Time: 17:00

INSTRUMENT
 Model # Trimble ProXRS Serial # N/A CAL DUE

Survey: Post excavation GPS final status walk-over of the Remote Discrete Area locations [J-K-I-L-M-N-O & P].



Brookhaven Avenue



AIRBORNE ACTIVITY SURVEY

| Sample # | Duration | Field Analysis | | |
|----------|----------|----------------|-------------|-------|
| | | cpm | μ Ci/ce | % DAC |
| N/A | | | | |

DOSE RATE (HIGHEST)

| GENERAL AREA READING | MASSLIN SURVEY RESULTS (in dpm) |
|----------------------|---------------------------------|
| N/A | N/A |

| 1. | 2. | 3. | 4. | 5. | 6. | 7. | 8. | 9. | 10. | 11. | 12. | 13. | 14. | 15. | 16. | 17. | 18. | 19. | 20. | 21. |
|---|----|----|----|----|----|----|----|----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|
| SMEAR SURVEY RESULTS (dpm/100cm ²) a, β - γ , ^{3}H | | | | | | | | | | | | | | | | | | | | |

Note:


(A) The above GPS map showing the remote discrete area locations. Initial post excavation use of the standard Ludlum 2221² meter perusing the original remote discrete area locations and the follow up final status survey [above] using the GPS / Ludlum 2221¹ meter.

(B) All tools and equipment used inside of the RDA have been removed and all activity checks of the same were \approx Bkgd. and / or $<$ 1K dpm, see RWP and contamination / activation log for surveys.

(C) See page 2 of 2 [attached sheet] for cpm and distance legend.

(D) For information only, the larger remote discrete area on the south side of brookhaven avenue has been posted as a Soil Contamination Area, due to new hot spots found [not part of the original survey].

Surveyed By: Sean A. Gully Date: 09/04/09 Reviewed By: H. Meltz Date: 9/9/09



Coordinate System: NAD83, New York Long Island - Units: Feet

0 62.5 125 250
[Scale bar] Feet

**GPS-Based Radiological Survey
Brookhaven National Laboratory
Remote Discrete Areas
August 17, 2009**

Legend

FHW MF Survey Perimeter

Gamma Count Rate

(cpm)

● < 15,000

○ 15,000 - 21,500

● > 21,500

| RADIOLOGICAL SURVEY FORM | | REASON FOR SURVEY | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|---|--|----------------------------------|----------------------------------|----------|----------|----------------|--|--|---|--|---|-------------------------|--|-----------|------|-----------------------|--------------------|----------------------|----------------------|-----|--------|--------|-------------------|-------------------|-------------------|-------------------|--------------------|--------------------|--------------------|--------------------|--------------------|--------------------|--------------------|---------------------|---------------------|---------------------|---------------------|---------------------|--------|--------|---------|-------------------|--------------------|--------------------|--------------------|--------------------|--------------------|--------------------|--------------------|---------------------|---------------------|---------------------|---------------------|---------------------|---------------------|---------------------|
| FS-SOP-1000 | | <input type="checkbox"/> Routine | <input type="checkbox"/> Special | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Location / Equipment: F.H.W.M.F., M.S.R.A. | Date: 08/19/09 | Time: 17:00 | Model # Trimble Pro XRS | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | Serial # N/A | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| CAL DUE N/A | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Survey: GPS walk over of the main soil remediation area, showing the final status sample point locations. | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| <p>Note:</p> <p>(A) The attached GPS map [page 2 of 2] is indicative of the eighteen (18) sample point locations from which the final status soil samples were taken. Using a Ludlum 2221¹ meter with a 44-10 NaI 2 x 2 probe.</p> <p>(B) As per procedure, prior to taking the samples, one minute static counts were taken using a Ludlum 2221² meter with a 44-10 NaI 2 x 2 probe. The following static count results are in cpm and correlate with the visual sample locations, see attached page 2 of 2.</p> | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| <table border="1"> <thead> <tr> <th colspan="5">LEGEND</th> </tr> <tr> <td><input type="radio"/> - SMEAR SURVEY LOCATION</td> <td><input type="triangle"/> - AIR SAMPLE LOCATION</td> </tr> <tr> <td><input type="checkbox"/> - MASSLINN SURVEY LOCATION</td> <td># DIRECT FRISK LOCATION</td> </tr> <tr> <td><input type="checkbox"/> - CONTAMINATION</td> <td>* CONTACT</td> </tr> </thead> <tbody> <tr> <td>XXXY</td> <td>XXX = contact reading</td> <td>Y = radiation type</td> <td>ZZZ = reading @ 30cm</td> <td>ZZZ</td> </tr> </tbody> </table> | | | | LEGEND | | | | | <input type="radio"/> - SMEAR SURVEY LOCATION | <input type="triangle"/> - AIR SAMPLE LOCATION | <input type="checkbox"/> - MASSLINN SURVEY LOCATION | # DIRECT FRISK LOCATION | <input type="checkbox"/> - CONTAMINATION | * CONTACT | XXXY | XXX = contact reading | Y = radiation type | ZZZ = reading @ 30cm | ZZZ | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| LEGEND | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| <input type="radio"/> - SMEAR SURVEY LOCATION | <input type="triangle"/> - AIR SAMPLE LOCATION | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| <input type="checkbox"/> - MASSLINN SURVEY LOCATION | # DIRECT FRISK LOCATION | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| <input type="checkbox"/> - CONTAMINATION | * CONTACT | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| XXXY | XXX = contact reading | Y = radiation type | ZZZ = reading @ 30cm | ZZZ | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| <p>AIRBORNE ACTIVITY SURVEY</p> <table border="1"> <thead> <tr> <th rowspan="2">Sample #</th> <th rowspan="2">Duration</th> <th colspan="3">Field Analysis</th> </tr> <tr> <th>cpm</th> <th>μClicc</th> <th>% DAC</th> </tr> </thead> <tbody> <tr> <td>N/A</td> <td></td> <td></td> <td></td> <td>▼</td> </tr> </tbody> </table> <p>DOSE RATE (HIGHEST)</p> <table border="1"> <thead> <tr> <th>CONTACT READING</th> <th>N/A</th> </tr> </thead> <tbody> <tr> <td>GENERAL AREA READING</td> <td>N/A</td> </tr> </tbody> </table> <p>MASSLINN SURVEY RESULTS (in dpm)</p> <table border="1"> <thead> <tr> <th>1. N/A</th> <th>5. N/A</th> </tr> </thead> <tbody> <tr> <td>2. 6. </td> <td>3. 7. </td> </tr> <tr> <td>4. 8. </td> <td>5. 9. </td> </tr> <tr> <td>6. 10. </td> <td>7. 11. </td> </tr> <tr> <td>7. 12. </td> <td>8. 13. </td> </tr> <tr> <td>8. 14. </td> <td>9. 15. </td> </tr> <tr> <td>9. 16. </td> <td>10. 17. </td> </tr> <tr> <td>10. 18. </td> <td>11. 19. </td> </tr> <tr> <td>11. 20. </td> <td>12. 21. </td> </tr> </tbody> </table> <p>SMEAR SURVEY RESULTS (dpm/100cm²) <u>a</u>, <u>b</u>, <u>c</u>, ^dH</p> <table border="1"> <thead> <tr> <th>1. N/A</th> <th>8. N/A</th> <th>15. N/A</th> </tr> </thead> <tbody> <tr> <td>2. 9. </td> <td>3. 10. </td> <td>4. 11. </td> </tr> <tr> <td>5. 12. </td> <td>6. 13. </td> <td>7. 14. </td> </tr> <tr> <td>8. 15. </td> <td>9. 16. </td> <td>10. 17. </td> </tr> <tr> <td>11. 18. </td> <td>12. 19. </td> <td>13. 20. </td> </tr> <tr> <td>14. 21. </td> <td>15. 22. </td> <td>16. 23. </td> </tr> </tbody> </table> | | | | Sample # | Duration | Field Analysis | | | cpm | μ Clicc | % DAC | N/A | | | | ▼ | CONTACT READING | N/A | GENERAL AREA READING | N/A | 1. N/A | 5. N/A | 2. 6. | 3. 7. | 4. 8. | 5. 9. | 6. 10. | 7. 11. | 7. 12. | 8. 13. | 8. 14. | 9. 15. | 9. 16. | 10. 17. | 10. 18. | 11. 19. | 11. 20. | 12. 21. | 1. N/A | 8. N/A | 15. N/A | 2. 9. | 3. 10. | 4. 11. | 5. 12. | 6. 13. | 7. 14. | 8. 15. | 9. 16. | 10. 17. | 11. 18. | 12. 19. | 13. 20. | 14. 21. | 15. 22. | 16. 23. |
| Sample # | Duration | Field Analysis | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | cpm | μ Clicc | % DAC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| N/A | | | | ▼ | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| CONTACT READING | N/A | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| GENERAL AREA READING | N/A | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1. N/A | 5. N/A | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 2. 6. | 3. 7. | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 4. 8. | 5. 9. | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 6. 10. | 7. 11. | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 7. 12. | 8. 13. | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 8. 14. | 9. 15. | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 9. 16. | 10. 17. | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 10. 18. | 11. 19. | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 11. 20. | 12. 21. | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1. N/A | 8. N/A | 15. N/A | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 2. 9. | 3. 10. | 4. 11. | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 5. 12. | 6. 13. | 7. 14. | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 8. 15. | 9. 16. | 10. 17. | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 11. 18. | 12. 19. | 13. 20. | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 14. 21. | 15. 22. | 16. 23. | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |


Surveyed By: Sean A. Gilly

FS-SOP-1000

Assignment 9. 2

Page 1 of 2

8-19-09



Coordinate System: NAD83, New York Long Island - Units: Feet



**GPS-Based Radiological Survey
Brookhaven National Laboratory
SRA Sample Locations
August 27, 2009**

Legend
● SRA Sample Locations
□ FHW MF Survey Perimeter

Page 2 of 2

| RADIOLOGICAL SURVEY FORM | | REASON FOR SURVEY | | INSTRUMENT | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|--|-----------------------|--|----------|--|-------|----------|----------|---------------------|--------|---------|----------------|--------|-------|-----|-----|----|--|-----|-----|-----|----|--|-----|-----|-----|----|--|-----|-----|-----|----|--|-----|-----|-----|----|--|-----|-----|-----|----|--|-----|-----|-----|
| FS-SOP-1000 | | <input type="checkbox"/> Routine _____ <input type="checkbox"/> Special _____ <input checked="" type="checkbox"/> RWP# 2009-ERP-010 <input type="checkbox"/> WP | | Model # Serial # LB5100S4 Serial # CAL DUE 32487 07/17/09 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Location / Equipment: | M.S.R.A. and D.S.R.A. | Date: | 10/20/09 | Time: | 13:00 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Survey: Remediate M.S.R.A. locations [S001-S002-], and D.S.R.A. location [S011]. | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| <p>Main Soil Remediation Area</p> <p>Discrete Soil Area (W)</p> <p>AIRBORNE ACTIVITY SURVEY</p> <p>LEGEND</p> <ul style="list-style-type: none"> O - SMEAR SURVEY LOCATION C - MASSLINN SURVEY LOCATION # - DIRECT FRISK LOCATION * - CONTACT <p><small>XXX = contact testing Y = radiation type ZZZ = reading @ 30cm</small></p> | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| <table border="1"> <thead> <tr> <th rowspan="2">Sample #</th> <th rowspan="2">Duration</th> <th colspan="3">DOSE RATE (HIGHEST)</th> </tr> <tr> <th>Field Analysis</th> <th>μCi/hr</th> <th>% DAC</th> </tr> </thead> <tbody> <tr> <td>N/A</td> <td></td> <td></td> <td></td> <td></td> </tr> </tbody> </table> <p>GENERAL AREA READING</p> <p>MASSLINN SURVEY RESULTS (in dpm)</p> <p>1. < 1K 2. 6. 4. 8. 5. N/A 3. 7. 7. N/A</p> | | | | | | Sample # | Duration | DOSE RATE (HIGHEST) | | | Field Analysis | μCi/hr | % DAC | N/A | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Sample # | Duration | DOSE RATE (HIGHEST) | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | Field Analysis | μCi/hr | % DAC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| N/A | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| <p>SMEAR SURVEY RESULTS (dpm/100cm²)</p> <table border="1"> <thead> <tr> <th>See</th> <th>Attached</th> <th>Batch</th> <th>Number</th> <th>Results</th> </tr> </thead> <tbody> <tr> <td>1.</td> <td></td> <td>10.</td> <td>11.</td> <td>18.</td> </tr> <tr> <td>2.</td> <td></td> <td>10.</td> <td>11.</td> <td>17.</td> </tr> <tr> <td>3.</td> <td></td> <td>10.</td> <td>11.</td> <td>16.</td> </tr> <tr> <td>4.</td> <td></td> <td>10.</td> <td>11.</td> <td>15.</td> </tr> <tr> <td>5.</td> <td></td> <td>12.</td> <td>12.</td> <td>19.</td> </tr> <tr> <td>6.</td> <td></td> <td>13.</td> <td>13.</td> <td>20.</td> </tr> <tr> <td>7.</td> <td></td> <td>14.</td> <td>14.</td> <td>21.</td> </tr> </tbody> </table> | | | | | | See | Attached | Batch | Number | Results | 1. | | 10. | 11. | 18. | 2. | | 10. | 11. | 17. | 3. | | 10. | 11. | 16. | 4. | | 10. | 11. | 15. | 5. | | 12. | 12. | 19. | 6. | | 13. | 13. | 20. | 7. | | 14. | 14. | 21. |
| See | Attached | Batch | Number | Results | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1. | | 10. | 11. | 18. | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 2. | | 10. | 11. | 17. | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 3. | | 10. | 11. | 16. | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 4. | | 10. | 11. | 15. | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 5. | | 12. | 12. | 19. | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 6. | | 13. | 13. | 20. | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 7. | | 14. | 14. | 21. | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |

Surveyed By: Sean A. Gully

Date: 10/22/09

Reviewed By:

Date:

| RADIOLOGICAL SURVEY FORM | | REASON FOR SURVEY | | INSTRUMENT | |
|--|----------|---|----------------|-------------------|-----------------|
| FS-SOP-1000 | | <input type="checkbox"/> Routine <input type="checkbox"/> Special | | | |
| Location/Equipment: Discrete Soil Remediation Area T | | Date: 10/22/09 | Time: 11:30 | Model #: LB5100S4 | Serial #: 32487 |
| Survey: Remediate D.S.R.A. "T" sample locations [S012 and S013]. | | | | | |
| | | | | | |
| LEGEND ○ - SMEAR SURVEY LOCATION △ - AIR SAMPLE LOCATION □ - MASSLINN SURVEY LOCATION # - DIRECT FRISK LOCATION C - CONTAMINATION XXXX XCC = contact reading Y = radiation type ZZZZ = resting @ 30cm YYYY YYY = contact reading ZZZ = resting @ 30cm | | | | | |
| AIRBORNE ACTIVITY SURVEY | | | | | |
| | | | Field Analysis | | |
| Sample # | Duration | Flow Rate | cpm | μ Ci/sec | % DAC |
| N/A | | | | | ▼ |
| DOSE RATE (HIGHEST) | | | | | |
| CONTACT READING | | 6 μ rem/hr. | | | |
| GENERAL AREA READING | | N/A | | | |
| MASSLIN SURVEY RESULTS (in dpm) | | | | | |
| 1. | < 1K | 5. | < 1K | | |
| 2. | | 6. | | | |
| 3. | | 7. | | | |
| 4. | | 8. | | | |
| SMEAR SURVEY RESULTS (dpm/100cm ²) a. b. c. d. e. f. g. h. i. j. k. l. m. n. o. p. q. r. s. t. u. v. w. x. y. z. | | | | | |
| 1. | See | 8. Attached | 15. Results | | |
| 2. | Batch | 9. Number | 16. 677 | | |
| 3. | | 10. | 17. | | |
| 4. | | 11. | 18. | | |
| 5. | | 12. | 19. | | |
| 6. | | 13. | 20. | | |
| 7. | | 14. | 21. | | |

Surveyed By: Sean A. Gully Date: 10/22/09 Reviewed By:

FS-SOP-1000
Attachment 9.2

Appendix B
RESRAD Dose Assessment Summary Reports

RESRAD, Version 6.4 T₉₀ Limit = 180 days 12/16/2009 22:28 Page 1
Summary : FHWMF-Perimeter-Res-Non-Farm-BKG-subtract-prelim
File : F:\RESRAD_FAMILY\RESRAD\FHWMF-PERIMETER-RES-NON-FARM-BKG-SUBTRACT-PRELIM.RAD

Table of Contents

XXXXXXXXXXXXXXXXXXXX

Part I: Mixture Sums and Single Radionuclide Guidelines

| | |
|--|----|
| Dose Conversion Factor (and Related) Parameter Summary ... | 2 |
| Site-Specific Parameter Summary | 4 |
| Summary of Pathway Selections | 8 |
| Contaminated Zone and Total Dose Summary | 9 |
| Total Dose Components | |
| Time = 0.000E+00 | 10 |
| Time = 1.000E+00 | 11 |
| Time = 5.000E+00 | 12 |
| Time = 1.000E+01 | 13 |
| Time = 5.000E+01 | 14 |
| Time = 1.000E+02 | 15 |
| Time = 5.000E+02 | 16 |
| Time = 1.000E+03 | 17 |
| Dose/Source Ratios Summed Over All Pathways | 18 |
| Single Radionuclide Soil Guidelines | 18 |
| Dose Per Nuclide Summed Over All Pathways | 19 |
| Soil Concentration Per Nuclide | 19 |

RESRAD, Version 6.4 T_{ex} Limit = 180 days 12/16/2009 22:28 Page 2
 Summary : FHWMF-Perimeter-Res-Non-Farm-BKG-subtract-prelim
 File : F:\RESRAD_FAMILY\RESRAD\FHWMF-PERIMETER-RES-NON-FARM-BKG-SUBTRACT-PRELIM.RAD

Dose Conversion Factor (and Related) Parameter Summary

Dose Library: FGR 11

| Menu | Parameter | Current Value# | Base Case* | Parameter Name |
|-------|--|----------------|-------------|----------------|
| <hr/> | | | | |
| A-1 | DCF's for external ground radiation, (mrem/yr)/(pCi/g) | 5.847E-03 | 5.847E-03 | DCF1(1) |
| A-1 | At-218 (Source: FGR 12) | 3.606E+00 | 3.606E+00 | DCF1(2) |
| A-1 | Ba-137m (Source: FGR 12) | 3.606E-03 | 3.606E-03 | DCF1(3) |
| A-1 | Bi-210 (Source: FGR 12) | 9.808E+00 | 9.808E+00 | DCF1(4) |
| A-1 | Bi-214 (Source: FGR 12) | 7.510E-04 | 7.510E-04 | DCF1(5) |
| A-1 | Cs-137 (Source: FGR 12) | 2.447E-03 | 2.447E-03 | DCF1(6) |
| A-1 | Pb-210 (Source: FGR 12) | 1.341E+00 | 1.341E+00 | DCF1(7) |
| A-1 | Pb-214 (Source: FGR 12) | 5.231E-05 | 5.231E-05 | DCF1(8) |
| A-1 | Po-210 (Source: FGR 12) | 5.138E-04 | 5.138E-04 | DCF1(9) |
| A-1 | Po-218 (Source: FGR 12) | 5.642E-05 | 5.642E-05 | DCF1(10) |
| A-1 | Ra-226 (Source: FGR 12) | 3.176E-02 | 3.176E-02 | DCF1(11) |
| A-1 | Rn-222 (Source: FGR 12) | 2.354E-03 | 2.354E-03 | DCF1(12) |
| A-1 | Sr-90 (Source: FGR 12) | 7.043E-04 | 7.043E-04 | DCF1(13) |
| A-1 | Tl-210 (Source: no data) | 0.0000E+00 | -2.0000E+00 | DCF1(14) |
| A-1 | Y-90 (Source: FGR 12) | 2.391E-02 | 2.391E-02 | DCF1(15) |
| <hr/> | | | | |
| B-1 | Dose conversion factors for inhalation, mrem/pCi: | | | |
| B-1 | Cs-137+D | 3.190E-05 | 3.190E-05 | DCF2(1) |
| B-1 | Pb-210+D | 2.320E-02 | 1.360E-02 | DCF2(2) |
| B-1 | Ra-226+D | 8.594E-03 | 8.580E-03 | DCF2(3) |
| B-1 | Sr-90+D | 1.308E-03 | 1.300E-03 | DCF2(4) |
| <hr/> | | | | |
| D-1 | Dose conversion factors for ingestion, mrem/pCi: | | | |
| D-1 | Cs-137+D | 5.000E-05 | 5.000E-05 | DCF3(1) |
| D-1 | Pb-210+D | 7.276E-03 | 5.370E-03 | DCF3(2) |
| D-1 | Ra-226+D | 1.321E-03 | 1.320E-03 | DCF3(3) |
| D-1 | Sr-90+D | 1.528E-04 | 1.420E-04 | DCF3(4) |
| <hr/> | | | | |
| D-34 | Food transfer factors: | | | |
| D-34 | Cs-137+D , plant/soil concentration ratio, dimensionless | 4.000E-02 | 4.000E-02 | RTF(1,1) |
| D-34 | Cs-137+D , beef/livestock-intake ratio, (pCi/kg)/(pCi/d) | 3.000E-02 | 3.000E-02 | RTF(1,2) |
| D-34 | Cs-137+D , milk/livestock-intake ratio, (pCi/L)/(pCi/d) | 8.000E-03 | 8.000E-03 | RTF(1,3) |
| D-34 | | | | |
| D-34 | Pb-210+D , plant/soil concentration ratio, dimensionless | 1.000E-02 | 1.000E-02 | RTF(2,1) |
| D-34 | Pb-210+D , beef/livestock-intake ratio, (pCi/kg)/(pCi/d) | 8.000E-04 | 8.000E-04 | RTF(2,2) |
| D-34 | Pb-210+D , milk/livestock-intake ratio, (pCi/L)/(pCi/d) | 3.000E-04 | 3.000E-04 | RTF(2,3) |
| D-34 | | | | |
| D-34 | Ra-226+D , plant/soil concentration ratio, dimensionless | 4.000E-02 | 4.000E-02 | RTF(3,1) |
| D-34 | Ra-226+D , beef/livestock-intake ratio, (pCi/kg)/(pCi/d) | 1.000E-03 | 1.000E-03 | RTF(3,2) |
| D-34 | Ra-226+D , milk/livestock-intake ratio, (pCi/L)/(pCi/d) | 1.000E-03 | 1.000E-03 | RTF(3,3) |
| D-34 | | | | |
| D-34 | Sr-90+D , plant/soil concentration ratio, dimensionless | 3.000E-01 | 3.000E-01 | RTF(4,1) |
| D-34 | Sr-90+D , beef/livestock-intake ratio, (pCi/kg)/(pCi/d) | 8.000E-03 | 8.000E-03 | RTF(4,2) |
| D-34 | Sr-90+D , milk/livestock-intake ratio, (pCi/L)/(pCi/d) | 2.000E-03 | 2.000E-03 | RTF(4,3) |
| <hr/> | | | | |
| D-5 | Bioaccumulation factors, fresh water, L/kg: | | | |
| D-5 | Cs-137+D , fish | 2.000E+03 | 2.000E+03 | BIOFAC(1,1) |
| D-5 | Cs-137+D , crustacea and mollusks | 1.000E+02 | 1.000E+02 | BIOFAC(1,2) |
| D-5 | | | | |

Summary : FHWMF-Perimeter-Res-Non-Farm-BKG-subtract-prelim

File : F:\RESRAD_FAMILY\RESRAD\FHWMF-PERIMETER-RES-NON-FARM-BKG-SUBTRACT-PRELIM.RAD

Dose Conversion Factor (and Related) Parameter Summary (continued)

Dose Library: FGR 11

| 3 Menu | 3 Parameter | 3 Current Value# | 3 Base Case* | 3 Parameter Name |
|--|-------------------------------------|------------------------|--------------------|------------------------|
| D-5 | 3 Pb-210+D , fish | 3 3.000E+02 | 3 3.000E+02 | 3 BIOFAC(2,1) |
| D-5 | 3 Pb-210+D , crustacea and mollusks | 3 1.000E+02 | 3 1.000E+02 | 3 BIOFAC(2,2) |
| D-5 | 3 | 3 | 3 | 3 |
| D-5 | 3 Ra-226+D , fish | 3 5.000E+01 | 3 5.000E+01 | 3 BIOFAC(3,1) |
| D-5 | 3 Ra-226+D , crustacea and mollusks | 3 2.500E+02 | 3 2.500E+02 | 3 BIOFAC(3,2) |
| D-5 | 3 | 3 | 3 | 3 |
| D-5 | 3 Sr-90+D , fish | 3 6.000E+01 | 3 6.000E+01 | 3 BIOFAC(4,1) |
| D-5 | 3 Sr-90+D , crustacea and mollusks | 3 1.000E+02 | 3 1.000E+02 | 3 BIOFAC(4,2) |
| ffffffffff | | | | |
| #For DCF1(xxx) only, factors are for infinite depth & area. See ETFG table in Ground Pathway of Detailed Report. | | | | |
| *Base Case means Default.Lib w/o Associate Nuclide contributions. | | | | |

RESRAD, Version 6.4 T₀ Limit = 180 days 12/16/2009 22:28 Page 4
 Summary : FHWMF-Perimeter-Res-Non-Farm-BKG-subtract-prelim
 File : F:\RESRAD_FAMILY\RESRAD\FHWMF-PERIMETER-RES-NON-FARM-BKG-SUBTRACT-PRELIM.RAD

Site-Specific Parameter Summary

| Menu | Parameter | User Input | Default | (If different from user input) | Used by RESRAD | Parameter Name |
|--|---|-------------|-------------|--------------------------------|----------------|----------------|
| XX | | | | | | |
| R011 | Area of contaminated zone (m**2) | 3 2.290E+03 | 3 1.000E+04 | 3 | --- | 3 AREA |
| R011 | Thickness of contaminated zone (m) | 3 5.000E+00 | 3 2.000E+00 | 3 | --- | 3 THICK0 |
| R011 | Length parallel to aquifer flow (m) | 3 2.500E+02 | 3 1.000E+02 | 3 | --- | 3 LCZPAQ |
| R011 | Basic radiation dose limit (mrem/yr) | 3 1.500E+01 | 3 3.000E+01 | 3 | --- | 3 BRDL |
| R011 | Time since placement of material (yr) | 3 0.000E+00 | 3 0.000E+00 | 3 | --- | 3 TI |
| R011 | Times for calculations (yr) | 3 1.000E+00 | 3 1.000E+00 | 3 | --- | 3 T(2) |
| R011 | Times for calculations (yr) | 3 5.000E+00 | 3 3.000E+00 | 3 | --- | 3 T(3) |
| R011 | Times for calculations (yr) | 3 1.000E+01 | 3 1.000E+01 | 3 | --- | 3 T(4) |
| R011 | Times for calculations (yr) | 3 5.000E+01 | 3 3.000E+01 | 3 | --- | 3 T(5) |
| R011 | Times for calculations (yr) | 3 1.000E+02 | 3 1.000E+02 | 3 | --- | 3 T(6) |
| R011 | Times for calculations (yr) | 3 5.000E+02 | 3 3.000E+02 | 3 | --- | 3 T(7) |
| R011 | Times for calculations (yr) | 3 1.000E+03 | 3 1.000E+03 | 3 | --- | 3 T(8) |
| R011 | Times for calculations (yr) | 3 not used | 3 0.000E+00 | 3 | --- | 3 T(9) |
| R011 | Times for calculations (yr) | 3 not used | 3 0.000E+00 | 3 | --- | 3 T(10) |
| 3 | | 3 | 3 | 3 | 3 | 3 |
| R012 | Initial principal radionuclide (pCi/g): Cs-137 | 3 4.380E+00 | 3 0.000E+00 | 3 | --- | 3 S1(1) |
| R012 | Initial principal radionuclide (pCi/g): Ra-226 | 3 9.000E-02 | 3 0.000E+00 | 3 | --- | 3 S1(3) |
| R012 | Initial principal radionuclide (pCi/g): Sr-90 | 3 1.100E+00 | 3 0.000E+00 | 3 | --- | 3 S1(4) |
| R012 | Concentration in groundwater (pCi/L): Cs-137 | 3 not used | 3 0.000E+00 | 3 | --- | 3 W1(1) |
| R012 | Concentration in groundwater (pCi/L): Ra-226 | 3 not used | 3 0.000E+00 | 3 | --- | 3 W1(3) |
| R012 | Concentration in groundwater (pCi/L): Sr-90 | 3 not used | 3 0.000E+00 | 3 | --- | 3 W1(4) |
| 3 | | 3 | 3 | 3 | 3 | 3 |
| R013 | Cover depth (m) | 3 0.000E+00 | 3 0.000E+00 | 3 | --- | 3 COVER0 |
| R013 | Density of cover material (g/cm**3) | 3 not used | 3 1.500E+00 | 3 | --- | 3 DENSCV |
| R013 | Cover depth erosion rate (m/yr) | 3 not used | 3 1.000E-03 | 3 | --- | 3 VCV |
| R013 | Density of contaminated zone (g/cm**3) | 3 1.660E+00 | 3 1.500E+00 | 3 | --- | 3 DENSCZ |
| R013 | Contaminated zone erosion rate (m/yr) | 3 1.000E-03 | 3 1.000E-03 | 3 | --- | 3 VCZ |
| R013 | Contaminated zone total porosity | 3 3.300E-01 | 3 4.000E-01 | 3 | --- | 3 TPCZ |
| R013 | Contaminated zone field capacity | 3 2.400E-01 | 3 2.000E-01 | 3 | --- | 3 FCCZ |
| R013 | Contaminated zone hydraulic conductivity (m/yr) | 3 5.000E+03 | 3 1.000E+01 | 3 | --- | 3 HCCZ |
| R013 | Contaminated zone b parameter | 3 4.900E+00 | 3 5.300E+00 | 3 | --- | 3 BCZ |
| R013 | Average annual wind speed (m/sec) | 3 2.000E+00 | 3 2.000E+00 | 3 | --- | 3 WIND |
| R013 | Humidity in air (g/m**3) | 3 not used | 3 8.000E+00 | 3 | --- | 3 HUMID |
| R013 | Evapotranspiration coefficient | 3 4.600E-01 | 3 5.000E-01 | 3 | --- | 3 EVAPTR |
| R013 | Precipitation (m/yr) | 3 1.230E+00 | 3 1.000E+00 | 3 | --- | 3 PRECIP |
| R013 | Irrigation (m/yr) | 3 2.600E-01 | 3 2.000E-01 | 3 | --- | 3 RI |
| R013 | Irrigation mode | 3 overhead | 3 overhead | 3 | --- | 3 IDITCH |
| R013 | Runoff coefficient | 3 2.000E-01 | 3 2.000E-01 | 3 | --- | 3 RUNOFF |
| R013 | Watershed area for nearby stream or pond (m**2) | 3 1.000E+06 | 3 1.000E+06 | 3 | --- | 3 WAREA |
| R013 | Accuracy for water/soil computations | 3 1.000E-03 | 3 1.000E-03 | 3 | --- | 3 EPS |
| 3 | | 3 | 3 | 3 | 3 | 3 |
| R014 | Density of saturated zone (g/cm**3) | 3 1.660E+00 | 3 1.500E+00 | 3 | --- | 3 DENSAQ |
| R014 | Saturated zone total porosity | 3 3.300E-01 | 3 4.000E-01 | 3 | --- | 3 TPSZ |
| R014 | Saturated zone effective porosity | 3 2.400E-01 | 3 2.000E-01 | 3 | --- | 3 EPSZ |
| R014 | Saturated zone field capacity | 3 2.000E-01 | 3 2.000E-01 | 3 | --- | 3 FCSZ |
| R014 | Saturated zone hydraulic conductivity (m/yr) | 3 2.000E+04 | 3 1.000E+02 | 3 | --- | 3 HCSZ |
| R014 | Saturated zone hydraulic gradient | 3 4.800E-03 | 3 2.000E-02 | 3 | --- | 3 HGWT |
| R014 | Saturated zone b parameter | 3 4.900E+00 | 3 5.300E+00 | 3 | --- | 3 BSZ |
| R014 | Water table drop rate (m/yr) | 3 1.000E-03 | 3 1.000E-03 | 3 | --- | 3 VWT |
| R014 | Well pump intake depth (m below water table) | 3 1.800E+01 | 3 1.000E+01 | 3 | --- | 3 DWIBWT |

RESRAD, Version 6.4 T_x Limit = 180 days 12/16/2009 22:28 Page 5
 Summary : FHWMF-Perimeter-Res-Non-Farm-BKG-subtract-prelim
 File : F:\RESRAD_FAMILY\RESRAD\FHWMF-PERIMETER-RES-NON-FARM-BKG-SUBTRACT-PRELIM.RAD

Site-Specific Parameter Summary (continued)

| 3 Menu | Parameter | 3 User Input | 3 Default | 3 (If different from user input) | Used by RESRAD | 3 Parameter Name |
|-----------|--|--------------------|--------------|-------------------------------------|-------------------------|------------------------|
| R014 | 3 Model: Nondispersion (ND) or Mass-Balance (MB) | 3 ND | 3 ND | 3 | --- | 3 MODEL |
| R014 | 3 Well pumping rate (m**3/yr) | 3 2.500E+02 | 3 2.500E+02 | 3 | --- | 3 UW |
| R015 | 3 Number of unsaturated zone strata | 3 1 | 3 1 | 3 | --- | 3 NS |
| R015 | 3 Unsat. zone 1, thickness (m) | 3 0.000E+00 | 3 4.000E+00 | 3 | --- | 3 H(1) |
| R015 | 3 Unsat. zone 1, soil density (g/cm**3) | 3 1.660E+00 | 3 1.500E+00 | 3 | --- | 3 DENSUZ(1) |
| R015 | 3 Unsat. zone 1, total porosity | 3 3.300E-01 | 3 4.000E-01 | 3 | --- | 3 TPUZ(1) |
| R015 | 3 Unsat. zone 1, effective porosity | 3 2.400E-01 | 3 2.000E-01 | 3 | --- | 3 EPUZ(1) |
| R015 | 3 Unsat. zone 1, field capacity | 3 2.000E-01 | 3 2.000E-01 | 3 | --- | 3 FCUZ(1) |
| R015 | 3 Unsat. zone 1, soil-specific b parameter | 3 4.900E+00 | 3 5.300E+00 | 3 | --- | 3 BUZ(1) |
| R015 | 3 Unsat. zone 1, hydraulic conductivity (m/yr) | 3 5.000E+03 | 3 1.000E+01 | 3 | --- | 3 HCUZ(1) |
| R016 | 3 Distribution coefficients for Cs-137 | 3 | 3 | 3 | 3 | 3 |
| R016 | 3 Contaminated zone (cm**3/g) | 3 2.800E+02 | 3 4.600E+03 | 3 | --- | 3 DCNUCC(1) |
| R016 | 3 Unsaturated zone 1 (cm**3/g) | 3 2.800E+02 | 3 4.600E+03 | 3 | --- | 3 DCNUCU(1,1) |
| R016 | 3 Saturated zone (cm**3/g) | 3 2.800E+02 | 3 4.600E+03 | 3 | --- | 3 DCNUCS(1) |
| R016 | 3 Leach rate (/yr) | 3 0.000E+00 | 3 0.000E+00 | 3 | 2.889E-04 | 3 ALEACH(1) |
| R016 | 3 Solubility constant | 3 0.000E+00 | 3 0.000E+00 | 3 | not used | 3 SOLUBK(1) |
| R016 | 3 Distribution coefficients for Ra-226 | 3 | 3 | 3 | 3 | 3 |
| R016 | 3 Contaminated zone (cm**3/g) | 3 7.000E+01 | 3 7.000E+01 | 3 | --- | 3 DCNUCC(3) |
| R016 | 3 Unsaturated zone 1 (cm**3/g) | 3 7.000E+01 | 3 7.000E+01 | 3 | --- | 3 DCNUCU(3,1) |
| R016 | 3 Saturated zone (cm**3/g) | 3 7.000E+01 | 3 7.000E+01 | 3 | --- | 3 DCNUCS(3) |
| R016 | 3 Leach rate (/yr) | 3 0.000E+00 | 3 0.000E+00 | 3 | 1.154E-03 | 3 ALEACH(3) |
| R016 | 3 Solubility constant | 3 0.000E+00 | 3 0.000E+00 | 3 | not used | 3 SOLUBK(3) |
| R016 | 3 Distribution coefficients for Sr-90 | 3 | 3 | 3 | 3 | 3 |
| R016 | 3 Contaminated zone (cm**3/g) | 3 3.000E+01 | 3 3.000E+01 | 3 | --- | 3 DCNUCC(4) |
| R016 | 3 Unsaturated zone 1 (cm**3/g) | 3 3.000E+01 | 3 3.000E+01 | 3 | --- | 3 DCNUCU(4,1) |
| R016 | 3 Saturated zone (cm**3/g) | 3 3.000E+01 | 3 3.000E+01 | 3 | --- | 3 DCNUCS(4) |
| R016 | 3 Leach rate (/yr) | 3 0.000E+00 | 3 0.000E+00 | 3 | 2.685E-03 | 3 ALEACH(4) |
| R016 | 3 Solubility constant | 3 0.000E+00 | 3 0.000E+00 | 3 | not used | 3 SOLUBK(4) |
| R016 | 3 Distribution coefficients for daughter Pb-210 | 3 | 3 | 3 | 3 | 3 |
| R016 | 3 Contaminated zone (cm**3/g) | 3 1.000E+02 | 3 1.000E+02 | 3 | --- | 3 DCNUCC(2) |
| R016 | 3 Unsaturated zone 1 (cm**3/g) | 3 1.000E+02 | 3 1.000E+02 | 3 | --- | 3 DCNUCU(2,1) |
| R016 | 3 Saturated zone (cm**3/g) | 3 1.000E+02 | 3 1.000E+02 | 3 | --- | 3 DCNUCS(2) |
| R016 | 3 Leach rate (/yr) | 3 0.000E+00 | 3 0.000E+00 | 3 | 8.082E-04 | 3 ALEACH(2) |
| R016 | 3 Solubility constant | 3 0.000E+00 | 3 0.000E+00 | 3 | not used | 3 SOLUBK(2) |
| R017 | 3 Inhalation rate (m**3/yr) | 3 7.300E+03 | 3 8.400E+03 | 3 | --- | 3 INHALR |
| R017 | 3 Mass loading for inhalation (g/m**3) | 3 1.000E-04 | 3 1.000E-04 | 3 | --- | 3 MLINH |
| R017 | 3 Exposure duration | 3 3.000E+01 | 3 3.000E+01 | 3 | --- | 3 ED |
| R017 | 3 Shielding factor, inhalation | 3 4.000E-01 | 3 4.000E-01 | 3 | --- | 3 SHF3 |
| R017 | 3 Shielding factor, external gamma | 3 8.000E-01 | 3 7.000E-01 | 3 | --- | 3 SHF1 |
| R017 | 3 Fraction of time spent indoors | 3 5.000E-01 | 3 5.000E-01 | 3 | --- | 3 FIND |
| R017 | 3 Fraction of time spent outdoors (on site) | 3 2.500E-01 | 3 2.500E-01 | 3 | --- | 3 FOTD |
| R017 | 3 Shape factor flag, external gamma | 3 1.000E+00 | 3 1.000E+00 | 3 | >0 shows circular AREA. | 3 FS |

Site-Specific Parameter Summary (continued)

| Menu | Parameter | User | Input | Default | Used by RESRAD (If different from user input) | Parameter Name |
|---------|--|------|-----------|-------------|--|-------------------|
| AAAAAAA | | | | | | |
| R017 | Radii of shape factor array (used if FS = -1): | 3 | 3 | 3 | | 3 |
| R017 | Outer annular radius (m), ring 1: | 3 | not used | 3 5.000E+01 | --- | 3 RAD_SHAPE(1) |
| R017 | Outer annular radius (m), ring 2: | 3 | not used | 3 7.071E+01 | --- | 3 RAD_SHAPE(2) |
| R017 | Outer annular radius (m), ring 3: | 3 | not used | 3 0.000E+00 | --- | 3 RAD_SHAPE(3) |
| R017 | Outer annular radius (m), ring 4: | 3 | not used | 3 0.000E+00 | --- | 3 RAD_SHAPE(4) |
| R017 | Outer annular radius (m), ring 5: | 3 | not used | 3 0.000E+00 | --- | 3 RAD_SHAPE(5) |
| R017 | Outer annular radius (m), ring 6: | 3 | not used | 3 0.000E+00 | --- | 3 RAD_SHAPE(6) |
| R017 | Outer annular radius (m), ring 7: | 3 | not used | 3 0.000E+00 | --- | 3 RAD_SHAPE(7) |
| R017 | Outer annular radius (m), ring 8: | 3 | not used | 3 0.000E+00 | --- | 3 RAD_SHAPE(8) |
| R017 | Outer annular radius (m), ring 9: | 3 | not used | 3 0.000E+00 | --- | 3 RAD_SHAPE(9) |
| R017 | Outer annular radius (m), ring 10: | 3 | not used | 3 0.000E+00 | --- | 3 RAD_SHAPE(10) |
| R017 | Outer annular radius (m), ring 11: | 3 | not used | 3 0.000E+00 | --- | 3 RAD_SHAPE(11) |
| R017 | Outer annular radius (m), ring 12: | 3 | not used | 3 0.000E+00 | --- | 3 RAD_SHAPE(12) |
| | | 3 | 3 | 3 | | 3 |
| R017 | Fractions of annular areas within AREA: | 3 | 3 | 3 | | 3 |
| R017 | Ring 1 | 3 | not used | 3 1.000E+00 | --- | 3 FRACA(1) |
| R017 | Ring 2 | 3 | not used | 3 2.732E-01 | --- | 3 FRACA(2) |
| R017 | Ring 3 | 3 | not used | 3 0.000E+00 | --- | 3 FRACA(3) |
| R017 | Ring 4 | 3 | not used | 3 0.000E+00 | --- | 3 FRACA(4) |
| R017 | Ring 5 | 3 | not used | 3 0.000E+00 | --- | 3 FRACA(5) |
| R017 | Ring 6 | 3 | not used | 3 0.000E+00 | --- | 3 FRACA(6) |
| R017 | Ring 7 | 3 | not used | 3 0.000E+00 | --- | 3 FRACA(7) |
| R017 | Ring 8 | 3 | not used | 3 0.000E+00 | --- | 3 FRACA(8) |
| R017 | Ring 9 | 3 | not used | 3 0.000E+00 | --- | 3 FRACA(9) |
| R017 | Ring 10 | 3 | not used | 3 0.000E+00 | --- | 3 FRACA(10) |
| R017 | Ring 11 | 3 | not used | 3 0.000E+00 | --- | 3 FRACA(11) |
| R017 | Ring 12 | 3 | not used | 3 0.000E+00 | --- | 3 FRACA(12) |
| | | 3 | 3 | 3 | | 3 |
| R018 | Fruits, vegetables and grain consumption (kg/yr) | 3 | 1.600E+02 | 3 1.600E+02 | --- | 3 DIET(1) |
| R018 | Leafy vegetable consumption (kg/yr) | 3 | 1.400E+01 | 3 1.400E+01 | --- | 3 DIET(2) |
| R018 | Milk consumption (L/yr) | 3 | not used | 3 9.200E+01 | --- | 3 DIET(3) |
| R018 | Meat and poultry consumption (kg/yr) | 3 | not used | 3 6.300E+01 | --- | 3 DIET(4) |
| R018 | Fish consumption (kg/yr) | 3 | not used | 3 5.400E+00 | --- | 3 DIET(5) |
| R018 | Other seafood consumption (kg/yr) | 3 | not used | 3 9.000E-01 | --- | 3 DIET(6) |
| R018 | Soil ingestion rate (g/yr) | 3 | 4.380E+01 | 3 3.650E+01 | --- | 3 SOIL |
| R018 | Drinking water intake (L/yr) | 3 | 7.000E+02 | 3 5.100E+02 | --- | 3 DWI |
| R018 | Contamination fraction of drinking water | 3 | 1.000E+00 | 3 1.000E+00 | --- | 3 FDW |
| R018 | Contamination fraction of household water | 3 | not used | 3 1.000E+00 | --- | 3 FHHW |
| R018 | Contamination fraction of livestock water | 3 | not used | 3 1.000E+00 | --- | 3 FLW |
| R018 | Contamination fraction of irrigation water | 3 | 1.000E+00 | 3 1.000E+00 | --- | 3 FIRW |
| R018 | Contamination fraction of aquatic food | 3 | not used | 3 5.000E-01 | --- | 3 FR9 |
| R018 | Contamination fraction of plant food | 3-1 | 3-1 | 3 | 0.500E+00 | 3 FPLANT |
| R018 | Contamination fraction of meat | 3 | not used | 3-1 | --- | 3 FMEAT |
| R018 | Contamination fraction of milk | 3 | not used | 3-1 | --- | 3 FMILK |
| | | 3 | 3 | 3 | | 3 |
| R019 | Livestock fodder intake for meat (kg/day) | 3 | not used | 3 6.800E+01 | --- | 3 LFI5 |
| R019 | Livestock fodder intake for milk (kg/day) | 3 | not used | 3 5.500E+01 | --- | 3 LFI6 |
| R019 | Livestock water intake for meat (L/day) | 3 | not used | 3 5.000E+01 | --- | 3 LWI5 |
| R019 | Livestock water intake for milk (L/day) | 3 | not used | 3 1.600E+02 | --- | 3 LWI6 |
| R019 | Livestock soil intake (kg/day) | 3 | not used | 3 5.000E-01 | --- | 3 LSI |

Summary : FHWMF-Perimeter-Res-Non-Farm-BKG-subtract-prelim

File : F:\RESRAD_FAMILY\RESRAD\FHWMF-PERIMETER-RES-NON-FARM-BKG-SUBTRACT-PRELIM.RAD

Site-Specific Parameter Summary (continued)

| 3 Menu | 3 Parameter | 3 User Input | 3 Default | 3 (If different from user input) | 3 Used by RESRAD | 3 Parameter Name |
|-----------|--|--------------------|--------------|-------------------------------------|---------------------|------------------------|
| R019 | 3 Mass loading for foliar deposition (g/m**3) | 3 1.000E-05 | 3 1.000E-04 | 3 | --- | 3 MLFD |
| R019 | 3 Depth of soil mixing layer (m) | 3 1.500E-01 | 3 1.500E-01 | 3 | --- | 3 DM |
| R019 | 3 Depth of roots (m) | 3 9.000E-01 | 3 9.000E-01 | 3 | --- | 3 DROOT |
| R019 | 3 Drinking water fraction from ground water | 3 1.000E+00 | 3 1.000E+00 | 3 | --- | 3 FGWDW |
| R019 | 3 Household water fraction from ground water | 3 not used | 3 1.000E+00 | 3 | --- | 3 FGWHH |
| R019 | 3 Livestock water fraction from ground water | 3 not used | 3 1.000E+00 | 3 | --- | 3 FGWLW |
| R019 | 3 Irrigation fraction from ground water | 3 1.000E+00 | 3 1.000E+00 | 3 | --- | 3 FGWIR |
| | | 3 | 3 | 3 | | 3 |
| R19B | 3 Wet weight crop yield for Non-Leafy (kg/m**2) | 3 7.000E-01 | 3 7.000E-01 | 3 | --- | 3 YV(1) |
| R19B | 3 Wet weight crop yield for Leafy (kg/m**2) | 3 1.500E+00 | 3 1.500E+00 | 3 | --- | 3 YV(2) |
| R19B | 3 Wet weight crop yield for Fodder (kg/m**2) | 3 not used | 3 1.100E+00 | 3 | --- | 3 YV(3) |
| R19B | 3 Growing Season for Non-Leafy (years) | 3 1.700E-01 | 3 1.700E-01 | 3 | --- | 3 TE(1) |
| R19B | 3 Growing Season for Leafy (years) | 3 2.500E-01 | 3 2.500E-01 | 3 | --- | 3 TE(2) |
| R19B | 3 Growing Season for Fodder (years) | 3 not used | 3 8.000E-02 | 3 | --- | 3 TE(3) |
| R19B | 3 Translocation Factor for Non-Leafy | 3 1.000E-01 | 3 1.000E-01 | 3 | --- | 3 TIV(1) |
| R19B | 3 Translocation Factor for Leafy | 3 1.000E+00 | 3 1.000E+00 | 3 | --- | 3 TIV(2) |
| R19B | 3 Translocation Factor for Fodder | 3 not used | 3 1.000E+00 | 3 | --- | 3 TIV(3) |
| R19B | 3 Dry Foliar Interception Fraction for Non-Leafy | 3 2.500E-01 | 3 2.500E-01 | 3 | --- | 3 RDRY(1) |
| R19B | 3 Dry Foliar Interception Fraction for Leafy | 3 2.500E-01 | 3 2.500E-01 | 3 | --- | 3 RDRY(2) |
| R19B | 3 Dry Foliar Interception Fraction for Fodder | 3 not used | 3 2.500E-01 | 3 | --- | 3 RDRY(3) |
| R19B | 3 Wet Foliar Interception Fraction for Non-Leafy | 3 2.500E-01 | 3 2.500E-01 | 3 | --- | 3 RWET(1) |
| R19B | 3 Wet Foliar Interception Fraction for Leafy | 3 2.500E-01 | 3 2.500E-01 | 3 | --- | 3 RWET(2) |
| R19B | 3 Wet Foliar Interception Fraction for Fodder | 3 not used | 3 2.500E-01 | 3 | --- | 3 RWET(3) |
| R19B | 3 Weathering Removal Constant for Vegetation | 3 2.000E+01 | 3 2.000E+01 | 3 | --- | 3 WLAM |
| | | 3 | 3 | 3 | | 3 |
| C14 | 3 C-12 concentration in water (g/cm**3) | 3 not used | 3 2.000E-05 | 3 | --- | 3 C12WTR |
| C14 | 3 C-12 concentration in contaminated soil (g/g) | 3 not used | 3 3.000E-02 | 3 | --- | 3 C12CZ |
| C14 | 3 Fraction of vegetation carbon from soil | 3 not used | 3 2.000E-02 | 3 | --- | 3 CSOIL |
| C14 | 3 Fraction of vegetation carbon from air | 3 not used | 3 9.800E-01 | 3 | --- | 3 CAIR |
| C14 | 3 C-14 evasion layer thickness in soil (m) | 3 not used | 3 3.000E-01 | 3 | --- | 3 DMC |
| C14 | 3 C-14 evasion flux rate from soil (1/sec) | 3 not used | 3 7.000E-07 | 3 | --- | 3 EVSN |
| C14 | 3 C-12 evasion flux rate from soil (1/sec) | 3 not used | 3 1.000E-10 | 3 | --- | 3 REVSN |
| C14 | 3 Fraction of grain in beef cattle feed | 3 not used | 3 8.000E-01 | 3 | --- | 3 AVFG4 |
| C14 | 3 Fraction of grain in milk cow feed | 3 not used | 3 2.000E-01 | 3 | --- | 3 AVFG5 |
| | | 3 | 3 | 3 | | 3 |
| STOR | 3 Storage times of contaminated foodstuffs (days): | 3 | 3 | 3 | | 3 |
| STOR | 3 Fruits, non-leafy vegetables, and grain | 3 1.400E+01 | 3 1.400E+01 | 3 | --- | 3 STOR_T(1) |
| STOR | 3 Leafy vegetables | 3 1.000E+00 | 3 1.000E+00 | 3 | --- | 3 STOR_T(2) |
| STOR | 3 Milk | 3 1.000E+00 | 3 1.000E+00 | 3 | --- | 3 STOR_T(3) |
| STOR | 3 Meat and poultry | 3 2.000E+01 | 3 2.000E+01 | 3 | --- | 3 STOR_T(4) |
| STOR | 3 Fish | 3 7.000E+00 | 3 7.000E+00 | 3 | --- | 3 STOR_T(5) |
| STOR | 3 Crustacea and mollusks | 3 7.000E+00 | 3 7.000E+00 | 3 | --- | 3 STOR_T(6) |
| STOR | 3 Well water | 3 1.000E+00 | 3 1.000E+00 | 3 | --- | 3 STOR_T(7) |
| STOR | 3 Surface water | 3 1.000E+00 | 3 1.000E+00 | 3 | --- | 3 STOR_T(8) |
| STOR | 3 Livestock fodder | 3 4.500E+01 | 3 4.500E+01 | 3 | --- | 3 STOR_T(9) |
| | | 3 | 3 | 3 | | 3 |
| R021 | 3 Thickness of building foundation (m) | 3 not used | 3 1.500E-01 | 3 | --- | 3 FLOOR1 |
| R021 | 3 Bulk density of building foundation (g/cm**3) | 3 not used | 3 2.400E+00 | 3 | --- | 3 DENSLF |
| R021 | 3 Total porosity of the cover material | 3 not used | 3 4.000E-01 | 3 | --- | 3 TPCV |
| R021 | 3 Total porosity of the building foundation | 3 not used | 3 1.000E-01 | 3 | --- | 3 TPFL |

RESRAD, Version 6.4 T_{Ex} Limit = 180 days 12/16/2009 22:28 Page 8
 Summary : FHWME-Perimeter-Res-Non-Farm-BKG-subtract-prelim
 File : F:\RESRAD_FAMILY\RESRAD\FHWME-PERIMETER-RES-NON-FARM-BKG-SUBTRACT-PRELIM.RAD

Site-Specific Parameter Summary (continued)

| Menu | Parameter | User | Input | Default | (If different from user input) | Used by RESRAD | Parameter Name |
|------|--|----------|------------|------------|--------------------------------|----------------|----------------|
| R021 | Volumetric water content of the cover material | not used | 5.000E-02 | 5.000E-02 | | --- | PH2OCV |
| R021 | Volumetric water content of the foundation | not used | 3.000E-02 | 3.000E-02 | | --- | PH2OFL |
| R021 | Diffusion coefficient for radon gas (m/sec): | | | | | | 3 |
| R021 | in cover material | not used | 2.000E-06 | 2.000E-06 | | --- | DIFCV |
| R021 | in foundation material | not used | 3.000E-07 | 3.000E-07 | | --- | DIFFL |
| R021 | in contaminated zone soil | not used | 2.000E-06 | 2.000E-06 | | --- | DIFCZ |
| R021 | Radon vertical dimension of mixing (m) | not used | 2.000E+00 | 2.000E+00 | | --- | HMX |
| R021 | Average building air exchange rate (1/hr) | not used | 5.000E-01 | 5.000E-01 | | --- | REXG |
| R021 | Height of the building (room) (m) | not used | 2.500E+00 | 2.500E+00 | | --- | HRM |
| R021 | Building interior area factor | not used | 0.000E+00 | 0.000E+00 | | --- | FAI |
| R021 | Building depth below ground surface (m) | not used | -1.000E+00 | -1.000E+00 | | --- | DMFL |
| R021 | Emanating power of Rn-222 gas | not used | 2.500E-01 | 2.500E-01 | | --- | EMANA(1) |
| R021 | Emanating power of Rn-220 gas | not used | 1.500E-01 | 1.500E-01 | | --- | EMANA(2) |
| TITL | Number of graphical time points | 32 | 32 | --- | --- | --- | NPTS |
| TITL | Maximum number of integration points for dose | 17 | 17 | --- | --- | --- | LYMAX |
| TITL | Maximum number of integration points for risk | 257 | 257 | --- | --- | --- | KYMAX |

Summary of Pathway Selections

| Pathway | User Selection |
|-----------------------------|----------------|
| 1 -- external gamma | active |
| 2 -- inhalation (w/o radon) | active |
| 3 -- plant ingestion | active |
| 4 -- meat ingestion | suppressed |
| 5 -- milk ingestion | suppressed |
| 6 -- aquatic foods | suppressed |
| 7 -- drinking water | active |
| 8 -- soil ingestion | active |
| 9 -- radon | suppressed |
| Find peak pathway doses | active |

RESRAD, Version 6.4 T₉₀ Limit = 180 days 12/16/2009 22:28 Page 9
Summary : FHWMF-Perimeter-Res-Non-Farm-BKG-subtract-prelim
File : F:\RESRAD_FAMILY\RESRAD\FHWMF-PERIMETER-RES-NON-FARM-BKG-SUBTRACT-PRELIM.RAD

| Contaminated Zone Dimensions | | Initial Soil Concentrations, pCi/g | |
|------------------------------|-----------------------|------------------------------------|-----------|
| XXXXXXXXXXXXXXXXXXXXXXXXXXXX | | XXXXXXXXXXXXXXXXXXXXXXXXXXXX | |
| Area: | 2290.00 square meters | Cs-137 | 4.380E+00 |
| Thickness: | 5.00 meters | Ra-226 | 9.000E-02 |
| Cover Depth: | 0.00 meters | Sr-90 | 1.100E+00 |

Total Dose TDOSE(t), mrem/yr

Basic Radiation Dose Limit = 1.500E+01 mrem/yr

Total Mixture Sum M(t) = Fraction of Basic Dose Limit Received at Time (t)

XX

t (years): 0.000E+00 1.000E+00 5.000E+00 1.000E+01 5.000E+01 1.000E+02 5.000E+02 1.000E+03

TDOSE(t): 1.479E+01 1.448E+01 1.331E+01 1.199E+01 5.600E+00 2.802E+00 1.046E+00 4.713E-01

M(t): 9.859E-01 9.652E-01 8.871E-01 7.994E-01 3.733E-01 1.868E-01 6.970E-02 3.142E-02

Maximum TDOSE(t): 1.479E+01 mrem/yr at t = 0.000E+00 years

RESRAD, Version 6.4 T_{tx} Limit = 180 days 12/16/2009 22:28 Page 10
Summary : FHWMF-Perimeter-Res-Non-Farm-BKG-subtract-prelim
File : F:\RESRAD_FAMILY\RESRAD\FHWMF-PERIMETER-RES-NON-FARM-BKG-SUBTRACT-PRELIM.RAD

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 0.000E+00 years

Water Independent Pathways (Inhalation excludes radon)

| | Ground | Inhalation | Radon | Plant | Meat | Milk | Soil |
|---------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Radio- | AAAAAAAAAAAAAA |
| Nuclide | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. | mrem/yr |
| | AAAAAAA |
| Cs-137 | 8.652E+00 | 0.5851 | 6.596E-06 | 0.0000 | 0.000E+00 | 0.0000 | 7.533E-01 |
| Ra-226 | 5.945E-01 | 0.0402 | 3.845E-05 | 0.0000 | 0.000E+00 | 0.0000 | 4.238E-01 |
| Sr-90 | 1.576E-02 | 0.0011 | 6.784E-05 | 0.0000 | 0.000E+00 | 0.0000 | 4.330E+00 |
| | fffff |
| Total | 9.262E+00 | 0.6263 | 1.129E-04 | 0.0000 | 0.000E+00 | 0.0000 | 5.507E+00 |
| | | | | 0.3724 | 0.000E+00 | 0.0000 | 1.679E-02 |
| | | | | | 0.000E+00 | 0.0000 | 0.0001 |

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 0.000E+00 years

Water Dependent Pathways

| | Water | Fish | Radon | Plant | Meat | Milk | All Pathways* |
|---------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Radio- | AAAAAAAAAAAAAA |
| Nuclide | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. | mrem/yr |
| | AAAAAAA |
| Cs-137 | 1.462E-05 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 9.711E-07 |
| Ra-226 | 2.419E-04 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 1.685E-05 |
| Sr-90 | 1.849E-03 | 0.0001 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 1.377E-04 |
| | fffff |
| Total | 2.105E-03 | 0.0001 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 1.555E-04 |
| | | | | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 |
| | | | | | 0.0000 | 0.0000 | 0.0001 |

*Sum of all water independent and dependent pathways.

Summary : FHWMF-Perimeter-Res-Non-Farm-BKG-subtract-prelim

File : F:\RESRAD_FAMILY\RESRAD\FHWMF-PERIMETER-RES-NON-FARM-BKG-SUBTRACT-PRELIM.RAD

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)

As mrem/yr and Fraction of Total Dose At t = 1.000E+00 years

Water Independent Pathways (Inhalation excludes radon)

| | Ground | Inhalation | Radon | Plant | Meat | Milk | Soil |
|---------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Radio- | AAAAAAAAAAAAAA |
| Nuclide | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. | mrem/yr |
| Cs-137 | 8.452E+00 | 0.5838 | 6.443E-06 | 0.0000 | 0.000E+00 | 0.0000 | 7.359E-01 |
| Ra-226 | 5.936E-01 | 0.0410 | 4.139E-05 | 0.0000 | 0.000E+00 | 0.0000 | 4.405E-01 |
| Sr-90 | 1.535E-02 | 0.0011 | 6.607E-05 | 0.0000 | 0.000E+00 | 0.0000 | 4.217E+00 |
| Total | 9.061E+00 | 0.6259 | 1.139E-04 | 0.0000 | 0.000E+00 | 0.0000 | 5.393E+00 |
| | | | | 0.3725 | 0.000E+00 | 0.0000 | 0.000E+00 |
| | | | | | 0.000E+00 | 0.0000 | 1.713E-02 |
| | | | | | | | 0.0012 |

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)

As mrem/yr and Fraction of Total Dose At t = 1.000E+00 years

Water Dependent Pathways

| | Water | Fish | Radon | Plant | Meat | Milk | All Pathways* |
|---------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Radio- | AAAAAAAAAAAAAA |
| Nuclide | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. | mrem/yr |
| Cs-137 | 4.321E-05 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 3.060E-06 |
| Ra-226 | 7.858E-04 | 0.0001 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 5.663E-05 |
| Sr-90 | 5.441E-03 | 0.0004 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 4.186E-04 |
| Total | 6.270E-03 | 0.0004 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 4.783E-04 |
| | | | | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 |
| | | | | | 0.000E+00 | 0.0000 | 1.448E+01 |
| | | | | | | | 1.0000 |

*Sum of all water independent and dependent pathways.

RESRAD, Version 6.4 T_x Limit = 180 days 12/16/2009 22:28 Page 12
Summary : FHWMF-Perimeter-Res-Non-Farm-BKG-subtract-prelim
File : F:\RESRAD_FAMILY\RESRAD\FHWMF-PERIMETER-RES-NON-FARM-BKG-SUBTRACT-PRELIM.RAD

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 5.000E+00 years

Water Independent Pathways (Inhalation excludes radon)

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 5.000E+00 years

Water Dependent Pathways

| | Water | Fish | Radon | Plant | Meat | Milk | All Pathways* |
|---------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Radio- | AAAAAAAAAAAAAA |
| Nuclide | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. | mrem/yr |
| Cs-137 | 1.449E-04 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 8.374E+00 |
| Ra-226 | 3.765E-03 | 0.0003 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 1.102E+00 |
| Sr-90 | 1.808E-02 | 0.0014 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 3.831E+00 |
| Total | 2.199E-02 | 0.0017 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 1.331E+01 |
| | fffff | ffffffff | fffff | ffffffff | fffff | ffffffff | fffff |

*Sum of all water independent and dependent pathways.

RESRAD, Version 6.4 T_{tx} Limit = 180 days 12/16/2009 22:28 Page 13
Summary : FHW MF-Perimeter-Res-Non-Farm-BKG-subtract-prelim
File : F:\RESRAD_FAMILY\RESRAD\FHW MF-PERIMETER-RES-NON-FARM-BKG-SUBTRACT-PRELIM.RAD

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 1.000E+01 years

Water Independent Pathways (Inhalation excludes radon)

| | Ground | Inhalation | Radon | Plant | Meat | Milk | Soil |
|---------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|
| Radio- | AAAAAAAAAAAAAA |
| Nuclide | mrem/yr fract. |
| Cs-137 | 6.847E+00 0.5710 | 5.220E-06 0.0000 | 0.000E+00 0.0000 | 5.962E-01 0.0497 | 0.000E+00 0.0000 | 0.000E+00 0.0000 | 5.627E-03 0.0005 |
| Ra-226 | 5.853E-01 0.0488 | 6.374E-05 0.0000 | 0.000E+00 0.0000 | 5.654E-01 0.0471 | 0.000E+00 0.0000 | 0.000E+00 0.0000 | 9.754E-03 0.0008 |
| Sr-90 | 1.209E-02 0.0010 | 5.205E-05 0.0000 | 0.000E+00 0.0000 | 3.322E+00 0.2771 | 0.000E+00 0.0000 | 0.000E+00 0.0000 | 4.181E-03 0.0003 |
| fffff | fffff | fffff | fffff | fffff | fffff | fffff | fffff |
| Total | 7.445E+00 0.6209 | 1.210E-04 0.0000 | 0.000E+00 0.0000 | 4.484E+00 0.3739 | 0.000E+00 0.0000 | 0.000E+00 0.0000 | 1.956E-02 0.0016 |

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 1.000E+01 years

Water Dependent Pathways

| | Water | Fish | Radon | Plant | Meat | Milk | All Pathways* |
|---------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|
| Radio- | AAAAAAAAAAAAAA |
| Nuclide | mrem/yr fract. |
| Cs-137 | 2.465E-04 0.0000 | 0.000E+00 0.0000 | 0.000E+00 0.0000 | 1.804E-05 0.0000 | 0.000E+00 0.0000 | 0.000E+00 0.0000 | 7.449E+00 0.6213 |
| Ra-226 | 9.035E-03 0.0008 | 0.000E+00 0.0000 | 0.000E+00 0.0000 | 6.609E-04 0.0001 | 0.000E+00 0.0000 | 0.000E+00 0.0000 | 1.170E+00 0.0976 |
| Sr-90 | 3.045E-02 0.0025 | 0.000E+00 0.0000 | 0.000E+00 0.0000 | 2.384E-03 0.0002 | 0.000E+00 0.0000 | 0.000E+00 0.0000 | 3.371E+00 0.2812 |
| fffff | fffff | fffff | fffff | fffff | fffff | fffff | fffff |
| Total | 3.973E-02 0.0033 | 0.000E+00 0.0000 | 0.000E+00 0.0000 | 3.063E-03 0.0003 | 0.000E+00 0.0000 | 0.000E+00 0.0000 | 1.199E+01 1.0000 |

*Sum of all water independent and dependent pathways.

RESRAD, Version 6.4 T₉₀ Limit = 180 days 12/16/2009 22:28 Page 14
Summary : FHWMF-Perimeter-Res-Non-Farm-BKG-subtract-prelim
File : F:\RESRAD FAMILY\RESRAD\FHWMF-PERIMETER-RES-NON-FARM-BKG-SUBTRACT-PRELIM.RAD

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 5.000E+01 years

Water Independent Pathways (Inhalation excludes radon)

| | Ground | Inhalation | Radon | Plant | Meat | Milk | Soil |
|---------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|
| Radio- | AAAAAAAAAAAAAA |
| Nuclide | mrem/yr fract. |
| Cs-137 | 2.686E+00 0.4797 | 2.048E-06 0.0000 | 0.000E+00 0.0000 | 2.339E-01 0.0418 | 0.000E+00 0.0000 | 0.000E+00 0.0000 | 2.208E-03 0.0004 |
| Ra-226 | 5.494E-01 0.0981 | 1.081E-04 0.0000 | 0.000E+00 0.0000 | 8.062E-01 0.1440 | 0.000E+00 0.0000 | 0.000E+00 0.0000 | 1.956E-02 0.0035 |
| Sr-90 | 4.191E-03 0.0007 | 1.804E-05 0.0000 | 0.000E+00 0.0000 | 1.152E+00 0.2056 | 0.000E+00 0.0000 | 0.000E+00 0.0000 | 1.449E-03 0.0003 |
| Total | 3.240E+00 0.5785 | 1.282E-04 0.0000 | 0.000E+00 0.0000 | 2.192E+00 0.3914 | 0.000E+00 0.0000 | 0.000E+00 0.0000 | 2.322E-02 0.0041 |

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 5.000E+01 years

Water Dependent Pathways

*Sum of all water independent and dependent pathways.

RESRAD, Version 6.4 T_{ex} Limit = 180 days 12/16/2009 22:28 Page 15
Summary : FHWMF-Perimeter-Res-Non-Farm-BKG-subtract-prelim
File : F:\RESRAD_FAMILY\RESRAD\FHWMF-PERIMETER-RES-NON-FARM-BKG-SUBTRACT-PRELIM.RAD

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 1.000E+02 years

Water Independent Pathways (Inhalation excludes radon)

| | Ground | Inhalation | Radon | Plant | Meat | Milk | Soil | | | | | | |
|------------------------------|---|--|--|--|--|--|--|--|--|--|--|--|--------------------------------------|
| Radio- Nuclide | AAAAAA mrem/yr Cs-137 | AAAAAAAAAAAA fract. 8.340E-01 | AAAAAAAAAAAA mrem/yr 6.358E-07 | AAAAAAAAAAAA fract. 0.2977 | AAAAAAAAAAAA mrem/yr 0.0000 | AAAAAAAAAAAA fract. 7.261E-02 | AAAAAAAAAAAA mrem/yr 0.0259 | AAAAAAAAAAAA fract. 0.000E+00 | AAAAAAAAAAAA mrem/yr 0.0000 | AAAAAAAAAAAA fract. 0.000E+00 | AAAAAAAAAAAA mrem/yr 0.0000 | AAAAAAAAAAAA fract. 6.854E-04 | 0.0002 |
| Nuclide mrem/yr fract. | AAAAAA AAAAAAA AAAAAA Cs-137 Ra-226 Sr-90 Total | AAAAAAA AAAAAAA AAAAAA 8.340E-01 5.075E-01 1.115E-03 1.343E+00 | AAAAAAA AAAAAAA AAAAAA 0.2977 0.1812 0.0004 0.4792 | AAAAAAA AAAAAAA AAAAAA 6.358E-07 1.145E-04 4.799E-06 1.200E-04 | AAAAAAA AAAAAAA AAAAAA 0.0000 0.0000 0.0000 0.0000 | AAAAAAA AAAAAAA AAAAAA 0.0000 0.0000 0.0000 0.0000 | AAAAAAA AAAAAAA AAAAAA 7.261E-02 8.289E-01 3.063E-01 1.208E+00 | AAAAAAA AAAAAAA AAAAAA 0.0259 0.2959 0.1093 0.4311 | AAAAAAA AAAAAAA AAAAAA 0.000E+00 0.000E+00 0.000E+00 0.000E+00 | AAAAAAA AAAAAAA AAAAAA 0.0000 0.0000 0.0000 0.0000 | AAAAAAA AAAAAAA AAAAAA 0.000E+00 0.000E+00 0.000E+00 0.000E+00 | AAAAAAA AAAAAAA AAAAAA 6.854E-04 2.125E-02 3.854E-04 2.232E-02 | 0.0002 0.0076 0.0001 0.0080 |

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 1.000E+02 years

Water Dependent Pathways

| | Water | Fish | Radon | Plant | Meat | Milk | All Pathways* | | | | | | | |
|------------------------------|---|--|--|--|--|--|---|--|--|--|--|--|---|----------------------------|
| Radio- Nuclide | AAAAAA mrem/yr Cs-137 | AAAAAAAAAAAA fract. 2.919E-04 | AAAAAAAAAAAA mrem/yr 0.0001 | AAAAAAAAAAAA fract. 0.000E+00 | AAAAAAAAAAAA fract. 0.000E+00 | AAAAAAAAAAAA fract. 2.146E-05 | AAAAAAAAAAAA fract. 0.000E+00 | AAAAAAAAAAAA fract. 0.000E+00 | AAAAAAAAAAAA fract. 0.000E+00 | AAAAAAAAAAAA fract. 0.000E+00 | AAAAAAAAAAAA fract. 0.000E+00 | AAAAAAAAAAAA fract. 9.076E-01 | 0.3239 | |
| Nuclide mrem/yr fract. | AAAAAA AAAAAAA AAAAAA Cs-137 Ra-226 Sr-90 Total | AAAAAAA AAAAAAA AAAAAA 2.919E-04 1.825E-01 3.030E-02 2.131E-01 | AAAAAAA AAAAAAA AAAAAA 0.0001 0.0652 0.0108 0.0761 | AAAAAAA AAAAAAA AAAAAA 0.000E+00 0.000E+00 0.000E+00 0.000E+00 | AAAAAAA AAAAAAA AAAAAA 0.000E+00 0.000E+00 0.000E+00 0.000E+00 | AAAAAAA AAAAAAA AAAAAA 0.000E+00 0.000E+00 0.000E+00 0.000E+00 | AAAAAAA AAAAAAA AAAAAA 1.335E-02 2.379E-03 2.379E-02 0.0056 | AAAAAAA AAAAAAA AAAAAA 0.0048 0.0008 0.0056 | AAAAAAA AAAAAAA AAAAAA 0.000E+00 0.000E+00 0.000E+00 0.000E+00 | AAAAAAA AAAAAAA AAAAAA 0.000E+00 0.000E+00 0.000E+00 0.000E+00 | AAAAAAA AAAAAAA AAAAAA 0.000E+00 0.000E+00 0.000E+00 0.000E+00 | AAAAAAA AAAAAAA AAAAAA 0.000E+00 0.000E+00 0.000E+00 0.000E+00 | AAAAAAA AAAAAAA AAAAAA 1.554E+00 3.404E-01 2.802E+00 1.0000 | 0.5546 0.1215 1.0000 |

*Sum of all water independent and dependent pathways.

RESRAD, Version 6.4 T_{ex} Limit = 180 days 12/16/2009 22:28 Page 16
 Summary : FHWMF-Perimeter-Res-Non-Farm-BKG-subtract-prelim
 File : F:\RESRAD_FAMILY\RESRAD\FHWMF-PERIMETER-RES-NON-FARM-BKG-SUBTRACT-PRELIM.RAD

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
 As mrem/yr and Fraction of Total Dose At t = 5.000E+02 years

Water Independent Pathways (Inhalation excludes radon)

| | Ground | Inhalation | Radon | Plant | Meat | Milk | Soil | | | | | | | |
|---------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|--------|-----------|--------|-----------|--------|-----------|--------|
| Radio- | AAAAAAAAAAAAAA | | | | | | | |
| Nuclide | mrem/yr fract. | | | | | | | |
| Cs-137 | 7.198E-05 | 0.0001 | 5.488E-11 | 0.0000 | 0.000E+00 | 0.0000 | 6.267E-06 | 0.0000 | 0.000E+00 | 0.0000 | 5.916E-08 | 0.0000 | | |
| Ra-226 | 2.690E-01 | 0.2573 | 6.291E-05 | 0.0001 | 0.000E+00 | 0.0000 | 4.519E-01 | 0.4322 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 1.174E-02 | 0.0112 |
| Sr-90 | 2.790E-08 | 0.0000 | 1.201E-10 | 0.0000 | 0.000E+00 | 0.0000 | 7.668E-06 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 9.650E-09 | 0.0000 |
| Total | 2.691E-01 | 0.2574 | 6.291E-05 | 0.0001 | 0.000E+00 | 0.0000 | 4.519E-01 | 0.4322 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 1.174E-02 | 0.0112 |

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
 As mrem/yr and Fraction of Total Dose At t = 5.000E+02 years

Water Dependent Pathways

| | Water | Fish | Radon | Plant | Meat | Milk | All Pathways* | | | | | | | |
|---------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|--------|-----------|--------|-----------|--------|-----------|--------|
| Radio- | AAAAAAAAAAAAAA | | | | | | | |
| Nuclide | mrem/yr fract. | | | | | | | |
| Cs-137 | 1.342E-07 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 9.872E-09 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 7.845E-05 | 0.0001 |
| Ra-226 | 2.914E-01 | 0.2787 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 2.131E-02 | 0.0204 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 1.045E+00 | 0.9999 |
| Sr-90 | 7.432E-07 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 5.836E-08 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 8.507E-06 | 0.0000 |
| Total | 2.914E-01 | 0.2787 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 2.131E-02 | 0.0204 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 1.046E+00 | 1.0000 |

*Sum of all water independent and dependent pathways.

RESRAD, Version 6.4 T_{ex} Limit = 180 days 12/16/2009 22:28 Page 17
Summary : FHWMF-Perimeter-Res-Non-Farm-BKG-subtract-prelim
File : F:\RESRAD_FAMILY\RESRAD\FHWMF-PERIMETER-RES-NON-FARM-BKG-SUBTRACT-PRELIM.RAD

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 1.000E+03 years

Water Independent Pathways (Inhalation excludes radon)

| | Ground | Inhalation | Radon | Plant | Meat | Milk | Soil |
|---------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Radio- | AAAAAAAAAAAAAA |
| Nuclide | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. | mrem/yr |
| Cs-137 | 5.989E-10 | 0.0000 | 4.565E-16 | 0.0000 | 0.000E+00 | 0.0000 | 5.214E-11 |
| Ra-226 | 1.217E-01 | 0.2582 | 2.845E-05 | 0.0001 | 0.000E+00 | 0.0000 | 2.044E-01 |
| Sr-90 | 4.942E-14 | 0.0000 | 2.128E-16 | 0.0000 | 0.000E+00 | 0.0000 | 1.358E-11 |
| Total | 1.217E-01 | 0.2582 | 2.845E-05 | 0.0001 | 0.000E+00 | 0.0000 | 2.044E-01 |

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 1.000E+03 years

Water Dependent Pathways

| | Water | Fish | Radon | Plant | Meat | Milk | All Pathways* |
|---------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Radio- | AAAAAAAAAAAAAA |
| Nuclide | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. | mrem/yr |
| Cs-137 | 2.428E-12 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 1.786E-13 |
| Ra-226 | 1.304E-01 | 0.2766 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 9.536E-03 |
| Sr-90 | 1.269E-12 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 9.965E-14 |
| Total | 1.304E-01 | 0.2766 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 9.536E-03 |

*Sum of all water independent and dependent pathways.

RESRAD, Version 6.4 T_x Limit = 180 days 12/16/2009 22:28 Page 18
Summary : FHWMF-Perimeter-Res-Non-Farm-BKG-subtract-prelim
File : F:\RESRAD_FAMILY\RESRAD\FHWMF-PERIMETER-RES-NON-FARM-BKG-SUBTRACT-PRELIM.RAD

Dose/Source Ratios Summed Over All Pathways

Parent and Progeny Principal Radionuclide Contributions Indicated

Single Radionuclide Soil Guidelines $G(i,t)$ in pCi/g

Basic Radiation Dose Limit = 1.500E+01 mrem/yr

Nuclide

Summed Dose/Source Ratios DSR(*i,t*) in $(\text{mrem}/\text{yr})/(\mu\text{Ci/g})$
 and Single Radionuclide Soil Guidelines G(*i,t*) in pCi/g
 at tmin = time of minimum single radionuclide soil guideline
 and at tmax = time of maximum total dose = 0.000E+00 years

| Nuclide | Initial (i) | tmin (years) | DSR(i,tmin) | G(i,tmin) (pCi/g) | DSR(i,tmax) | G(i,tmax) (pCi/g) |
|----------------|----------------|--------------------|----------------|----------------------|----------------|----------------------|
| XXXXXXXXXXXXXX | XXXXXXXXXXXXXX | XXXXXXXXXXXXXXXXXX | XXXXXXXXXXXXXX | XXXXXXXXXXXXXX | XXXXXXXXXXXXXX | XXXXXXXXXXXXXX |
| Cs-137 | 4.380E+00 | 0.000E+00 | 2.149E+00 | 6.980E+00 | 2.149E+00 | 6.980E+00 |
| Ra-226 | 9.000E-02 | 143.5 ± 0.3 | 1.739E+01 | 8.625E-01 | 1.136E+01 | 1.320E+00 |
| Sr-90 | 1.100E+00 | 0.000E+00 | 3.957E+00 | 3.791E+00 | 3.957E+00 | 3.791E+00 |
| ffffffff | ffffffff | ffffffffffffffff | ffffffff | ffffffff | ffffffff | ffffffff |

RESRAD, Version 6.4 T<< Limit = 180 days 12/16/2009 22:28 Page 19

Summary : FHWMF-Perimeter-Res-Non-Farm-BKG-subtract-prelim

File : F:\RESRAD_FAMILY\RESRAD\FHWMF-PERIMETER-RES-NON-FARM-BKG-SUBTRACT-PRELIM.RAD

Individual Nuclide Dose Summed Over All Pathways

Parent Nuclide and Branch Fraction Indicated

| Nuclide Parent | THF(i) | DOSE(j,t), mrem/yr |
|---|--|---|
| (j) (i) | t= 0.000E+00 1.000E+00 5.000E+00 1.000E+01 5.000E+01 1.000E+02 5.000E+02 1.000E+03 | AAAAAAA AAAAAAA AAAAAAAA |
| Cs-137 Cs-137 | 1.000E+00 | 9.413E+00 9.195E+00 8.374E+00 7.449E+00 2.923E+00 9.076E-01 7.845E-05 6.541E-10 |
| Ra-226 Ra-226 | 1.000E+00 | 1.012E+00 1.011E+00 1.007E+00 1.001E+00 9.582E-01 9.078E-01 5.217E-01 2.352E-01 |
| Pb-210 Ra-226 | 1.000E+00 | 1.072E-02 2.887E-02 9.557E-02 1.691E-01 5.041E-01 6.458E-01 5.237E-01 2.361E-01 |
| Sr-90 Sr-90 | 1.000E+00 | 4.353E+00 4.243E+00 3.831E+00 3.371E+00 1.215E+00 3.404E-01 8.507E-06 1.501E-11 |
| fffff fffff ffffff | | |

THF(i) is the thread fraction of the parent nuclide.

Individual Nuclide Soil Concentration

Parent Nuclide and Branch Fraction Indicated

| Nuclide Parent | THF(i) | S(j,t), pCi/g |
|---|--|---|
| (j) (i) | t= 0.000E+00 1.000E+00 5.000E+00 1.000E+01 5.000E+01 1.000E+02 5.000E+02 1.000E+03 | AAAAAAA AAAAAAA AAAAAAAA |
| Cs-137 Cs-137 | 1.000E+00 | 4.380E+00 4.279E+00 3.897E+00 3.466E+00 1.360E+00 4.222E-01 3.644E-05 3.032E-10 |
| Ra-226 Ra-226 | 1.000E+00 | 9.000E-02 8.986E-02 8.929E-02 8.858E-02 8.313E-02 7.679E-02 4.070E-02 1.841E-02 |
| Pb-210 Ra-226 | 1.000E+00 | 0.000E+00 2.751E-03 1.288E-02 2.375E-02 6.653E-02 7.496E-02 4.175E-02 1.888E-02 |
| Sr-90 Sr-90 | 1.000E+00 | 1.100E+00 1.071E+00 9.636E-01 8.440E-01 2.926E-01 7.781E-02 1.948E-06 3.450E-12 |
| fffff fffff ffffff | | |

THF(i) is the thread fraction of the parent nuclide.

RESCALC.EXE execution time = 1.65 seconds

RESRAD, Version 6.4 T« Limit = 180 days 12/16/2009 22:32 Page 1
Summary : FHW MF-Perim-Ind-Bkg-subtract-prelim
File : F:\RESRAD_FAMILY\RESRAD\FHW MF-PERIMETER-INDUST-BKG-SUBTRACT-PRELIM.RAD

Table of Contents

XXXXXXXXXXXXXXXXXXXX

Part I: Mixture Sums and Single Radionuclide Guidelines

ff

| | |
|--|----|
| Dose Conversion Factor (and Related) Parameter Summary ... | 2 |
| Site-Specific Parameter Summary | 4 |
| Summary of Pathway Selections | 8 |
| Contaminated Zone and Total Dose Summary | 9 |
| Total Dose Components | |
| Time = 0.000E+00 | 10 |
| Time = 1.000E+00 | 11 |
| Time = 5.000E+00 | 12 |
| Time = 1.000E+01 | 13 |
| Time = 5.000E+01 | 14 |
| Time = 1.000E+02 | 15 |
| Time = 5.000E+02 | 16 |
| Time = 1.000E+03 | 17 |
| Dose/Source Ratios Summed Over All Pathways | 18 |
| Single Radionuclide Soil Guidelines | 18 |
| Dose Per Nuclide Summed Over All Pathways | 19 |
| Soil Concentration Per Nuclide | 19 |

Summary : FHWMF-Perim-Ind-Bkg-subtract-prelim

File : F:\RESRAD_FAMILY\RESRAD\FHWMF-PERIMETER-INDUST-BKG-SUBTRACT-PRELIM.RAD

Dose Conversion Factor (and Related) Parameter Summary

Dose Library: FGR 11

| Menu | Parameter | Current Value# | Base Case* | Parameter Name |
|-------|--|----------------|------------|----------------|
| <hr/> | | | | |
| A-1 | DCF's for external ground radiation, (mrem/yr)/(pCi/g) | 5.847E-03 | 5.847E-03 | DCF1(1) |
| A-1 | At-218 (Source: FGR 12) | 3.606E+00 | 3.606E+00 | DCF1(2) |
| A-1 | Ba-137m (Source: FGR 12) | 3.606E-03 | 3.606E-03 | DCF1(3) |
| A-1 | Bi-210 (Source: FGR 12) | 9.808E+00 | 9.808E+00 | DCF1(4) |
| A-1 | Bi-214 (Source: FGR 12) | 7.510E-04 | 7.510E-04 | DCF1(5) |
| A-1 | Cs-137 (Source: FGR 12) | 2.447E-03 | 2.447E-03 | DCF1(6) |
| A-1 | Pb-210 (Source: FGR 12) | 1.341E+00 | 1.341E+00 | DCF1(7) |
| A-1 | Pb-214 (Source: FGR 12) | 5.231E-05 | 5.231E-05 | DCF1(8) |
| A-1 | Po-210 (Source: FGR 12) | 5.138E-04 | 5.138E-04 | DCF1(9) |
| A-1 | Po-214 (Source: FGR 12) | 5.642E-05 | 5.642E-05 | DCF1(10) |
| A-1 | Po-218 (Source: FGR 12) | 3.176E-02 | 3.176E-02 | DCF1(11) |
| A-1 | Ra-226 (Source: FGR 12) | 2.354E-03 | 2.354E-03 | DCF1(12) |
| A-1 | Rn-222 (Source: FGR 12) | 7.043E-04 | 7.043E-04 | DCF1(13) |
| A-1 | Sr-90 (Source: FGR 12) | 0.000E+00 | -2.000E+00 | DCF1(14) |
| A-1 | Tl-210 (Source: no data) | 2.391E-02 | 2.391E-02 | DCF1(15) |
| A-1 | Y-90 (Source: FGR 12) | 2.391E-02 | 2.391E-02 | DCF1(15) |
| B-1 | Dose conversion factors for inhalation, mrem/pCi: | 3 | 3 | 3 |
| B-1 | Cs-137+D | 3.190E-05 | 3.190E-05 | DCF2(1) |
| B-1 | Pb-210+D | 2.320E-02 | 1.360E-02 | DCF2(2) |
| B-1 | Ra-226+D | 8.594E-03 | 8.580E-03 | DCF2(3) |
| B-1 | Sr-90+D | 1.308E-03 | 1.300E-03 | DCF2(4) |
| B-1 | | 3 | 3 | 3 |
| D-1 | Dose conversion factors for ingestion, mrem/pCi: | 3 | 3 | 3 |
| D-1 | Cs-137+D | 5.000E-05 | 5.000E-05 | DCF3(1) |
| D-1 | Pb-210+D | 7.276E-03 | 5.370E-03 | DCF3(2) |
| D-1 | Ra-226+D | 1.321E-03 | 1.320E-03 | DCF3(3) |
| D-1 | Sr-90+D | 1.528E-04 | 1.420E-04 | DCF3(4) |
| D-1 | | 3 | 3 | 3 |
| D-34 | Food transfer factors: | 3 | 3 | 3 |
| D-34 | Cs-137+D , plant/soil concentration ratio, dimensionless | 4.000E-02 | 4.000E-02 | RTF(1,1) |
| D-34 | Cs-137+D , beef/livestock-intake ratio, (pCi/kg)/(pCi/d) | 3.000E-02 | 3.000E-02 | RTF(1,2) |
| D-34 | Cs-137+D , milk/livestock-intake ratio, (pCi/L)/(pCi/d) | 8.000E-03 | 8.000E-03 | RTF(1,3) |
| D-34 | | 3 | 3 | 3 |
| D-34 | Pb-210+D , plant/soil concentration ratio, dimensionless | 1.000E-02 | 1.000E-02 | RTF(2,1) |
| D-34 | Pb-210+D , beef/livestock-intake ratio, (pCi/kg)/(pCi/d) | 8.000E-04 | 8.000E-04 | RTF(2,2) |
| D-34 | Pb-210+D , milk/livestock-intake ratio, (pCi/L)/(pCi/d) | 3.000E-04 | 3.000E-04 | RTF(2,3) |
| D-34 | | 3 | 3 | 3 |
| D-34 | Ra-226+D , plant/soil concentration ratio, dimensionless | 4.000E-02 | 4.000E-02 | RTF(3,1) |
| D-34 | Ra-226+D , beef/livestock-intake ratio, (pCi/kg)/(pCi/d) | 1.000E-03 | 1.000E-03 | RTF(3,2) |
| D-34 | Ra-226+D , milk/livestock-intake ratio, (pCi/L)/(pCi/d) | 1.000E-03 | 1.000E-03 | RTF(3,3) |
| D-34 | | 3 | 3 | 3 |
| D-34 | Sr-90+D , plant/soil concentration ratio, dimensionless | 3.000E-01 | 3.000E-01 | RTF(4,1) |
| D-34 | Sr-90+D , beef/livestock-intake ratio, (pCi/kg)/(pCi/d) | 8.000E-03 | 8.000E-03 | RTF(4,2) |
| D-34 | Sr-90+D , milk/livestock-intake ratio, (pCi/L)/(pCi/d) | 2.000E-03 | 2.000E-03 | RTF(4,3) |
| D-34 | | 3 | 3 | 3 |
| D-5 | Bioaccumulation factors, fresh water, L/kg: | 3 | 3 | 3 |
| D-5 | Cs-137+D , fish | 2.000E+03 | 2.000E+03 | BIOFAC(1,1) |
| D-5 | Cs-137+D , crustacea and mollusks | 1.000E+02 | 1.000E+02 | BIOFAC(1,2) |
| D-5 | | 3 | 3 | 3 |

RESRAD, Version 6.4 T_« Limit = 180 days 12/16/2009 22:32 Page 3

Summary : FHWMF-Perim-Ind-Bkg-subtract-prelim

File : F:\RESRAD_FAMILY\RESRAD\FHWMF-PERIMETER-INDUST-BKG-SUBTRACT-PRELIM.RAD

Dose Conversion Factor (and Related) Parameter Summary (continued)

Dose Library: FGR 11

| Menu | Parameter | Current | Base | Parameter |
|--|-----------------------------------|-----------|-----------|--------------|
| | | Value# | Case* | Name |
| D-5 | Pb-210+D , fish | 3.000E+02 | 3.000E+02 | BIOFAC(2,1) |
| D-5 | Pb-210+D , crustacea and mollusks | 1.000E+02 | 1.000E+02 | BIOFAC(2,2) |
| D-5 | | 3 | 3 | |
| D-5 | Ra-226+D , fish | 5.000E+01 | 5.000E+01 | BIOFAC(3,1) |
| D-5 | Ra-226+D , crustacea and mollusks | 2.500E+02 | 2.500E+02 | BIOFAC(3,2) |
| D-5 | | 3 | 3 | |
| D-5 | Sr-90+D , fish | 6.000E+01 | 6.000E+01 | BIOFAC(4,1) |
| D-5 | Sr-90+D , crustacea and mollusks | 1.000E+02 | 1.000E+02 | BIOFAC(4,2) |
| fffff | fffff | fffff | fffff | fffff |
| #For DCF1(xxx) only, factors are for infinite depth & area. See ETFG table in Ground Pathway of Detailed Report. | | | | |

#For DCF1(xxx) only, factors are for infinite depth & area. See ETRG table in Ground Pathway of Detailed Report.

*Base Case means Default.Lib w/o Associate Nuclide contributions.

Site-Specific Parameter Summary

| Menu | Parameter | User | Input | Default | (If different from user input) | Used by RESRAD | Parameter Name |
|-------|---|------|-----------|---------|--------------------------------|----------------|----------------|
| <hr/> | | | | | | | |
| R011 | Area of contaminated zone (m**2) | 3 | 2.290E+03 | 3 | 1.000E+04 | 3 | 3 AREA |
| R011 | Thickness of contaminated zone (m) | 3 | 5.000E+00 | 3 | 2.000E+00 | 3 | 3 THICKO |
| R011 | Length parallel to aquifer flow (m) | 3 | 2.500E+02 | 3 | 1.000E+02 | 3 | 3 LCZPAQ |
| R011 | Basic radiation dose limit (mrem/yr) | 3 | 1.500E+01 | 3 | 3.000E+01 | 3 | 3 BRDL |
| R011 | Time since placement of material (yr) | 3 | 0.000E+00 | 3 | 0.000E+00 | 3 | 3 TI |
| R011 | Times for calculations (yr) | 3 | 1.000E+00 | 3 | 1.000E+00 | 3 | 3 T(2) |
| R011 | Times for calculations (yr) | 3 | 5.000E+00 | 3 | 3.000E+00 | 3 | 3 T(3) |
| R011 | Times for calculations (yr) | 3 | 1.000E+01 | 3 | 1.000E+01 | 3 | 3 T(4) |
| R011 | Times for calculations (yr) | 3 | 5.000E+01 | 3 | 3.000E+01 | 3 | 3 T(5) |
| R011 | Times for calculations (yr) | 3 | 1.000E+02 | 3 | 1.000E+02 | 3 | 3 T(6) |
| R011 | Times for calculations (yr) | 3 | 5.000E+02 | 3 | 3.000E+02 | 3 | 3 T(7) |
| R011 | Times for calculations (yr) | 3 | 1.000E+03 | 3 | 1.000E+03 | 3 | 3 T(8) |
| R011 | Times for calculations (yr) | 3 | not used | 3 | 0.000E+00 | 3 | 3 T(9) |
| R011 | Times for calculations (yr) | 3 | not used | 3 | 0.000E+00 | 3 | 3 T(10) |
| R012 | Initial principal radionuclide (pCi/g): Cs-137 | 3 | 4.380E+00 | 3 | 0.000E+00 | 3 | 3 S1(1) |
| R012 | Initial principal radionuclide (pCi/g): Ra-226 | 3 | 9.000E-02 | 3 | 0.000E+00 | 3 | 3 S1(3) |
| R012 | Initial principal radionuclide (pCi/g): Sr-90 | 3 | 1.100E+00 | 3 | 0.000E+00 | 3 | 3 S1(4) |
| R012 | Concentration in groundwater (pCi/L): Cs-137 | 3 | not used | 3 | 0.000E+00 | 3 | 3 W1(1) |
| R012 | Concentration in groundwater (pCi/L): Ra-226 | 3 | not used | 3 | 0.000E+00 | 3 | 3 W1(3) |
| R012 | Concentration in groundwater (pCi/L): Sr-90 | 3 | not used | 3 | 0.000E+00 | 3 | 3 W1(4) |
| R013 | Cover depth (m) | 3 | 0.000E+00 | 3 | 0.000E+00 | 3 | 3 COVERO |
| R013 | Density of cover material (g/cm**3) | 3 | not used | 3 | 1.500E+00 | 3 | 3 DENSCV |
| R013 | Cover depth erosion rate (m/yr) | 3 | not used | 3 | 1.000E-03 | 3 | 3 VCV |
| R013 | Density of contaminated zone (g/cm**3) | 3 | 1.660E+00 | 3 | 1.500E+00 | 3 | 3 DENSCZ |
| R013 | Contaminated zone erosion rate (m/yr) | 3 | 1.000E-03 | 3 | 1.000E-03 | 3 | 3 VCZ |
| R013 | Contaminated zone total porosity | 3 | 3.300E-01 | 3 | 4.000E-01 | 3 | 3 TPCZ |
| R013 | Contaminated zone field capacity | 3 | 2.400E-01 | 3 | 2.000E-01 | 3 | 3 FCCZ |
| R013 | Contaminated zone hydraulic conductivity (m/yr) | 3 | 5.000E+03 | 3 | 1.000E+01 | 3 | 3 HCCZ |
| R013 | Contaminated zone b parameter | 3 | 4.900E+00 | 3 | 5.300E+00 | 3 | 3 BCZ |
| R013 | Average annual wind speed (m/sec) | 3 | 2.000E+00 | 3 | 2.000E+00 | 3 | 3 WIND |
| R013 | Humidity in air (g/m**3) | 3 | not used | 3 | 8.000E+00 | 3 | 3 HUMID |
| R013 | Evapotranspiration coefficient | 3 | 4.600E-01 | 3 | 5.000E-01 | 3 | 3 EVAPTR |
| R013 | Precipitation (m/yr) | 3 | 1.230E+00 | 3 | 1.000E+00 | 3 | 3 PRECIP |
| R013 | Irrigation (m/yr) | 3 | 0.000E+00 | 3 | 2.000E-01 | 3 | 3 RI |
| R013 | Irrigation mode | 3 | overhead | 3 | overhead | 3 | 3 IDITCH |
| R013 | Runoff coefficient | 3 | 2.000E-01 | 3 | 2.000E-01 | 3 | 3 RUNOFF |
| R013 | Watershed area for nearby stream or pond (m**2) | 3 | 1.000E+06 | 3 | 1.000E+06 | 3 | 3 WAREA |
| R013 | Accuracy for water/soil computations | 3 | 1.000E-03 | 3 | 1.000E-03 | 3 | 3 EPS |
| R014 | Density of saturated zone (g/cm**3) | 3 | 1.660E+00 | 3 | 1.500E+00 | 3 | 3 DENSAQ |
| R014 | Saturated zone total porosity | 3 | 3.300E-01 | 3 | 4.000E-01 | 3 | 3 TPSZ |
| R014 | Saturated zone effective porosity | 3 | 2.400E-01 | 3 | 2.000E-01 | 3 | 3 EPSZ |
| R014 | Saturated zone field capacity | 3 | 2.000E-01 | 3 | 2.000E-01 | 3 | 3 FCSZ |
| R014 | Saturated zone hydraulic conductivity (m/yr) | 3 | 2.000E+04 | 3 | 1.000E+02 | 3 | 3 HCSZ |
| R014 | Saturated zone hydraulic gradient | 3 | 4.800E-03 | 3 | 2.000E-02 | 3 | 3 HGWT |
| R014 | Saturated zone b parameter | 3 | 4.900E+00 | 3 | 5.300E+00 | 3 | 3 BSZ |
| R014 | Water table drop rate (m/yr) | 3 | 1.000E-03 | 3 | 1.000E-03 | 3 | 3 VWT |
| R014 | Well pump intake depth (m below water table) | 3 | 1.800E+01 | 3 | 1.000E+01 | 3 | 3 DWIBWT |

Site-Specific Parameter Summary (continued)

| ³ Menu | ³ Parameter | ³ User | ³ Input | ³ Default | ³ (If different from user input) | ³ Used by RESRAD | ³ Parameter Name |
|---|---|----------------------|-----------------------|-------------------------|--|--------------------------------|-----------------------------------|
| XX | | | | | | | |
| R014 | ³ Model: Nondispersion (ND) or Mass-Balance (MB) | | ³ ND | ³ ND | | --- | ³ MODEL |
| R014 | ³ Well pumping rate (m**3/yr) | | | ³ not used | ³ 2.500E+02 | --- | ³ UW |
| | | | | | | | ³ |
| R015 | ³ Number of unsaturated zone strata | | | ³ 1 | ³ 1 | --- | ³ NS |
| R015 | ³ Unsat. zone 1, thickness (m) | | | ³ 0.000E+00 | ³ 4.000E+00 | --- | ³ H(1) |
| R015 | ³ Unsat. zone 1, soil density (g/cm**3) | | | ³ 1.660E+00 | ³ 1.500E+00 | --- | ³ DENSUZ(1) |
| R015 | ³ Unsat. zone 1, total porosity | | | ³ 3.300E-01 | ³ 4.000E-01 | --- | ³ TPUZ(1) |
| R015 | ³ Unsat. zone 1, effective porosity | | | ³ 2.400E-01 | ³ 2.000E-01 | --- | ³ EPUZ(1) |
| R015 | ³ Unsat. zone 1, field capacity | | | ³ 2.000E-01 | ³ 2.000E-01 | --- | ³ FCUZ(1) |
| R015 | ³ Unsat. zone 1, soil-specific b parameter | | | ³ 4.900E+00 | ³ 5.300E+00 | --- | ³ BUZ(1) |
| R015 | ³ Unsat. zone 1, hydraulic conductivity (m/yr) | | | ³ 5.000E+03 | ³ 1.000E+01 | --- | ³ HCUZ(1) |
| | | | | | | | ³ |
| R016 | ³ Distribution coefficients for Cs-137 | | | ³ | ³ | --- | ³ |
| R016 | ³ Contaminated zone (cm**3/g) | | | ³ 2.800E+02 | ³ 4.600E+03 | --- | ³ DCNUCC(1) |
| R016 | ³ Unsaturated zone 1 (cm**3/g) | | | ³ 2.800E+02 | ³ 4.600E+03 | --- | ³ DCNUCU(1,1) |
| R016 | ³ Saturated zone (cm**3/g) | | | ³ 2.800E+02 | ³ 4.600E+03 | --- | ³ DCNUCS(1) |
| R016 | ³ Leach rate (/yr) | | | ³ 0.000E+00 | ³ 0.000E+00 | ³ 2.285E-04 | ³ ALEACH(1) |
| R016 | ³ Solubility constant | | | ³ 0.000E+00 | ³ 0.000E+00 | not used | ³ SOLUBK(1) |
| | | | | | | | ³ |
| R016 | ³ Distribution coefficients for Ra-226 | | | ³ | ³ | --- | ³ |
| R016 | ³ Contaminated zone (cm**3/g) | | | ³ 7.000E+01 | ³ 7.000E+01 | --- | ³ DCNUCC(3) |
| R016 | ³ Unsaturated zone 1 (cm**3/g) | | | ³ 7.000E+01 | ³ 7.000E+01 | --- | ³ DCNUCU(3,1) |
| R016 | ³ Saturated zone (cm**3/g) | | | ³ 7.000E+01 | ³ 7.000E+01 | --- | ³ DCNUCS(3) |
| R016 | ³ Leach rate (/yr) | | | ³ 0.000E+00 | ³ 0.000E+00 | ³ 9.127E-04 | ³ ALEACH(3) |
| R016 | ³ Solubility constant | | | ³ 0.000E+00 | ³ 0.000E+00 | not used | ³ SOLUBK(3) |
| | | | | | | | ³ |
| R016 | ³ Distribution coefficients for Sr-90 | | | ³ | ³ | --- | ³ |
| R016 | ³ Contaminated zone (cm**3/g) | | | ³ 3.000E+01 | ³ 3.000E+01 | --- | ³ DCNUCC(4) |
| R016 | ³ Unsaturated zone 1 (cm**3/g) | | | ³ 3.000E+01 | ³ 3.000E+01 | --- | ³ DCNUCU(4,1) |
| R016 | ³ Saturated zone (cm**3/g) | | | ³ 3.000E+01 | ³ 3.000E+01 | --- | ³ DCNUCS(4) |
| R016 | ³ Leach rate (/yr) | | | ³ 0.000E+00 | ³ 0.000E+00 | ³ 2.124E-03 | ³ ALEACH(4) |
| R016 | ³ Solubility constant | | | ³ 0.000E+00 | ³ 0.000E+00 | not used | ³ SOLUBK(4) |
| | | | | | | | ³ |
| R016 | ³ Distribution coefficients for daughter Pb-210 | | | ³ | ³ | --- | ³ |
| R016 | ³ Contaminated zone (cm**3/g) | | | ³ 1.000E+02 | ³ 1.000E+02 | --- | ³ DCNUCC(2) |
| R016 | ³ Unsaturated zone 1 (cm**3/g) | | | ³ 1.000E+02 | ³ 1.000E+02 | --- | ³ DCNUCU(2,1) |
| R016 | ³ Saturated zone (cm**3/g) | | | ³ 1.000E+02 | ³ 1.000E+02 | --- | ³ DCNUCS(2) |
| R016 | ³ Leach rate (/yr) | | | ³ 0.000E+00 | ³ 0.000E+00 | ³ 6.393E-04 | ³ ALEACH(2) |
| R016 | ³ Solubility constant | | | ³ 0.000E+00 | ³ 0.000E+00 | not used | ³ SOLUBK(2) |
| | | | | | | | ³ |
| R017 | ³ Inhalation rate (m**3/yr) | | | ³ 8.400E+03 | ³ 8.400E+03 | --- | ³ INHALR |
| R017 | ³ Mass loading for inhalation (g/m**3) | | | ³ 1.000E-04 | ³ 1.000E-04 | --- | ³ MLINH |
| R017 | ³ Exposure duration | | | ³ 2.500E+01 | ³ 3.000E+01 | --- | ³ ED |
| R017 | ³ Shielding factor, inhalation | | | ³ 4.000E-01 | ³ 4.000E-01 | --- | ³ SHF3 |
| R017 | ³ Shielding factor, external gamma | | | ³ 8.000E-01 | ³ 7.000E-01 | --- | ³ SHF1 |
| R017 | ³ Fraction of time spent indoors | | | ³ 6.000E-02 | ³ 5.000E-01 | --- | ³ FIND |
| R017 | ³ Fraction of time spent outdoors (on site) | | | ³ 1.700E-01 | ³ 2.500E-01 | --- | ³ FOTD |
| R017 | ³ Shape factor flag, external gamma | | | ³ 1.000E+00 | ³ 1.000E+00 | >0 shows circular AREA. | ³ FS |

Site-Specific Parameter Summary (continued)

| ³ Menu | ³ Parameter | ³ User | ³ Input | ³ Default | ³ (If different from user input) | ³ Used by RESRAD | ³ Parameter Name |
|---|---|----------------------|-----------------------|-------------------------|--|--------------------------------|-----------------------------------|
| XX | | | | | | | |
| R017 | ³ Radii of shape factor array (used if FS = -1): | | | | | | |
| R017 | ³ Outer annular radius (m), ring 1: | | ³ not used | ³ 5.000E+01 | ³ | --- | ³ RAD_SHAPE(1) |
| R017 | ³ Outer annular radius (m), ring 2: | | ³ not used | ³ 7.071E+01 | ³ | --- | ³ RAD_SHAPE(2) |
| R017 | ³ Outer annular radius (m), ring 3: | | ³ not used | ³ 0.000E+00 | ³ | --- | ³ RAD_SHAPE(3) |
| R017 | ³ Outer annular radius (m), ring 4: | | ³ not used | ³ 0.000E+00 | ³ | --- | ³ RAD_SHAPE(4) |
| R017 | ³ Outer annular radius (m), ring 5: | | ³ not used | ³ 0.000E+00 | ³ | --- | ³ RAD_SHAPE(5) |
| R017 | ³ Outer annular radius (m), ring 6: | | ³ not used | ³ 0.000E+00 | ³ | --- | ³ RAD_SHAPE(6) |
| R017 | ³ Outer annular radius (m), ring 7: | | ³ not used | ³ 0.000E+00 | ³ | --- | ³ RAD_SHAPE(7) |
| R017 | ³ Outer annular radius (m), ring 8: | | ³ not used | ³ 0.000E+00 | ³ | --- | ³ RAD_SHAPE(8) |
| R017 | ³ Outer annular radius (m), ring 9: | | ³ not used | ³ 0.000E+00 | ³ | --- | ³ RAD_SHAPE(9) |
| R017 | ³ Outer annular radius (m), ring 10: | | ³ not used | ³ 0.000E+00 | ³ | --- | ³ RAD_SHAPE(10) |
| R017 | ³ Outer annular radius (m), ring 11: | | ³ not used | ³ 0.000E+00 | ³ | --- | ³ RAD_SHAPE(11) |
| R017 | ³ Outer annular radius (m), ring 12: | | ³ not used | ³ 0.000E+00 | ³ | --- | ³ RAD_SHAPE(12) |
| | | | | | | | |
| R017 | ³ Fractions of annular areas within AREA: | | | | | | |
| R017 | ³ Ring 1 | | ³ not used | ³ 1.000E+00 | ³ | --- | ³ FRACA(1) |
| R017 | ³ Ring 2 | | ³ not used | ³ 2.732E-01 | ³ | --- | ³ FRACA(2) |
| R017 | ³ Ring 3 | | ³ not used | ³ 0.000E+00 | ³ | --- | ³ FRACA(3) |
| R017 | ³ Ring 4 | | ³ not used | ³ 0.000E+00 | ³ | --- | ³ FRACA(4) |
| R017 | ³ Ring 5 | | ³ not used | ³ 0.000E+00 | ³ | --- | ³ FRACA(5) |
| R017 | ³ Ring 6 | | ³ not used | ³ 0.000E+00 | ³ | --- | ³ FRACA(6) |
| R017 | ³ Ring 7 | | ³ not used | ³ 0.000E+00 | ³ | --- | ³ FRACA(7) |
| R017 | ³ Ring 8 | | ³ not used | ³ 0.000E+00 | ³ | --- | ³ FRACA(8) |
| R017 | ³ Ring 9 | | ³ not used | ³ 0.000E+00 | ³ | --- | ³ FRACA(9) |
| R017 | ³ Ring 10 | | ³ not used | ³ 0.000E+00 | ³ | --- | ³ FRACA(10) |
| R017 | ³ Ring 11 | | ³ not used | ³ 0.000E+00 | ³ | --- | ³ FRACA(11) |
| R017 | ³ Ring 12 | | ³ not used | ³ 0.000E+00 | ³ | --- | ³ FRACA(12) |
| | | | | | | | |
| R018 | ³ Fruits, vegetables and grain consumption (kg/yr) | | ³ not used | ³ 1.600E+02 | ³ | --- | ³ DIET(1) |
| R018 | ³ Leafy vegetable consumption (kg/yr) | | ³ not used | ³ 1.400E+01 | ³ | --- | ³ DIET(2) |
| R018 | ³ Milk consumption (L/yr) | | ³ not used | ³ 9.200E+01 | ³ | --- | ³ DIET(3) |
| R018 | ³ Meat and poultry consumption (kg/yr) | | ³ not used | ³ 6.300E+01 | ³ | --- | ³ DIET(4) |
| R018 | ³ Fish consumption (kg/yr) | | ³ not used | ³ 5.400E+00 | ³ | --- | ³ DIET(5) |
| R018 | ³ Other seafood consumption (kg/yr) | | ³ not used | ³ 9.000E-01 | ³ | --- | ³ DIET(6) |
| R018 | ³ Soil ingestion rate (g/yr) | | ³ not used | ³ 3.650E+01 | ³ 3.650E+01 | --- | ³ SOIL |
| R018 | ³ Drinking water intake (L/yr) | | ³ not used | ³ 3.500E+02 | ³ 5.100E+02 | --- | ³ DWI |
| R018 | ³ Contamination fraction of drinking water | | ³ not used | ³ 1.000E+00 | ³ 1.000E+00 | --- | ³ FDW |
| R018 | ³ Contamination fraction of household water | | ³ not used | ³ 1.000E+00 | ³ 1.000E+00 | --- | ³ FHHW |
| R018 | ³ Contamination fraction of livestock water | | ³ not used | ³ 1.000E+00 | ³ 1.000E+00 | --- | ³ FLW |
| R018 | ³ Contamination fraction of irrigation water | | ³ not used | ³ 1.000E+00 | ³ 1.000E+00 | --- | ³ FIRW |
| R018 | ³ Contamination fraction of aquatic food | | ³ not used | ³ 5.000E-01 | ³ | --- | ³ FR9 |
| R018 | ³ Contamination fraction of plant food | | ³ not used | ³ -1 | ³ | --- | ³ FPLANT |
| R018 | ³ Contamination fraction of meat | | ³ not used | ³ -1 | ³ | --- | ³ FMEAT |
| R018 | ³ Contamination fraction of milk | | ³ not used | ³ -1 | ³ | --- | ³ FMILK |
| | | | | | | | |
| R019 | ³ Livestock fodder intake for meat (kg/day) | | ³ not used | ³ 6.800E+01 | ³ | --- | ³ LFI5 |
| R019 | ³ Livestock fodder intake for milk (kg/day) | | ³ not used | ³ 5.500E+01 | ³ | --- | ³ LFI6 |
| R019 | ³ Livestock water intake for meat (L/day) | | ³ not used | ³ 5.000E+01 | ³ | --- | ³ LWI5 |
| R019 | ³ Livestock water intake for milk (L/day) | | ³ not used | ³ 1.600E+02 | ³ | --- | ³ LWI6 |
| R019 | ³ Livestock soil intake (kg/day) | | ³ not used | ³ 5.000E-01 | ³ | --- | ³ LSI |

Summary : FHWMF-Perim-Ind-Bkg-subtract-prelim

File : F:\RESRAD_FAMILY\RESRAD\FHWMF-PERIMETER-INDUST-BKG-SUBTRACT-PRELIM.RAD

Site-Specific Parameter Summary (continued)

| Menu | Parameter | User | Input | Default | (If different from user input) | Used by RESRAD | Parameter Name |
|-------|--|----------|-----------|-----------|--------------------------------|----------------|----------------|
| <hr/> | | | | | | | |
| R019 | Mass loading for foliar deposition (g/m**3) | not used | 1.000E-04 | 1.000E-04 | | --- | MLFD |
| R019 | Depth of soil mixing layer (m) | | 1.500E-01 | 1.500E-01 | | --- | DM |
| R019 | Depth of roots (m) | not used | 9.000E-01 | 9.000E-01 | | --- | DROOT |
| R019 | Drinking water fraction from ground water | | 1.000E+00 | 1.000E+00 | | --- | FGWDW |
| R019 | Household water fraction from ground water | not used | 1.000E+00 | 1.000E+00 | | --- | FGWHH |
| R019 | Livestock water fraction from ground water | not used | 1.000E+00 | 1.000E+00 | | --- | FGWLW |
| R019 | Irrigation fraction from ground water | not used | 1.000E+00 | 1.000E+00 | | --- | FGWIR |
| | | | | | | 3 | |
| R19B | Wet weight crop yield for Non-Leafy (kg/m**2) | not used | 7.000E-01 | 7.000E-01 | | --- | YV(1) |
| R19B | Wet weight crop yield for Leafy (kg/m**2) | not used | 1.500E+00 | 1.500E+00 | | --- | YV(2) |
| R19B | Wet weight crop yield for Fodder (kg/m**2) | not used | 1.100E+00 | 1.100E+00 | | --- | YV(3) |
| R19B | Growing Season for Non-Leafy (years) | not used | 1.700E-01 | 1.700E-01 | | --- | TE(1) |
| R19B | Growing Season for Leafy (years) | not used | 2.500E-01 | 2.500E-01 | | --- | TE(2) |
| R19B | Growing Season for Fodder (years) | not used | 8.000E-02 | 8.000E-02 | | --- | TE(3) |
| R19B | Translocation Factor for Non-Leafy | not used | 1.000E-01 | 1.000E-01 | | --- | TIV(1) |
| R19B | Translocation Factor for Leafy | not used | 1.000E+00 | 1.000E+00 | | --- | TIV(2) |
| R19B | Translocation Factor for Fodder | not used | 1.000E+00 | 1.000E+00 | | --- | TIV(3) |
| R19B | Dry Foliar Interception Fraction for Non-Leafy | not used | 2.500E-01 | 2.500E-01 | | --- | RDRY(1) |
| R19B | Dry Foliar Interception Fraction for Leafy | not used | 2.500E-01 | 2.500E-01 | | --- | RDRY(2) |
| R19B | Dry Foliar Interception Fraction for Fodder | not used | 2.500E-01 | 2.500E-01 | | --- | RDRY(3) |
| R19B | Wet Foliar Interception Fraction for Non-Leafy | not used | 2.500E-01 | 2.500E-01 | | --- | RWET(1) |
| R19B | Wet Foliar Interception Fraction for Leafy | not used | 2.500E-01 | 2.500E-01 | | --- | RWET(2) |
| R19B | Wet Foliar Interception Fraction for Fodder | not used | 2.500E-01 | 2.500E-01 | | --- | RWET(3) |
| R19B | Weathering Removal Constant for Vegetation | not used | 2.000E+01 | 2.000E+01 | | --- | WLAM |
| | | | | | | 3 | |
| C14 | C-12 concentration in water (g/cm**3) | not used | 2.000E-05 | 2.000E-05 | | --- | C12WTR |
| C14 | C-12 concentration in contaminated soil (g/g) | not used | 3.000E-02 | 3.000E-02 | | --- | C12CZ |
| C14 | Fraction of vegetation carbon from soil | not used | 2.000E-02 | 2.000E-02 | | --- | CSOIL |
| C14 | Fraction of vegetation carbon from air | not used | 9.800E-01 | 9.800E-01 | | --- | CAIR |
| C14 | C-14 evasion layer thickness in soil (m) | not used | 3.000E-01 | 3.000E-01 | | --- | DMC |
| C14 | C-14 evasion flux rate from soil (1/sec) | not used | 7.000E-07 | 7.000E-07 | | --- | EVSN |
| C14 | C-12 evasion flux rate from soil (1/sec) | not used | 1.000E-10 | 1.000E-10 | | --- | REVSN |
| C14 | Fraction of grain in beef cattle feed | not used | 8.000E-01 | 8.000E-01 | | --- | AVFG4 |
| C14 | Fraction of grain in milk cow feed | not used | 2.000E-01 | 2.000E-01 | | --- | AVFG5 |
| | | | | | | 3 | |
| STOR | Storage times of contaminated foodstuffs (days): | | | | | 3 | |
| STOR | Fruits, non-leafy vegetables, and grain | | 1.400E+01 | 1.400E+01 | | --- | STOR_T(1) |
| STOR | Leafy vegetables | | 1.000E+00 | 1.000E+00 | | --- | STOR_T(2) |
| STOR | Milk | | 1.000E+00 | 1.000E+00 | | --- | STOR_T(3) |
| STOR | Meat and poultry | | 2.000E+01 | 2.000E+01 | | --- | STOR_T(4) |
| STOR | Fish | | 7.000E+00 | 7.000E+00 | | --- | STOR_T(5) |
| STOR | Crustacea and mollusks | | 7.000E+00 | 7.000E+00 | | --- | STOR_T(6) |
| STOR | Well water | | 1.000E+00 | 1.000E+00 | | --- | STOR_T(7) |
| STOR | Surface water | | 1.000E+00 | 1.000E+00 | | --- | STOR_T(8) |
| STOR | Livestock fodder | | 4.500E+01 | 4.500E+01 | | --- | STOR_T(9) |
| | | | | | | 3 | |
| R021 | Thickness of building foundation (m) | not used | 1.500E-01 | 1.500E-01 | | --- | FLOOR1 |
| R021 | Bulk density of building foundation (g/cm**3) | not used | 2.400E+00 | 2.400E+00 | | --- | DENSFL |
| R021 | Total porosity of the cover material | not used | 4.000E-01 | 4.000E-01 | | --- | TPCV |
| R021 | Total porosity of the building foundation | not used | 1.000E-01 | 1.000E-01 | | --- | TPFL |

Summary : FHWMF-Perim-Ind-Bkg-subtract-prelim

File : F:\RESRAD_FAMILY\RESRAD\FHWMF-PERIMETER-INDUST-BKG-SUBTRACT-PRELIM.RAD

Site-Specific Parameter Summary (continued)

| 3 Menu 3 | Parameter | 3 User | 3 Input | 3 Default | 3 (If different from user input) | Used by RESRAD | 3 Parameter Name |
|---|-----------|------------|--------------|--------------|-------------------------------------|----------------|---------------------|
| <hr/> | | | | | | | |
| R021 3 Volumetric water content of the cover material | | 3 not used | 3 5.000E-02 | 3 | --- | | 3 PH2OCV |
| R021 3 Volumetric water content of the foundation | | 3 not used | 3 3.000E-02 | 3 | --- | | 3 PH2OFL |
| R021 3 Diffusion coefficient for radon gas (m/sec): | | 3 | 3 | 3 | | | 3 |
| R021 3 in cover material | | 3 not used | 3 2.000E-06 | 3 | --- | | 3 DIFCV |
| R021 3 in foundation material | | 3 not used | 3 3.000E-07 | 3 | --- | | 3 DIFFL |
| R021 3 in contaminated zone soil | | 3 not used | 3 2.000E-06 | 3 | --- | | 3 DIFCZ |
| R021 3 Radon vertical dimension of mixing (m) | | 3 not used | 3 2.000E+00 | 3 | --- | | 3 HMIX |
| R021 3 Average building air exchange rate (1/hr) | | 3 not used | 3 5.000E-01 | 3 | --- | | 3 REXG |
| R021 3 Height of the building (room) (m) | | 3 not used | 3 2.500E+00 | 3 | --- | | 3 HRM |
| R021 3 Building interior area factor | | 3 not used | 3 0.000E+00 | 3 | --- | | 3 FAI |
| R021 3 Building depth below ground surface (m) | | 3 not used | 3 -1.000E+00 | 3 | --- | | 3 DMFL |
| R021 3 Emanating power of Rn-222 gas | | 3 not used | 3 2.500E-01 | 3 | --- | | 3 EMANA(1) |
| R021 3 Emanating power of Rn-220 gas | | 3 not used | 3 1.500E-01 | 3 | --- | | 3 EMANA(2) |
| 3 | | 3 | 3 | 3 | | | 3 |
| TITL 3 Number of graphical time points | | 3 32 | 3 | 3 --- | 3 | --- | 3 NPTS |
| TITL 3 Maximum number of integration points for dose | | 3 17 | 3 | 3 --- | 3 | --- | 3 LYMAX |
| TITL 3 Maximum number of integration points for risk | | 3 257 | 3 | 3 --- | 3 | --- | 3 KYMAX |
| <hr/> | | | | | | | |

Summary of Pathway Selections

| Pathway | 3 User Selection |
|-----------------------------|---------------------|
| <hr/> | |
| 1 -- external gamma | 3 active |
| 2 -- inhalation (w/o radon) | 3 active |
| 3 -- plant ingestion | 3 suppressed |
| 4 -- meat ingestion | 3 suppressed |
| 5 -- milk ingestion | 3 suppressed |
| 6 -- aquatic foods | 3 suppressed |
| 7 -- drinking water | 3 active |
| 8 -- soil ingestion | 3 active |
| 9 -- radon | 3 suppressed |
| Find peak pathway doses | 3 active |
| <hr/> | |

RESRAD, Version 6.4 T₉₀ Limit = 180 days 12/16/2009 22:32 Page 9
Summary : FHWMF-Perim-Ind-Bkg-subtract-prelim
File : F:\RESRAD_FAMILY\RESRAD\FHWMF-PERIMETER-INDUST-BKG-SUBTRACT-PRELIM.RAD

| Contaminated Zone Dimensions | | Initial Soil Concentrations, pCi/g | |
|--------------------------------|-----------------------|------------------------------------|-----------|
| XXXXXXXXXXXXXXXXXXXXXXXXXXXXXX | | XXXXXXXXXXXXXXXXXXXXXXXXXXXXXX | |
| Area: | 2290.00 square meters | Cs-137 | 4.380E+00 |
| Thickness: | 5.00 meters | Ra-226 | 9.000E-02 |
| Cover Depth: | 0.00 meters | Sr-90 | 1.100E+00 |

Total Dose TDOSE(t), mrem/yr

Basic Radiation Dose Limit = 1.500E+01 mrem/yr

Total Mixture Sum M(t) = Fraction of Basic Dose Limit Received at Time (t)

XX

t (years): 0.000E+00 1.000E+00 5.000E+00 1.000E+01 5.000E+01 1.000E+02 5.000E+02 1.000E+03

TDOSE(t): 3.112E+00 3.046E+00 2.798E+00 2.519E+00 1.150E+00 5.442E-01 2.327E-01 1.193E-01

M(t): 2.074E-01 2.031E-01 1.866E-01 1.680E-01 7.665E-02 3.628E-02 1.552E-02 7.956E-03

Maximum TDOSE(t): 3.112E+00 mrem/yr at t = 0.000E+00 years

RESRAD, Version 6.4 T₉₀ Limit = 180 days 12/16/2009 22:32 Page 10
 Summary : FHWMF-Perim-Ind-Bkg-subtract-prelim
 File : F:\RESRAD_FAMILY\RESRAD\FHWMF-PERIMETER-INDUST-BKG-SUBTRACT-PRELIM.RAD

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
 As mrem/yr and Fraction of Total Dose At t = 0.000E+00 years

Water Independent Pathways (Inhalation excludes radon)

| | Ground | Inhalation | Radon | Plant | Meat | Milk | Soil |
|---------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|
| Radio- | AAAAAAAAAAAAAA |
| Nuclide | mrem/yr fract. |
| Cs-137 | 2.902E+00 0.9326 | 3.272E-06 0.0000 | 0.000E+00 0.0000 | 0.000E+00 0.0000 | 0.000E+00 0.0000 | 0.000E+00 0.0000 | 1.817E-03 0.0006 |
| Ra-226 | 1.994E-01 0.0641 | 1.907E-05 0.0000 | 0.000E+00 0.0000 | 0.000E+00 0.0000 | 0.000E+00 0.0000 | 0.000E+00 0.0000 | 1.082E-03 0.0003 |
| Sr-90 | 5.286E-03 0.0017 | 3.366E-05 0.0000 | 0.000E+00 0.0000 | 0.000E+00 0.0000 | 0.000E+00 0.0000 | 0.000E+00 0.0000 | 1.393E-03 0.0004 |
| Total | 3.107E+00 0.9983 | 5.601E-05 0.0000 | 0.000E+00 0.0000 | 0.000E+00 0.0000 | 0.000E+00 0.0000 | 0.000E+00 0.0000 | 4.292E-03 0.0014 |

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
 As mrem/yr and Fraction of Total Dose At t = 0.000E+00 years

Water Dependent Pathways

| | Water | Fish | Radon | Plant | Meat | Milk | All Pathways* |
|---------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|
| Radio- | AAAAAAAAAAAAAA |
| Nuclide | mrem/yr fract. |
| Cs-137 | 4.213E-06 0.0000 | 0.000E+00 0.0000 | 2.904E+00 0.9331 |
| Ra-226 | 9.192E-05 0.0000 | 0.000E+00 0.0000 | 2.006E-01 0.0645 |
| Sr-90 | 7.200E-04 0.0002 | 0.000E+00 0.0000 | 7.433E-03 0.0024 |
| Total | 8.161E-04 0.0003 | 0.000E+00 0.0000 | 3.112E+00 1.0000 |

*Sum of all water independent and dependent pathways.

RESRAD, Version 6.4 T_{∞} Limit = 180 days 12/16/2009 22:32 Page 11
Summary : FHWMF-Perim-Ind-Bkg-subtract-prelim
File : F:\RESRAD FAMILY\RESRAD\FHWMF-PERIMETER-INDUST-BKG-SUBTRACT-PRELIM.RAD

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 1.000E+00 years

Water Independent Pathways (Inhalation excludes radon)

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 1.000E+00 years

Water Dependent Pathways

*Sum of all water independent and dependent pathways.

Summary : FHWMF-Perim-Ind-Bkg-subtract-prelim

File : F:\RESRAD_FAMILY\RESRAD\FHWMF-PERIMETER-INDUST-BKG-SUBTRACT-PRELIM.RAD

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 5.000E+00 years

Water Independent Pathways (Inhalation excludes radon)

| | Ground | Inhalation | Radon | Plant | Meat | Milk | Soil |
|---------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|
| Radio- | AAAAAAAAAAAAAA |
| Nuclide | mrem/yr fract. |
| Cs-137 | 2.582E+00 0.9228 | 2.912E-06 0.0000 | 0.000E+00 0.0000 | 0.000E+00 0.0000 | 0.000E+00 0.0000 | 0.000E+00 0.0000 | 1.617E-03 0.0006 |
| Ra-226 | 1.981E-01 0.0708 | 2.592E-05 0.0000 | 0.000E+00 0.0000 | 0.000E+00 0.0000 | 0.000E+00 0.0000 | 0.000E+00 0.0000 | 1.850E-03 0.0007 |
| Sr-90 | 4.643E-03 0.0017 | 2.957E-05 0.0000 | 0.000E+00 0.0000 | 0.000E+00 0.0000 | 0.000E+00 0.0000 | 0.000E+00 0.0000 | 1.224E-03 0.0004 |
| Total | 2.785E+00 0.9953 | 5.840E-05 0.0000 | 0.000E+00 0.0000 | 0.000E+00 0.0000 | 0.000E+00 0.0000 | 0.000E+00 0.0000 | 4.690E-03 0.0017 |

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 5.000E+00 years

Water Dependent Pathways

| | Water | Fish | Radon | Plant | Meat | Milk | All Pathways* |
|---------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|
| Radio- | AAAAAAAAAAAAAA |
| Nuclide | mrem/yr fract. |
| Cs-137 | 4.196E-05 0.0000 | 0.000E+00 0.0000 | 2.584E+00 0.9234 |
| Ra-226 | 1.429E-03 0.0005 | 0.000E+00 0.0000 | 2.014E-01 0.0720 |
| Sr-90 | 7.054E-03 0.0025 | 0.000E+00 0.0000 | 1.295E-02 0.0046 |
| Total | 8.525E-03 0.0030 | 0.000E+00 0.0000 | 2.798E+00 1.0000 |

*Sum of all water independent and dependent pathways.

RESRAD, Version 6.4 T_½ Limit = 180 days 12/16/2009 22:32 Page 13
Summary : FHWMF-Perim-Ind-Bkg-subtract-prelim
File : F:\RESRAD_FAMILY\RESRAD\FHWMF-PERIMETER-INDUST-BKG-SUBTRACT-PRELIM.RAD

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 1.000E+01 years

Water Independent Pathways (Inhalation excludes radon)

| | Ground | Inhalation | Radon | Plant | Meat | Milk | Soil |
|---------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|
| Radio- | AAAAAAAAAAAAAA |
| Nuclide | mrem/yr fract. |
| Cs-137 | 2.298E+00 0.9121 | 2.591E-06 0.0000 | 0.000E+00 0.0000 | 0.000E+00 0.0000 | 0.000E+00 0.0000 | 0.000E+00 0.0000 | 1.439E-03 0.0006 |
| Ra-226 | 1.968E-01 0.0781 | 3.170E-05 0.0000 | 0.000E+00 0.0000 | 0.000E+00 0.0000 | 0.000E+00 0.0000 | 0.000E+00 0.0000 | 2.499E-03 0.0010 |
| Sr-90 | 4.079E-03 0.0016 | 2.598E-05 0.0000 | 0.000E+00 0.0000 | 0.000E+00 0.0000 | 0.000E+00 0.0000 | 0.000E+00 0.0000 | 1.075E-03 0.0004 |
| Total | 2.499E+00 0.9919 | 6.026E-05 0.0000 | 0.000E+00 0.0000 | 0.000E+00 0.0000 | 0.000E+00 0.0000 | 0.000E+00 0.0000 | 5.012E-03 0.0020 |

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 1.000E+01 years

Water Dependent Pathways

| | Water | Fish | Radon | Plant | Meat | Milk | All Pathways* |
|---------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|
| Radio- | AAAAAAAAAAAAAA |
| Nuclide | mrem/yr fract. |
| Cs-137 | 7.139E-05 0.0000 | 0.000E+00 0.0000 | 2.299E+00 0.9127 |
| Ra-226 | 3.426E-03 0.0014 | 0.000E+00 0.0000 | 2.027E-01 0.0805 |
| Sr-90 | 1.190E-02 0.0047 | 0.000E+00 0.0000 | 1.708E-02 0.0068 |
| Total | 1.539E-02 0.0061 | 0.000E+00 0.0000 | 2.519E+00 1.0000 |

*Sum of all water independent and dependent pathways.

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 5.000E+01 years

Water Independent Pathways (Inhalation excludes radon)

| | Ground | Inhalation | Radon | Plant | Meat | Milk | Soil |
|----------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|
| Radio- | AAAAAAAAAAAAAA |
| Nuclide | mrem/yr fract. |
| Cs-137 | 9.036E-01 0.7859 | 1.019E-06 0.0000 | 0.000E+00 0.0000 | 0.000E+00 0.0000 | 0.000E+00 0.0000 | 0.000E+00 0.0000 | 5.659E-04 0.0005 |
| Ra-226 | 1.865E-01 0.1622 | 5.421E-05 0.0000 | 0.000E+00 0.0000 | 0.000E+00 0.0000 | 0.000E+00 0.0000 | 0.000E+00 0.0000 | 5.055E-03 0.0044 |
| Sr-90 | 1.446E-03 0.0013 | 9.208E-06 0.0000 | 0.000E+00 0.0000 | 0.000E+00 0.0000 | 0.000E+00 0.0000 | 0.000E+00 0.0000 | 3.810E-04 0.0003 |
| iiffffff | iiffffff iiffff |
| Total | 1.092E+00 0.9494 | 6.444E-05 0.0001 | 0.000E+00 0.0000 | 0.000E+00 0.0000 | 0.000E+00 0.0000 | 0.000E+00 0.0000 | 6.002E-03 0.0052 |

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 5.000E+01 years

Water Dependent Pathways

| | Water | Fish | Radon | Plant | Meat | Milk | All Pathways* |
|---------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|
| Radio- | AAAAAAAAAAAAAA |
| Nuclide | mrem/yr fract. |
| Cs-137 | 1.359E-04 0.0001 | 0.000E+00 0.0000 | 9.044E-01 0.7865 |
| Ra-226 | 3.082E-02 0.0268 | 0.000E+00 0.0000 | 2.225E-01 0.1935 |
| Sr-90 | 2.116E-02 0.0184 | 0.000E+00 0.0000 | 2.300E-02 0.0200 |
| Total | 5.212E-02 0.0453 | 0.000E+00 0.0000 | 1.150E+00 1.0000 |

*Sum of all water independent and dependent pathways.

Summary : FHWMF-Perim-Ind-Bkg-subtract-prelim

File : F:\RESRAD_FAMILY\RESRAD\FHWMF-PERIMETER-INDUST-BKG-SUBTRACT-PRELIM.RAD

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)

As mrem/yr and Fraction of Total Dose At t = 1.000E+02 years

Water Independent Pathways (Inhalation excludes radon)

| | Ground | Inhalation | Radon | Plant | Meat | Milk | Soil |
|---------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|
| Radio- | AAAAAAAAAAAAAA |
| Nuclide | mrem/yr fract. |
| Cs-137 | 2.814E-01 0.5171 | 3.173E-07 0.0000 | 0.000E+00 0.0000 | 0.000E+00 0.0000 | 0.000E+00 0.0000 | 0.000E+00 0.0000 | 1.762E-04 0.0003 |
| Ra-226 | 1.744E-01 0.3205 | 5.813E-05 0.0001 | 0.000E+00 0.0000 | 0.000E+00 0.0000 | 0.000E+00 0.0000 | 0.000E+00 0.0000 | 5.554E-03 0.0102 |
| Sr-90 | 3.955E-04 0.0007 | 2.519E-06 0.0000 | 0.000E+00 0.0000 | 0.000E+00 0.0000 | 0.000E+00 0.0000 | 0.000E+00 0.0000 | 1.042E-04 0.0002 |
| Total | 4.562E-01 0.8382 | 6.097E-05 0.0001 | 0.000E+00 0.0000 | 0.000E+00 0.0000 | 0.000E+00 0.0000 | 0.000E+00 0.0000 | 5.834E-03 0.0107 |

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)

As mrem/yr and Fraction of Total Dose At t = 1.000E+02 years

Water Dependent Pathways

| | Water | Fish | Radon | Plant | Meat | Milk | All Pathways* |
|---------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|
| Radio- | AAAAAAAAAAAAAA |
| Nuclide | mrem/yr fract. |
| Cs-137 | 8.488E-05 0.0002 | 0.000E+00 0.0000 | 2.817E-01 0.5175 |
| Ra-226 | 6.989E-02 0.1284 | 0.000E+00 0.0000 | 2.499E-01 0.4592 |
| Sr-90 | 1.215E-02 0.0223 | 0.000E+00 0.0000 | 1.266E-02 0.0233 |
| Total | 8.213E-02 0.1509 | 0.000E+00 0.0000 | 5.442E-01 1.0000 |

*Sum of all water independent and dependent pathways.

Summary : FHWMF-Perim-Ind-Bkg-subtract-prelim

File : F:\RESRAD_FAMILY\RESRAD\FHWMF-PERIMETER-INDUST-BKG-SUBTRACT-PRELIM.RAD

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 5.000E+02 years

Water Independent Pathways (Inhalation excludes radon)

| | Ground | Inhalation | Radon | Plant | Meat | Milk | Soil |
|---------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Radio- | AAAAAAAAAAAAAA |
| Nuclide | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. | mrem/yr |
| Cs-137 | 2.488E-05 | 0.0001 | 2.806E-11 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 |
| Ra-226 | 1.018E-01 | 0.4374 | 3.515E-05 | 0.0002 | 0.000E+00 | 0.0000 | 0.000E+00 |
| Sr-90 | 1.239E-08 | 0.0000 | 7.892E-11 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 |
| Total | 1.018E-01 | 0.4375 | 3.515E-05 | 0.0002 | 0.000E+00 | 0.0000 | 0.000E+00 |
| | | | | | | | |

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 5.000E+02 years

Water Dependent Pathways

| | Water | Fish | Radon | Plant | Meat | Milk | All Pathways* |
|---------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Radio- | AAAAAAAAAAAAAA |
| Nuclide | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. | mrem/yr |
| Cs-137 | 3.971E-08 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 |
| Ra-226 | 1.275E-01 | 0.5478 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 |
| Sr-90 | 3.792E-07 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 |
| Total | 1.275E-01 | 0.5478 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 |
| | | | | | | | |

*Sum of all water independent and dependent pathways.

Summary : FHWMF-Perim-Ind-Bkg-subtract-prelim

File : F:\RESRAD_FAMILY\RESRAD\FHWMF-PERIMETER-INDUST-BKG-SUBTRACT-PRELIM.RAD

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 1.000E+03 years

Water Independent Pathways (Inhalation excludes radon)

| | Ground | Inhalation | Radon | Plant | Meat | Milk | Soil |
|---------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Radio- | AAAAAAAAAAAAAA |
| Nuclide | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. | mrem/yr |
| Cs-137 | 2.134E-10 | 0.0000 | 2.406E-16 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 |
| Ra-226 | 5.194E-02 | 0.4352 | 1.793E-05 | 0.0002 | 0.000E+00 | 0.0000 | 0.000E+00 |
| Sr-90 | 2.906E-14 | 0.0000 | 1.850E-16 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 |
| Total | 5.194E-02 | 0.4352 | 1.793E-05 | 0.0002 | 0.000E+00 | 0.0000 | 0.000E+00 |

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 1.000E+03 years

Water Dependent Pathways

| | Water | Fish | Radon | Plant | Meat | Milk | All Pathways* |
|---------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Radio- | AAAAAAAAAAAAAA |
| Nuclide | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. | mrem/yr |
| Cs-137 | 7.339E-13 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 |
| Ra-226 | 6.566E-02 | 0.5502 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 |
| Sr-90 | 8.589E-13 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 |
| Total | 6.566E-02 | 0.5502 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 |

*Sum of all water independent and dependent pathways.

RESRAD, Version 6.4 T_x Limit = 180 days 12/16/2009 22:32 Page 18
Summary : FHWMF-Perim-Ind-Bkg-subtract-prelim
File : F:\RESRAD_FAMILY\RESRAD\FHWMF-PERIMETER-INDUST-BKG-SUBTRACT-PRELIM.RAD

Dose/Source Ratios Summed Over All Pathways

Parent and Progeny Principal Radionuclide Contributions Indicated

Single Radionuclide Soil Guidelines G(i,t) in pCi/g
Basic Radiation Dose Limit = 1.500E+01 mrem/yr

Summed Dose/Source Ratios DSR(*i,t*) in $(\text{mrem}/\text{yr})/(\text{pCi/g})$
 and Single Radionuclide Soil Guidelines G(*i,t*) in pCi/g
 at *tmin* = time of minimum single radionuclide soil guideline
 and at *tmax* = time of maximum total dose = 0.000E+00 years

| Nuclide | Initial (i) | tmin (years) | DSR(i,tmin) (pCi/g) | G(i,tmin) (pCi/g) | DSR(i,tmax) (pCi/g) | G(i,tmax) (pCi/g) |
|----------------|----------------|-----------------|------------------------|----------------------|------------------------|----------------------|
| XXXXXXXXXXXXXX | XXXXXXXXXXXXXX | XXXXXXXXXXXXXX | XXXXXXXXXXXXXX | XXXXXXXXXXXXXX | XXXXXXXXXXXXXX | XXXXXXXXXXXXXX |
| Cs-137 | 4.380E+00 | 0.000E+00 | 6.629E-01 | 2.263E+01 | 6.629E-01 | 2.263E+01 |
| Ra-226 | 9.000E-02 | 262.3 ± 0.5 | 3.518E+00 | 4.264E+00 | 2.229E+00 | 6.729E+00 |
| Sr-90 | 1.100E+00 | 35.09 ± 0.07 | 2.210E-02 | 6.787E+02 | 6.757E-03 | 2.220E+03 |
| ffffffff | ffffffff | ffffffffffff | ffffffff | ffffffff | ffffffff | ffffffff |

RESRAD, Version 6.4 T_x Limit = 180 days 12/16/2009 22:32 Page 19
Summary : FHWMF-Perim-Ind-Bkg-subtract-prelim
File : F:\RESRAD_FAMILY\RESRAD\FHWMF-PERIMETER-INDUST-BKG-SUBTRACT-PRELIM.RAD

Individual Nuclide Dose Summed Over All Pathways
Parent Nuclide and Branch Fraction Indicated

| Nuclide Parent | THF(i) | DOSE(j,t), mrem/yr |
|-----------------------|--|---|
| (j) (i) | t= 0.000E+00 1.000E+00 5.000E+00 1.000E+01 5.000E+01 1.000E+02 5.000E+02 1.000E+03 | AAAAAAA AAAAAAA AAAAAAAA |
| Cs-137 Cs-137 | 1.000E+00 | 2.904E+00 2.837E+00 2.584E+00 2.299E+00 9.044E-01 2.817E-01 2.494E-05 2.142E-10 |
| Ra-226 Ra-226 | 1.000E+00 | 2.005E-01 2.004E-01 2.000E-01 1.996E-01 1.958E-01 1.911E-01 1.283E-01 6.516E-02 |
| Pb-210 Ra-226 | 1.000E+00 | 9.261E-05 2.961E-04 1.363E-03 3.179E-03 2.668E-02 5.876E-02 1.044E-01 5.418E-02 |
| Sr-90 Sr-90 | 1.000E+00 | 7.433E-03 8.661E-03 1.295E-02 1.708E-02 2.300E-02 1.266E-02 3.949E-07 8.958E-13 |
| fffff ffffff ffffffff | fffff ffffff ffffffff ffffffff ffffffff ffffffff ffffffff ffffffff ffffffff ffffffff | |

THF(i) is the thread fraction of the parent nuclide.

Individual Nuclide Soil Concentration
Parent Nuclide and Branch Fraction Indicated

| Nuclide Parent | THF(i) | S(j,t), pCi/g |
|-----------------------|--|---|
| (j) (i) | t= 0.000E+00 1.000E+00 5.000E+00 1.000E+01 5.000E+01 1.000E+02 5.000E+02 1.000E+03 | AAAAAAA AAAAAAA AAAAAAAA |
| Cs-137 Cs-137 | 1.000E+00 | 4.380E+00 4.279E+00 3.898E+00 3.468E+00 1.364E+00 4.247E-01 3.756E-05 3.220E-10 |
| Ra-226 Ra-226 | 1.000E+00 | 9.000E-02 8.988E-02 8.940E-02 8.880E-02 8.414E-02 7.867E-02 4.592E-02 2.343E-02 |
| Pb-210 Ra-226 | 1.000E+00 | 0.000E+00 2.752E-03 1.289E-02 2.380E-02 6.725E-02 7.664E-02 4.699E-02 2.397E-02 |
| Sr-90 Sr-90 | 1.000E+00 | 1.100E+00 1.072E+00 9.663E-01 8.488E-01 3.009E-01 8.230E-02 2.579E-06 6.046E-12 |
| fffff ffffff ffffffff | fffff ffffff ffffffff ffffffff ffffffff ffffffff ffffffff ffffffff ffffffff ffffffff | |

THF(i) is the thread fraction of the parent nuclide.

RESCALC.EXE execution time = 1.57 seconds

RESRAD, Version 6.4 T« Limit = 180 days 12/16/2009 19:37 Page 1
Summary : FHWMF-Perimeter-Res-Non-Farm-BKG-subtract-la-orise
File : F:\RESRAD_FAMILY\RESRAD\FHWMF-PERIMETER-RES-NON-FARM-BKG-SUBTRACT-1A-121609.RAD

Table of Contents

AAAAAAAAAAAAAA

| | |
|--|----|
| Part I: Mixture Sums and Single Radionuclide Guidelines | |
| ffffffffff | |
| Dose Conversion Factor (and Related) Parameter Summary ... | 2 |
| Site-Specific Parameter Summary | 4 |
| Summary of Pathway Selections | 8 |
| Contaminated Zone and Total Dose Summary | 9 |
| Total Dose Components | |
| Time = 0.000E+00 | 10 |
| Time = 1.000E+00 | 11 |
| Time = 5.000E+00 | 12 |
| Time = 1.000E+01 | 13 |
| Time = 5.000E+01 | 14 |
| Time = 1.000E+02 | 15 |
| Time = 5.000E+02 | 16 |
| Time = 1.000E+03 | 17 |
| Dose/Source Ratios Summed Over All Pathways | 18 |
| Single Radionuclide Soil Guidelines | 18 |
| Dose Per Nuclide Summed Over All Pathways | 19 |
| Soil Concentration Per Nuclide | 19 |

Summary : FHWMF-Perimeter-Res-Non-Farm-BKG-subtract-la-orise

File : F:\RESRAD_FAMILY\RESRAD\FHWMF-PERIMETER-RES-NON-FARM-BKG-SUBTRACT-1A-121609.RAD

Dose Conversion Factor (and Related) Parameter Summary

Dose Library: FGR 11

| Menu | Parameter | Current | Base | Parameter |
|-------|---|------------------------|-------------------------|---------------------------|
| | | Value# | Case* | Name |
| <hr/> | | | | |
| A-1 | ³ DCF's for external ground radiation, (mrem/yr)/(pCi/g) | ³ | ³ | ³ |
| A-1 | ³ At-218 (Source: FGR 12) | ³ 5.847E-03 | ³ 5.847E-03 | ³ DCF1(1) |
| A-1 | ³ Ba-137m (Source: FGR 12) | ³ 3.606E+00 | ³ 3.606E+00 | ³ DCF1(2) |
| A-1 | ³ Bi-210 (Source: FGR 12) | ³ 3.606E-03 | ³ 3.606E-03 | ³ DCF1(3) |
| A-1 | ³ Bi-214 (Source: FGR 12) | ³ 9.808E+00 | ³ 9.808E+00 | ³ DCF1(4) |
| A-1 | ³ Cs-137 (Source: FGR 12) | ³ 7.510E-04 | ³ 7.510E-04 | ³ DCF1(5) |
| A-1 | ³ Pb-210 (Source: FGR 12) | ³ 2.447E-03 | ³ 2.447E-03 | ³ DCF1(6) |
| A-1 | ³ Pb-214 (Source: FGR 12) | ³ 1.341E+00 | ³ 1.341E+00 | ³ DCF1(7) |
| A-1 | ³ Po-210 (Source: FGR 12) | ³ 5.231E-05 | ³ 5.231E-05 | ³ DCF1(8) |
| A-1 | ³ Po-214 (Source: FGR 12) | ³ 5.138E-04 | ³ 5.138E-04 | ³ DCF1(9) |
| A-1 | ³ Po-218 (Source: FGR 12) | ³ 5.642E-05 | ³ 5.642E-05 | ³ DCF1(10) |
| A-1 | ³ Ra-226 (Source: FGR 12) | ³ 3.176E-02 | ³ 3.176E-02 | ³ DCF1(11) |
| A-1 | ³ Rn-222 (Source: FGR 12) | ³ 2.354E-03 | ³ 2.354E-03 | ³ DCF1(12) |
| A-1 | ³ Sr-90 (Source: FGR 12) | ³ 7.043E-04 | ³ 7.043E-04 | ³ DCF1(13) |
| A-1 | ³ Tl-210 (Source: no data) | ³ 0.000E+00 | ³ -2.000E+00 | ³ DCF1(14) |
| A-1 | ³ Y-90 (Source: FGR 12) | ³ 2.391E-02 | ³ 2.391E-02 | ³ DCF1(15) |
| | ³ | ³ | ³ | ³ |
| B-1 | ³ Dose conversion factors for inhalation, mrem/pCi: | ³ | ³ | ³ |
| B-1 | ³ Cs-137+D | ³ 3.190E-05 | ³ 3.190E-05 | ³ DCF2(1) |
| B-1 | ³ Pb-210+D | ³ 2.320E-02 | ³ 1.360E-02 | ³ DCF2(2) |
| B-1 | ³ Ra-226+D | ³ 8.594E-03 | ³ 8.580E-03 | ³ DCF2(3) |
| B-1 | ³ Sr-90+D | ³ 1.308E-03 | ³ 1.300E-03 | ³ DCF2(4) |
| | ³ | ³ | ³ | ³ |
| D-1 | ³ Dose conversion factors for ingestion, mrem/pCi: | ³ | ³ | ³ |
| D-1 | ³ Cs-137+D | ³ 5.000E-05 | ³ 5.000E-05 | ³ DCF3(1) |
| D-1 | ³ Pb-210+D | ³ 7.276E-03 | ³ 5.370E-03 | ³ DCF3(2) |
| D-1 | ³ Ra-226+D | ³ 1.321E-03 | ³ 1.320E-03 | ³ DCF3(3) |
| D-1 | ³ Sr-90+D | ³ 1.528E-04 | ³ 1.420E-04 | ³ DCF3(4) |
| | ³ | ³ | ³ | ³ |
| D-34 | ³ Food transfer factors: | ³ | ³ | ³ |
| D-34 | ³ Cs-137+D , plant/soil concentration ratio, dimensionless | ³ 4.000E-02 | ³ 4.000E-02 | ³ RTF(1,1) |
| D-34 | ³ Cs-137+D , beef/livestock-intake ratio, (pCi/kg)/(pCi/d) | ³ 3.000E-02 | ³ 3.000E-02 | ³ RTF(1,2) |
| D-34 | ³ Cs-137+D , milk/livestock-intake ratio, (pCi/L)/(pCi/d) | ³ 8.000E-03 | ³ 8.000E-03 | ³ RTF(1,3) |
| D-34 | ³ | ³ | ³ | ³ |
| D-34 | ³ Pb-210+D , plant/soil concentration ratio, dimensionless | ³ 1.000E-02 | ³ 1.000E-02 | ³ RTF(2,1) |
| D-34 | ³ Pb-210+D , beef/livestock-intake ratio, (pCi/kg)/(pCi/d) | ³ 8.000E-04 | ³ 8.000E-04 | ³ RTF(2,2) |
| D-34 | ³ Pb-210+D , milk/livestock-intake ratio, (pCi/L)/(pCi/d) | ³ 3.000E-04 | ³ 3.000E-04 | ³ RTF(2,3) |
| D-34 | ³ | ³ | ³ | ³ |
| D-34 | ³ Ra-226+D , plant/soil concentration ratio, dimensionless | ³ 4.000E-02 | ³ 4.000E-02 | ³ RTF(3,1) |
| D-34 | ³ Ra-226+D , beef/livestock-intake ratio, (pCi/kg)/(pCi/d) | ³ 1.000E-03 | ³ 1.000E-03 | ³ RTF(3,2) |
| D-34 | ³ Ra-226+D , milk/livestock-intake ratio, (pCi/L)/(pCi/d) | ³ 1.000E-03 | ³ 1.000E-03 | ³ RTF(3,3) |
| D-34 | ³ | ³ | ³ | ³ |
| D-34 | ³ Sr-90+D , plant/soil concentration ratio, dimensionless | ³ 3.000E-01 | ³ 3.000E-01 | ³ RTF(4,1) |
| D-34 | ³ Sr-90+D , beef/livestock-intake ratio, (pCi/kg)/(pCi/d) | ³ 8.000E-03 | ³ 8.000E-03 | ³ RTF(4,2) |
| D-34 | ³ Sr-90+D , milk/livestock-intake ratio, (pCi/L)/(pCi/d) | ³ 2.000E-03 | ³ 2.000E-03 | ³ RTF(4,3) |
| | ³ | ³ | ³ | ³ |
| D-5 | ³ Bioaccumulation factors, fresh water, L/kg: | ³ | ³ | ³ |
| D-5 | ³ Cs-137+D , fish | ³ 2.000E+03 | ³ 2.000E+03 | ³ BIOFAC(1,1) |
| D-5 | ³ Cs-137+D , crustacea and mollusks | ³ 1.000E+02 | ³ 1.000E+02 | ³ BIOFAC(1,2) |
| D-5 | ³ | ³ | ³ | ³ |

Summary : FHWMF-Perimeter-Res-Non-Farm-BKG-subtract-1a-orise

File : F:\RESRAD_FAMILY\RESRAD\FHWMF-PERIMETER-RES-NON-FARM-BKG-SUBTRACT-1A-121609.RAD

Dose Conversion Factor (and Related) Parameter Summary (continued)

Dose Library: FGR 11

| Menu ³ | Parameter | ³ Current | ³ Base | ³ Parameter |
|--|--|------------------------|------------------------|---------------------------|
| | | ³ Value# | ³ Case* | ³ Name |
| <hr/> | | | | |
| D-5 | ³ Pb-210+D , fish | ³ 3.000E+02 | ³ 3.000E+02 | ³ BIOFAC(2,1) |
| D-5 | ³ Pb-210+D , crustacea and mollusks | ³ 1.000E+02 | ³ 1.000E+02 | ³ BIOFAC(2,2) |
| D-5 | ³ | ³ | ³ | ³ |
| D-5 | ³ Ra-226+D , fish | ³ 5.000E+01 | ³ 5.000E+01 | ³ BIOFAC(3,1) |
| D-5 | ³ Ra-226+D , crustacea and mollusks | ³ 2.500E+02 | ³ 2.500E+02 | ³ BIOFAC(3,2) |
| D-5 | ³ | ³ | ³ | ³ |
| D-5 | ³ Sr-90+D , fish | ³ 6.000E+01 | ³ 6.000E+01 | ³ BIOFAC(4,1) |
| D-5 | ³ Sr-90+D , crustacea and mollusks | ³ 1.000E+02 | ³ 1.000E+02 | ³ BIOFAC(4,2) |
| <hr/> | | | | |
| #For DCF1(xxx) only, factors are for infinite depth & area. See ETEG table in Ground Pathway of Detailed Report. | | | | |
| *Base Case means Default.Lib w/o Associate Nuclide contributions. | | | | |

Site-Specific Parameter Summary

| ³ Menu | ³ Parameter | ³ User | ³ Input | ³ Default | ³ (If different from user input) | ³ Used by RESRAD | ³ Parameter |
|---|--|----------------------|------------------------|-------------------------|--|--------------------------------|---------------------------|
| XX | | | | | | | |
| R011 | ³ Area of contaminated zone (m**2) | | ³ 2.290E+03 | ³ 1.000E+04 | ³ | --- | ³ AREA |
| R011 | ³ Thickness of contaminated zone (m) | | ³ 5.000E+00 | ³ 2.000E+00 | ³ | --- | ³ THICK0 |
| R011 | ³ Length parallel to aquifer flow (m) | | ³ 2.500E+02 | ³ 1.000E+02 | ³ | --- | ³ LCZPAQ |
| R011 | ³ Basic radiation dose limit (mrem/yr) | | ³ 1.500E+01 | ³ 3.000E+01 | ³ | --- | ³ BRDL |
| R011 | ³ Time since placement of material (yr) | | ³ 0.000E+00 | ³ 0.000E+00 | ³ | --- | ³ TI |
| R011 | ³ Times for calculations (yr) | | ³ 1.000E+00 | ³ 1.000E+00 | ³ | --- | ³ T(2) |
| R011 | ³ Times for calculations (yr) | | ³ 5.000E+00 | ³ 3.000E+00 | ³ | --- | ³ T(3) |
| R011 | ³ Times for calculations (yr) | | ³ 1.000E+01 | ³ 1.000E+01 | ³ | --- | ³ T(4) |
| R011 | ³ Times for calculations (yr) | | ³ 5.000E+01 | ³ 3.000E+01 | ³ | --- | ³ T(5) |
| R011 | ³ Times for calculations (yr) | | ³ 1.000E+02 | ³ 1.000E+02 | ³ | --- | ³ T(6) |
| R011 | ³ Times for calculations (yr) | | ³ 5.000E+02 | ³ 3.000E+02 | ³ | --- | ³ T(7) |
| R011 | ³ Times for calculations (yr) | | ³ 1.000E+03 | ³ 1.000E+03 | ³ | --- | ³ T(8) |
| R011 | ³ Times for calculations (yr) | | ³ not used | ³ 0.000E+00 | ³ | --- | ³ T(9) |
| R011 | ³ Times for calculations (yr) | | ³ not used | ³ 0.000E+00 | ³ | --- | ³ T(10) |
| | | ³ | ³ | ³ | ³ | | ³ |
| R012 | ³ Initial principal radionuclide (pCi/g): Cs-137 | | ³ 8.020E+00 | ³ 0.000E+00 | ³ | --- | ³ S1(1) |
| R012 | ³ Initial principal radionuclide (pCi/g): Ra-226 | | ³ 6.000E-02 | ³ 0.000E+00 | ³ | --- | ³ S1(3) |
| R012 | ³ Initial principal radionuclide (pCi/g): Sr-90 | | ³ 7.800E-01 | ³ 0.000E+00 | ³ | --- | ³ S1(4) |
| R012 | ³ Concentration in groundwater (pCi/L): Cs-137 | | ³ not used | ³ 0.000E+00 | ³ | --- | ³ W1(1) |
| R012 | ³ Concentration in groundwater (pCi/L): Ra-226 | | ³ not used | ³ 0.000E+00 | ³ | --- | ³ W1(3) |
| R012 | ³ Concentration in groundwater (pCi/L): Sr-90 | | ³ not used | ³ 0.000E+00 | ³ | --- | ³ W1(4) |
| | | ³ | ³ | ³ | ³ | | ³ |
| R013 | ³ Cover depth (m) | | ³ 0.000E+00 | ³ 0.000E+00 | ³ | --- | ³ COVER0 |
| R013 | ³ Density of cover material (g/cm**3) | | ³ not used | ³ 1.500E+00 | ³ | --- | ³ DENSCV |
| R013 | ³ Cover depth erosion rate (m/yr) | | ³ not used | ³ 1.000E-03 | ³ | --- | ³ VCV |
| R013 | ³ Density of contaminated zone (g/cm**3) | | ³ 1.660E+00 | ³ 1.500E+00 | ³ | --- | ³ DENSCZ |
| R013 | ³ Contaminated zone erosion rate (m/yr) | | ³ 1.000E-03 | ³ 1.000E-03 | ³ | --- | ³ VCZ |
| R013 | ³ Contaminated zone total porosity | | ³ 3.300E-01 | ³ 4.000E-01 | ³ | --- | ³ TPCZ |
| R013 | ³ Contaminated zone field capacity | | ³ 2.400E-01 | ³ 2.000E-01 | ³ | --- | ³ FCCZ |
| R013 | ³ Contaminated zone hydraulic conductivity (m/yr) | | ³ 5.000E+03 | ³ 1.000E+01 | ³ | --- | ³ HCCZ |
| R013 | ³ Contaminated zone b parameter | | ³ 4.900E+00 | ³ 5.300E+00 | ³ | --- | ³ BCZ |
| R013 | ³ Average annual wind speed (m/sec) | | ³ 2.000E+00 | ³ 2.000E+00 | ³ | --- | ³ WIND |
| R013 | ³ Humidity in air (g/m**3) | | ³ not used | ³ 8.000E+00 | ³ | --- | ³ HUMID |
| R013 | ³ Evapotranspiration coefficient | | ³ 4.600E-01 | ³ 5.000E-01 | ³ | --- | ³ EVAPTR |
| R013 | ³ Precipitation (m/yr) | | ³ 1.230E+00 | ³ 1.000E+00 | ³ | --- | ³ PRECIP |
| R013 | ³ Irrigation (m/yr) | | ³ 2.600E-01 | ³ 2.000E-01 | ³ | --- | ³ RI |
| R013 | ³ Irrigation mode | | ³ overhead | ³ overhead | ³ | --- | ³ IDITCH |
| R013 | ³ Runoff coefficient | | ³ 2.000E-01 | ³ 2.000E-01 | ³ | --- | ³ RUNOFF |
| R013 | ³ Watershed area for nearby stream or pond (m**2) | | ³ 1.000E+06 | ³ 1.000E+06 | ³ | --- | ³ WAREA |
| R013 | ³ Accuracy for water/soil computations | | ³ 1.000E-03 | ³ 1.000E-03 | ³ | --- | ³ EPS |
| | | ³ | ³ | ³ | ³ | | ³ |
| R014 | ³ Density of saturated zone (g/cm**3) | | ³ 1.660E+00 | ³ 1.500E+00 | ³ | --- | ³ DENSAQ |
| R014 | ³ Saturated zone total porosity | | ³ 3.300E-01 | ³ 4.000E-01 | ³ | --- | ³ TPSZ |
| R014 | ³ Saturated zone effective porosity | | ³ 2.400E-01 | ³ 2.000E-01 | ³ | --- | ³ EPSZ |
| R014 | ³ Saturated zone field capacity | | ³ 2.000E-01 | ³ 2.000E-01 | ³ | --- | ³ FCSZ |
| R014 | ³ Saturated zone hydraulic conductivity (m/yr) | | ³ 2.000E+04 | ³ 1.000E+02 | ³ | --- | ³ HCSZ |
| R014 | ³ Saturated zone hydraulic gradient | | ³ 4.800E-03 | ³ 2.000E-02 | ³ | --- | ³ HGWT |
| R014 | ³ Saturated zone b parameter | | ³ 4.900E+00 | ³ 5.300E+00 | ³ | --- | ³ BSZ |
| R014 | ³ Water table drop rate (m/yr) | | ³ 1.000E-03 | ³ 1.000E-03 | ³ | --- | ³ VWT |
| R014 | ³ Well pump intake depth (m below water table) | | ³ 1.800E+01 | ³ 1.000E+01 | ³ | --- | ³ DWIBWT |

RESRAD, Version 6.4 T₉₀ Limit = 180 days 12/16/2009 19:37 Page 5
 Summary : FHWMF-Perimeter-Res-Non-Farm-BKG-subtract-1a-orise
 File : F:\RESRAD_FAMILY\RESRAD\FHWMF-PERIMETER-RES-NON-FARM-BKG-SUBTRACT-1A-121609.RAD

Site-Specific Parameter Summary (continued)

| Menu | Parameter | User | Input | Default | (If different from user input) | Used by RESRAD | Parameter Name |
|--|---|------|-----------------|------------------------|--------------------------------|-------------------------|---------------------------|
| XX | | | | | | | |
| R014 | ³ Model: Nondispersion (ND) or Mass-Balance (MB) | | ³ ND | ³ ND | | --- | ³ MODEL |
| R014 | ³ Well pumping rate (m**3/yr) | | | ³ 2.500E+02 | ³ 2.500E+02 | | ³ UW |
| | | | | ³ | ³ | | ³ |
| R015 | ³ Number of unsaturated zone strata | | ³ 1 | ³ 1 | ³ | --- | ³ NS |
| R015 | ³ Unsat. zone 1, thickness (m) | | | ³ 0.000E+00 | ³ 4.000E+00 | | ³ H(1) |
| R015 | ³ Unsat. zone 1, soil density (g/cm**3) | | | ³ 1.660E+00 | ³ 1.500E+00 | | ³ DENSUZ(1) |
| R015 | ³ Unsat. zone 1, total porosity | | | ³ 3.300E-01 | ³ 4.000E-01 | | ³ TPUZ(1) |
| R015 | ³ Unsat. zone 1, effective porosity | | | ³ 2.400E-01 | ³ 2.000E-01 | | ³ EPUZ(1) |
| R015 | ³ Unsat. zone 1, field capacity | | | ³ 2.000E-01 | ³ 2.000E-01 | | ³ FCUZ(1) |
| R015 | ³ Unsat. zone 1, soil-specific b parameter | | | ³ 4.900E+00 | ³ 5.300E+00 | | ³ BUZ(1) |
| R015 | ³ Unsat. zone 1, hydraulic conductivity (m/yr) | | | ³ 5.000E+03 | ³ 1.000E+01 | | ³ HCUZ(1) |
| | | | | ³ | ³ | | ³ |
| R016 | ³ Distribution coefficients for Cs-137 | | | ³ 3 | ³ | | ³ |
| R016 | ³ Contaminated zone (cm**3/g) | | | ³ 2.800E+02 | ³ 4.600E+03 | | ³ DCNUCC(1) |
| R016 | ³ Unsaturated zone 1 (cm**3/g) | | | ³ 2.800E+02 | ³ 4.600E+03 | | ³ DCNUCU(1,1) |
| R016 | ³ Saturated zone (cm**3/g) | | | ³ 2.800E+02 | ³ 4.600E+03 | | ³ DCNUCS(1) |
| R016 | ³ Leach rate (/yr) | | | ³ 0.000E+00 | ³ 0.000E+00 | ³ 2.889E-04 | ³ ALEACH(1) |
| R016 | ³ Solubility constant | | | ³ 0.000E+00 | ³ 0.000E+00 | not used | ³ SOLUBK(1) |
| | | | | ³ | ³ | | ³ |
| R016 | ³ Distribution coefficients for Ra-226 | | | ³ 3 | ³ | | ³ |
| R016 | ³ Contaminated zone (cm**3/g) | | | ³ 7.000E+01 | ³ 7.000E+01 | | ³ DCNUCC(3) |
| R016 | ³ Unsaturated zone 1 (cm**3/g) | | | ³ 7.000E+01 | ³ 7.000E+01 | | ³ DCNUCU(3,1) |
| R016 | ³ Saturated zone (cm**3/g) | | | ³ 7.000E+01 | ³ 7.000E+01 | | ³ DCNUCS(3) |
| R016 | ³ Leach rate (/yr) | | | ³ 0.000E+00 | ³ 0.000E+00 | ³ 1.154E-03 | ³ ALEACH(3) |
| R016 | ³ Solubility constant | | | ³ 0.000E+00 | ³ 0.000E+00 | not used | ³ SOLUBK(3) |
| | | | | ³ | ³ | | ³ |
| R016 | ³ Distribution coefficients for Sr-90 | | | ³ 3 | ³ | | ³ |
| R016 | ³ Contaminated zone (cm**3/g) | | | ³ 3.000E+01 | ³ 3.000E+01 | | ³ DCNUCC(4) |
| R016 | ³ Unsaturated zone 1 (cm**3/g) | | | ³ 3.000E+01 | ³ 3.000E+01 | | ³ DCNUCU(4,1) |
| R016 | ³ Saturated zone (cm**3/g) | | | ³ 3.000E+01 | ³ 3.000E+01 | | ³ DCNUCS(4) |
| R016 | ³ Leach rate (/yr) | | | ³ 0.000E+00 | ³ 0.000E+00 | ³ 2.685E-03 | ³ ALEACH(4) |
| R016 | ³ Solubility constant | | | ³ 0.000E+00 | ³ 0.000E+00 | not used | ³ SOLUBK(4) |
| | | | | ³ | ³ | | ³ |
| R016 | ³ Distribution coefficients for daughter Pb-210 | | | ³ 3 | ³ | | ³ |
| R016 | ³ Contaminated zone (cm**3/g) | | | ³ 1.000E+02 | ³ 1.000E+02 | | ³ DCNUCC(2) |
| R016 | ³ Unsaturated zone 1 (cm**3/g) | | | ³ 1.000E+02 | ³ 1.000E+02 | | ³ DCNUCU(2,1) |
| R016 | ³ Saturated zone (cm**3/g) | | | ³ 1.000E+02 | ³ 1.000E+02 | | ³ DCNUCS(2) |
| R016 | ³ Leach rate (/yr) | | | ³ 0.000E+00 | ³ 0.000E+00 | ³ 8.082E-04 | ³ ALEACH(2) |
| R016 | ³ Solubility constant | | | ³ 0.000E+00 | ³ 0.000E+00 | not used | ³ SOLUBK(2) |
| | | | | ³ | ³ | | ³ |
| R017 | ³ Inhalation rate (m**3/yr) | | | ³ 7.300E+03 | ³ 8.400E+03 | | ³ INHALR |
| R017 | ³ Mass loading for inhalation (g/m**3) | | | ³ 1.000E-04 | ³ 1.000E-04 | | ³ MLINH |
| R017 | ³ Exposure duration | | | ³ 3.000E+01 | ³ 3.000E+01 | | ³ ED |
| R017 | ³ Shielding factor, inhalation | | | ³ 4.000E-01 | ³ 4.000E-01 | | ³ SHF3 |
| R017 | ³ Shielding factor, external gamma | | | ³ 8.000E-01 | ³ 7.000E-01 | | ³ SHF1 |
| R017 | ³ Fraction of time spent indoors | | | ³ 5.000E-01 | ³ 5.000E-01 | | ³ FIND |
| R017 | ³ Fraction of time spent outdoors (on site) | | | ³ 2.500E-01 | ³ 2.500E-01 | | ³ FOTD |
| R017 | ³ Shape factor flag, external gamma | | | ³ 1.000E+00 | ³ 1.000E+00 | >0 shows circular AREA. | ³ FS |

Site-Specific Parameter Summary (continued)

| Menu | Parameter | User | Input | Default | Used by RESRAD (If different from user input) | Parameter Name |
|---------|--|-------------|-------------|---------|--|-------------------|
| AAAAAAA | AAA | AAA | AAA | AAA | AAA | AAA |
| R017 | ^ Radii of shape factor array (used if FS = -1): | ^ | ^ | ^ | ^ | ^ |
| R017 | ^ Outer annular radius (m), ring 1: | ^ not used | ^ 5.000E+01 | ^ | --- | ^ RAD_SHAPE(1) |
| R017 | ^ Outer annular radius (m), ring 2: | ^ not used | ^ 7.071E+01 | ^ | --- | ^ RAD_SHAPE(2) |
| R017 | ^ Outer annular radius (m), ring 3: | ^ not used | ^ 0.000E+00 | ^ | --- | ^ RAD_SHAPE(3) |
| R017 | ^ Outer annular radius (m), ring 4: | ^ not used | ^ 0.000E+00 | ^ | --- | ^ RAD_SHAPE(4) |
| R017 | ^ Outer annular radius (m), ring 5: | ^ not used | ^ 0.000E+00 | ^ | --- | ^ RAD_SHAPE(5) |
| R017 | ^ Outer annular radius (m), ring 6: | ^ not used | ^ 0.000E+00 | ^ | --- | ^ RAD_SHAPE(6) |
| R017 | ^ Outer annular radius (m), ring 7: | ^ not used | ^ 0.000E+00 | ^ | --- | ^ RAD_SHAPE(7) |
| R017 | ^ Outer annular radius (m), ring 8: | ^ not used | ^ 0.000E+00 | ^ | --- | ^ RAD_SHAPE(8) |
| R017 | ^ Outer annular radius (m), ring 9: | ^ not used | ^ 0.000E+00 | ^ | --- | ^ RAD_SHAPE(9) |
| R017 | ^ Outer annular radius (m), ring 10: | ^ not used | ^ 0.000E+00 | ^ | --- | ^ RAD_SHAPE(10) |
| R017 | ^ Outer annular radius (m), ring 11: | ^ not used | ^ 0.000E+00 | ^ | --- | ^ RAD_SHAPE(11) |
| R017 | ^ Outer annular radius (m), ring 12: | ^ not used | ^ 0.000E+00 | ^ | --- | ^ RAD_SHAPE(12) |
| | | ^ | ^ | ^ | ^ | ^ |
| R017 | Fractions of annular areas within AREA: | ^ | ^ | ^ | ^ | ^ |
| R017 | ^ Ring 1 | ^ not used | ^ 1.000E+00 | ^ | --- | ^ FRACA(1) |
| R017 | ^ Ring 2 | ^ not used | ^ 2.732E-01 | ^ | --- | ^ FRACA(2) |
| R017 | ^ Ring 3 | ^ not used | ^ 0.000E+00 | ^ | --- | ^ FRACA(3) |
| R017 | ^ Ring 4 | ^ not used | ^ 0.000E+00 | ^ | --- | ^ FRACA(4) |
| R017 | ^ Ring 5 | ^ not used | ^ 0.000E+00 | ^ | --- | ^ FRACA(5) |
| R017 | ^ Ring 6 | ^ not used | ^ 0.000E+00 | ^ | --- | ^ FRACA(6) |
| R017 | ^ Ring 7 | ^ not used | ^ 0.000E+00 | ^ | --- | ^ FRACA(7) |
| R017 | ^ Ring 8 | ^ not used | ^ 0.000E+00 | ^ | --- | ^ FRACA(8) |
| R017 | ^ Ring 9 | ^ not used | ^ 0.000E+00 | ^ | --- | ^ FRACA(9) |
| R017 | ^ Ring 10 | ^ not used | ^ 0.000E+00 | ^ | --- | ^ FRACA(10) |
| R017 | ^ Ring 11 | ^ not used | ^ 0.000E+00 | ^ | --- | ^ FRACA(11) |
| R017 | ^ Ring 12 | ^ not used | ^ 0.000E+00 | ^ | --- | ^ FRACA(12) |
| | | ^ | ^ | ^ | ^ | ^ |
| R018 | Fruits, vegetables and grain consumption (kg/yr) | ^ 1.600E+02 | ^ 1.600E+02 | ^ | --- | ^ DIET(1) |
| R018 | Leafy vegetable consumption (kg/yr) | ^ 1.400E+01 | ^ 1.400E+01 | ^ | --- | ^ DIET(2) |
| R018 | Milk consumption (L/yr) | ^ not used | ^ 9.200E+01 | ^ | --- | ^ DIET(3) |
| R018 | Meat and poultry consumption (kg/yr) | ^ not used | ^ 6.300E+01 | ^ | --- | ^ DIET(4) |
| R018 | Fish consumption (kg/yr) | ^ not used | ^ 5.400E+00 | ^ | --- | ^ DIET(5) |
| R018 | Other seafood consumption (kg/yr) | ^ not used | ^ 9.000E-01 | ^ | --- | ^ DIET(6) |
| R018 | Soil ingestion rate (g/yr) | ^ 4.380E+01 | ^ 3.650E+01 | ^ | --- | ^ SOIL |
| R018 | Drinking water intake (L/yr) | ^ 7.000E+02 | ^ 5.100E+02 | ^ | --- | ^ DWI |
| R018 | Contamination fraction of drinking water | ^ 1.000E+00 | ^ 1.000E+00 | ^ | --- | ^ FDW |
| R018 | Contamination fraction of household water | ^ not used | ^ 1.000E+00 | ^ | --- | ^ FHHW |
| R018 | Contamination fraction of livestock water | ^ not used | ^ 1.000E+00 | ^ | --- | ^ FLW |
| R018 | Contamination fraction of irrigation water | ^ 1.000E+00 | ^ 1.000E+00 | ^ | --- | ^ FIRW |
| R018 | Contamination fraction of aquatic food | ^ not used | ^ 5.000E-01 | ^ | --- | ^ FR9 |
| R018 | Contamination fraction of plant food | ^ -1 | ^ -1 | ^ | 0.500E+00 | ^ FPLANT |
| R018 | Contamination fraction of meat | ^ not used | ^ -1 | ^ | --- | ^ FMEAT |
| R018 | Contamination fraction of milk | ^ not used | ^ -1 | ^ | --- | ^ FMILK |
| | | ^ | ^ | ^ | ^ | ^ |
| R019 | Livestock fodder intake for meat (kg/day) | ^ not used | ^ 6.800E+01 | ^ | --- | ^ LFI5 |
| R019 | Livestock fodder intake for milk (kg/day) | ^ not used | ^ 5.500E+01 | ^ | --- | ^ LFI6 |
| R019 | Livestock water intake for meat (L/day) | ^ not used | ^ 5.000E+01 | ^ | --- | ^ LWI5 |
| R019 | Livestock water intake for milk (L/day) | ^ not used | ^ 1.600E+02 | ^ | --- | ^ LWI6 |
| R019 | Livestock soil intake (kg/day) | ^ not used | ^ 5.000E-01 | ^ | --- | ^ LSI |

Site-Specific Parameter Summary (continued)

| Menu | Parameter | User Input | Default | Used by RESRAD (If different from user input) | Parameter Name |
|--|--|-------------|-------------|---|----------------|
| XX | | | | | |
| R019 | Mass loading for foliar deposition (g/m**3) | 3 1.000E-05 | 3 1.000E-04 | 3 --- | 3 MLFD |
| R019 | Depth of soil mixing layer (m) | 3 1.500E-01 | 3 1.500E-01 | 3 --- | 3 DM |
| R019 | Depth of roots (m) | 3 9.000E-01 | 3 9.000E-01 | 3 --- | 3 DROOT |
| R019 | Drinking water fraction from ground water | 3 1.000E+00 | 3 1.000E+00 | 3 --- | 3 FGWDW |
| R019 | Household water fraction from ground water | 3 not used | 3 1.000E+00 | 3 --- | 3 FGWHH |
| R019 | Livestock water fraction from ground water | 3 not used | 3 1.000E+00 | 3 --- | 3 FGWLW |
| R019 | Irrigation fraction from ground water | 3 1.000E+00 | 3 1.000E+00 | 3 --- | 3 FGWIR |
| | | 3 | 3 | 3 | 3 |
| R19B | Wet weight crop yield for Non-Leafy (kg/m**2) | 3 7.000E-01 | 3 7.000E-01 | 3 --- | 3 YV(1) |
| R19B | Wet weight crop yield for Leafy (kg/m**2) | 3 1.500E+00 | 3 1.500E+00 | 3 --- | 3 YV(2) |
| R19B | Wet weight crop yield for Fodder (kg/m**2) | 3 not used | 3 1.100E+00 | 3 --- | 3 YV(3) |
| R19B | Growing Season for Non-Leafy (years) | 3 1.700E-01 | 3 1.700E-01 | 3 --- | 3 TE(1) |
| R19B | Growing Season for Leafy (years) | 3 2.500E-01 | 3 2.500E-01 | 3 --- | 3 TE(2) |
| R19B | Growing Season for Fodder (years) | 3 not used | 3 8.000E-02 | 3 --- | 3 TE(3) |
| R19B | Translocation Factor for Non-Leafy | 3 1.000E-01 | 3 1.000E-01 | 3 --- | 3 TIV(1) |
| R19B | Translocation Factor for Leafy | 3 1.000E+00 | 3 1.000E+00 | 3 --- | 3 TIV(2) |
| R19B | Translocation Factor for Fodder | 3 not used | 3 1.000E+00 | 3 --- | 3 TIV(3) |
| R19B | Dry Foliar Interception Fraction for Non-Leafy | 3 2.500E-01 | 3 2.500E-01 | 3 --- | 3 RDRY(1) |
| R19B | Dry Foliar Interception Fraction for Leafy | 3 2.500E-01 | 3 2.500E-01 | 3 --- | 3 RDRY(2) |
| R19B | Dry Foliar Interception Fraction for Fodder | 3 not used | 3 2.500E-01 | 3 --- | 3 RDRY(3) |
| R19B | Wet Foliar Interception Fraction for Non-Leafy | 3 2.500E-01 | 3 2.500E-01 | 3 --- | 3 RWET(1) |
| R19B | Wet Foliar Interception Fraction for Leafy | 3 2.500E-01 | 3 2.500E-01 | 3 --- | 3 RWET(2) |
| R19B | Wet Foliar Interception Fraction for Fodder | 3 not used | 3 2.500E-01 | 3 --- | 3 RWET(3) |
| R19B | Weathering Removal Constant for Vegetation | 3 2.000E+01 | 3 2.000E+01 | 3 --- | 3 WLAM |
| | | 3 | 3 | 3 | 3 |
| C14 | C-12 concentration in water (g/cm**3) | 3 not used | 3 2.000E-05 | 3 --- | 3 C12WTR |
| C14 | C-12 concentration in contaminated soil (g/g) | 3 not used | 3 3.000E-02 | 3 --- | 3 C12CZ |
| C14 | Fraction of vegetation carbon from soil | 3 not used | 3 2.000E-02 | 3 --- | 3 CSOIL |
| C14 | Fraction of vegetation carbon from air | 3 not used | 3 9.800E-01 | 3 --- | 3 CAIR |
| C14 | C-14 evasion layer thickness in soil (m) | 3 not used | 3 3.000E-01 | 3 --- | 3 DMC |
| C14 | C-14 evasion flux rate from soil (1/sec) | 3 not used | 3 7.000E-07 | 3 --- | 3 EVSN |
| C14 | C-12 evasion flux rate from soil (1/sec) | 3 not used | 3 1.000E-10 | 3 --- | 3 REVSN |
| C14 | Fraction of grain in beef cattle feed | 3 not used | 3 8.000E-01 | 3 --- | 3 AVFG4 |
| C14 | Fraction of grain in milk cow feed | 3 not used | 3 2.000E-01 | 3 --- | 3 AVFG5 |
| | | 3 | 3 | 3 | 3 |
| STOR | Storage times of contaminated foodstuffs (days): | 3 | 3 | 3 | 3 |
| STOR | Fruits, non-leafy vegetables, and grain | 3 1.400E+01 | 3 1.400E+01 | 3 --- | 3 STOR_T(1) |
| STOR | Leafy vegetables | 3 1.000E+00 | 3 1.000E+00 | 3 --- | 3 STOR_T(2) |
| STOR | Milk | 3 1.000E+00 | 3 1.000E+00 | 3 --- | 3 STOR_T(3) |
| STOR | Meat and poultry | 3 2.000E+01 | 3 2.000E+01 | 3 --- | 3 STOR_T(4) |
| STOR | Fish | 3 7.000E+00 | 3 7.000E+00 | 3 --- | 3 STOR_T(5) |
| STOR | Crustacea and mollusks | 3 7.000E+00 | 3 7.000E+00 | 3 --- | 3 STOR_T(6) |
| STOR | Well water | 3 1.000E+00 | 3 1.000E+00 | 3 --- | 3 STOR_T(7) |
| STOR | Surface water | 3 1.000E+00 | 3 1.000E+00 | 3 --- | 3 STOR_T(8) |
| STOR | Livestock fodder | 3 4.500E+01 | 3 4.500E+01 | 3 --- | 3 STOR_T(9) |
| | | 3 | 3 | 3 | 3 |
| R021 | Thickness of building foundation (m) | 3 not used | 3 1.500E-01 | 3 --- | 3 FLOOR1 |
| R021 | Bulk density of building foundation (g/cm**3) | 3 not used | 3 2.400E+00 | 3 --- | 3 DENSFL |
| R021 | Total porosity of the cover material | 3 not used | 3 4.000E-01 | 3 --- | 3 TPCV |
| R021 | Total porosity of the building foundation | 3 not used | 3 1.000E-01 | 3 --- | 3 TPFL |

RESRAD, Version 6.4 T_{ex} Limit = 180 days 12/16/2009 19:37 Page 8
 Summary : FHW MF-Perimeter-Res-Non-Farm-BKG-subtract-la-orise
 File : F:\RESRAD_FAMILY\RESRAD\FHW MF-PERIMETER-RES-NON-FARM-BKG-SUBTRACT-1A-121609.RAD

Site-Specific Parameter Summary (continued)

| Menu | Parameter | User | Input | Default | (If different from user input) | Used by RESRAD | Parameter Name |
|------|--|------|----------|---------|--------------------------------|----------------|----------------|
| R021 | Volumetric water content of the cover material | 3 | not used | 3 | 5.000E-02 | 3 | --- |
| R021 | Volumetric water content of the foundation | 3 | not used | 3 | 3.000E-02 | 3 | --- |
| R021 | Diffusion coefficient for radon gas (m/sec): | 3 | | 3 | 3 | 3 | 3 |
| R021 | in cover material | 3 | not used | 3 | 2.000E-06 | 3 | --- |
| R021 | in foundation material | 3 | not used | 3 | 3.000E-07 | 3 | --- |
| R021 | in contaminated zone soil | 3 | not used | 3 | 2.000E-06 | 3 | --- |
| R021 | Radon vertical dimension of mixing (m) | 3 | not used | 3 | 2.000E+00 | 3 | --- |
| R021 | Average building air exchange rate (1/hr) | 3 | not used | 3 | 5.000E-01 | 3 | --- |
| R021 | Height of the building (room) (m) | 3 | not used | 3 | 2.500E+00 | 3 | --- |
| R021 | Building interior area factor | 3 | not used | 3 | 0.000E+00 | 3 | --- |
| R021 | Building depth below ground surface (m) | 3 | not used | 3 | -1.000E+00 | 3 | --- |
| R021 | Emanating power of Rn-222 gas | 3 | not used | 3 | 2.500E-01 | 3 | --- |
| R021 | Emanating power of Rn-220 gas | 3 | not used | 3 | 1.500E-01 | 3 | --- |
| TITL | Number of graphical time points | 3 | 32 | 3 | --- | 3 | --- |
| TITL | Maximum number of integration points for dose | 3 | 17 | 3 | --- | 3 | --- |
| TITL | Maximum number of integration points for risk | 3 | 257 | 3 | --- | 3 | --- |
| | | 3 | 3 | 3 | 3 | 3 | 3 |
| | | | | | | | |

Summary of Pathway Selections

| Pathway | User Selection |
|-----------------------------|----------------|
| 1 -- external gamma | 3 active |
| 2 -- inhalation (w/o radon) | 3 active |
| 3 -- plant ingestion | 3 active |
| 4 -- meat ingestion | 3 suppressed |
| 5 -- milk ingestion | 3 suppressed |
| 6 -- aquatic foods | 3 suppressed |
| 7 -- drinking water | 3 active |
| 8 -- soil ingestion | 3 active |
| 9 -- radon | 3 suppressed |
| Find peak pathway doses | 3 active |
| | |

RESRAD, Version 6.4 T₉₀ Limit = 180 days 12/16/2009 19:37 Page 9
Summary : FHW MF-Perimeter-Res-Non-Farm-BKG-subtract-1a-orise
File : F:\RESRAD_FAMILY\RESRAD\FHW MF-PERIMETER-RES-NON-FARM-BKG-SUBTRACT-1A-121609.RAD

| Contaminated Zone Dimensions | | Initial Soil Concentrations, pCi/g | |
|------------------------------|-----------------------|------------------------------------|-----------|
| XXXXXXXXXXXXXXXXXXXXXXXXXXXX | | XXXXXXXXXXXXXXXXXXXXXXXXXXXX | |
| Area: | 2290.00 square meters | Cs-137 | 8.020E+00 |
| Thickness: | 5.00 meters | Ra-226 | 6.000E-02 |
| Cover Depth: | 0.00 meters | Sr-90 | 7.800E-01 |

Total Dose TDOSE(t), mrem/yr

Basic Radiation Dose Limit = 1.500E+01 mrem/yr

Total Mixture Sum M(t) = Fraction of Basic Dose Limit Received at Time (t)

XXXXXXXXXXXXXXXXXXXXXXXXXXXX

t (years): 0.000E+00 1.000E+00 5.000E+00 1.000E+01 5.000E+01 1.000E+02 5.000E+02 1.000E+03

TDOSE(t): 2.100E+01 2.054E+01 1.878E+01 1.681E+01 7.188E+00 2.939E+00 6.971E-01 3.142E-01

M(t): 1.400E+00 1.369E+00 1.252E+00 1.121E+00 4.792E-01 1.959E-01 4.647E-02 2.095E-02

Maximum TDOSE(t): 2.100E+01 mrem/yr at t = 0.000E+00 years

RESRAD, Version 6.4 T_c Limit = 180 days 12/16/2009 19:37 Page 10
Summary : FHWMF-Perimeter-Res-Non-Farm-BKG-subtract-1a-orise
File : F:\RESRAD_FAMILY\RESRAD\FHWMF-PERIMETER-RES-NON-FARM-BKG-SUBTRACT-1A-121609.RAD

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 0.000E+00 years

Water Independent Pathways (Inhalation excludes radon)

| | Ground | Inhalation | Radon | Plant | Meat | Milk | Soil |
|---------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|
| Radio- | AAAAAAAAAAAAAA |
| Nuclide | mrem/yr fract. |
| | AAAAAAA |
| Cs-137 | 1.584E+01 0.7543 | 1.208E-05 0.0000 | 0.000E+00 0.0000 | 1.379E+00 0.0657 | 0.000E+00 0.0000 | 0.000E+00 0.0000 | 1.302E-02 0.0006 |
| Ra-226 | 3.964E-01 0.0189 | 2.563E-05 0.0000 | 0.000E+00 0.0000 | 2.825E-01 0.0135 | 0.000E+00 0.0000 | 0.000E+00 0.0000 | 2.822E-03 0.0001 |
| Sr-90 | 1.117E-02 0.0005 | 4.811E-05 0.0000 | 0.000E+00 0.0000 | 3.070E+00 0.1462 | 0.000E+00 0.0000 | 0.000E+00 0.0000 | 3.864E-03 0.0002 |
| | fffff |
| Total | 1.625E+01 0.7737 | 8.581E-05 0.0000 | 0.000E+00 0.0000 | 4.732E+00 0.2253 | 0.000E+00 0.0000 | 0.000E+00 0.0000 | 1.971E-02 0.0009 |

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 0.000E+00 years

Water Dependent Pathways

| | Water | Fish | Radon | Plant | Meat | Milk | All Pathways* |
|---------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|
| Radio- | AAAAAAAAAAAAAA |
| Nuclide | mrem/yr fract. |
| | AAAAAAA |
| Cs-137 | 2.677E-05 0.0000 | 0.000E+00 0.0000 | 0.000E+00 0.0000 | 1.778E-06 0.0000 | 0.000E+00 0.0000 | 0.000E+00 0.0000 | 1.723E+01 0.8206 |
| Ra-226 | 1.613E-04 0.0000 | 0.000E+00 0.0000 | 0.000E+00 0.0000 | 1.123E-05 0.0000 | 0.000E+00 0.0000 | 0.000E+00 0.0000 | 6.819E-01 0.0325 |
| Sr-90 | 1.311E-03 0.0001 | 0.000E+00 0.0000 | 0.000E+00 0.0000 | 9.764E-05 0.0000 | 0.000E+00 0.0000 | 0.000E+00 0.0000 | 3.087E+00 0.1470 |
| | fffff |
| Total | 1.499E-03 0.0001 | 0.000E+00 0.0000 | 0.000E+00 0.0000 | 1.107E-04 0.0000 | 0.000E+00 0.0000 | 0.000E+00 0.0000 | 2.100E+01 1.0000 |

*Sum of all water independent and dependent pathways.

RESRAD, Version 6.4 T_{tx} Limit = 180 days 12/16/2009 19:37 Page 11
Summary : FHW MF-Perimeter-Res-Non-Farm-BKG-subtract-la-orise
File : F:\RESRAD_FAMILY\RESRAD\FHW MF-PERIMETER-RES-NON-FARM-BKG-SUBTRACT-1A-121609.RAD

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 1.000E+00 years

Water Independent Pathways (Inhalation excludes radon)

| | Ground | Inhalation | Radon | Plant | Meat | Milk | Soil |
|---------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|
| Radio- | AAAAAAAAAAAAAA |
| Nuclide | mrem/yr fract. |
| Cs-137 | 1.548E+01 0.7535 | 1.180E-05 0.0000 | 0.000E+00 0.0000 | 1.347E+00 0.0656 | 0.000E+00 0.0000 | 0.000E+00 0.0000 | 1.272E-02 0.0006 |
| Ra-226 | 3.957E-01 0.0193 | 2.759E-05 0.0000 | 0.000E+00 0.0000 | 2.937E-01 0.0143 | 0.000E+00 0.0000 | 0.000E+00 0.0000 | 3.249E-03 0.0002 |
| Sr-90 | 1.088E-02 0.0005 | 4.685E-05 0.0000 | 0.000E+00 0.0000 | 2.990E+00 0.1456 | 0.000E+00 0.0000 | 0.000E+00 0.0000 | 3.763E-03 0.0002 |
| Total | 1.588E+01 0.7733 | 8.624E-05 0.0000 | 0.000E+00 0.0000 | 4.631E+00 0.2255 | 0.000E+00 0.0000 | 0.000E+00 0.0000 | 1.973E-02 0.0010 |

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 1.000E+00 years

Water Dependent Pathways

| | Water | Fish | Radon | Plant | Meat | Milk | All Pathways* |
|---------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|
| Radio- | AAAAAAAAAAAAAA |
| Nuclide | mrem/yr fract. |
| Cs-137 | 7.913E-05 0.0000 | 0.000E+00 0.0000 | 0.000E+00 0.0000 | 5.602E-06 0.0000 | 0.000E+00 0.0000 | 0.000E+00 0.0000 | 1.684E+01 0.8198 |
| Ra-226 | 5.239E-04 0.0000 | 0.000E+00 0.0000 | 0.000E+00 0.0000 | 3.775E-05 0.0000 | 0.000E+00 0.0000 | 0.000E+00 0.0000 | 6.932E-01 0.0338 |
| Sr-90 | 3.858E-03 0.0002 | 0.000E+00 0.0000 | 0.000E+00 0.0000 | 2.968E-04 0.0000 | 0.000E+00 0.0000 | 0.000E+00 0.0000 | 3.009E+00 0.1465 |
| Total | 4.461E-03 0.0002 | 0.000E+00 0.0000 | 0.000E+00 0.0000 | 3.402E-04 0.0000 | 0.000E+00 0.0000 | 0.000E+00 0.0000 | 2.054E+01 1.0000 |

*Sum of all water independent and dependent pathways.

RESRAD, Version 6.4 T₉₀ Limit = 180 days 12/16/2009 19:37 Page 12
Summary : FHWMF-Perimeter-Res-Non-Farm-BKG-subtract-la-orise
File : F:\RESRAD_FAMILY\RESRAD\FHWMF-PERIMETER-RES-NON-FARM-BKG-SUBTRACT-1A-121609.RAD

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 5.000E+00 years

Water Independent Pathways (Inhalation excludes radon)

| | Ground | Inhalation | Radon | Plant | Meat | Milk | Soil | | | | | | | |
|---------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|--------|-----------|--------|-----------|--------|-----------|--------|
| Radio- | AAAAAAAAAAAAAA | | | | | | | |
| Nuclide | mrem/yr fract. | | | | | | | |
| | AAAAAAA | | | | | | | |
| Cs-137 | 1.409E+01 | 0.7503 | 1.074E-05 | 0.0000 | 0.000E+00 | 0.0000 | 1.227E+00 | 0.0653 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 1.158E-02 | 0.0006 |
| Ra-226 | 3.932E-01 | 0.0209 | 3.479E-05 | 0.0000 | 0.000E+00 | 0.0000 | 3.339E-01 | 0.0178 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 4.819E-03 | 0.0003 |
| Sr-90 | 9.787E-03 | 0.0005 | 4.214E-05 | 0.0000 | 0.000E+00 | 0.0000 | 2.689E+00 | 0.1432 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 3.385E-03 | 0.0002 |
| | fffff | fffff | fffff | fffff | fffff | fffff | fffff | fffff |
| Total | 1.450E+01 | 0.7718 | 8.767E-05 | 0.0000 | 0.000E+00 | 0.0000 | 4.250E+00 | 0.2263 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 1.979E-02 | 0.0011 |

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 5.000E+00 years

Water Dependent Pathways

| | Water | Fish | Radon | Plant | Meat | Milk | All Pathways* | | | | | | | |
|---------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|--------|-----------|--------|-----------|--------|-----------|--------|
| Radio- | AAAAAAAAAAAAAA | | | | | | | |
| Nuclide | mrem/yr fract. | | | | | | | |
| | AAAAAAA | | | | | | | |
| Cs-137 | 2.653E-04 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 1.932E-05 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 1.533E+01 | 0.8163 |
| Ra-226 | 2.510E-03 | 0.0001 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 1.834E-04 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 7.347E-01 | 0.0391 |
| Sr-90 | 1.282E-02 | 0.0007 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 1.001E-03 | 0.0001 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 2.716E+00 | 0.1446 |
| | fffff | fffff | fffff | fffff | fffff | fffff | fffff | fffff |
| Total | 1.560E-02 | 0.0008 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 1.204E-03 | 0.0001 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 1.878E+01 | 1.0000 |

*Sum of all water independent and dependent pathways.

RESRAD, Version 6.4 T₉₀ Limit = 180 days 12/16/2009 19:37 Page 13
 Summary : FHWMF-Perimeter-Res-Non-Farm-BKG-subtract-1a-orise
 File : F:\RESRAD_FAMILY\RESRAD\FHWMF-PERIMETER-RES-NON-FARM-BKG-SUBTRACT-1A-121609.RAD

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
 As mrem/yr and Fraction of Total Dose At t = 1.000E+01 years

Water Independent Pathways (Inhalation excludes radon)

| | Ground | Inhalation | Radon | Plant | Meat | Milk | Soil |
|---------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|
| Radio- | AAAAAAAAAAAAAA |
| Nuclide | mrem/yr fract. |
| Cs-137 | 1.254E+01 0.7458 | 9.558E-06 0.0000 | 0.000E+00 0.0000 | 1.092E+00 0.0649 | 0.000E+00 0.0000 | 0.000E+00 0.0000 | 1.030E-02 0.0006 |
| Ra-226 | 3.902E-01 0.0232 | 4.250E-05 0.0000 | 0.000E+00 0.0000 | 3.769E-01 0.0224 | 0.000E+00 0.0000 | 0.000E+00 0.0000 | 6.503E-03 0.0004 |
| Sr-90 | 8.573E-03 0.0005 | 3.691E-05 0.0000 | 0.000E+00 0.0000 | 2.356E+00 0.1401 | 0.000E+00 0.0000 | 0.000E+00 0.0000 | 2.965E-03 0.0002 |
| Total | 1.294E+01 0.7695 | 8.896E-05 0.0000 | 0.000E+00 0.0000 | 3.824E+00 0.2275 | 0.000E+00 0.0000 | 0.000E+00 0.0000 | 1.977E-02 0.0012 |

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
 As mrem/yr and Fraction of Total Dose At t = 1.000E+01 years

Water Dependent Pathways

| | Water | Fish | Radon | Plant | Meat | Milk | All Pathways* |
|---------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|
| Radio- | AAAAAAAAAAAAAA |
| Nuclide | mrem/yr fract. |
| Cs-137 | 4.513E-04 0.0000 | 0.000E+00 0.0000 | 0.000E+00 0.0000 | 3.303E-05 0.0000 | 0.000E+00 0.0000 | 0.000E+00 0.0000 | 1.364E+01 0.8114 |
| Ra-226 | 6.023E-03 0.0004 | 0.000E+00 0.0000 | 0.000E+00 0.0000 | 4.406E-04 0.0000 | 0.000E+00 0.0000 | 0.000E+00 0.0000 | 7.801E-01 0.0464 |
| Sr-90 | 2.159E-02 0.0013 | 0.000E+00 0.0000 | 0.000E+00 0.0000 | 1.691E-03 0.0001 | 0.000E+00 0.0000 | 0.000E+00 0.0000 | 2.391E+00 0.1422 |
| Total | 2.807E-02 0.0017 | 0.000E+00 0.0000 | 0.000E+00 0.0000 | 2.164E-03 0.0001 | 0.000E+00 0.0000 | 0.000E+00 0.0000 | 1.681E+01 1.0000 |

*Sum of all water independent and dependent pathways.

Summary : FHWMF-Perimeter-Res-Non-Farm-BKG-subtract-la-orise

File : F:\RESRAD_FAMILY\RESRAD\FHWMF-PERIMETER-RES-NON-FARM-BKG-SUBTRACT-1A-121609.RAD

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)

As mrem/yr and Fraction of Total Dose At t = 5.000E+01 years

Water Independent Pathways (Inhalation excludes radon)

| | Ground | Inhalation | Radon | Plant | Meat | Milk | Soil |
|---------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Radio- | AAAAAAAAAAAAAA |
| Nuclide | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. | mrem/yr |
| Cs-137 | 4.918E+00 | 0.6843 | 3.750E-06 | 0.0000 | 0.000E+00 | 0.0000 | 4.282E-01 |
| Ra-226 | 3.663E-01 | 0.0510 | 7.204E-05 | 0.0000 | 0.000E+00 | 0.0000 | 5.375E-01 |
| Sr-90 | 2.972E-03 | 0.0004 | 1.279E-05 | 0.0000 | 0.000E+00 | 0.0000 | 8.165E-01 |
| Total | 5.288E+00 | 0.7356 | 8.858E-05 | 0.0000 | 0.000E+00 | 0.0000 | 1.782E+00 |
| | | | | | 0.2479 | 0.000E+00 | 0.0000 |
| | | | | | | 0.000E+00 | 0.0000 |
| | | | | | | | 4.042E-03 |
| | | | | | | | 0.0006 |

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)

As mrem/yr and Fraction of Total Dose At t = 5.000E+01 years

Water Dependent Pathways

| | Water | Fish | Radon | Plant | Meat | Milk | All Pathways* |
|---------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Radio- | AAAAAAAAAAAAAA |
| Nuclide | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. | mrem/yr |
| Cs-137 | 8.577E-04 | 0.0001 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 6.304E-05 |
| Ra-226 | 5.402E-02 | 0.0075 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 3.951E-03 |
| Sr-90 | 3.799E-02 | 0.0053 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 2.981E-03 |
| Total | 9.287E-02 | 0.0129 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 6.995E-03 |
| | | | | | 0.0010 | 0.000E+00 | 0.0000 |
| | | | | | | 0.000E+00 | 0.0000 |
| | | | | | | | 5.352E+00 |
| | | | | | | | 0.7445 |

*Sum of all water independent and dependent pathways.

RESRAD, Version 6.4 T_{tx} Limit = 180 days 12/16/2009 19:37 Page 15
 Summary : FHWMF-Perimeter-Res-Non-Farm-BKG-subtract-1a-orise
 File : F:\RESRAD_FAMILY\RESRAD\FHWMF-PERIMETER-RES-NON-FARM-BKG-SUBTRACT-1A-121609.RAD

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
 As mrem/yr and Fraction of Total Dose At t = 1.000E+02 years

Water Independent Pathways (Inhalation excludes radon)

| | Ground | Inhalation | Radon | Plant | Meat | Milk | Soil | | | | | | | |
|---------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|--------|-----------|--------|-----------|--------|-----------|--------|
| Radio- | AAAAAAAAAAAAAA | | | | | | | |
| Nuclide | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | | | | | | | |
| Cs-137 | 1.527E+00 | 0.5196 | 1.164E-06 | 0.0000 | 0.000E+00 | 0.0000 | 1.329E-01 | 0.0452 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 1.255E-03 | 0.0004 |
| Ra-226 | 3.384E-01 | 0.1151 | 7.636E-05 | 0.0000 | 0.000E+00 | 0.0000 | 5.526E-01 | 0.1880 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 1.416E-02 | 0.0048 |
| Sr-90 | 7.903E-04 | 0.0003 | 3.403E-06 | 0.0000 | 0.000E+00 | 0.0000 | 2.172E-01 | 0.0739 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 2.733E-04 | 0.0001 |
| Total | 1.866E+00 | 0.6350 | 8.093E-05 | 0.0000 | 0.000E+00 | 0.0000 | 9.027E-01 | 0.3071 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 1.569E-02 | 0.0053 |

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
 As mrem/yr and Fraction of Total Dose At t = 1.000E+02 years

Water Dependent Pathways

| | Water | Fish | Radon | Plant | Meat | Milk | All Pathways* | | | | | | | |
|---------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|--------|-----------|--------|-----------|--------|-----------|--------|
| Radio- | AAAAAAAAAAAAAA | | | | | | | |
| Nuclide | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | | | | | | | |
| Cs-137 | 5.345E-04 | 0.0002 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 3.930E-05 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 1.662E+00 | 0.5654 |
| Ra-226 | 1.217E-01 | 0.0414 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 8.900E-03 | 0.0030 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 1.036E+00 | 0.3524 |
| Sr-90 | 2.149E-02 | 0.0073 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 1.687E-03 | 0.0006 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 2.414E-01 | 0.0821 |
| Total | 1.437E-01 | 0.0489 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 1.063E-02 | 0.0036 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 2.939E+00 | 1.0000 |

*Sum of all water independent and dependent pathways.

Summary : FHWMF-Perimeter-Res-Non-Farm-BKG-subtract-1a-orise

File : F:\RESRAD_FAMILY\RESRAD\FHWMF-PERIMETER-RES-NON-FARM-BKG-SUBTRACT-1A-121609.RAD

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 5.000E+02 years

Water Independent Pathways (Inhalation excludes radon)

| | Ground | Inhalation | Radon | Plant | Meat | Milk | Soil | |
|---------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|--------|
| Radio- | AAAAAAAAAAAAAA | |
| Nuclide | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | |
| Cs-137 | 1.318E-04 | 0.0002 | 1.005E-10 | 0.0000 | 0.000E+00 | 0.0000 | 1.148E-05 | 0.0000 |
| Ra-226 | 1.793E-01 | 0.2573 | 4.194E-05 | 0.0001 | 0.000E+00 | 0.0000 | 3.013E-01 | 0.4322 |
| Sr-90 | 1.979E-08 | 0.0000 | 8.519E-11 | 0.0000 | 0.000E+00 | 0.0000 | 5.437E-06 | 0.0000 |
| | fffff | fffff |
| Total | 1.795E-01 | 0.2575 | 4.194E-05 | 0.0001 | 0.000E+00 | 0.0000 | 3.013E-01 | 0.4322 |
| | | | | | | | 0.000E+00 | 0.0000 |
| | | | | | | | 7.824E-03 | 0.0112 |

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 5.000E+02 years

Water Dependent Pathways

| | Water | Fish | Radon | Plant | Meat | Milk | All Pathways* | |
|---------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|--------|
| Radio- | AAAAAAAAAAAAAA | |
| Nuclide | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | fract. | mrem/yr | |
| Cs-137 | 2.457E-07 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 1.808E-08 | 0.0000 |
| Ra-226 | 1.943E-01 | 0.2787 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 1.421E-02 | 0.0204 |
| Sr-90 | 5.270E-07 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 4.138E-08 | 0.0000 |
| | fffff | fffff |
| Total | 1.943E-01 | 0.2787 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 1.421E-02 | 0.0204 |
| | | | | | | | 0.000E+00 | 0.0000 |
| | | | | | | | 6.971E-01 | 1.0000 |

*Sum of all water independent and dependent pathways.

RESRAD, Version 6.4 T_{ex} Limit = 180 days 12/16/2009 19:37 Page 17
Summary : FHWMF-Perimeter-Res-Non-Farm-BKG-subtract-1a-orise
File : F:\RESRAD_FAMILY\RESRAD\FHWMF-PERIMETER-RES-NON-FARM-BKG-SUBTRACT-1A-121609.RAD

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 1.000E+03 years

Water Independent Pathways (Inhalation excludes radon)

| | Ground | Inhalation | Radon | Plant | Meat | Milk | Soil |
|---------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|
| Radio- | AAAAAAAAAAAAAA |
| Nuclide | mrem/yr fract. |
| Cs-137 | 1.097E-09 0.0000 | 8.359E-16 0.0000 | 0.000E+00 0.0000 | 9.547E-11 0.0000 | 0.000E+00 0.0000 | 0.000E+00 0.0000 | 9.012E-13 0.0000 |
| Ra-226 | 8.111E-02 0.2582 | 1.897E-05 0.0001 | 0.000E+00 0.0000 | 1.362E-01 0.4336 | 0.000E+00 0.0000 | 0.000E+00 0.0000 | 3.538E-03 0.0113 |
| Sr-90 | 3.504E-14 0.0000 | 1.509E-16 0.0000 | 0.000E+00 0.0000 | 9.629E-12 0.0000 | 0.000E+00 0.0000 | 0.000E+00 0.0000 | 1.212E-14 0.0000 |
| Total | 8.111E-02 0.2582 | 1.897E-05 0.0001 | 0.000E+00 0.0000 | 1.362E-01 0.4336 | 0.000E+00 0.0000 | 0.000E+00 0.0000 | 3.538E-03 0.0113 |

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 1.000E+03 years

Water Dependent Pathways

| | Water | Fish | Radon | Plant | Meat | Milk | All Pathways* |
|---------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|
| Radio- | AAAAAAAAAAAAAA |
| Nuclide | mrem/yr fract. |
| Cs-137 | 4.446E-12 0.0000 | 0.000E+00 0.0000 | 0.000E+00 0.0000 | 3.271E-13 0.0000 | 0.000E+00 0.0000 | 0.000E+00 0.0000 | 1.198E-09 0.0000 |
| Ra-226 | 8.692E-02 0.2766 | 0.000E+00 0.0000 | 0.000E+00 0.0000 | 6.357E-03 0.0202 | 0.000E+00 0.0000 | 0.000E+00 0.0000 | 3.142E-01 1.0000 |
| Sr-90 | 8.999E-13 0.0000 | 0.000E+00 0.0000 | 0.000E+00 0.0000 | 7.066E-14 0.0000 | 0.000E+00 0.0000 | 0.000E+00 0.0000 | 1.065E-11 0.0000 |
| Total | 8.692E-02 0.2766 | 0.000E+00 0.0000 | 0.000E+00 0.0000 | 6.357E-03 0.0202 | 0.000E+00 0.0000 | 0.000E+00 0.0000 | 3.142E-01 1.0000 |

*Sum of all water independent and dependent pathways.

RESRAD, Version 6.4 T_{cc} Limit = 180 days 12/16/2009 19:37 Page 18

Summary : FWHMF-Perimeter-Res-Non-Farm-BKG-subtract-la-orise

File : F:\RESRAD_FAMILY\RESRAD\FHWMF-PERIMETER-RES-NON-FARM-BKG-SUBTRACT-1A-121609.RAD

Dose/Source Ratios Summed Over All Pathways

Parent and Progeny Principal Radionuclide Contributions Indicated

| Parent | Product | Thread | DSR(j,t) | At Time in Years | (mrem/yr)/(pCi/g) |
|--|------------|-----------|------------|------------------|-------------------|
| (i) | (j) | Fraction | 0.000E+00 | 1.000E+00 | 5.000E+00 |
| AAAAAAAAAA | AAAAAAAAAA | AAAAAAA | AAAAAAAAAA | AAAAAAAAAA | AAAAAAAAAA |
| Cs-137+D | Cs-137+D | 1.000E+00 | 2.149E+00 | 2.099E+00 | 1.912E+00 |
| Ra-226+D | Ra-226+D | 1.000E+00 | 1.125E+01 | 1.123E+01 | 1.118E+01 |
| Ra-226+D | Pb-210+D | 1.000E+00 | 1.191E-01 | 3.208E-01 | 1.062E+00 |
| Ra-226+D | äDSR(j) | | 1.136E+01 | 1.155E+01 | 1.225E+01 |
| Sr-90+D | Sr-90+D | 1.000E+00 | 3.957E+00 | 3.857E+00 | 3.483E+00 |
| fffff | fffff | fffff | fffff | fffff | fffff |
| The DSR includes contributions from associated (half-life 6 180 days) daughters. | | | | | |

Single Radionuclide Soil Guidelines $G(i,t)$ in pCi/g

Basic Radiation Dose Limit = 1.500E+01 mrem/yr

Nuclide

Summed Dose/Source Ratios DSR(i,t) in (mrem/yr)/(pCi/g)
 and Single Radionuclide Soil Guidelines G(i,t) in pCi/g
 at t_{\min} = time of minimum single radionuclide soil guideline
 and at t_{\max} = time of maximum total dose = 0.000E+00 years

RESRAD, Version 6.4 T_« Limit = 180 days 12/16/2009 19:37 Page 19

Summary : FHWMP-Perimeter-Res-Non-Farm-BKG-subtract-la-orise

File : F:\RESRAD_FAMILY\RESRAD\FHWMP-PERIMETER-RES-NON-FARM-BKG-SUBTRACT-1A-121609.RAD

Individual Nuclide Dose Summed Over All Pathways

Parent Nuclide and Branch Fraction Indicated

| Nuclide Parent | THF(i) | DOSE(j,t), mrem/yr |
|---|--|---|
| (j) (i) | t= 0.000E+00 1.000E+00 5.000E+00 1.000E+01 5.000E+01 1.000E+02 5.000E+02 1.000E+03 | AAAAAAA AAAAAAA AAAAAAAA AAAAAAAA AAAAAAAA AAAAAAAA AAAAAAAA AAAAAAAA |
| Cs-137 Cs-137 | 1.000E+00 | 1.723E+01 1.684E+01 1.533E+01 1.364E+01 5.352E+00 1.662E+00 1.436E-04 1.198E-09 |
| Ra-226 Ra-226 | 1.000E+00 | 6.747E-01 6.740E-01 6.710E-01 6.673E-01 6.388E-01 6.052E-01 3.478E-01 1.568E-01 |
| Pb-210 Ra-226 | 1.000E+00 | 7.145E-03 1.925E-02 6.371E-02 1.127E-01 3.361E-01 4.306E-01 3.491E-01 1.574E-01 |
| Sr-90 Sr-90 | 1.000E+00 | 3.087E+00 3.009E+00 2.716E+00 2.391E+00 8.615E-01 2.414E-01 6.032E-06 1.065E-11 |
| fffff fffff ffffff | | |

THF(i) is the thread fraction of the parent nuclide.

Individual Nuclide Soil Concentration

Parent Nuclide and Branch Fraction Indicated

| Nuclide Parent | THF(i) | S(j,t), pCi/g |
|---|--|---|
| (j) (i) | t= 0.000E+00 1.000E+00 5.000E+00 1.000E+01 5.000E+01 1.000E+02 5.000E+02 1.000E+03 | AAAAAAA AAAAAAA AAAAAAAA AAAAAAAA AAAAAAAA AAAAAAAA AAAAAAAA AAAAAAAA |
| Cs-137 Cs-137 | 1.000E+00 | 8.020E+00 7.835E+00 7.135E+00 6.347E+00 2.490E+00 7.730E-01 6.672E-05 5.551E-10 |
| Ra-226 Ra-226 | 1.000E+00 | 6.000E-02 5.990E-02 5.953E-02 5.906E-02 5.542E-02 5.119E-02 2.713E-02 1.227E-02 |
| Pb-210 Ra-226 | 1.000E+00 | 0.000E+00 1.834E-03 8.584E-03 1.584E-02 4.435E-02 4.997E-02 2.783E-02 1.259E-02 |
| Sr-90 Sr-90 | 1.000E+00 | 7.800E-01 7.596E-01 6.832E-01 5.985E-01 2.075E-01 5.517E-02 1.381E-06 2.446E-12 |
| fffff fffff ffffff | | |

RESCALC.EXE execution time = 1.59 seconds

Table of Contents

Part I: Mixture Sums and Single Radionuclide Guidelines

| | |
|--|----|
| Dose Conversion Factor (and Related) Parameter Summary | 2 |
| Site-Specific Parameter Summary | 4 |
| Summary of Pathway Selections | 8 |
| Contaminated Zone and Total Dose Summary | 9 |
| Total Dose Components | |
| Time = 0.000E+00 | 10 |
| Time = 1.000E+00 | 11 |
| Time = 5.000E+00 | 12 |
| Time = 1.000E+01 | 13 |
| Time = 5.000E+01 | 14 |
| Time = 1.000E+02 | 15 |
| Time = 5.000E+02 | 16 |
| Time = 1.000E+03 | 17 |
| Dose/Source Ratios Summed Over All Pathways | 18 |
| Single Radionuclide Soil Guidelines | 18 |
| Dose Per Nuclide Summed Over All Pathways | 19 |
| Soil Concentration Per Nuclide | 19 |

Summary : FHWMF-Perim-Ind-Bkg-subtract-2A-orise

File : F:\RESRAD_FAMILY\RESRAD\FHWMF-PERIMETER-INDUST-BKG-SUBTRACT-2A.RAD

Dose Conversion Factor (and Related) Parameter Summary

Dose Library: FGR 11

| Menu | Parameter | Current | Base | Parameter |
|-------|--|-----------|------------|--------------|
| | | Value# | Case* | Name |
| <hr/> | | | | |
| A-1 | DCF's for external ground radiation, (mrem/yr)/(pCi/g) | 5.847E-03 | 5.847E-03 | DCF1(1) |
| A-1 | At-218 (Source: FGR 12) | 3.606E+00 | 3.606E+00 | DCF1(2) |
| A-1 | Ba-137m (Source: FGR 12) | 3.606E-03 | 3.606E-03 | DCF1(3) |
| A-1 | Bi-210 (Source: FGR 12) | 9.808E+00 | 9.808E+00 | DCF1(4) |
| A-1 | Bi-214 (Source: FGR 12) | 7.510E-04 | 7.510E-04 | DCF1(5) |
| A-1 | Cs-137 (Source: FGR 12) | 2.447E-03 | 2.447E-03 | DCF1(6) |
| A-1 | Pb-210 (Source: FGR 12) | 1.341E+00 | 1.341E+00 | DCF1(7) |
| A-1 | Pb-214 (Source: FGR 12) | 5.231E-05 | 5.231E-05 | DCF1(8) |
| A-1 | Po-210 (Source: FGR 12) | 5.138E-04 | 5.138E-04 | DCF1(9) |
| A-1 | Po-214 (Source: FGR 12) | 5.642E-05 | 5.642E-05 | DCF1(10) |
| A-1 | Ra-226 (Source: FGR 12) | 3.176E-02 | 3.176E-02 | DCF1(11) |
| A-1 | Rn-222 (Source: FGR 12) | 2.354E-03 | 2.354E-03 | DCF1(12) |
| A-1 | Sr-90 (Source: FGR 12) | 7.043E-04 | 7.043E-04 | DCF1(13) |
| A-1 | Tl-210 (Source: no data) | 0.000E+00 | -2.000E+00 | DCF1(14) |
| A-1 | Y-90 (Source: FGR 12) | 2.391E-02 | 2.391E-02 | DCF1(15) |
| D-1 | <hr/> | | | |
| B-1 | Dose conversion factors for inhalation, mrem/pCi: | | | |
| B-1 | Cs-137+D | 3.190E-05 | 3.190E-05 | DCF2(1) |
| B-1 | Pb-210+D | 2.320E-02 | 1.360E-02 | DCF2(2) |
| B-1 | Ra-226+D | 8.594E-03 | 8.580E-03 | DCF2(3) |
| B-1 | Sr-90+D | 1.308E-03 | 1.300E-03 | DCF2(4) |
| D-1 | <hr/> | | | |
| D-1 | Dose conversion factors for ingestion, mrem/pCi: | | | |
| D-1 | Cs-137+D | 5.000E-05 | 5.000E-05 | DCF3(1) |
| D-1 | Pb-210+D | 7.276E-03 | 5.370E-03 | DCF3(2) |
| D-1 | Ra-226+D | 1.321E-03 | 1.320E-03 | DCF3(3) |
| D-1 | Sr-90+D | 1.528E-04 | 1.420E-04 | DCF3(4) |
| D-34 | <hr/> | | | |
| D-34 | Food transfer factors: | | | |
| D-34 | Cs-137+D , plant/soil concentration ratio, dimensionless | 4.000E-02 | 4.000E-02 | RTF(1,1) |
| D-34 | Cs-137+D , beef/livestock-intake ratio, (pCi/kg)/(pCi/d) | 3.000E-02 | 3.000E-02 | RTF(1,2) |
| D-34 | Cs-137+D , milk/livestock-intake ratio, (pCi/L)/(pCi/d) | 8.000E-03 | 8.000E-03 | RTF(1,3) |
| D-34 | <hr/> | | | |
| D-34 | Pb-210+D , plant/soil concentration ratio, dimensionless | 1.000E-02 | 1.000E-02 | RTF(2,1) |
| D-34 | Pb-210+D , beef/livestock-intake ratio, (pCi/kg)/(pCi/d) | 8.000E-04 | 8.000E-04 | RTF(2,2) |
| D-34 | Pb-210+D , milk/livestock-intake ratio, (pCi/L)/(pCi/d) | 3.000E-04 | 3.000E-04 | RTF(2,3) |
| D-34 | <hr/> | | | |
| D-34 | Ra-226+D , plant/soil concentration ratio, dimensionless | 4.000E-02 | 4.000E-02 | RTF(3,1) |
| D-34 | Ra-226+D , beef/livestock-intake ratio, (pCi/kg)/(pCi/d) | 1.000E-03 | 1.000E-03 | RTF(3,2) |
| D-34 | Ra-226+D , milk/livestock-intake ratio, (pCi/L)/(pCi/d) | 1.000E-03 | 1.000E-03 | RTF(3,3) |
| D-34 | <hr/> | | | |
| D-34 | Sr-90+D , plant/soil concentration ratio, dimensionless | 3.000E-01 | 3.000E-01 | RTF(4,1) |
| D-34 | Sr-90+D , beef/livestock-intake ratio, (pCi/kg)/(pCi/d) | 8.000E-03 | 8.000E-03 | RTF(4,2) |
| D-34 | Sr-90+D , milk/livestock-intake ratio, (pCi/L)/(pCi/d) | 2.000E-03 | 2.000E-03 | RTF(4,3) |
| D-5 | <hr/> | | | |
| D-5 | Bioaccumulation factors, fresh water, L/kg: | | | |
| D-5 | Cs-137+D , fish | 2.000E+03 | 2.000E+03 | BIOFAC(1,1) |
| D-5 | Cs-137+D , crustacea and mollusks | 1.000E+02 | 1.000E+02 | BIOFAC(1,2) |
| D-5 | <hr/> | | | |

Summary : FHWMF-Perim-Ind-Bkg-subtract-2A-orise

File : F:\RESRAD_FAMILY\RESRAD\FHWMF--PERIMETER-INDUST-BKG-SUBTRACT-2A.RAD

Dose Conversion Factor (and Related) Parameter Summary (continued)

Dose Library: FGR 11

| Menu | Parameter | Current | Base | Parameter |
|------|-----------------------------------|-------------|-------------|--------------|
| | | Value# | Case* | Name |
| D-5 | Pb-210+D , fish | 3 3.000E+02 | 3 3.000E+02 | BIOFAC(2,1) |
| D-5 | Pb-210+D , crustacea and mollusks | 3 1.000E+02 | 3 1.000E+02 | BIOFAC(2,2) |
| D-5 | | 3 | 3 | |
| D-5 | Ra-226+D , fish | 3 5.000E+01 | 3 5.000E+01 | BIOFAC(3,1) |
| D-5 | Ra-226+D , crustacea and mollusks | 3 2.500E+02 | 3 2.500E+02 | BIOFAC(3,2) |
| D-5 | | 3 | 3 | |
| D-5 | Sr-90+D , fish | 3 6.000E+01 | 3 6.000E+01 | BIOFAC(4,1) |
| D-5 | Sr-90+D , crustacea and mollusks | 3 1.000E+02 | 3 1.000E+02 | BIOFAC(4,2) |
| | | fffff | fffff | fffff |

#For DCF1{xxx} only, factors are for infinite depth & area. See ETEG table in Ground Pathway of Detailed Report.

*Base Case means Default.Lib w/o Associate Nuclide contributions.

RESRAD, Version 6.4 T₉₀ Limit = 180 days 12/16/2009 19:43 Page 4
 Summary : FHWMF-Perim-Ind-Bkg-subtract-2A-orise
 File : F:\RESRAD_FAMILY\RESRAD\FHWMF-PERIMETER-INDUST-BKG-SUBTRACT-2A.RAD

Site-Specific Parameter Summary

| 3 Menu | Parameter | 3 User | 3 Input | 3 Default | 3 (If different from user input) | Used by RESRAD | 3 Parameter Name |
|--|---|-------------|-------------|--------------|-------------------------------------|----------------|------------------------|
| XX | | | | | | | |
| R011 | 3 Area of contaminated zone (m**2) | 3 2.290E+03 | 3 1.000E+04 | 3 | --- | --- | 3 AREA |
| R011 | 3 Thickness of contaminated zone (m) | 3 5.000E+00 | 3 2.000E+00 | 3 | --- | --- | 3 THICK0 |
| R011 | 3 Length parallel to aquifer flow (m) | 3 2.500E+02 | 3 1.000E+02 | 3 | --- | --- | 3 LCZPAQ |
| R011 | 3 Basic radiation dose limit (mrem/yr) | 3 1.500E+01 | 3 3.000E+01 | 3 | --- | --- | 3 BRDL |
| R011 | 3 Time since placement of material (yr) | 3 0.000E+00 | 3 0.000E+00 | 3 | --- | --- | 3 TI |
| R011 | 3 Times for calculations (yr) | 3 1.000E+00 | 3 1.000E+00 | 3 | --- | --- | 3 T(2) |
| R011 | 3 Times for calculations (yr) | 3 5.000E+00 | 3 3.000E+00 | 3 | --- | --- | 3 T(3) |
| R011 | 3 Times for calculations (yr) | 3 1.000E+01 | 3 1.000E+01 | 3 | --- | --- | 3 T(4) |
| R011 | 3 Times for calculations (yr) | 3 5.000E+01 | 3 3.000E+01 | 3 | --- | --- | 3 T(5) |
| R011 | 3 Times for calculations (yr) | 3 1.000E+02 | 3 1.000E+02 | 3 | --- | --- | 3 T(6) |
| R011 | 3 Times for calculations (yr) | 3 5.000E+02 | 3 3.000E+02 | 3 | --- | --- | 3 T(7) |
| R011 | 3 Times for calculations (yr) | 3 1.000E+03 | 3 1.000E+03 | 3 | --- | --- | 3 T(8) |
| R011 | 3 Times for calculations (yr) | 3 not used | 3 0.000E+00 | 3 | --- | --- | 3 T(9) |
| R011 | 3 Times for calculations (yr) | 3 not used | 3 0.000E+00 | 3 | --- | --- | 3 T(10) |
| 3 | | 3 | 3 | 3 | 3 | 3 | 3 |
| R012 | 3 Initial principal radionuclide (pCi/g): Cs-137 | 3 8.020E+00 | 3 0.000E+00 | 3 | --- | --- | 3 S1(1) |
| R012 | 3 Initial principal radionuclide (pCi/g): Ra-226 | 3 6.000E-02 | 3 0.000E+00 | 3 | --- | --- | 3 S1(3) |
| R012 | 3 Initial principal radionuclide (pCi/g): Sr-90 | 3 7.800E-01 | 3 0.000E+00 | 3 | --- | --- | 3 S1(4) |
| R012 | 3 Concentration in groundwater (pCi/L): Cs-137 | 3 not used | 3 0.000E+00 | 3 | --- | --- | 3 W1(1) |
| R012 | 3 Concentration in groundwater (pCi/L): Ra-226 | 3 not used | 3 0.000E+00 | 3 | --- | --- | 3 W1(3) |
| R012 | 3 Concentration in groundwater (pCi/L): Sr-90 | 3 not used | 3 0.000E+00 | 3 | --- | --- | 3 W1(4) |
| 3 | | 3 | 3 | 3 | 3 | 3 | 3 |
| R013 | 3 Cover depth (m) | 3 0.000E+00 | 3 0.000E+00 | 3 | --- | --- | 3 COVER0 |
| R013 | 3 Density of cover material (g/cm**3) | 3 not used | 3 1.500E+00 | 3 | --- | --- | 3 DENSCV |
| R013 | 3 Cover depth erosion rate (m/yr) | 3 not used | 3 1.000E-03 | 3 | --- | --- | 3 VCV |
| R013 | 3 Density of contaminated zone (g/cm**3) | 3 1.660E+00 | 3 1.500E+00 | 3 | --- | --- | 3 DENSCZ |
| R013 | 3 Contaminated zone erosion rate (m/yr) | 3 1.000E-03 | 3 1.000E-03 | 3 | --- | --- | 3 VCZ |
| R013 | 3 Contaminated zone total porosity | 3 3.300E-01 | 3 4.000E-01 | 3 | --- | --- | 3 TPCZ |
| R013 | 3 Contaminated zone field capacity | 3 2.400E-01 | 3 2.000E-01 | 3 | --- | --- | 3 FCCZ |
| R013 | 3 Contaminated zone hydraulic conductivity (m/yr) | 3 5.000E+03 | 3 1.000E+01 | 3 | --- | --- | 3 HCCZ |
| R013 | 3 Contaminated zone b parameter | 3 4.900E+00 | 3 5.300E+00 | 3 | --- | --- | 3 BCZ |
| R013 | 3 Average annual wind speed (m/sec) | 3 2.000E+00 | 3 2.000E+00 | 3 | --- | --- | 3 WIND |
| R013 | 3 Humidity in air (g/m**3) | 3 not used | 3 8.000E+00 | 3 | --- | --- | 3 HUMID |
| R013 | 3 Evapotranspiration coefficient | 3 4.600E-01 | 3 5.000E-01 | 3 | --- | --- | 3 EVAPTR |
| R013 | 3 Precipitation (m/yr) | 3 1.230E+00 | 3 1.000E+00 | 3 | --- | --- | 3 PRECIP |
| R013 | 3 Irrigation (m/yr) | 3 0.000E+00 | 3 2.000E-01 | 3 | --- | --- | 3 RI |
| R013 | 3 Irrigation mode | 3 overhead | 3 overhead | 3 | --- | --- | 3 IDITCH |
| R013 | 3 Runoff coefficient | 3 2.000E-01 | 3 2.000E-01 | 3 | --- | --- | 3 RUNOFF |
| R013 | 3 Watershed area for nearby stream or pond (m**2) | 3 1.000E+06 | 3 1.000E+06 | 3 | --- | --- | 3 WAREA |
| R013 | 3 Accuracy for water/soil computations | 3 1.000E-03 | 3 1.000E-03 | 3 | --- | --- | 3 EPS |
| 3 | | 3 | 3 | 3 | 3 | 3 | 3 |
| R014 | 3 Density of saturated zone (g/cm**3) | 3 1.660E+00 | 3 1.500E+00 | 3 | --- | --- | 3 DENSAQ |
| R014 | 3 Saturated zone total porosity | 3 3.300E-01 | 3 4.000E-01 | 3 | --- | --- | 3 TPSZ |
| R014 | 3 Saturated zone effective porosity | 3 2.400E-01 | 3 2.000E-01 | 3 | --- | --- | 3 EPSZ |
| R014 | 3 Saturated zone field capacity | 3 2.000E-01 | 3 2.000E-01 | 3 | --- | --- | 3 FCSZ |
| R014 | 3 Saturated zone hydraulic conductivity (m/yr) | 3 2.000E+04 | 3 1.000E+02 | 3 | --- | --- | 3 HCSZ |
| R014 | 3 Saturated zone hydraulic gradient | 3 4.800E-03 | 3 2.000E-02 | 3 | --- | --- | 3 HGWT |
| R014 | 3 Saturated zone b parameter | 3 4.900E+00 | 3 5.300E+00 | 3 | --- | --- | 3 BSZ |
| R014 | 3 Water table drop rate (m/yr) | 3 1.000E-03 | 3 1.000E-03 | 3 | --- | --- | 3 VWT |
| R014 | 3 Well pump intake depth (m below water table) | 3 1.800E+01 | 3 1.000E+01 | 3 | --- | --- | 3 DWIBWT |

Site-Specific Parameter Summary (continued)

| Menu | Parameter | User | Input | Default | (If different from user input) | Used by RESRAD | Parameter |
|-------|--|-----------|-----------|-----------|--------------------------------|----------------|--------------|
| <hr/> | | | | | | | |
| R014 | Model: Nondispersion (ND) or Mass-Balance (MB) | ND | ND | ND | | --- | MODEL |
| R014 | Well pumping rate (m**3/yr) | not used | 2.500E+02 | 2.500E+02 | | --- | UW |
| R015 | Number of unsaturated zone strata | 1 | 1 | 1 | | --- | NS |
| R015 | Unsat. zone 1, thickness (m) | 0.000E+00 | 4.000E+00 | 4.000E+00 | | --- | H(1) |
| R015 | Unsat. zone 1, soil density (g/cm**3) | 1.660E+00 | 1.500E+00 | 1.500E+00 | | --- | DENSUZ(1) |
| R015 | Unsat. zone 1, total porosity | 3.300E-01 | 4.000E-01 | 4.000E-01 | | --- | TPUZ(1) |
| R015 | Unsat. zone 1, effective porosity | 2.400E-01 | 2.000E-01 | 2.000E-01 | | --- | EPUZ(1) |
| R015 | Unsat. zone 1, field capacity | 2.000E-01 | 2.000E-01 | 2.000E-01 | | --- | FCUZ(1) |
| R015 | Unsat. zone 1, soil-specific b parameter | 4.900E+00 | 5.300E+00 | 5.300E+00 | | --- | BUZ(1) |
| R015 | Unsat. zone 1, hydraulic conductivity (m/yr) | 5.000E+03 | 1.000E+01 | 1.000E+01 | | --- | HCUZ(1) |
| R016 | Distribution coefficients for Cs-137 | 3 | 3 | 3 | | 3 | |
| R016 | Contaminated zone (cm**3/g) | 2.800E+02 | 4.600E+03 | 4.600E+03 | | --- | DCNUCC(1) |
| R016 | Unsaturated zone 1 (cm**3/g) | 2.800E+02 | 4.600E+03 | 4.600E+03 | | --- | DCNUCU(1,1) |
| R016 | Saturated zone (cm**3/g) | 2.800E+02 | 4.600E+03 | 4.600E+03 | | --- | DCNUCS(1) |
| R016 | Leach rate (/yr) | 0.000E+00 | 0.000E+00 | 0.000E+00 | 2.285E-04 | | ALEACH(1) |
| R016 | Solubility constant | 0.000E+00 | 0.000E+00 | 0.000E+00 | not used | | SOLUBK(1) |
| R016 | Distribution coefficients for Ra-226 | 3 | 3 | 3 | | 3 | |
| R016 | Contaminated zone (cm**3/g) | 7.000E+01 | 7.000E+01 | 7.000E+01 | | --- | DCNUCC(3) |
| R016 | Unsaturated zone 1 (cm**3/g) | 7.000E+01 | 7.000E+01 | 7.000E+01 | | --- | DCNUCU(3,1) |
| R016 | Saturated zone (cm**3/g) | 7.000E+01 | 7.000E+01 | 7.000E+01 | | --- | DCNUCS(3) |
| R016 | Leach rate (/yr) | 0.000E+00 | 0.000E+00 | 0.000E+00 | 9.127E-04 | | ALEACH(3) |
| R016 | Solubility constant | 0.000E+00 | 0.000E+00 | 0.000E+00 | not used | | SOLUBK(3) |
| R016 | Distribution coefficients for Sr-90 | 3 | 3 | 3 | | 3 | |
| R016 | Contaminated zone (cm**3/g) | 3.000E+01 | 3.000E+01 | 3.000E+01 | | --- | DCNUCC(4) |
| R016 | Unsaturated zone 1 (cm**3/g) | 3.000E+01 | 3.000E+01 | 3.000E+01 | | --- | DCNUCU(4,1) |
| R016 | Saturated zone (cm**3/g) | 3.000E+01 | 3.000E+01 | 3.000E+01 | | --- | DCNUCS(4) |
| R016 | Leach rate (/yr) | 0.000E+00 | 0.000E+00 | 0.000E+00 | 2.124E-03 | | ALEACH(4) |
| R016 | Solubility constant | 0.000E+00 | 0.000E+00 | 0.000E+00 | not used | | SOLUBK(4) |
| R016 | Distribution coefficients for daughter Pb-210 | 3 | 3 | 3 | | 3 | |
| R016 | Contaminated zone (cm**3/g) | 1.000E+02 | 1.000E+02 | 1.000E+02 | | --- | DCNUCC(2) |
| R016 | Unsaturated zone 1 (cm**3/g) | 1.000E+02 | 1.000E+02 | 1.000E+02 | | --- | DCNUCU(2,1) |
| R016 | Saturated zone (cm**3/g) | 1.000E+02 | 1.000E+02 | 1.000E+02 | | --- | DCNUCS(2) |
| R016 | Leach rate (/yr) | 0.000E+00 | 0.000E+00 | 0.000E+00 | 6.393E-04 | | ALEACH(2) |
| R016 | Solubility constant | 0.000E+00 | 0.000E+00 | 0.000E+00 | not used | | SOLUBK(2) |
| R017 | Inhalation rate (m**3/yr) | 8.400E+03 | 8.400E+03 | 8.400E+03 | | --- | INHALR |
| R017 | Mass loading for inhalation (g/m**3) | 1.000E-04 | 1.000E-04 | 1.000E-04 | | --- | MLINH |
| R017 | Exposure duration | 2.500E+01 | 3.000E+01 | 3.000E+01 | | --- | ED |
| R017 | Shielding factor, inhalation | 4.000E-01 | 4.000E-01 | 4.000E-01 | | --- | SHF3 |
| R017 | Shielding factor, external gamma | 8.000E-01 | 7.000E-01 | 7.000E-01 | | --- | SHF1 |
| R017 | Fraction of time spent indoors | 6.000E-02 | 5.000E-01 | 5.000E-01 | | --- | FIND |
| R017 | Fraction of time spent outdoors (on site) | 1.700E-01 | 2.500E-01 | 2.500E-01 | | --- | FOTD |
| R017 | Shape factor flag, external gamma | 1.000E+00 | 1.000E+00 | 1.000E+00 | >0 shows circular AREA. | | FS |

Summary : FHWMF-Perim-Ind-Bkg-subtract-2A-orise

File : F:\RESRAD_FAMILY\RESRAD\FHWMF-PERIMETER-INDUST-BKG-SUBTRACT-2A.RAD

Site-Specific Parameter Summary (continued)

| Menu | Parameter | User | Input | Default | Used by RESRAD (If different from user input) | Parameter Name |
|-------|--|------|----------|-----------|--|-------------------|
| <hr/> | | | | | | |
| R017 | Radial shape factor array (used if FS = -1): | | | | | |
| R017 | Outer annular radius (m), ring 1: | | not used | 5.000E+01 | --- | RAD_SHAPE(1) |
| R017 | Outer annular radius (m), ring 2: | | not used | 7.071E+01 | --- | RAD_SHAPE(2) |
| R017 | Outer annular radius (m), ring 3: | | not used | 0.000E+00 | --- | RAD_SHAPE(3) |
| R017 | Outer annular radius (m), ring 4: | | not used | 0.000E+00 | --- | RAD_SHAPE(4) |
| R017 | Outer annular radius (m), ring 5: | | not used | 0.000E+00 | --- | RAD_SHAPE(5) |
| R017 | Outer annular radius (m), ring 6: | | not used | 0.000E+00 | --- | RAD_SHAPE(6) |
| R017 | Outer annular radius (m), ring 7: | | not used | 0.000E+00 | --- | RAD_SHAPE(7) |
| R017 | Outer annular radius (m), ring 8: | | not used | 0.000E+00 | --- | RAD_SHAPE(8) |
| R017 | Outer annular radius (m), ring 9: | | not used | 0.000E+00 | --- | RAD_SHAPE(9) |
| R017 | Outer annular radius (m), ring 10: | | not used | 0.000E+00 | --- | RAD_SHAPE(10) |
| R017 | Outer annular radius (m), ring 11: | | not used | 0.000E+00 | --- | RAD_SHAPE(11) |
| R017 | Outer annular radius (m), ring 12: | | not used | 0.000E+00 | --- | RAD_SHAPE(12) |
| | | | | | | 3 |
| R017 | Fractions of annular areas within AREA: | | | | | 3 |
| R017 | Ring 1 | | not used | 1.000E+00 | --- | FRACA(1) |
| R017 | Ring 2 | | not used | 2.732E-01 | --- | FRACA(2) |
| R017 | Ring 3 | | not used | 0.000E+00 | --- | FRACA(3) |
| R017 | Ring 4 | | not used | 0.000E+00 | --- | FRACA(4) |
| R017 | Ring 5 | | not used | 0.000E+00 | --- | FRACA(5) |
| R017 | Ring 6 | | not used | 0.000E+00 | --- | FRACA(6) |
| R017 | Ring 7 | | not used | 0.000E+00 | --- | FRACA(7) |
| R017 | Ring 8 | | not used | 0.000E+00 | --- | FRACA(8) |
| R017 | Ring 9 | | not used | 0.000E+00 | --- | FRACA(9) |
| R017 | Ring 10 | | not used | 0.000E+00 | --- | FRACA(10) |
| R017 | Ring 11 | | not used | 0.000E+00 | --- | FRACA(11) |
| R017 | Ring 12 | | not used | 0.000E+00 | --- | FRACA(12) |
| | | | | | | 3 |
| R018 | Fruits, vegetables and grain consumption (kg/yr) | | not used | 1.600E+02 | --- | DIET(1) |
| R018 | Leafy vegetable consumption (kg/yr) | | not used | 1.400E+01 | --- | DIET(2) |
| R018 | Milk consumption (L/yr) | | not used | 9.200E+01 | --- | DIET(3) |
| R018 | Meat and poultry consumption (kg/yr) | | not used | 6.300E+01 | --- | DIET(4) |
| R018 | Fish consumption (kg/yr) | | not used | 5.400E+00 | --- | DIET(5) |
| R018 | Other seafood consumption (kg/yr) | | not used | 9.000E-01 | --- | DIET(6) |
| R018 | Soil ingestion rate (g/yr) | | | 3.650E+01 | 3.650E+01 | SOIL |
| R018 | Drinking water intake (L/yr) | | | 3.500E+02 | 5.100E+02 | DWI |
| R018 | Contamination fraction of drinking water | | | 1.000E+00 | 1.000E+00 | FDW |
| R018 | Contamination fraction of household water | | not used | 1.000E+00 | --- | FHHW |
| R018 | Contamination fraction of livestock water | | not used | 1.000E+00 | --- | FLW |
| R018 | Contamination fraction of irrigation water | | not used | 1.000E+00 | --- | FIRW |
| R018 | Contamination fraction of aquatic food | | not used | 5.000E-01 | --- | FR9 |
| R018 | Contamination fraction of plant food | | not used | -1 | --- | FPLANT |
| R018 | Contamination fraction of meat | | not used | -1 | --- | FMEAT |
| R018 | Contamination fraction of milk | | not used | -1 | --- | FMILK |
| | | | | | | 3 |
| R019 | Livestock fodder intake for meat (kg/day) | | not used | 6.800E+01 | --- | LFI5 |
| R019 | Livestock fodder intake for milk (kg/day) | | not used | 5.500E+01 | --- | LFI6 |
| R019 | Livestock water intake for meat (L/day) | | not used | 5.000E+01 | --- | LWI5 |
| R019 | Livestock water intake for milk (L/day) | | not used | 1.600E+02 | --- | LWI6 |
| R019 | Livestock soil intake (kg/day) | | not used | 5.000E-01 | --- | LSI |

Summary : FHWMF-Perim-Ind-Bkg-subtract-2A-orise

File : F:\RESRAD_FAMILY\RESRAD\FHWMF-PERIMETER-INDUST-BKG-SUBTRACT-2A.RAD

Site-Specific Parameter Summary (continued)

| Menu ³ | Parameter | ³ User | ³ Input | ³ Default | ³ (If different from user input) | Used by RESRAD | ³ Parameter Name |
|-------------------|--|-----------------------|------------------------|------------------------|---|----------------|-----------------------------|
| <hr/> | | | | | | | |
| R019 ³ | Mass loading for foliar deposition (g/m**3) | ³ not used | ³ 1.000E-04 | ³ 1.000E-04 | ³ | --- | ³ MLFD |
| R019 ³ | Depth of soil mixing layer (m) | ³ not used | ³ 1.500E-01 | ³ 1.500E-01 | ³ 1.500E-01 | --- | ³ DM |
| R019 ³ | Depth of roots (m) | ³ not used | ³ 9.000E-01 | ³ 9.000E-01 | ³ 9.000E-01 | --- | ³ DROOT |
| R019 ³ | Drinking water fraction from ground water | ³ not used | ³ 1.000E+00 | ³ 1.000E+00 | ³ 1.000E+00 | --- | ³ FGWDW |
| R019 ³ | Household water fraction from ground water | ³ not used | ³ 1.000E+00 | ³ 1.000E+00 | ³ 1.000E+00 | --- | ³ FGWHH |
| R019 ³ | Livestock water fraction from ground water | ³ not used | ³ 1.000E+00 | ³ 1.000E+00 | ³ 1.000E+00 | --- | ³ FGWLW |
| R019 ³ | Irrigation fraction from ground water | ³ not used | ³ 1.000E+00 | ³ 1.000E+00 | ³ 1.000E+00 | --- | ³ FGWIR |
| ³ | | ³ | ³ | ³ | ³ | ³ | ³ |
| R19B ³ | Wet weight crop yield for Non-Leafy (kg/m**2) | ³ not used | ³ 7.000E-01 | ³ 7.000E-01 | ³ 7.000E-01 | --- | ³ YV(1) |
| R19B ³ | Wet weight crop yield for Leafy (kg/m**2) | ³ not used | ³ 1.500E+00 | ³ 1.500E+00 | ³ 1.500E+00 | --- | ³ YV(2) |
| R19B ³ | Wet weight crop yield for Fodder (kg/m**2) | ³ not used | ³ 1.100E+00 | ³ 1.100E+00 | ³ 1.100E+00 | --- | ³ YV(3) |
| R19B ³ | Growing Season for Non-Leafy (years) | ³ not used | ³ 1.700E-01 | ³ 1.700E-01 | ³ 1.700E-01 | --- | ³ TE(1) |
| R19B ³ | Growing Season for Leafy (years) | ³ not used | ³ 2.500E-01 | ³ 2.500E-01 | ³ 2.500E-01 | --- | ³ TE(2) |
| R19B ³ | Growing Season for Fodder (years) | ³ not used | ³ 8.000E-02 | ³ 8.000E-02 | ³ 8.000E-02 | --- | ³ TE(3) |
| R19B ³ | Translocation Factor for Non-Leafy | ³ not used | ³ 1.000E-01 | ³ 1.000E-01 | ³ 1.000E-01 | --- | ³ TIV(1) |
| R19B ³ | Translocation Factor for Leafy | ³ not used | ³ 1.000E+00 | ³ 1.000E+00 | ³ 1.000E+00 | --- | ³ TIV(2) |
| R19B ³ | Translocation Factor for Fodder | ³ not used | ³ 1.000E+00 | ³ 1.000E+00 | ³ 1.000E+00 | --- | ³ TIV(3) |
| R19B ³ | Dry Foliar Interception Fraction for Non-Leafy | ³ not used | ³ 2.500E-01 | ³ 2.500E-01 | ³ 2.500E-01 | --- | ³ RDRY(1) |
| R19B ³ | Dry Foliar Interception Fraction for Leafy | ³ not used | ³ 2.500E-01 | ³ 2.500E-01 | ³ 2.500E-01 | --- | ³ RDRY(2) |
| R19B ³ | Dry Foliar Interception Fraction for Fodder | ³ not used | ³ 2.500E-01 | ³ 2.500E-01 | ³ 2.500E-01 | --- | ³ RDRY(3) |
| R19B ³ | Wet Foliar Interception Fraction for Non-Leafy | ³ not used | ³ 2.500E-01 | ³ 2.500E-01 | ³ 2.500E-01 | --- | ³ RWET(1) |
| R19B ³ | Wet Foliar Interception Fraction for Leafy | ³ not used | ³ 2.500E-01 | ³ 2.500E-01 | ³ 2.500E-01 | --- | ³ RWET(2) |
| R19B ³ | Wet Foliar Interception Fraction for Fodder | ³ not used | ³ 2.500E-01 | ³ 2.500E-01 | ³ 2.500E-01 | --- | ³ RWET(3) |
| R19B ³ | Weathering Removal Constant for Vegetation | ³ not used | ³ 2.000E+01 | ³ 2.000E+01 | ³ 2.000E+01 | --- | ³ WLAM |
| ³ | | ³ | ³ | ³ | ³ | ³ | ³ |
| C14 ³ | C-12 concentration in water (g/cm**3) | ³ not used | ³ 2.000E-05 | ³ 2.000E-05 | ³ 2.000E-05 | --- | ³ C12WTR |
| C14 ³ | C-12 concentration in contaminated soil (g/g) | ³ not used | ³ 3.000E-02 | ³ 3.000E-02 | ³ 3.000E-02 | --- | ³ C12CZ |
| C14 ³ | Fraction of vegetation carbon from soil | ³ not used | ³ 2.000E-02 | ³ 2.000E-02 | ³ 2.000E-02 | --- | ³ CSOIL |
| C14 ³ | Fraction of vegetation carbon from air | ³ not used | ³ 9.800E-01 | ³ 9.800E-01 | ³ 9.800E-01 | --- | ³ CAIR |
| C14 ³ | C-14 evaporation layer thickness in soil (m) | ³ not used | ³ 3.000E-01 | ³ 3.000E-01 | ³ 3.000E-01 | --- | ³ DMC |
| C14 ³ | C-14 evaporation flux rate from soil (l/sec) | ³ not used | ³ 7.000E-07 | ³ 7.000E-07 | ³ 7.000E-07 | --- | ³ EVSN |
| C14 ³ | C-12 evaporation flux rate from soil (l/sec) | ³ not used | ³ 1.000E-10 | ³ 1.000E-10 | ³ 1.000E-10 | --- | ³ REVSN |
| C14 ³ | Fraction of grain in beef cattle feed | ³ not used | ³ 8.000E-01 | ³ 8.000E-01 | ³ 8.000E-01 | --- | ³ AVFG4 |
| C14 ³ | Fraction of grain in milk cow feed | ³ not used | ³ 2.000E-01 | ³ 2.000E-01 | ³ 2.000E-01 | --- | ³ AVFG5 |
| ³ | | ³ | ³ | ³ | ³ | ³ | ³ |
| STOR ³ | Storage times of contaminated foodstuffs (days): | ³ | ³ | ³ | ³ | ³ | ³ |
| STOR ³ | Fruits, non-leafy vegetables, and grain | ³ not used | ³ 1.400E+01 | ³ 1.400E+01 | ³ 1.400E+01 | --- | ³ STOR_T(1) |
| STOR ³ | Leafy vegetables | ³ not used | ³ 1.000E+00 | ³ 1.000E+00 | ³ 1.000E+00 | --- | ³ STOR_T(2) |
| STOR ³ | Milk | ³ not used | ³ 1.000E+00 | ³ 1.000E+00 | ³ 1.000E+00 | --- | ³ STOR_T(3) |
| STOR ³ | Meat and poultry | ³ not used | ³ 2.000E+01 | ³ 2.000E+01 | ³ 2.000E+01 | --- | ³ STOR_T(4) |
| STOR ³ | Fish | ³ not used | ³ 7.000E+00 | ³ 7.000E+00 | ³ 7.000E+00 | --- | ³ STOR_T(5) |
| STOR ³ | Crustacea and mollusks | ³ not used | ³ 7.000E+00 | ³ 7.000E+00 | ³ 7.000E+00 | --- | ³ STOR_T(6) |
| STOR ³ | Well water | ³ not used | ³ 1.000E+00 | ³ 1.000E+00 | ³ 1.000E+00 | --- | ³ STOR_T(7) |
| STOR ³ | Surface water | ³ not used | ³ 1.000E+00 | ³ 1.000E+00 | ³ 1.000E+00 | --- | ³ STOR_T(8) |
| STOR ³ | Livestock fodder | ³ not used | ³ 4.500E+01 | ³ 4.500E+01 | ³ 4.500E+01 | --- | ³ STOR_T(9) |
| ³ | | ³ | ³ | ³ | ³ | ³ | ³ |
| R021 ³ | Thickness of building foundation (m) | ³ not used | ³ 1.500E-01 | ³ 1.500E-01 | ³ 1.500E-01 | --- | ³ FLOOR1 |
| R021 ³ | Bulk density of building foundation (g/cm**3) | ³ not used | ³ 2.400E+00 | ³ 2.400E+00 | ³ 2.400E+00 | --- | ³ DENSFL |
| R021 ³ | Total porosity of the cover material | ³ not used | ³ 4.000E-01 | ³ 4.000E-01 | ³ 4.000E-01 | --- | ³ TPCV |
| R021 ³ | Total porosity of the building foundation | ³ not used | ³ 1.000E-01 | ³ 1.000E-01 | ³ 1.000E-01 | --- | ³ TPFL |

Summary : FHWMF-Perim-Ind-Bkg-subtract-2A-orise

File : F:\RESRAD_FAMILY\RESRAD\FHWMF-PERIMETER-INDUST-BKG-SUBTRACT-2A.RAD

Site-Specific Parameter Summary (continued)

| ³ Menu | ³ Parameter | ³ User | ³ Input | ³ Default | ³ (If different from user input) | ³ Used by RESRAD | ³ Parameter Name |
|----------------------|---|----------------------|-----------------------|-------------------------|--|--------------------------------|-----------------------------------|
| <hr/> | | | | | | | |
| R021 | ³ Volumetric water content of the cover material | | ³ not used | ³ 5.000E-02 | ³ | --- | ³ PH2OCV |
| R021 | ³ Volumetric water content of the foundation | | ³ not used | ³ 3.000E-02 | ³ | --- | ³ PH2OFL |
| R021 | ³ Diffusion coefficient for radon gas (m/sec): | | | | ³ | | ³ |
| R021 | ³ in cover material | | ³ not used | ³ 2.000E-06 | ³ | --- | ³ DIFCV |
| R021 | ³ in foundation material | | ³ not used | ³ 3.000E-07 | ³ | --- | ³ DIFFL |
| R021 | ³ in contaminated zone soil | | ³ not used | ³ 2.000E-06 | ³ | --- | ³ DIFCZ |
| R021 | ³ Radon vertical dimension of mixing (m) | | ³ not used | ³ 2.000E+00 | ³ | --- | ³ HMIX |
| R021 | ³ Average building air exchange rate (1/hr) | | ³ not used | ³ 5.000E-01 | ³ | --- | ³ REXG |
| R021 | ³ Height of the building (room) (m) | | ³ not used | ³ 2.500E+00 | ³ | --- | ³ HRM |
| R021 | ³ Building interior area factor | | ³ not used | ³ 0.000E+00 | ³ | --- | ³ FAI |
| R021 | ³ Building depth below ground surface (m) | | ³ not used | ³ -1.000E+00 | ³ | --- | ³ DMFL |
| R021 | ³ Emanating power of Rn-222 gas | | ³ not used | ³ 2.500E-01 | ³ | --- | ³ EMANA(1) |
| R021 | ³ Emanating power of Rn-220 gas | | ³ not used | ³ 1.500E-01 | ³ | --- | ³ EMANA(2) |
| TITL | ³ Number of graphical time points | | ³ 32 | ³ | ³ --- | ³ | ³ NPTS |
| TITL | ³ Maximum number of integration points for dose | | ³ 17 | ³ | ³ --- | ³ | ³ LYMAX |
| TITL | ³ Maximum number of integration points for risk | | ³ 257 | ³ | ³ --- | ³ | ³ KYMAX |
| <hr/> | | | | | | | |

Summary of Pathway Selections

| Pathway | ³ User Selection |
|-----------------------------|--------------------------------|
| <hr/> | |
| 1 -- external gamma | ³ active |
| 2 -- inhalation (w/o radon) | ³ active |
| 3 -- plant ingestion | ³ suppressed |
| 4 -- meat ingestion | ³ suppressed |
| 5 -- milk ingestion | ³ suppressed |
| 6 -- aquatic foods | ³ suppressed |
| 7 -- drinking water | ³ active |
| 8 -- soil ingestion | ³ active |
| 9 -- radon | ³ suppressed |
| Find peak pathway doses | ³ active |
| <hr/> | |

RESRAD, Version 6.4 T₉₀ Limit = 180 days 12/16/2009 19:43 Page 9

Summary : FHWMF-Perim-Ind-Bkg-subtract-2A-orise

File : F:\RESRAD_FAMILY\RESRAD\FHWMF-PERIMETER-INDUST-BKG-SUBTRACT-2A.RAD

| Contaminated Zone Dimensions | Initial Soil Concentrations, pCi/g |
|------------------------------|------------------------------------|
| Area: 2290.00 square meters | Cs-137 8.020E+00 |
| Thickness: 5.00 meters | Ra-226 6.000E-02 |
| Cover Depth: 0.00 meters | Sr-90 7.800E-01 |

Total Dose TDOSE(t), mrem/yr

Basic Radiation Dose Limit = 1.500E+01 mrem/yr

Total Mixture Sum M(t) = Fraction of Basic Dose Limit Received at Time (t)

AA

t (years): 0.000E+00 1.000E+00 5.000E+00 1.000E+01 5.000E+01 1.000E+02 5.000E+02 1.000E+03

TDOSE(t): 5.456E+00 5.334E+00 4.875E+00 4.358E+00 1.821E+00 6.913E-01 1.552E-01 7.956E-02

M(t): 3.637E-01 3.556E-01 3.250E-01 2.905E-01 1.214E-01 4.609E-02 1.035E-02 5.304E-03

Maximum TDOSE(t): 5.456E+00 mrem/yr at t = 0.000E+00 years

RESRAD, Version 6.4 T_{tx} Limit = 180 days 12/16/2009 19:43 Page 10
Summary : FHWMF-Perim-Ind-Bkg-subtract-2A-orise
File : F:\RESRAD_FAMILY\RESRAD\FHWMF-PERIMETER-INDUST-BKG-SUBTRACT-2A.RAD

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 0.000E+00 years

Water Independent Pathways (Inhalation excludes radon)

| | Ground | Inhalation | Radon | Plant | Meat | Milk | Soil |
|---------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|
| Radio- | AAAAAAAAAAAAAA |
| Nuclide | mrem/yr fract. |
| | AAAAAAA |
| Cs-137 | 5.313E+00 0.9739 | 5.992E-06 0.0000 | 0.000E+00 0.0000 | 0.000E+00 0.0000 | 0.000E+00 0.0000 | 0.000E+00 0.0000 | 3.327E-03 0.0006 |
| Ra-226 | 1.329E-01 0.0244 | 1.272E-05 0.0000 | 0.000E+00 0.0000 | 0.000E+00 0.0000 | 0.000E+00 0.0000 | 0.000E+00 0.0000 | 7.212E-04 0.0001 |
| Sr-90 | 3.748E-03 0.0007 | 2.387E-05 0.0000 | 0.000E+00 0.0000 | 0.000E+00 0.0000 | 0.000E+00 0.0000 | 0.000E+00 0.0000 | 9.877E-04 0.0002 |
| | fffff |
| Total | 5.450E+00 0.9990 | 4.258E-05 0.0000 | 0.000E+00 0.0000 | 0.000E+00 0.0000 | 0.000E+00 0.0000 | 0.000E+00 0.0000 | 5.036E-03 0.0009 |

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 0.000E+00 years

Water Dependent Pathways

| | Water | Fish | Radon | Plant | Meat | Milk | All Pathways* |
|---------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|
| Radio- | AAAAAAAAAAAAAA |
| Nuclide | mrem/yr fract. |
| | AAAAAAA |
| Cs-137 | 7.713E-06 0.0000 | 0.000E+00 0.0000 | 5.317E+00 0.9745 |
| Ra-226 | 6.128E-05 0.0000 | 0.000E+00 0.0000 | 1.337E-01 0.0245 |
| Sr-90 | 5.105E-04 0.0001 | 0.000E+00 0.0000 | 5.270E-03 0.0010 |
| | fffff |
| Total | 5.795E-04 0.0001 | 0.000E+00 0.0000 | 5.456E+00 1.0000 |

*Sum of all water independent and dependent pathways.

Summary : FHWMF-Perim-Ind-Bkg-subtract-2A-orise

File : F:\RESRAD_FAMILY\RESRAD\FHWMF-PERIMETER-INDUST-BKG-SUBTRACT-2A.RAD

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 1.000E+00 years

Water Independent Pathways (Inhalation excludes radon)

| | Ground | Inhalation | Radon | Plant | Meat | Milk | Soil |
|---------|--------------------|-------------------|-------------------|-------------------|-------------------|-------------------|-------------------|
| Radio- | AAAAAAAAAAAAAA | AAAAAAAAAAAAAA | AAAAAAAAAAAAAA | AAAAAAAAAAAAAA | AAAAAAAAAAAAAA | AAAAAAAAAAAAAA | AAAAAAAAAAAAAA |
| Nuclide | mrem/yr fract. | mrem/yr fract. | mrem/yr fract. | mrem/yr fract. | mrem/yr fract. | mrem/yr fract. | mrem/yr fract. |
| | AAAAAAA AAAA | AAAAAAA AAAA | AAAAAAA AAAA | AAAAAAA AAAA | AAAAAAA AAAA | AAAAAAA AAAA | AAAAAAA AAAA |
| Cs-137 | 5.191E+00 0.9731 | 5.853E-06 0.0000 | 0.000E+00 0.0000 | 0.000E+00 0.0000 | 0.000E+00 0.0000 | 0.000E+00 0.0000 | 3.251E-03 0.0006 |
| Ra-226 | 1.328E-01 0.0249 | 1.369E-05 0.0000 | 0.000E+00 0.0000 | 0.000E+00 0.0000 | 0.000E+00 0.0000 | 0.000E+00 0.0000 | 8.306E-04 0.0002 |
| Sr-90 | 3.652E-03 0.0007 | 2.326E-05 0.0000 | 0.000E+00 0.0000 | 0.000E+00 0.0000 | 0.000E+00 0.0000 | 0.000E+00 0.0000 | 9.624E-04 0.0002 |
| | fffff ffffff fffff | fffff fffff fffff |
| Total | 5.327E+00 0.9987 | 4.280E-05 0.0000 | 0.000E+00 0.0000 | 0.000E+00 0.0000 | 0.000E+00 0.0000 | 0.000E+00 0.0000 | 5.044E-03 0.0009 |

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 1.000E+00 years

Water Dependent Pathways

| | Water | Fish | Radon | Plant | Meat | Milk | All Pathways* |
|---------|--------------------|-------------------|-------------------|-------------------|-------------------|-------------------|-------------------|
| Radio- | AAAAAAAAAAAAAA | AAAAAAAAAAAAAA | AAAAAAAAAAAAAA | AAAAAAAAAAAAAA | AAAAAAAAAAAAAA | AAAAAAAAAAAAAA | AAAAAAAAAAAAAA |
| Nuclide | mrem/yr fract. | mrem/yr fract. | mrem/yr fract. | mrem/yr fract. | mrem/yr fract. | mrem/yr fract. | mrem/yr fract. |
| | AAAAAAA AAAA | AAAAAAA AAAA | AAAAAAA AAAA | AAAAAAA AAAA | AAAAAAA AAAA | AAAAAAA AAAA | AAAAAAA AAAA |
| Cs-137 | 2.288E-05 0.0000 | 0.000E+00 0.0000 | 0.000E+00 0.0000 | 0.000E+00 0.0000 | 0.000E+00 0.0000 | 0.000E+00 0.0000 | 5.194E+00 0.9738 |
| Ra-226 | 1.991E-04 0.0000 | 0.000E+00 0.0000 | 0.000E+00 0.0000 | 0.000E+00 0.0000 | 0.000E+00 0.0000 | 0.000E+00 0.0000 | 1.338E-01 0.0251 |
| Sr-90 | 1.503E-03 0.0003 | 0.000E+00 0.0000 | 6.141E-03 0.0012 |
| | fffff ffffff fffff | fffff fffff fffff |
| Total | 1.725E-03 0.0003 | 0.000E+00 0.0000 | 5.334E+00 1.0000 |

*Sum of all water independent and dependent pathways.

Summary : FHWMF-Perim-Ind-Bkg-subtract-2A-orise

File : F:\RESRAD_FAMILY\RESRAD\FHWMF-PERIMETER-INDUST-BKG-SUBTRACT-2A.RAD

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 5.000E+00 years

Water Independent Pathways (Inhalation excludes radon)

| | Ground | Inhalation | Radon | Plant | Meat | Milk | Soil |
|---------|--------------------|-------------------|-------------------|-------------------|-------------------|-------------------|-------------------|
| Radio- | AAAAAAAAAAAAAA | AAAAAAAAAAAAAA | AAAAAAAAAAAAAA | AAAAAAAAAAAAAA | AAAAAAAAAAAAAA | AAAAAAAAAAAAAA | AAAAAAAAAAAAAA |
| Nuclide | mrem/yr fract. | mrem/yr fract. | mrem/yr fract. | mrem/yr fract. | mrem/yr fract. | mrem/yr fract. | mrem/yr fract. |
| | AAAAAAA AAAA | AAAAAAA AAAA | AAAAAAA AAAA | AAAAAAA AAAA | AAAAAAA AAAA | AAAAAAA AAAA | AAAAAAA AAAA |
| Cs-137 | 4.728E+00 0.9699 | 5.332E-06 0.0000 | 0.000E+00 0.0000 | 0.000E+00 0.0000 | 0.000E+00 0.0000 | 0.000E+00 0.0000 | 2.961E-03 0.0006 |
| Ra-226 | 1.321E-01 0.0271 | 1.728E-05 0.0000 | 0.000E+00 0.0000 | 0.000E+00 0.0000 | 0.000E+00 0.0000 | 0.000E+00 0.0000 | 1.233E-03 0.0003 |
| Sr-90 | 3.293E-03 0.0007 | 2.097E-05 0.0000 | 0.000E+00 0.0000 | 0.000E+00 0.0000 | 0.000E+00 0.0000 | 0.000E+00 0.0000 | 8.676E-04 0.0002 |
| | fffff ffffff fffff | fffff fffff fffff |
| Total | 4.864E+00 0.9977 | 4.358E-05 0.0000 | 0.000E+00 0.0000 | 0.000E+00 0.0000 | 0.000E+00 0.0000 | 0.000E+00 0.0000 | 5.062E-03 0.0010 |

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 5.000E+00 years

Water Dependent Pathways

| | Water | Fish | Radon | Plant | Meat | Milk | All Pathways* |
|---------|--------------------|-------------------|-------------------|-------------------|-------------------|-------------------|-------------------|
| Radio- | AAAAAAAAAAAAAA | AAAAAAAAAAAAAA | AAAAAAAAAAAAAA | AAAAAAAAAAAAAA | AAAAAAAAAAAAAA | AAAAAAAAAAAAAA | AAAAAAAAAAAAAA |
| Nuclide | mrem/yr fract. | mrem/yr fract. | mrem/yr fract. | mrem/yr fract. | mrem/yr fract. | mrem/yr fract. | mrem/yr fract. |
| | AAAAAAA AAAA | AAAAAAA AAAA | AAAAAAA AAAA | AAAAAAA AAAA | AAAAAAA AAAA | AAAAAAA AAAA | AAAAAAA AAAA |
| Cs-137 | 7.682E-05 0.0000 | 0.000E+00 0.0000 | 0.000E+00 0.0000 | 0.000E+00 0.0000 | 0.000E+00 0.0000 | 0.000E+00 0.0000 | 4.731E+00 0.9706 |
| Ra-226 | 9.524E-04 0.0002 | 0.000E+00 0.0000 | 1.343E-01 0.0275 |
| Sr-90 | 5.002E-03 0.0010 | 0.000E+00 0.0000 | 9.183E-03 0.0019 |
| | fffff ffffff fffff | fffff fffff fffff |
| Total | 6.031E-03 0.0012 | 0.000E+00 0.0000 | 4.875E+00 1.0000 |

*Sum of all water independent and dependent pathways.

Summary : FHWMF-Perim-Ind-Bkg-subtract-2A-orise

File : F:\RESRAD_FAMILY\RESRAD\FHWMF-PERIMETER-INDUST-BKG-SUBTRACT-2A.RAD

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)

As mrem/yr and Fraction of Total Dose At t = 1.000E+01 years

Water Independent Pathways (Inhalation excludes radon)

| | Ground | Inhalation | Radon | Plant | Meat | Milk | Soil |
|---------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|
| Radio- | AAAAAAAAAAAAAA |
| Nuclide | mrem/yr fract. |
| Cs-137 | 4.208E+00 0.9656 | 4.745E-06 0.0000 | 0.000E+00 0.0000 | 0.000E+00 0.0000 | 0.000E+00 0.0000 | 0.000E+00 0.0000 | 2.635E-03 0.0006 |
| Ra-226 | 1.312E-01 0.0301 | 2.113E-05 0.0000 | 0.000E+00 0.0000 | 0.000E+00 0.0000 | 0.000E+00 0.0000 | 0.000E+00 0.0000 | 1.666E-03 0.0004 |
| Sr-90 | 2.892E-03 0.0007 | 1.842E-05 0.0000 | 0.000E+00 0.0000 | 0.000E+00 0.0000 | 0.000E+00 0.0000 | 0.000E+00 0.0000 | 7.621E-04 0.0002 |
| Total | 4.342E+00 0.9963 | 4.429E-05 0.0000 | 0.000E+00 0.0000 | 0.000E+00 0.0000 | 0.000E+00 0.0000 | 0.000E+00 0.0000 | 5.063E-03 0.0012 |

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)

As mrem/yr and Fraction of Total Dose At t = 1.000E+01 years

Water Dependent Pathways

| | Water | Fish | Radon | Plant | Meat | Milk | All Pathways* |
|---------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|
| Radio- | AAAAAAAAAAAAAA |
| Nuclide | mrem/yr fract. |
| Cs-137 | 1.307E-04 0.0000 | 0.000E+00 0.0000 | 4.210E+00 0.9662 |
| Ra-226 | 2.284E-03 0.0005 | 0.000E+00 0.0000 | 1.352E-01 0.0310 |
| Sr-90 | 8.436E-03 0.0019 | 0.000E+00 0.0000 | 1.211E-02 0.0028 |
| Total | 1.085E-02 0.0025 | 0.000E+00 0.0000 | 4.358E+00 1.0000 |

*Sum of all water independent and dependent pathways.

Summary : FHWMF-Perim-Ind-Bkg-subtract-2A-orise

File : F:\RESRAD_FAMILY\RESRAD\FHWMF-PERIMETER-INDUST-BKG-SUBTRACT-2A.RAD

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)

As mrem/yr and Fraction of Total Dose At t = 5.000E+01 years

Water Independent Pathways (Inhalation excludes radon)

| | Ground | Inhalation | Radon | Plant | Meat | Milk | Soil |
|---------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|
| Radio- | AAAAAAAAAAAAAA |
| Nuclide | mrem/yr fract. |
| Cs-137 | 1.655E+00 0.9089 | 1.866E-06 0.0000 | 0.000E+00 0.0000 | 0.000E+00 0.0000 | 0.000E+00 0.0000 | 0.000E+00 0.0000 | 1.036E-03 0.0006 |
| Ra-226 | 1.243E-01 0.0683 | 3.614E-05 0.0000 | 0.000E+00 0.0000 | 0.000E+00 0.0000 | 0.000E+00 0.0000 | 0.000E+00 0.0000 | 3.370E-03 0.0019 |
| Sr-90 | 1.025E-03 0.0006 | 6.529E-06 0.0000 | 0.000E+00 0.0000 | 0.000E+00 0.0000 | 0.000E+00 0.0000 | 0.000E+00 0.0000 | 2.702E-04 0.0001 |
| Total | 1.780E+00 0.9777 | 4.454E-05 0.0000 | 0.000E+00 0.0000 | 0.000E+00 0.0000 | 0.000E+00 0.0000 | 0.000E+00 0.0000 | 4.676E-03 0.0026 |

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)

As mrem/yr and Fraction of Total Dose At t = 5.000E+01 years

Water Dependent Pathways

| | Water | Fish | Radon | Plant | Meat | Milk | All Pathways* |
|---------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|
| Radio- | AAAAAAAAAAAAAA |
| Nuclide | mrem/yr fract. |
| Cs-137 | 2.489E-04 0.0001 | 0.000E+00 0.0000 | 1.656E+00 0.9096 |
| Ra-226 | 2.055E-02 0.0113 | 0.000E+00 0.0000 | 1.483E-01 0.0815 |
| Sr-90 | 1.501E-02 0.0082 | 0.000E+00 0.0000 | 1.631E-02 0.0090 |
| Total | 3.580E-02 0.0197 | 0.000E+00 0.0000 | 1.821E+00 1.0000 |

*Sum of all water independent and dependent pathways.

RESRAD, Version 6.4 T_x Limit = 180 days 12/16/2009 19:43 Page 15
Summary : FHWMF-Perim-Ind-Bkg-subtract-2A-orise
File : F:\RESRAD_FAMILY\RESRAD\FHWMF-PERIMETER-INDUST-BKG-SUBTRACT-2A.RAD

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 1.000E+02 years

Water Independent Pathways (Inhalation excludes radon)

| | Ground | Inhalation | Radon | Plant | Meat | Milk | Soil | | | | | |
|---------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|--------|-----------|--------|-----------|--------|
| Radio- | AAAAAAAAAAAAAA | | | | | |
| Nuclide | mrem/yr fract. | | | | | |
| | AAAAAAA | | | | | |
| Cs-137 | 5.153E-01 | 0.7453 | 5.810E-07 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 3.227E-04 | 0.0005 | | |
| Ra-226 | 1.163E-01 | 0.1682 | 3.875E-05 | 0.0001 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 3.702E-03 | 0.0054 |
| Sr-90 | 2.804E-04 | 0.0004 | 1.786E-06 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 7.390E-05 | 0.0001 |
| | fffff | fffff | fffff | fffff | fffff | |
| Total | 6.318E-01 | 0.9139 | 4.112E-05 | 0.0001 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 4.099E-03 | 0.0059 |

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 1.000E+02 years

Water Dependent Pathways

| | Water | Fish | Radon | Plant | Meat | Milk | All Pathways* | | | | | |
|---------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|--------|-----------|--------|-----------|--------|
| Radio- | AAAAAAAAAAAAAA | | | | | |
| Nuclide | mrem/yr fract. | | | | | |
| | AAAAAAA | | | | | |
| Cs-137 | 1.554E-04 | 0.0002 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 5.157E-01 | 0.7460 | | |
| Ra-226 | 4.660E-02 | 0.0674 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 1.666E-01 | 0.2410 |
| Sr-90 | 8.619E-03 | 0.0125 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 8.975E-03 | 0.0130 |
| | fffff | fffff | fffff | fffff | fffff | |
| Total | 5.537E-02 | 0.0801 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 0.000E+00 | 0.0000 | 6.913E-01 | 1.0000 |

*Sum of all water independent and dependent pathways.

Summary : FHWMF-Perim-Ind-Bkg-subtract-2A-orise

File : F:\RESRAD_FAMILY\RESRAD\FHWMF-PERIMETER-INDUST-BKG-SUBTRACT-2A.RAD

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)

As mrem/yr and Fraction of Total Dose At t = 5.000E+02 years

Water Independent Pathways (Inhalation excludes radon)

| | Ground | Inhalation | Radon | Plant | Meat | Milk | Soil |
|---------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|
| Radio- | AAAAAAAAAAAAAA |
| Nuclide | mrem/yr fract. |
| Cs-137 | 4.556E-05 0.0003 | 5.137E-11 0.0000 | 0.000E+00 0.0000 | 0.000E+00 0.0000 | 0.000E+00 0.0000 | 0.000E+00 0.0000 | 2.853E-08 0.0000 |
| Ra-226 | 6.787E-02 0.4373 | 2.343E-05 0.0002 | 0.000E+00 0.0000 | 0.000E+00 0.0000 | 0.000E+00 0.0000 | 0.000E+00 0.0000 | 2.251E-03 0.0145 |
| Sr-90 | 8.788E-09 0.0000 | 5.596E-11 0.0000 | 0.000E+00 0.0000 | 0.000E+00 0.0000 | 0.000E+00 0.0000 | 0.000E+00 0.0000 | 2.316E-09 0.0000 |
| Total | 6.791E-02 0.4376 | 2.343E-05 0.0002 | 0.000E+00 0.0000 | 0.000E+00 0.0000 | 0.000E+00 0.0000 | 0.000E+00 0.0000 | 2.251E-03 0.0145 |

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)

As mrem/yr and Fraction of Total Dose At t = 5.000E+02 years

Water Dependent Pathways

| | Water | Fish | Radon | Plant | Meat | Milk | All Pathways* |
|---------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|
| Radio- | AAAAAAAAAAAAAA |
| Nuclide | mrem/yr fract. |
| Cs-137 | 7.270E-08 0.0000 | 0.000E+00 0.0000 | 4.566E-05 0.0003 |
| Ra-226 | 8.499E-02 0.5477 | 0.000E+00 0.0000 | 1.551E-01 0.9997 |
| Sr-90 | 2.689E-07 0.0000 | 0.000E+00 0.0000 | 2.800E-07 0.0000 |
| Total | 8.499E-02 0.5477 | 0.000E+00 0.0000 | 1.552E-01 1.0000 |

*Sum of all water independent and dependent pathways.

Summary : FHWMF-Perim-Ind-Bkg-subtract-2A-orise

File : F:\RESRAD_FAMILY\RESRAD\FHWMF-PERIMETER-INDUST-BKG-SUBTRACT-2A.RAD

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)

As mrem/yr and Fraction of Total Dose At t = 1.000E+03 years

Water Independent Pathways (Inhalation excludes radon)

| | Ground | Inhalation | Radon | Plant | Meat | Milk | Soil |
|---------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|
| Radio- | AAAAAAAAAAAAAA |
| Nuclide | mrem/yr fract. |
| Cs-137 | 3.907E-10 0.0000 | 4.405E-16 0.0000 | 0.000E+00 0.0000 | 0.000E+00 0.0000 | 0.000E+00 0.0000 | 0.000E+00 0.0000 | 2.446E-13 0.0000 |
| Ra-226 | 3.463E-02 0.4352 | 1.196E-05 0.0002 | 0.000E+00 0.0000 | 0.000E+00 0.0000 | 0.000E+00 0.0000 | 0.000E+00 0.0000 | 1.149E-03 0.0144 |
| Sr-90 | 2.060E-14 0.0000 | 1.312E-16 0.0000 | 0.000E+00 0.0000 | 0.000E+00 0.0000 | 0.000E+00 0.0000 | 0.000E+00 0.0000 | 5.429E-15 0.0000 |
| Total | 3.463E-02 0.4352 | 1.196E-05 0.0002 | 0.000E+00 0.0000 | 0.000E+00 0.0000 | 0.000E+00 0.0000 | 0.000E+00 0.0000 | 1.149E-03 0.0144 |

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)

As mrem/yr and Fraction of Total Dose At t = 1.000E+03 years

Water Dependent Pathways

| | Water | Fish | Radon | Plant | Meat | Milk | All Pathways* |
|---------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|
| Radio- | AAAAAAAAAAAAAA |
| Nuclide | mrem/yr fract. |
| Cs-137 | 1.344E-12 0.0000 | 0.000E+00 0.0000 | 3.922E-10 0.0000 |
| Ra-226 | 4.377E-02 0.5502 | 0.000E+00 0.0000 | 7.956E-02 1.0000 |
| Sr-90 | 6.090E-13 0.0000 | 0.000E+00 0.0000 | 6.352E-13 0.0000 |
| Total | 4.377E-02 0.5502 | 0.000E+00 0.0000 | 7.956E-02 1.0000 |

*Sum of all water independent and dependent pathways.

RESRAD, Version 6.4 T_« Limit = 180 days 12/16/2009 19:43 Page 18
Summary : FHWMF-Perim-Ind-Bkg-subtract-2A-orise
File : F:\RESRAD_FAMILY\RESRAD\FHWMF-PERIMETER-INDUST-BKG-SUBTRACT-2A.RAD'

Dose/Source Ratios Summed Over All Pathways

Parent and Progeny Principal Radionuclide Contributions Indicated

| Parent | Product | Thread | DSR(j,t) At Time in Years (mrem/yr)/(pCi/g) | | | | | | | | | |
|------------|------------|-----------|---|-----------|-----------|-----------|-----------|-----------|-----------|-----------|---------|---------|
| (i) | (j) | Fraction | 0.000E+00 | 1.000E+00 | 5.000E+00 | 1.000E+01 | 5.000E+01 | 1.000E+02 | 5.000E+02 | 1.000E+03 | | |
| AAAAAAAAAA | AAAAAAAAAA | AAAAAAA | AAAAAAA | AAAAAAA | AAAAAAA | AAAAAAA | AAAAAAA | AAAAAAA | AAAAAAA | AAAAAAA | AAAAAAA | AAAAAAA |
| Cs-137+D | Cs-137+D | 1.000E+00 | 6.629E-01 | 6.477E-01 | 5.900E-01 | 5.250E-01 | 2.065E-01 | 6.431E-02 | 5.693E-06 | 4.891E-11 | | |
| Ra-226+D | Ra-226+D | 1.000E+00 | 2.228E+00 | 2.227E+00 | 2.223E+00 | 2.217E+00 | 2.175E+00 | 2.124E+00 | 1.425E+00 | 7.240E-01 | | |
| Ra-226+D | Pb-210+D | 1.000E+00 | 1.029E-03 | 3.290E-03 | 1.514E-02 | 3.532E-02 | 2.965E-01 | 6.529E-01 | 1.160E+00 | 6.020E-01 | | |
| Ra-226+D | äDSR(j) | | 2.229E+00 | 2.230E+00 | 2.238E+00 | 2.253E+00 | 2.472E+00 | 2.777E+00 | 2.586E+00 | 1.326E+00 | | |

Sr-90+D Sr-90+D 1.000E+00 6.757E-03 7.874E-03 1.177E-02 1.552E-02 2.091E-02 1.151E-02 3.590E-07 8.143E-13
 ffffff
 The DSR includes contributions from associated (half-life 6 180 days) daughters.

Single Radionuclide Soil Guidelines G(i,t) in pCi/g
Basic Radiation Dose Limit = 1.500E+01 mrem/yr

Summed Dose/Source Ratios DSR(i,t) in $(\text{mrem}/\text{yr}) / (\text{pCi/g})$
 and Single Radionuclide Soil Guidelines G(i,t) in pCi/g
 at tmin = time of minimum single radionuclide soil guideline
 and at tmax = time of maximum total dose = 0.000E+00 years

| Nuclide | Initial (i) | tmin (years) | DSR(i,tmin) (pCi/g) | G(i,tmin) (pCi/g) | DSR(i,tmax) (pCi/g) | G(i,tmax) (pCi/g) |
|----------------|----------------|--------------------|------------------------|----------------------|------------------------|----------------------|
| XXXXXXXXXXXXXX | XXXXXXXXXXXXXX | XXXXXXXXXXXXXXXXXX | XXXXXXXXXXXXXX | XXXXXXXXXXXXXX | XXXXXXXXXXXXXX | XXXXXXXXXXXXXX |
| Cs-137 | 8.020E+00 | 0.000E+00 | 6.629E-01 | 2.263E+01 | 6.629E-01 | 2.263E+01 |
| Ra-226 | 6.000E-02 | 262.3 ± 0.5 | 3.518E+00 | 4.264E+00 | 2.229E+00 | 6.729E+00 |
| Sr-90 | 7.800E-01 | 35.09 ± 0.07 | 2.210E-02 | 6.787E+02 | 6.757E-03 | 2.220E+03 |
| ffffffff | ffffffff | ffffffffffffffff | ffffffff | ffffffff | ffffffff | ffffffff |

RESRAD, Version 6.4 T_{tx} Limit = 180 days 12/16/2009 19:43 Page 19
Summary : FHWMF-Perim-Ind-Bkg-subtract-2A-orise
File : F:\RESRAD_FAMILY\RESRAD\FHWMF-PERIMETER-INDUST-BKG-SUBTRACT-2A.RAD

Individual Nuclide Dose Summed Over All Pathways
Parent Nuclide and Branch Fraction Indicated

| Nuclide | Parent | THF(i) | DOSE(j,t), mrem/yr |
|---------|--------|--|---|
| (j) | (i) | t= 0.000E+00 1.000E+00 5.000E+00 1.000E+01 5.000E+01 1.000E+02 5.000E+02 1.000E+03 | AAAAAAA AAAAAAA AAAAAAAA AAAAAAAA AAAAAAAA AAAAAAAA AAAAAAAA AAAAAAAA |
| Cs-137 | Cs-137 | 1.000E+00 | 5.317E+00 5.194E+00 4.731E+00 4.210E+00 1.656E+00 5.157E-01 4.566E-05 3.922E-10 |
| Ra-226 | Ra-226 | 1.000E+00 | 1.337E-01 1.336E-01 1.334E-01 1.330E-01 1.305E-01 1.274E-01 8.551E-02 4.344E-02 |
| Pb-210 | Ra-226 | 1.000E+00 | 6.174E-05 1.974E-04 9.083E-04 2.119E-03 1.779E-02 3.918E-02 6.963E-02 3.612E-02 |
| Sr-90 | Sr-90 | 1.000E+00 | 5.270E-03 6.141E-03 9.183E-03 1.211E-02 1.631E-02 8.975E-03 2.800E-07 6.352E-13 |
| fffff | fffff | fffff | fffff |

THF(i) is the thread fraction of the parent nuclide.

Individual Nuclide Soil Concentration
Parent Nuclide and Branch Fraction Indicated

| Nuclide | Parent | THF(i) | S(j,t), pCi/g |
|---------|--------|--|---|
| (j) | (i) | t= 0.000E+00 1.000E+00 5.000E+00 1.000E+01 5.000E+01 1.000E+02 5.000E+02 1.000E+03 | AAAAAAA AAAAAAA AAAAAAAA AAAAAAAA AAAAAAAA AAAAAAAA AAAAAAAA AAAAAAAA |
| Cs-137 | Cs-137 | 1.000E+00 | 8.020E+00 7.835E+00 7.137E+00 6.351E+00 2.497E+00 7.777E-01 6.877E-05 5.897E-10 |
| Ra-226 | Ra-226 | 1.000E+00 | 6.000E-02 5.992E-02 5.960E-02 5.920E-02 5.610E-02 5.244E-02 3.061E-02 1.562E-02 |
| Pb-210 | Ra-226 | 1.000E+00 | 0.000E+00 1.834E-03 8.593E-03 1.587E-02 4.483E-02 5.109E-02 3.132E-02 1.598E-02 |
| Sr-90 | Sr-90 | 1.000E+00 | 7.800E-01 7.600E-01 6.852E-01 6.019E-01 2.134E-01 5.836E-02 1.829E-06 4.287E-12 |
| fffff | fffff | fffff | fffff |

RESCALC.EXE execution time = 1.55 seconds

Appendix C

Oak Ridge Institute for Science and Education Independent Verification Survey Report For the Former HWMF Perimeter Soils



OAK RIDGE INSTITUTE FOR SCIENCE AND EDUCATION

December 10, 2009

Ms. Terri Kneitel
U.S. Department of Energy
Brookhaven Site Office
53 Bell Ave., Building 464
Upton, NY 11973

DOE CONTRACT NO. DE-AC05-06OR23100

SUBJECT: VERIFICATION REPORT—INDEPENDENT VERIFICATION
SURVEY REPORT FOR THE FORMER HAZARDOUS WASTE
MANAGEMENT FACILITY PERIMETER SOILS AREA,
BROOKHAVEN NATIONAL LABORATORY, UPTON, NEW YORK
DCN: 5062-SR-02-0

Dear Ms. Kneitel:

The Oak Ridge Institute for Science and Education (ORISE) is pleased to provide the enclosed verification survey report for the Former Hazardous Waste Management Facility Perimeter Soils Area. Please contact me at 865.576.5321 or Ben Estes at 865.241.3841 should you have any questions.

Sincerely,

Phyllis C. Weaver
Health Physics Project Leader
Survey Projects

PCW:bf

Enclosure

c: S. Roberts, ORISE
T. Vitkus, ORISE
B. Estes, ORISE
File #5062

O. Box 117
Oak Ridge, TN 37831

Voice: 865.576.5321

Fax: 865.241.3797

email: phyllis.weaver@orau.org



INDEPENDENT VERIFICATION
SURVEY REPORT FOR THE
FORMER HAZARDOUS WASTE
MANAGEMENT FACILITY
PERIMETER SOILS AREA,
BROOKHAVEN NATIONAL
LABORATORY
UPTON, NEW YORK

P. C. Weaver

Prepared for the
U.S. Department of Energy

O R I S E

Oak Ridge Institute for Science and Education

Approved for public release; further dissemination unlimited.

The Oak Ridge Institute for Science and Education (ORISE) is a U.S. Department of Energy facility focusing on scientific initiatives to research health risks from occupational hazards, assess environmental cleanup, respond to radiation medical emergencies, support national security and emergency preparedness, and educate the next generation of scientists. ORISE is managed by Oak Ridge Associated Universities. Established in 1946, ORAU is a consortium of 97 colleges and universities.

NOTICES

The opinions expressed herein do not necessarily reflect the opinions of the sponsoring institutions of Oak Ridge Associated Universities.

This report was prepared as an account of work sponsored by the United States Government. Neither the United States Government nor the U.S. Department of Energy, nor any of their employees, makes any warranty, expressed or implied, or assumes any legal liability or responsibility for the accuracy, completeness, or usefulness of any information, apparatus, product, or process disclosed, or represents that its use would not infringe on privately owned rights. Reference herein to any specific commercial product, process, or service by trade name, mark, manufacturer, or otherwise, does not necessarily constitute or imply its endorsement or recommendation, or favor by the U.S. Government or any agency thereof. The views and opinions of authors expressed herein do not necessarily state or reflect those of the U.S. Government or any agency thereof.

INDEPENDENT VERIFICATION SURVEY REPORT
FOR THE
FORMER HAZARDOUS WASTE MANAGEMENT FACILITY
PERIMETER SOILS AREA,
BROOKHAVEN NATIONAL LABORATORY,
UPTON, NEW YORK

Prepared by

P. C. Weaver

Oak Ridge Institute for Science and Education
Oak Ridge, Tennessee 37831-0017

Prepared for the
U.S. Department of Energy

FINAL REPORT



December 2009

This report is based on work performed by the Oak Ridge Institute for Science and Education under contract number DE-AC05-06OR23100 with the Department of Energy.

INDEPENDENT VERIFICATION SURVEY REPORT
FOR THE
FORMER HAZARDOUS WASTE MANAGEMENT FACILITY
PERIMETER SOILS AREA,
BROOKHAVEN NATIONAL LABORATORY,
UPTON, NEW YORK

Prepared by: P. C. Weaver
P. C. Weaver, Project Leader

Date: 12/9/09

Reviewed by: T. J. Vitkus
T. J. Vitkus, Survey Projects Manager

Date: 12/9/09

Reviewed by: R. D. Condra
R. D. Condra, Laboratory Manager

Date: 12/9/09

Reviewed by: A. T. Payne
A. T. Payne, Quality Manager

Date: 12/9/09

ACKNOWLEDGMENTS

The author would like to acknowledge the significant contributions of the following staff members:

PROJECT STAFF

B. Estes
E. Montalvo

LABORATORY STAFF

R. D. Condra
J. S. Cox
W. P. Ivey
W. F. Smith

CLERICAL STAFF

J. L. Clary
R. M. Fink
K. M. Moore
A. Ramsey

ILLUSTRATORS

A. Hood
J. A. Viars

TABLE OF CONTENTS

| | <u>PAGE</u> |
|---|-------------|
| Table of Contents | i |
| List of Figures..... | ii |
| List of Tables | iii |
| Abbreviations and Acronyms..... | iv |
| Introduction and Site History | 1 |
| Objective | 2 |
| Procedures..... | 2 |
| Applicable Site Guidelines..... | 4 |
| Findings and Results..... | 4 |
| Radionuclide Concentrations in Soil Samples | 5 |
| Comparison of Results With Guidelines..... | 6 |
| Summary..... | 6 |
| References..... | 8 |

Appendices:

- Appendix A: Figures
- Appendix B: Tables
- Appendix C: Major instrumentation
- Appendix D: Survey and Analytical Procedures

LIST OF FIGURES

| | <u>PAGE</u> |
|--|-------------|
| Figure A-1. Location of Brookhaven National Laboratory, Upton, New York | A-1 |
| Figure A-2. Perimeter Soils Area Sample Locations..... | A-2 |
| Figure A-3. Perimeter Soils Area Gamma Count Rate Scan Survey Units 1 and 2 | A-3 |
| Figure A-4. Perimeter Soils Area Gamma Count Rate Scan Survey Unit 3A..... | A-4 |
| Figure A-5. Perimeter Soils Area Gamma Count Rate Scan Survey Units 3B and 3C..... | A-5 |
| Figure A-6. Perimeter Soils Area Gamma Count Rate Scan Survey Unit 3D | A-6 |
| Figure A-7. Perimeter Soils Area Gamma Count Rate Scan Survey Unit 1..... | A-7 |
| Figure A-8. Perimeter Soils Area Gamma Count Rate Scan Survey Unit 2..... | A-8 |
| Figure A-9. Perimeter Soils Area Gamma Count Rate Scan Survey Unit 3A..... | A-9 |
| Figure A-10. Perimeter Soils Area Gamma Count Rate Scan Survey Unit 3B..... | A-10 |
| Figure A-11. Perimeter Soils Area Gamma Count Rate Scan Survey Unit 3C..... | A-11 |
| Figure A-12. Perimeter Soils Area Gamma Count Rate Scan Survey Unit 3D | A-12 |

LIST OF TABLES

| | <u>PAGE</u> |
|--|-------------|
| Table 1. Radionuclides Of Concern In The Perimeter Soils Area | 4 |
| Table B-1. Ranked Set Sampling Gamma Measurements | B-1 |
| Table B-2. Radionuclide Concentration Ranges In Soil Samples Summary Results | B-3 |
| Table B-3. Radionuclide Concentration In Soils..... | B-4 |

ABBREVIATIONS AND ACRONYMS

| | |
|--------------------------|---|
| AEC | Atomic Energy Commission |
| AOC | area of concern |
| μg | micrograms |
| $\mu\text{R}/\text{h}$ | microroentgens per hour |
| $\mu\text{rem}/\text{h}$ | microrem per hour |
| BAO | Brookhaven Area Office |
| BKG | background |
| BNL | Brookhaven National Laboratory |
| CERCLA | Comprehensive Environmental Response, Compensation, and Liability Act |
| cm | centimeter |
| cm ² | square centimeter |
| CO | cleanup objectives |
| COC | contaminants of concern |
| cpm | counts per minute |
| Cs-137 | cesium-137 |
| DCGL | derived concentration guideline level |
| DOE | U.S. Department of Energy |
| D&D | decontamination and decommissioning |
| EPA | Environmental Protection Agency |
| FHWMF | Former Hazardous Waste Management Facility |
| FIPS | Federal Information Processing Standard |
| FSP | Field Sampling Plan |
| FSS | final status survey |
| FSSR | final status survey report |
| g | gram |
| GPS | global positioning system |
| HS | hot spot |
| IAG | Interagency Agreement |
| ISM | Integrated Safety Management |
| ITP | Intercomparison Testing Program |
| IV | independent verification |
| IVT | Independent Verification Team |
| JHA | job hazard analysis |
| keV | kiloelectron volts |
| kg | kilogram |
| m | meter |
| mg | milligram |
| MAPEP | Mixed Analyte Performance Evaluation Program |
| MARSSIM | Multi-Agency Radiation Survey and Site Investigation Manual |
| MDC | minimum detectable concentration |
| MDCR | minimum detectable count rate |

ABBREVIATIONS AND ACRONYMS (continued)

| | |
|-----------------|---|
| MeV | million electron volts |
| m ² | square meter |
| min | minute |
| mm | millimeter |
| mrem | millirem |
| NaI | sodium iodide |
| NIST | National Institute of Standards and Technology |
| NPL | National Priorities List |
| NRIP | NIST Radiochemistry Intercomparison Program |
| NYSDEC | New York State Department of Environmental Conservation |
| ORAU | Oak Ridge Associated Universities |
| ORISE | Oak Ridge Institute for Science and Education |
| OU | Operable Unit |
| pCi/g | picocuries per gram |
| PSA | perimeter soils area |
| PSP | project-specific plan |
| RA | remedial actions |
| Ra-226 | radium-226 |
| RCRA | Resource Conservation and Recovery Act |
| ROD | record of decision |
| RSS | ranked set sampling |
| sec | second |
| SOR | sum of ratios |
| SPCS | State Plane Coordinate System |
| Sr-90 | strontium-90 |
| SU | survey unit |
| TAP | total absorption peak |
| VSP | visual sampling plan |
| WLA | Waste Loading Area |
| yr | year |
| yd ³ | cubic yard |

**INDEPENDENT VERIFICATION SURVEY REPORT
FOR THE
FORMER HAZARDOUS WASTE MANAGEMENT FACILITY
PERIMETER SOILS AREA,
BROOKHAVEN NATIONAL LABORATORY,
UPTON, NEW YORK**

INTRODUCTION AND SITE HISTORY

The Brookhaven National Laboratory (BNL) located in Upton, Suffolk County, New York conducts research and development for the Department of Energy (Figure A-1). BNL was originally occupied by the U.S. Army as Camp Upton during both World Wars I and II. In 1947, the site was transferred to the Atomic Energy Commission (AEC). The AEC was resolved into the Energy Research and Development Administration, and later into the Department of Energy (DOE) Brookhaven Area Office (BAO).

Research operations and processes conducted at the site have produced a variety of radioactive and hazardous materials and wastes. On December 21, 1989, BNL was included on the Comprehensive Environmental Response, Compensation, and Liability Act (CERCLA) National Priority List (BNL 1999). In May 1992, the DOE entered into an Interagency Agreement (IAG) with the Environmental Protection Agency (EPA) and New York State Department of Environmental Conservation (NYSDEC) under CERCLA, Section 120 to establish the framework and schedule for characterizing, assessing, and remediating the site in accordance with CERCLA and the Resource Conservation and Recovery Act (RCRA) requirements (EPA 1997). BNL generated the Response Strategy Document that identified various Areas of Concern (AOC) and grouped each AOC into seven “Operable Units” (OU). OU-1 is the Former Hazardous Waste Management Facility (FHW MF); a 12-acre controlled compound that once served as the central receiving facility for processing, limited treatment, and storage of radioactive wastes during the late 1940s to 1997. RCRA hazardous wastes were handled at the facility from 1976 until it closed in 1997. In 2003, remediation of the FHW MF began with the removal of several building structures and operations areas and remediation of soils and subsurface structures was completed in 2005 (ORISE 2008a).

BNL has recently performed remediation of several locations outside of the FHW MF designated as the Perimeter Soils Areas (PSAs) (BNL 2009a). In 2007, this area east of Brookhaven Avenue across from the FHW MF was surveyed by BNL and soil samples were collected for Cs-137 and

Sr-90, and gamma analysis. Additional surveying also identified other small discrete areas of contaminated soil contiguous to the FHW MF which includes small areas to the northwest and north, east, and several discrete spots just to the south beyond the former Waste Loading Area (WLA) also associated with the FHW MF. BNL suspects that the contamination identified in these areas is a result of operations associated with the transport and transfer of waste materials to the FHW MF, spills, and runoff from contaminated soils within the FHW MF (ORISE 2009a).

DOE-BAO is responsible for oversight of remedial actions that are conducted at the BNL. It is the policy of the DOE to perform independent (third party) verification of final status survey (FSS) activities (DOE 2006). The purpose of independent verification (IV) is to confirm that remedial actions have been effective in meeting established guidelines and that documentation accurately and adequately describes the final site conditions. Oak Ridge Institute for Science and Education (ORISE) has been requested by DOE-BAO to perform IV of the PSA. Through a third party, DOE can provide a level of assurance to the stakeholders that the as-left radiological concentration in the PSA will be well below the approved remediation guidelines. ORISE had previously performed IV of the larger phase of FHW MF remediation and the WLA (ORISE 2005 and 2008a).

OBJECTIVE

The objective of the verification survey was to obtain evidence by means of measurements and sampling to confirm that the final radiological conditions were less than the established release criteria. This objective was achieved via multiple verification components including document reviews to determine the accuracy and adequacy of FSS documentation

PROCEDURES

ORISE personnel visited the BNL site September 28 and 29, 2009 to perform visual inspections and independent measurements and sampling. The verification activities were conducted in accordance with the project-specific verification plan, the IEAV Survey Procedures, and Quality Program Manuals (ORISE 2009a and 2008b, and ORAU 2009). The collective site areas verified consisted of several small isolated locations; the largest of which is approximately 2000 m². All survey units (SUs) were designated Class 1 due to the nature of the activities conducted in the nearby area and the contaminants associated with the process activities. ORISE defined these units as SU 1 (the

largest of the PSA), SU 2 (located adjacent to SU 1), and SU 3 which was further subdivided into survey units 3A through 3D (Figure A-2).

REFERENCE SYSTEM

ORISE used a global positioning system (GPS) for documenting survey area boundaries and tracking data. The specific geographical reference system used was the State Plane Coordinate System (SPCS) New York Long Island Federal Information Processing Standard (FIPS) 3104. A shape file for each SU boundary and dimension was created and then loaded into a GPS for use by the Independent Verification Team (IVT) for tracking survey data and identifying measurement and sampling locations. Coordinate measurements collected using the GPS were accurate to within one meter.

SURFACE SCANS

High density scans for gamma radiation were performed within the accessible areas associated with the PSA. Surfaces scans were performed using NaI scintillation detectors coupled to ratemeters or ratemeter-scalers with audible indicators. Detectors were coupled to GPS systems that enable real-time gamma count rate and position data capture. Locations of elevated direct radiation, suggesting the presence of residual contamination, were marked and identified for further investigation.

SOIL SAMPLING

The Visual Sampling Plan (VSP) software was used to generate random coordinates for gamma measurements and soil sampling. These measurement/sample points were down-loaded to the GPS and were based upon the reference system established by the site. These predetermined random field assessment and the resultant soil sample locations were designed and generated based on the ranked set sampling (RSS) approach (EPA 2002). A one-minute static gamma count rate measurement was performed at 18 pre-determined assessment locations. The data within a given cycle-set were then ranked as exhibiting either the lowest, medium, or highest gamma count. Table B-1 provides the RSS cycle set with field assessment data and ranked set soil sample identification. Surface soil samples were also collected from judgmental locations where elevated direct gamma radiation was detected. Figure A-2 identifies both random and judgmental locations.

SAMPLE ANALYSIS AND DATA INTERPRETATION

Samples and data were returned to the ORISE/IEAV laboratory in Oak Ridge, Tennessee for analysis and interpretation. Sample analyses were performed in accordance with the ORISE Laboratory Procedures Manual (ORISE 1999). Soil samples were analyzed by gamma spectroscopy for Ra-226 and Cs-137. The spectra were reviewed for other identifiable photopeaks. Sr-90 was quantified by radiochemical separation and counting on a low background proportional counter. Soil sample results were reported in units of picocuries per gram (pCi/g).

APPLICABLE SITE GUIDELINES

The radiological contaminants of concern and the soil cleanup levels are shown in Table 1 and have been previously identified in the OU I ROD (BNL 2009a). This Field Sampling Plan (FSP) relies on the previously developed cleanup goals and derived concentration guideline levels (DCGL), due to the proximity of the PSA to the FHW MF. Since multiple contaminants are present, application of the unity rule is involved requiring calculation of the sum-of-ratios (SORs) in accordance with the following equation:

$$\frac{Conc_{Ra-226}}{DCGL_{Ra-226}} + \frac{Conc_{Cs-137}}{DCGL_{Cs-137}} + \frac{Conc_{Sr-90}}{DCGL_{Sr-90}} \leq 1$$

TABLE 1
RADIONUCLIDES OF CONCERN IN THE
PERIMETER SOILS AREA
FORMER HAZARDOUS WASTE MANAGEMENT FACILITY
RESIDENTIAL LAND USE CLEAN-UP GOALS

| Radionuclide | OU I ROD (pCi/g) |
|--------------|------------------|
| Cs-137 | 23 |
| Sr-90 | 15 |
| Ra-226 | 5 |

FINDINGS AND RESULTS

The results for each verification component at the PSA are discussed below.

SURFACE SCANS

The gamma scan pattern and count rates are provided in Figures A-3 to A-6. Scan density varied in the survey units typically between 50 percent to upwards of 75 percent or greater of accessible areas, with the exception of SU 3D. Due to the low lying brush and the fact that ORISE was aware that additional work would be required, scanning was scaled back to just those locations that were remediated for this scope of work. This was not unexpected as BNL had also identified additional areas to be remediated during future activities. Additionally, Figure A-3 (SU 1) does not illustrate the complete scan results for this survey unit as a portion of the position-correlated gamma data was not captured by the recording instrument. Per ORISE procedure, the surveyor determines whether there is elevated gamma radiation present in real time based on the audio output of the detector.

Ambient background gamma radiation levels ranged from about 1,300 to 3,800 cpm and averaged just slightly greater than 2,300 cpm. Gamma scan count rates within the PSA survey units generally ranged from 2,300 to approximately 7,500 counts per minute (cpm). Gamma surface scans identified several locations of radioactivity greater than two times the localized ambient levels that were marked for additional evaluation in SUs 1, 2, 3A, 3C, and 3D. The highest count rate of 48,000 cpm was found in SU 3D. The count rate frequency distributions for gamma radiation scans are illustrated in Figures A-7 to A-12.

SOIL SAMPLING

Twelve surface soil samples were collected from RSS locations. Additionally, seven judgmental samples were collected where elevated direct gamma radiation was detected during surface scans (Figure A-2). Judgmental soil samples collected were S001 to S003 from SU 1; S010 and S011 from SU 3A; and S012 and S013 from SU 3C (Figure A-2). Although scans identified elevated gamma radioactivity in SU 3D, no judgmental samples were collected because of BNLs plan to address this soil under a different scope of work.

RADIONUCLIDE CONCENTRATIONS IN SOIL SAMPLES

The gamma count rate data used for selecting the RSS sample locations can be found in Table B-1. The mean radionuclide concentration data for each survey unit are summarized in Table B-2. The data for the radionuclide concentrations in individual samples and the sum-of-ratios are provided in Table B-3. The concentration of Ra-226 in random samples ranged from 0.50 to 0.71 pCi/g, Cs-137

ranged from 0.96 to 9.82 pCi/g, and Sr-90 ranged from -0.02 to 0.37 pCi/g. The highest concentration of Cs-137 (54.3 pCi/g) was identified in the judgmental sample S001 from SU 1. BNL was notified that several samples exceeded the Cs-137 clean-up goal (ORISE 2009c).

COMPARISON OF RESULTS WITH GUIDELINES

The final radionuclide concentration for the PSA must meet the guidance per the BNL FSP for each individual soil sample and the SOR for the average concentration of each radionuclide of interest must be less than one. Six soil samples exceeded the SOR of 1 due primarily to the level of Cs-137 concentration remaining in the soil. Five of the six samples were from judgmental locations: S001, S002, S003, S011, S012, and S013. The sixth sample, S004 was a random location. Sample S004 is just slightly over the SOR at 1.03. The SOR for each individual sample location is included in Table B-3. Cs-137 concentrations in the random samples ranged from 0.96 to 20.9 pCi/g (includes samples S004 to S009 and S014 to S019). Cs-137 concentrations in judgmental samples ranged from 4.86 pCi/g to 54.3 pCi/g. The survey unit mean concentrations for Cs-137 were within clean-up goals except for SU 3C with a concentration of 39.1 pCi/g. All Ra-226 and Sr-90 concentration results were well below the site clean-up goals as provided in Table 1.

ORISE provided preliminary gamma spectroscopy results for Cs-137 to BNL identifying those locations that exceeded the site clean-up goal of 23 pCi/g (ORISE 2009c). BNL immediately remediated each of the five sample locations which exceeded the Cs-137 cleanup goals. All the areas were between approximately 1 to 5 ft² in size. Endpoint sample results reported by BNL at ORISE sample corresponding locations S001A, S002A, S011A, S012A, and S013A were 15.4pCi/g, 7.6pCi/g, 11.07pCi/g, 15.2pCi/g, and 7.5pCi/g, respectfully (BNL 2009b). All are below the Cs-137 clean-up goal. After the completion of radiochemical analysis, sample S004 was just slightly greater than the SOR. However, the SOR has not been adjusted for the contribution from background activity. Therefore, the net SOR would be less than 1.

SUMMARY

During the period between September 28 and 29, 2009, an independent verification team with the Oak Ridge Institute for Science and Education conducted measurements and sampling of the Perimeter Soils Areas at the Brookhaven National Laboratory site. The PSAs are a small group of

localized contaminated areas located at the northeast end of the 12 acre Former Hazardous Waste Management Facility. The PSA consists of at least six distinct areas. However, the two larger distinct areas were defined as SU 1 and SU 2 and the four other smaller areas were grouped as SU 3 and further subdivided A through D.

Gamma scans identified a few small areas of elevated radiation in SUs 1, 2, 3A, 3C, and 3D. Seven judgmental soil samples were collected from locations identified during walkover scans. ORISE also collected 12 random soil samples using the RSS methodology. Samples were analyzed by gamma spectroscopy and wet chemistry. Preliminary data identified five of the seven judgmental samples were above the cleanup goal for Cs-137. Cs-137 concentrations in soil samples ranged from 0.96 to 54.3 pCi/g. BNL was notified of the findings and responded by remediating these locations.

Additionally, one random sample location just slightly exceeded the SOR. Although the concentration of Cs-137 in the random sample was below the clean-up goal, the multiple radionuclides of concern pushed it slightly over the limit at 1.03, without adjusting for the background contribution. The survey units mean concentrations for Cs-137 were within the clean-up goals when considering only random sample location results.

REFERENCES

Brookhaven National Laboratory (BNL). Record of Decision Operable Unit I and Radiologically Contaminated Soils (including areas of concern 6, 8, 10, 16, 17, and 18). Upton, NY; August 25, 1999.

Brookhaven National Laboratory. Field Sampling Plan Former Hazardous Waste Management Facility Perimeter Area. Upton, NY; July 2009a.

Brookhaven National Laboratory. Electronic mail from Kneitel, T. to P. Weaver; Elevated Samples. Upton, NY; October 23, 2009b.

Oak Ridge Associated Universities (ORAU). Quality Program for the Independent Environmental Assessment and Verification Program. Oak Ridge, TN; June 30, 2009.

Oak Ridge Institute for Science and Education (ORISE). Final In-Process Verification Survey Report for the Former Hazardous Waste Management Facility, Brookhaven National Laboratory, Upton, New York. Oak Ridge, TN; October 4, 2005.

Oak Ridge Institute for Science and Education. Independent Verification Survey Report for the Waste Loading Area, Former Hazardous Waste Management Facility, Brookhaven National Laboratory, Upton, New York. Oak Ridge, TN; August 19, 2008a.

Oak Ridge Institute for Science and Education. Survey Procedures Manual for the Independent Environmental Assessment and Verification Program. Oak Ridge, TN; May 1, 2008b.

Oak Ridge Institute for Science and Education. Project-Specific Verification Plan for the Former Hazardous Waste Management Facility Waste Loading Area Perimeter Area, Upton, New York. Oak Ridge, TN; September 10, 2009a.

Oak Ridge Institute for Science and Education. Laboratory Procedures Manual for the Independent Environmental Assessment and Verification Program. Oak Ridge, TN; June 30, 2009b.

Oak Ridge Institute for Science and Education. Electronic mail from Estes, B. to Kneitel, T.; ORISE Preliminary Soil Results. Oak Ridge, TN; October , 2009c.

U.S. Department of Energy. Environment, Safety and Health Bulletin: A Guide to Good Practices for the Control and Release of Property. DOE/EH-0697. Washington, DC. July 2006.

U.S. Department of Energy (DOE). Pacific Northwest National Laboratory Visual Sample Plan Version 5.0 User's Guide PNNL-16939. Richland, Washington; September 2007.

U.S. Environmental Protection Agency. Establishment of Cleanup Levels for CERCLA Sites with Radioactive Contamination (OSWER Directive 9200.14-18), US Environmental Protection Agency, August, 1997.

U.S. Environmental Protection Agency (EPA). Data Quality Assessment: Statistical Methods for Practitioners. EPA QA/G-9S; Washington, DC; February 2002.

APPENDIX A
FIGURES




Figure A-1. Location of Brookhaven National Laboratory, Upton, New York



Figure A-2. Perimeter Soils Area Sample Locations




Figure A-3. Perimeter Soils Area Gamma Count Rate Scan Survey Units 1 and 2





Figure A-4. Perimeter Soils Area Gamma Count Rate Scan Survey Unit 3A



Figure A-5. Perimeter Soils Area Gamma Count Rate Scan Survey Units 3B and 3C



Brookhaven National Laboratory
Perimeter Soils Area
Survey Unit 3D
Gamma Count Rate Scan

Created by: A Hood

Date: November 20, 2009

Figure A-6. Perimeter Soils Area Gamma Count Rate Scan Survey Unit 3D




Figure A-7. Perimeter Soils Area Gamma Count Rate Scan Survey Unit 1




Figure A-8. Perimeter Soils Area Gamma Count Rate Scan Survey Unit 2




Figure A-9. Perimeter Soils Area Gamma Count Rate Scan Survey Unit 3A




Figure A-10. Perimeter Soils Area Gamma Count Rate Scan Survey Unit 3B




Figure A-11. Perimeter Soils Area Gamma Count Rate Scan Survey Unit 3C




Figure A-12. Perimeter Soils Area Gamma Count Rate Scan Survey Unit 3D

APPENDIX B

TABLES




TABLE B-1
RANKED SET SAMPLING GAMMA MEASUREMENTS
PERIMETER SOILS AREA
FORMER HAZARDOUS WASTE MANAGEMENT FACILITY
BROOKHAVEN NATIONAL LABORATORY
UPTON, NEW YORK

| LOCATION NAD 83 SPCS NY Long Island FIPS 3104 Easting, Northing | Ranked Set Sampling | Gamma | Sample Select ^b /ID L=Low M=Medium H=High | SOIL SAMPLE |
|---|------------------------|-------|--|----------------|
| | Cycle-Set-Loc | cpm | | |
| 1300426, 255007 | 1-1-1■ | 4304 | L | |
| 1300403, 254973 | 1-1-2■ | 2459 | L | S004 |
| 1300305, 254928 | 1-1-3■ | 2833 | L | |
| 1300430, 254995 | 1-2-1▲ | 2496 | M | S005 |
| 1300431, 254982 | 1-2-2▲ | 1950 | M | |
| 1300367, 255009 | 1-2-3▲ | 4253 | M | |
| 1300384, 254939 | 1-3-1● | 1822 | H | |
| 1300430, 254960 | 1-3-2● | 1499 | H | |
| 1300363, 255020 | 1-3-3● | 4471 | H | S006 |
| 1300394, 255009 | 2-1-1■ | 2457 | L | S007 |
| 1300308, 254942 | 2-1-2■ | 3084 | L | |
| 1300321, 254959 | 2-1-3■ | 3957 | L | |
| 1300369, 254912 | 2-2-1▲ | 1726 | M | |
| 1300330, 254871 | 2-2-2▲ | 3304 | M | |
| 1300445, 254967 | 2-2-3▲ | 2188 | M | S008 |
| 1300428, 255009 | 2-3-1* | 4111 | H | |
| 1300313, 254991 | 2-3-2* | 3859 | H | S009 |
| 1300442, 254948 | 2-3-3* | 1664 | H | |

^aRefer to Figure A-2.

TABLE B-1 (cont.)
RANKED SET SAMPLING GAMMA MEASUREMENTS
PERIMETER SOILS AREA
FORMER HAZARDOUS WASTE MANAGEMENT FACILITY
BROOKHAVEN NATIONAL LABORATORY
UPTON, NEW YORK

| LOCATION NAD 83 SPCS NY Long Island FIPS 3104 Easting, Northing | Ranked Set Sampling | Gamma | Sample Select ^b /ID L=Low M=Medium H=High | SOIL SAMPLE |
|---|------------------------|-------|--|----------------|
| | Cycle-Set-Loc | cpm | | |
| 1300488, 254821 | 1-1-1■ | 1897 | L | S017 |
| 1300469, 254783 | 1-1-2■ | 2214 | L | |
| 1300448, 254827 | 1-1-3■ | 2127 | L | |
| 1300470, 254819 | 1-2-1▲ | 2520 | M | S016 |
| 1300474, 254809 | 1-2-2▲ | 2747 | M | |
| 1300485, 254799 | 1-2-3▲ | 2426 | M | |
| 1300497, 254806 | 1-3-1● | 2339 | H | |
| 1300481, 254787 | 1-3-2● | 2550 | H | S018 |
| 1300469, 254787 | 1-3-3● | 1944 | H | |
| 1300481, 254796 | 2-1-1■ | 2235 | L | |
| 1300480, 254819 | 2-1-2■ | 2520 | L | |
| 1300491, 254821 | 2-1-3■ | 2004 | L | S019 |
| 1300592, 254585 | 2-2-1▲ | 1364 | M | |
| 1299543, 255583 | 2-2-2▲ | 3096 | M | |
| 1300467, 254429 | 2-2-3▲ | 2468 | M | S015 |
| 1300454, 254455 | 2-3-1* | 2443 | H | |
| 1300462, 254461 | 2-3-2* | 2657 | H | |
| 1300466, 254438 | 2-3-3* | 2733 | H | S014 |

^aRefer to Figure A-2.

TABLE B-2
RADIONUCLIDE CONCENTRATION RANGES IN SOIL SAMPLES
SUMMARY RESULTS
PERIMETER SOILS AREA
FORMER HAZARDOUS WASTE MANAGEMENT FACILITY

| Survey Unit | Ra-226 (pCi/g) | Cs-137 (pCi/g) | Sr-90 (pCi/g) |
|---|----------------|----------------|---------------|
| Random Samples | | | |
| Survey Unit 1 | 0.51 to 0.71 | 1.55 to 20.9 | -0.02 to 0.37 |
| <i>Mean Survey Unit Concentration^a</i> | <i>0.58</i> | <i>8.01</i> | <i>0.16</i> |
| Survey Unit 2 | 0.55 to 0.67 | 1.07 to 2.43 | 0.11 to 0.16 |
| <i>Mean Survey Unit Concentration</i> | <i>0.61</i> | <i>1.79</i> | <i>0.14</i> |
| Survey Unit 3D | 0.50 to 0.52 | 0.96 to 1.51 | 0.01 to 0.09 |
| <i>Mean Survey Unit Concentration</i> | <i>0.51</i> | <i>1.24</i> | <i>0.05</i> |
| Judgmental Samples | | | |
| Survey Unit 1 | 0.52 to 0.59 | 4.86 to 54.3 | 0.11 to 0.12 |
| Survey Unit 3A | 0.43 to 0.54 | 18.2 to 26.6 | 0.11 to 0.21 |
| Survey Unit 3C | 0.30 to 0.35 | 30.8 to 47.5 | 0.13 to 0.23 |

^aThe mean survey unit concentration does not include judgmental samples.

TABLE B-3
RADIONUCLIDE CONCENTRATION IN SOILS
PERIMETER SOILS AREA
FORMER HAZARDOUS WASTE MANAGEMENT FACILITY
BROOKHAVEN NATIONAL LABORATORY
UPTON, NEW YORK BROOKHAVEN NATIONAL LABORATORY
UPTON, NY

| Sample ID/Location ^a | Radionuclide Concentration (pCi/g) | | | |
|---------------------------------|------------------------------------|--------------|-------------|-------------------|
| | Cs-137 | Sr-90 | Ra-226 | SOR ^b |
| S001 | 54.3 ± 4.7 ^c | 0.12 ± 0.24 | 0.52 ± 0.14 | 2.47 ^d |
| S002 | 30.5 ± 2.8 | 0.11 ± 0.28 | 0.59 ± 0.09 | 1.45 ^d |
| S003 | 4.86 ± 0.65 | 0.11 ± 0.24 | 0.53 ± 0.08 | 0.32 ^d |
| S004 | 20.9 ± 1.9 | 0.24 ± 0.25 | 0.54 ± 0.07 | 1.03 |
| S005 | 2.31 ± 0.22 | -0.02 ± 0.23 | 0.71 ± 0.09 | 0.24 |
| S006 | 9.82 ± 0.92 | 0.10 ± 0.23 | 0.57 ± 0.07 | 0.55 |
| S007 | 1.55 ± 0.13 | 0.37 ± 0.25 | 0.57 ± 0.07 | 0.21 |
| S008 | 5.10 ± 0.47 | 0.07 ± 0.24 | 0.56 ± 0.07 | 0.34 |
| S009 | 8.40 ± 0.60 | 0.21 ± 0.23 | 0.51 ± 0.08 | 0.48 |
| S010 | 18.2 ± 1.6 | 0.21 ± 0.22 | 0.43 ± 0.09 | 0.89 ^d |
| S011 | 26.6 ± 2.5 | 0.11 ± 0.22 | 0.54 ± 0.09 | 1.27 ^d |
| S012 | 30.8 ± 2.8 | 0.23 ± 0.23 | 0.30 ± 0.08 | 1.41 ^d |
| S013 | 47.5 ± 4.3 | 0.13 ± 0.21 | 0.35 ± 0.10 | 2.14 ^d |
| S014 | 1.51 ± 0.13 | 0.09 ± 0.21 | 0.50 ± 0.07 | 0.17 |
| S015 | 0.96 ± 0.11 | 0.01 ± 0.22 | 0.52 ± 0.07 | 0.15 |
| S016 | 1.79 ± 0.18 | 0.16 ± 0.22 | 0.55 ± 0.06 | 0.20 |
| S017 | 1.07 ± 0.12 | 0.16 ± 0.24 | 0.67 ± 0.08 | 0.19 |
| S018 | 2.43 ± 0.20 | 0.13 ± 0.26 | 0.60 ± 0.08 | 0.23 |
| S019 | 1.88 ± 0.19 | 0.11 ± 0.21 | 0.63 ± 0.09 | 0.22 |

^aRefer to Figure A-2.

^bSum of the ratios.

^cUncertainties are at the 95% confidence level based on total propagated uncertainties.

^dIdentifies judgmental sample location.

APPENDIX C
MAJOR INSTRUMENTATION

APPENDIX C

MAJOR INSTRUMENTATION

The display of a specific product is not to be construed as an endorsement of the product or its manufacturer by the author or her employer.

SCANNING INSTRUMENT/DETECTOR COMBINATIONS

Ludlum NaI Scintillation Detector Model SPA-3, Crystal: 2 inch x 2 inch
(Ludlum Measurements, Inc., Sweetwater, TX)

Coupled to

Ludlum Ratemeter-Scaler Model 2221

Coupled to

Trimble GeoXH Receiver and Data Logger (Trimble Navigation Limited, Sunnyvale, CA)

Fluke NaI Scintillation Detector Model 489-55, Crystal: 3.2 cm x 3.8 cm
(Fluke, Cleveland, OH)

Coupled to

Ludlum Ratemeter-Scaler Model 2221

Coupled to

Trimble GeoXH Receiver and Data Logger (Trimble Navigation Limited, Sunnyvale, CA)

LABORATORY ANALYTICAL INSTRUMENTATION

High Purity Extended Range Intrinsic Detector
CANBERRA/Tennelec Model No: ERVDS30-25195
(Canberra, Meriden, CT)
Used in conjunction with:
Lead Shield Model G-11
(Nuclear Lead, Oak Ridge, TN) and
Multichannel Analyzer
DEC ALPHA Workstation
(Canberra, Meriden, CT)

High Purity Extended Range Intrinsic Detector
Model No. GMX-45200-5
(AMETEK/ORTEC, Oak Ridge, TN)
used in conjunction with:
Lead Shield Model SPG-16-K8
(Nuclear Data)
Multichannel Analyzer
DEC ALPHA Workstation
(Canberra, Meriden, CT)

LABORATORY ANALYTICAL INSTRUMENTATION (CONT.)

High-Purity Germanium Detector
Model GMX-30-P4, 30% Eff.
(AMETEK/ORTEC, Oak Ridge, TN)
Used in conjunction with:
Lead Shield Model G-16
(Gamma Products, Palos Hills, IL) and
Multichannel Analyzer
DEC ALPHA Workstation
(Canberra, Meriden, CT)

Low background alpha/beta counting system
Canberra/Tennelec LB5100W
(Canberra, Inc., Meriden, CT)

APPENDIX D
SURVEY AND ANALYTICAL PROCEDURES

APPENDIX D

SURVEY AND ANALYTICAL PROCEDURES

PROJECT HEALTH AND SAFETY

The survey and sampling procedures were evaluated to ensure that any hazards inherent to the procedures themselves were addressed in current job hazard analyses (JHAs). All survey and laboratory activities were conducted in accordance with ORISE health and safety and radiation protection procedures.

Pre-survey activities included an overview of potential health and safety issues. Representatives with the Brookhaven National Laboratory provided site-specific safety awareness training for each individual ORISE survey effort. In-process and verification surveys were performed according to the ORISE generic health and safety plan, site-specific integrated safety management (ISM) pre-job hazard checklist, and safety procedures discussed during the on-site training.

QUALITY ASSURANCE

Analytical and field survey activities were conducted in accordance with procedures from the following ORAU and ORISE documents:

- Survey Procedures Manual
- Laboratory Procedures Manual
- Quality Program Manual

The procedures contained in these manuals were developed to meet the requirements of 10 CFR 830 Subpart A, *Quality Assurance Requirements*, Department of Energy Order 414.1C *Quality Assurance*, and the U.S. Nuclear Regulatory Commission *Quality Assurance Manual for the Office of Nuclear Material Safety and Safeguards* and contain measures to assess processes during their performance.

Quality control procedures include:

- Daily instrument background and check-source measurements to confirm that equipment operation is within acceptable statistical fluctuations.
- Participation in MAPEP, NRIP, and ITP Laboratory Quality Assurance Programs.
- Training and certification of all individuals performing procedures.
- Periodic internal and external audits.

CALIBRATION

Calibration of all field and laboratory instrumentation was based on standards/sources, traceable to the National Institute of Standards and Technology (NIST), when such standards/sources were available. In cases where they were not available, standards of an industry-recognized organization were used.

SURVEY PROCEDURES

Surface Scans

Scans for elevated gamma radiation were performed by passing the detector slowly over the surface. The distance between the detector and surface was maintained at a nominal of about 1 to 5 cm. NaI scintillation detectors were coupled to GPS units that enabled real-time recording of position in one-second intervals. Identification of elevated radiation levels was based on increases in the audible signal from the instrument. Positioning data files were downloaded from field data loggers for plotting using commercially available software

(http://trl.trimble.com/docushare/dsweb/Get/Document-261826/GeoExpl2005_100A_GSG_ENG.pdf).

The scan minimum detectable concentrations (MDCs) for the NaI scintillation detector for the contaminants of concern in surface soil were obtained directly from NUREG-1507 when available or estimated using the calculational approach described in NUREG-1507¹. A typical NaI 2 inch by 2 inch detector MDC for Cs-137 is 6.4 pCi/g. An audible increase in the activity rate was

¹NUREG-1507. Minimum Detectable Concentrations With Typical Radiation Survey Instruments for Various Contaminants and Field Conditions. U.S. Nuclear Regulatory Commission. Washington, DC; June 1998.

investigated by ORISE. It is standard procedure for the ORISE staff to pause and investigate any locations where gamma radiation is distinguishable from background levels.

Soil Sampling

Approximately 0.5 to 1 kg of soil was collected at each sample location. Collected samples were placed in plastic bags, sealed, and labeled in accordance with ORISE survey procedures.

RADIOLOGICAL ANALYSIS

DETECTION LIMITS

Detection limits, referred to as MDC, were based on 3 plus 4.65 times the standard deviation of the background count [$3 + (4.65 (\text{BKG})^{1/2})$]. Because of variations in background levels, measurement efficiencies, and contributions from other radionuclides in samples, the detection limits differ from sample to sample and instrument to instrument.

Strontium Analysis

Soil samples were dissolved by a combination of potassium hydrogen fluoride and pyrosulfate fusions. The fusion cake was dissolved and strontium was coprecipitated on lead sulfate. The strontium was separated from residual calcium and lead by reprecipitating strontium sulfate from EDTA at a pH of 4.0. Strontium was separated from barium by complexing the strontium in DTPA while precipitating barium as barium chromate. The strontium was ultimately converted to strontium carbonate and counted on a low-background gas proportional counter. The typical MDC of the procedure is 0.4 pCi/g for a one hour count time.

Gamma Spectroscopy

Samples of soil were dried, mixed, crushed, and/or homogenized as necessary, and a portion sealed in a 0.5-liter Marinelli beaker or other appropriate container. The quantity placed in the beaker was chosen to reproduce the calibrated counting geometry. Net material weights were determined and the samples counted using intrinsic germanium detectors coupled to a pulse height analyzer system. Background and Compton stripping, peak search, peak identification, and concentration calculations were performed using the computer capabilities inherent in the analyzer system. All total absorption peaks (TAP) associated with the radionuclides of concern were reviewed for consistency of activity.

Total absorption peaks used for determining the activities of radionuclides of concern and the typical associated MDCs for a one-hour count time were:

| Radionuclide | TAP (MeV) | MDC (pCi/g) |
|----------------------|-----------|-------------|
| Cs-137 | 0.662 | 0.05 |
| Ra-226 (from Pb-214) | 0.351 | 0.08 |

Spectra were also reviewed for other identifiable TAPs.

Uncertainties

The uncertainties associated with the analytical data presented in the tables of this report represent the total propagated uncertainties for those data. These uncertainties were calculated based on both the gross sample count levels and the associated background count level.

Appendix D

Former HWMF Perimeter Area Waste Verification Results

ASL Prefix No. **232172**

Carrier/Waybill #
P.O. #

BROOKHAVEN
NATIONAL LABORATORY

Page **1** of **1**

SAMPLING CHAIN OF CUSTODY

Requires EDD

Analysis Requested By

| | |
|-------------------|----------------------|
| Name: | Andy Lockwood |
| Life No: | 8756 |
| Ext: | 65100/65103 |
| Acct. No: | 65100/65103 Dept: ER |
| Contact: | Adrian Steinhardt |
| Phone: | 631-599-6353 |
| Email/Fax: | 631-599-6352 |
| Email Reports To: | Adrian Steinhardt |
| Project Manager: | Andy Lockwood |
| Comments: | Perimeter FHWMF |

Sampling Contractor

| | |
|---------------|-----------------------|
| Name: | WILCOXSEER CONSULTING |
| Contact: | Adrian Steinhardt |
| Phone: | 631-599-6353 |
| Email/Fax: | 631-599-6352 |
| Sampler: | Adrian Steinhardt |
| Project Name: | Perimeter FHWMF |

Analytical Laboratory


| | |
|-----------------|-------------------|
| Name: | GSI |
| Address: | 2010 Savage Rd. |
| City: | Oviedo |
| Zip: | SC 29140 |
| Contact: | |
| Phone: | |
| Email/Fax: | |
| Field Engineer: | Adrian Steinhardt |
| Comments: | Strontium -90 |

Sample Information

| ID | Type | UID | Site ID/Bottle/Line # | Site ID/Bottle/Line # | Depth/MVP | Date | Time | Time |
|----|------|-----|-----------------------|-----------------------|-----------|------|------|------|
| 1 | Soil | EG | DEHWMF | 0-6" | 6/9 | 1000 | | |
| 2 | Soil | EG | DEHWMF | 0-6" | 6/9 | 1005 | | |
| 3 | Soil | EG | DEHWMF | 0-6" | 6/9 | 1010 | | |

Additional Sample Information

| Name/Description | Conc./Vol/Units | Conc./Vol/Units | Conc./Vol/Units | Conc./Vol/Units |
|------------------|-----------------|-----------------|-----------------|-----------------|
| WCS-1 | 150mg/L | | | |
| WCS-2 | 150mg/L | | | |
| WCS-3 | 150mg/L | | | |



1 Relinquished By/DateTime

6/10/99
Print
Signature: *Adrian Steinhardt*
Received By/DateTime: **6/10/99**
Print

3 Relinquished By/DateTime

6/10/99
Print
Signature: *Adrian Steinhardt*
Received By/DateTime: **6/10/99**
Print

Contractor Lab Sample Disposal

Return To Client
 Archive For Months
Data Package: Full Summary
Turn-Around Time Required:
 0 Days 14 Days 30 Days
 Other ()

2 Relinquished By/DateTime

6/10/99
Print
Signature: *Adrian Steinhardt*
Received By/DateTime: **6/10/99**
Print

4 Relinquished By/DateTime

6/10/99
Print
Signature: *Adrian Steinhardt*
Received By/DateTime: **6/10/99**
Print

GEL

Laboratories LLC

SAMPLE RECEIPT & REVIEW FORM

| Client: <i>BRKH</i> | | | SDG/ARCO/C Work Order: <i>232172</i> | | | |
|---|--|-------------------------------------|--|---|--|--|
| Received By: <i>P. Dent</i> | | | Date Received: <i>June 20, 2009</i> | | | |
| Suspected Hazard Information | | Yes | No | *If Counts > x2 area background on samples not marked "radioactive", contact the Radiation Safety Group of further investigation. | | |
| COC/Samples marked as radioactive? | | <input checked="" type="checkbox"/> | Maximum Counts Observed*: <i>40 C.P.M.</i> | | | |
| Classified Radioactive II or III by RSO? | | <input checked="" type="checkbox"/> | | | | |
| COC/Samples marked containing PCBs? | | <input checked="" type="checkbox"/> | | | | |
| Shipped as a DOT Hazardous? | | <input checked="" type="checkbox"/> | Hazard Class Shipped: | | UN#: | |
| Samples identified as Foreign Soil? | | <input checked="" type="checkbox"/> | | | | |
| Sample Receipt Criteria | | Yes | NA | No | Comments/Qualifiers (Required for Non-Conforming Items) | |
| 1 | Shipping containers received intact and sealed? | <input checked="" type="checkbox"/> | | | Circle Applicable: seals broken damaged container leaking container other (describe) | |
| 2 | Samples requiring cold preservation within $0 \leq 6$ deg. C? | <input checked="" type="checkbox"/> | | | Preservation Method: <i>ice bags</i> <i>blue ice</i> <i>dry ice</i> <i>none</i> other (describe) <i>2,4c</i> | |
| 3 | Chain of custody documents included with shipment? | <input checked="" type="checkbox"/> | | | | |
| 4 | Sample containers intact and sealed? | <input checked="" type="checkbox"/> | | | Circle Applicable: seals broken damaged container leaking container other (describe) | |
| 5 | Samples requiring chemical preservation at proper pH? | <input checked="" type="checkbox"/> | | | Sample ID's, containers affected and observed pH: If Preservation added, Lot#: | |
| 6 | VOA vials free of headspace (defined as <6mm bubble)? | <input checked="" type="checkbox"/> | | | Sample ID's and containers affected: | |
| 7 | Are Encore containers present? | | <input checked="" type="checkbox"/> | | (If yes, immediately deliver to Volatiles laboratory) | |
| 8 | Samples received within holding time? | <input checked="" type="checkbox"/> | | | Id's and tests affected: | |
| 9 | Sample ID's on COC match ID's on bottles? | <input checked="" type="checkbox"/> | | | Sample ID's and containers affected: | |
| 10 | Date & time on COC match date & time on bottles? | <input checked="" type="checkbox"/> | | | Sample ID's affected: | |
| 11 | Number of containers received match number indicated on COC? | <input checked="" type="checkbox"/> | | | Sample ID's affected: | |
| 12 | COC form is properly signed in relinquished/received sections? | <input checked="" type="checkbox"/> | | | | |
| Comments: <i>FED EX #'S 9800 5391 7290-2C 9800 5391 7201-4C</i> | | | | | | |

RE: Regarding Perimeter FHWMF Samples

Subject: RE: Regarding Perimeter FHWMF Samples
From: "Lockwood, Andrew" <lockwood@bnl.gov>
Date: Wed, 24 Jun 2009 11:29:18 -0400
To: "LaToya Hughes" <lat01423@gel.com>

That's fine. Thanks.

Andrew Lockwood
Project Manager
Building 701, ERP
Brookhaven National Laboratory
Upton, NY 11973-5000
Cell: (516) 315-9238

-----Original Message-----

From: LaToya Hughes [mailto:lat01423@gel.com]
Sent: Wednesday, June 24, 2009 10:14 AM
To: Lockwood, Andrew
Cc: team.skradski
Subject: Regarding Perimeter FHWMF Samples

Good morning Mr. Lockwood,

Due to the delay with adding the correct tests for the analysis of your samples, the lab is asking if a possible due date of July 2nd would be an acceptable date; with the complete package to follow a week later.

Please let us know if this is acceptable.

Thank you in advance,
LaToya Hughes

--
LaToya D. Hughes
Project Manager Assistant
General Engineering Laboratories, LLC
2040 Savage Road
Charleston, SC (USA) 29407
Direct: 843.769.7376 x4707
Main: 843.556.8171
Fax: 843.766.1178
E-mail: LaToya.Hughes@gel.com
Web: www.gel.com

CONFIDENTIALITY NOTICE: This e-mail and any files transmitted with it are the property of The GEL Group, Inc. and its affiliates. All rights, including without limitation copyright, are reserved. The proprietary information contained in this e-mail message, and any files transmitted with it, is intended for the use of the recipient(s) named above. If the reader of this e-mail is not the intended recipient, you are hereby notified that you have received this e-mail in error and that any review, distribution or copying of this e-mail or any files transmitted with it is strictly prohibited. If you have received this e-mail in error, please notify the sender immediately and delete the original message and any files transmitted. The unauthorized use of this e-mail or any files transmitted with it is prohibited and disclaimed by The GEL Group, Inc. and its affiliates.

[Fwd: FHWMP PA]

Subject: [Fwd: FHWMP PA]
From: Jake Crook <jhc@gel.com>
Date: Wed, 24 Jun 2009 08:33:48 -0400
To: LaToya Norman <lat01423@gel.com>

----- Original Message -----

Subject: FHWMP PA
Date: Wed, 24 Jun 2009 07:03:13 -0400
From: Lockwood, Andrew <lockwood@bnl.gov>
To: <jhc@gel.com>

Jake,

Sorry for the confusion, I am back in the office today and have the COC here. We only need TCLP for mercury and lead, as well as TAL metals. 7 day TAT is not critical. Just send me an e-mail confirming receipt of this and when you think we can get the data. Thanks.

Andrew Lockwood
Project Manager
Building 701, ERP
Brookhaven National Laboratory
Upton, NY 11973-5000
Cell: (516) 315-9238

--

Jake Crook
Project Manager
GEL Laboratories, LLC
2040 Savage Road
Charleston, SC (USA) 29407
Direct: 843.769.7390
Main: 843.556.8171
Fax: 843.766.1178
E-mail: jhc@gel.com
Web: www.gel.com

GEL LABORATORIES LLC

2040 Savage Road Charleston SC 29407 - (843) 556-8171 - www.gel.com

Certificate of Analysis

Company : Brookhaven National Laboratory
 Address : Building 51
 Upton, New York 11973—5000

Contact: Mr. John Burke
 Project: **Perimeter FHW MF**

Report Date: July 7, 2009

| | | | |
|-------------------|-----------------|---------------|-----------|
| Client Sample ID: | 27274-001 | Project: | BRKL00309 |
| Sample ID: | 232172001 | Client ID: | BRKL005 |
| Matrix: | Solid | COC: | 27274 |
| Collect Date: | 09-JUN-09 10:00 | Samp Recv.: | |
| Receive Date: | 20-JUN-09 09:30 | Client Desc.: | PFHWMF |
| Collector: | Client | Vol. Recv.: | |
| Moisture: | 36.9% | | |

| Parameter | Qualifier | Result | DL | RL | Units | DF | Analyst | Date | Time | Batch | Method |
|---|-----------|--------|----|---------|--------|-------|---------|------|----------|-------|--------|
| Electrode Analysis Federal | | | | | | | | | | | |
| <i>SW9045C pH Federal "As Received"</i> | | | | | | | | | | | |
| pH at Temp 21.7C | H | 5.41 | | 0.010 | 0.100 | SU | 1 | RXG2 | 06/24/09 | 1423 | 879796 |
| Flow Injection Analysis Federal | | | | | | | | | | | |
| <i>SW 7.3.3 Reactivity, Releasable "Dry Weight Corrected"</i> | | | | | | | | | | | |
| Reactive Releasable Cyanide | < | 250000 | | | 250000 | ug/kg | 1 | AXC2 | 06/29/09 | 1204 | 878896 |
| Hazardous Waste Federal | | | | | | | | | | | |
| <i>ASTM_D5057 Bulk Density Soil "As Received"</i> | | | | | | | | | | | |
| Density | | 1.71 | | 0.010 | 0.100 | g/mL | 1 | NXM | 06/23/09 | 1330 | 879400 |
| Mercury Analysis—CVAA | | | | | | | | | | | |
| <i>TCLP Hg in Solid "As Received"</i> | | | | | | | | | | | |
| Mercury | U | ND | | 0.00067 | 0.002 | mg/L | 1 | JXL1 | 06/26/09 | 0949 | 880001 |
| Metals Analysis—ICP | | | | | | | | | | | |
| <i>TCLP ICP Metals for Solid "As Received"</i> | | | | | | | | | | | |
| Lead | U | ND | | 0.025 | 0.100 | mg/L | 1 | HSC | 06/25/09 | 1555 | 879982 |
| <i>3050S/6010 Lead Federal "Dry Weight Corrected"</i> | | | | | | | | | | | |
| Aluminum | | 10200 | | 10.6 | 31.1 | mg/kg | 1 | HSC | 06/26/09 | 0214 | 879277 |
| Antimony | J | 0.485 | | 0.482 | 1.56 | mg/kg | 1 | | | | |
| Arsenic | | 2.80 | | 0.778 | 2.33 | mg/kg | 1 | | | | |
| Barium | | 28.2 | | 0.156 | 0.778 | mg/kg | 1 | | | | |
| Beryllium | J | 0.360 | | 0.156 | 0.778 | mg/kg | 1 | | | | |
| Cadmium | U | ND | | 0.156 | 0.778 | mg/kg | 1 | | | | |
| Calcium | | 893 | | 4.67 | 15.6 | mg/kg | 1 | | | | |
| Chromium | | 8.91 | | 0.156 | 0.778 | mg/kg | 1 | | | | |
| Cobalt | | 1.60 | | 0.311 | 0.778 | mg/kg | 1 | | | | |
| Copper | | 12.0 | | 0.467 | 1.56 | mg/kg | 1 | | | | |
| Iron | | 7340 | | 3.89 | 15.6 | mg/kg | 1 | | | | |
| Lead | | 42.7 | | 0.389 | 1.56 | mg/kg | 1 | | | | |
| Magnesium | | 717 | | 13.2 | 46.7 | mg/kg | 1 | | | | |
| Manganese | | 113 | | 0.311 | 1.56 | mg/kg | 1 | | | | |
| Nickel | | 6.16 | | 0.156 | 0.778 | mg/kg | 1 | | | | |
| Potassium | | 241 | | 7.78 | 23.3 | mg/kg | 1 | | | | |
| Selenium | | 5.48 | | 0.778 | 2.33 | mg/kg | 1 | | | | |
| Silver | J | 0.427 | | 0.156 | 0.778 | mg/kg | 1 | | | | |
| Sodium | | 31.7 | | 7.00 | 23.3 | mg/kg | 1 | | | | |
| Thallium | J | 1.49 | | 0.778 | 3.11 | mg/kg | 1 | | | | |

GEL LABORATORIES LLC
 2040 Savage Road Charleston SC 29407 - (843) 556-8171 - www.gel.com

Certificate of Analysis

Company : Brookhaven National Laboratory
 Address : Building 51
 Upton, New York 11973—5000

Report Date: July 7, 2009

Contact: Mr. John Burke
 Project: **Perimeter FHW MF**

| | | | |
|-------------------|-----------|------------|-----------|
| Client Sample ID: | 27274-001 | Project: | BRKL00309 |
| Sample ID: | 232172001 | Client ID: | BRKL005 |

| Parameter | Qualifier | Result | DL | RL | Units | DF | Analyst | Date | Time | Batch | Method |
|---|-----------|--------|-------|-------|-------|----|---------|----------|------|--------|--------|
| Metals Analysis—ICP | | | | | | | | | | | |
| 3050S/6010 Lead Federal "Dry Weight Corrected" | | | | | | | | | | | |
| Vanadium | U | 19.9 | 0.156 | 0.778 | mg/kg | I | | | | | |
| Zinc | U | 27.8 | 0.311 | 1.56 | mg/kg | I | | | | | |
| Semi-Volatiles—PCB Federal | | | | | | | | | | | |
| 8082/3550B PCB soil—Fed "Dry Weight Corrected" | | | | | | | | | | | |
| Aroclor-1016 | U | ND | 1.76 | 5.28 | ug/kg | I | YS1 | 06/25/09 | 1332 | 879470 | 7 |
| Aroclor-1221 | U | ND | 1.76 | 5.28 | ug/kg | I | | | | | |
| Aroclor-1232 | U | ND | 1.76 | 5.28 | ug/kg | I | | | | | |
| Aroclor-1242 | U | ND | 1.76 | 5.28 | ug/kg | I | | | | | |
| Aroclor-1248 | U | ND | 1.76 | 5.28 | ug/kg | I | | | | | |
| Aroclor-1254 | U | ND | 1.76 | 5.28 | ug/kg | I | | | | | |
| Aroclor-1260 | U | ND | 1.76 | 5.28 | ug/kg | I | | | | | |
| Semi-Volatiles—Pesticide Federal | | | | | | | | | | | |
| 8081A/3550B Pesticide Soil Federal "Dry Weight Corrected" | | | | | | | | | | | |
| 4,4'-DDD | U | ND | 0.527 | 2.11 | ug/kg | I | JXM | 06/25/09 | 1351 | 879634 | 9 |
| Aldrin | U | ND | 0.264 | 1.05 | ug/kg | I | | | | | |
| Chlordane (tech.) | U | ND | 2.64 | 13.2 | ug/kg | I | | | | | |
| Dieldrin | U | ND | 0.527 | 2.11 | ug/kg | I | | | | | |
| Endosulfan I | U | ND | 0.264 | 1.05 | ug/kg | I | | | | | |
| Endosulfan II | U | ND | 0.527 | 2.11 | ug/kg | I | | | | | |
| Endrin | U | ND | 0.527 | 2.11 | ug/kg | I | | | | | |
| Endrin aldehyde | U | ND | 0.527 | 2.11 | ug/kg | I | | | | | |
| Endrin ketone | U | ND | 0.527 | 2.11 | ug/kg | I | | | | | |
| Heptachlor | U | ND | 0.264 | 1.05 | ug/kg | I | | | | | |
| Heptachlor epoxide | U | ND | 0.264 | 1.05 | ug/kg | I | | | | | |
| Methoxychlor | U | ND | 2.64 | 10.5 | ug/kg | I | | | | | |
| Toxaphene | U | ND | 8.78 | 52.7 | ug/kg | I | | | | | |
| alpha-BHC | U | ND | 0.264 | 1.05 | ug/kg | I | | | | | |
| beta-BHC | U | ND | 0.264 | 1.05 | ug/kg | I | | | | | |
| delta-BHC | U | ND | 0.264 | 1.05 | ug/kg | I | | | | | |
| gamma-BHC (Lindane) | U | ND | 0.264 | 1.05 | ug/kg | I | | | | | |
| 4,4'-DDE | | 11.6 | 0.527 | 2.11 | ug/kg | I | JXM | 06/25/09 | 1351 | 879634 | 10 |
| 4,4'-DDT | | 5.88 | 0.527 | 2.11 | ug/kg | I | | | | | |
| Endosulfan sulfate | J | 0.886 | 0.527 | 2.11 | ug/kg | I | | | | | |
| Titration Analysis Federal | | | | | | | | | | | |
| Reactive Sulfide SW846 Chapter 7.3.4 "Dry Weight Corrected" | | | | | | | | | | | |
| Reactive Releasable Sulfide | < | 500 | | 500 | mg/kg | | TXT1 | 06/25/09 | 1506 | 880225 | 11 |

The following Prep Methods were performed

| Method | Description | Analyst | Date | Time | Prep Batch |
|------------|--------------------------|---------|----------|------|------------|
| SW846 1311 | SW846 1311 TCLP Leaching | RXD2 | 06/23/09 | 1600 | 879420 |

GEL LABORATORIES LLC
 2040 Savage Road Charleston SC 29407 – (843) 556-8171 – www.gel.com

Certificate of Analysis

Company : Brookhaven National Laboratory
 Address : Building 51
 Upton, New York 11973—5000

Contact: Mr. John Burke
 Project: **Perimeter FHWMF**

Report Date: July 7, 2009

| | | | |
|-------------------|-----------|------------|-----------|
| Client Sample ID: | 27274-001 | Project: | BRKL00309 |
| Sample ID: | 232172001 | Client ID: | BRKL005 |

| Parameter | Qualifier | Result | DL | RL | Units | DF | Analyst | Date | Time | Batch | Method |
|------------------|-----------|--|----|------|----------|------|---------|--------|------|-------|--------|
| SW846 1311 | | SW846 1311 TCLP Leaching –FEDERAL | | RXD2 | 06/23/09 | 1600 | | 879420 | | | |
| SW846 3010A | | ICP–TRACE TCLP by SW846 3010A | | FGA | 06/24/09 | 1630 | | 879981 | | | |
| SW846 3050B | | 846 3050BS PREP | | AXG2 | 06/24/09 | 0820 | | 879276 | | | |
| SW846 3550B | | 3550B PCB Prep Soil FED | | NXP2 | 06/23/09 | 1600 | | 879469 | | | |
| SW846 3550B | | 3550B Pesticide/PCB Prep Soil | | NXP2 | 06/23/09 | 1600 | | 879633 | | | |
| SW846 7.3.3 Prep | | SW 7.3.3 Reactivity, Releasable Cyanide– | | AXS5 | 06/26/09 | 0903 | | 878894 | | | |
| SW846 7470A Prep | | EPA 7470A Mercury Prep TCLP Liquid | | TXB3 | 06/25/09 | 1345 | | 880000 | | | |

The following Analytical Methods were performed

| Method | Description | Analyst Comments |
|--------|-----------------------|------------------|
| 1 | SW846 9045C/9045D | |
| 2 | SW846 7.3.3 | |
| 3 | ASTM D 5057 | |
| 4 | SW846 7470A | |
| 5 | SW846 3010/6010B | |
| 6 | SW846 3050B/6010B | |
| 7 | SW846 8082 | |
| 8 | SW846 8082 | |
| 9 | SW846 8081A | |
| 10 | SW846 8081A | |
| 11 | SW846 Chpt. 7.3.4-TIT | |

| Surrogate/Tracer recovery | Test | Result | Nominal | Recovery% | Acceptable Limits |
|---------------------------|---|------------|---------|-----------|-------------------|
| 4cmx | 8082/3550B PCB soil–Fed "Dry Weight Corrected" | 4.91 ug/kg | 10.6 | 46.5 | (34%–105%) |
| Decachlorobiphenyl | 8082/3550B PCB soil–Fed "Dry Weight Corrected" | 6.04 ug/kg | 10.6 | 57.2 | (33%–115%) |
| 4cmx | 8081A/3550B Pesticide Soil Federal "Dry Weight Corrected" | 38.7 ug/kg | 52.7 | 73.4 | (34%–105%) |
| Decachlorobiphenyl | 8081A/3550B Pesticide Soil Federal "Dry Weight Corrected" | 35.9 ug/kg | 52.7 | 68.1 | (33%–115%) |

GEL LABORATORIES LLC

2040 Savage Road Charleston SC 29407 - (843) 556-8171 - www.gel.com

Certificate of Analysis

Company : Brookhaven National Laboratory
 Address : Building 51
 Upton, New York 11973--5000

Contact: Mr. John Burke
 Project: **Perimeter FHW MF**

Report Date: July 7, 2009

| | | | |
|-------------------|-----------------|---------------|-----------|
| Client Sample ID: | 27274-002 | Project: | BRKL00309 |
| Sample ID: | 232172002 | Client ID: | BRKL005 |
| Matrix: | Solid | COC: | 27274 |
| Collect Date: | 09-JUN-09 10:05 | Samp Recv.: | |
| Receive Date: | 20-JUN-09 09:30 | Client Desc.: | PFHWMF |
| Collector: | Client | Vol. Recv.: | |
| Moisture: | 21.6% | | |

| Parameter | Qualifier | Result | DL | RL | Units | DF | Analyst | Date | Time | Batch | Method |
|---|-----------|--------|----|---------|--------|----|---------|------|------|-------|------------------------|
| Electrode Analysis Federal | | | | | | | | | | | |
| <i>SW9045C pH Federal "As Received"</i> | | | | | | | | | | | |
| pH at Temp 21.6C | H | 5.11 | | 0.010 | 0.100 | | SU | | 1 | RXG2 | 06/24/09 1426 879796 1 |
| Flow Injection Analysis Federal | | | | | | | | | | | |
| <i>SW 7.3.3 Reactivity, Releasable "Dry Weight Corrected"</i> | | | | | | | | | | | |
| Reactive Releasable Cyanide | < | 250000 | | | 250000 | | ug/kg | | 1 | AXC2 | 06/29/09 1206 878896 2 |
| Hazardous Waste Federal | | | | | | | | | | | |
| <i>ASTM_D5057 Bulk Density Soil "As Received"</i> | | | | | | | | | | | |
| Density | | 1.96 | | 0.010 | 0.100 | | g/mL | | 1 | NXM | 06/23/09 1341 879400 3 |
| Mercury Analysis—CVAA | | | | | | | | | | | |
| <i>TCLP Hg in Solid "As Received"</i> | | | | | | | | | | | |
| Mercury | U | ND | | 0.00067 | 0.002 | | mg/L | | 1 | JXL1 | 06/26/09 0957 880001 4 |
| Metals Analysis—ICP | | | | | | | | | | | |
| <i>TCLP ICP Metals for Solid "As Received"</i> | | | | | | | | | | | |
| Lead | U | ND | | 0.025 | 0.100 | | mg/L | | 1 | HSC | 06/25/09 1610 879982 5 |
| <i>3050S/6010 Lead Federal "Dry Weight Corrected"</i> | | | | | | | | | | | |
| Aluminum | | 11800 | | 8.38 | 24.6 | | mg/kg | | 1 | HSC | 06/26/09 0249 879277 6 |
| Antimony | U | ND | | 0.382 | 1.23 | | mg/kg | | 1 | | |
| Arsenic | J | 1.53 | | 0.616 | 1.85 | | mg/kg | | 1 | | |
| Barium | | 17.4 | | 0.123 | 0.616 | | mg/kg | | 1 | | |
| Beryllium | J | 0.262 | | 0.123 | 0.616 | | mg/kg | | 1 | | |
| Cadmium | U | ND | | 0.123 | 0.616 | | mg/kg | | 1 | | |
| Calcium | | 61.6 | | 3.70 | 12.3 | | mg/kg | | 1 | | |
| Chromium | | 11.1 | | 0.123 | 0.616 | | mg/kg | | 1 | | |
| Cobalt | | 2.09 | | 0.246 | 0.616 | | mg/kg | | 1 | | |
| Copper | | 3.80 | | 0.370 | 1.23 | | mg/kg | | 1 | | |
| Iron | | 7790 | | 3.08 | 12.3 | | mg/kg | | 1 | | |
| Lead | | 7.80 | | 0.308 | 1.23 | | mg/kg | | 1 | | |
| Magnesium | | 939 | | 10.5 | 37.0 | | mg/kg | | 1 | | |
| Manganese | | 36.1 | | 0.246 | 1.23 | | mg/kg | | 1 | | |
| Nickel | | 5.23 | | 0.123 | 0.616 | | mg/kg | | 1 | | |
| Potassium | | 158 | | 6.16 | 18.5 | | mg/kg | | 1 | | |
| Selenium | | 4.62 | | 0.616 | 1.85 | | mg/kg | | 1 | | |
| Silver | J | 0.333 | | 0.123 | 0.616 | | mg/kg | | 1 | | |
| Sodium | | 29.7 | | 5.54 | 18.5 | | mg/kg | | 1 | | |
| Thallium | J | 1.85 | | 0.616 | 2.46 | | mg/kg | | 1 | | |

GEL LABORATORIES LLC
2040 Savage Road Charleston SC 29407 - (843) 556-8171 - www.gel.com

Certificate of Analysis

Company : Brookhaven National Laboratory
 Address : Building 51
 Upton, New York 11973—5000

Report Date: July 7, 2009

Contact: Mr. John Burke
 Project: **Perimeter FHW MF**

| | | | |
|-------------------|-----------|------------|-----------|
| Client Sample ID: | 27274-002 | Project: | BRKL00309 |
| Sample ID: | 232172002 | Client ID: | BRKL005 |

| Parameter | Qualifier | Result | DL | RL | Units | DF | Analyst | Date | Time | Batch | Method |
|-----------|-----------|--------|----|----|-------|----|---------|------|------|-------|--------|
|-----------|-----------|--------|----|----|-------|----|---------|------|------|-------|--------|

Metals Analysis—ICP

3050S/6010 Lead Federal "Dry Weight Corrected"

| | | | | | |
|----------|------|-------|-------|-------|---|
| Vanadium | 16.8 | 0.123 | 0.616 | mg/kg | 1 |
| Zinc | 10.6 | 0.246 | 1.23 | mg/kg | 1 |

Semi-Volatiles—PCB Federal

8082/3550B PCB soil—Fed "Dry Weight Corrected"

| | | | | | | | | | | | |
|--------------|---|----|------|------|-------|---|-----|----------|------|--------|---|
| Aroclor-1016 | U | ND | 1.42 | 4.25 | ug/kg | 1 | YSI | 06/25/09 | 1403 | 879470 | 7 |
| Aroclor-1221 | U | ND | 1.42 | 4.25 | ug/kg | 1 | | | | | |
| Aroclor-1232 | U | ND | 1.42 | 4.25 | ug/kg | 1 | | | | | |
| Aroclor-1242 | U | ND | 1.42 | 4.25 | ug/kg | 1 | | | | | |
| Aroclor-1248 | U | ND | 1.42 | 4.25 | ug/kg | 1 | | | | | |
| Aroclor-1254 | U | ND | 1.42 | 4.25 | ug/kg | 1 | | | | | |
| Aroclor-1260 | U | ND | 1.42 | 4.25 | ug/kg | 1 | | | | | |

Semi-Volatiles—Pesticide Federal

8081A/3550B Pesticide Soil Federal "Dry Weight Corrected"

| | | | | | | | | | | | |
|---------------------|---|----|-------|-------|-------|---|-----|----------|------|--------|---|
| 4,4'-DDD | U | ND | 0.425 | 1.70 | ug/kg | 1 | JXM | 06/25/09 | 1431 | 879634 | 9 |
| 4,4'-DDE | U | ND | 0.425 | 1.70 | ug/kg | 1 | | | | | |
| 4,4'-DDT | U | ND | 0.425 | 1.70 | ug/kg | 1 | | | | | |
| Aldrin | U | ND | 0.212 | 0.849 | ug/kg | 1 | | | | | |
| Chlordane (tech.) | U | ND | 2.12 | 10.6 | ug/kg | 1 | | | | | |
| Dieldrin | U | ND | 0.425 | 1.70 | ug/kg | 1 | | | | | |
| Endosulfan I | U | ND | 0.212 | 0.849 | ug/kg | 1 | | | | | |
| Endosulfan II | U | ND | 0.425 | 1.70 | ug/kg | 1 | | | | | |
| Endosulfan sulfate | U | ND | 0.425 | 1.70 | ug/kg | 1 | | | | | |
| Endrin | U | ND | 0.425 | 1.70 | ug/kg | 1 | | | | | |
| Endrin aldehyde | U | ND | 0.425 | 1.70 | ug/kg | 1 | | | | | |
| Endrin ketone | U | ND | 0.425 | 1.70 | ug/kg | 1 | | | | | |
| Heptachlor | U | ND | 0.212 | 0.849 | ug/kg | 1 | | | | | |
| Heptachlor epoxide | U | ND | 0.212 | 0.849 | ug/kg | 1 | | | | | |
| Methoxychlor | U | ND | 2.12 | 8.49 | ug/kg | 1 | | | | | |
| Toxaphene | U | ND | 7.07 | 42.5 | ug/kg | 1 | | | | | |
| alpha-BHC | U | ND | 0.212 | 0.849 | ug/kg | 1 | | | | | |
| beta-BHC | U | ND | 0.212 | 0.849 | ug/kg | 1 | | | | | |
| delta-BHC | U | ND | 0.212 | 0.849 | ug/kg | 1 | | | | | |
| gamma-BHC (Lindane) | U | ND | 0.212 | 0.849 | ug/kg | 1 | | | | | |

Titration Analysis Federal

Reactive Sulfide SW846 Chapter 7.3.4 "Dry Weight Corrected"

| | | | | | | | | | |
|------------------------------|---|-----|-----|-------|------|----------|------|--------|----|
| Reactive Releaseable Sulfide | < | 500 | 500 | mg/kg | TXT1 | 06/25/09 | 1514 | 880225 | 10 |
|------------------------------|---|-----|-----|-------|------|----------|------|--------|----|

The following Prep Methods were performed

| Method | Description | Analyst | Date | Time | Prep Batch |
|------------|--------------------------|---------|----------|------|------------|
| SW846 1311 | SW846 1311 TCLP Leaching | RXD2 | 06/23/09 | 1600 | 879420 |

GEL LABORATORIES LLC
 2040 Savage Road Charleston SC 29407 – (843) 556-8171 – www.gel.com

Certificate of Analysis

Company : Brookhaven National Laboratory
 Address : Building 51
 Upton, New York 11973—5000

Contact: Mr. John Burke
 Project: **Perimeter FHW MF**

Report Date: July 7, 2009

| | | | |
|-------------------|-----------|------------|-----------|
| Client Sample ID: | 27274-002 | Project: | BRKL00309 |
| Sample ID: | 232172002 | Client ID: | BRKL005 |

| Parameter | Qualifier | Result | DL | RL | Units | DF | Analyst | Date | Time | Batch | Method |
|------------------|-----------|--|----|------|----------|------|---------|--------|------|-------|--------|
| SW846 1311 | | SW846 1311 TCLP Leaching –FEDERAL | | RXD2 | 06/23/09 | 1600 | | 879420 | | | |
| SW846 3010A | | ICP–TRACE TCLP by SW846 3010A | | FGA | 06/24/09 | 1630 | | 879981 | | | |
| SW846 3050B | | 846 3050BS PREP | | AXG2 | 06/24/09 | 0820 | | 879276 | | | |
| SW846 3550B | | 3550B PCB Prep Soil FED | | NXP2 | 06/23/09 | 1600 | | 879469 | | | |
| SW846 3550B | | 3550B Pesticide/PCB Prep Soil | | NXP2 | 06/23/09 | 1600 | | 879633 | | | |
| SW846 7.3.3 Prep | | SW 7.3.3 Reactivity, Releasable Cyanide– | | AXS5 | 06/26/09 | 0903 | | 878894 | | | |
| SW846 7470A Prep | | EPA 7470A Mercury Prep TCLP Liquid | | TXB3 | 06/25/09 | 1345 | | 880000 | | | |

The following Analytical Methods were performed

| Method | Description | Analyst Comments |
|--------|-----------------------|------------------|
| 1 | SW846 9045C/9045D | |
| 2 | SW846 7.3.3 | |
| 3 | ASTM D 5057 | |
| 4 | SW846 7470A | |
| 5 | SW846 3010/6010B | |
| 6 | SW846 3050B/6010B | |
| 7 | SW846 8082 | |
| 8 | SW846 8082 | |
| 9 | SW846 8081A | |
| 10 | SW846 Chpt. 7.3.4–TIT | |

| Surrogate/Tracer recovery | Test | Result | Nominal | Recovery% | Acceptable Limits |
|---------------------------|---|------------|---------|-----------|-------------------|
| 4cmx | 8082/3550B PCB soil–Fed "Dry Weight Corrected" | 3.87 ug/kg | 8.51 | 45.5 | (34%–105%) |
| Decachlorobiphenyl | 8082/3550B PCB soil–Fed "Dry Weight Corrected" | 3.34 ug/kg | 8.51 | 39.3 | (33%–115%) |
| 4cmx | 8081A/3550B Pesticide Soil Federal "Dry Weight Corrected" | 32.9 ug/kg | 42.5 | 77.4 | (34%–105%) |
| Decachlorobiphenyl | 8081A/3550B Pesticide Soil Federal "Dry Weight Corrected" | 29.2 ug/kg | 42.5 | 68.7 | (33%–115%) |

GEL LABORATORIES LLC

2040 Savage Road Charleston SC 29407 – (843) 556-8171 – www.gel.com

Certificate of Analysis

Company : Brookhaven National Laboratory
 Address : Building 51
 Upton, New York 11973--5000

Report Date: July 7, 2009

Contact: Mr. John Burke
 Project: Perimeter FHW MF

| | | | |
|-------------------|-----------------|---------------|-----------|
| Client Sample ID: | 27274-003 | Project: | BRKL00309 |
| Sample ID: | 232172003 | Client ID: | BRKL005 |
| Matrix: | Solid | COC: | 27274 |
| Collect Date: | 09-JUN-09 10:10 | Samp Recv.: | |
| Receive Date: | 20-JUN-09 09:30 | Client Desc.: | PFHWMF |
| Collector: | Client | Vol. Recv.: | |
| Moisture: | 18.3% | | |

| Parameter | Qualifier | Result | DL | RL | Units | DF | Analyst | Date | Time | Batch | Method |
|---|-----------|--------|----|---------|--------|----|---------|------|------|-------|------------------------|
| Electrode Analysis Federal | | | | | | | | | | | |
| <i>SW9045C pH Federal "As Received"</i> | | | | | | | | | | | |
| pH at Temp 21.5C | H | 5.53 | | 0.010 | 0.100 | | SU | | 1 | RXG2 | 06/24/09 1428 879796 1 |
| Flow Injection Analysis Federal | | | | | | | | | | | |
| <i>SW 7.3.3 Reactivity, Releasable "Dry Weight Corrected"</i> | | | | | | | | | | | |
| Reactive Releasable Cyanide | < | 250000 | | | 250000 | | ug/kg | | 1 | AXC2 | 06/29/09 1207 878896 2 |
| Hazardous Waste Federal | | | | | | | | | | | |
| <i>ASTM D5057 Bulk Density Soil "As Received"</i> | | | | | | | | | | | |
| Density | | 1.91 | | 0.010 | 0.100 | | g/mL | | 1 | NXM | 06/23/09 1345 879400 3 |
| Mercury Analysis—CVAA | | | | | | | | | | | |
| <i>TCLP Hg in Solid "As Received"</i> | | | | | | | | | | | |
| Mercury | U | ND | | 0.00067 | 0.002 | | mg/L | | 1 | JXL1 | 06/26/09 0958 880001 4 |
| Metals Analysis—ICP | | | | | | | | | | | |
| <i>TCLP ICP Metals for Solid "As Received"</i> | | | | | | | | | | | |
| Lead | U | ND | | 0.025 | 0.100 | | mg/L | | 1 | HSC | 06/25/09 1614 879982 5 |
| <i>3050S/6010 Lead Federal "Dry Weight Corrected"</i> | | | | | | | | | | | |
| Aluminum | | 9900 | | 8.04 | 23.6 | | mg/kg | | 1 | HSC | 06/26/09 0256 879277 6 |
| Antimony | U | ND | | 0.366 | 1.18 | | mg/kg | | 1 | | |
| Arsenic | | 2.05 | | 0.591 | 1.77 | | mg/kg | | 1 | | |
| Barium | | 15.1 | | 0.118 | 0.591 | | mg/kg | | 1 | | |
| Beryllium | J | 0.308 | | 0.118 | 0.591 | | mg/kg | | 1 | | |
| Cadmium | U | ND | | 0.118 | 0.591 | | mg/kg | | 1 | | |
| Calcium | | 129 | | 3.55 | 11.8 | | mg/kg | | 1 | | |
| Chromium | | 10.5 | | 0.118 | 0.591 | | mg/kg | | 1 | | |
| Cobalt | | 2.55 | | 0.236 | 0.591 | | mg/kg | | 1 | | |
| Copper | | 4.86 | | 0.355 | 1.18 | | mg/kg | | 1 | | |
| Iron | | 10600 | | 2.96 | 11.8 | | mg/kg | | 1 | | |
| Lead | | 5.50 | | 0.296 | 1.18 | | mg/kg | | 1 | | |
| Magnesium | | 1150 | | 10.0 | 35.5 | | mg/kg | | 1 | | |
| Manganese | | 94.3 | | 0.236 | 1.18 | | mg/kg | | 1 | | |
| Nickel | | 5.77 | | 0.118 | 0.591 | | mg/kg | | 1 | | |
| Potassium | | 226 | | 5.91 | 17.7 | | mg/kg | | 1 | | |
| Selenium | | 7.37 | | 0.591 | 1.77 | | mg/kg | | 1 | | |
| Silver | J | 0.323 | | 0.118 | 0.591 | | mg/kg | | 1 | | |
| Sodium | | 37.2 | | 5.32 | 17.7 | | mg/kg | | 1 | | |
| Thallium | J | 1.75 | | 0.591 | 2.36 | | mg/kg | | 1 | | |

GEL LABORATORIES LLC
2040 Savage Road Charleston SC 29407 – (843) 556-8171 – www.gel.com

Certificate of Analysis

Company : Brookhaven National Laboratory
 Address : Building 51
 Upton, New York 11973--5000

Report Date: July 7, 2009

Contact: Mr. John Burke
 Project: **Perimeter FHWMF**

| | | | |
|-------------------|-----------|------------|-----------|
| Client Sample ID: | 27274-003 | Project: | BRKL00309 |
| Sample ID: | 232172003 | Client ID: | BRKL005 |

| Parameter | Qualifier | Result | DL | RL | Units | DF | Analyst | Date | Time | Batch | Method |
|--|-----------|--------|-------|-------|-------|----|---------|----------|------|--------|--------|
| Metals Analysis-ICP | | | | | | | | | | | |
| <i>3050S/6010 Lead Federal "Dry Weight Corrected"</i> | | | | | | | | | | | |
| Vanadium | | 16.9 | 0.118 | 0.591 | mg/kg | 1 | | | | | |
| Zinc | | 11.2 | 0.236 | 1.18 | mg/kg | 1 | | | | | |
| Semi-Volatiles-PCB Federal | | | | | | | | | | | |
| <i>8082/3550B PCB soil-Fed "Dry Weight Corrected"</i> | | | | | | | | | | | |
| Aroclor-1016 | U | ND | 1.36 | 4.07 | ug/kg | 1 | YSI | 06/25/09 | 1419 | 879470 | 7 |
| Aroclor-1221 | U | ND | 1.36 | 4.07 | ug/kg | 1 | | | | | |
| Aroclor-1232 | U | ND | 1.36 | 4.07 | ug/kg | 1 | | | | | |
| Aroclor-1242 | U | ND | 1.36 | 4.07 | ug/kg | 1 | | | | | |
| Aroclor-1248 | P | 17.8 | 1.36 | 4.07 | ug/kg | 1 | | | | | |
| Aroclor-1260 | U | ND | 1.36 | 4.07 | ug/kg | 1 | | | | | |
| Aroclor-1254 | | 13.8 | 1.36 | 4.07 | ug/kg | 1 | YSI | 06/25/09 | 1419 | 879470 | 8 |
| Semi-Volatiles-Pesticide Federal | | | | | | | | | | | |
| <i>8081A/3550B Pesticide Soil Federal "Dry Weight Corrected"</i> | | | | | | | | | | | |
| 4,4'-DDD | U | ND | 0.408 | 1.63 | ug/kg | 1 | JXM | 06/25/09 | 1445 | 879634 | 9 |
| 4,4'-DDE | U | ND | 0.408 | 1.63 | ug/kg | 1 | | | | | |
| 4,4'-DDT | U | ND | 0.408 | 1.63 | ug/kg | 1 | | | | | |
| Aldrin | U | ND | 0.204 | 0.816 | ug/kg | 1 | | | | | |
| Chlordane (tech.) | U | ND | 2.04 | 10.2 | ug/kg | 1 | | | | | |
| Dieldrin | U | ND | 0.408 | 1.63 | ug/kg | 1 | | | | | |
| Endosulfan I | U | ND | 0.204 | 0.816 | ug/kg | 1 | | | | | |
| Endosulfan II | U | ND | 0.408 | 1.63 | ug/kg | 1 | | | | | |
| Endosulfan sulfate | U | ND | 0.408 | 1.63 | ug/kg | 1 | | | | | |
| Endrin | U | ND | 0.408 | 1.63 | ug/kg | 1 | | | | | |
| Endrin aldehyde | U | ND | 0.408 | 1.63 | ug/kg | 1 | | | | | |
| Endrin ketone | U | ND | 0.408 | 1.63 | ug/kg | 1 | | | | | |
| Heptachlor | U | ND | 0.204 | 0.816 | ug/kg | 1 | | | | | |
| Heptachlor epoxide | U | ND | 0.204 | 0.816 | ug/kg | 1 | | | | | |
| Methoxychlor | U | ND | 2.04 | 8.16 | ug/kg | 1 | | | | | |
| Toxaphene | U | ND | 6.79 | 40.8 | ug/kg | 1 | | | | | |
| alpha-BHC | U | ND | 0.204 | 0.816 | ug/kg | 1 | | | | | |
| beta-BHC | U | ND | 0.204 | 0.816 | ug/kg | 1 | | | | | |
| delta-BHC | U | ND | 0.204 | 0.816 | ug/kg | 1 | | | | | |
| gamma-BHC (Lindane) | U | ND | 0.204 | 0.816 | ug/kg | 1 | | | | | |
| Titration Analysis Federal | | | | | | | | | | | |
| <i>Reactive Sulfide SW846 Chapter 7.3.4 "Dry Weight Corrected"</i> | | | | | | | | | | | |
| Reactive Releasable Sulfide | < | 500 | | 500 | mg/kg | | TXT1 | 06/25/09 | 1517 | 880225 | 10 |

The following Prep Methods were performed

| Method | Description | Analyst | Date | Time | Prep Batch |
|------------|--------------------------|---------|----------|------|------------|
| SW846 1311 | SW846 1311 TCLP Leaching | RXD2 | 06/23/09 | 1600 | 879420 |

GEL LABORATORIES LLC
 2040 Savage Road Charleston SC 29407 – (843) 556-8171 – www.gel.com

Certificate of Analysis

Company : Brookhaven National Laboratory
 Address : Building 51
 Upton, New York 11973—5000

Contact: Mr. John Burke
 Project: **Perimeter FHW MF**

Report Date: July 7, 2009

| | | | |
|-------------------|-----------|------------|-----------|
| Client Sample ID: | 27274-003 | Project: | BRKL00309 |
| Sample ID: | 232172003 | Client ID: | BRKL005 |

| Parameter | Qualifier | Result | DL | RL | Units | DF | Analyst | Date | Time | Batch | Method |
|------------------|-----------|--|----|------|----------|------|---------|--------|------|-------|--------|
| SW846 1311 | | SW846 1311 TCLP Leaching –FEDERAL | | RXD2 | 06/23/09 | 1600 | | 879420 | | | |
| SW846 3010A | | ICP–TRACE TCLP by SW846 3010A | | FGA | 06/24/09 | 1630 | | 879981 | | | |
| SW846 3050B | | 846 3050BS PREP | | AXG2 | 06/24/09 | 0820 | | 879276 | | | |
| SW846 3550B | | 3550B PCB Prep Soil FED | | NXP2 | 06/23/09 | 1600 | | 879469 | | | |
| SW846 3550B | | 3550B Pesticide/PCB Prep Soil | | NXP2 | 06/23/09 | 1600 | | 879633 | | | |
| SW846 7.3.3 Prep | | SW 7.3.3 Reactivity, Releasable Cyanide– | | AXS5 | 06/26/09 | 0903 | | 878894 | | | |
| SW846 7470A Prep | | EPA 7470A Mercury Prep TCLP Liquid | | TXB3 | 06/25/09 | 1345 | | 880000 | | | |

The following Analytical Methods were performed

| Method | Description | Analyst Comments |
|--------|-----------------------|------------------|
| 1 | SW846 9045C/9045D | |
| 2 | SW846 7.3.3 | |
| 3 | ASTM D 5057 | |
| 4 | SW846 7470A | |
| 5 | SW846 3010/6010B | |
| 6 | SW846 3050B/6010B | |
| 7 | SW846 8082 | |
| 8 | SW846 8082 | |
| 9 | SW846 8081A | |
| 10 | SW846 Chpt. 7.3.4–TIT | |

| Surrogate/Tracer recovery | Test | Result | Nominal | Recovery% | Acceptable Limits |
|---------------------------|---|------------|---------|-----------|-------------------|
| 4cmx | 8082/3550B PCB soil–Fed "Dry Weight Corrected" | 5.86 ug/kg | 8.15 | 72.0 | (34%–105%) |
| Decachlorobiphenyl | 8082/3550B PCB soil–Fed "Dry Weight Corrected" | 5.20 ug/kg | 8.15 | 63.8 | (33%–115%) |
| 4cmx | 8081A/3550B Pesticide Soil Federal "Dry Weight Corrected" | 32.1 ug/kg | 40.8 | 78.6 | (34%–105%) |
| Decachlorobiphenyl | 8081A/3550B Pesticide Soil Federal "Dry Weight Corrected" | 31.9 ug/kg | 40.8 | 78.2 | (33%–115%) |

GEL LABORATORIES LLC
 2040 Savage Road Charleston SC 29407 - (843) 556-8171 - www.gel.com

Certificate of Analysis

Company : Brookhaven National Laboratory
 Address : Building 51
 Upton, New York 11973—5000

Contact: Mr. John Burke
 Project: **Perimeter FHW MF**

Report Date: July 7, 2009

| | | | |
|-------------------|-----------------|---------------|-----------|
| Client Sample ID: | 27274-001 | Project: | BRKL00309 |
| Sample ID: | 232172001 | Client ID: | BRKL005 |
| Matrix: | Solid | COC: | 27274 |
| Collect Date: | 09-JUN-09 10:00 | Samp Recv.: | |
| Receive Date: | 20-JUN-09 09:30 | Client Desc.: | PFHWMF |
| Collector: | Client | Vol. Recv.: | |
| Moisture: | 36.9% | | |

| Parameter | Qualifier | Result | Uncertainty | DL | RL | Units | DF | Analyst | Date | Time | Batch | Method |
|---|-----------|---------|-------------|--------|-------|-------|----|---------|----------|------|--------|--------|
| Gravimetric Solids | | | | | | | | | | | | |
| <i>"As Received"</i> | | | | | | | | | | | | |
| Rad Alpha Spec Analysis | | | | | | | | | | | | |
| <i>Alphaspec Am241 Solid "Dry Weight Corrected"</i> | | | | | | | | | | | | |
| Americium-241 | U | 0.212 | +/-0.234 | 0.333 | 1.00 | pCi/g | | HAK | 06/26/09 | 1455 | 879815 | 2 |
| <i>Alphaspec Pu, Solid "Dry Weight Corrected"</i> | | | | | | | | | | | | |
| Plutonium-238 | U | -0.0293 | +/-0.278 | 0.655 | 1.00 | pCi/g | | HAK | 06/26/09 | 1455 | 879817 | 3 |
| Plutonium-239/240 | U | 0.0587 | +/-0.165 | 0.372 | 1.00 | pCi/g | | | | | | |
| <i>Alphaspec Th, Solid "Dry Weight Corrected"</i> | | | | | | | | | | | | |
| Thorium-228 | | 1.25 | +/-0.633 | 0.536 | 1.00 | pCi/g | | HAK | 06/26/09 | 1446 | 879818 | 4 |
| Thorium-230 | J | 0.693 | +/-0.475 | 0.495 | 1.00 | pCi/g | | | | | | |
| Thorium-232 | | 1.43 | +/-0.657 | 0.458 | 1.00 | pCi/g | | | | | | |
| <i>Alphaspec U, Solid "Dry Weight Corrected"</i> | | | | | | | | | | | | |
| Uranium-233/234 | | 1.19 | +/-0.669 | 0.639 | 0.900 | pCi/g | | HAK | 06/26/09 | 1944 | 879819 | 5 |
| Uranium-235/236 | U | 0.0812 | +/-0.215 | 0.512 | 0.900 | pCi/g | | | | | | |
| Uranium-238 | J | 0.691 | +/-0.479 | 0.259 | 0.900 | pCi/g | | | | | | |
| Rad Gamma Spec Analysis | | | | | | | | | | | | |
| <i>Gammaspac, Gamma, Solid (Long List) "Dry Weight Corrected"</i> | | | | | | | | | | | | |
| Actinium-227 | U | -0.0105 | +/-0.156 | 0.267 | 10000 | pCi/g | | | | | | |
| Actinium-228 | | 1.07 | +/-0.152 | 0.0717 | 0.800 | pCi/g | | | | | | |
| Americium-241 | J-UI | 0.126 | +/-0.0675 | 0.106 | 0.200 | pCi/g | | | | | | |
| Antimony-124 | U | 0.0148 | +/-0.0306 | 0.0529 | 0.100 | pCi/g | | | | | | |
| Antimony-125 | U | -0.0145 | +/-0.0433 | 0.0715 | 0.200 | pCi/g | | | | | | |
| Antimony-126 | U | 0.0606 | +/-0.0825 | 0.132 | 10000 | pCi/g | | | | | | |
| Antimony-127 | U | 0.824 | +/-1.96 | 3.38 | 10000 | pCi/g | | | | | | |
| Barium-133 | U | 0.0128 | +/-0.021 | 0.0314 | 0.100 | pCi/g | | | | | | |
| Barium-137m | J | 3.29 | +/-0.173 | 0.0225 | 10000 | pCi/g | | | | | | |
| Barium-140 | U | 0.0816 | +/-0.156 | 0.270 | 0.500 | pCi/g | | | | | | |
| Beryllium-7 | DL | -0.0102 | +/-0.174 | 0.288 | 0.074 | pCi/g | | | | | | |
| Bismuth-207 | U | 0.0239 | +/-0.0176 | 0.0309 | 10000 | pCi/g | | | | | | |
| Bismuth-211 | J-UI | 2.29 | +/-0.258 | 0.142 | 10000 | pCi/g | | | | | | |
| Bismuth-212 | | 0.709 | +/-0.170 | 0.164 | 0.500 | pCi/g | | | | | | |
| Bismuth-214 | | 0.726 | +/-0.0824 | 0.0433 | 0.200 | pCi/g | | | | | | |

GEL LABORATORIES LLC
 2040 Savage Road Charleston SC 29407 - (843) 556-8171 - www.gel.com

Certificate of Analysis

Company : Brookhaven National Laboratory
 Address : Building 51
 Upton, New York 11973—5000

Contact: Mr. John Burke
 Project: **Perimeter FHW MF**

Report Date: July 7, 2009

Client Sample ID: 27274-001
 Sample ID: 232172001

Project: BRKL00309
 Client ID: BRKL005

| Parameter | Qualifier | Result | Uncertainty | DL | RL | Units | DF | Analyst | Date | Time | Batch | Method |
|---|-----------|-----------|-------------|--------|-------|-------|----|---------|------|------|-------|--------|
| Rad Gamma Spec Analysis | | | | | | | | | | | | |
| <i>Gammaspec, Gamma, Solid (Long List) "Dry Weight Corrected"</i> | | | | | | | | | | | | |
| Cadmium-109 | J-UI | 2.25 | +/-0.439 | 0.453 | 10000 | pCi/g | | | | | | |
| Cadmium-115 | U | -4.98 | +/-51.4 | 0.00 | 10000 | pCi/g | | | | | | |
| Cerium-139 | U | -0.006 | +/-0.0114 | 0.0199 | 0.050 | pCi/g | | | | | | |
| Cerium-141 | U | -0.00591 | +/-0.0388 | 0.0486 | 0.100 | pCi/g | | | | | | |
| Cerium-143 | UI | 12200 | +/-4500 | 0.00 | 10000 | pCi/g | | | | | | |
| Cerium-144 | U | 0.0262 | +/-0.0904 | 0.133 | 0.500 | pCi/g | | | | | | |
| Cesium-134 | J-UI | 0.0708 | +/-0.0243 | 0.0309 | 0.100 | pCi/g | | | | | | |
| Cesium-135 | U | 0.0479 | +/-0.0714 | 0.109 | 10000 | pCi/g | | | | | | |
| Cesium-136 | U | 0.0311 | +/-0.0544 | 0.0923 | 0.300 | pCi/g | | | | | | |
| Cesium-137 | | 3.48 | +/-0.184 | 0.0237 | 0.010 | pCi/g | | | | | | |
| Chromium-51 | U | 0.144 | +/-0.192 | 0.329 | 0.600 | pCi/g | | | | | | |
| Cobalt-56 | U | -0.00973 | +/-0.0141 | 0.023 | 0.100 | pCi/g | | | | | | |
| Cobalt-57 | DL | 0.000983 | +/-0.00995 | 0.0165 | 0.007 | pCi/g | | | | | | |
| Cobalt-58 | U | -0.00707 | +/-0.0141 | 0.0232 | 0.100 | pCi/g | | | | | | |
| Cobalt-60 | DL | -0.00343 | +/-0.0135 | 0.0225 | 0.011 | pCi/g | | | | | | |
| Europium-152 | U | 0.052 | +/-0.0472 | 0.0719 | 0.200 | pCi/g | | | | | | |
| Europium-154 | U | -0.0267 | +/-0.0379 | 0.062 | 0.500 | pCi/g | | | | | | |
| Europium-155 | J-UI | 0.0887 | +/-0.0513 | 0.0664 | 0.500 | pCi/g | | | | | | |
| Gadolinium-153 | U | -0.00181 | +/-0.0335 | 0.0497 | 10000 | pCi/g | | | | | | |
| Iodine-126 | U | -0.0496 | +/-0.114 | 0.166 | 10000 | pCi/g | | | | | | |
| Iodine-131 | U | -0.012 | +/-0.102 | 0.171 | 10000 | pCi/g | | | | | | |
| Iodine-133 | U | -1.02E+06 | +/-1.64E+06 | 0.00 | 10000 | pCi/g | | | | | | |
| Iodine-135 | U | -7.16E+23 | +/-8.59E+23 | 0.00 | 10000 | pCi/g | | | | | | |
| Iridium-192 | U | 0.0064 | +/-0.0157 | 0.0268 | 0.100 | pCi/g | | | | | | |
| Iron-59 | U | -0.0381 | +/-0.0347 | 0.0537 | 0.300 | pCi/g | | | | | | |
| Lanthanum-140 | J-UI | 0.104 | +/-0.0495 | 0.0855 | 10000 | pCi/g | | | | | | |
| Lead-210 | | 4.87 | +/-3.03 | 2.64 | 4.00 | pCi/g | | | | | | |
| Lead-211 | U | -0.0248 | +/-0.431 | 0.717 | 10000 | pCi/g | | | | | | |
| Lead-212 | | 1.06 | +/-0.0871 | 0.0394 | 0.100 | pCi/g | | | | | | |
| Lead-214 | | 0.797 | +/-0.0984 | 0.0493 | 0.100 | pCi/g | | | | | | |
| Manganese-54 | DL | 0.0212 | +/-0.0136 | 0.0231 | 0.008 | pCi/g | | | | | | |
| Mercury-203 | J-UI | 0.0529 | +/-0.0273 | 0.0305 | 0.100 | pCi/g | | | | | | |
| Molybdenum-99 | J-UI | 9.12 | +/-34.0 | 0.00 | 10000 | pCi/g | | | | | | |
| Neodymium-147 | U | -0.334 | +/-0.420 | 0.616 | 1000 | pCi/g | | | | | | |
| Neptunium-239 | U | -0.0193 | +/-0.0724 | 0.120 | 2.00 | pCi/g | | | | | | |
| Niobium-94 | U | 0.0051 | +/-0.0118 | 0.0203 | 1.00 | pCi/g | | | | | | |
| Niobium-95 | J-UI | 0.0456 | +/-0.0177 | 0.0291 | 0.050 | pCi/g | | | | | | |
| Potassium-40 | | 9.14 | +/-0.806 | 0.176 | 0.180 | pCi/g | | | | | | |
| Praseodymium-144 | U | -0.317 | +/-0.803 | 1.35 | 10000 | pCi/g | | | | | | |
| Promethium-144 | U | -0.00466 | +/-0.0118 | 0.0198 | 0.080 | pCi/g | | | | | | |
| Promethium-146 | U | 0.00449 | +/-0.0214 | 0.0356 | 1.00 | pCi/g | | | | | | |
| Promethium-149 | U | -220 | +/-460 | 0.00 | 10000 | pCi/g | | | | | | |

GEL LABORATORIES LLC

2040 Savage Road Charleston SC 29407 – (843) 556-8171 – www.gel.com

Certificate of Analysis

Company : Brookhaven National Laboratory
 Address : Building 51
 Upton, New York 11973—5000

Contact: Mr. John Burke
 Project: **Perimeter FHW MF**

Report Date: July 7, 2009

| | | | |
|-------------------|-----------|------------|-----------|
| Client Sample ID: | 27274-001 | Project: | BRKL00309 |
| Sample ID: | 232172001 | Client ID: | BRKL005 |

| Parameter | Qualifier | Result | Uncertainty | DL | RL | Units | DF | Analyst | Date | Time | Batch | Method |
|---|-----------|-------------|-------------|--------|-------|-------|----|---------|------|------|-------|--------|
| Rad Gamma Spec Analysis | | | | | | | | | | | | |
| <i>Gammaspec, Gamma, Solid (Long List) "Dry Weight Corrected"</i> | | | | | | | | | | | | |
| Protactinium-231 | U | -0.0187 | +/-0.640 | 1.05 | 10000 | pCi/g | | | | | | |
| Protactinium-233 | U | -0.0222 | +/-0.267 | 0.0444 | 10000 | pCi/g | | | | | | |
| Protactinium-234 | U | 0.117 | +/-0.101 | 0.174 | 10000 | pCi/g | | | | | | |
| Protactinium-234m | U | 1.49 | +/-3.38 | 3.85 | 10000 | pCi/g | | | | | | |
| Radium-223 | U | -0.0231 | +/-0.314 | 0.465 | 10000 | pCi/g | | | | | | |
| Radium-224 | J-UI | 2.64 | +/-0.452 | 0.421 | 10000 | pCi/g | | | | | | |
| Radium-226 | | 0.726 | +/-0.0824 | 0.0433 | 0.026 | pCi/g | | | | | | |
| Radium-228 | | 1.07 | +/-0.152 | 0.0717 | 0.500 | pCi/g | | | | | | |
| Radon-219 | U | 0.0234 | +/-0.188 | 0.315 | 10000 | pCi/g | | | | | | |
| Rhodium-106 | U | 0.005 | +/-0.123 | 0.211 | 10000 | pCi/g | | | | | | |
| Ruthenium-103 | U | 0.00578 | +/-0.0202 | 0.0336 | 10000 | pCi/g | | | | | | |
| Ruthenium-106 | U | 0.005 | +/-0.123 | 0.211 | 0.800 | pCi/g | | | | | | |
| Scandium-46 | U | -0.00946 | +/-0.0141 | 0.0229 | 10000 | pCi/g | | | | | | |
| Selenium-75 | U | -0.0181 | +/-0.0215 | 0.0316 | 10000 | pCi/g | | | | | | |
| Silver-108m | U | 0.0121 | +/-0.0155 | 0.0262 | 10000 | pCi/g | | | | | | |
| Silver-110m | U | 0.0072 | +/-0.0157 | 0.0238 | 0.080 | pCi/g | | | | | | |
| Sodium-22 | DL | -0.00948 | +/-0.0136 | 0.0223 | 0.010 | pCi/g | | | | | | |
| Sodium-24 | | U -7.33E+08 | +/-1.56E+09 | 0.00 | 10000 | pCi/g | | | | | | |
| Strontium-85 | J-UI | 0.116 | +/-0.0193 | 0.0345 | 10000 | pCi/g | | | | | | |
| Tantalum-182 | U | 0.00655 | +/-0.0621 | 0.107 | 10000 | pCi/g | | | | | | |
| Technetium-99m | | U -2.19E+25 | +/-5.54E+25 | 0.00 | 10000 | pCi/g | | | | | | |
| Tellurium-123m | U | -0.000483 | +/-0.0123 | 0.019 | 10000 | pCi/g | | | | | | |
| Tellurium-125m | U | 1.32 | +/-4.30 | 6.41 | 10000 | pCi/g | | | | | | |
| Tellurium-132 | U | 0.859 | +/-1.47 | 2.56 | 10000 | pCi/g | | | | | | |
| Thallium-208 | | 0.352 | +/-0.0368 | 0.0232 | 0.080 | pCi/g | | | | | | |
| Thorium-227 | U | -0.0105 | +/-0.156 | 0.267 | 10000 | pCi/g | | | | | | |
| Thorium-228 | | 1.06 | +/-0.0871 | 0.0394 | 0.021 | pCi/g | | | | | | |
| Thorium-229 | U | -0.101 | +/-0.197 | 0.340 | 10000 | pCi/g | | | | | | |
| Thorium-230 | J | 0.726 | +/-0.0824 | 0.0433 | 1.00 | pCi/g | | | | | | |
| Thorium-231 | U | -0.0231 | +/-0.314 | 0.465 | 10000 | pCi/g | | | | | | |
| Thorium-232 | J | 1.07 | +/-0.152 | 0.0717 | 10000 | pCi/g | | | | | | |
| Thorium-234 | J | 0.900 | +/-0.817 | 0.830 | 5.00 | pCi/g | | | | | | |
| Tin-113 | U | -0.0079 | +/-0.0211 | 0.035 | 0.100 | pCi/g | | | | | | |
| Tin-117m | U | 0.0172 | +/-0.0338 | 0.053 | 10000 | pCi/g | | | | | | |
| Tin-126 | J-UI | 0.218 | +/-0.0426 | 0.0443 | 10000 | pCi/g | | | | | | |
| Uranium-234 | J | 0.726 | +/-0.0824 | 0.0433 | 10000 | pCi/g | | | | | | |
| Uranium-235 | U | 0.0307 | +/-0.121 | 0.131 | 0.500 | pCi/g | | | | | | |
| Uranium-238 | J | 0.900 | +/-0.817 | 0.830 | 1.00 | pCi/g | | | | | | |
| Vanadium-48 | U | -0.0399 | +/-0.0321 | 0.0497 | 10000 | pCi/g | | | | | | |
| Yttrium-88 | U | -0.0106 | +/-0.0128 | 0.0194 | 0.100 | pCi/g | | | | | | |
| Zinc-65 | U | -0.014 | +/-0.0349 | 0.048 | 0.300 | pCi/g | | | | | | |
| Zirconium-95 | U | 0.0342 | +/-0.0269 | 0.0475 | 0.200 | pCi/g | | | | | | |

GEL LABORATORIES LLC
 2040 Savage Road Charleston SC 29407 – (843) 556-8171 – www.gel.com

Certificate of Analysis

Company : Brookhaven National Laboratory
 Address : Building 51
 Upton, New York 11973--5000

Report Date: July 7, 2009

Contact: Mr. John Burke
 Project: **Perimeter FHW MF**

Client Sample ID: 27274-001
 Sample ID: 232172001 Project: BRKL00309
 Client ID: BRKL005

| Parameter | Qualifier | Result | Uncertainty | DL | RL | Units | DF | Analyst | Date | Time | Batch | Method |
|--|-----------|--------|-------------|-------|------|-------|----|---------|------|----------|-------|--------|
| Rad Gas Flow Proportional Counting | | | | | | | | | | | | |
| <i>GFPC, Gross A/B, solid "Dry Weight Corrected"</i> | | | | | | | | | | | | |
| Alpha | | 10.6 | +/-3.11 | 3.09 | 4.00 | pCi/g | | | DXB5 | 06/30/09 | 0850 | 880115 |
| Beta | | 19.1 | +/-2.41 | 1.85 | 10.0 | pCi/g | | | | | | 7 |
| <i>GFPC, Sr90, solid "Dry Weight Corrected"</i> | | | | | | | | | | | | |
| Strontium-90 | U | 0.120 | +/-0.340 | 0.622 | 2.00 | pCi/g | | | JXR1 | 06/26/09 | 1343 | 880114 |
| | | | | | | | | | | | | 8 |

The following Prep Methods were performed

| Method | Description | Analyst | Date | Time | Prep Batch |
|---------------|----------------------------|---------|----------|------|------------|
| Dry Soil Prep | Dry Soil Prep GL-RAD-A-021 | DRSI | 06/24/09 | 1142 | 879813 |

The following Analytical Methods were performed

| Method | Description | Analyst Comments |
|--------|-------------------------------------|------------------|
| 1 | ASTM D 2216 (Modified) | |
| 2 | DOE EML HASL-300, Am-05-RC Modified | |
| 3 | DOE EML HASL-300, Pu-11-RC Modified | |
| 4 | DOE EML HASL-300, Th-01-RC Modified | |
| 5 | DOE EML HASL-300, U-02-RC Modified | |
| 6 | EML HASL 300, 4.5.2.3 | |
| 7 | EPA 900.0/SW846 9310 Modified | |
| 8 | EPA 905.0 Modified | |

| Surrogate/Tracer recovery | Test | Result | Nominal | Recovery% | Acceptable Limits |
|---------------------------|--|--------|---------|-----------|-------------------|
| Americium-243 Tracer | Alphaspec Am241 Solid "Dry Weight Corrected" | | | 101 | (15%–125%) |
| Plutonium-242 Tracer | Alphaspec Pu, Solid "Dry Weight Corrected" | | | 96.1 | (15%–125%) |
| Thorium-229 Tracer | Alphaspec Th, Solid "Dry Weight Corrected" | | | 93.7 | (15%–125%) |
| Uranium-232 Tracer | Alphaspec U, Solid "Dry Weight Corrected" | | | 80.8 | (15%–125%) |
| Strontium Carrier | GFPC, Sr90, solid "Dry Weight Corrected" | | | 79.8 | (25%–125%) |

GEL LABORATORIES LLC

2040 Savage Road Charleston SC 29407 – (843) 556-8171 – www.gel.com

Certificate of Analysis

Company : Brookhaven National Laboratory
 Address : Building 51
 Upton, New York 11973—5000

Contact: Mr. John Burke
 Project: **Perimeter FHW MF**

Report Date: July 7, 2009

| | | | |
|-------------------|-----------------|---------------|-----------|
| Client Sample ID: | 27274-002 | Project: | BRKL00309 |
| Sample ID: | 232172002 | Client ID: | BRKL005 |
| Matrix: | Solid | COC: | 27274 |
| Collect Date: | 09-JUN-09 10:05 | Samp Recv.: | |
| Receive Date: | 20-JUN-09 09:30 | Client Desc.: | PFHW MF |
| Collector: | Client | Vol. Recv.: | |
| Moisture: | 21.6% | | |

| Parameter | Qualifier | Result | Uncertainty | DL | RL | Units | DF | Analyst | Date | Time | Batch | Method |
|---|-----------|----------|-------------|--------|-------|-------|--------------|----------|--------|--------|-------|--------|
| Gravimetric Solids | | | | | | | | | | | | |
| <i>"As Received"</i> | | | | | | | | | | | | |
| Rad Alpha Spec Analysis | | | | | | | | | | | | |
| <i>Alphaspec Am241 Solid "Dry Weight Corrected"</i> | | | | | | | | | | | | |
| Americium-241 | U | -0.00452 | +/-0.115 | 0.331 | 1.00 | pCi/g | HAK | 06/26/09 | 1455 | 879815 | 2 | |
| <i>Alphaspec Pu, Solid "Dry Weight Corrected"</i> | | | | | | | | | | | | |
| Plutonium-238 | U | 0.00 | +/-0.110 | 0.169 | 1.00 | pCi/g | HAK | 06/26/09 | 1455 | 879817 | 3 | |
| Plutonium-239/240 | U | 0.0428 | +/-0.114 | 0.270 | 1.00 | pCi/g | B | | | | | |
| <i>Alphaspec Th, Solid "Dry Weight Corrected"</i> | | | | | | | | | | | | |
| Thorium-228 | | 1.42 | +/-0.618 | 0.509 | 1.00 | pCi/g | HAK | 06/26/09 | 1446 | 879818 | 4 | |
| Thorium-230 | J | 0.765 | +/-0.442 | 0.378 | 1.00 | pCi/g | B | | | | | |
| Thorium-232 | | 1.52 | +/-0.604 | 0.297 | 1.00 | pCi/g | | | | | | |
| <i>Alphaspec U, Solid "Dry Weight Corrected"</i> | | | | | | | | | | | | |
| Uranium-233/234 | U | 0.371 | +/-0.358 | 0.441 | 0.900 | pCi/g | HAK | 06/26/09 | 1944 | 879819 | 5 | |
| Uranium-235/236 | U | -0.0473 | +/-0.204 | 0.546 | 0.900 | pCi/g | B | | | | | |
| Uranium-238 | J | 0.520 | +/-0.417 | 0.441 | 0.900 | pCi/g | | | | | | |
| Rad Gamma Spec Analysis | | | | | | | | | | | | |
| <i>Gammaspec, Gamma, Solid (Long List) "Dry Weight Corrected"</i> | | | | | | | | | | | | |
| Actinium-227 | U | -0.0906 | +/-0.120 | 0.211 | 10000 | pCi/g | | | | | | |
| Actinium-228 | | 1.04 | +/-0.151 | 0.0619 | 0.800 | pCi/g | MXR107/02/09 | 0603 | 879862 | | 6 | |
| Americium-241 | U | 0.0309 | +/-0.0555 | 0.0945 | 0.200 | pCi/g | | | | | | |
| Antimony-124 | U | 0.0131 | +/-0.0248 | 0.0438 | 0.100 | pCi/g | | | | | | |
| Antimony-125 | U | -0.0141 | +/-0.0314 | 0.0532 | 0.200 | pCi/g | | | | | | |
| Antimony-126 | U | 0.062 | +/-0.0705 | 0.114 | 10000 | pCi/g | | | | | | |
| Antimony-127 | U | -0.853 | +/-1.62 | 2.76 | 10000 | pCi/g | | | | | | |
| Barium-133 | U | 0.00818 | +/-0.0153 | 0.0238 | 0.100 | pCi/g | | | | | | |
| Barium-137m | J | 1.34 | +/-0.0913 | 0.0184 | 10000 | pCi/g | | | | | | |
| Barium-140 | U | 0.0729 | +/-0.131 | 0.220 | 0.500 | pCi/g | | | | | | |
| Beryllium-7 | DL | -0.0344 | +/-0.125 | 0.211 | 0.074 | pCi/g | | | | | | |
| Bismuth-207 | U | 0.0207 | +/-0.0148 | 0.0269 | 10000 | pCi/g | | | | | | |
| Bismuth-211 | J-U | 2.17 | +/-0.234 | 0.111 | 10000 | pCi/g | | | | | | |
| Bismuth-212 | | 0.697 | +/-0.152 | 0.139 | 0.500 | pCi/g | | | | | | |
| Bismuth-214 | | 0.668 | +/-0.0763 | 0.0345 | 0.200 | pCi/g | | | | | | |

GEL LABORATORIES LLC
 2040 Savage Road Charleston SC 29407 - (843) 556-8171 - www.gel.com

Certificate of Analysis

Company : Brookhaven National Laboratory
 Address : Building 51
 Upton, New York 11973—5000

Contact: Mr. John Burke
 Project: **Perimeter FHW MF**

Report Date: July 7, 2009

| | | | |
|-------------------|-----------|------------|-----------|
| Client Sample ID: | 27274-002 | Project: | BRKL00309 |
| Sample ID: | 232172002 | Client ID: | BRKL005 |

| Parameter | Qualifier | Result | Uncertainty | DL | RL | Units | DF | Analyst | Date | Time | Batch | Method |
|---|-----------|-----------|-------------|--------|-------|-------|----|---------|------|------|-------|--------|
| Rad Gamma Spec Analysis | | | | | | | | | | | | |
| <i>Gammaspec, Gamma, Solid (Long List) "Dry Weight Corrected"</i> | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| Cadmium-109 | J-UI | 2.67 | +/-0.426 | 0.376 | 10000 | pCi/g | | | | | | |
| Cadmium-115 | J-UI | 21.7 | +/-42.2 | 0.00 | 10000 | pCi/g | | | | | | |
| Cerium-139 | U | -0.00532 | +/-0.00951 | 0.0164 | 0.050 | pCi/g | | | | | | |
| Cerium-141 | U | 0.028 | +/-0.0251 | 0.0401 | 0.100 | pCi/g | | | | | | |
| Cerium-143 | UI | 14000 | +/-4360 | 0.00 | 10000 | pCi/g | | | | | | |
| Cerium-144 | U | -0.0608 | +/-0.0661 | 0.109 | 0.500 | pCi/g | | | | | | |
| Cesium-134 | J-UI | 0.0786 | +/-0.0222 | 0.0277 | 0.100 | pCi/g | | | | | | |
| Cesium-135 | U | 0.0473 | +/-0.053 | 0.0854 | 10000 | pCi/g | | | | | | |
| Cesium-136 | U | -0.0139 | +/-0.0441 | 0.0752 | 0.300 | pCi/g | | | | | | |
| Cesium-137 | | 1.42 | +/-0.0968 | 0.0195 | 0.010 | pCi/g | | | | | | |
| Chromium-51 | U | -0.0366 | +/-0.144 | 0.253 | 0.600 | pCi/g | | | | | | |
| Cobalt-56 | U | 0.00346 | +/-0.0118 | 0.0203 | 0.100 | pCi/g | | | | | | |
| Cobalt-57 | DL | 0.00172 | +/-0.0077 | 0.0138 | 0.007 | pCi/g | | | | | | |
| Cobalt-58 | U | -0.0042 | +/-0.0119 | 0.0199 | 0.100 | pCi/g | | | | | | |
| Cobalt-60 | DL | 0.00816 | +/-0.0107 | 0.0187 | 0.011 | pCi/g | | | | | | |
| Europium-152 | U | 0.00814 | +/-0.0333 | 0.0544 | 0.200 | pCi/g | | | | | | |
| Europium-154 | U | -0.0132 | +/-0.0336 | 0.0559 | 0.500 | pCi/g | | | | | | |
| Europium-155 | U | 0.0533 | +/-0.0497 | 0.0556 | 0.500 | pCi/g | | | | | | |
| Gadolinium-153 | J-UI | 0.0494 | +/-0.0366 | 0.0399 | 10000 | pCi/g | | | | | | |
| Iodine-126 | U | 0.0435 | +/-0.0916 | 0.141 | 10000 | pCi/g | | | | | | |
| Iodine-131 | U | -0.0413 | +/-0.0739 | 0.127 | 10000 | pCi/g | | | | | | |
| Iodine-133 | UI | 57000 | +/-1.16E+06 | 0.00 | 10000 | pCi/g | | | | | | |
| Iodine-135 | U | -9.52E+23 | +/-9.58E+23 | 0.00 | 10000 | pCi/g | | | | | | |
| Iridium-192 | U | -0.00169 | +/-0.0119 | 0.0209 | 0.100 | pCi/g | | | | | | |
| Iron-59 | U | -0.0181 | +/-0.0285 | 0.0477 | 0.300 | pCi/g | | | | | | |
| Lanthanum-140 | U | 0.0372 | +/-0.0416 | 0.066 | 10000 | pCi/g | | | | | | |
| Lead-210 | U | 2.46 | +/-2.07 | 2.99 | 4.00 | pCi/g | | | | | | |
| Lead-211 | U | 0.178 | +/-0.362 | 0.532 | 10000 | pCi/g | | | | | | |
| Lead-212 | | 1.12 | +/-0.110 | 0.0299 | 0.100 | pCi/g | | | | | | |
| Lead-214 | | 0.754 | +/-0.090 | 0.0387 | 0.100 | pCi/g | | | | | | |
| Manganese-54 | DL | -0.00215 | +/-0.0116 | 0.0195 | 0.008 | pCi/g | | | | | | |
| Mercury-203 | U | 0.00224 | +/-0.0206 | 0.0272 | 0.100 | pCi/g | | | | | | |
| Molybdenum-99 | U | -9.19 | +/-24.9 | 0.00 | 10000 | pCi/g | | | | | | |
| Neodymium-147 | U | -0.000627 | +/-0.300 | 0.503 | 1000 | pCi/g | | | | | | |
| Neptunium-239 | U | -0.0421 | +/-0.0555 | 0.0978 | 2.00 | pCi/g | | | | | | |
| Niobium-94 | U | 0.00697 | +/-0.0103 | 0.0182 | 1.00 | pCi/g | | | | | | |
| Niobium-95 | U | -0.00893 | +/-0.021 | 0.0249 | 0.050 | pCi/g | | | | | | |
| Potassium-40 | | 9.78 | +/-0.825 | 0.167 | 0.180 | pCi/g | | | | | | |
| Praseodymium-144 | U | 0.0329 | +/-0.710 | 1.23 | 10000 | pCi/g | | | | | | |
| Promethium-144 | U | 0.000484 | +/-0.0104 | 0.0181 | 0.080 | pCi/g | | | | | | |
| Promethium-146 | U | 0.012 | +/-0.0153 | 0.0266 | 1.00 | pCi/g | | | | | | |
| Promethium-149 | J-UI | 45.1 | +/-342 | 0.00 | 10000 | pCi/g | | | | | | |

GEL LABORATORIES LLC

2040 Savage Road Charleston SC 29407 - (843) 556-8171 - www.gel.com

Certificate of Analysis

Company : Brookhaven National Laboratory
 Address : Building 51
 Upton, New York 11973—5000

Contact: Mr. John Burke
 Project: Perimeter FHW MF

Report Date: July 7, 2009

| | | | |
|-------------------|-----------|------------|-----------|
| Client Sample ID: | 27274-002 | Project: | BRKL00309 |
| Sample ID: | 232172002 | Client ID: | BRKL005 |

| Parameter | Qualifier | Result | Uncertainty | DL | RL | Units | DF | Analyst | Date | Time | Batch | Method |
|---|-----------|-----------|-------------|--------|-------|-------|----|---------|------|------|-------|--------|
| Rad Gamma Spec Analysis | | | | | | | | | | | | |
| <i>Gammaspec, Gamma, Solid (Long List) "Dry Weight Corrected"</i> | | | | | | | | | | | | |
| Protactinium-231 | U | -0.15 | +/-0.471 | 0.834 | 10000 | pCi/g | | | | | | |
| Protactinium-233 | U | 0.0071 | +/-0.0205 | 0.0364 | 10000 | pCi/g | | | | | | |
| Protactinium-234 | U | 0.0263 | +/-0.0829 | 0.140 | 10000 | pCi/g | | | | | | |
| Protactinium-234m | U | -3.65 | +/-2.80 | 3.54 | 10000 | pCi/g | | | | | | |
| Radium-223 | U | 0.0544 | +/-0.233 | 0.363 | 10000 | pCi/g | | | | | | |
| Radium-224 | J-U1 | 2.96 | +/-0.488 | 0.340 | 10000 | pCi/g | | | | | | |
| Radium-226 | | 0.668 | +/-0.0763 | 0.0345 | 0.026 | pCi/g | | | | | | |
| Radium-228 | | 1.04 | +/-0.151 | 0.0619 | 0.500 | pCi/g | | | | | | |
| Radon-219 | U | -0.0666 | +/-0.137 | 0.234 | 10000 | pCi/g | | | | | | |
| Rhodium-106 | U | -0.0876 | +/-0.0979 | 0.166 | 10000 | pCi/g | | | | | | |
| Ruthenium-103 | U | -0.00218 | +/-0.0151 | 0.0255 | 10000 | pCi/g | | | | | | |
| Ruthenium-106 | U | -0.0876 | +/-0.0975 | 0.166 | 0.800 | pCi/g | | | | | | |
| Scandium-46 | U | -0.00373 | +/-0.0119 | 0.0197 | 10000 | pCi/g | | | | | | |
| Selenium-75 | U | 0.0106 | +/-0.0157 | 0.0252 | 10000 | pCi/g | | | | | | |
| Silver-108m | U | -0.0013 | +/-0.0112 | 0.0191 | 10000 | pCi/g | | | | | | |
| Silver-110m | U | 0.0041 | +/-0.0125 | 0.0192 | 0.080 | pCi/g | | | | | | |
| Sodium-22 | DL | -0.0046 | +/-0.0121 | 0.0201 | 0.010 | pCi/g | | | | | | |
| Sodium-24 | | -1.47E+09 | +/-1.68E+09 | 0.00 | 10000 | pCi/g | | | | | | |
| Strontium-85 | J-U1 | 0.051 | +/-0.0154 | 0.0247 | 10000 | pCi/g | | | | | | |
| Tantalum-182 | U | -0.0178 | +/-0.0546 | 0.0917 | 10000 | pCi/g | | | | | | |
| Technetium-99m | UI | 1.02E+25 | +/-5.39E+25 | 0.00 | 10000 | pCi/g | | | | | | |
| Tellurium-123m | U | -0.00276 | +/-0.00896 | 0.0155 | 10000 | pCi/g | | | | | | |
| Tellurium-125m | U | 3.23 | +/-3.41 | 5.57 | 10000 | pCi/g | | | | | | |
| Tellurium-132 | U | -0.23 | +/-1.20 | 2.03 | 10000 | pCi/g | | | | | | |
| Thallium-208 | | 0.337 | +/-0.0378 | 0.0178 | 0.080 | pCi/g | | | | | | |
| Thorium-227 | U | -0.0906 | +/-0.120 | 0.211 | 10000 | pCi/g | | | | | | |
| Thorium-228 | | 1.12 | +/-0.110 | 0.0298 | 0.021 | pCi/g | | | | | | |
| Thorium-229 | U | 0.0634 | +/-0.162 | 0.279 | 10000 | pCi/g | | | | | | |
| Thorium-230 | J | 0.668 | +/-0.0763 | 0.0345 | 1.00 | pCi/g | | | | | | |
| Thorium-231 | U | 0.0544 | +/-0.233 | 0.363 | 10000 | pCi/g | | | | | | |
| Thorium-232 | J | 1.04 | +/-0.151 | 0.0619 | 10000 | pCi/g | | | | | | |
| Thorium-234 | J | 1.05 | +/-0.846 | 0.737 | 5.00 | pCi/g | | | | | | |
| Tin-113 | U | 0.00447 | +/-0.0153 | 0.0267 | 0.100 | pCi/g | | | | | | |
| Tin-117m | U | -0.00541 | +/-0.0261 | 0.0431 | 10000 | pCi/g | | | | | | |
| Tin-126 | J-U1 | 0.259 | +/-0.0414 | 0.0367 | 10000 | pCi/g | | | | | | |
| Uranium-234 | J | 0.668 | +/-0.0763 | 0.0345 | 10000 | pCi/g | | | | | | |
| Uranium-235 | U | 0.00149 | +/-0.105 | 0.109 | 0.500 | pCi/g | | | | | | |
| Uranium-238 | | 1.05 | +/-0.846 | 0.737 | 1.00 | pCi/g | | | | | | |
| Vanadium-48 | U | -0.0277 | +/-0.0284 | 0.045 | 10000 | pCi/g | | | | | | |
| Yttrium-88 | U | 0.00505 | +/-0.0106 | 0.0185 | 0.100 | pCi/g | | | | | | |
| Zinc-65 | U | -0.00616 | +/-0.0281 | 0.0411 | 0.300 | pCi/g | | | | | | |
| Zirconium-95 | U | 0.0372 | +/-0.024 | 0.0428 | 0.200 | pCi/g | | | | | | |

GEL LABORATORIES LLC

2040 Savage Road Charleston SC 29407 - (843) 556-8171 - www.gel.com

Certificate of Analysis

Company : Brookhaven National Laboratory
 Address : Building 51
 Upton, New York 11973—5000

Report Date: July 7, 2009

Contact: Mr. John Burke
 Project: **Perimeter FHW MF**

Client Sample ID: 27274-002
 Sample ID: 232172002 Project: BRKL00309
 Client ID: BRKL005

| Parameter | Qualifier | Result | Uncertainty | DL | RL | Units | DF | Analyst | Date | Time | Batch | Method |
|--|-----------|--------|-------------|-------|------|-------|----|---------|------|------|-------|-----------------------------|
| Rad Gas Flow Proportional Counting | | | | | | | | | | | | |
| <i>GFPC, Gross A/B, solid "Dry Weight Corrected"</i> | | | | | | | | | | | | |
| Alpha | | 12.8 | +/-4.62 | 2.89 | 4.00 | pCi/g | | | | | | DXB5 06/30/09 1147 880115 7 |
| Beta | | 21.5 | +/-4.32 | 4.33 | 10.0 | pCi/g | | | | | | |
| <i>GFPC, Sr90, solid "Dry Weight Corrected"</i> | | | | | | | | | | | | |
| Strontium-90 | U | 0.0157 | +/-0.320 | 0.616 | 2.00 | pCi/g | | | | | | JXR1 06/26/09 1344 880114 8 |

The following Prep Methods were performed

| Method | Description | Analyst | Date | Time | Prep Batch |
|---------------|----------------------------|---------|----------|------|------------|
| Dry Soil Prep | Dry Soil Prep GL-RAD-A-021 | DRS1 | 06/24/09 | 1142 | 879813 |

The following Analytical Methods were performed

| Method | Description | Analyst Comments |
|--------|-------------------------------------|------------------|
| 1 | ASTM D 2216 (Modified) | |
| 2 | DOE EML HASL-300, Am-05-RC Modified | |
| 3 | DOE EML HASL-300, Pu-11-RC Modified | |
| 4 | DOE EML HASL-300, Th-01-RC Modified | |
| 5 | DOE EML HASL-300, U-02-RC Modified | |
| 6 | EML HASL 300, 4.5.2.3 | |
| 7 | EPA 900.0/SW846 9310 Modified | |
| 8 | EPA 905.0 Modified | |

| Surrogate/Tracer recovery | Test | Result | Nominal | Recovery% | Acceptable Limits |
|---------------------------|--|--------|---------|-----------|-------------------|
| Americium-243 Tracer | Alphaspec Am241 Solid "Dry Weight Corrected" | | | 100 | (15%-125%) |
| Plutonium-242 Tracer | Alphaspec Pu, Solid "Dry Weight Corrected" | | | 91.1 | (15%-125%) |
| Thorium-229 Tracer | Alphaspec Th, Solid "Dry Weight Corrected" | | | 109 | (15%-125%) |
| Uranium-232 Tracer | Alphaspec U, Solid "Dry Weight Corrected" | | | 90.2 | (15%-125%) |
| Strontium Carrier | GFPC, Sr90, solid "Dry Weight Corrected" | | | 78.7 | (25%-125%) |

GEL LABORATORIES LLC
 2040 Savage Road Charleston SC 29407 - (843) 556-8171 - www.gel.com

Certificate of Analysis

Company : Brookhaven National Laboratory
 Address : Building 51
 Upton, New York 11973--5000

Contact: Mr. John Burke
 Project: **Perimeter FHW MF**

Report Date: July 7, 2009

| | | | |
|-------------------|-----------------|---------------|-----------|
| Client Sample ID: | 27274-003 | Project: | BRKL00309 |
| Sample ID: | 232172003 | Client ID: | BRKL005 |
| Matrix: | Solid | COC: | 27274 |
| Collect Date: | 09-JUN-09 10:10 | Samp Recv.: | |
| Receive Date: | 20-JUN-09 09:30 | Client Desc.: | PFHWMF |
| Collector: | Client | Vol. Recv.: | |
| Moisture: | 18.3% | | |

| Parameter | Qualifier | Result | Uncertainty | DL | RL | Units | DF | Analyst | Date | Time | Batch | Method |
|---|-----------|---------|-------------|--------|-------|-------|--------------|----------|--------|--------|-------|--------|
| Gravimetric Solids | | | | | | | | | | | | |
| "As Received" | | | | | | | | | | | | |
| Rad Alpha Spec Analysis | | | | | | | | | | | | |
| <i>Alphaspec Am241 Solid "Dry Weight Corrected"</i> | | | | | | | | | | | | |
| Americium-241 | U | 0.0361 | +/-0.181 | 0.425 | 1.00 | pCi/g | HAK | 06/26/09 | 1455 | 879815 | 2 | |
| <i>Alphaspec Pu, Solid "Dry Weight Corrected"</i> | | | | | | | | | | | | |
| Plutonium-238 | U | 0.0451 | +/-0.120 | 0.285 | 1.00 | pCi/g | HAK | 06/26/09 | 1455 | 879817 | 3 | |
| Plutonium-239/240 | U | -0.057 | +/-0.129 | 0.391 | 1.00 | pCi/g | B | | | | | |
| <i>Alphaspec Th, Solid "Dry Weight Corrected"</i> | | | | | | | | | | | | |
| Thorium-228 | J | 0.830 | +/-0.524 | 0.577 | 1.00 | pCi/g | HAK | 06/26/09 | 1446 | 879818 | 4 | |
| Thorium-230 | J | 0.641 | +/-0.416 | 0.210 | 1.00 | pCi/g | B | | | | | |
| Thorium-232 | J | 0.526 | +/-0.384 | 0.336 | 1.00 | pCi/g | | | | | | |
| <i>Alphaspec U, Solid "Dry Weight Corrected"</i> | | | | | | | | | | | | |
| Uranium-233/234 | U | 0.436 | +/-0.397 | 0.494 | 0.900 | pCi/g | HAK | 06/26/09 | 1944 | 879819 | 5 | |
| Uranium-235/236 | U | 0.052 | +/-0.207 | 0.553 | 0.900 | pCi/g | B | | | | | |
| Uranium-238 | U | 0.223 | +/-0.277 | 0.388 | 0.900 | pCi/g | | | | | | |
| Rad Gamma Spec Analysis | | | | | | | | | | | | |
| <i>Gammaspec, Gamma, Solid (Long List) "Dry Weight Corrected"</i> | | | | | | | | | | | | |
| Actinium-227 | U | -0.0131 | +/-0.137 | 0.247 | 10000 | pCi/g | | | | | | |
| Actinium-228 | | 0.824 | +/-0.118 | 0.0505 | 0.800 | pCi/g | MXR107/02/09 | 0604 | 879862 | | 6 | |
| Americium-241 | U | 0.0705 | +/-0.0768 | 0.130 | 0.200 | pCi/g | | | | | | |
| Antimony-124 | U | 0.00682 | +/-0.0204 | 0.0351 | 0.100 | pCi/g | | | | | | |
| Antimony-125 | U | 0.00321 | +/-0.0438 | 0.0759 | 0.200 | pCi/g | | | | | | |
| Antimony-126 | U | 0.0794 | +/-0.0592 | 0.096 | 10000 | pCi/g | | | | | | |
| Antimony-127 | U | 0.152 | +/-1.31 | 2.31 | 10000 | pCi/g | | | | | | |
| Barium-133 | U | 0.00591 | +/-0.0196 | 0.0305 | 0.100 | pCi/g | | | | | | |
| Barium-137m | J | 8.02 | +/-0.391 | 0.0187 | 10000 | pCi/g | | | | | | |
| Barium-140 | U | -0.16 | +/-0.156 | 0.244 | 0.500 | pCi/g | | | | | | |
| Beryllium-7 | DL | -0.0154 | +/-0.174 | 0.299 | 0.074 | pCi/g | | | | | | |
| Bismuth-207 | U | 0.022 | +/-0.0131 | 0.0236 | 10000 | pCi/g | | | | | | |
| Bismuth-211 | J-UI | 1.80 | +/-0.205 | 0.141 | 10000 | pCi/g | | | | | | |
| Bismuth-212 | | 0.624 | +/-0.129 | 0.116 | 0.500 | pCi/g | | | | | | |
| Bismuth-214 | | 0.555 | +/-0.0595 | 0.0384 | 0.200 | pCi/g | | | | | | |

GEL LABORATORIES LLC
 2040 Savage Road Charleston SC 29407 - (843) 556-8171 - www.gel.com

Certificate of Analysis

Company : Brookhaven National Laboratory
 Address : Building 51
 Upton, New York 11973--5000

Contact: Mr. John Burke
 Project: **Perimeter FHW MF**

Report Date: July 7, 2009

| | | | |
|-------------------|-----------|------------|-----------|
| Client Sample ID: | 27274-003 | Project: | BRKL00309 |
| Sample ID: | 232172003 | Client ID: | BRKL005 |

| Parameter | Qualifier | Result | Uncertainty | DL | RL | Units | DF | Analyst | Date | Time | Batch | Method |
|---|-----------|-----------|-------------|--------|-------|-------|----|---------|------|------|-------|--------|
| Rad Gamma Spec Analysis | | | | | | | | | | | | |
| <i>Gammaspec, Gamma, Solid (Long List) "Dry Weight Corrected"</i> | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| Cadmium-109 | J-UI | 1.76 | +/-0.391 | 0.425 | 10000 | pCi/g | | | | | | |
| Cadmium-115 | U | -1.94 | +/-49.9 | 0.00 | 10000 | pCi/g | | | | | | |
| Cerium-139 | U | -0.0068 | +/-0.0103 | 0.0177 | 0.050 | pCi/g | | | | | | |
| Cerium-141 | U | 0.0155 | +/-0.024 | 0.0425 | 0.100 | pCi/g | | | | | | |
| Cerium-143 | UI | 16800 | +/-5150 | 0.00 | 10000 | pCi/g | | | | | | |
| Cerium-144 | U | -0.0327 | +/-0.0674 | 0.118 | 0.500 | pCi/g | | | | | | |
| Cesium-134 | J-UI | 0.0402 | +/-0.0134 | 0.0228 | 0.100 | pCi/g | | | | | | |
| Cesium-135 | U | 0.0577 | +/-0.0639 | 0.103 | 10000 | pCi/g | | | | | | |
| Cesium-136 | U | -0.015 | +/-0.0391 | 0.0645 | 0.300 | pCi/g | | | | | | |
| Cesium-137 | | 8.48 | +/-0.416 | 0.0198 | 0.010 | pCi/g | | | | | | |
| Chromium-51 | U | 0.0947 | +/-0.174 | 0.312 | 0.600 | pCi/g | | | | | | |
| Cobalt-56 | U | 0.00287 | +/-0.0101 | 0.0176 | 0.100 | pCi/g | | | | | | |
| Cobalt-57 | DL | 0.00176 | +/-0.00834 | 0.0149 | 0.007 | pCi/g | | | | | | |
| Cobalt-58 | U | -0.00639 | +/-0.0095 | 0.0159 | 0.100 | pCi/g | | | | | | |
| Cobalt-60 | DL | 0.00184 | +/-0.00934 | 0.0162 | 0.011 | pCi/g | | | | | | |
| Europium-152 | U | 0.00823 | +/-0.0387 | 0.0685 | 0.200 | pCi/g | | | | | | |
| Europium-154 | U | -0.0208 | +/-0.0283 | 0.0468 | 0.500 | pCi/g | | | | | | |
| Europium-155 | U | 0.0384 | +/-0.0342 | 0.0621 | 0.500 | pCi/g | | | | | | |
| Gadolinium-153 | U | -0.016 | +/-0.0281 | 0.0449 | 10000 | pCi/g | | | | | | |
| Iodine-126 | U | 0.0352 | +/-0.0805 | 0.126 | 10000 | pCi/g | | | | | | |
| Iodine-131 | U | -0.0571 | +/-0.0961 | 0.167 | 10000 | pCi/g | | | | | | |
| Iodine-133 | U | -1.37E+05 | +/-1.35E+06 | 0.00 | 10000 | pCi/g | | | | | | |
| Iodine-135 | U | -1.20E+23 | +/-6.51E+23 | 0.00 | 10000 | pCi/g | | | | | | |
| Iridium-192 | U | -0.0101 | +/-0.0143 | 0.0252 | 0.100 | pCi/g | | | | | | |
| Iron-59 | U | 0.00451 | +/-0.0238 | 0.0402 | 0.300 | pCi/g | | | | | | |
| Lanthanum-140 | U | 0.0083 | +/-0.0341 | 0.0506 | 10000 | pCi/g | | | | | | |
| Lead-210 | DL | 2.23 | +/-2.96 | 5.62 | 4.00 | pCi/g | | | | | | |
| Lead-211 | U | -0.24 | +/-0.436 | 0.708 | 10000 | pCi/g | | | | | | |
| Lead-212 | | 0.873 | +/-0.0761 | 0.0342 | 0.100 | pCi/g | | | | | | |
| Lead-214 | | 0.626 | +/-0.078 | 0.0492 | 0.100 | pCi/g | | | | | | |
| Manganese-54 | DL | 0.00651 | +/-0.0142 | 0.0173 | 0.008 | pCi/g | | | | | | |
| Mercury-203 | U | 0.00637 | +/-0.0184 | 0.0293 | 0.100 | pCi/g | | | | | | |
| Molybdenum-99 | J-UI | 6.23 | +/-20.6 | 0.00 | 10000 | pCi/g | | | | | | |
| Neodymium-147 | U | -0.0797 | +/-0.350 | 0.590 | 1000 | pCi/g | | | | | | |
| Neptunium-239 | U | -0.00105 | +/-0.0601 | 0.107 | 2.00 | pCi/g | | | | | | |
| Niobium-94 | U | 0.000811 | +/-0.00861 | 0.0151 | 1.00 | pCi/g | | | | | | |
| Niobium-95 | J-UI | 0.0242 | +/-0.0128 | 0.021 | 0.050 | pCi/g | | | | | | |
| Potassium-40 | | 7.79 | +/-0.645 | 0.134 | 0.180 | pCi/g | | | | | | |
| Praseodymium-144 | U | -0.084 | +/-0.617 | 1.08 | 10000 | pCi/g | | | | | | |
| Promethium-144 | U | -0.00123 | +/-0.00906 | 0.0158 | 0.080 | pCi/g | | | | | | |
| Promethium-146 | U | 0.00435 | +/-0.0224 | 0.0388 | 1.00 | pCi/g | | | | | | |
| Promethium-149 | J-UI | 75.0 | +/-416 | 0.00 | 10000 | pCi/g | | | | | | |

GEL LABORATORIES LLC

2040 Savage Road Charleston SC 29407 – (843) 556-8171 – www.gel.com

Certificate of Analysis

Company : Brookhaven National Laboratory
 Address : Building 51
 Upton, New York 11973—5000

Contact: Mr. John Burke
 Project: **Perimeter FHW MF**

Report Date: July 7, 2009

Client Sample ID: 27274-003
 Sample ID: 232172003

Project: BRKL00309
 Client ID: BRKL005

| Parameter | Qualifier | Result | Uncertainty | DL | RL | Units | DF | Analyst | Date | Time | Batch | Method |
|---|-----------|-----------|-------------|--------|-------|-------|----|---------|------|------|-------|--------|
| Rad Gamma Spec Analysis | | | | | | | | | | | | |
| <i>Gammaspec, Gamma, Solid (Long List) "Dry Weight Corrected"</i> | | | | | | | | | | | | |
| Protactinium-231 | U | 0.284 | +/-0.565 | 1.02 | 10000 | pCi/g | | | | | | |
| Protactinium-233 | U | 0.0088 | +/-0.0242 | 0.0433 | 10000 | pCi/g | | | | | | |
| Protactinium-234 | U | 0.0172 | +/-0.0692 | 0.119 | 10000 | pCi/g | | | | | | |
| Protactinium-234m | U | 1.49 | +/-1.54 | 2.70 | 10000 | pCi/g | | | | | | |
| Radium-223 | U | -0.141 | +/-0.283 | 0.436 | 10000 | pCi/g | | | | | | |
| Radium-224 | J-UI | 2.49 | +/-0.485 | 0.389 | 10000 | pCi/g | | | | | | |
| Radium-226 | | 0.555 | +/-0.0595 | 0.0384 | 0.026 | pCi/g | | | | | | |
| Radium-228 | | 0.824 | +/-0.118 | 0.0505 | 0.500 | pCi/g | | | | | | |
| Radon-219 | U | -0.0335 | +/-0.181 | 0.315 | 10000 | pCi/g | | | | | | |
| Rhodium-106 | U | 0.0431 | +/-0.104 | 0.176 | 10000 | pCi/g | | | | | | |
| Ruthenium-103 | U | 0.00308 | +/-0.0202 | 0.0345 | 10000 | pCi/g | | | | | | |
| Ruthenium-106 | U | 0.0431 | +/-0.104 | 0.176 | 0.800 | pCi/g | | | | | | |
| Scandium-46 | U | 0.00117 | +/-0.00967 | 0.0166 | 10000 | pCi/g | | | | | | |
| Selenium-75 | U | 0.00316 | +/-0.0189 | 0.0302 | 10000 | pCi/g | | | | | | |
| Silver-108m | U | -0.0158 | +/-0.0156 | 0.0265 | 10000 | pCi/g | | | | | | |
| Silver-110m | UI | 0.339 | +/-0.0266 | 0.0413 | 0.080 | pCi/g | | | | | | |
| Sodium-22 | DL | -0.00973 | +/-0.0102 | 0.0168 | 0.010 | pCi/g | | | | | | |
| Sodium-24 | UI | 4.31E+08 | +/-1.39E+09 | 0.00 | 10000 | pCi/g | | | | | | |
| Strontium-85 | J-UI | 0.0327 | +/-0.0169 | 0.0264 | 10000 | pCi/g | | | | | | |
| Tantalum-182 | U | -0.0039 | +/-0.0461 | 0.0795 | 10000 | pCi/g | | | | | | |
| Technetium-99m | U | -1.25E+25 | +/-4.33E+25 | 0.00 | 10000 | pCi/g | | | | | | |
| Tellurium-123m | U | -0.00288 | +/-0.00985 | 0.0171 | 10000 | pCi/g | | | | | | |
| Tellurium-125m | U | 4.13 | +/-3.23 | 5.84 | 10000 | pCi/g | | | | | | |
| Tellurium-132 | U | 0.613 | +/-1.43 | 2.44 | 10000 | pCi/g | | | | | | |
| Thallium-208 | | 0.260 | +/-0.0298 | 0.0198 | 0.080 | pCi/g | | | | | | |
| Thorium-227 | U | -0.0131 | +/-0.137 | 0.247 | 10000 | pCi/g | | | | | | |
| Thorium-228 | | 0.873 | +/-0.0761 | 0.0342 | 0.021 | pCi/g | | | | | | |
| Thorium-229 | U | -0.09 | +/-0.189 | 0.322 | 10000 | pCi/g | | | | | | |
| Thorium-230 | J | 0.555 | +/-0.0595 | 0.0384 | 1.00 | pCi/g | | | | | | |
| Thorium-231 | U | -0.141 | +/-0.283 | 0.436 | 10000 | pCi/g | | | | | | |
| Thorium-232 | J | 0.824 | +/-0.118 | 0.0505 | 10000 | pCi/g | | | | | | |
| Thorium-234 | U | 0.936 | +/-0.854 | 0.956 | 5.00 | pCi/g | | | | | | |
| Tin-113 | U | 0.00905 | +/-0.0201 | 0.0353 | 0.100 | pCi/g | | | | | | |
| Tin-117m | U | 0.00308 | +/-0.0273 | 0.0477 | 10000 | pCi/g | | | | | | |
| Tin-126 | J-UI | 0.171 | +/-0.038 | 0.0416 | 10000 | pCi/g | | | | | | |
| Uranium-234 | J | 0.555 | +/-0.0595 | 0.0384 | 10000 | pCi/g | | | | | | |
| Uranium-235 | U | 0.0754 | +/-0.0689 | 0.121 | 0.500 | pCi/g | | | | | | |
| Uranium-238 | U | 0.936 | +/-0.854 | 0.956 | 1.00 | pCi/g | | | | | | |
| Vanadium-48 | U | 0.00037 | +/-0.0229 | 0.0388 | 10000 | pCi/g | | | | | | |
| Yttrium-88 | U | 0.00686 | +/-0.00951 | 0.0167 | 0.100 | pCi/g | | | | | | |
| Zinc-65 | U | -0.00699 | +/-0.0245 | 0.0346 | 0.300 | pCi/g | | | | | | |
| Zirconium-95 | J-UI | 0.0415 | +/-0.0213 | 0.0352 | 0.200 | pCi/g | | | | | | |

GEL LABORATORIES LLC
 2040 Savage Road Charleston SC 29407 - (843) 556-8171 - www.gel.com

Certificate of Analysis

Company : Brookhaven National Laboratory
 Address : Building 51
 Upton, New York 11973—5000

Report Date: July 7, 2009

Contact: Mr. John Burke
 Project: Perimeter FHW MF

| | | | |
|-------------------|-----------|------------|-----------|
| Client Sample ID: | 27274-003 | Project: | BRKL00309 |
| Sample ID: | 232172003 | Client ID: | BRKL005 |

| Parameter | Qualifier | Result | Uncertainty | DL | RL | Units | DF | Analyst | Date | Time | Batch | Method |
|--|-----------|--------|-------------|-------|------|-------|----|---------|------|----------|-------|--------|
| Rad Gas Flow Proportional Counting | | | | | | | | | | | | |
| <i>GFPC, Gross A/B, solid "Dry Weight Corrected"</i> | | | | | | | | | | | | |
| Alpha | | 11.9 | +/-3.92 | 2.80 | 4.00 | pCi/g | | | DXB5 | 06/30/09 | 0851 | 880115 |
| Beta | | 20.9 | +/-3.58 | 3.55 | 10.0 | pCi/g | | | | | | 7 |
| <i>GFPC, Sr90, solid "Dry Weight Corrected"</i> | | | | | | | | | | | | |
| Strontium-90 | U | 0.0276 | +/-0.467 | 0.873 | 2.00 | pCi/g | | | JXR1 | 06/26/09 | 1344 | 880114 |
| | | | | | | | | | | | | 8 |

The following Prep Methods were performed

| Method | Description | Analyst | Date | Time | Prep Batch |
|---------------|----------------------------|---------|----------|------|------------|
| Dry Soil Prep | Dry Soil Prep GL-RAD-A-021 | DRS1 | 06/24/09 | 1142 | 879813 |

The following Analytical Methods were performed

| Method | Description | Analyst Comments |
|--------|-------------------------------------|------------------|
| 1 | ASTM D 2216 (Modified) | |
| 2 | DOE EML HASL-300, Am-05-RC Modified | |
| 3 | DOE EML HASL-300, Pu-11-RC Modified | |
| 4 | DOE EML HASL-300, Th-01-RC Modified | |
| 5 | DOE EML HASL-300, U-02-RC Modified | |
| 6 | EML HASL 300, 4.5.2.3 | |
| 7 | EPA 900.0/SW846 9310 Modified | |
| 8 | EPA 905.0 Modified | |

| Surrogate/Tracer recovery | Test | Result | Nominal | Recovery% | Acceptable Limits |
|---------------------------|--|--------|---------|-----------|-------------------|
| Americium-243 Tracer | Alphaspec Am241 Solid "Dry Weight Corrected" | | | 99.8 | (15%–125%) |
| Plutonium-242 Tracer | Alphaspec Pu, Solid "Dry Weight Corrected" | | | 94.0 | (15%–125%) |
| Thorium-229 Tracer | Alphaspec Th, Solid "Dry Weight Corrected" | | | 101 | (15%–125%) |
| Uranium-232 Tracer | Alphaspec U, Solid "Dry Weight Corrected" | | | 93.2 | (15%–125%) |
| Strontium Carrier | GFPC, Sr90, solid "Dry Weight Corrected" | | | 70.1 | (25%–125%) |

1935579

| ASL Prefix No. | Page _____ of _____ | Carrier Waybill # _____ | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|---|--------------------------------|--|-------------------------------|---------|------|-------------------------------|-------------------------|----------|--------------|---|--|-----|------|-----------------------|------|------|-----|----------------|------------|----------|--------------|-----|----|-------|---|--------|------|---|-------------------------|----|---|---|-----|----|----|--|------|---|-----------------|----|---|---|-----|----|------|--|------|---|---------|----|---|---|-----|----|------|--|------|---|----------------|----|---|---|-----|----|----|--|------|---|----------|----|---|---|-----|----|----|--|------|---|---------|----|---|---|-----|----|----|--|------|---|----------|----|---|---|-----|----|----|--|---------|------|---|------------------|----|---|---|-----|----|----|--|------|---|------------------|----|---|---|
| Requires EDD <input checked="" type="checkbox"/> | DQI _____ | PO # _____ | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| SAMPLING CHAIN OF CUSTODY | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Analyst's Requested By | | Sampling Contractor | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Name: <u>R. Lee</u> | Name: <u>Stewart</u> | Analytical Laboratory Name: <u>GSL</u> | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Life. No: <u>20222</u> | Ext. <u>3148</u> | Contact: | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Acc. No: <u>19747</u> | Dep: <u>ES</u> | Phone: _____ Email/Fax: _____ | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Email Reports To: <u>R.Lee</u> | Sampler: <u>Roger Morris</u> | Contact: _____ Phone: _____ Email/Fax: _____ | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Project Name: <u>SSSF FHWMF-SI</u> | Project Manager: <u>R. Lee</u> | Field Engineer: _____ | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Comments: <u>* 7 day TAT</u> | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| <table border="1"> <thead> <tr> <th colspan="3">Sample Information</th> <th colspan="6">Additional Sample Information</th> </tr> <tr> <th>LID</th> <th>Type</th> <th>Site ID/Bottle/Unit #</th> <th>Date</th> <th>Time</th> <th>Min</th> <th>Cone. /% Units</th> <th>Cone. Type</th> <th>Lab Case</th> <th>Preservative</th> </tr> </thead> <tbody> <tr> <td>001</td> <td>ec</td> <td>C6-0S</td> <td>0</td> <td>9/6/07</td> <td>1525</td> <td>V</td> <td>C6 outside area (Grass)</td> <td>1L</td> <td>G</td> <td>1</td> </tr> <tr> <td>002</td> <td>ec</td> <td>C6</td> <td></td> <td>1535</td> <td>V</td> <td>C6 Bushy Plant.</td> <td>1L</td> <td>G</td> <td>1</td> </tr> <tr> <td>003</td> <td>ec</td> <td>C5-W</td> <td></td> <td>1540</td> <td>V</td> <td>C5 weed</td> <td>1L</td> <td>G</td> <td>1</td> </tr> <tr> <td>004</td> <td>ec</td> <td>C5-B</td> <td></td> <td>1545</td> <td>V</td> <td>C5 Bushy Plant</td> <td>1L</td> <td>G</td> <td>1</td> </tr> <tr> <td>005</td> <td>cc</td> <td>C4</td> <td></td> <td>1550</td> <td>V</td> <td>C4 Grass</td> <td>1L</td> <td>G</td> <td>1</td> </tr> <tr> <td>006</td> <td>ec</td> <td>D6</td> <td></td> <td>1600</td> <td>V</td> <td>D6 weed</td> <td>1L</td> <td>G</td> <td>1</td> </tr> <tr> <td>007</td> <td>ec</td> <td>D5</td> <td></td> <td>1610</td> <td>V</td> <td>D5 Grass</td> <td>1L</td> <td>G</td> <td>1</td> </tr> <tr> <td>008</td> <td>ec</td> <td>G5</td> <td></td> <td>7/10/07</td> <td>1530</td> <td>V</td> <td>G5 grass + weeds</td> <td>1L</td> <td>G</td> <td>1</td> </tr> <tr> <td>009</td> <td>ec</td> <td>T5</td> <td></td> <td>1540</td> <td>V</td> <td>T5 Grass + weeds</td> <td>1L</td> <td>G</td> <td>1</td> </tr> </tbody> </table> | | | Sample Information | | | Additional Sample Information | | | | | | LID | Type | Site ID/Bottle/Unit # | Date | Time | Min | Cone. /% Units | Cone. Type | Lab Case | Preservative | 001 | ec | C6-0S | 0 | 9/6/07 | 1525 | V | C6 outside area (Grass) | 1L | G | 1 | 002 | ec | C6 | | 1535 | V | C6 Bushy Plant. | 1L | G | 1 | 003 | ec | C5-W | | 1540 | V | C5 weed | 1L | G | 1 | 004 | ec | C5-B | | 1545 | V | C5 Bushy Plant | 1L | G | 1 | 005 | cc | C4 | | 1550 | V | C4 Grass | 1L | G | 1 | 006 | ec | D6 | | 1600 | V | D6 weed | 1L | G | 1 | 007 | ec | D5 | | 1610 | V | D5 Grass | 1L | G | 1 | 008 | ec | G5 | | 7/10/07 | 1530 | V | G5 grass + weeds | 1L | G | 1 | 009 | ec | T5 | | 1540 | V | T5 Grass + weeds | 1L | G | 1 |
| Sample Information | | | Additional Sample Information | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| LID | Type | Site ID/Bottle/Unit # | Date | Time | Min | Cone. /% Units | Cone. Type | Lab Case | Preservative | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 001 | ec | C6-0S | 0 | 9/6/07 | 1525 | V | C6 outside area (Grass) | 1L | G | 1 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 002 | ec | C6 | | 1535 | V | C6 Bushy Plant. | 1L | G | 1 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 003 | ec | C5-W | | 1540 | V | C5 weed | 1L | G | 1 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 004 | ec | C5-B | | 1545 | V | C5 Bushy Plant | 1L | G | 1 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 005 | cc | C4 | | 1550 | V | C4 Grass | 1L | G | 1 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 006 | ec | D6 | | 1600 | V | D6 weed | 1L | G | 1 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 007 | ec | D5 | | 1610 | V | D5 Grass | 1L | G | 1 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 008 | ec | G5 | | 7/10/07 | 1530 | V | G5 grass + weeds | 1L | G | 1 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 009 | ec | T5 | | 1540 | V | T5 Grass + weeds | 1L | G | 1 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |

| | |
|---|---|
| Contractor Lab Sample Disposal | |
| <input type="checkbox"/> Return To Client | <input checked="" type="checkbox"/> Disposal by Lab |
| <input type="checkbox"/> Archive For _____ Months | |
| Data Package: | |
| <input type="checkbox"/> Full | <input checked="" type="checkbox"/> Summary |
| Turn-Around Time Required: | |
| <input type="checkbox"/> Rush (1 Day) - <input checked="" type="checkbox"/> 14 Days | <input type="checkbox"/> Other () |
| <input type="checkbox"/> Days | |

Distribution WHITE (1) - Stays with Sample; PINK (2) - Lab or Other; GREEN (3) - Returned to Client with Report

GOLDENROD (4) - Field Copy - (Sampler)

GEL LABORATORIES LLC

2040 Savage Road Charleston SC 29407 - (843) 556-8171 - www.gel.com

Certificate of Analysis

Company : Brookhaven National Laboratory
Address : Building 51
Upton, New York 11973—5000

Contact: Mr. John Burke
Project: Analytical Services Lab—Summary

Report Date: September 19, 2007

| | | | |
|-------------------|-----------------|---------------|-----------|
| Client Sample ID: | 24765-001 | Project: | BRKL00506 |
| Sample ID: | 193557001 | Client ID: | BRKL005 |
| Matrix: | Vegetation | COC: | 24765 |
| Collect Date: | 06-SEP-07 15:25 | Samp Recv.: | |
| Receive Date: | 12-SEP-07 09:30 | Client Desc.: | C6-OS |
| Collector: | Client | | |

| Parameter | Qualifier | Result | Uncertainty | DL | RL | Units | DF | Analyst | Date | Time | Batch | Method |
|--|-----------|--------|-------------|-------|-------|-------|----|---------|----------|------|--------|--------|
| Rad Gamma Spec Analysis | | | | | | | | | | | | |
| <i>Gammaspex, Gamma, Solid (Standard List)</i> | | | | | | | | | | | | |
| Cesium-137 | U | 0.121 | +/-0.0808 | 0.140 | 0.200 | pCi/g | | MJH1 | 09/18/07 | 0910 | 684062 | 1 |
| Potassium-40 | | 6.88 | +/-1.58 | 0.989 | 0.500 | pCi/g | | | | | | |

The following Prep Methods were performed

| Method | Description | Analyst | Date | Time | Prep Batch |
|---------------|----------------------------|---------|----------|------|------------|
| Dry Soil Prep | Dry Soil Prep GL-RAD-A-021 | LXM2 | 09/13/07 | 1606 | 682828 |

The following Analytical Methods were performed

| Method | Description | Analyst Comments |
|--------|-----------------------|------------------|
| 1 | EML HASL 300, 4.5.2.3 | |

C6 outside area (Grass)

GEL LABORATORIES LLC
 2040 Savage Road Charleston SC 29407 – (843) 556-8171 – www.gel.com

Certificate of Analysis

Company : Brookhaven National Laboratory
 Address : Building 51
 Upton, New York 11973—5000

Report Date: September 19, 2007

Contact: Mr. John Burke
 Project: Analytical Services Lab—Summary

| | | | |
|-------------------|-----------------|---------------|-----------|
| Client Sample ID: | 24765-002 | Project: | BRKL00506 |
| Sample ID: | 193557002 | Client ID: | BRKL005 |
| Matrix: | Vegetation | COC: | 24765 |
| Collect Date: | 06-SEP-07 15:35 | Samp Recv.: | |
| Receive Date: | 12-SEP-07 09:30 | Client Desc.: | C6 |
| Collector: | Client | | |

| Parameter | Qualifier | Result | Uncertainty | DL | RL | Units | DF | Analyst | Date | Time | Batch | Method |
|--|-----------|--------|-------------|--------|-------|-------|----|---------|----------|------|--------|--------|
| Rad Gamma Spec Analysis | | | | | | | | | | | | |
| <i>Gammaspec, Gamma, Solid (Standard List)</i> | | | | | | | | | | | | |
| Cesium-137 | | 0.651 | +/-0.122 | 0.0885 | 0.200 | pCi/g | | MJH1 | 09/18/07 | 1112 | 684062 | 1 |
| Potassium-40 | | 4.41 | +/-1.18 | 0.840 | 0.500 | pCi/g | | | | | | |

The following Prep Methods were performed

| Method | Description | Analyst | Date | Time | Prep Batch |
|---------------|----------------------------|---------|----------|------|------------|
| Dry Soil Prep | Dry Soil Prep GL-RAD-A-021 | LXM2 | 09/13/07 | 1606 | 682828 |

The following Analytical Methods were performed

| Method | Description | Analyst Comments |
|--------|-----------------------|------------------|
| 1 | EML HASL 300, 4.5.2.3 | |

c6 (Bushy Plant)