



Petition for Closure

OU III LIPA Groundwater Treatment System

April 2024

Revised October 2024

Prepared By:
Brookhaven National Laboratory
Environmental Protection Division
Groundwater Protection Group
Upton, New York 11973

Operated by Brookhaven Science Associates, LLC
Under Contract with the United States Department of Energy
Contract No.: DE-SC0012704

Table of Contents

1.0	INTRODUCTION.....	1
1.1	PURPOSE	1
1.2	REGULATORY HISTORY	1
1.3	SITE DESCRIPTION.....	1
1.4	RELEASE AND REMEDIAL HISTORY	2
1.5	LIPA/AIRPORT DESCRIPTION AND CURRENT CONDITIONS	2
2.0	EXTRACTION WELL CLOSURE DETERMINATION.....	3
2.1	TREATMENT SYSTEM CLOSURE CRITERIA.....	3
2.2	LIPA GROUNDWATER TREATMENT SYSTEM OVERVIEW	4
2.3	GROUNDWATER AND SYSTEM MONITORING	5
2.3.1	<i>Monitoring Well Network</i>	<i>5</i>
2.3.2	<i>Monitoring Well Sampling Frequency and Analysis</i>	<i>6</i>
2.3.3	<i>Treatment System Sampling Frequency and Analysis</i>	<i>6</i>
2.3.4	<i>Monitoring Well Data Evaluation</i>	<i>6</i>
2.3.5	<i>Treatment System Operational Data</i>	<i>7</i>
2.3.6	<i>Treatment System Monitoring Data Evaluation</i>	<i>7</i>
2.3.7	<i>Per- and Polyfluoroalkyl Substances and 1,4-Dioxane Monitoring.....</i>	<i>8</i>
2.4	QUALITY ASSURANCE AND QUALITY CONTROL.....	9
2.5	SYSTEM CLOSURE EVALUATION	10
3.0	CONCLUSIONS	11
4.0	RECOMMENDATIONS.....	11
5.0	REFERENCES.....	13

Figures

Figure 1-1 – Regional Site Location Map

Figure 1-2 – Layout of Brookhaven Lab and Surrounding Area

Figure 1-3 – Operable Units and Areas of Concern

Figure 1-4 – OU III LIPA/Airport TVOC Plume Comparison 1997 – 2022

Figure 2-1 – OU III LIPA/Airport Extraction Wells and Monitoring Wells

Figure 2-2 – OU III LIPA/Airport Treatment System Location and Layout

Figure 2-3 – OU III LIPA and Airport Site Plans, Treatment System Infrastructure

Figure 2-4 – OU III and OU IV Plumes(s) LIPA Historic VOC Trends

Tables

Table 2-4 – LIPA Extraction Well Summary

Table 2-2 – LIPA Monitoring Well Summary

Table 4-1 – Proposed Post-Closure Monitoring Wells

Charts

Chart 2-1 – LIPA Extraction Well TVOC Trends

Appendices

Appendix A – Monitoring Well Analytical Summary Tables

Appendix B – Extraction Well Analytical Summary Tables

Appendix C – PFAS & 1,4-Dioxane Analytical Summary Tables

1.0 Introduction

1.1 Purpose

The purpose of this Petition for Closure of the Operable Unit (OU) III Long Island Power Authority (LIPA) Groundwater Treatment System is to document that the present groundwater conditions meet the objectives for closure established in the OU III Record of Decision (ROD) (BNL 2000), the OU III Explanation of Significant Differences (ESD) (BNL 2005), and the Operation and Maintenance Manual for the LIPA/Airport Offsite Groundwater Treatment System (BNL 2008).

The LIPA extraction wells (EW-1L, EW-2L, EW-3L, and EW-4L) are part of the OU III LIPA/Airport groundwater treatment system that was installed to address offsite portions of the volatile organic compound (VOC) plume in the Upper Glacial and Magothy aquifers south of the Industrial Park. Startup testing of the LIPA/Airport system began in June 2004 and full-time operation began in December 2004.

Based on groundwater monitoring and system operational data, the LIPA extraction wells have been shut down and maintained in standby since 2017, as recommended in the respective Annual Groundwater Status Reports. No Formal Petition for Shutdown of the LIPA system was submitted because its treatment is part of the Airport system which is still in operation. However, it is now apparent that the LIPA system is no longer needed to achieve the cleanup goals for VOCs in the Upper Glacial and Magothy aquifers.

1.2 Regulatory History

Brookhaven National Laboratory (BNL) is a federal facility owned by the United States Department of Energy (DOE) and operated by Brookhaven Science Associates (BSA). On December 21, 1989, the BNL site was included on the Comprehensive Environmental Response, Compensation, and Liability Act (CERCLA) National Priorities List (NPL) under Section 120 of CERCLA. In 1992, the United States Environmental Protection Agency (EPA), the New York State Department of Environmental Conservation (NYSDEC), and the DOE entered into a Federal Facilities Agreement, herein referred to as the Interagency Agreement (IAG), to ensure that appropriate actions are taken to protect to public health, welfare, or the environment. The IAG identified areas of concern (AOCs) that were grouped into OUs and evaluated for response actions. The OU III ROD was developed to address both onsite and offsite groundwater plumes emanating from the central portions of the BNL site. The OU III ROD contains a performance goal of minimizing plume growth and meeting drinking water standards (DWS)/maximum contaminant levels (MCLs) for VOCs in the Upper Glacial aquifer in 30 years or less (by 2030). Furthermore, the OU III ESD requires that the DWSs/MCLs are met in the Magothy aquifer in 65 years or less (by 2065).

1.3 Site Description

The BNL site comprises an area of 5,265 acres located in Upton, Suffolk County, New York ([Figure 1-1](#)). The site was formerly occupied by the U.S. Army as Camp Upton during World War I and II. BNL was established in 1947 by the Atomic Energy Commission and transferred to the Energy Research and Development Administration in 1975, and to the DOE in 1977. The approximately 900-acre central portion of BNL includes the developed areas of the site and the principal BNL facilities. Outlying facilities include an apartment area, sewage treatment plant, waste management facility, former landfill areas, solar farm, and undeveloped wooded areas. The site lies immediately south of the Long Island groundwater divide, and as such, groundwater flow is generally south with a significant vertical component.

The layout of the BNL site and the surrounding area is shown in [Figure 1-2](#).

1.4 Release and Remedial History

OU III was established to address VOC contaminated groundwater in the central and southern portions of the site and in the offsite areas where groundwater contamination has migrated. A total of 13 AOCs and two Additional Areas of Investigation (AAIs) were investigated as suspected source areas in OU III.

Each of the BNL OUs and AOCs are shown in [Figure 1-3](#).

The OU III VOC groundwater plume extended from near the center of the developed portion of the BNL site to approximately 13,000 feet south of the southern BNL site boundary. Based on the results of the OU III Remedial Investigation (RI), groundwater south of the BNL boundary had been impacted by VOCs, primarily carbon tetrachloride, tetrachloroethylene (PCE), and 1,1,1-trichloroethane (1,1,1-TCA) within the middle and deep portions of the Upper Glacial aquifer (BNL 1996). South of BNL, VOCs were identified in the Industrial Park and south of Carleton Drive. Because the vertical and horizontal extent of the contamination was not fully delineated during the OU III RI, a supplemental investigation was performed to determine if a remedy for the Magothy aquifer was necessary.

The results of the supplemental investigation indicated that VOC contamination had migrated into the upper portions of the Magothy aquifer in locations where the confining Magothy brown clay is absent. Further details of the supplemental investigation are available in the Final Magothy Characterization Report (BNL 2005).

The historic and current extents of the VOC plumes are shown on [Figure 1-4](#).

Remediation of the Upper Glacial and Magothy VOC plumes has been performed in phases. The OU III South Boundary groundwater treatment system was constructed to establish hydraulic control over the highest concentration portions of the plume at the southern site boundary and prevent further offsite migration. An “Offsite Removal Action” was conducted as an Interim Remedial Action (IRM) at the Industrial Park south of the Long Island Expressway to address the high concentration portions of the plume that had already migrated off the BNL property. Additional offsite treatment systems constructed to achieve the OU III Remedial Action Objectives (RAOs) include the LIPA system, designed to provide capture and control of the downgradient portion of the plume that had migrated south of the Industrial Park, and the Airport system designed to capture the leading edge of the OU III and OU I/IV VOC plumes (BNL 2008).

1.5 LIPA/Airport Description and Current Conditions

The LIPA groundwater treatment system was designed to capture, control, and treat VOCs at the LIPA right-of-way prior to migrating to the Airport treatment system to the south. The objective of the Airport system was to control the leading edge of the OU III/IV plumes. The performance goals established for these systems are hydraulic control and capture of contaminated groundwater with total volatile organic compound (TVOC) concentrations greater than 50 µg/L for the LIPA extraction wells and 10 µg/L for the Airport extraction wells, and the treatment of VOCs in extracted groundwater to below MCLs (BNL 2008).

The primary VOCs associated with these portions of the plume are carbon tetrachloride, 1,1,1-TCA, 1,1-dichloroethylene (1,1-DCE), and trichloroethylene (TCE). Currently, each of the LIPA extraction wells remain in standby (EW-1L and EW-3L, shutdown since October 2007; EW-2L, October 2010; and EW-4L, January 2017) as they have met the capture goal and individual VOCs are below DWSs/MCLs (BNL 2023).

The six Airport System extraction wells (RTW-1A through RTW-5A, and RW-6A) were installed to address the leading edge of the VOC plumes. Extraction wells RTW-1A, RTW-4A, and RW-6A are currently in full time operation, whereas extraction wells RTW-2A, RTW-3A, and RTW-5A are currently in standby mode. Although TVOC concentrations in each of the six Airport extraction wells are below the

capture goal of 10 µg/L, several monitoring wells upgradient of the extraction wells RTW-1A, RTW-4A, and RW-6A continue to exhibit TVOC concentrations above 10 µg/L and individual VOC concentrations above their respective MCLs. None of the bypass monitoring wells installed downgradient of the Airport extraction wells detect VOCs above their respective MCLs (BNL 2023).

Although the extraction and monitoring well data indicate that the Airport system should remain in continued operation, the LIPA system has reached its cleanup/performance goals and formal closure of this system is warranted.

2.0 Extraction Well Closure Determination

2.1 Treatment System Closure Criteria

The OU III ROD states that the cleanup objectives for VOC contaminated groundwater in the Upper Glacial aquifer are:

- Meet the drinking water standards,
- Complete the cleanup in a timely manner, which for the Upper Glacial aquifer is 30 years or less; and,
- Prevent or minimize further migration of VOCs in groundwater.

The ROD also directed that characterization and monitoring of the Magothy aquifer be performed, and if necessary, a remedy developed (BNL 2000). The selected remedy for the Magothy aquifer as stated in the OU III ESD includes active treatment and monitored natural attenuation. The duration required to reach the DWSs/MCLs in the Magothy aquifer is 65 years (BNL 2005).

Based on the above, the following criteria for LIPA system shutdown and closure were established in the in the *Operations and Maintenance Manual for the LIPA/Airport Offsite Groundwater Treatment Systems* (BNL 2008):

Setting specific concentrations for a cleanup goal is necessary to ensure that the system is operated and shutdown in an efficient manner that meets the OU III ROD and ESD cleanup goals.

The performance goal for the LIPA groundwater remediation system is the remediation of the highest concentration (>50 µg/L TVOC) portions of the groundwater plume underlying the LIPA area to achieve cleanup goals specified in the ROD of minimizing plume growth and reaching MCLs in the Upper Glacial aquifer within 30 years. This performance goal is consistent with the decisions of the OU III ROD and is protective of human health and the environment.

It is recommended that the cleanup objective of 50 µg/L TVOC concentration be reached in the core monitoring wells at LIPA for a minimum duration of four consecutive quarterly sampling rounds before evaluating shutting off the LIPA system. Concentrations in the extraction wells should also be below 50 µg/L TVOC concentration. This would require that the core monitoring wells (000-104, 000-105, 000-445, 000-446, 000-448, 000-449, and 000-450) have no TVOC concentrations detected greater than or equal to 50 µg/L for four consecutive sampling quarters. If these conditions are met, a Petition for Shutdown may be submitted to the regulators for system shutdown. Individual extraction wells may be turned off based upon meeting these criteria within the capture zone of that extraction well and by recommendation in the annual report. The individual wells may be pulsed-pumped before shutdown if a significant rebound in concentration of VOCs is observed.

For the Magothy extraction well associated with the LIPA system, the shutdown criteria will be the same, achieving a concentration of less than 50 µg/L TVOCs in the core monitoring wells (000-130, 000-425, and 000-460) and extraction well influent concentrations.

If the performance is achieved or approached with regard to the decrease of contaminant concentrations in groundwater and/or restoration of groundwater quality, then the need for continued operation of either portion of the groundwater remediation system will be evaluated through consultation with the DOE, EPA, and NYSDEC. A formal petition for shutdown will be submitted to the regulators and after approval for shutdown is received, the system will remain in an operationally ready state for several years (two to five years). If a significant rebound in concentrations occurs the system may be restarted. If no significant rebounds in concentrations are observed during this period, a Petition for Closure will be submitted to the regulators. Upon approval of the Petition for Closure, the decommissioning will commence.

Following shutdown of the system, groundwater sampling will be conducted to ensure that a rebound of contaminant concentrations does not occur. If, after shutdown of the system, three years of groundwater sampling data indicate that TVOC contaminant concentrations do not rebound (above 50 µg/L for LIPA), then a formal petition may be submitted for closure of the remediation system and termination of post-closure monitoring.

Based on the progress of the remediation and groundwater monitoring, several monitoring wells have been added, and some discontinued from the LIPA monitoring program throughout the years. In addition, several of the decision subunit designations have changed due to the changes/reductions in the TVOC plume distribution. As such, the monitoring wells specified in the O&M Manual as well as several new key monitoring wells are included in the following data evaluation, as well as their current decision subunits.

This petition for closure of the LIPA treatment system extraction wells demonstrates that the current groundwater conditions are consistent with the closure criteria established in the O&M Manual.

2.2 LIPA Groundwater Treatment System Overview

The LIPA groundwater treatment system consists of three Upper Glacial extraction wells (EW-1L, EW-2L, and EW-3L) located along the LIPA right-of-way east of Rowlinson Drive and west of Starlight Drive, and one Magothy extraction well (EW-4L) located north of the LIPA right-of-way at Stratler Drive. When the system was in operation, the configuration of the Upper Glacial extraction wells provided hydraulic control of the historic high concentration portions of the VOC plume that migrated south of the Industrial Park and EW-4L withdrew VOC contaminated groundwater from the Magothy aquifer.

The LIPA/Airport extraction wells and current extents of the TVOC plumes are shown in [Figure 2-1](#).

While in operation, the LIPA extraction wells convey water via a force main down Puritan Drive to a liquid phase granular activated carbon (GAC) treatment system located at the Brookhaven Airport. The GAC treatment system also serves the six Airport extraction wells. The GAC treatment system consists of two 20,000-pound carbon adsorber vessels with influent, effluent, and backwash piping. The treated discharge water from the GAC units was historically split, with a portion recharged to recirculation wells, and the remainder being recharged to a series of reinjection wells on the airport property (BNL 2008). Starting in approximately 2008, following the installation of Airport extraction well RW-6A, all of the treated effluent was being discharged to the reinjection wells.

The LIPA extraction well configuration, piping, and reinjection wells are shown in [Figure 2-2](#) and [Figure 2-3](#). A summary of the LIPA extraction wells is provided in Table 2-1 below:

Table 2-1 - LIPA Extraction Wells

LIPA Extraction Well ID	Site ID	Aquifer Unit	Screen Top (ft bls)	Screen Bottom (ft bls)	Screen Length (ft)	Designed Pumping Rate (gpm)	Max. Pumping Rate (gpm)
EW-1L	000-453	UG	217	237	20	100	150
EW-2L	000-455	UG	224	244	20	100	150
EW-3L	000-457	UG	216	236	20	100	150
EW-4L	000-461	Mag	304	324	20	100	150

Notes:

UG – Upper Glacial aquifer

Mag – Magothy aquifer

bls – below land surface

gpm – gallons per minute

2.3 Groundwater and System Monitoring

2.3.1 Monitoring Well Network

A network of 17 monitoring wells is used to monitor groundwater for the LIPA treatment system. The Upper Glacial aquifer is monitored using nine wells and the Magothy aquifer is monitored using eight wells.

The monitoring well locations are shown in [Figure 2-1](#). A summary of the LIPA monitoring wells and their current Decision Subunit is provided in Table 2-2 below:

Table 2-2 - LIPA Monitoring Wells

Monitoring Well ID	Aquifer Unit	Decision Subunit	Screen Interval (ft bls)
000-101	DG	Plume Perimeter	185-205
000-102	Mag	Plume Perimeter	305-325
000-104	DG	Plume Core	195-215
000-105	Mag	Plume Perimeter	275-295
000-130	Mag	Plume Core	275-285
000-131	DG	Bypass Detection	220-230
000-425	Mag	Plume Core	305-325
000-445	DG	Plume Perimeter	209-229
000-446	DG	Plume Perimeter	202-222
000-447	DG	Plume Core	209-229
000-448	DG	Plume Core	202-222
000-449	DG	Plume Core	183-203
000-450	Mag	Plume Perimeter	198-218
000-451	DG	Bypass Detection	188-198
000-452	Mag	Bypass Detection	212-222
000-458	Mag	Plume Perimeter	291-311
000-459	Mag	Plume Perimeter	294-314

000-460*	Mag	Plume Perimeter	290-310
----------	-----	-----------------	---------

Notes:

DG – Deep Upper Glacial aquifer

Mag – Magothy aquifer

bls – below land surface

* – Monitoring well 000-460 was discontinued from the sampling program in 2018; however, it is included in Table 2-2 as a reference to relevant discussion.

2.3.2 Monitoring Well Sampling Frequency and Analysis

Following system startup in 2004, the monitoring wells for LIPA were on a quarterly sampling schedule. Starting in 2007, the sampling frequency was changed from the quarterly startup phase to the Operations and Maintenance (O&M) phase, where core and perimeter monitoring wells were sampled semi-annually, and bypass monitoring wells were sampled quarterly. This sampling frequency remained the same through 2019. Starting in 2023, the monitoring well sampling frequency was changed to quarterly for key wells to support the petition for closure.

From 2004 through 2020, each of the monitoring well samples were analyzed for VOCs by EPA Method 524.2. Starting in 2021, the samples have been analyzed by EPA Method 8260 Low Level.

2.3.3 Treatment System Sampling Frequency and Analysis

Startup testing of the LIPA/Airport treatment system began in June 2004 and included monthly sampling of the extraction wells and weekly sampling of the system influent, midpoint, and effluent. System influent includes the combined flow from LIPA extraction wells EW-1L through EW-4L and the Airport extraction wells, RTW-1A through RTW-5A and RW-6A.

In 2008, the system sampling frequency changed from weekly to twice per month. In September 2021, the system sampling changed from twice per month to once per month.

From 2004 through 2020, the extraction wells and treatment system samples were analyzed for VOCs by EPA Method 524.2. Starting in 2021, the samples have been analyzed by EPA Method 8260 Low Level.

2.3.4 Monitoring Well Data Evaluation

The primary VOCs of concern associated with the LIPA/Airport portion of the plume are carbon tetrachloride, 1,1,1-TCA, 1,1-DCE, and TCE. An evaluation of the monitoring well data collected to-date has been performed to support this petition for closure. A summary of the data evaluation is provided below.

Upper Glacial Monitoring Wells:

- The TVOC concentration has remained below 50 µg/L in each of the Upper Glacial monitoring wells since June 2006, when the TVOC concentration was 82 µg/L in bypass detection monitoring well 000-131. Since July 2020, the TVOC concentration has remained below 10 µg/L in each of these wells.
- In July 2020, 1,1-DCE and 1,1,1-TCA were reported slightly above their MCL of 5 µg/L in monitoring well 000-448, at 8 µg/L and 7 µg/L, respectively. Since July 2020, individual VOCs have remained below their MCLs in each of the Upper Glacial monitoring wells.
- In 2022 through 2023, the highest TVOC concentration recorded in the Upper Glacial monitoring wells was 7 µg/L in August 2023, in well 000-448. The highest individual VOC concentrations in 000-448 were 1,1,1-TCA and 1,1-DCE, at 2 µg/L and 3 µg/L, respectively.

Magothy Monitoring Wells:

- The TVOC concentration has remained below 50 µg/L in each of the Magothy monitoring wells since December 2013, when the TVOC concentration was 65 µg/L in plume perimeter well 000-

460. Since January 2018, the TVOC concentration has remained below 10 µg/L in each of these wells.

- The last individual VOC detected above its MCL in 000-460 was 1,1,1-TCA at 8 µg/L in August 2015. Sampling of 000-460 was discontinued in 2021 as recommended in the 2020 Annual Groundwater Status Report following a six-year period of individual VOC concentrations remaining below their respective MCLs.
- In August 2017, 1,1,1-TCA was reported slightly above its MCL of 5 µg/L in monitoring well 000-452, at 5.2 µg/L. Since August 2017, individual VOCs have remained below their MCLs in each of the Magothy monitoring wells. Historically, the highest individual VOC concentration in LIPA monitoring wells was carbon tetrachloride at 7,090 µg/L in Magothy well 000-130, in December 1998.
- Of note, from April 2010 to December 2013, the VOC toluene was occasionally detected in Magothy monitoring well 000-130 above its MCL of 5 µg/L. The highest concentration was 530 µg/L in September 2013 and the last detection above its MCL was 22 µg/L in December 2013. This is a surface mounted monitoring well at a relatively low elevation along the road. Therefore, road runoff could be a source of the toluene. Toluene has been below its MCL in both Upper Glacial and Magothy monitoring wells since December 2013.

Based on the above, TVOC concentrations in LIPA monitoring wells have remained below the 50 µg/L capture goal since December 2013, and the concentrations of individual VOCs have remained below their respective MCLs since July 2020.

The historic plots of TVOC concentrations and individual VOC contaminants of concern for key LIPA monitoring wells through 2023 are shown on [Figure 2-4](#).

The 2004 through 2023 LIPA monitoring well analytical data for VOCs detected above the laboratory method detection limit is provided in [Appendix A](#).

2.3.5 Treatment System Operational Data

A formal petition for shut down was not previously submitted for LIPA since it shares a treatment building with the Airport system and the original strategy was to handle the closure of the two distinct remediation areas together. However, based on monitoring data, individual LIPA extraction wells have been shut down since January 2017 and the system has met the criteria for closure, but the Airport extraction wells RTW-1A, RTW-4A, and RW-6A require continued operation in order to achieve the Airport RAOs.

The decision to shut down the LIPA extraction wells (Upper Glacial extraction wells EW-1L and EW-3L were shut down in October 2007, EW-2L was shut down in October 2010, and Magothy extraction well EW-4L was shut down in January 2017) was based on TVOC concentrations decreasing to below the 50 µg/L capture goal for a minimum of four consecutive sampling rounds in both extraction and monitoring wells. These shutdowns were documented in the respective Annual Groundwater Status Reports.

2.3.6 Treatment System Monitoring Data Evaluation


Each of the Upper Glacial extraction wells have remained below the 50 µg/L capture goal since July 2006, when the TVOC concentration in EW-2L was 54 µg/L. The Magothy extraction well EW-4L has remained below 50 µg/L since April 2008, when the TVOC concentration was 54 µg/L. Since January 2019, the TVOC concentration has remained below 10 µg/L in each of the LIPA extraction wells with the exception of toluene.

The concentrations of the individual VOCs primarily associated with LIPA plume have remained below their respective MCLs since January 2019, when 1,1,1-TCA was detected at 6 µg/L in EW-1L. However, in April and October 2023, toluene was detected slightly above its MCL of 5 µg/L in EW-1L (5.9 µg/L) and EW-3L (5.2 µg/L), respectively. The highest detection of toluene in LIPA extraction wells was 50 µg/L in EW-3L in July 2018; however, since toluene was not detected in the adjacent monitoring wells at that

time, it was attributed to sample contamination (BNL 2019). As noted above, toluene has not been detected in LIPA monitoring wells since December 2013.

The TVOC concentration from startup through 2023 for each LIPA extraction well is shown on Chart 2-1 below.

Chart 2-1 – LIPA Extraction Well TVOC Trends



As shown above, during 2016 and early 2017, EW-1L and EW-2L had an increase in the TVOC concentration; however, it remained below 50 µg/L. Due to the observed increases, extraction well EW-2L was restarted and operated for one month in December 2017 and the subsequent sampling event showed a significant decrease in the TVOC concentration (BNL 2018). As stated above, during one sampling event in 2018, toluene was detected in EW-3L at 50 µg/L; however, this was attributed to sample contamination and therefore, not shown in Chart 2-1.

The historical plots of the TVOC concentrations and individual VOC contaminants of concern for the LIPA extraction wells are shown on [Figure 2-4](#).

The 2004 through 2023 LIPA extraction well analytical data for compounds detected above the laboratory method detection limit is included in [Appendix B](#).

2.3.7 Per- and Polyfluoroalkyl Substances and 1,4-Dioxane Monitoring

Since 2017, BNL has been investigating the extent of per- and polyfluoroalkyl substances (PFAS) and 1,4-dioxane impact to groundwater onsite and in nearby downgradient areas. These characterization efforts are summarized in the BNL Phase 1 through Phase 4 Characterization Reports (BNL 2021).

Relevant to the LIPA system, in 2017, BNL began testing for 1,4-dioxane in select monitoring wells and groundwater treatment systems that have or had detectable concentrations of 1,1,1-TCA. This included

sampling the combined LIPA/Airport treatment system effluent in 2018. During Phase 4, BNL conducted a more extensive characterization on the extent of PFAS and 1,4-dioxane in a wider geographic distribution of monitoring wells, groundwater extraction wells, and treatment system influent and effluent (BNL 2021), which included the LIPA system. A brief summary of the 2018 sampling and Phase 4 characterization results as they pertain to LIPA is provided below:

- During the 2018 combined LIPA/Airport effluent sampling, 1,4-dioxane was detected at a concentration of 1.6 µg/L.
- Perfluorooctanesulfonic acid (PFOS) and perfluorooctanoic acid (PFOA) concentrations were detected at less than 10 nanograms per liter (ng/L) in each of the LIPA area monitoring wells. The maximum PFOS concentration was detected in deep Upper Glacial monitoring well 000-451 at 6 ng/L, and the maximum PFOA concentration was detected in deep Upper Glacial monitoring well 000-104 at 3 ng/L.
- In June 2020, the maximum 1,4-dioxane concentration in LIPA monitoring wells was 13.7 µg/L in deep Upper Glacial well 000-451.
- PFOS or PFOA were not detected in the LIPA extraction wells at concentrations greater than 10 ng/L. In April 2020, the maximum PFOS and PFOA concentrations in the LIPA extraction wells were 9.43 ng/L and 9.45 ng/L, respectively, in Upper Glacial extraction well EW-3L.
- In April 2020, 1,4-dioxane was detected in LIPA Upper Glacial extraction wells EW-1L and EW-2L at 3.3 µg/L and 2.7 µg/L, respectively.

Currently, the individual LIPA extraction wells and the combined LIPA/Airport system influent (currently, Airport extraction wells only) and combined effluent are being sampled for PFAS and 1,4-dioxane on a quarterly basis. This sampling program began in June 2023 to establish an updated baseline of PFAS and 1,4-dioxane in operational groundwater treatment systems. This program will continue and the results will be used to evaluate the system discharges. A summary of these results obtained to-date is provided below:

- The June 2023 treatment system sampling event included extraction wells, system influent, and system effluent. The highest concentration of PFOS was 4 ng/L and 3 ng/L in extraction wells EW-1L and EW-3L, respectively. The highest concentration of PFOA was 1.8 ng/L in EW-4L. The highest concentration of 1,4-dioxane was 2.7 µg/L in extraction well EW-1L. In the combined LIPA/Airport influent, 1,4-dioxane was 0.6 µg/L, PFOS was 1.6 ng/L, and PFOA was 3 ng/L. In the combined effluent, 1,4-dioxane was 1.3 µg/L and both PFOS and PFOA were not detected.
- The October 2023 sampling event included the combined LIPA/Airport system influent and effluent sampling only. During this event, 1,4-dioxane was detected at 1.2 µg/L in both the system influent and effluent. PFOS and PFOA was 1.3 ng/L and 2.5 ng/L in the system influent, respectively. PFOS and PFOA were not detected in the system effluent.

The January 2024 sampling event included extraction wells, system influent, and system effluent. During this event, the highest concentration of PFOS was 4.7 ng/L and 4.2 ng/L in extraction wells EW-1L and EW-2L, respectively. The highest concentration of PFOA was 1.3 ng/L in EW-1L. The highest concentration of 1,4-dioxane was 3.3 µg/L in EW-1L. Similar to the October 2023 sampling event, 1,4-dioxane was 1.2 µg/L in both the combined system influent and effluent. PFOS and PFOA were 1.3 ng/L and 3 ng/L in the combined system influent and not detected in the system effluent. The LIPA treatment system PFAS and 1,4-dioxane analytical data collected June 2023 through June 2024 is provided in [Appendix C](#).

2.4 Quality Assurance and Quality Control

A comprehensive Quality Assurance/Quality Control (QA/QC) program is in place at BNL to ensure that all environmental monitoring samples are representative, and that the data are reliable and defensible. An Environmental Monitoring Plan (EMP) is prepared for each program using the EPA Data Quality Objective

(DQO) process (EPA 2006). Through this process, the type, amount, and quality of data needed is determined and a sampling plan is prepared. The sampling plan specifies the location, frequency, type of sample, analytical methods, and sampling schedule. The EMP and the specific Environmental Monitoring (EM) Standard Operating Procedures (SOPs) specify the data acceptance criteria.

Environmental monitoring and QA/QC samples are collected and prepared as necessary and analyzed by a certified contract analytical laboratory. The results are then validated or verified, reviewed, evaluated, and managed in context of expected results, related monitoring results, historical data, and applicable regulatory requirements. Field QA/QC samples collected for the OU III LIPA monitoring program include trip blanks, field blanks, field duplicates, and matrix spike/matrix spike duplicate samples. The rationale for selecting the specific field QA/QC samples and minimum requirements for their use in the EMP are provided in BNL EM-SOP 200, *Collection and Frequency of Field Quality Control Samples* (BNL 2022).

The data verification process is provided in the BNL EM-SOP-203, *Chemical Data Verification* (BNL 2022), and involves checking for common errors (e.g.: holding time missed, incorrect test method, poor recovery, preservation requirements not met, etc.) associated with the analytical data. The data usability process is provided in BNL EM-SOP 211, *Chemical Usability* (BNL 2022), and is the process by which laboratory results are determined to be consistent with the individual project DQOs. During review, the following data usability determinations are made:

- Review the results to determine if the level of quality for the measurement meets the project specific DQOs.
- Review the results to determine if they are consistent with prior analytical results.
- Review the validation/verification reports as applicable, to determine if any QC issues remain unresolved.

Based on the data usability and verification, coupled with the laboratory and field QA/QC, determined that the data used for the OU III LIPA monitoring meets its project DQOs.

The field QA/QC blind duplicate sample results for the OU III LIPA monitoring program are provided in **Appendix A**. The remaining field QA/QC samples (i.e.: field blanks, trip blanks, etc.) are not provided.

2.5 System Closure Evaluation

The criteria for system closure as outlined in the LIPA/Airport Offsite Groundwater Treatment System O&M Manual states:

Following shutdown of the system, groundwater sampling will be conducted to ensure that a rebound of contaminant concentrations does not occur. If, after shutdown of the system, three years of groundwater sampling data indicate that TVOC contaminant concentrations do not rebound (above 50 µg/L for LIPA), then a formal petition for closure may be submitted for closure of the treatment system and termination of post-closure monitoring. Upon approval of the Petition for Closure, the decommissioning will commence.

As discussed, the LIPA treatment system has been shut down systematically over time as individual extraction wells and monitoring wells have met the cleanup goals. Following the complete shutdown of the system (with the shutdown of EW-4L in January 2017), approximately seven years of post-shutdown monitoring has been performed. During this time, there has been no rebound of TVOC concentrations above the 50 µg/L capture goal (with one exception of toluene due to sample contamination in extraction well EW-3L, as detailed in Section 2.3.6) and the individual VOCs primarily associated with LIPA have been below their applicable MCLs since July 2020. In April and October 2023, toluene was detected slightly above its MCL in extraction wells EW-1L and EW-3L; however, toluene has been below its MCL in both

Upper Glacial and Magothy monitoring wells since December 2013. Based on these results, the LIPA system has met the conditions outlined for closure.

The overall LIPA plume cleanup progress comparison is demonstrated in [Figure 1-4](#), which depicts changes in the TVOC plume from 1997 through 2022.

3.0 Conclusions

This system has met the criteria established in the LIPA/Airport Offsite Groundwater Treatment System O&M Manual for system closure and the conditions are consistent with the OU III ROD and ESD goals.

The following conclusions can be drawn regarding the LIPA Groundwater Treatment System:

- TVOC concentrations in each of the LIPA monitoring wells has been below the 50 µg/L capture goal since December 2013.
- TVOC concentrations in the LIPA extraction wells have been below the 50 µg/L capture goal since April 2008.
- The concentrations of individual VOCs in plume monitoring wells have been below their MCLs since July 2020.
- With one exception, the concentrations of the individual VOCs in extraction wells have been below their MCLs since January 2019. Toluene was detected in two extraction wells slightly above its MCL during 2023.
- Based on the groundwater monitoring and extraction well data, a significant mass of VOCs has been removed from the Upper Glacial and Magothy aquifers in the LIPA area.

Based on the above, the 50 µg/L TVOC capture goal in LIPA monitoring and extraction wells has been met for a minimum of 10 years (December 2013) and the concentration of individual VOCs have been below their MCLs in plume monitoring wells for a minimum of three years (July 2020). Residual low-level VOC contamination will undergo monitored natural attenuation while continuing to migrate south and be captured by the Airport extraction wells.

4.0 Recommendations

Based on the data provided in this Petition for Closure, the present LIPA groundwater conditions meet the objectives for closure established in the OU III ROD, OU III ESD, and the LIPA/Airport O&M Manual. Therefore, it is recommended that the OU III LIPA Groundwater Treatment System be approved for closure.

Residual low-level VOC contamination will undergo monitored natural attenuation while continuing to migrate south towards the Airport extraction wells. To verify that residual VOCs continue to attenuate as anticipated, the following monitoring wells are proposed to be monitored on an annual basis during the fourth quarter for three years, as shown in Table 4-1 below:

Table 4-1 - Proposed Post- Closure Monitoring Wells Monitoring Well ID	Aquifer Unit	Decision Subunit	Screen Interval (ft bls)	Rationale
000-130	Mag	Plume Core	275-285	Key Mag monitoring well with historically high VOC concentrations.

000-131	DG	Bypass Detection	220-230	Downgradient DG monitoring well with historically high VOC concentrations.
000-425	Mag	Plume Core	305-325	Key Mag plume core monitoring well.
000-448	DG	Plume Core	202-222	Key Upper Glacial plume core monitoring well. Last Upper Glacial monitoring well with VOC detection above MCL (July 2020).
000-449	DG	Plume Core	183-203	Key Upper Glacial plume core monitoring well.
000-452	Mag	Bypass Detection	212-222	Mag monitoring well with historic high VOC concentrations. Last Mag monitoring well with VOC detection above MCL (August 2017).

Notes:

DG – Deep Upper Glacial aquifer

Mag – Magothy aquifer


bls – below land surface

At the end of the proposed three-year post-closure monitoring period if VOCs remain below their MCLs, sampling will be discontinued. However, each of the remaining LIPA monitoring wells will be retained, and the LIPA extraction wells maintained in an operationally ready mode until the completion of the OU X Remedial Investigation/Feasibility Study (RI/FS) for PFAS and 1,4-dioxane.

5.0 References

- BNL. 2018. "2017 Groundwater Status Report." Upton, NY.
- BNL. 2019. "2018 Groundwater Status Report." Upton, NY.
- BNL. 2023. "2022 Groundwater Status Report." Upton, NY.
- BNL. 2022. "BNL EM-SOP 200, Collection and Frequency of Field Quality Control Samples." Upton, NY.
- BNL. 2022. "BNL EM-SOP 203, Chemical Data Verification." Upton, NY.
- BNL. 2022. "BNL EM-SOP 211, Chemical Usability." Upton, NY.
- BNL. 1996. "Final OU III Pre-Design Investigation Report." Upton, NY.
- BNL. 2005. "Operable Unit III Explanation of Significant Differences." Environmental Restoration, Brookhaven National Laboratory, Upton, NY.
- BNL. 2000. "Operable Unit III Record of Decision." Environmental Protection Division, Brookhaven National Laboratory, Upton, NY.
- BNL. 2008. "Operation and Maintenance Manual for the LIPA/Airport Offsite Groundwater Treatment System - Rev. 3." Upton, NY.
- BNL. 2021. "Phase 4 Characterization Report PFAS and 1,4-Dioxane in On-Site and Off-Site Monitoring Wells, Extraction Wells, and Treatment Systems." Upton, NY.
- EPA. 2006. "Guidance on Systematic Planning Using the Data Quality Objectives Process EPA QA/G-4." US EPA, February.

Figures



NEW YORK

CONNECTICUT

WESTCHESTER

ROCKLAND

NEW JERSEY

BRONX

SUFFOLK

NEW YORK CITY

QUEENS

NASSAU


KINGS

RICHMOND

Long Island

BROOKHAVEN NATIONAL LABORATORY

A T L A N T I C O C E A N



PREPARED BY: JR HOLZMACHER P.E., LLC



ENVIRONMENTAL PROTECTION
DIVISION

TITLE:

REGIONAL SITE LOCATION MAP


OU III LIPA GROUNDWATER REMEDIATION SYSTEM
PETITION FOR CLOSURE

DWN: AJZ	VT:HZ.: APPD: BB	DATE: 11/07/23 REV.: —	PROJECT NO.: — NOTES:
-------------	------------------------	---------------------------------	-----------------------------

FIGURE NO.:

1-1

Q:\2023\BNLab\23-01 EPD\Task 06 LIPA Closure Report\Figures\2023-11-06\Fig 1-2 LIPA Closure 032524.dwg



ENVIRONMENTAL
PROTECTION DIVISION

TITLE:

LAYOUT OF BROOKHAVEN LAB AND SURROUNDING AREA

OU III LIPA GROUNDWATER REMEDIATION SYSTEM
PETITION FOR CLOSURE

DWN:

AJZ

VT:HZ.:

—

DATE:

11/08/23

PROJECT NO.:

—

CHKD:

AJZ

APPD:

BB

REV.:

03/25/24

NOTES:

—

FIGURE NO.:

1-2

Q:\2023\BNLab\23-01 EPD\Task 06 LIPA Closure Report\Figures\2023-11-06\Fig 1-3 LIPA Closure 110723.dwg


Operable Units

- I Radiological Soil and Groundwater
- II/VII Radiological Soil Scattered
- III Groundwater
- IV Groundwater and Soil
- V Sewage Treatment Plant Soil/Peconic Sediment
- VI Ethylene Dibromide Groundwater
- VIII - g-2/Blip/USTs
- IX - HFBR
- X (Not shown) PFOS, PFOA and 1,4-Dioxane
- XI - (EPA 07) BGRR

Operable Units and Areas of Concern

Areas of Concern

- 1 Hazardous Waste Management Facility
- 1B Groundwater
- 2A-E Former/Interim Landfills, Slit Trench, and Chemical/Animal/Glass Holes
- 2F Ash Pit
- 3 Current Landfill
- 4A-E Sewage Treatment Plant (A - Sludge Drying Beds; B - Sand Filter Beds; C - Imhoff Tanks; D - Hold-Up Ponds; E - Satellite Disposal Area)
- 5 Central Steam Facility
- 6 Building 650 Sump and Sump Outfall Area
- 7 Paint Shop
- 8 Upland Recharge/Meadow Marsh
- 9A-D Brookhaven Graphite Research Reactor (A - BGRR Canal; B - Underground Ductwork; C - Spill Sites; D- Pile Fan Sump)
- 10A-C (A - Tanks D1, D2, D3; B - Underground Pipelines; C- Six A/B USTs)
- 11 Building 830 Pipe Leak
- 12 Underground Storage Tanks (not shown)
- 13 Cesspools and Septic Tanks (not shown)
- 14 Bubble Chamber Spill Area
- 15A Potable/Supply Wells
- 15B Monitoring Well 130-02
- 16A-S Aerial Radioactive Monitoring System Results
- 16T g-2 Source Area and Tritium Groundwater Plume
- 17 Area Adjacent to Former Low-Mass Criticality Facility
- 18 AGS Storage Yards
- 19 TCE Spill Area
- 20 Particle Beam Dump, North End of Linear Accelerator
- 21 Leaking Sewer Pipes (not shown)
- 22 Old Firehouse
- 23 East Eastern Tritium Plume
- 24A Process Supply Wells 104, 105
- 24B Recharge Basin HP
- 24C Recharge Basin HN
- 24D Recharge Basin HO
- 24E Recharge Basin HS
- 24F Weaver Drive Basin HW
- 25 Heavy Machine Shop (Building 479)
- 26A-B Warehouse Area (A - Building 208; B - Former Scrapyard/Drum Storage Area South of Building 96)
- 27 Building 464 Mercury Contaminated Soil
- 28 EDB Plume
- 29 HFBR Spent Fuel Pool and Tritium Plume
- 30 Peconic River
- 31 HFBR
- 32 Building 452 Freon-11
- 33A-L PFOS and PFOA Groundwater and Soil Contamination
- 34 1,4- Dioxane Groundwater Contamination (Not Shown)





TITLE: OPERABLE UNITS AND AREAS OF CONCERN OU III LIPA GROUNDWATER REMEDIATION SYSTEM PETITION FOR CLOSURE		DWN: AJZ	VT.HZ.: —	DATE: 11/07/23	PROJECT NO.: —
		CHKD: WRD	APPD: BB	REV.: —	NOTES: —
		FIGURE NO.: 1—3			

1997 TVOC PLUME DISTRIBUTION

2022 TVOC PLUME DISTRIBUTION

Q:\2023\BNILab\23-01 EPD\Task 06 LIPA Closure Report\Figures\2023-11-06\Fig 1-4 LIPA Closure 110723 do not use.dwg



ENVIRONMENTAL
PROTECTION DIVISION

TITLE:

OU III LIPA/AIRPORT
TVOC PLUME COMPARISON
1997 - 2022

OU III LIPA GROUNDWATER REMEDIATION SYSTEM
PETITION FOR CLOSURE

DWN:

AJZ

VT:HZ.:

-

DATE:

11/07/23

PROJECT NO.:

-

CHKD:

WRD

APPD:

BB

REV.:

-


NOTES:

-

FIGURE NO.:

1-4

Q:\2023\BNLab\23-01 EPD\Task 06 LIPA Closure Report\Figures\2023-11-06\Fig 2-1 LIPA Closure 110723.dwg



ENVIRONMENTAL
PROTECTION DIVISION

TITLE:

OU III LIPA/AIRPORT EXTRACTION WELLS AND MONITORING WELLS

OU III LIPA GROUNDWATER REMEDIATION SYSTEM
PETITION FOR CLOSURE

DWN:

AJZ

VT.HZ.:

—

DATE:

11/08/23

PROJECT NO.:

—

CHKD:

WRD

APPD:

BB

REV.:

—

NOTES:

—



FIGURE NO.:

2-1

Q: \\2023\BNLab\23-01 EPD\Task 06 LIPA Closure Report\Figures\2023-11-06\Fig 2-2 LIPA Closure 032524.dwg



Q:\2023\BNLab\23-01 EPD\Task 06 LIPA Closure Report\Figures\2023-11-06\Fig 2-3 LIPA Closure 032524.dwg

















TITLE:

OU III LIPA AND AIRPORT SITE PLANS, TREATMENT SYSTEM INFRASTRUCTURE

OU III LIPA GROUNDWATER REMEDIATION SYSTEM
PETITION FOR CLOSURE

DWN: AJZ	VT:HZ.: —	DATE: 11/07/23	PROJECT NO.: —
CHKD: AJZ	APPD: BB	REV.: 03/25/24	NOTES: —
FIGURE NO.:		2-3	



Appendix A
Monitoring Well Analytical Summary Tables

Appendix A

OU III LIPA Petition for Closure

2004 - 2024 Monitoring Well Analytical Data Summary - VOCs Detected Above Laboratory MDL

Site ID : 000-101

Chemical Name	Sample Date	Value	Detlim	Units	Depth	Qual	Matrix
8260 TVOC	11/8/2023	1	0	UG/L	195		W
Chloroform	11/8/2023	1	0.5	UG/L	195		W
8260 TVOC	8/31/2023	1.71	0	UG/L	195		W
Chloroform	8/31/2023	1.2	0.5	UG/L	195		W
Tetrachloroethylene	8/31/2023	0.51	0.5	UG/L	195		W
8260 TVOC	6/5/2023	1.4	0	UG/L	195		W
Chloroform	6/5/2023	1.4	0.5	UG/L	195		W
8260 TVOC	2/24/2023	0.91	0	UG/L	195		W
Chloroform	2/24/2023	0.91	0.5	UG/L	195		W
8260 TVOC	12/12/2022	0	0	UG/L	195		W
8260 TVOC	12/6/2021	0.2	0	UG/L	195		W
Chloroform	12/6/2021	0.2	0.5	UG/L	195	J	W
524.2 TVOC	12/15/2020	0.34	0	UG/L	195		W
Chloroform	12/15/2020	0.34	0.5	UG/L	195	J	W
524.2 TVOC	12/9/2019	0	0	UG/L	195		W
524.2 TVOC	12/31/2018	1.17	0	UG/L	195		W
Chloroform	12/31/2018	0.93	0.5	UG/L	195		W
Tetrachloroethylene	12/31/2018	0.24	0.5	UG/L	195	J	W
524.2 TVOC	6/12/2018	0.97	0	UG/L	195		W
Chloroform	6/12/2018	0.56	0.5	UG/L	195		W
Methylene chloride	6/12/2018	0.41	0.5	UG/L	195	J	W
524.2 TVOC	12/4/2017	1.18	0	UG/L	195		W
Chloroform	12/4/2017	0.76	0.5	UG/L	195		W
Tetrachloroethylene	12/4/2017	0.42	0.5	UG/L	195	J	W
524.2 TVOC	5/24/2017	1.04	0	UG/L	195		W
Chloroform	5/24/2017	0.63	0.5	UG/L	195		W
Tetrachloroethylene	5/24/2017	0.41	0.5	UG/L	195	J	W
524.2 TVOC	12/1/2016	0.79	0	UG/L	195		W
Tetrachloroethylene	12/1/2016	0.45	0.5	UG/L	195	J	W
Toluene	12/1/2016	0.34	0.5	UG/L	195	J	W
524.2 TVOC	5/24/2016	1.8	0	UG/L	195		W
Chloroform	5/24/2016	0.94	0.5	UG/L	195		W
Tetrachloroethylene	5/24/2016	0.86	0.5	UG/L	195		W
524.2 TVOC	12/28/2015	1.801	0	UG/L	195		W
Benzene	12/28/2015	0.081	0.5	UG/L	195	J	W
Chloroform	12/28/2015	0.9	0.5	UG/L	195		W
Tetrachloroethylene	12/28/2015	0.69	0.5	UG/L	195		W
Toluene	12/28/2015	0.13	0.5	UG/L	195	J	W
524.2 TVOC	5/20/2015	2.55	0	UG/L	195		W
Chloroform	5/20/2015	0.95	0.5	UG/L	195		W
Tetrachloroethylene	5/20/2015	1.6	0.5	UG/L	195		W
524.2 TVOC	12/15/2014	1.89	0	UG/L	195		W
Chloroform	12/15/2014	0.84	0.5	UG/L	195		W
Tetrachloroethylene	12/15/2014	0.92	0.5	UG/L	195		W
Toluene	12/15/2014	0.13	0.5	UG/L	195	J	W
524.2 TVOC	5/22/2014	3.074	0	UG/L	195		W
Chloroform	5/22/2014	1	0.5	UG/L	195		W
Tetrachloroethylene	5/22/2014	2	0.5	UG/L	195		W
Toluene	5/22/2014	0.074	0.5	UG/L	195	J	W
524.2 TVOC	12/17/2013	2.39	0	UG/L	195		W

Appendix A

OU III LIPA Petition for Closure

2004 - 2024 Monitoring Well Analytical Data Summary - VOCs Detected Above Laboratory MDL

Benzene	12/17/2013	0.15	0.5	UG/L	195	J	W
Chloroform	12/17/2013	0.8	0.5	UG/L	195		W
Tetrachloroethylene	12/17/2013	1.2	0.5	UG/L	195		W
Toluene	12/17/2013	0.24	0.5	UG/L	195	J	W
524.2 TVOC	6/4/2013	4.44	0	UG/L	195		W
Chloroform	6/4/2013	0.94	0.5	UG/L	195		W
Tetrachloroethylene	6/4/2013	3.5	0.5	UG/L	195		W
1,1-Dichloroethylene	11/20/2012	0.19	0.5	UG/L	195	J	W
524.2 TVOC	11/20/2012	7.79	0	UG/L	195		W
Carbon tetrachloride	11/20/2012	0.33	0.5	UG/L	195	J	W
Chloroform	11/20/2012	0.77	0.5	UG/L	195		W
Tetrachloroethylene	11/20/2012	6.5	0.5	UG/L	195		W
1,1,2,2-Tetrachloroethane	5/22/2012	0.22	0.5	UG/L	195	J	W
524.2 TVOC	5/22/2012	2.89	0	UG/L	195		W
Carbon tetrachloride	5/22/2012	0.88	0.5	UG/L	195		W
Chloroform	5/22/2012	0.29	0.5	UG/L	195	J	W
Tetrachloroethylene	5/22/2012	1.5	0.5	UG/L	195		W
1,1-Dichloroethylene	12/2/2011	0.18	0.5	UG/L	195	J	W
524.2 TVOC	12/2/2011	10.02	0	UG/L	195		W
Carbon tetrachloride	12/2/2011	0.7	0.5	UG/L	195		W
Chloroform	12/2/2011	0.27	0.5	UG/L	195	J	W
Methyl chloride	12/2/2011	0.24	0.5	UG/L	195	J	W
Methylene chloride	12/2/2011	0.13	0.5	UG/L	195	J	W
Tetrachloroethylene	12/2/2011	8.5	0.5	UG/L	195		W
1,1,2,2-Tetrachloroethane	5/10/2011	0.28	0.5	UG/L	195	J	W
524.2 TVOC	5/10/2011	12.3	0	UG/L	195		W
Carbon tetrachloride	5/10/2011	2.1	0.5	UG/L	195		W
Chloroform	5/10/2011	0.29	0.5	UG/L	195	J	W
Tetrachloroethylene	5/10/2011	9.4	0.5	UG/L	195		W
Trichloroethylene	5/10/2011	0.23	0.5	UG/L	195	J	W
1,1,2,2-Tetrachloroethane	12/6/2010	0.35	0.5	UG/L	195	J	W
524.2 TVOC	12/6/2010	7.635	0	UG/L	195		W
Carbon tetrachloride	12/6/2010	3	0.5	UG/L	195		W
Chloroform	12/6/2010	0.41	0.5	UG/L	195	J	W
Tetrachloroethylene	12/6/2010	3.8	0.5	UG/L	195		W
Toluene	12/6/2010	0.075	0.5	UG/L	195	J	W
1,1,1-Trichloroethane	4/27/2010	0.11	0.5	UG/L	195	J	W
524.2 TVOC	4/27/2010	2.58	0	UG/L	195		W
Carbon tetrachloride	4/27/2010	0.97	0.5	UG/L	195		W
Chloroform	4/27/2010	1.4	0.5	UG/L	195		W
Methyl chloride	4/27/2010	0.1	0.5	UG/L	195	J	W
524.2 TVOC	11/18/2009	2.11	0	UG/L	195		W
Chloroform	11/18/2009	2	0.5	UG/L	195		W
Methyl chloride	11/18/2009	0.11	0.5	UG/L	195	J	W
524.2 TVOC	5/20/2009	2.35	0	UG/L	195		W
Chloroform	5/20/2009	2	0.5	UG/L	195		W
Methylene chloride	5/20/2009	0.24	0.5	UG/L	195	J B	W
Toluene	5/20/2009	0.11	0.5	UG/L	195	J	W
524.2 TVOC	11/26/2008	1.8	0	UG/L	195		W
Chloroform	11/26/2008	1.8	0.5	UG/L	195		W
524.2 TVOC	5/23/2008	2.406	0	UG/L	195		W
Bromoform	5/23/2008	0.56	0.5	UG/L	195		W
Chloroform	5/23/2008	1.8	0.5	UG/L	195		W

Appendix A

OU III LIPA Petition for Closure

2004 - 2024 Monitoring Well Analytical Data Summary - VOCs Detected Above Laboratory MDL

Toluene	5/23/2008	0.046	0.5	UG/L	195	J	W
524.2 TVOC	11/28/2007	2.8	0	UG/L	195		W
Chloroform	11/28/2007	2.8	0.5	UG/L	195		W
524.2 TVOC	5/23/2007	1.8	0	UG/L	195		W
Chloroform	5/23/2007	1.8	0.5	UG/L	195		W
524.2 TVOC	11/28/2006	2.6	0	UG/L	195		W
Chloroform	11/28/2006	2.6	0.5	UG/L	195		W
524.2 TVOC	8/29/2006	2.3	0	UG/L	195		W
Chloroform	8/29/2006	2.3	0.5	UG/L	195		W
524.2 TVOC	6/8/2006	2.1	0	UG/L	195		W
Chloroform	6/8/2006	2.1	0.5	UG/L	195		W
524.2 TVOC	3/20/2006	2.1	0	UG/L	195		W
Chloroform	3/20/2006	2.1	0.5	UG/L	195		W
524.2 TVOC	12/19/2005	2.1	0	UG/L	195		W
Chloroform	12/19/2005	2.1	0.5	UG/L	195		W
524.2 TVOC	8/22/2005	2.2	0	UG/L	195		W
Chloroform	8/22/2005	2.2	0.5	UG/L	195		W
524.2 TVOC	6/1/2005	2.5	0	UG/L	195		W
Chloroform	6/1/2005	2.5	0.5	UG/L	195		W
524.2 TVOC	3/28/2005	2.3	0	UG/L	195		W
Chloroform	3/28/2005	2.3	0.5	UG/L	195		W
524.2 TVOC	12/10/2004	2	0	UG/L	195		W
Chloroform	12/10/2004	2	0.5	UG/L	195		W
524.2 TVOC	7/21/2004	1.9	0	UG/L	195		W
Chloroform	7/21/2004	1.9	0.5	UG/L	195		W
524.2 TVOC	6/22/2004	2.5	0	UG/L	200		W
Chloroform	6/22/2004	2.5	0.5	UG/L	200		W

Site ID : 000-102

Chemical Name	Sample Date	Value	Detlim	Units	Depth	Qual	Matrix
8260 TVOC	11/8/2023	0	0	UG/L	315		W
8260 TVOC	8/31/2023	0	0	UG/L	315		W
8260 TVOC	6/5/2023	0	0	UG/L	315		W
8260 TVOC	2/24/2023	0	0	UG/L	315		W
8260 TVOC	12/12/2022	0	0	UG/L	315		W
8260 TVOC	12/6/2021	0	0	UG/L	315		W
524.2 TVOC	12/15/2020	0	0	UG/L	315		W
524.2 TVOC	12/9/2019	0	0	UG/L	315		W
524.2 TVOC	12/31/2018	0	0	UG/L	315		W
524.2 TVOC	6/12/2018	0.98	0	UG/L	315		W
Methylene chloride	6/12/2018	0.98	0.5	UG/L	315		W
524.2 TVOC	12/4/2017	0	0	UG/L	315		W
524.2 TVOC	5/24/2017	0	0	UG/L	315		W
524.2 TVOC	12/1/2016	0	0	UG/L	315		W
524.2 TVOC	5/24/2016	0.11	0	UG/L	315		W
Vinyl chloride	5/24/2016	0.11	0.5	UG/L	315	J	W
524.2 TVOC	12/28/2015	0.15	0	UG/L	215		W
Vinyl chloride	12/28/2015	0.15	0.5	UG/L	215	J	W
524.2 TVOC	5/20/2015	0.234	0	UG/L	315		W
Methyl chloride	5/20/2015	0.084	0.5	UG/L	315	J	W
Vinyl chloride	5/20/2015	0.15	0.5	UG/L	315	J	W
524.2 TVOC	12/15/2014	0.12	0	UG/L	315		W

Appendix A

OU III LIPA Petition for Closure

2004 - 2024 Monitoring Well Analytical Data Summary - VOCs Detected Above Laboratory MDL

Vinyl chloride	12/15/2014	0.12	0.5	UG/L	315	J	W
524.2 TVOC	5/22/2014	0	0	UG/L	315		W
524.2 TVOC	12/17/2013	0.1	0	UG/L	315		W
Vinyl chloride	12/17/2013	0.1	0.5	UG/L	315	J	W
524.2 TVOC	6/4/2013	0.14	0	UG/L	315		W
Vinyl chloride	6/4/2013	0.14	0.5	UG/L	315	J	W
524.2 TVOC	11/20/2012	0.229	0	UG/L	315		W
Toluene	11/20/2012	0.079	0.5	UG/L	315	J	W
Vinyl chloride	11/20/2012	0.15	0.5	UG/L	315	J	W
524.2 TVOC	5/22/2012	0	0	UG/L	315		W
524.2 TVOC	12/2/2011	0.21	0	UG/L	315		W
Methyl chloride	12/2/2011	0.21	0.5	UG/L	315	J	W
524.2 TVOC	5/10/2011	0.18	0	UG/L	315		W
Vinyl chloride	5/10/2011	0.18	0.5	UG/L	315	J	W
524.2 TVOC	12/6/2010	0.11	0	UG/L	315		W
Vinyl chloride	12/6/2010	0.11	0.5	UG/L	315	J	W
524.2 TVOC	4/27/2010	0.15	0	UG/L	315		W
Vinyl chloride	4/27/2010	0.15	0.5	UG/L	315	J	W
524.2 TVOC	11/18/2009	0.52	0	UG/L	315		W
Methyl bromide	11/18/2009	0.16	0.5	UG/L	315	J B	W
Methyl chloride	11/18/2009	0.22	0.5	UG/L	315	J	W
Vinyl chloride	11/18/2009	0.14	0.5	UG/L	315	J	W
524.2 TVOC	5/20/2009	0.088	0	UG/L	315		W
Toluene	5/20/2009	0.088	0.5	UG/L	315	J	W
524.2 TVOC	11/26/2008	0.28	0	UG/L	315		W
Trichloroethylene	11/26/2008	0.28	0.5	UG/L	315	J	W
524.2 TVOC	5/23/2008	0.237	0	UG/L	315		W
Methyl chloride	5/23/2008	0.067	0.5	UG/L	315	J	W
Vinyl chloride	5/23/2008	0.17	0.5	UG/L	315	J	W
524.2 TVOC	11/28/2007	0.12	0	UG/L	315		W
Vinyl chloride	11/28/2007	0.12	0.5	UG/L	315	J	W
524.2 TVOC	5/23/2007	0	0	UG/L	315		W
524.2 TVOC	11/28/2006	0.14	0	UG/L	315		W
Vinyl chloride	11/28/2006	0.14	0.5	UG/L	315	J	W
524.2 TVOC	8/29/2006	0.094	0	UG/L	315		W
Vinyl chloride	8/29/2006	0.094	0.5	UG/L	315	J	W
524.2 TVOC	6/8/2006	0.12	0	UG/L	315		W
Vinyl chloride	6/8/2006	0.12	0.5	UG/L	315	J	W
524.2 TVOC	3/20/2006	0.14	0	UG/L	315		W
Vinyl chloride	3/20/2006	0.14	0.5	UG/L	315	J	W
524.2 TVOC	12/19/2005	0.11	0	UG/L	315		W
Vinyl chloride	12/19/2005	0.11	0.5	UG/L	315	J	W
524.2 TVOC	8/22/2005	0	0	UG/L	315		W
524.2 TVOC	6/1/2005	0	0	UG/L	315		W
524.2 TVOC	3/28/2005	0	0	UG/L	315		W
524.2 TVOC	12/10/2004	0	0	UG/L	315		W
524.2 TVOC	7/21/2004	0	0	UG/L	315		W
524.2 TVOC	6/22/2004	0	0	UG/L	315		W

Site ID : 000-104

Chemical Name	Sample Date	Value	Detlim	Units	Depth	Qual	Matrix
8260 TVOC	11/7/2023	0.36	0	UG/L	205		W

Appendix A

OU III LIPA Petition for Closure

2004 - 2024 Monitoring Well Analytical Data Summary - VOCs Detected Above Laboratory MDL

Chloroform	11/7/2023	0.36	0.5	UG/L	205	J	W
1,1,1-Trichloroethane	9/5/2023	0.26	0.5	UG/L	205	J	W
1,1-Dichloroethylene	9/5/2023	0.19	0.5	UG/L	205	J	W
1,2-Dichloroethane	9/5/2023	0.16	0.5	UG/L	205	J	W
8260 TVOC	9/5/2023	1.23	0	UG/L	205		W
Chloroform	9/5/2023	0.38	0.5	UG/L	205	J	W
Trichloroethylene	9/5/2023	0.24	0.5	UG/L	205	J	W
1,1,1-Trichloroethane	6/6/2023	0.39	0.5	UG/L	205	J	W
1,1-Dichloroethylene	6/6/2023	0.41	0.5	UG/L	205	J	W
1,2-Dichloroethane	6/6/2023	0.18	0.5	UG/L	205	J	W
8260 TVOC	6/6/2023	1.79	0	UG/L	205		W
Chloroform	6/6/2023	0.53	0.5	UG/L	205		W
Trichloroethylene	6/6/2023	0.28	0.5	UG/L	205	J	W
1,1,1-Trichloroethane	2/27/2023	0.28	0.5	UG/L	205	J	W
1,1-Dichloroethylene	2/27/2023	0.3	0.5	UG/L	205	J	W
1,2-Dichloroethane	2/27/2023	0.14	0.5	UG/L	205	J	W
8260 TVOC	2/27/2023	0.72	0	UG/L	205		W
1,1,1-Trichloroethane	12/12/2022	0.36	0.5	UG/L	205	J	W
1,1-Dichloroethylene	12/12/2022	0.3	0.5	UG/L	205	J	W
8260 TVOC	12/12/2022	0.96	0	UG/L	205		W
Trichloroethylene	12/12/2022	0.3	0.5	UG/L	205	J	W
1,1,1-Trichloroethane	5/25/2022	0.45	0.5	UG/L	205	J	W
1,1-Dichloroethylene	5/25/2022	0.41	0.5	UG/L	205	J	W
1,2-Dichloroethane	5/25/2022	0.15	0.5	UG/L	205	J	W
8260 TVOC	5/25/2022	2.3	0	UG/L	205		W
Chloroform	5/25/2022	0.96	0.5	UG/L	205		W
Trichloroethylene	5/25/2022	0.33	0.5	UG/L	205	J	W
1,1-Dichloroethylene	12/3/2021	0.28	0.5	UG/L	205	J	W
8260 TVOC	12/3/2021	2.08	0	UG/L	205		W
Chloroform	12/3/2021	1.4	0.5	UG/L	205		W
Trichloroethylene	12/3/2021	0.4	0.5	UG/L	205	J	W
1,1,1-Trichloroethane	6/4/2021	0.2	0.5	UG/L	205	J	W
524.2 TVOC	6/4/2021	0.2	0	UG/L	205		W
1,1,1-Trichloroethane	12/28/2020	0.35	0.5	UG/L	205	J	W
524.2 TVOC	12/28/2020	2.51	0	UG/L	205		W
Chloroform	12/28/2020	1.7	0.5	UG/L	205		W
Trichloroethylene	12/28/2020	0.46	0.5	UG/L	205	J	W
1,1,1-Trichloroethane	7/8/2020	0.43	0.5	UG/L	205	J	W
1,1-Dichloroethylene	7/8/2020	0.37	0.5	UG/L	205	J	W
524.2 TVOC	7/8/2020	3	0	UG/L	205		W
Chloroform	7/8/2020	1.7	0.5	UG/L	205		W
Trichloroethylene	7/8/2020	0.5	0.5	UG/L	205		W
1,4-Dioxane	7/8/2020	0.161	0.2	UG/L	205	J	W
1,1,1-Trichloroethane	12/9/2019	0.73	0.5	UG/L	205		W
1,1-Dichloroethylene	12/9/2019	0.38	0.5	UG/L	205	J	W
524.2 TVOC	12/9/2019	1.81	0	UG/L	205		W
Trichloroethylene	12/9/2019	0.7	0.5	UG/L	205		W
1,1,1-Trichloroethane	5/23/2019	2.9	0.5	UG/L	205		W
1,1-Dichloroethylene	5/23/2019	2.7	0.5	UG/L	205		W
524.2 TVOC	5/23/2019	8.1	0	UG/L	205		W
Chloroform	5/23/2019	1.5	0.5	UG/L	205		W
Trichloroethylene	5/23/2019	1	0.5	UG/L	205		W
1,1,1-Trichloroethane	1/3/2019	3.21	0.5	UG/L	205		W

Appendix A

OU III LIPA Petition for Closure

2004 - 2024 Monitoring Well Analytical Data Summary - VOCs Detected Above Laboratory MDL

1,1-Dichloroethylene	1/3/2019	2.12	0.5	UG/L	205		W
524.2 TVOC	1/3/2019	7.7	0	UG/L	205		W
Carbon tetrachloride	1/3/2019	0.19	0.5	UG/L	205	J	W
Chloroform	1/3/2019	1.17	0.5	UG/L	205		W
Trichloroethylene	1/3/2019	1.01	0.5	UG/L	205		W
524.2 TVOC	6/25/2018	0	0	UG/L	205		W
1,1,1-Trichloroethane	12/4/2017	5.9	0.5	UG/L	205		W
1,1-Dichloroethane	12/4/2017	0.087	0.5	UG/L	205	J	W
1,1-Dichloroethylene	12/4/2017	5	0.5	UG/L	205		W
1,2-Dichloroethane	12/4/2017	0.27	0.5	UG/L	205	J	W
524.2 TVOC	12/4/2017	13.057	0	UG/L	205		W
Carbon tetrachloride	12/4/2017	0.34	0.5	UG/L	205	J	W
cis-1,2-Dichloroethylene	12/4/2017	0.16	0.5	UG/L	205	J	W
Trichloroethylene	12/4/2017	1.3	0.5	UG/L	205		W
1,1,1-Trichloroethane	5/24/2017	5.2	0.5	UG/L	205		W
1,1-Dichloroethane	5/24/2017	0.077	0.5	UG/L	205	J	W
1,1-Dichloroethylene	5/24/2017	3.6	0.5	UG/L	205		W
1,2-Dichloroethane	5/24/2017	0.23	0.5	UG/L	205	J	W
524.2 TVOC	5/24/2017	11.397	0	UG/L	205		W
Benzene	5/24/2017	0.1	0.5	UG/L	205	J	W
Carbon tetrachloride	5/24/2017	0.21	0.5	UG/L	205	J	W
Chloroform	5/24/2017	0.3	0.5	UG/L	205	J	W
cis-1,2-Dichloroethylene	5/24/2017	0.19	0.5	UG/L	205	J	W
Toluene	5/24/2017	0.29	0.5	UG/L	205	J	W
Trichloroethylene	5/24/2017	1.2	0.5	UG/L	205		W
1,1,1-Trichloroethane	12/1/2016	4.7	0.5	UG/L	205		W
1,1-Dichloroethylene	12/1/2016	3.5	0.5	UG/L	205		W
524.2 TVOC	12/1/2016	9.66	0	UG/L	205		W
Carbon tetrachloride	12/1/2016	0.2	0.5	UG/L	205	J	W
cis-1,2-Dichloroethylene	12/1/2016	0.16	0.5	UG/L	205	J	W
Trichloroethylene	12/1/2016	1.1	0.5	UG/L	205		W
1,1,1-Trichloroethane	5/24/2016	4.6	0.5	UG/L	205		W
1,1,2-Trichloroethane	5/24/2016	0.15	0.5	UG/L	205	J	W
1,1-Dichloroethylene	5/24/2016	2.6	0.5	UG/L	205		W
1,2-Dichloroethane	5/24/2016	0.26	0.5	UG/L	205	J	W
524.2 TVOC	5/24/2016	9.68	0	UG/L	205		W
Carbon tetrachloride	5/24/2016	0.25	0.5	UG/L	205	J	W
Chloroform	5/24/2016	0.42	0.5	UG/L	205	J	W
cis-1,2-Dichloroethylene	5/24/2016	0.2	0.5	UG/L	205	J	W
Trichloroethylene	5/24/2016	1.2	0.5	UG/L	205		W
1,1,1-Trichloroethane	12/29/2015	4.4	0.5	UG/L	205		W
1,1-Dichloroethylene	12/29/2015	2.6	0.5	UG/L	205		W
1,2-Dichloroethane	12/29/2015	0.16	0.5	UG/L	205	J	W
524.2 TVOC	12/29/2015	8.98	0	UG/L	205		W
Carbon tetrachloride	12/29/2015	0.23	0.5	UG/L	205	J	W
Chloroform	12/29/2015	0.42	0.5	UG/L	205	J	W
cis-1,2-Dichloroethylene	12/29/2015	0.19	0.5	UG/L	205	J	W
Trichloroethylene	12/29/2015	0.98	0.5	UG/L	205		W
1,1,1-Trichloroethane	5/21/2015	5.5	0.5	UG/L	205		W
1,1-Dichloroethylene	5/21/2015	3.4	0.5	UG/L	205		W
1,2-Dichloroethane	5/21/2015	0.16	0.5	UG/L	205	J	W
524.2 TVOC	5/21/2015	11.04	0	UG/L	205		W
Carbon tetrachloride	5/21/2015	0.21	0.5	UG/L	205	J	W

Appendix A

OU III LIPA Petition for Closure

2004 - 2024 Monitoring Well Analytical Data Summary - VOCs Detected Above Laboratory MDL

cis-1,2-Dichloroethylene	5/21/2015	0.17	0.5	UG/L	205	J	W
Trichloroethylene	5/21/2015	1.6	0.5	UG/L	205		W
1,1,1-Trichloroethane	12/15/2014	3.3	0.5	UG/L	205		W
1,1-Dichloroethylene	12/15/2014	1.4	0.5	UG/L	205		W
1,2-Dichloroethane	12/15/2014	0.16	0.5	UG/L	205	J	W
524.2 TVOC	12/15/2014	6.25	0	UG/L	205		W
Chloroform	12/15/2014	0.26	0.5	UG/L	205	J	W
cis-1,2-Dichloroethylene	12/15/2014	0.16	0.5	UG/L	205	J	W
Trichloroethylene	12/15/2014	0.97	0.5	UG/L	205		W
1,1,1-Trichloroethane	5/22/2014	7.2	0.5	UG/L	205		W
1,1-Dichloroethane	5/22/2014	0.077	0.5	UG/L	205	J	W
1,1-Dichloroethylene	5/22/2014	4.4	0.5	UG/L	205		W
1,2-Dichloroethane	5/22/2014	0.23	0.5	UG/L	205	J	W
524.2 TVOC	5/22/2014	14.017	0	UG/L	205		W
Carbon tetrachloride	5/22/2014	0.28	0.5	UG/L	205	J	W
cis-1,2-Dichloroethylene	5/22/2014	0.23	0.5	UG/L	205	J	W
Trichloroethylene	5/22/2014	1.6	0.5	UG/L	205		W
1,1,1-Trichloroethane	12/17/2013	9.5	0.5	UG/L	205		W
1,1-Dichloroethane	12/17/2013	0.096	0.5	UG/L	205	J	W
1,1-Dichloroethylene	12/17/2013	5.3	0.5	UG/L	205		W
1,2-Dichloroethane	12/17/2013	0.29	0.5	UG/L	205	J	W
524.2 TVOC	12/17/2013	17.816	0	UG/L	205		W
Carbon tetrachloride	12/17/2013	0.31	0.5	UG/L	205	J	W
Chloroform	12/17/2013	0.19	0.5	UG/L	205	J	W
cis-1,2-Dichloroethylene	12/17/2013	0.33	0.5	UG/L	205	J	W
Trichloroethylene	12/17/2013	1.8	0.5	UG/L	205		W
1,1,1-Trichloroethane	6/6/2013	8.9	0.5	UG/L	205		W
1,1,2-Trichloroethane	6/6/2013	0.15	0.5	UG/L	205	J	W
1,1-Dichloroethane	6/6/2013	0.11	0.5	UG/L	205	J	W
1,1-Dichloroethylene	6/6/2013	4.5	0.5	UG/L	205		W
1,2-Dichloroethane	6/6/2013	0.33	0.5	UG/L	205	J	W
524.2 TVOC	6/6/2013	16.41	0	UG/L	205		W
Carbon tetrachloride	6/6/2013	0.29	0.5	UG/L	205	J	W
Chloroform	6/6/2013	0.16	0.5	UG/L	205	J	W
cis-1,2-Dichloroethylene	6/6/2013	0.27	0.5	UG/L	205	J	W
Trichloroethylene	6/6/2013	1.7	0.5	UG/L	205		W
1,1,1-Trichloroethane	11/20/2012	13	0.5	UG/L	205		W
1,1-Dichloroethane	11/20/2012	0.15	0.5	UG/L	205	J	W
1,1-Dichloroethylene	11/20/2012	6.5	0.5	UG/L	205		W
1,2-Dichloroethane	11/20/2012	0.41	0.5	UG/L	205	J	W
524.2 TVOC	11/20/2012	23.42	0	UG/L	205		W
Carbon tetrachloride	11/20/2012	0.42	0.5	UG/L	205	J	W
Chloroform	11/20/2012	0.19	0.5	UG/L	205	J	W
cis-1,2-Dichloroethylene	11/20/2012	0.45	0.5	UG/L	205	J	W
Trichloroethylene	11/20/2012	2.3	0.5	UG/L	205		W
1,1,1-Trichloroethane	5/22/2012	11	0.5	UG/L	205		W
1,1-Dichloroethylene	5/22/2012	5.6	0.5	UG/L	205		W
1,2-Dichloroethane	5/22/2012	0.44	0.5	UG/L	205	J	W
524.2 TVOC	5/22/2012	20.61	0	UG/L	205		W
Carbon tetrachloride	5/22/2012	0.56	0.5	UG/L	205		W
Chloroform	5/22/2012	0.18	0.5	UG/L	205	J	W
cis-1,2-Dichloroethylene	5/22/2012	0.43	0.5	UG/L	205	J	W
Trichloroethylene	5/22/2012	2.4	0.5	UG/L	205		W

Appendix A

OU III LIPA Petition for Closure

2004 - 2024 Monitoring Well Analytical Data Summary - VOCs Detected Above Laboratory MDL

1,1,1-Trichloroethane	12/2/2011	8.3	0.5	UG/L	205		W
1,1-Dichloroethane	12/2/2011	0.12	0.5	UG/L	205	J	W
1,1-Dichloroethylene	12/2/2011	3.7	0.5	UG/L	205		W
1,2-Dichloroethane	12/2/2011	0.38	0.5	UG/L	205	J	W
524.2 TVOC	12/2/2011	16.72	0	UG/L	205		W
Benzene	12/2/2011	0.52	0.5	UG/L	205		W
Carbon tetrachloride	12/2/2011	0.42	0.5	UG/L	205	J	W
Chloroform	12/2/2011	0.15	0.5	UG/L	205	J	W
cis-1,2-Dichloroethylene	12/2/2011	0.33	0.5	UG/L	205	J	W
m/p xylene	12/2/2011	0.15	0.5	UG/L	205	J	W
Toluene	12/2/2011	0.85	0.5	UG/L	205		W
Trichloroethylene	12/2/2011	1.8	0.5	UG/L	205		W
1,1,1-Trichloroethane	5/11/2011	4.9	0.5	UG/L	205		W
1,1-Dichloroethane	5/11/2011	0.093	0.5	UG/L	205	J	W
1,1-Dichloroethylene	5/11/2011	1.8	0.5	UG/L	205		W
1,2-Dichloroethane	5/11/2011	0.3	0.5	UG/L	205	J	W
524.2 TVOC	5/11/2011	8.082	0	UG/L	205		W
Benzene	5/11/2011	0.089	0.5	UG/L	205	J	W
Carbon tetrachloride	5/11/2011	0.13	0.5	UG/L	205	J	W
cis-1,2-Dichloroethylene	5/11/2011	0.33	0.5	UG/L	205	J	W
Toluene	5/11/2011	0.15	0.5	UG/L	205	J	W
Trichloroethylene	5/11/2011	0.29	0.5	UG/L	205	J	W
1,1,1-Trichloroethane	12/3/2010	2.2	0.5	UG/L	205		W
1,1-Dichloroethylene	12/3/2010	1.1	0.5	UG/L	205		W
524.2 TVOC	12/3/2010	4.13	0	UG/L	205		W
Chloroform	12/3/2010	0.83	0.5	UG/L	205		W
524.2 TVOC	5/3/2010	0.67	0	UG/L	205		W
Chloroform	5/3/2010	0.38	0.5	UG/L	205	J	W
Methyl tert-butyl ether	5/3/2010	0.29	0.5	UG/L	205	J	W
524.2 TVOC	11/17/2009	1.47	0	UG/L	205		W
Chloroform	11/17/2009	0.59	0.5	UG/L	205		W
Methyl chloride	11/17/2009	0.17	0.5	UG/L	205	J	W
Methyl tert-butyl ether	11/17/2009	0.71	0.5	UG/L	205		W
524.2 TVOC	5/20/2009	1.271	0	UG/L	205		W
Carbon tetrachloride	5/20/2009	0.086	0.5	UG/L	205	J	W
Chloroform	5/20/2009	0.45	0.5	UG/L	205	J	W
Methyl chloride	5/20/2009	0.055	0.5	UG/L	205	J	W
Methyl tert-butyl ether	5/20/2009	0.52	0.5	UG/L	205		W
Methylene chloride	5/20/2009	0.16	0.5	UG/L	205	J B	W
524.2 TVOC	11/26/2008	2.1	0	UG/L	205		W
Chloroform	11/26/2008	1.7	0.5	UG/L	205		W
Methyl chloride	11/26/2008	0.18	0.5	UG/L	205	J	W
Trichloroethylene	11/26/2008	0.22	0.5	UG/L	205	J	W
524.2 TVOC	5/23/2008	1.64	0	UG/L	205		W
Carbon tetrachloride	5/23/2008	0.11	0.5	UG/L	205	J	W
Chloroform	5/23/2008	1.4	0.5	UG/L	205		W
Trichloroethylene	5/23/2008	0.13	0.5	UG/L	205	J	W
524.2 TVOC	11/28/2007	1.7	0	UG/L	205		W
Chloroform	11/28/2007	1.7	0.5	UG/L	205		W
524.2 TVOC	5/29/2007	0.8	0	UG/L	205		W
Chloroform	5/29/2007	0.59	0.5	UG/L	205		W
Methyl tert-butyl ether	5/29/2007	0.21	0.5	UG/L	205	J	W
524.2 TVOC	11/30/2006	1.069	0	UG/L	205		W

Appendix A

OU III LIPA Petition for Closure

2004 - 2024 Monitoring Well Analytical Data Summary - VOCs Detected Above Laboratory MDL

Chloroform	11/30/2006	0.71	0.5	UG/L	205		W
Methyl tert-butyl ether	11/30/2006	0.28	0.5	UG/L	205	J	W
Trichloroethylene	11/30/2006	0.079	0.5	UG/L	205	J	W
524.2 TVOC	8/29/2006	1.22	0	UG/L	205		W
Chloroform	8/29/2006	0.55	0.5	UG/L	205		W
Methyl tert-butyl ether	8/29/2006	0.67	0.5	UG/L	205		W
524.2 TVOC	6/8/2006	1.07	0	UG/L	205		W
Chloroform	6/8/2006	0.5	0.5	UG/L	205		W
Methyl tert-butyl ether	6/8/2006	0.4	0.5	UG/L	205	J	W
Trichloroethylene	6/8/2006	0.17	0.5	UG/L	205	J	W
524.2 TVOC	3/20/2006	1.42	0	UG/L	205		W
Chloroform	3/20/2006	0.73	0.5	UG/L	205		W
Methyl tert-butyl ether	3/20/2006	0.46	0.5	UG/L	205	J	W
Trichloroethylene	3/20/2006	0.23	0.5	UG/L	205	J	W
524.2 TVOC	12/16/2005	1.24	0	UG/L	205		W
Chloroform	12/16/2005	0.43	0.5	UG/L	205	J	W
Methyl tert-butyl ether	12/16/2005	0.69	0.5	UG/L	205		W
Trichloroethylene	12/16/2005	0.12	0.5	UG/L	205	J	W
524.2 TVOC	8/22/2005	0.9	0	UG/L	205		W
Chloroform	8/22/2005	0.17	0.5	UG/L	205	J	W
Methyl tert-butyl ether	8/22/2005	0.6	0.5	UG/L	205		W
Trichloroethylene	8/22/2005	0.13	0.5	UG/L	205	J	W
524.2 TVOC	6/1/2005	0.57	0	UG/L	205		W
Methyl tert-butyl ether	6/1/2005	0.57	0.5	UG/L	205	J	W
524.2 TVOC	3/25/2005	2.36	0	UG/L	205		W
Chloroform	3/25/2005	0.66	0.5	UG/L	205		W
Methyl tert-butyl ether	3/25/2005	1.7	0.5	UG/L	205		W
524.2 TVOC	12/9/2004	1.95	0	UG/L	205		W
Chloroform	12/9/2004	1.6	0.5	UG/L	205		W
Trichloroethylene	12/9/2004	0.35	0.5	UG/L	205	J	W
524.2 TVOC	7/21/2004	2.05	0	UG/L	205		W
Chloroform	7/21/2004	0.75	0.5	UG/L	205		W
Trichloroethylene	7/21/2004	1.3	0.5	UG/L	205		W
1,1,1-Trichloroethane	6/21/2004	2.2	0.5	UG/L	205		W
1,1-Dichloroethylene	6/21/2004	1.6	0.5	UG/L	205		W
1,2-Dichloroethane	6/21/2004	0.3	0.5	UG/L	205	J	W
524.2 TVOC	6/21/2004	36.45	0	UG/L	205		W
Carbon tetrachloride	6/21/2004	4.8	0.5	UG/L	205		W
Chloroform	6/21/2004	1	0.5	UG/L	205		W
cis-1,2-Dichloroethylene	6/21/2004	0.55	0.5	UG/L	205		W
Trichloroethylene	6/21/2004	26	0.5	UG/L	205		W

Site ID : 000-105

Chemical Name	Sample Date	Value	Detlim	Units	Depth	Qual	Matrix
8260 TVOC	10/30/2023	0.2	0	UG/L	285		W
Chloroform	10/30/2023	0.2	0.5	UG/L	285	J	W
8260 TVOC	8/31/2023	0	0	UG/L	285		W
8260 TVOC	6/6/2023	0	0	UG/L	285		W
8260 TVOC	2/27/2023	0	0	UG/L	285		W
8260 TVOC	12/12/2022	0	0	UG/L	285		W
8260 TVOC	12/2/2021	0.4	0	UG/L	285		W
Chloroform	12/2/2021	0.4	0.5	UG/L	285	J	W

Appendix A

OU III LIPA Petition for Closure

2004 - 2024 Monitoring Well Analytical Data Summary - VOCs Detected Above Laboratory MDL

1,1,1-Trichloroethane	12/28/2020	0.18	0.5	UG/L	285	J	W
524.2 TVOC	12/28/2020	1.24	0	UG/L	285		W
Chloroform	12/28/2020	0.82	0.5	UG/L	285		W
Trichloroethylene	12/28/2020	0.24	0.5	UG/L	285	J	W
1,1,1-Trichloroethane	12/10/2019	0.18	0.5	UG/L	285	J	W
524.2 TVOC	12/10/2019	0.18	0	UG/L	285		W
1,1,1-Trichloroethane	1/3/2019	0.52	0.5	UG/L	285		W
1,1-Dichloroethylene	1/3/2019	0.21	0.5	UG/L	285	J	W
524.2 TVOC	1/3/2019	1.14	0	UG/L	285		W
Chloroform	1/3/2019	0.24	0.5	UG/L	285	J	W
Trichloroethylene	1/3/2019	0.17	0.5	UG/L	285	J	W
524.2 TVOC	6/25/2018	0	0	UG/L	285		W
1,1,1-Trichloroethane	12/4/2017	0.27	0.5	UG/L	285	J	W
1,1-Dichloroethylene	12/4/2017	0.12	0.5	UG/L	285	J	W
524.2 TVOC	12/4/2017	0.39	0	UG/L	285		W
1,1,1-Trichloroethane	5/24/2017	1.2	0.5	UG/L	285		W
1,1-Dichloroethane	5/24/2017	0.072	0.5	UG/L	285	J	W
1,1-Dichloroethylene	5/24/2017	0.45	0.5	UG/L	285	J	W
524.2 TVOC	5/24/2017	2.672	0	UG/L	285		W
Chloroform	5/24/2017	0.58	0.5	UG/L	285		W
Trichloroethylene	5/24/2017	0.37	0.5	UG/L	285	J	W
1,1,1-Trichloroethane	12/1/2016	0.27	0.5	UG/L	285	J	W
1,1-Dichloroethylene	12/1/2016	0.18	0.5	UG/L	285	J	W
524.2 TVOC	12/1/2016	0.45	0	UG/L	285		W
1,1,1-Trichloroethane	5/24/2016	0.17	0.5	UG/L	285	J	W
524.2 TVOC	5/24/2016	0.17	0	UG/L	285		W
1,1,1-Trichloroethane	12/29/2015	1.4	0.5	UG/L	285		W
1,1-Dichloroethylene	12/29/2015	0.65	0.5	UG/L	285		W
524.2 TVOC	12/29/2015	2.49	0	UG/L	285		W
Trichloroethylene	12/29/2015	0.44	0.5	UG/L	285	J	W
1,1,1-Trichloroethane	5/21/2015	0.57	0.5	UG/L	285		W
1,1-Dichloroethylene	5/21/2015	0.27	0.5	UG/L	285	J	W
524.2 TVOC	5/21/2015	0.84	0	UG/L	285		W
1,1,1-Trichloroethane	12/15/2014	0.085	0.5	UG/L	285	J	W
524.2 TVOC	12/15/2014	0.085	0	UG/L	285		W
1,1,1-Trichloroethane	5/22/2014	0.19	0.5	UG/L	285	J	W
1,1-Dichloroethylene	5/22/2014	0.15	0.5	UG/L	285	J	W
524.2 TVOC	5/22/2014	0.56	0	UG/L	285		W
Trichloroethylene	5/22/2014	0.22	0.5	UG/L	285	J	W
1,1,1-Trichloroethane	12/17/2013	0.25	0.5	UG/L	285	J	W
1,1-Dichloroethylene	12/17/2013	0.14	0.5	UG/L	285	J	W
524.2 TVOC	12/17/2013	0.61	0	UG/L	285		W
Trichloroethylene	12/17/2013	0.22	0.5	UG/L	285	J	W
1,1,1-Trichloroethane	6/6/2013	0.14	0.5	UG/L	285	J	W
524.2 TVOC	6/6/2013	0.14	0	UG/L	285		W
1,1,1-Trichloroethane	11/20/2012	0.38	0.5	UG/L	285	J	W
1,1-Dichloroethylene	11/20/2012	0.17	0.5	UG/L	285	J	W
524.2 TVOC	11/20/2012	0.82	0	UG/L	285		W
Trichloroethylene	11/20/2012	0.27	0.5	UG/L	285	J	W
1,1,1-Trichloroethane	5/22/2012	0.33	0.5	UG/L	285	J	W
524.2 TVOC	5/22/2012	0.33	0	UG/L	285		W
1,1,1-Trichloroethane	12/2/2011	0.27	0.5	UG/L	285	J	W
1,1-Dichloroethylene	12/2/2011	0.097	0.5	UG/L	285	J	W

Appendix A

OU III LIPA Petition for Closure

2004 - 2024 Monitoring Well Analytical Data Summary - VOCs Detected Above Laboratory MDL

524.2 TVOC	12/2/2011	0.497	0	UG/L	285		W
Chloroform	12/2/2011	0.13	0.5	UG/L	285	J	W
1,1,1-Trichloroethane	5/11/2011	0.097	0.5	UG/L	285	J	W
524.2 TVOC	5/11/2011	0.097	0	UG/L	285		W
524.2 TVOC	12/13/2010	0.22	0	UG/L	285		W
Trichloroethylene	12/13/2010	0.22	0.5	UG/L	285	J	W
524.2 TVOC	6/24/2010	0	0	UG/L	285		W
524.2 TVOC	11/17/2009	0.36	0	UG/L	285		W
Chloroform	11/17/2009	0.14	0.5	UG/L	285	J	W
Trichloroethylene	11/17/2009	0.22	0.5	UG/L	285	J	W
524.2 TVOC	5/20/2009	0.863	0	UG/L	285		W
Chloroform	5/20/2009	0.34	0.5	UG/L	285	J	W
Methyl chloride	5/20/2009	0.093	0.5	UG/L	285	J	W
Methylene chloride	5/20/2009	0.3	0.5	UG/L	285	J B	W
Trichloroethylene	5/20/2009	0.13	0.5	UG/L	285	J	W
524.2 TVOC	11/26/2008	0.7	0	UG/L	285		W
Chloroform	11/26/2008	0.45	0.5	UG/L	285	J	W
Trichloroethylene	11/26/2008	0.25	0.5	UG/L	285	J	W
524.2 TVOC	5/23/2008	0.63	0	UG/L	285		W
Chloroform	5/23/2008	0.63	0.5	UG/L	285		W
524.2 TVOC	11/28/2007	0.75	0	UG/L	285		W
Chloroform	11/28/2007	0.54	0.5	UG/L	285		W
Trichloroethylene	11/28/2007	0.21	0.5	UG/L	285	J	W
524.2 TVOC	5/29/2007	0.58	0	UG/L	285		W
Chloroform	5/29/2007	0.27	0.5	UG/L	285	J	W
Methyl tert-butyl ether	5/29/2007	0.15	0.5	UG/L	285	J	W
Trichloroethylene	5/29/2007	0.16	0.5	UG/L	285	J	W
524.2 TVOC	11/30/2006	0.41	0	UG/L	285		W
Chloroform	11/30/2006	0.23	0.5	UG/L	285	J	W
Trichloroethylene	11/30/2006	0.18	0.5	UG/L	285	J	W
524.2 TVOC	8/29/2006	0.49	0	UG/L	285		W
Chloroform	8/29/2006	0.23	0.5	UG/L	285	J	W
Trichloroethylene	8/29/2006	0.26	0.5	UG/L	285	J	W
524.2 TVOC	6/8/2006	0.79	0	UG/L	285		W
Chloroform	6/8/2006	0.26	0.5	UG/L	285	J	W
Methyl tert-butyl ether	6/8/2006	0.18	0.5	UG/L	285	J	W
Trichloroethylene	6/8/2006	0.35	0.5	UG/L	285	J	W
524.2 TVOC	3/20/2006	0.55	0	UG/L	285		W
Chloroform	3/20/2006	0.18	0.5	UG/L	285	J	W
Trichloroethylene	3/20/2006	0.37	0.5	UG/L	285	J	W
524.2 TVOC	12/16/2005	0.51	0	UG/L	285		W
Methyl tert-butyl ether	12/16/2005	0.18	0.5	UG/L	285	J	W
Trichloroethylene	12/16/2005	0.33	0.5	UG/L	285	J	W
524.2 TVOC	8/22/2005	0	0	UG/L	285		W
524.2 TVOC	6/1/2005	0.62	0	UG/L	285		W
Chloroform	6/1/2005	0.62	0.5	UG/L	285		W
524.2 TVOC	3/25/2005	1.24	0	UG/L	285		W
Chloroform	3/25/2005	0.86	0.5	UG/L	285		W
Trichloroethylene	3/25/2005	0.38	0.5	UG/L	285	J	W
524.2 TVOC	12/9/2004	2.11	0	UG/L	285		W
Chloroform	12/9/2004	1.5	0.5	UG/L	285		W
Trichloroethylene	12/9/2004	0.61	0.5	UG/L	285		W
524.2 TVOC	7/21/2004	1.6	0	UG/L	285		W

Appendix A

OU III LIPA Petition for Closure

2004 - 2024 Monitoring Well Analytical Data Summary - VOCs Detected Above Laboratory MDL

Chloroform	7/21/2004	0.5	0.5	UG/L	285		W
Trichloroethylene	7/21/2004	1.1	0.5	UG/L	285		W
524.2 TVOC	6/23/2004	1.89	0	UG/L	285		W
Chloroform	6/23/2004	0.59	0.5	UG/L	285		W
Trichloroethylene	6/23/2004	1.3	0.5	UG/L	285		W

Site ID : 000-130

Chemical Name	Sample Date	Value	Detlim	Units	Depth	Qual	Matrix
8260 TVOC	10/25/2023	1	0	UG/L	280		W
Chloroform	10/25/2023	0.6	0.5	UG/L	280	J	W
Tetrachloroethylene	10/25/2023	0.4	0.5	UG/L	280	J	W
8260 TVOC	9/7/2023	1.01	0	UG/L	280		W
Chloroform	9/7/2023	0.63	0.5	UG/L	280		W
Tetrachloroethylene	9/7/2023	0.38	0.5	UG/L	280	J	W
8260 TVOC	6/9/2023	1.24	0	UG/L	280		W
Chloroform	6/9/2023	0.88	0.5	UG/L	280		W
Tetrachloroethylene	6/9/2023	0.36	0.5	UG/L	280	J	W
8260 TVOC	12/14/2022	0.33	0	UG/L	280		W
Tetrachloroethylene	12/14/2022	0.33	0.5	UG/L	280	J	W
8260 TVOC	5/20/2022	2.09	0	UG/L	280		W
Chloroform	5/20/2022	1.6	0.5	UG/L	280		W
Tetrachloroethylene	5/20/2022	0.49	0.5	UG/L	280	J	W
8260 TVOC	12/16/2021	2.04	0	UG/L	280		W
Chloroform	12/16/2021	1.4	0.5	UG/L	280		W
Tetrachloroethylene	12/16/2021	0.64	0.5	UG/L	280		W
524.2 TVOC	6/4/2021	0.66	0	UG/L	280		W
Tetrachloroethylene	6/4/2021	0.66	0.5	UG/L	280		W
524.2 TVOC	12/14/2020	2.1	0	UG/L	280		W
Chloroform	12/14/2020	1.5	0.5	UG/L	280		W
Tetrachloroethylene	12/14/2020	0.6	0.5	UG/L	280		W
1,4-Dioxane	7/15/2020	1.19	0.2	UG/L	185		W
524.2 TVOC	7/8/2020	2.51	0	UG/L	280		W
Carbon tetrachloride	7/8/2020	0.18	0.5	UG/L	280	J	W
Chloroform	7/8/2020	1.5	0.5	UG/L	280		W
Tetrachloroethylene	7/8/2020	0.83	0.5	UG/L	280		W
524.2 TVOC	12/9/2019	0.57	0	UG/L	280		W
Tetrachloroethylene	12/9/2019	0.57	0.5	UG/L	280		W
524.2 TVOC	5/21/2019	1.77	0	UG/L	280		W
Chloroform	5/21/2019	1.1	0.5	UG/L	280		W
Tetrachloroethylene	5/21/2019	0.67	0.5	UG/L	280		W
524.2 TVOC	1/16/2019	2.32	0	UG/L	280		W
Carbon tetrachloride	1/16/2019	0.35	0.5	UG/L	280	J	W
Chloroform	1/16/2019	1.25	0.5	UG/L	280		W
Tetrachloroethylene	1/16/2019	0.72	0.5	UG/L	280		W
524.2 TVOC	6/15/2018	1.91	0	UG/L	280		W
Carbon tetrachloride	6/15/2018	0.22	0.5	UG/L	280	J	W
Chloroform	6/15/2018	1	0.5	UG/L	280		W
Tetrachloroethylene	6/15/2018	0.69	0.5	UG/L	280		W
524.2 TVOC	12/5/2017	2.09	0	UG/L	280		W
Carbon tetrachloride	12/5/2017	0.2	0.5	UG/L	280	J	W
Chloroform	12/5/2017	1.2	0.5	UG/L	280		W
Tetrachloroethylene	12/5/2017	0.69	0.5	UG/L	280		W

Appendix A

OU III LIPA Petition for Closure

2004 - 2024 Monitoring Well Analytical Data Summary - VOCs Detected Above Laboratory MDL

524.2 TVOC	5/25/2017	2.31	0	UG/L	280		W
Carbon tetrachloride	5/25/2017	0.25	0.5	UG/L	280	J	W
Chloroform	5/25/2017	1.3	0.5	UG/L	280		W
Tetrachloroethylene	5/25/2017	0.76	0.5	UG/L	280		W
524.2 TVOC	11/30/2016	2.33	0	UG/L	280		W
Carbon tetrachloride	11/30/2016	0.25	0.5	UG/L	280	J	W
Chloroform	11/30/2016	1.3	0.5	UG/L	280		W
Tetrachloroethylene	11/30/2016	0.78	0.5	UG/L	280		W
524.2 TVOC	5/23/2016	2.81	0	UG/L	280		W
Carbon tetrachloride	5/23/2016	0.38	0.5	UG/L	280	J	W
Chloroform	5/23/2016	1.5	0.5	UG/L	280		W
Tetrachloroethylene	5/23/2016	0.93	0.5	UG/L	280		W
524.2 TVOC	12/29/2015	2.81	0	UG/L	280		W
Carbon tetrachloride	12/29/2015	0.31	0.5	UG/L	280	J	W
Chloroform	12/29/2015	1.7	0.5	UG/L	280		W
Tetrachloroethylene	12/29/2015	0.8	0.5	UG/L	280		W
524.2 TVOC	5/19/2015	3.63	0	UG/L	280		W
Carbon tetrachloride	5/19/2015	0.43	0.5	UG/L	280	J	W
Chloroform	5/19/2015	1.6	0.5	UG/L	280		W
Tetrachloroethylene	5/19/2015	1.6	0.5	UG/L	280		W
524.2 TVOC	3/16/2015	2.8	0	UG/L	280		W
Carbon tetrachloride	3/16/2015	0.3	0.5	UG/L	280	J	W
Chloroform	3/16/2015	1.2	0.5	UG/L	280		W
Tetrachloroethylene	3/16/2015	1.3	0.5	UG/L	280		W
524.2 TVOC	12/12/2014	3.62	0	UG/L	280		W
Carbon tetrachloride	12/12/2014	0.42	0.5	UG/L	280	J	W
Chloroform	12/12/2014	1.3	0.5	UG/L	280		W
Tetrachloroethylene	12/12/2014	1.9	0.5	UG/L	280		W
1,1,1-Trichloroethane	8/12/2014	0.099	0.5	UG/L	280	J	W
1,1-Dichloroethylene	8/12/2014	0.24	0.5	UG/L	280	J	W
524.2 TVOC	8/12/2014	5.029	0	UG/L	280		W
Carbon tetrachloride	8/12/2014	0.49	0.5	UG/L	280	J	W
Chloroform	8/12/2014	1.3	0.5	UG/L	280		W
Tetrachloroethylene	8/12/2014	2.9	0.5	UG/L	280		W
1,1,1-Trichloroethane	5/30/2014	0.12	0.5	UG/L	280	J	W
1,1,2-Trichloroethane	5/30/2014	0.16	0.5	UG/L	280	J	W
524.2 TVOC	5/30/2014	7.19	0	UG/L	280		W
Carbon tetrachloride	5/30/2014	0.61	0.5	UG/L	280		W
Chloroform	5/30/2014	1.2	0.5	UG/L	280		W
Tetrachloroethylene	5/30/2014	3.1	0.5	UG/L	280		W
Toluene	5/30/2014	2	0.5	UG/L	280		W
1,1,1-Trichloroethane	5/21/2014	0.15	0.5	UG/L	280	J	W
1,1-Dichloroethane	5/21/2014	0.075	0.5	UG/L	280	J	W
1,1-Dichloroethylene	5/21/2014	0.09	0.5	UG/L	280	J	W
524.2 TVOC	5/21/2014	6.765	0	UG/L	280		W
Carbon tetrachloride	5/21/2014	0.55	0.5	UG/L	280		W
Chloroform	5/21/2014	1.1	0.5	UG/L	280		W
Tetrachloroethylene	5/21/2014	4.8	0.5	UG/L	280		W
1,1,1-Trichloroethane	3/11/2014	0.11	0.5	UG/L	280	J	W
524.2 TVOC	3/11/2014	5.23	0	UG/L	280		W
Carbon tetrachloride	3/11/2014	0.49	0.5	UG/L	280	J	W
Chloroform	3/11/2014	1.1	0.5	UG/L	280		W
Tetrachloroethylene	3/11/2014	3.3	0.5	UG/L	280		W

Appendix A

OU III LIPA Petition for Closure

2004 - 2024 Monitoring Well Analytical Data Summary - VOCs Detected Above Laboratory MDL

Toluene	3/11/2014	0.23	0.5	UG/L	280	J	W
524.2 TVOC	12/17/2013	25.51	0	UG/L	280		W
Carbon tetrachloride	12/17/2013	0.51	0.5	UG/L	280		W
Chloroform	12/17/2013	1.3	0.5	UG/L	280		W
Tetrachloroethylene	12/17/2013	1.7	0.5	UG/L	280		W
Toluene	12/17/2013	22	0.5	UG/L	280		W
1,1,1-Trichloroethane	10/9/2013	0.14	0.5	UG/L	280	J	W
524.2 TVOC	10/9/2013	5.37	0	UG/L	280		W
Carbon tetrachloride	10/9/2013	0.53	0.5	UG/L	280		W
Chloroform	10/9/2013	1.1	0.5	UG/L	280		W
Tetrachloroethylene	10/9/2013	3.6	0.5	UG/L	280		W
1,1,1-Trichloroethane	9/12/2013	0.13	0.5	UG/L	280	J	W
524.2 TVOC	9/12/2013	553.185	0	UG/L	280		W
Carbon tetrachloride	9/12/2013	15	0.5	UG/L	280		W
Chloroform	9/12/2013	2.5	0.5	UG/L	280		W
cis-1,2-Dichloroethylene	9/12/2013	0.88	0.5	UG/L	280		W
Cymene	9/12/2013	0.085	0.5	UG/L	280	J	W
Methylene chloride	9/12/2013	0.19	0.5	UG/L	280	J	W
Tetrachloroethylene	9/12/2013	4.4	0.5	UG/L	280		W
Toluene	9/12/2013	530	50	UG/L	280	D	W
1,1,1-Trichloroethane	6/6/2013	0.14	0.5	UG/L	280	J	W
524.2 TVOC	6/6/2013	30.54	0	UG/L	280		W
Carbon tetrachloride	6/6/2013	12	0.5	UG/L	280		W
Chloroform	6/6/2013	1.1	0.5	UG/L	280		W
cis-1,2-Dichloroethylene	6/6/2013	0.28	0.5	UG/L	280	J	W
Methylene chloride	6/6/2013	0.12	0.5	UG/L	280	J	W
Tetrachloroethylene	6/6/2013	3.9	0.5	UG/L	280		W
Toluene	6/6/2013	13	0.5	UG/L	280		W
1,1,1-Trichloroethane	3/6/2013	0.099	0.5	UG/L	280	J	W
524.2 TVOC	3/6/2013	8.959	0	UG/L	280		W
Carbon tetrachloride	3/6/2013	4.5	0.5	UG/L	280		W
Chloroform	3/6/2013	1.1	0.5	UG/L	280		W
cis-1,2-Dichloroethylene	3/6/2013	0.1	0.5	UG/L	280	J	W
Tetrachloroethylene	3/6/2013	2.8	0.5	UG/L	280		W
Toluene	3/6/2013	0.36	0.5	UG/L	280	J	W
1,1,1-Trichloroethane	11/20/2012	0.14	0.5	UG/L	280	J	W
524.2 TVOC	11/20/2012	56.57	0	UG/L	280		W
Carbon tetrachloride	11/20/2012	3.9	0.5	UG/L	280		W
Chloroform	11/20/2012	1.4	0.5	UG/L	280		W
cis-1,2-Dichloroethylene	11/20/2012	0.23	0.5	UG/L	280	J	W
Tetrachloroethylene	11/20/2012	2.9	0.5	UG/L	280		W
Toluene	11/20/2012	48	1	UG/L	280	D	W
1,1,1-Trichloroethane	8/21/2012	0.3	0.5	UG/L	280	J	W
1,1-Dichloroethylene	8/21/2012	0.089	0.5	UG/L	280	J	W
524.2 TVOC	8/21/2012	35.199	0	UG/L	280		W
Carbon tetrachloride	8/21/2012	27	0.5	UG/L	280		W
Chloroform	8/21/2012	1.2	0.5	UG/L	280		W
cis-1,2-Dichloroethylene	8/21/2012	0.11	0.5	UG/L	280	J	W
Tetrachloroethylene	8/21/2012	5.3	0.5	UG/L	280		W
Toluene	8/21/2012	1.2	0.5	UG/L	280		W
1,1,1-Trichloroethane	5/17/2012	0.23	0.5	UG/L	280	J	W
524.2 TVOC	5/17/2012	75.2	0	UG/L	280		W
Carbon tetrachloride	5/17/2012	15	0.5	UG/L	280		W

Appendix A

OU III LIPA Petition for Closure

2004 - 2024 Monitoring Well Analytical Data Summary - VOCs Detected Above Laboratory MDL

Chloroform	5/17/2012	1.1	0.5	UG/L	280		W
cis-1,2-Dichloroethylene	5/17/2012	0.27	0.5	UG/L	280	J	W
Tetrachloroethylene	5/17/2012	4.6	0.5	UG/L	280		W
Toluene	5/17/2012	54	1	UG/L	280	D	W
1,1,1-Trichloroethane	2/8/2012	0.27	0.5	UG/L	280	J	W
1,1-Dichloroethane	2/8/2012	0.075	0.5	UG/L	280	J	W
1,1-Dichloroethylene	2/8/2012	0.1	0.5	UG/L	280	J	W
524.2 TVOC	2/8/2012	199.555	0	UG/L	280		W
Carbon tetrachloride	2/8/2012	22	0.5	UG/L	280		W
Chloroform	2/8/2012	0.87	0.5	UG/L	280		W
cis-1,2-Dichloroethylene	2/8/2012	0.24	0.5	UG/L	280	J	W
Tetrachloroethylene	2/8/2012	6	0.5	UG/L	280		W
Toluene	2/8/2012	170	2.5	UG/L	280	D	W
1,1,1-Trichloroethane	12/2/2011	0.15	0.5	UG/L	280	J	W
1,1-Dichloroethane	12/2/2011	0.077	0.5	UG/L	280	J	W
524.2 TVOC	12/2/2011	6.657	0	UG/L	280		W
Carbon tetrachloride	12/2/2011	1.1	0.5	UG/L	280		W
Chloroform	12/2/2011	0.73	0.5	UG/L	280		W
Tetrachloroethylene	12/2/2011	2	0.5	UG/L	280		W
Toluene	12/2/2011	2.6	0.5	UG/L	280		W
1,1,1-Trichloroethane	8/4/2011	0.22	0.5	UG/L	280	J	W
1,1-Dichloroethane	8/4/2011	0.12	0.5	UG/L	280	J	W
524.2 TVOC	8/4/2011	4.1	0	UG/L	280		W
Carbon tetrachloride	8/4/2011	0.6	0.5	UG/L	280		W
Chloroform	8/4/2011	0.86	0.5	UG/L	280		W
Tetrachloroethylene	8/4/2011	2.3	0.5	UG/L	280		W
1,1,1-Trichloroethane	5/9/2011	0.26	0.5	UG/L	280	J	W
524.2 TVOC	5/9/2011	5.57	0	UG/L	280		W
Carbon tetrachloride	5/9/2011	0.95	0.5	UG/L	280		W
Chloroform	5/9/2011	0.86	0.5	UG/L	280		W
Tetrachloroethylene	5/9/2011	2.8	0.5	UG/L	280		W
Toluene	5/9/2011	0.7	0.5	UG/L	280		W
1,1,1-Trichloroethane	2/23/2011	0.4	0.5	UG/L	280	J	W
1,1-Dichloroethane	2/23/2011	0.13	0.5	UG/L	280	J	W
1,1-Dichloroethylene	2/23/2011	0.097	0.5	UG/L	280	J	W
524.2 TVOC	2/23/2011	9.801	0	UG/L	280		W
Carbon tetrachloride	2/23/2011	4.7	0.5	UG/L	280		W
Chloroform	2/23/2011	1.2	0.5	UG/L	280		W
Tetrachloroethylene	2/23/2011	3.2	0.5	UG/L	280		W
Toluene	2/23/2011	0.074	0.5	UG/L	280	J	W
1,1,1-Trichloroethane	11/29/2010	0.49	0.5	UG/L	280	J	W
1,1-Dichloroethane	11/29/2010	0.25	0.5	UG/L	280	J	W
1,1-Dichloroethylene	11/29/2010	0.1	0.5	UG/L	280	J	W
524.2 TVOC	11/29/2010	14.18	0	UG/L	280		W
Carbon tetrachloride	11/29/2010	1.1	0.5	UG/L	280		W
Chloroform	11/29/2010	0.74	0.5	UG/L	280		W
Tetrachloroethylene	11/29/2010	3.5	0.5	UG/L	280		W
Toluene	11/29/2010	8	0.5	UG/L	280		W
1,1,1-Trichloroethane	8/5/2010	1.1	0.5	UG/L	280		W
1,1-Dichloroethane	8/5/2010	0.49	0.5	UG/L	280	J	W
1,1-Dichloroethylene	8/5/2010	0.23	0.5	UG/L	280	J	W
524.2 TVOC	8/5/2010	61.08	0	UG/L	280		W
Carbon tetrachloride	8/5/2010	2	0.5	UG/L	280		W

Appendix A

OU III LIPA Petition for Closure

2004 - 2024 Monitoring Well Analytical Data Summary - VOCs Detected Above Laboratory MDL

Chloroform	8/5/2010	0.76	0.5	UG/L	280		W
Tetrachloroethylene	8/5/2010	4.5	0.5	UG/L	280		W
Toluene	8/5/2010	52	1	UG/L	280	D	W
1,1,1-Trichloroethane	4/23/2010	2.6	0.5	UG/L	280		W
1,1-Dichloroethane	4/23/2010	0.44	0.5	UG/L	280	J	W
1,1-Dichloroethylene	4/23/2010	0.64	0.5	UG/L	280		W
524.2 TVOC	4/23/2010	54.62	0	UG/L	280		W
Carbon tetrachloride	4/23/2010	5.3	0.5	UG/L	280		W
Chloroform	4/23/2010	0.7	0.5	UG/L	280		W
Methyl chloride	4/23/2010	0.24	0.5	UG/L	280	J	W
Tetrachloroethylene	4/23/2010	8.7	0.5	UG/L	280		W
Toluene	4/23/2010	36	0.5	UG/L	280		W
1,1,1-Trichloroethane	1/27/2010	6.1	0.5	UG/L	280		W
1,1-Dichloroethane	1/27/2010	0.67	0.5	UG/L	280		W
1,1-Dichloroethylene	1/27/2010	1.9	0.5	UG/L	280		W
524.2 TVOC	1/27/2010	15.35	0	UG/L	280		W
Carbon tetrachloride	1/27/2010	1.4	0.5	UG/L	280		W
Chloroform	1/27/2010	0.61	0.5	UG/L	280		W
Methyl chloride	1/27/2010	0.11	0.5	UG/L	280	J	W
Tetrachloroethylene	1/27/2010	4.4	0.5	UG/L	280		W
Trichloroethylene	1/27/2010	0.16	0.5	UG/L	280	J	W
1,1,1-Trichloroethane	11/16/2009	8.7	0.5	UG/L	280		W
1,1-Dichloroethane	11/16/2009	0.7	0.5	UG/L	280		W
1,1-Dichloroethylene	11/16/2009	2.8	0.5	UG/L	280		W
524.2 TVOC	11/16/2009	19.296	0	UG/L	280		W
Carbon tetrachloride	11/16/2009	1.5	0.5	UG/L	280		W
Chloroform	11/16/2009	0.58	0.5	UG/L	280		W
Dichlorodifluoromethane	11/16/2009	0.066	0.5	UG/L	280	J	W
Tetrachloroethylene	11/16/2009	4.8	0.5	UG/L	280		W
Trichloroethylene	11/16/2009	0.15	0.5	UG/L	280	J	W
1,1,1-Trichloroethane	8/4/2009	10	0.5	UG/L	280		W
1,1-Dichloroethane	8/4/2009	0.71	0.5	UG/L	280		W
1,1-Dichloroethylene	8/4/2009	3.3	0.5	UG/L	280		W
524.2 TVOC	8/4/2009	21.536	0	UG/L	280		W
Carbon tetrachloride	8/4/2009	1.1	0.5	UG/L	280		W
Chloroform	8/4/2009	0.63	0.5	UG/L	280		W
Dichlorodifluoromethane	8/4/2009	0.076	0.5	UG/L	280	J	W
Tetrachloroethylene	8/4/2009	5.6	0.5	UG/L	280		W
Trichloroethylene	8/4/2009	0.12	0.5	UG/L	280	J	W
1,1,1-Trichloroethane	5/8/2009	11	0.5	UG/L	280		W
1,1-Dichloroethane	5/8/2009	0.67	0.5	UG/L	280		W
1,1-Dichloroethylene	5/8/2009	3.4	0.5	UG/L	280		W
524.2 TVOC	5/8/2009	30.872	0	UG/L	280		W
Carbon tetrachloride	5/8/2009	5.9	0.5	UG/L	280		W
Chloroform	5/8/2009	0.59	0.5	UG/L	280		W
Methyl chloride	5/8/2009	0.042	0.5	UG/L	280	J	W
Methylene chloride	5/8/2009	0.28	0.5	UG/L	280	J	W
Tetrachloroethylene	5/8/2009	8.8	0.5	UG/L	280		W
Trichloroethylene	5/8/2009	0.19	0.5	UG/L	280	J	W
1,1,1-Trichloroethane	2/9/2009	10	0.5	UG/L	280		W
1,1-Dichloroethane	2/9/2009	0.72	0.5	UG/L	280		W
1,1-Dichloroethylene	2/9/2009	3.4	0.5	UG/L	280		W
524.2 TVOC	2/9/2009	27.94	0	UG/L	280		W

Appendix A

OU III LIPA Petition for Closure

2004 - 2024 Monitoring Well Analytical Data Summary - VOCs Detected Above Laboratory MDL

Carbon tetrachloride	2/9/2009	1.1	0.5	UG/L	280		W
Chloroform	2/9/2009	0.44	0.5	UG/L	280	J	W
Methyl chloride	2/9/2009	0.13	0.5	UG/L	280	J	W
Tetrachloroethylene	2/9/2009	12	0.5	UG/L	280		W
Trichloroethylene	2/9/2009	0.15	0.5	UG/L	280	J	W
1,1,1-Trichloroethane	11/13/2008	6.6	0.5	UG/L	280		W
1,1-Dichloroethane	11/13/2008	0.59	0.5	UG/L	280		W
1,1-Dichloroethylene	11/13/2008	2.1	0.5	UG/L	280		W
524.2 TVOC	11/13/2008	25.98	0	UG/L	280		W
Carbon tetrachloride	11/13/2008	1.8	0.5	UG/L	280		W
Chloroform	11/13/2008	0.37	0.5	UG/L	280	J	W
Methyl chloride	11/13/2008	0.21	0.5	UG/L	280	J	W
Tetrachloroethylene	11/13/2008	14	0.5	UG/L	280		W
Trichloroethylene	11/13/2008	0.31	0.5	UG/L	280	J	W
1,1,1-Trichloroethane	8/5/2008	4.5	0.5	UG/L	280		W
1,1-Dichloroethane	8/5/2008	0.5	0.5	UG/L	280		W
1,1-Dichloroethylene	8/5/2008	1.9	0.5	UG/L	280		W
524.2 TVOC	8/5/2008	16.682	0	UG/L	280		W
Carbon tetrachloride	8/5/2008	1.2	0.5	UG/L	280		W
Chloroform	8/5/2008	0.32	0.5	UG/L	280	J	W
Methyl chloride	8/5/2008	0.062	0.5	UG/L	280	J	W
Tetrachloroethylene	8/5/2008	8.2	0.5	UG/L	280		W
1,1,1-Trichloroethane	5/21/2008	5.5	0.5	UG/L	280		W
1,1-Dichloroethane	5/21/2008	0.47	0.5	UG/L	280	J	W
1,1-Dichloroethylene	5/21/2008	1.4	0.5	UG/L	280		W
524.2 TVOC	5/21/2008	25.21	0	UG/L	280		W
Carbon tetrachloride	5/21/2008	8.1	0.5	UG/L	280		W
Chloroform	5/21/2008	0.47	0.5	UG/L	280	J	W
Tetrachloroethylene	5/21/2008	9.1	0.5	UG/L	280		W
Trichloroethylene	5/21/2008	0.17	0.5	UG/L	280	J	W
1,1,1-Trichloroethane	1/30/2008	5.8	0.5	UG/L	280		W
1,1-Dichloroethane	1/30/2008	0.39	0.5	UG/L	280	J	W
1,1-Dichloroethylene	1/30/2008	1.5	0.5	UG/L	280		W
524.2 TVOC	1/30/2008	31.19	0	UG/L	280		W
Carbon tetrachloride	1/30/2008	8.8	0.5	UG/L	280		W
Chloroform	1/30/2008	0.51	0.5	UG/L	280		W
Tetrachloroethylene	1/30/2008	14	0.5	UG/L	280		W
Trichloroethylene	1/30/2008	0.19	0.5	UG/L	280	J	W
1,1,1-Trichloroethane	11/27/2007	8.7	0.5	UG/L	280		W
1,1-Dichloroethane	11/27/2007	0.35	0.5	UG/L	280	J	W
1,1-Dichloroethylene	11/27/2007	2.5	0.5	UG/L	280		W
524.2 TVOC	11/27/2007	31.33	0	UG/L	280		W
Carbon tetrachloride	11/27/2007	2.1	0.5	UG/L	280		W
Chloroform	11/27/2007	0.48	0.5	UG/L	280	J	W
Tetrachloroethylene	11/27/2007	17	0.5	UG/L	280		W
Trichloroethylene	11/27/2007	0.2	0.5	UG/L	280	J	W
1,1,1-Trichloroethane	7/30/2007	12	0.5	UG/L	280		W
1,1-Dichloroethane	7/30/2007	0.42	0.5	UG/L	280	J	W
1,1-Dichloroethylene	7/30/2007	3.7	0.5	UG/L	280		W
524.2 TVOC	7/30/2007	34.54	0	UG/L	280		W
Carbon tetrachloride	7/30/2007	2.2	0.5	UG/L	280		W
Chloroform	7/30/2007	0.72	0.5	UG/L	280		W
Dichlorodifluoromethane	7/30/2007	0.24	0.5	UG/L	280	J	W

Appendix A

OU III LIPA Petition for Closure

2004 - 2024 Monitoring Well Analytical Data Summary - VOCs Detected Above Laboratory MDL

Tetrachloroethylene	7/30/2007	15	0.5	UG/L	280		W
Trichloroethylene	7/30/2007	0.26	0.5	UG/L	280	J	W
1,1,1-Trichloroethane	5/23/2007	10	0.5	UG/L	280		W
1,1-Dichloroethane	5/23/2007	0.33	0.5	UG/L	280	J	W
1,1-Dichloroethylene	5/23/2007	2	0.5	UG/L	280		W
524.2 TVOC	5/23/2007	39.54	0	UG/L	280		W
Carbon tetrachloride	5/23/2007	3.8	0.5	UG/L	280		W
Chloroform	5/23/2007	0.79	0.5	UG/L	280		W
Dichlorodifluoromethane	5/23/2007	0.28	0.5	UG/L	280	J	W
Tetrachloroethylene	5/23/2007	22	0.5	UG/L	280		W
Trichloroethylene	5/23/2007	0.34	0.5	UG/L	280	J	W
1,1,1-Trichloroethane	1/30/2007	16	0.5	UG/L	280		W
1,1-Dichloroethane	1/30/2007	0.19	0.5	UG/L	280	J	W
1,1-Dichloroethylene	1/30/2007	5	0.5	UG/L	280		W
524.2 TVOC	1/30/2007	35.55	0	UG/L	280		W
Carbon tetrachloride	1/30/2007	3.2	0.5	UG/L	280		W
Chloroform	1/30/2007	0.98	0.5	UG/L	280		W
Tetrachloroethylene	1/30/2007	10	0.5	UG/L	280		W
Trichloroethylene	1/30/2007	0.18	0.5	UG/L	280	J	W
1,1,1-Trichloroethane	11/17/2006	3.4	0.5	UG/L	280		W
1,1-Dichloroethane	11/17/2006	0.17	0.5	UG/L	280	J	W
1,1-Dichloroethylene	11/17/2006	1.1	0.5	UG/L	280		W
524.2 TVOC	11/17/2006	22.41	0	UG/L	280		W
Carbon tetrachloride	11/17/2006	2.5	0.5	UG/L	280		W
Chloroform	11/17/2006	0.73	0.5	UG/L	280		W
Dichlorodifluoromethane	11/17/2006	0.34	0.5	UG/L	280	J	W
Tetrachloroethylene	11/17/2006	14	0.5	UG/L	280		W
Trichloroethylene	11/17/2006	0.17	0.5	UG/L	280	J	W
1,1,1-Trichloroethane	8/24/2006	0.3	0.5	UG/L	280	J	W
1,1-Dichloroethylene	8/24/2006	0.76	0.5	UG/L	280		W
524.2 TVOC	8/24/2006	24.51	0	UG/L	280		W
Carbon tetrachloride	8/24/2006	4.9	0.5	UG/L	280		W
Chloroform	8/24/2006	0.28	0.5	UG/L	280	J B	W
Tetrachloroethylene	8/24/2006	18	0.5	UG/L	280		W
Trichloroethylene	8/24/2006	0.27	0.5	UG/L	280	J	W
1,1,1-Trichloroethane	6/6/2006	0.26	0.5	UG/L	280	J	W
1,1-Dichloroethylene	6/6/2006	0.48	0.5	UG/L	280	J	W
524.2 TVOC	6/6/2006	19.88	0	UG/L	280		W
Carbon tetrachloride	6/6/2006	4.7	0.5	UG/L	280		W
Chloroform	6/6/2006	0.23	0.5	UG/L	280	J	W
Tetrachloroethylene	6/6/2006	14	0.5	UG/L	280		W
Trichloroethylene	6/6/2006	0.21	0.5	UG/L	280	J	W
1,1,1-Trichloroethane	3/16/2006	0.21	0.5	UG/L	280	J	W
1,1-Dichloroethylene	3/16/2006	0.73	0.5	UG/L	280		W
524.2 TVOC	3/16/2006	21.11	0	UG/L	280		W
Carbon tetrachloride	3/16/2006	4.9	0.5	UG/L	280		W
Chloroform	3/16/2006	0.27	0.5	UG/L	280	J	W
Tetrachloroethylene	3/16/2006	15	0.5	UG/L	280		W
1,1,1-Trichloroethane	12/16/2005	0.12	0.5	UG/L	280	J	W
1,1,2,2-Tetrachloroethane	12/16/2005	0.26	0.5	UG/L	280	J	W
1,1-Dichloroethylene	12/16/2005	0.84	0.5	UG/L	280		W
524.2 TVOC	12/16/2005	22.04	0	UG/L	280		W
Carbon tetrachloride	12/16/2005	4.6	0.5	UG/L	280		W

Appendix A

OU III LIPA Petition for Closure

2004 - 2024 Monitoring Well Analytical Data Summary - VOCs Detected Above Laboratory MDL

Tetrachloroethylene	12/16/2005	16	0.5	UG/L	280		W
Trichloroethylene	12/16/2005	0.22	0.5	UG/L	280	J	W
1,1,1-Trichloroethane	12/1/2005	0.094	0.5	UG/L	280	J	W
1,1-Dichloroethylene	12/1/2005	0.74	0.5	UG/L	280		W
524.2 TVOC	12/1/2005	23.824	0	UG/L	280		W
Carbon tetrachloride	12/1/2005	6.5	0.5	UG/L	280		W
Chloroform	12/1/2005	0.26	0.5	UG/L	280	J	W
Tetrachloroethylene	12/1/2005	16	0.5	UG/L	280		W
Trichloroethylene	12/1/2005	0.23	0.5	UG/L	280	J	W
1,1-Dichloroethylene	8/16/2005	0.53	0.5	UG/L	280		W
524.2 TVOC	8/16/2005	29.75	0	UG/L	280		W
Carbon tetrachloride	8/16/2005	6.7	0.5	UG/L	280		W
Methyl chloride	8/16/2005	0.52	0.5	UG/L	280		W
Tetrachloroethylene	8/16/2005	22	0.5	UG/L	280		W
1,1-Dichloroethylene	5/31/2005	0.61	0.5	UG/L	280		W
524.2 TVOC	5/31/2005	27.99	0	UG/L	280		W
Carbon tetrachloride	5/31/2005	8.8	0.5	UG/L	280		W
Chloroform	5/31/2005	0.58	0.5	UG/L	280		W
Tetrachloroethylene	5/31/2005	18	0.5	UG/L	280		W
1,1-Dichloroethylene	3/29/2005	0.88	0.5	UG/L	280		W
524.2 TVOC	3/29/2005	35.88	0	UG/L	280		W
Carbon tetrachloride	3/29/2005	14	0.5	UG/L	280		W
Tetrachloroethylene	3/29/2005	21	0.5	UG/L	280		W
1,1,2,2-Tetrachloroethane	12/10/2004	0.19	0.5	UG/L	280	J	W
1,1-Dichloroethylene	12/10/2004	0.81	0.5	UG/L	280		W
524.2 TVOC	12/10/2004	29.03	0	UG/L	280		W
Carbon tetrachloride	12/10/2004	10	0.5	UG/L	280		W
Chloroform	12/10/2004	0.75	0.5	UG/L	280		W
Tetrachloroethylene	12/10/2004	17	0.5	UG/L	280		W
Trichloroethylene	12/10/2004	0.28	0.5	UG/L	280	J	W
1,1,1-Trichloroethane	9/9/2004	0.069	0.5	UG/L	280	J	W
1,1,2,2-Tetrachloroethane	9/9/2004	0.22	0.5	UG/L	280	J	W
1,1-Dichloroethylene	9/9/2004	0.51	0.5	UG/L	280		W
524.2 TVOC	9/9/2004	39.509	0	UG/L	280		W
Carbon tetrachloride	9/9/2004	19	0.5	UG/L	280		W
Chloroform	9/9/2004	0.24	0.5	UG/L	280	J	W
Methyl chloride	9/9/2004	0.2	0.5	UG/L	280	J	W
Tetrachloroethylene	9/9/2004	19	0.5	UG/L	280		W
Trichloroethylene	9/9/2004	0.27	0.5	UG/L	280	J	W
1,1-Dichloroethylene	5/28/2004	0.75	0.5	UG/L	280		W
524.2 TVOC	5/28/2004	42.99	0	UG/L	280		W
Carbon tetrachloride	5/28/2004	25	0.5	UG/L	280		W
Chloroform	5/28/2004	0.36	0.5	UG/L	280	J	W
Methylene chloride	5/28/2004	0.56	0.5	UG/L	280		W
Tetrachloroethylene	5/28/2004	16	0.5	UG/L	280		W
Trichloroethylene	5/28/2004	0.32	0.5	UG/L	280	J	W
524.2 TVOC	2/23/2004	62.61	0	UG/L	280		W
Carbon tetrachloride	2/23/2004	48	1.2	UG/L	280	D	W
Chloroform	2/23/2004	0.61	0.5	UG/L	280		W
Tetrachloroethylene	2/23/2004	14	0.5	UG/L	280		W

Appendix A

OU III LIPA Petition for Closure

2004 - 2024 Monitoring Well Analytical Data Summary - VOCs Detected Above Laboratory MDL

Site ID : 000-131

Chemical Name	Sample Date	Value	Detlim	Units	Depth	Qual	Matrix
1,1,1-Trichloroethane	11/7/2023	0.6	0.5	UG/L	227.5		W
1,1-Dichloroethylene	11/7/2023	0.89	0.5	UG/L	227.5		W
8260 TVOC	11/7/2023	3.05	0	UG/L	227.5		W
Chloroform	11/7/2023	1	0.5	UG/L	227.5		W
Trichloroethylene	11/7/2023	0.56	0.5	UG/L	227.5		W
1,1,1-Trichloroethane	8/30/2023	0.48	0.5	UG/L	225	J	W
1,1-Dichloroethylene	8/30/2023	0.56	0.5	UG/L	225		W
8260 TVOC	8/30/2023	2.68	0	UG/L	225		W
Chloroform	8/30/2023	1.1	0.5	UG/L	225		W
Trichloroethylene	8/30/2023	0.54	0.5	UG/L	225		W
1,1,1-Trichloroethane	6/5/2023	0.58	0.5	UG/L	227.5		W
1,1-Dichloroethylene	6/5/2023	0.86	0.5	UG/L	227.5		W
8260 TVOC	6/5/2023	2.54	0	UG/L	227.5		W
Chloroform	6/5/2023	1.1	0.5	UG/L	227.5		W
1,1,1-Trichloroethane	2/27/2023	0.32	0.5	UG/L	227.5	J	W
1,1-Dichloroethylene	2/27/2023	0.64	0.5	UG/L	227.5		W
8260 TVOC	2/27/2023	2.16	0	UG/L	227.5		W
Chloroform	2/27/2023	1.2	0.5	UG/L	227.5		W
1,1,1-Trichloroethane	12/9/2022	0.41	0.5	UG/L	225	J	W
1,1-Dichloroethylene	12/9/2022	0.46	0.5	UG/L	225	J	W
8260 TVOC	12/9/2022	3.98	0	UG/L	225		W
Chloroform	12/9/2022	2.2	0.5	UG/L	225		W
Trichloroethylene	12/9/2022	0.91	0.5	UG/L	225		W
1,1,1-Trichloroethane	5/24/2022	1.4	0.5	UG/L	225		W
1,1-Dichloroethylene	5/24/2022	1.3	0.5	UG/L	225		W
8260 TVOC	5/24/2022	5.83	0	UG/L	225		W
Carbon tetrachloride	5/24/2022	0.33	0.5	UG/L	225	J	W
Chloroform	5/24/2022	1.5	0.5	UG/L	225		W
Trichloroethylene	5/24/2022	1.3	0.5	UG/L	225		W
1,1,1-Trichloroethane	12/2/2021	2.4	0.5	UG/L	227.5		W
1,1-Dichloroethylene	12/2/2021	1.9	0.5	UG/L	227.5		W
1,2-Dichloroethane	12/2/2021	0.21	0.5	UG/L	227.5	J	W
8260 TVOC	12/2/2021	6.89	0	UG/L	227.5		W
Carbon tetrachloride	12/2/2021	0.33	0.5	UG/L	227.5	J	W
Chloroform	12/2/2021	0.55	0.5	UG/L	227.5		W
Trichloroethylene	12/2/2021	1.5	0.5	UG/L	227.5		W
1,1,1-Trichloroethane	6/2/2021	2.5	0.5	UG/L	227.5		W
1,1-Dichloroethylene	6/2/2021	2.6	0.5	UG/L	227.5		W
524.2 TVOC	6/2/2021	8.89	0	UG/L	227.5		W
Carbon tetrachloride	6/2/2021	0.29	0.5	UG/L	227.5	J	W
Chloroform	6/2/2021	2.1	0.5	UG/L	227.5		W
Trichloroethylene	6/2/2021	1.4	0.5	UG/L	227.5		W
1,1,1-Trichloroethane	12/16/2020	2.6	0.5	UG/L	225		W
1,1-Dichloroethylene	12/16/2020	2.5	0.5	UG/L	225		W
524.2 TVOC	12/16/2020	8.99	0	UG/L	225		W
Carbon tetrachloride	12/16/2020	0.29	0.5	UG/L	225	J	W
Chloroform	12/16/2020	2.2	0.5	UG/L	225		W
Trichloroethylene	12/16/2020	1.4	0.5	UG/L	225		W
1,1,1-Trichloroethane	6/29/2020	4.8	0.5	UG/L	225		W

Appendix A

OU III LIPA Petition for Closure

2004 - 2024 Monitoring Well Analytical Data Summary - VOCs Detected Above Laboratory MDL

1,1-Dichloroethylene	6/29/2020	4	0.5	UG/L	225		W
524.2 TVOC	6/29/2020	17.51	0	UG/L	225		W
Carbon tetrachloride	6/29/2020	0.36	0.5	UG/L	225	J	W
Chloroform	6/29/2020	2	0.5	UG/L	225		W
cis-1,2-Dichloroethylene	6/29/2020	1.7	0.5	UG/L	225		W
Tetrachloroethylene	6/29/2020	0.75	0.5	UG/L	225		W
Trichloroethylene	6/29/2020	3.9	0.5	UG/L	225		W
1,4-Dioxane	6/29/2020	1.67	0.2	UG/L	225		W
1,1,1-Trichloroethane	12/10/2019	3.4	0.5	UG/L	225		W
1,1-Dichloroethylene	12/10/2019	2.7	0.5	UG/L	225		W
1,2-Dichloroethane	12/10/2019	0.37	0.5	UG/L	225	J	W
524.2 TVOC	12/10/2019	8.16	0	UG/L	225		W
Carbon tetrachloride	12/10/2019	0.25	0.5	UG/L	225	J	W
cis-1,2-Dichloroethylene	12/10/2019	0.14	0.5	UG/L	225	J	W
Trichloroethylene	12/10/2019	1.3	0.5	UG/L	225		W
1,1,1-Trichloroethane	5/23/2019	5.8	0.5	UG/L	225		W
1,1-Dichloroethylene	5/23/2019	5.4	0.5	UG/L	225		W
1,2-Dichloroethane	5/23/2019	0.57	0.5	UG/L	225		W
524.2 TVOC	5/23/2019	13.27	0	UG/L	225		W
Trichloroethylene	5/23/2019	1.5	0.5	UG/L	225		W
1,1,1-Trichloroethane	12/31/2018	1.11	0.5	UG/L	227.5		W
1,1-Dichloroethylene	12/31/2018	0.92	0.5	UG/L	227.5		W
524.2 TVOC	12/31/2018	3.51	0	UG/L	227.5		W
Carbon tetrachloride	12/31/2018	0.6	0.5	UG/L	227.5		W
Chloroform	12/31/2018	0.26	0.5	UG/L	227.5	J	W
Trichloroethylene	12/31/2018	0.62	0.5	UG/L	227.5		W
1,1,1-Trichloroethane	8/27/2018	11	0.5	UG/L	225		W
1,1-Dichloroethane	8/27/2018	0.23	0.5	UG/L	225	J	W
1,1-Dichloroethylene	8/27/2018	12	0.5	UG/L	225		W
1,2-Dichloroethane	8/27/2018	1.5	0.5	UG/L	225		W
524.2 TVOC	8/27/2018	27.8	0	UG/L	225		W
Carbon tetrachloride	8/27/2018	0.39	0.5	UG/L	225	J	W
Chloroform	8/27/2018	0.84	0.5	UG/L	225		W
cis-1,2-Dichloroethylene	8/27/2018	0.24	0.5	UG/L	225	J	W
Trichloroethylene	8/27/2018	1.6	0.5	UG/L	225		W
1,1,1-Trichloroethane	6/12/2018	8.6	0.5	UG/L	225		W
1,1-Dichloroethane	6/12/2018	0.21	0.5	UG/L	225	J	W
1,1-Dichloroethylene	6/12/2018	8	0.5	UG/L	225		W
1,2-Dichloroethane	6/12/2018	1.7	0.5	UG/L	225		W
524.2 TVOC	6/12/2018	23.64	0	UG/L	225		W
Carbon tetrachloride	6/12/2018	1.3	0.5	UG/L	225		W
Chloroform	6/12/2018	1.2	0.5	UG/L	225		W
cis-1,2-Dichloroethylene	6/12/2018	0.15	0.5	UG/L	225	J	W
Dibromomethane	6/12/2018	0.31	0.5	UG/L	225	J	W
Methylene chloride	6/12/2018	0.37	0.5	UG/L	225	J	W
Trichloroethylene	6/12/2018	1.8	0.5	UG/L	225		W
1,1,1-Trichloroethane	1/26/2018	1.9	0.5	UG/L	225		W
1,1-Dichloroethane	1/26/2018	0.11	0.5	UG/L	225	J	W
1,1-Dichloroethylene	1/26/2018	1.3	0.5	UG/L	225		W
524.2 TVOC	1/26/2018	9.24	0	UG/L	225		W
Carbon tetrachloride	1/26/2018	3.6	0.5	UG/L	225		W
Chloroform	1/26/2018	0.63	0.5	UG/L	225		W
Trichloroethylene	1/26/2018	1.7	0.5	UG/L	225		W

Appendix A

OU III LIPA Petition for Closure

2004 - 2024 Monitoring Well Analytical Data Summary - VOCs Detected Above Laboratory MDL

1,1,1-Trichloroethane	12/4/2017	4.9	0.5	UG/L	225		W
1,1-Dichloroethane	12/4/2017	0.09	0.5	UG/L	225	J	W
1,1-Dichloroethylene	12/4/2017	3.7	0.5	UG/L	225		W
1,2-Dichloroethane	12/4/2017	0.25	0.5	UG/L	225	J	W
524.2 TVOC	12/4/2017	11.21	0	UG/L	225		W
Carbon tetrachloride	12/4/2017	0.44	0.5	UG/L	225	J	W
cis-1,2-Dichloroethylene	12/4/2017	0.23	0.5	UG/L	225	J	W
Trichloroethylene	12/4/2017	1.6	0.5	UG/L	225		W
1,1,1-Trichloroethane	8/22/2017	4.9	0.5	UG/L	225		W
1,1-Dichloroethane	8/22/2017	0.087	0.5	UG/L	225	J	W
1,1-Dichloroethylene	8/22/2017	2	0.5	UG/L	225		W
1,2-Dichloroethane	8/22/2017	0.25	0.5	UG/L	225	J	W
524.2 TVOC	8/22/2017	10.987	0	UG/L	225		W
Carbon tetrachloride	8/22/2017	1.4	0.5	UG/L	225		W
Chloroform	8/22/2017	0.28	0.5	UG/L	225	J	W
cis-1,2-Dichloroethylene	8/22/2017	0.17	0.5	UG/L	225	J	W
Trichloroethylene	8/22/2017	1.9	0.5	UG/L	225		W
1,1,1-Trichloroethane	5/24/2017	5.9	0.5	UG/L	225		W
1,1-Dichloroethane	5/24/2017	0.09	0.5	UG/L	225	J	W
1,1-Dichloroethylene	5/24/2017	4.1	0.5	UG/L	225		W
1,2-Dichloroethane	5/24/2017	0.23	0.5	UG/L	225	J	W
524.2 TVOC	5/24/2017	12.57	0	UG/L	225		W
Carbon tetrachloride	5/24/2017	0.31	0.5	UG/L	225	J	W
Chloroform	5/24/2017	0.15	0.5	UG/L	225	J	W
cis-1,2-Dichloroethylene	5/24/2017	0.19	0.5	UG/L	225	J	W
Trichloroethylene	5/24/2017	1.6	0.5	UG/L	225		W
1,1,1-Trichloroethane	2/3/2017	5.6	0.5	UG/L	225		W
1,1-Dichloroethane	2/3/2017	0.083	0.5	UG/L	225	J	W
1,1-Dichloroethylene	2/3/2017	3.8	0.5	UG/L	225		W
1,2-Dichloroethane	2/3/2017	0.23	0.5	UG/L	225	J	W
524.2 TVOC	2/3/2017	12.293	0	UG/L	225		W
Carbon tetrachloride	2/3/2017	0.44	0.5	UG/L	225	J	W
Chloroform	2/3/2017	0.17	0.5	UG/L	225	J	W
cis-1,2-Dichloroethylene	2/3/2017	0.17	0.5	UG/L	225	J	W
Trichloroethylene	2/3/2017	1.8	0.5	UG/L	225		W
1,1,1-Trichloroethane	12/12/2016	5.4	0.5	UG/L	225		W
1,1-Dichloroethane	12/12/2016	0.082	0.5	UG/L	225	J	W
1,1-Dichloroethylene	12/12/2016	4	0.5	UG/L	225		W
1,2-Dichloroethane	12/12/2016	0.23	0.5	UG/L	225	J	W
524.2 TVOC	12/12/2016	12.332	0	UG/L	225		W
Carbon tetrachloride	12/12/2016	0.45	0.5	UG/L	225	J	W
Chloroform	12/12/2016	0.16	0.5	UG/L	225	J	W
cis-1,2-Dichloroethylene	12/12/2016	0.21	0.5	UG/L	225	J	W
Trichloroethylene	12/12/2016	1.8	0.5	UG/L	225		W
1,1,1-Trichloroethane	8/15/2016	5.3	0.5	UG/L	225		W
1,1-Dichloroethane	8/15/2016	0.077	0.5	UG/L	225	J	W
1,1-Dichloroethylene	8/15/2016	3.8	0.5	UG/L	225		W
524.2 TVOC	8/15/2016	11.487	0	UG/L	225		W
Carbon tetrachloride	8/15/2016	0.36	0.5	UG/L	225	J	W
Chloroform	8/15/2016	0.14	0.5	UG/L	225	J	W
cis-1,2-Dichloroethylene	8/15/2016	0.21	0.5	UG/L	225	J	W
Trichloroethylene	8/15/2016	1.6	0.5	UG/L	225		W
1,1,1-Trichloroethane	5/24/2016	6.7	0.5	UG/L	225		W

Appendix A

OU III LIPA Petition for Closure

2004 - 2024 Monitoring Well Analytical Data Summary - VOCs Detected Above Laboratory MDL

1,1-Dichloroethane	5/24/2016	0.1	0.5	UG/L	225	J	W
1,1-Dichloroethylene	5/24/2016	3.8	0.5	UG/L	225		W
1,2-Dichloroethane	5/24/2016	0.24	0.5	UG/L	225	J	W
524.2 TVOC	5/24/2016	13.55	0	UG/L	225		W
Carbon tetrachloride	5/24/2016	0.4	0.5	UG/L	225	J	W
Chloroform	5/24/2016	0.19	0.5	UG/L	225	J	W
cis-1,2-Dichloroethylene	5/24/2016	0.22	0.5	UG/L	225	J	W
Trichloroethylene	5/24/2016	1.9	0.5	UG/L	225		W
1,1,1-Trichloroethane	3/4/2016	7.3	0.5	UG/L	225		W
1,1-Dichloroethane	3/4/2016	0.11	0.5	UG/L	225	J	W
1,1-Dichloroethylene	3/4/2016	4.7	0.5	UG/L	225		W
1,2-Dichloroethane	3/4/2016	0.24	0.5	UG/L	225	J	W
524.2 TVOC	3/4/2016	15.41	0	UG/L	225		W
Carbon tetrachloride	3/4/2016	0.48	0.5	UG/L	225	J	W
Chloroform	3/4/2016	0.16	0.5	UG/L	225	J	W
cis-1,2-Dichloroethylene	3/4/2016	0.22	0.5	UG/L	225	J	W
Trichloroethylene	3/4/2016	2.2	0.5	UG/L	225		W
1,1,1-Trichloroethane	12/28/2015	6.2	0.5	UG/L	225		W
1,1-Dichloroethane	12/28/2015	0.095	0.5	UG/L	225	J	W
1,1-Dichloroethylene	12/28/2015	4.2	0.5	UG/L	225		W
1,2-Dichloroethane	12/28/2015	0.2	0.5	UG/L	225	J	W
524.2 TVOC	12/28/2015	13.875	0	UG/L	225		W
Carbon tetrachloride	12/28/2015	0.67	0.5	UG/L	225		W
Chloroform	12/28/2015	0.19	0.5	UG/L	225	J	W
cis-1,2-Dichloroethylene	12/28/2015	0.22	0.5	UG/L	225	J	W
Trichloroethylene	12/28/2015	2.1	0.5	UG/L	225		W
1,1,1-Trichloroethane	9/1/2015	5.5	0.5	UG/L	225		W
1,1-Dichloroethane	9/1/2015	0.096	0.5	UG/L	225	J	W
1,1-Dichloroethylene	9/1/2015	3.2	0.5	UG/L	225		W
1,2-Dichloroethane	9/1/2015	0.23	0.5	UG/L	225	J	W
524.2 TVOC	9/1/2015	11.556	0	UG/L	225		W
Carbon tetrachloride	9/1/2015	0.43	0.5	UG/L	225	J	W
cis-1,2-Dichloroethylene	9/1/2015	0.2	0.5	UG/L	225	J	W
Trichloroethylene	9/1/2015	1.9	0.5	UG/L	225		W
1,1,1-Trichloroethane	5/20/2015	8.2	0.5	UG/L	225		W
1,1-Dichloroethane	5/20/2015	0.1	0.5	UG/L	225	J	W
1,1-Dichloroethylene	5/20/2015	5.6	0.5	UG/L	225		W
1,2-Dichloroethane	5/20/2015	0.29	0.5	UG/L	225	J	W
524.2 TVOC	5/20/2015	18.25	0	UG/L	225		W
Carbon tetrachloride	5/20/2015	0.8	0.5	UG/L	225		W
Chloroform	5/20/2015	0.23	0.5	UG/L	225	J	W
cis-1,2-Dichloroethylene	5/20/2015	0.23	0.5	UG/L	225	J	W
Trichloroethylene	5/20/2015	2.8	0.5	UG/L	225		W
1,1,1-Trichloroethane	3/12/2015	6.4	0.5	UG/L	225		W
1,1,2-Trichloroethane	3/12/2015	0.16	0.5	UG/L	225	J	W
1,1-Dichloroethane	3/12/2015	0.092	0.5	UG/L	225	J	W
1,1-Dichloroethylene	3/12/2015	4	0.5	UG/L	225		W
1,2-Dichloroethane	3/12/2015	0.22	0.5	UG/L	225	J	W
524.2 TVOC	3/12/2015	14.472	0	UG/L	225		W
Carbon tetrachloride	3/12/2015	0.75	0.5	UG/L	225		W
Chloroform	3/12/2015	0.19	0.5	UG/L	225	J	W
cis-1,2-Dichloroethylene	3/12/2015	0.26	0.5	UG/L	225	J	W
Methyl chloride	3/12/2015	0.1	0.5	UG/L	225	J	W

Appendix A

OU III LIPA Petition for Closure

2004 - 2024 Monitoring Well Analytical Data Summary - VOCs Detected Above Laboratory MDL

Trichloroethylene	3/12/2015	2.3	0.5	UG/L	225		W
1,1,1-Trichloroethane	12/15/2014	7.6	0.5	UG/L	225		W
1,1-Dichloroethane	12/15/2014	0.091	0.5	UG/L	225	J	W
1,1-Dichloroethylene	12/15/2014	4.7	0.5	UG/L	225		W
1,2-Dichloroethane	12/15/2014	0.2	0.5	UG/L	225	J	W
524.2 TVOC	12/15/2014	16.101	0	UG/L	225		W
Carbon tetrachloride	12/15/2014	0.79	0.5	UG/L	225		W
Chloroform	12/15/2014	0.18	0.5	UG/L	225	J	W
cis-1,2-Dichloroethylene	12/15/2014	0.24	0.5	UG/L	225	J	W
Trichloroethylene	12/15/2014	2.3	0.5	UG/L	225		W
1,1,1-Trichloroethane	8/13/2014	8.6	0.5	UG/L	225		W
1,1-Dichloroethane	8/13/2014	0.094	0.5	UG/L	225	J	W
1,1-Dichloroethylene	8/13/2014	1.5	0.5	UG/L	225		W
1,2-Dichloroethane	8/13/2014	0.28	0.5	UG/L	225	J	W
524.2 TVOC	8/13/2014	16.544	0	UG/L	225		W
Carbon tetrachloride	8/13/2014	3	0.5	UG/L	225		W
cis-1,2-Dichloroethylene	8/13/2014	0.17	0.5	UG/L	225	J	W
Trichloroethylene	8/13/2014	2.9	0.5	UG/L	225		W
1,1,1-Trichloroethane	5/22/2014	8	0.5	UG/L	225		W
1,1-Dichloroethane	5/22/2014	0.11	0.5	UG/L	225	J	W
1,1-Dichloroethylene	5/22/2014	5.3	0.5	UG/L	225		W
1,2-Dichloroethane	5/22/2014	0.24	0.5	UG/L	225	J	W
524.2 TVOC	5/22/2014	16.71	0	UG/L	225		W
Carbon tetrachloride	5/22/2014	0.38	0.5	UG/L	225	J	W
cis-1,2-Dichloroethylene	5/22/2014	0.28	0.5	UG/L	225	J	W
Trichloroethylene	5/22/2014	2.4	0.5	UG/L	225		W
1,1,1-Trichloroethane	3/7/2014	10	0.5	UG/L	225		W
1,1,2-Trichloroethane	3/7/2014	0.16	0.5	UG/L	225	J	W
1,1-Dichloroethane	3/7/2014	0.12	0.5	UG/L	225	J	W
1,1-Dichloroethylene	3/7/2014	6.3	0.5	UG/L	225		W
1,2-Dichloroethane	3/7/2014	0.31	0.5	UG/L	225	J	W
524.2 TVOC	3/7/2014	20.63	0	UG/L	225		W
Carbon tetrachloride	3/7/2014	0.47	0.5	UG/L	225	J	W
Chloroform	3/7/2014	0.17	0.5	UG/L	225	J	W
cis-1,2-Dichloroethylene	3/7/2014	0.3	0.5	UG/L	225	J	W
Trichloroethylene	3/7/2014	2.8	0.5	UG/L	225		W
1,1,1-Trichloroethane	12/16/2013	9.4	0.5	UG/L	225		W
1,1-Dichloroethane	12/16/2013	0.11	0.5	UG/L	225	J	W
1,1-Dichloroethylene	12/16/2013	3.9	0.5	UG/L	225		W
1,2-Dichloroethane	12/16/2013	0.33	0.5	UG/L	225	J	W
524.2 TVOC	12/16/2013	21.51	0	UG/L	225		W
Carbon tetrachloride	12/16/2013	3.1	0.5	UG/L	225		W
Chloroform	12/16/2013	0.25	0.5	UG/L	225	J	W
cis-1,2-Dichloroethylene	12/16/2013	0.32	0.5	UG/L	225	J	W
Trichloroethylene	12/16/2013	4.1	0.5	UG/L	225		W
1,1,1-Trichloroethane	9/13/2013	13	0.5	UG/L	225		W
1,1,2-Trichloroethane	9/13/2013	0.18	0.5	UG/L	225	J	W
1,1-Dichloroethane	9/13/2013	0.14	0.5	UG/L	225	J	W
1,1-Dichloroethylene	9/13/2013	6.2	0.5	UG/L	225		W
1,2-Dichloroethane	9/13/2013	0.44	0.5	UG/L	225	J	W
524.2 TVOC	9/13/2013	24.05	0	UG/L	225		W
Carbon tetrachloride	9/13/2013	0.61	0.5	UG/L	225		W
Chloroform	9/13/2013	0.19	0.5	UG/L	225	J	W

Appendix A

OU III LIPA Petition for Closure

2004 - 2024 Monitoring Well Analytical Data Summary - VOCs Detected Above Laboratory MDL

cis-1,2-Dichloroethylene	9/13/2013	0.39	0.5	UG/L	225	J	W
Trichloroethylene	9/13/2013	2.9	0.5	UG/L	225		W
1,1,1-Trichloroethane	6/6/2013	9.6	0.5	UG/L	225		W
1,1-Dichloroethane	6/6/2013	0.1	0.5	UG/L	225	J	W
1,1-Dichloroethylene	6/6/2013	4.3	0.5	UG/L	225		W
1,2-Dichloroethane	6/6/2013	0.34	0.5	UG/L	225	J	W
524.2 TVOC	6/6/2013	20.25	0	UG/L	225		W
Carbon tetrachloride	6/6/2013	2	0.5	UG/L	225		W
Chloroform	6/6/2013	0.25	0.5	UG/L	225	J	W
cis-1,2-Dichloroethylene	6/6/2013	0.26	0.5	UG/L	225	J	W
Trichloroethylene	6/6/2013	3.4	0.5	UG/L	225		W
1,1,1-Trichloroethane	2/19/2013	7.3	0.5	UG/L	225		W
1,1-Dichloroethane	2/19/2013	0.11	0.5	UG/L	225	J	W
1,1-Dichloroethylene	2/19/2013	1.8	0.5	UG/L	225		W
1,2-Dichloroethane	2/19/2013	0.34	0.5	UG/L	225	J	W
524.2 TVOC	2/19/2013	17.82	0	UG/L	225		W
Carbon tetrachloride	2/19/2013	4.2	0.5	UG/L	225		W
Chloroform	2/19/2013	0.39	0.5	UG/L	225	J	W
cis-1,2-Dichloroethylene	2/19/2013	0.28	0.5	UG/L	225	J	W
Trichloroethylene	2/19/2013	3.4	0.5	UG/L	225		W
1,1,1-Trichloroethane	11/20/2012	9.1	0.5	UG/L	225		W
1,1-Dichloroethane	11/20/2012	0.14	0.5	UG/L	225	J	W
1,1-Dichloroethylene	11/20/2012	4.7	0.5	UG/L	225		W
1,2-Dichloroethane	11/20/2012	0.38	0.5	UG/L	225	J	W
524.2 TVOC	11/20/2012	19.96	0	UG/L	225		W
Carbon tetrachloride	11/20/2012	1.9	0.5	UG/L	225		W
Chloroform	11/20/2012	0.32	0.5	UG/L	225	J	W
cis-1,2-Dichloroethylene	11/20/2012	0.42	0.5	UG/L	225	J	W
Trichloroethylene	11/20/2012	3	0.5	UG/L	225		W
1,1,1-Trichloroethane	8/21/2012	5.4	0.5	UG/L	225		W
1,1-Dichloroethane	8/21/2012	0.12	0.5	UG/L	225	J	W
1,1-Dichloroethylene	8/21/2012	3.4	0.5	UG/L	225		W
1,2-Dichloroethane	8/21/2012	0.34	0.5	UG/L	225	J	W
524.2 TVOC	8/21/2012	11.83	0	UG/L	225		W
Carbon tetrachloride	8/21/2012	0.85	0.5	UG/L	225		W
Chloroform	8/21/2012	0.45	0.5	UG/L	225	J	W
cis-1,2-Dichloroethylene	8/21/2012	0.39	0.5	UG/L	225	J	W
Trichloroethylene	8/21/2012	0.88	0.5	UG/L	225		W
1,1,1-Trichloroethane	5/18/2012	0.41	0.5	UG/L	225	J	W
524.2 TVOC	5/18/2012	8.44	0	UG/L	225		W
Carbon tetrachloride	5/18/2012	5	0.5	UG/L	225		W
Chloroform	5/18/2012	0.72	0.5	UG/L	225		W
Methyl tert-butyl ether	5/18/2012	0.21	0.5	UG/L	225	J	W
Trichloroethylene	5/18/2012	2.1	0.5	UG/L	225		W
1,1,1-Trichloroethane	2/10/2012	0.16	0.5	UG/L	225	J	W
524.2 TVOC	2/10/2012	1.52	0	UG/L	225		W
Carbon tetrachloride	2/10/2012	0.15	0.5	UG/L	225	J	W
Chloroform	2/10/2012	0.65	0.5	UG/L	225		W
Methyl tert-butyl ether	2/10/2012	0.13	0.5	UG/L	225	J	W
Trichloroethylene	2/10/2012	0.43	0.5	UG/L	225	J	W
1,1,1-Trichloroethane	12/2/2011	0.36	0.5	UG/L	225	J	W
524.2 TVOC	12/2/2011	1.34	0	UG/L	225		W
Carbon tetrachloride	12/2/2011	0.2	0.5	UG/L	225	J	W

Appendix A

OU III LIPA Petition for Closure

2004 - 2024 Monitoring Well Analytical Data Summary - VOCs Detected Above Laboratory MDL

Chloroform	12/2/2011	0.24	0.5	UG/L	225	J	W
Methyl tert-butyl ether	12/2/2011	0.13	0.5	UG/L	225	J	W
Trichloroethylene	12/2/2011	0.41	0.5	UG/L	225	J	W
1,1,1-Trichloroethane	8/8/2011	0.42	0.5	UG/L	225	J	W
1,1-Dichloroethylene	8/8/2011	0.25	0.5	UG/L	225	J	W
524.2 TVOC	8/8/2011	1.95	0	UG/L	225		W
Carbon tetrachloride	8/8/2011	0.24	0.5	UG/L	225	J	W
Methyl tert-butyl ether	8/8/2011	0.45	0.5	UG/L	225	J	W
Trichloroethylene	8/8/2011	0.59	0.5	UG/L	225		W
1,1,1-Trichloroethane	5/10/2011	0.2	0.5	UG/L	225	J	W
1,1-Dichloroethylene	5/10/2011	0.089	0.5	UG/L	225	J	W
524.2 TVOC	5/10/2011	3.279	0	UG/L	225		W
Carbon tetrachloride	5/10/2011	0.46	0.5	UG/L	225	J	W
Chloroform	5/10/2011	1.2	0.5	UG/L	225		W
Methyl tert-butyl ether	5/10/2011	0.23	0.5	UG/L	225	J	W
Trichloroethylene	5/10/2011	1.1	0.5	UG/L	225		W
1,1,1-Trichloroethane	1/19/2011	0.071	0.5	UG/L	225	J	W
1,1-Dichloroethylene	1/19/2011	0.11	0.5	UG/L	225	J	W
524.2 TVOC	1/19/2011	4.391	0	UG/L	225		W
Carbon tetrachloride	1/19/2011	1.6	0.5	UG/L	225		W
Chloroform	1/19/2011	0.84	0.5	UG/L	225		W
Methyl chloride	1/19/2011	0.13	0.5	UG/L	225	J	W
Methylene chloride	1/19/2011	0.24	0.5	UG/L	225	J	W
Trichloroethylene	1/19/2011	1.4	0.5	UG/L	225		W
1,1,1-Trichloroethane	12/3/2010	0.18	0.5	UG/L	225	J	W
524.2 TVOC	12/3/2010	5.89	0	UG/L	225		W
Carbon tetrachloride	12/3/2010	2.9	0.5	UG/L	225		W
Chloroform	12/3/2010	0.91	0.5	UG/L	225		W
Trichloroethylene	12/3/2010	1.9	0.5	UG/L	225		W
1,1,1-Trichloroethane	8/6/2010	0.22	0.5	UG/L	225	J	W
524.2 TVOC	8/6/2010	6.42	0	UG/L	225		W
Carbon tetrachloride	8/6/2010	3.8	0.5	UG/L	225		W
Methyl chloride	8/6/2010	0.2	0.5	UG/L	225	J	W
Trichloroethylene	8/6/2010	2.2	0.5	UG/L	225		W
1,1,1-Trichloroethane	4/27/2010	0.71	0.5	UG/L	225		W
1,1-Dichloroethylene	4/27/2010	0.31	0.5	UG/L	225	J	W
524.2 TVOC	4/27/2010	16.63	0	UG/L	225		W
Carbon tetrachloride	4/27/2010	7.3	0.5	UG/L	225		W
Chloroform	4/27/2010	1	0.5	UG/L	225		W
cis-1,2-Dichloroethylene	4/27/2010	0.1	0.5	UG/L	225	J	W
Methyl chloride	4/27/2010	0.21	0.5	UG/L	225	J	W
Trichloroethylene	4/27/2010	7	0.5	UG/L	225		W
1,1,1-Trichloroethane	1/27/2010	0.57	0.5	UG/L	225		W
1,1-Dichloroethylene	1/27/2010	0.25	0.5	UG/L	225	J	W
524.2 TVOC	1/27/2010	10.4	0	UG/L	225		W
Carbon tetrachloride	1/27/2010	4.9	0.5	UG/L	225		W
Chloroform	1/27/2010	0.93	0.5	UG/L	225		W
Methyl chloride	1/27/2010	0.15	0.5	UG/L	225	J	W
Trichloroethylene	1/27/2010	3.6	0.5	UG/L	225		W
1,1,1-Trichloroethane	11/17/2009	0.87	0.5	UG/L	225		W
1,1-Dichloroethylene	11/17/2009	0.49	0.5	UG/L	225	J	W
524.2 TVOC	11/17/2009	15.69	0	UG/L	225		W
Carbon tetrachloride	11/17/2009	7.2	0.5	UG/L	225		W

Appendix A

OU III LIPA Petition for Closure

2004 - 2024 Monitoring Well Analytical Data Summary - VOCs Detected Above Laboratory MDL

Chloroform	11/17/2009	1.2	0.5	UG/L	225		W
cis-1,2-Dichloroethylene	11/17/2009	0.15	0.5	UG/L	225	J	W
Methyl chloride	11/17/2009	0.18	0.5	UG/L	225	J	W
Trichloroethylene	11/17/2009	5.6	0.5	UG/L	225		W
1,1,1-Trichloroethane	8/11/2009	0.37	0.5	UG/L	225	J	W
1,1-Dichloroethylene	8/11/2009	0.16	0.5	UG/L	225	J	W
524.2 TVOC	8/11/2009	10.34	0	UG/L	225		W
Carbon tetrachloride	8/11/2009	4.8	0.5	UG/L	225		W
Chloroform	8/11/2009	1.7	0.5	UG/L	225		W
cis-1,2-Dichloroethylene	8/11/2009	0.2	0.5	UG/L	225	J	W
Methyl chloride	8/11/2009	0.21	0.5	UG/L	225	J B	W
Trichloroethylene	8/11/2009	2.9	0.5	UG/L	225		W
1,1,1-Trichloroethane	5/20/2009	0.11	0.5	UG/L	225	J	W
524.2 TVOC	5/20/2009	5.18	0	UG/L	225		W
Carbon tetrachloride	5/20/2009	0.61	0.5	UG/L	225		W
Chloroform	5/20/2009	2	0.5	UG/L	225		W
cis-1,2-Dichloroethylene	5/20/2009	0.28	0.5	UG/L	225	J	W
Methyl chloride	5/20/2009	0.12	0.5	UG/L	225	J	W
Methylene chloride	5/20/2009	0.16	0.5	UG/L	225	J B	W
Trichloroethylene	5/20/2009	1.9	0.5	UG/L	225		W
524.2 TVOC	2/13/2009	5.542	0	UG/L	225		W
Carbon tetrachloride	2/13/2009	0.29	0.5	UG/L	225	J	W
Chloroform	2/13/2009	3.1	0.5	UG/L	225		W
Methyl chloride	2/13/2009	0.072	0.5	UG/L	225	J	W
Methyl tert-butyl ether	2/13/2009	0.58	0.5	UG/L	225		W
Trichloroethylene	2/13/2009	1.5	0.5	UG/L	225		W
524.2 TVOC	11/26/2008	5.417	0	UG/L	225		W
Carbon tetrachloride	11/26/2008	0.28	0.5	UG/L	225	J	W
Chloroform	11/26/2008	1.8	0.5	UG/L	225		W
cis-1,2-Dichloroethylene	11/26/2008	1	0.5	UG/L	225		W
Methyl chloride	11/26/2008	0.047	0.5	UG/L	225	J	W
Methyl tert-butyl ether	11/26/2008	0.69	0.5	UG/L	225		W
Trichloroethylene	11/26/2008	1.6	0.5	UG/L	225		W
1,1,1-Trichloroethane	8/5/2008	0.18	0.5	UG/L	225	J	W
1,1-Dichloroethylene	8/5/2008	0.16	0.5	UG/L	225	J	W
524.2 TVOC	8/5/2008	8.94	0	UG/L	225		W
Carbon tetrachloride	8/5/2008	2.2	0.5	UG/L	225		W
Chloroform	8/5/2008	0.66	0.5	UG/L	225		W
cis-1,2-Dichloroethylene	8/5/2008	0.54	0.5	UG/L	225		W
Methyl chloride	8/5/2008	0.13	0.5	UG/L	225	J	W
Methyl tert-butyl ether	8/5/2008	0.37	0.5	UG/L	225	J	W
Trichloroethylene	8/5/2008	4.7	0.5	UG/L	225		W
524.2 TVOC	5/23/2008	4.44	0	UG/L	225		W
Carbon tetrachloride	5/23/2008	0.62	0.5	UG/L	225		W
Chloroform	5/23/2008	0.99	0.5	UG/L	225		W
cis-1,2-Dichloroethylene	5/23/2008	0.54	0.5	UG/L	225		W
Methyl tert-butyl ether	5/23/2008	0.39	0.5	UG/L	225	J	W
Trichloroethylene	5/23/2008	1.9	0.5	UG/L	225		W
524.2 TVOC	2/5/2008	3.46	0	UG/L	225		W
Carbon tetrachloride	2/5/2008	0.39	0.5	UG/L	225	J	W
Chloroform	2/5/2008	0.27	0.5	UG/L	225	J	W
Methyl tert-butyl ether	2/5/2008	1.5	0.5	UG/L	225		W
Trichloroethylene	2/5/2008	1.3	0.5	UG/L	225		W

Appendix A

OU III LIPA Petition for Closure

2004 - 2024 Monitoring Well Analytical Data Summary - VOCs Detected Above Laboratory MDL

524.2 TVOC	11/28/2007	3.65	0	UG/L	225		W
Carbon tetrachloride	11/28/2007	0.31	0.5	UG/L	225	J	W
Chloroform	11/28/2007	0.14	0.5	UG/L	225	J	W
Methyl tert-butyl ether	11/28/2007	2.2	0.5	UG/L	225		W
Trichloroethylene	11/28/2007	1	0.5	UG/L	225		W
524.2 TVOC	7/31/2007	4.14	0	UG/L	225		W
Carbon tetrachloride	7/31/2007	0.34	0.5	UG/L	225	J	W
Chloroform	7/31/2007	0.34	0.5	UG/L	225	J	W
Methyl tert-butyl ether	7/31/2007	1.7	0.5	UG/L	225		W
Methylene chloride	7/31/2007	0.16	0.5	UG/L	225	J B	W
Trichloroethylene	7/31/2007	1.6	0.5	UG/L	225		W
1,1,1-Trichloroethane	5/29/2007	0.16	0.5	UG/L	225	J	W
1,1-Dichloroethylene	5/29/2007	0.056	0.5	UG/L	225	J	W
524.2 TVOC	5/29/2007	4.266	0	UG/L	225		W
Carbon tetrachloride	5/29/2007	0.67	0.5	UG/L	225		W
Chloroform	5/29/2007	0.73	0.5	UG/L	225		W
Methyl tert-butyl ether	5/29/2007	0.45	0.5	UG/L	225	J	W
Trichloroethylene	5/29/2007	2.2	0.5	UG/L	225		W
1,1,1-Trichloroethane	2/12/2007	0.47	0.5	UG/L	225	J	W
1,1-Dichloroethylene	2/12/2007	0.14	0.5	UG/L	225	J	W
524.2 TVOC	2/12/2007	12.53	0	UG/L	225		W
Carbon tetrachloride	2/12/2007	4.7	0.5	UG/L	225		W
Chloroform	2/12/2007	0.92	0.5	UG/L	225		W
Trichloroethylene	2/12/2007	6.3	0.5	UG/L	225		W
1,1,1-Trichloroethane	11/30/2006	0.82	0.5	UG/L	225		W
1,1-Dichloroethylene	11/30/2006	0.31	0.5	UG/L	225	J	W
524.2 TVOC	11/30/2006	23.23	0	UG/L	225		W
Carbon tetrachloride	11/30/2006	9.2	0.5	UG/L	225		W
Chloroform	11/30/2006	0.77	0.5	UG/L	225		W
cis-1,2-Dichloroethylene	11/30/2006	0.13	0.5	UG/L	225	J	W
Trichloroethylene	11/30/2006	12	0.5	UG/L	225		W
1,1,1-Trichloroethane	8/29/2006	1.1	0.5	UG/L	225		W
1,1-Dichloroethylene	8/29/2006	0.47	0.5	UG/L	225	J	W
524.2 TVOC	8/29/2006	30.56	0	UG/L	225		W
Carbon tetrachloride	8/29/2006	12	0.5	UG/L	225		W
Chloroform	8/29/2006	0.83	0.5	UG/L	225		W
cis-1,2-Dichloroethylene	8/29/2006	0.16	0.5	UG/L	225	J	W
Trichloroethylene	8/29/2006	16	0.5	UG/L	225		W
1,1,1-Trichloroethane	6/8/2006	4.2	0.5	UG/L	225		W
1,1-Dichloroethane	6/8/2006	0.15	0.5	UG/L	225	J	W
1,1-Dichloroethylene	6/8/2006	2.2	0.5	UG/L	225		W
524.2 TVOC	6/8/2006	82.03	0	UG/L	225		W
Carbon tetrachloride	6/8/2006	28	0.5	UG/L	225		W
Chloroform	6/8/2006	1.8	0.5	UG/L	225		W
cis-1,2-Dichloroethylene	6/8/2006	0.68	0.5	UG/L	225		W
Trichloroethylene	6/8/2006	45	1	UG/L	225	D	W
1,1,1-Trichloroethane	3/20/2006	7.3	0.5	UG/L	225		W
1,1-Dichloroethane	3/20/2006	0.24	0.5	UG/L	225	J	W
1,1-Dichloroethylene	3/20/2006	5.6	0.5	UG/L	225		W
1,2-Dichloroethane	3/20/2006	1.1	0.5	UG/L	225		W
524.2 TVOC	3/20/2006	104.04	0	UG/L	225		W
Carbon tetrachloride	3/20/2006	20	0.5	UG/L	225		W
Chloroform	3/20/2006	1.8	0.5	UG/L	225		W

Appendix A

OU III LIPA Petition for Closure

2004 - 2024 Monitoring Well Analytical Data Summary - VOCs Detected Above Laboratory MDL

cis-1,2-Dichloroethylene	3/20/2006	2	0.5	UG/L	225		W
Trichloroethylene	3/20/2006	66	2.5	UG/L	225	D	W
1,1,1-Trichloroethane	12/16/2005	12	0.5	UG/L	225		W
1,1-Dichloroethane	12/16/2005	0.35	0.5	UG/L	225	J	W
1,1-Dichloroethylene	12/16/2005	9.7	0.5	UG/L	225		W
1,2-Dichloroethane	12/16/2005	2	0.5	UG/L	225		W
524.2 TVOC	12/16/2005	166.334	0	UG/L	225		W
Carbon tetrachloride	12/16/2005	16	0.5	UG/L	225		W
Chloroform	12/16/2005	1.8	0.5	UG/L	225		W
cis-1,2-Dichloroethylene	12/16/2005	4.4	0.5	UG/L	225		W
Tetrachloroethylene	12/16/2005	0.084	0.5	UG/L	225	J	W
Trichloroethylene	12/16/2005	120	5	UG/L	225	D	W
1,1,1-Trichloroethane	8/19/2005	19	0.5	UG/L	225		W
1,1-Dichloroethane	8/19/2005	0.49	0.5	UG/L	225	J	W
1,1-Dichloroethylene	8/19/2005	18	0.5	UG/L	225		W
1,2-Dichloroethane	8/19/2005	3.2	0.5	UG/L	225		W
524.2 TVOC	8/19/2005	195.99	0	UG/L	225		W
Carbon tetrachloride	8/19/2005	16	10	UG/L	225	D	W
Chloroform	8/19/2005	2.2	0.5	UG/L	225		W
cis-1,2-Dichloroethylene	8/19/2005	7.1	0.5	UG/L	225		W
Trichloroethylene	8/19/2005	130	10	UG/L	225	D	W
1,1,1-Trichloroethane	5/31/2005	23	0.5	UG/L	225		W
1,1-Dichloroethane	5/31/2005	0.52	0.5	UG/L	225		W
1,1-Dichloroethylene	5/31/2005	18	0.5	UG/L	225		W
1,2-Dichloroethane	5/31/2005	3.1	0.5	UG/L	225		W
524.2 TVOC	5/31/2005	264.32	0	UG/L	225		W
Carbon tetrachloride	5/31/2005	20	0.5	UG/L	225		W
Chloroform	5/31/2005	2.1	0.5	UG/L	225		W
cis-1,2-Dichloroethylene	5/31/2005	7.6	0.5	UG/L	225		W
Trichloroethylene	5/31/2005	190	10	UG/L	225	D	W
1,1,1-Trichloroethane	3/28/2005	26	0.5	UG/L	225		W
1,1-Dichloroethane	3/28/2005	0.57	0.5	UG/L	225		W
1,1-Dichloroethylene	3/28/2005	19	0.5	UG/L	225		W
1,2-Dichloroethane	3/28/2005	3.1	0.5	UG/L	225		W
524.2 TVOC	3/28/2005	236.17	0	UG/L	225		W
Carbon tetrachloride	3/28/2005	18	0.5	UG/L	225		W
Chloroform	3/28/2005	2.1	0.5	UG/L	225		W
cis-1,2-Dichloroethylene	3/28/2005	7.4	0.5	UG/L	225		W
Trichloroethylene	3/28/2005	160	12	UG/L	225	D	W
1,1,1-Trichloroethane	12/9/2004	18	0.5	UG/L	225		W
1,1-Dichloroethane	12/9/2004	0.46	0.5	UG/L	225	J	W
1,1-Dichloroethylene	12/9/2004	16	0.5	UG/L	225		W
1,2-Dichloroethane	12/9/2004	3	0.5	UG/L	225		W
524.2 TVOC	12/9/2004	212.16	0	UG/L	225		W
Carbon tetrachloride	12/9/2004	16	0.5	UG/L	225		W
Chloroform	12/9/2004	1.9	0.5	UG/L	225		W
cis-1,2-Dichloroethylene	12/9/2004	6.8	0.5	UG/L	225		W
Trichloroethylene	12/9/2004	150	5	UG/L	225	D	W
1,1,1-Trichloroethane	7/20/2004	12	0.5	UG/L	225		W
1,1-Dichloroethylene	7/20/2004	12	0.5	UG/L	225		W
1,2-Dichloroethane	7/20/2004	2.5	0.5	UG/L	225		W
524.2 TVOC	7/20/2004	152	0	UG/L	225		W
Carbon tetrachloride	7/20/2004	23	0.5	UG/L	225		W

Appendix A

OU III LIPA Petition for Closure

2004 - 2024 Monitoring Well Analytical Data Summary - VOCs Detected Above Laboratory MDL

Chloroform	7/20/2004	2	0.5	UG/L	225		W
cis-1,2-Dichloroethylene	7/20/2004	5.5	0.5	UG/L	225		W
Trichloroethylene	7/20/2004	95	2.5	UG/L	225	D	W
1,1,1-Trichloroethane	6/21/2004	12	0.5	UG/L	225		W
1,1-Dichloroethylene	6/21/2004	11	0.5	UG/L	225		W
1,2-Dichloroethane	6/21/2004	2	0.5	UG/L	225		W
524.2 TVOC	6/21/2004	53.9	0	UG/L	225		W
Carbon tetrachloride	6/21/2004	22	0.5	UG/L	225		W
Chloroform	6/21/2004	1.8	0.5	UG/L	225		W
cis-1,2-Dichloroethylene	6/21/2004	5.1	0.5	UG/L	225		W

Site ID : 000-425

Chemical Name	Sample Date	Value	Detlim	Units	Depth	Qual	Matrix
8260 TVOC	10/26/2023	2.31	0	UG/L	315		W
Chloroform	10/26/2023	0.51	0.5	UG/L	315	J	W
Tetrachloroethylene	10/26/2023	1.31	0.5	UG/L	315		W
Trichloroethylene	10/26/2023	0.49	0.5	UG/L	315	J	W
1,1,1-Trichloroethane	9/1/2023	0.37	0.5	UG/L	315	J	W
8260 TVOC	9/1/2023	3.09	0	UG/L	315		W
Carbon tetrachloride	9/1/2023	0.26	0.5	UG/L	315	J	W
Chloroform	9/1/2023	0.43	0.5	UG/L	315	J	W
Tetrachloroethylene	9/1/2023	1.5	0.5	UG/L	315		W
Trichloroethylene	9/1/2023	0.53	0.5	UG/L	315		W
1,1,1-Trichloroethane	6/12/2023	0.34	0.5	UG/L	315	J	W
1,1-Dichloroethylene	6/12/2023	0.2	0.5	UG/L	315	J	W
8260 TVOC	6/12/2023	3.58	0	UG/L	315		W
Carbon tetrachloride	6/12/2023	0.33	0.5	UG/L	315	J	W
Chloroform	6/12/2023	0.46	0.5	UG/L	315	J	W
Tetrachloroethylene	6/12/2023	1.4	0.5	UG/L	315		W
Trichloroethylene	6/12/2023	0.85	0.5	UG/L	315		W
1,1,1-Trichloroethane	3/3/2023	0.36	0.5	UG/L	315	J	W
1,1-Dichloroethylene	3/3/2023	0.18	0.5	UG/L	315	J	W
8260 TVOC	3/3/2023	3.35	0	UG/L	315		W
Carbon tetrachloride	3/3/2023	0.3	0.5	UG/L	315	J	W
Chloroform	3/3/2023	0.44	0.5	UG/L	315	J	W
Tetrachloroethylene	3/3/2023	1.7	0.5	UG/L	315		W
Trichloroethylene	3/3/2023	0.37	0.5	UG/L	315	J	W
1,1,1-Trichloroethane	12/13/2022	0.37	0.5	UG/L	315	J	W
8260 TVOC	12/13/2022	3.36	0	UG/L	315		W
Carbon tetrachloride	12/13/2022	0.34	0.5	UG/L	315	J	W
Tetrachloroethylene	12/13/2022	2	0.5	UG/L	315		W
Trichloroethylene	12/13/2022	0.65	0.5	UG/L	315		W
1,1,1-Trichloroethane	5/25/2022	0.51	0.5	UG/L	315		W
1,1-Dichloroethylene	5/25/2022	0.25	0.5	UG/L	315	J	W
8260 TVOC	5/25/2022	4.15	0	UG/L	315		W
Carbon tetrachloride	5/25/2022	0.34	0.5	UG/L	315	J	W
Chloroform	5/25/2022	0.52	0.5	UG/L	315		W
Tetrachloroethylene	5/25/2022	1.9	0.5	UG/L	315		W
Trichloroethylene	5/25/2022	0.63	0.5	UG/L	315		W
1,1,1-Trichloroethane	12/6/2021	0.39	0.5	UG/L	315	J	W
1,1-Dichloroethylene	12/6/2021	0.27	0.5	UG/L	315	J	W
8260 TVOC	12/6/2021	4.02	0	UG/L	315		W

Appendix A

OU III LIPA Petition for Closure

2004 - 2024 Monitoring Well Analytical Data Summary - VOCs Detected Above Laboratory MDL

Chloroform	12/6/2021	0.37	0.5	UG/L	315	J	W
Tetrachloroethylene	12/6/2021	2.2	0.5	UG/L	315		W
Trichloroethylene	12/6/2021	0.79	0.5	UG/L	315		W
1,1,1-Trichloroethane	6/2/2021	0.6	0.5	UG/L	315		W
1,1-Dichloroethylene	6/2/2021	0.3	0.5	UG/L	315	J	W
524.2 TVOC	6/2/2021	4.62	0	UG/L	315		W
Carbon tetrachloride	6/2/2021	0.38	0.5	UG/L	315	J	W
Chloroform	6/2/2021	0.62	0.5	UG/L	315		W
Tetrachloroethylene	6/2/2021	2	0.5	UG/L	315		W
Trichloroethylene	6/2/2021	0.72	0.5	UG/L	315		W
1,1,1-Trichloroethane	12/28/2020	0.55	0.5	UG/L	315		W
1,1-Dichloroethylene	12/28/2020	0.27	0.5	UG/L	315	J	W
524.2 TVOC	12/28/2020	4.49	0	UG/L	315		W
Carbon tetrachloride	12/28/2020	0.32	0.5	UG/L	315	J	W
Chloroform	12/28/2020	0.59	0.5	UG/L	315		W
Tetrachloroethylene	12/28/2020	2	0.5	UG/L	315		W
Trichloroethylene	12/28/2020	0.76	0.5	UG/L	315		W
1,1,1-Trichloroethane	7/7/2020	0.55	0.5	UG/L	315		W
1,1-Dichloroethylene	7/7/2020	0.33	0.5	UG/L	315	J	W
524.2 TVOC	7/7/2020	4.29	0	UG/L	315		W
Carbon tetrachloride	7/7/2020	0.29	0.5	UG/L	315	J	W
Chloroform	7/7/2020	0.6	0.5	UG/L	315		W
Tetrachloroethylene	7/7/2020	1.8	0.5	UG/L	315		W
Trichloroethylene	7/7/2020	0.72	0.5	UG/L	315		W
1,1,1-Trichloroethane	12/12/2019	0.46	0.5	UG/L	315	J	W
1,1-Dichloroethylene	12/12/2019	0.24	0.5	UG/L	315	J	W
524.2 TVOC	12/12/2019	3.1	0	UG/L	315		W
Carbon tetrachloride	12/12/2019	0.25	0.5	UG/L	315	J	W
Tetrachloroethylene	12/12/2019	1.5	0.5	UG/L	315		W
Trichloroethylene	12/12/2019	0.65	0.5	UG/L	315		W
524.2 TVOC	5/20/2019	2.22	0	UG/L	315		W
Tetrachloroethylene	5/20/2019	1.5	0.5	UG/L	315		W
Trichloroethylene	5/20/2019	0.72	0.5	UG/L	315		W
1,1,1-Trichloroethane	12/28/2018	0.48	0.5	UG/L	315	J	W
1,1-Dichloroethylene	12/28/2018	0.3	0.5	UG/L	315	J	W
524.2 TVOC	12/28/2018	4	0	UG/L	315		W
Carbon tetrachloride	12/28/2018	0.37	0.5	UG/L	315	J	W
Chloroform	12/28/2018	0.4	0.5	UG/L	315	J	W
Tetrachloroethylene	12/28/2018	1.74	0.5	UG/L	315		W
Trichloroethylene	12/28/2018	0.71	0.5	UG/L	315		W
524.2 TVOC	8/27/2018	0	0	UG/L	298		W
1,1,1-Trichloroethane	6/11/2018	0.6	0.5	UG/L	315		W
1,1-Dichloroethylene	6/11/2018	0.29	0.5	UG/L	315	J	W
524.2 TVOC	6/11/2018	4.89	0	UG/L	315		W
Carbon tetrachloride	6/11/2018	0.6	0.5	UG/L	315		W
Chloroform	6/11/2018	0.41	0.5	UG/L	315	J	W
Methylene chloride	6/11/2018	0.74	0.5	UG/L	315		W
Tetrachloroethylene	6/11/2018	1.4	0.5	UG/L	315		W
Trichloroethylene	6/11/2018	0.85	0.5	UG/L	315		W
1,1,1-Trichloroethane	11/21/2017	0.55	0.5	UG/L	315		W
1,1-Dichloroethylene	11/21/2017	0.31	0.5	UG/L	315	J	W
524.2 TVOC	11/21/2017	4.26	0	UG/L	315		W
Carbon tetrachloride	11/21/2017	0.4	0.5	UG/L	315	J	W

Appendix A

OU III LIPA Petition for Closure

2004 - 2024 Monitoring Well Analytical Data Summary - VOCs Detected Above Laboratory MDL

Chloroform	11/21/2017	0.3	0.5	UG/L	315	J	W
Tetrachloroethylene	11/21/2017	1.6	0.5	UG/L	315		W
Trichloroethylene	11/21/2017	1.1	0.5	UG/L	315		W
1,1,1-Trichloroethane	5/18/2017	0.59	0.5	UG/L	315		W
1,1-Dichloroethylene	5/18/2017	0.3	0.5	UG/L	315	J	W
524.2 TVOC	5/18/2017	3.96	0	UG/L	315		W
Carbon tetrachloride	5/18/2017	0.54	0.5	UG/L	315		W
Chloroform	5/18/2017	0.33	0.5	UG/L	315	J	W
Tetrachloroethylene	5/18/2017	1.1	0.5	UG/L	315		W
Trichloroethylene	5/18/2017	1.1	0.5	UG/L	315		W
1,1,1-Trichloroethane	11/29/2016	0.34	0.5	UG/L	315	J	W
524.2 TVOC	11/29/2016	3.51	0	UG/L	315		W
Carbon tetrachloride	11/29/2016	1.4	0.5	UG/L	315		W
Chloroform	11/29/2016	0.37	0.5	UG/L	315	J	W
Trichloroethylene	11/29/2016	1.4	0.5	UG/L	315		W
1,1,1-Trichloroethane	5/11/2016	0.66	0.5	UG/L	315		W
1,1-Dichloroethylene	5/11/2016	0.35	0.5	UG/L	315	J	W
524.2 TVOC	5/11/2016	5.47	0	UG/L	315		W
Carbon tetrachloride	5/11/2016	1.9	0.5	UG/L	315		W
Chloroform	5/11/2016	0.42	0.5	UG/L	315	J	W
Tetrachloroethylene	5/11/2016	0.24	0.5	UG/L	315	J	W
Trichloroethylene	5/11/2016	1.9	0.5	UG/L	315		W
1,1,1-Trichloroethane	12/29/2015	0.31	0.5	UG/L	315	J	W
1,1-Dichloroethane	12/29/2015	0.13	0.5	UG/L	315	J	W
1,1-Dichloroethylene	12/29/2015	0.16	0.5	UG/L	315	J	W
524.2 TVOC	12/29/2015	5.07	0	UG/L	315		W
Carbon tetrachloride	12/29/2015	2.5	0.5	UG/L	315		W
Chloroform	12/29/2015	0.47	0.5	UG/L	315	J	W
Trichloroethylene	12/29/2015	1.5	0.5	UG/L	315		W
1,1,1-Trichloroethane	5/19/2015	0.42	0.5	UG/L	315	J	W
1,1-Dichloroethylene	5/19/2015	0.25	0.5	UG/L	315	J	W
524.2 TVOC	5/19/2015	2.97	0	UG/L	315		W
Carbon tetrachloride	5/19/2015	1.1	0.5	UG/L	315		W
Trichloroethylene	5/19/2015	1.2	0.5	UG/L	315		W
1,1,1-Trichloroethane	3/13/2015	0.22	0.5	UG/L	315	J	W
1,1-Dichloroethane	3/13/2015	0.094	0.5	UG/L	315	J	W
524.2 TVOC	3/13/2015	2.914	0	UG/L	315		W
Carbon tetrachloride	3/13/2015	1.1	0.5	UG/L	315		W
Chloroform	3/13/2015	0.2	0.5	UG/L	315	J	W
Trichloroethylene	3/13/2015	1.3	0.5	UG/L	315		W
1,1,1-Trichloroethane	12/12/2014	0.62	0.5	UG/L	315		W
1,1-Dichloroethylene	12/12/2014	0.091	0.5	UG/L	315	J	W
524.2 TVOC	12/12/2014	5.071	0	UG/L	315		W
Carbon tetrachloride	12/12/2014	1.6	0.5	UG/L	315		W
Chloroform	12/12/2014	0.36	0.5	UG/L	315	J	W
Tetrachloroethylene	12/12/2014	0.2	0.5	UG/L	315	J	W
Trichloroethylene	12/12/2014	2.2	0.5	UG/L	315		W
1,1,1-Trichloroethane	8/13/2014	0.72	0.5	UG/L	315		W
1,1-Dichloroethylene	8/13/2014	0.31	0.5	UG/L	315	J	W
524.2 TVOC	8/13/2014	3.73	0	UG/L	315		W
Carbon tetrachloride	8/13/2014	1.2	0.5	UG/L	315		W
Trichloroethylene	8/13/2014	1.5	0.5	UG/L	315		W
1,1,1-Trichloroethane	5/20/2014	0.5	0.5	UG/L	315		W

Appendix A

OU III LIPA Petition for Closure

2004 - 2024 Monitoring Well Analytical Data Summary - VOCs Detected Above Laboratory MDL

1,1-Dichloroethylene	5/20/2014	0.22	0.5	UG/L	315	J	W
524.2 TVOC	5/20/2014	3.45	0	UG/L	315		W
Carbon tetrachloride	5/20/2014	0.92	0.5	UG/L	315		W
Chloroform	5/20/2014	0.31	0.5	UG/L	315	J	W
Trichloroethylene	5/20/2014	1.5	0.5	UG/L	315		W
1,1,1-Trichloroethane	2/27/2014	0.14	0.5	UG/L	315	J	W
1,1-Dichloroethane	2/27/2014	0.074	0.5	UG/L	315	J	W
524.2 TVOC	2/27/2014	2.294	0	UG/L	315		W
Carbon tetrachloride	2/27/2014	1.1	0.5	UG/L	315		W
Trichloroethylene	2/27/2014	0.98	0.5	UG/L	315		W
1,1,1-Trichloroethane	12/17/2013	0.12	0.5	UG/L	315	J	W
1,1-Dichloroethylene	12/17/2013	0.11	0.5	UG/L	315	J	W
524.2 TVOC	12/17/2013	2.22	0	UG/L	315		W
Carbon tetrachloride	12/17/2013	0.93	0.5	UG/L	315		W
Chloroform	12/17/2013	0.15	0.5	UG/L	315	J	W
Trichloroethylene	12/17/2013	0.91	0.5	UG/L	315		W
1,1,1-Trichloroethane	9/13/2013	0.15	0.5	UG/L	315	J	W
524.2 TVOC	9/13/2013	2.49	0	UG/L	315		W
Carbon tetrachloride	9/13/2013	1.2	0.5	UG/L	315		W
Chloroform	9/13/2013	0.14	0.5	UG/L	315	J	W
Trichloroethylene	9/13/2013	1	0.5	UG/L	315		W
1,1,1-Trichloroethane	6/6/2013	0.38	0.5	UG/L	315	J	W
1,1-Dichloroethylene	6/6/2013	0.14	0.5	UG/L	315	J	W
524.2 TVOC	6/6/2013	4.02	0	UG/L	315		W
Carbon tetrachloride	6/6/2013	1.7	0.5	UG/L	315		W
Chloroform	6/6/2013	0.3	0.5	UG/L	315	J	W
Trichloroethylene	6/6/2013	1.5	0.5	UG/L	315		W
1,1,1-Trichloroethane	2/20/2013	0.96	0.5	UG/L	315		W
1,1-Dichloroethylene	2/20/2013	0.41	0.5	UG/L	315	J	W
524.2 TVOC	2/20/2013	6.49	0	UG/L	315		W
Carbon tetrachloride	2/20/2013	2	0.5	UG/L	315		W
Chloroform	2/20/2013	0.48	0.5	UG/L	315	J	W
Tetrachloroethylene	2/20/2013	0.24	0.5	UG/L	315	J	W
Trichloroethylene	2/20/2013	2.4	0.5	UG/L	315		W
1,1,1-Trichloroethane	11/20/2012	0.4	0.5	UG/L	315	J	W
524.2 TVOC	11/20/2012	6.45	0	UG/L	315		W
Carbon tetrachloride	11/20/2012	2.6	0.5	UG/L	315		W
Chloroform	11/20/2012	0.34	0.5	UG/L	315	J	W
Toluene	11/20/2012	0.11	0.5	UG/L	315	J	W
Trichloroethylene	11/20/2012	3	0.5	UG/L	315		W
1,1,1-Trichloroethane	8/21/2012	0.21	0.5	UG/L	315	J	W
1,1-Dichloroethane	8/21/2012	0.081	0.5	UG/L	315	J	W
1,1-Dichloroethylene	8/21/2012	0.12	0.5	UG/L	315	J	W
524.2 TVOC	8/21/2012	3.531	0	UG/L	315		W
Carbon tetrachloride	8/21/2012	1.5	0.5	UG/L	315		W
Chloroform	8/21/2012	0.22	0.5	UG/L	315	J	W
Trichloroethylene	8/21/2012	1.4	0.5	UG/L	315		W
1,1,1-Trichloroethane	5/17/2012	0.76	0.5	UG/L	315		W
1,1-Dichloroethylene	5/17/2012	0.43	0.5	UG/L	315	J	W
524.2 TVOC	5/17/2012	10.06	0	UG/L	315		W
Carbon tetrachloride	5/17/2012	4.6	0.5	UG/L	315		W
Chloroform	5/17/2012	0.57	0.5	UG/L	315		W
Trichloroethylene	5/17/2012	3.7	0.5	UG/L	315		W

Appendix A

OU III LIPA Petition for Closure

2004 - 2024 Monitoring Well Analytical Data Summary - VOCs Detected Above Laboratory MDL

1,1,1-Trichloroethane	2/9/2012	0.25	0.5	UG/L	315	J	W
1,1-Dichloroethylene	2/9/2012	0.099	0.5	UG/L	315	J	W
524.2 TVOC	2/9/2012	3.649	0	UG/L	315		W
Carbon tetrachloride	2/9/2012	1.7	0.5	UG/L	315		W
Chloroform	2/9/2012	0.3	0.5	UG/L	315	J	W
Trichloroethylene	2/9/2012	1.3	0.5	UG/L	315		W
1,1,1-Trichloroethane	12/1/2011	0.36	0.5	UG/L	315	J	W
524.2 TVOC	12/1/2011	2.513	0	UG/L	315		W
Carbon tetrachloride	12/1/2011	1.2	0.5	UG/L	315		W
Chloroform	12/1/2011	0.22	0.5	UG/L	315	J	W
Methyl chloride	12/1/2011	0.083	0.5	UG/L	315	J	W
Trichloroethylene	12/1/2011	0.65	0.5	UG/L	315		W
1,1,1-Trichloroethane	5/9/2011	1.2	0.5	UG/L	315		W
1,1-Dichloroethylene	5/9/2011	0.68	0.5	UG/L	315		W
524.2 TVOC	5/9/2011	6.793	0	UG/L	315		W
Carbon tetrachloride	5/9/2011	1.9	0.5	UG/L	315		W
Chloroform	5/9/2011	0.32	0.5	UG/L	315	J	W
cis-1,2-Dichloroethylene	5/9/2011	0.093	0.5	UG/L	315	J	W
Trichloroethylene	5/9/2011	2.6	0.5	UG/L	315		W
1,1,1-Trichloroethane	1/18/2011	0.28	0.5	UG/L	315	J	W
1,1-Dichloroethane	1/18/2011	0.072	0.5	UG/L	315	J	W
1,1-Dichloroethylene	1/18/2011	0.17	0.5	UG/L	315	J	W
524.2 TVOC	1/18/2011	3.912	0	UG/L	315		W
Carbon tetrachloride	1/18/2011	1.4	0.5	UG/L	315		W
Chloroform	1/18/2011	0.25	0.5	UG/L	315	J	W
Methyl chloride	1/18/2011	0.14	0.5	UG/L	315	J	W
Trichloroethylene	1/18/2011	1.6	0.5	UG/L	315		W
1,1,1-Trichloroethane	11/23/2010	0.45	0.5	UG/L	315	J	W
1,1-Dichloroethylene	11/23/2010	0.22	0.5	UG/L	315	J	W
524.2 TVOC	11/23/2010	6.453	0	UG/L	315		W
Carbon tetrachloride	11/23/2010	2.6	0.5	UG/L	315		W
Chloroform	11/23/2010	0.41	0.5	UG/L	315	J	W
Methyl chloride	11/23/2010	0.093	0.5	UG/L	315	J	W
Methylene chloride	11/23/2010	0.28	0.5	UG/L	315	J	W
Trichloroethylene	11/23/2010	2.4	0.5	UG/L	315		W
1,1,1-Trichloroethane	8/5/2010	0.67	0.5	UG/L	315		W
1,1-Dichloroethane	8/5/2010	0.085	0.5	UG/L	315	J	W
1,1-Dichloroethylene	8/5/2010	0.31	0.5	UG/L	315	J	W
524.2 TVOC	8/5/2010	9.825	0	UG/L	315		W
Carbon tetrachloride	8/5/2010	4.1	0.5	UG/L	315		W
Chloroform	8/5/2010	0.47	0.5	UG/L	315	J	W
cis-1,2-Dichloroethylene	8/5/2010	0.11	0.5	UG/L	315	J	W
Methyl chloride	8/5/2010	0.18	0.5	UG/L	315	J	W
Trichloroethylene	8/5/2010	3.9	0.5	UG/L	315		W
1,1,1-Trichloroethane	4/22/2010	0.24	0.5	UG/L	315	J	W
1,1-Dichloroethylene	4/22/2010	0.15	0.5	UG/L	315	J	W
524.2 TVOC	4/22/2010	4	0	UG/L	315		W
Carbon tetrachloride	4/22/2010	1.5	0.5	UG/L	315		W
Chloroform	4/22/2010	0.18	0.5	UG/L	315	J	W
Methyl chloride	4/22/2010	0.13	0.5	UG/L	315	J	W
Trichloroethylene	4/22/2010	1.8	0.5	UG/L	315		W
1,1,1-Trichloroethane	1/26/2010	0.41	0.5	UG/L	315	J	W
1,1-Dichloroethylene	1/26/2010	0.22	0.5	UG/L	315	J	W

Appendix A

OU III LIPA Petition for Closure

2004 - 2024 Monitoring Well Analytical Data Summary - VOCs Detected Above Laboratory MDL

524.2 TVOC	1/26/2010	6.04	0	UG/L	315		W
Carbon tetrachloride	1/26/2010	2.4	0.5	UG/L	315		W
Chloroform	1/26/2010	0.26	0.5	UG/L	315	J	W
Methyl chloride	1/26/2010	0.15	0.5	UG/L	315	J	W
Trichloroethylene	1/26/2010	2.6	0.5	UG/L	315		W
1,1,1-Trichloroethane	11/13/2009	0.35	0.5	UG/L	315	J	W
1,1-Dichloroethylene	11/13/2009	0.2	0.5	UG/L	315	J	W
524.2 TVOC	11/13/2009	4.99	0	UG/L	315		W
Carbon tetrachloride	11/13/2009	2	0.5	UG/L	315		W
Chloroform	11/13/2009	0.24	0.5	UG/L	315	J	W
Trichloroethylene	11/13/2009	2.2	0.5	UG/L	315		W
1,1,1-Trichloroethane	8/4/2009	0.36	0.5	UG/L	315	J	W
1,1-Dichloroethylene	8/4/2009	0.23	0.5	UG/L	315	J	W
524.2 TVOC	8/4/2009	5.83	0	UG/L	315		W
Carbon tetrachloride	8/4/2009	2.4	0.5	UG/L	315		W
Chloroform	8/4/2009	0.25	0.5	UG/L	315	J	W
Methyl chloride	8/4/2009	0.19	0.5	UG/L	315	J	W
Trichloroethylene	8/4/2009	2.4	0.5	UG/L	315		W
1,1,1-Trichloroethane	5/8/2009	0.61	0.5	UG/L	315		W
1,1-Dichloroethylene	5/8/2009	0.28	0.5	UG/L	315	J	W
524.2 TVOC	5/8/2009	8.17	0	UG/L	315		W
Carbon tetrachloride	5/8/2009	3.3	0.5	UG/L	315		W
Chloroform	5/8/2009	0.33	0.5	UG/L	315	J	W
cis-1,2-Dichloroethylene	5/8/2009	0.14	0.5	UG/L	315	J	W
Methylene chloride	5/8/2009	0.31	0.5	UG/L	315	J B	W
Trichloroethylene	5/8/2009	3.2	0.5	UG/L	315		W
1,1,1-Trichloroethane	2/11/2009	0.77	0.5	UG/L	315		W
1,1-Dichloroethane	2/11/2009	0.11	0.5	UG/L	315	J	W
1,1-Dichloroethylene	2/11/2009	0.4	0.5	UG/L	315	J	W
524.2 TVOC	2/11/2009	10.1	0	UG/L	315		W
Carbon tetrachloride	2/11/2009	4	0.5	UG/L	315		W
Chloroform	2/11/2009	0.45	0.5	UG/L	315	J	W
cis-1,2-Dichloroethylene	2/11/2009	0.15	0.5	UG/L	315	J	W
Methylene chloride	2/11/2009	0.12	0.5	UG/L	315	J B	W
Trichloroethylene	2/11/2009	4.1	0.5	UG/L	315		W
1,1,1-Trichloroethane	11/13/2008	1.8	0.5	UG/L	315		W
1,1-Dichloroethylene	11/13/2008	1	0.5	UG/L	315		W
524.2 TVOC	11/13/2008	15.56	0	UG/L	315		W
Carbon tetrachloride	11/13/2008	5.4	0.5	UG/L	315		W
Chloroform	11/13/2008	0.7	0.5	UG/L	315		W
cis-1,2-Dichloroethylene	11/13/2008	0.26	0.5	UG/L	315	J	W
Trichloroethylene	11/13/2008	6.4	0.5	UG/L	315		W
1,1,1-Trichloroethane	8/5/2008	1.5	0.5	UG/L	315		W
1,1-Dichloroethylene	8/5/2008	1.3	0.5	UG/L	315		W
524.2 TVOC	8/5/2008	9.237	0	UG/L	315		W
Carbon tetrachloride	8/5/2008	1.8	0.5	UG/L	315		W
Chloroform	8/5/2008	0.56	0.5	UG/L	315		W
Methyl chloride	8/5/2008	0.077	0.5	UG/L	315	J	W
Trichloroethylene	8/5/2008	4	0.5	UG/L	315		W
1,1,1-Trichloroethane	5/21/2008	1.7	0.5	UG/L	315		W
1,1-Dichloroethylene	5/21/2008	0.66	0.5	UG/L	315		W
524.2 TVOC	5/21/2008	18.88	0	UG/L	315		W
Carbon tetrachloride	5/21/2008	7.8	0.5	UG/L	315		W

Appendix A

OU III LIPA Petition for Closure

2004 - 2024 Monitoring Well Analytical Data Summary - VOCs Detected Above Laboratory MDL

Chloroform	5/21/2008	0.91	0.5	UG/L	315		W
cis-1,2-Dichloroethylene	5/21/2008	0.21	0.5	UG/L	315	J	W
Trichloroethylene	5/21/2008	7.6	0.5	UG/L	315		W
1,1,1-Trichloroethane	1/30/2008	2.1	0.5	UG/L	315		W
1,1-Dichloroethane	1/30/2008	0.1	0.5	UG/L	315	J	W
1,1-Dichloroethylene	1/30/2008	1.1	0.5	UG/L	315		W
1,2-Dichloroethane	1/30/2008	0.15	0.5	UG/L	315	J	W
524.2 TVOC	1/30/2008	23.32	0	UG/L	315		W
Carbon tetrachloride	1/30/2008	10	0.5	UG/L	315		W
Chloroform	1/30/2008	1.2	0.5	UG/L	315		W
cis-1,2-Dichloroethylene	1/30/2008	0.37	0.5	UG/L	315	J	W
Trichloroethylene	1/30/2008	8.3	0.5	UG/L	315		W
1,1,1-Trichloroethane	11/27/2007	2.1	0.5	UG/L	315		W
1,1-Dichloroethane	11/27/2007	0.22	0.5	UG/L	315	J	W
1,1-Dichloroethylene	11/27/2007	0.98	0.5	UG/L	315		W
524.2 TVOC	11/27/2007	25.79	0	UG/L	315		W
Carbon tetrachloride	11/27/2007	12	0.5	UG/L	315		W
Chloroform	11/27/2007	2.1	0.5	UG/L	315		W
cis-1,2-Dichloroethylene	11/27/2007	0.39	0.5	UG/L	315	J	W
Trichloroethylene	11/27/2007	8	0.5	UG/L	315		W
1,1,1-Trichloroethane	7/30/2007	2.2	0.5	UG/L	315		W
1,1-Dichloroethane	7/30/2007	0.11	0.5	UG/L	315	J	W
1,1-Dichloroethylene	7/30/2007	1.2	0.5	UG/L	315		W
1,2-Dichloroethane	7/30/2007	0.17	0.5	UG/L	315	J	W
524.2 TVOC	7/30/2007	21.54	0	UG/L	315		W
Carbon tetrachloride	7/30/2007	7.7	0.5	UG/L	315		W
Chloroform	7/30/2007	1.1	0.5	UG/L	315		W
cis-1,2-Dichloroethylene	7/30/2007	0.36	0.5	UG/L	315	J	W
Trichloroethylene	7/30/2007	8.7	0.5	UG/L	315		W
1,1,1-Trichloroethane	5/24/2007	0.61	0.5	UG/L	315		W
1,1-Dichloroethylene	5/24/2007	0.22	0.5	UG/L	315	J	W
524.2 TVOC	5/24/2007	7.91	0	UG/L	315		W
Carbon tetrachloride	5/24/2007	3.7	0.5	UG/L	315		W
Chloroform	5/24/2007	0.48	0.5	UG/L	315	J	W
Trichloroethylene	5/24/2007	2.9	0.5	UG/L	315		W
1,1,1-Trichloroethane	2/12/2007	0.84	0.5	UG/L	315		W
1,1-Dichloroethylene	2/12/2007	0.47	0.5	UG/L	315	J	W
524.2 TVOC	2/12/2007	10.89	0	UG/L	315		W
Carbon tetrachloride	2/12/2007	4	0.5	UG/L	315		W
Chloroform	2/12/2007	0.6	0.5	UG/L	315		W
cis-1,2-Dichloroethylene	2/12/2007	0.18	0.5	UG/L	315	J	W
Trichloroethylene	2/12/2007	4.8	0.5	UG/L	315		W
1,1,1-Trichloroethane	11/28/2006	1.1	0.5	UG/L	315		W
1,1-Dichloroethane	11/28/2006	0.12	0.5	UG/L	315	J	W
1,1-Dichloroethylene	11/28/2006	0.6	0.5	UG/L	315		W
524.2 TVOC	11/28/2006	14.33	0	UG/L	315		W
Carbon tetrachloride	11/28/2006	5.6	0.5	UG/L	315		W
Chloroform	11/28/2006	0.83	0.5	UG/L	315		W
cis-1,2-Dichloroethylene	11/28/2006	0.18	0.5	UG/L	315	J	W
Trichloroethylene	11/28/2006	5.9	0.5	UG/L	315		W
1,1,1-Trichloroethane	8/24/2006	1.3	0.5	UG/L	315		W
1,1-Dichloroethylene	8/24/2006	0.77	0.5	UG/L	315		W
524.2 TVOC	8/24/2006	16.79	0	UG/L	315		W

Appendix A

OU III LIPA Petition for Closure

2004 - 2024 Monitoring Well Analytical Data Summary - VOCs Detected Above Laboratory MDL

Carbon tetrachloride	8/24/2006	6.5	0.5	UG/L	315		W
Chloroform	8/24/2006	0.89	0.5	UG/L	315	B	W
cis-1,2-Dichloroethylene	8/24/2006	0.23	0.5	UG/L	315	J	W
Trichloroethylene	8/24/2006	7.1	0.5	UG/L	315		W
1,1,1-Trichloroethane	6/7/2006	1	0.5	UG/L	315		W
1,1-Dichloroethylene	6/7/2006	0.45	0.5	UG/L	315	J	W
524.2 TVOC	6/7/2006	12.81	0	UG/L	315		W
Carbon tetrachloride	6/7/2006	4.7	0.5	UG/L	315		W
Chloroform	6/7/2006	0.69	0.5	UG/L	315		W
cis-1,2-Dichloroethylene	6/7/2006	0.17	0.5	UG/L	315	J	W
Trichloroethylene	6/7/2006	5.8	0.5	UG/L	315		W
1,1,1-Trichloroethane	3/17/2006	0.88	0.5	UG/L	315		W
1,1-Dichloroethylene	3/17/2006	0.46	0.5	UG/L	315	J	W
524.2 TVOC	3/17/2006	11.44	0	UG/L	315		W
Carbon tetrachloride	3/17/2006	4.2	0.5	UG/L	315		W
Chloroform	3/17/2006	0.61	0.5	UG/L	315		W
cis-1,2-Dichloroethylene	3/17/2006	0.19	0.5	UG/L	315	J	W
Trichloroethylene	3/17/2006	5.1	0.5	UG/L	315		W
1,1,1-Trichloroethane	12/19/2005	1.3	0.5	UG/L	315		W
1,1-Dichloroethylene	12/19/2005	0.66	0.5	UG/L	315		W
1,2-Dichloroethane	12/19/2005	0.13	0.5	UG/L	315	J	W
524.2 TVOC	12/19/2005	16.65	0	UG/L	315		W
Carbon tetrachloride	12/19/2005	5.5	0.5	UG/L	315		W
Chloroform	12/19/2005	0.77	0.5	UG/L	315		W
cis-1,2-Dichloroethylene	12/19/2005	0.29	0.5	UG/L	315	J	W
Trichloroethylene	12/19/2005	8	0.5	UG/L	315		W
1,1,1-Trichloroethane	12/2/2005	1.2	0.5	UG/L	315		W
1,1-Dichloroethylene	12/2/2005	0.63	0.5	UG/L	315		W
524.2 TVOC	12/2/2005	16	0	UG/L	315		W
Carbon tetrachloride	12/2/2005	5	0.5	UG/L	315		W
Chloroform	12/2/2005	0.67	0.5	UG/L	315		W
cis-1,2-Dichloroethylene	12/2/2005	0.3	0.5	UG/L	315	J	W
Trichloroethylene	12/2/2005	8.2	0.5	UG/L	315		W
1,1,1-Trichloroethane	8/16/2005	1.3	0.5	UG/L	315		W
1,1-Dichloroethylene	8/16/2005	0.52	0.5	UG/L	315		W
524.2 TVOC	8/16/2005	21.07	0	UG/L	315		W
Carbon tetrachloride	8/16/2005	5.6	0.5	UG/L	315		W
Chloroform	8/16/2005	0.65	0.5	UG/L	315		W
Trichloroethylene	8/16/2005	13	0.5	UG/L	315		W
1,1,1-Trichloroethane	5/26/2005	1.3	0.5	UG/L	315		W
1,1-Dichloroethylene	5/26/2005	0.72	0.5	UG/L	315		W
524.2 TVOC	5/26/2005	15.38	0	UG/L	315		W
Carbon tetrachloride	5/26/2005	5.2	0.5	UG/L	315		W
Chloroform	5/26/2005	0.76	0.5	UG/L	315		W
Trichloroethylene	5/26/2005	7.4	0.5	UG/L	315		W
1,1,1-Trichloroethane	3/29/2005	1.2	0.5	UG/L	315		W
1,1-Dichloroethylene	3/29/2005	0.63	0.5	UG/L	315		W
1,2-Dichloroethane	3/29/2005	0.17	0.5	UG/L	315	J	W
524.2 TVOC	3/29/2005	16.89	0	UG/L	315		W
Carbon tetrachloride	3/29/2005	5.5	0.5	UG/L	315		W
Chloroform	3/29/2005	0.82	0.5	UG/L	315		W
cis-1,2-Dichloroethylene	3/29/2005	0.37	0.5	UG/L	315	J	W
Trichloroethylene	3/29/2005	8.2	0.5	UG/L	315		W

Appendix A

OU III LIPA Petition for Closure

2004 - 2024 Monitoring Well Analytical Data Summary - VOCs Detected Above Laboratory MDL

1,1,1-Trichloroethane	12/15/2004	1.8	0.5	UG/L	315		W
1,1-Dichloroethylene	12/15/2004	0.92	0.5	UG/L	315		W
1,2-Dichloroethane	12/15/2004	0.097	0.5	UG/L	315	J	W
524.2 TVOC	12/15/2004	21.197	0	UG/L	315		W
Carbon tetrachloride	12/15/2004	5.8	0.5	UG/L	315		W
Chloroform	12/15/2004	0.98	0.5	UG/L	315		W
cis-1,2-Dichloroethylene	12/15/2004	0.6	0.5	UG/L	315		W
Trichloroethylene	12/15/2004	11	0.5	UG/L	315		W
1,1,1-Trichloroethane	9/9/2004	2.4	0.5	UG/L	315		W
1,1-Dichloroethane	9/9/2004	0.092	0.5	UG/L	315	J	W
1,1-Dichloroethylene	9/9/2004	1.6	0.5	UG/L	315		W
1,2-Dichloroethane	9/9/2004	0.2	0.5	UG/L	315	J	W
1,2-Dichloropropane	9/9/2004	0.045	0.5	UG/L	315	J	W
524.2 TVOC	9/9/2004	22.407	0	UG/L	315		W
Carbon tetrachloride	9/9/2004	5.9	0.5	UG/L	315		W
Chloroform	9/9/2004	1.2	0.5	UG/L	315		W
cis-1,2-Dichloroethylene	9/9/2004	0.97	0.5	UG/L	315		W
Trichloroethylene	9/9/2004	10	0.5	UG/L	315		W
1,1,1-Trichloroethane	5/28/2004	3.1	0.5	UG/L	315		W
1,1-Dichloroethylene	5/28/2004	2.6	0.5	UG/L	315		W
1,2-Dichloroethane	5/28/2004	0.37	0.5	UG/L	315	J	W
524.2 TVOC	5/28/2004	26.67	0	UG/L	315		W
Carbon tetrachloride	5/28/2004	6.5	0.5	UG/L	315		W
Chloroform	5/28/2004	1.5	0.5	UG/L	315		W
cis-1,2-Dichloroethylene	5/28/2004	1.6	0.5	UG/L	315		W
Trichloroethylene	5/28/2004	11	0.5	UG/L	315		W
1,1,1-Trichloroethane	2/23/2004	2.8	0.5	UG/L	315		W
1,1-Dichloroethylene	2/23/2004	2.1	0.5	UG/L	315		W
524.2 TVOC	2/23/2004	25.7	0	UG/L	315		W
Carbon tetrachloride	2/23/2004	6.7	0.5	UG/L	315		W
Chloroform	2/23/2004	1.8	0.5	UG/L	315		W
cis-1,2-Dichloroethylene	2/23/2004	1.3	0.5	UG/L	315		W
Trichloroethylene	2/23/2004	11	0.5	UG/L	315		W

Site ID : 000-445

Chemical Name	Sample Date	Value	Detlim	Units	Depth	Qual	Matrix
8260 TVOC	11/8/2023	0.49	0	UG/L	219		W
Chloroform	11/8/2023	0.49	0.5	UG/L	219	J	W
8260 TVOC	9/5/2023	0.49	0	UG/L	219		W
Chloroform	9/5/2023	0.49	0.5	UG/L	219	J	W
8260 TVOC	6/2/2023	0.52	0	UG/L	219		W
Chloroform	6/2/2023	0.52	0.5	UG/L	219		W
8260 TVOC	12/13/2022	0	0	UG/L	219		W
8260 TVOC	12/2/2021	0.56	0	UG/L	219		W
Chloroform	12/2/2021	0.56	0.5	UG/L	219		W
524.2 TVOC	12/15/2020	0.82	0	UG/L	219		W
Chloroform	12/15/2020	0.82	0.5	UG/L	219		W
524.2 TVOC	12/12/2019	0	0	UG/L	219		W
524.2 TVOC	12/31/2018	0.45	0	UG/L	219		W
Chloroform	12/31/2018	0.45	0.5	UG/L	219	J	W
1,1,1-Trichloroethane	6/12/2018	0.17	0.5	UG/L	219	J	W
524.2 TVOC	6/12/2018	2.62	0	UG/L	219		W

Appendix A

OU III LIPA Petition for Closure

2004 - 2024 Monitoring Well Analytical Data Summary - VOCs Detected Above Laboratory MDL

Chloroform	6/12/2018	1.6	0.5	UG/L	219		W
Methylene chloride	6/12/2018	0.85	0.5	UG/L	219		W
1,1-Dichloroethylene	12/4/2017	0.13	0.5	UG/L	219	J	W
524.2 TVOC	12/4/2017	1.23	0	UG/L	219		W
Chloroform	12/4/2017	1.1	0.5	UG/L	219		W
1,1,1-Trichloroethane	5/25/2017	0.26	0.5	UG/L	219	J	W
1,1-Dichloroethylene	5/25/2017	0.21	0.5	UG/L	219	J	W
524.2 TVOC	5/25/2017	1.08	0	UG/L	219		W
Chloroform	5/25/2017	0.61	0.5	UG/L	219		W
524.2 TVOC	12/12/2016	1.5	0	UG/L	224		W
Chloroform	12/12/2016	1.5	0.5	UG/L	224		W
1,1,1-Trichloroethane	5/25/2016	0.29	0.5	UG/L	219	J	W
1,1-Dichloroethylene	5/25/2016	0.28	0.5	UG/L	219	J	W
524.2 TVOC	5/25/2016	1.77	0	UG/L	219		W
Chloroform	5/25/2016	1.2	0.5	UG/L	219		W
1,1,1-Trichloroethane	12/29/2015	0.1	0.5	UG/L	219	J	W
524.2 TVOC	12/29/2015	0.38	0	UG/L	219		W
Chloroform	12/29/2015	0.28	0.5	UG/L	219	J	W
1,1,1-Trichloroethane	5/21/2015	0.26	0.5	UG/L	219	J	W
1,1-Dichloroethylene	5/21/2015	0.18	0.5	UG/L	219	J	W
524.2 TVOC	5/21/2015	2.84	0	UG/L	219		W
Chloroform	5/21/2015	2.4	0.5	UG/L	219		W
1,1,1-Trichloroethane	12/15/2014	0.13	0.5	UG/L	219	J	W
524.2 TVOC	12/15/2014	2.23	0	UG/L	219		W
Chloroform	12/15/2014	2.1	0.5	UG/L	219		W
1,1,1-Trichloroethane	5/22/2014	1.1	0.5	UG/L	219		W
1,1-Dichloroethylene	5/22/2014	0.74	0.5	UG/L	219		W
524.2 TVOC	5/22/2014	3.24	0	UG/L	219		W
Chloroform	5/22/2014	1.4	0.5	UG/L	219		W
1,1,1-Trichloroethane	12/16/2013	0.96	0.5	UG/L	219		W
1,1-Dichloroethylene	12/16/2013	0.72	0.5	UG/L	219		W
524.2 TVOC	12/16/2013	3.08	0	UG/L	219		W
Chloroform	12/16/2013	1.4	0.5	UG/L	219		W
1,1,1-Trichloroethane	6/6/2013	0.072	0.5	UG/L	219	J	W
524.2 TVOC	6/6/2013	2.632	0	UG/L	219		W
Chloroform	6/6/2013	2.4	0.5	UG/L	219		W
Methylene chloride	6/6/2013	0.16	0.5	UG/L	219	J	W
1,1,1-Trichloroethane	11/20/2012	0.078	0.5	UG/L	219	J	W
524.2 TVOC	11/20/2012	2.378	0	UG/L	219		W
Chloroform	11/20/2012	2.3	0.5	UG/L	219		W
1,1,1-Trichloroethane	12/6/2011	0.28	0.5	UG/L	219	J	W
1,1-Dichloroethylene	12/6/2011	0.13	0.5	UG/L	219	J	W
524.2 TVOC	12/6/2011	2.11	0	UG/L	219		W
Chloroform	12/6/2011	1.7	0.5	UG/L	219		W
1,1,1-Trichloroethane	5/10/2011	0.84	0.5	UG/L	219		W
1,1-Dichloroethylene	5/10/2011	0.42	0.5	UG/L	219	J	W
524.2 TVOC	5/10/2011	3.09	0	UG/L	219		W
Chloroform	5/10/2011	1.4	0.5	UG/L	219		W
Trichloroethylene	5/10/2011	0.43	0.5	UG/L	219	J	W
1,1,1-Trichloroethane	12/6/2010	4.9	0.5	UG/L	219		W
1,1-Dichloroethylene	12/6/2010	2.6	0.5	UG/L	219		W
524.2 TVOC	12/6/2010	8.65	0	UG/L	219		W
Chloroform	12/6/2010	0.51	0.5	UG/L	219		W

Appendix A

OU III LIPA Petition for Closure

2004 - 2024 Monitoring Well Analytical Data Summary - VOCs Detected Above Laboratory MDL

Trichloroethylene	12/6/2010	0.64	0.5	UG/L	219		W
1,1,1-Trichloroethane	5/3/2010	6.3	0.5	UG/L	219		W
1,1-Dichloroethylene	5/3/2010	3.3	0.5	UG/L	219		W
524.2 TVOC	5/3/2010	11.003	0	UG/L	219		W
Carbon tetrachloride	5/3/2010	0.19	0.5	UG/L	219	J	W
Chloroform	5/3/2010	0.27	0.5	UG/L	219	J	W
cis-1,2-Dichloroethylene	5/3/2010	0.097	0.5	UG/L	219	J	W
Methyl chloride	5/3/2010	0.096	0.5	UG/L	219	J	W
Trichloroethylene	5/3/2010	0.75	0.5	UG/L	219		W
1,1,1-Trichloroethane	11/18/2009	8	0.5	UG/L	219		W
1,1-Dichloroethylene	11/18/2009	3.7	0.5	UG/L	219		W
524.2 TVOC	11/18/2009	13.47	0	UG/L	219		W
Carbon tetrachloride	11/18/2009	0.23	0.5	UG/L	219	J	W
Chloroform	11/18/2009	0.3	0.5	UG/L	219	J	W
Methyl bromide	11/18/2009	0.21	0.5	UG/L	219	J B	W
Methyl chloride	11/18/2009	0.31	0.5	UG/L	219	J	W
Trichloroethylene	11/18/2009	0.72	0.5	UG/L	219		W
1,1,1-Trichloroethane	5/20/2009	8.4	0.5	UG/L	219		W
1,1-Dichloroethylene	5/20/2009	4.1	0.5	UG/L	219		W
524.2 TVOC	5/20/2009	15.24	0	UG/L	219		W
Bromoform	5/20/2009	0.72	0.5	UG/L	219		W
Carbon tetrachloride	5/20/2009	0.23	0.5	UG/L	219	J	W
Chloroform	5/20/2009	0.29	0.5	UG/L	219	J	W
cis-1,2-Dichloroethylene	5/20/2009	0.14	0.5	UG/L	219	J	W
Dibromochloromethane	5/20/2009	0.22	0.5	UG/L	219	J	W
Methyl chloride	5/20/2009	0.08	0.5	UG/L	219	J	W
Methylene chloride	5/20/2009	0.29	0.5	UG/L	219	J B	W
Trichloroethylene	5/20/2009	0.77	0.5	UG/L	219		W
1,1,1-Trichloroethane	12/1/2008	7.9	0.5	UG/L	219		W
1,1-Dichloroethylene	12/1/2008	3.7	0.5	UG/L	219		W
524.2 TVOC	12/1/2008	13.07	0	UG/L	219		W
Carbon tetrachloride	12/1/2008	0.15	0.5	UG/L	219	J	W
Chloroform	12/1/2008	0.19	0.5	UG/L	219	J	W
cis-1,2-Dichloroethylene	12/1/2008	0.16	0.5	UG/L	219	J	W
Methyl chloride	12/1/2008	0.2	0.5	UG/L	219	J	W
Trichloroethylene	12/1/2008	0.77	0.5	UG/L	219		W
1,1,1-Trichloroethane	5/22/2008	12	0.5	UG/L	219		W
1,1-Dichloroethylene	5/22/2008	4.5	0.5	UG/L	219		W
524.2 TVOC	5/22/2008	17.96	0	UG/L	219		W
Carbon tetrachloride	5/22/2008	0.23	0.5	UG/L	219	J	W
Chloroform	5/22/2008	0.29	0.5	UG/L	219	J	W
Trichloroethylene	5/22/2008	0.94	0.5	UG/L	219		W
1,1,1-Trichloroethane	11/28/2007	16	0.5	UG/L	219		W
1,1-Dichloroethylene	11/28/2007	5.6	0.5	UG/L	219		W
524.2 TVOC	11/28/2007	23.13	0	UG/L	219		W
Carbon tetrachloride	11/28/2007	0.25	0.5	UG/L	219	J	W
Chloroform	11/28/2007	0.24	0.5	UG/L	219	J	W
cis-1,2-Dichloroethylene	11/28/2007	0.19	0.5	UG/L	219	J	W
Trichloroethylene	11/28/2007	0.85	0.5	UG/L	219		W
1,1,1-Trichloroethane	5/24/2007	9.5	0.5	UG/L	219		W
1,1-Dichloroethane	5/24/2007	0.066	0.5	UG/L	219	J	W
1,1-Dichloroethylene	5/24/2007	4	0.5	UG/L	219		W
1,2-Dichloroethane	5/24/2007	0.17	0.5	UG/L	219	J	W

Appendix A

OU III LIPA Petition for Closure

2004 - 2024 Monitoring Well Analytical Data Summary - VOCs Detected Above Laboratory MDL

524.2 TVOC	5/24/2007	14.766	0	UG/L	219		W
Carbon tetrachloride	5/24/2007	0.14	0.5	UG/L	219	J	W
Chloroform	5/24/2007	0.16	0.5	UG/L	219	J	W
cis-1,2-Dichloroethylene	5/24/2007	0.19	0.5	UG/L	219	J	W
Trichloroethylene	5/24/2007	0.54	0.5	UG/L	219		W
1,1,1-Trichloroethane	11/28/2006	9.4	0.5	UG/L	219		W
1,1-Dichloroethylene	11/28/2006	2.9	0.5	UG/L	219		W
524.2 TVOC	11/28/2006	13.44	0	UG/L	219		W
Carbon tetrachloride	11/28/2006	0.14	0.5	UG/L	219	J	W
Chloroform	11/28/2006	0.21	0.5	UG/L	219	J	W
cis-1,2-Dichloroethylene	11/28/2006	0.17	0.5	UG/L	219	J	W
Trichloroethylene	11/28/2006	0.62	0.5	UG/L	219		W
1,1,1-Trichloroethane	8/29/2006	7.5	0.5	UG/L	219		W
1,1-Dichloroethylene	8/29/2006	2.4	0.5	UG/L	219		W
524.2 TVOC	8/29/2006	10.907	0	UG/L	219		W
Carbon tetrachloride	8/29/2006	0.2	0.5	UG/L	219	J	W
Chloroform	8/29/2006	0.19	0.5	UG/L	219	J	W
Methyl chloride	8/29/2006	0.097	0.5	UG/L	219	J	W
Trichloroethylene	8/29/2006	0.52	0.5	UG/L	219		W
1,1,1-Trichloroethane	6/8/2006	7.1	0.5	UG/L	219		W
1,1-Dichloroethylene	6/8/2006	2	0.5	UG/L	219		W
524.2 TVOC	6/8/2006	10.33	0	UG/L	219		W
Carbon tetrachloride	6/8/2006	0.2	0.5	UG/L	219	J	W
Chloroform	6/8/2006	0.22	0.5	UG/L	219	J	W
cis-1,2-Dichloroethylene	6/8/2006	0.14	0.5	UG/L	219	J	W
Methyl chloride	6/8/2006	0.15	0.5	UG/L	219	J	W
Trichloroethylene	6/8/2006	0.52	0.5	UG/L	219		W
1,1,1-Trichloroethane	3/20/2006	4.2	0.5	UG/L	219		W
1,1-Dichloroethylene	3/20/2006	1.3	0.5	UG/L	219		W
524.2 TVOC	3/20/2006	6.31	0	UG/L	219		W
Carbon tetrachloride	3/20/2006	0.14	0.5	UG/L	219	J	W
Chloroform	3/20/2006	0.4	0.5	UG/L	219	J	W
Trichloroethylene	3/20/2006	0.27	0.5	UG/L	219	J	W
1,1,1-Trichloroethane	12/19/2005	1.6	0.5	UG/L	219		W
1,1-Dichloroethylene	12/19/2005	0.5	0.5	UG/L	219		W
524.2 TVOC	12/19/2005	3.299	0	UG/L	219		W
Carbon tetrachloride	12/19/2005	0.12	0.5	UG/L	219	J	W
Chloroform	12/19/2005	0.79	0.5	UG/L	219		W
cis-1,2-Dichloroethylene	12/19/2005	0.069	0.5	UG/L	219	J	W
Trichloroethylene	12/19/2005	0.22	0.5	UG/L	219	J	W
524.2 TVOC	8/16/2005	1.92	0	UG/L	215		W
Chloroform	8/16/2005	1.1	0.5	UG/L	215		W
Trichloroethylene	8/16/2005	0.82	0.5	UG/L	215		W
1,1,1-Trichloroethane	6/1/2005	1.1	0.5	UG/L	215		W
524.2 TVOC	6/1/2005	2.9	0	UG/L	215		W
Chloroform	6/1/2005	1	0.5	UG/L	215		W
Trichloroethylene	6/1/2005	0.8	0.5	UG/L	215		W
1,1,1-Trichloroethane	3/29/2005	2.1	0.5	UG/L	215		W
1,1-Dichloroethylene	3/29/2005	0.82	0.5	UG/L	215		W
524.2 TVOC	3/29/2005	5.03	0	UG/L	215		W
Chloroform	3/29/2005	0.81	0.5	UG/L	215		W
Trichloroethylene	3/29/2005	1.3	0.5	UG/L	215		W
1,1,1-Trichloroethane	12/9/2004	0.77	0.5	UG/L	227.5		W

Appendix A

OU III LIPA Petition for Closure

2004 - 2024 Monitoring Well Analytical Data Summary - VOCs Detected Above Laboratory MDL

1,1-Dichloroethylene	12/9/2004	0.31	0.5	UG/L	227.5	J	W
524.2 TVOC	12/9/2004	3.66	0	UG/L	227.5		W
Carbon tetrachloride	12/9/2004	0.31	0.5	UG/L	227.5	J	W
Chloroform	12/9/2004	0.77	0.5	UG/L	227.5		W
Trichloroethylene	12/9/2004	1.5	0.5	UG/L	227.5		W
524.2 TVOC	7/21/2004	4.32	0	UG/L	210		W
Carbon tetrachloride	7/21/2004	0.86	0.5	UG/L	210		W
Chloroform	7/21/2004	0.86	0.5	UG/L	210		W
Trichloroethylene	7/21/2004	2.6	0.5	UG/L	210		W
524.2 TVOC	6/11/2004	6.83	0	UG/L	210		W
Carbon tetrachloride	6/11/2004	1.3	0.5	UG/L	210		W
Chloroform	6/11/2004	0.83	0.5	UG/L	210		W
Methylene chloride	6/11/2004	1.6	0.5	UG/L	210		W
Trichloroethylene	6/11/2004	3.1	0.5	UG/L	210		W

Site ID : 000-446

Chemical Name	Sample Date	Value	Detlim	Units	Depth	Qual	Matrix
8260 TVOC	11/8/2023	0.35	0	UG/L	212		W
Chloroform	11/8/2023	0.35	0.5	UG/L	212	J	W
8260 TVOC	9/5/2023	0.36	0	UG/L	212		W
Chloroform	9/5/2023	0.36	0.5	UG/L	212	J	W
8260 TVOC	6/2/2023	0.38	0	UG/L	212		W
Chloroform	6/2/2023	0.38	0.5	UG/L	212	J	W
8260 TVOC	3/2/2023	0.61	0	UG/L	212		W
Chloroform	3/2/2023	0.61	0.5	UG/L	212		W
8260 TVOC	12/13/2022	0	0	UG/L	212		W
8260 TVOC	12/3/2021	0	0	UG/L	212		W
1,1,1-Trichloroethane	12/29/2020	0.23	0.5	UG/L	212	J	W
1,1-Dichloroethylene	12/29/2020	0.2	0.5	UG/L	212	J	W
1,2-Dichloroethane	12/29/2020	0.2	0.5	UG/L	212	J	W
524.2 TVOC	12/29/2020	1.47	0	UG/L	212		W
Chloroform	12/29/2020	0.69	0.5	UG/L	212		W
Trichloroethylene	12/29/2020	0.15	0.5	UG/L	212	J	W
1,1,1-Trichloroethane	12/11/2019	0.22	0.5	UG/L	212	J	W
1,1-Dichloroethylene	12/11/2019	0.18	0.5	UG/L	212	J	W
524.2 TVOC	12/11/2019	0.4	0	UG/L	212		W
1,1,1-Trichloroethane	12/31/2018	0.56	0.5	UG/L	212		W
1,1-Dichloroethylene	12/31/2018	0.45	0.5	UG/L	212	J	W
524.2 TVOC	12/31/2018	1.59	0	UG/L	212		W
Chloroform	12/31/2018	0.24	0.5	UG/L	212	J	W
Trichloroethylene	12/31/2018	0.34	0.5	UG/L	212	J	W
524.2 TVOC	6/25/2018	0	0	UG/L	212		W
1,1,1-Trichloroethane	12/4/2017	1.1	0.5	UG/L	212		W
1,1-Dichloroethylene	12/4/2017	0.86	0.5	UG/L	212		W
1,2-Dichloroethane	12/4/2017	0.3	0.5	UG/L	212	J	W
524.2 TVOC	12/4/2017	2.26	0	UG/L	212		W
1,1,1-Trichloroethane	5/25/2017	0.48	0.5	UG/L	212	J	W
1,1-Dichloroethylene	5/25/2017	0.39	0.5	UG/L	212	J	W
524.2 TVOC	5/25/2017	1.39	0	UG/L	212		W
Chloroform	5/25/2017	0.25	0.5	UG/L	212	J	W
Trichloroethylene	5/25/2017	0.27	0.5	UG/L	212	J	W
1,1,1-Trichloroethane	12/12/2016	0.49	0.5	UG/L	212	J	W

Appendix A

OU III LIPA Petition for Closure

2004 - 2024 Monitoring Well Analytical Data Summary - VOCs Detected Above Laboratory MDL

1,1-Dichloroethylene	12/12/2016	0.5	0.5	UG/L	212		W
1,2-Dichloroethane	12/12/2016	0.23	0.5	UG/L	212	J	W
524.2 TVOC	12/12/2016	1.78	0	UG/L	212		W
Chloroform	12/12/2016	0.23	0.5	UG/L	212	J	W
Trichloroethylene	12/12/2016	0.33	0.5	UG/L	212	J	W
1,1,1-Trichloroethane	5/25/2016	0.68	0.5	UG/L	212		W
1,1-Dichloroethylene	5/25/2016	0.71	0.5	UG/L	212		W
1,2-Dichloroethane	5/25/2016	0.34	0.5	UG/L	212	J	W
524.2 TVOC	5/25/2016	2.39	0	UG/L	212		W
Chloroform	5/25/2016	0.33	0.5	UG/L	212	J	W
Trichloroethylene	5/25/2016	0.33	0.5	UG/L	212	J	W
1,1,1-Trichloroethane	12/29/2015	0.5	0.5	UG/L	212		W
1,1-Dichloroethylene	12/29/2015	0.42	0.5	UG/L	212	J	W
1,2-Dichloroethane	12/29/2015	0.3	0.5	UG/L	212	J	W
524.2 TVOC	12/29/2015	2.43	0	UG/L	212		W
Chloroform	12/29/2015	0.88	0.5	UG/L	212		W
Trichloroethylene	12/29/2015	0.33	0.5	UG/L	212	J	W
1,1,1-Trichloroethane	5/21/2015	0.86	0.5	UG/L	212		W
1,1-Dichloroethylene	5/21/2015	0.72	0.5	UG/L	212		W
1,2-Dichloroethane	5/21/2015	0.36	0.5	UG/L	212	J	W
524.2 TVOC	5/21/2015	2.45	0	UG/L	212		W
cis-1,2-Dichloroethylene	5/21/2015	0.11	0.5	UG/L	212	J	W
Trichloroethylene	5/21/2015	0.4	0.5	UG/L	212	J	W
1,1,1-Trichloroethane	12/15/2014	0.93	0.5	UG/L	212		W
1,1-Dichloroethylene	12/15/2014	0.57	0.5	UG/L	212		W
1,2-Dichloroethane	12/15/2014	0.2	0.5	UG/L	212	J	W
524.2 TVOC	12/15/2014	2.31	0	UG/L	212		W
Chloroform	12/15/2014	0.33	0.5	UG/L	212	J	W
Trichloroethylene	12/15/2014	0.28	0.5	UG/L	212	J	W
1,1,1-Trichloroethane	5/22/2014	0.58	0.5	UG/L	212		W
1,1-Dichloroethylene	5/22/2014	0.45	0.5	UG/L	212	J	W
524.2 TVOC	5/22/2014	2.4	0	UG/L	212		W
Chloroform	5/22/2014	1	0.5	UG/L	212		W
Trichloroethylene	5/22/2014	0.37	0.5	UG/L	212	J	W
1,1,1-Trichloroethane	12/17/2013	0.42	0.5	UG/L	212	J	W
1,1-Dichloroethylene	12/17/2013	0.2	0.5	UG/L	212	J	W
524.2 TVOC	12/17/2013	3.06	0	UG/L	212		W
Chloroform	12/17/2013	1.8	0.5	UG/L	212		W
Trichloroethylene	12/17/2013	0.64	0.5	UG/L	212		W
1,1,1-Trichloroethane	6/6/2013	2	0.5	UG/L	212		W
1,1-Dichloroethylene	6/6/2013	1.1	0.5	UG/L	212		W
524.2 TVOC	6/6/2013	4.83	0	UG/L	212		W
Chloroform	6/6/2013	0.91	0.5	UG/L	212		W
Trichloroethylene	6/6/2013	0.82	0.5	UG/L	212		W
1,1,1-Trichloroethane	11/20/2012	2.8	0.5	UG/L	212		W
1,1-Dichloroethylene	11/20/2012	1.5	0.5	UG/L	212		W
1,2-Dichloroethane	11/20/2012	0.1	0.5	UG/L	212	J	W
524.2 TVOC	11/20/2012	5.5	0	UG/L	212		W
Chloroform	11/20/2012	0.25	0.5	UG/L	212	J	W
cis-1,2-Dichloroethylene	11/20/2012	0.16	0.5	UG/L	212	J	W
Trichloroethylene	11/20/2012	0.69	0.5	UG/L	212		W
1,1,1-Trichloroethane	5/22/2012	3.9	0.5	UG/L	212		W
1,1-Dichloroethylene	5/22/2012	2.1	0.5	UG/L	212		W

Appendix A

OU III LIPA Petition for Closure

2004 - 2024 Monitoring Well Analytical Data Summary - VOCs Detected Above Laboratory MDL

524.2 TVOC	5/22/2012	7.31	0	UG/L	212		W
Chloroform	5/22/2012	0.31	0.5	UG/L	212	J	W
Trichloroethylene	5/22/2012	1	0.5	UG/L	212		W
1,1,1-Trichloroethane	12/6/2011	4.2	0.5	UG/L	212		W
1,1-Dichloroethylene	12/6/2011	2.3	0.5	UG/L	212		W
524.2 TVOC	12/6/2011	7.89	0	UG/L	212		W
Chloroform	12/6/2011	0.3	0.5	UG/L	212	J	W
cis-1,2-Dichloroethylene	12/6/2011	0.17	0.5	UG/L	212	J	W
Trichloroethylene	12/6/2011	0.92	0.5	UG/L	212		W
1,1,1-Trichloroethane	5/10/2011	5.1	0.5	UG/L	212		W
1,1-Dichloroethylene	5/10/2011	2.8	0.5	UG/L	212		W
1,2-Dichloroethane	5/10/2011	0.14	0.5	UG/L	212	J	W
524.2 TVOC	5/10/2011	9.41	0	UG/L	212		W
Chloroform	5/10/2011	0.18	0.5	UG/L	212	J	W
cis-1,2-Dichloroethylene	5/10/2011	0.19	0.5	UG/L	212	J	W
Trichloroethylene	5/10/2011	1	0.5	UG/L	212		W
1,1,1-Trichloroethane	12/3/2010	6.1	0.5	UG/L	212		W
1,1-Dichloroethane	12/3/2010	0.071	0.5	UG/L	212	J	W
1,1-Dichloroethylene	12/3/2010	3.3	0.5	UG/L	212		W
524.2 TVOC	12/3/2010	10.881	0	UG/L	212		W
Chloroform	12/3/2010	0.24	0.5	UG/L	212	J	W
cis-1,2-Dichloroethylene	12/3/2010	0.22	0.5	UG/L	212	J	W
Trichloroethylene	12/3/2010	0.95	0.5	UG/L	212		W
1,1,1-Trichloroethane	5/3/2010	5.1	0.5	UG/L	212		W
1,1-Dichloroethane	5/3/2010	0.069	0.5	UG/L	212	J	W
1,1-Dichloroethylene	5/3/2010	2.8	0.5	UG/L	212		W
1,2-Dichloroethane	5/3/2010	0.2	0.5	UG/L	212	J	W
524.2 TVOC	5/3/2010	9.269	0	UG/L	212		W
Chloroform	5/3/2010	0.43	0.5	UG/L	212	J	W
cis-1,2-Dichloroethylene	5/3/2010	0.24	0.5	UG/L	212	J	W
Trichloroethylene	5/3/2010	0.43	0.5	UG/L	212	J	W
1,1,1-Trichloroethane	11/17/2009	5.9	0.5	UG/L	212		W
1,1-Dichloroethylene	11/17/2009	3.2	0.5	UG/L	212		W
1,2-Dichloroethane	11/17/2009	0.25	0.5	UG/L	212	J	W
524.2 TVOC	11/17/2009	10.833	0	UG/L	212		W
Carbon tetrachloride	11/17/2009	0.083	0.5	UG/L	212	J	W
Chloroform	11/17/2009	0.51	0.5	UG/L	212		W
cis-1,2-Dichloroethylene	11/17/2009	0.18	0.5	UG/L	212	J	W
Methyl chloride	11/17/2009	0.38	0.5	UG/L	212	J	W
Trichloroethylene	11/17/2009	0.33	0.5	UG/L	212	J	W
1,1,1-Trichloroethane	5/20/2009	1	0.5	UG/L	212		W
1,1-Dichloroethylene	5/20/2009	0.61	0.5	UG/L	212		W
524.2 TVOC	5/20/2009	2.81	0	UG/L	212		W
Chloroform	5/20/2009	1.2	0.5	UG/L	212		W
524.2 TVOC	11/26/2008	1.76	0	UG/L	212		W
Chloroform	11/26/2008	1.4	0.5	UG/L	212		W
Methyl chloride	11/26/2008	0.22	0.5	UG/L	212	J	W
Trichloroethylene	11/26/2008	0.14	0.5	UG/L	212	J	W
524.2 TVOC	5/27/2008	1.9	0	UG/L	212		W
Chloroform	5/27/2008	1.9	0.5	UG/L	212		W
524.2 TVOC	12/10/2007	1.4	0	UG/L	212		W
Chloroform	12/10/2007	1.4	0.5	UG/L	212		W
524.2 TVOC	5/24/2007	1.2	0	UG/L	212		W

Appendix A

OU III LIPA Petition for Closure

2004 - 2024 Monitoring Well Analytical Data Summary - VOCs Detected Above Laboratory MDL

Chloroform	5/24/2007	1.2	0.5	UG/L	212		W
524.2 TVOC	11/30/2006	1.1	0	UG/L	212		W
Chloroform	11/30/2006	1.1	0.5	UG/L	212		W
524.2 TVOC	8/29/2006	1.1	0	UG/L	212		W
Chloroform	8/29/2006	1.1	0.5	UG/L	212		W
524.2 TVOC	6/7/2006	0.96	0	UG/L	212		W
Chloroform	6/7/2006	0.96	0.5	UG/L	212		W
524.2 TVOC	3/20/2006	0.76	0	UG/L	212		W
Chloroform	3/20/2006	0.76	0.5	UG/L	212		W
524.2 TVOC	12/19/2005	0.59	0	UG/L	212		W
Chloroform	12/19/2005	0.59	0.5	UG/L	212		W
524.2 TVOC	8/16/2005	0.58	0	UG/L	210		W
Chloroform	8/16/2005	0.58	0.5	UG/L	210		W
524.2 TVOC	6/2/2005	0.48	0	UG/L	210		W
Chloroform	6/2/2005	0.48	0.5	UG/L	210	J	W
524.2 TVOC	3/28/2005	0.54	0	UG/L	210		W
Chloroform	3/28/2005	0.54	0.5	UG/L	210		W
524.2 TVOC	12/9/2004	0.43	0	UG/L	222.5		W
Chloroform	12/9/2004	0.43	0.5	UG/L	222.5	J	W
524.2 TVOC	7/21/2004	0.51	0	UG/L	210		W
Chloroform	7/21/2004	0.51	0.5	UG/L	210		W
524.2 TVOC	6/11/2004	0.5	0	UG/L	205		W
Chloroform	6/11/2004	0.5	0.5	UG/L	205		W

Site ID : 000-447

Chemical Name	Sample Date	Value	Detlim	Units	Depth	Qual	Matrix
8260 TVOC	10/27/2023	1.17	0	UG/L	219		W
Chloroform	10/27/2023	0.87	0.5	UG/L	219		W
Trichloroethylene	10/27/2023	0.3	0.5	UG/L	219	J	W
8260 TVOC	9/6/2023	1.11	0	UG/L	219		W
Chloroform	9/6/2023	0.91	0.5	UG/L	219		W
Trichloroethylene	9/6/2023	0.2	0.5	UG/L	219	J	W
1,1,1-Trichloroethane	6/13/2023	0.17	0.5	UG/L	219	J	W
1,1-Dichloroethylene	6/13/2023	0.17	0.5	UG/L	219	J	W
8260 TVOC	6/13/2023	0.95	0	UG/L	219		W
Chloroform	6/13/2023	0.61	0.5	UG/L	219		W
1,1-Dichloroethylene	3/3/2023	0.3	0.5	UG/L	219	J	W
8260 TVOC	3/3/2023	1.02	0	UG/L	219		W
Chloroform	3/3/2023	0.72	0.5	UG/L	219		W
1,1,1-Trichloroethane	12/9/2022	0.33	0.5	UG/L	219	J	W
1,1-Dichloroethylene	12/9/2022	0.33	0.5	UG/L	219	J	W
8260 TVOC	12/9/2022	2.17	0	UG/L	219		W
Chloroform	12/9/2022	1.3	0.5	UG/L	219		W
Trichloroethylene	12/9/2022	0.21	0.5	UG/L	219	J	W
1,1,1-Trichloroethane	5/25/2022	0.38	0.5	UG/L	219	J	W
1,1-Dichloroethylene	5/25/2022	0.44	0.5	UG/L	219	J	W
8260 TVOC	5/25/2022	1.65	0	UG/L	219		W
Chloroform	5/25/2022	0.57	0.5	UG/L	219		W
Trichloroethylene	5/25/2022	0.26	0.5	UG/L	219	J	W
1,1,1-Trichloroethane	12/3/2021	0.33	0.5	UG/L	219	J	W
1,1-Dichloroethylene	12/3/2021	0.6	0.5	UG/L	219		W
8260 TVOC	12/3/2021	1.18	0	UG/L	219		W

Appendix A

OU III LIPA Petition for Closure

2004 - 2024 Monitoring Well Analytical Data Summary - VOCs Detected Above Laboratory MDL

Chloroform	12/3/2021	0.25	0.5	UG/L	219	J	W
1,1,1-Trichloroethane	6/7/2021	0.72	0.5	UG/L	219		W
1,1-Dichloroethylene	6/7/2021	0.65	0.5	UG/L	219		W
524.2 TVOC	6/7/2021	1.37	0	UG/L	219		W
1,1,1-Trichloroethane	12/16/2020	1.2	0.5	UG/L	219		W
1,1-Dichloroethylene	12/16/2020	1	0.5	UG/L	219		W
1,2-Dichloroethane	12/16/2020	0.13	0.5	UG/L	219	J	W
524.2 TVOC	12/16/2020	3.26	0	UG/L	219		W
Chloroform	12/16/2020	0.71	0.5	UG/L	219		W
Trichloroethylene	12/16/2020	0.22	0.5	UG/L	219	J	W
1,1,1-Trichloroethane	7/7/2020	1.4	0.5	UG/L	219		W
1,1-Dichloroethylene	7/7/2020	1.4	0.5	UG/L	219		W
1,2-Dichloroethane	7/7/2020	0.21	0.5	UG/L	219	J	W
524.2 TVOC	7/7/2020	3.79	0	UG/L	219		W
Chloroform	7/7/2020	0.54	0.5	UG/L	219		W
Trichloroethylene	7/7/2020	0.24	0.5	UG/L	219	J	W
1,1,1-Trichloroethane	12/10/2019	0.77	0.5	UG/L	219		W
1,1-Dichloroethylene	12/10/2019	0.9	0.5	UG/L	219		W
524.2 TVOC	12/10/2019	1.93	0	UG/L	219		W
Trichloroethylene	12/10/2019	0.26	0.5	UG/L	219	J	W
524.2 TVOC	5/24/2019	1.8	0	UG/L	219		W
Chloroform	5/24/2019	1.8	0.5	UG/L	219		W
1,1,1-Trichloroethane	12/28/2018	0.21	0.5	UG/L	219	J	W
524.2 TVOC	12/28/2018	1.97	0	UG/L	219		W
Chloroform	12/28/2018	1.2	0.5	UG/L	219		W
Trichloroethylene	12/28/2018	0.56	0.5	UG/L	219		W
1,1,1-Trichloroethane	6/11/2018	0.75	0.5	UG/L	219		W
1,1-Dichloroethylene	6/11/2018	0.48	0.5	UG/L	219	J	W
524.2 TVOC	6/11/2018	3.32	0	UG/L	219		W
Chloroform	6/11/2018	0.78	0.5	UG/L	219		W
Methylene chloride	6/11/2018	0.82	0.5	UG/L	219		W
Trichloroethylene	6/11/2018	0.49	0.5	UG/L	219	J	W
1,1,1-Trichloroethane	12/5/2017	0.8	0.5	UG/L	219		W
1,1-Dichloroethylene	12/5/2017	0.46	0.5	UG/L	219	J	W
524.2 TVOC	12/5/2017	2.95	0	UG/L	219		W
Chloroform	12/5/2017	1.2	0.5	UG/L	219		W
Trichloroethylene	12/5/2017	0.49	0.5	UG/L	219	J	W
1,1,1-Trichloroethane	5/24/2017	1.5	0.5	UG/L	219		W
1,1-Dichloroethylene	5/24/2017	0.78	0.5	UG/L	219		W
524.2 TVOC	5/24/2017	3.42	0	UG/L	219		W
Chloroform	5/24/2017	0.56	0.5	UG/L	219		W
Trichloroethylene	5/24/2017	0.58	0.5	UG/L	219		W
1,1,1-Trichloroethane	12/12/2016	3.4	0.5	UG/L	219		W
1,1-Dichloroethylene	12/12/2016	2.4	0.5	UG/L	219		W
524.2 TVOC	12/12/2016	6.77	0	UG/L	219		W
Carbon tetrachloride	12/12/2016	0.18	0.5	UG/L	219	J	W
Chloroform	12/12/2016	0.26	0.5	UG/L	219	J	W
Trichloroethylene	12/12/2016	0.53	0.5	UG/L	219		W
1,1,1-Trichloroethane	5/25/2016	5.5	0.5	UG/L	219		W
1,1-Dichloroethane	5/25/2016	0.1	0.5	UG/L	219	J	W
1,1-Dichloroethylene	5/25/2016	3.3	0.5	UG/L	219		W
524.2 TVOC	5/25/2016	10.16	0	UG/L	219		W
Carbon tetrachloride	5/25/2016	0.25	0.5	UG/L	219	J	W

Appendix A

OU III LIPA Petition for Closure

2004 - 2024 Monitoring Well Analytical Data Summary - VOCs Detected Above Laboratory MDL

Chloroform	5/25/2016	0.3	0.5	UG/L	219	J	W
cis-1,2-Dichloroethylene	5/25/2016	0.13	0.5	UG/L	219	J	W
Trichloroethylene	5/25/2016	0.58	0.5	UG/L	219		W
1,1,1-Trichloroethane	12/29/2015	5.5	0.5	UG/L	219		W
1,1-Dichloroethylene	12/29/2015	4.3	0.5	UG/L	219		W
1,2-Dichloroethane	12/29/2015	0.14	0.5	UG/L	219	J	W
524.2 TVOC	12/29/2015	11.19	0	UG/L	219		W
Carbon tetrachloride	12/29/2015	0.24	0.5	UG/L	219	J	W
Chloroform	12/29/2015	0.33	0.5	UG/L	219	J	W
cis-1,2-Dichloroethylene	12/29/2015	0.11	0.5	UG/L	219	J	W
Trichloroethylene	12/29/2015	0.57	0.5	UG/L	219		W
1,1,1-Trichloroethane	5/21/2015	7	0.5	UG/L	219		W
1,1-Dichloroethylene	5/21/2015	5.3	0.5	UG/L	219		W
1,2-Dichloroethane	5/21/2015	0.17	0.5	UG/L	219	J	W
524.2 TVOC	5/21/2015	13.52	0	UG/L	219		W
Carbon tetrachloride	5/21/2015	0.3	0.5	UG/L	219	J	W
cis-1,2-Dichloroethylene	5/21/2015	0.18	0.5	UG/L	219	J	W
Trichloroethylene	5/21/2015	0.57	0.5	UG/L	219		W
1,1,1-Trichloroethane	12/15/2014	5.1	0.5	UG/L	219		W
1,1-Dichloroethylene	12/15/2014	4.4	0.5	UG/L	219		W
524.2 TVOC	12/15/2014	10.35	0	UG/L	219		W
Carbon tetrachloride	12/15/2014	0.19	0.5	UG/L	219	J	W
Chloroform	12/15/2014	0.28	0.5	UG/L	219	J	W
cis-1,2-Dichloroethylene	12/15/2014	0.11	0.5	UG/L	219	J	W
Trichloroethylene	12/15/2014	0.27	0.5	UG/L	219	J	W
1,1,1-Trichloroethane	5/22/2014	1.2	0.5	UG/L	219		W
1,1-Dichloroethylene	5/22/2014	0.83	0.5	UG/L	219		W
524.2 TVOC	5/22/2014	2.19	0	UG/L	219		W
Carbon tetrachloride	5/22/2014	0.16	0.5	UG/L	219	J	W
1,1,1-Trichloroethane	12/16/2013	0.46	0.5	UG/L	219	J	W
1,1-Dichloroethylene	12/16/2013	0.41	0.5	UG/L	219	J	W
524.2 TVOC	12/16/2013	1.22	0	UG/L	219		W
Carbon tetrachloride	12/16/2013	0.14	0.5	UG/L	219	J	W
Chloroform	12/16/2013	0.21	0.5	UG/L	219	J	W
1,1,1-Trichloroethane	6/6/2013	0.71	0.5	UG/L	219		W
1,1-Dichloroethylene	6/6/2013	0.34	0.5	UG/L	219	J	W
524.2 TVOC	6/6/2013	2.17	0	UG/L	219		W
Carbon tetrachloride	6/6/2013	0.43	0.5	UG/L	219	J	W
Chloroform	6/6/2013	0.69	0.5	UG/L	219		W
1,1,1-Trichloroethane	11/20/2012	0.97	0.5	UG/L	219		W
1,1-Dichloroethylene	11/20/2012	0.13	0.5	UG/L	219	J	W
524.2 TVOC	11/20/2012	2.06	0	UG/L	219		W
Carbon tetrachloride	11/20/2012	0.49	0.5	UG/L	219	J	W
Chloroform	11/20/2012	0.47	0.5	UG/L	219	J	W
1,1,1-Trichloroethane	5/18/2012	0.93	0.5	UG/L	219		W
1,1-Dichloroethylene	5/18/2012	0.52	0.5	UG/L	219		W
524.2 TVOC	5/18/2012	2.78	0	UG/L	219		W
Carbon tetrachloride	5/18/2012	0.79	0.5	UG/L	219		W
Chloroform	5/18/2012	0.54	0.5	UG/L	219		W
1,1,1-Trichloroethane	12/2/2011	0.31	0.5	UG/L	219	J	W
1,1-Dichloroethylene	12/2/2011	0.19	0.5	UG/L	219	J	W
524.2 TVOC	12/2/2011	1.49	0	UG/L	219		W
Carbon tetrachloride	12/2/2011	0.3	0.5	UG/L	219	J	W

Appendix A

OU III LIPA Petition for Closure

2004 - 2024 Monitoring Well Analytical Data Summary - VOCs Detected Above Laboratory MDL

Chloroform	12/2/2011	0.69	0.5	UG/L	219		W
524.2 TVOC	5/10/2011	1.4	0	UG/L	219		W
Chloroform	5/10/2011	1.4	0.5	UG/L	219		W
524.2 TVOC	12/6/2010	1.6	0	UG/L	219		W
Chloroform	12/6/2010	1.6	0.5	UG/L	219		W
524.2 TVOC	4/27/2010	1.76	0	UG/L	219		W
Chloroform	4/27/2010	1.5	0.5	UG/L	219		W
Methyl chloride	4/27/2010	0.26	0.5	UG/L	219	J	W
524.2 TVOC	11/17/2009	1.67	0	UG/L	219		W
Chloroform	11/17/2009	1.4	0.5	UG/L	219		W
Methyl chloride	11/17/2009	0.14	0.5	UG/L	219	J	W
Trichloroethylene	11/17/2009	0.13	0.5	UG/L	219	J	W
524.2 TVOC	5/20/2009	1.59	0	UG/L	219		W
Chloroform	5/20/2009	1.1	0.5	UG/L	219		W
Methylene chloride	5/20/2009	0.32	0.5	UG/L	219	J B	W
Trichloroethylene	5/20/2009	0.17	0.5	UG/L	219	J	W
524.2 TVOC	11/26/2008	1.67	0	UG/L	219		W
Chloroform	11/26/2008	1.5	0.5	UG/L	219		W
Trichloroethylene	11/26/2008	0.17	0.5	UG/L	219	J	W
524.2 TVOC	5/22/2008	2.24	0	UG/L	219		W
Chloroform	5/22/2008	2.1	0.5	UG/L	219		W
Trichloroethylene	5/22/2008	0.14	0.5	UG/L	219	J	W
524.2 TVOC	11/28/2007	1.6	0	UG/L	219		W
Chloroform	11/28/2007	1.6	0.5	UG/L	219		W
524.2 TVOC	5/23/2007	2.22	0	UG/L	219		W
Chloroform	5/23/2007	2	0.5	UG/L	219		W
Trichloroethylene	5/23/2007	0.22	0.5	UG/L	219	J	W
524.2 TVOC	11/28/2006	2.37	0	UG/L	219		W
Chloroform	11/28/2006	2.1	0.5	UG/L	219		W
Trichloroethylene	11/28/2006	0.27	0.5	UG/L	219	J	W
524.2 TVOC	8/30/2006	1.51	0	UG/L	219		W
Chloroform	8/30/2006	1.2	0.5	UG/L	219		W
Trichloroethylene	8/30/2006	0.31	0.5	UG/L	219	J	W
524.2 TVOC	6/7/2006	1.3	0	UG/L	219		W
Chloroform	6/7/2006	0.97	0.5	UG/L	219		W
Trichloroethylene	6/7/2006	0.33	0.5	UG/L	219	J	W
524.2 TVOC	3/20/2006	0.93	0	UG/L	219		W
Chloroform	3/20/2006	0.5	0.5	UG/L	219		W
Trichloroethylene	3/20/2006	0.43	0.5	UG/L	219	J	W
524.2 TVOC	12/16/2005	1.02	0	UG/L	219		W
Chloroform	12/16/2005	0.37	0.5	UG/L	219	J	W
Trichloroethylene	12/16/2005	0.65	0.5	UG/L	219		W
524.2 TVOC	8/19/2005	2.02	0	UG/L	217.5		W
Chloroform	8/19/2005	0.52	0.5	UG/L	217.5		W
Trichloroethylene	8/19/2005	1.5	0.5	UG/L	217.5		W
524.2 TVOC	5/31/2005	2.32	0	UG/L	217.5		W
Chloroform	5/31/2005	0.62	0.5	UG/L	217.5		W
Trichloroethylene	5/31/2005	1.7	0.5	UG/L	217.5		W
524.2 TVOC	3/28/2005	2.57	0	UG/L	217.5		W
Chloroform	3/28/2005	0.67	0.5	UG/L	217.5		W
Trichloroethylene	3/28/2005	1.9	0.5	UG/L	217.5		W
1,1,1-Trichloroethane	12/9/2004	0.18	0.5	UG/L	217.5	J	W
524.2 TVOC	12/9/2004	4.9	0	UG/L	217.5		W

Appendix A

OU III LIPA Petition for Closure

2004 - 2024 Monitoring Well Analytical Data Summary - VOCs Detected Above Laboratory MDL

Carbon tetrachloride	12/9/2004	0.46	0.5	UG/L	217.5	J	W
Chloroform	12/9/2004	0.76	0.5	UG/L	217.5		W
Trichloroethylene	12/9/2004	3.5	0.5	UG/L	217.5		W
524.2 TVOC	7/20/2004	9.98	0	UG/L	210		W
Carbon tetrachloride	7/20/2004	1.2	0.5	UG/L	210		W
Chloroform	7/20/2004	0.88	0.5	UG/L	210		W
Trichloroethylene	7/20/2004	7.9	0.5	UG/L	210		W
1,1,1-Trichloroethane	3/29/2004	0.5	0.5	UG/L	217.5		W
524.2 TVOC	3/29/2004	12.28	0	UG/L	217.5		W
Carbon tetrachloride	3/29/2004	1.5	0.5	UG/L	217.5		W
Chloroform	3/29/2004	0.88	0.5	UG/L	217.5		W
Trichloroethylene	3/29/2004	9.4	0.5	UG/L	217.5		W

Site ID : 000-448

Chemical Name	Sample Date	Value	Detlim	Units	Depth	Qual	Matrix
1,1,1-Trichloroethane	11/14/2023	2.1	0.5	UG/L	212		W
1,1-Dichloroethylene	11/14/2023	2.6	0.5	UG/L	212		W
8260 TVOC	11/14/2023	6.05	0	UG/L	212		W
Chloroform	11/14/2023	0.65	0.5	UG/L	212		W
Trichloroethylene	11/14/2023	0.7	0.5	UG/L	212		W
1,1,1-Trichloroethane	8/31/2023	1.8	0.5	UG/L	212		W
1,1-Dichloroethylene	8/31/2023	2.6	0.5	UG/L	212		W
1,2-Dichloroethane	8/31/2023	0.4	0.5	UG/L	212	J	W
8260 TVOC	8/31/2023	6.45	0	UG/L	212		W
Carbon tetrachloride	8/31/2023	0.22	0.5	UG/L	212	J	W
Chloroform	8/31/2023	0.72	0.5	UG/L	212		W
Trichloroethylene	8/31/2023	0.71	0.5	UG/L	212		W
1,1,1-Trichloroethane	6/6/2023	1.4	0.5	UG/L	212		W
1,1-Dichloroethylene	6/6/2023	2.3	0.5	UG/L	212		W
1,2-Dichloroethane	6/6/2023	0.39	0.5	UG/L	212	J	W
8260 TVOC	6/6/2023	5.87	0	UG/L	212		W
Carbon tetrachloride	6/6/2023	0.22	0.5	UG/L	212	J	W
Chloroform	6/6/2023	0.78	0.5	UG/L	212		W
Trichloroethylene	6/6/2023	0.78	0.5	UG/L	212		W
1,1,1-Trichloroethane	2/27/2023	1.2	0.5	UG/L	212		W
1,1-Dichloroethylene	2/27/2023	1.3	0.5	UG/L	212		W
1,2-Dichloroethane	2/27/2023	0.22	0.5	UG/L	212	J	W
8260 TVOC	2/27/2023	3.33	0	UG/L	212		W
Carbon tetrachloride	2/27/2023	0.19	0.5	UG/L	212	J	W
Trichloroethylene	2/27/2023	0.42	0.5	UG/L	212	J	W
1,1,1-Trichloroethane	12/13/2022	1.6	0.5	UG/L	212		W
1,1-Dichloroethylene	12/13/2022	1.8	0.5	UG/L	212		W
1,2-Dichloroethane	12/13/2022	0.21	0.5	UG/L	212	J	W
8260 TVOC	12/13/2022	4.06	0	UG/L	212		W
Carbon tetrachloride	12/13/2022	0.19	0.5	UG/L	212	J	W
Trichloroethylene	12/13/2022	0.26	0.5	UG/L	212	J	W
1,1,1-Trichloroethane	5/25/2022	1.4	0.5	UG/L	212		W
1,1-Dichloroethylene	5/25/2022	1.7	0.5	UG/L	212		W
1,2-Dichloroethane	5/25/2022	0.24	0.5	UG/L	212	J	W
8260 TVOC	5/25/2022	5.24	0	UG/L	212		W
Chloroform	5/25/2022	1.2	0.5	UG/L	212		W
Trichloroethylene	5/25/2022	0.7	0.5	UG/L	212		W

Appendix A

OU III LIPA Petition for Closure

2004 - 2024 Monitoring Well Analytical Data Summary - VOCs Detected Above Laboratory MDL

1,1,1-Trichloroethane	12/2/2021	0.42	0.5	UG/L	212	J	W
1,1-Dichloroethylene	12/2/2021	0.75	0.5	UG/L	212		W
8260 TVOC	12/2/2021	4.08	0	UG/L	212		W
Chloroform	12/2/2021	2	0.5	UG/L	212		W
Trichloroethylene	12/2/2021	0.91	0.5	UG/L	212		W
1,1,1-Trichloroethane	6/3/2021	0.92	0.5	UG/L	212		W
1,1-Dichloroethylene	6/3/2021	0.77	0.5	UG/L	212		W
524.2 TVOC	6/3/2021	5.09	0	UG/L	212		W
Chloroform	6/3/2021	2.2	0.5	UG/L	212		W
Trichloroethylene	6/3/2021	1.2	0.5	UG/L	212		W
1,1,1-Trichloroethane	12/29/2020	2.2	0.5	UG/L	212		W
1,1-Dichloroethylene	12/29/2020	1.5	0.5	UG/L	212		W
524.2 TVOC	12/29/2020	7.29	0	UG/L	212		W
Carbon tetrachloride	12/29/2020	0.29	0.5	UG/L	212	J	W
Chloroform	12/29/2020	2	0.5	UG/L	212		W
Trichloroethylene	12/29/2020	1.3	0.5	UG/L	212		W
1,1,1-Trichloroethane	7/7/2020	6.9	0.5	UG/L	212		W
1,1-Dichloroethylene	7/7/2020	7.8	0.5	UG/L	212		W
1,2-Dichloroethane	7/7/2020	0.23	0.5	UG/L	212	J	W
524.2 TVOC	7/7/2020	18.81	0	UG/L	212		W
Carbon tetrachloride	7/7/2020	0.4	0.5	UG/L	212	J	W
Chloroform	7/7/2020	1.9	0.5	UG/L	212		W
cis-1,2-Dichloroethylene	7/7/2020	0.28	0.5	UG/L	212	J	W
Trichloroethylene	7/7/2020	1.3	0.5	UG/L	212		W
1,1,1-Trichloroethane	12/10/2019	3.8	0.5	UG/L	212		W
1,1-Dichloroethane	12/10/2019	0.13	0.5	UG/L	212	J	W
1,1-Dichloroethylene	12/10/2019	4.4	0.5	UG/L	212		W
1,2-Dichloroethane	12/10/2019	0.23	0.5	UG/L	212	J	W
524.2 TVOC	12/10/2019	10.09	0	UG/L	212		W
Carbon tetrachloride	12/10/2019	0.19	0.5	UG/L	212	J	W
cis-1,2-Dichloroethylene	12/10/2019	0.14	0.5	UG/L	212	J	W
Trichloroethylene	12/10/2019	1.2	0.5	UG/L	212		W
1,1,1-Trichloroethane	5/24/2019	3.2	0.5	UG/L	212		W
1,1-Dichloroethylene	5/24/2019	2.7	0.5	UG/L	212		W
524.2 TVOC	5/24/2019	7.86	0	UG/L	212		W
Chloroform	5/24/2019	0.76	0.5	UG/L	212		W
Trichloroethylene	5/24/2019	1.2	0.5	UG/L	212		W
1,1,1-Trichloroethane	1/3/2019	3.8	0.5	UG/L	212		W
1,1-Dichloroethylene	1/3/2019	2.46	0.5	UG/L	212		W
524.2 TVOC	1/3/2019	8.26	0	UG/L	212		W
Carbon tetrachloride	1/3/2019	0.23	0.5	UG/L	212	J	W
Chloroform	1/3/2019	0.41	0.5	UG/L	212	J	W
cis-1,2-Dichloroethylene	1/3/2019	0.2	0.5	UG/L	212	J	W
Trichloroethylene	1/3/2019	1.16	0.5	UG/L	212		W
524.2 TVOC	6/25/2018	0	0	UG/L	212		W
1,1,1-Trichloroethane	12/4/2017	5.2	0.5	UG/L	212		W
1,1-Dichloroethane	12/4/2017	0.089	0.5	UG/L	212	J	W
1,1-Dichloroethylene	12/4/2017	3.8	0.5	UG/L	212		W
1,2-Dichloroethane	12/4/2017	0.23	0.5	UG/L	212	J	W
524.2 TVOC	12/4/2017	11.069	0	UG/L	212		W
Carbon tetrachloride	12/4/2017	0.24	0.5	UG/L	212	J	W
cis-1,2-Dichloroethylene	12/4/2017	0.21	0.5	UG/L	212	J	W
Trichloroethylene	12/4/2017	1.3	0.5	UG/L	212		W

Appendix A

OU III LIPA Petition for Closure

2004 - 2024 Monitoring Well Analytical Data Summary - VOCs Detected Above Laboratory MDL

1,1,1-Trichloroethane	5/24/2017	5.3	0.5	UG/L	212		W
1,1-Dichloroethane	5/24/2017	0.086	0.5	UG/L	212	J	W
1,1-Dichloroethylene	5/24/2017	3.7	0.5	UG/L	212		W
1,2-Dichloroethane	5/24/2017	0.24	0.5	UG/L	212	J	W
524.2 TVOC	5/24/2017	11.866	0	UG/L	212		W
Carbon tetrachloride	5/24/2017	0.29	0.5	UG/L	212	J	W
Chloroform	5/24/2017	0.66	0.5	UG/L	212		W
cis-1,2-Dichloroethylene	5/24/2017	0.19	0.5	UG/L	212	J	W
Trichloroethylene	5/24/2017	1.4	0.5	UG/L	212		W
1,1,1-Trichloroethane	12/1/2016	5.1	0.5	UG/L	212		W
1,1-Dichloroethane	12/1/2016	0.08	0.5	UG/L	212	J	W
1,1-Dichloroethylene	12/1/2016	3.8	0.5	UG/L	212		W
524.2 TVOC	12/1/2016	11.06	0	UG/L	212		W
Carbon tetrachloride	12/1/2016	0.2	0.5	UG/L	212	J	W
cis-1,2-Dichloroethylene	12/1/2016	0.16	0.5	UG/L	212	J	W
Methyl bromide	12/1/2016	0.42	0.5	UG/L	212	J	W
Trichloroethylene	12/1/2016	1.3	0.5	UG/L	212		W
1,1,1-Trichloroethane	5/24/2016	6.1	0.5	UG/L	212		W
1,1-Dichloroethylene	5/24/2016	4.3	0.5	UG/L	212		W
1,2-Dichloroethane	5/24/2016	0.29	0.5	UG/L	212	J	W
524.2 TVOC	5/24/2016	12.77	0	UG/L	212		W
Carbon tetrachloride	5/24/2016	0.27	0.5	UG/L	212	J	W
Chloroform	5/24/2016	0.2	0.5	UG/L	212	J	W
cis-1,2-Dichloroethylene	5/24/2016	0.21	0.5	UG/L	212	J	W
Trichloroethylene	5/24/2016	1.4	0.5	UG/L	212		W
1,1,1-Trichloroethane	12/29/2015	5.7	0.5	UG/L	212		W
1,1-Dichloroethane	12/29/2015	0.088	0.5	UG/L	212	J	W
1,1-Dichloroethylene	12/29/2015	4.1	0.5	UG/L	212		W
1,2-Dichloroethane	12/29/2015	0.22	0.5	UG/L	212	J	W
524.2 TVOC	12/29/2015	12.088	0	UG/L	212		W
Carbon tetrachloride	12/29/2015	0.21	0.5	UG/L	212	J	W
Chloroform	12/29/2015	0.17	0.5	UG/L	212	J	W
cis-1,2-Dichloroethylene	12/29/2015	0.2	0.5	UG/L	212	J	W
Trichloroethylene	12/29/2015	1.4	0.5	UG/L	212		W
1,1,1-Trichloroethane	5/21/2015	7.8	0.5	UG/L	212		W
1,1,2-Trichloroethane	5/21/2015	0.22	0.5	UG/L	212	J	W
1,1-Dichloroethane	5/21/2015	0.13	0.5	UG/L	212	J	W
1,1-Dichloroethylene	5/21/2015	5.6	0.5	UG/L	212		W
1,2-Dichloroethane	5/21/2015	0.3	0.5	UG/L	212	J	W
524.2 TVOC	5/21/2015	16.55	0	UG/L	212		W
Carbon tetrachloride	5/21/2015	0.34	0.5	UG/L	212	J	W
cis-1,2-Dichloroethylene	5/21/2015	0.26	0.5	UG/L	212	J	W
Trichloroethylene	5/21/2015	1.9	0.5	UG/L	212		W
1,1,1-Trichloroethane	12/15/2014	7.8	0.5	UG/L	212		W
1,1-Dichloroethane	12/15/2014	0.098	0.5	UG/L	212	J	W
1,1-Dichloroethylene	12/15/2014	5.2	0.5	UG/L	212		W
1,2-Dichloroethane	12/15/2014	0.21	0.5	UG/L	212	J	W
524.2 TVOC	12/15/2014	15.508	0	UG/L	212		W
Carbon tetrachloride	12/15/2014	0.29	0.5	UG/L	212	J	W
Chloroform	12/15/2014	0.16	0.5	UG/L	212	J	W
cis-1,2-Dichloroethylene	12/15/2014	0.25	0.5	UG/L	212	J	W
Trichloroethylene	12/15/2014	1.5	0.5	UG/L	212		W
1,1,1-Trichloroethane	5/22/2014	9.2	0.5	UG/L	212		W

Appendix A

OU III LIPA Petition for Closure

2004 - 2024 Monitoring Well Analytical Data Summary - VOCs Detected Above Laboratory MDL

1,1-Dichloroethane	5/22/2014	0.11	0.5	UG/L	212	J	W
1,1-Dichloroethylene	5/22/2014	6.2	0.5	UG/L	212		W
1,2-Dichloroethane	5/22/2014	0.28	0.5	UG/L	212	J	W
524.2 TVOC	5/22/2014	18.16	0	UG/L	212		W
Carbon tetrachloride	5/22/2014	0.26	0.5	UG/L	212	J	W
cis-1,2-Dichloroethylene	5/22/2014	0.31	0.5	UG/L	212	J	W
Trichloroethylene	5/22/2014	1.8	0.5	UG/L	212		W
1,1,1-Trichloroethane	12/17/2013	9.7	0.5	UG/L	212		W
1,1-Dichloroethane	12/17/2013	0.11	0.5	UG/L	212	J	W
1,1-Dichloroethylene	12/17/2013	4.6	0.5	UG/L	212		W
524.2 TVOC	12/17/2013	16.87	0	UG/L	212		W
Carbon tetrachloride	12/17/2013	0.35	0.5	UG/L	212	J	W
Chloroform	12/17/2013	0.2	0.5	UG/L	212	J	W
cis-1,2-Dichloroethylene	12/17/2013	0.31	0.5	UG/L	212	J	W
Trichloroethylene	12/17/2013	1.6	0.5	UG/L	212		W
1,1,1-Trichloroethane	6/6/2013	5.4	0.5	UG/L	212		W
1,1-Dichloroethane	6/6/2013	0.12	0.5	UG/L	212	J	W
1,1-Dichloroethylene	6/6/2013	1.9	0.5	UG/L	212		W
1,2-Dichloroethane	6/6/2013	0.21	0.5	UG/L	212	J	W
524.2 TVOC	6/6/2013	10.19	0	UG/L	212		W
Carbon tetrachloride	6/6/2013	0.34	0.5	UG/L	212	J	W
Chloroform	6/6/2013	0.71	0.5	UG/L	212		W
cis-1,2-Dichloroethylene	6/6/2013	0.2	0.5	UG/L	212	J	W
Methylene chloride	6/6/2013	0.11	0.5	UG/L	212	J	W
Trichloroethylene	6/6/2013	1.2	0.5	UG/L	212		W
1,1,1-Trichloroethane	11/20/2012	2.9	0.5	UG/L	210		W
1,1-Dichloroethylene	11/20/2012	0.26	0.5	UG/L	210	J	W
524.2 TVOC	11/20/2012	4.73	0	UG/L	210		W
Carbon tetrachloride	11/20/2012	0.27	0.5	UG/L	210	J	W
Chloroform	11/20/2012	0.97	0.5	UG/L	210		W
Trichloroethylene	11/20/2012	0.33	0.5	UG/L	210	J	W
1,1,1-Trichloroethane	5/22/2012	2.6	0.5	UG/L	212		W
1,1-Dichloroethylene	5/22/2012	1.1	0.5	UG/L	212		W
524.2 TVOC	5/22/2012	6.1	0	UG/L	212		W
Carbon tetrachloride	5/22/2012	0.32	0.5	UG/L	212	J	W
Chloroform	5/22/2012	1.1	0.5	UG/L	212		W
Trichloroethylene	5/22/2012	0.98	0.5	UG/L	212		W
524.2 TVOC	5/18/2012	2.3	0	UG/L	219		W
Chloroform	5/18/2012	2.3	0.5	UG/L	219		W
1,1,1-Trichloroethane	12/2/2011	2	0.5	UG/L	212		W
1,1-Dichloroethylene	12/2/2011	0.86	0.5	UG/L	212		W
524.2 TVOC	12/2/2011	4.88	0	UG/L	212		W
Carbon tetrachloride	12/2/2011	0.32	0.5	UG/L	212	J	W
Chloroform	12/2/2011	1.1	0.5	UG/L	212		W
cis-1,2-Dichloroethylene	12/2/2011	0.1	0.5	UG/L	212	J	W
Trichloroethylene	12/2/2011	0.5	0.5	UG/L	212		W
1,1,1-Trichloroethane	5/11/2011	0.15	0.5	UG/L	212	J	W
524.2 TVOC	5/11/2011	1.15	0	UG/L	212		W
Chloroform	5/11/2011	1	0.5	UG/L	212		W
1,1,1-Trichloroethane	12/3/2010	0.15	0.5	UG/L	212	J	W
524.2 TVOC	12/3/2010	0.15	0	UG/L	212		W
1,1,1-Trichloroethane	5/3/2010	0.9	0.5	UG/L	212		W
1,1-Dichloroethylene	5/3/2010	0.48	0.5	UG/L	212	J	W

Appendix A

OU III LIPA Petition for Closure

2004 - 2024 Monitoring Well Analytical Data Summary - VOCs Detected Above Laboratory MDL

524.2 TVOC	5/3/2010	3.775	0	UG/L	212		W
Carbon tetrachloride	5/3/2010	0.3	0.5	UG/L	212	J	W
Chloroform	5/3/2010	0.71	0.5	UG/L	212		W
Methyl chloride	5/3/2010	0.085	0.5	UG/L	212	J	W
Trichloroethylene	5/3/2010	1.3	0.5	UG/L	212		W
1,1,1-Trichloroethane	11/17/2009	0.91	0.5	UG/L	212		W
1,1-Dichloroethylene	11/17/2009	0.34	0.5	UG/L	212	J	W
524.2 TVOC	11/17/2009	4.13	0	UG/L	212		W
Carbon tetrachloride	11/17/2009	0.31	0.5	UG/L	212	J	W
Chloroform	11/17/2009	1.2	0.5	UG/L	212		W
Methyl chloride	11/17/2009	0.17	0.5	UG/L	212	J	W
Trichloroethylene	11/17/2009	1.2	0.5	UG/L	212		W
1,1,1-Trichloroethane	5/20/2009	1.4	0.5	UG/L	212		W
1,1-Dichloroethylene	5/20/2009	0.73	0.5	UG/L	212		W
524.2 TVOC	5/20/2009	5.029	0	UG/L	212		W
Carbon tetrachloride	5/20/2009	0.32	0.5	UG/L	212	J	W
Chloroform	5/20/2009	1.1	0.5	UG/L	212		W
Methyl chloride	5/20/2009	0.079	0.5	UG/L	212	J	W
Methylene chloride	5/20/2009	0.4	0.5	UG/L	212	J B	W
Trichloroethylene	5/20/2009	1	0.5	UG/L	212		W
1,1,1-Trichloroethane	11/26/2008	0.3	0.5	UG/L	212	J	W
1,1-Dichloroethylene	11/26/2008	0.29	0.5	UG/L	212	J	W
524.2 TVOC	11/26/2008	1.926	0	UG/L	212		W
Carbon tetrachloride	11/26/2008	0.096	0.5	UG/L	212	J	W
Chloroform	11/26/2008	0.61	0.5	UG/L	212		W
Methyl chloride	11/26/2008	0.25	0.5	UG/L	212	J	W
Trichloroethylene	11/26/2008	0.38	0.5	UG/L	212	J	W
524.2 TVOC	5/23/2008	1.26	0	UG/L	212		W
Chloroform	5/23/2008	1.1	0.5	UG/L	212		W
Trichloroethylene	5/23/2008	0.16	0.5	UG/L	212	J	W
524.2 TVOC	11/28/2007	3.9	0	UG/L	212		W
Chloroform	11/28/2007	3.1	0.5	UG/L	212		W
cis-1,2-Dichloroethylene	11/28/2007	0.45	0.5	UG/L	212	J	W
Trichloroethylene	11/28/2007	0.35	0.5	UG/L	212	J	W
524.2 TVOC	5/29/2007	6.42	0	UG/L	212		W
Chloroform	5/29/2007	0.92	0.5	UG/L	212		W
cis-1,2-Dichloroethylene	5/29/2007	2.1	0.5	UG/L	212		W
Methyl tert-butyl ether	5/29/2007	3	0.5	UG/L	212		W
Trichloroethylene	5/29/2007	0.4	0.5	UG/L	212	J	W
524.2 TVOC	11/30/2006	1.47	0	UG/L	212		W
Chloroform	11/30/2006	0.33	0.5	UG/L	212	J	W
cis-1,2-Dichloroethylene	11/30/2006	0.14	0.5	UG/L	212	J	W
Methyl tert-butyl ether	11/30/2006	0.62	0.5	UG/L	212		W
Trichloroethylene	11/30/2006	0.38	0.5	UG/L	212	J	W
524.2 TVOC	8/30/2006	2.16	0	UG/L	212		W
Chloroform	8/30/2006	0.24	0.5	UG/L	212	J	W
cis-1,2-Dichloroethylene	8/30/2006	0.36	0.5	UG/L	212	J	W
Methyl tert-butyl ether	8/30/2006	0.85	0.5	UG/L	212		W
Trichloroethylene	8/30/2006	0.71	0.5	UG/L	212		W
524.2 TVOC	6/8/2006	3.39	0	UG/L	212		W
Chloroform	6/8/2006	0.23	0.5	UG/L	212	J	W
cis-1,2-Dichloroethylene	6/8/2006	0.86	0.5	UG/L	212		W
Methyl tert-butyl ether	6/8/2006	1.3	0.5	UG/L	212		W

Appendix A

OU III LIPA Petition for Closure

2004 - 2024 Monitoring Well Analytical Data Summary - VOCs Detected Above Laboratory MDL

Trichloroethylene	6/8/2006	1	0.5	UG/L	212		W
524.2 TVOC	3/20/2006	5.33	0	UG/L	212		W
Chloroform	3/20/2006	0.22	0.5	UG/L	212	J	W
cis-1,2-Dichloroethylene	3/20/2006	1.6	0.5	UG/L	212		W
Methyl tert-butyl ether	3/20/2006	2.6	0.5	UG/L	212		W
Trichloroethylene	3/20/2006	0.91	0.5	UG/L	212		W
524.2 TVOC	12/20/2005	2.58	0	UG/L	212		W
Chloroform	12/20/2005	0.2	0.5	UG/L	212	J	W
cis-1,2-Dichloroethylene	12/20/2005	0.52	0.5	UG/L	212		W
Methyl tert-butyl ether	12/20/2005	1.6	0.5	UG/L	212		W
Trichloroethylene	12/20/2005	0.26	0.5	UG/L	212	J	W
524.2 TVOC	8/22/2005	0	0	UG/L	210.5		W
524.2 TVOC	6/1/2005	0.48	0	UG/L	210.5		W
Chloroform	6/1/2005	0.48	0.5	UG/L	210.5	J	W
524.2 TVOC	3/25/2005	1.29	0	UG/L	210.5		W
Chloroform	3/25/2005	0.65	0.5	UG/L	210.5		W
Trichloroethylene	3/25/2005	0.64	0.5	UG/L	210.5		W
1,1,1-Trichloroethane	12/9/2004	1.1	0.5	UG/L	210.5		W
1,1-Dichloroethylene	12/9/2004	0.68	0.5	UG/L	210.5		W
1,2-Dichloroethane	12/9/2004	0.16	0.5	UG/L	210.5	J	W
524.2 TVOC	12/9/2004	14.04	0	UG/L	210.5		W
Carbon tetrachloride	12/9/2004	1.9	0.5	UG/L	210.5		W
Chloroform	12/9/2004	0.87	0.5	UG/L	210.5		W
cis-1,2-Dichloroethylene	12/9/2004	0.33	0.5	UG/L	210.5	J	W
Trichloroethylene	12/9/2004	9	0.5	UG/L	210.5		W
1,1,1-Trichloroethane	7/21/2004	8.4	0.5	UG/L	210.5		W
1,1-Dichloroethylene	7/21/2004	7.5	0.5	UG/L	210.5		W
1,2-Dichloroethane	7/21/2004	1.6	0.5	UG/L	210.5		W
524.2 TVOC	7/21/2004	119.5	0	UG/L	210.5		W
Carbon tetrachloride	7/21/2004	14	0.5	UG/L	210.5		W
Chloroform	7/21/2004	1.9	0.5	UG/L	210.5		W
cis-1,2-Dichloroethylene	7/21/2004	3.1	0.5	UG/L	210.5		W
Trichloroethylene	7/21/2004	83	2.5	UG/L	210.5	D	W
1,1,1-Trichloroethane	3/29/2004	19	0.5	UG/L	210.5		W
1,1-Dichloroethane	3/29/2004	0.41	0.5	UG/L	210.5	J	W
1,1-Dichloroethylene	3/29/2004	12	0.5	UG/L	210.5		W
1,2-Dichloroethane	3/29/2004	2.9	0.5	UG/L	210.5		W
1,2-Dichloropropane	3/29/2004	0.87	0.5	UG/L	210.5		W
524.2 TVOC	3/29/2004	204.38	0	UG/L	210.5		W
Carbon tetrachloride	3/29/2004	21	0.5	UG/L	210.5		W
Chloroform	3/29/2004	2	0.5	UG/L	210.5		W
cis-1,2-Dichloroethylene	3/29/2004	6.2	0.5	UG/L	210.5		W
Trichloroethylene	3/29/2004	140	5	UG/L	210.5	D	W

Site ID : 000-449

Chemical Name	Sample Date	Value	Detlim	Units	Depth	Qual	Matrix
1,1,1-Trichloroethane	11/7/2023	0.35	0.5	UG/L	193	J	W
1,1-Dichloroethylene	11/7/2023	0.27	0.5	UG/L	193	J	W
8260 TVOC	11/7/2023	1.46	0	UG/L	193		W
Chloroform	11/7/2023	0.43	0.5	UG/L	193	J	W
Trichloroethylene	11/7/2023	0.41	0.5	UG/L	193	J	W
1,1,1-Trichloroethane	9/6/2023	0.4	0.5	UG/L	193	J	W

Appendix A

OU III LIPA Petition for Closure

2004 - 2024 Monitoring Well Analytical Data Summary - VOCs Detected Above Laboratory MDL

1,1-Dichloroethylene	9/6/2023	0.25	0.5	UG/L	193	J	W
1,2-Dichloroethane	9/6/2023	0.15	0.5	UG/L	193	J	W
8260 TVOC	9/6/2023	1.65	0	UG/L	193		W
Chloroform	9/6/2023	0.42	0.5	UG/L	193	J	W
Trichloroethylene	9/6/2023	0.43	0.5	UG/L	193	J	W
1,1,1-Trichloroethane	6/9/2023	0.79	0.5	UG/L	193		W
1,1-Dichloroethylene	6/9/2023	0.47	0.5	UG/L	193	J	W
8260 TVOC	6/9/2023	1.75	0	UG/L	193		W
Chloroform	6/9/2023	0.49	0.5	UG/L	193	J	W
1,1,1-Trichloroethane	3/2/2023	0.9	0.5	UG/L	193		W
1,1-Dichloroethylene	3/2/2023	0.91	0.5	UG/L	193		W
1,2-Dichloroethane	3/2/2023	0.24	0.5	UG/L	193	J	W
8260 TVOC	3/2/2023	2.23	0	UG/L	193		W
Trichloroethylene	3/2/2023	0.18	0.5	UG/L	193	J	W
1,1,1-Trichloroethane	12/13/2022	1.3	0.5	UG/L	193		W
1,1-Dichloroethylene	12/13/2022	1.3	0.5	UG/L	193		W
8260 TVOC	12/13/2022	3.08	0	UG/L	193		W
Trichloroethylene	12/13/2022	0.48	0.5	UG/L	193	J	W
1,1,1-Trichloroethane	5/24/2022	1.5	0.5	UG/L	193		W
1,1-Dichloroethylene	5/24/2022	2	0.5	UG/L	193		W
1,2-Dichloroethane	5/24/2022	0.51	0.5	UG/L	193		W
8260 TVOC	5/24/2022	4.96	0	UG/L	193		W
Chloroform	5/24/2022	0.56	0.5	UG/L	193		W
Trichloroethylene	5/24/2022	0.39	0.5	UG/L	193	J	W
1,1,1-Trichloroethane	12/6/2021	0.68	0.5	UG/L	193		W
1,1-Dichloroethylene	12/6/2021	1.2	0.5	UG/L	193		W
1,2-Dichloroethane	12/6/2021	0.29	0.5	UG/L	193	J	W
8260 TVOC	12/6/2021	2.86	0	UG/L	193		W
Chloroform	12/6/2021	0.19	0.5	UG/L	193	J	W
Trichloroethylene	12/6/2021	0.5	0.5	UG/L	193		W
1,1,1-Trichloroethane	6/4/2021	0.54	0.5	UG/L	193		W
1,1-Dichloroethylene	6/4/2021	0.69	0.5	UG/L	193		W
1,2-Dichloroethane	6/4/2021	0.33	0.5	UG/L	193	J	W
524.2 TVOC	6/4/2021	1.56	0	UG/L	193		W
1,1,1-Trichloroethane	12/28/2020	0.71	0.5	UG/L	193		W
1,1-Dichloroethylene	12/28/2020	0.63	0.5	UG/L	193		W
1,2-Dichloroethane	12/28/2020	0.3	0.5	UG/L	193	J	W
524.2 TVOC	12/28/2020	2.37	0	UG/L	193		W
Chloroform	12/28/2020	0.25	0.5	UG/L	193	J	W
Trichloroethylene	12/28/2020	0.48	0.5	UG/L	193	J	W
1,1,1-Trichloroethane	7/8/2020	0.76	0.5	UG/L	193		W
1,1-Dichloroethylene	7/8/2020	0.8	0.5	UG/L	193		W
1,2-Dichloroethane	7/8/2020	0.34	0.5	UG/L	193	J	W
524.2 TVOC	7/8/2020	2.68	0	UG/L	193		W
Chloroform	7/8/2020	0.27	0.5	UG/L	193	J	W
Trichloroethylene	7/8/2020	0.51	0.5	UG/L	193		W
1,1,1-Trichloroethane	12/9/2019	0.62	0.5	UG/L	193		W
1,1-Dichloroethylene	12/9/2019	0.57	0.5	UG/L	193		W
1,2-Dichloroethane	12/9/2019	0.41	0.5	UG/L	193	J	W
524.2 TVOC	12/9/2019	2.13	0	UG/L	193		W
Trichloroethylene	12/9/2019	0.53	0.5	UG/L	193		W
1,1,1-Trichloroethane	5/23/2019	0.63	0.5	UG/L	193		W
524.2 TVOC	5/23/2019	1.29	0	UG/L	193		W

Appendix A

OU III LIPA Petition for Closure

2004 - 2024 Monitoring Well Analytical Data Summary - VOCs Detected Above Laboratory MDL

Trichloroethylene	5/23/2019	0.66	0.5	UG/L	193		W
1,1,1-Trichloroethane	12/31/2018	0.63	0.5	UG/L	193		W
1,1-Dichloroethylene	12/31/2018	0.46	0.5	UG/L	193	J	W
524.2 TVOC	12/31/2018	2.3	0	UG/L	193		W
Chloroform	12/31/2018	0.65	0.5	UG/L	193		W
Trichloroethylene	12/31/2018	0.56	0.5	UG/L	193		W
1,1,1-Trichloroethane	7/16/2018	0.75	0.5	UG/L	193		W
1,1,2,2-Tetrachloroethane	7/16/2018	0.23	0.5	UG/L	193	J	W
1,1-Dichloroethylene	7/16/2018	0.19	0.5	UG/L	193	J	W
524.2 TVOC	7/16/2018	3.51	0	UG/L	193		W
Chloroform	7/16/2018	1.5	0.5	UG/L	193		W
Trichloroethylene	7/16/2018	0.84	0.5	UG/L	193		W
1,1,1-Trichloroethane	5/25/2017	2.9	0.5	UG/L	193		W
1,1-Dichloroethane	5/25/2017	0.074	0.5	UG/L	193	J	W
1,1-Dichloroethylene	5/25/2017	1.9	0.5	UG/L	193		W
524.2 TVOC	5/25/2017	5.984	0	UG/L	193		W
Chloroform	5/25/2017	0.29	0.5	UG/L	193	J	W
cis-1,2-Dichloroethylene	5/25/2017	0.14	0.5	UG/L	193	J	W
Trichloroethylene	5/25/2017	0.68	0.5	UG/L	193		W
1,1,1-Trichloroethane	12/14/2016	3.22	0.5	UG/L	193		W
1,1-Dichloroethylene	12/14/2016	2.87	0.5	UG/L	193		W
524.2 TVOC	12/14/2016	6.74	0	UG/L	193		W
Trichloroethylene	12/14/2016	0.65	0.5	UG/L	193		W
1,1,1-Trichloroethane	5/24/2016	3.3	0.5	UG/L	193		W
1,1-Dichloroethane	5/24/2016	0.12	0.5	UG/L	193	J	W
1,1-Dichloroethylene	5/24/2016	6.6	0.5	UG/L	193		W
1,2-Dichloroethane	5/24/2016	0.23	0.5	UG/L	193	J	W
524.2 TVOC	5/24/2016	11.51	0	UG/L	193		W
Chloroform	5/24/2016	0.64	0.5	UG/L	193		W
cis-1,2-Dichloroethylene	5/24/2016	0.12	0.5	UG/L	193	J	W
Trichloroethylene	5/24/2016	0.5	0.5	UG/L	193		W
1,1,1-Trichloroethane	12/29/2015	4.6	0.5	UG/L	193		W
1,1-Dichloroethane	12/29/2015	0.12	0.5	UG/L	193	J	W
1,1-Dichloroethylene	12/29/2015	3.4	0.5	UG/L	193		W
1,2-Dichloroethane	12/29/2015	0.16	0.5	UG/L	193	J	W
524.2 TVOC	12/29/2015	9.488	0	UG/L	193		W
Chloroform	12/29/2015	0.26	0.5	UG/L	193	J	W
cis-1,2-Dichloroethylene	12/29/2015	0.19	0.5	UG/L	193	J	W
Toluene	12/29/2015	0.098	0.5	UG/L	193	J	W
Trichloroethylene	12/29/2015	0.66	0.5	UG/L	193		W
1,1,1-Trichloroethane	5/26/2015	5.8	0.5	UG/L	198		W
1,1-Dichloroethane	5/26/2015	0.085	0.5	UG/L	198	J	W
1,1-Dichloroethylene	5/26/2015	3.9	0.5	UG/L	198		W
1,2-Dichloroethane	5/26/2015	0.21	0.5	UG/L	198	J	W
524.2 TVOC	5/26/2015	11.065	0	UG/L	198		W
Carbon tetrachloride	5/26/2015	0.14	0.5	UG/L	198	J	W
Chloroform	5/26/2015	0.18	0.5	UG/L	198	J	W
cis-1,2-Dichloroethylene	5/26/2015	0.25	0.5	UG/L	198	J	W
Trichloroethylene	5/26/2015	0.5	0.5	UG/L	198		W
1,1,1-Trichloroethane	12/15/2014	5	0.5	UG/L	193		W
1,1-Dichloroethane	12/15/2014	0.32	0.5	UG/L	193	J	W
1,1-Dichloroethylene	12/15/2014	3.5	0.5	UG/L	193		W
1,2-Dichloroethane	12/15/2014	0.11	0.5	UG/L	193	J	W

Appendix A

OU III LIPA Petition for Closure

2004 - 2024 Monitoring Well Analytical Data Summary - VOCs Detected Above Laboratory MDL

524.2 TVOC	12/15/2014	14.57	0	UG/L	193		W
Chloroform	12/15/2014	0.18	0.5	UG/L	193	J	W
cis-1,2-Dichloroethylene	12/15/2014	0.27	0.5	UG/L	193	J	W
Toluene	12/15/2014	4.9	0.5	UG/L	193		W
Trichloroethylene	12/15/2014	0.29	0.5	UG/L	193	J	W
1,1,1-Trichloroethane	5/22/2014	2.7	0.5	UG/L	193		W
1,1-Dichloroethane	5/22/2014	0.41	0.5	UG/L	193	J	W
1,1-Dichloroethylene	5/22/2014	0.41	0.5	UG/L	193	J	W
1,2-Dichloroethane	5/22/2014	0.2	0.5	UG/L	193	J	W
524.2 TVOC	5/22/2014	3.72	0	UG/L	193		W
1,1,1-Trichloroethane	12/17/2013	4.9	0.5	UG/L	195.5		W
1,1-Dichloroethane	12/17/2013	0.26	0.5	UG/L	195.5	J	W
1,1-Dichloroethylene	12/17/2013	3.6	0.5	UG/L	195.5		W
1,2-Dichloroethane	12/17/2013	0.22	0.5	UG/L	195.5	J	W
524.2 TVOC	12/17/2013	13.24	0	UG/L	195.5		W
Carbon tetrachloride	12/17/2013	0.7	0.5	UG/L	195.5		W
Chloroform	12/17/2013	0.2	0.5	UG/L	195.5	J	W
cis-1,2-Dichloroethylene	12/17/2013	0.26	0.5	UG/L	195.5	J	W
Toluene	12/17/2013	3.1	0.5	UG/L	195.5		W
1,1,1-Trichloroethane	6/6/2013	3	0.5	UG/L	193		W
1,1-Dichloroethane	6/6/2013	0.095	0.5	UG/L	193	J	W
1,1-Dichloroethylene	6/6/2013	2.2	0.5	UG/L	193		W
1,2-Dichloroethane	6/6/2013	0.25	0.5	UG/L	193	J	W
524.2 TVOC	6/6/2013	6.155	0	UG/L	193		W
Chloroform	6/6/2013	0.46	0.5	UG/L	193	J	W
cis-1,2-Dichloroethylene	6/6/2013	0.15	0.5	UG/L	193	J	W
1,1,1-Trichloroethane	11/20/2012	0.59	0.5	UG/L	198		W
1,1-Dichloroethylene	11/20/2012	0.68	0.5	UG/L	198		W
524.2 TVOC	11/20/2012	2.37	0	UG/L	198		W
Chloroform	11/20/2012	1.1	0.5	UG/L	198		W
524.2 TVOC	5/22/2012	1.4	0	UG/L	193		W
Chloroform	5/22/2012	1.4	0.5	UG/L	193		W
524.2 TVOC	12/6/2011	1.3	0	UG/L	193		W
Chloroform	12/6/2011	1.3	0.5	UG/L	193		W
524.2 TVOC	5/11/2011	1.4	0	UG/L	193		W
Chloroform	5/11/2011	1.4	0.5	UG/L	193		W
524.2 TVOC	12/3/2010	1.3	0	UG/L	193		W
Chloroform	12/3/2010	1.3	0.5	UG/L	193		W
524.2 TVOC	5/3/2010	1.093	0	UG/L	193		W
Chloroform	5/3/2010	1	0.5	UG/L	193		W
Methyl chloride	5/3/2010	0.093	0.5	UG/L	193	J	W
524.2 TVOC	11/17/2009	1.366	0	UG/L	193		W
Chloroform	11/17/2009	1.1	0.5	UG/L	193		W
Methyl bromide	11/17/2009	0.096	0.5	UG/L	193	J B	W
Methyl chloride	11/17/2009	0.17	0.5	UG/L	193	J	W
524.2 TVOC	5/20/2009	1.57	0	UG/L	193		W
Chloroform	5/20/2009	1.3	0.5	UG/L	193		W
Methylene chloride	5/20/2009	0.27	0.5	UG/L	193	J B	W
524.2 TVOC	11/26/2008	1.68	0	UG/L	193		W
Chloroform	11/26/2008	1.5	0.5	UG/L	193		W
Trichloroethylene	11/26/2008	0.18	0.5	UG/L	193	J	W
524.2 TVOC	5/23/2008	1.6	0	UG/L	193		W
Chloroform	5/23/2008	1.6	0.5	UG/L	193		W

Appendix A

OU III LIPA Petition for Closure

2004 - 2024 Monitoring Well Analytical Data Summary - VOCs Detected Above Laboratory MDL

524.2 TVOC	11/28/2007	1.9	0	UG/L	193		W
Chloroform	11/28/2007	1.9	0.5	UG/L	193		W
524.2 TVOC	5/29/2007	1.1	0	UG/L	193		W
Chloroform	5/29/2007	1.1	0.5	UG/L	193		W
524.2 TVOC	11/30/2006	1.7	0	UG/L	193		W
Chloroform	11/30/2006	1.7	0.5	UG/L	193		W
524.2 TVOC	8/30/2006	1.91	0	UG/L	193		W
Chloroform	8/30/2006	1.8	0.5	UG/L	193		W
Methyl chloride	8/30/2006	0.11	0.5	UG/L	193	J	W
524.2 TVOC	6/7/2006	1.8	0	UG/L	193		W
Chloroform	6/7/2006	1.8	0.5	UG/L	193		W
524.2 TVOC	3/20/2006	1.7	0	UG/L	193		W
Chloroform	3/20/2006	1.7	0.5	UG/L	193		W
524.2 TVOC	12/16/2005	1.8	0	UG/L	193		W
Chloroform	12/16/2005	1.8	0.5	UG/L	193		W
524.2 TVOC	8/19/2005	1.5	0	UG/L	191		W
Chloroform	8/19/2005	1.5	0.5	UG/L	191		W
524.2 TVOC	6/2/2005	1.6	0	UG/L	191		W
Chloroform	6/2/2005	1.6	0.5	UG/L	191		W
524.2 TVOC	3/25/2005	1.6	0	UG/L	191		W
Chloroform	3/25/2005	1.6	0.5	UG/L	191		W
524.2 TVOC	12/9/2004	1.1	0	UG/L	191		W
Chloroform	12/9/2004	1.1	0.5	UG/L	191		W
524.2 TVOC	7/21/2004	0.96	0	UG/L	191		W
Chloroform	7/21/2004	0.96	0.5	UG/L	191		W
1,1,1-Trichloroethane	3/29/2004	0.3	0.5	UG/L	191	J	W
524.2 TVOC	3/29/2004	1.15	0	UG/L	191		W
Chloroform	3/29/2004	0.85	0.5	UG/L	191		W

Site ID : 000-450

Chemical Name	Sample Date	Value	Detlim	Units	Depth	Qual	Matrix
8260 TVOC	11/14/2023	1.4	0	UG/L	208		W
Chloroform	11/14/2023	1.4	0.5	UG/L	208		W
8260 TVOC	9/6/2023	1.2	0	UG/L	208		W
Chloroform	9/6/2023	1.2	0.5	UG/L	208		W
8260 TVOC	6/12/2023	1.3	0	UG/L	208		W
Chloroform	6/12/2023	1.3	0.5	UG/L	208		W
8260 TVOC	3/3/2023	1.5	0	UG/L	208		W
Chloroform	3/3/2023	1.5	0.5	UG/L	208		W
8260 TVOC	12/14/2022	0	0	UG/L	208		W
8260 TVOC	12/6/2021	1.3	0	UG/L	208		W
Chloroform	12/6/2021	1.3	0.5	UG/L	208		W
524.2 TVOC	12/28/2020	1.2	0	UG/L	208		W
Chloroform	12/28/2020	1.2	0.5	UG/L	208		W
524.2 TVOC	12/12/2019	0	0	UG/L	208		W
524.2 TVOC	12/31/2018	1.38	0	UG/L	208		W
Chloroform	12/31/2018	1.38	0.5	UG/L	208		W
524.2 TVOC	8/27/2018	1.3	0	UG/L	208		W
Chloroform	8/27/2018	1.3	0.5	UG/L	208		W
1,1-Dichloroethane	6/25/2018	0.18	0.5	UG/L	208	J	W
524.2 TVOC	6/25/2018	0.18	0	UG/L	208		W
524.2 TVOC	1/26/2018	1.1	0	UG/L	208		W

Appendix A

OU III LIPA Petition for Closure

2004 - 2024 Monitoring Well Analytical Data Summary - VOCs Detected Above Laboratory MDL

Chloroform	1/26/2018	1.1	0.5	UG/L	208		W
524.2 TVOC	12/4/2017	1.4	0	UG/L	213		W
Chloroform	12/4/2017	1.4	0.5	UG/L	213		W
524.2 TVOC	8/22/2017	1.2	0	UG/L	208		W
Chloroform	8/22/2017	1.2	0.5	UG/L	208		W
524.2 TVOC	5/25/2017	1.3	0	UG/L	208		W
Chloroform	5/25/2017	1.3	0.5	UG/L	208		W
524.2 TVOC	2/3/2017	1.2	0	UG/L	203		W
Chloroform	2/3/2017	1.2	0.5	UG/L	203		W
524.2 TVOC	12/12/2016	1.1	0	UG/L	208		W
Chloroform	12/12/2016	1.1	0.5	UG/L	208		W
524.2 TVOC	8/15/2016	1.1	0	UG/L	208		W
Chloroform	8/15/2016	1.1	0.5	UG/L	208		W
524.2 TVOC	5/25/2016	1.2	0	UG/L	208		W
Chloroform	5/25/2016	1.2	0.5	UG/L	208		W
524.2 TVOC	3/11/2016	1.2	0	UG/L	208		W
Chloroform	3/11/2016	1.2	0.5	UG/L	208		W
524.2 TVOC	12/29/2015	1.1	0	UG/L	208		W
Chloroform	12/29/2015	1.1	0.5	UG/L	208		W
524.2 TVOC	9/1/2015	0.92	0	UG/L	208		W
Chloroform	9/1/2015	0.92	0.5	UG/L	208		W
524.2 TVOC	5/21/2015	1.2	0	UG/L	208		W
Chloroform	5/21/2015	1.2	0.5	UG/L	208		W
524.2 TVOC	3/12/2015	0.82	0	UG/L	208		W
Chloroform	3/12/2015	0.82	0.5	UG/L	208		W
524.2 TVOC	12/15/2014	0.79	0	UG/L	208		W
Chloroform	12/15/2014	0.79	0.5	UG/L	208		W
524.2 TVOC	8/13/2014	0	0	UG/L	209		W
524.2 TVOC	5/22/2014	0.69	0	UG/L	208		W
Chloroform	5/22/2014	0.69	0.5	UG/L	208		W
524.2 TVOC	3/7/2014	0.75	0	UG/L	208		W
Chloroform	3/7/2014	0.75	0.5	UG/L	208		W
524.2 TVOC	12/17/2013	0.88	0	UG/L	208		W
Chloroform	12/17/2013	0.88	0.5	UG/L	208		W
524.2 TVOC	9/13/2013	1.365	0	UG/L	208		W
Benzene	9/13/2013	0.065	0.5	UG/L	208	J	W
Chloroform	9/13/2013	1.3	0.5	UG/L	208		W
524.2 TVOC	6/6/2013	1.3	0	UG/L	208		W
Chloroform	6/6/2013	1.3	0.5	UG/L	208		W
524.2 TVOC	2/19/2013	1.1	0	UG/L	208		W
Chloroform	2/19/2013	1.1	0.5	UG/L	208		W
524.2 TVOC	11/20/2012	1.3	0	UG/L	208		W
Chloroform	11/20/2012	1.3	0.5	UG/L	208		W
524.2 TVOC	8/21/2012	1.3	0	UG/L	208		W
Chloroform	8/21/2012	1.3	0.5	UG/L	208		W
524.2 TVOC	5/22/2012	0.92	0	UG/L	208		W
Chloroform	5/22/2012	0.92	0.5	UG/L	208		W
524.2 TVOC	2/10/2012	1.3	0	UG/L	208		W
Chloroform	2/10/2012	1.3	0.5	UG/L	208		W
524.2 TVOC	12/6/2011	1.2	0	UG/L	208		W
Chloroform	12/6/2011	1.2	0.5	UG/L	208		W
524.2 TVOC	8/8/2011	1.6	0	UG/L	209		W
Chloroform	8/8/2011	1.6	0.5	UG/L	209		W

Appendix A

OU III LIPA Petition for Closure

2004 - 2024 Monitoring Well Analytical Data Summary - VOCs Detected Above Laboratory MDL

524.2 TVOC	5/10/2011	1.57	0	UG/L	208		W
Chloroform	5/10/2011	1.4	0.5	UG/L	208		W
Methyl tert-butyl ether	5/10/2011	0.17	0.5	UG/L	208	J	W
524.2 TVOC	1/19/2011	1.5	0	UG/L	208		W
Chloroform	1/19/2011	1.2	0.5	UG/L	208		W
Methyl chloride	1/19/2011	0.11	0.5	UG/L	208	J	W
Methylene chloride	1/19/2011	0.19	0.5	UG/L	208	J	W
524.2 TVOC	12/6/2010	0.9	0	UG/L	208		W
Chloroform	12/6/2010	0.9	0.5	UG/L	208		W
524.2 TVOC	8/6/2010	0	0	UG/L	208		W
524.2 TVOC	5/3/2010	1.25	0	UG/L	209		W
Chloroform	5/3/2010	1.1	0.5	UG/L	209		W
Methyl chloride	5/3/2010	0.15	0.5	UG/L	209	J	W
524.2 TVOC	1/27/2010	1.1	0	UG/L	208		W
Chloroform	1/27/2010	1.1	0.5	UG/L	208		W
524.2 TVOC	11/18/2009	1.32	0	UG/L	208		W
Chloroform	11/18/2009	1.2	0.5	UG/L	208		W
Methyl chloride	11/18/2009	0.12	0.5	UG/L	208	J	W
524.2 TVOC	8/10/2009	1.4	0	UG/L	208		W
Chloroform	8/10/2009	1.2	0.5	UG/L	208		W
Methyl chloride	8/10/2009	0.2	0.5	UG/L	208	J B	W
524.2 TVOC	5/20/2009	0.97	0	UG/L	208		W
Chloroform	5/20/2009	0.97	0.5	UG/L	208		W
524.2 TVOC	2/13/2009	0.91	0	UG/L	208		W
Chloroform	2/13/2009	0.8	0.5	UG/L	208		W
Methylene chloride	2/13/2009	0.11	0.5	UG/L	208	J B	W
524.2 TVOC	12/1/2008	0.93	0	UG/L	208		W
Chloroform	12/1/2008	0.63	0.5	UG/L	208		W
Methyl chloride	12/1/2008	0.17	0.5	UG/L	208	J	W
Trichloroethylene	12/1/2008	0.13	0.5	UG/L	208	J	W
524.2 TVOC	8/5/2008	0.63	0	UG/L	203		W
Chloroform	8/5/2008	0.56	0.5	UG/L	203		W
Methyl chloride	8/5/2008	0.07	0.5	UG/L	203	J	W
524.2 TVOC	5/27/2008	0.66	0	UG/L	208		W
Chloroform	5/27/2008	0.66	0.5	UG/L	208		W
524.2 TVOC	2/5/2008	0.62	0	UG/L	208		W
Chloroform	2/5/2008	0.62	0.5	UG/L	208		W
524.2 TVOC	12/10/2007	0.99	0	UG/L	208		W
Chloroform	12/10/2007	0.68	0.5	UG/L	208		W
Methyl bromide	12/10/2007	0.31	0.5	UG/L	208	J	W
524.2 TVOC	7/31/2007	1.35	0	UG/L	208		W
Chloroform	7/31/2007	1.2	0.5	UG/L	208		W
Methylene chloride	7/31/2007	0.15	0.5	UG/L	208	J B	W
524.2 TVOC	5/29/2007	0.85	0	UG/L	208		W
Chloroform	5/29/2007	0.85	0.5	UG/L	208		W
524.2 TVOC	11/30/2006	0.89	0	UG/L	208		W
Chloroform	11/30/2006	0.89	0.5	UG/L	208		W
524.2 TVOC	8/29/2006	0.97	0	UG/L	208		W
Chloroform	8/29/2006	0.97	0.5	UG/L	208		W
524.2 TVOC	6/9/2006	1.036	0	UG/L	208		W
Chloroform	6/9/2006	0.95	0.5	UG/L	208		W
Methyl chloride	6/9/2006	0.086	0.5	UG/L	208	J	W
524.2 TVOC	3/20/2006	0.94	0	UG/L	208		W

Appendix A

OU III LIPA Petition for Closure

2004 - 2024 Monitoring Well Analytical Data Summary - VOCs Detected Above Laboratory MDL

Chloroform	3/20/2006	0.94	0.5	UG/L	208		W
524.2 TVOC	12/19/2005	0.99	0	UG/L	208		W
Chloroform	12/19/2005	0.99	0.5	UG/L	208		W
524.2 TVOC	8/22/2005	1.1	0	UG/L	206		W
Chloroform	8/22/2005	1.1	0.5	UG/L	206		W
524.2 TVOC	6/2/2005	1.2	0	UG/L	206		W
Chloroform	6/2/2005	1.2	0.5	UG/L	206		W
524.2 TVOC	3/28/2005	1.3	0	UG/L	206		W
Chloroform	3/28/2005	1.3	0.5	UG/L	206		W
524.2 TVOC	12/10/2004	0.9	0	UG/L	206		W
Chloroform	12/10/2004	0.9	0.5	UG/L	206		W
524.2 TVOC	7/21/2004	0.89	0	UG/L	206		W
Chloroform	7/21/2004	0.89	0.5	UG/L	206		W
1,1,1-Trichloroethane	3/29/2004	0.23	0.5	UG/L	206	J	W
524.2 TVOC	3/29/2004	1.07	0	UG/L	206		W
Chloroform	3/29/2004	0.84	0.5	UG/L	206		W

Site ID : 000-451

Chemical Name	Sample Date	Value	Detlim	Units	Depth	Qual	Matrix
8260 TVOC	11/7/2023	2.23	0	UG/L	193		W
Chloroform	11/7/2023	1.5	0.5	UG/L	193		W
Trichloroethylene	11/7/2023	0.73	0.5	UG/L	193		W
1,1,1-Trichloroethane	8/30/2023	0.3	0.5	UG/L	193	J	W
8260 TVOC	8/30/2023	2.35	0	UG/L	193		W
Chloroform	8/30/2023	1.4	0.5	UG/L	193		W
Trichloroethylene	8/30/2023	0.65	0.5	UG/L	193		W
1,1,1-Trichloroethane	6/5/2023	0.26	0.5	UG/L	193	J	W
8260 TVOC	6/5/2023	2.69	0	UG/L	193		W
Chloroform	6/5/2023	1.7	0.5	UG/L	193		W
Trichloroethylene	6/5/2023	0.73	0.5	UG/L	193		W
1,1,1-Trichloroethane	2/27/2023	0.31	0.5	UG/L	193	J	W
8260 TVOC	2/27/2023	2.68	0	UG/L	193		W
Chloroform	2/27/2023	1.8	0.5	UG/L	193		W
Trichloroethylene	2/27/2023	0.57	0.5	UG/L	193		W
1,1,1-Trichloroethane	12/9/2022	0.4	0.5	UG/L	193	J	W
8260 TVOC	12/9/2022	3.59	0	UG/L	193		W
Chloroform	12/9/2022	2.4	0.5	UG/L	193		W
Trichloroethylene	12/9/2022	0.79	0.5	UG/L	193		W
1,1,1-Trichloroethane	5/24/2022	0.85	0.5	UG/L	193		W
1,1-Dichloroethylene	5/24/2022	0.32	0.5	UG/L	193	J	W
8260 TVOC	5/24/2022	4.62	0	UG/L	193		W
Chloroform	5/24/2022	2.5	0.5	UG/L	193		W
Trichloroethylene	5/24/2022	0.95	0.5	UG/L	193		W
1,1,1-Trichloroethane	12/2/2021	0.85	0.5	UG/L	193		W
1,1-Dichloroethylene	12/2/2021	0.29	0.5	UG/L	193	J	W
8260 TVOC	12/2/2021	5.04	0	UG/L	193		W
Chloroform	12/2/2021	2.7	0.5	UG/L	193		W
Trichloroethylene	12/2/2021	1.2	0.5	UG/L	193		W
1,1,1-Trichloroethane	6/2/2021	2	0.5	UG/L	193		W
1,1-Dichloroethylene	6/2/2021	0.78	0.5	UG/L	193		W
524.2 TVOC	6/2/2021	5.88	0	UG/L	193		W
Chloroform	6/2/2021	2.1	0.5	UG/L	193		W

Appendix A

OU III LIPA Petition for Closure

2004 - 2024 Monitoring Well Analytical Data Summary - VOCs Detected Above Laboratory MDL

Trichloroethylene	6/2/2021	1	0.5	UG/L	193		W
1,1,1-Trichloroethane	12/16/2020	3.3	0.5	UG/L	193		W
1,1-Dichloroethylene	12/16/2020	2.5	0.5	UG/L	193		W
1,2-Dichloroethane	12/16/2020	0.18	0.5	UG/L	193	J	W
524.2 TVOC	12/16/2020	8.28	0	UG/L	193		W
Carbon tetrachloride	12/16/2020	0.19	0.5	UG/L	193	J	W
Chloroform	12/16/2020	0.86	0.5	UG/L	193		W
cis-1,2-Dichloroethylene	12/16/2020	0.15	0.5	UG/L	193	J	W
Trichloroethylene	12/16/2020	1.1	0.5	UG/L	193		W
1,1,1-Trichloroethane	6/29/2020	3.4	0.5	UG/L	193		W
1,1-Dichloroethylene	6/29/2020	2.6	0.5	UG/L	193		W
524.2 TVOC	6/29/2020	8.36	0	UG/L	193		W
Chloroform	6/29/2020	0.43	0.5	UG/L	193	J	W
cis-1,2-Dichloroethylene	6/29/2020	0.43	0.5	UG/L	193	J	W
Trichloroethylene	6/29/2020	1.5	0.5	UG/L	193		W
1,4-Dioxane	6/29/2020	13.7	0.4	UG/L	193		W
1,1,1-Trichloroethane	12/10/2019	3.7	0.5	UG/L	193		W
1,1-Dichloroethylene	12/10/2019	3	0.5	UG/L	193		W
1,2-Dichloroethane	12/10/2019	0.28	0.5	UG/L	193	J	W
524.2 TVOC	12/10/2019	8.14	0	UG/L	193		W
cis-1,2-Dichloroethylene	12/10/2019	0.19	0.5	UG/L	193	J	W
Trichloroethylene	12/10/2019	0.97	0.5	UG/L	193		W
1,1,1-Trichloroethane	5/23/2019	3.3	0.5	UG/L	193		W
1,1-Dichloroethylene	5/23/2019	2.3	0.5	UG/L	193		W
524.2 TVOC	5/23/2019	7.92	0	UG/L	193		W
Chloroform	5/23/2019	1.4	0.5	UG/L	193		W
Trichloroethylene	5/23/2019	0.92	0.5	UG/L	193		W
1,1,1-Trichloroethane	12/31/2018	5.31	0.5	UG/L	193		W
1,1-Dichloroethylene	12/31/2018	3.52	0.5	UG/L	193		W
524.2 TVOC	12/31/2018	10.54	0	UG/L	193		W
Carbon tetrachloride	12/31/2018	0.18	0.5	UG/L	193	J	W
Chloroform	12/31/2018	0.4	0.5	UG/L	193	J	W
cis-1,2-Dichloroethylene	12/31/2018	0.19	0.5	UG/L	193	J	W
Trichloroethylene	12/31/2018	0.94	0.5	UG/L	193		W
1,1,1-Trichloroethane	8/27/2018	3.9	0.5	UG/L	193		W
1,1-Dichloroethane	8/27/2018	0.11	0.5	UG/L	193	J	W
1,1-Dichloroethylene	8/27/2018	2.9	0.5	UG/L	193		W
1,2-Dichloroethane	8/27/2018	0.22	0.5	UG/L	193	J	W
524.2 TVOC	8/27/2018	8.09	0	UG/L	193		W
cis-1,2-Dichloroethylene	8/27/2018	0.16	0.5	UG/L	193	J	W
Trichloroethylene	8/27/2018	0.8	0.5	UG/L	193		W
1,1,1-Trichloroethane	6/12/2018	5.4	0.5	UG/L	193		W
1,1-Dichloroethylene	6/12/2018	4.5	0.5	UG/L	193		W
1,2-Dichloroethane	6/12/2018	0.27	0.5	UG/L	193	J	W
524.2 TVOC	6/12/2018	11.97	0	UG/L	193		W
Carbon tetrachloride	6/12/2018	0.2	0.5	UG/L	193	J	W
cis-1,2-Dichloroethylene	6/12/2018	0.29	0.5	UG/L	193	J	W
Methylene chloride	6/12/2018	0.43	0.5	UG/L	193	J	W
Trichloroethylene	6/12/2018	0.88	0.5	UG/L	193		W
1,1,1-Trichloroethane	1/26/2018	4.2	0.5	UG/L	193		W
1,1-Dichloroethylene	1/26/2018	2.7	0.5	UG/L	193		W
524.2 TVOC	1/26/2018	7.86	0	UG/L	193		W
Chloroform	1/26/2018	0.15	0.5	UG/L	193	J	W

Appendix A

OU III LIPA Petition for Closure

2004 - 2024 Monitoring Well Analytical Data Summary - VOCs Detected Above Laboratory MDL

cis-1,2-Dichloroethylene	1/26/2018	0.25	0.5	UG/L	193	J	W
Trichloroethylene	1/26/2018	0.56	0.5	UG/L	193		W
1,1,1-Trichloroethane	12/4/2017	4.3	0.5	UG/L	193		W
1,1-Dichloroethylene	12/4/2017	3	0.5	UG/L	193		W
524.2 TVOC	12/4/2017	8	0	UG/L	193		W
cis-1,2-Dichloroethylene	12/4/2017	0.11	0.5	UG/L	193	J	W
Trichloroethylene	12/4/2017	0.59	0.5	UG/L	193		W
1,1,1-Trichloroethane	8/22/2017	6	0.5	UG/L	193		W
1,1-Dichloroethane	8/22/2017	0.077	0.5	UG/L	193	J	W
1,1-Dichloroethylene	8/22/2017	3.2	0.5	UG/L	193		W
524.2 TVOC	8/22/2017	11.077	0	UG/L	193		W
Carbon tetrachloride	8/22/2017	0.95	0.5	UG/L	193		W
Chloroform	8/22/2017	0.14	0.5	UG/L	193	J	W
cis-1,2-Dichloroethylene	8/22/2017	0.14	0.5	UG/L	193	J	W
Trichloroethylene	8/22/2017	0.57	0.5	UG/L	193		W
1,1,1-Trichloroethane	5/24/2017	6.5	0.5	UG/L	193		W
1,1-Dichloroethane	5/24/2017	0.08	0.5	UG/L	193	J	W
1,1-Dichloroethylene	5/24/2017	4.7	0.5	UG/L	193		W
1,2-Dichloroethane	5/24/2017	0.22	0.5	UG/L	193	J	W
524.2 TVOC	5/24/2017	12.37	0	UG/L	193		W
Chloroform	5/24/2017	0.15	0.5	UG/L	193	J	W
cis-1,2-Dichloroethylene	5/24/2017	0.2	0.5	UG/L	193	J	W
Trichloroethylene	5/24/2017	0.52	0.5	UG/L	193		W
1,1,1-Trichloroethane	2/3/2017	5.1	0.5	UG/L	193		W
1,1-Dichloroethylene	2/3/2017	2.9	0.5	UG/L	193		W
524.2 TVOC	2/3/2017	8.45	0	UG/L	193		W
cis-1,2-Dichloroethylene	2/3/2017	0.11	0.5	UG/L	193	J	W
Trichloroethylene	2/3/2017	0.34	0.5	UG/L	193	J	W
1,1,1-Trichloroethane	12/12/2016	4.9	0.5	UG/L	193		W
1,1-Dichloroethylene	12/12/2016	2.1	0.5	UG/L	193		W
524.2 TVOC	12/12/2016	7	0	UG/L	193		W
1,1,1-Trichloroethane	8/15/2016	6.4	0.5	UG/L	193		W
1,1-Dichloroethane	8/15/2016	0.07	0.5	UG/L	193	J	W
1,1-Dichloroethylene	8/15/2016	4.5	0.5	UG/L	193		W
524.2 TVOC	8/15/2016	11.65	0	UG/L	193		W
Chloroform	8/15/2016	0.12	0.5	UG/L	193	J	W
cis-1,2-Dichloroethylene	8/15/2016	0.22	0.5	UG/L	193	J	W
Trichloroethylene	8/15/2016	0.34	0.5	UG/L	193	J	W
1,1,1-Trichloroethane	5/24/2016	9.6	0.5	UG/L	193		W
1,1,2,2-Tetrachloroethane	5/24/2016	0.12	0.5	UG/L	193	J	W
1,1,2-Trichloroethane	5/24/2016	0.29	0.5	UG/L	193	J	W
1,1-Dichloroethane	5/24/2016	0.11	0.5	UG/L	193	J	W
1,1-Dichloroethylene	5/24/2016	5.4	0.5	UG/L	193		W
1,2-Dichloroethane	5/24/2016	0.31	0.5	UG/L	193	J	W
524.2 TVOC	5/24/2016	16.72	0	UG/L	193		W
Carbon tetrachloride	5/24/2016	0.2	0.5	UG/L	193	J	W
Chloroform	5/24/2016	0.18	0.5	UG/L	193	J	W
cis-1,2-Dichloroethylene	5/24/2016	0.28	0.5	UG/L	193	J	W
Trichloroethylene	5/24/2016	0.23	0.5	UG/L	193	J	W
1,1,1-Trichloroethane	3/4/2016	11	0.5	UG/L	193		W
1,1,2-Trichloroethane	3/4/2016	0.15	0.5	UG/L	193	J	W
1,1-Dichloroethane	3/4/2016	0.11	0.5	UG/L	193	J	W
1,1-Dichloroethylene	3/4/2016	7.2	0.5	UG/L	193		W

Appendix A

OU III LIPA Petition for Closure

2004 - 2024 Monitoring Well Analytical Data Summary - VOCs Detected Above Laboratory MDL

1,2-Dichloroethane	3/4/2016	0.31	0.5	UG/L	193	J	W
524.2 TVOC	3/4/2016	19.44	0	UG/L	193		W
Carbon tetrachloride	3/4/2016	0.17	0.5	UG/L	193	J	W
Chloroform	3/4/2016	0.21	0.5	UG/L	193	J	W
cis-1,2-Dichloroethylene	3/4/2016	0.29	0.5	UG/L	193	J	W
1,1,1-Trichloroethane	12/28/2015	9.3	0.5	UG/L	193		W
1,1-Dichloroethane	12/28/2015	0.13	0.5	UG/L	193	J	W
1,1-Dichloroethylene	12/28/2015	6.9	0.5	UG/L	193		W
1,2-Dichloroethane	12/28/2015	0.28	0.5	UG/L	193	J	W
524.2 TVOC	12/28/2015	17.22	0	UG/L	193		W
Carbon tetrachloride	12/28/2015	0.13	0.5	UG/L	193	J	W
Chloroform	12/28/2015	0.18	0.5	UG/L	193	J	W
cis-1,2-Dichloroethylene	12/28/2015	0.3	0.5	UG/L	193	J	W
1,1,1-Trichloroethane	9/1/2015	8.8	0.5	UG/L	193		W
1,1-Dichloroethane	9/1/2015	0.13	0.5	UG/L	193	J	W
1,1-Dichloroethylene	9/1/2015	4.9	0.5	UG/L	193		W
1,2-Dichloroethane	9/1/2015	0.27	0.5	UG/L	193	J	W
524.2 TVOC	9/1/2015	14.37	0	UG/L	193		W
cis-1,2-Dichloroethylene	9/1/2015	0.27	0.5	UG/L	193	J	W
1,1,1-Trichloroethane	5/20/2015	13	0.5	UG/L	193		W
1,1-Dichloroethane	5/20/2015	0.15	0.5	UG/L	193	J	W
1,1-Dichloroethylene	5/20/2015	9.4	0.5	UG/L	193		W
1,2-Dichloroethane	5/20/2015	0.45	0.5	UG/L	193	J	W
524.2 TVOC	5/20/2015	23.87	0	UG/L	193		W
Carbon tetrachloride	5/20/2015	0.17	0.5	UG/L	193	J	W
Chloroform	5/20/2015	0.27	0.5	UG/L	193	J	W
cis-1,2-Dichloroethylene	5/20/2015	0.43	0.5	UG/L	193	J	W
1,1,1-Trichloroethane	3/12/2015	9.8	0.5	UG/L	193		W
1,1-Dichloroethane	3/12/2015	0.13	0.5	UG/L	193	J	W
1,1-Dichloroethylene	3/12/2015	6.7	0.5	UG/L	193		W
1,2-Dichloroethane	3/12/2015	0.33	0.5	UG/L	193	J	W
524.2 TVOC	3/12/2015	17.58	0	UG/L	193		W
Chloroform	3/12/2015	0.23	0.5	UG/L	193	J	W
cis-1,2-Dichloroethylene	3/12/2015	0.39	0.5	UG/L	193	J	W
1,1,1-Trichloroethane	12/15/2014	8.6	0.5	UG/L	193		W
1,1-Dichloroethane	12/15/2014	0.13	0.5	UG/L	193	J	W
1,1-Dichloroethylene	12/15/2014	5.5	0.5	UG/L	193		W
1,2-Dichloroethane	12/15/2014	0.25	0.5	UG/L	193	J	W
524.2 TVOC	12/15/2014	15	0	UG/L	193		W
Chloroform	12/15/2014	0.27	0.5	UG/L	193	J	W
cis-1,2-Dichloroethylene	12/15/2014	0.25	0.5	UG/L	193	J	W
1,1,1-Trichloroethane	8/13/2014	5.5	0.5	UG/L	193		W
1,1-Dichloroethane	8/13/2014	0.17	0.5	UG/L	193	J	W
1,1-Dichloroethylene	8/13/2014	3.6	0.5	UG/L	193		W
1,2-Dichloroethane	8/13/2014	0.39	0.5	UG/L	193	J	W
524.2 TVOC	8/13/2014	9.91	0	UG/L	193		W
cis-1,2-Dichloroethylene	8/13/2014	0.25	0.5	UG/L	193	J	W
1,1,1-Trichloroethane	5/22/2014	0.1	0.5	UG/L	193	J	W
1,1-Dichloroethylene	5/22/2014	0.22	0.5	UG/L	193	J	W
524.2 TVOC	5/22/2014	1.42	0	UG/L	193		W
Chloroform	5/22/2014	1.1	0.5	UG/L	193		W
524.2 TVOC	3/7/2014	1.4	0	UG/L	193		W
Chloroform	3/7/2014	1.4	0.5	UG/L	193		W

Appendix A

OU III LIPA Petition for Closure

2004 - 2024 Monitoring Well Analytical Data Summary - VOCs Detected Above Laboratory MDL

524.2 TVOC	12/16/2013	1.33	0	UG/L	193		W
Chloroform	12/16/2013	1.2	0.5	UG/L	193		W
Methyl tert-butyl ether	12/16/2013	0.13	0.5	UG/L	193	J	W
524.2 TVOC	9/13/2013	1.39	0	UG/L	193		W
Chloroform	9/13/2013	0.95	0.5	UG/L	193		W
Toluene	9/13/2013	0.44	0.5	UG/L	193	J	W
524.2 TVOC	6/6/2013	0.5	0	UG/L	194		W
Chloroform	6/6/2013	0.5	0.5	UG/L	194		W
524.2 TVOC	2/19/2013	1.01	0	UG/L	193		W
Chloroform	2/19/2013	0.41	0.5	UG/L	193	J	W
Methyl tert-butyl ether	2/19/2013	0.6	0.5	UG/L	193		W
524.2 TVOC	11/20/2012	0.74	0	UG/L	193		W
Chloroform	11/20/2012	0.44	0.5	UG/L	193	J	W
Methyl tert-butyl ether	11/20/2012	0.3	0.5	UG/L	193	J	W
1,1,1-Trichloroethane	8/21/2012	0.087	0.5	UG/L	193	J	W
524.2 TVOC	8/21/2012	1.247	0	UG/L	193		W
Chloroform	8/21/2012	0.65	0.5	UG/L	193		W
cis-1,2-Dichloroethylene	8/21/2012	0.17	0.5	UG/L	193	J	W
Methyl tert-butyl ether	8/21/2012	0.34	0.5	UG/L	193	J	W
524.2 TVOC	5/18/2012	1.3	0	UG/L	193		W
Chloroform	5/18/2012	0.59	0.5	UG/L	193		W
Methyl tert-butyl ether	5/18/2012	0.48	0.5	UG/L	193	J	W
Methylene chloride	5/18/2012	0.23	0.5	UG/L	193	J	W
524.2 TVOC	2/10/2012	0.79	0	UG/L	193		W
Chloroform	2/10/2012	0.58	0.5	UG/L	193		W
Methyl tert-butyl ether	2/10/2012	0.21	0.5	UG/L	193	J	W
524.2 TVOC	12/2/2011	0.83	0	UG/L	193		W
Chloroform	12/2/2011	0.66	0.5	UG/L	193		W
Methyl tert-butyl ether	12/2/2011	0.17	0.5	UG/L	193	J	W
524.2 TVOC	8/8/2011	1.51	0	UG/L	193		W
Chloroform	8/8/2011	0.63	0.5	UG/L	193	J	W
cis-1,2-Dichloroethylene	8/8/2011	0.12	0.5	UG/L	193	J	W
Methyl chloride	8/8/2011	0.11	0.5	UG/L	193	J	W
Methyl tert-butyl ether	8/8/2011	0.43	0.5	UG/L	193	J	W
Trichloroethylene	8/8/2011	0.22	0.5	UG/L	193	J	W
524.2 TVOC	5/10/2011	1.12	0	UG/L	193		W
Chloroform	5/10/2011	0.6	0.5	UG/L	193		W
cis-1,2-Dichloroethylene	5/10/2011	0.11	0.5	UG/L	193	J	W
Methyl tert-butyl ether	5/10/2011	0.41	0.5	UG/L	193	J	W
524.2 TVOC	1/19/2011	1.71	0	UG/L	194		W
Chloroform	1/19/2011	0.26	0.5	UG/L	194	J	W
Methyl bromide	1/19/2011	0.13	0.5	UG/L	194	J B	W
Methyl chloride	1/19/2011	0.27	0.5	UG/L	194	J	W
Methyl tert-butyl ether	1/19/2011	0.44	0.5	UG/L	194	J	W
Methylene chloride	1/19/2011	0.34	0.5	UG/L	194	J	W
Tetrachloroethylene	1/19/2011	0.27	0.5	UG/L	194	J	W
524.2 TVOC	12/3/2010	1.05	0	UG/L	193		W
Chloroform	12/3/2010	0.32	0.5	UG/L	193	J	W
Methyl tert-butyl ether	12/3/2010	0.5	0.5	UG/L	193		W
Trichloroethylene	12/3/2010	0.23	0.5	UG/L	193	J	W
524.2 TVOC	8/6/2010	0.67	0	UG/L	183		W
Methyl tert-butyl ether	8/6/2010	0.37	0.5	UG/L	183	J	W
Trichloroethylene	8/6/2010	0.3	0.5	UG/L	183	J	W

Appendix A

OU III LIPA Petition for Closure

2004 - 2024 Monitoring Well Analytical Data Summary - VOCs Detected Above Laboratory MDL

524.2 TVOC	4/27/2010	1.6	0	UG/L	193		W
Chloroform	4/27/2010	0.78	0.5	UG/L	193		W
cis-1,2-Dichloroethylene	4/27/2010	0.13	0.5	UG/L	193	J	W
Methyl chloride	4/27/2010	0.19	0.5	UG/L	193	J	W
Methyl tert-butyl ether	4/27/2010	0.17	0.5	UG/L	193	J	W
Trichloroethylene	4/27/2010	0.33	0.5	UG/L	193	J	W
524.2 TVOC	1/27/2010	2.58	0	UG/L	193		W
Chloroform	1/27/2010	1.1	0.5	UG/L	193		W
cis-1,2-Dichloroethylene	1/27/2010	0.44	0.5	UG/L	193	J	W
Methyl bromide	1/27/2010	0.12	0.5	UG/L	193	J	W
Methyl chloride	1/27/2010	0.14	0.5	UG/L	193	J	W
Methyl tert-butyl ether	1/27/2010	0.33	0.5	UG/L	193	J	W
Trichloroethylene	1/27/2010	0.45	0.5	UG/L	193	J	W
524.2 TVOC	11/17/2009	2.18	0	UG/L	193		W
Chloroform	11/17/2009	0.68	0.5	UG/L	193		W
cis-1,2-Dichloroethylene	11/17/2009	0.35	0.5	UG/L	193	J	W
Methyl chloride	11/17/2009	0.12	0.5	UG/L	193	J	W
Methyl tert-butyl ether	11/17/2009	0.71	0.5	UG/L	193		W
Trichloroethylene	11/17/2009	0.32	0.5	UG/L	193	J	W
524.2 TVOC	8/11/2009	2.02	0	UG/L	193		W
Chloroform	8/11/2009	0.8	0.5	UG/L	193		W
cis-1,2-Dichloroethylene	8/11/2009	0.39	0.5	UG/L	193	J	W
Methyl tert-butyl ether	8/11/2009	0.36	0.5	UG/L	193	J	W
Methylene chloride	8/11/2009	0.2	0.5	UG/L	193	J	W
Trichloroethylene	8/11/2009	0.27	0.5	UG/L	193	J	W
524.2 TVOC	5/20/2009	1.36	0	UG/L	193		W
Chloroform	5/20/2009	0.42	0.5	UG/L	193	J	W
cis-1,2-Dichloroethylene	5/20/2009	0.22	0.5	UG/L	193	J	W
Methyl tert-butyl ether	5/20/2009	0.39	0.5	UG/L	193	J	W
Methylene chloride	5/20/2009	0.2	0.5	UG/L	193	J B	W
Trichloroethylene	5/20/2009	0.13	0.5	UG/L	193	J	W
524.2 TVOC	2/13/2009	1.52	0	UG/L	193		W
Chloroform	2/13/2009	0.47	0.5	UG/L	193	J	W
cis-1,2-Dichloroethylene	2/13/2009	0.3	0.5	UG/L	193	J	W
Methyl tert-butyl ether	2/13/2009	0.52	0.5	UG/L	193		W
Trichloroethylene	2/13/2009	0.23	0.5	UG/L	193	J	W
524.2 TVOC	11/26/2008	0.82	0	UG/L	193		W
Chloroform	11/26/2008	0.17	0.5	UG/L	193	J	W
Methyl tert-butyl ether	11/26/2008	0.4	0.5	UG/L	193	J	W
Trichloroethylene	11/26/2008	0.25	0.5	UG/L	193	J	W
524.2 TVOC	8/5/2008	1.97	0	UG/L	193		W
Chloroform	8/5/2008	0.23	0.5	UG/L	193	J	W
cis-1,2-Dichloroethylene	8/5/2008	0.21	0.5	UG/L	193	J	W
Methyl chloride	8/5/2008	0.13	0.5	UG/L	193	J	W
Methyl tert-butyl ether	8/5/2008	1.4	0.5	UG/L	193		W
524.2 TVOC	7/8/2008	2.98	0	UG/L	193		W
Chloroform	7/8/2008	0.29	0.5	UG/L	193	J	W
cis-1,2-Dichloroethylene	7/8/2008	0.21	0.5	UG/L	193	J	W
Methyl tert-butyl ether	7/8/2008	2.3	0.5	UG/L	193		W
Trichloroethylene	7/8/2008	0.18	0.5	UG/L	193	J	W
524.2 TVOC	2/5/2008	0.44	0	UG/L	193		W
Methyl tert-butyl ether	2/5/2008	0.44	0.5	UG/L	193	J	W
524.2 TVOC	11/28/2007	0.66	0	UG/L	193		W

Appendix A

OU III LIPA Petition for Closure

2004 - 2024 Monitoring Well Analytical Data Summary - VOCs Detected Above Laboratory MDL

Methyl tert-butyl ether	11/28/2007	0.66	0.5	UG/L	193		W
524.2 TVOC	7/31/2007	1.33	0	UG/L	193		W
Chloroform	7/31/2007	0.59	0.5	UG/L	193		W
Methyl tert-butyl ether	7/31/2007	0.5	0.5	UG/L	193		W
Methylene chloride	7/31/2007	0.24	0.5	UG/L	193	J B	W
524.2 TVOC	5/29/2007	0.9	0	UG/L	193		W
Chloroform	5/29/2007	0.68	0.5	UG/L	193		W
Methyl tert-butyl ether	5/29/2007	0.22	0.5	UG/L	193	J	W
1,1,1-Trichloroethane	2/7/2007	0.1	0.5	UG/L	193	J	W
524.2 TVOC	2/7/2007	2.3	0	UG/L	193		W
Chloroform	2/7/2007	2.2	0.5	UG/L	193		W
1,1,1-Trichloroethane	11/30/2006	0.14	0.5	UG/L	193	J	W
524.2 TVOC	11/30/2006	1.84	0	UG/L	193		W
Chloroform	11/30/2006	1.7	0.5	UG/L	193		W
1,1,1-Trichloroethane	8/29/2006	0.19	0.5	UG/L	193	J	W
524.2 TVOC	8/29/2006	1.1	0	UG/L	193		W
Chloroform	8/29/2006	0.91	0.5	UG/L	193		W
1,1,1-Trichloroethane	6/8/2006	0.25	0.5	UG/L	193	J	W
524.2 TVOC	6/8/2006	1.342	0	UG/L	193		W
Chloroform	6/8/2006	1	0.5	UG/L	193		W
Methyl chloride	6/8/2006	0.092	0.5	UG/L	193	J	W
1,1,1-Trichloroethane	3/20/2006	0.29	0.5	UG/L	193	J	W
524.2 TVOC	3/20/2006	1.39	0	UG/L	193		W
Chloroform	3/20/2006	1.1	0.5	UG/L	193		W
1,1,1-Trichloroethane	12/16/2005	0.23	0.5	UG/L	193	J	W
524.2 TVOC	12/16/2005	1.019	0	UG/L	193		W
Chloroform	12/16/2005	0.71	0.5	UG/L	193		W
Trichloroethylene	12/16/2005	0.079	0.5	UG/L	193	J	W
524.2 TVOC	8/19/2005	0.74	0	UG/L	186		W
Chloroform	8/19/2005	0.74	0.5	UG/L	186		W
524.2 TVOC	5/31/2005	0.64	0	UG/L	186		W
Chloroform	5/31/2005	0.64	0.5	UG/L	186		W
1,1,1-Trichloroethane	3/28/2005	0.28	0.5	UG/L	186	J	W
524.2 TVOC	3/28/2005	0.86	0	UG/L	186		W
Chloroform	3/28/2005	0.58	0.5	UG/L	186		W
1,1,1-Trichloroethane	12/9/2004	0.26	0.5	UG/L	186	J	W
524.2 TVOC	12/9/2004	0.76	0	UG/L	186		W
Chloroform	12/9/2004	0.5	0.5	UG/L	186		W
524.2 TVOC	7/20/2004	0.54	0	UG/L	186		W
Chloroform	7/20/2004	0.54	0.5	UG/L	186		W
1,1,1-Trichloroethane	3/29/2004	0.32	0.5	UG/L	186	J	W
524.2 TVOC	3/29/2004	0.83	0	UG/L	186		W
Chloroform	3/29/2004	0.51	0.5	UG/L	186		W

Site ID : 000-452

Chemical Name	Sample Date	Value	Detlim	Units	Depth	Qual	Matrix
8260 TVOC	11/1/2023	0.52	0	UG/L	217		W
Trichloroethylene	11/1/2023	0.52	0.5	UG/L	217		W
1,1,1-Trichloroethane	9/5/2023	0.29	0.5	UG/L	217	J	W
8260 TVOC	9/5/2023	1.89	0	UG/L	217		W
Chloroform	9/5/2023	1	0.5	UG/L	217		W
Trichloroethylene	9/5/2023	0.6	0.5	UG/L	217		W

Appendix A

OU III LIPA Petition for Closure

2004 - 2024 Monitoring Well Analytical Data Summary - VOCs Detected Above Laboratory MDL

8260 TVOC	6/5/2023	1.1	0	UG/L	217		W
Chloroform	6/5/2023	1.1	0.5	UG/L	217		W
1,1,1-Trichloroethane	3/2/2023	0.31	0.5	UG/L	217	J	W
8260 TVOC	3/2/2023	1.69	0	UG/L	217		W
Chloroform	3/2/2023	0.95	0.5	UG/L	217		W
Trichloroethylene	3/2/2023	0.43	0.5	UG/L	217	J	W
1,1,1-Trichloroethane	12/13/2022	0.29	0.5	UG/L	217	J	W
8260 TVOC	12/13/2022	1.02	0	UG/L	217		W
Trichloroethylene	12/13/2022	0.73	0.5	UG/L	217		W
1,1,1-Trichloroethane	5/24/2022	0.35	0.5	UG/L	219.5	J	W
8260 TVOC	5/24/2022	2.43	0	UG/L	219.5		W
Chloroform	5/24/2022	1.3	0.5	UG/L	219.5		W
Trichloroethylene	5/24/2022	0.78	0.5	UG/L	219.5		W
1,1,1-Trichloroethane	12/3/2021	0.27	0.5	UG/L	217	J	W
8260 TVOC	12/3/2021	2.29	0	UG/L	217		W
Chloroform	12/3/2021	1.1	0.5	UG/L	217		W
Trichloroethylene	12/3/2021	0.92	0.5	UG/L	217		W
1,1,1-Trichloroethane	6/3/2021	0.73	0.5	UG/L	217		W
1,1-Dichloroethylene	6/3/2021	0.33	0.5	UG/L	217	J	W
524.2 TVOC	6/3/2021	3.41	0	UG/L	217		W
Chloroform	6/3/2021	1.2	0.5	UG/L	217		W
Methyl tert-butyl ether	6/3/2021	0.18	0.5	UG/L	217	J	W
Trichloroethylene	6/3/2021	0.97	0.5	UG/L	217		W
1,1,1-Trichloroethane	12/28/2020	1.4	0.5	UG/L	217		W
1,1-Dichloroethylene	12/28/2020	0.83	0.5	UG/L	217		W
524.2 TVOC	12/28/2020	4.43	0	UG/L	217		W
Chloroform	12/28/2020	1.2	0.5	UG/L	217		W
Trichloroethylene	12/28/2020	1	0.5	UG/L	217		W
1,1,1-Trichloroethane	6/29/2020	1.4	0.5	UG/L	217		W
1,1-Dichloroethylene	6/29/2020	0.82	0.5	UG/L	217		W
524.2 TVOC	6/29/2020	4.31	0	UG/L	217		W
Chloroform	6/29/2020	0.99	0.5	UG/L	217		W
Trichloroethylene	6/29/2020	1.1	0.5	UG/L	217		W
1,1,1-Trichloroethane	12/9/2019	2.1	0.5	UG/L	217		W
1,1-Dichloroethylene	12/9/2019	1.2	0.5	UG/L	217		W
524.2 TVOC	12/9/2019	4.12	0	UG/L	217		W
Trichloroethylene	12/9/2019	0.82	0.5	UG/L	217		W
1,1,1-Trichloroethane	5/24/2019	3.2	0.5	UG/L	217		W
1,1-Dichloroethylene	5/24/2019	2.5	0.5	UG/L	217		W
524.2 TVOC	5/24/2019	6.53	0	UG/L	217		W
Trichloroethylene	5/24/2019	0.83	0.5	UG/L	217		W
1,1,1-Trichloroethane	12/31/2018	4.96	0.5	UG/L	217		W
1,1-Dichloroethylene	12/31/2018	3.46	0.5	UG/L	217		W
524.2 TVOC	12/31/2018	9.42	0	UG/L	217		W
cis-1,2-Dichloroethylene	12/31/2018	0.25	0.5	UG/L	217	J	W
Trichloroethylene	12/31/2018	0.75	0.5	UG/L	217		W
1,1,1-Trichloroethane	8/27/2018	4.1	0.5	UG/L	217		W
1,1-Dichloroethane	8/27/2018	0.098	0.5	UG/L	217	J	W
1,1-Dichloroethylene	8/27/2018	2.9	0.5	UG/L	217		W
524.2 TVOC	8/27/2018	7.998	0	UG/L	217		W
cis-1,2-Dichloroethylene	8/27/2018	0.26	0.5	UG/L	217	J	W
Trichloroethylene	8/27/2018	0.64	0.5	UG/L	217		W
1,1-Dichloroethane	6/25/2018	0.14	0.5	UG/L	217	J	W

Appendix A

OU III LIPA Petition for Closure

2004 - 2024 Monitoring Well Analytical Data Summary - VOCs Detected Above Laboratory MDL

524.2 TVOC	6/25/2018	0.14	0	UG/L	217		W
1,1,1-Trichloroethane	1/26/2018	4.6	0.5	UG/L	217		W
1,1-Dichloroethylene	1/26/2018	3.7	0.5	UG/L	217		W
1,2-Dichloroethane	1/26/2018	0.4	0.5	UG/L	217	J	W
524.2 TVOC	1/26/2018	10.03	0	UG/L	217		W
Carbon tetrachloride	1/26/2018	0.22	0.5	UG/L	217	J	W
Chloroform	1/26/2018	0.15	0.5	UG/L	217	J	W
cis-1,2-Dichloroethylene	1/26/2018	0.36	0.5	UG/L	217	J	W
Trichloroethylene	1/26/2018	0.6	0.5	UG/L	217		W
1,1,1-Trichloroethane	12/4/2017	4.8	0.5	UG/L	217		W
1,1-Dichloroethane	12/4/2017	0.071	0.5	UG/L	217	J	W
1,1-Dichloroethylene	12/4/2017	3.7	0.5	UG/L	217		W
524.2 TVOC	12/4/2017	9.381	0	UG/L	217		W
cis-1,2-Dichloroethylene	12/4/2017	0.24	0.5	UG/L	217	J	W
Trichloroethylene	12/4/2017	0.57	0.5	UG/L	217		W
1,1,1-Trichloroethane	8/22/2017	5.2	0.5	UG/L	217		W
1,1-Dichloroethylene	8/22/2017	3.9	0.5	UG/L	217		W
1,2-Dichloroethane	8/22/2017	0.31	0.5	UG/L	217	J	W
524.2 TVOC	8/22/2017	10.28	0	UG/L	217		W
Chloroform	8/22/2017	0.15	0.5	UG/L	217	J	W
cis-1,2-Dichloroethylene	8/22/2017	0.22	0.5	UG/L	217	J	W
Trichloroethylene	8/22/2017	0.5	0.5	UG/L	217		W
1,1,1-Trichloroethane	5/25/2017	5.6	0.5	UG/L	217		W
1,1-Dichloroethane	5/25/2017	0.083	0.5	UG/L	217	J	W
1,1-Dichloroethylene	5/25/2017	4.1	0.5	UG/L	217		W
1,2-Dichloroethane	5/25/2017	0.25	0.5	UG/L	217	J	W
524.2 TVOC	5/25/2017	10.943	0	UG/L	217		W
Chloroform	5/25/2017	0.15	0.5	UG/L	217	J	W
cis-1,2-Dichloroethylene	5/25/2017	0.25	0.5	UG/L	217	J	W
Trichloroethylene	5/25/2017	0.51	0.5	UG/L	217		W
1,1,1-Trichloroethane	2/3/2017	5.1	0.5	UG/L	217		W
1,1-Dichloroethane	2/3/2017	0.089	0.5	UG/L	217	J	W
1,1-Dichloroethylene	2/3/2017	4.1	0.5	UG/L	217		W
1,2-Dichloroethane	2/3/2017	0.25	0.5	UG/L	217	J	W
524.2 TVOC	2/3/2017	10.359	0	UG/L	217		W
Chloroform	2/3/2017	0.16	0.5	UG/L	217	J	W
cis-1,2-Dichloroethylene	2/3/2017	0.22	0.5	UG/L	217	J	W
Trichloroethylene	2/3/2017	0.44	0.5	UG/L	217	J	W
1,1,1-Trichloroethane	12/12/2016	5	0.5	UG/L	212		W
1,1-Dichloroethane	12/12/2016	0.086	0.5	UG/L	212	J	W
1,1-Dichloroethylene	12/12/2016	4.1	0.5	UG/L	212		W
1,2-Dichloroethane	12/12/2016	0.26	0.5	UG/L	212	J	W
524.2 TVOC	12/12/2016	10.196	0	UG/L	212		W
Chloroform	12/12/2016	0.14	0.5	UG/L	212	J	W
cis-1,2-Dichloroethylene	12/12/2016	0.24	0.5	UG/L	212	J	W
Trichloroethylene	12/12/2016	0.37	0.5	UG/L	212	J	W
1,1,1-Trichloroethane	8/15/2016	4.3	0.5	UG/L	217		W
1,1-Dichloroethane	8/15/2016	0.092	0.5	UG/L	217	J	W
1,1-Dichloroethylene	8/15/2016	3.3	0.5	UG/L	217		W
1,2-Dichloroethane	8/15/2016	0.22	0.5	UG/L	217	J	W
524.2 TVOC	8/15/2016	8.622	0	UG/L	217		W
Chloroform	8/15/2016	0.14	0.5	UG/L	217	J	W
cis-1,2-Dichloroethylene	8/15/2016	0.26	0.5	UG/L	217	J	W

Appendix A

OU III LIPA Petition for Closure

2004 - 2024 Monitoring Well Analytical Data Summary - VOCs Detected Above Laboratory MDL

Trichloroethylene	8/15/2016	0.31	0.5	UG/L	217	J	W
1,1,1-Trichloroethane	5/24/2016	4.9	0.5	UG/L	217		W
1,1-Dichloroethane	5/24/2016	0.11	0.5	UG/L	217	J	W
1,1-Dichloroethylene	5/24/2016	3.4	0.5	UG/L	217		W
1,2-Dichloroethane	5/24/2016	0.36	0.5	UG/L	217	J	W
524.2 TVOC	5/24/2016	9.93	0	UG/L	217		W
Carbon tetrachloride	5/24/2016	0.23	0.5	UG/L	217	J	W
Chloroform	5/24/2016	0.22	0.5	UG/L	217	J	W
cis-1,2-Dichloroethylene	5/24/2016	0.29	0.5	UG/L	217	J	W
Trichloroethylene	5/24/2016	0.42	0.5	UG/L	217	J	W
1,1,1-Trichloroethane	3/11/2016	4.1	0.5	UG/L	217		W
1,1-Dichloroethane	3/11/2016	0.096	0.5	UG/L	217	J	W
1,1-Dichloroethylene	3/11/2016	3.3	0.5	UG/L	217		W
1,2-Dichloroethane	3/11/2016	0.29	0.5	UG/L	217	J	W
524.2 TVOC	3/11/2016	8.796	0	UG/L	217		W
Carbon tetrachloride	3/11/2016	0.2	0.5	UG/L	217	J	W
Chloroform	3/11/2016	0.16	0.5	UG/L	217	J	W
cis-1,2-Dichloroethylene	3/11/2016	0.24	0.5	UG/L	217	J	W
Trichloroethylene	3/11/2016	0.41	0.5	UG/L	217	J	W
1,1,1-Trichloroethane	12/28/2015	3.3	0.5	UG/L	217		W
1,1-Dichloroethane	12/28/2015	0.099	0.5	UG/L	217	J	W
1,1-Dichloroethylene	12/28/2015	2.8	0.5	UG/L	217		W
1,2-Dichloroethane	12/28/2015	0.29	0.5	UG/L	217	J	W
524.2 TVOC	12/28/2015	7.349	0	UG/L	217		W
Carbon tetrachloride	12/28/2015	0.16	0.5	UG/L	217	J	W
Chloroform	12/28/2015	0.15	0.5	UG/L	217	J	W
cis-1,2-Dichloroethylene	12/28/2015	0.28	0.5	UG/L	217	J	W
Trichloroethylene	12/28/2015	0.27	0.5	UG/L	217	J	W
1,1,1-Trichloroethane	9/1/2015	2.5	0.5	UG/L	217		W
1,1-Dichloroethane	9/1/2015	0.078	0.5	UG/L	217	J	W
1,1-Dichloroethylene	9/1/2015	1.8	0.5	UG/L	217		W
1,2-Dichloroethane	9/1/2015	0.21	0.5	UG/L	217	J	W
524.2 TVOC	9/1/2015	4.928	0	UG/L	217		W
Carbon tetrachloride	9/1/2015	0.14	0.5	UG/L	217	J	W
cis-1,2-Dichloroethylene	9/1/2015	0.2	0.5	UG/L	217	J	W
1,1,1-Trichloroethane	5/20/2015	2.7	0.5	UG/L	217		W
1,1-Dichloroethylene	5/20/2015	2.2	0.5	UG/L	217		W
1,2-Dichloroethane	5/20/2015	0.26	0.5	UG/L	217	J	W
524.2 TVOC	5/20/2015	6.29	0	UG/L	217		W
Carbon tetrachloride	5/20/2015	0.23	0.5	UG/L	217	J	W
Chloroform	5/20/2015	0.31	0.5	UG/L	217	J	W
cis-1,2-Dichloroethylene	5/20/2015	0.23	0.5	UG/L	217	J	W
Trichloroethylene	5/20/2015	0.36	0.5	UG/L	217	J	W
1,1,1-Trichloroethane	3/12/2015	1.8	0.5	UG/L	227		W
1,1-Dichloroethylene	3/12/2015	1.1	0.5	UG/L	227		W
1,2-Dichloroethane	3/12/2015	0.17	0.5	UG/L	227	J	W
524.2 TVOC	3/12/2015	3.49	0	UG/L	227		W
Chloroform	3/12/2015	0.2	0.5	UG/L	227	J	W
cis-1,2-Dichloroethylene	3/12/2015	0.22	0.5	UG/L	227	J	W
1,1,1-Trichloroethane	12/15/2014	1.6	0.5	UG/L	217		W
1,1-Dichloroethane	12/15/2014	0.087	0.5	UG/L	217	J	W
1,1-Dichloroethylene	12/15/2014	0.75	0.5	UG/L	217		W
1,2-Dichloroethane	12/15/2014	0.13	0.5	UG/L	217	J	W

Appendix A

OU III LIPA Petition for Closure

2004 - 2024 Monitoring Well Analytical Data Summary - VOCs Detected Above Laboratory MDL

524.2 TVOC	12/15/2014	2.857	0	UG/L	217		W
Chloroform	12/15/2014	0.17	0.5	UG/L	217	J	W
cis-1,2-Dichloroethylene	12/15/2014	0.12	0.5	UG/L	217	J	W
1,1,1-Trichloroethane	8/13/2014	1.9	0.5	UG/L	217		W
1,1-Dichloroethane	8/13/2014	0.072	0.5	UG/L	217	J	W
1,1-Dichloroethylene	8/13/2014	0.97	0.5	UG/L	217		W
1,2-Dichloroethane	8/13/2014	0.21	0.5	UG/L	217	J	W
524.2 TVOC	8/13/2014	3.292	0	UG/L	217		W
cis-1,2-Dichloroethylene	8/13/2014	0.14	0.5	UG/L	217	J	W
1,1,1-Trichloroethane	5/22/2014	1.1	0.5	UG/L	217		W
1,1-Dichloroethane	5/22/2014	0.085	0.5	UG/L	217	J	W
1,1-Dichloroethylene	5/22/2014	0.52	0.5	UG/L	217		W
524.2 TVOC	5/22/2014	1.835	0	UG/L	217		W
cis-1,2-Dichloroethylene	5/22/2014	0.13	0.5	UG/L	217	J	W
1,1,1-Trichloroethane	3/7/2014	1.4	0.5	UG/L	217		W
1,1-Dichloroethylene	3/7/2014	1	0.5	UG/L	217		W
1,2-Dichloroethane	3/7/2014	0.19	0.5	UG/L	217	J	W
524.2 TVOC	3/7/2014	2.94	0	UG/L	217		W
Chloroform	3/7/2014	0.15	0.5	UG/L	217	J	W
cis-1,2-Dichloroethylene	3/7/2014	0.2	0.5	UG/L	217	J	W
1,1,1-Trichloroethane	12/17/2013	1.3	0.5	UG/L	217		W
1,1-Dichloroethylene	12/17/2013	0.94	0.5	UG/L	217		W
1,2-Dichloroethane	12/17/2013	0.19	0.5	UG/L	217	J	W
524.2 TVOC	12/17/2013	2.83	0	UG/L	217		W
Chloroform	12/17/2013	0.22	0.5	UG/L	217	J	W
cis-1,2-Dichloroethylene	12/17/2013	0.18	0.5	UG/L	217	J	W
1,1,1-Trichloroethane	9/13/2013	1	0.5	UG/L	217		W
1,1-Dichloroethylene	9/13/2013	0.58	0.5	UG/L	217		W
1,2-Dichloroethane	9/13/2013	0.17	0.5	UG/L	217	J	W
524.2 TVOC	9/13/2013	2.154	0	UG/L	217		W
Chloroform	9/13/2013	0.22	0.5	UG/L	217	J	W
cis-1,2-Dichloroethylene	9/13/2013	0.11	0.5	UG/L	217	J	W
Toluene	9/13/2013	0.074	0.5	UG/L	217	J	W
1,1,1-Trichloroethane	6/6/2013	0.6	0.5	UG/L	217		W
1,1-Dichloroethylene	6/6/2013	0.35	0.5	UG/L	217	J	W
1,2-Dichloroethane	6/6/2013	0.11	0.5	UG/L	217	J	W
524.2 TVOC	6/6/2013	1.29	0	UG/L	217		W
Chloroform	6/6/2013	0.23	0.5	UG/L	217	J	W
1,1,1-Trichloroethane	2/19/2013	0.077	0.5	UG/L	217	J	W
1,1-Dichloroethylene	2/19/2013	0.11	0.5	UG/L	217	J	W
524.2 TVOC	2/19/2013	0.537	0	UG/L	217		W
Chloroform	2/19/2013	0.35	0.5	UG/L	217	J	W
524.2 TVOC	11/20/2012	0.13	0	UG/L	217		W
Chloroform	11/20/2012	0.13	0.5	UG/L	217	J	W
524.2 TVOC	8/21/2012	0.53	0	UG/L	217		W
Chloroform	8/21/2012	0.53	0.5	UG/L	217		W
524.2 TVOC	5/18/2012	0	0	UG/L	217		W
524.2 TVOC	2/10/2012	1.19	0	UG/L	217		W
Chloroform	2/10/2012	0.77	0.5	UG/L	217		W
Methyl tert-butyl ether	2/10/2012	0.42	0.5	UG/L	217	J	W
524.2 TVOC	12/2/2011	0.14	0	UG/L	217		W
Chloroform	12/2/2011	0.14	0.5	UG/L	217	J	W
524.2 TVOC	8/8/2011	0.84	0	UG/L	217		W

Appendix A

OU III LIPA Petition for Closure

2004 - 2024 Monitoring Well Analytical Data Summary - VOCs Detected Above Laboratory MDL

Chloroform	8/8/2011	0.63	0.5	UG/L	217		W
Methyl tert-butyl ether	8/8/2011	0.21	0.5	UG/L	217	J	W
524.2 TVOC	5/10/2011	0.99	0	UG/L	217		W
Chloroform	5/10/2011	0.76	0.5	UG/L	217		W
Methyl tert-butyl ether	5/10/2011	0.23	0.5	UG/L	217	J	W
524.2 TVOC	1/19/2011	0.54	0	UG/L	217		W
Methyl bromide	1/19/2011	0.13	0.5	UG/L	217	J B	W
Methyl chloride	1/19/2011	0.19	0.5	UG/L	217	J	W
Methylene chloride	1/19/2011	0.22	0.5	UG/L	217	J	W
524.2 TVOC	12/3/2010	0.6	0	UG/L	217		W
Chloroform	12/3/2010	0.48	0.5	UG/L	217	J	W
Methyl tert-butyl ether	12/3/2010	0.12	0.5	UG/L	217	J	W
524.2 TVOC	8/6/2010	0.96	0	UG/L	217		W
Methyl tert-butyl ether	8/6/2010	0.96	0.5	UG/L	217		W
524.2 TVOC	4/27/2010	1.57	0	UG/L	217		W
Chloroform	4/27/2010	0.55	0.5	UG/L	217		W
Methyl chloride	4/27/2010	0.16	0.5	UG/L	217	J	W
Methyl tert-butyl ether	4/27/2010	0.86	0.5	UG/L	217		W
524.2 TVOC	1/27/2010	4.47	0	UG/L	217		W
Chloroform	1/27/2010	1.1	0.5	UG/L	217		W
Methyl bromide	1/27/2010	0.13	0.5	UG/L	217	J	W
Methyl tert-butyl ether	1/27/2010	3.1	0.5	UG/L	217		W
Trichloroethylene	1/27/2010	0.14	0.5	UG/L	217	J	W
1,1,1-Trichloroethane	11/17/2009	0.12	0.5	UG/L	217	J	W
524.2 TVOC	11/17/2009	3.44	0	UG/L	217		W
Chloroform	11/17/2009	0.82	0.5	UG/L	217		W
Methyl bromide	11/17/2009	0.11	0.5	UG/L	217	J B	W
Methyl chloride	11/17/2009	0.19	0.5	UG/L	217	J	W
Methyl tert-butyl ether	11/17/2009	2.2	0.5	UG/L	217		W
1,1,1-Trichloroethane	8/10/2009	0.13	0.5	UG/L	217	J	W
524.2 TVOC	8/10/2009	2.65	0	UG/L	217		W
Chloroform	8/10/2009	0.92	0.5	UG/L	217		W
Methyl chloride	8/10/2009	0.34	0.5	UG/L	217	J B	W
Methyl tert-butyl ether	8/10/2009	1.1	0.5	UG/L	217		W
Trichloroethylene	8/10/2009	0.16	0.5	UG/L	217	J	W
1,1,1-Trichloroethane	5/20/2009	0.13	0.5	UG/L	217	J	W
524.2 TVOC	5/20/2009	5.026	0	UG/L	217		W
Chloroform	5/20/2009	1.1	0.5	UG/L	217		W
Methyl chloride	5/20/2009	0.066	0.5	UG/L	217	J	W
Methyl tert-butyl ether	5/20/2009	3.3	0.5	UG/L	217		W
Methylene chloride	5/20/2009	0.25	0.5	UG/L	217	J B	W
Trichloroethylene	5/20/2009	0.18	0.5	UG/L	217	J	W
1,1,1-Trichloroethane	2/13/2009	0.15	0.5	UG/L	217	J	W
524.2 TVOC	2/13/2009	2.729	0	UG/L	217		W
Carbon tetrachloride	2/13/2009	0.049	0.5	UG/L	217	J	W
Chloroform	2/13/2009	1	0.5	UG/L	217		W
Methyl tert-butyl ether	2/13/2009	1.2	0.5	UG/L	217		W
Methylene chloride	2/13/2009	0.13	0.5	UG/L	217	J B	W
Trichloroethylene	2/13/2009	0.2	0.5	UG/L	217	J	W
1,1,1-Trichloroethane	11/26/2008	0.16	0.5	UG/L	217	J	W
524.2 TVOC	11/26/2008	2.75	0	UG/L	217		W
Chloroform	11/26/2008	1.1	0.5	UG/L	217		W
Methyl tert-butyl ether	11/26/2008	1.1	0.5	UG/L	217		W

Appendix A

OU III LIPA Petition for Closure

2004 - 2024 Monitoring Well Analytical Data Summary - VOCs Detected Above Laboratory MDL

Trichloroethylene	11/26/2008	0.39	0.5	UG/L	217	J	W
1,1,1-Trichloroethane	8/5/2008	0.18	0.5	UG/L	217	J	W
524.2 TVOC	8/5/2008	1.16	0	UG/L	217		W
Chloroform	8/5/2008	0.77	0.5	UG/L	217		W
Trichloroethylene	8/5/2008	0.21	0.5	UG/L	217	J	W
1,1,1-Trichloroethane	5/23/2008	0.22	0.5	UG/L	217	J	W
524.2 TVOC	5/23/2008	1.41	0	UG/L	217		W
Chloroform	5/23/2008	0.93	0.5	UG/L	217		W
Trichloroethylene	5/23/2008	0.26	0.5	UG/L	217	J	W
1,1,1-Trichloroethane	2/5/2008	0.2	0.5	UG/L	217	J	W
524.2 TVOC	2/5/2008	1.14	0	UG/L	217		W
Chloroform	2/5/2008	0.69	0.5	UG/L	217		W
Trichloroethylene	2/5/2008	0.25	0.5	UG/L	217	J	W
1,1,1-Trichloroethane	11/28/2007	0.26	0.5	UG/L	217	J	W
524.2 TVOC	11/28/2007	1.3	0	UG/L	217		W
Chloroform	11/28/2007	0.73	0.5	UG/L	217		W
Trichloroethylene	11/28/2007	0.31	0.5	UG/L	217	J	W
1,1,1-Trichloroethane	7/31/2007	0.18	0.5	UG/L	217	J	W
524.2 TVOC	7/31/2007	1.15	0	UG/L	217		W
Chloroform	7/31/2007	0.57	0.5	UG/L	217		W
Methylene chloride	7/31/2007	0.13	0.5	UG/L	217	J B	W
Trichloroethylene	7/31/2007	0.27	0.5	UG/L	217	J	W
1,1,1-Trichloroethane	5/29/2007	0.12	0.5	UG/L	217	J	W
524.2 TVOC	5/29/2007	0.7	0	UG/L	217		W
Chloroform	5/29/2007	0.34	0.5	UG/L	217	J	W
Trichloroethylene	5/29/2007	0.24	0.5	UG/L	217	J	W
1,1,1-Trichloroethane	2/7/2007	0.11	0.5	UG/L	217	J	W
524.2 TVOC	2/7/2007	0.7	0	UG/L	217		W
Chloroform	2/7/2007	0.25	0.5	UG/L	217	J	W
Trichloroethylene	2/7/2007	0.34	0.5	UG/L	217	J	W
1,1,1-Trichloroethane	11/30/2006	0.11	0.5	UG/L	217	J	W
524.2 TVOC	11/30/2006	0.78	0	UG/L	217		W
Chloroform	11/30/2006	0.2	0.5	UG/L	217	J	W
Trichloroethylene	11/30/2006	0.47	0.5	UG/L	217	J	W
1,1,1-Trichloroethane	8/29/2006	0.12	0.5	UG/L	217	J	W
524.2 TVOC	8/29/2006	0.978	0	UG/L	217		W
Carbon tetrachloride	8/29/2006	0.088	0.5	UG/L	217	J	W
Chloroform	8/29/2006	0.2	0.5	UG/L	217	J	W
Trichloroethylene	8/29/2006	0.57	0.5	UG/L	217		W
1,1,1-Trichloroethane	6/9/2006	0.062	0.5	UG/L	217	J	W
524.2 TVOC	6/9/2006	1.132	0	UG/L	217		W
Carbon tetrachloride	6/9/2006	0.11	0.5	UG/L	217	J	W
Chloroform	6/9/2006	0.17	0.5	UG/L	217	J	W
Methyl chloride	6/9/2006	0.1	0.5	UG/L	217	J	W
Trichloroethylene	6/9/2006	0.69	0.5	UG/L	217		W
524.2 TVOC	3/20/2006	0.73	0	UG/L	217		W
Trichloroethylene	3/20/2006	0.73	0.5	UG/L	217		W
1,1,1-Trichloroethane	12/19/2005	0.08	0.5	UG/L	217	J	W
524.2 TVOC	12/19/2005	1.12	0	UG/L	217		W
Carbon tetrachloride	12/19/2005	0.1	0.5	UG/L	217	J	W
Chloroform	12/19/2005	0.15	0.5	UG/L	217	J	W
Trichloroethylene	12/19/2005	0.79	0.5	UG/L	217		W
524.2 TVOC	8/19/2005	1.3	0	UG/L	210.5		W

Appendix A

OU III LIPA Petition for Closure

2004 - 2024 Monitoring Well Analytical Data Summary - VOCs Detected Above Laboratory MDL

Trichloroethylene	8/19/2005	1.3	0.5	UG/L	210.5		W
524.2 TVOC	6/1/2005	1.4	0	UG/L	210.5		W
Trichloroethylene	6/1/2005	1.4	0.5	UG/L	210.5		W
524.2 TVOC	3/28/2005	2	0	UG/L	210.5		W
Trichloroethylene	3/28/2005	2	0.5	UG/L	210.5		W
524.2 TVOC	12/9/2004	2.96	0	UG/L	210.5		W
Carbon tetrachloride	12/9/2004	0.4	0.5	UG/L	210.5	J	W
Chloroform	12/9/2004	0.46	0.5	UG/L	210.5	J	W
Trichloroethylene	12/9/2004	2.1	0.5	UG/L	210.5		W
524.2 TVOC	7/20/2004	3.51	0	UG/L	210.5		W
Carbon tetrachloride	7/20/2004	0.61	0.5	UG/L	210.5		W
Trichloroethylene	7/20/2004	2.9	0.5	UG/L	210.5		W
524.2 TVOC	3/29/2004	5.59	0	UG/L	210.5		W
Carbon tetrachloride	3/29/2004	1.1	0.5	UG/L	210.5		W
Chloroform	3/29/2004	0.29	0.5	UG/L	210.5	J	W
Trichloroethylene	3/29/2004	4.2	0.5	UG/L	210.5		W

Site ID : 000-458

Chemical Name	Sample Date	Value	Detlim	Units	Depth	Qual	Matrix
8260 TVOC	10/27/2023	0	0	UG/L	301		W
8260 TVOC	9/6/2023	0	0	UG/L	301		W
8260 TVOC	6/13/2023	0	0	UG/L	301		W
8260 TVOC	3/28/2023	0	0	UG/L	301		W
8260 TVOC	12/9/2022	0	0	UG/L	301		W
8260 TVOC	12/3/2021	0	0	UG/L	301		W
524.2 TVOC	12/16/2020	0	0	UG/L	301		W
1,4-Dioxane	7/7/2020	0.968	0.2	UG/L	301		W
524.2 TVOC	12/10/2019	0	0	UG/L	301		W
524.2 TVOC	12/28/2018	0	0	UG/L	301		W
524.2 TVOC	8/27/2018	0	0	UG/L	301		W
524.2 TVOC	6/11/2018	0.69	0	UG/L	301		W
Methylene chloride	6/11/2018	0.69	0.5	UG/L	301		W
524.2 TVOC	1/29/2018	0	0	UG/L	301		W
524.2 TVOC	11/21/2017	0	0	UG/L	301		W
524.2 TVOC	8/23/2017	0	0	UG/L	301		W
524.2 TVOC	5/23/2017	0	0	UG/L	301		W
524.2 TVOC	2/6/2017	0	0	UG/L	301		W
524.2 TVOC	11/29/2016	0	0	UG/L	301		W
524.2 TVOC	8/9/2016	0	0	UG/L	301		W
524.2 TVOC	5/10/2016	0	0	UG/L	301		W
524.2 TVOC	2/25/2016	0	0	UG/L	301		W
524.2 TVOC	1/12/2016	0	0	UG/L	301		W
524.2 TVOC	8/27/2015	0	0	UG/L	301		W
524.2 TVOC	5/19/2015	0	0	UG/L	301		W
524.2 TVOC	3/13/2015	0	0	UG/L	301		W
524.2 TVOC	12/12/2014	0	0	UG/L	301		W
524.2 TVOC	8/12/2014	0	0	UG/L	301		W
524.2 TVOC	5/20/2014	0	0	UG/L	301		W
524.2 TVOC	2/27/2014	0	0	UG/L	301		W
524.2 TVOC	12/16/2013	0	0	UG/L	301		W
524.2 TVOC	9/13/2013	0	0	UG/L	301		W
524.2 TVOC	6/10/2013	0	0	UG/L	301		W

Appendix A

OU III LIPA Petition for Closure

2004 - 2024 Monitoring Well Analytical Data Summary - VOCs Detected Above Laboratory MDL

524.2 TVOC	2/20/2013	0	0	UG/L	301		W
524.2 TVOC	11/20/2012	0.226	0	UG/L	301		W
Methyl chloride	11/20/2012	0.096	0.5	UG/L	301	J	W
Methylene chloride	11/20/2012	0.13	0.5	UG/L	301	J	W
524.2 TVOC	8/21/2012	0	0	UG/L	301		W
524.2 TVOC	5/18/2012	0	0	UG/L	301		W
524.2 TVOC	2/10/2012	0	0	UG/L	301		W
524.2 TVOC	12/2/2011	0.24	0	UG/L	301		W
Methyl chloride	12/2/2011	0.12	0.5	UG/L	301	J	W
Methylene chloride	12/2/2011	0.12	0.5	UG/L	301	J	W
524.2 TVOC	8/8/2011	0	0	UG/L	301		W
524.2 TVOC	5/10/2011	0	0	UG/L	301		W
524.2 TVOC	2/25/2011	0	0	UG/L	301		W
524.2 TVOC	2/25/2011	0	0	UG/L	301		W
524.2 TVOC	11/23/2010	0.51	0	UG/L	301		W
Methyl chloride	11/23/2010	0.12	0.5	UG/L	301	J	W
Methylene chloride	11/23/2010	0.39	0.5	UG/L	301	J	W
524.2 TVOC	8/5/2010	0	0	UG/L	301		W
524.2 TVOC	4/22/2010	0.37	0	UG/L	301		W
Methyl chloride	4/22/2010	0.37	0.5	UG/L	301	J	W
524.2 TVOC	1/27/2010	0.284	0	UG/L	301		W
Methyl chloride	1/27/2010	0.094	0.5	UG/L	301	J	W
Trichloroethylene	1/27/2010	0.19	0.5	UG/L	301	J	W
524.2 TVOC	11/16/2009	0	0	UG/L	301		W
524.2 TVOC	8/10/2009	0	0	UG/L	301		W
524.2 TVOC	5/8/2009	0.2	0	UG/L	301		W
Methylene chloride	5/8/2009	0.2	0.5	UG/L	301	J B	W
524.2 TVOC	2/11/2009	0.18	0	UG/L	301		W
Methylene chloride	2/11/2009	0.18	0.5	UG/L	301	J B	W
524.2 TVOC	11/13/2008	0.36	0	UG/L	301		W
Methyl chloride	11/13/2008	0.18	0.5	UG/L	301	J	W
Trichloroethylene	11/13/2008	0.18	0.5	UG/L	301	J	W
524.2 TVOC	8/5/2008	0.11	0	UG/L	296		W
Methyl chloride	8/5/2008	0.11	0.5	UG/L	296	J	W
524.2 TVOC	5/22/2008	0	0	UG/L	301		W
524.2 TVOC	1/30/2008	0	0	UG/L	301		W
524.2 TVOC	11/28/2007	0	0	UG/L	301		W
524.2 TVOC	7/30/2007	0	0	UG/L	301		W
524.2 TVOC	5/23/2007	0	0	UG/L	301		W
524.2 TVOC	2/7/2007	0.093	0	UG/L	301		W
Toluene	2/7/2007	0.093	0.5	UG/L	301	J	W
524.2 TVOC	11/28/2006	0	0	UG/L	301		W
524.2 TVOC	8/25/2006	0	0	UG/L	301		W
524.2 TVOC	6/7/2006	0	0	UG/L	301		W
524.2 TVOC	3/17/2006	0	0	UG/L	301		W
524.2 TVOC	12/5/2005	0.41	0	UG/L	301		W
Benzene	12/5/2005	0.17	0.5	UG/L	301	J	W
Methyl chloride	12/5/2005	0.24	0.5	UG/L	301	J	W
524.2 TVOC	8/19/2005	0	0	UG/L	301		W
524.2 TVOC	5/31/2005	0	0	UG/L	301		W
524.2 TVOC	3/30/2005	0.54	0	UG/L	301		W
Toluene	3/30/2005	0.54	0.5	UG/L	301		W
524.2 TVOC	12/15/2004	0	0	UG/L	301		W

Appendix A

OU III LIPA Petition for Closure

2004 - 2024 Monitoring Well Analytical Data Summary - VOCs Detected Above Laboratory MDL

524.2 TVOC	7/20/2004	0	0	UG/L	300		W
524.2 TVOC	6/11/2004	3.4	0	UG/L	295		W
Methylene chloride	6/11/2004	3.4	0.5	UG/L	295		W

Site ID : 000-459

Chemical Name	Sample Date	Value	Detlim	Units	Depth	Qual	Matrix
8260 TVOC	12/8/2023	0.33	0	UG/L	304		W
Methyl bromide	12/8/2023	0.33	0.5	UG/L	304	J	W
8260 TVOC	9/7/2023	0	0	UG/L	304		W
8260 TVOC	6/13/2023	0	0	UG/L	304		W
8260 TVOC	3/28/2023	0	0	UG/L	304		W
8260 TVOC	12/13/2022	0	0	UG/L	304		W
8260 TVOC	12/6/2021	0	0	UG/L	304		W
524.2 TVOC	12/28/2020	0	0	UG/L	304		W
524.2 TVOC	12/11/2019	0	0	UG/L	304		W
524.2 TVOC	12/24/2018	0	0	UG/L	304		W
524.2 TVOC	8/22/2018	0	0	UG/L	304		W
524.2 TVOC	6/11/2018	0.33	0	UG/L	304		W
Methylene chloride	6/11/2018	0.33	0.5	UG/L	304	J	W
524.2 TVOC	1/29/2018	0	0	UG/L	304		W
524.2 TVOC	11/21/2017	0	0	UG/L	304		W
524.2 TVOC	8/23/2017	0.54	0	UG/L	304		W
m/p xylene	8/23/2017	0.16	1	UG/L	304	J	W
Toluene	8/23/2017	0.38	0.5	UG/L	304	J	W
524.2 TVOC	5/18/2017	0	0	UG/L	304		W
524.2 TVOC	2/6/2017	0	0	UG/L	304		W
524.2 TVOC	11/30/2016	0	0	UG/L	304		W
524.2 TVOC	8/9/2016	0	0	UG/L	304		W
524.2 TVOC	5/11/2016	0	0	UG/L	304		W
524.2 TVOC	3/4/2016	0	0	UG/L	305		W
524.2 TVOC	1/12/2016	0	0	UG/L	304		W
524.2 TVOC	8/27/2015	0	0	UG/L	304		W
524.2 TVOC	5/19/2015	0	0	UG/L	304		W
524.2 TVOC	3/13/2015	0	0	UG/L	304		W
524.2 TVOC	12/12/2014	0	0	UG/L	304		W
524.2 TVOC	8/12/2014	0	0	UG/L	304		W
524.2 TVOC	5/20/2014	0	0	UG/L	304		W
524.2 TVOC	2/27/2014	0	0	UG/L	304		W
524.2 TVOC	12/16/2013	0	0	UG/L	304		W
524.2 TVOC	9/13/2013	0	0	UG/L	304		W
524.2 TVOC	6/10/2013	0	0	UG/L	304		W
524.2 TVOC	2/21/2013	0	0	UG/L	304		W
1,1-Dichloroethylene	11/20/2012	0.13	0.5	UG/L	304	J	W
524.2 TVOC	11/20/2012	0.29	0	UG/L	304		W
Toluene	11/20/2012	0.16	0.5	UG/L	304	J	W
524.2 TVOC	8/21/2012	0	0	UG/L	304		W
524.2 TVOC	5/18/2012	0	0	UG/L	304		W
524.2 TVOC	2/10/2012	0	0	UG/L	304		W
524.2 TVOC	12/2/2011	0	0	UG/L	304		W
524.2 TVOC	8/4/2011	0	0	UG/L	304		W
524.2 TVOC	5/9/2011	0	0	UG/L	304		W
524.2 TVOC	3/1/2011	0.54	0	UG/L	304		W

Appendix A

OU III LIPA Petition for Closure

2004 - 2024 Monitoring Well Analytical Data Summary - VOCs Detected Above Laboratory MDL

Methyl bromide	3/1/2011	0.15	0.5	UG/L	304	J	W
Methyl chloride	3/1/2011	0.26	0.5	UG/L	304	J	W
Methylene chloride	3/1/2011	0.13	0.5	UG/L	304	J	W
524.2 TVOC	11/23/2010	0.39	0	UG/L	304		W
Methylene chloride	11/23/2010	0.39	0.5	UG/L	304	J	W
524.2 TVOC	8/5/2010	0	0	UG/L	304		W
524.2 TVOC	4/22/2010	0.26	0	UG/L	304		W
Methyl chloride	4/22/2010	0.26	0.5	UG/L	304	J	W
524.2 TVOC	1/26/2010	0	0	UG/L	304		W
524.2 TVOC	11/13/2009	0	0	UG/L	298.5		W
524.2 TVOC	8/7/2009	0	0	UG/L	304		W
524.2 TVOC	5/8/2009	0	0	UG/L	304		W
524.2 TVOC	2/11/2009	0	0	UG/L	304		W
524.2 TVOC	11/13/2008	0.49	0	UG/L	304		W
Methyl chloride	11/13/2008	0.37	0.5	UG/L	304	J	W
Trichloroethylene	11/13/2008	0.12	0.5	UG/L	304	J	W
524.2 TVOC	8/4/2008	0.14	0	UG/L	304		W
Methyl chloride	8/4/2008	0.14	0.5	UG/L	304	J	W
524.2 TVOC	5/21/2008	0	0	UG/L	304		W
524.2 TVOC	1/30/2008	0	0	UG/L	304		W
524.2 TVOC	11/28/2007	0	0	UG/L	295		W
524.2 TVOC	7/30/2007	0	0	UG/L	304		W
524.2 TVOC	5/24/2007	0	0	UG/L	304		W
524.2 TVOC	2/6/2007	0.14	0	UG/L	304		W
Trichloroethylene	2/6/2007	0.14	0.5	UG/L	304	J	W
524.2 TVOC	11/28/2006	0	0	UG/L	304		W
524.2 TVOC	8/29/2006	0	0	UG/L	304		W
524.2 TVOC	6/8/2006	0	0	UG/L	304		W
524.2 TVOC	3/17/2006	0	0	UG/L	304		W
524.2 TVOC	12/28/2005	0.11	0	UG/L	304		W
Toluene	12/28/2005	0.11	0.5	UG/L	304	J	W
524.2 TVOC	8/16/2005	0	0	UG/L	295		W
524.2 TVOC	5/26/2005	0	0	UG/L	295		W
524.2 TVOC	3/30/2005	0	0	UG/L	295		W
524.2 TVOC	12/15/2004	0	0	UG/L	304		W
524.2 TVOC	7/21/2004	0	0	UG/L	295		W
524.2 TVOC	6/11/2004	0.88	0	UG/L	295		W
Methylene chloride	6/11/2004	0.88	0.5	UG/L	295		W

Site ID : 000-460

Chemical Name	Sample Date	Value	Detlim	Units	Depth	Qual	Matrix
8260 TVOC	12/2/2021	0.97	0	UG/L	300		W
Toluene	12/2/2021	0.97	0.5	UG/L	300		W
524.2 TVOC	12/22/2020	0	0	UG/L	300		W
524.2 TVOC	2/14/2020	0	0	UG/L	300		W
524.2 TVOC	12/28/2018	0	0	UG/L	300		W
524.2 TVOC	8/27/2018	0	0	UG/L	300		W
1,1,1-Trichloroethane	6/12/2018	0.61	0.5	UG/L	300		W
1,1-Dichloroethylene	6/12/2018	0.19	0.5	UG/L	300	J	W
524.2 TVOC	6/12/2018	2.11	0	UG/L	300		W
Chloroform	6/12/2018	0.44	0.5	UG/L	300	J	W
Methylene chloride	6/12/2018	0.87	0.5	UG/L	300		W

Appendix A

OU III LIPA Petition for Closure

2004 - 2024 Monitoring Well Analytical Data Summary - VOCs Detected Above Laboratory MDL

1,1,1-Trichloroethane	1/29/2018	1.5	0.5	UG/L	300		W
1,1-Dichloroethylene	1/29/2018	0.75	0.5	UG/L	300		W
524.2 TVOC	1/29/2018	5.38	0	UG/L	300		W
Carbon tetrachloride	1/29/2018	0.33	0.5	UG/L	300	J	W
Chloroform	1/29/2018	1.4	0.5	UG/L	300		W
Trichloroethylene	1/29/2018	1.4	0.5	UG/L	300		W
1,1,1-Trichloroethane	11/21/2017	1.1	0.5	UG/L	300		W
1,1-Dichloroethylene	11/21/2017	0.55	0.5	UG/L	300		W
524.2 TVOC	11/21/2017	3.51	0	UG/L	300		W
Carbon tetrachloride	11/21/2017	0.24	0.5	UG/L	300	J	W
Chloroform	11/21/2017	0.74	0.5	UG/L	300		W
Trichloroethylene	11/21/2017	0.88	0.5	UG/L	300		W
1,1,1-Trichloroethane	8/29/2017	0.94	0.5	UG/L	300		W
524.2 TVOC	8/29/2017	1.25	0	UG/L	300		W
Carbon tetrachloride	8/29/2017	0.2	0.5	UG/L	300	J	W
Chloroform	8/29/2017	0.11	0.5	UG/L	300	J	W
1,1,1-Trichloroethane	5/18/2017	0.17	0.5	UG/L	300	J	W
524.2 TVOC	5/18/2017	0.17	0	UG/L	300		W
1,1,1-Trichloroethane	1/18/2017	4.07	0.5	UG/L	300		W
1,1-Dichloroethylene	1/18/2017	2.07	0.5	UG/L	300		W
1,4-Dioxane	1/18/2017	0.372	0.2	UG/L	300		W
524.2 TVOC	1/18/2017	8.54	0	UG/L	300		W
Carbon tetrachloride	1/18/2017	0.35	0.5	UG/L	300	J	W
Chloroform	1/18/2017	0.94	0.5	UG/L	300		W
Trichloroethylene	1/18/2017	1.11	0.5	UG/L	300		W
1,1,1-Trichloroethane	11/30/2016	3.6	0.5	UG/L	300		W
1,1-Dichloroethylene	11/30/2016	1.9	0.5	UG/L	300		W
524.2 TVOC	11/30/2016	7.83	0	UG/L	300		W
Carbon tetrachloride	11/30/2016	0.36	0.5	UG/L	300	J	W
Chloroform	11/30/2016	0.97	0.5	UG/L	300		W
Trichloroethylene	11/30/2016	1	0.5	UG/L	300		W
1,1,1-Trichloroethane	8/9/2016	1.3	0.5	UG/L	300		W
1,1-Dichloroethylene	8/9/2016	1.2	0.5	UG/L	300		W
524.2 TVOC	8/9/2016	3.43	0	UG/L	300		W
Carbon tetrachloride	8/9/2016	0.18	0.5	UG/L	300	J	W
Chloroform	8/9/2016	0.24	0.5	UG/L	300	J	W
Trichloroethylene	8/9/2016	0.51	0.5	UG/L	300		W
524.2 TVOC	5/11/2016	0	0	UG/L	300		W
1,1,1-Trichloroethane	2/25/2016	2.3	0.5	UG/L	300		W
1,1-Dichloroethylene	2/25/2016	1.2	0.5	UG/L	300		W
524.2 TVOC	2/25/2016	4.28	0	UG/L	300		W
Carbon tetrachloride	2/25/2016	0.19	0.5	UG/L	300	J	W
Chloroform	2/25/2016	0.16	0.5	UG/L	300	J	W
Trichloroethylene	2/25/2016	0.43	0.5	UG/L	300	J	W
1,1,1-Trichloroethane	1/12/2016	0.76	0.5	UG/L	300		W
1,1-Dichloroethylene	1/12/2016	0.4	0.5	UG/L	300	J	W
524.2 TVOC	1/12/2016	1.27	0	UG/L	300		W
Chloroform	1/12/2016	0.11	0.5	UG/L	300	J	W
1,1,1-Trichloroethane	8/27/2015	7.8	0.5	UG/L	300		W
1,1-Dichloroethylene	8/27/2015	4.9	0.5	UG/L	300		W
1,2-Dichloroethane	8/27/2015	0.26	0.5	UG/L	300	J	W
524.2 TVOC	8/27/2015	16.48	0	UG/L	300		W
Carbon tetrachloride	8/27/2015	0.76	0.5	UG/L	300		W

Appendix A

OU III LIPA Petition for Closure

2004 - 2024 Monitoring Well Analytical Data Summary - VOCs Detected Above Laboratory MDL

Chloroform	8/27/2015	0.72	0.5	UG/L	300		W
Methyl chloride	8/27/2015	0.14	0.5	UG/L	300	J	W
Trichloroethylene	8/27/2015	1.9	0.5	UG/L	300		W
1,1,1-Trichloroethane	5/19/2015	1	0.5	UG/L	300		W
1,1-Dichloroethylene	5/19/2015	0.13	0.5	UG/L	300	J	W
524.2 TVOC	5/19/2015	1.32	0	UG/L	300		W
Carbon tetrachloride	5/19/2015	0.19	0.5	UG/L	300	J	W
524.2 TVOC	3/13/2015	0	0	UG/L	300		W
1,1,1-Trichloroethane	12/11/2014	2.3	0.5	UG/L	300		W
1,1-Dichloroethylene	12/11/2014	3.2	0.5	UG/L	300		W
524.2 TVOC	12/11/2014	6.15	0	UG/L	300		W
Carbon tetrachloride	12/11/2014	0.24	0.5	UG/L	300	J	W
Trichloroethylene	12/11/2014	0.41	0.5	UG/L	300	J	W
1,1,1-Trichloroethane	8/13/2014	0.52	0.5	UG/L	300		W
1,1-Dichloroethylene	8/13/2014	0.72	0.5	UG/L	300		W
524.2 TVOC	8/13/2014	1.24	0	UG/L	300		W
1,1,1-Trichloroethane	5/20/2014	6.7	0.5	UG/L	300		W
1,1-Dichloroethylene	5/20/2014	3.5	0.5	UG/L	300		W
1,2-Dichloroethane	5/20/2014	0.11	0.5	UG/L	300	J	W
524.2 TVOC	5/20/2014	11.48	0	UG/L	300		W
Carbon tetrachloride	5/20/2014	0.37	0.5	UG/L	300	J	W
Chloroform	5/20/2014	0.19	0.5	UG/L	300	J	W
Trichloroethylene	5/20/2014	0.61	0.5	UG/L	300		W
1,1,1-Trichloroethane	2/6/2014	26	0.5	UG/L	295		W
1,1-Dichloroethane	2/6/2014	0.19	0.5	UG/L	295	J	W
1,1-Dichloroethylene	2/6/2014	12	0.5	UG/L	295		W
1,2-Dichloroethane	2/6/2014	0.76	0.5	UG/L	295		W
524.2 TVOC	2/6/2014	41.89	0	UG/L	295		W
Carbon tetrachloride	2/6/2014	1	0.5	UG/L	295		W
Chloroform	2/6/2014	0.64	0.5	UG/L	295		W
Trichloroethylene	2/6/2014	1.3	0.5	UG/L	295		W
1,1,1-Trichloroethane	12/16/2013	32	0.5	UG/L	300		W
1,1-Dichloroethane	12/16/2013	0.19	0.5	UG/L	300	J	W
1,1-Dichloroethylene	12/16/2013	26	0.5	UG/L	300		W
1,2-Dichloroethane	12/16/2013	0.83	0.5	UG/L	300		W
524.2 TVOC	12/16/2013	64.8	0	UG/L	300		W
Carbon tetrachloride	12/16/2013	1.7	0.5	UG/L	300		W
Chloroform	12/16/2013	0.75	0.5	UG/L	300		W
cis-1,2-Dichloroethylene	12/16/2013	0.13	0.5	UG/L	300	J	W
Trichloroethylene	12/16/2013	3.2	0.5	UG/L	300		W
1,1,1-Trichloroethane	9/13/2013	6.8	0.5	UG/L	300		W
1,1-Dichloroethylene	9/13/2013	4.8	0.5	UG/L	300		W
1,2-Dichloroethane	9/13/2013	0.11	0.5	UG/L	300	J	W
524.2 TVOC	9/13/2013	12.74	0	UG/L	300		W
Carbon tetrachloride	9/13/2013	0.35	0.5	UG/L	300	J	W
Chloroform	9/13/2013	0.17	0.5	UG/L	300	J	W
Trichloroethylene	9/13/2013	0.51	0.5	UG/L	300		W
1,1,1-Trichloroethane	6/10/2013	8.3	0.5	UG/L	300		W
1,1-Dichloroethylene	6/10/2013	1.8	0.5	UG/L	300		W
524.2 TVOC	6/10/2013	10.9	0	UG/L	300		W
Carbon tetrachloride	6/10/2013	0.41	0.5	UG/L	300	J	W
Chloroform	6/10/2013	0.1	0.5	UG/L	300	J	W
Trichloroethylene	6/10/2013	0.29	0.5	UG/L	300	J	W

Appendix A

OU III LIPA Petition for Closure

2004 - 2024 Monitoring Well Analytical Data Summary - VOCs Detected Above Laboratory MDL

1,1,1-Trichloroethane	2/20/2013	8	0.5	UG/L	300		W
1,1-Dichloroethylene	2/20/2013	2.5	0.5	UG/L	300		W
524.2 TVOC	2/20/2013	11.05	0	UG/L	300		W
Carbon tetrachloride	2/20/2013	0.18	0.5	UG/L	300	J	W
Chloroform	2/20/2013	0.12	0.5	UG/L	300	J	W
Trichloroethylene	2/20/2013	0.25	0.5	UG/L	300	J	W
1,1,1-Trichloroethane	11/20/2012	90	2.5	UG/L	300	D	W
1,1-Dichloroethane	11/20/2012	0.36	0.5	UG/L	300	J	W
1,1-Dichloroethylene	11/20/2012	67	2.5	UG/L	300	D	W
1,2-Dichloroethane	11/20/2012	0.66	0.5	UG/L	300		W
524.2 TVOC	11/20/2012	165.8	0	UG/L	300		W
Carbon tetrachloride	11/20/2012	3	0.5	UG/L	300		W
Chloroform	11/20/2012	0.69	0.5	UG/L	300		W
cis-1,2-Dichloroethylene	11/20/2012	0.19	0.5	UG/L	300	J	W
Trichloroethylene	11/20/2012	3.9	0.5	UG/L	300		W
524.2 TVOC	8/21/2012	0	0	UG/L	300		W
1,1,1-Trichloroethane	5/18/2012	0.6	0.5	UG/L	300		W
1,1-Dichloroethylene	5/18/2012	0.7	0.5	UG/L	300		W
524.2 TVOC	5/18/2012	1.86	0	UG/L	300		W
Methylene chloride	5/18/2012	0.21	0.5	UG/L	300	J	W
Trichloroethylene	5/18/2012	0.35	0.5	UG/L	300	J	W
524.2 TVOC	2/10/2012	0	0	UG/L	300		W
1,1,1-Trichloroethane	12/1/2011	0.87	0.5	UG/L	300		W
1,1-Dichloroethylene	12/1/2011	0.098	0.5	UG/L	300	J	W
524.2 TVOC	12/1/2011	1.207	0	UG/L	300		W
Carbon tetrachloride	12/1/2011	0.15	0.5	UG/L	300	J	W
Methyl chloride	12/1/2011	0.089	0.5	UG/L	300	J	W
1,1,1-Trichloroethane	8/4/2011	2.5	0.5	UG/L	300		W
1,1-Dichloroethylene	8/4/2011	1.5	0.5	UG/L	300		W
524.2 TVOC	8/4/2011	5.36	0	UG/L	300		W
Carbon tetrachloride	8/4/2011	0.29	0.5	UG/L	300	J	W
Chloroform	8/4/2011	0.2	0.5	UG/L	300	J	W
Trichloroethylene	8/4/2011	0.87	0.5	UG/L	300		W
1,1,1-Trichloroethane	5/10/2011	0.35	0.5	UG/L	300	J	W
1,1-Dichloroethylene	5/10/2011	0.17	0.5	UG/L	300	J	W
524.2 TVOC	5/10/2011	1.04	0	UG/L	300		W
Carbon tetrachloride	5/10/2011	0.13	0.5	UG/L	300	J	W
Trichloroethylene	5/10/2011	0.39	0.5	UG/L	300	J	W
1,1,1-Trichloroethane	2/28/2011	1.9	0.5	UG/L	300		W
1,1-Dichloroethylene	2/28/2011	1.5	0.5	UG/L	300		W
524.2 TVOC	2/28/2011	5.96	0	UG/L	300		W
Carbon tetrachloride	2/28/2011	0.35	0.5	UG/L	300	J	W
Chloroform	2/28/2011	0.16	0.5	UG/L	300	J	W
Methyl chloride	2/28/2011	0.15	0.5	UG/L	300	J	W
Trichloroethylene	2/28/2011	1.9	0.5	UG/L	300		W
1,1,1-Trichloroethane	11/23/2010	6.3	0.5	UG/L	300		W
1,1-Dichloroethylene	11/23/2010	3.2	0.5	UG/L	300		W
524.2 TVOC	11/23/2010	16.7	0	UG/L	300		W
Carbon tetrachloride	11/23/2010	1.2	0.5	UG/L	300		W
Chloroform	11/23/2010	0.39	0.5	UG/L	300	J	W
cis-1,2-Dichloroethylene	11/23/2010	0.13	0.5	UG/L	300	J	W
Methylene chloride	11/23/2010	0.38	0.5	UG/L	300	J	W
Trichloroethylene	11/23/2010	5.1	0.5	UG/L	300		W

Appendix A

OU III LIPA Petition for Closure

2004 - 2024 Monitoring Well Analytical Data Summary - VOCs Detected Above Laboratory MDL

1,1,1-Trichloroethane	8/5/2010	4.8	0.5	UG/L	300		W
1,1-Dichloroethylene	8/5/2010	2.3	0.5	UG/L	300		W
524.2 TVOC	8/5/2010	11.42	0	UG/L	300		W
Carbon tetrachloride	8/5/2010	0.81	0.5	UG/L	300		W
Chloroform	8/5/2010	0.21	0.5	UG/L	300	J	W
Trichloroethylene	8/5/2010	3.3	0.5	UG/L	300		W
524.2 TVOC	4/22/2010	0.29	0	UG/L	300		W
Methyl chloride	4/22/2010	0.29	0.5	UG/L	300	J	W
524.2 TVOC	1/26/2010	0.3	0	UG/L	300		W
Methyl bromide	1/26/2010	0.15	0.5	UG/L	300	J	W
Methyl chloride	1/26/2010	0.15	0.5	UG/L	300	J	W
1,1,1-Trichloroethane	11/16/2009	1.5	0.5	UG/L	300		W
1,1-Dichloroethylene	11/16/2009	0.71	0.5	UG/L	300		W
524.2 TVOC	11/16/2009	3.79	0	UG/L	300		W
Carbon tetrachloride	11/16/2009	0.25	0.5	UG/L	300	J	W
Chloroform	11/16/2009	0.13	0.5	UG/L	300	J	W
Trichloroethylene	11/16/2009	1.2	0.5	UG/L	300		W
524.2 TVOC	8/4/2009	0.91	0	UG/L	300		W
Chloroform	8/4/2009	0.27	0.5	UG/L	300	J	W
Methyl chloride	8/4/2009	0.52	0.5	UG/L	300		W
Trichloroethylene	8/4/2009	0.12	0.5	UG/L	300	J	W
524.2 TVOC	5/8/2009	0.46	0	UG/L	300		W
Methylene chloride	5/8/2009	0.46	0.5	UG/L	300	J B	W
1,1,1-Trichloroethane	2/11/2009	0.51	0.5	UG/L	300		W
1,1-Dichloroethylene	2/11/2009	0.23	0.5	UG/L	300	J	W
524.2 TVOC	2/11/2009	1.206	0	UG/L	300		W
Carbon tetrachloride	2/11/2009	0.078	0.5	UG/L	300	J	W
Methyl chloride	2/11/2009	0.058	0.5	UG/L	300	J	W
Trichloroethylene	2/11/2009	0.33	0.5	UG/L	300	J	W
1,1,1-Trichloroethane	11/14/2008	0.66	0.5	UG/L	300		W
1,1-Dichloroethylene	11/14/2008	0.25	0.5	UG/L	300	J	W
524.2 TVOC	11/14/2008	1.75	0	UG/L	300		W
Carbon tetrachloride	11/14/2008	0.11	0.5	UG/L	300	J	W
Trichloroethylene	11/14/2008	0.73	0.5	UG/L	300		W
1,1,1-Trichloroethane	8/5/2008	4.7	0.5	UG/L	300		W
1,1-Dichloroethylene	8/5/2008	2.6	0.5	UG/L	300		W
524.2 TVOC	8/5/2008	12.249	0	UG/L	300		W
Carbon tetrachloride	8/5/2008	0.8	0.5	UG/L	300		W
Chloroform	8/5/2008	0.13	0.5	UG/L	300	J	W
cis-1,2-Dichloroethylene	8/5/2008	0.14	0.5	UG/L	300	J	W
Methyl chloride	8/5/2008	0.079	0.5	UG/L	300	J	W
Trichloroethylene	8/5/2008	3.8	0.5	UG/L	300		W
1,1,1-Trichloroethane	5/22/2008	0.98	0.5	UG/L	300		W
1,1-Dichloroethylene	5/22/2008	0.3	0.5	UG/L	300	J	W
524.2 TVOC	5/22/2008	2.85	0	UG/L	300		W
Carbon tetrachloride	5/22/2008	0.37	0.5	UG/L	300	J	W
Trichloroethylene	5/22/2008	1.2	0.5	UG/L	300		W
1,1,1-Trichloroethane	1/30/2008	0.29	0.5	UG/L	300	J	W
1,1-Dichloroethylene	1/30/2008	0.13	0.5	UG/L	300	J	W
524.2 TVOC	1/30/2008	0.8	0	UG/L	300		W
Trichloroethylene	1/30/2008	0.38	0.5	UG/L	300	J	W
1,1,1-Trichloroethane	11/28/2007	11	0.5	UG/L	300		W
1,1-Dichloroethylene	11/28/2007	4	0.5	UG/L	300		W

Appendix A

OU III LIPA Petition for Closure

2004 - 2024 Monitoring Well Analytical Data Summary - VOCs Detected Above Laboratory MDL

1,2-Dichloroethane	11/28/2007	0.17	0.5	UG/L	300	J	W
524.2 TVOC	11/28/2007	25.52	0	UG/L	300		W
Carbon tetrachloride	11/28/2007	2.3	0.5	UG/L	300		W
Chloroform	11/28/2007	0.25	0.5	UG/L	300	J	W
cis-1,2-Dichloroethylene	11/28/2007	0.2	0.5	UG/L	300	J	W
Trichloroethylene	11/28/2007	7.6	0.5	UG/L	300		W
524.2 TVOC	7/31/2007	0.6	0	UG/L	300		W
Carbon tetrachloride	7/31/2007	0.1	0.5	UG/L	300	J	W
Methyl chloride	7/31/2007	0.17	0.5	UG/L	300	J	W
Trichloroethylene	7/31/2007	0.33	0.5	UG/L	300	J	W
524.2 TVOC	5/24/2007	0	0	UG/L	300		W
524.2 TVOC	2/12/2007	0.081	0	UG/L	300		W
Trichloroethylene	2/12/2007	0.081	0.5	UG/L	300	J	W
524.2 TVOC	11/28/2006	0	0	UG/L	300		W
524.2 TVOC	8/24/2006	0	0	UG/L	300		W
524.2 TVOC	6/8/2006	0.1	0	UG/L	300		W
Methyl chloride	6/8/2006	0.1	0.5	UG/L	300	J	W
524.2 TVOC	3/17/2006	0	0	UG/L	300		W
524.2 TVOC	12/2/2005	0.19	0	UG/L	309		W
Trichloroethylene	12/2/2005	0.19	0.5	UG/L	309	J	W
1,1,1-Trichloroethane	8/18/2005	10	0.5	UG/L	309		W
1,1-Dichloroethylene	8/18/2005	4	0.5	UG/L	309		W
524.2 TVOC	8/18/2005	47.8	0	UG/L	309		W
Carbon tetrachloride	8/18/2005	7.3	0.5	UG/L	309		W
Chloroform	8/18/2005	1.4	0.5	UG/L	309		W
cis-1,2-Dichloroethylene	8/18/2005	1.1	0.5	UG/L	309		W
Trichloroethylene	8/18/2005	24	0.5	UG/L	309		W
1,1,1-Trichloroethane	5/26/2005	1.8	0.5	UG/L	309		W
1,1-Dichloroethylene	5/26/2005	0.71	0.5	UG/L	309		W
524.2 TVOC	5/26/2005	11.67	0	UG/L	309		W
Benzene, 1,2,4-trimethyl	5/26/2005	0.58	0.5	UG/L	309		W
Carbon tetrachloride	5/26/2005	1.2	0.5	UG/L	309		W
Chloroform	5/26/2005	0.2	0.5	UG/L	309	J	W
cis-1,2-Dichloroethylene	5/26/2005	0.2	0.5	UG/L	309	J	W
Ethylbenzene	5/26/2005	0.17	0.5	UG/L	309	J	W
m/p xylene	5/26/2005	2	0.5	UG/L	309		W
o-Xylene	5/26/2005	0.61	0.5	UG/L	309		W
Toluene	5/26/2005	1	0.5	UG/L	309		W
Trichloroethylene	5/26/2005	3.2	0.5	UG/L	309		W
524.2 TVOC	3/29/2005	0.48	0	UG/L	300		W
m/p xylene	3/29/2005	0.28	0.5	UG/L	300	J	W
Toluene	3/29/2005	0.2	0.5	UG/L	300	J	W
1,1,1-Trichloroethane	12/15/2004	3.6	0.5	UG/L	300		W
1,1-Dichloroethylene	12/15/2004	2	0.5	UG/L	300		W
1,2-Dichloroethane	12/15/2004	0.1	0.5	UG/L	300	J	W
524.2 TVOC	12/15/2004	39.25	0	UG/L	300		W
Benzene	12/15/2004	0.38	0.5	UG/L	300	J	W
Benzene, 1,2,4-trimethyl	12/15/2004	2.8	0.5	UG/L	300		W
Benzene, 1,3,5-trimethyl-	12/15/2004	2	0.5	UG/L	300		W
Carbon tetrachloride	12/15/2004	1.4	0.5	UG/L	300		W
Chloroform	12/15/2004	0.29	0.5	UG/L	300	J	W
cis-1,2-Dichloroethylene	12/15/2004	0.49	0.5	UG/L	300	J	W
Ethylbenzene	12/15/2004	0.16	0.5	UG/L	300	J	W

Appendix A

OU III LIPA Petition for Closure

2004 - 2024 Monitoring Well Analytical Data Summary - VOCs Detected Above Laboratory MDL

m/p xylene	12/15/2004	11	0.5	UG/L	300		W
Methyl tert-butyl ether	12/15/2004	0.63	0.5	UG/L	300		W
o-Xylene	12/15/2004	6.4	0.5	UG/L	300		W
Toluene	12/15/2004	1.9	0.5	UG/L	300		W
Trichloroethylene	12/15/2004	6.1	0.5	UG/L	300		W
1,1,1-Trichloroethane	7/21/2004	18	0.5	UG/L	295		W
1,1-Dichloroethylene	7/21/2004	10	0.5	UG/L	295		W
1,2-Dichloroethane	7/21/2004	0.7	0.5	UG/L	295		W
524.2 TVOC	7/21/2004	67.3	0	UG/L	295		W
Carbon tetrachloride	7/21/2004	6.3	0.5	UG/L	295		W
Chloroform	7/21/2004	1	0.5	UG/L	295		W
cis-1,2-Dichloroethylene	7/21/2004	3.3	0.5	UG/L	295		W
Trichloroethylene	7/21/2004	28	0.5	UG/L	295		W
1,1,1-Trichloroethane	6/11/2004	3.6	0.5	UG/L	295		W
1,1-Dichloroethylene	6/11/2004	2.2	0.5	UG/L	295		W
524.2 TVOC	6/11/2004	15.08	0	UG/L	295		W
Carbon tetrachloride	6/11/2004	1.2	0.5	UG/L	295		W
cis-1,2-Dichloroethylene	6/11/2004	0.68	0.5	UG/L	295		W
Methylene chloride	6/11/2004	1.3	0.5	UG/L	295		W
Trichloroethylene	6/11/2004	6.1	0.5	UG/L	295		W

Site ID : BD (000-104)

Chemical Name	Sample Date	Value	Detlim	Units	Depth	Qual	Matrix
1,1,1-Trichloroethane	9/5/2023	0.28	0.5	UG/L	0	J	W
1,1-Dichloroethylene	9/5/2023	0.21	0.5	UG/L	0	J	W
1,2-Dichloroethane	9/5/2023	0.17	0.5	UG/L	0	J	W
1,2-Dichloroethane-d4	9/5/2023	10	10	UG/L	0		W
4-Bromofluorobenzene	9/5/2023	10		UG/L	0		W
Chloroform	9/5/2023	0.36	0.5	UG/L	0	J	W
Toluene-d8	9/5/2023	10	10	UG/L	0		W
1,1,1-Trichloroethane	6/6/2023	0.43	0.5	UG/L	0	J	W
1,1-Dichloroethylene	6/6/2023	0.4	0.5	UG/L	0	J	W
1,2-Dichloroethane	6/6/2023	0.21	0.5	UG/L	0	J	W
1,2-Dichloroethane-d4	6/6/2023	11	10	UG/L	0		W
4-Bromofluorobenzene	6/6/2023	9.9		UG/L	0		W
Chloroform	6/6/2023	0.56	0.5	UG/L	0		W
Toluene-d8	6/6/2023	10	10	UG/L	0		W
Trichloroethylene	6/6/2023	0.29	0.5	UG/L	0	J	W
1,1,1-Trichloroethane	2/27/2023	0.32	0.5	UG/L	0	J	W
1,1-Dichloroethylene	2/27/2023	0.32	0.5	UG/L	0	J	W
1,2-Dichloroethane-d4	2/27/2023	11	10	UG/L	0		W
4-Bromofluorobenzene	2/27/2023	9.4		UG/L	0		W
Chloroform	2/27/2023	0.6	0.5	UG/L	0		W
Toluene-d8	2/27/2023	10	10	UG/L	0		W
1,1,1-Trichloroethane	12/12/2022	0.39	0.5	UG/L	0	J	W
1,1-Dichloroethylene	12/12/2022	0.31	0.5	UG/L	0	J	W
1,2-Dichloroethane	12/12/2022	0.19	0.5	UG/L	0	J	W
1,2-Dichloroethane-d4	12/12/2022	13	10	UG/L	0		W
4-Bromofluorobenzene	12/12/2022	9.8		UG/L	0		W
Chloroform	12/12/2022	0.7	0.5	UG/L	0		W
Toluene-d8	12/12/2022	10	10	UG/L	0		W
Trichloroethylene	12/12/2022	0.28	0.5	UG/L	0	J	W

Appendix A

OU III LIPA Petition for Closure

2004 - 2024 Monitoring Well Analytical Data Summary - VOCs Detected Above Laboratory MDL

1,1,1-Trichloroethane	5/25/2022	0.45	0.5	UG/L	0	J	W
1,1-Dichloroethylene	5/25/2022	0.39	0.5	UG/L	0	J	W
1,2-Dichloroethane-d4	5/25/2022	11	10	UG/L	0		W
4-Bromofluorobenzene	5/25/2022	9.6		UG/L	0		W
Chloroform	5/25/2022	0.93	0.5	UG/L	0		W
Toluene-d8	5/25/2022	9.8	10	UG/L	0		W
Trichloroethylene	5/25/2022	0.29	0.5	UG/L	0	J	W
1,2-Dichloroethane	12/3/2021	0.13	0.5	UG/L	0	J	W
1,2-Dichloroethane-d4	12/3/2021	9.9	10	UG/L	0		W
4-Bromofluorobenzene	12/3/2021	9.3		UG/L	0		W
Chloroform	12/3/2021	1.3	0.5	UG/L	0		W
Toluene-d8	12/3/2021	9.7	10	UG/L	0		W
Trichloroethylene	12/3/2021	0.38	0.5	UG/L	0	J	W
1,2-Dichloroethane-d4	6/4/2021	10	10	UG/L	0		W
4-Bromofluorobenzene	6/4/2021	10		UG/L	0		W
Toluene-d8	6/4/2021	10	10	UG/L	0		W
1,1,1-Trichloroethane	12/28/2020	0.34	0.5	UG/L	0	J	W
4-Bromofluorobenzene	12/28/2020	4.9		UG/L	0		W
Chloroform	12/28/2020	1.8	0.5	UG/L	0		W
Trichloroethylene	12/28/2020	0.47	0.5	UG/L	0	J	W
1,1,1-Trichloroethane	12/10/2019	0.74	0.5	UG/L	0		W
1,1-Dichloroethylene	12/10/2019	0.37	0.5	UG/L	0	J	W
4-Bromofluorobenzene	12/10/2019	10		UG/L	0		W
Chloroform	12/10/2019	1.7	0.5	UG/L	0		W
Trichloroethylene	12/10/2019	0.69	0.5	UG/L	0		W
1,1,1-Trichloroethane	5/23/2019	2.7	0.5	UG/L	0		W
1,1-Dichloroethylene	5/23/2019	2.5	0.5	UG/L	0		W
4-Bromofluorobenzene	5/23/2019	9.6		UG/L	0		W
Chloroform	5/23/2019	1.4	0.5	UG/L	0		W
Trichloroethylene	5/23/2019	1	0.5	UG/L	0		W
1,1,1-Trichloroethane	1/3/2019	3.2	0.5	UG/L	0		W
1,1-Dichloroethylene	1/3/2019	2.27	0.5	UG/L	0		W
1,2-Dichloroethane-d4	1/3/2019	18.8		UG/L	0		W
4-Bromofluorobenzene	1/3/2019	19.1		UG/L	0		W
Carbon tetrachloride	1/3/2019	0.24	0.5	UG/L	0	J	W
Chloroform	1/3/2019	1.08	0.5	UG/L	0		W
Toluene-d8	1/3/2019	19.1		UG/L	0		W
Trichloroethylene	1/3/2019	1.13	0.5	UG/L	0		W
1,1,1-Trichloroethane	6/25/2018	3.8	0.5	UG/L	0		W
1,1-Dichloroethylene	6/25/2018	2.2	0.5	UG/L	0		W
1,2-Dichloroethane	6/25/2018	0.3	0.5	UG/L	0	J	W
4-Bromofluorobenzene	6/25/2018	11		UG/L	0		W
Carbon tetrachloride	6/25/2018	0.25	0.5	UG/L	0	J	W
Chloroform	6/25/2018	0.77	0.5	UG/L	0		W
Methylene chloride	6/25/2018	0.89	0.5	UG/L	0		W
Trichloroethylene	6/25/2018	1	0.5	UG/L	0		W
1,1,1-Trichloroethane	12/4/2017	5.4	0.5	UG/L	0		W
1,1-Dichloroethane	12/4/2017	0.077	0.5	UG/L	0	J	W
1,1-Dichloroethylene	12/4/2017	4.6	0.5	UG/L	0		W
1,2-Dichloroethane	12/4/2017	0.28	0.5	UG/L	0	J	W
4-Bromofluorobenzene	12/4/2017	10		UG/L	0		W
Carbon tetrachloride	12/4/2017	0.26	0.5	UG/L	0	J	W
Chloroform	12/4/2017	0.33	0.5	UG/L	0	J	W

Appendix A

OU III LIPA Petition for Closure

2004 - 2024 Monitoring Well Analytical Data Summary - VOCs Detected Above Laboratory MDL

cis-1,2-Dichloroethylene	12/4/2017	0.14	0.5	UG/L	0	J	W
Trichloroethylene	12/4/2017	1.2	0.5	UG/L	0		W
1,1,1-Trichloroethane	5/24/2017	4.1	0.5	UG/L	0		W
1,1-Dichloroethylene	5/24/2017	2.4	0.5	UG/L	0		W
1,2-Dichloroethane	5/24/2017	0.23	0.5	UG/L	0	J	W
4-Bromofluorobenzene	5/24/2017	10		UG/L	0		W
Benzene	5/24/2017	0.18	0.5	UG/L	0	J	W
Chloroform	5/24/2017	0.28	0.5	UG/L	0	J	W
cis-1,2-Dichloroethylene	5/24/2017	0.15	0.5	UG/L	0	J	W
m/p xylene	5/24/2017	0.17	1	UG/L	0	J	W
Toluene	5/24/2017	0.55	0.5	UG/L	0		W
Trichloroethylene	5/24/2017	0.96	0.5	UG/L	0		W
1,1,1-Trichloroethane	12/1/2016	4.4	0.5	UG/L	0		W
1,1-Dichloroethylene	12/1/2016	3.1	0.5	UG/L	0		W
4-Bromofluorobenzene	12/1/2016	9.6		UG/L	0		W
Chloroform	12/1/2016	0.27	0.5	UG/L	0	J	W
cis-1,2-Dichloroethylene	12/1/2016	0.16	0.5	UG/L	0	J	W
Toluene	12/1/2016	0.3	0.5	UG/L	0	J	W
Trichloroethylene	12/1/2016	1.1	0.5	UG/L	0		W
1,1,1-Trichloroethane	12/29/2015	4.8	0.5	UG/L	0		W
1,1-Dichloroethylene	12/29/2015	2.8	0.5	UG/L	0		W
1,2-Dichloroethane	12/29/2015	0.2	0.5	UG/L	0	J	W
4-Bromofluorobenzene	12/29/2015	9.3		UG/L	0		W
Chloroform	12/29/2015	0.5	0.5	UG/L	0		W
cis-1,2-Dichloroethylene	12/29/2015	0.15	0.5	UG/L	0	J	W
Trichloroethylene	12/29/2015	1.1	0.5	UG/L	0		W
1,1,1-Trichloroethane	5/21/2015	5.8	0.5	UG/L	0		W
1,1-Dichloroethylene	5/21/2015	3.5	0.5	UG/L	0		W
1,2-Dichloroethane	5/21/2015	0.16	0.5	UG/L	0	J	W
4-Bromofluorobenzene	5/21/2015	9		UG/L	0		W
Carbon tetrachloride	5/21/2015	0.26	0.5	UG/L	0	J	W
Chloroform	5/21/2015	0.52	0.5	UG/L	0		W
cis-1,2-Dichloroethylene	5/21/2015	0.2	0.5	UG/L	0	J	W
Trichloroethylene	5/21/2015	1.6	0.5	UG/L	0		W
1,1,1-Trichloroethane	12/15/2014	4.2	0.5	UG/L	0		W
1,1-Dichloroethylene	12/15/2014	2.1	0.5	UG/L	0		W
1,2-Dichloroethane	12/15/2014	0.17	0.5	UG/L	0	J	W
4-Bromofluorobenzene	12/15/2014	8.4		UG/L	0		W
Chloroform	12/15/2014	0.35	0.5	UG/L	0	J	W
cis-1,2-Dichloroethylene	12/15/2014	0.15	0.5	UG/L	0	J	W
Trichloroethylene	12/15/2014	1.2	0.5	UG/L	0		W
1,1,1-Trichloroethane	5/22/2014	7.1	0.5	UG/L	0		W
1,1-Dichloroethane	5/22/2014	0.1	0.5	UG/L	0	J	W
1,1-Dichloroethylene	5/22/2014	4.6	0.5	UG/L	0		W
1,2-Dichloroethane	5/22/2014	0.23	0.5	UG/L	0	J	W
4-Bromofluorobenzene	5/22/2014	9.3		UG/L	0		W
Carbon tetrachloride	5/22/2014	0.26	0.5	UG/L	0	J	W
Chloroform	5/22/2014	0.23	0.5	UG/L	0	J	W
cis-1,2-Dichloroethylene	5/22/2014	0.25	0.5	UG/L	0	J	W
Trichloroethylene	5/22/2014	1.6	0.5	UG/L	0		W
1,1,1-Trichloroethane	12/17/2013	9.8	0.5	UG/L	0		W
1,1-Dichloroethane	12/17/2013	0.13	0.5	UG/L	0	J	W
1,1-Dichloroethylene	12/17/2013	5.6	0.5	UG/L	0		W

Appendix A

OU III LIPA Petition for Closure

2004 - 2024 Monitoring Well Analytical Data Summary - VOCs Detected Above Laboratory MDL

1,2-Dichloroethane	12/17/2013	0.34	0.5	UG/L	0	J	W
4-Bromofluorobenzene	12/17/2013	9.5		UG/L	0		W
Carbon tetrachloride	12/17/2013	0.3	0.5	UG/L	0	J	W
Chloroform	12/17/2013	0.17	0.5	UG/L	0	J	W
cis-1,2-Dichloroethylene	12/17/2013	0.38	0.5	UG/L	0	J	W
Trichloroethylene	12/17/2013	1.9	0.5	UG/L	0		W
1,1,1-Trichloroethane	6/6/2013	8.7	0.5	UG/L	0		W
1,1,2-Trichloroethane	6/6/2013	0.16	0.5	UG/L	0	J	W
1,1-Dichloroethane	6/6/2013	0.099	0.5	UG/L	0	J	W
1,1-Dichloroethylene	6/6/2013	4.1	0.5	UG/L	0		W
1,2-Dichloroethane	6/6/2013	0.29	0.5	UG/L	0	J	W
4-Bromofluorobenzene	6/6/2013	9.4		UG/L	0		W
Carbon tetrachloride	6/6/2013	0.41	0.5	UG/L	0	J	W
Chloroform	6/6/2013	0.17	0.5	UG/L	0	J	W
cis-1,2-Dichloroethylene	6/6/2013	0.28	0.5	UG/L	0	J	W
Trichloroethylene	6/6/2013	1.7	0.5	UG/L	0		W
1,1,1-Trichloroethane	11/20/2012	12	0.5	UG/L	0		W
1,1-Dichloroethane	11/20/2012	0.14	0.5	UG/L	0	J	W
1,1-Dichloroethylene	11/20/2012	6.4	0.5	UG/L	0		W
1,2-Dichloroethane	11/20/2012	0.39	0.5	UG/L	0	J	W
4-Bromofluorobenzene	11/20/2012	10		UG/L	0		W
Carbon tetrachloride	11/20/2012	0.39	0.5	UG/L	0	J	W
Chloroform	11/20/2012	0.19	0.5	UG/L	0	J	W
cis-1,2-Dichloroethylene	11/20/2012	0.41	0.5	UG/L	0	J	W
Methyl chloride	11/20/2012	0.14	0.5	UG/L	0	J	W
Methylene chloride	11/20/2012	0.16	0.5	UG/L	0	J	W
Trichloroethylene	11/20/2012	2.1	0.5	UG/L	0		W
1,1,1-Trichloroethane	5/22/2012	12	0.5	UG/L	0		W
1,1-Dichloroethylene	5/22/2012	5.7	0.5	UG/L	0		W
4-Bromofluorobenzene	5/22/2012	9.8		UG/L	0		W
Carbon tetrachloride	5/22/2012	0.56	0.5	UG/L	0		W
cis-1,2-Dichloroethylene	5/22/2012	0.47	0.5	UG/L	0	J	W
Trichloroethylene	5/22/2012	2.4	0.5	UG/L	0		W
1,1,1-Trichloroethane	12/2/2011	11	0.5	UG/L	0		W
1,1-Dichloroethane	12/2/2011	0.13	0.5	UG/L	0	J	W
1,1-Dichloroethylene	12/2/2011	4.9	0.5	UG/L	0		W
1,2-Dichloroethane	12/2/2011	0.39	0.5	UG/L	0	J	W
4-Bromofluorobenzene	12/2/2011	8.8		UG/L	0		W
Benzene	12/2/2011	0.1	0.5	UG/L	0	J	W
Carbon tetrachloride	12/2/2011	0.52	0.5	UG/L	0		W
Chloroform	12/2/2011	0.17	0.5	UG/L	0	J	W
cis-1,2-Dichloroethylene	12/2/2011	0.38	0.5	UG/L	0	J	W
Methyl chloride	12/2/2011	0.12	0.5	UG/L	0	J	W
Methylene chloride	12/2/2011	0.12	0.5	UG/L	0	J	W
Toluene	12/2/2011	0.19	0.5	UG/L	0	J	W
Trichloroethylene	12/2/2011	1.8	0.5	UG/L	0		W
1,1,1-Trichloroethane	5/11/2011	2.1	0.5	UG/L	0		W
1,1-Dichloroethylene	5/11/2011	0.58	0.5	UG/L	0		W
1,2-Dichloroethane	5/11/2011	0.34	0.5	UG/L	0	J	W
4-Bromofluorobenzene	5/11/2011	8.5		UG/L	0		W
Benzene	5/11/2011	0.14	0.5	UG/L	0	J	W
Chloroform	5/11/2011	0.14	0.5	UG/L	0	J	W
cis-1,2-Dichloroethylene	5/11/2011	0.28	0.5	UG/L	0	J	W

Appendix A

OU III LIPA Petition for Closure

2004 - 2024 Monitoring Well Analytical Data Summary - VOCs Detected Above Laboratory MDL

Toluene	5/11/2011	0.14	0.5	UG/L	0	J	W
Trichloroethylene	5/11/2011	0.31	0.5	UG/L	0	J	W
1,1,1-Trichloroethane	12/3/2010	2.6	0.5	UG/L	0		W
1,1-Dichloroethylene	12/3/2010	1.2	0.5	UG/L	0		W
4-Bromofluorobenzene	12/3/2010	8.8		UG/L	0		W
Chloroform	12/3/2010	0.77	0.5	UG/L	0		W
cis-1,2-Dichloroethylene	12/3/2010	0.097	0.5	UG/L	0	J	W
Methyl chloride	12/3/2010	0.12	0.5	UG/L	0	J	W
4-Bromofluorobenzene	5/3/2010	9.7		UG/L	0		W
Chloroform	5/3/2010	0.38	0.5	UG/L	0	J	W
Methyl chloride	5/3/2010	0.12	0.5	UG/L	0	J	W
Methyl tert-butyl ether	5/3/2010	0.31	0.5	UG/L	0	J	W
4-Bromofluorobenzene	11/17/2009	11		UG/L	0		W
Chloroform	11/17/2009	0.59	0.5	UG/L	0		W
Methyl bromide	11/17/2009	0.14	0.5	UG/L	0	J B	W
Methyl chloride	11/17/2009	0.18	0.5	UG/L	0	J	W
Methyl tert-butyl ether	11/17/2009	0.73	0.5	UG/L	0		W
4-Bromofluorobenzene	5/20/2009	9.5		UG/L	0		W
Carbon tetrachloride	5/20/2009	0.088	0.5	UG/L	0	J	W
Chloroform	5/20/2009	0.49	0.5	UG/L	0	J	W
Methyl chloride	5/20/2009	0.066	0.5	UG/L	0	J	W
Methyl tert-butyl ether	5/20/2009	0.52	0.5	UG/L	0		W
Methylene chloride	5/20/2009	0.34	0.5	UG/L	0	J B	W
4-Bromofluorobenzene	11/26/2008	9.8		UG/L	0		W
Chloroform	11/26/2008	1.6	0.5	UG/L	0		W
Methyl chloride	11/26/2008	0.2	0.5	UG/L	0	J	W
Trichloroethylene	11/26/2008	0.12	0.5	UG/L	0	J	W
4-Bromofluorobenzene	5/23/2008	8.6		UG/L	0		W
Carbon tetrachloride	5/23/2008	0.27	0.5	UG/L	0	J	W
Chloroform	5/23/2008	1.4	0.5	UG/L	0		W
Trichloroethylene	5/23/2008	0.28	0.5	UG/L	0	J	W

Site ID : BD (000-130)

Chemical Name	Sample Date	Value	Detlim	Units	Depth	Qual	Matrix
1,1,1-Trichloroethane	5/9/2011	0.23	0.5	UG/L	0	J	W
1,1-Dichloroethane	5/9/2011	0.074	0.5	UG/L	0	J	W
4-Bromofluorobenzene	5/9/2011	9		UG/L	0		W
Carbon tetrachloride	5/9/2011	0.86	0.5	UG/L	0		W
Chloroform	5/9/2011	0.87	0.5	UG/L	0		W
Tetrachloroethylene	5/9/2011	2.6	0.5	UG/L	0		W
Toluene	5/9/2011	0.71	0.5	UG/L	0		W
1,1,1-Trichloroethane	1/27/2010	5.9	0.5	UG/L	0		W
1,1-Dichloroethane	1/27/2010	0.65	0.5	UG/L	0		W
1,1-Dichloroethylene	1/27/2010	1.9	0.5	UG/L	0		W
4-Bromofluorobenzene	1/27/2010	10		UG/L	0		W
Carbon tetrachloride	1/27/2010	0.94	0.5	UG/L	0		W
Chloroform	1/27/2010	0.6	0.5	UG/L	0		W
Methyl bromide	1/27/2010	0.17	0.5	UG/L	0	J	W
Tetrachloroethylene	1/27/2010	4.5	0.5	UG/L	0		W
Trichloroethylene	1/27/2010	0.15	0.5	UG/L	0	J	W

Appendix A

OU III LIPA Petition for Closure

2004 - 2024 Monitoring Well Analytical Data Summary - VOCs Detected Above Laboratory MDL

Site ID : BD (000-131)

Chemical Name	Sample Date	Value	Detlim	Units	Depth	Qual	Matrix
1,1,1-Trichloroethane	11/7/2023	0.58	0.5	UG/L	0		W
1,1-Dichloroethylene	11/7/2023	0.79	0.5	UG/L	0		W
1,2-Dichloroethane-d4	11/7/2023	10	10	UG/L	0		W
4-Bromofluorobenzene	11/7/2023	9.7		UG/L	0		W
Chloroform	11/7/2023	0.93	0.5	UG/L	0		W
Toluene-d8	11/7/2023	9.9	10	UG/L	0		W
Trichloroethylene	11/7/2023	0.46	0.5	UG/L	0	J	W
1,1,1-Trichloroethane	1/27/2010	0.54	0.5	UG/L	0		W
1,1-Dichloroethylene	1/27/2010	0.24	0.5	UG/L	0	J	W
4-Bromofluorobenzene	1/27/2010	9.8		UG/L	0		W
Carbon tetrachloride	1/27/2010	4.8	0.5	UG/L	0		W
Chloroform	1/27/2010	0.93	0.5	UG/L	0		W
Methyl bromide	1/27/2010	0.12	0.5	UG/L	0	J	W
Methyl chloride	1/27/2010	0.24	0.5	UG/L	0	J	W
Trichloroethylene	1/27/2010	3.6	0.5	UG/L	0		W

Site ID : BD (000-425)

Chemical Name	Sample Date	Value	Detlim	Units	Depth	Qual	Matrix
1,1,1-Trichloroethane	11/13/2009	0.33	0.5	UG/L	0	J	W
1,1-Dichloroethylene	11/13/2009	0.19	0.5	UG/L	0	J	W
4-Bromofluorobenzene	11/13/2009	10		UG/L	0		W
Carbon tetrachloride	11/13/2009	2.1	0.5	UG/L	0		W
Chloroform	11/13/2009	0.25	0.5	UG/L	0	J	W
Methyl chloride	11/13/2009	0.23	0.5	UG/L	0	J	W
Trichloroethylene	11/13/2009	2.3	0.5	UG/L	0		W
1,1,1-Trichloroethane	2/11/2009	0.75	0.5	UG/L	0		W
1,1-Dichloroethane	2/11/2009	0.11	0.5	UG/L	0	J	W
1,1-Dichloroethylene	2/11/2009	0.44	0.5	UG/L	0	J	W
4-Bromofluorobenzene	2/11/2009	11		UG/L	0		W
Carbon tetrachloride	2/11/2009	4.1	0.5	UG/L	0		W
Chloroform	2/11/2009	0.53	0.5	UG/L	0		W
cis-1,2-Dichloroethylene	2/11/2009	0.18	0.5	UG/L	0	J	W
Trichloroethylene	2/11/2009	4.3	0.5	UG/L	0		W

Site ID : BD (000-449)

Chemical Name	Sample Date	Value	Detlim	Units	Depth	Qual	Matrix
1,1,1-Trichloroethane	7/8/2020	0.77	0.5	UG/L	0		W
1,1-Dichloroethylene	7/8/2020	0.88	0.5	UG/L	0		W
1,2-Dichloroethane	7/8/2020	0.36	0.5	UG/L	0	J	W
4-Bromofluorobenzene	7/8/2020	4.4		UG/L	0		W
Chloroform	7/8/2020	0.28	0.5	UG/L	0	J	W
Trichloroethylene	7/8/2020	0.52	0.5	UG/L	0		W

Appendix A

OU III LIPA Petition for Closure

2004 - 2024 Monitoring Well Analytical Data Summary - VOCs Detected Above Laboratory MDL

Site ID : BD (000-451)

Chemical Name	Sample Date	Value	Detlim	Units	Depth	Qual	Matrix
4-Bromofluorobenzene	9/13/2013	9.4		UG/L	0		W
Chloroform	9/13/2013	1	0.5	UG/L	0		W
Toluene	9/13/2013	0.42	0.5	UG/L	0	J	W

Notes:

J - The analyte was detected above the method detection limit but below the reporting limit, the result is estimated.

D - The results are reported from a sample that required a dilution.

B - The target analyte was detected in the associated laboratory blank sample.

BD - Blind Duplicate

W - Water

UG/L - microgram per liter

Detlim - Laboratory method detection limit (MDL).

TVOC - Total Volatile Organic Compounds. Sum of individual VOCs detected above MDL, Detlim stored as zero.

Depth - feet below land surface.

Appendix B
Extraction Well Analytical Summary Tables

Appendix B

OU III LIPA Petition for Closure

2004 - 2024 Extraction Well Analytical Data Summary - VOCs Detected Above Laboratory MDL

Site ID : 000-453 (EW-1L)

Chemical Name	Sample Date	Value	Detlim	Units	Depth	Qual	Matrix
1,4-Dioxane	1/10/2024	3.3	0.2	UG/L	0		W
1,1,1-Trichloroethane	1/10/2024	0.46	0.5	UG/L	0	J	W
1,2-Dichloroethane	1/10/2024	0.26	0.5	UG/L	0	J	W
8260 TVOC	1/10/2024	1.99	0	UG/L	0		W
Chloroform	1/10/2024	0.63	0.5	UG/L	0		W
Trichloroethylene	1/10/2024	0.64	0.5	UG/L	0		W
1,1,1-Trichloroethane	10/12/2023	0.53	0.5	UG/L	227		W
1,1-Dichloroethylene	10/12/2023	0.44	0.5	UG/L	227	J	W
1,2-Dichloroethane	10/12/2023	0.2	0.5	UG/L	227	J	W
8260 TVOC	10/12/2023	3.48	0	UG/L	227		W
Carbon tetrachloride	10/12/2023	0.14	0.5	UG/L	227	J	W
Chloroform	10/12/2023	0.54	0.5	UG/L	227		W
Methyl chloride	10/12/2023	0.73	0.5	UG/L	227		W
Toluene	10/12/2023	0.26	0.5	UG/L	227	J	W
Trichloroethylene	10/12/2023	0.64	0.5	UG/L	227		W
1,1,1-Trichloroethane	7/10/2023	0.51	0.5	UG/L	227		W
1,1-Dichloroethylene	7/10/2023	0.49	0.5	UG/L	227	J	W
8260 TVOC	7/10/2023	4.16	0	UG/L	227		W
Chloroform	7/10/2023	0.63	0.5	UG/L	227		W
Toluene	7/10/2023	1.9	0.5	UG/L	227		W
Trichloroethylene	7/10/2023	0.63	0.5	UG/L	227		W
1,4-Dioxane	6/30/2023	2.7	0.24	UG/L	227		W
1,1-Dichloroethane	4/13/2023	0.29	0.5	UG/L	227	J	W
1,1-Dichloroethylene	4/13/2023	1.1	0.5	UG/L	227		W
1,2-Dichloroethane	4/13/2023	0.26	0.5	UG/L	227	J	W
8260 TVOC	4/13/2023	8.23	0	UG/L	227		W
Chloroform	4/13/2023	0.23	0.5	UG/L	227	J	W
Toluene	4/13/2023	5.9	0.5	UG/L	227		W
Trichloroethylene	4/13/2023	0.45	0.5	UG/L	227	J	W
1,1-Dichloroethane	1/12/2023	0.38	0.5	UG/L	227	J	W
1,1-Dichloroethylene	1/12/2023	1.7	0.5	UG/L	227		W
1,2-Dichloroethane	1/12/2023	0.34	0.5	UG/L	227	J	W
8260 TVOC	1/12/2023	6.47	0	UG/L	227		W
Chloroform	1/12/2023	0.39	0.5	UG/L	227	J	W
Toluene	1/12/2023	3	0.5	UG/L	227		W
Trichloroethylene	1/12/2023	0.66	0.5	UG/L	227		W
1,1,1-Trichloroethane	10/13/2022	1.5	0.5	UG/L	227		W
1,1-Dichloroethylene	10/13/2022	1.1	0.5	UG/L	227		W
1,2-Dichloroethane	10/13/2022	0.34	0.5	UG/L	227	J	W
8260 TVOC	10/13/2022	4.51	0	UG/L	227		W
Carbon tetrachloride	10/13/2022	0.26	0.5	UG/L	227	J	W
Chloroform	10/13/2022	0.44	0.5	UG/L	227	J	W
Trichloroethylene	10/13/2022	0.87	0.5	UG/L	227		W
1,1,1-Trichloroethane	7/13/2022	1.6	0.5	UG/L	227		W
1,1-Dichloroethylene	7/13/2022	1.8	0.5	UG/L	227		W
1,2,3-Trichlorobenzene	7/13/2022	0.4	0.5	UG/L	227	J	W
1,2-Dichloroethane	7/13/2022	0.32	0.5	UG/L	227	J	W
8260 TVOC	7/13/2022	6.36	0	UG/L	227		W
Carbon tetrachloride	7/13/2022	0.27	0.5	UG/L	227	J	W
Chloroform	7/13/2022	0.57	0.5	UG/L	227		W

Appendix B

OU III LIPA Petition for Closure

2004 - 2024 Extraction Well Analytical Data Summary - VOCs Detected Above Laboratory MDL

Hexachlorobutadiene	7/13/2022	0.35	0.5	UG/L	227	J	W
Naphthalene	7/13/2022	0.21	0.5	UG/L	227	J	W
Trichloroethylene	7/13/2022	0.84	0.5	UG/L	227		W
1,1,1-Trichloroethane	4/11/2022	1.9	0.5	UG/L	227		W
1,1-Dichloroethylene	4/11/2022	2	0.5	UG/L	227		W
1,2-Dichloroethane	4/11/2022	0.36	0.5	UG/L	227	J	W
8260 TVOC	4/11/2022	5.97	0	UG/L	227		W
Carbon tetrachloride	4/11/2022	0.24	0.5	UG/L	227	J	W
Chloroform	4/11/2022	0.61	0.5	UG/L	227		W
Trichloroethylene	4/11/2022	0.86	0.5	UG/L	227		W
1,1,1-Trichloroethane	1/26/2022	1.7	0.5	UG/L	227		W
1,1-Dichloroethylene	1/26/2022	1.6	0.5	UG/L	227		W
8260 TVOC	1/26/2022	4.91	0	UG/L	227		W
Chloroform	1/26/2022	0.18	0.5	UG/L	227	J	W
Toluene	1/26/2022	0.81	0.5	UG/L	227		W
Trichloroethylene	1/26/2022	0.62	0.5	UG/L	227		W
1,1,1-Trichloroethane	10/22/2021	2.3	0.5	UG/L	227		W
1,1-Dichloroethylene	10/22/2021	1.4	0.5	UG/L	227		W
8260 TVOC	10/22/2021	5.67	0	UG/L	227		W
Carbon tetrachloride	10/22/2021	0.39	0.5	UG/L	227	J	W
Chloroform	10/22/2021	0.59	0.5	UG/L	227		W
Trichloroethylene	10/22/2021	0.99	0.5	UG/L	227		W
1,1,1-Trichloroethane	7/7/2021	2.4	0.5	UG/L	227		W
1,1-Dichloroethylene	7/7/2021	1.7	0.5	UG/L	227		W
1,2-Dichloroethane	7/7/2021	0.37	0.5	UG/L	227	J	W
8260 TVOC	7/7/2021	6.55	0	UG/L	227		W
Carbon tetrachloride	7/7/2021	0.39	0.5	UG/L	227	J	W
Chloroform	7/7/2021	0.59	0.5	UG/L	227		W
Trichloroethylene	7/7/2021	1.1	0.5	UG/L	227		W
1,1,1-Trichloroethane	4/7/2021	3.2	0.5	UG/L	227		W
1,1-Dichloroethylene	4/7/2021	2.2	0.5	UG/L	227		W
1,2-Dichloroethane	4/7/2021	0.48	0.5	UG/L	227	J	W
524.2 TVOC	4/7/2021	8.38	0	UG/L	227		W
Carbon tetrachloride	4/7/2021	0.39	0.5	UG/L	227	J	W
Chloroform	4/7/2021	0.76	0.5	UG/L	227		W
cis-1,2-Dichloroethylene	4/7/2021	0.15	0.5	UG/L	227	J	W
Trichloroethylene	4/7/2021	1.2	0.5	UG/L	227		W
1,1,1-Trichloroethane	1/8/2021	3	0.5	UG/L	227		W
1,1-Dichloroethylene	1/8/2021	3.1	0.5	UG/L	227		W
1,2-Dichloroethane	1/8/2021	0.49	0.5	UG/L	227	J	W
524.2 TVOC	1/8/2021	9.3	0	UG/L	227		W
Carbon tetrachloride	1/8/2021	0.35	0.5	UG/L	227	J	W
Chloroform	1/8/2021	0.9	0.5	UG/L	227		W
cis-1,2-Dichloroethylene	1/8/2021	0.16	0.5	UG/L	227	J	W
Trichloroethylene	1/8/2021	1.3	0.5	UG/L	227		W
1,1,1-Trichloroethane	10/7/2020	2.1	0.5	UG/L	227		W
1,1-Dichloroethylene	10/7/2020	1.7	0.5	UG/L	227		W
1,2-Dichloroethane	10/7/2020	0.47	0.5	UG/L	227	J	W
524.2 TVOC	10/7/2020	6.75	0	UG/L	227		W
Carbon tetrachloride	10/7/2020	0.3	0.5	UG/L	227	J	W
Chloroform	10/7/2020	0.88	0.5	UG/L	227		W
Trichloroethylene	10/7/2020	1.3	0.5	UG/L	227		W
1,1,1-Trichloroethane	7/28/2020	1.9	0.5	UG/L	227		W

Appendix B

OU III LIPA Petition for Closure

2004 - 2024 Extraction Well Analytical Data Summary - VOCs Detected Above Laboratory MDL

1,1-Dichloroethylene	7/28/2020	1.6	0.5	UG/L	227		W
524.2 TVOC	7/28/2020	5.62	0	UG/L	227		W
Chloroform	7/28/2020	0.92	0.5	UG/L	227		W
Trichloroethylene	7/28/2020	1.2	0.5	UG/L	227		W
1,4-Dioxane	4/7/2020	3.27	0.2	UG/L	0		W
1,1,1-Trichloroethane	4/7/2020	1.4	0.5	UG/L	227		W
1,1-Dichloroethylene	4/7/2020	0.83	0.5	UG/L	227		W
524.2 TVOC	4/7/2020	4.4	0	UG/L	227		W
Carbon tetrachloride	4/7/2020	0.54	0.5	UG/L	227		W
Chloroform	4/7/2020	0.53	0.5	UG/L	227		W
Trichloroethylene	4/7/2020	1.1	0.5	UG/L	227		W
1,1,1-Trichloroethane	1/8/2020	1.2	0.5	UG/L	227		W
1,1-Dichloroethylene	1/8/2020	0.67	0.5	UG/L	227		W
524.2 TVOC	1/8/2020	3.74	0	UG/L	227		W
Chloroform	1/8/2020	0.87	0.5	UG/L	227		W
Trichloroethylene	1/8/2020	1	0.5	UG/L	227		W
1,1,1-Trichloroethane	10/4/2019	1.6	0.5	UG/L	227		W
1,1-Dichloroethylene	10/4/2019	0.94	0.5	UG/L	227		W
524.2 TVOC	10/4/2019	5.18	0	UG/L	227		W
Carbon tetrachloride	10/4/2019	0.24	0.5	UG/L	227	J	W
Chloroform	10/4/2019	1.3	0.5	UG/L	227		W
Trichloroethylene	10/4/2019	1.1	0.5	UG/L	227		W
1,1,1-Trichloroethane	7/10/2019	2.2	0.5	UG/L	227		W
1,1-Dichloroethylene	7/10/2019	1.4	0.5	UG/L	227		W
524.2 TVOC	7/10/2019	6.7	0	UG/L	227		W
Chloroform	7/10/2019	1.9	0.5	UG/L	227		W
Trichloroethylene	7/10/2019	1.2	0.5	UG/L	227		W
1,1,1-Trichloroethane	4/9/2019	2.6	0.5	UG/L	227		W
1,1-Dichloroethylene	4/9/2019	1.9	0.5	UG/L	227		W
524.2 TVOC	4/9/2019	8.1	0	UG/L	227		W
Chloroform	4/9/2019	2.1	0.5	UG/L	227		W
Trichloroethylene	4/9/2019	1.5	0.5	UG/L	227		W
1,1,1-Trichloroethane	1/18/2019	5.83	0.5	UG/L	227		W
1,1-Dichloroethylene	1/18/2019	3.81	0.5	UG/L	227		W
524.2 TVOC	1/18/2019	15.05	0	UG/L	227		W
Carbon tetrachloride	1/18/2019	0.6	0.5	UG/L	227		W
Chloroform	1/18/2019	2.66	0.5	UG/L	227		W
Toluene	1/18/2019	0.6	0.5	UG/L	227		W
Trichloroethylene	1/18/2019	1.55	0.5	UG/L	227		W
1,1,1-Trichloroethane	10/10/2018	6.7	0.5	UG/L	227		W
1,1-Dichloroethylene	10/10/2018	5.8	0.5	UG/L	227		W
1,2-Dichloroethane	10/10/2018	0.3	0.5	UG/L	227	J	W
524.2 TVOC	10/10/2018	16.49	0	UG/L	227		W
Carbon tetrachloride	10/10/2018	0.49	0.5	UG/L	227	J	W
Chloroform	10/10/2018	1.8	0.5	UG/L	227		W
Trichloroethylene	10/10/2018	1.4	0.5	UG/L	227		W
1,1,1-Trichloroethane	7/11/2018	8.7	0.5	UG/L	227		W
1,1-Dichloroethylene	7/11/2018	7	0.5	UG/L	227		W
1,2-Dichloroethane	7/11/2018	0.58	0.5	UG/L	227		W
524.2 TVOC	7/11/2018	20.65	0	UG/L	227		W
Carbon tetrachloride	7/11/2018	0.48	0.5	UG/L	227	J	W
Chloroform	7/11/2018	2.1	0.5	UG/L	227		W
Toluene	7/11/2018	0.39	0.5	UG/L	227	J	W

Appendix B

OU III LIPA Petition for Closure

2004 - 2024 Extraction Well Analytical Data Summary - VOCs Detected Above Laboratory MDL

Trichloroethylene	7/11/2018	1.4	0.5	UG/L	227		W
1,1,1-Trichloroethane	4/27/2018	10	0.5	UG/L	227		W
1,1-Dichloroethane	4/27/2018	0.12	0.5	UG/L	227	J	W
1,1-Dichloroethylene	4/27/2018	6.6	0.5	UG/L	227		W
1,2-Dichloroethane	4/27/2018	0.99	0.5	UG/L	227		W
524.2 TVOC	4/27/2018	24.15	0	UG/L	227		W
Carbon tetrachloride	4/27/2018	0.75	0.5	UG/L	227		W
Chloroform	4/27/2018	1.5	0.5	UG/L	227		W
cis-1,2-Dichloroethylene	4/27/2018	0.12	0.5	UG/L	227	J	W
Methyl tert-butyl ether	4/27/2018	2	0.5	UG/L	227	B	W
Toluene	4/27/2018	0.37	0.5	UG/L	227	J	W
Trichloroethylene	4/27/2018	1.7	0.5	UG/L	227		W
1,1,1-Trichloroethane	4/4/2018	1	0.5	UG/L	227		W
1,1-Dichloroethane	4/4/2018	2.1	0.5	UG/L	227		W
1,1-Dichloroethylene	4/4/2018	9.1	0.5	UG/L	227		W
1,2-Dichloroethane	4/4/2018	1.1	0.5	UG/L	227		W
524.2 TVOC	4/4/2018	215.28	0	UG/L	227		W
Chloroform	4/4/2018	0.96	0.5	UG/L	227		W
cis-1,2-Dichloroethylene	4/4/2018	0.1	0.5	UG/L	227	J	W
Trichloroethylene	4/4/2018	0.92	0.5	UG/L	227		W
1,1,1-Trichloroethane	1/3/2018	11	0.5	UG/L	227		W
1,1-Dichloroethane	1/3/2018	0.2	0.5	UG/L	227	J	W
1,1-Dichloroethylene	1/3/2018	10	0.5	UG/L	227		W
1,2-Dichloroethane	1/3/2018	1.5	0.5	UG/L	227		W
524.2 TVOC	1/3/2018	29.93	0	UG/L	227		W
Carbon tetrachloride	1/3/2018	0.49	0.5	UG/L	227	J	W
Chloroform	1/3/2018	1.7	0.5	UG/L	227		W
cis-1,2-Dichloroethylene	1/3/2018	0.1	0.5	UG/L	227	J	W
Toluene	1/3/2018	3.5	0.5	UG/L	227		W
trans-1,3-Dichloropropene	1/3/2018	0.14	0.5	UG/L	227	J	W
Trichloroethylene	1/3/2018	1.3	0.5	UG/L	227		W
1,1,1-Trichloroethane	10/17/2017	14	0.5	UG/L	227		W
1,1-Dichloroethane	10/17/2017	0.3	0.5	UG/L	227	J	W
1,1-Dichloroethylene	10/17/2017	14	0.5	UG/L	227		W
1,2-Dichloroethane	10/17/2017	3.2	0.5	UG/L	227		W
524.2 TVOC	10/17/2017	40.25	0	UG/L	227		W
Carbon tetrachloride	10/17/2017	0.78	0.5	UG/L	227		W
Chloroform	10/17/2017	2.6	0.5	UG/L	227		W
cis-1,2-Dichloroethylene	10/17/2017	0.17	0.5	UG/L	227	J	W
Toluene	10/17/2017	3.6	0.5	UG/L	227		W
Trichloroethylene	10/17/2017	1.6	0.5	UG/L	227		W
1,1,1-Trichloroethane	4/5/2017	1.4	0.5	UG/L	227		W
1,1-Dichloroethane	4/5/2017	2.3	0.5	UG/L	227		W
1,1-Dichloroethylene	4/5/2017	9.5	0.5	UG/L	227		W
1,2-Dichloroethane	4/5/2017	2.1	0.5	UG/L	227		W
524.2 TVOC	4/5/2017	17.39	0	UG/L	227		W
Chloroform	4/5/2017	0.83	0.5	UG/L	227		W
cis-1,2-Dichloroethylene	4/5/2017	0.16	0.5	UG/L	227	J	W
Trichloroethylene	4/5/2017	1.1	0.5	UG/L	227		W
1,1,1-Trichloroethane	1/5/2017	12	0.5	UG/L	227		W
1,1-Dichloroethane	1/5/2017	0.25	0.5	UG/L	227	J	W
1,1-Dichloroethylene	1/5/2017	11	0.5	UG/L	227		W
1,2-Dichloroethane	1/5/2017	2.6	0.5	UG/L	227		W

Appendix B

OU III LIPA Petition for Closure

2004 - 2024 Extraction Well Analytical Data Summary - VOCs Detected Above Laboratory MDL

524.2 TVOC	1/5/2017	29.69	0	UG/L	227		W
Carbon tetrachloride	1/5/2017	0.75	0.5	UG/L	227		W
Chloroform	1/5/2017	1.4	0.5	UG/L	227		W
cis-1,2-Dichloroethylene	1/5/2017	0.19	0.5	UG/L	227	J	W
Trichloroethylene	1/5/2017	1.5	0.5	UG/L	227		W
1,1,1-Trichloroethane	10/3/2016	11	0.5	UG/L	227		W
1,1-Dichloroethane	10/3/2016	0.21	0.5	UG/L	227	J	W
1,1-Dichloroethylene	10/3/2016	10	0.5	UG/L	227		W
1,2-Dichloroethane	10/3/2016	1.7	0.5	UG/L	227		W
524.2 TVOC	10/3/2016	25.88	0	UG/L	227		W
Carbon tetrachloride	10/3/2016	0.5	0.5	UG/L	227		W
Chloroform	10/3/2016	1.1	0.5	UG/L	227		W
cis-1,2-Dichloroethylene	10/3/2016	0.17	0.5	UG/L	227	J	W
Trichloroethylene	10/3/2016	1.2	0.5	UG/L	227		W
1,1,1-Trichloroethane	7/7/2016	5.6	0.5	UG/L	227		W
1,1-Dichloroethane	7/7/2016	0.33	0.5	UG/L	227	J	W
1,1-Dichloroethylene	7/7/2016	4.8	0.5	UG/L	227		W
1,2-Dichloroethane	7/7/2016	0.62	0.5	UG/L	227		W
524.2 TVOC	7/7/2016	13.79	0	UG/L	227		W
Carbon tetrachloride	7/7/2016	0.37	0.5	UG/L	227	J	W
Chloroform	7/7/2016	0.64	0.5	UG/L	227		W
cis-1,2-Dichloroethylene	7/7/2016	0.23	0.5	UG/L	227	J	W
Trichloroethylene	7/7/2016	1.2	0.5	UG/L	227		W
1,1,1-Trichloroethane	4/11/2016	7.9	0.5	UG/L	227		W
1,1-Dichloroethane	4/11/2016	0.18	0.5	UG/L	227	J	W
1,1-Dichloroethylene	4/11/2016	4.3	0.5	UG/L	227		W
1,2-Dichloroethane	4/11/2016	0.84	0.5	UG/L	227		W
524.2 TVOC	4/11/2016	15.91	0	UG/L	227		W
Carbon tetrachloride	4/11/2016	0.43	0.5	UG/L	227	J	W
Chloroform	4/11/2016	0.73	0.5	UG/L	227		W
cis-1,2-Dichloroethylene	4/11/2016	0.23	0.5	UG/L	227	J	W
Trichloroethylene	4/11/2016	1.3	0.5	UG/L	227		W
1,1,1-Trichloroethane	1/5/2016	4.9	0.5	UG/L	227		W
1,1-Dichloroethane	1/5/2016	0.081	0.5	UG/L	227	J	W
1,1-Dichloroethylene	1/5/2016	4.3	0.5	UG/L	227		W
1,2-Dichloroethane	1/5/2016	0.42	0.5	UG/L	227	J	W
524.2 TVOC	1/5/2016	11.741	0	UG/L	227		W
Carbon tetrachloride	1/5/2016	0.29	0.5	UG/L	227	J	W
Chloroform	1/5/2016	0.57	0.5	UG/L	227		W
cis-1,2-Dichloroethylene	1/5/2016	0.18	0.5	UG/L	227	J	W
Trichloroethylene	1/5/2016	1	0.5	UG/L	227		W
1,1,1-Trichloroethane	10/5/2015	3.8	0.5	UG/L	227		W
1,1-Dichloroethane	10/5/2015	0.3	0.5	UG/L	227	J	W
1,1-Dichloroethylene	10/5/2015	3.3	0.5	UG/L	227		W
1,2-Dichloroethane	10/5/2015	0.23	0.5	UG/L	227	J	W
524.2 TVOC	10/5/2015	9.11	0	UG/L	227		W
Chloroform	10/5/2015	0.3	0.5	UG/L	227	J	W
cis-1,2-Dichloroethylene	10/5/2015	0.18	0.5	UG/L	227	J	W
Trichloroethylene	10/5/2015	1	0.5	UG/L	227		W
1,1,1-Trichloroethane	7/7/2015	5.9	0.5	UG/L	227		W
1,1-Dichloroethylene	7/7/2015	3.9	0.5	UG/L	227		W
1,2-Dichloroethane	7/7/2015	0.35	0.5	UG/L	227	J	W
524.2 TVOC	7/7/2015	12.44	0	UG/L	227		W

Appendix B

OU III LIPA Petition for Closure

2004 - 2024 Extraction Well Analytical Data Summary - VOCs Detected Above Laboratory MDL

Carbon tetrachloride	7/7/2015	0.34	0.5	UG/L	227	J	W
Chloroform	7/7/2015	0.41	0.5	UG/L	227	J	W
cis-1,2-Dichloroethylene	7/7/2015	0.24	0.5	UG/L	227	J	W
Trichloroethylene	7/7/2015	1.3	0.5	UG/L	227		W
1,1,1-Trichloroethane	4/2/2015	4.4	0.5	UG/L	227		W
1,1-Dichloroethane	4/2/2015	0.15	0.5	UG/L	227	J	W
1,1-Dichloroethylene	4/2/2015	3.4	0.5	UG/L	227		W
1,2-Dichloroethane	4/2/2015	0.23	0.5	UG/L	227	J	W
524.2 TVOC	4/2/2015	9.9	0	UG/L	227		W
Carbon tetrachloride	4/2/2015	0.13	0.5	UG/L	227	J	W
Chloroform	4/2/2015	0.37	0.5	UG/L	227	J	W
cis-1,2-Dichloroethylene	4/2/2015	0.22	0.5	UG/L	227	J	W
Trichloroethylene	4/2/2015	1	0.5	UG/L	227		W
1,1,1-Trichloroethane	1/6/2015	3.7	0.5	UG/L	227		W
1,1-Dichloroethane	1/6/2015	0.52	0.5	UG/L	227		W
1,1-Dichloroethylene	1/6/2015	3.5	0.5	UG/L	227		W
1,2-Dichloroethane	1/6/2015	0.23	0.5	UG/L	227	J	W
524.2 TVOC	1/6/2015	9.8	0	UG/L	227		W
Chloroform	1/6/2015	0.45	0.5	UG/L	227	J	W
cis-1,2-Dichloroethylene	1/6/2015	0.2	0.5	UG/L	227	J	W
Trichloroethylene	1/6/2015	1.2	0.5	UG/L	227		W
1,1,1-Trichloroethane	10/6/2014	1	0.5	UG/L	227		W
1,1-Dichloroethane	10/6/2014	0.99	0.5	UG/L	227		W
1,1-Dichloroethylene	10/6/2014	3.5	0.5	UG/L	227		W
1,2-Dichloroethane	10/6/2014	0.16	0.5	UG/L	227	J	W
524.2 TVOC	10/6/2014	7.1	0	UG/L	227		W
Chloroform	10/6/2014	0.29	0.5	UG/L	227	J	W
cis-1,2-Dichloroethylene	10/6/2014	0.16	0.5	UG/L	227	J	W
Trichloroethylene	10/6/2014	1	0.5	UG/L	227		W
1,1,1-Trichloroethane	7/9/2014	4.4	0.5	UG/L	227		W
1,1-Dichloroethane	7/9/2014	0.34	0.5	UG/L	227	J	W
1,1-Dichloroethylene	7/9/2014	3.3	0.5	UG/L	227		W
1,2-Dichloroethane	7/9/2014	0.22	0.5	UG/L	227	J	W
524.2 TVOC	7/9/2014	9.85	0	UG/L	227		W
Chloroform	7/9/2014	0.41	0.5	UG/L	227	J	W
cis-1,2-Dichloroethylene	7/9/2014	0.18	0.5	UG/L	227	J	W
Trichloroethylene	7/9/2014	1	0.5	UG/L	227		W
1,1,1-Trichloroethane	4/1/2014	2.1	0.5	UG/L	227		W
1,1-Dichloroethane	4/1/2014	0.42	0.5	UG/L	227	J	W
1,1-Dichloroethylene	4/1/2014	2.3	0.5	UG/L	227		W
524.2 TVOC	4/1/2014	6.36	0	UG/L	227		W
Chloroform	4/1/2014	0.44	0.5	UG/L	227	J	W
cis-1,2-Dichloroethylene	4/1/2014	0.11	0.5	UG/L	227	J	W
Trichloroethylene	4/1/2014	0.99	0.5	UG/L	227		W
1,1,1-Trichloroethane	1/9/2014	3.9	0.5	UG/L	227		W
1,1-Dichloroethane	1/9/2014	0.095	0.5	UG/L	227	J	W
1,1-Dichloroethylene	1/9/2014	2.6	0.5	UG/L	227		W
1,2-Dichloroethane	1/9/2014	0.16	0.5	UG/L	227	J	W
524.2 TVOC	1/9/2014	8.585	0	UG/L	227		W
Carbon tetrachloride	1/9/2014	0.21	0.5	UG/L	227	J	W
Chloroform	1/9/2014	0.39	0.5	UG/L	227	J	W
cis-1,2-Dichloroethylene	1/9/2014	0.13	0.5	UG/L	227	J	W
Trichloroethylene	1/9/2014	1.1	0.5	UG/L	227		W

Appendix B

OU III LIPA Petition for Closure

2004 - 2024 Extraction Well Analytical Data Summary - VOCs Detected Above Laboratory MDL

1,1,1-Trichloroethane	10/15/2013	4.4	0.5	UG/L	227		W
1,1,2-Trichloroethane	10/15/2013	0.16	0.5	UG/L	227	J	W
1,1-Dichloroethane	10/15/2013	0.08	0.5	UG/L	227	J	W
1,1-Dichloroethylene	10/15/2013	2.7	0.5	UG/L	227		W
1,2-Dichloroethane	10/15/2013	0.13	0.5	UG/L	227	J	W
524.2 TVOC	10/15/2013	9.16	0	UG/L	227		W
Carbon tetrachloride	10/15/2013	0.19	0.5	UG/L	227	J	W
Chloroform	10/15/2013	0.36	0.5	UG/L	227	J	W
cis-1,2-Dichloroethylene	10/15/2013	0.19	0.5	UG/L	227	J	W
Trichloroethylene	10/15/2013	0.95	0.5	UG/L	227		W
1,1,1-Trichloroethane	4/2/2013	6.4	0.5	UG/L	227		W
1,1-Dichloroethylene	4/2/2013	3.6	0.5	UG/L	227		W
524.2 TVOC	4/2/2013	12.08	0	UG/L	227		W
Carbon tetrachloride	4/2/2013	0.31	0.5	UG/L	227	J	W
Chloroform	4/2/2013	0.56	0.5	UG/L	227		W
cis-1,2-Dichloroethylene	4/2/2013	0.11	0.5	UG/L	227	J	W
Methylene chloride	4/2/2013	0.12	0.5	UG/L	227	J	W
Trichloroethylene	4/2/2013	0.98	0.5	UG/L	227		W
1,1,1-Trichloroethane	1/3/2013	0.47	0.5	UG/L	227	J	W
1,1-Dichloroethane	1/3/2013	1.2	0.5	UG/L	227		W
1,1-Dichloroethylene	1/3/2013	2.7	0.5	UG/L	227		W
1,2-Dichloroethane	1/3/2013	0.18	0.5	UG/L	227	J	W
524.2 TVOC	1/3/2013	5.98	0	UG/L	227		W
Chloroform	1/3/2013	0.36	0.5	UG/L	227	J	W
cis-1,2-Dichloroethylene	1/3/2013	0.13	0.5	UG/L	227	J	W
Trichloroethylene	1/3/2013	0.94	0.5	UG/L	227		W
1,1,1-Trichloroethane	10/3/2012	3.7	0.5	UG/L	227		W
1,1-Dichloroethane	10/3/2012	0.46	0.5	UG/L	227	J	W
1,1-Dichloroethylene	10/3/2012	3.1	0.5	UG/L	227		W
1,2-Dichloroethane	10/3/2012	0.17	0.5	UG/L	227	J	W
524.2 TVOC	10/3/2012	9.82	0	UG/L	227		W
Chloroform	10/3/2012	0.64	0.5	UG/L	227		W
cis-1,2-Dichloroethylene	10/3/2012	0.16	0.5	UG/L	227	J	W
Methyl chloride	10/3/2012	0.19	0.5	UG/L	227	J	W
Methylene chloride	10/3/2012	0.2	0.5	UG/L	227	J	W
Trichloroethylene	10/3/2012	1.2	0.5	UG/L	227		W
1,1,1-Trichloroethane	7/2/2012	3.9	0.5	UG/L	227		W
1,1-Dichloroethylene	7/2/2012	2.2	0.5	UG/L	227		W
524.2 TVOC	7/2/2012	8.475	0	UG/L	227		W
Carbon tetrachloride	7/2/2012	0.2	0.5	UG/L	227	J	W
Chloroform	7/2/2012	0.61	0.5	UG/L	227		W
cis-1,2-Dichloroethylene	7/2/2012	0.14	0.5	UG/L	227	J	W
Methyl chloride	7/2/2012	0.095	0.5	UG/L	227	J	W
Methylene chloride	7/2/2012	0.13	0.5	UG/L	227	J	W
Trichloroethylene	7/2/2012	1.2	0.5	UG/L	227		W
1,1,1-Trichloroethane	4/6/2012	3.7	0.5	UG/L	227		W
1,1-Dichloroethylene	4/6/2012	1.8	0.5	UG/L	227		W
1,2-Dichloroethane	4/6/2012	0.12	0.5	UG/L	227	J	W
524.2 TVOC	4/6/2012	7.95	0	UG/L	227		W
Carbon tetrachloride	4/6/2012	0.25	0.5	UG/L	227	J	W
Chloroform	4/6/2012	0.67	0.5	UG/L	227		W
cis-1,2-Dichloroethylene	4/6/2012	0.11	0.5	UG/L	227	J	W
Trichloroethylene	4/6/2012	1.3	0.5	UG/L	227		W

Appendix B

OU III LIPA Petition for Closure

2004 - 2024 Extraction Well Analytical Data Summary - VOCs Detected Above Laboratory MDL

1,1,1-Trichloroethane	1/6/2012	2.5	0.5	UG/L	227		W
1,1-Dichloroethane	1/6/2012	0.29	0.5	UG/L	227	J	W
1,1-Dichloroethylene	1/6/2012	1.7	0.5	UG/L	227		W
524.2 TVOC	1/6/2012	6.745	0	UG/L	227		W
Chloroform	1/6/2012	0.75	0.5	UG/L	227		W
cis-1,2-Dichloroethylene	1/6/2012	0.098	0.5	UG/L	227	J	W
Methyl chloride	1/6/2012	0.097	0.5	UG/L	227	J	W
Methylene chloride	1/6/2012	0.11	0.5	UG/L	227	J	W
Trichloroethylene	1/6/2012	1.2	0.5	UG/L	227		W
1,1,1-Trichloroethane	10/3/2011	5.4	0.5	UG/L	227		W
1,1-Dichloroethylene	10/3/2011	2.2	0.5	UG/L	227		W
1,2-Dichloroethane	10/3/2011	0.12	0.5	UG/L	227	J	W
524.2 TVOC	10/3/2011	11.05	0	UG/L	227		W
Carbon tetrachloride	10/3/2011	0.31	0.5	UG/L	227	J	W
Chloroform	10/3/2011	0.8	0.5	UG/L	227		W
cis-1,2-Dichloroethylene	10/3/2011	0.17	0.5	UG/L	227	J	W
Methyl chloride	10/3/2011	0.11	0.5	UG/L	227	J	W
Methylene chloride	10/3/2011	0.44	0.5	UG/L	227	J B	W
Trichloroethylene	10/3/2011	1.5	0.5	UG/L	227		W
1,1,1-Trichloroethane	7/7/2011	4.7	0.5	UG/L	227		W
1,1-Dichloroethane	7/7/2011	0.37	0.5	UG/L	227	J	W
1,1-Dichloroethylene	7/7/2011	2.9	0.5	UG/L	227		W
1,2-Dichloroethane	7/7/2011	0.15	0.5	UG/L	227	J	W
524.2 TVOC	7/7/2011	10.25	0	UG/L	227		W
Chloroform	7/7/2011	0.7	0.5	UG/L	227		W
cis-1,2-Dichloroethylene	7/7/2011	0.13	0.5	UG/L	227	J	W
Trichloroethylene	7/7/2011	1.3	0.5	UG/L	227		W
1,1,1-Trichloroethane	4/5/2011	5.3	0.5	UG/L	227		W
1,1-Dichloroethylene	4/5/2011	2.5	0.5	UG/L	227		W
524.2 TVOC	4/5/2011	10.76	0	UG/L	227		W
Carbon tetrachloride	4/5/2011	0.31	0.5	UG/L	227	J	W
Chloroform	4/5/2011	0.6	0.5	UG/L	227		W
cis-1,2-Dichloroethylene	4/5/2011	0.16	0.5	UG/L	227	J	W
Methyl tert-butyl ether	4/5/2011	0.58	0.5	UG/L	227		W
Methylene chloride	4/5/2011	0.11	0.5	UG/L	227	J	W
Trichloroethylene	4/5/2011	1.2	0.5	UG/L	227		W
1,1,1-Trichloroethane	1/6/2011	3.6	0.5	UG/L	227		W
1,1-Dichloroethane	1/6/2011	0.31	0.5	UG/L	227	J	W
1,1-Dichloroethylene	1/6/2011	2.4	0.5	UG/L	227		W
1,2-Dichloroethane	1/6/2011	0.14	0.5	UG/L	227	J	W
524.2 TVOC	1/6/2011	8.31	0	UG/L	227		W
Chloroform	1/6/2011	0.33	0.5	UG/L	227	J	W
cis-1,2-Dichloroethylene	1/6/2011	0.14	0.5	UG/L	227	J	W
Methyl chloride	1/6/2011	0.4	0.5	UG/L	227	J	W
Methyl tert-butyl ether	1/6/2011	0.29	0.5	UG/L	227	J	W
Methylene chloride	1/6/2011	0.15	0.5	UG/L	227	J B	W
Trichloroethylene	1/6/2011	0.55	0.5	UG/L	227		W
1,1,1-Trichloroethane	10/5/2010	3.6	0.5	UG/L	227		W
1,1-Dichloroethylene	10/5/2010	1.8	0.5	UG/L	227		W
524.2 TVOC	10/5/2010	7.82	0	UG/L	227		W
Carbon tetrachloride	10/5/2010	0.43	0.5	UG/L	227	J	W
Chloroform	10/5/2010	0.38	0.5	UG/L	227	J	W
cis-1,2-Dichloroethylene	10/5/2010	0.12	0.5	UG/L	227	J	W

Appendix B

OU III LIPA Petition for Closure

2004 - 2024 Extraction Well Analytical Data Summary - VOCs Detected Above Laboratory MDL

Methyl chloride	10/5/2010	0.31	0.5	UG/L	227	J	W
Methyl tert-butyl ether	10/5/2010	0.25	0.5	UG/L	227	J	W
Trichloroethylene	10/5/2010	0.93	0.5	UG/L	227		W
1,1,1-Trichloroethane	7/2/2010	4.7	0.5	UG/L	227		W
1,1-Dichloroethylene	7/2/2010	1.5	0.5	UG/L	227		W
1,2-Dichloroethane	7/2/2010	0.14	0.5	UG/L	227	J	W
524.2 TVOC	7/2/2010	8.92	0	UG/L	227		W
Carbon tetrachloride	7/2/2010	0.41	0.5	UG/L	227	J	W
Chloroform	7/2/2010	0.38	0.5	UG/L	227	J	W
cis-1,2-Dichloroethylene	7/2/2010	0.15	0.5	UG/L	227	J	W
Methylene chloride	7/2/2010	0.24	0.5	UG/L	227	J B	W
Trichloroethylene	7/2/2010	1.4	0.5	UG/L	227		W
1,1,1-Trichloroethane	4/2/2010	2.4	0.5	UG/L	227		W
1,1-Dichloroethylene	4/2/2010	1.01	0.5	UG/L	227		W
524.2 TVOC	4/2/2010	9.26	0	UG/L	227		W
Carbon tetrachloride	4/2/2010	0.23	0.5	UG/L	227	J	W
Chloroform	4/2/2010	0.22	0.5	UG/L	227	J	W
cis-1,2-Dichloroethylene	4/2/2010	0.12	0.5	UG/L	227	J	W
Methyl chloride	4/2/2010	0.46	0.5	UG/L	227	J	W
Methylene chloride	4/2/2010	3.23	0.5	UG/L	227	B	W
Trichloroethylene	4/2/2010	1.59	0.5	UG/L	227		W
1,1,1-Trichloroethane	1/6/2010	5.8	0.5	UG/L	227		W
1,1-Dichloroethylene	1/6/2010	2.6	0.5	UG/L	227		W
1,2-Dichloroethane	1/6/2010	0.15	0.5	UG/L	227	J	W
524.2 TVOC	1/6/2010	12.88	0	UG/L	227		W
Carbon tetrachloride	1/6/2010	0.73	0.5	UG/L	227		W
Chloroform	1/6/2010	0.28	0.5	UG/L	227	J B	W
cis-1,2-Dichloroethylene	1/6/2010	0.19	0.5	UG/L	227	J	W
Methyl chloride	1/6/2010	0.13	0.5	UG/L	227	J	W
Trichloroethylene	1/6/2010	3	0.5	UG/L	227		W
1,1,1-Trichloroethane	7/15/2009	2.1	0.5	UG/L	227		W
1,1-Dichloroethylene	7/15/2009	0.81	0.5	UG/L	227		W
524.2 TVOC	7/15/2009	8.41	0	UG/L	227		W
Carbon tetrachloride	7/15/2009	0.88	0.5	UG/L	227		W
Chloroform	7/15/2009	0.72	0.5	UG/L	227		W
Trichloroethylene	7/15/2009	3.9	0.5	UG/L	227		W
1,1,1-Trichloroethane	4/8/2009	2	0.5	UG/L	227		W
1,1-Dichloroethylene	4/8/2009	1.1	0.5	UG/L	227		W
524.2 TVOC	4/8/2009	9.32	0	UG/L	227		W
Carbon tetrachloride	4/8/2009	1.1	0.5	UG/L	227		W
Chloroform	4/8/2009	0.52	0.5	UG/L	227		W
Methylene chloride	4/8/2009	0.1	0.5	UG/L	227	J	W
Trichloroethylene	4/8/2009	4.5	0.5	UG/L	227		W
1,1,1-Trichloroethane	2/11/2009	1.2	0.5	UG/L	227		W
1,1-Dichloroethylene	2/11/2009	0.77	0.5	UG/L	227		W
524.2 TVOC	2/11/2009	9.33	0	UG/L	227		W
Carbon tetrachloride	2/11/2009	1.2	0.5	UG/L	227		W
Chloroform	2/11/2009	0.75	0.5	UG/L	227		W
Methylene chloride	2/11/2009	0.11	0.5	UG/L	227	J B	W
Trichloroethylene	2/11/2009	5.3	0.5	UG/L	227		W
1,1,1-Trichloroethane	10/15/2008	2.1	0.5	UG/L	227		W
1,1-Dichloroethylene	10/15/2008	0.96	0.5	UG/L	227		W
524.2 TVOC	10/15/2008	12.35	0	UG/L	227		W

Appendix B

OU III LIPA Petition for Closure

2004 - 2024 Extraction Well Analytical Data Summary - VOCs Detected Above Laboratory MDL

Carbon tetrachloride	10/15/2008	1.8	0.5	UG/L	227		W
Chloroform	10/15/2008	0.5	0.5	UG/L	227		W
cis-1,2-Dichloroethylene	10/15/2008	0.15	0.5	UG/L	227	J	W
Methyl chloride	10/15/2008	0.14	0.5	UG/L	227	J	W
Trichloroethylene	10/15/2008	6.7	0.5	UG/L	227		W
1,1,1-Trichloroethane	4/16/2008	0.49	0.5	UG/L	227	J	W
1,1-Dichloroethylene	4/16/2008	0.19	0.5	UG/L	227	J	W
524.2 TVOC	4/16/2008	15.08	0	UG/L	227		W
Carbon tetrachloride	4/16/2008	3.5	0.5	UG/L	227		W
Chloroform	4/16/2008	1.3	0.5	UG/L	227		W
Trichloroethylene	4/16/2008	9.6	0.5	UG/L	227		W
1,1,1-Trichloroethane	1/29/2008	0.42	0.5	UG/L	227	J	W
1,1-Dichloroethylene	1/29/2008	0.23	0.5	UG/L	227	J	W
524.2 TVOC	1/29/2008	10.96	0	UG/L	227		W
Carbon tetrachloride	1/29/2008	0.7	0.5	UG/L	227		W
Chloroform	1/29/2008	2.5	0.5	UG/L	227		W
cis-1,2-Dichloroethylene	1/29/2008	0.11	0.5	UG/L	227	J	W
Trichloroethylene	1/29/2008	7	0.5	UG/L	227		W
1,1,1-Trichloroethane	10/18/2007	0.48	0.5	UG/L	227	J	W
1,1-Dichloroethylene	10/18/2007	0.18	0.5	UG/L	227	J	W
524.2 TVOC	10/18/2007	13.64	0	UG/L	227		W
Carbon tetrachloride	10/18/2007	3.7	0.5	UG/L	227		W
Chloroform	10/18/2007	1.4	0.5	UG/L	227		W
cis-1,2-Dichloroethylene	10/18/2007	0.1	0.5	UG/L	227	J	W
Methyl chloride	10/18/2007	0.48	0.5	UG/L	227	J	W
Trichloroethylene	10/18/2007	7.3	0.5	UG/L	227		W
1,1,1-Trichloroethane	7/27/2007	1.8	0.5	UG/L	227		W
1,1-Dichloroethylene	7/27/2007	0.88	0.5	UG/L	227		W
524.2 TVOC	7/27/2007	8.21	0	UG/L	227		W
Carbon tetrachloride	7/27/2007	1.3	0.5	UG/L	227		W
Chloroform	7/27/2007	0.87	0.5	UG/L	227		W
cis-1,2-Dichloroethylene	7/27/2007	0.16	0.5	UG/L	227	J	W
Methyl chloride	7/27/2007	0.33	0.5	UG/L	227	J	W
Methyl tert-butyl ether	7/27/2007	0.17	0.5	UG/L	227	J	W
Trichloroethylene	7/27/2007	2.7	0.5	UG/L	227		W
1,1,1-Trichloroethane	5/21/2007	1.2	0.5	UG/L	227		W
1,1-Dichloroethylene	5/21/2007	0.6	0.5	UG/L	227		W
524.2 TVOC	5/21/2007	5.3	0	UG/L	227		W
Carbon tetrachloride	5/21/2007	0.9	0.5	UG/L	227		W
Chloroform	5/21/2007	0.69	0.5	UG/L	227		W
cis-1,2-Dichloroethylene	5/21/2007	0.11	0.5	UG/L	227	J	W
Methyl tert-butyl ether	5/21/2007	0.2	0.5	UG/L	227	J	W
Trichloroethylene	5/21/2007	1.6	0.5	UG/L	227		W
1,1,1-Trichloroethane	4/10/2007	1.5	0.5	UG/L	227		W
1,1-Dichloroethylene	4/10/2007	0.92	0.5	UG/L	227		W
524.2 TVOC	4/10/2007	6.95	0	UG/L	227		W
Carbon tetrachloride	4/10/2007	1.2	0.5	UG/L	227		W
Chloroform	4/10/2007	0.8	0.5	UG/L	227		W
cis-1,2-Dichloroethylene	4/10/2007	0.12	0.5	UG/L	227	J	W
Methyl tert-butyl ether	4/10/2007	0.21	0.5	UG/L	227	J	W
Trichloroethylene	4/10/2007	2.2	0.5	UG/L	227		W
1,1,1-Trichloroethane	3/22/2007	1.5	0.5	UG/L	227		W
1,1-Dichloroethylene	3/22/2007	0.64	0.5	UG/L	227		W

Appendix B

OU III LIPA Petition for Closure

2004 - 2024 Extraction Well Analytical Data Summary - VOCs Detected Above Laboratory MDL

524.2 TVOC	3/22/2007	6.45	0	UG/L	227		W
Carbon tetrachloride	3/22/2007	1	0.5	UG/L	227		W
Chloroform	3/22/2007	0.9	0.5	UG/L	227		W
cis-1,2-Dichloroethylene	3/22/2007	0.12	0.5	UG/L	227	J	W
Methyl tert-butyl ether	3/22/2007	0.19	0.5	UG/L	227	J	W
Trichloroethylene	3/22/2007	2.1	0.5	UG/L	227		W
1,1,1-Trichloroethane	2/12/2007	1.5	0.5	UG/L	227		W
1,1-Dichloroethylene	2/12/2007	0.79	0.5	UG/L	227		W
524.2 TVOC	2/12/2007	7.03	0	UG/L	227		W
Carbon tetrachloride	2/12/2007	1.2	0.5	UG/L	227		W
Chloroform	2/12/2007	0.83	0.5	UG/L	227		W
cis-1,2-Dichloroethylene	2/12/2007	0.17	0.5	UG/L	227	J	W
Methyl tert-butyl ether	2/12/2007	0.24	0.5	UG/L	227	J	W
Trichloroethylene	2/12/2007	2.3	0.5	UG/L	227		W
1,1,1-Trichloroethane	1/29/2007	1.6	0.5	UG/L	227		W
1,1-Dichloroethylene	1/29/2007	0.95	0.5	UG/L	227		W
524.2 TVOC	1/29/2007	7.28	0	UG/L	227		W
Carbon tetrachloride	1/29/2007	1.4	0.5	UG/L	227		W
Chloroform	1/29/2007	0.83	0.5	UG/L	227		W
Trichloroethylene	1/29/2007	2.5	0.5	UG/L	227		W
1,1,1-Trichloroethane	12/18/2006	1.8	0.5	UG/L	227		W
1,1-Dichloroethylene	12/18/2006	0.82	0.5	UG/L	227		W
524.2 TVOC	12/18/2006	7.91	0	UG/L	227		W
Carbon tetrachloride	12/18/2006	1.3	0.5	UG/L	227		W
Chloroform	12/18/2006	0.92	0.5	UG/L	227		W
cis-1,2-Dichloroethylene	12/18/2006	0.16	0.5	UG/L	227	J	W
Methyl tert-butyl ether	12/18/2006	0.31	0.5	UG/L	227	J	W
Trichloroethylene	12/18/2006	2.6	0.5	UG/L	227		W
1,1,1-Trichloroethane	11/27/2006	1.9	0.5	UG/L	227		W
1,1-Dichloroethylene	11/27/2006	0.88	0.5	UG/L	227		W
524.2 TVOC	11/27/2006	8.11	0	UG/L	227		W
Carbon tetrachloride	11/27/2006	1.4	0.5	UG/L	227		W
Chloroform	11/27/2006	1	0.5	UG/L	227		W
cis-1,2-Dichloroethylene	11/27/2006	0.23	0.5	UG/L	227	J	W
Trichloroethylene	11/27/2006	2.7	0.5	UG/L	227		W
1,1,1-Trichloroethane	10/17/2006	2.3	0.5	UG/L	227		W
1,1-Dichloroethylene	10/17/2006	1.2	0.5	UG/L	227		W
524.2 TVOC	10/17/2006	9.55	0	UG/L	227		W
Carbon tetrachloride	10/17/2006	1.6	0.5	UG/L	227		W
Chloroform	10/17/2006	1	0.5	UG/L	227		W
cis-1,2-Dichloroethylene	10/17/2006	0.24	0.5	UG/L	227	J	W
Methyl tert-butyl ether	10/17/2006	0.21	0.5	UG/L	227	J	W
Trichloroethylene	10/17/2006	3	0.5	UG/L	227		W
1,1,1-Trichloroethane	9/18/2006	2.6	0.5	UG/L	227		W
1,1-Dichloroethylene	9/18/2006	1.1	0.5	UG/L	227		W
524.2 TVOC	9/18/2006	10.37	0	UG/L	227		W
Carbon tetrachloride	9/18/2006	1.9	0.5	UG/L	227		W
Chloroform	9/18/2006	0.97	0.5	UG/L	227		W
cis-1,2-Dichloroethylene	9/18/2006	0.24	0.5	UG/L	227	J	W
Methyl chloride	9/18/2006	0.11	0.5	UG/L	227	J	W
Methyl tert-butyl ether	9/18/2006	0.25	0.5	UG/L	227	J	W
Trichloroethylene	9/18/2006	3.2	0.5	UG/L	227		W
1,1,1-Trichloroethane	8/24/2006	2.3	0.5	UG/L	227		W

Appendix B

OU III LIPA Petition for Closure

2004 - 2024 Extraction Well Analytical Data Summary - VOCs Detected Above Laboratory MDL

1,1-Dichloroethylene	8/24/2006	0.99	0.5	UG/L	227		W
524.2 TVOC	8/24/2006	9.575	0	UG/L	227		W
Carbon tetrachloride	8/24/2006	1.6	0.5	UG/L	227		W
Chloroform	8/24/2006	0.95	0.5	UG/L	227		W
cis-1,2-Dichloroethylene	8/24/2006	0.24	0.5	UG/L	227	J	W
Methyl chloride	8/24/2006	0.095	0.5	UG/L	227	J	W
Trichloroethylene	8/24/2006	3.4	0.5	UG/L	227		W
1,1,1-Trichloroethane	7/28/2006	3.6	0.5	UG/L	227		W
1,1-Dichloroethylene	7/28/2006	1.8	0.5	UG/L	227		W
524.2 TVOC	7/28/2006	14.65	0	UG/L	227		W
Carbon tetrachloride	7/28/2006	2.9	0.5	UG/L	227		W
Chloroform	7/28/2006	1	0.5	UG/L	227		W
cis-1,2-Dichloroethylene	7/28/2006	0.35	0.5	UG/L	227	J	W
Trichloroethylene	7/28/2006	5	0.5	UG/L	227		W
1,1,1-Trichloroethane	6/20/2006	2.1	0.5	UG/L	227		W
524.2 TVOC	6/20/2006	7.93	0	UG/L	227		W
Carbon tetrachloride	6/20/2006	1.5	0.5	UG/L	227		W
Chloroform	6/20/2006	0.78	0.5	UG/L	227		W
cis-1,2-Dichloroethylene	6/20/2006	0.26	0.5	UG/L	227	J	W
Methyl tert-butyl ether	6/20/2006	0.19	0.5	UG/L	227	J	W
Trichloroethylene	6/20/2006	3.1	0.5	UG/L	227		W
1,1,1-Trichloroethane	5/22/2006	2	0.5	UG/L	227		W
1,1-Dichloroethylene	5/22/2006	0.56	0.5	UG/L	227		W
524.2 TVOC	5/22/2006	8.59	0	UG/L	227		W
Carbon tetrachloride	5/22/2006	1.4	0.5	UG/L	227		W
Chloroform	5/22/2006	0.81	0.5	UG/L	227		W
cis-1,2-Dichloroethylene	5/22/2006	0.24	0.5	UG/L	227	J	W
Methyl tert-butyl ether	5/22/2006	0.18	0.5	UG/L	227	J	W
Trichloroethylene	5/22/2006	3.4	0.5	UG/L	227		W
1,1,1-Trichloroethane	4/20/2006	2	0.5	UG/L	227		W
1,1-Dichloroethylene	4/20/2006	0.33	0.5	UG/L	227	J	W
524.2 TVOC	4/20/2006	8.84	0	UG/L	227		W
Carbon tetrachloride	4/20/2006	1.5	0.5	UG/L	227		W
Chloroform	4/20/2006	0.92	0.5	UG/L	227		W
cis-1,2-Dichloroethylene	4/20/2006	0.28	0.5	UG/L	227	J	W
Methyl tert-butyl ether	4/20/2006	0.21	0.5	UG/L	227	J	W
Trichloroethylene	4/20/2006	3.6	0.5	UG/L	227		W
1,1,1-Trichloroethane	3/13/2006	0.58	0.5	UG/L	227		W
1,1-Dichloroethane	3/13/2006	0.27	0.5	UG/L	227	J	W
1,1-Dichloroethylene	3/13/2006	1	0.5	UG/L	227		W
524.2 TVOC	3/13/2006	6.74	0	UG/L	227		W
Chloroform	3/13/2006	1.1	0.5	UG/L	227		W
cis-1,2-Dichloroethylene	3/13/2006	0.34	0.5	UG/L	227	J	W
Methyl tert-butyl ether	3/13/2006	0.25	0.5	UG/L	227	J	W
Trichloroethylene	3/13/2006	3.2	0.5	UG/L	227		W
1,1,1-Trichloroethane	2/14/2006	1.2	0.5	UG/L	227		W
1,1-Dichloroethane	2/14/2006	0.16	0.5	UG/L	227	J	W
1,1-Dichloroethylene	2/14/2006	0.91	0.5	UG/L	227		W
524.2 TVOC	2/14/2006	8.58	0	UG/L	227		W
Carbon tetrachloride	2/14/2006	0.67	0.5	UG/L	227		W
Chloroform	2/14/2006	1.1	0.5	UG/L	227		W
cis-1,2-Dichloroethylene	2/14/2006	0.39	0.5	UG/L	227	J	W
Methyl tert-butyl ether	2/14/2006	0.25	0.5	UG/L	227	J	W

Appendix B

OU III LIPA Petition for Closure

2004 - 2024 Extraction Well Analytical Data Summary - VOCs Detected Above Laboratory MDL

Trichloroethylene	2/14/2006	3.9	0.5	UG/L	227		W
1,1,1-Trichloroethane	1/23/2006	1.6	0.5	UG/L	227		W
1,1-Dichloroethylene	1/23/2006	0.73	0.5	UG/L	227		W
524.2 TVOC	1/23/2006	9.09	0	UG/L	227		W
Carbon tetrachloride	1/23/2006	1.4	0.5	UG/L	227		W
Chloroform	1/23/2006	0.89	0.5	UG/L	227		W
cis-1,2-Dichloroethylene	1/23/2006	0.37	0.5	UG/L	227	J	W
Trichloroethylene	1/23/2006	4.1	0.5	UG/L	227		W
1,1,1-Trichloroethane	12/20/2005	2.3	0.5	UG/L	227		W
1,1-Dichloroethylene	12/20/2005	1.2	0.5	UG/L	227		W
524.2 TVOC	12/20/2005	11.85	0	UG/L	227		W
Carbon tetrachloride	12/20/2005	1.6	0.5	UG/L	227		W
Chloroform	12/20/2005	0.91	0.5	UG/L	227		W
cis-1,2-Dichloroethylene	12/20/2005	0.48	0.5	UG/L	227	J	W
Methyl tert-butyl ether	12/20/2005	0.16	0.5	UG/L	227	J	W
Trichloroethylene	12/20/2005	5.2	0.5	UG/L	227		W
1,1,1-Trichloroethane	11/14/2005	1.9	0.5	UG/L	240		W
1,1-Dichloroethylene	11/14/2005	0.72	0.5	UG/L	240		W
524.2 TVOC	11/14/2005	10.47	0	UG/L	240		W
Carbon tetrachloride	11/14/2005	1.3	0.5	UG/L	240		W
Chloroform	11/14/2005	0.92	0.5	UG/L	240		W
cis-1,2-Dichloroethylene	11/14/2005	0.45	0.5	UG/L	240	J	W
Methyl chloride	11/14/2005	0.14	0.5	UG/L	240	J	W
Methyl tert-butyl ether	11/14/2005	0.24	0.5	UG/L	240	J	W
Trichloroethylene	11/14/2005	4.8	0.5	UG/L	240		W
1,1,1-Trichloroethane	10/3/2005	2.2	0.5	UG/L	240		W
1,1-Dichloroethylene	10/3/2005	0.8	0.5	UG/L	240		W
524.2 TVOC	10/3/2005	12.33	0	UG/L	240		W
Carbon tetrachloride	10/3/2005	1.6	0.5	UG/L	240		W
Chloroform	10/3/2005	1.1	0.5	UG/L	240		W
cis-1,2-Dichloroethylene	10/3/2005	0.53	0.5	UG/L	240		W
Trichloroethylene	10/3/2005	6.1	0.5	UG/L	240		W
1,1,1-Trichloroethane	9/6/2005	2.3	0.5	UG/L	240		W
1,1-Dichloroethylene	9/6/2005	1.2	0.5	UG/L	240		W
524.2 TVOC	9/6/2005	13.52	0	UG/L	240		W
Carbon tetrachloride	9/6/2005	1.9	0.5	UG/L	240		W
Chloroform	9/6/2005	1.1	0.5	UG/L	240		W
cis-1,2-Dichloroethylene	9/6/2005	0.62	0.5	UG/L	240		W
Trichloroethylene	9/6/2005	6.4	0.5	UG/L	240		W
1,1,1-Trichloroethane	8/17/2005	2.7	0.5	UG/L	240		W
1,1-Dichloroethylene	8/17/2005	1	0.5	UG/L	240		W
524.2 TVOC	8/17/2005	16.31	0	UG/L	240		W
Carbon tetrachloride	8/17/2005	2.4	0.5	UG/L	240		W
Chloroform	8/17/2005	1.2	0.5	UG/L	240		W
cis-1,2-Dichloroethylene	8/17/2005	0.71	0.5	UG/L	240		W
Trichloroethylene	8/17/2005	8.3	0.5	UG/L	240		W
1,1,1-Trichloroethane	7/19/2005	3.4	0.5	UG/L	240		W
1,1-Dichloroethylene	7/19/2005	1.7	0.5	UG/L	240		W
524.2 TVOC	7/19/2005	20.07	0	UG/L	240		W
Carbon tetrachloride	7/19/2005	2.7	0.5	UG/L	240		W
Chloroform	7/19/2005	1.3	0.5	UG/L	240		W
cis-1,2-Dichloroethylene	7/19/2005	0.97	0.5	UG/L	240		W
Trichloroethylene	7/19/2005	10	0.5	UG/L	240		W

Appendix B

OU III LIPA Petition for Closure

2004 - 2024 Extraction Well Analytical Data Summary - VOCs Detected Above Laboratory MDL

1,1,1-Trichloroethane	6/1/2005	2.8	0.5	UG/L	240		W
1,1-Dichloroethylene	6/1/2005	1.1	0.5	UG/L	240		W
524.2 TVOC	6/1/2005	18.68	0	UG/L	240		W
Carbon tetrachloride	6/1/2005	2.5	0.5	UG/L	240		W
Chloroform	6/1/2005	1.3	0.5	UG/L	240		W
cis-1,2-Dichloroethylene	6/1/2005	0.98	0.5	UG/L	240		W
Trichloroethylene	6/1/2005	10	0.5	UG/L	240		W
1,1-Dichloroethane	5/2/2005	0.77	0.5	UG/L	240		W
1,1-Dichloroethylene	5/2/2005	1.8	0.5	UG/L	240		W
524.2 TVOC	5/2/2005	17.97	0	UG/L	240		W
Chloroform	5/2/2005	1.2	0.5	UG/L	240		W
cis-1,2-Dichloroethylene	5/2/2005	1.1	0.5	UG/L	240		W
Methylene chloride	5/2/2005	1.1	0.5	UG/L	240		W
Trichloroethylene	5/2/2005	12	0.5	UG/L	240		W
1,1,1-Trichloroethane	4/4/2005	0.69	0.5	UG/L	240		W
1,1-Dichloroethane	4/4/2005	0.61	0.5	UG/L	240		W
1,1-Dichloroethylene	4/4/2005	2	0.5	UG/L	240		W
1,2-Dichloroethane	4/4/2005	0.24	0.5	UG/L	240	J	W
524.2 TVOC	4/4/2005	17.94	0	UG/L	240		W
Chloroform	4/4/2005	1.2	0.5	UG/L	240		W
cis-1,2-Dichloroethylene	4/4/2005	1.2	0.5	UG/L	240		W
Trichloroethylene	4/4/2005	12	0.5	UG/L	240		W
1,1,1-Trichloroethane	3/2/2005	3.1	0.5	UG/L	240		W
1,1-Dichloroethane	3/2/2005	0.29	0.5	UG/L	240	J	W
1,1-Dichloroethylene	3/2/2005	2.5	0.5	UG/L	240		W
1,2-Dichloroethane	3/2/2005	0.27	0.5	UG/L	240	J	W
524.2 TVOC	3/2/2005	29.18	0	UG/L	240		W
Bromodichloromethane	3/2/2005	0.32	0.5	UG/L	240	J	W
Carbon tetrachloride	3/2/2005	2.4	0.5	UG/L	240		W
Chloroform	3/2/2005	1.8	0.5	UG/L	240		W
cis-1,2-Dichloroethylene	3/2/2005	1.5	0.5	UG/L	240		W
Trichloroethylene	3/2/2005	17	0.5	UG/L	240		W
1,1,1-Trichloroethane	2/1/2005	4.7	0.5	UG/L	240		W
1,1-Dichloroethylene	2/1/2005	2.4	0.5	UG/L	240		W
1,2-Dichloroethane	2/1/2005	0.35	0.5	UG/L	240	J	W
524.2 TVOC	2/1/2005	34.85	0	UG/L	240		W
Carbon tetrachloride	2/1/2005	3.9	0.5	UG/L	240		W
Chloroform	2/1/2005	1.6	0.5	UG/L	240		W
cis-1,2-Dichloroethylene	2/1/2005	1.9	0.5	UG/L	240		W
Trichloroethylene	2/1/2005	20	0.5	UG/L	240		W
1,1,1-Trichloroethane	1/4/2005	7.3	0.5	UG/L	227		W
1,1-Dichloroethylene	1/4/2005	4.1	0.5	UG/L	227		W
1,2-Dichloroethane	1/4/2005	0.46	0.5	UG/L	227	J	W
524.2 TVOC	1/4/2005	49.06	0	UG/L	227		W
Carbon tetrachloride	1/4/2005	5.6	0.5	UG/L	227		W
Chloroform	1/4/2005	1.9	0.5	UG/L	227		W
cis-1,2-Dichloroethylene	1/4/2005	2.7	0.5	UG/L	227		W
Trichloroethylene	1/4/2005	27	0.5	UG/L	227		W
1,1,1-Trichloroethane	12/16/2004	8.3	0.5	UG/L	227		W
1,1-Dichloroethylene	12/16/2004	4.3	0.5	UG/L	227		W
1,2-Dichloroethane	12/16/2004	0.52	0.5	UG/L	227		W
524.2 TVOC	12/16/2004	60.89	0	UG/L	227		W
Bromodichloromethane	12/16/2004	0.5	0.5	UG/L	227		W

Appendix B

OU III LIPA Petition for Closure

2004 - 2024 Extraction Well Analytical Data Summary - VOCs Detected Above Laboratory MDL

Carbon tetrachloride	12/16/2004	5.6	0.5	UG/L	227		W
Chloroform	12/16/2004	1.5	0.5	UG/L	227		W
cis-1,2-Dichloroethylene	12/16/2004	3.8	0.5	UG/L	227		W
Methylene chloride	12/16/2004	0.37	0.5	UG/L	227	J	W
Trichloroethylene	12/16/2004	36	1	UG/L	227	D	W
1,1,1-Trichloroethane	11/2/2004	8.2	0.5	UG/L	227		W
1,1-Dichloroethylene	11/2/2004	4.6	0.5	UG/L	227		W
1,2-Dichloroethane	11/2/2004	0.57	0.5	UG/L	227		W
524.2 TVOC	11/2/2004	63.67	0	UG/L	227		W
Carbon tetrachloride	11/2/2004	5.6	0.5	UG/L	227		W
Chloroform	11/2/2004	1.3	0.5	UG/L	227		W
cis-1,2-Dichloroethylene	11/2/2004	3.4	0.5	UG/L	227		W
Trichloroethylene	11/2/2004	40	1	UG/L	227	D	W
1,1,1-Trichloroethane	7/23/2004	9.7	0.5	UG/L	227		W
1,1-Dichloroethylene	7/23/2004	3.7	0.5	UG/L	227		W
1,2-Dichloroethane	7/23/2004	1.4	0.5	UG/L	227		W
524.2 TVOC	7/23/2004	73.2	0	UG/L	227		W
Carbon tetrachloride	7/23/2004	3.4	0.5	UG/L	227		W
Chloroform	7/23/2004	1.9	0.5	UG/L	227		W
cis-1,2-Dichloroethylene	7/23/2004	6.1	0.5	UG/L	227		W
Trichloroethylene	7/23/2004	47	1.2	UG/L	227	D	W
1,1,1-Trichloroethane	6/30/2004	15	0.5	UG/L	227		W
1,1-Dichloroethylene	6/30/2004	9.2	0.5	UG/L	227		W
1,2-Dichloroethane	6/30/2004	1.2	0.5	UG/L	227		W
524.2 TVOC	6/30/2004	93.5	0	UG/L	227		W
Carbon tetrachloride	6/30/2004	6.4	0.5	UG/L	227		W
Chloroform	6/30/2004	1.2	0.5	UG/L	227		W
cis-1,2-Dichloroethylene	6/30/2004	6.5	0.5	UG/L	227		W
Trichloroethylene	6/30/2004	54	1.2	UG/L	227	D	W
1,1,1-Trichloroethane	6/15/2004	12.5	0.5	UG/L	227		W
1,1-Dichloroethane	6/15/2004	0.35	0.5	UG/L	227	J	W
1,1-Dichloroethylene	6/15/2004	8.8	0.5	UG/L	227		W
1,2-Dichloroethane	6/15/2004	1.4	0.5	UG/L	227		W
524.2 TVOC	6/15/2004	96.75	0	UG/L	227		W
Carbon tetrachloride	6/15/2004	7.4	0.5	UG/L	227		W
Chloroform	6/15/2004	1.7	0.5	UG/L	227		W
cis-1,2-Dichloroethylene	6/15/2004	6.5	0.5	UG/L	227		W
Trichloroethylene	6/15/2004	58.1	0.5	UG/L	227		W

Site ID : 000-455 (EW-2L)

Chemical Name	Sample Date	Value	Detlim	Units	Depth	Qual	Matrix
1,4-Dioxane	1/10/2024	0.17	0.2	UG/L	0	J	W
1,1,1-Trichloroethane	1/10/2024	0.22	0.5	UG/L	0	J	W
8260 TVOC	1/10/2024	1.56	0	UG/L	0		W
Chloroform	1/10/2024	0.93	0.5	UG/L	0		W
Trichloroethylene	1/10/2024	0.41	0.5	UG/L	0	J	W
1,1,1-Trichloroethane	10/12/2023	0.22	0.5	UG/L	234	J	W
8260 TVOC	10/12/2023	1.6	0	UG/L	234		W
Carbon tetrachloride	10/12/2023	0.11	0.5	UG/L	234	J	W
Chloroform	10/12/2023	0.89	0.5	UG/L	234		W
Trichloroethylene	10/12/2023	0.38	0.5	UG/L	234	J	W

Appendix B

OU III LIPA Petition for Closure

2004 - 2024 Extraction Well Analytical Data Summary - VOCs Detected Above Laboratory MDL

8260 TVOC	7/10/2023	1.65	0	UG/L	234		W
Chloroform	7/10/2023	1.2	0.5	UG/L	234		W
Trichloroethylene	7/10/2023	0.45	0.5	UG/L	234	J	W
1,4-Dioxane	6/30/2023	0.36	0.2	UG/L	234		W
8260 TVOC	4/13/2023	0.99	0	UG/L	234		W
Chloroform	4/13/2023	0.43	0.5	UG/L	234	J	W
Toluene	4/13/2023	0.22	0.5	UG/L	234	J	W
Trichloroethylene	4/13/2023	0.34	0.5	UG/L	234	J	W
1,1,1-Trichloroethane	1/12/2023	0.21	0.5	UG/L	234	J	W
1,1-Dichloroethylene	1/12/2023	0.22	0.5	UG/L	234	J	W
8260 TVOC	1/12/2023	1.62	0	UG/L	234		W
Chloroform	1/12/2023	0.79	0.5	UG/L	234		W
Trichloroethylene	1/12/2023	0.4	0.5	UG/L	234	J	W
1,1,1-Trichloroethane	10/13/2022	0.25	0.5	UG/L	234	J	W
8260 TVOC	10/13/2022	2.16	0	UG/L	234		W
Chloroform	10/13/2022	1.1	0.5	UG/L	234		W
Methyl chloride	10/13/2022	0.34	0.5	UG/L	234	J	W
Trichloroethylene	10/13/2022	0.47	0.5	UG/L	234	J	W
1,1,1-Trichloroethane	7/13/2022	0.45	0.5	UG/L	234	J	W
1,1-Dichloroethylene	7/13/2022	0.3	0.5	UG/L	234	J	W
8260 TVOC	7/13/2022	2.17	0	UG/L	234		W
Chloroform	7/13/2022	0.91	0.5	UG/L	234		W
Trichloroethylene	7/13/2022	0.51	0.5	UG/L	234		W
1,1,1-Trichloroethane	4/11/2022	0.6	0.5	UG/L	234		W
1,1-Dichloroethylene	4/11/2022	0.33	0.5	UG/L	234	J	W
1,2-Dichloroethane	4/11/2022	0.19	0.5	UG/L	234	J	W
8260 TVOC	4/11/2022	2.33	0	UG/L	234		W
Chloroform	4/11/2022	0.62	0.5	UG/L	234		W
Trichloroethylene	4/11/2022	0.59	0.5	UG/L	234		W
1,1,1-Trichloroethane	1/26/2022	0.4	0.5	UG/L	234	J	W
8260 TVOC	1/26/2022	0.81	0	UG/L	234		W
Trichloroethylene	1/26/2022	0.41	0.5	UG/L	234	J	W
1,1,1-Trichloroethane	10/22/2021	0.76	0.5	UG/L	234		W
1,1-Dichloroethylene	10/22/2021	0.34	0.5	UG/L	234	J	W
8260 TVOC	10/22/2021	2.48	0	UG/L	234		W
Carbon tetrachloride	10/22/2021	0.21	0.5	UG/L	234	J	W
Chloroform	10/22/2021	0.44	0.5	UG/L	234	J	W
Trichloroethylene	10/22/2021	0.73	0.5	UG/L	234		W
1,1,1-Trichloroethane	7/7/2021	0.79	0.5	UG/L	234		W
1,1-Dichloroethylene	7/7/2021	0.44	0.5	UG/L	234	J	W
1,2-Dichloroethane	7/7/2021	0.23	0.5	UG/L	234	J	W
8260 TVOC	7/7/2021	2.82	0	UG/L	234		W
Carbon tetrachloride	7/7/2021	0.25	0.5	UG/L	234	J	W
Chloroform	7/7/2021	0.32	0.5	UG/L	234	J	W
Trichloroethylene	7/7/2021	0.79	0.5	UG/L	234		W
1,1,1-Trichloroethane	4/7/2021	1	0.5	UG/L	234		W
1,1-Dichloroethylene	4/7/2021	0.3	0.5	UG/L	234	J	W
1,2-Dichloroethane	4/7/2021	0.27	0.5	UG/L	234	J	W
524.2 TVOC	4/7/2021	2.89	0	UG/L	234		W
Carbon tetrachloride	4/7/2021	0.26	0.5	UG/L	234	J	W
Chloroform	4/7/2021	0.28	0.5	UG/L	234	J	W
Trichloroethylene	4/7/2021	0.78	0.5	UG/L	234		W
1,1,1-Trichloroethane	1/8/2021	1.2	0.5	UG/L	234		W

Appendix B

OU III LIPA Petition for Closure

2004 - 2024 Extraction Well Analytical Data Summary - VOCs Detected Above Laboratory MDL

1,1-Dichloroethylene	1/8/2021	0.75	0.5	UG/L	234		W
1,2-Dichloroethane	1/8/2021	0.33	0.5	UG/L	234	J	W
524.2 TVOC	1/8/2021	3.76	0	UG/L	234		W
Carbon tetrachloride	1/8/2021	0.28	0.5	UG/L	234	J	W
Chloroform	1/8/2021	0.33	0.5	UG/L	234	J	W
Trichloroethylene	1/8/2021	0.87	0.5	UG/L	234		W
1,1,1-Trichloroethane	10/7/2020	1.4	0.5	UG/L	234		W
1,1-Dichloroethylene	10/7/2020	0.86	0.5	UG/L	234		W
1,2-Dichloroethane	10/7/2020	0.39	0.5	UG/L	234	J	W
524.2 TVOC	10/7/2020	4.18	0	UG/L	234		W
Carbon tetrachloride	10/7/2020	0.3	0.5	UG/L	234	J	W
Chloroform	10/7/2020	0.38	0.5	UG/L	234	J	W
Trichloroethylene	10/7/2020	0.85	0.5	UG/L	234		W
1,1,1-Trichloroethane	7/28/2020	1.7	0.5	UG/L	234		W
1,1-Dichloroethylene	7/28/2020	1.4	0.5	UG/L	234		W
1,2-Dichloroethane	7/28/2020	0.35	0.5	UG/L	234	J	W
524.2 TVOC	7/28/2020	4.62	0	UG/L	234		W
Chloroform	7/28/2020	0.41	0.5	UG/L	234	J	W
Trichloroethylene	7/28/2020	0.76	0.5	UG/L	234		W
1,4-Dioxane	4/7/2020	2.7	0.2	UG/L	0		W
1,1,1-Trichloroethane	4/7/2020	1.4	0.5	UG/L	234		W
1,1-Dichloroethylene	4/7/2020	0.38	0.5	UG/L	234	J	W
1,2-Dichloroethane	4/7/2020	0.4	0.5	UG/L	234	J	W
524.2 TVOC	4/7/2020	4.14	0	UG/L	234		W
Carbon tetrachloride	4/7/2020	0.57	0.5	UG/L	234		W
Chloroform	4/7/2020	0.59	0.5	UG/L	234		W
Trichloroethylene	4/7/2020	0.8	0.5	UG/L	234		W
1,1,1-Trichloroethane	1/8/2020	0.75	0.5	UG/L	234		W
1,1-Dichloroethylene	1/8/2020	0.62	0.5	UG/L	234		W
524.2 TVOC	1/8/2020	2.7	0	UG/L	234		W
Chloroform	1/8/2020	0.6	0.5	UG/L	234		W
Trichloroethylene	1/8/2020	0.73	0.5	UG/L	234		W
1,1,1-Trichloroethane	10/4/2019	0.99	0.5	UG/L	234		W
1,1-Dichloroethylene	10/4/2019	0.63	0.5	UG/L	234		W
1,2-Dichloroethane	10/4/2019	0.22	0.5	UG/L	234	J	W
524.2 TVOC	10/4/2019	3.73	0	UG/L	234		W
Carbon tetrachloride	10/4/2019	0.24	0.5	UG/L	234	J	W
Chloroform	10/4/2019	0.77	0.5	UG/L	234		W
Trichloroethylene	10/4/2019	0.88	0.5	UG/L	234		W
1,1,1-Trichloroethane	7/10/2019	0.93	0.5	UG/L	234		W
1,1-Dichloroethylene	7/10/2019	0.61	0.5	UG/L	234		W
524.2 TVOC	7/10/2019	3.45	0	UG/L	234		W
Chloroform	7/10/2019	0.92	0.5	UG/L	234		W
Trichloroethylene	7/10/2019	0.99	0.5	UG/L	234		W
1,1,1-Trichloroethane	4/9/2019	1	0.5	UG/L	234		W
1,1-Dichloroethylene	4/9/2019	0.8	0.5	UG/L	234		W
524.2 TVOC	4/9/2019	4.08	0	UG/L	234		W
Chloroform	4/9/2019	0.98	0.5	UG/L	234		W
Trichloroethylene	4/9/2019	1.3	0.5	UG/L	234		W
1,1,1-Trichloroethane	1/18/2019	1.95	0.5	UG/L	234		W
1,1-Dichloroethylene	1/18/2019	1.13	0.5	UG/L	234		W
524.2 TVOC	1/18/2019	7.11	0	UG/L	234		W
Carbon tetrachloride	1/18/2019	0.74	0.5	UG/L	234		W

Appendix B

OU III LIPA Petition for Closure

2004 - 2024 Extraction Well Analytical Data Summary - VOCs Detected Above Laboratory MDL

Chloroform	1/18/2019	1.83	0.5	UG/L	234		W
Trichloroethylene	1/18/2019	1.46	0.5	UG/L	234		W
1,1,1-Trichloroethane	10/10/2018	1.7	0.5	UG/L	234		W
1,1-Dichloroethylene	10/10/2018	0.84	0.5	UG/L	234		W
524.2 TVOC	10/10/2018	5.69	0	UG/L	234		W
Carbon tetrachloride	10/10/2018	0.45	0.5	UG/L	234	J	W
Chloroform	10/10/2018	1.3	0.5	UG/L	234		W
Trichloroethylene	10/10/2018	1.4	0.5	UG/L	234		W
1,1,1-Trichloroethane	7/11/2018	2.8	0.5	UG/L	234		W
1,1-Dichloroethylene	7/11/2018	1.7	0.5	UG/L	234		W
1,2-Dichloroethane	7/11/2018	0.3	0.5	UG/L	234	J	W
524.2 TVOC	7/11/2018	8.25	0	UG/L	234		W
Carbon tetrachloride	7/11/2018	0.75	0.5	UG/L	234		W
Chloroform	7/11/2018	1.2	0.5	UG/L	234		W
Trichloroethylene	7/11/2018	1.5	0.5	UG/L	234		W
1,1,1-Trichloroethane	4/4/2018	0.51	0.5	UG/L	234		W
1,1-Dichloroethane	4/4/2018	0.15	0.5	UG/L	234	J	W
1,1-Dichloroethylene	4/4/2018	0.93	0.5	UG/L	234		W
524.2 TVOC	4/4/2018	3.45	0	UG/L	234		W
Chloroform	4/4/2018	1.1	0.5	UG/L	234		W
Toluene	4/4/2018	0.28	0.5	UG/L	234	J	W
Trichloroethylene	4/4/2018	0.48	0.5	UG/L	234	J	W
1,1,1-Trichloroethane	1/3/2018	7.1	0.5	UG/L	234		W
1,1-Dichloroethane	1/3/2018	0.092	0.5	UG/L	234	J	W
1,1-Dichloroethylene	1/3/2018	6.9	0.5	UG/L	234		W
1,2-Dichloroethane	1/3/2018	0.69	0.5	UG/L	234		W
524.2 TVOC	1/3/2018	17.702	0	UG/L	234		W
Carbon tetrachloride	1/3/2018	0.52	0.5	UG/L	234		W
Chloroform	1/3/2018	1.2	0.5	UG/L	234		W
Trichloroethylene	1/3/2018	1.2	0.5	UG/L	234		W
1,1,1-Trichloroethane	10/17/2017	21	0.5	UG/L	234		W
1,1-Dichloroethane	10/17/2017	0.23	0.5	UG/L	234	J	W
1,1-Dichloroethylene	10/17/2017	21	0.5	UG/L	234		W
1,2-Dichloroethane	10/17/2017	1.7	0.5	UG/L	234		W
524.2 TVOC	10/17/2017	49.33	0	UG/L	234		W
Carbon tetrachloride	10/17/2017	1.5	0.5	UG/L	234		W
Chloroform	10/17/2017	1.5	0.5	UG/L	234		W
cis-1,2-Dichloroethylene	10/17/2017	0.1	0.5	UG/L	234	J	W
Trichloroethylene	10/17/2017	2.3	0.5	UG/L	234		W
1,1,1-Trichloroethane	4/5/2017	12	0.5	UG/L	234		W
1,1-Dichloroethane	4/5/2017	1.2	0.5	UG/L	234		W
1,1-Dichloroethylene	4/5/2017	16	0.5	UG/L	234		W
1,2-Dichloroethane	4/5/2017	2.8	0.5	UG/L	234		W
524.2 TVOC	4/5/2017	36.43	0	UG/L	234		W
Carbon tetrachloride	4/5/2017	1.1	0.5	UG/L	234		W
Chloroform	4/5/2017	1.6	0.5	UG/L	234		W
cis-1,2-Dichloroethylene	4/5/2017	0.13	0.5	UG/L	234	J	W
Trichloroethylene	4/5/2017	1.6	0.5	UG/L	234		W
1,1,1-Trichloroethane	1/5/2017	18	0.5	UG/L	234		W
1,1-Dichloroethane	1/5/2017	0.33	0.5	UG/L	234	J	W
1,1-Dichloroethylene	1/5/2017	16	0.5	UG/L	234		W
1,2-Dichloroethane	1/5/2017	3.8	0.5	UG/L	234		W
524.2 TVOC	1/5/2017	43.98	0	UG/L	234		W

Appendix B

OU III LIPA Petition for Closure

2004 - 2024 Extraction Well Analytical Data Summary - VOCs Detected Above Laboratory MDL

Carbon tetrachloride	1/5/2017	1.8	0.5	UG/L	234		W
Chloroform	1/5/2017	2	0.5	UG/L	234		W
cis-1,2-Dichloroethylene	1/5/2017	0.15	0.5	UG/L	234	J	W
Trichloroethylene	1/5/2017	1.9	0.5	UG/L	234		W
1,1,1-Trichloroethane	10/3/2016	17	0.5	UG/L	234		W
1,1-Dichloroethane	10/3/2016	0.32	0.5	UG/L	234	J	W
1,1-Dichloroethylene	10/3/2016	16	0.5	UG/L	234		W
1,2-Dichloroethane	10/3/2016	3.1	0.5	UG/L	234		W
524.2 TVOC	10/3/2016	41.3	0	UG/L	234		W
Carbon tetrachloride	10/3/2016	1.5	0.5	UG/L	234		W
Chloroform	10/3/2016	1.7	0.5	UG/L	234		W
cis-1,2-Dichloroethylene	10/3/2016	0.18	0.5	UG/L	234	J	W
Trichloroethylene	10/3/2016	1.5	0.5	UG/L	234		W
1,1,1-Trichloroethane	7/6/2016	20	0.5	UG/L	234		W
1,1-Dichloroethane	7/6/2016	0.39	0.5	UG/L	234	J	W
1,1-Dichloroethylene	7/6/2016	15	0.5	UG/L	234		W
1,2-Dichloroethane	7/6/2016	3.1	0.5	UG/L	234		W
524.2 TVOC	7/6/2016	44.23	0	UG/L	234		W
Carbon tetrachloride	7/6/2016	1.7	0.5	UG/L	234		W
Chloroform	7/6/2016	2	0.5	UG/L	234		W
cis-1,2-Dichloroethylene	7/6/2016	0.24	0.5	UG/L	234	J	W
Trichloroethylene	7/6/2016	1.8	0.5	UG/L	234		W
1,1,1-Trichloroethane	4/11/2016	16	0.5	UG/L	234		W
1,1-Dichloroethane	4/11/2016	0.34	0.5	UG/L	234	J	W
1,1-Dichloroethylene	4/11/2016	11	0.5	UG/L	234		W
1,2-Dichloroethane	4/11/2016	1.9	0.5	UG/L	234		W
524.2 TVOC	4/11/2016	33.73	0	UG/L	234		W
Carbon tetrachloride	4/11/2016	1.1	0.5	UG/L	234		W
Chloroform	4/11/2016	1.7	0.5	UG/L	234		W
cis-1,2-Dichloroethylene	4/11/2016	0.19	0.5	UG/L	234	J	W
Trichloroethylene	4/11/2016	1.5	0.5	UG/L	234		W
1,1,1-Trichloroethane	1/5/2016	9.3	0.5	UG/L	234		W
1,1-Dichloroethane	1/5/2016	0.19	0.5	UG/L	234	J	W
1,1-Dichloroethylene	1/5/2016	9	0.5	UG/L	234		W
1,2-Dichloroethane	1/5/2016	1.1	0.5	UG/L	234		W
524.2 TVOC	1/5/2016	23.05	0	UG/L	234		W
Carbon tetrachloride	1/5/2016	0.72	0.5	UG/L	234		W
Chloroform	1/5/2016	1.1	0.5	UG/L	234		W
cis-1,2-Dichloroethylene	1/5/2016	0.24	0.5	UG/L	234	J	W
Trichloroethylene	1/5/2016	1.4	0.5	UG/L	234		W
1,1,1-Trichloroethane	10/5/2015	4.1	0.5	UG/L	234		W
1,1-Dichloroethane	10/5/2015	0.082	0.5	UG/L	234	J	W
1,1-Dichloroethylene	10/5/2015	3	0.5	UG/L	234		W
1,2-Dichloroethane	10/5/2015	0.27	0.5	UG/L	234	J	W
524.2 TVOC	10/5/2015	9.803	0	UG/L	234		W
Carbon tetrachloride	10/5/2015	0.32	0.5	UG/L	234	J	W
Chloroform	10/5/2015	0.71	0.5	UG/L	234		W
cis-1,2-Dichloroethylene	10/5/2015	0.13	0.5	UG/L	234	J	W
Methyl chloride	10/5/2015	0.091	0.5	UG/L	234	J	W
Trichloroethylene	10/5/2015	1.1	0.5	UG/L	234		W
1,1,1-Trichloroethane	7/7/2015	6.6	0.5	UG/L	234		W
1,1-Dichloroethane	7/7/2015	0.13	0.5	UG/L	234	J	W
1,1-Dichloroethylene	7/7/2015	5.6	0.5	UG/L	234		W

Appendix B

OU III LIPA Petition for Closure

2004 - 2024 Extraction Well Analytical Data Summary - VOCs Detected Above Laboratory MDL

524.2 TVOC	7/7/2015	15.15	0	UG/L	234		W
Carbon tetrachloride	7/7/2015	0.62	0.5	UG/L	234		W
Chloroform	7/7/2015	0.5	0.5	UG/L	234		W
cis-1,2-Dichloroethylene	7/7/2015	0.2	0.5	UG/L	234	J	W
Trichloroethylene	7/7/2015	1.5	0.5	UG/L	234		W
1,1,1-Trichloroethane	4/2/2015	4.8	0.5	UG/L	234		W
1,1-Dichloroethane	4/2/2015	0.1	0.5	UG/L	234	J	W
1,1-Dichloroethylene	4/2/2015	3.7	0.5	UG/L	234		W
1,2-Dichloroethane	4/2/2015	0.16	0.5	UG/L	234	J	W
524.2 TVOC	4/2/2015	10.66	0	UG/L	234		W
Carbon tetrachloride	4/2/2015	0.3	0.5	UG/L	234	J	W
Chloroform	4/2/2015	0.23	0.5	UG/L	234	J	W
cis-1,2-Dichloroethylene	4/2/2015	0.27	0.5	UG/L	234	J	W
Trichloroethylene	4/2/2015	1.1	0.5	UG/L	234		W
1,1,1-Trichloroethane	1/6/2015	5.2	0.5	UG/L	234		W
1,1-Dichloroethane	1/6/2015	0.22	0.5	UG/L	234	J	W
1,1-Dichloroethylene	1/6/2015	3.9	0.5	UG/L	234		W
1,2-Dichloroethane	1/6/2015	0.19	0.5	UG/L	234	J	W
524.2 TVOC	1/6/2015	11.369	0	UG/L	234		W
Carbon tetrachloride	1/6/2015	0.19	0.5	UG/L	234	J	W
Chloroform	1/6/2015	0.27	0.5	UG/L	234	J	W
cis-1,2-Dichloroethylene	1/6/2015	0.2	0.5	UG/L	234	J	W
Methyl chloride	1/6/2015	0.099	0.5	UG/L	234	J	W
Trichloroethylene	1/6/2015	1.1	0.5	UG/L	234		W
1,1,1-Trichloroethane	10/6/2014	4.7	0.5	UG/L	234		W
1,1-Dichloroethane	10/6/2014	0.13	0.5	UG/L	234	J	W
1,1-Dichloroethylene	10/6/2014	3.7	0.5	UG/L	234		W
1,2-Dichloroethane	10/6/2014	0.14	0.5	UG/L	234	J	W
524.2 TVOC	10/6/2014	10.3	0	UG/L	234		W
Carbon tetrachloride	10/6/2014	0.24	0.5	UG/L	234	J	W
Chloroform	10/6/2014	0.17	0.5	UG/L	234	J	W
cis-1,2-Dichloroethylene	10/6/2014	0.22	0.5	UG/L	234	J	W
Trichloroethylene	10/6/2014	1	0.5	UG/L	234		W
1,1,1-Trichloroethane	7/9/2014	2.6	0.5	UG/L	234		W
1,1-Dichloroethane	7/9/2014	0.67	0.5	UG/L	234		W
1,1-Dichloroethylene	7/9/2014	3.1	0.5	UG/L	234		W
1,2-Dichloroethane	7/9/2014	0.21	0.5	UG/L	234	J	W
524.2 TVOC	7/9/2014	8.09	0	UG/L	234		W
Chloroform	7/9/2014	0.3	0.5	UG/L	234	J	W
cis-1,2-Dichloroethylene	7/9/2014	0.21	0.5	UG/L	234	J	W
Trichloroethylene	7/9/2014	1	0.5	UG/L	234		W
1,1,1-Trichloroethane	4/1/2014	4	0.5	UG/L	234		W
1,1-Dichloroethane	4/1/2014	0.31	0.5	UG/L	234	J	W
1,1-Dichloroethylene	4/1/2014	3.4	0.5	UG/L	234		W
524.2 TVOC	4/1/2014	9.709	0	UG/L	234		W
Carbon tetrachloride	4/1/2014	0.24	0.5	UG/L	234	J	W
Chloroform	4/1/2014	0.33	0.5	UG/L	234	J	W
cis-1,2-Dichloroethylene	4/1/2014	0.15	0.5	UG/L	234	J	W
Toluene	4/1/2014	0.079	0.5	UG/L	234	J	W
Trichloroethylene	4/1/2014	1.2	0.5	UG/L	234		W
1,1,1-Trichloroethane	1/9/2014	1.6	0.5	UG/L	234		W
1,1-Dichloroethane	1/9/2014	0.87	0.5	UG/L	234		W
1,1-Dichloroethylene	1/9/2014	3.9	0.5	UG/L	234		W

Appendix B

OU III LIPA Petition for Closure

2004 - 2024 Extraction Well Analytical Data Summary - VOCs Detected Above Laboratory MDL

1,2-Dichloroethane	1/9/2014	0.13	0.5	UG/L	234	J	W
524.2 TVOC	1/9/2014	8.51	0	UG/L	234		W
Chloroform	1/9/2014	0.43	0.5	UG/L	234	J	W
cis-1,2-Dichloroethylene	1/9/2014	0.15	0.5	UG/L	234	J	W
Toluene	1/9/2014	0.23	0.5	UG/L	234	J	W
Trichloroethylene	1/9/2014	1.2	0.5	UG/L	234		W
1,1,1-Trichloroethane	10/15/2013	0.82	0.5	UG/L	234		W
1,1-Dichloroethane	10/15/2013	1	0.5	UG/L	234		W
1,1-Dichloroethylene	10/15/2013	3.1	0.5	UG/L	234		W
524.2 TVOC	10/15/2013	7.197	0	UG/L	234		W
Benzene, 1,2,4-trimethyl	10/15/2013	0.087	0.5	UG/L	234	J	W
Chloroform	10/15/2013	0.3	0.5	UG/L	234	J	W
Toluene	10/15/2013	1	0.5	UG/L	234		W
Trichloroethylene	10/15/2013	0.89	0.5	UG/L	234		W
1,1,1-Trichloroethane	7/1/2013	1	0.5	UG/L	234		W
1,1-Dichloroethane	7/1/2013	1.3	0.5	UG/L	234		W
1,1-Dichloroethylene	7/1/2013	3.9	0.5	UG/L	234		W
1,2-Dichloroethane	7/1/2013	0.14	0.5	UG/L	234	J	W
524.2 TVOC	7/1/2013	8.21	0	UG/L	234		W
Chloroform	7/1/2013	0.43	0.5	UG/L	234	J	W
Methylene chloride	7/1/2013	0.14	0.5	UG/L	234	J	W
Trichloroethylene	7/1/2013	1.3	0.5	UG/L	234		W
1,1,1-Trichloroethane	4/2/2013	2.4	0.5	UG/L	234		W
1,1-Dichloroethane	4/2/2013	0.41	0.5	UG/L	234	J	W
1,1-Dichloroethylene	4/2/2013	2.3	0.5	UG/L	234		W
524.2 TVOC	4/2/2013	6.801	0	UG/L	234		W
Chloroform	4/2/2013	0.51	0.5	UG/L	234		W
Toluene	4/2/2013	0.081	0.5	UG/L	234	J	W
Trichloroethylene	4/2/2013	1.1	0.5	UG/L	234		W
1,1,1-Trichloroethane	1/3/2013	0.48	0.5	UG/L	234	J	W
1,1-Dichloroethane	1/3/2013	0.92	0.5	UG/L	234		W
1,1-Dichloroethylene	1/3/2013	3.6	0.5	UG/L	234		W
524.2 TVOC	1/3/2013	6.96	0	UG/L	234		W
Chloroform	1/3/2013	0.36	0.5	UG/L	234	J	W
Methyl tert-butyl ether	1/3/2013	0.15	0.5	UG/L	234	J	W
Toluene	1/3/2013	0.15	0.5	UG/L	234	J	W
Trichloroethylene	1/3/2013	1.3	0.5	UG/L	234		W
1,1,1-Trichloroethane	10/3/2012	6.3	0.5	UG/L	234		W
1,1-Dichloroethylene	10/3/2012	4.3	0.5	UG/L	234		W
524.2 TVOC	10/3/2012	13.751	0	UG/L	234		W
Carbon tetrachloride	10/3/2012	0.65	0.5	UG/L	234		W
Chloroform	10/3/2012	0.48	0.5	UG/L	234	J	W
cis-1,2-Dichloroethylene	10/3/2012	0.11	0.5	UG/L	234	J	W
Methyl chloride	10/3/2012	0.081	0.5	UG/L	234	J	W
Methylene chloride	10/3/2012	0.13	0.5	UG/L	234	J	W
Trichloroethylene	10/3/2012	1.7	0.5	UG/L	234		W
1,1,1-Trichloroethane	7/2/2012	5.2	0.5	UG/L	234		W
1,1-Dichloroethylene	7/2/2012	3.2	0.5	UG/L	234		W
524.2 TVOC	7/2/2012	10.959	0	UG/L	234		W
Carbon tetrachloride	7/2/2012	0.46	0.5	UG/L	234	J	W
Chloroform	7/2/2012	0.4	0.5	UG/L	234	J	W
cis-1,2-Dichloroethylene	7/2/2012	0.11	0.5	UG/L	234	J	W
Methyl chloride	7/2/2012	0.079	0.5	UG/L	234	J	W

Appendix B

OU III LIPA Petition for Closure

2004 - 2024 Extraction Well Analytical Data Summary - VOCs Detected Above Laboratory MDL

Methylene chloride	7/2/2012	0.11	0.5	UG/L	234	J	W
Trichloroethylene	7/2/2012	1.4	0.5	UG/L	234		W
1,1,1-Trichloroethane	4/6/2012	2.6	0.5	UG/L	234		W
1,1-Dichloroethane	4/6/2012	0.27	0.5	UG/L	234	J	W
1,1-Dichloroethylene	4/6/2012	2.2	0.5	UG/L	234		W
524.2 TVOC	4/6/2012	7.185	0	UG/L	234		W
Chloroform	4/6/2012	0.54	0.5	UG/L	234		W
Toluene	4/6/2012	0.075	0.5	UG/L	234	J	W
Trichloroethylene	4/6/2012	1.5	0.5	UG/L	234		W
1,1,1-Trichloroethane	1/6/2012	5.1	0.5	UG/L	234		W
1,1-Dichloroethylene	1/6/2012	3	0.5	UG/L	234		W
524.2 TVOC	1/6/2012	11.05	0	UG/L	234		W
Carbon tetrachloride	1/6/2012	0.6	0.5	UG/L	234		W
Chloroform	1/6/2012	0.43	0.5	UG/L	234	J	W
cis-1,2-Dichloroethylene	1/6/2012	0.12	0.5	UG/L	234	J	W
Trichloroethylene	1/6/2012	1.8	0.5	UG/L	234		W
1,1,1-Trichloroethane	10/3/2011	5.9	0.5	UG/L	234		W
1,1-Dichloroethane	10/3/2011	0.069	0.5	UG/L	234	J	W
1,1-Dichloroethylene	10/3/2011	3.4	0.5	UG/L	234		W
1,2-Dichloroethane	10/3/2011	0.12	0.5	UG/L	234	J	W
524.2 TVOC	10/3/2011	13.439	0	UG/L	234		W
Carbon tetrachloride	10/3/2011	0.64	0.5	UG/L	234		W
Chloroform	10/3/2011	0.44	0.5	UG/L	234	J	W
cis-1,2-Dichloroethylene	10/3/2011	0.13	0.5	UG/L	234	J	W
Methyl chloride	10/3/2011	0.11	0.5	UG/L	234	J	W
Methylene chloride	10/3/2011	0.63	0.5	UG/L	234	B	W
Trichloroethylene	10/3/2011	2	0.5	UG/L	234		W
1,1,1-Trichloroethane	7/7/2011	5	0.5	UG/L	234		W
1,1-Dichloroethylene	7/7/2011	2.9	0.5	UG/L	234		W
1,2-Dichloroethane	7/7/2011	0.16	0.5	UG/L	234	J	W
524.2 TVOC	7/7/2011	10.73	0	UG/L	234		W
Carbon tetrachloride	7/7/2011	0.49	0.5	UG/L	234	J	W
Chloroform	7/7/2011	0.35	0.5	UG/L	234	J	W
cis-1,2-Dichloroethylene	7/7/2011	0.13	0.5	UG/L	234	J	W
Trichloroethylene	7/7/2011	1.7	0.5	UG/L	234		W
1,1,1-Trichloroethane	4/5/2011	5.1	0.5	UG/L	234		W
1,1-Dichloroethane	4/5/2011	0.084	0.5	UG/L	234	J	W
1,1-Dichloroethylene	4/5/2011	3	0.5	UG/L	234		W
1,2-Dichloroethane	4/5/2011	0.23	0.5	UG/L	234	J	W
524.2 TVOC	4/5/2011	11.444	0	UG/L	234		W
Carbon tetrachloride	4/5/2011	0.56	0.5	UG/L	234		W
Chloroform	4/5/2011	0.25	0.5	UG/L	234	J	W
cis-1,2-Dichloroethylene	4/5/2011	0.22	0.5	UG/L	234	J	W
Trichloroethylene	4/5/2011	2	0.5	UG/L	234		W
1,1,1-Trichloroethane	1/6/2011	3.6	0.5	UG/L	234		W
1,1-Dichloroethylene	1/6/2011	2	0.5	UG/L	234		W
1,2-Dichloroethane	1/6/2011	0.18	0.5	UG/L	234	J	W
524.2 TVOC	1/6/2011	10.21	0	UG/L	234		W
Carbon tetrachloride	1/6/2011	0.76	0.5	UG/L	234		W
Chloroform	1/6/2011	0.35	0.5	UG/L	234	J	W
cis-1,2-Dichloroethylene	1/6/2011	0.21	0.5	UG/L	234	J	W
Methyl chloride	1/6/2011	0.17	0.5	UG/L	234	J	W
Methylene chloride	1/6/2011	0.14	0.5	UG/L	234	J B	W

Appendix B

OU III LIPA Petition for Closure

2004 - 2024 Extraction Well Analytical Data Summary - VOCs Detected Above Laboratory MDL

Trichloroethylene	1/6/2011	2.8	0.5	UG/L	234		W
1,1,1-Trichloroethane	10/5/2010	2.2	0.5	UG/L	234		W
1,1-Dichloroethylene	10/5/2010	1.2	0.5	UG/L	234		W
1,2-Dichloroethane	10/5/2010	0.1	0.5	UG/L	234	J	W
524.2 TVOC	10/5/2010	6.24	0	UG/L	234		W
Carbon tetrachloride	10/5/2010	0.28	0.5	UG/L	234	J	W
Chloroform	10/5/2010	0.86	0.5	UG/L	234		W
cis-1,2-Dichloroethylene	10/5/2010	0.12	0.5	UG/L	234	J	W
Methyl chloride	10/5/2010	0.27	0.5	UG/L	234	J	W
Methylene chloride	10/5/2010	0.21	0.5	UG/L	234	J B	W
Trichloroethylene	10/5/2010	1	0.5	UG/L	234		W
1,1,1-Trichloroethane	7/2/2010	3.6	0.5	UG/L	234		W
1,1-Dichloroethylene	7/2/2010	1.5	0.5	UG/L	234		W
1,2-Dichloroethane	7/2/2010	0.15	0.5	UG/L	234	J	W
524.2 TVOC	7/2/2010	8.73	0	UG/L	234		W
Carbon tetrachloride	7/2/2010	0.46	0.5	UG/L	234	J	W
Chloroform	7/2/2010	0.71	0.5	UG/L	234		W
cis-1,2-Dichloroethylene	7/2/2010	0.17	0.5	UG/L	234	J	W
Methyl chloride	7/2/2010	0.37	0.5	UG/L	234	J B	W
Methyl tert-butyl ether	7/2/2010	0.12	0.5	UG/L	234	J	W
Methylene chloride	7/2/2010	0.15	0.5	UG/L	234	J B	W
Trichloroethylene	7/2/2010	1.5	0.5	UG/L	234		W
1,1,1-Trichloroethane	4/2/2010	1.82	0.5	UG/L	234		W
1,1-Dichloroethylene	4/2/2010	0.8	0.5	UG/L	234		W
524.2 TVOC	4/2/2010	8.02	0	UG/L	234		W
Carbon tetrachloride	4/2/2010	0.26	0.5	UG/L	234	J	W
Chloroform	4/2/2010	0.62	0.5	UG/L	234		W
Methyl chloride	4/2/2010	0.42	0.5	UG/L	234	J	W
Methylene chloride	4/2/2010	3.06	0.5	UG/L	234	B	W
Trichloroethylene	4/2/2010	1.04	0.5	UG/L	234		W
1,1,1-Trichloroethane	1/6/2010	4.1	0.5	UG/L	234		W
1,1-Dichloroethylene	1/6/2010	1.9	0.5	UG/L	234		W
524.2 TVOC	1/6/2010	10.04	0	UG/L	234		W
Carbon tetrachloride	1/6/2010	0.83	0.5	UG/L	234		W
Chloroform	1/6/2010	0.85	0.5	UG/L	234	B	W
cis-1,2-Dichloroethylene	1/6/2010	0.15	0.5	UG/L	234	J	W
Methyl bromide	1/6/2010	0.11	0.5	UG/L	234	J B	W
Trichloroethylene	1/6/2010	2.1	0.5	UG/L	234		W
1,1,1-Trichloroethane	7/15/2009	3	0.5	UG/L	234		W
1,1-Dichloroethylene	7/15/2009	1.4	0.5	UG/L	234		W
524.2 TVOC	7/15/2009	8.75	0	UG/L	234		W
Carbon tetrachloride	7/15/2009	0.95	0.5	UG/L	234		W
Chloroform	7/15/2009	0.91	0.5	UG/L	234		W
Methyl bromide	7/15/2009	0.16	0.5	UG/L	234	J	W
Methyl chloride	7/15/2009	0.23	0.5	UG/L	234	J	W
Trichloroethylene	7/15/2009	2.1	0.5	UG/L	234		W
1,1,1-Trichloroethane	4/8/2009	3.1	0.5	UG/L	234		W
1,1-Dichloroethylene	4/8/2009	1.3	0.5	UG/L	234		W
524.2 TVOC	4/8/2009	9.22	0	UG/L	234		W
Carbon tetrachloride	4/8/2009	1	0.5	UG/L	234		W
Chloroform	4/8/2009	0.89	0.5	UG/L	234		W
cis-1,2-Dichloroethylene	4/8/2009	0.16	0.5	UG/L	234	J	W
Methylene chloride	4/8/2009	0.17	0.5	UG/L	234	J	W

Appendix B

OU III LIPA Petition for Closure

2004 - 2024 Extraction Well Analytical Data Summary - VOCs Detected Above Laboratory MDL

Trichloroethylene	4/8/2009	2.6	0.5	UG/L	234		W
1,1,1-Trichloroethane	2/11/2009	3.2	0.5	UG/L	234		W
1,1-Dichloroethylene	2/11/2009	1.4	0.5	UG/L	234		W
524.2 TVOC	2/11/2009	10.17	0	UG/L	234		W
Carbon tetrachloride	2/11/2009	1.2	0.5	UG/L	234		W
Chloroform	2/11/2009	0.96	0.5	UG/L	234		W
cis-1,2-Dichloroethylene	2/11/2009	0.18	0.5	UG/L	234	J	W
Methylene chloride	2/11/2009	0.23	0.5	UG/L	234	J B	W
Trichloroethylene	2/11/2009	3	0.5	UG/L	234		W
1,1,1-Trichloroethane	10/15/2008	6.1	0.5	UG/L	234		W
1,1-Dichloroethylene	10/15/2008	2.5	0.5	UG/L	234		W
1,2-Dichloroethane	10/15/2008	0.18	0.5	UG/L	234	J	W
524.2 TVOC	10/15/2008	18.24	0	UG/L	234		W
Carbon tetrachloride	10/15/2008	2.5	0.5	UG/L	234		W
Chloroform	10/15/2008	0.92	0.5	UG/L	234		W
cis-1,2-Dichloroethylene	10/15/2008	0.37	0.5	UG/L	234	J	W
Methyl chloride	10/15/2008	0.22	0.5	UG/L	234	J	W
Methylene chloride	10/15/2008	0.15	0.5	UG/L	234	J	W
Trichloroethylene	10/15/2008	5.3	0.5	UG/L	234		W
1,1,1-Trichloroethane	4/16/2008	9.2	0.5	UG/L	234		W
1,1-Dichloroethylene	4/16/2008	3	0.5	UG/L	234		W
1,2-Dichloroethane	4/16/2008	0.2	0.5	UG/L	234	J	W
524.2 TVOC	4/16/2008	23.55	0	UG/L	234		W
Carbon tetrachloride	4/16/2008	3.4	0.5	UG/L	234		W
Chloroform	4/16/2008	1.3	0.5	UG/L	234		W
cis-1,2-Dichloroethylene	4/16/2008	0.35	0.5	UG/L	234	J	W
Trichloroethylene	4/16/2008	6.1	0.5	UG/L	234		W
1,1,1-Trichloroethane	2/8/2008	9.4	0.5	UG/L	234		W
1,1-Dichloroethane	2/8/2008	0.082	0.5	UG/L	234	J	W
1,1-Dichloroethylene	2/8/2008	4.2	0.5	UG/L	234		W
1,2-Dichloroethane	2/8/2008	0.18	0.5	UG/L	234	J	W
524.2 TVOC	2/8/2008	23.702	0	UG/L	234		W
Carbon tetrachloride	2/8/2008	2.8	0.5	UG/L	234		W
Chloroform	2/8/2008	1.3	0.5	UG/L	234		W
cis-1,2-Dichloroethylene	2/8/2008	0.44	0.5	UG/L	234	J	W
Trichloroethylene	2/8/2008	5.3	0.5	UG/L	234		W
1,1,1-Trichloroethane	1/29/2008	11	0.5	UG/L	234		W
1,1-Dichloroethane	1/29/2008	0.098	0.5	UG/L	234	J	W
1,1-Dichloroethylene	1/29/2008	5	0.5	UG/L	234		W
1,2-Dichloroethane	1/29/2008	0.26	0.5	UG/L	234	J	W
524.2 TVOC	1/29/2008	28.918	0	UG/L	234		W
Carbon tetrachloride	1/29/2008	3.9	0.5	UG/L	234		W
Chloroform	1/29/2008	1.2	0.5	UG/L	234		W
cis-1,2-Dichloroethylene	1/29/2008	0.46	0.5	UG/L	234	J	W
Trichloroethylene	1/29/2008	7	0.5	UG/L	234		W
1,1,1-Trichloroethane	12/19/2007	8.6	0.5	UG/L	234		W
1,1-Dichloroethane	12/19/2007	0.096	0.5	UG/L	234	J	W
1,1-Dichloroethylene	12/19/2007	4.6	0.5	UG/L	234		W
1,2-Dichloroethane	12/19/2007	0.24	0.5	UG/L	234	J	W
524.2 TVOC	12/19/2007	22.696	0	UG/L	234		W
Carbon tetrachloride	12/19/2007	2.1	0.5	UG/L	234		W
Chloroform	12/19/2007	1.2	0.5	UG/L	234		W
cis-1,2-Dichloroethylene	12/19/2007	0.52	0.5	UG/L	234		W

Appendix B

OU III LIPA Petition for Closure

2004 - 2024 Extraction Well Analytical Data Summary - VOCs Detected Above Laboratory MDL

Methylene chloride	12/19/2007	0.14	0.5	UG/L	234	J B	W
Trichloroethylene	12/19/2007	5.2	0.5	UG/L	234		W
1,1,1-Trichloroethane	10/18/2007	16	0.5	UG/L	234		W
1,1-Dichloroethane	10/18/2007	0.18	0.5	UG/L	234	J	W
1,1-Dichloroethylene	10/18/2007	9	0.5	UG/L	234		W
1,2-Dichloroethane	10/18/2007	0.3	0.5	UG/L	234	J	W
524.2 TVOC	10/18/2007	36.18	0	UG/L	234		W
Carbon tetrachloride	10/18/2007	2.2	0.5	UG/L	234		W
Chloroform	10/18/2007	1.4	0.5	UG/L	234		W
cis-1,2-Dichloroethylene	10/18/2007	0.45	0.5	UG/L	234	J	W
Methyl chloride	10/18/2007	0.55	0.5	UG/L	234		W
Trichloroethylene	10/18/2007	6.1	0.5	UG/L	234		W
1,1,1-Trichloroethane	7/27/2007	14	0.5	UG/L	234		W
1,1-Dichloroethane	7/27/2007	0.13	0.5	UG/L	234	J	W
1,1-Dichloroethylene	7/27/2007	6.9	0.5	UG/L	234		W
1,2-Dichloroethane	7/27/2007	0.25	0.5	UG/L	234	J	W
524.2 TVOC	7/27/2007	31.84	0	UG/L	234		W
Carbon tetrachloride	7/27/2007	2.3	0.5	UG/L	234		W
Chloroform	7/27/2007	1.2	0.5	UG/L	234		W
cis-1,2-Dichloroethylene	7/27/2007	0.65	0.5	UG/L	234		W
Methyl chloride	7/27/2007	0.24	0.5	UG/L	234	J	W
Methyl tert-butyl ether	7/27/2007	0.14	0.5	UG/L	234	J	W
Methylene chloride	7/27/2007	0.13	0.5	UG/L	234	J	W
Trichloroethylene	7/27/2007	5.9	0.5	UG/L	234		W
1,1,1-Trichloroethane	5/21/2007	11	0.5	UG/L	234		W
1,1-Dichloroethane	5/21/2007	0.085	0.5	UG/L	234	J	W
1,1-Dichloroethylene	5/21/2007	6.1	0.5	UG/L	234		W
1,2-Dichloroethane	5/21/2007	0.18	0.5	UG/L	234	J	W
524.2 TVOC	5/21/2007	24.335	0	UG/L	234		W
Carbon tetrachloride	5/21/2007	1.5	0.5	UG/L	234		W
Chloroform	5/21/2007	0.93	0.5	UG/L	234		W
cis-1,2-Dichloroethylene	5/21/2007	0.47	0.5	UG/L	234	J	W
Methyl tert-butyl ether	5/21/2007	0.17	0.5	UG/L	234	J	W
Trichloroethylene	5/21/2007	3.9	0.5	UG/L	234		W
1,1,1-Trichloroethane	4/10/2007	15	0.5	UG/L	234		W
1,1-Dichloroethane	4/10/2007	0.1	0.5	UG/L	234	J	W
1,1-Dichloroethylene	4/10/2007	6.2	0.5	UG/L	234		W
524.2 TVOC	4/10/2007	30.48	0	UG/L	234		W
Carbon tetrachloride	4/10/2007	2.1	0.5	UG/L	234		W
Chloroform	4/10/2007	1.2	0.5	UG/L	234		W
cis-1,2-Dichloroethylene	4/10/2007	0.5	0.5	UG/L	234		W
Methyl tert-butyl ether	4/10/2007	0.18	0.5	UG/L	234	J	W
Trichloroethylene	4/10/2007	5.2	0.5	UG/L	234		W
1,1,1-Trichloroethane	3/22/2007	16	0.5	UG/L	234		W
1,1-Dichloroethylene	3/22/2007	7.8	0.5	UG/L	234		W
1,2-Dichloroethane	3/22/2007	0.27	0.5	UG/L	234	J	W
524.2 TVOC	3/22/2007	33.52	0	UG/L	234		W
Carbon tetrachloride	3/22/2007	1.9	0.5	UG/L	234		W
Chloroform	3/22/2007	1.3	0.5	UG/L	234		W
cis-1,2-Dichloroethylene	3/22/2007	0.62	0.5	UG/L	234		W
Methyl tert-butyl ether	3/22/2007	0.23	0.5	UG/L	234	J	W
Trichloroethylene	3/22/2007	5.4	0.5	UG/L	234		W
1,1,1-Trichloroethane	2/12/2007	17	0.5	UG/L	234		W

Appendix B

OU III LIPA Petition for Closure

2004 - 2024 Extraction Well Analytical Data Summary - VOCs Detected Above Laboratory MDL

1,1-Dichloroethane	2/12/2007	0.14	0.5	UG/L	234	J	W
1,1-Dichloroethylene	2/12/2007	8.7	0.5	UG/L	234		W
1,2-Dichloroethane	2/12/2007	0.25	0.5	UG/L	234	J	W
524.2 TVOC	2/12/2007	35.79	0	UG/L	234		W
Carbon tetrachloride	2/12/2007	1.8	0.5	UG/L	234		W
Chloroform	2/12/2007	1.2	0.5	UG/L	234		W
cis-1,2-Dichloroethylene	2/12/2007	0.75	0.5	UG/L	234		W
Methyl tert-butyl ether	2/12/2007	0.35	0.5	UG/L	234	J	W
Trichloroethylene	2/12/2007	5.6	0.5	UG/L	234		W
1,1,1-Trichloroethane	1/29/2007	18	0.5	UG/L	234		W
1,1-Dichloroethylene	1/29/2007	9.6	0.5	UG/L	234		W
524.2 TVOC	1/29/2007	37.74	0	UG/L	234		W
Carbon tetrachloride	1/29/2007	2.2	0.5	UG/L	234		W
Chloroform	1/29/2007	1.1	0.5	UG/L	234		W
cis-1,2-Dichloroethylene	1/29/2007	0.74	0.5	UG/L	234		W
Trichloroethylene	1/29/2007	6.1	0.5	UG/L	234		W
1,1,1-Trichloroethane	12/18/2006	18	0.5	UG/L	234		W
1,1-Dichloroethylene	12/18/2006	8.6	0.5	UG/L	234		W
524.2 TVOC	12/18/2006	37.65	0	UG/L	234		W
Carbon tetrachloride	12/18/2006	2.1	0.5	UG/L	234		W
Chloroform	12/18/2006	1.3	0.5	UG/L	234		W
cis-1,2-Dichloroethylene	12/18/2006	0.82	0.5	UG/L	234		W
Methyl tert-butyl ether	12/18/2006	0.43	0.5	UG/L	234	J	W
Trichloroethylene	12/18/2006	6.4	0.5	UG/L	234		W
1,1,1-Trichloroethane	11/27/2006	18	0.5	UG/L	234		W
1,1-Dichloroethane	11/27/2006	0.15	0.5	UG/L	234	J	W
1,1-Dichloroethylene	11/27/2006	8.3	0.5	UG/L	234		W
1,2-Dichloroethane	11/27/2006	0.38	0.5	UG/L	234	J	W
524.2 TVOC	11/27/2006	38.61	0	UG/L	234		W
Carbon tetrachloride	11/27/2006	2.2	0.5	UG/L	234		W
Chloroform	11/27/2006	1.5	0.5	UG/L	234		W
cis-1,2-Dichloroethylene	11/27/2006	0.84	0.5	UG/L	234		W
Methyl tert-butyl ether	11/27/2006	0.44	0.5	UG/L	234	J	W
Trichloroethylene	11/27/2006	6.8	0.5	UG/L	234		W
1,1,1-Trichloroethane	10/17/2006	18	0.5	UG/L	234		W
1,1-Dichloroethane	10/17/2006	0.16	0.5	UG/L	234	J	W
1,1-Dichloroethylene	10/17/2006	8.2	0.5	UG/L	234		W
1,2-Dichloroethane	10/17/2006	0.32	0.5	UG/L	234	J	W
524.2 TVOC	10/17/2006	39.5	0	UG/L	234		W
Carbon tetrachloride	10/17/2006	2.5	0.5	UG/L	234		W
Chloroform	10/17/2006	1.4	0.5	UG/L	234		W
cis-1,2-Dichloroethylene	10/17/2006	0.9	0.5	UG/L	234		W
Methyl tert-butyl ether	10/17/2006	0.42	0.5	UG/L	234	J	W
Trichloroethylene	10/17/2006	7.6	0.5	UG/L	234		W
1,1,1-Trichloroethane	9/18/2006	17	0.5	UG/L	234		W
1,1-Dichloroethylene	9/18/2006	7.7	0.5	UG/L	234		W
524.2 TVOC	9/18/2006	37.96	0	UG/L	234		W
Carbon tetrachloride	9/18/2006	2.6	0.5	UG/L	234		W
Chloroform	9/18/2006	1.3	0.5	UG/L	234		W
cis-1,2-Dichloroethylene	9/18/2006	0.89	0.5	UG/L	234		W
Methyl tert-butyl ether	9/18/2006	0.37	0.5	UG/L	234	J	W
Trichloroethylene	9/18/2006	8.1	0.5	UG/L	234		W
1,1,1-Trichloroethane	8/24/2006	16	0.5	UG/L	234		W

Appendix B

OU III LIPA Petition for Closure

2004 - 2024 Extraction Well Analytical Data Summary - VOCs Detected Above Laboratory MDL

1,1-Dichloroethane	8/24/2006	0.14	0.5	UG/L	234	J	W
1,1-Dichloroethylene	8/24/2006	7	0.5	UG/L	234		W
524.2 TVOC	8/24/2006	36.75	0	UG/L	234		W
Carbon tetrachloride	8/24/2006	2.5	0.5	UG/L	234		W
Chloroform	8/24/2006	1.3	0.5	UG/L	234		W
cis-1,2-Dichloroethylene	8/24/2006	0.91	0.5	UG/L	234		W
Trichloroethylene	8/24/2006	8.9	0.5	UG/L	234		W
1,1,1-Trichloroethane	7/28/2006	23	0.5	UG/L	234		W
1,1-Dichloroethane	7/28/2006	0.21	0.5	UG/L	234	J	W
1,1-Dichloroethylene	7/28/2006	11	0.5	UG/L	234		W
524.2 TVOC	7/28/2006	54.13	0	UG/L	234		W
Carbon tetrachloride	7/28/2006	3.7	0.5	UG/L	234		W
Chloroform	7/28/2006	1.4	0.5	UG/L	234		W
cis-1,2-Dichloroethylene	7/28/2006	1.4	0.5	UG/L	234		W
Methyl tert-butyl ether	7/28/2006	0.22	0.5	UG/L	234	J	W
Methylene chloride	7/28/2006	0.2	0.5	UG/L	234	J	W
Trichloroethylene	7/28/2006	13	0.5	UG/L	234		W
1,1,1-Trichloroethane	6/20/2006	12	0.5	UG/L	234		W
1,1-Dichloroethylene	6/20/2006	4	0.5	UG/L	234		W
524.2 TVOC	6/20/2006	28.46	0	UG/L	234		W
Carbon tetrachloride	6/20/2006	2.3	0.5	UG/L	234		W
Chloroform	6/20/2006	1.1	0.5	UG/L	234		W
cis-1,2-Dichloroethylene	6/20/2006	0.9	0.5	UG/L	234		W
Methyl tert-butyl ether	6/20/2006	0.56	0.5	UG/L	234		W
Trichloroethylene	6/20/2006	7.6	0.5	UG/L	234		W
1,1,1-Trichloroethane	5/22/2006	10	0.5	UG/L	234		W
1,1-Dichloroethane	5/22/2006	0.12	0.5	UG/L	234	J	W
1,1-Dichloroethylene	5/22/2006	4	0.5	UG/L	234		W
524.2 TVOC	5/22/2006	27	0	UG/L	234		W
Carbon tetrachloride	5/22/2006	2.1	0.5	UG/L	234		W
Chloroform	5/22/2006	1.1	0.5	UG/L	234		W
cis-1,2-Dichloroethylene	5/22/2006	0.94	0.5	UG/L	234		W
Methyl tert-butyl ether	5/22/2006	0.64	0.5	UG/L	234		W
Trichloroethylene	5/22/2006	8.1	0.5	UG/L	234		W
1,1,1-Trichloroethane	4/20/2006	10	0.5	UG/L	234		W
1,1-Dichloroethane	4/20/2006	0.1	0.5	UG/L	234	J	W
1,1-Dichloroethylene	4/20/2006	4.3	0.5	UG/L	234		W
524.2 TVOC	4/20/2006	27.86	0	UG/L	234		W
Carbon tetrachloride	4/20/2006	2.3	0.5	UG/L	234		W
Chloroform	4/20/2006	1.2	0.5	UG/L	234		W
cis-1,2-Dichloroethylene	4/20/2006	0.91	0.5	UG/L	234		W
Methyl tert-butyl ether	4/20/2006	0.85	0.5	UG/L	234		W
Trichloroethylene	4/20/2006	8.2	0.5	UG/L	234		W
1,1,1-Trichloroethane	3/13/2006	7.7	0.5	UG/L	234		W
1,1-Dichloroethane	3/13/2006	0.17	0.5	UG/L	234	J	W
1,1-Dichloroethylene	3/13/2006	4.3	0.5	UG/L	234		W
524.2 TVOC	3/13/2006	25.67	0	UG/L	234		W
Carbon tetrachloride	3/13/2006	2	0.5	UG/L	234		W
Chloroform	3/13/2006	1.2	0.5	UG/L	234		W
cis-1,2-Dichloroethylene	3/13/2006	1	0.5	UG/L	234		W
Methyl tert-butyl ether	3/13/2006	1.1	0.5	UG/L	234		W
Trichloroethylene	3/13/2006	8.2	0.5	UG/L	234		W
1,1,1-Trichloroethane	2/14/2006	5	0.5	UG/L	234		W

Appendix B

OU III LIPA Petition for Closure

2004 - 2024 Extraction Well Analytical Data Summary - VOCs Detected Above Laboratory MDL

1,1-Dichloroethane	2/14/2006	0.37	0.5	UG/L	234	J	W
1,1-Dichloroethylene	2/14/2006	3.1	0.5	UG/L	234		W
1,2-Dichloroethane	2/14/2006	0.2	0.5	UG/L	234	J	W
524.2 TVOC	2/14/2006	21.97	0	UG/L	234		W
Carbon tetrachloride	2/14/2006	1.4	0.5	UG/L	234		W
Chloroform	2/14/2006	1.2	0.5	UG/L	234		W
cis-1,2-Dichloroethylene	2/14/2006	1.1	0.5	UG/L	234		W
Methyl tert-butyl ether	2/14/2006	1.1	0.5	UG/L	234		W
Trichloroethylene	2/14/2006	8.5	0.5	UG/L	234		W
1,1,1-Trichloroethane	1/23/2006	5.5	0.5	UG/L	234		W
1,1-Dichloroethane	1/23/2006	0.092	0.5	UG/L	234	J	W
1,1-Dichloroethylene	1/23/2006	2.7	0.5	UG/L	234		W
1,2-Dichloroethane	1/23/2006	0.18	0.5	UG/L	234	J	W
524.2 TVOC	1/23/2006	21.722	0	UG/L	234		W
Carbon tetrachloride	1/23/2006	1.8	0.5	UG/L	234		W
Chloroform	1/23/2006	1.1	0.5	UG/L	234		W
cis-1,2-Dichloroethylene	1/23/2006	0.95	0.5	UG/L	234		W
Methyl tert-butyl ether	1/23/2006	0.9	0.5	UG/L	234		W
Trichloroethylene	1/23/2006	8.5	0.5	UG/L	234		W
1,1,1-Trichloroethane	12/20/2005	4.5	0.5	UG/L	234		W
1,1-Dichloroethane	12/20/2005	0.21	0.5	UG/L	234	J	W
1,1-Dichloroethylene	12/20/2005	2.1	0.5	UG/L	234		W
1,2-Dichloroethane	12/20/2005	0.19	0.5	UG/L	234	J	W
524.2 TVOC	12/20/2005	21.42	0	UG/L	234		W
Carbon tetrachloride	12/20/2005	1.8	0.5	UG/L	234		W
Chloroform	12/20/2005	1.1	0.5	UG/L	234		W
cis-1,2-Dichloroethylene	12/20/2005	1	0.5	UG/L	234		W
Methyl tert-butyl ether	12/20/2005	0.92	0.5	UG/L	234		W
Trichloroethylene	12/20/2005	9.6	0.5	UG/L	234		W
1,1,1-Trichloroethane	11/14/2005	4.2	0.5	UG/L	247		W
1,1-Dichloroethylene	11/14/2005	1.8	0.5	UG/L	247		W
1,2-Dichloroethane	11/14/2005	0.18	0.5	UG/L	247	J	W
524.2 TVOC	11/14/2005	20.49	0	UG/L	247		W
Carbon tetrachloride	11/14/2005	1.8	0.5	UG/L	247		W
Chloroform	11/14/2005	1.1	0.5	UG/L	247		W
cis-1,2-Dichloroethylene	11/14/2005	0.97	0.5	UG/L	247		W
Methyl chloride	11/14/2005	0.14	0.5	UG/L	247	J	W
Methyl tert-butyl ether	11/14/2005	1.1	0.5	UG/L	247		W
Trichloroethylene	11/14/2005	9.2	0.5	UG/L	247		W
1,1,1-Trichloroethane	10/3/2005	4.5	0.5	UG/L	247		W
1,1-Dichloroethylene	10/3/2005	2.3	0.5	UG/L	247		W
524.2 TVOC	10/3/2005	22.94	0	UG/L	247		W
Carbon tetrachloride	10/3/2005	2	0.5	UG/L	247		W
Chloroform	10/3/2005	1.2	0.5	UG/L	247		W
cis-1,2-Dichloroethylene	10/3/2005	1.1	0.5	UG/L	247		W
Methyl tert-butyl ether	10/3/2005	0.84	0.5	UG/L	247		W
Trichloroethylene	10/3/2005	11	0.5	UG/L	247		W
1,1,1-Trichloroethane	9/6/2005	4.7	0.5	UG/L	247		W
1,1-Dichloroethylene	9/6/2005	2.5	0.5	UG/L	247		W
524.2 TVOC	9/6/2005	23.65	0	UG/L	247		W
Carbon tetrachloride	9/6/2005	2.3	0.5	UG/L	247		W
Chloroform	9/6/2005	1.1	0.5	UG/L	247		W
cis-1,2-Dichloroethylene	9/6/2005	1.2	0.5	UG/L	247		W

Appendix B

OU III LIPA Petition for Closure

2004 - 2024 Extraction Well Analytical Data Summary - VOCs Detected Above Laboratory MDL

Methyl tert-butyl ether	9/6/2005	0.85	0.5	UG/L	247		W
Trichloroethylene	9/6/2005	11	0.5	UG/L	247		W
1,1,1-Trichloroethane	8/17/2005	5.1	0.5	UG/L	247		W
1,1-Dichloroethylene	8/17/2005	1.2	0.5	UG/L	247		W
524.2 TVOC	8/17/2005	26.18	0	UG/L	247		W
Carbon tetrachloride	8/17/2005	2.6	0.5	UG/L	247		W
Chloroform	8/17/2005	1.3	0.5	UG/L	247		W
cis-1,2-Dichloroethylene	8/17/2005	1.3	0.5	UG/L	247		W
Methyl tert-butyl ether	8/17/2005	0.68	0.5	UG/L	247		W
Trichloroethylene	8/17/2005	14	0.5	UG/L	247		W
1,1,1-Trichloroethane	7/19/2005	6.1	0.5	UG/L	247		W
1,1-Dichloroethylene	7/19/2005	3.4	0.5	UG/L	247		W
524.2 TVOC	7/19/2005	33.06	0	UG/L	247		W
Carbon tetrachloride	7/19/2005	3.5	0.5	UG/L	247		W
Chloroform	7/19/2005	1.4	0.5	UG/L	247		W
cis-1,2-Dichloroethylene	7/19/2005	1.8	0.5	UG/L	247		W
Methyl tert-butyl ether	7/19/2005	0.86	0.5	UG/L	247		W
Trichloroethylene	7/19/2005	16	0.5	UG/L	247		W
1,1,1-Trichloroethane	6/1/2005	5.4	0.5	UG/L	247		W
1,1-Dichloroethylene	6/1/2005	0.68	0.5	UG/L	247		W
524.2 TVOC	6/1/2005	27.49	0	UG/L	247		W
Carbon tetrachloride	6/1/2005	3.1	0.5	UG/L	247		W
Chloroform	6/1/2005	1.2	0.5	UG/L	247		W
cis-1,2-Dichloroethylene	6/1/2005	1.4	0.5	UG/L	247		W
Methyl tert-butyl ether	6/1/2005	0.71	0.5	UG/L	247		W
Trichloroethylene	6/1/2005	15	0.5	UG/L	247		W
1,1,1-Trichloroethane	5/2/2005	5.8	0.5	UG/L	247		W
1,1-Dichloroethylene	5/2/2005	0.9	0.5	UG/L	247		W
524.2 TVOC	5/2/2005	30.17	0	UG/L	247		W
Carbon tetrachloride	5/2/2005	3.4	0.5	UG/L	247		W
Chloroform	5/2/2005	1.2	0.5	UG/L	247		W
cis-1,2-Dichloroethylene	5/2/2005	1.4	0.5	UG/L	247		W
Methyl tert-butyl ether	5/2/2005	0.47	0.5	UG/L	247	J	W
Trichloroethylene	5/2/2005	17	0.5	UG/L	247		W
1,1,1-Trichloroethane	4/4/2005	0.59	0.5	UG/L	247		W
1,1-Dichloroethane	4/4/2005	1	0.5	UG/L	247		W
1,1-Dichloroethylene	4/4/2005	2.5	0.5	UG/L	247		W
1,2-Dichloroethane	4/4/2005	0.3	0.5	UG/L	247	J	W
524.2 TVOC	4/4/2005	17.26	0	UG/L	247		W
Carbon tetrachloride	4/4/2005	0.16	0.5	UG/L	247	J	W
Chloroform	4/4/2005	0.33	0.5	UG/L	247	J	W
cis-1,2-Dichloroethylene	4/4/2005	1.2	0.5	UG/L	247		W
Toluene	4/4/2005	0.18	0.5	UG/L	247	J	W
Trichloroethylene	4/4/2005	11	0.5	UG/L	247		W
1,1,1-Trichloroethane	3/2/2005	1.6	0.5	UG/L	247		W
1,1-Dichloroethylene	3/2/2005	0.61	0.5	UG/L	247		W
1,2-Dichloroethane	3/2/2005	0.16	0.5	UG/L	247	J	W
524.2 TVOC	3/2/2005	27.41	0	UG/L	247		W
Carbon tetrachloride	3/2/2005	3.1	5	UG/L	247	J D	W
Chloroform	3/2/2005	8.3	0.5	UG/L	247		W
cis-1,2-Dichloroethylene	3/2/2005	0.5	0.5	UG/L	247		W
Methylene chloride	3/2/2005	2.9	0.5	UG/L	247		W
Tetrachloroethylene	3/2/2005	0.24	0.5	UG/L	247	J	W

Appendix B

OU III LIPA Petition for Closure

2004 - 2024 Extraction Well Analytical Data Summary - VOCs Detected Above Laboratory MDL

Trichloroethylene	3/2/2005	10	0.5	UG/L	247		W
1,1,1-Trichloroethane	2/1/2005	6	0.5	UG/L	247		W
1,1-Dichloroethylene	2/1/2005	3.6	0.5	UG/L	247		W
1,2-Dichloroethane	2/1/2005	0.42	0.5	UG/L	247	J	W
524.2 TVOC	2/1/2005	36.72	0	UG/L	247		W
Carbon tetrachloride	2/1/2005	3.7	0.5	UG/L	247		W
Chloroform	2/1/2005	1.3	0.5	UG/L	247		W
cis-1,2-Dichloroethylene	2/1/2005	1.7	0.5	UG/L	247		W
Trichloroethylene	2/1/2005	20	0.5	UG/L	247	B	W
1,1,1-Trichloroethane	1/4/2005	8.2	0.5	UG/L	234		W
1,1-Dichloroethylene	1/4/2005	4	0.5	UG/L	234		W
1,2-Dichloroethane	1/4/2005	0.6	0.5	UG/L	234		W
524.2 TVOC	1/4/2005	46.8	0	UG/L	234		W
Carbon tetrachloride	1/4/2005	5.3	0.5	UG/L	234		W
Chloroform	1/4/2005	1.6	0.5	UG/L	234		W
cis-1,2-Dichloroethylene	1/4/2005	2.1	0.5	UG/L	234		W
Trichloroethylene	1/4/2005	25	0.5	UG/L	234		W
1,1,1-Trichloroethane	12/16/2004	9.5	0.5	UG/L	234		W
1,1-Dichloroethane	12/16/2004	0.22	0.5	UG/L	234	J	W
1,1-Dichloroethylene	12/16/2004	6	0.5	UG/L	234		W
1,2-Dichloroethane	12/16/2004	0.64	0.5	UG/L	234		W
524.2 TVOC	12/16/2004	53.04	0	UG/L	234		W
Carbon tetrachloride	12/16/2004	5.3	0.5	UG/L	234		W
Chloroform	12/16/2004	1.4	0.5	UG/L	234		W
cis-1,2-Dichloroethylene	12/16/2004	2.6	0.5	UG/L	234		W
Methylene chloride	12/16/2004	0.38	0.5	UG/L	234	J	W
Trichloroethylene	12/16/2004	27	0.5	UG/L	234		W
1,1,1-Trichloroethane	11/2/2004	7.5	0.5	UG/L	234		W
1,1-Dichloroethylene	11/2/2004	4.2	0.5	UG/L	234		W
1,2-Dichloroethane	11/2/2004	0.58	0.5	UG/L	234		W
524.2 TVOC	11/2/2004	50.28	0	UG/L	234		W
Carbon tetrachloride	11/2/2004	4.9	0.5	UG/L	234		W
Chloroform	11/2/2004	1.1	0.5	UG/L	234		W
cis-1,2-Dichloroethylene	11/2/2004	2	0.5	UG/L	234		W
Trichloroethylene	11/2/2004	30	1	UG/L	234	D	W
1,1,1-Trichloroethane	7/23/2004	13	0.5	UG/L	234		W
1,1-Dichloroethylene	7/23/2004	10	0.5	UG/L	234		W
1,2-Dichloroethane	7/23/2004	1.3	0.5	UG/L	234		W
524.2 TVOC	7/23/2004	93.4	0	UG/L	234		W
Carbon tetrachloride	7/23/2004	10	0.5	UG/L	234		W
Chloroform	7/23/2004	1.9	0.5	UG/L	234		W
cis-1,2-Dichloroethylene	7/23/2004	3.2	0.5	UG/L	234		W
Trichloroethylene	7/23/2004	54	1.2	UG/L	234	D	W
1,1,1-Trichloroethane	6/30/2004	11	0.5	UG/L	234		W
1,1-Dichloroethylene	6/30/2004	7.7	0.5	UG/L	234		W
1,2-Dichloroethane	6/30/2004	1.4	0.5	UG/L	234		W
524.2 TVOC	6/30/2004	81.2	0	UG/L	234		W
Carbon tetrachloride	6/30/2004	9.5	0.5	UG/L	234		W
Chloroform	6/30/2004	1.3	0.5	UG/L	234		W
cis-1,2-Dichloroethylene	6/30/2004	3.3	0.5	UG/L	234		W
Trichloroethylene	6/30/2004	47	1	UG/L	234	D	W
1,1,1-Trichloroethane	6/15/2004	8.9	0.5	UG/L	234		W
1,1-Dichloroethane	6/15/2004	0.45	0.5	UG/L	234	J	W

Appendix B

OU III LIPA Petition for Closure

2004 - 2024 Extraction Well Analytical Data Summary - VOCs Detected Above Laboratory MDL

1,1-Dichloroethylene	6/15/2004	6.8	0.5	UG/L	234		W
1,2-Dichloroethane	6/15/2004	1.2	0.5	UG/L	234		W
524.2 TVOC	6/15/2004	68.65	0	UG/L	234		W
Carbon tetrachloride	6/15/2004	3.8	0.5	UG/L	234		W
Chloroform	6/15/2004	2	0.5	UG/L	234		W
cis-1,2-Dichloroethylene	6/15/2004	3.8	0.5	UG/L	234		W
Trichloroethylene	6/15/2004	41.7	0.5	UG/L	234		W

Site ID : 000-457 (EW-3L)

Chemical Name	Sample Date	Value	Detlim	Units	Depth	Qual	Matrix
8260 TVOC	1/10/2024	2.19	0	UG/L	0		W
Chloroform	1/10/2024	2	0.5	UG/L	0		W
Trichloroethylene	1/10/2024	0.19	0.5	UG/L	0	J	W
8260 TVOC	10/12/2023	6.9	0	UG/L	226		W
Chloroform	10/12/2023	1.7	0.5	UG/L	226		W
Toluene	10/12/2023	5.2	0.5	UG/L	226		W
8260 TVOC	7/10/2023	2.16	0	UG/L	226		W
Chloroform	7/10/2023	1.7	0.5	UG/L	226		W
Toluene	7/10/2023	0.26	0.5	UG/L	226	J	W
Trichloroethylene	7/10/2023	0.2	0.5	UG/L	226	J	W
8260 TVOC	4/13/2023	1.79	0	UG/L	226		W
Chloroform	4/13/2023	1.6	0.5	UG/L	226		W
Trichloroethylene	4/13/2023	0.19	0.5	UG/L	226	J	W
8260 TVOC	1/12/2023	4.73	0	UG/L	226		W
Chloroform	1/12/2023	0.93	0.5	UG/L	226		W
Toluene	1/12/2023	3.6	0.5	UG/L	226		W
Trichloroethylene	1/12/2023	0.2	0.5	UG/L	226	J	W
8260 TVOC	10/13/2022	1.95	0	UG/L	226		W
Chloroform	10/13/2022	1.7	0.5	UG/L	226		W
Trichloroethylene	10/13/2022	0.25	0.5	UG/L	226	J	W
8260 TVOC	7/13/2022	2.25	0	UG/L	226		W
Chloroform	7/13/2022	1.6	0.5	UG/L	226		W
Toluene	7/13/2022	0.37	0.5	UG/L	226	J	W
Trichloroethylene	7/13/2022	0.28	0.5	UG/L	226	J	W
8260 TVOC	4/11/2022	2.39	0	UG/L	226		W
Chloroform	4/11/2022	2.1	0.5	UG/L	226		W
Trichloroethylene	4/11/2022	0.29	0.5	UG/L	226	J	W
8260 TVOC	1/26/2022	1.8	0	UG/L	226		W
Chloroform	1/26/2022	1.8	0.5	UG/L	226		W
8260 TVOC	10/22/2021	2.02	0	UG/L	226		W
Chloroform	10/22/2021	1.7	0.5	UG/L	226		W
Trichloroethylene	10/22/2021	0.32	0.5	UG/L	226	J	W
8260 TVOC	7/7/2021	1.6	0	UG/L	226		W
Chloroform	7/7/2021	1.3	0.5	UG/L	226		W
Trichloroethylene	7/7/2021	0.3	0.5	UG/L	226	J	W
524.2 TVOC	4/7/2021	1.64	0	UG/L	226		W
Chloroform	4/7/2021	1.1	0.5	UG/L	226		W
Toluene	4/7/2021	0.25	0.5	UG/L	226	J	W
Trichloroethylene	4/7/2021	0.29	0.5	UG/L	226	J	W
524.2 TVOC	1/8/2021	1.4	0	UG/L	226		W
Chloroform	1/8/2021	1.1	0.5	UG/L	226		W

Appendix B

OU III LIPA Petition for Closure

2004 - 2024 Extraction Well Analytical Data Summary - VOCs Detected Above Laboratory MDL

Trichloroethylene	1/8/2021	0.3	0.5	UG/L	226	J	W
1,1,1-Trichloroethane	10/7/2020	0.27	0.5	UG/L	226	J	W
1,1-Dichloroethylene	10/7/2020	0.22	0.5	UG/L	226	J	W
524.2 TVOC	10/7/2020	1.8	0	UG/L	226		W
Chloroform	10/7/2020	0.93	0.5	UG/L	226		W
Trichloroethylene	10/7/2020	0.38	0.5	UG/L	226	J	W
524.2 TVOC	7/28/2020	2.03	0	UG/L	226		W
Chloroform	7/28/2020	1.1	0.5	UG/L	226		W
Methyl chloride	7/28/2020	0.6	0.5	UG/L	226		W
Trichloroethylene	7/28/2020	0.33	0.5	UG/L	226	J	W
1,4-Dioxane	4/7/2020	0.428	0.2	UG/L	0		W
1,1,1-Trichloroethane	4/7/2020	0.29	0.5	UG/L	226	J	W
524.2 TVOC	4/7/2020	1.27	0	UG/L	226		W
Chloroform	4/7/2020	0.64	0.5	UG/L	226		W
Trichloroethylene	4/7/2020	0.34	0.5	UG/L	226	J	W
1,1,1-Trichloroethane	1/8/2020	0.17	0.5	UG/L	226	J	W
524.2 TVOC	1/8/2020	0.86	0	UG/L	226		W
Chloroform	1/8/2020	0.69	0.5	UG/L	226		W
1,1,1-Trichloroethane	10/4/2019	0.34	0.5	UG/L	226	J	W
1,1-Dichloroethylene	10/4/2019	0.27	0.5	UG/L	226	J	W
524.2 TVOC	10/4/2019	2.1	0	UG/L	226		W
Chloroform	10/4/2019	0.86	0.5	UG/L	226		W
Toluene	10/4/2019	0.25	0.5	UG/L	226	J	W
Trichloroethylene	10/4/2019	0.38	0.5	UG/L	226	J	W
524.2 TVOC	7/10/2019	0.86	0	UG/L	226		W
Chloroform	7/10/2019	0.86	0.5	UG/L	226		W
524.2 TVOC	4/9/2019	0.77	0	UG/L	226		W
Chloroform	4/9/2019	0.77	0.5	UG/L	226		W
1,1,1-Trichloroethane	1/18/2019	0.18	0.5	UG/L	226	J	W
524.2 TVOC	1/18/2019	1.24	0	UG/L	226		W
Chloroform	1/18/2019	0.84	0.5	UG/L	226		W
Trichloroethylene	1/18/2019	0.22	0.5	UG/L	226	J	W
1,1,1-Trichloroethane	10/10/2018	0.17	0.5	UG/L	226	J	W
524.2 TVOC	10/10/2018	0.96	0	UG/L	226		W
Chloroform	10/10/2018	0.45	0.5	UG/L	226	J	W
Toluene	10/10/2018	0.34	0.5	UG/L	226	J	W
1,1-Dichloroethane	7/11/2018	0.18	0.5	UG/L	226	J	W
524.2 TVOC	7/11/2018	50.8	0	UG/L	226		W
Chloroform	7/11/2018	0.28	0.5	UG/L	226	J	W
Toluene	7/11/2018	50	1	UG/L	226		W
Trichloroethylene	7/11/2018	0.34	0.5	UG/L	226	J	W
1,1,1-Trichloroethane	4/4/2018	0.21	0.5	UG/L	226	J	W
1,1-Dichloroethylene	4/4/2018	0.14	0.5	UG/L	226	J	W
524.2 TVOC	4/4/2018	6.05	0	UG/L	226		W
Chloroform	4/4/2018	0.5	0.5	UG/L	226		W
Toluene	4/4/2018	5.2	0.5	UG/L	226		W
1,1,1-Trichloroethane	1/3/2018	0.5	0.5	UG/L	226		W
1,1-Dichloroethylene	1/3/2018	0.29	0.5	UG/L	226	J	W
524.2 TVOC	1/3/2018	3.33	0	UG/L	226		W
Chloroform	1/3/2018	0.6	0.5	UG/L	226		W
Toluene	1/3/2018	1.6	0.5	UG/L	226		W
Trichloroethylene	1/3/2018	0.34	0.5	UG/L	226	J	W
1,1,1-Trichloroethane	10/17/2017	0.58	0.5	UG/L	226		W

Appendix B

OU III LIPA Petition for Closure

2004 - 2024 Extraction Well Analytical Data Summary - VOCs Detected Above Laboratory MDL

1,1-Dichloroethylene	10/17/2017	0.34	0.5	UG/L	226	J	W
524.2 TVOC	10/17/2017	7.04	0	UG/L	226		W
Chloroform	10/17/2017	0.64	0.5	UG/L	226		W
Toluene	10/17/2017	5.2	0.5	UG/L	226		W
Trichloroethylene	10/17/2017	0.28	0.5	UG/L	226	J	W
1,1,1-Trichloroethane	4/5/2017	0.83	0.5	UG/L	226		W
1,1-Dichloroethylene	4/5/2017	0.43	0.5	UG/L	226	J	W
524.2 TVOC	4/5/2017	1.99	0	UG/L	226		W
Chloroform	4/5/2017	0.43	0.5	UG/L	226	J	W
Trichloroethylene	4/5/2017	0.3	0.5	UG/L	226	J	W
1,1,1-Trichloroethane	1/5/2017	0.79	0.5	UG/L	226		W
1,1-Dichloroethylene	1/5/2017	0.57	0.5	UG/L	226		W
524.2 TVOC	1/5/2017	2.12	0	UG/L	226		W
Chloroform	1/5/2017	0.46	0.5	UG/L	226	J	W
Trichloroethylene	1/5/2017	0.3	0.5	UG/L	226	J	W
1,1,1-Trichloroethane	10/3/2016	0.75	0.5	UG/L	226		W
1,1-Dichloroethylene	10/3/2016	0.68	0.5	UG/L	226		W
524.2 TVOC	10/3/2016	1.72	0	UG/L	226		W
Chloroform	10/3/2016	0.29	0.5	UG/L	226	J	W
1,1,1-Trichloroethane	7/7/2016	0.55	0.5	UG/L	226		W
1,1-Dichloroethane	7/7/2016	0.11	0.5	UG/L	226	J	W
1,1-Dichloroethylene	7/7/2016	0.73	0.5	UG/L	226		W
524.2 TVOC	7/7/2016	1.99	0	UG/L	226		W
Chloroform	7/7/2016	0.34	0.5	UG/L	226	J	W
Trichloroethylene	7/7/2016	0.26	0.5	UG/L	226	J	W
1,1,1-Trichloroethane	4/11/2016	0.84	0.5	UG/L	226		W
1,1-Dichloroethylene	4/11/2016	0.31	0.5	UG/L	226	J	W
524.2 TVOC	4/11/2016	1.94	0	UG/L	226		W
Chloroform	4/11/2016	0.55	0.5	UG/L	226		W
Trichloroethylene	4/11/2016	0.24	0.5	UG/L	226	J	W
1,1,1-Trichloroethane	1/5/2016	0.86	0.5	UG/L	226		W
1,1-Dichloroethylene	1/5/2016	0.78	0.5	UG/L	226		W
524.2 TVOC	1/5/2016	2.53	0	UG/L	226		W
Chloroform	1/5/2016	0.65	0.5	UG/L	226		W
Trichloroethylene	1/5/2016	0.24	0.5	UG/L	226	J	W
1,1,1-Trichloroethane	10/5/2015	0.78	0.5	UG/L	226		W
1,1-Dichloroethane	10/5/2015	0.07	0.5	UG/L	226	J	W
1,1-Dichloroethylene	10/5/2015	0.63	0.5	UG/L	226		W
524.2 TVOC	10/5/2015	2.36	0	UG/L	226		W
Chloroform	10/5/2015	0.59	0.5	UG/L	226		W
Trichloroethylene	10/5/2015	0.29	0.5	UG/L	226	J	W
1,1,1-Trichloroethane	7/7/2015	1.1	0.5	UG/L	226		W
1,1-Dichloroethylene	7/7/2015	1.1	0.5	UG/L	226		W
524.2 TVOC	7/7/2015	3.87	0	UG/L	226		W
Chloroform	7/7/2015	1.2	0.5	UG/L	226		W
Trichloroethylene	7/7/2015	0.47	0.5	UG/L	226	J	W
1,1,1-Trichloroethane	4/2/2015	0.83	0.5	UG/L	226		W
1,1-Dichloroethylene	4/2/2015	0.58	0.5	UG/L	226		W
524.2 TVOC	4/2/2015	2.22	0	UG/L	226		W
Chloroform	4/2/2015	0.81	0.5	UG/L	226		W
1,1,1-Trichloroethane	1/6/2015	1.4	0.5	UG/L	226		W
1,1-Dichloroethylene	1/6/2015	0.74	0.5	UG/L	226		W
524.2 TVOC	1/6/2015	3.31	0	UG/L	226		W

Appendix B

OU III LIPA Petition for Closure

2004 - 2024 Extraction Well Analytical Data Summary - VOCs Detected Above Laboratory MDL

Chloroform	1/6/2015	0.84	0.5	UG/L	226		W
Trichloroethylene	1/6/2015	0.33	0.5	UG/L	226	J	W
1,1,1-Trichloroethane	10/6/2014	0.35	0.5	UG/L	226	J	W
1,1-Dichloroethane	10/6/2014	0.39	0.5	UG/L	226	J	W
1,1-Dichloroethylene	10/6/2014	1.4	0.5	UG/L	226		W
524.2 TVOC	10/6/2014	2.68	0	UG/L	226		W
Chloroform	10/6/2014	0.16	0.5	UG/L	226	J	W
cis-1,2-Dichloroethylene	10/6/2014	0.12	0.5	UG/L	226	J	W
Trichloroethylene	10/6/2014	0.26	0.5	UG/L	226	J	W
1,1,1-Trichloroethane	7/9/2014	1.1	0.5	UG/L	226		W
1,1-Dichloroethane	7/9/2014	0.25	0.5	UG/L	226	J	W
1,1-Dichloroethylene	7/9/2014	1.4	0.5	UG/L	226		W
1,2-Dichloroethane	7/9/2014	0.11	0.5	UG/L	226	J	W
524.2 TVOC	7/9/2014	3.49	0	UG/L	226		W
Chloroform	7/9/2014	0.22	0.5	UG/L	226	J	W
cis-1,2-Dichloroethylene	7/9/2014	0.11	0.5	UG/L	226	J	W
Trichloroethylene	7/9/2014	0.3	0.5	UG/L	226	J	W
1,1,1-Trichloroethane	4/1/2014	1.3	0.5	UG/L	226		W
1,1-Dichloroethylene	4/1/2014	1.1	0.5	UG/L	226		W
524.2 TVOC	4/1/2014	3.13	0	UG/L	226		W
Chloroform	4/1/2014	0.45	0.5	UG/L	226	J	W
Trichloroethylene	4/1/2014	0.28	0.5	UG/L	226	J	W
1,1,1-Trichloroethane	1/9/2014	0.67	0.5	UG/L	226		W
1,1-Dichloroethane	1/9/2014	0.2	0.5	UG/L	226	J	W
1,1-Dichloroethylene	1/9/2014	1	0.5	UG/L	226		W
524.2 TVOC	1/9/2014	2.51	0	UG/L	226		W
Chloroform	1/9/2014	0.38	0.5	UG/L	226	J	W
Trichloroethylene	1/9/2014	0.26	0.5	UG/L	226	J	W
1,1,1-Trichloroethane	10/15/2013	1.1	0.5	UG/L	226		W
1,1-Dichloroethylene	10/15/2013	0.72	0.5	UG/L	226		W
524.2 TVOC	10/15/2013	2.48	0	UG/L	226		W
Chloroform	10/15/2013	0.44	0.5	UG/L	226	J	W
Trichloroethylene	10/15/2013	0.22	0.5	UG/L	226	J	W
1,1,1-Trichloroethane	7/1/2013	1.1	0.5	UG/L	226		W
1,1-Dichloroethylene	7/1/2013	0.72	0.5	UG/L	226		W
524.2 TVOC	7/1/2013	2.56	0	UG/L	226		W
Chloroform	7/1/2013	0.61	0.5	UG/L	226		W
Methyl chloride	7/1/2013	0.13	0.5	UG/L	226	J	W
1,1,1-Trichloroethane	4/2/2013	0.79	0.5	UG/L	226		W
1,1-Dichloroethane	4/2/2013	0.13	0.5	UG/L	226	J	W
1,1-Dichloroethylene	4/2/2013	0.89	0.5	UG/L	226		W
524.2 TVOC	4/2/2013	2.425	0	UG/L	226		W
Chloroform	4/2/2013	0.52	0.5	UG/L	226		W
cis-1,2-Dichloroethylene	4/2/2013	0.095	0.5	UG/L	226	J	W
1,1,1-Trichloroethane	1/3/2013	1.3	0.5	UG/L	226		W
1,1-Dichloroethylene	1/3/2013	0.76	0.5	UG/L	226		W
524.2 TVOC	1/3/2013	2.55	0	UG/L	226		W
Chloroform	1/3/2013	0.49	0.5	UG/L	226	J	W
1,1,1-Trichloroethane	4/6/2012	0.4	0.5	UG/L	226	J	W
1,1-Dichloroethane	4/6/2012	0.23	0.5	UG/L	226	J	W
1,1-Dichloroethylene	4/6/2012	0.98	0.5	UG/L	226		W
1,2-Dichloroethane	4/6/2012	0.17	0.5	UG/L	226	J	W
524.2 TVOC	4/6/2012	2.36	0	UG/L	226		W

Appendix B

OU III LIPA Petition for Closure

2004 - 2024 Extraction Well Analytical Data Summary - VOCs Detected Above Laboratory MDL

Chloroform	4/6/2012	0.22	0.5	UG/L	226	J	W
cis-1,2-Dichloroethylene	4/6/2012	0.13	0.5	UG/L	226	J	W
Methyl chloride	4/6/2012	0.23	0.5	UG/L	226	J	W
1,1,1-Trichloroethane	1/6/2012	0.78	0.5	UG/L	226		W
1,1-Dichloroethylene	1/6/2012	0.54	0.5	UG/L	226		W
524.2 TVOC	1/6/2012	2	0	UG/L	226		W
Chloroform	1/6/2012	0.55	0.5	UG/L	226		W
Methyl chloride	1/6/2012	0.13	0.5	UG/L	226	J	W
1,1,1-Trichloroethane	10/3/2011	0.5	0.5	UG/L	226		W
1,1-Dichloroethane	10/3/2011	0.1	0.5	UG/L	226	J	W
1,1-Dichloroethylene	10/3/2011	0.57	0.5	UG/L	226		W
524.2 TVOC	10/3/2011	2.34	0	UG/L	226		W
Chloroform	10/3/2011	0.45	0.5	UG/L	226	J	W
Methyl chloride	10/3/2011	0.13	0.5	UG/L	226	J	W
Methylene chloride	10/3/2011	0.59	0.5	UG/L	226	B	W
1,1,1-Trichloroethane	7/7/2011	0.28	0.5	UG/L	226	J	W
1,1-Dichloroethylene	7/7/2011	0.13	0.5	UG/L	226	J	W
524.2 TVOC	7/7/2011	1.15	0	UG/L	226		W
Chloroform	7/7/2011	0.63	0.5	UG/L	226		W
Methylene chloride	7/7/2011	0.11	0.5	UG/L	226	J	W
1,1,1-Trichloroethane	4/5/2011	0.078	0.5	UG/L	226	J	W
1,1-Dichloroethane	4/5/2011	0.086	0.5	UG/L	226	J	W
1,1-Dichloroethylene	4/5/2011	0.15	0.5	UG/L	226	J	W
524.2 TVOC	4/5/2011	0.924	0	UG/L	226		W
Chloroform	4/5/2011	0.43	0.5	UG/L	226	J	W
Methylene chloride	4/5/2011	0.18	0.5	UG/L	226	J	W
1,1,1-Trichloroethane	1/6/2011	0.13	0.5	UG/L	226	J	W
1,1-Dichloroethane	1/6/2011	0.097	0.5	UG/L	226	J	W
524.2 TVOC	1/6/2011	0.717	0	UG/L	226		W
Chloroform	1/6/2011	0.23	0.5	UG/L	226	J	W
Methyl chloride	1/6/2011	0.13	0.5	UG/L	226	J	W
Methylene chloride	1/6/2011	0.13	0.5	UG/L	226	J B	W
1,1-Dichloroethylene	10/5/2010	0.1	0.5	UG/L	226	J	W
524.2 TVOC	10/5/2010	1.51	0	UG/L	226		W
Chloroform	10/5/2010	0.47	0.5	UG/L	226	J	W
Methyl chloride	10/5/2010	0.66	0.5	UG/L	226		W
Methylene chloride	10/5/2010	0.28	0.5	UG/L	226	J B	W
1,1,1-Trichloroethane	7/2/2010	0.41	0.5	UG/L	226	J	W
1,1-Dichloroethylene	7/2/2010	0.12	0.5	UG/L	226	J	W
524.2 TVOC	7/2/2010	2.33	0	UG/L	226		W
Carbon tetrachloride	7/2/2010	0.48	0.5	UG/L	226	J	W
Chloroform	7/2/2010	0.76	0.5	UG/L	226		W
Tetrachloroethylene	7/2/2010	0.19	0.5	UG/L	226	J	W
Trichloroethylene	7/2/2010	0.37	0.5	UG/L	226	J	W
524.2 TVOC	4/2/2010	4.35	0	UG/L	226		W
Chloroform	4/2/2010	0.57	0.5	UG/L	226		W
Methylene chloride	4/2/2010	3.78	0.5	UG/L	226	B	W
524.2 TVOC	1/6/2010	0.23	0	UG/L	226		W
Chloroform	1/6/2010	0.23	0.5	UG/L	226	J B	W
524.2 TVOC	7/15/2009	1.18	0	UG/L	226		W
Chloroform	7/15/2009	0.36	0.5	UG/L	226	J	W
Methyl chloride	7/15/2009	0.51	0.5	UG/L	226		W
Methylene chloride	7/15/2009	0.31	0.5	UG/L	226	J	W

Appendix B

OU III LIPA Petition for Closure

2004 - 2024 Extraction Well Analytical Data Summary - VOCs Detected Above Laboratory MDL

524.2 TVOC	4/8/2009	0.75	0	UG/L	226		W
Chloroform	4/8/2009	0.75	0.5	UG/L	226		W
524.2 TVOC	10/15/2008	1.23	0	UG/L	226		W
Chloroform	10/15/2008	0.92	0.5	UG/L	226		W
Methyl chloride	10/15/2008	0.19	0.5	UG/L	226	J	W
Methylene chloride	10/15/2008	0.12	0.5	UG/L	226	J	W
524.2 TVOC	4/16/2008	0.83	0	UG/L	226		W
Chloroform	4/16/2008	0.83	0.5	UG/L	226		W
524.2 TVOC	1/29/2008	1.1	0	UG/L	226		W
Chloroform	1/29/2008	1.1	0.5	UG/L	226		W
524.2 TVOC	10/18/2007	0.97	0	UG/L	226		W
Chloroform	10/18/2007	0.97	0.5	UG/L	226		W
1,1,1-Trichloroethane	7/27/2007	0.57	0.5	UG/L	226		W
1,1-Dichloroethylene	7/27/2007	0.23	0.5	UG/L	226	J	W
524.2 TVOC	7/27/2007	4.27	0	UG/L	226		W
Carbon tetrachloride	7/27/2007	0.3	0.5	UG/L	226	J	W
Chloroform	7/27/2007	0.98	0.5	UG/L	226		W
Methyl chloride	7/27/2007	0.25	0.5	UG/L	226	J	W
Methyl tert-butyl ether	7/27/2007	0.34	0.5	UG/L	226	J	W
Trichloroethylene	7/27/2007	1.6	0.5	UG/L	226		W
1,1,1-Trichloroethane	5/21/2007	0.65	0.5	UG/L	226		W
1,1-Dichloroethylene	5/21/2007	0.29	0.5	UG/L	226	J	W
524.2 TVOC	5/21/2007	4.05	0	UG/L	226		W
Carbon tetrachloride	5/21/2007	0.36	0.5	UG/L	226	J	W
Chloroform	5/21/2007	0.8	0.5	UG/L	226		W
Methyl tert-butyl ether	5/21/2007	0.45	0.5	UG/L	226	J	W
Trichloroethylene	5/21/2007	1.5	0.5	UG/L	226		W
1,1,1-Trichloroethane	4/10/2007	0.99	0.5	UG/L	226		W
1,1-Dichloroethylene	4/10/2007	0.44	0.5	UG/L	226	J	W
524.2 TVOC	4/10/2007	5.8	0	UG/L	226		W
Carbon tetrachloride	4/10/2007	0.64	0.5	UG/L	226		W
Chloroform	4/10/2007	1.1	0.5	UG/L	226		W
Methyl tert-butyl ether	4/10/2007	0.43	0.5	UG/L	226	J	W
Trichloroethylene	4/10/2007	2.2	0.5	UG/L	226		W
1,1,1-Trichloroethane	3/22/2007	0.97	0.5	UG/L	226		W
1,1-Dichloroethylene	3/22/2007	0.31	0.5	UG/L	226	J	W
524.2 TVOC	3/22/2007	5.86	0	UG/L	226		W
Carbon tetrachloride	3/22/2007	0.57	0.5	UG/L	226		W
Chloroform	3/22/2007	1.1	0.5	UG/L	226		W
Methyl tert-butyl ether	3/22/2007	0.51	0.5	UG/L	226		W
Trichloroethylene	3/22/2007	2.4	0.5	UG/L	226		W
1,1,1-Trichloroethane	2/12/2007	0.99	0.5	UG/L	226		W
1,1-Dichloroethylene	2/12/2007	0.5	0.5	UG/L	226		W
524.2 TVOC	2/12/2007	6.14	0	UG/L	226		W
Carbon tetrachloride	2/12/2007	0.5	0.5	UG/L	226		W
Chloroform	2/12/2007	0.94	0.5	UG/L	226		W
cis-1,2-Dichloroethylene	2/12/2007	0.12	0.5	UG/L	226	J	W
Methyl tert-butyl ether	2/12/2007	0.59	0.5	UG/L	226		W
Trichloroethylene	2/12/2007	2.5	0.5	UG/L	226		W
1,1,1-Trichloroethane	1/29/2007	1.1	0.5	UG/L	226		W
1,1-Dichloroethylene	1/29/2007	0.63	0.5	UG/L	226		W
524.2 TVOC	1/29/2007	6.65	0	UG/L	226		W
Carbon tetrachloride	1/29/2007	0.61	0.5	UG/L	226		W

Appendix B

OU III LIPA Petition for Closure

2004 - 2024 Extraction Well Analytical Data Summary - VOCs Detected Above Laboratory MDL

Chloroform	1/29/2007	0.95	0.5	UG/L	226		W
Methyl tert-butyl ether	1/29/2007	0.66	0.5	UG/L	226		W
Trichloroethylene	1/29/2007	2.7	0.5	UG/L	226		W
1,1,1-Trichloroethane	12/18/2006	1.5	0.5	UG/L	226		W
1,1-Dichloroethylene	12/18/2006	0.55	0.5	UG/L	226		W
524.2 TVOC	12/18/2006	7.9	0	UG/L	226		W
Carbon tetrachloride	12/18/2006	0.7	0.5	UG/L	226		W
Chloroform	12/18/2006	1.1	0.5	UG/L	226		W
Methyl tert-butyl ether	12/18/2006	0.75	0.5	UG/L	226		W
Trichloroethylene	12/18/2006	3.3	0.5	UG/L	226		W
1,1,1-Trichloroethane	11/27/2006	1.6	0.5	UG/L	226		W
1,1-Dichloroethylene	11/27/2006	0.76	0.5	UG/L	226		W
524.2 TVOC	11/27/2006	8.71	0	UG/L	226		W
Carbon tetrachloride	11/27/2006	0.74	0.5	UG/L	226		W
Chloroform	11/27/2006	1.2	0.5	UG/L	226		W
cis-1,2-Dichloroethylene	11/27/2006	0.21	0.5	UG/L	226	J	W
Methyl tert-butyl ether	11/27/2006	0.7	0.5	UG/L	226		W
Trichloroethylene	11/27/2006	3.5	0.5	UG/L	226		W
1,1,1-Trichloroethane	10/17/2006	2.1	0.5	UG/L	226		W
1,1-Dichloroethylene	10/17/2006	0.96	0.5	UG/L	226		W
524.2 TVOC	10/17/2006	9.66	0	UG/L	226		W
Carbon tetrachloride	10/17/2006	0.88	0.5	UG/L	226		W
Chloroform	10/17/2006	1.1	0.5	UG/L	226		W
cis-1,2-Dichloroethylene	10/17/2006	0.25	0.5	UG/L	226	J	W
Methyl tert-butyl ether	10/17/2006	0.47	0.5	UG/L	226	J	W
Trichloroethylene	10/17/2006	3.9	0.5	UG/L	226		W
1,1,1-Trichloroethane	9/18/2006	2.4	0.5	UG/L	226		W
1,1-Dichloroethylene	9/18/2006	1	0.5	UG/L	226		W
524.2 TVOC	9/18/2006	10.25	0	UG/L	226		W
Carbon tetrachloride	9/18/2006	0.97	0.5	UG/L	226		W
Chloroform	9/18/2006	1.1	0.5	UG/L	226		W
cis-1,2-Dichloroethylene	9/18/2006	0.24	0.5	UG/L	226	J	W
Methyl chloride	9/18/2006	0.13	0.5	UG/L	226	J	W
Methyl tert-butyl ether	9/18/2006	0.31	0.5	UG/L	226	J	W
Trichloroethylene	9/18/2006	4.1	0.5	UG/L	226		W
1,1,1-Trichloroethane	8/24/2006	2.6	0.5	UG/L	226		W
1,1-Dichloroethylene	8/24/2006	1.2	0.5	UG/L	226		W
524.2 TVOC	8/24/2006	10.99	0	UG/L	226		W
Carbon tetrachloride	8/24/2006	1	0.5	UG/L	226		W
Chloroform	8/24/2006	1.2	0.5	UG/L	226		W
cis-1,2-Dichloroethylene	8/24/2006	0.29	0.5	UG/L	226	J	W
Trichloroethylene	8/24/2006	4.7	0.5	UG/L	226		W
1,1,1-Trichloroethane	7/28/2006	1.8	0.5	UG/L	226		W
1,1-Dichloroethylene	7/28/2006	0.83	0.5	UG/L	226		W
524.2 TVOC	7/28/2006	8.01	0	UG/L	226		W
Carbon tetrachloride	7/28/2006	0.56	0.5	UG/L	226		W
Chloroform	7/28/2006	1	0.5	UG/L	226		W
cis-1,2-Dichloroethylene	7/28/2006	0.22	0.5	UG/L	226	J	W
Trichloroethylene	7/28/2006	3.6	0.5	UG/L	226		W
1,1,1-Trichloroethane	6/20/2006	2.8	0.5	UG/L	226		W
1,1-Dichloroethylene	6/20/2006	1.2	0.5	UG/L	226		W
524.2 TVOC	6/20/2006	10.84	0	UG/L	226		W
Carbon tetrachloride	6/20/2006	0.93	0.5	UG/L	226		W

Appendix B

OU III LIPA Petition for Closure

2004 - 2024 Extraction Well Analytical Data Summary - VOCs Detected Above Laboratory MDL

Chloroform	6/20/2006	0.99	0.5	UG/L	226		W
cis-1,2-Dichloroethylene	6/20/2006	0.34	0.5	UG/L	226	J	W
Methyl tert-butyl ether	6/20/2006	0.28	0.5	UG/L	226	J	W
Trichloroethylene	6/20/2006	4.3	0.5	UG/L	226		W
1,1,1-Trichloroethane	5/22/2006	3.1	0.5	UG/L	226		W
1,1-Dichloroethylene	5/22/2006	1.7	0.5	UG/L	226		W
524.2 TVOC	5/22/2006	12.01	0	UG/L	226		W
Carbon tetrachloride	5/22/2006	0.96	0.5	UG/L	226		W
Chloroform	5/22/2006	1	0.5	UG/L	226		W
cis-1,2-Dichloroethylene	5/22/2006	0.37	0.5	UG/L	226	J	W
Methyl tert-butyl ether	5/22/2006	0.28	0.5	UG/L	226	J	W
Trichloroethylene	5/22/2006	4.6	0.5	UG/L	226		W
1,1,1-Trichloroethane	4/20/2006	1	0.5	UG/L	226		W
1,1-Dichloroethane	4/20/2006	0.28	0.5	UG/L	226	J	W
1,1-Dichloroethylene	4/20/2006	1.4	0.5	UG/L	226		W
524.2 TVOC	4/20/2006	8.68	0	UG/L	226		W
Chloroform	4/20/2006	0.98	0.5	UG/L	226		W
cis-1,2-Dichloroethylene	4/20/2006	0.46	0.5	UG/L	226	J	W
Methyl tert-butyl ether	4/20/2006	0.36	0.5	UG/L	226	J	W
Trichloroethylene	4/20/2006	4.2	0.5	UG/L	226		W
1,1,1-Trichloroethane	3/13/2006	0.36	0.5	UG/L	226	J	W
1,1-Dichloroethane	3/13/2006	0.51	0.5	UG/L	226		W
1,1-Dichloroethylene	3/13/2006	1.1	0.5	UG/L	226		W
524.2 TVOC	3/13/2006	7.69	0	UG/L	226		W
Carbon tetrachloride	3/13/2006	0.11	0.5	UG/L	226	J	W
Chloroethane	3/13/2006	0.17	0.5	UG/L	226	J	W
Chloroform	3/13/2006	0.31	0.5	UG/L	226	J	W
cis-1,2-Dichloroethylene	3/13/2006	0.52	0.5	UG/L	226		W
Methyl tert-butyl ether	3/13/2006	0.41	0.5	UG/L	226	J	W
Trichloroethylene	3/13/2006	4.2	0.5	UG/L	226		W
1,1,1-Trichloroethane	2/14/2006	2	0.5	UG/L	226		W
1,1-Dichloroethane	2/14/2006	0.22	0.5	UG/L	226	J	W
524.2 TVOC	2/14/2006	9.21	0	UG/L	226		W
Carbon tetrachloride	2/14/2006	0.68	0.5	UG/L	226		W
Chloroform	2/14/2006	0.7	0.5	UG/L	226		W
cis-1,2-Dichloroethylene	2/14/2006	0.48	0.5	UG/L	226	J	W
Methyl tert-butyl ether	2/14/2006	0.33	0.5	UG/L	226	J	W
Trichloroethylene	2/14/2006	4.8	0.5	UG/L	226		W
1,1,1-Trichloroethane	1/23/2006	0.1	0.5	UG/L	226	J	W
1,1-Dichloroethane	1/23/2006	0.37	0.5	UG/L	226	J	W
1,1-Dichloroethylene	1/23/2006	0.96	0.5	UG/L	226		W
524.2 TVOC	1/23/2006	9.71	0	UG/L	226		W
Benzene, 1-methylethyl-	1/23/2006	0.41	0.5	UG/L	226	J	W
Chloroform	1/23/2006	0.46	0.5	UG/L	226	J	W
cis-1,2-Dichloroethylene	1/23/2006	0.39	0.5	UG/L	226	J	W
Methyl tert-butyl ether	1/23/2006	0.23	0.5	UG/L	226	J	W
Methylene chloride	1/23/2006	2.7	0.5	UG/L	226		W
Tetrachloroethylene	1/23/2006	0.1	0.5	UG/L	226	J	W
Toluene	1/23/2006	0.19	0.5	UG/L	226	J	W
Trichloroethylene	1/23/2006	3.8	0.5	UG/L	226		W
1,1,1-Trichloroethane	12/20/2005	2.9	0.5	UG/L	226		W
1,1-Dichloroethylene	12/20/2005	1.6	0.5	UG/L	226		W
1,2-Dichloroethane	12/20/2005	0.11	0.5	UG/L	226	J	W

Appendix B

OU III LIPA Petition for Closure

2004 - 2024 Extraction Well Analytical Data Summary - VOCs Detected Above Laboratory MDL

524.2 TVOC	12/20/2005	13.11	0	UG/L	226		W
Carbon tetrachloride	12/20/2005	1	0.5	UG/L	226		W
Chloroform	12/20/2005	1	0.5	UG/L	226		W
cis-1,2-Dichloroethylene	12/20/2005	0.58	0.5	UG/L	226		W
Methyl tert-butyl ether	12/20/2005	0.32	0.5	UG/L	226	J	W
Trichloroethylene	12/20/2005	5.6	0.5	UG/L	226		W
1,1,1-Trichloroethane	11/14/2005	2.8	0.5	UG/L	239		W
1,1-Dichloroethylene	11/14/2005	1.2	0.5	UG/L	239		W
524.2 TVOC	11/14/2005	12.59	0	UG/L	239		W
Carbon tetrachloride	11/14/2005	0.96	0.5	UG/L	239		W
Chloroform	11/14/2005	0.99	0.5	UG/L	239		W
cis-1,2-Dichloroethylene	11/14/2005	0.55	0.5	UG/L	239		W
Methyl chloride	11/14/2005	0.2	0.5	UG/L	239	J	W
Methyl tert-butyl ether	11/14/2005	0.39	0.5	UG/L	239	J	W
Trichloroethylene	11/14/2005	5.5	0.5	UG/L	239		W
1,1,1-Trichloroethane	10/3/2005	1.7	0.5	UG/L	239		W
1,1-Dichloroethane	10/3/2005	0.32	0.5	UG/L	239	J	W
1,1-Dichloroethylene	10/3/2005	1.6	0.5	UG/L	239		W
524.2 TVOC	10/3/2005	11.75	0	UG/L	239		W
Carbon tetrachloride	10/3/2005	0.46	0.5	UG/L	239	J	W
Chloroform	10/3/2005	1.1	0.5	UG/L	239		W
cis-1,2-Dichloroethylene	10/3/2005	0.54	0.5	UG/L	239		W
Methyl tert-butyl ether	10/3/2005	0.33	0.5	UG/L	239	J	W
Trichloroethylene	10/3/2005	5.7	0.5	UG/L	239		W
1,1,1-Trichloroethane	9/6/2005	3.1	0.5	UG/L	239		W
1,1-Dichloroethylene	9/6/2005	1.2	0.5	UG/L	239		W
524.2 TVOC	9/6/2005	12.66	0	UG/L	239		W
Carbon tetrachloride	9/6/2005	1.1	0.5	UG/L	239		W
Chloroform	9/6/2005	1	0.5	UG/L	239		W
cis-1,2-Dichloroethylene	9/6/2005	0.56	0.5	UG/L	239		W
Trichloroethylene	9/6/2005	5.7	0.5	UG/L	239		W
1,1,1-Trichloroethane	8/17/2005	3.5	0.5	UG/L	239		W
1,1-Dichloroethylene	8/17/2005	1.8	0.5	UG/L	239		W
524.2 TVOC	8/17/2005	15.2	0	UG/L	239		W
Carbon tetrachloride	8/17/2005	1.3	0.5	UG/L	239		W
Chloroform	8/17/2005	1.1	0.5	UG/L	239		W
cis-1,2-Dichloroethylene	8/17/2005	0.6	0.5	UG/L	239		W
Trichloroethylene	8/17/2005	6.9	0.5	UG/L	239		W
1,1,1-Trichloroethane	7/19/2005	3.7	0.5	UG/L	239		W
1,1-Dichloroethylene	7/19/2005	0.64	0.5	UG/L	239		W
524.2 TVOC	7/19/2005	14.26	0	UG/L	239		W
Carbon tetrachloride	7/19/2005	1.6	0.5	UG/L	239		W
Chloroform	7/19/2005	1.2	0.5	UG/L	239		W
cis-1,2-Dichloroethylene	7/19/2005	0.72	0.5	UG/L	239		W
Trichloroethylene	7/19/2005	6.4	0.5	UG/L	239		W
1,1,1-Trichloroethane	6/1/2005	3.9	0.5	UG/L	239		W
1,1-Dichloroethylene	6/1/2005	1.2	0.5	UG/L	239		W
524.2 TVOC	6/1/2005	16.04	0	UG/L	239		W
Carbon tetrachloride	6/1/2005	1.7	0.5	UG/L	239		W
Chloroform	6/1/2005	1.1	0.5	UG/L	239		W
cis-1,2-Dichloroethylene	6/1/2005	0.74	0.5	UG/L	239		W
Trichloroethylene	6/1/2005	7.4	0.5	UG/L	239		W
1,1,1-Trichloroethane	5/2/2005	4.5	0.5	UG/L	239		W

Appendix B

OU III LIPA Petition for Closure

2004 - 2024 Extraction Well Analytical Data Summary - VOCs Detected Above Laboratory MDL

1,1-Dichloroethylene	5/2/2005	2.1	0.5	UG/L	239		W
524.2 TVOC	5/2/2005	18.58	0	UG/L	239		W
Carbon tetrachloride	5/2/2005	1.9	0.5	UG/L	239		W
Chloroform	5/2/2005	1	0.5	UG/L	239		W
cis-1,2-Dichloroethylene	5/2/2005	0.78	0.5	UG/L	239		W
Trichloroethylene	5/2/2005	8.3	0.5	UG/L	239		W
1,1,1-Trichloroethane	4/4/2005	2	0.5	UG/L	239		W
1,1-Dichloroethane	4/4/2005	0.46	0.5	UG/L	239	J	W
1,1-Dichloroethylene	4/4/2005	0.23	0.5	UG/L	239	J	W
1,2-Dichloroethane	4/4/2005	0.17	0.5	UG/L	239	J	W
524.2 TVOC	4/4/2005	12.25	0	UG/L	239		W
Carbon tetrachloride	4/4/2005	0.55	0.5	UG/L	239		W
Chloroform	4/4/2005	0.62	0.5	UG/L	239		W
cis-1,2-Dichloroethylene	4/4/2005	0.72	0.5	UG/L	239		W
Trichloroethylene	4/4/2005	7.5	0.5	UG/L	239		W
1,1,1-Trichloroethane	3/2/2005	2	0.5	UG/L	239		W
1,1-Dichloroethane	3/2/2005	0.65	0.5	UG/L	239		W
1,1-Dichloroethylene	3/2/2005	2.5	0.5	UG/L	239		W
1,2-Dichloroethane	3/2/2005	0.23	0.5	UG/L	239	J	W
524.2 TVOC	3/2/2005	18.72	0	UG/L	239		W
Carbon tetrachloride	3/2/2005	0.53	0.5	UG/L	239		W
Chloroform	3/2/2005	1.9	0.5	UG/L	239		W
cis-1,2-Dichloroethylene	3/2/2005	0.91	0.5	UG/L	239		W
Methylene chloride	3/2/2005	2.3	0.5	UG/L	239		W
Trichloroethylene	3/2/2005	7.7	0.5	UG/L	239		W
1,1,1-Trichloroethane	2/1/2005	5.1	0.5	UG/L	239		W
1,1-Dichloroethylene	2/1/2005	2.5	0.5	UG/L	239		W
1,2-Dichloroethane	2/1/2005	0.25	0.5	UG/L	239	J	W
524.2 TVOC	2/1/2005	20.15	0	UG/L	239		W
Carbon tetrachloride	2/1/2005	1.3	0.5	UG/L	239		W
Chloroform	2/1/2005	1.1	0.5	UG/L	239		W
cis-1,2-Dichloroethylene	2/1/2005	1.1	0.5	UG/L	239		W
Trichloroethylene	2/1/2005	8.8	0.5	UG/L	239	B	W
1,1,1-Trichloroethane	1/4/2005	6.3	0.5	UG/L	226		W
1,1-Dichloroethylene	1/4/2005	3.4	0.5	UG/L	226		W
1,2-Dichloroethane	1/4/2005	0.29	0.5	UG/L	226	J	W
524.2 TVOC	1/4/2005	23.79	0	UG/L	226		W
Carbon tetrachloride	1/4/2005	1.7	0.5	UG/L	226		W
Chloroform	1/4/2005	1.3	0.5	UG/L	226		W
cis-1,2-Dichloroethylene	1/4/2005	1.1	0.5	UG/L	226		W
Trichloroethylene	1/4/2005	9.7	0.5	UG/L	226		W
1,1,1-Trichloroethane	12/16/2004	2.4	0.5	UG/L	226		W
1,1-Dichloroethylene	12/16/2004	1.2	0.5	UG/L	226		W
524.2 TVOC	12/16/2004	10.3	0	UG/L	226		W
Carbon tetrachloride	12/16/2004	0.53	0.5	UG/L	226		W
Chloroform	12/16/2004	1.1	0.5	UG/L	226		W
cis-1,2-Dichloroethylene	12/16/2004	0.43	0.5	UG/L	226	J	W
Methylene chloride	12/16/2004	0.34	0.5	UG/L	226	J	W
Trichloroethylene	12/16/2004	4.3	0.5	UG/L	226		W
1,1,1-Trichloroethane	11/2/2004	5.1	0.5	UG/L	226		W
1,1-Dichloroethylene	11/2/2004	3	0.5	UG/L	226		W
1,2-Dichloroethane	11/2/2004	0.25	0.5	UG/L	226	J	W
524.2 TVOC	11/2/2004	21.05	0	UG/L	226		W

Appendix B

OU III LIPA Petition for Closure

2004 - 2024 Extraction Well Analytical Data Summary - VOCs Detected Above Laboratory MDL

Carbon tetrachloride	11/2/2004	1.2	0.5	UG/L	226		W
Chloroform	11/2/2004	0.94	0.5	UG/L	226		W
cis-1,2-Dichloroethylene	11/2/2004	0.92	0.5	UG/L	226		W
Toluene	11/2/2004	0.14	0.5	UG/L	226	J	W
Trichloroethylene	11/2/2004	9.5	0.5	UG/L	226		W
1,1,1-Trichloroethane	7/23/2004	3.8	0.5	UG/L	226		W
1,1-Dichloroethylene	7/23/2004	2.5	0.5	UG/L	226		W
524.2 TVOC	7/23/2004	16.2	0	UG/L	226		W
Carbon tetrachloride	7/23/2004	1.3	0.5	UG/L	226		W
Chloroform	7/23/2004	1.1	0.5	UG/L	226		W
cis-1,2-Dichloroethylene	7/23/2004	0.6	0.5	UG/L	226		W
Trichloroethylene	7/23/2004	6.9	0.5	UG/L	226		W
1,1,1-Trichloroethane	6/30/2004	0.61	0.5	UG/L	226		W
524.2 TVOC	6/30/2004	2.33	0	UG/L	226		W
Chloroform	6/30/2004	0.62	0.5	UG/L	226		W
Trichloroethylene	6/30/2004	1.1	0.5	UG/L	226		W
524.2 TVOC	6/15/2004	1.17	0	UG/L	226		W
Chloroform	6/15/2004	0.46	0.5	UG/L	226	J	W
Naphthalene	6/15/2004	0.4	0.5	UG/L	226	J	W
Toluene	6/15/2004	0.31	0.5	UG/L	226	J	W

Site ID : 000-461 (EW-4L)

Chemical Name	Sample Date	Value	Detlim	Units	Depth	Qual	Matrix
1,4-Dioxane	1/10/2024	0.14	0.2	UG/L	0	J	W
8260 TVOC	1/10/2024	6.5	0	UG/L	0		W
Carbon tetrachloride	1/10/2024	0.78	0.5	UG/L	0		W
Chloroform	1/10/2024	0.82	0.5	UG/L	0		W
Tetrachloroethylene	1/10/2024	3.8	0.5	UG/L	0		W
Trichloroethylene	1/10/2024	1.1	0.5	UG/L	0		W
8260 TVOC	10/12/2023	6.16	0	UG/L	314		W
Carbon tetrachloride	10/12/2023	0.98	0.5	UG/L	314		W
Chloroform	10/12/2023	0.68	0.5	UG/L	314		W
Tetrachloroethylene	10/12/2023	3.4	0.5	UG/L	314		W
Trichloroethylene	10/12/2023	1.1	0.5	UG/L	314		W
1,1,1-Trichloroethane	7/10/2023	0.21	0.5	UG/L	314	J	W
8260 TVOC	7/10/2023	5.44	0	UG/L	314		W
Carbon tetrachloride	7/10/2023	0.81	0.5	UG/L	314		W
Chloroform	7/10/2023	0.69	0.5	UG/L	314		W
Tetrachloroethylene	7/10/2023	2.8	0.5	UG/L	314		W
Trichloroethylene	7/10/2023	0.93	0.5	UG/L	314		W
1,4-Dioxane	6/30/2023	0.18	0.2	UG/L	314	J	W
8260 TVOC	4/13/2023	4.63	0	UG/L	314		W
Chloroform	4/13/2023	0.55	0.5	UG/L	314		W
Tetrachloroethylene	4/13/2023	3.5	0.5	UG/L	314		W
Trichloroethylene	4/13/2023	0.58	0.5	UG/L	314		W
8260 TVOC	1/12/2023	5.36	0	UG/L	314		W
Carbon tetrachloride	1/12/2023	0.54	0.5	UG/L	314		W
Chloroform	1/12/2023	0.62	0.5	UG/L	314		W
Tetrachloroethylene	1/12/2023	3.5	0.5	UG/L	314		W
Trichloroethylene	1/12/2023	0.7	0.5	UG/L	314		W
8260 TVOC	10/13/2022	6.06	0	UG/L	314		W

Appendix B

OU III LIPA Petition for Closure

2004 - 2024 Extraction Well Analytical Data Summary - VOCs Detected Above Laboratory MDL

Carbon tetrachloride	10/13/2022	0.38	0.5	UG/L	314	J	W
Chloroform	10/13/2022	0.69	0.5	UG/L	314		W
Tetrachloroethylene	10/13/2022	4	0.5	UG/L	314		W
Trichloroethylene	10/13/2022	0.99	0.5	UG/L	314		W
1,1,1-Trichloroethane	7/13/2022	0.2	0.5	UG/L	314	J	W
8260 TVOC	7/13/2022	7.58	0	UG/L	314		W
Carbon tetrachloride	7/13/2022	0.9	0.5	UG/L	314		W
Chloroform	7/13/2022	0.98	0.5	UG/L	314		W
Tetrachloroethylene	7/13/2022	4.3	0.5	UG/L	314		W
Trichloroethylene	7/13/2022	1.2	0.5	UG/L	314		W
8260 TVOC	4/11/2022	6.76	0	UG/L	314		W
Carbon tetrachloride	4/11/2022	0.82	0.5	UG/L	314		W
Chloroform	4/11/2022	0.84	0.5	UG/L	314		W
Tetrachloroethylene	4/11/2022	4	0.5	UG/L	314		W
Trichloroethylene	4/11/2022	1.1	0.5	UG/L	314		W
8260 TVOC	1/26/2022	6.17	0	UG/L	314		W
Carbon tetrachloride	1/26/2022	0.92	0.5	UG/L	314		W
Chloroform	1/26/2022	0.68	0.5	UG/L	314		W
Tetrachloroethylene	1/26/2022	3.6	0.5	UG/L	314		W
Trichloroethylene	1/26/2022	0.97	0.5	UG/L	314		W
8260 TVOC	10/22/2021	5.88	0	UG/L	314		W
Chloroform	10/22/2021	0.53	0.5	UG/L	314		W
Methylene chloride	10/22/2021	0.37	0.5	UG/L	314	J B	W
Tetrachloroethylene	10/22/2021	4.1	0.5	UG/L	314		W
Trichloroethylene	10/22/2021	0.88	0.5	UG/L	314		W
1,1,1-Trichloroethane	7/7/2021	0.24	0.5	UG/L	314	J	W
8260 TVOC	7/7/2021	7.65	0	UG/L	314		W
Carbon tetrachloride	7/7/2021	1	0.5	UG/L	314		W
Chloroform	7/7/2021	0.91	0.5	UG/L	314		W
Tetrachloroethylene	7/7/2021	4	0.5	UG/L	314		W
Trichloroethylene	7/7/2021	1.5	0.5	UG/L	314		W
1,1,1-Trichloroethane	4/7/2021	0.25	0.5	UG/L	314	J	W
524.2 TVOC	4/7/2021	8.15	0	UG/L	314		W
Carbon tetrachloride	4/7/2021	1.2	0.5	UG/L	314		W
Chloroform	4/7/2021	1.1	0.5	UG/L	314		W
Tetrachloroethylene	4/7/2021	4.2	0.5	UG/L	314		W
Trichloroethylene	4/7/2021	1.4	0.5	UG/L	314		W
1,1,1-Trichloroethane	1/8/2021	0.23	0.5	UG/L	314	J	W
524.2 TVOC	1/8/2021	8.63	0	UG/L	314		W
Carbon tetrachloride	1/8/2021	1.2	0.5	UG/L	314		W
Chloroform	1/8/2021	1	0.5	UG/L	314		W
Tetrachloroethylene	1/8/2021	4.7	0.5	UG/L	314		W
Trichloroethylene	1/8/2021	1.5	0.5	UG/L	314		W
1,1,1-Trichloroethane	10/7/2020	0.21	0.5	UG/L	314	J	W
524.2 TVOC	10/7/2020	8.21	0	UG/L	314		W
Carbon tetrachloride	10/7/2020	1.2	0.5	UG/L	314		W
Chloroform	10/7/2020	1.1	0.5	UG/L	314		W
Tetrachloroethylene	10/7/2020	4.2	0.5	UG/L	314		W
Trichloroethylene	10/7/2020	1.5	0.5	UG/L	314		W
524.2 TVOC	7/28/2020	6.98	0	UG/L	314		W
Carbon tetrachloride	7/28/2020	1	0.5	UG/L	314		W
Chloroform	7/28/2020	0.98	0.5	UG/L	314		W
Tetrachloroethylene	7/28/2020	3.5	0.5	UG/L	314		W

Appendix B

OU III LIPA Petition for Closure

2004 - 2024 Extraction Well Analytical Data Summary - VOCs Detected Above Laboratory MDL

Trichloroethylene	7/28/2020	1.5	0.5	UG/L	314		W
1,4-Dioxane	4/7/2020	0.256	0.2	UG/L	0		W
524.2 TVOC	4/7/2020	6.65	0	UG/L	314		W
Carbon tetrachloride	4/7/2020	1.4	0.5	UG/L	314		W
Chloroform	4/7/2020	0.75	0.5	UG/L	314		W
Tetrachloroethylene	4/7/2020	3.2	0.5	UG/L	314		W
Trichloroethylene	4/7/2020	1.3	0.5	UG/L	314		W
524.2 TVOC	1/8/2020	6.08	0	UG/L	314		W
Carbon tetrachloride	1/8/2020	0.87	0.5	UG/L	314		W
Chloroform	1/8/2020	0.71	0.5	UG/L	314		W
Tetrachloroethylene	1/8/2020	3.2	0.5	UG/L	314		W
Trichloroethylene	1/8/2020	1.3	0.5	UG/L	314		W
524.2 TVOC	10/4/2019	6.11	0	UG/L	314		W
Carbon tetrachloride	10/4/2019	0.66	0.5	UG/L	314		W
Chloroform	10/4/2019	0.55	0.5	UG/L	314		W
Ethylbenzene	10/4/2019	0.13	0.5	UG/L	314	J	W
m/p xylene	10/4/2019	0.31	1	UG/L	314	J	W
Tetrachloroethylene	10/4/2019	3	0.5	UG/L	314		W
Toluene	10/4/2019	0.36	0.5	UG/L	314	J	W
Trichloroethylene	10/4/2019	1.1	0.5	UG/L	314		W
524.2 TVOC	7/10/2019	7.8	0	UG/L	314		W
Carbon tetrachloride	7/10/2019	1.5	0.5	UG/L	314		W
Chloroform	7/10/2019	1	0.5	UG/L	314		W
Tetrachloroethylene	7/10/2019	3.7	0.5	UG/L	314		W
Trichloroethylene	7/10/2019	1.6	0.5	UG/L	314		W
524.2 TVOC	4/9/2019	7.87	0	UG/L	314		W
Carbon tetrachloride	4/9/2019	1.3	0.5	UG/L	314		W
Chloroform	4/9/2019	0.87	0.5	UG/L	314		W
Tetrachloroethylene	4/9/2019	4	0.5	UG/L	314		W
Trichloroethylene	4/9/2019	1.7	0.5	UG/L	314		W
1,1,1-Trichloroethane	1/18/2019	0.26	0.5	UG/L	314	J	W
524.2 TVOC	1/18/2019	7.98	0	UG/L	314		W
Carbon tetrachloride	1/18/2019	1.62	0.5	UG/L	314		W
Chloroform	1/18/2019	0.96	0.5	UG/L	314		W
Tetrachloroethylene	1/18/2019	3.69	0.5	UG/L	314		W
Trichloroethylene	1/18/2019	1.45	0.5	UG/L	314		W
524.2 TVOC	10/10/2018	5.58	0	UG/L	314		W
Carbon tetrachloride	10/10/2018	0.28	0.5	UG/L	314	J	W
Chloroform	10/10/2018	0.8	0.5	UG/L	314		W
Tetrachloroethylene	10/10/2018	3.5	0.5	UG/L	314		W
Trichloroethylene	10/10/2018	1	0.5	UG/L	314		W
1,1,1-Trichloroethane	7/11/2018	0.6	0.5	UG/L	314		W
1,1-Dichloroethylene	7/11/2018	0.49	0.5	UG/L	314	J	W
524.2 TVOC	7/11/2018	9.59	0	UG/L	314		W
Carbon tetrachloride	7/11/2018	1.6	0.5	UG/L	314		W
Chloroform	7/11/2018	1.2	0.5	UG/L	314		W
Tetrachloroethylene	7/11/2018	4.3	0.5	UG/L	314		W
Trichloroethylene	7/11/2018	1.4	0.5	UG/L	314		W
1,1,1-Trichloroethane	4/4/2018	0.17	0.5	UG/L	314	J	W
524.2 TVOC	4/4/2018	10.05	0	UG/L	314		W
Carbon tetrachloride	4/4/2018	1.9	0.5	UG/L	314		W
Chloroform	4/4/2018	0.98	0.5	UG/L	314		W
Tetrachloroethylene	4/4/2018	5.9	0.5	UG/L	314		W

Appendix B

OU III LIPA Petition for Closure

2004 - 2024 Extraction Well Analytical Data Summary - VOCs Detected Above Laboratory MDL

Trichloroethylene	4/4/2018	1.1	0.5	UG/L	314		W
1,1,1-Trichloroethane	1/3/2018	0.17	0.5	UG/L	314	J	W
524.2 TVOC	1/3/2018	7.63	0	UG/L	314		W
Carbon tetrachloride	1/3/2018	0.76	0.5	UG/L	314		W
Chloroform	1/3/2018	1.3	0.5	UG/L	314		W
Tetrachloroethylene	1/3/2018	3.9	0.5	UG/L	314		W
Trichloroethylene	1/3/2018	1.5	0.5	UG/L	314		W
1,1,1-Trichloroethane	10/17/2017	0.18	0.5	UG/L	314	J	W
1,1-Dichloroethane	10/17/2017	0.096	0.5	UG/L	314	J	W
1,1-Dichloroethylene	10/17/2017	0.1	0.5	UG/L	314	J	W
524.2 TVOC	10/17/2017	5.986	0	UG/L	314		W
Carbon tetrachloride	10/17/2017	1.3	0.5	UG/L	314		W
Chloroform	10/17/2017	0.85	0.5	UG/L	314		W
Tetrachloroethylene	10/17/2017	2.7	0.5	UG/L	314		W
Trichloroethylene	10/17/2017	0.76	0.5	UG/L	314		W
1,1,1-Trichloroethane	4/5/2017	0.5	0.5	UG/L	314		W
1,1-Dichloroethane	4/5/2017	0.086	0.5	UG/L	314	J	W
1,1-Dichloroethylene	4/5/2017	0.29	0.5	UG/L	314	J	W
524.2 TVOC	4/5/2017	6.126	0	UG/L	314		W
Carbon tetrachloride	4/5/2017	2	0.5	UG/L	314		W
Chloroform	4/5/2017	0.64	0.5	UG/L	314		W
Tetrachloroethylene	4/5/2017	1.9	0.5	UG/L	314		W
Trichloroethylene	4/5/2017	0.71	0.5	UG/L	314		W
1,1,1-Trichloroethane	1/5/2017	0.24	0.5	UG/L	314	J	W
1,1-Dichloroethane	1/5/2017	0.086	0.5	UG/L	314	J	W
1,1-Dichloroethylene	1/5/2017	0.16	0.5	UG/L	314	J	W
524.2 TVOC	1/5/2017	8.106	0	UG/L	314		W
Carbon tetrachloride	1/5/2017	3.6	0.5	UG/L	314		W
Chloroform	1/5/2017	0.62	0.5	UG/L	314		W
Tetrachloroethylene	1/5/2017	2.1	0.5	UG/L	314		W
Trichloroethylene	1/5/2017	1.3	0.5	UG/L	314		W
1,1,1-Trichloroethane	10/3/2016	0.22	0.5	UG/L	314	J	W
1,1-Dichloroethylene	10/3/2016	0.14	0.5	UG/L	314	J	W
524.2 TVOC	10/3/2016	6.9	0	UG/L	314		W
Carbon tetrachloride	10/3/2016	2.9	0.5	UG/L	314		W
Chloroform	10/3/2016	0.54	0.5	UG/L	314		W
Tetrachloroethylene	10/3/2016	1.9	0.5	UG/L	314		W
Trichloroethylene	10/3/2016	1.2	0.5	UG/L	314		W
1,1,1-Trichloroethane	7/6/2016	0.43	0.5	UG/L	314	J	W
1,1-Dichloroethane	7/6/2016	0.13	0.5	UG/L	314	J	W
1,1-Dichloroethylene	7/6/2016	0.23	0.5	UG/L	314	J	W
524.2 TVOC	7/6/2016	11.77	0	UG/L	314		W
Carbon tetrachloride	7/6/2016	5.1	0.5	UG/L	314		W
Chloroform	7/6/2016	0.98	0.5	UG/L	314		W
Tetrachloroethylene	7/6/2016	3.3	0.5	UG/L	314		W
Trichloroethylene	7/6/2016	1.6	0.5	UG/L	314		W
1,1,1-Trichloroethane	4/11/2016	0.28	0.5	UG/L	314	J	W
1,1-Dichloroethane	4/11/2016	0.1	0.5	UG/L	314	J	W
1,1-Dichloroethylene	4/11/2016	0.16	0.5	UG/L	314	J	W
524.2 TVOC	4/11/2016	9.73	0	UG/L	314		W
Carbon tetrachloride	4/11/2016	4.1	0.5	UG/L	314		W
Chloroform	4/11/2016	0.79	0.5	UG/L	314		W
Tetrachloroethylene	4/11/2016	2.8	0.5	UG/L	314		W

Appendix B

OU III LIPA Petition for Closure

2004 - 2024 Extraction Well Analytical Data Summary - VOCs Detected Above Laboratory MDL

Trichloroethylene	4/11/2016	1.5	0.5	UG/L	314		W
1,1,1-Trichloroethane	1/5/2016	0.28	0.5	UG/L	314	J	W
1,1-Dichloroethane	1/5/2016	0.091	0.5	UG/L	314	J	W
1,1-Dichloroethylene	1/5/2016	0.18	0.5	UG/L	314	J	W
524.2 TVOC	1/5/2016	8.421	0	UG/L	314		W
Carbon tetrachloride	1/5/2016	3.7	0.5	UG/L	314		W
Chloroform	1/5/2016	0.67	0.5	UG/L	314		W
Tetrachloroethylene	1/5/2016	2.2	0.5	UG/L	314		W
Trichloroethylene	1/5/2016	1.3	0.5	UG/L	314		W
1,1,1-Trichloroethane	10/5/2015	0.28	0.5	UG/L	314	J	W
1,1-Dichloroethane	10/5/2015	0.081	0.5	UG/L	314	J	W
1,1-Dichloroethylene	10/5/2015	0.15	0.5	UG/L	314	J	W
524.2 TVOC	10/5/2015	8.811	0	UG/L	314		W
Carbon tetrachloride	10/5/2015	3.7	0.5	UG/L	314		W
Chloroform	10/5/2015	0.7	0.5	UG/L	314		W
Tetrachloroethylene	10/5/2015	2.5	0.5	UG/L	314		W
Trichloroethylene	10/5/2015	1.4	0.5	UG/L	314		W
1,1,1-Trichloroethane	7/7/2015	0.27	0.5	UG/L	314	J	W
1,1-Dichloroethylene	7/7/2015	0.14	0.5	UG/L	314	J	W
524.2 TVOC	7/7/2015	3.01	0	UG/L	314		W
Carbon tetrachloride	7/7/2015	0.83	0.5	UG/L	314		W
Chloroform	7/7/2015	0.53	0.5	UG/L	314		W
Tetrachloroethylene	7/7/2015	0.8	0.5	UG/L	314		W
Trichloroethylene	7/7/2015	0.44	0.5	UG/L	314	J	W
1,1,1-Trichloroethane	4/2/2015	0.33	0.5	UG/L	314	J	W
524.2 TVOC	4/2/2015	8.79	0	UG/L	314		W
Carbon tetrachloride	4/2/2015	4.1	0.5	UG/L	314		W
Chloroform	4/2/2015	0.76	0.5	UG/L	314		W
Tetrachloroethylene	4/2/2015	2.6	0.5	UG/L	314		W
Trichloroethylene	4/2/2015	1	0.5	UG/L	314		W
1,1,1-Trichloroethane	1/6/2015	0.38	0.5	UG/L	314	J	W
1,1-Dichloroethane	1/6/2015	0.11	0.5	UG/L	314	J	W
1,1-Dichloroethylene	1/6/2015	0.2	0.5	UG/L	314	J	W
524.2 TVOC	1/6/2015	11.93	0	UG/L	314		W
Carbon tetrachloride	1/6/2015	5.6	0.5	UG/L	314		W
Chloroform	1/6/2015	0.84	0.5	UG/L	314		W
Tetrachloroethylene	1/6/2015	2.9	0.5	UG/L	314		W
Trichloroethylene	1/6/2015	1.9	0.5	UG/L	314		W
1,1,1-Trichloroethane	10/6/2014	0.34	0.5	UG/L	314	J	W
1,1-Dichloroethane	10/6/2014	0.087	0.5	UG/L	314	J	W
1,1-Dichloroethylene	10/6/2014	0.23	0.5	UG/L	314	J	W
524.2 TVOC	10/6/2014	12.087	0	UG/L	314		W
Carbon tetrachloride	10/6/2014	5.3	0.5	UG/L	314		W
Chloroform	10/6/2014	0.83	0.5	UG/L	314		W
Tetrachloroethylene	10/6/2014	3.4	0.5	UG/L	314		W
Trichloroethylene	10/6/2014	1.9	0.5	UG/L	314		W
1,1,1-Trichloroethane	7/9/2014	0.34	0.5	UG/L	314	J	W
1,1-Dichloroethane	7/9/2014	0.1	0.5	UG/L	314	J	W
1,1-Dichloroethylene	7/9/2014	0.21	0.5	UG/L	314	J	W
524.2 TVOC	7/9/2014	11.161	0	UG/L	314		W
Carbon tetrachloride	7/9/2014	5.1	0.5	UG/L	314		W
Chloroform	7/9/2014	0.83	0.5	UG/L	314		W
Methyl chloride	7/9/2014	0.081	0.5	UG/L	314	J	W

Appendix B

OU III LIPA Petition for Closure

2004 - 2024 Extraction Well Analytical Data Summary - VOCs Detected Above Laboratory MDL

Tetrachloroethylene	7/9/2014	2.8	0.5	UG/L	314		W
Trichloroethylene	7/9/2014	1.7	0.5	UG/L	314		W
1,1,1-Trichloroethane	4/1/2014	0.38	0.5	UG/L	314	J	W
1,1-Dichloroethane	4/1/2014	0.1	0.5	UG/L	314	J	W
1,1-Dichloroethylene	4/1/2014	0.21	0.5	UG/L	314	J	W
524.2 TVOC	4/1/2014	11.61	0	UG/L	314		W
Carbon tetrachloride	4/1/2014	5.4	0.5	UG/L	314		W
Chloroform	4/1/2014	0.92	0.5	UG/L	314		W
Tetrachloroethylene	4/1/2014	2.8	0.5	UG/L	314		W
Trichloroethylene	4/1/2014	1.8	0.5	UG/L	314		W
1,1,1-Trichloroethane	1/9/2014	0.37	0.5	UG/L	314	J	W
1,1-Dichloroethane	1/9/2014	0.11	0.5	UG/L	314	J	W
1,1-Dichloroethylene	1/9/2014	0.22	0.5	UG/L	314	J	W
524.2 TVOC	1/9/2014	12.24	0	UG/L	314		W
Carbon tetrachloride	1/9/2014	5.4	0.5	UG/L	314		W
Chloroform	1/9/2014	0.94	0.5	UG/L	314		W
Tetrachloroethylene	1/9/2014	3.1	0.5	UG/L	314		W
Trichloroethylene	1/9/2014	2.1	0.5	UG/L	314		W
1,1,1-Trichloroethane	10/15/2013	0.41	0.5	UG/L	314	J	W
1,1-Dichloroethane	10/15/2013	0.093	0.5	UG/L	314	J	W
1,1-Dichloroethylene	10/15/2013	0.22	0.5	UG/L	314	J	W
524.2 TVOC	10/15/2013	12.903	0	UG/L	314		W
Carbon tetrachloride	10/15/2013	6	0.5	UG/L	314		W
Chloroform	10/15/2013	0.98	0.5	UG/L	314		W
Tetrachloroethylene	10/15/2013	3.3	0.5	UG/L	314		W
Trichloroethylene	10/15/2013	1.9	0.5	UG/L	314		W
1,1,1-Trichloroethane	7/1/2013	0.46	0.5	UG/L	314	J	W
1,1-Dichloroethane	7/1/2013	0.13	0.5	UG/L	314	J	W
1,1-Dichloroethylene	7/1/2013	0.25	0.5	UG/L	314	J	W
524.2 TVOC	7/1/2013	14.036	0	UG/L	314		W
Carbon tetrachloride	7/1/2013	6.7	0.5	UG/L	314		W
Chloroform	7/1/2013	1.1	0.5	UG/L	314		W
cis-1,2-Dichloroethylene	7/1/2013	0.096	0.5	UG/L	314	J	W
Tetrachloroethylene	7/1/2013	3.2	0.5	UG/L	314		W
Trichloroethylene	7/1/2013	2.1	0.5	UG/L	314		W
1,1,1-Trichloroethane	4/2/2013	0.55	0.5	UG/L	314		W
1,1-Dichloroethane	4/2/2013	0.12	0.5	UG/L	314	J	W
1,1-Dichloroethylene	4/2/2013	0.25	0.5	UG/L	314	J	W
524.2 TVOC	4/2/2013	14.92	0	UG/L	314		W
Carbon tetrachloride	4/2/2013	7.4	0.5	UG/L	314		W
Chloroform	4/2/2013	1.3	0.5	UG/L	314		W
Tetrachloroethylene	4/2/2013	3.3	0.5	UG/L	314		W
Trichloroethylene	4/2/2013	2	0.5	UG/L	314		W
1,1,1-Trichloroethane	1/3/2013	0.6	0.5	UG/L	314		W
1,1-Dichloroethane	1/3/2013	0.093	0.5	UG/L	314	J	W
1,1-Dichloroethylene	1/3/2013	0.3	0.5	UG/L	314	J	W
524.2 TVOC	1/3/2013	17.193	0	UG/L	314		W
Carbon tetrachloride	1/3/2013	8.7	0.5	UG/L	314		W
Chloroform	1/3/2013	1.3	0.5	UG/L	314		W
Tetrachloroethylene	1/3/2013	3.9	0.5	UG/L	314		W
Trichloroethylene	1/3/2013	2.3	0.5	UG/L	314		W
1,1,1-Trichloroethane	10/3/2012	0.55	0.5	UG/L	314		W
1,1-Dichloroethane	10/3/2012	0.12	0.5	UG/L	314	J	W

Appendix B

OU III LIPA Petition for Closure

2004 - 2024 Extraction Well Analytical Data Summary - VOCs Detected Above Laboratory MDL

1,1-Dichloroethylene	10/3/2012	0.33	0.5	UG/L	314	J	W
524.2 TVOC	10/3/2012	15.83	0	UG/L	314		W
Carbon tetrachloride	10/3/2012	6	0.5	UG/L	314		W
Chloroform	10/3/2012	1.5	0.5	UG/L	314		W
cis-1,2-Dichloroethylene	10/3/2012	0.11	0.5	UG/L	314	J	W
Methyl chloride	10/3/2012	0.12	0.5	UG/L	314	J	W
Methylene chloride	10/3/2012	0.2	0.5	UG/L	314	J	W
Tetrachloroethylene	10/3/2012	5.3	0.5	UG/L	314		W
Trichloroethylene	10/3/2012	1.6	0.5	UG/L	314		W
1,1,1-Trichloroethane	7/2/2012	0.57	0.5	UG/L	314		W
1,1-Dichloroethane	7/2/2012	0.11	0.5	UG/L	314	J	W
1,1-Dichloroethylene	7/2/2012	0.28	0.5	UG/L	314	J	W
524.2 TVOC	7/2/2012	15.86	0	UG/L	314		W
Carbon tetrachloride	7/2/2012	7.7	0.5	UG/L	314		W
Chloroform	7/2/2012	1.2	0.5	UG/L	314		W
Tetrachloroethylene	7/2/2012	3.8	0.5	UG/L	314		W
Trichloroethylene	7/2/2012	2.2	0.5	UG/L	314		W
1,1,1-Trichloroethane	4/6/2012	0.71	0.5	UG/L	314		W
1,1-Dichloroethane	4/6/2012	0.13	0.5	UG/L	314	J	W
1,1-Dichloroethylene	4/6/2012	0.34	0.5	UG/L	314	J	W
524.2 TVOC	4/6/2012	16.98	0	UG/L	314		W
Carbon tetrachloride	4/6/2012	8.5	0.5	UG/L	314		W
Chloroform	4/6/2012	1.3	0.5	UG/L	314		W
Tetrachloroethylene	4/6/2012	3.9	0.5	UG/L	314		W
Trichloroethylene	4/6/2012	2.1	0.5	UG/L	314		W
1,1,1-Trichloroethane	1/6/2012	0.57	0.5	UG/L	314		W
1,1-Dichloroethane	1/6/2012	0.13	0.5	UG/L	314	J	W
1,1-Dichloroethylene	1/6/2012	0.28	0.5	UG/L	314	J	W
524.2 TVOC	1/6/2012	16.49	0	UG/L	314		W
Carbon tetrachloride	1/6/2012	8.1	0.5	UG/L	314		W
Chloroform	1/6/2012	1.3	0.5	UG/L	314		W
cis-1,2-Dichloroethylene	1/6/2012	0.11	0.5	UG/L	314	J	W
Tetrachloroethylene	1/6/2012	3.7	0.5	UG/L	314		W
Trichloroethylene	1/6/2012	2.3	0.5	UG/L	314		W
1,1,1-Trichloroethane	10/3/2011	0.7	0.5	UG/L	314		W
1,1-Dichloroethane	10/3/2011	0.12	0.5	UG/L	314	J	W
1,1-Dichloroethylene	10/3/2011	0.32	0.5	UG/L	314	J	W
524.2 TVOC	10/3/2011	19.7	0	UG/L	314		W
Carbon tetrachloride	10/3/2011	9.3	0.5	UG/L	314		W
Chloroform	10/3/2011	1.4	0.5	UG/L	314		W
Methylene chloride	10/3/2011	0.76	0.5	UG/L	314	B	W
Tetrachloroethylene	10/3/2011	4.6	0.5	UG/L	314		W
Trichloroethylene	10/3/2011	2.5	0.5	UG/L	314		W
1,1,1-Trichloroethane	7/7/2011	0.75	0.5	UG/L	314		W
1,1-Dichloroethane	7/7/2011	0.12	0.5	UG/L	314	J	W
1,1-Dichloroethylene	7/7/2011	0.33	0.5	UG/L	314	J	W
524.2 TVOC	7/7/2011	21.73	0	UG/L	314		W
Carbon tetrachloride	7/7/2011	12	0.5	UG/L	314		W
Chloroform	7/7/2011	1.6	0.5	UG/L	314		W
Methylene chloride	7/7/2011	0.13	0.5	UG/L	314	J	W
Tetrachloroethylene	7/7/2011	4	0.5	UG/L	314		W
Trichloroethylene	7/7/2011	2.8	0.5	UG/L	314		W
1,1,1-Trichloroethane	4/5/2011	0.73	0.5	UG/L	314		W

Appendix B

OU III LIPA Petition for Closure

2004 - 2024 Extraction Well Analytical Data Summary - VOCs Detected Above Laboratory MDL

1,1-Dichloroethane	4/5/2011	0.13	0.5	UG/L	314	J	W
1,1-Dichloroethylene	4/5/2011	0.39	0.5	UG/L	314	J	W
524.2 TVOC	4/5/2011	20.55	0	UG/L	314		W
Carbon tetrachloride	4/5/2011	11	0.5	UG/L	314		W
Chloroform	4/5/2011	1.5	0.5	UG/L	314		W
Tetrachloroethylene	4/5/2011	4.2	0.5	UG/L	314		W
Trichloroethylene	4/5/2011	2.6	0.5	UG/L	314		W
1,1,1-Trichloroethane	1/6/2011	0.76	0.5	UG/L	314		W
1,1-Dichloroethane	1/6/2011	0.13	0.5	UG/L	314	J	W
1,1-Dichloroethylene	1/6/2011	0.42	0.5	UG/L	314	J	W
524.2 TVOC	1/6/2011	22.11	0	UG/L	314		W
Carbon tetrachloride	1/6/2011	12	0.5	UG/L	314		W
Chloroform	1/6/2011	1.6	0.5	UG/L	314		W
Methyl chloride	1/6/2011	0.1	0.5	UG/L	314	J	W
Tetrachloroethylene	1/6/2011	4.4	0.5	UG/L	314		W
Trichloroethylene	1/6/2011	2.7	0.5	UG/L	314		W
1,1,1-Trichloroethane	10/6/2010	0.62	0.5	UG/L	314		W
1,1-Dichloroethylene	10/6/2010	0.29	0.5	UG/L	314	J	W
524.2 TVOC	10/6/2010	19.45	0	UG/L	314		W
Carbon tetrachloride	10/6/2010	11	0.5	UG/L	314		W
Chloroform	10/6/2010	1.4	0.5	UG/L	314		W
Methyl bromide	10/6/2010	0.17	0.5	UG/L	314	J	W
Methylene chloride	10/6/2010	0.37	0.5	UG/L	314	J B	W
Tetrachloroethylene	10/6/2010	3.5	0.5	UG/L	314		W
Trichloroethylene	10/6/2010	2.1	0.5	UG/L	314		W
1,1,1-Trichloroethane	7/2/2010	0.79	0.5	UG/L	314		W
1,1-Dichloroethane	7/2/2010	0.12	0.5	UG/L	314	J	W
1,1-Dichloroethylene	7/2/2010	0.5	0.5	UG/L	314		W
524.2 TVOC	7/2/2010	26.725	0	UG/L	314		W
Carbon tetrachloride	7/2/2010	15	0.5	UG/L	314		W
Chloroform	7/2/2010	2	0.5	UG/L	314		W
cis-1,2-Dichloroethylene	7/2/2010	0.095	0.5	UG/L	314	J	W
Methyl chloride	7/2/2010	0.27	0.5	UG/L	314	J B	W
Methylene chloride	7/2/2010	0.25	0.5	UG/L	314	J B	W
Tetrachloroethylene	7/2/2010	4.6	0.5	UG/L	314		W
Trichloroethylene	7/2/2010	3.1	0.5	UG/L	314		W
1,1,1-Trichloroethane	4/2/2010	0.53	0.5	UG/L	314		W
1,1-Dichloroethylene	4/2/2010	0.31	0.5	UG/L	314	J	W
524.2 TVOC	4/2/2010	21.9	0	UG/L	314		W
Carbon tetrachloride	4/2/2010	13.2	0.5	UG/L	314		W
Chloroform	4/2/2010	1.62	0.5	UG/L	314		W
Methyl chloride	4/2/2010	0.43	0.5	UG/L	314	J	W
Tetrachloroethylene	4/2/2010	3.29	0.5	UG/L	314		W
Trichloroethylene	4/2/2010	2.52	0.5	UG/L	314		W
1,1,1-Trichloroethane	1/6/2010	0.87	0.5	UG/L	314		W
1,1-Dichloroethylene	1/6/2010	0.49	0.5	UG/L	314	J	W
524.2 TVOC	1/6/2010	33.46	0	UG/L	314		W
Carbon tetrachloride	1/6/2010	21	0.5	UG/L	314		W
Chloroform	1/6/2010	2.3	0.5	UG/L	314	B	W
Tetrachloroethylene	1/6/2010	4.9	0.5	UG/L	314		W
Trichloroethylene	1/6/2010	3.9	0.5	UG/L	314		W
1,1-Dichloroethylene	7/15/2009	0.41	0.5	UG/L	314	J	W
524.2 TVOC	7/15/2009	35.57	0	UG/L	314		W

Appendix B

OU III LIPA Petition for Closure

2004 - 2024 Extraction Well Analytical Data Summary - VOCs Detected Above Laboratory MDL

Carbon tetrachloride	7/15/2009	24	0.5	UG/L	314		W
Chloroform	7/15/2009	2.5	0.5	UG/L	314		W
Methyl chloride	7/15/2009	0.62	0.5	UG/L	314		W
Methylene chloride	7/15/2009	0.54	0.5	UG/L	314		W
Tetrachloroethylene	7/15/2009	3.7	0.5	UG/L	314		W
Trichloroethylene	7/15/2009	3.8	0.5	UG/L	314		W
1,1,1-Trichloroethane	4/8/2009	0.69	0.5	UG/L	314		W
1,1-Dichloroethane	4/8/2009	0.087	0.5	UG/L	314	J	W
1,1-Dichloroethylene	4/8/2009	0.4	0.5	UG/L	314	J	W
524.2 TVOC	4/8/2009	32.427	0	UG/L	314		W
Carbon tetrachloride	4/8/2009	22	0.5	UG/L	314		W
Chloroform	4/8/2009	2.3	0.5	UG/L	314		W
Methylene chloride	4/8/2009	0.15	0.5	UG/L	314	J	W
Tetrachloroethylene	4/8/2009	3.1	0.5	UG/L	314		W
Trichloroethylene	4/8/2009	3.7	0.5	UG/L	314		W
1,1,1-Trichloroethane	2/11/2009	0.75	0.5	UG/L	314		W
1,1-Dichloroethylene	2/11/2009	0.45	0.5	UG/L	314	J	W
524.2 TVOC	2/11/2009	38.17	0	UG/L	314		W
Carbon tetrachloride	2/11/2009	26	0.5	UG/L	314		W
Chloroform	2/11/2009	2.8	0.5	UG/L	314		W
cis-1,2-Dichloroethylene	2/11/2009	0.18	0.5	UG/L	314	J	W
Methylene chloride	2/11/2009	0.19	0.5	UG/L	314	J B	W
Tetrachloroethylene	2/11/2009	3.7	0.5	UG/L	314		W
Trichloroethylene	2/11/2009	4.1	0.5	UG/L	314		W
1,1,1-Trichloroethane	10/15/2008	0.82	0.5	UG/L	314		W
1,1-Dichloroethylene	10/15/2008	0.52	0.5	UG/L	314		W
524.2 TVOC	10/15/2008	45.387	0	UG/L	314		W
Carbon tetrachloride	10/15/2008	32	0.5	UG/L	314		W
Chloroform	10/15/2008	3.2	0.5	UG/L	314		W
cis-1,2-Dichloroethylene	10/15/2008	0.16	0.5	UG/L	314	J	W
Methylene chloride	10/15/2008	0.19	0.5	UG/L	314	J	W
Tetrachloroethylene	10/15/2008	4.1	0.5	UG/L	314		W
Toluene	10/15/2008	0.097	0.5	UG/L	314	J	W
Trichloroethylene	10/15/2008	4.3	0.5	UG/L	314		W
1,1,1-Trichloroethane	4/16/2008	1	0.5	UG/L	314		W
1,1-Dichloroethylene	4/16/2008	0.53	0.5	UG/L	314		W
524.2 TVOC	4/16/2008	53.53	0	UG/L	314		W
Carbon tetrachloride	4/16/2008	40	1	UG/L	314	D	W
Chloroform	4/16/2008	4.2	0.5	UG/L	314		W
Tetrachloroethylene	4/16/2008	2.7	0.5	UG/L	314		W
Trichloroethylene	4/16/2008	5.1	0.5	UG/L	314		W
1,1,1-Trichloroethane	2/8/2008	0.91	0.5	UG/L	314		W
1,1-Dichloroethane	2/8/2008	0.073	0.5	UG/L	314	J	W
1,1-Dichloroethylene	2/8/2008	0.52	0.5	UG/L	314		W
524.2 TVOC	2/8/2008	56.143	0	UG/L	314		W
Carbon tetrachloride	2/8/2008	43	0.5	UG/L	314		W
Chloroform	2/8/2008	3.7	0.5	UG/L	314		W
cis-1,2-Dichloroethylene	2/8/2008	0.14	0.5	UG/L	314	J	W
Tetrachloroethylene	2/8/2008	3.3	0.5	UG/L	314		W
Trichloroethylene	2/8/2008	4.5	0.5	UG/L	314		W
1,1,1-Trichloroethane	1/29/2008	1.2	0.5	UG/L	314		W
1,1-Dichloroethylene	1/29/2008	0.67	0.5	UG/L	314		W
524.2 TVOC	1/29/2008	63.24	0	UG/L	314		W

Appendix B

OU III LIPA Petition for Closure

2004 - 2024 Extraction Well Analytical Data Summary - VOCs Detected Above Laboratory MDL

Carbon tetrachloride	1/29/2008	47	1	UG/L	314	D	W
Chloroform	1/29/2008	4.6	0.5	UG/L	314		W
cis-1,2-Dichloroethylene	1/29/2008	0.17	0.5	UG/L	314	J	W
Tetrachloroethylene	1/29/2008	3.9	0.5	UG/L	314		W
Trichloroethylene	1/29/2008	5.7	0.5	UG/L	314		W
1,1,1-Trichloroethane	12/19/2007	0.72	0.5	UG/L	314		W
1,1-Dichloroethylene	12/19/2007	0.45	0.5	UG/L	314	J	W
524.2 TVOC	12/19/2007	46.83	0	UG/L	314		W
Carbon tetrachloride	12/19/2007	34	0.5	UG/L	314		W
Chloroform	12/19/2007	3.7	0.5	UG/L	314		W
cis-1,2-Dichloroethylene	12/19/2007	0.16	0.5	UG/L	314	J	W
Tetrachloroethylene	12/19/2007	3.4	0.5	UG/L	314		W
Trichloroethylene	12/19/2007	4.4	0.5	UG/L	314		W
1,1,1-Trichloroethane	10/18/2007	0.9	0.5	UG/L	314		W
1,1-Dichloroethylene	10/18/2007	0.45	0.5	UG/L	314	J	W
524.2 TVOC	10/18/2007	55.31	0	UG/L	314		W
Carbon tetrachloride	10/18/2007	40	1	UG/L	314	D	W
Chloroform	10/18/2007	4.7	0.5	UG/L	314		W
Methyl chloride	10/18/2007	0.16	0.5	UG/L	314	J	W
Tetrachloroethylene	10/18/2007	3.9	0.5	UG/L	314		W
Trichloroethylene	10/18/2007	5.2	0.5	UG/L	314		W
1,1,1-Trichloroethane	7/27/2007	0.87	0.5	UG/L	314		W
1,1-Dichloroethane	7/27/2007	0.073	0.5	UG/L	314	J	W
1,1-Dichloroethylene	7/27/2007	0.5	0.5	UG/L	314		W
524.2 TVOC	7/27/2007	60.343	0	UG/L	314		W
Carbon tetrachloride	7/27/2007	46	1	UG/L	314	D	W
Chloroform	7/27/2007	4.2	0.5	UG/L	314		W
cis-1,2-Dichloroethylene	7/27/2007	0.17	0.5	UG/L	314	J	W
Methyl chloride	7/27/2007	0.36	0.5	UG/L	314	J	W
Methylene chloride	7/27/2007	0.17	0.5	UG/L	314	J	W
Tetrachloroethylene	7/27/2007	2.9	0.5	UG/L	314		W
Trichloroethylene	7/27/2007	5.1	0.5	UG/L	314		W
1,1,1-Trichloroethane	5/21/2007	0.72	0.5	UG/L	314		W
1,1-Dichloroethylene	5/21/2007	0.37	0.5	UG/L	314	J	W
524.2 TVOC	5/21/2007	56.72	0	UG/L	314		W
Carbon tetrachloride	5/21/2007	45	1	UG/L	314	D	W
Chloroform	5/21/2007	3.4	0.5	UG/L	314		W
cis-1,2-Dichloroethylene	5/21/2007	0.13	0.5	UG/L	314	J	W
Tetrachloroethylene	5/21/2007	3.1	0.5	UG/L	314		W
Trichloroethylene	5/21/2007	4	0.5	UG/L	314		W
1,1,1-Trichloroethane	4/10/2007	0.95	0.5	UG/L	314		W
1,1-Dichloroethane	4/10/2007	0.092	0.5	UG/L	314	J	W
1,1-Dichloroethylene	4/10/2007	0.44	0.5	UG/L	314	J	W
524.2 TVOC	4/10/2007	62.982	0	UG/L	314		W
Carbon tetrachloride	4/10/2007	49	2.5	UG/L	314	D	W
Chloroform	4/10/2007	4.1	0.5	UG/L	314		W
Tetrachloroethylene	4/10/2007	3.2	0.5	UG/L	314		W
Trichloroethylene	4/10/2007	5.2	0.5	UG/L	314		W
1,1,1-Trichloroethane	3/22/2007	0.92	0.5	UG/L	314		W
1,1-Dichloroethylene	3/22/2007	0.44	0.5	UG/L	314	J	W
524.2 TVOC	3/22/2007	65.19	0	UG/L	314		W
Carbon tetrachloride	3/22/2007	51	1	UG/L	314	D	W
Chloroform	3/22/2007	4.7	0.5	UG/L	314		W

Appendix B

OU III LIPA Petition for Closure

2004 - 2024 Extraction Well Analytical Data Summary - VOCs Detected Above Laboratory MDL

cis-1,2-Dichloroethylene	3/22/2007	0.13	0.5	UG/L	314	J	W
Tetrachloroethylene	3/22/2007	2.6	0.5	UG/L	314		W
Trichloroethylene	3/22/2007	5.4	0.5	UG/L	314		W
1,1,1-Trichloroethane	2/12/2007	0.88	0.5	UG/L	314		W
1,1-Dichloroethane	2/12/2007	0.067	0.5	UG/L	314	J	W
1,1-Dichloroethylene	2/12/2007	0.45	0.5	UG/L	314	J	W
524.2 TVOC	2/12/2007	63.567	0	UG/L	314		W
Carbon tetrachloride	2/12/2007	50	1	UG/L	314	D	W
Chloroform	2/12/2007	4.2	0.5	UG/L	314		W
cis-1,2-Dichloroethylene	2/12/2007	0.17	0.5	UG/L	314	J	W
Tetrachloroethylene	2/12/2007	2.6	0.5	UG/L	314		W
Trichloroethylene	2/12/2007	5.2	0.5	UG/L	314		W
1,1,1-Trichloroethane	1/29/2007	0.86	0.5	UG/L	314		W
1,1-Dichloroethylene	1/29/2007	0.5	0.5	UG/L	314		W
524.2 TVOC	1/29/2007	75.76	0	UG/L	314		W
Carbon tetrachloride	1/29/2007	61	1	UG/L	314	D	W
Chloroform	1/29/2007	4.3	0.5	UG/L	314		W
Tetrachloroethylene	1/29/2007	3.7	0.5	UG/L	314		W
Trichloroethylene	1/29/2007	5.4	0.5	UG/L	314		W
1,1,1-Trichloroethane	12/18/2006	0.97	0.5	UG/L	314		W
1,1-Dichloroethylene	12/18/2006	0.55	0.5	UG/L	314		W
524.2 TVOC	12/18/2006	82.42	0	UG/L	314		W
Carbon tetrachloride	12/18/2006	67	1	UG/L	314	D	W
Chloroform	12/18/2006	4.9	0.5	UG/L	314		W
Tetrachloroethylene	12/18/2006	3	0.5	UG/L	314		W
Trichloroethylene	12/18/2006	6	0.5	UG/L	314		W
1,1,1-Trichloroethane	11/27/2006	1	0.5	UG/L	314		W
1,1-Dichloroethane	11/27/2006	0.087	0.5	UG/L	314	J	W
1,1-Dichloroethylene	11/27/2006	0.47	0.5	UG/L	314	J	W
524.2 TVOC	11/27/2006	82.247	0	UG/L	314		W
Carbon tetrachloride	11/27/2006	66	1.5	UG/L	314	D	W
Chloroform	11/27/2006	5.5	0.5	UG/L	314		W
cis-1,2-Dichloroethylene	11/27/2006	0.19	0.5	UG/L	314	J	W
Tetrachloroethylene	11/27/2006	3	0.5	UG/L	314		W
Trichloroethylene	11/27/2006	6	0.5	UG/L	314		W
1,1,1-Trichloroethane	10/17/2006	1	0.5	UG/L	314		W
1,1-Dichloroethylene	10/17/2006	0.47	0.5	UG/L	314	J	W
524.2 TVOC	10/17/2006	88.67	0	UG/L	314		W
Carbon tetrachloride	10/17/2006	72	1.5	UG/L	314	D	W
Chloroform	10/17/2006	5.3	0.5	UG/L	314		W
cis-1,2-Dichloroethylene	10/17/2006	0.2	0.5	UG/L	314	J	W
Tetrachloroethylene	10/17/2006	3.1	0.5	UG/L	314		W
Trichloroethylene	10/17/2006	6.6	0.5	UG/L	314		W
1,1,1-Trichloroethane	9/18/2006	1	0.5	UG/L	314		W
1,1-Dichloroethylene	9/18/2006	0.5	0.5	UG/L	314		W
524.2 TVOC	9/18/2006	69.19	0	UG/L	314		W
Carbon tetrachloride	9/18/2006	52	2.5	UG/L	314	D	W
Chloroform	9/18/2006	5.4	0.5	UG/L	314		W
cis-1,2-Dichloroethylene	9/18/2006	0.18	0.5	UG/L	314	J	W
Methyl chloride	9/18/2006	0.11	0.5	UG/L	314	J	W
Tetrachloroethylene	9/18/2006	3.3	0.5	UG/L	314		W
Trichloroethylene	9/18/2006	6.7	0.5	UG/L	314		W
1,1,1-Trichloroethane	8/24/2006	1.1	0.5	UG/L	314		W

Appendix B

OU III LIPA Petition for Closure

2004 - 2024 Extraction Well Analytical Data Summary - VOCs Detected Above Laboratory MDL

1,1-Dichloroethylene	8/24/2006	0.45	0.5	UG/L	314	J	W
524.2 TVOC	8/24/2006	88.64	0	UG/L	314		W
Carbon tetrachloride	8/24/2006	71	2.5	UG/L	314	D	W
Chloroform	8/24/2006	5.6	0.5	UG/L	314		W
cis-1,2-Dichloroethylene	8/24/2006	0.19	0.5	UG/L	314	J	W
Tetrachloroethylene	8/24/2006	3.4	0.5	UG/L	314		W
Trichloroethylene	8/24/2006	6.9	0.5	UG/L	314		W
1,1,1-Trichloroethane	7/28/2006	1.1	0.5	UG/L	314		W
1,1-Dichloroethylene	7/28/2006	0.49	0.5	UG/L	314	J	W
524.2 TVOC	7/28/2006	91.41	0	UG/L	314		W
Carbon tetrachloride	7/28/2006	74	2.5	UG/L	314	D	W
Chloroform	7/28/2006	5.4	0.5	UG/L	314		W
cis-1,2-Dichloroethylene	7/28/2006	0.22	0.5	UG/L	314	J	W
Tetrachloroethylene	7/28/2006	3.3	0.5	UG/L	314		W
Trichloroethylene	7/28/2006	6.9	0.5	UG/L	314		W
1,1,1-Trichloroethane	6/20/2006	1	0.5	UG/L	314		W
1,1-Dichloroethylene	6/20/2006	0.47	0.5	UG/L	314	J	W
524.2 TVOC	6/20/2006	76.58	0	UG/L	314		W
Carbon tetrachloride	6/20/2006	61	2.5	UG/L	314	D	W
Chloroform	6/20/2006	4.9	0.5	UG/L	314		W
cis-1,2-Dichloroethylene	6/20/2006	0.21	0.5	UG/L	314	J	W
Tetrachloroethylene	6/20/2006	2.8	0.5	UG/L	314		W
Trichloroethylene	6/20/2006	6.2	0.5	UG/L	314		W
1,1,1-Trichloroethane	5/22/2006	0.97	0.5	UG/L	314		W
1,1-Dichloroethylene	5/22/2006	0.46	0.5	UG/L	314	J	W
524.2 TVOC	5/22/2006	89.35	0	UG/L	314		W
Carbon tetrachloride	5/22/2006	73	2.5	UG/L	314	D	W
Chloroform	5/22/2006	5.3	0.5	UG/L	314		W
cis-1,2-Dichloroethylene	5/22/2006	0.22	0.5	UG/L	314	J	W
Tetrachloroethylene	5/22/2006	2.9	0.5	UG/L	314		W
Trichloroethylene	5/22/2006	6.5	0.5	UG/L	314		W
1,1,1-Trichloroethane	4/20/2006	1	0.5	UG/L	314		W
1,1-Dichloroethylene	4/20/2006	0.45	0.5	UG/L	314	J	W
524.2 TVOC	4/20/2006	105.57	0	UG/L	314		W
Carbon tetrachloride	4/20/2006	88	2.5	UG/L	314	D	W
Chloroform	4/20/2006	5.8	0.5	UG/L	314		W
cis-1,2-Dichloroethylene	4/20/2006	0.22	0.5	UG/L	314	J	W
Tetrachloroethylene	4/20/2006	3.3	0.5	UG/L	314		W
Trichloroethylene	4/20/2006	6.8	0.5	UG/L	314		W
1,1,1-Trichloroethane	3/13/2006	0.36	0.5	UG/L	314	J	W
1,1-Dichloroethane	3/13/2006	0.17	0.5	UG/L	314	J	W
1,1-Dichloroethylene	3/13/2006	0.38	0.5	UG/L	314	J	W
524.2 TVOC	3/13/2006	64.67	0	UG/L	314		W
Carbon tetrachloride	3/13/2006	32	0.5	UG/L	314		W
Chloroform	3/13/2006	9.5	0.5	UG/L	314		W
cis-1,2-Dichloroethylene	3/13/2006	0.26	0.5	UG/L	314	J	W
Methylene chloride	3/13/2006	13	0.5	UG/L	314		W
Tetrachloroethylene	3/13/2006	2.1	0.5	UG/L	314		W
Trichloroethylene	3/13/2006	6.9	0.5	UG/L	314		W
1,1-Dichloroethane	2/14/2006	0.19	0.5	UG/L	314	J	W
1,1-Dichloroethylene	2/14/2006	0.18	0.5	UG/L	314	J	W
524.2 TVOC	2/14/2006	38.485	0	UG/L	314		W
Benzene, 1-methylethyl-	2/14/2006	0.14	0.5	UG/L	314	J	W

Appendix B

OU III LIPA Petition for Closure

2004 - 2024 Extraction Well Analytical Data Summary - VOCs Detected Above Laboratory MDL

Carbon tetrachloride	2/14/2006	0.61	0.5	UG/L	314		W
Chloroform	2/14/2006	8.8	0.5	UG/L	314		W
cis-1,2-Dichloroethylene	2/14/2006	0.27	0.5	UG/L	314	J	W
Methylene chloride	2/14/2006	21	0.5	UG/L	314		W
Tetrachloroethylene	2/14/2006	1.1	0.5	UG/L	314		W
Toluene	2/14/2006	0.095	0.5	UG/L	314	J	W
Trichloroethylene	2/14/2006	6.1	0.5	UG/L	314		W
1,1,1-Trichloroethane	1/23/2006	0.27	0.5	UG/L	314	J	W
1,1-Dichloroethane	1/23/2006	0.16	0.5	UG/L	314	J	W
1,1-Dichloroethylene	1/23/2006	0.36	0.5	UG/L	314	J	W
524.2 TVOC	1/23/2006	58.26	0	UG/L	314		W
Carbon tetrachloride	1/23/2006	25	0.5	UG/L	314		W
Chloroform	1/23/2006	8.1	0.5	UG/L	314		W
cis-1,2-Dichloroethylene	1/23/2006	0.27	0.5	UG/L	314	J	W
Methylene chloride	1/23/2006	16	0.5	UG/L	314		W
Tetrachloroethylene	1/23/2006	1.9	0.5	UG/L	314		W
Trichloroethylene	1/23/2006	6.2	0.5	UG/L	314		W
1,1,1-Trichloroethane	12/20/2005	0.97	0.5	UG/L	310		W
1,1-Dichloroethylene	12/20/2005	0.48	0.5	UG/L	310	J	W
1,2-Dichloroethane	12/20/2005	0.087	0.5	UG/L	310	J	W
524.2 TVOC	12/20/2005	106.837	0	UG/L	310		W
Carbon tetrachloride	12/20/2005	89	5	UG/L	310	D	W
Chloroform	12/20/2005	5.8	0.5	UG/L	310		W
cis-1,2-Dichloroethylene	12/20/2005	0.3	0.5	UG/L	310	J	W
Tetrachloroethylene	12/20/2005	2.5	0.5	UG/L	310		W
Trichloroethylene	12/20/2005	7.7	0.5	UG/L	310		W
1,1,1-Trichloroethane	11/14/2005	0.96	0.5	UG/L	327		W
1,1-Dichloroethylene	11/14/2005	0.35	0.5	UG/L	327	J	W
524.2 TVOC	11/14/2005	108.06	0	UG/L	327		W
Carbon tetrachloride	11/14/2005	91	2.5	UG/L	327	D	W
Chloroform	11/14/2005	5.7	0.5	UG/L	327		W
cis-1,2-Dichloroethylene	11/14/2005	0.28	0.5	UG/L	327	J	W
Methyl chloride	11/14/2005	0.17	0.5	UG/L	327	J	W
Tetrachloroethylene	11/14/2005	2.3	0.5	UG/L	327		W
Trichloroethylene	11/14/2005	7.3	0.5	UG/L	327		W
1,1,1-Trichloroethane	10/3/2005	1.1	0.5	UG/L	327		W
1,1-Dichloroethylene	10/3/2005	0.48	0.5	UG/L	327	J	W
524.2 TVOC	10/3/2005	128.7	0	UG/L	327		W
Carbon tetrachloride	10/3/2005	110	5	UG/L	327	D	W
Chloroform	10/3/2005	6.2	0.5	UG/L	327		W
cis-1,2-Dichloroethylene	10/3/2005	0.3	0.5	UG/L	327	J	W
Methyl chloride	10/3/2005	0.32	0.5	UG/L	327	J	W
Tetrachloroethylene	10/3/2005	2.2	0.5	UG/L	327		W
Trichloroethylene	10/3/2005	8.1	0.5	UG/L	327		W
1,1,1-Trichloroethane	9/6/2005	1.1	0.5	UG/L	327		W
1,1-Dichloroethylene	9/6/2005	0.6	0.5	UG/L	327		W
524.2 TVOC	9/6/2005	138.18	0	UG/L	327		W
Carbon tetrachloride	9/6/2005	120	5	UG/L	327	D	W
Chloroform	9/6/2005	6.1	0.5	UG/L	327		W
Methyl chloride	9/6/2005	0.45	0.5	UG/L	327	J	W
Methylene chloride	9/6/2005	0.53	0.5	UG/L	327		W
Tetrachloroethylene	9/6/2005	1.7	0.5	UG/L	327		W
Trichloroethylene	9/6/2005	7.7	0.5	UG/L	327		W

Appendix B

OU III LIPA Petition for Closure

2004 - 2024 Extraction Well Analytical Data Summary - VOCs Detected Above Laboratory MDL

1,1,1-Trichloroethane	7/19/2005	1.5	0.5	UG/L	327		W
1,1-Dichloroethylene	7/19/2005	0.46	0.5	UG/L	327	J	W
524.2 TVOC	7/19/2005	159.76	0	UG/L	327		W
Carbon tetrachloride	7/19/2005	140	5	UG/L	327	D	W
Chloroform	7/19/2005	7.2	0.5	UG/L	327		W
Tetrachloroethylene	7/19/2005	1.4	0.5	UG/L	327		W
Trichloroethylene	7/19/2005	9.2	0.5	UG/L	327		W
1,1,1-Trichloroethane	6/1/2005	1.4	0.5	UG/L	327		W
524.2 TVOC	6/1/2005	169.77	0	UG/L	327		W
Carbon tetrachloride	6/1/2005	150	5	UG/L	327	D	W
Chloroform	6/1/2005	8	0.5	UG/L	327		W
Tetrachloroethylene	6/1/2005	0.97	0.5	UG/L	327		W
Trichloroethylene	6/1/2005	9.4	0.5	UG/L	327		W
1,1,1-Trichloroethane	5/2/2005	1.6	0.5	UG/L	327		W
1,1-Dichloroethylene	5/2/2005	0.64	0.5	UG/L	327		W
524.2 TVOC	5/2/2005	169.82	0	UG/L	327		W
Carbon tetrachloride	5/2/2005	150	12	UG/L	327	D	W
Chloroform	5/2/2005	6.5	0.5	UG/L	327		W
cis-1,2-Dichloroethylene	5/2/2005	0.47	0.5	UG/L	327	J	W
Tetrachloroethylene	5/2/2005	0.61	0.5	UG/L	327		W
Trichloroethylene	5/2/2005	10	0.5	UG/L	327		W
1,1,1-Trichloroethane	5/2/2005	1.2	0.5	UG/L	314		W
1,1-Dichloroethylene	5/2/2005	0.69	0.5	UG/L	314		W
524.2 TVOC	5/2/2005	183.47	0	UG/L	314		W
Carbon tetrachloride	5/2/2005	164	2.5	UG/L	314	D	W
Chloroform	5/2/2005	6.4	0.5	UG/L	314		W
cis-1,2-Dichloroethylene	5/2/2005	0.42	0.5	UG/L	314	J	W
Tetrachloroethylene	5/2/2005	0.66	0.5	UG/L	314		W
Trichloroethylene	5/2/2005	10.1	0.5	UG/L	314		W
1,1,1-Trichloroethane	4/4/2005	0.39	0.5	UG/L	327	J	W
1,1-Dichloroethane	4/4/2005	0.23	0.5	UG/L	327	J	W
1,1-Dichloroethylene	4/4/2005	0.53	0.5	UG/L	327		W
1,2-Dichloroethane	4/4/2005	0.12	0.5	UG/L	327	J	W
524.2 TVOC	4/4/2005	172.5	0	UG/L	327		W
Carbon tetrachloride	4/4/2005	140	5	UG/L	327	D	W
Chloroform	4/4/2005	8.3	0.5	UG/L	327		W
cis-1,2-Dichloroethylene	4/4/2005	0.47	0.5	UG/L	327	J	W
Methylene chloride	4/4/2005	13	1	UG/L	327	D	W
Tetrachloroethylene	4/4/2005	0.26	0.5	UG/L	327	J	W
Trichloroethylene	4/4/2005	9.2	0.5	UG/L	327		W
1,1,1-Trichloroethane	3/2/2005	1.3	1	UG/L	327	D	W
524.2 TVOC	3/2/2005	197.66	0	UG/L	327		W
Carbon tetrachloride	3/2/2005	170	1	UG/L	327	D	W
Chloroform	3/2/2005	9.6	1	UG/L	327	D	W
cis-1,2-Dichloroethylene	3/2/2005	0.46	1	UG/L	327	J D	W
Methylene chloride	3/2/2005	5.3	1	UG/L	327	D	W
Trichloroethylene	3/2/2005	11	1	UG/L	327	D	W
524.2 TVOC	2/1/2005	1	0	UG/L	327		W
Chloroform	2/1/2005	1	0.5	UG/L	327		W
1,1,1-Trichloroethane	1/4/2005	2.1	0.5	UG/L	314		W
1,1-Dichloroethylene	1/4/2005	1.1	0.5	UG/L	314		W
1,2-Dichloroethane	1/4/2005	0.22	0.5	UG/L	314	J	W
524.2 TVOC	1/4/2005	277.6	0	UG/L	314		W

Appendix B

OU III LIPA Petition for Closure

2004 - 2024 Extraction Well Analytical Data Summary - VOCs Detected Above Laboratory MDL

Carbon tetrachloride	1/4/2005	250	5	UG/L	314	D	W
Chloroform	1/4/2005	8.4	0.5	UG/L	314		W
cis-1,2-Dichloroethylene	1/4/2005	0.71	0.5	UG/L	314		W
Methylene chloride	1/4/2005	1.9	0.5	UG/L	314		W
Tetrachloroethylene	1/4/2005	0.17	0.5	UG/L	314	J	W
Trichloroethylene	1/4/2005	13	0.5	UG/L	314		W
1,1,1-Trichloroethane	12/16/2004	1.8	0.5	UG/L	310		W
1,1-Dichloroethylene	12/16/2004	0.9	0.5	UG/L	310		W
1,2-Dichloroethane	12/16/2004	0.15	0.5	UG/L	310	J	W
524.2 TVOC	12/16/2004	304.44	0	UG/L	310		W
Bromodichloromethane	12/16/2004	0.19	0.5	UG/L	310	J	W
Carbon tetrachloride	12/16/2004	280	10	UG/L	310	D	W
Chloroform	12/16/2004	8.3	0.5	UG/L	310		W
cis-1,2-Dichloroethylene	12/16/2004	0.6	0.5	UG/L	310		W
Methylene chloride	12/16/2004	0.5	0.5	UG/L	310		W
Trichloroethylene	12/16/2004	12	0.5	UG/L	310		W
1,1,1-Trichloroethane	11/2/2004	1.7	0.5	UG/L	310		W
1,1-Dichloroethylene	11/2/2004	0.67	0.5	UG/L	310		W
1,2-Dichloroethane	11/2/2004	0.17	0.5	UG/L	310	J	W
524.2 TVOC	11/2/2004	291.33	0	UG/L	310		W
Carbon tetrachloride	11/2/2004	270	5	UG/L	310	D	W
Chloroform	11/2/2004	5.2	0.5	UG/L	310		W
cis-1,2-Dichloroethylene	11/2/2004	0.59	0.5	UG/L	310		W
Trichloroethylene	11/2/2004	13	0.5	UG/L	310		W
1,1,1-Trichloroethane	7/23/2004	3.9	0.5	UG/L	310		W
1,1-Dichloroethylene	7/23/2004	2.5	0.5	UG/L	310		W
524.2 TVOC	7/23/2004	194.47	0	UG/L	310		W
Carbon tetrachloride	7/23/2004	160	5	UG/L	310	D	W
Chloroform	7/23/2004	6.6	0.5	UG/L	310		W
cis-1,2-Dichloroethylene	7/23/2004	1.5	0.5	UG/L	310		W
Methylene chloride	7/23/2004	0.97	0.5	UG/L	310		W
Trichloroethylene	7/23/2004	19	0.5	UG/L	310		W
1,1,1-Trichloroethane	6/30/2004	2.2	0.5	UG/L	310		W
1,1-Dichloroethylene	6/30/2004	1.3	0.5	UG/L	310		W
524.2 TVOC	6/30/2004	109	0	UG/L	310		W
Carbon tetrachloride	6/30/2004	87	2.5	UG/L	310	D	W
Chloroform	6/30/2004	2.5	0.5	UG/L	310		W
cis-1,2-Dichloroethylene	6/30/2004	1	0.5	UG/L	310		W
Trichloroethylene	6/30/2004	15	0.5	UG/L	310		W

Notes:

J - The analyte was detected above the method detection limit but below the reporting limit, the result is estimated.

D - The results are reported from a sample that required a dilution.

B - The target analyte was detected in the associated laboratory blank sample.

BD - Blind Duplicate

W - Water

UG/L - microgram per liter

Detlim - Laboratory method detection limit (MDL).

TVOC - Total Volatile Organic Compounds. Sum of individual VOCs detected above MDL, Detlim stored as zero.

Depth - feet below land surface.

Appendix C

Treatment System PFAS & 1,4-Dioxane Analytical Summary Tables

Appendix C

OU III LIPA Petition for Closure

2023 - 2024 LIPA Extraction Well and System Influent/Effluent Analytical Data Summary - PFAS and 1,4-Dioxane

Site ID : 000-453 (EW-1L)

Chemical Name	Sample Date	Value	Detlim	Units	Depth	Qual	Matrix
1,4-Dioxane	1/10/2024	3.3	0.2	UG/L	0		W
11-Chloroeicosafluoro-3-oxaundecane-1-sulfonic acid (11-Cl-PF3OUdS)	1/10/2024	7.29	7.29	NG/L	0	U	W
1633 TPFAS	1/10/2024	8.43	0	NG/L	0		W
1H, 1H, 2H, 2H-Perfluorodecane sulfonic acid (8:2 FTS)	1/10/2024	7.41	7.41	NG/L	0	U	W
2H,2H,3H,3H-Perfluorodecanoic acid (7:3 FTCA)	1/10/2024	38.6	38.6	NG/L	0	U	W
2H,2H,3H,3H-Perfluorooctanoic acid (5:3 FTCA)	1/10/2024	38.6	38.6	NG/L	0	U	W
4,4,5,5,6,6-Heptafluorohexanoic acid (3:3 FTCA)	1/10/2024	7.72	7.72	NG/L	0	U	W
4,8-Dioxa-3H-perfluorononanoic acid (DONA)	1/10/2024	7.29	7.29	NG/L	0	U	W
9-Chlorohexadecafluoro-3-oxanonane-1-sulfonic acid (9-Cl-PF3ONS)	1/10/2024	7.21	7.21	NG/L	0	U	W
Fluorotelomer sulfonate 4:2 (4:2 FTS)	1/10/2024	7.23	7.23	NG/L	0	U	W
Fluorotelomer sulfonate 6:2 (6:2 FTS)	1/10/2024	7.33	7.33	NG/L	0	U	W
Hexafluoropropyleneoxide dimer acid (HFPO-DA)(Gen-X)	1/10/2024	7.72	7.72	NG/L	0	U	W
N-Ethylperfluorooctane sulfonamide (EtFOSAm)	1/10/2024	1.93	1.93	NG/L	0	U	W
N-Ethylperfluorooctane sulfonamido acetic acid (NEtFOSAA)	1/10/2024	1.93	1.93	NG/L	0	U	W
N-Ethylperfluorooctane sulfonamido ethanol (NEtFOSE)	1/10/2024	19.3	19.3	NG/L	0	U	W
N-Methylperfluorooctane sulfonamide (NMeFOSAA)	1/10/2024	1.93	1.93	NG/L	0	U	W
N-Methylperfluorooctane sulfonamido acetic acid (NMeFOSAA)	1/10/2024	1.93	1.93	NG/L	0	U	W
N-Methylperfluorooctane sulfonamido ethanol (NMeFOSE)	1/10/2024	19.3	19.3	NG/L	0	U	W
Nonafluoro-3,6-dioxaheptanoic acid (NFDHA)	1/10/2024	3.86	3.86	NG/L	0	U	W
Perfluoro(2-ethoxyethane)sulfonic acid (PFEEESA)	1/10/2024	3.43	3.43	NG/L	0	U	W
Perfluoro-3-methoxypropanoic acid (PFMPA)	1/10/2024	3.86	3.86	NG/L	0	U	W
Perfluoro-4-methoxybutanoic acid (PFMBA)	1/10/2024	3.86	3.86	NG/L	0	U	W
Perfluorobutanesulfonate (PFBS)	1/10/2024	1.71	1.71	NG/L	0	U	W
Perfluorobutyric acid (PFBA)	1/10/2024	7.72	7.72	NG/L	0	U	W
Perfluorodecanesulfonate (PFDS)	1/10/2024	1.86	1.86	NG/L	0	U	W
Perfluorodecanoic acid (PFDA)	1/10/2024	1.93	1.93	NG/L	0	U	W
Perfluorododecane sulfonic acid (PFDoS)	1/10/2024	1.87	1.87	NG/L	0	U	W
Perfluorododecanoic acid (PFDoA)	1/10/2024	1.93	1.93	NG/L	0	U	W
Perfluoroheptanesulfonate (PFHpS)	1/10/2024	1.84	1.84	NG/L	0	U	W
Perfluoroheptanoic acid (PFHpA)	1/10/2024	1.93	1.93	NG/L	0	U	W
Perfluorohexanesulfonate (PFHxS)	1/10/2024	2.49	1.76	NG/L	0		W
Perfluorohexanoic acid (PFHxA)	1/10/2024	1.93	1.93	NG/L	0	U	W
Perfluorononanesulfonate (PFNS)	1/10/2024	1.86	1.86	NG/L	0	U	W
Perfluorononanoic acid (PFNA)	1/10/2024	1.93	1.93	NG/L	0	U	W
Perfluorooctane sulfonamide (PFOSAm)	1/10/2024	1.93	1.93	NG/L	0	U	W
Perfluorooctanesulfonate (PFOS)	1/10/2024	4.68	1.79	NG/L	0		W
Perfluorooctanoic acid (PFOA)	1/10/2024	1.26	1.93	NG/L	0	J	W
Perfluoropentanesulfonate (PFPeS)	1/10/2024	1.82	1.82	NG/L	0	U	W
Perfluoropentanoic acid (PFPeA)	1/10/2024	1.93	1.93	NG/L	0	U	W
Perfluorotetradecanoic acid (PFTeDA)	1/10/2024	1.93	1.93	NG/L	0	U	W
Perfluorotridecanoic acid (PFTTrDA)	1/10/2024	1.93	1.93	NG/L	0	U	W
Perfluoroundecanoic acid (PFUdA)	1/10/2024	1.93	1.93	NG/L	0	U	W
11-Chloroeicosafluoro-3-oxaundecane-1-sulfonic acid (11-Cl-PF3OUdS)	6/30/2023	6.81	6.81	NG/L	227	U	W

Appendix C

OU III LIPA Petition for Closure

2023 - 2024 LIPA Extraction Well and System Influent/Effluent Analytical Data Summary - PFAS and 1,4-Dioxane

1633 TPFAS	6/30/2023	13.355	0	NG/L	227		W
1H, 1H, 2H, 2H-Perfluorodecane sulfonic acid (8:2 FTS)	6/30/2023	6.92	6.92	NG/L	227	U	W
2H,2H,3H,3H-Perfluorodecanoic acid (7:3 FTCA)	6/30/2023	36	36	NG/L	227	U	W
2H,2H,3H,3H-Perfluorooctanoic acid (5:3 FTCA)	6/30/2023	36	36	NG/L	227	U	W
4,4,5,5,6,6-Heptafluorohexanoic acid (3:3 FTCA)	6/30/2023	7.2	7.2	NG/L	227	U	W
4,8-Dioxa-3H-perfluorononanoic acid (DONA)	6/30/2023	6.81	6.81	NG/L	227	U	W
9-Chlorohexadecafluoro-3-oxanonane-1-sulfonic acid (9-Cl-PF3ONS)	6/30/2023	6.74	6.74	NG/L	227	U	W
Fluorotelomer sulfonate 4:2 (4:2 FTS)	6/30/2023	6.75	6.75	NG/L	227	U	W
Fluorotelomer sulfonate 6:2 (6:2 FTS)	6/30/2023	6.84	6.84	NG/L	227	U	W
Hexafluoropropyleneoxide dimer acid (HFPO-DA)(Gen-X)	6/30/2023	7.2	7.2	NG/L	227	U	W
N-Ethylperfluorooctane sulfonamide (EtFOSAm)	6/30/2023	1.8	1.8	NG/L	227	U	W
N-Ethylperfluorooctane sulfonamido acetic acid (NEtFOSAA)	6/30/2023	1.8	1.8	NG/L	227	U	W
N-Ethylperfluorooctane sulfonamido ethanol (NEtFOSE)	6/30/2023	18	18	NG/L	227	U	W
N-Methylperfluorooctane sulfonamide (NMeFOSAA)	6/30/2023	1.8	1.8	NG/L	227	U	W
N-Methylperfluorooctane sulfonamido acetic acid (NMeFOSAA)	6/30/2023	1.8	1.8	NG/L	227	U	W
N-Methylperfluorooctane sulfonamido ethanol (NMeFOSE)	6/30/2023	18	18	NG/L	227	U	W
Nonafluoro-3,6-dioxaheptanoic acid (NFDHA)	6/30/2023	3.6	3.6	NG/L	227	U	W
Perfluoro(2-ethoxyethane)sulfonic acid (PFEEESA)	6/30/2023	3.21	3.21	NG/L	227	U	W
Perfluoro-3-methoxypropanoic acid (PFMPA)	6/30/2023	3.6	3.6	NG/L	227	U	W
Perfluoro-4-methoxybutanoic acid (PFMBA)	6/30/2023	3.6	3.6	NG/L	227	U	W
Perfluorobutanesulfonate (PFBS)	6/30/2023	0.654	1.6	NG/L	227	J	W
Perfluorobutyric acid (PFBA)	6/30/2023	3.15	7.2	NG/L	227	J	W
Perfluorodecanesulfonate (PFDS)	6/30/2023	1.74	1.74	NG/L	227	U	W
Perfluorodecanoic acid (PFDA)	6/30/2023	1.8	1.8	NG/L	227	U	W
Perfluorododecane sulfonic acid (PFDoS)	6/30/2023	1.75	1.75	NG/L	227	U	W
Perfluorododecanoic acid (PFDoA)	6/30/2023	1.8	1.8	NG/L	227	U	W
Perfluoroheptanesulfonate (PFHpS)	6/30/2023	1.72	1.72	NG/L	227	U	W
Perfluoroheptanoic acid (PFHpA)	6/30/2023	1.8	1.8	NG/L	227	U	W
Perfluorohexanesulfonate (PFHxS)	6/30/2023	1.9	1.65	NG/L	227		W
Perfluorohexanoic acid (PFHxA)	6/30/2023	1.39	1.8	NG/L	227	J	W
Perfluorononanesulfonate (PFNS)	6/30/2023	1.73	1.73	NG/L	227	U	W
Perfluorononanoic acid (PFNA)	6/30/2023	1.8	1.8	NG/L	227	U	W
Perfluorooctane sulfonamide (PFOSAm)	6/30/2023	1.8	1.8	NG/L	227	U	W
Perfluorooctanesulfonate (PFOS)	6/30/2023	3.97	1.67	NG/L	227		W
Perfluorooctanoic acid (PFOA)	6/30/2023	1.64	1.8	NG/L	227	J	W
Perfluoropentanesulfonate (PFPeS)	6/30/2023	0.651	1.69	NG/L	227	J	W
Perfluoropentanoic acid (PFPeA)	6/30/2023	1.8	1.8	NG/L	227	U	W
Perfluorotetradecanoic acid (PFTeDA)	6/30/2023	1.8	1.8	NG/L	227	U	W
Perfluorotridecanoic acid (PFTTrDA)	6/30/2023	1.8	1.8	NG/L	227	U	W
Perfluoroundecanoic acid (PFUdA)	6/30/2023	1.8	1.8	NG/L	227	U	W
1,4-Dioxane	6/30/2023	2.7	0.24	UG/L	227		W

Site ID : 000-455 (EW-2L)

Chemical Name	Sample Date	Value	Detlim	Units	Depth	Qual	Matrix
1,4-Dioxane	1/10/2024	0.17	0.2	UG/L	0	J	W

Appendix C

OU III LIPA Petition for Closure

2023 - 2024 LIPA Extraction Well and System Influent/Effluent Analytical Data Summary - PFAS and 1,4-Dioxane

11-Chloroeicosafluoro-3-oxaundecane-1-sulfonic acid (11-Cl-PF3OUdS)	1/10/2024	7.62	7.62	NG/L	0	U	W
1633 TPFAS	1/10/2024	9.48	0	NG/L	0		W
1H, 1H, 2H, 2H-Perfluorodecane sulfonic acid (8:2 FTS)	1/10/2024	7.74	7.74	NG/L	0	U	W
2H,2H,3H,3H-Perfluorodecanoic acid (7:3 FTCA)	1/10/2024	40.3	40.3	NG/L	0	U	W
2H,2H,3H,3H-Perfluorooctanoic acid (5:3 FTCA)	1/10/2024	40.3	40.3	NG/L	0	U	W
4,4,5,5,6,6-Heptafluorohexanoic acid (3:3 FTCA)	1/10/2024	8.06	8.06	NG/L	0	U	W
4,8-Dioxo-3H-perfluorononanoic acid (DONA)	1/10/2024	7.62	7.62	NG/L	0	U	W
9-Chlorohexadecafluoro-3-oxanonane-1-sulfonic acid (9-Cl-PF3ONS)	1/10/2024	7.53	7.53	NG/L	0	U	W
Fluorotelomer sulfonate 4:2 (4:2 FTS)	1/10/2024	7.56	7.56	NG/L	0	U	W
Fluorotelomer sulfonate 6:2 (6:2 FTS)	1/10/2024	7.66	7.66	NG/L	0	U	W
Hexafluoropropyleneoxide dimer acid (HFPO-DA)(Gen-X)	1/10/2024	8.06	8.06	NG/L	0	U	W
N-Ethylperfluorooctane sulfonamide (EtFOSAm)	1/10/2024	2.01	2.01	NG/L	0	U	W
N-Ethylperfluorooctane sulfonamido acetic acid (NEtFOSAA)	1/10/2024	2.01	2.01	NG/L	0	U	W
N-Ethylperfluorooctane sulfonamido ethanol (NEtFOSE)	1/10/2024	20.1	20.1	NG/L	0	U	W
N-Methylperfluorooctane sulfonamide (NMeFOSAA)	1/10/2024	2.01	2.01	NG/L	0	U	W
N-Methylperfluorooctane sulfonamido acetic acid (NMeFOSAA)	1/10/2024	2.01	2.01	NG/L	0	U	W
N-Methylperfluorooctane sulfonamido ethanol (NMeFOSE)	1/10/2024	20.1	20.1	NG/L	0	U	W
Nonafluoro-3,6-dioxaheptanoic acid (NFDHA)	1/10/2024	4.03	4.03	NG/L	0	U	W
Perfluoro(2-ethoxyethane)sulfonic acid (PFEEESA)	1/10/2024	3.59	3.59	NG/L	0	U	W
Perfluoro-3-methoxypropanoic acid (PFMPA)	1/10/2024	4.03	4.03	NG/L	0	U	W
Perfluoro-4-methoxybutanoic acid (PFMBA)	1/10/2024	4.03	4.03	NG/L	0	U	W
Perfluorobutanesulfonate (PFBS)	1/10/2024	1.79	1.79	NG/L	0	U	W
Perfluorobutyric acid (PFBA)	1/10/2024	8.06	8.06	NG/L	0	U	W
Perfluorodecanesulfonate (PFDS)	1/10/2024	1.94	1.94	NG/L	0	U	W
Perfluorodecanoic acid (PFDA)	1/10/2024	2.01	2.01	NG/L	0	U	W
Perfluorododecane sulfonic acid (PFDoS)	1/10/2024	1.95	1.95	NG/L	0	U	W
Perfluorododecanoic acid (PFDoA)	1/10/2024	2.01	2.01	NG/L	0	U	W
Perfluoroheptanesulfonate (PFHpS)	1/10/2024	1.92	1.92	NG/L	0	U	W
Perfluoroheptanoic acid (PFHpA)	1/10/2024	2.01	2.01	NG/L	0	U	W
Perfluorohexanesulfonate (PFHxS)	1/10/2024	5.33	1.84	NG/L	0		W
Perfluorohexanoic acid (PFHxA)	1/10/2024	2.01	2.01	NG/L	0	U	W
Perfluorononanesulfonate (PFNS)	1/10/2024	1.94	1.94	NG/L	0	U	W
Perfluorononanoic acid (PFNA)	1/10/2024	2.01	2.01	NG/L	0	U	W
Perfluorooctane sulfonamide (PFOSAm)	1/10/2024	2.01	2.01	NG/L	0	U	W
Perfluorooctanesulfonate (PFOS)	1/10/2024	4.15	1.87	NG/L	0		W
Perfluorooctanoic acid (PFOA)	1/10/2024	2.01	2.01	NG/L	0	U	W
Perfluoropentanesulfonate (PFPeS)	1/10/2024	1.9	1.9	NG/L	0	U	W
Perfluoropentanoic acid (PFPeA)	1/10/2024	2.01	2.01	NG/L	0	U	W
Perfluorotetradecanoic acid (PFTeDA)	1/10/2024	2.01	2.01	NG/L	0	U	W
Perfluorotridecanoic acid (PFTTrDA)	1/10/2024	2.01	2.01	NG/L	0	U	W
Perfluoroundecanoic acid (PFUdA)	1/10/2024	2.01	2.01	NG/L	0	U	W
11-Chloroeicosafluoro-3-oxaundecane-1-sulfonic acid (11-Cl-PF3OUdS)	6/30/2023	7.16	7.16	NG/L	234	U	W
1633 TPFAS	6/30/2023	5.978	0	NG/L	234		W
1H, 1H, 2H, 2H-Perfluorodecane sulfonic acid (8:2 FTS)	6/30/2023	7.28	7.28	NG/L	234	U	W
2H,2H,3H,3H-Perfluorodecanoic acid (7:3 FTCA)	6/30/2023	37.9	37.9	NG/L	234	U	W

Appendix C

OU III LIPA Petition for Closure

2023 - 2024 LIPA Extraction Well and System Influent/Effluent Analytical Data Summary - PFAS and 1,4-Dioxane

2H,2H,3H,3H-Perfluorooctanoic acid (5:3 FTCA)	6/30/2023	37.9	37.9	NG/L	234	U	W
4,4,5,5,6,6-Heptafluorohexanoic acid (3:3 FTCA)	6/30/2023	7.58	7.58	NG/L	234	U	W
4,8-Dioxa-3H-perfluorononanoic acid (DONA)	6/30/2023	7.16	7.16	NG/L	234	U	W
9-Chlorohexadecafluoro-3-oxanonane-1-sulfonic acid (9-Cl-PF3ONS)	6/30/2023	7.09	7.09	NG/L	234	U	W
Fluorotelomer sulfonate 4:2 (4:2 FTS)	6/30/2023	7.11	7.11	NG/L	234	U	W
Fluorotelomer sulfonate 6:2 (6:2 FTS)	6/30/2023	7.2	7.2	NG/L	234	U	W
Hexafluoropropyleneoxide dimer acid (HFPO-DA)(Gen-X)	6/30/2023	7.58	7.58	NG/L	234	U	W
N-Ethylperfluorooctane sulfonamide (EtFOSAm)	6/30/2023	1.9	1.9	NG/L	234	U	W
N-Ethylperfluorooctane sulfonamido acetic acid (NEtFOSAA)	6/30/2023	1.9	1.9	NG/L	234	U	W
N-Ethylperfluorooctane sulfonamido ethanol (NEtFOSE)	6/30/2023	19	19	NG/L	234	U	W
N-Methylperfluorooctane sulfonamide (NMeFOSAA)	6/30/2023	1.9	1.9	NG/L	234	U	W
N-Methylperfluorooctane sulfonamido acetic acid (NMeFOSAA)	6/30/2023	1.9	1.9	NG/L	234	U	W
N-Methylperfluorooctane sulfonamido ethanol (NMeFOSE)	6/30/2023	19	19	NG/L	234	U	W
Nonafluoro-3,6-dioxaheptanoic acid (NFDHA)	6/30/2023	3.79	3.79	NG/L	234	U	W
Perfluoro(2-ethoxyethane)sulfonic acid (PFEESA)	6/30/2023	3.37	3.37	NG/L	234	U	W
Perfluoro-3-methoxypropanoic acid (PFMPA)	6/30/2023	3.79	3.79	NG/L	234	U	W
Perfluoro-4-methoxybutanoic acid (PFMBA)	6/30/2023	3.79	3.79	NG/L	234	U	W
Perfluorobutanesulfonate (PFBS)	6/30/2023	1.68	1.68	NG/L	234	U	W
Perfluorobutyric acid (PFBA)	6/30/2023	7.58	7.58	NG/L	234	U	W
Perfluorodecanesulfonate (PFDS)	6/30/2023	1.83	1.83	NG/L	234	U	W
Perfluorodecanoic acid (PFDA)	6/30/2023	1.9	1.9	NG/L	234	U	W
Perfluorododecane sulfonic acid (PFDoS)	6/30/2023	1.84	1.84	NG/L	234	U	W
Perfluorododecanoic acid (PFDoA)	6/30/2023	1.9	1.9	NG/L	234	U	W
Perfluoroheptanesulfonate (PFHpS)	6/30/2023	1.81	1.81	NG/L	234	U	W
Perfluoroheptanoic acid (PFHpA)	6/30/2023	1.9	1.9	NG/L	234	U	W
Perfluorohexanesulfonate (PFHxS)	6/30/2023	2.68	1.73	NG/L	234		W
Perfluorohexanoic acid (PFHxA)	6/30/2023	1.9	1.9	NG/L	234	U	W
Perfluorononanesulfonate (PFNS)	6/30/2023	1.82	1.82	NG/L	234	U	W
Perfluorononanoic acid (PFNA)	6/30/2023	1.9	1.9	NG/L	234	U	W
Perfluorooctane sulfonamide (PFOSAm)	6/30/2023	1.9	1.9	NG/L	234	U	W
Perfluorooctanesulfonate (PFOS)	6/30/2023	2.4	1.76	NG/L	234		W
Perfluorooctanoic acid (PFOA)	6/30/2023	0.898	1.9	NG/L	234	J	W
Perfluoropentanesulfonate (PFPeS)	6/30/2023	1.78	1.78	NG/L	234	U	W
Perfluoropentanoic acid (PFPeA)	6/30/2023	1.9	1.9	NG/L	234	U	W
Perfluorotetradecanoic acid (PFTeDA)	6/30/2023	1.9	1.9	NG/L	234	U	W
Perfluorotridecanoic acid (PFTrDA)	6/30/2023	1.9	1.9	NG/L	234	U	W
Perfluoroundecanoic acid (PFUdA)	6/30/2023	1.9	1.9	NG/L	234	U	W
1,4-Dioxane	6/30/2023	0.36	0.2	UG/L	234		W

Site ID : 000-457 (EW-3L)

Chemical Name	Sample Date	Value	Detlim	Units	Depth	Qual	Matrix
1,4-Dioxane	1/10/2024	0.2	0.2	UG/L	0	U	W
11-Chloroeicosafluoro-3-oxaundecane-1-sulfonic acid (11-Cl-PF30UdS)	1/10/2024	7.2	7.2	NG/L	0	U	W
1633 TPFAS	1/10/2024	2.04	0	NG/L	0		W
1H, 1H, 2H, 2H-Perfluorodecane sulfonic acid (8:2 FTS)	1/10/2024	7.31	7.31	NG/L	0	U	W

Appendix C

OU III LIPA Petition for Closure

2023 - 2024 LIPA Extraction Well and System Influent/Effluent Analytical Data Summary - PFAS and 1,4-Dioxane

2H,2H,3H,3H-Perfluorodecanoic acid (7:3 FTCA)	1/10/2024	38.1	38.1	NG/L	0	U	W
2H,2H,3H,3H-Perfluorooctanoic acid (5:3 FTCA)	1/10/2024	38.1	38.1	NG/L	0	U	W
4,4,5,5,6,6-Heptafluorohexanoic acid (3:3 FTCA)	1/10/2024	7.61	7.61	NG/L	0	U	W
4,8-Dioxa-3H-perfluorononanoic acid (DONA)	1/10/2024	7.2	7.2	NG/L	0	U	W
9-Chlorohexadecafluoro-3-oxanonane-1-sulfonic acid (9-Cl-PF3ONS)	1/10/2024	7.12	7.12	NG/L	0	U	W
Fluorotelomer sulfonate 4:2 (4:2 FTS)	1/10/2024	7.14	7.14	NG/L	0	U	W
Fluorotelomer sulfonate 6:2 (6:2 FTS)	1/10/2024	7.23	7.23	NG/L	0	U	W
Hexafluoropropyleneoxide dimer acid (HFPO-DA)(Gen-X)	1/10/2024	7.61	7.61	NG/L	0	U	W
N-Ethylperfluorooctane sulfonamide (EtFOSAm)	1/10/2024	1.9	1.9	NG/L	0	U	W
N-Ethylperfluorooctane sulfonamido acetic acid (NEtFOSAA)	1/10/2024	1.9	1.9	NG/L	0	U	W
N-Ethylperfluorooctane sulfonamido ethanol (NEtFOSE)	1/10/2024	19	19	NG/L	0	U	W
N-Methylperfluorooctane sulfonamide (NMeFOSAA)	1/10/2024	1.9	1.9	NG/L	0	U	W
N-Methylperfluorooctane sulfonamido acetic acid (NMeFOSAA)	1/10/2024	1.9	1.9	NG/L	0	U	W
N-Methylperfluorooctane sulfonamido ethanol (NMeFOSE)	1/10/2024	19	19	NG/L	0	U	W
Nonafluoro-3,6-dioxaheptanoic acid (NFDHA)	1/10/2024	3.81	3.81	NG/L	0	U	W
Perfluoro(2-ethoxyethane)sulfonic acid (PFEESA)	1/10/2024	3.39	3.39	NG/L	0	U	W
Perfluoro-3-methoxypropanoic acid (PFMPA)	1/10/2024	3.81	3.81	NG/L	0	U	W
Perfluoro-4-methoxybutanoic acid (PFMBA)	1/10/2024	3.81	3.81	NG/L	0	U	W
Perfluorobutanesulfonate (PFBS)	1/10/2024	1.69	1.69	NG/L	0	U	W
Perfluorobutyric acid (PFBA)	1/10/2024	7.61	7.61	NG/L	0	U	W
Perfluorodecanesulfonate (PFDS)	1/10/2024	1.84	1.84	NG/L	0	U	W
Perfluorodecanoic acid (PFDA)	1/10/2024	1.9	1.9	NG/L	0	U	W
Perfluorododecane sulfonic acid (PFDoS)	1/10/2024	1.85	1.85	NG/L	0	U	W
Perfluorododecanoic acid (PFDoA)	1/10/2024	1.9	1.9	NG/L	0	U	W
Perfluoroheptanesulfonate (PFHpS)	1/10/2024	1.81	1.81	NG/L	0	U	W
Perfluoroheptanoic acid (PFHpA)	1/10/2024	1.9	1.9	NG/L	0	U	W
Perfluorohexanesulfonate (PFHxS)	1/10/2024	1.74	1.74	NG/L	0	U	W
Perfluorohexanoic acid (PFHxA)	1/10/2024	1.9	1.9	NG/L	0	U	W
Perfluorononanesulfonate (PFNS)	1/10/2024	1.83	1.83	NG/L	0	U	W
Perfluorononanoic acid (PFNA)	1/10/2024	1.9	1.9	NG/L	0	U	W
Perfluorooctane sulfonamide (PFOSAm)	1/10/2024	1.9	1.9	NG/L	0	U	W
Perfluorooctanesulfonate (PFOS)	1/10/2024	2.04	1.77	NG/L	0		W
Perfluorooctanoic acid (PFOA)	1/10/2024	1.9	1.9	NG/L	0	U	W
Perfluoropentanesulfonate (PFPeS)	1/10/2024	1.79	1.79	NG/L	0	U	W
Perfluoropentanoic acid (PFPeA)	1/10/2024	1.9	1.9	NG/L	0	U	W
Perfluorotetradecanoic acid (PFTeDA)	1/10/2024	1.9	1.9	NG/L	0	U	W
Perfluorotridecanoic acid (PFTrDA)	1/10/2024	1.9	1.9	NG/L	0	U	W
Perfluoroundecanoic acid (PFUdA)	1/10/2024	1.9	1.9	NG/L	0	U	W
11-Chloroeicosafluoro-3-oxaundecane-1-sulfonic acid (11-Cl-PF3OUdS)	6/30/2023	7.37	7.37	NG/L	226	U	W
1633 TPFA5	6/30/2023	5.94	0	NG/L	226		W
1H, 1H, 2H, 2H-Perfluorodecane sulfonic acid (8:2 FTS)	6/30/2023	7.49	7.49	NG/L	226	U	W
2H,2H,3H,3H-Perfluorodecanoic acid (7:3 FTCA)	6/30/2023	39	39	NG/L	226	U	W
2H,2H,3H,3H-Perfluorooctanoic acid (5:3 FTCA)	6/30/2023	39	39	NG/L	226	U	W
4,4,5,5,6,6-Heptafluorohexanoic acid (3:3 FTCA)	6/30/2023	7.8	7.8	NG/L	226	U	W
4,8-Dioxa-3H-perfluorononanoic acid (DONA)	6/30/2023	7.37	7.37	NG/L	226	U	W
9-Chlorohexadecafluoro-3-oxanonane-1-sulfonic acid (9-Cl-PF3ONS)	6/30/2023	7.29	7.29	NG/L	226	U	W

Appendix C

OU III LIPA Petition for Closure

2023 - 2024 LIPA Extraction Well and System Influent/Effluent Analytical Data Summary - PFAS and 1,4-Dioxane

Fluorotelomer sulfonate 4:2 (4:2 FTS)	6/30/2023	7.31	7.31	NG/L	226	U	W
Fluorotelomer sulfonate 6:2 (6:2 FTS)	6/30/2023	7.41	7.41	NG/L	226	U	W
Hexafluoropropyleneoxide dimer acid (HFPO-DA)(Gen-X)	6/30/2023	7.8	7.8	NG/L	226	U	W
N-Ethylperfluorooctane sulfonamide (EtFOSAm)	6/30/2023	1.95	1.95	NG/L	226	U	W
N-Ethylperfluorooctane sulfonamido acetic acid (NEtFOSAA)	6/30/2023	1.95	1.95	NG/L	226	U	W
N-Ethylperfluorooctane sulfonamido ethanol (NEtFOSE)	6/30/2023	19.5	19.5	NG/L	226	U	W
N-Methylperfluorooctane sulfonamide (NMeFOSAA)	6/30/2023	1.95	1.95	NG/L	226	U	W
N-Methylperfluorooctane sulfonamido acetic acid (NMeFOSAA)	6/30/2023	1.95	1.95	NG/L	226	U	W
N-Methylperfluorooctane sulfonamido ethanol (NMeFOSE)	6/30/2023	19.5	19.5	NG/L	226	U	W
Nonafluoro-3,6-dioxaheptanoic acid (NFDHA)	6/30/2023	3.9	3.9	NG/L	226	U	W
Perfluoro(2-ethoxyethane)sulfonic acid (PFEESA)	6/30/2023	3.47	3.47	NG/L	226	U	W
Perfluoro-3-methoxypropanoic acid (PFMPA)	6/30/2023	3.9	3.9	NG/L	226	U	W
Perfluoro-4-methoxybutanoic acid (PFMBA)	6/30/2023	3.9	3.9	NG/L	226	U	W
Perfluorobutanesulfonate (PFBS)	6/30/2023	1.73	1.73	NG/L	226	U	W
Perfluorobutyric acid (PFBA)	6/30/2023	7.8	7.8	NG/L	226	U	W
Perfluorodecanesulfonate (PFDS)	6/30/2023	1.88	1.88	NG/L	226	U	W
Perfluorodecanoic acid (PFDA)	6/30/2023	1.95	1.95	NG/L	226	U	W
Perfluorododecane sulfonic acid (PFDoS)	6/30/2023	1.89	1.89	NG/L	226	U	W
Perfluorododecanoic acid (PFDoA)	6/30/2023	1.95	1.95	NG/L	226	U	W
Perfluoroheptanesulfonate (PFHpS)	6/30/2023	1.86	1.86	NG/L	226	U	W
Perfluoroheptanoic acid (PFHpA)	6/30/2023	1.95	1.95	NG/L	226	U	W
Perfluorohexanesulfonate (PFHxS)	6/30/2023	1.43	1.78	NG/L	226	J	W
Perfluorohexanoic acid (PFHxA)	6/30/2023	1.95	1.95	NG/L	226	U	W
Perfluorononanesulfonate (PFNS)	6/30/2023	1.88	1.88	NG/L	226	U	W
Perfluorononanoic acid (PFNA)	6/30/2023	1.95	1.95	NG/L	226	U	W
Perfluorooctane sulfonamide (PFOSAm)	6/30/2023	1.95	1.95	NG/L	226	U	W
Perfluorooctanesulfonate (PFOS)	6/30/2023	3.48	1.81	NG/L	226		W
Perfluorooctanoic acid (PFOA)	6/30/2023	1.03	1.95	NG/L	226	J	W
Perfluoropentanesulfonate (PFPeS)	6/30/2023	1.84	1.84	NG/L	226	U	W
Perfluoropentanoic acid (PFPeA)	6/30/2023	1.95	1.95	NG/L	226	U	W
Perfluorotetradecanoic acid (PFTeDA)	6/30/2023	1.95	1.95	NG/L	226	U	W
Perfluorotridecanoic acid (PFTrDA)	6/30/2023	1.95	1.95	NG/L	226	U	W
Perfluoroundecanoic acid (PFUdA)	6/30/2023	1.95	1.95	NG/L	226	U	W
1,4-Dioxane	6/30/2023	0.2	0.2	UG/L	226	U	W

Site ID : 000-461 (EW-4L)

Chemical Name	Sample Date	Value	Detlim	Units	Depth	Qual	Matrix
1,4-Dioxane	1/10/2024	0.14	0.2	UG/L	0	J	W
11-Chloroeicosafluoro-3-oxaundecane-1-sulfonic acid (11-Cl-PF3OUdS)	1/10/2024	7.23	7.23	NG/L	0	U	W
1633 TPFAS	1/10/2024	10.156	0	NG/L	0		W
1H, 1H, 2H, 2H-Perfluorodecane sulfonic acid (8:2 FTS)	1/10/2024	7.34	7.34	NG/L	0	U	W
2H,2H,3H,3H-Perfluorodecanoic acid (7:3 FTCA)	1/10/2024	38.2	38.2	NG/L	0	U	W
2H,2H,3H,3H-Perfluorooctanoic acid (5:3 FTCA)	1/10/2024	38.2	38.2	NG/L	0	U	W
4,4,5,5,6,6-Heptafluorohexanoic acid (3:3 FTCA)	1/10/2024	7.65	7.65	NG/L	0	U	W
4,8-Dioxa-3H-perfluorononanoic acid (DONA)	1/10/2024	7.23	7.23	NG/L	0	U	W

Appendix C

OU III LIPA Petition for Closure

2023 - 2024 LIPA Extraction Well and System Influent/Effluent Analytical Data Summary - PFAS and 1,4-Dioxane

9-Chlorohexadecafluoro-3-oxanonane-1-sulfonic acid (9-Cl-PF3ONS)	1/10/2024	7.15	7.15	NG/L	0	U	W
Fluorotelomer sulfonate 4:2 (4:2 FTS)	1/10/2024	7.17	7.17	NG/L	0	U	W
Fluorotelomer sulfonate 6:2 (6:2 FTS)	1/10/2024	7.26	7.26	NG/L	0	U	W
Hexafluoropropyleneoxide dimer acid (HFPO-DA)(Gen-X)	1/10/2024	7.65	7.65	NG/L	0	U	W
N-Ethylperfluorooctane sulfonamide (EtFOSAm)	1/10/2024	1.91	1.91	NG/L	0	U	W
N-Ethylperfluorooctane sulfonamido acetic acid (NEtFOSAA)	1/10/2024	1.91	1.91	NG/L	0	U	W
N-Ethylperfluorooctane sulfonamido ethanol (NEtFOSE)	1/10/2024	19.1	19.1	NG/L	0	U	W
N-Methylperfluorooctane sulfonamide (NMeFOSAA)	1/10/2024	1.91	1.91	NG/L	0	U	W
N-Methylperfluorooctane sulfonamido acetic acid (NMeFOSAA)	1/10/2024	1.91	1.91	NG/L	0	U	W
N-Methylperfluorooctane sulfonamido ethanol (NMeFOSE)	1/10/2024	19.1	19.1	NG/L	0	U	W
Nonafluoro-3,6-dioxaheptanoic acid (NFDHA)	1/10/2024	3.82	3.82	NG/L	0	U	W
Perfluoro(2-ethoxyethane)sulfonic acid (PFEEESA)	1/10/2024	3.4	3.4	NG/L	0	U	W
Perfluoro-3-methoxypropanoic acid (PFMPA)	1/10/2024	3.82	3.82	NG/L	0	U	W
Perfluoro-4-methoxybutanoic acid (PFMBA)	1/10/2024	3.82	3.82	NG/L	0	U	W
Perfluorobutanesulfonate (PFBS)	1/10/2024	1.7	1.7	NG/L	0	U	W
Perfluorobutyric acid (PFBA)	1/10/2024	7.65	7.65	NG/L	0	U	W
Perfluorodecanesulfonate (PFDS)	1/10/2024	1.84	1.84	NG/L	0	U	W
Perfluorodecanoic acid (PFDA)	1/10/2024	1.91	1.91	NG/L	0	U	W
Perfluorododecane sulfonic acid (PFDoS)	1/10/2024	1.85	1.85	NG/L	0	U	W
Perfluorododecanoic acid (PFDoA)	1/10/2024	1.91	1.91	NG/L	0	U	W
Perfluoroheptanesulfonate (PFHpS)	1/10/2024	1.82	1.82	NG/L	0	U	W
Perfluoroheptanoic acid (PFHpA)	1/10/2024	1.19	1.91	NG/L	0	J	W
Perfluorohexanesulfonate (PFHxS)	1/10/2024	0.586	1.75	NG/L	0	J	W
Perfluorohexanoic acid (PFHxA)	1/10/2024	2.39	1.91	NG/L	0		W
Perfluorononanesulfonate (PFNS)	1/10/2024	1.84	1.84	NG/L	0	U	W
Perfluorononanoic acid (PFNA)	1/10/2024	1.91	1.91	NG/L	0	U	W
Perfluorooctane sulfonamide (PFOSAm)	1/10/2024	1.91	1.91	NG/L	0	U	W
Perfluorooctanesulfonate (PFOS)	1/10/2024	1.64	1.77	NG/L	0	J	W
Perfluorooctanoic acid (PFOA)	1/10/2024	1.2	1.91	NG/L	0	J	W
Perfluoropentanesulfonate (PFPeS)	1/10/2024	1.8	1.8	NG/L	0	U	W
Perfluoropentanoic acid (PFPeA)	1/10/2024	3.15	1.91	NG/L	0		W
Perfluorotetradecanoic acid (PFTeDA)	1/10/2024	1.91	1.91	NG/L	0	U	W
Perfluorotridecanoic acid (PFTrDA)	1/10/2024	1.91	1.91	NG/L	0	U	W
Perfluoroundecanoic acid (PFUdA)	1/10/2024	1.91	1.91	NG/L	0	U	W
11-Chloroeicosafluoro-3-oxaundecane-1-sulfonic acid (11-Cl-PF30UdS)	6/30/2023	7.48	7.48	NG/L	314	U	W
1633 TPFAS	6/30/2023	20.358	0	NG/L	314		W
1H, 1H, 2H, 2H-Perfluorodecane sulfonic acid (8:2 FTS)	6/30/2023	7.6	7.6	NG/L	314	U	W
2H,2H,3H,3H-Perfluorodecanoic acid (7:3 FTCA)	6/30/2023	39.6	39.6	NG/L	314	U	W
2H,2H,3H,3H-Perfluorooctanoic acid (5:3 FTCA)	6/30/2023	39.6	39.6	NG/L	314	U	W
4,4,5,5,6,6-Heptafluorohexanoic acid (3:3 FTCA)	6/30/2023	7.92	7.92	NG/L	314	U	W
4,8-Dioxa-3H-perfluorononanoic acid (DONA)	6/30/2023	7.48	7.48	NG/L	314	U	W
9-Chlorohexadecafluoro-3-oxanonane-1-sulfonic acid (9-Cl-PF3ONS)	6/30/2023	7.4	7.4	NG/L	314	U	W
Fluorotelomer sulfonate 4:2 (4:2 FTS)	6/30/2023	7.42	7.42	NG/L	314	U	W
Fluorotelomer sulfonate 6:2 (6:2 FTS)	6/30/2023	7.52	7.52	NG/L	314	U	W
Hexafluoropropyleneoxide dimer acid (HFPO-DA)(Gen-X)	6/30/2023	7.92	7.92	NG/L	314	U	W

Appendix C

OU III LIPA Petition for Closure

2023 - 2024 LIPA Extraction Well and System Influent/Effluent Analytical Data Summary - PFAS and 1,4-Dioxane

N-Ethylperfluorooctane sulfonamide (EtFOSAm)	6/30/2023	1.98	1.98	NG/L	314	U	W
N-Ethylperfluorooctane sulfonamido acetic acid (NEtFOSAA)	6/30/2023	1.98	1.98	NG/L	314	U	W
N-Ethylperfluorooctane sulfonamido ethanol (NEtFOSE)	6/30/2023	19.8	19.8	NG/L	314	U	W
N-Methylperfluorooctane sulfonamide (NMeFOSAA)	6/30/2023	1.98	1.98	NG/L	314	U	W
N-Methylperfluorooctane sulfonamido acetic acid (NMeFOSAA)	6/30/2023	1.98	1.98	NG/L	314	U	W
N-Methylperfluorooctane sulfonamido ethanol (NMeFOSE)	6/30/2023	19.8	19.8	NG/L	314	U	W
Nonafluoro-3,6-dioxaheptanoic acid (NFDHA)	6/30/2023	3.96	3.96	NG/L	314	U	W
Perfluoro(2-ethoxyethane)sulfonic acid (PFEESA)	6/30/2023	3.52	3.52	NG/L	314	U	W
Perfluoro-3-methoxypropanoic acid (PFMPA)	6/30/2023	3.96	3.96	NG/L	314	U	W
Perfluoro-4-methoxybutanoic acid (PFMBA)	6/30/2023	3.96	3.96	NG/L	314	U	W
Perfluorobutanesulfonate (PFBS)	6/30/2023	0.846	1.76	NG/L	314	J	W
Perfluorobutyric acid (PFBA)	6/30/2023	3.71	7.92	NG/L	314	J	W
Perfluorodecanesulfonate (PFDS)	6/30/2023	1.91	1.91	NG/L	314	U	W
Perfluorodecanoic acid (PFDA)	6/30/2023	1.98	1.98	NG/L	314	U	W
Perfluorododecane sulfonic acid (PFDoS)	6/30/2023	1.92	1.92	NG/L	314	U	W
Perfluorododecanoic acid (PFDoA)	6/30/2023	1.98	1.98	NG/L	314	U	W
Perfluoroheptanesulfonate (PFHpS)	6/30/2023	1.89	1.89	NG/L	314	U	W
Perfluoroheptanoic acid (PFHpA)	6/30/2023	1.65	1.98	NG/L	314	J	W
Perfluorohexanesulfonate (PFHxS)	6/30/2023	1.24	1.81	NG/L	314	J	W
Perfluorohexanoic acid (PFHxA)	6/30/2023	3.45	1.98	NG/L	314		W
Perfluorononanesulfonate (PFNS)	6/30/2023	1.9	1.9	NG/L	314	U	W
Perfluorononanoic acid (PFNA)	6/30/2023	1.98	1.98	NG/L	314	U	W
Perfluorooctane sulfonamide (PFOSAm)	6/30/2023	1.98	1.98	NG/L	314	U	W
Perfluorooctanesulfonate (PFOS)	6/30/2023	2.1	1.84	NG/L	314		W
Perfluorooctanoic acid (PFOA)	6/30/2023	1.81	1.98	NG/L	314	J	W
Perfluoropentanesulfonate (PFPeS)	6/30/2023	0.842	1.86	NG/L	314	J	W
Perfluoropentanoic acid (PFPeA)	6/30/2023	4.71	1.98	NG/L	314		W
Perfluorotetradecanoic acid (PFTeDA)	6/30/2023	1.98	1.98	NG/L	314	U	W
Perfluorotridecanoic acid (PFTeDA)	6/30/2023	1.98	1.98	NG/L	314	U	W
Perfluoroundecanoic acid (PFUdA)	6/30/2023	1.98	1.98	NG/L	314	U	W
1,4-Dioxane	6/30/2023	0.18	0.2	UG/L	314	J	W

Site ID : 800-122 (LIPA/Aiport System Influent)

Chemical Name	Sample Date	Value	Detlim	Units	Depth	Qual	Matrix
1,4-Dioxane	1/10/2024	1.2	0.2	UG/L	0		W
11-Chloroeicosafuoro-3-oxaundecane-1-sulfonic acid (11-Cl-PF3OUdS)	1/10/2024	7.5	7.5	NG/L	0	U	W
1633 TPFAS	1/10/2024	36.57	0	NG/L	0		W
1H, 1H, 2H, 2H-Perfluorodecane sulfonic acid (8:2 FTS)	1/10/2024	7.62	7.62	NG/L	0	U	W
2H,2H,3H,3H-Perfluorodecanoic acid (7:3 FTCA)	1/10/2024	39.7	39.7	NG/L	0	U	W
2H,2H,3H,3H-Perfluorooctanoic acid (5:3 FTCA)	1/10/2024	39.7	39.7	NG/L	0	U	W
4,4,5,5,6,6-Heptafluorohexanoic acid (3:3 FTCA)	1/10/2024	7.93	7.93	NG/L	0	U	W
4,8-Dioxo-3H-perfluorononanoic acid (DONA)	1/10/2024	7.5	7.5	NG/L	0	U	W
9-Chlorohexadecafluoro-3-oxanonane-1-sulfonic acid (9-Cl-PF3ONS)	1/10/2024	7.42	7.42	NG/L	0	U	W
Fluorotelomer sulfonate 4:2 (4:2 FTS)	1/10/2024	7.44	7.44	NG/L	0	U	W
Fluorotelomer sulfonate 6:2 (6:2 FTS)	1/10/2024	3.62	7.54	NG/L	0	J	W

Appendix C

OU III LIPA Petition for Closure

2023 - 2024 LIPA Extraction Well and System Influent/Effluent Analytical Data Summary - PFAS and 1,4-Dioxane

Hexafluoropropyleneoxide dimer acid (HFPO-DA)(Gen-X)	1/10/2024	7.93	7.93	NG/L	0	U	W
N-Ethylperfluorooctane sulfonamide (EtFOSAm)	1/10/2024	1.98	1.98	NG/L	0	U	W
N-Ethylperfluorooctane sulfonamido acetic acid (NEtFOSAA)	1/10/2024	1.98	1.98	NG/L	0	U	W
N-Ethylperfluorooctane sulfonamido ethanol (NEtFOSE)	1/10/2024	19.8	19.8	NG/L	0	U	W
N-Methylperfluorooctane sulfonamide (NMeFOSAA)	1/10/2024	1.98	1.98	NG/L	0	U	W
N-Methylperfluorooctane sulfonamido acetic acid (NMeFOSAA)	1/10/2024	1.98	1.98	NG/L	0	U	W
N-Methylperfluorooctane sulfonamido ethanol (NMeFOSE)	1/10/2024	19.8	19.8	NG/L	0	U	W
Nonafluoro-3,6-dioxaheptanoic acid (NFDHA)	1/10/2024	3.97	3.97	NG/L	0	U	W
Perfluoro(2-ethoxyethane)sulfonic acid (PFEEESA)	1/10/2024	3.53	3.53	NG/L	0	U	W
Perfluoro-3-methoxypropanoic acid (PFMPA)	1/10/2024	3.97	3.97	NG/L	0	U	W
Perfluoro-4-methoxybutanoic acid (PFMBA)	1/10/2024	3.97	3.97	NG/L	0	U	W
Perfluorobutanesulfonate (PFBS)	1/10/2024	2.64	1.76	NG/L	0		W
Perfluorobutyric acid (PFBA)	1/10/2024	4.96	7.93	NG/L	0	J	W
Perfluorodecanesulfonate (PFDS)	1/10/2024	1.91	1.91	NG/L	0	U	W
Perfluorodecanoic acid (PFDA)	1/10/2024	1.98	1.98	NG/L	0	U	W
Perfluorododecane sulfonic acid (PFDoS)	1/10/2024	1.92	1.92	NG/L	0	U	W
Perfluorododecanoic acid (PFDoA)	1/10/2024	1.98	1.98	NG/L	0	U	W
Perfluoroheptanesulfonate (PFHpS)	1/10/2024	1.89	1.89	NG/L	0	U	W
Perfluoroheptanoic acid (PFHpA)	1/10/2024	2.23	1.98	NG/L	0		W
Perfluorohexanesulfonate (PFHxS)	1/10/2024	1.89	1.81	NG/L	0		W
Perfluorohexanoic acid (PFHxA)	1/10/2024	6.03	1.98	NG/L	0		W
Perfluorononanesulfonate (PFNS)	1/10/2024	1.91	1.91	NG/L	0	U	W
Perfluorononanoic acid (PFNA)	1/10/2024	1.98	1.98	NG/L	0	U	W
Perfluorooctane sulfonamide (PFOSAm)	1/10/2024	2.17	1.98	NG/L	0		W
Perfluorooctanesulfonate (PFOS)	1/10/2024	1.32	1.84	NG/L	0	J	W
Perfluorooctanoic acid (PFOA)	1/10/2024	3.04	1.98	NG/L	0		W
Perfluoropentanesulfonate (PFPeS)	1/10/2024	1.87	1.87	NG/L	0	U	W
Perfluoropentanoic acid (PFPeA)	1/10/2024	8.67	1.98	NG/L	0		W
Perfluorotetradecanoic acid (PFTeDA)	1/10/2024	1.98	1.98	NG/L	0	U	W
Perfluorotridecanoic acid (PFTrDA)	1/10/2024	1.98	1.98	NG/L	0	U	W
Perfluoroundecanoic acid (PFUdA)	1/10/2024	1.98	1.98	NG/L	0	U	W
11-Chloroeicosafluoro-3-oxaundecane-1-sulfonic acid (11-Cl-PF3OUdS)	10/12/2023	7.28	7.28	NG/L	0	U	W
1633 TPFAS	10/12/2023	24.82	0	NG/L	0		W
1H, 1H, 2H, 2H-Perfluorodecane sulfonic acid (8:2 FTS)	10/12/2023	7.39	7.39	NG/L	0	U	W
2H,2H,3H,3H-Perfluorodecanoic acid (7:3 FTCA)	10/12/2023	38.5	38.5	NG/L	0	U	W
2H,2H,3H,3H-Perfluorooctanoic acid (5:3 FTCA)	10/12/2023	38.5	38.5	NG/L	0	U	W
4,4,5,5,6,6-Heptafluorohexanoic acid (3:3 FTCA)	10/12/2023	7.7	7.7	NG/L	0	U	W
4,8-Dioxa-3H-perfluorononanoic acid (DONA)	10/12/2023	7.28	7.28	NG/L	0	U	W
9-Chlorohexadecafluoro-3-oxanonane-1-sulfonic acid (9-Cl-PF3ONS)	10/12/2023	7.2	7.2	NG/L	0	U	W
Fluorotelomer sulfonate 4:2 (4:2 FTS)	10/12/2023	7.22	7.22	NG/L	0	U	W
Fluorotelomer sulfonate 6:2 (6:2 FTS)	10/12/2023	7.31	7.31	NG/L	0	U	W
Hexafluoropropyleneoxide dimer acid (HFPO-DA)(Gen-X)	10/12/2023	7.7	7.7	NG/L	0	U	W
N-Ethylperfluorooctane sulfonamide (EtFOSAm)	10/12/2023	1.92	1.92	NG/L	0	U	W
N-Ethylperfluorooctane sulfonamido acetic acid (NEtFOSAA)	10/12/2023	1.92	1.92	NG/L	0	U	W

Appendix C

OU III LIPA Petition for Closure

2023 - 2024 LIPA Extraction Well and System Influent/Effluent Analytical Data Summary - PFAS and 1,4-Dioxane

N-Ethylperfluorooctane sulfonamido ethanol (NEtFOSE)	10/12/2023	19.2	19.2	NG/L	0	U	W
N-Methylperfluorooctane sulfonamide (NMeFOSAA)	10/12/2023	1.92	1.92	NG/L	0	U	W
N-Methylperfluorooctane sulfonamido acetic acid (NMeFOSAA)	10/12/2023	1.92	1.92	NG/L	0	U	W
N-Methylperfluorooctane sulfonamido ethanol (NMeFOSE)	10/12/2023	19.2	19.2	NG/L	0	U	W
Nonafluoro-3,6-dioxaheptanoic acid (NFDHA)	10/12/2023	3.85	3.85	NG/L	0	U	W
Perfluoro(2-ethoxyethane)sulfonic acid (PFEESA)	10/12/2023	3.43	3.43	NG/L	0	U	W
Perfluoro-3-methoxypropanoic acid (PFMPA)	10/12/2023	3.85	3.85	NG/L	0	U	W
Perfluoro-4-methoxybutanoic acid (PFMBA)	10/12/2023	3.85	3.85	NG/L	0	U	W
Perfluorobutanesulfonate (PFBS)	10/12/2023	1.79	1.71	NG/L	0		W
Perfluorobutyric acid (PFBA)	10/12/2023	4.53	7.7	NG/L	0	J	W
Perfluorodecanesulfonate (PFDS)	10/12/2023	1.86	1.86	NG/L	0	U	W
Perfluorodecanoic acid (PFDA)	10/12/2023	1.92	1.92	NG/L	0	U	W
Perfluorododecane sulfonic acid (PFDoS)	10/12/2023	1.87	1.87	NG/L	0	U	W
Perfluorododecanoic acid (PFDoA)	10/12/2023	1.92	1.92	NG/L	0	U	W
Perfluoroheptanesulfonate (PFHpS)	10/12/2023	1.83	1.83	NG/L	0	U	W
Perfluoroheptanoic acid (PFHpA)	10/12/2023	1.99	1.92	NG/L	0		W
Perfluorohexanesulfonate (PFHxS)	10/12/2023	1.82	1.76	NG/L	0		W
Perfluorohexanoic acid (PFHxA)	10/12/2023	4.21	1.92	NG/L	0		W
Perfluorononanesulfonate (PFNS)	10/12/2023	1.85	1.85	NG/L	0	U	W
Perfluorononanoic acid (PFNA)	10/12/2023	1.92	1.92	NG/L	0	U	W
Perfluorooctane sulfonamide (PFOSAm)	10/12/2023	1.92	1.92	NG/L	0	U	W
Perfluorooctanesulfonate (PFOS)	10/12/2023	1.28	1.79	NG/L	0	J	W
Perfluorooctanoic acid (PFOA)	10/12/2023	2.47	1.92	NG/L	0		W
Perfluoropentanesulfonate (PFPeS)	10/12/2023	1.81	1.81	NG/L	0	U	W
Perfluoropentanoic acid (PFPeA)	10/12/2023	6.73	1.92	NG/L	0		W
Perfluorotetradecanoic acid (PFTeDA)	10/12/2023	1.92	1.92	NG/L	0	U	W
Perfluorotridecanoic acid (PFTrDA)	10/12/2023	1.92	1.92	NG/L	0	U	W
Perfluoroundecanoic acid (PFUdA)	10/12/2023	1.92	1.92	NG/L	0	U	W
1,4-Dioxane	10/12/2023	1.2	0.2	UG/L	0		W
11-Chloroeicosafluoro-3-oxaundecane-1-sulfonic acid (11-Cl-PF30UDs)	7/10/2023	7.14	7.14	NG/L	0	U	W
1633 TPFAS	7/10/2023	33.09	0	NG/L	0		W
1H, 1H, 2H, 2H-Perfluorodecane sulfonic acid (8:2 FTS)	7/10/2023	7.25	7.25	NG/L	0	U	W
2H,2H,3H,3H-Perfluorodecanoic acid (7:3 FTCA)	7/10/2023	37.8	37.8	NG/L	0	U	W
2H,2H,3H,3H-Perfluorooctanoic acid (5:3 FTCA)	7/10/2023	37.8	37.8	NG/L	0	U	W
4,4,5,5,6,6-Heptafluorohexanoic acid (3:3 FTCA)	7/10/2023	7.55	7.55	NG/L	0	U	W
4,8-Dioxa-3H-perfluorononanoic acid (DONA)	7/10/2023	7.14	7.14	NG/L	0	U	W
9-Chlorohexadecafluoro-3-oxanonane-1-sulfonic acid (9-Cl-PF30NS)	7/10/2023	7.06	7.06	NG/L	0	U	W
Fluorotelomer sulfonate 4:2 (4:2 FTS)	7/10/2023	7.08	7.08	NG/L	0	U	W
Fluorotelomer sulfonate 6:2 (6:2 FTS)	7/10/2023	2.5	7.18	NG/L	0	J	W
Hexafluoropropyleneoxide dimer acid (HFPO-DA)(Gen-X)	7/10/2023	7.55	7.55	NG/L	0	U	W
N-Ethylperfluorooctane sulfonamide (EtFOSAm)	7/10/2023	1.89	1.89	NG/L	0	U	W
N-Ethylperfluorooctane sulfonamido acetic acid (NEtFOSAA)	7/10/2023	1.89	1.89	NG/L	0	U	W
N-Ethylperfluorooctane sulfonamido ethanol (NEtFOSE)	7/10/2023	18.9	18.9	NG/L	0	U	W
N-Methylperfluorooctane sulfonamide (NMeFOSAA)	7/10/2023	1.89	1.89	NG/L	0	U	W

Appendix C

OU III LIPA Petition for Closure

2023 - 2024 LIPA Extraction Well and System Influent/Effluent Analytical Data Summary - PFAS and 1,4-Dioxane

N-Methylperfluorooctane sulfonamido acetic acid (NMeFOSAA)	7/10/2023	1.89	1.89	NG/L	0	U	W
N-Methylperfluorooctane sulfonamido ethanol (NMeFOSE)	7/10/2023	18.9	18.9	NG/L	0	U	W
Nonafluoro-3,6-dioxaheptanoic acid (NFDHA)	7/10/2023	3.78	3.78	NG/L	0	U	W
Perfluoro(2-ethoxyethane)sulfonic acid (PFEESA)	7/10/2023	3.36	3.36	NG/L	0	U	W
Perfluoro-3-methoxypropanoic acid (PFMPA)	7/10/2023	3.78	3.78	NG/L	0	U	W
Perfluoro-4-methoxybutanoic acid (PFMBA)	7/10/2023	3.78	3.78	NG/L	0	U	W
Perfluorobutanesulfonate (PFBS)	7/10/2023	2.39	1.68	NG/L	0		W
Perfluorobutyric acid (PFBA)	7/10/2023	3.11	7.55	NG/L	0	J	W
Perfluorodecanesulfonate (PFDS)	7/10/2023	1.82	1.82	NG/L	0	U	W
Perfluorodecanoic acid (PFDA)	7/10/2023	1.89	1.89	NG/L	0	U	W
Perfluorododecane sulfonic acid (PFDoS)	7/10/2023	1.83	1.83	NG/L	0	U	W
Perfluorododecanoic acid (PFDoA)	7/10/2023	1.89	1.89	NG/L	0	U	W
Perfluoroheptanesulfonate (PFHpS)	7/10/2023	1.8	1.8	NG/L	0	U	W
Perfluoroheptanoic acid (PFHpA)	7/10/2023	2.27	1.89	NG/L	0		W
Perfluorohexanesulfonate (PFHxS)	7/10/2023	2.27	1.73	NG/L	0		W
Perfluorohexanoic acid (PFHxA)	7/10/2023	6.49	1.89	NG/L	0		W
Perfluorononanesulfonate (PFNS)	7/10/2023	1.82	1.82	NG/L	0	U	W
Perfluorononanoic acid (PFNA)	7/10/2023	1.89	1.89	NG/L	0	U	W
Perfluorooctane sulfonamide (PFOSAm)	7/10/2023	1.89	1.89	NG/L	0	U	W
Perfluorooctanesulfonate (PFOS)	7/10/2023	1.61	1.75	NG/L	0	J	W
Perfluorooctanoic acid (PFOA)	7/10/2023	3.3	1.89	NG/L	0		W
Perfluoropentanesulfonate (PFPeS)	7/10/2023	1.78	1.78	NG/L	0	U	W
Perfluoropentanoic acid (PFPeA)	7/10/2023	9.15	1.89	NG/L	0		W
Perfluorotetradecanoic acid (PFTeDA)	7/10/2023	1.89	1.89	NG/L	0	U	W
Perfluorotridecanoic acid (PFTTrDA)	7/10/2023	1.89	1.89	NG/L	0	U	W
Perfluoroundecanoic acid (PFUdA)	7/10/2023	1.89	1.89	NG/L	0	U	W
1,4-Dioxane	7/10/2023	0.62	0.2	UG/L	0		W

Site ID : 800-124 (LIPA/Airport System Effluent)

Chemical Name	Sample Date	Value	Detlim	Units	Depth	Qual	Matrix
1,4-Dioxane	1/10/2024	1.2	0.2	UG/L	0		W
11-Chloroeicosafluoro-3-oxaundecane-1-sulfonic acid (11-Cl-PF30UDS)	1/10/2024	6.94	6.94	NG/L	0	U	W
1633 TPFAS	1/10/2024	44.71	0	NG/L	0		W
1H, 1H, 2H, 2H-Perfluorodecane sulfonic acid (8:2 FTS)	1/10/2024	7.05	7.05	NG/L	0	U	W
2H,2H,3H,3H-Perfluorodecanoic acid (7:3 FTCA)	1/10/2024	36.7	36.7	NG/L	0	U	W
2H,2H,3H,3H-Perfluorooctanoic acid (5:3 FTCA)	1/10/2024	36.7	36.7	NG/L	0	U	W
4,4,5,5,6,6-Heptafluorohexanoic acid (3:3 FTCA)	1/10/2024	7.34	7.34	NG/L	0	U	W
4,8-Dioxa-3H-perfluorononanoic acid (DONA)	1/10/2024	6.94	6.94	NG/L	0	U	W
9-Chlorohexadecafluoro-3-oxanonane-1-sulfonic acid (9-Cl-PF30NS)	1/10/2024	6.86	6.86	NG/L	0	U	W
Fluorotelomer sulfonate 4:2 (4:2 FTS)	1/10/2024	6.88	6.88	NG/L	0	U	W
Fluorotelomer sulfonate 6:2 (6:2 FTS)	1/10/2024	38.7	6.97	NG/L	0		W
Hexafluoropropyleneoxide dimer acid (HFPO-DA)(Gen-X)	1/10/2024	7.34	7.34	NG/L	0	U	W
N-Ethylperfluorooctane sulfonamide (EtFOSAm)	1/10/2024	1.84	1.84	NG/L	0	U	W
N-Ethylperfluorooctane sulfonamido acetic acid (NEtFOSAA)	1/10/2024	1.84	1.84	NG/L	0	U	W
N-Ethylperfluorooctane sulfonamido ethanol (NEtFOSE)	1/10/2024	18.4	18.4	NG/L	0	U	W

Appendix C

OU III LIPA Petition for Closure

2023 - 2024 LIPA Extraction Well and System Influent/Effluent Analytical Data Summary - PFAS and 1,4-Dioxane

N-Methylperfluorooctane sulfonamide (NMeFOSAA)	1/10/2024	1.84	1.84	NG/L	0	U	W
N-Methylperfluorooctane sulfonamido acetic acid (NMeFOSAA)	1/10/2024	1.84	1.84	NG/L	0	U	W
N-Methylperfluorooctane sulfonamido ethanol (NMeFOSE)	1/10/2024	18.4	18.4	NG/L	0	U	W
Nonafluoro-3,6-dioxaheptanoic acid (NFDHA)	1/10/2024	3.67	3.67	NG/L	0	U	W
Perfluoro(2-ethoxyethane)sulfonic acid (PFEEA)	1/10/2024	3.27	3.27	NG/L	0	U	W
Perfluoro-3-methoxypropanoic acid (PFMPA)	1/10/2024	3.67	3.67	NG/L	0	U	W
Perfluoro-4-methoxybutanoic acid (PFMBA)	1/10/2024	3.67	3.67	NG/L	0	U	W
Perfluorobutanesulfonate (PFBS)	1/10/2024	1.63	1.63	NG/L	0	U	W
Perfluorobutyric acid (PFBA)	1/10/2024	4.14	7.34	NG/L	0	J	W
Perfluorodecanesulfonate (PFDS)	1/10/2024	1.77	1.77	NG/L	0	U	W
Perfluorodecanoic acid (PFDA)	1/10/2024	1.84	1.84	NG/L	0	U	W
Perfluorododecane sulfonic acid (PFDoS)	1/10/2024	1.78	1.78	NG/L	0	U	W
Perfluorododecanoic acid (PFDoA)	1/10/2024	1.84	1.84	NG/L	0	U	W
Perfluoroheptanesulfonate (PFHpS)	1/10/2024	1.75	1.75	NG/L	0	U	W
Perfluoroheptanoic acid (PFHpA)	1/10/2024	1.84	1.84	NG/L	0	U	W
Perfluorohexanesulfonate (PFHxS)	1/10/2024	1.68	1.68	NG/L	0	U	W
Perfluorohexanoic acid (PFHxA)	1/10/2024	1.84	1.84	NG/L	0	U	W
Perfluorononanesulfonate (PFNS)	1/10/2024	1.77	1.77	NG/L	0	U	W
Perfluorononanoic acid (PFNA)	1/10/2024	1.84	1.84	NG/L	0	U	W
Perfluorooctane sulfonamide (PFOSAm)	1/10/2024	1.87	1.84	NG/L	0		W
Perfluorooctanesulfonate (PFOS)	1/10/2024	1.7	1.7	NG/L	0	U	W
Perfluorooctanoic acid (PFOA)	1/10/2024	1.84	1.84	NG/L	0	U	W
Perfluoropentanesulfonate (PFPeS)	1/10/2024	1.73	1.73	NG/L	0	U	W
Perfluoropentanoic acid (PFPeA)	1/10/2024	1.84	1.84	NG/L	0	U	W
Perfluorotetradecanoic acid (PFTeDA)	1/10/2024	1.84	1.84	NG/L	0	U	W
Perfluorotridecanoic acid (PFTrDA)	1/10/2024	1.84	1.84	NG/L	0	U	W
Perfluoroundecanoic acid (PFUdA)	1/10/2024	1.84	1.84	NG/L	0	U	W
11-Chloroeicosafluoro-3-oxaundecane-1-sulfonic acid (11-Cl-PF3OUdS)	10/12/2023	6.89	6.89	NG/L	0	U	W
1633 TPFAS	10/12/2023	7.57	0	NG/L	0		W
1H, 1H, 2H, 2H-Perfluorodecane sulfonic acid (8:2 FTS)	10/12/2023	7	7	NG/L	0	U	W
2H,2H,3H,3H-Perfluorodecanoic acid (7:3 FTCA)	10/12/2023	36.4	36.4	NG/L	0	U	W
2H,2H,3H,3H-Perfluorooctanoic acid (5:3 FTCA)	10/12/2023	36.4	36.4	NG/L	0	U	W
4,4,5,5,6,6-Heptafluorohexanoic acid (3:3 FTCA)	10/12/2023	7.29	7.29	NG/L	0	U	W
4,8-Dioxa-3H-perfluorononanoic acid (DONA)	10/12/2023	6.89	6.89	NG/L	0	U	W
9-Chlorohexadecafluoro-3-oxanonane-1-sulfonic acid (9-Cl-PF3ONS)	10/12/2023	6.81	6.81	NG/L	0	U	W
Fluorotelomer sulfonate 4:2 (4:2 FTS)	10/12/2023	6.83	6.83	NG/L	0	U	W
Fluorotelomer sulfonate 6:2 (6:2 FTS)	10/12/2023	6.92	6.92	NG/L	0	U	W
Hexafluoropropyleneoxide dimer acid (HFPO-DA)(Gen-X)	10/12/2023	7.29	7.29	NG/L	0	U	W
N-Ethylperfluorooctane sulfonamide (EtFOSAm)	10/12/2023	1.82	1.82	NG/L	0	U	W
N-Ethylperfluorooctane sulfonamido acetic acid (NEtFOSAA)	10/12/2023	1.82	1.82	NG/L	0	U	W
N-Ethylperfluorooctane sulfonamido ethanol (NEtFOSE)	10/12/2023	18.2	18.2	NG/L	0	U	W
N-Methylperfluorooctane sulfonamide (NMeFOSAA)	10/12/2023	1.82	1.82	NG/L	0	U	W
N-Methylperfluorooctane sulfonamido acetic acid (NMeFOSAA)	10/12/2023	1.82	1.82	NG/L	0	U	W
N-Methylperfluorooctane sulfonamido ethanol (NMeFOSE)	10/12/2023	18.2	18.2	NG/L	0	U	W

Appendix C

OU III LIPA Petition for Closure

2023 - 2024 LIPA Extraction Well and System Influent/Effluent Analytical Data Summary - PFAS and 1,4-Dioxane

Nonafluoro-3,6-dioxaheptanoic acid (NFDHA)	10/12/2023	3.64	3.64	NG/L	0	U	W
Perfluoro(2-ethoxyethane)sulfonic acid (PFEEESA)	10/12/2023	3.24	3.24	NG/L	0	U	W
Perfluoro-3-methoxypropanoic acid (PFMPA)	10/12/2023	3.64	3.64	NG/L	0	U	W
Perfluoro-4-methoxybutanoic acid (PFMBA)	10/12/2023	3.64	3.64	NG/L	0	U	W
Perfluorobutanesulfonate (PFBS)	10/12/2023	1.62	1.62	NG/L	0	U	W
Perfluorobutyric acid (PFBA)	10/12/2023	6.27	7.29	NG/L	0	J	W
Perfluorodecanesulfonate (PFDS)	10/12/2023	1.76	1.76	NG/L	0	U	W
Perfluorodecanoic acid (PFDA)	10/12/2023	1.82	1.82	NG/L	0	U	W
Perfluorododecane sulfonic acid (PFDoS)	10/12/2023	1.77	1.77	NG/L	0	U	W
Perfluorododecanoic acid (PFDoA)	10/12/2023	1.82	1.82	NG/L	0	U	W
Perfluoroheptanesulfonate (PFHpS)	10/12/2023	1.74	1.74	NG/L	0	U	W
Perfluoroheptanoic acid (PFHpA)	10/12/2023	1.82	1.82	NG/L	0	U	W
Perfluorohexanesulfonate (PFHxS)	10/12/2023	1.67	1.67	NG/L	0	U	W
Perfluorohexanoic acid (PFHxA)	10/12/2023	1.82	1.82	NG/L	0	U	W
Perfluorononanesulfonate (PFNS)	10/12/2023	1.75	1.75	NG/L	0	U	W
Perfluorononanoic acid (PFNA)	10/12/2023	1.82	1.82	NG/L	0	U	W
Perfluorooctane sulfonamide (PFOSAm)	10/12/2023	1.82	1.82	NG/L	0	U	W
Perfluorooctanesulfonate (PFOS)	10/12/2023	1.69	1.69	NG/L	0	U	W
Perfluorooctanoic acid (PFOA)	10/12/2023	1.82	1.82	NG/L	0	U	W
Perfluoropentanesulfonate (PFPeS)	10/12/2023	1.71	1.71	NG/L	0	U	W
Perfluoropentanoic acid (PFPeA)	10/12/2023	1.3	1.82	NG/L	0	J	W
Perfluorotetradecanoic acid (PFTeDA)	10/12/2023	1.82	1.82	NG/L	0	U	W
Perfluorotridecanoic acid (PFTrDA)	10/12/2023	1.82	1.82	NG/L	0	U	W
Perfluoroundecanoic acid (PFUdA)	10/12/2023	1.82	1.82	NG/L	0	U	W
1,4-Dioxane	10/12/2023	1.2	0.2	UG/L	0		W
11-Chloroeicosafluoro-3-oxaundecane-1-sulfonic acid (11-Cl-PF3OUdS)	7/10/2023	6.84	6.84	NG/L	0	U	W
1633 TPFA5	7/10/2023	4.67	0	NG/L	0		W
1H, 1H, 2H, 2H-Perfluorodecane sulfonic acid (8:2 FTS)	7/10/2023	6.95	6.95	NG/L	0	U	W
2H,2H,3H,3H-Perfluorodecanoic acid (7:3 FTCA)	7/10/2023	36.2	36.2	NG/L	0	U	W
2H,2H,3H,3H-Perfluorooctanoic acid (5:3 FTCA)	7/10/2023	36.2	36.2	NG/L	0	U	W
4,4,5,5,6,6-Heptafluorohexanoic acid (3:3 FTCA)	7/10/2023	7.24	7.24	NG/L	0	U	W
4,8-Dioxa-3H-perfluorononanoic acid (DONA)	7/10/2023	6.84	6.84	NG/L	0	U	W
9-Chlorohexadecafluoro-3-oxanonane-1-sulfonic acid (9-Cl-PF3ONS)	7/10/2023	6.77	6.77	NG/L	0	U	W
Fluorotelomer sulfonate 4:2 (4:2 FTS)	7/10/2023	6.79	6.79	NG/L	0	U	W
Fluorotelomer sulfonate 6:2 (6:2 FTS)	7/10/2023	6.88	6.88	NG/L	0	U	W
Hexafluoropropyleneoxide dimer acid (HFPO-DA)(Gen-X)	7/10/2023	7.24	7.24	NG/L	0	U	W
N-Ethylperfluorooctane sulfonamide (EtFOSAm)	7/10/2023	1.81	1.81	NG/L	0	U	W
N-Ethylperfluorooctane sulfonamido acetic acid (NEtFOSAA)	7/10/2023	1.81	1.81	NG/L	0	U	W
N-Ethylperfluorooctane sulfonamido ethanol (NEtFOSE)	7/10/2023	18.1	18.1	NG/L	0	U	W
N-Methylperfluorooctane sulfonamide (NMeFOSAA)	7/10/2023	1.81	1.81	NG/L	0	U	W
N-Methylperfluorooctane sulfonamido acetic acid (NMeFOSAA)	7/10/2023	1.81	1.81	NG/L	0	U	W
N-Methylperfluorooctane sulfonamido ethanol (NMeFOSE)	7/10/2023	18.1	18.1	NG/L	0	U	W
Nonafluoro-3,6-dioxaheptanoic acid (NFDHA)	7/10/2023	3.62	3.62	NG/L	0	U	W
Perfluoro(2-ethoxyethane)sulfonic acid (PFEEESA)	7/10/2023	3.22	3.22	NG/L	0	U	W
Perfluoro-3-methoxypropanoic acid (PFMPA)	7/10/2023	3.62	3.62	NG/L	0	U	W
Perfluoro-4-methoxybutanoic acid (PFMBA)	7/10/2023	3.62	3.62	NG/L	0	U	W
Perfluorobutanesulfonate (PFBS)	7/10/2023	1.61	1.61	NG/L	0	U	W

Appendix C

OU III LIPA Petition for Closure

2023 - 2024 LIPA Extraction Well and System Influent/Effluent Analytical Data Summary - PFAS and 1,4-Dioxane

Perfluorobutyric acid (PFBA)	7/10/2023	4.67	7.24	NG/L	0	J	W
Perfluorodecanesulfonate (PFDS)	7/10/2023	1.75	1.75	NG/L	0	U	W
Perfluorodecanoic acid (PFDA)	7/10/2023	1.81	1.81	NG/L	0	U	W
Perfluorododecane sulfonic acid (PFDoS)	7/10/2023	1.76	1.76	NG/L	0	U	W
Perfluorododecanoic acid (PFDoA)	7/10/2023	1.81	1.81	NG/L	0	U	W
Perfluoroheptanesulfonate (PFHpS)	7/10/2023	1.72	1.72	NG/L	0	U	W
Perfluoroheptanoic acid (PFHpA)	7/10/2023	1.81	1.81	NG/L	0	U	W
Perfluorohexanesulfonate (PFHxS)	7/10/2023	1.65	1.65	NG/L	0	U	W
Perfluorohexanoic acid (PFHxA)	7/10/2023	1.81	1.81	NG/L	0	U	W
Perfluorononanesulfonate (PFNS)	7/10/2023	1.74	1.74	NG/L	0	U	W
Perfluorononanoic acid (PFNA)	7/10/2023	1.81	1.81	NG/L	0	U	W
Perfluorooctane sulfonamide (PFOSAm)	7/10/2023	1.81	1.81	NG/L	0	U	W
Perfluorooctanesulfonate (PFOS)	7/10/2023	1.68	1.68	NG/L	0	U	W
Perfluorooctanoic acid (PFOA)	7/10/2023	1.81	1.81	NG/L	0	U	W
Perfluoropentanesulfonate (PFPeS)	7/10/2023	1.7	1.7	NG/L	0	U	W
Perfluoropentanoic acid (PFPeA)	7/10/2023	1.81	1.81	NG/L	0	U	W
Perfluorotetradecanoic acid (PFTeDA)	7/10/2023	1.81	1.81	NG/L	0	U	W
Perfluorotridecanoic acid (PFTrDA)	7/10/2023	1.81	1.81	NG/L	0	U	W
Perfluoroundecanoic acid (PFUdA)	7/10/2023	1.81	1.81	NG/L	0	U	W
1,4-Dioxane	7/10/2023	1.3	1	UG/L	0	D	W

Notes:

U - The analyte was not detected above the laboratory method detection limit.

J - The analyte was detected above the method detection limit but below the reporting limit, the result is estimated.

D - The results are reported from a sample that required a dilution.

W - Water

UG/L - microgram per liter

NG/L - nanograms per liter

Detlim - Laboratory method detection limit (MDL).

TPFAS - Total PFAS. Sum of individual PFAS compounds detected above MDL, Detlim stored as zero.

Depth - Feet below land surface.