



ISLIP
RESOURCE
RECOVERY
AGENCY

**Sonia Road Landfill
Brentwood, New York**

**Post Closure Groundwater
Monitoring Program**

**2020 Monitoring Report
Baseline Sampling Event**

April 2020

Prepared by:



Board of Directors

Steven A. Fangmann, P.E., BCEE
President & Chairman

Robert L. Raab, P.E., BCEE, CCM
Senior Vice President

William D. Merklin, P.E.
Senior Vice President

April 9, 2020

Anthony J. Varrichio, P.E.
Chief Engineer
Islip Resource Recovery Agency
401 Main Street
Islip, NY 11751

Re: Sonia Road Landfill
Post-Closure Groundwater Monitoring Program
2020 Monitoring Report
D&B No. 3371-14B

Dear Mr. Varrichio:

Enclosed please find six copies of the 2020 Post-Closure Groundwater Monitoring Report for the Sonia Road Landfill. In addition, this report is provided in electronic format on the enclosed compact disc.

If you have any questions or require additional information, please contact me at (516) 364-9890, Ext. 3058

Very truly yours,



Keith Robins, P.G.
Associate

KSR/kb
Enclosure
◆3371\KSR20Ltr-01

**POST CLOSURE GROUNDWATER MONITORING PROGRAM
2020 MONITORING REPORT
(BASELINE SAMPLING EVENT)**

**SONIA ROAD LANDFILL
BRENTWOOD, NEW YORK**

Prepared for:



**ISLIP RESOURCE RECOVERY AGENCY
TOWN OF ISLIP, NEW YORK**

Prepared by:



**D&B ENGINEERS AND ARCHITECTS, P.C.
WOODBURY, NEW YORK**

APRIL 2020

**SONIA ROAD LANDFILL
POST CLOSURE GROUNDWATER MONITORING PROGRAM
2020 MONITORING REPORT**

TABLE OF CONTENTS

<u>Section</u>	<u>Title</u>	<u>Page</u>
1.0	INTRODUCTION.....	1-1
1.1	Purpose.....	1-1
1.2	Site Location and Description.....	1-1
2.0	MONITORING WELL NETWORK AND GROUNDWATER SAMPLE LOCATIONS.....	2-1
3.0	SAMPLING PROCEDURES AND ANALYSIS	3-1
3.1	Groundwater Level Measurement Procedures.....	3-1
3.2	Groundwater Sampling Procedures	3-1
3.3	Volatile Organic Vapor and Combustible Gas Monitoring	3-2
3.4	Sample Analysis.....	3-3
4.0	ANALYTICAL RESULTS	4-1
4.1	Field Parameters.....	4-1
4.2	Monitoring Well Groundwater Results.....	4-1
	4.2.1 Leachate Indicators	4-1
	4.2.2 Inorganic Parameters	4-4
	4.2.3 Volatile Organic Compounds	4-9
4.3	Volatile Organic Vapor and Combustible Gas Monitoring.....	4-9
5.0	DATA VALIDATION	5-1
6.0	GROUNDWATER LEVEL MEASUREMENTS AND FLOW DIRECTION	6-1
7.0	FINDINGS AND RECOMMENDATIONS	7-1
7.1	Findings.....	7-1
7.2	Recommendations.....	7-2

TABLE OF CONTENTS (continued)

<u>Section</u>	<u>Title</u>	<u>Page</u>
----------------	--------------	-------------

List of Appendices

	Monitoring Well Sample Results – Leachate Indicator Parameters	A-1
	Monitoring Well Sample Results – Inorganic Parameters.....	A-2
	Monitoring Well Sample Results – Volatile Organic Compounds.....	A-3
	Water Quality Graphs	B
	Data Validation Forms.....	C

List of Figures

1-1	Site Location Map.....	1-2
2-1	Groundwater Monitoring Well Locations.....	2-2
6-1	Water Table Contour Map – February 24, 2020.....	6-3
6-2	Potentiometric Surface Elevation Contour Map for Intermediate Upper Glacial Aquifer – February 24, 2020	6-4
6-3	Potentiometric Surface Elevation Contour Map for Deep Upper Glacial Aquifer – February 24, 2020	6-5

List of Tables

2-1	Summary of Monitoring Well Construction Details.....	2-3
2-2	Groundwater Wells Sampled as Part of the Post Closure Groundwater Monitoring Program.....	2-5
4-1	Summary of Final Field Parameter Results	4-2
4-2	Summary Comparison of 2020 Sampling Event to Previous Sampling Event for Leachate Indicators	4-3
4-3	Summary Comparison of 2020 Sampling Event to Previous Sampling Event for Inorganic Parameters	4-5
4-4	Summary of Volatile Organic Vapor and Combustible Gas Monitoring Results.....	4-10
6-1	Monitoring Well Groundwater Elevation Measurements February 24, 2020	6-2

1.0 INTRODUCTION

This report presents the results of the February 2020 groundwater monitoring event conducted as part of the Post Closure Groundwater Monitoring Program for the Sonia Road Landfill. The sampling program was conducted for the Town of Islip, as administered by the Islip Resource Recovery Agency (IRRA), in conformance with the December 2001 Sampling and Analysis Plan (SAP). The SAP is a part of the Sonia Road Post Closure Monitoring and Maintenance Plan (Volume 3 of 4), which was approved by the New York State Department of Environmental Conservation (NYSDEC) in a letter dated January 18, 2006.


1.1 Purpose

The purpose of the Post Closure Groundwater Monitoring Program is to monitor groundwater quality and flow direction subsequent to the capping and closure of the Sonia Road Landfill.

This Post Closure Groundwater Monitoring Program report includes discussions of the sample locations, sampling procedures, laboratory analyses, field and analytical results, data validation, groundwater level measurements and groundwater flow direction. In addition, the report includes a comparison of the analytical results of this February 2020 sampling event to applicable New York State groundwater quality standards and guidance values.

1.2 Site Location and Description

The Sonia Road Landfill is a capped and closed inactive municipal solid waste landfill owned by the Town of Islip. The landfill is located at 1355 Howells Road in the hamlet of Brentwood in the western portion of the Town and is in close proximity to the western town boundary with the Town of Babylon. The location of the Sonia Road Landfill is illustrated on **Figure 1-1**.



SOURCE: U.S.G.S. GREENLAWN, N.Y. AND BAY SHORE WEST, N.Y. QUADRANGLES



**D&B ENGINEERS
AND
ARCHITECTS, P.C.**

**SONIA ROAD LANDFILL
POST CLOSURE GROUNDWATER
MONITORING PROGRAM
SITE LOCATION MAP**

SCALE: 1"=2000'

FIGURE 1-1

The landfill property is 42.2 acres in area and is approximately rectangular in shape. The landfill is bounded to the north by industrial properties, to the east by residential properties, to the south by Deer Park Street with residential properties beyond, and to the west by Howell's Road, Secatogue Road, and Corbin Avenue with industrial properties beyond. In the southwest corner of the property is one residential parcel (Tax Map No. 221-2-1), which is not part of landfill property described above. At the northwest corner of the property is a 0.5-acre parcel owned by the Town of Islip (Tax Map No. 198-5-7.3), which is identified as a paper street. Given that the waste mass extends onto this parcel, it is considered as part of the landfill property, and as a result, the overall landfill property is considered to be 42.7 acres. At and abutting the northeast corner of the landfill property is the western extension of Sonia Road for which the facility is named.

The landfill property itself is zoned Industrial I and Industrial II with a small portion along the southeastern boundary zoned as residential.

To the southwest of the landfill property is the West Brentwood Middle School, which is located on the west side of Howell's Road. Beyond the school property to the south and west is the headwater of Sampawams Creek. Sampawams Creek is fed by groundwater discharge as well as storm water management systems for the surrounding areas. Sampawams Creek runs from north to south and empties into the Guggenheim Lakes, which are located north of the Southern State Parkway. Sampawams Creek generally describes the western boundary of the Town of Islip and the eastern boundary of the Town of Babylon.

The Sonia Road Landfill Site has been owned by the Town of Islip since 1965. Prior to 1965, the Site was privately owned and used as a source of mined sand and gravel. As a result of this mining operation, virtually the entire Site was disturbed, including the removal of vegetation, topsoil and underlying minerals. The mining operation was extensive with the removal of minerals progressing to and below the water table. Removal of minerals below the water table was accomplished through the use of dredging equipment. This activity resulted in the formation of a groundwater lake over a significant portion of the site (40% to 50%). It is

reported that this dredging operation may have removed materials to a depth of 50 feet below the water table. Soil borings constructed as part of the remedial investigation at the landfill confirmed that waste lies at least 36 feet below the water table.

In 1965, the Town of Islip took title to the Sonia Road property and began a landfilling operation for the disposal of municipal solid waste. Landfilling at the Site occurred between 1965 and 1977, with the most active period of landfilling occurring between 1965 and 1974. It has been estimated that between 1.5 and 2.0 million cubic yards of waste were disposed at the Site. There are no weight records to substantiate this estimate.

The landfill reportedly accepted all municipal solid waste delivered to the Site. This waste is reported to include wood, concrete, metal, plastic, glass, household waste in the form of refuse, rubbish, demolition materials and yard wastes (particularly leaves). It is also reported that junk automobiles were routinely disposed at the facility and that underground fires were common.


The Sonia Road Landfill was capped in the fall of 2000. The landfill capping system covers an area of approximately 40 acres. The capping system includes an active landfill gas management system, an on-site storm water management system and a perimeter road constructed around the entire Site using recycled concrete aggregate. The storm water management system consists of a series of drainage swales, catch basins, buried storm water piping, dry wells and two recharge basins. Storm water from the northeastern corner of the property is discharged to a series of dry wells (leaching rings) in the area of Sonia Road. The remainder of the site storm water is directed to Recharge Basins 1 and 2 located on the west side of the property. Recharge Basin 1 is located adjacent to the main entrance gate located on Corbin Avenue, and Recharge Basin 2 is located in the southwest corner of the property. For the majority of the site, drainage swales are located on the in-board side of the perimeter road.

2.0 MONITORING WELL NETWORK AND GROUNDWATER SAMPLE LOCATIONS


The monitoring well network for the Sonia Road Landfill consists of 35 wells. Well locations are illustrated on **Figure 2-1**. The monitoring wells were constructed as 12 well clusters, with each cluster comprised of a shallow (S) well, intermediate (I) well and deep (D) well, with the exception of the MW-02 cluster. Shallow well MW-02S was abandoned in August 2005 and has been eliminated from the Post Closure Monitoring Program. All 35 wells were utilized for water level measurements. Well construction information for all wells is summarized in **Table 2-1**.


Twenty-two (22) wells are included as part of the Post Closure Monitoring Program. The sampled wells are presented in **Table 2-2**. All 22 monitoring wells were sampled during the February 2020 sampling event.

F:\3371-08B\dwg\3371-11B-Sonia Landfill.dwg, FG2-1, 2/8/2019 8:35:35 AM, kalesius



LEGEND:

MW-10S  GROUNDWATER MONITORING WELL AND DESIGNATION

MW-02S  MONITORING WELL MW-02S ABANDONED 8/2005



SONIA ROAD LANDFILL
POST CLOSURE GROUNDWATER MONITORING PROGRAM
GROUNDWATER MONITORING WELL LOCATIONS

SCALE: 1" = 500'

FIGURE 2-1

Table 2-1

**SONIA ROAD LANDFILL
POST CLOSURE GROUNDWATER MONITORING PROGRAM
SUMMARY OF MONITORING WELL CONSTRUCTION DETAILS**

Well Designation	Date Completed	Well Diameter (inches)	Screen Type	Total Depth (feet below grade)	Screen Setting		Measuring Point Elevation (feet above mean sea level)
					Depth (feet below measuring point)	Elevation (feet above mean sea level)	
MW-01D ⁽¹⁾	10/14/97	4	SS	106	96-106	(-32) - (-42)	64.53
MW-01I ⁽¹⁾	10/6/97	4	SS	78	68 - 78	(-2) - (-12)	65.36
MW-01S ⁽¹⁾	1/5/95	4	PVC	29	19 - 29	47 - 37	66.01
MW-02D ⁽⁴⁾	10/13/97	4	SS	116	106 - 116	(-27) - (-37)	78.43
MW-02I ⁽⁴⁾	10/1/97	4	SS	72	62 - 72	16 - 7	78.24
MW-02S					<i>Abandoned in August 2005</i>		
MW-03D ⁽¹⁾	9/30/97	4	SS	107	97 - 107	(-26) - (-36)	70.50
MW-03I ⁽¹⁾	1/9/95	4	PVC	84	79 - 84	(-8) - (-13)	70.77
MW-03S ⁽¹⁾	1/6/95	4	PVC	32	22 - 32	49 - 39	70.76
MW-04D ⁽¹⁾	10/6/97	4	SS	114	104 - 114	(-35) - (-45)	69.03
MW-04I ⁽¹⁾	9/29/97	4	SS	71	61 - 71	8 - (-2)	69.31
MW-04S ⁽¹⁾	1/6/95	4	PVC	34	24 - 34	48 - 38	71.10
MW-05D ⁽¹⁾	10/10/97	4	SS	116	106 - 116	(-35) - (-45)	70.96
MW-05I ⁽¹⁾	10/2/97	4	SS	70	60 - 70	11 - 1	70.26
MW-05S ⁽¹⁾	10/4/97	4	SS	34	19 - 34	52 - 37	70.28
MW-06D ⁽⁶⁾	10/1/97	4	SS	117	107 - 117	(-32) - (-42)	75.02
MW-06I ⁽⁴⁾	9/25/97	4	SS	76	66 - 76	9 - (-1)	74.52
MW-06S ⁽⁶⁾	9/24/97	4	SS	37	22 - 37	53 - 38	74.45
MW-07D ⁽¹⁾	10/8/97	4	SS	122	112 - 122	(-37) - (-47)	75.04
MW-07I ⁽⁴⁾	9/26/97	4	SS	74	64 - 74	9 - (-1)	73.43
MW-07S ⁽¹⁾	9/28/97	4	SS	34	19 - 34	54 - 39	72.83

Table 2-1 (continued)

**SONIA ROAD LANDFILL
POST CLOSURE GROUNDWATER MONITORING PROGRAM
SUMMARY OF MONITORING WELL CONSTRUCTION DETAILS**

Well Designation	Date Completed	Well Diameter (inches)	Screen Type	Total Depth (feet below grade)	Screen Setting		Measuring Point Elevation (feet above mean sea level)
					Depth (feet below measuring point)	Elevation (feet above mean sea level)	
MW-10D ⁽²⁾	10/15/97	4	SS	96	86 - 96	(-29) - (-39)	56.34
MW-10I ⁽²⁾	10/7/97	4	SS	69	59 - 69	(-3) - (-13)	56.16
MW-10S ⁽²⁾	10/8/97	4	SS	19	4 - 19	53 - 38	56.65
MW-11D ⁽¹⁾	10/16/97	4	SS	94	84 - 94	(-24) - (-34)	60.19
MW-11I ⁽¹⁾	10/11/97	4	SS	71	61 - 71	(-1) - (-11)	60.38
MW-11S ⁽¹⁾	10/13/97	4	SS	19	4 - 19	56 - 41	59.87
MW-12D ⁽¹⁾	10/15/97	4	SS	98	88 - 98	(-29) - (-39)	58.61
MW-12I ⁽¹⁾	10/10/97	4	SS	70	60 - 70	(-1) - (-11)	58.92
MW-12S ⁽¹⁾	10/13/97	4	SS	19	4 - 19	55 - 40	58.79
MW-13D ⁽³⁾	10/16/97	4	SS	119	109 - 119	(-38) - (-48)	70.37
MW-13I ⁽³⁾	10/7/97	4	SS	71	61 - 71	9 - (-1)	70.30
MW-13S ⁽³⁾	10/8/97	4	SS	37	22 - 37	49 - 34	70.51
MW-14D ⁽³⁾	10/17/97	4	SS	105	95 - 105	(-30) - (-40)	64.58
MW-14I ⁽³⁾	10/9/97	4	SS	71	61 - 71	4 - (-6)	64.57
MW-14S ⁽³⁾	10/14/97	4	SS	30	15 - 30	50 - 35	64.55

Notes:

⁽¹⁾Monitoring wells surveyed by Municipal Land Survey, P.C., August 2001.

⁽²⁾Monitoring wells surveyed by YEC, Inc., November 1997.

⁽³⁾Monitoring wells surveyed by YEC, Inc., September 2000.

⁽⁴⁾Monitoring wells surveyed by Municipal Land Survey, P.C., August 11, 2005.

⁽⁵⁾Monitoring wells surveyed by Municipal Land Survey, P.C., August 2006.

SOURCE: Remedial Investigation/Feasibility Study (RI/FS) dated April 1998 and surveys noted above.

Table 2-2

**SONIA ROAD LANDFILL
POST CLOSURE GROUNDWATER MONITORING PROGRAM
GROUNDWATER MONITORING WELLS SAMPLED AS PART OF THE
POST CLOSURE GROUNDWATER MONITORING PROGRAM**

MW-01D	MW-04D	MW-06D	MW-11S
MW-01I	MW-04I	MW-06I	MW-12D
MW-01S	MW-04S	MW-06S	MW-12I
MW-02D	MW-05D	MW-07I	MW-12S
MW-02I	MW-05I	MW-11D	
MW-03S	MW-05S	MW-11I	

3.0 SAMPLING PROCEDURES AND ANALYSIS

Sampling procedures for the collection of the groundwater samples were implemented in accordance with the protocol described in the Sampling and Analysis Plan (SAP). Dedicated and disposable sampling equipment was used whenever possible in accordance with the SAP. Field decontamination was performed between sampling locations for non-disposable equipment. The following sections provide a brief discussion of the procedures used during groundwater level measurements, organic vapor and combustible gas monitoring, groundwater sampling and sample analysis.

3.1 Groundwater Level Measurement Procedures

Prior to collecting the groundwater samples, synoptic water level measurements were obtained from all 35 monitoring wells for determination of groundwater elevations and groundwater flow direction. Groundwater level measurements were obtained from a surveyed measuring point on each well using an electronic water level indicator to an accuracy of 0.01 foot. A discussion regarding groundwater level measurement results and groundwater flow direction is provided in **Section 6.0**.

3.2 Groundwater Sampling Procedures

Prior to collecting groundwater samples, the monitoring wells were purged to remove the standing water in the well. Well purging was accomplished by first measuring the static water level in the well and calculating the standing water volume. A decontaminated submersible pump was used to purge the water from the well.

During the purging process, groundwater was monitored and recorded for the following field parameters: pH, specific conductance, temperature, oxidation-reduction potential (ORP), dissolved oxygen (DO) and turbidity. When the values of the field parameters equilibrated within 10% based on the last two readings, the turbidity of the groundwater was less than 50

Nephelometric Turbidity Units (NTUs) and at least three well volumes had been removed, well purging was considered complete.

In accordance with the SAP, groundwater samples were collected using new, dedicated, disposable polyethylene bailers and polypropylene rope. Samples for VOC analysis were collected first, followed by inorganic parameters and leachate indicators. Each sample was stored in an ice-filled cooler with the chain of custody forms and picked up by American Analytical Laboratories, LLC.

Appropriate quality assurance/quality control (QA/QC) samples, which included one field blank, one matrix spike and matrix spike duplicate (MS/MSD) set and one blind duplicate, were collected in accordance with the SAP. In addition, a trip blank sample accompanied the laboratory cooler for each day of groundwater sampling.

In accordance with the SAP, purge water from all on-site wells and all wells immediately adjacent to the landfill property was disposed directly into the nearest landfill capping system drainage swale. Purge water generated from off-site well clusters 11 and 12 was pumped into 55-gallon drums, transported to the landfill and the purge water discharged into the landfill's on-site Recharge Basin 1 in accordance with the SAP.

3.3 Volatile Organic Vapor and Combustible Gas Monitoring

Volatile organic vapor and combustible gas measurements were collected in all 35 monitoring wells. Volatile organic vapors were measured using a photoionization detector (PID) and combustible gas was measured using a portable multi-gas meter. The volatile organic vapor and combustible gas monitoring results represent headspace measurements collected during the synoptic groundwater level measurements. The volatile organic vapor and combustible gas monitoring results for February 2020 reporting period are provided in **Section 4.0**.

3.4 Sample Analysis

Groundwater samples collected during the February 2020 sampling event from 22 monitoring wells were analyzed for New York Codes, Rules and Regulations (NYCRR) Part 360 Baseline Parameters. Other parameters, such as pH, temperature, specific conductance, ORP, dissolved oxygen and turbidity, were measured in the field for groundwater samples collected from each of the monitoring wells. The groundwater analytical results are discussed in **Section 4.2.**

4.0 ANALYTICAL RESULTS

4.1 Field Parameters

A summary of the final field parameter values measured at the time of sample collection during the February 2020 sampling event is provided in **Table 4-1**.

4.2 Monitoring Well Groundwater Results

The analytical results for the groundwater samples collected during the February 2020 sampling event, compared to NYSDEC Class GA groundwater standards and guidance values, are provided in **Appendix A-1** (leachate indicators), **Appendix A-2** (inorganic parameters), **Appendix A-3** (volatile organic compounds). Historic sample results from 2007 to February 2020 are also included in these tables. Historical data from 1996 to 2006 have been provided to the IRRA in previous post closure groundwater monitoring reports.

4.2.1 Leachate Indicators

As shown in **Appendix A-1**, two leachate indicators (ammonia and total phenols) were detected in one or more wells at concentrations exceeding NYSDEC Class GA groundwater standards. The differences in leachate indicator concentrations for the February 2020 sampling event compared to the previous November 2018 sampling event are summarized in **Table 4-2**. An increase or decrease in concentration is defined by a minimum change of +/- 20% compared to the previous result. If a concentration remained consistent it is defined as within 20% of the previous result.

As part of evaluating changes in groundwater quality, historic results for ammonia were graphed for the shallow, intermediate and deep zones for upgradient wells and downgradient

Table 4-1
SONIA ROAD LANDFILL
POST CLOSURE GROUNDWATER MONITORING PROGRAM
SUMMARY OF FINAL FIELD PARAMETER RESULTS
FEBRUARY 2020 SAMPLING EVENT

Monitoring Well	pH	Specific Conductance (mS/cm)	Turbidity (NTU)	DO (mg/l)	Temperature (°C)	ORP (mV)
MW-01S	6.94	0.402	0	0.23	14.19	80
MW-01I	4.98	0.107	0	3.22	14.50	341
MW-01D	5.13	0.254	0	4.14	13.90	364
MW-02I	6.02	0.111	0	0.00	15.47	293
MW02D	5.73	0.247	0	3.56	14.73	283
MW-03S	6.71	0.497	0	0.52	15.78	-93
MW-04S	6.47	0.570	0	0.39	14.47	-77
MW-04I	6.70	0.559	0	0.52	14.87	-96
MW-04D	6.90	0.331	0	0.52	14.71	-149
MW-05S	6.40	0.613	0	0.41	15.98	-70
MW-05I	6.85	0.383	0	1.50	14.74	-104
MW-05D	5.61	0.161	0	2.29	14.21	236
MW-06S	6.78	0.544	0	0.00	16.21	-59
MW-06I	6.58	0.239	0	0.00	15.33	235
MW-06D	5.54	0.198	0	0.00	14.97	308
MW-07I	6.25	0.305	0	6.60	15.31	248
MW-11S	6.89	0.314	0	1.02	10.61	151
MW-11I	5.22	0.093	0	5.05	13.62	297
MW-11D	5.07	0.208	22	2.52	12.99	295
MW-12S	6.93	0.310	0	4.30	12.77	122
MW-12I	6.13	0.378	0	1.85	14.59	170
MW-12D	5.66	0.121	0	4.94	14.54	214

Notes:

Mg/l: Milligrams per liter
mS/cm: Millisiemens per centimeter
NTUs: Nephelometric turbidity units
mV: Millivolts

°C: Degrees Celsius
ORP: Oxidation Reduction Potential
DO: Dissolved oxygen

Table 4-2
SONIA ROAD LANDFILL
POST CLOSURE GROUNDWATER MONITORING PROGRAM
SUMMARY COMPARISON OF 2020 SAMPLING EVENT TO
PREVIOUS SAMPLING EVENT FOR LEACHATE INDICATORS

Well	Location	Alkalinity	Ammonia	BOD	Bromide	COD	Chloride	Hardness	Nitrate	Total Phenols	Sulfate	TOC	TDS	TKN
MW-01S	Upgradient	I	C	C	D	C	C	I	I	D	I	C	C	C
MW-01I	Upgradient	D	C	C	C	C	I	D	I	I	D	I	D	C
MW-01D	Upgradient	C	C	C	C	I	D	C	C	I	I	C	D	C
MW-02I	Upgradient	C	D	C	D	C	D	D	I	D	D	I	D	C
MW-02D	Upgradient	C	C	C	D	C	C	C	I	D	C	I	C	C
MW-03S	Downgradient	I	C	C	C	I	D	D	I	D	D	I	I	I
MW-04S	Downgradient	C	C	I	C	C	I	C	I	D	D	C	C	C
MW-04I	Downgradient	D	I	C	C	D	I	D	I	D	I	C	C	I
MW-04D	Downgradient	D	D	C	C	D	I	D	I	D	I	C	D	D
MW-05S	Downgradient	I	I	D	I	C	C	I	I	D	D	C	I	I
MW-05I	Downgradient	D	I	C	C	D	I	C	I	D	I	I	C	I
MW-05D	Downgradient	C	C	C	C	D	I	I	C	D	I	C	C	C
MW-06S	Side gradient	I	I	I	C	I	D	I	C	D	D	I	I	I
MW-06I	Side gradient	C	I	C	C	D	D	C	C	D	C	I	D	I
MW-06D	Side gradient	C	D	C	D	D	D	C	I	D	I	C	C	C
MW-07I	Upgradient	C	D	C	C	C	I	C	C	D	I	I	C	D
MW-11S	Upgradient	C	I	C	C	D	I	C	C	D	I	C	C	C
MW-11I	Upgradient	C	I	C	C	D	I	I	I	D	D	I	C	C
MW-11D	Upgradient	C	C	C	C	C	C	C	I	D	D	I	C	C
MW-12S	Upgradient	D	I	C	D	D	D	D	I	D	D	D	D	C
MW-12I	Upgradient	I	D	C	C	D	I	I	C	D	I	I	I	D
MW-12D	Upgradient	C	C	C	C	C	D	D	D	D	D	I	D	C

I: Increase in concentration (change greater than 20%) in comparison to previous sampling result.

D: Decrease in concentration (change greater than 20%) in comparison to previous sampling result.

C: Consistent in concentration (within 20%) in comparison to previous sampling result.

Parameter exceeds standard/guidance value during the current sampling event.

BOD: Biochemical Oxygen Demand

COD: Chemical Oxygen Demand

TOC: Total Organic Carbon

TKN: Total Kjeldahl Nitrogen

wells. These graphs are presented in **Appendix B**. The leachate indicators which exhibited concentrations exceeding NYSDEC Class GA groundwater standards or guidance values are discussed below.

Ammonia slightly exceeded the groundwater standard of 2 milligrams per liter (mg/l) in downgradient wells MW-4S, MW-4I, MW-5S and MW-6S at concentrations of 2.44 mg/l, 6.20, mg/l, 5.40 mg/l and 5.60 mg/l, respectively.

Total phenols exceeded the groundwater standard of 0.001 mg/l in 20 of the 22 wells. Total phenol concentrations in the wells ranged from 0.0067 mg/l in well MW-11D to 0.0694 mg/l in well MW-12D.

4.2.2 Inorganic Parameters

As shown in **Appendix A-2**, four metals (iron, manganese, sodium and thallium) were detected in one or more wells at concentrations exceeding NYSDEC Class GA groundwater standards or guidance values. The differences in inorganic parameter concentrations for the February 2020 sampling event compared to the previous November 2018 sampling event are summarized in **Table 4-3**. An increase or decrease in concentration is defined by a minimum change of +/- 20% compared to the previous result. If a concentration remained consistent it is defined as within 20% of the previous result.

As part of evaluating changes in groundwater quality, historic results for iron plus manganese and sodium were graphed for the shallow, intermediate and deep zones for upgradient wells and downgradient wells. These graphs are presented in **Appendix B** and the inorganic parameters which exhibited concentrations exceeding NYSDEC Class GA groundwater standards or guidance values are discussed below.

Table 4-3

**SONIA ROAED LANDFILL
POST CLOSURE GROUNDWATER MONITORING PROGRAM
SUMMARY COMPARISON OF 2020 SAMPLING EVENT TO
PREVIOUS SAMPLING EVENT FOR INORGANIC PARAMETERS**

Well	Location	Aluminum	Antimony	Arsenic	Barium	Beryllium	Boron	Cadmium	Calcium	Hexavalent Chromium
MW-01S	Upgradient	I	C	C	D	C	C	I	I	C
MW-01I	Upgradient	I	C	C	I	C	D	C	D	C
MW-01D	Upgradient	I	C	C	I	C	C	C	I	C
MW-02I	Upgradient	C	C	C	D	C	D	C	D	C
MW-02D	Upgradient	I	C	D	I	C	D	C	C	C
MW-03S	Downgradient	C	C	D	C	C	C	C	I	C
MW-04S	Downgradient	C	C	C	C	C	C	C	D	C
MW-04I	Downgradient	C	C	D	C	C	D	C	D	C
MW-04D	Downgradient	C	C	D	D	C	D	C	D	C
MW-05S	Downgradient	D	C	D	I	C	I	C	I	C
MW-05I	Downgradient	C	C	D	C	C	C	C	C	C
MW-05D	Downgradient	I	C	C	I	C	D	C	I	C
MW-06S	Side gradient	I	C	C	I	C	I	C	I	C
MW-06I	Side gradient	C	C	D	D	C	C	C	C	C
MW-06D	Side gradient	C	C	C	C	C	D	C	C	C
MW-07I	Upgradient	C	C	C	I	C	C	C	C	C
MW-11S	Upgradient	D	C	C	C	C	D	C	C	C
MW-11I	Upgradient	C	C	C	D	C	D	C	C	C
MW-11D	Upgradient	I	C	C	C	C	C	I	I	C
MW-12S	Upgradient	C	C	C	D	C	D	C	D	C
MW-12I	Upgradient	C	C	C	I	C	C	C	I	C
MW-12D	Upgradient	C	C	C	D	C	D	C	D	C

I: Increase in concentration (change greater than 20%) in comparison to previous sampling result.

D: Decrease in concentration (change greater than 20%) in comparison to previous sampling result.

C: Consistent in concentration (within 20%) in comparison to previous sampling result.

█ Parameter exceeds standard/guidance value during the current sampling event.

Table 4-3 (continued)

**SONIA ROAD LANDFILL
POST CLOSURE GROUNDWATER MONITORING PROGRAM
SUMMARY COMPARISON OF 2020 SAMPLING EVENT TO
PREVIOUS SAMPLING EVENT FOR INORGANIC PARAMETERS**

Well	Location	Total Chromium	Cobalt	Copper	Iron	Lead	Magnesium	Manganese	Mercury	Nickel
MW-01S	Upgradient	C	C	I	D	C	I	D	C	C
MW-01I	Upgradient	C	C	C	I	C	D	C	C	I
MW-01D	Upgradient	D	C	C	I	C	I	D	C	D
MW-02I	Upgradient	C	C	C	C	C	D	D	C	C
MW-02D	Upgradient	C	C	C	C	C	C	I	C	C
MW-03S	Downgradient	C	C	C	I	C	I	I	C	I
MW-04S	Downgradient	C	C	C	C	C	C	C	C	I
MW-04I	Downgradient	C	C	C	D	C	D	C	C	I
MW-04D	Downgradient	C	C	C	D	I	D	D	C	C
MW-05S	Downgradient	C	C	C	I	C	I	C	C	I
MW-05I	Downgradient	C	C	C	I	C	C	D	C	I
MW-05D	Downgradient	C	C	C	D	C	I	C	C	I
MW-06S	Side gradient	C	I	C	I	C	I	D	C	I
MW-06I	Side gradient	C	C	C	C	C	C	C	C	C
MW-06D	Side gradient	C	I	C	D	C	I	C	C	I
MW-07I	Upgradient	C	C	D	I	C	C	D	C	I
MW-11S	Upgradient	C	C	C	C	C	I	I	C	I
MW-11I	Upgradient	C	C	C	C	C	I	C	C	C
MW-11D	Upgradient	C	C	I	I	C	I	I	C	I
MW-12S	Upgradient	D	C	C	D	C	D	D	C	D
MW-12I	Upgradient	C	C	C	C	C	I	C	C	C
MW-12D	Upgradient	C	C	C	C	C	D	C	C	C

I: Increase in concentration (change greater than 20%) in comparison to previous sampling result.
D: Decrease in concentration (change greater than 20%) in comparison to previous sampling result.
C: Consistent in concentration (within 20%) in comparison to previous sampling result.
Parameter exceeds standard/guidance value during the current sampling event.

Table 4-3 (continued)

**SONIA ROAD LANDFILL
POST CLOSURE GROUNDWATER MONITORING PROGRAM
SUMMARY COMPARISON OF 2020 SAMPLING EVENT TO
PREVIOUS SAMPLING EVENT FOR INORGANIC PARAMETERS**

Well	Location	Potassium	Selenium	Silver	Sodium	Thallium	Vanadium	Zinc	Cyanide	Iron plus Manganese
MW-01S	Upgradient	D	C	C	I	I	C	C	C	D
MW-01I	Upgradient	C	C	C	I	I	C	I	C	I
MW-01D	Upgradient	D	C	C	D	C	C	I	C	D
MW-02I	Upgradient	C	C	C	C	C	C	I	C	D
MW-02D	Upgradient	C	C	C	I	C	C	C	C	I
MW-03S	Downgradient	C	C	C	C	C	C	C	C	I
MW-04S	Downgradient	C	C	C	I	C	C	C	C	C
MW-04I	Downgradient	C	C	C	I	I	C	I	C	D
MW-04D	Downgradient	D	C	C	D	C	C	I	C	D
MW-05S	Downgradient	I	C	C	I	D	D	I	C	I
MW-05I	Downgradient	C	C	C	D	I	C	I	C	C
MW-05D	Downgradient	I	C	C	I	I	C	I	C	I
MW-06S	Sidegradient	I	C	C	C	C	C	I	C	I
MW-06I	Sidegradient	D	C	C	D	D	C	I	C	C
MW-06D	Sidegradient	C	C	C	I	C	C	C	C	C
MW-07I	Upgradient	I	C	C	I	C	C	I	C	D
MW-11S	Upgradient	C	C	C	I	I	C	I	C	I
MW-11I	Upgradient	C	C	C	I	C	C	I	C	I
MW-11D	Upgradient	C	C	C	C	I	C	I	C	I
MW-12S	Upgradient	C	C	C	C	I	C	I	C	D
MW-12I	Upgradient	C	C	C	I	C	C	I	C	C
MW-12D	Upgradient	D	C	C	D	I	C	I	C	I

I: Increase in concentration (change greater than 20%) in comparison to previous sampling result.

D: Decrease in concentration (change greater than 20%) in comparison to previous sampling result.

C: Consistent in concentration (within 20%) in comparison to previous sampling result.

Parameter exceeds standard/guidance value during the current sampling event.

Iron

The groundwater standard for iron of 300 ug/l was exceeded nine (9) wells (MW-01S, MW-03S, MW-04S, MW-04I, MW-04D, MW-05S, MW-05I, MW-06S and MW-11D). Iron concentrations detected in these wells ranged from 398 ug/l in MW-11D to 55,300 ug/l in MW-06S.

Manganese

The groundwater standard for manganese of 300 ug/l was exceeded in fourteen (14) wells (MW-01S, MW-01D, MW-02I, MW-03S, MW-04S, MW-04I, MW-04D, MW-05S, MW-05I, MW-06S, MW-06I, MW-06D, MW-11D and MW-12I). Manganese concentrations detected in these wells ranged from 303 ug/l in MW-01S to 4,660 ug/l in MW-05S.

Sodium

The groundwater standard for sodium of 20,000 ug/l was exceeded in seventeen (17) wells (MW-01S, MW-01D, MW-02D, MW-03S, MW-04S, MW-04I, MW-04D, MW-05S, MW-05I, MW-06S, MW-06I, MW-06D, MW-07I, MW-11S, MW-11D, MW-12S, and MW-12I). Sodium concentrations detected in these wells ranged from 20,200 ug/l in MW-06I to 68,500 ug/l in MW-04I.

Thallium

The guidance value for thallium of 0.5 ug/l was exceeded ten (10) wells (MW-01S, MW-01I, MW-04I, MW-05S, MW-05I, MW-05D, MW-11S, MW-11D, MW-12S and MW-12D). Thallium concentrations detected in these wells ranged from 5.0 ug/l in MW-05S to 8.3 ug/l in MW-12D.

4.2.3 Volatile Organic Compounds

Volatile organic compounds (VOCs) were analyzed and compared against the NYSDEC Class GA groundwater standards or guidance values for the 22 wells sampled during the February 2020 sampling event.

As shown in **Appendix A-3**, nine (9) of the 22 wells contained no detectable concentrations of VOCs. The remaining thirteen (13) wells contained trace VOCs (less than groundwater standards or guidance value) of one or more VOCs. These VOCs included 2-butanone, 1,2-dichlorobenzene, chlorobenzene, chloroform, CIS-1,2 DCE, 1,1,1- DCE, 1,1,1 DCA, 1,1,1 TCA and PCE.

4.3 Volatile Organic Vapor and Combustible Gas Monitoring

The results of the volatile organic vapor and combustible gas monitoring in the headspace of the monitoring wells are presented in **Table 4-4**. The results show that volatile organic vapors were not detected in the headspace of the groundwater monitoring wells. Combustible gas readings for all groundwater monitoring wells were recorded at 0% of the Lower Explosive Limit (LEL).

Table 4-4

**SONIA ROAD LANDFILL
POST CLOSURE GROUNDWATER MONITORING PROGRAM
VOLATILE ORGANIC VAPOR AND COMBUSTIBLE GAS RESULTS
FEBRUARY 2020 SAMPLING EVENT**

Well Number	PID (ppm)	Combustible Gas (% LEL)
MW-01D	0.0	0
MW-01I	0.0	0
MW-01S	0.0	0
MW-02D	0.0	0
MW-02I	0.0	0
MW-03S	0.0	0
MW-03I	0.0	0
MW-03D	0.0	0
MW-04D	0.0	0
MW-04I	0.0	0
MW-04S	0.0	0
MW-05D	0.0	0
MW-05I	0.0	0
MW-05S	0.0	0
MW-06D	0.0	0
MW-06I	0.0	0
MW-06S	0.0	0
MW-07D	0.0	0
MW-07I	0.0	0
MW-07S	0.0	0
MW-10D	0.0	0
MW-10I	0.0	0
MW-10S	0.0	0
MW-11D	0.0	0
MW-11I	0.0	0

Table 4-4 (continued)

**SONIA ROAD LANDFILL
POST CLOSURE GROUNDWATER MONITORING PROGRAM
VOLATILE ORGANIC VAPOR AND COMBUSTIBLE GAS RESULTS
FEBRUARY 2020 SAMPLING EVENT**

Well Number	PID (ppm)	Combustible Gas (% LEL)
MW-11S	0.0	0
MW-12D	0.0	0
MW-12I	0.0	0
MW-12S	0.0	0
MW-13D	0.0	0
MW-13I	0.0	0
MW-13S	0.0	0
MW-14D	0.0	0
MW-14I	0.0	0
MW-14S	0.0	0

Notes:

PID: Photoionization Detector.

PPM: Parts per million.

% LEL: Percent lower explosive limit for methane.

Volatile organic vapor and combustible gas readings were measured in the headspace of the monitoring wells.

5.0 DATA VALIDATION

Twenty-two (22) groundwater samples, one blind duplicate sample, one matrix spike/matrix spike duplicate (MS/MSD) sample set, four trip blanks and one field blank was collected as part of the February 2020 Post Closure Groundwater Monitoring Program sampling event at the Sonia Road Landfill. The groundwater samples were collected on February 24 thru 27, 2020. All groundwater samples were analyzed for NYCRR Part 360 Baseline VOCs, inorganic parameters and leachate indicators. Laboratory analyses were performed by American Analytical Laboratories, Farmingdale, NY; subcontracted BOD and color to Pace Analytical, Melville, NY. All analyses were performed in accordance with United States Environmental Protection Agency (USEPA) SW-846 and New York State Department of Environmental Conservation (NYSDEC) 6/05 Analytical Services Protocol (ASP) methodologies as specified in NYCRR Part 360.

Four data packages (2002158, 2002168, 2002179 and 2002187) have been reviewed in accordance with the NYSDEC 6/05 ASP Quality Assurance/Quality Control (QA/QC) requirements. In accordance with the contract requirements and approved Sampling and Analysis Plan (SAP), 10 percent of the environmental samples and all the QA/QC samples (calibrations, blanks, spikes, etc.) were reviewed, yielding a “10%” validation”. While all of the samples were reviewed for transcription errors, calculations were verified for three environmental samples (MW-01D, MW-03S and MW-12I), as well as all QA/QC data, were reviewed for compliance with analytical specifications. Data Validation Checklists were prepared for each data package and are presented in **Appendix C**.

The findings of the review process are summarized below:

- Acetone, bromomethane and methylene chloride were detected in the Trip and Method Blanks. They were qualified as none-detect (UB) in all samples.
- The %R was below QC limit of chloride in the matrix spike. Chloride was qualified as estimated (J) for all samples in the data packages 2002179, 2002187 and 2002158.

Based on the findings of the data validation process, all results are deemed valid and usable for environmental assessment purposes as qualified above.

6.0 GROUNDWATER LEVEL MEASUREMENTS AND FLOW DIRECTION

Groundwater level measurements were obtained on February 24, 2020 from the 22 monitoring wells included in the Post-Closure Groundwater Monitoring Program and the 13 additional site-related wells not sampled as part of the program. The depth to groundwater measurements, measuring point elevations, and calculated groundwater elevations for the 35 monitoring wells are summarized in **Table 6-1**.


The February 24, 2020 water level data were used to construct groundwater elevation contour maps for the shallow (water table), intermediate and deep Upper Glacial aquifer wells at and in the immediate vicinity of the Sonia Road Landfill. Water table and potentiometric surface (for the intermediate and deep wells) elevation contour maps are presented on **Figures 6-1, 6-2 and 6-3**, respectively. Groundwater flow in the vicinity of the landfill is toward the southeast for the zones of the Upper Glacial aquifer screened by the shallow, intermediate and deep wells. This flow direction is consistent with historic data for the site.

Table 6-1

**SONIA ROAD LANDFILL
POST CLOSURE GROUNDWATER MONITORING PROGRAM
MONITORING WELL GROUNDWATER ELEVATION MEASUREMENTS
FEBRUARY 24, 2020**

Well	Measuring Point Elevation (feet above msl)	Depth to Water from Measuring Point(feet)	Groundwater Elevation (feet above msl)
MW-01S	66.01	15.35	50.66
MW-01I	65.36	14.73	50.63
MW-01D	64.53	13.90	50.63
MW-02I	78.24	28.26	49.98
MW-02D	78.43	28.70	49.73
MW-03S	70.76	21.55	49.21
MW-03I	70.77	21.85	48.92
MW-03D	70.50	21.66	48.84
MW-04S	71.10	23.39	47.71
MW-04I	69.31	21.65	47.66
MW-04D	69.03	21.28	47.75
MW-05S	70.28	22.15	48.13
MW-05I	70.26	22.12	48.14
MW-05D	70.96	22.57	48.39
MW-06S	74.45	26.19	48.26
MW-06I	74.52	26.26	48.26
MW-06D	75.02	26.78	48.24
MW-07S	72.83	23.62	49.21
MW-07I	73.43	24.22	49.21
MW-07D	75.04	25.90	49.14
MW-10S	56.65	5.77	50.88
MW-10I	56.16	5.59	50.57
MW-10D	56.34	5.81	50.53
MW-11S	59.87	7.39	52.48
MW-11I	60.38	7.55	52.83
MW-11D	60.19	7.48	52.71
MW-12S	58.79	7.87	50.92
MW-12I	58.92	8.01	50.91
MW-12D	58.61	7.70	50.91
MW-13S	70.51	25.34	45.17
MW-13I	70.30	25.31	44.99
MW-13D	70.37	25.28	45.09
MW-14S	64.55	18.45	46.10
MW-14I	64.57	18.58	45.99
MW-14D	64.58	18.51	46.07

F:\3371-14B\dwg\3371-14B-SHALLOW_FIG 6-1.dwg, FIG 6-1, 3/31/2020 11:43:51 AM, kalesius



- LEGEND:**
- MW-10S (50.88) LOCATION AND DESIGNATION OF MONITORING WELL AND GROUNDWATER ELEVATION IN FEET ABOVE MSL
 - 50.00' LINE OF EQUAL GROUNDWATER ELEVATION IN FEET ABOVE MSL
 - APPROXIMATE WATER TABLE GROUNDWATER FLOW DIRECTION




SONIA ROAD LANDFILL
POST CLOSURE GROUNDWATER MONITORING PROGRAM
WATER TABLE CONTOUR MAP
FEBRUARY 24, 2020



FIGURE 6-1


F:\3371-14B\dwg\3371-14B-INTER_FIG 6-2.dwg, FIG 6-2, 3/31/2020 11:44:00 AM, kalesius



- LEGEND:**
- MW-10I (50.57) LOCATION AND DESIGNATION OF MONITORING WELL AND GROUNDWATER ELEVATION IN FEET ABOVE MSL
 - 50.00' LINE OF EQUAL GROUNDWATER ELEVATION IN FEET ABOVE MSL
 - APPROXIMATE INTERMEDIATE GROUNDWATER FLOW DIRECTION



F:\3371-14B\dwg\3371-14B-DEEP_FIG 6-3.dwg, FIG 6-3, 3/31/2020 11:44:08 AM, kalesius



LEGEND:

- MW-10D (50.53) LOCATION AND DESIGNATION OF MONITORING WELL AND GROUNDWATER ELEVATION IN FEET ABOVE MSL
- 50.00' LINE OF EQUAL GROUNDWATER ELEVATION IN FEET ABOVE MSL
- APPROXIMATE DEEP GROUNDWATER FLOW DIRECTION



7.0 FINDINGS AND RECOMMENDATIONS

7.1 Findings

Groundwater Flow

Based on groundwater level measurements obtained during the February 2020 sampling event and the water table and potentiometric surface elevation contour maps prepared for the Site, groundwater flow in the vicinity of the Sonia Road Landfill is toward the southeast for the zones within the Upper Glacial aquifer screened by the shallow, intermediate and deep wells. This flow direction is consistent with historic data for the site.

Groundwater Quality

Based on a comparison of the February 2020 sample results to the previous sampling event (November 2018), as well as review of the historical trend graphs in **Appendix B**, groundwater quality in the vicinity of the Sonia Road Landfill has not changed substantially.

The February 2020 sampling results exhibited one or more of the following inorganic parameters: iron (9 wells), manganese (14 wells), sodium (17 wells) and thallium (10 wells) at concentrations exceeding their respective groundwater standard/guidance value. A portion of the detected concentrations of iron, manganese, sodium and thallium are most likely not indicative of landfill-influenced groundwater, since concentrations of these parameters exceeding their respective groundwater standard/guidance value were also detected in monitoring wells located both upgradient and downgradient of the landfill.

For leachate indicators, ammonia was detected at concentrations that slightly exceeded the groundwater standard in downgradient wells MW-4S, MW-4I, MW-5S and MW-6S.

Total phenols were detected in 20 of the 22 wells monitoring wells at concentrations exceeding the groundwater standard. The detected concentrations of total phenols are

presumably not indicative of landfill-influenced groundwater, since concentrations of total phenols were detected in monitoring wells located upgradient, as well as downgradient of the landfill.

VOCs were not detected above groundwater standards or guidance values in any of the monitoring wells.

7.2 Recommendations

Based on the results from the February 2020 sampling event and comparison of these results to historic data for the Sonia Road Landfill, it is recommended to continue to sample the groundwater monitoring wells on a 15-month schedule, as approved by the NYSDEC, and in accordance with the SAP.

APPENDIX A-1

Monitoring Well Sample Results- Leachate Indicator Parameters

Appendix A-1

**SONIA ROAD LANDFILL
POST CLOSURE GROUNDWATER MONITORING PROGRAM
HISTORIC AND CURRENT SAMPLE RESULTS
LEACHATE INDICATORS**

CONSTITUENT	NYSDEC Class GA Groundwater Standards and Guidance Values	CAS #	SITE : DATE : UNITS	MW-01D 11/28/06 (mg/l)	MW-01D 2/21/07 (mg/l)	MW-01D 5/25/07 (mg/l)	MW-01D 8/17/07 (mg/l)	MW-01D 11/9/07 (mg/l)	MW-01D 02/11/08 (mg/l)	MW-01D 5/15/08 (mg/l)	MW-01D 8/5/08 (mg/l)	MW-01D 11/3/08 (mg/l)	MW-01D 2/24/09 (mg/l)
Color (APHA Units)	-	-	(units)	5	20	NA	NA	NA	NA	NA	NA	5	NA
Alkalinity (as CaCO3)	-	471-34-1	(mg/l)	77.0	55.2	48.2	34.9	33.4	38.3	42.8	38.8	32.7	30.4
Ammonia (as N)	2 ST	7664-41-7	(mg/l)	0.68	0.10 U	0.37	0.98	0.57	0.1 U	0.1 U	0.1 U	0.1 U	0.1 U
Biochemical Oxygen Demand	-	-	(mg/l)	2 U	10	2 U	2 U	6	2 U	2 U	2 U	2 U	2 U
Bromide	2 GV	24959-67-9	(mg/l)	0.5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Chemical Oxygen Demand	-	-	(mg/l)	67.3	38.3	71.6	66.2	107	39.2	10 U	10 U	86.3	10 U
Chloride	250 ST	16887-00-6	(mg/l)	1,510	689	1,730	1,430	49.5	709	366	195	182	144
Hardness (as CaCO3)	-	-	(mg/l)	200	120	240	180	22.0	80.0	46.0	19.0	26.0	20.0
Nitrate (as N)	10 ST	14797-55-8	(mg/l)	0.58	0.61	4.25	4.25	0.10 U	12.2	12.0	11.0	11.5	14.9
Phenols, total	0.001 ST	-	(mg/l)	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	5 U
Sulfate	250 ST	14808-79-8	(mg/l)	84	36.3	81.6	75.0	5.0 U	42.8	20.9	14.8	7.32	10.6
Total Organic Carbon	-	-	(mg/l)	2.5	11.5	2.5	1.4	12.7	1.0	1 U	1 U	1 U	1 U
Total Dissolved Solids	-	-	(mg/l)	2,840	1,240	2,730	2,350	212	1190	729	446	399	388
Total Kjeldahl Nitrogen (as N)	-	7727-37-9	(mg/l)	1.49	3.65	1.66	1.01	3.65	0.68	0.30	0.1 U	0.1 U	0.1 U

CONSTITUENT	NYSDEC Class GA Groundwater Standards and Guidance Values	CAS #	SITE : DATE : UNITS	MW-01D 8/12/09 (mg/l)	MW-01D 2/4/10 (mg/l)	MW-01D 5/26/11 (mg/l)	MW-01D 2/28/12 (mg/l)	MW-01D 11/12/2013 (mg/l)	MW-01D 03/17/2015 (mg/l)	MW-01D 5/10/2016 (mg/l)	MW-01D 8/21/2017 (mg/l)	MW-01D 11/29/2018 (mg/l)	MW-01D 2/24/2020 (mg/l)
Color (APHA Units)	-	-	(units)	5	30	40	15	1	5 U	5 U	20	5 U	5 U
Alkalinity (as CaCO3)	-	471-34-1	(mg/l)	22.9	25.6	27.0 D	14.4	13.1	13.0	18.2	12.1 UB	12.1	12.1
Ammonia (as N)	2 ST	7664-41-7	(mg/l)	0.1	0.1 U	0.15	.1 U	0.0500 U	0.0500 U	0.0250 U	0.0250 U	0.0250 U	0.0250 U
Biochemical Oxygen Demand	-	-	(mg/l)	2	2 U	2 U	2 U	4 U	3	4 U	2 U	2 U	2 U
Bromide	2 GV	24959-67-9	(mg/l)	0.5	0.5 U	.50 U	.5 U	2.00 U	2.00 U	1.00 U	1.30 U	0.0500 U	0.0700 U
Chemical Oxygen Demand	-	-	(mg/l)	18.2	10 U	37.2	10 U	10.0 U	10.0 U	3.00 U	21.2	3.00 U	3.71 J
Chloride	250 ST	16887-00-6	(mg/l)	104	37.1	3.11	20.8	55.0	205	41.0	57.5 UB	343	59.6 DJ
Hardness (as CaCO3)	-	-	(mg/l)	15.0	56.0	38	20	9.34	25.4	17.3	22.7 UB	61.4	68.8
Nitrate (as N)	10 ST	14797-55-8	(mg/l)	11.4	4.43	1.03 D	3.37 D	3.36 J	5.42 D	6.86 D	8.30 D	4.03	5.64 D
Phenols, total	0.001 ST	-	(mg/l)	0.005 U	12.5	0.005 U	0.005 U	0.0120 UB	0.0100 U	0.0420	0.0635	0.0336	0.0506
Sulfate	250 ST	-	(mg/l)	16.9	5 U	5 U	12.4	12.6	33.3	18.3	29.2	39.6	47.2
Total Organic Carbon	-	-	(mg/l)	1	2.7	2.8	1 U	1 U	1 U	1.00 U	1.00 U	1.00 U	2.10 J
Total Dissolved Solids	-	-	(mg/l)	279	136	50	1820	173	454 D	167 D	250	710	200
Total Kjeldahl Nitrogen (as N)	-	7727-37-9	(mg/l)	0.1	0.65 U	1.97	0.86	1.37	0.400 U	0.200 U	0.200 U	0.200 U	0.200 U

NOTES:

- NA: Not analyzed
- U* or UB: Analyzed for but not detected, value shown is instrument detection limit
- J: Estimated value
- D: Diluted.
- UJ* or UJ: Value was not detected above quantitation limit but was an approximate concentration as determined by data validation.
- Concentration exceeds Standard/Guidance Value
- U* or UB: Analyte considered undetected based on data validation criteria.
- J*: Value is an approximate concentration of the analyte in the sample as determined by data validation.
- : No standard or guidance value



Appendix A-1

**SONIA ROAD LANDFILL
POST CLOSURE GROUNDWATER MONITORING PROGRAM
HISTORIC AND CURRENT SAMPLE RESULTS
LEACHATE INDICATORS**

CONSTITUENT	NYSDEC Class GA Groundwater Standards and Guidance Values	CAS #	SITE : DATE : UNITS	MW-011 11/28/06 (mg/l)	MW-011 2/21/07 (mg/l)	MW-011 5/25/07 (mg/l)	MW-011 8/15/07 (mg/l)	MW-011 11/9/07 (mg/l)	MW-011 2/11/08 (mg/l)	MW-011 5/15/08 (mg/l)	MW-011 8/5/08 (mg/l)	MW-011 11/3/08 (mg/l)	MW-011 2/24/09 (mg/l)
Color (APHA Units)	-	-	(units)	5 U	5	NA	NA	NA	NA	NA	NA	5	NA
Alkalinity (as CaCO3)	-	471-34-1	(mg/l)	37.4	25.5	25.2	24.3	14.8	15	12.8	17.7	13.6	7.95
Ammonia (as N)	2 ST	7664-41-7	(mg/l)	0.65	0.10 U	0.10 U	0.10 U	0.10 U	0.1 U	0.1 U	0.1 U	0.1 U	0.1 U
Biochemical Oxygen Demand	-	-	(mg/l)	2	3	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
Bromide	2 GV	24959-67-9	(mg/l)	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Chemical Oxygen Demand	-	-	(mg/l)	10 U	10 U	13	10 U	10 U	10 U	10 U	10 U	10 U	10 U
Chloride	250 ST	16887-00-6	(mg/l)	16.7	20.7	19.7	14.6	12.1	30.9	35.6	5.90	5.12	4.86
Hardness (as CaCO3)	-	-	(mg/l)	55.0	50.0	50.0	42.0	35	46	50.0	28.0	24.0	130
Nitrate (as N)	10 ST	14797-55-8	(mg/l)	0.30	1.01	1.11	1.82	2.66	0.1 U	0.1 U	1.77	1.38	0.83
Phenols, total	0.001 ST	-	(mg/l)	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U
Sulfate	250 ST	14808-79-8	(mg/l)	14.3	16.2	14.6	15.0	17.4	11.9	11.9	19.4	14.7	18.4
Total Organic Carbon	-	-	(mg/l)	1 U	2.4	1.5	1 U	1.4	1 U	1 U	1.1	1 U	1 U
Total Dissolved Solids	-	-	(mg/l)	100	90	95	94	96	89	134	77	53	58
Total Kjeldahl Nitrogen (as N)	-	7727-37-9	(mg/l)	1.10	0.97	0.94	1.53	0.58	0.93	0.72	0.77	0.20	0.34

CONSTITUENT	NYSDEC Class GA Groundwater Standards and Guidance Values	CAS #	SITE : DATE : UNITS	MW-011 8/12/09 (mg/l)	MW-011 2/4/10 (mg/l)	MW-011 5/26/11 (mg/l)	MW-011 2/28/12 (mg/l)	MW-011 11/12/2013 (mg/l)	MW-011 03/17/2015 (mg/l)	MW-011 5/10/2016 (mg/l)	MW-011 8/21/2017 (mg/l)	MW-011 11/29/2018 (mg/l)	MW-011 2/24/2020 (mg/l)
Color (APHA Units)	-	-	(units)	5	10	5 U	15	1 U	5 U	5 U	20	5 U	5 U
Alkalinity (as CaCO3)	-	471-34-1	(mg/l)	10.0	8.90	6.40	10.20	6.06	5.00	3.50 U	10.1 UB	8.08	7.58
Ammonia (as N)	2 ST	7664-41-7	(mg/l)	0.1	0.1 U	0.10 U	1.47	0.280	0.0500 U	0.0250 U	0.0250 U	0.0250 U	0.0250 U
Biochemical Oxygen Demand	-	-	(mg/l)	2	2 U	2 U	2 U	4 U	2 U	4 U	2 U	2 U	2 U
Bromide	2 GV	24959-67-9	(mg/l)	0.5	0.5 U	0.5 U	0.5 U	2.00 U	2.00 U	1.00 U	1.30 U	0.0500 U	0.0700 U
Chemical Oxygen Demand	-	-	(mg/l)	10	10 U	10 U	10 U	10.0 U	10.0 U	3.00 U	3.00 U	3.00 U	3.00 U
Chloride	250 ST	16887-00-6	(mg/l)	6.97	8.25	11.7	19.2	120	46.0	18.5	63.0 UB	18.2	29.8 J
Hardness (as CaCO3)	-	-	(mg/l)	24.0	25.0	22 D	22	95.3	30.3	24.5	35.8 UB	40.5	33.0
Nitrate (as N)	10 ST	14797-55-8	(mg/l)	0.94	1.27	0.80	0.83	0.910 J	0.256	0.252	1.94 D	0.486	1.27
Phenols, total	0.001 ST	-	(mg/l)	24.0	5 U	0.005 U	0.005 U	0.0100 U	0.0560	0.175	0.0415	0.0937	0.015
Sulfate	250 ST	-	(mg/l)	21.9	13.2	9.89	6.86	3.34	9.79 UB	13.8	38.1	43.0	21.9
Total Organic Carbon	-	-	(mg/l)	1	1 U	1 U	1 U	1	1 U	1.00 U	1.00 U	1.00 U	1.86 J
Total Dissolved Solids	-	-	(mg/l)	58	63	84	72	265	107 D	66.0 D	150	120	90
Total Kjeldahl Nitrogen (as N)	-	7727-37-9	(mg/l)	0.13	0.55 U	0.10 U	1.46	1.46	0.400 U	0.200 U	0.226 J	0.200 U	0.200 U

NOTES:

NA: Not analyzed
 U* or UB: Analyzed for but not detected, value shown is instrument detection limit
 J: Estimated value
 D: Diluted
 UJ* or UJ: Value was not detected above quantitation limit but was an approximate concentration as determined by data validation.
 -: No standard or guidance value
 [Redacted Box] : Concentration exceeds Standard/Guidance Value
 U* or UB: Analyte considered undetected based on data validation criteria.
 J*: Value is an approximate concentration of the analyte in the sample as determined by data validation.



Appendix A-1

**SONIA ROAD LANDFILL
POST CLOSURE GROUNDWATER MONITORING PROGRAM
HISTORIC AND CURRENT SAMPLE RESULTS
LEACHATE INDICATORS**

CONSTITUENT	NYSDEC Class GA Groundwater Standards and Guidance Values	CAS #	SITE : DATE : UNITS	MW-01S (mg/l)	MW-01S (mg/l)	MW-01S (mg/l)	MW-01S (mg/l)	MW-01S (mg/l)	MW-01S (mg/l)	MW-01S (mg/l)	MW-01S (mg/l)	MW-01S (mg/l)	MW-01S (mg/l)
Color (APHA Units)	-	-	(units)	70	30	NA	NA	NA	NA	NA	NA	NA	NA
Alkalinity (as CaCO3)	-	471-34-1	(mg/l)	198	242	181	200	173	192	152	170	170	146
Ammonia (as N)	2 ST	7664-41-7	(mg/l)	0.33	0.10 U	0.10 U	0.33	0.17	0.1 U	0.1 U	0.34	0.1 U	0.1 U
Biochemical Oxygen Demand	-	-	(mg/l)	2 U	5	2	2 U	2 U	2 U	2 U	2 U	2 U	2 U
Bromide	2 GV	24959-67-9	(mg/l)	1.2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Chemical Oxygen Demand	-	-	(mg/l)	21.1	40.9	33.3	40.9	28.2	31.7	11.9	26.8	26.8	10 U
Chloride	250 ST	16887-00-6	(mg/l)	78.1	69.3	125	90.8	86.0	57.1	81.0	70.8	61.8	59.1
Hardness (as CaCO3)	-	-	(mg/l)	320	360	280	270	18.0	230	188	240	200	280
Nitrate (as N)	10 ST	14797-55-8	(mg/l)	0.19	0.36	0.10 U	0.10 U	0.27	0.1 U	0.20	0.1 U	0.1 U	0.1 U
Phenols, total	0.001 ST	-	(mg/l)	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	5 U
Sulfate	250 ST	14808-79-8	(mg/l)	177	141	71.8	56	46.9	65.7	48.0	111	62.7	61.7
Total Organic Carbon	-	-	(mg/l)	10.1	12.0	9.6	9.4	6.8	8.4	6.1	9.7	7.8	6.0
Total Dissolved Solids	-	-	(mg/l)	604	562	498	459	395	379	386	477	365	329
Total Kjeldahl Nitrogen (as N)	-	7727-37-9	(mg/l)	0.84	1.38	1.35	1.26	0.75	0.54	0.50	0.68	0.48	0.41

CONSTITUENT	NYSDEC Class GA Groundwater Standards and Guidance Values	CAS #	SITE : DATE : UNITS	MW-01S (mg/l)	MW-01S (mg/l)	MW-01S (mg/l)	MW-01S (mg/l)	MW-01S (mg/l)	MW-01S (mg/l)	MW-01S (mg/l)	MW-01S (mg/l)	MW-01S (mg/l)	MW-01S (mg/l)
Color (APHA Units)	-	-	(units)	50	20	30	55	15	5 U	50	30	25	20
Alkalinity (as CaCO3)	-	471-34-1	(mg/l)	168	157	137 D	120 D	120	144	131	140 UB	143	159
Ammonia (as N)	2 ST	7664-41-7	(mg/l)	0.1	0.1 U	0.41	0.7	0.543	0.126	0.0250 U	0.454	0.0250 U	0.0250 U
Biochemical Oxygen Demand	-	-	(mg/l)	2	2 U	2 U	2 U	4 U	3	4 U	2 U	2 U	2 U
Bromide	2 GV	24959-67-9	(mg/l)	0.5	0.5 U	0.5 U	0.5 U	2.00 U	2.00 U	1.00 U	1.30 U	0.0945 J	0.07 U
Chemical Oxygen Demand	-	-	(mg/l)	32.7	19.4	18.6	29.3	11.3	7.35 J	10.3	3.00 U	15.7	14.6 J
Chloride	250 ST	16887-00-6	(mg/l)	106	46.4	175 D	60.9	42.0	47.0	79.0	50.0 UB	42.6	47.6 J
Hardness (as CaCO3)	-	-	(mg/l)	200	170	220 D	220 D	133	158	166	179	164	210
Nitrate (as N)	10 ST	14797-55-8	(mg/l)	0.14	0.33	0.16	0.1 U	0.100 U	0.442	0.490	0.0500 U	0.471	2.30 D
Phenols, total	0.001 ST	-	(mg/l)	0.005 U	5 U	0.005 U	0.005 U	0.00560 UB	0.0100 U	0.00995 J	0.0319	0.0206	0.00891 J
Sulfate	250 ST	-	(mg/l)	86.0	47.1	57.8 D	39.8	36.9	43.7	26.7	25.0 D	53.4	64.3
Total Organic Carbon	-	-	(mg/l)	8.6	6.8	6.4	5.9	4.6	4.5	4.04	3.70	6.30	7.59
Total Dissolved Solids	-	-	(mg/l)	421	322	499	336	262	300 D	327 D	330	320	340
Total Kjeldahl Nitrogen (as N)	-	7727-37-9	(mg/l)	0.81	0.74 U	0.63 U*	0.66	2.05	0.231 J	0.293 J	0.874	0.200 U	0.200 U

NOTES:
 NA: Not analyzed
 U* or UB: Analyzed for but not detected, value shown is instrument detection limit
 J: Estimated value
 D: Diluted
 UJ* or UJ: Value was not detected above quantitation limit but was an approximate concentration as determined by data validation.
 -: No standard or guidance value
 : Concentration exceeds Standard/Guidance Value
 U* or UB: Analyte considered undetected based on data validation criteria.
 J*: Value is an approximate concentration of the analyte in the sample as determined by data validation.



Appendix A-1

**SONIA ROAD LANDFILL
POST CLOSURE GROUNDWATER MONITORING PROGRAM
HISTORIC AND CURRENT SAMPLE RESULTS
LEACHATE INDICATORS**

CONSTITUENT	NYSDEC Class GA Groundwater Standards and Guidance Values	CAS #	SITE : DATE : UNITS	MW-02D 11/30/06 (mg/l)	MW-02D 2/22/07 (mg/l)	MW-02D 5/25/07 (mg/l)	MW-02D 8/14/07 (mg/l)	MW-02D 11/13/07 (mg/l)	MW-02D 2/12/08 (mg/l)	MW-02D 5/19/08 (mg/l)	MW-02D 8/4/08 (mg/l)	MW-02D 11/3/08 (mg/l)	MW-02D 2/24/09 (mg/l)
Color (APHA Units)	-	-	(units)	5 U	5	NA	NA	NA	NA	NA	NA	5	NA
Alkalinity (as CaCO3)	-	471-34-1	(mg/l)	9.3	8.2	7.8	8.4	7.2	8.6	6.7	6.9	6.85	6.85
Ammonia (as N)	2 ST	7664-41-7	(mg/l)	0.1 U	0.10 U	0.10 U	0.10 U	0.10 U	0.1 U	0.1 U	0.1 U	0.1 U	0.1 U
Biochemical Oxygen Demand	-	-	(mg/l)	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
Bromide	2 GV	24959-67-9	(mg/l)	0.8	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Chemical Oxygen Demand	-	-	(mg/l)	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U
Chloride	250 ST	16887-00-6	(mg/l)	6.3	6.7	5.8	5.6	6.2	5.7	4.86	4.66	4.98	4.64
Hardness (as CaCO3)	-	-	(mg/l)	28	40.0	25	26	22	28	22.0	21.0	22.0	120
Nitrate (as N)	10 ST	14797-55-8	(mg/l)	0.64	0.44	0.31	0.34	0.30	0.14	0.1 U	0.1 U	0.18	0.11
Phenols, total	0.001 ST	-	(mg/l)	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U
Sulfate	250 ST	14808-79-8	(mg/l)	17.9	19.3	19.3	19.1	13.4	17.0	16.1	15.3	14.7	11.7
Total Organic Carbon	-	-	(mg/l)	1 U	1.0 U	1.0 U	1.0 U	1.0 U	1 U	1 U	2.3	1 U	1 U
Total Dissolved Solids	-	-	(mg/l)	61	67	59	62	51	68	55	53	47	42
Total Kjeldahl Nitrogen (as N)	-	7727-37-9	(mg/l)	0.18	0.55	0.50	0.50	0.16	0.10 U	0.1 U	0.1 U	0.1 U	0.1 U

CONSTITUENT	NYSDEC Class GA Groundwater Standards and Guidance Values	CAS #	SITE : DATE : UNITS	MW-02D 8/14/09 (mg/l)	MW-02D 2/8/10 (mg/l)	MW-02D 5/31/11 (mg/l)	MW-02D 2/28/12 (mg/l)	MW-02D 11/12/2013 (mg/l)	MW-02D 03/17/2015 (mg/l)	MW-02D 05/10/2016 (mg/l)	MW-02D 8/21/2017 (mg/l)	MW-02D 11/29/2018 (mg/l)	MW-02D 2/24/2020 (mg/l)
Color (APHA Units)	-	-	(units)	5	5	5 U	5 U	1 U	5 U	5 U	20	5 U	5 U
Alkalinity (as CaCO3)	-	471-34-1	(mg/l)	8.30	7.60	9.60	70.6 D	12.1	25.0	15.2	15.2 UB	18.2	19.2
Ammonia (as N)	2 ST	7664-41-7	(mg/l)	0.1	0.1 U	0.10 U	1.81	0.0500 U	0.0500 U	0.0250 U	0.0250 U	0.0250 U	0.0250 U
Biochemical Oxygen Demand	-	-	(mg/l)	2	2 U	2 U	10 U	4 U	3	4 U	2 U	2 U	2 U
Bromide	2 GV	24959-67-9	(mg/l)	0.5 U	0.5 U	0.5 U	.5 U	2.00 U	2.00 U	1.00 U	1.30 U	0.0578 J	0.0700 U
Chemical Oxygen Demand	-	-	(mg/l)	10 U	10 U	10 U	10 U	10.0 U	10.0 U	3.00 U	3.00 U	3.00 U	3.00 U
Chloride	250 ST	16887-00-6	(mg/l)	11.3	5.38	5.92	38.4	25.0	32.0	29.0	42.0 UB	41.1	47.0 J
Hardness (as CaCO3)	-	-	(mg/l)	23.0	19.0	23	100	36.2	69.5	59.7	74.1 UB	55.2	59.0
Nitrate (as N)	10 ST	14797-55-8	(mg/l)	0.45	0.46	2.05 D	0.1 U	1.41 J	1.22 D	1.82 D	2.77 D	3	4.55 D
Phenols, total	0.001 ST	-	(mg/l)	0.005 U	5 U	0.005 U	0.005 U	0.0190 UB	0.0120	0.0660	0.0647	0.0513	0.0196
Sulfate	250 ST	-	(mg/l)	17.5	11.3	13.4	20.8	11.7	18.2	26.4	40.2 D	43.5	37.7
Total Organic Carbon	-	-	(mg/l)	1	1 U	1.0 U	1.5	1 U	1 U	1.00 U	1.00 U	1.00 U	1.63 J
Total Dissolved Solids	-	-	(mg/l)	62	56	61	183	95.0	119 D	129 D	160	210	200
Total Kjeldahl Nitrogen (as N)	-	7727-37-9	(mg/l)	0.1 U	0.23	0.10 U	1.88	0.817	0.400 U	0.200 U	0.200 U	0.200 U	0.200 U

NOTES:

NA: Not analyzed

U* or UB: Analyzed for but not detected, value shown is instrument detection limit

J: Estimated value

D: Diluted

UU* or UU: Value was not detected above quantitation limit but was an approximate concentration as determined by data validation.

█ : Concentration exceeds Standard/Guidance Value

U* or UB: Analyte considered undetected based on data validation criteria.

J*: Value is an approximate concentration of the analyte in the sample as determined by data validation.

-: No standard or guidance value



**D&B ENGINEERS
AND
ARCHITECTS, P.C.**

Appendix A-1

**SONIA ROAD LANDFILL
POST CLOSURE GROUNDWATER MONITORING PROGRAM
HISTORIC AND CURRENT SAMPLE RESULTS
LEACHATE INDICATORS**

CONSTITUENT	NYSDEC Class GA Groundwater Standards and Guidance Values	CAS #	SITE : DATE : UNITS	MW-021 11/30/06 (mg/l)	MW-021 2/22/07 (mg/l)	MW-021 5/25/07 (mg/l)	MW-021 8/14/07 (mg/l)	MW-021 11/13/07 (mg/l)	MW-021 2/12/08 (mg/l)	MW-021 5/19/08 (mg/l)	MW-021 8/4/08 (mg/l)	MW-021 11/3/08 (mg/l)	MW-021 2/24/09 (mg/l)
Color (APHA Units)	-	-	(units)	5 U	5	NA	NA	NA	NA	NA	NA	5	NA
Alkalinity (as CaCO3)	-	471-34-1	(mg/l)	31.4	20.9	31.0	41.0	49.8	35.0	34.0	34.7	30.1	23.2
Ammonia (as N)	2 ST	7664-41-7	(mg/l)	0.53	0.10 U	0.10 U	0.10 U	0.10 U	0.1 U	0.1 U	0.1 U	0.1 U	0.18
Biochemical Oxygen Demand	-	-	(mg/l)	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
Bromide	2 GV	24959-67-9	(mg/l)	0.8	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Chemical Oxygen Demand	-	-	(mg/l)	10 U	10 U	10 U	10 U	1035	10 U	10 U	10 U	10 U	10 U
Chloride	250 ST	16887-00-6	(mg/l)	36.8	37.9	35.4	40.3	28.3	16.2	19.1	15.2	14.8	16.5
Hardness (as CaCO3)	-	-	(mg/l)	76.0	64.0	68.0	68.0	54	54	45.0	40.0	38.0	120
Nitrate (as N)	10 ST	14797-55-8	(mg/l)	1.62	1.74	0.84	1.2	0.93	1.96	0.1 U	1.58	1.47	2.03
Phenols, total	0.001 ST	-	(mg/l)	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U
Sulfate	250 ST	14808-79-8	(mg/l)	18.4	23.6	46.6	32.1	24.4	12.8	9.05	8.07	8.98	13.4
Total Organic Carbon	-	-	(mg/l)	1.2	1.3	1.8	1.4	2.3	1 U	1 U	1.1	1 U	1 U
Total Dissolved Solids	-	-	(mg/l)	129	159	146	194	139	95	101	86	73	86
Total Kjeldahl Nitrogen (as N)	-	7727-37-9	(mg/l)	0.82	0.71	0.69	0.68	1.92	0.13	0.14	0.50	0.51	0.25

CONSTITUENT	NYSDEC Class GA Groundwater Standards and Guidance Values	CAS #	SITE : DATE : UNITS	MW-021 8/14/09 (mg/l)	MW-021 2/8/10 (mg/l)	MW-021 5/31/11 (mg/l)	MW-021 2/28/12 (mg/l)	MW-021 11/12/2013 (mg/l)	MW-021 03/17/2015 (mg/l)	MW-021 05/10/2016 (mg/l)	MW-021 8/21/2017 (mg/l)	MW-021 11/29/2018 (mg/l)	MW-021 2/24/2020 (mg/l)
Color (APHA Units)	-	-	(units)	5	5	5	5 U	1	5 U	5 U	20	5 U	5 U
Alkalinity (as CaCO3)	-	471-34-1	(mg/l)	28.1	29.6	44.9	11.7	52.5	50.0	127	30.3 UB	40.4	16.2
Ammonia (as N)	2 ST	7664-41-7	(mg/l)	0.1 U	0.1 U	2.95	0.1 U	4.08	0.886	0.0300 J	1.59	1.49	0.960
Biochemical Oxygen Demand	-	-	(mg/l)	2	2 U	2 U	2 U	4 U	2 U	4 U	2 U	2 U	2 U
Bromide	2 GV	24959-67-9	(mg/l)	0.5 U	0.5 U	0.5 U	.5 U	2.00 U	2.00 U	1.00 U	1.30 U	0.0516 J	0.0700 U
Chemical Oxygen Demand	-	-	(mg/l)	10	10 U	10 U	10 U	3.44 J	10.0 U	7.57 J	3.00 U	3.00 U	3.00 U
Chloride	250 ST	16887-00-6	(mg/l)	26.7	20.0	16.9	14.9	34.0	42.5	177	37.5 UB	39.6	31.0 J
Hardness (as CaCO3)	-	-	(mg/l)	44.0	42.0	44	34	73.9	78.2	101	64.9 UB	74.7	41.2
Nitrate (as N)	10 ST	14797-55-8	(mg/l)	1.35	1.80	0.42	1.76	0.900 J	1.92 D	1.41 D	1.59 D	1.37	2.14 D
Phenols, total	0.001 ST	-	(mg/l)	0.005 U	23.4	0.005 U	0.005 U	0.0140 UB	0.0100 U	0.0610	0.0340	0.0671	0.0339
Sulfate	250 ST	-	(mg/l)	19.1	9.82	19	91.7	17.8	23.8	43.4	40.0	23.2	13.9
Total Organic Carbon	-	-	(mg/l)	1 U	1 U	1.2	1 U	1.1	1.1	2.27	1.00 U	1.00 U	1.67 J
Total Dissolved Solids	-	-	(mg/l)	103	105	98	77	140	149 D	514 D	160	150	100
Total Kjeldahl Nitrogen (as N)	-	7727-37-9	(mg/l)	1.13	1.74	3.22	2.03	6.38	1.12	0.332 J	2.38	1.64	1.65

NOTES:

NA: Not analyzed

U* or UB: Analyzed for but not detected, value shown is instrument detection limit

J: Estimated value

D: Diluted.

UJ* or UJ: Value was not detected above quantitation limit but was an approximate concentration as determined by data validation.

█ : Concentration exceeds Standard/Guidance Value

U* or UB: Analyte considered undetected based on data validation criteria.

J*: Value is an approximate concentration of the analyte in the sample as determined by data validation.

-: No standard or guidance value



Appendix A-1

**SONIA ROAD LANDFILL
POST CLOSURE GROUNDWATER MONITORING PROGRAM
HISTORIC AND CURRENT SAMPLE RESULTS
LEACHATE INDICATORS**

CONSTITUENT	NYSDEC Class GA Groundwater Standards and Guidance Values	CAS #	SITE DATE : UNITS	MW-02S (mg/l)	MW-02S (mg/l)	MW-02S (mg/l)	MW-02S (mg/l)	MW-02S (mg/l)	MW-02S (mg/l)	MW-02S (mg/l)
Color (APHA Units)	-	-	(units)							
Alkalinity (as CaCO3)	-	471-34-1	(mg/l)							
Ammonia (as N)	2 ST	7664-41-7	(mg/l)	A	A	A	A	A	A	A
Biochemical Oxygen Demand	-	-	(mg/l)	B	B	B	B	B	B	B
Bromide	2 GV	24959-67-9	(mg/l)	A	A	A	A	A	A	A
Chemical Oxygen Demand	-	-	(mg/l)	N	N	N	N	N	N	N
Chloride	250 ST	16887-00-6	(mg/l)	D	D	D	D	D	D	D
Hardness (as CaCO3)	-	-	(mg/l)	O	O	O	O	O	O	O
Nitrate (as N)	10 ST	14797-55-8	(mg/l)	N	N	N	N	N	N	N
Phenols, total	0.001 ST	-	(mg/l)	E	E	E	E	E	E	E
Sulfate	250 ST	14808-79-8	(mg/l)	D	D	D	D	D	D	D
Total Organic Carbon	-	-	(mg/l)							
Total Dissolved Solids	-	-	(mg/l)							
Total Kjeldahl Nitrogen (as N)	-	7727-37-9	(mg/l)							

CONSTITUENT	NYSDEC Class GA Groundwater Standards and Guidance Values	CAS #	SITE DATE : UNITS	MW-02S (mg/l)	MW-02S (mg/l)	MW-02S (mg/l)
Color (APHA Units)	-	-	(units)			
Alkalinity (as CaCO3)	-	471-34-1	(mg/l)			
Ammonia (as N)	2 ST	7664-41-7	(mg/l)	A	A	A
Biochemical Oxygen Demand	-	-	(mg/l)	B	B	B
Bromide	2 GV	24959-67-9	(mg/l)	A	A	A
Chemical Oxygen Demand	-	-	(mg/l)	N	N	N
Chloride	250 ST	16887-00-6	(mg/l)	D	D	D
Hardness (as CaCO3)	-	-	(mg/l)	O	O	O
Nitrate (as N)	10 ST	14797-55-8	(mg/l)	N	N	N
Phenols, total	0.001 ST	-	(mg/l)	E	E	E
Sulfate	250 ST	-	(mg/l)	D	D	D
Total Organic Carbon	-	-	(mg/l)			
Total Dissolved Solids	-	-	(mg/l)			
Total Kjeldahl Nitrogen (as N)	-	7727-37-9	(mg/l)			

NOTES:

NA: Not analyzed

U* or UB: Analyzed for but not detected, value shown is instrument detection limit

J: Estimated value

D: Diluted.

UJ* or UJ: Value was not detected above quantitation limit but was an approximate concentration as determined by data validation.

█ : Concentration exceeds Standard/Guidance Value

U* or UB: Analyte considered undetected based on data validation criteria.

J*: Value is an approximate concentration of the analyte in the sample as determined by data validation.

-: No standard or guidance value



Appendix A-1

SONIA ROAD LANDFILL
 POST CLOSURE GROUNDWATER MONITORING PROGRAM
 HISTORIC AND CURRENT SAMPLE RESULTS
 LEACHATE INDICATORS

CONSTITUENT	NYSDEC Class GA Groundwater Standards and Guidance Values	CAS #	SITE : DATE : UNITS	MW-03S 11/29/06 (mg/l)	MW-03S 2/22/07 (mg/l)	MW-03S 6/1/07 (mg/l)	MW-03S 8/14/07 (mg/l)	MW-03S 11/14/07 (mg/l)	MW-03S 2/11/08 (mg/l)	MW-03S 5/15/08 (mg/l)	MW-03S 8/5/08 (mg/l)	MW-03S 11/5/08 (mg/l)	MW-03S 2/25/09 (mg/l)
Color (APHA Units)	-	-	(units)	70	100	NA	NA	NA	NA	NA	NA	50	NA
Alkalinity (as CaCO3)	-	471-34-1	(mg/l)	274	288	326	288	259	228	278	240	217	236
Ammonia (as N)	2 ST	7664-41-7	(mg/l)	2.50	2.88	2.96	2.96	2.22	1.17	1.61	1.73	1.3	1.16
Biochemical Oxygen Demand	-	-	(mg/l)	9	21	12	12	19	16	11	11	14.3	14.4
Bromide	2 GV	24959-67-9	(mg/l)	1.4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Chemical Oxygen Demand	-	-	(mg/l)	43.7	33.3	28.2	33.3	40.9	16.9	10 U	21.8	24.3	13.3
Chloride	250 ST	16887-00-6	(mg/l)	47.7	45.8	43.5	37.5	38.2	37.2	36.3	34.0	33.8	34.9
Hardness (as CaCO3)	-	-	(mg/l)	300	320	340	270	234	240	260	220	220	450
Nitrate (as N)	10 ST	14797-55-8	(mg/l)	0.1 U	0.10 U	0.10 U	0.10 U	0.13	0.1 U	0.1 U	0.1 U	0.15	0.13
Phenols, total	0.001 ST	-	(mg/l)	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U
Sulfate	250 ST	14808-79-8	(mg/l)	11.9	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U
Total Organic Carbon	-	-	(mg/l)	8.3	8.8	9.8	7.9	7.4	6.7	7.1	7.2	6.8	5.7
Total Dissolved Solids	-	-	(mg/l)	404	364	410	360	347	293	337	330	278	329
Total Kjeldahl Nitrogen (as N)	-	7727-37-9	(mg/l)	3.60	4.52	4.09	4.57	3.67	2.77	2.70	3.41	2.83	1.90

CONSTITUENT	NYSDEC Class GA Groundwater Standards and Guidance Values	CAS #	SITE : DATE : UNITS	MW-03S 8/14/09 (mg/l)	MW-03S 2/4/10 (mg/l)	MW-03S 6/1/11 (mg/l)	MW-03S 8/28/12 (mg/l)	MW-03S 11/13/2013 (mg/l)	MW-03S 03/18/2015 (mg/l)	MW-03S 05/11/2016 (mg/l)	MW-03S 8/23/2017 (mg/l)	MW-03S 11/29/2018 (mg/l)	MW-03S 2/25/2020 (mg/l)
Color (APHA Units)	-	-	(units)	200	200	150 D	125 D	25	250	5	30	7	200
Alkalinity (as CaCO3)	-	471-34-1	(mg/l)	304	259	210 D	186 D	222	201	276	184 UB	197	259
Ammonia (as N)	2 ST	7664-41-7	(mg/l)	0.67	1.27	2.27	1.75 D	1.70	0.88 J	0.886	1.41	1.44	1.52
Biochemical Oxygen Demand	-	-	(mg/l)	9	16	9	14	22	13 J	7 U	2 U	4 U	6.7 U
Bromide	2 GV	24959-67-9	(mg/l)	0.5 U	0.5 U	0.5 U	.5 U	2.00 U	2.00 U	1.00 U	1.30 U	0.0500 U	0.0700 U
Chemical Oxygen Demand	-	-	(mg/l)	30.3	21.8	25.9	29.9	4.07 J	14.6	6.66 J	3.00 UJ	11.5	21.9
Chloride	250 ST	16887-00-6	(mg/l)	48.8	53.8	50	49.4	56.0	42.0	51.0	47.5 UB	62.8	47.9
Hardness (as CaCO3)	-	-	(mg/l)	300	240	220 D	270 D	183	175	183	203	174	83.4
Nitrate (as N)	10 ST	14797-55-8	(mg/l)	0.1 U	0.24	0.10 U	.1 U	0.100 U	1.89 DJ	0.0500 U	0.0500 U	0.0500 U	0.207
Phenols, total	0.001 ST	-	(mg/l)	0.005 U	5 U	0.005 U	0.005 U	0.00663 UB	0.00989 J	0.111	0.0463	0.0406	0.0204
Sulfate	250 ST	-	(mg/l)	9.30	5 U	5 U	5 U	4.48	3.49 UB	2.37	17.2 D	5.63	0.500 U
Total Organic Carbon	-	-	(mg/l)	8.9	6.4	7.5	6.2	6.3	6	5.58	2.99 J	5.88	8.34
Total Dissolved Solids	-	-	(mg/l)	419	338	304	324	333	305 D	282 D	330	310	390
Total Kjeldahl Nitrogen (as N)	-	7727-37-9	(mg/l)	2.40	3.55	2.69	2.15	4.82	1.22	1.79	2.92	1.81	2.48

NOTES:

NA: Not analyzed

U* or UB: Analyzed for but not detected, value shown is instrument detection limit

J: Estimated value

D: Diluted

UJ* or UJ: Value was not detected above quantitation limit but was an approximate concentration as determined by data validation.

█ : Concentration exceeds Standard/Guidance Value

U* or UB: Analyte considered undetected based on data validation criteria.

J*: Value is an approximate concentration of the analyte in the sample as determined by data validation.

-: No standard or guidance value



Appendix A-1

**SONIA ROAD LANDFILL
POST CLOSURE GROUNDWATER MONITORING PROGRAM
HISTORIC AND CURRENT SAMPLE RESULTS
LEACHATE INDICATORS**

CONSTITUENT	NYSDEC Class GA Groundwater Standards and Guidance Values	CAS #	SITE : DATE : UNITS	MW-04D (mg/l)	MW-04D (mg/l)	MW-04D (mg/l)	MW-04D (mg/l)	MW-04D (mg/l)	MW-04D (mg/l)	MW-04D (mg/l)	MW-04D (mg/l)	MW-04D (mg/l)	MW-04D (mg/l)
Color (APHA Units)	-	-	(units)	70	NA	NA	NA	NA	NA	NA	80.0	NA	NA
Alkalinity (as CaCO3)	-	471-34-1	(mg/l)	49.8	35.6	U*	39.8	40.7	33.6	25.9	23.2	20.0	20.0
Ammonia (as N)	2 ST	7664-41-7	(mg/l)	0.90	0.10 U	0.89	0.10 U	0.56	0.73	0.52	0.3	0.36	0.36
Biochemical Oxygen Demand	-	-	(mg/l)	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
Bromide	2 GV	24959-67-9	(mg/l)	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Chemical Oxygen Demand	-	-	(mg/l)	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U
Chloride	250 ST	16887-00-6	(mg/l)	10.4	7.6	U*	9.9	10.7	8.38	6.23	8.47	20.2	20.2
Hardness (as CaCO3)	-	-	(mg/l)	64	60	75	54.0	65.0	56.0	35.0	40.0	190	190
Nitrate (as N)	10 ST	14797-55-8	(mg/l)	0.1 U	0.73	10 U	1.0	0.1 U	0.1 U	0.1 U	0.1 U	0.1 U	0.1 U
Phenols, total	0.001 ST	-	(mg/l)	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U
Sulfate	250 ST	14808-79-8	(mg/l)	16.5	19.8	17.0	19	21.6	18.9	13.8	11.5	10.3	10.3
Total Organic Carbon	-	-	(mg/l)	1.6	3.3	1.4	1.1	1 U	1 U	1 U	1 U	1 U	1 U
Total Dissolved Solids	-	-	(mg/l)	106	95	U*	101	96	99	70	64	90	90
Total Kjeldahl Nitrogen (as N)	-	7727-37-9	(mg/l)	1.60	0.69	1.9	0.24	0.89	0.79	0.62	0.73	0.64	0.64

CONSTITUENT	NYSDEC Class GA Groundwater Standards and Guidance Values	CAS #	SITE : DATE : UNITS	MW-04D (mg/l)	MW-04D (mg/l)	MW-04D (mg/l)	MW-04D (mg/l)	MW-04D (mg/l)	MW-04D (mg/l)	MW-04D (mg/l)	MW-04D (mg/l)	MW-04D (mg/l)	MW-04D (mg/l)
Color (APHA Units)	-	-	(units)	140	20	10	10	350	5 U	40	6.5	150	150
Alkalinity (as CaCO3)	-	471-34-1	(mg/l)	28.5	18.4	19.7	110	17.0	29.3	43.4 UB	125	70.7	70.7
Ammonia (as N)	2 ST	7664-41-7	(mg/l)	0.39	0.1 U	0.22	0.180	0.167 J	0.0840	0.382	0.903	0.590	0.590
Biochemical Oxygen Demand	-	-	(mg/l)	2 U	2 U	2 U	8 U	5 J	7 U	2 U	4 U	4 U	4 U
Bromide	2 GV	24959-67-9	(mg/l)	0.5 U	0.5 U	0.5 U	2.00 U	2.00 U	1.00 U	1.30 U	0.0500 U	0.0700 U	0.0700 U
Chemical Oxygen Demand	-	-	(mg/l)	10 U	10 U	10 U	10.0 U	7.35 J	9.99 J	3.00 UJ	27.2	4.37 J	4.37 J
Chloride	250 ST	16887-00-6	(mg/l)	39.6	13.0	17.5	55.0	45.5	52.0	73.0 UB	6.36	61.4 D	61.4 D
Hardness (as CaCO3)	-	-	(mg/l)	54.0	40.0	48 D	68.8	50.3	65.0	80.1 UB	115	72.3	72.3
Nitrate (as N)	10 ST	14797-55-8	(mg/l)	0.1 U	0.50	0.37	0.100 U	1.79 DJ	0.0500 U	0.0500 U	0.0500 U	0.0800 J	0.0800 J
Phenols, total	0.001 ST	-	(mg/l)	0.005 U	16.3	0.005 U	0.00592 UB	0.0100	0.113	0.0287	0.0595	0.0472	0.0472
Sulfate	250 ST	-	(mg/l)	16.8	11.0	12.6	37.0	26.5	42.0	52.5 D	1.92 J	37.8	37.8
Total Organic Carbon	-	-	(mg/l)	1 U	1 U	1 U	1.8	1.5	2.01	1.00 U	2.31 J	2.36 J	2.36 J
Total Dissolved Solids	-	-	(mg/l)	177	72	92	209	181 D	191 D	330	410	210	210
Total Kjeldahl Nitrogen (as N)	-	7727-37-9	(mg/l)	1.50	0.21 U	0.1 U	1.67	0.400 U	0.547	0.404	1.04	0.790	0.790

NOTES:

NA: Not analyzed

U* or UB: Analyzed for but not detected, value shown is instrument detection limit

J: Estimated value

D: Diluted

UJ* or UJ: Value was not detected above quantitation limit but was an approximate concentration as determined by data validation.

█ : Concentration exceeds Standard/Guidance Value

U* or UB: Analyte considered undetected based on data validation criteria.

J*: Value is an approximate concentration of the analyte in the sample as determined by data validation.

-: No standard or guidance value



**D&B ENGINEERS
AND
ARCHITECTS, P.C.**

Appendix A-1

**SONIA ROAD LANDFILL
POST CLOSURE GROUNDWATER MONITORING PROGRAM
HISTORIC AND CURRENT SAMPLE RESULTS
LEACHATE INDICATORS**

CONSTITUENT	NYSDEC Class GA Groundwater Standards and Guidance Values	CAS #	SITE DATE : UNITS	MW-041 11/30/06 (mg/l)	MW-041 2/23/07 (mg/l)	MW-041 5/24/07 (mg/l)	MW-041 8/10/07 (mg/l)	MW-041 11/13/07 (mg/l)	MW-041 2/11/08 (mg/l)	MW-041 5/15/08 (mg/l)	MW-041 8/5/08 (mg/l)	MW-041 11/3/08 (mg/l)	MW-041 2/23/09 (mg/l)
Color (APHA Units)	-	-	(units)	70	20	NA	NA	NA	NA	NA	NA	100	NA
Alkalinity (as CaCO3)	-	471-34-1	(mg/l)	104	68.8	76.4	245	102	98.8	50.6	70.2	48.4	65.4
Ammonia (as N)	2 ST	7664-41-7	(mg/l)	1.33	0.10 U	0.10 U	2.63	0.10 U	1.00	0.1 U	1.09	0.5	0.82
Biochemical Oxygen Demand	-	-	(mg/l)	3	2 U	2 U	18	2 U	4	2 U	2 U	2 U	2 U
Bromide	2 GV	24959-67-9	(mg/l)	0.5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Chemical Oxygen Demand	-	-	(mg/l)	10 U	13.0	10 U	U*	10 U	10 U	10 U	10 U	10 U	10 U
Chloride	250 ST	16887-00-6	(mg/l)	19.8	20.8	21.3	42.1	26.5	48.7	32.0	47.1	39.6	55.1
Hardness (as CaCO3)	-	-	(mg/l)	100	85	85	230	112	130	88.0	116	94.0	200
Nitrate (as N)	10 ST	14797-55-8	(mg/l)	0.1 U	0.98	0.99	10 U	294	0.1 U	0.1 U	0.1 U	0.1 U	0.1 U
Phenols, total	0.001 ST	-	(mg/l)	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U
Sulfate	250 ST	14808-79-8	(mg/l)	7.8	12.3	12.4	5.0 U	10.5	18.4	13.5	10.3	20.5	32.1
Total Organic Carbon	-	-	(mg/l)	2.4	1.4	2.5	6.6	2.2	3.2	1 U	2.2	1.5	1.3
Total Dissolved Solids	-	-	(mg/l)	151	134	158	338	181	217	147	192	144	219
Total Kjeldahl Nitrogen (as N)	-	7727-37-9	(mg/l)	1.71	0.90	0.82	5.24	0.10 U	1.80	1.07	1.23	3.73	1.00

CONSTITUENT	NYSDEC Class GA Groundwater Standards and Guidance Values	CAS #	SITE DATE : UNITS	MW-041 8/12/09 (mg/l)	MW-041 2/4/10 (mg/l)	MW-041 5/26/11 (mg/l)	MW-041 8/27/12 (mg/l)	MW-041 11/13/2013 (mg/l)	MW-041 03/18/2015 (mg/l)	MW-041 05/11/2016 (mg/l)	MW-041 8/22/2017 (mg/l)	MW-041 11/30/2018 (mg/l)	MW-041 2/25/2020 (mg/l)
Color (APHA Units)	-	-	(units)	200	10	70	75 D	15	150	5	100	6.5	150
Alkalinity (as CaCO3)	-	471-34-1	(mg/l)	243	75.1	52.4 U	141 D	104	63.0	271	435	234	145
Ammonia (as N)	2 ST	7664-41-7	(mg/l)	0.37	0.1 U	0.1 U	0.22	1.42	2.36 DJ	1.12	4.76 D	2.32	6.20 D
Biochemical Oxygen Demand	-	-	(mg/l)	17 J*	2 U	2 U	6	8 U	4 UJ	7 U	2 U	4 U	4 U
Bromide	2 GV	24959-67-9	(mg/l)	0.5 U	0.5 U	0.5 U	0.5 U	2.00 U	2.00 U	1.00 U	1.30 U	0.0500 U	0.0700 U
Chemical Oxygen Demand	-	-	(mg/l)	27.9	10 U	10 U	14.7	10.0 U	10.0 U	6.36 J	3.00 UJ	17.1	8.68 J
Chloride	250 ST	16887-00-6	(mg/l)	79.6	48.8	19.1	83.9 D	93.0	58.5	68.0	77.0 UB	5.19	104 D
Hardness (as CaCO3)	-	-	(mg/l)	180	92.0	58 D	180 D	76.3	99.3	155	238	188	144
Nitrate (as N)	10 ST	14797-55-8	(mg/l)	0.28	0.83	0.1 U	0.1 U	0.0503 J	1.48 DJ	0.0500 U	0.0500 U	0.0500 U	0.145
Phenols, total	0.001 ST	-	(mg/l)	0.005 U	5 U	0.005 U	0.005 U	0.00780 UB	0.00795 J	0.0730	0.0602	0.0675	0.0517
Sulfate	250 ST	-	(mg/l)	11.3 U	19.9	14.8	7.08	22.6	22.4	34.0	2.00 DU	1.35 UB	45.6
Total Organic Carbon	-	-	(mg/l)	3.6	1.2	1.1	2.3	2.8	1.9	3.92	2.62 J	4.67	4.36
Total Dissolved Solids	-	-	(mg/l)	337	200	111	326	287	223 D	305 D	410	410	390
Total Kjeldahl Nitrogen (as N)	-	7727-37-9	(mg/l)	0.90	0.64 U	0.15 U*	0.23	3.80	2.50	1.80	7.14 D	2.75	4.36

NOTES:

NA: Not analyzed

U* or UB: Analyzed for but not detected, value shown is instrument detection limit

J: Estimated value

D: Diluted

U* or UJ: Value was not detected above quantitation limit but was an approximate concentration as determined by data validation.

█ : Concentration exceeds Standard/Guidance Value

U* or UB: Analyte considered undetected based on data validation criteria.

J*: Value is an approximate concentration of the analyte in the sample as determined by data validation.

-: No standard or guidance value



**D&B ENGINEERS
AND
ARCHITECTS, P.C.**

Appendix A-1

**SONIA ROAD LANDFILL
POST CLOSURE GROUNDWATER MONITORING PROGRAM
HISTORIC AND CURRENT SAMPLE RESULTS
LEACHATE INDICATORS**

CONSTITUENT	NYSDEC Class GA Groundwater Standards and Guidance Values	CAS #	SITE : DATE : UNITS	MW-04S (mg/l)	3/2/07 (mg/l)	MW-04S (mg/l)	5/24/07 (mg/l)	MW-04S (mg/l)	8/10/07 (mg/l)	MW-04S (mg/l)	11/13/07 (mg/l)	MW-04S (mg/l)	2/11/08 (mg/l)	MW-04S (mg/l)	5/15/08 (mg/l)	MW-04S (mg/l)	8/4/08 (mg/l)	MW-04S (mg/l)	11/30/08 (mg/l)	MW-04S (mg/l)	2/23/09 (mg/l)
Color (APHA Units)	-	-	80 (units)	NA	60	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	100	NA	NA
Alkalinity (as CaCO3)	-	471-34-1	338 (mg/l)	321	285	321	321	316	316	342	342	296	296	332	300	300	332	288	288	311	311
Ammonia (as N)	2 ST	7664-41-7	5.80 (mg/l)	5.62	5.47	5.62	5.62	4.99	4.99	5.28	5.28	3.54	3.54	4.97	4.80	4.80	4.97	2.1	2.1	3.15	3.15
Biochemical Oxygen Demand	-	-	13 (mg/l)	12	20	12	12	18	18	9	9	12	12	20	11	11	20	15.9	15.9	22.0	22.0
Bromide	2 GV	24959-67-9	1.0 (mg/l)	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Chemical Oxygen Demand	-	-	13.5 (mg/l)	25.7	58.6	25.7	25.7	U*	U*	43.4	43.4	21.8	21.8	26.8	26.8	26.8	26.8	66.5	66.5	10 U	10 U
Chloride	250 ST	16887-00-6	72.9 (mg/l)	71.7	70.7	71.7	71.7	61.2	61.2	68.1	68.1	57.4	57.4	55.0	60.2	60.2	55.0	49.9	49.9	48.6	48.6
Hardness (as CaCO3)	-	-	360 (mg/l)	310	1,100	310	310	320	320	290	290	280	280	268	260	260	268	300	300	510	510
Nitrate (as N)	10 ST	14797-55-8	0.1 U (mg/l)	0.10 U	0.10 U	0.10 U	0.10 U	0.10 U	0.10 U	0.10 U	0.10 U	0.1 U	0.1 U	0.1 U	0.1 U	0.1 U	0.1 U	0.1 U	0.1 U	0.1 U	0.1 U
Phenols, total	0.001 ST	-	0.005 U (mg/l)	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	5 U	5 U
Sulfate	250 ST	14808-79-8	5 U (mg/l)	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5 U	5.0 U	5.0 U	5 U	5 U	5 U	5 U	5 U
Total Organic Carbon	-	-	8.0 (mg/l)	8.9	8.2	8.9	8.9	8.5	8.5	7.9	7.9	7.4	7.4	8.1	7.0	7.0	8.1	8.6	8.6	4.8	4.8
Total Dissolved Solids	-	-	424 (mg/l)	435	416	435	435	460	460	440	440	417	417	416	422	422	416	385	385	396	396
Total Kjeldahl Nitrogen (as N)	-	7727-37-9	7.14 (mg/l)	8.45	7.50	8.45	8.45	6.49	6.49	7.03	7.03	5.59	5.59	6.04	5.79	5.79	6.04	4.73	4.73	4.27	4.27

CONSTITUENT	NYSDEC Class GA Groundwater Standards and Guidance Values	CAS #	SITE : DATE : UNITS	MW-04S (mg/l)	2/4/10 (mg/l)	MW-04S (mg/l)	5/31/11 (mg/l)	MW-04S (mg/l)	8/27/12 (mg/l)	MW-04S (mg/l)	11/13/2013 (mg/l)	MW-04S (mg/l)	03/18/2015 (mg/l)	MW-04S (mg/l)	05/11/2016 (mg/l)	MW-04S (mg/l)	8/22/2017 (mg/l)	MW-04S (mg/l)	11/30/2018 (mg/l)	MW-04S (mg/l)	2/25/2020 (mg/l)
Color (APHA Units)	-	-	120 (units)	300 D	60	300 D	300 D	75 D	75 D	30	30	250	250	100	5	5	100	6.5	6.5	200	200
Alkalinity (as CaCO3)	-	471-34-1	350 (mg/l)	292 D	297	292 D	292 D	290 D	290 D	338	338	323	323	340	136	136	340	381	381	333	333
Ammonia (as N)	2 ST	7664-41-7	2.61 (mg/l)	5.73 D	2.66	5.73 D	5.73 D	3.64	3.64	3.97	3.97	1.82 J	1.82 J	4.40 D	1.54	1.54	4.40 D	2.86	2.86	2.44 D	2.44 D
Biochemical Oxygen Demand	-	-	19 J* (mg/l)	17 J*	14	17 J*	17 J*	17	17	32	32	27 J	27 J	18.3	7 U	7 U	18.3	9.9	9.9	15.9	15.9
Bromide	2 GV	24959-67-9	0.5 U (mg/l)	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.00 U	2.00 U	2.00 U	2.00 U	1.30 U	1.00 U	1.00 U	1.30 U	0.0500 U	0.0500 U	0.0700 U	0.0700 U
Chemical Oxygen Demand	-	-	23.0 (mg/l)	28.6	36.0	28.6	28.6	26	26	26.2	26.2	20.2	20.2	24.9 J	21.2	21.2	24.9 J	26.1	26.1	22.9	22.9
Chloride	250 ST	16887-00-6	48.4 (mg/l)	52.4 D	49.9	52.4 D	52.4 D	52.7 D	52.7 D	45.0	45.0	44.0	44.0	47.0 UB	48.0	48.0	47.0 UB	36.8	36.8	61.0 D	61.0 D
Hardness (as CaCO3)	-	-	290 (mg/l)	300 D	275	300 D	300 D	310 D	310 D	245	245	277	277	383	303	303	383	286	286	255	255
Nitrate (as N)	10 ST	14797-55-8	0.1 U (mg/l)	0.10 U*	0.11	0.10 U*	0.10 U*	0.1 U	0.1 U	0.0773 J	0.0773 J	2.64 DJ	2.64 DJ	0.0500 U	0.0500 U	0.0500 U	0.0500 U	0.0500 U	0.0500 U	0.151	0.151
Phenols, total	0.001 ST	-	0.005 U (mg/l)	0.005 U	5 U	0.005 U	0.005 U	0.005 U	0.005 U	0.0107 UB	0.0107 UB	0.0160	0.0160	0.0423	0.0220	0.0220	0.0423	0.0215	0.0215	0.0178	0.0178
Sulfate	250 ST	-	10.2 (mg/l)	5.0 U	5 U	5.0 U	5.0 U	5 U	5 U	2.00 U	2.00 U	2.00 U	2.00 U	2.22	2.22	2.00 DU	2.00 DU	8.04	8.04	0.500 U	0.500 U
Total Organic Carbon	-	-	6.3 (mg/l)	6.6	5.4	6.6	6.6	5.8	5.8	6.7	6.7	8.2	8.2	5.84	8.96	8.96	5.84	8.17	8.17	7.82	7.82
Total Dissolved Solids	-	-	398 (mg/l)	432	378	432	432	448	448	394	394	459 D	459 D	550	419 D	419 D	550	480	480	420	420
Total Kjeldahl Nitrogen (as N)	-	7727-37-9	5.38 (mg/l)	6.03 D	4.79	6.03 D	6.03 D	4.30 D	4.30 D	8.92	8.92	3.90	3.90	7.18 D	4.18	4.18	7.18 D	4.29	4.29	3.86	3.86

NOTES:
 NA: Not analyzed
 U* or UB: Analyzed for but not detected, value shown is instrument detection limit
 J: Estimated value
 D: Diluted
 UJ* or UJ: Value was not detected above quantitation limit but was an approximate concentration as determined by data validation.
 -: No standard or guidance value
 [Grey Box]: Concentration exceeds Standard/Guidance Value
 U* or UB: Analyte considered undetected based on data validation criteria.
 J*: Value is an approximate concentration of the analyte in the sample as determined by data validation.



Appendix A-1

**SONIA ROAD LANDFILL
POST CLOSURE GROUNDWATER MONITORING PROGRAM
HISTORIC AND CURRENT SAMPLE RESULTS
LEACHATE INDICATORS**

CONSTITUENT	NYSDEC Class GA Groundwater Standards and Guidance Values	CAS #	SITE : DATE : UNITS	MW-05D (mg/l)	MW-05D (mg/l)	MW-05D (mg/l)	MW-05D (mg/l)	MW-05D (mg/l)	MW-05D (mg/l)	MW-05D (mg/l)	MW-05D (mg/l)	MW-05D (mg/l)	MW-05D (mg/l)	MW-05D (mg/l)	MW-05D (mg/l)
Color (APHA Units)	-	-	5 (units)	5 U	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Alkalinity (as CaCO3)	-	471-34-1	(mg/l)	77.0	42.3	73	59.8	31.5	48.5	19.2	37.4	27.1	19.6	27.1	19.6
Ammonia (as N)	2 ST	7664-41-7	(mg/l)	0.90	0.10 U	0.10 U	0.46	0.10 U	0.1 U	0.1 U	0.1 U	0.1 U	0.1 U	0.1 U	0.1 U
Biochemical Oxygen Demand	-	-	(mg/l)	2 U	2 U	2 U	2 U	2 U	2 U	2	2 U	2 U	2 U	2 U	2 U
Bromide	2 GV	24959-67-9	(mg/l)	1.7	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Chemical Oxygen Demand	-	-	(mg/l)	13.5	20.6	20.6	18.1	20.6	19.4	19.4	10 U	11.9	10 U	11.9	10 U
Chloride	250 ST	16887-00-6	(mg/l)	63.7	61.0	48.5	44.2	42.6	82.6	65.9	46.7	37.4	35.8	46.7	37.4
Hardness (as CaCO3)	-	-	(mg/l)	190	160	200	180	120	180	152	132	150	220	150	220
Nitrate (as N)	10 ST	14797-55-8	(mg/l)	2.16	2.84	1.57	2.4	4.33	1.60	3.64	5.60	7.65	9.56	5.60	7.65
Phenols, total	0.001 ST	-	(mg/l)	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U
Sulfate	250 ST	14808-79-8	(mg/l)	112	85.5	157	103	77.1	82.7	80.9	105	90.6	53.2	105	90.6
Total Organic Carbon	-	-	(mg/l)	2.9	2.9	3.6	3.3	2.9	2.4	3.2	2.0	1.4	1 U	2.0	1.4
Total Dissolved Solids	-	-	(mg/l)	344	303	348	369	275	351	296	292	262	237	292	262
Total Kjeldahl Nitrogen (as N)	-	7727-37-9	(mg/l)	1.46	1.00	1.33	1.3	0.58	0.96	0.94	0.52	0.27	0.1 U	0.52	0.27

CONSTITUENT	NYSDEC Class GA Groundwater Standards and Guidance Values	CAS #	SITE : DATE : UNITS	MW-05D (mg/l)	MW-05D (mg/l)	MW-05D (mg/l)	MW-05D (mg/l)	MW-05D (mg/l)	MW-05D (mg/l)	MW-05D (mg/l)	MW-05D (mg/l)	MW-05D (mg/l)	MW-05D (mg/l)	MW-05D (mg/l)	MW-05D (mg/l)
Color (APHA Units)	-	-	(units)	5 U	10	5 U	5	1 U	5 U	5 U	40	5 U	5 U	5 U	5 U
Alkalinity (as CaCO3)	-	471-34-1	(mg/l)	23.5	12.4	13.4	14.6 D	9.09	12.0	453	16.2 UB	14.1	16.2	14.1	16.2
Ammonia (as N)	2 ST	7664-41-7	(mg/l)	0.1 U	0.1 U	0.13	.1 U	0.0500 U	0.0500 UJ	0.0250 U	0.0250 U	0.0250 U	0.0250 U	0.0250 U	0.0250 U
Biochemical Oxygen Demand	-	-	(mg/l)	2 U	2 U	2 U	2 U	4 U	2 U	7 U	2 U	2 U	2 U	2 U	2 U
Bromide	2 GV	24959-67-9	(mg/l)	0.5 U	0.5 U	0.5 U	.5 U	2.00 U	2.00 U	1.00 U	1.30 U	0.0500 U	0.700 U	1.30 U	0.0500 U
Chemical Oxygen Demand	-	-	(mg/l)	10 U	10 U	12	10 U	10.0 U	10.0 U	3.00 U	3.00 UJ	3.82 J	3.00 U	3.82 J	3.00 U
Chloride	250 ST	16887-00-6	(mg/l)	67.5	46.4	34.5	9.32	13.0	22.5	39.0	12.0 UB	15.9	29.1	12.0 UB	15.9
Hardness (as CaCO3)	-	-	(mg/l)	110	82.0	70	19	25.5	45.2	53.9	32.9 UB	51.2	70.6	32.9 UB	51.2
Nitrate (as N)	10 ST	14797-55-8	(mg/l)	4.45	5.28	2.3 D	1.6	1.07	0.948 D	0.901	2.07 D	2.35	1.86 D	2.07 D	2.35
Phenols, total	0.001 ST	-	(mg/l)	0.005 U	5 U	0.005 U	0.005 U	0.0216 UB	0.0240	0.00805 J	0.0607	0.0440	0.0241	0.0607	0.0440
Sulfate	250 ST	-	(mg/l)	84.0	29.3	49.9 D	20.1	29.4	38.3	22.3	24.1	0.652 UB	35.3	24.1	0.652 UB
Total Organic Carbon	-	-	(mg/l)	1.0	1.2	1.2	1 U	1.2	1 U	1.00 U	1.00 U	1.76 J	1.85 J	1.00 U	1.76 J
Total Dissolved Solids	-	-	(mg/l)	300	179	163	98	110	122 D	124 D	130	110	120	130	110
Total Kjeldahl Nitrogen (as N)	-	7727-37-9	(mg/l)	0.41	1.37	0.19	0.62	1.07	0.645	0.200 U	0.200 U	0.200 U	0.200 U	0.200 U	0.200 U

NOTES:

NA: Not analyzed

U* or UB: Analyzed for but not detected, value shown is instrument detection limit

J: Estimated value

D: Diluted.

UJ* or UJ: Value was not detected above quantitation limit but was an approximate concentration as determined by data validation.

█ : Concentration exceeds Standard/Guidance Value

U* or UB: Analyte considered undetected based on data validation criteria.

J*: Value is an approximate concentration of the analyte in the sample as determined by data validation.

-: No standard or guidance value



Appendix A-1

**SONIA ROAD LANDFILL
POST CLOSURE GROUNDWATER MONITORING PROGRAM
HISTORIC AND CURRENT SAMPLE RESULTS
LEACHATE INDICATORS**

CONSTITUENT	NYSDEC Class GA Groundwater Standards and Guidance Values	CAS #	SITE DATE : (units)	MW-051 11/30/06 (mg/l)	MW-051 2/21/07 (mg/l)	MW-051 5/25/07 (mg/l)	MW-051 8/14/07 (mg/l)	MW-051 11/13/07 (mg/l)	MW-051 2/11/08 (mg/l)	MW-051 5/15/08 (mg/l)	MW-051 8/5/08 (mg/l)	MW-051 11/5/08 (mg/l)	MW-051 2/26/09 (mg/l)
Color (APHA Units)	-	-	(units)	70	20	NA	NA	NA	NA	NA	NA	40.0	NA
Alkalinity (as CaCO3)	-	471-34-1	(mg/l)	79.5	72.5	63.3	70.5	57	57.8	69.4	71.8	42.6	47.8
Ammonia (as N)	2 ST	7664-41-7	(mg/l)	0.85	0.10 U	0.10 U	1.52	0.10 U	0.28 UJ	0.53	0.1 U	0.1 U	0.1 UJ*
Biochemical Oxygen Demand	-	-	(mg/l)	3	2 U	7	2 U	2 U	2 U	2 U	2 U	2 U	2 U
Bromide	2 GV	24959-67-9	(mg/l)	0.5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Chemical Oxygen Demand	-	-	(mg/l)	10 U	25.7	10 U	10.5	18.1	10 U	10 U	10 U	10 U	10 U
Chloride	250 ST	16887-00-6	(mg/l)	35.2	33.7	59.1	62.3	61.6	52.9	51.4	18.1	21.0	22.6
Hardness (as CaCO3)	-	-	(mg/l)	196	120	130	180	124	110	96.0	96.0	14.0	190
Nitrate (as N)	10 ST	14797-55-8	(mg/l)	0.1 U	0.46	0.11	0.1 U	1.78	0.1 U	0.1 U	0.1 U	0.1 U	0.11
Phenols, total	0.001 ST	-	(mg/l)	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	5 U
Sulfate	250 ST	14808-79-8	(mg/l)	76.0	59.3	56.8	52.8	50.0	36.1	36.8	67.3	32.3	38.0
Total Organic Carbon	-	-	(mg/l)	3.3	3.1	3.9	3.4	3.4	3	2.9	3.1	1.4	1.0
Total Dissolved Solids	-	-	(mg/l)	231	207	267	286 J	297	212	223	203	126	151
Total Kjeldahl Nitrogen (as N)	-	7727-37-9	(mg/l)	1.26	1.05	2.45	2.32	0.41	1.28	0.74	0.48	0.16	0.16 J*

CONSTITUENT	NYSDEC Class GA Groundwater Standards and Guidance Values	CAS #	SITE DATE : (units)	MW-051 8/17/09 (mg/l)	MW-051 2/8/10 (mg/l)	MW-051 5/31/11 (mg/l)	MW-051 8/28/12 (mg/l)	MW-051 11/13/2013 (mg/l)	MW-051 03/19/2015 (mg/l)	MW-051 05/11/2016 (mg/l)	MW-051 8/22/2017 (mg/l)	MW-051 11/30/2018 (mg/l)	MW-051 2/25/2020 (mg/l)
Color (APHA Units)	-	-	(units)	10	60	250 D	100 D	25	150	5 U	100	7	150
Alkalinity (as CaCO3)	-	471-34-1	(mg/l)	42.3	38.3	57.6 D	40.8	67.7	65.0	67.7	96 UB	204	158
Ammonia (as N)	2 ST	7664-41-7	(mg/l)	0.1 U	0.1 U	0.13	0.66	0.570	0.684 J	0.352	0.575	0.252	1.24
Biochemical Oxygen Demand	-	-	(mg/l)	2 U	2	2 U	2 U	8 U	2 U	7 U	2 U	4 U	6.7 U
Bromide	2 GV	24959-67-9	(mg/l)	0.5 U	0.5 U	0.5 U	.5 U	2.00 U	2.00 U	1.00 U	1.30 U	0.0500 U	0.0700 U
Chemical Oxygen Demand	-	-	(mg/l)	10 U	26.5	10 U	10 U	10.0 U	10.0 U	9.38 J	3.00 UJ	10.1	7.35 J
Chloride	250 ST	16887-00-6	(mg/l)	37.6	28.0	27.0	12.5	70.0	25.0	16.0	39.0 UB	7.37	44.4
Hardness (as CaCO3)	-	-	(mg/l)	88.0	64.0	90 D	59	96.5	57.5	43.7	145	176	157
Nitrate (as N)	10 ST	14797-55-8	(mg/l)	0.1 U	0.63	0.10 U	.1 U	0.100 U	0.236	0.0500 U	0.0500 U	0.0500 U	0.141
Phenols, total	0.001 ST	-	(mg/l)	0.005 U	16.7	0.005 U	0.005 U	0.0110 UB	0.0100 U	0.0330	0.0838	0.0796	0.0328
Sulfate	250 ST	-	(mg/l)	32.7	22.5	28.7	12.9	70.6	29.6	9.48	16.6 D	0.383 UB	22.5
Total Organic Carbon	-	-	(mg/l)	1.3	2.6	2.3	1 U	3.2	1.9	1.40 J	1.51 J	3.11	4.18
Total Dissolved Solids	-	-	(mg/l)	196	126	164	100	300	152 D	82.0 D	310	340	270
Total Kjeldahl Nitrogen (as N)	-	7727-37-9	(mg/l)	0.23	1.67	0.20	0.68	1.70	1.41	0.642	0.686	0.260 J	2.05

NOTES:

NA: Not analyzed

U* or UB: Analyzed for but not detected, value shown is instrument detection limit

J: Estimated value

D: Diluted.

UJ* or UJ: Value was not detected above quantitation limit but was an approximate concentration as determined by data validation.

█ : Concentration exceeds Standard/Guidance Value

U* or UB: Analyte considered undetected based on data validation criteria.

J*: Value is an approximate concentration of the analyte in the sample as determined by data validation.

-: No standard or guidance value



Appendix A-1

SONIA ROAD LANDFILL
 POST CLOSURE GROUNDWATER MONITORING PROGRAM
 HISTORIC AND CURRENT SAMPLE RESULTS
 LEACHATE INDICATORS

CONSTITUENT	NYSDEC Class GA Groundwater Standards and Guidance Values	CAS #	SITE : DATE : UNITS	MW-05S 11/30/06 (mg/l)	MW-05S 2/21/07 (mg/l)	MW-05S 6/1/07 (mg/l)	MW-05S 8/14/07 (mg/l)	MW-05S 11/13/07 (mg/l)	MW-05S 2/11/08 (mg/l)	MW-05S 5/15/08 (mg/l)	MW-05S 8/5/08 (mg/l)	MW-05S 11/5/08 (mg/l)	MW-05S 2/26/09 (mg/l)
Color (APHA Units)	-	-	(units)	70	50	NA	NA	NA	NA	NA	NA	60.0	NA
Alkalinity (as CaCO3)	-	471-34-1	(mg/l)	392	389	386	420	351	328	302	324	277	266
Ammonia (as N)	2 ST	7664-41-7	(mg/l)	6.24	6.07	6.89	7.86	6.46	4.01	5.20	5.75	4.0	3.40
Biochemical Oxygen Demand	-	-	(mg/l)	18	12	12	23	16	10	9	2	15.2	15.5
Bromide	2 GV	24959-67-9	(mg/l)	2.3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Chemical Oxygen Demand	-	-	(mg/l)	16.0	38.3	38.3	51	43.4	16.9	36.7	26.8	29.3	10.9
Chloride	250 ST	16887-00-6	(mg/l)	60.6	58.4	48.8	46.2	49	45.6	36.3	38.5	38.3	34.2
Hardness (as CaCO3)	-	-	(mg/l)	340	360	360	440	340	310	220	290	300	460
Nitrate (as N)	10 ST	14797-55-8	(mg/l)	0.1 U	0.22	0.54	0.1 U	0.1 U	0.1 U	0.1 U	0.1 U	0.1 U	0.1 U
Phenols, total	0.001 ST	-	(mg/l)	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	5 U
Sulfate	250 ST	14808-79-8	(mg/l)	5 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.20	5 U	5 U	5 U
Total Organic Carbon	-	-	(mg/l)	8.8	10.3	11.1	10.9	9.5	7.9	8.1	1.4	8.9	5.8
Total Dissolved Solids	-	-	(mg/l)	460	451	454	502	456	395	363	403	371	372
Total Kjeldahl Nitrogen (as N)	-	7727-37-9	(mg/l)	9.46	8.54	9.15	9.63	8.4	6.90	6.71	7.46	5.77	5.01

CONSTITUENT	NYSDEC Class GA Groundwater Standards and Guidance Values	CAS #	SITE : DATE : UNITS	MW-05S 8/17/09 (mg/l)	MW-05S 2/8/10 (mg/l)	MW-05S 5/31/11 (mg/l)	MW-05S 8/29/12 (mg/l)	MW-05S 11/13/2013 (mg/l)	MW-05S 03/19/2015 (mg/l)	MW-05S 05/11/2016 (mg/l)	MW-05S 8/22/2017 (mg/l)	MW-05S 11/29/2018 (mg/l)	MW-05S 2/25/2020 (mg/l)
Color (APHA Units)	-	-	(units)	40	50	200 D	150 D	25	250	10	100	6.5	200
Alkalinity (as CaCO3)	-	471-34-1	(mg/l)	334	195	264 D	272 D	294	259	224	238	281	402
Ammonia (as N)	2 ST	7664-41-7	(mg/l)	2.56	0.50	5.26 D	5.18 D	4.28	1.85 J	1.38	1.46	2.5	5.40 D
Biochemical Oxygen Demand	-	-	(mg/l)	15	18	2	18 UJ	22	11	13	7.8	11.8	6.7 U
Bromide	2 GV	24959-67-9	(mg/l)	0.5 U	0.5 U	0.5 U	0.5 U	2.00 U	2.00 U	1.00 U	1.30 U	0.0676 J	0.0919 J
Chemical Oxygen Demand	-	-	(mg/l)	32.7	21.8	29.2	26	7.55 J	24.0	15.1	11.2 J	27.9	32.5
Chloride	250 ST	16887-00-6	(mg/l)	49.3	35.0	46.6	39.8	47.0	43.0	48	24.0 UB	43.2	49.0
Hardness (as CaCO3)	-	-	(mg/l)	320	280	270 D	330 D	208	226	222	226	230	321
Nitrate (as N)	10 ST	14797-55-8	(mg/l)	0.1 U	0.18	0.17	0.1 UJ	0.100 U	2.02 D	0.0500 U	0.0500 U	0.0500 U	0.0877 J
Phenols, total	0.001 ST	-	(mg/l)	0.005 U	5.4	0.005 U	0.005 U	0.00571 UB	0.0100 U	0.0130	0.0246	0.0343	0.0233
Sulfate	250 ST	-	(mg/l)	11.6	22.8	5 U	5 U	2.56	2.00 U	2.37	2.00 DU	4.16	1.23 J
Total Organic Carbon	-	-	(mg/l)	8.7	4.8	7.4	1.6	7	8.9	7.57	5.07	9.23	10.8
Total Dissolved Solids	-	-	(mg/l)	496	313	357	383	956	355 D	322 D	110	390	470
Total Kjeldahl Nitrogen (as N)	-	7727-37-9	(mg/l)	7.62	5.79	5.66 D	5.42 D	7.66	4.27	3.46	3.58	3.83	6.92 D

NOTES:
 NA: Not analyzed
 U* or UB: Analyzed for but not detected, value shown is instrument detection limit
 J: Estimated value
 D: Diluted
 UJ* or UJ: Value was not detected above quantitation limit but was an approximate concentration as determined by data validation.
 -: No standard or guidance value
 -: Concentration exceeds Standard/Guidance Value
 U* or UB: Analyte considered undetected based on data validation criteria.
 J*: Value is an approximate concentration of the analyte in the sample as determined by data validation.



Appendix A-1

SONIA ROAD LANDFILL
POST CLOSURE GROUNDWATER MONITORING PROGRAM
HISTORIC AND CURRENT SAMPLE RESULTS
LEACHATE INDICATORS

CONSTITUENT	NYSDEC Class GA Groundwater Standards and Guidance Values	CAS #	SITE : DATE : UNITS	MW-06D (mg/l)	MW-06D (mg/l)	MW-06D (mg/l)	MW-06D (mg/l)	MW-06D (mg/l)	MW-06D (mg/l)	MW-06D (mg/l)	MW-06D (mg/l)	MW-06D (mg/l)	MW-06D (mg/l)
Color (APHA Units)	-	-	(units)	5 U	NA	NA	NA	NA	NA	NA	5.00	NA	MW-06D 2/23/09 (mg/l)
Alkalinity (as CaCO3)	-	471-34-1	(mg/l)	19.9	6.0	U*	12.2	17.8	29.8	30.9	30.9	29.2	
Ammonia (as N)	2 ST	7664-41-7	(mg/l)	0.14	0.10 U	0.01 U	0.10 U	0.1 U	0.1 U	0.1 U	0.1 U	0.1 U	
Biochemical Oxygen Demand	-	-	(mg/l)	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	
Bromide	2 GV	24959-67-9	(mg/l)	3.1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	
Chemical Oxygen Demand	-	-	(mg/l)	10 U	10 U	10 U	23.1	10 U	14.4	19.4	19.4	10 U	
Chloride	250 ST	16887-00-6	(mg/l)	12.7	14.1	U*	13.9	15.8	23.9	25.5	25.5	29.3	
Hardness (as CaCO3)	-	-	(mg/l)	52	24	56	30.0	48.0	72.0	64.0	64.0	150	
Nitrate (as N)	10 ST	14797-55-8	(mg/l)	0.74	0.73	U*	0.7	0.37	0.60	0.53	0.53	1.38	
Phenols, total	0.001 ST	-	(mg/l)	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	5 U	
Sulfate	250 ST	14808-79-8	(mg/l)	13.7	17.9	16.6	17.7	16.9	19.8	19.4	19.4	14.0	
Total Organic Carbon	-	-	(mg/l)	1 U	1.2	1.0 U	1.7	1 U	1.4	1 U	1 U	1 U	
Total Dissolved Solids	-	-	(mg/l)	82	72	U*	74	97	117	109	109	131	
Total Kjeldahl Nitrogen (as N)	-	7727-37-9	(mg/l)	0.26	0.71	0.50	0.19	0.18	0.1 U	0.1 U	0.1 U	0.1 U	

CONSTITUENT	NYSDEC Class GA Groundwater Standards and Guidance Values	CAS #	SITE : DATE : UNITS	MW-06D (mg/l)	MW-06D (mg/l)	MW-06D (mg/l)	MW-06D (mg/l)	MW-06D (mg/l)	MW-06D (mg/l)	MW-06D (mg/l)	MW-06D (mg/l)	MW-06D (mg/l)	MW-06D (mg/l)
Color (APHA Units)	-	-	(units)	5	5 U	15	1 U	5 U	25	30	30	5 U	
Alkalinity (as CaCO3)	-	471-34-1	(mg/l)	32.3	13.6	10.9	14.1	6.06	14.1 UB	21.2	21.2	21.2	
Ammonia (as N)	2 ST	7664-41-7	(mg/l)	0.1 U	0.1 U	0.23	0.868	0.903	1.92	2.5	2.5	1.80	
Biochemical Oxygen Demand	-	-	(mg/l)	2 U	2 U	2 U	4 U	4 U	2 U	2 U	2 U	2 U	
Bromide	2 GV	24959-67-9	(mg/l)	0.5 U	0.5 U	.5 U	2.00 U	1.00 U	1.30 U	0.0724 J	0.0724 J	0.0700 U	
Chemical Oxygen Demand	-	-	(mg/l)	10.9	10 U	10 U	10.0 U	3.00 U	3.00 U	7.65 J	7.65 J	3.00 U	
Chloride	250 ST	16887-00-6	(mg/l)	25.0	28.0	24.8	19.0	20.0	37.0 UB	48.3	48.3	37.3 J	
Hardness (as CaCO3)	-	-	(mg/l)	40.0	36.0	36 D	25.1	29.7	47.4 UB	58.6	58.6	69.5	
Nitrate (as N)	10 ST	14797-55-8	(mg/l)	0.75	0.68	0.68	1.55 J	1.46 D	0.619	0.511	0.511	1.79 D	
Phenols, total	0.001 ST	-	(mg/l)	0.005 U	5 U	0.005 U	0.0100 U	0.0510	0.0638	0.0406	0.0406	0.0276	
Sulfate	250 ST	-	(mg/l)	24.5	26.9	21	14.7	9.78	15.1	28.6	28.6	45.9	
Total Organic Carbon	-	-	(mg/l)	1 U	1 U	1 U	1 U	1.00 U	1.00 U	2.50 J	2.50 J	2.10 J	
Total Dissolved Solids	-	-	(mg/l)	130	99	107	87.0	67.0 D	130	180	180	150	
Total Kjeldahl Nitrogen (as N)	-	7727-37-9	(mg/l)	0.1 U	0.1 U	.5 U	2.40	1.59	2.37	2.74	2.74	2.20	

NOTES:
 NA: Not analyzed
 U* or UB: Analyzed for but not detected, value shown is instrument detection limit
 J: Estimated value
 D: Diluted
 UJ* or UJ: Value was not detected above quantitation limit but was an approximate concentration as determined by data validation.
 -: No standard or guidance value
 : Concentration exceeds Standard/Guidance Value
 U* or UB: Analyte considered undetected based on data validation criteria.
 J*: Value is an approximate concentration of the analyte in the sample as determined by data validation.



Appendix A-1

SONIA ROAD LANDFILL
 POST CLOSURE GROUNDWATER MONITORING PROGRAM
 HISTORIC AND CURRENT SAMPLE RESULTS
 LEACHATE INDICATORS

CONSTITUENT	NYSDEC Class GA Groundwater Standards and Guidance Values	CAS #	SITE DATE UNITS	MW-061 (mg/l)	MW-061 (mg/l)	MW-061 (mg/l)	MW-061 (mg/l)	MW-061 (mg/l)	MW-061 (mg/l)	MW-061 (mg/l)	MW-061 (mg/l)	MW-061 (mg/l)	MW-061 (mg/l)	MW-061 (mg/l)	MW-061 (mg/l)
Color (APHA Units)	-	-	(units)	5 U	NA	NA	NA	NA	NA	NA	NA	NA	NA	5.00	NA
Alkalinity (as CaCO3)	-	471-34-1	(mg/l)	65.2	27.5	U*	33	43.0	31.0	37.0	36.8	36.8	36.8	36.8	40.9
Ammonia (as N)	2 ST	7664-41-7	(mg/l)	4.15	4.61	0.10 U	3.34	0.1 U	0.1 U	0.1 U	0.1 U	0.1 U	0.1 U	0.1 U	0.1 U
Biochemical Oxygen Demand	-	-	(mg/l)	2 U	6	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
Bromide	2 GV	24959-67-9	(mg/l)	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Chemical Oxygen Demand	-	-	(mg/l)	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U
Chloride	250 ST	16887-00-6	(mg/l)	31.5	31.8	32.3	29.9	36.4	16.8	25.5	16.7	16.7	16.7	16.7	17.9
Hardness (as CaCO3)	-	-	(mg/l)	68	70.0	72	76	76	52.0	56.0	56.0	56.0	56.0	56.0	150 J*
Nitrate (as N)	10 ST	14797-55-8	(mg/l)	0.64	4.61	5.37	2.79	6.02	2.12	4.20	6.12	6.12	6.12	6.12	1.65
Phenols, total	0.001 ST	-	(mg/l)	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	5 U
Sulfate	250 ST	14808-79-8	(mg/l)	21.0	22.1	19.9	24.1	21.2	11.6	9.42	9.38	9.38	9.38	9.38	9.31
Total Organic Carbon	-	-	(mg/l)	1.1	1.3	1.0	1.3	1.2	1.0	1.0	1.0	1.0	1.0	1.0	1.1
Total Dissolved Solids	-	-	(mg/l)	144	147	161	166	184	111	137	105	105	105	105	92
Total Kjeldahl Nitrogen (as N)	-	7727-37-9	(mg/l)	6.21	1.93	1.28	5.36	0.81 J	2.34	1.48	1.27	1.27	1.27	1.27	1.66

CONSTITUENT	NYSDEC Class GA Groundwater Standards and Guidance Values	CAS #	SITE DATE UNITS	MW-061 (mg/l)	MW-061 (mg/l)	MW-061 (mg/l)	MW-061 (mg/l)	MW-061 (mg/l)	MW-061 (mg/l)	MW-061 (mg/l)	MW-061 (mg/l)	MW-061 (mg/l)	MW-061 (mg/l)	MW-061 (mg/l)	MW-061 (mg/l)
Color (APHA Units)	-	-	(units)	10	10	5 U	5	1 U	350	5 U	20	5 U	5 U	5 U	5 U
Alkalinity (as CaCO3)	-	471-34-1	(mg/l)	26.3	24.9	37.1	39.3	34.3	48.0	43.4	56.6 UB	91.9	91.9	91.9	73.7
Ammonia (as N)	2 ST	7664-41-7	(mg/l)	0.1 U	0.1 U	0.26	0.35	0.0500 UJ	0.0500 UJ	0.0320 J	0.590	0.512	0.512	0.512	1.08
Biochemical Oxygen Demand	-	-	(mg/l)	2 U	2 U	2 U	2 U	4 U	2 UJ	4 U	2 UJ	2 U	2 U	2 U	2 U
Bromide	2 GV	24959-67-9	(mg/l)	0.5 U	0.5 U	0.5 U	.5 U	1.33 J	2.00 U	1.00 U	1.30 U	0.0500 U	0.0500 U	0.0500 U	0.0700 U
Chemical Oxygen Demand	-	-	(mg/l)	10 U	10 U	10 U	10 U	10.0 U	10.0 U	3.03 J	3.00 UJ	8.70 J	8.70 J	8.70 J	3.00 U
Chloride	250 ST	16887-00-6	(mg/l)	30.7	23.2	33.9	27.2	23.0	46.5	48.0	29.5 UB	102	102	102	42.9 J
Hardness (as CaCO3)	-	-	(mg/l)	45.0	45.0	80 D	52 D	39.8	46.6	53.3	66.2 UB	121	121	121	113
Nitrate (as N)	10 ST	14797-55-8	(mg/l)	0.1 U	1.11 J*	0.86 D	2.08 U	2.32 J	0.166 J	0.502	0.208	1.17	1.17	1.17	0.997
Phenols, total	0.001 ST	-	(mg/l)	0.005 U	5 U	0.005 U	0.005 U	0.0100 U	0.0110	0.0550	0.0529	0.0308	0.0308	0.0308	0.0252
Sulfate	250 ST	-	(mg/l)	11.1	9.46	56.2 D	15	8.66	26.6	31.8	37.6 D	36.2	36.2	36.2	32.8
Total Organic Carbon	-	-	(mg/l)	1.0	1 U	1 U	1 U	1 U	1.3	1.00 U	1.00 U	1.67 J	1.67 J	1.67 J	2.37 J
Total Dissolved Solids	-	-	(mg/l)	124	98	188	129	99.0	188 D	178 D	170	320	320	320	210
Total Kjeldahl Nitrogen (as N)	-	7727-37-9	(mg/l)	0.41	0.25 U	0.35 U*	0.28 U	0.961	0.400 U	0.200 U	0.764	0.559	0.559	0.559	1.84

NOTES:
 NA: Not analyzed
 U* or UB: Analyzed for but not detected, value shown is instrument detection limit
 J: Estimated value
 D: Diluted
 UJ* or UJ: Value was not detected above quantitation limit but was an approximate concentration as determined by data validation.
 -: No standard or guidance value
 : Concentration exceeds Standard/Guidance Value
 U* or UB: Analyte considered undetected based on data validation criteria.
 J*: Value is an approximate concentration of the analyte in the sample as determined by data validation.



Appendix A-1

**SONIA ROAD LANDFILL
POST CLOSURE GROUNDWATER MONITORING PROGRAM
HISTORIC AND CURRENT SAMPLE RESULTS
LEACHATE INDICATORS**

CONSTITUENT	NYSDEC Class GA Groundwater Standards and Guidance Values	CAS #	SITE : DATE : UNITS	MW-06S 12/1/06 (mg/l)	MW-06S 2/22/07 (mg/l)	MW-06S 5/24/07 (mg/l)	MW-06S 8/10/07 (mg/l)	MW-06S 11/19/07 (mg/l)	MW-06S 2/11/08 (mg/l)	MW-06S 5/15/08 (mg/l)	MW-06S 8/4/08 (mg/l)	MW-06S 11/30/08 (mg/l)	MW-06S 2/23/09 (mg/l)
Color (APHA Units)	-	-	(units)	80	80	NA	NA	NA	NA	NA	NA	100	NA
Alkalinity (as CaCO3)	-	471-34-1	(mg/l)	327	216	258	166	289	291	222	209	286	209
Ammonia (as N)	2 ST	7664-41-7	(mg/l)	6.08	4.42	4.65	3.04	5.15	3.42	4.43	4.23	3.7	2.60
Biochemical Oxygen Demand	-	-	(mg/l)	14	9	10	4	140	8	3	2 U	8.6	10.3
Bromide	2 GV	24959-67-9	(mg/l)	0.5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Chemical Oxygen Demand	-	-	(mg/l)	10 U	35.8	25.7	U*	38.3	24.3	11.9	21.8	26.8	10 U
Chloride	250 ST	16887-00-6	(mg/l)	24.1	28.8	41.0	33.0	32.4	41.9	46.3	30.7	39.3	34.8
Hardness (as CaCO3)	-	-	(mg/l)	312	240	260	160	500	260	210	190	360	480
Nitrate (as N)	10 ST	14797-55-8	(mg/l)	4.48	0.10 U	0.10 U	0.10 U	0.10 U	0.1 U	0.1 U	0.1 U	0.1 U	0.17
Phenols, total	0.001 ST	-	(mg/l)	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	5 U
Sulfate	250 ST	14808-79-8	(mg/l)	5.0 U	5.0 U	5.0 U	5.1	5.0 U	5.0 U	8.50	5 U	5 U	5 U
Total Organic Carbon	-	-	(mg/l)	9.1	6.6	9.5	5.0	8.0	7.1	6.3	4.9	8.5	4.5
Total Dissolved Solids	-	-	(mg/l)	364	246	331	233	348	368	327	268	344	324
Total Kjeldahl Nitrogen (as N)	-	7727-37-9	(mg/l)	9.50	6.48	7.96	U*	6.56	5.98	5.80	4.87	5.22	3.72

CONSTITUENT	NYSDEC Class GA Groundwater Standards and Guidance Values	CAS #	SITE : DATE : UNITS	MW-06S 8/11/09 (mg/l)	MW-06S 2/4/10 (mg/l)	MW-06S 5/26/11 (mg/l)	MW-06S 8/27/12 (mg/l)	MW-06S 11/13/2013 (mg/l)	MW-06S 03/18/2015 (mg/l)	MW-06S 05/10/2016 (mg/l)	MW-06S 8/22/2017 (mg/l)	MW-06S 11/30/2018 (mg/l)	MW-06S 2/24/2020 (mg/l)
Color (APHA Units)	-	-	(units)	100	70	100 D	75	20	250	5 U	40	40	75
Alkalinity (as CaCO3)	-	471-34-1	(mg/l)	220	77.7	259 D	223 D	293	96.0	169	148 UB	115	318
Ammonia (as N)	2 ST	7664-41-7	(mg/l)	0.41 J*	1.46	5.90 D	3.89	2.60	0.222 J	0.835	0.453	0.371	5.60 D
Biochemical Oxygen Demand	-	-	(mg/l)	8 J*	8	10 J*	13	16	5 J	6	5.2 J	4 U	9.1
Bromide	2 GV	24959-67-9	(mg/l)	0.5 U	0.5 U	0.5 U	0.5 U	2.00 U	2.00 U	1.00 U	1.30 U	0.0500 U	0.0700 U
Chemical Oxygen Demand	-	-	(mg/l)	25.4	21.8	20.0	25.3	10.0 U	3.26 J	12.7	3.00 UJ	10.8	45.8
Chloride	250 ST	16887-00-6	(mg/l)	21.9	23.0	27.9	49.5	27.0	31.0	42.0	57.0 UB	57.4	40.7 J
Hardness (as CaCO3)	-	-	(mg/l)	200	180	240	250 D	180	96.1	169	140	112	238
Nitrate (as N)	10 ST	14797-55-8	(mg/l)	0.50	0.20	0.10 U	0.1 U	0.100 U	1.40 DJ	0.0500 U	0.0500 U	0.0500 U	0.0500 U
Phenols, total	0.001 ST	-	(mg/l)	0.005 U	5 U	0.005 U	0.005 U	0.0100 U	0.0110	0.00500 U	0.0621	0.0313	0.0179
Sulfate	250 ST	-	(mg/l)	7.40	5 U	5 U	5 U	1.99 J	28.2	3.83	1.00 U	12.8	3.94
Total Organic Carbon	-	-	(mg/l)	5.4	3.3	8.1 J*	4.1	4	2.7	3.70	1.16 J	1.78 J	7.69
Total Dissolved Solids	-	-	(mg/l)	277	228	329	378	276	218 D	257 D	280	270	430
Total Kjeldahl Nitrogen (as N)	-	7727-37-9	(mg/l)	4.08	3.37	7.07 D	0.5 U	5.08	0.303 J	2.23	0.616	0.472	6.80 D

NOTES:

NA: Not analyzed

U* or UB: Analyzed for but not detected, value shown is instrument detection limit

J: Estimated value

D: Diluted.

UJ* or UJ: Value was not detected above quantitation limit but was an approximate concentration as determined by data validation.

█ : Concentration exceeds Standard/Guidance Value

U* or UB: Analyte considered undetected based on data validation criteria.

J*: Value is an approximate concentration of the analyte in the sample as determined by data validation.

-: No standard or guidance value



Appendix A-1

**SONIA ROAD LANDFILL
POST CLOSURE GROUNDWATER MONITORING PROGRAM
HISTORIC AND CURRENT SAMPLE RESULTS
LEACHATE INDICATORS**

CONSTITUENT	NYSDEC Class GA Groundwater Standards and Guidance Values	CAS #	SITE : DATE : UNITS	MW-071 (mg/l)	MW-071 (mg/l)	MW-071 (mg/l)	MW-071 (mg/l)	MW-071 (mg/l)	MW-071 (mg/l)	MW-071 (mg/l)	MW-071 (mg/l)	MW-071 (mg/l)	MW-071 (mg/l)	MW-071 (mg/l)	MW-071 (mg/l)
Color (APHA Units)	-	-	(units)	5 U	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Alkalinity (as CaCO3)	-	471-34-1	(mg/l)	20.4	27.9	U*	33.8	35.6	40.2	49.6	40.7	40.7	40.7	40.7	40.7
Ammonia (as N)	2 ST	7664-41-7	(mg/l)	0.36	0.10 U	1.68	1.76	0.93	0.86	0.2	0.32	0.32	0.32	0.32	0.32
Biochemical Oxygen Demand	-	-	(mg/l)	2 U	3	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
Bromide	2 GV	24959-67-9	(mg/l)	1.4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Chemical Oxygen Demand	-	-	(mg/l)	10 U	15.5	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U
Chloride	250 ST	16887-00-6	(mg/l)	57.5	49.7	43.7	37.7	44.3	44.6	49.0	36.5	36.5	36.5	36.5	36.5
Hardness (as CaCO3)	-	-	(mg/l)	65.0	54.0	55.0	44.0	62.0	68.0	76.0	160	160	160	160	160
Nitrate (as N)	10 ST	14797-55-8	(mg/l)	0.91	1.47	1.52	1.05	0.1 U	1.32	1.24	0.75	0.75	0.75	0.75	0.75
Phenols, total	0.001 ST	-	(mg/l)	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U
Sulfate	250 ST	14808-79-8	(mg/l)	10	11.5	28.9	21.9	10.1	6.75	6.98	11.4	11.4	11.4	11.4	11.4
Total Organic Carbon	-	-	(mg/l)	1 U	1.2	1.7	1.4	1.1	8.9	1 U	1 U	1 U	1 U	1 U	1 U
Total Dissolved Solids	-	-	(mg/l)	190	147	162	326	149	163	157	123	123	123	123	123
Total Kjeldahl Nitrogen (as N)	-	7727-37-9	(mg/l)	0.52	0.87	1.47	1.98	1.18	0.88	0.24	0.58	0.58	0.58	0.58	0.58

CONSTITUENT	NYSDEC Class GA Groundwater Standards and Guidance Values	CAS #	SITE : DATE : UNITS	MW-071 (mg/l)	MW-071 (mg/l)	MW-071 (mg/l)	MW-071 (mg/l)	MW-071 (mg/l)	MW-071 (mg/l)	MW-071 (mg/l)	MW-071 (mg/l)	MW-071 (mg/l)	MW-071 (mg/l)	MW-071 (mg/l)	MW-071 (mg/l)
Color (APHA Units)	-	-	(units)	5 U	5 U	5 U	1 U	5 U	20	5 U	5 U	5 U	5 U	5 U	5 U
Alkalinity (as CaCO3)	-	471-34-1	(mg/l)	29.5	42.3	30.5	23.2	17.2	32.3 UB	41.4	46.5	46.5	46.5	46.5	46.5
Ammonia (as N)	2 ST	7664-41-7	(mg/l)	1.13	0.87	0.51	0.288	0.943	1.53	1.32	0.353	0.353	0.353	0.353	0.353
Biochemical Oxygen Demand	-	-	(mg/l)	2 U	2 U	2 U	4 U	4 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
Bromide	2 GV	24959-67-9	(mg/l)	0.5 U	0.5 U	0.5 U	2.00 U	1.00 U	1.30 U	0.0500 U	0.0700 U	0.0700 U	0.0700 U	0.0700 U	0.0700 U
Chemical Oxygen Demand	-	-	(mg/l)	10 U	10 U	10 U	10.0 U	3.63 J	3.00 UJ	3.00 U	3.00 U	3.00 U	3.00 U	3.00 U	3.00 U
Chloride	250 ST	16887-00-6	(mg/l)	74.0	67.8 D	44.3 D	33.0	43.0	28.0 UB	48.6	84.0 J	84.0 J	84.0 J	84.0 J	84.0 J
Hardness (as CaCO3)	-	-	(mg/l)	68.0	41.0	58 D	38.4	36.3	50.1 UB	71.8	64.2	64.2	64.2	64.2	64.2
Nitrate (as N)	10 ST	14797-55-8	(mg/l)	1.77	1.51 D	2.78 D	1.08 J	3.60 D	0.625	1.54	1.80 D	1.80 D	1.80 D	1.80 D	1.80 D
Phenols, total	0.001 ST	-	(mg/l)	0.005 U	0.005 U	5 U	0.0100 U	0.0100 U	0.0646	0.0481	0.0360	0.0360	0.0360	0.0360	0.0360
Sulfate	250 ST	-	(mg/l)	20.6	28.1	7.7	9.37	10.2	14.2	18.1	31.8	31.8	31.8	31.8	31.8
Total Organic Carbon	-	-	(mg/l)	1 U	1.1	1 U	1 U	1.00 U	1.00 U	1.00 U	2.19 J	2.19 J	2.19 J	2.19 J	2.19 J
Total Dissolved Solids	-	-	(mg/l)	243	298	167	117	116 D	130	190	220	220	220	220	220
Total Kjeldahl Nitrogen (as N)	-	7727-37-9	(mg/l)	1.70	0.99 U*	1.36	1.93	1.49	2.35	1.73	0.368 J	0.368 J	0.368 J	0.368 J	0.368 J

NOTES:
 NA: Not analyzed
 U* or UB: Analyzed for but not detected, value shown is instrument detection limit
 J: Estimated value
 D: Diluted
 UJ* or UJ: Value was not detected above quantitation limit but was an approximate concentration as determined by data validation.
 -: No standard or guidance value
 : Concentration exceeds Standard/Guidance Value
 U* or UB: Analyte considered undetected based on data validation criteria.
 J*: Value is an approximate concentration of the analyte in the sample as determined by data validation.



**D&B ENGINEERS
AND
ARCHITECTS, P.C.**

Appendix A-1

**SONIA ROAD LANDFILL
POST CLOSURE GROUNDWATER MONITORING PROGRAM
HISTORIC AND CURRENT SAMPLE RESULTS
LEACHATE INDICATORS**

CONSTITUENT	NYSDEC Class GA Groundwater Standards and Guidance Values	CAS #	SITE : DATE : UNITS	MW-11D (mg/l)	MW-11D (mg/l)	MW-11D (mg/l)	MW-11D (mg/l)	MW-11D (mg/l)	MW-11D (mg/l)	MW-11D (mg/l)	MW-11D (mg/l)	MW-11D (mg/l)	MW-11D (mg/l)
Color (APHA Units)	-	-	(units)	10	NA	NA	NA	NA	NA	NA	NA	5	NA
Alkalinity (as CaCO3)	-	471-34-1	(mg/l)	8.6	20.6	10.0	8.0	5.6	5.2	4.2	4.2	5.30	3.90
Ammonia (as N)	2 ST	7664-41-7	(mg/l)	0.1 U	0.10 U	0.10 U	0.10 U	0.1 U	0.1 U	0.1 U	0.1 U	0.1 U	0.1 U
Biochemical Oxygen Demand	-	-	(mg/l)	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
Bromide	2 GV	24959-67-9	(mg/l)	0.7	0.5 U	0.5 U	0.05 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Chemical Oxygen Demand	-	-	(mg/l)	10 U	10 U	10 U	10.5	10 U	10 U	10 U	10 U	10 U	10 U
Chloride	250 ST	16887-00-6	(mg/l)	19.6	25.0	22.9	23.1	21.4	19.6	20.6	20.6	20.7	15.6
Hardness (as CaCO3)	-	-	(mg/l)	40.0	44.0	50.0	42.0	36.0	36.0	30.0	30.0	34.0	120
Nitrate (as N)	10 ST	14797-55-8	(mg/l)	3.43	5.86	6.05	6.57	5.48	5.90	5.87	28.6	28.6	4.16
Phenols, total	0.001 ST	-	(mg/l)	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	5 U
Sulfate	250 ST	14808-79-8	(mg/l)	20.9	21.7	21.8	18.7	18.6	16.7	15.8	16.4	16.4	19.3
Total Organic Carbon	-	-	(mg/l)	1 U	1.0 U	1.0 U	1.0 U	1 U	1 U	1 U	1 U	1 U	1 U
Total Dissolved Solids	-	-	(mg/l)	133	130	166	169	128	121	115	103	103	211
Total Kjeldahl Nitrogen (as N)	-	7727-37-9	(mg/l)	0.46	0.63	1.07	0.2	0.15	0.1 U	0.1 U	0.1 U	0.1 U	0.1 U

CONSTITUENT	NYSDEC Class GA Groundwater Standards and Guidance Values	CAS #	SITE : DATE : UNITS	MW-11D (mg/l)	MW-11D (mg/l)	MW-11D (mg/l)	MW-11D (mg/l)	MW-11D (mg/l)	MW-11D (mg/l)	MW-11D (mg/l)	MW-11D (mg/l)	MW-11D (mg/l)	MW-11D (mg/l)
Color (APHA Units)	-	-	(units)	5 U	250	15	1 U	100	5 U	30	5	5	5
Alkalinity (as CaCO3)	-	471-34-1	(mg/l)	9.55	101	55.4 D	11.1	18.0	3.50 U	6.06 UB	12.1	12.1	10.1
Ammonia (as N)	2 ST	7664-41-7	(mg/l)	0.1 U	0.1 U	0.1 U	0.0500 U	0.0500 U	0.0250 U	0.0250 U	0.0250 U	0.0250 U	0.0250 U
Biochemical Oxygen Demand	-	-	(mg/l)	2 U	2 U	2 U	4 U	2 U	4 U	2 U	4 U	4 U	2 U
Bromide	2 GV	24959-67-9	(mg/l)	0.5 U	0.5 U	0.5 U	2.00 U	2.00 U	1.00 U	1.30 U	0.0500 U	0.0500 U	0.0700 U
Chemical Oxygen Demand	-	-	(mg/l)	10 U	10 U	10 U	5.34 J	4.52 J	3.00 U	5.87 J	3.00 U	3.00 U	3.00 U
Chloride	250 ST	16887-00-6	(mg/l)	19.9	39.0	60 D	21.0	25.0	61.0	32.0 UB	29.8	29.8	31.8 J
Hardness (as CaCO3)	-	-	(mg/l)	27.0	105	460 DJ	43.6	62.8	66.1	82.5 UB	64.1	64.1	76.0
Nitrate (as N)	10 ST	14797-55-8	(mg/l)	2.77	2.22	0.42	4.25	4.86 D	6.14 D	5.95 D	6.18	6.18	11.8 D
Phenols, total	0.001 ST	-	(mg/l)	0.005 U	5 U	0.005 U	0.0100 U	0.0100 U	0.0590	0.0320	0.0599	0.0599	0.00675 J
Sulfate	250 ST	-	(mg/l)	24.4	15.9	38.1	28.7	46.9	47.5	86.6 D	49.4	49.4	35.1
Total Organic Carbon	-	-	(mg/l)	1 U	2.5	1.6	1 U	1.4	1.00 U	1.00 U	1.00 U	1.00 U	1.72 J
Total Dissolved Solids	-	-	(mg/l)	104	197	252	161	166 D	175 D	220	210	210	190
Total Kjeldahl Nitrogen (as N)	-	7727-37-9	(mg/l)	0.1 U	7.58	0.5 U	2.02	1.48	0.938	0.368 J	0.200 U	0.200 U	0.200 U

NOTES:

NA: Not analyzed

U* or UB: Analyzed for but not detected, value shown is instrument detection limit

J: Estimated value

D: Diluted

U* or UJ: Value was not detected above quantitation limit but was an approximate concentration as determined by data validation.

█ : Concentration exceeds Standard/Guidance Value

U* or UB: Analyte considered undetected based on data validation criteria.

J*: Value is an approximate concentration of the analyte in the sample as determined by data validation.

-: No standard or guidance value



Appendix A-1

SONIA ROAD LANDFILL
 POST CLOSURE GROUNDWATER MONITORING PROGRAM
 HISTORIC AND CURRENT SAMPLE RESULTS
 LEACHATE INDICATORS

CONSTITUENT	NYSDEC Class GA Groundwater Standards and Guidance Values	CAS #	SITE : DATE : UNITS	MW-111 (mg/l)	MW-111 (mg/l)	MW-111 (mg/l)	MW-111 (mg/l)	MW-111 (mg/l)	MW-111 (mg/l)	MW-111 (mg/l)	MW-111 (mg/l)	MW-111 (mg/l)	MW-111 (mg/l)
Color (APHA Units)	-	-	(units)	5 U	NA	NA	NA	NA	NA	NA	NA	5.00	NA
Alkalinity (as CaCO3)	-	471-34-1	(mg/l)	11.8	5.8	8.8	4.4	4.9	3.4	3.4	3.4	3.05	1.45
Ammonia (as N)	2 ST	7664-41-7	(mg/l)	0.29	0.10 U	0.10 U	0.10 U	0.10 U	0.1 U	0.1 U	0.1 U	0.1 U	0.1 U
Biochemical Oxygen Demand	-	-	(mg/l)	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
Bromide	2 GV	24959-67-9	(mg/l)	1.5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Chemical Oxygen Demand	-	-	(mg/l)	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U
Chloride	250 ST	16887-00-6	(mg/l)	4.9	5.3	6.3	5.2	4.8	7.1	22.5	12.3	10.1	9.10
Hardness (as CaCO3)	-	-	(mg/l)	16.0	12.0	19.0	18.0	24.0	18.0	36.0	15.0	60.0	90.0
Nitrate (as N)	10 ST	14797-55-8	(mg/l)	0.78	0.70	1.12	0.53	0.62	0.60	2.38	0.65	0.30	0.20
Phenols, total	0.001 ST	-	(mg/l)	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	5 U
Sulfate	250 ST	14808-79-8	(mg/l)	11.0	13.1	14.5	16.9	18.9	15.1	8.93	11.5	12.7	11.1
Total Organic Carbon	-	-	(mg/l)	1 U	1.0 U	1.0 U	1.0 U	1.0 U	1 U	1 U	1 U	1 U	1 U
Total Dissolved Solids	-	-	(mg/l)	58	47	53	71	78	60	104	63	53	82
Total Kjeldahl Nitrogen (as N)	-	7727-37-9	(mg/l)	0.28	0.62	0.72	0.1 U	0.10 U	0.1 U	0.1 U	0.23	0.1 U	0.1 U

CONSTITUENT	NYSDEC Class GA Groundwater Standards and Guidance Values	CAS #	SITE : DATE : UNITS	MW-111 (mg/l)	MW-111 (mg/l)	MW-111 (mg/l)	MW-111 (mg/l)	MW-111 (mg/l)	MW-111 (mg/l)	MW-111 (mg/l)	MW-111 (mg/l)	MW-111 (mg/l)	MW-111 (mg/l)
Color (APHA Units)	-	-	(units)	5 U	150 D	5 U	5 U	1 U	5 U	5 U	25	5	5 U
Alkalinity (as CaCO3)	-	471-34-1	(mg/l)	2.05	2.95	2.10	2.45	5.00 U	4.00 J	5.05	5.05 UB	7.07 J	7.07 J
Ammonia (as N)	2 ST	7664-41-7	(mg/l)	0.1 U	0.1 U	0.10 U	0.15 U	0.0500 U	0.0500 UJ	0.0250 U	0.0250 U	0.0250 U	0.137
Biochemical Oxygen Demand	-	-	(mg/l)	2 U	2 U	2 U	2 U	4 U	2 U	4 U	2 U	4 U	2 U
Bromide	2 GV	24959-67-9	(mg/l)	0.5 U	0.5 U	0.5 U	0.5 U	2.00 U	2.00 U	1.00 U	1.30 U	0.0500 U	0.0700 U
Chemical Oxygen Demand	-	-	(mg/l)	10 U	10 U	10 U	10 U	10.0 U	10.0 U	3.00 U	3.00 U	3.13 J	3.00 U
Chloride	250 ST	16887-00-6	(mg/l)	8.38	5.77	4.64	50.9 D	8.00	7.00 UB	34.0	13.0 UB	12.9	25.9 J
Hardness (as CaCO3)	-	-	(mg/l)	13	11.0	5 U	23	8.72	13.2	25.0	37.7 UB	26.9	33.0
Nitrate (as N)	10 ST	14797-55-8	(mg/l)	0.23	0.16	0.10 U	0.55	0.101	0.100	2.00 D	0.779	0.487	1.48
Phenols, total	0.001 ST	-	(mg/l)	0.005 U	5 U	0.005 U	0.005 U	0.0100 U	0.00929 J	0.0600	0.00816 J	0.0928	0.005 U
Sulfate	250 ST	-	(mg/l)	16.7	10.6	9.22	12.2	9.51	14.7	6.73	15.9	20.2	13.8
Total Organic Carbon	-	-	(mg/l)	1 U	1 U	1.0 U	1 U	1 U	1 U	1.00 U	1.00 U	1.00 U	1.36 J
Total Dissolved Solids	-	-	(mg/l)	64	47	33	138	49.0	41.0 D	75.0 D	110	90.0	80.0
Total Kjeldahl Nitrogen (as N)	-	7727-37-9	(mg/l)	0.1 U	0.1 U	0.1 U	0.5 U	1.31	0.275 J	0.441	0.391 J	0.200 U	0.200 U

NOTES:

NA: Not analyzed

U* or UB: Analyzed for but not detected, value shown is instrument detection limit

J: Estimated value

D: Diluted

UJ* or UJ: Value was not detected above quantitation limit but was an approximate concentration as determined by data validation.

█ : Concentration exceeds Standard/Guidance Value

U* or UB: Analyte considered undetected based on data validation criteria.

J*: Value is an approximate concentration of the analyte in the sample as determined by data validation.

-: No standard or guidance value



Appendix A-1

**SONIA ROAD LANDFILL
POST CLOSURE GROUNDWATER MONITORING PROGRAM
HISTORIC AND CURRENT SAMPLE RESULTS
LEACHATE INDICATORS**

CONSTITUENT	NYSDEC Class GA Groundwater Standards and Guidance Values	CAS #	SITE : DATE : UNITS	MW-11S (mg/l)	MW-11S (mg/l)	MW-11S (mg/l)	MW-11S (mg/l)	MW-11S (mg/l)	MW-11S (mg/l)	MW-11S (mg/l)	MW-11S (mg/l)	MW-11S (mg/l)	MW-11S (mg/l)
Color (APHA Units)	-	-	(units)	5 U	NA	NA	NA	NA	NA	NA	NA	20.0	NA
Alkalinity (as CaCO3)	-	471-34-1	(mg/l)	140	136	151	152	148	148	129	108	108	100
Ammonia (as N)	2 ST	7664-41-7	(mg/l)	1.64	0.10 U	2.06	0.70	0.1 U	0.1 U	0.1 U	0.1 U	0.1 U	0.1 U
Biochemical Oxygen Demand	-	-	(mg/l)	2 U	4	2 U	2 U	6	6	3	4.2	4.2	2 U
Bromide	2 GV	24959-67-9	(mg/l)	1.4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Chemical Oxygen Demand	-	-	(mg/l)	16.0	51.0	23.1	21.8	71.4	41.7	41.7	14.4	14.4	10.9
Chloride	250 ST	16887-00-6	(mg/l)	46.6	39.8	62.8	41.0	53.3	64.9	84.5	84.5	49.1	49.1
Hardness (as CaCO3)	-	-	(mg/l)	130	140	160	122	200	156	180	180	240	240
Nitrate (as N)	10 ST	14797-55-8	(mg/l)	0.59	0.41	0.93	0.64	0.85	0.68	0.46	0.46	0.35	0.35
Phenols, total	0.001 ST	-	(mg/l)	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	5 U
Sulfate	250 ST	14808-79-8	(mg/l)	31.4	27.7	63.4	35.0	38.2	54.9	38.1	38.1	33.3	33.3
Total Organic Carbon	-	-	(mg/l)	3.4	3.8	6.6	4.1	5.7	5.4	3.8	3.8	2.6	2.6
Total Dissolved Solids	-	-	(mg/l)	277	276	373	283	323	369	317	317	265	265
Total Kjeldahl Nitrogen (as N)	-	7727-37-9	(mg/l)	2.04	3.82	3.36	3.05	1.90	4.21	2.92	2.92	0.92	0.92

CONSTITUENT	NYSDEC Class GA Groundwater Standards and Guidance Values	CAS #	SITE : DATE : UNITS	MW-11S (mg/l)	MW-11S (mg/l)	MW-11S (mg/l)	MW-11S (mg/l)	MW-11S (mg/l)	MW-11S (mg/l)	MW-11S (mg/l)	MW-11S (mg/l)	MW-11S (mg/l)	MW-11S (mg/l)
Color (APHA Units)	-	-	(units)	5 U	5	10	5 U	5	5	25	5	5	5 U
Alkalinity (as CaCO3)	-	471-34-1	(mg/l)	118	150	84 D	101	136	136	118 UB	145	145	134
Ammonia (as N)	2 ST	7664-41-7	(mg/l)	0.1 U	0.1 U	0.64	0.596 J	0.385	0.250 U	0.0250 U	0.0250 U	0.176	0.176
Biochemical Oxygen Demand	-	-	(mg/l)	2 U	2 U	2 U	2 U	4 U	4 U	2 U	4 U	4 U	2 U
Bromide	2 GV	24959-67-9	(mg/l)	0.5 U	0.5 U	0.5 U	2.00 U	2.00 U	1.30 U	0.0500 U	0.0500 U	0.0700 U	0.0700 U
Chemical Oxygen Demand	-	-	(mg/l)	23.0	10 U	10 U	10.5	7.57 J	14.2 UJ	10.4	10.4	6.03 J	6.03 J
Chloride	250 ST	16887-00-6	(mg/l)	61.6	92.0	64.4 D	49.5	80.0	42.0 UB	4.11	4.11	42.8 J	42.8 J
Hardness (as CaCO3)	-	-	(mg/l)	145	170	130 D	107	158	146	146	145	132	132
Nitrate (as N)	10 ST	14797-55-8	(mg/l)	0.21	1.42	0.65	0.384	0.902	1.23 D	0.899	0.899	1.00 D	1.00 D
Phenols, total	0.001 ST	-	(mg/l)	0.005 U	5 U	0.005 U	0.0100 U	0.0620	0.00500 U	0.0338	0.0338	0.005 U	0.005 U
Sulfate	250 ST	-	(mg/l)	63.3	49.2	37.0	22.9	27.5	33.1	1.30 UB	1.30 UB	22.4	22.4
Total Organic Carbon	-	-	(mg/l)	3.8	5.0	3.2	3.3	4.18	2.33 J	3.72	3.72	3.83	3.83
Total Dissolved Solids	-	-	(mg/l)	286	380	276	227 D	285 D	280	240	240	270	270
Total Kjeldahl Nitrogen (as N)	-	7727-37-9	(mg/l)	1.01 UJ*	1.19 U	0.57	1.06	0.742	0.401	0.200 U	0.200 U	0.200 U	0.200 U

NOTES:

NA: Not analyzed

U* or UB: Analyzed for but not detected, value shown is instrument detection limit

J: Estimated value

D: Diluted.

UJ* or UJ: Value was not detected above quantitation limit but was an approximate concentration as determined by data validation.

█ : Concentration exceeds Standard/Guidance Value

U* or UB: Analyte considered undetected based on data validation criteria.

J*: Value is an approximate concentration of the analyte in the sample as determined by data validation.

-: No standard or guidance value



**D&B ENGINEERS
AND
ARCHITECTS, P.C.**

Appendix A-1

**SONIA ROAD LANDFILL
POST CLOSURE GROUNDWATER MONITORING PROGRAM
HISTORIC AND CURRENT SAMPLE RESULTS
LEACHATE INDICATORS**

CONSTITUENT	NYSDEC Class GA Groundwater Standards and Guidance Values	CAS #	SITE : DATE : UNITS	MW-12D (mg/l)	MW-12D (mg/l)	MW-12D (mg/l)	MW-12D (mg/l)	MW-12D (mg/l)	MW-12D (mg/l)	MW-12D (mg/l)	MW-12D (mg/l)	MW-12D (mg/l)
Color (APHA Units)	-	-	(units)	5 U	NA	NA	NA	NA	NA	NA	NA	NA
Alkalinity (as CaCO3)	-	471-34-1	(mg/l)	1 U	23.9	12.3	8.8	8.8	10.1	10.1	5.00	7.95
Ammonia (as N)	2 ST	7664-41-7	(mg/l)	0.10	0.10 U	0.10 U	0.10 U	0.10 U	0.1 U	0.1 U	0.1 U	0.1 U
Biochemical Oxygen Demand	-	-	(mg/l)	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
Bromide	2 GV	24959-67-9	(mg/l)	1.6	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Chemical Oxygen Demand	-	-	(mg/l)	13.5	23.1	10 U	10 U	10 U	10 U	10 U	10 U	10 U
Chloride	250 ST	16887-00-6	(mg/l)	5.5	6.9	7.7	10.6	21.7	27.6	31.0	29.3	33.6
Hardness (as CaCO3)	-	-	(mg/l)	26.0	50.0	32.0	40.0	50.0	56.0	52.0	52.0	130
Nitrate (as N)	10 ST	14797-55-8	(mg/l)	0.67	0.70	1.84	2.3	2.25	1.67	1.67	2.04	2.05
Phenols, total	0.001 ST	-	(mg/l)	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U
Sulfate	250 ST	14808-79-8	(mg/l)	14.8	16.4	18.8	22.0	25.8	25.0	24.0	21.1	20.1
Total Organic Carbon	-	-	(mg/l)	1 U	1.0 U	1.0 U	1.0 U	1.3	1 U	1 U	109	1 U
Total Dissolved Solids	-	-	(mg/l)	71	70	69	85	128	128	140	1 U	127
Total Kjeldahl Nitrogen (as N)	-	7727-37-9	(mg/l)	0.14	0.95	0.55	0.1 U	0.10 U	0.1 U	0.18	0.1 U	0.1 U

CONSTITUENT	NYSDEC Class GA Groundwater Standards and Guidance Values	CAS #	SITE : DATE : UNITS	MW-12D (mg/l)	MW-12D (mg/l)	MW-12D (mg/l)	MW-12D (mg/l)	MW-12D (mg/l)	MW-12D (mg/l)	MW-12D (mg/l)	MW-12D (mg/l)	MW-12D (mg/l)
Color (APHA Units)	-	-	(units)	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U
Alkalinity (as CaCO3)	-	471-34-1	(mg/l)	9.15	12.8	16	9.4	9.09	7.07	7.07	18.2	15.2
Ammonia (as N)	2 ST	7664-41-7	(mg/l)	0.1 U	0.1 U	0.10 U	0.1 U	0.0500 U	0.0250 U	0.0250 U	0.0250 U	0.0250 U
Biochemical Oxygen Demand	-	-	(mg/l)	2 U	2 U	2 U	2 U	4 U	4 U	4 U	4 U	2 U
Bromide	2 GV	24959-67-9	(mg/l)	0.5 U	0.5 U	0.5 U	0.5 U	2.00 U	1.00 U	1.00 U	0.0500 U	0.0700 U
Chemical Oxygen Demand	-	-	(mg/l)	10 U	10 U	12	10 U	10.0 U	3.00 U	3.00 U	3.00 U	3.00 U
Chloride	250 ST	16887-00-6	(mg/l)	40.1	26.4	8.80	9.06	8.00	25.0	22.0 UB	44.6	33.2 J
Hardness (as CaCO3)	-	-	(mg/l)	53.0	42.0	30	22	22.8	34.9	45.5 UB	61.4	38.9
Nitrate (as N)	10 ST	14797-55-8	(mg/l)	1.79	1.79	2.70 D	2.94 D	1.46	0.999	0.774	2.35	1.32 D
Phenols, total	0.001 ST	-	(mg/l)	0.005 U	5 U	0.005 U	0.005 U	0.0100 U	0.0200	0.00826 J	0.143	0.0694
Sulfate	250 ST	-	(mg/l)	30.8	20.8	15.7	10.2	17.0	14.4	10.9	20.0	10.8
Total Organic Carbon	-	-	(mg/l)	1 U	1 U	1.0 U	0.1 U	1 U	1.00 U	1.00 U	1.00 U	1.67 J
Total Dissolved Solids	-	-	(mg/l)	119	110	73	70	76.0	66.0 D	120	170	100
Total Kjeldahl Nitrogen (as N)	-	7727-37-9	(mg/l)	0.1 U	0.1 U	0.44	0.5 U	1.77	0.831	0.200 U	0.200 U	0.200 U

NOTES:
 NA: Not analyzed
 U* or UB: Analyzed for but not detected, value shown is instrument detection limit
 J: Estimated value
 D: Diluted
 UJ* or UJ: Value was not detected above quantitation limit but was an approximate concentration as determined by data validation.
 -: No standard or guidance value
 : Concentration exceeds Standard/Guidance Value
 U* or UB: Analyte considered undetected based on data validation criteria.
 J*: Value is an approximate concentration of the analyte in the sample as determined by data validation.



Appendix A-1

**SONIA ROAD LANDFILL
POST CLOSURE GROUNDWATER MONITORING PROGRAM
HISTORIC AND CURRENT SAMPLE RESULTS
LEACHATE INDICATORS**

CONSTITUENT	NYSDEC Class GA Groundwater Standards and Guidance Values	CAS #	SITE : DATE : UNITS	MW-121 11/29/06 (mg/l)	MW-121 2/23/07 (mg/l)	MW-121 6/1/07 (mg/l)	MW-121 8/16/07 (mg/l)	MW-121 11/14/07 (mg/l)	MW-121 2/12/08 (mg/l)	MW-121 5/14/08 (mg/l)	MW-121 8/6/08 (mg/l)	MW-121 11/5/08 (mg/l)	MW-121 2/25/09 (mg/l)
Color (APHA Units)	-	-	(units)	5 U	5	NA	NA	NA	NA	NA	NA	5.00	NA
Alkalinity (as CaCO3)	-	471-34-1	(mg/l)	21.8	58.8	4	24.6	17.8	20.2	22.4	31.1	23.7	34.0
Ammonia (as N)	2 ST	7664-41-7	(mg/l)	3.71	1.02	0.10 U	2.42	0.64	0.23	3.96	3.92 J*	0.2	2.32
Biochemical Oxygen Demand	-	-	(mg/l)	5	50	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
Bromide	2 GV	24959-67-9	(mg/l)	1.0	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Chemical Oxygen Demand	-	-	(mg/l)	10 U	78.8	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U
Chloride	250 ST	16887-00-6	(mg/l)	12.9	21.7	12.6	14.8	18.1	14.2	17.9	12.2	10.7	23.1
Hardness (as CaCO3)	-	-	(mg/l)	24.0	84.0	14.0	13.0	22.0	23.0	24.0	23.0	26.0	14.0
Nitrate (as N)	10 ST	14797-55-8	(mg/l)	2.61	0.11	1.46	1.03	2.14	1.92	1.48	1.61	1.72	1.48
Phenols, total	0.001 ST	-	(mg/l)	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U
Sulfate	250 ST	14808-79-8	(mg/l)	26.4	31.1	20.8	8.0	5.0 U	11.7	14.80	14.3	15.2	14.0
Total Organic Carbon	-	-	(mg/l)	1.1	21.3	1.1	1.0 U	1.0 U	1 U	1 U	1	1 U	1 U
Total Dissolved Solids	-	-	(mg/l)	97	124	74	62	54	72	84	79	58	105
Total Kjeldahl Nitrogen (as N)	-	7727-37-9	(mg/l)	7.67	3.99	3.95	3.11	3.32	3.84	4.45	5.58	3.31	3.81

CONSTITUENT	NYSDEC Class GA Groundwater Standards and Guidance Values	CAS #	SITE : DATE : UNITS	MW-121 8/13/09 (mg/l)	MW-121 2/5/10 (mg/l)	MW-121 5/27/11 (mg/l)	MW-121 8/29/12 (mg/l)	MW-121 11/14/2013 (mg/l)	MW-121 03/20/2015 (mg/l)	MW-121 05/12/2016 (mg/l)	MW-121 8/23/2017 (mg/l)	MW-121 12/3/2018 (mg/l)	MW-121 2/26/2020 (mg/l)
Color (APHA Units)	-	-	(units)	5 U	20	10	20	1	5 U	5 U	40	5 U	5 U
Alkalinity (as CaCO3)	-	471-34-1	(mg/l)	17.0	1 U	2.80	23.6 D	27.3	11.0	8.08	35.4 UB	58.6	68.7
Ammonia (as N)	2 ST	7664-41-7	(mg/l)	1.64	0.1 U	0.74	1.75	2.80	5.80 DJ	2.46 D	1.06	2.48	1.48
Biochemical Oxygen Demand	-	-	(mg/l)	2 U	2 U	10	2 U	4 U	2 U	4 U	2 U	4 U	2 U
Bromide	2 GV	24959-67-9	(mg/l)	0.5 U	0.5 U	0.5 U	0.5 U	2.00 U	2.00 U	1.00 U	1.30 U	0.0500 U	0.0700 U
Chemical Oxygen Demand	-	-	(mg/l)	10.9	10 U	12	10 U	10.0 U	10.0 U	3.00 U	3.00 U	6.26 J	3.71 J
Chloride	250 ST	16887-00-6	(mg/l)	46.1	20.0	12.6	31.8	40.5	34.5	9.00	54.0 UB	35.0	100 DJ
Hardness (as CaCO3)	-	-	(mg/l)	30.0	24.0	26	38	58.9	106	41.1	91.7 UB	70.3	133
Nitrate (as N)	10 ST	14797-55-8	(mg/l)	1.48	3.88	3.32 D	0.79	0.455	0.578	1.33 D	3.62 D	2.03	2.59 D
Phenols, total	0.001 ST	-	(mg/l)	0.005 U	5 U	0.005 U	0.005 U	0.0100 U	0.0100 U	0.0530	0.110	0.115	0.0646
Sulfate	250 ST	-	(mg/l)	23.2	11.0	7.03	31	39.9	58.9	7.72	39.4 D	9.35	34.8
Total Organic Carbon	-	-	(mg/l)	1 U	1.0	2.1	1.3	1.3	2.1	1.00 U	1.00 U	1.00 U	3.58
Total Dissolved Solids	-	-	(mg/l)	155	77	74	110	177	179 D	88.0 D	250	150	280
Total Kjeldahl Nitrogen (as N)	-	7727-37-9	(mg/l)	6.49	1.13 U	2.18	2.03	4.98	7.31 D	4.22	1.56	2.56	1.75

NOTES:

NA: Not analyzed

U* or UB: Analyzed for but not detected, value shown is instrument detection limit

J: Estimated value

D: Diluted

UU* or UU: Value was not detected above quantitation limit but was an approximate concentration as determined by data validation.

█ : Concentration exceeds Standard/Guidance Value

U* or UB: Analyte considered undetected based on data validation criteria.

J*: Value is an approximate concentration of the analyte in the sample as determined by data validation.

-: No standard or guidance value



Appendix A-1

**SONIA ROAD LANDFILL
POST CLOSURE GROUNDWATER MONITORING PROGRAM
HISTORIC AND CURRENT SAMPLE RESULTS
LEACHATE INDICATORS**

CONSTITUENT	NYSDEC Class GA Groundwater Standards and Guidance Values	CAS #	SITE : DATE : UNITS	MW-12S 11/29/06 (mg/l)	MW-12S 2/23/07 (mg/l)	MW-12S 6/1/07 (mg/l)	MW-12S 8/16/07 (mg/l)	MW-12S 11/14/07 (mg/l)	MW-12S 2/12/08 (mg/l)	MW-12S 5/14/08 (mg/l)	MW-12S 8/6/08 (mg/l)	MW-12S 11/5/08 (mg/l)	MW-12S 2/25/09 (mg/l)
Color (APHA Units)	-	-	(units)	5 U	20	NA	NA	NA	NA	NA	NA	30.0	NA
Alkalinity (as CaCO3)	-	471-34-1	(mg/l)	73.0	71.2	60.6	60.8	67.2	68	67.2	76.2	86.8	68.4
Ammonia (as N)	2 ST	7664-41-7	(mg/l)	0.1 U	0.10 U	0.10 U	0.10 U	0.10 U	0.1 U	0.1 U	0.1 U*	0.1 U	0.1 U
Biochemical Oxygen Demand	-	-	(mg/l)	2 U	6.0	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
Bromide	2 GV	24959-67-9	(mg/l)	1.1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Chemical Oxygen Demand	-	-	(mg/l)	10 U	40.9	10 U	10 U	10 U	10 U	10 U	34.2	19.4	10 U
Chloride	250 ST	16887-00-6	(mg/l)	25.2	25.5	27.7	17.8	23.9	32.9	28.5	32.4	44.1	38.0
Hardness (as CaCO3)	-	-	(mg/l)	110	80.0	72.0	64.0	80.0	82	70.0	88.0	85.0	190
Nitrate (as N)	10 ST	14797-55-8	(mg/l)	2.33	2.30	2.32	1.71	2.03	1.46	1.54	1.12	1.37	0.79
Phenols, total	0.001 ST	-	(mg/l)	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	5 U
Sulfate	250 ST	14808-79-8	(mg/l)	22.8	25.0	21.6	33.2	29.9	33.2	32.0	34.6	36.2	28.3
Total Organic Carbon	-	-	(mg/l)	1.5	1.4	2.0	1.5	1.1	1.4	1.5	1.9	2.12	1 U
Total Dissolved Solids	-	-	(mg/l)	189	183	159	167	193	196	185	199	2.0	195
Total Kjeldahl Nitrogen (as N)	-	7727-37-9	(mg/l)	0.16	0.75	0.69	0.1 U	0.10 U	0.14	0.10	0.85	0.22	0.13

CONSTITUENT	NYSDEC Class GA Groundwater Standards and Guidance Values	CAS #	SITE : DATE : UNITS	MW-12S 8/13/09 (mg/l)	MW-12S 2/5/10 (mg/l)	MW-12S 5/27/11 (mg/l)	MW-12S 8/29/12 (mg/l)	MW-12S 11/14/2013 (mg/l)	MW-12S 03/20/2015 (mg/l)	MW-12S 05/12/2016 (mg/l)	MW-12S 8/23/2017 (mg/l)	MW-12S 11/29/2018 (mg/l)	MW-12S 2/26/2020 (mg/l)
Color (APHA Units)	-	-	(units)	5 U	20	20	15	1 U	5 U	5 U	30	20	5 U
Alkalinity (as CaCO3)	-	471-34-1	(mg/l)	63.9	81.6	88.0 D	288 D	107	93.0	97.0	101 UB	142	101
Ammonia (as N)	2 ST	7664-41-7	(mg/l)	0.1 U	0.1 U	0.10 U	0.21 U	0.0500 U	0.0500 UJ	0.0250 U	0.0250 U	0.0250 U	0.0543
Biochemical Oxygen Demand	-	-	(mg/l)	2 U	2 U	2 U	2 U	4 U	2 U	4 U	2 U	2 U	2 U
Bromide	2 GV	24959-67-9	(mg/l)	0.5 U	0.5 U	0.5 U	0.5 U	2.00 U	2.00 U	1.00 U	1.30 U	0.0645 J	0.0700 U
Chemical Oxygen Demand	-	-	(mg/l)	10.9	10 U	18.6	19.3	10.0 U	10.0 U	3.00 U	3.00 UJ	7.65 J	3.00 U
Chloride	250 ST	16887-00-6	(mg/l)	48.6	42.1	49.0	42.4	48.0	245	36.0	32.0 UB	74.6	44.4 J
Hardness (as CaCO3)	-	-	(mg/l)	90.0	80.0	120 D	88 D	43.2	122	95.8	152	132	98.6
Nitrate (as N)	10 ST	14797-55-8	(mg/l)	0.81	1.34	1.22	0.37	0.347	1.06 D	1.68 D	4.22 D	1.57	2.00 D
Phenols, total	0.001 ST	-	(mg/l)	0.005 U	5 U	0.005 U	0.005 U	0.00671 UB	0.00727 J	0.0600	0.00740 J	0.0313	0.00931 J
Sulfate	250 ST	-	(mg/l)	49.4	29.0	37.8	16.8	26.9	38.1	27.0	82.0 D	37.2	23.9
Total Organic Carbon	-	-	(mg/l)	1.4	1.2	3.3	5.1	1.8	2.1	1.92 J	1.65 J	4.21	3.07
Total Dissolved Solids	-	-	(mg/l)	200	192	233	227	258	532 D	222 D	360	350	240
Total Kjeldahl Nitrogen (as N)	-	7727-37-9	(mg/l)	0.1 U	0.56 U	0.63	0.15	1.48	0.418	0.770	0.328 J	0.200 U	0.200 U

NOTES:

NA: Not analyzed

U* or UB: Analyzed for but not detected, value shown is instrument detection limit

J: Estimated value

D: Diluted.

U* or UJ: Value was not detected above quantitation limit but was an approximate concentration as determined by data validation.

█ : Concentration exceeds Standard/Guidance Value

U* or UB: Analyte considered undetected based on data validation criteria.

J: Value is an approximate concentration of the analyte in the sample as determined by data validation.

-: No standard or guidance value



APPENDIX A-2

Monitoring Well Sample Results - Inorganic Parameters

**Appendix A-2
SONIA ROAD LANDFILL
POST CLOSURE GROUNDWATER MONITORING PROGRAM
HISTORIC AND CURRENT SAMPLE RESULTS
INORGANIC PARAMETERS**

CONSTITUENT	NYSDEC Class GA Groundwater Standards/ Guidance Values	CAS #	SITE: DATE: UNITS:	MW-01D 11/9/2007 (ug/l)	MW-01D 2/11/2008 (ug/l)	MW-01D 5/15/2008 (ug/l)	MW-01D 8/5/2008 (ug/l)	MW-01D 11/3/2008 (ug/l)	MW-01D 2/24/2009 (ug/l)	MW-01D 8/12/2009 (ug/l)	MW-01D 2/4/2010 (ug/l)
Aluminum	-	7429-90-5	ug/l	NA	NA	NA	NA	75.1 B	NA	1,130	268
Antimony	3 GV	7440-36-0	ug/l	NA	NA	NA	NA	2.3 U	NA	2.5 U	6.2 B
Arsenic	25 ST	7440-38-2	ug/l	NA	NA	NA	NA	1.8 U	NA	3.0 U	2.3 U
Barium	1,000 ST	7440-39-3	ug/l	NA	NA	NA	NA	59.8 B	NA	35.8 B	30.2 B
Beryllium	3 GV	7440-41-7	ug/l	NA	NA	NA	NA	0.10 B	NA	0.13 U	0.91 B
Boron	1,000 ST	7440-42-8	ug/l	NA	NA	NA	NA	54.5 BN	NA	52.0 B	32.0 B
Cadmium	5 ST	7440-43-9	ug/l	2.0 B	0.32 U	0.27 U	0.27 U	0.35 U	0.35 U	0.60 B	4.0 B
Calcium	-	7440-70-2	ug/l	5,160	24,200	11,900	5,180	3,420 B	3,680 B	4,810 B	11,100
Chromium Hexavalent	50 ST	18540-29-9	ug/l	NA	NA	NA	NA	1.1 B	NA	0.02 U	0.02 U
Chromium Total	50 ST	7440-47-3	ug/l	NA	NA	NA	NA	0.02 U	NA	2.6 B	2.1 B
Cobalt	-	7440-48-4	ug/l	NA	NA	NA	NA	1.9 B	NA	1.5 B	1.4 B
Copper	200 ST	7440-50-8	ug/l	NA	NA	NA	NA	3.1 B	NA	3.3 B	10.6 B
Iron	300 ST	7439-89-6	ug/l	1,280	97.2 B	180	276	78.6 B	69.6 B	1,040	315 J*
Lead	25 ST	7439-92-1	ug/l	4.9 J	1.5 B	2.3 U	2.3 U	1.3 U	1.3 U	33	3.8
Magnesium	35,000 GV	7439-95-4	ug/l	1,320 B	5,250	2,840 B	1,330 B	811 B	892 B	1,210 B	2,900 B
Manganese	300 ST	7439-96-5	ug/l	106	990	352	184	126	137	123	72.7
Mercury	0.7 ST	7439-97-6	ug/l	NA	NA	NA	NA	0.13 U	NA	0.10 U	0.10 U
Nickel	100 ST	7440-02-0	ug/l	NA	NA	NA	NA	1.7 B	NA	2.0 B	2.9 B
Potassium	-	7440-09-7	ug/l	33,400 J	33,400 J	2,360 B	2,040 B	1,550 B	1,750 B	1,840 B	6370
Selenium	10 ST	7782-49-2	ug/l	NA	NA	NA	NA	1.9 UN	NA	5.3 U	2.5 B
Silver	50 ST	7440-22-4	ug/l	NA	NA	NA	NA	0.54 U	NA	0.33 U	0.83 U
Sodium	20,000 ST	7440-23-5	ug/l	23,700	462,000	250,000	159,000	150,000	130,000	78,100	15,100
Thallium	0.5 GV	7440-28-0	ug/l	NA	NA	NA	NA	4.0 B	NA	3.9 U	3.2 U
Vanadium	-	7440-62-2	ug/l	NA	NA	NA	NA	0.74 U	NA	2.1 B	1.9 B
Zinc	2,000 ST	7440-66-6	ug/l	NA	NA	NA	NA	8.3 B	NA	30.8	49.7
Cyanide	200 ST	0057-12-5	ug/l	NA	NA	NA	NA	10.0 U	NA	10.0 U	10.0 U
Iron + Manganese	500 ST*	-	ug/l	1,386	1,087.2	532	460	204.6	206.6	1,163	387.7

NOTES:

- U: Analyzed for but not detected, value shown is instrument detection limit.
- ST: Standard.
- U* or UB: Result qualified as non-detect based on validation criteria
- GV: Guidance value.
- J: Estimated due to data validation criteria.
- NA: Not analyzed.
- J*: Value is an approximate concentration of the analyte as determined by data validation.
- UJ: Value was not detected above quantitation limit but was an approximate.
- B: Concentration is above instrument detection limit but below contract required detection limit.
- N: Matrix spike sampe recovery not within control limits.

Concentration exceeds Standard/Guidance Value.



**Appendix A-2
SONIA ROAD LANDFILL
POST CLOSURE GROUNDWATER MONITORING PROGRAM
HISTORIC AND CURRENT SAMPLE RESULTS
INORGANIC PARAMETERS**

CONSTITUENT	NYSDEC Class GA Groundwater Standards/ Guidance Values	CAS #	SITE: DATE: UNITS:	MW-01D 5/26/2011 (ug/l)	MW-01D 8/28/2012 (ug/l)	MW-01D 11/12/2013 (ug/l)	MW-01D 03/17/2015 (ug/l)	MW-01D 05/10/2016 (ug/l)	MW-01D 8/21/2017 (ug/l)	MW-01D 11/29/2018 (ug/l)	MW-01D 2/24/2020 (ug/l)
Aluminum	-	7429-90-5	ug/l	3,070	133 B	39.2	48.6	195 UB	34.1 UB	94.2	133
Antimony	3 GV	7440-36-0	ug/l	2.1 U	1.1 U	20 U	20 U	5 U	9 U	5 U	10 U
Arsenic	25 ST	7440-38-2	ug/l	1.9 U	4.4 U	25 U	25 U	10 U	7 U	10 U	10 U
Barium	1,000 ST	7440-39-3	ug/l	22.4 B	16.3 B	43.8	172	65.1 UB	99.8	234	89.1
Beryllium	3 GV	7440-41-7	ug/l	0.13 U	.12 U	20 U	20 U	5 U	3 U	5 U	5 U
Boron	1,000 ST	7440-42-8	ug/l	5.5 B	66.3 B	44	20 U	58.4	73.2	65.4 UB	63.9
Cadmium	5 ST	7440-43-9	ug/l	3.3 B	0.6 B	10 U	10 U	5 U	3 U	5 U	5 U
Calcium	-	7440-70-2	ug/l	9,050	7,140	2,670	7,750	5,080	6,800	18,600	19,800
Chromium Hexavalent	50 ST	18540-29-9	ug/l	20 U	8.9 B	10 U	10.0 U	2.5 UJ	2.50 U	2.5 UJ	2.50 U
Chromium Total	50 ST	7440-47-3	ug/l	6.9 B	8.0 B	20 U	20 U	5 U	4 U	5.7 J	5 U
Cobalt	-	7440-48-4	ug/l	1.8 B	.52 U	20 U	20 U	5 U	4 U	5 U	5 U
Copper	200 ST	7440-50-8	ug/l	12.0 B	.7 U	20 U	20 U	5 U	3.16 J	4.7 UB	5 U
Iron	300 ST	7439-89-6	ug/l	3,780	104	20.1 UB	14.2 UB	27.8 UB	22.3 UB	43.7 UB	19.9 J
Lead	25 ST	7439-92-1	ug/l	20.4	18.5	15 U	15 U	5 U	4 U	5 U	5 U
Magnesium	35,000 GV	7439-95-4	ug/l	2,410 B	1,510 B	650	1,470	1,120 UB	1,400 UB	3,620	4,690
Manganese	300 ST	7439-96-5	ug/l	104	23.2	24.1	866	13.2 J	111	1,260	380
Mercury	0.7 ST	7439-97-6	ug/l	0.10 U*J*	.1 U	0.25 U	0.25 U	0.15 U	0.15 U	0.15 U	0.15 U
Nickel	100 ST	7440-02-0	ug/l	3.9 B	1.7 B	20 U	6.98 J	5 U	3 U	16.7 J	7.6 J
Potassium	-	7440-09-7	ug/l	5,000	6,760	3,470	7,950	3,550 UB	5,430	6,740	5,260
Selenium	10 ST	7782-49-2	ug/l	2.6 UNU*J*	2.8 U	25 U	25 U	10 U	10 U	10 U	10 U
Silver	50 ST	7440-22-4	ug/l	0.52 U*J*	.32 U	20 U	20 U	5 U	3 U	5 U	5 U
Sodium	20,000 ST	7440-23-5	ug/l	2,980 B	26,300	13,000	31,700	19,100 UB	17,300 UB	166,000	34,800
Thallium	0.5 GV	7440-28-0	ug/l	2.7 U	3.2 U	15 U	15 U	10 U	7 U	10 U	10 U
Vanadium	-	7440-62-2	ug/l	8.2 B	.6 B	20 U	20 U	5 U	3 U	5 U	5 U
Zinc	2,000 ST	7440-66-6	ug/l	76.4	29.8	11 UB	20 U	14.6 UB	19.4 UB	20.3 UB	25.7
Cyanide	200 ST	0057-12-5	ug/l	10.0 U	10.0 U	47.6 UB	6.38 J	5 U	5 U	5 U	5 U
Iron + Manganese	500 ST*	-	ug/l	3,894	127.2	44.2	866	13.2 J	111	1,260	400

NOTES:

- U: Analyzed for but not detected, value shown is instrument detection limit.
- U* or UB: Result qualified as non-detect based on validation criteria
- J: Estimated due to data validation criteria.
- J*: Value is an approximate concentration of the analyte as determined by data validation.
- UJ: Value was not detected above quantitation limit but was an approximate.
- B: Concentration is above instrument detection limit but below contract required detection limit.
- N: Matrix spike sample recovery not within control limits.

Concentration exceeds Standard/Guidance Value.



**Appendix A-2
SONIA ROAD LANDFILL
POST CLOSURE GROUNDWATER MONITORING PROGRAM
HISTORIC AND CURRENT SAMPLE RESULTS
INORGANIC PARAMETERS**

CONSTITUENT	NYSDEC Class GA Groundwater Standards/ Guidance Values	CAS #	SITE: DATE:	MW-011 11/9/2007 (ug/l)	MW-011 2/11/2008 (ug/l)	MW-011 5/15/2008 (ug/l)	MW-011 8/5/2008 (ug/l)	MW-011 11/13/2008 (ug/l)	MW-011 2/24/2009 (ug/l)	MW-011 8/12/2009 (ug/l)	MW-011 2/4/2010 (ug/l)
Aluminum	-	7429-90-5	ug/l	NA	NA	NA	NA	8.7 U	NA	12.5 U	118 B
Antimony	3 GV	7440-36-0	ug/l	NA	NA	NA	NA	2.3 U	NA	2.5 U	2.1 U
Arsenic	25 ST	7440-38-2	ug/l	NA	NA	NA	NA	1.8 U	NA	3.0 U	2.3 U
Barium	1,000 ST	7440-39-3	ug/l	NA	NA	NA	NA	6.7 B	NA	8.0 B	7.9 B
Beryllium	3 GV	7440-41-7	ug/l	NA	NA	NA	NA	0.096 U	NA	0.13 U	0.26 U
Boron	1,000 ST	7440-42-8	ug/l	NA	NA	NA	NA	62.8 BN	NA	52.2 B	47.9 B
Cadmium	5 ST	7440-43-9	ug/l	0.55 B	0.32 U	0.45 B	0.27 U	0.35 U	0.35 U	0.26 U	0.34 U
Calcium	-	7440-70-2	ug/l	9,220	12,200	13,600	8,380	6,510	6,160	6,620	6,500
Chromium Hexavalent	50 ST	18540-29-9	ug/l	NA	NA	NA	NA	0.41 U	NA	0.02 U	0.02 U
Chromium Total	50 ST	7440-47-3	ug/l	NA	NA	NA	NA	0.02U	NA	0.60 B	1.2 B
Cobalt	-	7440-48-4	ug/l	NA	NA	NA	NA	0.88 U	NA	0.76 U	1.2 U
Copper	200 ST	7440-50-8	ug/l	NA	NA	NA	NA	1.5 B	NA	0.70 B	2.4 B
Iron	300 ST	7439-89-6	ug/l	122	24.2 U	31.7 B	21.4 B	27.6 B	13.3 B	31.8 B	390 J*
Lead	25 ST	7439-92-1	ug/l	1.5 JB	1.4 U	2.3 U	2.3 U	1.3 U	1.3 U	10.4	2.0 B
Magnesium	35,000 GV	7439-95-4	ug/l	2,800	3,420 B	3,960 B	2,280 B	1,830 B	1,740 B	1,750 B	2,060 B
Manganese	300 ST	7439-96-5	ug/l	178	463	343	336	148	64.8	107	112
Mercury	0.7 ST	7439-97-6	ug/l	NA	NA	NA	NA	14.5	NA	0.10 U	0.10 U
Nickel	100 ST	7440-02-0	ug/l	NA	NA	NA	NA	1.7 B	NA	0.82 U	2.4 B
Potassium	-	7440-09-7	ug/l	2,020 J	1,650 B	1,950 B	1,970 B	1,390 B	1,130 B	1,400 B	1,580 B
Selenium	10 ST	7782-49-2	ug/l	NA	NA	NA	NA	1.9 UN	NA	5.3 U	2.5 U
Silver	50 ST	7440-22-4	ug/l	NA	NA	NA	NA	0.54 U	NA	0.33 U	0.83 U
Sodium	20,000 ST	7440-23-5	ug/l	10,200	12,300	15,400	11,400	8,450	6,950	6,450	5,790
Thallium	0.5 GV	7440-28-0	ug/l	NA	NA	NA	NA	4.2 B	NA	3.9 U	3.2 U
Vanadium	-	7440-62-2	ug/l	NA	NA	NA	NA	0.74 U	NA	0.77 U	1.4 U
Zinc	2,000 ST	7440-66-6	ug/l	NA	NA	NA	NA	9.9 B	NA	10.1 B	46.8
Cyanide	200 ST	0057-12-5	ug/l	NA	NA	NA	NA	10.0 U	NA	10.0 U	10.0 U
Iron + Manganese	500 ST*	-	ug/l	300	487.2	375	357.4	175.6	78.1	138.8	502

NOTES:

- U: Analyzed for but not detected, value shown is instrument detection limit.
- U* or UB: Result qualified as non-detect based on validation criteria
- J: Estimated due to data validation criteria.
- J*: Value is an approximate concentration of the analyte as determined by data validation.
- UJ: Value was not detected above quantitation limit but was an approximate.
- B: Concentration is above instrument detection limit but below contract required detection limit.
- N: Matrix spike sampe recovery not within control limits.

Concentration exceeds Standard/Guidance Value.



Appendix A-2
SONIA ROAD LANDFILL
POST CLOSURE GROUNDWATER MONITORING PROGRAM
HISTORIC AND CURRENT SAMPLE RESULTS
INORGANIC PARAMETERS

CONSTITUENT	NYSDEC Class GA Groundwater Standards/ Guidance Values	CAS #	SITE: DATE: UNITS:	MW-011 5/26/2011 (ug/l)	MW-011 8/28/2012 (ug/l)	MW-011 11/12/2013 (ug/l)	MW-011 03/17/2015 (ug/l)	MW-011 05/10/2016 (ug/l)	MW-011 8/21/2017 (ug/l)	MW-011 11/29/2018 (ug/l)	MW-011 2/24/2020 (ug/l)
Aluminum	-	7429-90-5	ug/l	8.2 U	38.2 B	10.8 J	9.19 J	166 UB	8.78 UB	18.8 UB	22.0
Antimony	3 GV	7440-36-0	ug/l	2.1 U	1.1 U	20 U	20 U	5 U	9 U	5 U	10 U
Arsenic	25 ST	7440-38-2	ug/l	1.9 U	4.4 U	25 U	25 U	10 U	7 U	10 U	10 U
Barium	1,000 ST	7440-39-3	ug/l	4.9 B	10.1 B	83	52.3	26.8 UB	59.9	24.5	30.8
Beryllium	3 GV	7440-41-7	ug/l	0.13 U	.12 U	20 U	20 U	5 U	3 U	5 U	5 U
Boron	1,000 ST	7440-42-8	ug/l	24.4 B	33.8 B	83	20 U	25.9 UB	24.5	39.1 UB	27.8
Cadmium	5 ST	7440-43-9	ug/l	0.27 U	.18 U	10 U	10 U	5 U	3 U	5 U	5 U
Calcium	-	7440-70-2	ug/l	5.290	6,230	27,400	8,930	7,110	10,600 UB	11,900	8,910
Chromium Hexavalent	50 ST	18540-29-9	ug/l	20 U	.2 U	97.3	10.0 U	2.5 UJ	2.50 U	2.5 UJ	2.50 U
Chromium Total	50 ST	7440-47-3	ug/l	1.3 B	8.0 B	20 U	20 U	5 U	4 U	5 U	5 U
Cobalt	-	7440-48-4	ug/l	0.49 U	.52 U	20 U	20 U	5 U	4 U	5 U	5 U
Copper	200 ST	7440-50-8	ug/l	1.9 B	.7 U	20 U	20 U	5 U	3.49 J	5 U	5 U
Iron	300 ST	7439-89-6	ug/l	71.0 B	13.8 B	8.88 UB	5.75 UB	32 UB	45 UB	24.8 UB	20.8
Lead	25 ST	7439-92-1	ug/l	1.5 U	6.6	15 U	15 U	5 U	4 U	5 U	5 U
Magnesium	35,000 GV	7439-95-4	ug/l	1,940 B	1,340 B	6,560	1,940	1,650 UB	2,250 UB	2,620	2,070
Manganese	300 ST	7439-96-5	ug/l	9.6 B	1,440	1,720	1,180	13.4 J	16.3 J	9 J	10.9 J
Mercury	0.7 ST	7439-97-6	ug/l	0.10 U*J*	.1 U	0.25 U	0.25 U	0.15 U	0.15 U	0.15 U	0.15 U
Nickel	100 ST	7440-02-0	ug/l	1.2 U	2.1 B	20 U	20 U	5 U	3 U	5 U	5.0 J
Potassium	-	7440-09-7	ug/l	1,620 B	4,150 B	6,850	5,360	2,630 UB	3,990 UB	2,730	2,470
Selenium	10 ST	7782-49-2	ug/l	2.6 UNU*J*	2.8 U	25 U	25 U	10 U	10 U	10 U	10 U
Silver	50 ST	7440-22-4	ug/l	0.52 U*J*	.32 U	20 U	20 U	5 U	3 U	5 U	5 U
Sodium	20,000 ST	7440-23-5	ug/l	6.510	1,820	8,930	8,060	4,470 UB	7,600 UB	7,170	16,400
Thallium	0.5 GV	7440-28-0	ug/l	2.7 U	3.9 B	15 U	15 U	10 U	7 U	10 U	6.0 J
Vanadium	-	7440-62-2	ug/l	0.56 U	.23 U	20 U	20 U	5 U	3 U	5 U	5 U
Zinc	2,000 ST	7440-66-6	ug/l	9.1 B	23.7	9.84 UB	20 U	11.2 UB	18.5 UB	12.4 UB	22.0
Cyanide	200 ST	0057-12-5	ug/l	10.0 U	10 U	48 UB	10 U	5 U	5 U	5 U	5 U
Iron + Manganese	500 ST*	-	ug/l	80.6	1,453.8	1,728.9	1,180	13.4 J	16.3	9	31.7 J

NOTES:

- U: Analyzed for but not detected, value shown is instrument detection limit.
- ST: Standard.
- U* or UB: Result qualified as non-detect based on validation criteria
- GV: Guidance value.
- J: Estimated due to data validation criteria.
- NA: Not analyzed.
- J*: Value is an approximate concentration of the analyte as determined by data validation.
- UU: Value was not detected above quantitation limit but was an approximate.
- B: Concentration is above instrument detection limit but below contract required detection limit.
- N: Matrix spike sample recovery not within control limits.

Concentration exceeds Standard/Guidance Value.



Appendix A-2
SONIA ROAD LANDFILL
POST CLOSURE GROUNDWATER MONITORING PROGRAM
HISTORIC AND CURRENT SAMPLE RESULTS
INORGANIC PARAMETERS

CONSTITUENT	NYSDEC Class GA Groundwater Standards/ Guidance Values	CAS #	SITE DATE: UNITS:	MW-01S 11/9/2007 (ug/l)	MW-01S 2/11/2008 (ug/l)	MW-01S 5/15/2008 (ug/l)	MW-01S 8/5/2008 (ug/l)	MW-01S 11/3/2008 (ug/l)	MW-01S 2/24/2009 (ug/l)	MW-01S 8/14/2009 (ug/l)	MW-01S 2/4/2010 (ug/l)
Aluminum	-	7429-90-5	ug/l	NA	NA	NA	NA	63.5 B	NA	197 B	44.6 B
Antimony	3 GV	7440-36-0	ug/l	NA	NA	NA	NA	2.3 U	NA	2.5 U	2.1 U
Arsenic	25 ST	7440-38-2	ug/l	NA	NA	NA	NA	3.5 B	NA	11.2	3.2 B
Barium	1,000 ST	7440-39-3	ug/l	NA	NA	NA	NA	45.7 B	NA	103 B	48.6 B
Beryllium	3 GV	7440-41-7	ug/l	NA	NA	NA	NA	0.096 U	NA	0.13 U	0.26 U
Boron	1,000 ST	7440-42-8	ug/l	NA	NA	NA	NA	125 BN	NA	76.5 B	107
Cadmium	5 ST	7440-43-9	ug/l	0.32 U	0.32 U	0.27 U	0.27 U	0.35 U	0.35 U	0.50 B	0.34 U
Calcium	-	7440-70-2	ug/l	63,100	71,000	60,800	79,700	62,900	58,000	64,100	55,300
Chromium Hexavalent	50 ST	18540-29-9	ug/l	NA	NA	NA	NA	0.49 B	NA	0.02 U	0.02 U
Chromium Total	50 ST	7440-47-3	ug/l	NA	NA	NA	NA	0.02 U	NA	0.80 B	1.0 B
Cobalt	-	7440-48-4	ug/l	NA	NA	NA	NA	2.0 B	NA	2.7 B	1.6 B
Copper	200 ST	7440-50-8	ug/l	NA	NA	NA	NA	3.3 B	NA	2.1 B	2.4 B
Iron	300 ST	7439-89-6	ug/l	5,240	2,370	7,210	8,300	6,500	6,150	24,700	4,040 J*
Lead	25 ST	7439-92-1	ug/l	1.4 UJ	2.1 B	2.3 U	2.5 B	1.3 U	1.3 U	11.9	2.1 B
Magnesium	35,000 GV	7439-95-4	ug/l	9,110	11,000	8,960	11,700	9,990	8,690	8,020	7,650
Manganese	300 ST	7439-96-5	ug/l	735	465	950	1080	799	1,030	1,190	591
Mercury	0.7 ST	7439-97-6	ug/l	NA	NA	NA	NA	0.13 U	NA	0.10 U	0.10 U
Nickel	100 ST	7440-02-0	ug/l	NA	NA	NA	NA	1.2 U	NA	0.82 U	1.4 U
Potassium	-	7440-09-7	ug/l	13,900 J	11,800	12,600	14,700	15,900	12,400	13,100	13,500
Selenium	10 ST	7782-49-2	ug/l	NA	NA	NA	NA	1.9 UN	NA	5.3 U	2.5 U
Silver	50 ST	7440-22-4	ug/l	NA	NA	NA	NA	0.54 U	NA	0.33 U	0.83 U
Sodium	20,000 ST	7440-23-5	ug/l	59,800	54,300	57,400	58,100	56,200	51,000	66,100	52,800
Thallium	0.5 GV	7440-28-0	ug/l	NA	NA	NA	NA	4.1 B	NA	3.9 U	3.2 U
Vanadium	-	7440-62-2	ug/l	NA	NA	NA	NA	0.74 U	NA	0.90 B	1.4 U
Zinc	2,000 ST	7440-66-6	ug/l	NA	NA	NA	NA	14.8 B	NA	78.3	30.6
Cyanide	200 ST	0057-12-5	ug/l	NA	NA	NA	NA	10.0 U	NA	10.0 U	10.0 U
Iron + Manganese	500 ST*	-	ug/l	5,975	2,835	8,160	9,380	7,299	7,180	25,890	4,631

NOTES:

- U: Analyzed for but not detected, value shown is instrument detection limit.
- U* or UB: Result qualified as non-detect based on validation criteria
- J: Estimated due to data validation criteria.
- J*: Value is an approximate concentration of the analyte as determined by data validation.
- UU: Value was not detected above quantitation limit but was an approximate.
- B: Concentration is above instrument detection limit but below contract required detection limit.
- N: Matrix spike sampe recovery not within control limits.

Concentration exceeds Standard/Guidance Value.



Appendix A-2
SONIA ROAD LANDFILL
POST CLOSURE GROUNDWATER MONITORING PROGRAM
HISTORIC AND CURRENT SAMPLE RESULTS
INORGANIC PARAMETERS

CONSTITUENT	NYSDEC Class GA Groundwater Standards/ Guidance Values	CAS #	SITE: DATE: UNITS:	MW-01S 5/26/2011 (ug/l)	MW-01S 8/28/2012 (ug/l)	MW-01S 11/12/2013 (ug/l)	MW-01S 03/17/2015 (ug/l)	MW-01S 05/10/2016 (ug/l)	MW-01S 8/21/2017 (ug/l)	MW-01S 11/29/2018 (ug/l)	MW-01S 2/24/2020 (ug/l)
Aluminum	-	7429-90-5	ug/l	8.2 U	53.8 B	13.4 J	10.2 J	447	15.2 UB	33 UB	41.7
Antimony	3 GV	7440-36-0	ug/l	2.1 U	1.1 U	12.5 J	5.41 J	5 U	9 U	5 U	10 U
Arsenic	25 ST	7440-38-2	ug/l	1.9 U	4.4 U	25 U	25 U	10 U	7 U	10 U	10 U
Barium	1,000 ST	7440-39-3	ug/l	43.7 B	44 B	49.3	67.6	109 UB	88.1	61.4	50.7
Beryllium	3 GV	7440-41-7	ug/l	0.13 U	.12 U	20 U	20 U	5 U	3 U	5 U	5 U
Boron	1,000 ST	7440-42-8	ug/l	64.1 B	80.5 B	49	20 U	64.2	78.3	89.7	75.7
Cadmium	5 ST	7440-43-9	ug/l	0.27 U	.18 U	10 U	10 U	5 U	3 U	5 U	2.5 J
Calcium	-	7440-70-2	ug/l	61,800	61,600	44,700	53,000	55,500	60,100	55,700	67,900
Chromium Hexavalent	50 ST	18540-29-9	ug/l	20 U	0.02 U	10 U	10.0 U	2.5 UJ	2.50 U	2.5 UJ	2.50 U
Chromium Total	50 ST	7440-47-3	ug/l	1.9 B	8.0 B	20 U	20 U	5 U	4 U	5 U	5 U
Cobalt	-	7440-48-4	ug/l	.88 B	1.7 B	20 U	20 U	5 U	4 U	5 U	5 U
Copper	200 ST	7440-50-8	ug/l	2.4 B	.7 U	20 U	20 U	5 U	3.5 J	3.7 UB	6.7 J
Iron	300 ST	7439-89-6	ug/l	2,480	3,910	1,690	3,670	1,800	6,050	4,500	479
Lead	25 ST	7439-92-1	ug/l	1.5 U	5.4	15 U	15 U	5 U	4 U	5 U	5 U
Magnesium	35,000 GV	7439-95-4	ug/l	8,650	6,620	5,270	6,270	6,660	7,020 UB	5,930	9,760
Manganese	300 ST	7439-96-5	ug/l	1,000	723	377	1,660	937	2,380	1,380	303
Mercury	0.7 ST	7439-97-6	ug/l	0.10 U*J*	0.1	0.25 U	0.25 U	0.15 U	0.15 U	0.15 U	0.15 U
Nickel	100 ST	7440-02-0	ug/l	1.2 U	1.4 B	20 U	20 U	5 U	3 U	5 U	5 U
Potassium	-	7440-09-7	ug/l	16,500	16,200	13,300	11,400	13,100	13,100	11,100	6,880
Selenium	10 ST	7782-49-2	ug/l	2.6 UNU*J*	2.8 U	25 U	25 U	10 U	10 U	10 U	10 U
Silver	50 ST	7440-22-4	ug/l	0.52 U*J*	.32 U	20 U	20 U	5 U	3 U	5 U	5 U
Sodium	20,000 ST	7440-23-5	ug/l	90,200	49,100	7,860	12,400	27,000 UB	10,700 UB	28,000	36,100
Thallium	0.5 GV	7440-28-0	ug/l	2.7 U	3.5 B	15 U	15 U	10 U	7 U	10 U	6.1 J
Vanadium	-	7440-62-2	ug/l	0.56 U	.23 U	20 U	20 U	5 U	3 U	5 U	5 U
Zinc	2,000 ST	7440-66-6	ug/l	13.8	46	14 UB	6.97 J	25.4 UB	34.6 UB	22.8 UB	28.6
Cyanide	200 ST	0057-12-5	ug/l	10.0 U	10.0 U	41.6 UB	10 U	5 U	5 U	5 U	5 U
Iron + Manganese	500 ST*	-	ug/l	3,480	4,633	2,067	5,330	2,737	8,430	5,980	782

NOTES:

- U: Analyzed for but not detected, value shown is instrument detection limit.
- U* or UB: Result qualified as non-detect based on validation criteria
- J: Estimated due to data validation criteria.
- J*: Value is an approximate concentration of the analyte as determined by data validation.
- UJ: Value was not detected above quantitation limit but was an approximate.
- B: Concentration is above instrument detection limit but below contract required detection limit.
- N: Matrix spike sample recovery not within control limits.

ST: Standard.
 GV: Guidance value.
 NA: Not analyzed.

Concentration exceeds Standard/Guidance Value.



**Appendix A-2
SONIA ROAD LANDFILL
POST CLOSURE GROUNDWATER MONITORING PROGRAM
HISTORIC AND CURRENT SAMPLE RESULTS
INORGANIC PARAMETERS**

CONSTITUENT	NYSDEC Class GA Groundwater Standards/ Guidance Values	CAS #	SITE: DATE: UNITS:	MW-02D 11/13/2007 (ug/l)	MW-02D 2/12/2008 (ug/l)	MW-02D 5/19/2008 (ug/l)	MW-02D 8/4/2008 (ug/l)	MW-02D 11/3/2008 (ug/l)	MW-02D 2/24/2009 (ug/l)	MW-02D 8/14/2009 (ug/l)	MW-02D 2/8/2010 (ug/l)
Aluminum	-	7429-90-5	ug/l	NA	NA	NA	NA	8.7 U	NA	181 B	132 B
Antimony	3 GV	7440-36-0	ug/l	NA	NA	NA	NA	2.3 U	NA	2.5 U	2.1 U
Arsenic	25 ST	7440-38-2	ug/l	NA	NA	NA	NA	1.8 U	NA	3.0 U	2.3 U
Barium	1,000 ST	7440-39-3	ug/l	NA	NA	NA	NA	3.3 B	NA	225	4.2 B
Beryllium	3 GV	7440-41-7	ug/l	NA	NA	NA	NA	0.096 U	NA	0.20 B	0.30 B
Boron	1,000 ST	7440-42-8	ug/l	NA	NA	NA	NA	13.5 BN	NA	196	18.8 B
Cadmium	5 ST	7440-43-9	ug/l	0.32 B	0.60 B	0.27 U	0.27 U	0.35 U	0.35 U	1.1 B	0.34 U
Calcium	-	7440-70-2	ug/l	5,460	5,540	4,990 B	4,830 B	4,620 B	4,600 B	95,700	4,150 B
Chromium Hexavalent	50 ST	18540-29-9	ug/l	NA	NA	NA	NA	1.2 B	NA	0.02 U	0.02 U
Chromium Total	50 ST	7440-47-3	ug/l	NA	NA	NA	NA	0.02 U	NA	1.4 B	2.2 B
Cobalt	-	7440-48-4	ug/l	NA	NA	NA	NA	0.88 U	NA	1.0 B	1.2 U
Copper	200 ST	7440-50-8	ug/l	NA	NA	NA	NA	1.8 B	NA	1.4 B	1.8 B
Iron	300 ST	7439-89-6	ug/l	446	50.4	23.8 B	90.2 B	19.7 B	30.7 B	26,900	215
Lead	25 ST	7439-92-1	ug/l	2.2 JB	1.4 U	2.3 U	2.3 U	1.3 U	1.3 U	17.5	2.7 B
Magnesium	35,000 GV	7439-95-4	ug/l	2,630 B	2,570 B	2,380 B	2,330 B	2,290 B	2,230 B	14,000	2,130 B
Manganese	300 ST	7439-96-5	ug/l	11.6 B	1.8 B	1.7 B	4.2 B	1.0 B	1.2 B	4,920	5.2 B
Mercury	0.7 ST	7439-97-6	ug/l	NA	NA	NA	NA	0.13 U	NA	0.10 U	0.10 U
Nickel	100 ST	7440-02-0	ug/l	NA	NA	NA	NA	1.2 U	NA	0.82 U	1.6 B
Potassium	-	7440-09-7	ug/l	997 JB	642 B	637 B	874 B	654 B	622 B	13,200	759 J*
Selenium	10 ST	7782-49-2	ug/l	NA	NA	NA	NA	1.9 UN	NA	4.6 U	2.5 U
Silver	50 ST	7440-22-4	ug/l	NA	NA	NA	NA	0.54 U	NA	0.33 U	0.83 U
Sodium	20,000 ST	7440-23-5	ug/l	4,240 B	4,950 B	4,960 B	4,630 B	5,010	4,500 B	29,300	4,890 B
Thallium	0.5 GV	7440-28-0	ug/l	NA	NA	NA	NA	2.9 B	NA	3.9 U	3.2 U
Vanadium	-	7440-62-2	ug/l	NA	NA	NA	NA	0.74 U	NA	0.77 U	1.4 U
Zinc	2,000 ST	7440-66-6	ug/l	NA	NA	NA	NA	10.5 B	NA	27.5	21.9
Cyanide	200 ST	0057-12-5	ug/l	NA	NA	NA	NA	10.0 U	NA	10.0 U	10.0 U
Iron + Manganese	500 ST*	-	ug/l	457.6	52.2	25.5	94.4	20.7	31.9	31,820	220.2

NOTES:

- U: Analyzed for but not detected, value shown is instrument detection limit.
- U* or UB: Result qualified as non-detect based on validation criteria
- J: Estimated due to data validation criteria.
- J*: Value is an approximate concentration of the analyte as determined by data validation.
- UU: Value was not detected above quantitation limit but was an approximate.
- B: Concentration is above instrument detection limit but below contract required detection limit.
- N: Matrix spike sampe recovery not within control limits.

Concentration exceeds Standard/Guidance Value.



**Appendix A-2
SONIA ROAD LANDFILL
POST CLOSURE GROUNDWATER MONITORING PROGRAM
HISTORIC AND CURRENT SAMPLE RESULTS
INORGANIC PARAMETERS**

CONSTITUENT	NYSDEC Class GA Groundwater Standards/ Guidance Values	CAS #	SITE: DATE: UNITS:	MW-02D 5/31/2011 (ug/l)	MW-02D 8/28/2012 (ug/l)	MW-02D 11/12/2013 (ug/l)	MW-02D 03/17/2015 (ug/l)	MW-02D 05/10/2016 (ug/l)	MW-02D 8/21/2017 (ug/l)	MW-02D 11/29/2018 (ug/l)	MW-02D 2/24/2020 (ug/l)
Aluminum	-	7429-90-5	ug/l	36.7 B	45.1 B	20 U	24.1	259	30.6 UB	18.1 UB	27.7
Antimony	3 GV	7440-36-0	ug/l	6.0 B	1.1 U	20 U	20 U	5 U	9 U	5 U	10 U
Arsenic	25 ST	7440-38-2	ug/l	1.9 U	4.4 U	25 U	25 U	10 U	7 U	10.3 J	10 U
Barium	1,000 ST	7440-39-3	ug/l	5.3 B	72.8 B	15.2 J	28.1	41.5 UB	49.6 UB	37	46.0
Beryllium	3 GV	7440-41-7	ug/l	0.73 B	.12 U	20 U	20 U	5 U	3 U	5 U	5 U
Boron	1,000 ST	7440-42-8	ug/l	23.6 B	35.6 B	15 J	20 U	21.3 UB	14.7	32.3 UB	21.5
Cadmium	5 ST	7440-43-9	ug/l	0.27 U	.18 U	10 U	10 U	5 U	3 U	5 U	5 U
Calcium	-	7440-70-2	ug/l	5.380	34,500	7,980	16,600	13,400	16,500 UB	12,300	13,000
Chromium Hexavalent	50 ST	18540-29-9	ug/l	20 U	.2 U	10 U	10.0 U	2.5 U	2.50 U	2.5 U	2.5 U
Chromium Total	50 ST	7440-47-3	ug/l	2.2 B	8.0 B	20 U	20 U	5 U	4 U	5 U	5 U
Cobalt	-	7440-48-4	ug/l	0.70 B	.52 U	20 U	20 U	5 U	4 U	5 U	5 U
Copper	200 ST	7440-50-8	ug/l	1.4 B	.7 U	20 U	20 U	5 U	3.8 J	3.7 UB	5 U
Iron	300 ST	7439-89-6	ug/l	39.0 B	37.7 B	29.9 UB	47.6 UB	53 UB	76	30.3 UB	38.9
Lead	25 ST	7439-92-1	ug/l	2.1 B	4	15 U	15 U	5 U	4 U	5 U	5 U
Magnesium	35,000 GV	7439-95-4	ug/l	2,720 B	3,340 B	3,950	6,810	6,370	7,990 UB	5,950	6,430
Manganese	300 ST	7439-96-5	ug/l	2.4 B	43.3	20 U	20 U	5 U	5.08 J	5 U	2.3 J
Mercury	0.7 ST	7439-97-6	ug/l	0.10 UN	0.1	0.25 U	0.25 U	0.15 U	0.15 U	0.15 U	0.15 U
Nickel	100 ST	7440-02-0	ug/l	2.3 B	1 B	20 U	20 U	5 U	3 U	5 U	5 U
Potassium	-	7440-09-7	ug/l	1,290 B	5,330	826	1,580	1,390 UB	1,670 UB	1,490	1,570
Selenium	10 ST	7782-49-2	ug/l	2.6 UNU*J*	2.8 U	25 U	25 U	10 U	10 U	10 U	10 U
Silver	50 ST	7440-22-4	ug/l	0.52 UN	.32 U	20 U	20 U	5 U	3 U	5 U	5 U
Sodium	20,000 ST	7440-23-5	ug/l	7,690	20,400	3,390	5,710	9,700 UB	7,660 UB	26,800	41,400
Thallium	0.5 GV	7440-28-0	ug/l	2.7 U	3.2 U	15 U	15 U	10 U	7 U	10 U	10 U
Vanadium	-	7440-62-2	ug/l	0.76 B	.3 U	20 U	20 U	5 U	3 U	5 U	5 U
Zinc	2,000 ST	7440-66-6	ug/l	21.6	18.5 B	12.1 UB	20 U	12.1 UB	28.3 UB	17.6 UB	22.9
Cyanide	200 ST	0057-12-5	ug/l	10.0 U	10.0 U	43 UB	10 U	5 U	5 U	5 U	5 U
Iron + Manganese	500 ST*	-	ug/l	41.4	81	29.9	0	0	81.08	0	41.2

NOTES:

- U: Analyzed for but not detected, value shown is instrument detection limit.
- U* or UB: Result qualified as non-detect based on validation criteria
- J: Estimated due to data validation criteria.
- J*: Value is an approximate concentration of the analyte as determined by data validation.
- UU: Value was not detected above quantitation limit but was an approximate.
- B: Concentration is above instrument detection limit but below contract required detection limit.
- N: Matrix spike sample recovery not within control limits.

Concentration exceeds Standard/Guidance Value.



**Appendix A-2
SONIA ROAD LANDFILL
POST CLOSURE GROUNDWATER MONITORING PROGRAM
HISTORIC AND CURRENT SAMPLE RESULTS
INORGANIC PARAMETERS**

CONSTITUENT	NYSDEC Class GA Groundwater Standards/ Guidance Values	CAS #	SITE: DATE:	MW-021 (ug/l)	MW-021 (ug/l)	MW-021 (ug/l)	MW-021 (ug/l)	MW-021 (ug/l)	MW-021 (ug/l)	MW-021 (ug/l)	MW-021 (ug/l)	MW-021 (ug/l)
Aluminum	-	7429-90-5	11/13/2007	NA	NA	NA	NA	NA	8.7 U	NA	NA	81.1 B
Antimony	3 GV	7440-36-0	11/13/2007	NA	NA	NA	NA	NA	2.3 U	NA	NA	2.5 U
Arsenic	25 ST	7440-38-2	11/13/2007	NA	NA	NA	NA	NA	1.8 U	NA	NA	3.0 U
Barium	1,000 ST	7440-39-3	11/13/2007	NA	NA	NA	NA	NA	32.3 B	NA	NA	38.2 B
Beryllium	3 GV	7440-41-7	11/13/2007	NA	NA	NA	NA	NA	0.096 U	NA	NA	0.13 U
Boron	1,000 ST	7440-42-8	11/13/2007	NA	NA	NA	NA	NA	106 BN	NA	NA	53.3 B
Cadmium	5 ST	7440-43-9	11/13/2007	0.35 B	0.32 U	0.27 U	0.27 U	0.27 U	0.35 U	0.35 U	0.35 U	0.26 U
Calcium	-	7440-70-2	11/13/2007	18,200	18,600	16,300	14,000	13,500	13,500	13,800	15,500	14,700
Chromium Hexavalent	50 ST	18540-29-9	11/13/2007	NA	NA	NA	NA	NA	0.41 U	NA	NA	0.02 U
Chromium Total	50 ST	7440-47-3	11/13/2007	NA	NA	NA	NA	NA	0.02 U	NA	NA	1.9 B
Cobalt	-	7440-48-4	11/13/2007	NA	NA	NA	NA	NA	0.88 U	NA	NA	0.76 U
Copper	200 ST	7440-50-8	11/13/2007	NA	NA	NA	NA	NA	2.0 B	NA	NA	1.2 B
Iron	300 ST	7439-89-6	11/13/2007	183	24.2 U	20.3 B	10.0 B	13.7 B	13.7 B	26.0 B	42.1 B	63.7 B
Lead	25 ST	7439-92-1	11/13/2007	1.4 UJ	1.4 U	2.3 U	2.3 U	1.3 U	1.3 U	1.3 U	4.1	3.3
Magnesium	35,000 GV	7439-95-4	11/13/2007	2,230 B	1,560 B	1,390 B	1,150 B	1,080 B	1,080 B	1,260 B	1,250 B	1,550 B
Manganese	300 ST	7439-96-5	11/13/2007	332	20.3	23.3	20.6	26.9	26.9	39.6	38.4	28.2
Mercury	0.7 ST	7439-97-6	11/13/2007	NA	NA	NA	NA	NA	0.13 U	NA	NA	0.10 U
Nickel	100 ST	7440-02-0	11/13/2007	NA	NA	NA	NA	NA	1.2 U	NA	NA	0.82 U
Potassium	-	7440-09-7	11/13/2007	3,430 JB	1,590 B	1,670 B	3,900 B	4,610 B	4,610 B	3,600 B	3,940 B	3,990 J*
Selenium	10 ST	7782-49-2	11/13/2007	NA	NA	NA	NA	NA	1.9 UN	NA	NA	4.6 U
Silver	50 ST	7440-22-4	11/13/2007	NA	NA	NA	NA	0.54 U	0.54 U	NA	0.33 U	0.83 U
Sodium	20,000 ST	7440-23-5	11/13/2007	22,400	16,000	15,000	11,900	11,500	11,500	10,800	10,600	10,400
Thallium	0.5 GV	7440-28-0	11/13/2007	NA	NA	NA	NA	NA	3.9 B	NA	NA	3.9 U
Vanadium	-	7440-62-2	11/13/2007	NA	NA	NA	NA	0.74 U	0.74 U	NA	NA	1.4 U
Zinc	2,000 ST	7440-66-6	11/13/2007	NA	NA	NA	NA	5.6 B	5.6 B	NA	NA	6.8 B
Cyanide	200 ST	0057-12-5	11/13/2007	NA	NA	NA	NA	10.0 U	10.0 U	NA	NA	10.0 U
Iron + Manganese	500 ST*	-	11/13/2007	515	44.5	43.6	30.6	40.6	40.6	65.6	80.5	91.9

NOTES:

- U: Analyzed for but not detected, value shown is instrument detection limit.
- U* or UB: Result qualified as non-detect based on validation criteria
- J: Estimated due to data validation criteria.
- J*: Value is an approximate concentration of the analyte as determined by data validation.
- UJ: Value was not detected above quantitation limit but was an approximate.
- B: Concentration is above instrument detection limit but below contract required detection limit.
- N: Matrix spike sample recovery not within control limits.

Concentration exceeds Standard/Guidance Value.



**Appendix A-2
SONIA ROAD LANDFILL
POST CLOSURE GROUNDWATER MONITORING PROGRAM
HISTORIC AND CURRENT SAMPLE RESULTS
INORGANIC PARAMETERS**

CONSTITUENT	NYSDEC Class GA Groundwater Standards/ Guidance Values	CAS #	SITE DATE: UNITS:	MW-021 5/31/2011 (ug/l)	MW-021 8/28/2012 (ug/l)	MW-021 11/12/2013 (ug/l)	MW-021 03/17/2015 (ug/l)	MW-021 05/10/2016 (ug/l)	MW-021 8/21/2017 (ug/l)	MW-021 11/29/2018 (ug/l)	MW-021 2/24/2020 (ug/l)
Aluminum	-	7429-90-5	ug/l	32.3 B	49.5 B	7.35 J	5.15 J	63.5 UB	9.99 UB	20.7 UB	20.4
Antimony	3 GV	7440-36-0	ug/l	2.1 U	1.1 U	6.58 J	20 U	5 U	9 U	5 U	10 U
Arsenic	25 ST	7440-38-2	ug/l	1.9 U	4.4 U	25 U	25 U	10 U	7 U	10 U	10 U
Barium	1,000 ST	7440-39-3	ug/l	45.0 B	5.4 B	62.9	83.7	281	86.6	54.6	37.1
Beryllium	3 GV	7440-41-7	ug/l	0.26 B	.12 U	20 U	20 U	5 U	3 U	5 U	5 U
Boron	1,000 ST	7440-42-8	ug/l	36.9 B	20.6 B	63	20 U	54.7	53.1	52.5 UB	32.0
Cadmium	5 ST	7440-43-9	ug/l	0.27 U	.18 U	10 U	10 U	5 U	3 U	5 U	5 U
Calcium	-	7440-70-2	ug/l	13,900	7,540	25,400	26,600	34,300	21,300 UB	23,400	13,000
Chromium Hexavalent	50 ST	18540-29-9	ug/l	20 U	.2 U	10 U	10.0 U	2.5 U	2.50 U	2.5 U	2.5 U
Chromium Total	50 ST	7440-47-3	ug/l	2.1 B	8.0 B	20 U	20 U	5 U	4 U	5 U	5 U
Cobalt	-	7440-48-4	ug/l	0.49 U	.52 U	20 U	20 U	5 U	4 U	5 U	5 U
Copper	200 ST	7440-50-8	ug/l	1.0 B	.7 U	20 U	20 U	5 U	3 U	5 U	5 U
Iron	300 ST	7439-89-6	ug/l	110	35.2 B	20 U	6.53 UB	6.46 UB	23.9 UB	20.6 UB	17.4 J
Lead	25 ST	7439-92-1	ug/l	2.1 B	8	15 U	15 U	5 U	4 U	5 U	5 U
Magnesium	35,000 GV	7439-95-4	ug/l	1,620 B	3,270 B	2,550	2,860	3,810	2,860 UB	3,940	2,140
Manganese	300 ST	7439-96-5	ug/l	25.6	2.4 B	14.8 J	79.2	70	1,100	685	443
Mercury	0.7 ST	7439-97-6	ug/l	0.12 BNU*	0.1	0.25 U	0.25 U	0.15 U	0.15 U	0.15 U	0.15 U
Nickel	100 ST	7440-02-0	ug/l	1.8 B	2.3 B	20 U	20 U	5 U	3 U	5 U	5 U
Potassium	-	7440-09-7	ug/l	3,790 B	978 B	5,050	5,110	19,400	5,330	2,950	2,450
Selenium	10 ST	7782-49-2	ug/l	2.6 UNU*J*	2.8 U	25 U	25 U	10 U	10 U	10 U	10 U
Silver	50 ST	7440-22-4	ug/l	0.52 UN	.32 U	20 U	20 U	5 U	3 U	5 U	5 U
Sodium	20,000 ST	7440-23-5	ug/l	18,600	7,630	4,130	10,900	41,300 UB	7,040 UB	12,500	11,100
Thallium	0.5 GV	7440-28-0	ug/l	2.7 U	3.2 U	15 U	15 U	10 U	7 U	10 U	10 U
Vanadium	-	7440-62-2	ug/l	0.56 U	.23 U	20 U	20 U	5 U	3 U	5 U	5 U
Zinc	2,000 ST	7440-66-6	ug/l	17.8 B	20.8	12.6 UB	20 U	8.81 UB	17.6 UB	11.4 UB	21.8
Cyanide	200 ST	0057-12-5	ug/l	10.0 U	10.0 U	45.4 UB	10 U	5 U	5 U	5 U	5 U
Iron + Manganese	500 ST*	-	ug/l	135.6	37.6	14.8	79.2	70	1,100	685	460

NOTES:

U: Analyzed for but not detected, value shown is instrument detection limit.

U* or UB: Result qualified as non-detect based on validation criteria

J: Estimated due to data validation criteria.

J*: Value is an approximate concentration of the analyte as determined by data validation.

UJ: Value was not detected above quantitation limit but was an approximate.

B: Concentration is above instrument detection limit but below contract required detection limit.

N: Matrix spike sample recovery not within control limits.

Concentration exceeds Standard/Guidance Value.

ST: Standard.

GV: Guidance value.

NA: Not analyzed.



Appendix A-2
SONIA ROAD LANDFILL
POST CLOSURE GROUNDWATER MONITORING PROGRAM
HISTORIC AND CURRENT SAMPLE RESULTS
INORGANIC PARAMETERS

CONSTITUENT	NYSDEC Class GA Groundwater Standards/ Guidance Values	CAS #	SITE DATE: UNITS:	MW-02S (ug/l)	MW-02S (ug/l)	MW-02S (ug/l)	MW-02S (ug/l)	MW-02S (ug/l)	MW-02S (ug/l)	MW-02S (ug/l)
Aluminum	-	7429-90-5	ug/l							
Antimony	3 GV	7440-36-0	ug/l							
Arsenic	25 ST	7440-38-2	ug/l							
Barium	1,000 ST	7440-39-3	ug/l							
Beryllium	3 GV	7440-41-7	ug/l							
Boron	1,000 ST	7440-42-8	ug/l							
Cadmium	5 ST	7440-43-9	ug/l							
Calcium	-	7440-70-2	ug/l	W	W	W	W	W	W	W
Chromium Hexavalent	50 ST	18540-29-9	ug/l	E	E	E	E	E	E	E
Chromium Total	50 ST	7440-47-3	ug/l	L	L	L	L	L	L	L
Cobalt	-	7440-48-4	ug/l	L	L	L	L	L	L	L
Copper	200 ST	7440-50-8	ug/l							
Iron	300 ST	7439-89-6	ug/l	A	A	A	A	A	A	A
Lead	25 ST	7439-92-1	ug/l	B	B	B	B	B	B	B
Magnesium	35,000 GV	7439-95-4	ug/l	A	A	A	A	A	A	A
Manganese	300 ST	7439-96-5	ug/l	N	N	N	N	N	N	N
Mercury	0.7 ST	7439-97-6	ug/l	D	D	D	D	D	D	D
Nickel	100 ST	7440-02-0	ug/l	O	O	O	O	O	O	O
Potassium	-	7440-09-7	ug/l	N	N	N	N	N	N	N
Selenium	10 ST	7782-49-2	ug/l	E	E	E	E	E	E	E
Silver	50 ST	7440-22-4	ug/l	D	D	D	D	D	D	D
Sodium	20,000 ST	7440-23-5	ug/l							
Thallium	0.5 GV	7440-28-0	ug/l							
Vanadium	-	7440-62-2	ug/l							
Zinc	2,000 ST	7440-66-6	ug/l							
Cyanide	200 ST	0057-12-5	ug/l							
Iron + Manganese	500 ST*	-	ug/l							

NOTES:

- U: Analyzed for but not detected, value shown is instrument detection limit.
- U* or UB: Result qualified as non-detect based on validation criteria
- J: Estimated due to data validation criteria.
- J*: Value is an approximate concentration of the analyte as determined by data validation.
- UU: Value was not detected above quantitation limit but was an approximate.
- B: Concentration is above instrument detection limit but below contract required detection limit.
- N: Matrix spike sampe recovery not within control limits.

Concentration exceeds Standard/Guidance Value.



Appendix A-2
SONIA ROAD LANDFILL
POST CLOSURE GROUNDWATER MONITORING PROGRAM
HISTORIC AND CURRENT SAMPLE RESULTS
INORGANIC PARAMETERS

CONSTITUENT	NYSDEC Class GA Groundwater Standards/ Guidance Values	CAS #	SITE: DATE: UNITS:	MW-02S (ug/l)	MW-02S (ug/l)	MW-02S (ug/l)	MW-02S (ug/l)	MW-02S (ug/l)	MW-02S (ug/l)	MW-02S (ug/l)
Aluminum	-	7429-90-5	ug/l							
Antimony	3 GV	7440-36-0	ug/l							
Arsenic	25 ST	7440-38-2	ug/l							
Barium	1,000 ST	7440-39-3	ug/l							
Beryllium	3 GV	7440-41-7	ug/l							
Boron	1,000 ST	7440-42-8	ug/l							
Cadmium	5 ST	7440-43-9	ug/l							
Calcium	-	7440-70-2	ug/l	W	W	W	W	W	W	W
Chromium Hexavalent	50 ST	18540-29-9	ug/l	E	E	E	E	E	E	E
Chromium Total	50 ST	7440-47-3	ug/l	L	L	L	L	L	L	L
Cobalt	-	7440-48-4	ug/l	L	L	L	L	L	L	L
Copper	200 ST	7440-50-8	ug/l							
Iron	300 ST	7439-89-6	ug/l	A	A	A	A	A	A	A
Lead	25 ST	7439-92-1	ug/l	B	B	B	B	B	B	B
Magnesium	35,000 GV	7439-95-4	ug/l	A	A	A	A	A	A	A
Manganese	300 ST	7439-96-5	ug/l	N	N	N	N	N	N	N
Mercury	0.7 ST	7439-97-6	ug/l	D	D	D	D	D	D	D
Nickel	100 ST	7440-02-0	ug/l	O	O	O	O	O	O	O
Potassium	-	7440-09-7	ug/l	N	N	N	N	N	N	N
Selenium	10 ST	7782-49-2	ug/l	E	E	E	E	E	E	E
Silver	50 ST	7440-22-4	ug/l	D	D	D	D	D	D	D
Sodium	20,000 ST	7440-23-5	ug/l							
Thallium	0.5 GV	7440-28-0	ug/l							
Vanadium	-	7440-62-2	ug/l							
Zinc	2,000 ST	7440-66-6	ug/l							
Cyanide	200 ST	0057-12-5	ug/l							
Iron + Manganese	500 ST*	-	ug/l							

NOTES:

- U: Analyzed for but not detected, value shown is instrument detection limit.
- U* or UB: Result qualified as non-detect based on validation criteria
- J: Estimated due to data validation criteria.
- J*: Value is an approximate concentration of the analyte as determined by data validation.
- UJ: Value was not detected above quantitation limit but was an approximate.
- B: Concentration is above instrument detection limit but below contract required detection limit.
- N: Matrix spike sampe recovery not within control limits.

ST: Standard.
 GV: Guidance value.
 NA: Not analyzed.

Concentration exceeds Standard/Guidance Value.



Appendix A-2
SONIA ROAD LANDFILL
POST CLOSURE GROUNDWATER MONITORING PROGRAM
HISTORIC AND CURRENT SAMPLE RESULTS
INORGANIC PARAMETERS

CONSTITUENT	NYSDEC Class GA Groundwater Standards/ Guidance Values	CAS #	SITE DATE:	MW-03S (ug/l)	MW-03S (ug/l)	MW-03S (ug/l)	MW-03S (ug/l)	MW-03S (ug/l)	MW-03S (ug/l)	MW-03S (ug/l)	MW-03S (ug/l)	MW-03S (ug/l)
Aluminum	-	7429-90-5	11/14/2007	NA	NA	NA	NA	NA	8.7 U	NA	183 B	277
Antimony	3 GV	7440-36-0	11/14/2007	NA	NA	NA	NA	NA	2.3 B	NA	2.5 U	2.1 U
Arsenic	25 ST	7440-38-2	11/14/2007	NA	NA	NA	NA	NA	1.8 U	NA	3.0 U	2.3 U
Barium	1,000 ST	7440-39-3	11/14/2007	NA	NA	NA	NA	NA	166 B	NA	221	251
Beryllium	3 GV	7440-41-7	11/14/2007	NA	NA	NA	NA	NA	0.096 U	NA	0.13 U	0.26 U
Boron	1,000 ST	7440-42-8	11/14/2007	NA	NA	NA	NA	NA	134 B	NA	183	160
Cadmium	5 ST	7440-43-9	11/14/2007	0.32 U	1.4 B	67,300	0.41 B	0.27 U	0.35 U	0.35 U	0.80 B	0.34 U
Calcium	-	7440-70-2	11/14/2007	73,600 J	NA	76,100	NA	69,500	66,200	73,600	93,600	75,700
Chromium Hexavalent	50 ST	18540-29-9	11/14/2007	NA	NA	NA	NA	NA	0.02 U	NA	0.02 U	0.02 U
Chromium Total	50 ST	7440-47-3	11/14/2007	NA	NA	NA	NA	NA	1.3 B	NA	0.80 B	1.5 B
Cobalt	-	7440-48-4	11/14/2007	NA	NA	NA	NA	NA	0.88 U	NA	1.4 B	1.2 U
Copper	200 ST	7440-50-8	11/14/2007	NA	NA	NA	NA	NA	2.5 B	NA	2.0 B	0.83 U
Iron	300 ST	7439-89-6	11/14/2007	24,600	17,200	25,200	25,200	21,500	18,500	24,300	26,600	25,400 J*
Lead	25 ST	7439-92-1	11/14/2007	1.4 U	1.4 U	2.3 B	2.3 U	2.3 U	1.3 U	1.3 U	17.9	2.4 B
Magnesium	35,000 GV	7439-95-4	11/14/2007	11,200 J	10,400	11,900	11,400	11,400	10,300	11,100	13,800	11,800
Manganese	300 ST	7439-96-5	11/14/2007	5,920 J	5,110	5,050	4,530	5,190	5,190	5,000	4,780	5,420
Mercury	0.7 ST	7439-97-6	11/14/2007	NA	NA	NA	NA	NA	0.13 U	NA	0.10 U	1.4
Nickel	100 ST	7440-02-0	11/14/2007	NA	NA	NA	NA	NA	2.1 B	NA	0.82 U	2.4 B
Potassium	-	7440-09-7	11/14/2007	12,500	10,700	12,400	13,300	13,300	12,400	12,200	12,900	13,900
Selenium	10 ST	7782-49-2	11/14/2007	NA	NA	NA	NA	NA	1.9 U	NA	4.6 U	2.5 U
Silver	50 ST	7440-22-4	11/14/2007	NA	NA	NA	NA	NA	0.85 B	NA	0.33 B	0.83 U
Sodium	20,000 ST	7440-23-5	11/14/2007	29,100 J	27,200	28,900	27,600	27,600	25,200	27,800	28,400	36,400
Thallium	0.5 GV	7440-28-0	11/14/2007	NA	NA	NA	NA	NA	1.9 U	NA	3.9 U	3.2 U
Vanadium	-	7440-62-2	11/14/2007	NA	NA	NA	NA	NA	1.2 B	NA	0.77 U	3.4 B
Zinc	2,000 ST	7440-66-6	11/14/2007	NA	NA	NA	NA	NA	1.5 U	NA	30.4	39.3
Cyanide	200 ST	0057-12-5	11/14/2007	NA	NA	NA	NA	NA	10.0 U	NA	10.0 U	10.0 U
Iron + Manganese	500 ST*	-	11/14/2007	30,520	22,310	30,250	26,030	26,030	23,690	29,300	31,380	30,820

NOTES:

- U: Analyzed for but not detected, value shown is instrument detection limit.
- U* or UB: Result qualified as non-detect based on validation criteria
- J: Estimated due to data validation criteria.
- J*: Value is an approximate concentration of the analyte as determined by data validation.
- UJ: Value was not detected above quantitation limit but was an approximate.
- B: Concentration is above instrument detection limit but below contract required detection limit.
- N: Matrix spike sampe recovery not within control limits.

Concentration exceeds Standard/Guidance Value.



Appendix A-2
SONIA ROAD LANDFILL
POST CLOSURE GROUNDWATER MONITORING PROGRAM
HISTORIC AND CURRENT SAMPLE RESULTS
INORGANIC PARAMETERS

CONSTITUENT	NYSDEC Class GA Groundwater Standards/Guidance Values	CAS #	SITE DATE: UNITS:	MW-03S 6/1/2011 (ug/l)	MW-03S 8/28/2012 (ug/l)	MW-03S 11/13/2013 (ug/l)	MW-03S 03/18/2015 (ug/l)	MW-03S 05/11/2016 (ug/l)	MW-03S 8/23/2017 (ug/l)	MW-03S 11/29/2018 (ug/l)	MW-03S 2/25/2020 (ug/l)
Aluminum	-	7429-90-5	ug/l	40.4	66 B	13 J	10.1 J	23.4 UB	123 B	35.4	39.7
Antimony	3 GV	7440-36-0	ug/l	2.1 U	1.1 U	20 U	20 U	5 U	9 U	5 U	10 U
Arsenic	25 ST	7440-38-2	ug/l	1.9 U	4.4 U	25 U	25 U	10 U	7 U	7.2 J	10 U
Barium	1,000 ST	7440-39-3	ug/l	145 B	202	199	196	223	220	191	215
Beryllium	3 GV	7440-41-7	ug/l	0.24 B	.12 U	20 U	20 U	5 U	3 U	5 U	5 U
Boron	1,000 ST	7440-42-8	ug/l	126	202	97	20 U	110	184 J	134	142
Cadmium	5 ST	7440-43-9	ug/l	0.27 U	.18 U	10 U	10 U	5 U	3 U	5 U	5 U
Calcium	-	7440-70-2	ug/l	57,600	64,500	58,900	57,600	60,100 J	66,800	57,900	78,200
Chromium Hexavalent	50 ST	18540-29-9	ug/l	20 U	.2 U	10 U	10.0 U	2.5 U	2.50 U	2.5 U	2.5 U
Chromium Total	50 ST	7440-47-3	ug/l	1.6 B	8.0 B	20 U	20 U	5 U	4 U	5 U	5 U
Cobalt	-	7440-48-4	ug/l	0.49 U	.52 U	20 U	20 U	5 U	4 U	5 U	5 U
Copper	200 ST	7440-50-8	ug/l	0.55 U	.7 U	20 U	20 U	5 U	3 U	3.6 UB	5 U
Iron	300 ST	7439-89-6	ug/l	17,100	19,900	13,600	16,400	18,500	19,200	17,300	27,600
Lead	25 ST	7439-92-1	ug/l	6.3	4.8	15 U	14.5 J	5 U	4 U	5 U	5 U
Magnesium	35,000 GV	7439-95-4	ug/l	9.270	8,370	8,640	7,590	7,990 J	8,800 UB	7,030	9,820
Manganese	300 ST	7439-96-5	ug/l	4,530	5,440	5,100	4,790	5,150	6,660	2,970	3,790
Mercury	0.7 ST	7439-97-6	ug/l	0.10 UN	0.1	0.25 U	0.25 U	0.15 U	0.15 U	0.15 U	0.15 U
Nickel	100 ST	7440-02-0	ug/l	2.0 B	1.6 B	20 U	20 U	5 U	8.52 UB	5 U	8.3 J
Potassium	-	7440-09-7	ug/l	12,500	11,100	12,400	11,400 J	11,100	10,600 J	8,590	10,000
Selenium	10 ST	7782-49-2	ug/l	2.6 U*J*	4.5 B	25 U	25 U	10 U	10 U	10 U	10 U
Silver	50 ST	7440-22-4	ug/l	0.54 BN	.48 B	20 U	20 U	5 U	3 U	5 U	5 U
Sodium	20,000 ST	7440-23-5	ug/l	34,100	33,100	12,200	12,200	12,700 UB	9,870 UBJ	30,000	35,500
Thallium	0.5 GV	7440-28-0	ug/l	2.7 U	6.4 B	15 U	15 U	10 U	7 U	10 U	10 U
Vanadium	-	7440-62-2	ug/l	1.8 B	.23 U	20 U	20 U	5 U	3 U	5 U	5 U
Zinc	2,000 ST	7440-66-6	ug/l	18.0 B	13.1 B	12.8 UB	32.9	60.5 J	80 UB	42.5 UB	37.5
Cyanide	200 ST	0057-12-5	ug/l	10.0 U	10.0 U	47.1 UBJ	10 U	5 U	5 U	5 U	5 U
Iron + Manganese	500 ST*	-	ug/l	21,630	25,340	18,700	21,190	23,650	25,860	20,270	31,390

NOTES:

- U: Analyzed for but not detected, value shown is instrument detection limit.
- U* or UB: Result qualified as non-detect based on validation criteria
- J: Estimated due to data validation criteria.
- J*: Value is an approximate concentration of the analyte as determined by data validation.
- UJ: Value was not detected above quantitation limit but was an approximate.
- B: Concentration is above instrument detection limit but below contract required detection limit.
- N: Matrix spike sampe recovery not within control limits.

Concentration exceeds Standard/Guidance Value.



Appendix A-2
SONIA ROAD LANDFILL
POST CLOSURE GROUNDWATER MONITORING PROGRAM
HISTORIC AND CURRENT SAMPLE RESULTS
INORGANIC PARAMETERS

CONSTITUENT	NYSDEC Class GA Groundwater Standards/ Guidance Values	CAS #	SITE DATE:	MW-04D (ug/l)	MW-04D (ug/l)	MW-04D (ug/l)	MW-04D (ug/l)	MW-04D (ug/l)	MW-04D (ug/l)	MW-04D (ug/l)	MW-04D (ug/l)	MW-04D (ug/l)
Aluminum	-	7429-90-5	11/13/2007	NA	NA	NA	NA	8.7 U	NA	12.5 U	35.6 B	
Antimony	3 GV	7440-36-0	02/11/08	NA	NA	NA	NA	2.3 U	NA	2.6 B	2.1 U	
Arsenic	25 ST	7440-38-2	11/13/2007	NA	NA	NA	NA	12.9	NA	12.5	3.1 B	
Barium	1,000 ST	7440-39-3	02/11/08	NA	NA	NA	NA	21.6 B	NA	44.9 B	23.6 B	
Beryllium	3 GV	7440-41-7	11/13/2007	NA	NA	NA	NA	0.096 U	NA	0.13 U	0.26 U	
Boron	1,000 ST	7440-42-8	02/11/08	NA	NA	NA	NA	40.6 BN	NA	28.1 B	39.1 B	
Cadmium	5 ST	7440-43-9	11/13/2007	0.32 U	0.58 B	0.27 U	0.47 B	0.35 U	0.48 B	0.26 U	0.34 U	
Calcium	-	7440-70-2	02/11/08	16,600	15,700	12,700	9,450	9,600	12,500	18,400	10,600	
Chromium Hexavalent	50 ST	18540-29-9	11/13/2007	NA	NA	NA	NA	0.57 B	NA	0.02 U	0.02 U	
Chromium Total	50 ST	7440-47-3	11/13/2007	NA	NA	NA	NA	0.02 U	NA	0.49 U	0.51 B	
Cobalt	-	7440-48-4	11/13/2007	NA	NA	NA	NA	0.88U	NA	1.6 B	1.2 U	
Copper	200 ST	7440-50-8	11/13/2007	NA	NA	NA	NA	2.6 B	NA	0.62 U	3.6 B	
Iron	300 ST	7439-89-6	11/13/2007	4,130	21,100	16,800	12,700	13,000	17,700	24,400	4,240 J*	
Lead	25 ST	7439-92-1	02/11/08	1.4 UJ	1.4 U	2.3 U	2.3 U	4.0	1.3 U	13.2	1.8 U	
Magnesium	35,000 GV	7439-95-4	11/13/2007	2,570 B	2,350 B	1,950 B	1,490 B	1,460 B	1,850 B	2,380 B	1,490 B	
Manganese	300 ST	7439-96-5	11/13/2007	251	680	506	403	419	552	915	253	
Mercury	0.7 ST	7439-97-6	11/13/2007	NA	NA	NA	NA	0.13 U	NA	0.10 U	0.10 U	
Nickel	100 ST	7440-02-0	11/13/2007	NA	NA	NA	NA	1.2 U	NA	0.82 U	1.4 U	
Potassium	-	7440-09-7	02/11/08	4,360 J	3,830 B	3,720 B	3,800 B	3870 B	3,720 B	4,680 B	3650 B	
Selenium	10 ST	7782-49-2	11/13/2007	NA	NA	NA	NA	1.9 UN	NA	5.3 U	2.5 U	
Silver	50 ST	7440-22-4	11/13/2007	NA	NA	NA	NA	0.54 U	NA	0.33 U	0.83 U	
Sodium	20,000 ST	7440-23-5	11/13/2007	7,480	9,590	9,100	7,280	7,150	7,130	10,800	5,900	
Thallium	0.5 GV	7440-28-0	11/13/2007	NA	NA	NA	NA	2.9 B	NA	3.9 U	3.2 U	
Vanadium	-	7440-62-2	11/13/2007	NA	NA	NA	NA	0.74 U	NA	0.77 U	1.4 U	
Zinc	2,000 ST	7440-66-6	11/13/2007	NA	NA	NA	NA	6.2 B	NA	11.2 B	24.5	
Cyanide	200 ST	0057-12-5	11/13/2007	NA	NA	NA	NA	10.0 U	NA	10.0 U	10.0 U	
Iron + Manganese	500 ST*	-	11/13/2007	4,381	21,780	17,306	13,103	13,419	18,252	25,315	4,493	

NOTES:

- U: Analyzed for but not detected, value shown is instrument detection limit.
- U* or UB: Result qualified as non-detect based on validation criteria
- J: Estimated due to data validation criteria.
- J*: Value is an approximate concentration of the analyte as determined by data validation.
- UJ: Value was not detected above quantitation limit but was an approximate.
- B: Concentration is above instrument detection limit but below contract required detection limit.
- N: Matrix spike sampe recovery not within control limits.

Concentration exceeds Standard/Guidance Value.



**Appendix A-2
SONIA ROAD LANDFILL
POST CLOSURE GROUNDWATER MONITORING PROGRAM
HISTORIC AND CURRENT SAMPLE RESULTS
INORGANIC PARAMETERS**

CONSTITUENT	NYSDEC Class GA Groundwater Standards/ Guidance Values	CAS #	SITE: DATE: UNITS:	MW-04D 5/26/2011 (ug/l)	MW-04D 8/27/2012 (ug/l)	MW-04D 11/13/2013 (ug/l)	MW-04D 03/18/2015 (ug/l)	MW-04D 05/11/2016 (ug/l)	MW-04D 8/22/2017 (ug/l)	MW-04D 11/30/2018 (ug/l)	MW-04D 2/25/2020 (ug/l)
Aluminum	-	7429-90-5	ug/l	8.2 U	51.5 B	15.1 J	20 U	14.6 UB	7.18 UB	25.4 UB	26.1
Antimony	3 GV	7440-36-0	ug/l	2.1 U	1.1 U	20 U	5.75 J	5 U	9 U	5 U	10 U
Arsenic	25 ST	7440-38-2	ug/l	1.9 U	4.4 U	17.1 J	16.9 J	17.8 J	16.4 J	19.5 J	13.6 J
Barium	1,000 ST	7440-39-3	ug/l	27.0 B	1.3 U	115	86	115 UB	146 J	208	97.6
Beryllium	3 GV	7440-41-7	ug/l	0.13 U	.12 U	20 U	20 U	5 U	3 U	5 U	5 U
Boron	1,000 ST	7440-42-8	ug/l	25.7 B	41.1 B	85	20 U	92	295	120	65
Cadmium	5 ST	7440-43-9	ug/l	0.27 U	.18 U	10 U	10 U	5 U	3 U	5 U	5 U
Calcium	-	7440-70-2	ug/l	12,900	13,100	22,300	16,200	19,800 J	23,000 UB	35,200	21,500
Chromium Hexavalent	50 ST	18540-29-9	ug/l	20 U	0.2 U	10 U	10.0 U	2.5 U	2.50 U	2.5 U	2.5 U
Chromium Total	50 ST	7440-47-3	ug/l	0.89 B	0.02 U	20 U	20 U	5 U	4 U	5 U	5 U
Cobalt	-	7440-48-4	ug/l	0.62 B	1.2 B	20 U	20 U	5 U	4 U	5 U	5 U
Copper	200 ST	7440-50-8	ug/l	1.6 B	0.52 U	20 U	20 U	5 U	3 U	5 U	5 U
Iron	300 ST	7439-89-6	ug/l	1,570	2,630	40,800	37,300	51,200	58,000	56,300	32,100
Lead	25 ST	7439-92-1	ug/l	1.5 U	8.5	5.82 J	15 U	5 U	8.88 J	5 U	6.2 J
Magnesium	35,000 GV	7439-95-4	ug/l	1,870 B	2000 B	3,180	2,410	3,740 J	5,530 UB	6,490	4,500
Manganese	300 ST	7439-96-5	ug/l	81.4	226	2,190	2,510	4,940	6,400	7,190	4,040
Mercury	0.7 ST	7439-97-6	ug/l	0.10 U*J*	.1 U	0.25 U	0.25 U	0.15 U	0.15 U	0.15 U	0.15 U
Nickel	100 ST	7440-02-0	ug/l	8.5 B	3.0 B	5.25 J	20 U	5.22 J	7.76 UB	7.2 J	8.3 J
Potassium	-	7440-09-7	ug/l	4,520 B	4,780 B	6,090	5,130 J	5,370 UB	6,070 J	8,010	4,810
Selenium	10 ST	7782-49-2	ug/l	2.6 UNU*J*	2.4 U	25 U	25 U	10 U	10 U	10 U	10 U
Silver	50 ST	7440-22-4	ug/l	0.52 U*J*	.32 U	20 U	20 U	5 U	3 U	5 U	5 U
Sodium	20,000 ST	7440-23-5	ug/l	9,120	10,000	12,900	9,640	12,200 UB	11,800 UBJ	51,300	36,100
Thallium	0.5 GV	7440-28-0	ug/l	2.7 U	3.2 U	15 U	15 U	10 U	7 U	10 U	10 U
Vanadium	-	7440-62-2	ug/l	.56 U	0.32 U	20 U	20 U	5 U	3 U	3.1 J	5 U
Zinc	2,000 ST	7440-66-6	ug/l	51.2	26.1	15.7 UB	20 U	56.7 J	19.2 UB	20.3 UB	43.8
Cyanide	200 ST	0057-12-5	ug/l	10.0 U	10 U	41.7 UBJ	10 U	5 U	5 U	5 U	5 U
Iron + Manganese	500 ST*	-	ug/l	1,651.4	2,856	42,990	39,810	56,140	64,400	63,490	36,140

NOTES:

- U: Analyzed for but not detected, value shown is instrument detection limit.
- U* or UB: Result qualified as non-detect based on validation criteria
- J: Estimated due to data validation criteria.
- J*: Value is an approximate concentration of the analyte as determined by data validation.
- UJ: Value was not detected above quantitation limit but was an approximate.
- B: Concentration is above instrument detection limit but below contract required detection limit.
- N: Matrix spike sample recovery not within control limits.

Concentration exceeds Standard/Guidance Value.



Appendix A-2
SONIA ROAD LANDFILL
POST CLOSURE GROUNDWATER MONITORING PROGRAM
HISTORIC AND CURRENT SAMPLE RESULTS
INORGANIC PARAMETERS

CONSTITUENT	NYSDEC Class GA Groundwater Standards/ Guidance Values	CAS #	SITE: DATE:	MW-041 11/13/2007 (ug/l)	MW-041 02/1108 (ug/l)	MW-041 5/15/2008 (ug/l)	MW-041 8/5/2008 (ug/l)	MW-041 11/3/2008 (ug/l)	MW-041 2/23/2009 (ug/l)	MW-041 8/12/2009 (ug/l)	MW-041 2/4/2010 (ug/l)
Aluminum	-	7429-90-5	ug/l	NA	NA	NA	NA	8.7 U	NA	12.5	24.6 B
Antimony	3 GV	7440-36-0	ug/l	NA	NA	NA	NA	2.3 U	NA	2.5 U	2.1 U
Arsenic	25 ST	7440-38-2	ug/l	NA	NA	NA	NA	11.8	NA	12.5	2.3 U
Barium	1,000 ST	7440-39-3	ug/l	NA	NA	NA	NA	33.6 B	NA	103 B	35.9 B
Beryllium	3 GV	7440-41-7	ug/l	NA	NA	NA	NA	0.096 U	NA	0.13 U	0.26 U
Boron	1,000 ST	7440-42-8	ug/l	NA	NA	NA	NA	81.8 BN	NA	125	94.3 B
Cadmium	5 ST	7440-43-9	ug/l	0.32 U	0.58 B	0.27 U	0.27 U	0.35 U	0.35 U	0.40 B	0.34 U
Calcium	-	7440-70-2	ug/l	36,400	42,300	24,600	32,600	28,100	33,300	61,000	30,000
Chromium Hexavalent	50 ST	18540-29-9	ug/l	NA	NA	NA	NA	0.45 B	NA	0.02 U	0.02 U
Chromium Total	50 ST	7440-47-3	ug/l	NA	NA	NA	NA	0.02 U	NA	0.49 U	0.44 U
Cobalt	-	7440-48-4	ug/l	NA	NA	NA	NA	0.88 U	NA	0.80 B	1.2 U
Copper	200 ST	7440-50-8	ug/l	NA	NA	NA	NA	3.3B	NA	0.62 U	3.1 B
Iron	300 ST	7439-89-6	ug/l	1,610	30,900	20,400	25,900	21,400	25,700	53,000	1,720 J*
Lead	25 ST	7439-92-1	ug/l	1.4 UJ	1.4 U	2.3 U	2.3 U	1.3 U	1.3 U	10.7	2.0 B
Magnesium	35,000 GV	7439-95-4	ug/l	3,800 B	4,560	2,700 B	3,760 B	3,060 B	3,520 B	6,110	3,250 B
Manganese	300 ST	7439-96-5	ug/l	75.1	999	765	1,100	1,060	1,230	3,060	366
Mercury	0.7 ST	7439-97-6	ug/l	NA	NA	NA	NA	0.13 U	NA	0.10 U	0.10 U
Nickel	100 ST	7440-02-0	ug/l	NA	NA	NA	NA	1.2 U	NA	0.82 U	1.4 U
Potassium	-	7440-09-7	ug/l	7,640 J	7,430	5,510	7,140	6600	8,460	9,960	8,490
Selenium	10 ST	7782-49-2	ug/l	NA	NA	NA	NA	1.9 UN	NA	5.3 U	2.5 U
Silver	50 ST	7440-22-4	ug/l	NA	NA	NA	NA	0.54 U	NA	0.33 U	0.83 U
Sodium	20,000 ST	7440-23-5	ug/l	14,600	26,600	14,400	19,600	17,500	34,700	53,000	31,000
Thallium	0.5 GV	7440-28-0	ug/l	NA	NA	NA	NA	3.9 B	NA	3.9 U	3.2 U
Vanadium	-	7440-62-2	ug/l	NA	NA	NA	NA	0.74 U	NA	0.77 U	1.4 U
Zinc	2,000 ST	7440-66-6	ug/l	NA	NA	NA	NA	6.1 B	NA	15.2 B	16.0 B
Cyanide	200 ST	0057-12-5	ug/l	NA	NA	NA	NA	10.0 U	NA	10.0 U	10.0 U
Iron + Manganese	500 ST*	-	ug/l	1,685	31,899	21,165	27,000	22,460	26,930	56,060	2,086

NOTES:

U: Analyzed for but not detected, value shown is instrument detection limit.

U* or UB: Result qualified as non-detect based on validation criteria

J: Estimated due to data validation criteria.

J*: Value is an approximate concentration of the analyte as determined by data validation.

UJ: Value was not detected above quantitation limit but was an approximate.

B: Concentration is above instrument detection limit but below contract required detection limit.

N: Matrix spike sample recovery not within control limits.

Concentration exceeds Standard/Guidance Value.

ST: Standard.

GV: Guidance value.

NA: Not analyzed.

**Appendix A-2
SONIA ROAD LANDFILL
POST CLOSURE GROUNDWATER MONITORING PROGRAM
HISTORIC AND CURRENT SAMPLE RESULTS
INORGANIC PARAMETERS**

CONSTITUENT	NYSDEC Class GA Groundwater Standards/ Guidance Values	CAS #	SITE: DATE: UNITS:	MW-041 5/26/2011 (ug/l)	MW-041 8/27/2012 (ug/l)	MW-041 11/13/2013 (ug/l)	MW-041 03/18/2015 (ug/l)	MW-041 05/11/2016 (ug/l)	MW-041 8/22/2017 (ug/l)	MW-041 11/30/2018 (ug/l)	MW-041 2/25/2020 (ug/l)
Aluminum	-	7429-90-5	ug/l	8.2 U	38.2 B	7.13 J	6.67 J	22.6 UB	5.64 UB	31.8 UB	32.9
Antimony	3 GV	7440-36-0	ug/l	2.1 U	1.1 U	20 U	7.56 J	5 U	9 U	5 U	10 U
Arsenic	25 ST	7440-38-2	ug/l	11.4	10.2	12.4 J	11.1 J	13.2 J	13.3 J	22 J	10 U
Barium	1,000 ST	7440-39-3	ug/l	24.3 B	38.6 B	134	116	178	221 J	142	165
Beryllium	3 GV	7440-41-7	ug/l	0.13 U	.12 U	20 U	20 U	5 U	3 U	5 U	5 U
Boron	1,000 ST	7440-42-8	ug/l	113	72.4 B	71	20 U	93	271	120	92
Cadmium	5 ST	7440-43-9	ug/l	0.27 U	.18 U	10 U	10 U	5 U	3 U	5 U	5 U
Calcium	-	7440-70-2	ug/l	16,200	48,800	26,800	35,300	53,200 J	80,900	64,000	49,200
Chromium Hexavalent	50 ST	18540-29-9	ug/l	20 U	.2 U	10 U	10.0 U	2.5 U	2.50 U	2.5 U	2.5 U
Chromium Total	50 ST	7440-47-3	ug/l	1.8 B	10.6	20 U	20 U	5 U	4 U	5 U	5 U
Cobalt	-	7440-48-4	ug/l	.55 B	.52 U	20 U	20 U	5 U	4 U	5 U	5 U
Copper	200 ST	7440-50-8	ug/l	1.6 B	.7 U	20 U	20 U	5 U	3 U	5 U	5 U
Iron	300 ST	7439-89-6	ug/l	16,600	36,400	19,700	15,300	19,400	37,500	23,300	16,600
Lead	25 ST	7439-92-1	ug/l	5.1	1.8 B	15 U	15 U	5 U	5.42 J	5 U	5 U
Magnesium	35,000 GV	7439-95-4	ug/l	2,040 B	4,530 B	2,250	2,700	5,390 J	8,640 UB	6,820	5,070
Manganese	300 ST	7439-96-5	ug/l	1,180	4,690	2,700	1,550	1,430	2,400	1,980	1,500
Mercury	0.7 ST	7439-97-6	ug/l	0.10 U*J*	0.1	0.25 U	0.25 U	0.15 U	0.15 U	0.15 U	0.15 U
Nickel	100 ST	7440-02-0	ug/l	1.2 U	.64 U	20 U	20 U	5 U	3.17 UB	5 U	4.5 J
Potassium	-	7440-09-7	ug/l	4,510 B	5,450	13,100	19,700 J	23,100	19,600 J	10,000	12,000
Selenium	10 ST	7782-49-2	ug/l	2.6 UNU*J*	3.7 B	25 U	25 U	10 U	10 U	10 U	10 U
Silver	50 ST	7440-22-4	ug/l	0.52 U*J*	.49 B	20 U	20 U	5 U	3 U	5 U	5 U
Sodium	20,000 ST	7440-23-5	ug/l	19,600	54,200	20,800	9,350	17,700 UB	12,400 UBJ	46,300	68,500
Thallium	0.5 GV	7440-28-0	ug/l	3.4 B	3.2 B	15 U	15 U	10 U	7 U	10 U	5.6 J
Vanadium	-	7440-62-2	ug/l	1.0 B	.23 U	20 U	20 U	5 U	3 U	5 U	5 U
Zinc	2,000 ST	7440-66-6	ug/l	17.6 B	47.1	15.1 UB	20 U	39.1 UBJ	13 UB	13.7 UB	21.5
Cyanide	200 ST	0057-12-5	ug/l	10.0 U	10.0 U	43.5 UBJ	10 U	5 U	5 U	5 U	5 U
Iron + Manganese	500 ST*	-	ug/l	17,780	41,090	22,400	16,850	20,830	39,900	25,280	18,100

NOTES:

U: Analyzed for but not detected, value shown is instrument detection limit.

U* or UB: Result qualified as non-detect based on validation criteria

J: Estimated due to data validation criteria.

J*: Value is an approximate concentration of the analyte as determined by data validation.

UJ: Value was not detected above quantitation limit but was an approximate.

B: Concentration is above instrument detection limit but below contract required detection limit.

N: Matrix spike sampe recovery not within control limits.

Concentration exceeds Standard/Guidance Value.

ST: Standard.

GV: Guidance value.

NA: Not analyzed.



Appendix A-2
SONIA ROAD LANDFILL
POST CLOSURE GROUNDWATER MONITORING PROGRAM
HISTORIC AND CURRENT SAMPLE RESULTS
INORGANIC PARAMETERS

CONSTITUENT	NYSDEC Class GA Groundwater Standards/ Guidance Values	CAS #	SITE: DATE:	MW-04S (ug/l)	MW-04S (ug/l)	MW-04S (ug/l)	MW-04S (ug/l)	MW-04S (ug/l)	MW-04S (ug/l)	MW-04S (ug/l)	MW-04S (ug/l)	MW-04S (ug/l)
Aluminum	-	7429-90-5	ug/l	NA	NA	NA	2630	NA	NA	42.3 B	1540	
Antimony	3 GV	7440-36-0	ug/l	NA	NA	NA	2.6 B	NA	NA	2.5 U	2.4 B	
Arsenic	25 ST	7440-38-2	ug/l	NA	NA	NA	11.0	NA	NA	6.5 B	7.5 B	
Barium	1,000 ST	7440-39-3	ug/l	NA	NA	NA	306	NA	NA	284	304	
Beryllium	3 GV	7440-41-7	ug/l	NA	NA	NA	0.21 B	NA	NA	0.13 U	0.32 B	
Boron	1,000 ST	7440-42-8	ug/l	NA	NA	NA	195 BN	NA	NA	154	179	
Cadmium	5 ST	7440-43-9	ug/l	0.32 U	1.0 B	0.27 U	0.63 B	0.73 B	0.35 U	0.50 B	0.34 U	
Calcium	-	7440-70-2	ug/l	98,000	93,300	91,900	95,400	94,900	96,400	93,800	92,200	
Chromium Hexavalent	50 ST	18540-29-9	ug/l	NA	NA	NA	5.1 B	NA	NA	0.02 U	0.02 U	
Chromium Total	50 ST	7440-47-3	ug/l	NA	NA	NA	0.02 U	NA	NA	2.3 B	3.7 B	
Cobalt	-	7440-48-4	ug/l	NA	NA	NA	1.4 B	NA	NA	0.90 B	1.4 B	
Copper	200 ST	7440-50-8	ug/l	NA	NA	NA	15.0 B	NA	NA	0.62 U	0.83 U	
Iron	300 ST	7439-89-6	ug/l	51,600	43,400	46,400	53,700	46,300	49,800	45,300	48,800 J*	
Lead	25 ST	7439-92-1	ug/l	1.4 UJ	1.4 U	2.3 U	3.1	3.0 B	1.3 U	17.7	5.0	
Magnesium	35,000 GV	7439-95-4	ug/l	12,800	11,100	11,100	11,400	11,700	11,000	9,290	10,700	
Manganese	300 ST	7439-96-5	ug/l	2,490	2,300	2,290	2,250	2,240	2,350	2,270	2,580	
Mercury	0.7 ST	7439-97-6	ug/l	NA	NA	NA	0.13 U	NA	NA	0.10 U	0.10 U	
Nickel	100 ST	7440-02-0	ug/l	NA	NA	NA	4.9 B	NA	NA	0.82 U	3.7 B	
Potassium	-	7440-09-7	ug/l	1,880 J	16,300	17,600	18,200	18,600	16,600	15,500	16,200	
Selenium	10 ST	7782-49-2	ug/l	NA	NA	NA	2.7 BN	NA	NA	5.3 U	2.5 U	
Silver	50 ST	7440-22-4	ug/l	NA	NA	NA	0.54 U	NA	NA	0.33 U	0.83 U	
Sodium	20,000 ST	7440-23-5	ug/l	42,700	42,500	43,200	39,500	41,000	38,700	32,400	35,900	
Thallium	0.5 GV	7440-28-0	ug/l	NA	NA	NA	3.9 B	NA	NA	3.9 U	3.2 U	
Vanadium	-	7440-62-2	ug/l	NA	NA	NA	10.5 B	NA	NA	0.77 U	8.3 B	
Zinc	2,000 ST	7440-66-6	ug/l	NA	NA	NA	15.7 B	NA	NA	13.5 B	17.6 B	
Cyanide	200 ST	0057-12-5	ug/l	NA	NA	NA	10.0 U	NA	NA	10.0 U	10.0 U	
Iron + Manganese	500 ST*	-	ug/l	54,090	45,700	48,690	55,950	48,540	52,150	47,570	51,380	

NOTES:

U: Analyzed for but not detected, value shown is instrument detection limit.

U* or UB: Result qualified as non-detect based on validation criteria

J: Estimated due to data validation criteria.

J*: Value is an approximate concentration of the analyte as determined by data validation.

UU: Value was not detected above quantitation limit but was an approximate.

B: Concentration is above instrument detection limit but below contract required detection limit.

N: Matrix spike sample recovery not within control limits.

Concentration exceeds Standard/Guidance Value.

ST: Standard.

GV: Guidance value.

NA: Not analyzed.



Appendix A-2
SONIA ROAD LANDFILL
POST CLOSURE GROUNDWATER MONITORING PROGRAM
HISTORIC AND CURRENT SAMPLE RESULTS
INORGANIC PARAMETERS

CONSTITUENT	NYSDEC Class GA Groundwater Standards/Guidance Values	CAS #	SITE: DATE: UNITS:	MW-04S 5/31/2011 (ug/l)	MW-04S 8/27/2012 (ug/l)	MW-04S 11/13/2013 (ug/l)	MW-04S 03/18/2015 (ug/l)	MW-04S 05/11/2016 (ug/l)	MW-04S 8/22/2017 (ug/l)	MW-04S 11/30/2018 (ug/l)	MW-04S 2/25/2020 (ug/l)
Aluminum	-	7429-90-5	ug/l	28.0 B	73.9 B	17.5 J	14.6 J	54 UB	24.5 UB	41.5	43.7
Antimony	3 GV	7440-36-0	ug/l	2.1 U	1.1 U	7.92 J	20 U	5 U	9 U	5 U	10 U
Arsenic	25 ST	7440-38-2	ug/l	2.7 B	8.1 B	10.2 J	25 U	10 U	8.58 J	14.9 J	15.8 J
Barium	1,000 ST	7440-39-3	ug/l	298	379	282	293	335	414 J	303	278
Beryllium	3 GV	7440-41-7	ug/l	0.19 B	.12 U	20 U	20 U	5 U	3 U	5 U	5 U
Boron	1,000 ST	7440-42-8	ug/l	181	213	158	20 U	186	443	186	168
Cadmium	5 ST	7440-43-9	ug/l	0.27 U	.18 U	10 U	10 U	5 U	3 U	5 U	5 U
Calcium	-	7440-70-2	ug/l	90,100	129,000	84,500	96,400	105,000 J	133,000 UB	98,800	87,300
Chromium Hexavalent	50 ST	18540-29-9	ug/l	20 U	0.02 U	10 U	10.0 U	2.5 UJ	2.50 U	2.5 U	2.5 U
Chromium Total	50 ST	7440-47-3	ug/l	1.7 B	13.3	20 U	20 U	5 U	4 U	5 U	5 U
Cobalt	-	7440-48-4	ug/l	1.1 B	.52 U	20 U	20 U	5 U	4 U	5 U	5 U
Copper	200 ST	7440-50-8	ug/l	0.55 U	.7 U	20 U	20 U	5 U	3 U	5 U	5 U
Iron	300 ST	7439-89-6	ug/l	39,000	60,200	37,200	39,100	43,200	50,800	38,900	37,700
Lead	25 ST	7439-92-1	ug/l	11.3	9.6	15 U	15 U	5 U	7.18 J	5 U	5 U
Magnesium	35,000 GV	7439-95-4	ug/l	10,700	12,400	8,300	8,880	10,200 J	12,400 UB	9,450	9,000
Manganese	300 ST	7439-96-5	ug/l	2,250	3,240	2,520	2,800	3,220	3,090	3,040	2,430
Mercury	0.7 ST	7439-97-6	ug/l	0.19 BNU*	0.1	0.25 U	0.25 U	0.15 U	0.15 U	0.15 U	0.15 U
Nickel	100 ST	7440-02-0	ug/l	2.2 B	.64 U	5.04 J	20 U	5.09 J	5.16 UB	3.7 J	9.6 J
Potassium	-	7440-09-7	ug/l	18,400	20,600	15,200	17,200 J	17,500	19,400 J	13,100	13,800
Selenium	10 ST	7782-49-2	ug/l	2.6 UNU*J*	2.8 U	25 U	25 U	10 U	10 U	10 U	10 U
Silver	50 ST	7440-22-4	ug/l	0.75 BN	.32 U	20 U	20 U	5 U	3 U	5 U	5 U
Sodium	20,000 ST	7440-23-5	ug/l	39,300	51,000	11,500	13,300	14,100 UB	10,400 UBJ	27,100	40,500
Thallium	0.5 GV	7440-28-0	ug/l	2.7 U	3.2 U	15 U	15 U	10 U	7 U	10 U	10 U
Vanadium	-	7440-62-2	ug/l	2.9 B	1.5 B	20 U	20 U	5 U	3 U	3.2 J	5 U
Zinc	2,000 ST	7440-66-6	ug/l	13.5	10.2 B	17 UB	20 U	13.7 UBJ	19.7 UB	35.6 UB	37.3
Cyanide	200 ST	0057-12-5	ug/l	10.0 U	10.0 U	45.4 UBJ	10 U	5 U	5 U	5 U	5 U
Iron + Manganese	500 ST*	-	ug/l	41,250	63,440	39,720	41,900	46,420	53,890	41,940	40,130

NOTES:

- U: Analyzed for but not detected, value shown is instrument detection limit.
- U* or UB: Result qualified as non-detect based on validation criteria
- J: Estimated due to data validation criteria.
- J*: Value is an approximate concentration of the analyte as determined by data validation.
- UJ: Value was not detected above quantitation limit but was an approximate.
- B: Concentration is above instrument detection limit but below contract required detection limit.
- N: Matrix spike sample recovery not within control limits.

ST: Standard.
 GV: Guidance value.
 NA: Not analyzed.



**Appendix A-2
SONIA ROAD LANDFILL
POST CLOSURE GROUNDWATER MONITORING PROGRAM
HISTORIC AND CURRENT SAMPLE RESULTS
INORGANIC PARAMETERS**

CONSTITUENT	NYSDEC Class GA Groundwater Standards/ Guidance Values	CAS #	SITE: DATE:	MW-05D UNITS:	MW-05D (ug/l)	MW-05D (ug/l)	MW-05D (ug/l)	MW-05D (ug/l)	MW-05D (ug/l)	MW-05D (ug/l)	MW-05D (ug/l)	MW-05D (ug/l)
Aluminum	-	7429-90-5	8/14/2007	ug/l	NA	NA	NA	NA	43.2 B	NA	108 B	1700
Antimony	3 GV	7440-36-0	8/14/2007	ug/l	NA	NA	NA	2.3 U	2.3 U	NA	2.5 U	2.1 U
Arsenic	25 ST	7440-38-2	8/14/2007	ug/l	NA	NA	NA	1.8 U	1.8 U	NA	3.0 U	2.3 U
Barium	1,000 ST	7440-39-3	8/14/2007	ug/l	NA	NA	NA	48.4 B	48.4 B	NA	42.9 B	25.4 B
Beryllium	3 GV	7440-41-7	8/14/2007	ug/l	NA	NA	NA	0.096 U	0.096 U	NA	0.13 U	0.26 U
Boron	1,000 ST	7440-42-8	8/14/2007	ug/l	NA	NA	NA	46.1 B	46.1 B	NA	36.6 B	42.0 B
Cadmium	5 ST	7440-43-9	8/14/2007	ug/l	0.99 B	0.88 B	0.52 B	0.43 B	0.43 B	0.72 B	0.70 B	4.8 B
Calcium	-	7440-70-2	8/14/2007	ug/l	24,700	41,500	32,000	28,600	28,600	28,200	27,500	17,500
Chromium Hexavalent	50 ST	18540-29-9	8/14/2007	ug/l	NA	NA	NA	0.96 B	0.96 B	NA	0.02 U	0.02 U
Chromium Total	50 ST	7440-47-3	8/14/2007	ug/l	NA	NA	NA	0.02 U	0.02 U	NA	0.90 B	4.3 B
Cobalt	-	7440-48-4	8/14/2007	ug/l	NA	NA	NA	2.2 B	2.2 B	NA	2.1 B	1.4 B
Copper	200 ST	7440-50-8	8/14/2007	ug/l	NA	NA	NA	2.7 B	2.7 B	NA	1.4 B	7.4 B
Iron	300 ST	7439-89-6	8/14/2007	ug/l	315	85.0 B	926	48.6 B	48.6 B	10.2 B	21.2 B	2,650
Lead	25 ST	7439-92-1	8/14/2007	ug/l	1.4 UJ	2.2 B	8.0	1.3 U	1.3 U	1.5 B	20.6	21.1
Magnesium	35,000 GV	7439-95-4	8/14/2007	ug/l	6,890	12,800	10,500	8,930	8,930	7,600	7,760	7,960
Manganese	300 ST	7439-96-5	8/14/2007	ug/l	9,980	13,800	3,290	7,760	7,760	7,740	6,820	1,870
Mercury	0.7 ST	7439-97-6	8/14/2007	ug/l	NA	NA	NA	0.13 U	0.13 U	NA	0.10 U	0.10 U
Nickel	100 ST	7440-02-0	8/14/2007	ug/l	NA	NA	NA	6.5 B	6.5 B	NA	7.9 B	6.1 B
Potassium	-	7440-09-7	8/14/2007	ug/l	5,710 J	5,920	5,840	5,100	5,100	4,600 B	3,940 B	3,050 J*
Selenium	10 ST	7782-49-2	8/14/2007	ug/l	NA	NA	NA	1.9 U	1.9 U	NA	4.6 U	2.5 U
Silver	50 ST	7440-22-4	8/14/2007	ug/l	NA	NA	NA	1.3 B	1.3 B	NA	0.81 B	0.83 U
Sodium	20,000 ST	7440-23-5	8/14/2007	ug/l	33,600	41,000	37,700	35,300	35,300	29,200	26,800	22,300
Thallium	0.5 GV	7440-28-0	8/14/2007	ug/l	NA	NA	NA	1.9 U	1.9 U	NA	3.9 U	3.2 U
Vanadium	-	7440-62-2	8/14/2007	ug/l	NA	NA	NA	0.74 U	0.74 U	NA	0.77 U	4.2 B
Zinc	2,000 ST	7440-66-6	8/14/2007	ug/l	NA	NA	NA	4.3 B	4.3 B	NA	8.0 B	206
Cyanide	200 ST	0057-12-5	8/14/2007	ug/l	NA	NA	NA	10.0 U	10.0 U	NA	10.0 U	10.0 U
Iron + Manganese	500 ST*	-	8/14/2007	ug/l	10,295	13,885	4,216	7,809	7,809	7,750.2	6,830.2	4,520

NOTES:

- U: Analyzed for but not detected, value shown is instrument detection limit.
- U* or UB: Result qualified as non-detect based on validation criteria
- J: Estimated due to data validation criteria.
- J*: Value is an approximate concentration of the analyte as determined by data validation.
- UJ: Value was not detected above quantitation limit but was an approximate.
- B: Concentration is above instrument detection limit but below contract required detection limit.
- N: Matrix spike sampe recovery not within control limits.

Concentration exceeds Standard/Guidance Value.



Appendix A-2
SONIA ROAD LANDFILL
POST CLOSURE GROUNDWATER MONITORING PROGRAM
HISTORIC AND CURRENT SAMPLE RESULTS
INORGANIC PARAMETERS

CONSTITUENT	NYSDEC Class GA Groundwater Standards/Guidance Values	CAS #	SITE: DATE: UNITS:	MW-05D 6/1/2011 (ug/l)	MW-05D 8/28/2012 (ug/l)	MW-05D 11/13/2013 (ug/l)	MW-05D 03/19/2015 (ug/l)	MW-05D 05/11/2016 (ug/l)	MW-05D 8/22/2017 (ug/l)	MW-05D 11/30/2018 (ug/l)	MW-05D 2/25/2020 (ug/l)
Aluminum	-	7429-90-5	ug/l	196 B	36.3 D	20 U	20 U	58.4 UB	3 U	16.9 UB	27.7
Antimony	3 GV	7440-36-0	ug/l	2.1 U	1.1 U	20 U	20 U	5 U	9 U	5 U	10 U
Arsenic	25 ST	7440-38-2	ug/l	1.9 U	4.4 U	25 U	25 U	10 U	7 U	10 U	10 U
Barium	1,000 ST	7440-39-3	ug/l	27.0 B	9.3 B	27.7	45.1	54.3 UB	40.5 UBJ	40.6	51.9
Beryllium	3 GV	7440-41-7	ug/l	0.17 B	.12 U	20 U	20 U	5 U	3 U	5 U	5 U
Boron	1,000 ST	7440-42-8	ug/l	31.4 B	29.1 B	24	20 U	26.9 UB	21.3	40.5 UB	28.3
Cadmium	5 ST	7440-43-9	ug/l	0.27 U	.18 U	10 U	10 U	5 U	3 U	5 U	5 U
Calcium	-	7440-70-2	ug/l	14,900	4290 B	6,230	11,100	13,300 J	8,210	12,600	17,400
Chromium Hexavalent	50 ST	18540-29-9	ug/l	20 U	0.2 U	10 U	10.0 U	2.5 U	2.5 U	2.5 U	2.5 U
Chromium Total	50 ST	7440-47-3	ug/l	2.2 B	8.4	20 U	20 U	5 U	4 U	5 U	5 U
Cobalt	-	7440-48-4	ug/l	1.2 B	.52 U	20 U	20 U	5 U	4 U	5 U	5 U
Copper	200 ST	7440-50-8	ug/l	1.8 B	.7 U	20 U	20 U	5 U	3 U	5 U	5 U
Iron	300 ST	7439-89-6	ug/l	295	31.9 B	12.7 UB	13.5 UB	43.8 UB	71.9	36 UB	28.4
Lead	25 ST	7439-92-1	ug/l	5.6	9	15 U	15 U	5 U	4 U	5 U	5 U
Magnesium	35,000 GV	7439-95-4	ug/l	7,380	1560 B	2,420	4,260	5,040 J	3,010 UB	4,790	6,580
Manganese	300 ST	7439-96-5	ug/l	1,560	25.2	352	244	169	66.6	41.6	45.8
Mercury	0.7 ST	7439-97-6	ug/l	0.10 UNU*J*	0.1	0.25 U	0.25 U	0.15 U	0.15 U	0.15 U	0.15 U
Nickel	100 ST	7440-02-0	ug/l	19.0 B	5.6	20 U	20 U	5 U	3 U	5 U	4.0 J
Potassium	-	7440-09-7	ug/l	2850 B	1400 B	1,620	2,670	3,840 UB	3,100 UBJ	3,050	3,810
Selenium	10 ST	7782-49-2	ug/l	2.6 UNU*J*	4.7 B	25 U	25 U	10 U	10 U	10 U	10 U
Silver	50 ST	7440-22-4	ug/l	0.52 UN	.32 U	20 U	20 U	5 U	3 U	5 U	5 U
Sodium	20,000 ST	7440-23-5	ug/l	23,500	18,500	5,450	6,850	6,710 UB	4,740 UBJ	11,300	13,500
Thallium	0.5 GV	7440-28-0	ug/l	2.7 U	3.2 U	15 U	15 U	10 U	7 U	10 U	5.3 J
Vanadium	-	7440-62-2	ug/l	.68 B	.23 U	20 U	20 U	5 U	3 U	5 U	5 U
Zinc	2,000 ST	7440-66-6	ug/l	40.6	12 B	11.8 UB	20 U	108 J	17.7 UB	14.9 UB	31.0
Cyanide	200 ST	0057-12-5	ug/l	10.0 U	10.0 U	43.4 UBJ	10 U	5 U	5 U	5 U	5 U
Iron + Manganese	500 ST*	-	ug/l	1,955	25.2	352	244	169	138.5	41.6	74.2

NOTES:

- U: Analyzed for but not detected, value shown is instrument detection limit.
- U* or UB: Result qualified as non-detect based on validation criteria
- J: Estimated due to data validation criteria.
- J*: Value is an approximate concentration of the analyte as determined by data validation.
- UU: Value was not detected above quantitation limit but was an approximate.
- B: Concentration is above instrument detection limit but below contract required detection limit.
- N: Matrix spike sample recovery not within control limits.

ST: Standard.

GV: Guidance value.

NA: Not analyzed.

Concentration exceeds Standard/Guidance Value.



Appendix A-2
SONIA ROAD LANDFILL
POST CLOSURE GROUNDWATER MONITORING PROGRAM
HISTORIC AND CURRENT SAMPLE RESULTS
INORGANIC PARAMETERS

CONSTITUENT	NYSDEC Class GA Groundwater Standards/ Guidance Values	CAS #	SITE DATE:	MW-051 (ug/l)	MW-051 (ug/l)	MW-051 (ug/l)	MW-051 (ug/l)	MW-051 (ug/l)	MW-051 (ug/l)	MW-051 (ug/l)	MW-051 (ug/l)	MW-051 (ug/l)
Aluminum	-	7429-90-5	11/13/2007	NA	NA	NA	NA	8.7 U	NA	105 B	NA	2680
Antimony	3 GV	7440-36-0	11/13/2007	NA	NA	NA	NA	2.3 U	NA	2.5 U	NA	2.1 U
Arsenic	25 ST	7440-38-2	11/13/2007	NA	NA	NA	NA	4.3 B	NA	3.2 B	NA	3.5 B
Barium	1,000 ST	7440-39-3	11/13/2007	NA	NA	NA	NA	20.4 B	NA	21.9 B	NA	46.8 B
Beryllium	3 GV	7440-41-7	11/13/2007	NA	NA	NA	NA	0.096 U	NA	0.13 U	NA	0.26 U
Boron	1,000 ST	7440-42-8	11/13/2007	NA	NA	NA	NA	84.5 B	NA	52.7 B	NA	69.6 B
Cadmium	5 ST	7440-43-9	11/13/2007	0.38 B	0.35 B	0.27 U	0.27 U	0.35 U	0.35 U	0.50 B	0.35 U	3.0 B
Calcium	-	7440-70-2	11/13/2007	41,100	30,000	34,300	28,600	16,300	22,300	22,800	22,300	19,300
Chromium Hexavalent	50 ST	18540-29-9	11/13/2007	NA	NA	NA	NA	0.57 B	NA	0.02 U	NA	0.02 U
Chromium Total	50 ST	7440-47-3	11/13/2007	NA	NA	NA	NA	0.02 U	NA	0.60 B	NA	5.0 B
Cobalt	-	7440-48-4	11/13/2007	NA	NA	NA	NA	0.88 U	NA	0.76 U	NA	1.3 B
Copper	200 ST	7440-50-8	11/13/2007	NA	NA	NA	NA	1.2 B	NA	0.80 B	NA	7.7 B
Iron	300 ST	7439-89-6	11/13/2007	1,750	8,920	10,700	8,490	5,020	7,920	8,890	7,920	9,230
Lead	25 ST	7439-92-1	11/13/2007	1.4 UJ	1.4 U	2.3 U	2.3 U	1.3 U	1.3 U	6.9	1.3 U	14.8
Magnesium	35,000 GV	7439-95-4	11/13/2007	6,340	4,350 B	5,350	4,580 B	2,480 B	3,360 B	3,660	3,360 B	3,450 B
Manganese	300 ST	7439-96-5	11/13/2007	398	2,290	2,880	2,410	1,580	2,520	3,150	2,520	1,840
Mercury	0.7 ST	7439-97-6	11/13/2007	NA	NA	NA	NA	0.28	NA	0.10 U	NA	0.10 U
Nickel	100 ST	7440-02-0	11/13/2007	NA	NA	NA	NA	1.2 U	NA	0.82 U	NA	3.1 B
Potassium	-	7440-09-7	11/13/2007	12,400 J	13,300	12,100	13,800	9250	7,510	7,650	7,510	9,130 J*
Selenium	10 ST	7782-49-2	11/13/2007	NA	NA	NA	NA	1.9 U	NA	4.6 U	NA	2.5 U
Silver	50 ST	7440-22-4	11/13/2007	NA	NA	NA	NA	0.54 U	NA	0.44 B	NA	0.83 U
Sodium	20,000 ST	7440-23-5	11/13/2007	33,700	30,000	26,300	28,100	21,600	21,400	17,000	21,400	16,700
Thallium	0.5 GV	7440-28-0	11/13/2007	NA	NA	NA	NA	1.9 U	NA	3.9 U	NA	3.2 U
Vanadium	-	7440-62-2	11/13/2007	NA	NA	NA	NA	0.74 U	NA	0.77 U	NA	5.7 B
Zinc	2,000 ST	7440-66-6	11/13/2007	NA	NA	NA	NA	5.0 B	NA	9.5 B	NA	386
Cyanide	200 ST	0057-12-5	11/13/2007	NA	NA	NA	NA	10.0 U	NA	10.0 U	NA	10.0 U
Iron + Manganese	500 ST*	-	11/13/2007	2,148	11,210	13,580	10,900	6,600	10,440	12,040	10,440	11,070

NOTES:

- U: Analyzed for but not detected, value shown is instrument detection limit.
- U* or UB: Result qualified as non-detect based on validation criteria
- J: Estimated due to data validation criteria.
- J*: Value is an approximate concentration of the analyte as determined by data validation.
- UJ: Value was not detected above quantitation limit but was an approximate.
- B: Concentration is above instrument detection limit but below contract required detection limit.
- N: Matrix spike sampe recovery not within control limits.

Concentration exceeds Standard/Guidance Value.



**Appendix A-2
SONIA ROAD LANDFILL
POST CLOSURE GROUNDWATER MONITORING PROGRAM
HISTORIC AND CURRENT SAMPLE RESULTS
INORGANIC PARAMETERS**

CONSTITUENT	NYSDEC Class GA Groundwater Standards/ Guidance Values	CAS #	SITE: DATE: UNITS:	MW-051 5/31/2011 (ug/l)	MW-051 8/28/2012 (ug/l)	MW-051 11/13/2013 (ug/l)	MW-051 03/19/2015 (ug/l)	MW-051 05/11/2016 (ug/l)	MW-051 8/22/2017 (ug/l)	MW-051 11/30/2018 (ug/l)	MW-051 2/25/2020 (ug/l)
Aluminum	-	7429-90-5	ug/l	36.4 B	42.9 B	7.67 J	9.05 J	18 UB	10 UB	31.4 UB	35.3
Antimony	3 GV	7440-36-0	ug/l	2.1 U	1.1 U	6.59 J	20 U	5 U	9 U	5 U	10 U
Arsenic	25 ST	7440-38-2	ug/l	1.9 U	4.8 B	25 U	25 U	10 U	7 U	12.8 J	10 U
Barium	1,000 ST	7440-39-3	ug/l	34.1 B	20.6 B	107	65.2	38.2 UB	96.1 J	98.9	86.2
Beryllium	3 GV	7440-41-7	ug/l	0.13 U	.12 U	20 U	20 U	5 U	3 U	5 U	5 U
Boron	1,000 ST	7440-42-8	ug/l	54.4 B	43.9 B	51	20 U	48.7	74.9	70.3	79.0
Cadmium	5 ST	7440-43-9	ug/l	0.27 U	.6 B	10 U	10 U	5 U	3 U	5 U	5 U
Calcium	-	7440-70-2	ug/l	20,500	15,600	32,800	19,700	14,000 J	46,600	57,900	51,600
Chromium Hexavalent	50 ST	18540-29-9	ug/l	20 U	0.2 U	10 U	10.0 U	2.5 U	2.50 U	2.5 U	2.5 U
Chromium Total	50 ST	7440-47-3	ug/l	1.5 B	7.9	20 U	20 U	5 U	4 U	5 U	5 U
Cobalt	-	7440-48-4	ug/l	.49 U	.52 U	20 U	20 U	5 U	4 U	5 U	5 U
Copper	200 ST	7440-50-8	ug/l	0.55 U	.7 U	20 U	20 U	5 U	3 U	5 U	5 U
Iron	300 ST	7439-89-6	ug/l	12,600	4,330	6,110	3,180	2,460	8,140	11,700	15,200
Lead	25 ST	7439-92-1	ug/l	4.9	1.9 B	15 U	15 U	5 U	4 U	5 U	5 U
Magnesium	35,000 GV	7439-95-4	ug/l	3,830 B	1840 B	3,510	2,010	2,150 J	6,850 UB	7,710	6,850
Manganese	300 ST	7439-96-5	ug/l	5,070	1,730	2,450	1,170	803	1,750	3,520	2,690
Mercury	0.7 ST	7439-97-6	ug/l	0.16 BNU*	0.1	0.25 U	0.25 U	0.15 U	0.15 U	0.15 U	0.15 U
Nickel	100 ST	7440-02-0	ug/l	1.7 B	1.1 B	20 U	20 U	5 U	3 U	5 U	4.0 J
Potassium	-	7440-09-7	ug/l	10,600	9,200	26,200	21,200	12,300	17,100 J	14,100	14,000
Selenium	10 ST	7782-49-2	ug/l	2.6 UNU*J*	2.8 U	25 U	25 U	10 U	10 U	10 U	10 U
Silver	50 ST	7440-22-4	ug/l	0.52 UN	.32 U	20 U	20 U	5 U	3 U	5 U	5 U
Sodium	20,000 ST	7440-23-5	ug/l	19,300	10,400	14,100	8,190	5,170 UB	10,000 UBJ	39,000	29,600
Thallium	0.5 GV	7440-28-0	ug/l	2.7 U	3.2 U	15 U	15 U	10 U	7 U	10 U	5.1 J
Vanadium	-	7440-62-2	ug/l	.98 B	.23 U	20 U	20 U	5 U	3 U	5 U	5 U
Zinc	2,000 ST	7440-66-6	ug/l	7.1 B	13 B	11.1 UB	20 U	97.4 J	15.8 UB	14.4 UB	34.5
Cyanide	200 ST	0057-12-5	ug/l	10.0 U	10.0 U	40.3 UBJ	10 U	5 U	5 U	5 U	5 U
Iron + Manganese	500 ST*	-	ug/l	17,670	6,090	8,560	4,350	3,263	9,890	15,220	17,890

NOTES:

- U: Analyzed for but not detected, value shown is instrument detection limit.
- U* or UB: Result qualified as non-detect based on validation criteria
- J: Estimated due to data validation criteria.
- J*: Value is an approximate concentration of the analyte as determined by data validation.
- UJ: Value was not detected above quantitation limit but was an approximate.
- B: Concentration is above instrument detection limit but below contract required detection limit.
- N: Matrix spike sample recovery not within control limits.

Concentration exceeds Standard/Guidance Value.

ST: Standard.
GV: Guidance value.
NA: Not analyzed.



**Appendix A-2
SONIA ROAD LANDFILL
POST CLOSURE GROUNDWATER MONITORING PROGRAM
HISTORIC AND CURRENT SAMPLE RESULTS
INORGANIC PARAMETERS**

CONSTITUENT	NYSDEC Class GA Groundwater Standards/ Guidance Values	CAS #	SITE: DATE:	MW-055 UNITS:	MW-055 11/13/2007 (ug/l)	MW-055 2/11/2008 (ug/l)	MW-055 5/15/2008 (ug/l)	MW-055 8/5/2008 (ug/l)	MW-055 11/5/2008 (ug/l)	MW-055 2/26/2009 (ug/l)	MW-055 8/17/2009 (ug/l)	MW-055 2/8/2010 (ug/l)
Aluminum	-	7429-90-5	ug/l	NA	NA	NA	NA	NA	85.0 B	NA	214	541
Antimony	3 GV	7440-36-0	ug/l	NA	NA	NA	NA	NA	2.3 U	NA	2.5 U	2.1 U
Arsenic	25 ST	7440-38-2	ug/l	NA	NA	NA	NA	NA	3.4 B	NA	3.0 U	2.3 U
Barium	1,000 ST	7440-39-3	ug/l	NA	NA	NA	NA	NA	300	NA	322	199 B
Beryllium	3 GV	7440-41-7	ug/l	NA	NA	NA	NA	NA	0.096 U	NA	0.13 U	0.55 B
Boron	1,000 ST	7440-42-8	ug/l	NA	NA	NA	NA	NA	223 B	NA	279	146
Cadmium	5 ST	7440-43-9	ug/l	0.32 U	1.2 B	0.27 U	0.78 B	0.35 U	0.35 U	0.35 U	0.90 B	0.34 U
Calcium	-	7440-70-2	ug/l	96,400	97,500	83,500	97,300	91,500	91,500	89,400	103,000	62,600
Chromium Hexavalent	50 ST	18540-29-9	ug/l	NA	NA	NA	NA	NA	1.8 B	NA	0.02 U	0.02 U
Chromium Total	50 ST	7440-47-3	ug/l	NA	NA	NA	NA	NA	0.02 U	NA	1.3 B	2.6 B
Cobalt	-	7440-48-4	ug/l	NA	NA	NA	NA	NA	3.4 B	NA	1.4 B	5.5 B
Copper	200 ST	7440-50-8	ug/l	NA	NA	NA	NA	NA	4.5 B	NA	0.62 U	0.83 U
Iron	300 ST	7439-89-6	ug/l	55,300	42,500	38,400	42,100	40,000	40,000	36,900	41,000	20,500
Lead	25 ST	7439-92-1	ug/l	1.4 UJ	1.4 U	2.3 U	2.3 B	1.3 U	1.3 U	1.3 U	18.5	4.5
Magnesium	35,000 GV	7439-95-4	ug/l	12,500	12,300	10,900	12,800	11,700	11,700	11,400	13,000	8,300
Manganese	300 ST	7439-96-5	ug/l	42,400	4,850	4,100	4,480	4,550	4,550	4,420	4,710	2,520
Mercury	0.7 ST	7439-97-6	ug/l	NA	NA	NA	NA	NA	0.13 U	NA	0.10 U	0.10 U
Nickel	100 ST	7440-02-0	ug/l	NA	NA	NA	NA	NA	5.9 B	NA	0.82 U	4.4 B
Potassium	-	7440-09-7	ug/l	15,300 J	14,300	13,400	15,400	14,900	14,900	12,900	13,800	10,800 J*
Selenium	10 ST	7782-49-2	ug/l	NA	NA	NA	NA	NA	1.9 U	NA	4.6 U	2.5 U
Silver	50 ST	7440-22-4	ug/l	NA	NA	NA	NA	NA	0.65 B	NA	0.33 U	0.83 U
Sodium	20,000 ST	7440-23-5	ug/l	31,800	32,900	28,400	30,600	28,500	28,500	25,900	27,800	2,400
Thallium	0.5 GV	7440-28-0	ug/l	NA	NA	NA	NA	NA	4.4 B	NA	3.9 U	3.2 U
Vanadium	-	7440-62-2	ug/l	NA	NA	NA	NA	NA	3.4 B	NA	0.77 U	3.8 B
Zinc	2,000 ST	7440-66-6	ug/l	NA	NA	NA	NA	NA	1.5 U	NA	14.3 B	22.7
Cyanide	200 ST	0057-12-5	ug/l	NA	NA	NA	NA	NA	10.0 U	NA	10.0 U	10.0 U
Iron + Manganese	500 ST*	-	ug/l	97,700	47,350	42,500	45,580	44,550	44,550	41,320	45,710	23,020

NOTES:

- U: Analyzed for but not detected, value shown is instrument detection limit.
- U* or UB: Result qualified as non-detect based on validation criteria
- J: Estimated due to data validation criteria.
- J*: Value is an approximate concentration of the analyte as determined by data validation.
- UJ: Value was not detected above quantitation limit but was an approximate.
- B: Concentration is above instrument detection limit but below contract required detection limit.
- N: Matrix spike sampe recovery not within control limits.

Concentration exceeds Standard/Guidance Value.



Appendix A-2
SONIA ROAD LANDFILL
POST CLOSURE GROUNDWATER MONITORING PROGRAM
HISTORIC AND CURRENT SAMPLE RESULTS
INORGANIC PARAMETERS

CONSTITUENT	NYSDEC Class GA Groundwater Standards/ Guidance Values	CAS #	SITE: DATE: UNITS:	MW-05S 5/31/2011 (ug/l)	MW-05S 8/29/2012 (ug/l)	MW-05S 11/13/2013 (ug/l)	MW-05S 03/19/2015 (ug/l)	MW-05S 05/11/2016 (ug/l)	MW-05S 8/22/2017 (ug/l)	MW-05S 11/29/2018 (ug/l)	MW-05S 2/25/2020 (ug/l)
Aluminum	-	7429-90-5	ug/l	39.8 B	1050	19 J	19.6 J	5 U	7.77 UB	105	48.1
Antimony	3 GV	7440-36-0	ug/l	2.1 B	1.8 B	20 U	20 U	6.16 J	9 U	5 U	10 U
Arsenic	25 ST	7440-38-2	ug/l	1.9 U	4.3 B	25 U	25 U	10 U	7.01 J	11.4 J	10 U
Barium	1,000 ST	7440-39-3	ug/l	283	272	268	275	268 UB	275 J	255	377
Beryllium	3 GV	7440-41-7	ug/l	0.26 B	.3 B	20 U	20 U	5 U	3 U	5 U	5 U
Boron	1,000 ST	7440-42-8	ug/l	197	163 B	144	20 U	115	207	162	214
Cadmium	5 ST	7440-43-9	ug/l	0.27 U	.9 B	10 U	10 U	5 U	3 U	5 U	5 U
Calcium	-	7440-70-2	ug/l	79,500	78,600	69,500	75,600	73,300 J	74,100	75,600	106,000
Chromium Hexavalent	50 ST	18540-29-9	ug/l	20 U	0.2 U	10 U	10.0 U	2.5 U	2.50 U	2.5 U	2.5 U
Chromium Total	50 ST	7440-47-3	ug/l	2.1 B	11.5	20 U	20 U	5 U	4 U	5 U	5 U
Cobalt	-	7440-48-4	ug/l	1.0 B	1.5 B	20 U	20 U	5 U	4 U	5 U	5 U
Copper	200 ST	7440-50-8	ug/l	0.55 U	11.1 B	20 U	20 U	5 U	3 U	5 U	5 U
Iron	300 ST	7439-89-6	ug/l	29,200	35,900	24,800	25,300	23,400	26,200	23,900	34,000
Lead	25 ST	7439-92-1	ug/l	9.5	11.7	15 U	15 U	5 U	4 U	5 U	5 U
Magnesium	35,000 GV	7439-95-4	ug/l	10,600	8,880	8,360	8,950	9,500 J	9,940 UB	10,000	13,400
Manganese	300 ST	7439-96-5	ug/l	4,280	5,260	4,770	5,460	5,630	5,760	5,170	4,660
Mercury	0.7 ST	7439-97-6	ug/l	0.10 UN	0.1 U	0.25 U	0.25 U	0.15 U	0.15 U	0.15 U	0.15 U
Nickel	100 ST	7440-02-0	ug/l	4.6 B	5.6 B	20 U	20 U	5 U	3.53 UB	5 U	9.1 J
Potassium	-	7440-09-7	ug/l	15,400	12,900	12,900	14,500	13,300	13,000 J	11,200	15,000
Selenium	10 ST	7782-49-2	ug/l	2.6 UNU*J*	2.1 U	25 U	25 U	10 U	10 U	10 U	10 U
Silver	50 ST	7440-22-4	ug/l	0.52 UN	.29 U	20 U	20 U	5 U	3 U	5 U	5 U
Sodium	20,000 ST	7440-23-5	ug/l	30,600	27,900	10,400	11,800	12,900 UB	10,700 UBJ	25,900	33,700
Thallium	0.5 GV	7440-28-0	ug/l	2.7 U	2.9 U	15 U	15 U	10 U	7 U	8.8 J	5.0 J
Vanadium	-	7440-62-2	ug/l	2.7 B	8.6 B	20 U	20 U	5 U	3 U	5.1 J	5 U
Zinc	2,000 ST	7440-66-6	ug/l	13.9 B	82.5	13.3 UB	5.51 J	118 J	17.8 UB	18.6 UB	54.6
Cyanide	200 ST	0057-12-5	ug/l	10.0 U	10.0 U	47.2 UBJ	10 U	5 U	5 U	5 U	5 U
Iron + Manganese	500 ST*	-	ug/l	29,209.5	35,911.7	29,570	30,760	29,030	31,960	28,970	38,660

NOTES:

- U: Analyzed for but not detected, value shown is instrument detection limit.
- U* or UB: Result qualified as non-detect based on validation criteria
- J: Estimated due to data validation criteria.
- J*: Value is an approximate concentration of the analyte as determined by data validation.
- UJ: Value was not detected above quantitation limit but was an approximate.
- B: Concentration is above instrument detection limit but below contract required detection limit.
- N: Matrix spike sample recovery not within control limits.

Concentration exceeds Standard/Guidance Value.



Appendix A-2
SONIA ROAD LANDFILL
POST CLOSURE GROUNDWATER MONITORING PROGRAM
HISTORIC AND CURRENT SAMPLE RESULTS
INORGANIC PARAMETERS

CONSTITUENT	NYSDEC Class GA Groundwater Standards/ Guidance Values	CAS #	SITE DATE: UNITS:	MW-06D (ug/l)	MW-06D (ug/l)	MW-06D (ug/l)	MW-06D (ug/l)	MW-06D (ug/l)	MW-06D (ug/l)	MW-06D (ug/l)	MW-06D (ug/l)	MW-06D (ug/l)
Aluminum	-	7429-90-5	ug/l	NA	NA	NA	8.7 U	NA	NA	38.6 B	26.4 B	
Antimony	3 GV	7440-36-0	ug/l	NA	NA	NA	2.3 U	NA	NA	2.5 U	2.1 U	
Arsenic	25 ST	7440-38-2	ug/l	NA	NA	NA	1.8 U	NA	NA	3 U	2.3 U	
Barium	1,000 ST	7440-39-3	ug/l	NA	NA	NA	40.5 B	NA	NA	49.5	3.5 B	
Beryllium	3 GV	7440-41-7	ug/l	NA	NA	NA	0.096 U	NA	NA	0.13 U	0.26 U	
Boron	1,000 ST	7440-42-8	ug/l	NA	NA	NA	151 BN	NA	NA	186	157	
Cadmium	5 ST	7440-43-9	ug/l	0.32 U	0.33 B	0.27 U	0.39 B	0.35 U	0.35 U	0.30 B	0.34 U	
Calcium	-	7440-70-2	ug/l	5,670	7,010	6,330	8,040	7920	8,540	8,130	7,860	
Chromium Hexavalent	50 ST	18540-29-9	ug/l	NA	NA	NA	NA	2.3B	NA	0.02 U	0.02 U	
Chromium Total	50 ST	7440-47-3	ug/l	NA	NA	NA	NA	0.02 U	NA	0.60 B	0.72 B	
Cobalt	-	7440-48-4	ug/l	NA	NA	NA	NA	9.5 B	NA	11.1 B	1.2 U	
Copper	200 ST	7440-50-8	ug/l	NA	NA	NA	NA	2.7 B	NA	0.62 U	2.2 B	
Iron	300 ST	7439-89-6	ug/l	1,010	4,600	2,210	5,190	5,920	6,670	6,080	232 J*	
Lead	25 ST	7439-92-1	ug/l	6.5 J	1.4 U	2.7 B	2.3 U	1.3 U	1.3 U	14.9	1.8 U	
Magnesium	35,000 GV	7439-95-4	ug/l	2,340 B	3,410 B	3,070 B	4,540 B	4,270 B	4,580 B	4,250 B	4,430 B	
Manganese	300 ST	7439-96-5	ug/l	1,300	9,690	6,440	10,100	9,930	11,100	9,010	581	
Mercury	0.7 ST	7439-97-6	ug/l	NA	NA	NA	NA	0.13 U	NA	0.10 U	0.10 U	
Nickel	100 ST	7440-02-0	ug/l	NA	NA	NA	NA	6.8 B	NA	7.2 B	1.4 U	
Potassium	-	7440-09-7	ug/l	1,580 J	1,290 B	1,400 B	1,910 B	1,780 B	1,800 B	2,030 B	1,910 B	
Selenium	10 ST	7782-49-2	ug/l	NA	NA	NA	NA	1.9 UN	NA	5.5	2.5 U	
Silver	50 ST	7440-22-4	ug/l	NA	NA	NA	NA	1.7 B	NA	0.34 B	0.83 U	
Sodium	20,000 ST	7440-23-5	ug/l	9,930	10,500	11,300	15,200	17,300	16,100	18,100	15,600	
Thallium	0.5 GV	7440-28-0	ug/l	NA	NA	NA	NA	2.4 B	NA	3.9 U	3.2 U	
Vanadium	-	7440-62-2	ug/l	NA	NA	NA	NA	0.74 U	NA	0.77 U	1.4 U	
Zinc	2,000 ST	7440-66-6	ug/l	NA	NA	NA	NA	1.5 U	NA	10.8 B	9.6 B	
Cyanide	200 ST	0057-12-5	ug/l	NA	NA	NA	NA	10.0 U	NA	10.0 U	10.0 U	
Iron + Manganese	500 ST*	-	ug/l	2,310	14,290	8,650	15,290	15,850	17,770	15,090	813	

NOTES:

- U: Analyzed for but not detected, value shown is instrument detection limit.
- U* or UB: Result qualified as non-detect based on validation criteria
- J: Estimated due to data validation criteria.
- J*: Value is an approximate concentration of the analyte as determined by data validation.
- UB: Value was not detected above quantitation limit but was an approximate.
- B: Concentration is above instrument detection limit but below contract required detection limit.
- N: Matrix spike sampe recovery not within control limits.

Concentration exceeds Standard/Guidance Value.



Appendix A-2
SONIA ROAD LANDFILL
POST CLOSURE GROUNDWATER MONITORING PROGRAM
HISTORIC AND CURRENT SAMPLE RESULTS
INORGANIC PARAMETERS

CONSTITUENT	NYSDEC Class GA Groundwater Standards/ Guidance Values	CAS #	SITE: DATE: UNITS:	MW-06D 5/26/2011 (ug/l)	MW-06D 8/27/2012 (ug/l)	MW-06D 11/12/2013 (ug/l)	MW-06D 03/18/2015 (ug/l)	MW-06D 05/10/2016 (ug/l)	MW-06D 8/22/2017 (ug/l)	MW-06D 11/29/2018 (ug/l)	MW-06D 2/24/2020 (ug/l)
Aluminum	-	7429-90-5	ug/l	8.2 U	36.7 B	20 U	20 U	26.1 UB	18.5 UB	22 UB	24.4
Antimony	3 GV	7440-36-0	ug/l	2.1 U	1.1 U	20 U	20 U	5 U	9 U	5 U	10 U
Arsenic	25 ST	7440-38-2	ug/l	1.9 U	4.4 U	25 U	25 U	10 U	7 U	10 U	10 U
Barium	1,000 ST	7440-39-3	ug/l	31.6 B	1.3 U	54.1	49.9	56.4 UB	94.5 J	113	113
Beryllium	3 GV	7440-41-7	ug/l	0.13 U	.12 U	20 U	20 U	5 U	3 U	5 U	5 U
Boron	1,000 ST	7440-42-8	ug/l	105	120	54	20 U	35.1 UB	28.2	43.1 UB	33.3
Cadmium	5 ST	7440-43-9	ug/l	0.27 U	.18 U	10 U	10 U	5 U	3 U	5 U	5 U
Calcium	-	7440-70-2	ug/l	5,960	7,260	6,130	5,360	6,730	10,500 UB	12,800	14,800
Chromium Hexavalent	50 ST	18540-29-9	ug/l	20 U	.02 U	10 U	10.0 U	2.5 U	2.50 UJ	2.5 U	2.5 U
Chromium Total	50 ST	7440-47-3	ug/l	1.8 B	7	20 U	20 U	5 U	4 U	5 U	5 U
Cobalt	-	7440-48-4	ug/l	10.7 B	2 B	20 U	20 U	5 U	5.17 J	5.1 J	8.3 J
Copper	200 ST	7440-50-8	ug/l	1.6 B	.7 U	20 U	20 U	5 U	3 U	5 U	5 U
Iron	300 ST	7439-89-6	ug/l	159	1,060	122	10.3 UB	31.1 UB	24.1 UB	43 UB	20.9
Lead	25 ST	7439-92-1	ug/l	1.6 B	8.6	15 U	15 U	5 U	4 U	5 U	5 U
Magnesium	35,000 GV	7439-95-4	ug/l	3,580 B	3610 B	3,370	2,870	3,140	5,170 UB	6,460	7,930
Manganese	300 ST	7439-96-5	ug/l	3,529	1,821	3,312	2,220	1,550	1,300	1,230	1,360
Mercury	0.7 ST	7439-97-6	ug/l	0.10 U*J*	.1 U	0.25 U	0.25 U	0.15 U	0.15 U	0.15 U	0.15 U
Nickel	100 ST	7440-02-0	ug/l	4.8 B	1.9 B	8.11 J	6.67 J	6.57 J	8.94 UB	10 J	15 J
Potassium	-	7440-09-7	ug/l	2,000 B	1560 B	2,060	2,020 J	1,910 UB	2,750 UBJ	3,140	2,820
Selenium	10 ST	7782-49-2	ug/l	2.6 UNU*J*	2.1 U	25 U	25 U	10 U	10 U	10 U	10 U
Silver	50 ST	7440-22-4	ug/l	0.52 U*J*	.32 U	20 U	20 U	5 U	3 U	5 U	5 U
Sodium	20,000 ST	7440-23-5	ug/l	18,500	17,800	3,260	4,460	4,070 UB	4,090 UBJ	16,800	21,600
Thallium	0.5 GV	7440-28-0	ug/l	2.7 U	3.2 U	15 U	15 U	10 U	7 U	10 U	10 U
Vanadium	-	7440-62-2	ug/l	.56 U	.23 U	20 U	20 U	5 U	3 U	5 U	5 U
Zinc	2,000 ST	7440-66-6	ug/l	7.4 B	103	15.8 UB	20 U	10.4 UB	23.4 UB	22.6 UB	24.5
Cyanide	200 ST	0057-12-5	ug/l	10.0 U	10.0 U	42.1 UB	10 U	5 U	5 U	5 U	5 U
Iron + Manganese	500 ST*	-	ug/l	3,529	1,821	3,312	2,220	1,550	1,300	1,230	1,381

NOTES:

- U: Analyzed for but not detected, value shown is instrument detection limit.
- U* or UB: Result qualified as non-detect based on validation criteria
- J: Estimated due to data validation criteria.
- J*: Value is an approximate concentration of the analyte as determined by data validation.
- UJ: Value was not detected above quantitation limit but was an approximate.
- B: Concentration is above instrument detection limit but below contract required detection limit.
- N: Matrix spike sample recovery not within control limits.

Concentration exceeds Standard/Guidance Value.



Appendix A-2
SONIA ROAD LANDFILL
POST CLOSURE GROUNDWATER MONITORING PROGRAM
HISTORIC AND CURRENT SAMPLE RESULTS
INORGANIC PARAMETERS

CONSTITUENT	NYSDEC Class GA Groundwater Standards/ Guidance Values	CAS #	SITE: DATE: UNITS:	MW-061 11/9/2007 (ug/l)	MW-061 2/11/2008 (ug/l)	MW-061 5/15/2008 (ug/l)	MW-061 8/4/2008 (ug/l)	MW-061 11/3/2008 (ug/l)	MW-061 2/23/2009 (ug/l)	MW-061 8/11/2009 (ug/l)	MW-061 2/4/2010 (ug/l)
Aluminum	-	7429-90-5	ug/l	NA	NA	NA	NA	8.7 U	NA	22.5 B	29.5 B
Antimony	3 GV	7440-36-0	ug/l	NA	NA	NA	NA	2.3 U	NA	2.5 U	2.3 B
Arsenic	25 ST	7440-38-2	ug/l	NA	NA	NA	NA	1.8 U	NA	3.0 U	2.3 U
Barium	1,000 ST	7440-39-3	ug/l	NA	NA	NA	NA	34.1 B	NA	39.1 B	40.2 B
Beryllium	3 GV	7440-41-7	ug/l	NA	NA	NA	NA	0.096 U	NA	0.13 U	0.26 U
Boron	1,000 ST	7440-42-8	ug/l	NA	NA	NA	NA	91.8 BN	NA	99.2 B	74.6 B
Cadmium	5 ST	7440-43-9	ug/l	0.32 U	0.32 U	0.27 U	0.27 U	0.35 U	0.35 U	0.26 U	0.34 U
Calcium	-	7440-70-2	ug/l	22,800	20,600	17,600	20,800	18,300	16,000	17,100	14,600
Chromium Hexavalent	50 ST	18540-29-9	ug/l	NA	NA	NA	NA	0.41 U	NA	0.02 U	0.02 U
Chromium Total	50 ST	7440-47-3	ug/l	NA	NA	NA	NA	0.02 U	NA	1.2 B	0.67 B
Cobalt	-	7440-48-4	ug/l	NA	NA	NA	NA	0.88 U	NA	1.2 B	1.2 B
Copper	200 ST	7440-50-8	ug/l	NA	NA	NA	NA	10.9 B	NA	11.8 B	14.2 B
Iron	300 ST	7439-89-6	ug/l	660	406	1,530	124	146	20.0 B	1,960	875 J*
Lead	25 ST	7439-92-1	ug/l	1.8 JB	1.4 U	2.3 U	2.3 U	1.3 U	1.3 U	7.0	1.8 U
Magnesium	35,000 GV	7439-95-4	ug/l	1,940 B	1,870 B	1,680 B	2,120 B	1,850 B	1,610 B	1,580 B	1,560 B
Manganese	300 ST	7439-96-5	ug/l	190	224	172	198	198	180	202	182
Mercury	0.7 ST	7439-97-6	ug/l	NA	NA	NA	NA	0.16 U	NA	0.10 U	0.10 U
Nickel	100 ST	7440-02-0	ug/l	NA	NA	NA	NA	1.2 U	NA	0.82 U	1.4 U
Potassium	-	7440-09-7	ug/l	7,120 J	4,010 B	3,400 B	4,120 B	4,470 B	3,760 B	4,020 B	3,520 B
Selenium	10 ST	7782-49-2	ug/l	NA	NA	NA	NA	1.9 UN	NA	5.3 U	3.1 B
Silver	50 ST	7440-22-4	ug/l	NA	NA	NA	NA	0.54 U	NA	0.33 U	0.83 U
Sodium	20,000 ST	7440-23-5	ug/l	18,000	16,900	13,600	14,500	17,000	13,800	14,800	12,700
Thallium	0.5 GV	7440-28-0	ug/l	NA	NA	NA	NA	5.9 B	NA	3.9 U	3.2 U
Vanadium	-	7440-62-2	ug/l	NA	NA	NA	NA	0.74 U	NA	0.77 U	1.4 U
Zinc	2,000 ST	7440-66-6	ug/l	NA	NA	NA	NA	8.0 B	NA	19.7 B	22.8
Cyanide	200 ST	0057-12-5	ug/l	NA	NA	NA	NA	10.0 U	NA	10.0 U	10.0 U
Iron + Manganese	500 ST*	-	ug/l	850	630	1,702	322	344	200	222	1,057

NOTES:

- U: Analyzed for but not detected, value shown is instrument detection limit.
- U* or UB: Result qualified as non-detect based on validation criteria
- J: Estimated due to data validation criteria.
- J*: Value is an approximate concentration of the analyte as determined by data validation.
- UU: Value was not detected above quantitation limit but was an approximate.
- B: Concentration is above instrument detection limit but below contract required detection limit.
- N: Matrix spike sample recovery not within control limits.

ST: Standard.
 GV: Guidance value.
 NA: Not analyzed.



**Appendix A-2
SONIA ROAD LANDFILL
POST CLOSURE GROUNDWATER MONITORING PROGRAM
HISTORIC AND CURRENT SAMPLE RESULTS
INORGANIC PARAMETERS**

CONSTITUENT	NYSDEC Class GA Groundwater Standards/ Guidance Values	CAS #	SITE: DATE: UNITS:	MW-061 5/26/2011 (ug/l)	MW-061 8/27/2012 (ug/l)	MW-061 11/12/2013 (ug/l)	MW-061 03/18/2015 (ug/l)	MW-061 05/10/2016 (ug/l)	MW-061 8/22/2017 (ug/l)	MW-061 11/30/2018 (ug/l)	MW-061 2/24/2020 (ug/l)
Aluminum	-	7429-90-5	ug/l	8.2 U	97.4 B	5.36 J	20 U	9.19 UB	5.77 UB	25 UB	29.2
Antimony	3 GV	7440-36-0	ug/l	2.1 U	1.1 U	20 U	20 U	5 U	9 U	5 U	10 U
Arsenic	25 ST	7440-38-2	ug/l	1.9 U	4.4 U	25 U	25 U	10 U	7 U	7.7 J	10 U
Barium	1,000 ST	7440-39-3	ug/l	53.0 B	46.8 B	58.3	138	127 UB	111 J	133	78.7
Beryllium	3 GV	7440-41-7	ug/l	0.13 U	.12 U	20 U	20 U	5 U	3 U	5 U	5 U
Boron	1,000 ST	7440-42-8	ug/l	32.3 B	56.1 B	58	20 U	36 UB	27.8	54 UB	51.1
Cadmium	5 ST	7440-43-9	ug/l	0.27 U	.18 U	10 U	10 U	5 U	3 U	5 U	5 U
Calcium	-	7440-70-2	ug/l	23,900	19,700	13,500	16,000	17,700	21,500 UB	39,000	36,400
Chromium Hexavalent	50 ST	18540-29-9	ug/l	20 U	0.2 U	10 U	10.0 U	2.5 U	2.50 UJ	2.5 U	2.5 U
Chromium Total	50 ST	7440-47-3	ug/l	1.0 B	8.5	20 U	20 U	5 U	4 U	5 U	5 U
Cobalt	-	7440-48-4	ug/l	.49 U	2.8 B	20 U	20 U	5 U	4 U	5 U	5 U
Copper	200 ST	7440-50-8	ug/l	1.9 B	22.7 B	20 U	20 U	5 U	3 U	3.5 UB	5 U
Iron	300 ST	7439-89-6	ug/l	90.1 B	3,940	7.46 UB	9.48 UB	29.1 UB	21.1 UB	17.4 UB	20.1
Lead	25 ST	7439-92-1	ug/l	1.5 U	6	15 U	15 U	5 U	4 U	5 U	5 U
Magnesium	35,000 GV	7439-95-4	ug/l	4,030 B	1,900 B	1,450	1,630	2,210	3,060 UB	5,790	5,360
Manganese	300 ST	7439-96-5	ug/l	530	643	556	802	731	848	897	731
Mercury	0.7 ST	7439-97-6	ug/l	0.10 U*J	0.1	0.25 U	0.25 U	0.15 U	0.15 U	0.15 U	0.15 U
Nickel	100 ST	7440-02-0	ug/l	1.2 U	2.8 B	20 U	20 U	5.79 J	3 U	5 U	5 U
Potassium	-	7440-09-7	ug/l	3,610 B	4,920 B	8,220	16,700 J	13,900	7,670 J	7,050	5,200
Selenium	10 ST	7782-49-2	ug/l	2.6 UNU*J	2.8 U	25 U	25 U	10 U	10 U	10 U	10 U
Silver	50 ST	7440-22-4	ug/l	0.52 U*J	.32 U	20 U	20 U	5 U	3 U	5 U	5 U
Sodium	20,000 ST	7440-23-5	ug/l	29,700	19,200	4,110	14,500	15,000 UB	8,710 UBJ	43,400	20,200
Thallium	0.5 GV	7440-28-0	ug/l	3.7 B	3.2 U	15 U	15 U	10 U	7 U	9.6 J	10 U
Vanadium	-	7440-62-2	ug/l	.56 U	.4 B	20 U	20 U	5 U	3 U	5 U	5 U
Zinc	2,000 ST	7440-66-6	ug/l	13.3 B	95.4	10.7 UB	20 U	16.8 UB	18.9 UB	11.6 UB	28.5
Cyanide	200 ST	0057-12-5	ug/l	10.0 U	10.0 U	46.3 UB	10 U	5 U	5 U	5 U	5 U
Iron + Manganese	500 ST*	-	ug/l	620.1	4,583	563.5	802	731	848	897	751

NOTES:

- U: Analyzed for but not detected, value shown is instrument detection limit. ST: Standard.
- U* or UB: Result qualified as non-detect based on validation criteria. GV: Guidance value.
- J: Estimated due to data validation criteria. NA: Not analyzed.
- J*: Value is an approximate concentration of the analyte as determined by data validation.
- UJ: Value was not detected above quantitation limit but was an approximate.
- B: Concentration is above instrument detection limit but below contract required detection limit.
- N: Matrix spike sampe recovery not within control limits.

Concentration exceeds Standard/Guidance Value.



Appendix A-2
SONIA ROAD LANDFILL
POST CLOSURE GROUNDWATER MONITORING PROGRAM
HISTORIC AND CURRENT SAMPLE RESULTS
INORGANIC PARAMETERS

CONSTITUENT	NYSDEC Class GA Groundwater Standards/ Guidance Values	CAS #	SITE: DATE: UNITS:	MW-06S 11/9/2007 (ug/l)	MW-06S 2/11/2008 (ug/l)	MW-06S 5/15/2008 (ug/l)	MW-06S 8/4/2008 (ug/l)	MW-06S 11/13/2008 (ug/l)	MW-06S 2/23/2009 (ug/l)	MW-06S 8/11/2009 (ug/l)	MW-06S 2/4/2010 (ug/l)
Aluminum	-	7429-90-5	ug/l	NA	NA	NA	NA	157 B	NA	165 B	40.5 B
Antimony	3 GV	7440-36-0	ug/l	NA	NA	NA	NA	2.3 U	NA	3.7 B	2.1 U
Arsenic	25 ST	7440-38-2	ug/l	NA	NA	NA	NA	6.8 B	NA	35.0 J*	6.3 B
Barium	1,000 ST	7440-39-3	ug/l	NA	NA	NA	NA	320	NA	261	246
Beryllium	3 GV	7440-41-7	ug/l	NA	NA	NA	NA	0.096 U	NA	0.13 U	0.26 U
Boron	1,000 ST	7440-42-8	ug/l	NA	NA	NA	NA	273 BN	NA	184	162
Cadmium	5 ST	7440-43-9	ug/l	0.32 U	1.4 B	0.27 U	0.67 B	1.0 B	0.35 U	1.1 B	0.34 U
Calcium	-	7440-70-2	ug/l	78,900	91,000	77,600	64,000	97,600	79,700	68,500	58,500
Chromium Hexavalent	50 ST	18540-29-9	ug/l	NA	NA	NA	NA	1.9 B	NA	0.02 U	0.02 U
Chromium Total	50 ST	7440-47-3	ug/l	NA	NA	NA	NA	0.02 U	NA	2.3 B	2.3 B
Cobalt	-	7440-48-4	ug/l	NA	NA	NA	NA	0.88 U	NA	1.7 B	1.2 U
Copper	200 ST	7440-50-8	ug/l	NA	NA	NA	NA	7.4 B	NA	0.62 U	0.83 U
Iron	300 ST	7439-89-6	ug/l	51,100	53,000	51,200	42,700	65,100	51,600	93,800 J*	50,600 J*
Lead	25 ST	7439-92-1	ug/l	1.4 UJ	1.4 U	2.3 U	2.3	1.3 U	1.3 U	13.8	2.5 B
Magnesium	35,000 GV	7439-95-4	ug/l	10,200	10,500	8,810	6,950	10,700	8,570	6,440	5,920
Manganese	300 ST	7439-96-5	ug/l	609	1,140	716	790	668	461	491	538
Mercury	0.7 ST	7439-97-6	ug/l	NA	NA	NA	NA	0.13 U	NA	0.10 U	0.10 U
Nickel	100 ST	7440-02-0	ug/l	NA	NA	NA	NA	1.2 U	NA	0.82 U	2.5 B
Potassium	-	7440-09-7	ug/l	11,200 J	10,100	10,500	8,880	12,200	9,410	8,210	9650
Selenium	10 ST	7782-49-2	ug/l	NA	NA	NA	NA	1.9 UN	NA	5.3 U	2.5 U
Silver	50 ST	7440-22-4	ug/l	NA	NA	NA	NA	0.54 U	NA	0.33 U	0.83 U
Sodium	20,000 ST	7440-23-5	ug/l	20,000	24,000	27,600	24,600	31,600	23,800	18,700	16,300
Thallium	0.5 GV	7440-28-0	ug/l	NA	NA	NA	NA	7.2 B	NA	3.9 U	3.2 U
Vanadium	-	7440-62-2	ug/l	NA	NA	NA	NA	3.5 B	NA	5.9 B	4.6 B
Zinc	2,000 ST	7440-66-6	ug/l	NA	NA	NA	NA	8.0 B	NA	23.0	11.8 B
Cyanide	200 ST	0057-12-5	ug/l	NA	NA	NA	NA	10.0 U	NA	10.0 U	10.0 U
Iron + Manganese	500 ST*	-	ug/l	51,709	54,140	51,916	43,490	65,768	52,061	94,291	51,138

NOTES:

- U: Analyzed for but not detected, value shown is instrument detection limit.
- U* or UB: Result qualified as non-detect based on validation criteria
- J: Estimated due to data validation criteria.
- J*: Value is an approximate concentration of the analyte as determined by data validation.
- UJ: Value was not detected above quantification limit but was an approximate.
- B: Concentration is above instrument detection limit but below contract required detection limit.
- N: Matrix spike sampe recovery not within control limits.

Concentration exceeds Standard/Guidance Value.



Appendix A-2
SONIA ROAD LANDFILL
POST CLOSURE GROUNDWATER MONITORING PROGRAM
HISTORIC AND CURRENT SAMPLE RESULTS
INORGANIC PARAMETERS

CONSTITUENT	NYSDEC Class GA Groundwater Standards/ Guidance Values	CAS #	SITE: DATE: UNITS:	MW-06S 5/26/2011 (ug/l)	MW-06S 8/27/2012 (ug/l)	MW-06S 11/13/2013 (ug/l)	MW-06S 03/18/2015 (ug/l)	MW-06S 05/10/2016 (ug/l)	MW-06S 8/22/2017 (ug/l)	MW-06S 11/30/2018 (ug/l)	MW-06S 2/24/2020 (ug/l)
Aluminum	-	7429-90-5	ug/l	8.2 U	32.4 B	11.6 J	8 J	31.8 UB	4.8 UB	26.4 UB	37.8
Antimony	3 GV	7440-36-0	ug/l	2.1 U	1.1 U	20 U	20 U	5 U	9 U	5 U	10 U
Arsenic	25 ST	7440-38-2	ug/l	1.9 U	4.4 U	25 U	25 U	10 U	7 U	10 U	10 U
Barium	1,000 ST	7440-39-3	ug/l	372	418	220	206	265	281 J	184	359
Beryllium	3 GV	7440-41-7	ug/l	0.13 U	.12 U	20 U	20 U	5 U	3 U	5 U	5 U
Boron	1,000 ST	7440-42-8	ug/l	244	245	161	20 U	134	181	78.9	290
Cadmium	5 ST	7440-43-9	ug/l	0.38 B	.18 U	10 U	10 U	5 U	3 U	5 U	5 U
Calcium	-	7440-70-2	ug/l	74,800	115,000	64,000	33,800	59,500	49,100	38,900	80,300
Chromium Hexavalent	50 ST	18540-29-9	ug/l	20 U	0.2 U	10 U	10.0 U	2.5 U	2.50 UJ	2.5 U	2.5 U
Chromium Total	50 ST	7440-47-3	ug/l	3.0 B	15.5	20 U	20 U	5 U	4 U	5 U	5 U
Cobalt	-	7440-48-4	ug/l	0.62 B	.52 U	20 U	20 U	5 U	4 U	5 U	3 J
Copper	200 ST	7440-50-8	ug/l	0.55 U	.7 U	20 U	20 U	5 U	3 U	5 U	5 U
Iron	300 ST	7439-89-6	ug/l	36,400	82,300	46,400	17,300	41,100	32,800	21,000	55,300
Lead	25 ST	7439-92-1	ug/l	8.7	9.3	5.63 J	15 U	5 U	4.4 J	5 U	5 U
Magnesium	35,000 GV	7439-95-4	ug/l	9,920	9,710	5,020	2,820	4,940	4,130 UB	3,500	9,230
Manganese	300 ST	7439-96-5	ug/l	494	664	500	341	928	1,280	1,030	588
Mercury	0.7 ST	7439-97-6	ug/l	0.10 U*J*	0.1	0.25 U	0.25 U	0.15 U	0.15 U	0.15 U	0.15 U
Nickel	100 ST	7440-02-0	ug/l	1.2 U	.64 U	5.5 J	20 U	5 U	3.08 UB	5 U	12.6 J
Potassium	-	7440-09-7	ug/l	11,900	14,200	8,360	16500 J	11,200	11,900 J	6,450	7,990
Selenium	10 ST	7782-49-2	ug/l	2.6 UNU*J*	2.8 U	25 U	25 U	10 U	10 U	10 U	10 U
Silver	50 ST	7440-22-4	ug/l	0.52 U*J*	.32 U	20 U	20 U	5 U	3 U	5 U	5 U
Sodium	20,000 ST	7440-23-5	ug/l	21,700	39,000	7,990	11,100	11,600 UB	11,300 UBJ	30,300	30,700
Thallium	0.5 GV	7440-28-0	ug/l	2.7 U	3.6 B	15 U	15 U	10 U	7 U	10 U	10 U
Vanadium	-	7440-62-2	ug/l	2.7 B	2.1 B	20 U	20 U	5 U	3 U	5 U	5 U
Zinc	2,000 ST	7440-66-6	ug/l	17.7 B	11.3 B	17 UB	20 U	18.2 UB	15.4 UB	15.3 UB	35.5
Cyanide	200 ST	0057-12-5	ug/l	10.0 U	10.0 U	39.7 UBJ	10 U	5 U	5 U	5 U	5 U
Iron + Manganese	500 ST*	-	ug/l	73,294	165,264	46,900	17,641	42,028	34,080	22,030	55,888

NOTES:

- U: Analyzed for but not detected, value shown is instrument detection limit.
- U* or UB: Result qualified as non-detect based on validation criteria
- J: Estimated due to data validation criteria.
- J*: Value is an approximate concentration of the analyte as determined by data validation.
- UJ: Value was not detected above quantitation limit but was an approximate.
- B: Concentration is above instrument detection limit but below contract required detection limit.
- N: Matrix spike sampe recovery not within control limits.

Concentration exceeds Standard/Guidance Value.



**Appendix A-2
SONIA ROAD LANDFILL
POST CLOSURE GROUNDWATER MONITORING PROGRAM
HISTORIC AND CURRENT SAMPLE RESULTS
INORGANIC PARAMETERS**

CONSTITUENT	NYSDEC Class GA Groundwater Standards/ Guidance Values	CAS #	SITE: DATE: UNITS:	MW-071 11/9/2007 (ug/l)	MW-071 2/11/2008 (ug/l)	MW-071 5/19/2008 (ug/l)	MW-071 8/5/2008 (ug/l)	MW-071 11/5/2008 (ug/l)	MW-071 2/24/2009 (ug/l)	MW-071 8/14/2009 (ug/l)	MW-071 2/8/2010 (ug/l)
Aluminum	-	7429-90-5	ug/l	NA	NA	NA	NA	8.7 U	NA	40.6 B	28.8 B
Antimony	3 GV	7440-36-0	ug/l	NA	NA	NA	NA	2.3 U	NA	36.3 B	2.1 U
Arsenic	25 ST	7440-38-2	ug/l	NA	NA	NA	NA	1.8 U	NA	3.0 U	2.3 U
Barium	1,000 ST	7440-39-3	ug/l	NA	NA	NA	NA	33.5 B	NA	75.0 B	57.5 B
Beryllium	3 GV	7440-41-7	ug/l	NA	NA	NA	NA	0.096 U	NA	0.13 U	0.26 U
Boron	1,000 ST	7440-42-8	ug/l	NA	NA	NA	NA	33.7 B	NA	51.9 B	23.2 B
Cadmium	5 ST	7440-43-9	ug/l	0.32 U	0.32 U	0.27 U	0.27 U	0.35 U	0.35 U	0.40 B	0.34 U
Calcium	-	7440-70-2	ug/l	73,600 J	18,700	20,900	21,600	28,400	19,800	24,800	14,000
Chromium Hexavalent	50 ST	18540-29-9	ug/l	NA	NA	NA	NA	0.52 B	NA	0.02 U	0.02 U
Chromium Total	50 ST	7440-47-3	ug/l	NA	NA	NA	NA	0.02 U	NA	5.3 B	0.58 B
Cobalt	-	7440-48-4	ug/l	NA	NA	NA	NA	0.88 U	NA	0.76 U	1.2 U
Copper	200 ST	7440-50-8	ug/l	NA	NA	NA	NA	1.0 B	NA	0.62 U	2.4 B
Iron	300 ST	7439-89-6	ug/l	24,600	24.2 U	13.2 B	30.8 B	7.6 B	9.4 B	26.6 B	62.6 B
Lead	25 ST	7439-92-1	ug/l	1.4 U	1.4 U	2.3 U	2.3 U	1.3 U	1.3 U	2.1 U	2.1 B
Magnesium	35,000 GV	7439-95-4	ug/l	11,200 J	2,350 B	2,230 B	2,070 B	1,730 B	1,050 B	1,760 B	1,550 B
Manganese	300 ST	7439-96-5	ug/l	5,920 J	663	434	428	282	212	347	414
Mercury	0.7 ST	7439-97-6	ug/l	NA	NA	NA	NA	0.13 U	NA	0.10 U	0.10 U
Nickel	100 ST	7440-02-0	ug/l	NA	NA	NA	NA	1.2 U	NA	3.0 B	1.4 U
Potassium	-	7440-09-7	ug/l	12,500	3,770 B	2,930 B	3,330 B	3,460 B	6,790	8,840	5630 J*
Selenium	10 ST	7782-49-2	ug/l	NA	NA	NA	NA	1.9 U	NA	95.7	2.5 U
Silver	50 ST	7440-22-4	ug/l	NA	NA	NA	NA	0.54 U	NA	0.33 U	0.83 U
Sodium	20,000 ST	7440-23-5	ug/l	29,100 J	23,300	23,400	22,500	26,700	20,900	35,000	23,200
Thallium	0.5 GV	7440-28-0	ug/l	NA	NA	NA	NA	1.9 U	NA	20.0	3.2 U
Vanadium	-	7440-62-2	ug/l	NA	NA	NA	NA	0.74 U	NA	0.77 U	1.4 U
Zinc	2,000 ST	7440-66-6	ug/l	NA	NA	NA	NA	7.8 B	NA	7.6 B	14.9 B
Cyanide	200 ST	0057-12-5	ug/l	NA	NA	NA	NA	10.0 U	NA	10.0 U	10.0 U
Iron + Manganese	500 ST*	-	ug/l	30,520	687	447.2	458.8	289.6	221.4	356.4	476.6

NOTES:

U: Analyzed for but not detected, value shown is instrument detection limit.

U* or UB: Result qualified as non-detect based on validation criteria

J: Estimated due to data validation criteria.

J*: Value is an approximate concentration of the analyte as determined by data validation.

UJ: Value was not detected above quantitation limit but was an approximate.

B: Concentration is above instrument detection limit but below contract required detection limit.

N: Matrix spike sample recovery not within control limits.

Concentration exceeds Standard/Guidance Value.

ST: Standard.

GV: Guidance value.

NA: Not analyzed.

**Appendix A-2
SONIA ROAD LANDFILL
POST CLOSURE GROUNDWATER MONITORING PROGRAM
HISTORIC AND CURRENT SAMPLE RESULTS
INORGANIC PARAMETERS**

CONSTITUENT	NYSDEC Class GA Groundwater Standards/ Guidance Values	CAS #	SITE: DATE: UNITS:	MW-071 5/26/2011 (ug/l)	MW-071 8/27/2012 (ug/l)	MW-071 11/12/2013 (ug/l)	MW-071 03/18/2015 (ug/l)	MW-071 05/10/2016 (ug/l)	MW-071 8/22/2017 (ug/l)	MW-071 11/29/2018 (ug/l)	MW-071 2/24/2020 (ug/l)
Aluminum	-	7429-90-5	ug/l	8.2 U	46.7 B	5.13 J	6.44 J	35.4 UB	38.8 UB	20.5 UB	21.3
Antimony	3 GV	7440-36-0	ug/l	2.1 U	1.1 U	20 U	20 U	5 U	9 U	5 U	10 U
Arsenic	25 ST	7440-38-2	ug/l	1.9 U	4.4 U	25 U	25 U	10 U	7 U	10 U	10 U
Barium	1,000 ST	7440-39-3	ug/l	46.3 B	23.7 B	37.5	67.7	76.8 UB	61.6 J	60.9	88.9
Beryllium	3 GV	7440-41-7	ug/l	0.13 U	.12 U	.20 U	20 U	5 U	3 U	5 U	5 U
Boron	1,000 ST	7440-42-8	ug/l	51.0 B	45.7 B	37	20 U	25 UB	28.2	51.7 UB	40.4
Cadmium	5 ST	7440-43-9	ug/l	0.27 U	.18 U	10 U	10 U	5 U	3 U	5 U	5 U
Calcium	-	7440-70-2	ug/l	38,000	21,900	12,700	14,200	11,700	16,200 UB	23,500	21,100
Chromium Hexavalent	50 ST	18540-29-9	ug/l	20 U	0.2 U	10 U	10.0 U	2.5 U	2.50 UJ	2.5 U	2.5 U
Chromium Total	50 ST	7440-47-3	ug/l	1.6 B	8.0 B	20 U	20 U	5 U	4 U	5 U	5 U
Cobalt	-	7440-48-4	ug/l	.49 U	.52 U	20 U	20 U	5 U	4 U	5 U	5 U
Copper	200 ST	7440-50-8	ug/l	1.9 B	.7 U	20 U	20 U	5 U	3 U	3.7 UB	5 U
Iron	300 ST	7439-89-6	ug/l	31.8 B	20.1 B	13.5 UB	8.62 UB	28.5 UB	25.1 UB	18.5 UB	12.4 J
Lead	25 ST	7439-92-1	ug/l	1.5 U	3.6	15 U	15 U	5 U	4 U	5 U	5 U
Magnesium	35,000 GV	7439-95-4	ug/l	6,020	1980 B	1,650	1,850	1,700 UB	2,350 UB	3,180	2,820
Manganese	300 ST	7439-96-5	ug/l	971	506	1,600	2,320	1,490	1,130	872	204
Mercury	0.7 ST	7439-97-6	ug/l	0.10 U*J*	0.1	0.25 U	0.25 U	0.15 U	0.15 U	0.15 U	0.15 U
Nickel	100 ST	7440-02-0	ug/l	1.2 U*J*	.8 B	20 U	20 U	5 U	3.6 UB	5 U	3.7 J
Potassium	-	7440-09-7	ug/l	3440 U	2850 B	1,790	2420 J	3,700 UB	3,160 UBJ	2,870	3,450
Selenium	10 ST	7782-49-2	ug/l	2.6 UNU*J*	2.8 U	25 U	25 U	10 U	10 U	10 U	10 U
Silver	50 ST	7440-22-4	ug/l	0.52 U*J*	.32 U	20 U	20 U	5 U	3 U	5 U	5 U
Sodium	20,000 ST	7440-23-5	ug/l	22,900	442	5,870	12,700	12,900 UB	5,050 UBJ	19,600	55,500
Thallium	0.5 GV	7440-28-0	ug/l	2.7 U	3.2 U	15 U	15 U	10 U	7 U	10 U	10 U
Vanadium	-	7440-62-2	ug/l	.56 U	.23 U	20 U	20 U	5 U	3 U	5 U	5 U
Zinc	2,000 ST	7440-66-6	ug/l	8.1 B	57.7	10.8 UB	20 U	11.8 UB	19.2 UB	18.1 UB	30.9
Cyanide	200 ST	0057-12-5	ug/l	10.0 U	10.0 U	44.3 UB	10 U	5 U	5 U	5 U	5 U
Iron + Manganese	500 ST*	-	ug/l	971	506	1,613.5	2,320	1,490	1,130	872	216

NOTES:

- U: Analyzed for but not detected, value shown is instrument detection limit.
- U* or UB: Result qualified as non-detect based on validation criteria
- J: Estimated due to data validation criteria.
- J*: Value is an approximate concentration of the analyte as determined by data validation.
- UJ: Value was not detected above quantitation limit but was an approximate.
- B: Concentration is above instrument detection limit but below contract required detection limit.
- N: Matrix spike sample recovery not within control limits.

Concentration exceeds Standard/Guidance Value.



Appendix A-2
SONIA ROAD LANDFILL
POST CLOSURE GROUNDWATER MONITORING PROGRAM
HISTORIC AND CURRENT SAMPLE RESULTS
INORGANIC PARAMETERS

CONSTITUENT	NYSDEC Class GA Groundwater Standards/ Guidance Values	CAS #	SITE DATE:	MW-11D	MW-11D	MW-11D	MW-11D	MW-11D	MW-11D	MW-11D	MW-11D	MW-11D	MW-11D	MW-11D
			UNITS:	(ug/l)	(ug/l)	(ug/l)	(ug/l)	(ug/l)	(ug/l)	(ug/l)	(ug/l)	(ug/l)	(ug/l)	(ug/l)
Aluminum	-	7429-90-5	ug/l	NA	NA	NA	NA	659	NA	NA	494	NA	16700	
Antimony	3 GV	7440-36-0	ug/l	NA	NA	NA	NA	2.3 U	NA	NA	2.5 U	NA	2.1 U	
Arsenic	25 ST	7440-38-2	ug/l	NA	NA	NA	NA	1.8 U	NA	NA	3.0 U	NA	10.5	
Barium	1,000 ST	7440-39-3	ug/l	NA	NA	NA	NA	36.5 B	NA	NA	20.0 B	NA	120 B	
Beryllium	3 GV	7440-41-7	ug/l	NA	NA	NA	NA	0.21 B	NA	NA	0.20 B	NA	0.72 B	
Boron	1,000 ST	7440-42-8	ug/l	NA	NA	NA	NA	64.9 B	NA	NA	57.8 B	NA	42.6 B	
Cadmium	5 ST	7440-43-9	ug/l	0.41 B	0.45 B	0.27 U	0.50 B	0.35 U	0.35 U	0.35 U	0.26 U	0.35 U	0.82 B	
Calcium	-	7440-70-2	ug/l	11,300 J	9,390	7,730	7,600	7,350	6,450	8,020	8,020	6,450	43,500	
Chromium Hexavalent	50 ST	18540-29-9	ug/l	NA	NA	NA	NA	1.6 B	NA	NA	0.02 U	NA	0.02 U	
Chromium Total	50 ST	7440-47-3	ug/l	NA	NA	NA	NA	0.02 U	NA	NA	1.5 B	NA	38.5	
Cobalt	-	7440-48-4	ug/l	NA	NA	NA	NA	0.88 U	NA	NA	0.76 U	NA	9.9 B	
Copper	200 ST	7440-50-8	ug/l	NA	NA	NA	NA	0.98 B	NA	NA	0.80 B	NA	42.8	
Iron	300 ST	7439-89-6	ug/l	956	264	116	107	27.7 B	42.0 B	128	128	42.0 B	19000 J*	
Lead	25 ST	7439-92-1	ug/l	4.3	1.4 U	2.3 U	2.3 U	1.3 U	1.3 U	21.1	21.1	1.3 U	65.6	
Magnesium	35,000 GV	7439-95-4	ug/l	3,390 JB	2,740 B	2,510 B	2,730 B	2,530 B	2,130 B	1,900	1,900	2,130 B	6950	
Manganese	300 ST	7439-96-5	ug/l	462 J	328	240	240	242	180	118	118	180	375	
Mercury	0.7 ST	7439-97-6	ug/l	NA	NA	NA	NA	0.13 U	NA	NA	0.10 U	NA	0.10 U	
Nickel	100 ST	7440-02-0	ug/l	NA	NA	NA	NA	16.4 B	NA	NA	9.2 B	NA	23.3 B	
Potassium	-	7440-09-7	ug/l	3,450	2,550 B	2,260 B	2,600 B	2,260 B	2,090 B	2,440 B	2,440 B	2,090 B	14,900	
Selenium	10 ST	7782-49-2	ug/l	NA	NA	NA	NA	1.9 U	NA	NA	5.3 U	NA	3.0 B	
Silver	50 ST	7440-22-4	ug/l	NA	NA	NA	NA	0.54 U	NA	NA	0.33 U	NA	0.83 U	
Sodium	20,000 ST	7440-23-5	ug/l	17,400 J	17,800	17,700	17,800	18,300	16,700	35,000	35,000	16,700	39,400	
Thallium	0.5 GV	7440-28-0	ug/l	NA	NA	NA	NA	1.9 U	NA	NA	20.0	NA	3.2 U	
Vanadium	-	7440-62-2	ug/l	NA	NA	NA	NA	0.74 U	NA	NA	0.77 U	NA	39.8 B	
Zinc	2,000 ST	7440-66-6	ug/l	NA	NA	NA	NA	11.2 B	NA	NA	7.6 B	NA	209	
Cyanide	200 ST	0057-12-5	ug/l	NA	NA	NA	NA	10.0 U	NA	NA	10.0 U	NA	10.0 U	
Iron + Manganese	500 ST*	-	ug/l	1,418	592	356	347	270	222	160	160	222	19,375	

NOTES:

U: Analyzed for but not detected, value shown is instrument detection limit.

U* or UB: Result qualified as non-detect based on validation criteria

J: Estimated due to data validation criteria.

J*: Value is an approximate concentration of the analyte as determined by data validation.

UJ: Value was not detected above quantitation limit but was an approximate.

B: Concentration is above instrument detection limit but below contract required detection limit.

N: Matrix spike sample recovery not within control limits.

Concentration exceeds Standard/Guidance Value.

ST: Standard.

GV: Guidance value.

NA: Not analyzed.

**Appendix A-2
SONIA ROAD LANDFILL
POST CLOSURE GROUNDWATER MONITORING PROGRAM
HISTORIC AND CURRENT SAMPLE RESULTS
INORGANIC PARAMETERS**

CONSTITUENT	NYSDEC Class GA Groundwater Standards/ Guidance Values	CAS #	SITE: DATE: UNITS:	MW-11D 5/27/2011 (ug/l)	MW-11D 8/29/2012 (ug/l)	MW-11D 11/14/2013 (ug/l)	MW-11D 03/19/2015 (ug/l)	MW-11D 05/12/2016 (ug/l)	MW-11D 8/23/2017 (ug/l)	MW-11D 12/3/2018 (ug/l)	MW-11D 2/27/2020 (ug/l)
Aluminum	-	7429-90-5	ug/l	29,600	330	692	2550	1080	787 B	653	1,170
Antimony	3 GV	7440-36-0	ug/l	3.1 B	2.8 B	20 U	20 U	5 U	9 U	5 U	10 U
Arsenic	25 ST	7440-38-2	ug/l	18.3	1.8 B	25 U	25 U	10 U	7 U	10 U	10 U
Barium	1,000 ST	7440-39-3	ug/l	261	48.0 B	77.6	120	136 UB	132	106	106
Beryllium	3 GV	7440-41-7	ug/l	1.0 B	.12 U	20 U	20 U	5 U	3 U	5 U	5 U
Boron	1,000 ST	7440-42-8	ug/l	30.0 B	41 B	48	20 U	62.3	48.9	67.3 UB	59.3
Cadmium	5 ST	7440-43-9	ug/l	1.8 B	0.3 B	10 U	10 U	5 U	3 U	5 U	2.9 J
Calcium	-	7440-70-2	ug/l	75,500	27,800	11,400	16,300	15,900	18,800 UB	14,500	16,800
Chromium Hexavalent	50 ST	18540-29-9	ug/l	20 U	0.2 U	10 U	10.0 U	2.5 U	2.50 UJ	2.5 U	5 U
Chromium Total	50 ST	7440-47-3	ug/l	73.1	1.0 B	20 U	8.39 J	5 U	4 U	5 U	5 U
Cobalt	-	7440-48-4	ug/l	18.5 B	0.4 B	20 U	20 U	5 U	4 U	5 U	5 U
Copper	200 ST	7440-50-8	ug/l	124	2.5 B	20 U	13.8 J	5 U	3 U	3.2 UB	6.2 J
Iron	300 ST	7439-89-6	ug/l	37,000	765	424	2,020	354	86.3	70.1 UB	398
Lead	25 ST	7439-92-1	ug/l	174	20.6	15 U	18.2	5 U	4 U	5 U	5 U
Magnesium	35,000 GV	7439-95-4	ug/l	17,000	5,800	3,660	5,370	6,430	8,660 UB	6,780	8,260
Manganese	300 ST	7439-96-5	ug/l	1,020	150	147	131	191	276	147	402
Mercury	0.7 ST	7439-97-6	ug/l	0.22 J*	0.1 U	0.25 U	0.25 U	0.15 U	0.15 U	0.15 U	0.15 U
Nickel	100 ST	7440-02-0	ug/l	57.7	15.2 B	17.9 J	25.8	40.6	46.7	30	42.6
Potassium	-	7440-09-7	ug/l	13,700	7,370	3,780	5,320	5,450 UB	4,280 J	2,990	2,970
Selenium	10 ST	7782-49-2	ug/l	2.6 UNU*J*	2.1 U	25 U	25 U	10 U	10 U	10 U	10 U
Silver	50 ST	7440-22-4	ug/l	0.52 U*J*	0.29 U	20 U	20 U	5 U	3 U	5 U	5 U
Sodium	20,000 ST	7440-23-5	ug/l	15,900	40,000	6,830	8,650	8,560 UB	6,920 UBJ	28,800	24,100
Thallium	0.5 GV	7440-28-0	ug/l	5.1 B	2.9 U	15 U	15 U	10 U	7 U	10 U	5.2 J
Vanadium	-	7440-62-2	ug/l	74.7	3.0 B	20 U	20 U	5 U	3 U	5 U	5 U
Zinc	2,000 ST	7440-66-6	ug/l	535	34.1	30.8 UB	160	254 J	41.9 UB	26.1 UB	58.9
Cyanide	200 ST	0057-12-5	ug/l	10.0 U	10.0 U	43.4 UB	10 U	5 U	5 U	5 U	5 U
Iron + Manganese	500 ST*	-	ug/l	38,020	915	571	2,151	545	362.3	147	800

NOTES:

- U: Analyzed for but not detected, value shown is instrument detection limit.
- U* or UB: Result qualified as non-detect based on validation criteria
- J: Estimated due to data validation criteria.
- J*: Value is an approximate concentration of the analyte as determined by data validation.
- UJ: Value was not detected above quantitation limit but was an approximate.
- B: Concentration is above instrument detection limit but below contract required detection limit.
- N: Matrix spike sample recovery not within control limits.

Concentration exceeds Standard/Guidance Value.



Appendix A-2
SONIA ROAD LANDFILL
POST CLOSURE GROUNDWATER MONITORING PROGRAM
HISTORIC AND CURRENT SAMPLE RESULTS
INORGANIC PARAMETERS

CONSTITUENT	NYSDEC Class GA Groundwater Standards/ Guidance Values	CAS #	SITE DATE:	MW-111	MW-111	MW-111	MW-111	MW-111	MW-111	MW-111	MW-111	MW-111
			UNITS:	11/14/2007	2/12/2008	5/14/2008	8/6/2008	11/5/2008	2/25/2009	8/13/2009	2/5/2010	
				(ug/l)	(ug/l)	(ug/l)	(ug/l)	(ug/l)	(ug/l)	(ug/l)	(ug/l)	
Aluminum	-	7429-90-5	ug/l	NA	NA	NA	NA	8.7 U	NA	70.4 B	86.2 B	
Antimony	3 GV	7440-36-0	ug/l	NA	NA	NA	NA	2.3 U	NA	2.5 U	2.1 U	
Arsenic	25 ST	7440-38-2	ug/l	NA	NA	NA	NA	1.8 U	NA	3.0 U	2.3 U	
Barium	1,000 ST	7440-39-3	ug/l	NA	NA	NA	NA	7.6 B	NA	2.9 U	6.2 B	
Beryllium	3 GV	7440-41-7	ug/l	NA	NA	NA	NA	0.096 U	NA	0.13 U	0.26 U	
Boron	1,000 ST	7440-42-8	ug/l	NA	NA	NA	NA	28.2 B	NA	4.3 U	22.7 B	
Cadmium	5 ST	7440-43-9	ug/l	0.32 U	0.32 U	0.27 U	0.27 U	0.35 U	0.35 U	0.26 U	0.39 B	
Calcium	-	7440-70-2	ug/l	5,980 J	5,370	9,040	5,030	5,030	4,340 B	49.0 B	3,260 B	
Chromium Hexavalent	50 ST	18540-29-9	ug/l	NA	NA	NA	NA	0.80 B	NA	0.02 U	0.02 U	
Chromium Total	50 ST	7440-47-3	ug/l	NA	NA	NA	NA	0.02 U	NA	0.49 U	0.88 B	
Cobalt	-	7440-48-4	ug/l	NA	NA	NA	NA	0.88 U	NA	0.76 U	1.2 U	
Copper	200 ST	7440-50-8	ug/l	NA	NA	NA	NA	0.65 U	NA	0.90 B	2.0 B	
Iron	300 ST	7439-89-6	ug/l	25.1	24.2 U	280	6.6 U	10 B	13.7 B	10.9 B	125 J*	
Lead	25 ST	7439-92-1	ug/l	1.4	1.4 U	2.3 U	2.3 U	1.3 U	1.3 U	2.1 U	1.8 U	
Magnesium	35,000 GV	7439-95-4	ug/l	1,420 J	1,260 B	2,440 B	1,450 B	1,700 B	1,390 B	43 U	895 B	
Manganese	300 ST	7439-96-5	ug/l	100 J	47.0	92.2	28.3	11.8 B	8.6 B	0.40 B	111	
Mercury	0.7 ST	7439-97-6	ug/l	NA	NA	NA	NA	1.9 U	NA	0.10 U	0.10 U	
Nickel	100 ST	7440-02-0	ug/l	NA	NA	NA	NA	1.2 U	NA	0.82 U	1.6 B	
Potassium	-	7440-09-7	ug/l	1,410	1,410 B	1,970 B	1,890 B	1,600 B	1,420 B	57 U	1,480 B	
Selenium	10 ST	7782-49-2	ug/l	NA	NA	NA	NA	0.54 U	NA	4.6 U	2.5 U	
Silver	50 ST	7440-22-4	ug/l	NA	NA	NA	NA	1.9 U	NA	0.33 U	0.83 U	
Sodium	20,000 ST	7440-23-5	ug/l	5,510 J	5,430	7,860	6,770	5,500	4,960 B	55 U	4,510 B	
Thallium	0.5 GV	7440-28-0	ug/l	NA	NA	NA	NA	0.74 U	NA	3.9 U	3.2 U	
Vanadium	-	7440-62-2	ug/l	NA	NA	NA	NA	6.0 B	NA	0.77 U	1.4 U	
Zinc	2,000 ST	7440-66-6	ug/l	NA	NA	NA	NA	0.13 U	NA	6.7 U	16.8 B	
Cyanide	200 ST	0057-12-5	ug/l	NA	NA	NA	NA	10.0 U	NA	10 U	10.0 U	
Iron + Manganese	500 ST*	-	ug/l	125.1	71.2	372.2	34.9	21.8	22.3	11.3	236	

NOTES:

- U: Analyzed for but not detected, value shown is instrument detection limit.
- U* or UB: Result qualified as non-detect based on validation criteria
- J: Estimated due to data validation criteria.
- J*: Value is an approximate concentration of the analyte as determined by data validation.
- UU: Value was not detected above quantitation limit but was an approximate.
- B: Concentration is above instrument detection limit but below contract required detection limit.
- N: Matrix spike sample recovery not within control limits.

Concentration exceeds Standard/Guidance Value.



**Appendix A-2
SONIA ROAD LANDFILL
POST CLOSURE GROUNDWATER MONITORING PROGRAM
HISTORIC AND CURRENT SAMPLE RESULTS
INORGANIC PARAMETERS**

CONSTITUENT	NYSDEC Class GA Groundwater Standards/ Guidance Values	CAS #	SITE: DATE: UNITS:	MW-111 5/27/2011 (ug/l)	MW-111 8/29/2012 (ug/l)	MW-111 11/14/2013 (ug/l)	MW-111 03/19/2015 (ug/l)	MW-111 05/12/2016 (ug/l)	MW-111 8/23/2017 (ug/l)	MW-111 12/3/2018 (ug/l)	MW-111 2/27/2020 (ug/l)
Aluminum	-	7429-90-5	ug/l	8.2 U	30.0 B	20 U	11.2 J	19.8 UB	371 B	21.3 UB	22.1
Antimony	3 GV	7440-36-0	ug/l	2.1 U	1.8 U	20 U	20 U	5 U	9 U	5 U	10 U
Arsenic	25 ST	7440-38-2	ug/l	1.9 U	1.5 U	25 U	25 U	10 U	7 U	10 U	10 U
Barium	1,000 ST	7440-39-3	ug/l	1.9 B	42 B	13.4 J	17.7 J	31.2 UB	107	35.8	26.1
Beryllium	3 GV	7440-41-7	ug/l	0.13 U	0.12 U	20 U	20 U	5 U	3 U	5 U	5 U
Boron	1,000 ST	7440-42-8	ug/l	10.9 B	19.5 B	13	20 U	17.2 UB	21.7 J	35.6 UB	23.1
Cadmium	5 ST	7440-43-9	ug/l	0.27 U	0.10 B	10 U	10 U	5 U	3 U	5 U	5 U
Calcium	-	7440-70-2	ug/l	968 B	7,740	2,480	3,640	6,840	10,600 UB	7,300	8,530
Chromium Hexavalent	50 ST	18540-29-9	ug/l	20 U	0.2 U	10 U	10.0 U	2.5 U	2.50 U	2.5 U	2.5 U
Chromium Total	50 ST	7440-47-3	ug/l	1.6 B	0.34 U	20 U	20 U	5 U	102	5 U	5 U
Cobalt	-	7440-48-4	ug/l	.49 U	0.28 U	20 U	20 U	5 U	4 U	5 U	5 U
Copper	200 ST	7440-50-8	ug/l	1.6 B	.52 U	7.89 J	20 U	5 U	17.4 J	5 U	5 U
Iron	300 ST	7439-89-6	ug/l	37.9 B	3.7 B	15 UB	21.2 UB	30 UB	725	14 UB	13 J
Lead	25 ST	7439-92-1	ug/l	1.5 U	7.8	15 U	15 U	5 U	8.14 J	5 U	5 U
Magnesium	35,000 GV	7439-95-4	ug/l	242 B	1,660 B	612	989	1,920 UB	2,750 UB	2,100	2,830
Manganese	300 ST	7439-96-5	ug/l	25.8	188	34.1	40.8	107	117	11.7 J	10.5 J
Mercury	0.7 ST	7439-97-6	ug/l	0.10 U*J*	0.10 U	0.25 U	0.25 U	0.15 U	0.15 U	0.15 U	0.15 U
Nickel	100 ST	7440-02-0	ug/l	1.2 U	1.4 U	20 U	20 U	5 U	12.3 UB	5 U	5 U
Potassium	-	7440-09-7	ug/l	1,050 B	4,210 B	2,140	2,910	3,350 UB	3,070 UBJ	2,180	1,990
Selenium	10 ST	7782-49-2	ug/l	2.6 UNU*J*	2.1 U	25 U	25 U	10 U	10 U	10 U	10 U
Silver	50 ST	7440-22-4	ug/l	0.52 U*J*	.29 U	20 U	20 U	5 U	3 U	5 U	5 U
Sodium	20,000 ST	7440-23-5	ug/l	7,660	24,700	1,500	1,770	3,000 UB	5,050 UBJ	10,100	11,200
Thallium	0.5 GV	7440-28-0	ug/l	2.7 U	2.9 U	15 U	15 U	10 U	7 U	10 U	10 U
Vanadium	-	7440-62-2	ug/l	0.56 U	0.18 U	20 U	20 U	5 U	3 U	5 U	5 U
Zinc	2,000 ST	7440-66-6	ug/l	10.3 B	6.1 B	12.7 UB	7.61 J	31.5 UBJ	144 UB	15.4 UB	22.2
Cyanide	200 ST	0057-12-5	ug/l	10.0 U	10.0 U	43.5 UB	10 U	5 U	5 U	5 U	5 U
Iron + Manganese	500 ST*	-	ug/l	63.7	191.7	49.1	40.8	107	842	11.7	23.5

NOTES:

- U: Analyzed for but not detected, value shown is instrument detection limit.
- U* or UB: Result qualified as non-detect based on validation criteria
- J: Estimated due to data validation criteria.
- J*: Value is an approximate concentration of the analyte as determined by data validation.
- UU: Value was not detected above quantitation limit but was an approximate.
- B: Concentration is above instrument detection limit but below contract required detection limit.
- N: Matrix spike sample recovery not within control limits.

ST: Standard.
GV: Guidance value.
NA: Not analyzed.

Concentration exceeds Standard/Guidance Value.



Appendix A-2
SONIA ROAD LANDFILL
POST CLOSURE GROUNDWATER MONITORING PROGRAM
HISTORIC AND CURRENT SAMPLE RESULTS
INORGANIC PARAMETERS

CONSTITUENT	NYSDEC Class GA Groundwater Standards/ Guidance Values	CAS #	SITE: DATE:	MW-11S (ug/l)	MW-11S 2/12/2008 (ug/l)	MW-11S 5/14/2008 (ug/l)	MW-11S 8/6/2008 (ug/l)	MW-11S 11/5/2008 (ug/l)	MW-11S 2/25/2009 (ug/l)	MW-11S 8/13/2009 (ug/l)	MW-11S 2/5/2010 (ug/l)
Aluminum	-	7429-90-5	ug/l	NA	NA	NA	NA	2730	NA	52.0 B	47.6 B
Antimony	3 GV	7440-36-0	ug/l	NA	NA	NA	NA	2.3 B	NA	2.5 U	2.1 U
Arsenic	25 ST	7440-38-2	ug/l	NA	NA	NA	NA	1.8 U	NA	3.0 U	2.3 U
Barium	1,000 ST	7440-39-3	ug/l	NA	NA	NA	NA	57.4 B	NA	32.3 B	41.4 B
Beryllium	3 GV	7440-41-7	ug/l	NA	NA	NA	NA	0.14 B	NA	0.13 U	0.26 U
Boron	1,000 ST	7440-42-8	ug/l	NA	NA	NA	NA	68.6 B	NA	55.5 B	73.9 B
Cadmium	5 ST	7440-43-9	ug/l	0.32	0.32 U	0.27 U	0.27 U	0.35 U	0.35 U	0.26 U	0.34 U
Calcium	-	7440-70-2	ug/l	44,000 J	45,600	55,600	58,100	46,500	43,000	44,300	60,800
Chromium Hexavalent	50 ST	18540-29-9	ug/l	NA	NA	NA	NA	0.02 U	NA	0.02 U	0.02 U
Chromium Total	50 ST	7440-47-3	ug/l	NA	NA	NA	NA	109	NA	6.8 B	47.9
Cobalt	-	7440-48-4	ug/l	NA	NA	NA	NA	3.6 B	NA	0.80 B	1.2 U
Copper	200 ST	7440-50-8	ug/l	NA	NA	NA	NA	12.6 B	NA	1.9 B	3.6 B
Iron	300 ST	7439-89-6	ug/l	36.0 B	111	5,540	2,260	3,440	990	111	172 J*
Lead	25 ST	7439-92-1	ug/l	1.4 U	1.4 U	8.40	6.9	7.7	3.2	12.4	1.8 U
Magnesium	35,000 GV	7439-95-4	ug/l	4,990 J	5,050	6,440	6,160	5,880	4,900 B	4,490 B	6,900
Manganese	300 ST	7439-96-5	ug/l	3,120 J	3,020	4,070	2,910	3,070	3,270	3,250	4,450
Mercury	0.7 ST	7439-97-6	ug/l	NA	NA	NA	NA	0.13 U	NA	0.10 U	0.10 U
Nickel	100 ST	7440-02-0	ug/l	NA	NA	NA	NA	7.3 B	NA	1.8 B	3.1 B
Potassium	-	7440-09-7	ug/l	29,900	19,900	17,100	25,200	25,300	12,900	15,700	19,000
Selenium	10 ST	7782-49-2	ug/l	NA	NA	NA	NA	1.9 U	NA	5.3 U	2.5 U
Silver	50 ST	7440-22-4	ug/l	NA	NA	NA	NA	0.55 B	NA	0.33 U	0.83 U
Sodium	20,000 ST	7440-23-5	ug/l	54,900 J	36,500	45,300	52,400	56,200	38,300	38,900	56,800
Thallium	0.5 GV	7440-28-0	ug/l	NA	NA	NA	NA	1.9 U	NA	3.9 U	3.2 U
Vanadium	-	7440-62-2	ug/l	NA	NA	NA	NA	7.6 B	NA	0.77 U	1.4 U
Zinc	2,000 ST	7440-66-6	ug/l	NA	NA	NA	NA	17.2 B	NA	12.0 B	5.0 B
Cyanide	200 ST	0057-12-5	ug/l	NA	NA	NA	NA	10.0 U	NA	10.0 U	10.0 U
Iron + Manganese	500 ST*	-	ug/l	3,156.0	3,131.0	9,610	5,170	6,510	4,260	3,361	4,622

NOTES:

- U: Analyzed for but not detected, value shown is instrument detection limit.
- U* or UB: Result qualified as non-detect based on validation criteria
- J: Estimated due to data validation criteria.
- J*: Value is an approximate concentration of the analyte as determined by data validation.
- UU: Value was not detected above quantitation limit but was an approximate.
- B: Concentration is above instrument detection limit but below contract required detection limit.
- N: Matrix spike sampe recovery not within control limits.

ST: Standard.

GV: Guidance value.

NA: Not analyzed.

Concentration exceeds Standard/Guidance Value.



Appendix A-2
SONIA ROAD LANDFILL
POST CLOSURE GROUNDWATER MONITORING PROGRAM
HISTORIC AND CURRENT SAMPLE RESULTS
INORGANIC PARAMETERS

CONSTITUENT	NYSDEC Class GA Groundwater Standards/ Guidance Values	CAS #	SITE DATE: UNITS:	MW-11S 5/27/2011 (ug/l)	MW-11S 8/29/2012 (ug/l)	MW-11S 11/14/2013 (ug/l)	MW-11S 03/19/2015 (ug/l)	MW-11S 05/12/2016 (ug/l)	MW-11S 8/23/2017 (ug/l)	MW-11S 12/3/2018 (ug/l)	MW-11S 2/27/2020 (ug/l)
Aluminum	-	7429-90-5	ug/l	133 B	26.1 B	11.2 J	21.1	30.3 UB	31 UB	57.1	33
Antimony	3 GV	7440-36-0	ug/l	2.1 U	1.8 U	6.01 J	20 U	5 U	9 U	5 U	10 U
Arsenic	25 ST	7440-38-2	ug/l	1.9 U	1.5 U	25 U	25 U	10 U	7 U	10 U	10 U
Barium	1,000 ST	7440-39-3	ug/l	28.5 B	30.0 B	63.7	65.2	73.1 UB	73.1	58.2	53.8
Beryllium	3 GV	7440-41-7	ug/l	.13 U	.12 U	20 U	20 U	5 U	3 U	5 U	5 U
Boron	1,000 ST	7440-42-8	ug/l	38.5 B	52.8 B	62	20 U	52.2	72.1	90.8	50.9
Cadmium	5 ST	7440-43-9	ug/l	.27 U	0.087 U	10 U	10 U	5 U	3 U	5 U	5 U
Calcium	-	7440-70-2	ug/l	39,500	47,500	47,900	33,400	55,400	50,000	51,700	45,200
Chromium Hexavalent	50 ST	18540-29-9	ug/l	20 U	0.2 U	10 U	10.0 U	2.5 U	2.50 UJ	2.5 U	2.5 U
Chromium Total	50 ST	7440-47-3	ug/l	9.1 B	0.70 B	20 U	20 U	5 U	4 U	7.3 J	5 U
Cobalt	-	7440-48-4	ug/l	.68 B	0.30 B	20 U	20 U	5 U	4 U	5 U	5 U
Copper	200 ST	7440-50-8	ug/l	3.9 B	2.0 B	20 U	20 U	5 U	3 U	4.1 UB	5 U
Iron	300 ST	7439-89-6	ug/l	454	11.3 B	23.3 UB	50.1 UB	107 UB	68.6	25.4 UB	30.1
Lead	25 ST	7439-92-1	ug/l	1.5 U	6.2	15 U	15 U	5 U	4 U	5 U	5 U
Magnesium	35,000 GV	7439-95-4	ug/l	5,940	6,300	6,500	5,630	4,700	5,040 UB	3,940	4,700
Manganese	300 ST	7439-96-5	ug/l	2,440	1,140	668	541	957	286	51.6	108
Mercury	0.7 ST	7439-97-6	ug/l	0.10 U*J*	0.10 U	0.25 U	0.25 U	0.15 U	0.15 U	0.15 U	0.15 U
Nickel	100 ST	7440-02-0	ug/l	1.2 U	3.6 B	20 U	20 U	5 U	3 U	15 J	5.1 J
Potassium	-	7440-09-7	ug/l	14,600	8,510	11,100	12,900	18,100	15,300 J	11,000	9,500
Selenium	10 ST	7782-49-2	ug/l	2.6 UNU*J*	2.1 U	25 U	25 U	10 U	10 U	10 U	10 U
Silver	50 ST	7440-22-4	ug/l	0.52 U*J*	0.29 U	20 U	20 U	5 U	3 U	5 U	5 U
Sodium	20,000 ST	7440-23-5	ug/l	44,100	57,000	14,900	13,700	13,000 UB	8,290 UBJ	24,800	33,500
Thallium	0.5 GV	7440-28-0	ug/l	2.7 U	2.9 U	15 U	15 U	10 U	7 U	10 U	5.7 J
Vanadium	-	7440-62-2	ug/l	.72 B	0.18 U	20 U	20 U	5 U	3 U	5 U	5 U
Zinc	2,000 ST	7440-66-6	ug/l	12.5 B	6.0 B	8.65 UB	20 U	142 J	27.5 UB	9.7 UB	29.8
Cyanide	200 ST	0057-12-5	ug/l	10.0 U	10.0 U	42.9 UB	10 U	5 U	5 U	5 U	5 U
Iron + Manganese	500 ST*	-	ug/l	2,894	1,140	691.3	541	957	354.6	51.6	138

NOTES:

U: Analyzed for but not detected, value shown is instrument detection limit.

U* or UB: Result qualified as non-detect based on validation criteria

J: Estimated due to data validation criteria.

J*: Value is an approximate concentration of the analyte as determined by data validation.

UJ: Value was not detected above quantitation limit but was an approximate.

B: Concentration is above instrument detection limit but below contract required detection limit.

N: Matrix spike sample recovery not within control limits.

Concentration exceeds Standard/Guidance Value.

ST: Standard.

GV: Guidance value.

NA: Not analyzed.



**Appendix A-2
SONIA ROAD LANDFILL
POST CLOSURE GROUNDWATER MONITORING PROGRAM
HISTORIC AND CURRENT SAMPLE RESULTS
INORGANIC PARAMETERS**

CONSTITUENT	NYSDEC Class GA Groundwater Standards/ Guidance Values	CAS #	SITE: DATE: UNITS:	MW-12D 11/14/2007 (ug/l)	MW-12D 2/12/2008 (ug/l)	MW-12D 5/14/2008 (ug/l)	MW-12D 8/6/2008 (ug/l)	MW-12D 11/5/2008 (ug/l)	MW-12D 2/25/2009 (ug/l)	MW-12D 8/13/2009 (ug/l)	MW-12D 2/5/2010 (ug/l)
Aluminum	-	7429-90-5	ug/l	NA	NA	NA	NA	8.7 U	NA	12.5 U	101 B
Antimony	3 GV	7440-36-0	ug/l	NA	NA	NA	NA	2.3 U	NA	2.5 U	2.1 U
Arsenic	25 ST	7440-38-2	ug/l	NA	NA	NA	NA	1.8 U	NA	3.0 U	2.3 U
Barium	1,000 ST	7440-39-3	ug/l	NA	NA	NA	NA	4.7 B	NA	6.6 B	7.5 B
Beryllium	3 GV	7440-41-7	ug/l	NA	NA	NA	NA	0.096 U	NA	0.13 U	0.26 U
Boron	1,000 ST	7440-42-8	ug/l	NA	NA	NA	NA	19.5 B	NA	9.5 B	19.0 B
Cadmium	5 ST	7440-43-9	ug/l	0.32 U	0.32 U	0.27 U	0.27 U	0.35 U	0.35 U	0.26 U	0.34 U
Calcium	-	7440-70-2	ug/l	11,500 J	11,100	12,000	11,200	11,600	12,500	11,500	9,410
Chromium Hexavalent	50 ST	18540-29-9	ug/l	NA	NA	NA	NA	0.80 B	NA	0.02 U	0.02 U
Chromium Total	50 ST	7440-47-3	ug/l	NA	NA	NA	NA	0.02 U	NA	1.1 B	0.65 B
Cobalt	-	7440-48-4	ug/l	NA	NA	NA	NA	0.88 U	NA	0.76 U	1.2 U
Copper	200 ST	7440-50-8	ug/l	NA	NA	NA	NA	0.65 U	NA	0.90 B	2.9 B
Iron	300 ST	7439-89-6	ug/l	28.8 B	24.2 U	37.4 B	6.6 U	9.2 B	12.6 B	12.4 B	139 J*
Lead	25 ST	7439-92-1	ug/l	1.4 U	1.4 U	2.3 U	2.3 U	1.3 U	1.3 U	12.3	1.8 U
Magnesium	35,000 GV	7439-95-4	ug/l	5,770 J	5,480	6,130	6,260	6,100	6,560	5,420	5,190
Manganese	300 ST	7439-96-5	ug/l	1.9 JB	2.7 B	4.7 B	3.0 B	3.1 B	3.6 B	2.6 B	8.9 B
Mercury	0.7 ST	7439-97-6	ug/l	NA	NA	NA	NA	0.13 U	NA	0.10 U	0.10 U
Nickel	100 ST	7440-02-0	ug/l	NA	NA	NA	NA	1.2 U	NA	0.82 U	1.4 U
Potassium	-	7440-09-7	ug/l	878 B	945 B	1,030 B	1,340 U	1,060 B	1,150 B	1,210 B	1,400 B
Selenium	10 ST	7782-49-2	ug/l	NA	NA	NA	NA	1.9 U	NA	5.3 U	2.5 U
Silver	50 ST	7440-22-4	ug/l	NA	NA	NA	NA	0.54 U	NA	0.33 U	0.83 U
Sodium	20,000 ST	7440-23-5	ug/l	9,580 J	12,000	11,900	13,400	11,700	13,600	15,300	14,800
Thallium	0.5 GV	7440-28-0	ug/l	NA	NA	NA	NA	1.9 U	NA	3.9 U	3.2 U
Vanadium	-	7440-62-2	ug/l	NA	NA	NA	NA	0.74 U	NA	0.77 U	1.4 U
Zinc	2,000 ST	7440-66-6	ug/l	NA	NA	NA	NA	5.2 B	NA	22.3	13.7 B
Cyanide	200 ST	0057-12-5	ug/l	NA	NA	NA	NA	10.0 U	NA	10.0 U	10.0 U
Iron + Manganese	500 ST*	-	ug/l	30.7	26.9	42.1	9.6	12.3	16.2	15.0	147.9

NOTES:

- U: Analyzed for but not detected, value shown is instrument detection limit.
- U* or UB: Result qualified as non-detect based on validation criteria
- J: Estimated due to data validation criteria.
- J*: Value is an approximate concentration of the analyte as determined by data validation.
- UU: Value was not detected above quantitation limit but was an approximate.
- B: Concentration is above instrument detection limit but below contract required detection limit.
- N: Matrix spike sample recovery not within control limits.

Concentration exceeds Standard/Guidance Value.



**Appendix A-2
SONIA ROAD LANDFILL
POST CLOSURE GROUNDWATER MONITORING PROGRAM
HISTORIC AND CURRENT SAMPLE RESULTS
INORGANIC PARAMETERS**

CONSTITUENT	NYSDEC Class GA Groundwater Standards/ Guidance Values	CAS #	SITE: DATE:	MW-12D UNITS:	MW-12D (ug/l)	MW-12D (ug/l)	MW-12D (ug/l)	MW-12D (ug/l)	MW-12D (ug/l)	MW-12D (ug/l)	MW-12D (ug/l)	MW-12D (ug/l)
Aluminum	-	7429-90-5	5/27/2011	ug/l	290	70.9 B	20 U	9.22 J	15.2 UB	11.5 UB	28.8 UB	23.0
Antimony	3 GV	7440-36-0	5/27/2011	ug/l	2.1 U	1.8 U	20 U	20 U	5 U	9 U	5 U	10 U
Arsenic	25 ST	7440-38-2	5/27/2011	ug/l	1.9 U	1.5 U	25 U	25 U	10 U	7 U	10 U	10 U
Barium	1,000 ST	7440-39-3	5/27/2011	ug/l	8.0 B	4.3 B	7.67 J	9.53 J	14.2 UB	19 UB	32.5	21.5
Beryllium	3 GV	7440-41-7	5/27/2011	ug/l	0.13 U	0.12 U	20 U	20 U	5 U	3 U	5 U	5 U
Boron	1,000 ST	7440-42-8	5/27/2011	ug/l	9.0 B	11 B	13	20 U	16.2 UB	12.3 J	49.1 UB	30.2
Cadmium	5 ST	7440-43-9	5/27/2011	ug/l	0.27 U	0.1 B	10 U	10 U	5 U	3 U	5 U	5 U
Calcium	-	7440-70-2	5/27/2011	ug/l	6,990	5,030	4,950	4,710	7,880	10,400 UB	14,100	8,990
Chromium Hexavalent	50 ST	18540-29-9	5/27/2011	ug/l	20 U	0.2 U	10 U	10.0 U	2.5 U	2.50 U	2.5 U	2.5 U
Chromium Total	50 ST	7440-47-3	5/27/2011	ug/l	2.4 B	1.1 B	20 U	20 U	5 U	4 U	5 U	5 U
Cobalt	-	7440-48-4	5/27/2011	ug/l	0.49 U	.28 U	20 U	20 U	5 U	4 U	5 U	5 U
Copper	200 ST	7440-50-8	5/27/2011	ug/l	4.1 B	1.2 B	20 U	20 U	5 U	3 U	5 U	5 U
Iron	300 ST	7439-89-6	5/27/2011	ug/l	541	83.8 B	11.2 UB	10.5 UB	41 UB	83.6	13.3 UB	16.5 J
Lead	25 ST	7439-92-1	5/27/2011	ug/l	2.8 B	7.9	15 U	15 U	5 U	4 U	5 U	5 U
Magnesium	35,000 GV	7439-95-4	5/27/2011	ug/l	3,520 B	2,400 B	2,540	2,430	3,680	4,720 UB	6,370	3,990
Manganese	300 ST	7439-96-5	5/27/2011	ug/l	14.8 B	23.5	20 U	21.2	5 U	16.3 J	5.2 J	4.0 J
Mercury	0.7 ST	7439-97-6	5/27/2011	ug/l	0.10 U*J*	0.10 U	0.25 U	0.25 U	0.15 U	0.15 U	0.15 U	0.15 U
Nickel	100 ST	7440-02-0	5/27/2011	ug/l	1.2 U	1.1 B	20 U	20 U	5 U	6.8 UB	5 U	5 U
Potassium	-	7440-09-7	5/27/2011	ug/l	1,590 B	65.3 U	659	746	855 UB	1,080 UBJ	2,150	1,610
Selenium	10 ST	7782-49-2	5/27/2011	ug/l	2.6 UNU*J*	2.1 U	25 U	25 U	10 U	10 U	10 U	10 U
Silver	50 ST	7440-22-4	5/27/2011	ug/l	0.52 U*J*	0.29 U	20 U	20 U	5 U	3 U	5 U	5 U
Sodium	20,000 ST	7440-23-5	5/27/2011	ug/l	12,000	8,580	2,810	2,780	2,740 UB	2,660 UBJ	24,500	16,500
Thallium	0.5 GV	7440-28-0	5/27/2011	ug/l	2.7 U	2.9 U	15 U	15 U	10 U	8.99 J	10 U	8.3 J
Vanadium	-	7440-62-2	5/27/2011	ug/l	1.1 B	0.20 B	20 U	20 U	5 U	3 U	5 U	5 U
Zinc	2,000 ST	7440-66-6	5/27/2011	ug/l	25.1	12.9 B	10.8 UB	20 U	19.8 UBJ	50.9 UB	8.2 UB	16.8 J
Cyanide	200 ST	0057-12-5	5/27/2011	ug/l	10.0 U	10.0 U	36.3 UB	10 U	5 U	5 U	5 U	5 U
Iron + Manganese	500 ST*	-	5/27/2011	ug/l	555.8	107.3	11.2	21.2	0	99.9	5.2	20.5

NOTES:

- U: Analyzed for but not detected, value shown is instrument detection limit.
- U* or UB: Result qualified as non-detect based on validation criteria
- J: Estimated due to data validation criteria.
- J*: Value is an approximate concentration of the analyte as determined by data validation.
- UJ: Value was not detected above quantitation limit but was an approximate.
- B: Concentration is above instrument detection limit but below contract required detection limit.
- N: Matrix spike sampe recovery not within control limits.

ST: Standard.
GV: Guidance value.
NA: Not analyzed.

Concentration exceeds Standard/Guidance Value.



**Appendix A-2
SONIA ROAD LANDFILL
POST CLOSURE GROUNDWATER MONITORING PROGRAM
HISTORIC AND CURRENT SAMPLE RESULTS
INORGANIC PARAMETERS**

CONSTITUENT	NYSDEC Class GA Groundwater Standards/ Guidance Values	CAS #	SITE: DATE:	MW-121 (ug/l)	MW-121 (ug/l)	MW-121 (ug/l)	MW-121 (ug/l)	MW-121 (ug/l)	MW-121 (ug/l)	MW-121 (ug/l)	MW-121 (ug/l)	MW-121 (ug/l)
			UNITS:									
Aluminum	-	7429-90-5	ug/l	NA	NA	NA	NA	8.7 U	NA	12.5 U	190 B	
Antimony	3 GV	7440-36-0	ug/l	NA	NA	NA	NA	2.3 U	NA	2.5 U	2.1 U	
Arsenic	25 ST	7440-38-2	ug/l	NA	NA	NA	NA	1.8 U	NA	3.0 U	2.3 U	
Barium	1,000 ST	7440-39-3	ug/l	NA	NA	NA	NA	13.0 B	NA	28.5 B	23.4 B	
Beryllium	3 GV	7440-41-7	ug/l	NA	NA	NA	NA	0.096 U	NA	0.13 U	0.26 U	
Boron	1,000 ST	7440-42-8	ug/l	NA	NA	NA	NA	30.7 B	NA	23.9 B	22.4 B	
Cadmium	5 ST	7440-43-9	ug/l	0.32 U	0.32 U	0.27 U	0.27 U	0.35 U	0.35 U	0.26 U	0.97 B	
Calcium	-	7440-70-2	ug/l	5,780 J	6,480	7,190	7,480	6,570	11,800	9,260	8,260	
Chromium Hexavalent	50 ST	18540-29-9	ug/l	NA	NA	NA	NA	0.41 U	NA	0.02 U	0.02 U	
Chromium Total	50 ST	7440-47-3	ug/l	NA	NA	NA	NA	0.02 U	NA	0.49 U	1.0 B	
Cobalt	-	7440-48-4	ug/l	NA	NA	NA	NA	0.88 U	NA	0.76 U	1.2 U	
Copper	200 ST	7440-50-8	ug/l	NA	NA	NA	NA	0.65 U	NA	0.70 B	4.1 B	
Iron	300 ST	7439-89-6	ug/l	24.2 U	264	66.6 B	12.0 B	7.8 B	9.2 B	14.9 B	161 J*	
Lead	25 ST	7439-92-1	ug/l	1.4 U	1.4 U	2.3 U	2.3 U	1.3 U	1.3 U	9.1	1.8 U	
Magnesium	35,000 GV	7439-95-4	ug/l	889 JB	960 B	1,120 B	1,040 B	899 B	1,530 B	1,070 B	984 B	
Manganese	300 ST	7439-96-5	ug/l	650 J	918	1,040	1,540	1,200	2,650	3,760	457	
Mercury	0.7 ST	7439-97-6	ug/l	NA	NA	NA	NA	0.13 U	NA	0.10 U	0.10 U	
Nickel	100 ST	7440-02-0	ug/l	NA	NA	NA	NA	1.2 U	NA	0.82 U	1.6 B	
Potassium	-	7440-09-7	ug/l	2,150 B	2,750 B	3,300 B	3,950 B	3,320 B	3,870 B	5,630	5020	
Selenium	10 ST	7782-49-2	ug/l	NA	NA	NA	NA	1.9 U	NA	5.3 U	2.5 U	
Silver	50 ST	7440-22-4	ug/l	NA	NA	NA	NA	0.54 U	NA	0.33 U	0.83 U	
Sodium	20,000 ST	7440-23-5	ug/l	10,700 J	11,400	12,400	11,700	10,700	14,900	14,500	9,940	
Thallium	0.5 GV	7440-28-0	ug/l	NA	NA	NA	NA	1.9 U	NA	3.9 U	3.2 U	
Vanadium	-	7440-62-2	ug/l	NA	NA	NA	NA	0.74 U	NA	0.77 U	1.4 U	
Zinc	2,000 ST	7440-66-6	ug/l	NA	NA	NA	NA	2.8 B	NA	29	65.5	
Cyanide	200 ST	0057-12-5	ug/l	NA	NA	NA	NA	10.0 U	NA	10.0 U	10.0 U	
Iron + Manganese	500 ST*	-	ug/l	674	1,182	1,106.6	1552	1207.8	2,659.2	3,769.2	618	

NOTES:

- U: Analyzed for but not detected, value shown is instrument detection limit.
- U* or UB: Result qualified as non-detect based on validation criteria
- J: Estimated due to data validation criteria.
- J*: Value is an approximate concentration of the analyte as determined by data validation.
- UU: Value was not detected above quantitation limit but was an approximate.
- B: Concentration is above instrument detection limit but below contract required detection limit.
- N: Matrix spike sampe recovery not within control limits.

ST: Standard.
GV: Guidance value.
NA: Not analyzed.

Concentration exceeds Standard/Guidance Value.



Appendix A-2
SONIA ROAD LANDFILL
POST CLOSURE GROUNDWATER MONITORING PROGRAM
HISTORIC AND CURRENT SAMPLE RESULTS
INORGANIC PARAMETERS

CONSTITUENT	NYSDEC Class GA Groundwater Standards/ Guidance Values	CAS #	SITE: DATE: UNITS:	MW-121 5/27/2011 (ug/l)	MW-121 8/29/2012 (ug/l)	MW-121 11/14/2013 (ug/l)	MW-121 03/20/2015 (ug/l)	MW-121 05/12/2016 (ug/l)	MW-121 8/23/2017 (ug/l)	MW-121 12/3/2018 (ug/l)	MW-121 2/26/2020 (ug/l)
Aluminum	-	7429-90-5	ug/l	562	299	7.24 J	6.86 J	12.4 UB	5.65 UB	37.2	38.3
Antimony	3 GV	7440-36-0	ug/l	2.1 U	1.8 U	20 U	20 U	5 U	9 U	5 U	10 U
Arsenic	25 ST	7440-38-2	ug/l	1.9 U	1.5 U	25 U	25 U	10 U	7 U	10 U	10 U
Barium	1,000 ST	7440-39-3	ug/l	18.8 B	22.1 B	37.3	56.8	21.1 UB	58.8	38.7	59.2
Beryllium	3 GV	7440-41-7	ug/l	0.13 U	.12 U	20 U	20 U	5 U	3 U	5 U	5 U
Boron	1,000 ST	7440-42-8	ug/l	13.0 B	18.3 B	19	20 U	23.9 UB	67.8	73.6	86.4
Cadmium	5 ST	7440-43-9	ug/l	2.5 B	4.2 B	10 U	10 U	5 U	3 U	5 U	5 U
Calcium	-	7440-70-2	ug/l	6,930	9,490	20,100	34,700	13,900	30,300 UB	22,000	41,500
Chromium Hexavalent	50 ST	18540-29-9	ug/l	20 U	0.2 U	10 U	10.0 U	2.5 U	2.50 U	2.5 UJ	2.5 U
Chromium Total	50 ST	7440-47-3	ug/l	2.6 B	3.0 B	20 U	20 U	5 U	4 U	5 U	5 U
Cobalt	-	7440-48-4	ug/l	0.49 U	0.28 U	20 U	20 U	5 U	4 U	5 U	5 U
Copper	200 ST	7440-50-8	ug/l	6.4 B	1.9 B	20 U	20 U	5 U	3 U	5 U	5 U
Iron	300 ST	7439-89-6	ug/l	878	343	23.5 UB	13.8 UB	24.6 UB	49.5 UB	15 UB	29.1
Lead	25 ST	7439-92-1	ug/l	5.0	5.5	15 U	15 U	5 U	4 U	5 U	5 U
Magnesium	35,000 GV	7439-95-4	ug/l	1,210 B	1,470 B	4,510	4,790	1,570 UB	3,880 UB	3,730	7,200
Manganese	300 ST	7439-96-5	ug/l	1,620	3,710	2,830	819	398	5,250	1,060	1,260
Mercury	0.7 ST	7439-97-6	ug/l	0.10 U*J*	0.10 U	0.25 U	0.25 U	0.15 U	0.15 U	0.15 U	0.15 U
Nickel	100 ST	7440-02-0	ug/l	1.2 U	1.4 B	20 U	20 U	5 U	3 U	5 U	5 U
Potassium	-	7440-09-7	ug/l	4050 B	6,670	2,910	4,160	1,730 UB	2,500 UB	2,090	2,600
Selenium	10 ST	7782-49-2	ug/l	2.6 UNU*J*	2.5 BJ	25 U	25 U	10 U	10 U	10 U	10 U
Silver	50 ST	7440-22-4	ug/l	0.52 U*J*	0.60 B	20 U	20 U	5 U	3 U	5 U	5 U
Sodium	20,000 ST	7440-23-5	ug/l	8,910	29,300	6,140	7,740	3,130 UB	8,940 UBJ	20,300	41,800
Thallium	0.5 GV	7440-28-0	ug/l	3.8 B	2.9 U	15 U	15 U	10 U	7 U	10 U	10 U
Vanadium	-	7440-62-2	ug/l	2.3 B	0.18 U	20 U	20 U	5 U	3 U	5 U	5 U
Zinc	2,000 ST	7440-66-6	ug/l	53.4	27	14.7 UB	20 U	13.7 UBJ	25.4 UB	8.1 UB	17 J
Cyanide	200 ST	0057-12-5	ug/l	10.0 U	10	45.1 UB	10 U	5 U	5 U	5 U	5 U
Iron + Manganese	500 ST*	-	ug/l	2,498	4,053	2,853.5	819	398	5,250	1,060	1,289

NOTES:

- U: Analyzed for but not detected, value shown is instrument detection limit.
- U* or UB: Result qualified as non-detect based on validation criteria
- J: Estimated due to data validation criteria.
- J*: Value is an approximate concentration of the analyte as determined by data validation.
- UJ: Value was not detected above quantitation limit but was an approximate.
- B: Concentration is above instrument detection limit but below contract required detection limit.
- N: Matrix spike sampe recovery not within control limits.

Concentration exceeds Standard/Guidance Value.

ST: Standard.
 GV: Guidance value.
 NA: Not analyzed.



**Appendix A-2
SONIA ROAD LANDFILL
POST CLOSURE GROUNDWATER MONITORING PROGRAM
HISTORIC AND CURRENT SAMPLE RESULTS
INORGANIC PARAMETERS**

CONSTITUENT	NYSDEC Class GA Groundwater Standards/ Guidance Values	CAS #	SITE: DATE:	MW-12S UNITS:	MW-12S (ug/l)	MW-12S (ug/l)	MW-12S (ug/l)	MW-12S (ug/l)	MW-12S (ug/l)	MW-12S (ug/l)	MW-12S (ug/l)	MW-12S (ug/l)
Aluminum	-	7429-90-5	11/14/2007	ug/l	NA	NA	NA	NA	6710	NA	NA	12.5 U
Antimony	3 GV	7440-36-0	11/14/2007	ug/l	NA	NA	NA	NA	2.3 U	NA	NA	2.5 U
Arsenic	25 ST	7440-38-2	11/14/2007	ug/l	NA	NA	NA	NA	6.0 B	NA	NA	3.0 U
Barium	1,000 ST	7440-39-3	11/14/2007	ug/l	NA	NA	NA	NA	47.1 B	NA	NA	26.7 B
Beryllium	3 GV	7440-41-7	11/14/2007	ug/l	NA	NA	NA	NA	0.38 B	NA	NA	0.13 U
Boron	1,000 ST	7440-42-8	11/14/2007	ug/l	NA	NA	NA	NA	55.4 B	NA	NA	38.1 B
Cadmium	5 ST	7440-43-9	11/14/2007	ug/l	0.32 U	0.27 U	0.27 U	0.27 U	0.35 U	0.35 U	0.35 U	0.26 U
Calcium	-	7440-70-2	11/14/2007	ug/l	27,000 J	30,400	26,900	29,200	29,900	28,200	30,800	30,800
Chromium Hexavalent	50 ST	18540-29-9	11/14/2007	ug/l	NA	NA	NA	NA	0.02 U	NA	NA	0.02 U
Chromium Total	50 ST	7440-47-3	11/14/2007	ug/l	NA	NA	NA	NA	203	NA	NA	3.2 B
Cobalt	-	7440-48-4	11/14/2007	ug/l	NA	NA	NA	NA	5.4 B	NA	NA	0.76 U
Copper	200 ST	7440-50-8	11/14/2007	ug/l	NA	NA	NA	NA	12.8 B	NA	NA	0.90 B
Iron	300 ST	7439-89-6	11/14/2007	ug/l	132	3,060	864	3,630	10,500	110	64.6 B	1,100 J*
Lead	25 ST	7439-92-1	11/14/2007	ug/l	1.4 U	1.4 U	2.3 U	2.8 B	5.0	1.3 U	7.9	1.8 U
Magnesium	35,000 GV	7439-95-4	11/14/2007	ug/l	1,720 JB	1,860 B	2,210 B	2,490 B	2,770	2,440 B	2,410 B	2,620 B
Manganese	300 ST	7439-96-5	11/14/2007	ug/l	2.8 JB	17.7	28.5	139	357	24.4	10.0 B	136
Mercury	0.7 ST	7439-97-6	11/14/2007	ug/l	NA	NA	NA	NA	0.13 U	NA	NA	0.10 U
Nickel	100 ST	7440-02-0	11/14/2007	ug/l	NA	NA	NA	NA	19.7 B	NA	NA	2.1 B
Potassium	-	7440-09-7	11/14/2007	ug/l	17,600	14,400	11,200	19,900	20,100	15,300	15,400	19,500
Selenium	10 ST	7782-49-2	11/14/2007	ug/l	NA	NA	NA	NA	1.9 U	NA	NA	5.3 U
Silver	50 ST	7440-22-4	11/14/2007	ug/l	NA	NA	NA	NA	0.54 U	NA	NA	0.33 U
Sodium	20,000 ST	7440-23-5	11/14/2007	ug/l	22,000 J	26,300	22,400	28,200	39,800	31,600	24,400	30,800
Thallium	0.5 GV	7440-28-0	11/14/2007	ug/l	NA	NA	NA	NA	1.9 U	NA	NA	3.9 U
Vanadium	-	7440-62-2	11/14/2007	ug/l	NA	NA	NA	NA	15.9 B	NA	NA	0.77 U
Zinc	2,000 ST	7440-66-6	11/14/2007	ug/l	NA	NA	NA	NA	23.9	NA	NA	8.3 B
Cyanide	200 ST	0057-12-5	11/14/2007	ug/l	NA	NA	NA	NA	10.0 U	NA	NA	10.0 U
Iron + Manganese	500 ST*	-	11/14/2007	ug/l	134.8	3,062.8	892.5	3,769	10,857	134.4	74.6	1,236

NOTES:

- U: Analyzed for but not detected, value shown is instrument detection limit.
- U* or UB: Result qualified as non-detect based on validation criteria
- J: Estimated due to data validation criteria.
- J*: Value is an approximate concentration of the analyte as determined by data validation.
- UJ: Value was not detected above quantitation limit but was an approximate.
- B: Concentration is above instrument detection limit but below contract required detection limit.
- N: Matrix spike sampe recovery not within control limits.

ST: Standard.

GV: Guidance value.

NA: Not analyzed.

Concentration exceeds Standard/Guidance Value.



Appendix A-2
SONIA ROAD LANDFILL
POST CLOSURE GROUNDWATER MONITORING PROGRAM
HISTORIC AND CURRENT SAMPLE RESULTS
INORGANIC PARAMETERS

CONSTITUENT	NYSDEC Class GA Groundwater Standards/ Guidance Values	CAS #	SITE: DATE:	MW-12S (ug/l)	MW-12S (ug/l)	MW-12S (ug/l)	MW-12S (ug/l)	MW-12S (ug/l)	MW-12S (ug/l)	MW-12S (ug/l)	MW-12S (ug/l)	MW-12S (ug/l)
			UNITS:	5/27/2011	8/29/2012	11/14/2013	03/20/2015	05/12/2016	8/23/2017	11/29/2018	MW-12S (ug/l)	MW-12S (ug/l)
Aluminum	-	7429-90-5	ug/l	1480	64.3 B	13.1 J	56.5	9.89 UB	7.04 UB	35.8	35.8	35.4
Antimony	3 GV	7440-36-0	ug/l	2.1 U	1.8 U	6.04 J	6.6 J	5 U	9 U	5 U	5 U	10 U
Arsenic	25 ST	7440-38-2	ug/l	1.9 U	1.5 B	25 U	25 U	10 U	7 U	10 U	10 U	10 U
Barium	1,000 ST	7440-39-3	ug/l	52.0 B	19.6 B	55.1	163	62.7 UB	79.4	61	61	49.4
Beryllium	3 GV	7440-41-7	ug/l	0.13 U	0.12 U	20 U	20 U	5 U	3 U	5 U	5 U	5 U
Boron	1,000 ST	7440-42-8	ug/l	26.5 B	41.0 B	36	20 U	32 UB	46.9 J	63.1 UB	63.1 UB	47.2
Cadmium	5 ST	7440-43-9	ug/l	0.27 U	0.10 B	10 U	10 U	5 U	3 U	5 U	5 U	5 U
Calcium	-	7440-70-2	ug/l	35,200	41,600	30,900	43,400	33,400	53,500	48,800	48,800	35,000
Chromium Hexavalent	50 ST	18540-29-9	ug/l	20 U	0.2 U	10 U	10.0 U	2.5 U	2.50 U	2.5 UJ	2.5 UJ	2.5 U
Chromium Total	50 ST	7440-47-3	ug/l	1,350	53.1	20 U	5.39 J	36.1	15.7 J	62.1	62.1	4.4 J
Cobalt	-	7440-48-4	ug/l	10.1 B	1.4 B	20 U	20 U	5 U	4 U	5 U	5 U	5 U
Copper	200 ST	7440-50-8	ug/l	35.6	4.3 B	20 U	5.15 J	6.12 J	3 U	6.3 UB	6.3 UB	5 U
Iron	300 ST	7439-89-6	ug/l	9,280	524	40.3 UB	94	450	234	920	920	70.9
Lead	25 ST	7439-92-1	ug/l	9.7	5.9	15 U	15 U	5 U	4 U	5 U	5 U	5 U
Magnesium	35,000 GV	7439-95-4	ug/l	3,980 B	3540 B	2,400	3,430	3,030	4,390 UB	3,560	3,560	2,750
Manganese	300 ST	7439-96-5	ug/l	552	596	17.8 J	122	31.9	212	74.8	74.8	9.4 J
Mercury	0.7 ST	7439-97-6	ug/l	0.10 U*J*	0.10 U	0.25 U	0.25 U	0.15 U	0.15 U	0.15 U	0.15 U	0.15 U
Nickel	100 ST	7440-02-0	ug/l	74.7	11.6 B	7.38 J	19 J	22.7	22.3 UB	81.7	81.7	13 J
Potassium	-	7440-09-7	ug/l	18,300	15,300	22,000	27,200	17,400	28,800	27,900	27,900	22,300
Selenium	10 ST	7782-49-2	ug/l	2.6 UNU*J*	2.4 BJ	25 U	25 U	10 U	10 U	10 U	10 U	10 U
Silver	50 ST	7440-22-4	ug/l	0.52 U*J*	0.29 U	20 U	20 U	5 U	3 U	5 U	5 U	5 U
Sodium	20,000 ST	7440-23-5	ug/l	38,800	29,100	12,500	32,100	14,700 UB	9,760 UBJ	34,700	34,700	32,400
Thallium	0.5 GV	7440-28-0	ug/l	2.7 U	2.9 U	15 U	15 U	10 U	7 U	10 U	10 U	6.6 J
Vanadium	-	7440-62-2	ug/l	16.9 B	0.80 B	20 U	20 U	5 U	3 U	5 U	5 U	5 U
Zinc	2,000 ST	7440-66-6	ug/l	42.9	37.6	12.7 UB	34	22 UBJ	29.7 UB	16 UB	16 UB	29.5
Cyanide	200 ST	0057-12-5	ug/l	10.0 U	10.0 U	50.7 UB	10 U	5 U	5 U	5 U	5 U	5 U
Iron + Manganese	500 ST*	-	ug/l	9,832	1,120	58.1	216	481.9	446	994.8	994.8	80.3

NOTES:

- U: Analyzed for but not detected, value shown is instrument detection limit.
- U* or UB: Result qualified as non-detect based on validation criteria
- J: Estimated due to data validation criteria.
- J*: Value is an approximate concentration of the analyte as determined by data validation.
- UJ: Value was not detected above quantitation limit but was an approximate.
- B: Concentration is above instrument detection limit but below contract required detection limit.
- N: Matrix spike sample recovery not within control limits.

Concentration exceeds Standard/Guidance Value.



APPENDIX A-3

Monitoring Well Sample Results - Volatile Organic Compounds

**APPENDIX A-3
SONIA ROAD LANDFILL
POST CLOSURE GROUNDWATER MONITORING PROGRAM
HISTORIC AND CURRENT SAMPLE RESULTS
VOLATILE ORGANIC COMPOUNDS**

Sample ID	CAS #	MW-01D 11/3/2008 (ug/l)	MW-01D 8/12/2009 (ug/l)	MW-01D 2/4/2010 (ug/l)	MW-01D 5/26/2011 (ug/l)	MW-01D 8/28/2012 (ug/l)	MW-01D 11/12/2013 (ug/l)	MW-01D 3/17/2015 (ug/l)	MW-01D 05/10/2016 (ug/l)	MW-01D 8/21/2017 (ug/l)	MW-01D 11/29/2018 (ug/l)	MW-01D 2/24/2020 (ug/l)	NYSDEC Class GA GROUNDWATER ST/GV
1,1,1,2-Tetrachloroethane	000630-20-6	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	5 ST
1,1,1-Trichloroethane	000071-55-6	5 U	5 U	5 U	5 U	5 U	2.0 U	0.53 J	0.72 J	0.25 U	0.25 U	0.50 U	5 ST
1,1,1,2,2-Tetrachloroethane	000079-34-5	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	5 ST
1,1,2-Trichloroethane	000079-00-5	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	5 ST
1,1-Dichloroethane	000075-34-3	3 J*	5 U	5 U	5 U	3 J	0.65 J	1.0 J	1.1 J	1.0 J	0.25 U	0.50 U	5 ST
1,1-Dichloroethene	000075-35-4	1 J*	3 J	5 U	5 U	1 J	2.0 U	2.0 U	0.55 J	0.66 J	0.25 U	0.50 U	5 ST
1,1-Dichloropropene	000563-58-6	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	5 ST
1,2,3-Trichloropropane	000096-18-4	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	0.04 ST
1,2-Dibromo-3-chloropropane	000096-12-8	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.030 U	0.030 U	2.0 U	0.04 ST
1,2-Dibromoethane	000106-93-4	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	5 ST
1,2-Dichlorobenzene	000095-50-1	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	3 ST
1,2-Dichloroethane	000107-06-2	5 U	5 U	5 U	5 U	5 U	2.0 U	0.90 J	1.8 J	0.25 U	0.25 U	0.50 U	0.6 ST
1,2-Dichloroethene (total)	000540-59-0	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	5 ST
1,2-Dichloropropane	000078-87-5	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	1 ST
1,4-Dichlorobenzene	000106-46-7	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	3 ST
2-Butanone	000078-93-3	5 U	5 U	5 U	5 U	5 U	5.0 U	5.0 U	1.3 U	0.50 U	0.50 U	1.0 U	50 GV
2-Hexanone	000591-78-6	5 U	5 U	5 U	5 U	5 U	5.0 U	5.0 U	1.3 U	0.50 U	0.50 U	1.0 U	50 GV
4-Methyl-2-pentanone	000108-10-1	5 U	5 U	5 U	5 U	5 U	5.0 U	5.0 U	1.3 U	0.50 U	0.50 U	1.0 U	-
Acetone	000067-64-1	U*	5 U	1 BU	5 U*	5 U	5.0 U	2.7 UB	2.7 UB	3.9 UB	1.0 U	9.6 UB	50 GV
Acrylonitrile	000107-13-1	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	5 ST
Benzene	000071-43-2	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	1 ST
Bromochloromethane	000074-97-5	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	5 ST
Bromodichloromethane	000075-27-4	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	50 GV
Bromoform	000075-25-2	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	50 GV
Bromomethane	000074-83-9	5 U	5 U	5 U	5 U*	5 U	2.0 U	4.0 U	1.0 U	0.25 U	0.25 U	1.3 UB	5 ST
Carbon disulfide	000075-15-0	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	60 GV
Carbon tetrachloride	000056-23-5	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	5 ST
Chlorobenzene	000108-90-7	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	5 ST
Chloroethane	000075-00-3	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	5 ST
Chloroform	000067-66-3	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.34 J	0.33 J	1.0 J	7 ST
Chloromethane	000074-87-3	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	5 ST
cis-1,2-Dichloroethene	000156-59-2	5 U	5 U	5 U	5 U	5 U	2.0 U	0.52 J	0.50 U	0.25 U	0.25 U	0.50 U	5 ST
cis-1,3-Dichloropropene	010061-01-5	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	0.4 ST
Dibromochloromethane	000124-48-1	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	50 GV
Dibromomethane	000074-95-3	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	5 ST
Ethylbenzene	000100-41-4	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	5 ST
Iodomethane	000074-88-4	5 U	5 U	5 U	5 U	5 U	1.0 U	NA	0.50 U	0.50 U	0.50 U	1.0 U	5 ST
Methylene chloride	000075-09-2	5 U	5 U*	5 U	5 U	5 U	5.5 UB	9.7 UB	6.6 UB	1.0 U	1.0 U	2.8 UB	5 ST
Styrene	000100-42-5	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	5 ST
Tetrachloroethane	000127-18-4	2 J	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	5 ST
Toluene	000108-88-3	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	5 ST
trans-1,2-Dichloroethene	000156-60-5	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	5 ST
trans-1,3-Dichloropropene	010061-02-6	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	5 ST
trans-1,4-Dichloro-2-butene	000110-57-6	5 U	5 U	5 U	5 U	5 U	1.0 U	2.0 U	0.50 U	0.50 U	0.50 U	0.50 U	0.4 ST
Trichloroethane	000079-01-6	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	5 ST
Trichlorofluoromethane	000075-69-4	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	5 ST
Vinyl Acetate	000108-05-4	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	-
Vinyl chloride	000075-01-4	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	2 ST
m,p-Xylene	001330-20-7	NA	NA	NA	NA	NA	4.0 U	4.0 U	1.0 U	0.50 U	0.50 U	0.50 U	5 ST
o-Xylene	000095-47-6	NA	NA	NA	NA	NA	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	5 ST
Xylene (total)	001330-20-7	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	5 ST
TOTAL VOCs		6	3 J	5 U	5 U	4 J	0.65	2.95	4.17	2.76	0.33	1	-

See Last page for Qualifiers and Notes



**D&B ENGINEERS
AND
ARCHITECTS, P.C.**

**APPENDIX A-3
SONIA ROAD LANDFILL
POST CLOSURE GROUNDWATER MONITORING PROGRAM
HISTORIC AND CURRENT SAMPLE RESULTS
VOLATILE ORGANIC COMPOUNDS**

Sample ID	CAS #	MW-011 11/3/2008 (ug/l)	MW-011 8/12/2009 (ug/l)	MW-011 2/4/2010 (ug/l)	MW-011 5/26/2011 (ug/l)	MW-011 8/28/2012 (ug/l)	MW-011 11/12/2013 (ug/l)	MW-011 3/17/2015 (ug/l)	MW-011 05/10/2016 (ug/l)	MW-011 8/21/2017 (ug/l)	MW-011 11/29/2018 (ug/l)	MW-011 2/24/2020 (ug/l)	NYSDEC Class GA GROUNDWATER S1/GV
Volatile Organic Compounds													
1,1,1,2-Tetrachloroethane	000630-20-6	5 U	5 U	5 UJ*	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	5 ST
1,1,1-Trichloroethane	000071-55-6	5 U	5 U	5 UJ*	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	5 ST
1,1,2,2-Tetrachloroethane	000079-34-5	5 U	5 U	5 UJ*	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	5 ST
1,1,2-Trichloroethane	000079-00-5	5 U	5 U	5 UJ*	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	5 ST
1,1-Dichloroethane	000075-34-3	5 U	5 U	5 UJ*	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	5 ST
1,1-Dichloroethane	000075-35-4	5 U	5 U	5 UJ*	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	5 ST
1,1-Dichloropropene	000563-58-6	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	5 ST
1,2,3-Trichloropropane	000096-18-4	5 U	5 U	5 UJ*	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	0.04 ST
1,2-Dibromo-3-chloropropane	000096-12-8	5 U	5 U	5 UJ*	5 U	5 U	2.0 U	2.0 U	0.50 U	0.030 U	0.030 U	2.0 U	0.04 ST
1,2-Dibromoethane	000106-93-4	5 U	5 U	5 UJ*	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	5 ST
1,2-Dichlorobenzene	000095-50-1	5 U	5 U	5 UJ*	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	3 ST
1,2-Dichloroethane	000107-06-2	5 U	5 U	5 UJ*	5 U	1 J	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	0.6 ST
1,2-Dichloroethane (total)	000540-59-0	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	5 ST
1,2-Dichloropropane	000078-87-5	5 U	5 U	5 UJ*	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	1 ST
1,4-Dichlorobenzene	000106-46-7	5 J*	5 U	5 UJ*	5 U	5 U	5.0 U	5.0 U	1.3 U	0.50 U	0.50 U	1.0 U	3 ST
2-Butanone	000078-93-3	5 U	5 U	5 UJ*	5 U	5 U	5.0 U	5.0 U	1.3 U	0.50 U	0.50 U	1.0 U	50 GV
2-Hexanone	000591-78-6	5 U	5 U	5 UJ*	5 U	5 U	5.0 U	5.0 U	1.3 U	0.50 U	0.50 U	1.0 U	50 GV
4-Methyl-2-pentanone	000108-10-1	5 U	5 U	5 UJ*	5 U	5 U	5.0 U	5.0 U	1.3 U	0.50 U	0.50 U	1.0 U	-
Acetone	000067-64-1	5 U	5 U	5 UJ*	5 U	5 U	5.0 U	2.5 UB	4.1 UB	2.7 UB	1.0 U	10 UB	50 GV
Acrylonitrile	000107-13-1	5 U	5 U	5 UJ*	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	5 ST
Benzene	000071-43-2	5 U	5 U	5 UJ*	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	1 ST
Bromochloromethane	000074-97-5	5 U	5 U	5 UJ*	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	5 ST
Bromodichloromethane	000075-27-4	5 U	5 U	5 UJ*	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	50 GV
Bromomethane	000075-25-2	5 U	5 U	5 UJ*	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	50 GV
Bromoethane	000074-83-9	5 J*	5 U	5 UJ*	5 U	5 U	2.0 U	4.0 U	1.0 U	0.25 U	0.25 U	1.3 UB	5 ST
Carbon disulfide	000075-15-0	5 U	5 U	5 UJ*	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	60 GV
Carbon tetrachloride	000056-23-5	5 U	5 U	5 UJ*	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	5 ST
Chlorobenzene	000108-90-7	5 U	5 U	5 UJ*	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	5 ST
Chloroethane	000075-00-3	5 U	5 U	5 UJ*	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	5 ST
Chloroform	000067-66-3	5 U	5 U	5 UJ*	5 U	2 J	2.0 U	0.53 J	0.53 J	0.25 U	0.47 J	0.90 J	7 ST
Chloromethane	000074-87-3	5 J*	5 U	5 UJ*	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	5 ST
cis-1,2-Dichloroethane	000156-59-2	5 U	5 U	5 UJ*	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	5 ST
cis-1,3-Dichloropropene	010061-01-5	5 U	5 U	5 UJ*	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	0.4 ST
Dibromochloromethane	000124-48-1	5 U	5 U	5 UJ*	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	50 GV
Dibromomethane	000074-95-3	5 U	5 U	5 UJ*	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	5 ST
Ethylbenzene	000100-41-4	5 U	5 U	5 UJ*	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	5 ST
Iodomethane	000074-88-4	5 U	5 U	5 UJ*	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	5 ST
Methylene chloride	000075-09-2	5 U	5 U	5 UJ*	5 U	5 U	5.0 UB	9.6 UB	7.7 UB	1.0 U	1.0 U	2.7 UB	5 ST
Styrene	000100-42-5	5 U	5 U	5 UJ*	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	5 ST
Tetrachloroethane	000127-18-4	5 U	5 U	5 UJ*	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	5 ST
Toluene	000108-88-3	5 U	5 U	5 UJ*	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	5 ST
trans-1,2-Dichloroethane	000156-60-5	5 U	5 U	5 UJ*	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	5 ST
trans-1,3-Dichloropropene	010061-02-6	5 U	5 U	5 UJ*	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	0.4 ST
trans-1,4-Dichloro-2-butene	000110-57-6	5 U	5 U	5 UJ*	5 U	5 U	1.0 U	2.0 U	0.50 U	0.50 U	0.50 U	0.50 U	5 ST
Trichloroethane	000079-01-6	5 U	5 U	5 UJ*	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	5 ST
Trichlorofluoromethane	000075-69-4	5 U	5 U	5 UJ*	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	5 ST
Vinyl Acetate	000108-05-4	5 J*	5 U	5 UJ*	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	-
Vinyl chloride	000075-01-4	5 U	5 U	5 UJ*	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	2 ST
m,p-Xylene	001330-20-7	NA	NA	NA	NA	NA	4.0 U	4.0 U	1.0 U	0.50 U	0.50 U	0.50 U	5 ST
o-Xylene	000095-47-6	NA	NA	NA	NA	NA	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	5 ST
Xylene (total)	001330-20-7	5 U	5 U	5 UJ*	5 U	5 U	NA	NA	NA	1.0 U	1.0 U	1.5 U	5 ST
TOTAL VOCs		U	U	5 UJ*	5 U	3 J	0	0.53	0.53	0	0.47	0.9	-

See Last page for Qualifiers and Notes



**APPENDIX A-3
SONIA ROAD LANDFILL
POST CLOSURE GROUNDWATER MONITORING PROGRAM
HISTORIC AND CURRENT SAMPLE RESULTS
VOLATILE ORGANIC COMPOUNDS**

Sample ID	CAS #	MW-01S 11/3/2008 (ug/l)	MW-01S 8/12/2009 (ug/l)	MW-01S 2/4/2010 (ug/l)	MW-01S 5/26/2011 (ug/l)	MW-01S 8/28/2012 (ug/l)	MW-01S 11/12/2013 (ug/l)	MW-01S 3/7/2015 (ug/l)	MW-01S 05/10/2016 (ug/l)	MW-01S 8/21/2017 (ug/l)	MW-01S 11/29/2018 (ug/l)	MW-01S 2/24/2020 (ug/l)	NYSDEC Class GA GROUNDWATER ST/GV
1,1,1,2-Tetrachloroethane	000630-20-6	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	5 ST
1,1,1-Trichloroethane	000071-55-6	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	5 ST
1,1,1,2-Tetrachloroethane	000079-34-5	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	5 ST
1,1,1,2-Trichloroethane	000079-00-5	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	5 ST
1,1-Dichloroethane	000075-34-3	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	5 ST
1,1-Dichloroethane	000075-35-4	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	5 ST
1,1-Dichloropropene	000563-58-6	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	5 ST
1,2,3-Trichloropropane	000096-18-4	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	0.04 ST
1,2-Dibromo-3-chloropropane	000096-12-8	5 U	5 U	5 U	5 U*	5 U	2.0 U	2.0 U	0.50 U	0.030 U	0.030 U	2.0 U	0.04 ST
1,2-Dibromoethane	000106-93-4	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	5 ST
1,2-Dichlorobenzene	000095-50-1	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	3 ST
1,2-Dichloroethane	000107-06-2	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	0.6 ST
1,2-Dichloroethane (total)	000540-59-0	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	5 ST
1,2-Dichloropropane	000078-87-5	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	1 ST
1,4-Dichlorobenzene	000106-46-7	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	3 ST
2-Butanone	000078-93-3	5 U	5 U	5 U	5 U	5 U	5.0 U	5.0 U	1.3 U	0.50 U	0.50 U	1.0 U	50 GV
2-Hexanone	000591-78-6	5 U	5 U	5 U	5 U	5 U	5.0 U	5.0 U	1.3 U	0.50 U	0.50 U	1.0 U	50 GV
4-Methyl-2-pentanone	000109-10-1	5 U	5 U	5 U	5 U	5 U	5.0 U	5.0 U	1.3 U	0.50 U	0.50 U	1.0 U	-
Acetone	000067-64-1	5 U	5 U	1 BJ	5 U*	5 U	5.0 U	2.2 UB	2.7 UB	1.5 UB	1.0 U	12 UB	50 GV
Acrylonitrile	000107-13-1	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	5 ST
Benzene	000071-43-2	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	1 ST
Bromochloromethane	000074-97-5	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	5 ST
Bromodichloromethane	000075-27-4	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	50 GV
Bromoforn	000075-25-2	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	50 GV
Bromomethane	000074-83-9	5 U	5 U	5 U	5 U*	5 U	2.0 U	4.0 U	1.0 U	0.25 U	0.25 U	1.2 UB	5 ST
Carbon disulfide	000075-15-0	5 U	5 U	5 U	5 U*	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	60 GV
Carbon tetrachloride	000056-23-5	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	5 ST
Chlorobenzene	000109-90-7	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	5 ST
Chloroethane	000075-00-3	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	5 ST
Chloroform	000067-66-3	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	7 ST
Chloromethane	000074-87-3	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	5 ST
cis-1,2-Dichloroethane	000156-59-2	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	5 ST
cis-1,3-Dichloropropene	010061-01-5	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	0.4 ST
Dibromochloromethane	000124-48-1	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	50 GV
Dibromomethane	000074-95-3	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	5 ST
Ethylbenzene	000100-41-4	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	5 ST
Iodomethane	000074-88-4	5 U	5 U	5 U	5 U	5 U	1.0 U	NA	0.50 U	0.50 U	0.50 U	1.0 U	5 ST
Methylene chloride	000075-09-2	5 U	5 U*	5 U	5 U	5 U	5.7 UB	9.4 UB	6.9 UB	1.0 U	1.0 U	2.5 UB	5 ST
Styrene	000100-42-5	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	5 ST
Tetrachloroethene	000127-18-4	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	5 ST
Toluene	000108-88-3	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	5 ST
trans-1,2-Dichloroethene	000156-60-5	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	5 ST
trans-1,3-Dichloropropene	010061-02-6	5 U	5 U	5 U	5 U*	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	0.4 ST
trans-1,4-Dichloro-2-butene	000110-57-6	5 U	5 U	5 U	5 U*	5 U	1.0 U	2.0 U	0.50 U	0.50 U	0.50 U	0.50 U	5 ST
Trichloroethene	000079-01-6	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	5 ST
Trichlorofluoromethane	000075-69-4	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	5 ST
Vinyl Acetate	000108-05-4	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	-
Vinyl chloride	000075-01-4	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	2 ST
m,p-Xylene	001330-20-7	NA	NA	NA	NA	NA	4.0 U	4.0 U	1.0 U	0.50 U	0.50 U	0.50 U	5 ST
o-Xylene	000095-47-6	NA	NA	NA	NA	NA	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	5 ST
Xylene (total)	001330-20-7	5 U	5 U	5 U	5 U	5 U	NA	NA	NA	1.0 U	1.0 U	1.5 U	5 ST
TOTAL VOCs		U	U	5 U	5 U	5 U	0	0	0	0	0	0	-

See Last page for Qualifiers and Notes



**APPENDIX A-3
SONIA ROAD LANDFILL
POST CLOSURE GROUNDWATER MONITORING PROGRAM
HISTORIC AND CURRENT SAMPLE RESULTS
VOLATILE ORGANIC COMPOUNDS**

Sample ID	CAS #	MW-02D 11/3/2008 (ug/l)	MW-02D 8/14/2009 (ug/l)	MW-02D 2/8/2010 (ug/l)	MW-02D 5/31/2011 (ug/l)	MW-02D 8/28/2012 (ug/l)	MW-02D 11/12/2013 (ug/l)	MW-02D 3/17/2015 (ug/l)	MW-02D 05/10/2016 (ug/l)	MW-02D 8/21/2017 (ug/l)	MW-02D 11/29/2018 (ug/l)	MW-02D 2/24/2020 (ug/l)	NYSDEC Class GA GROUNDWATER ST/GV
1,1,1,2-Tetrachloroethane	000630-20-6	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	5 ST
1,1,1-Trichloroethane	000071-55-6	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	5 ST
1,1,2,2-Tetrachloroethane	000079-34-5	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	5 ST
1,1,2-Trichloroethane	000079-00-5	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	5 ST
1,1-Dichloroethane	000075-34-3	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	5 ST
1,1-Dichloroethane	000075-35-4	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	5 ST
1,1-Dichloropropene	000563-58-6	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	5 ST
1,2,3-Trichloropropane	000096-18-4	5 U	5 U*	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	0.04 ST
1,2-Dibromo-3-chloropropane	000096-12-8	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.030 U	0.030 U	2.0 U	0.04 ST
1,2-Dibromoethane	000106-93-4	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	5 ST
1,2-Dichlorobenzene	000095-50-1	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	3 ST
1,2-Dichloroethane	000107-06-2	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	0.6 ST
1,2-Dichloroethane (total)	000540-59-0	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	5 ST
1,2-Dichloropropane	000078-87-5	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	1 ST
1,4-Dichlorobenzene	000106-46-7	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	3 ST
2-Butanone	000078-93-3	5 U	5 U	5 U	5 U	5 U	5.0 U	5.0 U	1.3 U	0.50 U	0.50 U	1.0 U	50 GV
2-Hexanone	000591-78-6	5 U	5 U*	5 U	5 U	5 U	5.0 U	5.0 U	1.3 U	0.50 U	0.50 U	1.0 U	50 GV
4-Methyl-2-pentanone	000108-10-1	5 U	5 U	5 U	5 U	5 U	5.0 U	5.0 U	1.3 U	0.50 U	0.50 U	1.0 U	-
Acetone	000067-64-1	5 U	5 U	5 U	5 U*	5 U	5.0 U	2.2 UB	5.0 UB	3.6 UB	1.0 U	9.9 UB	50 GV
Acrylonitrile	000107-13-1	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	5 ST
Benzene	000071-43-2	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	1 ST
Bromochloromethane	000074-97-5	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	5 ST
Bromodichloromethane	000075-27-4	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	50 GV
Bromoforn	000075-25-2	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	50 GV
Bromomethane	000074-83-9	5 U	5 U	5 U*	5 U*	5 U	2.0 U	4.0 U	0.50 U	0.25 U	0.25 U	1.1 UB	5 ST
Carbon disulfide	000075-15-0	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	60 GV
Carbon tetrachloride	000066-23-5	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	5 ST
Chlorobenzene	000108-90-7	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	5 ST
Chloroethane	000075-00-3	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	5 ST
Chloroform	000067-66-3	1 J*	1 J	1 J	5 U	5 U	0.50 J	2.0 U	0.50 U	0.25 J	0.25 U	0.59 J	7 ST
Chloromethane	000074-87-3	5 U	5 U	5 U*	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	5 ST
cis-1,2-Dichloroethene	000156-59-2	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	5 ST
cis-1,3-Dichloropropene	010061-01-5	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	0.4 ST
Dibromochloromethane	000124-48-1	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	50 GV
Dibromomethane	000074-95-3	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	5 ST
Ethylbenzene	000100-41-4	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	5 ST
Iodomethane	000074-88-4	5 U	5 U	5 U	5 U	5 U	1.0 U	NA	0.50 U	0.50 U	0.50 U	1.0 U	5 ST
Methylene chloride	000075-09-2	5 U	5 U*	5 U	5 U	5 U	3.9 UB	9.9 UB	7.1 UB	1.1 UB	1.0 U	2.8 UB	5 ST
Styrene	000100-42-5	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	5 ST
Tetrachloroethane	000127-18-4	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	5 ST
Toluene	000108-88-3	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	5 ST
trans-1,2-Dichloroethene	000156-60-5	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	5 ST
trans-1,3-Dichloropropene	010061-02-6	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	0.4 ST
trans-1,4-Dichloro-2-butene	000110-57-6	5 U	5 U	5 U	5 U	5 U	1.0 U	2.0 U	0.50 U	0.50 U	0.50 U	0.50 U	5 ST
Trichloroethene	000079-01-6	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	5 ST
Trichlorofluoromethane	000075-69-4	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	5 ST
Vinyl Acetate	000108-05-4	5 U	5 U	5 U*	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	-
Vinyl chloride	000075-01-4	5 U	5 U	5 U*	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	2 ST
m,p-Xylene	001330-20-7	NA	NA	NA	NA	NA	4.0 U	4.0 U	1.0 U	0.50 U	0.50 U	0.50 U	5 ST
o-Xylene	000095-47-6	NA	NA	NA	NA	NA	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	5 ST
Xylene (total)	001330-20-7	5 U	5 U	5 U	5 U	5 U	NA	NA	NA	1.0 U	1.0 U	1.5 U	5 ST
TOTAL VOCs		1 J*	1 J	5 U	5 U	5 U	0.5	0	0	0.25	0	0.59	-

See Last page for Qualifiers and Notes



**APPENDIX A-3
SONIA ROAD LANDFILL
POST CLOSURE GROUNDWATER MONITORING PROGRAM
HISTORIC AND CURRENT SAMPLE RESULTS
VOLATILE ORGANIC COMPOUNDS**

Sample ID	CAS #	MW-021 11/3/2008 (ug/l)	MW-021 8/14/2009 (ug/l)	MW-021 2/8/2010 (ug/l)	MW-021 5/31/2011 (ug/l)	MW-021 8/28/2012 (ug/l)	MW-021 11/12/2013 (ug/l)	MW-021 3/17/2015 (ug/l)	MW-021 05/10/2016 (ug/l)	MW-021 8/21/2017 (ug/l)	MW-021 11/29/2018 (ug/l)	MW-021 2/24/2020 (ug/l)	NYSDEC Class GA GROUNDWATER ST/GV
1,1,1,2-Tetrachloroethane	000630-20-6	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	5 ST
1,1,1-Trichloroethane	000071-55-6	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	5 ST
1,1,2,2-Tetrachloroethane	000079-34-5	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	5 ST
1,1,2-Trichloroethane	000079-00-5	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	5 ST
1,1-Dichloroethane	000075-34-3	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	5 ST
1,1-Dichloropropene	000075-35-4	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	5 ST
1,1-Dichloroethane	000563-58-6	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	5 ST
1,2,3-Trichloropropane	000096-18-4	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	0.04 ST
1,2-Dibromo-3-chloropropane	000096-12-8	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.030 U	0.030 U	2.0 U	0.04 ST
1,2-Dibromoethane	000106-93-4	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	5 ST
1,2-Dichlorobenzene	000095-50-1	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	3 ST
1,2-Dichloroethane	000107-06-2	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	0.6 ST
1,2-Dichloroethane (total)	000540-59-0	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	5 ST
1,2-Dichloropropane	000078-67-5	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	1 ST
1,4-Dichlorobenzene	000106-46-7	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	3 ST
2-Butanone	000078-93-3	5 U	5 U	5 U	5 U	5 U	5.0 U	5.0 U	1.3 U	0.50 U	0.50 U	1.0 U	50 GV
2-Hexanone	000591-78-6	5 U	5 U	5 U	5 U	5 U	5.0 U	5.0 U	1.3 U	0.50 U	0.50 U	1.0 U	50 GV
4-Methyl-2-pentanone	000108-10-1	5 U	5 U	5 U	5 U	5 U	5.0 U	5.0 U	1.3 U	0.50 U	0.50 U	1.0 U	-
Acetone	000067-64-1	5 U	5 U	5 U	5 U*	5 U	5.0 U	2.7 UB	2.2 UB	2.6 UB	1.0 U	11 UB	50 GV
Acrylonitrile	000107-13-1	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	5 ST
Benzene	000071-43-2	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	1 ST
Bromochloromethane	000074-97-5	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	5 ST
Bromodichloromethane	000075-27-4	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	50 GV
Bromomethane	000075-25-2	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	50 GV
Bromoethane	000074-83-9	5 U	5 U	5 U*	5 U*	5 U	2.0 U	4.0 U	1.0 U	0.25 U	0.25 U	1.3 UB	5 ST
Carbon disulfide	000075-15-0	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	60 GV
Carbon tetrachloride	000056-23-5	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	5 ST
Chlorobenzene	000108-90-7	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	5 ST
Chloroethane	000075-00-3	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	5 ST
Chloroform	000067-66-3	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	7 ST
Chloromethane	000074-87-3	5 U	5 U	5 U*	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	5 ST
cis-1,2-Dichloroethane	000156-59-2	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	5 ST
cis-1,3-Dichloropropene	010061-01-5	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	0.4 ST
Dibromochloromethane	000124-48-1	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	50 GV
Dibromomethane	000074-95-3	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	5 ST
Ethylbenzene	000100-41-4	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	5 ST
Iodomethane	000074-88-4	5 U	5 U	5 U	5 U	5 U	1.0 U	NA	0.50 U	0.50 U	0.50 U	1.0 U	5 ST
Methylene chloride	000075-09-2	5 U	5 U*	5 U	5 U	5 U	6.0 UB	8.7 UB	8.5 UB	2.5 UB	1.0 U	2.7 UB	5 ST
Styrene	000100-42-5	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	5 ST
Tetrachloroethane	000127-18-4	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	5 ST
Toluene	000108-88-3	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	5 ST
trans-1,2-Dichloroethene	000156-60-5	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	5 ST
trans-1,3-Dichloropropene	010061-02-6	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	0.4 ST
trans-1,4-Dichloro-2-butene	000110-57-6	5 U	5 U	5 U	5 U	5 U	1.0 U	2.0 U	0.50 U	0.50 U	0.50 U	0.50 U	5 ST
Trichloroethene	000079-01-6	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	5 ST
Trichlorofluoromethane	000075-69-4	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	5 ST
Vinyl Acetate	000108-05-4	5 U	5 U	5 U*	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	-
Vinyl chloride	000075-01-4	5 U	5 U	5 U*	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	2 ST
m,p-Xylene	001330-20-7	NA	NA	NA	NA	NA	4.0 U	4.0 U	0.50 U	0.50 U	0.50 U	1.0 U	5 ST
o-Xylene	000095-47-6	NA	NA	NA	NA	NA	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	5 ST
Xylene (total)	001330-20-7	5 U	5 U	5 U	5 U	5 U	NA	NA	NA	1.0 U	1.0 U	1.5 U	5 ST
TOTAL VOCs		U	U	U	U	U	0	0	0	0	0	0	-

See Last page for Qualifiers and Notes



**APPENDIX A-3
SONIA ROAD LANDFILL
POST CLOSURE GROUNDWATER MONITORING PROGRAM
HISTORIC AND CURRENT SAMPLE RESULTS
VOLATILE ORGANIC COMPOUNDS**

Sample ID	CAS #	MW-03S 11/5/2008 (ug/l)	MW-03S 8/14/2009 (ug/l)	MW-03S 2/4/2010 (ug/l)	MW-03S 6/1/2011 (ug/l)	MW-03S 8/28/2012 (ug/l)	MW-03S 11/13/2013 (ug/l)	MW-03S 3/18/2015 (ug/l)	MW-03S 05/11/2016 (ug/l)	MW-03S 8/23/2017 (ug/l)	MW-03S 11/29/2018 (ug/l)	MW-03S 2/25/2020 (ug/l)	NYSDEC Class GA GROUNDWATER ST/GV
1,1,1,2-Tetrachloroethane	000630-20-6	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	5 ST
1,1,1,1-Tetrachloroethane	000071-55-6	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	5 ST
1,1,1,2-Tetrachloroethane	000079-34-5	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	5 ST
1,1,2-Trichloroethane	000075-34-3	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	5 ST
1,1-Dichloroethane	000075-35-4	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	5 ST
1,1-Dichloropropene	000563-58-6	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	5 ST
1,2,3-Trichloropropane	000096-18-4	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	0.04 ST
1,2-Dibromo-3-chloropropane	000096-12-8	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.30 U	0.30 U	2.0 U	0.04 ST
1,2-Dibromoethane	000106-93-4	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	5 ST
1,2-Dichlorobenzene	000095-50-1	5 U	5 U	5 U	5 U	5 U	0.56 J	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	3 ST
1,2-Dichloroethane	000107-06-2	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	0.6 ST
1,2-Dichloroethene (total)	000540-59-0	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	5 ST
1,2-Dichloropropane	000078-87-5	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	1 ST
1,4-Dichlorobenzene	000106-46-7	5 U	5 U	5 U	5 U	5 U	0.70 J	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	3 ST
2-Butanone	000078-93-3	5 U	5 U	5 U	5 U	5 U	5.0 U	5.0 U	1.0 U	0.50 U	0.50 U	1.0 U	50 GV
2-Hexanone	000591-78-6	5 U	5 U	5 U	5 U	5 U	5.0 U	5.0 U	1.0 U	0.50 U	0.50 U	1.0 U	50 GV
4-Methyl-2-pentanone	000108-10-1	5 U	5 U	5 U	5 U	5 U	5.0 U	5.0 U	1.0 U	0.50 U	0.50 U	1.0 U	-
Acetone	000067-64-1	5 U	5 U	1 BU	5 U*	5 U	5.0 U	4.4 UB	2.4 UB	4.0 UB	1.0 U	13 UB	60 GV
Acrylonitrile	000107-13-1	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	5 ST
Benzene	000071-43-2	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	5 ST
Bromochloromethane	000074-97-5	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	1 ST
Bromodichloromethane	000075-27-4	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	5 ST
Bromoform	000075-25-2	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	50 GV
Bromomethane	000074-83-9	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	50 GV
Carbon disulfide	000075-15-0	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.75 UB	5 ST
Carbon tetrachloride	000056-23-5	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	60 GV
Chlorobenzene	000108-90-7	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	5 ST
Chloroethane	000075-00-3	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	5 ST
Chloroform	000067-66-3	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	5 ST
Chloromethane	000074-87-3	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	7 ST
cis-1,2-Dichloroethene	000156-59-2	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	5 ST
cis-1,3-Dichloropropene	010061-01-5	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	0.4 ST
Dibromochloromethane	000124-48-1	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	50 GV
Dibromomethane	000074-95-3	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	5 ST
Ethylbenzene	000109-41-4	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	5 ST
Iodomethane	000074-88-4	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	5 ST
Methylene chloride	000075-09-2	5 U	5 U*	5 U	5 U	5 U	1.0 U	NA	0.50 U	0.50 U	0.50 U	1.0 U	5 ST
Styrene	000100-42-5	5 U	5 U	5 U	5 U	5 U	4.9 UB	8.2 UB	8.4 UB	1.0 U	1.0 U	4.3 UB	5 ST
Tetrachloroethene	000127-18-4	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	5 ST
Toluene	000109-88-3	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	5 ST
trans-1,2-Dichloroethene	000156-60-5	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	5 ST
trans-1,3-Dichloropropene	010061-02-6	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	5 ST
trans-1,4-Dichloro-2-butene	000110-57-6	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	0.4 ST
Trichloroethene	000079-01-6	5 U	5 U	5 U	5 U	5 U	1.0 U	2.0 U	0.50 U	0.50 U	0.50 U	0.50 U	5 ST
Trichlorofluoromethane	000075-69-4	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	5 ST
Vinyl Acetate	000108-05-4	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	-
Vinyl chloride	000075-01-4	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	2 ST
m,p-Xylene	001330-20-7	NA	NA	NA	NA	NA	4.0 U	4.0 U	1.0 U	0.50 U	0.50 U	0.50 U	5 ST
o-Xylene	000095-47-6	NA	NA	NA	NA	NA	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	5 ST
Xylene (total)	001330-20-7	5 U	5 U	5 U	5 U	5 U	NA	NA	1.5 U	1.0 U	1.0 U	1.5 U	5 ST
TOTAL VOCs		U	U	5 U	5 U	5 U	1.26	0	0	0	0	0	-

See Last page for Qualifiers and Notes



**APPENDIX A-3
SONIA ROAD LANDFILL
POST CLOSURE GROUNDWATER MONITORING PROGRAM
HISTORIC AND CURRENT SAMPLE RESULTS
VOLATILE ORGANIC COMPOUNDS**

Sample ID	CAS #	MW-04D 11/3/2008 (ug/l)	MW-04D 8/12/2009 (ug/l)	MW-04D 2/4/2010 (ug/l)	MW-04D 5/26/2011 (ug/l)	MW-04D 8/27/2012 (ug/l)	MW-04D 11/13/2013 (ug/l)	MW-04D 3/18/2015 (ug/l)	MW-04D 05/11/2016 (ug/l)	MW-04D 8/22/2017 (ug/l)	MW-04D 11/30/2018 (ug/l)	MW-04D 2/25/2020 (ug/l)	NYSDEC Class GA GROUNDWATER ST/GV
1.1.1.2-Tetrachloroethane	000630-20-6	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	5 ST
1.1.1.1-Trichloroethane	000071-55-6	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	5 ST
1.1.2.2-Tetrachloroethane	000079-34-5	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	5 ST
1.1.2.1-Trichloroethane	000079-00-5	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	5 ST
1.1-Dichloroethane	000075-34-3	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	5 ST
1.1-Dichloroethene	000075-35-4	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	5 ST
1.1-Dichloropropene	000563-58-6	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	5 ST
1.2.3-Trichloropropane	000096-18-4	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	0.04 ST
1.2-Dibromo-3-chloropropane	000096-12-8	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	0.04 ST
1.2-Dibromoethane	000106-93-4	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	5 ST
1.2-Dichlorobenzene	000095-50-1	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	3 ST
1.2-Dichloroethane	000107-06-2	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	0.6 ST
1.2-Dichloroethene (total)	000540-59-0	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	5 ST
1.2-Dichloropropane	000078-87-5	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	1 ST
1.4-Dichlorobenzene	000106-46-7	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	3 ST
2-Butanone	000078-93-3	5 U	5 U	5 U	5 U	5 U	5.0 U	5.0 U	1.0 U	0.50 U	0.50 U	1.0 U	50 GV
2-Hexanone	000591-78-6	5 U	5 U	5 U	5 U	5 U	5.0 U	5.0 U	1.0 U	0.50 U	0.50 U	1.0 U	50 GV
4-Methyl-2-pentanone	000108-10-1	5 U	5 U	5 U	5 U	5 U	5.0 U	5.0 U	1.0 U	0.50 U	0.50 U	1.0 U	-
Acetone	000067-64-1	5 U	5 U	5 U	5 U*	5 U	5.0 U	4.8 UB	3.2 UB	4.3 UB	1.0 U	16 UB	50 GV
Acrylonitrile	000107-13-1	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	5 ST
Benzene	000071-43-2	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	1 ST
Bromochloromethane	000074-97-5	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	5 ST
Bromodichloromethane	000075-27-4	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	50 GV
Bromoforn	000075-25-2	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	50 GV
Bromomethane	000074-83-9	5 U	5 U	5 U	5 U*	5 U	2.0 U	2.0 U	1.0 U	0.25 U	0.25 U	0.74 UB	5 ST
Carbon disulfide	000075-15-0	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	60 GV
Carbon tetrachloride	000056-23-5	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	5 ST
Chlorobenzene	000108-90-7	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	5 ST
Chloroethane	000075-00-3	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	5 ST
Chloroform	000067-66-3	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	5 ST
Chloromethane	000074-87-3	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	7 ST
cis-1,2-Dichloroethane	000156-59-2	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	5 ST
cis-1,3-Dichloropropene	010061-01-5	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	5 ST
Dibromochloromethane	000124-48-1	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	5 ST
Dibromomethane	000074-95-3	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	5 ST
Ethylbenzene	000100-41-4	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	5 ST
Iodomethane	000074-88-4	5 U	5 U	5 U	5 U	5 U	1.0 U	NA	0.50 U	0.50 U	0.50 U	1.0 U	5 ST
Methylene chloride	000075-09-2	5 U	5 U*	5 U	5 U	5 U	4.7 UB	8.1 UB	8.1 UB	1.0 U	1.0 U	4.6 UB	5 ST
Styrene	000100-42-5	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	5 ST
Tetrachloroethene	000127-18-4	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	5 ST
Toluene	000108-88-3	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	5 ST
trans-1,2-Dichloroethene	000156-60-5	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	5 ST
trans-1,3-Dichloropropene	010061-02-6	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	0.4 ST
trans-1,4-Dichloro-2-butene	000110-57-6	5 U	5 U	5 U	5 U	5 U	1.0 U	2.0 U	0.50 U	0.50 U	0.50 U	0.50 U	5 ST
Trichloroethene	000079-01-6	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	5 ST
Trichlorofluoromethane	000075-69-4	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	5 ST
Vinyl Acetate	000108-05-4	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	5 ST
Vinyl chloride	000075-01-4	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	2 ST
m,p-Xylene	001330-20-7	NA	NA	NA	NA	NA	4.0 U	4.0 U	1.0 U	0.50 U	0.50 U	0.50 U	5 ST
o-Xylene	000095-47-6	NA	NA	NA	NA	NA	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	5 ST
Xylene (total)	0001330-20-7	U	U	U	5 U	5 U	NA	NA	1.5 U	1.0 U	1.0 U	1.5 U	5 ST
TOTAL VOCs		U	U	U	5 U	5 U	0	0	0	0	0	0	-

See Last page for Qualifiers and Notes



**APPENDIX A-3
SONIA ROAD LANDFILL
POST CLOSURE GROUNDWATER MONITORING PROGRAM
HISTORIC AND CURRENT SAMPLE RESULTS
VOLATILE ORGANIC COMPOUNDS**

Sample ID	CAS #	MW-041 11/4/2008 (ug/l)	MW-041 8/12/2009 (ug/l)	MW-041 2/4/2010 (ug/l)	MW-041 5/26/2011 (ug/l)	MW-041 8/27/2012 (ug/l)	MW-041 11/13/2013 (ug/l)	MW-041 3/18/2015 (ug/l)	MW-041 05/11/2016 (ug/l)	MW-041 8/22/2017 (ug/l)	MW-041 11/30/2018 (ug/l)	MW-041 2/25/2020 (ug/l)	NYSDEC Class GA GROUNDWATER ST/GV
1,1,1,2-Tetrachloroethane	000630-20-6	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	5 ST
1,1,1-Trichloroethane	000071-55-6	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	5 ST
1,1,1,2-Tetrachloroethane	000079-34-5	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	5 ST
1,1,2-Trichloroethane	000079-00-5	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	5 ST
1,1-Dichloroethane	000075-34-3	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	5 ST
1,1-Dichloroethene	000075-35-4	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	5 ST
1,1-Dichloropropene	000563-58-6	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	5 ST
1,2,3-Trichloropropane	000096-18-4	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	0.04 ST
1,2-Dibromo-3-chloropropane	000096-12-8	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.30 U	0.30 U	2.0 U	0.04 ST
1,2-Dibromoethane	000106-93-4	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	5 ST
1,2-Dichlorobenzene	000095-50-1	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	3 ST
1,2-Dichloroethene (total)	000107-06-2	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	0.6 ST
1,2-Dichloropropane	000540-59-0	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	5 ST
1,4-Dichlorobenzene	000078-87-5	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	1 ST
2-Butanone	000078-93-3	5 U	5 U	5 U	5 U	5 U	5.0 U	5.0 U	1.0 U	0.50 U	0.50 U	1.0 U	50 GV
2-Hexanone	000591-78-6	5 U	5 U	5 U	5 U	5 U	5.0 U	5.0 U	1.0 U	0.50 U	0.50 U	1.0 U	50 GV
4-Methyl-2-pentanone	000108-10-1	5 U	5 U	5 U	5 U	5 U	5.0 U	5.0 U	1.0 U	0.50 U	0.50 U	1.0 U	-
Acetone	000067-64-1	5 U	5 U	5 U	5 U*	5 U	5.0 U	3.4 UB	2.9 UB	4.9 UB	1.0 U	16 UB	50 GV
Acrylonitrile	000107-13-1	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	5 ST
Benzene	000071-43-2	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	5 ST
Bromochloromethane	000074-97-5	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	5 ST
Bromodichloromethane	000075-27-4	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	50 GV
Bromomethane	000075-25-2	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	50 GV
Carbon disulfide	000074-83-9	5 U	5 U	5 U	5 U*	5 U	2.0 U	4.0 U	1.0 U	0.25 U	0.25 U	0.86 UB	5 ST
Carbon tetrachloride	000056-23-5	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	60 GV
Chlorobenzene	000108-90-7	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	5 ST
Chloroethane	000075-00-3	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	5 ST
Chloroform	000067-66-3	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	5 ST
Chloromethane	000074-87-3	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	5 ST
cis-1,2-Dichloroethene	000156-59-2	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	5 ST
cis-1,3-Dichloropropene	010061-01-5	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	5 ST
Dibromochloromethane	000124-48-1	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	5 ST
Dibromomethane	000074-95-3	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	7 ST
Ethylbenzene	000100-41-4	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	5 ST
Iodomethane	000074-88-4	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	5 ST
Methylene chloride	000075-09-2	5 U	5 U*	5 U	5 U	5 U	2.0 U	7.8 UB	8.3 UB	1.0 U	1.1 J	4.4 UB	5 ST
Styrene	000100-42-5	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	5 ST
Tetrachloroethene	000127-18-4	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	5 ST
Toluene	000108-88-3	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	5 ST
trans-1,2-Dichloroethene	000156-60-5	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	5 ST
trans-1,3-Dichloropropene	010061-02-6	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	5 ST
trans-1,4-Dichloro-2-butene	000110-57-6	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	0.4 ST
Trichloroethene	000079-01-6	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	5 ST
Trichlorofluoromethane	000075-69-4	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	5 ST
Vinyl Acetate	000108-05-4	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	-
m,p-Xylene	000075-01-4	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	5 ST
o-Xylene	001330-20-7	NA	NA	NA	NA	NA	NA	4.0 U	1.0 U	0.50 U	0.50 U	0.50 U	2 ST
Xylene (total)	000095-47-6	NA	NA	NA	NA	NA	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	5 ST
TOTAL VOCs	001330-20-7	U	1 J	5 U	5 U	5 J	0	0	0	0.27	1.1	0	-

See Last page for Qualifiers and Notes



**APPENDIX A-3
SONIA ROAD LANDFILL
POST CLOSURE GROUNDWATER MONITORING PROGRAM
HISTORIC AND CURRENT SAMPLE RESULTS
VOLATILE ORGANIC COMPOUNDS**

Sample ID	CAS #	MW-04S 11/3/2008 (ug/l)	MW-04S 8/12/2009 (ug/l)	MW-04S 2/4/2010 (ug/l)	MW-04S 5/31/2011 (ug/l)	MW-04S 8/27/2012 (ug/l)	MW-04S 11/13/2013 (ug/l)	MW-04S 3/18/2015 (ug/l)	MW-04S 05/11/2016 (ug/l)	MW-04S 8/22/2017 (ug/l)	MW-04S 11/30/2018 (ug/l)	MW-04S 2/25/2020 (ug/l)	NYSDEC Class GA GROUNDWATER ST/GV
1,1,1,2-Tetrachloroethane	000630-20-6	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	5 ST
1,1,1-Trichloroethane	000071-55-6	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	5 ST
1,1,2,2-Tetrachloroethane	000079-34-5	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	5 ST
1,1,2-Trichloroethane	000079-00-5	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	5 ST
1,1-Dichloroethane	000075-34-3	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	5 ST
1,1-Dichloroethene	000075-35-4	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	5 ST
1,1-Dichloropropene	000563-58-6	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	5 ST
1,2,3-Trichloropropane	000096-18-4	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	0.04 ST
1,2-Dibromo-3-chloropropane	000096-12-8	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.030 U	0.030 U	2.0 U	0.04 ST
1,2-Dibromoethane	000106-93-4	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	5 ST
1,2-Dichlorobenzene	000095-50-1	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	3 ST
1,2-Dichloroethane	000107-06-2	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	0.6 ST
1,2-Dichloroethene (total)	000540-59-0	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	5 ST
1,2-Dichloropropane	000078-87-5	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	1 ST
1,4-Dichlorobenzene	000106-46-7	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	3 ST
2-Butanone	000078-93-3	5 U	5 U	5 U	5 U	5 U	5.0 U	5.0 U	1.0 U	0.50 U	0.50 U	1.0 U	50 GV
2-Hexanone	000591-78-6	5 U	5 U	5 U	5 U	5 U	5.0 U	5.0 U	1.0 U	0.50 U	0.50 U	1.0 U	50 GV
4-Methyl-2-pentanone	000109-10-1	5 U	5 U	5 U	5 U	5 U	5.0 U	5.0 U	1.0 U	0.50 U	0.50 U	1.0 U	-
Acetone	000067-64-1	5 U	5 U	1 BJ	5 U*	5 U	5.0 U	4.1 UB	2.8 UB	6.3 UB	1.0 U	15 UB	50 GV
Acrylonitrile	000107-13-1	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	5 ST
Benzene	000071-43-2	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	1 ST
Bromochloromethane	000074-97-5	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	5 ST
Bromodichloromethane	000075-27-4	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	50 GV
Bromofrom	000075-25-2	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	50 GV
Bromomethane	000074-83-9	5 U	5 U	5 U	5 U*	5 U	2.0 U	4.0 U	1.0 U	0.25 U	0.25 U	0.50 U	5 ST
Carbon disulfide	000075-15-0	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	60 GV
Carbon tetrachloride	000056-23-5	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	5 ST
Chlorobenzene	000109-90-7	2 J*	5 U	2 J	2 J	3 J	0.75 J	0.72 J	0.50 U	0.25 U	0.67 J	1.8 J	5 ST
Chloroethane	000075-00-3	5 U	5 U	1 J	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	5 ST
Chloroform	000067-68-3	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	7 ST
Chloromethane	000074-87-3	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	5 ST
cis-1,2-Dichloroethene	000156-59-2	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	5 ST
cis-1,3-Dichloropropene	010061-01-5	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	0.4 ST
Dibromochloromethane	000124-48-1	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	50 GV
Dibromomethane	000074-95-3	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	5 ST
Ethylbenzene	000100-41-4	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	5 ST
Iodomethane	000074-88-4	5 U	5 U	5 U	5 U	5 U	1.0 U	NA	0.50 U	0.50 U	0.50 U	1.0 U	5 ST
Methylene chloride	000075-09-2	5 U	5 U*	5 U	5 U	5 U	4.6 UB	7.9 UB	8.4 UB	6.2 UB	1.1 J	4.6 UB	5 ST
Styrene	000100-42-5	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	5 ST
Tetrachloroethene	000127-18-4	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	5 ST
Toluene	000108-88-3	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	5 ST
trans-1,2-Dichloroethene	000156-60-5	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	5 ST
trans-1,3-Dichloropropene	010061-02-6	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	0.4 ST
trans-1,4-Dichloro-2-butene	000110-57-6	5 U	5 U	5 U	5 U	5 U	1.0 U	2.0 U	0.50 U	0.50 U	0.50 U	0.50 U	5 ST
Trichloroethene	000079-01-6	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	5 ST
Trichlorofluoromethane	000075-69-4	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	5 ST
Vinyl Acetate	000108-05-4	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	-
Vinyl chloride	000075-01-4	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	2 ST
m,p-Xylene	001330-20-7	NA	NA	NA	NA	NA	4.0 U	4.0 U	1.0 U	0.50 U	0.50 U	0.50 U	5 ST
o-Xylene	000095-47-6	NA	NA	NA	NA	NA	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	5 ST
Xylene (total)	001330-20-7	5 U	5 U	5 U	5 U	5 U	NA	NA	1.5 U	1.0 U	1.0 U	1.5 U	5 ST
TOTAL VOCs		2 J*	U	5 U	5 U	3 J	0.75	0.72	0	0	1.77	1.8	-

See Last page for Qualifiers and Notes



**APPENDIX A-3
SONIA ROAD LANDFILL
POST CLOSURE GROUNDWATER MONITORING PROGRAM
HISTORIC AND CURRENT SAMPLE RESULTS
VOLATILE ORGANIC COMPOUNDS**

Sample ID	CAS #	MW-05D 11/5/2008 (ug/l)	MW-05D 8/17/2009 (ug/l)	MW-05D 2/8/2010 (ug/l)	MW-05D 6/1/2011 (ug/l)	MW-05D 8/28/2012 (ug/l)	MW-05D 11/13/2013 (ug/l)	MW-05D 3/19/2015 (ug/l)	MW-05D 05/11/2016 (ug/l)	MW-05D 8/22/2017 (ug/l)	MW-05D 11/30/2018 (ug/l)	MW-05D 2/25/2020 (ug/l)	NYSDEC Class GA GROUNDWATER ST/GV
1,1,1,2-Tetrachloroethane	000630-20-6	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	5 ST
1,1,1-Trichloroethane	000071-55-6	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	5 ST
1,1,2,2-Tetrachloroethane	000079-34-5	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	5 ST
1,1,2-Trichloroethane	000079-00-5	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.40 J	0.50 U	5 ST
1,1-Dichloroethane	000075-34-3	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	5 ST
1,1-Dichloroethene	000075-35-4	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	5 ST
1,1-Dichloropropene	000563-58-6	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	5 ST
1,2,3-Trichloropropane	000096-18-4	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	0.04 ST
1,2-Dibromo-3-chloropropane	000096-12-8	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.030 U	0.030 U	2.0 U	0.04 ST
1,2-Dibromoethane	000106-93-4	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	5 ST
1,2-Dichlorobenzene	000095-50-1	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	3 ST
1,2-Dichloroethane	000107-06-2	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.32 J	0.50 U	0.6 ST
1,2-Dichloroethene (total)	000540-59-0	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	5 ST
1,2-Dichloropropane	000078-87-5	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	1 ST
1,4-Dichlorobenzene	000106-46-7	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	3 ST
2-Butanone	000078-93-3	5 U	5 U	5 U	5 U	5 U	5.0 U	5.0 U	1.0 U	0.50 U	0.50 U	1.0 U	50 GV
2-Hexanone	000591-78-6	5 U	5 U	5 U	5 U	5 U	5.0 U	5.0 U	1.0 U	0.50 U	0.50 U	1.0 U	50 GV
4-Methyl-2-pentanone	000108-10-1	5 U	5 U	5 U	5 U	5 U	5.0 U	5.0 U	1.0 U	0.50 U	0.50 U	1.0 U	50 GV
Acetone	000067-64-1	5 U	5 U	5 U	5 U	5 U	5.0 U	2.8 UB	3.8 UB	6.3 UB	1.0 U	14 UB	50 GV
Acrylonitrile	000107-13-1	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	5 ST
Benzene	000071-43-2	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	1 ST
Bromochloromethane	000074-97-5	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	5 ST
Bromodichloromethane	000075-27-4	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	50 GV
Bromoform	000075-25-2	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	50 GV
Bromomethane	000074-83-9	5 U	5 U	5 U	5 U	5 U	2.0 U	4.0 U	1.0 U	0.25 U	0.25 U	0.67 UB	5 ST
Carbon disulfide	000075-15-0	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	60 GV
Carbon tetrachloride	000056-23-5	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	5 ST
Chlorobenzene	000108-90-7	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	5 ST
Chloroethane	000075-00-3	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	5 ST
Chloroform	000067-66-3	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.30 J	0.29 J	0.66 J	7 ST
Chloromethane	000074-87-3	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	5 ST
cis-1,2-Dichloroethene	000156-59-2	5 U	5 U	5 U	5 U	5 U	2.0 U	2.5 U	0.50 U	0.25 U	0.25 U	0.50 U	5 ST
cis-1,3-Dichloropropene	010061-01-5	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	0.4 ST
Dibromochloromethane	000124-48-1	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	50 GV
Dibromomethane	000074-95-3	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	5 ST
Ethylbenzene	000109-41-4	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	5 ST
Iodomethane	000074-88-4	5 U	5 U	5 U	5 U	5 U	1.0 U	NA	0.50 U	0.50 U	0.50 U	1.0 U	5 ST
Methylene chloride	000075-09-2	5 U	5 U	5 U	5 U	5 U	4.7 UB	8.3 UB	6.2 UB	8.7 UB	1.2 J	4.5 UB	5 ST
Styrene	000100-42-5	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	5 ST
Tetrachloroethene	000127-18-4	1 J*	5 U	5 U	5 U	5 U	2.0 U	0.56 J	2.3	0.25 U	0.25 U	0.50 U	5 ST
Toluene	000108-88-3	1 J*	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	5 ST
trans-1,2-Dichloroethene	000156-60-5	5 U	5 U	5 U	5 U	5 U	2.0 U	0.74 J	0.50 U	0.25 U	0.25 U	0.50 U	5 ST
trans-1,3-Dichloropropene	010061-02-6	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	0.4 ST
trans-1,4-Dichloro-2-butene	000110-57-6	5 U	5 U	5 U	5 U	5 U	1.0 U	2.0 U	0.50 U	0.50 U	0.50 U	0.50 U	5 ST
Trichloroethene	000079-01-6	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	5 ST
Trichlorofluoromethane	000075-69-4	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	5 ST
Vinyl Acetate	000108-05-4	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	5 ST
Vinyl chloride	000075-01-4	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	2 ST
m,p-Xylene	001330-20-7	NA	NA	NA	NA	NA	4.0 U	4.0 U	1.0 U	0.50 U	0.50 U	0.50 U	5 ST
o-Xylene	000095-47-6	NA	NA	NA	NA	NA	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	5 ST
Xylene (total)	0001330-20-7	5 U	5 U	5 U	5 U	5 U	NA	NA	1.5 U	1.0 U	1.0 U	1.5 U	5 ST
TOTAL VOCs		2	U	5 U	5 U	5 U	0	3.8	2.8	0.3	2.21	0.66	-

See Last page for Qualifiers and Notes



**APPENDIX A-3
SONIA ROAD LANDFILL
POST CLOSURE GROUNDWATER MONITORING PROGRAM
HISTORIC AND CURRENT SAMPLE RESULTS
VOLATILE ORGANIC COMPOUNDS**

Sample ID	CAS #	MW-051 11/5/2008 (ug/l)	MW-051 8/17/2009 (ug/l)	MW-051 2/8/2010 (ug/l)	MW-051 5/31/2011 (ug/l)	MW-051 8/28/2012 (ug/l)	MW-051 11/13/2013 (ug/l)	MW-051 3/19/2015 (ug/l)	MW-051 05/11/2016 (ug/l)	MW-051 8/22/2017 (ug/l)	MW-051 11/30/2018 (ug/l)	MW-051 2/25/2020 (ug/l)	NYSDEC Class GA GROUNDWATER ST/GV
Volatile Organic Compounds													
1,1,1,2-Tetrachloroethane	000630-20-6	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	5 ST
1,1,1-Trichloroethane	000071-55-6	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	5 ST
1,1,2,2-Tetrachloroethane	000079-34-5	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	5 ST
1,1,2-Trichloroethane	000079-00-5	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	5 ST
1,1-Dichloroethane	000075-34-3	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	5 ST
1,1-Dichloroethene	000075-35-4	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	5 ST
1,1-Dichloropropene	000563-58-6	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	5 ST
1,2,3-Trichloropropane	000096-18-4	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	0.04 ST
1,2-Dibromo-3-chloropropane	000096-12-8	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.030 U	0.030 U	2.0 U	0.04 ST
1,2-Dibromoethane	000095-50-1	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	5 ST
1,2-Dichlorobenzene	000095-50-1	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	3 ST
1,2-Dichloroethane	000107-06-2	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	0.6 ST
1,2-Dichloroethene (total)	000540-59-0	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	5 ST
1,2-Dichloropropane	000078-87-5	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	1 ST
1,4-Dichlorobenzene	000106-46-7	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	3 ST
2-Butanone	000078-93-3	5 U	5 U	5 U	5 U	5 U	5.0 U	5.0 U	1.0 U	0.50 U	0.50 U	1.0 U	50 GV
2-Hexanone	000591-78-6	5 U	5 U	5 U	5 U	5 U	5.0 U	5.0 U	1.0 U	0.50 U	0.50 U	1.0 U	50 GV
4-Methyl-2-pentanone	000108-10-1	5 U	5 U	5 U	5 U	5 U	5.0 U	5.0 U	1.0 U	0.50 U	0.50 U	1.0 U	-
Acetone	000067-64-1	5 U	5 U	2 BJ	5 U	5 U	5.0 U	4.6 UB	2.4 UB	3.8 UB	1.0 U	17 UB	50 GV
Acrylonitrile	000107-13-1	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	5 ST
Benzene	000071-43-2	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	1 ST
Bromochloromethane	000074-97-5	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	5 ST
Bromodichloromethane	000075-27-4	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	50 GV
Bromomethane	000075-25-2	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	50 GV
Bromotoluene	000074-83-9	5 U	5 U	5 U	5 U	5 U	2.0 U	4.0 U	1.0 U	0.25 U	0.25 U	0.63 UB	5 ST
Carbon disulfide	000075-15-0	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	60 GV
Carbon tetrachloride	000056-23-5	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	5 ST
Chlorobenzene	000108-90-7	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	5 ST
Chloroethane	000075-00-3	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	5 ST
Chloroform	000067-66-3	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	7 ST
Chloromethane	000074-87-3	5 U	1 J	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	5 ST
cis-1,2-Dichloroethene	000156-59-2	5 U	5 U	5 U	5 U	5 U	2.0 U	1.4 J	0.50 U	0.25 U	0.25 U	0.50 U	5 ST
cis-1,3-Dichloropropene	010061-01-5	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	0.4 ST
Dibromochloromethane	000124-48-1	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	50 GV
Dibromomethane	000074-95-3	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	5 ST
Ethylbenzene	000100-41-4	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	5 ST
Iodomethane	000074-88-4	5 U	5 U	5 U	5 U	5 U	1.0 U	NA	0.50 U	0.50 U	0.50 U	1.0 U	5 ST
Methylene chloride	000075-09-2	5 U	5 U	5 U	5 U	5 U	4.1 UB	10 UB	5.4 UB	1.0 U	1.0 U	4.7 UB	5 ST
Styrene	000100-42-5	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	5 ST
Tetrachloroethene	000127-18-4	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	5 ST
Toluene	000108-88-3	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	5 ST
trans-1,2-Dichloroethene	000156-60-5	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	5 ST
trans-1,3-Dichloropropene	010061-02-6	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	0.4 ST
trans-1,4-Dichloro-2-butene	000110-57-6	5 U	5 U	5 U	5 U	5 U	1.0 U	2.0 U	0.50 U	0.50 U	0.50 U	0.50 U	5 ST
Trichloroethene	000079-01-6	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	5 ST
Trichlorofluoromethane	000075-69-4	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	5 ST
Vinyl Acetate	000108-05-4	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	-
Vinyl chloride	000075-01-4	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	2 ST
m,p-Xylene	001330-20-7	NA	NA	NA	NA	NA	4.0 U	4.0 U	1.0 U	0.50 U	0.50 U	0.50 U	5 ST
o-Xylene	000095-47-6	NA	NA	NA	NA	NA	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	5 ST
Xylene (total)	001330-20-7	5 U	5 U	5 U	5 U	5 U	NA	NA	1.5 U	1.0 U	1.0 U	1.5 U	5 ST
TOTAL VOCs		U	1 J	5 U	5 U	5 U	0	1.98	0	0	0	0	-

See Last page for Qualifiers and Notes



**APPENDIX A-3
SONIA ROAD LANDFILL
POST CLOSURE GROUNDWATER MONITORING PROGRAM
HISTORIC AND CURRENT SAMPLE RESULTS
VOLATILE ORGANIC COMPOUNDS**

Sample ID	CAS #	MW-05S 11/5/2008 (ug/l)	MW-05S 8/17/2009 (ug/l)	MW-05S 2/8/2010 (ug/l)	MW-05S 5/31/2011 (ug/l)	MW-05S 8/29/2012 (ug/l)	MW-05S 11/13/2013 (ug/l)	MW-05S 3/19/2015 (ug/l)	MW-05S 05/11/2016 (ug/l)	MW-05S 8/22/2017 (ug/l)	MW-05S 11/29/2018 (ug/l)	MW-05S 2/25/2020 (ug/l)	NYSDEC Class GA GROUNDWATER ST/GV
Volatile Organic Compounds													
1,1,1,2-Tetrachloroethane	000630-20-6	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	5 ST
1,1,1-Trichloroethane	000071-55-6	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	5 ST
1,1,1,2,2-Tetrachloroethane	000079-34-5	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	5 ST
1,1,2-Trichloroethane	000079-00-5	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	5 ST
1,1-Dichloroethane	000075-34-3	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	5 ST
1,1-Dichloroethene	000075-35-4	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	5 ST
1,1-Dichloropropane	000563-58-6	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	5 ST
1,2,3-Trichloropropane	000096-18-4	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	0.04 ST
1,2-Dibromo-3-chloropropane	000096-12-8	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.030 U	0.030 U	2.0 U	0.04 ST
1,2-Dibromoethane	000106-93-4	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	5 ST
1,2-Dichlorobenzene	000095-50-1	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	3 ST
1,2-Dichloroethane	000107-06-2	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	0.6 ST
1,2-Dichloroethene (total)	000540-59-0	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	5 ST
1,2-Dichloropropane	000078-87-5	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	3 ST
1,4-Dichlorobenzene	000106-46-7	5 U	5 U	5 U	5 U	5 U	5.0 U	5.0 U	1.0 U	0.50 U	0.50 U	1.0 U	50 GV
2-Butanone	000078-93-3	5 U	5 U	5 U	5 U	5 U	5.0 U	5.0 U	1.0 U	0.50 U	0.50 U	1.0 U	50 GV
2-Hexanone	000591-78-6	5 U	5 U	5 U	5 U	5 U	5.0 U	5.0 U	1.0 U	0.50 U	0.50 U	1.0 U	-
4-Methyl-2-pentanone	000108-10-1	5 U	5 U	5 U	5 U	5 U	5.0 U	5.0 U	1.0 U	0.50 U	0.50 U	1.0 U	-
Acetone	000067-64-1	5 U	5 U	2 BJ	5 U*	5 U	5.0 U	2.9 UB	3.5 UB	2.5 UB	1.0 U	13 UB	50 GV
Acrylonitrile	000107-13-1	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	5 ST
Benzene	000071-43-2	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	1 ST
Bromochloromethane	000074-97-5	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	5 ST
Bromodichloromethane	000075-27-4	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	50 GV
Bromoforn	000075-25-2	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	50 GV
Bromomethane	000074-83-9	5 U	5 U	5 U*	5 U*	5 U	2.0 U	4.0 U	1.0 U	0.25 U	0.25 U	0.75 UB	5 ST
Carbon disulfide	000075-15-0	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	60 GV
Carbon tetrachloride	000056-23-5	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	5 ST
Chlorobenzene	000108-90-7	3 J*	5 U	2 J	2 J	2 J	2.0 U	0.61 J	0.50 U	0.25 U	0.25 U	2.6	5 ST
Chloroethane	000075-00-3	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	5 ST
Chloroform	000067-66-3	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	7 ST
Chloromethane	000074-87-3	5 U	5 U	5 U*	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	5 ST
cis-1,2-Dichloroethene	000156-59-2	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	5 ST
cis-1,3-Dichloropropene	010061-01-5	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	0.4 ST
Dibromochloromethane	000124-48-1	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	50 GV
Dibromomethane	000074-95-3	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	5 ST
Ethylbenzene	000100-41-4	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	5 ST
Iodomethane	000074-88-4	5 U	5 U	5 U	5 U	5 U	1.0 U	NA	0.50 U	0.50 U	0.50 U	1.0 U	5 ST
Methylene chloride	000075-09-2	5 U	5 U*	5 U	5 U	5 U	4.4 UB	8.1 UB	8.8 UB	3.9 UB	1.0 U	4.3 UB	5 ST
Styrene	000100-42-5	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	5 ST
Tetrachloroethene	000127-18-4	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	5 ST
Toluene	000108-88-3	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	5 ST
trans-1,2-Dichloroethene	000156-60-5	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	5 ST
trans-1,3-Dichloropropene	010061-02-6	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	0.4 ST
trans-1,4-Dichloro-2-butene	000110-57-6	5 U	5 U	5 U	5 U	5 U	1.0 U	2.0 U	0.50 U	0.50 U	0.50 U	0.50 U	5 ST
Trichloroethene	000079-01-6	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	5 ST
Trichlorofluoromethane	000075-69-4	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	5 ST
Vinyl Acetate	000108-05-4	5 U	5 U	5 U*	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	-
Vinyl chloride	000075-01-4	5 U	5 U	5 U*	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	2 ST
m,p-Xylene	0001330-20-7	NA	NA	NA	NA	NA	4.0 U	4.0 U	1.0 U	0.50 U	0.50 U	0.50 U	5 ST
o-Xylene	000095-47-6	NA	NA	NA	NA	NA	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	5 ST
Xylene (total)	001330-20-7	5 U	5 U	5 U	5 U	5 U	NA	NA	1.5 U	1.0 U	1.0 U	1.5 U	5 ST
TOTAL VOCs		3	U	2	2	2	0	0.61	0	0	0	2.6	-

See Last page for Qualifiers and Notes



**APPENDIX A-3
SONIA ROAD LANDFILL
POST CLOSURE GROUNDWATER MONITORING PROGRAM
HISTORIC AND CURRENT SAMPLE RESULTS
VOLATILE ORGANIC COMPOUNDS**

Sample ID	CAS #	MW-06D 11/3/2008 (ug/l)	MW-06D 8/11/2009 (ug/l)	MW-06D 2/4/2010 (ug/l)	MW-06D 5/26/2011 (ug/l)	MW-06D 8/27/2012 (ug/l)	MW-06D 11/12/2013 (ug/l)	MW-06D 3/18/2015 (ug/l)	MW-06D 05/10/2016 (ug/l)	MW-06D 8/22/2017 (ug/l)	MW-06D 11/29/2018 (ug/l)	MW-06D 2/24/2020 (ug/l)	NYSDEC Class GA GROUNDWATER ST/GV
1,1,1,2-Tetrachloroethane	000630-20-6	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	5 ST
1,1,1-Trichloroethane	000071-55-6	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	5 ST
1,1,2,2-Tetrachloroethane	000079-34-5	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	5 ST
1,1,2-Trichloroethane	000079-00-5	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	5 ST
1,1-Dichloroethane	000075-34-3	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	5 ST
1,1-Dichloroethene	000075-35-4	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	5 ST
1,1-Dichloropropene	000563-58-6	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	5 ST
1,2,3-Trichloropropane	000096-18-4	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	0.04 ST
1,2-Dibromo-3-chloropropane	000096-12-8	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	0.04 ST
1,2-Dibromoethane	000106-93-4	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	5 ST
1,2-Dichlorobenzene	000095-50-1	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	3 ST
1,2-Dichloroethane	000107-06-2	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	0.6 ST
1,2-Dichloroethene (total)	000540-59-0	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	5 ST
1,2-Dichloropropane	000078-87-5	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	1 ST
1,4-Dichlorobenzene	000106-46-7	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	3 ST
2-Butanone	000078-93-3	5 U	5 U	5 U	5 U	5 U	5.0 U	5.0 U	1.3 U	0.50 U	0.50 U	1.4	50 GV
2-Hexanone	000591-78-6	5 U	5 U	5 U	5 U	5 U	5.0 U	5.0 U	1.3 U	0.50 U	0.50 U	1.0 U	50 GV
4-Methyl-2-pentanone	000108-10-1	5 U	5 U	5 U	5 U	5 U	5.0 U	5.0 U	1.3 U	0.50 U	0.50 U	1.0 U	-
Acetone	000067-64-1	5 U	5 U	5 U	5 U*	5 U	5.0 U	3.7 UB	2.8 UB	4.3 UB	1.0 U	9.6 UB	50 GV
Acrylonitrile	000107-13-1	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	5 ST
Benzene	000071-43-2	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	5 ST
Bromochloromethane	000074-97-5	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	5 ST
Bromodichloromethane	000075-27-4	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	50 GV
Bromoform	000075-25-2	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	50 GV
Bromomethane	000074-83-9	5 U	5 U	5 U	5 U*	5 U	2.0 U	4.0 U	1.0 U	0.25 U	0.25 U	0.50 U	5 ST
Carbon disulfide	000075-15-0	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	60 GV
Carbon tetrachloride	000056-23-5	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	5 ST
Chlorobenzene	000108-90-7	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	5 ST
Chloroethane	000075-00-3	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	5 ST
Chloroform	000067-66-3	5 U	5 U	1 J	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	7 ST
Chloromethane	000074-87-3	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	5 ST
cis-1,2-Dichloroethane	000156-59-2	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	5 ST
cis-1,3-Dichloropropene	010061-01-5	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	0.4 ST
Dibromochloromethane	000124-48-1	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	50 GV
Dibromomethane	000074-95-3	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	5 ST
Ethylbenzene	000100-41-4	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	5 ST
Iodomethane	000074-88-4	5 U	5 U	5 U	5 U	5 U	1.0 U	NA	0.50 U	0.50 U	0.50 U	1.0 U	5 ST
Methylene chloride	000075-09-2	5 U	5 U*	5 U	5 U	5 U	4.4 UB	7.2 UB	7.1 UB	4.7 UB	1.0 U	2.8 UB	5 ST
Styrene	000100-42-5	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	5 ST
Tetrachloroethene	000127-18-4	1 J*	5 U	5 U	1 J	5 U	0.54 J	2.0 U	0.50 U	0.27 J	0.25 U	0.50 U	5 ST
Toluene	000108-88-3	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	5 ST
trans-1,2-Dichloroethene	000156-60-5	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	5 ST
trans-1,3-Dichloropropene	010061-02-6	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	0.4 ST
trans-1,4-Dichloro-2-butene	000110-57-6	5 U	5 U	5 U	5 U	5 U	1.0 U	2.0 U	0.50 U	0.50 U	0.50 U	0.50 U	5 ST
Trichloroethene	000079-01-6	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	5 ST
Trichlorofluoromethane	000075-69-4	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	5 ST
Vinyl Acetate	000108-05-4	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	-
Vinyl chloride	000075-01-4	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	2 ST
m,p-Xylene	001330-20-7	NA	NA	NA	NA	NA	4.0 U	4.0 U	1.0 U	0.50 U	0.50 U	0.50 U	5 ST
o-Xylene	000095-47-6	NA	NA	NA	NA	NA	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	5 ST
Xylene (total)	001330-20-7	5 U	5 U	5 U	5 U	5 U	NA	NA	NA	1.0 U	1.0 U	1.5 U	5 ST
TOTAL VOCs		1	U	5 U	1	5 U	0.54	0	0	0.27	0	14	-

See Last page for Qualifiers and Notes



APPENDIX A-3
SONIA ROAD LANDFILL
POST CLOSURE GROUNDWATER MONITORING PROGRAM
HISTORIC AND CURRENT SAMPLE RESULTS
VOLATILE ORGANIC COMPOUNDS

Sample ID	CAS #	MW-061 11/4/2008 (ug/l)	MW-061 8/11/2009 (ug/l)	MW-061 2/4/2010 (ug/l)	MW-061 5/26/2011 (ug/l)	MW-061 8/27/2012 (ug/l)	MW-061 11/12/2013 (ug/l)	MW-061 3/18/2015 (ug/l)	MW-061 05/10/2016 (ug/l)	MW-061 8/22/2017 (ug/l)	MW-061 11/30/2018 (ug/l)	MW-061 2/24/2020 (ug/l)	NYSDEC Class GA GROUNDWATER ST/GV
1,1,1,2-Tetrachloroethane	000630-20-6	5 U	5 UJ*	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	5 ST
1,1,1-Trichloroethane	000071-55-6	5 U	5 UJ*	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	5 ST
1,1,2,2-Tetrachloroethane	000079-34-5	5 U	5 UJ*	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	5 ST
1,1,2-Trichloroethane	000079-00-5	5 U	5 UJ*	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	5 ST
1,1-Dichloroethane	000075-34-3	5 U	5 UJ*	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	5 ST
1,1-Dichloroethene	000075-35-4	5 U	5 UJ*	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	5 ST
1,1-Dichloropropene	000563-58-6	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	5 ST
1,2,3-Trichloropropane	000096-18-4	5 U	5 UJ*	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	0.04 ST
1,2-Dibromo-3-chloropropane	000096-12-8	5 U	5 UJ*	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.030 U	0.030 U	2.0 U	0.04 ST
1,2-Dibromoethane	000106-93-4	5 U	5 UJ*	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	5 ST
1,2-Dichlorobenzene	000095-50-1	5 U	5 UJ*	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	3 ST
1,2-Dichloroethane	000107-06-2	5 U	5 UJ*	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	0.6 ST
1,2-Dichloroethene (total)	000540-59-0	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	5 ST
1,2-Dichloropropane	000078-87-5	5 U	5 UJ*	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	1 ST
1,4-Dichlorobenzene	000106-46-7	5 U	5 UJ*	5 U	5 U	5 U	5.0 U	5.0 U	1.3 U	0.50 U	0.50 U	0.50 U	50 GV
2-Butanone	000078-93-3	5 U	5 UJ*	5 U	5 U	5 U	5.0 U	5.0 U	1.3 U	0.50 U	0.50 U	1.0 U	50 GV
2-Hexanone	000591-78-6	5 U	5 UJ*	5 U	5 U	5 U	5.0 U	5.0 U	1.3 U	0.50 U	0.50 U	1.0 U	-
4-Methyl-2-pentanone	000108-10-1	5 U	5 UJ*	5 U	5 U	5 U	5.0 U	5.0 U	1.3 U	0.50 U	0.50 U	1.0 U	-
Acetone	000067-64-1	5 U	5 UJ*	5 U	5 U	5 U	5.0 U	5.0 U	1.3 U	0.50 U	0.50 U	1.0 U	-
Acrylonitrile	000107-13-1	5 U	5 UJ*	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	5 ST
Benzene	000071-43-2	5 U	5 UJ*	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	1 ST
Bromochloromethane	000074-97-5	5 U	5 UJ*	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	5 ST
Bromodichloromethane	000075-27-4	5 U	5 UJ*	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	50 GV
Bromoform	000075-25-2	5 U	5 UJ*	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	50 GV
Bromomethane	000074-83-9	5 U	5 UJ*	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	5 ST
Carbon disulfide	000075-15-0	5 U	5 UJ*	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	60 GV
Carbon tetrachloride	000056-23-5	5 U	5 UJ*	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	5 ST
Chlorobenzene	000109-90-7	5 U	5 UJ*	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	5 ST
Chloroethane	000075-00-3	5 U	5 UJ*	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	5 ST
Chloroform	000067-66-3	5 U	5 UJ*	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	7 ST
Chloromethane	000074-87-3	5 U	5 UJ*	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	5 ST
cis-1,2-Dichloroethene	000156-59-2	5 U	5 UJ*	5 U	5 U	5 U	0.51 J	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	5 ST
cis-1,3-Dichloropropene	010061-01-5	5 U	5 UJ*	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	0.4 ST
Dibromochloromethane	000124-48-1	5 U	5 UJ*	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	50 GV
Dibromomethane	000074-95-3	5 U	5 UJ*	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	5 ST
Ethylbenzene	000100-41-4	5 U	5 UJ*	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	5 ST
Iodomethane	000074-88-4	5 U	5 UJ*	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	5 ST
Methylene chloride	000075-09-2	5 U	5 UJ*	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	5 ST
Styrene	000100-42-5	5 U	5 UJ*	5 U	5 U	5 U	5.7 UB	7.7 UB	6.8 UB	3.8 UB	1.0 U	2.7 UB	5 ST
Tetrachloroethene	000127-18-4	5 U	5 UJ*	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	5 ST
Toluene	000108-88-3	5 U	5 UJ*	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	5 ST
trans-1,2-Dichloroethene	000156-60-5	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	5 ST
trans-1,3-Dichloropropene	010061-02-6	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	0.4 ST
trans-1,4-Dichloro-2-butene	000110-57-6	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	5 ST
Trichloroethene	000079-01-6	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	5 ST
Trichlorofluoromethane	000075-69-4	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	5 ST
Vinyl Acetate	000108-05-4	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	-
Vinyl chloride	000075-01-4	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	2 ST
m,p-Xylene	001330-20-7	NA	NA	NA	NA	NA	4.0 U	4.0 U	1.0 U	0.50 U	0.50 U	0.50 U	5 ST
o-Xylene	000095-47-6	NA	NA	NA	NA	NA	NA	NA	0.50 U	0.25 U	0.25 U	0.50 U	5 ST
Xylene (total)	0001330-20-7	5 U	5 U	5 U	5 U	5 U	NA	NA	0.50 U	1.0 U	1.0 U	1.5 U	5 ST
TOTAL VOCs		U	UJ*	5 U	5 U	5 U	0.51	0	0	0	0.38	0	-

See Last page for Qualifiers and Notes



APPENDIX A-3
SONIA ROAD LANDFILL
POST CLOSURE GROUNDWATER MONITORING PROGRAM
HISTORIC AND CURRENT SAMPLE RESULTS
VOLATILE ORGANIC COMPOUNDS

Sample ID	CAS #	MW-06S 11/4/2008 (ug/l)	MW-06S 8/11/2009 (ug/l)	MW-06S 2/4/2010 (ug/l)	MW-06S 5/26/2011 (ug/l)	MW-06S 8/27/2012 (ug/l)	MW-06S 11/13/2013 (ug/l)	MW-06S 3/18/2015 (ug/l)	MW-06S 05/10/2016 (ug/l)	MW-06S 8/22/2017 (ug/l)	MW-06S 11/30/2018 (ug/l)	MW-06S 2/24/2020 (ug/l)	NYSDEC Class GA GROUNDWATER ST/GV
1,1,1,2-Tetrachloroethane	000630-20-6	5 U	5 U	5 UJ*	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	5 ST
1,1,1,1-tetrachloroethane	000071-55-6	5 U	5 U	5 UJ*	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	5 ST
1,1,2,2-Tetrachloroethane	000079-34-5	5 U	5 U	5 UJ*	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	5 ST
1,1,2-Trichloroethane	000079-00-5	5 U	5 U	5 UJ*	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	5 ST
1,1-Dichloroethane	000075-34-3	5 U	5 U	5 UJ*	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	5 ST
1,1-Dichloroethane	000075-35-4	5 U	5 U	5 UJ*	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	5 ST
1,1-Dichloropropene	000563-58-6	NA	NA	5 UJ*	NA	NA	NA	NA	NA	NA	NA	NA	5 ST
1,2,3-Trichloropropane	000096-18-4	5 U	5 U	5 UJ*	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	0.04 ST
1,2-Dibromo-3-chloropropane	000096-12-8	5 U	5 U	5 UJ*	5 U	5 U	2.0 U	2.0 U	0.50 U	0.030 U	0.030 U	2.0 U	0.04 ST
1,2-Dibromoethane	000106-93-4	5 U	5 U	5 UJ*	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	5 ST
1,2-Dichlorobenzene	000095-50-1	5 U	5 U	1 J*	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.71 J	3 ST
1,2-Dichloroethane	000107-06-2	5 U	5 U	5 UJ*	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	0.6 ST
1,2-Dichloroethane (total)	000540-59-0	NA	NA	5 UJ*	NA	NA	NA	NA	NA	NA	NA	NA	5 ST
1,2-Dichloropropane	000078-87-5	5 U	5 U	5 UJ*	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	1 ST
1,4-Dichlorobenzene	000106-46-7	4 J*	5 U	5 UJ*	2 J	3 J	0.67 J	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	3 ST
2-Butanone	000078-93-3	5 U	5 U	5 UJ*	5 U	5 U	5.0 U	5.0 U	1.3 U	0.50 U	0.50 U	0.50 U	50 GV
2-Hexanone	000591-78-6	5 U	5 U	5 UJ*	5 U	5 U	5.0 U	5.0 U	1.3 U	0.50 U	0.50 U	1.0 U	50 GV
4-Methyl-2-pentanone	000108-10-1	5 U	5 U	5 UJ*	5 U	5 U	5.0 U	5.0 U	1.3 U	0.50 U	0.50 U	1.0 U	-
Acetone	000067-64-1	5 U	5 U	1 BU*	5 U*	5 U	5.0 U	3.8 UB	3.0 UB	4.3 UB	1.0 U	11 UB	50 GV
Acrylonitrile	000107-13-1	5 U	5 U	5 UJ*	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	5 ST
Benzene	000071-43-2	5 U	5 U	5 UJ*	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	1 ST
Bromochloromethane	000074-97-5	5 U	5 U	5 UJ*	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	5 ST
Bromodichloromethane	000075-27-4	5 U	5 U	5 UJ*	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	50 GV
Bromoform	000075-25-2	5 U	5 U	5 UJ*	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	50 GV
Bromomethane	000074-83-9	5 U	5 U	5 UJ*	5 UJ*	5 U	2.0 U	4.0 U	1.0 U	0.25 U	0.25 U	1.2 UB	5 ST
Carbon disulfide	000075-15-0	5 U	5 U	5 UJ*	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	60 GV
Carbon tetrachloride	000056-23-5	5 U	5 U	5 UJ*	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	5 ST
Chlorobenzene	000108-90-7	4 J*	5 U	2 J*	3 J	3 J	0.90 J	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	5 ST
Chloroethane	000075-00-3	5 U	5 U	5 UJ*	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	5 ST
Chloroform	000067-66-3	5 U	5 U	5 UJ*	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	7 ST
Chloromethane	000074-87-3	5 U	5 U	5 UJ*	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	5 ST
cis-1,2-Dichloroethane	000156-59-2	5 U	5 U	5 UJ*	5 U	5 U	2.0 U	18	0.50 U	0.25 U	0.25 U	0.50 U	5 ST
cis-1,3-Dichloropropene	010061-01-5	5 U	5 U	5 UJ*	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	0.4 ST
Dibromochloromethane	000124-48-1	5 U	5 U	5 UJ*	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	50 GV
Dibromomethane	000074-95-3	5 U	5 U	5 UJ*	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	5 ST
Ethylbenzene	000100-41-4	5 U	5 U	5 UJ*	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	5 ST
Iodomethane	000074-88-4	5 U	5 U	5 UJ*	5 U	5 U	1.0 U	NA	0.50 U	0.50 U	0.50 U	1.0 U	5 ST
Methylene chloride	000075-09-2	5 U	5 UJ*	5 UJ*	5 U	5 U	4.5 UB	7.7 UB	7.8 UB	1.0 U	1.2 J	2.6 UB	5 ST
Styrene	000100-42-5	5 U	5 U	5 UJ*	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	5 ST
Tetrachloroethene	000127-18-4	5 U	5 U	5 UJ*	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	5 ST
Toluene	000108-88-3	5 U	5 U	5 UJ*	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	5 ST
trans-1,2-Dichloroethene	000156-60-5	5 U	5 U	5 UJ*	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	5 ST
trans-1,3-Dichloropropene	010061-02-6	5 U	5 U	5 UJ*	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	0.4 ST
trans-1,4-Dichloro-2-butene	000110-57-6	5 U	5 U	5 UJ*	5 U	5 U	1.0 U	2.0 U	0.50 U	0.50 U	0.50 U	0.50 U	5 ST
Trichloroethene	000079-01-6	5 U	5 U	5 UJ*	5 U	5 U	2.0 U	0.77 J	0.50 U	0.25 U	0.25 U	0.50 U	5 ST
Trichlorofluoromethane	000075-69-4	5 U	5 U	5 UJ*	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	5 ST
Vinyl Acetate	000108-05-4	5 U	5 U	5 UJ*	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	-
Vinyl chloride	000075-01-4	5 U	5 U	5 UJ*	5 U	5 U	2.0 U	3.8	0.50 U	0.25 U	0.25 U	0.50 U	2 ST
m,p-Xylene	001330-20-7	NA	NA	NA	NA	NA	4.0 U	4.0 U	1.0 U	0.50 U	0.50 U	0.50 U	5 ST
o-Xylene	000095-47-6	NA	NA	NA	NA	NA	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	5 ST
Xylene (total)	001330-20-7	5 U	5 U	5 UJ*	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	5 ST
TOTAL VOCs		8	U	5 UJ*	5	6 J	1.57	22.57	0	0	1.2	0.71	-

See Last page for Qualifiers and Notes



SONIA ROAD LANDFILL
POST CLOSURE GROUNDWATER MONITORING PROGRAM
HISTORIC AND CURRENT SAMPLE RESULTS
VOLATILE ORGANIC COMPOUNDS

Sample ID	Volatiles Organic Compounds	CAS #	MW-071 11/4/2008 (ug/l)	MW-071 8/14/2009 (ug/l)	MW-071 2/8/2010 (ug/l)	MW-071 5/26/2011 (ug/l)	MW-071 9/27/2012 (ug/l)	MW-071 11/12/2013 (ug/l)	MW-071 3/18/2015 (ug/l)	MW-071 05/10/2016 (ug/l)	MW-071 8/22/2017 (ug/l)	MW-071 11/29/2018 (ug/l)	MW-071 2/24/2020 (ug/l)	NYSDEC Class GA GROUNDWATER ST/GV
1,1,1,2-Tetrachloroethane	000630-20-6	5U	5U	5U	5U	5U	5U	2.0U	2.0U	0.50U	0.25U	0.25U	0.50U	5ST
1,1,1-Trichloroethane	000071-55-6	5U	5U	5U	5U	5U	5U	2.0U	2.0U	0.50U	0.25U	0.25U	0.50U	5ST
1,1,2,2-Tetrachloroethane	000079-34-5	5U	5U	5U	5U	5U	5U	2.0U	2.0U	0.50U	0.25U	0.25U	0.50U	5ST
1,1,2-Trichloroethane	000079-00-5	5U	5U	5U	5U	5U	5U	2.0U	2.0U	0.50U	0.25U	0.25U	0.50U	5ST
1,1-Dichloroethane	000075-34-3	5U	5U	5U	5U	5U	5U	2.0U	2.0U	0.50U	0.25U	0.25U	0.50U	5ST
1,1-Dichloroethene	000075-35-4	5U	5U	5U	5U	5U	5U	2.0U	2.0U	0.50U	0.25U	0.25U	0.50U	5ST
1,1-Dichloropropene	000563-58-6	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	5ST
1,2,3-Trichloropropane	000096-18-4	5U	5U	5U	5U	5U	5U	2.0U	2.0U	0.50U	0.25U	0.25U	0.50U	0.04ST
1,2-Dibromo-3-chloropropane	000096-12-8	5U	5U	5U	5U	5U	5U	2.0U	2.0U	0.50U	0.030U	0.030U	2.0U	0.04ST
1,2-Dibromoethane	000106-93-4	5U	5U	5U	5U	5U	5U	2.0U	2.0U	0.50U	0.25U	0.25U	0.50U	5ST
1,2-Dichlorobenzene	000095-50-1	5U	5U	5U	5U	5U	5U	2.0U	2.0U	0.50U	0.25U	0.25U	0.50U	3ST
1,2-Dichloroethane	000107-06-2	5U	5U	5U	5U	5U	5U	2.0U	2.0U	0.50U	0.25U	0.25U	0.50U	0.6ST
1,2-Dichloroethene (total)	000540-59-0	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	5ST
1,2-Dichloropropane	000078-87-5	5U	5U	5U	5U	5U	5U	2.0U	2.0U	0.50U	0.25U	0.25U	0.50U	1ST
1,4-Dichlorobenzene	000106-46-7	5U	5U	5U	5U	5U	5U	2.0U	2.0U	0.50U	0.25U	0.25U	0.50U	3ST
2-Butanone	000078-93-3	5U	5U	5U	5U	5U	5U	5.0U	5.0U	1.3U	0.50U	0.50U	1.0U	50GV
2-Hexanone	000591-78-6	5U	5U	5U	5U	5U	5U	5.0U	5.0U	1.3U	0.50U	0.50U	1.0U	50GV
4-Methyl-2-pentanone	000108-10-1	5U	5U	5U	5U	5U	5U	5.0U	5.0U	1.3U	0.50U	0.50U	1.0U	-
Acetone	000067-64-1	5U	5U	5U	5U	5U	5U	5.0U	4.0UB	2.5UB	2.1UB	1.0U	9.3UB	50GV
Acrylonitrile	000107-13-1	5U	5U	5U	5U	5U	5U	2.0U	2.0U	0.50U	0.25U	0.25U	0.50U	5ST
Benzene	000071-43-2	5U	5U	5U	5U	5U	5U	2.0U	2.0U	0.50U	0.25U	0.25U	0.50U	1ST
Bromochloromethane	000074-97-5	5U	5U	5U	5U	5U	5U	2.0U	2.0U	0.50U	0.25U	0.25U	0.50U	5ST
Bromodichloromethane	000075-27-4	5U	5U	5U	5U	5U	5U	2.0U	2.0U	0.50U	0.25U	0.25U	0.50U	50GV
Bromoform	000075-25-2	5U	5U	5U	5U	5U	5U	2.0U	2.0U	0.50U	0.25U	0.25U	0.50U	50GV
Bromomethane	000074-83-9	5U	5U	5U	5U	5U	5U	2.0U	4.0U	1.0U	0.25U	0.25U	1.1UB	5ST
Carbon disulfide	000075-15-0	5U	5U	5U	5U	5U	5U	2.0U	2.0U	0.50U	0.25U	0.25U	0.50U	60GV
Carbon tetrachloride	000056-23-5	5U	5U	5U	5U	5U	5U	2.0U	2.0U	0.50U	0.25U	0.25U	0.50U	5ST
Chlorobenzene	000108-90-7	5U	5U	5U	5U	5U	5U	2.0U	2.0U	0.50U	0.25U	0.25U	0.50U	5ST
Chloroethane	000075-00-3	5U	5U	5U	5U	5U	5U	2.0U	2.0U	0.50U	0.25U	0.25U	0.50U	5ST
Chloroform	000067-66-3	5U	5U	5U	5U	5U	5U	2.0U	2.0U	0.50U	0.25U	0.25U	0.50U	5ST
Chloromethane	000074-87-3	5U	5U	5U	5U	5U	5U	2.0U	2.0U	0.50U	0.25U	0.25U	0.50U	5ST
cis-1,2-Dichloroethane	000156-59-2	19	5U	5U	5U	5U	5U	2.0U	2.0U	0.50U	0.25U	0.25U	0.50U	5ST
cis-1,3-Dichloropropene	010061-01-5	5U	5U	5U	5U	5U	5U	2.0U	2.0U	0.50U	0.25U	0.25U	0.50U	0.4ST
Dibromochloromethane	000124-48-1	5U	5U	5U	5U	5U	5U	2.0U	2.0U	0.50U	0.25U	0.25U	0.50U	50GV
Dibromomethane	000074-95-3	5U	5U	5U	5U	5U	5U	2.0U	2.0U	0.50U	0.25U	0.25U	0.50U	5ST
Ethylbenzene	000100-41-4	5U	5U	5U	5U	5U	5U	2.0U	2.0U	0.50U	0.25U	0.25U	0.50U	5ST
Iodomethane	000074-88-4	5U	5U	5U	5U	5U	5U	2.0U	NA	0.50U	0.25U	0.25U	0.50U	5ST
Methylene chloride	000075-09-2	5U	5U	5U	5U	5U	5U	4.2UB	7.5UB	7.4UB	3.4UB	1.0U	2.7UB	5ST
Styrene	000100-42-5	5U	5U	5U	5U	5U	5U	2.0U	2.0U	0.50U	0.25U	0.25U	0.50U	5ST
Tetrachloroethene	000127-18-4	4J*	5U	5U	5U	5U	5U	2.0U	12	0.50U	0.25U	0.25U	0.50U	5ST
Toluene	000108-88-3	5U	5U	5U	5U	5U	5U	2.0U	2.0U	0.50U	0.25U	0.25U	0.50U	5ST
trans-1,2-Dichloroethene	000156-60-5	5U	5U	5U	5U	5U	5U	2.0U	2.0U	0.50U	0.25U	0.25U	0.50U	5ST
trans-1,3-Dichloropropene	010061-02-6	5U	5U	5U	5U	5U	5U	2.0U	2.0U	0.50U	0.25U	0.25U	0.50U	0.4ST
trans-1,4-Dichloro-2-butene	000110-57-6	5U	5U	5U	5U	5U	5U	1.0U	2.0U	0.50U	0.25U	0.25U	0.50U	5ST
Trichloroethene	000079-01-6	5U	5U	5U	5U	5U	5U	2.0U	2.0U	0.50U	0.25U	0.25U	0.50U	5ST
Trichlorofluoromethane	000075-69-4	5U	5U	5U	5U	5U	5U	2.0U	2.0U	0.50U	0.25U	0.25U	0.50U	5ST
Vinyl Acetate	000108-05-4	5U	5U	5U	5U	5U	5U	2.0U	2.0U	0.50U	0.25U	0.25U	0.50U	-
Vinyl chloride	000075-01-4	5U	5U	5U	5U	5U	5U	2.0U	2.0U	0.50U	0.25U	0.25U	0.50U	2ST
m,p-Xylene	001330-20-7	NA	NA	NA	NA	NA	NA	4.0U	4.0U	1.0U	0.50U	0.50U	0.50U	5ST
o-Xylene	000095-47-6	NA	NA	NA	NA	NA	NA	2.0U	2.0U	0.50U	0.25U	0.25U	0.50U	5ST
Xylene (total)	001330-20-7	5U	5U	5U	5U	5U	5U	NA	NA	NA	1.0U	1.0U	1.5U	5ST
TOTAL VOCs		23	U	5U	5U	5U	2	12	1.4	0	0	0	0	-

See Last page for Qualifiers and Notes



**APPENDIX A-3
SONIA ROAD LANDFILL
POST CLOSURE GROUNDWATER MONITORING PROGRAM
HISTORIC AND CURRENT SAMPLE RESULTS
VOLATILE ORGANIC COMPOUNDS**

Sample ID	CAS #	MW-11D 11/5/2008 (ug/l)	MW-11D 8/13/2009 (ug/l)	MW-11D 2/5/2010 (ug/l)	MW-11D 5/27/2011 (ug/l)	MW-11D 8/29/2012 (ug/l)	MW-11D 11/14/2013 (ug/l)	MW-11D 3/19/2015 (ug/l)	MW-11D 05/12/2016 (ug/l)	MW-11D 8/23/2017 (ug/l)	MW-11D 12/9/2018 (ug/l)	MW-11D 2/27/2020 (ug/l)	NYSDEC Class GA GROUNDWATER ST/GV
1,1,1,2-Tetrachloroethane	000630-20-6	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	5 ST
1,1,1-Trichloroethane	000071-55-6	3 J*	5 U	5 U	5 U	5 U	0.95 J	0.68 J	0.50 U	0.25 U	0.25 U	0.87 J	5 ST
1,1,1,2-Tetrachloroethane	000079-34-5	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	5 ST
1,1,2-Trichloroethane	000079-00-5	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	5 ST
1,1-Dichloroethane	000075-34-3	3 J*	5 U	5 U	5 U	1 J	1.1 J	0.79 J	0.50 U	0.25 U	0.25 U	2.4	5 ST
1,1-Dichloroethane	000075-35-4	3 J*	5 U	5 U	5 U	5 U	0.67 J	2.0 U	0.50 U	0.25 U	0.25 U	0.79 J	5 ST
1,1-Dichloropropane	000563-58-6	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	5 ST
1,2,3-Trichloropropane	000096-18-4	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	0.04 ST
1,2-Dibromo-3-chloropropane	000096-12-8	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.030 U	0.030 U	2.0 U	0.04 ST
1,2-Dibromoethane	000106-93-4	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	5 ST
1,2-Dichlorobenzene	000095-50-1	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	3 ST
1,2-Dichloroethane	000107-06-2	5 U	5 U	5 U	5 U	5 U	2.3	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	0.6 ST
1,2-Dichloroethene (total)	000540-59-0	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	5 ST
1,2-Dichloropropane	000078-87-5	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	1 ST
1,4-Dichlorobenzene	000106-46-7	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	3 ST
2-Butanone	000078-93-3	5 U	5 U	5 U	5 U	5 U	5.0 U	5.0 U	1.0 U	0.50 U	0.50 U	0.50 U	50 GV
2-Hexanone	000591-78-6	5 U	5 U	5 U	5 U	5 U	5.0 U	5.0 U	1.0 U	0.50 U	0.50 U	1.0 U	50 GV
4-Methyl-2-pentanone	000108-10-1	5 U	5 U	5 U	5 U	5 U	5.0 U	5.0 U	1.0 U	0.50 U	0.50 U	1.0 U	-
Acetone	000067-64-1	5 U	5 U	2 BJ	5 U*	5 U	2.4 UB	2.6 UB	3.0 UB	1.0 U	1.0 U	29 UB	50 GV
Acrylonitrile	000107-13-1	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	5 ST
Benzene	000071-43-2	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	5 ST
Bromochloromethane	000074-97-5	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	5 ST
Bromodichloromethane	000075-27-4	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	50 GV
Bromoforn	000075-25-2	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	50 GV
Bromomethane	000074-83-9	5 U	5 U	5 U	5 U*	5 U	2.0 U	4.0 U	1.0 U	0.25 U	0.25 U	0.98 UB	5 ST
Carbon disulfide	000075-15-0	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	60 GV
Carbon tetrachloride	000056-23-5	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	5 ST
Chlorobenzene	000108-90-7	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	5 ST
Chloroethane	000075-00-3	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	5 ST
Chloroform	000067-66-3	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.39 J	0.25 U	0.50 U	7 ST
Chloromethane	000074-87-3	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	5 ST
cis-1,2-Dichloroethene	000156-59-2	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	5 ST
cis-1,3-Dichloropropene	010061-01-5	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	0.4 ST
Dibromochloromethane	000124-48-1	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	50 GV
Dibromomethane	000074-95-3	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	5 ST
Ethylbenzene	000100-41-4	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	5 ST
Iodomethane	000074-88-4	5 U	5 U	5 U	5 U	5 U	1.0 U	NA	0.50 U	0.50 U	0.50 U	1.0 U	5 ST
Methylene chloride	000075-09-2	5 U	5 U*	5 U	5 U	5 U	3.9 UB	8.4 UB	8.5 UB	6.2 UB	1.0 U	4.9 UB	5 ST
Styrene	000100-42-5	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	5 ST
Tetrachloroethene	000127-18-4	1 J*	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	5 ST
Toluene	000108-88-3	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	5 ST
trans-1,2-Dichloroethene	000156-60-5	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	5 ST
trans-1,3-Dichloropropene	010061-02-6	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	0.4 ST
trans-1,4-Dichloro-2-butene	000110-57-6	5 U	5 U	5 U	5 U	5 U	1.0 U	2.0 U	0.50 U	0.50 U	0.50 U	0.50 U	5 ST
Trichloroethene	000079-01-6	2 J*	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	5 ST
Trichlorofluoromethane	000075-69-4	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	5 ST
Vinyl Acetate	000108-05-4	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	-
Vinyl chloride	000075-01-4	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	2 ST
m,p-Xylene	001330-20-7	NA	NA	NA	NA	NA	4.0 U	4.0 U	1.0 U	0.50 U	0.50 U	0.50 U	5 ST
o-Xylene	000095-47-6	NA	NA	NA	NA	NA	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	5 ST
Xylene (total)	001330-20-7	5 U	5 U	5 U	5 U	5 U	NA	NA	1.5 U	1.0 U	1.0 U	1.5 U	5 ST
TOTAL VOCs		12	U	5 U	5 U	1	5.02	1.47	0	0.39	0	3.86	-

See Last page for Qualifiers and Notes



**APPENDIX A-3
SONIA ROAD LANDFILL
POST CLOSURE GROUNDWATER MONITORING PROGRAM
HISTORIC AND CURRENT SAMPLE RESULTS
VOLATILE ORGANIC COMPOUNDS**

Sample ID	CAS #	MW-111 11/4/2008 (ug/l)	MW-111 8/13/2009 (ug/l)	MW-111 2/5/2010 (ug/l)	MW-111 5/27/2011 (ug/l)	MW-111 8/29/2012 (ug/l)	MW-111 11/14/2013 (ug/l)	MW-111 3/19/2015 (ug/l)	MW-111 05/12/2016 (ug/l)	MW-111 8/23/2017 (ug/l)	MW-111 12/3/2018 (ug/l)	MW-111 2/27/2020 (ug/l)	NYSDEC Class GA GROUNDWATER ST/GV
1.1.1.2-Tetrachloroethane	000630-20-6	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	5 ST
1.1.1.1-Trichloroethane	000071-55-6	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	5 ST
1.1.1.2.2-Tetrachloroethane	000079-34-5	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	5 ST
1.1.2-Trichloroethane	000079-00-5	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	1 ST
1.1-Dichloroethane	000075-34-3	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	5 ST
1.1-Dichloroethane	000075-35-4	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	5 ST
1.1-Dichloropropene	000563-58-6	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	5 ST
1.2.3-Trichloropropane	000096-18-4	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	0.04 ST
1.2-Dibromo-3-chloropropane	000096-12-8	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.030 U	0.030 U	2.0 U	0.04 ST
1.2-Dibromoethane	000106-93-4	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	0.0006 ST
1.2-Dichlorobenzene	000095-50-1	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	3 ST
1.2-Dichloroethane	000107-06-2	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	0.6 ST
1.2-Dichloroethane (total)	000540-59-0	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	5 ST
1.2-Dichloropropane	000078-87-5	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	1 ST
1.4-Dichlorobenzene	000106-46-7	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.50 U	0.50 U	0.50 U	3 ST
2-Butanone	000078-93-3	5 U	5 U	5 U	5 U	5 U	5.0 U	5.0 U	1.0 U	0.50 U	0.50 U	1.0 U	50 GV
2-Hexanone	000591-78-6	5 U	5 U	5 U	5 U	5 U	5.0 U	5.0 U	1.0 U	0.50 U	0.50 U	1.0 U	50 GV
4-Methyl-2-pentanone	000108-10-1	5 U	5 U	5 U	5 U	5 U	5.0 U	5.0 U	1.0 U	0.50 U	0.50 U	1.0 U	-
Acetone	000067-64-1	5 U	5 U	5 U	5 U*	5 U	2.4 UB	2.5 UB	3.2 UB	1.0 U	1.0 U	21 UB	50 GV
Acrylonitrile	000107-13-1	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	5 ST
Benzene	000071-43-2	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	5 ST
Bromochloromethane	000074-97-5	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	5 ST
Bromodichloromethane	000075-27-4	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	50 GV
Bromoforn	000075-25-2	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	50 GV
Bromomethane	000074-83-9	5 U	5 U	5 U	5 U*	5 U	2.0 U	2.0 U	1.0 U	0.25 U	0.25 U	0.83 UB	5 ST
Carbon disulfide	000075-15-0	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	60 GV
Carbon tetrachloride	000056-23-5	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	5 ST
Chlorobenzene	000108-90-7	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	5 ST
Chloroethane	000075-00-3	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	5 ST
Chloroform	000067-66-3	2 J*	5 U	5 U	5 U	2 J	0.63 J	0.74 J	0.50 U	0.58 J	0.48 J	0.90 J	7 ST
Chloromethane	000074-87-3	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	5 ST
cis-1,2-Dichloroethene	000156-59-2	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	5 ST
cis-1,3-Dichloropropene	010061-01-5	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	5 ST
Dibromochloromethane	000124-48-1	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	5 ST
Dibromomethane	000074-95-3	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	5 ST
Ethylbenzene	000100-41-4	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	5 ST
Iodomethane	000074-88-4	5 U	5 U	5 U	5 U	5 U	1.0 U	NA	0.50 U	0.50 U	0.50 U	1.0 U	5 ST
Methylene chloride	000075-09-2	5 U	5 U*	5 U	5 U	5 U	3.6 UB	8.9 UB	8.1 UB	5.4 UB	1.0 U	4.3 UB	5 ST
Styrene	000100-42-5	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	5 ST
Tetrahydroethene	000127-18-4	2 J*	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	5 ST
Toluene	000108-88-3	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	5 ST
trans-1,2-Dichloroethene	000156-60-5	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	5 ST
trans-1,3-Dichloropropene	010061-02-6	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	0.4 ST
trans-1,4-Dichloro-2-butene	000110-57-6	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	5 ST
Trichloroethene	000079-01-6	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	5 ST
Trichlorofluoromethane	000075-69-4	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	5 ST
Vinyl Acetate	000108-05-4	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	-
Vinyl chloride	000075-01-4	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	2 ST
m,p-Xylene	001330-20-7	NA	NA	NA	NA	NA	4.0 U	4.0 U	1.0 U	0.50 U	0.50 U	0.50 U	5 ST
o-Xylene	000095-47-6	NA	NA	NA	NA	NA	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	5 ST
Xylene (total)	001330-20-7	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	5 ST
TOTAL VOCs		4	U	5 U	5 U	2	0.63	0.74	0	0.58	0.48	0.9	-

See Last page for Qualifiers and Notes



**APPENDIX A-3
SONIA ROAD LANDFILL
POST CLOSURE GROUNDWATER MONITORING PROGRAM
HISTORIC AND CURRENT SAMPLE RESULTS
VOLATILE ORGANIC COMPOUNDS**

Sample ID	CAS #	MW-11S 11/4/2008 (ug/l)	MW-11S 8/13/2009 (ug/l)	MW-11S 2/5/2010 (ug/l)	MW-11S 5/27/2011 (ug/l)	MW-11S 8/29/2012 (ug/l)	MW-11S 11/14/2013 (ug/l)	MW-11S 3/19/2015 (ug/l)	MW-11S 05/12/2016 (ug/l)	MW-11S 8/23/2017 (ug/l)	MW-11S 12/3/2018 (ug/l)	MW-11S 2/27/2020 (ug/l)	NYSDEC Class GA GROUNDWATER ST/GV
1,1,1,2-Tetrachloroethane	000630-20-6	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	5 ST
1,1,1-Trichloroethane	000071-55-6	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.50 U	0.50 U	5 ST
1,1,2,2-Tetrachloroethane	000079-34-5	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	5 ST
1,1,2-Trichloroethane	000079-00-5	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	5 ST
1,1-Dichloroethane	000075-34-3	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	5 ST
1,1-Dichloroethene	000075-35-4	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	5 ST
1,1-Dichloropropene	000563-58-6	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	5 ST
1,2,3-Trichloropropane	000096-18-4	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	0.04 ST
1,2-Dibromo-3-chloropropane	000096-12-8	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.030 U	0.25 U	2.0 U	0.04 ST
1,2-Dibromoethane	000106-93-4	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	5 ST
1,2-Dichlorobenzene	000095-50-1	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	3 ST
1,2-Dichloroethane	000107-06-2	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	0.6 ST
1,2-Dichloroethene (total)	000540-59-0	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	5 ST
1,2-Dichloropropane	000078-87-5	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	1 ST
1,4-Dichlorobenzene	000106-46-7	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	3 ST
2-Butanone	000078-93-3	5 U	5 U	5 U	5 U	5 U	5.0 U	5.0 U	1.0 U	0.50 U	0.50 U	0.50 U	50 GV
2-Hexanone	000591-78-6	5 U	5 U	5 U	5 U	5 U	5.0 U	5.0 U	1.0 U	0.50 U	0.50 U	1.0 U	50 GV
4-Methyl-2-pentanone	000108-10-1	5 U	5 U	5 U	5 U	5 U	5.0 U	5.0 U	1.0 U	0.50 U	0.50 U	1.0 U	-
Acetone	000067-64-1	4 J*	5 U	5 U	5 U*	5 U	3.0 UB	2.8 UB	3.3 UB	1.0 U	1.0 U	23 UB	50 GV
Acrylonitrile	000107-13-1	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	5 ST
Benzene	000071-43-2	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	1 ST
Bromochloromethane	000074-97-5	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	5 ST
Bromodichloromethane	000075-27-4	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	50 GV
Bromomethane	000075-25-2	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	50 GV
Bromomethane	000074-83-9	5 U	5 U	5 U	5 U*	5 U	2.0 U	2.0 U	1.0 U	0.25 U	0.25 U	0.86 UB	5 ST
Carbon disulfide	000075-15-0	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	60 GV
Carbon tetrachloride	000056-23-5	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	5 ST
Chlorobenzene	000108-90-7	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	5 ST
Chloroethane	000075-00-3	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	5 ST
Chloroform	000067-66-3	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.90 J	7 ST
Chloromethane	000074-87-3	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	5 ST
cis-1,2-Dichloroethene	000156-59-2	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	5 ST
cis-1,3-Dichloropropene	010061-01-5	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	0.4 ST
Dibromochloromethane	000124-48-1	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	50 GV
Dibromomethane	000074-95-3	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	5 ST
Ethylbenzene	000100-41-4	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	5 ST
Iodomethane	000074-88-4	5 U	5 U	5 U	5 U	5 U	1.0 U	NA	0.50 U	0.50 U	0.50 U	1.0 U	5 ST
Methylene chloride	000075-09-2	5 U	5 U*	5 U	5 U	5 U	5.1 UB	8.4 UB	9.0 UB	3.2 UB	1.0 U	4.7 UB	5 ST
Styrene	000109-42-5	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	5 ST
Tetrachloroethane	000127-18-4	5 U	5 U	5 U	5 U	2 J	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	5 ST
Toluene	000108-88-3	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	5 ST
trans-1,2-Dichloroethene	000156-60-5	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	5 ST
trans-1,3-Dichloropropene	010061-02-6	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	0.4 ST
trans-1,4-Dichloro-2-butene	000110-57-6	5 U	5 U	5 U	5 U	5 U	1.0 U	2.0 U	0.50 U	0.50 U	0.50 U	0.50 U	5 ST
Trichloroethene	000079-01-6	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	1.8 J	0.60 J	0.77 J	0.50 U	5 ST
Trichlorofluoromethane	000075-69-4	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	5 ST
Vinyl Acetate	000108-05-4	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	-
Vinyl chloride	000075-01-4	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	2 ST
m,p-Xylene	001330-20-7	NA	NA	NA	NA	NA	4.0 U	4.0 U	1.0 U	0.50 U	0.50 U	0.50 U	5 ST
o-Xylene	000095-47-6	NA	NA	NA	NA	NA	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	5 ST
Xylene (total)	0001330-20-7	5 U	5 U	5 U	5 U	5 U	NA	NA	1.5 U	1.0 U	1.0 U	1.5 U	5 ST
TOTAL VOCs		4	U	5 U	5 U	2	0	0	1.8	0.6	0.77	0.9	-

See Last page for Qualifiers and Notes



**APPENDIX A-3
SONIA ROAD LANDFILL
POST CLOSURE GROUNDWATER MONITORING PROGRAM
HISTORIC AND CURRENT SAMPLE RESULTS
VOLATILE ORGANIC COMPOUNDS**

Sample ID	CAS #	MW-12D 11/4/2008 (ug/l)	MW-12D 8/13/2009 (ug/l)	MW-12D 2/5/2010 (ug/l)	MW-12D 5/27/2011 (ug/l)	MW-12D 8/29/2012 (ug/l)	MW-12D 11/14/2013 (ug/l)	MW-12D 3/20/2015 (ug/l)	MW-12D 05/12/2016 (ug/l)	MW-12D 8/23/2017 (ug/l)	MW-12D 12/9/2018 (ug/l)	MW-12D 2/26/2020 (ug/l)	NYSDEC Class GA GROUNDWATER ST/GV
1,1,1,2-Tetrachloroethane	000630-20-6	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	5 ST
1,1,1-Trichloroethane	000071-55-6	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	5 ST
1,1,2,2-Tetrachloroethane	000079-34-5	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	5 ST
1,1,2-Trichloroethane	000079-00-5	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	5 ST
1,1-Dichloroethane	000075-34-3	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	5 ST
1,1-Dichloroethene	000075-35-4	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	5 ST
1,1-Dichloropropene	000563-58-6	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	5 ST
1,2,3-Trichloropropane	000096-18-4	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	0.04 ST
1,2-Dibromo-3-chloropropane	000096-12-8	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.030 U	0.030 U	2.0 U	0.04 ST
1,2-Dibromoethane	000106-93-4	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	5 ST
1,2-Dichlorobenzene	000095-50-1	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	3 ST
1,2-Dichloroethane	000107-06-2	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	0.6 ST
1,2-Dichloroethene (total)	000540-59-0	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	5 ST
1,2-Dichloropropane	000078-87-5	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	1 ST
1,4-Dichlorobenzene	000109-46-7	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	3 ST
2-Butanone	000078-93-3	5 U	5 U	5 U	5 U	5 U	5.0 U	5.0 U	1.0 U	0.50 U	0.50 U	0.50 U	50 GV
2-Hexanone	000591-78-6	5 U	5 U	5 U	5 U	5 U	5.0 U	5.0 U	1.0 U	0.50 U	0.50 U	1.0 U	50 GV
4-Methyl-2-pentanone	000108-10-1	5 U	5 U	5 U	5 U	5 U	5.0 U	5.0 U	1.0 U	0.50 U	0.50 U	1.0 U	-
Acetone	000067-64-1	5 U	5 U	1 BJ	5 U*	5 U	2.7 UB	2.2 UB	2.7 UB	1.0 U	1.0 U	18 UB	50 GV
Acrylonitrile	000107-13-1	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	5 ST
Benzene	000071-43-2	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	1 ST
Bromochloromethane	000074-97-5	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	5 ST
Bromodichloromethane	000075-27-4	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	50 GV
Bromoform	000075-25-2	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	50 GV
Bromomethane	000074-83-9	5 U	5 U	5 U	5 U	5 U	2.0 U	4.0 U	1.0 U	0.25 U	0.25 U	0.75 UB	5 ST
Carbon disulfide	000075-15-0	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	60 GV
Carbon tetrachloride	000056-23-5	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	5 ST
Chlorobenzene	000108-90-7	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	5 ST
Chloroethane	000075-00-3	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	5 ST
Chloroform	000067-66-3	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.30 J	0.25 U	0.51 J	7 ST
Chloromethane	000074-87-3	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	5 ST
cis-1,2-Dichloroethene	000156-59-2	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	5 ST
cis-1,3-Dichloropropene	010061-01-5	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	0.4 ST
Dibromochloromethane	000124-48-1	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	50 GV
Dibromomethane	000074-95-3	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	5 ST
Ethylbenzene	000100-41-4	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	5 ST
Iodomethane	000074-88-4	5 U	5 U	5 U	5 U	5 U	1.0 U	NA	0.50 U	0.50 U	1.0 U	5 ST	
Methylene chloride	000075-09-2	5 U	5 U	5 U	5 U	5 U	4.9 UB	10 UB	8.0 UB	7.2 UB	1.0 U	4.7 UB	5 ST
Styrene	000100-42-5	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	5 ST
Tetrachloroethane	000127-18-4	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	5 ST
Toluene	000108-88-3	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	5 ST
trans-1,2-Dichloroethene	000156-60-5	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	5 ST
trans-1,3-Dichloropropene	010061-02-6	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	0.4 ST
trans-1,4-Dichloro-2-butene	000110-57-6	5 U	5 U	5 U	5 U	5 U	1.0 U	2.0 U	0.50 U	0.50 U	0.50 U	0.50 U	5 ST
Trichloroethene	000079-01-6	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	5 ST
Trichlorofluoromethane	000075-69-4	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	5 ST
Vinyl Acetate	000108-05-4	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	-
Vinyl chloride	000075-01-4	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	2 ST
m,p-Xylene	001330-20-7	NA	NA	NA	NA	NA	4.0 U	4.0 U	1.0 U	0.50 U	0.50 U	0.50 U	5 ST
o-Xylene	000095-47-6	NA	NA	NA	NA	NA	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	5 ST
Xylene (total)	001330-20-7	5 U	5 U	5 U	5 U	5 U	NA	NA	1.5 U	1.0 U	1.0 U	1.5 U	5 ST
TOTAL VOCs		U	U	U	5 U	5 U	0	0	0	0.3	0	0.51	-

See Last page for Qualifiers and Notes



APPENDIX A-3
SONIA ROAD LANDFILL
POST CLOSURE GROUNDWATER MONITORING PROGRAM
HISTORIC AND CURRENT SAMPLE RESULTS
VOLATILE ORGANIC COMPOUNDS

Sample ID	CAS #	MW-121 11/4/2008 (ug/l)	MW-121 8/13/2009 (ug/l)	MW-121 2/5/2010 (ug/l)	MW-121 5/27/2011 (ug/l)	MW-121 8/29/2012 (ug/l)	MW-121 11/14/2013 (ug/l)	MW-121 3/20/2015 (ug/l)	MW-121 05/12/2016 (ug/l)	MW-121 8/23/2017 (ug/l)	MW-121 12/9/2018 (ug/l)	MW-121 2/26/2020 (ug/l)	NYSDEC Class GA GROUNDWATER ST/GV
1,1,1,2-Tetrachloroethane	000630-20-6	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	5 ST
1,1,1-Trichloroethane	000071-55-6	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	5 ST
1,1,2,2-Tetrachloroethane	000079-34-5	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	5 ST
1,1,2-Trichloroethane	000079-00-5	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	5 ST
1,1-Dichloroethane	000075-34-3	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	5 ST
1,1-Dichloroethene	000075-35-4	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	5 ST
1,1-Dichloropropene	000563-58-6	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	5 ST
1,2,3-Trichloropropane	000096-18-4	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	0.04 ST
1,2-Dibromo-3-chloropropane	000096-12-8	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	2.0 U	0.04 ST
1,2-Dibromoethane	000106-93-4	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	5 ST
1,2-Dichlorobenzene	000095-50-1	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	3 ST
1,2-Dichloroethane	000107-06-2	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	0.6 ST
1,2-Dichloroethene (total)	000540-59-0	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	5 ST
1,2-Dichloropropane	000078-87-5	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	1 ST
1,4-Dichlorobenzene	000106-46-7	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	3 ST
2-Butanone	000078-93-3	5 U	5 U	5 U	5 U	5 U	5.0 U	5.0 U	1.0 U	0.50 U	0.50 U	0.50 U	50 GV
2-Hexanone	000591-78-6	5 U	5 U	5 U	5 U	5 U	5.0 U	5.0 U	1.0 U	0.50 U	0.50 U	0.50 U	50 GV
4-Methyl-2-pentanone	000108-10-1	5 U	5 U	5 U	5 U	5 U	5.0 U	5.0 U	1.0 U	0.50 U	0.50 U	1.0 U	-
Acetone	000067-64-1	5 U	5 U	1 BJ	5 U	2 JU	2.1 UB	3.1 UB	2.8 UB	1.0 U	1.0 U	16 UB	50 GV
Acrylonitrile	000107-13-1	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	5 ST
Benzene	000071-43-2	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	5 ST
Bromochloromethane	000074-97-5	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	1 ST
Bromodichloromethane	000075-27-4	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	5 ST
Bromoform	000075-25-2	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	50 GV
Bromomethane	000074-83-9	5 U	5 U	5 U	5 U	5 U	2.0 U	4.0 U	1.0 U	0.25 U	0.25 U	0.70 UB	5 ST
Carbon disulfide	000075-15-0	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	60 GV
Carbon tetrachloride	000056-23-5	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	5 ST
Chlorobenzene	000106-90-7	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	5 ST
Chloroethane	000075-00-3	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	5 ST
Chloroform	000067-66-3	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	5 ST
Chloromethane	000074-87-3	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	7 ST
cis-1,2-Dichloroethene	000156-59-2	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	5 ST
cis-1,3-Dichloropropene	010061-01-5	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	0.4 ST
Dibromochloromethane	000124-48-1	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	50 GV
Dibromomethane	000074-95-3	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	5 ST
Ethylbenzene	000100-41-4	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	5 ST
Iodomethane	000074-88-4	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	5 ST
Methylene chloride	000075-09-2	5 U	5 U	5 U	5 U	5 U	1.0 U	NA	0.50 U	0.50 U	0.50 U	1.0 U	5 ST
Styrene	000100-42-5	5 U	5 U	5 U	5 U	5 U	4.7 UB	10 UB	8.2 UB	5.8 UB	1.0 U	5.0 UB	5 ST
Tetraethylenethane	000127-18-4	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	5 ST
Toluene	000108-88-3	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	5 ST
trans-1,2-Dichloroethene	000156-60-5	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	5 ST
trans-1,3-Dichloropropene	010061-02-6	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	0.4 ST
trans-1,4-Dichloro-2-butene	000110-57-6	5 U	5 U	5 U	5 U	5 U	1.0 U	2.0 U	0.50 U	0.50 U	0.50 U	0.50 U	5 ST
Trichloroethane	000079-01-6	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	5 ST
Trichlorofluoromethane	000075-69-4	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	5 ST
Vinyl Acetate	000108-05-4	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	-
Vinyl chloride	000075-01-4	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	2 ST
m,p-Xylene	001330-20-7	NA	NA	NA	NA	NA	4.0 U	4.0 U	1.0 U	0.50 U	0.50 U	0.50 U	5 ST
o-Xylene	000095-47-6	NA	NA	NA	NA	NA	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	5 ST
Xylene (total)	001330-20-7	5 U	5 U	5 U	5 U	5 U	NA	NA	1.5 U	1.0 U	1.0 U	1.5 U	5 ST
TOTAL VOCs		U	U	1	5 U	2	0	0	0	0	0	0	-

See Last page for Qualifiers and Notes



SONIA ROAD LANDFILL
POST CLOSURE GROUNDWATER MONITORING PROGRAM
HISTORIC AND CURRENT SAMPLE RESULTS
VOLATILE ORGANIC COMPOUNDS

Sample ID	CAS #	MW-12S 11/4/2008 (ug/l)	MW-12S 8/13/2009 (ug/l)	MW-12S 2/5/2010 (ug/l)	MW-12S 5/27/2011 (ug/l)	MW-12S 8/29/2012 (ug/l)	MW-12S 11/14/2013 (ug/l)	MW-12S 3/20/2015 (ug/l)	MW-12S 05/12/2016 (ug/l)	MW-12S 8/23/2017 (ug/l)	MW-12S 12/3/2018 (ug/l)	MW-12S 2/26/2020 (ug/l)	NYSDEC Class GA GROUNDWATER ST/GV
1,1,1,2-Tetrachloroethane	000630-20-6	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	5 ST
1,1,1-Trichloroethane	000071-55-6	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	5 ST
1,1,2,2-Tetrachloroethane	000079-34-5	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	5 ST
1,1,2-Trichloroethane	000079-00-5	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	5 ST
1,1-Dichloroethane	000075-34-3	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	5 ST
1,1-Dichloroethene	000075-35-4	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	5 ST
1,1-Dichloropropene	000563-58-6	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	5 ST
1,2,3-Trichloropropane	000096-18-4	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	0.04 ST
1,2-Dibromo-3-chloropropane	000096-12-8	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.030 U	0.030 U	2.0 U	0.04 ST
1,2-Dibromoethane	000106-93-4	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	5 ST
1,2-Dichlorobenzene	000095-50-1	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	3 ST
1,2-Dichloroethane	000107-06-2	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	0.6 ST
1,2-Dichloroethene (total)	000540-59-0	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	5 ST
1,2-Dichloropropane	000078-87-5	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	1 ST
1,4-Dichlorobenzene	000106-46-7	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	3 ST
2-Butanone	000078-93-3	5 U	5 U	5 U	5 U	5 U	5.0 U	5.0 U	1.0 U	0.50 U	0.50 U	0.50 U	50 GV
2-Hexanone	000591-78-6	5 U	5 U	5 U	5 U	5 U	5.0 U	5.0 U	1.0 U	0.50 U	0.50 U	1.0 U	50 GV
4-Methyl-2-pentanone	000108-10-1	5 U	5 U	5 U	5 U	5 U	5.0 U	5.0 U	1.0 U	0.50 U	0.50 U	1.0 U	50 GV
Acetone	000067-64-1	5 U	5 U	5 U	5 U*	3 U	2.2 UB	2.9 UB	3.1 UB	2.3 UB	1.0 U	17 UB	50 GV
Acrylonitrile	000107-13-1	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	5 ST
Benzene	000071-43-2	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	1 ST
Bromochloromethane	000074-97-5	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	5 ST
Bromodichloromethane	000075-27-4	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	50 GV
Bromoform	000075-25-2	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	50 GV
Bromomethane	000074-83-9	5 U	5 U	5 U	5 U*	5 U	2.0 U	4.0 U	1.0 U	0.25 U	0.25 U	0.63 UB	5 ST
Carbon disulfide	000075-15-0	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	60 GV
Carbon tetrachloride	000056-23-5	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	5 ST
Chlorobenzene	000108-90-7	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	5 ST
Chloroethane	000075-00-3	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	5 ST
Chloroform	000067-66-3	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	7 ST
Chloromethane	000074-87-3	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	5 ST
cis-1,2-Dichloroethene	000156-59-2	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.72 J	5 ST
cis-1,3-Dichloropropene	010061-01-5	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	0.4 ST
Dibromochloromethane	000124-48-1	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	50 GV
Dibromomethane	000074-95-3	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	5 ST
Ethylbenzene	000109-41-4	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	5 ST
Iodomethane	000074-88-4	5 U	5 U	5 U	5 U	5 U	1.0 U	NA	0.50 U	0.50 U	1.0 U	1.0 U	5 ST
Methylene chloride	000075-09-2	5 U	5 U*	5 U	5 U	5 U	4.1 UB	9.6 UB	8.4 UB	5.5 UB	1.0 U	4.4 UB	5 ST
Styrene	000100-42-5	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	5 ST
Tetrachloroethene	000127-18-4	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.76 J	5 ST
Toluene	000108-88-3	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	5 ST
trans-1,2-Dichloroethene	000156-60-5	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	5 ST
trans-1,3-Dichloropropene	010061-02-6	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	0.4 ST
trans-1,4-Dichloro-2-butene	000110-57-6	5 U	5 U	5 U	5 U	5 U	1.0 U	2.0 U	0.50 U	0.50 U	0.50 U	0.50 U	5 ST
Trichloroethene	000079-01-6	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	5 ST
Trichlorofluoromethane	000075-69-4	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	5 ST
Vinyl Acetate	000108-05-4	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	-
Vinyl chloride	000075-01-4	5 U	5 U	5 U	5 U	5 U	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	2 ST
m,p-Xylene	001330-20-7	NA	NA	NA	NA	NA	4.0 U	4.0 U	1.0 U	0.50 U	0.50 U	1.0 U	5 ST
o-Xylene	000095-47-6	NA	NA	NA	NA	NA	2.0 U	2.0 U	0.50 U	0.25 U	0.25 U	0.50 U	5 ST
Xylene (total)	0001330-20-7	5 U	5 U	5 U	5 U	5 U	NA	NA	1.5 U	1.0 U	1.0 U	1.5 U	5 ST
TOTAL VOCs		U	U	5 U	5 U	4	0	0	0	0	0	1.48	-

See Last page for Qualifiers and Notes



APPENDIX A-3
SONIA ROAD LANDFILL
POST CLOSURE GROUNDWATER MONITORING PROGRAM
HISTORIC AND CURRENT SAMPLE RESULTS
VOLATILE ORGANIC COMPOUNDS

QUALIFIERS

- B: Compound was found in the method blank as well as the sample
- U: Compound was analyzed for but not detected at the detection limit shown.
- E: Concentration exceeds instrument calibration range; value estimated.
- D: Result taken from analysis at a secondary dilution.
- U* or UB: Result qualified as non-detect based on validation criteria
- J or J*:: Compound was found at a concentration below the detection limit, value estimated based on validation criteria



Parameter exceeds Standard/Guidance Value

NOTES

- GV: Guidance Value
- ST: Standard
- : No standard or guidance value
- NA: Not Analyzed

APPENDIX B



Water Quality Graphs



J:_HazWaste\3371 Sonia Road Landfill\Graphs\MW-1 amm.grf





Sonia Road Landfill
 Historical Ammonia Data for Monitoring Well Cluster 1



J:_HazWaste\3371 Sonia Road Landfill\Graphs\MW-1fermn.grf





Sonia Road Landfill
 Historical Sum of Iron and Manganese Data for
 Monitoring Well Cluster 1



J:_HazWaste\3371 Sonia Road Landfill\Graphs\MW-1na.grf





Sonia Road Landfill
Historical Sodium Data for Monitoring Well Cluster 1



J:_HazWaste\3371 Sonia Road Landfill\Graphs\MW-2amm.grf





Sonia Road Landfill
 Historical Ammonia Data for Monitoring Well Cluster 2



J:_HazWaste\3371 Sonia Road Landfill\Graphs\MW-2temn.grf





Sonia Road Landfill
 Historical Sum of Iron and Manganese Data for
 Monitoring Well Cluster 2



J:_HazWaste\3371 Sonia Road Landfill\Graphs\MW-2na.grf





Sonia Road Landfill
 Historical Sodium Data for Monitoring Well Cluster 2



J:_HazWaste\3371 Sonia Road Landfill\Graphs\MW-4amm.grf





Sonia Road Landfill
Historical Ammonia Data for Monitoring Well Cluster 4



J:_HazWaste\3371 Sonia Road Landfill\Graphs\MW-4fermn.grf





Sonia Road Landfill
 Historical Sum of Iron and Manganese Data for
 Monitoring Well Cluster 4



J:_HazWaste\3371 Sonia Road Landfill\Graphs\MW-4na.grf





Sonia Road Landfill
Historical Sodium Data for Monitoring Well Cluster 4



J:_HazWaste\3371 Sonia Road Landfill\Graphs\MW-5amm.grf





Sonia Road Landfill
 Historical Ammonia Data for Monitoring Well Cluster 5



J:_HazWaste\3371 Sonia Road Landfill\Graphs\MW-5fermn.grf





Sonia Road Landfill
 Historical Sum of Iron and Manganese Data for
 Monitoring Well Cluster 5



J:_HazWaste\3371 Sonia Road Landfill\Graphs\MW-5na.grf





Sonia Road Landfill
Historical Sodium Data for Monitoring Well Cluster 5



J:_HazWaste\3371 Sonia Road Landfill\Graphs\MW-6amm.grf





Sonia Road Landfill
 Historical Ammonia Data for Monitoring Well Cluster 6



J:_HazWaste\3371 Sonia Road Landfill\Graphs\MW-06femn.grf





Sonia Road Landfill
 Historical Sum of Iron and Manganese Data for
 Monitoring Well Cluster 6



J:_HazWaste\3371 Sonia Road Landfill\Graphs\MW-6na.grf





Sonia Road Landfill
Historical Sodium Data for Monitoring Well Cluster 6



J:_HazWaste\3371 Sonia Road Landfill\Graphs\MW-11amm.grf





Sonia Road Landfill
 Historical Ammonia Data for Monitoring Well Cluster 11



J:_HazWaste\3371 Sonia Road Landfill\Graphs\MW-11fermn.grf





Sonia Road Landfill
 Historical Sum of Iron and Manganese Data for
 Monitoring Well Cluster 11



J:_HazWaste\3371 Sonia Road Landfill\Graphs\MW-11na.grf





Sonia Road Landfill
Historical Sodium Data for Monitoring Well Cluster 11



J:_HazWaste\3371 Sonia Road Landfill\Graphs\MW-12amm.grf





Sonia Road Landfill
 Historical Ammonia Data for Monitoring Well Cluster 12



J:_HazWaste\3371 Sonia Road Landfill\Graphs\MW-12fermn.grf





Sonia Road Landfill
 Historical Sum of Iron and Manganese Data for
 Monitoring Well Cluster 12



J:_HazWaste\3371 Sonia Road Landfill\Graphs\MW-12na.grf





Sonia Road Landfill
 Historical Sodium Data for Monitoring Well Cluster 12





J:_HazWaste\3371 Sonia Road Landfill\Graphs\MW-37amm.grf



Sonia Road Landfill
 Historical Ammonia Data for Monitoring Wells 3S and 7I



J:_HazWaste\3371 Sonia Road Landfill\Graphs\MW-37femn.grf



J:_HazWaste\8371 Sonia Road Landfill\Graphs\MW-37na.grf



Sonia Road Landfill
Historical Sodium Data for Monitoring Wells 3S and 71

APPENDIX C

Data Validation Forms

DATA VALIDATION CHECKLIST

Project Name:	Sonia Road Landfill	
Project Number:	3371-13A	
Sample Date(s):	February 24, 2020	
Sample Team:	Keith Robins	
Matrix/Number of Samples:	<u>Water/ 9</u> <u>Field Duplicates/ 1</u> <u>Trip Blanks / 1</u> <u>Field Blanks/ 0</u>	
Analyzing Laboratory:	American Analytical Laboratories, Farmingdale, NY or Pace Analytical, Melville, NY	
Analyses:	<u>Volatile Organic Compounds (VOCs):</u> by SW846 8260D analyzed by American Analytical Laboratories <u>Metals:</u> by SW846 Method E200.7 and mercury by Method E245.1 analyzed by American Analytical Laboratories <u>General Chemistry:</u> Hexavalent Chromium (SM3500-CR), Amenable cyanide (SW9021B), Cyanide by Method E335.4, Hardness (E200.7), Bromide, Chloride & Sulfate (EPA 300.0), Total Dissolved Solids (SM2540C), Alkalinity (SM2320B), Ammonia (E350.1), Nitrate (E353.2), Total Kjeldahl Nitrogen (E351.2), Phenolics (EPA 420.4) and Chemical Oxygen Demand (COD) (E410.4) and Total Organic Carbon (SM 5310B) analyzed by American Analytical Laboratories; and Biochemical Oxygen Demand (BOD) (SM5210B) and Color (SM 2120B) analyzed by Pace Analytical	
Laboratory Report No:	2002158	Date: 3/6/2020

ANALYTICAL DATA PACKAGE DOCUMENTATION GENERAL INFORMATION

	Reported		Performance Acceptable		Not Required
	No	Yes	No	Yes	
1. Sample results		X		X	
2. Parameters analyzed		X		X	
3. Method of analysis		X		X	
4. Sample collection date		X		X	
5. Laboratory sample received date		X		X	
6. Sample analysis date		X		X	
7. Copy of chain-of-custody form signed by Lab sample custodian		X		X	
8. Narrative summary of QA or sample problems provided		X		X	

QA - quality assurance

Comments:

The data packages have been reviewed in accordance with the NYSDEC 6/05 ASP Quality Assurance/ Quality Control (QA/QC) requirements. The monitoring program requires a 20% validation. A validation was conducted on the data package and any applicable qualification of the data was determined using the USEPA National Functional Guidelines of Organic Data Review, January 2017, or USEPA National Functional Guidelines of Inorganic Data Review, January 2017, method performance criteria, and D&B Engineers and Architects, P.C. professional judgment. The qualification of data discussed within this data validation checklist did not impact the usability of the sample results.

**Custody Numbers:2002158
SAMPLE AND ANALYSIS LIST**

Sample ID	Lab ID	Sample Collection Date	Parent Sample	Analysis				
				VOC	SVOC	PCB	MET	MISC
Trip Blank	2002158-001	2/24/2020		X				
MW-1S	2002158-002	2/24/2020		X			X	X
MW-1I	2002158-003	2/24/2020		X			X	X
MW-1D	2002158-004	2/24/2020		X			X	X
MW-2D	2002158-005	2/24/2020		X			X	X
MW-2I	2002158-006	2/24/2020		X			X	X
MW-7I	2002158-007	2/24/2020		X			X	X
Blind Dup-1	2002158-008	2/24/2020	MW-7I	X			X	X
MW-6D	2002158-009	2/24/2020		X			X	X
MW-6I	2002158-010	2/24/2020		X			X	X
MW-6S	2002158-011	2/24/2020		X			X	X

ORGANIC ANALYSE VOCS

	Reported		Performance Acceptable		Not Required
	No	Yes	No	Yes	
1. Holding times		X		X	
2. Blanks					
A. Method blanks		X	X		
B. Trip blanks		X	X		
C. Field blanks					X
3. Matrix spike (MS) %R		X	X		
4. Matrix spike duplicate (MSD) %R		X	X		
5. MS/MSD precision (RPD)		X		X	
6. Laboratory control sample (LCS) %R		X	X		
7. Surrogate spike recoveries		X		X	
8. Instrument performance check		X		X	
9. Internal standard responses		X		X	
10. Initial calibration RRF's and %RSD's		X		X	
11. Continuing calibration RRF's and %D's		X		X	
12. Transcriptions – quant report vs. Form I		X		X	
13. Field duplicates RPD		X		X	
14. Tentatively Identified Compounds (TICs)					X

VOCs - volatile organic compounds
%R - percent recovery

%D - percent difference
%RSD - percent relative standard deviation

RRF - relative response factor
RPD - relative percent difference

Comments:

Performance was acceptable, except for the following:

2A&B. Acetone, methylene chloride and bromomethane were detected in the Trip Blank and method blank and were qualified as non-detect (UB) in all samples.

3,4&6. The %R were above the QC limits for 1,2,3-trichloropropane, 1,2-dibromo-3-chloropropane, 2-butanone, 2-hexanone, 4-methyl-2-pentanone, acetone, acrylonitrile and vinyl acetate in the MS, LCS and/or MSD. They were not detected in the samples therefore qualification of the data was not necessary.

**INORGANIC ANALYSES
METALS**

	Reported		Performance Acceptable		Not Required
	No	Yes	No	Yes	
1. Holding times		X		X	
2. Blanks					
A. Preparation, method and calibration blanks		X		X	
B. Field blanks					X
3. Initial calibration verification %R		X		X	
4. Continuing calibration verification %R		X		X	
5. CRQL standard %R		X		X	
6. Interference check sample %R		X		X	
7. Laboratory control sample %R		X		X	
8. Spike sample %R		X		X	
9. Post digestive spike sample %R					X
10. Duplicate %RPD		X		X	
11. Serial dilution check %D					X
12. Field duplicates RPD		X		X	

%R - percent recovery

%D - percent difference

RPD - relative percent difference

Comments:

Performance was acceptable.

**INORGANIC ANALYSES
GENERAL CHEMISTRY**

	Reported		Performance Acceptable		Not Required
	No	Yes	No	Yes	
1. Holding times		X		X	
2. Blanks					
A. Laboratory blanks		X		X	
B. Field blanks					X
3. Initial & Continuing calibration verification %R		X		X	
4. Laboratory spike %R		X		X	
5. Laboratory duplicate RPD		X		X	
6. Matrix spike and matrix spike duplicate %R		X	X		
7. Field duplicates RPD		X		X	

%R percent recovery
RSD - relative standard deviation

RPD - relative percent difference

%D – percent difference

Comments:


Performance was acceptable, except the following:

- The %R for chloride was below the QC limit in the MS associated with all samples. Chloride was qualified as estimated (J) in all samples.

**DATA VALIDATION AND
QUALIFICATION SUMMARY**

Laboratory Numbers:2002158

Sample ID	Analyte(s)	Qualifier	Reason(s)
<u>VOCs</u>			
All samples	Acetone, methylene chloride and bromomethane	UB	Detected in the Trip Blank and method blank
<u>Metals</u>			
No qualification of the data was necessary.			
<u>General Chemistry</u>			
All samples	Chloride	J	The %R was below the QC limit in the MS

VALIDATION PERFORMED BY & DATE:	Donna M. Brown 3/24/2020
VALIDATION PERFORMED BY SIGNATURE:	

DATA VALIDATION CHECKLIST

Project Name:	Sonia Road Landfill		
Project Number:	3371-13A		
Sample Date(s):	February 25, 2020		
Sample Team:	Keith Robins		
Matrix/Number of Samples:	<u>Water/ 7</u> <u>Field Duplicates/ 0</u> <u>Trip Blanks / 1</u> <u>Field Blanks/ 0</u>		
Analyzing Laboratory:	American Analytical Laboratories, Farmingdale, NY or Pace Analytical, Melville, NY		
Analyses:	<u>Volatile Organic Compounds (VOCs):</u> by SW846 8260D analyzed by American Analytical Laboratories <u>Metals:</u> by SW846 Method E200.7 and mercury by Method E245.1 analyzed by American Analytical Laboratories <u>General Chemistry:</u> Hexavalent Chromium (SM3500-CR), Amenable cyanide (SW9021B), Cyanide by Method E335.4, Hardness (E200.7), Bromide, Chloride & Sulfate (EPA 300.0), Total Dissolved Solids (SM2540C), Alkalinity (SM2320B), Ammonia (E350.1), Nitrate (E353.2), Total Kjeldahl Nitrogen (E351.2), Phenolics (EPA 420.4) and Chemical Oxygen Demand (COD) (E410.4) and Total Organic Carbon (SM 5310B) analyzed by American Analytical Laboratories; and Biochemical Oxygen Demand (BOD) (SM5210B) and Color (SM 2120B) analyzed by Pace Analytical		
Laboratory Report No:	2002168	Date:	3/9/2020

ANALYTICAL DATA PACKAGE DOCUMENTATION GENERAL INFORMATION

	Reported		Performance Acceptable		Not
	No	Yes	No	Yes	Required
1. Sample results		X		X	
2. Parameters analyzed		X		X	
3. Method of analysis		X		X	
4. Sample collection date		X		X	
5. Laboratory sample received date		X		X	
6. Sample analysis date		X		X	
7. Copy of chain-of-custody form signed by Lab sample custodian		X		X	
8. Narrative summary of QA or sample problems provided		X		X	

QA - quality assurance

Comments:

The data packages have been reviewed in accordance with the NYSDEC 6/05 ASP Quality Assurance/ Quality Control (QA/QC) requirements. The monitoring program requires a 20% validation. A validation was conducted on the data package and any applicable qualification of the data was determined using the USEPA National Functional Guidelines of Organic Data Review, January 2017, or USEPA National Functional Guidelines of Inorganic Data Review, January 2017, method performance criteria, and D&B Engineers and Architects, P.C. professional judgment. The qualification of data discussed within this data validation checklist did not impact the usability of the sample results.

**Custody Numbers:2002168
SAMPLE AND ANALYSIS LIST**

Sample ID	Lab ID	Sample Collection Date	Parent Sample	Analysis				
				VOC	SVOC	PCB	MET	MISC
Trip Blank	2002168-001	2/25/2020		X				
MW-4D	2002168-002	2/25/2020		X			X	X
MW-4I	2002168-003	2/25/2020		X			X	X
MW-4S	2002168-004	2/25/2020		X			X	X
MW-5D	2002168-005	2/25/2020		X			X	X
MW-5I	2002168-006	2/25/2020		X			X	X
MW-5S	2002168-007	2/25/2020		X			X	X
MW-3S	2002168-008	2/25/2020		X			X	X

ORGANIC ANALYSE VOCS

	Reported		Performance Acceptable		Not Required
	No	Yes	No	Yes	
1. Holding times		X		X	
2. Blanks					
A. Method blanks		X	X		
B. Trip blanks		X	X		
C. Field blanks					X
3. Matrix spike (MS) %R		X	X		
4. Matrix spike duplicate (MSD) %R		X	X		
5. MS/MSD precision (RPD)		X		X	
6. Laboratory control sample (LCS) %R		X	X		
7. Surrogate spike recoveries		X		X	
8. Instrument performance check		X		X	
9. Internal standard responses		X		X	
10. Initial calibration RRF's and %RSD's		X		X	
11. Continuing calibration RRF's and %D's		X		X	
12. Transcriptions – quant report vs. Form I		X		X	
13. Field duplicates RPD					X
14. Tentatively Identified Compounds (TICs)					X

VOCs - volatile organic compounds
%R - percent recovery

%D - percent difference
%RSD - percent relative standard deviation

RRF - relative response factor
RPD - relative percent difference

Comments:

Performance was acceptable, except for the following:

- 2A&B. Acetone, methylene chloride and bromomethane were detected in the Trip Blank and method blank and were qualified as non-detect (UB) in all samples.
- 3,4&6. The %R were above the QC limits for 2-butanone, 4-methyl-2-pentanone and acetone in the MS, LCS and/or MSD. They were not detected in the samples therefore qualification of the data was not necessary.

**INORGANIC ANALYSES
METALS**

	Reported		Performance Acceptable		Not Required
	No	Yes	No	Yes	
1. Holding times		X		X	
2. Blanks					
A. Preparation, method and calibration blanks		X		X	
B. Field blanks					X
3. Initial calibration verification %R		X		X	
4. Continuing calibration verification %R		X		X	
5. CRQL standard %R		X		X	
6. Interference check sample %R		X		X	
7. Laboratory control sample %R		X		X	
8. Spike sample %R		X		X	
9. Post digestive spike sample %R					X
10. Duplicate %RPD		X		X	
11. Serial dilution check %D					X
12. Field duplicates RPD					X

%R - percent recovery

%D - percent difference

RPD - relative percent difference

Comments:

Performance was acceptable.

**INORGANIC ANALYSES
GENERAL CHEMISTRY**

	Reported		Performance Acceptable		Not Required
	No	Yes	No	Yes	
1. Holding times		X		X	
2. Blanks					
A. Laboratory blanks		X		X	
B. Field blanks					X
3. Initial & Continuing calibration verification %R		X		X	
4. Laboratory spike %R		X		X	
5. Laboratory duplicate RPD		X		X	
6. Matrix spike and matrix spike duplicate %R		X		X	
7. Field duplicates RPD					X

%R percent recovery

RPD - relative percent difference

%D - percent difference

RSD - relative standard deviation

Comments:

Performance was acceptable.

**DATA VALIDATION AND
QUALIFICATION SUMMARY**

Laboratory Numbers:2002168

Sample ID	Analyte(s)	Qualifier	Reason(s)
<u>VOCs</u>			
All samples	Acetone, methylene chloride and bromomethane	UB	Detected in the Trip Blank and method blank and
<u>Metals</u>			
No qualification of the data was necessary.			
<u>General Chemistry</u>			
No qualification of the data was necessary.			

VALIDATION PERFORMED BY & DATE:	Donna M. Brown 3/30/2020
VALIDATION PERFORMED BY SIGNATURE:	

DATA VALIDATION CHECKLIST

Project Name:	Sonia Road Landfill		
Project Number:	3371-13A		
Sample Date(s):	February 26, 2020		
Sample Team:	Keith Robins		
Matrix/Number of Samples:	<u>Water/ 3</u> <u>Field Duplicates/ 0</u> <u>Trip Blanks / 1</u> <u>Field Blanks/ 0</u>		
Analyzing Laboratory:	American Analytical Laboratories, Farmingdale, NY or Pace Analytical, Melville, NY		
Analyses:	<u>Volatile Organic Compounds (VOCs):</u> by SW846 8260D analyzed by American Analytical Laboratories <u>Metals:</u> by SW846 Method E200.7 and mercury by Method E245.1 analyzed by American Analytical Laboratories <u>General Chemistry:</u> Hexavalent Chromium (SM3500-CR), Amenable cyanide (SW9021B), Cyanide by Method E335.4, Hardness (E200.7), Bromide, Chloride & Sulfate (EPA 300.0), Total Dissolved Solids (SM2540C), Alkalinity (SM2320B), Ammonia (E350.1), Nitrate (E353.2), Total Kjeldahl Nitrogen (E351.2), Phenolics (EPA 420.4) and Chemical Oxygen Demand (COD) (E410.4) and Total Organic Carbon (SM 5310B) analyzed by American Analytical Laboratories; and Biochemical Oxygen Demand (BOD) (SM5210B) and Color (SM 2120B) analyzed by Pace Analytical		
Laboratory Report No:	2002179	Date:	3/9/2020

ANALYTICAL DATA PACKAGE DOCUMENTATION GENERAL INFORMATION

	Reported		Performance Acceptable		Not Required
	No	Yes	No	Yes	
1. Sample results		X		X	
2. Parameters analyzed		X		X	
3. Method of analysis		X		X	
4. Sample collection date		X		X	
5. Laboratory sample received date		X		X	
6. Sample analysis date		X		X	
7. Copy of chain-of-custody form signed by Lab sample custodian		X		X	
8. Narrative summary of QA or sample problems provided		X		X	

QA - quality assurance

Comments:

The data packages have been reviewed in accordance with the NYSDEC 6/05 ASP Quality Assurance/ Quality Control (QA/QC) requirements. The monitoring program requires a 20% validation. A validation was conducted on the data package and any applicable qualification of the data was determined using the USEPA National Functional Guidelines of Organic Data Review, January 2017, or USEPA National Functional Guidelines of Inorganic Data Review, January 2017, method performance criteria, and D&B Engineers and Architects, P.C. professional judgment. The qualification of data discussed within this data validation checklist did not impact the usability of the sample results.

**Custody Numbers:2002179
SAMPLE AND ANALYSIS LIST**

Sample ID	Lab ID	Sample Collection Date	Parent Sample	Analysis				
				VOC	SVOC	PCB	MET	MISC
Trip Blank	2002179-001	2/26/2020		X				
MW-12I	2002179-002	2/26/2020		X			X	X
MW-12S	2002179-003	2/26/2020		X			X	X
MW-12D	2002179-004	2/26/2020		X			X	X

**ORGANIC ANALYSE
VOCS**

	Reported		Performance Acceptable		Not Required
	No	Yes	No	Yes	
1. Holding times		X		X	
2. Blanks					
A. Method blanks		X	X		
B. Trip blanks		X	X		
C. Field blanks					X
3. Matrix spike (MS) %R		X	X		
4. Matrix spike duplicate (MSD) %R		X	X		
5. MS/MSD precision (RPD)		X		X	
6. Laboratory control sample (LCS) %R		X	X		
7. Surrogate spike recoveries		X		X	
8. Instrument performance check		X		X	
9. Internal standard responses		X		X	
10. Initial calibration RRF's and %RSD's		X		X	
11. Continuing calibration RRF's and %D's		X		X	
12. Transcriptions – quant report vs. Form I		X		X	
13. Field duplicates RPD					X
14. Tentatively Identified Compounds (TICs)					X

VOCs - volatile organic compounds
%R - percent recovery

%D - percent difference
%RSD - percent relative standard deviation

RRF - relative response factor
RPD - relative percent difference

Comments:

Performance was acceptable, except the following:

- 2A-B. Acetone, bromomethane and methylene chloride were detected in the Trip and method blanks. They were quailed as non-detect (UB) in all samples.
- 3,4&6. The %Rs were above the QC limits for 2-butanone and acetone in the MS, MSD and/or LCS. They were not detected in the samples therefore qualification of the data was not necessary.

**INORGANIC ANALYSES
METALS**

	Reported		Performance Acceptable		Not Required
	No	Yes	No	Yes	
1. Holding times		X		X	
2. Blanks					
A. Preparation, method and calibration blanks		X		X	
B. Field blanks					X
3. Initial calibration verification %R		X		X	
4. Continuing calibration verification %R		X		X	
5. CRQL standard %R		X		X	
6. Interference check sample %R		X		X	
7. Laboratory control sample %R		X		X	
8. Spike sample %R		X		X	
9. Post digestive spike sample %R					X
10. Duplicate %RPD		X		X	
11. Serial dilution check %D		X		X	
12. Field duplicates RPD					X

%R - percent recovery

%D - percent difference

RPD - relative percent difference

Comments:

Performance was acceptable.

**INORGANIC ANALYSES
GENERAL CHEMISTRY**

	Reported		Performance Acceptable		Not
	No	Yes	No	Yes	Required
1. Holding times		X		X	
2. Blanks					
A. Laboratory blanks		X		X	
B. Field blanks					X
3. Initial & Continuing calibration verification %R		X		X	
4. Laboratory spike %R		X		X	
5. Laboratory duplicate RPD		X		X	
6. Matrix spike and matrix spike duplicate %R		X	X		
7. Field duplicates RPD					X

%R percent recovery

RPD - relative percent difference

%D – percent difference

RSD - relative standard deviation

Comments:


Performance was acceptable, except the following:

- The %R was below the QC limit for chloride in the matrix spike. Chloride was qualified as estimated (J) in all samples.

**DATA VALIDATION AND
QUALIFICATION SUMMARY**

Laboratory Numbers:2002179

Sample ID	Analyte(s)	Qualifier	Reason(s)
<u>VOCs</u>			
All samples	Acetone, bromomethane and methylene chloride	UB	Detected in the Trip and method blanks.
<u>Metals</u>			
No qualification of the data was necessary.			
<u>General Chemistry</u>			
All samples	Chloride	J	The %R was below the QC limit in the matrix spike

VALIDATION PERFORMED BY & DATE:	Donna M. Brown 3/31/2020
VALIDATION PERFORMED BY SIGNATURE:	

DATA VALIDATION CHECKLIST

Project Name:	Sonia Road Landfill
Project Number:	3371-13A
Sample Date(s):	February 27, 2020
Sample Team:	Keith Robins
Matrix/Number of Samples:	<u>Water/ 3</u> <u>Field Duplicates/ 0</u> <u>Trip Blanks / 1</u> <u>Field Blanks/ 1</u>
Analyzing Laboratory:	American Analytical Laboratories, Farmingdale, NY or Pace Analytical, Melville, NY
Analyses:	<u>Volatile Organic Compounds (VOCs):</u> by SW846 8260D analyzed by American Analytical Laboratories <u>Metals:</u> by SW846 Method E200.7 and mercury by Method E245.1 analyzed by American Analytical Laboratories <u>General Chemistry:</u> Hexavalent Chromium (SM3500-CR), Amenable cyanide (SW9021B), Cyanide by Method E335.4, Hardness (E200.7), Bromide, Chloride & Sulfate (EPA 300.0), Total Dissolved Solids (SM2540C), Alkalinity (SM2320B), Ammonia (E350.1), Nitrate (E353.2), Total Kjeldahl Nitrogen (E351.2), Phenolics (EPA 420.4) and Chemical Oxygen Demand (COD) (E410.4) and Total Organic Carbon (SM 5310B) analyzed by American Analytical Laboratories; and Biochemical Oxygen Demand (BOD) (SM5210B) and Color (SM 2120B) analyzed by Pace Analytical
Laboratory Report No:	2002187
Date:	3/10/2020

ANALYTICAL DATA PACKAGE DOCUMENTATION GENERAL INFORMATION

	Reported		Performance Acceptable		Not
	No	Yes	No	Yes	Required
1. Sample results		X		X	
2. Parameters analyzed		X		X	
3. Method of analysis		X		X	
4. Sample collection date		X		X	
5. Laboratory sample received date		X		X	
6. Sample analysis date		X		X	
7. Copy of chain-of-custody form signed by Lab sample custodian		X		X	
8. Narrative summary of QA or sample problems provided		X		X	

QA - quality assurance

Comments:

The data packages have been reviewed in accordance with the NYSDEC 6/05 ASP Quality Assurance/ Quality Control (QA/QC) requirements. The monitoring program requires a 20% validation. A validation was conducted on the data package and any applicable qualification of the data was determined using the USEPA National Functional Guidelines of Organic Data Review, January 2017, or USEPA National Functional Guidelines of Inorganic Data Review, January 2017, method performance criteria, and D&B Engineers and Architects, P.C. professional judgment. The qualification of data discussed within this data validation checklist did not impact the usability of the sample results.

**Custody Numbers:2002187
SAMPLE AND ANALYSIS LIST**

Sample ID	Lab ID	Sample Collection Date	Parent Sample	Analysis				
				VOC	SVOC	PCB	MET	MISC
Trip Blank	2002187-001	2/27/2020		X				
Field Blank	2002187-002	2/27/2020		X			X	X
MW-11D	2002187-003	2/27/2020		X			X	X
MW-11I	2002187-004	2/27/2020		X			X	X
MW-11S	2002187-005	2/27/2020		X			X	X

ORGANIC ANALYSE VOCS

	Reported		Performance Acceptable		Not Required
	No	Yes	No	Yes	
1. Holding times		X		X	
2. Blanks					
A. Method blanks		X	X		
B. Trip blanks		X	X		
C. Field blanks		X	X		
3. Matrix spike (MS) %R		X	X		
4. Matrix spike duplicate (MSD) %R		X	X		
5. MS/MSD precision (RPD)		X	X		
6. Laboratory control sample (LCS) %R		X	X		
7. Surrogate spike recoveries		X		X	
8. Instrument performance check		X		X	
9. Internal standard responses		X		X	
10. Initial calibration RRF's and %RSD's		X		X	
11. Continuing calibration RRF's and %D's		X		X	
12. Transcriptions – quant report vs. Form I		X		X	
13. Field duplicates RPD					X
14. Tentatively Identified Compounds (TICs)					X

VOCs - volatile organic compounds
%R - percent recovery

%D - percent difference
%RSD - percent relative standard deviation

RRF - relative response factor
RPD - relative percent difference

Comments:

Performance was acceptable, except the following:

- 2A-C. Acetone, bromomethane and methylene chloride were detected in the Trip, Field and method blanks. They were quailed as non-detect (UB) in all samples.
- 3-6. The %Rs were above the QC limits for 1,2-dibromo-3-chloropropane, 2-butanone, 2-hexanone, 4-methyl-2-pentanone and acetone in the MS, MSD and/or LCS. They were not detected in the samples therefore qualification of the data was not necessary.

The RPD was above the QC limit for 2-butanone in the MS/MSD. It was not detected in the samples therefore qualification of the data was not necessary.

**INORGANIC ANALYSES
METALS**

	Reported		Performance Acceptable		Not Required
	No	Yes	No	Yes	
1. Holding times		X		X	
2. Blanks					
A. Preparation, method and calibration blanks		X		X	
B. Field blanks		X	X		
3. Initial calibration verification %R		X		X	
4. Continuing calibration verification %R		X		X	
5. CRQL standard %R		X		X	
6. Interference check sample %R		X		X	
7. Laboratory control sample %R		X		X	
8. Spike sample %R		X	X		
9. Post digestive spike sample %R					X
10. Duplicate %RPD		X		X	
11. Serial dilution check %D		X		X	
12. Field duplicates RPD					X

%R - percent recovery

%D - percent difference

RPD - relative percent difference

Comments:

Performance was acceptable, except the following:

- 2B. Aluminum, calcium, iron, magnesium, sodium and zinc were detected in the Field Blank. No qualification of the data was necessary.
- 8. The %R was above the QC limit for selenium in the spike sample. It was not detected therefore qualification of the data was not necessary.

**INORGANIC ANALYSES
GENERAL CHEMISTRY**

	Reported		Performance Acceptable		Not
	No	Yes	No	Yes	Required
1. Holding times		X		X	
2. Blanks					
A. Laboratory blanks		X		X	
B. Field blanks		X		X	
3. Initial & Continuing calibration verification %R		X		X	
4. Laboratory spike %R		X		X	
5. Laboratory duplicate RPD		X		X	
6. Matrix spike and matrix spike duplicate %R		X	X		
7. Field duplicates RPD					X

%R percent recovery

RPD - relative percent difference

%D - percent difference

RSD - relative standard deviation

Comments:

Performance was acceptable, except the following:

- The %R was below the QC limit for chloride in the matrix spike and duplicate. Chloride was qualified as estimated (J) in all samples.

**DATA VALIDATION AND
QUALIFICATION SUMMARY**

Laboratory Numbers:2002187

Sample ID	Analyte(s)	Qualifier	Reason(s)
<u>VOCs</u>			
All samples	Acetone, bromomethane and methylene chloride	UB	Detected in the Trip, Field and method blanks
<u>Metals</u>			
No qualification of the data was necessary.			
<u>General Chemistry</u>			
All samples	Chloride	J	The %R was below the QC in the matrix spike and duplicate limit

VALIDATION PERFORMED BY & DATE:	Donna M. Brown 3/30/2020
VALIDATION PERFORMED BY SIGNATURE:	