

**Groundwater and Surface Water
Sampling & Analysis
East Northport Landfill
East Northport, New York
October, 2020**

Prepared for:

**Town of Huntington Department of Environmental Waste Management
100 Main Street
Huntington, New York 11743**

Prepared by:

**RNC Environmental Geology, P.C.
72 Bellerose Avenue
East Northport, New York 11731**

TABLE OF CONTENTS

	Page
Introduction	1
Scope of Work	1
Sampling Methodology	2
Quality Assurance/Quality Control	3
Summary of Analytical Results	4
QA/QC Samples	4
Groundwater	4
Emerging Contaminants	5
Surface Water	5
Historical Analysis	5
Conclusions and Recommendations	6

Section HA-1A

Tabulated comparison of historical analytical results in order as follows: CW1-S, CW1-M, CW2-M, CW4-S, CW4-M, EN1-M, EN6-S, EN6-M, EN7-M, EN9-M, EN10-M, SW-1, SW-2, SW-3, SW-4, SW-5, SW-6, SW-7

Figure

	Following Page
Figure 1. Groundwater and Surface Water Sampling Locations	1

Summary Tables

	Following Page
Table 1. Field Data	2
Table 2. Analytical Results-GW (Volatile Organic Compounds)	6
Table 2A. Analytical Results-GW (Metals & Leachate Indicators)	6
Table 3. Analytical Results-SW (Volatile Organic Compounds)	6
Table 3A. Analytical Results-SW (Leachate Indicators)	6
Table 4. Analytical Results-GW (Emerging Contaminants)	6

Appendix

Appendix 1. Laboratory Analytical Data	
Appendix 2. Data Usability Summary Report	

RNC Environmental Geology, P.C.

Groundwater and Surface Water Sampling & Analysis East Northport Landfill East Northport, New York October, 2020

Introduction


Presented herein are the results of Fall, 2020 groundwater and surface water sampling and analyses activities performed as stipulated by the Record of Decision (ROD) for the East Northport Landfill Remedial Investigation/Feasibility Study, and the New York Department of Environmental Conservation (NYDEC). The ROD specifically requires the performance of "semi-annual sampling and analysis of eleven groundwater monitoring wells and seven surface water locations for leachate parameters."

Figure 1 depicts the location of groundwater and surface water sampling points. The scope-of-work performed each semi-annual event is presented below. Additional services required by NYSDEC pertaining to the sampling for emerging contaminants are included. A description of sampling methodology, quality assurance/quality control procedures and a summary of analytical results follows.

Scope-of-Work

The scope-of-work includes performance of the following items:

- 1) sampling of groundwater from monitoring wells CW1-S, CW1-M, CW2-M, CW4-S, CW4-M, EN1-M, EN6-S, EN6-M, EN7-M, EN9-M, EN10-M and surface water from locations SW-1 through SW-7;
- 2) analyzing collected groundwater samples for *volatile organic compounds* by EPA method 624 with TCL parameter list and ASP category B reporting of data; *metals* (aluminum, arsenic, chromium, cadmium, calcium, iron, lead, magnesium, mercury, potassium, sodium); and *leachate indicators* (alkalinity/bicarbonate, ammonia, nitrate, chloride, TDS, hardness, sulfate);
- 3) analyzing collected surface water samples for *volatile organic compounds* and *leachate indicators* (as above); and
- 4) measuring and recording appropriate field data including temperature, pH, specific conductivity, dissolved oxygen, salinity and turbidity.



Groundwater and Surface Water Sampling Locations

<p>East Northport Landfill Post Closure Water Sampling</p>	<p>Prepared By: RDH Reviewed By: RNC</p>	<p>Figure 1 August, 2006</p>
---	--	----------------------------------

RNC Environmental Geology, P.C.

Additional services stipulated by NYSDEC include performance of the following items:

- 1) Analysis of emerging contaminants 1,4-dioxane and per- and polyflouroalkyl substances (PFAS) in relation to groundwater sampled from monitoring wells EN1-M, EN7-M and EN10-M;
- 2) Analysis of QA/QC equipment blank, field (blind) duplicate and matrix spike/matrix spike duplicates;
- 3) Third party validation/DUSR.

Sampling Methodology

Groundwater sampling methodology entails the evacuation of a minimum of 3-5 casing-volumes of water from each monitoring well, using a submersible centrifugal pump (Grundfos Redi-Flo2) with per-well dedicated tubing, prior to sample collection. The field parameters dissolved oxygen, specific conductivity, temperature, pH, salinity and turbidity are measured and recorded on a per-casing-volume basis during well-evacuation activities. Groundwater samples are subsequently collected following the stabilization of these values to within 10%. As a means to negate the potential for cross-well contamination, the Grundfos Redi-Flo2 is cleaned internally and externally with an Alconox and water solution, followed by two fresh water rinses, between each groundwater sampling location.

Groundwater sampling methodology for emerging contaminants specific in relation to monitoring wells EN1-M, EN7-M and EN10-M includes additional procedures that protect collected samples from PFAS contamination by equipment and personnel. Evacuation and sampling from these locations are instead performed using a high-density polyethylene disposable bailer. All samples from these locations are collected using this method to ensure consistent results. Sampling personnel are also prohibited from using equipment or products that may contain any PFAS's which include, but are not limited to, equipment containing Teflon™, water-resistant or insect-repellant clothing, personal hygiene products and food packaging items.

Surface water sampling methodology includes the submergence of laboratory-provided containers at each sampling point and establishing an even flow of water into them until filled. Additionally, surface water samples are collected following a minimum of 3 days without precipitation to minimize the influence of runoff from adjacent land surfaces and roadways. Consequently, collected surface water samples reflect stream base-flow and, for the most part, the quality of groundwater resources.

Table 1

**Summary of Field Data
Sampled October 22-23, 2020
East Northport Landfill, East Northport. NY**

Sampling Point	Temperature (°centigrade)	Conductivity (µhos)	Salinity (‰)	pH (units)	Dissolved Oxygen (mg/l)	Turbidity (ntu)
CW1-S	17.71	241	0.0	7.36	6.97	3.2
CW1-M	17.80	802	0.0	6.66	0.16	0.9
CW2-M	14.91	322	0.0	5.65	3.91	4.8
CW4-S	14.81	84	0.0	6.21	2.83	1.7
CW4-M	14.91	260	0.0	5.69	7.64	0.3
EN1-M	14.81	67	0.0	5.60	1.50	1.8
EN6-S	13.82	346	0.0	5.16	8.16	7.2
EN6-M	13.47	203	0.0	5.77	0.11	0.5
EN7-M	14.77	109	0.0	6.49	0.91	2.9
EN9-M	12.58	399	0.0	6.45	0.19	0.2
EN10-M	13.79	91	0.0	6.13	1.71	87.1
SW-1	16.21	642	0.0	8.27	9.77	0.9
SW-2	15.10	602	0.0	6.44	11.93	18.5
SW-3	16.00	358	0.0	7.29	8.60	32.1
SW-4	15.60	306	0.0	7.22	5.66	0.9
SW-5	16.73	177	0.0	6.82	6.98	10.0
SW-6	17.00	242	0.0	7.05	9.95	1.5
SW-7	18.81	2,530	1.2	5.93	5.07	0.7

RNC Environmental Geology, P.C.

All surface water samples and groundwater from monitoring wells CW2-M, CW4-S, CW4-M, EN6-S, EN6-M & EN9-M were collected October 22, 2020. The remaining standard program groundwater samples (EN1-M, CW1-S, CW1-M, EN7-M & EN10-M) as well as “emerging contaminant” samples (EN1-M, EN7-M & EN10-M) were collected October 23, 2020. Upon the completion of daily sampling activities, collected samples were submitted under chain-of-custody control to New York State Department of Health certified Alpha Analytical, Inc. for chemical analysis. Samples analyzed for emerging contaminants were stored and submitted in separate containers to negate the potential for cross-contamination with standard program samples. A copy of the original laboratory "Sample Data Summary Package" is presented in Appendix 1.

Table 1 presents a summary of field parameters measured and recorded at groundwater and surface water sampling points. Note that data associated with groundwater samples reflects the last value recorded during well-evacuation activities.

Quality Assurance/Quality Control

The aforementioned "Sample Data Summary Package" includes case narratives (conformance/nonconformance summary) of QA/QC procedures practiced by Alpha Analytical, Inc. - including instrument calibrations, analyses of method blanks, matrix spike blanks, and the percent recovery of surrogates (system monitoring compounds).

Matrix spike/matrix spike duplicates (MS/MSD's) were collected to supplement both groundwater (CW-1S) and surface water (SW-3) analyses. An additional MS/MSD was collected at EN7-M to supplement emerging contaminants analysis.

Trip blanks (TB) representing groundwater and surface water samples were submitted to assess potential sources of contamination in sample container preparation, method blank water and sample transport. Both trip blanks were analyzed for volatile organic compounds. A field blank (FB), representative of standard groundwater sampling activities - collected to assure the integrity of sample containers and procedures - was also analyzed for volatile organic compounds. In addition, an equipment blank (FB) collected to assure the integrity of sampling apparatus, was analyzed for emerging contaminants.

As an additional means to assess the accuracy of reported analytical results, blind duplicate samples were collected from monitoring well CW1-S (GW-DUP) and surface water sampling location SW-3 (SW-DUP). Blind duplicate samples were analyzed for all groundwater and surface water parameters, respectively. An additional blind duplicate sample (DUP) was collected from monitoring well EN7-M and analyzed for emerging contaminants.

RNC Environmental Geology, P.C.

Third party validation of emerging contaminant data is summarized in the Data Usability Summary Report (DUSR) presented in Appendix 2. This DUSR includes a discussion of the Precision, Accuracy, Representativeness, Comparability and Completeness (PARCC parameters) of qualified data as well as a completed USEPA Region II Data Validation Checklist for each analytical parameter. As indicated by the DUSR, both 1,4-dioxane and perflourinated alkyl acid laboratory analytical data “were determined to be usable for qualitative and quantitative purposes with no exceptions.”

Summary of Analytical Results

QA/QC Samples

Volatile organic compounds were not detected in trip blanks or field blanks associated with both groundwater and surface water samples. Furthermore, analytical results in relation to groundwater and surface water blind duplicates are comparable (see Tables 2, 2A, 3 and 3A). Subsequently, the results of groundwater and surface water analyses summarized on Tables 2, 2A, 3 and 3A are considered valid.

Emerging contaminants were not detected in equipment blank FB. In addition, analytical results in relation to sample EN7-M and blind duplicate DUP are comparable. Therefore, the results of emerging contaminant analyses summarized on Table 4 are also considered valid.

Groundwater

Table 2 and Table 2A summarize analytical results in relation to volatile organic compounds and metals/leachate indicators, respectively; including comparisons with NYSDEC Class GA Drinking Water Standards.

As shown on Table 2, volatile organic compounds were not detected in excess of their associated NYSDEC Class GA Drinking Water Standards in any of the collected groundwater samples.

As shown on Table 2A, metals detected in excess of NYSDEC Class GA Drinking Water Standards include *arsenic* (CW1-M), *cadmium* (EN1-M), *chromium* (EN6-S), *iron* (CW1-M, EN1-M, EN6-S, EN7-M, EN9-M, EN10-M), *lead* (EN10-M), and *sodium* (CW1-M, CW2-M, EN6-S, EN6-M, EN9-M). The sole leachate indicator detected in excess of its associated NYSDEC Class GA Drinking Water Standard continues to be *ammonia* (CW1-M).

RNC Environmental Geology, P.C.

Emerging Contaminants

Analytical results in relation to emerging contaminants are summarized on Table 4.

As shown on Table 4, neither 1,4-dioxane, PFOA or PFOS were detected in excess of U.S. Environmental Protection Agency Health Advisory's or New York State Maximum Contaminant Levels.

Surface Water

Table 3 and Table 3A summarize analytical results in relation to volatile organic compounds and leachate indicators, respectively; including comparisons with NYSDEC Class GA Drinking Water Standards.

As shown on Table 3, volatile organic compounds were not detected in excess of their associated NYSDEC Class GA Drinking Water Standards in any of the collected surface water samples.

As shown on Table 3A, the leachate indicators *chloride* and *sulfate* were detected in surface water sample SW-7 in excess of their NYSDEC Class GA Drinking Water Standards. As previously reported, elevated concentrations of chloride and sulfate at this sampling point are attributable to the influence of saline surface water (sample SW-7 collected from within the tidal portion of Sunken Meadow Creek).

Historical Analysis

A tabulated comparison of historical analytical results for the period-of-record dating from June, 1996 through October, 2020 is presented in Section HA-1A. A summary of inconsistencies with the most recent analyses, completed May, 2020 is presented below. With the exception of these inconsistencies, analytical results in relation to October, 2020 monitoring activities continue to be consistent with past events.

Groundwater

- * The concentration of *arsenic* increased in groundwater sampled from monitoring well CW1-M from non-detect to 44.0 micrograms per liter ($\mu\text{g/l}$), a concentration above NYSDEC's Class GA Drinking Water Standard of 25.0 $\mu\text{g/l}$. Alternatively, the concentration of this metal in groundwater sampled from monitoring well CW1-S decreased from 50.0 $\mu\text{g/l}$ to non-detect.

RNC Environmental Geology, P.C.

- * The concentration of *cadmium* increased in groundwater sampled from monitoring well EN1-M from non-detect to 100.0 µg/l, a concentration above NYSDEC's Class GA Drinking Water Standard of 5.0 µg/l.
- * The concentration of *iron* decreased in groundwater sampled from monitoring wells CW1-S and CW4-S from 20,400.0 µg/l and 982.0 µg/l, respectively, to 92.0 µg/l and 131.0 µg/l, respectively, concentrations below NYSDEC's Class GA Drinking Water Standard of 300.0 µg/l. Alternatively, the concentration of this metal increased in groundwater sampled from monitoring wells CW1-M and EN9-M from 61.0 µg/l and 84.0 µg/l, respectively, to 18,400.0 µg/l and 572.0 µg/l, respectively.
- * The concentration of *sodium* decreased in groundwater sampled from monitoring well CW1-S from 69,200.0 µg/l to 10,100.0 µg/l, a concentration below NYSDEC's Class GA Drinking Water Standard of 20,000.0 µg/l. Alternatively, this metal increased in concentration in groundwater sampled from monitoring well CW1-M from 10,600.0 µg/l to 69,700.0 µg/l.

Surface Water

- * No significant variations with the past sampling event (May, 2020) are evident. Volatile organic compounds were, once again, not detected in any of the collected samples above NYSDEC Class GA Drinking Water Standards and leachate indicators were detected at similar concentrations with those detected May, 2020.

Conclusions and Recommendations

The results of Fall, 2020 groundwater monitoring activities indicate that groundwater beneath the East Northport Landfill remains nominally impacted. Consequently, continuing the monitoring program as designed is recommended. The next semi-annual event is scheduled for April, 2021.

Table 2 continued

Parameter	CW1-S	CW1-M	CW2-M	CW4-S	CW4-M	EN1-M	EN6-S	EN6-M	EN7-M	EN9-M	EN10-M	DUP	TB-GW	FB-1	NYSDEC Class GA Standard
Ethylbenzene	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)	5.0
1,2-Dichlorobenzene	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	3.0
1,3-Dichlorobenzene	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	3.0
1,4-Dichlorobenzene	ND(5.00)	0.29 J	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	3.0
Acetone	ND(10.00)	ND(10.00)	ND(10.00)	ND(10.00)	ND(10.00)	ND(10.00)	ND(10.00)	ND(10.00)	ND(10.00)	5.0 J	ND(10.00)	ND(10.00)	ND(10.00)	ND(10.00)	50.0 GV
Tert-Butyl Alcohol	ND(100.00)	13.00 J	ND(100.00)	ND(100.00)	ND(100.00)	ND(100.00)	ND(100.00)	ND(100.00)	ND(100.00)	ND(100.00)	ND(100.00)	ND(100.00)	ND(100.00)	ND(100.00)	NS/GV
cis-1,2-Dichloroethene	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)	5.0

Note:

ND(): Compound not detected at the reporting limit

NYSDEC Class GA Standards: New York State Department of Environmental Conservation Ambient Water Quality Standards for Source of Drinking Water Title 6 Part 703 (per June 1998 revision)

GV: NYSDEC Guidance Value for Source of Drinking Water

NS/GV: No NYSDEC Standard or Guidance Value Established

J: Indicates an estimated value; compound is present at a concentration less than specified detection limit

*Standard of 0.4 applies to sum of cis and trans 1,3-Dichloropropene

B: The analyte was found in an associated blank, as well as in the sample

Table 2A

**Summary of Analytical Results-Groundwater
East Northport Landfill, East Northport, NY
Sampled October 22-23, 2020
Metals and Leachate Indicators**
Reported in Micrograms per Liter (µg/l) and Milligrams per Liter (mg/l)

Metals (µg/l)	CW1-S	CW1-M	CW2-M	CW4-S	CW4-M	EN1-M	EN6-S	EN6-M	EN7-M	EN9-M	EN10-M	GW-DUP	NYSDEC Class GA Standard
Aluminum	79.0 J	63.0 J	127.0	ND(100.0)	ND(100.0)	132.0	139.0	ND(100.0)	285.0	ND(100.0)	3,730.0	53.0 J	NS/GV
Arsenic	ND(5.0)	44.0	ND(5.0)	ND(5.0)	ND(5.0)	ND(5.0)	ND(5.0)	ND(5.0)	ND(5.0)	ND(5.0)	4.0 J	ND(5.0)	25.0
Cadmium	ND(5.0)	ND(5.0)	1.0 J	2.0 J	ND(5.0)	100.0 J	ND(5.0)	ND(5.0)	ND(5.0)	ND(5.0)	ND(5.0)	ND(5.0)	5.0
Calcium	19,500.0	36,800.0	19,900.0	9,850.0	22,200.0	5,090.0	13,900.0	21,100.0	13,900.0	22,400.0	6,750.0	19,200.0	NS/GV
Chromium	ND(10.0)	ND(10.0)	ND(10.0)	ND(10.0)	5.0 J	ND(10.0)	217.0	7.0 J	ND(10.0)	2.0 J	9.0 J	ND(10.0)	50.0
Iron	92.0	18,400.0	197.0	131.0	42.0 J	2,160.0	1,750.0	103.0	335.0	572.0	6,460.0	117.0	300.0
Lead	ND(10.0)	ND(10.0)	ND(10.0)	ND(10.0)	ND(10.0)	ND(10.0)	ND(10.0)	ND(10.0)	ND(10.0)	ND(10.0)	185.0	ND(10.0)	25.0
Magnesium	12,000.0	13,600.0	5,050.0	2,040.0	8,823.0	1,040.0	6,210.0	4,690.0	2,620.0	12,000.0	2,430.0	11,900.0	35,000.0 GV
Mercury	ND(0.2)	ND(0.20)	ND(0.20)	ND(0.20)	ND(0.20)	ND(0.20)	ND(0.20)	ND(0.20)	ND(0.20)	ND(0.20)	ND(0.20)	ND(0.20)	0.7
Potassium	2,430.0 J	31,600.0	8,260.0	6,520.0	1,340.0 J	6,010.0	2,460.0 J	2,690.0	3,640.0	2,500.0	3,270.0	2,390.0 J	NS/GV
Sodium	10,100.0	69,700.0	21,500.0	6,410.0	17,100.0	2,226.0	43,900.0	52,300.0	5,800.0	43,700.0	5,420.0	9,950.0	20,000.0
Leachate Indicators (mg/l)													
Ammonia	0.059 J	22.30	ND(0.075)	ND(0.075)	0.025 J	0.319	0.062 J	ND(0.075)	0.093	0.672	1.22	0.066 J	2.0
Bicarbonate	56.80	335.00	48.70	29.30	36.20	20.20	13.20	48.80	42.40	52.60	30.30	56.70	NS/GV
Chloride	18.00	56.00	34.00	11.00	32.00	4.30	70.00	74.00	8.30	100.00	7.90	18.00	250.0
Nitrate	0.31	ND(0.10)	2.200	2.100	6.030	ND(0.10)	6.360	4.980	0.686	ND(0.10)	0.368	0.316	10.0
Sulfate	38.00	39.00	28.00	5.5 J	29.00	ND(10.0)	23.00	21.00	2.0 J	17.00	2.60 J	36.00	250.0
Alkalinity	56.80	335.00	48.70	29.30	36.20	20.20	13.20	48.80	42.40	52.60	30.30	56.70	NS/GV
TDS	170.00	400.00	160.00	64.00	160.00	40.00	180.00	250.00	92.00	260.00	31.00	160.00	NS/GV
Hardness	98.20	148.00	70.50	33.00	91.30	17.00	60.30	72.00	45.50	105.00	26.90	97.00	NS/GV

Note:
 ND(): Compound not detected at the reporting limit
 NYSDEC Class GA Standards: New York State Department of Environmental Conservation Ambient Water Quality Standards for Source of Drinking Water Title 6 Part 703 (per June 1998 revision)
 GV: NYSDEC Guidance Value for Source of Drinking Water
 NS/GV: No NYSDEC Standard or Guidance Value Established
 B: Reported value less than contract required detection limit but greater than or equal to instrument detection limit
 J: Indicates an estimated value; compound is present at a concentration less than specified detection limit
 na: Not available

Table 3
Summary of Analytical Results-Surface Water
East Northport Landfill, East Northport, NY
Sampled October 22, 2020
Volatile Organic Compounds
Reported in Micrograms per liter

Parameter	SW-1	SW-2	SW-3	SW-4	SW-5	SW-6	SW-7	SW-DUP	TB-SW	NYSDEC Class GA Standard
Chloromethane	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	NS/GV
Bromomethane	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	5.0
Vinyl Chloride	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)	2.0
Chloroethane	ND(2.00)	ND(2.00)	ND(2.00)	ND(2.00)	ND(2.00)	ND(2.00)	ND(2.00)	ND(2.00)	ND(2.00)	5.0
Methylene Chloride	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	5.0
Trichlorofluoromethane	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	5.0
1,1-Dichloroethene	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)	5.0
1,1-Dichloroethane	ND(1.50)	ND(1.50)	ND(1.50)	ND(1.50)	ND(1.50)	ND(1.50)	ND(1.50)	ND(1.50)	ND(1.50)	5.0
trans-1,2-Dichloroethene	ND(1.50)	ND(1.50)	ND(1.50)	ND(1.50)	ND(1.50)	ND(1.50)	ND(1.50)	ND(1.50)	ND(1.50)	5.0
Chloroform	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)	7.0
1,2-Dichloroethane	ND(1.50)	ND(1.50)	ND(1.50)	ND(1.50)	ND(1.50)	ND(1.50)	ND(1.50)	ND(1.50)	ND(1.50)	0.6
1,1,1-Trichloroethane	ND(2.00)	ND(2.00)	ND(2.00)	ND(2.00)	ND(2.00)	ND(2.00)	ND(2.00)	ND(2.00)	ND(2.00)	5.0
Carbon Tetrachloride	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)	5.0
Bromodichloromethane	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)	50.0 GV
1,2-Dichloropropane	ND(3.50)	ND(3.50)	ND(3.50)	ND(3.50)	ND(3.50)	ND(3.50)	ND(3.50)	ND(3.50)	ND(3.50)	1.0
cis-1,3-Dichloropropene	ND(1.50)	ND(1.50)	ND(1.50)	ND(1.50)	ND(1.50)	ND(1.50)	ND(1.50)	ND(1.50)	ND(1.50)	0.4*
Trichloroethene	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)	5.0
Benzene	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)	1.0
Dibromochloromethane	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)	50.0 GV
trans-1,3-Dichloropropene	ND(1.50)	ND(1.50)	ND(1.50)	ND(1.50)	ND(1.50)	ND(1.50)	ND(1.50)	ND(1.50)	ND(1.50)	0.4*
1,1,2-Trichloroethane	ND(1.50)	ND(1.50)	ND(1.50)	ND(1.50)	ND(1.50)	ND(1.50)	ND(1.50)	ND(1.50)	ND(1.50)	1.0
2-Chloroethyl vinyl Ether	ND(10.00)	ND(10.00)	ND(10.00)	ND(10.00)	ND(10.00)	ND(10.00)	ND(10.00)	ND(10.00)	ND(10.00)	NS/GV
Bromoform	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)	50.0 GV
1,1,1,2-Tetrachloroethane	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)	5.0
Tetrachloroethene	1.10 J	0.71 J	1.70	0.92 J	0.44 J	ND(1.50)	ND(1.50)	1.80	ND(1.50)	5.0

Table 3 continued

Parameter	SW-1	SW-2	SW-3	SW-4	SW-5	SW-6	SW-7	SW-DUP	TB-SW	NYSDEC Class GA Standard
Toluene	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)	5.0
Chlorobenzene	ND(3.50)	ND(3.50)	ND(3.50)	ND(3.50)	ND(3.50)	ND(3.50)	ND(3.50)	ND(3.50)	ND(3.50)	5.0
Ethylbenzene	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)	5.0
1,2-Dichlorobenzene	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	3.0
1,3-Dichlorobenzene	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	3.0
1,4-Dichlorobenzene	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	3.0
Acetone	ND(10.00)	ND(10.00)	ND(10.00)	ND(10.00)	ND(10.00)	2.4 J	ND(10.00)	ND(10.00)	ND(10.00)	50.0 GV
Tert-Butyl Alcohol	ND(100.00)	ND(100.00)	ND(100.00)	ND(100.00)	ND(100.00)	ND(100.00)	ND(100.00)	ND(100.00)	ND(100.00)	NS/GV
cis-1,2-Dichloroethene	ND(1.00)	0.27 J	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)	5.0

Note:

ND(): Compound not detected at the reporting limit

NYSDEC Class GA Standards: New York State Department of Environmental Conservation Ambient Water Quality Standards for Source of Drinking Water Title 6 Part 703 (per June 1998 revision)

GV: NYSDEC Class GA Guidance Value for Source of Drinking Water

NS/GV: No NYSDEC Standard or Guidance Value Established

*Standard of 0.4 applies to sum of cis and trans 1,3-Dichloropropene

J: Indicates an estimated value; compound is present at a concentration less than specified detection limit

B:The analyte was found in an associated blank, as well as in the sample

Table 3A

**Summary of Analytical Results-Surface Water
East Northport Landfill, East Northport, NY
Sampled October 22, 2020**

Leachate Indicators

Reported in Milligrams per Liter

Parameter	SW-1	SW-2	SW-3	SW-4	SW-5	SW-6	SW-7	SW-DUP	NYSDEC Class GA Standard
Ammonia	0.149	0.072 J	0.062 J	0.121	0.087	0.085	0.211	0.035 J	2.0
Bicarbonate	42.80	82.80	46.40	38.20	52.40	22.80	101.00	45.60	NS/GV
Chloride	62.00	140.00	74.00	55.00	60.00	47.00	8,000.00	68.00	250.0
Nitrate	2.94	2.04	4.28	2.82	2.28	0.179	0.804	4.37	10.0
Sulfate	20.00	46.00	32.00	18.00	21.00	13.00	940.00	32.00	250.0
Alkalinity	42.80	82.80	46.40	38.20	52.40	22.80	101.00	45.60	NS/GV
TDS	180.00	390.00	260.00	170.00	200.00	120.00	14,000.00	260.00	NS/GV
Hardness	76.30	139.00	110.00	69.30	91.00	50.50	2,050.00	112.00	NS/GV

Note:

ND(): Compound not detected at the reporting limit

NYSDEC Class GA Standards: New York State Department of Environmental Conservation Ambient Water Quality Standards for Source of Drinking Water Title 6 Part 703 (per June 1998 revision)

NS/GV: No NYSDEC Standard or Guidance Value Established

J: Indicates an estimated value; compound is present at a concentration less than specified detection limit

Table 4
Summary of Analytical Results- Groundwater
East Northport Landfill, East Northport, NY
Sampled October 23, 2020
Emerging Contaminants
Reported in Nanograms per liter

Parameter	EN1-M	EN7-M	EN10-M	FB	DUP	EPA Health Advisory
1,4-Dioxane	ND(156.0)	ND(139.0)	ND(156.0)	ND(150.0)	ND(139.0)	350.0
Perfluorobutanoic Acid (PFBA)	4.53	2.32	2.54	ND(1.81)	2.33	NS/GV
Perfluoropentanoic Acid (PFPeA)	1.80 J	1.65 J	1.72 J	ND(1.81)	1.74 J	NS/GV
Perfluorobutanesulfonic Acid (PFBS)	0.440 J	1.40 J	0.388 J	ND(1.81)	1.30 J	NS/GV
Perfluorohexanoic Acid (PFHxA)	1.77 J	1.60 J	1.63 J	ND(1.81)	1.53 J	NS/GV
Perfluoroheptanoic Acid (PFHpA)	1.32 J	1.06 J	0.913 J	ND(1.81)	1.03 J	NS/GV
Perfluorohexanesulfonic Acid (PFHxS)	ND(2.09)	ND(1.75)	ND(1.92)	ND(1.81)	ND(1.81)	NS/GV
Perfluorooctanoic Acid (PFOA)	1.26 J	1.22 J	1.40 J	ND(1.81)	1.32 J	70.0*
1H,1H,2H,2H-Perfluorooctanesulfonic Acid (6:2FTS)	ND(2.09)	ND(1.75)	ND(1.92)	ND(1.81)	ND(1.81)	NS/GV
Perfluoroheptanesulfonic Acid (PFHpS)	ND(2.09)	ND(1.75)	ND(1.92)	ND(1.81)	ND(1.81)	NS/GV
Perfluorononanoic Acid (PFNA)	0.808 J	0.353 J	0.959 J	ND(1.81)	0.416 J	NS/GV
Perfluorooctanesulfonic Acid (PFOS)	1.50 J	0.959 J	1.55 J	ND(1.81)	1.00 J	70.0*
Perfluorodecanoic Acid (PFDA)	0.611 J	ND(1.75)	0.971 J	ND(1.81)	ND(1.81)	NS/GV
1H,1H,2H,2H-Perfluorodecanesulfonic Acid (8:2FTS)	ND(2.09)	ND(1.75)	ND(1.92)	ND(1.81)	ND(1.81)	NS/GV
N-Methyl Perfluorooctanesulfonamidoacetic Acid (NMeFOSAA)	ND(2.09)	ND(1.75)	ND(1.92)	ND(1.81)	ND(1.81)	NS/GV
Perfluoroundecanoic Acid (PFUnA)	ND(2.09)	ND(1.75)	0.549 J	ND(1.81)	ND(1.81)	NS/GV
Perfluorodecanesulfonic Acid (PFDS)	ND(2.09)	ND(1.75)	ND(1.92)	ND(1.81)	ND(1.81)	NS/GV
Perfluorooctanesulfonamide (FOSA)	ND(2.09)	ND(1.75)	ND(1.92)	ND(1.81)	ND(1.81)	NS/GV
N-Ethyl Perfluorooctanesulfonamidoacetic Acid (NEtFOSAA)	ND(2.09)	ND(1.75)	ND(1.92)	ND(1.81)	ND(1.81)	NS/GV
Perfluorododecanoic Acid (PFDoA)	ND(2.09)	ND(1.75)	ND(1.92)	ND(1.81)	ND(1.81)	NS/GV
Perfluorotridecanoic Acid (PFTrDA)	ND(2.09)	ND(1.75)	ND(1.92)	ND(1.81)	ND(1.81)	NS/GV
Perfluorotetradecanoic Acid (PFTA)	ND(2.09)	ND(1.75)	ND(1.92)	ND(1.81)	ND(1.81)	NS/GV
Total PFOA + PFOS	2.76 J	2.18 J	2.95 J	0.00	2.32 J	70.0
Total PFAS	14.039	10.562	12.620	0.00	10.666	NS/GV

*EPA established health advisory value of 70 ppt (ng/l) for the combined concentrations of PFOA and PFOS

Note: NYS Maximum Contaminant levels: PFOA (10.0 ng/l), PFOS (10.0 ng/l), 1,4-Dioxane (1.0 µg/l)

ND(): Compound not detected at the reporting limit

EPA Health Advisory: U.S. Environmental Protection Agency Drinking Water Standards and Health Advisories
(per March 2018 Edition)

NS/GV: No Standard or Guidance Value Established

J: Indicates an estimated value; compound is present at a concentration less than specified detection limit

Section HA-1A

CW1-S
Historical Analysis of Volatile Organic Compounds
East Northport Landfill, East Northport, NY
Reported in Micrograms per Liter

Parameter	6/96	4/97	9/97	4/98	9/98	4/99	9/99	4/00	9/00
Chloromethane	ND(10.0)	ND(2.0)	ND(2.0)	ND(10.0)	ND(10.0)	ND(4.6)	ND(2.3)	ND(1.1)	ND(1.1)
Bromomethane	ND(10.0)	ND(1.0)	ND(1.0)	ND(10.0)	ND(10.0)	ND(3.8)	ND(1.8)	ND(0.6)	ND(0.6)
Vinyl Chloride	ND(10.0)	ND(1.0)	ND(1.0)	ND(10.0)	ND(10.0)	ND(1.7)	ND(2.0)	ND(1.0)	ND(1.0)
Chloroethane	ND(10.0)	ND(1.0)	ND(1.0)	ND(10.0)	ND(10.0)	ND(1.8)	ND(1.6)	ND(0.7)	ND(0.7)
Methylene Chloride	ND(5.0)	ND(3.0)	ND(3.0)	ND(5.0)	ND(5.0)	ND(2.7)	ND(0.6)	ND(0.4)	ND(0.4)
Trichloroflouromethane		ND(2.0)	ND(2.0)	ND(10.0)	ND(10.0)	ND(1.5)	ND(1.5)	ND(0.4)	ND(0.4)
1,1-Dichloroethene	ND(5.0)	ND(2.0)	ND(2.0)	ND(5.0)	ND(5.0)	ND(1.7)	ND(1.2)	ND(0.4)	ND(0.4)
1,1-Dichloroethane	ND(5.0)	ND(1.0)	ND(1.0)	ND(5.0)	ND(5.0)	ND(1.4)	ND(0.7)	ND(0.2)	ND(0.2)
*1,2-Dichloroethene, Total		ND(1.0)	ND(1.0)	ND(5.0)	ND(5.0)	ND(1.7)	ND(1.0)	ND(0.4)	ND(0.4)
Chloroform	ND(5.0)	ND(1.0)	ND(1.0)	ND(5.0)	ND(5.0)	ND(1.6)	ND(0.4)	ND(0.3)	ND(0.3)
1,2-Dichloroethane	ND(5.0)	ND(1.0)	ND(1.0)	ND(5.0)	ND(5.0)	ND(1.9)	ND(0.5)	ND(0.3)	ND(0.3)
1,1,1-Trichloroethane	ND(5.0)	ND(1.0)	ND(1.0)	ND(5.0)	ND(5.0)	ND(0.5)	ND(0.5)	ND(0.3)	ND(0.3)
Carbon Tetrachloride	ND(5.0)	ND(2.0)	ND(2.0)	ND(5.0)	ND(5.0)	ND(0.6)	ND(0.4)	ND(0.3)	ND(0.3)
Bromodichloromethane	ND(5.0)	ND(1.0)	ND(1.0)	ND(5.0)	ND(5.0)	ND(0.6)	ND(0.6)	ND(0.3)	ND(0.3)
1,2-Dichloropropane	ND(5.0)	ND(1.0)	ND(1.0)	ND(5.0)	ND(5.0)	ND(0.6)	ND(0.8)	ND(0.4)	ND(0.4)
cis-1,3-Dichloropropene	ND(5.0)	ND(1.0)	ND(1.0)	ND(5.0)	ND(5.0)	ND(0.5)	ND(0.3)	ND(0.3)	ND(0.3)
Trichloroethene	ND(5.0)	ND(2.0)	ND(2.0)	ND(5.0)	ND(5.0)	ND(0.6)	ND(0.3)	ND(0.4)	ND(0.4)
Benzene	ND(5.0)	3.0	3.0	3.0 J	3.0 J	ND(0.5)	1.6	ND(0.3)	ND(0.3)
Dibromochloromethane	ND(5.0)	ND(1.0)	ND(1.0)	ND(5.0)	ND(5.0)	ND(0.6)	ND(0.5)	ND(0.3)	ND(0.3)
trans-1,3-Dichloropropene	ND(5.0)	ND(1.0)	ND(1.0)	ND(5.0)	ND(5.0)	ND(0.6)	ND(0.5)	ND(0.2)	ND(0.2)
1,1,2-Trichloroethane	ND(5.0)	ND(1.0)	ND(1.0)	ND(5.0)	ND(5.0)	ND(0.5)	ND(0.9)	ND(0.3)	ND(0.3)
2-Chloroethylvinyl ether		ND(4.0)	ND(4.0)	ND(10.0)	ND(10.0)	ND(0.6)	ND(1.5)	ND(1.1)	ND(1.1)
Bromoform	ND(5.0)	ND(1.0)	ND(1.0)	ND(5.0)	ND(5.0)	ND(0.8)	ND(0.7)	ND(0.3)	ND(0.3)
1,1,2,2-Tetrachloroethane	ND(5.0)	ND(2.0)	ND(2.0)	ND(5.0)	ND(5.0)	ND(0.5)	ND(1.0)	ND(0.3)	ND(0.3)
Tetrachloroethene	ND(5.0)	ND(3.0)	ND(3.0)	ND(5.0)	ND(5.0)	ND(0.7)	ND(0.6)	ND(0.3)	ND(0.3)
Toluene	ND(5.0)	ND(2.0)	ND(2.0)	ND(5.0)	ND(5.0)	ND(0.8)	ND(0.5)	ND(0.3)	ND(0.3)
Chlorobenzene	10.0	15.0	11.0	7.0	ND(5.0)	ND(0.6)	9.8	5.3	6.2
Ethylbenzene	ND(5.0)	ND(2.0)	ND(2.0)	ND(5.0)	ND(5.0)	ND(0.7)	ND(0.5)	ND(0.4)	ND(0.4)
1,2-Dichlorobenzene		ND(2.0)	ND(2.0)	1.0 J	ND(10.0)	ND(1.5)	ND(0.2)	ND(0.2)	0.8
1,3-Dichlorobenzene		ND(2.0)	ND(2.0)	ND(10.0)	ND(10.0)	ND(0.7)	ND(0.4)	ND(0.4)	ND(0.4)
1,4-Dichlorobenzene		4.0	3.0	3.0 J	ND(10.0)	2.4	2.9	ND(0.3)	2.5

CW1-S (continued)

Parameter	4/01	9/01	4/02	9/02	4/03	10/03	6/04	10/04	4/05
Chloromethane	ND(1.1)	ND(1.1)	ND(1.1)	ND(1.4)	ND(1.4)	ND(2.2)	ND(0.49)	ND(0.49)	ND(0.45)
Bromomethane	ND(0.6)	ND(0.6)	ND(0.6)	ND(1.7)	ND(1.7)	ND(2.9)	ND(0.61)	ND(0.61)	ND(1.30)
Vinyl Chloride	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.2)	ND(1.2)	ND(0.8)	ND(0.28)	ND(0.28)	ND(0.62)
Chloroethane	ND(0.7)	ND(0.7)	ND(0.7)	ND(1.8)	ND(1.8)	ND(2.0)	ND(0.62)	ND(0.62)	ND(1.10)
Methylene Chloride	ND(0.4)	ND(0.4)	ND(0.4)	ND(1.2)	ND(1.2)	ND(1.2)	ND(1.40)	ND(1.40)	ND(0.98)
Trichloroflouromethane	ND(0.4)	ND(0.4)	ND(0.4)	ND(1.3)	ND(1.3)	ND(1.5)	ND(0.80)	ND(0.80)	ND(0.58)
1,1-Dichloroethene	ND(0.4)	ND(0.4)	ND(0.4)	ND(1.0)	ND(1.0)	ND(0.1)	ND(0.28)	ND(0.28)	ND(0.28)
1,1-Dichloroethane	ND(0.2)	ND(0.2)	ND(0.2)	ND(1.0)	ND(1.0)	ND(1.3)	ND(0.29)	ND(0.29)	ND(0.33)
*1,2-Dichloroethene, Total	ND(0.4)	ND(0.4)	ND(0.4)	ND(1.0)	ND(1.0)	ND(1.3)	ND(0.32)	ND(0.32)	ND(0.40)
Chloroform	ND(0.3)	ND(0.3)	ND(0.3)	ND(0.8)	ND(0.8)	ND(1.5)	ND(0.30)	ND(0.30)	ND(0.18)
1,2-Dichloroethane	ND(0.3)	ND(0.3)	ND(0.3)	ND(0.6)	ND(0.6)	ND(0.2)	ND(0.19)	ND(0.19)	ND(0.28)
1,1,1-Trichloroethane	ND(0.3)	ND(0.3)	ND(0.3)	ND(0.8)	ND(0.8)	ND(0.5)	ND(0.34)	ND(0.34)	ND(0.17)
Carbon Tetrachloride	ND(0.3)	ND(0.3)	ND(0.3)	ND(0.5)	ND(0.5)	ND(0.1)	ND(0.18)	ND(0.18)	ND(0.34)
Bromodichloromethane	ND(0.3)	ND(0.3)	ND(0.3)	ND(0.9)	ND(0.9)	ND(0.1)	ND(0.29)	ND(0.29)	ND(0.30)
1,2-Dichloropropane	ND(0.4)	ND(0.4)	ND(0.4)	ND(0.8)	ND(0.8)	ND(0.2)	ND(0.32)	ND(0.32)	ND(0.27)
cis-1,3-Dichloropropene	ND(0.3)	ND(0.3)	ND(0.3)	ND(1.5)	ND(1.5)	ND(0.7)	ND(0.21)	ND(0.21)	ND(0.26)
Trichloroethene	ND(0.4)	ND(0.4)	ND(0.4)	ND(0.9)	ND(0.9)	ND(0.1)	ND(0.27)	ND(0.27)	ND(0.59)
Benzene	2.9	2.4	2.4	2.2 J	ND(0.6)	ND(0.1)	ND(0.17)	ND(0.17)	1.6 J
Dibromochloromethane	ND(0.3)	ND(0.3)	ND(0.3)	ND(1.4)	ND(1.4)	ND(1.2)	ND(0.30)	ND(0.30)	ND(0.22)
trans-1,3-Dichloropropene	ND(0.2)	ND(0.2)	ND(0.2)	ND(1.5)	ND(1.5)	ND(0.7)	ND(0.23)	ND(0.23)	ND(0.29)
1,1,2-Trichloroethane	ND(0.3)	ND(0.3)	ND(0.3)	ND(1.5)	ND(1.5)	ND(1.0)	ND(0.28)	ND(0.28)	ND(0.236)
2-Chloroethylvinyl ether	ND(1.1)	ND(1.1)	ND(1.1)	ND(4.8)	ND(4.8)	ND(2.7)	ND(1.70)	ND(1.70)	ND(6.20)
Bromoform	ND(0.3)	ND(0.3)	ND(0.3)	ND(1.5)	ND(1.5)	ND(1.3)	ND(0.25)	ND(0.25)	ND(0.22)
1,1,2,2-Tetrachloroethane	ND(0.3)	ND(0.3)	ND(0.3)	ND(0.8)	ND(0.8)	ND(1.9)	ND(0.27)	ND(0.27)	ND(0.35)
Tetrachloroethene	ND(0.3)	ND(0.3)	ND(0.3)	ND(1.0)	ND(1.0)	ND(0.1)	ND(0.30)	ND(0.30)	ND(0.74)
Toluene	ND(0.3)	ND(0.3)	ND(0.3)	ND(1.0)	ND(1.0)	ND(0.5)	ND(0.23)	ND(0.23)	ND(0.38)
Chlorobenzene	ND(0.2)	6.5	6.8	7.0	ND(1.0)	4.2 J	ND(0.24)	4.9 J	ND(0.47)
Ethylbenzene	ND(0.4)	ND(0.4)	ND(0.4)	ND(1.2)	ND(1.2)	ND(0.8)	ND(0.17)	ND(0.17)	ND(0.50)
1,2-Dichlorobenzene	0.7	ND(0.2)	ND(0.2)	ND(1.6)	ND(1.6)	ND(0.5)	ND(0.20)	ND(0.20)	ND(0.67)
1,3-Dichlorobenzene	ND(0.4)	ND(0.4)	1.9	2.0 J	ND(0.8)	ND(0.7)	ND(0.28)	ND(0.28)	ND(0.35)
1,4-Dichlorobenzene	2.9	ND(0.3)	1.7	2.0 J	ND(1.4)	1.3 J	ND(0.30)	1.1 J	1.7 J

CW1-S (continued)

Parameter	9/05	8/06	11/06	7/07	11/07	4/08	9/08	4/09	9/09
Chloromethane	ND(0.45)	ND(0.45)	ND(0.45)	ND(10.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
Bromomethane	ND(1.30)	ND(1.30)	ND(1.30)	ND(10.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
Vinyl Chloride	ND(0.62)	ND(0.62)	ND(0.62)	ND(10.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
Chloroethane	ND(1.10)	ND(1.10)	ND(1.10)	ND(10.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
Methylene Chloride	ND(0.98)	ND(0.98)	ND(0.98)	0.5 JB	ND(5.00)	ND(5.00)	2.0 J	3.2 J	ND(5.00)
Trichloroflouromethane	ND(0.58)	ND(0.58)	ND(0.58)	ND(10.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
1,1-Dichloroethene	ND(0.33)	ND(0.33)	ND(0.33)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
1,1-Dichloroethane	ND(0.28)	ND(0.28)	ND(0.28)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
*1,2-Dichloroethene, Total	ND(0.40)	ND(0.40)	ND(0.40)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
Chloroform	ND(0.18)	ND(0.18)	ND(0.18)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
1,2-Dichloroethane	ND(0.28)	ND(0.28)	ND(0.28)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
1,1,1-Trichloroethane	ND(0.17)	ND(0.17)	ND(0.17)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
Carbon Tetrachloride	ND(0.34)	ND(0.34)	ND(0.34)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
Bromodichloromethane	ND(0.30)	ND(0.30)	ND(0.30)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
1,2-Dichloropropane	ND(0.27)	ND(0.27)	ND(0.27)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
cis-1,3-Dichloropropene	ND(0.26)	ND(0.26)	ND(0.26)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
Trichloroethene	ND(0.59)	ND(0.59)	ND(0.59)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
Benzene	1.9 J	ND(0.35)	ND(0.35)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
Dibromochloromethane	ND(0.22)	ND(0.22)	ND(0.22)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
trans-1,3-Dichloropropene	ND(0.29)	ND(0.29)	ND(0.29)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
1,1,2-Trichloroethane	ND(0.36)	ND(0.36)	ND(0.36)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
2-Chloroethylvinyl ether	ND(6.20)	ND(6.20)	ND(6.20)	ND(10.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(25.00)	ND(25.00)
Bromoform	ND(0.22)	ND(0.22)	ND(0.22)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
1,1,2,2-Tetrachloroethane	ND(0.35)	ND(0.35)	ND(0.35)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
Tetrachloroethene	ND(0.74)	ND(0.74)	ND(0.74)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
Toluene	ND(0.38)	ND(0.38)	ND(0.38)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
Chlorobenzene	6.0	ND(0.47)	1.7 J	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	1.7 J	2.20 J
Ethylbenzene	ND(0.50)	ND(0.50)	ND(0.50)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
1,2-Dichlorobenzene	ND(0.67)	ND(0.67)	ND(0.67)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
1,3-Dichlorobenzene	ND(0.65)	ND(0.65)	ND(0.65)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
1,4-Dichlorobenzene	1.5 J	ND(0.79)	ND(0.79)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	1.0 J	1.40 J

CW1-S (continued)

Parameter	9/15	5/16	9/16	4/17	9/17	6/18	11/18	4/19	9/19
Chloromethane	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.0)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
Bromomethane	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.0)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
Vinyl Chloride	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.0)	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)
Chloroethane	ND(2.00)	ND(2.00)	ND(2.00)	ND(2.00)	ND(2.0)	ND(2.00)	ND(2.00)	ND(2.00)	ND(2.00)
Methylene Chloride	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.0)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
Trichloroflouromethane	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.0)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
1,1-Dichloroethene	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.0)	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)
1,1-Dichloroethane	ND(1.50)	ND(1.50)	ND(1.50)	ND(1.50)	ND(1.5)	ND(1.50)	ND(1.50)	ND(1.50)	ND(1.50)
*1,2-Dichloroethene, Total	ND(1.50)	ND(1.50)	ND(1.50)	ND(1.50)	ND(1.5)	ND(1.50)	ND(1.50)	ND(1.50)	ND(1.50)
Chloroform	ND(1.50)	ND(1.50)	ND(1.50)	ND(1.50)	ND(1.5)	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)
1,2-Dichloroethane	ND(1.50)	ND(1.50)	ND(1.50)	ND(1.50)	ND(1.5)	ND(1.50)	ND(1.50)	ND(1.50)	ND(1.50)
1,1,1-Trichloroethane	ND(2.00)	ND(2.00)	ND(2.00)	ND(2.00)	ND(2.0)	ND(2.00)	ND(2.00)	ND(2.00)	ND(2.00)
Carbon Tetrachloride	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.0)	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)
Bromodichloromethane	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.0)	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)
1,2-Dichloropropane	ND(3.50)	ND(3.50)	ND(3.50)	ND(3.50)	ND(3.5)	ND(3.50)	ND(3.50)	ND(3.50)	ND(3.50)
cis-1,3-Dichloropropene	ND(1.50)	ND(1.50)	ND(1.50)	ND(1.50)	ND(1.5)	ND(1.50)	ND(1.50)	ND(1.50)	ND(1.50)
Trichloroethene	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.0)	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)
Benzene	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.0)	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)
Dibromochloromethane	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.0)	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)
trans-1,3-Dichloropropene	ND(1.50)	ND(1.50)	ND(1.50)	ND(1.50)	ND(1.5)	ND(1.50)	ND(1.50)	ND(1.50)	ND(1.50)
1,1,2-Trichloroethane	ND(1.50)	ND(1.50)	ND(1.50)	ND(1.50)	ND(1.5)	ND(1.50)	ND(1.50)	ND(1.50)	ND(1.50)
2-Chloroethylvinyl ether	ND(10.00)	ND(10.00)	ND(10.00)	ND(10.00)	ND(10.0)	ND(10.00)	ND(10.00)	ND(10.00)	ND(10.00)
Bromoform	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.0)	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)
1,1,2,2-Tetrachloroethane	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.0)	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)
Tetrachloroethene	ND(1.50)	ND(1.50)	ND(1.50)	ND(1.50)	ND(1.5)	ND(1.50)	ND(1.50)	ND(1.50)	ND(1.50)
Toluene	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.0)	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)
Chlorobenzene	1.70 J	2.10 J	1.70 J	2.10 J	1.8 J	1.30 J	1.40 J	2.40 J	1.30 J
Ethylbenzene	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.0)	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)
1,2-Dichlorobenzene	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.0)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
1,3-Dichlorobenzene	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.0)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
1,4-Dichlorobenzene	ND(5.00)	ND(5.00)	ND(5.00)	0.56 J	ND(5.0)	ND(5.00)	ND(5.00)	0.67 J	ND(5.00)
Acetone	ND(10.00)	ND(10.00)	ND(10.00)	ND(10.00)	ND(10.0)	ND(10.00)	ND(10.00)	ND(10.00)	ND(10.00)
Tert-Butyl Alcohol	ND(100.00)	ND(100.00)	ND(100.00)	8.30 J	ND(100.0)	N/A	12.00 J	17.00 J	16.00 J
cis-1,2-Dichloroethene	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.0)	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)
Methyl Tert Butyl Ether	NA	NA	NA	NA	ND(10.0)	NA	NA	NA	NA

CW1-S (continued)

Parameter	6/20	10/20							
Chloromethane	ND(5.00)	ND(5.00)							
Bromomethane	ND(5.00)	ND(5.00)							
Vinyl Chloride	ND(1.00)	ND(1.00)							
Chloroethane	ND(2.00)	ND(2.00)							
Methylene Chloride	ND(1.00)	ND(1.00)							
Trichlorofluoromethane	ND(5.00)	ND(5.00)							
1,1-Dichloroethene	ND(1.00)	ND(1.00)							
1,1-Dichloroethane	ND(1.50)	ND(1.50)							
*1,2-Dichloroethene, Total	ND(1.50)	ND(1.50)							
Chloroform	ND(1.00)	ND(1.00)							
1,2-Dichloroethane	ND(1.50)	ND(1.50)							
1,1,1-Trichloroethane	ND(2.00)	ND(2.00)							
Carbon Tetrachloride	ND(1.00)	ND(1.00)							
Bromodichloromethane	ND(1.00)	ND(1.00)							
1,2-Dichloropropane	ND(3.50)	ND(3.50)							
cis-1,3-Dichloropropene	ND(1.50)	ND(1.50)							
Trichloroethene	ND(1.00)	ND(1.00)							
Benzene	ND(1.00)	ND(1.00)							
Dibromochloromethane	ND(1.00)	ND(1.00)							
trans-1,3-Dichloropropene	ND(1.50)	ND(1.50)							
1,1,2-Trichloroethane	ND(1.50)	ND(1.50)							
2-Chloroethylvinyl ether	ND(10.00)	ND(10.00)							
Bromoform	ND(1.00)	ND(1.00)							
1,1,2,2-Tetrachloroethane	ND(1.00)	ND(1.00)							
Tetrachloroethene	ND(1.50)	ND(1.50)							
Toluene	ND(1.00)	ND(1.00)							
Chlorobenzene	1.60 J	ND(3.50)							
Ethylbenzene	ND(1.00)	ND(1.00)							
1,2-Dichlorobenzene	ND(5.00)	ND(5.00)							
1,3-Dichlorobenzene	ND(5.00)	ND(5.00)							
1,4-Dichlorobenzene	0.39 J	ND(5.00)							
Acetone	ND(10.0)	ND(10.00)							
Tert-Butyl Alcohol	11.0J	ND(100.00)							
cis-1,2-Dichloroethene	ND(1.00)	ND(1.00)							
Methyl Tert Butyl Ether	ND(10.00)	ND(10.00)							

Note:

ND(): Compound not detected at method detection limit

*1,2-Dichloroethene, Total: Sum of Trans and Cis 1,2-Dichloroethene

J: Indicates an estimated value; compound is present at a concentration less than specified detection limit

B: The analyte was found in an associated blank, as well as in the sample

CW1-S
Historical Analysis of Metals and Leachate Indicators
East Northport Landfill, East Northport, NY

Metals (µg/l)	6/96	4/97	9/97	4/98	9/98	4/99	9/99	4/00	9/00
Aluminum	180.0 B	162.0 B	44.2 B	ND(26.8)	85.4 B	ND(200.0)	49.6 B	54.1 B	124.0 B
Arsenic	62.1	79.4	62.4	44.8 B	70.8	61.0	56.8	67.2	60.6
Cadmium	ND(1.0)	ND(0.5)	ND(0.5)	ND(5.2)	ND(4.7)	ND(5.0)	ND(1.0)	ND(0.5)	ND(0.4)
Calcium	14,500.0	27,900.0	12,800.0	15,000.0 E	25,700.0	13,600.0	12,300.0	17,500.0	17,200.0
Chromium	8.0 B	10.8	7.9 B	ND(8.3)	22.0	ND(5.0)	4.8 B	4.8 B	4.1 B
Iron	3,570.0	5,760.0	3,690.0	4,540.0	5,900.0	5,270.0	5,450.0	5,800.0	5,510.0
Lead	5.4	ND(1.6)	ND(1.6)	ND(1.1)	3.0	ND(4.0)	4.2	12.7	2.2 B
Magnesium	32,900.0	47,300.0	31,300.0	36,700.0 E	34,200.0 E	30,700.0	24,300.0	37,300.0	30,700.0
Mercury	ND(0.2)	ND(0.06)	ND(0.04)	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.2)	0.19 B	ND(0.1)
Potassium	263,000.0	384,000.0	239,000.0	199,000.0	228,000.0 E	177,000.0	140,000.0 E	195,000.0	194,000.0 B
Sodium	472,000.0	592,000.0 E	480,000.0 E	406,000.0	450,000.0 E	360,000.0	271,000.0	420,000.0	442,000.0
Leachate Indicators (mg/l)									
Ammonia	273.000	343.000	319.000	280.000	190.000	243.000	143.000	190.000	200.000
Bicarbonate		2,330.00	1,850.00	1,820.00	1,850.00	1,550.00	1,539.00	1,400.00	1,240.00
Chloride	477.00	520.00	5.20	362.00	337.00	282.00	276.00	240.00	270.00
Nitrate	3.73	0.10	ND(0.04)	ND(0.20)	ND(0.05)	ND(0.50)	ND(0.05)	ND(0.50)	ND(0.50)
Sulfate	5.00	ND(3.00)	17.40	30.00	22.50	34.00	31.20	24.00	1.80
Alkalinity	216.00	2,330.00	1,850.00	1,820.00	1,850.00	1,550.00	1,540.00	1,400.00	1,240.00
TDS	3,600.00	2,300.00	2,070.00	1,540.00	1,690.00	1,430.00	1,821.00	1,500.00	1,600.00
Hardness	44.00	263.57	160.00	188.00 E	204.00	160.00	2,000.00	200.00	170.00

CW1-S (continued)

Metals (µg/l)	4/01	9/01	4/02	9/02	4/03	10/03	6/04	10/04	4/05
Aluminum	30.1 B	ND(45.7)	ND(7.3)	26.5 B	ND(78.9)	85.7 J	56.2 J	ND(180.0)	18.2 J
Arsenic	67.6	71.0	67.9	75.4	ND(11.0)	66.6	59.1	ND(4.84)	64.2
Cadmium	ND(0.4)	ND(3.0)	ND(0.4)	ND(1.0)	ND(1.0)	ND(0.12)	ND(0.57)	ND(0.994)	ND(0.327)
Calcium	22,800.0	19,300.0	19,700.0	24,700.0	11,700.0	16,200.0	16,800.0	7,410.0	25,100.0
Chromium	6.6 B	ND(5.0)	1.6 B	5.3 B	ND(1.0)	15.4	125.0	2.13 J	2.48 J
Iron	4,580.0	5,080.0	5,180.0	6,580.0	721.0	4,750.0	4,370.0	1,400.0	6,690.0
Lead	ND(2.5)	ND(3.0)	3.5	4.3	ND(3.0)	6.2	4.5 J	ND(1.79)	ND(2.18)
Magnesium	35,400.0	27,600.0	25,900.0	25,800.0	6,740.0	19,500.0	19,100.0	2,020.0 J	25,600.0
Mercury	ND(0.2)	0.25	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.03)	0.07 J
Potassium	182,000.0	133,000.0	147,000.0	150,000.0	24,100.0	114,000.0	116,000.0	1,720.0 J	123,000.0
Sodium	447,000.0	336,000.0	316,000.0	407,000.0	56,400.0	219,000.0	219,000.0	5,850.0	263,000.0
Leachate Indicators (mg/l)									
Ammonia	180.000	170.000	150.000	160.000	ND(0.2)	55.000	39.000	110.000	34.000
Bicarbonate	1,400.00	1,500.00	1,300.00	1,300.00	820.00	880.00	900.00	870.00	990.00
Chloride	260.00	210.00	270.00	210.00	53.00	130.00	130.00	130.00	170.00
Nitrate	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)
Sulfate	7.80	31.00	20.00	2.46	28.00	34.00	28.00	12.00	17.00
Alkalinity	1,400.00	1,500.00	1,300.00	1,300.00	830.00	880.00	910.00	870.00	990.00
TDS	1,290.00	1,500.00	1,200.00	1,400.00	1,025.00	903.00	858.00	10,850.00	980.00
Hardness	200.00	160.00	160.00	170.00	57.00	121.00	120.00	27.00	168.00

CW1-S (continued)

Metals (µg/l)	9/05	8/06	11/06	7/07	11/07	4/08	9/08	4/09	9/09
Aluminum	109.0 J	103.0 J	9.5 J	530.0	51.0	ND(10.0)	ND(10.0)	ND(10.0)	41.3
Arsenic	61.7	29.7	67.1	42.0	29.0	42.0	46.0	45.8	40.5
Cadmium	ND(0.327)	ND(0.327)	0.74 J	ND(5.0)	ND(1.0)	ND(1.0))	ND(1.0)	ND(1.0)	ND(1.0)
Calcium	27,700.0	13,400.0	16,300.0	15,700.0	12,400.0	11,600.0	9,720.0	13,800.0	15,400.0
Chromium	2.06 J	10.1	12.2	2.2 J	ND(1.0)	3.0	ND(1.0)	1.1	1.8
Iron	6,390.0	13,000.0	6,810.0	19,700.0	14,400.0	3,850.0	2,800.0	1,230.0	5,180.0
Lead	ND(2.18)	ND(2.18)	ND(1.6)	6.4	ND(1.0)	ND(1.0)	2.0	ND(2.0)	ND(2.0)
Magnesium	26,400.0	8,420.0	19,700.0	9,100.0	6,400.0	10,600.0	8,710.0	12,400.0	13,700.0
Mercury	ND(0.03)	ND(0.03)	ND(0.18)	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.2)
Potassium	103,000.0	19,300.0	86,600.0	18,300.0	19,700.0	55,600.0	47,800.0	57,900.0	52,200.0
Sodium	349,000.0	33,400.0	170,000.0	30,600.0	26,900.0	93,600.0	63,800.0	68,800.0	70,600.0
Leachate Indicators (mg/l)									
Ammonia	140.000	3.73	80.000	16.800	16.000	74.000	55.000	56.00	71.00
Bicarbonate	1,000.00	190.00	ND(2.00)	170.00	150.00	517.0	404.00	451.00	454.00
Chloride	160.00	29.00	75.00	22.80	18.00	56.00	35.00	47.00	50.00
Nitrate	ND(0.50)	ND(0.50)	ND(0.50)	0.15	0.53	0.59	0.83	1.70	0.65
Sulfate	13.00	30.00	8.53	31.80	32.00	11.00	15.00	12.00	12.00
Alkalinity	1,000.00	190.00	570.00	170.00	150.00	517.00	404.00	451.00	454.00
TDS	960.00	250.00	520.00	225.00	470.00	430.00	360.00	380.00	400.00
Hardness	177.90	68.26	121.75	76.50	57.30	72.60	60.10	85.50	94.90

CW1-S (continued)

Metals (µg/l)	6/10	10/11	5/12	9/12	5/13	10/13	4/14	9/14	5/15
Aluminum	ND(10.0)	6.9 B	ND(100.0)	ND(100.0)	ND(100.0)	ND(100.0)	ND(100.0)	ND(100.0)	66.0 J
Arsenic	49.0	46.0	48.0	48.0	49.9	48.0	34.7	49.0	39.2
Cadmium	0.3 B	ND(4.0)	ND(5.0)	ND(5.0)	ND(5.0)	ND(5.0)	ND(5.0)	ND(5.0)	ND(5.0)
Calcium	27,000.0	27,500.0	26,000.0	23,000.0	22,000.0	22,000.0	11,000.0	34,000.0	27,000.0
Chromium	2.0	1.0 B	ND(10.0)	ND(10.0)	2.1 J	ND(10.0)	2.0 J	3.0 J	2.1 J
Iron	10,400.0	10,600.0	10,000.0	11,000.0	12,000.0	12,000.0	15,000.0	16,000.0	13,000.0
Lead	ND(2.0)	ND(2.0)	ND(10.0)	ND(10.0)	ND(10.0)	ND(10.0)	ND(10.0)	ND(10.0)	ND(10.0)
Magnesium	20,700.0	18,600.0	16,000.0	14,000.0	12,000.0	11,000.0	5,300.0	14,000.0	13,000.0
Mercury	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.2)
Potassium	55,900.0	50,300.0	54,000.0	46,000.0	44,000.0	45,000.0	12,000.0	44,000.0	40,000.0
Sodium	87,100.0	92,500.0	92,000.0	83,000.0	74,000.0	78,000.0	14,000.0	110,000.0	66,000.0
Leachate Indicators (mg/l)									
Ammonia	79.00	48.000	41.70	38.3	35.0	39.0	8.8	34.0	32.6
Bicarbonate	538.00	507.00	420.00	420.0	400.0	410.0	103.0	374.0	342.0
Chloride	71.00	73.00	62.00	54.0	46.0	48.0	12.0	150.0	61.0
Nitrate	0.25	0.65	1.10	0.3	0.052 J	0.070 J	ND(0.10)	0.087 J	0.2
Sulfate	5.00	1.8 B	1.10 J	1.5 J	2.0 J	ND(10.0)	23.0	6.2 J	6.3 J
Alkalinity	538.00	507.00	420.00	420.0	400.0	410.0	103.0	374.0	342.0
TDS	500.00	480.00	430.00	440.0	390.0	370.0	130.0	520.0	380.0
Hardness	153.00	145.00	130.00	110.0	100.0	100.0	49.0	140.0	120.0

CW1-S (continued)

Metals (µg/l)	9/15	5/16	9/16	4/17	9/17	6/18	11/18	4/19	9/19
Aluminum	ND(100.0)	ND(100.0)	50.0 J	50.0 J	101.0	142.0	41.0 J	ND(100.0)	110.0
Arsenic	45.0	51.7	170.0	56.0	96.0	61.0	84.0	57.0	78.0
Cadmium	ND(5.0)	ND(5.0)	ND(5.00)	ND(5.0)	1.0 J	ND(5.0)	ND(5.0)	ND(5.0)	ND(5.0)
Calcium	29,000.0	29,000.0	30,000.0	30,000.0	30,100.0	35,700.0	45,500.0	49,900.0	44,500.0
Chromium	3.0 J	ND(10.0)	2.0 J	4.0 J	ND(10.0)	ND(10.0)	ND(10.0)	ND(10.0)	ND(10.0)
Iron	16,000.0	15,000.0	31,000.0	18,000.0	22,600.0	13,300.0	25,200.0	23,500.0	21,600.0
Lead	ND(10.0)	ND(10.0)	3.0 J	ND(10.0)	4.0 J	3.0 J	ND(10.0)	ND(10.0)	3.0 J
Magnesium	14,000.0	12,000.0	13,000.0	13,000.0	11,100.0	12,900.0	14,600.0	16,300.0	16,100.0
Mercury	ND(0.2)	0.2	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.1)
Potassium	37,000.0	37,000.0	37,000.0	39,000.0	34,000.0	36,700.0	36,900.0	43,300.0	38,400.0
Sodium	68,000.0	81,000.0	74,000.0	85,000.0	73,500.0	77,500.0	99,900.0	110,000.0	81,000.0
Leachate Indicators (mg/l)									
Ammonia	31.90	30.00	30.800	34.0	27.3	30.3	32.7	38.9	25.4
Bicarbonate	368.00	338.00	369.00	351.0	350.0	360.0	420.0	472.0	432.0
Chloride	58.00	63.00	61.00	58.0	57.0	54.0	81.0	80.0	60.0
Nitrate	0.025 J	0.081 J	ND(0.10)	ND(0.10)	0.032J	0.1	ND(0.10)	ND(0.10)	ND(0.10)
Sulfate	5.5 J	19.00	18.00	29.0	22.0	13.0	31.0	45.0	14.0
Alkalinity	368.00	338.00	369.00	351.0	350.0	360.0	420.0	472.0	432.0
TDS	390.00	420.00	390.00	410.0	410.0	380.0	510.0	620.0	440.0
Hardness	130.00	120.00	130.00	130.0	121.0	142.0	174.0	192.0	177.0

CW1-S (continued)

Metals (µg/l)	6/20	10/20							
Aluminum	ND(100.0)	79.0 J							
Arsenic	50.0	ND(5.0)							
Cadmium	ND5.0)	ND(5.0)							
Calcium	39,700.0	19,500.0							
Chromium	ND(10.0)	ND(10.0)							
Iron	20,400.0	92.0							
Lead	ND(10.0)	ND(10.0)							
Magnesium	14,100.0	12,000.0							
Mercury	ND(0.2)	ND(0.2)							
Potassium	33,400.0	2,430.0 J							
Sodium	69,200.0	10,100.0							
Leachate Indicators (mg/l)									
Ammonia	26.90	0.059 J							
Bicarbonate	347.00	56.80							
Chloride	53.00	18.00							
Nitrate	ND(0.10)	0.31							
Sulfate	32.00	38.00							
Alkalinity	347.00	56.80							
TDS	410.00	170.00							
Hardness	157.00	98.20							

Note:

ND(): Compound not detected at method detection limit

J: Indicates an estimated value; compound is present at a concentration less than specified detection limit

Bold indicates value above NYSDEC Class GA Standard

B: The analyte was found in an associated blank, as well as in the sample

CW1-M
Historical Analysis of Volatile Organic Compounds
East Northport Landfill, East Northport, NY
Reported in Micrograms per Liter

Parameter	6/96	4/97	9/97	4/98	9/98	4/99	9/99	4/00	9/00
Chloromethane	ND(10.0)	ND(2.0)	ND(2.0)	ND(10.0)	ND(10.0)	ND(4.6)	ND(2.3)	ND(1.1)	ND(1.1)
Bromomethane	ND(10.0)	ND(1.0)	ND(1.0)	ND(10.0)	ND(10.0)	ND(3.8)	ND(1.8)	ND(0.6)	ND(0.6)
Vinyl Chloride	ND(10.0)	ND(1.0)	ND(1.0)	ND(10.0)	ND(10.0)	ND(1.7)	ND(2.0)	ND(1.0)	ND(1.0)
Chloroethane	ND(10.0)	ND(1.0)	ND(1.0)	ND(10.0)	ND(10.0)	ND(1.8)	ND(1.6)	ND(0.7)	ND(0.7)
Methylene Chloride	ND(5.0)	ND(3.0)	ND(3.0)	ND(5.0)	ND(5.0)	ND(2.7)	ND(0.6)	ND(0.4)	ND(0.4)
Trichloroflouromethane		ND(2.0)	ND(2.0)	ND(10.0)	ND(10.0)	ND(1.5)	ND(1.5)	ND(0.4)	ND(0.4)
1,1-Dichloroethene	ND(5.0)	ND(2.0)	ND(2.0)	ND(5.0)	ND(5.0)	ND(1.7)	ND(1.2)	ND(0.4)	ND(0.4)
1,1-Dichloroethane	ND(5.0)	ND(1.0)	ND(1.0)	ND(5.0)	ND(5.0)	ND(1.4)	ND(0.7)	ND(0.2)	ND(0.2)
*1,2-Dichloroethene, Total		ND(1.0)	ND(1.0)	ND(5.0)	ND(5.0)	ND(1.7)	ND(1.0)	ND(0.4)	ND(0.4)
Chloroform	ND(5.0)	ND(1.0)	ND(1.0)	ND(5.0)	ND(5.0)	ND(1.6)	ND(0.4)	ND(0.3)	ND(0.3)
1,2-Dichloroethane	ND(5.0)	ND(1.0)	ND(1.0)	ND(5.0)	ND(5.0)	ND(1.9)	ND(0.5)	ND(0.3)	ND(0.3)
1,1,1-Trichloroethane	ND(5.0)	ND(1.0)	ND(1.0)	ND(5.0)	ND(5.0)	ND(0.5)	ND(0.5)	ND(0.3)	ND(0.3)
Carbon Tetrachloride	ND(5.0)	ND(2.0)	ND(2.0)	ND(5.0)	ND(5.0)	ND(0.6)	ND(0.4)	ND(0.3)	ND(0.3)
Bromodichloromethane	ND(5.0)	ND(1.0)	ND(1.0)	ND(5.0)	ND(5.0)	ND(0.6)	ND(0.6)	ND(0.3)	ND(0.3)
1,2-Dichloropropane	ND(5.0)	ND(1.0)	ND(1.0)	ND(5.0)	ND(5.0)	ND(0.6)	ND(0.8)	ND(0.4)	ND(0.4)
cis-1,3-Dichloropropene	ND(5.0)	ND(1.0)	ND(1.0)	ND(5.0)	ND(5.0)	ND(0.5)	ND(0.3)	ND(0.3)	ND(0.3)
Trichloroethene	ND(5.0)	ND(2.0)	ND(2.0)	ND(5.0)	ND(5.0)	ND(0.6)	ND(0.3)	ND(0.4)	ND(0.4)
Benzene	ND(5.0)	2.0	2.0	2.0 J	1.0 J	ND(0.5)	ND(0.6)	ND(0.3)	ND(0.3)
Dibromochloromethane	ND(5.0)	ND(1.0)	ND(1.0)	ND(5.0)	ND(5.0)	ND(0.6)	ND(0.5)	ND(0.3)	ND(0.3)
trans-1,3-Dichloropropene	ND(5.0)	ND(1.0)	ND(1.0)	ND(5.0)	ND(5.0)	ND(0.6)	ND(0.5)	ND(0.2)	ND(0.2)
1,1,2-Trichloroethane	ND(5.0)	ND(1.0)	ND(1.0)	ND(5.0)	ND(5.0)	ND(0.5)	ND(0.9)	ND(0.3)	ND(0.3)
2-Chloroethylvinyl ether		ND(4.0)	ND(4.0)	ND(10.0)	ND(10.0)	ND(0.6)	ND(1.5)	ND(1.1)	ND(1.1)
Bromoform	ND(5.0)	ND(1.0)	ND(1.0)	ND(5.0)	ND(5.0)	ND(0.8)	ND(0.7)	ND(0.3)	ND(0.3)
1,1,2,2-Tetrachloroethane	ND(5.0)	ND(2.0)	ND(2.0)	ND(5.0)	ND(5.0)	ND(0.5)	ND(1.0)	ND(0.3)	ND(0.3)
Tetrachloroethene	ND(5.0)	ND(3.0)	ND(3.0)	ND(5.0)	ND(5.0)	ND(0.7)	ND(0.6)	ND(0.3)	ND(0.3)
Toluene	ND(5.0)	ND(2.0)	ND(2.0)	ND(5.0)	ND(5.0)	ND(0.8)	ND(0.5)	ND(0.3)	ND(0.3)
Chlorobenzene	5.4	5.0	4.0	3.0 J	ND(5.0)	ND(0.6)	2.9	ND(0.2)	ND(0.2)
Ethylbenzene	ND(5.0)	ND(2.0)	ND(2.0)	ND(5.0)	ND(5.0)	ND(0.7)	ND(0.5)	ND(0.4)	ND(0.4)
1,2-Dichlorobenzene		ND(2.0)	ND(2.0)	ND(10.0)	0.8 J	ND(1.5)	ND(0.2)	ND(0.2)	ND(0.2)
1,3-Dichlorobenzene		ND(2.0)	ND(2.0)	ND(10.0)	ND(10.0)	ND(0.7)	ND(0.4)	ND(0.4)	ND(0.4)
1,4-Dichlorobenzene		3.0	ND(2.0)	2.0 J	ND(10.0)	1.6	1.6	ND(0.3)	1.2

CW1-M (continued)

Parameter	4/01	9/01	4/02	9/02	4/03	10/03	6/04	10/04	4/05
Chloromethane	ND(1.1)	ND(1.1)	ND(1.1)	ND(1.4)	ND(1.4)	ND(2.2)	ND(0.49)	ND(0.49)	ND(0.45)
Bromomethane	ND(0.6)	ND(0.6)	ND(0.6)	ND(1.7)	ND(1.7)	ND(2.9)	ND(0.61)	ND(0.61)	ND(1.30)
Vinyl Chloride	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.2)	ND(1.2)	ND(0.8)	ND(0.28)	ND(0.28)	ND(0.62)
Chloroethane	ND(0.7)	ND(0.7)	ND(0.7)	ND(1.8)	ND(1.8)	ND(2.0)	ND(0.62)	ND(0.62)	ND(1.10)
Methylene Chloride	ND(0.4)	ND(0.4)	ND(0.4)	ND(1.2)	ND(1.2)	ND(1.2)	ND(1.40)	ND(1.40)	ND(0.98)
Trichloroflouromethane	ND(0.4)	ND(0.4)	ND(0.4)	ND(1.3)	ND(1.3)	ND(1.5)	ND(0.80)	ND(0.80)	ND(0.58)
1,1-Dichloroethene	ND(0.4)	ND(0.4)	ND(0.4)	ND(1.0)	ND(1.0)	ND(0.1)	ND(0.28)	ND(0.28)	ND(0.28)
1,1-Dichloroethane	ND(0.2)	ND(0.2)	ND(0.2)	ND(1.0)	ND(1.0)	ND(1.3)	ND(0.29)	ND(0.29)	ND(0.33)
*1,2-Dichloroethene, Total	ND(0.4)	ND(0.4)	ND(0.4)	ND(1.0)	ND(1.0)	ND(1.3)	ND(0.32)	ND(0.32)	ND(0.40)
Chloroform	ND(0.3)	ND(0.3)	ND(0.3)	ND(0.8)	ND(0.8)	ND(1.5)	ND(0.30)	ND(0.30)	ND(0.18)
1,2-Dichloroethane	ND(0.3)	ND(0.3)	ND(0.3)	ND(0.6)	ND(0.6)	ND(0.2)	ND(0.19)	ND(0.19)	ND(0.28)
1,1,1-Trichloroethane	ND(0.3)	ND(0.3)	ND(0.3)	ND(0.8)	ND(0.8)	ND(0.5)	ND(0.34)	ND(0.34)	ND(0.17)
Carbon Tetrachloride	ND(0.3)	ND(0.3)	ND(0.3)	ND(0.5)	ND(0.5)	ND(0.1)	ND(0.18)	ND(0.18)	ND(0.34)
Bromodichloromethane	ND(0.3)	ND(0.3)	ND(0.3)	ND(0.9)	ND(0.9)	ND(0.1)	ND(0.29)	ND(0.29)	ND(0.30)
1,2-Dichloropropane	ND(0.4)	ND(0.4)	ND(0.4)	ND(0.8)	ND(0.8)	ND(0.2)	ND(0.32)	ND(0.32)	ND(0.27)
cis-1,3-Dichloropropene	ND(0.3)	ND(0.3)	ND(0.3)	ND(1.5)	ND(1.5)	ND(0.7)	ND(0.21)	ND(0.21)	ND(0.26)
Trichloroethene	ND(0.4)	ND(0.4)	ND(0.4)	ND(0.9)	ND(0.9)	ND(0.1)	ND(0.27)	ND(0.27)	ND(0.59)
Benzene	ND(0.3)	ND(0.3)	0.6	ND(0.6)	1.8 J	ND(0.1)	ND(0.17)	ND(0.17)	ND(0.35)
Dibromochloromethane	ND(0.3)	ND(0.3)	ND(0.3)	ND(1.4)	ND(1.4)	ND(1.2)	ND(0.30)	ND(0.30)	ND(0.22)
trans-1,3-Dichloropropene	ND(0.2)	ND(0.2)	ND(0.2)	ND(1.5)	ND(1.5)	ND(0.7)	ND(0.23)	ND(0.23)	ND(0.29)
1,1,2-Trichloroethane	ND(0.3)	ND(0.3)	ND(0.3)	ND(1.5)	ND(1.5)	ND(1.0)	ND(0.28)	ND(0.28)	ND(0.24)
2-Chloroethylvinyl ether	ND(1.1)	ND(1.1)	ND(1.1)	ND(4.8)	ND(4.8)	ND(2.7)	ND(1.70)	ND(1.70)	ND(6.20)
Bromoform	ND(0.3)	ND(0.3)	ND(0.3)	ND(1.5)	ND(1.5)	ND(1.3)	ND(0.25)	ND(0.25)	ND(0.22)
1,1,2,2-Tetrachloroethane	ND(0.3)	ND(0.3)	ND(0.3)	ND(0.8)	ND(0.8)	ND(1.9)	ND(0.27)	ND(0.27)	ND(0.35)
Tetrachloroethene	ND(0.3)	ND(0.3)	ND(0.3)	ND(1.0)	ND(1.0)	ND(0.1)	ND(0.30)	ND(0.30)	ND(0.74)
Toluene	ND(0.3)	ND(0.3)	ND(0.3)	ND(1.0)	ND(1.0)	ND(0.5)	ND(0.23)	ND(0.23)	ND(0.38)
Chlorobenzene	ND(0.2)	ND(0.2)	1.8	3.4 J	5.3	ND(0.5)	ND(0.24)	ND(0.24)	ND(0.47)
Ethylbenzene	ND(0.4)	ND(0.4)	ND(0.4)	ND(1.2)	ND(1.2)	ND(0.8)	ND(0.17)	ND(0.17)	ND(0.50)
1,2-Dichlorobenzene	ND(0.2)	ND(0.2)	ND(0.2)	ND(1.6)	ND(1.6)	ND(0.5)	ND(0.20)	ND(0.20)	ND(0.67)
1,3-Dichlorobenzene	ND(0.4)	ND(0.4)	ND(0.4)	ND(0.8)	ND(0.8)	ND(0.7)	ND(0.28)	ND(0.28)	ND(0.35)
1,4-Dichlorobenzene	0.6	ND(0.3)	ND(0.3)	ND(1.4)	ND(1.4)	ND(0.8)	ND(0.30)	ND(0.30)	ND(0.79)

CW1-M (continued)

Parameter	9/05	8/06	11/06	7/07	11/07	4/08	9/08	4/09	9/09
Chloromethane	ND(0.45)	ND(0.45)	ND(0.45)	ND(10.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
Bromomethane	ND(1.30)	ND(1.30)	ND(1.30)	ND(10.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
Vinyl Chloride	ND(0.62)	ND(0.62)	ND(0.62)	ND(10.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
Chloroethane	ND(1.10)	ND(1.10)	ND(1.10)	ND(10.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
Methylene Chloride	ND(0.98)	ND(0.98)	ND(0.98)	ND(5.00)	ND(5.00)	ND(5.00)	2.6 J	3.3 J	ND(5.00)
Trichloroflouromethane	ND(0.58)	ND(0.58)	ND(0.58)	ND(10.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
1,1-Dichloroethene	ND(0.33)	ND(0.33)	ND(0.33)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
1,1-Dichloroethane	ND(0.28)	ND(0.28)	ND(0.28)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
*1,2-Dichloroethene, Total	ND(0.40)	ND(0.40)	ND(0.40)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
Chloroform	ND(0.18)	ND(0.18)	ND(0.18)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
1,2-Dichloroethane	ND(0.28)	ND(0.28)	ND(0.28)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
1,1,1-Trichloroethane	ND(0.17)	ND(0.17)	ND(0.17)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
Carbon Tetrachloride	ND(0.34)	ND(0.34)	ND(0.34)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
Bromodichloromethane	ND(0.30)	ND(0.30)	ND(0.30)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
1,2-Dichloropropane	ND(0.27)	ND(0.27)	ND(0.27)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
cis-1,3-Dichloropropene	ND(0.26)	ND(0.26)	ND(0.26)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
Trichloroethene	ND(0.59)	ND(0.59)	ND(0.59)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
Benzene	ND(0.35)	ND(0.35)	ND(0.35)	0.27 J	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
Dibromochloromethane	ND(0.22)	ND(0.22)	ND(0.22)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
trans-1,3-Dichloropropene	ND(0.29)	ND(0.29)	ND(0.29)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
1,1,2-Trichloroethane	ND(0.36)	ND(0.36)	ND(0.36)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
2-Chloroethylvinyl ether	ND(6.20)	ND(6.20)	ND(6.20)	ND(10.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(25.00)	ND(25.00)
Bromoform	ND(0.22)	ND(0.22)	ND(0.22)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
1,1,2,2-Tetrachloroethane	ND(0.35)	ND(0.35)	ND(0.35)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
Tetrachloroethene	ND(0.74)	ND(0.74)	ND(0.74)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
Toluene	ND(0.38)	ND(0.38)	ND(0.38)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
Chlorobenzene	0.90 J	1.70 J	ND(0.47)	1.90 J	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
Ethylbenzene	ND(0.50)	ND(0.50)	ND(0.50)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
1,2-Dichlorobenzene	ND(0.67)	ND(0.67)	ND(0.67)	0.20 J	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
1,3-Dichlorobenzene	ND(0.65)	ND(0.65)	ND(0.65)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
1,4-Dichlorobenzene	ND(0.79)	ND(0.79)	ND(0.79)	0.46 J	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)

CW1-M (continued)

Parameter	9/15	5/16	9/16	4/17	9/17	6/18	11/18	4/19	9/19
Chloromethane	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.0)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
Bromomethane	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.0)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
Vinyl Chloride	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.0)	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)
Chloroethane	ND(2.00)	ND(2.00)	ND(2.00)	ND(2.00)	ND(2.0)	ND(2.00)	ND(2.00)	ND(2.00)	ND(2.00)
Methylene Chloride	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.0)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
Trichloroflouromethane	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.0)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
1,1-Dichloroethene	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.0)	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)
1,1-Dichloroethane	ND(1.50)	ND(1.50)	ND(1.50)	ND(1.50)	ND(1.5)	ND(1.50)	ND(1.50)	ND(1.50)	ND(1.50)
*1,2-Dichloroethene, Total	ND(1.50)	ND(1.50)	ND(1.50)	ND(1.50)	ND(1.5)	ND(1.50)	ND(1.50)	ND(1.50)	ND(1.50)
Chloroform	ND(1.50)	ND(1.50)	ND(1.50)	ND(1.50)	ND(1.5)	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)
1,2-Dichloroethane	ND(1.50)	ND(1.50)	ND(1.50)	ND(1.50)	ND(1.5)	ND(1.50)	ND(1.50)	ND(1.50)	ND(1.50)
1,1,1-Trichloroethane	ND(2.00)	ND(2.00)	ND(2.00)	ND(2.00)	ND(2.0)	ND(2.00)	ND(2.00)	ND(2.00)	ND(2.00)
Carbon Tetrachloride	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.0)	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)
Bromodichloromethane	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.0)	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)
1,2-Dichloropropane	ND(3.50)	ND(3.50)	ND(3.50)	ND(3.50)	ND(3.5)	ND(3.50)	ND(3.50)	ND(3.50)	ND(3.50)
cis-1,3-Dichloropropene	ND(1.50)	ND(1.50)	ND(1.50)	ND(1.50)	ND(1.5)	ND(1.50)	ND(1.50)	ND(1.50)	ND(1.50)
Trichloroethene	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.0)	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)
Benzene	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.0)	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)
Dibromochloromethane	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.0)	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)
trans-1,3-Dichloropropene	ND(1.50)	ND(1.50)	ND(1.50)	ND(1.50)	ND(1.5)	ND(1.50)	ND(1.50)	ND(1.50)	ND(1.50)
1,1,2-Trichloroethane	ND(1.50)	ND(1.50)	ND(1.50)	ND(1.50)	ND(1.5)	ND(1.50)	ND(1.50)	ND(1.50)	ND(1.50)
2-Chloroethylvinyl ether	ND(10.00)	ND(10.00)	ND(10.00)	ND(10.00)	ND(10.0)	ND(10.00)	ND(10.00)	ND(10.00)	ND(10.00)
Bromoform	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.0)	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)
1,1,2,2-Tetrachloroethane	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.0)	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)
Tetrachloroethene	ND(1.50)	ND(1.50)	ND(1.50)	ND(1.50)	ND(1.5)	ND(1.50)	ND(1.50)	ND(1.50)	ND(1.50)
Toluene	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.0)	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)
Chlorobenzene	ND(3.50)	ND(3.50)	ND(3.50)	ND(3.50)	ND(3.5)	ND(3.50)	ND(3.50)	ND(3.50)	ND(3.50)
Ethylbenzene	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.0)	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)
1,2-Dichlorobenzene	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.0)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
1,3-Dichlorobenzene	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.0)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
1,4-Dichlorobenzene	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.0)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
Acetone	ND(10.00)	ND(10.00)	ND(10.00)	ND(10.00)	ND(10.0)	ND(10.00)	ND(10.00)	ND(10.00)	ND(10.00)
Tert-Butyl Alcohol	ND(100.00)	ND(100.00)	ND(100.00)	ND(100.00)	ND(100.0)	N/A	ND(100.00)	ND(100.00)	ND(100.00)
cis-1,2-Dichloroethene	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.0)	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)
Methyl Tert Butyl Ether	NA	NA	NA	NA	ND(10.0)	NA	NA	NA	NA

CW1-M (continued)

Parameter	6/20	10/20							
Chloromethane	ND(5.00)	ND(5.00)							
Bromomethane	ND(5.00)	ND(5.00)							
Vinyl Chloride	ND(1.00)	ND(1.00)							
Chloroethane	ND(2.00)	ND(2.00)							
Methylene Chloride	ND(1.00)	ND(1.00)							
Trichloroflouromethane	ND(5.00)	ND(5.00)							
1,1-Dichloroethene	ND(1.00)	ND(1.00)							
1,1-Dichloroethane	ND(1.50)	ND(1.50)							
*1,2-Dichloroethene, Total	ND(1.50)	ND(1.50)							
Chloroform	ND(1.00)	ND(1.00)							
1,2-Dichloroethane	ND(1.50)	ND(1.50)							
1,1,1-Trichloroethane	ND(2.00)	ND(2.00)							
Carbon Tetrachloride	ND(1.00)	ND(1.00)							
Bromodichloromethane	ND(1.00)	ND(1.00)							
1,2-Dichloropropane	ND(3.50)	ND(3.50)							
cis-1,3-Dichloropropene	ND(1.50)	ND(1.50)							
Trichloroethene	ND(1.00)	ND(1.00)							
Benzene	ND(1.00)	ND(1.00)							
Dibromochloromethane	ND(1.00)	ND(1.00)							
trans-1,3-Dichloropropene	ND(1.50)	ND(1.50)							
1,1,2-Trichloroethane	ND(1.50)	ND(1.50)							
2-Chloroethylvinyl ether	ND(10.00)	ND(10.00)							
Bromoform	ND(1.00)	ND(1.00)							
1,1,2,2-Tetrachloroethane	ND(1.00)	ND(1.00)							
Tetrachloroethene	ND(1.50)	ND(1.50)							
Toluene	ND(1.00)	ND(1.00)							
Chlorobenzene	ND(3.50)	1.20 J							
Ethylbenzene	ND(1.00)	ND(1.00)							
1,2-Dichlorobenzene	ND(5.00)	ND(5.00)							
1,3-Dichlorobenzene	ND(5.00)	ND(5.00)							
1,4-Dichlorobenzene	ND(5.00)	0.29 J							
Acetone	ND(10.0)	ND(10.00)							
Tert-Butyl Alcohol	ND(100.00)	13.00 J							
cis-1,2-Dichloroethene	ND(1.00)	ND(1.00)							
Methyl Tert Butyl Ether	ND(10.00)	ND(10.00)							

Note:

ND(): Compound not detected at method detection limit

*1,2-Dichloroethene, Total: Sum of Trans and Cis 1,2-Dichloroethene

J: Indicates an estimated value; compound is present at a concentration less than specified detection limit

B: The analyte was found in an associated blank, as well as in the sample

CW1-M
Historical Analysis of Metals and Leachate Indicators
East Northport Landfill, East Northport, NY

Metals (µg/l)	6/96	4/97	9/97	4/98	9/98	4/99	9/99	4/00	9/00
Aluminum	526.0	157.0 B	123.0 B	ND(26.8)	ND(21.3)	ND(200.0)	42.0 B	68.6 B	89.8 B
Arsenic	49.4	58.9	44.3	34.9	52.7	64.0	58.3	52.8	54.7
Cadmium	ND(1.0)	ND(0.5)	ND(0.5)	ND(5.2)	ND(4.7)	ND(5.0)	ND(1.0)	ND(0.5)	ND(0.4)
Calcium	3,580.0 B	4,270.0 B	2,550.0 B	16,500.0 E	19,300.0	20,000.0	22,500.0	19,600.0	17,700.0
Chromium	8.4 B	5.2 B	4.7 B	9.9 B	ND(8.2)	ND(5.0)	1.9 B	8.3 B	1.0 B
Iron	1,960.0	1,930.0	1,510.0	9,060.0	9,690.0	11,300.0	12,900.0	8,710.0	13,600.0
Lead	3.4	2.1 B	3.1	ND(1.1)	1.7 B	ND(4.0)	ND(3.0)	147.0	ND(2.0)
Magnesium	20,000.0	22,200.0	14,500.0	26,900.0 E	22,000.0 E	26,200.0	22,300.0	24,200.0	17,300.0
Mercury	ND(0.2)	ND(0.06)	ND(0.04)	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.1)	ND(0.1)
Potassium	195,000.0	271,000.0	137,000.0	100,000.0	89,400.0 E	88,700.0	77,500.0 E	93,800.0	63,900.0
Sodium	391,000.0	411,000.0 E	302,000.0 E	177,000.0 E	163,000.0 E	152,000.0	142,000.0	160,000.0	102,000.0
Leachate Indicators (mg/l)									
Ammonia	221.000	204.000	195.000	115.000	84.000	106.000	80.000	90.000	65.000
Bicarbonate		1,450.00	1,180.00	814.00	724.00	680.00	597.00	560.00	420.00
Chloride	363.00	255.00	337.00	173.00	115.00	119.00	116.00	91.00	71.00
Nitrate	2.73	0.45	0.29	0.28	ND(0.05)	ND(0.50)	ND(0.05)	ND(0.50)	ND(0.50)
Sulfate	3.18	16.00	38.90	120.00	93.90	99.00	200.00	90.00	76.00
Alkalinity	1,870.00	1,450.00	1,180.00	814.00	724.00	680.00	598.00	560.00	420.00
TDS	2,570.00	1,280.00	1,380.00	736.00	744.00	773.00	792.00	770.00	600.00
Hardness	21.00	101.62	65.80	152.00 E	139.00	95.70	897.00	150.00	120.00

CW1-M (continued)

Metals (µg/l)	4/01	9/07	4/02	9/02	4/03	10/03	6/04	10/04	4/05
Aluminum	105.0 B	ND(45.7)	ND(7.3)	25.8 B	ND(78.9)	114.0 J	75.9 J	ND(180.0)	43.7 J
Arsenic	113.0	70.4	29.3	56.7	75.1	6.0 J	41.9	ND(4.84)	40.6
Cadmium	0.74 B	ND(3.0)	ND(0.4)	ND(1.0)	ND(1.0)	0.55 J	ND(0.57)	ND(0.994)	ND(0.327)
Calcium	18,900.0	20,000.0	13,200.0	15,800.0	19,700.0	12,300.0	14,400.0	6,740.0	16,300.0
Chromium	83.9	ND(5.0)	ND(0.6)	5.8 B	4.4 B	2.2 J	25.1	1.3 J	ND(0.343)
Iron	23,700.0	13,900.0	3,770.0	7,770.0	6,640.0	191.0	7,400.0	81.8	12,200.0
Lead	ND(2.5)	ND(3.0)	4.6	7.1	3.8	5.3	7.3	ND(1.79)	ND(2.18)
Magnesium	18,700.0	20,300.0	14,700.0	16,700.0	24,400.0	11,300.0	11,700.0	1,260.0 J	12,500.0
Mercury	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.03)	0.07 J
Potassium	66,600.0	59,700.0	58,000.0	72,800.0	124,773.4	44,800.0	44,800.0	1,050.0 J	39,300.0
Sodium	120,000.0	119,000.0	92,400.0	156,000.0	254,000.0	64,300.0	54,100.0	4,640.0 J	66,400.0
Leachate Indicators (mg/l)									
Ammonia	50.000	71.000	51.000	61.000	0.500	21.000	39.000	37.000	34.000
Bicarbonate	340.00	410.00	380.00	570.00	120.00	200.00	280.00	280.00	280.00
Chloride	68.00	89.00	78.00	95.00	170.00	47.00	36.00	32.00	42.00
Nitrate	0.60	ND(0.50)	ND(0.50)	ND(0.50)	2.40	7.40	0.70	0.70	ND(0.50)
Sulfate	54.00	83.00	69.00	54.00	19.00	73.00	110.00	56.00	48.00
Alkalinity	340.00	410.00	390.00	570.00	120.00	200.00	280.00	280.00	280.00
TDS	420.00	670.00	480.00	680.00	274.00	396.00	376.00	353.00	380.00
Hardness	120.00	130.00	94.00	110.00	150.00	77.00	83.00	22.00	92.00

CW1-M (continued)

Metals (µg/l)	9/05	8/06	11/06	7/07	11/07	4/08	9/08	4/09	9/09
Aluminum	129.0 J	ND(5.31)	48.0 J	ND(200.0)	18.0	ND(10.0)	ND(10.0)	ND(10.0)	44.0
Arsenic	28.5	34.8	36.0	59.0	45.0	25.0	33.0	33.8	30.3
Cadmium	1.71 J	ND(0.327)	ND(0.52)	ND(5.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)
Calcium	16,900.0	14,800.0	16,700.0	17,000.0	14,000.0	11,900.0	14,400.0	16,800.0	16,600.0
Chromium	2.03 J	9.02 J	5.8 J	3.0 J	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	0.8 B
Iron	9,210.0	5,290.0	13,100.0	7,500.0	5,530.0	14,600.0	20,200.0	170.0	22,900.0
Lead	ND(2.18)	ND(2.18)	ND(1.6)	ND(3.0)	ND(1.0)	ND(1.0)	2.0	ND(2.0)	ND(2.0)
Magnesium	11,200.0	15,400.0	11,400.0	16,500.0	12,000.0	6,290.0	6,940.0	7,980.0	8,050.0
Mercury	ND(0.03)	ND(0.03)	ND(0.18)	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.2)
Potassium	44,300.0	85,000.0	29,900.0	70,700.0	57,700.0	17,600.0	14,600.0	19,600.0	20,300.0
Sodium	60.0	169,000.0	49,600.0	118,000.0	105,000.0	21,200.0	19,000.0	31,200.0	27,800.0
Leachate Indicators (mg/l)									
Ammonia	0.470	53.000	26.000	79.800	77.000	15.000	12.000	17.00	21.00
Bicarbonate	270.00	660.00	ND(2.00)	669.00	610.00	136.00	122.00	173.00	170.00
Chloride	36.00	92.00	29.00	93.70	67.00	20.00	17.00	24.00	21.00
Nitrate	ND(0.5)	ND(0.50)	ND(0.50)	ND(0.10)	ND(0.05)	0.05	0.08	0.15	0.11
Sulfate	44.00	8.79	33.00	7.10	10.00	27.00	33.00	31.00	34.00
Alkalinity	270.00	660.00	210.00	669.00	610.00	136.00	122.00	173.00	170.00
TDS	330.00	630.00	260.00	613.00	170.00	170.00	180.00	220.00	180.00
Hardness	88.20	100.42	88.45	110.00	84.40	55.60	64.50	74.80	74.60

CW1-M (continued)

Metals (µg/l)	6/10	10/11	5/12	9/12	5/13	10/13	4/14	9/14	5/15
Aluminum	42.0	29.0	30.0 J	ND(100.0)	50.0 J	30.0 J	24.0 J	32.0 J	47.0 J
Arsenic	33.0	13.0	40.0	33.0	14.6	32.0	56.6	39.9	49.9
Cadmium	ND(1.0)	0.3 B	ND(5.0)	ND(5.0)	ND(5.0)	ND(5.0)	ND(5.0)	ND(5.0)	ND(5.0)
Calcium	17,100.0	14,500.0	17,000.0	16,000.0	16,000.0	14,000.0	22,000.0	13,000.0	12,000.0
Chromium	ND(1.0)	4.0	ND(10.0)	ND(10.0)	3.8 J	3.0 J	2.1 J	4.7 J	2.9 J
Iron	21,800.0	7,150.0	23,000.0	20,000.0	5,600.0	18,000.0	13,000.0	18,000.0	31,000.0
Lead	ND(2.0)	ND(0.2)	ND(10.0)	ND(10.0)	ND(10.0)	ND(10.0)	2.9 J	ND(10.0)	ND(10.0)
Magnesium	8,450.0	7,500.0	8,200.0	7,700.0	7,600.0	6,700.0	12,000.0	6,500.0	5,800.0
Mercury	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.2)
Potassium	24,000.0	14,000.0	16,000.0	12,000.0	12,000.0	16,000.0	39,000.0	12,000.0	10,000.0
Sodium	31,200.0	16,100.0	24,000.0	19,000.0	18,000.0	21,000.0	58,000.0	14,000.0	12,000.0
Leachate Indicators (mg/l)									
Ammonia	22.00	4.50	10.70	7.4	3.3	11.5	35.7	9.2	6.3
Bicarbonate	200.00	86.00	130.00	120.0	76.0	130.0	367.0	115.0	92.3
Chloride	26.00	15.00	20.00	17.0	16.0	16.0	44.0	15.0	14.0
Nitrate	0.12	4.20	0.10	0.2	3.8	0.1	0.1	ND(0.10)	0.190 J
Sulfate	35.00	23.00	24.00	26.0	27.0	28.0	ND(10.0)	26.0	23.0
Alkalinity	200.00	86.00	130.00	120.0	76.0	130.0	367.0	115.0	92.3
TDS	230.00	160.00	180.00	160.0	170.0	170.0	350.0	160.0	90.0
Hardness	77.50	67.10	75.00	72.0	70.0	62.0	100.0	59.0	54.0

CW1-M (continued)

Metals (µg/l)	9/15	5/16	9/16	4/17	9/17	6/18	11/18	4/19	9/19
Aluminum	ND(100.0)	72.0 J	ND(100.00)	130.0	438.0	78.0 J	36.0 J	4,630.0	45.0 J
Arsenic	41.0	48.7	30.0	49.0	ND(5.0)	ND(5.0)	ND(5.0)	4.0 J	ND(5.0)
Cadmium	ND(5.0)	ND(5.0)	ND(5.00)	ND(5.0)	ND(5.0)	ND(5.0)	ND(5.0)	ND(5.0)	ND(5.0)
Calcium	13,000.0	14,000.0	16,000.0	16,000.0	16,100.0	17,600.0	16,800.0	20,000.0	19,100.0
Chromium	2.0 J	ND(10.0)	ND(10.00)	2.0 J	ND(10.0)	ND(10.0)	ND(10.0)	6.0 J	ND(10.0)
Iron	23,000.0	21,000.0	22,000.0	23,000.0	808.0	136.0	102.0	7,320.0	152.0
Lead	ND(10.0)	ND(10.0)	3.0 J	3.0 J	5.0 J	ND(10.0)	ND(10.0)	33.0	ND(10.0)
Magnesium	6,700.0	5,900.0	7,900.0	7,700.0	5,770.0	5,880.0	5,860.0	13,700.0	12,600.0
Mercury	ND(0.2)	0.2	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.1)
Potassium	11,000.0	8,600.0	11,000.0	13,000.0	4,040.0	4,110.0	4,080.0	2,660.0	2,540.0
Sodium	13,000.0	12,000.0	16,000.0	16,000.0	10,600.0	11,600.0	11,200.0	10,400.0	10,000.0
Leachate Indicators (mg/l)									
Ammonia	6.73	5.18	7.570	8.14	ND(0.075)	0.040 J	ND (0.075)	0.20	0.035 J
Bicarbonate	95.80	91.30	124.00	117.0	47.4	47.6	51.4	57.2	55.1
Chloride	14.00	14.00	17.00	14.0	13.0	12.0	14.0	18.0	17.0
Nitrate	0.12	ND(0.10)	ND(0.10)	ND(0.10)	0.7	1.0	1.0	0.039 J	0.2
Sulfate	25.00	23.00	28.00	28.0	25.0	25.0	26.0	43.0	39.0
Alkalinity	95.80	91.30	124.00	117.0	47.4	47.6	51.4	57.2	55.1
TDS	140.00	170.00	160.00	160.0	140.0	150.0	120.0	220.0	140.0
Hardness	61.00	60.00	72.00	71.0	64.0	68.2	65.9	106.0	99.6

CW1-M (continued)

Metals (µg/l)	6/20	10/20							
Aluminum	ND(100.0)	63.0 J							
Arsenic	ND(5.0)	44.0							
Cadmium	ND(5.0)	ND(5.0)							
Calcium	19,900.0	36,800.0							
Chromium	ND(10.0)	ND(10.0)							
Iron	61.0	18,400.0							
Lead	3.0 J	ND(10.0)							
Magnesium	12,200.0	13,600.0							
Mercury	ND(0.20)	ND(0.20)							
Potassium	2,690.0	31,600.0							
Sodium	10,600.0	69,700.0							
Leachate Indicators (mg/l)									
Ammonia	0.096	22.30							
Bicarbonate	57.40	335.00							
Chloride	16.00	56.00							
Nitrate	0.28	ND(0.10)							
Sulfate	37.00	39.00							
Alkalinity	57.40	335.00							
TDS	160.00	400.00							
Hardness	100.00	148.00							

ND(): Compound not detected at method detection limit

J: Indicates an estimated value; compound is present at a concentration less than specified detection limit

B: The analyte was found in an associated blank, as well as in the sample

CW2-M
Historical Analysis of Volatile Organic Compounds
East Northport Landfill, East Northport, NY
Reported in Micrograms per Liter

Parameter	6/96	4/97	9/97	4/98	9/98	4/99	9/99	4/00
Chloromethane	ND(10.0)	ND(2.0)	ND(2.0)	ND(10.0)	ND(10.0)	ND(4.6)	ND(2.3)	ND(1.1)
Bromomethane	ND(10.0)	ND(1.0)	ND(1.0)	ND(10.0)	ND(10.0)	ND(3.8)	ND(1.8)	ND(0.6)
Vinyl Chloride	ND(10.0)	ND(1.0)	ND(1.0)	ND(10.0)	ND(10.0)	ND(1.7)	ND(2.0)	ND(1.0)
Chloroethane	ND(10.0)	ND(1.0)	ND(1.0)	ND(10.0)	ND(10.0)	ND(1.8)	ND(1.6)	ND(0.7)
Methylene Chloride	ND(5.0)	ND(3.0)	ND(3.0)	ND(5.0)	ND(5.0)	ND(2.7)	ND(0.6)	ND(0.4)
Trichloroflouromethane		ND(2.0)	ND(2.0)	ND(10.0)	ND(10.0)	ND(1.5)	ND(1.5)	ND(0.4)
1,1-Dichloroethene	ND(5.0)	ND(2.0)	ND(2.0)	ND(5.0)	ND(5.0)	ND(1.7)	ND(1.2)	ND(0.4)
1,1-Dichloroethane	ND(5.0)	ND(1.0)	ND(1.0)	ND(5.0)	ND(5.0)	ND(1.4)	ND(0.7)	ND(0.2)
*1,2-Dichloroethene, Total		ND(1.0)	ND(1.0)	2.0 J	2.0 J	4.6	ND(1.0)	ND(0.4)
Chloroform	ND(5.0)	ND(1.0)	ND(1.0)	ND(5.0)	ND(5.0)	ND(1.6)	ND(0.4)	ND(0.3)
1,2-Dichloroethane	ND(5.0)	ND(1.0)	ND(1.0)	ND(5.0)	ND(5.0)	ND(1.9)	ND(0.5)	ND(0.3)
1,1,1-Trichloroethane	ND(5.0)	ND(1.0)	ND(1.0)	ND(5.0)	ND(5.0)	ND(0.5)	ND(0.5)	ND(0.3)
Carbon Tetrachloride	ND(5.0)	ND(2.0)	ND(2.0)	ND(5.0)	ND(5.0)	ND(0.6)	ND(0.4)	ND(0.3)
Bromodichloromethane	ND(5.0)	ND(1.0)	ND(1.0)	ND(5.0)	ND(5.0)	ND(0.6)	ND(0.6)	ND(0.3)
1,2-Dichloropropane	ND(5.0)	ND(1.0)	ND(1.0)	ND(5.0)	ND(5.0)	ND(0.6)	ND(0.8)	ND(0.4)
cis-1,3-Dichloropropene	ND(5.0)	ND(1.0)	ND(1.0)	ND(5.0)	ND(5.0)	ND(0.5)	ND(0.3)	ND(0.3)
Trichloroethene	ND(5.0)	ND(2.0)	ND(2.0)	ND(5.0)	ND(5.0)	ND(0.6)	ND(0.3)	2.2
Benzene	ND(5.0)	ND(1.0)	ND(1.0)	ND(5.0)	ND(5.0)	ND(0.5)	ND(0.6)	ND(0.3)
Dibromochloromethane	ND(5.0)	ND(1.0)	ND(1.0)	ND(5.0)	ND(5.0)	ND(0.6)	ND(0.5)	ND(0.3)
trans-1,3-Dichloropropene	ND(5.0)	ND(1.0)	ND(1.0)	ND(5.0)	ND(5.0)	ND(0.6)	ND(0.5)	ND(0.2)
1,1,2-Trichloroethane	ND(5.0)	ND(1.0)	ND(1.0)	ND(5.0)	ND(5.0)	ND(0.5)	ND(0.9)	ND(0.3)
2-Chloroethylvinyl ether		ND(4.0)	ND(4.0)	ND(10.0)	ND(10.0)	ND(0.6)	ND(1.5)	ND(1.1)
Bromoform	ND(5.0)	ND(1.0)	ND(1.0)	ND(5.0)	ND(5.0)	ND(0.8)	ND(0.7)	ND(0.3)
1,1,2,2-Tetrachloroethane	ND(5.0)	ND(2.0)	ND(2.0)	ND(5.0)	ND(5.0)	ND(0.5)	ND(1.0)	ND(0.3)
Tetrachloroethene	ND(5.0)	ND(3.0)	ND(3.0)	ND(5.0)	ND(5.0)	ND(0.7)	ND(0.6)	2.9
Toluene	ND(5.0)	ND(2.0)	ND(2.0)	ND(5.0)	ND(5.0)	ND(0.8)	ND(0.5)	ND(0.3)
Chlorobenzene	ND(5.0)	ND(2.0)	ND(2.0)	ND(5.0)	ND(5.0)	ND(0.6)	ND(0.5)	ND(0.2)
Ethylbenzene	ND(5.0)	ND(2.0)	ND(2.0)	ND(5.0)	ND(5.0)	ND(0.7)	ND(0.5)	ND(0.4)
1,2-Dichlorobenzene		ND(2.0)	ND(2.0)	ND(10.0)	ND(10.0)	ND(1.5)	ND(0.2)	ND(0.2)
1,3-Dichlorobenzene		ND(2.0)	ND(2.0)	ND(10.0)	ND(10.0)	ND(0.7)	ND(0.4)	ND(0.4)
1,4-Dichlorobenzene		ND(2.0)	ND(2.0)	ND(10.0)	ND(10.0)	ND(0.5)	ND(0.3)	ND(0.3)

CW2-M (continued)

Parameter	4/01	9/01	4/02	9/02	4/03	10/03	6/04	10/04
Chloromethane	ND(1.1)	NA	ND(1.1)	ND(1.4)	ND(1.4)	ND(2.2)	ND(0.49)	ND(0.49)
Bromomethane	ND(0.6)	NA	ND(0.6)	ND(1.7)	ND(1.7)	ND(2.9)	ND(0.61)	ND(0.61)
Vinyl Chloride	ND(1.0)	NA	ND(1.0)	ND(1.2)	ND(1.2)	ND(0.8)	ND(0.28)	ND(0.28)
Chloroethane	ND(0.7)	NA	ND(0.7)	ND(1.8)	ND(1.8)	ND(2.0)	ND(0.62)	ND(0.62)
Methylene Chloride	ND(0.4)	NA	ND(0.4)	ND(1.2)	ND(1.2)	ND(1.2)	ND(1.40)	ND(1.40)
Trichloroflouromethane	ND(0.4)	NA	ND(0.4)	ND(1.3)	ND(1.3)	ND(1.5)	ND(0.80)	ND(0.80)
1,1-Dichloroethene	ND(0.4)	NA	ND(0.4)	ND(1.0)	ND(1.0)	ND(0.1)	ND(0.28)	ND(0.28)
1,1-Dichloroethane	ND(0.2)	NA	ND(0.2)	ND(1.0)	ND(1.0)	ND(1.3)	ND(0.29)	ND(0.29)
*1,2-Dichloroethene, Total	ND(0.4)	NA	ND(0.4)	ND(1.0)	ND(1.0)	ND(1.3)	ND(0.32)	ND(0.32)
Chloroform	ND(0.3)	NA	ND(0.3)	ND(0.8)	ND(0.8)	ND(1.5)	ND(0.30)	ND(0.30)
1,2-Dichloroethane	ND(0.3)	NA	ND(0.3)	ND(0.6)	ND(0.6)	ND(0.2)	ND(0.19)	ND(0.19)
1,1,1-Trichloroethane	ND(0.3)	NA	ND(0.3)	ND(0.8)	ND(0.8)	ND(0.5)	ND(0.34)	ND(0.34)
Carbon Tetrachloride	ND(0.3)	NA	ND(0.3)	ND(0.5)	ND(0.5)	ND(0.1)	ND(0.18)	ND(0.18)
Bromodichloromethane	ND(0.3)	NA	ND(0.3)	ND(0.9)	ND(0.9)	ND(0.1)	ND(0.29)	ND(0.29)
1,2-Dichloropropane	ND(0.4)	NA	ND(0.4)	ND(0.8)	ND(0.8)	ND(0.2)	ND(0.32)	ND(0.32)
cis-1,3-Dichloropropene	ND(0.3)	NA	ND(0.3)	ND(1.5)	ND(1.5)	ND(0.7)	ND(0.21)	ND(0.21)
Trichloroethene	1.2	NA	ND(0.4)	1.0 J	ND(0.9)	ND(0.1)	ND(0.27)	ND(0.27)
Benzene	ND(0.3)	NA	ND(0.3)	ND(0.6)	ND(0.6)	ND(0.1)	ND(0.17)	ND(0.17)
Dibromochloromethane	ND(0.3)	NA	ND(0.3)	ND(1.4)	ND(1.4)	ND(1.2)	ND(0.30)	ND(0.30)
trans-1,3-Dichloropropene	ND(0.2)	NA	ND(0.2)	ND(1.5)	ND(1.5)	ND(0.7)	ND(0.23)	ND(0.23)
1,1,2-Trichloroethane	ND(0.3)	NA	ND(0.3)	ND(1.5)	ND(1.5)	ND(1.0)	ND(0.28)	ND(0.28)
2-Chloroethylvinyl ether	ND(1.1)	NA	ND(1.1)	ND(4.8)	ND(4.8)	ND(2.7)	ND(1.70)	ND(1.70)
Bromoform	ND(0.3)	NA	ND(0.3)	ND(1.5)	ND(1.5)	ND(1.3)	ND(0.25)	ND(0.25)
1,1,2,2-Tetrachloroethane	ND(0.3)	NA	ND(0.3)	ND(0.8)	ND(0.8)	ND(1.9)	ND(0.27)	ND(0.27)
Tetrachloroethene	2.8	NA	1.2	ND(1.0)	ND(1.0)	ND(0.1)	ND(0.30)	ND(0.30)
Toluene	ND(0.3)	NA	ND(0.3)	ND(1.0)	ND(1.0)	ND(0.5)	ND(0.23)	ND(0.23)
Chlorobenzene	ND(0.2)	NA	ND(0.2)	ND(1.0)	ND(1.0)	ND(0.5)	ND(0.24)	ND(0.24)
Ethylbenzene	ND(0.4)	NA	ND(0.4)	ND(1.2)	ND(1.2)	ND(0.8)	ND(0.17)	ND(0.17)
1,2-Dichlorobenzene	ND(0.2)	NA	ND(0.2)	ND(1.6)	ND(1.6)	ND(0.5)	ND(0.20)	ND(0.20)
1,3-Dichlorobenzene	ND(0.4)	NA	ND(0.4)	ND(0.8)	ND(0.8)	ND(0.7)	ND(0.28)	ND(0.28)
1,4-Dichlorobenzene	ND(0.3)	NA	ND(0.3)	ND(1.4)	ND(1.4)	ND(0.8)	ND(0.30)	ND(0.30)

CW2-M (continued)

Parameter	9/05	8/06	11/06	7/07	11/07	4/08	9/08	4/09
Chloromethane	ND(0.45)	ND(0.45)	ND(0.45)	ND(10.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
Bromomethane	ND(1.30)	ND(1.30)	ND(1.30)	ND(10.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
Vinyl Chloride	ND(0.62)	ND(0.62)	ND(0.62)	ND(10.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
Chloroethane	ND(1.10)	ND(1.10)	ND(1.10)	ND(10.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
Methylene Chloride	ND(0.98)	ND(0.98)	ND(0.98)	ND(5.00)	ND(5.00)	ND(5.00)	2.9 J	3.3 J
Trichloroflouromethane	ND(0.58)	ND(0.58)	ND(0.58)	ND(10.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
1,1-Dichloroethene	ND(0.33)	ND(0.33)	ND(0.33)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
1,1-Dichloroethane	ND(0.28)	ND(0.28)	ND(0.28)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
*1,2-Dichloroethene, Total	ND(0.40)	ND(0.40)	ND(0.40)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
Chloroform	ND(0.18)	ND(0.18)	ND(0.18)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
1,2-Dichloroethane	ND(0.28)	ND(0.28)	ND(0.28)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
1,1,1-Trichloroethane	ND(0.17)	ND(0.17)	ND(0.17)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
Carbon Tetrachloride	ND(0.34)	ND(0.34)	ND(0.34)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
Bromodichloromethane	ND(0.30)	ND(0.30)	ND(0.30)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
1,2-Dichloropropane	ND(0.27)	ND(0.27)	ND(0.27)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
cis-1,3-Dichloropropene	ND(0.26)	ND(0.26)	ND(0.26)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
Trichloroethene	0.8 J	ND(0.59)	ND(0.59)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
Benzene	ND(0.35)	ND(0.35)	ND(0.35)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
Dibromochloromethane	ND(0.22)	ND(0.22)	ND(0.22)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
trans-1,3-Dichloropropene	ND(0.29)	ND(0.29)	ND(0.29)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
1,1,2-Trichloroethane	ND(0.36)	ND(0.36)	ND(0.36)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
2-Chloroethylvinyl ether	ND(6.20)	ND(6.20)	ND(6.20)	ND(10.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(25.00)
Bromoform	ND(0.22)	ND(0.22)	ND(0.22)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
1,1,2,2-Tetrachloroethane	ND(0.35)	ND(0.35)	ND(0.35)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
Tetrachloroethene	ND(0.74)	ND(0.74)	ND(0.74)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
Toluene	ND(0.38)	ND(0.38)	ND(0.38)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
Chlorobenzene	ND(0.47)	ND(0.47)	ND(0.47)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
Ethylbenzene	ND(0.50)	ND(0.50)	ND(0.50)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
1,2-Dichlorobenzene	ND(0.67)	ND(0.67)	ND(0.67)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
1,3-Dichlorobenzene	ND(0.65)	ND(0.65)	ND(0.65)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
1,4-Dichlorobenzene	ND(0.79)	ND(0.79)	ND(0.79)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)

CW2-M (continued)

Parameter	9/15	5/16	9/16	4/17	9/17	6/18	11/18	4/19
Chloromethane	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.0)	ND(5.00)	ND(5.00)	ND(5.00)
Bromomethane	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.0)	ND(5.00)	ND(5.00)	ND(5.00)
Vinyl Chloride	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.0)	ND(1.00)	ND(1.00)	ND(1.00)
Chloroethane	ND(2.00)	ND(2.00)	ND(2.00)	ND(2.00)	ND(2.0)	ND(2.00)	ND(2.00)	ND(2.00)
Methylene Chloride	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.0)	ND(5.00)	ND(5.00)	ND(5.00)
Trichlorofluoromethane	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.0)	ND(5.00)	ND(5.00)	ND(5.00)
1,1-Dichloroethene	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.0)	ND(1.00)	ND(1.00)	ND(1.00)
1,1-Dichloroethane	ND(1.50)	ND(1.50)	ND(1.50)	ND(1.50)	ND(1.5)	ND(1.50)	ND(1.50)	ND(1.50)
*1,2-Dichloroethene, Total	ND(1.50)	ND(1.50)	ND(1.50)	ND(1.50)	ND(1.5)	ND(1.50)	ND(1.50)	ND(1.50)
Chloroform	ND(1.50)	ND(1.50)	ND(1.50)	ND(1.50)	ND(1.5)	ND(1.00)	ND(1.00)	ND(1.00)
1,2-Dichloroethane	ND(1.50)	ND(1.50)	ND(1.50)	ND(1.50)	ND(1.5)	ND(1.50)	ND(1.50)	ND(1.50)
1,1,1-Trichloroethane	ND(2.00)	ND(2.00)	ND(2.00)	ND(2.00)	ND(2.0)	ND(2.00)	ND(2.00)	ND(2.00)
Carbon Tetrachloride	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.0)	ND(1.00)	ND(1.00)	ND(1.00)
Bromodichloromethane	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.0)	ND(1.00)	ND(1.00)	ND(1.00)
1,2-Dichloropropane	ND(3.50)	ND(3.50)	ND(3.50)	ND(3.50)	ND(3.5)	ND(3.50)	ND(3.50)	ND(3.50)
cis-1,3-Dichloropropene	ND(1.50)	ND(1.50)	ND(1.50)	ND(1.50)	ND(1.5)	ND(1.50)	ND(1.50)	ND(1.50)
Trichloroethene	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.0)	ND(1.00)	ND(1.00)	ND(1.00)
Benzene	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.0)	ND(1.00)	ND(1.00)	ND(1.00)
Dibromochloromethane	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.0)	ND(1.00)	ND(1.00)	ND(1.00)
trans-1,3-Dichloropropene	ND(1.50)	ND(1.50)	ND(1.50)	ND(1.50)	ND(1.5)	ND(1.50)	ND(1.50)	ND(1.50)
1,1,2-Trichloroethane	ND(1.50)	ND(1.50)	ND(1.50)	ND(1.50)	ND(1.5)	ND(1.50)	ND(1.50)	ND(1.50)
2-Chloroethylvinyl ether	ND(10.00)	ND(10.00)	ND(10.00)	ND(10.00)	ND(10.0)	ND(10.00)	ND(10.00)	ND(10.00)
Bromoform	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.0)	ND(1.00)	ND(1.00)	ND(1.00)
1,1,2,2-Tetrachloroethane	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.0)	ND(1.00)	ND(1.00)	ND(1.00)
Tetrachloroethene	ND(1.50)	ND(1.50)	ND(1.50)	ND(1.50)	ND(1.5)	ND(1.50)	ND(1.50)	ND(1.50)
Toluene	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.0)	ND(1.00)	ND(1.00)	ND(1.00)
Chlorobenzene	ND(3.50)	ND(3.50)	ND(3.50)	ND(3.50)	ND(3.5)	ND(3.50)	ND(3.50)	ND(3.50)
Ethylbenzene	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.0)	ND(1.00)	ND(1.00)	ND(1.00)
1,2-Dichlorobenzene	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.0)	ND(5.00)	ND(5.00)	ND(5.00)
1,3-Dichlorobenzene	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.0)	ND(5.00)	ND(5.00)	ND(5.00)
1,4-Dichlorobenzene	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.0)	ND(5.00)	ND(5.00)	ND(5.00)
Acetone	ND(10.00)	ND(10.00)	ND(10.00)	ND(10.00)	ND(10.0)	ND(10.00)	ND(10.00)	ND(10.00)
Tert-Butyl Alcohol	ND(100.00)	ND(100.00)	ND(100.00)	ND(100.00)	ND(100.0)	N/A	ND(100.00)	ND(100.00)
cis-1,2-Dichloroethene	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.0)	ND(1.00)	ND(1.00)	ND(1.00)
Methyl Tert Butyl Ether	NA	NA	NA	NA	ND(10.0)	NA	NA	NA

CW2-M (continued)

Parameter	6/20	10/20						
Chloromethane	ND(5.00)	ND(5.00)						
Bromomethane	ND(5.00)	ND(5.00)						
Vinyl Chloride	ND(1.00)	ND(1.00)						
Chloroethane	ND(2.00)	ND(2.00)						
Methylene Chloride	ND(1.00)	ND(1.00)						
Trichlorofluoromethane	ND(5.00)	ND(5.00)						
1,1-Dichloroethene	ND(1.00)	ND(1.00)						
1,1-Dichloroethane	ND(1.50)	ND(1.50)						
*1,2-Dichloroethene, Total	ND(1.50)	ND(1.50)						
Chloroform	ND(1.00)	ND(1.00)						
1,2-Dichloroethane	ND(1.50)	ND(1.50)						
1,1,1-Trichloroethane	ND(2.00)	ND(2.00)						
Carbon Tetrachloride	ND(1.00)	ND(1.00)						
Bromodichloromethane	ND(1.00)	ND(1.00)						
1,2-Dichloropropane	ND(3.50)	ND(3.50)						
cis-1,3-Dichloropropene	ND(1.50)	ND(1.50)						
Trichloroethene	ND(1.00)	ND(1.00)						
Benzene	ND(1.00)	ND(1.00)						
Dibromochloromethane	ND(1.00)	ND(1.00)						
trans-1,3-Dichloropropene	ND(1.50)	ND(1.50)						
1,1,2-Trichloroethane	ND(1.50)	ND(1.50)						
2-Chloroethylvinyl ether	ND(10.00)	ND(10.00)						
Bromoform	ND(1.00)	ND(1.00)						
1,1,2,2-Tetrachloroethane	ND(1.00)	ND(1.00)						
Tetrachloroethene	ND(1.50)	ND(1.50)						
Toluene	ND(1.00)	ND(1.00)						
Chlorobenzene	ND(3.50)	ND(3.50)						
Ethylbenzene	ND(1.00)	ND(1.00)						
1,2-Dichlorobenzene	ND(5.00)	ND(5.00)						
1,3-Dichlorobenzene	ND(5.00)	ND(5.00)						
1,4-Dichlorobenzene	ND(5.00)	ND(5.00)						
Acetone	ND(10.00)	ND(10.00)						
Tert-Butyl Alcohol	ND(100.00)	ND(100.00)						
cis-1,2-Dichloroethene	ND(1.00)	ND(1.00)						
Methyl Tert Butyl Ether	ND(10.00)	ND(10.00)						

ND(): Compound not detected at method detection limit

*1,2-Dichloroethene, Total: Sum of Trans and Cis 1,2-Dichloroethene

J: Indicates an estimated value; compound is present at a concentration less than specified detection limit

NA: Not Accessible

B: The analyte was found in an associated blank, as well as in the sample

9/00
ND(1.1)
ND(0.6)
ND(1.0)
ND(0.7)
ND(0.4)
ND(0.4)
ND(0.4)
ND(0.2)
ND(0.4)
ND(0.3)
ND(0.3)
ND(0.3)
ND(0.3)
ND(0.3)
ND(0.4)
ND(0.3)
ND(0.4)
ND(0.3)
ND(0.3)
ND(0.2)
ND(0.3)
ND(1.1)
ND(0.3)
ND(0.3)
3.7
ND(0.3)
ND(0.2)
ND(0.4)
ND(0.2)
ND(0.4)
ND(0.3)

4/05
ND(0.45)
ND(1.30)
ND(0.62)
ND(1.10)
ND(0.98)
ND(0.58)
ND(0.28)
ND(0.33)
ND(0.40)
ND(0.18)
ND(0.28)
ND(0.17)
ND(0.34)
ND(0.30)
ND(0.27)
ND(0.26)
ND(0.59)
ND(0.35)
ND(0.22)
ND(0.29)
ND(0.24)
ND(6.20)
ND(0.22)
ND(0.35)
ND(0.74)
ND(0.38)
ND(0.47)
ND(0.50)
ND(0.67)
ND(0.35)
ND(0.79)

4/15
ND(5.00)
ND(5.00)
ND(1.00)
ND(2.00)
ND(5.00)
ND(5.00)
ND(1.00)
ND(1.50)
ND(1.50)
ND(1.50)
ND(1.50)
ND(2.00)
ND(1.00)
ND(1.00)
ND(3.50)
ND(1.50)
ND(1.00)
ND(1.00)
ND(1.00)
ND(1.50)
ND(1.50)
ND(10.00)
ND(1.00)
ND(1.00)
ND(1.50)
ND(1.00)
ND(3.50)
ND(1.00)
ND(5.00)
ND(5.00)
ND(5.00)
ND(10.00)
ND(100.00)
ND(1.00)

9/19
ND(5.00)
ND(5.00)
ND(1.00)
ND(2.00)
ND(5.00)
ND(5.00)
ND(1.00)
ND(1.50)
ND(1.50)
ND(1.00)
ND(1.50)
ND(2.00)
ND(1.00)
ND(1.00)
ND(3.50)
ND(1.50)
ND(1.00)
ND(1.00)
ND(1.00)
ND(1.50)
ND(1.50)
ND(10.00)
ND(1.00)
ND(1.00)
ND(1.50)
ND(1.00)
ND(3.50)
ND(1.00)
ND(5.00)
ND(5.00)
ND(5.00)
ND(10.00)
ND(100.00)
ND(1.00)
NA

CW2-M
Historical Analysis of Metals and Leachate Indicators
East Northport Landfill, East Northport, NY

Metals (µg/l)	6/96	4/97	9/97	4/98	9/98	4/99	9/99	4/00	9/00
Aluminum	60.0 B	156.0 B	ND(34.8)	ND(26.8)	ND(21.3)	ND(200.0)	36.5 B	ND(25.8)	93.8 B
Arsenic	ND(9.0)	ND(4.5)	ND(2.7)	ND(2.0)	24.2	ND(4.0)	ND(6.0)	ND(3.0)	ND(3.8)
Cadmium	ND(1.0)	ND(0.5)	ND(0.5)	ND(5.2)	4.7 B	ND(5.0)	ND(1.0)	ND(0.5)	ND(0.4)
Calcium	48,500.0	56,400.0	46,100.0	24,400.0 E	25,900.0	22,800.0	25,700.0	28,800.0	21,300.0
Chromium	ND(1.0)	ND(1.8)	ND(1.0)	ND(8.3)	10.3	ND(5.0)	2.3 B	4.7 B	ND(0.7)
Iron	416.0	263.0	346.0	109.0 B	484.0	390.0	184.0	60.9 B	112.0
Lead	ND(3.0)	ND(1.6)	ND(1.6)	3.5	2.4 B	ND(4.0)	ND(3.0)	ND(0.6)	ND(2.0)
Magnesium	7,500.0	6,960.0	7,510.0	4,800.0 BE	5,860.0 E	6,010.0	6,940.0	7,940.0	6,260.0
Mercury	ND(0.2)	ND(0.06)	0.05 B	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.1)	ND(0.1)
Potassium	16,800.0	13,500.0	11,500.0	6,050.0	7,060.0 E	5,640.0	5,880.0 E	7,160.0	5,950.0
Sodium	34,900.0	31,700.0 E	31,800.0 E	23,500.0 E	24,400.0 E	22,500.0	29,500.0	27,600.0	24,800.0
Leachate Indicators (mg/l)									
Ammonia	2.520	ND(0.050)	1.190	1.100	4.900	0.740	7.400	0.200	ND(0.200)
Bicarbonate		111.00	67.20	63.80	70.30	61.00	73.00	68.00	110.00
Chloride	51.40	31.20	44.10	37.20	26.90	33.60	40.80	46.00	46.00
Nitrate	ND(1.00)	1.31	ND(0.04)	0.46	ND(0.05)	ND(0.50)	0.295	0.86	0.90
Sulfate	76.40	55.50	40.20	40.00	39.80	36.50	48.80	39.00	39.00
Alkalinity	110.00	111.00	67.20	63.80	70.30	61.00	74.00	68.00	110.00
TDS	334.00	352.00	279.00	224.00	178.00	158.00	158.00	180.00	190.00
Hardness	55.00	169.62	145.00	80.70 E	88.70	80.80	110.00	100.00	79.00

CW2-M (continued)

Metals (µg/l)	4/01	9/07	4/02	9/02	4/03	10/03	6/04	10/04	4/05
Aluminum	86.8 B	NA	ND(7.3)	35.8 B	ND(78.9)	25.1 J	53.4 J	ND(180.0)	35.8 J
Arsenic	ND(2.5)	NA	ND(2.8)	ND(3.6)	ND(11.9)	ND(4.0)	ND(5.5)	ND(4.84)	ND(3.32)
Cadmium	ND(0.4)	NA	ND(0.4)	ND(1.0)	ND(1.0)	ND(.80)	ND(0.57)	ND(0.994)	ND(0.327)
Calcium	27,000.0	NA	18,200.0	19,400.0	25,000.0	35,200.0	26,400.0	29,600.0	21,700.0
Chromium	ND(0.8)	NA	ND(0.6)	8.4 B	ND(1.0)	ND(1.4)	16.4	ND(1.22)	ND(0.343)
Iron	93.8 B	NA	25.0 B	112.0	227.0	85.4 J	92.2 J	168.0	234.0
Lead	2.9 B	NA	4.4	5.2	4.0	4.0	6.6	ND(1.79)	ND(2.18)
Magnesium	8,240.0	NA	5,650.0	6,010.0	8,330.0	11,900.0	9,240.0	10,600.0	7,890.0
Mercury	ND(0.2)	NA	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.2)	0.14 J	0.04 J
Potassium	6,960.0	NA	5,480.0	7,580.0	7,670.0	9,380.0	8,760.0	13,100.0	8,810.0
Sodium	31,300.0	NA	20,900.0	22,300.0	23,500.0	31,800.0	22,800.0	22,300.0	21,100.0
Leachate Indicators (mg/l)									
Ammonia	ND(0.200)	NA	ND(0.200)	ND(0.200)	ND(0.200)	0.300	ND(0.200)	0.487	0.367
Bicarbonate	59.00	NA	52.00	46.00	55.00	90.00	71.00	83.00	64.00
Chloride	43.00	NA	40.00	26.00	37.00	49.00	32.00	31.00	25.00
Nitrate	1.60	NA	ND(0.50)	1.40	0.90	6.60	7.70	ND(0.50)	ND(0.50)
Sulfate	31.00	NA	48.00	35.00	69.00	100.00	62.00	85.00	64.00
Alkalinity	59.00	NA	52.00	46.00	55.00	90.00	71.00	83.00	64.00
TDS	190.00	NA	160.00	140.00	222.00	321.00	221.00	251.00	190.00
Hardness	100.00	NA	69.00	73.00	97.00	136.00	104.00	118.00	87.00

CW2-M (continued)

Metals (µg/l)	9/05	8/06	11/06	7/07	11/07	4/08	9/08	4/09	9/09
Aluminum	97.0 J	ND(5.31)	ND(7.6)	ND(200.0)	30.0	17.0	ND(10.0)	ND(10.0)	17.4
Arsenic	ND(3.32)	ND(3.32)	ND(4.1)	ND(10.0)	ND(4.0)	ND(4.0)	ND(4.0)	ND(4.0)	ND(4.0)
Cadmium	0.91 J	ND(0.327)	0.64 J	ND(5.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	0.3 B
Calcium	24,500.0	24,600.0	25,200.0	18,100.0	17,400.0	16,500.0	18,000.0	13,700.0	13,100.0
Chromium	ND(0.343)	ND(0.343)	20.4	ND(10.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	0.3 B
Iron	150.0	ND(27.0)	72.2 J	72.0 J	74.0	46.0	20.0	64.0	83.1
Lead	ND(2.18)	ND(2.18)	ND(1.6)	ND(3.0)	ND(1.0)	ND(1.0)	2.0	ND(2.0)	1.2 B
Magnesium	8,680.0	9,520.0	10,600.0	7,000.0	6,440.0	6,000.0	6,100.0	4,900.0	4,660.0
Mercury	ND(0.03)	ND(0.03)	ND(0.18)	ND(0.2)	ND(0.2)	ND(0.2)	0.1 B	ND(0.2)	ND(0.2)
Potassium	10,900.0	8,080.0	8,590.0	6,700.0	7,680.0	7,700.0	7,600.0	6,300.0	4,980.0
Sodium	21,100.0	19,400.0	22,700.0	20,300.0	23,400.0	22,300.0	23,100.0	23,700.0	17,200.0
Leachate Indicators (mg/l)									
Ammonia	34.000	ND(0.200)	0.330	0.090	0.410	0.080	0.070	0.07	0.08
Bicarbonate	58.00	71.00	ND(2.00)	50.40	38.00	38.20	38.10	33.20	31.60
Chloride	27.00	31.00	27.00	30.60	48.00	43.00	38.00	36.00	28.00
Nitrate	ND(0.50)	1.67	1.22	1.00	1.90	2.40	2.60	2.20	1.80
Sulfate	65.00	64.00	32.00	37.10	26.00	28.00	30.00	29.00	25.00
Alkalinity	58.00	71.00	63.00	50.40	38.00	38.20	38.10	33.20	31.60
TDS	190.00	250.00	170.00	175.00	46.00	170.00	180.00	150.00	140.00
Hardness	96.90	100.53	106.71	74.00	70.00	65.90	70.10	54.30	51.90

CW2-M (continued)

Metals (µg/l)	6/10	10/11	5/12	9/12	5/13	10/13	4/14	9/14	4/15
Aluminum	9.3 B	138.0	30.0 J	30.0 J	35.0 J	170.0	720.0	230.0	110.0
Arsenic	ND(4.0)	ND(3.0)	ND(5.0)	ND(5.0)	3.7 J	ND(5.0)	4.4 J	3.0 J	ND(5.0)
Cadmium	0.6 B	0.3 B	ND(5.0)	ND(5.0)	0.6 J	ND(5.0)	ND(5.0)	ND(5.0)	ND(5.0)
Calcium	11,700.0	12,100.0	9,300.0	12,000.0	20,000.0	12,000.0	16,000.0	12,000.0	14,000.0
Chromium	ND(1.0)	3.0	ND(10.0)	ND(10.0)	4.9 J	2.0 J	5.5 J	2.6 J	ND(10.0)
Iron	212.0	250.0	90.0	50.0	160.0	140.0	780.0	350.0	240.0
Lead	ND(2.0)	ND(2.0)	ND(10.0)	ND(10.0)	ND(10.0)	ND(10.0)	6.6 J	3.0 J	2.6 J
Magnesium	3,980.0	3,870.0	3,300.0	4,300.0	7,400.0	4,600.0	4,800.0	3,300.0	46,000.0
Mercury	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.2)
Potassium	3,700.0	4,700.0	4,400.0	5,100.0	8,200.0	6,200.0	6,200.0	5,200.0	5,000.0
Sodium	15,000.0	16,700.0	17,000.0	22,000.0	39,000.0	21,000.0	40,000.0	15,000.0	27,000.0
Leachate Indicators (mg/l)									
Ammonia	0.11	ND(0.02)	0.20	0.068 J	0.07 J	0.061 J	0.1	0.1	ND(0.075)
Bicarbonate	28.00	31.00	23.00	32.0	32.0	39.0	40.7	34.0	34.1
Chloride	20.00	27.00	23.00	18.0	70.0	28.0	52.0	18.0	48.0
Nitrate	1.90	1.50	1.10	1.0	2.9	1.0	0.6	2.6	0.5
Sulfate	17.00	11.00	10.00	36.0	36.0	37.0	52.0	14.0	41.0
Alkalinity	28.00	31.00	23.00	32.0	32.0	39.0	40.7	34.0	34.1
TDS	110.00	110.00	95.00	120.0	210.0	140.0	220.0	120.0	200.0
Hardness	45.60	46.20	37.00	47.0	80.0	50.0	61.0	44.0	54.0

CW2-M (continued)

Metals (µg/l)	9/15	5/16	9/16	4/17	9/17	6/18	11/18	4/19	9/19
Aluminum	68.0 J	120.0	70.0 J	180.0	131.0	1,230.0	50.0 J	413.0	74.0 J
Arsenic	4.7 J	ND(5.0)	ND(5.00)	2.0 J	ND(5.0)	3.0 J	ND(5.0)	ND(5.0)	ND(5.0)
Cadmium	ND(5.0)	1.0 J	ND(5.00)	ND(5.0)	2.0 J	49.0	1.0 J	4.0 J	6.0
Calcium	17,000.0	14,000.0	11,000.0	11,000.0	21,200.0	35,300.0	24,600.0	25,500.0	24,300.0
Chromium	ND(10.0)	ND(10.0)	ND(10.00)	ND(10.0)	ND(10.0)	6.0 J	ND(10.0)	4.0 J	3.0 J
Iron	110.0	280.0	110.0	300.0	361.0	1,870.0	79.0	700.0	145.0
Lead	ND(10.0)	3.0 J	3.0 J	ND(10.0)	3.0 J	22.0	ND(10.0)	1.0 J	ND(10.0)
Magnesium	6,300.0	3,100.0	2,700.0	2,700.0	6,980.0	3,300.0	8,520.0	8,840.0	7,680.0
Mercury	ND(0.2)	0.2	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.1)
Potassium	6,400.0	4,400.0	3,700.0	14,000.0	9,950.0	22,400.0	7,480.0	7,550.0	8,570.0
Sodium	20,000.0	25,000.0	13,000.0	56,000.0	27,400.0	115,000.0	34,800.0	30,900.0	30,800.0
Leachate Indicators (mg/l)									
Ammonia	0.027 J	0.15	0.039 J	0.075	0.039J	0.089	0.038 J	0.127	0.081
Bicarbonate	29.60	38.40	29.60	52.7	51.7	143.0	55.7	54.0	64.5
Chloride	28.00	37.00	20.00	68.0	45.0	150.0	51.0	42.0	39.0
Nitrate	1.02	1.70	1.94	2.2	7.7	2.5	6.9	6.2	4.3
Sulfate	37.00	12.00	6.90 J	9.00 J	39.0	21.0	44.0	43.0	41.0
Alkalinity	29.60	38.40	29.60	52.7	51.7	143.0	55.7	54.0	64.5
TDS	120.00	150.00	98.00	220.0	250.0	450.0	230.0	300.0	200.0
Hardness	69.00	47.00	38.00	40.0	81.7	102.0	96.6	100.0	92.2

CW2-M (continued)

Metals (µg/l)	6/20	10/20							
Aluminum	114.0	127.0							
Arsenic	ND(5.0)	ND(5.0)							
Cadmium	1.0 J	1.0 J							
Calcium	19,600.0	19,900.0							
Chromium	ND(10.0)	ND(10.0)							
Iron	284.0	197.0							
Lead	4.0 J	ND(10.0)							
Magnesium	5,570.0	5,050.0							
Mercury	ND(0.20)	ND(0.20)							
Potassium	7,000.0	8,260.0							
Sodium	22,800.0	21,500.0							
Leachate Indicators (mg/l)									
Ammonia	0.084	ND(0.075)							
Bicarbonate	44.60	48.70							
Chloride	32.00	34.00							
Nitrate	2.19	2.200							
Sulfate	32.00	28.00							
Alkalinity	44.60	48.70							
TDS	160.00	160.00							
Hardness	71.80	70.50							

ND(): Compound not detected at method detection limit

J: Indicates an estimated value; compound is present at a concentration less than specified detection limit

B: The analyte was found in an associated blank, as well as in the sample

NA: Not Accessible

CW4-S
Historical Analysis of Volatile Organic Compounds
East Northport Landfill, East Northport, NY
Reported in Micrograms per Liter

Parameter	6/96	4/97	9/97	4/98	9/98	4/99	9/99	4/00	9/00
Chloromethane	ND(10.0)	ND(2.0)	ND(2.0)	ND(10.0)	ND(10.0)	ND(4.6)	ND(2.3)	ND(1.1)	ND(1.1)
Bromomethane	ND(10.0)	ND(1.0)	ND(1.0)	ND(10.0)	ND(10.0)	ND(3.8)	ND(1.8)	ND(0.6)	ND(0.6)
Vinyl Chloride	ND(10.0)	ND(1.0)	ND(1.0)	ND(10.0)	ND(10.0)	ND(1.7)	ND(2.0)	ND(1.0)	ND(1.0)
Chloroethane	ND(10.0)	ND(1.0)	ND(1.0)	ND(10.0)	ND(10.0)	ND(1.8)	ND(1.6)	ND(0.7)	ND(0.7)
Methylene Chloride	ND(5.0)	ND(3.0)	ND(3.0)	ND(5.0)	ND(5.0)	ND(2.7)	ND(0.6)	ND(0.4)	ND(0.4)
Trichloroflouromethane		ND(2.0)	ND(2.0)	ND(10.0)	ND(10.0)	ND(1.5)	ND(1.5)	ND(0.4)	ND(0.4)
1,1-Dichloroethene	ND(5.0)	ND(2.0)	ND(2.0)	ND(5.0)	ND(5.0)	ND(1.7)	ND(1.2)	ND(0.4)	ND(0.4)
1,1-Dichloroethane	ND(5.0)	ND(1.0)	ND(1.0)	ND(5.0)	ND(5.0)	ND(1.4)	ND(0.7)	ND(0.2)	ND(0.2)
*1,2-Dichloroethene, Total		ND(1.0)	ND(1.0)	ND(5.0)	17.0	23.0	ND(1.0)	ND(0.4)	ND(0.4)
Chloroform	ND(5.0)	ND(1.0)	ND(1.0)	ND(5.0)	ND(5.0)	ND(1.6)	ND(0.4)	ND(0.3)	ND(0.3)
1,2-Dichloroethane	ND(5.0)	ND(1.0)	ND(1.0)	ND(5.0)	ND(5.0)	ND(1.9)	ND(0.5)	ND(0.3)	ND(0.3)
1,1,1-Trichloroethane	ND(5.0)	ND(1.0)	ND(1.0)	ND(5.0)	ND(5.0)	ND(0.5)	ND(0.5)	1.2	ND(0.3)
Carbon Tetrachloride	ND(5.0)	ND(2.0)	ND(2.0)	ND(5.0)	ND(5.0)	ND(0.6)	ND(0.4)	ND(0.3)	ND(0.3)
Bromodichloromethane	ND(5.0)	ND(1.0)	ND(1.0)	ND(5.0)	ND(5.0)	ND(0.6)	ND(0.6)	ND(0.3)	ND(0.3)
1,2-Dichloropropane	ND(5.0)	ND(1.0)	ND(1.0)	ND(5.0)	ND(5.0)	ND(0.6)	ND(0.8)	ND(0.4)	ND(0.4)
cis-1,3-Dichloropropene	ND(5.0)	ND(1.0)	ND(1.0)	ND(5.0)	ND(5.0)	ND(0.5)	ND(0.3)	ND(0.3)	ND(0.3)
Trichloroethene	ND(5.0)	ND(2.0)	3.0	ND(5.0)	4.0 J	5.2	ND(0.3)	ND(0.4)	1.7
Benzene	ND(5.0)	ND(1.0)	ND(1.0)	ND(5.0)	ND(5.0)	ND(0.5)	ND(0.6)	ND(0.3)	ND(0.3)
Dibromochloromethane	ND(5.0)	ND(1.0)	ND(1.0)	ND(5.0)	ND(5.0)	ND(0.6)	ND(0.5)	ND(0.3)	ND(0.3)
trans-1,3-Dichloropropene	ND(5.0)	ND(1.0)	ND(1.0)	ND(5.0)	ND(5.0)	ND(0.6)	ND(0.5)	ND(0.2)	ND(0.2)
1,1,2-Trichloroethane	ND(5.0)	ND(1.0)	ND(1.0)	ND(5.0)	ND(5.0)	ND(0.5)	ND(0.9)	ND(0.3)	ND(0.3)
2-Chloroethylvinyl ether		ND(4.0)	ND(4.0)	ND(10.0)	ND(10.0)	ND(0.6)	ND(1.5)	ND(1.1)	ND(1.1)
Bromoform	ND(5.0)	ND(1.0)	ND(1.0)	ND(5.0)	ND(5.0)	ND(0.8)	ND(0.7)	ND(0.3)	ND(0.3)
1,1,2,2-Tetrachloroethane	ND(5.0)	ND(2.0)	ND(2.0)	ND(5.0)	ND(5.0)	ND(0.5)	ND(1.0)	ND(0.3)	ND(0.3)
Tetrachloroethene	5.5	ND(3.0)	4.0	ND(5.0)	5.0 J	4.6	5.5	ND(0.3)	2.3
Toluene	ND(5.0)	ND(2.0)	ND(2.0)	ND(5.0)	ND(5.0)	ND(0.8)	ND(0.5)	ND(0.3)	ND(0.3)
Chlorobenzene	ND(5.0)	ND(2.0)	ND(2.0)	ND(5.0)	ND(5.0)	ND(0.6)	ND(0.5)	ND(0.2)	ND(0.2)
Ethylbenzene	ND(5.0)	ND(2.0)	ND(2.0)	ND(5.0)	ND(5.0)	ND(0.7)	ND(0.5)	ND(0.4)	ND(0.4)
1,2-Dichlorobenzene		ND(2.0)	ND(2.0)	ND(10.0)	ND(10.0)	ND(1.5)	ND(0.2)	ND(0.2)	ND(0.2)
1,3-Dichlorobenzene		ND(2.0)	ND(2.0)	ND(10.0)	ND(10.0)	ND(0.7)	ND(0.4)	ND(0.4)	ND(0.4)
1,4-Dichlorobenzene		ND(2.0)	ND(2.0)	ND(10.0)	ND(10.0)	ND(5.0)	ND(0.3)	ND(0.3)	ND(0.3)

CW4-S (continued)

Parameter	4/01	9/01	4/02	9/02	4/03	10/03	6/04	10/04	4/05
Chloromethane	ND(1.1)	ND(1.1)	ND(1.1)	ND(1.4)	ND(1.4)	ND(2.2)	ND(0.49)	ND(0.49)	ND(0.45)
Bromomethane	ND(0.6)	ND(0.6)	ND(0.6)	ND(1.7)	ND(1.7)	ND(2.9)	ND(0.61)	ND(0.61)	ND(1.30)
Vinyl Chloride	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.2)	ND(1.2)	ND(0.8)	ND(0.28)	ND(0.28)	ND(0.62)
Chloroethane	ND(0.7)	ND(0.7)	ND(0.7)	ND(1.8)	ND(1.8)	ND(2.0)	ND(0.62)	ND(0.62)	ND(1.10)
Methylene Chloride	ND(0.4)	ND(0.4)	ND(0.4)	ND(1.2)	ND(1.2)	ND(1.2)	ND(1.40)	ND(1.40)	ND(0.98)
Trichloroflouromethane	ND(0.4)	ND(0.4)	ND(0.4)	ND(1.3)	ND(1.3)	ND(1.5)	ND(0.80)	ND(0.80)	ND(0.58)
1,1-Dichloroethene	ND(0.4)	ND(0.4)	ND(0.4)	ND(1.0)	ND(1.0)	ND(0.1)	ND(0.28)	ND(0.28)	ND(0.28)
1,1-Dichloroethane	ND(0.2)	ND(0.2)	ND(0.2)	ND(1.0)	ND(1.0)	ND(1.3)	ND(0.29)	ND(0.29)	ND(0.33)
*1,2-Dichloroethene, Total	ND(0.4)	ND(0.4)	ND(0.4)	ND(1.0)	ND(1.0)	ND(1.3)	ND(0.32)	ND(0.32)	ND(0.40)
Chloroform	ND(0.3)	ND(0.3)	ND(0.3)	ND(0.8)	ND(0.8)	ND(1.5)	ND(0.30)	ND(0.30)	ND(0.18)
1,2-Dichloroethane	ND(0.3)	ND(0.3)	ND(0.3)	ND(0.6)	ND(0.6)	ND(0.2)	ND(0.19)	ND(0.19)	ND(0.28)
1,1,1-Trichloroethane	ND(0.3)	ND(0.3)	ND(0.3)	ND(0.8)	ND(0.8)	ND(0.5)	ND(0.34)	ND(0.34)	ND(0.17)
Carbon Tetrachloride	ND(0.3)	ND(0.3)	ND(0.3)	ND(0.5)	ND(0.5)	ND(0.1)	ND(0.18)	ND(0.18)	ND(0.34)
Bromodichloromethane	ND(0.3)	ND(0.3)	ND(0.3)	ND(0.9)	ND(0.9)	ND(0.1)	ND(0.29)	ND(0.29)	ND(0.30)
1,2-Dichloropropane	ND(0.4)	ND(0.4)	ND(0.4)	ND(0.8)	ND(0.8)	ND(0.2)	ND(0.32)	ND(0.32)	ND(0.27)
cis-1,3-Dichloropropene	ND(0.3)	ND(0.3)	ND(0.3)	ND(1.5)	ND(1.5)	ND(0.7)	ND(0.21)	ND(0.21)	ND(0.26)
Trichloroethene	ND(0.4)	ND(0.4)	ND(0.4)	ND(0.9)	ND(0.9)	ND(0.1)	ND(0.27)	ND(0.27)	ND(0.59)
Benzene	ND(0.3)	ND(0.3)	ND(0.3)	ND(0.6)	ND(0.6)	ND(0.1)	ND(0.17)	ND(0.17)	ND(0.35)
Dibromochloromethane	ND(0.3)	ND(0.3)	ND(0.3)	ND(1.4)	ND(1.4)	ND(1.2)	ND(0.30)	ND(0.30)	ND(0.22)
trans-1,3-Dichloropropene	ND(0.2)	ND(0.2)	ND(0.2)	ND(1.5)	ND(1.5)	ND(0.7)	ND(0.23)	ND(0.23)	ND(0.29)
1,1,2-Trichloroethane	ND(0.3)	ND(0.3)	ND(0.3)	ND(1.5)	ND(1.5)	ND(1.0)	ND(0.28)	ND(0.28)	ND(0.24)
2-Chloroethylvinyl ether	ND(1.1)	ND(1.1)	ND(1.1)	ND(4.8)	ND(4.8)	ND(2.7)	ND(1.70)	ND(1.70)	ND(6.20)
Bromoform	ND(0.3)	ND(0.3)	ND(0.3)	ND(1.5)	ND(1.5)	ND(1.3)	ND(0.25)	ND(0.25)	ND(0.22)
1,1,2,2-Tetrachloroethane	ND(0.3)	ND(0.3)	ND(0.3)	ND(0.8)	ND(0.8)	ND(1.9)	ND(0.27)	ND(0.27)	ND(0.35)
Tetrachloroethene	ND(0.3)	ND(0.3)	ND(0.3)	ND(1.0)	ND(1.0)	ND(0.1)	ND(0.30)	ND(0.30)	ND(0.74)
Toluene	ND(0.3)	ND(0.3)	ND(0.3)	ND(1.0)	ND(1.0)	ND(0.5)	ND(0.23)	ND(0.23)	ND(0.38)
Chlorobenzene	ND(0.2)	ND(0.2)	ND(0.2)	ND(1.0)	ND(1.0)	ND(0.5)	ND(0.24)	ND(0.24)	ND(0.47)
Ethylbenzene	ND(0.4)	ND(0.4)	ND(0.4)	ND(1.2)	ND(1.2)	ND(0.8)	ND(0.17)	ND(0.17)	ND(0.50)
1,2-Dichlorobenzene	ND(0.2)	ND(0.2)	ND(0.2)	ND(1.6)	ND(1.6)	ND(0.5)	ND(0.20)	ND(0.20)	ND(0.67)
1,3-Dichlorobenzene	ND(0.4)	ND(0.4)	ND(0.4)	ND(0.8)	ND(0.8)	ND(0.7)	ND(0.28)	ND(0.28)	ND(0.35)
1,4-Dichlorobenzene	ND(0.3)	ND(0.3)	ND(0.3)	ND(1.4)	ND(1.4)	ND(0.8)	ND(0.30)	ND(0.30)	ND(0.79)

CW4-S (continued)

Parameter	9/15	5/16	9/16	4/17	9/17	6/18	11/18	4/19	9/19
Chloromethane	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.0)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
Bromomethane	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.0)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
Vinyl Chloride	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.0)	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)
Chloroethane	ND(2.00)	ND(2.00)	ND(2.00)	ND(2.00)	ND(2.0)	ND(2.00)	ND(2.00)	ND(2.00)	ND(2.00)
Methylene Chloride	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.0)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
Trichloroflouromethane	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.0)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
1,1-Dichloroethene	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.0)	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)
1,1-Dichloroethane	ND(1.50)	ND(1.50)	ND(1.50)	ND(1.50)	ND(1.5)	ND(1.50)	ND(1.50)	ND(1.50)	ND(1.50)
*1,2-Dichloroethene, Total	ND(1.50)	ND(1.50)	ND(1.50)	ND(1.50)	ND(1.5)	ND(1.50)	ND(1.50)	ND(1.50)	ND(1.50)
Chloroform	ND(1.50)	ND(1.50)	ND(1.50)	ND(1.50)	ND(1.5)	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)
1,2-Dichloroethane	ND(1.50)	ND(1.50)	ND(1.50)	ND(1.50)	ND(1.5)	ND(1.50)	ND(1.50)	ND(1.50)	ND(1.50)
1,1,1-Trichloroethane	ND(2.00)	ND(2.00)	ND(2.00)	ND(2.00)	ND(2.0)	ND(2.00)	ND(2.00)	ND(2.00)	ND(2.00)
Carbon Tetrachloride	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.0)	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)
Bromodichloromethane	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.0)	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)
1,2-Dichloropropane	ND(3.50)	ND(3.50)	ND(3.50)	ND(3.50)	ND(3.5)	ND(3.50)	ND(3.50)	ND(3.50)	ND(3.50)
cis-1,3-Dichloropropene	ND(1.50)	ND(1.50)	ND(1.50)	ND(1.50)	ND(1.5)	ND(1.50)	ND(1.50)	ND(1.50)	ND(1.50)
Trichloroethene	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.0)	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)
Benzene	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.0)	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)
Dibromochloromethane	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.0)	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)
trans-1,3-Dichloropropene	ND(1.50)	ND(1.50)	ND(1.50)	ND(1.50)	ND(1.5)	ND(1.50)	ND(1.50)	ND(1.50)	ND(1.50)
1,1,2-Trichloroethane	ND(1.50)	ND(1.50)	ND(1.50)	ND(1.50)	ND(1.5)	ND(1.50)	ND(1.50)	ND(1.50)	ND(1.50)
2-Chloroethylvinyl ether	ND(10.00)	ND(10.00)	ND(10.00)	ND(10.00)	ND(10.0)	ND(10.00)	ND(10.00)	ND(10.00)	ND(10.00)
Bromoform	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.0)	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)
1,1,2,2-Tetrachloroethane	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.0)	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)
Tetrachloroethene	ND(1.50)	ND(1.50)	ND(1.50)	ND(1.50)	ND(1.5)	ND(1.50)	ND(1.50)	ND(1.50)	ND(1.50)
Toluene	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.0)	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)
Chlorobenzene	ND(3.50)	ND(3.50)	ND(3.50)	ND(3.50)	ND(3.5)	ND(3.50)	ND(3.50)	ND(3.50)	ND(3.50)
Ethylbenzene	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.0)	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)
1,2-Dichlorobenzene	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.0)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
1,3-Dichlorobenzene	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.0)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
1,4-Dichlorobenzene	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.0)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
Acetone	ND(10.00)	ND(10.00)	ND(10.00)	ND(10.00)	ND(10.0)	ND(10.00)	ND(10.00)	ND(10.00)	ND(10.00)
Tert-Butyl Alcohol	ND(100.00)	ND(100.00)	ND(100.00)	ND(100.00)	ND(100.0)	N/A	ND(100.00)	ND(100.00)	ND(100.00)
cis-1,2-Dichloroethene	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.0)	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)
Methyl Tert Butyl Ether	NA	NA	NA	NA	ND(10.0)	NA	NA	NA	NA

CW4-S (continued)

Parameter	6/20	10/20							
Chloromethane	ND(5.00)	ND(5.00)							
Bromomethane	ND(5.00)	ND(5.00)							
Vinyl Chloride	ND(1.00)	ND(1.00)							
Chloroethane	ND(2.00)	ND(2.00)							
Methylene Chloride	ND(5.00)	ND(1.00)							
Trichloroflouromethane	ND(5.00)	ND(5.00)							
1,1-Dichloroethene	ND(1.00)	ND(1.00)							
1,1-Dichloroethane	ND(1.50)	ND(1.50)							
*1,2-Dichloroethene, Total	ND(1.50)	ND(1.50)							
Chloroform	ND(1.50)	ND(1.00)							
1,2-Dichloroethane	ND(1.50)	ND(1.50)							
1,1,1-Trichloroethane	ND(2.00)	ND(2.00)							
Carbon Tetrachloride	ND(1.00)	ND(1.00)							
Bromodichloromethane	ND(1.00)	ND(1.00)							
1,2-Dichloropropane	ND(3.50)	ND(3.50)							
cis-1,3-Dichloropropene	ND(1.50)	ND(1.50)							
Trichloroethene	ND(1.00)	ND(1.00)							
Benzene	ND(1.00)	ND(1.00)							
Dibromochloromethane	ND(1.00)	ND(1.00)							
trans-1,3-Dichloropropene	ND(1.50)	ND(1.50)							
1,1,2-Trichloroethane	ND(1.50)	ND(1.50)							
2-Chloroethylvinyl ether	ND(10.00)	ND(10.00)							
Bromoform	ND(1.00)	ND(1.00)							
1,1,2,2-Tetrachloroethane	ND(1.00)	ND(1.00)							
Tetrachloroethene	ND(1.50)	ND(1.50)							
Toluene	ND(1.00)	ND(1.00)							
Chlorobenzene	ND(3.50)	ND(3.50)							
Ethylbenzene	ND(1.00)	ND(1.00)							
1,2-Dichlorobenzene	ND(5.00)	ND(5.00)							
1,3-Dichlorobenzene	ND(5.00)	ND(5.00)							
1,4-Dichlorobenzene	ND(5.00)	ND(5.00)							
Acetone	ND(10.00)	ND(10.00)							
Tert-Butyl Alcohol	ND(100.00)	ND(100.00)							
cis-1,2-Dichloroethene	ND(1.00)	ND(1.00)							
Methyl Tert Butyl Ether	ND(10.00)	ND(10.00)							

*1,2-Dichloroethene, Total: Sum of Trans and Cis 1,2-Dichloroethene
 J: Indicates an estimated value; compound is present at a concentration less than specified detection limit
 B: The analyte was found in an associated blank, as well as in the sample

CW4-S
Historical Analysis of Metals and Leachate Indicators
East Northport Landfill, East Northport, NY

Metals (µg/l)	6/96	4/97	9/97	4/98	9/98	4/99	9/99	4/00	9/00
Aluminum	90.6 B	347.0	273.0	270.0	62.0 B	ND(200.0)	80.7 B	41.9 B	314.0
Arsenic	ND(9.0)	ND(4.5)	ND(2.7)	2.7 B	ND(1.5)	ND(4.0)	ND(6.0)	ND(3.0)	ND(3.8)
Cadmium	ND(1.0)	ND(0.5)	ND(0.5)	ND(5.2)	ND(4.7)	ND(5.0)	ND(1.0)	ND(0.5)	ND(0.4)
Calcium	32,300.0	25,200.0	30,700.0	7,400.0 E	35,300.0	37,700.0	45,800.0	28,400.0	30,200.0
Chromium	1.8 B	8.7 B	1.4 B	ND(8.3)	13.7	9.0	5.1 B	5.5 B	7.7 B
Iron	8,160.0	7,720.0	7,650.0	2,700.0	9,220.0	10,100.0	9,590.0	5,530.0	5,710.0
Lead	3.4	4.1	6.4	6.7	5.8	ND(4.0)	ND(3.0)	1.6 B	3.8
Magnesium	9,790.0	7,760.0	9,100.0	419.0 BE	10,600.0 E	12,900.0	15,900.0	8,870.0	10,800.0
Mercury	ND(0.2)	ND(0.06)	0.06 B	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.1)	ND(0.1)
Potassium	12,800.0	13,200.0	9,760.0	1,650.0 B	12,700.0 E	15,100.0	19,500.0 E	12,800.0	19,700.0
Sodium	34,800.0	28,000.0 E	31,500.0 E	2,310.0 BE	40,200.0 E	46,500.0	51,100.0	27,400.0	42,300.0
Leachate Indicators (mg/l)									
Ammonia	4.700	1.650	1.810	ND(0.200)	6.200	5.990	1.140	ND(0.200)	4.500
Bicarbonate		82.70	110.00	15.40	126.00	150.00	191.00	40.00	280.00
Chloride	39.00	31.90	90.40	4.30	55.90	69.80	85.10	20.00	50.00
Nitrate	4.89	0.25	0.30	0.53	0.23	ND(0.50)	ND(0.05)	6.90	ND(0.50)
Sulfate	37.30	20.50	29.80	ND(5.00)	38.70	47.60	76.10	29.00	36.00
Alkalinity	63.00	82.70	110.00	15.40	126.00	150.00	192.00	40.00	280.00
TDS	218.00	173.00	206.00	46.00	324.00	305.00	376.00	130.00	280.00
Hardness	41.00	94.80	114.00	20.20 E	132.00	146.00	286.00	98.00	120.00

CW4-S (continued)

Metals (µg/l)	4/01	9/07	4/02	9/02	4/03	10/03	6/04	10/04	4/05
Aluminum	142.0 B	202.0	75.1 B	65.4 B	319.0	106.0 J	64.4 J	ND(180.0)	154.0
Arsenic	ND(2.5)	ND(5.0)	ND(2.8)	ND(3.6)	ND(11.9)	ND(2.2)	ND(5.5)	ND(4.84)	ND(3.32)
Cadmium	2.9 B	3.3 B	3.3 B	ND(1.0)	1.2 B	0.93 J	1.3 J	1.58 J	2.7 J
Calcium	4,420.0 B	12,600.0	10,600.0	7,210.0	10,000.0	5,530.0	5,650.0	5,760.0	5,540.0
Chromium	2.6 B	ND(5.0)	ND(0.6)	6.5 B	7.6 B	2.7 J	4.2 J	ND(1.22)	11.1
Iron	1,070.0	2,210.0	2,340.0	398.0	2,540.0	237.0	310.0	197.0	1,570.0
Lead	4.8	14.9	9.1	10.6	35.1	8.3	6.0	ND(1.79)	17.2
Magnesium	222.0 B	2,400.0 B	1,520.0 B	520.0 B	2,230.0 B	293.0 J	288.0 J	619.0 J	229.0 J
Mercury	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.2)	0.08 J	0.04 J
Potassium	1,120.0 B	5,080.0	4,170.0 B	3,060.0 B	5,770.0	2,280.0 J	2,040.0 J	2,340.0 J	2,710.0 J
Sodium	1,430.0 B	8,520.0	4,570.0 B	4,210.0 B	5,980.0	1,750.0 J	1,380.0 J	1,190.0 J	1,740.0 J
Leachate Indicators (mg/l)									
Ammonia	ND(0.200)	0.600	ND(0.200)	ND(0.200)	ND(0.200)	ND(0.200)	ND(0.200)	ND(0.200)	ND(0.200)
Bicarbonate	11.00	49.00	38.00	20.00	79.00	16.00	11.00	12.00	17.00
Chloride	2.30	11.00	8.50	4.70	8.40	2.40	2.50	2.80	3.30
Nitrate	ND(0.50)	ND(0.50)	ND(0.50)	0.90	0.50	0.70	0.90	0.50	0.717
Sulfate	ND(1.00)	10.00	8.60	4.06	7.70	1.90	14.00	ND(1.00)	ND(1.00)
Alkalinity	11.00	49.00	38.00	20.00	78.00	16.00	11.00	12.00	17.00
TDS	20.00	70.00	68.00	37.00	87.00	33.00	38.00	11.00	23.00
Hardness	12.00	41.00	33.00	20.00	34.00	15.00	15.00	17.00	15.00

CW4-S (continued)

Metals (µg/l)	9/05	8/06	11/06	7/07	11/07	4/08	9/08	4/09	9/09
Aluminum	488.0	ND(5.31)	652.0	300.0	125.0	ND(10.0)	7.2 B	ND(10.0)	175.0
Arsenic	ND(3.32)	ND(3.32)	ND(4.1)	5.4 J	ND(4.0)	7.0	ND(4.0)	ND(4.0)	ND(4.0)
Cadmium	3.69 J	ND(0.327)	7.5	2.3 J	7.0	1.0	0.6 B	0.7 B	6.9
Calcium	12,500.0	5,130.0	17,400.0	11,500.0	7,930.0	8,270.0	7,400.0	8,480.0	18,500.0
Chromium	15.7	1.31 J	20.4	11.0	3.0	2.0	ND(1.0)	0.9 B	3.3
Iron	2,850.0	582.0	3,490.0	1,700.0	862.0	11.0	12.0	6.0	825.0
Lead	42.3	ND(2.18)	205.0	55.0	7.0	ND(1.0)	2.0	ND(2.0)	5.0
Magnesium	3,780.0 J	557.0 J	6,340.0	3,100.0 J	1,210.0	1,040.0	1,100.0	1,780.0	6,780.0
Mercury	ND(0.03)	ND(0.03)	ND(0.18)	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.2)
Potassium	7,250.0	1,790.0 J	5,980.0	4,000.0 J	4,960.0	5,400.0	4,200.0	4,940.0	7,370.0
Sodium	7,620.0	ND(332.0)	11,400.0	6,100.0	4,740.0	4,500.0	2,700.0	4,050.0	11,900.0
Leachate Indicators (mg/l)									
Ammonia	0.230	ND(0.200)	ND(0.200)	0.047	0.070	0.020	0.020	0.12	0.09
Bicarbonate	50.00	21.00	ND(2.00)	40.20	40.00	27.10	24.30	31.00	55.20
Chloride	14.00	4.02	11.00	9.00	4.00	7.30	3.50	8.10	21.00
Nitrate	ND(0.50)	ND(0.50)	0.61	0.78	1.10	1.10	0.94	1.30	2.60
Sulfate	14.00	3.28	11.00	7.40	3.70	3.50	ND(3.00)	5.60	15.00
Alkalinity	50.00	21.00	44.00	40.20	40.00	27.10	24.30	31.00	55.20
TDS	120.00	33.00	81.00	71.00	170.00	40.00	50.00	39.00	150.00
Hardness	46.70	15.10	69.58	41.50	24.80	24.90	23.00	28.50	74.10

CW4-S (continued)

Metals (µg/l)	6/10	10/11	5/12	9/12	5/13	10/13	4/14	9/14	4/15
Aluminum	100.0	69.0	50.0 J	540.0	130.0	140.0	150.0	630.0	200.0
Arsenic	ND(4.0)	ND(3.0)	ND(5.0)	ND(5.0)	3.0 J	ND(5.0)	2.2 J	2.6 J	ND(5.0)
Cadmium	4.0	4.0	3.0 J	8.0	5.0	3.0 J	1.7 J	3.1 J	2.0 J
Calcium	13,200.0	8,870.0	8,700.0	12,000.0	8,600.0	8,000.0	6,800.0	9,000.0	8,900.0
Chromium	2.0	ND(1.0)	5.0 J	4.0 J	3.6 J	5.0 J	4.7 J	5.8 J	2.6 J
Iron	397.0	530.0	540.0	1,700.0	650.0	680.0	600.0	1,200.0	970.0
Lead	4.0	ND(2.0)	3.0 J	32.0	10.2	15.6	12.6	11.1	37.8
Magnesium	4,200.0	840.0	800.0	4,600.0	1,400.0	2,000.0	1,800.0	2,500.0	2,700.0
Mercury	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.2)
Potassium	4,800.0	3,800.0	3,800.0	5,300.0	4,100.0	3,600.0	3,100.0	3,700.0	3,600.0
Sodium	8,100.0	2,800.0	3,000.0	10,000.0	6,300.0	6,100.0	5,200.0	6,200.0	7,300.0
Leachate Indicators (mg/l)									
Ammonia	0.05	ND(0.02)	0.09	0.051 J	0.1	0.1	0.027 J	0.1	0.028 J
Bicarbonate	37.00	26.00	22.00	42.0	23.0	26.0	20.3	25.3	36.7
Chloride	13.00	3.40	4.30	14.0	10.0	9.5	7.9	7.9	14.0
Nitrate	1.40	0.98	1.30	1.3	1.2	1.7	1.2	1.9	2.3
Sulfate	9.60	1.4 B	1.20 J	7.6 J	2.6 J	ND(10.0)	ND(10.0)	4.5 J	9.1 J
Alkalinity	37.00	26.00	22.00	42.0	23.0	26.0	20.3	25.3	36.7
TDS	83.00	38.00	41.00	100.0	45.0	63.0	51.0	64.0	64.0
Hardness	50.30	25.60	25.00	50.0	27.0	28.0	24.0	33.0	33.0

CW4-S (continued)

Metals (µg/l)	9/15	5/16	9/16	4/17	9/17	6/18	11/18	4/19	9/19
Aluminum	77.0 J	20.0 J	70.0 J	130.0	142.0	38.0 J	5,340.0	145.0	113.0
Arsenic	3.1 J	ND(5.0)	ND(5.00)	ND(5.0)	ND(5.0)	ND(5.0)	4.0 J	3.0 J	ND(5.0)
Cadmium	0.7 J	ND(5.0)	ND(5.00)	3.0 J	11.0	1.0 J	10.0	3.0 J	1.0 J
Calcium	9,800.0	7,200.0	11,000.0	8,100.0	8,070.0	5,160.0	19,500.0	9,140.0	9,280.0
Chromium	ND(10.0)	ND(10.0)	ND(10.00)	4.0 J	ND(10.0)	ND(10.0)	20.0	3.0 J	3.0 J
Iron	300.0	130.0	110.0	660.0	1,530.0	417.0	7,770.0	573.0	514.0
Lead	10.8	3.0 J	3.0 J	7.0 J	7.0 J	4.0 J	168.0	ND(10.0)	10.0
Magnesium	3,200.0	900.0	2,700.0	2,200.0	757.0	521.0	6,700.0	2,880.0	2,830.0
Mercury	ND(0.2)	0.2	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.1)
Potassium	3,800.0	3,100.0	3,700.0	3,000.0	4,700.0	2,670.0	4,880.0	2,500.0	3,200.0
Sodium	8,300.0	3,500.0	13,000.0	5,900.0	2,370.0	1,890.0 J	13,600.0	7,290.0	7,660.0
Leachate Indicators (mg/l)									
Ammonia	0.038 J	0.08	0.066 J	0.056 J	ND(0.075)	ND (0.075)	0.081	0.044 J	0.081
Bicarbonate	25.90	20.20	22.90	20.5	22.1	15.8	38.2	21.2	20.8
Chloride	10.00	5.90	6.60	6.2	3.4	3.2	25.0	11.0	11.0
Nitrate	2.03	1.08	2.09	1.3	0.8	0.8	5.1	2.1	2.2
Sulfate	7.8 J	ND(10.00)	3.90 J	4.10 J	1.9J	2.0 J	14.0	7.30 J	7.80 J
Alkalinity	25.90	20.20	22.90	20.5	22.1	15.8	38.2	21.2	20.8
TDS	40.00	54.00	48.00	65.0	49.0	24.0	130.0	74.0	53.0
Hardness	38.00	22.00	29.00	29.0	23.3	15.0	76.2	34.7	34.8

CW4-S (continued)

Metals (µg/l)	6/20	10/20							
Aluminum	188.0	ND(100.0)							
Arsenic	ND(5.0)	ND(5.0)							
Cadmium	4.0 J	2.0 J							
Calcium	9,330.0	9,850.0							
Chromium	3.0 J	ND(10.0)							
Iron	982.0	131.0							
Lead	22.0	ND(10.0)							
Magnesium	3,060.0	2,040.0							
Mercury	ND(0.20)	ND(0.20)							
Potassium	2,920.0	6,520.0							
Sodium	7,680.0	6,410.0							
Leachate Indicators (mg/l)									
Ammonia	ND(0.075)	ND(0.075)							
Bicarbonate	22.60	29.30							
Chloride	12.00	11.00							
Nitrate	2.24	2.100							
Sulfate	5.8 J	5.5 J							
Alkalinity	22.60	29.30							
TDS	54.00	64.00							
Hardness	35.90	33.00							

B: The analyte was found in an associated blank, as well as in the sample

CW4-M
Historical Analysis of Volatile Organic Compounds
East Northport Landfill, East Northport, NY
Reported in Micrograms per Liter

Parameter	6/96	4/97	9/97	4/98	9/98	4/99	9/99	4/00	9/00
Chloromethane	ND(10.0)	ND(2.0)	ND(2.0)	ND(10.0)	ND(10.0)	ND(4.6)	ND(2.3)	ND(1.1)	ND(1.1)
Bromomethane	ND(10.0)	ND(1.0)	ND(1.0)	ND(10.0)	ND(10.0)	ND(3.8)	ND(1.8)	ND(0.6)	ND(0.6)
Vinyl Chloride	ND(10.0)	ND(1.0)	ND(1.0)	ND(10.0)	ND(10.0)	ND(1.7)	ND(2.0)	ND(1.0)	ND(1.0)
Chloroethane	ND(10.0)	ND(1.0)	ND(1.0)	ND(10.0)	ND(10.0)	ND(1.8)	ND(1.6)	ND(0.7)	ND(0.7)
Methylene Chloride	ND(5.0)	ND(3.0)	ND(3.0)	ND(5.0)	ND(5.0)	ND(2.7)	ND(0.6)	ND(0.4)	ND(0.4)
Trichloroflouromethane		ND(2.0)	ND(2.0)	ND(10.0)	ND(10.0)	ND(1.5)	ND(1.5)	ND(0.4)	ND(0.4)
1,1-Dichloroethene	ND(5.0)	ND(2.0)	ND(2.0)	ND(5.0)	ND(5.0)	ND(1.7)	ND(1.2)	ND(0.4)	ND(0.4)
1,1-Dichloroethane	ND(5.0)	ND(1.0)	ND(1.0)	ND(5.0)	0.9 J	ND(1.4)	ND(0.7)	ND(0.2)	ND(0.2)
*1,2-Dichloroethene, Total		ND(1.0)	ND(1.0)	ND(5.0)	ND(5.0)	ND(1.7)	ND(1.0)	ND(0.4)	ND(0.4)
Chloroform	ND(5.0)	ND(1.0)	ND(1.0)	ND(5.0)	ND(5.0)	ND(1.6)	ND(0.4)	ND(0.3)	ND(0.3)
1,2-Dichloroethane	ND(5.0)	ND(1.0)	ND(1.0)	ND(5.0)	ND(5.0)	ND(1.9)	ND(0.5)	ND(0.3)	ND(0.3)
1,1,1-Trichloroethane	ND(5.0)	ND(1.0)	1.0	ND(5.0)	1.0 J	1.0	ND(0.5)	ND(0.3)	1.4
Carbon Tetrachloride	ND(5.0)	ND(2.0)	ND(2.0)	ND(5.0)	ND(5.0)	ND(0.6)	ND(0.4)	ND(0.3)	ND(0.3)
Bromodichloromethane	ND(5.0)	ND(1.0)	ND(1.0)	ND(5.0)	ND(5.0)	ND(0.6)	ND(0.6)	ND(0.3)	ND(0.3)
1,2-Dichloropropane	ND(5.0)	ND(1.0)	ND(1.0)	ND(5.0)	ND(5.0)	ND(0.6)	ND(0.8)	ND(0.4)	ND(0.4)
cis-1,3-Dichloropropene	ND(5.0)	ND(1.0)	ND(1.0)	ND(5.0)	ND(5.0)	ND(0.5)	ND(0.3)	ND(0.3)	ND(0.3)
Trichloroethene	ND(5.0)	ND(2.0)	ND(2.0)	ND(5.0)	ND(5.0)	ND(0.6)	ND(0.3)	2.2	ND(0.4)
Benzene	ND(5.0)	ND(1.0)	ND(1.0)	ND(5.0)	ND(5.0)	ND(0.5)	ND(0.6)	ND(0.3)	ND(0.3)
Dibromochloromethane	ND(5.0)	ND(1.0)	ND(1.0)	ND(5.0)	ND(5.0)	ND(0.6)	ND(0.5)	ND(0.3)	ND(0.3)
trans-1,3-Dichloropropene	ND(5.0)	ND(1.0)	ND(1.0)	ND(5.0)	ND(5.0)	ND(0.6)	ND(0.5)	ND(0.2)	ND(0.2)
1,1,2-Trichloroethane	ND(5.0)	ND(1.0)	ND(1.0)	ND(5.0)	ND(5.0)	ND(0.5)	ND(0.9)	ND(0.3)	ND(0.3)
2-Chloroethylvinyl ether		ND(4.0)	ND(4.0)	ND(10.0)	ND(10.0)	ND(0.6)	ND(1.5)	ND(1.1)	ND(1.1)
Bromoform	ND(5.0)	ND(1.0)	ND(1.0)	ND(5.0)	ND(5.0)	ND(0.8)	ND(0.7)	ND(0.3)	ND(0.3)
1,1,2,2-Tetrachloroethane	ND(5.0)	ND(2.0)	ND(2.0)	ND(5.0)	ND(5.0)	ND(0.5)	ND(1.0)	ND(0.3)	ND(0.3)
Tetrachloroethene	ND(5.0)	ND(3.0)	ND(3.0)	ND(5.0)	ND(5.0)	ND(0.7)	ND(0.6)	2.1	ND(0.3)
Toluene	ND(5.0)	ND(2.0)	ND(2.0)	ND(5.0)	ND(5.0)	ND(0.8)	ND(0.5)	ND(0.3)	ND(0.3)
Chlorobenzene	ND(5.0)	ND(2.0)	ND(2.0)	ND(5.0)	ND(5.0)	ND(0.6)	ND(0.5)	ND(0.2)	ND(0.2)
Ethylbenzene	ND(5.0)	ND(2.0)	ND(2.0)	ND(5.0)	ND(5.0)	ND(0.7)	ND(0.5)	ND(0.4)	ND(0.4)
1,2-Dichlorobenzene		ND(2.0)	ND(2.0)	ND(10.0)	ND(10.0)	ND(1.5)	ND(0.2)	ND(0.2)	ND(0.2)
1,3-Dichlorobenzene		ND(2.0)	ND(2.0)	ND(10.0)	ND(10.0)	ND(0.7)	ND(0.4)	ND(0.4)	ND(0.4)
1,4-Dichlorobenzene		ND(2.0)	ND(2.0)	ND(10.0)	ND(10.0)	ND(5.0)	ND(0.3)	ND(0.3)	ND(0.3)

CW4-M (continued)

Parameter	4/01	9/01	4/02	9/02	4/03	10/03	6/04	10/04	4/05
Chloromethane	ND(1.1)	ND(1.1)	ND(1.1)	ND(1.4)	ND(1.4)	ND(2.2)	ND(0.49)	ND(0.49)	ND(0.45)
Bromomethane	ND(0.6)	ND(0.6)	ND(0.6)	ND(1.7)	ND(1.7)	ND(2.9)	ND(0.61)	ND(0.61)	ND(1.30)
Vinyl Chloride	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.2)	ND(1.2)	ND(0.8)	ND(0.28)	ND(0.28)	ND(0.62)
Chloroethane	ND(0.7)	ND(0.7)	ND(0.7)	ND(1.8)	ND(1.8)	ND(2.0)	ND(0.62)	ND(0.62)	ND(1.10)
Methylene Chloride	ND(0.4)	ND(0.4)	ND(0.4)	ND(1.2)	ND(1.2)	ND(1.2)	ND(1.40)	ND(1.40)	ND(0.98)
Trichloroflouromethane	ND(0.4)	ND(0.4)	ND(0.4)	ND(1.3)	ND(1.3)	ND(1.5)	ND(0.80)	ND(0.80)	ND(0.58)
1,1-Dichloroethene	ND(0.4)	ND(0.4)	ND(0.4)	ND(1.0)	ND(1.0)	ND(0.1)	ND(0.28)	ND(0.28)	ND(0.28)
1,1-Dichloroethane	ND(0.2)	ND(0.2)	ND(0.2)	ND(1.0)	1.2 J	ND(1.3)	ND(0.29)	ND(0.29)	1.0 J
*1,2-Dichloroethene, Total	ND(0.4)	ND(0.4)	ND(0.4)	ND(1.0)	ND(1.0)	ND(1.3)	ND(0.32)	ND(0.32)	ND(0.40)
Chloroform	ND(0.3)	ND(0.3)	ND(0.3)	ND(0.8)	ND(0.8)	ND(1.5)	ND(0.30)	ND(0.30)	0.4 J
1,2-Dichloroethane	ND(0.3)	ND(0.3)	ND(0.3)	ND(0.6)	ND(0.6)	ND(0.2)	ND(0.19)	ND(0.19)	ND(0.28)
1,1,1-Trichloroethane	ND(0.3)	ND(0.3)	ND(0.3)	1.4 J	1.1 J	ND(0.5)	ND(0.34)	ND(0.34)	ND(0.17)
Carbon Tetrachloride	ND(0.3)	ND(0.3)	ND(0.3)	ND(0.5)	ND(0.5)	ND(0.1)	ND(0.18)	ND(0.18)	ND(0.34)
Bromodichloromethane	ND(0.3)	ND(0.3)	ND(0.3)	ND(0.9)	ND(0.9)	ND(0.1)	ND(0.29)	ND(0.29)	ND(0.30)
1,2-Dichloropropane	ND(0.4)	ND(0.4)	ND(0.4)	ND(0.8)	ND(0.8)	ND(0.2)	ND(0.32)	ND(0.32)	0.4 J
cis-1,3-Dichloropropene	ND(0.3)	ND(0.3)	ND(0.3)	ND(1.5)	ND(1.5)	ND(0.7)	ND(0.21)	ND(0.21)	ND(0.26)
Trichloroethene	ND(0.4)	ND(0.4)	ND(0.4)	ND(0.9)	ND(0.9)	ND(0.1)	ND(0.27)	ND(0.27)	ND(0.59)
Benzene	ND(0.3)	ND(0.3)	ND(0.3)	ND(0.6)	ND(0.6)	ND(0.1)	ND(0.17)	ND(0.17)	ND(0.35)
Dibromochloromethane	ND(0.3)	ND(0.3)	ND(0.3)	ND(1.4)	ND(1.4)	ND(1.2)	ND(0.30)	ND(0.30)	ND(0.22)
trans-1,3-Dichloropropene	ND(0.2)	ND(0.2)	ND(0.2)	ND(1.5)	ND(1.5)	ND(0.7)	ND(0.23)	ND(0.23)	ND(0.29)
1,1,2-Trichloroethane	ND(0.3)	ND(0.3)	ND(0.3)	ND(1.5)	ND(1.5)	ND(1.0)	ND(0.28)	ND(0.28)	ND(0.24)
2-Chloroethylvinyl ether	ND(1.1)	ND(1.1)	ND(1.1)	ND(4.8)	ND(4.8)	ND(2.7)	ND(1.70)	ND(1.70)	ND(6.20)
Bromoform	ND(0.3)	ND(0.3)	ND(0.3)	ND(1.5)	ND(1.5)	ND(1.3)	ND(0.25)	ND(0.25)	ND(0.22)
1,1,2,2-Tetrachloroethane	ND(0.3)	ND(0.3)	ND(0.3)	ND(0.8)	ND(0.8)	ND(1.9)	ND(0.27)	ND(0.27)	ND(0.35)
Tetrachloroethene	ND(0.3)	ND(0.3)	ND(0.3)	ND(1.0)	ND(1.0)	ND(0.1)	ND(0.30)	ND(0.30)	ND(0.74)
Toluene	ND(0.3)	ND(0.3)	ND(0.3)	ND(1.0)	ND(1.0)	ND(0.5)	ND(0.23)	ND(0.23)	ND(0.38)
Chlorobenzene	ND(0.2)	ND(0.2)	ND(0.2)	ND(1.0)	ND(1.0)	ND(0.5)	ND(0.24)	ND(0.24)	ND(0.47)
Ethylbenzene	ND(0.4)	ND(0.4)	ND(0.4)	ND(1.2)	ND(1.2)	ND(0.8)	ND(0.17)	ND(0.17)	ND(0.50)
1,2-Dichlorobenzene	ND(0.2)	ND(0.2)	ND(0.2)	ND(1.6)	ND(1.6)	ND(0.5)	ND(0.20)	ND(0.20)	ND(0.67)
1,3-Dichlorobenzene	ND(0.4)	ND(0.4)	ND(0.4)	ND(0.8)	ND(0.8)	ND(0.7)	ND(0.28)	ND(0.28)	ND(0.35)
1,4-Dichlorobenzene	ND(0.3)	ND(0.3)	ND(0.3)	ND(1.4)	ND(1.4)	ND(0.8)	ND(0.30)	ND(0.30)	ND(0.79)

CW4-M (continued)

Parameter	9/15	5/16	9/16	4/17	9/17	6/18	11/18	4/19	9/19
Chloromethane	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.0)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
Bromomethane	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.0)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
Vinyl Chloride	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.0)	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)
Chloroethane	ND(2.00)	ND(2.00)	ND(2.00)	ND(2.00)	ND(2.0)	ND(2.00)	ND(2.00)	ND(2.00)	ND(2.00)
Methylene Chloride	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.0)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
Trichloroflouromethane	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.0)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
1,1-Dichloroethene	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.0)	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)
1,1-Dichloroethane	ND(1.50)	ND(1.50)	ND(1.50)	ND(1.50)	ND(1.5)	ND(1.50)	ND(1.50)	ND(1.50)	ND(1.50)
*1,2-Dichloroethene, Total	ND(1.50)	ND(1.50)	ND(1.50)	ND(1.50)	ND(1.5)	ND(1.50)	ND(1.50)	ND(1.50)	ND(1.50)
Chloroform	0.59 J	0.54 J	0.69 J	0.68 J	0.78	0.87 J	1.10 J	0.84 J	0.99 J
1,2-Dichloroethane	ND(1.50)	ND(1.50)	ND(1.50)	ND(1.50)	ND(1.5)	ND(1.50)	ND(1.50)	ND(1.50)	ND(1.50)
1,1,1-Trichloroethane	ND(2.00)	ND(2.00)	ND(2.00)	ND(2.00)	ND(2.0)	ND(2.00)	ND(2.00)	ND(2.00)	ND(2.00)
Carbon Tetrachloride	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.0)	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)
Bromodichloromethane	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.0)	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)
1,2-Dichloropropane	ND(3.50)	ND(3.50)	ND(3.50)	ND(3.50)	ND(3.5)	ND(3.50)	ND(3.50)	ND(3.50)	ND(3.50)
cis-1,3-Dichloropropene	ND(1.50)	ND(1.50)	ND(1.50)	ND(1.50)	ND(1.5)	ND(1.50)	ND(1.50)	ND(1.50)	ND(1.50)
Trichloroethene	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.0)	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)
Benzene	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.0)	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)
Dibromochloromethane	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.0)	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)
trans-1,3-Dichloropropene	ND(1.50)	ND(1.50)	ND(1.50)	ND(1.50)	ND(1.5)	ND(1.50)	ND(1.50)	ND(1.50)	ND(1.50)
1,1,2-Trichloroethane	ND(1.50)	ND(1.50)	ND(1.50)	ND(1.50)	ND(1.5)	ND(1.50)	ND(1.50)	ND(1.50)	ND(1.50)
2-Chloroethylvinyl ether	ND(10.00)	ND(10.00)	ND(10.00)	ND(10.00)	ND(10.0)	ND(10.00)	ND(10.00)	ND(10.00)	ND(10.00)
Bromoform	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.0)	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)
1,1,2,2-Tetrachloroethane	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.0)	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)
Tetrachloroethene	ND(1.50)	ND(1.50)	ND(1.50)	ND(1.50)	ND(1.5)	ND(1.50)	ND(1.50)	0.28 J	0.26 J
Toluene	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.0)	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)
Chlorobenzene	ND(3.50)	ND(3.50)	ND(3.50)	ND(3.50)	ND(3.5)	ND(3.50)	ND(3.50)	ND(3.50)	ND(3.50)
Ethylbenzene	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.0)	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)
1,2-Dichlorobenzene	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.0)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
1,3-Dichlorobenzene	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.0)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
1,4-Dichlorobenzene	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.0)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
Acetone	ND(10.00)	ND(10.00)	ND(10.00)	ND(10.00)	ND(10.0)	ND(10.00)	ND(10.00)	ND(10.00)	ND(10.00)
Tert-Butyl Alcohol	ND(100.00)	ND(100.00)	ND(100.00)	ND(100.00)	ND(100.0)	N/A	ND(100.00)	ND(100.00)	ND(100.00)
cis-1,2-Dichloroethene	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.0)	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)
Methyl Tert Butyl Ether	NA	NA	NA	NA	0.57 J	0.00	0.00	0.00	ND(10.0)

CW4-M (continued)

Parameter	6/20	10/20							
Chloromethane	ND(5.00)	ND(5.00)							
Bromomethane	ND(5.00)	ND(5.00)							
Vinyl Chloride	ND(1.00)	ND(1.00)							
Chloroethane	ND(2.00)	ND(2.00)							
Methylene Chloride	ND(1.00)	ND(1.00)							
Trichloroflouromethane	ND(5.00)	ND(5.00)							
1,1-Dichloroethene	ND(1.00)	ND(1.00)							
1,1-Dichloroethane	ND(1.50)	ND(1.50)							
*1,2-Dichloroethene, Total	ND(1.50)	ND(1.50)							
Chloroform	0.95 J	1.1							
1,2-Dichloroethane	ND(1.50)	ND(1.50)							
1,1,1-Trichloroethane	ND(2.00)	ND(2.00)							
Carbon Tetrachloride	ND(1.00)	ND(1.00)							
Bromodichloromethane	ND(1.00)	ND(1.00)							
1,2-Dichloropropane	ND(3.50)	ND(3.50)							
cis-1,3-Dichloropropene	ND(1.50)	ND(1.50)							
Trichloroethene	ND(1.00)	ND(1.00)							
Benzene	ND(1.00)	ND(1.00)							
Dibromochloromethane	ND(1.00)	ND(1.00)							
trans-1,3-Dichloropropene	ND(1.50)	ND(1.50)							
1,1,2-Trichloroethane	ND(1.50)	ND(1.50)							
2-Chloroethylvinyl ether	ND(10.00)	ND(10.00)							
Bromoform	ND(1.00)	ND(1.00)							
1,1,2,2-Tetrachloroethane	ND(1.00)	ND(1.00)							
Tetrachloroethene	0.26 J	ND(1.00)							
Toluene	ND(1.00)	ND(1.00)							
Chlorobenzene	ND(3.50)	ND(3.50)							
Ethylbenzene	ND(1.00)	ND(1.00)							
1,2-Dichlorobenzene	ND(5.00)	ND(5.00)							
1,3-Dichlorobenzene	ND(5.00)	ND(5.00)							
1,4-Dichlorobenzene	ND(5.00)	ND(5.00)							
Acetone	ND(10.0)	ND(10.00)							
Tert-Butyl Alcohol	ND(100.00)	ND(100.00)							
cis-1,2-Dichloroethene	ND(1.00)	ND(1.00)							
Methyl Tert Butyl Ether	0.95 J	0.92 J							

*1,2-Dichloroethene, Total: Sum of Trans and Cis 1,2-Dichloroethene

J: Indicates an estimated value; compound is present at a concentration less than specified detection limit

B: The analyte was found in an associated blank, as well as in the sample

CW4-M
Historical Analysis of Metals and Leachate Indicators
East Northport Landfill, East Northport, NY

Metals (µg/l)	6/96	4/97	9/97	4/98	9/98	4/99	9/99	4/00	9/00
Aluminum	65.2 B	157.0 B	ND(34.8)	29.8 B	ND(21.3)	ND(200.0)	27.6 B	ND(25.8)	80.7 B
Arsenic	ND(9.0)	ND(4.5)	ND(2.7)	2.6 B	ND(1.5)	ND(4.0)	ND(6.0)	ND(3.0)	ND(3.8)
Cadmium	ND(1.0)	ND(0.5)	ND(0.5)	ND(5.2)	ND(0.3)	ND(5.0)	ND(1.0)	ND(0.5)	ND(0.4)
Calcium	34,700.0	40,000.0	24,500.0	23,200.0 E	24,500.0	21,600.0	25,100.0	24,200.0	21,100.0
Chromium	1.3 B	4.0 B	2.2 B	ND(8.3)	36.4	ND(5.0)	1.7 B	11.3	3.6 B
Iron	ND(27.0)	ND(34.0)	38.5 B	151.0	41.0 B	ND(50.0)	ND(21.0)	175.0	ND(15.9)
Lead	ND(3.0)	ND(1.6)	ND(1.6)	3.6	3.0	ND(4.0)	ND(3.0)	ND(0.6)	2.1 B
Magnesium	12,600.0	10,800.0	9,180.0	8,390.0 E	9,420.0 E	8,660.0	10,000.0	9,220.0	7,950.0
Mercury	ND(0.2)	ND(0.06)	ND(0.04)	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.1)	ND(0.1)
Potassium	1,810.0 B	2,940.0 B	1,310.0 B	1,570.0 B	1,950.0 BE	1,460.0	1,320.0 BE	1,170.0 B	1,350.0 B
Sodium	15,300.0	15,900.0 E	12,000.0 E	10,700.0 E	12,400.0 E	10,600.0	12,700.0	8,610.0	10,900.0
Leachate Indicators (mg/l)									
Ammonia	ND(1.000)	ND(0.050)	ND(0.050)	ND(0.200)	0.270	ND(0.200)	1.420	4.300	ND(0.200)
Bicarbonate		51.90	42.30	33.00	32.00	31.50	30.00	110.00	69.00
Chloride	53.20	32.10	18.20	17.30	22.20	19.10	19.50	39.00	21.00
Nitrate	ND(1.00)	7.15	6.30	6.30	6.80	7.41	3.26	ND(0.50)	7.20
Sulfate	27.30	35.90	29.80	39.50	35.70	36.00	12.60	35.00	37.00
Alkalinity	124.00	51.90	42.30	33.00	32.00	31.50	31.00	110.00	69.00
TDS	319.00	154.00	121.00	152.00	232.00	150.00	130.00	200.00	130.00
Hardness	47.00	144.56	98.80	92.30 E	99.90	88.80	46.00	110.00	85.00

CW4-M (continued)

Metals (µg/l)	4/01	9/07	4/02	9/02	4/03	10/03	6/04	10/04	4/05
Aluminum	110.0 B	ND(45.7)	ND(7.3)	ND(10.1)	ND(78.9)	99.9 J	39.2 J	ND(180.0)	39.4 J
Arsenic	ND(2.5)	ND(5.0)	ND(2.8)	ND(3.6)	ND(11.9)	ND(2.2)	ND(5.5)	ND(4.84)	ND(3.32)
Cadmium	0.88 B	ND(3.0)	ND(0.4)	ND(1.0)	ND(1.0)	ND(0.12)	ND(0.57)	ND(0.994)	ND(0.327)
Calcium	27,500.0	21,400.0	21,500.0	19,300.0	22,900.0	22,500.0	21,200.0	21,600.0	23,100.0
Chromium	2.9 B	ND(5.0)	2.1 B	7.1 B	1.8 B	3.8 J	114.0	ND(1.22)	2.42 J
Iron	275.0	18.3 B	ND(17.3)	45.9 B	72.9 B	78.1 J	409.0	43.0 J	40.2 J
Lead	4.5	ND(3.0)	4.8	9.2	ND(3.0)	6.7	5.4	ND(1.79)	ND(2.18)
Magnesium	9,280.0	8,280.0	7,940.0	7,610.0	9,350.0	8,590.0	8,220.0	8,570.0	9,380.0
Mercury	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.2)	0.09 J	0.04 J
Potassium	1,800.0 B	1,170.0 B	1,340.0 B	1,200.0 B	1,390.0 B	1,410.0 J	1,200.0 J	1,080.0 J	1,350.0 J
Sodium	12,000.0	10,600.0	11,400.0	11,600.0	12,500.0	10,300.0	10,700.0	10,200.0	12,600.0
Leachate Indicators (mg/l)									
Ammonia	ND(0.200)	ND(0.200)	ND(0.200)	ND(0.200)	ND(0.200)	0.300	ND(0.200)	ND(0.200)	ND(0.200)
Bicarbonate	38.00	44.00	43.00	37.00	81.00	41.00	32.00	32.00	35.00
Chloride	20.00	22.00	30.00	23.00	22.00	22.00	22.00	22.00	22.00
Nitrate	5.90	6.90	6.70	7.20	6.80	6.90	7.30	7.20	7.28
Sulfate	28.00	31.00	26.00	26.00	32.00	31.00	39.00	37.00	40.00
Alkalinity	38.00	44.00	43.00	37.00	82.00	42.00	32.00	32.00	35.00
TDS	140.00	140.00	180.00	120.00	195.00	183.00	172.00	137.00	170.00
Hardness	110.00	88.00	86.00	80.00	96.00	91.00	88.00	89.00	96.00

CW4-M (continued)

Metals (µg/l)	9/05	8/06	11/06	7/07	11/07	4/08	9/08	4/09	9/09
Aluminum	89.4 J	ND(5.31)	ND(7.6)	ND(200.0)	28.0	40.0	ND(10.0)	ND(10.0)	ND(10.0)
Arsenic	ND(3.32)	ND(3.32)	ND(4.1)	8.8 J	ND(4.0)	ND(4.0)	ND(4.0)	ND(4.0)	ND(4.0)
Cadmium	ND(0.327)	ND(0.327)	ND(0.52)	ND(5.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)
Calcium	22,000.0	25,200.0	29,600.0	25,800.0	24,900.0	24,500.0	23,900.0	24,800.0	24,800.0
Chromium	1.79 J	50.2	7.4 J	2.6 J	2.0	2.0	ND(1.0)	0.8 B	2.3
Iron	ND(27.0)	261.0	ND(30.4)	47.0 J	34.0	4.0	7.0	ND(2.0)	98.6
Lead	ND(2.18)	ND(2.18)	ND(1.6)	ND(3.0)	ND(1.0)	ND(1.0)	2.0	ND(2.0)	ND(2.0)
Magnesium	8,700.0	10,100.0	13,100.0	9,900.0	9,590.0	9,310.0	9,340.0	9,310.0	9,700.0
Mercury	ND(0.03)	ND(0.03)	ND(0.18)	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.2)
Potassium	1,430.0 J	995.0 J	206.0 J	1,100.0 J	1,500.0	1,500.0	1,400.0	1,580.0	1,460.0
Sodium	11,600.0	12,800.0	16,200.0	12,100.0	13,600.0	13,100.0	12,600.0	13,500.0	13,200.0
Leachate Indicators (mg/l)									
Ammonia	ND(0.200)	0.310	ND(0.200)	0.019 J	0.020	0.020	ND(0.020)	0.07	0.03
Bicarbonate	37.00	39.00	ND(2.00)	38.20	44.00	39.70	38.80	38.00	36.80
Chloride	23.00	24.00	24.00	22.80	21.00	26.00	24.00	22.00	22.00
Nitrate	7.10	7.44	7.43	7.30	7.10	6.70	7.80	7.70	6.80
Sulfate	33.00	11.00	33.00	35.90	33.00	35.00	36.00	38.00	35.00
Alkalinity	37.00	39.00	39.00	38.20	44.00	39.70	38.80	38.00	36.80
TDS	160.00	180.00	180.00	192.00	180.00	170.00	200.00	170.00	200.00
Hardness	90.80	104.76	127.97	105.00	102.00	99.50	98.10	100.00	102.00

CW4-M (continued)

Metals (µg/l)	6/10	10/11	5/12	9/12	5/13	10/13	4/14	9/14	4/15
Aluminum	55.0	14.0	ND(100.0)	ND(100.0)	ND(100.0)	20.0 J	22.0 J	ND(100.0)	ND(100.0)
Arsenic	ND(4.0)	ND(3.0)	ND(5.0)	ND(5.0)	4.4 J	2.0 J	3.8 J	2.0 J	ND(5.0)
Cadmium	0.7 B	ND(4.0)	ND(5.0)	ND(5.0)	ND(5.0)	ND(5.0)	ND(5.0)	ND(5.0)	ND(5.0)
Calcium	32,300.0	26,400.0	27,000.0	26,000.0	24,000.0	22,000.0	22,000.0	23,000.0	21,000.0
Chromium	5.0	ND(1.0)	2.0 J	3.0 J	3.3 J	4.0 J	7.8 J	3.0 J	ND(10.0)
Iron	192.0	20.0	60.0	30.0 J	ND(50.0)	44.0 J	99.0	56.0	24.0 J
Lead	ND(2.0)	ND(2.0)	ND(10.0)	ND(10.0)	ND(10.0)	ND(10.0)	2.8 J	ND(10.0)	ND(10.0)
Magnesium	10,800.0	9,570.0	10,000.0	10,000.0	9,600.0	9,200.0	8,900.0	9,600.0	9,000.0
Mercury	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.2)
Potassium	1,400.0	1,600.0	1,600.0 J	1,500.0 J	1,600 J	1,500 J	1,500.0 J	1,400 J	1,400.0 J
Sodium	14,300.0	13,900.0	15,000.0	15,000.0	15,000.0	16,000.0	15,000.0	16,000.0	16,000.0
Leachate Indicators (mg/l)									
Ammonia	ND(0.02)	ND(0.02)	0.10	0.062 J	0.2	0.0	0.065 J	0.103	ND(0.075)
Bicarbonate	41.00	44.00	38.00	37.0	36.0	35.0	36.5	37.2	36.0
Chloride	23.00	22.00	26.00	23.0	24.0	25.0	24.0	25.0	27.0
Nitrate	7.80	7.10	7.00	6.9	7.2	6.9	6.0	6.9	7.4
Sulfate	39.00	34.00	31.00	34.0	37.0	34.0	36.0	36.0	39.0
Alkalinity	41.00	44.00	38.00	37.0	36.0	35.0	36.5	37.2	36.0
TDS	200.00	180.00	190.00	180.0	160.0	140.0	180.0	180.0	180.0
Hardness	125.00	105.00	110.00	110.0	99.0	93.0	93.0	97.0	89.0

CW4-M (continued)

Metals (µg/l)	9/15	5/16	9/16	4/17	9/17	6/18	11/18	4/19	9/19
Aluminum	ND(100.0)	ND(100.0)	20.0 J	ND(100.0)	332.0	ND(100.0)	40.0 J	ND(100.0)	52.0 J
Arsenic	3.3 J	ND(5.0)	ND(5.00)	ND(5.0)	ND(5.0)	ND(5.0)	2.0 J	3.0 J	ND(5.0)
Cadmium	ND(5.0)	ND(5.0)	ND(5.00)	ND(5.0)	1.0 J	ND(5.0)	ND(5.0)	ND(5.0)	ND(5.0)
Calcium	26,000.0	22,000.0	22,000.0	21,000.0	23,300.0	22,300.0	22,900.0	21,600.0	22,800.0
Chromium	2.7 J	ND(10.0)	2.0 J	ND(10.0)	ND(10.0)	3.0 J	3.0 J	ND(10.0)	2.0 J
Iron	ND(50.0)	ND(50.0)	ND(50.00)	20.0 J	612.0	49.0 J	68.0	17.0 J	39.0 J
Lead	ND(10.0)	ND(10.0)	ND(10.00)	ND(10.0)	22.0	ND(10.0)	ND(10.0)	ND(10.0)	ND(10.0)
Magnesium	11,000.0	8,800.0	9,500.0	9,600.0	8,410.0	8,400.0	8,820.0	8,690.0	8,750.0
Mercury	ND(0.2)	0.2	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.1)
Potassium	1,700.0 J	1,400.0 J	1,500.0 J	1,600.0 J	2,040.0 J	1,360.0 J	1,470.0 J	1,480 J	1,540.0 J
Sodium	18,000.0	16,000.0	15,000.0	17,000.0	15,800.0	15,700.0	16,900.0	17,000.0	17,000.0
Leachate Indicators (mg/l)									
Ammonia	0.032 J	0.054 J	ND(0.075)	0.062 J	ND(0.075)	ND (0.075)	ND (0.075)	0.055 J	0.063 J
Bicarbonate	36.30	34.70	35.80	34.7	41.8	36.6	38.5	33.5	38.2
Chloride	26.00	26.00	26.00	26.0	29.0	28.0	32.0	25.0	29.0
Nitrate	7.40	6.50	6.34	6.2	5.1	6.3	5.8	6.3	6.1
Sulfate	30.00	35.00	35.00	32.0	31.0	33.0	29.0	36.0	31.0
Alkalinity	36.30	34.70	35.80	34.7	41.8	36.6	38.5	33.5	38.2
TDS	160.00	190.00	160.00	180.0	180.0	180.0	140.0	180.0	190.0
Hardness	110.00	91.00	93.00	92.0	92.8	90.3	93.5	89.6	93.0

CW4-M (continued)

Metals (µg/l)	6/20	10/20							
Aluminum	ND(100.0)	ND(100.0)							
Arsenic	ND(5.0)	ND(5.0)							
Cadmium	ND(5.0)	ND(5.0)							
Calcium	22,200.0	22,200.0							
Chromium	ND(10.0)	5.0 J							
Iron	37.0 J	42.0 J							
Lead	5.0 J	ND(10.0)							
Magnesium	8,720.0	8,823.0							
Mercury	ND(0.20)	ND(0.20)							
Potassium	1,460.0 J	1,340.0 J							
Sodium	17,200.0	17,100.0							
Leachate Indicators (mg/l)									
Ammonia	0.069 J	0.025 J							
Bicarbonate	37.70	36.20							
Chloride	28.00	32.00							
Nitrate	5.91	6.030							
Sulfate	31.00	29.00							
Alkalinity	37.70	36.20							
TDS	180.00	160.00							
Hardness	91.30	91.30							

EN1-M
Historical Analysis of Volatile Organic Compounds
East Northport Landfill, East Northport, NY
Reported in Micrograms per Liter

Parameter	6/96	4/97	9/97	4/98	9/98	4/99	9/99	4/00	9/00
Chloromethane	ND(10.0)	ND(2.0)	ND(2.0)	ND(10.0)	ND(10.0)	ND(4.6)	ND(2.3)	ND(1.1)	ND(1.1)
Bromomethane	ND(10.0)	ND(1.0)	ND(1.0)	ND(10.0)	ND(10.0)	ND(3.8)	ND(1.8)	ND(0.6)	ND(0.6)
Vinyl Chloride	ND(10.0)	ND(1.0)	ND(1.0)	ND(10.0)	ND(10.0)	ND(1.7)	ND(2.0)	ND(1.0)	ND(1.0)
Chloroethane	ND(10.0)	ND(1.0)	ND(1.0)	ND(10.0)	ND(10.0)	ND(1.8)	ND(1.6)	ND(0.7)	ND(0.7)
Methylene Chloride	ND(5.0)	ND(3.0)	ND(3.0)	ND(5.0)	ND(5.0)	ND(2.7)	ND(0.6)	ND(0.4)	ND(0.4)
Trichloroflouromethane		ND(2.0)	ND(2.0)	ND(10.0)	ND(10.0)	ND(1.5)	ND(1.5)	ND(0.4)	ND(0.4)
1,1-Dichloroethene	ND(5.0)	ND(2.0)	ND(2.0)	1.0 J	0.6 J	1.0 J	ND(1.2)	ND(0.4)	0.7
1,1-Dichloroethane	ND(5.0)	2.0	3.0	3.0 J	3.0 J	ND(1.4)	2.9	2.0	ND(0.2)
*1,2-Dichloroethene, Total		ND(1.0)	ND(1.0)	ND(5.0)	ND(5.0)	ND(1.7)	ND(1.0)	ND(0.4)	ND(0.4)
Chloroform	ND(5.0)	ND(1.0)	ND(1.0)	2.0 J	2.0 J	ND(1.6)	ND(0.4)	ND(0.3)	1.2
1,2-Dichloroethane	ND(5.0)	ND(1.0)	ND(1.0)	ND(5.0)	ND(5.0)	ND(1.9)	ND(0.5)	ND(0.3)	ND(0.3)
1,1,1-Trichloroethane	6.2	6.0	7.0	7.0	6.0	5.3	2.7	5.3	6.7
Carbon Tetrachloride	ND(5.0)	ND(2.0)	ND(2.0)	ND(5.0)	ND(5.0)	ND(0.6)	ND(0.4)	ND(0.3)	ND(0.3)
Bromodichloromethane	ND(5.0)	ND(1.0)	ND(1.0)	ND(5.0)	ND(5.0)	ND(0.6)	ND(0.6)	ND(0.3)	ND(0.3)
1,2-Dichloropropane	ND(5.0)	ND(1.0)	ND(1.0)	ND(5.0)	ND(5.0)	ND(0.6)	ND(0.8)	ND(0.4)	ND(0.4)
cis-1,3-Dichloropropene	ND(5.0)	ND(1.0)	ND(1.0)	ND(5.0)	ND(5.0)	ND(0.5)	ND(0.3)	ND(0.3)	ND(0.3)
Trichloroethene	ND(5.0)	ND(2.0)	ND(2.0)	ND(5.0)	0.7 J	ND(0.6)	ND(0.3)	ND(0.4)	ND(0.4)
Benzene	ND(5.0)	ND(1.0)	ND(1.0)	ND(5.0)	ND(5.0)	ND(0.5)	ND(0.6)	ND(0.3)	ND(0.3)
Dibromochloromethane	ND(5.0)	ND(1.0)	ND(1.0)	ND(5.0)	ND(5.0)	ND(0.6)	ND(0.5)	ND(0.3)	ND(0.3)
trans-1,3-Dichloropropene	ND(5.0)	ND(1.0)	ND(1.0)	ND(5.0)	ND(5.0)	ND(0.6)	ND(0.5)	ND(0.2)	ND(0.2)
1,1,2-Trichloroethane	ND(5.0)	ND(1.0)	ND(1.0)	ND(5.0)	ND(5.0)	ND(0.5)	ND(0.9)	ND(0.3)	ND(0.3)
2-Chloroethylvinyl ether		ND(4.0)	ND(4.0)	ND(10.0)	ND(10.0)	ND(0.6)	ND(1.5)	ND(1.1)	ND(1.1)
Bromoform	ND(5.0)	ND(1.0)	ND(1.0)	ND(5.0)	ND(5.0)	ND(0.8)	ND(0.7)	ND(0.3)	ND(0.3)
1,1,2,2-Tetrachloroethane	ND(5.0)	ND(2.0)	ND(2.0)	ND(5.0)	ND(5.0)	ND(0.5)	ND(1.0)	ND(0.3)	ND(0.3)
Tetrachloroethene	ND(5.0)	ND(3.0)	ND(3.0)	ND(5.0)	0.8 J	ND(0.7)	ND(0.6)	1.0	0.9
Toluene	ND(5.0)	ND(2.0)	ND(2.0)	ND(5.0)	ND(5.0)	ND(0.8)	ND(0.5)	ND(0.3)	ND(0.3)
Chlorobenzene	ND(5.0)	ND(2.0)	ND(2.0)	ND(5.0)	ND(5.0)	ND(0.6)	ND(0.5)	ND(0.2)	ND(0.2)
Ethylbenzene	ND(5.0)	ND(2.0)	ND(2.0)	ND(5.0)	ND(5.0)	ND(0.7)	ND(0.5)	ND(0.4)	ND(0.4)
1,2-Dichlorobenzene		ND(2.0)	ND(2.0)	ND(10.0)	ND(10.0)	ND(1.5)	ND(0.2)	ND(0.2)	ND(0.2)
1,3-Dichlorobenzene		ND(2.0)	ND(2.0)	ND(10.0)	ND(10.0)	ND(0.7)	ND(0.4)	ND(0.4)	ND(0.4)
1,4-Dichlorobenzene		ND(2.0)	ND(2.0)	ND(10.0)	ND(10.0)	ND(5.0)	ND(0.3)	ND(0.3)	ND(0.3)

EN1-M (continued)

Parameter	4/01	9/01	4/02	9/02	4/03	10/03	6/04	10/04	4/05
Chloromethane	ND(1.1)	ND(1.1)	ND(1.1)	ND(1.4)	ND(1.4)	ND(2.2)	ND(0.49)	ND(0.49)	ND(0.45)
Bromomethane	ND(0.6)	ND(0.6)	ND(0.6)	ND(1.7)	ND(1.7)	ND(2.9)	ND(0.61)	ND(0.61)	ND(1.30)
Vinyl Chloride	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.2)	ND(1.2)	ND(0.8)	ND(0.28)	ND(0.28)	ND(0.62)
Chloroethane	ND(0.7)	ND(0.7)	ND(0.7)	ND(1.8)	ND(1.8)	ND(2.0)	ND(0.62)	ND(0.62)	ND(1.10)
Methylene Chloride	ND(0.4)	ND(0.4)	ND(0.4)	ND(1.2)	ND(1.2)	ND(1.2)	ND(1.40)	ND(1.40)	ND(0.98)
Trichloroflouromethane	ND(0.4)	ND(0.4)	ND(0.4)	ND(1.3)	ND(1.3)	ND(1.5)	ND(0.80)	ND(0.80)	ND(0.58)
1,1-Dichloroethene	1.0	1.4	1.2	2.0 J	2.1 J	1.6 J	ND(0.28)	2.2 J	ND(0.28)
1,1-Dichloroethane	ND(0.2)	2.2	ND(0.2)	2.4 J	2.6 J	ND(1.3)	ND(0.29)	ND(0.29)	1.2 J
*1,2-Dichloroethene, Total	ND(0.4)	ND(0.4)	ND(0.4)	ND(1.0)	ND(1.0)	ND(1.3)	ND(0.32)	ND(0.32)	ND(0.40)
Chloroform	1.9	1.3	1.5	ND(0.8)	1.8 J	ND(1.5)	ND(0.30)	1.8 J	0.9 J
1,2-Dichloroethane	ND(0.3)	ND(0.3)	ND(0.3)	ND(0.6)	ND(0.6)	ND(0.2)	ND(0.19)	ND(0.19)	ND(0.28)
1,1,1-Trichloroethane	6.0	ND(0.3)	6.0	4.6 J	4.6 J	4.2 J	4.5 J	4.7 J	2.7 J
Carbon Tetrachloride	ND(0.3)	ND(0.3)	ND(0.3)	ND(0.5)	ND(0.5)	ND(0.1)	ND(0.18)	ND(0.18)	ND(0.34)
Bromodichloromethane	ND(0.3)	ND(0.3)	ND(0.3)	ND(0.9)	ND(0.9)	ND(0.1)	ND(0.29)	ND(0.29)	ND(0.30)
1,2-Dichloropropane	ND(0.4)	ND(0.4)	ND(0.4)	ND(0.8)	ND(0.8)	ND(0.2)	ND(0.32)	ND(0.32)	ND(0.27)
cis-1,3-Dichloropropene	ND(0.3)	ND(0.3)	ND(0.3)	ND(1.5)	ND(1.5)	ND(0.7)	ND(0.21)	ND(0.21)	ND(0.26)
Trichloroethene	ND(0.4)	ND(0.4)	ND(0.4)	ND(0.9)	ND(0.9)	ND(0.1)	ND(0.27)	ND(0.27)	ND(0.59)
Benzene	ND(0.3)	ND(0.3)	ND(0.3)	ND(0.6)	ND(0.6)	ND(0.1)	ND(0.17)	ND(0.17)	ND(0.35)
Dibromochloromethane	ND(0.3)	ND(0.3)	ND(0.3)	ND(1.4)	ND(1.4)	ND(1.2)	ND(0.30)	ND(0.30)	ND(0.22)
trans-1,3-Dichloropropene	ND(0.2)	ND(0.2)	ND(0.2)	ND(1.5)	ND(1.5)	ND(0.7)	ND(0.23)	ND(0.23)	ND(0.29)
1,1,2-Trichloroethane	ND(0.3)	ND(0.3)	ND(0.3)	ND(1.5)	ND(1.5)	ND(1.0)	ND(0.28)	ND(0.28)	ND(0.24)
2-Chloroethylvinyl ether	ND(1.1)	ND(1.1)	ND(1.1)	ND(4.8)	ND(4.8)	ND(2.7)	ND(1.70)	ND(1.70)	ND(6.20)
Bromoform	ND(0.3)	ND(0.3)	ND(0.3)	ND(1.5)	ND(1.5)	ND(1.3)	ND(0.25)	ND(0.25)	ND(0.22)
1,1,2,2-Tetrachloroethane	ND(0.3)	ND(0.3)	ND(0.3)	ND(0.8)	ND(0.8)	ND(1.9)	ND(0.27)	ND(0.27)	ND(0.35)
Tetrachloroethene	1.3	0.9	0.8	ND(1.0)	ND(1.0)	ND(0.1)	ND(0.30)	ND(0.30)	ND(0.74)
Toluene	ND(0.3)	ND(0.3)	ND(0.3)	ND(1.0)	ND(1.0)	ND(0.5)	ND(0.23)	ND(0.23)	ND(0.38)
Chlorobenzene	ND(0.2)	ND(0.2)	ND(0.2)	ND(1.0)	ND(1.0)	ND(0.5)	ND(0.24)	ND(0.24)	ND(0.47)
Ethylbenzene	ND(0.4)	ND(0.4)	ND(0.4)	ND(1.2)	ND(1.2)	ND(0.8)	ND(0.17)	ND(0.17)	ND(0.50)
1,2-Dichlorobenzene	ND(0.2)	ND(0.2)	ND(0.2)	ND(1.6)	ND(1.6)	ND(0.5)	ND(0.20)	ND(0.20)	ND(0.67)
1,3-Dichlorobenzene	ND(0.4)	ND(0.4)	ND(0.4)	ND(0.8)	ND(0.8)	ND(0.7)	ND(0.28)	ND(0.28)	ND(0.35)
1,4-Dichlorobenzene	ND(0.3)	ND(0.3)	ND(0.3)	ND(1.4)	ND(1.4)	ND(0.8)	ND(0.30)	ND(0.30)	ND(0.79)

EN1-M (continued)

Parameter	9/15	5/16	9/16	4/17	9/17	6/18	11/18	4/19	9/19
Chloromethane	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.0)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
Bromomethane	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.0)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
Vinyl Chloride	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.0)	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)
Chloroethane	ND(2.00)	ND(2.00)	ND(2.00)	ND(2.00)	ND(2.0)	ND(2.00)	ND(2.00)	ND(2.00)	ND(2.00)
Methylene Chloride	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.0)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
Trichloroflouromethane	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.0)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
1,1-Dichloroethene	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.0)	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)
1,1-Dichloroethane	ND(1.50)	ND(1.50)	ND(1.50)	ND(1.50)	ND(1.5)	ND(1.50)	ND(1.50)	ND(1.50)	ND(1.50)
*1,2-Dichloroethene, Total	ND(1.50)	ND(1.50)	ND(1.50)	ND(1.50)	ND(1.5)	ND(1.50)	ND(1.50)	ND(1.50)	ND(1.50)
Chloroform	ND(1.50)	ND(1.50)	ND(1.50)	ND(1.50)	ND(1.5)	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)
1,2-Dichloroethane	ND(1.50)	ND(1.50)	ND(1.50)	ND(1.50)	ND(1.5)	ND(1.50)	ND(1.50)	ND(1.50)	ND(1.50)
1,1,1-Trichloroethane	ND(2.00)	ND(2.00)	ND(2.00)	ND(2.00)	ND(2.0)	ND(2.00)	ND(2.00)	ND(2.00)	ND(2.00)
Carbon Tetrachloride	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.0)	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)
Bromodichloromethane	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.0)	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)
1,2-Dichloropropane	ND(3.50)	ND(3.50)	ND(3.50)	ND(3.50)	ND(3.5)	ND(3.50)	ND(3.50)	ND(3.50)	ND(3.50)
cis-1,3-Dichloropropene	ND(1.50)	ND(1.50)	ND(1.50)	ND(1.50)	ND(1.5)	ND(1.50)	ND(1.50)	ND(1.50)	ND(1.50)
Trichloroethene	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.0)	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)
Benzene	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.0)	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)
Dibromochloromethane	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.0)	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)
trans-1,3-Dichloropropene	ND(1.50)	ND(1.50)	ND(1.50)	ND(1.50)	ND(1.5)	ND(1.50)	ND(1.50)	ND(1.50)	ND(1.50)
1,1,2-Trichloroethane	ND(1.50)	ND(1.50)	ND(1.50)	ND(1.50)	ND(1.5)	ND(1.50)	ND(1.50)	ND(1.50)	ND(1.50)
2-Chloroethylvinyl ether	ND(10.00)	ND(10.00)	ND(10.00)	ND(10.00)	ND(10.0)	ND(10.00)	ND(10.00)	ND(10.00)	ND(10.00)
Bromoform	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.0)	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)
1,1,2,2-Tetrachloroethane	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.0)	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)
Tetrachloroethene	ND(1.50)	ND(1.50)	ND(1.50)	ND(1.50)	ND(1.5)	ND(1.50)	ND(1.50)	ND(1.50)	ND(1.50)
Toluene	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.0)	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)
Chlorobenzene	ND(3.50)	ND(3.50)	ND(3.50)	ND(3.50)	ND(3.5)	ND(3.50)	ND(3.50)	ND(3.50)	ND(3.50)
Ethylbenzene	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.0)	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)
1,2-Dichlorobenzene	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.0)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
1,3-Dichlorobenzene	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.0)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
1,4-Dichlorobenzene	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.0)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
Acetone	1.80 J	ND(10.00)	ND(10.00)	ND(10.00)	ND(10.0)	ND(10.00)	ND(10.00)	6.10 J	ND(10.00)
Tert-Butyl Alcohol	ND(100.00)	ND(100.00)	ND(100.00)	ND(100.00)	ND(100.0)	N/A	ND(100.00)	ND(100.00)	ND(100.00)
cis-1,2-Dichloroethene	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.0)	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)
Methyl Tert Butyl Ether	NA	NA	NA	NA	ND(10.0)	NA	NA	NA	NA

EN1-M (continued)

Parameter	6/20	10/20							
Chloromethane	ND(5.00)	ND(2.00)							
Bromomethane	ND(5.00)	ND(5.00)							
Vinyl Chloride	ND(1.00)	ND(1.00)							
Chloroethane	ND(2.00)	ND(2.00)							
Methylene Chloride	ND(1.00)	ND(1.00)							
Trichloroflouromethane	ND(5.00)	ND(5.00)							
1,1-Dichloroethene	ND(1.00)	ND(1.00)							
1,1-Dichloroethane	ND(1.50)	ND(1.50)							
*1,2-Dichloroethene, Total	ND(1.50)	ND(1.50)							
Chloroform	ND(1.00)	ND(1.00)							
1,2-Dichloroethane	ND(1.50)	ND(1.50)							
1,1,1-Trichloroethane	ND(2.00)	ND(2.00)							
Carbon Tetrachloride	ND(1.00)	ND(1.00)							
Bromodichloromethane	ND(1.00)	ND(1.00)							
1,2-Dichloropropane	ND(3.50)	ND(3.50)							
cis-1,3-Dichloropropene	ND(1.50)	ND(1.50)							
Trichloroethene	ND(1.00)	ND(1.00)							
Benzene	ND(1.00)	ND(1.00)							
Dibromochloromethane	ND(1.00)	ND(1.00)							
trans-1,3-Dichloropropene	ND(1.50)	ND(1.50)							
1,1,2-Trichloroethane	ND(1.50)	ND(1.50)							
2-Chloroethylvinyl ether	ND(10.00)	ND(10.00)							
Bromoform	ND(1.00)	ND(1.00)							
1,1,2,2-Tetrachloroethane	ND(1.00)	ND(1.00)							
Tetrachloroethene	0.26 J	ND(1.00)							
Toluene	ND(1.00)	ND(1.00)							
Chlorobenzene	ND(3.50)	ND(3.50)							
Ethylbenzene	ND(1.00)	ND(1.00)							
1,2-Dichlorobenzene	ND(5.00)	ND(5.00)							
1,3-Dichlorobenzene	ND(5.00)	ND(5.00)							
1,4-Dichlorobenzene	ND(5.00)	ND(5.00)							
Acetone	2.40 J	ND(10.00)							
Tert-Butyl Alcohol	ND(100.00)	ND(100.00)							
cis-1,2-Dichloroethene	ND(1.00)	ND(1.00)							
Methyl Tert Butyl Ether	ND(10.00)	ND(10.00)							

J: Indicates an estimated value; compound is present at a concentration less than specified detection limit

Bold indicates value above NYSDEC Class GA Standard

B: The analyte was found in an associated blank, as well as in the sample

EN1-M
Historical Analysis of Metals and Leachate Indicators
East Northport Landfill, East Northport, NY

Metals (µg/l)	6/96	4/97	9/97	4/98	9/98	4/99	9/99	4/00	9/00
Aluminum	71.8 B	119.0 B	ND(34.8)	ND(26.8)	ND(21.3)	ND(200.0)	25.2 B	ND(25.8)	59.0 B
Arsenic	ND(9.0)	ND(4.5)	ND(2.7)	ND(2.0)	ND(1.5)	ND(4.0)	ND(6.0)	ND(3.0)	ND(3.8)
Cadmium	ND(1.0)	ND(0.5)	ND(0.5)	ND(5.2)	ND(4.7)	ND(5.0)	ND(1.0)	ND(0.5)	ND(0.4)
Calcium	32,400.0	35,800.0	30,400.0	24,600.0 E	29,900.0	26,400.0	27,300.0	26,800.0	22,300.0
Chromium	ND(1.0)	2.0 B	1.1 B	ND(8.3)	15.2	ND(5.0)	1.3 B	5.6 B	2.1 B
Iron	ND(27.0)	ND(34.0)	ND(22.4)	97.3 B	84.8 B	54.0	ND(21.0)	63.1 B	ND(15.9)
Lead	ND(3.0)	ND(1.6)	ND(1.6)	ND(1.1)	ND(1.5)	ND(4.0)	ND(3.0)	ND(0.6)	ND(2.0)
Magnesium	12,100.0	13,700.0	11,700.0	9,440.0 E	11,000.0 E	10,100.0	10,400.0	9,890.0	8,410.0
Mercury	ND(0.2)	ND(0.06)	ND(0.04)	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.1)	ND(0.1)
Potassium	1,470.0 B	2,520.0 B	1,190.0 B	1,640.0 B	1,640.0 BE	1,470.0	1,260.0 BE	1,270.0 B	1,350.0 B
Sodium	10,800.0	16,500.0 E	14,000.0 E	14,500.0 E	16,300.0 E	14,600.0	15,900.0	12,100.0	14,000.0
Leachate Indicators (mg/l)									
Ammonia	ND(1.000)	ND(0.050)	ND(0.050)	ND(0.200)	ND(0.100)	ND(0.200)	1.420	ND(0.200)	ND(0.200)
Bicarbonate		22.20	21.90	24.20	23.40	23.20	24.00	27.00	50.00
Chloride	23.00	24.20	23.00	24.20	26.90	29.00	26.60	29.00	29.00
Nitrate	9.41	8.85	9.50	7.60	8.50	8.83	3.66	8.00	8.80
Sulfate	67.30	52.90	36.30	44.00	54.80	39.60	79.90	43.00	50.00
Alkalinity	23.00	22.20	21.90	24.20	23.40	23.20	25.00	27.00	50.00
TDS	203.00	172.00	165.00	132.00	200.00	148.00	155.00	150.00	150.00
Hardness	43.00	145.44	123.00	100.0 E	120.00	106.00	38.00	110.00	90.00

EN1-M (continued)

Metals (µg/l)	4/01	9/07	4/02	9/02	4/03	10/03	6/04	10/04	4/05
Aluminum	18.1 B	ND(45.7)	ND(7.3)	ND(10.1)	ND(78.9)	13.5 J	38.0 J	ND(180.0)	19.4 J
Arsenic	ND(2.5)	ND(5.0)	ND(2.8)	ND(3.6)	ND(11.9)	ND(2.2)	ND(5.5)	ND(4.84)	ND(3.32)
Cadmium	ND(0.4)	ND(3.0)	ND(0.4)	ND(1.0)	ND(1.0)	ND(0.12)	ND(0.57)	ND(0.994)	ND(0.327)
Calcium	28,600.0	26,200.0	23,600.0	22,500.0	23,600.0	25,200.0	25,200.0	26,000.0	24,700.0
Chromium	2.8 B	ND(5.0)	1.1 B	4.3 B	1.7 B	1.4 J	64.6	ND(1.22)	0.905 J
Iron	20.3 B	29.2 B	ND(17.3)	ND(16.8)	67.8 B	158.8 J	218.0	43.0 J	41.2 J
Lead	ND(2.5)	ND(3.0)	3.8	9.8	ND(3.0)	5.9	4.0 J	ND(1.79)	ND(2.18)
Magnesium	10,700.0	9,810.0	8,660.0	8,620.0	9,810.0	9,440.0	9,400.0	9,660.0	9,450.0
Mercury	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.03)	0.06 J
Potassium	1,410.0 B	1,270.0 B	1,260.0 B	1,280.0 B	1,530.0 B	1,360.0 J	1,380.0 J	1,410.0	1,500.0 J
Sodium	16,400.0	15,200.0	14,600.0	15,300.0	17,100.0	14,500.0	15,600.0	16,900.0	19,100.0
Leachate Indicators (mg/l)									
Ammonia	ND(0.200)	ND(0.200)	ND(0.200)	ND(0.200)	ND(0.200)	0.300	ND(0.200)	ND(0.200)	ND(0.200)
Bicarbonate	24.00	34.00	28.00	26.00	77.00	26.00	23.00	24.00	27.00
Chloride	29.00	28.00	37.00	30.00	31.00	32.00	32.00	35.00	33.00
Nitrate	7.40	9.50	9.60	9.60	9.20	9.70	9.60	9.00	8.84
Sulfate	38.00	52.00	46.00	37.00	38.00	44.00	46.00	50.00	49.00
Alkalinity	24.00	34.00	28.00	26.00	77.00	26.00	23.00	24.00	27.00
TDS	190.00	160.00	230.00	160.00	223.00	240.00	215.00	187.00	190.00
Hardness	120.00	110.00	95.00	92.00	99.00	102.00	102.00	105.00	101.00

EN1-M (continued)

Metals (µg/l)	9/05	8/06	11/06	7/07	11/07	4/08	9/08	4/09	9/09
Aluminum	93.1 J	ND(5.31)	ND(7.6)	ND(200.0)	30.0	13.0	ND(10.0)	ND(10.0)	11.8
Arsenic	ND(3.32)	ND(3.32)	ND(4.1)	ND(10.0)	ND(4.0)	ND(4.0)	ND(4.0)	ND(4.0)	ND(4.0)
Cadmium	0.51 J	ND(0.327)	1.2 J	ND(5.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	0.4 B
Calcium	23,300.0	20,600.0	25,600.0	24,200.0	23,200.0	22,600.0	20,800.0	23,000.0	23,200.0
Chromium	1.56 J	6.77 J	21.1	1.9 J	2.0	2.0	ND(1.0)	1.1	3.7
Iron	ND(27.0)	ND(27.0)	52.5 J	ND(100.0)	28.0	9.0	6.0	6.0	151.0
Lead	ND(2.18)	ND(2.18)	ND(1.6)	ND(3.0)	ND(1.0)	ND(1.0)	2.0	ND(2.0)	ND(2.0)
Magnesium	8,580.0	7,770.0	10,200.0	9,200.0	8,550.0	8,520.0	7,780.0	8,340.0	8,590.0
Mercury	ND(0.03)	ND(0.03)	ND(0.18)	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.2)
Potassium	1,420.0 J	1,690.0 J	542.0 J	1,200.0 J	1,430.0	1,500.0	1,400.0	1,580.0	1,460.0
Sodium	17,000.0	19,200.0	18,700.0	17,800.0	18,600.0	18,500.0	20,200.0	19,200.0	19,400.0
Leachate Indicators (mg/l)									
Ammonia	ND(0.200)	ND(0.200)	ND(0.200)	ND(0.040)	0.030	0.040	0.030	0.06	0.21
Bicarbonate	28.00	29.00	ND(2.00)	28.40	32.00	28.70	34.50	31.10	29.60
Chloride	33.00	29.00	29.00	26.20	24.00	30.00	27.00	26.00	26.00
Nitrate	8.66	8.76	8.96	8.50	9.20	8.30	10.00	9.90	10.00
Sulfate	42.00	41.00	43.00	40.10	41.00	39.00	37.00	37.00	36.00
Alkalinity	28.00	29.00	30.00	28.40	32.00	28.70	34.50	31.10	29.60
TDS	190.00	220.00	210.00	193.00	140.00	190.00	210.00	180.00	210.00
Hardness	93.60	83.52	106.03	98.10	93.10	91.50	84.00	91.80	93.30

EN1-M (continued)

Metals (µg/l)	6/10	10/11	5/12	9/12	5/13	10/13	4/14	9/14	5/15
Aluminum	41.0	NA	60.0 J	ND(100.0)	56.0 J	40.0 J	ND(100.0)	93.0 J	410.0
Arsenic	ND(4.0)	NA	ND(5.0)	ND(5.0)	ND(5.0)	2.0 J	3.2 J	3.2 J	ND(5.0)
Cadmium	3.0	NA	3.0 J	2.0 J	1.1 J	2.0 J	1.0 J	4.4 J	28.8
Calcium	24,200.0	NA	20,000.0	20,000.0	5,300.0	7,700.0	2,700.0	4,600.0	8,400.0
Chromium	2.0	NA	2.0 J	ND(10.0)	2.1 J	4.0 J	ND(10.0)	3.4 J	4.7 J
Iron	3,510.0	NA	4,700.0	410.0	4,000.0	3,600.0	110.0	2,900.0	20,000.0
Lead	ND(2.0)	NA	ND(10.0)	ND(10.0)	ND(10.0)	ND(10.0)	34.2	2.1 J	5.2 J
Magnesium	8,640.0	NA	7,000.0	7,400.0	1,200.0	2,000.0	620.0	1,000.0	1,500.0
Mercury	ND(0.2)	NA	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.2)	0.09 J
Potassium	1,300.0	NA	2,100.0 J	1,700.0 J	5,600.0	5,800.0	1,500.0 J	3,000.0	4,500.0
Sodium	20,800.0	NA	24,000.0	24,000.0	5,600.0	7,100.0	5,500.0	3,700.0	3,400.0
Leachate Indicators (mg/l)									
Ammonia	0.03	NA	0.13	0.1	0.1	0.2	0.025 J	0.3	0.9
Bicarbonate	29.00	NA	26.00	25.0	24.0	29.0	8.9	20.3	31.4
Chloride	25.00	NA	33.00	35.0	8.3	12.0	7.2	5.2	5.3
Nitrate	10.00	NA	7.20	7.0	0.084 J	0.022 J	0.5	ND(0.1)	0.1
Sulfate	35.00	NA	22.00	27.0	ND(10.0)	ND(10.0)	ND(10.0)	ND(10.0)	ND(10.0)
Alkalinity	29.00	NA	26.00	25.0	24.0	29.0	8.9	20.3	31.4
TDS	200.00	NA	170.00	160.0	69.0	56.0	40.0	42.0	46.0
Hardness	96.00	NA	78.00	81.0	18.0	27.0	9.2	16.0	27.0

EN1-M (continued)

Metals (µg/l)	9/15	5/16	9/16	4/17	9/17	6/18	11/18	4/19	9/19
Aluminum	95.0 J	30.0 J	30.0 J	60.0 J	51.0 J	699.0	458.0	40.0 J	55.0 J
Arsenic	5.1	2.0 J	ND(5.00)	ND(5.0)	ND(5.0)	60.0	ND(5.0)	ND(5.0)	ND(5.0)
Cadmium	8.2	1.0 J	1.0 J	1.0 J	1.0 J	53.0	1.0 J	ND(5.0)	ND(5.0)
Calcium	10,000.0	3,300.0	10,000.0	6,300.0	8,720.0	12,900.0	8,620.0	2,580.0	4,220.0
Chromium	2.4 J	ND(10.0)	ND(10.00)	3.0 J	ND(10.0)	26.0	ND(10.0)	ND(10.0)	ND(10.0)
Iron	8,600.0	490.0	2,600.0	3,900.0	2,660.0	15,300.0	7,340.0	730.0	760.0
Lead	ND(10.0)	3.0 J	3.0 J	ND(10.0)	ND(10.0)	17.0	18.0	ND(10.0)	ND(10.0)
Magnesium	2,100.0	620.0	2,500.0	1,300.0	1,490.0	951.0	1,140.0	492.0	723.0
Mercury	ND(0.2)	0.2	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.1)
Potassium	5,700.0	2,600.0	5,200.0	6,700.0	5,750.0	1,370.0 J	5,480.0	1,150.0	2,990.0
Sodium	4,600.0	3,300.0	6,300.0	3,900.0	2,750.0	2,230.0	2,460.0	2,150.0	1,460.0 J
Leachate Indicators (mg/l)									
Ammonia	0.45	0.034 J	0.394	0.134	0.163	0.040 J	0.175	0.168	0.395
Bicarbonate	39.70	13.00	38.50	25.7	34.5	10.2	19.5	7.3	13.3
Chloride	6.60	4.80	11.00	6.5	4.2	2.7	3.7	2.9	2.8
Nitrate	ND(0.1)	0.045 J	0.023 J	0.53 J	ND(0.10)	0.3	0.051 J	0.3	0.052 J
Sulfate	ND(10.0)	ND(10.00)	ND(10.00)	ND(10.00)	ND(10.0)	1.6 J	ND(10.0)	1.40 J	ND(10.0)
Alkalinity	39.70	13.00	38.50	25.7	34.5	10.2	19.5	7.3	13.3
TDS	61.00	34.00	95.00	60.0	70.0	42.0	43.0	98.0	24.0
Hardness	35.00	11.00	36.00	21.0	27.9	36.1	26.2	36.1	13.5

EN1-M (continued)

Metals (µg/l)	6/20	10/20							
Aluminum	ND(100.0)	132.0							
Arsenic	ND(5.00)	ND(5.0)							
Cadmium	ND(5.0)	100.0 J							
Calcium	4,480.0	5,090.0							
Chromium	ND(10.0)	ND(10.0)							
Iron	760.0	2,160.0							
Lead	4.0 J	ND(10.0)							
Magnesium	879.0	1,040.0							
Mercury	ND(0.20)	ND(0.20)							
Potassium	5,140.0	6,010.0							
Sodium	2,100.0	2,226.0							
Leachate Indicators (mg/l)									
Ammonia	0.236	0.319							
Bicarbonate	16.10	20.20							
Chloride	3.40	4.30							
Nitrate	ND(0.10)	ND(0.10)							
Sulfate	ND(10.0)	ND(10.0)							
Alkalinity	16.10	20.20							
TDS	41.00	40.00							
Hardness	14.80	17.00							

J: Indicates an estimated value; compound is present at a concentration less than specified detection limit

B: The analyte was found in an associated blank, as well as in the sample

EN6-S
Historical Analysis of Volatile Organic Compounds
East Northport Landfill, East Northport, NY
Reported in Micrograms per Liter

Parameter	6/96	4/97	9/97	4/98	9/98	4/99	9/99	4/00	9/00
Chloromethane	ND(10.0)	ND(2.0)	ND(2.0)	ND(10.0)	ND(10.0)	ND(4.6)	ND(2.3)	ND(1.1)	ND(1.1)
Bromomethane	ND(10.0)	ND(1.0)	ND(1.0)	ND(10.0)	ND(10.0)	ND(3.8)	ND(1.8)	ND(0.6)	ND(0.6)
Vinyl Chloride	ND(10.0)	ND(1.0)	ND(1.0)	ND(10.0)	ND(10.0)	ND(1.7)	ND(2.0)	ND(1.0)	ND(1.0)
Chloroethane	ND(10.0)	ND(1.0)	ND(1.0)	ND(10.0)	ND(10.0)	ND(1.8)	ND(1.6)	ND(0.7)	ND(0.7)
Methylene Chloride	ND(5.0)	ND(3.0)	ND(3.0)	ND(5.0)	ND(5.0)	ND(2.7)	ND(0.6)	ND(0.4)	ND(0.4)
Trichloroflouromethane		ND(2.0)	ND(2.0)	ND(10.0)	ND(10.0)	ND(1.5)	ND(1.5)	ND(0.4)	ND(0.4)
1,1-Dichloroethene	ND(5.0)	ND(2.0)	ND(2.0)	ND(5.0)	ND(5.0)	ND(1.7)	ND(1.2)	ND(0.4)	ND(0.4)
1,1-Dichloroethane	ND(5.0)	ND(1.0)	ND(1.0)	ND(5.0)	ND(5.0)	ND(1.4)	ND(0.7)	ND(0.2)	ND(0.2)
*1,2-Dichloroethene, Total		ND(1.0)	ND(1.0)	ND(5.0)	ND(5.0)	ND(1.7)	ND(1.0)	ND(0.4)	ND(0.4)
Chloroform	ND(5.0)	ND(1.0)	ND(1.0)	ND(5.0)	0.7 J	ND(1.6)	ND(0.4)	ND(0.3)	ND(0.3)
1,2-Dichloroethane	ND(5.0)	ND(1.0)	ND(1.0)	ND(5.0)	ND(5.0)	ND(1.9)	ND(0.5)	ND(0.3)	ND(0.3)
1,1,1-Trichloroethane	ND(5.0)	ND(1.0)	ND(1.0)	ND(5.0)	0.7 J	ND(0.5)	ND(0.5)	ND(0.3)	2.7
Carbon Tetrachloride	ND(5.0)	ND(2.0)	ND(2.0)	ND(5.0)	ND(5.0)	ND(0.6)	ND(0.4)	ND(0.3)	ND(0.3)
Bromodichloromethane	ND(5.0)	ND(1.0)	ND(1.0)	ND(5.0)	ND(5.0)	ND(0.6)	ND(0.6)	ND(0.3)	ND(0.3)
1,2-Dichloropropane	ND(5.0)	ND(1.0)	ND(1.0)	ND(5.0)	ND(5.0)	ND(0.6)	ND(0.8)	ND(0.4)	ND(0.4)
cis-1,3-Dichloropropene	ND(5.0)	ND(1.0)	ND(1.0)	ND(5.0)	ND(5.0)	ND(0.5)	ND(0.3)	ND(0.3)	ND(0.3)
Trichloroethene	ND(5.0)	ND(2.0)	ND(2.0)	ND(5.0)	ND(5.0)	ND(0.6)	ND(0.3)	ND(0.4)	ND(0.4)
Benzene	ND(5.0)	ND(1.0)	ND(1.0)	ND(5.0)	ND(5.0)	ND(0.5)	ND(0.6)	ND(0.3)	ND(0.3)
Dibromochloromethane	ND(5.0)	ND(1.0)	ND(1.0)	ND(5.0)	ND(5.0)	ND(0.6)	ND(0.5)	ND(0.3)	ND(0.3)
trans-1,3-Dichloropropene	ND(5.0)	ND(1.0)	ND(1.0)	ND(5.0)	ND(5.0)	ND(0.6)	ND(0.5)	ND(0.2)	ND(0.2)
1,1,2-Trichloroethane	ND(5.0)	ND(1.0)	ND(1.0)	ND(5.0)	ND(5.0)	ND(0.5)	ND(0.9)	ND(0.3)	ND(0.3)
2-Chloroethylvinyl ether		ND(4.0)	ND(4.0)	ND(10.0)	ND(10.0)	ND(0.6)	ND(1.5)	ND(1.1)	ND(1.1)
Bromoform	ND(5.0)	ND(1.0)	ND(1.0)	ND(5.0)	ND(5.0)	ND(0.8)	ND(0.7)	ND(0.3)	ND(0.3)
1,1,2,2-Tetrachloroethane	ND(5.0)	ND(2.0)	ND(2.0)	ND(5.0)	ND(5.0)	ND(0.5)	ND(1.0)	ND(0.3)	ND(0.3)
Tetrachloroethene	ND(5.0)	ND(3.0)	ND(3.0)	ND(5.0)	ND(5.0)	ND(0.7)	ND(0.6)	ND(0.3)	1.0
Toluene	ND(5.0)	ND(2.0)	ND(2.0)	ND(5.0)	ND(5.0)	ND(0.8)	ND(0.5)	ND(0.3)	ND(0.3)
Chlorobenzene	ND(5.0)	ND(2.0)	ND(2.0)	ND(5.0)	ND(5.0)	ND(0.6)	ND(0.5)	ND(0.2)	ND(0.2)
Ethylbenzene	ND(5.0)	ND(2.0)	ND(2.0)	ND(5.0)	ND(5.0)	ND(0.7)	ND(0.5)	ND(0.4)	ND(0.4)
1,2-Dichlorobenzene		ND(2.0)	ND(2.0)	ND(10.0)	ND(10.0)	ND(1.5)	ND(0.2)	ND(0.2)	ND(0.2)
1,3-Dichlorobenzene		ND(2.0)	ND(2.0)	ND(10.0)	ND(10.0)	ND(0.7)	ND(0.4)	ND(0.4)	ND(0.4)
1,4-Dichlorobenzene		ND(2.0)	ND(2.0)	ND(10.0)	ND(10.0)	ND(5.0)	ND(0.3)	ND(0.3)	ND(0.3)

EN6-S (continued)

Parameter	4/01	9/01	4/02	9/02	4/03	10/03	6/04	10/04	4/05
Chloromethane	ND(1.1)	ND(1.1)	ND(1.1)	ND(1.4)	ND(1.4)	ND(2.2)	ND(0.49)	ND(0.49)	ND(0.45)
Bromomethane	ND(0.6)	ND(0.6)	ND(0.6)	ND(1.7)	ND(1.7)	ND(2.9)	ND(0.61)	ND(0.61)	ND(1.30)
Vinyl Chloride	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.2)	ND(1.2)	ND(0.8)	ND(0.28)	ND(0.28)	ND(0.62)
Chloroethane	ND(0.7)	ND(0.7)	ND(0.7)	ND(1.8)	ND(1.8)	ND(2.0)	ND(0.62)	ND(0.62)	ND(1.10)
Methylene Chloride	ND(0.4)	ND(0.4)	ND(0.4)	ND(1.2)	ND(1.2)	ND(1.2)	ND(1.40)	ND(1.40)	ND(0.98)
Trichloroflouromethane	ND(0.4)	ND(0.4)	ND(0.4)	ND(1.3)	ND(1.3)	ND(1.5)	ND(0.80)	ND(0.80)	ND(0.58)
1,1-Dichloroethene	ND(0.4)	ND(0.4)	ND(0.4)	ND(1.0)	ND(1.0)	ND(0.1)	ND(0.28)	ND(0.28)	ND(0.28)
1,1-Dichloroethane	ND(0.2)	ND(0.2)	ND(0.2)	ND(1.0)	ND(1.0)	ND(1.3)	ND(0.29)	ND(0.29)	ND(0.33)
*1,2-Dichloroethene, Total	ND(0.4)	ND(0.4)	ND(0.4)	ND(1.0)	ND(1.0)	ND(1.3)	ND(0.32)	ND(0.32)	ND(0.40)
Chloroform	ND(0.3)	0.8	0.7	ND(0.8)	ND(0.8)	ND(1.5)	ND(0.30)	2.1 J	1.6 J
1,2-Dichloroethane	ND(0.3)	ND(0.3)	ND(0.3)	ND(0.6)	ND(0.6)	ND(0.2)	ND(0.19)	ND(0.19)	ND(0.28)
1,1,1-Trichloroethane	1.2	ND(0.3)	ND(0.3)	1.6 J	1.7 J	1.4 J	ND(0.34)	ND(0.34)	0.3 J
Carbon Tetrachloride	ND(0.3)	ND(0.3)	ND(0.3)	ND(0.5)	ND(0.5)	ND(0.1)	ND(0.18)	ND(0.18)	ND(0.34)
Bromodichloromethane	ND(0.3)	ND(0.3)	ND(0.3)	ND(0.9)	ND(0.9)	ND(0.1)	ND(0.29)	ND(0.29)	ND(0.30)
1,2-Dichloropropane	ND(0.4)	ND(0.4)	ND(0.4)	ND(0.8)	ND(0.8)	ND(0.2)	ND(0.32)	ND(0.32)	ND(0.27)
cis-1,3-Dichloropropene	ND(0.3)	ND(0.3)	ND(0.3)	ND(1.5)	ND(1.5)	ND(0.7)	ND(0.21)	ND(0.21)	ND(0.26)
Trichloroethene	ND(0.4)	ND(0.4)	ND(0.4)	ND(0.9)	ND(0.9)	ND(0.1)	ND(0.27)	ND(0.27)	ND(0.59)
Benzene	ND(0.3)	ND(0.3)	ND(0.3)	ND(0.6)	ND(0.6)	ND(0.1)	ND(0.17)	ND(0.17)	ND(0.35)
Dibromochloromethane	ND(0.3)	ND(0.3)	ND(0.3)	ND(1.4)	ND(1.4)	ND(1.2)	ND(0.30)	ND(0.30)	ND(0.22)
trans-1,3-Dichloropropene	ND(0.2)	ND(0.2)	ND(0.2)	ND(1.5)	ND(1.5)	ND(0.7)	ND(0.23)	ND(0.23)	ND(0.29)
1,1,2-Trichloroethane	ND(0.3)	ND(0.3)	ND(0.3)	ND(1.5)	ND(1.5)	ND(1.0)	ND(0.28)	ND(0.28)	ND(0.24)
2-Chloroethylvinyl ether	ND(1.1)	ND(1.1)	ND(1.1)	ND(4.8)	ND(4.8)	ND(2.7)	ND(1.70)	ND(1.70)	ND(6.20)
Bromoform	ND(0.3)	ND(0.3)	ND(0.3)	ND(1.5)	ND(1.5)	ND(1.3)	ND(0.25)	ND(0.25)	ND(0.22)
1,1,2,2-Tetrachloroethane	ND(0.3)	ND(0.3)	ND(0.3)	ND(0.8)	ND(0.8)	ND(1.9)	ND(0.27)	ND(0.27)	ND(0.35)
Tetrachloroethene	ND(0.3)	0.6	ND(0.3)	ND(1.0)	1.3 J	ND(0.1)	ND(0.30)	ND(0.30)	ND(0.74)
Toluene	ND(0.3)	ND(0.3)	ND(0.3)	ND(1.0)	ND(1.0)	ND(0.5)	ND(0.23)	ND(0.23)	ND(0.38)
Chlorobenzene	ND(0.2)	ND(0.2)	ND(0.2)	ND(1.0)	ND(1.0)	ND(0.5)	ND(0.24)	ND(0.24)	ND(0.47)
Ethylbenzene	ND(0.4)	ND(0.4)	ND(0.4)	ND(1.2)	ND(1.2)	ND(0.8)	ND(0.17)	ND(0.17)	ND(0.50)
1,2-Dichlorobenzene	ND(0.2)	ND(0.2)	ND(0.2)	ND(1.6)	ND(1.6)	ND(0.5)	ND(0.20)	ND(0.20)	ND(0.67)
1,3-Dichlorobenzene	ND(0.4)	ND(0.4)	ND(0.4)	ND(0.8)	ND(0.8)	ND(0.7)	ND(0.28)	ND(0.28)	ND(0.35)
1,4-Dichlorobenzene	ND(0.3)	ND(0.3)	ND(0.3)	ND(1.4)	ND(1.4)	ND(0.8)	ND(0.30)	ND(0.30)	ND(0.79)

EN6-S (continued)

Parameter	9/15	5/16	9/16	4/17	9/17	6/18	11/18	4/19	9/19
Chloromethane	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.0)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
Bromomethane	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.0)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
Vinyl Chloride	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.0)	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)
Chloroethane	ND(2.00)	ND(2.00)	ND(2.00)	ND(2.00)	ND(2.0)	ND(2.00)	ND(2.00)	ND(2.00)	ND(2.00)
Methylene Chloride	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.0)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
Trichloroflouromethane	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.0)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
1,1-Dichloroethene	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.0)	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)
1,1-Dichloroethane	ND(1.50)	ND(1.50)	ND(1.50)	ND(1.50)	ND(1.5)	ND(1.50)	ND(1.50)	ND(1.50)	ND(1.50)
*1,2-Dichloroethene, Total	ND(1.50)	ND(1.50)	ND(1.50)	ND(1.50)	ND(1.5)	ND(1.50)	ND(1.50)	ND(1.50)	ND(1.50)
Chloroform	0.55 J	ND(1.50)	ND(1.50)	ND(1.50)	0.63	ND(1.00)	ND(1.00)	0.54 J	0.57 J
1,2-Dichloroethane	ND(1.50)	ND(1.50)	ND(1.50)	ND(1.50)	ND(1.5)	ND(1.50)	ND(1.50)	ND(1.50)	ND(1.50)
1,1,1-Trichloroethane	ND(2.00)	ND(2.00)	ND(2.00)	ND(2.00)	ND(2.0)	ND(2.00)	ND(2.00)	ND(2.00)	ND(2.00)
Carbon Tetrachloride	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.0)	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)
Bromodichloromethane	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.0)	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)
1,2-Dichloropropane	ND(3.50)	ND(3.50)	ND(3.50)	ND(3.50)	ND(3.5)	ND(3.50)	ND(3.50)	ND(3.50)	ND(3.50)
cis-1,3-Dichloropropene	ND(1.50)	ND(1.50)	ND(1.50)	ND(1.50)	ND(1.5)	ND(1.50)	ND(1.50)	ND(1.50)	ND(1.50)
Trichloroethene	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.0)	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)
Benzene	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.0)	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)
Dibromochloromethane	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.0)	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)
trans-1,3-Dichloropropene	ND(1.50)	ND(1.50)	ND(1.50)	ND(1.50)	ND(1.5)	ND(1.50)	ND(1.50)	ND(1.50)	ND(1.50)
1,1,2-Trichloroethane	ND(1.50)	ND(1.50)	ND(1.50)	ND(1.50)	ND(1.5)	ND(1.50)	ND(1.50)	ND(1.50)	ND(1.50)
2-Chloroethylvinyl ether	ND(10.00)	ND(10.00)	ND(10.00)	ND(10.00)	ND(10.0)	ND(10.00)	ND(10.00)	ND(10.00)	ND(10.00)
Bromoform	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.0)	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)
1,1,2,2-Tetrachloroethane	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.0)	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)
Tetrachloroethene	ND(1.50)	ND(1.50)	ND(1.50)	ND(1.50)	ND(1.5)	ND(1.50)	ND(1.50)	0.31 J	ND(1.50)
Toluene	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.0)	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)
Chlorobenzene	ND(3.50)	ND(3.50)	ND(3.50)	ND(3.50)	ND(3.5)	ND(3.50)	ND(3.50)	ND(3.50)	ND(3.50)
Ethylbenzene	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.0)	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)
1,2-Dichlorobenzene	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.0)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
1,3-Dichlorobenzene	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.0)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
1,4-Dichlorobenzene	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.0)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
Acetone	ND(10.00)	ND(10.00)	ND(10.00)	ND(10.00)	ND(10.0)	ND(10.00)	ND(10.00)	ND(10.00)	ND(10.00)
Tert-Butyl Alcohol	ND(100.00)	ND(100.00)	ND(100.00)	ND(100.00)	ND(100.0)	N/A	ND(100.00)	ND(100.00)	ND(100.00)
cis-1,2-Dichloroethene	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.0)	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)
Methyl Tert Butyl Ether	NA	NA	NA	NA	ND(10.0)	NA	NA	NA	NA

EN6-S (continued)

Parameter	6/20	10/20							
Chloromethane	ND(5.00)	ND(5.00)							
Bromomethane	ND(5.00)	ND(5.00)							
Vinyl Chloride	ND(1.00)	ND(1.00)							
Chloroethane	ND(2.00)	ND(2.00)							
Methylene Chloride	ND(5.00)	ND(1.00)							
Trichloroflouromethane	ND(5.00)	ND(5.00)							
1,1-Dichloroethene	ND(1.00)	ND(1.00)							
1,1-Dichloroethane	ND(1.50)	ND(1.50)							
*1,2-Dichloroethene, Total	ND(1.50)	ND(1.50)							
Chloroform	0.46 J	0.58 J							
1,2-Dichloroethane	ND(1.50)	ND(1.50)							
1,1,1-Trichloroethane	ND(2.00)	ND(2.00)							
Carbon Tetrachloride	ND(1.00)	ND(1.00)							
Bromodichloromethane	ND(1.00)	ND(1.00)							
1,2-Dichloropropane	ND(3.50)	ND(3.50)							
cis-1,3-Dichloropropene	ND(1.50)	ND(1.50)							
Trichloroethene	ND(1.00)	ND(1.00)							
Benzene	ND(1.00)	ND(1.00)							
Dibromochloromethane	ND(1.00)	ND(1.00)							
trans-1,3-Dichloropropene	ND(1.50)	ND(1.50)							
1,1,2-Trichloroethane	ND(1.50)	ND(1.50)							
2-Chloroethylvinyl ether	ND(10.00)	ND(10.00)							
Bromoform	ND(1.00)	ND(1.00)							
1,1,2,2-Tetrachloroethane	ND(1.00)	ND(1.00)							
Tetrachloroethene	ND(1.50)	ND(1.50)							
Toluene	ND(1.00)	ND(1.00)							
Chlorobenzene	ND(3.50)	ND(3.50)							
Ethylbenzene	ND(1.00)	ND(1.00)							
1,2-Dichlorobenzene	ND(5.00)	ND(5.00)							
1,3-Dichlorobenzene	ND(5.00)	ND(5.00)							
1,4-Dichlorobenzene	ND(5.00)	ND(5.00)							
Acetone	ND(10.00)	ND(10.00)							
Tert-Butyl Alcohol	ND(100.00)	ND(100.00)							
cis-1,2-Dichloroethene	ND(1.00)	ND(1.00)							
Methyl Tert Butyl Ether	ND(10.0)	ND(10.0)							

Bold indicates value above NYSDEC Class GA Standard

B: The analyte was found in an associated blank, as well as in the sample

EN6-S
Historical Analysis of Metals and Leachate Indicators
East Northport Landfill, East Northport, NY

Metals (µg/l)	6/96	4/97	9/97	4/98	9/98	4/99	9/99	4/00	9/00
Aluminum	79.3 B	209.0	ND(34.8)	ND(26.8)	ND(21.3)	ND(200.0)	40.5 B	ND(25.8)	78.7 B
Arsenic	ND(9.0)	ND(4.5)	ND(2.7)	ND(2.0)	ND(1.5)	ND(4.0)	ND(6.0)	ND(3.0)	ND(3.8)
Cadmium	ND(1.0)	ND(0.5)	ND(0.5)	ND(5.2)	ND(4.7)	ND(5.0)	ND(1.0)	ND(0.5)	ND(0.4)
Calcium	16,900.0	20,700.0	15,500.0	13,700.0 E	15,800.0	11,700.0	1,200.0	11,300.0	12,700.0
Chromium	16.8	31.6	2.0 B	ND(8.3)	11.8	6.0	6.9 B	8.8 B	2.0 B
Iron	245.0	563.0	ND(22.4)	20.5 B	131.0	296.0	81.3 B	96.8 B	16.4 B
Lead	ND(3.0)	ND(1.6)	ND(1.6)	ND(1.1)	ND(1.5)	ND(4.0)	ND(3.0)	2.0 B	ND(2.0)
Magnesium	7,700.0	9,840.0	7,400.0	6,190.0 E	6,960.0 E	5,500.0	5,680.0	5,030.0	5,900.0
Mercury	ND(0.2)	ND(0.06)	0.04 B	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.1)	ND(0.1)
Potassium	1,540.0 B	3,320.0 B	1,270.0 B	1,480.0 B	1,680.0 BE	1,370.0	1,170.0 B	1,230.0 B	1,560.0 B
Sodium	2,130.0	32,600.0 E	26,200.0 E	23,800.0 E	26,800.0 E	23,000.0	20,200.0	26,200.0	26,900.0
Leachate Indicators (mg/l)									
Ammonia	ND(1.000)	ND(0.050)	ND(0.050)	ND(0.200)	ND(0.100)	ND(0.200)	1.290	ND(0.200)	ND(0.200)
Bicarbonate		15.20	12.90	13.20	17.00	13.50	11.00	16.00	34.00
Chloride	62.00	42.20	44.50	36.10	47.20	36.70	37.20	48.00	49.00
Nitrate	7.37	13.00	6.00	5.60	5.80	5.49	3.91	3.70	6.60
Sulfate	21.80	31.30	24.90	20.50	21.80	22.00	26.20	22.00	24.00
Alkalinity	14.00	15.20	12.90	13.20	17.00	13.50	12.00	16.00	34.00
TDS	174.00	101.00	139.00	164.00	196.00	92.00	115.00	130.00	150.00
Hardness	22.00	92.09	69.10	59.60 E	68.10	51.40	18.00	49.00	56.00

EN6-S (continued)

Metals (µg/l)	4/01	9/07	4/02	9/02	4/03	10/03	6/04	10/04	4/05
Aluminum	30.4 B	217.0	ND(7.3)	51.6 B	ND(78.9)	85.0 J	59.2 J	ND(180.0)	16.2 J
Arsenic	ND(2.5)	ND(5.0)	ND(2.8)	ND(3.6)	ND(11.9)	ND(2.2)	ND(5.5)	ND(4.84)	ND(3.32)
Cadmium	ND(0.4)	ND(3.0)	ND(0.4)	ND(1.0)	ND(1.0)	ND(0.12)	ND(0.57)	ND(0.994)	ND(0.327)
Calcium	17,400.0	14,100.0	12,700.0	14,100.0	14,500.0	13,300.0	12,200.0	14,000.0	11,900.0
Chromium	430.0	41.3	14.1	46.2	22.8	37.8	7.9 J	7.8 J	2.74 J
Iron	2,100.0	1,280.0	207.0	468.0	249.0	482.0	66.6 J	381.0	31.4 J
Lead	ND(2.5)	ND(3.0)	5.2	7.9	ND(3.0)	6.9	4.4 J	ND(1.79)	ND(2.18)
Magnesium	8,180.0	6,560.0	5,810.0	6,810.0	7,290.0	6,270.0	5,660.0	6,080.0	5,620.0
Mercury	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.03)	0.09 J
Potassium	1,840.0 B	1,570.0 B	1,520.0 B	1750.0 B	1,870.0 B	1,740.0 J	1,540.0 J	1,610.0 J	1,850.0 J
Sodium	33,400.0	28,100.0	26,100.0	30,100.0	34,300.0	27,900.0	25,200.0	24,200.0	32,900.0
Leachate Indicators (mg/l)									
Ammonia	ND(0.200)	ND(0.200)	ND(0.200)	ND(0.200)	ND(0.200)	0.400	2.500	0.356	ND(0.200)
Bicarbonate	16.00	24.00	16.00	13.00	14.00	14.00	9.50	11.00	14.00
Chloride	45.00	48.00	57.00	46.00	49.00	48.00	48.00	57.00	51.00
Nitrate	6.80	6.90	7.20	8.30	7.40	7.60	6.30	6.20	5.35
Sulfate	27.00	25.00	26.00	28.00	28.00	29.00	23.00	26.00	24.00
Alkalinity	16.00	24.00	16.00	13.00	14.00	14.00	9.50	11.00	14.00
TDS	170.00	140.00	200.00	160.00	196.00	214.00	172.00	216.00	150.00
Hardness	77.00	62.00	56.00	64.00	66.00	59.00	54.00	60.00	53.00

EN6-S (continued)

Metals (µg/l)	9/05	8/06	11/06	7/07	11/07	4/08	9/08	4/09	9/09
Aluminum	137.0 J	ND(5.31)	ND(7.6)	ND(200.0)	23.0	11.0	ND(10.0)	ND(10.0)	44.2
Arsenic	ND(3.32)	ND(3.32)	ND(4.1)	ND(10.0)	ND(4.0)	ND(4.0)	ND(4.0)	ND(4.0)	ND(4.0)
Cadmium	0.6 J	ND(0.327)	1.2 J	ND(5.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)
Calcium	11,800.0	9,920.0	13,400.0	11,700.0	11,400.0	13,400.0	13,200.0	14,800.0	14,300.0
Chromium	4.33 J	15.8	10.6	6.1 J	2.0	4.0	ND(1.0)	ND(1.0)	9.9
Iron	111.0	ND(27.0)	71.6 J	68.0 J	44.0	26.0	26.0	22.0	179.0
Lead	ND(2.18)	ND(2.18)	ND(1.6)	ND(3.0)	ND(1.0)	ND(1.0)	2.0	ND(2.0)	ND(2.0)
Magnesium	5,330.0	4,620.0 J	6,580.0	5,500.0	5,150.0	6,190.0	5,990.0	6,630.0	6,400.0
Mercury	ND(0.03)	ND(0.03)	ND(0.18)	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.2)
Potassium	1,610.0 J	1,710.0 J	1,120.0 J	1,400.0 J	1,740.0	2,000.0	1,800.0	2,320.0	2,110.0
Sodium	26,400.0	26,900.0	27,500.0	23,100.0	24,200.0	23,100.0	26,700.0	31,000.0	28,800.0
Leachate Indicators (mg/l)									
Ammonia	ND(0.200)	0.400	ND(0.200)	0.016 J	ND(0.020)	0.020	ND(0.020)	0.10	0.04
Bicarbonate	15.00	17.00	ND(2.00)	14.70	ND(20.00)	ND(20.00)	ND(20.00)	ND(20.00)	ND(20.00)
Chloride	54.00	34.00	40.00	37.10	35.00	41.00	44.00	52.00	54.00
Nitrate	5.62	5.35	4.95	5.20	6.10	5.20	6.80	7.20	6.40
Sulfate	21.00	22.00	18.00	19.70	24.00	22.00	26.00	27.00	24.00
Alkalinity	15.00	17.00	18.00	14.70	ND(20.00)	ND(20.00)	ND(20.00)	ND(20.00)	ND(20.00)
TDS	180.00	140.00	150.00	134.00	160.00	140.00	180.00	170.00	200.00
Hardness	51.40	43.81	60.58	51.70	49.70	59.00	57.60	64.30	62.10

EN6-S (continued)

Metals (µg/l)	6/10	10/11	5/12	9/12	5/13	10/13	4/14	9/14	4/15
Aluminum	13.0	75.0	ND(100.0)	30.0 J	54.0 J	40.0 J	120.0	54.0 J	30.0 J
Arsenic	ND(4.0)	ND(3.0)	ND(5.0)	ND(5.0)	2.7 J	ND(5.0)	3.7 J	3.1 J	ND(5.0)
Cadmium	0.3 B	ND(4.0)	ND(5.0)	ND(5.0)	ND(5.0)	ND(5.0)	ND(5.0)	ND(5.0)	ND(5.0)
Calcium	17,700.0	8,930.0	16,000.0	14,000.0	16,000.0	15,000.0	14,000.0	13,000.0	12,000.0
Chromium	16.0	51.0	4.0 J	8.0 J	100.0	100.0	340.0	11.0	10.0
Iron	116.0	470.0	70.0	140.0	770.0	190.0	2,400.0	220.0	240.0
Lead	ND(2.0)	ND(2.0)	ND(10.0)	ND(10.0)	ND(10.0)	ND(10.0)	2.4 J	ND(10.0)	ND(10.0)
Magnesium	7,710.0	3,820.0	7,200.0	6,500.0	6,800.0	6,300.0	6,200.0	5,600.0	5,700.0
Mercury	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.2)
Potassium	1,900.0	1,700.0	2,500.0	2,200.0 J	2,300.0 J	2,500.0	2,300.0 J	2,300 J	2,100.0 J
Sodium	34,800.0	65,000.0	37,000.0	32,000.0	34,000.0	39,000.0	35,000.0	39,000.0	40,000.0
Leachate Indicators (mg/l)									
Ammonia	0.03	ND(0.02)	0.047 J	0.058 J	0.041 J	0.041 J	0.029 J	0.070 J	ND(0.075)
Bicarbonate	ND(20.00)	22.00	14.00	14.0	14.0	14.0	14.6	15.0	14.6
Chloride	60.00	88.00	53.00	45.0	56.0	60.0	51.0	62.0	62.0
Nitrate	6.70	1.80	5.20	5.7	6.6	6.3	6.4	4.8	6.7
Sulfate	28.00	18.00	25.00	24.0	30.0	28.0	33.0	27.0	27.0
Alkalinity	ND(20.00)	22.00	14.00	14.0	14.0	14.0	14.6	15.0	14.6
TDS	200.00	210.00	200.00	150.0	210.0	180.0	200.0	170.0	140.0
Hardness	75.90	38.00	69.00	62.0	67.0	63.0	61.0	56.0	54.0

EN6-S (continued)

Metals (µg/l)	9/15	5/16	9/16	4/17	9/17	6/18	11/18	4/19	9/19
Aluminum	240.0	70.0 J	43.0 J	80.0 J	59.0 J	57.0 J	48.0 J	ND(100.0)	ND(100.0)
Arsenic	3.2 J	ND(5.0)	4.9 J	ND(5.0)	4.0 J	ND(5.0)	ND(5.0)	2.0 J	ND(5.0)
Cadmium	ND(5.0)	ND(5.0)	ND(5.00)	ND(5.0)	ND(5.0)	ND(5.0)	ND(5.0)	ND(5.0)	ND(5.0)
Calcium	12,000.0	14,000.0	13,000.0	13,000.0	14,100.0	13,900.0	10,200.0	14,700.0	15,200.0
Chromium	210.0	10.0	25.0	60.0	55.0	258.0	26.0	3.0 J	4.0 J
Iron	1,900.0	360.0	250.0	550.0	493.0	1,410.0	254.0	14.0 J	35.0 J
Lead	ND(10.0)	ND(10.0)	ND(10.00)	ND(10.0)	ND(10.0)	ND(10.0)	ND(10.0)	ND(10.0)	ND(10.0)
Magnesium	5,300.0	6,400.0	6,100.0	7,000.0	6,350.0	6,250.0	4,260.0	6,280.0	6,810.0
Mercury	ND(0.2)	0.2	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.1)
Potassium	1,900.0 J	2,300.0 J	2,300.0 J	2,700.0	2,640.0	2,750.0	1,820 J	2,580.0	2,560.0
Sodium	35,000.0	40,000.0	37,000.0	39,000.0	39,400.0	46,700.0	44,200.0	42,400.0	42,500.0
Leachate Indicators (mg/l)									
Ammonia	0.032 J	0.08	ND(0.075)	0.061 J	ND(0.075)	ND (0.075)	ND (0.075)	0.034 J	0.052 J
Bicarbonate	14.60	14.10	14.00	14.7	15.2	15.5	17.8	12.6	11.8
Chloride	65.00	60.00	56.00	53.0	60.0	58.0	66.0	62.0	70.0
Nitrate	6.30	6.17	7.07	7.6	7.5	9.0	4.0	6.9	6.1
Sulfate	22.00	25.00	27.00	28.0	29.0	30.0	13.0	25.0	26.0
Alkalinity	14.60	14.10	14.00	14.7	15.2	15.5	17.8	12.6	11.8
TDS	180.00	210.00	170.00	190.0	200.0	220.0	190.0	240.0	200.0
Hardness	52.00	62.00	57.00	62.0	61.5	60.4	43.0	62.6	66.0

EN6-S (continued)

Metals (µg/l)	6/20	10/20							
Aluminum	43.0 J	139.0							
Arsenic	ND(5.0)	ND(5.0)							
Cadmium	ND(5.0)	ND(5.0)							
Calcium	14,900.0	13,900.0							
Chromium	191.0	217.0							
Iron	1,200.0	1,750.0							
Lead	ND(10.0)	ND(10.0)							
Magnesium	6,940.0	6,210.0							
Mercury	ND(0.20)	ND(0.20)							
Potassium	2,800.0	2,460.0 J							
Sodium	44,300.0	43,900.0							
Leachate Indicators (mg/l)									
Ammonia	ND(0.075)	0.062 J							
Bicarbonate	12.40	13.20							
Chloride	74.00	70.00							
Nitrate	6.740	6.360							
Sulfate	24.00	23.00							
Alkalinity	12.40	13.20							
TDS	220.00	180.00							
Hardness	65.80	60.30							

J: Indicates an estimated value; compound is present at a concentration less than specified detection limit

B: The analyte was found in an associated blank, as well as in the sample

EN6-M
Historical Analysis of Volatile Organic Compounds
East Northport Landfill, East Northport, NY
Reported in Micrograms per Liter

Parameter	6/96	4/97	9/97	4/98	9/98	4/99	9/99	4/00	9/00
Chloromethane	ND(10.0)	ND(2.0)	ND(2.0)	ND(10.0)	ND(10.0)	ND(4.6)	ND(2.3)	ND(1.1)	ND(1.1)
Bromomethane	ND(10.0)	ND(1.0)	ND(1.0)	ND(10.0)	ND(10.0)	ND(3.8)	ND(1.8)	ND(0.6)	ND(0.6)
Vinyl Chloride	ND(10.0)	ND(1.0)	ND(1.0)	ND(10.0)	ND(10.0)	ND(1.7)	ND(2.0)	ND(1.0)	ND(1.0)
Chloroethane	ND(10.0)	ND(1.0)	ND(1.0)	ND(10.0)	ND(10.0)	ND(1.8)	ND(1.6)	ND(0.7)	ND(0.7)
Methylene Chloride	ND(5.0)	ND(3.0)	ND(3.0)	ND(5.0)	ND(5.0)	ND(2.7)	ND(0.6)	ND(0.4)	ND(0.4)
Trichloroflouromethane		ND(2.0)	ND(2.0)	ND(10.0)	ND(10.0)	ND(1.5)	ND(1.5)	ND(0.4)	ND(0.4)
1,1-Dichloroethene	ND(5.0)	ND(2.0)	ND(2.0)	ND(5.0)	ND(5.0)	ND(1.7)	ND(1.2)	ND(0.4)	ND(0.4)
1,1-Dichloroethane	ND(5.0)	ND(1.0)	ND(1.0)	ND(5.0)	0.8 J	ND(1.4)	ND(0.7)	ND(0.2)	ND(0.2)
*1,2-Dichloroethene, Total		ND(1.0)	ND(1.0)	5.0	9.0	14.0	ND(1.0)	ND(0.4)	ND(0.4)
Chloroform	ND(5.0)	ND(1.0)	ND(1.0)	ND(5.0)	ND(5.0)	ND(1.6)	ND(0.4)	ND(0.3)	ND(0.3)
1,2-Dichloroethane	ND(5.0)	ND(1.0)	ND(1.0)	ND(5.0)	ND(5.0)	ND(1.9)	ND(0.5)	ND(0.3)	ND(0.3)
1,1,1-Trichloroethane	ND(5.0)	ND(1.0)	ND(1.0)	ND(5.0)	ND(5.0)	ND(0.5)	ND(0.5)	ND(0.3)	ND(0.3)
Carbon Tetrachloride	ND(5.0)	ND(2.0)	ND(2.0)	ND(5.0)	ND(5.0)	ND(0.6)	ND(0.4)	ND(0.3)	ND(0.3)
Bromodichloromethane	ND(5.0)	ND(1.0)	ND(1.0)	ND(5.0)	ND(5.0)	ND(0.6)	ND(0.6)	ND(0.3)	ND(0.3)
1,2-Dichloropropane	ND(5.0)	ND(1.0)	ND(1.0)	ND(5.0)	ND(5.0)	ND(0.6)	ND(0.8)	ND(0.4)	ND(0.4)
cis-1,3-Dichloropropene	ND(5.0)	ND(1.0)	ND(1.0)	ND(5.0)	ND(5.0)	ND(0.5)	ND(0.3)	ND(0.3)	ND(0.3)
Trichloroethene	ND(5.0)	ND(2.0)	ND(2.0)	2.0 J	2.0 J	2.1	1.4	2.8	1.8
Benzene	ND(5.0)	ND(1.0)	ND(1.0)	ND(5.0)	ND(5.0)	ND(0.5)	ND(0.6)	ND(0.3)	ND(0.3)
Dibromochloromethane	ND(5.0)	ND(1.0)	ND(1.0)	ND(5.0)	ND(5.0)	ND(0.6)	7.0	ND(0.3)	ND(0.3)
trans-1,3-Dichloropropene	ND(5.0)	ND(1.0)	ND(1.0)	ND(5.0)	ND(5.0)	ND(0.6)	ND(0.5)	ND(0.2)	ND(0.2)
1,1,2-Trichloroethane	ND(5.0)	ND(1.0)	ND(1.0)	ND(5.0)	ND(5.0)	ND(0.5)	ND(0.9)	ND(0.3)	ND(0.3)
2-Chloroethylvinyl ether		ND(4.0)	ND(4.0)	ND(10.0)	ND(10.0)	ND(0.6)	4.6	ND(1.1)	ND(1.1)
Bromoform	ND(5.0)	ND(1.0)	ND(1.0)	ND(5.0)	ND(5.0)	ND(0.8)	ND(0.7)	ND(0.3)	ND(0.3)
1,1,2,2-Tetrachloroethane	ND(5.0)	ND(2.0)	ND(2.0)	ND(5.0)	ND(5.0)	ND(0.5)	ND(1.0)	ND(0.3)	ND(0.3)
Tetrachloroethene	12.0	11.0	12.0	12.0	12.0	9.3	13.0	12.0	12.0
Toluene	ND(5.0)	ND(2.0)	ND(2.0)	ND(5.0)	ND(5.0)	ND(0.8)	ND(0.5)	ND(0.3)	ND(0.3)
Chlorobenzene	ND(5.0)	ND(2.0)	ND(2.0)	ND(5.0)	ND(5.0)	ND(0.6)	ND(0.5)	ND(0.2)	ND(0.2)
Ethylbenzene	ND(5.0)	ND(2.0)	ND(2.0)	ND(5.0)	ND(5.0)	ND(0.7)	ND(0.5)	ND(0.4)	ND(0.4)
1,2-Dichlorobenzene		ND(2.0)	ND(2.0)	ND(10.0)	ND(10.0)	ND(1.5)	ND(0.2)	ND(0.2)	ND(0.2)
1,3-Dichlorobenzene		ND(2.0)	ND(2.0)	ND(10.0)	ND(10.0)	ND(0.7)	ND(0.4)	ND(0.4)	ND(0.4)
1,4-Dichlorobenzene		ND(2.0)	ND(2.0)	ND(10.0)	ND(10.0)	ND(5.0)	ND(0.3)	ND(0.3)	ND(0.3)

EN6-M (continued)

Parameter	4/01	9/01	4/02	9/02	4/03	10/03	6/04	10/04	4/05
Chloromethane	ND(1.1)	ND(1.1)	ND(1.1)	ND(1.4)	ND(1.4)	ND(2.2)	ND(0.49)	ND(0.49)	ND(0.45)
Bromomethane	ND(0.6)	ND(0.6)	ND(0.6)	ND(1.7)	ND(1.7)	ND(2.9)	ND(0.61)	ND(0.61)	ND(1.30)
Vinyl Chloride	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.2)	ND(1.2)	ND(0.8)	ND(0.28)	ND(0.28)	ND(0.62)
Chloroethane	ND(0.7)	ND(0.7)	ND(0.7)	ND(1.8)	ND(1.8)	ND(2.0)	ND(0.62)	ND(0.62)	ND(1.10)
Methylene Chloride	ND(0.4)	ND(0.4)	ND(0.4)	ND(1.2)	ND(1.2)	ND(1.2)	ND(1.40)	ND(1.40)	ND(0.98)
Trichloroflouromethane	ND(0.4)	ND(0.4)	ND(0.4)	ND(1.3)	ND(1.3)	ND(1.5)	ND(0.80)	ND(0.80)	ND(0.58)
1,1-Dichloroethene	ND(0.4)	ND(0.4)	ND(0.4)	ND(1.0)	ND(1.0)	ND(0.1)	ND(0.28)	ND(0.28)	ND(0.28)
1,1-Dichloroethane	ND(0.2)	ND(0.2)	ND(0.2)	ND(1.0)	1.2 J	ND(1.3)	ND(0.29)	ND(0.29)	0.9 J
*1,2-Dichloroethene, Total	ND(0.4)	ND(0.4)	ND(0.4)	ND(1.0)	ND(1.0)	ND(1.3)	ND(0.32)	ND(0.32)	ND(0.40)
Chloroform	ND(0.3)	ND(0.3)	ND(0.3)	ND(0.8)	ND(0.8)	ND(1.5)	ND(0.30)	ND(0.30)	ND(0.18)
1,2-Dichloroethane	ND(0.3)	ND(0.3)	ND(0.3)	ND(0.6)	ND(0.6)	ND(0.2)	ND(0.19)	ND(0.19)	ND(0.28)
1,1,1-Trichloroethane	ND(0.3)	ND(0.3)	ND(0.3)	ND(0.8)	ND(0.8)	ND(0.5)	ND(0.34)	ND(0.34)	ND(0.17)
Carbon Tetrachloride	ND(0.3)	ND(0.3)	ND(0.3)	ND(0.5)	ND(0.5)	ND(0.1)	ND(0.18)	ND(0.18)	ND(0.34)
Bromodichloromethane	ND(0.3)	ND(0.3)	ND(0.3)	ND(0.9)	ND(0.9)	ND(0.1)	ND(0.29)	ND(0.29)	ND(0.30)
1,2-Dichloropropane	ND(0.4)	ND(0.4)	ND(0.4)	ND(0.8)	ND(0.8)	ND(0.2)	ND(0.32)	ND(0.32)	ND(0.27)
cis-1,3-Dichloropropene	ND(0.3)	ND(0.3)	ND(0.3)	ND(1.5)	ND(1.5)	ND(0.7)	ND(0.21)	ND(0.21)	ND(0.26)
Trichloroethene	2.4	2.4	2.1	2.5 J	2.3 J	ND(0.1)	ND(0.27)	2.4 J	1.4 J
Benzene	ND(0.3)	ND(0.3)	ND(0.3)	ND(0.6)	ND(0.6)	ND(0.1)	ND(0.17)	ND(0.17)	ND(0.35)
Dibromochloromethane	ND(0.3)	ND(0.3)	ND(0.3)	ND(1.4)	ND(1.4)	ND(1.2)	ND(0.30)	ND(0.30)	ND(0.22)
trans-1,3-Dichloropropene	ND(0.2)	ND(0.2)	ND(0.2)	ND(1.5)	ND(1.5)	ND(0.7)	ND(0.23)	ND(0.23)	ND(0.29)
1,1,2-Trichloroethane	ND(0.3)	ND(0.3)	ND(0.3)	ND(1.5)	ND(1.5)	ND(1.0)	ND(0.28)	ND(0.28)	ND(0.24)
2-Chloroethylvinyl ether	ND(1.1)	ND(1.1)	ND(1.1)	ND(4.8)	ND(4.8)	ND(2.7)	ND(1.70)	ND(1.70)	ND(6.20)
Bromoform	ND(0.3)	ND(0.3)	ND(0.3)	ND(1.5)	ND(1.5)	ND(1.3)	ND(0.25)	ND(0.25)	ND(0.22)
1,1,2,2-Tetrachloroethane	ND(0.3)	ND(0.3)	ND(0.3)	ND(0.8)	ND(0.8)	ND(1.9)	ND(0.27)	ND(0.27)	ND(0.35)
Tetrachloroethene	14.0	9.1	11.0	9.5	8.8	2.5 J	5.1	9.5	4.4 J
Toluene	ND(0.3)	ND(0.3)	ND(0.3)	ND(1.0)	ND(1.0)	ND(0.5)	ND(0.23)	ND(0.23)	ND(0.38)
Chlorobenzene	ND(0.2)	ND(0.2)	ND(0.2)	ND(1.0)	ND(1.0)	ND(0.5)	ND(0.24)	ND(0.24)	ND(0.47)
Ethylbenzene	ND(0.4)	ND(0.4)	ND(0.4)	ND(1.2)	ND(1.2)	ND(0.8)	ND(0.17)	ND(0.17)	ND(0.50)
1,2-Dichlorobenzene	ND(0.2)	ND(0.2)	ND(0.2)	ND(1.6)	ND(1.6)	ND(0.5)	ND(0.20)	ND(0.20)	ND(0.67)
1,3-Dichlorobenzene	ND(0.4)	ND(0.4)	ND(0.4)	ND(0.8)	ND(0.8)	ND(0.7)	ND(0.28)	ND(0.28)	ND(0.35)
1,4-Dichlorobenzene	ND(0.3)	ND(0.3)	ND(0.3)	ND(1.4)	ND(1.4)	ND(0.8)	ND(0.30)	ND(0.30)	ND(0.79)

EN6-M (continued)

Parameter	9/15	5/16	9/16	4/17	9/17	6/18	11/18	4/19	9/19
Chloromethane	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.0)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
Bromomethane	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.0)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
Vinyl Chloride	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.0)	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)
Chloroethane	ND(2.00)	ND(2.00)	ND(2.00)	ND(2.00)	ND(2.0)	ND(2.00)	ND(2.00)	ND(2.00)	ND(2.00)
Methylene Chloride	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.0)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
Trichloroflouromethane	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.0)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
1,1-Dichloroethene	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.0)	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)
1,1-Dichloroethane	ND(1.50)	ND(1.50)	0.69 J	ND(1.50)	ND(1.5)	ND(1.50)	ND(1.50)	ND(1.50)	ND(1.50)
*1,2-Dichloroethene, Total	ND(1.50)	ND(1.50)	ND(1.50)	ND(1.50)	ND(1.5)	ND(1.50)	ND(1.50)	ND(1.50)	ND(1.50)
Chloroform	ND(1.50)	ND(1.50)	ND(1.50)	ND(1.50)	ND(1.5)	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)
1,2-Dichloroethane	ND(1.50)	ND(1.50)	ND(1.50)	ND(1.50)	ND(1.5)	ND(1.50)	ND(1.50)	ND(1.50)	ND(1.50)
1,1,1-Trichloroethane	ND(2.00)	ND(2.00)	ND(2.00)	ND(2.00)	ND(2.0)	ND(2.00)	ND(2.00)	ND(2.00)	ND(2.00)
Carbon Tetrachloride	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.0)	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)
Bromodichloromethane	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.0)	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)
1,2-Dichloropropane	ND(3.50)	ND(3.50)	ND(3.50)	ND(3.50)	ND(3.5)	ND(3.50)	ND(3.50)	ND(3.50)	ND(3.50)
cis-1,3-Dichloropropene	ND(1.50)	ND(1.50)	ND(1.50)	ND(1.50)	ND(1.5)	ND(1.50)	ND(1.50)	ND(1.50)	ND(1.50)
Trichloroethene	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.0)	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)
Benzene	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.0)	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)
Dibromochloromethane	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.0)	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)
trans-1,3-Dichloropropene	ND(1.50)	ND(1.50)	ND(1.50)	ND(1.50)	ND(1.5)	ND(1.50)	ND(1.50)	ND(1.50)	ND(1.50)
1,1,2-Trichloroethane	ND(1.50)	ND(1.50)	ND(1.50)	ND(1.50)	ND(1.5)	ND(1.50)	ND(1.50)	ND(1.50)	ND(1.50)
2-Chloroethylvinyl ether	ND(10.00)	ND(10.00)	ND(10.00)	ND(10.00)	ND(10.0)	ND(10.00)	ND(10.00)	ND(10.00)	ND(10.00)
Bromoform	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.0)	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)
1,1,2,2-Tetrachloroethane	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.0)	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)
Tetrachloroethene	1.50	0.72 J	1.2 J	0.60 J	ND(1.5)	ND(1.50)	0.76 J	0.78 J	ND(1.50)
Toluene	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.0)	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)
Chlorobenzene	ND(3.50)	ND(3.50)	ND(3.50)	ND(3.50)	ND(3.5)	ND(3.50)	ND(3.50)	ND(3.50)	ND(3.50)
Ethylbenzene	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.0)	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)
1,2-Dichlorobenzene	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.0)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
1,3-Dichlorobenzene	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.0)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
1,4-Dichlorobenzene	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.0)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
Acetone	ND(10.00)	ND(10.00)	ND(10.00)	ND(10.00)	ND(10.0)	ND(10.00)	ND(10.00)	ND(10.00)	ND(10.00)
Tert-Butyl Alcohol	ND(100.00)	ND(100.00)	ND(100.00)	ND(100.00)	ND(100.0)	N/A	ND(100.00)	ND(100.00)	ND(100.00)
cis-1,2-Dichloroethene	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.0)	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)
Methyl Tert Butyl Ether	NA	NA	NA	NA	ND(10.0)	NA	NA	NA	NA

EN6-M (continued)

Parameter	6/20	10/20							
Chloromethane	ND(5.00)	ND(5.00)							
Bromomethane	ND(5.00)	ND(5.00)							
Vinyl Chloride	ND(1.00)	ND(1.00)							
Chloroethane	ND(2.00)	ND(2.00)							
Methylene Chloride	ND(5.00)	ND(1.00)							
Trichloroflouromethane	ND(5.00)	ND(5.00)							
1,1-Dichloroethene	ND(1.00)	ND(1.00)							
1,1-Dichloroethane	ND(1.50)	ND(1.50)							
*1,2-Dichloroethene, Total	ND(1.50)	ND(1.50)							
Chloroform	ND(1.50)	ND(1.00)							
1,2-Dichloroethane	ND(1.50)	ND(1.50)							
1,1,1-Trichloroethane	ND(2.00)	ND(2.00)							
Carbon Tetrachloride	ND(1.00)	ND(1.00)							
Bromodichloromethane	ND(1.00)	ND(1.00)							
1,2-Dichloropropane	ND(3.50)	ND(3.50)							
cis-1,3-Dichloropropene	ND(1.50)	ND(1.50)							
Trichloroethene	ND(1.00)	ND(1.00)							
Benzene	ND(1.00)	ND(1.00)							
Dibromochloromethane	ND(1.00)	ND(1.00)							
trans-1,3-Dichloropropene	ND(1.50)	ND(1.50)							
1,1,2-Trichloroethane	ND(1.50)	ND(1.50)							
2-Chloroethylvinyl ether	ND(10.00)	ND(10.00)							
Bromoform	ND(1.00)	ND(1.00)							
1,1,2,2-Tetrachloroethane	ND(1.00)	ND(1.00)							
Tetrachloroethene	0.75 J	0.29 J							
Toluene	ND(1.00)	ND(1.00)							
Chlorobenzene	ND(3.50)	ND(3.50)							
Ethylbenzene	ND(1.00)	ND(1.00)							
1,2-Dichlorobenzene	ND(5.00)	ND(5.00)							
1,3-Dichlorobenzene	ND(5.00)	ND(5.00)							
1,4-Dichlorobenzene	ND(5.00)	ND(5.00)							
Acetone	ND(10.00)	ND(10.00)							
Tert-Butyl Alcohol	ND(100.00)	ND(100.00)							
cis-1,2-Dichloroethene	ND(1.00)	ND(1.00)							
Methyl Tert Butyl Ether	ND(10.00)	ND(10.00)							

Note:

ND(): Compound not detected at method detection limit

*1,2-Dichloroethene, Total: Sum of Trans and Cis 1,2-Dichloroethene

J: Indicates an estimated value; compound is present at a concentration less than specified detection limit

B: The analyte was found in an associated blank, as well as in the sample

EN6-M
Historical Analysis of Metals and Leachate Indicators
East Northport Landfill, East Northport, NY

Metals (µg/l)	6/96	4/97	9/97	4/98	9/98	4/99	9/99	4/00	9/00
Aluminum	77.7 B	147.0 B	ND(34.8)	283.0	ND(21.3)	ND(200.0)	25.9 B	ND(25.8)	74.7 B
Arsenic	ND(9.0)	ND(4.5)	ND(2.7)	ND(2.0)	3.7 B	ND(4.0)	ND(6.0)	ND(3.0)	ND(3.8)
Cadmium	ND(1.0)	ND(0.50)	ND(0.50)	ND(5.2)	ND(4.7)	ND(5.0)	ND(1.0)	ND(0.5)	ND(0.4)
Calcium	118,000.0	132,000.0	116,000.0	113,000.0 E	118,000.0	111,000.0	120,000.0	124,000.0	93,600.0
Chromium	ND(1.0)	20.0 B	ND(1.0)	ND(8.3)	ND(8.2)	ND(5.0)	ND(1.0)	5.2 B	0.78 B
Iron	ND(27.0)	ND(34.0)	23.3 B	736.0 B	118.0	ND(50.0)	ND(21.0)	118.0	ND(15.9)
Lead	ND(3.0)	ND(1.6)	ND(1.6)	1.2 B	2.7 B	ND(4.0)	ND(3.0)	0.87 B	2.6 B
Magnesium	34,300.0	39,900.0	35,100.0	30,400.0 E	31,600.0 E	30,500.0	32,400.0	29,300.0	24,600.0
Mercury	ND(0.2)	ND(0.06)	0.04 B	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.1)	ND(0.1)
Potassium	3,780.0 B	6,900.0	2,890.0 B	3,080.0 B	3,560.0 BE	3,390.0	4,000.0 BE	4,740.0 B	4,000.0 B
Sodium	66,100.0	81,100.0 E	83,200.0 E	72,000.0 E	78,700.0 E	76,100.0	66,700.0	78,600.0	74,100.0
Leachate Indicators (mg/l)									
Ammonia	ND(1.000)	ND(0.050)	ND(0.050)	ND(0.200)	ND(0.100)	ND(0.200)	1.140	ND(0.200)	ND(0.200)
Bicarbonate		123.00	128.00	132.00	126.00	144.00	148.00	130.00	160.00
Chloride	248.00	250.00	250.00	649.00	217.00	222.00	198.00	180.00	190.00
Nitrate	2.77	2.46	ND(0.04)	1.80	2.00	2.04	1.01	2.90	3.00
Sulfate	105.00	89.00	51.00	105.00	132.00	177.00	204.00	57.00	130.00
Alkalinity	123.00	123.00	128.00	132.00	126.00	144.00	149.00	130.00	160.00
TDS	740.00	745.00	598.00	804.00	800.00	727.00	567.00	530.00	540.00
Hardness	150.00	494.39	434.00	406.00 E	426.00	398.00	225.00	430.00	340.00

EN6-M (continued)

Metals (µg/l)	4/01	9/07	4/02	9/02	5/03	10/03	6/04	10/04	4/05
Aluminum	11.3 B	ND(45.7)	ND(7.3)	ND(10.1)	ND(78.9)	18.0 J	46.8 J	ND(180.0)	56.1 J
Arsenic	ND(2.5)	ND(5.0)	ND(2.8)	ND(3.6)	ND(11.9)	ND(2.2)	ND(5.5)	ND(4.84)	ND(3.32)
Cadmium	ND(0.4)	ND(3.0)	ND(0.4)	ND(1.0)	ND(1.0)	0.2 J	ND(0.57)	ND(0.994)	ND(0.327)
Calcium	94,300.0	77,400.0	92,500.0	80,600.0	79,300.0	58,500.0	78,900.0	73,000.0	70,900.0
Chromium	12.7	ND(5.0)	0.77 B	4.6 B	ND(1.0)	1.6 J	4.0 J	ND(1.22)	0.545 J
Iron	83.9 B	20.1 B	ND(17.3)	25.9 B	27.9 B	ND(5.2)	ND(0.91)	30.9 J	154.0
Lead	ND(2.5)	ND(3.0)	4.9	6.4	4.2	5.0	6.3	ND(1.79)	ND(2.180)
Magnesium	30,800.0	25,600.0	22,300.0	23,400.0	20,700.0	21,400.0	21,500.0	20,100.0	20,000.0
Mercury	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.03)	0.09 J
Potassium	4,430.0 B	3,800.0 B	4,150.0 B	4,470.0 B	4,040.0 B	2,800.0 J	4,530.0 J	4,520.0 J	4,530.0 J
Sodium	83,000.0	72,300.0	67,400.0	71,600.0	61,800.0	40,600.0	57,100.0	54,100.0	60,600.0
Leachate Indicators (mg/l)									
Ammonia	ND(0.200)	ND(0.200)	ND(0.200)	ND(0.200)	ND(0.200)	0.400	1.700	ND(0.200)	0.251
Bicarbonate	130.00	150.00	140.00	150.00	150.00	130.00	150.00	140.00	140.00
Chloride	140.00	120.00	160.00	100.00	130.00	74.00	120.00	120.00	110.00
Nitrate	2.40	3.60	3.30	2.80	3.50	4.50	5.10	5.20	5.86
Sulfate	100.00	150.00	14.00	86.00	150.00	120.00	180.00	120.00	120.00
Alkalinity	130.00	150.00	150.00	150.00	150.00	130.00	150.00	140.00	140.00
TDS	580.00	460.00	620.00	410.00	566.00	465.00	526.00	475.00	510.00
Hardness	360.00	300.00	320.00	300.00	280.00	234.00	286.00	265.00	259.00

EN6-M (continued)

Metals (µg/l)	9/05	8/06	11/06	7/07	11/07	4/08	9/08	4/09	9/09
Aluminum	100.0 J	ND(5.31)	ND(7.6)	ND(200.0)	66.0	24.0	ND(10.0)	ND(10.0)	ND(10.0)
Arsenic	ND(3.32)	ND(3.32)	ND(4.1)	ND(10.0)	ND(4.0)	ND(4.0)	ND(4.0)	ND(4.0)	ND(4.0)
Cadmium	1.02 J	ND(0.327)	2.0 J	ND(5.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	0.4 B
Calcium	71,700.0	50,100.0	79,500.0	64,900.0	59,700.0	55,800.0	37,800.0	34,600.0	34,900.0
Chromium	1.54 J	2.57 J	14.1	ND(10.0)	52.0	ND(1.0)	ND(1.0)	ND(1.0)	0.8 B
Iron	ND(27.0)	ND(27.0)	ND(30.4)	ND(100.0)	259.0	6.0	28.0	54.0	115.0
Lead	ND(2.18)	ND(2.18)	ND(1.6)	ND(3.0)	ND(1.0)	ND(1.0)	2.0	ND(2.0)	ND(2.0)
Magnesium	19,800.0	17,500.0	26,300.0	19,700.0	18,100.0	16,700.0	9,460.0	9,330.0	8,080.0
Mercury	ND(0.03)	ND(0.03)	ND(0.18)	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.2)
Potassium	4,480.0 J	3,210.0 J	3,820.0 J	3,300.0 J	3,520.0	3,700.0	2,300.0	2,890.0	2,470.0
Sodium	58,000.0	46,300.0	65,200.0	48,200.0	47,800.0	48,800.0	31,800.0	29,700.0	26,400.0
Leachate Indicators (mg/l)									
Ammonia	ND(0.200)	0.350	ND(0.200)	0.015 J	ND(0.200)	ND(0.020)	ND(0.020)	0.11	0.03
Bicarbonate	130.00	120.00	ND(2.00)	120.00	150.00	114.00	76.80	72.20	65.50
Chloride	110.00	67.00	99.00	95.50	88.00	86.00	46.00	45.00	42.00
Nitrate	6.28	9.07	6.75	5.90	6.60	6.40	11.00	8.60	9.30
Sulfate	91.00	65.00	79.00	81.40	72.00	67.00	36.00	31.00	28.00
Alkalinity	130.00	120.00	120.00	120.00	150.00	114.00	76.80	72.20	65.50
TDS	500.00	370.00	460.00	415.00	360.00	360.00	270.00	230.00	250.00
Hardness	260.50	197.23	306.94	243.00	224.00	208.00	133.00	125.00	120.00

EN6-M (continued)

Metals (µg/l)	6/10	10/11	5/12	9/12	5/13	10/13	4/14	9/14	4/15
Aluminum	ND(10.0)	NA	ND(100.0)	ND(100.0)	ND(100.0)	ND(100.0)	ND(100.0)	ND(100.0)	ND(100.0)
Arsenic	ND(4.0)	NA	ND(5.0)	ND(5.0)	2.5 J	2.0 J	4.3 J	2.7 J	ND(5.0)
Cadmium	0.4 B	NA	ND(5.0)	ND(5.0)	ND(5.0)	ND(5.0)	ND(5.0)	ND(5.0)	ND(5.0)
Calcium	36,700.0	NA	29,000.0	33,000.0	31,000.0	29,000.0	28,000.0	31,000.0	29,000.0
Chromium	0.5 B	NA	9.0 J	ND(10.0)	3.0 J	3.6 J	2.4 J	3.8 J	3.1 J
Iron	41.0	NA	960.0	110.0	210.0	140.0	47.0 J	76.0	36.0 J
Lead	ND(2.0)	NA	ND(10.0)	ND(10.0)	ND(10.0)	ND(10.0)	2.9 J	ND(10.0)	ND(10.0)
Magnesium	8,860.0	NA	7,200.0	7,200.0	7,000.0	6,700.0	6,900.0	7,600.0	9,000.0
Mercury	ND(0.2)	NA	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.2)
Potassium	2,300.0	NA	4,200.0	2,900.0	3,000.0	3,200.0	2,600.0	3,900.0	3,400.0
Sodium	31,500.0	NA	28,000.0	32,000.0	33,000.0	34,000.0	36,000.0	37,000.0	39,000.0
Leachate Indicators (mg/l)									
Ammonia	0.03	NA	0.08	0.073 J	0.1	ND(0.075)	0.030 J	0.073 J	ND(0.075)
Bicarbonate	61.00	NA	50.00	54.0	53.0	58.0	53.5	52.4	57.5
Chloride	48.00	NA	53.00	52.0	53.0	54.0	67.0	72.0	73.0
Nitrate	8.70	NA	5.20	7.8	7.9	7.0	5.9	5.5	7.1
Sulfate	24.00	NA	17.00	24.0	23.0	23.0	25.0	24.0	28.0
Alkalinity	61.00	NA	50.00	54.0	53.0	58.0	53.5	52.4	57.5
TDS	240.00	NA	180.00	220.0	240.0	230.0	260.0	240.0	260.0
Hardness	128.00	NA	100.00	110.0	100.0	100.0	100.0	110.0	110.0

EN6-M (continued)

Metals (µg/l)	9/15	5/16	9/16	4/17	9/17	6/18	11/18	4/19	9/19
Aluminum	ND(100.0)	ND(100.0)	ND(100.0)	ND(100.0)	ND(100.0)	72.0 J	ND(100.0)	ND(100.0)	ND(100.0)
Arsenic	5.7	2.0 J	3.7 J	ND(5.0)	2.0 J	ND(5.0)	ND(5.0)	ND(5.0)	ND(5.0)
Cadmium	ND(5.0)	ND(5.0)	ND(5.0)	ND(5.0)	ND(5.0)	ND(5.0)	ND(5.0)	ND(5.0)	ND(5.0)
Calcium	37,000.0	28,000.0	30,000.0	26,000.0	27,400.0	6,390.0	28,200.0	24,700.0	20,300.0
Chromium	2.4 J	3.0 J	2.9 J	10.0	8.0 J	3.0 J	ND(10.0)	4.0 J	ND(10.0)
Iron	31.0 J	80.0	54.0	200.0	80.0	1,820.0	19.0 J	50.0 J	58.0
Lead	ND(10.0)	ND(10.0)	ND(10.0)	ND(10.0)	ND(10.0)	ND(10.0)	ND(10.0)	ND(10.0)	ND(10.0)
Magnesium	11,000.0	7,300.0	9,500.0	7,000.0	6,680.0	1,820.0	8,270.0	6,930.0	4,660.0
Mercury	ND(0.2)	0.2	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.1)
Potassium	4,000.0	4,000.0	3,400.0	4,200.0	3,830.0	8,760.0	2,980.0	2,900.0	2,810.0
Sodium	46,000.0	45,000.0	42,000.0	48,000.0	46,900.0	4,930.0	52,900.0	52,100.0	54,400.0
Leachate Indicators (mg/l)									
Ammonia	0.066 J	0.10	ND(0.075)	0.066 J	0.028J	0.485	ND (0.075)	0.092	0.107
Bicarbonate	60.40	56.30	58.00	51.7	56.1	32.3	60.0	59.4	50.5
Chloride	86.00	75.00	76.00	71.0	82.0	7.2	85.0	75.0	71.0
Nitrate	6.27	5.22	6.31	5.02	4.09	0.17	4.36	4.36	4.73
Sulfate	27.00	24.00	29.00	25.0	21.0	ND(10.0)	24.0	24.0	21.0
Alkalinity	60.40	56.30	58.00	51.7	56.1	32.3	60.0	59.4	50.5
TDS	290.00	280.00	230.00	260.0	250.0	71.0	280.0	320.0	240.0
Hardness	140.00	100.00	110.00	93.0	96.0	23.4	104.0	90.2	69.8

EN6-M (continued)

Metals (µg/l)	6/20	10/20							
Aluminum	ND(100.0)	ND(100.0)							
Arsenic	ND(5.0)	ND(5.0)							
Cadmium	ND(5.0)	ND(5.0)							
Calcium	24,300.0	21,100.0							
Chromium	11.0	7.0 J							
Iron	123.0	103.0							
Lead	ND(10.0)	ND(10.0)							
Magnesium	6,820.0	4,690.0							
Mercury	ND(0.20)	ND(0.20)							
Potassium	2,970.0	2,690.0							
Sodium	51,500.0	52,300.0							
Leachate Indicators (mg/l)									
Ammonia	0.034 J	ND(0.075)							
Bicarbonate	57.50	48.80							
Chloride	82.00	74.00							
Nitrate	4.580	4.980							
Sulfate	24.00	21.00							
Alkalinity	57.50	48.80							
TDS	260.00	250.00							
Hardness	88.70	72.00							

ND(): Compound not detected at method detection limit

J: Indicates an estimated value; compound is present at a concentration less than specified detection limit

B: The analyte was found in an associated blank, as well as in the sample

EN7-M
Historical Analysis of Volatile Organic Compounds
East Northport Landfill, East Northport, NY
Reported in Micrograms per Liter

Parameter	6/96	4/97	9/97	4/98	9/98	4/99	9/99	4/00	9/00
Chloromethane	ND(10.0)	ND(2.0)	ND(2.0)	ND(10.0)	ND(10.0)	ND(4.6)	ND(2.3)	ND(1.1)	ND(1.1)
Bromomethane	ND(10.0)	ND(1.0)	ND(1.0)	ND(10.0)	ND(10.0)	ND(3.8)	ND(1.8)	ND(0.6)	ND(0.6)
Vinyl Chloride	ND(10.0)	3.0	ND(1.0)	3.0 J	4.0 J	ND(1.7)	1.1 J	ND(1.0)	ND(1.0)
Chloroethane	ND(10.0)	ND(1.0)	ND(1.0)	ND(10.0)	ND(10.0)	ND(1.8)	2.1	ND(0.7)	ND(0.7)
Methylene Chloride	ND(5.0)	ND(3.0)	ND(3.0)	ND(5.0)	0.8 J	ND(2.7)	ND(0.6)	ND(0.4)	ND(0.4)
Trichloroflouromethane		ND(2.0)	ND(2.0)	ND(10.0)	ND(10.0)	ND(1.5)	ND(1.5)	ND(0.4)	ND(0.4)
1,1-Dichloroethene	ND(5.0)	ND(2.0)	ND(2.0)	ND(5.0)	0.5 J	ND(1.7)	ND(1.2)	ND(0.4)	ND(0.4)
1,1-Dichloroethane	ND(5.0)	ND(1.0)	ND(1.0)	1.0 J	1.0 J	ND(1.4)	ND(0.7)	ND(0.2)	ND(0.2)
*1,2-Dichloroethene, Total		ND(1.0)	ND(1.0)	32.0	32.0	27.0	ND(1.0)	ND(0.4)	ND(0.4)
Chloroform	ND(5.0)	ND(1.0)	ND(1.0)	ND(5.0)	ND(5.0)	ND(1.6)	ND(0.4)	ND(0.3)	ND(0.3)
1,2-Dichloroethane	ND(5.0)	ND(1.0)	ND(1.0)	ND(5.0)	ND(5.0)	ND(1.9)	ND(0.5)	ND(0.3)	ND(0.3)
1,1,1-Trichloroethane	ND(5.0)	ND(1.0)	ND(1.0)	ND(5.0)	0.5 J	ND(0.5)	ND(0.5)	ND(0.3)	ND(0.3)
Carbon Tetrachloride	ND(5.0)	ND(2.0)	ND(2.0)	ND(5.0)	ND(5.0)	ND(0.6)	ND(0.4)	ND(0.3)	ND(0.3)
Bromodichloromethane	ND(5.0)	ND(1.0)	ND(1.0)	ND(5.0)	ND(5.0)	ND(0.6)	ND(0.6)	ND(0.3)	ND(0.3)
1,2-Dichloropropane	ND(5.0)	ND(1.0)	ND(1.0)	ND(5.0)	ND(5.0)	ND(0.6)	ND(0.8)	ND(0.4)	ND(0.4)
cis-1,3-Dichloropropene	ND(5.0)	ND(1.0)	ND(1.0)	ND(5.0)	ND(5.0)	ND(0.5)	ND(0.3)	ND(0.3)	ND(0.3)
Trichloroethene	5.2	8.0	9.0	9.0	9.0	6.9	3.5	7.6	5.2
Benzene	ND(5.0)	ND(1.0)	ND(1.0)	ND(5.0)	0.7 J	ND(0.5)	ND(0.6)	ND(0.3)	0.8
Dibromochloromethane	ND(5.0)	ND(1.0)	ND(1.0)	ND(5.0)	ND(5.0)	ND(0.6)	14.0	ND(0.3)	ND(0.3)
trans-1,3-Dichloropropene	ND(5.0)	ND(1.0)	ND(1.0)	ND(5.0)	ND(5.0)	ND(0.6)	ND(0.5)	ND(0.2)	ND(0.2)
1,1,2-Trichloroethane	ND(5.0)	ND(1.0)	ND(1.0)	ND(5.0)	ND(5.0)	ND(0.5)	ND(0.9)	ND(0.3)	ND(0.3)
2-Chloroethylvinyl ether		ND(4.0)	ND(4.0)	ND(10.0)	ND(10.0)	ND(0.6)	4.6	ND(1.1)	ND(1.1)
Bromoform	ND(5.0)	ND(1.0)	ND(1.0)	ND(5.0)	ND(5.0)	ND(0.8)	ND(0.7)	ND(0.3)	ND(0.3)
1,1,2,2-Tetrachloroethane	ND(5.0)	ND(2.0)	ND(2.0)	ND(5.0)	ND(5.0)	ND(0.5)	ND(1.0)	ND(0.3)	ND(0.3)
Tetrachloroethene	14.0	38.0	32.0	35.0	35.0	22.0	28.0	27.0	25.0
Toluene	ND(5.0)	ND(2.0)	ND(2.0)	ND(5.0)	ND(5.0)	ND(0.8)	ND(0.5)	ND(0.3)	ND(0.3)
Chlorobenzene	ND(5.0)	ND(2.0)	ND(2.0)	ND(5.0)	ND(5.0)	ND(0.6)	ND(0.5)	ND(0.2)	ND(0.2)
Ethylbenzene	ND(5.0)	ND(2.0)	ND(2.0)	ND(5.0)	ND(5.0)	ND(0.7)	ND(0.5)	ND(0.4)	ND(0.4)
1,2-Dichlorobenzene		ND(2.0)	ND(2.0)	ND(10.0)	ND(10.0)	ND(1.5)	ND(0.2)	ND(0.2)	ND(0.2)
1,3-Dichlorobenzene		ND(2.0)	ND(2.0)	ND(10.0)	ND(10.0)	ND(0.7)	ND(0.4)	ND(0.4)	ND(0.4)
1,4-Dichlorobenzene		ND(2.0)	ND(2.0)	ND(10.0)	ND(10.0)	ND(5.0)	ND(0.3)	1.1	1.1

EN7-M (continued)

Parameter	4/01	9/01	4/02	9/02	4/03	10/03	6/04	10/04	4/05
Chloromethane	ND(1.1)	ND(1.1)	ND(1.1)	ND(1.4)	ND(1.4)	ND(2.2)	ND(0.49)	ND(0.49)	ND(0.45)
Bromomethane	ND(0.6)	ND(0.6)	ND(0.6)	ND(1.7)	ND(1.7)	ND(2.9)	ND(0.61)	ND(0.61)	ND(1.30)
Vinyl Chloride	ND(1.0)	ND(1.0)	2.3	ND(1.2)	5.4	ND(0.8)	ND(0.28)	ND(0.28)	ND(0.62)
Chloroethane	ND(0.7)	ND(0.7)	ND(0.7)	ND(1.8)	ND(1.8)	ND(2.0)	ND(0.62)	ND(0.62)	ND(1.10)
Methylene Chloride	ND(0.4)	ND(0.4)	ND(0.4)	ND(1.2)	ND(1.2)	ND(1.2)	ND(1.40)	1.70 J	ND(0.98)
Trichloroflouromethane	ND(0.4)	ND(0.4)	ND(0.4)	ND(1.3)	ND(1.3)	ND(1.5)	ND(0.80)	ND(0.80)	ND(0.58)
1,1-Dichloroethene	ND(0.4)	ND(0.4)	ND(0.4)	ND(1.0)	ND(1.0)	ND(0.1)	ND(0.28)	ND(0.28)	ND(0.28)
1,1-Dichloroethane	ND(0.2)	2.0	2.0	2.3 J	2.4 J	ND(1.3)	ND(0.29)	ND(0.29)	ND(0.33)
*1,2-Dichloroethene, Total	ND(0.4)	ND(0.4)	ND(0.4)	ND(1.0)	ND(1.0)	ND(1.3)	ND(0.32)	ND(0.32)	ND(0.40)
Chloroform	ND(0.3)	ND(0.3)	ND(0.3)	ND(0.8)	ND(0.8)	ND(1.5)	ND(0.30)	ND(0.30)	ND(0.18)
1,2-Dichloroethane	ND(0.3)	ND(0.3)	ND(0.3)	ND(0.6)	ND(0.6)	ND(0.2)	ND(0.19)	ND(0.19)	ND(0.28)
1,1,1-Trichloroethane	ND(0.3)	ND(0.3)	ND(0.3)	ND(0.8)	ND(0.8)	ND(0.5)	ND(0.34)	ND(0.34)	ND(0.17)
Carbon Tetrachloride	ND(0.3)	ND(0.3)	ND(0.3)	ND(0.5)	ND(0.5)	ND(0.1)	ND(0.18)	ND(0.18)	ND(0.34)
Bromodichloromethane	ND(0.3)	ND(0.3)	ND(0.3)	ND(0.9)	ND(0.9)	ND(0.1)	ND(0.29)	ND(0.29)	ND(0.30)
1,2-Dichloropropane	ND(0.4)	ND(0.4)	ND(0.4)	ND(0.8)	ND(0.8)	ND(0.2)	ND(0.32)	ND(0.32)	ND(0.27)
cis-1,3-Dichloropropene	ND(0.3)	ND(0.3)	ND(0.3)	ND(1.5)	ND(1.5)	ND(0.7)	ND(0.21)	ND(0.21)	ND(0.26)
Trichloroethene	8.0	6.1	7.0	7.2	7.3	5.7	5.3	7.6	6.1
Benzene	0.9	0.9	ND(0.3)	ND(0.6)	ND(0.6)	ND(0.1)	ND(0.17)	ND(0.17)	ND(0.35)
Dibromochloromethane	ND(0.3)	ND(0.3)	ND(0.3)	ND(1.4)	ND(1.4)	ND(1.2)	ND(0.30)	ND(0.30)	ND(0.22)
trans-1,3-Dichloropropene	ND(0.2)	ND(0.2)	ND(0.2)	ND(1.5)	ND(1.5)	ND(0.7)	ND(0.23)	ND(0.23)	ND(0.29)
1,1,2-Trichloroethane	ND(0.3)	ND(0.3)	ND(0.3)	ND(1.5)	ND(1.5)	ND(1.0)	ND(0.28)	ND(0.28)	ND(0.24)
2-Chloroethylvinyl ether	ND(1.1)	ND(1.1)	ND(1.1)	ND(4.8)	ND(4.8)	ND(2.7)	ND(1.70)	ND(1.70)	ND(6.20)
Bromoform	ND(0.3)	ND(0.3)	ND(0.3)	ND(1.5)	ND(1.5)	ND(1.3)	ND(0.25)	ND(0.25)	ND(0.22)
1,1,2,2-Tetrachloroethane	ND(0.3)	ND(0.3)	ND(0.3)	ND(0.8)	ND(0.8)	ND(1.9)	ND(0.27)	ND(0.27)	ND(0.35)
Tetrachloroethene	33.0	23.0	21.0	24.0	21.0	11.0	14.0	19.0	13.0
Toluene	ND(0.3)	ND(0.3)	ND(0.3)	ND(1.0)	ND(1.0)	ND(0.5)	ND(0.23)	ND(0.23)	ND(0.38)
Chlorobenzene	ND(0.2)	ND(0.2)	ND(0.2)	ND(1.0)	ND(1.0)	ND(0.5)	ND(0.24)	ND(0.24)	ND(0.47)
Ethylbenzene	ND(0.4)	ND(0.4)	ND(0.4)	ND(1.2)	ND(1.2)	ND(0.8)	ND(0.17)	ND(0.17)	ND(0.50)
1,2-Dichlorobenzene	ND(0.2)	ND(0.2)	ND(0.2)	ND(1.6)	ND(1.6)	ND(0.5)	ND(0.20)	0.90 J	1.00 J
1,3-Dichlorobenzene	ND(0.4)	ND(0.4)	ND(0.4)	ND(0.8)	ND(0.8)	ND(0.7)	ND(0.28)	ND(0.28)	ND(0.35)
1,4-Dichlorobenzene	1.1	ND(0.3)	ND(0.3)	ND(1.4)	ND(1.4)	1.8 J	ND(0.30)	2.50 J	3.6 J

EN7-M (continued)

Parameter	9/05	8/06	11/06	7/07	11/07	4/08	9/08	4/09	9/09
Chloromethane	ND(0.45)	ND(0.45)	ND(0.45)	ND(10.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
Bromomethane	ND(1.30)	ND(1.30)	ND(1.30)	ND(10.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
Vinyl Chloride	3.8 J	1.0 J	ND(0.62)	1.1 J	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
Chloroethane	ND(1.10)	ND(1.10)	ND(1.10)	ND(10.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
Methylene Chloride	ND(0.98)	ND(0.98)	ND(0.98)	ND(5.00)	ND(5.00)	ND(5.00)	2.7 J	2.8 J	ND(5.00)
Trichloroflouromethane	ND(0.58)	ND(0.58)	ND(0.58)	ND(10.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
1,1-Dichloroethene	ND(0.33)	ND(0.33)	ND(0.33)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
1,1-Dichloroethane	2.7 J	ND(0.28)	1.8 J	1.5 J	ND(5.00)	ND(5.00)	1.1 J	ND(5.0)	ND(5.0)
*1,2-Dichloroethene, Total	ND(0.40)	ND(0.40)	ND(0.40)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
Chloroform	ND(0.18)	ND(0.18)	ND(0.18)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
1,2-Dichloroethane	ND(0.28)	ND(0.28)	ND(0.28)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
1,1,1-Trichloroethane	ND(0.17)	ND(0.17)	ND(0.17)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
Carbon Tetrachloride	ND(0.34)	ND(0.34)	ND(0.34)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
Bromodichloromethane	ND(0.30)	ND(0.30)	ND(0.30)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
1,2-Dichloropropane	ND(0.27)	ND(0.27)	ND(0.27)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
cis-1,3-Dichloropropene	ND(0.26)	ND(0.26)	ND(0.26)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
Trichloroethene	5.8	5.7	7.8	8.9	ND(5.00)	ND(5.00)	6.1	5.0	6.00
Benzene	0.90 J	ND(0.35)	ND(0.35)	0.56 J	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	0.50 J
Dibromochloromethane	ND(0.22)	ND(0.22)	ND(0.22)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
trans-1,3-Dichloropropene	ND(0.29)	ND(0.29)	ND(0.29)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
1,1,2-Trichloroethane	ND(0.36)	ND(0.36)	ND(0.36)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
2-Chloroethylvinyl ether	ND(6.20)	ND(6.20)	ND(6.20)	ND(10.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(25.00)	ND(25.00)
Bromoform	ND(0.22)	ND(0.22)	ND(0.22)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
1,1,2,2-Tetrachloroethane	ND(0.35)	ND(0.35)	ND(0.35)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
Tetrachloroethene	10.0	ND(0.74)	2.3 J	0.91 J	5.3	5.2	ND(5.00)	ND(5.00)	ND(5.00)
Toluene	ND(0.38)	ND(0.38)	ND(0.38)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
Chlorobenzene	1.8 J	1.4 J	1.3 J	1.6 J	ND(5.00)	ND(5.00)	1.4 J	1.3 J	1.30 J
Ethylbenzene	ND(0.50)	ND(0.50)	ND(0.50)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
1,2-Dichlorobenzene	0.9 J	0.8 J	ND(0.67)	0.55 J	ND(5.00)	ND(5.00)	0.77 J	0.75 J	0.76 J
1,3-Dichlorobenzene	ND(0.65)	3.4 J	ND(0.65)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
1,4-Dichlorobenzene	3.2 J	2.9 J	2.7 J	1.7 J	ND(5.00)	ND(5.00)	2.5 J	2.6 J	2.60 J

EN7-M (continued)

Parameter	9/15	5/16	9/16	4/17	9/17	6/18	11/18	4/19	9/19
Chloromethane	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.0)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
Bromomethane	1.40 J	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.0)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
Vinyl Chloride	ND(1.00)	ND(1.00)	0.64 J	0.96 J	ND(1.0)	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)
Chloroethane	ND(2.00)	ND(2.00)	ND(2.00)	ND(2.00)	ND(2.0)	ND(2.00)	ND(2.00)	ND(2.00)	ND(2.00)
Methylene Chloride	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.0)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
Trichloroflouromethane	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.0)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
1,1-Dichloroethene	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.0)	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)
1,1-Dichloroethane	ND(1.50)	ND(1.50)	1.00 J	0.72 J	ND(1.5)	ND(1.50)	ND(1.50)	ND(1.50)	ND(1.50)
*1,2-Dichloroethene, Total	ND(1.50)	ND(1.50)	ND(1.50)	ND(1.50)	ND(1.5)	ND(1.50)	ND(1.50)	ND(1.50)	ND(1.50)
Chloroform	ND(1.50)	ND(1.50)	ND(1.50)	ND(1.50)	ND(1.5)	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)
1,2-Dichloroethane	ND(1.50)	ND(1.50)	ND(1.50)	ND(1.50)	ND(1.5)	ND(1.50)	ND(1.50)	ND(1.50)	ND(1.50)
1,1,1-Trichloroethane	ND(2.00)	ND(2.00)	ND(2.00)	ND(2.00)	ND(2.0)	ND(2.00)	ND(2.00)	ND(2.00)	ND(2.00)
Carbon Tetrachloride	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.0)	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)
Bromodichloromethane	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.0)	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)
1,2-Dichloropropane	ND(3.50)	ND(3.50)	ND(3.50)	ND(3.50)	ND(3.5)	ND(3.50)	ND(3.50)	ND(3.50)	ND(3.50)
cis-1,3-Dichloropropene	ND(1.50)	ND(1.50)	ND(1.50)	ND(1.50)	ND(1.5)	ND(1.50)	ND(1.50)	ND(1.50)	ND(1.50)
Trichloroethene	ND(1.00)	ND(1.00)	2.10	1.00	ND(1.0)	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)
Benzene	ND(1.00)	ND(1.00)	0.54 J	ND(1.00)	ND(1.0)	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)
Dibromochloromethane	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.0)	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)
trans-1,3-Dichloropropene	ND(1.50)	ND(1.50)	ND(1.50)	ND(1.50)	ND(1.5)	ND(1.50)	ND(1.50)	ND(1.50)	ND(1.50)
1,1,2-Trichloroethane	ND(1.50)	ND(1.50)	ND(1.50)	ND(1.50)	ND(1.5)	ND(1.50)	ND(1.50)	ND(1.50)	ND(1.50)
2-Chloroethylvinyl ether	ND(10.00)	ND(10.00)	ND(10.00)	ND(10.00)	ND(10.0)	ND(10.00)	ND(10.00)	ND(10.00)	ND(10.00)
Bromoform	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.0)	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)
1,1,2,2-Tetrachloroethane	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.0)	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)
Tetrachloroethene	ND(1.50)	ND(1.50)	1.10 J	ND(1.50)	ND(1.5)	ND(1.50)	ND(1.50)	ND(1.50)	ND(1.50)
Toluene	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.0)	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)
Chlorobenzene	ND(3.50)	ND(3.50)	1.10 J	1.10 J	ND(3.5)	ND(3.50)	ND(3.50)	ND(3.50)	ND(3.50)
Ethylbenzene	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.0)	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)
1,2-Dichlorobenzene	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.0)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
1,3-Dichlorobenzene	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.0)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
1,4-Dichlorobenzene	ND(5.00)	ND(5.00)	1.70 J	1.60 J	ND(5.0)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
Acetone	ND(10.00)	ND(10.00)	ND(10.00)	ND(10.00)	ND(10.0)	ND(10.00)	ND(10.00)	ND(10.00)	ND(10.00)
Tert-Butyl Alcohol	ND(100.00)	ND(100.00)	ND(100.00)	ND(100.00)	ND(100.0)	N/A	ND(100.00)	ND(100.00)	ND(100.00)
cis-1,2-Dichloroethene	ND(1.00)	ND(1.00)	3.50	2.60	ND(1.0)	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)
Methyl Tert Butyl Ether	NA	NA	NA	NA	ND(10.0)	NA	NA	NA	NA

EN7-M (continued)

Parameter	6/20	10/20							
Chloromethane	ND(5.00)	ND(5.00)							
Bromomethane	ND(5.00)	ND(5.00)							
Vinyl Chloride	ND1.00	ND(1.00)							
Chloroethane	ND(2.00)	ND(2.00)							
Methylene Chloride	ND(1.00)	ND(1.00)							
Trichloroflouromethane	ND(5.00)	ND(5.00)							
1,1-Dichloroethene	ND(1.00)	ND(1.00)							
1,1-Dichloroethane	ND(1.50)	ND(1.50)							
*1,2-Dichloroethene, Total	ND(1.50)	ND(1.50)							
Chloroform	ND(1.00)	ND(1.00)							
1,2-Dichloroethane	ND(1.50)	ND(1.50)							
1,1,1-Trichloroethane	ND(2.00)	ND(2.00)							
Carbon Tetrachloride	ND(1.00)	ND(1.00)							
Bromodichloromethane	ND(1.00)	ND(1.00)							
1,2-Dichloropropane	ND(3.50)	ND(3.50)							
cis-1,3-Dichloropropene	ND(1.50)	ND(1.50)							
Trichloroethene	ND(1.00)	ND(1.00)							
Benzene	ND(1.00)	ND(1.00)							
Dibromochloromethane	ND(1.00)	ND(1.00)							
trans-1,3-Dichloropropene	ND(1.50)	ND(1.50)							
1,1,2-Trichloroethane	ND(1.50)	ND(1.50)							
2-Chloroethylvinyl ether	ND(10.00)	ND(10.00)							
Bromoform	ND(1.00)	ND(1.00)							
1,1,2,2-Tetrachloroethane	ND(1.00)	ND(1.00)							
Tetrachloroethene	ND(1.50)	ND(1.50)							
Toluene	ND(1.00)	ND(1.00)							
Chlorobenzene	ND(3.50)	ND(3.50)							
Ethylbenzene	ND(1.00)	ND(1.00)							
1,2-Dichlorobenzene	ND(5.00)	ND(5.00)							
1,3-Dichlorobenzene	ND(5.00)	ND(5.00)							
1,4-Dichlorobenzene	ND(5.00)	ND(5.00)							
Acetone	ND(10.00)	ND(10.00)							
Tert-Butyl Alcohol	ND(100.00)	ND(100.00)							
cis-1,2-Dichloroethene	ND(1.00)	ND(1.00)							
Methyl Tert Butyl Ether	ND(10.00)	ND(10.00)							

Note:

ND(): Compound not detected at method detection limit

*1,2-Dichloroethene, Total: Sum of Trans and Cis 1,2-Dichloroethene

J: Indicates an estimated value; compound is present at a concentration less than specified detection limit

B: The analyte was found in an associated blank, as well as in the sample

EN7-M
Historical Analysis of Metals and Leachate Indicators
East Northport Landfill, East Northport, NY

Metals (µg/l)	6/96	4/97	9/97	4/98	9/98	4/99	9/99	4/00	9/00
Aluminum	67.9 B	166.0 B	ND(34.8)	ND(26.8)	32.6 B	ND(200.0)	33.0 B	40.2 B	90.4 B
Arsenic	ND(9.0)	ND(4.5)	ND(2.7)	ND(2.0)	ND(1.5)	ND(4.0)	ND(6.0)	ND(3.0)	ND(3.8)
Cadmium	ND(1.0)	0.61 B	ND(0.5)	ND(5.2)	ND(4.7)	ND(5.0)	ND(1.0)	ND(0.5)	ND(0.4)
Calcium	80,800.0	88,100.0	89,300.0	87,500.0 E	87,600.0	80,300.0	86,600.0	86,900.0	75,400.0
Chromium	ND(1.0)	3.3 B	ND(1.0)	ND(8.3)	ND(8.2)	ND(5.0)	ND(1.0)	ND(1.3)	ND(0.7)
Iron	ND(27.0)	263.0	117.0	35.5 B	13.6 B	ND(50.0)	ND(21.0)	49.2 B	ND(15.9)
Lead	3.8	ND(1.6)	ND(1.6)	ND(1.1)	1.6 B	ND(4.0)	ND(3.0)	ND(0.6)	ND(2.0)
Magnesium	30,400.0	36,300.0	36,800.0	33,200.0 E	33,800.0 E	33,100.0	35,600.0	36,400.0	31,100.0
Mercury	ND(0.2)	ND(0.06)	0.11 B	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.1)	ND(0.1)
Potassium	4,540.0 B	7,260.0	3,130.0 B	3,280.0 B	3,880.0 BE	3,710.0	4,750.0 BE	5,590.0	5,330.0
Sodium	110,000.0	135,000.0 E	168,000.0 E	150,000.0 E	164,000.0 E	192,000.0	183,000.0	252,000.0	247,000.0
Leachate Indicators (mg/l)									
Ammonia	2.520	ND(0.250)	ND(0.050)	ND(0.200)	ND(0.100)	ND(0.200)	ND(0.100)	ND(0.200)	ND(0.200)
Bicarbonate		84.90	86.73	99.00	109.00	140.00	150.00	180.00	200.00
Chloride	239.00	254.00	253.00	264.00	253.00	273.00	278.00	290.00	270.00
Nitrate	5.00	5.15	2.88	2.70	2.40	1.89	0.603	1.00	0.70
Sulfate	236.00	229.00	97.90	225.00	221.00	245.00	351.00	210.00	200.00
Alkalinity	62.00	84.90	86.70	99.00	109.00	140.00	151.00	180.00	200.00
TDS	856.00	1,020.00	6,990.00	860.00	956.00	953.00	729.00	740.00	750.00
Hardness	111.00	369.03	374.00	355.0 E	358.00	334.00	226.00	670.00	320.00

EN7-M (continued)

Metals (µg/l)	4/01	9/07	4/02	9/02	5/03	10/03	6/04	10/04	4/05
Aluminum	87.0 B	ND(45.7)	ND(7.3)	ND(10.1)	ND(78.9)	29.8 J	55.0 J	ND(180.0)	9.62 J
Arsenic	ND(2.5)	ND(5.0)	ND(2.8)	ND(3.6)	ND(11.9)	ND(2.2)	ND(5.5)	ND(4.84)	ND(3.32)
Cadmium	0.46 B	ND(3.0)	ND(0.4)	ND(1.0)	ND(1.0)	ND(0.12)	ND(0.57)	ND(0.994)	ND(0.327)
Calcium	89,900.0	86,200.0	82,800.0	79,900.0	83,700.0	90,500.0	91,700.0	84,500.0	93,500.0
Chromium	7.2 B	ND(5.0)	ND(0.6)	1.6 B	ND(1.0)	0.75 J	2.5 J	ND(1.22)	ND(0.343)
Iron	103.0	ND(7.0)	ND(17.3)	ND(16.8)	ND(2.2)	ND(5.2)	ND(0.91)	ND(29.0)	ND(27.0)
Lead	ND(2.5)	ND(3.0)	3.3	7.5	3.0	4.7	6.2	ND(1.79)	ND(2.18)
Magnesium	38,000.0	36,000.0	34,300.0	34,400.0	37,000.0	39,200.0	40,200.0	36,100.0	40,600.0
Mercury	ND(0.2)	0.32	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.03)	0.09 J
Potassium	5,940.0	4,900.0 B	5,000.0	5,240.0	4,490.0 B	5,280.0	5,040.0	5,550.0	5,140.0
Sodium	287,000.0	252,000.0	227,000.0	270,000.0	234,000.0	239,000.0	252,000.0	231,000.0	288,000.0
Leachate Indicators (mg/l)									
Ammonia	ND(0.200)	ND(0.200)	ND(0.200)	ND(0.200)	ND(0.200)	0.300	ND(0.200)	ND(0.200)	ND(0.200)
Bicarbonate	190.00	220.00	240.00	280.00	300.00	290.00	330.00	340.00	410.00
Chloride	270.00	260.00	270.00	260.00	280.00	270.00	270.00	270.00	280.00
Nitrate	ND(0.50)	0.99	ND(0.50)	0.70	0.60	ND(0.50)	0.60	0.60	ND(0.50)
Sulfate	160.00	290.00	200.00	36.00	280.00	320.00	350.00	180.00	190.00
Alkalinity	190.00	220.00	240.00	280.00	300.00	290.00	330.00	340.00	410.00
TDS	930.00	780.00	950.00	790.00	1,050.00	1,077.00	1,106.00	1,049.00	1,100.00
Hardness	380.00	360.00	350.00	340.00	360.00	387.00	395.00	360.00	401.00

EN7-M (continued)

Metals (µg/l)	9/05	8/06	11/06	7/07	11/07	4/08	9/08	4/09	9/09
Aluminum	109.0 J	ND(5.31)	12.5 J	ND(200.0)	154.0	45.0	ND(10.0)	ND(10.0)	264.0
Arsenic	ND(3.32)	ND(3.32)	ND(4.1)	ND(10.0)	ND(4.0)	ND(4.0)	ND(4.0)	ND(4.0)	ND(4.0)
Cadmium	0.41 J	ND(0.327)	0.98 J	ND(5.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)
Calcium	95,600.0	90,200.0	127,000.0	116,000.0	125,000.0	127,000.0	124,000.0	122,000.0	123.0
Chromium	ND(0.343)	98.8	12.7	ND(10.0)	ND(1.0)	2.0	ND(1.0)	ND(1.0)	2.2
Iron	40.9 J	352.0	102.0	120.0	204.0	84.0	92.0	46.0	513.0
Lead	2.610 J	ND(2.18)	ND(1.6)	ND(3.0)	ND(1.0)	ND(1.0)	2.0	ND(2.0)	ND(2.0)
Magnesium	40,900.0	39,300.0	57,900.0	50,500.0	52,300.0	51,300.0	51,100.0	49,100.0	49,100.0
Mercury	ND(0.03)	ND(0.03)	ND(0.18)	ND(0.2)	ND(0.4)	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.2)
Potassium	6,040.0	5,170.0	5,000.0 J	5,200.0	5,510.0	6,500.0	5,700.0	5,620.0	5,960.0
Sodium	301,000.0	266,000.0	300,000.0	173,000.0	228,000.0	227,000.0	211,000.0	212,000.0	187,000.0
Leachate Indicators (mg/l)									
Ammonia	ND(0.200)	ND(0.200)	ND(0.200)	0.045	0.120	0.160	0.090	0.18	0.22
Bicarbonate	430.00	480.00	ND(2.00)	515.00	650.00	555.00	556.00	514.00	525.00
Chloride	280.00	280.00	270.00	239.00	280.00	290.00	280.00	240.00	240.00
Nitrate	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.10)	ND(0.05)	ND(0.05)	ND(0.05)	0.05	ND(0.05)
Sulfate	160.00	130.00	110.00	104.00	120.00	130.00	140.00	120.00	100.00
Alkalinity	430.00	480.00	510.00	515.00	650.00	555.00	556.00	514.00	525.00
TDS	1100.00	1100.00	1100.00	1090.00	1100.00	1,100.00	1,100.00	1,100.00	1,100.00
Hardness	407.20	387.02	555.41	498.00	527.00	528.00	520.00	507.00	509.00

EN7-M (continued)

Metals (µg/l)	6/10	10/11	5/12	9/12	5/13	10/13	4/14	9/14	4/15
Aluminum	129.0	NA	190.0	130.0	140.0	790.0	770.0	7,600.0	730.0
Arsenic	16.0	NA	ND(5.0)	4.0 J	6.8	4.6	5.3	8.9	ND(5.0)
Cadmium	0.4 B	NA	ND(5.0)	ND(5.0)	ND(5.0)	ND(5.0)	ND(5.0)	ND(5.0)	ND(5.0)
Calcium	31,300.0	NA	130,000.0	15,000.0	10,000.0	10,000.0	8,900.0	16,000.0	30,000.0
Chromium	10.0	NA	2.0 J	2.0 J	2.2 J	3.8 J	2.8 J	8.7 J	2.4 J
Iron	397.0	NA	540.0	200.0	540.0	1,400.0	550.0	8,800.0	780.0
Lead	ND(2.0)	NA	ND(10.0)	ND(10.0)	ND(10.0)	4.7 J	8.8 J	66.8	8.1 J
Magnesium	5,070.0	NA	47,000.0	2,500.0	1,500.0	1,600.0	1,200.0	4,000.0	2,800.0
Mercury	ND(0.2)	NA	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.2)
Potassium	9,000.0	NA	6,200.0	4,200.0	3,900.0	3,700.0	2000.0 J	8,800.0	6,900.0
Sodium	15,900.0	NA	280,000.0	30,000.0	20,000.0	9,400.0	6,400.0	5,700.0	190,000.0
Leachate Indicators (mg/l)									
Ammonia	0.88	NA	0.29	0.1	0.4	0.070 J	ND(0.150)	0.5	0.1
Bicarbonate	94.00	NA	580.00	54.0	38.0	39.0	34.2	54.8	86.0
Chloride	14.00	NA	250.00	33.0	26.0	10.0	4.3	9.5	320.0
Nitrate	0.07	NA	0.07 J	0.3	0.046 J	0.017 J	0.4	ND(0.100)	1.4
Sulfate	10.00	NA	85.00	1.8 J	1.2 J	ND(10.0)	ND(10.0)	ND(10.0)	ND(10.0)
Alkalinity	94.00	NA	580.00	54.0	38.0	39.0	34.2	54.8	86.0
TDS	180.00	NA	1,100.00	120.0	130.0	83.0	83.0	92.0	660.0
Hardness	99.00	NA	520.00	47.0	32.0	33.0	27.0	56.0	85.0

EN7-M (continued)

Metals (µg/l)	9/15	5/16	9/16	4/17	9/17	6/18	11/18	4/19	9/19
Aluminum	170.0	180.0	20,000.0	570.0	140.0	1,870.0	936.0	1,580.0	1,700.0
Arsenic	6.1	4.0 J	16.3	3.0 J	5.0	3.0 J	2.0 J	3.0 J	4.0 J
Cadmium	ND(5.0)	ND(5.0)	ND(5.00)	ND(5.0)	ND(5.0)	ND(5.0)	ND(5.0)	ND(5.0)	ND(5.0)
Calcium	16,000.0	16,000.0	120,000.0	120,000.0	20,000.0	9,880.0	12,100.0	30,000.0	14,600.0
Chromium	ND(10.0)	ND(10.0)	42.0	3.0 J	ND(10.0)	2.0 J	ND(10.0)	2.0 J	3.0 J
Iron	200.0	1,100.0	23,000.0	3,100.0	298.0	2,390.0	1,110.0	2,160.0	2,300.0
Lead	4.7 J	3.0 J	83.1	3.0 J	ND(10.0)	16.0	6.0 J	15.0	11.0
Magnesium	2,900.0	2,600.0	41,000.0	38,000.0	3,630.0	2,040.0	2,310.0	5,550.0	3,030.0
Mercury	ND(0.2)	0.2	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.1)
Potassium	3,700.0	3,700.0	8,700.0	9,500.0	4,980.0	3,740.0	3,840.0	5,540.0	3,550.0
Sodium	11,000.0	27,000.0	220,000.0	230,000.0	56,000.0	22,500.0	4,640.0	72,700.0	13,700.0
Leachate Indicators (mg/l)									
Ammonia	0.31	0.24	0.495	0.566	0.117	0.024 J	0.109	0.169	0.186
Bicarbonate	52.40	59.90	604.00	554.0	68.4	35.1	38.6	49.0	46.6
Chloride	9.10	36.00	220.00	200.0	82.0	24.0	5.7	140.0	18.0
Nitrate	0.56	ND(0.10)	0.022 J	ND(0.10)	1.34	1.14	0.547	0.706	ND(0.10)
Sulfate	ND(10.0)	ND(10.00)	89.00	84.0	ND(10.0)	2.0 J	ND(10.0)	ND(10.00)	ND(10.0)
Alkalinity	52.40	59.90	604.00	554.0	68.4	35.1	38.6	49.0	46.6
TDS	85.00	160.00	980.00	1,100.0	200.0	98.0	68.0	380.0	75.0
Hardness	52.00	51.00	460.00	440.0	64.9	33.0	39.7	97.7	49.0

EN7-M (continued)

Metals (µg/l)	6/20	10/20							
Aluminum	379.0	285.0							
Arsenic	3.0 J	ND(5.0)							
Cadmium	ND(5.0)	ND(5.0)							
Calcium	11,700.0	13,900.0							
Chromium	ND(10.0)	ND(10.0)							
Iron	480.0	335.0							
Lead	4.0 J	ND(10.0)						0.0	
Magnesium	2,190.0	2,620.0							
Mercury	ND(0.20)	ND(0.20)							
Potassium	2,480.0 J	3,640.0							
Sodium	4,470.0	5,800.0							
Leachate Indicators (mg/l)									
Ammonia	0.027 J	0.093							
Bicarbonate	35.80	42.40							
Chloride	5.50	8.30							
Nitrate	0.455	0.686							
Sulfate	ND(10.0)	2.0 J							
Alkalinity	35.80	42.40							
TDS	50.00	92.00							
Hardness	38.30	45.50							

Note:

ND(): Compound not detected at method detection limit

J: Indicates an estimated value; compound is present at a concentration less than specified detection limit

B: The analyte was found in an associated blank, as well as in the sample

EN9-M
Historical Analysis of Volatile Organic Compounds
East Northport Landfill, East Northport, NY
Reported in Micrograms per Liter

Parameter	6/96	4/97	9/97	4/98	9/98	4/99	9/99	4/00	9/00
Chloromethane	ND(10.0)	ND(2.0)	ND(2.0)	ND(10.0)	ND(10.0)	ND(4.6)	ND(2.3)	ND(1.1)	ND(1.1)
Bromomethane	ND(10.0)	ND(1.0)	ND(1.0)	ND(10.0)	ND(10.0)	ND(3.8)	ND(1.8)	ND(0.6)	ND(0.6)
Vinyl Chloride	ND(10.0)	ND(1.0)	ND(1.0)	ND(10.0)	ND(10.0)	ND(1.7)	ND(2.0)	ND(1.0)	ND(1.0)
Chloroethane	ND(10.0)	ND(1.0)	ND(1.0)	ND(10.0)	ND(10.0)	ND(1.8)	ND(1.6)	ND(0.7)	ND(0.7)
Methylene Chloride	ND(5.0)	4.0	ND(3.0)	ND(5.0)	ND(5.0)	ND(2.7)	ND(0.6)	ND(0.4)	ND(0.4)
Trichloroflouromethane		ND(2.0)	ND(2.0)	ND(10.0)	ND(10.0)	ND(1.5)	ND(1.5)	ND(0.4)	ND(0.4)
1,1-Dichloroethene	ND(5.0)	ND(2.0)	ND(2.0)	ND(5.0)	ND(5.0)	ND(1.7)	ND(1.2)	ND(0.4)	ND(0.4)
1,1-Dichloroethane	ND(5.0)	ND(1.0)	ND(1.0)	ND(5.0)	ND(5.0)	ND(1.4)	ND(0.7)	ND(0.2)	ND(0.2)
*1,2-Dichloroethene, Total		ND(1.0)	ND(1.0)	ND(5.0)	ND(5.0)	ND(1.7)	ND(1.0)	ND(0.4)	ND(0.4)
Chloroform	ND(5.0)	ND(1.0)	ND(1.0)	ND(5.0)	ND(5.0)	ND(1.6)	ND(0.4)	ND(0.3)	ND(0.3)
1,2-Dichloroethane	ND(5.0)	ND(1.0)	ND(1.0)	ND(5.0)	ND(5.0)	ND(1.9)	ND(0.5)	ND(0.3)	ND(0.3)
1,1,1-Trichloroethane	ND(5.0)	ND(1.0)	ND(1.0)	ND(5.0)	ND(5.0)	ND(0.5)	ND(0.5)	ND(0.3)	ND(0.3)
Carbon Tetrachloride	ND(5.0)	ND(2.0)	ND(2.0)	ND(5.0)	ND(5.0)	ND(0.6)	ND(0.4)	ND(0.3)	ND(0.3)
Bromodichloromethane	ND(5.0)	ND(1.0)	ND(1.0)	ND(5.0)	ND(5.0)	ND(0.6)	ND(0.6)	ND(0.3)	ND(0.3)
1,2-Dichloropropane	ND(5.0)	ND(1.0)	ND(1.0)	ND(5.0)	ND(5.0)	ND(0.6)	ND(0.8)	ND(0.4)	ND(0.4)
cis-1,3-Dichloropropene	ND(5.0)	ND(1.0)	ND(1.0)	ND(5.0)	ND(5.0)	ND(0.5)	ND(0.3)	ND(0.3)	ND(0.3)
Trichloroethene	ND(5.0)	ND(2.0)	ND(2.0)	ND(5.0)	ND(5.0)	ND(0.6)	ND(0.3)	ND(0.4)	ND(0.4)
Benzene	ND(5.0)	ND(1.0)	ND(1.0)	ND(5.0)	ND(5.0)	ND(0.5)	ND(0.6)	ND(0.3)	ND(0.3)
Dibromochloromethane	ND(5.0)	ND(1.0)	ND(1.0)	ND(5.0)	ND(5.0)	ND(0.6)	ND(0.5)	ND(0.3)	ND(0.3)
trans-1,3-Dichloropropene	ND(5.0)	ND(1.0)	ND(1.0)	ND(5.0)	ND(5.0)	ND(0.6)	ND(0.5)	ND(0.2)	ND(0.2)
1,1,2-Trichloroethane	ND(5.0)	ND(1.0)	ND(1.0)	ND(5.0)	ND(5.0)	ND(0.5)	ND(0.9)	ND(0.3)	ND(0.3)
2-Chloroethylvinyl ether		ND(4.0)	ND(4.0)	ND(10.0)	ND(10.0)	ND(0.6)	ND(1.5)	ND(1.1)	ND(1.1)
Bromoform	ND(5.0)	ND(1.0)	ND(1.0)	ND(5.0)	ND(5.0)	ND(0.8)	ND(0.7)	ND(0.3)	ND(0.3)
1,1,2,2-Tetrachloroethane	ND(5.0)	ND(2.0)	ND(2.0)	ND(5.0)	ND(5.0)	ND(0.5)	ND(1.0)	ND(0.3)	ND(0.3)
Tetrachloroethene	ND(5.0)	ND(3.0)	ND(3.0)	ND(5.0)	ND(5.0)	ND(0.7)	ND(0.6)	ND(0.3)	ND(0.3)
Toluene	ND(5.0)	ND(2.0)	ND(2.0)	ND(5.0)	ND(5.0)	ND(0.8)	ND(0.5)	ND(0.3)	ND(0.3)
Chlorobenzene	ND(5.0)	ND(2.0)	ND(2.0)	ND(5.0)	ND(5.0)	ND(0.6)	ND(0.5)	ND(0.2)	ND(0.2)
Ethylbenzene	ND(5.0)	ND(2.0)	ND(2.0)	ND(5.0)	ND(5.0)	ND(0.7)	ND(0.5)	ND(0.4)	ND(0.4)
1,2-Dichlorobenzene		ND(2.0)	ND(2.0)	ND(10.0)	ND(10.0)	ND(1.5)	ND(0.2)	ND(0.2)	ND(0.2)
1,3-Dichlorobenzene		ND(2.0)	ND(2.0)	ND(10.0)	ND(10.0)	ND(0.7)	ND(0.4)	ND(0.4)	ND(0.4)
1,4-Dichlorobenzene		ND(2.0)	ND(2.0)	ND(10.0)	ND(10.0)	ND(5.0)	ND(0.3)	ND(0.3)	ND(0.3)

EN9-M (continued)

Parameter	4/01	9/01	4/02	9/02	4/03	10/03	6/04	10/04	4/05
Chloromethane	ND(1.1)	ND(1.1)	ND(1.1)	ND(1.4)	ND(1.4)	ND(2.2)	ND(0.49)	ND(0.49)	ND(0.45)
Bromomethane	ND(0.6)	ND(0.6)	ND(0.6)	ND(1.7)	ND(1.7)	ND(2.9)	ND(0.61)	ND(0.61)	ND(1.30)
Vinyl Chloride	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.2)	ND(1.2)	ND(0.8)	ND(0.28)	ND(0.28)	ND(0.62)
Chloroethane	ND(0.7)	ND(0.7)	ND(0.7)	ND(1.8)	ND(1.8)	ND(2.0)	ND(0.62)	ND(0.62)	ND(1.10)
Methylene Chloride	ND(0.4)	ND(0.4)	ND(0.4)	ND(1.2)	ND(1.2)	ND(1.2)	ND(1.40)	ND(1.40)	ND(0.98)
Trichloroflouromethane	ND(0.4)	ND(0.4)	ND(0.4)	ND(1.3)	ND(1.3)	ND(1.5)	ND(0.80)	ND(0.80)	ND(0.58)
1,1-Dichloroethene	ND(0.4)	ND(0.4)	ND(0.4)	ND(1.0)	ND(1.0)	ND(0.1)	ND(0.28)	ND(0.28)	ND(0.28)
1,1-Dichloroethane	ND(0.2)	ND(0.2)	ND(0.2)	ND(1.0)	ND(1.0)	ND(1.3)	ND(0.29)	ND(0.29)	ND(0.33)
*1,2-Dichloroethene, Total	ND(0.4)	ND(0.4)	ND(0.4)	ND(1.0)	ND(1.0)	ND(1.3)	ND(0.32)	ND(0.32)	ND(0.40)
Chloroform	ND(0.3)	ND(0.3)	ND(0.3)	ND(0.8)	ND(0.8)	ND(1.5)	ND(0.30)	ND(0.30)	ND(0.18)
1,2-Dichloroethane	ND(0.3)	ND(0.3)	ND(0.3)	ND(0.6)	ND(0.6)	ND(0.2)	ND(0.19)	ND(0.19)	ND(0.28)
1,1,1-Trichloroethane	ND(0.3)	ND(0.3)	ND(0.3)	ND(0.8)	ND(0.8)	ND(0.5)	ND(0.34)	ND(0.34)	ND(0.17)
Carbon Tetrachloride	ND(0.3)	ND(0.3)	ND(0.3)	ND(0.5)	ND(0.5)	ND(0.1)	ND(0.18)	ND(0.18)	ND(0.34)
Bromodichloromethane	ND(0.3)	ND(0.3)	ND(0.3)	ND(0.9)	ND(0.9)	ND(0.1)	ND(0.29)	ND(0.29)	ND(0.30)
1,2-Dichloropropane	ND(0.4)	ND(0.4)	ND(0.4)	ND(0.8)	ND(0.8)	ND(0.2)	ND(0.32)	ND(0.32)	ND(0.27)
cis-1,3-Dichloropropene	ND(0.3)	ND(0.3)	ND(0.3)	ND(1.5)	ND(1.5)	ND(0.7)	ND(0.21)	ND(0.21)	ND(0.26)
Trichloroethene	ND(0.4)	ND(0.4)	ND(0.4)	ND(0.9)	ND(0.9)	ND(0.1)	ND(0.27)	ND(0.27)	ND(0.59)
Benzene	ND(0.3)	ND(0.3)	ND(0.3)	ND(0.6)	ND(0.6)	ND(0.1)	ND(0.17)	ND(0.17)	ND(0.35)
Dibromochloromethane	ND(0.3)	ND(0.3)	ND(0.3)	ND(1.4)	ND(1.4)	ND(1.2)	ND(0.30)	ND(0.30)	ND(0.22)
trans-1,3-Dichloropropene	ND(0.2)	ND(0.2)	ND(0.2)	ND(1.5)	ND(1.5)	ND(0.7)	ND(0.23)	ND(0.23)	ND(0.29)
1,1,2-Trichloroethane	ND(0.3)	ND(0.3)	ND(0.3)	ND(1.5)	ND(1.5)	ND(1.0)	ND(0.28)	ND(0.28)	ND(0.24)
2-Chloroethylvinyl ether	ND(1.1)	ND(1.1)	ND(1.1)	ND(4.8)	ND(4.8)	ND(2.7)	ND(1.70)	ND(1.70)	ND(6.20)
Bromoform	ND(0.3)	ND(0.3)	ND(0.3)	ND(1.5)	ND(1.5)	ND(1.3)	ND(0.25)	ND(0.25)	ND(0.22)
1,1,2,2-Tetrachloroethane	ND(0.3)	ND(0.3)	ND(0.3)	ND(0.8)	ND(0.8)	ND(1.9)	ND(0.27)	ND(0.27)	ND(0.35)
Tetrachloroethene	ND(0.3)	ND(0.3)	ND(0.3)	ND(1.0)	ND(1.0)	ND(0.1)	ND(0.30)	ND(0.30)	ND(0.74)
Toluene	ND(0.3)	ND(0.3)	ND(0.3)	ND(1.0)	ND(1.0)	ND(0.5)	ND(0.23)	ND(0.23)	ND(0.38)
Chlorobenzene	ND(0.2)	ND(0.2)	ND(0.2)	ND(1.0)	ND(1.0)	ND(0.5)	ND(0.24)	ND(0.24)	ND(0.47)
Ethylbenzene	ND(0.4)	ND(0.4)	ND(0.4)	ND(1.2)	ND(1.2)	ND(0.8)	ND(0.17)	ND(0.17)	ND(0.50)
1,2-Dichlorobenzene	ND(0.2)	ND(0.2)	ND(0.2)	ND(1.6)	ND(1.6)	ND(0.5)	ND(0.20)	ND(0.20)	ND(0.67)
1,3-Dichlorobenzene	ND(0.4)	ND(0.4)	ND(0.4)	ND(0.8)	ND(0.8)	ND(0.7)	ND(0.28)	ND(0.28)	ND(0.35)
1,4-Dichlorobenzene	ND(0.3)	ND(0.3)	ND(0.3)	ND(1.4)	ND(1.4)	ND(0.8)	ND(0.30)	ND(0.30)	ND(0.79)

EN9-M (continued)

Parameter	9/15	5/16	9/16	4/17	9/17	6/18	11/18	4/19	9/19
Chloromethane	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.0)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
Bromomethane	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.0)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
Vinyl Chloride	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.0)	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)
Chloroethane	ND(2.00)	ND(2.00)	ND(2.00)	ND(2.00)	ND(2.0)	ND(2.00)	ND(2.00)	ND(2.00)	ND(2.00)
Methylene Chloride	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.0)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
Trichloroflouromethane	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.0)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
1,1-Dichloroethene	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.0)	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)
1,1-Dichloroethane	ND(1.50)	ND(1.50)	ND(1.50)	ND(1.50)	ND(1.5)	ND(1.50)	ND(1.50)	ND(1.50)	ND(1.50)
*1,2-Dichloroethene, Total	ND(1.50)	ND(1.50)	ND(1.50)	ND(1.50)	ND(1.5)	ND(1.50)	ND(1.50)	ND(1.50)	ND(1.50)
Chloroform	ND(1.50)	ND(1.50)	ND(1.50)	ND(1.50)	ND(1.5)	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)
1,2-Dichloroethane	ND(1.50)	ND(1.50)	ND(1.50)	ND(1.50)	ND(1.5)	ND(1.50)	ND(1.50)	ND(1.50)	ND(1.50)
1,1,1-Trichloroethane	ND(2.00)	ND(2.00)	ND(2.00)	ND(2.00)	ND(2.0)	ND(2.00)	ND(2.00)	ND(2.00)	ND(2.00)
Carbon Tetrachloride	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.0)	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)
Bromodichloromethane	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.0)	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)
1,2-Dichloropropane	ND(3.50)	ND(3.50)	ND(3.50)	ND(3.50)	ND(3.5)	ND(3.50)	ND(3.50)	ND(3.50)	ND(3.50)
cis-1,3-Dichloropropene	ND(1.50)	ND(1.50)	ND(1.50)	ND(1.50)	ND(1.5)	ND(1.50)	ND(1.50)	ND(1.50)	ND(1.50)
Trichloroethene	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.0)	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)
Benzene	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.0)	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)
Dibromochloromethane	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.0)	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)
trans-1,3-Dichloropropene	ND(1.50)	ND(1.50)	ND(1.50)	ND(1.50)	ND(1.5)	ND(1.50)	ND(1.50)	ND(1.50)	ND(1.50)
1,1,2-Trichloroethane	ND(1.50)	ND(1.50)	ND(1.50)	ND(1.50)	ND(1.5)	ND(1.50)	ND(1.50)	ND(1.50)	ND(1.50)
2-Chloroethylvinyl ether	ND(10.00)	ND(10.00)	ND(10.00)	ND(10.00)	ND(10.0)	ND(10.00)	ND(10.00)	ND(10.00)	ND(10.00)
Bromoform	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.0)	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)
1,1,2,2-Tetrachloroethane	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.0)	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)
Tetrachloroethene	ND(1.50)	ND(1.50)	ND(1.50)	ND(1.50)	ND(1.5)	ND(1.50)	ND(1.50)	ND(1.50)	ND(1.50)
Toluene	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.0)	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)
Chlorobenzene	ND(3.50)	ND(3.50)	ND(3.50)	ND(3.50)	ND(3.5)	ND(3.50)	ND(3.50)	ND(3.50)	ND(3.50)
Ethylbenzene	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.0)	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)
1,2-Dichlorobenzene	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.0)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
1,3-Dichlorobenzene	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.0)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
1,4-Dichlorobenzene	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.0)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
Acetone	ND(10.00)	ND(10.00)	ND(10.00)	ND(10.00)	ND(10.0)	ND(10.00)	ND(10.00)	ND(10.00)	ND(10.00)
Tert-Butyl Alcohol	ND(100.00)	ND(100.00)	ND(100.00)	ND(100.00)	ND(100.0)	N/A	ND(100.00)	ND(100.00)	ND(100.00)
cis-1,2-Dichloroethene	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.0)	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)
Methyl Tert Butyl Ether	NA	NA	NA	NA	ND(10.0)	NA	NA	NA	NA

EN9-M (continued)

Parameter	6/20	10/20							
Chloromethane	ND(5.00)	ND(5.00)							
Bromomethane	ND(5.00)	ND(5.00)							
Vinyl Chloride	ND(1.00)	ND(1.00)							
Chloroethane	ND(2.00)	ND(2.00)							
Methylene Chloride	ND(1.00)	ND(1.00)							
Trichloroflouromethane	ND(5.00)	ND(5.00)							
1,1-Dichloroethene	ND(1.00)	ND(1.00)							
1,1-Dichloroethane	ND(1.50)	ND(1.50)							
*1,2-Dichloroethene, Total	ND(1.50)	ND(1.50)							
Chloroform	ND(1.00)	ND(1.00)							
1,2-Dichloroethane	ND(1.50)	ND(1.50)							
1,1,1-Trichloroethane	ND(2.00)	ND(2.00)							
Carbon Tetrachloride	ND(1.00)	ND(1.00)							
Bromodichloromethane	ND(1.00)	ND(1.00)							
1,2-Dichloropropane	ND(3.50)	ND(3.50)							
cis-1,3-Dichloropropene	ND(1.50)	ND(1.50)							
Trichloroethene	ND(1.00)	ND(1.00)							
Benzene	ND(1.00)	ND(1.00)							
Dibromochloromethane	ND(1.00)	ND(1.00)							
trans-1,3-Dichloropropene	ND(1.50)	ND(1.50)							
1,1,2-Trichloroethane	ND(1.50)	ND(1.50)							
2-Chloroethylvinyl ether	ND(10.00)	ND(10.00)							
Bromoform	ND(1.00)	ND(1.00)							
1,1,2,2-Tetrachloroethane	ND(1.00)	ND(1.00)							
Tetrachloroethene	ND(1.50)	ND(1.50)							
Toluene	ND(1.00)	ND(1.00)							
Chlorobenzene	ND(3.50)	ND(3.50)							
Ethylbenzene	ND(1.00)	ND(1.00)							
1,2-Dichlorobenzene	ND(5.00)	ND(5.00)							
1,3-Dichlorobenzene	ND(5.00)	ND(5.00)							
1,4-Dichlorobenzene	ND(5.00)	ND(5.00)							
Acetone	ND(10.00)	5.0 J							
Tert-Butyl Alcohol	ND(100.00)	ND(100.00)							
cis-1,2-Dichloroethene	ND(1.00)	ND(1.00)							
Methyl Tert Butyl Ether	ND(10.00)	ND(10.00)							

Note:

ND(): Compound not detected at method detection limit

*1,2-Dichloroethene, Total: Sum of Trans and Cis 1,2-Dichloroethene

J: Indicates an estimated value; compound is present at a concentration less than specified detection limit

B: The analyte was found in an associated blank, as well as in the sample

EN9-M
Historical Analysis of Metals and Leachate Indicators
East Northport Landfill, East Northport, NY

Metals (µg/l)	6/96	4/97	9/97	4/98	9/98	4/99	9/99	4/00	9/00
Aluminum	37.8 B	227.0	ND(34.8)	ND(26.8)	ND(21.3)	ND(200.0)	35.8 B	31.2 B	77.8 B
Arsenic	ND(9.0)	ND(4.5)	ND(2.7)	ND(2.0)	ND(1.5)	ND(4.0)	ND(6.0)	ND(3.0)	ND(3.8)
Cadmium	ND(1.0)	0.61 B	ND(0.5)	ND(5.2)	ND(4.7)	ND(5.0)	ND(1.0)	ND(0.5)	ND(0.4)
Calcium	26,600.0	24,900.0	19,800.0	17,400.0 E	23,900.0 E	26,800.0	28,200.0	19,300.0	24,100.0
Chromium	ND(1.0)	3.6 B	ND(1.0)	ND(8.3)	17.0	ND(5.0)	ND(1.0)	1.3 B	ND(0.7)
Iron	ND(27.0)	109.0	ND(22.4)	27.1 B	129.0	ND(50.0)	ND(21.0)	ND(30.9)	ND(15.9)
Lead	ND(3.0)	2.1 B	ND(1.6)	ND(1.1)	ND(1.5)	ND(4.0)	ND(3.0)	ND(0.6)	ND(2.0)
Magnesium	12,500.0	12,000.0	9,600.0	8,180.0 E	10,700.0 E	12,100.0	12,600.0	8,640.0	10,700.0
Mercury	ND(0.2)	ND(0.06)	ND(0.04)	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.1)	ND(0.1)
Potassium	1,920.0 B	3,290.0 BE	1,260.0 B	1,350.0 B	1,930.0 BE	2,010.0	2,100.0 BE	1,360.0 B	2,000.0 B
Sodium	23,100.0	23,400.0	16,200.0 E	20,100.0 E	27,500.0 E	33,000.0	36,700.0	16,700.0	33,200.0
Leachate Indicators (mg/l)									
Ammonia	ND(1.000)	ND(0.050)	ND(0.050)	ND(0.200)	ND(0.100)	ND(0.200)	1.430	ND(0.200)	ND(0.200)
Bicarbonate		29.90	29.60	35.20	36.20	32.50	4.00	30.00	58.00
Chloride	727.00	65.80	50.80	112.00	83.80	110.00	108.00	58.00	97.00
Nitrate	1.42	0.96	0.71	0.90	0.91	0.89	0.42	0.89	0.86
Sulfate	186.00	14.20	16.40	14.00	16.60	15.60	24.40	17.00	19.00
Alkalinity	28.00	29.90	29.60	35.20	36.20	32.50	4.20	30.00	58.00
TDS	203.00	95.00	140.00	238.00	256.00	225.00	209.00	140.00	210.00
Hardness	39.00	111.34	88.80	77.1 E	103.00	116.00	63.00	84.00	100.00

EN9-M (continued)

Metals (µg/l)	4/01	9/01	4/02	9/02	4/03	10/03	6/04	10/04	4/05
Aluminum	83.9 B	ND(45.7)	25.4 B	ND(10.1)	ND(78.9)	13.2 J	43.1 J	ND(180.0)	20.4 J
Arsenic	ND(2.5)	ND(5.0)	ND(2.8)	ND(3.6)	ND(11.9)	ND(2.2)	ND(5.5)	ND(4.84)	ND(3.32)
Cadmium	0.46 B	ND(3.0)	ND(0.4)	ND(1.0)	ND(1.0)	ND(0.12)	ND(0.57)	ND(0.994)	ND(0.327)
Calcium	30,400.0	20,900.0	19,800.0	15,500.0	14,600.0	25,300.0	21,500.0	20,400.0	22,500.0
Chromium	2.1 B	ND(5.0)	ND(0.6)	2.6 B	ND(1.0)	2.2 J	12.0	ND(1.22)	ND(0.343)
Iron	135.0	ND(7.0)	ND(17.3)	29.0 B	34.7 B	36.9 J	16.9 J	51.3 J	37.1 J
Lead	4.7	ND(3.0)	3.5	9.8	ND(3.0)	6.8	5.1	ND(1.79)	ND(2.18)
Magnesium	13,800.0	9,420.0	8,820.0	7,040.0	7,100.0	11,700.0	9,960.0	9,220.0	10,500.0
Mercury	ND(0.2)	0.27	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.03)	0.07 J
Potassium	2,450.0	1,700.0 B	1,500.0 B	1,350.0 B	1,330.0 B	2,100.0 J	1,800.0 J	1,800.0 J	2,140 J
Sodium	44,500.0	30,100.0	26,900.0	19,400.0	15,200.0	33,400.0	25,800.0	27,700.0	39,200.0
Leachate Indicators (mg/l)									
Ammonia	ND(0.200)	ND(0.200)	ND(0.200)	ND(0.200)	ND(0.200)	0.300	0.500	ND(0.200)	ND(0.200)
Bicarbonate	30.00	45.00	36.00	32.00	34.00	24.00	31.00	30.00	33.00
Chloride	120.00	80.00	94.00	47.00	39.00	110.00	79.00	81.00	100.00
Nitrate	0.93	1.00	0.90	1.20	0.50	1.10	0.80	0.78	0.86
Sulfate	14.00	17.00	16.00	17.00	19.00	16.00	19.00	19.00	180.00
Alkalinity	30.00	45.00	36.00	32.00	34.00	24.00	31.00	30.00	33.00
TDS	280.00	190.00	240.00	150.00	165.00	360.00	273.00	74.00	310.00
Hardness	130.00	91.00	86.00	68.00	66.00	111.00	95.00	89.00	99.00

EN9-M (continued)

Metals (µg/l)	9/05	8/06	11/06	7/07	11/07	4/08	9/08	4/09	9/09
Aluminum	94.1 J	ND(5.31)	ND(7.6)	ND(200.0)	109.0	ND(10.0)	ND(10.0)	ND(10.0)	49.8
Arsenic	ND(3.32)	ND(3.32)	ND(4.1)	ND(10.0)	ND(4.0)	ND(4.0)	ND(4.0)	ND(4.0)	ND(4.0)
Cadmium	ND(0.327)	ND(0.327)	1.2 J	ND(5.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)
Calcium	23,400.0	21,000.0	24,600.0	29,700.0	32,100.0	27,600.0	27,300.0	26,600.0	31,100.0
Chromium	0.86 J	9.89 J	11.6	ND(10.0)	ND(1.0)	2.0	ND(1.0)	ND(1.0)	1.5
Iron	ND(27.0)	ND(27.0)	ND(30.4)	ND(100.0)	165.0	20.0	2.0	3.0	112.0
Lead	ND(2.18)	ND(2.18)	ND(1.6)	ND(3.0)	ND(1.0)	ND(1.0)	2.0	ND(2.0)	ND(2.0)
Magnesium	10,300.0	10,200.0	12,800.0	14,100.0	14,300.0	12,000.0	12,000.0	11,300.0	13,600.0
Mercury	ND(0.03)	ND(0.03)	ND(0.18)	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.2)
Potassium	2,030.0 J	1,480.0 J	956.0 J	2,100.0 J	2,790.0	2,700.0	2,400.0	2,500.0	2,650.0
Sodium	31,400.0	28,600.0	29,700.0	31,600.0	52,700.0	57,300.0	51,300.0	55,700.0	55,300.0
Leachate Indicators (mg/l)									
Ammonia	ND(0.200)	0.490	ND(0.200)	ND(0.040)	ND(0.020)	0.040	0.020	0.06	0.07
Bicarbonate	36.00	38.00	ND(2.00)	35.40	48.00	35.80	36.90	33.60	34.20
Chloride	98.00	68.00	66.00	112.00	130.00	160.00	140.00	130.00	140.00
Nitrate	0.78	ND(0.50)	ND(0.50)	0.62	0.71	0.86	0.76	0.71	0.78
Sulfate	19.00	19.00	21.00	16.00	15.00	16.00	18.00	17.00	16.00
Alkalinity	36.00	38.00	36.00	35.40	48.00	35.80	36.90	33.60	34.20
TDS	260.00	230.00	240.00	302.00	300.00	330.00	380.00	300.00	410.00
Hardness	100.90	94.39	114.03	132.00	139.00	118.00	118.00	113.00	134.00

EN9-M (continued)

Metals (µg/l)	6/10	10/11	5/12	9/12	5/13	10/13	4/14	9/14	4/15
Aluminum	22.0	24.0	50.0 J	30.0 J	ND(100.0)	50.0 J	73.0 J	ND(100.0)	30.0 J
Arsenic	ND(4.0)	ND(3.0)	ND(5.0)	ND(5.0)	2.6 J	ND(5.0)	2.9 J	3.3 J	ND(5.0)
Cadmium	0.3 B	ND(4.0)	ND(5.0)	ND(5.0)	ND(5.0)	ND(5.0)	ND(5.0)	ND(5.0)	ND(5.0)
Calcium	37,100.0	29,600.0	32,000.0	2,300.0	27,000.0	31,000.0	27,000.0	26,000.0	29,000.0
Chromium	2.0	0.8 B	ND(10.0)	ND(10.0)	3.2 J	3.5 J	3.1 J	ND(10.0)	ND(10.0)
Iron	68.0	50.0	120.0	60.0	270.0	100.0	120.0	88.0	75.0
Lead	ND(2.0)	ND(2.0)	ND(10.0)	ND(10.0)	ND(10.0)	ND(10.0)	2.6 J	ND(10.0)	ND(10.0)
Magnesium	16,400.0	13,400.0	15,000.0	11,000.0	13,000.0	14,000.0	14,000.0	13,000.0	15,000.0
Mercury	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.2)
Potassium	2,400.0	2,300.0	2,800.0	2,300.0 J	2,200 J	2,700.0	2,700.0	2,600.0	2,700.0
Sodium	63,100.0	41,700.0	83,000.0	67,000.0	49,000.0	59,000.0	68,000.0	56,000.0	68,000.0
Leachate Indicators (mg/l)									
Ammonia	ND(0.02)	ND(0.02)	0.10	0.1	ND(0.075)	ND(0.075)	0.029 J	0.1	ND(0.075)
Bicarbonate	36.00	38.00	35.00	35.0	35.0	36.0	37.8	38.1	34.8
Chloride	160.00	120.00	170.00	120.0	120.0	140.0	160.0	130.0	180.0
Nitrate	0.79	0.39	0.85	0.7	0.6	0.8	0.9	0.6	1.0
Sulfate	16.00	18.00	14.00	18.0	18.0	16.0	18.0	17.0	15.0
Alkalinity	36.00	38.00	35.00	35.0	35.0	36.0	37.8	38.1	34.8
TDS	380.00	280.00	380.00	300.0	300.0	340.0	370.0	300.0	390.0
Hardness	160.00	129.00	140.00	100.0	120.0	140.0	120.0	120.0	140.0

EN9-M (continued)

Metals (µg/l)	9/15	5/16	9/16	4/17	9/17	6/18	11/18	4/19	9/19
Aluminum	39.0 J	60.0 J	27.0 J	ND(100.0)	ND(100.0)	ND(100.0)	ND(100.0)	ND(100.0)	89.0 J
Arsenic	2.9 J	ND(5.0)	ND(5.00)	2.0 J	3.0 J	ND(5.0)	ND(5.0)	ND(5.0)	ND(5.0)
Cadmium	ND(5.0)	ND(5.0)	ND(5.00)	ND(5.0)	ND(5.0)	ND(5.0)	ND(5.0)	ND(5.0)	ND(5.0)
Calcium	27,000.0	21,000.0	30,000.0	30,000.0	26,200.0	28,800.0	24,600.0	24,400.0	22,200.0
Chromium	ND(10.0)	ND(10.0)	ND(10.00)	ND(10.0)	ND(10.0)	ND(10.0)	ND(10.0)	ND(10.0)	ND(10.0)
Iron	78.0	100.0	36.0 J	49.0 J	66.0	36.0 J	35.0 J	15.0 J	190.0
Lead	ND(10.0)	ND(10.0)	ND(10.00)	ND(10.0)	ND(10.0)	ND(10.0)	ND(10.0)	ND(10.0)	3.0 J
Magnesium	14,000.0	10,000.0	16,000.0	15,000.0	13,600.0	15,100.0	12,800.0	12,600.0	11,800.0
Mercury	ND(0.2)	0.2	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.1)
Potassium	2,800.0	2,400.0 J	2,600.0	2,700.0	2,500.0	2,310.0 J	2,320.0 J	2,140 J	2,520.0
Sodium	74,000.0	49,000.0	80,000.0	92,000.0	78,100.0	72,900.0	69,000.0	58,900.0	35,000.0
Leachate Indicators (mg/l)									
Ammonia	0.038 J	0.08	ND(0.075)	0.023 J	ND(0.075)	0.053 J	0.041 J	0.173	0.120
Bicarbonate	37.10	41.00	33.90	32.8	34.4	33.6	38.1	34.3	41.1
Chloride	140.00	94.00	180.00	210.0	180.0	180.0	140.0	120.0	80.0
Nitrate	0.74	0.29	0.82	1.0	0.8	0.8	0.6	0.5	ND(0.10)
Sulfate	19.00	20.00	16.00	13.0	16.0	17.0	17.0	20.0	25.0
Alkalinity	37.10	41.00	33.90	32.8	34.4	33.6	38.1	34.3	41.1
TDS	330.00	260.00	370.00	420.0	380.0	440.0	340.0	340.0	220.0
Hardness	130.00	95.00	140.00	140.0	122.0	134.0	114.0	113.0	104.0

EN9-M (continued)

Metals (µg/l)	6/20	10/20							
Aluminum	ND(100.0)	ND(100.0)							
Arsenic	2.0 J	ND(5.0)							
Cadmium	ND(5.0)	ND(5.0)							
Calcium	24,600.0	22,400.0							
Chromium	2.0 J	2.0 J							
Iron	84.0	572.0							
Lead	3.0 J	ND(10.0)							
Magnesium	13,100.0	12,000.0							
Mercury	ND(0.20)	ND(0.20)							
Potassium	2,200.0 J	2,500.0							
Sodium	59,400.0	43,700.0							
Leachate Indicators (mg/l)									
Ammonia	0.119	0.672							
Bicarbonate	36.30	52.60							
Chloride	130.00	100.00							
Nitrate	0.47	ND(0.10)							
Sulfate	21.00	17.00							
Alkalinity	36.30	52.60							
TDS	320.00	260.00							
Hardness	115.00	105.00							

Note:

ND(): Compound not detected at method detection limit

J: Indicates an estimated value; compound is present at a concentration less than specified detection limit

B: The analyte was found in an associated blank, as well as in the sample

EN10-M
Historical Analysis of Volatile Organic Compounds
East Northport Landfill, East Northport, NY
Reported in Micrograms per Liter

Parameter	6/96	4/97	9/97	4/98	9/98	4/99	9/99	4/00	9/00
Chloromethane	ND(10.0)	ND(2.0)	ND(2.0)	ND(10.0)	ND(10.0)	ND(4.6)	ND(2.3)	ND(1.1)	ND(1.1)
Bromomethane	ND(10.0)	ND(1.0)	ND(1.0)	ND(10.0)	ND(10.0)	ND(3.8)	ND(1.8)	ND(0.6)	ND(0.6)
Vinyl Chloride	ND(10.0)	ND(1.0)	ND(1.0)	ND(10.0)	ND(10.0)	ND(1.7)	ND(2.0)	ND(1.0)	ND(1.0)
Chloroethane	ND(10.0)	ND(1.0)	ND(1.0)	ND(10.0)	ND(10.0)	ND(1.8)	ND(1.6)	ND(0.7)	ND(0.7)
Methylene Chloride	ND(5.0)	4.0	ND(3.0)	ND(5.0)	ND(5.0)	ND(2.7)	ND(0.6)	ND(0.4)	ND(0.4)
Trichloroflouromethane		ND(2.0)	ND(2.0)	ND(10.0)	ND(10.0)	ND(1.5)	ND(1.5)	ND(0.4)	ND(0.4)
1,1-Dichloroethene	ND(5.0)	ND(2.0)	ND(2.0)	ND(5.0)	ND(5.0)	ND(1.7)	ND(1.2)	ND(0.4)	ND(0.4)
1,1-Dichloroethane	ND(5.0)	3.0	4.0	4.0 J	3.0 J	ND(1.4)	1.1	ND(0.2)	2.0
*1,2-Dichloroethene, Total		ND(1.0)	ND(1.0)	ND(5.0)	ND(5.0)	ND(1.7)	ND(1.0)	ND(0.4)	ND(0.4)
Chloroform	ND(5.0)	ND(1.0)	ND(1.0)	ND(5.0)	1.0 J	ND(1.6)	ND(0.4)	ND(0.3)	ND(0.3)
1,2-Dichloroethane	ND(5.0)	ND(1.0)	ND(1.0)	ND(5.0)	ND(5.0)	ND(1.9)	ND(0.5)	ND(0.3)	ND(0.3)
1,1,1-Trichloroethane	ND(5.0)	4.0	5.0	5.0 J	5.0	3.0	1.9	4.1	5.3
Carbon Tetrachloride	ND(5.0)	ND(2.0)	ND(2.0)	ND(5.0)	ND(5.0)	ND(0.6)	ND(0.4)	ND(0.3)	ND(0.3)
Bromodichloromethane	ND(5.0)	ND(1.0)	ND(1.0)	ND(5.0)	ND(5.0)	ND(0.6)	ND(0.6)	ND(0.3)	ND(0.3)
1,2-Dichloropropane	ND(5.0)	ND(1.0)	ND(1.0)	ND(5.0)	ND(5.0)	ND(0.6)	ND(0.8)	ND(0.4)	ND(0.4)
cis-1,3-Dichloropropene	ND(5.0)	ND(1.0)	ND(1.0)	ND(5.0)	ND(5.0)	ND(0.5)	ND(0.3)	ND(0.3)	ND(0.3)
Trichloroethene	ND(5.0)	ND(2.0)	ND(2.0)	ND(5.0)	1.0 J	ND(0.6)	ND(0.3)	ND(0.4)	0.4
Benzene	ND(5.0)	ND(1.0)	ND(1.0)	ND(5.0)	ND(5.0)	ND(0.5)	ND(0.6)	ND(0.3)	ND(0.3)
Dibromochloromethane	ND(5.0)	ND(1.0)	ND(1.0)	ND(5.0)	ND(5.0)	ND(0.6)	ND(0.5)	ND(0.3)	ND(0.3)
trans-1,3-Dichloropropene	ND(5.0)	ND(1.0)	ND(1.0)	ND(5.0)	ND(5.0)	ND(0.6)	ND(0.5)	ND(0.2)	ND(0.2)
1,1,2-Trichloroethane	ND(5.0)	ND(1.0)	ND(1.0)	ND(5.0)	ND(5.0)	ND(0.5)	ND(0.9)	ND(0.3)	ND(0.3)
2-Chloroethylvinyl ether		ND(4.0)	ND(4.0)	ND(10.0)	ND(10.0)	ND(0.6)	ND(1.5)	ND(1.1)	ND(1.1)
Bromoform	ND(5.0)	ND(1.0)	ND(1.0)	ND(5.0)	ND(5.0)	ND(0.8)	ND(0.7)	ND(0.3)	ND(0.3)
1,1,2,2-Tetrachloroethane	ND(5.0)	ND(2.0)	ND(2.0)	ND(5.0)	ND(5.0)	ND(0.5)	ND(1.0)	ND(0.3)	ND(0.3)
Tetrachloroethene	ND(5.0)	ND(3.0)	ND(3.0)	ND(5.0)	0.5 J	ND(0.7)	ND(0.6)	ND(0.3)	ND(0.3)
Toluene	ND(5.0)	ND(2.0)	ND(2.0)	ND(5.0)	ND(5.0)	ND(0.8)	ND(0.5)	ND(0.3)	ND(0.3)
Chlorobenzene	ND(5.0)	ND(2.0)	ND(2.0)	ND(5.0)	ND(5.0)	ND(0.6)	ND(0.5)	ND(0.2)	ND(0.2)
Ethylbenzene	ND(5.0)	ND(2.0)	ND(2.0)	ND(5.0)	ND(5.0)	ND(0.7)	ND(0.5)	ND(0.4)	ND(0.4)
1,2-Dichlorobenzene		ND(2.0)	ND(2.0)	ND(10.0)	ND(10.0)	ND(1.5)	ND(0.2)	ND(0.2)	ND(0.2)
1,3-Dichlorobenzene		ND(2.0)	ND(2.0)	ND(10.0)	ND(10.0)	ND(0.7)	ND(0.4)	ND(0.4)	ND(0.4)
1,4-Dichlorobenzene		ND(2.0)	ND(2.0)	ND(10.0)	ND(10.0)	ND(5.0)	ND(0.3)	ND(0.3)	ND(0.3)

EN10-M (continued)

Parameter	4/01	9/01	4/02	9/02	4/03	10/03	6/04	10/04	4/05
Chloromethane	ND(1.1)	ND(1.1)	ND(1.1)	ND(1.4)	ND(1.4)	ND(2.2)	ND(0.49)	ND(0.49)	ND(0.45)
Bromomethane	ND(0.6)	ND(0.6)	ND(0.6)	ND(1.7)	ND(1.7)	ND(2.9)	ND(0.61)	ND(0.61)	ND(1.30)
Vinyl Chloride	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.2)	ND(1.2)	ND(0.8)	ND(0.28)	ND(0.28)	ND(0.62)
Chloroethane	ND(0.7)	ND(0.7)	ND(0.7)	ND(1.8)	ND(1.8)	ND(2.0)	ND(0.62)	ND(0.62)	ND(1.10)
Methylene Chloride	ND(0.4)	ND(0.4)	ND(0.4)	ND(1.2)	ND(1.2)	ND(1.2)	ND(1.40)	ND(1.40)	ND(0.98)
Trichloroflouromethane	ND(0.4)	ND(0.4)	ND(0.4)	ND(1.3)	ND(1.3)	ND(1.5)	ND(0.80)	ND(0.80)	ND(0.58)
1,1-Dichloroethene	ND(0.4)	0.7	ND(0.4)	ND(1.0)	ND(1.0)	ND(0.1)	ND(0.28)	ND(0.28)	ND(0.28)
1,1-Dichloroethane	ND(0.2)	1.9	ND(0.2)	ND(1.0)	1.5 J	ND(1.3)	ND(0.29)	ND(0.29)	ND(0.33)
*1,2-Dichloroethene, Total	ND(0.4)	ND(0.4)	ND(0.4)	ND(1.0)	ND(1.0)	ND(1.3)	ND(0.32)	ND(0.32)	ND(0.40)
Chloroform	ND(0.3)	0.8	ND(0.3)	ND(0.8)	1.5 J	ND(1.5)	ND(0.30)	1.0 J	0.6 J
1,2-Dichloroethane	ND(0.3)	ND(0.3)	ND(0.3)	ND(0.6)	ND(0.6)	ND(0.2)	ND(0.19)	ND(0.19)	ND(0.28)
1,1,1-Trichloroethane	4.7	ND(0.3)	4.8	3.2 J	2.6 J	2.6 J	ND(0.34)	2.70 J	1.30 J
Carbon Tetrachloride	ND(0.3)	ND(0.3)	ND(0.3)	ND(0.5)	ND(0.5)	ND(0.1)	ND(0.18)	ND(0.18)	ND(0.34)
Bromodichloromethane	ND(0.3)	ND(0.3)	ND(0.3)	ND(0.9)	ND(0.9)	ND(0.1)	ND(0.29)	ND(0.29)	ND(0.30)
1,2-Dichloropropane	ND(0.4)	ND(0.4)	ND(0.4)	ND(0.8)	ND(0.8)	ND(0.2)	ND(0.32)	ND(0.32)	ND(0.27)
cis-1,3-Dichloropropene	ND(0.3)	ND(0.3)	ND(0.3)	ND(1.5)	ND(1.5)	ND(0.7)	ND(0.21)	ND(0.21)	ND(0.26)
Trichloroethene	ND(0.4)	0.6	ND(0.4)	ND(0.9)	ND(0.9)	ND(0.1)	ND(0.27)	ND(0.27)	ND(0.59)
Benzene	ND(0.3)	ND(0.3)	ND(0.3)	ND(0.6)	ND(0.6)	ND(0.1)	ND(0.17)	ND(0.17)	ND(0.35)
Dibromochloromethane	ND(0.3)	ND(0.3)	ND(0.3)	ND(1.4)	ND(1.4)	ND(1.2)	ND(0.30)	ND(0.30)	ND(0.22)
trans-1,3-Dichloropropene	ND(0.2)	ND(0.2)	ND(0.2)	ND(1.5)	ND(1.5)	ND(0.7)	ND(0.23)	ND(0.23)	ND(0.29)
1,1,2-Trichloroethane	ND(0.3)	ND(0.3)	ND(0.3)	ND(1.5)	ND(1.5)	ND(1.0)	ND(0.28)	ND(0.28)	ND(0.24)
2-Chloroethylvinyl ether	ND(1.1)	ND(1.1)	ND(1.1)	ND(4.8)	ND(4.8)	ND(2.7)	ND(1.70)	ND(1.70)	ND(6.20)
Bromoform	ND(0.3)	ND(0.3)	ND(0.3)	ND(1.5)	ND(1.5)	ND(1.3)	ND(0.25)	ND(0.25)	ND(0.22)
1,1,2,2-Tetrachloroethane	ND(0.3)	ND(0.3)	ND(0.3)	ND(0.8)	ND(0.8)	ND(1.9)	ND(0.27)	ND(0.27)	ND(0.35)
Tetrachloroethene	ND(0.3)	ND(0.3)	ND(0.3)	ND(1.0)	ND(1.0)	ND(0.1)	ND(0.30)	ND(0.30)	ND(0.74)
Toluene	ND(0.3)	ND(0.3)	ND(0.3)	ND(1.0)	ND(1.0)	ND(0.5)	ND(0.23)	ND(0.23)	ND(0.38)
Chlorobenzene	ND(0.2)	ND(0.2)	ND(0.2)	ND(1.0)	ND(1.0)	ND(0.5)	ND(0.24)	ND(0.24)	ND(0.47)
Ethylbenzene	ND(0.4)	ND(0.4)	ND(0.4)	ND(1.2)	ND(1.2)	ND(0.8)	ND(0.17)	ND(0.17)	ND(0.50)
1,2-Dichlorobenzene	ND(0.2)	ND(0.2)	ND(0.2)	ND(1.6)	ND(1.6)	ND(0.5)	ND(0.20)	ND(0.20)	ND(0.67)
1,3-Dichlorobenzene	ND(0.4)	ND(0.4)	ND(0.4)	ND(0.8)	ND(0.8)	ND(0.7)	ND(0.28)	ND(0.28)	ND(0.35)
1,4-Dichlorobenzene	ND(0.3)	ND(0.3)	ND(0.3)	ND(1.4)	ND(1.4)	ND(0.8)	ND(0.30)	ND(0.30)	ND(0.79)

EN10-M (continued)

Parameter	9/15	5/16	9/16	4/17	9/17	6/18	11/18	4/19	9/19
Chloromethane	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.0)	ND(10.00)	ND(10.00)	ND(10.00)	ND(10.00)
Bromomethane	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.0)	ND(10.00)	ND(10.00)	ND(10.00)	ND(10.00)
Vinyl Chloride	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.0)	ND(2.00)	ND(2.00)	ND(2.00)	ND(2.00)
Chloroethane	ND(2.00)	ND(2.00)	ND(2.00)	ND(2.00)	ND(2.0)	ND(4.00)	ND(4.00)	ND(4.00)	ND(4.00)
Methylene Chloride	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.0)	ND(10.00)	ND(10.00)	ND(10.00)	ND(10.00)
Trichloroflouromethane	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.0)	ND(10.00)	ND(10.00)	ND(10.00)	ND(10.00)
1,1-Dichloroethene	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.0)	ND(2.00)	ND(2.00)	ND(2.00)	ND(2.00)
1,1-Dichloroethane	ND(1.50)	ND(1.50)	ND(1.50)	ND(1.50)	ND(1.5)	ND(3.00)	ND(3.00)	ND(3.00)	ND(3.00)
*1,2-Dichloroethene, Total	ND(1.50)	ND(1.50)	ND(1.50)	ND(1.50)	ND(1.5)	ND(3.00)	ND(3.00)	ND(3.00)	ND(3.00)
Chloroform	ND(1.50)	ND(1.50)	ND(1.50)	ND(1.50)	ND(1.5)	ND(2.00)	ND(2.00)	ND(2.00)	ND(2.00)
1,2-Dichloroethane	ND(1.50)	ND(1.50)	ND(1.50)	ND(1.50)	ND(1.5)	ND(3.00)	ND(3.00)	ND(3.00)	ND(3.00)
1,1,1-Trichloroethane	ND(2.00)	ND(2.00)	ND(2.00)	ND(2.00)	ND(2.0)	ND(4.00)	ND(4.00)	ND(4.00)	ND(4.00)
Carbon Tetrachloride	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.0)	ND(2.00)	ND(2.00)	ND(2.00)	ND(2.00)
Bromodichloromethane	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.0)	ND(2.00)	ND(2.00)	ND(2.00)	ND(2.00)
1,2-Dichloropropane	ND(3.50)	ND(3.50)	ND(3.50)	ND(3.50)	ND(3.5)	ND(7.00)	ND(7.00)	ND(7.00)	ND(7.00)
cis-1,3-Dichloropropene	ND(1.50)	ND(1.50)	ND(1.50)	ND(1.50)	ND(1.5)	ND(3.00)	ND(3.00)	ND(3.00)	ND(3.00)
Trichloroethene	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.0)	ND(2.00)	ND(2.00)	ND(2.00)	ND(2.00)
Benzene	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.0)	ND(2.00)	ND(2.00)	ND(2.00)	ND(2.00)
Dibromochloromethane	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.0)	ND(2.00)	ND(2.00)	ND(2.00)	ND(2.00)
trans-1,3-Dichloropropene	ND(1.50)	ND(1.50)	ND(1.50)	ND(1.50)	ND(1.5)	ND(3.00)	ND(3.00)	ND(3.00)	ND(3.00)
1,1,2-Trichloroethane	ND(1.50)	ND(1.50)	ND(1.50)	ND(1.50)	ND(1.5)	ND(3.00)	ND(3.00)	ND(3.00)	ND(3.00)
2-Chloroethylvinyl ether	ND(10.00)	ND(10.00)	ND(10.00)	ND(10.00)	ND(10.0)	ND(20.00)	ND(20.00)	ND(20.00)	ND(20.00)
Bromoform	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.0)	ND(2.00)	ND(2.00)	ND(2.00)	ND(2.00)
1,1,2,2-Tetrachloroethane	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.0)	ND(2.00)	ND(2.00)	ND(2.00)	ND(2.00)
Tetrachloroethene	ND(1.50)	ND(1.50)	ND(1.50)	ND(1.50)	ND(1.5)	ND(3.00)	ND(3.00)	ND(3.00)	ND(3.00)
Toluene	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.0)	ND(2.00)	ND(2.00)	ND(2.00)	ND(2.00)
Chlorobenzene	ND(3.50)	ND(3.50)	ND(3.50)	ND(3.50)	ND(3.5)	ND(7.00)	ND(7.00)	ND(7.00)	ND(7.00)
Ethylbenzene	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.0)	ND(2.00)	ND(2.00)	ND(2.00)	ND(2.00)
1,2-Dichlorobenzene	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.0)	ND(10.00)	ND(10.00)	ND(10.00)	ND(10.00)
1,3-Dichlorobenzene	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.0)	ND(10.00)	ND(10.00)	ND(10.00)	ND(10.00)
1,4-Dichlorobenzene	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.0)	ND(10.00)	ND(10.00)	ND(10.00)	ND(10.00)
Acetone	ND(10.00)	ND(10.00)	ND(10.00)	ND(10.00)	ND(10.0)	ND(20.00)	ND(20.00)	ND(20.00)	2.70 J
Tert-Butyl Alcohol	ND(100.00)	ND(100.00)	ND(100.00)	ND(100.00)	ND(100.0)	ND(200.00)	ND(100.00)	ND(100.00)	ND(100.00)
cis-1,2-Dichloroethene	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.0)	ND(2.00)	ND(2.00)	ND(2.00)	ND(2.00)
Methyl Tert Butyl Ether	NA	NA	NA	NA	ND(10.0)	NA	NA	NA	NA

EN10-M (continued)

Parameter	6/20	10/20							
Chloromethane	ND(5.00)	ND(5.00)							
Bromomethane	ND(5.00)	ND(5.00)							
Vinyl Chloride	ND(1.00)	ND(1.00)							
Chloroethane	ND(2.00)	ND(2.00)							
Methylene Chloride	ND(1.00)	ND(1.00)							
Trichloroflouromethane	ND(5.00)	ND(5.00)							
1,1-Dichloroethene	ND(1.00)	ND(1.00)							
1,1-Dichloroethane	ND(1.50)	ND(1.50)							
*1,2-Dichloroethene, Total	ND(1.50)	ND(1.50)							
Chloroform	ND(1.00)	ND(1.00)							
1,2-Dichloroethane	ND(1.50)	ND(1.50)							
1,1,1-Trichloroethane	ND(2.00)	ND(2.00)							
Carbon Tetrachloride	ND(1.00)	ND(1.00)							
Bromodichloromethane	ND(1.00)	ND(1.00)							
1,2-Dichloropropane	ND(3.50)	ND(3.50)							
cis-1,3-Dichloropropene	ND(1.50)	ND(1.50)							
Trichloroethene	ND(1.00)	ND(1.00)							
Benzene	ND(1.00)	ND(1.00)							
Dibromochloromethane	ND(1.00)	ND(1.00)							
trans-1,3-Dichloropropene	ND(1.50)	ND(1.50)							
1,1,2-Trichloroethane	ND(1.50)	ND(1.50)							
2-Chloroethylvinyl ether	ND(10.00)	ND(10.00)							
Bromoform	ND(1.00)	ND(1.00)							
1,1,2,2-Tetrachloroethane	ND(1.00)	ND(1.00)							
Tetrachloroethene	ND(1.50)	ND(1.50)							
Toluene	ND(1.00)	ND(1.00)							
Chlorobenzene	ND(3.50)	ND(3.50)							
Ethylbenzene	ND(1.00)	ND(1.00)							
1,2-Dichlorobenzene	ND(5.00)	ND(5.00)							
1,3-Dichlorobenzene	ND(5.00)	ND(5.00)							
1,4-Dichlorobenzene	ND(5.00)	ND(5.00)							
Acetone	ND(10.00)	ND(10.00)							
Tert-Butyl Alcohol	ND(100.00)	ND(100.00)							
cis-1,2-Dichloroethene	ND(1.00)	ND(1.00)							
Methyl Tert Butyl Ether	ND(10.00)	ND(10.00)							

Note:

ND(): Compound not detected at method detection limit

*1,2-Dichloroethene, Total: Sum of Trans and Cis 1,2-Dichloroethene

J: Indicates an estimated value; compound is present at a concentration less than specified detection limit

B: The analyte was found in an associated blank, as well as in the sample

EN10-M
Historical Analysis of Metals and Leachate Indicators
East Northport Landfill, East Northport, NY

Metals (µg/l)	11/96	4/97	9/97	4/98	9/98	4/99	9/99	4/00	9/00
Aluminum	232.0	163.0 B	ND(34.8)	ND(26.8)	ND(21.3)	ND(200.0)	30.1 B	ND(25.8)	104.0 B
Arsenic	ND(8.0)	ND(4.5)	ND(2.7)	ND(2.0)	ND(1.5)	ND(4.0)	ND(6.0)	ND(3.0)	ND(3.8)
Cadmium	ND(1.0)	ND(0.5)	ND(0.5)	ND(5.2)	ND(4.7)	ND(5.0)	ND(1.0)	ND(0.5)	ND(0.4)
Calcium	29,800.0	27,100.0	25,100.0	21,100.0 E	23,400.0	20,500.0	22,400.0	21,800.0	20,600.0
Chromium	1.1 B	4.0 B	2.8 B	ND(8.3)	12.8	6.0	24.2	6.0 B	2.6 B
Iron	310.0	249.0	ND(22.4)	25.0 B	11.8 B	114.0	319.0	ND(30.9)	ND(15.9)
Lead	ND(2.0)	ND(1.6)	ND(1.6)	ND(1.1)	ND(1.5)	ND(4.0)	ND(3.0)	ND(0.6)	ND(2.0)
Magnesium	9,620.0	10,400.0	9,640.0	8,720.0 E	8,670.0 E	7,840.0	8,490.0	8,090.0	7,650.0
Mercury	ND(0.2)	ND(0.06)	0.04 B	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.1)	ND(0.1)
Potassium	1,570.0 B	2,440.0 BE	1,100.0 B	1,440.0 B	1,640.0 BE	1,300.0	1,190.0 BE	1,100.0 B	1,330.0 B
Sodium	14,400.0	14,700.0	13,800.0 E	17,400.0 E	15,400.0 E	12,800.0	14,500.0	10,500.0	13,500.0
Leachate Indicators (mg/l)									
Ammonia	1.120	ND(0.050)	ND(0.050)	ND(0.200)	ND(0.100)	ND(0.200)	1.430	ND(0.200)	ND(0.200)
Bicarbonate		19.60	18.30	19.80	21.30	20.50	16.00	22.00	35.00
Chloride	21.30	19.60	21.70	23.50	22.20	23.00	23.00	21.00	23.00
Nitrate	10.10	8.40	7.50	7.80	8.20	8.44	3.50	8.10	8.30
Sulfate	44.00	55.50	19.90	40.00	44.30	39.20	56.10	40.00	46.00
Alkalinity	27.00	19.60	18.30	19.80	21.30	20.50	17.00	22.00	35.00
TDS	167.00	184.00	143.00	138.00	28.00	168.00	133.00	140.00	130.00
Hardness	110.00	110.28	102.00	88.6 E	94.10	82.70	25.50	88.00	83.00

EN10-M (continued)

Metals (µg/l)	4/01	9/07	4/02	9/02	4/03	10/03	6/04	10/04	4/05
Aluminum	64.3 B	ND(45.7)	ND(7.3)	ND(10.1)	ND(78.9)	9.0 J	46.8	305.0	1,910.0
Arsenic	ND(2.5)	ND(5.0)	ND(2.8)	ND(3.6)	ND(11.9)	ND(2.2)	ND(5.5)	ND(4.84)	ND(3.32)
Cadmium	ND(0.4)	ND(3.0)	ND(0.4)	ND(1.0)	ND(1.0)	ND(0.12)	ND(0.57)	ND(0.994)	ND(0.327)
Calcium	22,200.0	21,500.0	19,900.0	20,100.0	21,000.0	20,900.0	20,200.0	14,000.0	16,100.0
Chromium	2.6 B	ND(5.0)	3.8 B	6.8 B	3.1 B	36.4	9.6 J	1.96 J	7.91 J
Iron	109.0	16.4 B	ND(17.3)	24.4 B	38.8 B	118.0	30.1 J	481.0	1,640.0
Lead	ND(2.5)	ND(3.0)	3.8	9.8	ND(3.0)	4.2	4.6 J	11.3	33.8
Magnesium	8,460.0	8,120.0	7,420.0	7,560.0	8,450.0	7,230.0	7,560.0	4,530.0 J	6,080.0
Mercury	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.03)	0.07 J
Potassium	1,280.0 B	1,110.0 B	1,120.0 B	1,260.0 B	1,390.0 B	1,190.0 J	1,230.0 J	3,600.0	3,300.0 J
Sodium	14,000.0	13,500.0	13,500.0	14,400.0	15,400.0	11,700.0	12,600.0	7,340.0	11,100.0
Leachate Indicators (mg/l)									
Ammonia	ND(0.200)	ND(0.200)	ND(0.200)	ND(0.200)	ND(0.200)	0.300	0.400	ND(0.200)	ND(0.200)
Bicarbonate	19.00	28.00	29.00	18.00	20.00	20.00	16.00	23.00	23.00
Chloride	23.00	25.00	34.00	26.00	26.00	27.00	26.00	10.00	20.00
Nitrate	7.00	8.20	8.10	9.80	7.50	8.20	8.20	2.50	6.33
Sulfate	38.00	40.00	43.00	36.00	190.00	75.00	42.00	15.00	32.00
Alkalinity	19.00	28.00	29.00	18.00	20.00	20.00	16.00	23.00	23.00
TDS	90.00	130.00	160.00	140.00	196.00	206.00	205.00	34.00	190.00
Hardness	90.00	87.00	80.00	81.00	87.00	84.00	82.00	54.00	65.00

EN10-M (continued)

Metals (µg/l)	9/05	8/06	11/06	7/07	11/07	4/08	9/08	4/09	9/09
Aluminum	1,580.0	10,900.0	321.0	380.0	273.0	12.0	107.0	47.5	617.0
Arsenic	ND(3.32)	ND(3.32)	ND(4.1)	4.5 J	ND(4.0)	ND(4.0)	ND(4.0)	ND(4.0)	ND(4.0)
Cadmium	ND(0.327)	ND(0.327)	ND(0.52)	ND(5.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)
Calcium	7,450.0	5,340.0	1,460.0 J	1,200.0 J	1,350.0	799.0	2,050.0	1,230.0	1,390.0
Chromium	8,460.0 J	34.6	8.7 J	1.9 J	6.0	ND(1.0)	ND(1.0)	9.4	7.8
Iron	1,170.0	40,800.0	437.0	400.0	1,500.0	24.0	206.0	279.0	1,610.0
Lead	69.8	285.0	16.2	15.0	13.0	ND(1.0)	3.0	ND(2.0)	15.4
Magnesium	2,660.0 J	2,150.0 J	582.0 J	400.0 J	426.0	260.0	550.0	418.0	455.0
Mercury	ND(0.03)	0.11 J	ND(0.18)	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.2)
Potassium	2,880.0 J	2,320.0 J	1,250.0 J	840.0 J	3,570.0	700.0	2,400.0	992.0	2,710.0
Sodium	5,020.0	3,480.0 J	ND(215.0)	1,200.0 J	1,580.0	1,200.0	800.0	1,380.0	769.0
Leachate Indicators (mg/l)									
Ammonia	0.450	ND(0.200)	0.450	0.070	0.030	0.040	0.270	0.15	0.31
Bicarbonate	21.00	12.00	ND(2.00)	3.10	ND(20.00)	ND(20.00)	ND(20.00)	ND(20.00)	ND(20.00)
Chloride	9.20	4.57	2.86	2.00	ND(3.00)	4.40	ND(3.00)	ND(3.00)	ND(3.00)
Nitrate	0.83	ND(0.50)	ND(0.50)	0.27	ND(0.50)	0.48	0.10	0.57	ND(0.05)
Sulfate	14.00	4.02	ND(1.00)	1.80	ND(3.00)	ND(3.00)	ND(3.00)	ND(3.00)	ND(3.00)
Alkalinity	21.00	12.00	9.44	3.10	ND(20.00)	ND(20.00)	ND(20.00)	ND(20.00)	ND(20.00)
TDS	90.00	38.00	21.00	14.00	21.00	ND(10.00)	29.00	16.00	27.00
Hardness	32.00	22.18	6.04	4.70	5.13	3.07	7.38	4.80	5.37

EN10-M (continued)

Metals (µg/l)	6/10	10/11	5/12	9/12	5/13	10/13	4/14	9/14	5/15
Aluminum	467.0	5,800.0	1,100.0	430.0	340.0	420.0	180.0	570.0	240.0
Arsenic	ND(4.0)	4.0	ND(5.0)	ND(5.0)	ND(5.0)	ND(5.0)	3.0 J	2.2 J	ND(5.0)
Cadmium	0.2 B	ND(4.0)	ND(5.0)	ND(5.0)	ND(5.0)	ND(5.0)	ND(5.0)	ND(5.0)	ND(5.0)
Calcium	1,600.0	3,030.0	2,600.0	2,800.0	3,700.0	4,700.0	11,000.0	3,000.0	1,300.0
Chromium	4.0	7.0	10.0	4.0 J	5.9 J	2.3 J	ND(10.0)	5.2 J	ND(10.0)
Iron	2,080.0	6,200.0	1,100.0	290.0	220.0	370.0	140.0	550.0	200.0
Lead	8.0	8.0	19.0	20.0	18.9	8.5 J	13.2	19.5	12.6
Magnesium	510.0	1,830.0	960.0	950.0	1,000.0	1,500.0	4,000.0	1,100.0	450.0
Mercury	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.2)
Potassium	2,900.0	2,300.0	2,000.0 J	1,900.0 J	2,100 J	2,600.0	1,900.0 J	1,500.0 J	950.0 J
Sodium	1,200.0	2,600.0	2,600.0	2,900.0	3,700.0	4,500.0	12,000.0	2,600.0	1,300.0 J
Leachate Indicators (mg/l)									
Ammonia	0.26	ND(0.02)	0.14	0.058 J	0.04 J	0.071 J	0.047 J	0.3	0.070 J
Bicarbonate	ND(20.00)	ND(20.00)	8.90	8.7	11.0	12.0	15.3	8.2	5.2
Chloride	ND(3.00)	2.80	4.20	4.0	4.0	6.1	19.0	3.1	1.5
Nitrate	0.09	0.59	0.26	0.08 J	0.2	1.0	3.9	1.1	0.5
Sulfate	ND(3.00)	2.8 B	1.50 J	2.8 J	3.3 J	4.5 J	21.0	ND(10.0)	ND(10.0)
Alkalinity	ND(20.00)	ND(20.00)	8.90	8.7	11.0	12.0	15.3	8.2	5.2
TDS	20.00	19.00	11.00	6.0 J	44.0	25.0	130.0	50.0	31.0
Hardness	6.10	15.10	10.00	11.0	14.0	18.0	44.0	12.0	5.0

EN10-M (continued)

Metals (µg/l)	9/15	5/16	9/16	4/17	9/17	6/18	11/18	4/19	9/19
Aluminum	430.0	250.0	160.0	1,300.0	599.0	14,800.0	8,820.0	10,600.0	14,700.0
Arsenic	ND(5.0)	2.4 J	ND(5.00)	2.0 J	ND(5.0)	14.0	7.0	7.0	11.0
Cadmium	ND(5.0)	ND(5.0)	ND(5.00)	ND(5.0)	ND(5.0)	1.00 J	ND(5.0)	1.0 J	ND(5.0)
Calcium	1,800.0	1,900.0	2,200.0	3,200.0	3,340.0	9,710.0	6,060.0	6,560.0	6,910.0
Chromium	7.0 J	ND(10.0)	4.0 J	20.0	2.0 J	19.0	10.0 J	18.0	19.0
Iron	410.0	240.0	260.0	1,500.0	653.0	18,200.0	8,470.0	9,520.0	1,650.0
Lead	35.3	20.3	23.0	75.0	44.0	1,990.0	508.0	769.0	732.0
Magnesium	690.0	580.0	700.0	1,200.0	1,070.0	3,140.0	2,780.0	3,200.0	4,160.0
Mercury	ND(0.2)	0.2	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.2)	0.1 J
Potassium	1,500.0 J	1,600.0 J	1,800.0 J	2,200.0 J	2,040.0 J	5,930.0	5,740.0	3,150.0	4,070.0
Sodium	1,600.0 J	2,000.0	2,000.0	3,000.0	3,390.0	5,380.0	5,000.0	4,910.0	5,490.0
Leachate Indicators (mg/l)									
Ammonia	0.21	0.047 J	0.167	ND(0.075)	0.027J	0.105	0.132 J	0.134	0.193
Bicarbonate	7.60	8.10	10.20	10.6	10.6	12.9	18.5	15.2	26.1
Chloride	2.50	2.50	2.50	3.4	4.2	7.6	7.8	6.6	7.3
Nitrate	0.26	0.11	0.091 J	0.649	0.277	0.830	0.479	0.660	0.634
Sulfate	ND(10.0)	ND(10.00)	1.80 J	2.40 J	2.3J	1.90 J	4.70 J	6.50 J	1.50 J
Alkalinity	7.60	8.10	10.20	10.6	10.6	12.9	18.5	15.2	26.1
TDS	23.00	38.00	ND(10.00)	29.0	41.0	37.0	120.0	110.0	24.0
Hardness	7.50	7.10	8.40	13.0	12.8	37.2	26.6	29.6	34.4

EN10-M (continued)

Metals (µg/l)	6/20	10/20							
Aluminum	1,500.0	3,730.0							
Arsenic	2.0 J	4.0 J							
Cadmium	ND(5.0)	ND(5.0)							
Calcium	6,580.0	6,750.0							
Chromium	ND(10.0)	9.0 J							
Iron	3,420.0	6,460.0							
Lead	205.0	185.0							
Magnesium	1,990.0	2,430.0							
Mercury	ND(0.20)	ND(0.20)							
Potassium	4,040.0	3,270.0							
Sodium	5,300.0	5,420.0							
Leachate Indicators (mg/l)									
Ammonia	0.598	1.22							
Bicarbonate	24.70	30.30							
Chloride	7.20	7.90							
Nitrate	0.213	0.368							
Sulfate	3.70 J	2.60 J							
Alkalinity	24.70	30.30							
TDS	49.00	31.00							
Hardness	24.60	26.90							

Note:

ND(): Compound not detected at method detection limit

J: Indicates an estimated value; compound is present at a concentration less than specified detection limit

Bold indicates value above NYSDEC Class GA Standard

B: The analyte was found in an associated blank, as well as in the sample

SW-1
Historical Analysis of Volatile Organic Compounds
East Northport Landfill, East Northport, NY
Reported in Micrograms per Liter

Parameter	6/96	4/97	9/97	4/98	9/98	4/99	9/99	4/00	9/00
Chloromethane	ND(10.0)	ND(2.0)	ND(2.0)	ND(10.0)	ND(10.0)	ND(4.6)	ND(2.3)	ND(1.1)	ND(1.1)
Bromomethane	ND(10.0)	ND(1.0)	ND(1.0)	ND(10.0)	ND(10.0)	ND(3.8)	ND(1.8)	ND(0.6)	ND(0.6)
Vinyl Chloride	ND(10.0)	ND(1.0)	ND(1.0)	ND(10.0)	ND(10.0)	ND(1.7)	ND(2.0)	ND(1.0)	ND(1.0)
Chloroethane	ND(10.0)	ND(1.0)	ND(1.0)	ND(10.0)	ND(10.0)	ND(1.8)	ND(1.6)	ND(0.7)	ND(0.7)
Methylene Chloride	ND(5.0)	6.0	ND(3.0)	ND(5.0)	ND(5.0)	ND(2.7)	ND(0.6)	ND(0.4)	ND(0.4)
Trichloroflouromethane		ND(2.0)	ND(2.0)	ND(10.0)	ND(10.0)	ND(1.5)	ND(1.5)	ND(0.4)	ND(0.4)
1,1-Dichloroethene	ND(5.0)	ND(2.0)	ND(2.0)	ND(5.0)	ND(5.0)	ND(1.7)	ND(1.2)	ND(0.4)	ND(0.4)
1,1-Dichloroethane	ND(5.0)	ND(1.0)	ND(1.0)	ND(5.0)	ND(5.0)	ND(1.4)	ND(0.7)	ND(0.2)	ND(0.2)
*1,2-Dichloroethene, Total		ND(1.0)	ND(1.0)	ND(5.0)	ND(5.0)	ND(1.7)	ND(1.0)	ND(0.4)	ND(0.4)
Chloroform	ND(5.0)	ND(1.0)	ND(1.0)	ND(5.0)	ND(5.0)	ND(1.6)	ND(0.4)	ND(0.3)	ND(0.3)
1,2-Dichloroethane	ND(5.0)	ND(1.0)	ND(1.0)	ND(5.0)	ND(5.0)	ND(1.9)	ND(0.5)	ND(0.3)	ND(0.3)
1,1,1-Trichloroethane	ND(5.0)	ND(1.0)	ND(1.0)	ND(5.0)	ND(5.0)	ND(0.5)	ND(0.5)	ND(0.3)	ND(0.3)
Carbon Tetrachloride	ND(5.0)	ND(2.0)	ND(2.0)	ND(5.0)	ND(5.0)	ND(0.6)	ND(0.4)	ND(0.3)	ND(0.3)
Bromodichloromethane	ND(5.0)	ND(1.0)	ND(1.0)	ND(5.0)	ND(5.0)	ND(0.6)	ND(0.6)	ND(0.3)	ND(0.3)
1,2-Dichloropropane	ND(5.0)	ND(1.0)	ND(1.0)	ND(5.0)	ND(5.0)	ND(0.6)	ND(0.8)	ND(0.4)	ND(0.4)
cis-1,3-Dichloropropene	ND(5.0)	ND(1.0)	ND(1.0)	ND(5.0)	ND(5.0)	ND(0.5)	ND(0.3)	ND(0.3)	ND(0.3)
Trichloroethene	ND(5.0)	ND(2.0)	ND(2.0)	ND(5.0)	ND(5.0)	ND(0.6)	ND(0.3)	ND(0.4)	ND(0.4)
Benzene	ND(5.0)	ND(1.0)	ND(1.0)	ND(5.0)	ND(5.0)	ND(0.5)	ND(0.6)	ND(0.3)	ND(0.3)
Dibromochloromethane	ND(5.0)	ND(1.0)	ND(1.0)	ND(5.0)	ND(5.0)	ND(0.6)	ND(0.5)	ND(0.3)	ND(0.3)
trans-1,3-Dichloropropene	ND(5.0)	ND(1.0)	ND(1.0)	ND(5.0)	ND(5.0)	ND(0.6)	ND(0.5)	ND(0.2)	ND(0.2)
1,1,2-Trichloroethane	ND(5.0)	ND(1.0)	ND(1.0)	ND(5.0)	ND(5.0)	ND(0.5)	ND(0.9)	ND(0.3)	ND(0.3)
2-Chloroethylvinyl ether		ND(4.0)	ND(4.0)	ND(10.0)	ND(10.0)	ND(0.6)	ND(1.5)	ND(1.1)	ND(1.1)
Bromoform	ND(5.0)	ND(1.0)	ND(1.0)	ND(5.0)	ND(5.0)	ND(0.8)	ND(0.7)	ND(0.3)	ND(0.3)
1,1,2,2-Tetrachloroethane	ND(5.0)	ND(2.0)	ND(2.0)	ND(5.0)	ND(5.0)	ND(0.5)	1.2	ND(0.3)	ND(0.3)
Tetrachloroethene	ND(5.0)	ND(3.0)	4.0	3.0 J	3.0	1.8	3.7	3.3	2.9
Toluene	ND(5.0)	ND(2.0)	ND(2.0)	ND(5.0)	ND(5.0)	ND(0.8)	ND(0.5)	ND(0.3)	ND(0.3)
Chlorobenzene	ND(5.0)	ND(2.0)	ND(2.0)	ND(5.0)	ND(5.0)	ND(0.6)	ND(0.5)	ND(0.2)	ND(0.2)
Ethylbenzene	ND(5.0)	ND(2.0)	ND(2.0)	ND(5.0)	ND(5.0)	ND(0.7)	ND(0.5)	ND(0.4)	ND(0.4)
1,2-Dichlorobenzene		ND(2.0)	ND(2.0)	ND(10.0)	ND(10.0)	ND(1.5)	ND(0.2)	ND(0.2)	ND(0.2)
1,3-Dichlorobenzene		ND(2.0)	ND(2.0)	ND(10.0)	ND(10.0)	ND(0.7)	ND(0.4)	ND(0.4)	ND(0.4)
1,4-Dichlorobenzene		ND(2.0)	ND(2.0)	ND(10.0)	ND(10.0)	ND(0.5)	ND(0.3)	ND(0.3)	ND(0.3)

SW-1 (continued)

Parameter	4/01	9/01	4/02	9/02	4/03	10/03	6/04	10/04	4/05
Chloromethane	ND(1.1)	ND(1.1)	ND(1.1)	ND(1.4)	ND(1.4)	ND(2.2)	ND(0.49)	ND(0.49)	ND(0.45)
Bromomethane	ND(0.6)	ND(0.6)	ND(0.6)	ND(1.7)	ND(1.7)	ND(2.9)	ND(0.61)	ND(0.61)	ND(1.30)
Vinyl Chloride	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.2)	ND(1.2)	ND(0.8)	ND(0.28)	ND(0.28)	ND(0.62)
Chloroethane	ND(0.7)	ND(0.7)	ND(0.7)	ND(1.8)	ND(1.8)	ND(2.0)	ND(0.62)	ND(0.62)	ND(1.10)
Methylene Chloride	ND(0.4)	ND(0.4)	ND(0.4)	ND(1.2)	ND(1.2)	ND(1.2)	ND(1.40)	ND(1.40)	ND(0.98)
Trichloroflouromethane	ND(0.4)	ND(0.4)	ND(0.4)	ND(1.3)	ND(1.3)	ND(1.5)	ND(0.80)	ND(0.80)	ND(0.58)
1,1-Dichloroethene	ND(0.4)	ND(0.4)	ND(0.4)	ND(1.0)	ND(1.0)	ND(0.1)	ND(0.28)	ND(0.28)	ND(0.28)
1,1-Dichloroethane	ND(0.2)	ND(0.2)	ND(0.2)	ND(1.0)	ND(1.0)	ND(1.3)	ND(0.29)	ND(0.29)	ND(0.33)
*1,2-Dichloroethene, Total	ND(0.4)	ND(0.4)	ND(0.4)	ND(1.0)	ND(1.0)	ND(1.3)	ND(0.32)	ND(0.32)	ND(0.40)
Chloroform	ND(0.3)	ND(0.3)	ND(0.3)	ND(0.8)	ND(0.8)	ND(1.5)	ND(0.30)	ND(0.30)	ND(0.18)
1,2-Dichloroethane	ND(0.3)	ND(0.3)	ND(0.3)	ND(0.6)	ND(0.6)	ND(0.2)	ND(0.19)	ND(0.19)	ND(0.28)
1,1,1-Trichloroethane	ND(0.3)	ND(0.3)	ND(0.3)	ND(0.8)	ND(0.8)	ND(0.5)	ND(0.34)	ND(0.34)	ND(0.17)
Carbon Tetrachloride	ND(0.3)	ND(0.3)	ND(0.3)	ND(0.5)	ND(0.5)	ND(0.1)	ND(0.18)	ND(0.18)	ND(0.34)
Bromodichloromethane	ND(0.3)	ND(0.3)	ND(0.3)	ND(0.9)	ND(0.9)	ND(0.1)	ND(0.29)	ND(0.29)	ND(0.30)
1,2-Dichloropropane	ND(0.4)	ND(0.4)	ND(0.4)	ND(0.8)	ND(0.8)	ND(0.2)	ND(0.32)	ND(0.32)	ND(0.27)
cis-1,3-Dichloropropene	ND(0.3)	ND(0.3)	ND(0.3)	ND(1.5)	ND(1.5)	ND(0.7)	ND(0.21)	ND(0.21)	ND(0.26)
Trichloroethene	ND(0.4)	ND(0.4)	ND(0.4)	ND(0.9)	ND(0.9)	ND(0.1)	ND(0.27)	ND(0.27)	ND(0.59)
Benzene	ND(0.3)	ND(0.3)	ND(0.3)	ND(0.6)	ND(0.6)	ND(0.1)	ND(0.17)	ND(0.17)	ND(0.35)
Dibromochloromethane	ND(0.3)	ND(0.3)	ND(0.3)	ND(1.4)	ND(1.4)	ND(1.2)	ND(0.30)	ND(0.30)	ND(0.22)
trans-1,3-Dichloropropene	ND(0.2)	ND(0.2)	ND(0.2)	ND(1.5)	ND(1.5)	ND(0.7)	ND(0.23)	ND(0.23)	ND(0.29)
1,1,2-Trichloroethane	ND(0.3)	ND(0.3)	ND(0.3)	ND(1.5)	ND(1.5)	ND(1.0)	ND(0.28)	ND(0.28)	ND(0.24)
2-Chloroethylvinyl ether	ND(1.1)	ND(1.1)	ND(1.1)	ND(4.8)	ND(4.8)	ND(2.7)	ND(1.70)	ND(1.70)	ND(6.20)
Bromoform	ND(0.3)	ND(0.3)	ND(0.3)	ND(1.5)	ND(1.5)	ND(1.3)	ND(0.25)	ND(0.25)	ND(0.22)
1,1,2,2-Tetrachloroethane	ND(0.3)	ND(0.3)	ND(0.3)	ND(0.8)	ND(0.8)	ND(1.9)	ND(0.27)	ND(0.27)	ND(0.35)
Tetrachloroethene	3.9	3.7	3.1	3.2 J	2.0 J	1.7 J	ND(0.30)	3.40 J	2.10 J
Toluene	ND(0.3)	ND(0.3)	ND(0.3)	ND(1.0)	ND(1.0)	ND(0.5)	ND(0.23)	ND(0.23)	ND(0.38)
Chlorobenzene	ND(0.2)	ND(0.2)	ND(0.2)	ND(1.0)	ND(1.0)	ND(0.5)	ND(0.24)	ND(0.24)	ND(0.47)
Ethylbenzene	ND(0.4)	ND(0.4)	ND(0.4)	ND(1.2)	ND(1.2)	ND(0.8)	ND(0.17)	ND(0.17)	ND(0.50)
1,2-Dichlorobenzene	ND(0.2)	ND(0.2)	ND(0.2)	ND(1.6)	ND(1.6)	ND(0.5)	ND(0.20)	ND(0.20)	ND(0.67)
1,3-Dichlorobenzene	ND(0.4)	ND(0.4)	ND(0.4)	ND(0.8)	ND(0.8)	ND(0.7)	ND(0.28)	ND(0.28)	ND(0.35)
1,4-Dichlorobenzene	ND(0.3)	ND(0.3)	ND(0.3)	ND(1.4)	ND(1.4)	ND(0.8)	ND(0.30)	ND(0.30)	ND(0.79)

SW-1 (continued)

Parameter	9/15	5/16	9/16	4/17	9/17	6/18	11/18	4/19	9/19
Chloromethane	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.0)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
Bromomethane	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.0)	1.30 J	ND(5.00)	ND(5.00)	ND(5.00)
Vinyl Chloride	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.0)	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)
Chloroethane	ND(2.00)	ND(2.00)	ND(2.00)	ND(2.00)	ND(2.0)	ND(2.00)	ND(2.00)	ND(2.00)	ND(2.00)
Methylene Chloride	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.0)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
Trichloroflouromethane	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.0)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
1,1-Dichloroethene	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.0)	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)
1,1-Dichloroethane	ND(1.50)	ND(1.50)	ND(1.50)	ND(1.50)	ND(1.5)	ND(1.50)	ND(1.50)	ND(1.50)	ND(1.50)
*1,2-Dichloroethene, Total	ND(1.50)	ND(1.50)	ND(1.50)	ND(1.50)	ND(1.5)	ND(1.50)	ND(1.50)	ND(1.50)	ND(1.50)
Chloroform	ND(1.50)	ND(1.50)	ND(1.50)	ND(1.50)	ND(1.5)	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)
1,2-Dichloroethane	ND(1.50)	ND(1.50)	ND(1.50)	ND(1.50)	ND(1.5)	ND(1.50)	ND(1.50)	ND(1.50)	ND(1.50)
1,1,1-Trichloroethane	ND(2.00)	ND(2.00)	ND(2.00)	ND(2.00)	ND(2.0)	ND(2.00)	ND(2.00)	ND(2.00)	ND(2.00)
Carbon Tetrachloride	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.0)	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)
Bromodichloromethane	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.0)	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)
1,2-Dichloropropane	ND(3.50)	ND(3.50)	ND(3.50)	ND(3.50)	ND(3.5)	ND(3.50)	ND(3.50)	ND(3.50)	ND(3.50)
cis-1,3-Dichloropropene	ND(1.50)	ND(1.50)	ND(1.50)	ND(1.50)	ND(1.5)	ND(1.50)	ND(1.50)	ND(1.50)	ND(1.50)
Trichloroethene	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.0)	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)
Benzene	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.0)	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)
Dibromochloromethane	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.0)	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)
trans-1,3-Dichloropropene	ND(1.50)	ND(1.50)	ND(1.50)	ND(1.50)	ND(1.5)	ND(1.50)	ND(1.50)	ND(1.50)	ND(1.50)
1,1,2-Trichloroethane	ND(1.50)	ND(1.50)	ND(1.50)	ND(1.50)	ND(1.5)	ND(1.50)	ND(1.50)	ND(1.50)	ND(1.50)
2-Chloroethylvinyl ether	ND(10.00)	ND(10.00)	ND(10.00)	ND(10.00)	ND(10.0)	ND(10.00)	ND(10.00)	ND(10.00)	ND(10.00)
Bromoform	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.0)	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)
1,1,2,2-Tetrachloroethane	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.0)	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)
Tetrachloroethene	1.30 J	1.30 J	1.20 J	1.20 J	0.72J	1.00 J	0.93 J	1.20	1.10
Toluene	ND(1.00)	ND(1.00)	ND(1.0)	ND(1.00)	ND(1.0)	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)
Chlorobenzene	ND(3.50)	ND(3.50)	ND(3.5)	ND(3.50)	ND(3.5)	ND(3.50)	ND(3.50)	ND(3.50)	ND(3.50)
Ethylbenzene	ND(1.00)	ND(1.00)	ND(1.0)	ND(1.00)	ND(1.0)	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)
1,2-Dichlorobenzene	ND(5.00)	ND(5.00)	ND(5.0)	ND(5.00)	ND(5.0)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
1,3-Dichlorobenzene	ND(5.00)	ND(5.00)	ND(5.0)	ND(5.00)	ND(5.0)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
1,4-Dichlorobenzene	ND(5.00)	ND(5.00)	ND(5.0)	ND(5.00)	ND(5.0)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
Acetone	ND(10.00)	ND(10.00)	ND(10.0)	ND(10.00)	ND(10.0)	ND(10.00)	ND(10.00)	ND(10.00)	ND(10.00)
Tert-Butyl Alcohol	ND(100.00)	ND(100.00)	ND(100.0)	ND(100.00)	ND(100.0)	ND(100.00)	ND(100.00)	ND(100.00)	ND(100.00)
cis-1,2-Dichloroethene	ND(1.00)	ND(1.00)	ND(1.0)	ND(1.00)	ND(1.0)	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)
Methyl Tert Butyl Ether	NA	NA	NA	NA	ND(10.0)	NA	NA	NA	NA

SW-1 (continued)

Parameter	6/20	10/20							
Chloromethane	ND(5.00)	ND(5.00)							
Bromomethane	ND(5.00)	ND(5.00)							
Vinyl Chloride	ND(1.00)	ND(1.00)							
Chloroethane	ND(2.00)	ND(2.00)							
Methylene Chloride	ND(5.00)	ND(5.00)							
Trichloroflouromethane	ND(5.00)	ND(5.00)							
1,1-Dichloroethene	ND(1.00)	ND(1.00)							
1,1-Dichloroethane	ND(1.50)	ND(1.50)							
*1,2-Dichloroethene, Total	ND(1.50)	ND(1.50)							
Chloroform	ND(1.00)	ND(1.00)							
1,2-Dichloroethane	ND(1.50)	ND(1.50)							
1,1,1-Trichloroethane	ND(2.00)	ND(2.00)							
Carbon Tetrachloride	ND(1.00)	ND(1.00)							
Bromodichloromethane	ND(1.00)	ND(1.00)							
1,2-Dichloropropane	ND(3.50)	ND(3.50)							
cis-1,3-Dichloropropene	ND(1.50)	ND(1.50)							
Trichloroethene	ND(1.00)	ND(1.00)							
Benzene	ND(1.00)	ND(1.00)							
Dibromochloromethane	ND(1.00)	ND(1.00)							
trans-1,3-Dichloropropene	ND(1.50)	ND(1.50)							
1,1,2-Trichloroethane	ND(1.50)	ND(1.50)							
2-Chloroethylvinyl ether	ND(10.00)	ND(10.00)							
Bromoform	ND(1.00)	ND(1.00)							
1,1,2,2-Tetrachloroethane	ND(1.00)	ND(1.00)							
Tetrachloroethene	0.99 J	1.10 J							
Toluene	ND(1.00)	ND(1.00)							
Chlorobenzene	ND(3.50)	ND(3.50)							
Ethylbenzene	ND(1.00)	ND(1.00)							
1,2-Dichlorobenzene	ND(5.00)	ND(5.00)							
1,3-Dichlorobenzene	ND(5.00)	ND(5.00)							
1,4-Dichlorobenzene	ND(5.00)	ND(5.00)							
Acetone	ND(10.00)	ND(10.00)							
Tert-Butyl Alcohol	ND(100.00)	ND(100.00)							
cis-1,2-Dichloroethene	ND(1.00)	ND(1.00)							
Methyl Tert Butyl Ether	ND(10.00)	ND(10.00)							

Note:

ND(): Compound not detected at method detection limit

*1,2-Dichloroethene, Total: Sum of Trans and Cis 1,2-Dichloroethene

J: Indicates an estimated value; compound is present at a concentration less than specified detection limit

B: The analyte was found in an associated blank, as well as in the sample

SW-1
Historical Analysis of Metals and Leachate Indicators
East Northport Landfill, East Northport, NY
Reported in Milligrams per Liter

Leachate Indicators (mg/l)	6/96	4/97	9/97	4/98	9/98	4/99	9/99	4/00	9/00
Ammonia	ND(1.000)	ND(0.050)	0.140	ND(0.200)	0.130	ND(0.200)	ND(0.200)	ND(0.200)	0.280
Bicarbonate		25.20	28.20	24.20	29.80	27.50	27.50	32.00	38.00
Chloride	49.60	38.20	35.10	30.30	30.00	38.50	33.70	40.00	40.00
Nitrate	1.70	1.99	1.48	1.70	1.50	1.92	0.789	1.60	1.50
Sulfate	21.80	16.00	18.50	17.00	19.90	20.30	27.10	20.00	21.00
Alkalinity	25.00	25.20	28.20	24.20	29.80	27.50	34.00	32.00	38.00
TDS	145.00	588.00	110.00	172.00	94.00	137.00	111.00	110.00	120.00
Hardness	23.00	63.07	61.60	64.8 E	56.50	55.90	51.00	57.00	60.00

Leachate Indicators (mg/l)	4/01	9/01	4/02	9/02	4/03	10/03	6/04	10/04	4/05
Ammonia	ND(0.200)	ND(0.200)	ND(0.200)	ND(0.200)	ND(0.200)	0.600	0.700	ND(0.200)	ND(0.200)
Bicarbonate	24.00	29.00	22.00	28.00	26.00	36.00	26.00	29.00	29.00
Chloride	47.00	44.00	56.00	45.00	58.00	53.00	55.00	52.00	65.00
Nitrate	ND(0.50)	1.60	2.00	1.20	3.30	2.50	2.20	2.44	2.31
Sulfate	21.00	22.00	21.00	20.00	22.00	24.00	4.30	23.00	23.00
Alkalinity	24.00	29.00	22.00	28.00	26.00	36.00	26.00	29.00	29.00
TDS	140.00	120.00	200.00	140.00	175.00	174.00	198.00	157.00	180.00
Hardness	75.00	37.00	57.00	60.00	61.00	67.00	70.00	61.00	81.00

SW-1 (continued)

Leachate Indicators (mg/l)	9/05	8/06	11/06	7/07	11/07	4/08	9/08	4/09	9/09
Ammonia	0.230	ND(0.200)	0.200	0.074	0.160	0.080	0.090	0.11	0.11
Bicarbonate	34.00	33.00	34.00	32.70	38.00	33.70	67.40	26.49	35.50
Chloride	53.00	51.00	49.00	49.20	48.00	55.00	47.00	66.00	61.00
Nitrate	2.36	2.12	2.73	2.30	3.00	2.80	4.30	3.80	2.60
Sulfate	22.00	23.00	20.00	19.20	20.00	20.00	17.00	21.00	21.00
Alkalinity	34.00	33.00	34.00	32.70	38.00	33.70	67.40	26.49	35.50
TDS	150.00	160.00	190.00	195.00	160.00	170.00	200.00	200.00	210.00
Hardness	67.20	56.20	75.80	70.90	74.60	65.80	58.90	76.50	73.30

Leachate Indicators (mg/l)	6/10	10/11	5/12	9/12	5/13	10/13	4/14	9/14	4/15
Ammonia	0.24	0.063	0.19	0.214	0.167	0.113	0.081	0.190	0.054 J
Bicarbonate	36.00	38.00	27.00	37.000	35.00	38.00	35.00	35.30	34.80
Chloride	58.00	56.00	50.00	52.000	53.00	56.00	70.00	72.00	72.00
Nitrate	3.00	3.00	2.50	2.600	3.47	3.03	3.46	2.69	3.83
Sulfate	21.00	20.00	21.00	23.000	23.00	23.00	25.00	23.00	25.00
Alkalinity	36.00	38.00	27.00	37.000	35.00	38.00	35.00	35.30	34.80
TDS	190.00	190.00	170.00	170.000	170.00	180.00	220.00	210.00	200.00
Hardness	84.40	76.90	77.00	81.000	84.00	74.00	83.00	77.00	75.00

SW-1 (continued)

Leachate Indicators (mg/l)	9/15	5/16	9/16	4/17	9/17	6/18	11/18	4/19	9/19
Ammonia	0.077	0.109	0.055 J	0.04 J	0.192	0.142	0.116	0.087	0.08
Bicarbonate	37.700	35.900	39.40	37.10	47.60	42.20	43.50	39.70	40.40
Chloride	75.000	66.000	72.00	67.00	78.00	74.00	71.00	61.00	61.00
Nitrate	3.840	3.210	3.41	2.92	0.87	2.39	2.91	3.12	2.99
Sulfate	26.000	25.000	25.00	27.00	26.00	21.00	22.00	24.00	20.00
Alkalinity	37.700	35.900	39.40	37.10	47.60	42.20	43.50	39.70	40.40
TDS	220.000	240.000	200.00	170.00	190.00	210.00	230.00	210.00	150.00
Hardness	86.000	83.000	86.00	94.00	79.30	82.50	78.00	78.70	73.60

Leachate Indicators (mg/l)	6/20	10/20							
Ammonia	0.175	0.149							
Bicarbonate	41.50	42.80							
Chloride	56.00	62.00							
Nitrate	2.53	2.94							
Sulfate	18.00	20.00							
Alkalinity	41.50	42.80							
TDS	200.00	180.00							
Hardness	86.10	76.30							

Note:

ND(): Compound not detected at method detection limit

J: Indicates an estimated value; compound is present at a concentration less than specified detection limit

Bold indicates value above NYSDEC Class GA Standard

E: Reported value is estimated because of the presence of interference

SW-2
Historical Analysis of Volatile Organic Compounds
East Northport Landfill, East Northport, NY
Reported in Micrograms per Liter

Parameter	6/96	4/97	9/97	4/98	9/98	4/99	9/99	4/00	9/00
Chloromethane	ND(10.0)	ND(2.0)	ND(2.0)	ND(10.0)	ND(10.0)	ND(4.6)	ND(2.3)	ND(1.1)	ND(1.1)
Bromomethane	ND(10.0)	ND(1.0)	ND(1.0)	ND(10.0)	ND(10.0)	ND(3.8)	ND(1.8)	ND(0.6)	ND(0.6)
Vinyl Chloride	ND(10.0)	ND(1.0)	ND(1.0)	ND(10.0)	ND(10.0)	ND(1.7)	ND(2.0)	ND(1.0)	ND(1.0)
Chloroethane	ND(10.0)	ND(1.0)	ND(1.0)	ND(10.0)	ND(10.0)	ND(1.8)	ND(1.6)	ND(0.7)	ND(0.7)
Methylene Chloride	ND(5.0)	6.0	ND(3.0)	ND(5.0)	ND(5.0)	ND(2.7)	ND(0.6)	ND(0.4)	ND(0.4)
Trichloroflouromethane		ND(2.0)	ND(2.0)	ND(10.0)	ND(10.0)	ND(1.5)	ND(1.5)	ND(0.4)	ND(0.4)
1,1-Dichloroethene	ND(5.0)	ND(2.0)	ND(2.0)	ND(5.0)	ND(5.0)	ND(1.7)	ND(1.2)	ND(0.4)	ND(0.4)
1,1-Dichloroethane	ND(5.0)	ND(1.0)	ND(1.0)	ND(5.0)	ND(5.0)	ND(1.4)	ND(0.7)	ND(0.2)	ND(0.2)
*1,2-Dichloroethene, Total		ND(1.0)	ND(1.0)	ND(5.0)	ND(5.0)	ND(1.7)	ND(1.0)	ND(0.4)	ND(0.4)
Chloroform	ND(5.0)	ND(1.0)	ND(1.0)	ND(5.0)	ND(5.0)	ND(1.6)	ND(0.4)	ND(0.3)	ND(0.3)
1,2-Dichloroethane	ND(5.0)	ND(1.0)	ND(1.0)	ND(5.0)	ND(5.0)	ND(1.9)	ND(0.5)	ND(0.3)	ND(0.3)
1,1,1-Trichloroethane	ND(5.0)	ND(1.0)	ND(1.0)	ND(5.0)	ND(5.0)	ND(0.5)	ND(0.5)	ND(0.3)	ND(0.3)
Carbon Tetrachloride	ND(5.0)	ND(2.0)	ND(2.0)	ND(5.0)	ND(5.0)	ND(0.6)	ND(0.4)	ND(0.3)	ND(0.3)
Bromodichloromethane	ND(5.0)	ND(1.0)	ND(1.0)	ND(5.0)	ND(5.0)	ND(0.6)	ND(0.6)	ND(0.3)	ND(0.3)
1,2-Dichloropropane	ND(5.0)	ND(1.0)	ND(1.0)	ND(5.0)	ND(5.0)	ND(0.6)	ND(0.8)	ND(0.4)	ND(0.4)
cis-1,3-Dichloropropene	ND(5.0)	ND(1.0)	ND(1.0)	ND(5.0)	ND(5.0)	ND(0.5)	ND(0.3)	ND(0.3)	ND(0.3)
Trichloroethene	ND(5.0)	ND(2.0)	ND(2.0)	ND(5.0)	0.8 J	ND(0.6)	ND(0.3)	ND(0.4)	ND(0.4)
Benzene	ND(5.0)	ND(1.0)	ND(1.0)	ND(5.0)	ND(5.0)	ND(0.5)	ND(0.6)	ND(0.3)	ND(0.3)
Dibromochloromethane	ND(5.0)	ND(1.0)	ND(1.0)	ND(5.0)	ND(5.0)	ND(0.6)	ND(0.5)	ND(0.3)	ND(0.3)
trans-1,3-Dichloropropene	ND(5.0)	ND(1.0)	ND(1.0)	ND(5.0)	ND(5.0)	ND(0.6)	ND(0.5)	ND(0.2)	ND(0.2)
1,1,2-Trichloroethane	ND(5.0)	ND(1.0)	ND(1.0)	ND(5.0)	ND(5.0)	ND(0.5)	ND(0.9)	ND(0.3)	ND(0.3)
2-Chloroethylvinyl ether		ND(4.0)	ND(4.0)	ND(10.0)	ND(10.0)	ND(0.6)	ND(1.5)	ND(1.1)	ND(1.1)
Bromoform	ND(5.0)	ND(1.0)	ND(1.0)	ND(5.0)	ND(5.0)	ND(0.8)	ND(0.7)	ND(0.3)	ND(0.3)
1,1,2,2-Tetrachloroethane	ND(5.0)	ND(2.0)	ND(2.0)	ND(5.0)	ND(5.0)	ND(0.5)	ND(1.0)	ND(0.3)	ND(0.3)
Tetrachloroethene	ND(5.0)	ND(3.0)	3.0	3.0 J	4.0 J	3.2	1.8	4.2	3.0
Toluene	ND(5.0)	ND(2.0)	ND(2.0)	ND(5.0)	ND(5.0)	ND(0.8)	ND(0.5)	ND(0.3)	ND(0.3)
Chlorobenzene	ND(5.0)	ND(2.0)	ND(2.0)	ND(5.0)	ND(5.0)	ND(0.6)	ND(0.5)	ND(0.2)	ND(0.2)
Ethylbenzene	ND(5.0)	ND(2.0)	ND(2.0)	ND(5.0)	ND(5.0)	ND(0.7)	ND(0.5)	ND(0.4)	ND(0.4)
1,2-Dichlorobenzene		ND(2.0)	ND(2.0)	ND(10.0)	ND(10.0)	ND(1.5)	ND(0.2)	ND(0.2)	ND(0.2)
1,3-Dichlorobenzene		ND(2.0)	ND(2.0)	ND(10.0)	ND(10.0)	ND(0.7)	ND(0.4)	ND(0.4)	ND(0.4)
1,4-Dichlorobenzene		ND(2.0)	ND(2.0)	ND(10.0)	ND(10.0)	ND(0.5)	ND(0.3)	ND(0.3)	ND(0.3)

SW-2 (continued)

Parameter	4/01	9/01	4/02	9/02	4/03	10/03	6/04	10/04	4/05
Chloromethane	ND(1.1)	ND(1.1)	ND(1.1)	ND(1.4)	ND(1.4)	ND(2.2)	ND(0.49)	ND(0.49)	ND(0.45)
Bromomethane	ND(0.6)	ND(0.6)	ND(0.6)	ND(1.7)	ND(1.7)	ND(2.9)	ND(0.61)	ND(0.61)	ND(1.30)
Vinyl Chloride	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.2)	ND(1.2)	ND(0.8)	ND(0.28)	ND(0.28)	ND(0.62)
Chloroethane	ND(0.7)	ND(0.7)	ND(0.7)	ND(1.8)	ND(1.8)	ND(2.0)	ND(0.62)	ND(0.62)	ND(1.10)
Methylene Chloride	ND(0.4)	ND(0.4)	ND(0.4)	ND(1.2)	ND(1.2)	ND(1.2)	ND(1.40)	ND(1.40)	ND(0.98)
Trichloroflouromethane	ND(0.4)	ND(0.4)	ND(0.4)	ND(1.3)	ND(1.3)	ND(1.5)	ND(0.80)	ND(0.80)	ND(0.58)
1,1-Dichloroethene	ND(0.4)	ND(0.4)	ND(0.4)	ND(1.0)	ND(1.0)	ND(0.1)	ND(0.28)	ND(0.28)	ND(0.28)
1,1-Dichloroethane	ND(0.2)	ND(0.2)	ND(0.2)	ND(1.0)	ND(1.0)	ND(1.3)	ND(0.29)	ND(0.29)	ND(0.33)
*1,2-Dichloroethene, Total	ND(0.4)	ND(0.4)	ND(0.4)	ND(1.0)	ND(1.0)	ND(1.3)	ND(0.32)	ND(0.32)	ND(0.40)
Chloroform	ND(0.3)	ND(0.3)	ND(0.3)	ND(0.8)	ND(0.8)	ND(1.5)	ND(0.30)	ND(0.30)	ND(0.18)
1,2-Dichloroethane	ND(0.3)	ND(0.3)	ND(0.3)	ND(0.6)	ND(0.6)	ND(0.2)	ND(0.19)	ND(0.19)	ND(0.28)
1,1,1-Trichloroethane	ND(0.3)	ND(0.3)	ND(0.3)	ND(0.8)	ND(0.8)	ND(0.5)	ND(0.34)	ND(0.34)	ND(0.17)
Carbon Tetrachloride	ND(0.3)	ND(0.3)	ND(0.3)	ND(0.5)	ND(0.5)	ND(0.1)	ND(0.18)	ND(0.18)	ND(0.34)
Bromodichloromethane	ND(0.3)	ND(0.3)	ND(0.3)	ND(0.9)	ND(0.9)	ND(0.1)	ND(0.29)	ND(0.29)	ND(0.30)
1,2-Dichloropropane	ND(0.4)	ND(0.4)	ND(0.4)	ND(0.8)	ND(0.8)	ND(0.2)	ND(0.32)	ND(0.32)	ND(0.27)
cis-1,3-Dichloropropene	ND(0.3)	ND(0.3)	ND(0.3)	ND(1.5)	ND(1.5)	ND(0.7)	ND(0.21)	ND(0.21)	ND(0.26)
Trichloroethene	ND(0.4)	ND(0.4)	ND(0.4)	ND(0.9)	ND(0.9)	ND(0.1)	ND(0.27)	ND(0.27)	ND(0.59)
Benzene	ND(0.3)	ND(0.3)	ND(0.3)	ND(0.6)	ND(0.6)	ND(0.1)	ND(0.17)	ND(0.17)	ND(0.35)
Dibromochloromethane	ND(0.3)	ND(0.3)	ND(0.3)	ND(1.4)	ND(1.4)	ND(1.2)	ND(0.30)	ND(0.30)	ND(0.22)
trans-1,3-Dichloropropene	ND(0.2)	ND(0.2)	ND(0.2)	ND(1.5)	ND(1.5)	ND(0.7)	ND(0.23)	ND(0.23)	ND(0.29)
1,1,2-Trichloroethane	ND(0.3)	ND(0.3)	ND(0.3)	ND(1.5)	ND(1.5)	ND(1.0)	ND(0.28)	ND(0.28)	ND(0.24)
2-Chloroethylvinyl ether	ND(1.1)	ND(1.1)	ND(1.1)	ND(4.8)	ND(4.8)	ND(2.7)	ND(1.70)	ND(1.70)	ND(6.20)
Bromoform	ND(0.3)	ND(0.3)	ND(0.3)	ND(1.5)	ND(1.5)	ND(1.3)	ND(0.25)	ND(0.25)	ND(0.22)
1,1,2,2-Tetrachloroethane	ND(0.3)	ND(0.3)	ND(0.3)	ND(0.8)	ND(0.8)	ND(1.9)	ND(0.27)	ND(0.27)	ND(0.35)
Tetrachloroethene	4.8	6.9	4.2	4.7 J	2.6 J	1.7 J	ND(0.30)	4.5 J	1.8 J
Toluene	ND(0.3)	ND(0.3)	ND(0.3)	ND(1.0)	ND(1.0)	ND(0.5)	ND(0.23)	0.7 J	ND(0.38)
Chlorobenzene	ND(0.2)	ND(0.2)	ND(0.2)	ND(1.0)	ND(1.0)	ND(0.5)	ND(0.24)	ND(0.24)	ND(0.47)
Ethylbenzene	ND(0.4)	ND(0.4)	ND(0.4)	ND(1.2)	ND(1.2)	ND(0.8)	ND(0.17)	ND(0.17)	ND(0.50)
1,2-Dichlorobenzene	ND(0.2)	ND(0.2)	ND(0.2)	ND(1.6)	ND(1.6)	ND(0.5)	ND(0.20)	ND(0.20)	ND(0.67)
1,3-Dichlorobenzene	ND(0.4)	ND(0.4)	ND(0.4)	ND(0.8)	ND(0.8)	ND(0.7)	ND(0.28)	ND(0.28)	ND(0.35)
1,4-Dichlorobenzene	ND(0.3)	ND(0.3)	ND(0.3)	ND(1.4)	ND(1.4)	ND(0.8)	ND(0.30)	ND(0.30)	ND(0.79)

SW-2 (continued)

Parameter	6/10	10/11	5/12	9/12	5/13	10/13	4/14	9/14	4/15
Chloromethane	ND(5.00)	ND(2.00)	ND(5.00)	ND(10.00)	ND(10.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
Bromomethane	ND(5.00)	ND(2.00)	ND(5.00)	1.60 J	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
Vinyl Chloride	ND(5.00)	ND(1.00)	ND(5.00)	ND(2.00)	ND(2.00)	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)
Chloroethane	ND(5.00)	ND(2.00)	ND(5.00)	ND(2.00)	ND(2.00)	ND(2.00)	ND(2.00)	ND(2.00)	ND(2.00)
Methylene Chloride	ND(5.00)	ND(3.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
Trichloroflouromethane	ND(5.00)	ND(1.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
1,1-Dichloroethene	ND(5.00)	ND(1.00)	ND(5.00)	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)
1,1-Dichloroethane	ND(5.00)	ND(2.00)	ND(5.00)	ND(1.50)	ND(1.50)	ND(1.50)	ND(1.50)	ND(1.50)	ND(1.50)
*1,2-Dichloroethene, Total	ND(5.00)	ND(2.00)	ND(5.00)	ND(1.50)	ND(1.50)	ND(1.50)	ND(1.50)	ND(1.50)	ND(1.50)
Chloroform	ND(5.00)	ND(2.00)	ND(5.00)	ND(1.50)	ND(1.50)	ND(1.50)	ND(1.50)	ND(1.50)	ND(1.50)
1,2-Dichloroethane	ND(5.00)	ND(2.00)	ND(5.00)	ND(1.50)	ND(1.50)	ND(1.50)	ND(1.50)	ND(1.50)	ND(1.50)
1,1,1-Trichloroethane	ND(5.00)	ND(2.00)	ND(5.00)	ND(2.00)	ND(2.00)	ND(2.00)	ND(2.00)	ND(2.00)	ND(2.00)
Carbon Tetrachloride	ND(5.00)	ND(1.00)	ND(5.00)	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)
Bromodichloromethane	ND(5.00)	ND(1.00)	ND(5.00)	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)
1,2-Dichloropropane	ND(5.00)	ND(1.00)	ND(5.00)	ND(3.50)	ND(3.50)	ND(3.50)	ND(3.50)	ND(3.50)	ND(3.50)
cis-1,3-Dichloropropene	ND(5.00)	ND(1.00)	ND(5.00)	ND(1.50)	ND(1.50)	ND(1.50)	ND(1.50)	ND(1.50)	ND(1.50)
Trichloroethene	ND(5.00)	0.50 J	ND(5.00)	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)	0.34 J	ND(1.00)
Benzene	ND(5.00)	ND(0.70)	ND(5.00)	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)
Dibromochloromethane	ND(5.00)	ND(1.00)	ND(5.00)	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)
trans-1,3-Dichloropropene	ND(5.00)	ND(1.00)	ND(5.00)	ND(1.50)	ND(1.50)	ND(1.50)	ND(1.50)	ND(1.50)	ND(1.50)
1,1,2-Trichloroethane	ND(5.00)	ND(2.00)	ND(5.00)	ND(1.50)	ND(1.50)	ND(1.50)	ND(1.50)	ND(1.50)	ND(1.50)
2-Chloroethylvinyl ether	ND(5.00)	NA	ND(5.00)	ND(10.00)	ND(10.00)	ND(10.00)	ND(10.00)	ND(10.00)	ND(10.00)
Bromoform	ND(5.00)	ND(1.00)	ND(5.00)	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)
1,1,2,2-Tetrachloroethane	ND(5.00)	ND(1.00)	ND(5.00)	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)
Tetrachloroethene	ND(5.00)	ND(1.00)	1.5	1.80	1.90	2.00	1.30 J	1.60	1.60
Toluene	6.80	ND(2.00)	ND(5.00)	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)
Chlorobenzene	ND(5.00)	ND(2.00)	ND(5.00)	ND(3.50)	ND(3.50)	ND(3.50)	ND(3.50)	ND(3.50)	ND(3.50)
Ethylbenzene	ND(5.00)	ND(1.00)	ND(5.00)	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)
1,2-Dichlorobenzene	ND(5.00)	ND(2.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
1,3-Dichlorobenzene	ND(5.00)	ND(2.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
1,4-Dichlorobenzene	ND(5.00)	ND(2.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
Acetone	NA	NA	ND(10.00)	4.10 J	13.00	ND(10.0)	ND(10.00)	ND(10.00)	1.80 J
Tert-Butyl Alcohol	NA	NA	ND(100.00)	ND(100.00)	ND(100.00)	ND(100.00)	ND(100.00)	ND(100.00)	ND(100.00)
cis-1,2-Dichloroethene	NA	NA	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)	0.39 J	ND(1.00)	0.56 J

SW-2 (continued)

Parameter	9/15	5/16	9/16	4/17	9/17	6/18	11/18	4/19	9/19
Chloromethane	ND(5.00)	ND(5.00)	ND(5.0)	ND(5.00)	ND(5.0)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
Bromomethane	ND(5.00)	ND(5.00)	ND(5.0)	ND(5.00)	ND(5.0)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
Vinyl Chloride	ND(1.00)	ND(1.00)	ND(1.0)	ND(1.00)	ND(1.0)	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)
Chloroethane	ND(2.00)	ND(2.00)	ND(2.0)	ND(2.00)	ND(2.0)	ND(2.00)	ND(2.00)	ND(2.00)	ND(2.00)
Methylene Chloride	ND(5.00)	ND(5.00)	ND(5.0)	ND(5.00)	ND(5.0)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
Trichloroflouromethane	ND(5.00)	ND(5.00)	ND(5.0)	ND(5.00)	ND(5.0)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
1,1-Dichloroethene	ND(1.00)	ND(1.00)	ND(1.0)	ND(1.00)	ND(1.0)	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)
1,1-Dichloroethane	ND(1.50)	ND(1.50)	ND(1.5)	ND(1.50)	ND(1.5)	ND(1.50)	ND(1.50)	ND(1.50)	ND(1.50)
*1,2-Dichloroethene, Total	ND(1.50)	ND(1.50)	ND(1.5)	ND(1.50)	ND(1.5)	ND(1.50)	ND(1.50)	ND(1.50)	ND(1.50)
Chloroform	ND(1.50)	ND(1.50)	ND(1.5)	ND(1.50)	ND(1.5)	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)
1,2-Dichloroethane	ND(1.50)	ND(1.50)	ND(1.5)	ND(1.50)	ND(1.5)	ND(1.50)	ND(1.50)	ND(1.50)	ND(1.50)
1,1,1-Trichloroethane	ND(2.00)	ND(2.00)	ND(2.0)	ND(2.00)	ND(2.0)	ND(2.00)	ND(2.00)	ND(2.00)	ND(2.00)
Carbon Tetrachloride	ND(1.00)	ND(1.00)	ND(1.0)	ND(1.00)	ND(1.0)	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)
Bromodichloromethane	ND(1.00)	ND(1.00)	ND(1.0)	ND(1.00)	ND(1.0)	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)
1,2-Dichloropropane	ND(3.50)	ND(3.50)	ND(3.5)	ND(3.50)	ND(3.5)	ND(3.50)	ND(3.50)	ND(3.50)	ND(3.50)
cis-1,3-Dichloropropene	ND(1.50)	ND(1.50)	ND(1.5)	ND(1.50)	ND(1.5)	ND(1.50)	ND(1.50)	ND(1.50)	ND(1.50)
Trichloroethene	ND(1.00)	ND(1.00)	ND(1.0)	ND(1.00)	ND(1.0)	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)
Benzene	ND(1.00)	ND(1.00)	ND(1.0)	ND(1.00)	ND(1.0)	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)
Dibromochloromethane	ND(1.00)	ND(1.00)	ND(1.0)	ND(1.00)	ND(1.0)	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)
trans-1,3-Dichloropropene	ND(1.50)	ND(1.50)	ND(1.5)	ND(1.50)	ND(1.5)	ND(1.50)	ND(1.50)	ND(1.50)	ND(1.50)
1,1,2-Trichloroethane	ND(1.50)	ND(1.50)	ND(1.5)	ND(1.50)	ND(1.5)	ND(1.50)	ND(1.50)	ND(1.50)	ND(1.50)
2-Chloroethylvinyl ether	ND(10.00)	ND(10.00)	ND(10.0)	ND(10.00)	ND(10.0)	ND(10.00)	ND(10.00)	ND(10.00)	ND(10.00)
Bromoform	ND(1.00)	ND(1.00)	ND(1.0)	ND(1.00)	ND(1.0)	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)
1,1,2,2-Tetrachloroethane	ND(1.00)	ND(1.00)	ND(1.0)	ND(1.00)	ND(1.0)	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)
Tetrachloroethene	1.40 J	1.30 J	1.20 J	1.50	1.50	0.85 J	0.66 J	0.66 J	0.58 J
Toluene	ND(1.00)	ND(1.00)	ND(1.0)	ND(1.00)	ND(1.0)	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)
Chlorobenzene	ND(3.50)	ND(3.50)	ND(3.5)	ND(3.50)	ND(3.5)	ND(3.50)	ND(3.50)	ND(3.50)	ND(3.50)
Ethylbenzene	ND(1.00)	ND(1.00)	ND(1.0)	ND(1.00)	ND(1.0)	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)
1,2-Dichlorobenzene	ND(5.00)	ND(5.00)	ND(5.0)	ND(5.00)	ND(5.0)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
1,3-Dichlorobenzene	ND(5.00)	ND(5.00)	ND(5.0)	ND(5.00)	ND(5.0)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
1,4-Dichlorobenzene	ND(5.00)	ND(5.00)	ND(5.0)	ND(5.00)	ND(5.0)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
Acetone	ND(10.00)	ND(10.00)	ND(10.0)	ND(10.00)	ND(10.0)	ND(10.00)	ND(10.00)	ND(10.00)	ND(10.00)
Tert-Butyl Alcohol	ND(100.00)	ND(100.00)	ND(100.0)	ND(100.00)	ND(100.0)	ND(100.00)	ND(100.00)	ND(100.00)	ND(100.00)
cis-1,2-Dichloroethene	0.60 J	ND(1.00)	ND(1.0)	ND(1.00)	ND(1.0)	ND(1.00)	ND(1.00)	0.28 J	0.31 J
Methyl Tert Butyl Ether	NA	NA	NA	NA	ND(10.0)	NA	NA	NA	NA

SW-2 (continued)

Parameter	6/20	10/20							
Chloromethane	ND(5.00)	ND(5.00)							
Bromomethane	ND(5.00)	ND(5.00)							
Vinyl Chloride	ND(1.00)	ND(1.00)							
Chloroethane	ND(2.00)	ND(2.00)							
Methylene Chloride	ND(5.00)	ND(5.00)							
Trichloroflouromethane	ND(5.00)	ND(5.00)							
1,1-Dichloroethene	ND(1.00)	ND(1.00)							
1,1-Dichloroethane	ND(1.50)	ND(1.50)							
*1,2-Dichloroethene, Total	ND(1.50)	ND(1.50)							
Chloroform	ND(1.00)	ND(1.00)							
1,2-Dichloroethane	ND(1.50)	ND(1.50)							
1,1,1-Trichloroethane	ND(2.00)	ND(2.00)							
Carbon Tetrachloride	ND(1.00)	ND(1.00)							
Bromodichloromethane	ND(1.00)	ND(1.00)							
1,2-Dichloropropane	ND(3.50)	ND(3.50)							
cis-1,3-Dichloropropene	ND(1.50)	ND(1.50)							
Trichloroethene	ND(1.00)	ND(1.00)							
Benzene	ND(1.00)	ND(1.00)							
Dibromochloromethane	ND(1.00)	ND(1.00)							
trans-1,3-Dichloropropene	ND(1.50)	ND(1.50)							
1,1,2-Trichloroethane	ND(1.50)	ND(1.50)							
2-Chloroethylvinyl ether	ND(10.00)	ND(10.00)							
Bromoform	ND(1.00)	ND(1.00)							
1,1,2,2-Tetrachloroethane	ND(1.00)	ND(1.00)							
Tetrachloroethene	0.63 J	0.71 J							
Toluene	ND(1.00)	ND(1.00)							
Chlorobenzene	ND(3.50)	ND(3.50)							
Ethylbenzene	ND(1.00)	ND(1.00)							
1,2-Dichlorobenzene	ND(5.00)	ND(5.00)							
1,3-Dichlorobenzene	ND(5.00)	ND(5.00)							
1,4-Dichlorobenzene	ND(5.00)	ND(5.00)							
Acetone	ND(10.00)	ND(10.00)							
Tert-Butyl Alcohol	ND(100.00)	ND(100.00)							
cis-1,2-Dichloroethene	0.34 J	0.27 J							
Methyl Tert Butyl Ether	ND(10.00)	ND(10.00)							

Note:

ND(): Compound not detected at method detection limit

*1,2-Dichloroethene, Total: Sum of Trans and Cis 1,2-Dichloroethene

J: Indicates an estimated value; compound is present at a concentration less than specified detection limit

B: The analyte was found in an associated blank, as well as in the sample

SW-2
Historical Analysis of Metals and Leachate Indicators
East Northport Landfill, East Northport, NY
Reported in Milligrams per Liter

Leachate Indicators (mg/l)	6/96	4/97	9/97	4/98	9/98	4/99	9/99	4/00	9/00
Ammonia	1.400	ND(0.050)	0.130	ND(0.200)	0.150	ND(0.200)	ND(0.200)	0.230	ND(0.200)
Bicarbonate		41.10	44.50	41.80	49.00	44.00	44.00	23.00	50.00
Chloride	47.90	48.50	15.10	41.10	42.40	62.60	40.80	44.00	46.00
Nitrate	1.26	1.84	1.12	1.40	1.20	1.67	0.279	1.20	1.20
Sulfate	30.00	25.00	25.50	31.50	30.80	27.80	28.00	22.00	30.00
Alkalinity	37.00	41.10	44.50	41.80	49.00	44.00	43.00	23.00	50.00
TDS	174.00	145.00	128.00	140.00	156.00	207.00	129.00	130.00	150.00
Hardness	30.00	92.02	92.80	82.6 E	99.00	93.70	64.00	70.00	89.00

Leachate Indicators (mg/l)	4/01	9/01	4/02	9/02	4/03	10/03	6/04	10/04	4/05
Ammonia	ND(0.200)	ND(0.200)	ND(0.200)	ND(0.200)	ND(0.200)	0.300	0.300	ND(0.200)	ND(0.200)
Bicarbonate	40.00	49.00	52.00	45.00	44.00	54.00	47.00	52.00	ND(2.00)
Chloride	71.00	56.00	69.00	50.00	80.00	63.00	68.00	61.00	83.00
Nitrate	1.10	1.40	1.80	1.50	1.10	1.70	0.90	1.40	1.47
Sulfate	38.00	37.00	39.00	34.00	30.00	9.80	38.00	39.00	40.00
Alkalinity	40.00	49.00	52.00	45.00	44.00	54.00	47.00	52.00	ND(2.00)
TDS	170.00	180.00	250.00	160.00	246.00	231.00	253.00	168.00	250.00
Hardness	110.00	61.00	110.00	110.00	83.00	107.00	102.00	94.00	121.00

SW-2 (continued)

Leachate Indicators (mg/l)	9/05	8/06	11/06	7/07	11/07	4/08	9/08	4/09	9/09
Ammonia	ND(0.200)	0.221	0.200	0.049	0.110	0.060	0.110	0.09	0.91
Bicarbonate	64.00	62.00	61.00	62.00	76.00	66.20	66.10	60.72	42.80
Chloride	74.00	71.00	69.00	67.70	69.00	88.00	73.00	89.00	110.00
Nitrate	2.09	0.771	1.73	0.64	1.90	1.40	1.20	1.20	0.74
Sulfate	44.00	37.00	37.00	31.80	38.00	36.00	40.00	38.00	28.00
Alkalinity	64.00	62.00	61.00	62.00	76.00	66.20	66.10	60.72	42.80
TDS	240.00	240.00	190.00	251.00	250.00	280.00	250.00	270.00	310.00
Hardness	116.30	97.90	105.20	114.00	126.00	123.00	124.00	125.00	77.40

Leachate Indicators (mg/l)	6/10	10/11	5/12	9/12	5/13	10/13	4/14	9/14	4/15
Ammonia	1.80	0.120	0.16	0.208	0.074 J	0.071 J	0.092	0.123	0.047 J
Bicarbonate	62.00	70.00	75.00	82.000	73.00	79.00	74.00	82.70	87.50
Chloride	82.00	69.00	78.00	68.000	90.00	90.00	98.00	93.00	210.00
Nitrate	0.17	1.40	0.96	1.300	1.84	2.06	1.95	1.59	2.30
Sulfate	48.00	33.00	38.00	42.000	47.00	49.00	46.00	43.00	59.00
Alkalinity	62.00	70.00	75.00	82.000	73.00	79.00	74.00	82.70	87.50
TDS	260.00	260.00	280.00	270.000	320.00	320.00	320.00	320.00	520.00
Hardness	137.00	111.00	130.00	140.000	130.00	140.00	130.00	140.00	170.00

SW-2 (continued)

Leachate Indicators (mg/l)	9/15	5/16	9/16	4/17	9/17	6/18	11/18	4/19	9/19
Ammonia	0.102	0.057 J	0.09	0.047 J	0.133	0.171	0.051 J	0.049 J	0.073 J
Bicarbonate	90.700	79.500	87.40	83.00	84.90	86.30	85.50	71.60	83.40
Chloride	460.000	81.000	110.00	96.00	120.00	210.00	220.00	93.00	240.00
Nitrate	2.010	2.000	2.06	1.92	2.17	2.14	2.05	1.98	2.23
Sulfate	80.000	51.000	51.00	47.00	54.00	52.00	63.00	35.00	57.00
Alkalinity	90.700	79.500	87.40	83.00	84.90	86.30	85.50	71.60	83.40
TDS	890.000	320.000	340.00	270.00	320.00	560.00	560.00	370.00	590.00
Hardness	240.000	130.000	150.00	140.00	139.00	175.00	167.00	117.00	175.00

Leachate Indicators (mg/l)	6/20	10/20							
Ammonia	0.095	0.072 J							
Bicarbonate	88.90	82.80							
Chloride	81.00	140.00							
Nitrate	1.80	2.04							
Sulfate	36.00	46.00							
Alkalinity	88.90	82.80							
TDS	330.00	390.00							
Hardness	133.00	139.00							

Note:

ND(): Compound not detected at method detection limit

J: Indicates an estimated value; compound is present at a concentration less than specified detection limit

B: The analyte was found in an associated blank, as well as in the sample

SW-3
Historical Analysis of Volatile Organic Compounds
East Northport Landfill, East Northport, NY
Reported in Micrograms per Liter

Parameter	6/96	4/97	9/97	4/98	9/98	4/99	9/99	4/00	9/00
Chloromethane	ND(10.0)	ND(2.0)	ND(2.0)	ND(10.0)	ND(10.0)	ND(4.6)	ND(2.3)	ND(1.1)	ND(1.1)
Bromomethane	ND(10.0)	ND(1.0)	ND(1.0)	ND(10.0)	ND(10.0)	ND(3.8)	ND(1.8)	ND(0.6)	ND(0.6)
Vinyl Chloride	ND(10.0)	ND(1.0)	ND(1.0)	ND(10.0)	ND(10.0)	ND(1.7)	ND(2.0)	ND(1.0)	ND(1.0)
Chloroethane	ND(10.0)	ND(1.0)	ND(1.0)	ND(10.0)	ND(10.0)	ND(1.8)	ND(1.6)	ND(0.7)	ND(0.7)
Methylene Chloride	ND(5.0)	6.0	ND(3.0)	ND(5.0)	ND(5.0)	ND(2.7)	ND(0.6)	ND(0.4)	ND(0.4)
Trichloroflouromethane		ND(2.0)	ND(2.0)	ND(10.0)	ND(10.0)	ND(1.5)	ND(1.5)	ND(0.4)	ND(0.4)
1,1-Dichloroethene	ND(5.0)	ND(2.0)	ND(2.0)	ND(5.0)	ND(5.0)	ND(1.7)	ND(1.2)	ND(0.4)	ND(0.4)
1,1-Dichloroethane	ND(5.0)	ND(1.0)	ND(1.0)	ND(5.0)	ND(5.0)	ND(1.4)	ND(0.7)	ND(0.2)	ND(0.2)
*1,2-Dichloroethene, Total		ND(1.0)	ND(1.0)	ND(5.0)	ND(5.0)	ND(1.7)	ND(1.0)	ND(0.4)	ND(0.4)
Chloroform	ND(5.0)	ND(1.0)	ND(1.0)	ND(5.0)	ND(5.0)	ND(1.6)	ND(0.4)	ND(0.3)	ND(0.3)
1,2-Dichloroethane	ND(5.0)	ND(1.0)	ND(1.0)	ND(5.0)	ND(5.0)	ND(1.9)	ND(0.5)	ND(0.3)	ND(0.3)
1,1,1-Trichloroethane	ND(5.0)	ND(1.0)	ND(1.0)	ND(5.0)	0.7 J	ND(0.5)	ND(0.5)	ND(0.3)	0.5
Carbon Tetrachloride	ND(5.0)	ND(2.0)	ND(2.0)	ND(5.0)	ND(5.0)	ND(0.6)	ND(0.4)	ND(0.3)	ND(0.3)
Bromodichloromethane	ND(5.0)	ND(1.0)	ND(1.0)	ND(5.0)	ND(5.0)	ND(0.6)	ND(0.6)	ND(0.3)	ND(0.3)
1,2-Dichloropropane	ND(5.0)	ND(1.0)	ND(1.0)	ND(5.0)	ND(5.0)	ND(0.6)	ND(0.8)	ND(0.4)	ND(0.4)
cis-1,3-Dichloropropene	ND(5.0)	ND(1.0)	ND(1.0)	ND(5.0)	ND(5.0)	ND(0.5)	ND(0.3)	ND(0.3)	ND(0.3)
Trichloroethene	ND(5.0)	ND(2.0)	ND(2.0)	ND(5.0)	1.0 J	ND(0.6)	ND(0.3)	ND(0.4)	ND(0.4)
Benzene	ND(5.0)	ND(1.0)	ND(1.0)	ND(5.0)	ND(5.0)	ND(0.5)	ND(0.6)	ND(0.3)	ND(0.3)
Dibromochloromethane	ND(5.0)	ND(1.0)	ND(1.0)	ND(5.0)	ND(5.0)	ND(0.6)	ND(0.5)	ND(0.3)	ND(0.3)
trans-1,3-Dichloropropene	ND(5.0)	ND(1.0)	ND(1.0)	ND(5.0)	ND(5.0)	ND(0.6)	ND(0.5)	ND(0.2)	ND(0.2)
1,1,2-Trichloroethane	ND(5.0)	ND(1.0)	ND(1.0)	ND(5.0)	ND(5.0)	ND(0.5)	ND(0.9)	ND(0.3)	ND(0.3)
2-Chloroethylvinyl ether		ND(4.0)	ND(4.0)	ND(10.0)	ND(10.0)	ND(0.6)	ND(1.5)	ND(1.1)	ND(1.1)
Bromoform	ND(5.0)	ND(1.0)	ND(1.0)	ND(5.0)	ND(5.0)	ND(0.8)	ND(0.7)	ND(0.3)	ND(0.3)
1,1,2,2-Tetrachloroethane	ND(5.0)	ND(2.0)	ND(2.0)	ND(5.0)	ND(5.0)	ND(0.5)	ND(1.0)	ND(0.3)	ND(0.3)
Tetrachloroethene	ND(5.0)	ND(3.0)	3.0	6.0	3.0	2.4	3.6	4.5	3.3
Toluene	ND(5.0)	ND(2.0)	ND(2.0)	ND(5.0)	ND(5.0)	ND(0.8)	ND(0.5)	ND(0.3)	ND(0.3)
Chlorobenzene	ND(5.0)	ND(2.0)	ND(2.0)	ND(5.0)	ND(5.0)	ND(0.6)	ND(0.5)	ND(0.2)	ND(0.2)
Ethylbenzene	ND(5.0)	ND(2.0)	ND(2.0)	ND(5.0)	ND(5.0)	ND(0.7)	ND(0.5)	ND(0.4)	ND(0.4)
1,2-Dichlorobenzene		ND(2.0)	ND(2.0)	ND(10.0)	ND(10.0)	ND(1.5)	ND(0.2)	ND(0.2)	ND(0.2)
1,3-Dichlorobenzene		ND(2.0)	ND(2.0)	ND(10.0)	ND(10.0)	ND(0.7)	ND(0.4)	ND(0.4)	ND(0.4)
1,4-Dichlorobenzene		ND(2.0)	ND(2.0)	ND(10.0)	ND(10.0)	ND(0.5)	ND(0.3)	ND(0.3)	ND(0.3)

SW-3 (continued)

Parameter	4/01	9/01	4/02	9/02	4/03	10/03	6/04	10/04	4/05
Chloromethane	ND(1.1)	ND(1.1)	ND(1.1)	ND(1.4)	ND(1.4)	ND(2.2)	ND(0.49)	ND(0.49)	ND(0.45)
Bromomethane	ND(0.6)	ND(0.6)	ND(0.6)	ND(1.7)	ND(1.7)	ND(2.9)	ND(0.61)	ND(0.61)	ND(1.30)
Vinyl Chloride	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.2)	ND(1.2)	ND(0.8)	ND(0.28)	ND(0.28)	ND(0.62)
Chloroethane	ND(0.7)	ND(0.7)	ND(0.7)	ND(1.8)	ND(1.8)	ND(2.0)	ND(0.62)	ND(0.62)	ND(1.10)
Methylene Chloride	ND(0.4)	ND(0.4)	ND(0.4)	ND(1.2)	ND(1.2)	ND(1.2)	ND(1.40)	ND(1.40)	ND(0.98)
Trichloroflouromethane	ND(0.4)	ND(0.4)	ND(0.4)	ND(1.3)	ND(1.3)	ND(1.5)	ND(0.80)	ND(0.80)	ND(0.58)
1,1-Dichloroethene	ND(0.4)	ND(0.4)	ND(0.4)	ND(1.0)	ND(1.0)	ND(0.1)	ND(0.28)	ND(0.28)	ND(0.28)
1,1-Dichloroethane	ND(0.2)	ND(0.2)	ND(0.2)	ND(1.0)	ND(1.0)	ND(1.3)	ND(0.29)	ND(0.29)	ND(0.33)
*1,2-Dichloroethene, Total	ND(0.4)	ND(0.4)	ND(0.4)	ND(1.0)	ND(1.0)	ND(1.3)	ND(0.32)	ND(0.32)	ND(0.40)
Chloroform	ND(0.3)	ND(0.3)	ND(0.3)	ND(0.8)	ND(0.8)	ND(1.5)	ND(0.30)	ND(0.30)	ND(0.18)
1,2-Dichloroethane	ND(0.3)	ND(0.3)	ND(0.3)	ND(0.6)	ND(0.6)	ND(0.2)	ND(0.19)	ND(0.19)	ND(0.28)
1,1,1-Trichloroethane	0.5	ND(0.3)	ND(0.3)	ND(0.8)	ND(0.8)	ND(0.5)	ND(0.34)	ND(0.34)	ND(0.17)
Carbon Tetrachloride	ND(0.3)	ND(0.3)	ND(0.3)	ND(0.5)	ND(0.5)	ND(0.1)	ND(0.18)	ND(0.18)	ND(0.34)
Bromodichloromethane	ND(0.3)	ND(0.3)	ND(0.3)	ND(0.9)	ND(0.9)	ND(0.1)	ND(0.29)	ND(0.29)	ND(0.30)
1,2-Dichloropropane	ND(0.4)	ND(0.4)	ND(0.4)	ND(0.8)	ND(0.8)	ND(0.2)	ND(0.32)	ND(0.32)	ND(0.27)
cis-1,3-Dichloropropene	ND(0.3)	ND(0.3)	ND(0.3)	ND(1.5)	ND(1.5)	ND(0.7)	ND(0.21)	ND(0.21)	ND(0.26)
Trichloroethene	ND(0.4)	ND(0.4)	ND(0.4)	ND(0.9)	ND(0.9)	ND(0.1)	ND(0.27)	ND(0.27)	ND(0.59)
Benzene	ND(0.3)	ND(0.3)	ND(0.3)	ND(0.6)	ND(0.6)	ND(0.1)	ND(0.17)	ND(0.17)	ND(0.35)
Dibromochloromethane	ND(0.3)	ND(0.3)	ND(0.3)	ND(1.4)	ND(1.4)	ND(1.2)	ND(0.30)	ND(0.30)	ND(0.22)
trans-1,3-Dichloropropene	ND(0.2)	ND(0.2)	ND(0.2)	ND(1.5)	ND(1.5)	ND(0.7)	ND(0.23)	ND(0.23)	ND(0.29)
1,1,2-Trichloroethane	ND(0.3)	ND(0.3)	ND(0.3)	ND(1.5)	ND(1.5)	ND(1.0)	ND(0.28)	ND(0.28)	ND(0.24)
2-Chloroethylvinyl ether	ND(1.1)	ND(1.1)	ND(1.1)	ND(4.8)	ND(4.8)	ND(2.7)	ND(1.70)	ND(1.70)	ND(6.20)
Bromoform	ND(0.3)	ND(0.3)	ND(0.3)	ND(1.5)	ND(1.5)	ND(1.3)	ND(0.25)	ND(0.25)	ND(0.22)
1,1,2,2-Tetrachloroethane	ND(0.3)	ND(0.3)	ND(0.3)	ND(0.8)	ND(0.8)	ND(1.9)	ND(0.27)	ND(0.27)	ND(0.35)
Tetrachloroethene	4.7	3.4	4.6	4.1 J	4.2 J	1.7 J	ND(0.30)	2.60 J	2.80 J
Toluene	ND(0.3)	ND(0.3)	ND(0.3)	ND(1.0)	ND(1.0)	ND(0.5)	ND(0.23)	ND(0.23)	ND(0.38)
Chlorobenzene	ND(0.2)	ND(0.2)	ND(0.2)	ND(1.0)	ND(1.0)	ND(0.5)	ND(0.24)	ND(0.24)	ND(0.47)
Ethylbenzene	ND(0.4)	ND(0.4)	ND(0.4)	ND(1.2)	ND(1.2)	ND(0.8)	ND(0.17)	ND(0.17)	ND(0.50)
1,2-Dichlorobenzene	ND(0.2)	ND(0.2)	ND(0.2)	ND(1.6)	ND(1.6)	ND(0.5)	ND(0.20)	ND(0.20)	ND(0.67)
1,3-Dichlorobenzene	ND(0.4)	ND(0.4)	ND(0.4)	ND(0.8)	ND(0.8)	ND(0.7)	ND(0.28)	ND(0.28)	ND(0.35)
1,4-Dichlorobenzene	ND(0.3)	ND(0.3)	ND(0.3)	ND(1.4)	ND(1.4)	ND(0.8)	ND(0.30)	ND(0.30)	ND(0.79)

SW-3 (continued)

Parameter	9/15	5/16	9/16	4/17	9/17	6/18	11/18	4/19	9/19
Chloromethane	ND(5.00)	ND(5.00)	ND(5.0)	ND(5.00)	ND(5.0)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
Bromomethane	ND(5.00)	ND(5.00)	ND(5.0)	ND(5.00)	ND(5.0)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
Vinyl Chloride	ND(1.00)	ND(1.00)	ND(1.0)	ND(1.00)	ND(1.0)	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)
Chloroethane	ND(2.00)	ND(2.00)	ND(2.0)	ND(2.00)	ND(2.0)	ND(2.00)	ND(2.00)	ND(2.00)	ND(2.00)
Methylene Chloride	ND(5.00)	ND(5.00)	ND(5.0)	ND(5.00)	ND(5.0)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
Trichloroflouromethane	ND(5.00)	ND(5.00)	ND(5.0)	ND(5.00)	ND(5.0)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
1,1-Dichloroethene	ND(1.00)	ND(1.00)	ND(1.0)	ND(1.00)	ND(1.0)	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)
1,1-Dichloroethane	ND(1.50)	ND(1.50)	ND(1.5)	ND(1.50)	ND(1.5)	ND(1.50)	ND(1.50)	ND(1.50)	ND(1.50)
*1,2-Dichloroethene, Total	ND(1.50)	ND(1.50)	ND(1.5)	ND(1.50)	ND(1.5)	ND(1.50)	ND(1.50)	ND(1.50)	ND(1.50)
Chloroform	ND(1.50)	ND(1.50)	ND(1.5)	ND(1.50)	0.56J	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)
1,2-Dichloroethane	ND(1.50)	ND(1.50)	ND(1.5)	ND(1.50)	ND(1.5)	ND(1.50)	ND(1.50)	ND(1.50)	ND(1.50)
1,1,1-Trichloroethane	ND(2.00)	ND(2.00)	ND(2.0)	ND(2.00)	ND(2.0)	ND(2.00)	ND(2.00)	ND(2.00)	ND(2.00)
Carbon Tetrachloride	ND(1.00)	ND(1.00)	ND(1.0)	ND(1.00)	ND(1.0)	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)
Bromodichloromethane	ND(1.00)	ND(1.00)	ND(1.0)	ND(1.00)	ND(1.0)	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)
1,2-Dichloropropane	ND(3.50)	ND(3.50)	ND(3.5)	ND(3.50)	ND(3.5)	ND(3.50)	ND(3.50)	ND(3.50)	ND(3.50)
cis-1,3-Dichloropropene	ND(1.50)	ND(1.50)	ND(1.5)	ND(1.50)	ND(1.5)	ND(1.50)	ND(1.50)	ND(1.50)	ND(1.50)
Trichloroethene	ND(1.00)	ND(1.00)	ND(1.0)	ND(1.00)	ND(1.0)	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)
Benzene	ND(1.00)	ND(1.00)	ND(1.0)	ND(1.00)	ND(1.0)	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)
Dibromochloromethane	ND(1.00)	ND(1.00)	ND(1.0)	ND(1.00)	ND(1.0)	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)
trans-1,3-Dichloropropene	ND(1.50)	ND(1.50)	ND(1.5)	ND(1.50)	ND(1.5)	ND(1.50)	ND(1.50)	ND(1.50)	ND(1.50)
1,1,2-Trichloroethane	ND(1.50)	ND(1.50)	ND(1.5)	ND(1.50)	ND(1.5)	ND(1.50)	ND(1.50)	ND(1.50)	ND(1.50)
2-Chloroethylvinyl ether	ND(10.00)	ND(10.00)	ND(10.0)	ND(10.00)	ND(10.0)	ND(10.00)	ND(10.00)	ND(10.00)	ND(10.00)
Bromoform	ND(1.00)	ND(1.00)	ND(1.0)	ND(1.00)	ND(1.0)	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)
1,1,2,2-Tetrachloroethane	ND(1.00)	ND(1.00)	ND(1.0)	ND(1.00)	ND(1.0)	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)
Tetrachloroethene	1.50	1.80	2.10	1.60	1.70	2.00	1.60	1.80 J	1.70
Toluene	ND(1.00)	ND(1.00)	ND(1.0)	ND(1.00)	ND(1.0)	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)
Chlorobenzene	ND(3.50)	ND(3.50)	ND(3.5)	ND(3.50)	ND(3.5)	ND(3.50)	ND(3.50)	ND(3.50)	ND(3.50)
Ethylbenzene	ND(1.00)	ND(1.00)	ND(1.0)	ND(1.00)	ND(1.0)	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)
1,2-Dichlorobenzene	ND(5.00)	ND(5.00)	ND(5.0)	ND(5.00)	ND(5.0)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
1,3-Dichlorobenzene	ND(5.00)	ND(5.00)	ND(5.0)	ND(5.00)	ND(5.0)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
1,4-Dichlorobenzene	ND(5.00)	ND(5.00)	ND(5.0)	ND(5.00)	ND(5.0)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
Acetone	ND(10.00)	ND(10.00)	ND(10.0)	ND(10.00)	ND(10.0)	ND(10.00)	ND(10.00)	ND(10.00)	ND(10.00)
Tert-Butyl Alcohol	ND(100.00)	ND(100.00)	ND(100.0)	ND(100.00)	ND(100.0)	ND(100.00)	ND(100.00)	ND(100.00)	ND(100.00)
cis-1,2-Dichloroethene	ND(1.00)	ND(1.00)	ND(1.0)	ND(1.00)	ND(1.0)	ND(1.00)	ND(1.00)	0.18 J	ND(1.00)
Methyl Tert Butyl Ether	NA	NA	NA	NA	ND(10.0)	NA	NA	NA	NA

SW-3 (continued)

Parameter	6/20	10/20							
Chloromethane	ND(5.00)	ND(5.00)							
Bromomethane	ND(5.00)	ND(5.00)							
Vinyl Chloride	ND(1.00)	ND(1.00)							
Chloroethane	ND(2.00)	ND(2.00)							
Methylene Chloride	ND(5.00)	ND(5.00)							
Trichloroflouromethane	ND(5.00)	ND(5.00)							
1,1-Dichloroethene	ND(1.00)	ND(1.00)							
1,1-Dichloroethane	ND(1.50)	ND(1.50)							
*1,2-Dichloroethene, Total	ND(1.50)	ND(1.50)							
Chloroform	0.44 J	ND(1.00)							
1,2-Dichloroethane	ND(1.50)	ND(1.50)							
1,1,1-Trichloroethane	ND(2.00)	ND(2.00)							
Carbon Tetrachloride	ND(1.00)	ND(1.00)							
Bromodichloromethane	ND(1.00)	ND(1.00)							
1,2-Dichloropropane	ND(3.50)	ND(3.50)							
cis-1,3-Dichloropropene	ND(1.50)	ND(1.50)							
Trichloroethene	ND(1.00)	ND(1.00)							
Benzene	ND(1.00)	ND(1.00)							
Dibromochloromethane	ND(1.00)	ND(1.00)							
trans-1,3-Dichloropropene	ND(1.50)	ND(1.50)							
1,1,2-Trichloroethane	ND(1.50)	ND(1.50)							
2-Chloroethylvinyl ether	ND(10.00)	ND(10.00)							
Bromoform	ND(1.00)	ND(1.00)							
1,1,2,2-Tetrachloroethane	ND(1.00)	ND(1.00)							
Tetrachloroethene	1.10	1.70							
Toluene	ND(1.00)	ND(1.00)							
Chlorobenzene	ND(3.50)	ND(3.50)							
Ethylbenzene	ND(1.00)	ND(1.00)							
1,2-Dichlorobenzene	ND(5.00)	ND(5.00)							
1,3-Dichlorobenzene	ND(5.00)	ND(5.00)							
1,4-Dichlorobenzene	ND(5.00)	ND(5.00)							
Acetone	ND(10.00)	ND(10.00)							
Tert-Butyl Alcohol	ND(100.00)	ND(100.00)							
cis-1,2-Dichloroethene	ND(1.00)	ND(1.00)							
Methyl Tert Butyl Ether	ND(10.00)	ND(10.00)							

Note:

ND(): Compound not detected at method detection limit

*1,2-Dichloroethene, Total: Sum of Trans and Cis 1,2-Dichloroethene

J: Indicates an estimated value; compound is present at a concentration less than specified detection limit

B: The analyte was found in an associated blank, as well as in the sample

SW-3
Historical Analysis of Metals and Leachate Indicators
East Northport Landfill, East Northport, NY
Reported in Milligrams per Liter

Leachate Indicators (mg/l)	6/96	4/97	9/97	4/98	9/98	4/99	9/99	4/00	9/00
Ammonia	ND(1.000)	ND(0.050)	ND(0.050)	ND(0.200)	0.100	ND(0.200)	ND(0.200)	ND(0.200)	ND(0.200)
Bicarbonate		21.00	15.30	17.60	21.30	20.50	20.50	21.00	25.00
Chloride	21.30	20.50	21.10	21.60	25.00	32.40	24.80	35.00	30.00
Nitrate	4.01	3.25	5.25	2.90	3.20	3.34	1.37	3.10	3.40
Sulfate	18.20	16.00	17.40	16.00	18.70	18.60	24.40	20.00	21.00
Alkalinity	17.00	21.00	15.30	17.60	21.30	20.50	19.00	21.00	25.00
TDS	102.00	117.00	90.00	106.00	152.00	113.00	89.00	100.00	100.00
Hardness	19.00	58.82	57.60	64.5 E	59.70	58.20	28.00	43.00	58.00

Leachate Indicators (mg/l)	4/01	9/01	4/02	9/02	4/03	10/03	6/04	10/04	4/05
Ammonia	ND(0.200)	ND(0.200)	ND(0.200)	ND(0.200)	ND(0.200)	ND(0.200)	1.800	ND(0.200)	ND(0.200)
Bicarbonate	20.00	23.00	23.00	23.00	24.00	21.00	18.00	21.00	23.00
Chloride	35.00	31.00	42.00	32.00	57.00	32.00	33.00	32.00	45.00
Nitrate	3.00	3.10	3.80	3.00	ND(0.50)	3.90	3.80	3.90	3.85
Sulfate	20.00	21.00	21.00	20.00	20.00	20.00	22.00	22.00	23.00
Alkalinity	20.00	23.00	23.00	22.00	24.00	21.00	18.00	21.00	23.00
TDS	150.00	100.00	170.00	110.00	188.00	123.00	166.00	108.00	180.00
Hardness	66.00	34.00	53.00	58.00	67.00	63.00	60.00	56.00	78.00

SW-3 (continued)

Leachate Indicators (mg/l)	9/05	8/06	11/06	7/07	11/07	4/08	9/08	4/09	9/09
Ammonia	ND(0.200)	0.220	0.200	0.019 J	0.049	0.040	0.050	0.06	0.07
Bicarbonate	25.00	26.00	26.00	23.80	38.00	25.90	26.40	27.79	27.20
Chloride	35.00	37.00	38.00	42.00	44.00	45.00	43.00	46.00	46.00
Nitrate	4.14	ND(0.50)	3.80	3.50	3.70	4.20	3.90	4.10	4.30
Sulfate	19.00	20.00	20.00	18.80	22.00	21.00	22.00	22.00	22.00
Alkalinity	25.00	26.00	26.00	23.80	38.00	25.90	26.40	27.79	27.20
TDS	110.00	170.00	170.00	180.00	160.00	150.00	200.00	160.00	190.00
Hardness	59.70	54.50	72.60	68.40	77.20	66.70	70.00	73.50	70.30

Leachate Indicators (mg/l)	6/10	10/11	5/12	9/12	5/13	10/13	4/14	9/14	4/15
Ammonia	0.27	ND(0.02)	0.10	0.104	0.057 J	0.051 J	0.107	0.093	ND(0.075)
Bicarbonate	29.00	23.00	33.00	33.000	33.00	31.00	31.30	34.70	33.20
Chloride	44.00	41.00	53.00	50.000	54.00	50.00	70.00	56.00	72.00
Nitrate	4.40	4.60	4.10	4.500	5.07	4.75	4.83	3.62	5.10
Sulfate	23.00	17.00	21.00	24.000	29.00	25.00	28.00	26.00	27.00
Alkalinity	29.00	23.00	33.00	33.000	33.00	31.00	31.30	34.70	33.20
TDS	180.00	160.00	190.00	170.000	220.00	170.00	220.00	200.00	220.00
Hardness	87.60	66.50	94.00	96.000	86.00	83.00	87.00	86.00	85.00

SW-3 (continued)

Leachate Indicators (mg/l)	9/15	5/16	9/16	4/17	9/17	6/18	11/18	4/19	9/19
Ammonia	0.032 J	0.057 J	0.032 J	0.027 J	ND(0.075)	0.062 J	0.032 J	0.030 J	0.19
Bicarbonate	33.900	24.400	36.40	35.30	35.80	44.90	48.00	44.80	47.00
Chloride	59.000	58.000	59.00	70.00	63.00	86.00	76.00	68.00	70.00
Nitrate	4.960	5.180	4.76	4.53	4.74	4.36	4.16	4.18	4.29
Sulfate	28.000	26.000	29.00	33.00	30.00	32.00	36.00	31.00	31.00
Alkalinity	33.900	24.400	36.40	35.30	35.80	44.90	48.00	44.80	47.00
TDS	170.000	220.000	190.00	190.00	190.00	280.00	210.00	280.00	200.00
Hardness	90.000	95.000	98.00	110.00	94.00	114.00	116.00	108.00	114.00

Leachate Indicators (mg/l)	6/20	10/20							
Ammonia	0.053 J	0.062 J							
Bicarbonate	32.80	46.40							
Chloride	62.00	74.00							
Nitrate	4.58	4.28							
Sulfate	25.00	32.00							
Alkalinity	32.80	46.40							
TDS	250.00	260.00							
Hardness	91.80	110.00							

Note:
 ND(): Compound not detected at method detection limit
 J: Indicates an estimated value; compound is present at a concentration less than specified detection limit
 B: The analyte was found in an associated blank, as well as in the sample

SW-4
Historical Analysis of Volatile Organic Compounds
East Northport Landfill, East Northport, NY
Reported in Micrograms per Liter

Parameter	6/96	4/97	9/97	4/98	9/98	4/99	9/99	4/00	9/00
Chloromethane	ND(10.0)	ND(2.0)	ND(2.0)	ND(10.0)	ND(10.0)	ND(4.6)	ND(2.3)	ND(1.1)	ND(1.1)
Bromomethane	ND(10.0)	ND(1.0)	ND(1.0)	ND(10.0)	ND(10.0)	ND(3.8)	ND(1.8)	ND(0.6)	ND(0.6)
Vinyl Chloride	ND(10.0)	ND(1.0)	ND(1.0)	ND(10.0)	ND(10.0)	ND(1.7)	ND(2.0)	ND(1.0)	ND(1.0)
Chloroethane	ND(10.0)	ND(1.0)	ND(1.0)	ND(10.0)	ND(10.0)	ND(1.8)	ND(1.6)	ND(0.7)	ND(0.7)
Methylene Chloride	ND(5.0)	6.0	ND(3.0)	ND(5.0)	ND(5.0)	ND(2.7)	ND(0.6)	ND(0.4)	ND(0.4)
Trichloroflouromethane		ND(2.0)	ND(2.0)	ND(10.0)	ND(10.0)	ND(1.5)	ND(1.5)	ND(0.4)	ND(0.4)
1,1-Dichloroethene	ND(5.0)	ND(2.0)	ND(2.0)	ND(5.0)	ND(5.0)	ND(1.7)	ND(1.2)	ND(0.4)	ND(0.4)
1,1-Dichloroethane	ND(5.0)	ND(1.0)	ND(1.0)	ND(5.0)	ND(5.0)	ND(1.4)	ND(0.7)	ND(0.2)	ND(0.2)
*1,2-Dichloroethene, Total		ND(1.0)	ND(1.0)	ND(5.0)	ND(5.0)	ND(1.7)	ND(1.0)	ND(0.4)	ND(0.4)
Chloroform	ND(5.0)	ND(1.0)	ND(1.0)	ND(5.0)	ND(5.0)	ND(1.6)	ND(0.4)	ND(0.3)	ND(0.3)
1,2-Dichloroethane	ND(5.0)	ND(1.0)	ND(1.0)	ND(5.0)	ND(5.0)	ND(1.9)	ND(0.5)	ND(0.3)	ND(0.3)
1,1,1-Trichloroethane	ND(5.0)	ND(1.0)	ND(1.0)	ND(5.0)	ND(5.0)	ND(0.5)	ND(0.5)	ND(0.3)	0.5
Carbon Tetrachloride	ND(5.0)	ND(2.0)	ND(2.0)	ND(5.0)	ND(5.0)	ND(0.6)	ND(0.4)	ND(0.3)	ND(0.3)
Bromodichloromethane	ND(5.0)	ND(1.0)	ND(1.0)	ND(5.0)	ND(5.0)	ND(0.6)	ND(0.6)	ND(0.3)	ND(0.3)
1,2-Dichloropropane	ND(5.0)	ND(1.0)	ND(1.0)	ND(5.0)	ND(5.0)	ND(0.6)	ND(0.8)	ND(0.4)	ND(0.4)
cis-1,3-Dichloropropene	ND(5.0)	ND(1.0)	ND(1.0)	ND(5.0)	ND(5.0)	ND(0.5)	ND(0.3)	ND(0.3)	ND(0.3)
Trichloroethene	ND(5.0)	ND(2.0)	ND(2.0)	ND(5.0)	ND(5.0)	ND(0.6)	ND(0.3)	ND(0.4)	ND(0.4)
Benzene	ND(5.0)	ND(1.0)	ND(1.0)	ND(5.0)	ND(5.0)	ND(0.5)	ND(0.6)	ND(0.3)	ND(0.3)
Dibromochloromethane	ND(5.0)	ND(1.0)	ND(1.0)	ND(5.0)	ND(5.0)	ND(0.6)	ND(0.5)	ND(0.3)	ND(0.3)
trans-1,3-Dichloropropene	ND(5.0)	ND(1.0)	ND(1.0)	ND(5.0)	ND(5.0)	ND(0.6)	ND(0.5)	ND(0.2)	ND(0.2)
1,1,2-Trichloroethane	ND(5.0)	ND(1.0)	ND(1.0)	ND(5.0)	ND(5.0)	ND(0.5)	ND(0.9)	ND(0.3)	ND(0.3)
2-Chloroethylvinyl ether		ND(4.0)	ND(4.0)	ND(10.0)	ND(10.0)	ND(0.6)	ND(1.5)	ND(1.1)	ND(1.1)
Bromoform	ND(5.0)	ND(1.0)	ND(1.0)	ND(5.0)	ND(5.0)	ND(0.8)	ND(0.7)	ND(0.3)	ND(0.3)
1,1,2,2-Tetrachloroethane	ND(5.0)	ND(2.0)	ND(2.0)	ND(5.0)	ND(5.0)	ND(0.5)	ND(1.0)	ND(0.3)	ND(0.3)
Tetrachloroethene	ND(5.0)	3.0	4.0	3.0 J	2.0 J	1.7	3.2	3.9	2.6
Toluene	ND(5.0)	ND(2.0)	ND(2.0)	ND(5.0)	ND(5.0)	ND(0.8)	ND(0.5)	ND(0.3)	ND(0.3)
Chlorobenzene	ND(5.0)	ND(2.0)	ND(2.0)	ND(5.0)	ND(5.0)	ND(0.6)	ND(0.5)	ND(0.2)	ND(0.2)
Ethylbenzene	ND(5.0)	ND(2.0)	ND(2.0)	ND(5.0)	ND(5.0)	ND(0.7)	ND(0.5)	ND(0.4)	ND(0.4)
1,2-Dichlorobenzene		ND(2.0)	ND(2.0)	ND(10.0)	ND(10.0)	ND(1.5)	ND(0.2)	ND(0.2)	ND(0.2)
1,3-Dichlorobenzene		ND(2.0)	ND(2.0)	ND(10.0)	ND(10.0)	ND(0.7)	ND(0.4)	ND(0.4)	ND(0.4)
1,4-Dichlorobenzene		ND(2.0)	ND(2.0)	ND(10.0)	ND(10.0)	ND(0.5)	ND(0.3)	ND(0.3)	ND(0.3)

SW-4 (continued)

Parameter	4/01	9/01	4/02	9/02	4/03	10/03	6/04	10/04	4/05
Chloromethane	ND(1.1)	ND(1.1)	ND(1.1)	ND(1.4)	ND(1.4)	ND(2.2)	ND(0.49)	ND(0.49)	ND(0.45)
Bromomethane	ND(0.6)	ND(0.6)	ND(0.6)	ND(1.7)	ND(1.7)	ND(2.9)	ND(0.61)	ND(0.61)	ND(1.30)
Vinyl Chloride	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.2)	ND(1.2)	ND(0.8)	ND(0.28)	ND(0.28)	ND(0.62)
Chloroethane	ND(0.7)	ND(0.7)	ND(0.7)	ND(1.8)	ND(1.8)	ND(2.0)	ND(0.62)	ND(0.62)	ND(1.10)
Methylene Chloride	ND(0.4)	ND(0.4)	ND(0.4)	ND(1.2)	ND(1.2)	ND(1.2)	ND(1.40)	ND(1.40)	ND(0.98)
Trichloroflouromethane	ND(0.4)	ND(0.4)	ND(0.4)	ND(1.3)	ND(1.3)	ND(1.5)	ND(0.80)	ND(0.80)	ND(0.58)
1,1-Dichloroethene	ND(0.4)	ND(0.4)	ND(0.4)	ND(1.0)	ND(1.0)	ND(0.1)	ND(0.28)	ND(0.28)	ND(0.28)
1,1-Dichloroethane	ND(0.2)	ND(0.2)	ND(0.2)	ND(1.0)	ND(1.0)	ND(1.3)	ND(0.29)	ND(0.29)	ND(0.33)
*1,2-Dichloroethene, Total	ND(0.4)	ND(0.4)	ND(0.4)	ND(1.0)	ND(1.0)	ND(1.3)	ND(0.32)	ND(0.32)	ND(0.40)
Chloroform	ND(0.3)	ND(0.3)	ND(0.3)	ND(0.8)	ND(0.8)	ND(1.5)	ND(0.30)	ND(0.30)	ND(0.18)
1,2-Dichloroethane	ND(0.3)	ND(0.3)	ND(0.3)	ND(0.6)	ND(0.6)	ND(0.2)	ND(0.19)	ND(0.19)	ND(0.28)
1,1,1-Trichloroethane	ND(0.3)	ND(0.3)	ND(0.3)	ND(0.8)	ND(0.8)	ND(0.5)	ND(0.34)	ND(0.34)	ND(0.17)
Carbon Tetrachloride	ND(0.3)	ND(0.3)	ND(0.3)	ND(0.5)	ND(0.5)	ND(0.1)	ND(0.18)	ND(0.18)	ND(0.34)
Bromodichloromethane	ND(0.3)	ND(0.3)	ND(0.3)	ND(0.9)	ND(0.9)	ND(0.1)	ND(0.29)	ND(0.29)	ND(0.30)
1,2-Dichloropropane	ND(0.4)	ND(0.4)	ND(0.4)	ND(0.8)	ND(0.8)	ND(0.2)	ND(0.32)	ND(0.32)	ND(0.27)
cis-1,3-Dichloropropene	ND(0.3)	ND(0.3)	ND(0.3)	ND(1.5)	ND(1.5)	ND(0.7)	ND(0.21)	ND(0.21)	ND(0.26)
Trichloroethene	ND(0.4)	ND(0.4)	ND(0.4)	ND(0.9)	ND(0.9)	ND(0.1)	ND(0.27)	ND(0.27)	ND(0.59)
Benzene	ND(0.3)	ND(0.3)	ND(0.3)	ND(0.6)	ND(0.6)	ND(0.1)	ND(0.17)	ND(0.17)	ND(0.35)
Dibromochloromethane	ND(0.3)	ND(0.3)	ND(0.3)	ND(1.4)	ND(1.4)	ND(1.2)	ND(0.30)	ND(0.30)	ND(0.22)
trans-1,3-Dichloropropene	ND(0.2)	ND(0.2)	ND(0.2)	ND(1.5)	ND(1.5)	ND(0.7)	ND(0.23)	ND(0.23)	ND(0.29)
1,1,2-Trichloroethane	ND(0.3)	ND(0.3)	ND(0.3)	ND(1.5)	ND(1.5)	ND(1.0)	ND(0.28)	ND(0.28)	ND(0.24)
2-Chloroethylvinyl ether	ND(1.1)	ND(1.1)	ND(1.1)	ND(4.8)	ND(4.8)	ND(2.7)	ND(1.70)	ND(1.70)	ND(6.20)
Bromoform	ND(0.3)	ND(0.3)	ND(0.3)	ND(1.5)	ND(1.5)	ND(1.3)	ND(0.25)	ND(0.25)	ND(0.22)
1,1,2,2-Tetrachloroethane	ND(0.3)	ND(0.3)	ND(0.3)	ND(0.8)	ND(0.8)	ND(1.9)	ND(0.27)	ND(0.27)	ND(0.35)
Tetrachloroethene	4.1	3.4	2.5	2.6 J	1.8 J	1.4 J	ND(0.30)	3.3 J	1.9 J
Toluene	ND(0.3)	ND(0.3)	ND(0.3)	ND(1.0)	ND(1.0)	ND(0.5)	ND(0.23)	ND(0.23)	ND(0.38)
Chlorobenzene	ND(0.2)	ND(0.2)	ND(0.2)	ND(1.0)	ND(1.0)	ND(0.5)	ND(0.24)	ND(0.24)	ND(0.47)
Ethylbenzene	ND(0.4)	ND(0.4)	ND(0.4)	ND(1.2)	ND(1.2)	ND(0.8)	ND(0.17)	ND(0.17)	ND(0.50)
1,2-Dichlorobenzene	ND(0.2)	ND(0.2)	ND(0.2)	ND(1.6)	ND(1.6)	ND(0.5)	ND(0.20)	ND(0.20)	ND(0.67)
1,3-Dichlorobenzene	ND(0.4)	ND(0.4)	ND(0.4)	ND(0.8)	ND(0.8)	ND(0.7)	ND(0.28)	ND(0.28)	ND(0.35)
1,4-Dichlorobenzene	ND(0.3)	ND(0.3)	ND(0.3)	ND(1.4)	ND(1.4)	ND(0.8)	ND(0.30)	ND(0.30)	ND(0.79)

SW-4 (continued)

Parameter	9/15	5/16	9/16	4/17	9/17	6/18	11/18	4/19	9/19
Chloromethane	ND(5.00)	ND(5.00)	ND(5.0)	ND(5.00)	ND(5.0)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
Bromomethane	ND(5.00)	ND(5.00)	ND(5.0)	ND(5.00)	ND(5.0)	ND(5.00)	1.50 J	ND(5.00)	ND(5.00)
Vinyl Chloride	ND(1.00)	ND(1.00)	ND(1.0)	ND(1.00)	ND(1.0)	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)
Chloroethane	ND(2.00)	ND(2.00)	ND(2.0)	ND(2.00)	ND(2.0)	ND(2.00)	ND(2.00)	ND(2.00)	ND(2.00)
Methylene Chloride	ND(5.00)	ND(5.00)	ND(5.0)	ND(5.00)	ND(5.0)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
Trichloroflouromethane	ND(5.00)	ND(5.00)	ND(5.0)	ND(5.00)	ND(5.0)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
1,1-Dichloroethene	ND(1.00)	ND(1.00)	ND(1.0)	ND(1.00)	ND(1.0)	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)
1,1-Dichloroethane	ND(1.50)	ND(1.50)	ND(1.5)	ND(1.50)	ND(1.5)	ND(1.50)	ND(1.50)	ND(1.50)	ND(1.50)
*1,2-Dichloroethene, Total	ND(1.50)	ND(1.50)	ND(1.5)	ND(1.50)	ND(1.5)	ND(1.50)	ND(1.50)	ND(1.50)	ND(1.50)
Chloroform	ND(1.50)	ND(1.50)	ND(1.5)	ND(1.50)	ND(1.5)	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)
1,2-Dichloroethane	ND(1.50)	ND(1.50)	ND(1.5)	ND(1.50)	ND(1.5)	ND(1.50)	ND(1.50)	ND(1.50)	ND(1.50)
1,1,1-Trichloroethane	ND(2.00)	ND(2.00)	ND(2.0)	ND(2.00)	ND(2.0)	ND(2.00)	ND(2.00)	ND(2.00)	ND(2.00)
Carbon Tetrachloride	ND(1.00)	ND(1.00)	ND(1.0)	ND(1.00)	ND(1.0)	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)
Bromodichloromethane	ND(1.00)	ND(1.00)	ND(1.0)	ND(1.00)	ND(1.0)	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)
1,2-Dichloropropane	ND(3.50)	ND(3.50)	ND(3.5)	ND(3.50)	ND(3.5)	ND(3.50)	ND(3.50)	ND(3.50)	ND(3.50)
cis-1,3-Dichloropropene	ND(1.50)	ND(1.50)	ND(1.5)	ND(1.50)	ND(1.5)	ND(1.50)	ND(1.50)	ND(1.50)	ND(1.50)
Trichloroethene	ND(1.00)	ND(1.00)	ND(1.0)	ND(1.00)	ND(1.0)	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)
Benzene	ND(1.00)	ND(1.00)	ND(1.0)	ND(1.00)	ND(1.0)	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)
Dibromochloromethane	ND(1.00)	ND(1.00)	ND(1.0)	ND(1.00)	ND(1.0)	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)
trans-1,3-Dichloropropene	ND(1.50)	ND(1.50)	ND(1.5)	ND(1.50)	ND(1.5)	ND(1.50)	ND(1.50)	ND(1.50)	ND(1.50)
1,1,2-Trichloroethane	ND(1.50)	ND(1.50)	ND(1.5)	ND(1.50)	ND(1.5)	ND(1.50)	ND(1.50)	ND(1.50)	ND(1.50)
2-Chloroethylvinyl ether	ND(10.00)	ND(10.00)	ND(10.0)	ND(10.00)	ND(10.0)	ND(10.00)	ND(10.00)	ND(10.00)	ND(10.00)
Bromoform	ND(1.00)	ND(1.00)	ND(1.0)	ND(1.00)	ND(1.0)	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)
1,1,2,2-Tetrachloroethane	ND(1.00)	ND(1.00)	ND(1.0)	ND(1.00)	ND(1.0)	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)
Tetrachloroethene	2.10	2.40	ND(1.5)	2.10	2.40	1.10 J	0.84 J	0.95 J	0.86 J
Toluene	ND(1.00)	ND(1.00)	ND(1.0)	ND(1.00)	ND(1.0)	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)
Chlorobenzene	ND(3.50)	ND(3.50)	ND(3.5)	ND(3.50)	ND(3.5)	ND(3.50)	ND(3.50)	ND(3.50)	ND(3.50)
Ethylbenzene	ND(1.00)	ND(1.00)	ND(1.0)	ND(1.00)	ND(1.0)	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)
1,2-Dichlorobenzene	ND(5.00)	ND(5.00)	ND(5.0)	ND(5.00)	ND(5.0)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
1,3-Dichlorobenzene	ND(5.00)	ND(5.00)	ND(5.0)	ND(5.00)	ND(5.0)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
1,4-Dichlorobenzene	ND(5.00)	ND(5.00)	ND(5.0)	ND(5.00)	ND(5.0)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
Acetone	ND(10.00)	ND(10.00)	ND(10.0)	ND(10.00)	ND(10.0)	ND(10.00)	ND(10.00)	ND(10.00)	ND(10.00)
Tert-Butyl Alcohol	ND(100.00)	ND(100.00)	ND(100.0)	ND(100.00)	ND(100.0)	ND(100.00)	ND(100.00)	ND(100.00)	ND(100.00)
cis-1,2-Dichloroethene	ND(1.00)	ND(1.00)	ND(1.0)	ND(1.00)	ND(1.0)	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)
Methyl Tert Butyl Ether	NA	NA	NA	NA	ND(10.0)	NA	NA	NA	NA

SW-4 (continued)

Parameter	6/20	10/20							
Chloromethane	ND(5.00)	ND(5.00)							
Bromomethane	ND(5.00)	ND(5.00)							
Vinyl Chloride	ND(1.00)	ND(1.00)							
Chloroethane	ND(2.00)	ND(2.00)							
Methylene Chloride	ND(5.00)	ND(5.00)							
Trichloroflouromethane	ND(5.00)	ND(5.00)							
1,1-Dichloroethene	ND(1.00)	ND(1.00)							
1,1-Dichloroethane	ND(1.50)	ND(1.50)							
*1,2-Dichloroethene, Total	ND(1.50)	ND(1.50)							
Chloroform	ND(1.00)	ND(1.00)							
1,2-Dichloroethane	ND(1.50)	ND(1.50)							
1,1,1-Trichloroethane	ND(2.00)	ND(2.00)							
Carbon Tetrachloride	ND(1.00)	ND(1.00)							
Bromodichloromethane	ND(1.00)	ND(1.00)							
1,2-Dichloropropane	ND(3.50)	ND(3.50)							
cis-1,3-Dichloropropene	ND(1.50)	ND(1.50)							
Trichloroethene	ND(1.00)	ND(1.00)							
Benzene	ND(1.00)	ND(1.00)							
Dibromochloromethane	ND(1.00)	ND(1.00)							
trans-1,3-Dichloropropene	ND(1.50)	ND(1.50)							
1,1,2-Trichloroethane	ND(1.50)	ND(1.50)							
2-Chloroethylvinyl ether	ND(10.00)	ND(10.00)							
Bromoform	ND(1.00)	ND(1.00)							
1,1,2,2-Tetrachloroethane	ND(1.00)	ND(1.00)							
Tetrachloroethene	0.92 J	0.92 J							
Toluene	ND(1.00)	ND(1.00)							
Chlorobenzene	ND(3.50)	ND(3.50)							
Ethylbenzene	ND(1.00)	ND(1.00)							
1,2-Dichlorobenzene	ND(5.00)	ND(5.00)							
1,3-Dichlorobenzene	ND(5.00)	ND(5.00)							
1,4-Dichlorobenzene	ND(5.00)	ND(5.00)							
Acetone	ND(10.00)	ND(10.00)							
Tert-Butyl Alcohol	ND(100.00)	ND(100.00)							
cis-1,2-Dichloroethene	ND(1.00)	ND(1.00)							
Methyl Tert Butyl Ether	ND(10.00)	ND(10.00)							

Note:

ND(): Compound not detected at method detection limit

*1,2-Dichloroethene, Total: Sum of Trans and Cis 1,2-Dichloroethene

J: Indicates an estimated value; compound is present at a concentration less than specified detection limit

B: The analyte was found in an associated blank, as well as in the sample

SW-4
Historical Analysis of Metals and Leachate Indicators
East Northport Landfill, East Northport, NY
Reported in Milligrams per Liter

Leachate Indicators (mg/l)	6/96	4/97	9/97	4/98	9/98	4/99	9/99	4/00	9/00
Ammonia	ND(1.000)	ND(0.050)	0.110	ND(0.200)	0.200	ND(0.200)	ND(0.200)	ND(0.200)	ND(0.200)
Bicarbonate		34.40	30.20	28.60	25.60	27.50	27.50	32.00	31.00
Chloride	35.40	42.40	34.70	30.30	31.80	39.20	38.90	39.00	40.00
Nitrate	3.73	1.79	3.80	1.60	1.80	1.88	0.652	1.60	1.40
Sulfate	19.10	15.10	18.50	16.00	23.50	18.20	27.10	18.00	22.00
Alkalinity	18.00	34.40	30.20	28.60	25.60	27.50	27.00	32.00	31.00
TDS	131.00	141.00	113.00	74.00	110.00	133.00	109.00	110.00	120.00
Hardness	18.00	65.67	62.50	42.5 E	62.90	57.10	40.50	56.00	67.00

Leachate Indicators (mg/l)	4/01	9/01	4/02	9/02	4/03	10/03	6/04	10/04	4/05
Ammonia	ND(0.200)	ND(0.200)	ND(0.200)	ND(0.200)	ND(0.200)	0.600	0.900	ND(0.200)	ND(0.200)
Bicarbonate	28.00	31.00	34.00	32.00	32.00	30.00	29.00	31.00	34.00
Chloride	47.00	46.00	62.00	47.00	66.00	56.00	65.00	54.00	110.00
Nitrate	1.60	1.70	2.10	1.10	2.10	2.50	2.30	2.51	2.31
Sulfate	19.00	22.00	22.00	21.00	21.00	24.00	26.00	23.00	23.00
Alkalinity	28.00	31.00	34.00	32.00	32.00	30.00	29.00	31.00	34.00
TDS	100.00	130.00	190.00	150.00	186.00	166.00	212.00	262.00	290.00
Hardness	77.00	38.00	60.00	61.00	63.00	64.00	65.00	64.00	77.00

SW-4 (continued)

Leachate Indicators (mg/l)	9/05	8/06	11/06	7/07	11/07	4/08	9/08	4/09	9/09
Ammonia	0.290	ND(0.200)	0.200	0.054	0.160	0.090	0.110	0.14	0.16
Bicarbonate	39.00	32.00	34.00	33.20	42.00	36.20	35.50	47.59	68.90
Chloride	61.00	53.00	51.00	50.10	49.00	57.00	55.00	66.00	85.00
Nitrate	2.12	2.16	2.70	2.30	3.00	3.00	2.90	2.20	1.50
Sulfate	20.00	26.00	22.00	19.20	21.00	20.00	39.00	25.00	37.00
Alkalinity	39.00	32.00	34.00	33.20	42.00	36.20	35.50	47.59	68.90
TDS	210.00	180.00	260.00	199.00	160.00	180.00	220.00	210.00	300.00
Hardness	75.50	49.90	74.20	69.70	72.90	69.10	73.40	97.30	132.00

Leachate Indicators (mg/l)	6/10	10/11	5/12	9/12	5/13	10/13	4/14	9/14	4/15
Ammonia	0.11	0.057	0.067 J	0.063 J	ND(0.075)	ND(0.075)	0.032 J	0.134	ND(0.075)
Bicarbonate	39.00	40.00	43.00	36.000	42.00	45.00	44.10	45.70	44.90
Chloride	63.00	57.00	68.00	52.000	75.00	59.00	110.00	72.00	110.00
Nitrate	3.80	3.00	3.50	4.200	4.34	3.99	4.13	3.04	4.42
Sulfate	28.00	20.00	28.00	25.000	31.00	31.00	34.00	32.00	33.00
Alkalinity	39.00	40.00	43.00	36.000	42.00	45.00	44.10	45.70	44.90
TDS	220.00	200.00	240.00	180.000	250.00	220.00	330.00	250.00	280.00
Hardness	119.00	77.70	120.00	99.000	100.00	110.00	120.00	110.00	120.00

SW-4 (continued)

Leachate Indicators (mg/l)	9/15	5/16	9/16	4/17	9/17	6/18	11/18	4/19	9/19
Ammonia	0.028 J	0.041 J	ND(0.075)	0.063 J	ND(0.075)	0.12	0.16	0.08	0.062 J
Bicarbonate	46.600	45.200	47.60	46.70	48.00	43.90	43.90	41.40	44.80
Chloride	130.000	77.000	71.00	86.00	76.00	80.00	74.00	64.00	63.00
Nitrate	4.180	4.000	4.07	3.90	4.08	2.56	2.91	2.98	2.82
Sulfate	37.000	32.000	35.00	35.00	34.00	21.00	24.00	22.00	21.00
Alkalinity	46.600	45.200	47.60	46.70	48.00	43.90	43.90	41.40	44.80
TDS	330.000	260.000	230.00	240.00	210.00	240.00	230.00	260.00	180.00
Hardness	120.000	110.000	120.00	130.00	113.00	84.40	80.00	77.40	77.10

Leachate Indicators (mg/l)	6/20	10/20							
Ammonia	0.112	0.121							
Bicarbonate	45.50	38.20							
Chloride	64.00	55.00							
Nitrate	2.48	2.82							
Sulfate	18.00	18.00							
Alkalinity	45.50	38.20							
TDS	220.00	170.00							
Hardness	81.70	69.30							

Note:
 ND(): Compound not detected at method detection limit
 J: Indicates an estimated value; compound is present at a concentration less than specified detection limit
 B: The analyte was found in an associated blank, as well as in the sample
 E: Reported value is estimated because of the presence of interference

SW-5
Historical Analysis of Volatile Organic Compounds
East Northport Landfill, East Northport, NY
Reported in Micrograms per Liter

Parameter	6/96	4/97	9/97	4/98	9/98	4/99	9/99	4/00	9/00
Chloromethane	ND(10.0)	ND(2.0)	ND(2.0)	ND(10.0)	ND(10.0)	ND(4.6)	ND(2.3)	ND(1.1)	ND(1.1)
Bromomethane	ND(10.0)	ND(1.0)	ND(1.0)	ND(10.0)	ND(10.0)	ND(3.8)	ND(1.8)	ND(0.6)	ND(0.6)
Vinyl Chloride	ND(10.0)	ND(1.0)	ND(1.0)	ND(10.0)	ND(10.0)	ND(1.7)	ND(2.0)	ND(1.0)	ND(1.0)
Chloroethane	ND(10.0)	ND(1.0)	ND(1.0)	ND(10.0)	ND(10.0)	ND(1.8)	ND(1.6)	ND(0.7)	ND(0.7)
Methylene Chloride	ND(5.0)	5.0	ND(3.0)	ND(5.0)	ND(5.0)	ND(2.7)	ND(0.6)	ND(0.4)	ND(0.4)
Trichloroflouromethane		ND(2.0)	ND(2.0)	ND(10.0)	ND(10.0)	ND(1.5)	ND(1.5)	ND(0.4)	ND(0.4)
1,1-Dichloroethene	ND(5.0)	ND(2.0)	ND(2.0)	ND(5.0)	ND(5.0)	ND(1.7)	ND(1.2)	ND(0.4)	ND(0.4)
1,1-Dichloroethane	ND(5.0)	ND(1.0)	ND(1.0)	ND(5.0)	ND(5.0)	ND(1.4)	ND(0.7)	ND(0.2)	ND(0.2)
*1,2-Dichloroethene, Total		ND(1.0)	ND(1.0)	2.0 J	1.0 J	ND(1.7)	ND(1.0)	ND(0.4)	ND(0.4)
Chloroform	ND(5.0)	ND(1.0)	ND(1.0)	ND(5.0)	ND(5.0)	ND(1.6)	ND(0.4)	ND(0.3)	ND(0.3)
1,2-Dichloroethane	ND(5.0)	ND(1.0)	ND(1.0)	ND(5.0)	ND(5.0)	ND(1.9)	ND(0.5)	ND(0.3)	ND(0.3)
1,1,1-Trichloroethane	ND(5.0)	ND(1.0)	ND(1.0)	ND(5.0)	0.7 J	ND(0.5)	ND(0.5)	ND(0.3)	ND(0.3)
Carbon Tetrachloride	ND(5.0)	ND(2.0)	ND(2.0)	ND(5.0)	ND(5.0)	ND(0.6)	ND(0.4)	ND(0.3)	ND(0.3)
Bromodichloromethane	ND(5.0)	ND(1.0)	ND(1.0)	ND(5.0)	ND(5.0)	ND(0.6)	ND(0.6)	ND(0.3)	ND(0.3)
1,2-Dichloropropane	ND(5.0)	ND(1.0)	ND(1.0)	ND(5.0)	ND(5.0)	ND(0.6)	ND(0.8)	ND(0.4)	ND(0.4)
cis-1,3-Dichloropropene	ND(5.0)	ND(1.0)	ND(1.0)	ND(5.0)	ND(5.0)	ND(0.5)	ND(0.3)	ND(0.3)	ND(0.3)
Trichloroethene	ND(5.0)	ND(2.0)	ND(2.0)	ND(5.0)	ND(5.0)	ND(0.6)	ND(0.3)	ND(0.4)	ND(0.4)
Benzene	ND(5.0)	ND(1.0)	ND(1.0)	ND(5.0)	ND(5.0)	ND(0.5)	ND(0.6)	ND(0.3)	ND(0.3)
Dibromochloromethane	ND(5.0)	ND(1.0)	ND(1.0)	ND(5.0)	ND(5.0)	ND(0.6)	ND(0.5)	ND(0.3)	ND(0.3)
trans-1,3-Dichloropropene	ND(5.0)	ND(1.0)	ND(1.0)	ND(5.0)	ND(5.0)	ND(0.6)	ND(0.5)	ND(0.2)	ND(0.2)
1,1,2-Trichloroethane	ND(5.0)	ND(1.0)	ND(1.0)	ND(5.0)	ND(5.0)	ND(0.5)	ND(0.9)	ND(0.3)	ND(0.3)
2-Chloroethylvinyl ether		ND(4.0)	ND(4.0)	ND(10.0)	ND(10.0)	ND(0.6)	ND(1.5)	ND(1.1)	ND(1.1)
Bromoform	ND(5.0)	ND(1.0)	ND(1.0)	ND(5.0)	ND(5.0)	ND(0.8)	ND(0.7)	ND(0.3)	ND(0.3)
1,1,2,2-Tetrachloroethane	ND(5.0)	ND(2.0)	ND(2.0)	ND(5.0)	ND(5.0)	ND(0.5)	ND(1.0)	ND(0.3)	ND(0.3)
Tetrachloroethene	5.7	ND(3.0)	ND(3.0)	3.0 J	2.0 J	1.0	2.5	2.7	1.6
Toluene	ND(5.0)	ND(2.0)	ND(2.0)	ND(5.0)	ND(5.0)	ND(0.8)	ND(0.5)	ND(0.3)	ND(0.3)
Chlorobenzene	ND(5.0)	ND(2.0)	ND(2.0)	ND(5.0)	ND(5.0)	ND(0.6)	ND(0.5)	ND(0.2)	ND(0.2)
Ethylbenzene	ND(5.0)	ND(2.0)	ND(2.0)	ND(5.0)	ND(5.0)	ND(0.7)	ND(0.5)	ND(0.4)	ND(0.4)
1,2-Dichlorobenzene		ND(2.0)	ND(2.0)	ND(10.0)	ND(10.0)	ND(1.5)	ND(0.2)	ND(0.2)	ND(0.2)
1,3-Dichlorobenzene		ND(2.0)	ND(2.0)	ND(10.0)	ND(10.0)	ND(0.7)	ND(0.4)	ND(0.4)	ND(0.4)
1,4-Dichlorobenzene		ND(2.0)	ND(2.0)	ND(10.0)	ND(10.0)	ND(0.5)	ND(0.3)	ND(0.3)	ND(0.3)

SW-5 (continued)

Parameter	4/01	9/01	4/02	9/02	4/03	10/03	6/04	10/04	4/05
Chloromethane	ND(1.1)	ND(1.1)	ND(1.1)	ND(1.4)	ND(1.4)	ND(2.2)	ND(0.49)	ND(0.49)	ND(0.45)
Bromomethane	ND(0.6)	ND(0.6)	ND(0.6)	ND(1.7)	ND(1.7)	ND(2.9)	ND(0.61)	ND(0.61)	ND(1.30)
Vinyl Chloride	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.2)	ND(1.2)	ND(0.8)	ND(0.28)	ND(0.28)	ND(0.62)
Chloroethane	ND(0.7)	ND(0.7)	ND(0.7)	ND(1.8)	ND(1.8)	ND(2.0)	ND(0.62)	ND(0.62)	ND(1.10)
Methylene Chloride	ND(0.4)	ND(0.4)	ND(0.4)	ND(1.2)	ND(1.2)	ND(1.2)	ND(1.40)	ND(1.40)	ND(0.98)
Trichloroflouromethane	ND(0.4)	ND(0.4)	ND(0.4)	ND(1.3)	ND(1.3)	ND(1.5)	ND(0.80)	ND(0.80)	ND(0.58)
1,1-Dichloroethene	ND(0.4)	ND(0.4)	ND(0.4)	ND(1.0)	ND(1.0)	ND(0.1)	ND(0.28)	ND(0.28)	ND(0.28)
1,1-Dichloroethane	ND(0.2)	ND(0.2)	ND(0.2)	ND(1.0)	ND(1.0)	ND(1.3)	ND(0.29)	ND(0.29)	0.6 J
*1,2-Dichloroethene, Total	ND(0.4)	ND(0.4)	ND(0.4)	ND(1.0)	ND(1.0)	ND(1.3)	ND(0.32)	ND(0.32)	ND(0.40)
Chloroform	ND(0.3)	ND(0.3)	ND(0.3)	ND(0.8)	ND(0.8)	ND(1.5)	ND(0.30)	ND(0.30)	ND(0.18)
1,2-Dichloroethane	ND(0.3)	ND(0.3)	ND(0.3)	ND(0.6)	ND(0.6)	ND(0.2)	ND(0.19)	ND(0.19)	ND(0.28)
1,1,1-Trichloroethane	ND(0.3)	ND(0.3)	ND(0.3)	ND(0.8)	ND(0.8)	ND(0.5)	ND(0.34)	ND(0.34)	0.4 J
Carbon Tetrachloride	ND(0.3)	ND(0.3)	ND(0.3)	ND(0.5)	ND(0.5)	ND(0.1)	ND(0.18)	ND(0.18)	ND(0.34)
Bromodichloromethane	ND(0.3)	ND(0.3)	ND(0.3)	ND(0.9)	ND(0.9)	ND(0.1)	ND(0.29)	ND(0.29)	ND(0.30)
1,2-Dichloropropane	ND(0.4)	ND(0.4)	ND(0.4)	ND(0.8)	ND(0.8)	ND(0.2)	ND(0.32)	ND(0.32)	ND(0.27)
cis-1,3-Dichloropropene	ND(0.3)	ND(0.3)	ND(0.3)	ND(1.5)	ND(1.5)	ND(0.7)	ND(0.21)	ND(0.21)	ND(0.26)
Trichloroethene	ND(0.4)	ND(0.4)	ND(0.4)	ND(0.9)	ND(0.9)	ND(0.1)	ND(0.27)	ND(0.27)	ND(0.59)
Benzene	ND(0.3)	ND(0.3)	ND(0.3)	ND(0.6)	ND(0.6)	ND(0.1)	ND(0.17)	ND(0.17)	ND(0.35)
Dibromochloromethane	ND(0.3)	ND(0.3)	ND(0.3)	ND(1.4)	ND(1.4)	ND(1.2)	ND(0.30)	ND(0.30)	ND(0.22)
trans-1,3-Dichloropropene	ND(0.2)	ND(0.2)	ND(0.2)	ND(1.5)	ND(1.5)	ND(0.7)	ND(0.23)	ND(0.23)	ND(0.29)
1,1,2-Trichloroethane	ND(0.3)	ND(0.3)	ND(0.3)	ND(1.5)	ND(1.5)	ND(1.0)	ND(0.28)	ND(0.28)	ND(0.24)
2-Chloroethylvinyl ether	ND(1.1)	ND(1.1)	ND(1.1)	ND(4.8)	ND(4.8)	ND(2.7)	ND(1.70)	ND(1.70)	ND(6.20)
Bromoform	ND(0.3)	ND(0.3)	ND(0.3)	ND(1.5)	ND(1.5)	ND(1.3)	ND(0.25)	ND(0.25)	ND(0.22)
1,1,2,2-Tetrachloroethane	ND(0.3)	ND(0.3)	ND(0.3)	ND(0.8)	ND(0.8)	ND(1.9)	ND(0.27)	ND(0.27)	ND(0.35)
Tetrachloroethene	3.0	ND(0.3)	1.7	2.6 J	ND(1.0)	ND(1.0)	ND(0.30)	ND(0.30)	1.3 J
Toluene	ND(0.3)	ND(0.3)	ND(0.3)	ND(1.0)	ND(1.0)	ND(0.5)	ND(0.23)	ND(0.23)	ND(0.38)
Chlorobenzene	ND(0.2)	ND(0.2)	ND(0.2)	ND(1.0)	ND(1.0)	ND(0.5)	ND(0.24)	ND(0.24)	ND(0.47)
Ethylbenzene	ND(0.4)	ND(0.4)	ND(0.4)	ND(1.2)	ND(1.2)	ND(0.8)	ND(0.17)	ND(0.17)	ND(0.50)
1,2-Dichlorobenzene	ND(0.2)	ND(0.2)	ND(0.2)	ND(1.6)	ND(1.6)	ND(0.5)	ND(0.20)	ND(0.20)	ND(0.67)
1,3-Dichlorobenzene	ND(0.4)	ND(0.4)	ND(0.4)	ND(0.8)	ND(0.8)	ND(0.7)	ND(0.28)	ND(0.28)	ND(0.35)
1,4-Dichlorobenzene	ND(0.3)	ND(0.3)	ND(0.3)	ND(1.4)	ND(1.4)	ND(0.8)	ND(0.30)	ND(0.30)	ND(0.79)

SW-5 (continued)

Parameter	9/15	5/16	9/16	4/17	9/17	6/18	11/18	4/19	9/19
Chloromethane	ND(5.00)	ND(5.00)	ND(5.0)	ND(5.00)	ND(5.0)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
Bromomethane	ND(5.00)	ND(5.00)	ND(5.0)	ND(5.00)	ND(5.0)	ND(5.00)	1.20 J	ND(5.00)	ND(5.00)
Vinyl Chloride	ND(1.00)	ND(1.00)	ND(1.0)	ND(1.00)	ND(1.0)	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)
Chloroethane	ND(2.00)	ND(2.00)	ND(2.0)	ND(2.00)	ND(2.0)	ND(2.00)	ND(2.00)	ND(2.00)	ND(2.00)
Methylene Chloride	ND(5.00)	ND(5.00)	ND(5.0)	ND(5.00)	ND(5.0)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
Trichloroflouromethane	ND(5.00)	ND(5.00)	ND(5.0)	ND(5.00)	ND(5.0)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
1,1-Dichloroethene	ND(1.00)	ND(1.00)	ND(1.0)	ND(1.00)	ND(1.0)	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)
1,1-Dichloroethane	ND(1.50)	ND(1.50)	ND(1.5)	ND(1.50)	ND(1.5)	ND(1.50)	ND(1.50)	ND(1.50)	ND(1.50)
*1,2-Dichloroethene, Total	ND(1.50)	ND(1.50)	ND(1.5)	ND(1.50)	ND(1.5)	ND(1.50)	ND(1.50)	ND(1.50)	ND(1.50)
Chloroform	ND(1.50)	ND(1.50)	ND(1.5)	ND(1.50)	ND(1.5)	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)
1,2-Dichloroethane	ND(1.50)	ND(1.50)	ND(1.5)	ND(1.50)	ND(1.5)	ND(1.50)	ND(1.50)	ND(1.50)	ND(1.50)
1,1,1-Trichloroethane	ND(2.00)	ND(2.00)	ND(2.0)	ND(2.00)	ND(2.0)	ND(2.00)	ND(2.00)	ND(2.00)	ND(2.00)
Carbon Tetrachloride	ND(1.00)	ND(1.00)	ND(1.0)	ND(1.00)	ND(1.0)	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)
Bromodichloromethane	ND(1.00)	ND(1.00)	ND(1.0)	ND(1.00)	ND(1.0)	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)
1,2-Dichloropropane	ND(3.50)	ND(3.50)	ND(3.5)	ND(3.50)	ND(3.5)	ND(3.50)	ND(3.50)	ND(3.50)	ND(3.50)
cis-1,3-Dichloropropene	ND(1.50)	ND(1.50)	ND(1.5)	ND(1.50)	ND(1.5)	ND(1.50)	ND(1.50)	ND(1.50)	ND(1.50)
Trichloroethene	ND(1.00)	ND(1.00)	ND(1.0)	ND(1.00)	ND(1.0)	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)
Benzene	ND(1.00)	ND(1.00)	ND(1.0)	ND(1.00)	ND(1.0)	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)
Dibromochloromethane	ND(1.00)	ND(1.00)	ND(1.0)	ND(1.00)	ND(1.0)	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)
trans-1,3-Dichloropropene	ND(1.50)	ND(1.50)	ND(1.5)	ND(1.50)	ND(1.5)	ND(1.50)	ND(1.50)	ND(1.50)	ND(1.50)
1,1,2-Trichloroethane	ND(1.50)	ND(1.50)	ND(1.5)	ND(1.50)	ND(1.5)	ND(1.50)	ND(1.50)	ND(1.50)	ND(1.50)
2-Chloroethylvinyl ether	ND(10.00)	ND(10.00)	ND(10.0)	ND(10.00)	ND(10.0)	ND(10.00)	ND(10.00)	ND(10.00)	ND(10.00)
Bromoform	ND(1.00)	ND(1.00)	ND(1.0)	ND(1.00)	ND(1.0)	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)
1,1,2,2-Tetrachloroethane	ND(1.00)	ND(1.00)	ND(1.0)	ND(1.00)	ND(1.0)	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)
Tetrachloroethene	ND(1.50)	1.10 J	2.10	ND(1.50)	ND(1.5)	ND(1.50)	ND(1.50)	1.10	0.27 J
Toluene	ND(1.00)	ND(1.00)	ND(1.0)	ND(1.00)	ND(1.0)	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)
Chlorobenzene	ND(3.50)	ND(3.50)	ND(3.5)	ND(3.50)	ND(3.5)	ND(3.50)	ND(3.50)	ND(3.50)	ND(3.50)
Ethylbenzene	ND(1.00)	ND(1.00)	ND(1.0)	ND(1.00)	ND(1.0)	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)
1,2-Dichlorobenzene	ND(5.00)	ND(5.00)	ND(5.0)	ND(5.00)	ND(5.0)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
1,3-Dichlorobenzene	ND(5.00)	ND(5.00)	ND(5.0)	ND(5.00)	ND(5.0)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
1,4-Dichlorobenzene	ND(5.00)	ND(5.00)	ND(5.0)	ND(5.00)	ND(5.0)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
Acetone	ND(10.00)	ND(10.00)	ND(10.0)	ND(10.00)	ND(10.0)	ND(10.00)	ND(10.00)	ND(10.00)	ND(10.00)
Tert-Butyl Alcohol	ND(100.00)	ND(100.00)	ND(100.0)	ND(100.00)	ND(100.0)	ND(100.00)	ND(100.00)	ND(100.00)	ND(100.00)
cis-1,2-Dichloroethene	ND(1.00)	ND(1.00)	ND(1.0)	ND(1.00)	ND(1.0)	ND(1.00)	ND(1.00)	0.48 J	ND(1.00)
Methyl Tert Butyl Ether	NA	NA	NA	NA	ND(10.0)	NA	NA	NA	NA

SW-5 (continued)

Parameter	6/20	10/20							
Chloromethane	ND(5.00)	ND(5.00)							
Bromomethane	ND(5.00)	ND(5.00)							
Vinyl Chloride	ND(1.00)	ND(1.00)							
Chloroethane	ND(2.00)	ND(2.00)							
Methylene Chloride	ND(5.00)	ND(5.00)							
Trichloroflouromethane	ND(5.00)	ND(5.00)							
1,1-Dichloroethene	ND(1.00)	ND(1.00)							
1,1-Dichloroethane	ND(1.50)	ND(1.50)							
*1,2-Dichloroethene, Total	ND(1.50)	ND(1.50)							
Chloroform	ND(1.00)	ND(1.00)							
1,2-Dichloroethane	ND(1.50)	ND(1.50)							
1,1,1-Trichloroethane	ND(2.00)	ND(2.00)							
Carbon Tetrachloride	ND(1.00)	ND(1.00)							
Bromodichloromethane	ND(1.00)	ND(1.00)							
1,2-Dichloropropane	ND(3.50)	ND(3.50)							
cis-1,3-Dichloropropene	ND(1.50)	ND(1.50)							
Trichloroethene	ND(1.00)	ND(1.00)							
Benzene	ND(1.00)	ND(1.00)							
Dibromochloromethane	ND(1.00)	ND(1.00)							
trans-1,3-Dichloropropene	ND(1.50)	ND(1.50)							
1,1,2-Trichloroethane	ND(1.50)	ND(1.50)							
2-Chloroethylvinyl ether	ND(10.00)	ND(10.00)							
Bromoform	ND(1.00)	ND(1.00)							
1,1,2,2-Tetrachloroethane	ND(1.00)	ND(1.00)							
Tetrachloroethene	0.38 J	0.44 J							
Toluene	ND(1.00)	ND(1.00)							
Chlorobenzene	ND(3.50)	ND(3.50)							
Ethylbenzene	ND(1.00)	ND(1.00)							
1,2-Dichlorobenzene	ND(5.00)	ND(5.00)							
1,3-Dichlorobenzene	ND(5.00)	ND(5.00)							
1,4-Dichlorobenzene	ND(5.00)	ND(5.00)							
Acetone	ND(10.00)	ND(10.00)							
Tert-Butyl Alcohol	ND(100.00)	ND(100.00)							
cis-1,2-Dichloroethene	ND(1.00)	ND(1.00)							
Methyl Tert Butyl Ether	ND(10.00)	ND(10.00)							

Note:

ND(): Compound not detected at method detection limit

*1,2-Dichloroethene, Total: Sum of Trans and Cis 1,2-Dichloroethene

J: Indicates an estimated value; compound is present at a concentration less than specified detection limit

B: The analyte was found in an associated blank, as well as in the sample

SW-5
Historical Analysis of Metals and Leachate Indicators
East Northport Landfill, East Northport, NY
Reported in Milligrams per Liter

Leachate Indicators (mg/l)	6/96	4/97	9/97	4/98	9/98	4/99	9/99	4/00	9/00
Ammonia	ND(1.000)	ND(0.050)	ND(0.050)	ND(0.200)	ND(0.100)	ND(0.200)	ND(0.200)	ND(0.200)	ND(0.200)
Bicarbonate		44.70	36.40	37.40	40.50	40.00	40.00	49.00	45.00
Chloride	105.00	3,500.00	88.90	95.10	75.20	77.50	81.50	86.00	86.00
Nitrate	4.59	1.86	3.26	ND(0.20)	3.50	3.92	1.43	3.40	3.50
Sulfate	41.80	482.00	38.90	32.50	30.80	29.00	65.30	37.00	32.00
Alkalinity	38.00	44.70	36.40	37.40	40.50	40.00	43.00	49.00	45.00
TDS	319.00	71.00	228.00	278.00	254.00	205.00	202.00	220.00	230.00
Hardness	46.00	1,186.07	131.00	112.0 E	125.00	114.00	65.00	130.00	130.00

Leachate Indicators (mg/l)	4/01	9/01	4/02	9/02	4/03	10/03	6/04	10/04	4/05
Ammonia	ND(0.200)	ND(0.200)	ND(0.200)	ND(0.200)	ND(0.200)	0.300	ND(0.200)	ND(0.200)	ND(0.200)
Bicarbonate	52.00	39.00	58.00	56.00	51.00	46.00	50.00	44.00	74.00
Chloride	92.00	97.00	89.00	90.00	81.00	94.00	90.00	94.00	110.00
Nitrate	2.90	4.00	3.10	2.20	3.10	3.60	3.60	3.75	2.52
Sulfate	47.00	29.00	42.00	37.00	36.00	32.00	41.00	31.00	47.00
Alkalinity	52.00	39.00	58.00	56.00	50.00	46.00	50.00	44.00	74.00
TDS	200.00	240.00	320.00	240.00	271.00	300.00	343.00	373.00	330.00
Hardness	150.00	74.00	120.00	140.00	100.00	90.00	130.00	97.00	160.00

SW-5 (continued)

Leachate Indicators (mg/l)	9/05	8/06	11/06	7/07	11/07	4/08	9/08	4/09	9/09
Ammonia	ND(0.200)	0.223	0.200	0.150	0.070	0.070	0.160	0.07	0.18
Bicarbonate	59.00	41.00	50.00	62.10	84.00	55.50	81.50	64.23	87.20
Chloride	120.00	64.00	64.00	77.00	100.00	73.00	90.00	86.00	114.00
Nitrate	3.57	1.87	2.09	1.20	2.90	2.20	1.20	1.30	1.96
Sulfate	34.00	32.00	26.00	25.00	34.00	25.00	43.00	87.00	40.00
Alkalinity	59.00	41.00	50.00	62.10	84.00	55.50	81.50	64.23	87.20
TDS	320.00	220.00	240.00	274.00	300.00	220.00	300.00	260.00	360.00
Hardness	132.90	72.90	106.60	111.00	142.00	103.00	132.00	128.00	157.00

Leachate Indicators (mg/l)	6/10	10/11	5/12	9/12	5/13	10/13	4/14	9/14	4/15
Ammonia	0.18	0.160	0.14	0.195	0.074 J	0.200	0.091	0.274	0.029 J
Bicarbonate	99.00	100.00	96.00	54.000	71.00	47.00	51.00	44.20	49.80
Chloride	110.00	98.00	83.00	60.000	140.00	54.00	89.00	69.00	80.00
Nitrate	1.30	2.20	1.10	1.800	2.19	2.50	2.46	ND(0.100)	2.78
Sulfate	39.00	39.00	25.00	29.000	64.00	24.00	31.00	24.00	27.00
Alkalinity	99.00	100.00	96.00	54.000	71.00	47.00	51.00	44.20	49.80
TDS	340.00	340.00	290.00	210.000	420.00	200.00	260.00	220.00	250.00
Hardness	194.00	161.00	150.00	100.000	130.00	86.00	96.00	86.00	86.00

SW-5 (continued)

Leachate Indicators (mg/l)	9/15	5/16	9/16	4/17	9/17	6/18	11/18	4/19	9/19
Ammonia	0.140	0.091	0.069 J	0.105	0.172	0.080	0.194	0.111	0.069 J
Bicarbonate	45.500	85.900	50.10	28.40	65.30	56.10	55.10	71.70	54.30
Chloride	70.000	200.000	96.00	1,500.00	160.00	120.00	78.00	130.00	62.00
Nitrate	2.600	2.160	2.01	1.13	1.56	1.71	2.45	2.55	2.36
Sulfate	25.000	66.000	33.00	250.00	36.00	31.00	27.00	51.00	23.00
Alkalinity	45.500	85.900	50.10	28.40	65.30	56.10	55.10	71.70	54.30
TDS	220.000	560.000	260.00	3,000.00	420.00	360.00	240.00	460.00	190.00
Hardness	89.000	190.000	100.00	450.00	159.00	101.00	88.80	154.00	88.10

Leachate Indicators (mg/l)	6/20	10/20							
Ammonia	0.069 J	0.087							
Bicarbonate	54.30	52.40							
Chloride	62.00	60.00							
Nitrate	2.36	2.28							
Sulfate	23.00	21.00							
Alkalinity	54.30	52.40							
TDS	190.00	200.00							
Hardness	90.80	91.00							

Note:
 ND(): Compound not detected at method detection limit
 J: Indicates an estimated value; compound is present at a concentration less than specified detection limit
 B: The analyte was found in an associated blank, as well as in the sample

SW-6
Historical Analysis of Volatile Organic Compounds
East Northport Landfill, East Northport, NY
Reported in Micrograms per Liter

Parameter	6/96	4/97	9/97	4/98	9/98	4/99	9/99	4/00	9/00
Chloromethane	ND(10.0)	ND(2.0)	ND(2.0)	ND(10.0)	ND(10.0)	ND(4.6)	ND(2.3)	ND(1.1)	ND(1.1)
Bromomethane	ND(10.0)	ND(1.0)	ND(1.0)	ND(10.0)	ND(10.0)	ND(3.8)	ND(1.8)	ND(0.6)	ND(0.6)
Vinyl Chloride	ND(10.0)	ND(1.0)	ND(1.0)	ND(10.0)	ND(10.0)	ND(1.7)	ND(2.0)	ND(1.0)	ND(1.0)
Chloroethane	ND(10.0)	ND(1.0)	ND(1.0)	ND(10.0)	ND(10.0)	ND(1.8)	ND(1.6)	ND(0.7)	ND(0.7)
Methylene Chloride	ND(5.0)	5.0	ND(3.0)	ND(5.0)	ND(5.0)	ND(2.7)	ND(0.6)	ND(0.4)	ND(0.4)
Trichloroflouromethane		ND(2.0)	ND(2.0)	ND(10.0)	ND(10.0)	ND(1.5)	ND(1.5)	ND(0.4)	ND(0.4)
1,1-Dichloroethene	ND(5.0)	ND(2.0)	ND(2.0)	ND(5.0)	ND(5.0)	ND(1.7)	ND(1.2)	ND(0.4)	ND(0.4)
1,1-Dichloroethane	ND(5.0)	ND(1.0)	ND(1.0)	ND(5.0)	ND(5.0)	ND(1.4)	ND(0.7)	ND(0.2)	ND(0.2)
*1,2-Dichloroethene, Total		ND(1.0)	ND(1.0)	ND(5.0)	ND(5.0)	ND(1.7)	ND(1.0)	ND(0.4)	ND(0.4)
Chloroform	ND(5.0)	ND(1.0)	ND(1.0)	ND(5.0)	ND(5.0)	ND(1.6)	ND(0.4)	ND(0.3)	ND(0.3)
1,2-Dichloroethane	ND(5.0)	ND(1.0)	ND(1.0)	ND(5.0)	ND(5.0)	ND(1.9)	ND(0.5)	ND(0.3)	ND(0.3)
1,1,1-Trichloroethane	ND(5.0)	ND(1.0)	ND(1.0)	ND(5.0)	ND(5.0)	ND(0.5)	ND(0.5)	ND(0.3)	ND(0.3)
Carbon Tetrachloride	ND(5.0)	ND(2.0)	ND(2.0)	ND(5.0)	ND(5.0)	ND(0.6)	ND(0.4)	ND(0.3)	ND(0.3)
Bromodichloromethane	ND(5.0)	ND(1.0)	ND(1.0)	ND(5.0)	ND(5.0)	ND(0.6)	ND(0.6)	ND(0.3)	ND(0.3)
1,2-Dichloropropane	ND(5.0)	ND(1.0)	ND(1.0)	ND(5.0)	ND(5.0)	ND(0.6)	ND(0.8)	ND(0.4)	ND(0.4)
cis-1,3-Dichloropropene	ND(5.0)	ND(1.0)	ND(1.0)	ND(5.0)	ND(5.0)	ND(0.5)	ND(0.3)	ND(0.3)	ND(0.3)
Trichloroethene	ND(5.0)	ND(2.0)	ND(2.0)	ND(5.0)	1.0 J	ND(0.6)	ND(0.3)	ND(0.4)	ND(0.4)
Benzene	ND(5.0)	ND(1.0)	ND(1.0)	ND(5.0)	ND(5.0)	ND(0.5)	ND(0.6)	ND(0.3)	ND(0.3)
Dibromochloromethane	ND(5.0)	ND(1.0)	ND(1.0)	ND(5.0)	ND(5.0)	ND(0.6)	ND(0.5)	ND(0.3)	ND(0.3)
trans-1,3-Dichloropropene	ND(5.0)	ND(1.0)	ND(1.0)	ND(5.0)	ND(5.0)	ND(0.6)	ND(0.5)	ND(0.2)	ND(0.2)
1,1,2-Trichloroethane	ND(5.0)	ND(1.0)	ND(1.0)	ND(5.0)	ND(5.0)	ND(0.5)	ND(0.9)	ND(0.3)	ND(0.3)
2-Chloroethylvinyl ether		ND(4.0)	ND(4.0)	ND(10.0)	ND(10.0)	ND(0.6)	ND(1.5)	ND(1.1)	ND(1.1)
Bromoform	ND(5.0)	ND(1.0)	ND(1.0)	ND(5.0)	ND(5.0)	ND(0.8)	ND(0.7)	ND(0.3)	ND(0.3)
1,1,2,2-Tetrachloroethane	ND(5.0)	ND(2.0)	ND(2.0)	ND(5.0)	ND(5.0)	ND(0.5)	ND(1.0)	ND(0.3)	ND(0.3)
Tetrachloroethene	ND(5.0)	ND(3.0)	ND(3.0)	ND(3.0)	ND(3.0)	ND(0.7)	ND(0.6)	ND(0.3)	ND(0.3)
Toluene	ND(5.0)	ND(2.0)	ND(2.0)	ND(5.0)	ND(5.0)	ND(0.8)	ND(0.5)	ND(0.3)	ND(0.3)
Chlorobenzene	ND(5.0)	ND(2.0)	ND(2.0)	ND(5.0)	ND(5.0)	ND(0.6)	ND(0.5)	ND(0.2)	ND(0.2)
Ethylbenzene	ND(5.0)	ND(2.0)	ND(2.0)	ND(5.0)	ND(5.0)	ND(0.7)	ND(0.5)	ND(0.4)	ND(0.4)
1,2-Dichlorobenzene		ND(2.0)	ND(2.0)	ND(10.0)	ND(10.0)	ND(1.5)	ND(0.2)	ND(0.2)	ND(0.2)
1,3-Dichlorobenzene		ND(2.0)	ND(2.0)	ND(10.0)	ND(10.0)	ND(0.7)	ND(0.4)	ND(0.4)	ND(0.4)
1,4-Dichlorobenzene		ND(2.0)	ND(2.0)	ND(10.0)	ND(10.0)	ND(0.5)	ND(0.3)	ND(0.3)	ND(0.3)

SW-6 (continued)

Parameter	4/01	9/01	4/02	9/02	4/03	10/03	6/04	10/04	4/05
Chloromethane	ND(1.1)	ND(1.1)	ND(1.1)	ND(1.4)	ND(1.4)	ND(2.2)	ND(0.49)	ND(0.49)	ND(0.45)
Bromomethane	ND(0.6)	ND(0.6)	ND(0.6)	ND(1.7)	ND(1.7)	ND(2.9)	ND(0.61)	ND(0.61)	ND(1.30)
Vinyl Chloride	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.2)	ND(1.2)	ND(0.8)	ND(0.28)	ND(0.28)	ND(0.62)
Chloroethane	ND(0.7)	ND(0.7)	ND(0.7)	ND(1.8)	ND(1.8)	ND(2.0)	ND(0.62)	ND(0.62)	ND(1.10)
Methylene Chloride	ND(0.4)	ND(0.4)	ND(0.4)	ND(1.2)	ND(1.2)	ND(1.2)	ND(1.40)	ND(1.40)	ND(0.98)
Trichloroflouromethane	ND(0.4)	ND(0.4)	ND(0.4)	ND(1.3)	ND(1.3)	ND(1.5)	ND(0.80)	ND(0.80)	ND(0.58)
1,1-Dichloroethene	ND(0.4)	ND(0.4)	ND(0.4)	ND(1.0)	ND(1.0)	ND(0.1)	ND(0.28)	ND(0.28)	ND(0.28)
1,1-Dichloroethane	ND(0.2)	ND(0.2)	ND(0.2)	ND(1.0)	ND(1.0)	ND(1.3)	ND(0.29)	ND(0.29)	ND(0.33)
*1,2-Dichloroethene, Total	ND(0.4)	ND(0.4)	ND(0.4)	ND(1.0)	ND(1.0)	ND(1.3)	ND(0.32)	ND(0.32)	ND(0.40)
Chloroform	ND(0.3)	ND(0.3)	ND(0.3)	ND(0.8)	ND(0.8)	ND(1.5)	ND(0.30)	ND(0.30)	ND(0.18)
1,2-Dichloroethane	ND(0.3)	ND(0.3)	ND(0.3)	ND(0.6)	ND(0.6)	ND(0.2)	ND(0.19)	ND(0.19)	ND(0.28)
1,1,1-Trichloroethane	ND(0.3)	ND(0.3)	ND(0.3)	ND(0.8)	ND(0.8)	ND(0.5)	ND(0.34)	ND(0.34)	ND(0.17)
Carbon Tetrachloride	ND(0.3)	ND(0.3)	ND(0.3)	ND(0.5)	ND(0.5)	ND(0.1)	ND(0.18)	ND(0.18)	ND(0.34)
Bromodichloromethane	ND(0.3)	ND(0.3)	ND(0.3)	ND(0.9)	ND(0.9)	ND(0.1)	ND(0.29)	ND(0.29)	ND(0.30)
1,2-Dichloropropane	ND(0.4)	ND(0.4)	ND(0.4)	ND(0.8)	ND(0.8)	ND(0.2)	ND(0.32)	ND(0.32)	ND(0.27)
cis-1,3-Dichloropropene	ND(0.3)	ND(0.3)	ND(0.3)	ND(1.5)	ND(1.5)	ND(0.7)	ND(0.21)	ND(0.21)	ND(0.26)
Trichloroethene	ND(0.4)	ND(0.4)	ND(0.4)	ND(0.9)	ND(0.9)	ND(0.1)	ND(0.27)	ND(0.27)	ND(0.59)
Benzene	ND(0.3)	ND(0.3)	ND(0.3)	ND(0.6)	ND(0.6)	ND(0.1)	ND(0.17)	ND(0.17)	ND(0.35)
Dibromochloromethane	ND(0.3)	ND(0.3)	ND(0.3)	ND(1.4)	ND(1.4)	ND(1.2)	ND(0.30)	ND(0.30)	ND(0.22)
trans-1,3-Dichloropropene	ND(0.2)	ND(0.2)	ND(0.2)	ND(1.5)	ND(1.5)	ND(0.7)	ND(0.23)	ND(0.23)	ND(0.29)
1,1,2-Trichloroethane	ND(0.3)	ND(0.3)	ND(0.3)	ND(1.5)	ND(1.5)	ND(1.0)	ND(0.28)	ND(0.28)	ND(0.24)
2-Chloroethylvinyl ether	ND(1.1)	ND(1.1)	ND(1.1)	ND(4.8)	ND(4.8)	ND(2.7)	ND(1.70)	ND(1.70)	ND(6.20)
Bromoform	ND(0.3)	ND(0.3)	ND(0.3)	ND(1.5)	ND(1.5)	ND(1.3)	ND(0.25)	ND(0.25)	ND(0.22)
1,1,2,2-Tetrachloroethane	ND(0.3)	ND(0.3)	ND(0.3)	ND(0.8)	ND(0.8)	ND(1.9)	ND(0.27)	ND(0.27)	ND(0.35)
Tetrachloroethene	ND(0.3)	ND(0.3)	ND(0.3)	ND(1.0)	ND(1.0)	ND(1.0)	ND(0.30)	ND(0.30)	ND(0.74)
Toluene	ND(0.3)	ND(0.3)	ND(0.3)	ND(1.0)	ND(1.0)	ND(0.5)	ND(0.23)	ND(0.23)	ND(0.38)
Chlorobenzene	ND(0.2)	ND(0.2)	ND(0.2)	ND(1.0)	ND(1.0)	ND(0.5)	ND(0.24)	ND(0.24)	ND(0.47)
Ethylbenzene	ND(0.4)	ND(0.4)	ND(0.4)	ND(1.2)	ND(1.2)	ND(0.8)	ND(0.17)	ND(0.17)	ND(0.50)
1,2-Dichlorobenzene	ND(0.2)	ND(0.2)	ND(0.2)	ND(1.6)	ND(1.6)	ND(0.5)	ND(0.20)	ND(0.20)	ND(0.67)
1,3-Dichlorobenzene	ND(0.4)	ND(0.4)	ND(0.4)	ND(0.8)	ND(0.8)	ND(0.7)	ND(0.28)	ND(0.28)	ND(0.35)
1,4-Dichlorobenzene	ND(0.3)	ND(0.3)	ND(0.3)	ND(1.4)	ND(1.4)	ND(0.8)	ND(0.30)	ND(0.30)	ND(0.79)

SW-6 (continued)

Parameter	9/15	5/16	9/16	4/17	9/17	6/18	11/18	4/19	9/19
Chloromethane	ND(5.00)	ND(5.00)	ND(5.0)	ND(5.00)	ND(5.0)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
Bromomethane	ND(5.00)	ND(5.00)	ND(5.0)	ND(5.00)	ND(5.0)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
Vinyl Chloride	ND(1.00)	ND(1.00)	ND(1.0)	ND(1.00)	ND(1.0)	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)
Chloroethane	ND(2.00)	ND(2.00)	ND(2.0)	ND(2.00)	ND(2.0)	ND(2.00)	ND(2.00)	ND(2.00)	ND(2.00)
Methylene Chloride	ND(5.00)	ND(5.00)	ND(5.0)	ND(5.00)	ND(5.0)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
Trichloroflouromethane	ND(5.00)	ND(5.00)	ND(5.0)	ND(5.00)	ND(5.0)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
1,1-Dichloroethene	ND(1.00)	ND(1.00)	ND(1.0)	ND(1.00)	ND(1.0)	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)
1,1-Dichloroethane	ND(1.50)	ND(1.50)	ND(1.5)	ND(1.50)	ND(1.5)	ND(1.50)	ND(1.50)	ND(1.50)	ND(1.50)
*1,2-Dichloroethene, Total	ND(1.50)	ND(1.50)	ND(1.5)	ND(1.50)	ND(1.5)	ND(1.50)	ND(1.50)	ND(1.50)	ND(1.50)
Chloroform	ND(1.50)	ND(1.50)	ND(1.5)	ND(1.50)	ND(1.5)	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)
1,2-Dichloroethane	ND(1.50)	ND(1.50)	ND(1.5)	ND(1.50)	ND(1.5)	ND(1.50)	ND(1.50)	ND(1.50)	ND(1.50)
1,1,1-Trichloroethane	ND(2.00)	ND(2.00)	ND(2.0)	ND(2.00)	ND(2.0)	ND(2.00)	ND(2.00)	ND(2.00)	ND(2.00)
Carbon Tetrachloride	ND(1.00)	ND(1.00)	ND(1.0)	ND(1.00)	ND(1.0)	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)
Bromodichloromethane	ND(1.00)	ND(1.00)	ND(1.0)	ND(1.00)	ND(1.0)	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)
1,2-Dichloropropane	ND(3.50)	ND(3.50)	ND(3.5)	ND(3.50)	ND(3.5)	ND(3.50)	ND(3.50)	ND(3.50)	ND(3.50)
cis-1,3-Dichloropropene	ND(1.50)	ND(1.50)	ND(1.5)	ND(1.50)	ND(1.5)	ND(1.50)	ND(1.50)	ND(1.50)	ND(1.50)
Trichloroethene	ND(1.00)	ND(1.00)	ND(1.0)	ND(1.00)	ND(1.0)	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)
Benzene	ND(1.00)	ND(1.00)	ND(1.0)	ND(1.00)	ND(1.0)	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)
Dibromochloromethane	ND(1.00)	ND(1.00)	ND(1.0)	ND(1.00)	ND(1.0)	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)
trans-1,3-Dichloropropene	ND(1.50)	ND(1.50)	ND(1.5)	ND(1.50)	ND(1.5)	ND(1.50)	ND(1.50)	ND(1.50)	ND(1.50)
1,1,2-Trichloroethane	ND(1.50)	ND(1.50)	ND(1.5)	ND(1.50)	ND(1.5)	ND(1.50)	ND(1.50)	ND(1.50)	ND(1.50)
2-Chloroethylvinyl ether	ND(10.00)	ND(10.00)	ND(10.0)	ND(10.00)	ND(10.0)	ND(10.00)	ND(10.00)	ND(10.00)	ND(10.00)
Bromoform	ND(1.00)	ND(1.00)	ND(1.0)	ND(1.00)	ND(1.0)	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)
1,1,2,2-Tetrachloroethane	ND(1.00)	ND(1.00)	ND(1.0)	ND(1.00)	ND(1.0)	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)
Tetrachloroethene	ND(1.50)	ND(1.50)	ND(1.5)	ND(1.50)	ND(1.5)	ND(1.50)	ND(1.50)	ND(1.50)	ND(1.50)
Toluene	ND(1.00)	ND(1.00)	ND(1.0)	ND(1.00)	ND(1.0)	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)
Chlorobenzene	ND(3.50)	ND(3.50)	ND(3.5)	ND(3.50)	ND(3.5)	ND(3.50)	ND(3.50)	ND(3.50)	ND(3.50)
Ethylbenzene	ND(1.00)	ND(1.00)	ND(1.0)	ND(1.00)	ND(1.0)	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)
1,2-Dichlorobenzene	ND(5.00)	ND(5.00)	ND(5.0)	ND(5.00)	ND(5.0)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
1,3-Dichlorobenzene	ND(5.00)	ND(5.00)	ND(5.0)	ND(5.00)	ND(5.0)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
1,4-Dichlorobenzene	ND(5.00)	ND(5.00)	ND(5.0)	ND(5.00)	ND(5.0)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
Acetone	ND(10.00)	ND(10.00)	ND(10.0)	ND(10.00)	ND(10.0)	ND(10.00)	4.30 J	2.40 J	ND(10.00)
Tert-Butyl Alcohol	ND(100.00)	ND(100.00)	ND(100.0)	ND(100.00)	ND(100.0)	ND(100.00)	ND(100.00)	ND(100.00)	ND(100.00)
cis-1,2-Dichloroethene	ND(1.00)	ND(1.00)	ND(1.0)	ND(1.00)	ND(1.0)	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)
Methyl Tert Butyl Ether	NA	NA	NA	NA	ND(10.0)	NA	NA	NA	NA

SW-6 (continued)

Parameter	6/20	10/20							
Chloromethane	ND(5.00)	ND(5.00)							
Bromomethane	ND(5.00)	ND(5.00)							
Vinyl Chloride	ND(1.00)	ND(1.00)							
Chloroethane	ND(2.00)	ND(2.00)							
Methylene Chloride	ND(5.00)	ND(5.00)							
Trichloroflouromethane	ND(5.00)	ND(5.00)							
1,1-Dichloroethene	ND(1.00)	ND(1.00)							
1,1-Dichloroethane	ND(1.50)	ND(1.50)							
*1,2-Dichloroethene, Total	ND(1.50)	ND(1.50)							
Chloroform	ND(1.00)	ND(1.00)							
1,2-Dichloroethane	ND(1.50)	ND(1.50)							
1,1,1-Trichloroethane	ND(2.00)	ND(2.00)							
Carbon Tetrachloride	ND(1.00)	ND(1.00)							
Bromodichloromethane	ND(1.00)	ND(1.00)							
1,2-Dichloropropane	ND(3.50)	ND(3.50)							
cis-1,3-Dichloropropene	ND(1.50)	ND(1.50)							
Trichloroethene	ND(1.00)	ND(1.00)							
Benzene	ND(1.00)	ND(1.00)							
Dibromochloromethane	ND(1.00)	ND(1.00)							
trans-1,3-Dichloropropene	ND(1.50)	ND(1.50)							
1,1,2-Trichloroethane	ND(1.50)	ND(1.50)							
2-Chloroethylvinyl ether	ND(10.00)	ND(10.00)							
Bromoform	ND(1.00)	ND(1.00)							
1,1,2,2-Tetrachloroethane	ND(1.00)	ND(1.00)							
Tetrachloroethene	ND(1.50)	ND(1.50)							
Toluene	ND(1.00)	ND(1.00)							
Chlorobenzene	ND(3.50)	ND(3.50)							
Ethylbenzene	ND(1.00)	ND(1.00)							
1,2-Dichlorobenzene	ND(5.00)	ND(5.00)							
1,3-Dichlorobenzene	ND(5.00)	ND(5.00)							
1,4-Dichlorobenzene	ND(5.00)	ND(5.00)							
Acetone	2.7 J	2.4 J							
Tert-Butyl Alcohol	ND(100.00)	ND(100.00)							
cis-1,2-Dichloroethene	ND(1.00)	ND(1.00)							
Methyl Tert Butyl Ether	ND(10.00)	ND(10.00)							

Note:

ND(): Compound not detected at method detection limit

*1,2-Dichloroethene, Total: Sum of Trans and Cis 1,2-Dichloroethene

J: Indicates an estimated value; compound is present at a concentration less than specified detection limit

B: The analyte was found in an associated blank, as well as in the sample

SW-6
Historical Analysis of Metals and Leachate Indicators
East Northport Landfill, East Northport, NY
Reported in Milligrams per Liter

Leachate Indicators (mg/l)	6/96	4/97	9/97	4/98	9/98	4/99	9/99	4/00	9/00
Ammonia	ND(1.000)	ND(0.050)	ND(0.050)	ND(0.200)	ND(0.100)	ND(0.200)	ND(0.200)	0.220	ND(0.200)
Bicarbonate		35.60	45.50	39.60	55.40	41.00	41.00	33.00	47.00
Chloride	144.00	94.70	42.20	38.90	38.60	98.10	23.00	77.00	29.00
Nitrate	ND(1.00)	1.07	0.31	ND(0.20)	0.49	1.05	ND(0.05)	ND(0.50)	ND(0.50)
Sulfate	14.60	16.90	14.80	14.50	18.70	18.60	15.40	9.20	13.00
Alkalinity	45.00	35.60	45.50	39.60	55.40	41.00	29.00	33.00	47.00
TDS	363.00	239.00	130.00	104.00	162.00	252.00	75.00	150.00	100.00
Hardness	40.00	71.02	65.30	65.8 E	76.10	65.70	44.00	49.00	57.00

Leachate Indicators (mg/l)	4/01	9/01	4/02	9/02	4/03	10/03	6/04	10/04	4/05
Ammonia	ND(0.200)	ND(0.200)	ND(0.200)	ND(0.200)	ND(0.200)	0.400	ND(0.200)	ND(0.200)	ND(0.200)
Bicarbonate	39.00	44.00	37.00	13.00	34.00	44.00	42.00	48.00	42.00
Chloride	150.00	44.00	65.00	14.00	520.00	82.00	100.00	67.00	190.00
Nitrate	ND(0.50)	1.60	ND(0.50)	ND(0.50)	ND(0.50)	0.80	ND(0.50)	0.974	0.844
Sulfate	19.00	16.00	16.00	25.00	26.00	11.00	17.00	17.00	22.00
Alkalinity	39.00	44.00	37.00	13.00	34.00	44.00	42.00	48.00	42.00
TDS	220.00	130.00	180.00	64.00	903.00	401.00	280.00	350.00	410.00
Hardness	85.00	34.00	50.00	33.00	76.00	63.00	59.00	61.00	80.00

SW-6 (continued)

Leachate Indicators (mg/l)	9/05	8/06	11/06	7/07	11/07	4/08	9/08	4/09	9/09
Ammonia	ND(0.200)	0.219	0.500	0.098	0.320	0.070	0.150	0.19	0.42
Bicarbonate	45.00	58.00	55.00	57.30	67.00	55.90	59.30	48.20	58.90
Chloride	60.00	94.00	74.00	73.70	63.00	130.00	83.00	140.00	93.00
Nitrate	ND(0.50)	ND(0.50)	1.18	0.57	2.00	0.72	0.45	0.55	0.65
Sulfate	24.00	23.00	18.00	17.60	21.00	20.00	27.00	22.00	17.00
Alkalinity	45.00	58.00	55.00	57.30	67.00	55.90	59.30	48.20	58.90
TDS	190.00	13,000.00	230.00	218.00	180.00	290.00	240.00	320.00	240.00
Hardness	80.60	63.00	83.50	78.30	75.50	81.40	76.20	84.60	80.10

Leachate Indicators (mg/l)	6/10	10/11	5/12	9/12	5/13	10/13	4/14	9/14	4/15
Ammonia	0.44	0.310	0.051 J	0.151	0.074 J	0.053 J	0.030 J	0.184	0.087
Bicarbonate	59.00	43.00	53.00	48.000	43.00	49.00	30.60	43.90	44.20
Chloride	97.00	71.00	84.00	52.000	150.00	80.00	220.00	66.00	250.00
Nitrate	0.60	0.72	0.47	0.190	0.28	0.022 J	0.29	ND(0.100)	1.02
Sulfate	21.00	12.00	12.00	14.000	36.00	16.00	20.00	10.00	21.00
Alkalinity	59.00	43.00	53.00	48.000	43.00	49.00	30.60	43.90	44.20
TDS	250.00	200.00	240.00	160.000	370.00	200.00	440.00	160.00	470.00
Hardness	95.00	58.20	78.00	68.000	91.00	77.00	78.00	52.00	82.00

SW-6 (continued)

Leachate Indicators (mg/l)	9/15	5/16	9/16	4/17	9/17	6/18	11/18	4/19	9/19
Ammonia	0.028 J	0.160	0.108	0.059 J	0.056 J	0.051 J	0.13	0.060 J	0.14
Bicarbonate	29.800	41.600	16.70	91.20	27.10	39.60	40.40	45.20	59.60
Chloride	70.000	160.000	33.00	180.00	43.00	220.00	140.00	240.00	96.00
Nitrate	ND(0.100)	0.144	0.53	ND(0.10)	ND(0.1)	ND(0.10)	0.96	0.95	0.58
Sulfate	22.000	17.000	44.00	14.00	4.00 J	15.00	16.00	20.00	18.00
Alkalinity	29.800	41.600	16.70	91.20	27.10	39.60	40.40	45.20	59.60
TDS	170.000	360.000	110.00	350.00	95.00	470.00	320.00	550.00	220.00
Hardness	55.000	69.000	45.00	40.00	28.00	80.80	52.80	82.00	79.00

Leachate Indicators (mg/l)	6/20	10/20							
Ammonia	0.139	0.085							
Bicarbonate	59.60	22.80							
Chloride	96.00	47.00							
Nitrate	0.58	0.179							
Sulfate	18.00	13.00							
Alkalinity	59.60	22.80							
TDS	220.00	120.00							
Hardness	77.40	50.50							

Note:
 ND(): Compound not detected at method detection limit
 J: Indicates an estimated value; compound is present at a concentration less than specified detection limit
 B: The analyte was found in an associated blank, as well as in the sample

SW-7
Historical Analysis of Volatile Organic Compounds
East Northport Landfill, East Northport, NY
Reported in Micrograms per Liter

Parameter	6/96	4/97	9/97	4/98	9/98	4/99	9/99	4/00	9/00
Chloromethane	ND(10.0)	ND(2.0)	ND(2.0)	ND(10.0)	ND(10.0)	ND(4.6)	ND(2.3)	ND(1.1)	ND(1.1)
Bromomethane	ND(10.0)	ND(1.0)	ND(1.0)	ND(10.0)	ND(10.0)	ND(3.8)	ND(1.8)	ND(0.6)	ND(0.6)
Vinyl Chloride	ND(10.0)	ND(1.0)	ND(1.0)	ND(10.0)	ND(10.0)	ND(1.7)	ND(2.0)	ND(1.0)	ND(1.0)
Chloroethane	ND(10.0)	ND(1.0)	ND(1.0)	ND(10.0)	ND(10.0)	ND(1.8)	ND(1.6)	ND(0.7)	ND(0.7)
Methylene Chloride	ND(5.0)	4.0	ND(3.0)	ND(5.0)	ND(5.0)	ND(2.7)	ND(0.6)	ND(0.4)	ND(0.4)
Trichloroflouromethane		ND(2.0)	ND(2.0)	ND(10.0)	ND(10.0)	ND(1.5)	ND(1.5)	ND(0.4)	ND(0.4)
1,1-Dichloroethene	ND(5.0)	ND(2.0)	ND(2.0)	ND(5.0)	ND(5.0)	ND(1.7)	ND(1.2)	ND(0.4)	ND(0.4)
1,1-Dichloroethane	ND(5.0)	ND(1.0)	ND(1.0)	ND(5.0)	ND(5.0)	ND(1.4)	ND(0.7)	ND(0.2)	ND(0.2)
*1,2-Dichloroethene, Total		ND(1.0)	ND(1.0)	ND(5.0)	ND(5.0)	ND(1.7)	ND(1.0)	ND(0.4)	ND(0.4)
Chloroform	ND(5.0)	ND(1.0)	ND(1.0)	ND(5.0)	ND(5.0)	ND(1.6)	ND(0.4)	ND(0.3)	ND(0.3)
1,2-Dichloroethane	ND(5.0)	ND(1.0)	ND(1.0)	ND(5.0)	ND(5.0)	ND(1.9)	ND(0.5)	ND(0.3)	ND(0.3)
1,1,1-Trichloroethane	ND(5.0)	ND(1.0)	ND(1.0)	ND(5.0)	ND(5.0)	ND(0.5)	ND(0.5)	ND(0.3)	ND(0.3)
Carbon Tetrachloride	ND(5.0)	ND(2.0)	ND(2.0)	ND(5.0)	ND(5.0)	ND(0.6)	ND(0.4)	ND(0.3)	ND(0.3)
Bromodichloromethane	ND(5.0)	ND(1.0)	ND(1.0)	ND(5.0)	ND(5.0)	ND(0.6)	ND(0.6)	ND(0.3)	ND(0.3)
1,2-Dichloropropane	ND(5.0)	ND(1.0)	ND(1.0)	ND(5.0)	ND(5.0)	ND(0.6)	ND(0.8)	ND(0.4)	ND(0.4)
cis-1,3-Dichloropropene	ND(5.0)	ND(1.0)	ND(1.0)	ND(5.0)	ND(5.0)	ND(0.5)	ND(0.3)	ND(0.3)	ND(0.3)
Trichloroethene	ND(5.0)	ND(2.0)	ND(2.0)	ND(5.0)	ND(5.0)	ND(0.6)	ND(0.3)	ND(0.4)	ND(0.4)
Benzene	ND(5.0)	ND(1.0)	ND(1.0)	ND(5.0)	ND(5.0)	ND(0.5)	ND(0.6)	ND(0.3)	ND(0.3)
Dibromochloromethane	ND(5.0)	ND(1.0)	ND(1.0)	ND(5.0)	ND(5.0)	ND(0.6)	ND(0.5)	ND(0.3)	ND(0.3)
trans-1,3-Dichloropropene	ND(5.0)	ND(1.0)	ND(1.0)	ND(5.0)	ND(5.0)	ND(0.6)	ND(0.5)	ND(0.2)	ND(0.2)
1,1,2-Trichloroethane	ND(5.0)	ND(1.0)	ND(1.0)	ND(5.0)	ND(5.0)	ND(0.5)	ND(0.9)	ND(0.3)	ND(0.3)
2-Chloroethylvinyl ether		ND(4.0)	ND(4.0)	ND(10.0)	ND(10.0)	ND(0.6)	ND(1.5)	ND(1.1)	ND(1.1)
Bromoform	ND(5.0)	ND(1.0)	ND(1.0)	ND(5.0)	ND(5.0)	ND(0.8)	ND(0.7)	ND(0.3)	ND(0.3)
1,1,2,2-Tetrachloroethane	ND(5.0)	ND(2.0)	ND(2.0)	ND(5.0)	ND(5.0)	ND(0.5)	ND(1.0)	ND(0.3)	ND(0.3)
Tetrachloroethene	ND(5.0)	ND(3.0)	ND(3.0)	ND(3.0)	ND(3.0)	ND(0.7)	ND(0.6)	ND(0.3)	ND(0.3)
Toluene	ND(5.0)	ND(2.0)	ND(2.0)	ND(5.0)	ND(5.0)	ND(0.8)	ND(0.5)	ND(0.3)	ND(0.3)
Chlorobenzene	ND(5.0)	ND(2.0)	ND(2.0)	ND(5.0)	ND(5.0)	ND(0.6)	ND(0.5)	ND(0.2)	ND(0.2)
Ethylbenzene	ND(5.0)	ND(2.0)	ND(2.0)	ND(5.0)	ND(5.0)	ND(0.7)	ND(0.5)	ND(0.4)	ND(0.4)
1,2-Dichlorobenzene		ND(2.0)	ND(2.0)	ND(10.0)	ND(10.0)	ND(1.5)	ND(0.2)	ND(0.2)	ND(0.2)
1,3-Dichlorobenzene		ND(2.0)	ND(2.0)	ND(10.0)	ND(10.0)	ND(0.7)	ND(0.4)	ND(0.4)	ND(0.4)
1,4-Dichlorobenzene		ND(2.0)	ND(2.0)	ND(10.0)	ND(10.0)	ND(0.5)	ND(0.3)	ND(0.3)	ND(0.3)

SW-7 (continued)

Parameter	4/01	9/01	4/02	9/02	4/03	10/03	6/04	10/04	4/05
Chloromethane	ND(1.1)	ND(1.1)	ND(1.1)	ND(1.4)	ND(1.4)	ND(2.2)	ND(0.49)	ND(0.49)	ND(0.45)
Bromomethane	ND(0.6)	ND(0.6)	ND(0.6)	ND(1.7)	ND(1.7)	ND(2.9)	ND(0.61)	ND(0.61)	ND(1.30)
Vinyl Chloride	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.2)	ND(1.2)	ND(0.8)	ND(0.28)	ND(0.28)	ND(0.62)
Chloroethane	ND(0.7)	ND(0.7)	ND(0.7)	ND(1.8)	ND(1.8)	ND(2.0)	ND(0.62)	ND(0.62)	ND(1.10)
Methylene Chloride	ND(0.4)	ND(0.4)	ND(0.4)	ND(1.2)	ND(1.2)	ND(1.2)	ND(1.40)	ND(1.40)	ND(0.98)
Trichloroflouromethane	ND(0.4)	ND(0.4)	ND(0.4)	ND(1.3)	ND(1.3)	ND(1.5)	ND(0.80)	ND(0.80)	ND(0.58)
1,1-Dichloroethene	ND(0.4)	ND(0.4)	ND(0.4)	ND(1.0)	ND(1.0)	ND(0.1)	ND(0.28)	ND(0.28)	ND(0.28)
1,1-Dichloroethane	ND(0.2)	ND(0.2)	ND(0.2)	ND(1.0)	ND(1.0)	ND(1.3)	ND(0.29)	ND(0.29)	ND(0.33)
*1,2-Dichloroethene, Total	ND(0.4)	ND(0.4)	ND(0.4)	ND(1.0)	ND(1.0)	ND(1.3)	ND(0.32)	ND(0.32)	ND(0.40)
Chloroform	ND(0.3)	ND(0.3)	ND(0.3)	ND(0.8)	ND(0.8)	ND(1.5)	ND(0.30)	ND(0.30)	ND(0.18)
1,2-Dichloroethane	ND(0.3)	ND(0.3)	ND(0.3)	ND(0.6)	ND(0.6)	ND(0.2)	ND(0.19)	ND(0.19)	ND(0.28)
1,1,1-Trichloroethane	ND(0.3)	ND(0.3)	ND(0.3)	ND(0.8)	ND(0.8)	ND(0.5)	ND(0.34)	ND(0.34)	ND(0.17)
Carbon Tetrachloride	ND(0.3)	ND(0.3)	ND(0.3)	ND(0.5)	ND(0.5)	ND(0.1)	ND(0.18)	ND(0.18)	ND(0.34)
Bromodichloromethane	ND(0.3)	ND(0.3)	ND(0.3)	ND(0.9)	ND(0.9)	ND(0.1)	ND(0.29)	ND(0.29)	ND(0.30)
1,2-Dichloropropane	ND(0.4)	ND(0.4)	ND(0.4)	ND(0.8)	ND(0.8)	ND(0.2)	ND(0.32)	ND(0.32)	ND(0.27)
cis-1,3-Dichloropropene	ND(0.3)	ND(0.3)	ND(0.3)	ND(1.5)	ND(1.5)	ND(0.7)	ND(0.21)	ND(0.21)	ND(0.26)
Trichloroethene	ND(0.4)	ND(0.4)	ND(0.4)	ND(0.9)	ND(0.9)	ND(0.1)	ND(0.27)	ND(0.27)	ND(0.59)
Benzene	ND(0.3)	ND(0.3)	ND(0.3)	ND(0.6)	ND(0.6)	ND(0.1)	ND(0.17)	ND(0.17)	ND(0.35)
Dibromochloromethane	ND(0.3)	ND(0.3)	ND(0.3)	ND(1.4)	ND(1.4)	ND(1.2)	ND(0.30)	ND(0.30)	ND(0.22)
trans-1,3-Dichloropropene	ND(0.2)	ND(0.2)	ND(0.2)	ND(1.5)	ND(1.5)	ND(0.7)	ND(0.23)	ND(0.23)	ND(0.29)
1,1,2-Trichloroethane	ND(0.3)	ND(0.3)	ND(0.3)	ND(1.5)	ND(1.5)	ND(1.0)	ND(0.28)	ND(0.28)	ND(0.24)
2-Chloroethylvinyl ether	ND(1.1)	ND(1.1)	ND(1.1)	ND(4.8)	ND(4.8)	ND(2.7)	ND(1.70)	ND(1.70)	ND(6.20)
Bromoform	ND(0.3)	ND(0.3)	ND(0.3)	ND(1.5)	ND(1.5)	ND(1.3)	ND(0.25)	ND(0.25)	ND(0.22)
1,1,2,2-Tetrachloroethane	ND(0.3)	ND(0.3)	ND(0.3)	ND(0.8)	ND(0.8)	ND(1.9)	ND(0.27)	ND(0.27)	ND(0.35)
Tetrachloroethene	ND(0.3)	ND(0.3)	ND(0.3)	ND(1.0)	ND(1.0)	ND(1.0)	ND(0.30)	ND(0.30)	ND(0.74)
Toluene	ND(0.3)	ND(0.3)	ND(0.3)	ND(1.0)	ND(1.0)	ND(0.5)	ND(0.23)	ND(0.23)	ND(0.38)
Chlorobenzene	ND(0.2)	ND(0.2)	ND(0.2)	ND(1.0)	ND(1.0)	ND(0.5)	ND(0.24)	ND(0.24)	ND(0.47)
Ethylbenzene	ND(0.4)	ND(0.4)	ND(0.4)	ND(1.2)	ND(1.2)	ND(0.8)	ND(0.17)	ND(0.17)	ND(0.50)
1,2-Dichlorobenzene	ND(0.2)	ND(0.2)	ND(0.2)	ND(1.6)	ND(1.6)	ND(0.5)	ND(0.20)	ND(0.20)	ND(0.67)
1,3-Dichlorobenzene	ND(0.4)	ND(0.4)	ND(0.4)	ND(0.8)	ND(0.8)	ND(0.7)	ND(0.28)	ND(0.28)	ND(0.35)
1,4-Dichlorobenzene	ND(0.3)	ND(0.3)	ND(0.3)	ND(1.4)	ND(1.4)	ND(0.8)	ND(0.30)	ND(0.30)	ND(0.79)

SW-7 (continued)

Parameter	9/15	5/16	9/16	4/17	9/17	6/18	11/18	4/19	9/19
Chloromethane	ND(5.00)	ND(5.00)	ND(5.0)	ND(5.00)	ND(5.0)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
Bromomethane	ND(5.00)	ND(5.00)	ND(5.0)	ND(5.00)	ND(5.0)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
Vinyl Chloride	ND(1.00)	ND(1.00)	ND(1.0)	ND(1.00)	ND(1.0)	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)
Chloroethane	ND(2.00)	ND(2.00)	ND(2.0)	ND(2.00)	ND(2.0)	ND(2.00)	ND(2.00)	ND(2.00)	ND(2.00)
Methylene Chloride	ND(5.00)	ND(5.00)	ND(5.0)	ND(5.00)	ND(5.0)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
Trichloroflouromethane	ND(5.00)	ND(5.00)	ND(5.0)	ND(5.00)	ND(5.0)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
1,1-Dichloroethene	ND(1.00)	ND(1.00)	ND(1.0)	ND(1.00)	ND(1.0)	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)
1,1-Dichloroethane	ND(1.50)	ND(1.50)	ND(1.5)	ND(1.50)	ND(1.5)	ND(1.50)	ND(1.50)	ND(1.50)	ND(1.50)
*1,2-Dichloroethene, Total	ND(1.50)	ND(1.50)	ND(1.5)	ND(1.50)	ND(1.5)	ND(1.50)	ND(1.50)	ND(1.50)	ND(1.50)
Chloroform	ND(1.50)	ND(1.50)	ND(1.5)	ND(1.50)	ND(1.5)	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)
1,2-Dichloroethane	ND(1.50)	ND(1.50)	ND(1.5)	ND(1.50)	ND(1.5)	ND(1.50)	ND(1.50)	ND(1.50)	ND(1.50)
1,1,1-Trichloroethane	ND(2.00)	ND(2.00)	ND(2.0)	ND(2.00)	ND(2.0)	ND(2.00)	ND(2.00)	ND(2.00)	ND(2.00)
Carbon Tetrachloride	ND(1.00)	ND(1.00)	ND(1.0)	ND(1.00)	ND(1.0)	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)
Bromodichloromethane	ND(1.00)	ND(1.00)	ND(1.0)	ND(1.00)	ND(1.0)	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)
1,2-Dichloropropane	ND(3.50)	ND(3.50)	ND(3.5)	ND(3.50)	ND(3.5)	ND(3.50)	ND(3.50)	ND(3.50)	ND(3.50)
cis-1,3-Dichloropropene	ND(1.50)	ND(1.50)	ND(1.5)	ND(1.50)	ND(1.5)	ND(1.50)	ND(1.50)	ND(1.50)	ND(1.50)
Trichloroethene	ND(1.00)	ND(1.00)	ND(1.0)	ND(1.00)	ND(1.0)	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)
Benzene	ND(1.00)	ND(1.00)	ND(1.0)	ND(1.00)	ND(1.0)	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)
Dibromochloromethane	ND(1.00)	ND(1.00)	ND(1.0)	ND(1.00)	ND(1.0)	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)
trans-1,3-Dichloropropene	ND(1.50)	ND(1.50)	ND(1.5)	ND(1.50)	ND(1.5)	ND(1.50)	ND(1.50)	ND(1.50)	ND(1.50)
1,1,2-Trichloroethane	ND(1.50)	ND(1.50)	ND(1.5)	ND(1.50)	ND(1.5)	ND(1.50)	ND(1.50)	ND(1.50)	ND(1.50)
2-Chloroethylvinyl ether	ND(10.00)	ND(10.00)	ND(10.0)	ND(10.00)	ND(10.0)	ND(10.00)	ND(10.00)	ND(10.00)	ND(10.00)
Bromoform	ND(1.00)	ND(1.00)	ND(1.0)	ND(1.00)	ND(1.0)	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)
1,1,2,2-Tetrachloroethane	ND(1.00)	ND(1.00)	ND(1.0)	ND(1.00)	ND(1.0)	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)
Tetrachloroethene	ND(1.50)	ND(1.50)	ND(1.5)	ND(1.50)	ND(1.5)	ND(1.50)	ND(1.50)	ND(1.50)	ND(1.50)
Toluene	ND(1.00)	ND(1.00)	ND(1.0)	ND(1.00)	ND(1.0)	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)
Chlorobenzene	ND(3.50)	ND(3.50)	ND(3.5)	ND(3.50)	ND(3.5)	ND(3.50)	ND(3.50)	ND(3.50)	ND(3.50)
Ethylbenzene	ND(1.00)	ND(1.00)	ND(1.0)	ND(1.00)	ND(1.0)	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)
1,2-Dichlorobenzene	ND(5.00)	ND(5.00)	ND(5.0)	ND(5.00)	ND(5.0)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
1,3-Dichlorobenzene	ND(5.00)	ND(5.00)	ND(5.0)	ND(5.00)	ND(5.0)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
1,4-Dichlorobenzene	ND(5.00)	ND(5.00)	ND(5.0)	ND(5.00)	ND(5.0)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
Acetone	ND(10.00)	ND(10.00)	ND(10.0)	ND(10.00)	ND(10.0)	ND(10.00)	ND(10.00)	2.5 J	2.5 J
Tert-Butyl Alcohol	ND(100.00)	ND(100.00)	ND(100.0)	ND(100.00)	ND(100.0)	ND(100.00)	ND(100.00)	ND(100.00)	ND(100.00)
cis-1,2-Dichloroethene	ND(1.00)	ND(1.00)	ND(1.0)	ND(1.00)	ND(1.0)	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)
Methyl Tert Butyl Ether	NA	NA	NA	NA	ND(10.0)	NA	NA	NA	NA

SW-7 (continued)

Parameter	6/20	10/20							
Chloromethane	ND(5.00)	ND(5.00)							
Bromomethane	ND(5.00)	ND(5.00)							
Vinyl Chloride	ND(1.00)	ND(1.00)							
Chloroethane	ND(2.00)	ND(2.00)							
Methylene Chloride	ND(5.00)	ND(5.00)							
Trichlorofluoromethane	ND(5.00)	ND(5.00)							
1,1-Dichloroethene	ND(1.00)	ND(1.00)							
1,1-Dichloroethane	ND(1.50)	ND(1.50)							
*1,2-Dichloroethene, Total	ND(1.50)	ND(1.50)							
Chloroform	ND(1.00)	ND(1.00)							
1,2-Dichloroethane	ND(1.50)	ND(1.50)							
1,1,1-Trichloroethane	ND(2.00)	ND(2.00)							
Carbon Tetrachloride	ND(1.00)	ND(1.00)							
Bromodichloromethane	ND(1.00)	ND(1.00)							
1,2-Dichloropropane	ND(3.50)	ND(3.50)							
cis-1,3-Dichloropropene	ND(1.50)	ND(1.50)							
Trichloroethene	ND(1.00)	ND(1.00)							
Benzene	ND(1.00)	ND(1.00)							
Dibromochloromethane	ND(1.00)	ND(1.00)							
trans-1,3-Dichloropropene	ND(1.50)	ND(1.50)							
1,1,2-Trichloroethane	ND(1.50)	ND(1.50)							
2-Chloroethylvinyl ether	ND(10.00)	ND(10.00)							
Bromoform	ND(1.00)	ND(1.00)							
1,1,2,2-Tetrachloroethane	ND(1.00)	ND(1.00)							
Tetrachloroethene	ND(1.50)	ND(1.50)							
Toluene	ND(1.00)	ND(1.00)							
Chlorobenzene	ND(3.50)	ND(3.50)							
Ethylbenzene	ND(1.00)	ND(1.00)							
1,2-Dichlorobenzene	ND(5.00)	ND(5.00)							
1,3-Dichlorobenzene	ND(5.00)	ND(5.00)							
1,4-Dichlorobenzene	ND(5.00)	ND(5.00)							
Acetone	ND(10.00)	ND(10.00)							
Tert-Butyl Alcohol	ND(100.00)	ND(100.00)							
cis-1,2-Dichloroethene	ND(1.00)	ND(1.00)							
Methyl Tert Butyl Ether	ND(10.00)	ND(10.00)							

Note:

ND(): Compound not detected at method detection limit

*1,2-Dichloroethene, Total: Sum of Trans and Cis 1,2-Dichloroethene

J: Indicates an estimated value; compound is present at a concentration less than specified detection limit

B: The analyte was found in an associated blank, as well as in the sample

SW-7
Historical Analysis of Metals and Leachate Indicators
East Northport Landfill, East Northport, NY
Reported in Milligrams per Liter

Leachate Indicators (mg/l)	6/96	4/97	9/97	4/98	9/98	4/99	9/99	4/00	9/00
Ammonia	ND(1.000)	ND(0.050)	0.070	ND(0.200)	ND(0.100)	ND(0.200)	ND(0.200)	ND(0.200)	ND(0.200)
Bicarbonate		48.40	66.00	50.60	61.80	48.00	48.00	45.00	55.00
Chloride	4,316.00	4,470.00	2,750.00	3,810.00	3,620.00	3,080.00	5,835.00	1,500.00	3,300.00
Nitrate	5.00	0.62	0.32	0.44	0.30	0.67	ND(0.05)	ND(0.50)	ND(0.50)
Sulfate	705.00	808.00	248.00	530.00	447.00	416.00	953.00	28.00	270.00
Alkalinity	56.00	48.40	66.00	50.60	61.80	48.00	61.00	45.00	55.00
TDS	8,840.00	3,260.00	5,890.00	226.00	274.00	5,450.00	8,860.00	2,400.00	5,300.00
Hardness	341.00	1,435.54	1,848.00	1,200.0 E	1,050.00	934.00	92.00	510.00	1,200.00

Leachate Indicators (mg/l)	4/01	9/01	4/02	9/02	4/03	10/03	6/04	10/04	4/05
Ammonia	ND(0.200)	ND(0.200)	ND(0.200)	ND(0.200)	ND(0.200)	0.400	2.800	ND(0.200)	0.329
Bicarbonate	44.00	54.00	53.00	51.00	44.00	55.00	46.00	43.00	48.00
Chloride	1,800.00	2,600.00	2,500.00	3,600.00	1,100.00	3,900.00	1,500.00	1,300.00	2,400.00
Nitrate	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	0.80	ND(0.50)	ND(0.50)	1.15	0.654
Sulfate	240.00	370.00	270.00	310.00	180.00	750.00	440.00	190.00	380.00
Alkalinity	44.00	54.00	53.00	52.00	44.00	56.00	46.00	43.00	48.00
TDS	2,700.00	3,600.00	4,600.00	6,800.00	2,108.00	8,213.00	6,010.00	2,393.00	4,300.00
Hardness	530.00	140.00	730.00	1,200.00	320.00	668.00	209.00	390.00	667.00

SW-7 (continued)

Leachate Indicators (mg/l)	9/05	8/06	11/06	7/07	11/07	4/08	9/08	4/09	9/09
Ammonia	ND(0.200)	0.635	ND(0.200)	0.097	0.130	0.090	0.130	0.18	0.17
Bicarbonate	65.00	26.00	60.00	53.20	76.00	65.70	61.30	51.21	52.30
Chloride	2,600.00	2,500.00	1,400.00	1,460.00	4,500.00	3,000.00	2,300.00	2300.00	620.00
Nitrate	ND(0.50)	ND(0.50)	0.71	0.44	0.94	0.36	0.44	1.40	0.51
Sulfate	350.00	370.00	220.00	199.00	390.00	380.00	420.00	330.00	86.00
Alkalinity	35.00	26.00	60.00	53.20	76.00	65.70	61.30	51.21	52.30
TDS	2,600.00	5,100.00	2,800.00	2,800.00	7,100.00	4,900.00	5,400.00	4200.00	1100.00
Hardness	778.10	691.90	608.10	478.00	1,470.00	806.00	996.00	789.00	222.00

Leachate Indicators (mg/l)	6/10	10/11	5/12	9/12	5/13	10/13	4/14	9/14	4/15
Ammonia	0.07	0.200	0.18	0.128	0.097	0.279	0.083	0.288	0.028 J
Bicarbonate	41.00	63.00	61.00	49.000	93.00	78.00	83.10	75.60	87.80
Chloride	500.00	3,000.00	2,900.00	1,300.000	12,000.00	6,900.00	4,400.00	7,800.00	13,000.00
Nitrate	2.30	0.36	2.10	0.590	0.21	0.64	0.92	ND(0.100)	0.30
Sulfate	77.00	420.00	310.00	190.000	1,800.00	1,100.00	1,200.00	1,200.00	1,800.00
Alkalinity	41.00	63.00	61.00	49.000	93.00	78.00	83.10	75.60	87.80
TDS	940.00	6,000.00	5,300.00	2,500.000	25,000.00	14,000.00	14,000.00	16,000.00	23,000.00
Hardness	210.00	1,030.00	810.00	570.000	3,300.00	1,100.00	1,600.00	2,100.00	2,800.00

SW-7 (continued)

Leachate Indicators (mg/l)	9/15	5/16	9/16	4/17	9/17	6/18	11/18	4/19	9/19
Ammonia	0.178	0.111	0.193	0.106	0.165	0.102	0.061 J	0.111	ND(0.075)
Bicarbonate	98.900	92.000	90.40	77.00	85.20	89.30	95.70	92.20	45.40
Chloride	14,000.000	11,000.000	11,000.00	6,800.00	8,400.00	9,100.00	11,000.00	11,000.00	1000.00
Nitrate	0.214	0.276	0.46	0.54	0.54	0.16	0.26	0.21	1.05
Sulfate	1,600.000	1,600.000	1,600.00	1,000.00	1,200.00	1,300.00	1,600.00	1,700.00	150.00
Alkalinity	98.900	92.000	90.40	77.00	85.20	89.30	95.70	92.20	45.40
TDS	27,000.000	23,000.000	22000.00	13,000.00	15,000.00	18,000.00	25,000.00	22,000.00	2100.00
Hardness	3,500.000	3,500.000	3200.00	1,900.00	2,260.00	2,740.00	3,370.00	3,240.00	346.00

Leachate Indicators (mg/l)	6/20	10/20							
Ammonia	0.159	0.211							
Bicarbonate	92.80	101.00							
Chloride	9,600.00	8,000.00							
Nitrate	0.302	0.804							
Sulfate	1,300.00	940.00							
Alkalinity	92.80	101.00							
TDS	19,000.00	14,000.00							
Hardness	3,370.00	2,050.00							

Note:
 ND(): Compound not detected at method detection limit
 J: Indicates an estimated value; compound is present at a concentration less than specified detection limit
 B: The analyte was found in an associated blank, as well as in the sample

APPENDIX 1

“Sample Data Summary Package”



ANALYTICAL REPORT

Lab Number:	L2046012
Client:	RNC Environmental Geology, P.C. 72 Bellerose Avenue East Northport, NY 11731
ATTN:	Robert Casson
Phone:	(631) 482-9590
Project Name:	EAST NORTHPORT GROUNDWATER
Project Number:	Not Specified
Report Date:	10/29/20

The original project report/data package is held by Alpha Analytical. This report/data package is paginated and should be reproduced only in its entirety. Alpha Analytical holds no responsibility for results and/or data that are not consistent with the original.

Certifications & Approvals: MA (M-MA086), NH NELAP (2064), CT (PH-0574), IL (200077), ME (MA00086), MD (348), NJ (MA935), NY (11148), NC (25700/666), PA (68-03671), RI (LAO00065), TX (T104704476), VT (VT-0935), VA (460195), USDA (Permit #P330-17-00196).

Eight Walkup Drive, Westborough, MA 01581-1019
508-898-9220 (Fax) 508-898-9193 800-624-9220 - www.alphalab.com



Serial_No:10292016:54

Project Name: EAST NORTHPORT GROUNDWATER
Project Number: Not Specified

Lab Number: L2046012
Report Date: 10/29/20

Alpha Sample ID	Client ID	Matrix	Sample Location	Collection Date/Time	Receive Date
L2046012-01	EN9-M	WATER	EAST NORTHPORT	10/22/20 10:25	10/22/20
L2046012-02	EN6-M	WATER	EAST NORTHPORT	10/22/20 11:15	10/22/20
L2046012-03	EN6-S	WATER	EAST NORTHPORT	10/22/20 11:40	10/22/20
L2046012-04	CW4-M	WATER	EAST NORTHPORT	10/22/20 12:15	10/22/20
L2046012-05	CW4-S	WATER	EAST NORTHPORT	10/22/20 12:40	10/22/20
L2046012-06	CW2-M	WATER	EAST NORTHPORT	10/22/20 13:00	10/22/20

Project Name: EAST NORTHPORT GROUNDWATER
Project Number: Not Specified

Lab Number: L2046012
Report Date: 10/29/20

Case Narrative

The samples were received in accordance with the Chain of Custody and no significant deviations were encountered during the preparation or analysis unless otherwise noted. Sample Receipt, Container Information, and the Chain of Custody are located at the back of the report.

Results contained within this report relate only to the samples submitted under this Alpha Lab Number and meet NELAP requirements for all NELAP accredited parameters unless otherwise noted in the following narrative. The data presented in this report is organized by parameter (i.e. VOC, SVOC, etc.). Sample specific Quality Control data (i.e. Surrogate Spike Recovery) is reported at the end of the target analyte list for each individual sample, followed by the Laboratory Batch Quality Control at the end of each parameter. Tentatively Identified Compounds (TICs), if requested, are reported for compounds identified to be present and are not part of the method/program Target Compound List, even if only a subset of the TCL are being reported. If a sample was re-analyzed or re-extracted due to a required quality control corrective action and if both sets of data are reported, the Laboratory ID of the re-analysis or re-extraction is designated with an "R" or "RE", respectively.

When multiple Batch Quality Control elements are reported (e.g. more than one LCS), the associated samples for each element are noted in the grey shaded header line of each data table. Any Laboratory Batch, Sample Specific % recovery or RPD value that is outside the listed Acceptance Criteria is bolded in the report. In reference to questions H (CAM) or 4 (RCP) when "NO" is checked, the performance criteria for CAM and RCP methods allow for some quality control failures to occur and still be within method compliance. In these instances, the specific failure is not narrated but noted in the associated QC Outlier Summary Report, located directly after the Case Narrative. QC information is also incorporated in the Data Usability Assessment table (Format 11) of our Data Merger tool, where it can be reviewed in conjunction with the sample result, associated regulatory criteria and any associated data usability implications.

Soil/sediments, solids and tissues are reported on a dry weight basis unless otherwise noted. Definitions of all data qualifiers and acronyms used in this report are provided in the Glossary located at the back of the report.

HOLD POLICY - For samples submitted on hold, Alpha's policy is to hold samples (with the exception of Air canisters) free of charge for 21 calendar days from the date the project is completed. After 21 calendar days, we will dispose of all samples submitted including those put on hold unless you have contacted your Alpha Project Manager and made arrangements for Alpha to continue to hold the samples. Air canisters will be disposed after 3 business days from the date the project is completed.

Please contact Project Management at 800-624-9220 with any questions.

Project Name: EAST NORTHPORT GROUNDWATER
Project Number: Not Specified

Lab Number: L2046012
Report Date: 10/29/20

Case Narrative (continued)

Report Submission

All non-detect (ND) or estimated concentrations (J-qualified) have been quantitated to the limit noted in the MDL column.

I, the undersigned, attest under the pains and penalties of perjury that, to the best of my knowledge and belief and based upon my personal inquiry of those responsible for providing the information contained in this analytical report, such information is accurate and complete. This certificate of analysis is not complete unless this page accompanies any and all pages of this report.

Authorized Signature:  Kelly Stenstrom

Title: Technical Director/Representative

Date: 10/29/20

ORGANICS

VOLATILES

Project Name: EAST NORTHPORT GROUNDWATER**Lab Number:** L2046012**Project Number:** Not Specified**Report Date:** 10/29/20**SAMPLE RESULTS**

Lab ID: L2046012-01
 Client ID: EN9-M
 Sample Location: EAST NORTHPORT

Date Collected: 10/22/20 10:25
 Date Received: 10/22/20
 Field Prep: Not Specified

Sample Depth:

Matrix: Water
 Analytical Method: 128,624.1
 Analytical Date: 10/24/20 01:41
 Analyst: MKS

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab						
Methylene chloride	ND		ug/l	1.0	0.56	1
1,1-Dichloroethane	ND		ug/l	1.5	0.40	1
Chloroform	ND		ug/l	1.0	0.38	1
Carbon tetrachloride	ND		ug/l	1.0	0.24	1
1,2-Dichloropropane	ND		ug/l	3.5	0.46	1
Dibromochloromethane	ND		ug/l	1.0	0.27	1
1,1,2-Trichloroethane	ND		ug/l	1.5	0.34	1
2-Chloroethylvinyl ether	ND		ug/l	10	0.35	1
Tetrachloroethene	ND		ug/l	1.0	0.26	1
Chlorobenzene	ND		ug/l	3.5	0.30	1
Trichlorofluoromethane	ND		ug/l	5.0	0.28	1
1,2-Dichloroethane	ND		ug/l	1.5	0.47	1
1,1,1-Trichloroethane	ND		ug/l	2.0	0.29	1
Bromodichloromethane	ND		ug/l	1.0	0.28	1
trans-1,3-Dichloropropene	ND		ug/l	1.5	0.31	1
cis-1,3-Dichloropropene	ND		ug/l	1.5	0.34	1
Bromoform	ND		ug/l	1.0	0.22	1
1,1,2,2-Tetrachloroethane	ND		ug/l	1.0	0.20	1
Benzene	ND		ug/l	1.0	0.38	1
Toluene	ND		ug/l	1.0	0.31	1
Ethylbenzene	ND		ug/l	1.0	0.28	1
Chloromethane	ND		ug/l	5.0	1.0	1
Bromomethane	ND		ug/l	5.0	1.2	1
Vinyl chloride	ND		ug/l	1.0	0.38	1
Chloroethane	ND		ug/l	2.0	0.37	1
1,1-Dichloroethene	ND		ug/l	1.0	0.31	1
trans-1,2-Dichloroethene	ND		ug/l	1.5	0.33	1
cis-1,2-Dichloroethene	ND		ug/l	1.0	0.17	1

Project Name: EAST NORTHPORT GROUNDWATER
Project Number: Not Specified

Lab Number: L2046012
Report Date: 10/29/20

SAMPLE RESULTS

Lab ID: L2046012-01
 Client ID: EN9-M
 Sample Location: EAST NORTHPORT

Date Collected: 10/22/20 10:25
 Date Received: 10/22/20
 Field Prep: Not Specified

Sample Depth:

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab						
Trichloroethene	ND		ug/l	1.0	0.33	1
1,2-Dichlorobenzene	ND		ug/l	5.0	0.28	1
1,3-Dichlorobenzene	ND		ug/l	5.0	0.27	1
1,4-Dichlorobenzene	ND		ug/l	5.0	0.29	1
p/m-Xylene	ND		ug/l	2.0	0.30	1
o-xylene	ND		ug/l	1.0	0.34	1
Xylenes, Total	ND		ug/l	1.0	0.30	1
Styrene	ND		ug/l	1.0	0.37	1
Acetone	5.0	J	ug/l	10	2.4	1
Carbon disulfide	ND		ug/l	5.0	0.28	1
2-Butanone	ND		ug/l	10	1.0	1
Vinyl acetate	ND		ug/l	10	0.41	1
4-Methyl-2-pentanone	ND		ug/l	10	0.19	1
2-Hexanone	ND		ug/l	10	0.55	1
Acrolein	ND		ug/l	8.0	1.8	1
Acrylonitrile	ND		ug/l	10	0.33	1
Methyl tert butyl Ether	ND		ug/l	10	0.19	1
1,4-Dioxane ¹	ND		ug/l	2000	30.	1
Tert-Butyl Alcohol	ND		ug/l	100	3.9	1
Tertiary-Amyl Methyl Ether	ND		ug/l	20	0.28	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria
Pentafluorobenzene	105		60-140
Fluorobenzene	91		60-140
4-Bromofluorobenzene	93		60-140

Project Name: EAST NORTHPORT GROUNDWATER
Project Number: Not Specified

Lab Number: L2046012
Report Date: 10/29/20

SAMPLE RESULTS

Lab ID: L2046012-02
 Client ID: EN6-M
 Sample Location: EAST NORTHPORT

Date Collected: 10/22/20 11:15
 Date Received: 10/22/20
 Field Prep: Not Specified

Sample Depth:

Matrix: Water
 Analytical Method: 128,624.1
 Analytical Date: 10/24/20 02:19
 Analyst: MKS

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab						
Methylene chloride	ND		ug/l	1.0	0.56	1
1,1-Dichloroethane	ND		ug/l	1.5	0.40	1
Chloroform	ND		ug/l	1.0	0.38	1
Carbon tetrachloride	ND		ug/l	1.0	0.24	1
1,2-Dichloropropane	ND		ug/l	3.5	0.46	1
Dibromochloromethane	ND		ug/l	1.0	0.27	1
1,1,2-Trichloroethane	ND		ug/l	1.5	0.34	1
2-Chloroethylvinyl ether	ND		ug/l	10	0.35	1
Tetrachloroethene	0.29	J	ug/l	1.0	0.26	1
Chlorobenzene	ND		ug/l	3.5	0.30	1
Trichlorofluoromethane	ND		ug/l	5.0	0.28	1
1,2-Dichloroethane	ND		ug/l	1.5	0.47	1
1,1,1-Trichloroethane	ND		ug/l	2.0	0.29	1
Bromodichloromethane	ND		ug/l	1.0	0.28	1
trans-1,3-Dichloropropene	ND		ug/l	1.5	0.31	1
cis-1,3-Dichloropropene	ND		ug/l	1.5	0.34	1
Bromoform	ND		ug/l	1.0	0.22	1
1,1,2,2-Tetrachloroethane	ND		ug/l	1.0	0.20	1
Benzene	ND		ug/l	1.0	0.38	1
Toluene	ND		ug/l	1.0	0.31	1
Ethylbenzene	ND		ug/l	1.0	0.28	1
Chloromethane	ND		ug/l	5.0	1.0	1
Bromomethane	ND		ug/l	5.0	1.2	1
Vinyl chloride	ND		ug/l	1.0	0.38	1
Chloroethane	ND		ug/l	2.0	0.37	1
1,1-Dichloroethene	ND		ug/l	1.0	0.31	1
trans-1,2-Dichloroethene	ND		ug/l	1.5	0.33	1
cis-1,2-Dichloroethene	ND		ug/l	1.0	0.17	1

Project Name: EAST NORTHPORT GROUNDWATER
Project Number: Not Specified

Lab Number: L2046012
Report Date: 10/29/20

SAMPLE RESULTS

Lab ID: L2046012-02
 Client ID: EN6-M
 Sample Location: EAST NORTHPORT

Date Collected: 10/22/20 11:15
 Date Received: 10/22/20
 Field Prep: Not Specified

Sample Depth:

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab						
Trichloroethene	ND		ug/l	1.0	0.33	1
1,2-Dichlorobenzene	ND		ug/l	5.0	0.28	1
1,3-Dichlorobenzene	ND		ug/l	5.0	0.27	1
1,4-Dichlorobenzene	ND		ug/l	5.0	0.29	1
p/m-Xylene	ND		ug/l	2.0	0.30	1
o-xylene	ND		ug/l	1.0	0.34	1
Xylenes, Total	ND		ug/l	1.0	0.30	1
Styrene	ND		ug/l	1.0	0.37	1
Acetone	ND		ug/l	10	2.4	1
Carbon disulfide	ND		ug/l	5.0	0.28	1
2-Butanone	ND		ug/l	10	1.0	1
Vinyl acetate	ND		ug/l	10	0.41	1
4-Methyl-2-pentanone	ND		ug/l	10	0.19	1
2-Hexanone	ND		ug/l	10	0.55	1
Acrolein	ND		ug/l	8.0	1.8	1
Acrylonitrile	ND		ug/l	10	0.33	1
Methyl tert butyl Ether	ND		ug/l	10	0.19	1
1,4-Dioxane ¹	ND		ug/l	2000	30.	1
Tert-Butyl Alcohol	ND		ug/l	100	3.9	1
Tertiary-Amyl Methyl Ether	ND		ug/l	20	0.28	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria
Pentafluorobenzene	101		60-140
Fluorobenzene	91		60-140
4-Bromofluorobenzene	94		60-140

Project Name: EAST NORTHPORT GROUNDWATER
Project Number: Not Specified

Lab Number: L2046012
Report Date: 10/29/20

SAMPLE RESULTS

Lab ID: L2046012-03
 Client ID: EN6-S
 Sample Location: EAST NORTHPORT

Date Collected: 10/22/20 11:40
 Date Received: 10/22/20
 Field Prep: Not Specified

Sample Depth:

Matrix: Water
 Analytical Method: 128,624.1
 Analytical Date: 10/24/20 02:57
 Analyst: MKS

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab						
Methylene chloride	ND		ug/l	1.0	0.56	1
1,1-Dichloroethane	ND		ug/l	1.5	0.40	1
Chloroform	0.58	J	ug/l	1.0	0.38	1
Carbon tetrachloride	ND		ug/l	1.0	0.24	1
1,2-Dichloropropane	ND		ug/l	3.5	0.46	1
Dibromochloromethane	ND		ug/l	1.0	0.27	1
1,1,2-Trichloroethane	ND		ug/l	1.5	0.34	1
2-Chloroethylvinyl ether	ND		ug/l	10	0.35	1
Tetrachloroethene	ND		ug/l	1.0	0.26	1
Chlorobenzene	ND		ug/l	3.5	0.30	1
Trichlorofluoromethane	ND		ug/l	5.0	0.28	1
1,2-Dichloroethane	ND		ug/l	1.5	0.47	1
1,1,1-Trichloroethane	ND		ug/l	2.0	0.29	1
Bromodichloromethane	ND		ug/l	1.0	0.28	1
trans-1,3-Dichloropropene	ND		ug/l	1.5	0.31	1
cis-1,3-Dichloropropene	ND		ug/l	1.5	0.34	1
Bromoform	ND		ug/l	1.0	0.22	1
1,1,2,2-Tetrachloroethane	ND		ug/l	1.0	0.20	1
Benzene	ND		ug/l	1.0	0.38	1
Toluene	ND		ug/l	1.0	0.31	1
Ethylbenzene	ND		ug/l	1.0	0.28	1
Chloromethane	ND		ug/l	5.0	1.0	1
Bromomethane	ND		ug/l	5.0	1.2	1
Vinyl chloride	ND		ug/l	1.0	0.38	1
Chloroethane	ND		ug/l	2.0	0.37	1
1,1-Dichloroethene	ND		ug/l	1.0	0.31	1
trans-1,2-Dichloroethene	ND		ug/l	1.5	0.33	1
cis-1,2-Dichloroethene	ND		ug/l	1.0	0.17	1

Project Name: EAST NORTHPORT GROUNDWATER**Lab Number:** L2046012**Project Number:** Not Specified**Report Date:** 10/29/20**SAMPLE RESULTS**

Lab ID: L2046012-03

Date Collected: 10/22/20 11:40

Client ID: EN6-S

Date Received: 10/22/20

Sample Location: EAST NORTHPORT

Field Prep: Not Specified

Sample Depth:

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab						
Trichloroethene	ND		ug/l	1.0	0.33	1
1,2-Dichlorobenzene	ND		ug/l	5.0	0.28	1
1,3-Dichlorobenzene	ND		ug/l	5.0	0.27	1
1,4-Dichlorobenzene	ND		ug/l	5.0	0.29	1
p/m-Xylene	ND		ug/l	2.0	0.30	1
o-xylene	ND		ug/l	1.0	0.34	1
Xylenes, Total	ND		ug/l	1.0	0.30	1
Styrene	ND		ug/l	1.0	0.37	1
Acetone	ND		ug/l	10	2.4	1
Carbon disulfide	ND		ug/l	5.0	0.28	1
2-Butanone	ND		ug/l	10	1.0	1
Vinyl acetate	ND		ug/l	10	0.41	1
4-Methyl-2-pentanone	ND		ug/l	10	0.19	1
2-Hexanone	ND		ug/l	10	0.55	1
Acrolein	ND		ug/l	8.0	1.8	1
Acrylonitrile	ND		ug/l	10	0.33	1
Methyl tert butyl Ether	ND		ug/l	10	0.19	1
1,4-Dioxane ¹	ND		ug/l	2000	30.	1
Tert-Butyl Alcohol	ND		ug/l	100	3.9	1
Tertiary-Amyl Methyl Ether	ND		ug/l	20	0.28	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria
Pentafluorobenzene	100		60-140
Fluorobenzene	89		60-140
4-Bromofluorobenzene	94		60-140

Project Name: EAST NORTHPORT GROUNDWATER
Project Number: Not Specified

Lab Number: L2046012
Report Date: 10/29/20

SAMPLE RESULTS

Lab ID: L2046012-04
 Client ID: CW4-M
 Sample Location: EAST NORTHPORT

Date Collected: 10/22/20 12:15
 Date Received: 10/22/20
 Field Prep: Not Specified

Sample Depth:

Matrix: Water
 Analytical Method: 128,624.1
 Analytical Date: 10/24/20 11:09
 Analyst: KJD

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab						
Methylene chloride	ND		ug/l	1.0	0.56	1
1,1-Dichloroethane	ND		ug/l	1.5	0.40	1
Chloroform	1.1		ug/l	1.0	0.38	1
Carbon tetrachloride	ND		ug/l	1.0	0.24	1
1,2-Dichloropropane	ND		ug/l	3.5	0.46	1
Dibromochloromethane	ND		ug/l	1.0	0.27	1
1,1,2-Trichloroethane	ND		ug/l	1.5	0.34	1
2-Chloroethylvinyl ether	ND		ug/l	10	0.35	1
Tetrachloroethene	ND		ug/l	1.0	0.26	1
Chlorobenzene	ND		ug/l	3.5	0.30	1
Trichlorofluoromethane	ND		ug/l	5.0	0.28	1
1,2-Dichloroethane	ND		ug/l	1.5	0.47	1
1,1,1-Trichloroethane	ND		ug/l	2.0	0.29	1
Bromodichloromethane	ND		ug/l	1.0	0.28	1
trans-1,3-Dichloropropene	ND		ug/l	1.5	0.31	1
cis-1,3-Dichloropropene	ND		ug/l	1.5	0.34	1
Bromoform	ND		ug/l	1.0	0.22	1
1,1,2,2-Tetrachloroethane	ND		ug/l	1.0	0.20	1
Benzene	ND		ug/l	1.0	0.38	1
Toluene	ND		ug/l	1.0	0.31	1
Ethylbenzene	ND		ug/l	1.0	0.28	1
Chloromethane	ND		ug/l	5.0	1.0	1
Bromomethane	ND		ug/l	5.0	1.2	1
Vinyl chloride	ND		ug/l	1.0	0.38	1
Chloroethane	ND		ug/l	2.0	0.37	1
1,1-Dichloroethene	ND		ug/l	1.0	0.31	1
trans-1,2-Dichloroethene	ND		ug/l	1.5	0.33	1
cis-1,2-Dichloroethene	ND		ug/l	1.0	0.17	1

Project Name: EAST NORTHPORT GROUNDWATER
Project Number: Not Specified

Lab Number: L2046012
Report Date: 10/29/20

SAMPLE RESULTS

Lab ID: L2046012-04
 Client ID: CW4-M
 Sample Location: EAST NORTHPORT

Date Collected: 10/22/20 12:15
 Date Received: 10/22/20
 Field Prep: Not Specified

Sample Depth:

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab						
Trichloroethene	ND		ug/l	1.0	0.33	1
1,2-Dichlorobenzene	ND		ug/l	5.0	0.28	1
1,3-Dichlorobenzene	ND		ug/l	5.0	0.27	1
1,4-Dichlorobenzene	ND		ug/l	5.0	0.29	1
p/m-Xylene	ND		ug/l	2.0	0.30	1
o-xylene	ND		ug/l	1.0	0.34	1
Xylenes, Total	ND		ug/l	1.0	0.30	1
Styrene	ND		ug/l	1.0	0.37	1
Acetone	ND		ug/l	10	2.4	1
Carbon disulfide	ND		ug/l	5.0	0.28	1
2-Butanone	ND		ug/l	10	1.0	1
Vinyl acetate	ND		ug/l	10	0.41	1
4-Methyl-2-pentanone	ND		ug/l	10	0.19	1
2-Hexanone	ND		ug/l	10	0.55	1
Acrolein	ND		ug/l	8.0	1.8	1
Acrylonitrile	ND		ug/l	10	0.33	1
Methyl tert butyl Ether	0.92	J	ug/l	10	0.19	1
1,4-Dioxane ¹	ND		ug/l	2000	30.	1
Tert-Butyl Alcohol	ND		ug/l	100	3.9	1
Tertiary-Amyl Methyl Ether	ND		ug/l	20	0.28	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria
Pentafluorobenzene	98		60-140
Fluorobenzene	90		60-140
4-Bromofluorobenzene	95		60-140

Project Name: EAST NORTHPORT GROUNDWATER
Project Number: Not Specified

Lab Number: L2046012
Report Date: 10/29/20

SAMPLE RESULTS

Lab ID: L2046012-05
 Client ID: CW4-S
 Sample Location: EAST NORTHPORT

Date Collected: 10/22/20 12:40
 Date Received: 10/22/20
 Field Prep: Not Specified

Sample Depth:

Matrix: Water
 Analytical Method: 128,624.1
 Analytical Date: 10/24/20 03:34
 Analyst: MKS

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab						
Methylene chloride	ND		ug/l	1.0	0.56	1
1,1-Dichloroethane	ND		ug/l	1.5	0.40	1
Chloroform	ND		ug/l	1.0	0.38	1
Carbon tetrachloride	ND		ug/l	1.0	0.24	1
1,2-Dichloropropane	ND		ug/l	3.5	0.46	1
Dibromochloromethane	ND		ug/l	1.0	0.27	1
1,1,2-Trichloroethane	ND		ug/l	1.5	0.34	1
2-Chloroethylvinyl ether	ND		ug/l	10	0.35	1
Tetrachloroethene	ND		ug/l	1.0	0.26	1
Chlorobenzene	ND		ug/l	3.5	0.30	1
Trichlorofluoromethane	ND		ug/l	5.0	0.28	1
1,2-Dichloroethane	ND		ug/l	1.5	0.47	1
1,1,1-Trichloroethane	ND		ug/l	2.0	0.29	1
Bromodichloromethane	ND		ug/l	1.0	0.28	1
trans-1,3-Dichloropropene	ND		ug/l	1.5	0.31	1
cis-1,3-Dichloropropene	ND		ug/l	1.5	0.34	1
Bromoform	ND		ug/l	1.0	0.22	1
1,1,2,2-Tetrachloroethane	ND		ug/l	1.0	0.20	1
Benzene	ND		ug/l	1.0	0.38	1
Toluene	ND		ug/l	1.0	0.31	1
Ethylbenzene	ND		ug/l	1.0	0.28	1
Chloromethane	ND		ug/l	5.0	1.0	1
Bromomethane	ND		ug/l	5.0	1.2	1
Vinyl chloride	ND		ug/l	1.0	0.38	1
Chloroethane	ND		ug/l	2.0	0.37	1
1,1-Dichloroethene	ND		ug/l	1.0	0.31	1
trans-1,2-Dichloroethene	ND		ug/l	1.5	0.33	1
cis-1,2-Dichloroethene	ND		ug/l	1.0	0.17	1

Project Name: EAST NORTHPORT GROUNDWATER**Lab Number:** L2046012**Project Number:** Not Specified**Report Date:** 10/29/20**SAMPLE RESULTS**

Lab ID: L2046012-05

Date Collected: 10/22/20 12:40

Client ID: CW4-S

Date Received: 10/22/20

Sample Location: EAST NORTHPORT

Field Prep: Not Specified

Sample Depth:

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab						
Trichloroethene	ND		ug/l	1.0	0.33	1
1,2-Dichlorobenzene	ND		ug/l	5.0	0.28	1
1,3-Dichlorobenzene	ND		ug/l	5.0	0.27	1
1,4-Dichlorobenzene	ND		ug/l	5.0	0.29	1
p/m-Xylene	ND		ug/l	2.0	0.30	1
o-xylene	ND		ug/l	1.0	0.34	1
Xylenes, Total	ND		ug/l	1.0	0.30	1
Styrene	ND		ug/l	1.0	0.37	1
Acetone	ND		ug/l	10	2.4	1
Carbon disulfide	ND		ug/l	5.0	0.28	1
2-Butanone	ND		ug/l	10	1.0	1
Vinyl acetate	ND		ug/l	10	0.41	1
4-Methyl-2-pentanone	ND		ug/l	10	0.19	1
2-Hexanone	ND		ug/l	10	0.55	1
Acrolein	ND		ug/l	8.0	1.8	1
Acrylonitrile	ND		ug/l	10	0.33	1
Methyl tert butyl Ether	ND		ug/l	10	0.19	1
1,4-Dioxane ¹	ND		ug/l	2000	30.	1
Tert-Butyl Alcohol	ND		ug/l	100	3.9	1
Tertiary-Amyl Methyl Ether	ND		ug/l	20	0.28	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria
Pentafluorobenzene	101		60-140
Fluorobenzene	90		60-140
4-Bromofluorobenzene	95		60-140

Project Name: EAST NORTHPORT GROUNDWATER**Lab Number:** L2046012**Project Number:** Not Specified**Report Date:** 10/29/20**SAMPLE RESULTS**

Lab ID: L2046012-06
 Client ID: CW2-M
 Sample Location: EAST NORTHPORT

Date Collected: 10/22/20 13:00
 Date Received: 10/22/20
 Field Prep: Not Specified

Sample Depth:

Matrix: Water
 Analytical Method: 128,624.1
 Analytical Date: 10/24/20 11:47
 Analyst: KJD

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab						
Methylene chloride	ND		ug/l	1.0	0.56	1
1,1-Dichloroethane	ND		ug/l	1.5	0.40	1
Chloroform	ND		ug/l	1.0	0.38	1
Carbon tetrachloride	ND		ug/l	1.0	0.24	1
1,2-Dichloropropane	ND		ug/l	3.5	0.46	1
Dibromochloromethane	ND		ug/l	1.0	0.27	1
1,1,2-Trichloroethane	ND		ug/l	1.5	0.34	1
2-Chloroethylvinyl ether	ND		ug/l	10	0.35	1
Tetrachloroethene	ND		ug/l	1.0	0.26	1
Chlorobenzene	ND		ug/l	3.5	0.30	1
Trichlorofluoromethane	ND		ug/l	5.0	0.28	1
1,2-Dichloroethane	ND		ug/l	1.5	0.47	1
1,1,1-Trichloroethane	ND		ug/l	2.0	0.29	1
Bromodichloromethane	ND		ug/l	1.0	0.28	1
trans-1,3-Dichloropropene	ND		ug/l	1.5	0.31	1
cis-1,3-Dichloropropene	ND		ug/l	1.5	0.34	1
Bromoform	ND		ug/l	1.0	0.22	1
1,1,2,2-Tetrachloroethane	ND		ug/l	1.0	0.20	1
Benzene	ND		ug/l	1.0	0.38	1
Toluene	ND		ug/l	1.0	0.31	1
Ethylbenzene	ND		ug/l	1.0	0.28	1
Chloromethane	ND		ug/l	5.0	1.0	1
Bromomethane	ND		ug/l	5.0	1.2	1
Vinyl chloride	ND		ug/l	1.0	0.38	1
Chloroethane	ND		ug/l	2.0	0.37	1
1,1-Dichloroethene	ND		ug/l	1.0	0.31	1
trans-1,2-Dichloroethene	ND		ug/l	1.5	0.33	1
cis-1,2-Dichloroethene	ND		ug/l	1.0	0.17	1

Project Name: EAST NORTHPORT GROUNDWATER
Project Number: Not Specified

Lab Number: L2046012
Report Date: 10/29/20

SAMPLE RESULTS

Lab ID: L2046012-06
 Client ID: CW2-M
 Sample Location: EAST NORTHPORT

Date Collected: 10/22/20 13:00
 Date Received: 10/22/20
 Field Prep: Not Specified

Sample Depth:

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab						
Trichloroethene	ND		ug/l	1.0	0.33	1
1,2-Dichlorobenzene	ND		ug/l	5.0	0.28	1
1,3-Dichlorobenzene	ND		ug/l	5.0	0.27	1
1,4-Dichlorobenzene	ND		ug/l	5.0	0.29	1
p/m-Xylene	ND		ug/l	2.0	0.30	1
o-xylene	ND		ug/l	1.0	0.34	1
Xylenes, Total	ND		ug/l	1.0	0.30	1
Styrene	ND		ug/l	1.0	0.37	1
Acetone	ND		ug/l	10	2.4	1
Carbon disulfide	ND		ug/l	5.0	0.28	1
2-Butanone	ND		ug/l	10	1.0	1
Vinyl acetate	ND		ug/l	10	0.41	1
4-Methyl-2-pentanone	ND		ug/l	10	0.19	1
2-Hexanone	ND		ug/l	10	0.55	1
Acrolein	ND		ug/l	8.0	1.8	1
Acrylonitrile	ND		ug/l	10	0.33	1
Methyl tert butyl Ether	ND		ug/l	10	0.19	1
1,4-Dioxane ¹	ND		ug/l	2000	30.	1
Tert-Butyl Alcohol	ND		ug/l	100	3.9	1
Tertiary-Amyl Methyl Ether	ND		ug/l	20	0.28	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria
Pentafluorobenzene	96		60-140
Fluorobenzene	89		60-140
4-Bromofluorobenzene	97		60-140

Project Name: EAST NORTHPORT GROUNDWATER

Lab Number: L2046012

Project Number: Not Specified

Report Date: 10/29/20

Method Blank Analysis Batch Quality Control

Analytical Method: 128,624.1
 Analytical Date: 10/23/20 16:53
 Analyst: MKS

Parameter	Result	Qualifier	Units	RL	MDL
Volatile Organics by GC/MS - Westborough Lab for sample(s): 01-03,05 Batch: WG1426105-4					
Methylene chloride	ND		ug/l	1.0	0.56
1,1-Dichloroethane	ND		ug/l	1.5	0.40
Chloroform	ND		ug/l	1.0	0.38
Carbon tetrachloride	ND		ug/l	1.0	0.24
1,2-Dichloropropane	ND		ug/l	3.5	0.46
Dibromochloromethane	ND		ug/l	1.0	0.27
1,1,2-Trichloroethane	ND		ug/l	1.5	0.34
2-Chloroethylvinyl ether	ND		ug/l	10	0.35
Tetrachloroethene	ND		ug/l	1.0	0.26
Chlorobenzene	ND		ug/l	3.5	0.30
Trichlorofluoromethane	ND		ug/l	5.0	0.28
1,2-Dichloroethane	ND		ug/l	1.5	0.47
1,1,1-Trichloroethane	ND		ug/l	2.0	0.29
Bromodichloromethane	ND		ug/l	1.0	0.28
trans-1,3-Dichloropropene	ND		ug/l	1.5	0.31
cis-1,3-Dichloropropene	ND		ug/l	1.5	0.34
Bromoform	ND		ug/l	1.0	0.22
1,1,2,2-Tetrachloroethane	ND		ug/l	1.0	0.20
Benzene	ND		ug/l	1.0	0.38
Toluene	ND		ug/l	1.0	0.31
Ethylbenzene	ND		ug/l	1.0	0.28
Chloromethane	ND		ug/l	5.0	1.0
Bromomethane	2.0	J	ug/l	5.0	1.2
Vinyl chloride	ND		ug/l	1.0	0.38
Chloroethane	ND		ug/l	2.0	0.37
1,1-Dichloroethene	ND		ug/l	1.0	0.31
trans-1,2-Dichloroethene	ND		ug/l	1.5	0.33
cis-1,2-Dichloroethene	ND		ug/l	1.0	0.17
Trichloroethene	ND		ug/l	1.0	0.33

Project Name: EAST NORTHPORT GROUNDWATER
Project Number: Not Specified

Lab Number: L2046012
Report Date: 10/29/20

**Method Blank Analysis
Batch Quality Control**

Analytical Method: 128,624.1
Analytical Date: 10/23/20 16:53
Analyst: MKS

Parameter	Result	Qualifier	Units	RL	MDL
Volatile Organics by GC/MS - Westborough Lab for sample(s): 01-03,05 Batch: WG1426105-4					
1,2-Dichlorobenzene	ND		ug/l	5.0	0.28
1,3-Dichlorobenzene	ND		ug/l	5.0	0.27
1,4-Dichlorobenzene	ND		ug/l	5.0	0.29
p/m-Xylene	ND		ug/l	2.0	0.30
o-xylene	ND		ug/l	1.0	0.34
Xylenes, Total	ND		ug/l	1.0	0.30
Styrene	ND		ug/l	1.0	0.37
Acetone	2.8	J	ug/l	10	2.4
Carbon disulfide	ND		ug/l	5.0	0.28
2-Butanone	2.0	J	ug/l	10	1.0
Vinyl acetate	ND		ug/l	10	0.41
4-Methyl-2-pentanone	ND		ug/l	10	0.19
2-Hexanone	ND		ug/l	10	0.55
Acrolein	ND		ug/l	8.0	1.8
Acrylonitrile	ND		ug/l	10	0.33
Methyl tert butyl Ether	ND		ug/l	10	0.19
1,4-Dioxane ¹	32	J	ug/l	2000	30.
Tert-Butyl Alcohol	6.3	J	ug/l	100	3.9
Tertiary-Amyl Methyl Ether	ND		ug/l	20	0.28

Surrogate	%Recovery	Qualifier	Acceptance Criteria
Pentafluorobenzene	105		60-140
Fluorobenzene	91		60-140
4-Bromofluorobenzene	93		60-140

Project Name: EAST NORTHPORT GROUNDWATER
Project Number: Not Specified

Lab Number: L2046012
Report Date: 10/29/20

Method Blank Analysis
Batch Quality Control

Analytical Method: 128,624.1
Analytical Date: 10/24/20 08:38
Analyst: MKS

Parameter	Result	Qualifier	Units	RL	MDL
Volatile Organics by GC/MS - Westborough Lab for sample(s): 04,06 Batch: WG1426315-4					
Methylene chloride	ND		ug/l	1.0	0.56
1,1-Dichloroethane	ND		ug/l	1.5	0.40
Chloroform	ND		ug/l	1.0	0.38
Carbon tetrachloride	ND		ug/l	1.0	0.24
1,2-Dichloropropane	ND		ug/l	3.5	0.46
Dibromochloromethane	ND		ug/l	1.0	0.27
1,1,2-Trichloroethane	ND		ug/l	1.5	0.34
2-Chloroethylvinyl ether	ND		ug/l	10	0.35
Tetrachloroethene	ND		ug/l	1.0	0.26
Chlorobenzene	ND		ug/l	3.5	0.30
Trichlorofluoromethane	ND		ug/l	5.0	0.28
1,2-Dichloroethane	ND		ug/l	1.5	0.47
1,1,1-Trichloroethane	ND		ug/l	2.0	0.29
Bromodichloromethane	ND		ug/l	1.0	0.28
trans-1,3-Dichloropropene	ND		ug/l	1.5	0.31
cis-1,3-Dichloropropene	ND		ug/l	1.5	0.34
Bromoform	ND		ug/l	1.0	0.22
1,1,2,2-Tetrachloroethane	ND		ug/l	1.0	0.20
Benzene	ND		ug/l	1.0	0.38
Toluene	ND		ug/l	1.0	0.31
Ethylbenzene	ND		ug/l	1.0	0.28
Chloromethane	ND		ug/l	5.0	1.0
Bromomethane	1.4	J	ug/l	5.0	1.2
Vinyl chloride	ND		ug/l	1.0	0.38
Chloroethane	ND		ug/l	2.0	0.37
1,1-Dichloroethene	ND		ug/l	1.0	0.31
trans-1,2-Dichloroethene	ND		ug/l	1.5	0.33
cis-1,2-Dichloroethene	ND		ug/l	1.0	0.17
Trichloroethene	ND		ug/l	1.0	0.33

Project Name: EAST NORTHPORT GROUNDWATER
Project Number: Not Specified

Lab Number: L2046012
Report Date: 10/29/20

**Method Blank Analysis
Batch Quality Control**

Analytical Method: 128,624.1
Analytical Date: 10/24/20 08:38
Analyst: MKS

Parameter	Result	Qualifier	Units	RL	MDL
Volatile Organics by GC/MS - Westborough Lab for sample(s): 04,06 Batch: WG1426315-4					
1,2-Dichlorobenzene	ND		ug/l	5.0	0.28
1,3-Dichlorobenzene	ND		ug/l	5.0	0.27
1,4-Dichlorobenzene	ND		ug/l	5.0	0.29
p/m-Xylene	ND		ug/l	2.0	0.30
o-xylene	ND		ug/l	1.0	0.34
Xylenes, Total	ND		ug/l	1.0	0.30
Styrene	ND		ug/l	1.0	0.37
Acetone	ND		ug/l	10	2.4
Carbon disulfide	ND		ug/l	5.0	0.28
2-Butanone	ND		ug/l	10	1.0
Vinyl acetate	ND		ug/l	10	0.41
4-Methyl-2-pentanone	ND		ug/l	10	0.19
2-Hexanone	ND		ug/l	10	0.55
Acrolein	ND		ug/l	8.0	1.8
Acrylonitrile	ND		ug/l	10	0.33
Methyl tert butyl Ether	ND		ug/l	10	0.19
1,4-Dioxane ¹	40	J	ug/l	2000	30.
Tert-Butyl Alcohol	ND		ug/l	100	3.9
Tertiary-Amyl Methyl Ether	ND		ug/l	20	0.28

Surrogate	%Recovery	Qualifier	Acceptance Criteria
Pentafluorobenzene	104		60-140
Fluorobenzene	97		60-140
4-Bromofluorobenzene	94		60-140

Serial_No:10292016:54

Lab Control Sample Analysis
Batch Quality Control

Project Name: EAST NORTHPORT GROUNDWATER
Project Number: Not Specified

Lab Number: L2046012
Report Date: 10/29/20

Parameter	LCS		LCSD		%Recovery Limits	RPD	Qual	RPD Limits
	%Recovery	Qual	%Recovery	Qual				
Volatile Organics by GC/MS - Westborough Lab Associated sample(s): 01-03,05 Batch: WG1426105-3								
Methylene chloride	105		-		60-140	-		28
1,1-Dichloroethane	100		-		50-150	-		49
Chloroform	100		-		70-135	-		54
Carbon tetrachloride	95		-		70-130	-		41
1,2-Dichloropropane	105		-		35-165	-		55
Dibromochloromethane	90		-		70-135	-		50
1,1,1-Trichloroethane	95		-		70-130	-		45
2-Chloroethylvinyl ether	110		-		1-225	-		71
Tetrachloroethene	100		-		70-130	-		39
Chlorobenzene	95		-		65-135	-		53
Trichlorofluoromethane	95		-		50-150	-		84
1,2-Dichloroethane	100		-		70-130	-		49
1,1,1-Trichloroethane	100		-		70-130	-		36
Bromodichloromethane	100		-		65-135	-		56
trans-1,3-Dichloropropene	90		-		50-150	-		86
cis-1,3-Dichloropropene	100		-		25-175	-		58
Bromoform	90		-		70-130	-		42
1,1,2,2-Tetrachloroethane	90		-		60-140	-		61
Benzene	105		-		65-135	-		61
Toluene	110		-		70-130	-		41
Ethylbenzene	100		-		60-140	-		63
Chloromethane	115		-		1-205	-		60
Bromomethane	85		-		15-185	-		61



Serial_No:10292016:54

Lab Control Sample Analysis
Batch Quality Control

Project Name: EAST NORTHPORT GROUNDWATER
Project Number: Not Specified

Lab Number: L2046012
Report Date: 10/29/20

Parameter	LCS		LCSD		%Recovery Limits	RPD	Qual	RPD Limits
	%Recovery	Qual	%Recovery	Qual				
Volatile Organics by GC/MS - Westborough Lab Associated sample(s): 01-03,05 Batch: WG1426105-3								
Vinyl chloride	105		-		5-195	-		66
Chloroethane	110		-		40-160	-		78
1,1-Dichloroethene	105		-		50-150	-		32
trans-1,2-Dichloroethene	110		-		70-130	-		45
cis-1,2-Dichloroethene	110		-		60-140	-		30
Trichloroethene	100		-		65-135	-		48
1,2-Dichlorobenzene	100		-		65-135	-		57
1,3-Dichlorobenzene	95		-		70-130	-		43
1,4-Dichlorobenzene	100		-		65-135	-		57
p/m-Xylene	100		-		60-140	-		30
o-xylene	100		-		60-140	-		30
Styrene	95		-		60-140	-		30
Acetone	100		-		40-160	-		30
Carbon disulfide	105		-		60-140	-		30
2-Butanone	110		-		60-140	-		30
Vinyl acetate	75		-		60-140	-		30
4-Methyl-2-pentanone	110		-		60-140	-		30
2-Hexanone	108		-		60-140	-		30
Acrolein	105		-		60-140	-		30
Acrylonitrile	112		-		60-140	-		60
Methyl tert butyl Ether	100		-		60-140	-		30
1,4-Dioxane ¹	105		-		60-140	-		30
Tert-Butyl Alcohol	110		-		60-140	-		30



Serial_No:10292016:54

Lab Control Sample Analysis
Batch Quality Control

Project Name: EAST NORTHPORT GROUNDWATER
Project Number: Not Specified

Lab Number: L2046012
Report Date: 10/29/20

Parameter	LCS %Recovery	Qual	LCSD %Recovery	Qual	%Recovery Limits	RPD	Qual	RPD Limits
Volatile Organics by GC/MS - Westborough Lab Associated sample(s): 01-03,05 Batch: WG1426105-3								
Tertiary-Amyl Methyl Ether	100		-		60-140	-		30

Surrogate	LCS %Recovery	Qual	LCSD %Recovery	Qual	Acceptance Criteria
Pentafluorobenzene	107				60-140
Fluorobenzene	97				60-140
4-Bromofluorobenzene	94				60-140



Serial_No:10292016:54

Lab Control Sample Analysis
Batch Quality Control

Project Name: EAST NORTHPORT GROUNDWATER
Project Number: Not Specified

Lab Number: L2046012
Report Date: 10/29/20

Parameter	LCS		LCSD		%Recovery Limits	RPD	Qual	RPD Limits
	%Recovery	Qual	%Recovery	Qual				
Volatile Organics by GC/MS - Westborough Lab Associated sample(s): 04,06 Batch: WG1426315-3								
Methylene chloride	100		-		60-140	-		28
1,1-Dichloroethane	100		-		50-150	-		49
Chloroform	100		-		70-135	-		54
Carbon tetrachloride	90		-		70-130	-		41
1,2-Dichloropropane	105		-		35-165	-		55
Dibromochloromethane	90		-		70-135	-		50
1,1,1-Trichloroethane	95		-		70-130	-		45
2-Chloroethylvinyl ether	100		-		1-225	-		71
Tetrachloroethene	100		-		70-130	-		39
Chlorobenzene	95		-		65-135	-		53
Trichlorofluoromethane	90		-		50-150	-		84
1,2-Dichloroethane	100		-		70-130	-		49
1,1,1-Trichloroethane	100		-		70-130	-		36
Bromodichloromethane	95		-		65-135	-		56
trans-1,3-Dichloropropene	90		-		50-150	-		86
cis-1,3-Dichloropropene	100		-		25-175	-		58
Bromoform	85		-		70-130	-		42
1,1,2,2-Tetrachloroethane	95		-		60-140	-		61
Benzene	105		-		65-135	-		61
Toluene	110		-		70-130	-		41
Ethylbenzene	100		-		60-140	-		63
Chloromethane	100		-		1-205	-		60
Bromomethane	70		-		15-185	-		61



Serial_No:10292016:54

Lab Control Sample Analysis
Batch Quality Control

Project Name: EAST NORTHPORT GROUNDWATER
Project Number: Not Specified

Lab Number: L2046012
Report Date: 10/29/20

Parameter	LCS		LCSD		%Recovery Limits	RPD	Qual	RPD Limits
	%Recovery	Qual	%Recovery	Qual				
Volatile Organics by GC/MS - Westborough Lab Associated sample(s): 04,06 Batch: WG1426315-3								
Vinyl chloride	90		-		5-195	-		66
Chloroethane	105		-		40-160	-		78
1,1-Dichloroethene	105		-		50-150	-		32
trans-1,2-Dichloroethene	105		-		70-130	-		45
cis-1,2-Dichloroethene	110		-		60-140	-		30
Trichloroethene	100		-		65-135	-		48
1,2-Dichlorobenzene	100		-		65-135	-		57
1,3-Dichlorobenzene	95		-		70-130	-		43
1,4-Dichlorobenzene	100		-		65-135	-		57
p/m-Xylene	102		-		60-140	-		30
o-xylene	100		-		60-140	-		30
Styrene	95		-		60-140	-		30
Acetone	96		-		40-160	-		30
Carbon disulfide	95		-		60-140	-		30
2-Butanone	108		-		60-140	-		30
Vinyl acetate	90		-		60-140	-		30
4-Methyl-2-pentanone	108		-		60-140	-		30
2-Hexanone	108		-		60-140	-		30
Acrolein	112		-		60-140	-		30
Acrylonitrile	110		-		60-140	-		60
Methyl tert butyl Ether	90		-		60-140	-		30
1,4-Dioxane ¹	100		-		60-140	-		30
Tert-Butyl Alcohol	100		-		60-140	-		30



Serial_No:10292016:54

Lab Control Sample Analysis
Batch Quality Control

Project Name: EAST NORTHPORT GROUNDWATER
Project Number: Not Specified

Lab Number: L2046012
Report Date: 10/29/20

Parameter	LCS %Recovery	Qual	LCSD %Recovery	Qual	%Recovery Limits	RPD	Qual	RPD Limits
Volatile Organics by GC/MS - Westborough Lab Associated sample(s): 04,06 Batch: WG1426315-3								
Tertiary-Amyl Methyl Ether	95		-		60-140	-		30

Surrogate	LCS %Recovery	Qual	LCSD %Recovery	Qual	Acceptance Criteria
Pentafluorobenzene	106				60-140
Fluorobenzene	96				60-140
4-Bromofluorobenzene	93				60-140



METALS

Project Name: EAST NORTHPORT GROUNDWATER**Lab Number:** L2046012**Project Number:** Not Specified**Report Date:** 10/29/20**SAMPLE RESULTS**

Lab ID: L2046012-01

Date Collected: 10/22/20 10:25

Client ID: EN9-M

Date Received: 10/22/20

Sample Location: EAST NORTHPORT

Field Prep: Not Specified

Sample Depth:

Matrix: Water

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Prep Method	Analytical Method	Analyst
Total Metals - Mansfield Lab											
Aluminum, Total	ND		mg/l	0.100	0.032	1	10/23/20 23:15	10/28/20 20:18	EPA 3005A	1,6010D	BV
Arsenic, Total	ND		mg/l	0.005	0.002	1	10/23/20 23:15	10/28/20 20:18	EPA 3005A	1,6010D	BV
Cadmium, Total	ND		mg/l	0.005	0.001	1	10/23/20 23:15	10/28/20 20:18	EPA 3005A	1,6010D	BV
Calcium, Total	22.4		mg/l	0.100	0.035	1	10/23/20 23:15	10/28/20 20:18	EPA 3005A	1,6010D	BV
Chromium, Total	0.002	J	mg/l	0.010	0.002	1	10/23/20 23:15	10/28/20 20:18	EPA 3005A	1,6010D	BV
Iron, Total	0.572		mg/l	0.050	0.009	1	10/23/20 23:15	10/28/20 20:18	EPA 3005A	1,6010D	BV
Lead, Total	ND		mg/l	0.010	0.003	1	10/23/20 23:15	10/28/20 20:18	EPA 3005A	1,6010D	BV
Magnesium, Total	12.0		mg/l	0.100	0.015	1	10/23/20 23:15	10/28/20 20:18	EPA 3005A	1,6010D	BV
Mercury, Total	ND		mg/l	0.00020	0.00009	1	10/24/20 04:04	10/24/20 13:25	EPA 7470A	1,7470A	AL
Potassium, Total	2.50		mg/l	2.50	0.237	1	10/23/20 23:15	10/28/20 20:18	EPA 3005A	1,6010D	BV
Sodium, Total	43.7		mg/l	2.00	0.120	1	10/23/20 23:15	10/28/20 20:18	EPA 3005A	1,6010D	BV
Total Hardness by SM 2340B - Mansfield Lab											
Hardness	105		mg/l	0.660	NA	1	10/23/20 23:15	10/28/20 20:18	EPA 3005A	1,6010D	BV



Project Name: EAST NORTHPORT GROUNDWATER**Lab Number:** L2046012**Project Number:** Not Specified**Report Date:** 10/29/20**SAMPLE RESULTS**

Lab ID: L2046012-02

Date Collected: 10/22/20 11:15

Client ID: EN6-M

Date Received: 10/22/20

Sample Location: EAST NORTHPORT

Field Prep: Not Specified

Sample Depth:

Matrix: Water

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Prep Method	Analytical Method	Analyst
Total Metals - Mansfield Lab											
Aluminum, Total	ND		mg/l	0.100	0.032	1	10/23/20 23:15	10/28/20 20:23	EPA 3005A	1,6010D	BV
Arsenic, Total	ND		mg/l	0.005	0.002	1	10/23/20 23:15	10/28/20 20:23	EPA 3005A	1,6010D	BV
Cadmium, Total	ND		mg/l	0.005	0.001	1	10/23/20 23:15	10/28/20 20:23	EPA 3005A	1,6010D	BV
Calcium, Total	21.1		mg/l	0.100	0.035	1	10/23/20 23:15	10/28/20 20:23	EPA 3005A	1,6010D	BV
Chromium, Total	0.007	J	mg/l	0.010	0.002	1	10/23/20 23:15	10/28/20 20:23	EPA 3005A	1,6010D	BV
Iron, Total	0.103		mg/l	0.050	0.009	1	10/23/20 23:15	10/28/20 20:23	EPA 3005A	1,6010D	BV
Lead, Total	ND		mg/l	0.010	0.003	1	10/23/20 23:15	10/28/20 20:23	EPA 3005A	1,6010D	BV
Magnesium, Total	4.69		mg/l	0.100	0.015	1	10/23/20 23:15	10/28/20 20:23	EPA 3005A	1,6010D	BV
Mercury, Total	ND		mg/l	0.00020	0.00009	1	10/24/20 04:04	10/24/20 13:27	EPA 7470A	1,7470A	AL
Potassium, Total	2.69		mg/l	2.50	0.237	1	10/23/20 23:15	10/28/20 20:23	EPA 3005A	1,6010D	BV
Sodium, Total	52.3		mg/l	2.00	0.120	1	10/23/20 23:15	10/28/20 20:23	EPA 3005A	1,6010D	BV
Total Hardness by SM 2340B - Mansfield Lab											
Hardness	72.0		mg/l	0.660	NA	1	10/23/20 23:15	10/28/20 20:23	EPA 3005A	1,6010D	BV



Project Name: EAST NORTHPORT GROUNDWATER**Lab Number:** L2046012**Project Number:** Not Specified**Report Date:** 10/29/20**SAMPLE RESULTS**

Lab ID: L2046012-03

Date Collected: 10/22/20 11:40

Client ID: EN6-S

Date Received: 10/22/20

Sample Location: EAST NORTHPORT

Field Prep: Not Specified

Sample Depth:

Matrix: Water

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Prep Method	Analytical Method	Analyst
Total Metals - Mansfield Lab											
Aluminum, Total	0.139		mg/l	0.100	0.032	1	10/23/20 23:15	10/28/20 20:46	EPA 3005A	1,6010D	BV
Arsenic, Total	ND		mg/l	0.005	0.002	1	10/23/20 23:15	10/28/20 20:46	EPA 3005A	1,6010D	BV
Cadmium, Total	ND		mg/l	0.005	0.001	1	10/23/20 23:15	10/28/20 20:46	EPA 3005A	1,6010D	BV
Calcium, Total	13.9		mg/l	0.100	0.035	1	10/23/20 23:15	10/28/20 20:46	EPA 3005A	1,6010D	BV
Chromium, Total	0.217		mg/l	0.010	0.002	1	10/23/20 23:15	10/28/20 20:46	EPA 3005A	1,6010D	BV
Iron, Total	1.75		mg/l	0.050	0.009	1	10/23/20 23:15	10/28/20 20:46	EPA 3005A	1,6010D	BV
Lead, Total	ND		mg/l	0.010	0.003	1	10/23/20 23:15	10/28/20 20:46	EPA 3005A	1,6010D	BV
Magnesium, Total	6.21		mg/l	0.100	0.015	1	10/23/20 23:15	10/28/20 20:46	EPA 3005A	1,6010D	BV
Mercury, Total	ND		mg/l	0.00020	0.00009	1	10/24/20 04:04	10/24/20 13:30	EPA 7470A	1,7470A	AL
Potassium, Total	2.46	J	mg/l	2.50	0.237	1	10/23/20 23:15	10/28/20 20:46	EPA 3005A	1,6010D	BV
Sodium, Total	43.9		mg/l	2.00	0.120	1	10/23/20 23:15	10/28/20 22:18	EPA 3005A	1,6010D	BV
Total Hardness by SM 2340B - Mansfield Lab											
Hardness	60.3		mg/l	0.660	NA	1	10/23/20 23:15	10/28/20 20:46	EPA 3005A	1,6010D	BV



Project Name: EAST NORTHPORT GROUNDWATER**Lab Number:** L2046012**Project Number:** Not Specified**Report Date:** 10/29/20**SAMPLE RESULTS**

Lab ID: L2046012-04

Date Collected: 10/22/20 12:15

Client ID: CW4-M

Date Received: 10/22/20

Sample Location: EAST NORTHPORT

Field Prep: Not Specified

Sample Depth:

Matrix: Water

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Prep Method	Analytical Method	Analyst
Total Metals - Mansfield Lab											
Aluminum, Total	ND		mg/l	0.100	0.032	1	10/23/20 23:15	10/28/20 20:51	EPA 3005A	1,6010D	BV
Arsenic, Total	ND		mg/l	0.005	0.002	1	10/23/20 23:15	10/28/20 20:51	EPA 3005A	1,6010D	BV
Cadmium, Total	ND		mg/l	0.005	0.001	1	10/23/20 23:15	10/28/20 20:51	EPA 3005A	1,6010D	BV
Calcium, Total	22.2		mg/l	0.100	0.035	1	10/23/20 23:15	10/28/20 20:51	EPA 3005A	1,6010D	BV
Chromium, Total	0.005	J	mg/l	0.010	0.002	1	10/23/20 23:15	10/28/20 20:51	EPA 3005A	1,6010D	BV
Iron, Total	0.042	J	mg/l	0.050	0.009	1	10/23/20 23:15	10/28/20 20:51	EPA 3005A	1,6010D	BV
Lead, Total	ND		mg/l	0.010	0.003	1	10/23/20 23:15	10/28/20 20:51	EPA 3005A	1,6010D	BV
Magnesium, Total	8.83		mg/l	0.100	0.015	1	10/23/20 23:15	10/28/20 20:51	EPA 3005A	1,6010D	BV
Mercury, Total	ND		mg/l	0.00020	0.00009	1	10/24/20 04:04	10/24/20 13:32	EPA 7470A	1,7470A	AL
Potassium, Total	1.34	J	mg/l	2.50	0.237	1	10/23/20 23:15	10/28/20 20:51	EPA 3005A	1,6010D	BV
Sodium, Total	17.1		mg/l	2.00	0.120	1	10/23/20 23:15	10/28/20 22:22	EPA 3005A	1,6010D	BV
Total Hardness by SM 2340B - Mansfield Lab											
Hardness	91.9		mg/l	0.660	NA	1	10/23/20 23:15	10/28/20 20:51	EPA 3005A	1,6010D	BV



Project Name: EAST NORTHPORT GROUNDWATER**Lab Number:** L2046012**Project Number:** Not Specified**Report Date:** 10/29/20**SAMPLE RESULTS**

Lab ID: L2046012-05

Date Collected: 10/22/20 12:40

Client ID: CW4-S

Date Received: 10/22/20

Sample Location: EAST NORTHPORT

Field Prep: Not Specified

Sample Depth:

Matrix: Water

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Prep Method	Analytical Method	Analyst
Total Metals - Mansfield Lab											
Aluminum, Total	ND		mg/l	0.100	0.032	1	10/23/20 23:15	10/28/20 20:55	EPA 3005A	1,6010D	BV
Arsenic, Total	ND		mg/l	0.005	0.002	1	10/23/20 23:15	10/28/20 20:55	EPA 3005A	1,6010D	BV
Cadmium, Total	0.002	J	mg/l	0.005	0.001	1	10/23/20 23:15	10/28/20 20:55	EPA 3005A	1,6010D	BV
Calcium, Total	9.85		mg/l	0.100	0.035	1	10/23/20 23:15	10/28/20 20:55	EPA 3005A	1,6010D	BV
Chromium, Total	ND		mg/l	0.010	0.002	1	10/23/20 23:15	10/28/20 20:55	EPA 3005A	1,6010D	BV
Iron, Total	0.131		mg/l	0.050	0.009	1	10/23/20 23:15	10/28/20 20:55	EPA 3005A	1,6010D	BV
Lead, Total	ND		mg/l	0.010	0.003	1	10/23/20 23:15	10/28/20 20:55	EPA 3005A	1,6010D	BV
Magnesium, Total	2.04		mg/l	0.100	0.015	1	10/23/20 23:15	10/28/20 20:55	EPA 3005A	1,6010D	BV
Mercury, Total	ND		mg/l	0.00020	0.00009	1	10/24/20 04:04	10/24/20 13:39	EPA 7470A	1,7470A	AL
Potassium, Total	6.52		mg/l	2.50	0.237	1	10/23/20 23:15	10/28/20 20:55	EPA 3005A	1,6010D	BV
Sodium, Total	6.41		mg/l	2.00	0.120	1	10/23/20 23:15	10/28/20 22:27	EPA 3005A	1,6010D	BV
Total Hardness by SM 2340B - Mansfield Lab											
Hardness	33.0		mg/l	0.660	NA	1	10/23/20 23:15	10/28/20 20:55	EPA 3005A	1,6010D	BV



Project Name: EAST NORTHPORT GROUNDWATER**Lab Number:** L2046012**Project Number:** Not Specified**Report Date:** 10/29/20**SAMPLE RESULTS**

Lab ID: L2046012-06

Date Collected: 10/22/20 13:00

Client ID: CW2-M

Date Received: 10/22/20

Sample Location: EAST NORTHPORT

Field Prep: Not Specified

Sample Depth:

Matrix: Water

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Prep Method	Analytical Method	Analyst
Total Metals - Mansfield Lab											
Aluminum, Total	0.127		mg/l	0.100	0.032	1	10/23/20 23:15	10/28/20 23:05	EPA 3005A	1,6010D	BV
Arsenic, Total	ND		mg/l	0.005	0.002	1	10/23/20 23:15	10/28/20 23:05	EPA 3005A	1,6010D	BV
Cadmium, Total	0.001	J	mg/l	0.005	0.001	1	10/23/20 23:15	10/28/20 23:05	EPA 3005A	1,6010D	BV
Calcium, Total	19.9		mg/l	0.100	0.035	1	10/23/20 23:15	10/28/20 23:05	EPA 3005A	1,6010D	BV
Chromium, Total	ND		mg/l	0.010	0.002	1	10/23/20 23:15	10/28/20 23:05	EPA 3005A	1,6010D	BV
Iron, Total	0.197		mg/l	0.050	0.009	1	10/23/20 23:15	10/28/20 23:05	EPA 3005A	1,6010D	BV
Lead, Total	ND		mg/l	0.010	0.003	1	10/23/20 23:15	10/28/20 23:05	EPA 3005A	1,6010D	BV
Magnesium, Total	5.05		mg/l	0.100	0.015	1	10/23/20 23:15	10/28/20 23:05	EPA 3005A	1,6010D	BV
Mercury, Total	ND		mg/l	0.00020	0.00009	1	10/24/20 04:04	10/24/20 13:41	EPA 7470A	1,7470A	AL
Potassium, Total	8.26		mg/l	2.50	0.237	1	10/23/20 23:15	10/28/20 23:05	EPA 3005A	1,6010D	BV
Sodium, Total	21.5		mg/l	2.00	0.120	1	10/23/20 23:15	10/28/20 23:05	EPA 3005A	1,6010D	BV
Total Hardness by SM 2340B - Mansfield Lab											
Hardness	70.5		mg/l	0.660	NA	1	10/23/20 23:15	10/28/20 23:05	EPA 3005A	1,6010D	BV



Project Name: EAST NORTHPORT GROUNDWATER
Project Number: Not Specified

Lab Number: L2046012
Report Date: 10/29/20

Method Blank Analysis Batch Quality Control

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Analytical Method	Analyst
Total Metals - Mansfield Lab for sample(s): 01-06 Batch: WG1425858-1										
Aluminum, Total	ND		mg/l	0.100	0.032	1	10/23/20 23:15	10/28/20 18:47	1,6010D	GD
Arsenic, Total	ND		mg/l	0.005	0.002	1	10/23/20 23:15	10/28/20 18:47	1,6010D	GD
Cadmium, Total	ND		mg/l	0.005	0.001	1	10/23/20 23:15	10/28/20 18:47	1,6010D	GD
Calcium, Total	ND		mg/l	0.100	0.035	1	10/23/20 23:15	10/28/20 18:47	1,6010D	GD
Chromium, Total	ND		mg/l	0.010	0.002	1	10/23/20 23:15	10/28/20 18:47	1,6010D	GD
Iron, Total	ND		mg/l	0.050	0.009	1	10/23/20 23:15	10/28/20 18:47	1,6010D	GD
Lead, Total	ND		mg/l	0.010	0.003	1	10/23/20 23:15	10/28/20 18:47	1,6010D	GD
Magnesium, Total	ND		mg/l	0.100	0.015	1	10/23/20 23:15	10/28/20 18:47	1,6010D	GD
Potassium, Total	0.273	J	mg/l	2.50	0.237	1	10/23/20 23:15	10/28/20 18:47	1,6010D	GD
Sodium, Total	0.888	J	mg/l	2.00	0.120	1	10/23/20 23:15	10/28/20 18:47	1,6010D	GD

Prep Information

Digestion Method: EPA 3005A

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Analytical Method	Analyst
Total Hardness by SM 2340B - Mansfield Lab for sample(s): 01-06 Batch: WG1425858-1										
Hardness	ND		mg/l	0.660	NA	1	10/23/20 23:15	10/28/20 18:47	1,6010D	GD

Prep Information

Digestion Method: EPA 3005A

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Analytical Method	Analyst
Total Metals - Mansfield Lab for sample(s): 01-06 Batch: WG1425868-1										
Mercury, Total	ND		mg/l	0.00020	0.00009	1	10/24/20 04:04	10/24/20 12:55	1,7470A	AL

Prep Information

Digestion Method: EPA 7470A



Serial_No:10292016:54

Lab Control Sample Analysis
Batch Quality Control

Project Name: EAST NORTHPORT GROUNDWATER
Project Number: Not Specified

Lab Number: L2046012
Report Date: 10/29/20

Parameter	LCS %Recovery	Qual	LCSD %Recovery	Qual	%Recovery Limits	RPD	Qual	RPD Limits
Total Metals - Mansfield Lab Associated sample(s): 01-06 Batch: WG1425858-2								
Aluminum, Total	96		-		80-120	-		
Arsenic, Total	108		-		80-120	-		
Cadmium, Total	107		-		80-120	-		
Calcium, Total	102		-		80-120	-		
Chromium, Total	99		-		80-120	-		
Iron, Total	100		-		80-120	-		
Lead, Total	106		-		80-120	-		
Magnesium, Total	101		-		80-120	-		
Potassium, Total	100		-		80-120	-		
Sodium, Total	110		-		80-120	-		
Total Hardness by SM 2340B - Mansfield Lab Associated sample(s): 01-06 Batch: WG1425858-2								
Hardness	101		-		80-120	-		
Total Metals - Mansfield Lab Associated sample(s): 01-06 Batch: WG1425868-2								
Mercury, Total	101		-		80-120	-		



**Matrix Spike Analysis
Batch Quality Control**

Project Name: EAST NORTHPORT GROUNDWATER
Project Number: Not Specified

Lab Number: L2046012
Report Date: 10/29/20

Parameter	Native Sample	MS Added	MS Found	MS %Recovery	Qual	MSD Found	MSD %Recovery	Qual	Recovery Limits	RPD	Qual	RPD Limits
Total Metals - Mansfield Lab Associated sample(s): 01-06 QC Batch ID: WG1425858-3 WG1425858-4 QC Sample: L2046011-04 Client ID: MS Sample												
Aluminum, Total	0.148	2	2.07	96		2.08	97		75-125	0		20
Arsenic, Total	ND	0.12	0.134	112		0.135	112		75-125	1		20
Cadmium, Total	ND	0.051	0.055	107		0.055	108		75-125	1		20
Calcium, Total	24.2	10	34.0	98		33.6	94		75-125	1		20
Chromium, Total	0.002J	0.2	0.199	100		0.200	100		75-125	1		20
Iron, Total	0.111	1	1.10	99		1.10	99		75-125	0		20
Lead, Total	ND	0.51	0.541	106		0.545	107		75-125	1		20
Magnesium, Total	11.9	10	21.9	100		21.7	98		75-125	1		20
Potassium, Total	2.12J	10	12.8	128	Q	12.7	127	Q	75-125	1		20
Sodium, Total	36.2	10	46.8	106		45.9	97		75-125	2		20
Total Hardness by SM 2340B - Mansfield Lab Associated sample(s): 01-06 QC Batch ID: WG1425858-3 WG1425858-4 QC Sample: L2046011-04 Client ID: MS Sample												
Hardness	110	66.2	175	98		173	95		75-125	1		20
Total Metals - Mansfield Lab Associated sample(s): 01-06 QC Batch ID: WG1425868-3 QC Sample: L2045971-01 Client ID: MS Sample												
Mercury, Total	ND	0.005	0.00493	99		-	-		75-125	-		20

Serial_No:10292016:54

Lab Duplicate Analysis
Batch Quality Control

Project Name: EAST NORTHPORT GROUNDWATER
Project Number: Not Specified

Lab Number: L2046012
Report Date: 10/29/20

Parameter	Native Sample	Duplicate Sample	Units	RPD	Qual	RPD Limits
Total Metals - Mansfield Lab Associated sample(s): 01-06 QC Batch ID: WG1425868-4 QC Sample: L2045971-01 Client ID: DUP Sample						
Mercury, Total	ND	ND	mg/l	NC		20



INORGANICS & MISCELLANEOUS

Project Name: EAST NORTHPORT GROUNDWATER
Project Number: Not Specified

Lab Number: L2046012
Report Date: 10/29/20

SAMPLE RESULTS

Lab ID: L2046012-01
Client ID: EN9-M
Sample Location: EAST NORTHPORT

Date Collected: 10/22/20 10:25
Date Received: 10/22/20
Field Prep: Not Specified

Sample Depth:
Matrix: Water

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Analytical Method	Analyst
General Chemistry - Westborough Lab										
Alkalinity, Bicarbonate	52.6		mg CaCO3/L	2.00	NA	1	-	10/23/20 10:48	121,2320B	JB
Solids, Total Dissolved	260		mg/l	10	3.1	1	-	10/28/20 10:30	121,2540C	DW
Chloride	100		mg/l	10	2.0	10	-	10/23/20 09:49	121,4500CL-E	MR
Nitrogen, Ammonia	0.672		mg/l	0.075	0.024	1	10/24/20 03:31	10/26/20 21:44	121,4500NH3-BH	AT
Nitrogen, Nitrate	ND		mg/l	0.100	0.022	1	-	10/23/20 10:08	121,4500NO3-F	MR
Sulfate	17.		mg/l	10	1.4	1	10/26/20 09:50	10/26/20 09:50	121,4500SO4-E	MV



Project Name: EAST NORTHPORT GROUNDWATER
Project Number: Not Specified

Lab Number: L2046012
Report Date: 10/29/20

SAMPLE RESULTS

Lab ID: L2046012-02
Client ID: EN6-M
Sample Location: EAST NORTHPORT

Date Collected: 10/22/20 11:15
Date Received: 10/22/20
Field Prep: Not Specified

Sample Depth:
Matrix: Water

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Analytical Method	Analyst
General Chemistry - Westborough Lab										
Alkalinity, Bicarbonate	48.8		mg CaCO3/L	2.00	NA	1	-	10/23/20 10:48	121,2320B	JB
Solids, Total Dissolved	250		mg/l	10	3.1	1	-	10/28/20 10:30	121,2540C	DW
Chloride	74.		mg/l	1.0	0.20	1	-	10/23/20 09:50	121,4500CL-E	MR
Nitrogen, Ammonia	ND		mg/l	0.075	0.024	1	10/24/20 03:31	10/26/20 21:45	121,4500NH3-BH	AT
Nitrogen, Nitrate	4.98		mg/l	0.100	0.022	1	-	10/23/20 10:09	121,4500NO3-F	MR
Sulfate	21.		mg/l	10	1.4	1	10/26/20 09:50	10/26/20 09:50	121,4500SO4-E	MV



Project Name: EAST NORTHPORT GROUNDWATER
Project Number: Not Specified

Lab Number: L2046012
Report Date: 10/29/20

SAMPLE RESULTS

Lab ID: L2046012-03
Client ID: EN6-S
Sample Location: EAST NORTHPORT

Date Collected: 10/22/20 11:40
Date Received: 10/22/20
Field Prep: Not Specified

Sample Depth:
Matrix: Water

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Analytical Method	Analyst
General Chemistry - Westborough Lab										
Alkalinity, Bicarbonate	13.2		mg CaCO3/L	2.00	NA	1	-	10/23/20 10:48	121,2320B	JB
Solids, Total Dissolved	180		mg/l	10	3.1	1	-	10/28/20 10:30	121,2540C	DW
Chloride	70.		mg/l	1.0	0.20	1	-	10/23/20 09:37	121,4500CL-E	MR
Nitrogen, Ammonia	0.062	J	mg/l	0.075	0.024	1	10/24/20 03:31	10/26/20 21:49	121,4500NH3-BH	AT
Nitrogen, Nitrate	6.36		mg/l	0.100	0.022	1	-	10/23/20 10:11	121,4500NO3-F	MR
Sulfate	23.		mg/l	10	1.4	1	10/26/20 09:50	10/26/20 09:50	121,4500SO4-E	MV



Project Name: EAST NORTHPORT GROUNDWATER
Project Number: Not Specified

Lab Number: L2046012
Report Date: 10/29/20

SAMPLE RESULTS

Lab ID: L2046012-04
Client ID: CW4-M
Sample Location: EAST NORTHPORT

Date Collected: 10/22/20 12:15
Date Received: 10/22/20
Field Prep: Not Specified

Sample Depth:
Matrix: Water

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Analytical Method	Analyst
General Chemistry - Westborough Lab										
Alkalinity, Bicarbonate	36.2		mg CaCO3/L	2.00	NA	1	-	10/23/20 10:48	121,2320B	JB
Solids, Total Dissolved	160		mg/l	10	3.1	1	-	10/28/20 10:30	121,2540C	DW
Chloride	32.		mg/l	1.0	0.20	1	-	10/23/20 09:38	121,4500CL-E	MR
Nitrogen, Ammonia	0.025	J	mg/l	0.075	0.024	1	10/24/20 03:31	10/26/20 21:49	121,4500NH3-BH	AT
Nitrogen, Nitrate	6.03		mg/l	0.100	0.022	1	-	10/23/20 10:12	121,4500NO3-F	MR
Sulfate	29.		mg/l	10	1.4	1	10/26/20 09:50	10/26/20 09:50	121,4500SO4-E	MV



Project Name: EAST NORTHPORT GROUNDWATER
Project Number: Not Specified

Lab Number: L2046012
Report Date: 10/29/20

SAMPLE RESULTS

Lab ID: L2046012-05
Client ID: CW4-S
Sample Location: EAST NORTHPORT

Date Collected: 10/22/20 12:40
Date Received: 10/22/20
Field Prep: Not Specified

Sample Depth:
Matrix: Water

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Analytical Method	Analyst
General Chemistry - Westborough Lab										
Alkalinity, Bicarbonate	29.3		mg CaCO3/L	2.00	NA	1	-	10/23/20 10:48	121,2320B	JB
Solids, Total Dissolved	64.		mg/l	10	3.1	1	-	10/28/20 10:30	121,2540C	DW
Chloride	11.		mg/l	1.0	0.20	1	-	10/23/20 09:38	121,4500CL-E	MR
Nitrogen, Ammonia	ND		mg/l	0.075	0.024	1	10/26/20 13:45	10/26/20 18:40	121,4500NH3-BH	AT
Nitrogen, Nitrate	2.10		mg/l	0.100	0.022	1	-	10/23/20 10:13	121,4500NO3-F	MR
Sulfate	5.5	J	mg/l	10	1.4	1	10/26/20 09:50	10/26/20 09:50	121,4500SO4-E	MV



Project Name: EAST NORTHPORT GROUNDWATER
Project Number: Not Specified

Lab Number: L2046012
Report Date: 10/29/20

SAMPLE RESULTS

Lab ID: L2046012-06
Client ID: CW2-M
Sample Location: EAST NORTHPORT

Date Collected: 10/22/20 13:00
Date Received: 10/22/20
Field Prep: Not Specified

Sample Depth:
Matrix: Water

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Analytical Method	Analyst
General Chemistry - Westborough Lab										
Alkalinity, Bicarbonate	48.7		mg CaCO3/L	2.00	NA	1	-	10/23/20 10:48	121,2320B	JB
Solids, Total Dissolved	160		mg/l	10	3.1	1	-	10/28/20 10:30	121,2540C	DW
Chloride	34.		mg/l	1.0	0.20	1	-	10/23/20 09:39	121,4500CL-E	MR
Nitrogen, Ammonia	ND		mg/l	0.075	0.024	1	10/26/20 13:45	10/26/20 18:41	121,4500NH3-BH	AT
Nitrogen, Nitrate	2.20		mg/l	0.100	0.022	1	-	10/23/20 10:14	121,4500NO3-F	MR
Sulfate	28.		mg/l	10	1.4	1	10/26/20 09:50	10/26/20 09:50	121,4500SO4-E	MV



Project Name: EAST NORTHPORT GROUNDWATER
Project Number: Not Specified

Lab Number: L2046012
Report Date: 10/29/20

Method Blank Analysis
Batch Quality Control

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Analytical Method	Analyst
General Chemistry - Westborough Lab for sample(s): 01-06 Batch: WG1425437-1										
Nitrogen, Nitrate	ND		mg/l	0.100	0.022	1	-	10/23/20 05:22	121,4500NO3-F	MR
General Chemistry - Westborough Lab for sample(s): 01-06 Batch: WG1425438-1										
Chloride	0.61	J	mg/l	1.0	0.20	1	-	10/23/20 06:25	121,4500CL-E	MR
General Chemistry - Westborough Lab for sample(s): 01-06 Batch: WG1425562-1										
Alkalinity, Bicarbonate	ND		mg CaCO3/L	2.00	NA	1	-	10/23/20 10:48	121,2320B	JB
General Chemistry - Westborough Lab for sample(s): 01-04 Batch: WG1425872-1										
Nitrogen, Ammonia	ND		mg/l	0.075	0.024	1	10/24/20 03:31	10/26/20 21:36	121,4500NH3-BH	AT
General Chemistry - Westborough Lab for sample(s): 01-06 Batch: WG1426418-1										
Sulfate	1.9	J	mg/l	10	1.4	1	10/26/20 09:50	10/26/20 09:50	121,4500SO4-E	MV
General Chemistry - Westborough Lab for sample(s): 05-06 Batch: WG1426426-1										
Nitrogen, Ammonia	0.031	J	mg/l	0.075	0.024	1	10/26/20 13:45	10/26/20 18:25	121,4500NH3-BH	AT
General Chemistry - Westborough Lab for sample(s): 01-06 Batch: WG1427333-1										
Solids, Total Dissolved	ND		mg/l	10	3.1	1	-	10/28/20 10:30	121,2540C	DW

Serial_No:10292016:54

Lab Control Sample Analysis
Batch Quality Control

Project Name: EAST NORTHPORT GROUNDWATER
Project Number: Not Specified

Lab Number: L2046012
Report Date: 10/29/20

Parameter	LCS %Recovery	Qual	LCSD %Recovery	Qual	%Recovery Limits	RPD	Qual	RPD Limits
General Chemistry - Westborough Lab Associated sample(s): 01-06 Batch: WG1425437-2								
Nitrogen, Nitrate	96		-		90-110	-		
General Chemistry - Westborough Lab Associated sample(s): 01-06 Batch: WG1425438-2								
Chloride	107		-		90-110	-		
General Chemistry - Westborough Lab Associated sample(s): 01-04 Batch: WG1425872-2								
Nitrogen, Ammonia	92		-		80-120	-		20
General Chemistry - Westborough Lab Associated sample(s): 01-06 Batch: WG1426418-2								
Sulfate	95		-		90-110	-		
General Chemistry - Westborough Lab Associated sample(s): 05-06 Batch: WG1426426-2								
Nitrogen, Ammonia	89		-		80-120	-		20
General Chemistry - Westborough Lab Associated sample(s): 01-06 Batch: WG1427333-2								
Solids, Total Dissolved	99		-		80-120	-		



**Matrix Spike Analysis
Batch Quality Control**

Project Name: EAST NORTHPORT GROUNDWATER
Project Number: Not Specified

Lab Number: L2046012
Report Date: 10/29/20

Parameter	Native Sample	MS Added	MS Found	MS %Recovery	MSD Qual	MSD Found	MSD %Recovery	MSD Qual	Recovery Limits	RPD	Qual	RPD Limits
General Chemistry - Westborough Lab Associated sample(s): 01-06 QC Batch ID: WG1425437-4 QC Sample: L2046011-04 Client ID: MS Sample												
Nitrogen, Nitrate	4.28	4	7.91	91	-	-	-	-	83-113	-	-	17
General Chemistry - Westborough Lab Associated sample(s): 01-06 QC Batch ID: WG1425438-4 QC Sample: L2046011-04 Client ID: MS Sample												
Chloride	74.	20	87	65	-	-	-	-	58-140	-	-	7
General Chemistry - Westborough Lab Associated sample(s): 01-04 QC Batch ID: WG1425872-4 QC Sample: L2046011-04 Client ID: MS Sample												
Nitrogen, Ammonia	0.062J	4	3.50	88	-	-	-	-	80-120	-	-	20
General Chemistry - Westborough Lab Associated sample(s): 01-06 QC Batch ID: WG1426418-4 QC Sample: L2046011-04 Client ID: MS Sample												
Sulfate	32.	40	73	102	-	-	-	-	55-147	-	-	14
General Chemistry - Westborough Lab Associated sample(s): 05-06 QC Batch ID: WG1426426-4 QC Sample: L2046019-01 Client ID: MS Sample												
Nitrogen, Ammonia	0.126	4	3.46	83	-	-	-	-	80-120	-	-	20

Serial_No:10292016:54

Lab Duplicate Analysis
Batch Quality Control

Project Name: EAST NORTHPORT GROUNDWATER
Project Number: Not Specified

Lab Number: L2046012
Report Date: 10/29/20

Parameter	Native Sample	Duplicate Sample	Units	RPD	Qual	RPD Limits
General Chemistry - Westborough Lab	Associated sample(s): 01-06	QC Batch ID: WG1425437-3	QC Sample: L2046011-04	Client ID: DUP Sample		
Nitrogen, Nitrate	4.28	4.38	mg/l	2		17
General Chemistry - Westborough Lab	Associated sample(s): 01-06	QC Batch ID: WG1425438-3	QC Sample: L2046011-04	Client ID: DUP Sample		
Chloride	74.	72	mg/l	3		7
General Chemistry - Westborough Lab	Associated sample(s): 01-06	QC Batch ID: WG1425562-2	QC Sample: L2046011-04	Client ID: DUP Sample		
Alkalinity, Bicarbonate	46.4	45.5	mg CaCO3/L	2		9
General Chemistry - Westborough Lab	Associated sample(s): 01-04	QC Batch ID: WG1425872-3	QC Sample: L2046011-04	Client ID: DUP Sample		
Nitrogen, Ammonia	0.062J	ND	mg/l	NC		20
General Chemistry - Westborough Lab	Associated sample(s): 01-06	QC Batch ID: WG1426418-3	QC Sample: L2046011-04	Client ID: DUP Sample		
Sulfate	32.	30	mg/l	6		14
General Chemistry - Westborough Lab	Associated sample(s): 05-06	QC Batch ID: WG1426426-3	QC Sample: L2046019-01	Client ID: DUP Sample		
Nitrogen, Ammonia	0.126	0.045J	mg/l	NC		20
General Chemistry - Westborough Lab	Associated sample(s): 01-06	QC Batch ID: WG1427333-3	QC Sample: L2046012-01	Client ID: EN9-M		
Solids, Total Dissolved	260	270	mg/l	4		10



Project Name: EAST NORTHPORT GROUNDWATER
Project Number: Not Specified

Serial_No:10292016:54
Lab Number: L2046012
Report Date: 10/29/20

Sample Receipt and Container Information

Were project specific reporting limits specified? YES

Cooler Information

Cooler **Custody Seal**
 B Absent

Container Information

Container ID	Container Type	Cooler	Initial pH	Final pH	Temp deg C	Pres	Seal	Frozen Date/Time	Analysis(*)
L2046012-01A	Vial Na2S2O3 preserved	B	NA		2.4	Y	Absent		624.1(3)
L2046012-01B	Vial Na2S2O3 preserved	B	NA		2.4	Y	Absent		624.1(3)
L2046012-01C	Vial Na2S2O3 preserved	B	NA		2.4	Y	Absent		624.1(3)
L2046012-01D	Plastic 250ml unpreserved/No Headspace	B	NA		2.4	Y	Absent		ALK-HCO3-2320(14)
L2046012-01E	Plastic 250ml HNO3 preserved	B	<2	<2	2.4	Y	Absent		AS-TI(180),AL-TI(180),CR-TI(180),PB-TI(180),MG-TI(180),FE-TI(180),HG-T(28),HARDT(180),CD-TI(180),CA-TI(180),NA-TI(180),K-TI(180)
L2046012-01F	Plastic 500ml H2SO4 preserved	B	<2	<2	2.4	Y	Absent		NH3-4500(28)
L2046012-01G	Plastic 500ml unpreserved	B	7	7	2.4	Y	Absent		SO4-4500(28),CL-4500(28),NO3-4500(2),TDS-2540(7)
L2046012-02A	Vial Na2S2O3 preserved	B	NA		2.4	Y	Absent		624.1(3)
L2046012-02B	Vial Na2S2O3 preserved	B	NA		2.4	Y	Absent		624.1(3)
L2046012-02C	Vial Na2S2O3 preserved	B	NA		2.4	Y	Absent		624.1(3)
L2046012-02D	Plastic 250ml unpreserved/No Headspace	B	NA		2.4	Y	Absent		ALK-HCO3-2320(14)
L2046012-02E	Plastic 250ml HNO3 preserved	B	<2	<2	2.4	Y	Absent		AS-TI(180),CR-TI(180),AL-TI(180),PB-TI(180),FE-TI(180),HG-T(28),MG-TI(180),HARDT(180),K-TI(180),CD-TI(180),NA-TI(180),CA-TI(180)
L2046012-02F	Plastic 500ml H2SO4 preserved	B	<2	<2	2.4	Y	Absent		NH3-4500(28)
L2046012-02G	Plastic 500ml unpreserved	B	7	7	2.4	Y	Absent		SO4-4500(28),CL-4500(28),NO3-4500(2),TDS-2540(7)
L2046012-03A	Vial Na2S2O3 preserved	B	NA		2.4	Y	Absent		624.1(3)
L2046012-03B	Vial Na2S2O3 preserved	B	NA		2.4	Y	Absent		624.1(3)
L2046012-03C	Vial Na2S2O3 preserved	B	NA		2.4	Y	Absent		624.1(3)
L2046012-03D	Plastic 250ml unpreserved/No Headspace	B	NA		2.4	Y	Absent		ALK-HCO3-2320(14)

*Values in parentheses indicate holding time in days



Project Name: EAST NORTHPORT GROUNDWATER
Project Number: Not Specified

Serial_No: 10292016:54
Lab Number: L2046012
Report Date: 10/29/20

Container Information

Container ID	Container Type	Cooler	Initial pH	Final pH	Temp deg C	Pres	Seal	Frozen Date/Time	Analysis(*)
L2046012-03E	Plastic 250ml HNO3 preserved	B	<2	<2	2.4	Y	Absent		AS-Ti(180),AL-Ti(180),CR-Ti(180),PB-Ti(180),HG-T(28),MG-Ti(180),FE-Ti(180),NA-Ti(180),CD-Ti(180),CA-Ti(180),HARDT(180),K-Ti(180)
L2046012-03F	Plastic 500ml H2SO4 preserved	B	<2	<2	2.4	Y	Absent		NH3-4500(28)
L2046012-03G	Plastic 500ml unpreserved	B	7	7	2.4	Y	Absent		SO4-4500(28),CL-4500(28),NO3-4500(2),TDS-2540(7)
L2046012-04A	Vial Na2S2O3 preserved	B	NA		2.4	Y	Absent		624.1(3)
L2046012-04B	Vial Na2S2O3 preserved	B	NA		2.4	Y	Absent		624.1(3)
L2046012-04C	Vial Na2S2O3 preserved	B	NA		2.4	Y	Absent		624.1(3)
L2046012-04D	Plastic 250ml unpreserved/No Headspace	B	NA		2.4	Y	Absent		ALK-HCO3-2320(14)
L2046012-04E	Plastic 250ml HNO3 preserved	B	<2	<2	2.4	Y	Absent		AS-Ti(180),AL-Ti(180),CR-Ti(180),PB-Ti(180),HG-T(28),FE-Ti(180),MG-Ti(180),HARDT(180),CA-Ti(180),CD-Ti(180),NA-Ti(180),K-Ti(180)
L2046012-04F	Plastic 500ml H2SO4 preserved	B	<2	<2	2.4	Y	Absent		NH3-4500(28)
L2046012-04G	Plastic 500ml unpreserved	B	7	7	2.4	Y	Absent		SO4-4500(28),CL-4500(28),NO3-4500(2),TDS-2540(7)
L2046012-05A	Vial Na2S2O3 preserved	B	NA		2.4	Y	Absent		624.1(3)
L2046012-05B	Vial Na2S2O3 preserved	B	NA		2.4	Y	Absent		624.1(3)
L2046012-05C	Vial Na2S2O3 preserved	B	NA		2.4	Y	Absent		624.1(3)
L2046012-05D	Plastic 250ml unpreserved/No Headspace	B	NA		2.4	Y	Absent		ALK-HCO3-2320(14)
L2046012-05E	Plastic 250ml HNO3 preserved	B	<2	<2	2.4	Y	Absent		AS-Ti(180),AL-Ti(180),CR-Ti(180),PB-Ti(180),FE-Ti(180),MG-Ti(180),HG-T(28),NA-Ti(180),CA-Ti(180),CD-Ti(180),K-Ti(180),HARDT(180)
L2046012-05F	Plastic 500ml H2SO4 preserved	B	<2	<2	2.4	Y	Absent		NH3-4500(28)
L2046012-05G	Plastic 500ml unpreserved	B	7	7	2.4	Y	Absent		SO4-4500(28),CL-4500(28),NO3-4500(2),TDS-2540(7)
L2046012-06A	Vial Na2S2O3 preserved	B	NA		2.4	Y	Absent		624.1(3)
L2046012-06B	Vial Na2S2O3 preserved	B	NA		2.4	Y	Absent		624.1(3)
L2046012-06C	Vial Na2S2O3 preserved	B	NA		2.4	Y	Absent		624.1(3)
L2046012-06D	Plastic 250ml unpreserved/No Headspace	B	NA		2.4	Y	Absent		ALK-HCO3-2320(14)
L2046012-06E	Plastic 250ml HNO3 preserved	B	<2	<2	2.4	Y	Absent		AS-Ti(180),AL-Ti(180),CR-Ti(180),PB-Ti(180),FE-Ti(180),MG-Ti(180),HG-T(28),HARDT(180),CA-Ti(180),NA-Ti(180),CD-Ti(180),K-Ti(180)

*Values in parentheses indicate holding time in days



Project Name: EAST NORTHPORT GROUNDWATER
Project Number: Not Specified

Serial_No:10292016:54
Lab Number: L2046012
Report Date: 10/29/20

Container Information

Container ID	Container Type	Cooler	Initial pH	Final pH	Temp deg C	Pres	Seal	Frozen Date/Time	Analysis(*)
L2046012-06F	Plastic 500ml H2SO4 preserved	B	<2	<2	2.4	Y	Absent		NH3-4500(28)
L2046012-06G	Plastic 500ml unpreserved	B	7	7	2.4	Y	Absent		SO4-4500(28),CL-4500(28),NO3-4500(2),TDS-2540(7)

*Values in parentheses indicate holding time in days



Project Name: EAST NORTHPORT GROUNDWATER
Project Number: Not Specified

Lab Number: L2046012
Report Date: 10/29/20

GLOSSARY

Acronyms

DL	- Detection Limit: This value represents the level to which target analyte concentrations are reported as estimated values, when those target analyte concentrations are quantified below the limit of quantitation (LOQ). The DL includes any adjustments from dilutions, concentrations or moisture content, where applicable. (DoD report formats only.)
EDL	- Estimated Detection Limit: This value represents the level to which target analyte concentrations are reported as estimated values, when those target analyte concentrations are quantified below the reporting limit (RL). The EDL includes any adjustments from dilutions, concentrations or moisture content, where applicable. The use of EDLs is specific to the analysis of PAHs using Solid-Phase Microextraction (SPME).
EMPC	- Estimated Maximum Possible Concentration: The concentration that results from the signal present at the retention time of an analyte when the ions meet all of the identification criteria except the ion abundance ratio criteria. An EMPC is a worst-case estimate of the concentration.
EPA	- Environmental Protection Agency.
LCS	- Laboratory Control Sample: A sample matrix, free from the analytes of interest, spiked with verified known amounts of analytes or a material containing known and verified amounts of analytes.
LCSD	- Laboratory Control Sample Duplicate: Refer to LCS.
LFB	- Laboratory Fortified Blank: A sample matrix, free from the analytes of interest, spiked with verified known amounts of analytes or a material containing known and verified amounts of analytes.
LOD	- Limit of Detection: This value represents the level to which a target analyte can reliably be detected for a specific analyte in a specific matrix by a specific method. The LOD includes any adjustments from dilutions, concentrations or moisture content, where applicable. (DoD report formats only.)
LOQ	- Limit of Quantitation: The value at which an instrument can accurately measure an analyte at a specific concentration. The LOQ includes any adjustments from dilutions, concentrations or moisture content, where applicable. (DoD report formats only.)
	Limit of Quantitation: The value at which an instrument can accurately measure an analyte at a specific concentration. The LOQ includes any adjustments from dilutions, concentrations or moisture content, where applicable. (DoD report formats only.)
MDL	- Method Detection Limit: This value represents the level to which target analyte concentrations are reported as estimated values, when those target analyte concentrations are quantified below the reporting limit (RL). The MDL includes any adjustments from dilutions, concentrations or moisture content, where applicable.
MS	- Matrix Spike Sample: A sample prepared by adding a known mass of target analyte to a specified amount of matrix sample for which an independent estimate of target analyte concentration is available. For Method 332.0, the spike recovery is calculated using the native concentration, including estimated values.
MSD	- Matrix Spike Sample Duplicate: Refer to MS.
NA	- Not Applicable.
NC	- Not Calculated: Term is utilized when one or more of the results utilized in the calculation are non-detect at the parameter's reporting unit.
NDPA/DPA	- N-Nitrosodiphenylamine/Diphenylamine.
NI	- Not Ignitable.
NP	- Non-Plastic: Term is utilized for the analysis of Atterberg Limits in soil.
NR	- No Results: Term is utilized when 'No Target Compounds Requested' is reported for the analysis of Volatile or Semivolatile Organic TIC only requests.
RL	- Reporting Limit: The value at which an instrument can accurately measure an analyte at a specific concentration. The RL includes any adjustments from dilutions, concentrations or moisture content, where applicable.
RPD	- Relative Percent Difference: The results from matrix and/or matrix spike duplicates are primarily designed to assess the precision of analytical results in a given matrix and are expressed as relative percent difference (RPD). Values which are less than five times the reporting limit for any individual parameter are evaluated by utilizing the absolute difference between the values; although the RPD value will be provided in the report.
SRM	- Standard Reference Material: A reference sample of a known or certified value that is of the same or similar matrix as the associated field samples.
STLP	- Semi-dynamic Tank Leaching Procedure per EPA Method 1315.
TEF	- Toxic Equivalency Factors: The values assigned to each dioxin and furan to evaluate their toxicity relative to 2,3,7,8-TCDD.
TEQ	- Toxic Equivalent: The measure of a sample's toxicity derived by multiplying each dioxin and furan by its corresponding TEF and then summing the resulting values.
TIC	- Tentatively Identified Compound: A compound that has been identified to be present and is not part of the target compound list (TCL) for the method and/or program. All TICs are qualitatively identified and reported as estimated concentrations.

Report Format: DU Report with 'J' Qualifiers



Project Name: EAST NORTHPORT GROUNDWATER**Lab Number:** L2046012**Project Number:** Not Specified**Report Date:** 10/29/20**Footnotes**

- 1 - The reference for this analyte should be considered modified since this analyte is absent from the target analyte list of the original method.

Terms

Analytical Method: Both the document from which the method originates and the analytical reference method. (Example: EPA 8260B is shown as 1,8260B.) The codes for the reference method documents are provided in the References section of the Addendum.

Difference: With respect to Total Oxidizable Precursor (TOP) Assay analysis, the difference is defined as the Post-Treatment value minus the Pre-Treatment value.

Final pH: As it pertains to Sample Receipt & Container Information section of the report, Final pH reflects pH of container determined after adjustment at the laboratory, if applicable. If no adjustment required, value reflects Initial pH.

Frozen Date/Time: With respect to Volatile Organics in soil, Frozen Date/Time reflects the date/time at which associated Reagent Water-preserved vials were initially frozen. Note: If frozen date/time is beyond 48 hours from sample collection, value will be reflected in 'bold'.

Initial pH: As it pertains to Sample Receipt & Container Information section of the report, Initial pH reflects pH of container determined upon receipt, if applicable.

PAH Total: With respect to Alkylated PAH analyses, the 'PAHs, Total' result is defined as the summation of results for all or a subset of the following compounds: Naphthalene, C1-C4 Naphthalenes, 2-Methylnaphthalene, 1-Methylnaphthalene, Biphenyl, Acenaphthylene, Acenaphthene, Fluorene, C1-C3 Fluorenes, Phenanthrene, C1-C4 Phenanthrenes/Anthracenes, Anthracene, Fluoranthene, Pyrene, C1-C4 Fluoranthenes/Pyrenes, Benz(a)anthracene, Chrysene, C1-C4 Chrysenes, Benzo(b)fluoranthene, Benzo(j)+(k)fluoranthene, Benzo(e)pyrene, Benzo(a)pyrene, Perylene, Indeno(1,2,3-cd)pyrene, Dibenz(ah)+(ac)anthracene, Benzo(g,h,i)perylene. If a 'Total' result is requested, the results of its individual components will also be reported.

PFAS Total: With respect to PFAS analyses, the 'PFAS, Total (5)' result is defined as the summation of results for: PFHpA, PFHxS, PFOA, PFNA and PFOS. If a 'Total' result is requested, the results of its individual components will also be reported.

The target compound Chlordane (CAS No. 57-74-9) is reported for GC ECD analyses. Per EPA, this compound "refers to a mixture of chlordane isomers, other chlorinated hydrocarbons and numerous other components." (Reference: USEPA Toxicological Review of Chlordane, In Support of Summary Information on the Integrated Risk Information System (IRIS), December 1997.)

Total: With respect to Organic analyses, a 'Total' result is defined as the summation of results for individual isomers or Aroclors. If a 'Total' result is requested, the results of its individual components will also be reported. This is applicable to 'Total' results for methods 8260, 8081 and 8082.

Data Qualifiers

- A** - Spectra identified as "Aldol Condensates" are byproducts of the extraction/concentration procedures when acetone is introduced in the process.
- B** - The analyte was detected above the reporting limit in the associated method blank. Flag only applies to associated field samples that have detectable concentrations of the analyte at less than ten times (10x) the concentration found in the blank. For MCP-related projects, flag only applies to associated field samples that have detectable concentrations of the analyte at less than ten times (10x) the concentration found in the blank. For DOD-related projects, flag only applies to associated field samples that have detectable concentrations of the analyte at less than ten times (10x) the concentration found in the blank AND the analyte was detected above one-half the reporting limit (or above the reporting limit for common lab contaminants) in the associated method blank. For NJ-Air-related projects, flag only applies to associated field samples that have detectable concentrations of the analyte above the reporting limit. For NJ-related projects (excluding Air), flag only applies to associated field samples that have detectable concentrations of the analyte, which was detected above the reporting limit in the associated method blank or above five times the reporting limit for common lab contaminants (Phthalates, Acetone, Methylene Chloride, 2-Butanone).
- C** - Co-elution: The target analyte co-elutes with a known lab standard (i.e. surrogate, internal standards, etc.) for co-extracted analyses.
- D** - Concentration of analyte was quantified from diluted analysis. Flag only applies to field samples that have detectable concentrations of the analyte.
- E** - Concentration of analyte exceeds the range of the calibration curve and/or linear range of the instrument.
- F** - The ratio of quantifier ion response to qualifier ion response falls outside of the laboratory criteria. Results are considered to be an estimated maximum concentration.
- G** - The concentration may be biased high due to matrix interferences (i.e. co-elution) with non-target compound(s). The result should be considered estimated.
- H** - The analysis of pH was performed beyond the regulatory-required holding time of 15 minutes from the time of sample collection.
- I** - The lower value for the two columns has been reported due to obvious interference.
- J** - Estimated value. The Target analyte concentration is below the quantitation limit (RL), but above the Method Detection Limit (MDL) or Estimated Detection Limit (EDL) for SPME-related analyses. This represents an estimated concentration for Tentatively Identified Compounds (TICs).
- M** - Reporting Limit (RL) exceeds the MCP CAM Reporting Limit for this analyte.
- ND** - Not detected at the method detection limit (MDL) for the sample, or estimated detection limit (EDL) for SPME-related analyses.
- NJ** - Presumptive evidence of compound. This represents an estimated concentration for Tentatively Identified Compounds (TICs), where

Report Format: DU Report with 'J' Qualifiers



Project Name: EAST NORTHPORT GROUNDWATER
Project Number: Not Specified

Lab Number: L2046012
Report Date: 10/29/20

Data Qualifiers

the identification is based on a mass spectral library search.

- P** - The RPD between the results for the two columns exceeds the method-specified criteria.
- Q** - The quality control sample exceeds the associated acceptance criteria. For DOD-related projects, LCS and/or Continuing Calibration Standard exceedences are also qualified on all associated sample results. Note: This flag is not applicable for matrix spike recoveries when the sample concentration is greater than 4x the spike added or for batch duplicate RPD when the sample concentrations are less than 5x the RL. (Metals only.)
- R** - Analytical results are from sample re-analysis.
- RE** - Analytical results are from sample re-extraction.
- S** - Analytical results are from modified screening analysis.

Report Format: DU Report with 'J' Qualifiers



Project Name: EAST NORTHPORT GROUNDWATER
Project Number: Not Specified

Lab Number: L2046012
Report Date: 10/29/20

REFERENCES

- 1 Test Methods for Evaluating Solid Waste: Physical/Chemical Methods. EPA SW-846. Third Edition. Updates I - VI, 2018.
- 121 Standard Methods for the Examination of Water and Wastewater. APHA-AWWA-WEF. Standard Methods Online.
- 128 Method 624.1: Purgeables by GC/MS, EPA 821-R-16-008, December 2016.

LIMITATION OF LIABILITIES

Alpha Analytical performs services with reasonable care and diligence normal to the analytical testing laboratory industry. In the event of an error, the sole and exclusive responsibility of Alpha Analytical shall be to re-perform the work at it's own expense. In no event shall Alpha Analytical be held liable for any incidental, consequential or special damages, including but not limited to, damages in any way connected with the use of, interpretation of, information or analysis provided by Alpha Analytical.

We strongly urge our clients to comply with EPA protocol regarding sample volume, preservation, cooling, containers, sampling procedures, holding time and splitting of samples in the field.



Certification Information

The following analytes are not included in our Primary NELAP Scope of Accreditation:

Westborough Facility

EPA 624/624.1: m/p-xylene, o-xylene, Naphthalene

EPA 8260C: NPW: 1,2,4,5-Tetramethylbenzene; 4-Ethyltoluene, Azobenzene; SCM: Iodomethane (methyl iodide), 1,2,4,5-Tetramethylbenzene; 4-Ethyltoluene.

EPA 8270D: NPW: Dimethylnaphthalene, 1,4-Diphenylhydrazine; SCM: Dimethylnaphthalene, 1,4-Diphenylhydrazine.

SM4500: NPW: Amenable Cyanide; SCM: Total Phosphorus, TKN, NO₂, NO₃.

Mansfield Facility

SM 2540D: TSS

EPA 8082A: NPW: PCB: 1, 5, 31, 87, 101, 110, 141, 151, 153, 180, 183, 187.

EPA TO-15: Halothane, 2,4,4-Trimethyl-2-pentene, 2,4,4-Trimethyl-1-pentene, Thiophene, 2-Methylthiophene, 3-Methylthiophene, 2-Ethylthiophene, 1,2,3-Trimethylbenzene, Indan, Indene, 1,2,4,5-Tetramethylbenzene, Benzothiophene, 1-Methylnaphthalene.

EPA TO-12 Non-methane organics

EPA 3C Fixed gases

Biological Tissue Matrix: EPA 3050B

The following analytes are included in our Massachusetts DEP Scope of Accreditation

Westborough Facility:

Drinking Water

EPA 300.0: Chloride, Nitrate-N, Fluoride, Sulfate; **EPA 353.2:** Nitrate-N, Nitrite-N; **SM4500NO3-F:** Nitrate-N, Nitrite-N; **SM4500F-C, SM4500CN-CE,**

EPA 180.1, SM2130B, SM4500CI-D, SM2320B, SM2540C, SM4500H-B, SM4500NO2-B

EPA 332: Perchlorate; **EPA 524.2:** THMs and VOCs; **EPA 504.1:** EDB, DBCP.

Microbiology: **SM9215B; SM9223-P/A, SM9223B-Colilert-QT, SM9222D.**

Non-Potable Water

SM4500H,B, EPA 120.1, SM2510B, SM2540C, SM2320B, SM4500CL-E, SM4500F-BC, SM4500NH3-BH: Ammonia-N and Kjeldahl-N, **EPA 350.1:** Ammonia-N, **LACHAT 10-107-06-1-B:** Ammonia-N, **EPA 351.1, SM4500NO3-F, EPA 353.2:** Nitrate-N, **SM4500P-E, SM4500P-B, E, SM4500SO4-E, SM5220D, EPA 410.4, SM5210B, SM5310C, SM4500CL-D, EPA 1664, EPA 420.1, SM4500-CN-CE, SM2540D, EPA 300:** Chloride, Sulfate, Nitrate.

EPA 624.1: Volatile Halocarbons & Aromatics,

EPA 608.3: Chlordane, Toxaphene, Aldrin, alpha-BHC, beta-BHC, gamma-BHC, delta-BHC, Dieldrin, DDD, DDE, DDT, Endosulfan I, Endosulfan II, Endosulfan sulfate, Endrin, Endrin Aldehyde, Heptachlor, Heptachlor Epoxide, PCBs

EPA 625.1: SVOC (Acid/Base/Neutral Extractables), **EPA 600/4-81-045:** PCB-Oil.

Microbiology: **SM9223B-Colilert-QT; Enterolert-QT, SM9221E, EPA 1600, EPA 1603.**

Mansfield Facility:

Drinking Water

EPA 200.7: Al, Ba, Cd, Cr, Cu, Fe, Mn, Ni, Na, Ag, Ca, Zn. **EPA 200.8:** Al, Sb, As, Ba, Be, Cd, Cr, Cu, Pb, Mn, Ni, Se, Ag, TL, Zn. **EPA 245.1** Hg.

EPA 522.

Non-Potable Water

EPA 200.7: Al, Sb, As, Be, Cd, Ca, Cr, Co, Cu, Fe, Pb, Mg, Mn, Mo, Ni, K, Se, Ag, Na, Sr, TL, Ti, V, Zn.

EPA 200.8: Al, Sb, As, Be, Cd, Cr, Cu, Fe, Pb, Mn, Ni, K, Se, Ag, Na, TL, Zn.


EPA 245.1 Hg.

SM2340B

For a complete listing of analytes and methods, please contact your Alpha Project Manager.

CHAIN OF CUSTODY

PAGE 1 OF 1



Westborough, MA TEL: 508-898-9220
Mansfield, MA TEL: 508-822-9300
FAX: 508-898-9193 FAX: 508-822-3298

Project Information

Project Name: EAST NANTUCKET GROUNDWATER

Project Location: EAST NANTUCKET

Project #: _____

Project Manager: BOB CASSON

ALPHA Quote #: 4560

Turn-Around Time

Standard Rush (ONLY IF PRE-APPROVED)

Due Date: _____ Time: _____

Other Project Specific Requirements/Comments/Detection Limits:
Groundwater Program
Total Metals - Al, As, Cr, Cd, Ca, Fe, Pb, Mg, Hg, K, Na

Date Rec'd in Lab: 10/23/20 ALPHA Job #: 2046012

Report Information **Data Deliverables** **Billing Information**

FAX EMAIL Same as Client info PO #: _____

ADEx Add'l Deliverables

Regulatory Requirements/Report Limits

State/Fed Program: _____ Criteria: _____

NYCRR Part 360

MCP PRESUMPTIVE CERTAINTY-CT REASONABLE CONFIDENCE PROTOCOLS

Yes No Are MCP Analytical Methods Required?

Yes No Are CT RCP (Reasonable Confidence Protocols) Required?

ALPHA Lab ID (Lab Use Only)	Sample ID	Collection		Sample Matrix	Sampler's Initials	ANALYSIS										SAMPLE HANDLING <input type="checkbox"/> Done <input type="checkbox"/> Not Needed <input type="checkbox"/> Lab to do Preservation <input type="checkbox"/> Lab to do (Please specify below)	TOTAL # SUBMITTEES		
		Date	Time			VOC-624	NH3-Ammonia	Alkalinity/Bicarbonate	Nitrate, Chloride, TDS	Hardness & Total Metals	Sulfate								
46012-01	EN 9-M	10/22/20	1025			<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		
-02	EN 6-M		1115			<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		
-03	EN 6-S		1140			<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		
-04	CW 4-M		1215			<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		
-05	CW 4-S		1240			<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		
-06	CW 2-M		1300			<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		

PLEASE ANSWER QUESTIONS ABOVE!

IS YOUR PROJECT MA MCP or CT RCP?

FORM NO. 01-010 (REV. 10-05-07)

Relinquished By:	Date/Time	Received By:	Date/Time
<u>[Signature]</u>	<u>10/22/20</u>	<u>RBIR #172</u>	<u>10/22/20 15:55</u>
<u>[Signature]</u>	<u>10/22/20 15:00</u>	<u>[Signature]</u>	<u>10/22/20 20:00</u>
<u>[Signature]</u>	<u>10/23/20 02:00</u>	<u>[Signature]</u>	<u>10/23/20 02:00</u>

Please print clearly, legibly and completely. Samples can not be logged in and turnaround time clock will not start until any ambiguities are resolved. All samples submitted are subject to Alpha's Payment Terms.



ANALYTICAL REPORT

Lab Number:	L2046264
Client:	RNC Environmental Geology, P.C. 72 Bellerose Avenue East Northport, NY 11731
ATTN:	Robert Casson
Phone:	(631) 482-9590
Project Name:	EAST NORTHPORT GROUNDWATER
Project Number:	Not Specified
Report Date:	10/30/20

The original project report/data package is held by Alpha Analytical. This report/data package is paginated and should be reproduced only in its entirety. Alpha Analytical holds no responsibility for results and/or data that are not consistent with the original.

Certifications & Approvals: MA (M-MA086), NH NELAP (2064), CT (PH-0574), IL (200077), ME (MA00086), MD (348), NJ (MA935), NY (11148), NC (25700/666), PA (68-03671), RI (LAO00065), TX (T104704476), VT (VT-0935), VA (460195), USDA (Permit #P330-17-00196).

Eight Walkup Drive, Westborough, MA 01581-1019
508-898-9220 (Fax) 508-898-9193 800-624-9220 - www.alphalab.com



Serial_No:10302019:19

Project Name: EAST NORTHPORT GROUNDWATER
Project Number: Not Specified

Lab Number: L2046264
Report Date: 10/30/20

Alpha Sample ID	Client ID	Matrix	Sample Location	Collection Date/Time	Receive Date
L2046264-01	EN1-M	WATER	EAST NORTHPORT	10/23/20 09:45	10/23/20
L2046264-02	CW1-M	WATER	EAST NORTHPORT	10/23/20 10:30	10/23/20
L2046264-03	CW1-S	WATER	EAST NORTHPORT	10/23/20 10:55	10/23/20
L2046264-04	EN7-M	WATER	EAST NORTHPORT	10/23/20 11:45	10/23/20
L2046264-05	EN10-M	WATER	EAST NORTHPORT	10/23/20 13:00	10/23/20
L2046264-06	GW-DUP	WATER	EAST NORTHPORT	10/23/20 00:00	10/23/20
L2046264-07	FB-1	FIELD BLANK	EAST NORTHPORT	10/23/20 11:40	10/23/20
L2046264-08	TB-GW	TRIP BLANK (AQUEOUS)	EAST NORTHPORT	10/21/20 00:00	10/23/20

Project Name: EAST NORTHPORT GROUNDWATER
Project Number: Not Specified

Lab Number: L2046264
Report Date: 10/30/20

Case Narrative

The samples were received in accordance with the Chain of Custody and no significant deviations were encountered during the preparation or analysis unless otherwise noted. Sample Receipt, Container Information, and the Chain of Custody are located at the back of the report.

Results contained within this report relate only to the samples submitted under this Alpha Lab Number and meet NELAP requirements for all NELAP accredited parameters unless otherwise noted in the following narrative. The data presented in this report is organized by parameter (i.e. VOC, SVOC, etc.). Sample specific Quality Control data (i.e. Surrogate Spike Recovery) is reported at the end of the target analyte list for each individual sample, followed by the Laboratory Batch Quality Control at the end of each parameter. Tentatively Identified Compounds (TICs), if requested, are reported for compounds identified to be present and are not part of the method/program Target Compound List, even if only a subset of the TCL are being reported. If a sample was re-analyzed or re-extracted due to a required quality control corrective action and if both sets of data are reported, the Laboratory ID of the re-analysis or re-extraction is designated with an "R" or "RE", respectively.

When multiple Batch Quality Control elements are reported (e.g. more than one LCS), the associated samples for each element are noted in the grey shaded header line of each data table. Any Laboratory Batch, Sample Specific % recovery or RPD value that is outside the listed Acceptance Criteria is bolded in the report. In reference to questions H (CAM) or 4 (RCP) when "NO" is checked, the performance criteria for CAM and RCP methods allow for some quality control failures to occur and still be within method compliance. In these instances, the specific failure is not narrated but noted in the associated QC Outlier Summary Report, located directly after the Case Narrative. QC information is also incorporated in the Data Usability Assessment table (Format 11) of our Data Merger tool, where it can be reviewed in conjunction with the sample result, associated regulatory criteria and any associated data usability implications.

Soil/sediments, solids and tissues are reported on a dry weight basis unless otherwise noted. Definitions of all data qualifiers and acronyms used in this report are provided in the Glossary located at the back of the report.

HOLD POLICY - For samples submitted on hold, Alpha's policy is to hold samples (with the exception of Air canisters) free of charge for 21 calendar days from the date the project is completed. After 21 calendar days, we will dispose of all samples submitted including those put on hold unless you have contacted your Alpha Project Manager and made arrangements for Alpha to continue to hold the samples. Air canisters will be disposed after 3 business days from the date the project is completed.

Please contact Project Management at 800-624-9220 with any questions.

Project Name: EAST NORTHPORT GROUNDWATER
Project Number: Not Specified

Lab Number: L2046264
Report Date: 10/30/20

Case Narrative (continued)

Report Submission


All non-detect (ND) or estimated concentrations (J-qualified) have been quantitated to the limit noted in the MDL column.

Volatile Organics by Method 624

The WG1426315-6 MSD recovery, performed on L2046264-03, is below the acceptance criteria for acrolein (0%) due to the concentration of this compound in the MS/MSD falling below the reported detection limit.

I, the undersigned, attest under the pains and penalties of perjury that, to the best of my knowledge and belief and based upon my personal inquiry of those responsible for providing the information contained in this analytical report, such information is accurate and complete. This certificate of analysis is not complete unless this page accompanies any and all pages of this report.

Authorized Signature:



Jennifer L Clements

Title: Technical Director/Representative

Date: 10/30/20

ORGANICS

VOLATILES

Project Name: EAST NORTHPORT GROUNDWATER**Lab Number:** L2046264**Project Number:** Not Specified**Report Date:** 10/30/20**SAMPLE RESULTS**

Lab ID: L2046264-01
 Client ID: EN1-M
 Sample Location: EAST NORTHPORT

Date Collected: 10/23/20 09:45
 Date Received: 10/23/20
 Field Prep: Not Specified

Sample Depth:

Matrix: Water
 Analytical Method: 128,624.1
 Analytical Date: 10/24/20 12:24
 Analyst: KJD

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab						
Methylene chloride	ND		ug/l	1.0	0.56	1
1,1-Dichloroethane	ND		ug/l	1.5	0.40	1
Chloroform	ND		ug/l	1.0	0.38	1
Carbon tetrachloride	ND		ug/l	1.0	0.24	1
1,2-Dichloropropane	ND		ug/l	3.5	0.46	1
Dibromochloromethane	ND		ug/l	1.0	0.27	1
1,1,2-Trichloroethane	ND		ug/l	1.5	0.34	1
2-Chloroethylvinyl ether	ND		ug/l	10	0.35	1
Tetrachloroethene	ND		ug/l	1.0	0.26	1
Chlorobenzene	ND		ug/l	3.5	0.30	1
Trichlorofluoromethane	ND		ug/l	5.0	0.28	1
1,2-Dichloroethane	ND		ug/l	1.5	0.47	1
1,1,1-Trichloroethane	ND		ug/l	2.0	0.29	1
Bromodichloromethane	ND		ug/l	1.0	0.28	1
trans-1,3-Dichloropropene	ND		ug/l	1.5	0.31	1
cis-1,3-Dichloropropene	ND		ug/l	1.5	0.34	1
Bromoform	ND		ug/l	1.0	0.22	1
1,1,2,2-Tetrachloroethane	ND		ug/l	1.0	0.20	1
Benzene	ND		ug/l	1.0	0.38	1
Toluene	ND		ug/l	1.0	0.31	1
Ethylbenzene	ND		ug/l	1.0	0.28	1
Chloromethane	ND		ug/l	5.0	1.0	1
Bromomethane	ND		ug/l	5.0	1.2	1
Vinyl chloride	ND		ug/l	1.0	0.38	1
Chloroethane	ND		ug/l	2.0	0.37	1
1,1-Dichloroethene	ND		ug/l	1.0	0.31	1
trans-1,2-Dichloroethene	ND		ug/l	1.5	0.33	1
cis-1,2-Dichloroethene	ND		ug/l	1.0	0.17	1

Project Name: EAST NORTHPORT GROUNDWATER**Lab Number:** L2046264**Project Number:** Not Specified**Report Date:** 10/30/20**SAMPLE RESULTS**

Lab ID: L2046264-01
 Client ID: EN1-M
 Sample Location: EAST NORTHPORT

Date Collected: 10/23/20 09:45
 Date Received: 10/23/20
 Field Prep: Not Specified

Sample Depth:

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab						
Trichloroethene	ND		ug/l	1.0	0.33	1
1,2-Dichlorobenzene	ND		ug/l	5.0	0.28	1
1,3-Dichlorobenzene	ND		ug/l	5.0	0.27	1
1,4-Dichlorobenzene	ND		ug/l	5.0	0.29	1
p/m-Xylene	ND		ug/l	2.0	0.30	1
o-xylene	ND		ug/l	1.0	0.34	1
Xylenes, Total	ND		ug/l	1.0	0.30	1
Styrene	ND		ug/l	1.0	0.37	1
Acetone	ND		ug/l	10	2.4	1
Carbon disulfide	ND		ug/l	5.0	0.28	1
2-Butanone	ND		ug/l	10	1.0	1
Vinyl acetate	ND		ug/l	10	0.41	1
4-Methyl-2-pentanone	ND		ug/l	10	0.19	1
2-Hexanone	ND		ug/l	10	0.55	1
Acrolein	ND		ug/l	8.0	1.8	1
Acrylonitrile	ND		ug/l	10	0.33	1
Methyl tert butyl Ether	ND		ug/l	10	0.19	1
1,4-Dioxane ¹	ND		ug/l	2000	30.	1
Tert-Butyl Alcohol	ND		ug/l	100	3.9	1
Tertiary-Amyl Methyl Ether	ND		ug/l	20	0.28	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria
Pentafluorobenzene	98		60-140
Fluorobenzene	90		60-140
4-Bromofluorobenzene	95		60-140

Project Name: EAST NORTHPORT GROUNDWATER
Project Number: Not Specified

Lab Number: L2046264
Report Date: 10/30/20

SAMPLE RESULTS

Lab ID: L2046264-02
 Client ID: CW1-M
 Sample Location: EAST NORTHPORT

Date Collected: 10/23/20 10:30
 Date Received: 10/23/20
 Field Prep: Not Specified

Sample Depth:

Matrix: Water
 Analytical Method: 128,624.1
 Analytical Date: 10/24/20 13:02
 Analyst: KJD

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab						
Methylene chloride	ND		ug/l	1.0	0.56	1
1,1-Dichloroethane	ND		ug/l	1.5	0.40	1
Chloroform	ND		ug/l	1.0	0.38	1
Carbon tetrachloride	ND		ug/l	1.0	0.24	1
1,2-Dichloropropane	ND		ug/l	3.5	0.46	1
Dibromochloromethane	ND		ug/l	1.0	0.27	1
1,1,2-Trichloroethane	ND		ug/l	1.5	0.34	1
2-Chloroethylvinyl ether	ND		ug/l	10	0.35	1
Tetrachloroethene	ND		ug/l	1.0	0.26	1
Chlorobenzene	1.2	J	ug/l	3.5	0.30	1
Trichlorofluoromethane	ND		ug/l	5.0	0.28	1
1,2-Dichloroethane	ND		ug/l	1.5	0.47	1
1,1,1-Trichloroethane	ND		ug/l	2.0	0.29	1
Bromodichloromethane	ND		ug/l	1.0	0.28	1
trans-1,3-Dichloropropene	ND		ug/l	1.5	0.31	1
cis-1,3-Dichloropropene	ND		ug/l	1.5	0.34	1
Bromoform	ND		ug/l	1.0	0.22	1
1,1,2,2-Tetrachloroethane	ND		ug/l	1.0	0.20	1
Benzene	ND		ug/l	1.0	0.38	1
Toluene	ND		ug/l	1.0	0.31	1
Ethylbenzene	ND		ug/l	1.0	0.28	1
Chloromethane	ND		ug/l	5.0	1.0	1
Bromomethane	ND		ug/l	5.0	1.2	1
Vinyl chloride	ND		ug/l	1.0	0.38	1
Chloroethane	ND		ug/l	2.0	0.37	1
1,1-Dichloroethene	ND		ug/l	1.0	0.31	1
trans-1,2-Dichloroethene	ND		ug/l	1.5	0.33	1
cis-1,2-Dichloroethene	ND		ug/l	1.0	0.17	1

Project Name: EAST NORTHPORT GROUNDWATER**Lab Number:** L2046264**Project Number:** Not Specified**Report Date:** 10/30/20**SAMPLE RESULTS**

Lab ID: L2046264-02
 Client ID: CW1-M
 Sample Location: EAST NORTHPORT

Date Collected: 10/23/20 10:30
 Date Received: 10/23/20
 Field Prep: Not Specified

Sample Depth:

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab						
Trichloroethene	ND		ug/l	1.0	0.33	1
1,2-Dichlorobenzene	ND		ug/l	5.0	0.28	1
1,3-Dichlorobenzene	ND		ug/l	5.0	0.27	1
1,4-Dichlorobenzene	0.29	J	ug/l	5.0	0.29	1
p/m-Xylene	ND		ug/l	2.0	0.30	1
o-xylene	ND		ug/l	1.0	0.34	1
Xylenes, Total	ND		ug/l	1.0	0.30	1
Styrene	ND		ug/l	1.0	0.37	1
Acetone	ND		ug/l	10	2.4	1
Carbon disulfide	ND		ug/l	5.0	0.28	1
2-Butanone	ND		ug/l	10	1.0	1
Vinyl acetate	ND		ug/l	10	0.41	1
4-Methyl-2-pentanone	ND		ug/l	10	0.19	1
2-Hexanone	ND		ug/l	10	0.55	1
Acrolein	ND		ug/l	8.0	1.8	1
Acrylonitrile	ND		ug/l	10	0.33	1
Methyl tert butyl Ether	ND		ug/l	10	0.19	1
1,4-Dioxane ¹	ND		ug/l	2000	30.	1
Tert-Butyl Alcohol	13	J	ug/l	100	3.9	1
Tertiary-Amyl Methyl Ether	ND		ug/l	20	0.28	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria
Pentafluorobenzene	100		60-140
Fluorobenzene	90		60-140
4-Bromofluorobenzene	93		60-140

Project Name: EAST NORTHPORT GROUNDWATER
Project Number: Not Specified

Lab Number: L2046264
Report Date: 10/30/20

SAMPLE RESULTS

Lab ID: L2046264-03
 Client ID: CW1-S
 Sample Location: EAST NORTHPORT

Date Collected: 10/23/20 10:55
 Date Received: 10/23/20
 Field Prep: Not Specified

Sample Depth:

Matrix: Water
 Analytical Method: 128,624.1
 Analytical Date: 10/24/20 13:40
 Analyst: KJD

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab						
Methylene chloride	ND		ug/l	1.0	0.56	1
1,1-Dichloroethane	ND		ug/l	1.5	0.40	1
Chloroform	ND		ug/l	1.0	0.38	1
Carbon tetrachloride	ND		ug/l	1.0	0.24	1
1,2-Dichloropropane	ND		ug/l	3.5	0.46	1
Dibromochloromethane	ND		ug/l	1.0	0.27	1
1,1,2-Trichloroethane	ND		ug/l	1.5	0.34	1
2-Chloroethylvinyl ether	ND		ug/l	10	0.35	1
Tetrachloroethene	ND		ug/l	1.0	0.26	1
Chlorobenzene	ND		ug/l	3.5	0.30	1
Trichlorofluoromethane	ND		ug/l	5.0	0.28	1
1,2-Dichloroethane	ND		ug/l	1.5	0.47	1
1,1,1-Trichloroethane	ND		ug/l	2.0	0.29	1
Bromodichloromethane	ND		ug/l	1.0	0.28	1
trans-1,3-Dichloropropene	ND		ug/l	1.5	0.31	1
cis-1,3-Dichloropropene	ND		ug/l	1.5	0.34	1
Bromoform	ND		ug/l	1.0	0.22	1
1,1,2,2-Tetrachloroethane	ND		ug/l	1.0	0.20	1
Benzene	ND		ug/l	1.0	0.38	1
Toluene	ND		ug/l	1.0	0.31	1
Ethylbenzene	ND		ug/l	1.0	0.28	1
Chloromethane	ND		ug/l	5.0	1.0	1
Bromomethane	ND		ug/l	5.0	1.2	1
Vinyl chloride	ND		ug/l	1.0	0.38	1
Chloroethane	ND		ug/l	2.0	0.37	1
1,1-Dichloroethene	ND		ug/l	1.0	0.31	1
trans-1,2-Dichloroethene	ND		ug/l	1.5	0.33	1
cis-1,2-Dichloroethene	ND		ug/l	1.0	0.17	1

Project Name: EAST NORTHPORT GROUNDWATER**Lab Number:** L2046264**Project Number:** Not Specified**Report Date:** 10/30/20**SAMPLE RESULTS**

Lab ID: L2046264-03
 Client ID: CW1-S
 Sample Location: EAST NORTHPORT

Date Collected: 10/23/20 10:55
 Date Received: 10/23/20
 Field Prep: Not Specified

Sample Depth:

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab						
Trichloroethene	ND		ug/l	1.0	0.33	1
1,2-Dichlorobenzene	ND		ug/l	5.0	0.28	1
1,3-Dichlorobenzene	ND		ug/l	5.0	0.27	1
1,4-Dichlorobenzene	ND		ug/l	5.0	0.29	1
p/m-Xylene	ND		ug/l	2.0	0.30	1
o-xylene	ND		ug/l	1.0	0.34	1
Xylenes, Total	ND		ug/l	1.0	0.30	1
Styrene	ND		ug/l	1.0	0.37	1
Acetone	ND		ug/l	10	2.4	1
Carbon disulfide	ND		ug/l	5.0	0.28	1
2-Butanone	ND		ug/l	10	1.0	1
Vinyl acetate	ND		ug/l	10	0.41	1
4-Methyl-2-pentanone	ND		ug/l	10	0.19	1
2-Hexanone	ND		ug/l	10	0.55	1
Acrolein	ND		ug/l	8.0	1.8	1
Acrylonitrile	ND		ug/l	10	0.33	1
Methyl tert butyl Ether	ND		ug/l	10	0.19	1
1,4-Dioxane ¹	ND		ug/l	2000	30.	1
Tert-Butyl Alcohol	ND		ug/l	100	3.9	1
Tertiary-Amyl Methyl Ether	ND		ug/l	20	0.28	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria
Pentafluorobenzene	98		60-140
Fluorobenzene	90		60-140
4-Bromofluorobenzene	93		60-140

Project Name: EAST NORTHPORT GROUNDWATER**Lab Number:** L2046264**Project Number:** Not Specified**Report Date:** 10/30/20**SAMPLE RESULTS**

Lab ID: L2046264-04
 Client ID: EN7-M
 Sample Location: EAST NORTHPORT

Date Collected: 10/23/20 11:45
 Date Received: 10/23/20
 Field Prep: Not Specified

Sample Depth:

Matrix: Water
 Analytical Method: 128,624.1
 Analytical Date: 10/24/20 14:18
 Analyst: KJD

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab						
Methylene chloride	ND		ug/l	1.0	0.56	1
1,1-Dichloroethane	ND		ug/l	1.5	0.40	1
Chloroform	ND		ug/l	1.0	0.38	1
Carbon tetrachloride	ND		ug/l	1.0	0.24	1
1,2-Dichloropropane	ND		ug/l	3.5	0.46	1
Dibromochloromethane	ND		ug/l	1.0	0.27	1
1,1,2-Trichloroethane	ND		ug/l	1.5	0.34	1
2-Chloroethylvinyl ether	ND		ug/l	10	0.35	1
Tetrachloroethene	ND		ug/l	1.0	0.26	1
Chlorobenzene	ND		ug/l	3.5	0.30	1
Trichlorofluoromethane	ND		ug/l	5.0	0.28	1
1,2-Dichloroethane	ND		ug/l	1.5	0.47	1
1,1,1-Trichloroethane	ND		ug/l	2.0	0.29	1
Bromodichloromethane	ND		ug/l	1.0	0.28	1
trans-1,3-Dichloropropene	ND		ug/l	1.5	0.31	1
cis-1,3-Dichloropropene	ND		ug/l	1.5	0.34	1
Bromoform	ND		ug/l	1.0	0.22	1
1,1,2,2-Tetrachloroethane	ND		ug/l	1.0	0.20	1
Benzene	ND		ug/l	1.0	0.38	1
Toluene	ND		ug/l	1.0	0.31	1
Ethylbenzene	ND		ug/l	1.0	0.28	1
Chloromethane	ND		ug/l	5.0	1.0	1
Bromomethane	ND		ug/l	5.0	1.2	1
Vinyl chloride	ND		ug/l	1.0	0.38	1
Chloroethane	ND		ug/l	2.0	0.37	1
1,1-Dichloroethene	ND		ug/l	1.0	0.31	1
trans-1,2-Dichloroethene	ND		ug/l	1.5	0.33	1
cis-1,2-Dichloroethene	ND		ug/l	1.0	0.17	1

Project Name: EAST NORTHPORT GROUNDWATER
Project Number: Not Specified

Lab Number: L2046264
Report Date: 10/30/20

SAMPLE RESULTS

Lab ID: L2046264-04
 Client ID: EN7-M
 Sample Location: EAST NORTHPORT

Date Collected: 10/23/20 11:45
 Date Received: 10/23/20
 Field Prep: Not Specified

Sample Depth:

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab						
Trichloroethene	ND		ug/l	1.0	0.33	1
1,2-Dichlorobenzene	ND		ug/l	5.0	0.28	1
1,3-Dichlorobenzene	ND		ug/l	5.0	0.27	1
1,4-Dichlorobenzene	ND		ug/l	5.0	0.29	1
p/m-Xylene	ND		ug/l	2.0	0.30	1
o-xylene	ND		ug/l	1.0	0.34	1
Xylenes, Total	ND		ug/l	1.0	0.30	1
Styrene	ND		ug/l	1.0	0.37	1
Acetone	ND		ug/l	10	2.4	1
Carbon disulfide	ND		ug/l	5.0	0.28	1
2-Butanone	ND		ug/l	10	1.0	1
Vinyl acetate	ND		ug/l	10	0.41	1
4-Methyl-2-pentanone	ND		ug/l	10	0.19	1
2-Hexanone	ND		ug/l	10	0.55	1
Acrolein	ND		ug/l	8.0	1.8	1
Acrylonitrile	ND		ug/l	10	0.33	1
Methyl tert butyl Ether	ND		ug/l	10	0.19	1
1,4-Dioxane ¹	ND		ug/l	2000	30.	1
Tert-Butyl Alcohol	ND		ug/l	100	3.9	1
Tertiary-Amyl Methyl Ether	ND		ug/l	20	0.28	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria
Pentafluorobenzene	97		60-140
Fluorobenzene	89		60-140
4-Bromofluorobenzene	94		60-140

Project Name: EAST NORTHPORT GROUNDWATER
Project Number: Not Specified

Lab Number: L2046264
Report Date: 10/30/20

SAMPLE RESULTS

Lab ID: L2046264-05
 Client ID: EN10-M
 Sample Location: EAST NORTHPORT

Date Collected: 10/23/20 13:00
 Date Received: 10/23/20
 Field Prep: Not Specified

Sample Depth:

Matrix: Water
 Analytical Method: 128,624.1
 Analytical Date: 10/24/20 14:57
 Analyst: KJD

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab						
Methylene chloride	ND		ug/l	1.0	0.56	1
1,1-Dichloroethane	ND		ug/l	1.5	0.40	1
Chloroform	ND		ug/l	1.0	0.38	1
Carbon tetrachloride	ND		ug/l	1.0	0.24	1
1,2-Dichloropropane	ND		ug/l	3.5	0.46	1
Dibromochloromethane	ND		ug/l	1.0	0.27	1
1,1,2-Trichloroethane	ND		ug/l	1.5	0.34	1
2-Chloroethylvinyl ether	ND		ug/l	10	0.35	1
Tetrachloroethene	ND		ug/l	1.0	0.26	1
Chlorobenzene	ND		ug/l	3.5	0.30	1
Trichlorofluoromethane	ND		ug/l	5.0	0.28	1
1,2-Dichloroethane	ND		ug/l	1.5	0.47	1
1,1,1-Trichloroethane	ND		ug/l	2.0	0.29	1
Bromodichloromethane	ND		ug/l	1.0	0.28	1
trans-1,3-Dichloropropene	ND		ug/l	1.5	0.31	1
cis-1,3-Dichloropropene	ND		ug/l	1.5	0.34	1
Bromoform	ND		ug/l	1.0	0.22	1
1,1,2,2-Tetrachloroethane	ND		ug/l	1.0	0.20	1
Benzene	ND		ug/l	1.0	0.38	1
Toluene	ND		ug/l	1.0	0.31	1
Ethylbenzene	ND		ug/l	1.0	0.28	1
Chloromethane	ND		ug/l	5.0	1.0	1
Bromomethane	ND		ug/l	5.0	1.2	1
Vinyl chloride	ND		ug/l	1.0	0.38	1
Chloroethane	ND		ug/l	2.0	0.37	1
1,1-Dichloroethene	ND		ug/l	1.0	0.31	1
trans-1,2-Dichloroethene	ND		ug/l	1.5	0.33	1
cis-1,2-Dichloroethene	ND		ug/l	1.0	0.17	1

Project Name: EAST NORTHPORT GROUNDWATER**Lab Number:** L2046264**Project Number:** Not Specified**Report Date:** 10/30/20**SAMPLE RESULTS**

Lab ID: L2046264-05

Date Collected: 10/23/20 13:00

Client ID: EN10-M

Date Received: 10/23/20

Sample Location: EAST NORTHPORT

Field Prep: Not Specified

Sample Depth:

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab						
Trichloroethene	ND		ug/l	1.0	0.33	1
1,2-Dichlorobenzene	ND		ug/l	5.0	0.28	1
1,3-Dichlorobenzene	ND		ug/l	5.0	0.27	1
1,4-Dichlorobenzene	ND		ug/l	5.0	0.29	1
p/m-Xylene	ND		ug/l	2.0	0.30	1
o-xylene	ND		ug/l	1.0	0.34	1
Xylenes, Total	ND		ug/l	1.0	0.30	1
Styrene	ND		ug/l	1.0	0.37	1
Acetone	ND		ug/l	10	2.4	1
Carbon disulfide	ND		ug/l	5.0	0.28	1
2-Butanone	ND		ug/l	10	1.0	1
Vinyl acetate	ND		ug/l	10	0.41	1
4-Methyl-2-pentanone	ND		ug/l	10	0.19	1
2-Hexanone	ND		ug/l	10	0.55	1
Acrolein	ND		ug/l	8.0	1.8	1
Acrylonitrile	ND		ug/l	10	0.33	1
Methyl tert butyl Ether	ND		ug/l	10	0.19	1
1,4-Dioxane ¹	ND		ug/l	2000	30.	1
Tert-Butyl Alcohol	ND		ug/l	100	3.9	1
Tertiary-Amyl Methyl Ether	ND		ug/l	20	0.28	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria
Pentafluorobenzene	99		60-140
Fluorobenzene	90		60-140
4-Bromofluorobenzene	91		60-140

Project Name: EAST NORTHPORT GROUNDWATER
Project Number: Not Specified

Lab Number: L2046264
Report Date: 10/30/20

SAMPLE RESULTS

Lab ID: L2046264-06
 Client ID: GW-DUP
 Sample Location: EAST NORTHPORT

Date Collected: 10/23/20 00:00
 Date Received: 10/23/20
 Field Prep: Not Specified

Sample Depth:

Matrix: Water
 Analytical Method: 128,624.1
 Analytical Date: 10/24/20 15:34
 Analyst: KJD

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab						
Methylene chloride	ND		ug/l	1.0	0.56	1
1,1-Dichloroethane	ND		ug/l	1.5	0.40	1
Chloroform	ND		ug/l	1.0	0.38	1
Carbon tetrachloride	ND		ug/l	1.0	0.24	1
1,2-Dichloropropane	ND		ug/l	3.5	0.46	1
Dibromochloromethane	ND		ug/l	1.0	0.27	1
1,1,2-Trichloroethane	ND		ug/l	1.5	0.34	1
2-Chloroethylvinyl ether	ND		ug/l	10	0.35	1
Tetrachloroethene	ND		ug/l	1.0	0.26	1
Chlorobenzene	ND		ug/l	3.5	0.30	1
Trichlorofluoromethane	ND		ug/l	5.0	0.28	1
1,2-Dichloroethane	ND		ug/l	1.5	0.47	1
1,1,1-Trichloroethane	ND		ug/l	2.0	0.29	1
Bromodichloromethane	ND		ug/l	1.0	0.28	1
trans-1,3-Dichloropropene	ND		ug/l	1.5	0.31	1
cis-1,3-Dichloropropene	ND		ug/l	1.5	0.34	1
Bromoform	ND		ug/l	1.0	0.22	1
1,1,2,2-Tetrachloroethane	ND		ug/l	1.0	0.20	1
Benzene	ND		ug/l	1.0	0.38	1
Toluene	ND		ug/l	1.0	0.31	1
Ethylbenzene	ND		ug/l	1.0	0.28	1
Chloromethane	ND		ug/l	5.0	1.0	1
Bromomethane	ND		ug/l	5.0	1.2	1
Vinyl chloride	ND		ug/l	1.0	0.38	1
Chloroethane	ND		ug/l	2.0	0.37	1
1,1-Dichloroethene	ND		ug/l	1.0	0.31	1
trans-1,2-Dichloroethene	ND		ug/l	1.5	0.33	1
cis-1,2-Dichloroethene	ND		ug/l	1.0	0.17	1

Project Name: EAST NORTHPORT GROUNDWATER
Project Number: Not Specified

Lab Number: L2046264
Report Date: 10/30/20

SAMPLE RESULTS

Lab ID: L2046264-06
 Client ID: GW-DUP
 Sample Location: EAST NORTHPORT

Date Collected: 10/23/20 00:00
 Date Received: 10/23/20
 Field Prep: Not Specified

Sample Depth:

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab						
Trichloroethene	ND		ug/l	1.0	0.33	1
1,2-Dichlorobenzene	ND		ug/l	5.0	0.28	1
1,3-Dichlorobenzene	ND		ug/l	5.0	0.27	1
1,4-Dichlorobenzene	ND		ug/l	5.0	0.29	1
p/m-Xylene	ND		ug/l	2.0	0.30	1
o-xylene	ND		ug/l	1.0	0.34	1
Xylenes, Total	ND		ug/l	1.0	0.30	1
Styrene	ND		ug/l	1.0	0.37	1
Acetone	ND		ug/l	10	2.4	1
Carbon disulfide	ND		ug/l	5.0	0.28	1
2-Butanone	ND		ug/l	10	1.0	1
Vinyl acetate	ND		ug/l	10	0.41	1
4-Methyl-2-pentanone	ND		ug/l	10	0.19	1
2-Hexanone	ND		ug/l	10	0.55	1
Acrolein	ND		ug/l	8.0	1.8	1
Acrylonitrile	ND		ug/l	10	0.33	1
Methyl tert butyl Ether	ND		ug/l	10	0.19	1
1,4-Dioxane ¹	ND		ug/l	2000	30.	1
Tert-Butyl Alcohol	ND		ug/l	100	3.9	1
Tertiary-Amyl Methyl Ether	ND		ug/l	20	0.28	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria
Pentafluorobenzene	99		60-140
Fluorobenzene	90		60-140
4-Bromofluorobenzene	92		60-140

Project Name: EAST NORTHPORT GROUNDWATER
Project Number: Not Specified

Lab Number: L2046264
Report Date: 10/30/20

SAMPLE RESULTS

Lab ID: L2046264-07
 Client ID: FB-1
 Sample Location: EAST NORTHPORT

Date Collected: 10/23/20 11:40
 Date Received: 10/23/20
 Field Prep: Not Specified

Sample Depth:

Matrix: Field Blank
 Analytical Method: 128,624.1
 Analytical Date: 10/24/20 09:16
 Analyst: KJD

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab						
Methylene chloride	ND		ug/l	1.0	0.56	1
1,1-Dichloroethane	ND		ug/l	1.5	0.40	1
Chloroform	ND		ug/l	1.0	0.38	1
Carbon tetrachloride	ND		ug/l	1.0	0.24	1
1,2-Dichloropropane	ND		ug/l	3.5	0.46	1
Dibromochloromethane	ND		ug/l	1.0	0.27	1
1,1,2-Trichloroethane	ND		ug/l	1.5	0.34	1
2-Chloroethylvinyl ether	ND		ug/l	10	0.35	1
Tetrachloroethene	ND		ug/l	1.0	0.26	1
Chlorobenzene	ND		ug/l	3.5	0.30	1
Trichlorofluoromethane	ND		ug/l	5.0	0.28	1
1,2-Dichloroethane	ND		ug/l	1.5	0.47	1
1,1,1-Trichloroethane	ND		ug/l	2.0	0.29	1
Bromodichloromethane	ND		ug/l	1.0	0.28	1
trans-1,3-Dichloropropene	ND		ug/l	1.5	0.31	1
cis-1,3-Dichloropropene	ND		ug/l	1.5	0.34	1
Bromoform	ND		ug/l	1.0	0.22	1
1,1,2,2-Tetrachloroethane	ND		ug/l	1.0	0.20	1
Benzene	ND		ug/l	1.0	0.38	1
Toluene	ND		ug/l	1.0	0.31	1
Ethylbenzene	ND		ug/l	1.0	0.28	1
Chloromethane	ND		ug/l	5.0	1.0	1
Bromomethane	ND		ug/l	5.0	1.2	1
Vinyl chloride	ND		ug/l	1.0	0.38	1
Chloroethane	ND		ug/l	2.0	0.37	1
1,1-Dichloroethene	ND		ug/l	1.0	0.31	1
trans-1,2-Dichloroethene	ND		ug/l	1.5	0.33	1
cis-1,2-Dichloroethene	ND		ug/l	1.0	0.17	1

Project Name: EAST NORTHPORT GROUNDWATER
Project Number: Not Specified

Lab Number: L2046264
Report Date: 10/30/20

SAMPLE RESULTS

Lab ID: L2046264-07
 Client ID: FB-1
 Sample Location: EAST NORTHPORT

Date Collected: 10/23/20 11:40
 Date Received: 10/23/20
 Field Prep: Not Specified

Sample Depth:

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab						
Trichloroethene	ND		ug/l	1.0	0.33	1
1,2-Dichlorobenzene	ND		ug/l	5.0	0.28	1
1,3-Dichlorobenzene	ND		ug/l	5.0	0.27	1
1,4-Dichlorobenzene	ND		ug/l	5.0	0.29	1
p/m-Xylene	ND		ug/l	2.0	0.30	1
o-xylene	ND		ug/l	1.0	0.34	1
Xylenes, Total	ND		ug/l	1.0	0.30	1
Styrene	ND		ug/l	1.0	0.37	1
Acetone	ND		ug/l	10	2.4	1
Carbon disulfide	ND		ug/l	5.0	0.28	1
2-Butanone	ND		ug/l	10	1.0	1
Vinyl acetate	ND		ug/l	10	0.41	1
4-Methyl-2-pentanone	ND		ug/l	10	0.19	1
2-Hexanone	ND		ug/l	10	0.55	1
Acrolein	ND		ug/l	8.0	1.8	1
Acrylonitrile	ND		ug/l	10	0.33	1
Methyl tert butyl Ether	ND		ug/l	10	0.19	1
1,4-Dioxane ¹	ND		ug/l	2000	30.	1
Tert-Butyl Alcohol	ND		ug/l	100	3.9	1
Tertiary-Amyl Methyl Ether	ND		ug/l	20	0.28	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria
Pentafluorobenzene	98		60-140
Fluorobenzene	90		60-140
4-Bromofluorobenzene	96		60-140

Project Name: EAST NORTHPORT GROUNDWATER
Project Number: Not Specified

Lab Number: L2046264
Report Date: 10/30/20

SAMPLE RESULTS

Lab ID: L2046264-08
 Client ID: TB-GW
 Sample Location: EAST NORTHPORT

Date Collected: 10/21/20 00:00
 Date Received: 10/23/20
 Field Prep: Not Specified

Sample Depth:
 Matrix: Trip Blank (Aqueous)
 Analytical Method: 128,624.1
 Analytical Date: 10/24/20 09:53
 Analyst: KJD

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab						
Methylene chloride	ND		ug/l	1.0	0.56	1
1,1-Dichloroethane	ND		ug/l	1.5	0.40	1
Chloroform	ND		ug/l	1.0	0.38	1
Carbon tetrachloride	ND		ug/l	1.0	0.24	1
1,2-Dichloropropane	ND		ug/l	3.5	0.46	1
Dibromochloromethane	ND		ug/l	1.0	0.27	1
1,1,2-Trichloroethane	ND		ug/l	1.5	0.34	1
2-Chloroethylvinyl ether	ND		ug/l	10	0.35	1
Tetrachloroethene	ND		ug/l	1.0	0.26	1
Chlorobenzene	ND		ug/l	3.5	0.30	1
Trichlorofluoromethane	ND		ug/l	5.0	0.28	1
1,2-Dichloroethane	ND		ug/l	1.5	0.47	1
1,1,1-Trichloroethane	ND		ug/l	2.0	0.29	1
Bromodichloromethane	ND		ug/l	1.0	0.28	1
trans-1,3-Dichloropropene	ND		ug/l	1.5	0.31	1
cis-1,3-Dichloropropene	ND		ug/l	1.5	0.34	1
Bromoform	ND		ug/l	1.0	0.22	1
1,1,2,2-Tetrachloroethane	ND		ug/l	1.0	0.20	1
Benzene	ND		ug/l	1.0	0.38	1
Toluene	ND		ug/l	1.0	0.31	1
Ethylbenzene	ND		ug/l	1.0	0.28	1
Chloromethane	ND		ug/l	5.0	1.0	1
Bromomethane	ND		ug/l	5.0	1.2	1
Vinyl chloride	ND		ug/l	1.0	0.38	1
Chloroethane	ND		ug/l	2.0	0.37	1
1,1-Dichloroethene	ND		ug/l	1.0	0.31	1
trans-1,2-Dichloroethene	ND		ug/l	1.5	0.33	1
cis-1,2-Dichloroethene	ND		ug/l	1.0	0.17	1

Project Name: EAST NORTHPORT GROUNDWATER**Lab Number:** L2046264**Project Number:** Not Specified**Report Date:** 10/30/20**SAMPLE RESULTS**

Lab ID: L2046264-08

Date Collected: 10/21/20 00:00

Client ID: TB-GW

Date Received: 10/23/20

Sample Location: EAST NORTHPORT

Field Prep: Not Specified

Sample Depth:

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab						
Trichloroethene	ND		ug/l	1.0	0.33	1
1,2-Dichlorobenzene	ND		ug/l	5.0	0.28	1
1,3-Dichlorobenzene	ND		ug/l	5.0	0.27	1
1,4-Dichlorobenzene	ND		ug/l	5.0	0.29	1
p/m-Xylene	ND		ug/l	2.0	0.30	1
o-xylene	ND		ug/l	1.0	0.34	1
Xylenes, Total	ND		ug/l	1.0	0.30	1
Styrene	ND		ug/l	1.0	0.37	1
Acetone	ND		ug/l	10	2.4	1
Carbon disulfide	ND		ug/l	5.0	0.28	1
2-Butanone	ND		ug/l	10	1.0	1
Vinyl acetate	ND		ug/l	10	0.41	1
4-Methyl-2-pentanone	ND		ug/l	10	0.19	1
2-Hexanone	ND		ug/l	10	0.55	1
Acrolein	ND		ug/l	8.0	1.8	1
Acrylonitrile	ND		ug/l	10	0.33	1
Methyl tert butyl Ether	ND		ug/l	10	0.19	1
1,4-Dioxane ¹	ND		ug/l	2000	30.	1
Tert-Butyl Alcohol	ND		ug/l	100	3.9	1
Tertiary-Amyl Methyl Ether	ND		ug/l	20	0.28	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria
Pentafluorobenzene	96		60-140
Fluorobenzene	90		60-140
4-Bromofluorobenzene	95		60-140

Project Name: EAST NORTHPORT GROUNDWATER
Project Number: Not Specified

Lab Number: L2046264
Report Date: 10/30/20

Method Blank Analysis
Batch Quality Control

Analytical Method: 128,624.1
Analytical Date: 10/24/20 08:38
Analyst: MKS

Parameter	Result	Qualifier	Units	RL	MDL
Volatile Organics by GC/MS - Westborough Lab for sample(s): 01-08 Batch: WG1426315-4					
Methylene chloride	ND		ug/l	1.0	0.56
1,1-Dichloroethane	ND		ug/l	1.5	0.40
Chloroform	ND		ug/l	1.0	0.38
Carbon tetrachloride	ND		ug/l	1.0	0.24
1,2-Dichloropropane	ND		ug/l	3.5	0.46
Dibromochloromethane	ND		ug/l	1.0	0.27
1,1,2-Trichloroethane	ND		ug/l	1.5	0.34
2-Chloroethylvinyl ether	ND		ug/l	10	0.35
Tetrachloroethene	ND		ug/l	1.0	0.26
Chlorobenzene	ND		ug/l	3.5	0.30
Trichlorofluoromethane	ND		ug/l	5.0	0.28
1,2-Dichloroethane	ND		ug/l	1.5	0.47
1,1,1-Trichloroethane	ND		ug/l	2.0	0.29
Bromodichloromethane	ND		ug/l	1.0	0.28
trans-1,3-Dichloropropene	ND		ug/l	1.5	0.31
cis-1,3-Dichloropropene	ND		ug/l	1.5	0.34
Bromoform	ND		ug/l	1.0	0.22
1,1,2,2-Tetrachloroethane	ND		ug/l	1.0	0.20
Benzene	ND		ug/l	1.0	0.38
Toluene	ND		ug/l	1.0	0.31
Ethylbenzene	ND		ug/l	1.0	0.28
Chloromethane	ND		ug/l	5.0	1.0
Bromomethane	1.4	J	ug/l	5.0	1.2
Vinyl chloride	ND		ug/l	1.0	0.38
Chloroethane	ND		ug/l	2.0	0.37
1,1-Dichloroethene	ND		ug/l	1.0	0.31
trans-1,2-Dichloroethene	ND		ug/l	1.5	0.33
cis-1,2-Dichloroethene	ND		ug/l	1.0	0.17
Trichloroethene	ND		ug/l	1.0	0.33

Project Name: EAST NORTHPORT GROUNDWATER
Project Number: Not Specified

Lab Number: L2046264
Report Date: 10/30/20

Method Blank Analysis Batch Quality Control

Analytical Method: 128,624.1
Analytical Date: 10/24/20 08:38
Analyst: MKS

Parameter	Result	Qualifier	Units	RL	MDL
Volatile Organics by GC/MS - Westborough Lab for sample(s): 01-08 Batch: WG1426315-4					
1,2-Dichlorobenzene	ND		ug/l	5.0	0.28
1,3-Dichlorobenzene	ND		ug/l	5.0	0.27
1,4-Dichlorobenzene	ND		ug/l	5.0	0.29
p/m-Xylene	ND		ug/l	2.0	0.30
o-xylene	ND		ug/l	1.0	0.34
Xylenes, Total	ND		ug/l	1.0	0.30
Styrene	ND		ug/l	1.0	0.37
Acetone	ND		ug/l	10	2.4
Carbon disulfide	ND		ug/l	5.0	0.28
2-Butanone	ND		ug/l	10	1.0
Vinyl acetate	ND		ug/l	10	0.41
4-Methyl-2-pentanone	ND		ug/l	10	0.19
2-Hexanone	ND		ug/l	10	0.55
Acrolein	ND		ug/l	8.0	1.8
Acrylonitrile	ND		ug/l	10	0.33
Methyl tert butyl Ether	ND		ug/l	10	0.19
1,4-Dioxane ¹	40	J	ug/l	2000	30.
Tert-Butyl Alcohol	ND		ug/l	100	3.9
Tertiary-Amyl Methyl Ether	ND		ug/l	20	0.28

Surrogate	%Recovery	Qualifier	Acceptance Criteria
Pentafluorobenzene	104		60-140
Fluorobenzene	97		60-140
4-Bromofluorobenzene	94		60-140

Serial_No:10302019:19

Lab Control Sample Analysis
Batch Quality Control

Project Name: EAST NORTHPORT GROUNDWATER
Project Number: Not Specified

Lab Number: L2046264
Report Date: 10/30/20

Parameter	LCS		LCSD		%Recovery Limits	RPD	Qual	RPD Limits
	%Recovery	Qual	%Recovery	Qual				
Volatile Organics by GC/MS - Westborough Lab Associated sample(s): 01-08 Batch: WG1426315-3								
Methylene chloride	100		-		60-140	-		28
1,1-Dichloroethane	100		-		50-150	-		49
Chloroform	100		-		70-135	-		54
Carbon tetrachloride	90		-		70-130	-		41
1,2-Dichloropropane	105		-		35-165	-		55
Dibromochloromethane	90		-		70-135	-		50
1,1,2-Trichloroethane	95		-		70-130	-		45
2-Chloroethylvinyl ether	100		-		1-225	-		71
Tetrachloroethene	100		-		70-130	-		39
Chlorobenzene	95		-		65-135	-		53
Trichlorofluoromethane	90		-		50-150	-		84
1,2-Dichloroethane	100		-		70-130	-		49
1,1,1-Trichloroethane	100		-		70-130	-		36
Bromodichloromethane	95		-		65-135	-		56
trans-1,3-Dichloropropene	90		-		50-150	-		86
cis-1,3-Dichloropropene	100		-		25-175	-		58
Bromoform	85		-		70-130	-		42
1,1,2,2-Tetrachloroethane	95		-		60-140	-		61
Benzene	105		-		65-135	-		61
Toluene	110		-		70-130	-		41
Ethylbenzene	100		-		60-140	-		63
Chloromethane	100		-		1-205	-		60
Bromomethane	70		-		15-185	-		61



Serial_No:10302019:19

Lab Control Sample Analysis
Batch Quality Control

Project Name: EAST NORTHPORT GROUNDWATER
Project Number: Not Specified

Lab Number: L2046264
Report Date: 10/30/20

Parameter	LCS		LCSD		%Recovery Limits	RPD	Qual	RPD Limits
	%Recovery	Qual	%Recovery	Qual				
Volatile Organics by GC/MS - Westborough Lab Associated sample(s): 01-08 Batch: WG1426315-3								
Vinyl chloride	90		-		5-195	-		66
Chloroethane	105		-		40-160	-		78
1,1-Dichloroethene	105		-		50-150	-		32
trans-1,2-Dichloroethene	105		-		70-130	-		45
cis-1,2-Dichloroethene	110		-		60-140	-		30
Trichloroethene	100		-		65-135	-		48
1,2-Dichlorobenzene	100		-		65-135	-		57
1,3-Dichlorobenzene	95		-		70-130	-		43
1,4-Dichlorobenzene	100		-		65-135	-		57
p/m-Xylene	102		-		60-140	-		30
o-xylene	100		-		60-140	-		30
Styrene	95		-		60-140	-		30
Acetone	96		-		40-160	-		30
Carbon disulfide	95		-		60-140	-		30
2-Butanone	108		-		60-140	-		30
Vinyl acetate	90		-		60-140	-		30
4-Methyl-2-pentanone	108		-		60-140	-		30
2-Hexanone	108		-		60-140	-		30
Acrolein	112		-		60-140	-		30
Acrylonitrile	110		-		60-140	-		60
Methyl tert butyl Ether	90		-		60-140	-		30
1,4-Dioxane ¹	100		-		60-140	-		30
Tert-Butyl Alcohol	100		-		60-140	-		30



Serial_No:10302019:19

Lab Control Sample Analysis
Batch Quality Control

Project Name: EAST NORTHPORT GROUNDWATER
Project Number: Not Specified

Lab Number: L2046264
Report Date: 10/30/20

Parameter	LCS %Recovery	Qual	LCSD %Recovery	Qual	%Recovery Limits	RPD	Qual	RPD Limits
Volatile Organics by GC/MS - Westborough Lab Associated sample(s): 01-08 Batch: WG1426315-3								
Tertiary-Amyl Methyl Ether	95		-		60-140	-		30

Surrogate	LCS %Recovery	Qual	LCSD %Recovery	Qual	Acceptance Criteria
Pentafluorobenzene	106				60-140
Fluorobenzene	96				60-140
4-Bromofluorobenzene	93				60-140



Serial_No:10302019:19

Matrix Spike Analysis
Batch Quality Control

Project Name: EAST NORTHPORT GROUNDWATER
Project Number: Not Specified

Lab Number: L2046264
Report Date: 10/30/20

Parameter	Native Sample	MS Added	MS Found	MS %Recovery	Qual	MSD Found	MSD %Recovery	Qual	Recovery Limits	RPD	Qual	RPD Limits
Volatile Organics by GC/MS - Westborough Lab Associated sample(s): 01-08 QC Batch ID: WG1426315-5 WG1426315-6 QC Sample: L2046264-03 Client ID: CW1-S												
Methylene chloride	ND	20	20	100		19	95		1-221	5		28
1,1-Dichloroethane	ND	20	19	95		19	95		59-155	0		49
Chloroform	ND	20	19	95		18	90		51-138	5		54
Carbon tetrachloride	ND	20	14	70		14	70		70-140	0		41
1,2-Dichloropropane	ND	20	19	95		19	95		1-210	0		55
Dibromochloromethane	ND	20	18	90		18	90		53-149	0		50
1,1,2-Trichloroethane	ND	20	20	100		19	95		52-150	5		45
2-Chloroethylvinyl ether	ND	20	21	105		21	105		1-305	0		71
Tetrachloroethene	ND	20	15	75		15	75		64-148	0		39
Chlorobenzene	ND	20	17	85		16	80		37-160	6		53
Trichlorofluoromethane	ND	20	14	70		14	70		17-181	0		84
1,2-Dichloroethane	ND	20	18	90		18	90		49-155	0		49
1,1,1-Trichloroethane	ND	20	17	85		16	80		52-162	6		36
Bromodichloromethane	ND	20	19	95		19	95		35-155	0		56
trans-1,3-Dichloropropene	ND	20	9.6	48		6.3	32		17-183	42		86
cis-1,3-Dichloropropene	ND	20	3.8	19		1.2J	6		1-227	104	Q	58
Bromoform	ND	20	17	85		16	80		45-169	6		42
1,1,2,2-Tetrachloroethane	ND	20	20	100		20	100		45-157	0		61
Benzene	ND	20	19	95		18	90		37-151	5		61
Toluene	ND	20	20	100		18	90		47-150	11		41
Ethylbenzene	ND	20	17	85		16	80		37-162	6		63
Chloromethane	ND	20	17	85		16	80		1-273	6		60
Bromomethane	ND	20	2.2J	11		1.6J	8		1-242	32		61



Serial_No:10302019:19

Matrix Spike Analysis
Batch Quality Control

Project Name: EAST NORTHPORT GROUNDWATER
Project Number: Not Specified

Lab Number: L2046264
Report Date: 10/30/20

Parameter	Native Sample	MS Added	MS Found	MS %Recovery	Qual	MSD Found	MSD %Recovery	Qual	Recovery Limits	RPD	Qual	RPD Limits
Volatile Organics by GC/MS - Westborough Lab Associated sample(s): 01-08 QC Batch ID: WG1426315-5 WG1426315-6 QC Sample: L2046264-03 Client ID: CW1-S												
Vinyl chloride	ND	20	18	90		17	85		1-251	6		66
Chloroethane	ND	20	20	100		19	95		14-230	5		78
1,1-Dichloroethene	ND	20	18	90		17	85		1-234	6		32
trans-1,2-Dichloroethene	ND	20	18	90		18	90		54-156	0		45
cis-1,2-Dichloroethene	ND	20	20	100		19	95		60-140	5		30
Trichloroethene	ND	20	16	80		15	75		70-157	6		48
1,2-Dichlorobenzene	ND	20	17	85		16	80		18-190	6		57
1,3-Dichlorobenzene	ND	20	16	80		15	75		59-156	6		43
1,4-Dichlorobenzene	ND	20	16	80		15	75		18-190	6		57
p/m-Xylene	ND	40	34	85		33	82		60-140	3		30
o-xylene	ND	20	17	85		16	80		60-140	6		30
Styrene	ND	20	17	85		16	80		60-140	6		30
Acetone	ND	50	51	102		50	100		40-160	2		30
Carbon disulfide	ND	20	16	80		15	75		60-140	6		30
2-Butanone	ND	50	56	112		54	108		60-140	4		30
Vinyl acetate	ND	40	34	85		32	80		60-140	6		30
4-Methyl-2-pentanone	ND	50	59	118		57	114		60-140	3		30
2-Hexanone	ND	50	58	116		58	116		60-140	0		30
Acrolein	ND	40	36	90		ND	0	Q	40-160	NC		30
Acrylonitrile	ND	40	46	115		44	110		40-160	4		60
Methyl tert butyl Ether	ND	20	18	90		18	90		60-140	0		30
1,4-Dioxane ¹	ND	2000	2000	100		2000	100		60-140	0		30
Tert-Butyl Alcohol	ND	100	110	110		100	100		60-140	10		30



Serial_No:10302019:19

Matrix Spike Analysis
Batch Quality Control

Project Name: EAST NORTHPORT GROUNDWATER
Project Number: Not Specified

Lab Number: L2046264
Report Date: 10/30/20

<i>Parameter</i>	<i>Native Sample</i>	<i>MS Added</i>	<i>MS Found</i>	<i>MS %Recovery</i>	<i>Qual</i>	<i>MSD Found</i>	<i>MSD %Recovery</i>	<i>Qual</i>	<i>Recovery Limits</i>	<i>RPD</i>	<i>Qual</i>	<i>RPD Limits</i>
Volatile Organics by GC/MS - Westborough Lab Associated sample(s): 01-08 QC Batch ID: WG1426315-5 WG1426315-6 QC Sample: L2046264-03 Client ID: CW1-S												
Tertiary-Amyl Methyl Ether	ND	20	18J	90		17J	85		60-140	6		30

<i>Surrogate</i>	<i>MS</i>		<i>MSD</i>		<i>Acceptance Criteria</i>
	<i>% Recovery</i>	<i>Qualifier</i>	<i>% Recovery</i>	<i>Qualifier</i>	
4-Bromofluorobenzene	91		92		60-140
Fluorobenzene	91		90		60-140
Pentafluorobenzene	98		99		60-140



METALS

Project Name: EAST NORTHPORT GROUNDWATER**Lab Number:** L2046264**Project Number:** Not Specified**Report Date:** 10/30/20**SAMPLE RESULTS**

Lab ID: L2046264-01

Date Collected: 10/23/20 09:45

Client ID: EN1-M

Date Received: 10/23/20

Sample Location: EAST NORTHPORT

Field Prep: Not Specified

Sample Depth:

Matrix: Water

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Prep Method	Analytical Method	Analyst
Total Metals - Mansfield Lab											
Aluminum, Total	0.132		mg/l	0.100	0.032	1	10/27/20 21:40	10/30/20 18:16	EPA 3005A	1,6010D	GD
Arsenic, Total	ND		mg/l	0.005	0.002	1	10/27/20 21:40	10/30/20 18:16	EPA 3005A	1,6010D	GD
Cadmium, Total	0.001	J	mg/l	0.005	0.001	1	10/27/20 21:40	10/30/20 18:16	EPA 3005A	1,6010D	GD
Calcium, Total	5.09		mg/l	0.100	0.035	1	10/27/20 21:40	10/30/20 18:16	EPA 3005A	1,6010D	GD
Chromium, Total	ND		mg/l	0.010	0.002	1	10/27/20 21:40	10/30/20 18:16	EPA 3005A	1,6010D	GD
Iron, Total	2.16		mg/l	0.050	0.009	1	10/27/20 21:40	10/30/20 18:16	EPA 3005A	1,6010D	GD
Lead, Total	ND		mg/l	0.010	0.003	1	10/27/20 21:40	10/30/20 18:16	EPA 3005A	1,6010D	GD
Magnesium, Total	1.04		mg/l	0.100	0.015	1	10/27/20 21:40	10/30/20 18:16	EPA 3005A	1,6010D	GD
Mercury, Total	ND		mg/l	0.00020	0.00009	1	10/28/20 00:20	10/28/20 16:09	EPA 7470A	1,7470A	AL
Potassium, Total	6.01		mg/l	2.50	0.237	1	10/27/20 21:40	10/30/20 18:16	EPA 3005A	1,6010D	GD
Sodium, Total	2.26		mg/l	2.00	0.120	1	10/27/20 21:40	10/30/20 18:16	EPA 3005A	1,6010D	GD
Total Hardness by SM 2340B - Mansfield Lab											
Hardness	17.0		mg/l	0.660	NA	1	10/27/20 21:40	10/30/20 18:16	EPA 3005A	1,6010D	GD



Project Name: EAST NORTHPORT GROUNDWATER**Lab Number:** L2046264**Project Number:** Not Specified**Report Date:** 10/30/20**SAMPLE RESULTS**

Lab ID: L2046264-02

Date Collected: 10/23/20 10:30

Client ID: CW1-M

Date Received: 10/23/20

Sample Location: EAST NORTHPORT

Field Prep: Not Specified

Sample Depth:

Matrix: Water

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Prep Method	Analytical Method	Analyst
Total Metals - Mansfield Lab											
Aluminum, Total	0.063	J	mg/l	0.100	0.032	1	10/27/20 21:40	10/30/20 18:21	EPA 3005A	1,6010D	GD
Arsenic, Total	0.044		mg/l	0.005	0.002	1	10/27/20 21:40	10/30/20 18:21	EPA 3005A	1,6010D	GD
Cadmium, Total	ND		mg/l	0.005	0.001	1	10/27/20 21:40	10/30/20 18:21	EPA 3005A	1,6010D	GD
Calcium, Total	36.8		mg/l	0.100	0.035	1	10/27/20 21:40	10/30/20 18:21	EPA 3005A	1,6010D	GD
Chromium, Total	ND		mg/l	0.010	0.002	1	10/27/20 21:40	10/30/20 18:21	EPA 3005A	1,6010D	GD
Iron, Total	18.4		mg/l	0.050	0.009	1	10/27/20 21:40	10/30/20 18:21	EPA 3005A	1,6010D	GD
Lead, Total	ND		mg/l	0.010	0.003	1	10/27/20 21:40	10/30/20 18:21	EPA 3005A	1,6010D	GD
Magnesium, Total	13.6		mg/l	0.100	0.015	1	10/27/20 21:40	10/30/20 18:21	EPA 3005A	1,6010D	GD
Mercury, Total	ND		mg/l	0.00020	0.00009	1	10/28/20 00:20	10/28/20 16:11	EPA 7470A	1,7470A	AL
Potassium, Total	31.6		mg/l	2.50	0.237	1	10/27/20 21:40	10/30/20 18:21	EPA 3005A	1,6010D	GD
Sodium, Total	69.7		mg/l	2.00	0.120	1	10/27/20 21:40	10/30/20 18:21	EPA 3005A	1,6010D	GD
Total Hardness by SM 2340B - Mansfield Lab											
Hardness	148		mg/l	0.660	NA	1	10/27/20 21:40	10/30/20 18:21	EPA 3005A	1,6010D	GD



Project Name: EAST NORTHPORT GROUNDWATER**Lab Number:** L2046264**Project Number:** Not Specified**Report Date:** 10/30/20**SAMPLE RESULTS**

Lab ID: L2046264-03

Date Collected: 10/23/20 10:55

Client ID: CW1-S

Date Received: 10/23/20

Sample Location: EAST NORTHPORT

Field Prep: Not Specified

Sample Depth:

Matrix: Water

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Prep Method	Analytical Method	Analyst
Total Metals - Mansfield Lab											
Aluminum, Total	0.079	J	mg/l	0.100	0.032	1	10/27/20 21:40	10/30/20 17:10	EPA 3005A	1,6010D	GD
Arsenic, Total	ND		mg/l	0.005	0.002	1	10/27/20 21:40	10/30/20 17:10	EPA 3005A	1,6010D	GD
Cadmium, Total	ND		mg/l	0.005	0.001	1	10/27/20 21:40	10/30/20 17:10	EPA 3005A	1,6010D	GD
Calcium, Total	19.5		mg/l	0.100	0.035	1	10/27/20 21:40	10/30/20 17:10	EPA 3005A	1,6010D	GD
Chromium, Total	ND		mg/l	0.010	0.002	1	10/27/20 21:40	10/30/20 17:10	EPA 3005A	1,6010D	GD
Iron, Total	0.092		mg/l	0.050	0.009	1	10/27/20 21:40	10/30/20 17:10	EPA 3005A	1,6010D	GD
Lead, Total	ND		mg/l	0.010	0.003	1	10/27/20 21:40	10/30/20 17:10	EPA 3005A	1,6010D	GD
Magnesium, Total	12.0		mg/l	0.100	0.015	1	10/27/20 21:40	10/30/20 17:10	EPA 3005A	1,6010D	GD
Mercury, Total	ND		mg/l	0.00020	0.00009	1	10/28/20 00:20	10/28/20 15:48	EPA 7470A	1,7470A	AL
Potassium, Total	2.43	J	mg/l	2.50	0.237	1	10/27/20 21:40	10/30/20 17:10	EPA 3005A	1,6010D	GD
Sodium, Total	10.1		mg/l	2.00	0.120	1	10/27/20 21:40	10/30/20 17:10	EPA 3005A	1,6010D	GD
Total Hardness by SM 2340B - Mansfield Lab											
Hardness	98.2		mg/l	0.660	NA	1	10/27/20 21:40	10/30/20 17:10	EPA 3005A	1,6010D	GD



Project Name: EAST NORTHPORT GROUNDWATER**Lab Number:** L2046264**Project Number:** Not Specified**Report Date:** 10/30/20**SAMPLE RESULTS**

Lab ID: L2046264-04

Date Collected: 10/23/20 11:45

Client ID: EN7-M

Date Received: 10/23/20

Sample Location: EAST NORTHPORT

Field Prep: Not Specified

Sample Depth:

Matrix: Water

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Prep Method	Analytical Method	Analyst
Total Metals - Mansfield Lab											
Aluminum, Total	0.285		mg/l	0.100	0.032	1	10/27/20 21:40	10/30/20 18:26	EPA 3005A	1,6010D	GD
Arsenic, Total	ND		mg/l	0.005	0.002	1	10/27/20 21:40	10/30/20 18:26	EPA 3005A	1,6010D	GD
Cadmium, Total	ND		mg/l	0.005	0.001	1	10/27/20 21:40	10/30/20 18:26	EPA 3005A	1,6010D	GD
Calcium, Total	13.9		mg/l	0.100	0.035	1	10/27/20 21:40	10/30/20 18:26	EPA 3005A	1,6010D	GD
Chromium, Total	ND		mg/l	0.010	0.002	1	10/27/20 21:40	10/30/20 18:26	EPA 3005A	1,6010D	GD
Iron, Total	0.335		mg/l	0.050	0.009	1	10/27/20 21:40	10/30/20 18:26	EPA 3005A	1,6010D	GD
Lead, Total	ND		mg/l	0.010	0.003	1	10/27/20 21:40	10/30/20 18:26	EPA 3005A	1,6010D	GD
Magnesium, Total	2.62		mg/l	0.100	0.015	1	10/27/20 21:40	10/30/20 18:26	EPA 3005A	1,6010D	GD
Mercury, Total	ND		mg/l	0.00020	0.00009	1	10/28/20 00:20	10/28/20 16:13	EPA 7470A	1,7470A	AL
Potassium, Total	3.64		mg/l	2.50	0.237	1	10/27/20 21:40	10/30/20 18:26	EPA 3005A	1,6010D	GD
Sodium, Total	5.80		mg/l	2.00	0.120	1	10/27/20 21:40	10/30/20 18:26	EPA 3005A	1,6010D	GD
Total Hardness by SM 2340B - Mansfield Lab											
Hardness	45.5		mg/l	0.660	NA	1	10/27/20 21:40	10/30/20 18:26	EPA 3005A	1,6010D	GD



Project Name: EAST NORTHPORT GROUNDWATER**Lab Number:** L2046264**Project Number:** Not Specified**Report Date:** 10/30/20**SAMPLE RESULTS**

Lab ID: L2046264-05

Date Collected: 10/23/20 13:00

Client ID: EN10-M

Date Received: 10/23/20

Sample Location: EAST NORTHPORT

Field Prep: Not Specified

Sample Depth:

Matrix: Water

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Prep Method	Analytical Method	Analyst
Total Metals - Mansfield Lab											
Aluminum, Total	3.73		mg/l	0.100	0.032	1	10/27/20 21:40	10/30/20 18:30	EPA 3005A	1,6010D	GD
Arsenic, Total	0.004	J	mg/l	0.005	0.002	1	10/27/20 21:40	10/30/20 18:30	EPA 3005A	1,6010D	GD
Cadmium, Total	ND		mg/l	0.005	0.001	1	10/27/20 21:40	10/30/20 18:30	EPA 3005A	1,6010D	GD
Calcium, Total	6.75		mg/l	0.100	0.035	1	10/27/20 21:40	10/30/20 18:30	EPA 3005A	1,6010D	GD
Chromium, Total	0.009	J	mg/l	0.010	0.002	1	10/27/20 21:40	10/30/20 18:30	EPA 3005A	1,6010D	GD
Iron, Total	6.46		mg/l	0.050	0.009	1	10/27/20 21:40	10/30/20 18:30	EPA 3005A	1,6010D	GD
Lead, Total	0.185		mg/l	0.010	0.003	1	10/27/20 21:40	10/30/20 18:30	EPA 3005A	1,6010D	GD
Magnesium, Total	2.43		mg/l	0.100	0.015	1	10/27/20 21:40	10/30/20 18:30	EPA 3005A	1,6010D	GD
Mercury, Total	ND		mg/l	0.00020	0.00009	1	10/28/20 00:20	10/28/20 16:16	EPA 7470A	1,7470A	AL
Potassium, Total	3.27		mg/l	2.50	0.237	1	10/27/20 21:40	10/30/20 18:30	EPA 3005A	1,6010D	GD
Sodium, Total	5.42		mg/l	2.00	0.120	1	10/27/20 21:40	10/30/20 18:30	EPA 3005A	1,6010D	GD
Total Hardness by SM 2340B - Mansfield Lab											
Hardness	26.9		mg/l	0.660	NA	1	10/27/20 21:40	10/30/20 18:30	EPA 3005A	1,6010D	GD



Project Name: EAST NORTHPORT GROUNDWATER**Lab Number:** L2046264**Project Number:** Not Specified**Report Date:** 10/30/20**SAMPLE RESULTS**

Lab ID: L2046264-06

Date Collected: 10/23/20 00:00

Client ID: GW-DUP

Date Received: 10/23/20

Sample Location: EAST NORTHPORT

Field Prep: Not Specified

Sample Depth:

Matrix: Water

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Prep Method	Analytical Method	Analyst
Total Metals - Mansfield Lab											
Aluminum, Total	0.053	J	mg/l	0.100	0.032	1	10/27/20 21:40	10/30/20 18:35	EPA 3005A	1,6010D	GD
Arsenic, Total	ND		mg/l	0.005	0.002	1	10/27/20 21:40	10/30/20 18:35	EPA 3005A	1,6010D	GD
Cadmium, Total	ND		mg/l	0.005	0.001	1	10/27/20 21:40	10/30/20 18:35	EPA 3005A	1,6010D	GD
Calcium, Total	19.2		mg/l	0.100	0.035	1	10/27/20 21:40	10/30/20 18:35	EPA 3005A	1,6010D	GD
Chromium, Total	ND		mg/l	0.010	0.002	1	10/27/20 21:40	10/30/20 18:35	EPA 3005A	1,6010D	GD
Iron, Total	0.117		mg/l	0.050	0.009	1	10/27/20 21:40	10/30/20 18:35	EPA 3005A	1,6010D	GD
Lead, Total	ND		mg/l	0.010	0.003	1	10/27/20 21:40	10/30/20 18:35	EPA 3005A	1,6010D	GD
Magnesium, Total	11.9		mg/l	0.100	0.015	1	10/27/20 21:40	10/30/20 18:35	EPA 3005A	1,6010D	GD
Mercury, Total	ND		mg/l	0.00020	0.00009	1	10/28/20 00:20	10/28/20 16:22	EPA 7470A	1,7470A	AL
Potassium, Total	2.39	J	mg/l	2.50	0.237	1	10/27/20 21:40	10/30/20 18:35	EPA 3005A	1,6010D	GD
Sodium, Total	9.95		mg/l	2.00	0.120	1	10/27/20 21:40	10/30/20 18:35	EPA 3005A	1,6010D	GD
Total Hardness by SM 2340B - Mansfield Lab											
Hardness	97.0		mg/l	0.660	NA	1	10/27/20 21:40	10/30/20 18:35	EPA 3005A	1,6010D	GD



Project Name: EAST NORTHPORT GROUNDWATER
Project Number: Not Specified

Lab Number: L2046264
Report Date: 10/30/20

Method Blank Analysis Batch Quality Control

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Analytical Method	Analyst
Total Metals - Mansfield Lab for sample(s): 01-06 Batch: WG1427114-1										
Aluminum, Total	ND		mg/l	0.100	0.032	1	10/27/20 21:40	10/30/20 17:01	1,6010D	GD
Arsenic, Total	ND		mg/l	0.005	0.002	1	10/27/20 21:40	10/30/20 17:01	1,6010D	GD
Cadmium, Total	ND		mg/l	0.005	0.001	1	10/27/20 21:40	10/30/20 17:01	1,6010D	GD
Calcium, Total	ND		mg/l	0.100	0.035	1	10/27/20 21:40	10/30/20 17:01	1,6010D	GD
Chromium, Total	ND		mg/l	0.010	0.002	1	10/27/20 21:40	10/30/20 17:01	1,6010D	GD
Iron, Total	0.024	J	mg/l	0.050	0.009	1	10/27/20 21:40	10/30/20 17:01	1,6010D	GD
Lead, Total	ND		mg/l	0.010	0.003	1	10/27/20 21:40	10/30/20 17:01	1,6010D	GD
Magnesium, Total	ND		mg/l	0.100	0.015	1	10/27/20 21:40	10/30/20 17:01	1,6010D	GD
Potassium, Total	ND		mg/l	2.50	0.237	1	10/27/20 21:40	10/30/20 17:01	1,6010D	GD
Sodium, Total	ND		mg/l	2.00	0.120	1	10/27/20 21:40	10/30/20 17:01	1,6010D	GD

Prep Information

Digestion Method: EPA 3005A

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Analytical Method	Analyst
Total Hardness by SM 2340B - Mansfield Lab for sample(s): 01-06 Batch: WG1427114-1										
Hardness	ND		mg/l	0.660	NA	1	10/27/20 21:40	10/30/20 17:01	1,6010D	GD

Prep Information

Digestion Method: EPA 3005A

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Analytical Method	Analyst
Total Metals - Mansfield Lab for sample(s): 01-06 Batch: WG1427116-1										
Mercury, Total	ND		mg/l	0.00020	0.00009	1	10/28/20 00:20	10/28/20 15:44	1,7470A	AL

Prep Information

Digestion Method: EPA 7470A



Serial_No:10302019:19

Lab Control Sample Analysis
Batch Quality Control

Project Name: EAST NORTHPORT GROUNDWATER
Project Number: Not Specified

Lab Number: L2046264
Report Date: 10/30/20

Parameter	LCS %Recovery	Qual	LCSD %Recovery	Qual	%Recovery Limits	RPD	Qual	RPD Limits
Total Metals - Mansfield Lab Associated sample(s): 01-06 Batch: WG1427114-2								
Aluminum, Total	108		-		80-120	-		
Arsenic, Total	108		-		80-120	-		
Cadmium, Total	107		-		80-120	-		
Calcium, Total	101		-		80-120	-		
Chromium, Total	106		-		80-120	-		
Iron, Total	102		-		80-120	-		
Lead, Total	103		-		80-120	-		
Magnesium, Total	106		-		80-120	-		
Potassium, Total	100		-		80-120	-		
Sodium, Total	103		-		80-120	-		
Total Hardness by SM 2340B - Mansfield Lab Associated sample(s): 01-06 Batch: WG1427114-2								
Hardness	104		-		80-120	-		
Total Metals - Mansfield Lab Associated sample(s): 01-06 Batch: WG1427116-2								
Mercury, Total	104		-		80-120	-		



**Matrix Spike Analysis
Batch Quality Control**

Project Name: EAST NORTHPORT GROUNDWATER
Project Number: Not Specified

Lab Number: L2046264
Report Date: 10/30/20

Parameter	Native Sample	MS Added	MS Found	MS %Recovery	Qual	MSD Found	MSD %Recovery	Qual	Recovery Limits	RPD	Qual	RPD Limits
Total Metals - Mansfield Lab Associated sample(s): 01-06 QC Batch ID: WG1427114-3 WG1427114-4 QC Sample: L2046264-03 Client ID: CW1-S												
Aluminum, Total	0.079J	2	2.25	112		2.18	109		75-125	3		20
Arsenic, Total	ND	0.12	0.134	112		0.133	111		75-125	1		20
Cadmium, Total	ND	0.051	0.055	107		0.055	107		75-125	0		20
Calcium, Total	19.5	10	29.2	97		29.1	96		75-125	0		20
Chromium, Total	ND	0.2	0.211	106		0.211	106		75-125	0		20
Iron, Total	0.092	1	1.10	101		1.07	98		75-125	3		20
Lead, Total	ND	0.51	0.528	104		0.527	103		75-125	0		20
Magnesium, Total	12.0	10	22.3	103		22.0	100		75-125	1		20
Potassium, Total	2.43J	10	12.5	125		12.4	124		75-125	1		20
Sodium, Total	10.1	10	20.2	101		20.0	99		75-125	1		20
Total Hardness by SM 2340B - Mansfield Lab Associated sample(s): 01-06 QC Batch ID: WG1427114-3 WG1427114-4 QC Sample: L2046264-03 Client ID: CW1-S												
Hardness	98.2	66.2	165	101		163	98		75-125	1		20
Total Metals - Mansfield Lab Associated sample(s): 01-06 QC Batch ID: WG1427116-3 WG1427116-4 QC Sample: L2046264-03 Client ID: CW1-S												
Mercury, Total	ND	0.005	0.00516	103		0.00518	104		75-125	0		20
Total Metals - Mansfield Lab Associated sample(s): 01-06 QC Batch ID: WG1427116-5 WG1427116-6 QC Sample: L2046300-01 Client ID: MS Sample												
Mercury, Total	ND	0.005	0.00528	106		0.00522	104		75-125	1		20

INORGANICS & MISCELLANEOUS

Project Name: EAST NORTHPORT GROUNDWATER
Project Number: Not Specified

Lab Number: L2046264
Report Date: 10/30/20

SAMPLE RESULTS

Lab ID: L2046264-01
Client ID: EN1-M
Sample Location: EAST NORTHPORT

Date Collected: 10/23/20 09:45
Date Received: 10/23/20
Field Prep: Not Specified

Sample Depth:
Matrix: Water

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Analytical Method	Analyst
General Chemistry - Westborough Lab										
Alkalinity, Bicarbonate	20.2		mg CaCO3/L	2.00	NA	1	-	10/29/20 09:28	121,2320B	JB
Solids, Total Dissolved	40.		mg/l	10	3.1	1	-	10/29/20 08:20	121,2540C	DW
Chloride	4.3		mg/l	1.0	0.20	1	-	10/27/20 05:52	121,4500CL-E	MR
Nitrogen, Ammonia	0.319		mg/l	0.075	0.024	1	10/27/20 14:00	10/27/20 22:01	121,4500NH3-BH	AT
Nitrogen, Nitrate	ND		mg/l	0.100	0.022	1	-	10/24/20 07:32	121,4500NO3-F	MR
Sulfate	ND		mg/l	10	1.4	1	10/26/20 09:50	10/26/20 09:50	121,4500SO4-E	MV



Project Name: EAST NORTHPORT GROUNDWATER
Project Number: Not Specified

Lab Number: L2046264
Report Date: 10/30/20

SAMPLE RESULTS

Lab ID: L2046264-02
Client ID: CW1-M
Sample Location: EAST NORTHPORT

Date Collected: 10/23/20 10:30
Date Received: 10/23/20
Field Prep: Not Specified

Sample Depth:
Matrix: Water

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Analytical Method	Analyst
General Chemistry - Westborough Lab										
Alkalinity, Bicarbonate	335.		mg CaCO3/L	2.00	NA	1	-	10/28/20 06:32	121,2320B	JB
Solids, Total Dissolved	400		mg/l	10	3.1	1	-	10/29/20 08:20	121,2540C	DW
Chloride	56.		mg/l	1.0	0.20	1	-	10/27/20 05:53	121,4500CL-E	MR
Nitrogen, Ammonia	22.3		mg/l	0.750	0.240	10	10/27/20 14:00	10/27/20 22:11	121,4500NH3-BH	AT
Nitrogen, Nitrate	ND		mg/l	0.100	0.022	1	-	10/24/20 07:33	121,4500NO3-F	MR
Sulfate	39.		mg/l	10	1.4	1	10/26/20 09:50	10/26/20 09:50	121,4500SO4-E	MV



Project Name: EAST NORTHPORT GROUNDWATER
Project Number: Not Specified

Lab Number: L2046264
Report Date: 10/30/20

SAMPLE RESULTS

Lab ID: L2046264-03
Client ID: CW1-S
Sample Location: EAST NORTHPORT

Date Collected: 10/23/20 10:55
Date Received: 10/23/20
Field Prep: Not Specified

Sample Depth:
Matrix: Water

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Analytical Method	Analyst
General Chemistry - Westborough Lab										
Alkalinity, Bicarbonate	56.8		mg CaCO3/L	2.00	NA	1	-	10/28/20 06:32	121,2320B	JB
Solids, Total Dissolved	170		mg/l	10	3.1	1	-	10/29/20 08:20	121,2540C	DW
Chloride	18.		mg/l	1.0	0.20	1	-	10/27/20 05:54	121,4500CL-E	MR
Nitrogen, Ammonia	0.059	J	mg/l	0.075	0.024	1	10/27/20 14:00	10/27/20 22:12	121,4500NH3-BH	AT
Nitrogen, Nitrate	0.310		mg/l	0.100	0.022	1	-	10/24/20 07:34	121,4500NO3-F	MR
Sulfate	38.		mg/l	20	2.7	2	10/26/20 09:50	10/26/20 09:50	121,4500SO4-E	MV



Project Name: EAST NORTHPORT GROUNDWATER
Project Number: Not Specified

Lab Number: L2046264
Report Date: 10/30/20

SAMPLE RESULTS

Lab ID: L2046264-04
Client ID: EN7-M
Sample Location: EAST NORTHPORT

Date Collected: 10/23/20 11:45
Date Received: 10/23/20
Field Prep: Not Specified

Sample Depth:
Matrix: Water

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Analytical Method	Analyst
General Chemistry - Westborough Lab										
Alkalinity, Bicarbonate	42.4		mg CaCO3/L	2.00	NA	1	-	10/28/20 06:32	121,2320B	JB
Solids, Total Dissolved	92.		mg/l	10	3.1	1	-	10/29/20 08:20	121,2540C	DW
Chloride	8.3		mg/l	1.0	0.20	1	-	10/27/20 05:56	121,4500CL-E	MR
Nitrogen, Ammonia	0.093		mg/l	0.075	0.024	1	10/27/20 14:00	10/27/20 22:09	121,4500NH3-BH	AT
Nitrogen, Nitrate	0.686		mg/l	0.100	0.022	1	-	10/24/20 07:38	121,4500NO3-F	MR
Sulfate	2.0	J	mg/l	10	1.4	1	10/26/20 09:50	10/26/20 09:50	121,4500SO4-E	MV



Project Name: EAST NORTHPORT GROUNDWATER
Project Number: Not Specified

Lab Number: L2046264
Report Date: 10/30/20

SAMPLE RESULTS

Lab ID: L2046264-05
Client ID: EN10-M
Sample Location: EAST NORTHPORT

Date Collected: 10/23/20 13:00
Date Received: 10/23/20
Field Prep: Not Specified

Sample Depth:
Matrix: Water

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Analytical Method	Analyst
General Chemistry - Westborough Lab										
Alkalinity, Bicarbonate	30.3		mg CaCO3/L	2.00	NA	1	-	10/28/20 06:32	121,2320B	JB
Solids, Total Dissolved	31.		mg/l	10	3.1	1	-	10/29/20 08:20	121,2540C	DW
Chloride	7.9		mg/l	1.0	0.20	1	-	10/27/20 09:37	121,4500CL-E	MR
Nitrogen, Ammonia	1.22		mg/l	0.075	0.024	1	10/27/20 14:00	10/27/20 22:10	121,4500NH3-BH	AT
Nitrogen, Nitrate	0.368		mg/l	0.100	0.022	1	-	10/24/20 07:40	121,4500NO3-F	MR
Sulfate	2.6	J	mg/l	10	1.4	1	10/26/20 09:50	10/26/20 09:50	121,4500SO4-E	MV



Project Name: EAST NORTHPORT GROUNDWATER
Project Number: Not Specified

Lab Number: L2046264
Report Date: 10/30/20

SAMPLE RESULTS

Lab ID: L2046264-06
Client ID: GW-DUP
Sample Location: EAST NORTHPORT

Date Collected: 10/23/20 00:00
Date Received: 10/23/20
Field Prep: Not Specified

Sample Depth:
Matrix: Water

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Analytical Method	Analyst
General Chemistry - Westborough Lab										
Alkalinity, Bicarbonate	56.7		mg CaCO3/L	2.00	NA	1	-	10/28/20 06:32	121,2320B	JB
Solids, Total Dissolved	160		mg/l	10	3.1	1	-	10/29/20 08:20	121,2540C	DW
Chloride	18.		mg/l	1.0	0.20	1	-	10/27/20 06:01	121,4500CL-E	MR
Nitrogen, Ammonia	0.066	J	mg/l	0.075	0.024	1	10/27/20 14:00	10/27/20 22:10	121,4500NH3-BH	AT
Nitrogen, Nitrate	0.316		mg/l	0.100	0.022	1	-	10/24/20 07:41	121,4500NO3-F	MR
Sulfate	36.		mg/l	20	2.7	2	10/26/20 09:50	10/26/20 09:50	121,4500SO4-E	MV



Project Name: EAST NORTHPORT GROUNDWATER

Lab Number: L2046264

Project Number: Not Specified

Report Date: 10/30/20

**Method Blank Analysis
Batch Quality Control**

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Analytical Method	Analyst
General Chemistry - Westborough Lab for sample(s): 01-06 Batch: WG1426082-1										
Nitrogen, Nitrate	ND		mg/l	0.100	0.022	1	-	10/24/20 05:08	121,4500NO3-F	MR
General Chemistry - Westborough Lab for sample(s): 01-06 Batch: WG1426420-1										
Sulfate	2.0	J	mg/l	10	1.4	1	10/26/20 09:50	10/26/20 09:50	121,4500SO4-E	MV
General Chemistry - Westborough Lab for sample(s): 01-06 Batch: WG1426821-1										
Chloride	0.64	J	mg/l	1.0	0.20	1	-	10/27/20 05:12	121,4500CL-E	MR
General Chemistry - Westborough Lab for sample(s): 01-06 Batch: WG1426887-1										
Nitrogen, Ammonia	0.045	J	mg/l	0.075	0.024	1	10/27/20 14:00	10/27/20 21:42	121,4500NH3-BH	AT
General Chemistry - Westborough Lab for sample(s): 02-06 Batch: WG1427362-1										
Alkalinity, Bicarbonate	ND		mg CaCO3/L	2.00	NA	1	-	10/28/20 06:32	121,2320B	JB
General Chemistry - Westborough Lab for sample(s): 01-06 Batch: WG1427867-1										
Solids, Total Dissolved	5.0	J	mg/l	10	3.1	1	-	10/29/20 08:20	121,2540C	DW
General Chemistry - Westborough Lab for sample(s): 01 Batch: WG1427939-1										
Alkalinity, Bicarbonate	ND		mg CaCO3/L	2.00	NA	1	-	10/29/20 09:28	121,2320B	JB

Serial_No:10302019:19

Lab Control Sample Analysis
Batch Quality Control

Project Name: EAST NORTHPORT GROUNDWATER
Project Number: Not Specified

Lab Number: L2046264
Report Date: 10/30/20

Parameter	LCS %Recovery	Qual	LCSD %Recovery	Qual	%Recovery Limits	RPD	Qual	RPD Limits
General Chemistry - Westborough Lab Associated sample(s): 01-06 Batch: WG1426082-2								
Nitrogen, Nitrate	93		-		90-110	-		
General Chemistry - Westborough Lab Associated sample(s): 01-06 Batch: WG1426420-2								
Sulfate	95		-		90-110	-		
General Chemistry - Westborough Lab Associated sample(s): 01-06 Batch: WG1426821-2								
Chloride	110		-		90-110	-		
General Chemistry - Westborough Lab Associated sample(s): 01-06 Batch: WG1426887-2								
Nitrogen, Ammonia	92		-		80-120	-		20
General Chemistry - Westborough Lab Associated sample(s): 01-06 Batch: WG1427867-2								
Solids, Total Dissolved	93		-		80-120	-		



Serial_No:10302019:19

**Matrix Spike Analysis
Batch Quality Control**

Project Name: EAST NORTHPORT GROUNDWATER
Project Number: Not Specified

Lab Number: L2046264
Report Date: 10/30/20

Parameter	Native Sample	MS Added	MS Found	MS %Recovery	MSD Qual	MSD Found	MSD %Recovery	MSD Qual	Recovery Limits	RPD	Qual	RPD Limits
General Chemistry - Westborough Lab Associated sample(s): 01-06 QC Batch ID: WG1426082-4 QC Sample: L2046264-03 Client ID: CW1-S												
Nitrogen, Nitrate	0.310	4	4.28	99	-	-	-	-	83-113	-	-	17
General Chemistry - Westborough Lab Associated sample(s): 01-06 QC Batch ID: WG1426420-4 QC Sample: L2046264-03 Client ID: CW1-S												
Sulfate	38.	100	140	104	-	-	-	-	55-147	-	-	14
General Chemistry - Westborough Lab Associated sample(s): 01-06 QC Batch ID: WG1426821-4 QC Sample: L2046264-03 Client ID: CW1-S												
Chloride	18.	20	37	95	-	-	-	-	58-140	-	-	7
General Chemistry - Westborough Lab Associated sample(s): 01-06 QC Batch ID: WG1426887-4 QC Sample: L2046264-03 Client ID: CW1-S												
Nitrogen, Ammonia	0.059J	4	3.24	81	-	-	-	-	80-120	-	-	20



Serial_No:10302019:19

Lab Duplicate Analysis
Batch Quality Control

Project Name: EAST NORTHPORT GROUNDWATER
Project Number: Not Specified

Lab Number: L2046264
Report Date: 10/30/20

Parameter	Native Sample	Duplicate Sample	Units	RPD	Qual	RPD Limits
General Chemistry - Westborough Lab	Associated sample(s): 01-06	QC Batch ID: WG1426082-3	QC Sample: L2046264-03	Client ID: CW1-S		
Nitrogen, Nitrate	0.310	0.317	mg/l	2		17
General Chemistry - Westborough Lab	Associated sample(s): 01-06	QC Batch ID: WG1426420-3	QC Sample: L2046264-03	Client ID: CW1-S		
Sulfate	38.	35	mg/l	8		14
General Chemistry - Westborough Lab	Associated sample(s): 01-06	QC Batch ID: WG1426821-3	QC Sample: L2046264-03	Client ID: CW1-S		
Chloride	18.	18	mg/l	0		7
General Chemistry - Westborough Lab	Associated sample(s): 01-06	QC Batch ID: WG1426887-3	QC Sample: L2046264-03	Client ID: CW1-S		
Nitrogen, Ammonia	0.059J	0.052J	mg/l	NC		20
General Chemistry - Westborough Lab	Associated sample(s): 02-06	QC Batch ID: WG1427362-2	QC Sample: L2046264-03	Client ID: CW1-S		
Alkalinity, Bicarbonate	56.8	56.6	mg CaCO3/L	0		9
General Chemistry - Westborough Lab	Associated sample(s): 01-06	QC Batch ID: WG1427867-3	QC Sample: L2046264-03	Client ID: CW1-S		
Solids, Total Dissolved	170	180	mg/l	6		10
General Chemistry - Westborough Lab	Associated sample(s): 01	QC Batch ID: WG1427939-2	QC Sample: L2046663-02	Client ID: DUP Sample		
Alkalinity, Bicarbonate	16.3	15.5	mg CaCO3/L	5		9



Project Name: EAST NORTHPORT GROUNDWATER
Project Number: Not Specified

Serial_No: 10302019:19
Lab Number: L2046264
Report Date: 10/30/20

Sample Receipt and Container Information

Were project specific reporting limits specified? YES

Cooler Information

Cooler **Custody Seal**
 B Absent

Container Information

Container ID	Container Type	Cooler	Initial pH	Final pH	Temp deg C	Pres	Seal	Frozen Date/Time	Analysis(*)
L2046264-01A	Vial Na2S2O3 preserved	B	NA		3.3	Y	Absent		624.1(3)
L2046264-01B	Vial Na2S2O3 preserved	B	NA		3.3	Y	Absent		624.1(3)
L2046264-01C	Vial Na2S2O3 preserved	B	NA		3.3	Y	Absent		624.1(3)
L2046264-01D	Plastic 250ml unpreserved/No Headspace	B	NA		3.3	Y	Absent		ALK-HCO3-2320(14)
L2046264-01E	Plastic 250ml HNO3 preserved	B	<2	<2	3.3	Y	Absent		AS-TI(180),AL-TI(180),CR-TI(180),PB-TI(180),MG-TI(180),HG-T(28),FE-TI(180),CA-TI(180),K-TI(180),CD-TI(180),HARDT(180),NA-TI(180)
L2046264-01F	Plastic 500ml unpreserved	B	7	7	3.3	Y	Absent		SO4-4500(28),CL-4500(28),NO3-4500(2),TDS-2540(7)
L2046264-01G	Plastic 500ml H2SO4 preserved	B	<2	<2	3.3	Y	Absent		NH3-4500(28)
L2046264-02A	Vial Na2S2O3 preserved	B	NA		3.3	Y	Absent		624.1(3)
L2046264-02B	Vial Na2S2O3 preserved	B	NA		3.3	Y	Absent		624.1(3)
L2046264-02C	Vial Na2S2O3 preserved	B	NA		3.3	Y	Absent		624.1(3)
L2046264-02D	Plastic 250ml unpreserved/No Headspace	B	NA		3.3	Y	Absent		ALK-HCO3-2320(14)
L2046264-02E	Plastic 250ml HNO3 preserved	B	<2	<2	3.3	Y	Absent		AS-TI(180),AL-TI(180),CR-TI(180),PB-TI(180),MG-TI(180),FE-TI(180),HG-T(28),CD-TI(180),NA-TI(180),HARDT(180),K-TI(180),CA-TI(180)
L2046264-02F	Plastic 500ml unpreserved	B	7	7	3.3	Y	Absent		SO4-4500(28),CL-4500(28),NO3-4500(2),TDS-2540(7)
L2046264-02G	Plastic 500ml H2SO4 preserved	B	<2	<2	3.3	Y	Absent		NH3-4500(28)
L2046264-03A	Vial Na2S2O3 preserved	B	NA		3.3	Y	Absent		624.1(3)
L2046264-03A1	Vial Na2S2O3 preserved	B	NA		3.3	Y	Absent		624.1(3)
L2046264-03A2	Vial Na2S2O3 preserved	B	NA		3.3	Y	Absent		624.1(3)
L2046264-03B	Vial Na2S2O3 preserved	B	NA		3.3	Y	Absent		624.1(3)
L2046264-03B1	Vial Na2S2O3 preserved	B	NA		3.3	Y	Absent		624.1(3)
L2046264-03B2	Vial Na2S2O3 preserved	B	NA		3.3	Y	Absent		624.1(3)

*Values in parentheses indicate holding time in days



Project Name: EAST NORTHPORT GROUNDWATER
Project Number: Not Specified

Serial_No: 10302019:19
Lab Number: L2046264
Report Date: 10/30/20

Container Information

Container ID	Container Type	Cooler	Initial pH	Final pH	Temp deg C	Pres	Seal	Frozen Date/Time	Analysis(*)
L2046264-03C	Vial Na2S2O3 preserved	B	NA		3.3	Y	Absent		624.1(3)
L2046264-03C1	Vial Na2S2O3 preserved	B	NA		3.3	Y	Absent		624.1(3)
L2046264-03C2	Vial Na2S2O3 preserved	B	NA		3.3	Y	Absent		624.1(3)
L2046264-03D	Plastic 250ml unpreserved/No Headspace	B	NA		3.3	Y	Absent		ALK-HCO3-2320(14)
L2046264-03D1	Plastic 120ml unpreserved/No Headspace	B	NA		3.3	Y	Absent		ALK-HCO3-2320(14)
L2046264-03D2	Plastic 120ml unpreserved/No Headspace	B	NA		3.3	Y	Absent		ALK-HCO3-2320(14)
L2046264-03E	Plastic 250ml HNO3 preserved	B	<2	<2	3.3	Y	Absent		AS-TI(180),AL-TI(180),CR-TI(180),PB-TI(180),MG-TI(180),FE-TI(180),HG-T(28),CA-TI(180),CD-TI(180),K-TI(180),NA-TI(180),HARDT(180)
L2046264-03E1	Plastic 250ml HNO3 preserved	B	<2	<2	3.3	Y	Absent		AS-TI(180),AL-TI(180),CR-TI(180),PB-TI(180),MG-TI(180),FE-TI(180),HG-T(28),CA-TI(180),CD-TI(180),K-TI(180),NA-TI(180),HARDT(180)
L2046264-03E2	Plastic 250ml HNO3 preserved	B	<2	<2	3.3	Y	Absent		AS-TI(180),AL-TI(180),CR-TI(180),PB-TI(180),MG-TI(180),FE-TI(180),HG-T(28),CA-TI(180),CD-TI(180),K-TI(180),NA-TI(180),HARDT(180)
L2046264-03F	Plastic 500ml unpreserved	B	7	7	3.3	Y	Absent		SO4-4500(28),CL-4500(28),NO3-4500(2),TDS-2540(7)
L2046264-03F1	Plastic 500ml unpreserved	B	NA		3.3	Y	Absent		SO4-4500(28),CL-4500(28),NO3-4500(2),TDS-2540(7)
L2046264-03F2	Plastic 500ml unpreserved	B	NA		3.3	Y	Absent		SO4-4500(28),CL-4500(28),NO3-4500(2),TDS-2540(7)
L2046264-03G	Plastic 500ml H2SO4 preserved	B	<2	<2	3.3	Y	Absent		NH3-4500(28)
L2046264-03G1	Plastic 500ml H2SO4 preserved	B	NA		3.3	Y	Absent		NH3-4500(28)
L2046264-03G2	Plastic 500ml H2SO4 preserved	B	NA		3.3	Y	Absent		NH3-4500(28)
L2046264-04A	Vial Na2S2O3 preserved	B	NA		3.3	Y	Absent		624.1(3)
L2046264-04B	Vial Na2S2O3 preserved	B	NA		3.3	Y	Absent		624.1(3)
L2046264-04C	Vial Na2S2O3 preserved	B	NA		3.3	Y	Absent		624.1(3)
L2046264-04D	Plastic 250ml unpreserved/No Headspace	B	NA		3.3	Y	Absent		ALK-HCO3-2320(14)
L2046264-04E	Plastic 250ml HNO3 preserved	B	<2	<2	3.3	Y	Absent		AS-TI(180),AL-TI(180),CR-TI(180),PB-TI(180),FE-TI(180),MG-TI(180),HG-T(28),CA-TI(180),HARDT(180),NA-TI(180),K-TI(180),CD-TI(180)
L2046264-04F	Plastic 500ml unpreserved	B	7	7	3.3	Y	Absent		SO4-4500(28),CL-4500(28),NO3-4500(2),TDS-2540(7)

*Values in parentheses indicate holding time in days



Project Name: EAST NORTHPORT GROUNDWATER
Project Number: Not Specified

Serial_No:10302019:19
Lab Number: L2046264
Report Date: 10/30/20

Container Information

Container ID	Container Type	Cooler	Initial pH	Final pH	Temp deg C	Pres	Seal	Frozen Date/Time	Analysis(*)
L2046264-04G	Plastic 500ml H2SO4 preserved	B	<2	<2	3.3	Y	Absent		NH3-4500(28)
L2046264-05A	Vial Na2S2O3 preserved	B	NA		3.3	Y	Absent		624.1(3)
L2046264-05B	Vial Na2S2O3 preserved	B	NA		3.3	Y	Absent		624.1(3)
L2046264-05C	Vial Na2S2O3 preserved	B	NA		3.3	Y	Absent		624.1(3)
L2046264-05D	Plastic 250ml unpreserved/No Headspace	B	NA		3.3	Y	Absent		ALK-HCO3-2320(14)
L2046264-05E	Plastic 250ml HNO3 preserved	B	<2	<2	3.3	Y	Absent		AS-TI(180),CR-TI(180),AL-TI(180),PB-TI(180),HG-T(28),FE-TI(180),MG-TI(180),NA-TI(180),HARDT(180),CD-TI(180),CA-TI(180),K-TI(180)
L2046264-05F	Plastic 500ml unpreserved	B	7	7	3.3	Y	Absent		SO4-4500(28),CL-4500(28),NO3-4500(2),TDS-2540(7)
L2046264-05G	Plastic 500ml H2SO4 preserved	B	<2	<2	3.3	Y	Absent		NH3-4500(28)
L2046264-06A	Vial Na2S2O3 preserved	B	NA		3.3	Y	Absent		624.1(3)
L2046264-06B	Vial Na2S2O3 preserved	B	NA		3.3	Y	Absent		624.1(3)
L2046264-06C	Vial Na2S2O3 preserved	B	NA		3.3	Y	Absent		624.1(3)
L2046264-06D	Plastic 250ml unpreserved/No Headspace	B	NA		3.3	Y	Absent		ALK-HCO3-2320(14)
L2046264-06E	Plastic 250ml HNO3 preserved	B	<2	<2	3.3	Y	Absent		AS-TI(180),AL-TI(180),CR-TI(180),PB-TI(180),MG-TI(180),FE-TI(180),HG-T(28),CA-TI(180),CD-TI(180),NA-TI(180),K-TI(180),HARDT(180)
L2046264-06F	Plastic 500ml unpreserved	B	7	7	3.3	Y	Absent		SO4-4500(28),CL-4500(28),NO3-4500(2),TDS-2540(7)
L2046264-06G	Plastic 500ml H2SO4 preserved	B	<2	<2	3.3	Y	Absent		NH3-4500(28)
L2046264-07A	Vial Na2S2O3 preserved	B	NA		3.3	Y	Absent		624.1(3)
L2046264-07B	Vial Na2S2O3 preserved	B	NA		3.3	Y	Absent		624.1(3)
L2046264-07C	Vial Na2S2O3 preserved	B	NA		3.3	Y	Absent		624.1(3)
L2046264-08A	Vial Na2S2O3 preserved	B	NA		3.3	Y	Absent		624.1(3)
L2046264-08B	Vial Na2S2O3 preserved	B	NA		3.3	Y	Absent		624.1(3)

*Values in parentheses indicate holding time in days



Project Name: EAST NORTHPORT GROUNDWATER**Lab Number:** L2046264**Project Number:** Not Specified**Report Date:** 10/30/20

GLOSSARY

Acronyms

DL	- Detection Limit: This value represents the level to which target analyte concentrations are reported as estimated values, when those target analyte concentrations are quantified below the limit of quantitation (LOQ). The DL includes any adjustments from dilutions, concentrations or moisture content, where applicable. (DoD report formats only.)
EDL	- Estimated Detection Limit: This value represents the level to which target analyte concentrations are reported as estimated values, when those target analyte concentrations are quantified below the reporting limit (RL). The EDL includes any adjustments from dilutions, concentrations or moisture content, where applicable. The use of EDLs is specific to the analysis of PAHs using Solid-Phase Microextraction (SPME).
EMPC	- Estimated Maximum Possible Concentration: The concentration that results from the signal present at the retention time of an analyte when the ions meet all of the identification criteria except the ion abundance ratio criteria. An EMPC is a worst-case estimate of the concentration.
EPA	- Environmental Protection Agency.
LCS	- Laboratory Control Sample: A sample matrix, free from the analytes of interest, spiked with verified known amounts of analytes or a material containing known and verified amounts of analytes.
LCSD	- Laboratory Control Sample Duplicate: Refer to LCS.
LFB	- Laboratory Fortified Blank: A sample matrix, free from the analytes of interest, spiked with verified known amounts of analytes or a material containing known and verified amounts of analytes.
LOD	- Limit of Detection: This value represents the level to which a target analyte can reliably be detected for a specific analyte in a specific matrix by a specific method. The LOD includes any adjustments from dilutions, concentrations or moisture content, where applicable. (DoD report formats only.)
LOQ	- Limit of Quantitation: The value at which an instrument can accurately measure an analyte at a specific concentration. The LOQ includes any adjustments from dilutions, concentrations or moisture content, where applicable. (DoD report formats only.)
	Limit of Quantitation: The value at which an instrument can accurately measure an analyte at a specific concentration. The LOQ includes any adjustments from dilutions, concentrations or moisture content, where applicable. (DoD report formats only.)
MDL	- Method Detection Limit: This value represents the level to which target analyte concentrations are reported as estimated values, when those target analyte concentrations are quantified below the reporting limit (RL). The MDL includes any adjustments from dilutions, concentrations or moisture content, where applicable.
MS	- Matrix Spike Sample: A sample prepared by adding a known mass of target analyte to a specified amount of matrix sample for which an independent estimate of target analyte concentration is available. For Method 332.0, the spike recovery is calculated using the native concentration, including estimated values.
MSD	- Matrix Spike Sample Duplicate: Refer to MS.
NA	- Not Applicable.
NC	- Not Calculated: Term is utilized when one or more of the results utilized in the calculation are non-detect at the parameter's reporting unit.
NDPA/DPA	- N-Nitrosodiphenylamine/Diphenylamine.
NI	- Not Ignitable.
NP	- Non-Plastic: Term is utilized for the analysis of Atterberg Limits in soil.
NR	- No Results: Term is utilized when 'No Target Compounds Requested' is reported for the analysis of Volatile or Semivolatile Organic TIC only requests.
RL	- Reporting Limit: The value at which an instrument can accurately measure an analyte at a specific concentration. The RL includes any adjustments from dilutions, concentrations or moisture content, where applicable.
RPD	- Relative Percent Difference: The results from matrix and/or matrix spike duplicates are primarily designed to assess the precision of analytical results in a given matrix and are expressed as relative percent difference (RPD). Values which are less than five times the reporting limit for any individual parameter are evaluated by utilizing the absolute difference between the values; although the RPD value will be provided in the report.
SRM	- Standard Reference Material: A reference sample of a known or certified value that is of the same or similar matrix as the associated field samples.
STLP	- Semi-dynamic Tank Leaching Procedure per EPA Method 1315.
TEF	- Toxic Equivalency Factors: The values assigned to each dioxin and furan to evaluate their toxicity relative to 2,3,7,8-TCDD.
TEQ	- Toxic Equivalent: The measure of a sample's toxicity derived by multiplying each dioxin and furan by its corresponding TEF and then summing the resulting values.
TIC	- Tentatively Identified Compound: A compound that has been identified to be present and is not part of the target compound list (TCL) for the method and/or program. All TICs are qualitatively identified and reported as estimated concentrations.

Report Format: DU Report with 'J' Qualifiers

Project Name: EAST NORTHPORT GROUNDWATER**Lab Number:** L2046264**Project Number:** Not Specified**Report Date:** 10/30/20**Footnotes**

- 1 - The reference for this analyte should be considered modified since this analyte is absent from the target analyte list of the original method.

Terms

Analytical Method: Both the document from which the method originates and the analytical reference method. (Example: EPA 8260B is shown as 1,8260B.) The codes for the reference method documents are provided in the References section of the Addendum.

Difference: With respect to Total Oxidizable Precursor (TOP) Assay analysis, the difference is defined as the Post-Treatment value minus the Pre-Treatment value.

Final pH: As it pertains to Sample Receipt & Container Information section of the report, Final pH reflects pH of container determined after adjustment at the laboratory, if applicable. If no adjustment required, value reflects Initial pH.

Frozen Date/Time: With respect to Volatile Organics in soil, Frozen Date/Time reflects the date/time at which associated Reagent Water-preserved vials were initially frozen. Note: If frozen date/time is beyond 48 hours from sample collection, value will be reflected in 'bold'.

Initial pH: As it pertains to Sample Receipt & Container Information section of the report, Initial pH reflects pH of container determined upon receipt, if applicable.

PAH Total: With respect to Alkylated PAH analyses, the 'PAHs, Total' result is defined as the summation of results for all or a subset of the following compounds: Naphthalene, C1-C4 Naphthalenes, 2-Methylnaphthalene, 1-Methylnaphthalene, Biphenyl, Acenaphthylene, Acenaphthene, Fluorene, C1-C3 Fluorenes, Phenanthrene, C1-C4 Phenanthrenes/Anthracenes, Anthracene, Fluoranthene, Pyrene, C1-C4 Fluoranthenes/Pyrenes, Benz(a)anthracene, Chrysene, C1-C4 Chrysenes, Benzo(b)fluoranthene, Benzo(j)+(k)fluoranthene, Benzo(e)pyrene, Benzo(a)pyrene, Perylene, Indeno(1,2,3-cd)pyrene, Dibenz(ah)+(ac)anthracene, Benzo(g,h,i)perylene. If a 'Total' result is requested, the results of its individual components will also be reported.

PFAS Total: With respect to PFAS analyses, the 'PFAS, Total (5)' result is defined as the summation of results for: PFHpA, PFHxS, PFOA, PFNA and PFOS. If a 'Total' result is requested, the results of its individual components will also be reported.

The target compound Chlordane (CAS No. 57-74-9) is reported for GC ECD analyses. Per EPA, this compound "refers to a mixture of chlordane isomers, other chlorinated hydrocarbons and numerous other components." (Reference: USEPA Toxicological Review of Chlordane, In Support of Summary Information on the Integrated Risk Information System (IRIS), December 1997.)

Total: With respect to Organic analyses, a 'Total' result is defined as the summation of results for individual isomers or Aroclors. If a 'Total' result is requested, the results of its individual components will also be reported. This is applicable to 'Total' results for methods 8260, 8081 and 8082.

Data Qualifiers

- A** - Spectra identified as "Aldol Condensates" are byproducts of the extraction/concentration procedures when acetone is introduced in the process.
- B** - The analyte was detected above the reporting limit in the associated method blank. Flag only applies to associated field samples that have detectable concentrations of the analyte at less than ten times (10x) the concentration found in the blank. For MCP-related projects, flag only applies to associated field samples that have detectable concentrations of the analyte at less than ten times (10x) the concentration found in the blank. For DOD-related projects, flag only applies to associated field samples that have detectable concentrations of the analyte at less than ten times (10x) the concentration found in the blank AND the analyte was detected above one-half the reporting limit (or above the reporting limit for common lab contaminants) in the associated method blank. For NJ-Air-related projects, flag only applies to associated field samples that have detectable concentrations of the analyte above the reporting limit. For NJ-related projects (excluding Air), flag only applies to associated field samples that have detectable concentrations of the analyte, which was detected above the reporting limit in the associated method blank or above five times the reporting limit for common lab contaminants (Phthalates, Acetone, Methylene Chloride, 2-Butanone).
- C** - Co-elution: The target analyte co-elutes with a known lab standard (i.e. surrogate, internal standards, etc.) for co-extracted analyses.
- D** - Concentration of analyte was quantified from diluted analysis. Flag only applies to field samples that have detectable concentrations of the analyte.
- E** - Concentration of analyte exceeds the range of the calibration curve and/or linear range of the instrument.
- F** - The ratio of quantifier ion response to qualifier ion response falls outside of the laboratory criteria. Results are considered to be an estimated maximum concentration.
- G** - The concentration may be biased high due to matrix interferences (i.e. co-elution) with non-target compound(s). The result should be considered estimated.
- H** - The analysis of pH was performed beyond the regulatory-required holding time of 15 minutes from the time of sample collection.
- I** - The lower value for the two columns has been reported due to obvious interference.
- J** - Estimated value. The Target analyte concentration is below the quantitation limit (RL), but above the Method Detection Limit (MDL) or Estimated Detection Limit (EDL) for SPME-related analyses. This represents an estimated concentration for Tentatively Identified Compounds (TICs).
- M** - Reporting Limit (RL) exceeds the MCP CAM Reporting Limit for this analyte.
- ND** - Not detected at the method detection limit (MDL) for the sample, or estimated detection limit (EDL) for SPME-related analyses.
- NJ** - Presumptive evidence of compound. This represents an estimated concentration for Tentatively Identified Compounds (TICs), where

Report Format: DU Report with 'J' Qualifiers



Project Name: EAST NORTHPORT GROUNDWATER
Project Number: Not Specified

Lab Number: L2046264
Report Date: 10/30/20

Data Qualifiers

the identification is based on a mass spectral library search.

- P** - The RPD between the results for the two columns exceeds the method-specified criteria.
- Q** - The quality control sample exceeds the associated acceptance criteria. For DOD-related projects, LCS and/or Continuing Calibration Standard exceedences are also qualified on all associated sample results. Note: This flag is not applicable for matrix spike recoveries when the sample concentration is greater than 4x the spike added or for batch duplicate RPD when the sample concentrations are less than 5x the RL. (Metals only.)
- R** - Analytical results are from sample re-analysis.
- RE** - Analytical results are from sample re-extraction.
- S** - Analytical results are from modified screening analysis.

Report Format: DU Report with 'J' Qualifiers



Project Name: EAST NORTHPORT GROUNDWATER
Project Number: Not Specified

Lab Number: L2046264
Report Date: 10/30/20

REFERENCES

- 1 Test Methods for Evaluating Solid Waste: Physical/Chemical Methods. EPA SW-846. Third Edition. Updates I - VI, 2018.
- 121 Standard Methods for the Examination of Water and Wastewater. APHA-AWWA-WEF. Standard Methods Online.
- 128 Method 624.1: Purgeables by GC/MS, EPA 821-R-16-008, December 2016.

LIMITATION OF LIABILITIES

Alpha Analytical performs services with reasonable care and diligence normal to the analytical testing laboratory industry. In the event of an error, the sole and exclusive responsibility of Alpha Analytical shall be to re-perform the work at it's own expense. In no event shall Alpha Analytical be held liable for any incidental, consequential or special damages, including but not limited to, damages in any way connected with the use of, interpretation of, information or analysis provided by Alpha Analytical.

We strongly urge our clients to comply with EPA protocol regarding sample volume, preservation, cooling, containers, sampling procedures, holding time and splitting of samples in the field.



Certification Information

The following analytes are not included in our Primary NELAP Scope of Accreditation:

Westborough Facility

EPA 624/624.1: m/p-xylene, o-xylene, Naphthalene

EPA 8260C: NPW: 1,2,4,5-Tetramethylbenzene; 4-Ethyltoluene, Azobenzene; SCM: Iodomethane (methyl iodide), 1,2,4,5-Tetramethylbenzene; 4-Ethyltoluene.

EPA 8270D: NPW: Dimethylnaphthalene, 1,4-Diphenylhydrazine; SCM: Dimethylnaphthalene, 1,4-Diphenylhydrazine.

SM4500: NPW: Amenable Cyanide; SCM: Total Phosphorus, TKN, NO₂, NO₃.

Mansfield Facility

SM 2540D: TSS

EPA 8082A: NPW: PCB: 1, 5, 31, 87, 101, 110, 141, 151, 153, 180, 183, 187.

EPA TO-15: Halothane, 2,4,4-Trimethyl-2-pentene, 2,4,4-Trimethyl-1-pentene, Thiophene, 2-Methylthiophene, 3-Methylthiophene, 2-Ethylthiophene, 1,2,3-Trimethylbenzene, Indan, Indene, 1,2,4,5-Tetramethylbenzene, Benzothiophene, 1-Methylnaphthalene.

EPA TO-12 Non-methane organics

EPA 3C Fixed gases

Biological Tissue Matrix: EPA 3050B

The following analytes are included in our Massachusetts DEP Scope of Accreditation

Westborough Facility:

Drinking Water

EPA 300.0: Chloride, Nitrate-N, Fluoride, Sulfate; **EPA 353.2:** Nitrate-N, Nitrite-N; **SM4500NO3-F:** Nitrate-N, Nitrite-N; **SM4500F-C, SM4500CN-CE,**

EPA 180.1, SM2130B, SM4500CI-D, SM2320B, SM2540C, SM4500H-B, SM4500NO2-B

EPA 332: Perchlorate; **EPA 524.2:** THMs and VOCs; **EPA 504.1:** EDB, DBCP.

Microbiology: SM9215B; SM9223-P/A, SM9223B-Colilert-QT, SM9222D.

Non-Potable Water

SM4500H,B, EPA 120.1, SM2510B, SM2540C, SM2320B, SM4500CL-E, SM4500F-BC, SM4500NH3-BH: Ammonia-N and Kjeldahl-N, **EPA 350.1:** Ammonia-N, **LACHAT 10-107-06-1-B:** Ammonia-N, **EPA 351.1, SM4500NO3-F, EPA 353.2:** Nitrate-N, **SM4500P-E, SM4500P-B, E, SM4500SO4-E, SM5220D, EPA 410.4, SM5210B, SM5310C, SM4500CL-D, EPA 1664, EPA 420.1, SM4500-CN-CE, SM2540D, EPA 300:** Chloride, Sulfate, Nitrate.

EPA 624.1: Volatile Halocarbons & Aromatics,

EPA 608.3: Chlordane, Toxaphene, Aldrin, alpha-BHC, beta-BHC, gamma-BHC, delta-BHC, Dieldrin, DDD, DDE, DDT, Endosulfan I, Endosulfan II, Endosulfan sulfate, Endrin, Endrin Aldehyde, Heptachlor, Heptachlor Epoxide, PCBs

EPA 625.1: SVOC (Acid/Base/Neutral Extractables), **EPA 600/4-81-045:** PCB-Oil.

Microbiology: SM9223B-Colilert-QT; Enterolert-QT, SM9221E, EPA 1600, EPA 1603.

Mansfield Facility:

Drinking Water

EPA 200.7: Al, Ba, Cd, Cr, Cu, Fe, Mn, Ni, Na, Ag, Ca, Zn. **EPA 200.8:** Al, Sb, As, Ba, Be, Cd, Cr, Cu, Pb, Mn, Ni, Se, Ag, TL, Zn. **EPA 245.1** Hg.

EPA 522.

Non-Potable Water

EPA 200.7: Al, Sb, As, Be, Cd, Ca, Cr, Co, Cu, Fe, Pb, Mg, Mn, Mo, Ni, K, Se, Ag, Na, Sr, TL, Ti, V, Zn.

EPA 200.8: Al, Sb, As, Be, Cd, Cr, Cu, Fe, Pb, Mn, Ni, K, Se, Ag, Na, TL, Zn.

EPA 245.1 Hg.

SM2340B

For a complete listing of analytes and methods, please contact your Alpha Project Manager.

CHAIN OF CUSTODY					PAGE 1 OF 1		Date Rec'd in Lab: 10/23/20		ALPHA Job #: L2046264						
Project Information					Report Information		Data Deliverables		Billing Information						
Westborough, MA Mansfield, MA TEL: 508-898-9220 TEL: 508-822-9300 FAX: 508-898-9193 FAX: 508-822-3288					<input type="checkbox"/> FAX <input checked="" type="checkbox"/> EMAIL <input checked="" type="checkbox"/> ADEx <input type="checkbox"/> Add'l Deliverables		<input checked="" type="checkbox"/> Same as Client info PO #:								
Client Information					Regulatory Requirements/Report Limits										
Client: RNC Environmental Geology, P.C. Phone: 631-482-9590 Fax: 631-482-9593 Email: rcasson@rncenvironmental.com <input type="checkbox"/> These samples have been Previously analyzed by Alpha					State/Fed Program: _____ Criteria: _____ NYCRR Part 350: _____										
Turn-Around Time					MCP PRESUMPTIVE CERTAINTY-CT REASONABLE CONFIDENCE PROTOCOLS										
Project Name: EAST NANTUCKET GROUNDCONTAMINATION Project Location: EAST NANTUCKET Project #: _____ Project Manager: BOB CASSIN ALPHA Quote #: 4560					<input checked="" type="checkbox"/> Standard <input type="checkbox"/> Rush (ONLY IF PRE-APPROVED)		<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Are MCP Analytical Methods Required?		<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Are CT RCP (Reasonable Confidence Protocols) Required?						
Other Project Specific Requirements/Comments/Detection Limits:					ANALYSIS										
Groundwater Program Total Metals - Al, As, Cr, Cd, Ca, Fe, Pb, Mg, Hg, K, Na					VOC-624 NH3-Ammonia Alkalinity/Bicarbonate Nitrate, Chloride, TDS Hardness & Total Metals Sulfate							SAMPLE HANDLING <input type="checkbox"/> Done <input type="checkbox"/> Not Needed <input type="checkbox"/> Lab to do <input type="checkbox"/> Lab to do (Please specify below)			
ALPHA Lab ID (Lab Use Only)	Sample ID	Collection Date	Collection Time	Sample Matrix	Sampler's Initials	VOC-624	NH3-Ammonia	Alkalinity/Bicarbonate	Nitrate, Chloride, TDS	Hardness & Total Metals	Sulfate	Sample Specific Comments		TOTAL # SUBMITTEES	
46264-01	EN1-M	10/23/20	945			<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>				*
-02	CW1-M		1030			<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>				*
-03	CW1-S		1055			<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>				*
-03	CW1-S(m.s)		1055			<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>				*
-03	CW1-S(m.s.d)		1055			<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>				*
-04	EN7-M		1145			<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>				*
-05	EN10-M		1300			<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>				*
-06	GW-DUP		-			<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>				*
-07	FB-1		1140			<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>				*
-08	TB-GW		-			<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>			*	
PLEASE ANSWER QUESTIONS ABOVE!					Container Type: V P P P P P - - - - - Preservative: H D A A C A - - - - -		Retinquished By: RBIR AAL Date/Time: 10/23/20 Received By: RBIR AAL Date/Time: 10/23/20 16:15 Received By: AAL Date/Time: 10/23/20 01:30					Please print clearly, legibly and completely. Samples can not be logged in and turnaround time clock will not start until any ambiguities are resolved. All samples submitted are subject to Alpha's Payment Terms.			
IS YOUR PROJECT MA MCP or CT RCP? FORM NO. 81-010 (REV. 06/14/07)															



ANALYTICAL REPORT

Lab Number:	L2046265
Client:	RNC Environmental Geology, P.C. 72 Bellerose Avenue East Northport, NY 11731
ATTN:	Robert Casson
Phone:	(631) 482-9590
Project Name:	EAST NORTHPORT GROUNDWATER
Project Number:	Not Specified
Report Date:	11/06/20

The original project report/data package is held by Alpha Analytical. This report/data package is paginated and should be reproduced only in its entirety. Alpha Analytical holds no responsibility for results and/or data that are not consistent with the original.

Certifications & Approvals: MA (M-MA030), NH NELAP (2062), CT (PH-0141), DoD (L2474), FL (E87814), IL (200081), LA (85084), ME (MA00030), MD (350), NJ (MA015), NY (11627), NC (685), OH (CL106), PA (68-02089), RI (LAO00299), TX (T104704419), VT (VT-0015), VA (460194), WA (C954), US Army Corps of Engineers, USDA (Permit #P330-17-00150), USFWS (Permit #206964).

320 Forbes Boulevard, Mansfield, MA 02048-1806
508-822-9300 (Fax) 508-822-3288 800-624-9220 - www.alphalab.com



Serial_No:11062015:34

Project Name: EAST NORTHPORT GROUNDWATER
Project Number: Not Specified

Lab Number: L2046265
Report Date: 11/06/20

Alpha Sample ID	Client ID	Matrix	Sample Location	Collection Date/Time	Receive Date
L2046265-01	EN1-M	WATER	Not Specified	10/23/20 09:45	10/23/20
L2046265-02	EN7-M	WATER	Not Specified	10/23/20 11:45	10/23/20
L2046265-03	EN10-M	WATER	Not Specified	10/23/20 13:00	10/23/20
L2046265-04	DUP	WATER	Not Specified	10/23/20 00:00	10/23/20
L2046265-05	FB	FIELD BLANK	Not Specified	10/23/20 12:55	10/23/20

Project Name: EAST NORTHPORT GROUNDWATER
Project Number: Not Specified

Lab Number: L2046265
Report Date: 11/06/20

Case Narrative

The samples were received in accordance with the Chain of Custody and no significant deviations were encountered during the preparation or analysis unless otherwise noted. Sample Receipt, Container Information, and the Chain of Custody are located at the back of the report.

Results contained within this report relate only to the samples submitted under this Alpha Lab Number and meet NELAP requirements for all NELAP accredited parameters unless otherwise noted in the following narrative. The data presented in this report is organized by parameter (i.e. VOC, SVOC, etc.). Sample specific Quality Control data (i.e. Surrogate Spike Recovery) is reported at the end of the target analyte list for each individual sample, followed by the Laboratory Batch Quality Control at the end of each parameter. Tentatively Identified Compounds (TICs), if requested, are reported for compounds identified to be present and are not part of the method/program Target Compound List, even if only a subset of the TCL are being reported. If a sample was re-analyzed or re-extracted due to a required quality control corrective action and if both sets of data are reported, the Laboratory ID of the re-analysis or re-extraction is designated with an "R" or "RE", respectively.

When multiple Batch Quality Control elements are reported (e.g. more than one LCS), the associated samples for each element are noted in the grey shaded header line of each data table. Any Laboratory Batch, Sample Specific % recovery or RPD value that is outside the listed Acceptance Criteria is bolded in the report. In reference to questions H (CAM) or 4 (RCP) when "NO" is checked, the performance criteria for CAM and RCP methods allow for some quality control failures to occur and still be within method compliance. In these instances, the specific failure is not narrated but noted in the associated QC Outlier Summary Report, located directly after the Case Narrative. QC information is also incorporated in the Data Usability Assessment table (Format 11) of our Data Merger tool, where it can be reviewed in conjunction with the sample result, associated regulatory criteria and any associated data usability implications.

Soil/sediments, solids and tissues are reported on a dry weight basis unless otherwise noted. Definitions of all data qualifiers and acronyms used in this report are provided in the Glossary located at the back of the report.

HOLD POLICY - For samples submitted on hold, Alpha's policy is to hold samples (with the exception of Air canisters) free of charge for 21 calendar days from the date the project is completed. After 21 calendar days, we will dispose of all samples submitted including those put on hold unless you have contacted your Alpha Project Manager and made arrangements for Alpha to continue to hold the samples. Air canisters will be disposed after 3 business days from the date the project is completed.

Please contact Project Management at 800-624-9220 with any questions.

Project Name: EAST NORTHPORT GROUNDWATER
Project Number: Not Specified

Lab Number: L2046265
Report Date: 11/06/20

Case Narrative (continued)

Report Submission


November 6, 2020: Final report.

November 2, 2020: Preliminary report.

All non-detect (ND) or estimated concentrations (J-qualified) have been quantitated to the limit noted in the MDL column.

I, the undersigned, attest under the pains and penalties of perjury that, to the best of my knowledge and belief and based upon my personal inquiry of those responsible for providing the information contained in this analytical report, such information is accurate and complete. This certificate of analysis is not complete unless this page accompanies any and all pages of this report.

Authorized Signature:



Susan O'Neil

Title: Technical Director/Representative

Date: 11/06/20

ORGANICS

SEMIVOLATILES

Project Name: EAST NORTHPORT GROUNDWATER**Lab Number:** L2046265**Project Number:** Not Specified**Report Date:** 11/06/20**SAMPLE RESULTS**

Lab ID: L2046265-01

Date Collected: 10/23/20 09:45

Client ID: EN1-M

Date Received: 10/23/20

Sample Location: Not Specified

Field Prep: Not Specified

Sample Depth:

Matrix: Water

Extraction Method: EPA 3510C

Analytical Method: 1,8270D-SIM

Extraction Date: 10/29/20 10:45

Analytical Date: 11/01/20 14:45

Analyst: PS

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
1,4 Dioxane by 8270D-SIM - Mansfield Lab						
1,4-Dioxane	ND		ng/l	156	35.3	1
Surrogate			% Recovery	Qualifier	Acceptance Criteria	
1,4-Dioxane-d8			39		15-110	

Project Name: EAST NORTHPORT GROUNDWATER
Project Number: Not Specified

Lab Number: L2046265
Report Date: 11/06/20

SAMPLE RESULTS

Lab ID: L2046265-01
 Client ID: EN1-M
 Sample Location: Not Specified

Date Collected: 10/23/20 09:45
 Date Received: 10/23/20
 Field Prep: Not Specified

Sample Depth:

Matrix: Water
 Analytical Method: 134,LCMSMS-ID
 Analytical Date: 11/05/20 20:05
 Analyst: SG

Extraction Method: ALPHA 23528
 Extraction Date: 11/05/20 08:30

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Perfluorinated Alkyl Acids by Isotope Dilution - Mansfield Lab						
Perfluorobutanoic Acid (PFBA)	4.53		ng/l	2.09	0.427	1
Perfluoropentanoic Acid (PFPeA)	1.80	J	ng/l	2.09	0.414	1
Perfluorobutanesulfonic Acid (PFBS)	0.440	J	ng/l	2.09	0.249	1
Perfluorohexanoic Acid (PFHxA)	1.77	J	ng/l	2.09	0.343	1
Perfluoroheptanoic Acid (PFHpA)	1.32	J	ng/l	2.09	0.236	1
Perfluorohexanesulfonic Acid (PFHxS)	ND		ng/l	2.09	0.394	1
Perfluorooctanoic Acid (PFOA)	1.26	J	ng/l	2.09	0.247	1
1H,1H,2H,2H-Perfluorooctanesulfonic Acid (6:2FTS)	ND		ng/l	2.09	1.39	1
Perfluoroheptanesulfonic Acid (PFHpS)	ND		ng/l	2.09	0.720	1
Perfluorononanoic Acid (PFNA)	0.808	J	ng/l	2.09	0.327	1
Perfluorooctanesulfonic Acid (PFOS)	1.50	J	ng/l	2.09	0.528	1
Perfluorodecanoic Acid (PFDA)	0.611	JF	ng/l	2.09	0.318	1
1H,1H,2H,2H-Perfluorodecanesulfonic Acid (8:2FTS)	ND		ng/l	2.09	1.27	1
N-Methyl Perfluorooctanesulfonamidoacetic Acid (NMeFOSAA)	ND		ng/l	2.09	0.678	1
Perfluoroundecanoic Acid (PFUnA)	ND		ng/l	2.09	0.272	1
Perfluorodecanesulfonic Acid (PFDS)	ND		ng/l	2.09	1.02	1
Perfluorooctanesulfonamide (FOSA)	ND		ng/l	2.09	0.607	1
N-Ethyl Perfluorooctanesulfonamidoacetic Acid (NEtFOSAA)	ND		ng/l	2.09	0.842	1
Perfluorododecanoic Acid (PFDoA)	ND		ng/l	2.09	0.389	1
Perfluorotridecanoic Acid (PFTTrDA)	ND		ng/l	2.09	0.342	1
Perfluorotetradecanoic Acid (PFTA)	ND		ng/l	2.09	0.260	1
PFOA/PFOS, Total	2.76	J	ng/l	2.09	0.247	1

Project Name: EAST NORTHPORT GROUNDWATER**Lab Number:** L2046265**Project Number:** Not Specified**Report Date:** 11/06/20**SAMPLE RESULTS**

Lab ID: L2046265-01

Date Collected: 10/23/20 09:45

Client ID: EN1-M

Date Received: 10/23/20

Sample Location: Not Specified

Field Prep: Not Specified

Sample Depth:

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Perfluorinated Alkyl Acids by Isotope Dilution - Mansfield Lab						

Surrogate (Extracted Internal Standard)	% Recovery	Qualifier	Acceptance Criteria
Perfluoro[13C4]Butanoic Acid (MPFBA)	109		2-156
Perfluoro[13C5]Pentanoic Acid (M5PFPEA)	99		16-173
Perfluoro[2,3,4-13C3]Butanesulfonic Acid (M3PFBS)	96		31-159
Perfluoro[1,2,3,4,6-13C5]Hexanoic Acid (M5PFHxA)	82		21-145
Perfluoro[1,2,3,4-13C4]Heptanoic Acid (M4PFHpA)	100		30-139
Perfluoro[1,2,3-13C3]Hexanesulfonic Acid (M3PFHxS)	91		47-153
Perfluoro[13C8]Octanoic Acid (M8PFOA)	111		36-149
1H,1H,2H,2H-Perfluoro[1,2-13C2]Octanesulfonic Acid (M2-6:2FTS)	121		1-244
Perfluoro[13C9]Nonanoic Acid (M9PFNA)	116		34-146
Perfluoro[13C8]Octanesulfonic Acid (M8PFOS)	103		42-146
Perfluoro[1,2,3,4,5,6-13C6]Decanoic Acid (M6PFDA)	87		38-144
1H,1H,2H,2H-Perfluoro[1,2-13C2]Decanesulfonic Acid (M2-8:2FTS)	145		7-170
N-Deuteriomethylperfluoro-1-octanesulfonamidoacetic Acid (d3-NMeFOSAA)	73		1-181
Perfluoro[1,2,3,4,5,6,7-13C7]Undecanoic Acid (M7-PFUOA)	103		40-144
Perfluoro[13C8]Octanesulfonamide (M8FOSA)	39		1-87
N-Deuterioethylperfluoro-1-octanesulfonamidoacetic Acid (d5-NEtFOSAA)	75		23-146
Perfluoro[1,2-13C2]Dodecanoic Acid (MPFDOA)	102		24-161
Perfluoro[1,2-13C2]Tetradecanoic Acid (M2PFTEDA)	93		33-143

Project Name: EAST NORTHPORT GROUNDWATER**Lab Number:** L2046265**Project Number:** Not Specified**Report Date:** 11/06/20**SAMPLE RESULTS**

Lab ID: L2046265-02

Date Collected: 10/23/20 11:45

Client ID: EN7-M

Date Received: 10/23/20

Sample Location: Not Specified

Field Prep: Not Specified

Sample Depth:

Matrix: Water

Extraction Method: EPA 3510C

Analytical Method: 1,8270D-SIM

Extraction Date: 10/29/20 10:45

Analytical Date: 11/01/20 15:07

Analyst: PS

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
1,4 Dioxane by 8270D-SIM - Mansfield Lab						
1,4-Dioxane	ND		ng/l	139	31.4	1
Surrogate			% Recovery	Qualifier	Acceptance Criteria	
1,4-Dioxane-d8			36		15-110	

Project Name: EAST NORTHPORT GROUNDWATER**Lab Number:** L2046265**Project Number:** Not Specified**Report Date:** 11/06/20**SAMPLE RESULTS**

Lab ID: L2046265-02

Date Collected: 10/23/20 11:45

Client ID: EN7-M

Date Received: 10/23/20

Sample Location: Not Specified

Field Prep: Not Specified

Sample Depth:

Matrix: Water

Extraction Method: ALPHA 23528

Analytical Method: 134,LCMSMS-ID

Extraction Date: 11/05/20 08:30

Analytical Date: 11/05/20 20:22

Analyst: SG

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Perfluorinated Alkyl Acids by Isotope Dilution - Mansfield Lab						
Perfluorobutanoic Acid (PFBA)	2.32		ng/l	1.75	0.357	1
Perfluoropentanoic Acid (PFPeA)	1.65	J	ng/l	1.75	0.346	1
Perfluorobutanesulfonic Acid (PFBS)	1.40	J	ng/l	1.75	0.208	1
Perfluorohexanoic Acid (PFHxA)	1.60	J	ng/l	1.75	0.287	1
Perfluoroheptanoic Acid (PFHpA)	1.06	J	ng/l	1.75	0.197	1
Perfluorohexanesulfonic Acid (PFHxS)	ND		ng/l	1.75	0.329	1
Perfluorooctanoic Acid (PFOA)	1.22	J	ng/l	1.75	0.206	1
1H,1H,2H,2H-Perfluorooctanesulfonic Acid (6:2FTS)	ND		ng/l	1.75	1.16	1
Perfluoroheptanesulfonic Acid (PFHpS)	ND		ng/l	1.75	0.602	1
Perfluorononanoic Acid (PFNA)	0.353	J	ng/l	1.75	0.273	1
Perfluorooctanesulfonic Acid (PFOS)	0.959	J	ng/l	1.75	0.441	1
Perfluorodecanoic Acid (PFDA)	ND		ng/l	1.75	0.266	1
1H,1H,2H,2H-Perfluorodecanesulfonic Acid (8:2FTS)	ND		ng/l	1.75	1.06	1
N-Methyl Perfluorooctanesulfonamidoacetic Acid (NMeFOSAA)	ND		ng/l	1.75	0.567	1
Perfluoroundecanoic Acid (PFUnA)	ND		ng/l	1.75	0.227	1
Perfluorodecanesulfonic Acid (PFDS)	ND		ng/l	1.75	0.857	1
Perfluorooctanesulfonamide (FOSA)	ND		ng/l	1.75	0.507	1
N-Ethyl Perfluorooctanesulfonamidoacetic Acid (NEtFOSAA)	ND		ng/l	1.75	0.703	1
Perfluorododecanoic Acid (PFDoA)	ND		ng/l	1.75	0.325	1
Perfluorotridecanoic Acid (PFTTrDA)	ND		ng/l	1.75	0.286	1
Perfluorotetradecanoic Acid (PFTA)	ND		ng/l	1.75	0.217	1
PFOA/PFOS, Total	2.18	J	ng/l	1.75	0.206	1

Project Name: EAST NORTHPORT GROUNDWATER
Project Number: Not Specified

Lab Number: L2046265
Report Date: 11/06/20

SAMPLE RESULTS

Lab ID: L2046265-02
 Client ID: EN7-M
 Sample Location: Not Specified

Date Collected: 10/23/20 11:45
 Date Received: 10/23/20
 Field Prep: Not Specified

Sample Depth:

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Perfluorinated Alkyl Acids by Isotope Dilution - Mansfield Lab						

Surrogate (Extracted Internal Standard)	% Recovery	Qualifier	Acceptance Criteria
Perfluoro[13C4]Butanoic Acid (MPFBA)	85		2-156
Perfluoro[13C5]Pentanoic Acid (M5PFPEA)	93		16-173
Perfluoro[2,3,4-13C3]Butanesulfonic Acid (M3PFBS)	107		31-159
Perfluoro[1,2,3,4,6-13C5]Hexanoic Acid (M5PFHxA)	78		21-145
Perfluoro[1,2,3,4-13C4]Heptanoic Acid (M4PFHpA)	90		30-139
Perfluoro[1,2,3-13C3]Hexanesulfonic Acid (M3PFHxS)	103		47-153
Perfluoro[13C8]Octanoic Acid (M8PFOA)	92		36-149
1H,1H,2H,2H-Perfluoro[1,2-13C2]Octanesulfonic Acid (M2-6:2FTS)	84		1-244
Perfluoro[13C9]Nonanoic Acid (M9PFNA)	94		34-146
Perfluoro[13C8]Octanesulfonic Acid (M8PFOS)	106		42-146
Perfluoro[1,2,3,4,5,6-13C6]Decanoic Acid (M6PFDA)	81		38-144
1H,1H,2H,2H-Perfluoro[1,2-13C2]Decanesulfonic Acid (M2-8:2FTS)	121		7-170
N-Deuteriomethylperfluoro-1-octanesulfonamidoacetic Acid (d3-NMeFOSAA)	49		1-181
Perfluoro[1,2,3,4,5,6,7-13C7]Undecanoic Acid (M7-PFUOA)	98		40-144
Perfluoro[13C8]Octanesulfonamide (M8FOSA)	14		1-87
N-Deuterioethylperfluoro-1-octanesulfonamidoacetic Acid (d5-NEtFOSAA)	55		23-146
Perfluoro[1,2-13C2]Dodecanoic Acid (MPFDOA)	93		24-161
Perfluoro[1,2-13C2]Tetradecanoic Acid (M2PFTEDA)	89		33-143

Project Name: EAST NORTHPORT GROUNDWATER**Lab Number:** L2046265**Project Number:** Not Specified**Report Date:** 11/06/20**SAMPLE RESULTS**

Lab ID: L2046265-03

Date Collected: 10/23/20 13:00

Client ID: EN10-M

Date Received: 10/23/20

Sample Location: Not Specified

Field Prep: Not Specified

Sample Depth:

Matrix: Water

Extraction Method: EPA 3510C

Analytical Method: 1,8270D-SIM

Extraction Date: 10/29/20 10:45

Analytical Date: 11/01/20 16:14

Analyst: PS

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
1,4 Dioxane by 8270D-SIM - Mansfield Lab						
1,4-Dioxane	ND		ng/l	156	35.3	1
Surrogate			% Recovery	Qualifier	Acceptance Criteria	
1,4-Dioxane-d8			43		15-110	

Project Name: EAST NORTHPORT GROUNDWATER
Project Number: Not Specified

Lab Number: L2046265
Report Date: 11/06/20

SAMPLE RESULTS

Lab ID: L2046265-03
 Client ID: EN10-M
 Sample Location: Not Specified

Date Collected: 10/23/20 13:00
 Date Received: 10/23/20
 Field Prep: Not Specified

Sample Depth:

Matrix: Water
 Analytical Method: 134,LCMSMS-ID
 Analytical Date: 11/05/20 21:11
 Analyst: SG

Extraction Method: ALPHA 23528
 Extraction Date: 11/05/20 08:30

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Perfluorinated Alkyl Acids by Isotope Dilution - Mansfield Lab						
Perfluorobutanoic Acid (PFBA)	2.54		ng/l	1.92	0.391	1
Perfluoropentanoic Acid (PFPeA)	1.72	J	ng/l	1.92	0.380	1
Perfluorobutanesulfonic Acid (PFBS)	0.388	J	ng/l	1.92	0.228	1
Perfluorohexanoic Acid (PFHxA)	1.63	J	ng/l	1.92	0.315	1
Perfluoroheptanoic Acid (PFHpA)	0.913	J	ng/l	1.92	0.216	1
Perfluorohexanesulfonic Acid (PFHxS)	ND		ng/l	1.92	0.361	1
Perfluorooctanoic Acid (PFOA)	1.40	J	ng/l	1.92	0.226	1
1H,1H,2H,2H-Perfluorooctanesulfonic Acid (6:2FTS)	ND		ng/l	1.92	1.28	1
Perfluoroheptanesulfonic Acid (PFHpS)	ND		ng/l	1.92	0.660	1
Perfluorononanoic Acid (PFNA)	0.959	J	ng/l	1.92	0.299	1
Perfluorooctanesulfonic Acid (PFOS)	1.55	J	ng/l	1.92	0.484	1
Perfluorodecanoic Acid (PFDA)	0.971	J	ng/l	1.92	0.292	1
1H,1H,2H,2H-Perfluorodecanesulfonic Acid (8:2FTS)	ND		ng/l	1.92	1.16	1
N-Methyl Perfluorooctanesulfonamidoacetic Acid (NMeFOSAA)	ND		ng/l	1.92	0.622	1
Perfluoroundecanoic Acid (PFUnA)	0.549	JF	ng/l	1.92	0.249	1
Perfluorodecanesulfonic Acid (PFDS)	ND		ng/l	1.92	0.940	1
Perfluorooctanesulfonamide (FOSA)	ND		ng/l	1.92	0.556	1
N-Ethyl Perfluorooctanesulfonamidoacetic Acid (NEtFOSAA)	ND		ng/l	1.92	0.771	1
Perfluorododecanoic Acid (PFDoA)	ND		ng/l	1.92	0.357	1
Perfluorotridecanoic Acid (PFTTrDA)	ND		ng/l	1.92	0.314	1
Perfluorotetradecanoic Acid (PFTA)	ND		ng/l	1.92	0.238	1
PFOA/PFOS, Total	2.95	J	ng/l	1.92	0.226	1

Project Name: EAST NORTHPORT GROUNDWATER**Lab Number:** L2046265**Project Number:** Not Specified**Report Date:** 11/06/20**SAMPLE RESULTS**

Lab ID: L2046265-03

Date Collected: 10/23/20 13:00

Client ID: EN10-M

Date Received: 10/23/20

Sample Location: Not Specified

Field Prep: Not Specified

Sample Depth:

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Perfluorinated Alkyl Acids by Isotope Dilution - Mansfield Lab						

Surrogate (Extracted Internal Standard)	% Recovery	Qualifier	Acceptance Criteria
Perfluoro[13C4]Butanoic Acid (MPFBA)	77		2-156
Perfluoro[13C5]Pentanoic Acid (M5PFPEA)	96		16-173
Perfluoro[2,3,4-13C3]Butanesulfonic Acid (M3PFBS)	122		31-159
Perfluoro[1,2,3,4,6-13C5]Hexanoic Acid (M5PFHxA)	73		21-145
Perfluoro[1,2,3,4-13C4]Heptanoic Acid (M4PFHpA)	82		30-139
Perfluoro[1,2,3-13C3]Hexanesulfonic Acid (M3PFHxS)	107		47-153
Perfluoro[13C8]Octanoic Acid (M8PFOA)	78		36-149
1H,1H,2H,2H-Perfluoro[1,2-13C2]Octanesulfonic Acid (M2-6:2FTS)	79		1-244
Perfluoro[13C9]Nonanoic Acid (M9PFNA)	75		34-146
Perfluoro[13C8]Octanesulfonic Acid (M8PFOS)	82		42-146
Perfluoro[1,2,3,4,5,6-13C6]Decanoic Acid (M6PFDA)	55		38-144
1H,1H,2H,2H-Perfluoro[1,2-13C2]Decanesulfonic Acid (M2-8:2FTS)	89		7-170
N-Deuteriomethylperfluoro-1-octanesulfonamidoacetic Acid (d3-NMeFOSAA)	23		1-181
Perfluoro[1,2,3,4,5,6,7-13C7]Undecanoic Acid (M7-PFUOA)	67		40-144
Perfluoro[13C8]Octanesulfonamide (M8FOSA)	6		1-87
N-Deuterioethylperfluoro-1-octanesulfonamidoacetic Acid (d5-NEtFOSAA)	26		23-146
Perfluoro[1,2-13C2]Dodecanoic Acid (MPFDOA)	77		24-161
Perfluoro[1,2-13C2]Tetradecanoic Acid (M2PFTEDA)	92		33-143

Project Name: EAST NORTHPORT GROUNDWATER
Project Number: Not Specified

Lab Number: L2046265
Report Date: 11/06/20

SAMPLE RESULTS

Lab ID: L2046265-04
 Client ID: DUP
 Sample Location: Not Specified

Date Collected: 10/23/20 00:00
 Date Received: 10/23/20
 Field Prep: Not Specified

Sample Depth:

Matrix: Water
 Analytical Method: 1,8270D-SIM
 Analytical Date: 11/01/20 16:37
 Analyst: PS

Extraction Method: EPA 3510C
 Extraction Date: 10/29/20 10:45

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
1,4 Dioxane by 8270D-SIM - Mansfield Lab						
1,4-Dioxane	ND		ng/l	139	31.4	1
Surrogate			% Recovery	Qualifier	Acceptance Criteria	
1,4-Dioxane-d8			39		15-110	

Project Name: EAST NORTHPORT GROUNDWATER**Lab Number:** L2046265**Project Number:** Not Specified**Report Date:** 11/06/20**SAMPLE RESULTS**

Lab ID: L2046265-04

Date Collected: 10/23/20 00:00

Client ID: DUP

Date Received: 10/23/20

Sample Location: Not Specified

Field Prep: Not Specified

Sample Depth:

Matrix: Water

Extraction Method: ALPHA 23528

Analytical Method: 134,LCMSMS-ID

Extraction Date: 11/05/20 08:30

Analytical Date: 11/05/20 21:28

Analyst: SG

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Perfluorinated Alkyl Acids by Isotope Dilution - Mansfield Lab						
Perfluorobutanoic Acid (PFBA)	2.33		ng/l	1.81	0.369	1
Perfluoropentanoic Acid (PFPeA)	1.74	J	ng/l	1.81	0.359	1
Perfluorobutanesulfonic Acid (PFBS)	1.30	J	ng/l	1.81	0.216	1
Perfluorohexanoic Acid (PFHxA)	1.53	J	ng/l	1.81	0.297	1
Perfluoroheptanoic Acid (PFHpA)	1.03	J	ng/l	1.81	0.204	1
Perfluorohexanesulfonic Acid (PFHxS)	ND		ng/l	1.81	0.340	1
Perfluorooctanoic Acid (PFOA)	1.32	J	ng/l	1.81	0.214	1
1H,1H,2H,2H-Perfluorooctanesulfonic Acid (6:2FTS)	ND		ng/l	1.81	1.21	1
Perfluoroheptanesulfonic Acid (PFHpS)	ND		ng/l	1.81	0.623	1
Perfluorononanoic Acid (PFNA)	0.416	J	ng/l	1.81	0.282	1
Perfluorooctanesulfonic Acid (PFOS)	1.00	J	ng/l	1.81	0.456	1
Perfluorodecanoic Acid (PFDA)	ND		ng/l	1.81	0.275	1
1H,1H,2H,2H-Perfluorodecanesulfonic Acid (8:2FTS)	ND		ng/l	1.81	1.10	1
N-Methyl Perfluorooctanesulfonamidoacetic Acid (NMeFOSAA)	ND		ng/l	1.81	0.587	1
Perfluoroundecanoic Acid (PFUnA)	ND		ng/l	1.81	0.235	1
Perfluorodecanesulfonic Acid (PFDS)	ND		ng/l	1.81	0.887	1
Perfluorooctanesulfonamide (FOSA)	ND		ng/l	1.81	0.525	1
N-Ethyl Perfluorooctanesulfonamidoacetic Acid (NEtFOSAA)	ND		ng/l	1.81	0.728	1
Perfluorododecanoic Acid (PFDoA)	ND		ng/l	1.81	0.337	1
Perfluorotridecanoic Acid (PFTTrDA)	ND		ng/l	1.81	0.296	1
Perfluorotetradecanoic Acid (PFTA)	ND		ng/l	1.81	0.224	1
PFOA/PFOS, Total	2.32	J	ng/l	1.81	0.214	1

Project Name: EAST NORTHPORT GROUNDWATER**Lab Number:** L2046265**Project Number:** Not Specified**Report Date:** 11/06/20**SAMPLE RESULTS**

Lab ID: L2046265-04

Date Collected: 10/23/20 00:00

Client ID: DUP

Date Received: 10/23/20

Sample Location: Not Specified

Field Prep: Not Specified

Sample Depth:

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Perfluorinated Alkyl Acids by Isotope Dilution - Mansfield Lab						

Surrogate (Extracted Internal Standard)	% Recovery	Qualifier	Acceptance Criteria
Perfluoro[13C4]Butanoic Acid (MPFBA)	81		2-156
Perfluoro[13C5]Pentanoic Acid (M5PFPEA)	90		16-173
Perfluoro[2,3,4-13C3]Butanesulfonic Acid (M3PFBS)	110		31-159
Perfluoro[1,2,3,4,6-13C5]Hexanoic Acid (M5PFHxA)	76		21-145
Perfluoro[1,2,3,4-13C4]Heptanoic Acid (M4PFHpA)	88		30-139
Perfluoro[1,2,3-13C3]Hexanesulfonic Acid (M3PFHxS)	118		47-153
Perfluoro[13C8]Octanoic Acid (M8PFOA)	89		36-149
1H,1H,2H,2H-Perfluoro[1,2-13C2]Octanesulfonic Acid (M2-6:2FTS)	74		1-244
Perfluoro[13C9]Nonanoic Acid (M9PFNA)	93		34-146
Perfluoro[13C8]Octanesulfonic Acid (M8PFOS)	110		42-146
Perfluoro[1,2,3,4,5,6-13C6]Decanoic Acid (M6PFDA)	81		38-144
1H,1H,2H,2H-Perfluoro[1,2-13C2]Decanesulfonic Acid (M2-8:2FTS)	117		7-170
N-Deuteriomethylperfluoro-1-octanesulfonamidoacetic Acid (d3-NMeFOSAA)	60		1-181
Perfluoro[1,2,3,4,5,6,7-13C7]Undecanoic Acid (M7-PFU DA)	104		40-144
Perfluoro[13C8]Octanesulfonamide (M8FOSA)	26		1-87
N-Deuterioethylperfluoro-1-octanesulfonamidoacetic Acid (d5-NEtFOSAA)	64		23-146
Perfluoro[1,2-13C2]Dodecanoic Acid (MPFDOA)	99		24-161
Perfluoro[1,2-13C2]Tetradecanoic Acid (M2PFTEDA)	92		33-143

Project Name: EAST NORTHPORT GROUNDWATER**Lab Number:** L2046265**Project Number:** Not Specified**Report Date:** 11/06/20**SAMPLE RESULTS**

Lab ID: L2046265-05

Date Collected: 10/23/20 12:55

Client ID: FB

Date Received: 10/23/20

Sample Location: Not Specified

Field Prep: Not Specified

Sample Depth:

Matrix: Field Blank

Extraction Method: EPA 3510C

Analytical Method: 1,8270D-SIM

Extraction Date: 10/29/20 10:45

Analytical Date: 11/01/20 16:59

Analyst: PS

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
1,4 Dioxane by 8270D-SIM - Mansfield Lab						
1,4-Dioxane	ND		ng/l	150	33.9	1
Surrogate			% Recovery	Qualifier	Acceptance Criteria	
1,4-Dioxane-d8			60		15-110	

Project Name: EAST NORTHPORT GROUNDWATER
Project Number: Not Specified

Lab Number: L2046265
Report Date: 11/06/20

SAMPLE RESULTS

Lab ID: L2046265-05
 Client ID: FB
 Sample Location: Not Specified

Date Collected: 10/23/20 12:55
 Date Received: 10/23/20
 Field Prep: Not Specified

Sample Depth:

Matrix: Field Blank
 Analytical Method: 134,LCMSMS-ID
 Analytical Date: 11/05/20 21:45
 Analyst: SG

Extraction Method: ALPHA 23528
 Extraction Date: 11/05/20 08:30

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Perfluorinated Alkyl Acids by Isotope Dilution - Mansfield Lab						
Perfluorobutanoic Acid (PFBA)	ND		ng/l	1.81	0.370	1
Perfluoropentanoic Acid (PFPeA)	ND		ng/l	1.81	0.359	1
Perfluorobutanesulfonic Acid (PFBS)	ND		ng/l	1.81	0.216	1
Perfluorohexanoic Acid (PFHxA)	ND		ng/l	1.81	0.298	1
Perfluoroheptanoic Acid (PFHpA)	ND		ng/l	1.81	0.204	1
Perfluorohexanesulfonic Acid (PFHxS)	ND		ng/l	1.81	0.341	1
Perfluorooctanoic Acid (PFOA)	ND		ng/l	1.81	0.214	1
1H,1H,2H,2H-Perfluorooctanesulfonic Acid (6:2FTS)	ND		ng/l	1.81	1.21	1
Perfluoroheptanesulfonic Acid (PFHpS)	ND		ng/l	1.81	0.624	1
Perfluorononanoic Acid (PFNA)	ND		ng/l	1.81	0.283	1
Perfluorooctanesulfonic Acid (PFOS)	ND		ng/l	1.81	0.457	1
Perfluorodecanoic Acid (PFDA)	ND		ng/l	1.81	0.276	1
1H,1H,2H,2H-Perfluorodecanesulfonic Acid (8:2FTS)	ND		ng/l	1.81	1.10	1
N-Methyl Perfluorooctanesulfonamidoacetic Acid (NMeFOSAA)	ND		ng/l	1.81	0.588	1
Perfluoroundecanoic Acid (PFUnA)	ND		ng/l	1.81	0.236	1
Perfluorodecanesulfonic Acid (PFDS)	ND		ng/l	1.81	0.889	1
Perfluorooctanesulfonamide (FOSA)	ND		ng/l	1.81	0.526	1
N-Ethyl Perfluorooctanesulfonamidoacetic Acid (NEtFOSAA)	ND		ng/l	1.81	0.729	1
Perfluorododecanoic Acid (PFDoA)	ND		ng/l	1.81	0.337	1
Perfluorotridecanoic Acid (PFTTrDA)	ND		ng/l	1.81	0.297	1
Perfluorotetradecanoic Acid (PFTA)	ND		ng/l	1.81	0.225	1
PFOA/PFOS, Total	ND		ng/l	1.81	0.214	1

Project Name: EAST NORTHPORT GROUNDWATER
Project Number: Not Specified

Lab Number: L2046265
Report Date: 11/06/20

SAMPLE RESULTS

Lab ID: L2046265-05
 Client ID: FB
 Sample Location: Not Specified

Date Collected: 10/23/20 12:55
 Date Received: 10/23/20
 Field Prep: Not Specified

Sample Depth:

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Perfluorinated Alkyl Acids by Isotope Dilution - Mansfield Lab						

Surrogate (Extracted Internal Standard)	% Recovery	Qualifier	Acceptance Criteria
Perfluoro[13C4]Butanoic Acid (MPFBA)	110		2-156
Perfluoro[13C5]Pentanoic Acid (M5PFPEA)	148		16-173
Perfluoro[2,3,4-13C3]Butanesulfonic Acid (M3PFBS)	139		31-159
Perfluoro[1,2,3,4,6-13C5]Hexanoic Acid (M5PFHxA)	109		21-145
Perfluoro[1,2,3,4-13C4]Heptanoic Acid (M4PFHpA)	120		30-139
Perfluoro[1,2,3-13C3]Hexanesulfonic Acid (M3PFHxS)	116		47-153
Perfluoro[13C8]Octanoic Acid (M8PFOA)	115		36-149
1H,1H,2H,2H-Perfluoro[1,2-13C2]Octanesulfonic Acid (M2-6:2FTS)	78		1-244
Perfluoro[13C9]Nonanoic Acid (M9PFNA)	116		34-146
Perfluoro[13C8]Octanesulfonic Acid (M8PFOS)	109		42-146
Perfluoro[1,2,3,4,5,6-13C6]Decanoic Acid (M6PFDA)	101		38-144
1H,1H,2H,2H-Perfluoro[1,2-13C2]Decanesulfonic Acid (M2-8:2FTS)	109		7-170
N-Deuteriomethylperfluoro-1-octanesulfonamidoacetic Acid (d3-NMeFOSAA)	61		1-181
Perfluoro[1,2,3,4,5,6,7-13C7]Undecanoic Acid (M7-PFU DA)	119		40-144
Perfluoro[13C8]Octanesulfonamide (M8FOSA)	32		1-87
N-Deuterioethylperfluoro-1-octanesulfonamidoacetic Acid (d5-NEtFOSAA)	77		23-146
Perfluoro[1,2-13C2]Dodecanoic Acid (MPFDOA)	120		24-161
Perfluoro[1,2-13C2]Tetradecanoic Acid (M2PFTEDA)	116		33-143

Project Name: EAST NORTHPORT GROUNDWATER**Lab Number:** L2046265**Project Number:** Not Specified**Report Date:** 11/06/20**Method Blank Analysis
Batch Quality Control**Analytical Method: 1,8270D-SIM
Analytical Date: 11/01/20 13:16
Analyst: PSExtraction Method: EPA 3510C
Extraction Date: 10/29/20 10:45

Parameter	Result	Qualifier	Units	RL	MDL
1,4 Dioxane by 8270D-SIM - Mansfield Lab for sample(s): 01-05 Batch: WG1428013-1					
1,4-Dioxane	ND		ng/l	150	33.9

Surrogate	%Recovery	Qualifier	Acceptance Criteria
1,4-Dioxane-d8	51		15-110

Project Name: EAST NORTHPORT GROUNDWATER
Project Number: Not Specified

Lab Number: L2046265
Report Date: 11/06/20

Method Blank Analysis
Batch Quality Control

Analytical Method: 134,LCMSMS-ID
Analytical Date: 11/05/20 18:09
Analyst: SG

Extraction Method: ALPHA 23528
Extraction Date: 11/05/20 08:30

Parameter	Result	Qualifier	Units	RL	MDL
Perfluorinated Alkyl Acids by Isotope Dilution - Mansfield Lab for sample(s): 01-05 Batch: WG1430625-1					
Perfluorobutanoic Acid (PFBA)	ND		ng/l	2.00	0.408
Perfluoropentanoic Acid (PFPeA)	ND		ng/l	2.00	0.396
Perfluorobutanesulfonic Acid (PFBS)	ND		ng/l	2.00	0.238
Perfluorohexanoic Acid (PFHxA)	ND		ng/l	2.00	0.328
Perfluoroheptanoic Acid (PFHpA)	ND		ng/l	2.00	0.225
Perfluorohexanesulfonic Acid (PFHxS)	ND		ng/l	2.00	0.376
Perfluorooctanoic Acid (PFOA)	ND		ng/l	2.00	0.236
1H,1H,2H,2H-Perfluorooctanesulfonic Acid (6:2FTS)	ND		ng/l	2.00	1.33
Perfluoroheptanesulfonic Acid (PFHpS)	ND		ng/l	2.00	0.688
Perfluorononanoic Acid (PFNA)	ND		ng/l	2.00	0.312
Perfluorooctanesulfonic Acid (PFOS)	ND		ng/l	2.00	0.504
Perfluorodecanoic Acid (PFDA)	ND		ng/l	2.00	0.304
1H,1H,2H,2H-Perfluorodecanesulfonic Acid (8:2FTS)	ND		ng/l	2.00	1.21
N-Methyl Perfluorooctanesulfonamidoacetic Acid (NMeFOSAA)	ND		ng/l	2.00	0.648
Perfluoroundecanoic Acid (PFUnA)	ND		ng/l	2.00	0.260
Perfluorodecanesulfonic Acid (PFDS)	ND		ng/l	2.00	0.980
Perfluorooctanesulfonamide (FOSA)	ND		ng/l	2.00	0.580
N-Ethyl Perfluorooctanesulfonamidoacetic Acid (NEtFOSAA)	ND		ng/l	2.00	0.804
Perfluorododecanoic Acid (PFDoA)	ND		ng/l	2.00	0.372
Perfluorotridecanoic Acid (PFTrDA)	ND		ng/l	2.00	0.327
Perfluorotetradecanoic Acid (PFTA)	ND		ng/l	2.00	0.248
PFOA/PFOS, Total	ND		ng/l	2.00	0.236

Project Name: EAST NORTHPORT GROUNDWATER
Project Number: Not Specified

Lab Number: L2046265
Report Date: 11/06/20

**Method Blank Analysis
Batch Quality Control**

Analytical Method: 134,LCMSMS-ID
Analytical Date: 11/05/20 18:09
Analyst: SG

Extraction Method: ALPHA 23528
Extraction Date: 11/05/20 08:30

Parameter	Result	Qualifier	Units	RL	MDL
Perfluorinated Alkyl Acids by Isotope Dilution - Mansfield Lab for sample(s): 01-05 Batch: WG1430625-1					

Surrogate (Extracted Internal Standard)	%Recovery	Qualifier	Acceptance Criteria
Perfluoro[13C4]Butanoic Acid (MPFBA)	112		2-156
Perfluoro[13C5]Pentanoic Acid (M5PFPEA)	149		16-173
Perfluoro[2,3,4-13C3]Butanesulfonic Acid (M3PFBS)	116		31-159
Perfluoro[1,2,3,4,6-13C5]Hexanoic Acid (M5PFHxA)	100		21-145
Perfluoro[1,2,3,4-13C4]Heptanoic Acid (M4PFHpA)	112		30-139
Perfluoro[1,2,3-13C3]Hexanesulfonic Acid (M3PFHxS)	109		47-153
Perfluoro[13C8]Octanoic Acid (M8PFOA)	113		36-149
1H,1H,2H,2H-Perfluoro[1,2-13C2]Octanesulfonic Acid (M2-6:2FTS)	61		1-244
Perfluoro[13C9]Nonanoic Acid (M9PFNA)	121		34-146
Perfluoro[13C8]Octanesulfonic Acid (M8PFOS)	107		42-146
Perfluoro[1,2,3,4,5,6-13C6]Decanoic Acid (M6PFDA)	96		38-144
1H,1H,2H,2H-Perfluoro[1,2-13C2]Decanesulfonic Acid (M2-8:2FTS)	100		7-170
N-Deuteriomethylperfluoro-1-octanesulfonamidoacetic Acid (d3-NMeFOSAA)	88		1-181
Perfluoro[1,2,3,4,5,6,7-13C7]Undecanoic Acid (M7-PFUDA)	130		40-144
Perfluoro[13C8]Octanesulfonamide (M8FOSA)	41		1-87
N-Deuterioethylperfluoro-1-octanesulfonamidoacetic Acid (d5-NEtFOSAA)	114		23-146
Perfluoro[1,2-13C2]Dodecanoic Acid (MPFDOA)	127		24-161
Perfluoro[1,2-13C2]Tetradecanoic Acid (M2PFTEDA)	126		33-143

Serial_No:11062015:34

Lab Control Sample Analysis
Batch Quality Control

Project Name: EAST NORTHPORT GROUNDWATER
Project Number: Not Specified

Lab Number: L2046265
Report Date: 11/06/20

Parameter	LCS %Recovery	Qual	LCSD %Recovery	Qual	%Recovery Limits	RPD	Qual	RPD Limits
1,4 Dioxane by 8270D-SIM - Mansfield Lab Associated sample(s): 01-05 Batch: WG1428013-2 WG1428013-3								
1,4-Dioxane	102		103		40-140	1		30

Surrogate	LCS %Recovery	Qual	LCSD %Recovery	Qual	Acceptance Criteria
1,4-Dioxane-d8	43		49		15-110



Serial_No:11062015:34

Lab Control Sample Analysis
Batch Quality Control

Project Name: EAST NORTHPORT GROUNDWATER
Project Number: Not Specified

Lab Number: L2046265
Report Date: 11/06/20

Parameter	LCS		LCSD		%Recovery Limits	RPD	RPD	
	%Recovery	Qual	%Recovery	Qual			Qual	Limits
Perfluorinated Alkyl Acids by Isotope Dilution - Mansfield Lab Associated sample(s): 01-05 Batch: WG1430625-2 WG1430625-3								
Perfluorobutanoic Acid (PFBA)	100		102		67-148	2		30
Perfluoropentanoic Acid (PFPeA)	103		105		63-161	2		30
Perfluorobutanesulfonic Acid (PFBS)	90		93		65-157	3		30
Perfluorohexanoic Acid (PFHxA)	101		100		69-168	1		30
Perfluoroheptanoic Acid (PFHpA)	91		94		58-159	3		30
Perfluorohexanesulfonic Acid (PFHxS)	78		75		69-177	4		30
Perfluorooctanoic Acid (PFOA)	89		93		63-159	4		30
1H,1H,2H,2H-Perfluorooctanesulfonic Acid (6:2FTS)	100		104		49-187	4		30
Perfluoroheptanesulfonic Acid (PFHpS)	80		86		61-179	7		30
Perfluorononanoic Acid (PFNA)	93		95		68-171	2		30
Perfluorooctanesulfonic Acid (PFOS)	88		94		52-151	7		30
Perfluorodecanoic Acid (PFDA)	95		99		63-171	4		30
1H,1H,2H,2H-Perfluorodecanesulfonic Acid (8:2FTS)	88		84		56-173	5		30
N-Methyl Perfluorooctanesulfonamidoacetic Acid (NMeFOSAA)	97		98		60-166	1		30
Perfluoroundecanoic Acid (PFUnA)	89		86		60-153	3		30
Perfluorodecanesulfonic Acid (PFDS)	96		92		38-156	4		30
Perfluorooctanesulfonamide (FOSA)	84		101		46-170	18		30
N-Ethyl Perfluorooctanesulfonamidoacetic Acid (NEFOSAA)	102		119		45-170	15		30
Perfluorododecanoic Acid (PFDoA)	96		90		67-153	6		30
Perfluorotridecanoic Acid (PFTrDA)	113		100		48-158	12		30
Perfluorotetradecanoic Acid (PFTA)	97		100		59-182	3		30



Lab Control Sample Analysis
Batch Quality Control

Project Name: EAST NORTHPORT GROUNDWATER
Project Number: Not Specified

Lab Number: L2046265
Report Date: 11/06/20

Parameter	LCS		LCSD		%Recovery		RPD	RPD	
	%Recovery	Qual	%Recovery	Qual	Limits	Qual		Limits	
Perfluorinated Alkyl Acids by Isotope Dilution - Mansfield Lab Associated sample(s): 01-05 Batch: WG1430625-2 WG1430625-3									

Surrogate (Extracted Internal Standard)	LCS		LCSD		Acceptance Criteria
	%Recovery	Qual	%Recovery	Qual	
Perfluoro[13C4]Butanoic Acid (MPFBA)	110		111		2-156
Perfluoro[13C5]Pentanoic Acid (M5PFPEA)	139		143		16-173
Perfluoro[2,3,4-13C3]Butanesulfonic Acid (M3PFBS)	112		121		31-159
Perfluoro[1,2,3,4,6-13C5]Hexanoic Acid (M5PFHxA)	97		103		21-145
Perfluoro[1,2,3,4-13C4]Heptanoic Acid (M4PFHpA)	110		111		30-139
Perfluoro[1,2,3-13C3]Hexanesulfonic Acid (M3PFHxS)	104		116		47-153
Perfluoro[13C8]Octanoic Acid (M8PFOA)	114		112		36-149
1H,1H,2H,2H-Perfluoro[1,2-13C2]Octanesulfonic Acid (M2-6:2FTS)	67		77		1-244
Perfluoro[13C9]Nonanoic Acid (M9PFNA)	125		117		34-146
Perfluoro[13C8]Octanesulfonic Acid (M8PFOS)	111		108		42-146
Perfluoro[1,2,3,4,5,6-13C6]Decanoic Acid (M6PFDA)	100		98		38-144
1H,1H,2H,2H-Perfluoro[1,2-13C2]Decanesulfonic Acid (M2-8:2FTS)	116		121		7-170
N-Deuteriomethylperfluoro-1-octanesulfonamidoacetic Acid (d3-NMeFOSAA)	82		85		1-181
Perfluoro[1,2,3,4,5,6,7-13C7]Undecanoic Acid (M7-PFUDA)	122		117		40-144
Perfluoro[13C8]Octanesulfonamide (M8FOSA)	35		28		1-87
N-Deuterioethylperfluoro-1-octanesulfonamidoacetic Acid (d5-NEtFOSAA)	113		88		23-146
Perfluoro[1,2-13C2]Dodecanoic Acid (MPFDOA)	110		115		24-161
Perfluoro[1,2-13C2]Tetradecanoic Acid (M2PFTEDA)	126		104		33-143



Serial_No:11062015:34

Matrix Spike Analysis
Batch Quality Control

Project Name: EAST NORTHPORT GROUNDWATER
Project Number: Not Specified

Lab Number: L2046265
Report Date: 11/06/20

<i>Parameter</i>	<i>Native Sample</i>	<i>MS Added</i>	<i>MS Found</i>	<i>MS %Recovery</i>	<i>Qual</i>	<i>MSD Found</i>	<i>MSD %Recovery</i>	<i>Qual</i>	<i>Recovery Limits</i>	<i>RPD</i>	<i>Qual</i>	<i>RPD Limits</i>
1,4 Dioxane by 8270D-SIM - Mansfield Lab Associated sample(s): 01-05 QC Batch ID: WG1428013-4 WG1428013-5 QC Sample: L2046265-02 Client ID: EN7-M												
1,4-Dioxane	ND	4630	4860	105		4990	108		40-140	3		30

<i>Surrogate</i>	<i>MS</i>		<i>MSD</i>		<i>Acceptance Criteria</i>
	<i>% Recovery</i>	<i>Qualifier</i>	<i>% Recovery</i>	<i>Qualifier</i>	
1,4-Dioxane-d8	32		42		15-110



Matrix Spike Analysis
Batch Quality Control

Project Name: EAST NORTHPORT GROUNDWATER
Project Number: Not Specified

Lab Number: L2046265
Report Date: 11/06/20

Parameter	Native Sample	MS Added	MS Found	MS %Recovery	Qual	MSD Found	MSD %Recovery	Qual	Recovery Limits	RPD	Qual	RPD Limits
Perfluorinated Alkyl Acids by Isotope Dilution - Mansfield Lab Associated sample(s): 01-05 QC Batch ID: WG1430625-4 WG1430625-5 QC Sample: L2046265-02 Client ID: EN7-M												
Perfluorobutanoic Acid (PFBA)	2.32	35.2	38.5	103		38.2	101		67-148	1		30
Perfluoropentanoic Acid (PFPeA)	1.65J	35.2	39.0	106		39.7	107		63-161	2		30
Perfluorobutanesulfonic Acid (PFBS)	1.40J	31.3	31.0	95		31.0	94		65-157	0		30
Perfluorohexanoic Acid (PFHxA)	1.60J	35.2	36.7	100		38.2	103		69-168	4		30
Perfluoroheptanoic Acid (PFHpA)	1.06J	35.2	35.0	96		35.3	97		58-159	1		30
Perfluorohexanesulfonic Acid (PFHxS)	ND	32.2	29.4	91		30.9	95		69-177	5		30
Perfluorooctanoic Acid (PFOA)	1.22J	35.2	33.6	92		33.4	91		63-159	1		30
1H,1H,2H,2H-Perfluorooctanesulfonic Acid (6:2FTS)	ND	33.6	32.9	98		33.8	100		49-187	3		30
Perfluoroheptanesulfonic Acid (PFHpS)	ND	33.6	28.7	86		27.0	80		61-179	6		30
Perfluorononanoic Acid (PFNA)	0.353J	35.2	33.6	94		33.8	94		68-171	1		30
Perfluorooctanesulfonic Acid (PFOS)	0.959J	32.7	31.8	94		31.8	94		52-151	0		30
Perfluorodecanoic Acid (PFDA)	ND	35.2	35.5	101		36.2	102		63-171	2		30
1H,1H,2H,2H-Perfluorodecanesulfonic Acid (8:2FTS)	ND	33.8	31.6	93		35.3	104		56-173	11		30
N-Methyl Perfluorooctanesulfonamidoacetic Acid (NMeFOSAA)	ND	35.2	27.4	78		31.5	89		60-166	14		30
Perfluoroundecanoic Acid (PFUnA)	ND	35.2	29.4	83		30.2	85		60-153	3		30
Perfluorodecanesulfonic Acid (PFDS)	ND	34	28.9	85		31.8	93		38-156	10		30
Perfluorooctanesulfonamide (FOSA)	ND	35.2	36.2F	103		33.0F	93		46-170	9		30
N-Ethyl Perfluorooctanesulfonamidoacetic Acid (NEtFOSAA)	ND	35.2	34.4	98		33.8	95		45-170	2		30
Perfluorododecanoic Acid (PFDoA)	ND	35.2	29.9F	85		32.8	93		67-153	9		30
Perfluorotridecanoic Acid (PFTTrDA)	ND	35.2	31.4	89		34.4	97		48-158	9		30
Perfluorotetradecanoic Acid (PFTTA)	ND	35.2	33.3	94		35.0	99		59-182	5		30



Matrix Spike Analysis
Batch Quality Control

Project Name: EAST NORTHPORT GROUNDWATER
Project Number: Not Specified

Lab Number: L2046265
Report Date: 11/06/20

<i>Parameter</i>	<i>Native Sample</i>	<i>MS Added</i>	<i>MS Found</i>	<i>MS %Recovery</i>	<i>Qual</i>	<i>MSD Found</i>	<i>MSD %Recovery</i>	<i>Qual</i>	<i>Recovery Limits</i>	<i>RPD</i>	<i>Qual</i>	<i>RPD Limits</i>
Perfluorinated Alkyl Acids by Isotope Dilution - Mansfield Lab Associated sample(s): 01-05 QC Batch ID: WG1430625-4 WG1430625-5 QC Sample: L2046265-02 Client ID: EN7-M												

<i>Surrogate (Extracted Internal Standard)</i>	<i>MS % Recovery</i>	<i>Qualifier</i>	<i>MSD % Recovery</i>	<i>Qualifier</i>	<i>Acceptance Criteria</i>
1H,1H,2H,2H-Perfluoro[1,2-13C2]Decanesulfonic Acid (M2-8:2FTS)	122		110		7-170
1H,1H,2H,2H-Perfluoro[1,2-13C2]Octanesulfonic Acid (M2-6:2FTS)	90		87		1-244
N-Deuterioethylperfluoro-1-octanesulfonamidoacetic Acid (d5-NEtFOSAA)	58		66		23-146
N-Deuteriomethylperfluoro-1-octanesulfonamidoacetic Acid (d3-NMeFOSAA)	62		60		1-181
Perfluoro[1,2,3,4,5,6,7-13C7]Undecanoic Acid (M7-PFUDA)	103		101		40-144
Perfluoro[1,2,3,4,5,6-13C6]Decanoic Acid (M6PFDA)	82		83		38-144
Perfluoro[1,2,3,4,6-13C5]Hexanoic Acid (M5PFHxA)	77		82		21-145
Perfluoro[1,2,3,4-13C4]Heptanoic Acid (M4PFHpA)	88		93		30-139
Perfluoro[1,2,3-13C3]Hexanesulfonic Acid (M3PFHxS)	97		91		47-153
Perfluoro[1,2-13C2]Dodecanoic Acid (MPFDOA)	106		97		24-161
Perfluoro[1,2-13C2]Tetradecanoic Acid (M2PFTEDA)	102		93		33-143
Perfluoro[13C4]Butanoic Acid (MPFBA)	81		90		2-156
Perfluoro[13C5]Pentanoic Acid (M5PFPEA)	89		96		16-173
Perfluoro[13C8]Octanesulfonamide (M8FOSA)	22		21		1-87
Perfluoro[13C8]Octanesulfonic Acid (M8PFOS)	108		113		42-146
Perfluoro[13C8]Octanoic Acid (M8PFOA)	89		95		36-149
Perfluoro[13C9]Nonanoic Acid (M9PFNA)	95		97		34-146
Perfluoro[2,3,4-13C3]Butanesulfonic Acid (M3PFBS)	110		110		31-159

Project Name: EAST NORTHPORT GROUNDWATER
Project Number: Not Specified

Serial_No:11062015:34
Lab Number: L2046265
Report Date: 11/06/20

Sample Receipt and Container Information

Were project specific reporting limits specified? YES

Cooler Information

Cooler	Custody Seal
A	Absent
C	Absent

Container Information

Container ID	Container Type	Cooler	Initial pH	Final pH	Temp deg C	Pres	Seal	Frozen Date/Time	Analysis(*)
L2046265-01A	Plastic 250ml unpreserved	C	NA		5.7	Y	Absent		A2-NY-537-ISOTOPE(14)
L2046265-01B	Plastic 250ml unpreserved	C	NA		5.7	Y	Absent		A2-NY-537-ISOTOPE(14)
L2046265-01C	Amber 250ml unpreserved	A	7	7	5.5	Y	Absent		A2-1,4-DIOXANE-SIM(7)
L2046265-01D	Amber 250ml unpreserved	A	7	7	5.5	Y	Absent		A2-1,4-DIOXANE-SIM(7)
L2046265-02A	Plastic 250ml unpreserved	C	NA		5.7	Y	Absent		A2-NY-537-ISOTOPE(14)
L2046265-02A1	Plastic 250ml unpreserved	C	NA		5.7	Y	Absent		A2-NY-537-ISOTOPE(14)
L2046265-02A2	Plastic 250ml unpreserved	C	NA		5.7	Y	Absent		A2-NY-537-ISOTOPE(14)
L2046265-02B	Plastic 250ml unpreserved	C	NA		5.7	Y	Absent		A2-NY-537-ISOTOPE(14)
L2046265-02B1	Plastic 250ml unpreserved	C	NA		5.7	Y	Absent		A2-NY-537-ISOTOPE(14)
L2046265-02B2	Plastic 250ml unpreserved	C	NA		5.7	Y	Absent		A2-NY-537-ISOTOPE(14)
L2046265-02C	Amber 250ml unpreserved	A	7	7	5.5	Y	Absent		A2-1,4-DIOXANE-SIM(7)
L2046265-02C1	Amber 250ml unpreserved	A	7	7	5.5	Y	Absent		A2-1,4-DIOXANE-SIM(7)
L2046265-02C2	Amber 250ml unpreserved	A	7	7	5.5	Y	Absent		A2-1,4-DIOXANE-SIM(7)
L2046265-02D	Amber 250ml unpreserved	A	7	7	5.5	Y	Absent		A2-1,4-DIOXANE-SIM(7)
L2046265-02D1	Amber 250ml unpreserved	A	7	7	5.5	Y	Absent		A2-1,4-DIOXANE-SIM(7)
L2046265-02D2	Amber 250ml unpreserved	A	7	7	5.5	Y	Absent		A2-1,4-DIOXANE-SIM(7)
L2046265-03A	Plastic 250ml unpreserved	C	NA		5.7	Y	Absent		A2-NY-537-ISOTOPE(14)
L2046265-03B	Plastic 250ml unpreserved	C	NA		5.7	Y	Absent		A2-NY-537-ISOTOPE(14)
L2046265-03C	Amber 250ml unpreserved	A	7	7	5.5	Y	Absent		A2-1,4-DIOXANE-SIM(7)
L2046265-03D	Amber 250ml unpreserved	A	7	7	5.5	Y	Absent		A2-1,4-DIOXANE-SIM(7)
L2046265-04A	Plastic 250ml unpreserved	C	NA		5.7	Y	Absent		A2-NY-537-ISOTOPE(14)
L2046265-04B	Plastic 250ml unpreserved	C	NA		5.7	Y	Absent		A2-NY-537-ISOTOPE(14)

*Values in parentheses indicate holding time in days



Project Name: EAST NORTHPORT GROUNDWATER
Project Number: Not Specified

Serial_No:11062015:34
Lab Number: L2046265
Report Date: 11/06/20

Container Information

Container ID	Container Type	Cooler	Initial pH	Final pH	Temp deg C	Pres	Seal	Frozen Date/Time	Analysis(*)
L2046265-04C	Amber 250ml unpreserved	A	7	7	5.5	Y	Absent		A2-1,4-DIOXANE-SIM(7)
L2046265-04D	Amber 250ml unpreserved	A	7	7	5.5	Y	Absent		A2-1,4-DIOXANE-SIM(7)
L2046265-05A	Plastic 250ml unpreserved	C	NA		5.7	Y	Absent		A2-NY-537-ISOTOPE(14)
L2046265-05C	Amber 250ml unpreserved	A	7	7	5.5	Y	Absent		A2-1,4-DIOXANE-SIM(7)
L2046265-05D	Amber 250ml unpreserved	A	7	7	5.5	Y	Absent		A2-1,4-DIOXANE-SIM(7)

*Values in parentheses indicate holding time in days



PFAS PARAMETER SUMMARY

Parameter	Acronym	CAS Number
PERFLUOROALKYL CARBOXYLIC ACIDS (PFCAs)		
Perfluorooctadecanoic Acid	PFODA	16517-11-6
Perfluorohexadecanoic Acid	PFHxDA	67905-19-5
Perfluorotetradecanoic Acid	PFTA	376-06-7
Perfluorotridecanoic Acid	PFTrDA	72629-94-8
Perfluorododecanoic Acid	PFDoA	307-55-1
Perfluoroundecanoic Acid	PFUnA	2058-94-8
Perfluorodecanoic Acid	PFDA	335-76-2
Perfluorononanoic Acid	PFNA	375-95-1
Perfluorooctanoic Acid	PFOA	335-67-1
Perfluoroheptanoic Acid	PFHpA	375-85-9
Perfluorohexanoic Acid	PFHxA	307-24-4
Perfluoropentanoic Acid	PFPeA	2706-90-3
Perfluorobutanoic Acid	PFBA	375-22-4
PERFLUOROALKYL SULFONIC ACIDS (PFSAs)		
Perfluorododecanesulfonic Acid	PFDoDS	79780-39-5
Perfluorodecanesulfonic Acid	PFDS	335-77-3
Perfluorononanesulfonic Acid	PFNS	68259-12-1
Perfluorooctanesulfonic Acid	PFOS	1763-23-1
Perfluoroheptanesulfonic Acid	PFHpS	375-92-8
Perfluorohexanesulfonic Acid	PFHxS	355-46-4
Perfluoropentanesulfonic Acid	PFPeS	2706-91-4
Perfluorobutanesulfonic Acid	PFBS	375-73-5
FLUOROTELOMERS		
1H,1H,2H,2H-Perfluorododecanesulfonic Acid	10:2FTS	120226-60-0
1H,1H,2H,2H-Perfluorodecanesulfonic Acid	8:2FTS	39108-34-4
1H,1H,2H,2H-Perfluorooctanesulfonic Acid	6:2FTS	27619-97-2
1H,1H,2H,2H-Perfluorohexanesulfonic Acid	4:2FTS	757124-72-4
PERFLUOROALKANE SULFONAMIDES (FASAs)		
Perfluorooctanesulfonamide	FOSA	754-91-6
N-Ethyl Perfluorooctane Sulfonamide	NEtFOSA	4151-50-2
N-Methyl Perfluorooctane Sulfonamide	NMeFOSA	31506-32-8
PERFLUOROALKANE SULFONYL SUBSTANCES		
N-Ethyl Perfluorooctanesulfonamido Ethanol	NEtFOSE	1691-99-2
N-Methyl Perfluorooctanesulfonamido Ethanol	NMeFOSE	24448-09-7
N-Ethyl Perfluorooctanesulfonamidoacetic Acid	NEtFOSAA	2991-50-6
N-Methyl Perfluorooctanesulfonamidoacetic Acid	NMeFOSAA	2355-31-9
PER- and POLYFLUOROALKYL ETHER CARBOXYLIC ACIDS		
2,3,3,3-Tetrafluoro-2-[1,1,2,2,3,3,3-Heptafluoropropoxy]-Propanoic Acid	HFPO-DA	13252-13-6
4,8-Dioxa-3h-Perfluorononanoic Acid	ADONA	919005-14-4
CHLORO-PERFLUOROALKYL SULFONIC ACIDS		
11-Chloroeicosafuoro-3-Oxaundecane-1-Sulfonic Acid	11Cl-PF3OUdS	763051-92-9
9-Chlorohexadecafluoro-3-Oxanone-1-Sulfonic Acid	9Cl-PF3ONS	756426-58-1
PERFLUOROETHER SULFONIC ACIDS (PFESAs)		
Perfluoro(2-Ethoxyethane)Sulfonic Acid	PFEEESA	113507-82-7
PERFLUOROETHER/POLYETHER CARBOXYLIC ACIDS (PFPCAs)		
Perfluoro-3-Methoxypropanoic Acid	PFMPA	377-73-1
Perfluoro-4-Methoxybutanoic Acid	PFMBA	863090-89-5
Nonafluoro-3,6-Dioxaheptanoic Acid	NFDHA	151772-58-6

Project Name: EAST NORTHPORT GROUNDWATER
Project Number: Not Specified

Lab Number: L2046265
Report Date: 11/06/20

GLOSSARY

Acronyms

DL	- Detection Limit: This value represents the level to which target analyte concentrations are reported as estimated values, when those target analyte concentrations are quantified below the limit of quantitation (LOQ). The DL includes any adjustments from dilutions, concentrations or moisture content, where applicable. (DoD report formats only.)
EDL	- Estimated Detection Limit: This value represents the level to which target analyte concentrations are reported as estimated values, when those target analyte concentrations are quantified below the reporting limit (RL). The EDL includes any adjustments from dilutions, concentrations or moisture content, where applicable. The use of EDLs is specific to the analysis of PAHs using Solid-Phase Microextraction (SPME).
EMPC	- Estimated Maximum Possible Concentration: The concentration that results from the signal present at the retention time of an analyte when the ions meet all of the identification criteria except the ion abundance ratio criteria. An EMPC is a worst-case estimate of the concentration.
EPA	- Environmental Protection Agency.
LCS	- Laboratory Control Sample: A sample matrix, free from the analytes of interest, spiked with verified known amounts of analytes or a material containing known and verified amounts of analytes.
LCSD	- Laboratory Control Sample Duplicate: Refer to LCS.
LFB	- Laboratory Fortified Blank: A sample matrix, free from the analytes of interest, spiked with verified known amounts of analytes or a material containing known and verified amounts of analytes.
LOD	- Limit of Detection: This value represents the level to which a target analyte can reliably be detected for a specific analyte in a specific matrix by a specific method. The LOD includes any adjustments from dilutions, concentrations or moisture content, where applicable. (DoD report formats only.)
LOQ	- Limit of Quantitation: The value at which an instrument can accurately measure an analyte at a specific concentration. The LOQ includes any adjustments from dilutions, concentrations or moisture content, where applicable. (DoD report formats only.)
	Limit of Quantitation: The value at which an instrument can accurately measure an analyte at a specific concentration. The LOQ includes any adjustments from dilutions, concentrations or moisture content, where applicable. (DoD report formats only.)
MDL	- Method Detection Limit: This value represents the level to which target analyte concentrations are reported as estimated values, when those target analyte concentrations are quantified below the reporting limit (RL). The MDL includes any adjustments from dilutions, concentrations or moisture content, where applicable.
MS	- Matrix Spike Sample: A sample prepared by adding a known mass of target analyte to a specified amount of matrix sample for which an independent estimate of target analyte concentration is available. For Method 332.0, the spike recovery is calculated using the native concentration, including estimated values.
MSD	- Matrix Spike Sample Duplicate: Refer to MS.
NA	- Not Applicable.
NC	- Not Calculated: Term is utilized when one or more of the results utilized in the calculation are non-detect at the parameter's reporting unit.
NDPA/DPA	- N-Nitrosodiphenylamine/Diphenylamine.
NI	- Not Ignitable.
NP	- Non-Plastic: Term is utilized for the analysis of Atterberg Limits in soil.
NR	- No Results: Term is utilized when 'No Target Compounds Requested' is reported for the analysis of Volatile or Semivolatile Organic TIC only requests.
RL	- Reporting Limit: The value at which an instrument can accurately measure an analyte at a specific concentration. The RL includes any adjustments from dilutions, concentrations or moisture content, where applicable.
RPD	- Relative Percent Difference: The results from matrix and/or matrix spike duplicates are primarily designed to assess the precision of analytical results in a given matrix and are expressed as relative percent difference (RPD). Values which are less than five times the reporting limit for any individual parameter are evaluated by utilizing the absolute difference between the values; although the RPD value will be provided in the report.
SRM	- Standard Reference Material: A reference sample of a known or certified value that is of the same or similar matrix as the associated field samples.
STLP	- Semi-dynamic Tank Leaching Procedure per EPA Method 1315.
TEF	- Toxic Equivalency Factors: The values assigned to each dioxin and furan to evaluate their toxicity relative to 2,3,7,8-TCDD.
TEQ	- Toxic Equivalent: The measure of a sample's toxicity derived by multiplying each dioxin and furan by its corresponding TEF and then summing the resulting values.
TIC	- Tentatively Identified Compound: A compound that has been identified to be present and is not part of the target compound list (TCL) for the method and/or program. All TICs are qualitatively identified and reported as estimated concentrations.

Report Format: DU Report with 'J' Qualifiers



Project Name: EAST NORTHPORT GROUNDWATER**Lab Number:** L2046265**Project Number:** Not Specified**Report Date:** 11/06/20**Footnotes**

- 1 - The reference for this analyte should be considered modified since this analyte is absent from the target analyte list of the original method.

Terms

Analytical Method: Both the document from which the method originates and the analytical reference method. (Example: EPA 8260B is shown as 1,8260B.) The codes for the reference method documents are provided in the References section of the Addendum.

Difference: With respect to Total Oxidizable Precursor (TOP) Assay analysis, the difference is defined as the Post-Treatment value minus the Pre-Treatment value.

Final pH: As it pertains to Sample Receipt & Container Information section of the report, Final pH reflects pH of container determined after adjustment at the laboratory, if applicable. If no adjustment required, value reflects Initial pH.

Frozen Date/Time: With respect to Volatile Organics in soil, Frozen Date/Time reflects the date/time at which associated Reagent Water-preserved vials were initially frozen. Note: If frozen date/time is beyond 48 hours from sample collection, value will be reflected in 'bold'.

Initial pH: As it pertains to Sample Receipt & Container Information section of the report, Initial pH reflects pH of container determined upon receipt, if applicable.

PAH Total: With respect to Alkylated PAH analyses, the 'PAHs, Total' result is defined as the summation of results for all or a subset of the following compounds: Naphthalene, C1-C4 Naphthalenes, 2-Methylnaphthalene, 1-Methylnaphthalene, Biphenyl, Acenaphthylene, Acenaphthene, Fluorene, C1-C3 Fluorenes, Phenanthrene, C1-C4 Phenanthrenes/Anthracenes, Anthracene, Fluoranthene, Pyrene, C1-C4 Fluoranthenes/Pyrenes, Benz(a)anthracene, Chrysene, C1-C4 Chrysenes, Benzo(b)fluoranthene, Benzo(j)+(k)fluoranthene, Benzo(e)pyrene, Benzo(a)pyrene, Perylene, Indeno(1,2,3-cd)pyrene, Dibenz(ah)+(ac)anthracene, Benzo(g,h,i)perylene. If a 'Total' result is requested, the results of its individual components will also be reported.

PFAS Total: With respect to PFAS analyses, the 'PFAS, Total (5)' result is defined as the summation of results for: PFHpA, PFHxS, PFOA, PFNA and PFOS. If a 'Total' result is requested, the results of its individual components will also be reported.

The target compound Chlordane (CAS No. 57-74-9) is reported for GC ECD analyses. Per EPA, this compound "refers to a mixture of chlordane isomers, other chlorinated hydrocarbons and numerous other components." (Reference: USEPA Toxicological Review of Chlordane, In Support of Summary Information on the Integrated Risk Information System (IRIS), December 1997.)

Total: With respect to Organic analyses, a 'Total' result is defined as the summation of results for individual isomers or Aroclors. If a 'Total' result is requested, the results of its individual components will also be reported. This is applicable to 'Total' results for methods 8260, 8081 and 8082.

Data Qualifiers

- A** - Spectra identified as "Aldol Condensates" are byproducts of the extraction/concentration procedures when acetone is introduced in the process.
- B** - The analyte was detected above the reporting limit in the associated method blank. Flag only applies to associated field samples that have detectable concentrations of the analyte at less than ten times (10x) the concentration found in the blank. For MCP-related projects, flag only applies to associated field samples that have detectable concentrations of the analyte at less than ten times (10x) the concentration found in the blank. For DOD-related projects, flag only applies to associated field samples that have detectable concentrations of the analyte at less than ten times (10x) the concentration found in the blank AND the analyte was detected above one-half the reporting limit (or above the reporting limit for common lab contaminants) in the associated method blank. For NJ-Air-related projects, flag only applies to associated field samples that have detectable concentrations of the analyte above the reporting limit. For NJ-related projects (excluding Air), flag only applies to associated field samples that have detectable concentrations of the analyte, which was detected above the reporting limit in the associated method blank or above five times the reporting limit for common lab contaminants (Phthalates, Acetone, Methylene Chloride, 2-Butanone).
- C** - Co-elution: The target analyte co-elutes with a known lab standard (i.e. surrogate, internal standards, etc.) for co-extracted analyses.
- D** - Concentration of analyte was quantified from diluted analysis. Flag only applies to field samples that have detectable concentrations of the analyte.
- E** - Concentration of analyte exceeds the range of the calibration curve and/or linear range of the instrument.
- F** - The ratio of quantifier ion response to qualifier ion response falls outside of the laboratory criteria. Results are considered to be an estimated maximum concentration.
- G** - The concentration may be biased high due to matrix interferences (i.e. co-elution) with non-target compound(s). The result should be considered estimated.
- H** - The analysis of pH was performed beyond the regulatory-required holding time of 15 minutes from the time of sample collection.
- I** - The lower value for the two columns has been reported due to obvious interference.
- J** - Estimated value. The Target analyte concentration is below the quantitation limit (RL), but above the Method Detection Limit (MDL) or Estimated Detection Limit (EDL) for SPME-related analyses. This represents an estimated concentration for Tentatively Identified Compounds (TICs).
- M** - Reporting Limit (RL) exceeds the MCP CAM Reporting Limit for this analyte.
- ND** - Not detected at the method detection limit (MDL) for the sample, or estimated detection limit (EDL) for SPME-related analyses.
- NJ** - Presumptive evidence of compound. This represents an estimated concentration for Tentatively Identified Compounds (TICs), where

Report Format: DU Report with 'J' Qualifiers



Project Name: EAST NORTHPORT GROUNDWATER
Project Number: Not Specified

Lab Number: L2046265
Report Date: 11/06/20

Data Qualifiers

the identification is based on a mass spectral library search.

- P** - The RPD between the results for the two columns exceeds the method-specified criteria.
- Q** - The quality control sample exceeds the associated acceptance criteria. For DOD-related projects, LCS and/or Continuing Calibration Standard exceedences are also qualified on all associated sample results. Note: This flag is not applicable for matrix spike recoveries when the sample concentration is greater than 4x the spike added or for batch duplicate RPD when the sample concentrations are less than 5x the RL. (Metals only.)
- R** - Analytical results are from sample re-analysis.
- RE** - Analytical results are from sample re-extraction.
- S** - Analytical results are from modified screening analysis.

Report Format: DU Report with 'J' Qualifiers



Project Name: EAST NORTHPORT GROUNDWATER
Project Number: Not Specified

Lab Number: L2046265
Report Date: 11/06/20

REFERENCES

- 1 Test Methods for Evaluating Solid Waste: Physical/Chemical Methods. EPA SW-846. Third Edition. Updates I - VI, 2018.
- 134 Determination of Selected Perfluorinated Alkyl Acids in Drinking Water by Solid Phase Extraction and Liquid Chromatography/Tandem Mass Spectrometry (LC/MS/MS) using Isotope Dilution. Alpha SOP 23528.

LIMITATION OF LIABILITIES

Alpha Analytical performs services with reasonable care and diligence normal to the analytical testing laboratory industry. In the event of an error, the sole and exclusive responsibility of Alpha Analytical shall be to re-perform the work at it's own expense. In no event shall Alpha Analytical be held liable for any incidental, consequential or special damages, including but not limited to, damages in any way connected with the use of, interpretation of, information or analysis provided by Alpha Analytical.

We strongly urge our clients to comply with EPA protocol regarding sample volume, preservation, cooling, containers, sampling procedures, holding time and splitting of samples in the field.



Certification Information

The following analytes are not included in our Primary NELAP Scope of Accreditation:

Westborough Facility

EPA 624/624.1: m/p-xylene, o-xylene, Naphthalene

EPA 8260C: NPW: 1,2,4,5-Tetramethylbenzene; 4-Ethyltoluene, Azobenzene; SCM: Iodomethane (methyl iodide), 1,2,4,5-Tetramethylbenzene; 4-Ethyltoluene.

EPA 8270D: NPW: Dimethylnaphthalene, 1,4-Diphenylhydrazine; SCM: Dimethylnaphthalene, 1,4-Diphenylhydrazine.

SM4500: NPW: Amenable Cyanide; SCM: Total Phosphorus, TKN, NO₂, NO₃.

Mansfield Facility

SM 2540D: TSS

EPA 8082A: NPW: PCB: 1, 5, 31, 87, 101, 110, 141, 151, 153, 180, 183, 187.

EPA TO-15: Halothane, 2,4,4-Trimethyl-2-pentene, 2,4,4-Trimethyl-1-pentene, Thiophene, 2-Methylthiophene, 3-Methylthiophene, 2-Ethylthiophene, 1,2,3-Trimethylbenzene, Indan, Indene, 1,2,4,5-Tetramethylbenzene, Benzothiophene, 1-Methylnaphthalene.

EPA TO-12 Non-methane organics

EPA 3C Fixed gases

Biological Tissue Matrix: EPA 3050B

The following analytes are included in our Massachusetts DEP Scope of Accreditation

Westborough Facility:

Drinking Water

EPA 300.0: Chloride, Nitrate-N, Fluoride, Sulfate; **EPA 353.2:** Nitrate-N, Nitrite-N; **SM4500NO3-F:** Nitrate-N, Nitrite-N; **SM4500F-C, SM4500CN-CE,**

EPA 180.1, SM2130B, SM4500CI-D, SM2320B, SM2540C, SM4500H-B, SM4500NO2-B

EPA 332: Perchlorate; **EPA 524.2:** THMs and VOCs; **EPA 504.1:** EDB, DBCP.

Microbiology: SM9215B; SM9223-P/A, SM9223B-Colilert-QT, SM9222D.

Non-Potable Water

SM4500H,B, EPA 120.1, SM2510B, SM2540C, SM2320B, SM4500CL-E, SM4500F-BC, SM4500NH3-BH: Ammonia-N and Kjeldahl-N, **EPA 350.1:** Ammonia-N, **LACHAT 10-107-06-1-B:** Ammonia-N, **EPA 351.1, SM4500NO3-F, EPA 353.2:** Nitrate-N, **SM4500P-E, SM4500P-B, E, SM4500SO4-E, SM5220D, EPA 410.4, SM5210B, SM5310C, SM4500CL-D, EPA 1664, EPA 420.1, SM4500-CN-CE, SM2540D, EPA 300:** Chloride, Sulfate, Nitrate.

EPA 624.1: Volatile Halocarbons & Aromatics,

EPA 608.3: Chlordane, Toxaphene, Aldrin, alpha-BHC, beta-BHC, gamma-BHC, delta-BHC, Dieldrin, DDD, DDE, DDT, Endosulfan I, Endosulfan II, Endosulfan sulfate, Endrin, Endrin Aldehyde, Heptachlor, Heptachlor Epoxide, PCBs

EPA 625.1: SVOC (Acid/Base/Neutral Extractables), **EPA 600/4-81-045:** PCB-Oil.

Microbiology: SM9223B-Colilert-QT; Enterolert-QT, SM9221E, EPA 1600, EPA 1603.

Mansfield Facility:

Drinking Water

EPA 200.7: Al, Ba, Cd, Cr, Cu, Fe, Mn, Ni, Na, Ag, Ca, Zn. **EPA 200.8:** Al, Sb, As, Ba, Be, Cd, Cr, Cu, Pb, Mn, Ni, Se, Ag, TL, Zn. **EPA 245.1** Hg.

EPA 522.

Non-Potable Water

EPA 200.7: Al, Sb, As, Be, Cd, Ca, Cr, Co, Cu, Fe, Pb, Mg, Mn, Mo, Ni, K, Se, Ag, Na, Sr, TL, Ti, V, Zn.

EPA 200.8: Al, Sb, As, Be, Cd, Cr, Cu, Fe, Pb, Mn, Ni, K, Se, Ag, Na, TL, Zn.

EPA 245.1 Hg.

SM2340B

For a complete listing of analytes and methods, please contact your Alpha Project Manager.

CHAIN OF CUSTODY PAGE 1 OF 1					Date Rec'd in Lab: 10/23/20		ALPHA Job #: 2046265																																																																																																																																																																																																																																																																										
Project Information					Report Information		Data Deliverables		Billing Information																																																																																																																																																																																																																																																																								
Westborough, MA Mansfield, MA TEL: 508-899-8220 TEL: 508-822-9300 FAX: 508-899-8193 FAX: 508-822-3288		Project Name: EAST NORTHMONTS GROUNDWATER			<input type="checkbox"/> FAX <input checked="" type="checkbox"/> EMAIL <input checked="" type="checkbox"/> ADEx <input type="checkbox"/> Add'l Deliverables		<input checked="" type="checkbox"/> Same as Client info PO #:																																																																																																																																																																																																																																																																										
Client Information Client: RNC Environmental Geology, P.C. Address: 171 Deer Park Avenue, Suite 3 Babylon, NY 11702 Phone: 631-482-9590 Fax: 631-482-9593 Email: rcasson@rncenvironmental.com <input type="checkbox"/> These samples have been Previously analyzed by Alpha					Project Location: Project #: Project Manager: BOB CASSON ALPHA Quote #: 4560			Regulatory Requirements/Report Limits State/Fed Program: Criteria: NYCRR Part 360																																																																																																																																																																																																																																																																									
Turn-Around Time <input checked="" type="checkbox"/> Standard <input type="checkbox"/> Rush (ONLY IF PRE-APPROVED) Due Date: Time:					MCP PRESUMPTIVE CERTAINTY-CT REASONABLE CONFIDENCE PROTOCOLS <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Are MCP Analytical Methods Required? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Are CT RCP (Reasonable Confidence Protocols) Required?																																																																																																																																																																																																																																																																												
Other Project Specific Requirements/Comments/Detection Limits: Groundwater Program Emerging Contaminants					ANALYSIS																																																																																																																																																																																																																																																																												
<table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th rowspan="2">ALPHA Lab ID (Lab Use Only)</th> <th rowspan="2">Sample ID</th> <th colspan="2">Collection</th> <th rowspan="2">Sample Matrix</th> <th rowspan="2">Sampler's Initials</th> <th rowspan="2">1,4-dioxane</th> <th rowspan="2">PFAS</th> <th colspan="10"></th> <th rowspan="2">Sample Specific Comments</th> <th rowspan="2" style="writing-mode: vertical-rl; transform: rotate(180deg);">TOTAL # BOTTLES</th> </tr> <tr> <th>Date</th> <th>Time</th> <th colspan="10"></th> </tr> </thead> <tbody> <tr> <td>4626501</td> <td>EN1-M</td> <td>10/23/20</td> <td>945</td> <td></td> <td></td> <td><input checked="" type="checkbox"/></td> <td><input checked="" type="checkbox"/></td> <td><input type="checkbox"/></td><td><input type="checkbox"/></td><td><input type="checkbox"/></td><td><input type="checkbox"/></td><td><input type="checkbox"/></td><td><input type="checkbox"/></td><td><input type="checkbox"/></td><td><input type="checkbox"/></td><td><input type="checkbox"/></td><td><input type="checkbox"/></td><td><input type="checkbox"/></td><td><input type="checkbox"/></td><td><input type="checkbox"/></td><td></td> <td>1</td> </tr> <tr> <td>-02</td> <td>EN7-M</td> <td></td> <td>1145</td> <td></td> <td></td> <td><input checked="" type="checkbox"/></td> <td><input checked="" type="checkbox"/></td> <td><input type="checkbox"/></td><td><input type="checkbox"/></td><td><input type="checkbox"/></td><td><input type="checkbox"/></td><td><input type="checkbox"/></td><td><input type="checkbox"/></td><td><input type="checkbox"/></td><td><input type="checkbox"/></td><td><input type="checkbox"/></td><td><input type="checkbox"/></td><td><input type="checkbox"/></td><td><input type="checkbox"/></td><td><input type="checkbox"/></td><td></td> <td>1</td> </tr> <tr> <td>-02</td> <td>EN7-M(MS)</td> <td></td> <td>1145</td> <td></td> <td></td> <td><input checked="" type="checkbox"/></td> <td><input checked="" type="checkbox"/></td> <td><input type="checkbox"/></td><td><input type="checkbox"/></td><td><input type="checkbox"/></td><td><input type="checkbox"/></td><td><input type="checkbox"/></td><td><input type="checkbox"/></td><td><input type="checkbox"/></td><td><input type="checkbox"/></td><td><input type="checkbox"/></td><td><input type="checkbox"/></td><td><input type="checkbox"/></td><td><input type="checkbox"/></td><td><input type="checkbox"/></td><td></td> <td>1</td> </tr> <tr> <td>-02</td> <td>EN7-M(MSD)</td> <td></td> <td>1145</td> <td></td> <td></td> <td><input checked="" type="checkbox"/></td> <td><input checked="" type="checkbox"/></td> <td><input type="checkbox"/></td><td><input type="checkbox"/></td><td><input type="checkbox"/></td><td><input type="checkbox"/></td><td><input type="checkbox"/></td><td><input type="checkbox"/></td><td><input type="checkbox"/></td><td><input type="checkbox"/></td><td><input type="checkbox"/></td><td><input type="checkbox"/></td><td><input type="checkbox"/></td><td><input type="checkbox"/></td><td><input type="checkbox"/></td><td></td> <td>1</td> </tr> <tr> <td>-03</td> <td>EN70-M</td> <td></td> <td>1300</td> <td></td> <td></td> <td><input checked="" type="checkbox"/></td> <td><input checked="" type="checkbox"/></td> <td><input type="checkbox"/></td><td><input type="checkbox"/></td><td><input type="checkbox"/></td><td><input type="checkbox"/></td><td><input type="checkbox"/></td><td><input type="checkbox"/></td><td><input type="checkbox"/></td><td><input type="checkbox"/></td><td><input type="checkbox"/></td><td><input type="checkbox"/></td><td><input type="checkbox"/></td><td><input type="checkbox"/></td><td><input type="checkbox"/></td><td></td> <td>1</td> </tr> <tr> <td>-04</td> <td>DUP</td> <td></td> <td>-</td> <td></td> <td></td> <td><input checked="" type="checkbox"/></td> <td><input checked="" type="checkbox"/></td> <td><input type="checkbox"/></td><td><input type="checkbox"/></td><td><input type="checkbox"/></td><td><input type="checkbox"/></td><td><input type="checkbox"/></td><td><input type="checkbox"/></td><td><input type="checkbox"/></td><td><input type="checkbox"/></td><td><input type="checkbox"/></td><td><input type="checkbox"/></td><td><input type="checkbox"/></td><td><input type="checkbox"/></td><td><input type="checkbox"/></td><td></td> <td>1</td> </tr> <tr> <td>-05</td> <td>FB</td> <td></td> <td>1255</td> <td></td> <td></td> <td><input checked="" type="checkbox"/></td> <td><input checked="" type="checkbox"/></td> <td><input type="checkbox"/></td><td><input type="checkbox"/></td><td><input type="checkbox"/></td><td><input type="checkbox"/></td><td><input type="checkbox"/></td><td><input type="checkbox"/></td><td><input type="checkbox"/></td><td><input type="checkbox"/></td><td><input type="checkbox"/></td><td><input type="checkbox"/></td><td><input type="checkbox"/></td><td><input type="checkbox"/></td><td><input type="checkbox"/></td><td></td> <td>1</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td><input checked="" type="checkbox"/></td> <td><input checked="" type="checkbox"/></td> <td><input type="checkbox"/></td><td><input type="checkbox"/></td><td><input type="checkbox"/></td><td><input type="checkbox"/></td><td><input type="checkbox"/></td><td><input type="checkbox"/></td><td><input type="checkbox"/></td><td><input type="checkbox"/></td><td><input type="checkbox"/></td><td><input type="checkbox"/></td><td><input type="checkbox"/></td><td><input type="checkbox"/></td><td><input type="checkbox"/></td><td></td> <td>1</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td><input checked="" type="checkbox"/></td> <td><input checked="" type="checkbox"/></td> <td><input type="checkbox"/></td><td><input type="checkbox"/></td><td><input type="checkbox"/></td><td><input type="checkbox"/></td><td><input type="checkbox"/></td><td><input type="checkbox"/></td><td><input type="checkbox"/></td><td><input type="checkbox"/></td><td><input type="checkbox"/></td><td><input type="checkbox"/></td><td><input type="checkbox"/></td><td><input type="checkbox"/></td><td><input type="checkbox"/></td><td></td> <td>1</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td><input checked="" type="checkbox"/></td> <td><input checked="" type="checkbox"/></td> <td><input type="checkbox"/></td><td><input type="checkbox"/></td><td><input type="checkbox"/></td><td><input type="checkbox"/></td><td><input type="checkbox"/></td><td><input type="checkbox"/></td><td><input type="checkbox"/></td><td><input type="checkbox"/></td><td><input type="checkbox"/></td><td><input type="checkbox"/></td><td><input type="checkbox"/></td><td><input type="checkbox"/></td><td><input type="checkbox"/></td><td></td> <td>1</td> </tr> </tbody> </table>												ALPHA Lab ID (Lab Use Only)	Sample ID	Collection		Sample Matrix	Sampler's Initials	1,4-dioxane	PFAS											Sample Specific Comments	TOTAL # BOTTLES	Date	Time											4626501	EN1-M	10/23/20	945			<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		1	-02	EN7-M		1145			<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		1	-02	EN7-M(MS)		1145			<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		1	-02	EN7-M(MSD)		1145			<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		1	-03	EN70-M		1300			<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		1	-04	DUP		-			<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		1	-05	FB		1255			<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		1							<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		1							<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		1							<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		1
ALPHA Lab ID (Lab Use Only)	Sample ID	Collection		Sample Matrix	Sampler's Initials	1,4-dioxane	PFAS													Sample Specific Comments	TOTAL # BOTTLES																																																																																																																																																																																																																																																												
		Date	Time																																																																																																																																																																																																																																																																														
4626501	EN1-M	10/23/20	945			<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		1																																																																																																																																																																																																																																																											
-02	EN7-M		1145			<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		1																																																																																																																																																																																																																																																											
-02	EN7-M(MS)		1145			<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		1																																																																																																																																																																																																																																																											
-02	EN7-M(MSD)		1145			<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		1																																																																																																																																																																																																																																																											
-03	EN70-M		1300			<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		1																																																																																																																																																																																																																																																											
-04	DUP		-			<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		1																																																																																																																																																																																																																																																											
-05	FB		1255			<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		1																																																																																																																																																																																																																																																											
						<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		1																																																																																																																																																																																																																																																											
						<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		1																																																																																																																																																																																																																																																											
						<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		1																																																																																																																																																																																																																																																											
PLEASE ANSWER QUESTIONS ABOVE! IS YOUR PROJECT MA MCP or CT RCP?					Container Type: - - - - - - - - Preservative: - - - - - - - -		Relinquished By: Date/Time Received By: Date/Time RBIR/AAL 10/23/20 1040 RBIR/AAL 10/23/20 (617) AAL 10/24/20 01:30 JPB AAL 10/23/20 21:00 JPB 10/24/20 01:30 WA 10/23/20 01:30		Please print clearly, legibly and completely. Samples can not be logged in and turnaround time clock will not start until any ambiguities are resolved. All samples submitted are subject to Alpha's Payment Terms.																																																																																																																																																																																																																																																																								



ANALYTICAL REPORT

Lab Number:	L2046011
Client:	RNC Environmental Geology, P.C. 72 Bellerose Avenue East Northport, NY 11731
ATTN:	Robert Casson
Phone:	(631) 482-9590
Project Name:	EAST NORTHPORT SURFACE WATER
Project Number:	Not Specified
Report Date:	10/29/20

The original project report/data package is held by Alpha Analytical. This report/data package is paginated and should be reproduced only in its entirety. Alpha Analytical holds no responsibility for results and/or data that are not consistent with the original.

Certifications & Approvals: MA (M-MA086), NH NELAP (2064), CT (PH-0574), IL (200077), ME (MA00086), MD (348), NJ (MA935), NY (11148), NC (25700/666), PA (68-03671), RI (LAO00065), TX (T104704476), VT (VT-0935), VA (460195), USDA (Permit #P330-17-00196).

Eight Walkup Drive, Westborough, MA 01581-1019
508-898-9220 (Fax) 508-898-9193 800-624-9220 - www.alphalab.com



Serial_No:10292014:01

Project Name: EAST NORTHPORT SURFACE WATER
Project Number: Not Specified

Lab Number: L2046011
Report Date: 10/29/20

Alpha Sample ID	Client ID	Matrix	Sample Location	Collection Date/Time	Receive Date
L2046011-01	SW-7	WATER	EAST NORTHPORT	10/22/20 09:00	10/22/20
L2046011-02	SW-1	WATER	EAST NORTHPORT	10/22/20 09:20	10/22/20
L2046011-03	SW-4	WATER	EAST NORTHPORT	10/22/20 09:30	10/22/20
L2046011-04	SW-3	WATER	EAST NORTHPORT	10/22/20 09:35	10/22/20
L2046011-05	SW-2	WATER	EAST NORTHPORT	10/22/20 09:40	10/22/20
L2046011-06	SW-6	WATER	EAST NORTHPORT	10/22/20 09:45	10/22/20
L2046011-07	SW-5	WATER	EAST NORTHPORT	10/22/20 09:55	10/22/20
L2046011-08	SW-DUP	WATER	EAST NORTHPORT	10/22/20 00:00	10/22/20
L2046011-09	TB-SW	TRIP BLANK (AQUEOUS)	EAST NORTHPORT	10/22/20 00:00	10/22/20

Project Name: EAST NORTHPORT SURFACE WATER
Project Number: Not Specified

Lab Number: L2046011
Report Date: 10/29/20

Case Narrative

The samples were received in accordance with the Chain of Custody and no significant deviations were encountered during the preparation or analysis unless otherwise noted. Sample Receipt, Container Information, and the Chain of Custody are located at the back of the report.

Results contained within this report relate only to the samples submitted under this Alpha Lab Number and meet NELAP requirements for all NELAP accredited parameters unless otherwise noted in the following narrative. The data presented in this report is organized by parameter (i.e. VOC, SVOC, etc.). Sample specific Quality Control data (i.e. Surrogate Spike Recovery) is reported at the end of the target analyte list for each individual sample, followed by the Laboratory Batch Quality Control at the end of each parameter. Tentatively Identified Compounds (TICs), if requested, are reported for compounds identified to be present and are not part of the method/program Target Compound List, even if only a subset of the TCL are being reported. If a sample was re-analyzed or re-extracted due to a required quality control corrective action and if both sets of data are reported, the Laboratory ID of the re-analysis or re-extraction is designated with an "R" or "RE", respectively.

When multiple Batch Quality Control elements are reported (e.g. more than one LCS), the associated samples for each element are noted in the grey shaded header line of each data table. Any Laboratory Batch, Sample Specific % recovery or RPD value that is outside the listed Acceptance Criteria is bolded in the report. In reference to questions H (CAM) or 4 (RCP) when "NO" is checked, the performance criteria for CAM and RCP methods allow for some quality control failures to occur and still be within method compliance. In these instances, the specific failure is not narrated but noted in the associated QC Outlier Summary Report, located directly after the Case Narrative. QC information is also incorporated in the Data Usability Assessment table (Format 11) of our Data Merger tool, where it can be reviewed in conjunction with the sample result, associated regulatory criteria and any associated data usability implications.

Soil/sediments, solids and tissues are reported on a dry weight basis unless otherwise noted. Definitions of all data qualifiers and acronyms used in this report are provided in the Glossary located at the back of the report.

HOLD POLICY - For samples submitted on hold, Alpha's policy is to hold samples (with the exception of Air canisters) free of charge for 21 calendar days from the date the project is completed. After 21 calendar days, we will dispose of all samples submitted including those put on hold unless you have contacted your Alpha Project Manager and made arrangements for Alpha to continue to hold the samples. Air canisters will be disposed after 3 business days from the date the project is completed.

Please contact Project Management at 800-624-9220 with any questions.

Project Name: EAST NORTHPORT SURFACE WATER
Project Number: Not Specified

Lab Number: L2046011
Report Date: 10/29/20

Case Narrative (continued)

Report Submission

All non-detect (ND) or estimated concentrations (J-qualified) have been quantitated to the limit noted in the MDL column.

Volatile Organics by Method 624

The WG1426105-5 MS recovery, performed on L2046011-04, is below the acceptance criteria for acrolein (38%); however, the associated LCS recovery is within overall method allowances.

The WG1426105-5/-6 MS/MSD RPDs, performed on L2046011-04, are outside the acceptance criteria for cis-1,3-dichloropropene (67%) and acrolein (50%).

I, the undersigned, attest under the pains and penalties of perjury that, to the best of my knowledge and belief and based upon my personal inquiry of those responsible for providing the information contained in this analytical report, such information is accurate and complete. This certificate of analysis is not complete unless this page accompanies any and all pages of this report.

Authorized Signature:  Kelly Stenstrom

Title: Technical Director/Representative

Date: 10/29/20

ORGANICS

VOLATILES

Project Name: EAST NORTHPORT SURFACE WATER**Lab Number:** L2046011**Project Number:** Not Specified**Report Date:** 10/29/20**SAMPLE RESULTS**

Lab ID: L2046011-01
 Client ID: SW-7
 Sample Location: EAST NORTHPORT

Date Collected: 10/22/20 09:00
 Date Received: 10/22/20
 Field Prep: Not Specified

Sample Depth:

Matrix: Water
 Analytical Method: 128,624.1
 Analytical Date: 10/23/20 18:46
 Analyst: MKS

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab						
Methylene chloride	ND		ug/l	1.0	0.56	1
1,1-Dichloroethane	ND		ug/l	1.5	0.40	1
Chloroform	ND		ug/l	1.0	0.38	1
Carbon tetrachloride	ND		ug/l	1.0	0.24	1
1,2-Dichloropropane	ND		ug/l	3.5	0.46	1
Dibromochloromethane	ND		ug/l	1.0	0.27	1
1,1,2-Trichloroethane	ND		ug/l	1.5	0.34	1
2-Chloroethylvinyl ether	ND		ug/l	10	0.35	1
Tetrachloroethene	ND		ug/l	1.0	0.26	1
Chlorobenzene	ND		ug/l	3.5	0.30	1
Trichlorofluoromethane	ND		ug/l	5.0	0.28	1
1,2-Dichloroethane	ND		ug/l	1.5	0.47	1
1,1,1-Trichloroethane	ND		ug/l	2.0	0.29	1
Bromodichloromethane	ND		ug/l	1.0	0.28	1
trans-1,3-Dichloropropene	ND		ug/l	1.5	0.31	1
cis-1,3-Dichloropropene	ND		ug/l	1.5	0.34	1
Bromoform	ND		ug/l	1.0	0.22	1
1,1,2,2-Tetrachloroethane	ND		ug/l	1.0	0.20	1
Benzene	ND		ug/l	1.0	0.38	1
Toluene	ND		ug/l	1.0	0.31	1
Ethylbenzene	ND		ug/l	1.0	0.28	1
Chloromethane	ND		ug/l	5.0	1.0	1
Bromomethane	ND		ug/l	5.0	1.2	1
Vinyl chloride	ND		ug/l	1.0	0.38	1
Chloroethane	ND		ug/l	2.0	0.37	1
1,1-Dichloroethene	ND		ug/l	1.0	0.31	1
trans-1,2-Dichloroethene	ND		ug/l	1.5	0.33	1
cis-1,2-Dichloroethene	ND		ug/l	1.0	0.17	1

Project Name: EAST NORTHPORT SURFACE WATER**Lab Number:** L2046011**Project Number:** Not Specified**Report Date:** 10/29/20**SAMPLE RESULTS**

Lab ID: L2046011-01
 Client ID: SW-7
 Sample Location: EAST NORTHPORT

Date Collected: 10/22/20 09:00
 Date Received: 10/22/20
 Field Prep: Not Specified

Sample Depth:

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab						
Trichloroethene	ND		ug/l	1.0	0.33	1
1,2-Dichlorobenzene	ND		ug/l	5.0	0.28	1
1,3-Dichlorobenzene	ND		ug/l	5.0	0.27	1
1,4-Dichlorobenzene	ND		ug/l	5.0	0.29	1
p/m-Xylene	ND		ug/l	2.0	0.30	1
o-xylene	ND		ug/l	1.0	0.34	1
Xylenes, Total	ND		ug/l	1.0	0.30	1
Styrene	ND		ug/l	1.0	0.37	1
Acetone	ND		ug/l	10	2.4	1
Carbon disulfide	ND		ug/l	5.0	0.28	1
2-Butanone	ND		ug/l	10	1.0	1
Vinyl acetate	ND		ug/l	10	0.41	1
4-Methyl-2-pentanone	ND		ug/l	10	0.19	1
2-Hexanone	ND		ug/l	10	0.55	1
Acrolein	ND		ug/l	8.0	1.8	1
Acrylonitrile	ND		ug/l	10	0.33	1
Methyl tert butyl Ether	ND		ug/l	10	0.19	1
1,4-Dioxane ¹	ND		ug/l	2000	30.	1
Tert-Butyl Alcohol	ND		ug/l	100	3.9	1
Tertiary-Amyl Methyl Ether	ND		ug/l	20	0.28	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria
Pentafluorobenzene	106		60-140
Fluorobenzene	97		60-140
4-Bromofluorobenzene	91		60-140

Project Name: EAST NORTHPORT SURFACE WATER**Lab Number:** L2046011**Project Number:** Not Specified**Report Date:** 10/29/20**SAMPLE RESULTS**

Lab ID: L2046011-02
 Client ID: SW-1
 Sample Location: EAST NORTHPORT

Date Collected: 10/22/20 09:20
 Date Received: 10/22/20
 Field Prep: Not Specified

Sample Depth:

Matrix: Water
 Analytical Method: 128,624.1
 Analytical Date: 10/23/20 19:24
 Analyst: MKS

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab						
Methylene chloride	ND		ug/l	1.0	0.56	1
1,1-Dichloroethane	ND		ug/l	1.5	0.40	1
Chloroform	ND		ug/l	1.0	0.38	1
Carbon tetrachloride	ND		ug/l	1.0	0.24	1
1,2-Dichloropropane	ND		ug/l	3.5	0.46	1
Dibromochloromethane	ND		ug/l	1.0	0.27	1
1,1,2-Trichloroethane	ND		ug/l	1.5	0.34	1
2-Chloroethylvinyl ether	ND		ug/l	10	0.35	1
Tetrachloroethene	1.1		ug/l	1.0	0.26	1
Chlorobenzene	ND		ug/l	3.5	0.30	1
Trichlorofluoromethane	ND		ug/l	5.0	0.28	1
1,2-Dichloroethane	ND		ug/l	1.5	0.47	1
1,1,1-Trichloroethane	ND		ug/l	2.0	0.29	1
Bromodichloromethane	ND		ug/l	1.0	0.28	1
trans-1,3-Dichloropropene	ND		ug/l	1.5	0.31	1
cis-1,3-Dichloropropene	ND		ug/l	1.5	0.34	1
Bromoform	ND		ug/l	1.0	0.22	1
1,1,2,2-Tetrachloroethane	ND		ug/l	1.0	0.20	1
Benzene	ND		ug/l	1.0	0.38	1
Toluene	ND		ug/l	1.0	0.31	1
Ethylbenzene	ND		ug/l	1.0	0.28	1
Chloromethane	ND		ug/l	5.0	1.0	1
Bromomethane	ND		ug/l	5.0	1.2	1
Vinyl chloride	ND		ug/l	1.0	0.38	1
Chloroethane	ND		ug/l	2.0	0.37	1
1,1-Dichloroethene	ND		ug/l	1.0	0.31	1
trans-1,2-Dichloroethene	ND		ug/l	1.5	0.33	1
cis-1,2-Dichloroethene	ND		ug/l	1.0	0.17	1

Project Name: EAST NORTHPORT SURFACE WATER**Lab Number:** L2046011**Project Number:** Not Specified**Report Date:** 10/29/20**SAMPLE RESULTS**

Lab ID: L2046011-02

Date Collected: 10/22/20 09:20

Client ID: SW-1

Date Received: 10/22/20

Sample Location: EAST NORTHPORT

Field Prep: Not Specified

Sample Depth:

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab						
Trichloroethene	ND		ug/l	1.0	0.33	1
1,2-Dichlorobenzene	ND		ug/l	5.0	0.28	1
1,3-Dichlorobenzene	ND		ug/l	5.0	0.27	1
1,4-Dichlorobenzene	ND		ug/l	5.0	0.29	1
p/m-Xylene	ND		ug/l	2.0	0.30	1
o-xylene	ND		ug/l	1.0	0.34	1
Xylenes, Total	ND		ug/l	1.0	0.30	1
Styrene	ND		ug/l	1.0	0.37	1
Acetone	ND		ug/l	10	2.4	1
Carbon disulfide	ND		ug/l	5.0	0.28	1
2-Butanone	ND		ug/l	10	1.0	1
Vinyl acetate	ND		ug/l	10	0.41	1
4-Methyl-2-pentanone	ND		ug/l	10	0.19	1
2-Hexanone	ND		ug/l	10	0.55	1
Acrolein	ND		ug/l	8.0	1.8	1
Acrylonitrile	ND		ug/l	10	0.33	1
Methyl tert butyl Ether	ND		ug/l	10	0.19	1
1,4-Dioxane ¹	ND		ug/l	2000	30.	1
Tert-Butyl Alcohol	ND		ug/l	100	3.9	1
Tertiary-Amyl Methyl Ether	ND		ug/l	20	0.28	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria
Pentafluorobenzene	102		60-140
Fluorobenzene	91		60-140
4-Bromofluorobenzene	95		60-140

Project Name: EAST NORTHPORT SURFACE WATER**Lab Number:** L2046011**Project Number:** Not Specified**Report Date:** 10/29/20**SAMPLE RESULTS**

Lab ID: L2046011-03
 Client ID: SW-4
 Sample Location: EAST NORTHPORT

Date Collected: 10/22/20 09:30
 Date Received: 10/22/20
 Field Prep: Not Specified

Sample Depth:

Matrix: Water
 Analytical Method: 128,624.1
 Analytical Date: 10/23/20 20:02
 Analyst: MKS

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab						
Methylene chloride	ND		ug/l	1.0	0.56	1
1,1-Dichloroethane	ND		ug/l	1.5	0.40	1
Chloroform	ND		ug/l	1.0	0.38	1
Carbon tetrachloride	ND		ug/l	1.0	0.24	1
1,2-Dichloropropane	ND		ug/l	3.5	0.46	1
Dibromochloromethane	ND		ug/l	1.0	0.27	1
1,1,2-Trichloroethane	ND		ug/l	1.5	0.34	1
2-Chloroethylvinyl ether	ND		ug/l	10	0.35	1
Tetrachloroethene	0.92	J	ug/l	1.0	0.26	1
Chlorobenzene	ND		ug/l	3.5	0.30	1
Trichlorofluoromethane	ND		ug/l	5.0	0.28	1
1,2-Dichloroethane	ND		ug/l	1.5	0.47	1
1,1,1-Trichloroethane	ND		ug/l	2.0	0.29	1
Bromodichloromethane	ND		ug/l	1.0	0.28	1
trans-1,3-Dichloropropene	ND		ug/l	1.5	0.31	1
cis-1,3-Dichloropropene	ND		ug/l	1.5	0.34	1
Bromoform	ND		ug/l	1.0	0.22	1
1,1,2,2-Tetrachloroethane	ND		ug/l	1.0	0.20	1
Benzene	ND		ug/l	1.0	0.38	1
Toluene	ND		ug/l	1.0	0.31	1
Ethylbenzene	ND		ug/l	1.0	0.28	1
Chloromethane	ND		ug/l	5.0	1.0	1
Bromomethane	ND		ug/l	5.0	1.2	1
Vinyl chloride	ND		ug/l	1.0	0.38	1
Chloroethane	ND		ug/l	2.0	0.37	1
1,1-Dichloroethene	ND		ug/l	1.0	0.31	1
trans-1,2-Dichloroethene	ND		ug/l	1.5	0.33	1
cis-1,2-Dichloroethene	ND		ug/l	1.0	0.17	1

Project Name: EAST NORTHPORT SURFACE WATER**Lab Number:** L2046011**Project Number:** Not Specified**Report Date:** 10/29/20**SAMPLE RESULTS**

Lab ID: L2046011-03

Date Collected: 10/22/20 09:30

Client ID: SW-4

Date Received: 10/22/20

Sample Location: EAST NORTHPORT

Field Prep: Not Specified

Sample Depth:

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab						
Trichloroethene	ND		ug/l	1.0	0.33	1
1,2-Dichlorobenzene	ND		ug/l	5.0	0.28	1
1,3-Dichlorobenzene	ND		ug/l	5.0	0.27	1
1,4-Dichlorobenzene	ND		ug/l	5.0	0.29	1
p/m-Xylene	ND		ug/l	2.0	0.30	1
o-xylene	ND		ug/l	1.0	0.34	1
Xylenes, Total	ND		ug/l	1.0	0.30	1
Styrene	ND		ug/l	1.0	0.37	1
Acetone	ND		ug/l	10	2.4	1
Carbon disulfide	ND		ug/l	5.0	0.28	1
2-Butanone	ND		ug/l	10	1.0	1
Vinyl acetate	ND		ug/l	10	0.41	1
4-Methyl-2-pentanone	ND		ug/l	10	0.19	1
2-Hexanone	ND		ug/l	10	0.55	1
Acrolein	ND		ug/l	8.0	1.8	1
Acrylonitrile	ND		ug/l	10	0.33	1
Methyl tert butyl Ether	ND		ug/l	10	0.19	1
1,4-Dioxane ¹	ND		ug/l	2000	30.	1
Tert-Butyl Alcohol	ND		ug/l	100	3.9	1
Tertiary-Amyl Methyl Ether	ND		ug/l	20	0.28	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria
Pentafluorobenzene	103		60-140
Fluorobenzene	91		60-140
4-Bromofluorobenzene	93		60-140

Project Name: EAST NORTHPORT SURFACE WATER**Lab Number:** L2046011**Project Number:** Not Specified**Report Date:** 10/29/20**SAMPLE RESULTS**

Lab ID: L2046011-04
 Client ID: SW-3
 Sample Location: EAST NORTHPORT

Date Collected: 10/22/20 09:35
 Date Received: 10/22/20
 Field Prep: Not Specified

Sample Depth:

Matrix: Water
 Analytical Method: 128,624.1
 Analytical Date: 10/23/20 20:40
 Analyst: MKS

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab						
Methylene chloride	ND		ug/l	1.0	0.56	1
1,1-Dichloroethane	ND		ug/l	1.5	0.40	1
Chloroform	ND		ug/l	1.0	0.38	1
Carbon tetrachloride	ND		ug/l	1.0	0.24	1
1,2-Dichloropropane	ND		ug/l	3.5	0.46	1
Dibromochloromethane	ND		ug/l	1.0	0.27	1
1,1,2-Trichloroethane	ND		ug/l	1.5	0.34	1
2-Chloroethylvinyl ether	ND		ug/l	10	0.35	1
Tetrachloroethene	1.7		ug/l	1.0	0.26	1
Chlorobenzene	ND		ug/l	3.5	0.30	1
Trichlorofluoromethane	ND		ug/l	5.0	0.28	1
1,2-Dichloroethane	ND		ug/l	1.5	0.47	1
1,1,1-Trichloroethane	ND		ug/l	2.0	0.29	1
Bromodichloromethane	ND		ug/l	1.0	0.28	1
trans-1,3-Dichloropropene	ND		ug/l	1.5	0.31	1
cis-1,3-Dichloropropene	ND		ug/l	1.5	0.34	1
Bromoform	ND		ug/l	1.0	0.22	1
1,1,2,2-Tetrachloroethane	ND		ug/l	1.0	0.20	1
Benzene	ND		ug/l	1.0	0.38	1
Toluene	ND		ug/l	1.0	0.31	1
Ethylbenzene	ND		ug/l	1.0	0.28	1
Chloromethane	ND		ug/l	5.0	1.0	1
Bromomethane	ND		ug/l	5.0	1.2	1
Vinyl chloride	ND		ug/l	1.0	0.38	1
Chloroethane	ND		ug/l	2.0	0.37	1
1,1-Dichloroethene	ND		ug/l	1.0	0.31	1
trans-1,2-Dichloroethene	ND		ug/l	1.5	0.33	1
cis-1,2-Dichloroethene	ND		ug/l	1.0	0.17	1

Project Name: EAST NORTHPORT SURFACE WATER**Lab Number:** L2046011**Project Number:** Not Specified**Report Date:** 10/29/20**SAMPLE RESULTS**

Lab ID: L2046011-04
 Client ID: SW-3
 Sample Location: EAST NORTHPORT

Date Collected: 10/22/20 09:35
 Date Received: 10/22/20
 Field Prep: Not Specified

Sample Depth:

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab						
Trichloroethene	ND		ug/l	1.0	0.33	1
1,2-Dichlorobenzene	ND		ug/l	5.0	0.28	1
1,3-Dichlorobenzene	ND		ug/l	5.0	0.27	1
1,4-Dichlorobenzene	ND		ug/l	5.0	0.29	1
p/m-Xylene	ND		ug/l	2.0	0.30	1
o-xylene	ND		ug/l	1.0	0.34	1
Xylenes, Total	ND		ug/l	1.0	0.30	1
Styrene	ND		ug/l	1.0	0.37	1
Acetone	ND		ug/l	10	2.4	1
Carbon disulfide	ND		ug/l	5.0	0.28	1
2-Butanone	ND		ug/l	10	1.0	1
Vinyl acetate	ND		ug/l	10	0.41	1
4-Methyl-2-pentanone	ND		ug/l	10	0.19	1
2-Hexanone	ND		ug/l	10	0.55	1
Acrolein	ND		ug/l	8.0	1.8	1
Acrylonitrile	ND		ug/l	10	0.33	1
Methyl tert butyl Ether	ND		ug/l	10	0.19	1
1,4-Dioxane ¹	ND		ug/l	2000	30.	1
Tert-Butyl Alcohol	ND		ug/l	100	3.9	1
Tertiary-Amyl Methyl Ether	ND		ug/l	20	0.28	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria
Pentafluorobenzene	100		60-140
Fluorobenzene	90		60-140
4-Bromofluorobenzene	95		60-140

Project Name: EAST NORTHPORT SURFACE WATER**Lab Number:** L2046011**Project Number:** Not Specified**Report Date:** 10/29/20**SAMPLE RESULTS**

Lab ID: L2046011-05
 Client ID: SW-2
 Sample Location: EAST NORTHPORT

Date Collected: 10/22/20 09:40
 Date Received: 10/22/20
 Field Prep: Not Specified

Sample Depth:

Matrix: Water
 Analytical Method: 128,624.1
 Analytical Date: 10/23/20 21:18
 Analyst: MKS

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab						
Methylene chloride	ND		ug/l	1.0	0.56	1
1,1-Dichloroethane	ND		ug/l	1.5	0.40	1
Chloroform	ND		ug/l	1.0	0.38	1
Carbon tetrachloride	ND		ug/l	1.0	0.24	1
1,2-Dichloropropane	ND		ug/l	3.5	0.46	1
Dibromochloromethane	ND		ug/l	1.0	0.27	1
1,1,2-Trichloroethane	ND		ug/l	1.5	0.34	1
2-Chloroethylvinyl ether	ND		ug/l	10	0.35	1
Tetrachloroethene	0.71	J	ug/l	1.0	0.26	1
Chlorobenzene	ND		ug/l	3.5	0.30	1
Trichlorofluoromethane	ND		ug/l	5.0	0.28	1
1,2-Dichloroethane	ND		ug/l	1.5	0.47	1
1,1,1-Trichloroethane	ND		ug/l	2.0	0.29	1
Bromodichloromethane	ND		ug/l	1.0	0.28	1
trans-1,3-Dichloropropene	ND		ug/l	1.5	0.31	1
cis-1,3-Dichloropropene	ND		ug/l	1.5	0.34	1
Bromoform	ND		ug/l	1.0	0.22	1
1,1,2,2-Tetrachloroethane	ND		ug/l	1.0	0.20	1
Benzene	ND		ug/l	1.0	0.38	1
Toluene	ND		ug/l	1.0	0.31	1
Ethylbenzene	ND		ug/l	1.0	0.28	1
Chloromethane	ND		ug/l	5.0	1.0	1
Bromomethane	ND		ug/l	5.0	1.2	1
Vinyl chloride	ND		ug/l	1.0	0.38	1
Chloroethane	ND		ug/l	2.0	0.37	1
1,1-Dichloroethene	ND		ug/l	1.0	0.31	1
trans-1,2-Dichloroethene	ND		ug/l	1.5	0.33	1
cis-1,2-Dichloroethene	0.27	J	ug/l	1.0	0.17	1

Project Name: EAST NORTHPORT SURFACE WATER**Lab Number:** L2046011**Project Number:** Not Specified**Report Date:** 10/29/20**SAMPLE RESULTS**

Lab ID: L2046011-05
 Client ID: SW-2
 Sample Location: EAST NORTHPORT

Date Collected: 10/22/20 09:40
 Date Received: 10/22/20
 Field Prep: Not Specified

Sample Depth:

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab						
Trichloroethene	ND		ug/l	1.0	0.33	1
1,2-Dichlorobenzene	ND		ug/l	5.0	0.28	1
1,3-Dichlorobenzene	ND		ug/l	5.0	0.27	1
1,4-Dichlorobenzene	ND		ug/l	5.0	0.29	1
p/m-Xylene	ND		ug/l	2.0	0.30	1
o-xylene	ND		ug/l	1.0	0.34	1
Xylenes, Total	ND		ug/l	1.0	0.30	1
Styrene	ND		ug/l	1.0	0.37	1
Acetone	ND		ug/l	10	2.4	1
Carbon disulfide	ND		ug/l	5.0	0.28	1
2-Butanone	ND		ug/l	10	1.0	1
Vinyl acetate	ND		ug/l	10	0.41	1
4-Methyl-2-pentanone	ND		ug/l	10	0.19	1
2-Hexanone	ND		ug/l	10	0.55	1
Acrolein	ND		ug/l	8.0	1.8	1
Acrylonitrile	ND		ug/l	10	0.33	1
Methyl tert butyl Ether	ND		ug/l	10	0.19	1
1,4-Dioxane ¹	ND		ug/l	2000	30.	1
Tert-Butyl Alcohol	ND		ug/l	100	3.9	1
Tertiary-Amyl Methyl Ether	ND		ug/l	20	0.28	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria
Pentafluorobenzene	99		60-140
Fluorobenzene	89		60-140
4-Bromofluorobenzene	94		60-140

Project Name: EAST NORTHPORT SURFACE WATER**Lab Number:** L2046011**Project Number:** Not Specified**Report Date:** 10/29/20**SAMPLE RESULTS**

Lab ID: L2046011-06
 Client ID: SW-6
 Sample Location: EAST NORTHPORT

Date Collected: 10/22/20 09:45
 Date Received: 10/22/20
 Field Prep: Not Specified

Sample Depth:

Matrix: Water
 Analytical Method: 128,624.1
 Analytical Date: 10/23/20 21:55
 Analyst: MKS

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab						
Methylene chloride	ND		ug/l	1.0	0.56	1
1,1-Dichloroethane	ND		ug/l	1.5	0.40	1
Chloroform	ND		ug/l	1.0	0.38	1
Carbon tetrachloride	ND		ug/l	1.0	0.24	1
1,2-Dichloropropane	ND		ug/l	3.5	0.46	1
Dibromochloromethane	ND		ug/l	1.0	0.27	1
1,1,2-Trichloroethane	ND		ug/l	1.5	0.34	1
2-Chloroethylvinyl ether	ND		ug/l	10	0.35	1
Tetrachloroethene	ND		ug/l	1.0	0.26	1
Chlorobenzene	ND		ug/l	3.5	0.30	1
Trichlorofluoromethane	ND		ug/l	5.0	0.28	1
1,2-Dichloroethane	ND		ug/l	1.5	0.47	1
1,1,1-Trichloroethane	ND		ug/l	2.0	0.29	1
Bromodichloromethane	ND		ug/l	1.0	0.28	1
trans-1,3-Dichloropropene	ND		ug/l	1.5	0.31	1
cis-1,3-Dichloropropene	ND		ug/l	1.5	0.34	1
Bromoform	ND		ug/l	1.0	0.22	1
1,1,2,2-Tetrachloroethane	ND		ug/l	1.0	0.20	1
Benzene	ND		ug/l	1.0	0.38	1
Toluene	ND		ug/l	1.0	0.31	1
Ethylbenzene	ND		ug/l	1.0	0.28	1
Chloromethane	ND		ug/l	5.0	1.0	1
Bromomethane	ND		ug/l	5.0	1.2	1
Vinyl chloride	ND		ug/l	1.0	0.38	1
Chloroethane	ND		ug/l	2.0	0.37	1
1,1-Dichloroethene	ND		ug/l	1.0	0.31	1
trans-1,2-Dichloroethene	ND		ug/l	1.5	0.33	1
cis-1,2-Dichloroethene	ND		ug/l	1.0	0.17	1

Project Name: EAST NORTHPORT SURFACE WATER**Lab Number:** L2046011**Project Number:** Not Specified**Report Date:** 10/29/20**SAMPLE RESULTS**

Lab ID: L2046011-06

Date Collected: 10/22/20 09:45

Client ID: SW-6

Date Received: 10/22/20

Sample Location: EAST NORTHPORT

Field Prep: Not Specified

Sample Depth:

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab						
Trichloroethene	ND		ug/l	1.0	0.33	1
1,2-Dichlorobenzene	ND		ug/l	5.0	0.28	1
1,3-Dichlorobenzene	ND		ug/l	5.0	0.27	1
1,4-Dichlorobenzene	ND		ug/l	5.0	0.29	1
p/m-Xylene	ND		ug/l	2.0	0.30	1
o-xylene	ND		ug/l	1.0	0.34	1
Xylenes, Total	ND		ug/l	1.0	0.30	1
Styrene	ND		ug/l	1.0	0.37	1
Acetone	2.4	J	ug/l	10	2.4	1
Carbon disulfide	ND		ug/l	5.0	0.28	1
2-Butanone	ND		ug/l	10	1.0	1
Vinyl acetate	ND		ug/l	10	0.41	1
4-Methyl-2-pentanone	ND		ug/l	10	0.19	1
2-Hexanone	ND		ug/l	10	0.55	1
Acrolein	ND		ug/l	8.0	1.8	1
Acrylonitrile	ND		ug/l	10	0.33	1
Methyl tert butyl Ether	ND		ug/l	10	0.19	1
1,4-Dioxane ¹	ND		ug/l	2000	30.	1
Tert-Butyl Alcohol	ND		ug/l	100	3.9	1
Tertiary-Amyl Methyl Ether	ND		ug/l	20	0.28	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria
Pentafluorobenzene	100		60-140
Fluorobenzene	89		60-140
4-Bromofluorobenzene	95		60-140

Project Name: EAST NORTHPORT SURFACE WATER**Lab Number:** L2046011**Project Number:** Not Specified**Report Date:** 10/29/20**SAMPLE RESULTS**

Lab ID: L2046011-07
 Client ID: SW-5
 Sample Location: EAST NORTHPORT

Date Collected: 10/22/20 09:55
 Date Received: 10/22/20
 Field Prep: Not Specified

Sample Depth:

Matrix: Water
 Analytical Method: 128,624.1
 Analytical Date: 10/23/20 22:33
 Analyst: MKS

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab						
Methylene chloride	ND		ug/l	1.0	0.56	1
1,1-Dichloroethane	ND		ug/l	1.5	0.40	1
Chloroform	ND		ug/l	1.0	0.38	1
Carbon tetrachloride	ND		ug/l	1.0	0.24	1
1,2-Dichloropropane	ND		ug/l	3.5	0.46	1
Dibromochloromethane	ND		ug/l	1.0	0.27	1
1,1,2-Trichloroethane	ND		ug/l	1.5	0.34	1
2-Chloroethylvinyl ether	ND		ug/l	10	0.35	1
Tetrachloroethene	0.44	J	ug/l	1.0	0.26	1
Chlorobenzene	ND		ug/l	3.5	0.30	1
Trichlorofluoromethane	ND		ug/l	5.0	0.28	1
1,2-Dichloroethane	ND		ug/l	1.5	0.47	1
1,1,1-Trichloroethane	ND		ug/l	2.0	0.29	1
Bromodichloromethane	ND		ug/l	1.0	0.28	1
trans-1,3-Dichloropropene	ND		ug/l	1.5	0.31	1
cis-1,3-Dichloropropene	ND		ug/l	1.5	0.34	1
Bromoform	ND		ug/l	1.0	0.22	1
1,1,2,2-Tetrachloroethane	ND		ug/l	1.0	0.20	1
Benzene	ND		ug/l	1.0	0.38	1
Toluene	ND		ug/l	1.0	0.31	1
Ethylbenzene	ND		ug/l	1.0	0.28	1
Chloromethane	ND		ug/l	5.0	1.0	1
Bromomethane	ND		ug/l	5.0	1.2	1
Vinyl chloride	ND		ug/l	1.0	0.38	1
Chloroethane	ND		ug/l	2.0	0.37	1
1,1-Dichloroethene	ND		ug/l	1.0	0.31	1
trans-1,2-Dichloroethene	ND		ug/l	1.5	0.33	1
cis-1,2-Dichloroethene	ND		ug/l	1.0	0.17	1

Project Name: EAST NORTHPORT SURFACE WATER**Lab Number:** L2046011**Project Number:** Not Specified**Report Date:** 10/29/20**SAMPLE RESULTS**

Lab ID: L2046011-07
 Client ID: SW-5
 Sample Location: EAST NORTHPORT

Date Collected: 10/22/20 09:55
 Date Received: 10/22/20
 Field Prep: Not Specified

Sample Depth:

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab						
Trichloroethene	ND		ug/l	1.0	0.33	1
1,2-Dichlorobenzene	ND		ug/l	5.0	0.28	1
1,3-Dichlorobenzene	ND		ug/l	5.0	0.27	1
1,4-Dichlorobenzene	ND		ug/l	5.0	0.29	1
p/m-Xylene	ND		ug/l	2.0	0.30	1
o-xylene	ND		ug/l	1.0	0.34	1
Xylenes, Total	ND		ug/l	1.0	0.30	1
Styrene	ND		ug/l	1.0	0.37	1
Acetone	ND		ug/l	10	2.4	1
Carbon disulfide	ND		ug/l	5.0	0.28	1
2-Butanone	ND		ug/l	10	1.0	1
Vinyl acetate	ND		ug/l	10	0.41	1
4-Methyl-2-pentanone	ND		ug/l	10	0.19	1
2-Hexanone	ND		ug/l	10	0.55	1
Acrolein	ND		ug/l	8.0	1.8	1
Acrylonitrile	ND		ug/l	10	0.33	1
Methyl tert butyl Ether	ND		ug/l	10	0.19	1
1,4-Dioxane ¹	ND		ug/l	2000	30.	1
Tert-Butyl Alcohol	ND		ug/l	100	3.9	1
Tertiary-Amyl Methyl Ether	ND		ug/l	20	0.28	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria
Pentafluorobenzene	100		60-140
Fluorobenzene	89		60-140
4-Bromofluorobenzene	95		60-140

Project Name: EAST NORTHPORT SURFACE WATER**Lab Number:** L2046011**Project Number:** Not Specified**Report Date:** 10/29/20**SAMPLE RESULTS**

Lab ID: L2046011-08
 Client ID: SW-DUP
 Sample Location: EAST NORTHPORT

Date Collected: 10/22/20 00:00
 Date Received: 10/22/20
 Field Prep: Not Specified

Sample Depth:

Matrix: Water
 Analytical Method: 128,624.1
 Analytical Date: 10/23/20 23:11
 Analyst: MKS

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab						
Methylene chloride	ND		ug/l	1.0	0.56	1
1,1-Dichloroethane	ND		ug/l	1.5	0.40	1
Chloroform	ND		ug/l	1.0	0.38	1
Carbon tetrachloride	ND		ug/l	1.0	0.24	1
1,2-Dichloropropane	ND		ug/l	3.5	0.46	1
Dibromochloromethane	ND		ug/l	1.0	0.27	1
1,1,2-Trichloroethane	ND		ug/l	1.5	0.34	1
2-Chloroethylvinyl ether	ND		ug/l	10	0.35	1
Tetrachloroethene	1.8		ug/l	1.0	0.26	1
Chlorobenzene	ND		ug/l	3.5	0.30	1
Trichlorofluoromethane	ND		ug/l	5.0	0.28	1
1,2-Dichloroethane	ND		ug/l	1.5	0.47	1
1,1,1-Trichloroethane	ND		ug/l	2.0	0.29	1
Bromodichloromethane	ND		ug/l	1.0	0.28	1
trans-1,3-Dichloropropene	ND		ug/l	1.5	0.31	1
cis-1,3-Dichloropropene	ND		ug/l	1.5	0.34	1
Bromoform	ND		ug/l	1.0	0.22	1
1,1,2,2-Tetrachloroethane	ND		ug/l	1.0	0.20	1
Benzene	ND		ug/l	1.0	0.38	1
Toluene	ND		ug/l	1.0	0.31	1
Ethylbenzene	ND		ug/l	1.0	0.28	1
Chloromethane	ND		ug/l	5.0	1.0	1
Bromomethane	ND		ug/l	5.0	1.2	1
Vinyl chloride	ND		ug/l	1.0	0.38	1
Chloroethane	ND		ug/l	2.0	0.37	1
1,1-Dichloroethene	ND		ug/l	1.0	0.31	1
trans-1,2-Dichloroethene	ND		ug/l	1.5	0.33	1
cis-1,2-Dichloroethene	ND		ug/l	1.0	0.17	1

Project Name: EAST NORTHPORT SURFACE WATER**Lab Number:** L2046011**Project Number:** Not Specified**Report Date:** 10/29/20**SAMPLE RESULTS**

Lab ID: L2046011-08

Date Collected: 10/22/20 00:00

Client ID: SW-DUP

Date Received: 10/22/20

Sample Location: EAST NORTHPORT

Field Prep: Not Specified

Sample Depth:

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab						
Trichloroethene	ND		ug/l	1.0	0.33	1
1,2-Dichlorobenzene	ND		ug/l	5.0	0.28	1
1,3-Dichlorobenzene	ND		ug/l	5.0	0.27	1
1,4-Dichlorobenzene	ND		ug/l	5.0	0.29	1
p/m-Xylene	ND		ug/l	2.0	0.30	1
o-xylene	ND		ug/l	1.0	0.34	1
Xylenes, Total	ND		ug/l	1.0	0.30	1
Styrene	ND		ug/l	1.0	0.37	1
Acetone	ND		ug/l	10	2.4	1
Carbon disulfide	ND		ug/l	5.0	0.28	1
2-Butanone	ND		ug/l	10	1.0	1
Vinyl acetate	ND		ug/l	10	0.41	1
4-Methyl-2-pentanone	ND		ug/l	10	0.19	1
2-Hexanone	ND		ug/l	10	0.55	1
Acrolein	ND		ug/l	8.0	1.8	1
Acrylonitrile	ND		ug/l	10	0.33	1
Methyl tert butyl Ether	ND		ug/l	10	0.19	1
1,4-Dioxane ¹	ND		ug/l	2000	30.	1
Tert-Butyl Alcohol	ND		ug/l	100	3.9	1
Tertiary-Amyl Methyl Ether	ND		ug/l	20	0.28	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria
Pentafluorobenzene	99		60-140
Fluorobenzene	89		60-140
4-Bromofluorobenzene	96		60-140

Project Name: EAST NORTHPORT SURFACE WATER**Lab Number:** L2046011**Project Number:** Not Specified**Report Date:** 10/29/20**SAMPLE RESULTS**

Lab ID: L2046011-09
 Client ID: TB-SW
 Sample Location: EAST NORTHPORT

Date Collected: 10/22/20 00:00
 Date Received: 10/22/20
 Field Prep: Not Specified

Sample Depth:

Matrix: Trip Blank (Aqueous)
 Analytical Method: 128,624.1
 Analytical Date: 10/23/20 18:08
 Analyst: MKS

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab						
Methylene chloride	ND		ug/l	1.0	0.56	1
1,1-Dichloroethane	ND		ug/l	1.5	0.40	1
Chloroform	ND		ug/l	1.0	0.38	1
Carbon tetrachloride	ND		ug/l	1.0	0.24	1
1,2-Dichloropropane	ND		ug/l	3.5	0.46	1
Dibromochloromethane	ND		ug/l	1.0	0.27	1
1,1,2-Trichloroethane	ND		ug/l	1.5	0.34	1
2-Chloroethylvinyl ether	ND		ug/l	10	0.35	1
Tetrachloroethene	ND		ug/l	1.0	0.26	1
Chlorobenzene	ND		ug/l	3.5	0.30	1
Trichlorofluoromethane	ND		ug/l	5.0	0.28	1
1,2-Dichloroethane	ND		ug/l	1.5	0.47	1
1,1,1-Trichloroethane	ND		ug/l	2.0	0.29	1
Bromodichloromethane	ND		ug/l	1.0	0.28	1
trans-1,3-Dichloropropene	ND		ug/l	1.5	0.31	1
cis-1,3-Dichloropropene	ND		ug/l	1.5	0.34	1
Bromoform	ND		ug/l	1.0	0.22	1
1,1,2,2-Tetrachloroethane	ND		ug/l	1.0	0.20	1
Benzene	ND		ug/l	1.0	0.38	1
Toluene	ND		ug/l	1.0	0.31	1
Ethylbenzene	ND		ug/l	1.0	0.28	1
Chloromethane	ND		ug/l	5.0	1.0	1
Bromomethane	ND		ug/l	5.0	1.2	1
Vinyl chloride	ND		ug/l	1.0	0.38	1
Chloroethane	ND		ug/l	2.0	0.37	1
1,1-Dichloroethene	ND		ug/l	1.0	0.31	1
trans-1,2-Dichloroethene	ND		ug/l	1.5	0.33	1
cis-1,2-Dichloroethene	ND		ug/l	1.0	0.17	1

Project Name: EAST NORTHPORT SURFACE WATER**Lab Number:** L2046011**Project Number:** Not Specified**Report Date:** 10/29/20**SAMPLE RESULTS**

Lab ID: L2046011-09

Date Collected: 10/22/20 00:00

Client ID: TB-SW

Date Received: 10/22/20

Sample Location: EAST NORTHPORT

Field Prep: Not Specified

Sample Depth:

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab						
Trichloroethene	ND		ug/l	1.0	0.33	1
1,2-Dichlorobenzene	ND		ug/l	5.0	0.28	1
1,3-Dichlorobenzene	ND		ug/l	5.0	0.27	1
1,4-Dichlorobenzene	ND		ug/l	5.0	0.29	1
p/m-Xylene	ND		ug/l	2.0	0.30	1
o-xylene	ND		ug/l	1.0	0.34	1
Xylenes, Total	ND		ug/l	1.0	0.30	1
Styrene	ND		ug/l	1.0	0.37	1
Acetone	ND		ug/l	10	2.4	1
Carbon disulfide	ND		ug/l	5.0	0.28	1
2-Butanone	ND		ug/l	10	1.0	1
Vinyl acetate	ND		ug/l	10	0.41	1
4-Methyl-2-pentanone	ND		ug/l	10	0.19	1
2-Hexanone	ND		ug/l	10	0.55	1
Acrolein	ND		ug/l	8.0	1.8	1
Acrylonitrile	ND		ug/l	10	0.33	1
Methyl tert butyl Ether	ND		ug/l	10	0.19	1
1,4-Dioxane ¹	ND		ug/l	2000	30.	1
Tert-Butyl Alcohol	ND		ug/l	100	3.9	1
Tertiary-Amyl Methyl Ether	ND		ug/l	20	0.28	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria
Pentafluorobenzene	102		60-140
Fluorobenzene	90		60-140
4-Bromofluorobenzene	94		60-140

Project Name: EAST NORTHPORT SURFACE WATER

Lab Number: L2046011

Project Number: Not Specified

Report Date: 10/29/20

Method Blank Analysis Batch Quality Control

Analytical Method: 128,624.1
 Analytical Date: 10/23/20 16:53
 Analyst: MKS

Parameter	Result	Qualifier	Units	RL	MDL
Volatile Organics by GC/MS - Westborough Lab for sample(s): 01-09 Batch: WG1426105-4					
Methylene chloride	ND		ug/l	1.0	0.56
1,1-Dichloroethane	ND		ug/l	1.5	0.40
Chloroform	ND		ug/l	1.0	0.38
Carbon tetrachloride	ND		ug/l	1.0	0.24
1,2-Dichloropropane	ND		ug/l	3.5	0.46
Dibromochloromethane	ND		ug/l	1.0	0.27
1,1,2-Trichloroethane	ND		ug/l	1.5	0.34
2-Chloroethylvinyl ether	ND		ug/l	10	0.35
Tetrachloroethene	ND		ug/l	1.0	0.26
Chlorobenzene	ND		ug/l	3.5	0.30
Trichlorofluoromethane	ND		ug/l	5.0	0.28
1,2-Dichloroethane	ND		ug/l	1.5	0.47
1,1,1-Trichloroethane	ND		ug/l	2.0	0.29
Bromodichloromethane	ND		ug/l	1.0	0.28
trans-1,3-Dichloropropene	ND		ug/l	1.5	0.31
cis-1,3-Dichloropropene	ND		ug/l	1.5	0.34
Bromoform	ND		ug/l	1.0	0.22
1,1,2,2-Tetrachloroethane	ND		ug/l	1.0	0.20
Benzene	ND		ug/l	1.0	0.38
Toluene	ND		ug/l	1.0	0.31
Ethylbenzene	ND		ug/l	1.0	0.28
Chloromethane	ND		ug/l	5.0	1.0
Bromomethane	2.0	J	ug/l	5.0	1.2
Vinyl chloride	ND		ug/l	1.0	0.38
Chloroethane	ND		ug/l	2.0	0.37
1,1-Dichloroethene	ND		ug/l	1.0	0.31
trans-1,2-Dichloroethene	ND		ug/l	1.5	0.33
cis-1,2-Dichloroethene	ND		ug/l	1.0	0.17
Trichloroethene	ND		ug/l	1.0	0.33

Project Name: EAST NORTHPORT SURFACE WATER
Project Number: Not Specified

Lab Number: L2046011
Report Date: 10/29/20

**Method Blank Analysis
Batch Quality Control**

Analytical Method: 128,624.1
Analytical Date: 10/23/20 16:53
Analyst: MKS

Parameter	Result	Qualifier	Units	RL	MDL
Volatile Organics by GC/MS - Westborough Lab for sample(s): 01-09 Batch: WG1426105-4					
1,2-Dichlorobenzene	ND		ug/l	5.0	0.28
1,3-Dichlorobenzene	ND		ug/l	5.0	0.27
1,4-Dichlorobenzene	ND		ug/l	5.0	0.29
p/m-Xylene	ND		ug/l	2.0	0.30
o-xylene	ND		ug/l	1.0	0.34
Xylenes, Total	ND		ug/l	1.0	0.30
Styrene	ND		ug/l	1.0	0.37
Acetone	2.8	J	ug/l	10	2.4
Carbon disulfide	ND		ug/l	5.0	0.28
2-Butanone	2.0	J	ug/l	10	1.0
Vinyl acetate	ND		ug/l	10	0.41
4-Methyl-2-pentanone	ND		ug/l	10	0.19
2-Hexanone	ND		ug/l	10	0.55
Acrolein	ND		ug/l	8.0	1.8
Acrylonitrile	ND		ug/l	10	0.33
Methyl tert butyl Ether	ND		ug/l	10	0.19
1,4-Dioxane ¹	32	J	ug/l	2000	30.
Tert-Butyl Alcohol	6.3	J	ug/l	100	3.9
Tertiary-Amyl Methyl Ether	ND		ug/l	20	0.28

Surrogate	%Recovery	Qualifier	Acceptance Criteria
Pentafluorobenzene	105		60-140
Fluorobenzene	91		60-140
4-Bromofluorobenzene	93		60-140

Serial_No:10292014:01

Lab Control Sample Analysis
Batch Quality Control

Project Name: EAST NORTHPORT SURFACE WATER
Project Number: Not Specified

Lab Number: L2046011
Report Date: 10/29/20

Parameter	LCS		LCSD		%Recovery Limits	RPD	Qual	RPD Limits
	%Recovery	Qual	%Recovery	Qual				
Volatile Organics by GC/MS - Westborough Lab Associated sample(s): 01-09 Batch: WG1426105-3								
Methylene chloride	105		-		60-140	-		28
1,1-Dichloroethane	100		-		50-150	-		49
Chloroform	100		-		70-135	-		54
Carbon tetrachloride	95		-		70-130	-		41
1,2-Dichloropropane	105		-		35-165	-		55
Dibromochloromethane	90		-		70-135	-		50
1,1,1-Trichloroethane	95		-		70-130	-		45
2-Chloroethylvinyl ether	110		-		1-225	-		71
Tetrachloroethene	100		-		70-130	-		39
Chlorobenzene	95		-		65-135	-		53
Trichlorofluoromethane	95		-		50-150	-		84
1,2-Dichloroethane	100		-		70-130	-		49
1,1,1-Trichloroethane	100		-		70-130	-		36
Bromodichloromethane	100		-		65-135	-		56
trans-1,3-Dichloropropene	90		-		50-150	-		86
cis-1,3-Dichloropropene	100		-		25-175	-		58
Bromoform	90		-		70-130	-		42
1,1,2,2-Tetrachloroethane	90		-		60-140	-		61
Benzene	105		-		65-135	-		61
Toluene	110		-		70-130	-		41
Ethylbenzene	100		-		60-140	-		63
Chloromethane	115		-		1-205	-		60
Bromomethane	85		-		15-185	-		61



Serial_No:10292014:01

Lab Control Sample Analysis
Batch Quality Control

Project Name: EAST NORTHPORT SURFACE WATER
Project Number: Not Specified

Lab Number: L2046011
Report Date: 10/29/20

Parameter	LCS		LCSD		%Recovery Limits	RPD	Qual	RPD Limits
	%Recovery	Qual	%Recovery	Qual				
Volatile Organics by GC/MS - Westborough Lab Associated sample(s): 01-09 Batch: WG1426105-3								
Vinyl chloride	105		-		5-195	-		66
Chloroethane	110		-		40-160	-		78
1,1-Dichloroethene	105		-		50-150	-		32
trans-1,2-Dichloroethene	110		-		70-130	-		45
cis-1,2-Dichloroethene	110		-		60-140	-		30
Trichloroethene	100		-		65-135	-		48
1,2-Dichlorobenzene	100		-		65-135	-		57
1,3-Dichlorobenzene	95		-		70-130	-		43
1,4-Dichlorobenzene	100		-		65-135	-		57
p/m-Xylene	100		-		60-140	-		30
o-xylene	100		-		60-140	-		30
Styrene	95		-		60-140	-		30
Acetone	100		-		40-160	-		30
Carbon disulfide	105		-		60-140	-		30
2-Butanone	110		-		60-140	-		30
Vinyl acetate	75		-		60-140	-		30
4-Methyl-2-pentanone	110		-		60-140	-		30
2-Hexanone	108		-		60-140	-		30
Acrolein	105		-		60-140	-		30
Acrylonitrile	112		-		60-140	-		60
Methyl tert butyl Ether	100		-		60-140	-		30
1,4-Dioxane ¹	105		-		60-140	-		30
Tert-Butyl Alcohol	110		-		60-140	-		30



Serial_No:10292014:01

Lab Control Sample Analysis
Batch Quality Control

Project Name: EAST NORTHPORT SURFACE WATER
Project Number: Not Specified

Lab Number: L2046011
Report Date: 10/29/20

Parameter	LCS		LCSD		%Recovery Limits	RPD	RPD	
	%Recovery	Qual	%Recovery	Qual			Qual	Limits
Volatile Organics by GC/MS - Westborough Lab Associated sample(s): 01-09 Batch: WG1426105-3								
Tertiary-Amyl Methyl Ether	100		-		60-140	-		30

Surrogate	LCS		LCSD		Acceptance Criteria
	%Recovery	Qual	%Recovery	Qual	
Pentafluorobenzene	107				60-140
Fluorobenzene	97				60-140
4-Bromofluorobenzene	94				60-140



Serial_No:10292014:01

Matrix Spike Analysis
Batch Quality Control

Project Name: EAST NORTHPORT SURFACE WATER
Project Number: Not Specified

Lab Number: L2046011
Report Date: 10/29/20

Parameter	Native Sample	MS Added	MS Found	MS %Recovery	Qual	MSD Found	MSD %Recovery	Qual	Recovery Limits	RPD	Qual	RPD Limits
Volatile Organics by GC/MS - Westborough Lab Associated sample(s): 01-09 QC Batch ID: WG1426105-5 WG1426105-6 QC Sample: L2046011-04 Client ID: SW-3												
Methylene chloride	ND	20	19	95		20	100		1-221	5		28
1,1-Dichloroethane	ND	20	19	95		21	105		59-155	10		49
Chloroform	ND	20	19	95		20	100		51-138	5		54
Carbon tetrachloride	ND	20	18	90		20	100		70-140	11		41
1,2-Dichloropropane	ND	20	19	95		20	100		1-210	5		55
Dibromochloromethane	ND	20	18	90		20	100		53-149	11		50
1,1,2-Trichloroethane	ND	20	19	95		20	100		52-150	5		45
2-Chloroethylvinyl ether	ND	20	21	105		21	105		1-305	0		71
Tetrachloroethene	1.7	20	22	102		23	107		64-148	4		39
Chlorobenzene	ND	20	19	95		20	100		37-160	5		53
Trichlorofluoromethane	ND	20	17	85		19	95		17-181	11		84
1,2-Dichloroethane	ND	20	18	90		19	95		49-155	5		49
1,1,1-Trichloroethane	ND	20	19	95		20	100		52-162	5		36
Bromodichloromethane	ND	20	19	95		20	100		35-155	5		56
trans-1,3-Dichloropropene	ND	20	6.7	34		8.9	44		17-183	28		86
cis-1,3-Dichloropropene	ND	20	1.3J	7		2.6	13		1-227	67	Q	58
Bromoform	ND	20	17	85		21	105		45-169	21		42
1,1,2,2-Tetrachloroethane	ND	20	19	95		21	105		45-157	10		61
Benzene	ND	20	20	100		21	105		37-151	5		61
Toluene	ND	20	22	110		23	115		47-150	4		41
Ethylbenzene	ND	20	20	100		22	110		37-162	10		63
Chloromethane	ND	20	16	80		18	90		1-273	12		60
Bromomethane	ND	20	1.6J	8		2.0J	10		1-242	22		61



Serial_No:10292014:01

Matrix Spike Analysis
Batch Quality Control

Project Name: EAST NORTHPORT SURFACE WATER
Project Number: Not Specified

Lab Number: L2046011
Report Date: 10/29/20

Parameter	Native Sample	MS Added	MS Found	MS %Recovery	Qual	MSD Found	MSD %Recovery	Qual	Recovery Limits	RPD	Qual	RPD Limits
Volatile Organics by GC/MS - Westborough Lab Associated sample(s): 01-09 QC Batch ID: WG1426105-5 WG1426105-6 QC Sample: L2046011-04 Client ID: SW-3												
Vinyl chloride	ND	20	18	90		20	100		1-251	11		66
Chloroethane	ND	20	20	100		22	110		14-230	10		78
1,1-Dichloroethene	ND	20	20	100		21	105		1-234	5		32
trans-1,2-Dichloroethene	ND	20	19	95		21	105		54-156	10		45
cis-1,2-Dichloroethene	ND	20	20	100		22	110		60-140	10		30
Trichloroethene	ND	20	18	90		20	100		70-157	11		48
1,2-Dichlorobenzene	ND	20	20	100		21	105		18-190	5		57
1,3-Dichlorobenzene	ND	20	19	95		21	105		59-156	10		43
1,4-Dichlorobenzene	ND	20	20	100		21	105		18-190	5		57
p/m-Xylene	ND	40	41	103		43	108		60-140	5		30
o-xylene	ND	20	20	100		22	110		60-140	10		30
Styrene	ND	20	19	95		20	100		60-140	5		30
Acetone	ND	50	47	94		46	92		40-160	2		30
Carbon disulfide	ND	20	18	90		20	100		60-140	11		30
2-Butanone	ND	50	47	94		48	96		60-140	2		30
Vinyl acetate	ND	40	30	75		31	78		60-140	3		30
4-Methyl-2-pentanone	ND	50	54	108		53	106		60-140	2		30
2-Hexanone	ND	50	54	108		52	104		60-140	4		30
Acrolein	ND	40	15	38	Q	25	62		40-160	50	Q	30
Acrylonitrile	ND	40	42	105		41	103		40-160	2		60
Methyl tert butyl Ether	ND	20	18	90		18	90		60-140	0		30
1,4-Dioxane ¹	ND	2000	1800J	90		1800J	90		60-140	0		30
Tert-Butyl Alcohol	ND	100	110	110		100	100		60-140	10		30



Serial_No:10292014:01

Matrix Spike Analysis
Batch Quality Control

Project Name: EAST NORTHPORT SURFACE WATER
Project Number: Not Specified

Lab Number: L2046011
Report Date: 10/29/20

<i>Parameter</i>	<i>Native Sample</i>	<i>MS Added</i>	<i>MS Found</i>	<i>MS %Recovery</i>	<i>Qual</i>	<i>MSD Found</i>	<i>MSD %Recovery</i>	<i>Qual</i>	<i>Recovery Limits</i>	<i>RPD</i>	<i>Qual</i>	<i>RPD Limits</i>
Volatile Organics by GC/MS - Westborough Lab Associated sample(s): 01-09 QC Batch ID: WG1426105-5 WG1426105-6 QC Sample: L2046011-04 Client ID: SW-3												
Tertiary-Amyl Methyl Ether	ND	20	18J	90		16J	80		60-140	12		30

<i>Surrogate</i>	<i>MS</i>		<i>MSD</i>		<i>Acceptance Criteria</i>
	<i>% Recovery</i>	<i>Qualifier</i>	<i>% Recovery</i>	<i>Qualifier</i>	
4-Bromofluorobenzene	93		92		60-140
Fluorobenzene	91		93		60-140
Pentafluorobenzene	100		104		60-140



METALS

Project Name: EAST NORTHPORT SURFACE WATER
Project Number: Not Specified

Lab Number: L2046011
Report Date: 10/29/20

SAMPLE RESULTS

Lab ID: L2046011-01
 Client ID: SW-7
 Sample Location: EAST NORTHPORT

Date Collected: 10/22/20 09:00
 Date Received: 10/22/20
 Field Prep: Not Specified

Sample Depth:
 Matrix: Water

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Prep Method	Analytical Method	Analyst
Total Hardness by SM 2340B - Mansfield Lab											
Hardness	2050		mg/l	0.660	NA	1	10/23/20 23:15	10/28/20 19:45	EPA 3005A	1,6010D	BV



Project Name: EAST NORTHPORT SURFACE WATER
Project Number: Not Specified

Lab Number: L2046011
Report Date: 10/29/20

SAMPLE RESULTS

Lab ID: L2046011-02
 Client ID: SW-1
 Sample Location: EAST NORTHPORT

Date Collected: 10/22/20 09:20
 Date Received: 10/22/20
 Field Prep: Not Specified

Sample Depth:
 Matrix: Water

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Prep Method	Analytical Method	Analyst
Total Hardness by SM 2340B - Mansfield Lab											
Hardness	76.3		mg/l	0.660	NA	1	10/23/20 23:15	10/28/20 19:50	EPA 3005A	1,6010D	BV



Project Name: EAST NORTHPORT SURFACE WATER
Project Number: Not Specified

Lab Number: L2046011
Report Date: 10/29/20

SAMPLE RESULTS

Lab ID: L2046011-03
 Client ID: SW-4
 Sample Location: EAST NORTHPORT

Date Collected: 10/22/20 09:30
 Date Received: 10/22/20
 Field Prep: Not Specified

Sample Depth:
 Matrix: Water

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Prep Method	Analytical Method	Analyst
Total Hardness by SM 2340B - Mansfield Lab											
Hardness	69.3		mg/l	0.660	NA	1	10/23/20 23:15	10/28/20 19:55	EPA 3005A	1,6010D	BV



Project Name: EAST NORTHPORT SURFACE WATER
Project Number: Not Specified

Lab Number: L2046011
Report Date: 10/29/20

SAMPLE RESULTS

Lab ID: L2046011-04
 Client ID: SW-3
 Sample Location: EAST NORTHPORT

Date Collected: 10/22/20 09:35
 Date Received: 10/22/20
 Field Prep: Not Specified

Sample Depth:
 Matrix: Water

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Prep Method	Analytical Method	Analyst
Total Hardness by SM 2340B - Mansfield Lab											
Hardness	110		mg/l	0.660	NA	1	10/23/20 23:15	10/28/20 18:56	EPA 3005A	1,6010D	GD



Project Name: EAST NORTHPORT SURFACE WATER
Project Number: Not Specified

Lab Number: L2046011
Report Date: 10/29/20

SAMPLE RESULTS

Lab ID: L2046011-05
 Client ID: SW-2
 Sample Location: EAST NORTHPORT

Date Collected: 10/22/20 09:40
 Date Received: 10/22/20
 Field Prep: Not Specified

Sample Depth:
 Matrix: Water

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Prep Method	Analytical Method	Analyst
Total Hardness by SM 2340B - Mansfield Lab											
Hardness	139		mg/l	0.660	NA	1	10/23/20 23:15	10/28/20 20:00	EPA 3005A	1,6010D	BV



Project Name: EAST NORTHPORT SURFACE WATER
Project Number: Not Specified

Lab Number: L2046011
Report Date: 10/29/20

SAMPLE RESULTS

Lab ID: L2046011-06
 Client ID: SW-6
 Sample Location: EAST NORTHPORT

Date Collected: 10/22/20 09:45
 Date Received: 10/22/20
 Field Prep: Not Specified

Sample Depth:
 Matrix: Water

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Prep Method	Analytical Method	Analyst
Total Hardness by SM 2340B - Mansfield Lab											
Hardness	50.5		mg/l	0.660	NA	1	10/23/20 23:15	10/28/20 20:04	EPA 3005A	1,6010D	BV



Project Name: EAST NORTHPORT SURFACE WATER
Project Number: Not Specified

Lab Number: L2046011
Report Date: 10/29/20

SAMPLE RESULTS

Lab ID: L2046011-07
 Client ID: SW-5
 Sample Location: EAST NORTHPORT

Date Collected: 10/22/20 09:55
 Date Received: 10/22/20
 Field Prep: Not Specified

Sample Depth:
 Matrix: Water

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Prep Method	Analytical Method	Analyst
Total Hardness by SM 2340B - Mansfield Lab											
Hardness	91.0		mg/l	0.660	NA	1	10/23/20 23:15	10/28/20 20:09	EPA 3005A	1,6010D	BV



Project Name: EAST NORTHPORT SURFACE WATER
Project Number: Not Specified

Lab Number: L2046011
Report Date: 10/29/20

SAMPLE RESULTS

Lab ID: L2046011-08
 Client ID: SW-DUP
 Sample Location: EAST NORTHPORT

Date Collected: 10/22/20 00:00
 Date Received: 10/22/20
 Field Prep: Not Specified

Sample Depth:
 Matrix: Water

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Prep Method	Analytical Method	Analyst
Total Hardness by SM 2340B - Mansfield Lab											
Hardness	112		mg/l	0.660	NA	1	10/23/20 23:15	10/28/20 20:14	EPA 3005A	1,6010D	BV



Project Name: EAST NORTHPORT SURFACE WATER
Project Number: Not Specified

Lab Number: L2046011
Report Date: 10/29/20

Method Blank Analysis Batch Quality Control

Parameter	Result Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Analytical Method	Analyst
Total Hardness by SM 2340B - Mansfield Lab for sample(s): 01-08 Batch: WG1425858-1									
Hardness	ND	mg/l	0.660	NA	1	10/23/20 23:15	10/28/20 18:47	1,6010D	GD

Prep Information

Digestion Method: EPA 3005A

Serial_No:10292014:01

Lab Control Sample Analysis
Batch Quality Control

Project Name: EAST NORTHPORT SURFACE WATER
Project Number: Not Specified

Lab Number: L2046011
Report Date: 10/29/20

Parameter	LCS %Recovery	Qual	LCSD %Recovery	Qual	%Recovery Limits	RPD	Qual	RPD Limits
Total Hardness by SM 2340B - Mansfield Lab Associated sample(s): 01-08 Batch: WG1425858-2								
Hardness	101		-		80-120	-		



Serial_No:10292014:01

**Matrix Spike Analysis
Batch Quality Control**

Project Name: EAST NORTHPORT SURFACE WATER
Project Number: Not Specified

Lab Number: L2046011
Report Date: 10/29/20

Parameter	Native Sample	MS Added	MS Found	MS %Recovery	Qual	MSD Found	MSD %Recovery	Qual	Recovery Limits	RPD	Qual	RPD Limits
Total Hardness by SM 2340B - Mansfield Lab Associated sample(s): 01-08 QC Batch ID: WG1425858-3 WG1425858-4 QC Sample: L2046011-04 Client ID: SW-3												
Hardness	110	66.2	175	98		173	95		75-125	1		20



INORGANICS & MISCELLANEOUS

Project Name: EAST NORTHPORT SURFACE WATER
Project Number: Not Specified

Lab Number: L2046011
Report Date: 10/29/20

SAMPLE RESULTS

Lab ID: L2046011-01
Client ID: SW-7
Sample Location: EAST NORTHPORT

Date Collected: 10/22/20 09:00
Date Received: 10/22/20
Field Prep: Not Specified

Sample Depth:
Matrix: Water

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Analytical Method	Analyst
General Chemistry - Westborough Lab										
Alkalinity, Bicarbonate	101.		mg CaCO3/L	2.00	NA	1	-	10/23/20 10:48	121,2320B	JB
Solids, Total Dissolved	14000		mg/l	10	3.1	1	-	10/28/20 10:30	121,2540C	DW
Chloride	8000		mg/l	100	20.	100	-	10/23/20 09:41	121,4500CL-E	MR
Nitrogen, Ammonia	0.211		mg/l	0.075	0.024	1	10/24/20 03:31	10/26/20 21:50	121,4500NH3-BH	AT
Nitrogen, Nitrate	0.804		mg/l	0.100	0.022	1	-	10/23/20 09:51	121,4500NO3-F	MR
Sulfate	940		mg/l	500	68.	50	10/26/20 09:50	10/26/20 09:50	121,4500SO4-E	MV



Project Name: EAST NORTHPORT SURFACE WATER
Project Number: Not Specified

Lab Number: L2046011
Report Date: 10/29/20

SAMPLE RESULTS

Lab ID: L2046011-02
Client ID: SW-1
Sample Location: EAST NORTHPORT

Date Collected: 10/22/20 09:20
Date Received: 10/22/20
Field Prep: Not Specified

Sample Depth:
Matrix: Water

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Analytical Method	Analyst
General Chemistry - Westborough Lab										
Alkalinity, Bicarbonate	42.8		mg CaCO3/L	2.00	NA	1	-	10/23/20 10:48	121,2320B	JB
Solids, Total Dissolved	180		mg/l	10	3.1	1	-	10/28/20 10:30	121,2540C	DW
Chloride	62.		mg/l	1.0	0.20	1	-	10/23/20 09:42	121,4500CL-E	MR
Nitrogen, Ammonia	0.149		mg/l	0.075	0.024	1	10/24/20 03:31	10/26/20 21:51	121,4500NH3-BH	AT
Nitrogen, Nitrate	2.94		mg/l	0.100	0.022	1	-	10/23/20 09:53	121,4500NO3-F	MR
Sulfate	20.		mg/l	10	1.4	1	10/26/20 09:50	10/26/20 09:50	121,4500SO4-E	MV



Project Name: EAST NORTHPORT SURFACE WATER
Project Number: Not Specified

Lab Number: L2046011
Report Date: 10/29/20

SAMPLE RESULTS

Lab ID: L2046011-03
Client ID: SW-4
Sample Location: EAST NORTHPORT

Date Collected: 10/22/20 09:30
Date Received: 10/22/20
Field Prep: Not Specified

Sample Depth:
Matrix: Water

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Analytical Method	Analyst
General Chemistry - Westborough Lab										
Alkalinity, Bicarbonate	38.2		mg CaCO3/L	2.00	NA	1	-	10/23/20 10:48	121,2320B	JB
Solids, Total Dissolved	170		mg/l	10	3.1	1	-	10/28/20 10:30	121,2540C	DW
Chloride	55.		mg/l	1.0	0.20	1	-	10/23/20 09:43	121,4500CL-E	MR
Nitrogen, Ammonia	0.121		mg/l	0.075	0.024	1	10/24/20 03:31	10/26/20 21:52	121,4500NH3-BH	AT
Nitrogen, Nitrate	2.82		mg/l	0.100	0.022	1	-	10/23/20 09:54	121,4500NO3-F	MR
Sulfate	18.		mg/l	10	1.4	1	10/26/20 09:50	10/26/20 09:50	121,4500SO4-E	MV



Project Name: EAST NORTHPORT SURFACE WATER
Project Number: Not Specified

Lab Number: L2046011
Report Date: 10/29/20

SAMPLE RESULTS

Lab ID: L2046011-04
Client ID: SW-3
Sample Location: EAST NORTHPORT

Date Collected: 10/22/20 09:35
Date Received: 10/22/20
Field Prep: Not Specified

Sample Depth:
Matrix: Water

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Analytical Method	Analyst
General Chemistry - Westborough Lab										
Alkalinity, Bicarbonate	46.4		mg CaCO3/L	2.00	NA	1	-	10/23/20 10:48	121,2320B	JB
Solids, Total Dissolved	260		mg/l	10	3.1	1	-	10/28/20 10:30	121,2540C	DW
Chloride	74.		mg/l	1.0	0.20	1	-	10/23/20 09:29	121,4500CL-E	MR
Nitrogen, Ammonia	0.062	J	mg/l	0.075	0.024	1	10/24/20 03:31	10/26/20 21:53	121,4500NH3-BH	AT
Nitrogen, Nitrate	4.28		mg/l	0.100	0.022	1	-	10/23/20 09:55	121,4500NO3-F	MR
Sulfate	32.		mg/l	10	1.4	1	10/26/20 09:50	10/26/20 09:50	121,4500SO4-E	MV



Project Name: EAST NORTHPORT SURFACE WATER
Project Number: Not Specified

Lab Number: L2046011
Report Date: 10/29/20

SAMPLE RESULTS

Lab ID: L2046011-05
Client ID: SW-2
Sample Location: EAST NORTHPORT

Date Collected: 10/22/20 09:40
Date Received: 10/22/20
Field Prep: Not Specified

Sample Depth:
Matrix: Water

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Analytical Method	Analyst
General Chemistry - Westborough Lab										
Alkalinity, Bicarbonate	82.8		mg CaCO3/L	2.00	NA	1	-	10/23/20 10:48	121,2320B	JB
Solids, Total Dissolved	390		mg/l	10	3.1	1	-	10/28/20 10:30	121,2540C	DW
Chloride	140		mg/l	10	2.0	10	-	10/23/20 09:45	121,4500CL-E	MR
Nitrogen, Ammonia	0.072	J	mg/l	0.075	0.024	1	10/24/20 03:31	10/26/20 21:56	121,4500NH3-BH	AT
Nitrogen, Nitrate	2.04		mg/l	0.100	0.022	1	-	10/23/20 09:59	121,4500NO3-F	MR
Sulfate	46.		mg/l	25	3.4	2.5	10/26/20 09:50	10/26/20 09:50	121,4500SO4-E	MV



Project Name: EAST NORTHPORT SURFACE WATER
Project Number: Not Specified

Lab Number: L2046011
Report Date: 10/29/20

SAMPLE RESULTS

Lab ID: L2046011-06
Client ID: SW-6
Sample Location: EAST NORTHPORT

Date Collected: 10/22/20 09:45
Date Received: 10/22/20
Field Prep: Not Specified

Sample Depth:
Matrix: Water

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Analytical Method	Analyst
General Chemistry - Westborough Lab										
Alkalinity, Bicarbonate	22.8		mg CaCO3/L	2.00	NA	1	-	10/23/20 10:48	121,2320B	JB
Solids, Total Dissolved	120		mg/l	10	3.1	1	-	10/28/20 10:30	121,2540C	DW
Chloride	47.		mg/l	1.0	0.20	1	-	10/23/20 09:47	121,4500CL-E	MR
Nitrogen, Ammonia	0.085		mg/l	0.075	0.024	1	10/24/20 03:31	10/26/20 21:57	121,4500NH3-BH	AT
Nitrogen, Nitrate	0.179		mg/l	0.100	0.022	1	-	10/23/20 10:04	121,4500NO3-F	MR
Sulfate	13.		mg/l	10	1.4	1	10/26/20 09:50	10/26/20 09:50	121,4500SO4-E	MV



Project Name: EAST NORTHPORT SURFACE WATER
Project Number: Not Specified

Lab Number: L2046011
Report Date: 10/29/20

SAMPLE RESULTS

Lab ID: L2046011-07
Client ID: SW-5
Sample Location: EAST NORTHPORT

Date Collected: 10/22/20 09:55
Date Received: 10/22/20
Field Prep: Not Specified

Sample Depth:
Matrix: Water

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Analytical Method	Analyst
General Chemistry - Westborough Lab										
Alkalinity, Bicarbonate	52.4		mg CaCO3/L	2.00	NA	1	-	10/23/20 10:48	121,2320B	JB
Solids, Total Dissolved	200		mg/l	10	3.1	1	-	10/28/20 10:30	121,2540C	DW
Chloride	60.		mg/l	1.0	0.20	1	-	10/23/20 09:32	121,4500CL-E	MR
Nitrogen, Ammonia	0.087		mg/l	0.075	0.024	1	10/24/20 03:31	10/26/20 22:01	121,4500NH3-BH	AT
Nitrogen, Nitrate	2.28		mg/l	0.100	0.022	1	-	10/23/20 10:05	121,4500NO3-F	MR
Sulfate	21.		mg/l	10	1.4	1	10/26/20 09:50	10/26/20 09:50	121,4500SO4-E	MV



Project Name: EAST NORTHPORT SURFACE WATER
Project Number: Not Specified

Lab Number: L2046011
Report Date: 10/29/20

SAMPLE RESULTS

Lab ID: L2046011-08
Client ID: SW-DUP
Sample Location: EAST NORTHPORT

Date Collected: 10/22/20 00:00
Date Received: 10/22/20
Field Prep: Not Specified

Sample Depth:
Matrix: Water

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Analytical Method	Analyst
General Chemistry - Westborough Lab										
Alkalinity, Bicarbonate	45.6		mg CaCO3/L	2.00	NA	1	-	10/23/20 10:48	121,2320B	JB
Solids, Total Dissolved	260		mg/l	10	3.1	1	-	10/28/20 10:30	121,2540C	DW
Chloride	68.		mg/l	1.0	0.20	1	-	10/23/20 09:33	121,4500CL-E	MR
Nitrogen, Ammonia	0.035	J	mg/l	0.075	0.024	1	10/24/20 03:31	10/26/20 22:02	121,4500NH3-BH	AT
Nitrogen, Nitrate	4.37		mg/l	0.100	0.022	1	-	10/23/20 10:07	121,4500NO3-F	MR
Sulfate	32.		mg/l	10	1.4	1	10/26/20 09:50	10/26/20 09:50	121,4500SO4-E	MV



Project Name: EAST NORTHPORT SURFACE WATER
Project Number: Not Specified

Lab Number: L2046011
Report Date: 10/29/20

Method Blank Analysis
Batch Quality Control

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Analytical Method	Analyst
General Chemistry - Westborough Lab for sample(s): 01-08 Batch: WG1425437-1										
Nitrogen, Nitrate	ND		mg/l	0.100	0.022	1	-	10/23/20 05:22	121,4500NO3-F	MR
General Chemistry - Westborough Lab for sample(s): 01-08 Batch: WG1425438-1										
Chloride	0.61	J	mg/l	1.0	0.20	1	-	10/23/20 06:25	121,4500CL-E	MR
General Chemistry - Westborough Lab for sample(s): 01-08 Batch: WG1425562-1										
Alkalinity, Bicarbonate	ND		mg CaCO3/L	2.00	NA	1	-	10/23/20 10:48	121,2320B	JB
General Chemistry - Westborough Lab for sample(s): 01-08 Batch: WG1425872-1										
Nitrogen, Ammonia	ND		mg/l	0.075	0.024	1	10/24/20 03:31	10/26/20 21:36	121,4500NH3-BH	AT
General Chemistry - Westborough Lab for sample(s): 01-08 Batch: WG1426418-1										
Sulfate	1.9	J	mg/l	10	1.4	1	10/26/20 09:50	10/26/20 09:50	121,4500SO4-E	MV
General Chemistry - Westborough Lab for sample(s): 01-08 Batch: WG1427332-1										
Solids, Total Dissolved	ND		mg/l	10	3.1	1	-	10/28/20 10:30	121,2540C	DW

Serial_No:10292014:01

Lab Control Sample Analysis
Batch Quality Control

Project Name: EAST NORTHPORT SURFACE WATER
Project Number: Not Specified

Lab Number: L2046011
Report Date: 10/29/20

Parameter	LCS %Recovery	Qual	LCSD %Recovery	Qual	%Recovery Limits	RPD	Qual	RPD Limits
General Chemistry - Westborough Lab Associated sample(s): 01-08 Batch: WG1425437-2								
Nitrogen, Nitrate	96		-		90-110	-		
General Chemistry - Westborough Lab Associated sample(s): 01-08 Batch: WG1425438-2								
Chloride	107		-		90-110	-		
General Chemistry - Westborough Lab Associated sample(s): 01-08 Batch: WG1425872-2								
Nitrogen, Ammonia	92		-		80-120	-		20
General Chemistry - Westborough Lab Associated sample(s): 01-08 Batch: WG1426418-2								
Sulfate	95		-		90-110	-		
General Chemistry - Westborough Lab Associated sample(s): 01-08 Batch: WG1427332-2								
Solids, Total Dissolved	94		-		80-120	-		



Serial_No:10292014:01

**Matrix Spike Analysis
Batch Quality Control**

Project Name: EAST NORTHPORT SURFACE WATER
Project Number: Not Specified

Lab Number: L2046011
Report Date: 10/29/20

Parameter	Native Sample	MS Added	MS Found	MS %Recovery	MSD Qual	MSD Found	MSD %Recovery	MSD Qual	Recovery Limits	RPD	Qual	RPD Limits
General Chemistry - Westborough Lab Associated sample(s): 01-08 QC Batch ID: WG1425437-4 QC Sample: L2046011-04 Client ID: SW-3												
Nitrogen, Nitrate	4.28	4	7.91	91	-	-	-	-	83-113	-	-	17
General Chemistry - Westborough Lab Associated sample(s): 01-08 QC Batch ID: WG1425438-4 QC Sample: L2046011-04 Client ID: SW-3												
Chloride	74.	20	87	65	-	-	-	-	58-140	-	-	7
General Chemistry - Westborough Lab Associated sample(s): 01-08 QC Batch ID: WG1425872-4 QC Sample: L2046011-04 Client ID: SW-3												
Nitrogen, Ammonia	0.062J	4	3.50	88	-	-	-	-	80-120	-	-	20
General Chemistry - Westborough Lab Associated sample(s): 01-08 QC Batch ID: WG1426418-4 QC Sample: L2046011-04 Client ID: SW-3												
Sulfate	32.	40	73	102	-	-	-	-	55-147	-	-	14



Serial_No:10292014:01

Lab Duplicate Analysis
Batch Quality Control

Project Name: EAST NORTHPORT SURFACE WATER
Project Number: Not Specified

Lab Number: L2046011
Report Date: 10/29/20

Parameter	Native Sample	Duplicate Sample	Units	RPD	Qual	RPD Limits
General Chemistry - Westborough Lab	Associated sample(s): 01-08	QC Batch ID: WG1425437-3	QC Sample: L2046011-04	Client ID: SW-3		
Nitrogen, Nitrate	4.28	4.38	mg/l	2		17
General Chemistry - Westborough Lab	Associated sample(s): 01-08	QC Batch ID: WG1425438-3	QC Sample: L2046011-04	Client ID: SW-3		
Chloride	74.	72	mg/l	3		7
General Chemistry - Westborough Lab	Associated sample(s): 01-08	QC Batch ID: WG1425562-2	QC Sample: L2046011-04	Client ID: SW-3		
Alkalinity, Bicarbonate	46.4	45.5	mg CaCO3/L	2		9
General Chemistry - Westborough Lab	Associated sample(s): 01-08	QC Batch ID: WG1425872-3	QC Sample: L2046011-04	Client ID: SW-3		
Nitrogen, Ammonia	0.062J	ND	mg/l	NC		20
General Chemistry - Westborough Lab	Associated sample(s): 01-08	QC Batch ID: WG1426418-3	QC Sample: L2046011-04	Client ID: SW-3		
Sulfate	32.	30	mg/l	6		14
General Chemistry - Westborough Lab	Associated sample(s): 01-08	QC Batch ID: WG1427332-3	QC Sample: L2046011-04	Client ID: SW-3		
Solids, Total Dissolved	260	240	mg/l	8		10



Project Name: EAST NORTHPORT SURFACE WATER
Project Number: Not Specified

Serial_No:10292014:01
Lab Number: L2046011
Report Date: 10/29/20

Sample Receipt and Container Information

Were project specific reporting limits specified? YES

Cooler Information

Cooler	Custody Seal
A	Absent
B	Absent

Container Information

Container ID	Container Type	Cooler	Initial pH	Final pH	Temp deg C	Pres	Seal	Frozen Date/Time	Analysis(*)
L2046011-01A	Vial Na2S2O3 preserved	A	NA		4.0	Y	Absent		624.1(3)
L2046011-01B	Vial Na2S2O3 preserved	A	NA		4.0	Y	Absent		624.1(3)
L2046011-01C	Vial Na2S2O3 preserved	A	NA		4.0	Y	Absent		624.1(3)
L2046011-01D	Plastic 120ml unpreserved/No Headspace	A	NA		4.0	Y	Absent		ALK-HCO3-2320(14)
L2046011-01E	Plastic 250ml HNO3 preserved	A	<2	<2	4.0	Y	Absent		HARDT(180)
L2046011-01F	Plastic 500ml H2SO4 preserved	A	<2	<2	4.0	Y	Absent		NH3-4500(28)
L2046011-01G	Plastic 500ml unpreserved	A	7	7	4.0	Y	Absent		SO4-4500(28),CL-4500(28),NO3-4500(2),TDS-2540(7)
L2046011-02A	Vial Na2S2O3 preserved	A	NA		4.0	Y	Absent		624.1(3)
L2046011-02B	Vial Na2S2O3 preserved	A	NA		4.0	Y	Absent		624.1(3)
L2046011-02C	Vial Na2S2O3 preserved	A	NA		4.0	Y	Absent		624.1(3)
L2046011-02D	Plastic 120ml unpreserved/No Headspace	A	NA		4.0	Y	Absent		ALK-HCO3-2320(14)
L2046011-02E	Plastic 250ml HNO3 preserved	A	<2	<2	4.0	Y	Absent		HARDT(180)
L2046011-02F	Plastic 500ml H2SO4 preserved	A	<2	<2	4.0	Y	Absent		NH3-4500(28)
L2046011-02G	Plastic 500ml unpreserved	A	7	7	4.0	Y	Absent		SO4-4500(28),CL-4500(28),NO3-4500(2),TDS-2540(7)
L2046011-03A	Vial Na2S2O3 preserved	A	NA		4.0	Y	Absent		624.1(3)
L2046011-03B	Vial Na2S2O3 preserved	A	NA		4.0	Y	Absent		624.1(3)
L2046011-03C	Vial Na2S2O3 preserved	A	NA		4.0	Y	Absent		624.1(3)
L2046011-03D	Plastic 120ml unpreserved/No Headspace	A	NA		4.0	Y	Absent		ALK-HCO3-2320(14)
L2046011-03E	Plastic 250ml HNO3 preserved	A	<2	<2	4.0	Y	Absent		HARDT(180)
L2046011-03F	Plastic 500ml H2SO4 preserved	A	<2	<2	4.0	Y	Absent		NH3-4500(28)
L2046011-03G	Plastic 500ml unpreserved	A	7	7	4.0	Y	Absent		SO4-4500(28),CL-4500(28),NO3-4500(2),TDS-2540(7)

*Values in parentheses indicate holding time in days



Project Name: EAST NORTHPORT SURFACE WATER
Project Number: Not Specified

Serial_No:10292014:01
Lab Number: L2046011
Report Date: 10/29/20

Container Information

Container ID	Container Type	Cooler	Initial pH	Final pH	Temp deg C	Pres	Seal	Frozen Date/Time	Analysis(*)
L2046011-04A	Vial Na2S2O3 preserved	B	NA		2.4	Y	Absent		624.1(3)
L2046011-04A1	Vial Na2S2O3 preserved	B	NA		2.4	Y	Absent		624.1(3)
L2046011-04A2	Vial Na2S2O3 preserved	B	NA		2.4	Y	Absent		624.1(3)
L2046011-04B	Vial Na2S2O3 preserved	B	NA		2.4	Y	Absent		624.1(3)
L2046011-04B1	Vial Na2S2O3 preserved	B	NA		2.4	Y	Absent		624.1(3)
L2046011-04B2	Vial Na2S2O3 preserved	B	NA		2.4	Y	Absent		624.1(3)
L2046011-04C	Vial Na2S2O3 preserved	B	NA		2.4	Y	Absent		624.1(3)
L2046011-04C1	Vial Na2S2O3 preserved	B	NA		2.4	Y	Absent		624.1(3)
L2046011-04C2	Vial Na2S2O3 preserved	B	NA		2.4	Y	Absent		624.1(3)
L2046011-04D	Plastic 120ml unpreserved/No Headspace	B	NA		2.4	Y	Absent		ALK-HCO3-2320(14)
L2046011-04D1	Plastic 250ml unpreserved/No Headspace	B	NA		2.4	Y	Absent		ALK-HCO3-2320(14)
L2046011-04D2	Plastic 250ml unpreserved/No Headspace	B	NA		2.4	Y	Absent		ALK-HCO3-2320(14)
L2046011-04E	Plastic 500ml HNO3 preserved	B	<2	<2	2.4	Y	Absent		HARDT(180)
L2046011-04E1	Plastic 250ml HNO3 preserved	B	<2	<2	2.4	Y	Absent		HARDT(180)
L2046011-04E2	Plastic 250ml HNO3 preserved	B	<2	<2	2.4	Y	Absent		HARDT(180)
L2046011-04F	Plastic 500ml H2SO4 preserved	B	<2	<2	2.4	Y	Absent		NH3-4500(28)
L2046011-04F1	Plastic 500ml H2SO4 preserved	B	<2	<2	2.4	Y	Absent		NH3-4500(28)
L2046011-04F2	Plastic 500ml H2SO4 preserved	B	<2	<2	2.4	Y	Absent		NH3-4500(28)
L2046011-04G	Plastic 500ml unpreserved	B	7	7	2.4	Y	Absent		SO4-4500(28),CL-4500(28),NO3-4500(2),TDS-2540(7)
L2046011-04G1	Plastic 500ml unpreserved	B	7	7	2.4	Y	Absent		SO4-4500(28),CL-4500(28),NO3-4500(2),TDS-2540(7)
L2046011-04G2	Plastic 500ml unpreserved	B	7	7	2.4	Y	Absent		SO4-4500(28),CL-4500(28),NO3-4500(2),TDS-2540(7)
L2046011-05A	Vial Na2S2O3 preserved	A	NA		4.0	Y	Absent		624.1(3)
L2046011-05B	Vial Na2S2O3 preserved	A	NA		4.0	Y	Absent		624.1(3)
L2046011-05C	Vial Na2S2O3 preserved	A	NA		4.0	Y	Absent		624.1(3)
L2046011-05D	Plastic 120ml unpreserved/No Headspace	A	NA		4.0	Y	Absent		ALK-HCO3-2320(14)
L2046011-05E	Plastic 250ml HNO3 preserved	A	<2	<2	4.0	Y	Absent		HARDT(180)
L2046011-05F	Plastic 500ml H2SO4 preserved	A	<2	<2	4.0	Y	Absent		NH3-4500(28)

*Values in parentheses indicate holding time in days



Project Name: EAST NORTHPORT SURFACE WATER
Project Number: Not Specified

Serial_No:10292014:01
Lab Number: L2046011
Report Date: 10/29/20

Container Information

Container ID	Container Type	Cooler	Initial pH	Final pH	Temp deg C	Pres	Seal	Frozen Date/Time	Analysis(*)
L2046011-05G	Plastic 500ml unpreserved	A	7	7	4.0	Y	Absent		SO4-4500(28),CL-4500(28),NO3-4500(2),TDS-2540(7)
L2046011-06A	Vial Na2S2O3 preserved	A	NA		4.0	Y	Absent		624.1(3)
L2046011-06B	Vial Na2S2O3 preserved	A	NA		4.0	Y	Absent		624.1(3)
L2046011-06C	Vial Na2S2O3 preserved	A	NA		4.0	Y	Absent		624.1(3)
L2046011-06D	Plastic 120ml unpreserved/No Headspace	A	NA		4.0	Y	Absent		ALK-HCO3-2320(14)
L2046011-06E	Plastic 250ml HNO3 preserved	A	<2	<2	4.0	Y	Absent		HARDT(180)
L2046011-06F	Plastic 500ml H2SO4 preserved	A	<2	<2	4.0	Y	Absent		NH3-4500(28)
L2046011-06G	Plastic 500ml unpreserved	A	7	7	4.0	Y	Absent		SO4-4500(28),CL-4500(28),NO3-4500(2),TDS-2540(7)
L2046011-07A	Vial Na2S2O3 preserved	A	NA		4.0	Y	Absent		624.1(3)
L2046011-07B	Vial Na2S2O3 preserved	A	NA		4.0	Y	Absent		624.1(3)
L2046011-07C	Vial Na2S2O3 preserved	A	NA		4.0	Y	Absent		624.1(3)
L2046011-07D	Plastic 120ml unpreserved/No Headspace	A	NA		4.0	Y	Absent		ALK-HCO3-2320(14)
L2046011-07E	Plastic 250ml HNO3 preserved	A	<2	<2	4.0	Y	Absent		HARDT(180)
L2046011-07F	Plastic 500ml H2SO4 preserved	A	<2	<2	4.0	Y	Absent		NH3-4500(28)
L2046011-07G	Plastic 500ml unpreserved	A	7	7	4.0	Y	Absent		SO4-4500(28),CL-4500(28),NO3-4500(2),TDS-2540(7)
L2046011-08A	Vial Na2S2O3 preserved	A	NA		4.0	Y	Absent		624.1(3)
L2046011-08B	Vial Na2S2O3 preserved	A	NA		4.0	Y	Absent		624.1(3)
L2046011-08C	Vial Na2S2O3 preserved	A	NA		4.0	Y	Absent		624.1(3)
L2046011-08D	Plastic 120ml unpreserved/No Headspace	A	NA		4.0	Y	Absent		ALK-HCO3-2320(14)
L2046011-08E	Plastic 250ml HNO3 preserved	A	<2	<2	4.0	Y	Absent		HARDT(180)
L2046011-08F	Plastic 500ml H2SO4 preserved	A	<2	<2	4.0	Y	Absent		NH3-4500(28)
L2046011-08G	Plastic 500ml unpreserved	A	7	7	4.0	Y	Absent		SO4-4500(28),CL-4500(28),NO3-4500(2),TDS-2540(7)
L2046011-09A	Vial Na2S2O3 preserved	A	NA		4.0	Y	Absent		624.1(3)
L2046011-09B	Vial Na2S2O3 preserved	A	NA		4.0	Y	Absent		624.1(3)

*Values in parentheses indicate holding time in days



Project Name: EAST NORTHPORT SURFACE WATER
Project Number: Not Specified

Lab Number: L2046011
Report Date: 10/29/20

GLOSSARY

Acronyms

DL	- Detection Limit: This value represents the level to which target analyte concentrations are reported as estimated values, when those target analyte concentrations are quantified below the limit of quantitation (LOQ). The DL includes any adjustments from dilutions, concentrations or moisture content, where applicable. (DoD report formats only.)
EDL	- Estimated Detection Limit: This value represents the level to which target analyte concentrations are reported as estimated values, when those target analyte concentrations are quantified below the reporting limit (RL). The EDL includes any adjustments from dilutions, concentrations or moisture content, where applicable. The use of EDLs is specific to the analysis of PAHs using Solid-Phase Microextraction (SPME).
EMPC	- Estimated Maximum Possible Concentration: The concentration that results from the signal present at the retention time of an analyte when the ions meet all of the identification criteria except the ion abundance ratio criteria. An EMPC is a worst-case estimate of the concentration.
EPA	- Environmental Protection Agency.
LCS	- Laboratory Control Sample: A sample matrix, free from the analytes of interest, spiked with verified known amounts of analytes or a material containing known and verified amounts of analytes.
LCSD	- Laboratory Control Sample Duplicate: Refer to LCS.
LFB	- Laboratory Fortified Blank: A sample matrix, free from the analytes of interest, spiked with verified known amounts of analytes or a material containing known and verified amounts of analytes.
LOD	- Limit of Detection: This value represents the level to which a target analyte can reliably be detected for a specific analyte in a specific matrix by a specific method. The LOD includes any adjustments from dilutions, concentrations or moisture content, where applicable. (DoD report formats only.)
LOQ	- Limit of Quantitation: The value at which an instrument can accurately measure an analyte at a specific concentration. The LOQ includes any adjustments from dilutions, concentrations or moisture content, where applicable. (DoD report formats only.)
	Limit of Quantitation: The value at which an instrument can accurately measure an analyte at a specific concentration. The LOQ includes any adjustments from dilutions, concentrations or moisture content, where applicable. (DoD report formats only.)
MDL	- Method Detection Limit: This value represents the level to which target analyte concentrations are reported as estimated values, when those target analyte concentrations are quantified below the reporting limit (RL). The MDL includes any adjustments from dilutions, concentrations or moisture content, where applicable.
MS	- Matrix Spike Sample: A sample prepared by adding a known mass of target analyte to a specified amount of matrix sample for which an independent estimate of target analyte concentration is available. For Method 332.0, the spike recovery is calculated using the native concentration, including estimated values.
MSD	- Matrix Spike Sample Duplicate: Refer to MS.
NA	- Not Applicable.
NC	- Not Calculated: Term is utilized when one or more of the results utilized in the calculation are non-detect at the parameter's reporting unit.
NDPA/DPA	- N-Nitrosodiphenylamine/Diphenylamine.
NI	- Not Ignitable.
NP	- Non-Plastic: Term is utilized for the analysis of Atterberg Limits in soil.
NR	- No Results: Term is utilized when 'No Target Compounds Requested' is reported for the analysis of Volatile or Semivolatile Organic TIC only requests.
RL	- Reporting Limit: The value at which an instrument can accurately measure an analyte at a specific concentration. The RL includes any adjustments from dilutions, concentrations or moisture content, where applicable.
RPD	- Relative Percent Difference: The results from matrix and/or matrix spike duplicates are primarily designed to assess the precision of analytical results in a given matrix and are expressed as relative percent difference (RPD). Values which are less than five times the reporting limit for any individual parameter are evaluated by utilizing the absolute difference between the values; although the RPD value will be provided in the report.
SRM	- Standard Reference Material: A reference sample of a known or certified value that is of the same or similar matrix as the associated field samples.
STLP	- Semi-dynamic Tank Leaching Procedure per EPA Method 1315.
TEF	- Toxic Equivalency Factors: The values assigned to each dioxin and furan to evaluate their toxicity relative to 2,3,7,8-TCDD.
TEQ	- Toxic Equivalent: The measure of a sample's toxicity derived by multiplying each dioxin and furan by its corresponding TEF and then summing the resulting values.
TIC	- Tentatively Identified Compound: A compound that has been identified to be present and is not part of the target compound list (TCL) for the method and/or program. All TICs are qualitatively identified and reported as estimated concentrations.

Report Format: DU Report with 'J' Qualifiers



Project Name: EAST NORTHPORT SURFACE WATER**Lab Number:** L2046011**Project Number:** Not Specified**Report Date:** 10/29/20**Footnotes**

- 1 - The reference for this analyte should be considered modified since this analyte is absent from the target analyte list of the original method.

Terms

Analytical Method: Both the document from which the method originates and the analytical reference method. (Example: EPA 8260B is shown as 1,8260B.) The codes for the reference method documents are provided in the References section of the Addendum.

Difference: With respect to Total Oxidizable Precursor (TOP) Assay analysis, the difference is defined as the Post-Treatment value minus the Pre-Treatment value.

Final pH: As it pertains to Sample Receipt & Container Information section of the report, Final pH reflects pH of container determined after adjustment at the laboratory, if applicable. If no adjustment required, value reflects Initial pH.

Frozen Date/Time: With respect to Volatile Organics in soil, Frozen Date/Time reflects the date/time at which associated Reagent Water-preserved vials were initially frozen. Note: If frozen date/time is beyond 48 hours from sample collection, value will be reflected in 'bold'.

Initial pH: As it pertains to Sample Receipt & Container Information section of the report, Initial pH reflects pH of container determined upon receipt, if applicable.

PAH Total: With respect to Alkylated PAH analyses, the 'PAHs, Total' result is defined as the summation of results for all or a subset of the following compounds: Naphthalene, C1-C4 Naphthalenes, 2-Methylnaphthalene, 1-Methylnaphthalene, Biphenyl, Acenaphthylene, Acenaphthene, Fluorene, C1-C3 Fluorenes, Phenanthrene, C1-C4 Phenanthrenes/Anthracenes, Anthracene, Fluoranthene, Pyrene, C1-C4 Fluoranthenes/Pyrenes, Benz(a)anthracene, Chrysene, C1-C4 Chrysenes, Benzo(b)fluoranthene, Benzo(j)+(k)fluoranthene, Benzo(e)pyrene, Benzo(a)pyrene, Perylene, Indeno(1,2,3-cd)pyrene, Dibenz(ah)+(ac)anthracene, Benzo(g,h,i)perylene. If a 'Total' result is requested, the results of its individual components will also be reported.

PFAS Total: With respect to PFAS analyses, the 'PFAS, Total (5)' result is defined as the summation of results for: PFHpA, PFHxS, PFOA, PFNA and PFOS. If a 'Total' result is requested, the results of its individual components will also be reported.

The target compound Chlordane (CAS No. 57-74-9) is reported for GC ECD analyses. Per EPA, this compound "refers to a mixture of chlordane isomers, other chlorinated hydrocarbons and numerous other components." (Reference: USEPA Toxicological Review of Chlordane, In Support of Summary Information on the Integrated Risk Information System (IRIS), December 1997.)

Total: With respect to Organic analyses, a 'Total' result is defined as the summation of results for individual isomers or Aroclors. If a 'Total' result is requested, the results of its individual components will also be reported. This is applicable to 'Total' results for methods 8260, 8081 and 8082.

Data Qualifiers

- A** - Spectra identified as "Aldol Condensates" are byproducts of the extraction/concentration procedures when acetone is introduced in the process.
- B** - The analyte was detected above the reporting limit in the associated method blank. Flag only applies to associated field samples that have detectable concentrations of the analyte at less than ten times (10x) the concentration found in the blank. For MCP-related projects, flag only applies to associated field samples that have detectable concentrations of the analyte at less than ten times (10x) the concentration found in the blank. For DOD-related projects, flag only applies to associated field samples that have detectable concentrations of the analyte at less than ten times (10x) the concentration found in the blank AND the analyte was detected above one-half the reporting limit (or above the reporting limit for common lab contaminants) in the associated method blank. For NJ-Air-related projects, flag only applies to associated field samples that have detectable concentrations of the analyte above the reporting limit. For NJ-related projects (excluding Air), flag only applies to associated field samples that have detectable concentrations of the analyte, which was detected above the reporting limit in the associated method blank or above five times the reporting limit for common lab contaminants (Phthalates, Acetone, Methylene Chloride, 2-Butanone).
- C** - Co-elution: The target analyte co-elutes with a known lab standard (i.e. surrogate, internal standards, etc.) for co-extracted analyses.
- D** - Concentration of analyte was quantified from diluted analysis. Flag only applies to field samples that have detectable concentrations of the analyte.
- E** - Concentration of analyte exceeds the range of the calibration curve and/or linear range of the instrument.
- F** - The ratio of quantifier ion response to qualifier ion response falls outside of the laboratory criteria. Results are considered to be an estimated maximum concentration.
- G** - The concentration may be biased high due to matrix interferences (i.e. co-elution) with non-target compound(s). The result should be considered estimated.
- H** - The analysis of pH was performed beyond the regulatory-required holding time of 15 minutes from the time of sample collection.
- I** - The lower value for the two columns has been reported due to obvious interference.
- J** - Estimated value. The Target analyte concentration is below the quantitation limit (RL), but above the Method Detection Limit (MDL) or Estimated Detection Limit (EDL) for SPME-related analyses. This represents an estimated concentration for Tentatively Identified Compounds (TICs).
- M** - Reporting Limit (RL) exceeds the MCP CAM Reporting Limit for this analyte.
- ND** - Not detected at the method detection limit (MDL) for the sample, or estimated detection limit (EDL) for SPME-related analyses.
- NJ** - Presumptive evidence of compound. This represents an estimated concentration for Tentatively Identified Compounds (TICs), where

Report Format: DU Report with 'J' Qualifiers



Project Name: EAST NORTHPORT SURFACE WATER
Project Number: Not Specified

Lab Number: L2046011
Report Date: 10/29/20

Data Qualifiers

the identification is based on a mass spectral library search.

- P** - The RPD between the results for the two columns exceeds the method-specified criteria.
- Q** - The quality control sample exceeds the associated acceptance criteria. For DOD-related projects, LCS and/or Continuing Calibration Standard exceedences are also qualified on all associated sample results. Note: This flag is not applicable for matrix spike recoveries when the sample concentration is greater than 4x the spike added or for batch duplicate RPD when the sample concentrations are less than 5x the RL. (Metals only.)
- R** - Analytical results are from sample re-analysis.
- RE** - Analytical results are from sample re-extraction.
- S** - Analytical results are from modified screening analysis.

Report Format: DU Report with 'J' Qualifiers



Project Name: EAST NORTHPORT SURFACE WATER
Project Number: Not Specified

Lab Number: L2046011
Report Date: 10/29/20

REFERENCES

- 1 Test Methods for Evaluating Solid Waste: Physical/Chemical Methods. EPA SW-846. Third Edition. Updates I - VI, 2018.
- 121 Standard Methods for the Examination of Water and Wastewater. APHA-AWWA-WEF. Standard Methods Online.
- 128 Method 624.1: Purgeables by GC/MS, EPA 821-R-16-008, December 2016.

LIMITATION OF LIABILITIES

Alpha Analytical performs services with reasonable care and diligence normal to the analytical testing laboratory industry. In the event of an error, the sole and exclusive responsibility of Alpha Analytical shall be to re-perform the work at it's own expense. In no event shall Alpha Analytical be held liable for any incidental, consequential or special damages, including but not limited to, damages in any way connected with the use of, interpretation of, information or analysis provided by Alpha Analytical.

We strongly urge our clients to comply with EPA protocol regarding sample volume, preservation, cooling, containers, sampling procedures, holding time and splitting of samples in the field.



Certification Information

The following analytes are not included in our Primary NELAP Scope of Accreditation:

Westborough Facility

EPA 624/624.1: m/p-xylene, o-xylene, Naphthalene

EPA 8260C: NPW: 1,2,4,5-Tetramethylbenzene; 4-Ethyltoluene, Azobenzene; SCM: Iodomethane (methyl iodide), 1,2,4,5-Tetramethylbenzene; 4-Ethyltoluene.

EPA 8270D: NPW: Dimethylnaphthalene, 1,4-Diphenylhydrazine; SCM: Dimethylnaphthalene, 1,4-Diphenylhydrazine.

SM4500: NPW: Amenable Cyanide; SCM: Total Phosphorus, TKN, NO₂, NO₃.

Mansfield Facility

SM 2540D: TSS

EPA 8082A: NPW: PCB: 1, 5, 31, 87, 101, 110, 141, 151, 153, 180, 183, 187.

EPA TO-15: Halothane, 2,4,4-Trimethyl-2-pentene, 2,4,4-Trimethyl-1-pentene, Thiophene, 2-Methylthiophene, 3-Methylthiophene, 2-Ethylthiophene, 1,2,3-Trimethylbenzene, Indan, Indene, 1,2,4,5-Tetramethylbenzene, Benzothiophene, 1-Methylnaphthalene.

EPA TO-12: Non-methane organics

EPA 3C: Fixed gases

Biological Tissue Matrix: EPA 3050B

The following analytes are included in our Massachusetts DEP Scope of Accreditation

Westborough Facility:

Drinking Water

EPA 300.0: Chloride, Nitrate-N, Fluoride, Sulfate; **EPA 353.2:** Nitrate-N, Nitrite-N; **SM4500NO3-F:** Nitrate-N, Nitrite-N; **SM4500F-C, SM4500CN-CE,**

EPA 180.1, SM2130B, SM4500CI-D, SM2320B, SM2540C, SM4500H-B, SM4500NO2-B

EPA 332: Perchlorate; **EPA 524.2:** THMs and VOCs; **EPA 504.1:** EDB, DBCP.

Microbiology: **SM9215B; SM9223-P/A, SM9223B-Colilert-QT, SM9222D.**

Non-Potable Water

SM4500H,B, EPA 120.1, SM2510B, SM2540C, SM2320B, SM4500CL-E, SM4500F-BC, SM4500NH3-BH: Ammonia-N and Kjeldahl-N, **EPA 350.1:** Ammonia-N, **LACHAT 10-107-06-1-B:** Ammonia-N, **EPA 351.1, SM4500NO3-F, EPA 353.2:** Nitrate-N, **SM4500P-E, SM4500P-B, E, SM4500SO4-E, SM5220D, EPA 410.4, SM5210B, SM5310C, SM4500CL-D, EPA 1664, EPA 420.1, SM4500-CN-CE, SM2540D, EPA 300:** Chloride, Sulfate, Nitrate.

EPA 624.1: Volatile Halocarbons & Aromatics,

EPA 608.3: Chlordane, Toxaphene, Aldrin, alpha-BHC, beta-BHC, gamma-BHC, delta-BHC, Dieldrin, DDD, DDE, DDT, Endosulfan I, Endosulfan II, Endosulfan sulfate, Endrin, Endrin Aldehyde, Heptachlor, Heptachlor Epoxide, PCBs

EPA 625.1: SVOC (Acid/Base/Neutral Extractables), **EPA 600/4-81-045:** PCB-Oil.

Microbiology: **SM9223B-Colilert-QT; Enterolert-QT, SM9221E, EPA 1600, EPA 1603.**

Mansfield Facility:

Drinking Water

EPA 200.7: Al, Ba, Cd, Cr, Cu, Fe, Mn, Ni, Na, Ag, Ca, Zn. **EPA 200.8:** Al, Sb, As, Ba, Be, Cd, Cr, Cu, Pb, Mn, Ni, Se, Ag, TL, Zn. **EPA 245.1:** Hg.

EPA 522.

Non-Potable Water

EPA 200.7: Al, Sb, As, Be, Cd, Ca, Cr, Co, Cu, Fe, Pb, Mg, Mn, Mo, Ni, K, Se, Ag, Na, Sr, TL, Ti, V, Zn.

EPA 200.8: Al, Sb, As, Be, Cd, Cr, Cu, Fe, Pb, Mn, Ni, K, Se, Ag, Na, TL, Zn.

EPA 245.1: Hg.

SM2340B

For a complete listing of analytes and methods, please contact your Alpha Project Manager.

ALPHA ANALYTICAL		CHAIN OF CUSTODY				PAGE 1 OF 2		Date Rec'd in Lab: 10/23/20		ALPHA Job #: 204601								
Westborough, MA Mansfield, MA TEL: 508-898-9220 TEL: 508-822-9300 FAX: 508-898-9193 FAX: 508-822-3288		Project Information Project Name: EAST MOUNTAIN SURFACE WATER Project Location: EAST MOUNTAIN Project #: _____ Project Manager: BOB CASSON ALPHA Quote #: 4560				Report Information <input type="checkbox"/> FAX <input checked="" type="checkbox"/> EMAIL <input checked="" type="checkbox"/> ADEx <input type="checkbox"/> Add'l Deliverables		Billing Information <input checked="" type="checkbox"/> Same as Client info PO #: _____										
Client Information Client: RNC Environmental Geology, P.C. Address: 171 Deer Park Avenue, Suite 3 Babylon, NY 11702 Phone: 631-482-9590 Fax: 631-482-9593 Email: rcasson@rncenvironmental.com <input type="checkbox"/> These samples have been previously analyzed by Alpha		Turn-Around Time <input checked="" type="checkbox"/> Standard <input type="checkbox"/> Rush (ONLY IF PRE-APPROVED) Due Date: _____ Time: _____				Regulatory Requirements/Report Limits State/Fed Program: NYCRR Part 360 Criteria: _____		MCP PRESUMPTIVE CERTAINTY-CT REASONABLE CONFIDENCE PROTOCOLS <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Are MCP Analytical Methods Required? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Are CT RCP (Reasonable Confidence Protocol) Required?										
Other Project Specific Requirements/Comments/Detection Limits: Surface Water Program		ANALYSIS		SAMPLE HANDLING <input type="checkbox"/> Done <input type="checkbox"/> Not Needed <input type="checkbox"/> Lab to do Preservation <input type="checkbox"/> Lab to do (Please specify below)		TOTAL # BOTTLES		SAMPLE SPECIFIC COMMENTS										
ALPHA Lab ID (Lab Use Only)	Sample ID	Collection		Sample Matrix	Sampler's Initials	VOC-624	NH3-Ammonia	Alkalinity/Bicarbonate	Nitrate, Chloride, TDS	Hardness	Sulfate							
		Date	Time															
46011-01	SW-7	10/22/20	0900	SW		<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
-02	SW-1		0920			<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
-03	SW-4		0930			<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
-04	SW-3		0935			<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
-04	SW-3 (MS)		0935			<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
-04	SW-3 (MSD)		0935			<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
-05	SW-2		0940			<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
-06	SW-6		0945			<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
-07	SW-5		0955			<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
-08	SW-DUP					<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
PLEASE ANSWER QUESTIONS ABOVE! IS YOUR PROJECT MA MCP or CT RCP?						Container Type: V P P P P P - - - - - Preservative: H D A A C A - - - - -		Relinquished By: RBK APAC Date/Time: 10/22/20 18:10		Received By: RBK APAC Date/Time: 10/22/20 15:55		Relinquished By: RBK APAC Date/Time: 10/23/20 02:00		Received By: RBK APAC Date/Time: 10/23/20 02:00		Please print clearly, legibly and completely. Samples can not be logged in and turnaround time clock will not start until any ambiguities are resolved. All samples submitted are subject to Alpha's Payment Terms.		

APPENDIX 2



Data Usability Summary Report

**Huntington / East Northport LF
Site HW 152040
Samples Collected
October 23, 2020**

**Report Prepared
November 2020**

ZDATA REPORTS
Data Management and Validation Services
118 Rose Lane Terrace, Syracuse, NY 13219, (716) 907-2341

Data Usability Summary Report

**Samples Collected
Oct 2020**

**Huntington / East Northport LF
Site HW 152040**

Prepared By:

**ZDataReports
Data Management and Validation Service
118 Rose Lane Terrace
Syracuse, New York 13219**

EXECUTIVE SUMMARY

This report addresses data quality for five water samples collected at the Huntington / East Northport LF, site HW 152040. The samples were analyzed for 1,4-Dioxane by SIM and Perfluorinated Alkyl Acids (EPA 537) following New York State Department of Environmental Conservation (NYSDEC) Analytical Services Protocol (ASP) methodologies. Sample collection was performed by RNC Environmental Geology, P.C. of Babylon, New York. Analytical services were provided by Alpha Analytical located in Westborough, Massachusetts.

The semivolatile 1,4-Dioxane analyses data were determined to be usable for qualitative and quantitative purposes for all sample with no exceptions.

The Perfluorinated Alkyl Acid analyses data were determined to be usable for qualitative and quantitative purposes for all sample with no exceptions.

TABLE of CONTENTS

SECTION 1 - INTRODUCTION	1
1.1 Introduction	1
1.2 Analytical Methods	1
1.3 Validation Protocols	1
1.3.1 Organic Parameters	2
SECTION 2 - DATA VALIDATION SUMMARY	4
2.1 1,4-Dioxane by SIM Analyses	4
2.2 Perfluorinated Alkyl Acids Analyses	4
3.1 Data Usability	5
3.2 PARCC Evaluation	5
3.2.1 Precision	5
3.2.2 Accuracy	5
3.2.3 Representativeness	5
3.2.4 Comparability	5
3.2.5 Completeness	6

Appendices

Appendix A - Data Validation Checklists

SECTION 1 - INTRODUCTION

1.1 Introduction

This report addresses data quality for five water samples collected the Huntington / East Northport LF, site HW 152040. The samples were analyzed for 1,4-Dioxane by SIM and Perfluorinated Alkyl Acids (EPA 537) following New York State Department of Environmental Conservation (NYSDEC) Analytical Services Protocol (ASP) methodologies. Sample collection was performed by RNC Environmental Geology, P.C. of Babylon, New York. Analytical services were provided by Alpha Analytical located in Westborough, Massachusetts. The quantity and types of samples submitted for data validation are tabulated below.

Table 1: Introduction - Sample Summary Table

SDG#	Date Collected	Matrix	Sample Identification	
			Client ID	Laboratory ID
L2046265	10/29/2020	Water	EN1-M	L2046265-01
			EN7-M	L2046265-02
			EN10-M	L2046265-03
			DUP	L2046265-04
			FIELD BLANK	L2046265-05

1.2 Analytical Methods

The samples were analyzed for 1,4-Dioxane (EPA 8270C Selected Ion Monitoring) and Perfluorinated Alkyl Acids (EPA Method 537) following New York State Department of Environmental Conservation (NYSDEC) Analytical Services Protocol (ASP) methodologies

1.3 Validation Protocols

Data validation is a process that involves the evaluation of analytical data against prescribed quality control criteria to determine the usefulness of the data. The analytical data addressed in this report were evaluated utilizing the quality control criteria presented in the following documents:

- *USEPA Contract Laboratory Program National Functional Guidelines for Superfund Organic Methods Data Review*, USEPA-540-R-08-01, June 2008.
- *CLP Organics Data Review and Preliminary Review*, SOP No. HW-6 Revision #14, USEPA Region II, September 2006.
- *Validating Semivolatile Organic Compounds By Gas Chromatography/Mass Spectrometry SW-846 Method 8270D*, SOP No. HW-22 Revision #4, USEPA Hazardous Waste Support Branch, August 2008.
-
- *Exhibit E of New York State Department of Environmental Conservation Analytical Services Protocol (NYSDEC ASP)*, NYSDEC June 2005.

Note: Evaluation of PFAS method data followed general semi-volatile guidelines and EPA Method 537 requirements. Control limits established by the laboratory were used for control sample criteria.

1.3.1 Organic Parameters

The validation of organic parameters for this project followed the requirements presented in the analytical methodology and the data validation guidelines presented above. The following QA/QC parameters were evaluated:

Volatile, Semivolatile Organics and PFAS Analyses

1. Holding Times
2. GC/MS Instrument Tuning Criteria
3. Calibration
 - a. Initial Calibration
 - b. Continuing Calibration
4. Blank Analysis
5. Surrogate Recovery
6. Matrix Spike / Matrix Spike Duplicate Analysis
7. Reference Standard Analysis
8. Internal Standards Recovery
9. Compound Identification and Quantification
10. Field Duplicate Analysis
11. System Performance
12. Documentation Completeness
13. Overall Data Assessment

1.4 Data Qualifiers

The following qualifiers as specified in the guidance documents presented in Section 1.3 of this report have been used for this data validation.

- U Indicates that the compound was analyzed for, but was not detected. The sample quantification limit is presented and adjusted for dilution. This qualifier is also used to signify that the detection limit of an analyte was raised due to blank contamination.
- J Indicates that the result should be considered approximate. This qualifier is used when the data validation procedure identifies a deficiency in the data generation process.
- UJ Indicates that the detection limit for the analyte in this sample should be considered approximate. This qualifier is used when the data validation process identifies a deficiency in the data generation process.
- R Indicates that the previously reported detection limit or sample result has been rejected due to a major deficiency in the data generation procedure. The data are considered to be unusable for both qualitative and quantitative purposes.

The following sections of this document present a summary of the data validation process. Section 2 discusses data compliance with established QA/QC criteria and qualifications performed on the sample data. A discussion of the Precision, Accuracy, Representativeness, Comparability, and Completeness (PARCC) of the data and data usability are discussed in Section 3. The USEPA Region II Data Validation Checklists are presented in Appendix A.

SECTION 2 - DATA VALIDATION SUMMARY

This section presents a discussion of QA/QC parameter compliance with established criteria and the qualification of data performed when QA/QC parameter deviations were identified. When several deviations from established QA/QC criteria were observed, the final qualifier assigned to the data was based on the cumulative effect of the deviations.

2.1 Semivolatiles Analysis

Data validation was performed for five water samples. The QA/QC parameters presented in Section 1.3.1 of this report were found to be within specified limits with no exceptions.

Overall Data Assessment

Overall, the laboratory performed 1,4-Dioxane analyses in accordance with the requirements specified in the method listed in Section 1.2. These data were determined to be usable for qualitative and quantitative purposes for all sample with no exceptions.

2.2 Perfluorinated Alkyl Acids Analyses

Data validation was performed for five water samples. The QA/QC parameters presented in Section 1.3.2 of this report were found to be within specified limits with no exceptions.

Overall Data Assessment

Overall, the laboratory performed Perfluorinated Alkyl Acids analyses in accordance with the requirements specified in the method listed in Section 1.2. These data were determined to be usable for qualitative and quantitative purposes for all sample with no exceptions.

SECTION 3 - DATA USABILITY and PARCC EVALUATION

3.1 Data Usability

This section presents a summary of the usability of the analytical data and an evaluation of the PARCC parameters. Data usability was calculated as the percentage of data that was not qualified as rejected based on a significant deviation from established QA/QC criteria. Data usability, which was calculated separately for each type of analysis, is tabulated below.

Table 3: Data Usability and PARCC Evaluation - Data Usability

Parameter	Usability	Deviations
1,4-Dioxane	100 %	None resulting in the rejection of data.
Perfluorinated Alkyl Acid Parameters	100 %	None resulting in the rejection of data.

3.2 PARCC Evaluation

The following sections provide an evaluation of the analytical data with respect to the precision, accuracy, representativeness, comparability, and completeness (PARCC) parameters.

3.2.1 Precision

Precision is measured through field duplicate samples, split samples, and laboratory duplicate samples. For this sampling program, none of the analytical data required qualification from field duplicate criteria deviations.

3.2.2 Accuracy

Matrix spike sample, surrogate recovery, internal standard recovery, laboratory control samples, and calibration criteria indicate the accuracy of the data. For this sampling program, none of the data were qualified for deviations from matrix spike recovery criteria, none of the data were qualified due to surrogate standard recovery criteria deviations, none of the data were qualified due to internal standard recovery criteria deviations, and none of the data were qualified for calibration criteria deviations.

3.2.3 Representativeness

Holding times, sample preservation, and blank analysis are indicators of the representativeness of the analytical data. For this investigation, none of the data were qualified due to blank analysis deviations.

3.2.4 Comparability

Comparability is not compromised provided that the analytical methods did not change over time. A major component of comparability is the use of standard reference materials for calibration and QC. These standards are compared to other unknowns to verify their concentrations. Since standard analytical methods and reporting procedures were consistently used by the laboratory, the comparability criteria for the analytical data were met.

3.2.5 Completeness

The overall percent usability or completeness of the data was 100 percent.

APPENDIX A

DATA VALIDATION CHECKLISTS

Table of Contents

	<u>Page</u>
I. Part A: SVOA Analyses	2
II. Part B: PFAS Analyses	20

Data Validation Checklist - Part A: BNA Analyses

No:	Parameter	YES	NO	N/A
1.0	<u>Traffic Reports and Laboratory Narrative</u>			
1.1	Are the traffic Report Forms present for all samples?	X	_____	_____
1.2	Do the Traffic Reports or Lab Narrative indicate any problems with sample receipt, condition of samples, analytical problems or special circumstances affecting the quality of the data?	_____	X	_____
2.0	<u>Holding Times</u>			
2.1	Have any BNA technical holding times, determined from date of collection to date of extraction, been exceeded?	_____	X	_____
3.0	<u>System Monitoring Compound (SMC) Recovery (Form II)</u>			
3.1	Are the BNA Surrogate Recovery Summaries (FORM II) present for each of the following matrices:			
	a. Low Water	X	_____	_____
	b. Low Soil	_____	_____	X
	c. Med Soil	_____	_____	X
3.2	Are all the BNA samples listed on the appropriate System Monitoring Compound Recovery Summary for each of the following matrices:			
	a. Low Water	X	_____	_____
	b. Low Soil	_____	_____	X
	c. Med Soil	_____	_____	X
3.3	Were outliers marked correctly with an asterisk?	X	_____	_____
3.4	Were two or more base neutral or acid surrogate compound recoveries out of specification for any sample or method blank?	_____	X	_____
	If yes, were samples re-analyzed?	_____	_____	X
	Were method blanks re-analyzed?	_____	_____	X
3.5	Are there any transcription/calculation errors between raw data and Form II?	_____	X	_____
4.0	<u>Matrix Spikes (Form III)</u>			
4.1	Is the Matrix Spike/Matrix Spike Duplicate Recovery Form (Form III) present?	X	_____	_____
4.2	Were matrix spikes analyzed at the required frequency for each of the following matrices?			
	a. Low Water	X	_____	_____
	b. Low Soil	_____	_____	X
	c. Med Soil	_____	_____	X
4.3	How many BNA spike recoveries are outside QC limits?			
	Water <u> 0 </u> out of 1 Soils <u> 0 </u> out of 0			

Data Validation Checklist - Part A: BNA Analyses

4.4 How many RPD's for matrix spike and matrix spike duplicate recoveries are outside QC limits?

Water 0 out of 1 Soils 0 out of 0

5.0 Blanks (Form IV)

5.1 Is the Method Blank Summary (Form IV) present? X

5.2 Frequency of Analysis: Has a reagent/method blank analysis been reported per 20 samples of a similar matrix, or concentration level, for each extraction batch? X

5.3 Has a BNA method blank been analyzed for each GC/MS system used? X

5.4 Is the chromatographic performance (baseline stability) for each instrument acceptable for BNAs? X

6.0 Contamination

6.1 Do any method/instrument/reagent blanks have positive results (TCL and/or TIC) for BNAs? X

6.2 Do any field/rinse blanks have positive BNA results (TCL and/or TIC)? X

6.3 Are there field/rinse/equipment blanks associated with every sample? X

7.0 GC/MS Instrument Performance Check (Form V)

7.1 Are the GC/MS Instrument Performance Check Forms (Form V) present for Decafluorotriphenylphosphine (DFTPP)? X

7.2 Are the enhanced bar graph spectrum and mass/charge (m/z) listing for the DFTPP provided for each twelve-hour shift? X

7.3 Has an instrument performance check solution been analyzed for every twelve hours of sample analysis per instrument? X

7.4 Have the ion abundances been normalized to m/z 198? X

7.5 Have the ion abundance criteria been met for each instrument used? X

7.6 Are there any transcription/calculation errors between mass lists and Form V's? X

7.7 Have the appropriate number of significant figures (two) been reported? X

7.8 Are the spectra of the mass calibration compound acceptable? X

8.0 Target Compound List (TCL) Analytes

8.1 Are the Organic Analysis Data Sheets (Form I BNA) present with required header information on each page, for each of the following:

a. Sample and/or fractions as appropriate? X

b. Matrix spikes and matrix spike duplicates? X

c. Blanks? X

8.2 Has GPC cleanup been performed on all soil/sediment sample extracts? X

8.3 Are the BNA Reconstructed Ion Chromatograms, the mass spectra for the identified compounds, and the data system printouts (Quant Reports) included in the sample package for each of the following?

a. Samples and/or fractions as appropriate? X

Data Validation Checklist - Part A: BNA Analyses

	b. Matrix spikes and matrix spike duplicates (Mass spectra not required)?	X	_____	_____
	c. Blanks?	X	_____	_____
8.4	Are the response factors shown in the Quant Report?	X	_____	_____
8.5	Is the chromatographic performance acceptable with respect to:			
	Baseline stability?	X	_____	_____
	Resolution	X	_____	_____
	Peak shape?	X	_____	_____
	Full-scale graph (attenuation)?	X	_____	_____
	Other:			
8.6	Are the lab-generated standard mass spectra of identified BNA compounds present for each sample?	X	_____	_____
8.7	Is the RRT of each reported compound within 0.06 RRT units of the standard RRT in the continuing calibration?	X	_____	_____
8.8	Are all ions in the standard mass spectrum at a relative intensity greater than 10% also present in the sample mass spectrum?	X	_____	_____
8.9	Do sample and standard relative ion intensities agree within 20%?	X	_____	_____
9.0	<u>Tentatively Identified Compounds (TIC)</u>			
9.1	Are all Tentatively Identified Compound Forms (Form I, Part B) present; and do listed TICs include scan number or retention time, estimated concentration and “JN” qualifier?	_____	_____	X
9.2	Are the mass spectra for the tentatively identified compounds and associated “best match” spectra included in the sample package for each of the following:			
	a. Samples and/or fractions as appropriate?	_____	_____	X
	b. Blanks?	_____	_____	X
9.3	Are any TCL compounds (from any fraction) listed as TIC compounds?	_____	_____	X
9.4	Are all ions present in the reference mass spectrum with a relative intensity greater than 10% also present in the sample mass spectrum?	_____	_____	X
9.5	Do TIC and “best match” standard relative ion intensities agree within 20%?	_____	_____	X
10.0	<u>Compound Quantitation and Reported Detection Limits</u>			
10.1	Are there any transcription/calculation errors in Form I results?	_____	X	_____
10.2	Are the CRQLs adjusted to reflect sample dilutions and, for soils, sample moisture?	X	_____	_____
11.0	<u>Standards Data (GC/MS)</u>			
11.1	Are the Reconstructed Ion Chromatograms, and data system printouts present for initial and continuing calibration?	X	_____	_____
12.0	<u>GC/MS Initial Calibration (Form VI)</u>			
12.1	Are the Initial Calibration Forms (Form VI) present and complete for the BNA fraction?	X	_____	_____

Data Validation Checklist - Part A: BNA Analyses

12.2	Are response factors stable for BNA's over the concentration range of the calibration (%Relative Standard Deviation (%RSD) <30%)	X	_____	_____
12.3	Are all BNA compound RRFs > 0.01?	X	_____	_____
12.4	Are there any transcription/calculation errors in the reporting of average response factors (RRF) or %RSD?	X	_____	_____
13.0 <u>GC/MS Continuing Calibration (Form VII)</u>				
13.1	Are the Continuing Calibration Forms (Form VII) present and complete for the BNA fraction?	X	_____	_____
13.2	Has a continuing calibration standard been analyzed for every twelve hours of sample analysis per instrument?	X	_____	_____
13.3	Do any semivolatile compounds have a percent difference (%D) between the initial and continuing RRF which exceeds the +/- 25% criteria?	X	_____	_____
13.4	Do any semivolatile compounds have a RRF <0.01?	_____	X	_____
13.5	Are there any transcription/calculation errors in the reporting of average response factor (RRF) or percent difference (%D) between initial and continuing RRFs?	X	_____	_____
14.0 <u>Internal Standard (Form VIII)</u>				
14.1	Are the internal standard areas (Form VIII) of every sample and blank within the upper and lower limits (-50% to +100%) for each continuing calibration?	X	_____	_____
14.2	Are the retention times of the internal standards within 30 seconds of the associated calibration standard?	X	_____	_____
15.0 <u>Field Duplicates</u>				
15.1	Were any field duplicates submitted for BNA analysis?	X	_____	_____

Data Validation Checklist - Part B: PFAS Analyses

No:	Parameter	YES	NO	N/A
1.0	<u>Traffic Reports and Laboratory Narrative</u>			
1.1	Are the traffic Report Forms present for all samples?	X		
1.2	Do the Traffic Reports or Lab Narrative indicate any problems with sample receipt, condition of samples, analytical problems or special circumstances affecting the quality of the data?		X	
2.0	<u>Holding Times</u>			
2.1	Have any PFAS technical holding times, determined from date of collection to date of extraction, been exceeded?		X	
3.0	<u>System Monitoring Compound (SMC) Recovery (Form II)</u>			
3.1	Are the PFAS Surrogate Recovery Summaries (FORM II) present for each of the following matrices:			
	a. Low Water	X		
	b. Low Soil			X
	c. Med Soil			X
3.2	Are all the PFAS samples listed on the appropriate System Monitoring Compound Recovery Summary for each of the following matrices:			
	a. Low Water	X		
	b. Low Soil			X
	c. Med Soil			X
3.3	Were outliers marked correctly with an asterisk?			X
3.4	Were any PFAS surrogate compound recoveries out of specification for any sample or method blank?		X	
	If yes, were samples re-analyzed?			X
	Were method blanks re-analyzed?			X
3.5	Are there any transcription/calculation errors between raw data and Form II?		X	
4.0	<u>Matrix Spikes (Form III)</u>			
4.1	Is the Matrix Spike/Matrix Spike Duplicate Recovery Form (Form III) present?	X		
4.2	Were matrix spikes analyzed at the required frequency for each of the following matrices?			
	a. Low Water	X		
	b. Low Soil			X
	c. Med Soil			X
4.3	How many PFAS spike recoveries are outside QC limits? Water <u> 0 </u> out of 23 Soils <u> 0 </u> out of 0			
4.4	How many RPD's for matrix spike and matrix spike duplicate recoveries are outside QC limits? Water <u> 0 </u> out of 23 Soils <u> 0 </u> out of 0			

Data Validation Checklist - Part B: PFAS Analyses

5.0	<u>Blanks (Form IV)</u>			
5.1	Is the Method Blank Summary (Form IV) present?	X	_____	_____
5.2	Frequency of Analysis: Has a reagent/method blank analysis been reported per 20 samples of a similar matrix, or concentration level, for each extraction batch?	X	_____	_____
5.3	Has a PFAS method blank been analyzed for each system used?	X	_____	_____
5.4	Is the chromatographic performance (baseline stability) for each instrument acceptable for PFAS?	X	_____	_____
6.0	<u>Contamination</u>			
6.1	Do any method/instrument/reagent blanks have positive results for PFAS?	X	_____	_____
6.2	Do any field/rinse blanks have positive PFAS results?	X	_____	_____
6.3	Are there field/rinse/equipment blanks associated with every sample?	X	_____	_____
7.0	<u>Target Compound List (TCL) Analytes</u>			
7.1	Are the Organic Analysis Data Sheets (Form I PFAS) present with required header information on each page, for each of the following:			
	a. Sample and/or fractions as appropriate?	X	_____	_____
	b. Matrix spikes and matrix spike duplicates?	X	_____	_____
	c. Blanks?	X	_____	_____
7.2	Has GPC cleanup been performed on all soil/sediment sample extracts?	_____	_____	X
7.3	Is the chromatographic performance acceptable with respect to:			
	Baseline stability?	X	_____	_____
	Resolution	X	_____	_____
	Peak shape?	X	_____	_____
	Full-scale graph (attenuation)?	X	_____	_____
	Other:	_____	_____	_____
7.4	Is the RRT of each reported compound within 0.06 RRT units of the standard RRT in the continuing calibration?	X	_____	_____
8.0	<u>Compound Quantitation and Reported Detection Limits</u>			
8.1	Are there any transcription/calculation errors in Form I results?	_____	X	_____
8.2	Are the CRQLs adjusted to reflect sample dilutions and, for soils, sample moisture?	X	_____	_____
9.0	<u>PFAS Initial Calibration (Form VI)</u>			
9.1	Are the Initial Calibration Forms (Form VI) present and complete for the PFAS fraction?	X	_____	_____
9.2	Are response factors stable for PFAS over the concentration range of the calibration (%Relative Standard Deviation (%RSD) <30%)	X	_____	_____
9.3	Are all PFAS compound RRFs > 0.01?	X	_____	_____
9.4	Are there any transcription/calculation errors in the reporting of average response factors (RRF) or %RSD?	X	_____	_____

Data Validation Checklist - Part B: PFAS Analyses

10.0 PFAS Continuing Calibration (Form VII)

10.1	Are the Continuing Calibration Forms (Form VII) present and complete for the PFAS fraction?	X		
10.2	Has a continuing calibration standard been analyzed for every twelve hours of sample analysis per instrument?	X		
10.3	Do any PFAS compounds have a percent difference (%D) between the initial and continuing RRF which exceeds the +/- 25% criteria?		X	
10.4	Do any PFAS compounds have a RRF <0.01?		X	
10.5	Are there any transcription/calculation errors in the reporting of average response factor (RRF) or percent difference (%D) between initial and continuing RRFs?	X		

11.0 Field Duplicates

11.1	Were any field duplicates submitted for BNA analysis?	X		
------	---	---	--	--