

LEGGETTE, BRASHEARS & GRAHAM, INC.

PROFESSIONAL GROUND-WATER AND ENVIRONMENTAL ENGINEERING SERVICES

126 MONROE TURNPIKE
TRUMBULL, CT 06611
203-452-3100
FAX 203-452-3111

January 17, 2001

Mr. Jeffrey Trad
New York State Department of Environmental Conservation
Division of Environmental Remediation
Bureau of Construction Services, Rm 267
50 Wolf Road
Albany, NY 12233-7010

RE: Rowe Industries Site
Focused Pump & Treat Operation Summary
Sag Harbor, New York

Dear Mr. Trad:

The following is an operation summary of the former drum storage area (FDSA) focused ground-water remediation at the Rowe Industries site. The summary is provided as discussed to fulfill reporting requirements associated with the Effluent Limitations and Monitoring Requirements for Site No. 1-52-106 (see Attachment I). The system was installed and has been operating according to the work plan entitled, "Work Plan for Conducting Focused Remediation of the Former Drum Storage Area" submitted to the USEPA dated October 21, 1999.

Initial testing was completed and full-scale operation of the focused remediation system began in November 1999. Operation of the focused remediation system was discontinued on December 23, 1999 due to freezing of the associated water recovery tubing and equipment. During this operational period, approximately 6,500 gallons of recovered ground water was pumped through the remediation system.

The Effluent Limitations and Monitoring Requirements permit was re-issued in May 2000 and the system was restarted on May 24, 2000. Operation of the focused remediation system coincided with the installation of the large-scale pump and treat recovery wells and treatment of development and step test water. Due to the intermittent presence of LBG field personnel at the site from May through July, the remediation system was not operated on a full-time basis. Full-time operation of the system began on August 2, 2000. A summary of daily operation from May 24 through October 20 is presented on Table 1. During the period of operation, approximately 3,400 gallons of ground water was recovered and pumped through the remediation system.

RAMSEY, NEW JERSEY

ST. PAUL, MINNESOTA

TAMPA, FLORIDA

SIoux FALLS, SOUTH DAKOTA

WEST CHESTER, PENNSYLVANIA

CHELMSFORD, MASSACHUSETTS

WHITE PLAINS, NEW YORK

AUSTIN, TEXAS

MADISON, WISCONSIN

HOUSTON, TEXAS

Samples collected at pre-, mid- and post-carbon sample ports were analyzed by American Analytical Laboratories for VOCs by EPA Method 8021B. PCE concentrations in recovered ground water have varied throughout the operation period from 2,700 ug/l (August 3 sample) to 88 ug/l (August 11 sample). A summary of PCE and total VOC concentrations detected in the pre-carbon samples are presented on Table 2. Complete laboratory analytical reports results are presented in Attachment II.

Laboratory reports for samples collected on June 1 and 7, 2000 indicate the presence of VOCs above discharge limits in the post-carbon samples. Based on the fact that analysis of samples collected the following day show similar concentrations of VOCs in the pre-carbon sample as the post-carbon samples collected on June 1 and 7, LBG believes an error occurred in labeling sample bottles during collection. At no time during operation of the remediation system did the discharge exceed the criteria in the Effluent Limitations and Monitoring Requirements.

Post-carbon samples were collected for field pH measurements during each sample event. Results of field measurements are presented on Table 3.

To date, the remediation system has removed approximately 0.063 pound of VOCs from the FDSA.

The system was shut down on October 20 to facilitate the installation of four recovery wells (FRW-1 through FRW-4) and below-grade piping according to the EPA approved "Workplan for Conducting Recovery Well Installation in the Former Drum Storage Area", dated July 2000. The remediation system was not restarted and decommissioned on December 28, 2000 to prepare for the larger pump and treat system. The items that remain and will be removed during installation of the larger system include the pneumatic pump and associated tubing. Samples will be collected from each of the carbon units for waste profiling and prior to offsite disposal.

The larger scale FDSA focused pump and treat system outlined in the "Draft - Workplan for Conducting Focused Remediation of the Former Drum Storage Area", dated November 2000, is planned for start-up in February 2001.

LBG has included additional copies of this letter report to forward to the Chief-Operation Maintenance and Support Section and the Region 1-Water Engineer as required in the Effluent Limitations and Monitoring Requirements for the site.

Mr. Jeffery Trad


-3-

January 17, 2001

Please do not hesitate to contact Alfred Kovalik or me should you require additional information.

Very truly yours,

LEGGETTE, BRASHEARS & GRAHAM, INC.



Paul Jobmann

Senior Environmental Engineer

PJ:mg

Attachments

cc: Pam Tames
Terry Gerrish
Chuck Bennett
Daniel Riesel, Esq.
Ilene P. Karpf, Esq.
Phil McAndrew
Thomas M. Giller
Mary Scheerer
C. MacNeil Mitchell, Esq.

H:\NABIS\2001\PTREPT1.WPD

TABLES

TABLE 1**FDSA FOCUSED REMEDIATION
ROWE INDUSTRIES SITE
SAG HARBOR, NEW YORK****Operation Summary**

DATE	STARTUP TIME	SHUTDOWN TIME	GALLONS PUMPED	SAMPLES COLLECTED
5/24/00	10:42	11:29	32.8	Y
6/1/00	8:19	18:42	79.9	Y
6/5/00	10:38	17:08	93.2	N
6/7/00	9:19	17:10	74.8	Y
6/8/00	9:19	13:30	119.3	Y
7/21/00	7:51	17:07	177.2	Y
7/24/00	11:10	19:02	79.8	N
7/27/00	8:30	17:21	93.9	N
8/2/00	8:25	14:45	40.2	Y
8/3/00	8:45	15:10	80.5	Y
8/7/00	8:20	15:03	80.1	Y
8/8/00	8:06	14:30	81.8	N
8/9/00	8:25	14:10	56.4	N
8/10/00	8:15	14:15	63.1	Y
8/15/00	9:20	14:25	62.5	Y
8/16/00	8:03	14:20	73.3	N
8/17/00	8:02	15:13	79.6	Y
9/11/00	8:10	14:15	69.2	Y
9/12/00	8:12	14:12	76.5	N
9/13/00	8:20	14:20	74	N
9/14/00	8:07	14:17	40.6	Y
9/18/00	7:08	14:22	76.4	Y

TABLE 1 (cont.)**FDSA FOCUSED REMEDIATION
ROWE INDUSTRIES SITE
SAG HARBOR, NEW YORK****Operation Summary (cont.)**

DATE	STARTUP TIME	SHUTDOWN TIME	GALLONS PUMPED	SAMPLES COLLECTED
9/19/00	7:06	14:15	92.5	N
9/20/00	7:05	14:15	90.3	N
9/21/00	7:02	14:22	105.1	Y
9/25/00	6:50	14:20	80.1	Y
9/26/00	6:55	14:20	46.1	N
9/27/00	7:00	14:15	72	N
9/28/00	7:00	14:25	78.8	Y
10/2/00	6:55	15:22	86.1	Y
10/3/00	7:00	15:00	98.5	N
10/4/00	6:57	15:00	89.4	N
10/5/00	7:00	14:30	97.9	Y
10/9/00	7:30	14:57	75.9	Y
10/10/00	6:58	14:21	86.2	N
10/11/00	6:55	17:30	155.3	N
10/12/00	7:13	15:29	23.3	N
10/13/00	7:20	9:50	45	Y
10/16/00	7:10	16:37	72	N
10/17/00	7:25	16:04	124.9	Y
10/18/00	7:21	16:30	124.5	N
10/19/00	7:20	15:20	74	Y
TOTAL			3,423	

H:\NABIS\2000\PTREPRT1.WPD

TABLE 2**FDSA FOCUSED REMEDIATION
ROWE INDUSTRIES SITE
SAG HARBOR, NEW YORK****Summary of Precarbon Analytical Results**

DATE	PCE CONCENTRATION (ug/l)	TOTAL VOC CONCENTRATION (ug/)
5/24/00	1,300	1,386
6/1/00	370	404
6/7/00	470	521
6/8/00	320	344
7/21/00	430	446
8/2/00	420	428
8/3/00	88	88
8/7/00	2,700	2,933
8/10/00	1,400	1,474
8/15/00	2,100	2,302
8/17/00	800	831
9/11/00	1,300	1,339
9/14/00	1,700	1,765
9/18/00	1,200	1,214
9/21/00	2,300	2,348
9/25/00	410	432
9/28/00	470	494
10/2/00	650	682
10/5/00	960	998
10/9/00	710	754
10/13/00	1,200	1,272
10/17/00	1,400	1,537
10/19/00	1,000	1,108

H:\NABIS\2000\PTREPRT1.WPD

TABLE 3

**FDSA FOCUSED REMEDIATION
ROWE INDUSTRIES SITE
SAG HARBOR, NEW YORK**

Real Time pH Monitoring Results

DATE	POST-CARBON pH
5/24/00	6.50
6/1/00	6.99
6/7/00	6.50
6/8/00	6.50
7/21/00	6.60
8/2/00	6.50
8/3/00	6.80
8/7/00	6.50
8/10/00	6.80
8/15/00	6.50
8/17/00	6.50
9/11/00	6.50
9/14/00	6.50
9/18/00	6.50
9/21/00	6.50
9/25/00	6.50
9/28/00	6.50
10/2/00	6.80
10/5/00	6.50
10/9/00	6.50
10/13/00	6.50
10/17/00	6.50
10/19/00	6.50

ATTACHMENT I

EFFLUENT LIMITATIONS AND MONITORING REQUIREMENTS

New York State Department of Environmental Conservation
Division of Environmental Remediation
Bureau of Construction Services, Room 267
50 Wolf Road, Albany, New York 12233-7010
Phone: (518) 457-9280 • FAX: (518) 457-7743
Website: www.dec.state.ny.us



RECEIVED

MAY 16 2000

MAY 11 2000 Leggett, Brashears & Graham, Inc.

Mr. Paul M. Jobmann
Leggett, Brashears & Graham, Inc.
126 Monroe Turnpike
Trumbull, Connecticut 06611

Dear Mr. Jobmann:

Re: Site No. 1-52-106
Rowe Industries Site
Focused Pump and Treat SPDES Permit

Please find enclosed the Focused Pump and Treat SPDES Permit for the Rowe Industries Site, No. 1-52-106. Please note all additional conditions and submit all monitoring data, engineering submissions and modification requests to Division of Environmental Remediation contact person, Mr. Jeffrey E. Trad.

If you have any questions regarding this permit, please call Mr. Jeffrey E. Trad, P.E., at (518) 457-9285.

Sincerely,

A handwritten signature in black ink, appearing to read 'Robert C. Knizek', written over the typed name.

Robert C. Knizek
Chief, Eastern Field Services Section
Bureau of Construction Services
Division of Environmental Remediation

Enclosure

cc: P. Tames - USEPA



EFFLUENT LIMITATIONS AND MONITORING REQUIREMENTS

During the period beginning May 2000 and lasting until February , 2001

the discharges from the treatment facility to groundwater, Class GA shall be limited and monitored by the operator as specified below:

Outfall Number and Parameter	Discharge Limitations		Units	Minimum Monitoring Requirements	
	Daily Avg.	Daily Max		Measurement Frequency	Sample Type
Outfall 001 - Treated Groundwater Remediation Discharge:					
Flow		Monitor	GPD	Daily	Estimate based on pumping time
pH (range)	6.5	to 8.5	SU	2/Week	Grab
1,2 Dichloroethane		0.6	µg/l	2/Week	Grab
cis 1,2 Dichloroethene		5	µg/l	2/Week	Grab
trans 1,2 Dichloroethene		5	µg/l	2/Week	Grab
Isopropylbenzene		5	µg/l	2/Week	Grab
Naphthalene		10	µg/l	2/Week	Grab
n-Propylbenzene		5	µg/l	2/Week	Grab
Tetrachloroethylene		5	µg/l	2/Week	Grab
Trichloroethanes		5	µg/l	2/Week	Grab
Trichloroethylene		5	µg/l	2/Week	Grab
1,2,4 Trimethylbenzene		5	µg/l	2/Week	Grab
1,3,5 Trimethylbenzene		5	µg/l	2/Week	Grab
m and p-Xylenes		10	µg/l	2/Week	Grab
o-Xylene		5	µg/l	2/Week	Grab

Additional Conditions:

- (1) The discharge rate may not exceed the effective or design treatment system capacity. All monitoring data, engineering submissions and modification requests must be submitted to:

Chief - Operation Maintenance and Support Section
Bureau of Hazardous Site Control
Division of Environmental Remediation
NYSDEC
50 Wolf Road
Albany, N.Y. 12233-7010

With a copy sent to:
Regional Water Engineer - Region 1
NYSDEC - Building 40 @ Stony Brook
Stony Brook, New York 11790-2356

- (2) Only site generated wastewater is authorized for treatment and discharge.
- (3) Authorization to discharge is valid only for the period noted above but may be renewed if appropriate. A request for renewal must be received 6 months prior to the expiration date to allow for a review of 91-20-2a monitoring data and reassessment of monitoring requirements.
- (4) Both concentration (mg/l or µg/l) and mass loadings (lbs/day) must be reported to the Department for all parameters except flow and pH.
- (5) Any use of corrosion/scale inhibitors or biocidal-type compounds used in the treatment process must be approved by the department prior to use.
- (6) This discharge and administration of this discharge must comply with the attached General Conditions.

ATTACHMENT II
LABORATORY ANALYTICAL RESULTS

Client: LBG Engineers	Client ID: Rowe Industries (Pre 52400)
Date received: 05/24/00	Laboratory ID: 0012488
Date extracted: NA	Matrix: Liquid
Date analyzed: 05/24/00-05/26/00	Contractor: 11418

EPA METHOD 8021

PARAMETER	CAS No.	RESULTS ug/L
BENZENE	71-43-2	<1
BROMOBENZENE	108-86-1	<1
BROMOCHLOROMETHANE	74-97-5	<1
BROMODICHLOROMETHANE	75-27-4	<1
BROMOFORM	75-25-4	<1
BROMOMETHANE	74-83-9	<1
n-BUTYLBENZENE	104-51-8	<1
sec-BUTYLBENZENE	135-98-8	<1
tert-BUTYLBENZENE	98-06-6	<1
CARBON TETRACHLORIDE	56-23-5	<1
CHLOROBENZENE	108-90-7	<1
CHLORODIBROMOMETHANE	124-48-1	<1
CHLOROETHANE	75-00-3	<1
CHLOROFORM	67-66-3	<1
CHLOROMETHANE	74-87-3	<1
2-CHLOROTOLUENE	95-49-8	<1
4-CHLOROTOLUENE	106-43-4	<1
1,2-DIBROMO-3-CHLOROPROPANE	96-12-8	<1
DIBROMOCHLOROMETHANE	124-48-1	<1
1,2-DIBROMOETHANE	106-93-4	<1
DIBROMOMETHANE	74-95-3	<1
1,2-DICHLOROBENZENE	95-50-1	<1
1,3-DICHLOROBENZENE	541-73-1	<1
1,4-DICHLOROBENZENE	106-46-7	<1
DICHLORODIFLUOROMETHANE	75-71-8	<1
1,1-DICHLOROETHANE	75-34-3	<1
1,2-DICHLOROETHANE	107-06-2	<1
1,1-DICHLOROETHENE	75-35-4	<1
cis-1,2-DICHLOROETHENE	156-59-2	<1
trans-1,2-DICHLOROETHENE	156-60-5	<1

Ken Bayer
Laboratory Director



Client: LBG Engineers	Client ID: Rowe Industries (Pre 52400)
Date received: 05/24/00	Laboratory ID: 0012488
Date extracted: NA	Matrix: Liquid
Date analyzed: 05/24/00-05/26/00	Contractor: 11418

EPA METHOD 8021

PARAMETER	CAS No.	RESULTS ug/L
1,2-DICHLOROPROPANE	78-87-5	<1
1,3-DICHLOROPROPANE	142-28-9	<1
2,2-DICHLOROPROPANE	594-20-7	<1
1,1-DICHLOROPROPENE	563-58-6	<1
cis-1,3-DICHLOROPROPENE	10061-01-5	<1
trans-1,3-DICHLOROPROPENE	10061-02-6	<1
ETHYLBENZENE	100-41-4	<1
HEXACHLOROBUTADIENE	87-68-3	<1
ISOPROPYLBENZENE	98-82-8	6
p-ISOPROPYLTOLUENE	99-87-6	<1
METHYLENE CHLORIDE	75-09-2	<1
NAPHTHALENE	91-20-3	<1
n-PROPYLBENZENE	103-65-1	1
STYRENE	100-42-5	<1
1,1,1,2-TETRACHLOROETHANE	630-20-6	<1
1,1,2,2-TETRACHLOROETHANE	79-34-5	<1
TETRACHLOROETHENE	127-18-4	1,300
TOLUENE	108-88-3	<1
1,2,3-TRICHLOROBENZENE	87-61-6	<1
1,2,4-TRICHLOROBENZENE	120-82-1	<1
1,1,1-TRICHLOROETHANE	71-55-6	47
1,1,2-TRICHLOROETHANE	79-00-5	<1
TRICHLOROETHENE	79-01-6	6
TRICHLOROFLUOROMETHANE	75-69-4	<1
1,2,3-TRICHLOROPROPANE	96-18-4	<1
1,2,4-TRIMETHYLBENZENE	95-63-6	2
1,3,5-TRIMETHYLBENZENE	108-67-8	5
VINYL CHLORIDE	75-01-4	<1
M+P XYLENES	108-38-3/95-47-6	7
O-XYLENE	106-42-3	12

John Baye
Laboratory Director



Client: LBG Engineers	Client ID: Rowe Industries (Mid 52400)
Date received: 05/24/00	Laboratory ID: 0012489
Date extracted: NA	Matrix: Liquid
Date analyzed: 05/24/00	Contractor: 11418

EPA METHOD 8021

PARAMETER	CAS No.	RESULTS ug/L
BENZENE	71-43-2	<1
BROMOBENZENE	108-86-1	<1
BROMOCHLOROMETHANE	74-97-5	<1
BROMODICHLOROMETHANE	75-27-4	<1
BROMOFORM	75-25-4	<1
BROMOMETHANE	74-83-9	<1
n-BUTYLBENZENE	104-51-8	<1
sec-BUTYLBENZENE	135-98-8	<1
tert-BUTYLBENZENE	98-06-6	<1
CARBON TETRACHLORIDE	56-23-5	<1
CHLOROBENZENE	108-90-7	<1
CHLORODIBROMOMETHANE	124-48-1	<1
CHLOROETHANE	75-00-3	<1
CHLOROFORM	67-66-3	<1
CHLOROMETHANE	74-87-3	<1
2-CHLOROTOLUENE	95-49-8	<1
4-CHLOROTOLUENE	106-43-4	<1
1,2-DIBROMO-3-CHLOROPROPANE	96-12-8	<1
DIBROMOCHLOROMETHANE	124-48-1	<1
1,2-DIBROMOETHANE	106-93-4	<1
DIBROMOMETHANE	74-95-3	<1
1,2-DICHLOROBENZENE	95-50-1	<1
1,3-DICHLOROBENZENE	541-73-1	<1
1,4-DICHLOROBENZENE	106-46-7	<1
DICHLORODIFLUOROMETHANE	75-71-8	<1
1,1-DICHLOROETHANE	75-34-3	<1
1,2-DICHLOROETHANE	107-06-2	<1
1,1-DICHLOROETHENE	75-35-4	<1
cis-1,2-DICHLOROETHENE	156-59-2	<1
trans-1,2-DICHLOROETHENE	156-60-5	<1

Keri Bayer
Laboratory Director

Client: LBG Engineers	Client ID: Rowe Industries (Mid 52400)
Date received: 05/24/00	Laboratory ID: 0012489
Date extracted: NA	Matrix: Liquid
Date analyzed: 05/24/00	Contractor: 11418

EPA METHOD 8021

PARAMETER	CAS No.	RESULTS ug/L
1,2-DICHLOROPROPANE	78-87-5	<1
1,3-DICHLOROPROPANE	142-28-9	<1
2,2-DICHLOROPROPANE	594-20-7	<1
1,1-DICHLOROPROPENE	563-58-6	<1
cis-1,3-DICHLOROPROPENE	10061-01-5	<1
trans-1,3-DICHLOROPROPENE	10061-02-6	<1
ETHYLBENZENE	100-41-4	<1
HEXACHLOROBUTADIENE	87-68-3	<1
ISOPROPYLBENZENE	98-82-8	<1
p-ISOPROPYLTOLUENE	99-87-6	<1
METHYLENE CHLORIDE	75-09-2	<1
NAPHTHALENE	91-20-3	<1
n-PROPYLBENZENE	103-65-1	<1
STYRENE	100-42-5	<1
1,1,1,2-TETRACHLOROETHANE	630-20-6	<1
1,1,1,2-TETRACHLOROETHANE	79-34-5	<1
TETRACHLOROETHENE	127-18-4	<1
TOLUENE	108-88-3	<1
1,2,3-TRICHLOROBENZENE	87-61-6	<1
1,2,4-TRICHLOROBENZENE	120-82-1	<1
1,1,1-TRICHLOROETHANE	71-55-6	<1
1,1,2-TRICHLOROETHANE	79-00-5	<1
TRICHLOROETHENE	79-01-6	<1
TRICHLOROFLUOROMETHANE	75-69-4	<1
1,2,3-TRICHLOROPROPANE	96-18-4	<1
1,2,4-TRIMETHYLBENZENE	95-63-6	<1
1,3,5-TRIMETHYLBENZENE	108-67-8	<1
VINYL CHLORIDE	75-01-4	<1
M+P XYLENES	108-38-3/95-47-6	<1
O-XYLENE	106-42-3	<1

John Beyer
Laboratory Director



Client: LBG Engineers	Client ID: Rowe Industries (Post 52400)
Date received: 05/24/00	Laboratory ID: 0012490
Date extracted: NA	Matrix: Liquid
Date analyzed: 05/24/00	Contractor: 11418

EPA METHOD 8021

PARAMETER	CAS No.	RESULTS ug/L
BENZENE	71-43-2	<1
BROMOBENZENE	108-86-1	<1
BROMOCHLOROMETHANE	74-97-5	<1
BROMODICHLOROMETHANE	75-27-4	<1
BROMOFORM	75-25-4	<1
BROMOMETHANE	74-83-9	<1
n-BUTYLBENZENE	104-51-8	<1
sec-BUTYLBENZENE	135-98-8	<1
tert-BUTYLBENZENE	98-06-6	<1
CARBON TETRACHLORIDE	56-23-5	<1
CHLOROBENZENE	108-90-7	<1
CHLORODIBROMOMETHANE	124-48-1	<1
CHLOROETHANE	75-00-3	<1
CHLOROFORM	67-66-3	<1
CHLOROMETHANE	74-87-3	<1
2-CHLOROTOLUENE	95-49-8	<1
4-CHLOROTOLUENE	106-43-4	<1
1,2-DIBROMO-3-CHLOROPROPANE	96-12-8	<1
DIBROMOCHLOROMETHANE	124-48-1	<1
1,2-DIBROMOETHANE	106-93-4	<1
DIBROMOMETHANE	74-95-3	<1
1,2-DICHLOROBENZENE	95-50-1	<1
1,3-DICHLOROBENZENE	541-73-1	<1
1,4-DICHLOROBENZENE	106-46-7	<1
DICHLORODIFLUOROMETHANE	75-71-8	<1
1,1-DICHLOROETHANE	75-34-3	<1
1,2-DICHLOROETHANE	107-06-2	<1
1,1-DICHLOROETHENE	75-35-4	<1
cis-1,2-DICHLOROETHENE	156-59-2	<1
trans-1,2-DICHLOROETHENE	156-60-5	<1

Ken Bayer
Laboratory Director

Client: LBG Engineers	Client ID: Rowe Industries (Post 52400)
Date received: 05/24/00	Laboratory ID: 0012490
Date extracted: NA	Matrix: Liquid
Date analyzed: 05/24/00	Contractor: 11418

EPA METHOD 8021

PARAMETER	CAS No.	RESULTS ug/L
1,2-DICHLOROPROPANE	78-87-5	<1
1,3-DICHLOROPROPANE	142-28-9	<1
2,2-DICHLOROPROPANE	594-20-7	<1
1,1-DICHLOROPROPENE	563-58-6	<1
cis-1,3-DICHLOROPROPENE	10061-01-5	<1
trans-1,3-DICHLOROPROPENE	10061-02-6	<1
ETHYLBENZENE	100-41-4	<1
HEXACHLOROBUTADIENE	87-88-3	<1
ISOPROPYLBENZENE	98-82-8	<1
p-ISOPROPYLTOLUENE	99-87-6	<1
METHYLENE CHLORIDE	75-09-2	<1
NAPHTHALENE	91-20-3	<1
n-PROPYLBENZENE	103-65-1	<1
STYRENE	100-42-5	<1
1,1,1,2-TETRACHLOROETHANE	630-20-6	<1
1,1,2,2-TETRACHLOROETHANE	79-34-5	<1
TETRACHLOROETHENE	127-18-4	<1
TOLUENE	108-88-3	<1
1,2,3-TRICHLOROBENZENE	87-61-6	<1
1,2,4-TRICHLOROBENZENE	120-82-1	<1
1,1,1-TRICHLOROETHANE	71-55-6	<1
1,1,2-TRICHLOROETHANE	79-00-5	<1
TRICHLOROETHENE	79-01-6	<1
TRICHLOROFLUOROMETHANE	75-69-4	<1
1,2,3-TRICHLOROPROPANE	96-18-4	<1
1,2,4-TRIMETHYLBENZENE	95-63-6	<1
1,3,5-TRIMETHYLBENZENE	108-67-8	<1
VINYL CHLORIDE	75-01-4	<1
M+P XYLENES	108-38-3/95-47-6	<1
O-XYLENE	106-42-3	<1

Ken Bayer
Laboratory Director





NYSDOH
AIHA
CTDOH

ELAP
PAT, LPAT
PH-0205

11418
102391

June 07, 2000

Paul Jobmann
LBG Engineers
126 Monroe Turnpike
Trumbull, CT 06611

Re: Rowe Industries

Dear Mr. Jobmann;

Enclosed please find the Laboratory Analysis Report(s) for sample(s) received on June 02, 2000. American Analytical Laboratories analyzed the samples through June 06, 2000 for the following;

This report consists of 6 pages of analytical results.

CLIENT ID	ANALYSIS
Pre 60100	EPA 8021
Mid 60100	EPA 8021
Post 60100	EPA 8021

If you have any questions or require further information, please call at your convenience. American Analytical Laboratories would like to thank you for the opportunity to be of service to you.


Best Regards,

American Analytical Laboratories, Inc.

Client: LBG Engineers	Client ID: Rowe Industries (Pre 60100)
Date received: 06/02/00	Laboratory ID: 0012572
Date extracted: NA	Matrix: Liquid
Date analyzed: 06/02/00-06/06/00	Contractor: 11418

EPA METHOD 8021

PARAMETER	CAS No.	RESULTS ug/L
BENZENE	71-43-2	<1
BROMOBENZENE	108-86-1	<1
BROMOCHLOROMETHANE	74-97-5	<1
BROMODICHLOROMETHANE	75-27-4	<1
BROMOFORM	75-25-4	<1
BROMOMETHANE	74-83-9	<1
n-BUTYLBENZENE	104-51-8	<1
sec-BUTYLBENZENE	135-98-8	<1
tert-BUTYLBENZENE	98-06-6	<1
CARBON TETRACHLORIDE	56-23-5	<1
CHLOROBENZENE	108-90-7	<1
CHLORODIBROMOMETHANE	124-48-1	<1
CHLOROETHANE	75-00-3	<1
CHLOROFORM	67-66-3	<1
CHLOROMETHANE	74-87-3	<1
2-CHLOROTOLUENE	95-49-8	<1
4-CHLOROTOLUENE	106-43-4	<1
1,2-DIBROMO-3-CHLOROPROPANE	96-12-8	<1
DIBROMOCHLOROMETHANE	124-48-1	<1
1,2-DIBROMOETHANE	106-93-4	<1
DIBROMOMETHANE	74-95-3	<1
1,2-DICHLOROBENZENE	95-50-1	<1
1,3-DICHLOROBENZENE	541-73-1	<1
1,4-DICHLOROBENZENE	106-46-7	<1
DICHLORODIFLUOROMETHANE	75-71-8	<1
1,1-DICHLOROETHANE	75-34-3	<1
1,2-DICHLOROETHANE	107-06-2	<1
1,1-DICHLOROETHENE	75-35-4	<1
cis-1,2-DICHLOROETHENE	156-59-2	<1
trans-1,2-DICHLOROETHENE	156-60-5	<1



 Laboratory Director

000001

Client: LBG Engineers	Client ID: Rowe Industries (Pre 60100)
Date received: 06/02/00	Laboratory ID: 0012572
Date extracted: NA	Matrix: Liquid
Date analyzed: 06/02/00-06/06/00	Contractor: 11418

EPA METHOD 8021


PARAMETER	CAS No.	RESULTS ug/L
1,2-DICHLOROPROPANE	78-87-5	<1
1,3-DICHLOROPROPANE	142-28-9	<1
2,2-DICHLOROPROPANE	594-20-7	<1
1,1-DICHLOROPROPENE	563-58-6	<1
cis-1,3-DICHLOROPROPENE	10061-01-5	<1
trans-1,3-DICHLOROPROPENE	10061-02-6	<1
ETHYLBENZENE	100-41-4	<1
HEXACHLOROBUTADIENE	87-68-3	<1
ISOPROPYLBENZENE	98-82-8	<1
p-ISOPROPYLTOLUENE	99-87-6	<1
METHYLENE CHLORIDE	75-09-2	<1
NAPHTHALENE	91-20-3	<1
n-PROPYLBENZENE	103-65-1	<1
STYRENE	100-42-5	<1
1,1,1,2-TETRACHLOROETHANE	630-20-6	<1
1,1,2,2-TETRACHLOROETHANE	79-34-5	<1
TETRACHLOROETHENE	127-18-4	370
TOLUENE	108-88-3	<1
1,2,3-TRICHLOROBENZENE	87-61-6	<1
1,2,4-TRICHLOROBENZENE	120-82-1	<1
1,1,1-TRICHLOROETHANE	71-55-6	30
1,1,2-TRICHLOROETHANE	79-00-5	<1
TRICHLOROETHENE	79-01-6	4
TRICHLOROFLUOROMETHANE	75-69-4	<1
1,2,3-TRICHLOROPROPANE	96-18-4	<1
1,2,4-TRIMETHYLBENZENE	95-63-6	<1
1,3,5-TRIMETHYLBENZENE	108-67-8	<1
VINYL CHLORIDE	75-01-4	<1
M+P XYLENES	108-38-3/95-47-6	<1
O-XYLENE	106-42-3	<1


 Laboratory Director

Client: LBG Engineers	Client ID: Rowe Industries (Mid 60100)
Date received: 06/02/00	Laboratory ID: 0012573
Date extracted: NA	Matrix: Liquid
Date analyzed: 06/02/00	Contractor: 11418

EPA METHOD 8021

PARAMETER	CAS No.	RESULTS ug/L
BENZENE	71-43-2	<1
BROMOBENZENE	108-86-1	<1
BROMOCHLOROMETHANE	74-97-5	<1
BROMODICHLOROMETHANE	75-27-4	<1
BROMOFORM	75-25-4	<1
BROMOMETHANE	74-83-9	<1
n-BUTYLBENZENE	104-51-8	<1
sec-BUTYLBENZENE	135-98-8	<1
tert-BUTYLBENZENE	98-06-6	<1
CARBON TETRACHLORIDE	56-23-5	<1
CHLOROBENZENE	108-90-7	<1
CHLORODIBROMOMETHANE	124-48-1	<1
CHLOROETHANE	75-00-3	<1
CHLOROFORM	67-66-3	<1
CHLOROMETHANE	74-87-3	<1
2-CHLOROTOLUENE	95-49-8	<1
4-CHLOROTOLUENE	106-43-4	<1
1,2-DIBROMO-3-CHLOROPROPANE	96-12-8	<1
DIBROMOCHLOROMETHANE	124-48-1	<1
1,2-DIBROMOETHANE	106-93-4	<1
DIBROMOMETHANE	74-95-3	<1
1,2-DICHLOROBENZENE	95-50-1	<1
1,3-DICHLOROBENZENE	541-73-1	<1
1,4-DICHLOROBENZENE	106-46-7	<1
DICHLORODIFLUOROMETHANE	75-71-8	<1
1,1-DICHLOROETHANE	75-34-3	<1
1,2-DICHLOROETHANE	107-06-2	<1
1,1-DICHLOROETHENE	75-35-4	<1
cis-1,2-DICHLOROETHENE	156-59-2	<1
trans-1,2-DICHLOROETHENE	156-60-5	<1



 Laboratory Director

000003

Client: LBG Engineers	Client ID: Rowe Industries (Mid 60100)
Date received: 06/02/00	Laboratory ID: 0012573
Date extracted: NA	Matrix: Liquid
Date analyzed: 06/02/00	Contractor: 11418

EPA METHOD 8021

PARAMETER	CAS No.	RESULTS ug/L
1,2-DICHLOROPROPANE	78-87-5	<1
1,3-DICHLOROPROPANE	142-28-9	<1
2,2-DICHLOROPROPANE	594-20-7	<1
1,1-DICHLOROPROPENE	563-58-6	<1
cis-1,3-DICHLOROPROPENE	10061-01-5	<1
trans-1,3-DICHLOROPROPENE	10061-02-6	<1
ETHYLBENZENE	100-41-4	<1
HEXACHLOROBUTADIENE	87-68-3	<1
ISOPROPYLBENZENE	98-82-8	<1
p-ISOPROPYLTOLUENE	99-87-6	<1
METHYLENE CHLORIDE	75-09-2	<1
NAPHTHALENE	91-20-3	<1
n-PROPYLBENZENE	103-65-1	<1
STYRENE	100-42-5	<1
1,1,1,2-TETRACHLOROETHANE	630-20-6	<1
1,1,2,2-TETRACHLOROETHANE	79-34-5	<1
TETRACHLOROETHENE	127-18-4	<1
TOLUENE	108-88-3	<1
1,2,3-TRICHLOROBENZENE	87-61-6	<1
1,2,4-TRICHLOROBENZENE	120-82-1	<1
1,1,1-TRICHLOROETHANE	71-55-6	<1
1,1,2-TRICHLOROETHANE	79-00-5	<1
TRICHLOROETHENE	79-01-6	<1
TRICHLOROFLUOROMETHANE	75-69-4	<1
1,2,3-TRICHLOROPROPANE	96-18-4	<1
1,2,4-TRIMETHYLBENZENE	95-63-6	<1
1,3,5-TRIMETHYLBENZENE	108-67-8	<1
VINYL CHLORIDE	75-01-4	<1
M+P XYLENES	108-38-3/95-47-6	<1
O-XYLENE	106-42-3	<1



 Laboratory Director

000004

Client: LBG Engineers	Client ID: Rowe Industries (Post 60100)
Date received: 06/02/00	Laboratory ID: 0012574
Date extracted: NA	Matrix: Liquid
Date analyzed: 06/02/00	Contractor: 11418

EPA METHOD 8021

PARAMETER	CAS No.	RESULTS ug/L
BENZENE	71-43-2	<1
BROMOBENZENE	108-86-1	<1
BROMOCHLOROMETHANE	74-97-5	<1
BROMODICHLOROMETHANE	75-27-4	<1
BROMOFORM	75-25-4	<1
BROMOMETHANE	74-83-9	<1
n-BUTYLBENZENE	104-51-8	<1
sec-BUTYLBENZENE	135-98-8	<1
tert-BUTYLBENZENE	98-06-6	<1
CARBON TETRACHLORIDE	56-23-5	<1
CHLOROBENZENE	108-90-7	<1
CHLORODIBROMOMETHANE	124-48-1	<1
CHLOROETHANE	75-00-3	<1
CHLOROFORM	67-66-3	<1
CHLOROMETHANE	74-87-3	<1
2-CHLOROTOLUENE	95-49-8	<1
4-CHLOROTOLUENE	106-43-4	<1
1,2-DIBROMO-3-CHLOROPROPANE	96-12-8	<1
DIBROMOCHLOROMETHANE	124-48-1	<1
1,2-DIBROMOETHANE	106-93-4	<1
DIBROMOMETHANE	74-95-3	<1
1,2-DICHLOROBENZENE	95-50-1	<1
1,3-DICHLOROBENZENE	541-73-1	<1
1,4-DICHLOROBENZENE	106-46-7	<1
DICHLORODIFLUOROMETHANE	75-71-8	<1
1,1-DICHLOROETHANE	75-34-3	<1
1,2-DICHLOROETHANE	107-06-2	<1
1,1-DICHLOROETHENE	75-35-4	<1
cis-1,2-DICHLOROETHENE	156-59-2	<1
trans-1,2-DICHLOROETHENE	156-60-5	<1


 Laboratory Director


Client: LBG Engineers	Client ID: Rowe Industries (Post 60100)
Date received: 06/02/00	Laboratory ID: 0012574
Date extracted: NA	Matrix: Liquid
Date analyzed: 06/02/00	Contractor: 11418

EPA METHOD 8021

PARAMETER	CAS No.	RESULTS ug/L
1,2-DICHLOROPROPANE	78-87-5	<1
1,3-DICHLOROPROPANE	142-28-9	<1
2,2-DICHLOROPROPANE	594-20-7	<1
1,1-DICHLOROPROPENE	563-58-6	<1
cis-1,3-DICHLOROPROPENE	10061-01-5	<1
trans-1,3-DICHLOROPROPENE	10061-02-6	<1
ETHYLBENZENE	100-41-4	<1
HEXACHLOROBUTADIENE	87-68-3	<1
ISOPROPYLBENZENE	98-82-8	<1
p-ISOPROPYLTOLUENE	99-87-6	<1
METHYLENE CHLORIDE	75-09-2	<1
NAPHTHALENE	91-20-3	5
n-PROPYLBENZENE	103-65-1	<1
STYRENE	100-42-5	<1
1,1,1,2-TETRACHLOROETHANE	630-20-6	<1
1,1,2,2-TETRACHLOROETHANE	79-34-5	<1
TETRACHLOROETHENE	127-18-4	<1
TOLUENE	108-88-3	<1
1,2,3-TRICHLOROBENZENE	87-61-6	<1
1,2,4-TRICHLOROBENZENE	120-82-1	<1
1,1,1-TRICHLOROETHANE	71-55-6	<1
1,1,2-TRICHLOROETHANE	79-00-5	<1
TRICHLOROETHENE	79-01-6	<1
TRICHLOROFLUOROMETHANE	75-69-4	<1
1,2,3-TRICHLOROPROPANE	96-18-4	<1
1,2,4-TRIMETHYLBENZENE	95-63-6	22
1,3,5-TRIMETHYLBENZENE	108-67-8	11
VINYL CHLORIDE	75-01-4	<1
M+P XYLENES	108-38-3/95-47-6	<1
O-XYLENE	106-42-3	<1



Laboratory Director



NYSDOH	ELAP	11418
AIHA	PAT, LPAT	15668
CTDOH	PH-0205	

CHAIN OF CUSTODY / REQUEST FOR ANALYSIS DOCUMENT

[illegible]



NYSDOH
AIHA
CTDOH

ELAP
PAT, LPAT
PH-0205

11418
102391

June 12, 2000

Paul Jobmann
LBG Engineers
126 Monroe Turnpike
Trumbull, CT 06611

Re: Rowe Industries

Dear Mr. Jobmann;

Enclosed please find the Laboratory Analysis Report(s) for sample(s) received on June 08, 2000. American Analytical Laboratories analyzed the samples through June 09, 2000 for the following;

CLIENT ID	ANALYSIS
Pre 6700	EPA 8021
Mid 6700	EPA 8021
Post 6700	EPA 8021
Pre 6800	EPA 8021
Mid 6800	EPA 8021
Post 6800	EPA 8021

This report consists of 12 pages of analytical results.

If you have any questions or require further information, please call at your convenience. American Analytical Laboratories would like to thank you for the opportunity to be of service to you.

Best Regards,

American Analytical Laboratories, Inc.

Client: LBG Engineers	Client ID: Rowe Industries (Pre 6700)
Date received: 06/08/00	Laboratory ID: 0012685
Date extracted: NA	Matrix: Liquid
Date analyzed: 06/09/00	Contractor: 11418

EPA METHOD 8021

PARAMETER	CAS No.	RESULTS ug/L
BENZENE	71-43-2	<1
BROMOBENZENE	108-86-1	<1
BROMOCHLOROMETHANE	74-97-5	<1
BROMODICHLOROMETHANE	75-27-4	<1
BROMOFORM	75-25-4	<1
BROMOMETHANE	74-83-9	<1
n-BUTYLBENZENE	104-51-8	<1
sec-BUTYLBENZENE	135-98-8	<1
tert-BUTYLBENZENE	98-06-6	<1
CARBON TETRACHLORIDE	56-23-5	<1
CHLOROBENZENE	108-90-7	<1
CHLORODIBROMOMETHANE	124-48-1	<1
CHLOROETHANE	75-00-3	<1
CHLOROFORM	67-66-3	<1
CHLOROMETHANE	74-87-3	27
2-CHLOROTOLUENE	95-49-8	<1
4-CHLOROTOLUENE	106-43-4	<1
1,2-DIBROMO-3-CHLOROPROPANE	96-12-8	<1
DIBROMOCHLOROMETHANE	124-48-1	<1
1,2-DIBROMOETHANE	106-93-4	<1
DIBROMOMETHANE	74-95-3	<1
1,2-DICHLOROBENZENE	95-50-1	<1
1,3-DICHLOROBENZENE	541-73-1	<1
1,4-DICHLOROBENZENE	106-46-7	<1
DICHLORODIFLUOROMETHANE	75-71-8	<1
1,1-DICHLOROETHANE	75-34-3	<1
1,2-DICHLOROETHANE	107-06-2	<1
1,1-DICHLOROETHENE	75-35-4	<1
cis-1,2-DICHLOROETHENE	156-59-2	<1
trans-1,2-DICHLOROETHENE	156-60-5	<1


 Laboratory Director

Client: LBG Engineers	Client ID: Rowe Industries (Pre 6700)
Date received: 06/08/00	Laboratory ID: 0012685
Date extracted: NA	Matrix: Liquid
Date analyzed: 06/09/00	Contractor: 11418

EPA METHOD 8021

PARAMETER	CAS No.	RESULTS ug/L
1,2-DICHLOROPROPANE	78-87-5	<1
1,3-DICHLOROPROPANE	142-28-9	<1
2,2-DICHLOROPROPANE	594-20-7	<1
1,1-DICHLOROPROPENE	563-58-6	<1
cis-1,3-DICHLOROPROPENE	10061-01-5	<1
trans-1,3-DICHLOROPROPENE	10061-02-6	<1
ETHYLBENZENE	100-41-4	<1
HEXACHLOROBUTADIENE	87-68-3	<1
ISOPROPYLBENZENE	98-82-8	<1
p-ISOPROPYLTOLUENE	99-87-6	<1
METHYLENE CHLORIDE	75-09-2	<1
NAPHTHALENE	91-20-3	<1
n-PROPYLBENZENE	103-65-1	<1
STYRENE	100-42-5	<1
1,1,1,2-TETRACHLOROETHANE	630-20-6	<1
1,1,2,2-TETRACHLOROETHANE	79-34-5	<1
TETRACHLOROETHENE	127-18-4	<1
TOLUENE	108-88-3	<1
1,2,3-TRICHLOROBENZENE	87-61-6	<1
1,2,4-TRICHLOROBENZENE	120-82-1	<1
1,1,1-TRICHLOROETHANE	71-55-6	<1
1,1,2-TRICHLOROETHANE	79-00-5	<1
TRICHLOROETHENE	79-01-6	<1
TRICHLOROFLUOROMETHANE	75-69-4	<1
1,2,3-TRICHLOROPROPANE	96-18-4	<1
1,2,4-TRIMETHYLBENZENE	95-63-6	<1
1,3,5-TRIMETHYLBENZENE	108-67-8	<1
VINYL CHLORIDE	75-01-4	<1
M+P XYLENES	108-38-3/95-47-6	<1
O-XYLENE	106-42-3	<1


 Laboratory Director

Client: LBG Engineers	Client ID: Rowe Industries (Mid 6700)
Date received: 06/08/00	Laboratory ID: 0012686
Date extracted: NA	Matrix: Liquid
Date analyzed: 06/09/00	Contractor: 11418

EPA METHOD 8021

PARAMETER	CAS No.	RESULTS ug/L
BENZENE	71-43-2	<1
BROMOBENZENE	108-86-1	<1
BROMOCHLOROMETHANE	74-97-5	<1
BROMODICHLOROMETHANE	75-27-4	<1
BROMOFORM	75-25-4	<1
BROMOMETHANE	74-83-9	<1
n-BUTYLBENZENE	104-51-8	<1
sec-BUTYLBENZENE	135-98-8	<1
tert-BUTYLBENZENE	98-06-6	<1
CARBON TETRACHLORIDE	56-23-5	<1
CHLOROBENZENE	108-90-7	<1
CHLORODIBROMOMETHANE	124-48-1	<1
CHLOROETHANE	75-00-3	<1
CHLOROFORM	67-66-3	<1
CHLOROMETHANE	74-87-3	<1
2-CHLOROTOLUENE	95-49-8	<1
4-CHLOROTOLUENE	106-43-4	<1
1,2-DIBROMO-3-CHLOROPROPANE	96-12-8	<1
DIBROMOCHLOROMETHANE	124-48-1	<1
1,2-DIBROMOETHANE	106-93-4	<1
DIBROMOMETHANE	74-95-3	<1
1,2-DICHLOROBENZENE	95-50-1	<1
1,3-DICHLOROBENZENE	541-73-1	<1
1,4-DICHLOROBENZENE	106-46-7	<1
DICHLORODIFLUOROMETHANE	75-71-8	<1
1,1-DICHLOROETHANE	75-34-3	<1
1,2-DICHLOROETHANE	107-06-2	<1
1,1-DICHLOROETHENE	75-35-4	<1
cis-1,2-DICHLOROETHENE	156-59-2	<1
trans-1,2-DICHLOROETHENE	156-60-5	<1


 Laboratory Director

Client: LBG Engineers	Client ID: Rowe Industries (Mid 6700)
Date received: 06/08/00	Laboratory ID: 0012686
Date extracted: NA	Matrix: Liquid
Date analyzed: 06/09/00	Contractor: 11418

EPA METHOD 8021


PARAMETER	CAS No.	RESULTS ug/L
1,2-DICHLOROPROPANE	78-87-5	<1
1,3-DICHLOROPROPANE	142-28-9	<1
2,2-DICHLOROPROPANE	594-20-7	<1
1,1-DICHLOROPROPENE	563-58-6	<1
cis-1,3-DICHLOROPROPENE	10061-01-5	<1
trans-1,3-DICHLOROPROPENE	10061-02-6	<1
ETHYLBENZENE	100-41-4	<1
HEXACHLOROBUTADIENE	87-68-3	<1
ISOPROPYLBENZENE	98-82-8	<1
p-ISOPROPYLTOLUENE	99-87-6	<1
METHYLENE CHLORIDE	75-09-2	<1
NAPHTHALENE	91-20-3	<1
n-PROPYLBENZENE	103-65-1	<1
STYRENE	100-42-5	<1
1,1,1,2-TETRACHLOROETHANE	630-20-6	<1
1,1,2,2-TETRACHLOROETHANE	79-34-5	<1
TETRACHLOROETHENE	127-18-4	<1
TOLUENE	108-88-3	<1
1,2,3-TRICHLOROBENZENE	87-61-6	<1
1,2,4-TRICHLOROBENZENE	120-82-1	<1
1,1,1-TRICHLOROETHANE	71-55-6	<1
1,1,2-TRICHLOROETHANE	79-00-5	<1
TRICHLOROETHENE	79-01-6	<1
TRICHLOROFLUOROMETHANE	75-69-4	<1
1,2,3-TRICHLOROPROPANE	96-18-4	<1
1,2,4-TRIMETHYLBENZENE	95-63-6	<1
1,3,5-TRIMETHYLBENZENE	108-67-8	<1
VINYL CHLORIDE	75-01-4	<1
M+P XYLENES	108-38-3/95-47-6	<1
O-XYLENE	106-42-3	<1


 Laboratory Director

Client: LBG Engineers	Client ID: Rowe Industries (Post 6700)
Date received: 06/08/00	Laboratory ID: 0012687
Date extracted: NA	Matrix: Liquid
Date analyzed: 06/09/00	Contractor: 11418

EPA METHOD 8021

PARAMETER	CAS No.	RESULTS ug/L
BENZENE	71-43-2	<1
BROMOBENZENE	108-86-1	<1
BROMOCHLOROMETHANE	74-97-5	<1
BROMODICHLOROMETHANE	75-27-4	<1
BROMOFORM	75-25-4	<1
BROMOMETHANE	74-83-9	<1
n-BUTYLBENZENE	104-51-8	<1
sec-BUTYLBENZENE	135-98-8	<1
tert-BUTYLBENZENE	98-06-6	<1
CARBON TETRACHLORIDE	56-23-5	<1
CHLOROBENZENE	108-90-7	<1
CHLORODIBROMOMETHANE	124-48-1	<1
CHLOROETHANE	75-00-3	<1
CHLOROFORM	67-66-3	<1
CHLOROMETHANE	74-87-3	10
2-CHLOROTOLUENE	95-49-8	<1
4-CHLOROTOLUENE	106-43-4	<1
1,2-DIBROMO-3-CHLOROPROPANE	96-12-8	<1
DIBROMOCHLOROMETHANE	124-48-1	<1
1,2-DIBROMOETHANE	106-93-4	<1
DIBROMOMETHANE	74-95-3	<1
1,2-DICHLOROBENZENE	95-50-1	<1
1,3-DICHLOROBENZENE	541-73-1	<1
1,4-DICHLOROBENZENE	106-46-7	<1
DICHLORODIFLUOROMETHANE	75-71-8	<1
1,1-DICHLOROETHANE	75-34-3	<1
1,2-DICHLOROETHANE	107-06-2	<1
1,1-DICHLOROETHENE	75-35-4	<1
cis-1,2-DICHLOROETHENE	156-59-2	<1
trans-1,2-DICHLOROETHENE	156-60-5	<1


 Laboratory Director

Client: LBG Engineers	Client ID: Rowe Industries (Post 6700)
Date received: 06/08/00	Laboratory ID: 0012687
Date extracted: NA	Matrix: Liquid
Date analyzed: 06/09/00	Contractor: 11418

EPA METHOD 8021

PARAMETER	CAS No.	RESULTS ug/L
1,2-DICHLOROPROPANE	78-87-5	<1
1,3-DICHLOROPROPANE	142-28-9	<1
2,2-DICHLOROPROPANE	594-20-7	<1
1,1-DICHLOROPROPENE	563-58-6	<1
cis-1,3-DICHLOROPROPENE	10061-01-5	<1
trans-1,3-DICHLOROPROPENE	10061-02-6	<1
ETHYLBENZENE	100-41-4	<1
HEXACHLOROBUTADIENE	87-68-3	<1
ISOPROPYLBENZENE	98-82-8	1
p-ISOPROPYLTOLUENE	99-87-6	<1
METHYLENE CHLORIDE	75-09-2	<1
NAPHTHALENE	91-20-3	<1
n-PROPYLBENZENE	103-65-1	<1
STYRENE	100-42-5	<1
1,1,1,2-TETRACHLOROETHANE	630-20-6	<1
1,1,2,2-TETRACHLOROETHANE	79-34-5	<1
TETRACHLOROETHENE	127-18-4	470
TOLUENE	108-88-3	<1
1,2,3-TRICHLOROBENZENE	87-61-6	<1
1,2,4-TRICHLOROBENZENE	120-82-1	<1
1,1,1-TRICHLOROETHANE	71-55-6	27
1,1,2-TRICHLOROETHANE	79-00-5	<1
TRICHLOROETHENE	79-01-6	4
TRICHLOROFLUOROMETHANE	75-69-4	<1
1,2,3-TRICHLOROPROPANE	96-18-4	<1
1,2,4-TRIMETHYLBENZENE	95-63-6	<1
1,3,5-TRIMETHYLBENZENE	108-67-8	2
VINYL CHLORIDE	75-01-4	<1
M+P XYLENES	108-38-3/95-47-6	2
O-XYLENE	106-42-3	5


 Laboratory Director

Client: LBG Engineers	Client ID: Rowe Industries (Pre 6800)
Date received: 06/08/00	Laboratory ID: 0012688
Date extracted: NA	Matrix: Liquid
Date analyzed: 06/09/00	Contractor: 11418

EPA METHOD 8021

PARAMETER	CAS No.	RESULTS ug/L
BENZENE	71-43-2	<1
BROMOBENZENE	108-86-1	<1
BROMOCHLOROMETHANE	74-97-5	<1
BROMODICHLOROMETHANE	75-27-4	<1
BROMOFORM	75-25-4	<1
BROMOMETHANE	74-83-9	<1
n-BUTYLBENZENE	104-51-8	<1
sec-BUTYLBENZENE	135-98-8	<1
tert-BUTYLBENZENE	98-06-6	<1
CARBON TETRACHLORIDE	56-23-5	<1
CHLOROBENZENE	108-90-7	<1
CHLORODIBROMOMETHANE	124-48-1	<1
CHLOROETHANE	75-00-3	<1
CHLOROFORM	67-66-3	<1
CHLOROMETHANE	74-87-3	<1
2-CHLOROTOLUENE	95-49-8	<1
4-CHLOROTOLUENE	106-43-4	<1
1,2-DIBROMO-3-CHLOROPROPANE	96-12-8	<1
DIBROMOCHLOROMETHANE	124-48-1	<1
1,2-DIBROMOETHANE	106-93-4	<1
DIBROMOMETHANE	74-95-3	<1
1,2-DICHLOROBENZENE	95-50-1	<1
1,3-DICHLOROBENZENE	541-73-1	<1
1,4-DICHLOROBENZENE	106-46-7	<1
DICHLORODIFLUOROMETHANE	75-71-8	<1
1,1-DICHLOROETHANE	75-34-3	<1
1,2-DICHLOROETHANE	107-06-2	<1
1,1-DICHLOROETHENE	75-35-4	<1
cis-1,2-DICHLOROETHENE	156-59-2	<1
trans-1,2-DICHLOROETHENE	156-60-5	<1


 Laboratory Director

Client: LBG Engineers	Client ID: Rowe Industries (Pre 6800)
Date received: 06/08/00	Laboratory ID: 0012688
Date extracted: NA	Matrix: Liquid
Date analyzed: 06/09/00	Contractor: 11418

EPA METHOD 8021

PARAMETER	CAS No.	RESULTS ug/L
1,2-DICHLOROPROPANE	78-87-5	<1
1,3-DICHLOROPROPANE	142-28-9	<1
2,2-DICHLOROPROPANE	594-20-7	<1
1,1-DICHLOROPROPENE	563-58-6	<1
cis-1,3-DICHLOROPROPENE	10061-01-5	<1
trans-1,3-DICHLOROPROPENE	10061-02-6	<1
ETHYLBENZENE	100-41-4	<1
HEXACHLOROBUTADIENE	87-68-3	<1
ISOPROPYLBENZENE	98-82-8	<1
p-ISOPROPYLTOLUENE	99-87-6	<1
METHYLENE CHLORIDE	75-09-2	<1
NAPHTHALENE	91-20-3	<1
n-PROPYLBENZENE	103-65-1	<1
STYRENE	100-42-5	<1
1,1,1,2-TETRACHLOROETHANE	630-20-6	<1
1,1,2,2-TETRACHLOROETHANE	79-34-5	<1
TETRACHLOROETHENE	127-18-4	320
TOLUENE	108-88-3	<1
1,2,3-TRICHLOROBENZENE	87-61-6	<1
1,2,4-TRICHLOROBENZENE	120-82-1	<1
1,1,1-TRICHLOROETHANE	71-55-6	12
1,1,2-TRICHLOROETHANE	79-00-5	<1
TRICHLOROETHENE	79-01-6	2
TRICHLOROFLUOROMETHANE	75-69-4	<1
1,2,3-TRICHLOROPROPANE	96-18-4	<1
1,2,4-TRIMETHYLBENZENE	95-63-6	<1
1,3,5-TRIMETHYLBENZENE	108-67-8	2
VINYL CHLORIDE	75-01-4	<1
M+P XYLENES	108-38-3/95-47-6	2
O-XYLENE	106-42-3	6


 Laboratory Director

Client: LBG Engineers	Client ID: Rowe Industries (Mid 6800)
Date received: 06/08/00	Laboratory ID: 0012689
Date extracted: NA	Matrix: Liquid
Date analyzed: 06/09/00	Contractor: 11418

EPA METHOD 8021

PARAMETER	CAS No.	RESULTS ug/L
BENZENE	71-43-2	<1
BROMOBENZENE	108-86-1	<1
BROMOCHLOROMETHANE	74-97-5	<1
BROMODICHLOROMETHANE	75-27-4	<1
BROMOFORM	75-25-4	<1
BROMOMETHANE	74-83-9	<1
n-BUTYLBENZENE	104-51-8	<1
sec-BUTYLBENZENE	135-98-8	<1
tert-BUTYLBENZENE	98-06-6	<1
CARBON TETRACHLORIDE	56-23-5	<1
CHLOROBENZENE	108-90-7	<1
CHLORODIBROMOMETHANE	124-48-1	<1
CHLOROETHANE	75-00-3	<1
CHLOROFORM	67-66-3	<1
CHLOROMETHANE	74-87-3	<1
2-CHLOROTOLUENE	95-49-8	<1
4-CHLOROTOLUENE	106-43-4	<1
1,2-DIBROMO-3-CHLOROPROPANE	96-12-8	<1
DIBROMOCHLOROMETHANE	124-48-1	<1
1,2-DIBROMOETHANE	106-93-4	<1
DIBROMOMETHANE	74-95-3	<1
1,2-DICHLOROBENZENE	95-50-1	<1
1,3-DICHLOROBENZENE	541-73-1	<1
1,4-DICHLOROBENZENE	106-46-7	<1
DICHLORODIFLUOROMETHANE	75-71-8	<1
1,1-DICHLOROETHANE	75-34-3	<1
1,2-DICHLOROETHANE	107-06-2	<1
1,1-DICHLOROETHENE	75-35-4	<1
cis-1,2-DICHLOROETHENE	156-59-2	<1
trans-1,2-DICHLOROETHENE	156-60-5	<1


 Laboratory Director

Client: LBG Engineers	Client ID: Rowe Industries (Mid 6800)
Date received: 06/08/00	Laboratory ID: 0012689
Date extracted: NA	Matrix: Liquid
Date analyzed: 06/09/00	Contractor: 11418

EPA METHOD 8021


PARAMETER	CAS No.	RESULTS ug/L
1,2-DICHLOROPROPANE	78-87-5	<1
1,3-DICHLOROPROPANE	142-28-9	<1
2,2-DICHLOROPROPANE	594-20-7	<1
1,1-DICHLOROPROPENE	563-58-6	<1
cis-1,3-DICHLOROPROPENE	10061-01-5	<1
trans-1,3-DICHLOROPROPENE	10061-02-6	<1
ETHYLBENZENE	100-41-4	<1
HEXACHLOROBUTADIENE	87-68-3	<1
ISOPROPYLBENZENE	98-82-8	<1
p-ISOPROPYLTOLUENE	99-87-6	<1
METHYLENE CHLORIDE	75-09-2	<1
NAPHTHALENE	91-20-3	<1
n-PROPYLBENZENE	103-65-1	<1
STYRENE	100-42-5	<1
1,1,1,2-TETRACHLOROETHANE	630-20-6	<1
1,1,2,2-TETRACHLOROETHANE	79-34-5	<1
TETRACHLOROETHENE	127-18-4	<1
TOLUENE	108-88-3	<1
1,2,3-TRICHLOROBENZENE	87-61-6	<1
1,2,4-TRICHLOROBENZENE	120-82-1	<1
1,1,1-TRICHLOROETHANE	71-55-6	<1
1,1,2-TRICHLOROETHANE	79-00-5	<1
TRICHLOROETHENE	79-01-6	<1
TRICHLOROFLUOROMETHANE	75-69-4	<1
1,2,3-TRICHLOROPROPANE	96-18-4	<1
1,2,4-TRIMETHYLBENZENE	95-63-6	<1
1,3,5-TRIMETHYLBENZENE	108-67-8	<1
VINYL CHLORIDE	75-01-4	<1
M+P XYLENES	108-38-3/95-47-6	<1
O-XYLENE	106-42-3	<1


 Laboratory Director

Client: LBG Engineers	Client ID: Rowe Industries (Post 6800)
Date received: 06/08/00	Laboratory ID: 0012690
Date extracted: NA	Matrix: Liquid
Date analyzed: 06/09/00	Contractor: 11418

EPA METHOD 8021

PARAMETER	CAS No.	RESULTS ug/L
BENZENE	71-43-2	<1
BROMOBENZENE	108-86-1	<1
BROMOCHLOROMETHANE	74-97-5	<1
BROMODICHLOROMETHANE	75-27-4	<1
BROMOFORM	75-25-4	<1
BROMOMETHANE	74-83-9	<1
n-BUTYLBENZENE	104-51-8	<1
sec-BUTYLBENZENE	135-98-8	<1
tert-BUTYLBENZENE	98-06-6	<1
CARBON TETRACHLORIDE	56-23-5	<1
CHLOROBENZENE	108-90-7	<1
CHLORODIBROMOMETHANE	124-48-1	<1
CHLOROETHANE	75-00-3	<1
CHLOROFORM	67-66-3	<1
CHLOROMETHANE	74-87-3	<1
2-CHLOROTOLUENE	95-49-8	<1
4-CHLOROTOLUENE	106-43-4	<1
1,2-DIBROMO-3-CHLOROPROPANE	96-12-8	<1
DIBROMOCHLOROMETHANE	124-48-1	<1
1,2-DIBROMOETHANE	106-93-4	<1
DIBROMOMETHANE	74-95-3	<1
1,2-DICHLOROBENZENE	95-50-1	<1
1,3-DICHLOROBENZENE	541-73-1	<1
1,4-DICHLOROBENZENE	106-46-7	<1
DICHLORODIFLUOROMETHANE	75-71-8	<1
1,1-DICHLOROETHANE	75-34-3	<1
1,2-DICHLOROETHANE	107-06-2	<1
1,1-DICHLOROETHENE	75-35-4	<1
cis-1,2-DICHLOROETHENE	156-59-2	<1
trans-1,2-DICHLOROETHENE	156-60-5	<1


 Laboratory Director

Client: LBG Engineers	Client ID: Rowe Industries (Post 6800)
Date received: 06/08/00	Laboratory ID: 0012690
Date extracted: NA	Matrix: Liquid
Date analyzed: 06/09/00	Contractor: 11418

EPA METHOD 8021

PARAMETER	CAS No.	RESULTS ug/L
1,2-DICHLOROPROPANE	78-87-5	<1
1,3-DICHLOROPROPANE	142-28-9	<1
2,2-DICHLOROPROPANE	594-20-7	<1
1,1-DICHLOROPROPENE	563-58-6	<1
cis-1,3-DICHLOROPROPENE	10061-01-5	<1
trans-1,3-DICHLOROPROPENE	10061-02-6	<1
ETHYLBENZENE	100-41-4	<1
HEXACHLOROBUTADIENE	87-68-3	<1
ISOPROPYLBENZENE	98-82-8	<1
p-ISOPROPYLTOLUENE	99-87-6	<1
METHYLENE CHLORIDE	75-09-2	<1
NAPHTHALENE	91-20-3	<1
n-PROPYLBENZENE	103-65-1	<1
STYRENE	100-42-5	<1
1,1,1,2-TETRACHLOROETHANE	630-20-6	<1
1,1,2,2-TETRACHLOROETHANE	79-34-5	<1
TETRACHLOROETHENE	127-18-4	<1
TOLUENE	108-88-3	<1
1,2,3-TRICHLOROBENZENE	87-61-6	<1
1,2,4-TRICHLOROBENZENE	120-82-1	<1
1,1,1-TRICHLOROETHANE	71-55-6	<1
1,1,2-TRICHLOROETHANE	79-00-5	<1
TRICHLOROETHENE	79-01-6	<1
TRICHLOROFLUOROMETHANE	75-69-4	<1
1,2,3-TRICHLOROPROPANE	96-18-4	<1
1,2,4-TRIMETHYLBENZENE	95-63-6	<1
1,3,5-TRIMETHYLBENZENE	108-67-8	<1
VINYL CHLORIDE	75-01-4	<1
M+P XYLENES	108-38-3/95-47-6	<1
O-XYLENE	106-42-3	<1


 Laboratory Director



56 TOLEDO STREET • FARMINGDALE, NY 11735 • (516) 454-6100 • FAX (516) 454-8027

Page 1/1

NYSDOH	ELAP	11418
AIHA	PAT, LPAT	15668
CTDOH	PH-0205	

CHAIN OF CUSTODY / REQUEST FOR ANALYSIS DOCUMENT

[illegible]



NYSDOH
AIHA
CTDOH

ELAP
PAT, LPAT
PH-0205

11418
102391

July 28, 2000

Paul Jobmann
LBG Engineers
126 Monroe Turnpike
Trumbull, CT 06611

Re: Rowe Industries, Sag Harbor

Dear Mr. Jobmann;

Enclosed please find the Laboratory Analysis Report(s) for sample(s) received on July 21, 2000. American Analytical Laboratories analyzed the samples through July 27, 2000 for the following;

CLIENT ID	ANALYSIS
Pre [2]	EPA 8021
Mid [2]	EPA 8021

This report consists of 4 pages of analytical results.

If you have any questions or require further information, please call at your convenience. American Analytical Laboratories would like to thank you for the opportunity to be of service to you.


Best Regards,

American Analytical Laboratories, Inc.

Client: LBG Engineers	Client ID: Rowe Industries, Sag Harbor (Pre [2])
Date received: 07/21/00	Laboratory ID: 0013262
Date extracted: NA	Matrix: Liquid
Date analyzed: 07/21/00-07/27/00	Contractor: 11418

EPA METHOD 8021

PARAMETER	CAS No.	RESULTS ug/L
BENZENE	71-43-2	<1
BROMOBENZENE	108-86-1	<1
BROMOCHLOROMETHANE	74-97-5	<1
BROMODICHLOROMETHANE	75-27-4	<1
BROMOFORM	75-25-4	<1
BROMOMETHANE	74-83-9	<1
n-BUTYLBENZENE	104-51-8	<1
sec-BUTYLBENZENE	135-98-8	<1
tert-BUTYLBENZENE	98-06-6	<1
CARBON TETRACHLORIDE	56-23-5	<1
CHLOROBENZENE	108-90-7	<1
CHLORODIBROMOMETHANE	124-48-1	<1
CHLOROETHANE	75-00-3	<1
CHLOROFORM	67-66-3	<1
CHLOROMETHANE	74-87-3	<1
2-CHLOROTOLUENE	95-49-8	<1
4-CHLOROTOLUENE	106-43-4	<1
1,2-DIBROMO-3-CHLOROPROPANE	96-12-8	<1
DIBROMOCHLOROMETHANE	124-48-1	<1
1,2-DIBROMOETHANE	106-93-4	<1
DIBROMOMETHANE	74-95-3	<1
1,2-DICHLOROBENZENE	95-50-1	<1
1,3-DICHLOROBENZENE	541-73-1	<1
1,4-DICHLOROBENZENE	106-46-7	<1
DICHLORODIFLUOROMETHANE	75-71-8	<1
1,1-DICHLOROETHANE	75-34-3	<1
1,2-DICHLOROETHANE	107-06-2	<1
1,1-DICHLOROETHENE	75-35-4	<1
cis-1,2-DICHLOROETHENE	156-59-2	<1
trans-1,2-DICHLOROETHENE	156-60-5	<1



 Laboratory Director

000001

Client: LBG Engineers	Client ID: Rowe Industries, Sag Harbor (Pre [2])
Date received: 07/21/00	Laboratory ID: 0013262
Date extracted: NA	Matrix: Liquid
Date analyzed: 07/21/00-07/27/00	Contractor: 11418

EPA METHOD 8021

PARAMETER	CAS No.	RESULTS ug/L
1,2-DICHLOROPROPANE	78-87-5	<1
1,3-DICHLOROPROPANE	142-28-9	<1
2,2-DICHLOROPROPANE	594-20-7	<1
1,1-DICHLOROPROPENE	563-58-6	<1
cis-1,3-DICHLOROPROPENE	10061-01-5	<1
trans-1,3-DICHLOROPROPENE	10061-02-6	<1
ETHYLBENZENE	100-41-4	<1
HEXACHLOROBUTADIENE	87-68-3	<1
ISOPROPYLBENZENE	98-82-8	<1
p-ISOPROPYLTOLUENE	99-87-6	<1
METHYLENE CHLORIDE	75-09-2	<1
NAPHTHALENE	91-20-3	<1
n-PROPYLBENZENE	103-65-1	<1
STYRENE	100-42-5	<1
1,1,1,2-TETRACHLOROETHANE	630-20-6	<1
1,1,2,2-TETRACHLOROETHANE	79-34-5	<1
TETRACHLOROETHENE	127-18-4	430
TOLUENE	108-88-3	<1
1,2,3-TRICHLOROBENZENE	87-61-6	<1
1,2,4-TRICHLOROBENZENE	120-82-1	<1
1,1,1-TRICHLOROETHANE	71-55-6	8
1,1,2-TRICHLOROETHANE	79-00-5	<1
TRICHLOROETHENE	79-01-6	<1
TRICHLOROFLUOROMETHANE	75-69-4	<1
1,2,3-TRICHLOROPROPANE	96-18-4	<1
1,2,4-TRIMETHYLBENZENE	95-63-6	<1
1,3,5-TRIMETHYLBENZENE	108-67-8	<1
VINYL CHLORIDE	75-01-4	<1
M+P XYLENES	108-38-3/95-47-6	<1
O-XYLENE	106-42-3	8



 Laboratory Director

000002

Client: LBG Engineers	Client ID: Rowe Industries, Sag Harbor (Mid [2])
Date received: 07/21/00	Laboratory ID: 0013263
Date extracted: NA	Matrix: Liquid
Date analyzed: 07/27/00	Contractor: 11418

EPA METHOD 8021

PARAMETER	CAS No.	RESULTS ug/L
BENZENE	71-43-2	<1
BROMOBENZENE	108-86-1	<1
BROMOCHLOROMETHANE	74-97-5	<1
BROMODICHLOROMETHANE	75-27-4	<1
BROMOFORM	75-25-4	<1
BROMOMETHANE	74-83-9	<1
n-BUTYLBENZENE	104-51-8	<1
sec-BUTYLBENZENE	135-98-8	<1
tert-BUTYLBENZENE	98-06-6	<1
CARBON TETRACHLORIDE	56-23-5	<1
CHLOROBENZENE	108-90-7	<1
CHLORODIBROMOMETHANE	124-48-1	<1
CHLOROETHANE	75-00-3	<1
CHLOROFORM	67-66-3	<1
CHLOROMETHANE	74-87-3	<1
2-CHLOROTOLUENE	95-49-8	<1
4-CHLOROTOLUENE	106-43-4	<1
1,2-DIBROMO-3-CHLOROPROPANE	96-12-8	<1
DIBROMOCHLOROMETHANE	124-48-1	<1
1,2-DIBROMOETHANE	106-93-4	<1
DIBROMOMETHANE	74-95-3	<1
1,2-DICHLOROBENZENE	95-50-1	<1
1,3-DICHLOROBENZENE	541-73-1	<1
1,4-DICHLOROBENZENE	106-46-7	<1
DICHLORODIFLUOROMETHANE	75-71-8	<1
1,1-DICHLOROETHANE	75-34-3	<1
1,2-DICHLOROETHANE	107-06-2	<1
1,1-DICHLOROETHENE	75-35-4	<1
cis-1,2-DICHLOROETHENE	156-59-2	<1
trans-1,2-DICHLOROETHENE	156-60-5	<1




Laboratory Director

000003

Client: LBG Engineers	Client ID: Rowe Industries, Sag Harbor (Mid [2])
Date received: 07/21/00	Laboratory ID: 0013263
Date extracted: NA	Matrix: Liquid
Date analyzed: 07/27/00	Contractor: 11418

EPA METHOD 8021

PARAMETER	CAS No.	RESULTS ug/L
1,2-DICHLOROPROPANE	78-87-5	<1
1,3-DICHLOROPROPANE	142-28-9	<1
2,2-DICHLOROPROPANE	594-20-7	<1
1,1-DICHLOROPROPENE	563-58-6	<1
cis-1,3-DICHLOROPROPENE	10061-01-5	<1
trans-1,3-DICHLOROPROPENE	10061-02-6	<1
ETHYLBENZENE	100-41-4	<1
HEXACHLOROBUTADIENE	87-68-3	<1
ISOPROPYLBENZENE	98-82-8	<1
p-ISOPROPYLTOLUENE	99-87-6	<1
METHYLENE CHLORIDE	75-09-2	<1
NAPHTHALENE	91-20-3	<1
n-PROPYLBENZENE	103-65-1	<1
STYRENE	100-42-5	<1
1,1,1,2-TETRACHLOROETHANE	630-20-6	<1
1,1,2,2-TETRACHLOROETHANE	79-34-5	<1
TETRACHLOROETHENE	127-18-4	<1
TOLUENE	108-88-3	<1
1,2,3-TRICHLOROBENZENE	87-61-6	<1
1,2,4-TRICHLOROBENZENE	120-82-1	<1
1,1,1-TRICHLOROETHANE	71-55-6	<1
1,1,2-TRICHLOROETHANE	79-00-5	<1
TRICHLOROETHENE	79-01-6	<1
TRICHLOROFLUOROMETHANE	75-69-4	<1
1,2,3-TRICHLOROPROPANE	96-18-4	<1
1,2,4-TRIMETHYLBENZENE	95-63-6	<1
1,3,5-TRIMETHYLBENZENE	108-67-8	<1
VINYL CHLORIDE	75-01-4	<1
M+P XYLENES	108-38-3/95-47-6	<1
O-XYLENE	106-42-3	<1



Laboratory Director

000004



56 TOLEDO STREET • FARMINGDALE, NY 11735 • (516) 454-6100 • FAX (516) 454-8027

[illegible]



NYSDOH
AIHA
CTDOH

ELAP
PAT, LPAT
PH-0205

11418
102391

August 07, 2000

Paul Jobmann
LBG Engineers
126 Monroe Turnpike
Trumbull, CT 06611

Re: Rowe Industries

Dear Mr. Jobmann;

Enclosed please find the Laboratory Analysis Report(s) for sample(s) received on August 06, 2000. American Analytical Laboratories analyzed the samples through August 07, 2000 for the following;

CLIENT ID	ANALYSIS
Pre 80200	EPA 8021
Mid 80200	EPA 8021
Pre 80300	EPA 8021
Mid 80300	EPA 8021
Post 80300	EPA 8021

This report consists of 10 pages of analytical results.

If you have any questions or require further information, please call at your convenience. American Analytical Laboratories would like to thank you for the opportunity to be of service to you.


Best Regards,

American Analytical Laboratories, Inc.

Client: LBG Engineers	Client ID: Rowe Industries (Pre 80200)
Date received: 08/04/00	Laboratory ID: 0013556
Date extracted: NA	Matrix: Liquid
Date analyzed: 08/07/00	Contractor: 11418

EPA METHOD 8021

PARAMETER	CAS No.	RESULTS ug/L
BENZENE	71-43-2	<1
BROMOBENZENE	108-86-1	<1
BROMOCHLOROMETHANE	74-97-5	<1
BROMODICHLOROMETHANE	75-27-4	<1
BROMOFORM	75-25-4	<1
BROMOMETHANE	74-83-9	<1
n-BUTYLBENZENE	104-51-8	<1
sec-BUTYLBENZENE	135-98-8	<1
tert-BUTYLBENZENE	98-06-6	<1
CARBON TETRACHLORIDE	56-23-5	<1
CHLOROBENZENE	108-90-7	<1
CHLORODIBROMOMETHANE	124-48-1	<1
CHLOROETHANE	75-00-3	<1
CHLOROFORM	67-66-3	<1
CHLOROMETHANE	74-87-3	<1
2-CHLOROTOLUENE	95-49-8	<1
4-CHLOROTOLUENE	106-43-4	<1
1,2-DIBROMO-3-CHLOROPROPANE	96-12-8	<1
DIBROMOCHLOROMETHANE	124-48-1	<1
1,2-DIBROMOETHANE	106-93-4	<1
DIBROMOMETHANE	74-95-3	<1
1,2-DICHLOROBENZENE	95-50-1	<1
1,3-DICHLOROBENZENE	541-73-1	<1
1,4-DICHLOROBENZENE	106-46-7	<1
DICHLORODIFLUOROMETHANE	75-71-8	<1
1,1-DICHLOROETHANE	75-34-3	<1
1,2-DICHLOROETHANE	107-06-2	<1
1,1-DICHLOROETHENE	75-35-4	<1
cis-1,2-DICHLOROETHENE	156-59-2	<1
trans-1,2-DICHLOROETHENE	156-60-5	<1



 Laboratory Director

000001

Client: LBG Engineers	Client ID: Rowe Industries (Pre 80200)
Date received: 08/04/00	Laboratory ID: 0013556
Date extracted: NA	Matrix: Liquid
Date analyzed: 08/07/00	Contractor: 11418

EPA METHOD 8021

PARAMETER	CAS No.	RESULTS ug/L
1,2-DICHLOROPROPANE	78-87-5	<1
1,3-DICHLOROPROPANE	142-28-9	<1
2,2-DICHLOROPROPANE	594-20-7	<1
1,1-DICHLOROPROPENE	563-58-6	<1
cis-1,3-DICHLOROPROPENE	10061-01-5	<1
trans-1,3-DICHLOROPROPENE	10061-02-6	<1
ETHYLBENZENE	100-41-4	<1
HEXACHLOROBUTADIENE	87-68-3	<1
ISOPROPYLBENZENE	98-82-8	<1
p-ISOPROPYLTOLUENE	99-87-6	<1
METHYLENE CHLORIDE	75-09-2	<1
NAPHTHALENE	91-20-3	<1
n-PROPYLBENZENE	103-65-1	<1
STYRENE	100-42-5	<1
1,1,1,2-TETRACHLOROETHANE	630-20-6	<1
1,1,2,2-TETRACHLOROETHANE	79-34-5	<1
TETRACHLOROETHENE	127-18-4	420
TOLUENE	108-88-3	<1
1,2,3-TRICHLOROBENZENE	87-61-6	<1
1,2,4-TRICHLOROBENZENE	120-82-1	<1
1,1,1-TRICHLOROETHANE	71-55-6	5
1,1,2-TRICHLOROETHANE	79-00-5	<1
TRICHLOROETHENE	79-01-6	<1
TRICHLOROFLUOROMETHANE	75-69-4	<1
1,2,3-TRICHLOROPROPANE	96-18-4	<1
1,2,4-TRIMETHYLBENZENE	95-63-6	<1
1,3,5-TRIMETHYLBENZENE	108-67-8	<1
VINYL CHLORIDE	75-01-4	<1
M+P XYLENES	108-38-3/95-47-6	<2
O-XYLENE	106-42-3	3



 Laboratory Director

000002

Client: LBG Engineers	Client ID: Rowe Industries (Mid 80200)
Date received: 08/04/00	Laboratory ID: 0013557
Date extracted: NA	Matrix: Liquid
Date analyzed: 08/07/00	Contractor: 11418

EPA METHOD 8021

PARAMETER	CAS No.	RESULTS ug/L
BENZENE	71-43-2	<1
BROMOBENZENE	108-86-1	<1
BROMOCHLOROMETHANE	74-97-5	<1
BROMODICHLOROMETHANE	75-27-4	<1
BROMOFORM	75-25-4	<1
BROMOMETHANE	74-83-9	<1
n-BUTYLBENZENE	104-51-8	<1
sec-BUTYLBENZENE	135-98-8	<1
tert-BUTYLBENZENE	98-06-6	<1
CARBON TETRACHLORIDE	56-23-5	<1
CHLOROBENZENE	108-90-7	<1
CHLORODIBROMOMETHANE	124-48-1	<1
CHLOROETHANE	75-00-3	<1
CHLOROFORM	67-66-3	<1
CHLOROMETHANE	74-87-3	<1
2-CHLOROTOLUENE	95-49-8	<1
4-CHLOROTOLUENE	106-43-4	<1
1,2-DIBROMO-3-CHLOROPROPANE	96-12-8	<1
DIBROMOCHLOROMETHANE	124-48-1	<1
1,2-DIBROMOETHANE	106-93-4	<1
DIBROMOMETHANE	74-95-3	<1
1,2-DICHLOROBENZENE	95-50-1	<1
1,3-DICHLOROBENZENE	541-73-1	<1
1,4-DICHLOROBENZENE	106-46-7	<1
DICHLORODIFLUOROMETHANE	75-71-8	<1
1,1-DICHLOROETHANE	75-34-3	<1
1,2-DICHLOROETHANE	107-06-2	<1
1,1-DICHLOROETHENE	75-35-4	<1
cis-1,2-DICHLOROETHENE	156-59-2	<1
trans-1,2-DICHLOROETHENE	156-60-5	<1



 Laboratory Director

000003

Client: LBG Engineers	Client ID: Rowe Industries (Mid 80200)
Date received: 08/04/00	Laboratory ID: 0013557
Date extracted: NA	Matrix: Liquid
Date analyzed: 08/07/00	Contractor: 11418

EPA METHOD 8021

PARAMETER	CAS No.	RESULTS ug/L
1,2-DICHLOROPROPANE	78-87-5	<1
1,3-DICHLOROPROPANE	142-28-9	<1
2,2-DICHLOROPROPANE	594-20-7	<1
1,1-DICHLOROPROPENE	563-58-6	<1
cis-1,3-DICHLOROPROPENE	10061-01-5	<1
trans-1,3-DICHLOROPROPENE	10061-02-6	<1
ETHYLBENZENE	100-41-4	<1
HEXACHLOROBUTADIENE	87-68-3	<1
ISOPROPYLBENZENE	98-82-8	<1
p-ISOPROPYLTOLUENE	99-87-6	<1
METHYLENE CHLORIDE	75-09-2	<1
NAPHTHALENE	91-20-3	<1
n-PROPYLBENZENE	103-65-1	<1
STYRENE	100-42-5	<1
1,1,1,2-TETRACHLOROETHANE	630-20-6	<1
1,1,2,2-TETRACHLOROETHANE	79-34-5	<1
TETRACHLOROETHENE	127-18-4	<1
TOLUENE	108-88-3	<1
1,2,3-TRICHLOROBENZENE	87-61-6	<1
1,2,4-TRICHLOROBENZENE	120-82-1	<1
1,1,1-TRICHLOROETHANE	71-55-6	<1
1,1,2-TRICHLOROETHANE	79-00-5	<1
TRICHLOROETHENE	79-01-6	<1
TRICHLOROFLUOROMETHANE	75-69-4	<1
1,2,3-TRICHLOROPROPANE	96-18-4	<1
1,2,4-TRIMETHYLBENZENE	95-63-6	<1
1,3,5-TRIMETHYLBENZENE	108-67-8	<1
VINYL CHLORIDE	75-01-4	<1
M+P XYLENES	108-38-3/95-47-6	<2
O-XYLENE	106-42-3	<1



 Laboratory Director

000004

Client: LBG Engineers	Client ID: Rowe Industries (Pre 80300)
Date received: 08/04/00	Laboratory ID: 0013559
Date extracted: NA	Matrix: Liquid
Date analyzed: 08/07/00	Contractor: 11418

EPA METHOD 8021

PARAMETER	CAS No.	RESULTS ug/L
BENZENE	71-43-2	<1
BROMOBENZENE	108-86-1	<1
BROMOCHLOROMETHANE	74-97-5	<1
BROMODICHLOROMETHANE	75-27-4	<1
BROMOFORM	75-25-4	<1
BROMOMETHANE	74-83-9	<1
n-BUTYLBENZENE	104-51-8	<1
sec-BUTYLBENZENE	135-98-8	<1
tert-BUTYLBENZENE	98-06-6	<1
CARBON TETRACHLORIDE	56-23-5	<1
CHLOROBENZENE	108-90-7	<1
CHLORODIBROMOMETHANE	124-48-1	<1
CHLOROETHANE	75-00-3	<1
CHLOROFORM	67-66-3	<1
CHLOROMETHANE	74-87-3	<1
2-CHLOROTOLUENE	95-49-8	<1
4-CHLOROTOLUENE	106-43-4	<1
1,2-DIBROMO-3-CHLOROPROPANE	96-12-8	<1
DIBROMOCHLOROMETHANE	124-48-1	<1
1,2-DIBROMOETHANE	106-93-4	<1
DIBROMOMETHANE	74-95-3	<1
1,2-DICHLOROBENZENE	95-50-1	<1
1,3-DICHLOROBENZENE	541-73-1	<1
1,4-DICHLOROBENZENE	106-46-7	<1
DICHLORODIFLUOROMETHANE	75-71-8	<1
1,1-DICHLOROETHANE	75-34-3	<1
1,2-DICHLOROETHANE	107-06-2	<1
1,1-DICHLOROETHENE	75-35-4	<1
cis-1,2-DICHLOROETHENE	156-59-2	<1
trans-1,2-DICHLOROETHENE	156-60-5	<1



 Laboratory Director

000005

Client: LBG Engineers	Client ID: Rowe Industries (Pre 80300)
Date received: 08/04/00	Laboratory ID: 0013559
Date extracted: NA	Matrix: Liquid
Date analyzed: 08/07/00	Contractor: 11418

EPA METHOD 8021

PARAMETER	CAS No.	RESULTS ug/L
1,2-DICHLOROPROPANE	78-87-5	<1
1,3-DICHLOROPROPANE	142-28-9	<1
2,2-DICHLOROPROPANE	594-20-7	<1
1,1-DICHLOROPROPENE	563-58-6	<1
cis-1,3-DICHLOROPROPENE	10061-01-5	<1
trans-1,3-DICHLOROPROPENE	10061-02-6	<1
ETHYLBENZENE	100-41-4	<1
HEXACHLOROBUTADIENE	87-68-3	<1
ISOPROPYLBENZENE	98-82-8	<1
p-ISOPROPYLTOLUENE	99-87-6	<1
METHYLENE CHLORIDE	75-09-2	<1
NAPHTHALENE	91-20-3	<1
n-PROPYLBENZENE	103-65-1	<1
STYRENE	100-42-5	<1
1,1,1,2-TETRACHLOROETHANE	630-20-6	<1
1,1,2,2-TETRACHLOROETHANE	79-34-5	<1
TETRACHLOROETHENE	127-18-4	88
TOLUENE	108-88-3	<1
1,2,3-TRICHLOROBENZENE	87-61-6	<1
1,2,4-TRICHLOROBENZENE	120-82-1	<1
1,1,1-TRICHLOROETHANE	71-55-6	<1
1,1,2-TRICHLOROETHANE	79-00-5	<1
TRICHLOROETHENE	79-01-6	<1
TRICHLOROFLUOROMETHANE	75-69-4	<1
1,2,3-TRICHLOROPROPANE	96-18-4	<1
1,2,4-TRIMETHYLBENZENE	95-63-6	<1
1,3,5-TRIMETHYLBENZENE	108-67-8	<1
VINYL CHLORIDE	75-01-4	<1
M+P XYLENES	108-38-3/95-47-6	<2
O-XYLENE	106-42-3	<1



 Laboratory Director

000006

Client: LBG Engineers	Client ID: Rowe Industries (Mid 80300)
Date received: 08/04/00	Laboratory ID: 0013560
Date extracted: NA	Matrix: Liquid
Date analyzed: 08/07/00	Contractor: 11418

EPA METHOD 8021

PARAMETER	CAS No.	RESULTS ug/L
BENZENE	71-43-2	<1
BROMOBENZENE	108-86-1	<1
BROMOCHLOROMETHANE	74-97-5	<1
BROMODICHLOROMETHANE	75-27-4	<1
BROMOFORM	75-25-4	<1
BROMOMETHANE	74-83-9	<1
n-BUTYLBENZENE	104-51-8	<1
sec-BUTYLBENZENE	135-98-8	<1
tert-BUTYLBENZENE	98-06-6	<1
CARBON TETRACHLORIDE	56-23-5	<1
CHLOROBENZENE	108-90-7	<1
CHLORODIBROMOMETHANE	124-48-1	<1
CHLOROETHANE	75-00-3	<1
CHLOROFORM	67-66-3	<1
CHLOROMETHANE	74-87-3	<1
2-CHLOROTOLUENE	95-49-8	<1
4-CHLOROTOLUENE	106-43-4	<1
1,2-DIBROMO-3-CHLOROPROPANE	96-12-8	<1
DIBROMOCHLOROMETHANE	124-48-1	<1
1,2-DIBROMOETHANE	106-93-4	<1
DIBROMOMETHANE	74-95-3	<1
1,2-DICHLOROBENZENE	95-50-1	<1
1,3-DICHLOROBENZENE	541-73-1	<1
1,4-DICHLOROBENZENE	106-46-7	<1
DICHLORODIFLUOROMETHANE	75-71-8	<1
1,1-DICHLOROETHANE	75-34-3	<1
1,2-DICHLOROETHANE	107-06-2	<1
1,1-DICHLOROETHENE	75-35-4	<1
cis-1,2-DICHLOROETHENE	156-59-2	<1
trans-1,2-DICHLOROETHENE	156-60-5	<1



 Laboratory Director

000007

Client: LBG Engineers	Client ID: Rowe Industries (Mid 80300)
Date received: 08/04/00	Laboratory ID: 0013560
Date extracted: NA	Matrix: Liquid
Date analyzed: 08/07/00	Contractor: 11418

EPA METHOD 8021


PARAMETER	CAS No.	RESULTS ug/L
1,2-DICHLOROPROPANE	78-87-5	<1
1,3-DICHLOROPROPANE	142-28-9	<1
2,2-DICHLOROPROPANE	594-20-7	<1
1,1-DICHLOROPROPENE	563-58-6	<1
cis-1,3-DICHLOROPROPENE	10061-01-5	<1
trans-1,3-DICHLOROPROPENE	10061-02-6	<1
ETHYLBENZENE	100-41-4	<1
HEXACHLOROBUTADIENE	87-68-3	<1
ISOPROPYLBENZENE	98-82-8	<1
p-ISOPROPYLTOLUENE	99-87-6	<1
METHYLENE CHLORIDE	75-09-2	<1
NAPHTHALENE	91-20-3	<1
n-PROPYLBENZENE	103-65-1	<1
STYRENE	100-42-5	<1
1,1,1,2-TETRACHLOROETHANE	630-20-6	<1
1,1,2,2-TETRACHLOROETHANE	79-34-5	<1
TETRACHLOROETHENE	127-18-4	<1
TOLUENE	108-88-3	<1
1,2,3-TRICHLOROBENZENE	87-61-6	<1
1,2,4-TRICHLOROBENZENE	120-82-1	<1
1,1,1-TRICHLOROETHANE	71-55-6	<1
1,1,2-TRICHLOROETHANE	79-00-5	<1
TRICHLOROETHENE	79-01-6	<1
TRICHLOROFLUOROMETHANE	75-69-4	<1
1,2,3-TRICHLOROPROPANE	96-18-4	<1
1,2,4-TRIMETHYLBENZENE	95-63-6	<1
1,3,5-TRIMETHYLBENZENE	108-67-8	<1
VINYL CHLORIDE	75-01-4	<1
M+P XYLENES	108-38-3/95-47-6	<2
O-XYLENE	106-42-3	<1


 Laboratory Director
 000008

Client: LBG Engineers	Client ID: Rowe Industries (Post 80300)
Date received: 08/04/00	Laboratory ID: 0013561
Date extracted: NA	Matrix: Liquid
Date analyzed: 08/07/00	Contractor: 11418

EPA METHOD 8021

PARAMETER	CAS No.	RESULTS ug/L
BENZENE	71-43-2	<1
BROMOBENZENE	108-86-1	<1
BROMOCHLOROMETHANE	74-97-5	<1
BROMODICHLOROMETHANE	75-27-4	<1
BROMOFORM	75-25-4	<1
BROMOMETHANE	74-83-9	<1
n-BUTYLBENZENE	104-51-8	<1
sec-BUTYLBENZENE	135-98-8	<1
tert-BUTYLBENZENE	98-06-6	<1
CARBON TETRACHLORIDE	56-23-5	<1
CHLOROBENZENE	108-90-7	<1
CHLORODIBROMOMETHANE	124-48-1	<1
CHLOROETHANE	75-00-3	<1
CHLOROFORM	67-66-3	<1
CHLOROMETHANE	74-87-3	<1
2-CHLOROTOLUENE	95-49-8	<1
4-CHLOROTOLUENE	106-43-4	<1
1,2-DIBROMO-3-CHLOROPROPANE	96-12-8	<1
DIBROMOCHLOROMETHANE	124-48-1	<1
1,2-DIBROMOETHANE	106-93-4	<1
DIBROMOMETHANE	74-95-3	<1
1,2-DICHLOROBENZENE	95-50-1	<1
1,3-DICHLOROBENZENE	541-73-1	<1
1,4-DICHLOROBENZENE	106-46-7	<1
DICHLORODIFLUOROMETHANE	75-71-8	<1
1,1-DICHLOROETHANE	75-34-3	<1
1,2-DICHLOROETHANE	107-06-2	<1
1,1-DICHLOROETHENE	75-35-4	<1
cis-1,2-DICHLOROETHENE	156-59-2	<1
trans-1,2-DICHLOROETHENE	156-60-5	<1



 Laboratory Director

000009


Client: LBG Engineers	Client ID: Rowe Industries (Post 80300)
Date received: 08/04/00	Laboratory ID: 0013561
Date extracted: NA	Matrix: Liquid
Date analyzed: 08/07/00	Contractor: 11418

EPA METHOD 8021

PARAMETER	CAS No.	RESULTS ug/L
1,2-DICHLOROPROPANE	78-87-5	<1
1,3-DICHLOROPROPANE	142-28-9	<1
2,2-DICHLOROPROPANE	594-20-7	<1
1,1-DICHLOROPROPENE	563-58-6	<1
cis-1,3-DICHLOROPROPENE	10061-01-5	<1
trans-1,3-DICHLOROPROPENE	10061-02-6	<1
ETHYLBENZENE	100-41-4	<1
HEXACHLOROBUTADIENE	87-68-3	<1
ISOPROPYLBENZENE	98-82-8	<1
p-ISOPROPYLTOLUENE	99-87-6	<1
METHYLENE CHLORIDE	75-09-2	<1
NAPHTHALENE	91-20-3	<1
n-PROPYLBENZENE	103-65-1	<1
STYRENE	100-42-5	<1
1,1,1,2-TETRACHLOROETHANE	630-20-6	<1
1,1,2,2-TETRACHLOROETHANE	79-34-5	<1
TETRACHLOROETHENE	127-18-4	<1
TOLUENE	108-88-3	<1
1,2,3-TRICHLOROBENZENE	87-61-6	<1
1,2,4-TRICHLOROBENZENE	120-82-1	<1
1,1,1-TRICHLOROETHANE	71-55-6	<1
1,1,2-TRICHLOROETHANE	79-00-5	<1
TRICHLOROETHENE	79-01-6	<1
TRICHLOROFLUOROMETHANE	75-69-4	<1
1,2,3-TRICHLOROPROPANE	96-18-4	<1
1,2,4-TRIMETHYLBENZENE	95-63-6	<1
1,3,5-TRIMETHYLBENZENE	108-67-8	<1
VINYL CHLORIDE	75-01-4	<1
M+P XYLENES	108-38-3/95-47-6	<2
O-XYLENE	106-42-3	<1


 Laboratory Director

000010



ELAP
PAT, LPAT
PH-0205

11418
15668

CLIENT NAME/ADDRESS		CONTACT:		SAMPLER (SIGNATURE)	DATE	TIME	SAMPLE(S) SEALED	YES / NO	
LBO 126 MONROE TURNPIKE TRUMBULL, CT. 06611		PAUL JOB MANAGER		JAMES M FORRESTER	8/2/00	8:33 AM	CORRECT CONTAINER(S)	YES / NO	
PROJECT LOCATION: Rowe Industries									
LABORATORY ID #	MATRIX	TYPE	PRES.	SAMPLE # - LOCATION	ANALYSIS REQUIRED				P.O.
0013556	L	G	HCL	Pre 80300	X				
557	L	G	HCL	MID 80300	X				
558	L	G	HCL	POST 80300	X				
559	L	G	HCL	Pre 80300	X				
560	L	G	HCL	MID 80300	X				
561	L	G	HCL	POST 80300	X				
MATRIX S=SOIL; L=LIQUID; SL=SLUDGE; A=AIR; W=WIPE; P=PAINT CHIPS; B=BULK MATERIAL TYPE G=GRAB; C=COMPOSITE; SS=SPLIT SPOON					TURNAROUND REQUIRED: 24 HOUR		COMMENTS / INSTRUCTIONS		
RELINQUISHED BY (SIGNATURE) James M. Forrester					DATE 8/2/00 TIME 1:45		PRINTED NAME Jamie Forrester		
RELINQUISHED BY (SIGNATURE) [Signature]					DATE 8/4/00 TIME 10:45		PRINTED NAME C. [Signature]		

WHITE-OFFICE / CANARY-LAB / PINK-SAMPLE CUSTODIAN / GOLDENROD-CLIENT



NYSDOH
AIHA
CTDOH

ELAP
PAT, LPAT
PH-0205

11418
102391

August 16, 2000

Paul Jobmann
LBG Engineers
126 Monroe Turnpike
Trumbull, CT 06611

Re: Rowe Industries

Dear Mr. Jobmann;

Enclosed please find the Laboratory Analysis Report(s) for sample(s) received on August 11, 2000. American Analytical Laboratories analyzed the samples through August 16, 2000 for the following;

CLIENT ID	ANALYSIS
Pre 80700	EPA 8021
Mid 80700	EPA 8021
Post 80700	EPA 8021
Disposal PAD [55 gal. Drum]	EPA 8021
Pre 81000	EPA 8021
Mid 81000	EPA 8021
Post 81000	EPA 8021

This report consists of 14 pages of analytical results.

If you have any questions or require further information, please call at your convenience. American Analytical Laboratories would like to thank you for the opportunity to be of service to you.

Best Regards,

American Analytical Laboratories, Inc.

Client: LBG Engineers	Client ID: Rowe Industries (Pre 80700)
Date received: 08/11/00	Laboratory ID: 0013731
Date extracted: NA	Matrix: Liquid
Date analyzed: 08/15/00-08/16/00	Contractor: 11418

EPA METHOD 8021

PARAMETER	CAS No.	RESULTS ug/L
BENZENE	71-43-2	<1
BROMOBENZENE	108-86-1	<1
BROMOCHLOROMETHANE	74-97-5	<1
BROMODICHLOROMETHANE	75-27-4	<1
BROMOFORM	75-25-4	<1
BROMOMETHANE	74-83-9	<1
n-BUTYLBENZENE	104-51-8	<1
sec-BUTYLBENZENE	135-98-8	<1
tert-BUTYLBENZENE	98-06-6	<1
CARBON TETRACHLORIDE	56-23-5	<1
CHLOROBENZENE	108-90-7	<1
CHLORODIBROMOMETHANE	124-48-1	<1
CHLOROETHANE	75-00-3	<1
CHLOROFORM	67-66-3	<1
CHLOROMETHANE	74-87-3	<1
2-CHLOROTOLUENE	95-49-8	<1
4-CHLOROTOLUENE	106-43-4	<1
1,2-DIBROMO-3-CHLOROPROPANE	96-12-8	<1
DIBROMOCHLOROMETHANE	124-48-1	<1
1,2-DIBROMOETHANE	106-93-4	<1
DIBROMOMETHANE	74-95-3	<1
1,2-DICHLOROBENZENE	95-50-1	<1
1,3-DICHLOROBENZENE	541-73-1	<1
1,4-DICHLOROBENZENE	106-46-7	<1
DICHLORODIFLUOROMETHANE	75-71-8	<1
1,1-DICHLOROETHANE	75-34-3	<1
1,2-DICHLOROETHANE	107-06-2	<1
1,1-DICHLOROETHENE	75-35-4	<1
cis-1,2-DICHLOROETHENE	156-59-2	<1
trans-1,2-DICHLOROETHENE	156-60-5	<1


Roi Bayer
Laboratory Director

000001

Client: LBG Engineers	Client ID: Rowe Industries (Pre 80700)
Date received: 08/11/00	Laboratory ID: 0013731
Date extracted: NA	Matrix: Liquid
Date analyzed: 08/15/00-08/16/00	Contractor: 11418

EPA METHOD 8021

PARAMETER	CAS No.	RESULTS ug/L
1,2-DICHLOROPROPANE	78-87-5	<1
1,3-DICHLOROPROPANE	142-28-9	<1
2,2-DICHLOROPROPANE	594-20-7	<1
1,1-DICHLOROPROPENE	563-58-6	<1
cis-1,3-DICHLOROPROPENE	10061-01-5	<1
trans-1,3-DICHLOROPROPENE	10061-02-6	<1
ETHYLBENZENE	100-41-4	6
HEXACHLOROBUTADIENE	87-68-3	<1
ISOPROPYLBENZENE	98-82-8	22
p-ISOPROPYLTOLUENE	99-87-6	<1
METHYLENE CHLORIDE	75-09-2	<1
NAPHTHALENE	91-20-3	<1
n-PROPYLBENZENE	103-65-1	6
STYRENE	100-42-5	<1
1,1,1,2-TETRACHLOROETHANE	630-20-6	<1
1,1,2,2-TETRACHLOROETHANE	79-34-5	<1
TETRACHLOROETHENE	127-18-4	2,700
TOLUENE	108-88-3	<1
1,2,3-TRICHLOROBENZENE	87-61-6	<1
1,2,4-TRICHLOROBENZENE	120-82-1	<1
1,1,1-TRICHLOROETHANE	71-55-6	66
1,1,2-TRICHLOROETHANE	79-00-5	<1
TRICHLOROETHENE	79-01-6	9
TRICHLOROFLUOROMETHANE	75-69-4	<1
1,2,3-TRICHLOROPROPANE	96-18-4	<1
1,2,4-TRIMETHYLBENZENE	95-63-6	8
1,3,5-TRIMETHYLBENZENE	108-67-8	26
VINYL CHLORIDE	75-01-4	<1
M+P XYLENES	108-38-3/95-47-6	24
O-XYLENE	106-42-3	66


 Laboratory Director

000002

Client: LBG Engineers	Client ID: Rowe Industries (Mid 80700)
Date received: 08/11/00	Laboratory ID: 0013732
Date extracted: NA	Matrix: Liquid
Date analyzed: 08/15/00	Contractor: 11418

EPA METHOD 8021

PARAMETER	CAS No.	RESULTS ug/L
BENZENE	71-43-2	<1
BROMOBENZENE	108-86-1	<1
BROMOCHLOROMETHANE	74-97-5	<1
BROMODICHLOROMETHANE	75-27-4	<1
BROMOFORM	75-25-4	<1
BROMOMETHANE	74-83-9	<1
n-BUTYLBENZENE	104-51-8	<1
sec-BUTYLBENZENE	135-98-8	<1
tert-BUTYLBENZENE	98-06-6	<1
CARBON TETRACHLORIDE	56-23-5	<1
CHLOROBENZENE	108-90-7	<1
CHLORODIBROMOMETHANE	124-48-1	<1
CHLOROETHANE	75-00-3	<1
CHLOROFORM	67-66-3	<1
CHLOROMETHANE	74-87-3	<1
2-CHLOROTOLUENE	95-49-8	<1
4-CHLOROTOLUENE	106-43-4	<1
1,2-DIBROMO-3-CHLOROPROPANE	96-12-8	<1
DIBROMOCHLOROMETHANE	124-48-1	<1
1,2-DIBROMOETHANE	106-93-4	<1
DIBROMOMETHANE	74-95-3	<1
1,2-DICHLOROBENZENE	95-50-1	<1
1,3-DICHLOROBENZENE	541-73-1	<1
1,4-DICHLOROBENZENE	106-46-7	<1
DICHLORODIFLUOROMETHANE	75-71-8	<1
1,1-DICHLOROETHANE	75-34-3	<1
1,2-DICHLOROETHANE	107-06-2	<1
1,1-DICHLOROETHENE	75-35-4	<1
cis-1,2-DICHLOROETHENE	156-59-2	<1
trans-1,2-DICHLOROETHENE	156-60-5	<1


Kou Beyer
Laboratory Director

000003

Client: LBG Engineers	Client ID: Rowe Industries (Mid 80700)
Date received: 08/11/00	Laboratory ID: 0013732
Date extracted: NA	Matrix: Liquid
Date analyzed: 08/15/00	Contractor: 11418

EPA METHOD 8021

PARAMETER	CAS No.	RESULTS ug/L
1,2-DICHLOROPROPANE	78-87-5	<1
1,3-DICHLOROPROPANE	142-28-9	<1
2,2-DICHLOROPROPANE	594-20-7	<1
1,1-DICHLOROPROPENE	563-58-6	<1
cis-1,3-DICHLOROPROPENE	10061-01-5	<1
trans-1,3-DICHLOROPROPENE	10061-02-6	<1
ETHYLBENZENE	100-41-4	<1
HEXACHLOROBUTADIENE	87-68-3	<1
ISOPROPYLBENZENE	98-82-8	<1
p-ISOPROPYLTOLUENE	99-87-6	<1
METHYLENE CHLORIDE	75-09-2	<1
NAPHTHALENE	91-20-3	<1
n-PROPYLBENZENE	103-65-1	<1
STYRENE	100-42-5	<1
1,1,1,2-TETRACHLOROETHANE	630-20-6	<1
1,1,2,2-TETRACHLOROETHANE	79-34-5	<1
TETRACHLOROETHENE	127-18-4	<1
TOLUENE	108-88-3	<1
1,2,3-TRICHLOROBENZENE	87-61-6	<1
1,2,4-TRICHLOROBENZENE	120-82-1	<1
1,1,1-TRICHLOROETHANE	71-55-6	<1
1,1,2-TRICHLOROETHANE	79-00-5	<1
TRICHLOROETHENE	79-01-6	<1
TRICHLOROFLUOROMETHANE	75-69-4	<1
1,2,3-TRICHLOROPROPANE	96-18-4	<1
1,2,4-TRIMETHYLBENZENE	95-63-6	<1
1,3,5-TRIMETHYLBENZENE	108-67-8	<1
VINYL CHLORIDE	75-01-4	<1
M+P XYLENES	108-38-3/95-47-6	<2
O-XYLENE	106-42-3	<1


 Laboratory Director

000004

Client: LBG Engineers	Client ID: Rowe Industries (Post 80700)
Date received: 08/11/00	Laboratory ID: 0013733
Date extracted: NA	Matrix: Liquid
Date analyzed: 08/15/00	Contractor: 11418

EPA METHOD 8021

PARAMETER	CAS No.	RESULTS ug/L
BENZENE	71-43-2	<1
BROMOBENZENE	108-86-1	<1
BROMOCHLOROMETHANE	74-97-5	<1
BROMODICHLOROMETHANE	75-27-4	<1
BROMOFORM	75-25-4	<1
BROMOMETHANE	74-83-9	<1
n-BUTYLBENZENE	104-51-8	<1
sec-BUTYLBENZENE	135-98-8	<1
tert-BUTYLBENZENE	98-06-6	<1
CARBON TETRACHLORIDE	56-23-5	<1
CHLOROBENZENE	108-90-7	<1
CHLORODIBROMOMETHANE	124-48-1	<1
CHLOROETHANE	75-00-3	<1
CHLOROFORM	67-66-3	<1
CHLOROMETHANE	74-87-3	<1
2-CHLOROTOLUENE	95-49-8	<1
4-CHLOROTOLUENE	106-43-4	<1
1,2-DIBROMO-3-CHLOROPROPANE	96-12-8	<1
DIBROMOCHLOROMETHANE	124-48-1	<1
1,2-DIBROMOETHANE	106-93-4	<1
DIBROMOMETHANE	74-95-3	<1
1,2-DICHLOROBENZENE	95-50-1	<1
1,3-DICHLOROBENZENE	541-73-1	<1
1,4-DICHLOROBENZENE	106-46-7	<1
DICHLORODIFLUOROMETHANE	75-71-8	<1
1,1-DICHLOROETHANE	75-34-3	<1
1,2-DICHLOROETHANE	107-06-2	<1
1,1-DICHLOROETHENE	75-35-4	<1
cis-1,2-DICHLOROETHENE	156-59-2	<1
trans-1,2-DICHLOROETHENE	156-60-5	<1

Lori Bayer
Laboratory Director

000005

Client: LBG Engineers	Client ID: Rowe Industries (Post 80700)
Date received: 08/11/00	Laboratory ID: 0013733
Date extracted: NA	Matrix: Liquid
Date analyzed: 08/15/00	Contractor: 11418

EPA METHOD 8021

PARAMETER	CAS No.	RESULTS ug/L
1,2-DICHLOROPROPANE	78-87-5	<1
1,3-DICHLOROPROPANE	142-28-9	<1
2,2-DICHLOROPROPANE	594-20-7	<1
1,1-DICHLOROPROPENE	563-58-6	<1
cis-1,3-DICHLOROPROPENE	10061-01-5	<1
trans-1,3-DICHLOROPROPENE	10061-02-6	<1
ETHYLBENZENE	100-41-4	<1
HEXACHLOROBUTADIENE	87-68-3	<1
ISOPROPYLBENZENE	98-82-8	<1
p-ISOPROPYLTOLUENE	99-87-6	<1
METHYLENE CHLORIDE	75-09-2	<1
NAPHTHALENE	91-20-3	<1
n-PROPYLBENZENE	103-65-1	<1
STYRENE	100-42-5	<1
1,1,1,2-TETRACHLOROETHANE	630-20-6	<1
1,1,2,2-TETRACHLOROETHANE	79-34-5	<1
TETRACHLOROETHENE	127-18-4	<1
TOLUENE	108-88-3	<1
1,2,3-TRICHLOROBENZENE	87-61-6	<1
1,2,4-TRICHLOROBENZENE	120-82-1	<1
1,1,1-TRICHLOROETHANE	71-55-6	<1
1,1,2-TRICHLOROETHANE	79-00-5	<1
TRICHLOROETHENE	79-01-6	<1
TRICHLOROFLUOROMETHANE	75-69-4	<1
1,2,3-TRICHLOROPROPANE	96-18-4	<1
1,2,4-TRIMETHYLBENZENE	95-63-6	<1
1,3,5-TRIMETHYLBENZENE	108-67-8	<1
VINYL CHLORIDE	75-01-4	<1
M+P XYLENES	108-38-3/95-47-6	<2
O-XYLENE	106-42-3	<1


Roi Bayer
Laboratory Director

000006

Client: LBG Engineers	Client ID: Rowe Industries (Pre 81000)
Date received: 08/11/00	Laboratory ID: 0013735
Date extracted: NA	Matrix: Liquid
Date analyzed: 08/15/00-08/16/00	Contractor: 11418

EPA METHOD 8021

PARAMETER	CAS No.	RESULTS ug/L
BENZENE	71-43-2	<1
BROMOBENZENE	108-86-1	<1
BROMOCHLOROMETHANE	74-97-5	<1
BROMODICHLOROMETHANE	75-27-4	<1
BROMOFORM	75-25-4	<1
BROMOMETHANE	74-83-9	<1
n-BUTYLBENZENE	104-51-8	<1
sec-BUTYLBENZENE	135-98-8	<1
tert-BUTYLBENZENE	98-06-6	<1
CARBON TETRACHLORIDE	56-23-5	<1
CHLOROBENZENE	108-90-7	<1
CHLORODIBROMOMETHANE	124-48-1	<1
CHLOROETHANE	75-00-3	<1
CHLOROFORM	67-66-3	<1
CHLOROMETHANE	74-87-3	<1
2-CHLOROTOLUENE	95-49-8	<1
4-CHLOROTOLUENE	106-43-4	<1
1,2-DIBROMO-3-CHLOROPROPANE	96-12-8	<1
DIBROMOCHLOROMETHANE	124-48-1	<1
1,2-DIBROMOETHANE	106-93-4	<1
DIBROMOMETHANE	74-95-3	<1
1,2-DICHLOROBENZENE	95-50-1	<1
1,3-DICHLOROBENZENE	541-73-1	<1
1,4-DICHLOROBENZENE	106-46-7	<1
DICHLORODIFLUOROMETHANE	75-71-8	<1
1,1-DICHLOROETHANE	75-34-3	<1
1,2-DICHLOROETHANE	107-06-2	<1
1,1-DICHLOROETHENE	75-35-4	<1
cis-1,2-DICHLOROETHENE	156-59-2	<1
trans-1,2-DICHLOROETHENE	156-60-5	<1


 Laboratory Director

000009

Client: LBG Engineers	Client ID: Rowe Industries (Pre 81000)
Date received: 08/11/00	Laboratory ID: 0013735
Date extracted: NA	Matrix: Liquid
Date analyzed: 08/15/00-08/16/00	Contractor: 11418

EPA METHOD 8021

PARAMETER	CAS No.	RESULTS ug/L
1,2-DICHLOROPROPANE	78-87-5	<1
1,3-DICHLOROPROPANE	142-28-9	<1
2,2-DICHLOROPROPANE	594-20-7	<1
1,1-DICHLOROPROPENE	563-58-6	<1
cis-1,3-DICHLOROPROPENE	10061-01-5	<1
trans-1,3-DICHLOROPROPENE	10061-02-6	<1
ETHYLBENZENE	100-41-4	1
HEXACHLOROBUTADIENE	87-68-3	<1
ISOPROPYLBENZENE	98-82-8	5
p-ISOPROPYLTOLUENE	99-87-6	<1
METHYLENE CHLORIDE	75-09-2	<1
NAPHTHALENE	91-20-3	<1
n-PROPYLBENZENE	103-65-1	<1
STYRENE	100-42-5	<1
1,1,1,2-TETRACHLOROETHANE	630-20-6	<1
1,1,2,2-TETRACHLOROETHANE	79-34-5	<1
TETRACHLOROETHENE	127-18-4	1,400
TOLUENE	108-88-3	<1
1,2,3-TRICHLOROBENZENE	87-61-6	<1
1,2,4-TRICHLOROBENZENE	120-82-1	<1
1,1,1-TRICHLOROETHANE	71-55-6	18
1,1,2-TRICHLOROETHANE	79-00-5	<1
TRICHLOROETHENE	79-01-6	3
TRICHLOROFLUOROMETHANE	75-69-4	<1
1,2,3-TRICHLOROPROPANE	96-18-4	<1
1,2,4-TRIMETHYLBENZENE	95-63-6	2
1,3,5-TRIMETHYLBENZENE	108-67-8	9
VINYL CHLORIDE	75-01-4	<1
M+P XYLENES	108-38-3/95-47-6	6
O-XYLENE	106-42-3	30

John Beyer
Laboratory Director

000010

Client: LBG Engineers	Client ID: Rowe Industries (Mid 81000)
Date received: 08/11/00	Laboratory ID: 0013736
Date extracted: NA	Matrix: Liquid
Date analyzed: 08/15/00	Contractor: 11418

EPA METHOD 8021

PARAMETER	CAS No.	RESULTS ug/L
BENZENE	71-43-2	<1
BROMOBENZENE	108-86-1	<1
BROMOCHLOROMETHANE	74-97-5	<1
BROMODICHLOROMETHANE	75-27-4	<1
BROMOFORM	75-25-4	<1
BROMOMETHANE	74-83-9	<1
n-BUTYLBENZENE	104-51-8	<1
sec-BUTYLBENZENE	135-98-8	<1
tert-BUTYLBENZENE	98-06-6	<1
CARBON TETRACHLORIDE	56-23-5	<1
CHLOROBENZENE	108-90-7	<1
CHLORODIBROMOMETHANE	124-48-1	<1
CHLOROETHANE	75-00-3	<1
CHLOROFORM	67-66-3	<1
CHLOROMETHANE	74-87-3	<1
2-CHLOROTOLUENE	95-49-8	<1
4-CHLOROTOLUENE	106-43-4	<1
1,2-DIBROMO-3-CHLOROPROPANE	96-12-8	<1
DIBROMOCHLOROMETHANE	124-48-1	<1
1,2-DIBROMOETHANE	106-93-4	<1
DIBROMOMETHANE	74-95-3	<1
1,2-DICHLOROBENZENE	95-50-1	<1
1,3-DICHLOROBENZENE	541-73-1	<1
1,4-DICHLOROBENZENE	106-46-7	<1
DICHLORODIFLUOROMETHANE	75-71-8	<1
1,1-DICHLOROETHANE	75-34-3	<1
1,2-DICHLOROETHANE	107-06-2	<1
1,1-DICHLOROETHENE	75-35-4	<1
cis-1,2-DICHLOROETHENE	156-59-2	<1
trans-1,2-DICHLOROETHENE	156-60-5	<1

Souie Bayer
Laboratory Director

000011

Client: LBG Engineers	Client ID: Rowe Industries (Mid 81000)
Date received: 08/11/00	Laboratory ID: 0013736
Date extracted: NA	Matrix: Liquid
Date analyzed: 08/15/00	Contractor: 11418

EPA METHOD 8021

PARAMETER	CAS No.	RESULTS ug/L
1,2-DICHLOROPROPANE	78-87-5	<1
1,3-DICHLOROPROPANE	142-28-9	<1
2,2-DICHLOROPROPANE	594-20-7	<1
1,1-DICHLOROPROPENE	563-58-6	<1
cis-1,3-DICHLOROPROPENE	10061-01-5	<1
trans-1,3-DICHLOROPROPENE	10061-02-6	<1
ETHYLBENZENE	100-41-4	<1
HEXACHLOROBUTADIENE	87-68-3	<1
ISOPROPYLBENZENE	98-82-8	<1
p-ISOPROPYLTOLUENE	99-87-6	<1
METHYLENE CHLORIDE	75-09-2	<1
NAPHTHALENE	91-20-3	<1
n-PROPYLBENZENE	103-65-1	<1
STYRENE	100-42-5	<1
1,1,1,2-TETRACHLOROETHANE	630-20-6	<1
1,1,1,2-TETRACHLOROETHANE	79-34-5	<1
TETRACHLOROETHENE	127-18-4	<1
TOLUENE	108-88-3	<1
1,2,3-TRICHLOROBENZENE	87-61-6	<1
1,2,4-TRICHLOROBENZENE	120-82-1	<1
1,1,1-TRICHLOROETHANE	71-55-6	<1
1,1,2-TRICHLOROETHANE	79-00-5	<1
TRICHLOROETHENE	79-01-6	<1
TRICHLOROFLUOROMETHANE	75-69-4	<1
1,2,3-TRICHLOROPROPANE	96-18-4	<1
1,2,4-TRIMETHYLBENZENE	95-63-6	<1
1,3,5-TRIMETHYLBENZENE	108-67-8	<1
VINYL CHLORIDE	75-01-4	<1
M+P XYLENES	108-38-3/95-47-6	<2
O-XYLENE	106-42-3	<1

Rowi Bayer
Laboratory Director

000012

Client: LBG Engineers	Client ID: Rowe Industries (Post 81000)
Date received: 08/11/00	Laboratory ID: 0013737
Date extracted: NA	Matrix: Liquid
Date analyzed: 08/15/00	Contractor: 11418

EPA METHOD 8021

PARAMETER	CAS No.	RESULTS ug/L
BENZENE	71-43-2	<1
BROMOBENZENE	108-86-1	<1
BROMOCHLOROMETHANE	74-97-5	<1
BROMODICHLOROMETHANE	75-27-4	<1
BROMOFORM	75-25-4	<1
BROMOMETHANE	74-83-9	<1
n-BUTYLBENZENE	104-51-8	<1
sec-BUTYLBENZENE	135-98-8	<1
tert-BUTYLBENZENE	98-06-6	<1
CARBON TETRACHLORIDE	56-23-5	<1
CHLOROBENZENE	108-90-7	<1
CHLORODIBROMOMETHANE	124-48-1	<1
CHLOROETHANE	75-00-3	<1
CHLOROFORM	67-66-3	<1
CHLOROMETHANE	74-87-3	<1
2-CHLOROTOLUENE	95-49-8	<1
4-CHLOROTOLUENE	106-43-4	<1
1,2-DIBROMO-3-CHLOROPROPANE	96-12-8	<1
DIBROMOCHLOROMETHANE	124-48-1	<1
1,2-DIBROMOETHANE	106-93-4	<1
DIBROMOMETHANE	74-95-3	<1
1,2-DICHLOROBENZENE	95-50-1	<1
1,3-DICHLOROBENZENE	541-73-1	<1
1,4-DICHLOROBENZENE	106-46-7	<1
DICHLORODIFLUOROMETHANE	75-71-8	<1
1,1-DICHLOROETHANE	75-34-3	<1
1,2-DICHLOROETHANE	107-06-2	<1
1,1-DICHLOROETHENE	75-35-4	<1
cis-1,2-DICHLOROETHENE	156-59-2	<1
trans-1,2-DICHLOROETHENE	156-60-5	<1


Kari Bayer
Laboratory Director

000013

Client: LBG Engineers	Client ID: Rowe Industries (Post 81000)
Date received: 08/11/00	Laboratory ID: 0013737
Date extracted: NA	Matrix: Liquid
Date analyzed: 08/15/00	Contractor: 11418

EPA METHOD 8021

PARAMETER	CAS No.	RESULTS ug/L
1,2-DICHLOROPROPANE	78-87-5	<1
1,3-DICHLOROPROPANE	142-28-9	<1
2,2-DICHLOROPROPANE	594-20-7	<1
1,1-DICHLOROPROPENE	563-58-6	<1
cis-1,3-DICHLOROPROPENE	10061-01-5	<1
trans-1,3-DICHLOROPROPENE	10061-02-6	<1
ETHYLBENZENE	100-41-4	<1
HEXACHLOROBUTADIENE	87-68-3	<1
ISOPROPYLBENZENE	98-82-8	<1
p-ISOPROPYLTOLUENE	99-87-6	<1
METHYLENE CHLORIDE	75-09-2	<1
NAPHTHALENE	91-20-3	<1
n-PROPYLBENZENE	103-65-1	<1
STYRENE	100-42-5	<1
1,1,1,2-TETRACHLOROETHANE	630-20-6	<1
1,1,2,2-TETRACHLOROETHANE	79-34-5	<1
TETRACHLOROETHENE	127-18-4	<1
TOLUENE	108-88-3	<1
1,2,3-TRICHLOROBENZENE	87-61-6	<1
1,2,4-TRICHLOROBENZENE	120-82-1	<1
1,1,1-TRICHLOROETHANE	71-55-6	<1
1,1,2-TRICHLOROETHANE	79-00-5	<1
TRICHLOROETHENE	79-01-6	<1
TRICHLOROFLUOROMETHANE	75-69-4	<1
1,2,3-TRICHLOROPROPANE	96-18-4	<1
1,2,4-TRIMETHYLBENZENE	95-63-6	<1
1,3,5-TRIMETHYLBENZENE	108-67-8	<1
VINYL CHLORIDE	75-01-4	<1
M+P XYLENES	108-38-3/95-47-6	<2
O-XYLENE	106-42-3	<1


 Laboratory Director

000014

CHAIN OF CUSTODY / REQUEST FOR ANALYSIS DOCUMENT

CLIENT NAME/ADDRESS LBG 126 MONROE Turnpike Trumbull, CT. 06611					CONTACT: PAUL JOBMANN		SAMPLER (SIGNATURE) James M. Forrester		DATE 8/7/00		TIME 8:47		SAMPLE(S) SEALED YES / NO																															
PROJECT LOCATION: Rowe Industries							SAMPLER NAME (PRINT) Jamie Forrester						CORRECT CONTAINER(S) YES / NO																															
LABORATORY ID #					MATRIX					TYPE					PRES.					SAMPLE # - LOCATION					ANALYSIS REQUIRED 5071B												P.O.#							
8/7/00					L					G					HCL					Pre 80700					X												0013731							
					L					G					HCL					Mid 80700																								
					L					G					HCL					Post 80700																								
8/8/00					✓					G					HCL					Disposal pad SSAL Drum					X												(14:00)	734						
8/10/00					L					G					HCL					Pre 81000					X												735							
					L					G					HCL					Mid 81000					X												736							
					L					G					HCL					Post 81000					X												737							
MATRIX S=SOIL; L=LIQUID; SL=SLUDGE; A=AIR; W=WIFE; P=PAINT CHIPS; B=BULK MATERIAL TYPE G=GRAB; C=COMPOSITE, SS=SPLIT SPOON															TURNAROUND REQUIRED STAT ☒ BY 11 NORMAL ☒															COMMENTS / INSTRUCTIONS														
RELINQUISHED BY (SIGNATURE) James M. Forrester					DATE 8/11/00					PRINTED NAME James Forrester					RECEIVED BY LAB (SIGNATURE) [Signature]					DATE 8/11/00					PRINTED NAME J. Forrester																			
RELINQUISHED BY (SIGNATURE)					DATE 8/11/00					PRINTED NAME					RECEIVED BY LAB (SIGNATURE) [Signature]					DATE 8/11/00					PRINTED NAME																			



NYSDOH
AIHA
CTDOH

ELAP
PAT, LPAT
PH-0205

11418
102391

August 24, 2000

Paul Jobmann
LBG Engineers
126 Monroe Turnpike
Trumbull, CT 06611

Re: Rowe Industries

Dear Mr. Jobmann;

Enclosed please find the Laboratory Analysis Report(s) for sample(s) received on August 18, 2000. American Analytical Laboratories analyzed the samples through August 21, 2000 for the following;

CLIENT ID	ANALYSIS
Pre 81500	EPA 8021
Mid 81500	EPA 8021
Post 81500	EPA 8021
Pre 81700	EPA 8021
Mid 81700	EPA 8021

This report consists of 10 pages of analytical results.

If you have any questions or require further information, please call at your convenience. American Analytical Laboratories would like to thank you for the opportunity to be of service to you.


Best Regards,

American Analytical Laboratories, Inc.

Client: LBG Engineers	Client ID: Rowe Industries (Pre 81500)
Date received: 08/18/00	Laboratory ID: 0013899
Date extracted: NA	Matrix: Liquid
Date analyzed: 08/18/00-08/21/00	Contractor: 11418

EPA METHOD 8021

PARAMETER	CAS No.	RESULTS ug/L
BENZENE	71-43-2	<1
BROMOBENZENE	108-86-1	<1
BROMOCHLOROMETHANE	74-97-5	<1
BROMODICHLOROMETHANE	75-27-4	<1
BROMOFORM	75-25-4	<1
BROMOMETHANE	74-83-9	<1
n-BUTYLBENZENE	104-51-8	<1
sec-BUTYLBENZENE	135-98-8	<1
tert-BUTYLBENZENE	98-06-6	<1
CARBON TETRACHLORIDE	56-23-5	<1
CHLOROBENZENE	108-90-7	<1
CHLORODIBROMOMETHANE	124-48-1	<1
CHLOROETHANE	75-00-3	<1
CHLOROFORM	67-66-3	<1
CHLOROMETHANE	74-87-3	<1
2-CHLOROTOLUENE	95-49-8	<1
4-CHLOROTOLUENE	106-43-4	<1
1,2-DIBROMO-3-CHLOROPROPANE	96-12-8	<1
DIBROMOCHLOROMETHANE	124-48-1	<1
1,2-DIBROMOETHANE	106-93-4	<1
DIBROMOMETHANE	74-95-3	<1
1,2-DICHLOROBENZENE	95-50-1	<1
1,3-DICHLOROBENZENE	541-73-1	<1
1,4-DICHLOROBENZENE	106-46-7	<1
DICHLORODIFLUOROMETHANE	75-71-8	<1
1,1-DICHLOROETHANE	75-34-3	<1
1,2-DICHLOROETHANE	107-06-2	<1
1,1-DICHLOROETHENE	75-35-4	<1
cis-1,2-DICHLOROETHENE	156-59-2	<1
trans-1,2-DICHLOROETHENE	156-60-5	<1


 Laboratory Director

000001

Client: LBG Engineers	Client ID: Rowe Industries (Pre 81500)
Date received: 08/18/00	Laboratory ID: 0013899
Date extracted: NA	Matrix: Liquid
Date analyzed: 08/18/00-08/21/00	Contractor: 11418

EPA METHOD 8021

PARAMETER	CAS No.	RESULTS ug/L
1,2-DICHLOROPROPANE	78-87-5	<1
1,3-DICHLOROPROPANE	142-28-9	<1
2,2-DICHLOROPROPANE	594-20-7	<1
1,1-DICHLOROPROPENE	563-58-6	<1
cis-1,3-DICHLOROPROPENE	10061-01-5	<1
trans-1,3-DICHLOROPROPENE	10061-02-6	<1
ETHYLBENZENE	100-41-4	4
HEXACHLOROBUTADIENE	87-68-3	<1
ISOPROPYLBENZENE	98-82-8	15
p-ISOPROPYLTOLUENE	99-87-6	<1
METHYLENE CHLORIDE	75-09-2	<1
NAPHTHALENE	91-20-3	<1
n-PROPYLBENZENE	103-65-1	4
STYRENE	100-42-5	<1
1,1,1,2-TETRACHLOROETHANE	630-20-6	<1
1,1,2,2-TETRACHLOROETHANE	79-34-5	<1
TETRACHLOROETHENE	127-18-4	2,100
TOLUENE	108-88-3	<1
1,2,3-TRICHLOROBENZENE	87-61-6	<1
1,2,4-TRICHLOROBENZENE	120-82-1	<1
1,1,1-TRICHLOROETHANE	71-55-6	65
1,1,2-TRICHLOROETHANE	79-00-5	<1
TRICHLOROETHENE	79-01-6	11
TRICHLOROFLUOROMETHANE	75-69-4	<1
1,2,3-TRICHLOROPROPANE	96-18-4	<1
1,2,4-TRIMETHYLBENZENE	95-63-6	6
1,3,5-TRIMETHYLBENZENE	108-67-8	19
VINYL CHLORIDE	75-01-4	<1
M+P XYLENES	108-38-3/95-47-6	17
O-XYLENE	106-42-3	61

Keri Bayen


Laboratory Director

000002

Client: LBG Engineers	Client ID: Rowe Industries (Mid 81500)
Date received: 08/18/00	Laboratory ID: 0013900
Date extracted: NA	Matrix: Liquid
Date analyzed: 08/18/00	Contractor: 11418

EPA METHOD 8021

PARAMETER	CAS No.	RESULTS ug/L
BENZENE	71-43-2	<1
BROMOBENZENE	108-86-1	<1
BROMOCHLOROMETHANE	74-97-5	<1
BROMODICHLOROMETHANE	75-27-4	<1
BROMOFORM	75-25-4	<1
BROMOMETHANE	74-83-9	<1
n-BUTYLBENZENE	104-51-8	<1
sec-BUTYLBENZENE	135-98-8	<1
tert-BUTYLBENZENE	98-06-6	<1
CARBON TETRACHLORIDE	56-23-5	<1
CHLOROBENZENE	108-90-7	<1
CHLORODIBROMOMETHANE	124-48-1	<1
CHLOROETHANE	75-00-3	<1
CHLOROFORM	67-66-3	<1
CHLOROMETHANE	74-87-3	<1
2-CHLOROTOLUENE	95-49-8	<1
4-CHLOROTOLUENE	106-43-4	<1
1,2-DIBROMO-3-CHLOROPROPANE	96-12-8	<1
DIBROMOCHLOROMETHANE	124-48-1	<1
1,2-DIBROMOETHANE	106-93-4	<1
DIBROMOMETHANE	74-95-3	<1
1,2-DICHLOROBENZENE	95-50-1	<1
1,3-DICHLOROBENZENE	541-73-1	<1
1,4-DICHLOROBENZENE	106-46-7	<1
DICHLORODIFLUOROMETHANE	75-71-8	<1
1,1-DICHLOROETHANE	75-34-3	<1
1,2-DICHLOROETHANE	107-06-2	<1
1,1-DICHLOROETHENE	75-35-4	<1
cis-1,2-DICHLOROETHENE	156-59-2	<1
trans-1,2-DICHLOROETHENE	156-60-5	<1


 Laboratory Director

000003

Client: LBG Engineers	Client ID: Rowe Industries (Mid 81500)
Date received: 08/18/00	Laboratory ID: 0013900
Date extracted: NA	Matrix: Liquid
Date analyzed: 08/18/00	Contractor: 11418

EPA METHOD 8021

PARAMETER	CAS No.	RESULTS ug/L
1,2-DICHLOROPROPANE	78-87-5	<1
1,3-DICHLOROPROPANE	142-28-9	<1
2,2-DICHLOROPROPANE	594-20-7	<1
1,1-DICHLOROPROPENE	563-58-6	<1
cis-1,3-DICHLOROPROPENE	10061-01-5	<1
trans-1,3-DICHLOROPROPENE	10061-02-6	<1
ETHYLBENZENE	100-41-4	<1
HEXACHLOROBUTADIENE	87-68-3	<1
ISOPROPYLBENZENE	98-82-8	<1
p-ISOPROPYLTOLUENE	99-87-6	<1
METHYLENE CHLORIDE	75-09-2	<1
NAPHTHALENE	91-20-3	<1
n-PROPYLBENZENE	103-65-1	<1
STYRENE	100-42-5	<1
1,1,1,2-TETRACHLOROETHANE	630-20-6	<1
1,1,2,2-TETRACHLOROETHANE	79-34-5	<1
TETRACHLOROETHENE	127-18-4	<1
TOLUENE	108-88-3	<1
1,2,3-TRICHLOROBENZENE	87-61-6	<1
1,2,4-TRICHLOROBENZENE	120-82-1	<1
1,1,1-TRICHLOROETHANE	71-55-6	<1
1,1,2-TRICHLOROETHANE	79-00-5	<1
TRICHLOROETHENE	79-01-6	<1
TRICHLOROFLUOROMETHANE	75-69-4	<1
1,2,3-TRICHLOROPROPANE	96-18-4	<1
1,2,4-TRIMETHYLBENZENE	95-63-6	<1
1,3,5-TRIMETHYLBENZENE	108-67-8	<1
VINYL CHLORIDE	75-01-4	<1
M+P XYLENES	108-38-3/95-47-6	<2
O-XYLENE	106-42-3	<1


Rui Bayen
Laboratory Director

000004

Client: LBG Engineers	Client ID: Rowe Industries (Post 81500)
Date received: 08/18/00	Laboratory ID: 0013901
Date extracted: NA	Matrix: Liquid
Date analyzed: 08/18/00	Contractor: 11418

EPA METHOD 8021

PARAMETER	CAS No.	RESULTS ug/L
BENZENE	71-43-2	<1
BROMOBENZENE	108-86-1	<1
BROMOCHLOROMETHANE	74-97-5	<1
BROMODICHLOROMETHANE	75-27-4	<1
BROMOFORM	75-25-4	<1
BROMOMETHANE	74-83-9	<1
n-BUTYLBENZENE	104-51-8	<1
sec-BUTYLBENZENE	135-98-8	<1
tert-BUTYLBENZENE	98-06-6	<1
CARBON TETRACHLORIDE	56-23-5	<1
CHLOROBENZENE	108-90-7	<1
CHLORODIBROMOMETHANE	124-48-1	<1
CHLOROETHANE	75-00-3	<1
CHLOROFORM	67-66-3	<1
CHLOROMETHANE	74-87-3	<1
2-CHLOROTOLUENE	95-49-8	<1
4-CHLOROTOLUENE	106-43-4	<1
1,2-DIBROMO-3-CHLOROPROPANE	96-12-8	<1
DIBROMOCHLOROMETHANE	124-48-1	<1
1,2-DIBROMOETHANE	106-93-4	<1
DIBROMOMETHANE	74-95-3	<1
1,2-DICHLOROBENZENE	95-50-1	<1
1,3-DICHLOROBENZENE	541-73-1	<1
1,4-DICHLOROBENZENE	106-46-7	<1
DICHLORODIFLUOROMETHANE	75-71-8	<1
1,1-DICHLOROETHANE	75-34-3	<1
1,2-DICHLOROETHANE	107-06-2	<1
1,1-DICHLOROETHENE	75-35-4	<1
cis-1,2-DICHLOROETHENE	156-59-2	<1
trans-1,2-DICHLOROETHENE	156-60-5	<1



 Laboratory Director

000005

Client: LBG Engineers	Client ID: Rowe Industries (Post 81500)
Date received: 08/18/00	Laboratory ID: 0013901
Date extracted: NA	Matrix: Liquid
Date analyzed: 08/18/00	Contractor: 11418

EPA METHOD 8021

PARAMETER	CAS No.	RESULTS ug/L
1,2-DICHLOROPROPANE	78-87-5	<1
1,3-DICHLOROPROPANE	142-28-9	<1
2,2-DICHLOROPROPANE	594-20-7	<1
1,1-DICHLOROPROPENE	563-58-6	<1
cis-1,3-DICHLOROPROPENE	10061-01-5	<1
trans-1,3-DICHLOROPROPENE	10061-02-6	<1
ETHYLBENZENE	100-41-4	<1
HEXACHLOROBUTADIENE	87-68-3	<1
ISOPROPYLBENZENE	98-82-8	<1
p-ISOPROPYLTOLUENE	99-87-6	<1
METHYLENE CHLORIDE	75-09-2	<1
NAPHTHALENE	91-20-3	<1
n-PROPYLBENZENE	103-65-1	<1
STYRENE	100-42-5	<1
1,1,1,2-TETRACHLOROETHANE	630-20-6	<1
1,1,2,2-TETRACHLOROETHANE	79-34-5	<1
TETRACHLOROETHENE	127-18-4	<1
TOLUENE	108-88-3	<1
1,2,3-TRICHLOROBENZENE	87-61-6	<1
1,2,4-TRICHLOROBENZENE	120-82-1	<1
1,1,1-TRICHLOROETHANE	71-55-6	<1
1,1,2-TRICHLOROETHANE	79-00-5	<1
TRICHLOROETHENE	79-01-6	<1
TRICHLOROFLUOROMETHANE	75-69-4	<1
1,2,3-TRICHLOROPROPANE	96-18-4	<1
1,2,4-TRIMETHYLBENZENE	95-63-6	<1
1,3,5-TRIMETHYLBENZENE	108-67-8	<1
VINYL CHLORIDE	75-01-4	<1
M+P XYLENES	108-38-3/95-47-6	<2
O-XYLENE	106-42-3	<1


 Laboratory Director

000006

Client: LBG Engineers	Client ID: Rowe Industries (Pre 81700)
Date received: 08/18/00	Laboratory ID: 0013902
Date extracted: NA	Matrix: Liquid
Date analyzed: 08/18/00-08/21/00	Contractor: 11418

EPA METHOD 8021

PARAMETER	CAS No.	RESULTS ug/L
BENZENE	71-43-2	<1
BROMOBENZENE	108-86-1	<1
BROMOCHLOROMETHANE	74-97-5	<1
BROMODICHLOROMETHANE	75-27-4	<1
BROMOFORM	75-25-4	<1
BROMOMETHANE	74-83-9	<1
n-BUTYLBENZENE	104-51-8	<1
sec-BUTYLBENZENE	135-98-8	<1
tert-BUTYLBENZENE	98-06-6	<1
CARBON TETRACHLORIDE	56-23-5	<1
CHLOROBENZENE	108-90-7	<1
CHLORODIBROMOMETHANE	124-48-1	<1
CHLOROETHANE	75-00-3	<1
CHLOROFORM	67-66-3	<1
CHLOROMETHANE	74-87-3	<1
2-CHLOROTOLUENE	95-49-8	<1
4-CHLOROTOLUENE	106-43-4	<1
1,2-DIBROMO-3-CHLOROPROPANE	96-12-8	<1
DIBROMOCHLOROMETHANE	124-48-1	<1
1,2-DIBROMOETHANE	106-93-4	<1
DIBROMOMETHANE	74-95-3	<1
1,2-DICHLOROBENZENE	95-50-1	<1
1,3-DICHLOROBENZENE	541-73-1	<1
1,4-DICHLOROBENZENE	106-46-7	<1
DICHLORODIFLUOROMETHANE	75-71-8	<1
1,1-DICHLOROETHANE	75-34-3	<1
1,2-DICHLOROETHANE	107-06-2	<1
1,1-DICHLOROETHENE	75-35-4	<1
cis-1,2-DICHLOROETHENE	156-59-2	<1
trans-1,2-DICHLOROETHENE	156-60-5	<1


R. Beyer
Laboratory Director

000007

Client: LBG Engineers	Client ID: Rowe Industries (Pre 81700)
Date received: 08/18/00	Laboratory ID: 0013902
Date extracted: NA	Matrix: Liquid
Date analyzed: 08/18/00-08/21/00	Contractor: 11418

EPA METHOD 8021

PARAMETER	CAS No.	RESULTS ug/L
1,2-DICHLOROPROPANE	78-87-5	<1
1,3-DICHLOROPROPANE	142-28-9	<1
2,2-DICHLOROPROPANE	594-20-7	<1
1,1-DICHLOROPROPENE	563-58-6	<1
cis-1,3-DICHLOROPROPENE	10061-01-5	<1
trans-1,3-DICHLOROPROPENE	10061-02-6	<1
ETHYLBENZENE	100-41-4	<1
HEXACHLOROBUTADIENE	87-68-3	<1
ISOPROPYLBENZENE	98-82-8	<1
p-ISOPROPYLTOLUENE	99-87-6	<1
METHYLENE CHLORIDE	75-09-2	<1
NAPHTHALENE	91-20-3	<1
n-PROPYLBENZENE	103-65-1	<1
STYRENE	100-42-5	<1
1,1,1,2-TETRACHLOROETHANE	630-20-6	<1
1,1,2,2-TETRACHLOROETHANE	79-34-5	<1
TETRACHLOROETHENE	127-18-4	800
TOLUENE	108-88-3	<1
1,2,3-TRICHLOROBENZENE	87-61-6	<1
1,2,4-TRICHLOROBENZENE	120-82-1	<1
1,1,1-TRICHLOROETHANE	71-55-6	11
1,1,2-TRICHLOROETHANE	79-00-5	<1
TRICHLOROETHENE	79-01-6	2
TRICHLOROFLUOROMETHANE	75-69-4	<1
1,2,3-TRICHLOROPROPANE	96-18-4	<1
1,2,4-TRIMETHYLBENZENE	95-63-6	<1
1,3,5-TRIMETHYLBENZENE	108-67-8	4
VINYL CHLORIDE	75-01-4	<1
M+P XYLENES	108-38-3/95-47-6	<2
O-XYLENE	106-42-3	14



 Laboratory Director

000008

Client: LBG Engineers	Client ID: Rowe Industries (Mid 81700)
Date received: 08/18/00	Laboratory ID: 0013903
Date extracted: NA	Matrix: Liquid
Date analyzed: 08/18/00	Contractor: 11418

EPA METHOD 8021

PARAMETER	CAS No.	RESULTS ug/L
BENZENE	71-43-2	<1
BROMOBENZENE	108-86-1	<1
BROMOCHLOROMETHANE	74-97-5	<1
BROMODICHLOROMETHANE	75-27-4	<1
BROMOFORM	75-25-4	<1
BROMOMETHANE	74-83-9	<1
n-BUTYLBENZENE	104-51-8	<1
sec-BUTYLBENZENE	135-98-8	<1
tert-BUTYLBENZENE	98-06-6	<1
CARBON TETRACHLORIDE	56-23-5	<1
CHLOROBENZENE	108-90-7	<1
CHLORODIBROMOMETHANE	124-48-1	<1
CHLOROETHANE	75-00-3	<1
CHLOROFORM	67-66-3	<1
CHLOROMETHANE	74-87-3	<1
2-CHLOROTOLUENE	95-49-8	<1
4-CHLOROTOLUENE	106-43-4	<1
1,2-DIBROMO-3-CHLOROPROPANE	96-12-8	<1
DIBROMOCHLOROMETHANE	124-48-1	<1
1,2-DIBROMOETHANE	106-93-4	<1
DIBROMOMETHANE	74-95-3	<1
1,2-DICHLOROBENZENE	95-50-1	<1
1,3-DICHLOROBENZENE	541-73-1	<1
1,4-DICHLOROBENZENE	106-46-7	<1
DICHLORODIFLUOROMETHANE	75-71-8	<1
1,1-DICHLOROETHANE	75-34-3	<1
1,2-DICHLOROETHANE	107-06-2	<1
1,1-DICHLOROETHENE	75-35-4	<1
cis-1,2-DICHLOROETHENE	156-59-2	<1
trans-1,2-DICHLOROETHENE	156-60-5	<1



 Laboratory Director

000009

Client: LBG Engineers	Client ID: Rowe Industries (Mid 81700)
Date received: 08/18/00	Laboratory ID: 0013903
Date extracted: NA	Matrix: Liquid
Date analyzed: 08/18/00	Contractor: 11418

EPA METHOD 8021

PARAMETER	CAS No.	RESULTS ug/L
1,2-DICHLOROPROPANE	78-87-5	<1
1,3-DICHLOROPROPANE	142-28-9	<1
2,2-DICHLOROPROPANE	594-20-7	<1
1,1-DICHLOROPROPENE	563-58-6	<1
cis-1,3-DICHLOROPROPENE	10061-01-5	<1
trans-1,3-DICHLOROPROPENE	10061-02-6	<1
ETHYLBENZENE	100-41-4	<1
HEXACHLOROBUTADIENE	87-68-3	<1
ISOPROPYLBENZENE	98-82-8	<1
p-ISOPROPYLTOLUENE	99-87-6	<1
METHYLENE CHLORIDE	75-09-2	<1
NAPHTHALENE	91-20-3	<1
n-PROPYLBENZENE	103-65-1	<1
STYRENE	100-42-5	<1
1,1,1,2-TETRACHLOROETHANE	630-20-6	<1
1,1,2,2-TETRACHLOROETHANE	79-34-5	<1
TETRACHLOROETHENE	127-18-4	<1
TOLUENE	108-88-3	<1
1,2,3-TRICHLOROBENZENE	87-61-6	<1
1,2,4-TRICHLOROBENZENE	120-82-1	<1
1,1,1-TRICHLOROETHANE	71-55-6	<1
1,1,2-TRICHLOROETHANE	79-00-5	<1
TRICHLOROETHENE	79-01-6	<1
TRICHLOROFLUOROMETHANE	75-69-4	<1
1,2,3-TRICHLOROPROPANE	96-18-4	<1
1,2,4-TRIMETHYLBENZENE	95-63-6	<1
1,3,5-TRIMETHYLBENZENE	108-67-8	<1
VINYL CHLORIDE	75-01-4	<1
M+P XYLENES	108-38-3/95-47-6	<2
O-XYLENE	106-42-3	<1


 Laboratory Director

000010



NYSDOH
AIHA
CTDOH

ELAP
PAT, LPAT
PH-0205

11418
102391

September 19, 2000

Paul Jobmann
LBG Engineers
126 Monroe Turnpike
Trumbull, CT 06611

Re: Rowe Industries

Dear Mr. Jobmann;

Enclosed please find the Laboratory Analysis Report(s) for sample(s) received on September 15, 2000. American Analytical Laboratories analyzed the samples through September 18, 2000 for the following;

CLIENT ID	ANALYSIS
Pre 91100	EPA 8021
Mid 91100	EPA 8021
Pre 91400	EPA 8021
Mid 91400	EPA 8021
Post 91400	EPA 8021

This report consists of 10 pages of analytical results.

If you have any questions or require further information, please call at your convenience. American Analytical Laboratories would like to thank you for the opportunity to be of service to you.


Best Regards,

American Analytical Laboratories, Inc.

Client: LBG Engineers	Client ID: Rowe Industries (Pre 91100)
Date received: 09/15/00	Laboratory ID: 0014317
Date extracted: NA	Matrix: Liquid
Date analyzed: 09/15/00-09/18/00	Contractor: 11418

EPA METHOD 8021

PARAMETER	CAS No.	RESULTS ug/L
BENZENE	71-43-2	<1
BROMOBENZENE	108-86-1	<1
BROMOCHLOROMETHANE	74-97-5	<1
BROMODICHLOROMETHANE	75-27-4	<1
BROMOFORM	75-25-4	<1
BROMOMETHANE	74-83-9	<1
n-BUTYLBENZENE	104-51-8	<1
sec-BUTYLBENZENE	135-98-8	<1
tert-BUTYLBENZENE	98-06-6	<1
CARBON TETRACHLORIDE	56-23-5	<1
CHLOROBENZENE	108-90-7	<1
CHLORODIBROMOMETHANE	124-48-1	<1
CHLOROETHANE	75-00-3	<1
CHLOROFORM	67-66-3	<1
CHLOROMETHANE	74-87-3	<1
2-CHLOROTOLUENE	95-49-8	<1
4-CHLOROTOLUENE	106-43-4	<1
1,2-DIBROMO-3-CHLOROPROPANE	96-12-8	<1
DIBROMOCHLOROMETHANE	124-48-1	<1
1,2-DIBROMOETHANE	106-93-4	<1
DIBROMOMETHANE	74-95-3	<1
1,2-DICHLOROBENZENE	95-50-1	<1
1,3-DICHLOROBENZENE	541-73-1	<1
1,4-DICHLOROBENZENE	106-46-7	<1
DICHLORODIFLUOROMETHANE	75-71-8	<1
1,1-DICHLOROETHANE	75-34-3	<1
1,2-DICHLOROETHANE	107-06-2	<1
1,1-DICHLOROETHENE	75-35-4	<1
cis-1,2-DICHLOROETHENE	156-59-2	<1
trans-1,2-DICHLOROETHENE	156-60-5	<1



 Laboratory Director

000001

Client: LBG Engineers	Client ID: Rowe Industries (Pre 91100)
Date received: 09/15/00	Laboratory ID: 0014317
Date extracted: NA	Matrix: Liquid
Date analyzed: 09/15/00-08/18/00	Contractor: 11418

EPA METHOD 8021

PARAMETER	CAS No.	RESULTS ug/L
1,2-DICHLOROPROPANE	78-87-5	<1
1,3-DICHLOROPROPANE	142-28-9	<1
2,2-DICHLOROPROPANE	594-20-7	<1
1,1-DICHLOROPROPENE	563-58-6	<1
cis-1,3-DICHLOROPROPENE	10061-01-5	<1
trans-1,3-DICHLOROPROPENE	10061-02-6	<1
ETHYLBENZENE	100-41-4	<1
HEXACHLOROBUTADIENE	87-68-3	<1
ISOPROPYLBENZENE	98-82-8	5
p-ISOPROPYLTOLUENE	99-87-6	<1
METHYLENE CHLORIDE	75-09-2	<1
NAPHTHALENE	91-20-3	<1
n-PROPYLBENZENE	103-65-1	<1
STYRENE	100-42-5	<1
1,1,1,2-TETRACHLOROETHANE	630-20-6	<1
1,1,2,2-TETRACHLOROETHANE	79-34-5	<1
TETRACHLOROETHENE	127-18-4	1,300
TOLUENE	108-88-3	<1
1,2,3-TRICHLOROBENZENE	87-61-6	<1
1,2,4-TRICHLOROBENZENE	120-82-1	<1
1,1,1-TRICHLOROETHANE	71-55-6	7
1,1,2-TRICHLOROETHANE	79-00-5	<1
TRICHLOROETHENE	79-01-6	3
TRICHLOROFLUOROMETHANE	75-69-4	<1
1,2,3-TRICHLOROPROPANE	96-18-4	<1
1,2,4-TRIMETHYLBENZENE	95-63-6	1
1,3,5-TRIMETHYLBENZENE	108-67-8	2
VINYL CHLORIDE	75-01-4	<1
M+P XYLENES	108-38-3/95-47-6	4
O-XYLENE	106-42-3	17



 Laboratory Director

000002

Client: LBG Engineers	Client ID: Rowe Industries (Mid 91100)
Date received: 09/15/00	Laboratory ID: 0014318
Date extracted: NA	Matrix: Liquid
Date analyzed: 09/15/00	Contractor: 11418

EPA METHOD 8021

PARAMETER	CAS No.	RESULTS ug/L
BENZENE	71-43-2	<1
BROMOBENZENE	108-86-1	<1
BROMOCHLOROMETHANE	74-97-5	<1
BROMODICHLOROMETHANE	75-27-4	<1
BROMOFORM	75-25-4	<1
BROMOMETHANE	74-83-9	<1
n-BUTYLBENZENE	104-51-8	<1
sec-BUTYLBENZENE	135-98-8	<1
tert-BUTYLBENZENE	98-06-6	<1
CARBON TETRACHLORIDE	56-23-5	<1
CHLOROBENZENE	108-90-7	<1
CHLORODIBROMOMETHANE	124-48-1	<1
CHLOROETHANE	75-00-3	<1
CHLOROFORM	67-66-3	<1
CHLOROMETHANE	74-87-3	<1
2-CHLOROTOLUENE	95-49-8	<1
4-CHLOROTOLUENE	106-43-4	<1
1,2-DIBROMO-3-CHLOROPROPANE	96-12-8	<1
DIBROMOCHLOROMETHANE	124-48-1	<1
1,2-DIBROMOETHANE	106-93-4	<1
DIBROMOMETHANE	74-95-3	<1
1,2-DICHLOROBENZENE	95-50-1	<1
1,3-DICHLOROBENZENE	541-73-1	<1
1,4-DICHLOROBENZENE	106-46-7	<1
DICHLORODIFLUOROMETHANE	75-71-8	<1
1,1-DICHLOROETHANE	75-34-3	<1
1,2-DICHLOROETHANE	107-06-2	<1
1,1-DICHLOROETHENE	75-35-4	<1
cis-1,2-DICHLOROETHENE	156-59-2	<1
trans-1,2-DICHLOROETHENE	156-60-5	<1


 Laboratory Director

000003

Client: LBG Engineers	Client ID: Rowe Industries (Mid 91100)
Date received: 09/15/00	Laboratory ID: 0014318
Date extracted: NA	Matrix: Liquid
Date analyzed: 09/15/00	Contractor: 11418

EPA METHOD 8021

PARAMETER	CAS No.	RESULTS ug/L
1,2-DICHLOROPROPANE	78-87-5	<1
1,3-DICHLOROPROPANE	142-28-9	<1
2,2-DICHLOROPROPANE	594-20-7	<1
1,1-DICHLOROPROPENE	563-58-6	<1
cis-1,3-DICHLOROPROPENE	10061-01-5	<1
trans-1,3-DICHLOROPROPENE	10061-02-6	<1
ETHYLBENZENE	100-41-4	<1
HEXACHLOROBUTADIENE	87-68-3	<1
ISOPROPYLBENZENE	98-82-8	<1
p-ISOPROPYLTOLUENE	99-87-6	<1
METHYLENE CHLORIDE	75-09-2	<1
NAPHTHALENE	91-20-3	<1
n-PROPYLBENZENE	103-65-1	<1
STYRENE	100-42-5	<1
1,1,1,2-TETRACHLOROETHANE	630-20-6	<1
1,1,2,2-TETRACHLOROETHANE	79-34-5	<1
TETRACHLOROETHENE	127-18-4	<1
TOLUENE	108-88-3	<1
1,2,3-TRICHLOROBENZENE	87-61-6	<1
1,2,4-TRICHLOROBENZENE	120-82-1	<1
1,1,1-TRICHLOROETHANE	71-55-6	<1
1,1,2-TRICHLOROETHANE	79-00-5	<1
TRICHLOROETHENE	79-01-6	<1
TRICHLOROFLUOROMETHANE	75-69-4	<1
1,2,3-TRICHLOROPROPANE	96-18-4	<1
1,2,4-TRIMETHYLBENZENE	95-63-6	<1
1,3,5-TRIMETHYLBENZENE	108-67-8	<1
VINYL CHLORIDE	75-01-4	<1
M+P XYLENES	108-38-3/95-47-6	<2
O-XYLENE	106-42-3	<1

Lou Beyer
Laboratory Director

000004

Client: LBG Engineers	Client ID: Rowe Industries (Pre 91400)
Date received: 09/15/00	Laboratory ID: 0014319
Date extracted: NA	Matrix: Liquid
Date analyzed: 09/16/00-08/18/00	Contractor: 11418

EPA METHOD 8021

PARAMETER	CAS No.	RESULTS ug/L
BENZENE	71-43-2	<1
BROMOBENZENE	108-86-1	<1
BROMOCHLOROMETHANE	74-97-5	<1
BROMODICHLOROMETHANE	75-27-4	<1
BROMOFORM	75-25-4	<1
BROMOMETHANE	74-83-9	<1
n-BUTYLBENZENE	104-51-8	<1
sec-BUTYLBENZENE	135-98-8	<1
tert-BUTYLBENZENE	98-06-6	<1
CARBON TETRACHLORIDE	56-23-5	<1
CHLOROBENZENE	108-90-7	<1
CHLORODIBROMOMETHANE	124-48-1	<1
CHLOROETHANE	75-00-3	<1
CHLOROFORM	67-66-3	<1
CHLOROMETHANE	74-87-3	<1
2-CHLOROTOLUENE	95-49-8	<1
4-CHLOROTOLUENE	106-43-4	<1
1,2-DIBROMO-3-CHLOROPROPANE	96-12-8	<1
DIBROMOCHLOROMETHANE	124-48-1	<1
1,2-DIBROMOETHANE	106-93-4	<1
DIBROMOMETHANE	74-95-3	<1
1,2-DICHLOROBENZENE	95-50-1	<1
1,3-DICHLOROBENZENE	541-73-1	<1
1,4-DICHLOROBENZENE	106-46-7	<1
DICHLORODIFLUOROMETHANE	75-71-8	<1
1,1-DICHLOROETHANE	75-34-3	<1
1,2-DICHLOROETHANE	107-06-2	<1
1,1-DICHLOROETHENE	75-35-4	<1
cis-1,2-DICHLOROETHENE	156-59-2	<1
trans-1,2-DICHLOROETHENE	156-60-5	<1

Kari Beyer
Laboratory Director

000005

Client: LBG Engineers	Client ID: Rowe Industries (Pre 91400)
Date received: 09/15/00	Laboratory ID: 0014319
Date extracted: NA	Matrix: Liquid
Date analyzed: 09/16/00-08/18/00	Contractor: 11418

EPA METHOD 8021

PARAMETER	CAS No.	RESULTS ug/L
1,2-DICHLOROPROPANE	78-87-5	<1
1,3-DICHLOROPROPANE	142-28-9	<1
2,2-DICHLOROPROPANE	594-20-7	<1
1,1-DICHLOROPROPENE	563-58-6	<1
cis-1,3-DICHLOROPROPENE	10061-01-5	<1
trans-1,3-DICHLOROPROPENE	10061-02-6	<1
ETHYLBENZENE	100-41-4	<1
HEXACHLOROBUTADIENE	87-68-3	<1
ISOPROPYLBENZENE	98-82-8	7
p-ISOPROPYLTOLUENE	99-87-6	<1
METHYLENE CHLORIDE	75-09-2	<1
NAPHTHALENE	91-20-3	<1
n-PROPYLBENZENE	103-65-1	2
STYRENE	100-42-5	<1
1,1,1,2-TETRACHLOROETHANE	630-20-6	<1
1,1,2,2-TETRACHLOROETHANE	79-34-5	<1
TETRACHLOROETHENE	127-18-4	1,700
TOLUENE	108-88-3	<1
1,2,3-TRICHLOROBENZENE	87-61-6	<1
1,2,4-TRICHLOROBENZENE	120-82-1	<1
1,1,1-TRICHLOROETHANE	71-55-6	12
1,1,2-TRICHLOROETHANE	79-00-5	<1
TRICHLOROETHENE	79-01-6	4
TRICHLOROFLUOROMETHANE	75-69-4	<1
1,2,3-TRICHLOROPROPANE	96-18-4	<1
1,2,4-TRIMETHYLBENZENE	95-63-6	2
1,3,5-TRIMETHYLBENZENE	108-67-8	8
VINYL CHLORIDE	75-01-4	<1
M+P XYLENES	108-38-3/95-47-6	5
O-XYLENE	106-42-3	25


 Laboratory Director

000006

Client: LBG Engineers	Client ID: Rowe Industries (Mid 91400)
Date received: 09/15/00	Laboratory ID: 0014320
Date extracted: NA	Matrix: Liquid
Date analyzed: 09/16/00	Contractor: 11418

EPA METHOD 8021

PARAMETER	CAS No.	RESULTS ug/L
BENZENE	71-43-2	<1
BROMOBENZENE	108-86-1	<1
BROMOCHLOROMETHANE	74-97-5	<1
BROMODICHLOROMETHANE	75-27-4	<1
BROMOFORM	75-25-4	<1
BROMOMETHANE	74-83-9	<1
n-BUTYLBENZENE	104-51-8	<1
sec-BUTYLBENZENE	135-98-8	<1
tert-BUTYLBENZENE	98-06-6	<1
CARBON TETRACHLORIDE	56-23-5	<1
CHLOROBENZENE	108-90-7	<1
CHLORODIBROMOMETHANE	124-48-1	<1
CHLOROETHANE	75-00-3	<1
CHLOROFORM	67-66-3	<1
CHLOROMETHANE	74-87-3	<1
2-CHLOROTOLUENE	95-49-8	<1
4-CHLOROTOLUENE	106-43-4	<1
1,2-DIBROMO-3-CHLOROPROPANE	96-12-8	<1
DIBROMOCHLOROMETHANE	124-48-1	<1
1,2-DIBROMOETHANE	106-93-4	<1
DIBROMOMETHANE	74-95-3	<1
1,2-DICHLOROBENZENE	95-50-1	<1
1,3-DICHLOROBENZENE	541-73-1	<1
1,4-DICHLOROBENZENE	106-46-7	<1
DICHLORODIFLUOROMETHANE	75-71-8	<1
1,1-DICHLOROETHANE	75-34-3	<1
1,2-DICHLOROETHANE	107-06-2	<1
1,1-DICHLOROETHENE	75-35-4	<1
cis-1,2-DICHLOROETHENE	156-59-2	<1
trans-1,2-DICHLOROETHENE	156-60-5	<1



 Laboratory Director

000007

Client: LBG Engineers	Client ID: Rowe Industries (Mid 91400)
Date received: 09/15/00	Laboratory ID: 0014320
Date extracted: NA	Matrix: Liquid
Date analyzed: 09/16/00	Contractor: 11418

EPA METHOD 8021

PARAMETER	CAS No.	RESULTS ug/L
1,2-DICHLOROPROPANE	78-87-5	<1
1,3-DICHLOROPROPANE	142-28-9	<1
2,2-DICHLOROPROPANE	594-20-7	<1
1,1-DICHLOROPROPENE	563-58-6	<1
cis-1,3-DICHLOROPROPENE	10061-01-5	<1
trans-1,3-DICHLOROPROPENE	10061-02-6	<1
ETHYLBENZENE	100-41-4	<1
HEXACHLOROBUTADIENE	87-68-3	<1
ISOPROPYLBENZENE	98-82-8	<1
p-ISOPROPYLTOLUENE	99-87-6	<1
METHYLENE CHLORIDE	75-09-2	<1
NAPHTHALENE	91-20-3	<1
n-PROPYLBENZENE	103-65-1	<1
STYRENE	100-42-5	<1
1,1,1,2-TETRACHLOROETHANE	630-20-6	<1
1,1,2,2-TETRACHLOROETHANE	79-34-5	<1
TETRACHLOROETHENE	127-18-4	<1
TOLUENE	108-88-3	<1
1,2,3-TRICHLOROBENZENE	87-61-6	<1
1,2,4-TRICHLOROBENZENE	120-82-1	<1
1,1,1-TRICHLOROETHANE	71-55-6	<1
1,1,2-TRICHLOROETHANE	79-00-5	<1
TRICHLOROETHENE	79-01-6	<1
TRICHLOROFLUOROMETHANE	75-69-4	<1
1,2,3-TRICHLOROPROPANE	96-18-4	<1
1,2,4-TRIMETHYLBENZENE	95-63-6	<1
1,3,5-TRIMETHYLBENZENE	108-67-8	<1
VINYL CHLORIDE	75-01-4	<1
M+P XYLENES	108-38-3/95-47-6	<2
O-XYLENE	106-42-3	<1


 Laboratory Director

000008

Client: LBG Engineers	Client ID: Rowe Industries (Post 91400)
Date received: 09/15/00	Laboratory ID: 0014321
Date extracted: NA	Matrix: Liquid
Date analyzed: 09/16/00	Contractor: 11418

EPA METHOD 8021

PARAMETER	CAS No.	RESULTS ug/L
BENZENE	71-43-2	<1
BROMOBENZENE	108-86-1	<1
BROMOCHLOROMETHANE	74-97-5	<1
BROMODICHLOROMETHANE	75-27-4	<1
BROMOFORM	75-25-4	<1
BROMOMETHANE	74-83-9	<1
n-BUTYLBENZENE	104-51-8	<1
sec-BUTYLBENZENE	135-98-8	<1
tert-BUTYLBENZENE	98-06-6	<1
CARBON TETRACHLORIDE	56-23-5	<1
CHLOROBENZENE	108-90-7	<1
CHLORODIBROMOMETHANE	124-48-1	<1
CHLOROETHANE	75-00-3	<1
CHLOROFORM	67-66-3	<1
CHLOROMETHANE	74-87-3	<1
2-CHLOROTOLUENE	95-49-8	<1
4-CHLOROTOLUENE	106-43-4	<1
1,2-DIBROMO-3-CHLOROPROPANE	96-12-8	<1
DIBROMOCHLOROMETHANE	124-48-1	<1
1,2-DIBROMOETHANE	106-93-4	<1
DIBROMOMETHANE	74-95-3	<1
1,2-DICHLOROBENZENE	95-50-1	<1
1,3-DICHLOROBENZENE	541-73-1	<1
1,4-DICHLOROBENZENE	106-46-7	<1
DICHLORODIFLUOROMETHANE	75-71-8	<1
1,1-DICHLOROETHANE	75-34-3	<1
1,2-DICHLOROETHANE	107-06-2	<1
1,1-DICHLOROETHENE	75-35-4	<1
cis-1,2-DICHLOROETHENE	156-59-2	<1
trans-1,2-DICHLOROETHENE	156-60-5	<1



 Laboratory Director

000009

Client: LBG Engineers	Client ID: Rowe Industries (Post 91400)
Date received: 09/15/00	Laboratory ID: 0014321
Date extracted: NA	Matrix: Liquid
Date analyzed: 09/16/00	Contractor: 11418

EPA METHOD 8021

PARAMETER	CAS No.	RESULTS ug/L
1,2-DICHLOROPROPANE	78-87-5	<1
1,3-DICHLOROPROPANE	142-28-9	<1
2,2-DICHLOROPROPANE	594-20-7	<1
1,1-DICHLOROPROPENE	563-58-6	<1
cis-1,3-DICHLOROPROPENE	10061-01-5	<1
trans-1,3-DICHLOROPROPENE	10061-02-6	<1
ETHYLBENZENE	100-41-4	<1
HEXACHLOROBUTADIENE	87-68-3	<1
ISOPROPYLBENZENE	98-82-8	<1
p-ISOPROPYLTOLUENE	99-87-6	<1
METHYLENE CHLORIDE	75-09-2	<1
NAPHTHALENE	91-20-3	<1
n-PROPYLBENZENE	103-65-1	<1
STYRENE	100-42-5	<1
1,1,1,2-TETRACHLOROETHANE	630-20-6	<1
1,1,2,2-TETRACHLOROETHANE	79-34-5	<1
TETRACHLOROETHENE	127-18-4	<1
TOLUENE	108-88-3	<1
1,2,3-TRICHLOROBENZENE	87-61-6	<1
1,2,4-TRICHLOROBENZENE	120-82-1	<1
1,1,1-TRICHLOROETHANE	71-55-6	<1
1,1,2-TRICHLOROETHANE	79-00-5	<1
TRICHLOROETHENE	79-01-6	<1
TRICHLOROFLUOROMETHANE	75-69-4	<1
1,2,3-TRICHLOROPROPANE	96-18-4	<1
1,2,4-TRIMETHYLBENZENE	95-63-6	<1
1,3,5-TRIMETHYLBENZENE	108-67-8	<1
VINYL CHLORIDE	75-01-4	<1
M+P XYLENES	108-38-3/95-47-6	<2
O-XYLENE	106-42-3	<1


 Laboratory Director

000010



NYSDOH
AIHA
CTDOH

ELAP
PAT, LPAT
PH-0205

11418
102391

Updated September 27, 2000

September 27, 2000

Paul Jobmann
LBG Engineers
126 Monroe Turnpike
Trumbull, CT 06611

Re: Rowe Industries

Dear Mr. Jobmann;

Enclosed please find the Laboratory Analysis Report(s) for sample(s) received on September 22, 2000. American Analytical Laboratories analyzed the samples through September 26, 2000 for the following;

CLIENT ID	ANALYSIS
Pre 091800	EPA 8021
Mid 091800	EPA 8021
Pre 092100	EPA 8021
Mid 092100	EPA 8021

This report consists of 8 pages of analytical results.

If you have any questions or require further information, please call at your convenience. American Analytical Laboratories would like to thank you for the opportunity to be of service to you.


Best Regards,

American Analytical Laboratories, Inc.

Client: LBG Engineers	Client ID: Rowe Industries (Pre 091800)
Date received: 09/22/00	Laboratory ID: 0014410
Date extracted: NA	Matrix: Liquid
Date analyzed: 09/26/00	Contractor: 11418

EPA METHOD 8021

PARAMETER	CAS No.	RESULTS ug/L
BENZENE	71-43-2	<1
BROMOBENZENE	108-86-1	<1
BROMOCHLOROMETHANE	74-97-5	<1
BROMODICHLOROMETHANE	75-27-4	<1
BROMOFORM	75-25-4	<1
BROMOMETHANE	74-83-9	<1
n-BUTYLBENZENE	104-51-8	<1
sec-BUTYLBENZENE	135-98-8	<1
tert-BUTYLBENZENE	98-06-6	<1
CARBON TETRACHLORIDE	56-23-5	<1
CHLOROBENZENE	108-90-7	<1
CHLORODIBROMOMETHANE	124-48-1	<1
CHLOROETHANE	75-00-3	<1
CHLOROFORM	67-66-3	<1
CHLOROMETHANE	74-87-3	<1
2-CHLOROTOLUENE	95-49-8	<1
4-CHLOROTOLUENE	106-43-4	<1
1,2-DIBROMO-3-CHLOROPROPANE	96-12-8	<1
DIBROMOCHLOROMETHANE	124-48-1	<1
1,2-DIBROMOETHANE	106-93-4	<1
DIBROMOMETHANE	74-95-3	<1
1,2-DICHLOROBENZENE	95-50-1	<1
1,3-DICHLOROBENZENE	541-73-1	<1
1,4-DICHLOROBENZENE	106-46-7	<1
DICHLORODIFLUOROMETHANE	75-71-8	<1
1,1-DICHLOROETHANE	75-34-3	<1
1,2-DICHLOROETHANE	107-06-2	<1
1,1-DICHLOROETHENE	75-35-4	<1
cis-1,2-DICHLOROETHENE	156-59-2	<1
trans-1,2-DICHLOROETHENE	156-60-5	<1



 Laboratory Director

000001

Client: LBG Engineers	Client ID: Rowe Industries (Pre 091800)
Date received: 09/22/00	Laboratory ID: 0014410
Date extracted: NA	Matrix: Liquid
Date analyzed: 09/26/00	Contractor: 11418

EPA METHOD 8021

PARAMETER	CAS No.	RESULTS ug/L
1,2-DICHLOROPROPANE	78-87-5	<1
1,3-DICHLOROPROPANE	142-28-9	<1
2,2-DICHLOROPROPANE	594-20-7	<1
1,1-DICHLOROPROPENE	563-58-6	<1
cis-1,3-DICHLOROPROPENE	10061-01-5	<1
trans-1,3-DICHLOROPROPENE	10061-02-6	<1
ETHYLBENZENE	100-41-4	<1
HEXACHLOROBUTADIENE	87-68-3	<1
ISOPROPYLBENZENE	98-82-8	1
p-ISOPROPYLTOLUENE	99-87-6	<1
METHYLENE CHLORIDE	75-09-2	<1
NAPHTHALENE	91-20-3	<1
n-PROPYLBENZENE	103-65-1	<1
STYRENE	100-42-5	<1
1,1,1,2-TETRACHLOROETHANE	630-20-6	<1
1,1,2,2-TETRACHLOROETHANE	79-34-5	<1
TETRACHLOROETHENE	127-18-4	1,200
TOLUENE	108-88-3	<1
1,2,3-TRICHLOROBENZENE	87-61-6	<1
1,2,4-TRICHLOROBENZENE	120-82-1	<1
1,1,1-TRICHLOROETHANE	71-55-6	3
1,1,2-TRICHLOROETHANE	79-00-5	<1
TRICHLOROETHENE	79-01-6	2
TRICHLOROFLUOROMETHANE	75-69-4	<1
1,2,3-TRICHLOROPROPANE	96-18-4	<1
1,2,4-TRIMETHYLBENZENE	95-63-6	<1
1,3,5-TRIMETHYLBENZENE	108-67-8	2
VINYL CHLORIDE	75-01-4	<1
M+P XYLENES	108-38-3/95-47-6	<2
O-XYLENE	106-42-3	6



 Laboratory Director

000002

Client: LBG Engineers	Client ID: Rowe Industries (Mid 091800)
Date received: 09/22/00	Laboratory ID: 0014411
Date extracted: NA	Matrix: Liquid
Date analyzed: 09/26/00	Contractor: 11418

EPA METHOD 8021

PARAMETER	CAS No.	RESULTS ug/L
BENZENE	71-43-2	<1
BROMOBENZENE	108-86-1	<1
BROMOCHLOROMETHANE	74-97-5	<1
BROMODICHLOROMETHANE	75-27-4	<1
BROMOFORM	75-25-4	<1
BROMOMETHANE	74-83-9	<1
n-BUTYLBENZENE	104-51-8	<1
sec-BUTYLBENZENE	135-98-8	<1
tert-BUTYLBENZENE	98-06-6	<1
CARBON TETRACHLORIDE	56-23-5	<1
CHLOROBENZENE	108-90-7	<1
CHLORODIBROMOMETHANE	124-48-1	<1
CHLOROETHANE	75-00-3	<1
CHLOROFORM	67-66-3	<1
CHLOROMETHANE	74-87-3	<1
2-CHLOROTOLUENE	95-49-8	<1
4-CHLOROTOLUENE	106-43-4	<1
1,2-DIBROMO-3-CHLOROPROPANE	96-12-8	<1
DIBROMOCHLOROMETHANE	124-48-1	<1
1,2-DIBROMOETHANE	106-93-4	<1
DIBROMOMETHANE	74-95-3	<1
1,2-DICHLOROBENZENE	95-50-1	<1
1,3-DICHLOROBENZENE	541-73-1	<1
1,4-DICHLOROBENZENE	106-46-7	<1
DICHLORODIFLUOROMETHANE	75-71-8	<1
1,1-DICHLOROETHANE	75-34-3	<1
1,2-DICHLOROETHANE	107-06-2	<1
1,1-DICHLOROETHENE	75-35-4	<1
cis-1,2-DICHLOROETHENE	156-59-2	<1
trans-1,2-DICHLOROETHENE	156-60-5	<1



 Laboratory Director

000003

Client: LBG Engineers	Client ID: Rowe Industries (Mid 091800)
Date received: 09/22/00	Laboratory ID: 0014411
Date extracted: NA	Matrix: Liquid
Date analyzed: 09/26/00	Contractor: 11418

EPA METHOD 8021

PARAMETER	CAS No.	RESULTS ug/L
1,2-DICHLOROPROPANE	78-87-5	<1
1,3-DICHLOROPROPANE	142-28-9	<1
2,2-DICHLOROPROPANE	594-20-7	<1
1,1-DICHLOROPROPENE	563-58-6	<1
cis-1,3-DICHLOROPROPENE	10061-01-5	<1
trans-1,3-DICHLOROPROPENE	10061-02-6	<1
ETHYLBENZENE	100-41-4	<1
HEXACHLOROBUTADIENE	87-68-3	<1
ISOPROPYLBENZENE	98-82-8	<1
p-ISOPROPYLTOLUENE	99-87-6	<1
METHYLENE CHLORIDE	75-09-2	<1
NAPHTHALENE	91-20-3	<1
n-PROPYLBENZENE	103-65-1	<1
STYRENE	100-42-5	<1
1,1,1,2-TETRACHLOROETHANE	630-20-6	<1
1,1,2,2-TETRACHLOROETHANE	79-34-5	<1
TETRACHLOROETHENE	127-18-4	<1
TOLUENE	108-88-3	<1
1,2,3-TRICHLOROBENZENE	87-61-6	<1
1,2,4-TRICHLOROBENZENE	120-82-1	<1
1,1,1-TRICHLOROETHANE	71-55-6	<1
1,1,2-TRICHLOROETHANE	79-00-5	<1
TRICHLOROETHENE	79-01-6	<1
TRICHLOROFLUOROMETHANE	75-69-4	<1
1,2,3-TRICHLOROPROPANE	96-18-4	<1
1,2,4-TRIMETHYLBENZENE	95-63-6	<1
1,3,5-TRIMETHYLBENZENE	108-67-8	<1
VINYL CHLORIDE	75-01-4	<1
M+P XYLENES	108-38-3/95-47-6	<2
O-XYLENE	106-42-3	<1



 Laboratory Director

000004

Client: LBG Engineers	Client ID: Rowe Industries (Pre 092100)
Date received: 09/22/00	Laboratory ID: 0014412
Date extracted: NA	Matrix: Liquid
Date analyzed: 09/26/00	Contractor: 11418

EPA METHOD 8021

PARAMETER	CAS No.	RESULTS ug/L
BENZENE	71-43-2	<1
BROMOBENZENE	108-86-1	<1
BROMOCHLOROMETHANE	74-97-5	<1
BROMODICHLOROMETHANE	75-27-4	<1
BROMOFORM	75-25-4	<1
BROMOMETHANE	74-83-9	<1
n-BUTYLBENZENE	104-51-8	<1
sec-BUTYLBENZENE	135-98-8	<1
tert-BUTYLBENZENE	98-06-6	<1
CARBON TETRACHLORIDE	56-23-5	<1
CHLOROBENZENE	108-90-7	<1
CHLORODIBROMOMETHANE	124-48-1	<1
CHLOROETHANE	75-00-3	<1
CHLOROFORM	67-66-3	<1
CHLOROMETHANE	74-87-3	<1
2-CHLOROTOLUENE	95-49-8	<1
4-CHLOROTOLUENE	106-43-4	<1
1,2-DIBROMO-3-CHLOROPROPANE	96-12-8	<1
DIBROMOCHLOROMETHANE	124-48-1	<1
1,2-DIBROMOETHANE	106-93-4	<1
DIBROMOMETHANE	74-95-3	<1
1,2-DICHLOROBENZENE	95-50-1	<1
1,3-DICHLOROBENZENE	541-73-1	<1
1,4-DICHLOROBENZENE	106-46-7	<1
DICHLORODIFLUOROMETHANE	75-71-8	<1
1,1-DICHLOROETHANE	75-34-3	<1
1,2-DICHLOROETHANE	107-06-2	<1
1,1-DICHLOROETHENE	75-35-4	<1
cis-1,2-DICHLOROETHENE	156-59-2	<1
trans-1,2-DICHLOROETHENE	156-60-5	<1



 Laboratory Director

000005

Client: LBG Engineers	Client ID: Rowe Industries (Pre 092100)
Date received: 09/22/00	Laboratory ID: 0014412
Date extracted: NA	Matrix: Liquid
Date analyzed: 09/26/00	Contractor: 11418

EPA METHOD 8021

PARAMETER	CAS No.	RESULTS ug/L
1,2-DICHLOROPROPANE	78-87-5	<1
1,3-DICHLOROPROPANE	142-28-9	<1
2,2-DICHLOROPROPANE	594-20-7	<1
1,1-DICHLOROPROPENE	563-58-6	<1
cis-1,3-DICHLOROPROPENE	10061-01-5	<1
trans-1,3-DICHLOROPROPENE	10061-02-6	<1
ETHYLBENZENE	100-41-4	7
HEXACHLOROBUTADIENE	87-68-3	<1
ISOPROPYLBENZENE	98-82-8	<1
p-ISOPROPYLTOLUENE	99-87-6	<1
METHYLENE CHLORIDE	75-09-2	<1
NAPHTHALENE	91-20-3	<1
n-PROPYLBENZENE	103-65-1	<1
STYRENE	100-42-5	<1
1,1,1,2-TETRACHLOROETHANE	630-20-6	<1
1,1,2,2-TETRACHLOROETHANE	79-34-5	<1
TETRACHLOROETHENE	127-18-4	2,300
TOLUENE	108-88-3	<1
1,2,3-TRICHLOROBENZENE	87-61-6	<1
1,2,4-TRICHLOROBENZENE	120-82-1	<1
1,1,1-TRICHLOROETHANE	71-55-6	17
1,1,2-TRICHLOROETHANE	79-00-5	<1
TRICHLOROETHENE	79-01-6	4
TRICHLOROFLUOROMETHANE	75-69-4	<1
1,2,3-TRICHLOROPROPANE	96-18-4	<1
1,2,4-TRIMETHYLBENZENE	95-63-6	8
1,3,5-TRIMETHYLBENZENE	108-67-8	12
VINYL CHLORIDE	75-01-4	<1
M+P XYLENES	108-38-3/95-47-6	<2
O-XYLENE	106-42-3	<1



 Laboratory Director

000006

Client: LBG Engineers	Client ID: Rowe Industries (Mid 092100)
Date received: 09/22/00	Laboratory ID: 0014413
Date extracted: NA	Matrix: Liquid
Date analyzed: 09/26/00	Contractor: 11418

EPA METHOD 8021

PARAMETER	CAS No.	RESULTS ug/L
BENZENE	71-43-2	<1
BROMOBENZENE	108-86-1	<1
BROMOCHLOROMETHANE	74-97-5	<1
BROMODICHLOROMETHANE	75-27-4	<1
BROMOFORM	75-25-4	<1
BROMOMETHANE	74-83-9	<1
n-BUTYLBENZENE	104-51-8	<1
sec-BUTYLBENZENE	135-98-8	<1
tert-BUTYLBENZENE	98-06-6	<1
CARBON TETRACHLORIDE	56-23-5	<1
CHLOROBENZENE	108-90-7	<1
CHLORODIBROMOMETHANE	124-48-1	<1
CHLOROETHANE	75-00-3	<1
CHLOROFORM	67-66-3	<1
CHLOROMETHANE	74-87-3	<1
2-CHLOROTOLUENE	95-49-8	<1
4-CHLOROTOLUENE	106-43-4	<1
1,2-DIBROMO-3-CHLOROPROPANE	96-12-8	<1
DIBROMOCHLOROMETHANE	124-48-1	<1
1,2-DIBROMOETHANE	106-93-4	<1
DIBROMOMETHANE	74-95-3	<1
1,2-DICHLOROBENZENE	95-50-1	<1
1,3-DICHLOROBENZENE	541-73-1	<1
1,4-DICHLOROBENZENE	106-46-7	<1
DICHLORODIFLUOROMETHANE	75-71-8	<1
1,1-DICHLOROETHANE	75-34-3	<1
1,2-DICHLOROETHANE	107-06-2	<1
1,1-DICHLOROETHENE	75-35-4	<1
cis-1,2-DICHLOROETHENE	156-59-2	<1
trans-1,2-DICHLOROETHENE	156-60-5	<1



 Laboratory Director

000007


Client: LBG Engineers	Client ID: Rowe Industries (Mid 092100)
Date received: 09/22/00	Laboratory ID: 0014413
Date extracted: NA	Matrix: Liquid
Date analyzed: 09/26/00	Contractor: 11418

EPA METHOD 8021

PARAMETER	CAS No.	RESULTS ug/L
1,2-DICHLOROPROPANE	78-87-5	<1
1,3-DICHLOROPROPANE	142-28-9	<1
2,2-DICHLOROPROPANE	594-20-7	<1
1,1-DICHLOROPROPENE	563-58-6	<1
cis-1,3-DICHLOROPROPENE	10061-01-5	<1
trans-1,3-DICHLOROPROPENE	10061-02-6	<1
ETHYLBENZENE	100-41-4	<1
HEXACHLOROBUTADIENE	87-68-3	<1
ISOPROPYLBENZENE	98-82-8	<1
p-ISOPROPYLTOLUENE	99-87-6	<1
METHYLENE CHLORIDE	75-09-2	<1
NAPHTHALENE	91-20-3	<1
n-PROPYLBENZENE	103-65-1	<1
STYRENE	100-42-5	<1
1,1,1,2-TETRACHLOROETHANE	630-20-6	<1
1,1,2,2-TETRACHLOROETHANE	79-34-5	<1
TETRACHLOROETHENE	127-18-4	<1
TOLUENE	108-88-3	<1
1,2,3-TRICHLOROBENZENE	87-61-6	<1
1,2,4-TRICHLOROBENZENE	120-82-1	<1
1,1,1-TRICHLOROETHANE	71-55-6	<1
1,1,2-TRICHLOROETHANE	79-00-5	<1
TRICHLOROETHENE	79-01-6	<1
TRICHLOROFLUOROMETHANE	75-69-4	<1
1,2,3-TRICHLOROPROPANE	96-18-4	<1
1,2,4-TRIMETHYLBENZENE	95-63-6	<1
1,3,5-TRIMETHYLBENZENE	108-67-8	<1
VINYL CHLORIDE	75-01-4	<1
M+P XYLENES	108-38-3/95-47-6	<2
O-XYLENE	106-42-3	<1


 Laboratory Director

000008



ELAP
PAT, LPAT
PH-0205

11418
15668

[illegible]

WHITE OFFICE / CANADY-1 AR / PINK-SAMPLE CUSTODIAN / GOLDENBOD-CLIENT



NYSDOH
AIHA
CTDOH

ELAP
PAT, LPAT
PH-0205

11418
102391

October 03, 2000

Paul Jobmann
LBG Engineers
126 Monroe Turnpike
Trumbull, CT 06611

Re: Rowe Industries

Dear Mr. Jobmann;

Enclosed please find the Laboratory Analysis Report(s) for sample(s) received on September 29, 2000. American Analytical Laboratories analyzed the samples through September 30, 2000 for the following;

CLIENT ID	ANALYSIS
Pre 92500	EPA 8021
Mid 92500	EPA 8021
Pre 92800	EPA 8021
Mid 92800	EPA 8021

This report consists of 8 pages of analytical results.

If you have any questions or require further information, please call at your convenience. American Analytical Laboratories would like to thank you for the opportunity to be of service to you.

Best Regards,

American Analytical Laboratories, Inc.

Client: LBG Engineers	Client ID: Rowe Industries (Pre 92500)
Date received: 09/29/00	Laboratory ID: 0014533
Date extracted: NA	Matrix: Liquid
Date analyzed: 09/30/00	Contractor: 11418

EPA METHOD 8021

PARAMETER	CAS No.	RESULTS ug/L
BENZENE	71-43-2	<1
BROMOBENZENE	108-86-1	<1
BROMOCHLOROMETHANE	74-97-5	<1
BROMODICHLOROMETHANE	75-27-4	<1
BROMOFORM	75-25-4	<1
BROMOMETHANE	74-83-9	<1
n-BUTYLBENZENE	104-51-8	<1
sec-BUTYLBENZENE	135-98-8	<1
tert-BUTYLBENZENE	98-06-6	<1
CARBON TETRACHLORIDE	56-23-5	<1
CHLOROBENZENE	108-90-7	<1
CHLORODIBROMOMETHANE	124-48-1	<1
CHLOROETHANE	75-00-3	<1
CHLOROFORM	67-66-3	<1
CHLOROMETHANE	74-87-3	<1
2-CHLOROTOLUENE	95-49-8	<1
4-CHLOROTOLUENE	106-43-4	<1
1,2-DIBROMO-3-CHLOROPROPANE	96-12-8	<1
DIBROMOCHLOROMETHANE	124-48-1	<1
1,2-DIBROMOETHANE	106-93-4	<1
DIBROMOMETHANE	74-95-3	<1
1,2-DICHLOROBENZENE	95-50-1	<1
1,3-DICHLOROBENZENE	541-73-1	<1
1,4-DICHLOROBENZENE	106-46-7	<1
DICHLORODIFLUOROMETHANE	75-71-8	<1
1,1-DICHLOROETHANE	75-34-3	<1
1,2-DICHLOROETHANE	107-06-2	<1
1,1-DICHLOROETHENE	75-35-4	<1
cis-1,2-DICHLOROETHENE	156-59-2	<1
trans-1,2-DICHLOROETHENE	156-60-5	<1

John Bear

Laboratory Director

000001

Client: LBG Engineers	Client ID: Rowe Industries (Pre 92500)
Date received: 09/29/00	Laboratory ID: 0014533
Date extracted: NA	Matrix: Liquid
Date analyzed: 09/30/00	Contractor: 11418

EPA METHOD 8021

PARAMETER	CAS No.	RESULTS ug/L
1,2-DICHLOROPROPANE	78-87-5	<1
1,3-DICHLOROPROPANE	142-28-9	<1
2,2-DICHLOROPROPANE	594-20-7	<1
1,1-DICHLOROPROPENE	563-58-6	<1
cis-1,3-DICHLOROPROPENE	10061-01-5	<1
trans-1,3-DICHLOROPROPENE	10061-02-6	<1
ETHYLBENZENE	100-41-4	<1
HEXACHLOROBUTADIENE	87-68-3	<1
ISOPROPYLBENZENE	98-82-8	2
p-ISOPROPYLTOLUENE	99-87-6	<1
METHYLENE CHLORIDE	75-09-2	<1
NAPHTHALENE	91-20-3	<1
n-PROPYLBENZENE	103-65-1	<1
STYRENE	100-42-5	<1
1,1,1,2-TETRACHLOROETHANE	630-20-6	<1
1,1,2,2-TETRACHLOROETHANE	79-34-5	<1
TETRACHLOROETHENE	127-18-4	410
TOLUENE	108-88-3	<1
1,2,3-TRICHLOROBENZENE	87-61-6	<1
1,2,4-TRICHLOROBENZENE	120-82-1	<1
1,1,1-TRICHLOROETHANE	71-55-6	<1
1,1,2-TRICHLOROETHANE	79-00-5	<1
TRICHLOROETHENE	79-01-6	2
TRICHLOROFLUOROMETHANE	75-69-4	<1
1,2,3-TRICHLOROPROPANE	96-18-4	<1
1,2,4-TRIMETHYLBENZENE	95-63-6	1
1,3,5-TRIMETHYLBENZENE	108-67-8	3
VINYL CHLORIDE	75-01-4	<1
M+P XYLENES	108-38-3/95-47-6	2
O-XYLENE	106-42-3	12




Laboratory Director

000002

Client: LBG Engineers	Client ID: Rowe Industries (Mid 92500)
Date received: 09/29/00	Laboratory ID: 0014534
Date extracted: NA	Matrix: Liquid
Date analyzed: 09/30/00	Contractor: 11418

EPA METHOD 8021

PARAMETER	CAS No.	RESULTS ug/L
BENZENE	71-43-2	<1
BROMOBENZENE	108-86-1	<1
BROMOCHLOROMETHANE	74-97-5	<1
BROMODICHLOROMETHANE	75-27-4	<1
BROMOFORM	75-25-4	<1
BROMOMETHANE	74-83-9	<1
n-BUTYLBENZENE	104-51-8	<1
sec-BUTYLBENZENE	135-98-8	<1
tert-BUTYLBENZENE	98-06-6	<1
CARBON TETRACHLORIDE	56-23-5	<1
CHLOROBENZENE	108-90-7	<1
CHLORODIBROMOMETHANE	124-48-1	<1
CHLOROETHANE	75-00-3	<1
CHLOROFORM	67-66-3	<1
CHLOROMETHANE	74-87-3	<1
2-CHLOROTOLUENE	95-49-8	<1
4-CHLOROTOLUENE	106-43-4	<1
1,2-DIBROMO-3-CHLOROPROPANE	96-12-8	<1
DIBROMOCHLOROMETHANE	124-48-1	<1
1,2-DIBROMOETHANE	106-93-4	<1
DIBROMOMETHANE	74-95-3	<1
1,2-DICHLOROBENZENE	95-50-1	<1
1,3-DICHLOROBENZENE	541-73-1	<1
1,4-DICHLOROBENZENE	106-46-7	<1
DICHLORODIFLUOROMETHANE	75-71-8	<1
1,1-DICHLOROETHANE	75-34-3	<1
1,2-DICHLOROETHANE	107-06-2	<1
1,1-DICHLOROETHENE	75-35-4	<1
cis-1,2-DICHLOROETHENE	156-59-2	<1
trans-1,2-DICHLOROETHENE	156-60-5	<1



 Laboratory Director

000003

Client: LBG Engineers	Client ID: Rowe Industries (Mid 92500)
Date received: 09/29/00	Laboratory ID: 0014534
Date extracted: NA	Matrix: Liquid
Date analyzed: 09/30/00	Contractor: 11418

EPA METHOD 8021

PARAMETER	CAS No.	RESULTS ug/L
1,2-DICHLOROPROPANE	78-87-5	<1
1,3-DICHLOROPROPANE	142-28-9	<1
2,2-DICHLOROPROPANE	594-20-7	<1
1,1-DICHLOROPROPENE	563-58-6	<1
cis-1,3-DICHLOROPROPENE	10061-01-5	<1
trans-1,3-DICHLOROPROPENE	10061-02-6	<1
ETHYLBENZENE	100-41-4	<1
HEXACHLOROBUTADIENE	87-68-3	<1
ISOPROPYLBENZENE	98-82-8	<1
p-ISOPROPYLTOLUENE	99-87-6	<1
METHYLENE CHLORIDE	75-09-2	<1
NAPHTHALENE	91-20-3	<1
n-PROPYLBENZENE	103-65-1	<1
STYRENE	100-42-5	<1
1,1,1,2-TETRACHLOROETHANE	630-20-6	<1
1,1,2,2-TETRACHLOROETHANE	79-34-5	<1
TETRACHLOROETHENE	127-18-4	<1
TOLUENE	108-88-3	<1
1,2,3-TRICHLOROBENZENE	87-61-6	<1
1,2,4-TRICHLOROBENZENE	120-82-1	<1
1,1,1-TRICHLOROETHANE	71-55-6	<1
1,1,2-TRICHLOROETHANE	79-00-5	<1
TRICHLOROETHENE	79-01-6	<1
TRICHLOROFLUOROMETHANE	75-69-4	<1
1,2,3-TRICHLOROPROPANE	96-18-4	<1
1,2,4-TRIMETHYLBENZENE	95-63-6	<1
1,3,5-TRIMETHYLBENZENE	108-67-8	<1
VINYL CHLORIDE	75-01-4	<1
M+P XYLENES	108-38-3/95-47-6	<2
O-XYLENE	106-42-3	<1



 Laboratory Director

000004

Client: LBG Engineers	Client ID: Rowe Industries (Pre 92800)
Date received: 09/29/00	Laboratory ID: 0014535
Date extracted: NA	Matrix: Liquid
Date analyzed: 09/30/00	Contractor: 11418

EPA METHOD 8021

PARAMETER	CAS No.	RESULTS ug/L
BENZENE	71-43-2	<1
BROMOBENZENE	108-86-1	<1
BROMOCHLOROMETHANE	74-97-5	<1
BROMODICHLOROMETHANE	75-27-4	<1
BROMOFORM	75-25-4	<1
BROMOMETHANE	74-83-9	<1
n-BUTYLBENZENE	104-51-8	<1
sec-BUTYLBENZENE	135-98-8	<1
tert-BUTYLBENZENE	98-06-6	<1
CARBON TETRACHLORIDE	56-23-5	<1
CHLOROBENZENE	108-90-7	<1
CHLORODIBROMOMETHANE	124-48-1	<1
CHLOROETHANE	75-00-3	<1
CHLOROFORM	67-66-3	<1
CHLOROMETHANE	74-87-3	<1
2-CHLOROTOLUENE	95-49-8	<1
4-CHLOROTOLUENE	106-43-4	<1
1,2-DIBROMO-3-CHLOROPROPANE	96-12-8	<1
DIBROMOCHLOROMETHANE	124-48-1	<1
1,2-DIBROMOETHANE	106-93-4	<1
DIBROMOMETHANE	74-95-3	<1
1,2-DICHLOROBENZENE	95-50-1	<1
1,3-DICHLOROBENZENE	541-73-1	<1
1,4-DICHLOROBENZENE	106-46-7	<1
DICHLORODIFLUOROMETHANE	75-71-8	<1
1,1-DICHLOROETHANE	75-34-3	<1
1,2-DICHLOROETHANE	107-06-2	<1
1,1-DICHLOROETHENE	75-35-4	<1
cis-1,2-DICHLOROETHENE	156-59-2	<1
trans-1,2-DICHLOROETHENE	156-60-5	<1



 Laboratory Director

000005

Client: LBG Engineers	Client ID: Rowe Industries (Pre 92800)
Date received: 09/29/00	Laboratory ID: 0014535
Date extracted: NA	Matrix: Liquid
Date analyzed: 09/30/00	Contractor: 11418

EPA METHOD 8021

PARAMETER	CAS No.	RESULTS ug/L
1,2-DICHLOROPROPANE	78-87-5	<1
1,3-DICHLOROPROPANE	142-28-9	<1
2,2-DICHLOROPROPANE	594-20-7	<1
1,1-DICHLOROPROPENE	563-58-6	<1
cis-1,3-DICHLOROPROPENE	10061-01-5	<1
trans-1,3-DICHLOROPROPENE	10061-02-6	<1
ETHYLBENZENE	100-41-4	<1
HEXACHLOROBUTADIENE	87-68-3	<1
ISOPROPYLBENZENE	98-82-8	2
p-ISOPROPYLTOLUENE	99-87-6	<1
METHYLENE CHLORIDE	75-09-2	<1
NAPHTHALENE	91-20-3	<1
n-PROPYLBENZENE	103-65-1	<1
STYRENE	100-42-5	<1
1,1,1,2-TETRACHLOROETHANE	630-20-6	<1
1,1,2,2-TETRACHLOROETHANE	79-34-5	<1
TETRACHLOROETHENE	127-18-4	470
TOLUENE	108-88-3	<1
1,2,3-TRICHLOROBENZENE	87-61-6	<1
1,2,4-TRICHLOROBENZENE	120-82-1	<1
1,1,1-TRICHLOROETHANE	71-55-6	<1
1,1,2-TRICHLOROETHANE	79-00-5	<1
TRICHLOROETHENE	79-01-6	1
TRICHLOROFLUOROMETHANE	75-69-4	<1
1,2,3-TRICHLOROPROPANE	96-18-4	<1
1,2,4-TRIMETHYLBENZENE	95-63-6	2
1,3,5-TRIMETHYLBENZENE	108-67-8	3
VINYL CHLORIDE	75-01-4	<1
M+P XYLENES	108-38-3/95-47-6	2
O-XYLENE	106-42-3	14



 Laboratory Director

000006

Client: LBG Engineers	Client ID: Rowe Industries (Mid 92800)
Date received: 09/29/00	Laboratory ID: 0014536
Date extracted: NA	Matrix: Liquid
Date analyzed: 09/30/00	Contractor: 11418

EPA METHOD 8021

PARAMETER	CAS No.	RESULTS ug/L
BENZENE	71-43-2	<1
BROMOBENZENE	108-86-1	<1
BROMOCHLOROMETHANE	74-97-5	<1
BROMODICHLOROMETHANE	75-27-4	<1
BROMOFORM	75-25-4	<1
BROMOMETHANE	74-83-9	<1
n-BUTYLBENZENE	104-51-8	<1
sec-BUTYLBENZENE	135-98-8	<1
tert-BUTYLBENZENE	98-06-6	<1
CARBON TETRACHLORIDE	56-23-5	<1
CHLOROBENZENE	108-90-7	<1
CHLORODIBROMOMETHANE	124-48-1	<1
CHLOROETHANE	75-00-3	<1
CHLOROFORM	67-66-3	<1
CHLOROMETHANE	74-87-3	<1
2-CHLOROTOLUENE	95-49-8	<1
4-CHLOROTOLUENE	106-43-4	<1
1,2-DIBROMO-3-CHLOROPROPANE	96-12-8	<1
DIBROMOCHLOROMETHANE	124-48-1	<1
1,2-DIBROMOETHANE	106-93-4	<1
DIBROMOMETHANE	74-95-3	<1
1,2-DICHLOROBENZENE	95-50-1	<1
1,3-DICHLOROBENZENE	541-73-1	<1
1,4-DICHLOROBENZENE	106-46-7	<1
DICHLORODIFLUOROMETHANE	75-71-8	<1
1,1-DICHLOROETHANE	75-34-3	<1
1,2-DICHLOROETHANE	107-06-2	<1
1,1-DICHLOROETHENE	75-35-4	<1
cis-1,2-DICHLOROETHENE	156-59-2	<1
trans-1,2-DICHLOROETHENE	156-60-5	<1



 Laboratory Director

000007

Client: LBG Engineers	Client ID: Rowe Industries (Mid 92800)
Date received: 09/29/00	Laboratory ID: 0014536
Date extracted: NA	Matrix: Liquid
Date analyzed: 09/30/00	Contractor: 11418

EPA METHOD 8021

PARAMETER	CAS No.	RESULTS ug/L
1,2-DICHLOROPROPANE	78-87-5	<1
1,3-DICHLOROPROPANE	142-28-9	<1
2,2-DICHLOROPROPANE	594-20-7	<1
1,1-DICHLOROPROPENE	563-58-6	<1
cis-1,3-DICHLOROPROPENE	10061-01-5	<1
trans-1,3-DICHLOROPROPENE	10061-02-6	<1
ETHYLBENZENE	100-41-4	<1
HEXACHLOROBUTADIENE	87-68-3	<1
ISOPROPYLBENZENE	98-82-8	<1
p-ISOPROPYLTOLUENE	99-87-6	<1
METHYLENE CHLORIDE	75-09-2	<1
NAPHTHALENE	91-20-3	<1
n-PROPYLBENZENE	103-65-1	<1
STYRENE	100-42-5	<1
1,1,1,2-TETRACHLOROETHANE	630-20-6	<1
1,1,2,2-TETRACHLOROETHANE	79-34-5	<1
TETRACHLOROETHENE	127-18-4	<1
TOLUENE	108-88-3	<1
1,2,3-TRICHLOROBENZENE	87-61-6	<1
1,2,4-TRICHLOROBENZENE	120-82-1	<1
1,1,1-TRICHLOROETHANE	71-55-6	<1
1,1,2-TRICHLOROETHANE	79-00-5	<1
TRICHLOROETHENE	79-01-6	<1
TRICHLOROFLUOROMETHANE	75-69-4	<1
1,2,3-TRICHLOROPROPANE	96-18-4	<1
1,2,4-TRIMETHYLBENZENE	95-63-6	<1
1,3,5-TRIMETHYLBENZENE	108-67-8	<1
VINYL CHLORIDE	75-01-4	<1
M+P XYLENES	108-38-3/95-47-6	<2
O-XYLENE	106-42-3	<1


 Laboratory Director

000008

CHAIN OF CUSTODY / REQUEST FOR ANALYSIS DOCUMENT

CLIENT NAME/ADDRESS LBG 126 Monroe Turnpike Trumbull, Ct. 06611					CONTACT: Paul Jobman		SAMPLER (SIGNATURE) <i>James M. Forrester</i> DATE _____ TIME _____		SAMPLE(S) SEALED YES / NO		
PROJECT LOCATION: Rowe Industries					SAMPLER NAME (PRINT) J. Forrester		CORRECT CONTAINER(S) YES / NO				
LABORATORY ID # MATRIX TYPE PRES. SAMPLE # - LOCATION					ANALYSIS REQUIRED 8021B						
9/25/00 { L G HL pre 92500 { L G HL mid 92500					X X		0014523 1534				
9/28/00 L G HL pre 92800 L G HL mid 92800 L G HL post 92800					X X X		0014535 1536				
★ only run post 92800 if mid 92800 contains detectable concentration.											
MATRIX S=SOIL; L=LIQUID; SL=SLUDGE; A=AIR; W=WIFE; P=PAINT CHIPS; B=BULK MATERIAL TYPE G=GRAB; C=COMPOSITE, SS=SPLIT SPOON					TURNAROUND REQUIRED: NORMAL ☒ STAT ☐ BY 1/1		COMMENTS / INSTRUCTIONS				
RELINQUISHED BY (SIGNATURE) <i>James M. Forrester</i>		DATE 9/28/00 TIME 12:15		PRINTED NAME J. Forrester		RECEIVED BY LAB (SIGNATURE) <i>[Signature]</i>		DATE 9/29/00 TIME 10:15		PRINTED NAME J. R. B. A. C.	



NYSDOH
AIHA
CTDOH

ELAP
PAT, LPAT
PH-0205

11418
102391

October 10, 2000

Paul Jobmann
LBG Engineers
126 Monroe Turnpike
Trumbull, CT 06611

Re: Rowe Industries

Dear Mr. Jobmann;

Enclosed please find the Laboratory Analysis Report(s) for sample(s) received on October 06, 2000. American Analytical Laboratories analyzed the samples through October 06, 2000 for the following;

CLIENT ID	ANALYSIS
Pre 100200	EPA 8021
Mid 100200	EPA 8021
Pre 100500	EPA 8021
Mid 100500	EPA 8021

This report consists of 8 pages of analytical results.

If you have any questions or require further information, please call at your convenience. American Analytical Laboratories would like to thank you for the opportunity to be of service to you.

Best Regards,

American Analytical Laboratories, Inc.

Client: LBG Engineers	Client ID: Rowe Industries (Pre 100200)
Date received: 10/06/00	Laboratory ID: 0014600
Date extracted: NA	Matrix: Liquid
Date analyzed: 10/06/00	Contractor: 11418

EPA METHOD 8021

PARAMETER	CAS No.	RESULTS ug/L
BENZENE	71-43-2	<1
BROMOBENZENE	108-86-1	<1
BROMOCHLOROMETHANE	74-97-5	<1
BROMODICHLOROMETHANE	75-27-4	<1
BROMOFORM	75-25-4	<1
BROMOMETHANE	74-83-9	<1
n-BUTYLBENZENE	104-51-8	<1
sec-BUTYLBENZENE	135-98-8	<1
tert-BUTYLBENZENE	98-06-6	<1
CARBON TETRACHLORIDE	56-23-5	<1
CHLOROBENZENE	108-90-7	<1
CHLORODIBROMOMETHANE	124-48-1	<1
CHLOROETHANE	75-00-3	<1
CHLOROFORM	67-66-3	<1
CHLOROMETHANE	74-87-3	<1
2-CHLOROTOLUENE	95-49-8	<1
4-CHLOROTOLUENE	106-43-4	<1
1,2-DIBROMO-3-CHLOROPROPANE	96-12-8	<1
DIBROMOCHLOROMETHANE	124-48-1	<1
1,2-DIBROMOETHANE	106-93-4	<1
DIBROMOMETHANE	74-95-3	<1
1,2-DICHLOROBENZENE	95-50-1	<1
1,3-DICHLOROBENZENE	541-73-1	<1
1,4-DICHLOROBENZENE	106-46-7	<1
DICHLORODIFLUOROMETHANE	75-71-8	<1
1,1-DICHLOROETHANE	75-34-3	<1
1,2-DICHLOROETHANE	107-06-2	<1
1,1-DICHLOROETHENE	75-35-4	<1
cis-1,2-DICHLOROETHENE	156-59-2	<1
trans-1,2-DICHLOROETHENE	156-60-5	<1



 Laboratory Director

000001

Client: LBG Engineers	Client ID: Rowe Industries (Pre 100200)
Date received: 10/06/00	Laboratory ID: 0014600
Date extracted: NA	Matrix: Liquid
Date analyzed: 10/06/00	Contractor: 11418

EPA METHOD 8021

PARAMETER	CAS No.	RESULTS ug/L
1,2-DICHLOROPROPANE	78-87-5	<1
1,3-DICHLOROPROPANE	142-28-9	<1
2,2-DICHLOROPROPANE	594-20-7	<1
1,1-DICHLOROPROPENE	563-58-6	<1
cis-1,3-DICHLOROPROPENE	10061-01-5	<1
trans-1,3-DICHLOROPROPENE	10061-02-6	<1
ETHYLBENZENE	100-41-4	1
HEXACHLOROBUTADIENE	87-68-3	<1
ISOPROPYLBENZENE	98-82-8	4
p-ISOPROPYLTOLUENE	99-87-6	<1
METHYLENE CHLORIDE	75-09-2	<1
NAPHTHALENE	91-20-3	<1
n-PROPYLBENZENE	103-65-1	<1
STYRENE	100-42-5	<1
1,1,1,2-TETRACHLOROETHANE	630-20-6	<1
1,1,2,2-TETRACHLOROETHANE	79-34-5	<1
TETRACHLOROETHENE	127-18-4	650
TOLUENE	108-88-3	<1
1,2,3-TRICHLOROBENZENE	87-61-6	<1
1,2,4-TRICHLOROBENZENE	120-82-1	<1
1,1,1-TRICHLOROETHANE	71-55-6	<1
1,1,2-TRICHLOROETHANE	79-00-5	<1
TRICHLOROETHENE	79-01-6	<1
TRICHLOROFLUOROMETHANE	75-69-4	<1
1,2,3-TRICHLOROPROPANE	96-18-4	<1
1,2,4-TRIMETHYLBENZENE	95-63-6	2
1,3,5-TRIMETHYLBENZENE	108-67-8	5
VINYL CHLORIDE	75-01-4	<1
M+P XYLENES	108-38-3/95-47-6	4
O-XYLENE	106-42-3	16


 Laboratory Director

000002

Client: LBG Engineers	Client ID: Rowe Industries (Mid 100200)
Date received: 10/06/00	Laboratory ID: 0014601
Date extracted: NA	Matrix: Liquid
Date analyzed: 10/06/00	Contractor: 11418

EPA METHOD 8021

PARAMETER	CAS No.	RESULTS ug/L
BENZENE	71-43-2	<1
BROMOBENZENE	108-86-1	<1
BROMOCHLOROMETHANE	74-97-5	<1
BROMODICHLOROMETHANE	75-27-4	<1
BROMOFORM	75-25-4	<1
BROMOMETHANE	74-83-9	<1
n-BUTYLBENZENE	104-51-8	<1
sec-BUTYLBENZENE	135-98-8	<1
tert-BUTYLBENZENE	98-06-6	<1
CARBON TETRACHLORIDE	56-23-5	<1
CHLOROBENZENE	108-90-7	<1
CHLORODIBROMOMETHANE	124-48-1	<1
CHLOROETHANE	75-00-3	<1
CHLOROFORM	67-66-3	<1
CHLOROMETHANE	74-87-3	<1
2-CHLOROTOLUENE	95-49-8	<1
4-CHLOROTOLUENE	106-43-4	<1
1,2-DIBROMO-3-CHLOROPROPANE	96-12-8	<1
DIBROMOCHLOROMETHANE	124-48-1	<1
1,2-DIBROMOETHANE	106-93-4	<1
DIBROMOMETHANE	74-95-3	<1
1,2-DICHLOROBENZENE	95-50-1	<1
1,3-DICHLOROBENZENE	541-73-1	<1
1,4-DICHLOROBENZENE	106-46-7	<1
DICHLORODIFLUOROMETHANE	75-71-8	<1
1,1-DICHLOROETHANE	75-34-3	<1
1,2-DICHLOROETHANE	107-06-2	<1
1,1-DICHLOROETHENE	75-35-4	<1
cis-1,2-DICHLOROETHENE	156-59-2	<1
trans-1,2-DICHLOROETHENE	156-60-5	<1



 Laboratory Director

000003

Client: LBG Engineers	Client ID: Rowe Industries (Mid 100200)
Date received: 10/06/00	Laboratory ID: 0014601
Date extracted: NA	Matrix: Liquid
Date analyzed: 10/06/00	Contractor: 11418

EPA METHOD 8021

PARAMETER	CAS No.	RESULTS ug/L
1,2-DICHLOROPROPANE	78-87-5	<1
1,3-DICHLOROPROPANE	142-28-9	<1
2,2-DICHLOROPROPANE	594-20-7	<1
1,1-DICHLOROPROPENE	563-58-6	<1
cis-1,3-DICHLOROPROPENE	10061-01-5	<1
trans-1,3-DICHLOROPROPENE	10061-02-6	<1
ETHYLBENZENE	100-41-4	<1
HEXACHLOROBUTADIENE	87-68-3	<1
ISOPROPYLBENZENE	98-82-8	<1
p-ISOPROPYLTOLUENE	99-87-6	<1
METHYLENE CHLORIDE	75-09-2	<1
NAPHTHALENE	91-20-3	<1
n-PROPYLBENZENE	103-65-1	<1
STYRENE	100-42-5	<1
1,1,1,2-TETRACHLOROETHANE	630-20-6	<1
1,1,2,2-TETRACHLOROETHANE	79-34-5	<1
TETRACHLOROETHENE	127-18-4	<1
TOLUENE	108-88-3	<1
1,2,3-TRICHLOROBENZENE	87-61-6	<1
1,2,4-TRICHLOROBENZENE	120-82-1	<1
1,1,1-TRICHLOROETHANE	71-55-6	<1
1,1,2-TRICHLOROETHANE	79-00-5	<1
TRICHLOROETHENE	79-01-6	<1
TRICHLOROFLUOROMETHANE	75-69-4	<1
1,2,3-TRICHLOROPROPANE	96-18-4	<1
1,2,4-TRIMETHYLBENZENE	95-63-6	<1
1,3,5-TRIMETHYLBENZENE	108-67-8	<1
VINYL CHLORIDE	75-01-4	<1
M+P XYLENES	108-38-3/95-47-6	<2
O-XYLENE	106-42-3	<1



Laboratory Director

000004

Client: LBG Engineers	Client ID: Rowe Industries (Pre 100500)
Date received: 10/06/00	Laboratory ID: 0014602
Date extracted: NA	Matrix: Liquid
Date analyzed: 10/06/00	Contractor: 11418

EPA METHOD 8021

PARAMETER	CAS No.	RESULTS ug/L
BENZENE	71-43-2	<1
BROMOBENZENE	108-86-1	<1
BROMOCHLOROMETHANE	74-97-5	<1
BROMODICHLOROMETHANE	75-27-4	<1
BROMOFORM	75-25-4	<1
BROMOMETHANE	74-83-9	<1
n-BUTYLBENZENE	104-51-8	<1
sec-BUTYLBENZENE	135-98-8	<1
tert-BUTYLBENZENE	98-06-6	<1
CARBON TETRACHLORIDE	56-23-5	<1
CHLOROBENZENE	108-90-7	<1
CHLORODIBROMOMETHANE	124-48-1	<1
CHLOROETHANE	75-00-3	<1
CHLOROFORM	67-66-3	<1
CHLOROMETHANE	74-87-3	<1
2-CHLOROTOLUENE	95-49-8	<1
4-CHLOROTOLUENE	106-43-4	<1
1,2-DIBROMO-3-CHLOROPROPANE	96-12-8	<1
DIBROMOCHLOROMETHANE	124-48-1	<1
1,2-DIBROMOETHANE	106-93-4	<1
DIBROMOMETHANE	74-95-3	<1
1,2-DICHLOROBENZENE	95-50-1	<1
1,3-DICHLOROBENZENE	541-73-1	<1
1,4-DICHLOROBENZENE	106-46-7	<1
DICHLORODIFLUOROMETHANE	75-71-8	<1
1,1-DICHLOROETHANE	75-34-3	<1
1,2-DICHLOROETHANE	107-06-2	<1
1,1-DICHLOROETHENE	75-35-4	<1
cis-1,2-DICHLOROETHENE	156-59-2	<1
trans-1,2-DICHLOROETHENE	156-60-5	<1



 Laboratory Director

000005

Client: LBG Engineers	Client ID: Rowe Industries (Pre 100500)
Date received: 10/06/00	Laboratory ID: 0014602
Date extracted: NA	Matrix: Liquid
Date analyzed: 10/06/00	Contractor: 11418

EPA METHOD 8021

PARAMETER	CAS No.	RESULTS ug/L
1,2-DICHLOROPROPANE	78-87-5	<1
1,3-DICHLOROPROPANE	142-28-9	<1
2,2-DICHLOROPROPANE	594-20-7	<1
1,1-DICHLOROPROPENE	563-58-6	<1
cis-1,3-DICHLOROPROPENE	10061-01-5	<1
trans-1,3-DICHLOROPROPENE	10061-02-6	<1
ETHYLBENZENE	100-41-4	2
HEXACHLOROBUTADIENE	87-68-3	<1
ISOPROPYLBENZENE	98-82-8	6
p-ISOPROPYLTOLUENE	99-87-6	<1
METHYLENE CHLORIDE	75-09-2	<1
NAPHTHALENE	91-20-3	<1
n-PROPYLBENZENE	103-65-1	1
STYRENE	100-42-5	<1
1,1,1,2-TETRACHLOROETHANE	630-20-6	<1
1,1,1,2-TETRACHLOROETHANE	79-34-5	<1
TETRACHLOROETHENE	127-18-4	960
TOLUENE	108-88-3	<1
1,2,3-TRICHLOROBENZENE	87-61-6	<1
1,2,4-TRICHLOROBENZENE	120-82-1	<1
1,1,1-TRICHLOROETHANE	71-55-6	<1
1,1,2-TRICHLOROETHANE	79-00-5	<1
TRICHLOROETHENE	79-01-6	<1
TRICHLOROFLUOROMETHANE	75-69-4	<1
1,2,3-TRICHLOROPROPANE	96-18-4	<1
1,2,4-TRIMETHYLBENZENE	95-63-6	<1
1,3,5-TRIMETHYLBENZENE	108-67-8	<1
VINYL CHLORIDE	75-01-4	<1
M+P XYLENES	108-38-3/95-47-6	6
O-XYLENE	106-42-3	23



Laboratory Director

000006

Client: LBG Engineers	Client ID: Rowe Industries (Mid 100500)
Date received: 10/06/00	Laboratory ID: 0014603
Date extracted: NA	Matrix: Liquid
Date analyzed: 10/06/00	Contractor: 11418

EPA METHOD 8021

PARAMETER	CAS No.	RESULTS ug/L
BENZENE	71-43-2	<1
BROMOBENZENE	108-86-1	<1
BROMOCHLOROMETHANE	74-97-5	<1
BROMODICHLOROMETHANE	75-27-4	<1
BROMOFORM	75-25-4	<1
BROMOMETHANE	74-83-9	<1
n-BUTYLBENZENE	104-51-8	<1
sec-BUTYLBENZENE	135-98-8	<1
tert-BUTYLBENZENE	98-06-6	<1
CARBON TETRACHLORIDE	56-23-5	<1
CHLOROBENZENE	108-90-7	<1
CHLORODIBROMOMETHANE	124-48-1	<1
CHLOROETHANE	75-00-3	<1
CHLOROFORM	67-66-3	<1
CHLOROMETHANE	74-87-3	<1
2-CHLOROTOLUENE	95-49-8	<1
4-CHLOROTOLUENE	106-43-4	<1
1,2-DIBROMO-3-CHLOROPROPANE	96-12-8	<1
DIBROMOCHLOROMETHANE	124-48-1	<1
1,2-DIBROMOETHANE	106-93-4	<1
DIBROMOMETHANE	74-95-3	<1
1,2-DICHLOROBENZENE	95-50-1	<1
1,3-DICHLOROBENZENE	541-73-1	<1
1,4-DICHLOROBENZENE	106-46-7	<1
DICHLORODIFLUOROMETHANE	75-71-8	<1
1,1-DICHLOROETHANE	75-34-3	<1
1,2-DICHLOROETHANE	107-06-2	<1
1,1-DICHLOROETHENE	75-35-4	<1
cis-1,2-DICHLOROETHENE	156-59-2	<1
trans-1,2-DICHLOROETHENE	156-60-5	<1



 Laboratory Director

000007

Client: LBG Engineers	Client ID: Rowe Industries (Mid 100500)
Date received: 10/06/00	Laboratory ID: 0014603
Date extracted: NA	Matrix: Liquid
Date analyzed: 10/06/00	Contractor: 11418

EPA METHOD 8021

PARAMETER	CAS No.	RESULTS ug/L
1,2-DICHLOROPROPANE	78-87-5	<1
1,3-DICHLOROPROPANE	142-28-9	<1
2,2-DICHLOROPROPANE	594-20-7	<1
1,1-DICHLOROPROPENE	563-58-6	<1
cis-1,3-DICHLOROPROPENE	10061-01-5	<1
trans-1,3-DICHLOROPROPENE	10061-02-6	<1
ETHYLBENZENE	100-41-4	<1
HEXACHLOROBUTADIENE	87-68-3	<1
ISOPROPYLBENZENE	98-82-8	<1
p-ISOPROPYLTOLUENE	99-87-6	<1
METHYLENE CHLORIDE	75-09-2	<1
NAPHTHALENE	91-20-3	<1
n-PROPYLBENZENE	103-65-1	<1
STYRENE	100-42-5	<1
1,1,1,2-TETRACHLOROETHANE	630-20-6	<1
1,1,2,2-TETRACHLOROETHANE	79-34-5	<1
TETRACHLOROETHENE	127-18-4	<1
TOLUENE	108-88-3	<1
1,2,3-TRICHLOROBENZENE	87-61-6	<1
1,2,4-TRICHLOROBENZENE	120-82-1	<1
1,1,1-TRICHLOROETHANE	71-55-6	<1
1,1,2-TRICHLOROETHANE	79-00-5	<1
TRICHLOROETHENE	79-01-6	<1
TRICHLOROFLUOROMETHANE	75-69-4	<1
1,2,3-TRICHLOROPROPANE	96-18-4	<1
1,2,4-TRIMETHYLBENZENE	95-63-6	<1
1,3,5-TRIMETHYLBENZENE	108-67-8	<1
VINYL CHLORIDE	75-01-4	<1
M+P XYLENES	108-38-3/95-47-6	<2
O-XYLENE	106-42-3	<1


 Laboratory Director

000008

CHAIN OF CUSTODY / REQUEST FOR ANALYSIS DOCUMENT

CLIENT NAME/ADDRESS LBG 126 Monroe Turnpike Trumbull, CT. 06611				CONTACT: PAUL JOBMAN		SAMPLER (SIGNATURE) <i>James M. Forrester</i>		DATE 10/10/00		SAMPLE(S) SEALED YES / NO																																																																																	
PROJECT LOCATION: Rowe Industries				SAMPLER NAME (PRINT) J. Forrester				CORRECT CONTAINER(S) YES / NO																																																																																			
<table border="1"> <thead> <tr> <th>LABORATORY ID #</th> <th>MATRIX</th> <th>TYPE</th> <th>PRES.</th> <th>SAMPLE # - LOCATION</th> <th>ANALYSIS REQUIRED</th> <th></th> <th></th> <th></th> <th></th> <th></th> <th>P.O.#</th> </tr> </thead> <tbody> <tr> <td rowspan="3">10/2/00</td> <td>L</td> <td>G</td> <td>HCL</td> <td>Pre 100200</td> <td>☒</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>L</td> <td>G</td> <td>HCL</td> <td>Mid 100200</td> <td>☒</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>L</td> <td>G</td> <td>HCL</td> <td>Post 100200</td> <td>☒</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td rowspan="3">10/5/00</td> <td>L</td> <td>G</td> <td>HCL</td> <td>Pre 100500</td> <td>☒</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>L</td> <td>G</td> <td>HCL</td> <td>Mid 100500</td> <td>☒</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>L</td> <td>G</td> <td>HCL</td> <td>Post 100500</td> <td>☒</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> </tbody> </table> 0014600 0014601 0014602 0014603 * Only run post 100500 if mid Carbon contains detectable concentrations												LABORATORY ID #	MATRIX	TYPE	PRES.	SAMPLE # - LOCATION	ANALYSIS REQUIRED						P.O.#	10/2/00	L	G	HCL	Pre 100200	☒							L	G	HCL	Mid 100200	☒							L	G	HCL	Post 100200	☒							10/5/00	L	G	HCL	Pre 100500	☒							L	G	HCL	Mid 100500	☒							L	G	HCL	Post 100500	☒						
LABORATORY ID #	MATRIX	TYPE	PRES.	SAMPLE # - LOCATION	ANALYSIS REQUIRED						P.O.#																																																																																
10/2/00	L	G	HCL	Pre 100200	☒																																																																																						
	L	G	HCL	Mid 100200	☒																																																																																						
	L	G	HCL	Post 100200	☒																																																																																						
10/5/00	L	G	HCL	Pre 100500	☒																																																																																						
	L	G	HCL	Mid 100500	☒																																																																																						
	L	G	HCL	Post 100500	☒																																																																																						
MATRIX S=SOIL; L=LIQUID; SL=SLUDGE; A=AIR; W=WIFE; P=PAINT CHIPS; B=BULK MATERIAL TYPE G=GRAB; C=COMPOSITE, SS=SPLIT SPOON						TURNAROUND REQUIRED: NORMAL ☒ STAT ☐ BY 10/11/00			COMMENTS / INSTRUCTIONS																																																																																		
RELINQUISHED BY (SIGNATURE) <i>James M. Forrester</i>		DATE 10/10/00 TIME 12:30		PRINTED NAME J. Forrester		RECEIVED BY LAB (SIGNATURE) <i>Joe Bear</i>		DATE 10/16/00 TIME 10:30		PRINTED NAME Lori Buyer																																																																																	
RELINQUISHED BY (SIGNATURE)		DATE TIME		PRINTED NAME		RECEIVED BY LAB (SIGNATURE)		DATE TIME		PRINTED NAME																																																																																	



NYSDOH
AIHA
CTDOH

ELAP
PAT, LPAT
PH-0205

11418
102391

October 17, 2000

Paul Jobmann
LBG Engineers
126 Monroe Turnpike
Trumbull, CT 06611

Re: Rowe Industries

Dear Mr. Jobmann;

Enclosed please find the Laboratory Analysis Report(s) for sample(s) received on October 13, 2000. American Analytical Laboratories analyzed the samples through October 16, 2000 for the following;

CLIENT ID	ANALYSIS
Pre 100900	EPA 8021
Mid 100900	EPA 8021
Pre 101300	EPA 8021
Post 101300	EPA 8021

This report consists of 8 pages of analytical results.

If you have any questions or require further information, please call at your convenience. American Analytical Laboratories would like to thank you for the opportunity to be of service to you.


Best Regards,

American Analytical Laboratories, Inc.

Client: LBG Engineers	Client ID: Rowe Industries (Pre 100900)
Date received: 10/13/00	Laboratory ID: 0014675
Date extracted: NA	Matrix: Liquid
Date analyzed: 10/16/00	Contractor: 11418

EPA METHOD 8021

PARAMETER	CAS No.	RESULTS ug/L
BENZENE	71-43-2	<1
BROMOBENZENE	108-86-1	<1
BROMOCHLOROMETHANE	74-97-5	<1
BROMODICHLOROMETHANE	75-27-4	<1
BROMOFORM	75-25-4	<1
BROMOMETHANE	74-83-9	<1
n-BUTYLBENZENE	104-51-8	<1
sec-BUTYLBENZENE	135-98-8	<1
tert-BUTYLBENZENE	98-06-6	<1
CARBON TETRACHLORIDE	56-23-5	<1
CHLOROBENZENE	108-90-7	<1
CHLORODIBROMOMETHANE	124-48-1	<1
CHLOROETHANE	75-00-3	<1
CHLOROFORM	67-66-3	<1
CHLOROMETHANE	74-87-3	<1
2-CHLOROTOLUENE	95-49-8	<1
4-CHLOROTOLUENE	106-43-4	<1
1,2-DIBROMO-3-CHLOROPROPANE	96-12-8	<1
DIBROMOCHLOROMETHANE	124-48-1	<1
1,2-DIBROMOETHANE	106-93-4	<1
DIBROMOMETHANE	74-95-3	<1
1,2-DICHLOROBENZENE	95-50-1	<1
1,3-DICHLOROBENZENE	541-73-1	<1
1,4-DICHLOROBENZENE	106-46-7	<1
DICHLORODIFLUOROMETHANE	75-71-8	<1
1,1-DICHLOROETHANE	75-34-3	<1
1,2-DICHLOROETHANE	107-06-2	<1
1,1-DICHLOROETHENE	75-35-4	<1
cis-1,2-DICHLOROETHENE	156-59-2	<1
trans-1,2-DICHLOROETHENE	156-60-5	<1


 Laboratory Director

000001

Client: LBG Engineers	Client ID: Rowe Industries (Pre 100900)
Date received: 10/13/00	Laboratory ID: 0014675
Date extracted: NA	Matrix: Liquid
Date analyzed: 10/16/00	Contractor: 11418

EPA METHOD 8021

PARAMETER	CAS No.	RESULTS ug/L
1,2-DICHLOROPROPANE	78-87-5	<1
1,3-DICHLOROPROPANE	142-28-9	<1
2,2-DICHLOROPROPANE	594-20-7	<1
1,1-DICHLOROPROPENE	563-58-6	<1
cis-1,3-DICHLOROPROPENE	10061-01-5	<1
trans-1,3-DICHLOROPROPENE	10061-02-6	<1
ETHYLBENZENE	100-41-4	2
HEXACHLOROBUTADIENE	87-68-3	<1
ISOPROPYLBENZENE	98-82-8	5
p-ISOPROPYLTOLUENE	99-87-6	<1
METHYLENE CHLORIDE	75-09-2	<1
NAPHTHALENE	91-20-3	<1
n-PROPYLBENZENE	103-65-1	1
STYRENE	100-42-5	<1
1,1,1,2-TETRACHLOROETHANE	630-20-6	<1
1,1,2,2-TETRACHLOROETHANE	79-34-5	<1
TETRACHLOROETHENE	127-18-4	710
TOLUENE	108-88-3	<1
1,2,3-TRICHLOROBENZENE	87-61-6	<1
1,2,4-TRICHLOROBENZENE	120-82-1	<1
1,1,1-TRICHLOROETHANE	71-55-6	2
1,1,2-TRICHLOROETHANE	79-00-5	<1
TRICHLOROETHENE	79-01-6	<1
TRICHLOROFLUOROMETHANE	75-69-4	<1
1,2,3-TRICHLOROPROPANE	96-18-4	<1
1,2,4-TRIMETHYLBENZENE	95-63-6	3
1,3,5-TRIMETHYLBENZENE	108-67-8	6
VINYL CHLORIDE	75-01-4	<1
M+P XYLENES	108-38-3/95-47-6	4
O-XYLENE	106-42-3	21


For Bey
Laboratory Director

000002

Client: LBG Engineers	Client ID: Rowe Industries (Mid 100900)
Date received: 10/13/00	Laboratory ID: 0014676
Date extracted: NA	Matrix: Liquid
Date analyzed: 10/16/00	Contractor: 11418

EPA METHOD 8021

PARAMETER	CAS No.	RESULTS ug/L
BENZENE	71-43-2	<1
BROMOBENZENE	108-86-1	<1
BROMOCHLOROMETHANE	74-97-5	<1
BROMODICHLOROMETHANE	75-27-4	<1
BROMOFORM	75-25-4	<1
BROMOMETHANE	74-83-9	<1
n-BUTYLBENZENE	104-51-8	<1
sec-BUTYLBENZENE	135-98-8	<1
tert-BUTYLBENZENE	98-06-6	<1
CARBON TETRACHLORIDE	56-23-5	<1
CHLOROBENZENE	108-90-7	<1
CHLORODIBROMOMETHANE	124-48-1	<1
CHLOROETHANE	75-00-3	<1
CHLOROFORM	67-66-3	<1
CHLOROMETHANE	74-87-3	<1
2-CHLOROTOLUENE	95-49-8	<1
4-CHLOROTOLUENE	106-43-4	<1
1,2-DIBROMO-3-CHLOROPROPANE	96-12-8	<1
DIBROMOCHLOROMETHANE	124-48-1	<1
1,2-DIBROMOETHANE	106-93-4	<1
DIBROMOMETHANE	74-95-3	<1
1,2-DICHLOROBENZENE	95-50-1	<1
1,3-DICHLOROBENZENE	541-73-1	<1
1,4-DICHLOROBENZENE	106-46-7	<1
DICHLORODIFLUOROMETHANE	75-71-8	<1
1,1-DICHLOROETHANE	75-34-3	<1
1,2-DICHLOROETHANE	107-06-2	<1
1,1-DICHLOROETHENE	75-35-4	<1
cis-1,2-DICHLOROETHENE	156-59-2	<1
trans-1,2-DICHLOROETHENE	156-60-5	<1




Laboratory Director

000003

Client: LBG Engineers	Client ID: Rowe Industries (Mid 100900)
Date received: 10/13/00	Laboratory ID: 0014676
Date extracted: NA	Matrix: Liquid
Date analyzed: 10/16/00	Contractor: 11418

EPA METHOD 8021

PARAMETER	CAS No.	RESULTS ug/L
1,2-DICHLOROPROPANE	78-87-5	<1
1,3-DICHLOROPROPANE	142-28-9	<1
2,2-DICHLOROPROPANE	594-20-7	<1
1,1-DICHLOROPROPENE	563-58-6	<1
cis-1,3-DICHLOROPROPENE	10061-01-5	<1
trans-1,3-DICHLOROPROPENE	10061-02-6	<1
ETHYLBENZENE	100-41-4	<1
HEXACHLOROBUTADIENE	87-68-3	<1
ISOPROPYLBENZENE	98-82-8	<1
p-ISOPROPYLTOLUENE	99-87-6	<1
METHYLENE CHLORIDE	75-09-2	<1
NAPHTHALENE	91-20-3	<1
n-PROPYLBENZENE	103-65-1	<1
STYRENE	100-42-5	<1
1,1,1,2-TETRACHLOROETHANE	630-20-6	<1
1,1,2,2-TETRACHLOROETHANE	79-34-5	<1
TETRACHLOROETHENE	127-18-4	<1
TOLUENE	108-88-3	<1
1,2,3-TRICHLOROBENZENE	87-61-6	<1
1,2,4-TRICHLOROBENZENE	120-82-1	<1
1,1,1-TRICHLOROETHANE	71-55-6	<1
1,1,2-TRICHLOROETHANE	79-00-5	<1
TRICHLOROETHENE	79-01-6	<1
TRICHLOROFLUOROMETHANE	75-69-4	<1
1,2,3-TRICHLOROPROPANE	96-18-4	<1
1,2,4-TRIMETHYLBENZENE	95-63-6	<1
1,3,5-TRIMETHYLBENZENE	108-67-8	<1
VINYL CHLORIDE	75-01-4	<1
M+P XYLENES	108-38-3/95-47-6	<2
O-XYLENE	106-42-3	<1


Laboratory Director

000004

Client: LBG Engineers	Client ID: Rowe Industries (Pre 101300)
Date received: 10/13/00	Laboratory ID: 0014677
Date extracted: NA	Matrix: Liquid
Date analyzed: 10/16/00	Contractor: 11418

EPA METHOD 8021

PARAMETER	CAS No.	RESULTS ug/L
BENZENE	71-43-2	<1
BROMOBENZENE	108-86-1	<1
BROMOCHLOROMETHANE	74-97-5	<1
BROMODICHLOROMETHANE	75-27-4	<1
BROMOFORM	75-25-4	<1
BROMOMETHANE	74-83-9	<1
n-BUTYLBENZENE	104-51-8	<1
sec-BUTYLBENZENE	135-98-8	<1
tert-BUTYLBENZENE	98-06-6	<1
CARBON TETRACHLORIDE	56-23-5	<1
CHLOROBENZENE	108-90-7	<1
CHLORODIBROMOMETHANE	124-48-1	<1
CHLOROETHANE	75-00-3	<1
CHLOROFORM	67-66-3	<1
CHLOROMETHANE	74-87-3	<1
2-CHLOROTOLUENE	95-49-8	<1
4-CHLOROTOLUENE	106-43-4	<1
1,2-DIBROMO-3-CHLOROPROPANE	96-12-8	<1
DIBROMOCHLOROMETHANE	124-48-1	<1
1,2-DIBROMOETHANE	106-93-4	<1
DIBROMOMETHANE	74-95-3	<1
1,2-DICHLOROBENZENE	95-50-1	<1
1,3-DICHLOROBENZENE	541-73-1	<1
1,4-DICHLOROBENZENE	106-46-7	<1
DICHLORODIFLUOROMETHANE	75-71-8	<1
1,1-DICHLOROETHANE	75-34-3	<1
1,2-DICHLOROETHANE	107-06-2	<1
1,1-DICHLOROETHENE	75-35-4	<1
cis-1,2-DICHLOROETHENE	156-59-2	<1
trans-1,2-DICHLOROETHENE	156-60-5	<1



 Laboratory Director

000005

Client: LBG Engineers	Client ID: Rowe Industries (Pre 101300)
Date received: 10/13/00	Laboratory ID: 0014677
Date extracted: NA	Matrix: Liquid
Date analyzed: 10/16/00	Contractor: 11418

EPA METHOD 8021

PARAMETER	CAS No.	RESULTS ug/L
1,2-DICHLOROPROPANE	78-87-5	<1
1,3-DICHLOROPROPANE	142-28-9	<1
2,2-DICHLOROPROPANE	594-20-7	<1
1,1-DICHLOROPROPENE	563-58-6	<1
cis-1,3-DICHLOROPROPENE	10061-01-5	<1
trans-1,3-DICHLOROPROPENE	10061-02-6	<1
ETHYLBENZENE	100-41-4	3
HEXACHLOROBUTADIENE	87-68-3	<1
ISOPROPYLBENZENE	98-82-8	10
p-ISOPROPYLTOLUENE	99-87-6	<1
METHYLENE CHLORIDE	75-09-2	<1
NAPHTHALENE	91-20-3	<1
n-PROPYLBENZENE	103-65-1	2
STYRENE	100-42-5	<1
1,1,1,2-TETRACHLOROETHANE	630-20-6	<1
1,1,2,2-TETRACHLOROETHANE	79-34-5	<1
TETRACHLOROETHENE	127-18-4	1,200
TOLUENE	108-88-3	<1
1,2,3-TRICHLOROBENZENE	87-61-6	<1
1,2,4-TRICHLOROBENZENE	120-82-1	<1
1,1,1-TRICHLOROETHANE	71-55-6	3
1,1,2-TRICHLOROETHANE	79-00-5	<1
TRICHLOROETHENE	79-01-6	2
TRICHLOROFLUOROMETHANE	75-69-4	<1
1,2,3-TRICHLOROPROPANE	96-18-4	<1
1,2,4-TRIMETHYLBENZENE	95-63-6	4
1,3,5-TRIMETHYLBENZENE	108-67-8	10
VINYL CHLORIDE	75-01-4	<1
M+P XYLENES	108-38-3/95-47-6	7
O-XYLENE	106-42-3	31



 Laboratory Director

000006

Client: LBG Engineers	Client ID: Rowe Industries (Mid 101300)
Date received: 10/13/00	Laboratory ID: 0014678
Date extracted: NA	Matrix: Liquid
Date analyzed: 10/16/00	Contractor: 11418

EPA METHOD 8021

PARAMETER	CAS No.	RESULTS ug/L
BENZENE	71-43-2	<1
BROMOBENZENE	108-86-1	<1
BROMOCHLOROMETHANE	74-97-5	<1
BROMODICHLOROMETHANE	75-27-4	<1
BROMOFORM	75-25-4	<1
BROMOMETHANE	74-83-9	<1
n-BUTYLBENZENE	104-51-8	<1
sec-BUTYLBENZENE	135-98-8	<1
tert-BUTYLBENZENE	98-06-6	<1
CARBON TETRACHLORIDE	56-23-5	<1
CHLOROBENZENE	108-90-7	<1
CHLORODIBROMOMETHANE	124-48-1	<1
CHLOROETHANE	75-00-3	<1
CHLOROFORM	67-66-3	<1
CHLOROMETHANE	74-87-3	<1
2-CHLOROTOLUENE	95-49-8	<1
4-CHLOROTOLUENE	106-43-4	<1
1,2-DIBROMO-3-CHLOROPROPANE	96-12-8	<1
DIBROMOCHLOROMETHANE	124-48-1	<1
1,2-DIBROMOETHANE	106-93-4	<1
DIBROMOMETHANE	74-95-3	<1
1,2-DICHLOROBENZENE	95-50-1	<1
1,3-DICHLOROBENZENE	541-73-1	<1
1,4-DICHLOROBENZENE	106-46-7	<1
DICHLORODIFLUOROMETHANE	75-71-8	<1
1,1-DICHLOROETHANE	75-34-3	<1
1,2-DICHLOROETHANE	107-06-2	<1
1,1-DICHLOROETHENE	75-35-4	<1
cis-1,2-DICHLOROETHENE	156-59-2	<1
trans-1,2-DICHLOROETHENE	156-60-5	<1


Laboratory Director

000007

Client: LBG Engineers	Client ID: Rowe Industries (Mid 101300)
Date received: 10/13/00	Laboratory ID: 0014678
Date extracted: NA	Matrix: Liquid
Date analyzed: 10/16/00	Contractor: 11418

EPA METHOD 8021

PARAMETER	CAS No.	RESULTS ug/L
1,2-DICHLOROPROPANE	78-87-5	<1
1,3-DICHLOROPROPANE	142-28-9	<1
2,2-DICHLOROPROPANE	594-20-7	<1
1,1-DICHLOROPROPENE	563-58-6	<1
cis-1,3-DICHLOROPROPENE	10061-01-5	<1
trans-1,3-DICHLOROPROPENE	10061-02-6	<1
ETHYLBENZENE	100-41-4	<1
HEXACHLOROBUTADIENE	87-68-3	<1
ISOPROPYLBENZENE	98-82-8	<1
p-ISOPROPYLTOLUENE	99-87-6	<1
METHYLENE CHLORIDE	75-09-2	<1
NAPHTHALENE	91-20-3	<1
n-PROPYLBENZENE	103-65-1	<1
STYRENE	100-42-5	<1
1,1,1,2-TETRACHLOROETHANE	630-20-6	<1
1,1,2,2-TETRACHLOROETHANE	79-34-5	<1
TETRACHLOROETHENE	127-18-4	<1
TOLUENE	108-88-3	<1
1,2,3-TRICHLOROBENZENE	87-61-6	<1
1,2,4-TRICHLOROBENZENE	120-82-1	<1
1,1,1-TRICHLOROETHANE	71-55-6	<1
1,1,2-TRICHLOROETHANE	79-00-5	<1
TRICHLOROETHENE	79-01-6	<1
TRICHLOROFLUOROMETHANE	75-69-4	<1
1,2,3-TRICHLOROPROPANE	96-18-4	<1
1,2,4-TRIMETHYLBENZENE	95-63-6	<1
1,3,5-TRIMETHYLBENZENE	108-67-8	<1
VINYL CHLORIDE	75-01-4	<1
M+P XYLENES	108-38-3/95-47-6	<2
O-XYLENE	106-42-3	<1


 Laboratory Director

000008



NYSDOH
AIHA
CTDOH

ELAP
PAT, LPAT
PH-0205

11418
102391

October 24, 2000

Paul Jobmann
LBG Engineers
126 Monroe Turnpike
Trumbull, CT 06611

Re: Rowe Industries

Dear Mr. Jobmann;

Enclosed please find the Laboratory Analysis Report(s) for sample(s) received on October 20, 2000. American Analytical Laboratories analyzed the samples through October 24, 2000 for the following;

CLIENT ID	ANALYSIS
Pre 101700	EPA 8021
Mid 101700	EPA 8021
Pre 101900	EPA 8021
Mid 101900	EPA 8021

This report consists of 8 pages of analytical results.

If you have any questions or require further information, please call at your convenience. American Analytical Laboratories would like to thank you for the opportunity to be of service to you.


Best Regards,

American Analytical Laboratories, Inc.

Client: LBG Engineers	Client ID: Rowe Industries (Pre 101700)
Date received: 10/20/00	Laboratory ID: 0014814
Date extracted: NA	Matrix: Liquid
Date analyzed: 10/24/00	Contractor: 11418

EPA METHOD 8021

PARAMETER	CAS No.	RESULTS ug/L
BENZENE	71-43-2	<1
BROMOBENZENE	108-86-1	<1
BROMOCHLOROMETHANE	74-97-5	<1
BROMODICHLOROMETHANE	75-27-4	<1
BROMOFORM	75-25-4	<1
BROMOMETHANE	74-83-9	<1
n-BUTYLBENZENE	104-51-8	<1
sec-BUTYLBENZENE	135-98-8	<1
tert-BUTYLBENZENE	98-06-6	<1
CARBON TETRACHLORIDE	56-23-5	<1
CHLOROBENZENE	108-90-7	<1
CHLORODIBROMOMETHANE	124-48-1	<1
CHLOROETHANE	75-00-3	<1
CHLOROFORM	67-66-3	<1
CHLOROMETHANE	74-87-3	<1
2-CHLOROTOLUENE	95-49-8	<1
4-CHLOROTOLUENE	106-43-4	<1
1,2-DIBROMO-3-CHLOROPROPANE	96-12-8	<1
DIBROMOCHLOROMETHANE	124-48-1	<1
1,2-DIBROMOETHANE	106-93-4	<1
DIBROMOMETHANE	74-95-3	<1
1,2-DICHLOROBENZENE	95-50-1	<1
1,3-DICHLOROBENZENE	541-73-1	<1
1,4-DICHLOROBENZENE	106-46-7	<1
DICHLORODIFLUOROMETHANE	75-71-8	<1
1,1-DICHLOROETHANE	75-34-3	<1
1,2-DICHLOROETHANE	107-06-2	<1
1,1-DICHLOROETHENE	75-35-4	<1
cis-1,2-DICHLOROETHENE	156-59-2	<1
trans-1,2-DICHLOROETHENE	156-60-5	<1



 Laboratory Director

000001

Client: LBG Engineers	Client ID: Rowe Industries (Pre 101700)
Date received: 10/20/00	Laboratory ID: 0014814
Date extracted: NA	Matrix: Liquid
Date analyzed: 10/24/00	Contractor: 11418

EPA METHOD 8021

PARAMETER	CAS No.	RESULTS ug/L
1,2-DICHLOROPROPANE	78-87-5	<1
1,3-DICHLOROPROPANE	142-28-9	<1
2,2-DICHLOROPROPANE	594-20-7	<1
1,1-DICHLOROPROPENE	563-58-6	<1
cis-1,3-DICHLOROPROPENE	10061-01-5	<1
trans-1,3-DICHLOROPROPENE	10061-02-6	<1
ETHYLBENZENE	100-41-4	7
HEXACHLOROBUTADIENE	87-68-3	<1
ISOPROPYLBENZENE	98-82-8	25
p-ISOPROPYLTOLUENE	99-87-6	<1
METHYLENE CHLORIDE	75-09-2	<1
NAPHTHALENE	91-20-3	<1
n-PROPYLBENZENE	103-65-1	8
STYRENE	100-42-5	<1
1,1,1,2-TETRACHLOROETHANE	630-20-6	<1
1,1,2,2-TETRACHLOROETHANE	79-34-5	<1
TETRACHLOROETHENE	127-18-4	1,400
TOLUENE	108-88-3	<1
1,2,3-TRICHLOROBENZENE	87-61-6	<1
1,2,4-TRICHLOROBENZENE	120-82-1	<1
1,1,1-TRICHLOROETHANE	71-55-6	5
1,1,2-TRICHLOROETHANE	79-00-5	<1
TRICHLOROETHENE	79-01-6	2
TRICHLOROFLUOROMETHANE	75-69-4	<1
1,2,3-TRICHLOROPROPANE	96-18-4	<1
1,2,4-TRIMETHYLBENZENE	95-63-6	7
1,3,5-TRIMETHYLBENZENE	108-67-8	21
VINYL CHLORIDE	75-01-4	<1
M+P XYLENES	108-38-3/95-47-6	15
O-XYLENE	106-42-3	47



 Laboratory Director

000002

Client: LBG Engineers	Client ID: Rowe Industries (Mid 101700)
Date received: 10/20/00	Laboratory ID: 0014815
Date extracted: NA	Matrix: Liquid
Date analyzed: 10/24/00	Contractor: 11418

EPA METHOD 8021

PARAMETER	CAS No.	RESULTS ug/L
BENZENE	71-43-2	<1
BROMOBENZENE	108-86-1	<1
BROMOCHLOROMETHANE	74-97-5	<1
BROMODICHLOROMETHANE	75-27-4	<1
BROMOFORM	75-25-4	<1
BROMOMETHANE	74-83-9	<1
n-BUTYLBENZENE	104-51-8	<1
sec-BUTYLBENZENE	135-98-8	<1
tert-BUTYLBENZENE	98-06-6	<1
CARBON TETRACHLORIDE	56-23-5	<1
CHLOROBENZENE	108-90-7	<1
CHLORODIBROMOMETHANE	124-48-1	<1
CHLOROETHANE	75-00-3	<1
CHLOROFORM	67-66-3	<1
CHLOROMETHANE	74-87-3	<1
2-CHLOROTOLUENE	95-49-8	<1
4-CHLOROTOLUENE	106-43-4	<1
1,2-DIBROMO-3-CHLOROPROPANE	96-12-8	<1
DIBROMOCHLOROMETHANE	124-48-1	<1
1,2-DIBROMOETHANE	106-93-4	<1
DIBROMOMETHANE	74-95-3	<1
1,2-DICHLOROBENZENE	95-50-1	<1
1,3-DICHLOROBENZENE	541-73-1	<1
1,4-DICHLOROBENZENE	106-46-7	<1
DICHLORODIFLUOROMETHANE	75-71-8	<1
1,1-DICHLOROETHANE	75-34-3	<1
1,2-DICHLOROETHANE	107-06-2	<1
1,1-DICHLOROETHENE	75-35-4	<1
cis-1,2-DICHLOROETHENE	156-59-2	<1
trans-1,2-DICHLOROETHENE	156-60-5	<1



 Laboratory Director

000003

Client: LBG Engineers	Client ID: Rowe Industries (Mid 101700)
Date received: 10/20/00	Laboratory ID: 0014815
Date extracted: NA	Matrix: Liquid
Date analyzed: 10/24/00	Contractor: 11418

EPA METHOD 8021

PARAMETER	CAS No.	RESULTS ug/L
1,2-DICHLOROPROPANE	78-87-5	<1
1,3-DICHLOROPROPANE	142-28-9	<1
2,2-DICHLOROPROPANE	594-20-7	<1
1,1-DICHLOROPROPENE	563-58-6	<1
cis-1,3-DICHLOROPROPENE	10061-01-5	<1
trans-1,3-DICHLOROPROPENE	10061-02-6	<1
ETHYLBENZENE	100-41-4	<1
HEXACHLOROBUTADIENE	87-68-3	<1
ISOPROPYLBENZENE	98-82-8	<1
p-ISOPROPYLTOLUENE	99-87-6	<1
METHYLENE CHLORIDE	75-09-2	<1
NAPHTHALENE	91-20-3	<1
n-PROPYLBENZENE	103-65-1	<1
STYRENE	100-42-5	<1
1,1,1,2-TETRACHLOROETHANE	630-20-6	<1
1,1,2,2-TETRACHLOROETHANE	79-34-5	<1
TETRACHLOROETHENE	127-18-4	<1
TOLUENE	108-88-3	<1
1,2,3-TRICHLOROBENZENE	87-61-6	<1
1,2,4-TRICHLOROBENZENE	120-82-1	<1
1,1,1-TRICHLOROETHANE	71-55-6	<1
1,1,2-TRICHLOROETHANE	79-00-5	<1
TRICHLOROETHENE	79-01-6	<1
TRICHLOROFLUOROMETHANE	75-69-4	<1
1,2,3-TRICHLOROPROPANE	96-18-4	<1
1,2,4-TRIMETHYLBENZENE	95-63-6	<1
1,3,5-TRIMETHYLBENZENE	108-67-8	<1
VINYL CHLORIDE	75-01-4	<1
M+P XYLENES	108-38-3/95-47-6	<2
O-XYLENE	106-42-3	<1



 Laboratory Director

000004

Client: LBG Engineers	Client ID: Rowe Industries (Pre 101900)
Date received: 10/20/00	Laboratory ID: 0014816
Date extracted: NA	Matrix: Liquid
Date analyzed: 10/24/00	Contractor: 11418

EPA METHOD 8021

PARAMETER	CAS No.	RESULTS ug/L
BENZENE	71-43-2	<1
BROMOBENZENE	108-86-1	<1
BROMOCHLOROMETHANE	74-97-5	<1
BROMODICHLOROMETHANE	75-27-4	<1
BROMOFORM	75-25-4	<1
BROMOMETHANE	74-83-9	<1
n-BUTYLBENZENE	104-51-8	<1
sec-BUTYLBENZENE	135-98-8	<1
tert-BUTYLBENZENE	98-06-6	<1
CARBON TETRACHLORIDE	56-23-5	<1
CHLOROBENZENE	108-90-7	<1
CHLORODIBROMOMETHANE	124-48-1	<1
CHLOROETHANE	75-00-3	<1
CHLOROFORM	67-66-3	<1
CHLOROMETHANE	74-87-3	<1
2-CHLOROTOLUENE	95-49-8	<1
4-CHLOROTOLUENE	106-43-4	<1
1,2-DIBROMO-3-CHLOROPROPANE	96-12-8	<1
DIBROMOCHLOROMETHANE	124-48-1	<1
1,2-DIBROMOETHANE	106-93-4	<1
DIBROMOMETHANE	74-95-3	<1
1,2-DICHLOROBENZENE	95-50-1	<1
1,3-DICHLOROBENZENE	541-73-1	<1
1,4-DICHLOROBENZENE	106-46-7	<1
DICHLORODIFLUOROMETHANE	75-71-8	<1
1,1-DICHLOROETHANE	75-34-3	<1
1,2-DICHLOROETHANE	107-06-2	<1
1,1-DICHLOROETHENE	75-35-4	<1
cis-1,2-DICHLOROETHENE	156-59-2	<1
trans-1,2-DICHLOROETHENE	156-60-5	<1



 Laboratory Director

000005

Client: LBG Engineers	Client ID: Rowe Industries (Pre 101900)
Date received: 10/20/00	Laboratory ID: 0014816
Date extracted: NA	Matrix: Liquid
Date analyzed: 10/24/00	Contractor: 11418

EPA METHOD 8021

PARAMETER	CAS No.	RESULTS ug/L
1,2-DICHLOROPROPANE	78-87-5	<1
1,3-DICHLOROPROPANE	142-28-9	<1
2,2-DICHLOROPROPANE	594-20-7	<1
1,1-DICHLOROPROPENE	563-58-6	<1
cis-1,3-DICHLOROPROPENE	10061-01-5	<1
trans-1,3-DICHLOROPROPENE	10061-02-6	<1
ETHYLBENZENE	100-41-4	4
HEXACHLOROBUTADIENE	87-68-3	<1
ISOPROPYLBENZENE	98-82-8	16
p-ISOPROPYLTOLUENE	99-87-6	<1
METHYLENE CHLORIDE	75-09-2	<1
NAPHTHALENE	91-20-3	<1
n-PROPYLBENZENE	103-65-1	4
STYRENE	100-42-5	<1
1,1,1,2-TETRACHLOROETHANE	630-20-6	<1
1,1,2,2-TETRACHLOROETHANE	79-34-5	<1
TETRACHLOROETHENE	127-18-4	1,000
TOLUENE	108-88-3	<1
1,2,3-TRICHLOROBENZENE	87-61-6	<1
1,2,4-TRICHLOROBENZENE	120-82-1	<1
1,1,1-TRICHLOROETHANE	71-55-6	8
1,1,2-TRICHLOROETHANE	79-00-5	<1
TRICHLOROETHENE	79-01-6	3
TRICHLOROFLUOROMETHANE	75-69-4	<1
1,2,3-TRICHLOROPROPANE	96-18-4	<1
1,2,4-TRIMETHYLBENZENE	95-63-6	6
1,3,5-TRIMETHYLBENZENE	108-67-8	16
VINYL CHLORIDE	75-01-4	<1
M+P XYLENES	108-38-3/95-47-6	12
O-XYLENE	106-42-3	39



 Laboratory Director

000006

Client: LBG Engineers	Client ID: Rowe Industries (Mid 101900)
Date received: 10/20/00	Laboratory ID: 0014817
Date extracted: NA	Matrix: Liquid
Date analyzed: 10/24/00	Contractor: 11418

EPA METHOD 8021

PARAMETER	CAS No.	RESULTS ug/L
BENZENE	71-43-2	<1
BROMOBENZENE	108-86-1	<1
BROMOCHLOROMETHANE	74-97-5	<1
BROMODICHLOROMETHANE	75-27-4	<1
BROMOFORM	75-25-4	<1
BROMOMETHANE	74-83-9	<1
n-BUTYLBENZENE	104-51-8	<1
sec-BUTYLBENZENE	135-98-8	<1
tert-BUTYLBENZENE	98-06-6	<1
CARBON TETRACHLORIDE	56-23-5	<1
CHLOROBENZENE	108-90-7	<1
CHLORODIBROMOMETHANE	124-48-1	<1
CHLOROETHANE	75-00-3	<1
CHLOROFORM	67-66-3	<1
CHLOROMETHANE	74-87-3	<1
2-CHLOROTOLUENE	95-49-8	<1
4-CHLOROTOLUENE	106-43-4	<1
1,2-DIBROMO-3-CHLOROPROPANE	96-12-8	<1
DIBROMOCHLOROMETHANE	124-48-1	<1
1,2-DIBROMOETHANE	106-93-4	<1
DIBROMOMETHANE	74-95-3	<1
1,2-DICHLOROBENZENE	95-50-1	<1
1,3-DICHLOROBENZENE	541-73-1	<1
1,4-DICHLOROBENZENE	106-46-7	<1
DICHLORODIFLUOROMETHANE	75-71-8	<1
1,1-DICHLOROETHANE	75-34-3	<1
1,2-DICHLOROETHANE	107-06-2	<1
1,1-DICHLOROETHENE	75-35-4	<1
cis-1,2-DICHLOROETHENE	156-59-2	<1
trans-1,2-DICHLOROETHENE	156-60-5	<1



 Laboratory Director

000007


Client: LBG Engineers	Client ID: Rowe Industries (Mid 101900)
Date received: 10/20/00	Laboratory ID: 0014817
Date extracted: NA	Matrix: Liquid
Date analyzed: 10/24/00	Contractor: 11418

EPA METHOD 8021

PARAMETER	CAS No.	RESULTS ug/L
1,2-DICHLOROPROPANE	78-87-5	<1
1,3-DICHLOROPROPANE	142-28-9	<1
2,2-DICHLOROPROPANE	594-20-7	<1
1,1-DICHLOROPROPENE	563-58-6	<1
cis-1,3-DICHLOROPROPENE	10061-01-5	<1
trans-1,3-DICHLOROPROPENE	10061-02-6	<1
ETHYLBENZENE	100-41-4	<1
HEXACHLOROBUTADIENE	87-68-3	<1
ISOPROPYLBENZENE	98-82-8	<1
p-ISOPROPYLTOLUENE	99-87-6	<1
METHYLENE CHLORIDE	75-09-2	<1
NAPHTHALENE	91-20-3	<1
n-PROPYLBENZENE	103-65-1	<1
STYRENE	100-42-5	<1
1,1,1,2-TETRACHLOROETHANE	630-20-6	<1
1,1,2,2-TETRACHLOROETHANE	79-34-5	<1
TETRACHLOROETHENE	127-18-4	<1
TOLUENE	108-88-3	<1
1,2,3-TRICHLOROBENZENE	87-61-6	<1
1,2,4-TRICHLOROBENZENE	120-82-1	<1
1,1,1-TRICHLOROETHANE	71-55-6	<1
1,1,2-TRICHLOROETHANE	79-00-5	<1
TRICHLOROETHENE	79-01-6	<1
TRICHLOROFLUOROMETHANE	75-69-4	<1
1,2,3-TRICHLOROPROPANE	96-18-4	<1
1,2,4-TRIMETHYLBENZENE	95-63-6	<1
1,3,5-TRIMETHYLBENZENE	108-67-8	<1
VINYL CHLORIDE	75-01-4	<1
M+P XYLENES	108-38-3/95-47-6	<2
O-XYLENE	106-42-3	<1


 Laboratory Director

000008



56 TOLEDO STREET • FARMINGDALE, NY 11735 • (516) 454-6100 • FAX (516) 454-8027

NYSDOH ELAP 11418
AIHA PAT, LPAT 15668
CTDOH PH-0205

CHAIN OF CUSTODY / REQUEST FOR ANALYSIS DOCUMENT


CLIENT NAME/ADDRESS LC6 126 Monroe Turnpike Tremont CT 06611				CONTACT: Paul Johnson		SAMPLER (SIGNATURE) 		DATE 10/20/00	TIME	SAMPLE(S) SEALED YES	NO
PROJECT LOCATION: Rowe Industries				SAMPLER NAME (PRINT) Paul Johnson		CORRECT CONTAINER(S)		YES		NO	
LABORATORY ID #				MATRIX	TYPE	PRES.	SAMPLE # - LOCATION		ANALYSIS REQUIRED POST 10		
0014814				L	G	HLI	Pre 101700		X		
0014815							Mid 101700		X		
0014816							Pre 102000 101900		X		
0014817							Mid 102000 101900		X		
0014818							Post 102000 101900		Run of Mid 102000 contains detected compounds		
MATRIX S=SOIL; L=LIQUID; SL=SLUDGE; A=AIR; W=WIFE; P=PAINT CHIPS; B=BULK MATERIAL											
TYPE G=GRAB; C=COMPOSITE; SS=SPLIT SPOON											
RELINQUISHED BY (SIGNATURE) 				DATE TIME 10/19/00 15:30		PRINTED NAME Paul Johnson		RECEIVED BY LAB (SIGNATURE) 		DATE TIME 10/20/00 10:15	
RELINQUISHED BY (SIGNATURE) 				DATE TIME 10/19/00 15:30		PRINTED NAME Paul Johnson		RECEIVED BY LAB (SIGNATURE) 		DATE TIME 10/20/00 10:15	
COMMENTS / INSTRUCTIONS STAT O BY 10/27/00											

TOTAL P.02

01-26-1992 03:14PM FROM AMERICAN

TO

512034523116977 P.02



CHAIN OF CUSTODY / REQUEST FOR ANALYSIS DOCUMENT

[illegible]