


LBG ENGINEERING SERVICES, P.C.

Professional Environmental & Civil Engineers



126 Monroe Turnpike
Trumbull, CT 06611
(203) 452-3110
(203) 452-3119 (FAX)

March 24, 2003

Ms. Pamela Tames, P.E.
Superfund Remedial Project Manager
New York/Caribbean Superfund Branch II
Emergency & Remedial Response Division
U. S. Environmental Protection Agency, Region II
290 Broadway
New York, NY 10007-1688

RE: **DRAFT**
Rowe Industries Site
Focused Ground-Water Remediation System
Operation Summary (September 26, 2002 –
December 31, 2002)
Sag Harbor, New York

Dear Ms. Tames:

The following is an operation summary of the focused ground-water remediation in the Former Drum Storage Area (FDSA) at the Rowe Industries Site. The focused ground-water pump and treat (FPT) system is designed to reduce Volatile Organic Compound (VOC) concentrations in ground water beneath the FDSA. As discussed in the report entitled, "Work Plan for Conducting Focused Remediation of the Former Drum Storage Area, Rowe Industries Site, Sag Harbor, New York", dated November 2000, four 4-inch diameter recovery wells were constructed on the Site between October 23 and October 26, 2000. The associated FPT system was subsequently installed and, on March 22, 2001, the system began operation. The location of the recovery wells, the FDSA treatment shed, and associated piping is depicted on Figure 1. One recovery well, FRW-4, was permanently shutdown on September 27, 2001, due to damage caused during the construction of a garage near the well. Because no detectable VOC concentrations were found in ground-water samples collected from this well, the piping was not repaired.

This summary covers the system's operation from September 26, 2002 to December 31, 2002. Operation prior to that period is summarized in a letter addressed to your office dated December 6, 2002.

MAR 27 2003

OPERATION SUMMARY

On September 26, 2002, a layer of unidentified product was observed in the system's bag filter housing during maintenance activities. As a result, the FPT system was shutdown. On October 28, 2002, the system was restarted, with water being pumped through the carbon units into a frac tank. The system continued to operate and pump water to the frac tank in an effort to see if the product continued to accumulate. On November 7, 2002, water samples were collected from each recovery well, the pre-, mid-, and post-carbon sampling locations, and the frac tank. The system was shutdown between November 7 and December 5, 2002. The carbon units of the FPT system were changed on December 2, 2002 and the system was restarted on December 5.

Between September 26, 2002 and December 19, 2002, two recovery wells operated at the Site; FRW-1 and FRW-2. The system was not operating from December 20 to December 31, 2002. FRW-3 was not operated due to pump failure. The pump was replaced on January 22, 2002. During this reporting period, the system processed over 116,300 gallons of ground water and discharged at an approximate instantaneous combined flow rate of 47 gpm (gallons per minute). The influent flow to the equalization tank from each of the operating recovery wells is only about 6 to 13 gpm. Flow data for the system is presented in Table 1.

Approximately 0.11 pound of VOCs were removed from the ground water between September 26, 2002 and December 31, 2002. A summary of the mass of VOCs removed from the system is presented in Table 2. The mass of VOCs removed from ground water is calculated using the total volume of ground water through the system and the VOC concentrations of the system influent. Influent VOCs concentrations detected in each of the operating recovery wells are summarized in Tables 3 and 4. A summary of the total mass removed and total VOC concentrations detected in pre-carbon samples during this reporting period are presented in Graph 1, "*Influent VOC Concentrations and Cumulative Mass Removed from FDSA*".

As previously noted, the ground-water remediation system has been in operation since March 22, 2001. Since that time, the system has processed approximately 3,209,313 gallons of ground water and the carbon filters in the treatment system have removed approximately 21 pounds of VOCs from extracted ground water.

Sampling of the system discharge and monitoring of the remediation system are conducted on a weekly basis. Samples are collected from pre-carbon treatment, mid-carbon, and post-carbon treatment locations. The VOC concentrations detected at the pre-carbon sampling locations are presented in Table 5. No VOCs were detected in any of the samples collected from the mid-carbon sample location during this reporting period. During this reporting period, no alarm conditions occurred.

A review of the analytical data associated with the system's effluent shows that no VOCs were detected in the system effluent during this reporting period. Therefore, the system's effluent limitations, as defined by the NYSDEC, are being met and the carbon remains effective in treating impacted ground water. The laboratory reports are attached as Appendix I.

Samples have also been collected from two recovery wells, FRW-1, and FRW-2, in order to evaluate the effectiveness of the remediation efforts. A summary of the analytical results for tetrachloroethene collected from each of the recovery wells is presented in Graph 2, "*Tetrachloroethene Concentrations in Recovered Ground Water*". The highest concentration of PCE, 160 µg/L, was detected in the groundwater samples collected from FRW-1 on November 7, 2002 and December 19, 2002.

In order to monitor the drawdown of the water table within the area of the clay lens, ground-water level measurements have periodically been collected from each of the four recovery wells and a nearby monitor well located approximately 25 feet to the northeast of the clay lens (MW-51A). In addition, the water-level elevation in the pond that receives the system discharge has also been monitored. Ground water level-elevation measurements collected for the Site are presented in Table 6. Water level-elevations in FRW-1 ranged from 3.76 feet mean sea level (ft msl) to 5.25 ft msl, and water levels in FRW-2 ranged from 4.93 ft msl to 5.55 ft msl. A summary of the water level-elevation measurements collected during this reporting period is presented in Graph 3, "*Water Level Elevations in System Recovery Wells*". Water levels collected during this reporting period indicate that the water table is rising to the seasonal high water-table elevation.

Ms. Pamela Tames

-4-

March 24, 2003

Please do not hesitate to contact us should you have any questions or comments.

Very truly yours,

LBG ENGINEERING SERVICES, P.C.

Meredith Honan
Environmental Engineer

Alfred N. Kovalik, P.E.
Associate

MH:cmp

Enclosures

cc: T. Gerrish, CH2M Hill

M. Lucas, CH2M Hill

P. McAndrew, Kraft

J. Trad, NYSDEC

H:\NABIS\2003\FPT 2002 Qtr4.doc

TABLES

Table 1

**GROUND-WATER REMEDIAL ACTION
FOCUSED GROUND-WATER PUMP AND TREAT SYSTEM
ROWE INDUSTRIES SUPERFUND SITE
SAG HARBOR, NEW YORK**

**Instantaneous Flow (gallons per minute) and Total Volume (gallons) at the
Influent Manifold and System Discharge
September 26, 2002 - December 31, 2002**

Instantaneous Volume (Gallons per minute)				
Date	FRW-1	FRW-2	FRW-3	Discharge
11/7/2002	11.5	6.4	-	41.6
12/5/2002	12.7	8.6	-	-
12/12/2002	10.2	7.8	-	49.3
12/19/2002	10.5	8.9	-	55.3

Total Volume (Gallons)				
Date	FRW-1	FRW-2	FRW-3	Discharge
11/7/2002	1,210,958	127,882	-	1,937,148
12/5/2002*	121,975	127,934	-	-
12/12/2002	1,276,749	130,153	-	1,989,870
12/19/2002	1,346,037	132,621	-	2,044,492

* The total discharge volume was not measured on December 5, 2002.
The system was not running between November 7 and December 5, 2002.

Table 2

**GROUND-WATER REMEDIAL ACTION
FOCUSED GROUND-WATER PUMP AND TREAT SYSTEM
ROWE INDUSTRIES SUPERFUND SITE
SAG HARBOR, NEW YORK**

**Mass Removed from the FDSEA
September 26, 2002 - December 31, 2002**

Date	Total Precarbon VOC Concentrations (ug/L)	Total Volume of System (gals) ^{1/}	Volume of Water Processed for Period (gallons)	Total Mass Removed (lbs.)	Cumulative Mass Removed (lbs.)
11/7/2002	147	1,937,148	8,966	0.01	0.01
12/5/2002*	76	-	-	-	
12/12/2002	138	1,989,870	52,722	0.06	0.07
12/19/2002**	126	2,044,492	54,622	0.06	0.13

* The system was not operating between November 7 and December 5, 2002.

** The totalizer that monitors the total volume of the system was reset in September 2001.

Table 3

GROUND-WATER REMEDIAL ACTION
FOCUSED GROUND-WATER PUMP AND TREAT SYSTEM
ROWE INDUSTRIES SUPERFUND SITE
SAG HARBOR, NEW YORK

Recovery Well Influent VOC Concentrations, micrograms per liter
September 26, 2002 - December 31, 2002

FRW-1								
Date	PCE	TCA	TCE	12DCE	IPB	PB	135TMB	
11/7/2002	160	ND<1	4	25	1.6	ND<1	ND<1	
12/5/2002	78	2	2.3	8.4	1.4	0.5	ND<1	
12/19/2002	160	ND<1	ND<1	ND<1	3.1	1.1	ND<1	

PCE- TETRACHLOROETHYLENE
TCA - 1,1,1-TRICHLOROETHANE
TCE - TRICHLOROETHENE
12DCE - cis1,2-DICHLOROETHENE

IPB - ISOPROPYLBENZENE
PB - PROPYLBENZENE
135TMB - 1,3,5-TRIMETHYLBENZENE

Table 4

GROUND-WATER REMEDIAL ACTION
FOCUSED GROUND-WATER REMEDIATION SYSTEM
ROWE INDUSTRIES SUPERFUND SITE
SAG HARBOR, NEW YORK

Recovery Well Influent VOC Concentrations, micrograms per liter
September 26, 2002 - December 31, 2002

FRW-2							
Date	PCE	TCA	TCE	12DCE	IPB	PB	135TMB
11/7/2002	36	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
12/5/2002	26	ND<1	0.7	ND<1	1	ND<1	1.1
12/19/2002	12	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1

PCE- TETRACHLOROETHYLENE

TCA - 1,1,1-TRICHLOROETHANE

TCE - TRICHLOROETHENE

12DCE - cis1,2-DICHLOROETHENE

IPB - ISOPROPYLBENZENE

PB - PROPYLBENZENE

135TMB - 1,3,5-TRIMETHYLBENZENE

Table 5

GROUND-WATER REMEDIAL ACTION
FOCUSED GROUND-WATER PUMP AND TREAT SYSTEM
ROWE INDUSTRIES SUPERFUND SITE
SAG HARBOR, NEW YORK

Pre-carbon VOC Concentrations, micrograms per liter
September 26, 2002 - December 31, 2002

PRE-CARBON									
Date	PCE	TCA	IPB	PB	124TMB	135TMB	12DCE	TCE	
11/7/2002	140	ND<1	ND<1	ND<1	ND<1	ND<1	6.9	ND<1	
12/5/2002	64	1.2	0.7	ND<1	1.4	ND<1	8.3	1.7	
12/12/2002	130	ND<1	2.5	0.9	1.8	2.4	ND<1	ND<1	
12/19/2002	120	ND<1	2.4	0.8	2.4	ND<1	ND<1	ND<1	

PCE- TETRACHLOROETHYLENE
TCA - 1,1,1-TRICHLOROETHANE
IPB - ISOPROPYLBENZENE
PB - n PROPYLBENZENE

124TMB - 1,2,4-TRIMETHYLBENZENE
135TMB - 1,3,5-TRIMETHYLBENZENE
12DCE - cis1,2-DICHLOROETHENE
TCE - TRICHLOROETHENE

Table 6

**GROUND-WATER REMEDIAL ACTION
FOCUSED GROUND-WATER PUMP AND TREAT SYSTEM
ROWE INDUSTRIES SUPERFUND SITE
SAG HARBOR, NEW YORK**


Summary of Estimated Water Level Elevations, feet mean sea level ^{1/}
September 26, 2002 - December 31, 2002

WATER LEVELS						
Date	FRW-1	FRW-2	FRW-3	FRW-4	MW-51A	POND
11/7/2002	3.76	4.93	7.8	6.5	7.29	-0.80
12/5/2002	5.25	5.45	8.3	7.17	7.95	-0.82
12/12/2002	5.01	5.24	8.05	7.04	7.93	-0.86
12/19/2002	4.31	5.55	8.56	7.34	8.2	-0.81

^{1/} Elevation, ft msl = Transducer Elevation, ft msl (approximate) + Transducer Reading, ft


Location	Approximate		Depth of Transducer, ft	Transducer Elevation, ft msl
	Surface Grade Elevation, ft msl	Elevation, ft msl		
FRW-1	31.5		31.2	0.3
FRW-2	30		28.5	1.5
FRW-3	30		29.3	0.7
FRW-4	29		32.3	-3.3
MW-51A	27.5		28.8	-1.3

FIGURE




GRAPHS


Graph 1
Ground Water Remedial Action
Focused Ground Water Pump and Treat System
Rowe Industries Superfund Site
Sag Harbor, New York
Influent VOC Concentrations and Cumulative Mass Removed from FDSA



Graph 2
Ground Water Remedial Action
Focused Ground Water Pump and Treat System
Rowe Industries Superfund Site
Sag Harbor, New York
Tetrachloroethene Concentrations in Recovered Ground Water



Graph 3
Ground Water Remedial Action
Focused Ground Water Pump and Treat System
Rowe Industries Superfund Site
Sag Harbor, New York
Water Level Elevations in System Recovery Wells



APPENDIX I

November 13, 2002

Paul Jobmann
Legette Brashears & Graham Inc.
126 Monroe Turnpike
Trumbull, CT 06611

TEL: (203) 452-3110
FAX (203) 452-3111

RE: Rowe Industries

Dear Paul Jobmann:


Order No.: 0211039

American Analytical Laboratories, Inc. received 6 samples on 11/8/2002 for the analyses presented in the following report.

There were no problems with the analyses and all data for associated QC met EPA or laboratory specifications except where noted in the Case Narrative.

If you have any questions regarding these tests results, please feel free to call.

Sincerely,



Lori Beyer
Lab Director

American Analytical Laboratories, Inc.

Date: 13-Nov-02

CLIENT: Legette Brashears & Graham Inc.
Project: Rowe Industries
Lab Order: 0211039

Work Order Sample Summary

Lab Sample ID	Client Sample ID	Tag Number	Collection Date	Date Received
0211039-01A	FRW 1 110602		11/6/2002	11/8/2002
0211039-02A	FRW 2 110602		11/6/2002	11/8/2002
0211039-03A	PRE 110602		11/6/2002	11/8/2002
0211039-04A	MID 110602		11/6/2002	11/8/2002
0211039-05A	POST 110602		11/6/2002	11/8/2002
0211039-06A	FRAC TANK 110602		11/6/2002	11/8/2002

American Analytical Laboratories, Inc.

Date: 13-Nov-02

CLIENT:	Legette Brashears & Graham Inc.	Client Sample ID:	FRW 1 110602
Lab Order:	0211039	Tag Number:	
Project:	Rowe Industries	Collection Date:	11/6/2002
Lab ID:	0211039-01A	Matrix:	LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILES SW-846 8021						
1,1,1,2-Tetrachloroethane	< 1.0	1.0		µg/L	1	Analyst: LDS 11/11/2002 6:50:00 PM
1,1,1-Trichloroethane	< 1.0	1.0		µg/L	1	11/11/2002 6:50:00 PM
1,1,2,2-Tetrachloroethane	< 1.0	1.0		µg/L	1	11/11/2002 6:50:00 PM
1,1,2-Trichloroethane	< 1.0	1.0		µg/L	1	11/11/2002 6:50:00 PM
1,1-Dichloroethane	< 1.0	1.0		µg/L	1	11/11/2002 6:50:00 PM
1,1-Dichloroethene	< 1.0	1.0		µg/L	1	11/11/2002 6:50:00 PM
1,1-Dichloropropene	< 1.0	1.0		µg/L	1	11/11/2002 6:50:00 PM
1,2,3-Trichlorobenzene	< 1.0	1.0		µg/L	1	11/11/2002 6:50:00 PM
1,2,3-Trichloropropane	< 1.0	1.0		µg/L	1	11/11/2002 6:50:00 PM
1,2,4-Trichlorobenzene	< 1.0	1.0		µg/L	1	11/11/2002 6:50:00 PM
1,2,4-Trimethylbenzene	< 1.0	1.0		µg/L	1	11/11/2002 6:50:00 PM
1,2-Dibromo-3-chloropropane	< 1.0	1.0		µg/L	1	11/11/2002 6:50:00 PM
1,2-Dibromoethane	< 1.0	1.0		µg/L	1	11/11/2002 6:50:00 PM
1,2-Dichlorobenzene	< 1.0	1.0		µg/L	1	11/11/2002 6:50:00 PM
1,2-Dichloroethane	< 1.0	1.0		µg/L	1	11/11/2002 6:50:00 PM
1,2-Dichloropropane	< 1.0	1.0		µg/L	1	11/11/2002 6:50:00 PM
1,3,5-Trimethylbenzene	< 1.0	1.0		µg/L	1	11/11/2002 6:50:00 PM
1,3-Dichlorobenzene	< 1.0	1.0		µg/L	1	11/11/2002 6:50:00 PM
1,3-dichloropropane	< 1.0	1.0		µg/L	1	11/11/2002 6:50:00 PM
1,4-Dichlorobenzene	< 1.0	1.0		µg/L	1	11/11/2002 6:50:00 PM
2,2-Dichloropropane	< 1.0	1.0		µg/L	1	11/11/2002 6:50:00 PM
2-Chloroethyl vinyl ether	< 1.0	1.0		µg/L	1	11/11/2002 6:50:00 PM
2-Chlorotoluene	< 1.0	1.0		µg/L	1	11/11/2002 6:50:00 PM
4-Chlorotoluene	< 1.0	1.0		µg/L	1	11/11/2002 6:50:00 PM
4-Isopropyltoluene	< 1.0	1.0		µg/L	1	11/11/2002 6:50:00 PM
Benzene	< 1.0	1.0		µg/L	1	11/11/2002 6:50:00 PM
Bromobenzene	< 1.0	1.0		µg/L	1	11/11/2002 6:50:00 PM
Bromochloromethane	< 1.0	1.0		µg/L	1	11/11/2002 6:50:00 PM
Bromodichloromethane	< 1.0	1.0		µg/L	1	11/11/2002 6:50:00 PM
Bromoform	< 1.0	1.0		µg/L	1	11/11/2002 6:50:00 PM
Bromomethane	< 1.0	1.0		µg/L	1	11/11/2002 6:50:00 PM
Carbon disulfide	< 1.0	1.0		µg/L	1	11/11/2002 6:50:00 PM
Carbon tetrachloride	< 1.0	1.0		µg/L	1	11/11/2002 6:50:00 PM
Chlorobenzene	< 1.0	1.0		µg/L	1	11/11/2002 6:50:00 PM
Chloroethane	< 1.0	1.0		µg/L	1	11/11/2002 6:50:00 PM
Chloroform	< 1.0	1.0		µg/L	1	11/11/2002 6:50:00 PM
Chloromethane	< 1.0	1.0		µg/L	1	11/11/2002 6:50:00 PM
cis-1,2-Dichloroethene	25	1.0		µg/L	1	11/11/2002 6:50:00 PM
cis-1,3-Dichloropropene	< 1.0	1.0		µg/L	1	11/11/2002 6:50:00 PM
Dibromochloromethane	< 1.0	1.0		µg/L	1	11/11/2002 6:50:00 PM

Qualifiers: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
* - Value exceeds Maximum Contaminant Level
S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits
E - Value above quantitation range

American Analytical Laboratories, Inc.

Date: 13-Nov-02

CLIENT:	Legette Brashears & Graham Inc.	Client Sample ID:	FRW 1 110602
Lab Order:	0211039	Tag Number:	
Project:	Rowe Industries	Collection Date:	11/6/2002
Lab ID:	0211039-01A	Matrix:	LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILES SW-846 8021						
Dibromomethane	< 1.0	1.0		µg/L	1	Analyst: LDS 11/11/2002 6:50:00 PM
Dichlorodifluoromethane	< 1.0	1.0		µg/L	1	11/11/2002 6:50:00 PM
Ethylbenzene	< 1.0	1.0		µg/L	1	11/11/2002 6:50:00 PM
Hexachlorobutadiene	< 1.0	1.0		µg/L	1	11/11/2002 6:50:00 PM
Isopropylbenzene	1.6	1.0		µg/L	1	11/11/2002 6:50:00 PM
m,p-Xylene	< 2.0	2.0		µg/L	1	11/11/2002 6:50:00 PM
Methylene chloride	< 1.0	1.0		µg/L	1	11/11/2002 6:50:00 PM
Naphthalene	< 1.0	1.0		µg/L	1	11/11/2002 6:50:00 PM
n-Butylbenzene	< 1.0	1.0		µg/L	1	11/11/2002 6:50:00 PM
n-Propylbenzene	< 1.0	1.0		µg/L	1	11/11/2002 6:50:00 PM
o-Xylene	< 1.0	1.0		µg/L	1	11/11/2002 6:50:00 PM
sec-Butylbenzene	< 1.0	1.0		µg/L	1	11/11/2002 6:50:00 PM
Styrene	< 1.0	1.0		µg/L	1	11/11/2002 6:50:00 PM
tert-Butylbenzene	< 1.0	1.0		µg/L	1	11/11/2002 6:50:00 PM
Tetrachloroethene	160	1.0		µg/L	1	11/11/2002 6:50:00 PM
Toluene	< 1.0	1.0		µg/L	1	11/11/2002 6:50:00 PM
trans-1,2-Dichloroethene	< 1.0	1.0		µg/L	1	11/11/2002 6:50:00 PM
trans-1,3-Dichloropropene	< 1.0	1.0		µg/L	1	11/11/2002 6:50:00 PM
Trichloroethene	4.0	1.0		µg/L	1	11/11/2002 6:50:00 PM
Trichlorofluoromethane	< 1.0	1.0		µg/L	1	11/11/2002 6:50:00 PM
Vinyl acetate	< 1.0	1.0		µg/L	1	11/11/2002 6:50:00 PM
Vinyl chloride	< 1.0	1.0		µg/L	1	11/11/2002 6:50:00 PM

Qualifiers:	ND - Not Detected at the Reporting Limit	S - Spike Recovery outside accepted recovery limits
	J - Analyte detected below quantitation limits	R - RPD outside accepted recovery limits
	B - Analyte detected in the associated Method Blank	E - Value above quantitation range
	* - Value exceeds Maximum Contaminant Level	

American Analytical Laboratories, Inc.

Date: 13-Nov-02

CLIENT:	Legette Brashears & Graham Inc.	Client Sample ID:	FRW 2 110602
Lab Order:	0211039	Tag Number:	
Project:	Rowe Industries	Collection Date:	11/6/2002
Lab ID:	0211039-02A	Matrix:	LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILES SW-846 8021						
1,1,1,2-Tetrachloroethane	< 1.0	1.0		µg/L	1	Analyst: LDS 11/11/2002 7:28:00 PM
1,1,1-Trichloroethane	< 1.0	1.0		µg/L	1	11/11/2002 7:28:00 PM
1,1,2,2-Tetrachloroethane	< 1.0	1.0		µg/L	1	11/11/2002 7:28:00 PM
1,1,2-Trichloroethane	< 1.0	1.0		µg/L	1	11/11/2002 7:28:00 PM
1,1-Dichloroethane	< 1.0	1.0		µg/L	1	11/11/2002 7:28:00 PM
1,1-Dichloroethene	< 1.0	1.0		µg/L	1	11/11/2002 7:28:00 PM
1,1-Dichloropropene	< 1.0	1.0		µg/L	1	11/11/2002 7:28:00 PM
1,2,3-Trichlorobenzene	< 1.0	1.0		µg/L	1	11/11/2002 7:28:00 PM
1,2,3-Trichloropropane	< 1.0	1.0		µg/L	1	11/11/2002 7:28:00 PM
1,2,4-Trichlorobenzene	< 1.0	1.0		µg/L	1	11/11/2002 7:28:00 PM
1,2,4-Trimethylbenzene	< 1.0	1.0		µg/L	1	11/11/2002 7:28:00 PM
1,2-Dibromo-3-chloropropane	< 1.0	1.0		µg/L	1	11/11/2002 7:28:00 PM
1,2-Dibromoethane	< 1.0	1.0		µg/L	1	11/11/2002 7:28:00 PM
1,2-Dichlorobenzene	< 1.0	1.0		µg/L	1	11/11/2002 7:28:00 PM
1,2-Dichloroethane	< 1.0	1.0		µg/L	1	11/11/2002 7:28:00 PM
1,2-Dichloropropane	< 1.0	1.0		µg/L	1	11/11/2002 7:28:00 PM
1,3,5-Trimethylbenzene	< 1.0	1.0		µg/L	1	11/11/2002 7:28:00 PM
1,3-Dichlorobenzene	< 1.0	1.0		µg/L	1	11/11/2002 7:28:00 PM
1,3-dichloropropane	< 1.0	1.0		µg/L	1	11/11/2002 7:28:00 PM
1,4-Dichlorobenzene	< 1.0	1.0		µg/L	1	11/11/2002 7:28:00 PM
2,2-Dichloropropane	< 1.0	1.0		µg/L	1	11/11/2002 7:28:00 PM
2-Chloroethyl vinyl ether	< 1.0	1.0		µg/L	1	11/11/2002 7:28:00 PM
2-Chlorotoluene	< 1.0	1.0		µg/L	1	11/11/2002 7:28:00 PM
4-Chlorotoluene	< 1.0	1.0		µg/L	1	11/11/2002 7:28:00 PM
4-Isopropyltoluene	< 1.0	1.0		µg/L	1	11/11/2002 7:28:00 PM
Benzene	< 1.0	1.0		µg/L	1	11/11/2002 7:28:00 PM
Bromobenzene	< 1.0	1.0		µg/L	1	11/11/2002 7:28:00 PM
Bromochloromethane	< 1.0	1.0		µg/L	1	11/11/2002 7:28:00 PM
Bromodichloromethane	< 1.0	1.0		µg/L	1	11/11/2002 7:28:00 PM
Bromoform	< 1.0	1.0		µg/L	1	11/11/2002 7:28:00 PM
Bromomethane	< 1.0	1.0		µg/L	1	11/11/2002 7:28:00 PM
Carbon disulfide	< 1.0	1.0		µg/L	1	11/11/2002 7:28:00 PM
Carbon tetrachloride	< 1.0	1.0		µg/L	1	11/11/2002 7:28:00 PM
Chlorobenzene	< 1.0	1.0		µg/L	1	11/11/2002 7:28:00 PM
Chloroethane	< 1.0	1.0		µg/L	1	11/11/2002 7:28:00 PM
Chloroform	< 1.0	1.0		µg/L	1	11/11/2002 7:28:00 PM
Chloromethane	< 1.0	1.0		µg/L	1	11/11/2002 7:28:00 PM
cis-1,2-Dichloroethene	< 1.0	1.0		µg/L	1	11/11/2002 7:28:00 PM
cis-1,3-Dichloropropene	< 1.0	1.0		µg/L	1	11/11/2002 7:28:00 PM
Dibromochloromethane	< 1.0	1.0		µg/L	1	11/11/2002 7:28:00 PM

Qualifiers: ND - Not Detected at the Reporting Limit S - Spike Recovery outside accepted recovery limits

J - Analyte detected below quantitation limits R - RPD outside accepted recovery limits

B - Analyte detected in the associated Method Blank E - Value above quantitation range

* - Value exceeds Maximum Contaminant Level

American Analytical Laboratories, Inc.

Date: 13-Nov-02

CLIENT:	Legette Brashears & Graham Inc.	Client Sample ID:	FRW 2 110602
Lab Order:	0211039	Tag Number:	
Project:	Rowe Industries	Collection Date:	11/6/2002
Lab ID:	0211039-02A	Matrix:	LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILES SW-846 8021		SW8021B				Analyst: LDS
Dibromomethane	< 1.0	1.0		µg/L	1	11/11/2002 7:28:00 PM
Dichlorodifluoromethane	< 1.0	1.0		µg/L	1	11/11/2002 7:28:00 PM
Ethylbenzene	< 1.0	1.0		µg/L	1	11/11/2002 7:28:00 PM
Hexachlorobutadiene	< 1.0	1.0		µg/L	1	11/11/2002 7:28:00 PM
Isopropylbenzene	< 1.0	1.0		µg/L	1	11/11/2002 7:28:00 PM
m,p-Xylene	< 2.0	2.0		µg/L	1	11/11/2002 7:28:00 PM
Methylene chloride	< 1.0	1.0		µg/L	1	11/11/2002 7:28:00 PM
Naphthalene	< 1.0	1.0		µg/L	1	11/11/2002 7:28:00 PM
n-Butylbenzene	< 1.0	1.0		µg/L	1	11/11/2002 7:28:00 PM
n-Propylbenzene	< 1.0	1.0		µg/L	1	11/11/2002 7:28:00 PM
o-Xylene	< 1.0	1.0		µg/L	1	11/11/2002 7:28:00 PM
sec-Butylbenzene	< 1.0	1.0		µg/L	1	11/11/2002 7:28:00 PM
Styrene	< 1.0	1.0		µg/L	1	11/11/2002 7:28:00 PM
tert-Butylbenzene	< 1.0	1.0		µg/L	1	11/11/2002 7:28:00 PM
Tetrachloroethene	36	1.0		µg/L	1	11/11/2002 7:28:00 PM
Toluene	< 1.0	1.0		µg/L	1	11/11/2002 7:28:00 PM
trans-1,2-Dichloroethene	< 1.0	1.0		µg/L	1	11/11/2002 7:28:00 PM
trans-1,3-Dichloropropene	< 1.0	1.0		µg/L	1	11/11/2002 7:28:00 PM
Trichloroethene	< 1.0	1.0		µg/L	1	11/11/2002 7:28:00 PM
Trichlorofluoromethane	< 1.0	1.0		µg/L	1	11/11/2002 7:28:00 PM
Vinyl acetate	< 1.0	1.0		µg/L	1	11/11/2002 7:28:00 PM
Vinyl chloride	< 1.0	1.0		µg/L	1	11/11/2002 7:28:00 PM

Qualifiers:	ND - Not Detected at the Reporting Limit	S - Spike Recovery outside accepted recovery limits
	J - Analyte detected below quantitation limits	R - RPD outside accepted recovery limits
	B - Analyte detected in the associated Method Blank	E - Value above quantitation range
	* - Value exceeds Maximum Contaminant Level	

American Analytical Laboratories, Inc.

Date: 13-Nov-02

CLIENT:	Legette Brashears & Graham Inc.	Client Sample ID:	PRE 110602
Lab Order:	0211039	Tag Number:	
Project:	Rowe Industries	Collection Date:	11/6/2002
Lab ID:	0211039-03A	Matrix:	LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILES SW-846 8021		SW8021B				Analyst: LDS
1,1,1,2-Tetrachloroethane	< 1.0	1.0		µg/L	1	11/11/2002 8:06:00 PM
1,1,1-Trichloroethane	< 1.0	1.0		µg/L	1	11/11/2002 8:06:00 PM
1,1,2,2-Tetrachloroethane	< 1.0	1.0		µg/L	1	11/11/2002 8:06:00 PM
1,1,2-Trichloroethane	< 1.0	1.0		µg/L	1	11/11/2002 8:06:00 PM
1,1-Dichloroethane	< 1.0	1.0		µg/L	1	11/11/2002 8:06:00 PM
1,1-Dichloroethene	< 1.0	1.0		µg/L	1	11/11/2002 8:06:00 PM
1,1-Dichloropropene	< 1.0	1.0		µg/L	1	11/11/2002 8:06:00 PM
1,2,3-Trichlorobenzene	< 1.0	1.0		µg/L	1	11/11/2002 8:06:00 PM
1,2,3-Trichloropropane	< 1.0	1.0		µg/L	1	11/11/2002 8:06:00 PM
1,2,4-Trichlorobenzene	< 1.0	1.0		µg/L	1	11/11/2002 8:06:00 PM
1,2,4-Trimethylbenzene	< 1.0	1.0		µg/L	1	11/11/2002 8:06:00 PM
1,2-Dibromo-3-chloropropane	< 1.0	1.0		µg/L	1	11/11/2002 8:06:00 PM
1,2-Dibromoethane	< 1.0	1.0		µg/L	1	11/11/2002 8:06:00 PM
1,2-Dichlorobenzene	< 1.0	1.0		µg/L	1	11/11/2002 8:06:00 PM
1,2-Dichloroethane	< 1.0	1.0		µg/L	1	11/11/2002 8:06:00 PM
1,2-Dichloropropane	< 1.0	1.0		µg/L	1	11/11/2002 8:06:00 PM
1,3,5-Trimethylbenzene	< 1.0	1.0		µg/L	1	11/11/2002 8:06:00 PM
1,3-Dichlorobenzene	< 1.0	1.0		µg/L	1	11/11/2002 8:06:00 PM
1,3-dichloropropane	< 1.0	1.0		µg/L	1	11/11/2002 8:06:00 PM
1,4-Dichlorobenzene	< 1.0	1.0		µg/L	1	11/11/2002 8:06:00 PM
2,2-Dichloropropane	< 1.0	1.0		µg/L	1	11/11/2002 8:06:00 PM
2-Chloroethyl vinyl ether	< 1.0	1.0		µg/L	1	11/11/2002 8:06:00 PM
2-Chlorotoluene	< 1.0	1.0		µg/L	1	11/11/2002 8:06:00 PM
4-Chlorotoluene	< 1.0	1.0		µg/L	1	11/11/2002 8:06:00 PM
4-Isopropyltoluene	< 1.0	1.0		µg/L	1	11/11/2002 8:06:00 PM
Benzene	< 1.0	1.0		µg/L	1	11/11/2002 8:06:00 PM
Bromobenzene	< 1.0	1.0		µg/L	1	11/11/2002 8:06:00 PM
Bromochloromethane	< 1.0	1.0		µg/L	1	11/11/2002 8:06:00 PM
Bromodichloromethane	< 1.0	1.0		µg/L	1	11/11/2002 8:06:00 PM
Bromoform	< 1.0	1.0		µg/L	1	11/11/2002 8:06:00 PM
Bromomethane	< 1.0	1.0		µg/L	1	11/11/2002 8:06:00 PM
Carbon disulfide	< 1.0	1.0		µg/L	1	11/11/2002 8:06:00 PM
Carbon tetrachloride	< 1.0	1.0		µg/L	1	11/11/2002 8:06:00 PM
Chlorobenzene	< 1.0	1.0		µg/L	1	11/11/2002 8:06:00 PM
Chloroethane	< 1.0	1.0		µg/L	1	11/11/2002 8:06:00 PM
Chloroform	< 1.0	1.0		µg/L	1	11/11/2002 8:06:00 PM
Chloromethane	< 1.0	1.0		µg/L	1	11/11/2002 8:06:00 PM
cis-1,2-Dichloroethene	6.9	1.0		µg/L	1	11/11/2002 8:06:00 PM
cis-1,3-Dichloropropene	< 1.0	1.0		µg/L	1	11/11/2002 8:06:00 PM
Dibromochloromethane	< 1.0	1.0		µg/L	1	11/11/2002 8:06:00 PM

Qualifiers: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits
E - Value above quantitation range

American Analytical Laboratories, Inc.

Date: 13-Nov-02

CLIENT:	Legette Brashears & Graham Inc.	Client Sample ID:	PRE 110602
Lab Order:	0211039	Tag Number:	
Project:	Rowe Industries	Collection Date:	11/6/2002
Lab ID:	0211039-03A	Matrix:	LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILES SW-846 8021						
Dibromomethane	< 1.0	1.0		µg/L	1	Analyst: LDS 11/11/2002 8:06:00 PM
Dichlorodifluoromethane	< 1.0	1.0		µg/L	1	11/11/2002 8:06:00 PM
Ethylbenzene	< 1.0	1.0		µg/L	1	11/11/2002 8:06:00 PM
Hexachlorobutadiene	< 1.0	1.0		µg/L	1	11/11/2002 8:06:00 PM
Isopropylbenzene	< 1.0	1.0		µg/L	1	11/11/2002 8:06:00 PM
m,p-Xylene	< 2.0	2.0		µg/L	1	11/11/2002 8:06:00 PM
Methylene chloride	< 1.0	1.0		µg/L	1	11/11/2002 8:06:00 PM
Naphthalene	< 1.0	1.0		µg/L	1	11/11/2002 8:06:00 PM
n-Butylbenzene	< 1.0	1.0		µg/L	1	11/11/2002 8:06:00 PM
n-Propylbenzene	< 1.0	1.0		µg/L	1	11/11/2002 8:06:00 PM
o-Xylene	< 1.0	1.0		µg/L	1	11/11/2002 8:06:00 PM
sec-Butylbenzene	< 1.0	1.0		µg/L	1	11/11/2002 8:06:00 PM
Styrene	< 1.0	1.0		µg/L	1	11/11/2002 8:06:00 PM
tert-Butylbenzene	< 1.0	1.0		µg/L	1	11/11/2002 8:06:00 PM
Tetrachloroethene	140	1.0		µg/L	1	11/11/2002 8:06:00 PM
Toluene	< 1.0	1.0		µg/L	1	11/11/2002 8:06:00 PM
trans-1,2-Dichloroethene	< 1.0	1.0		µg/L	1	11/11/2002 8:06:00 PM
trans-1,3-Dichloropropene	< 1.0	1.0		µg/L	1	11/11/2002 8:06:00 PM
Trichloroethene	< 1.0	1.0		µg/L	1	11/11/2002 8:06:00 PM
Trichlorofluoromethane	< 1.0	1.0		µg/L	1	11/11/2002 8:06:00 PM
Vinyl acetate	< 1.0	1.0		µg/L	1	11/11/2002 8:06:00 PM
Vinyl chloride	< 1.0	1.0		µg/L	1	11/11/2002 8:06:00 PM

Qualifiers:	ND - Not Detected at the Reporting Limit	S - Spike Recovery outside accepted recovery limits
	J - Analyte detected below quantitation limits	R - RPD outside accepted recovery limits
	B - Analyte detected in the associated Method Blank	E - Value above quantitation range
	* - Value exceeds Maximum Contaminant Level	

American Analytical Laboratories, Inc.

Date: 13-Nov-02

CLIENT:	Legette Brashears & Graham Inc.	Client Sample ID:	MID 110602
Lab Order:	0211039	Tag Number:	
Project:	Rowe Industries	Collection Date:	11/6/2002
Lab ID:	0211039-04A	Matrix:	LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILES SW-846 8021						
1,1,1,2-Tetrachloroethane	< 1.0	1.0		µg/L	1	Analyst: LDS 11/11/2002 8:44:00 PM
1,1,1-Trichloroethane	< 1.0	1.0		µg/L	1	11/11/2002 8:44:00 PM
1,1,2,2-Tetrachloroethane	< 1.0	1.0		µg/L	1	11/11/2002 8:44:00 PM
1,1,2-Trichloroethane	< 1.0	1.0		µg/L	1	11/11/2002 8:44:00 PM
1,1-Dichloroethane	< 1.0	1.0		µg/L	1	11/11/2002 8:44:00 PM
1,1-Dichloroethene	< 1.0	1.0		µg/L	1	11/11/2002 8:44:00 PM
1,1-Dichloropropene	< 1.0	1.0		µg/L	1	11/11/2002 8:44:00 PM
1,2,3-Trichlorobenzene	< 1.0	1.0		µg/L	1	11/11/2002 8:44:00 PM
1,2,3-Trichloropropane	< 1.0	1.0		µg/L	1	11/11/2002 8:44:00 PM
1,2,4-Trichlorobenzene	< 1.0	1.0		µg/L	1	11/11/2002 8:44:00 PM
1,2,4-Trimethylbenzene	< 1.0	1.0		µg/L	1	11/11/2002 8:44:00 PM
1,2-Dibromo-3-chloropropane	< 1.0	1.0		µg/L	1	11/11/2002 8:44:00 PM
1,2-Dibromoethane	< 1.0	1.0		µg/L	1	11/11/2002 8:44:00 PM
1,2-Dichlorobenzene	< 1.0	1.0		µg/L	1	11/11/2002 8:44:00 PM
1,2-Dichloroethane	< 1.0	1.0		µg/L	1	11/11/2002 8:44:00 PM
1,2-Dichloropropane	< 1.0	1.0		µg/L	1	11/11/2002 8:44:00 PM
1,3,5-Trimethylbenzene	< 1.0	1.0		µg/L	1	11/11/2002 8:44:00 PM
1,3-Dichlorobenzene	< 1.0	1.0		µg/L	1	11/11/2002 8:44:00 PM
1,3-dichloropropane	< 1.0	1.0		µg/L	1	11/11/2002 8:44:00 PM
1,4-Dichlorobenzene	< 1.0	1.0		µg/L	1	11/11/2002 8:44:00 PM
2,2-Dichloropropane	< 1.0	1.0		µg/L	1	11/11/2002 8:44:00 PM
2-Chloroethyl vinyl ether	< 1.0	1.0		µg/L	1	11/11/2002 8:44:00 PM
2-Chlorotoluene	< 1.0	1.0		µg/L	1	11/11/2002 8:44:00 PM
4-Chlorotoluene	< 1.0	1.0		µg/L	1	11/11/2002 8:44:00 PM
4-Isopropyltoluene	< 1.0	1.0		µg/L	1	11/11/2002 8:44:00 PM
Benzene	< 1.0	1.0		µg/L	1	11/11/2002 8:44:00 PM
Bromobenzene	< 1.0	1.0		µg/L	1	11/11/2002 8:44:00 PM
Bromochloromethane	< 1.0	1.0		µg/L	1	11/11/2002 8:44:00 PM
Bromodichloromethane	< 1.0	1.0		µg/L	1	11/11/2002 8:44:00 PM
Bromoform	< 1.0	1.0		µg/L	1	11/11/2002 8:44:00 PM
Bromomethane	< 1.0	1.0		µg/L	1	11/11/2002 8:44:00 PM
Carbon disulfide	< 1.0	1.0		µg/L	1	11/11/2002 8:44:00 PM
Carbon tetrachloride	< 1.0	1.0		µg/L	1	11/11/2002 8:44:00 PM
Chlorobenzene	< 1.0	1.0		µg/L	1	11/11/2002 8:44:00 PM
Chloroethane	< 1.0	1.0		µg/L	1	11/11/2002 8:44:00 PM
Chloroform	< 1.0	1.0		µg/L	1	11/11/2002 8:44:00 PM
Chloromethane	< 1.0	1.0		µg/L	1	11/11/2002 8:44:00 PM
cis-1,2-Dichloroethene	< 1.0	1.0		µg/L	1	11/11/2002 8:44:00 PM
cis-1,3-Dichloropropene	< 1.0	1.0		µg/L	1	11/11/2002 8:44:00 PM
Dibromochloromethane	< 1.0	1.0		µg/L	1	11/11/2002 8:44:00 PM

Qualifiers: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits
E - Value above quantitation range

American Analytical Laboratories, Inc.

Date: 13-Nov-02

CLIENT:	Legette Brashears & Graham Inc.	Client Sample ID:	MID 110602
Lab Order:	0211039	Tag Number:	
Project:	Rowe Industries	Collection Date:	11/6/2002
Lab ID:	0211039-04A	Matrix:	LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILES SW-846 8021		SW8021B				Analyst: LDS
Dibromomethane	< 1.0	1.0		µg/L	1	11/11/2002 8:44:00 PM
Dichlorodifluoromethane	< 1.0	1.0		µg/L	1	11/11/2002 8:44:00 PM
Ethylbenzene	< 1.0	1.0		µg/L	1	11/11/2002 8:44:00 PM
Hexachlorobutadiene	< 1.0	1.0		µg/L	1	11/11/2002 8:44:00 PM
Isopropylbenzene	< 1.0	1.0		µg/L	1	11/11/2002 8:44:00 PM
m,p-Xylene	< 2.0	2.0		µg/L	1	11/11/2002 8:44:00 PM
Methylene chloride	< 1.0	1.0		µg/L	1	11/11/2002 8:44:00 PM
Naphthalene	< 1.0	1.0		µg/L	1	11/11/2002 8:44:00 PM
n-Butylbenzene	< 1.0	1.0		µg/L	1	11/11/2002 8:44:00 PM
n-Propylbenzene	< 1.0	1.0		µg/L	1	11/11/2002 8:44:00 PM
o-Xylene	< 1.0	1.0		µg/L	1	11/11/2002 8:44:00 PM
sec-Butylbenzene	< 1.0	1.0		µg/L	1	11/11/2002 8:44:00 PM
Styrene	< 1.0	1.0		µg/L	1	11/11/2002 8:44:00 PM
tert-Butylbenzene	< 1.0	1.0		µg/L	1	11/11/2002 8:44:00 PM
Tetrachloroethene	< 1.0	1.0		µg/L	1	11/11/2002 8:44:00 PM
Toluene	< 1.0	1.0		µg/L	1	11/11/2002 8:44:00 PM
trans-1,2-Dichloroethene	< 1.0	1.0		µg/L	1	11/11/2002 8:44:00 PM
trans-1,3-Dichloropropene	< 1.0	1.0		µg/L	1	11/11/2002 8:44:00 PM
Trichloroethene	< 1.0	1.0		µg/L	1	11/11/2002 8:44:00 PM
Trichlorofluoromethane	< 1.0	1.0		µg/L	1	11/11/2002 8:44:00 PM
Vinyl acetate	< 1.0	1.0		µg/L	1	11/11/2002 8:44:00 PM
Vinyl chloride	< 1.0	1.0		µg/L	1	11/11/2002 8:44:00 PM

Qualifiers:	ND - Not Detected at the Reporting Limit	S - Spike Recovery outside accepted recovery limits
	J - Analyte detected below quantitation limits	R - RPD outside accepted recovery limits
	B - Analyte detected in the associated Method Blank	E - Value above quantitation range
	* - Value exceeds Maximum Contaminant Level	

American Analytical Laboratories, Inc.

Date: 13-Nov-02

CLIENT:	Legette Brashears & Graham Inc.	Client Sample ID:	POST 110602
Lab Order:	0211039	Tag Number:	
Project:	Rowe Industries	Collection Date:	11/6/2002
Lab ID:	0211039-05A	Matrix:	LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILES SW-846 8021						
				SW8021B		Analyst: LDS
1,1,1,2-Tetrachloroethane	< 1.0	1.0		µg/L	1	11/11/2002 9:22:00 PM
1,1,1-Trichloroethane	< 1.0	1.0		µg/L	1	11/11/2002 9:22:00 PM
1,1,2,2-Tetrachloroethane	< 1.0	1.0		µg/L	1	11/11/2002 9:22:00 PM
1,1,2-Trichloroethane	< 1.0	1.0		µg/L	1	11/11/2002 9:22:00 PM
1,1-Dichloroethane	< 1.0	1.0		µg/L	1	11/11/2002 9:22:00 PM
1,1-Dichloroethene	< 1.0	1.0		µg/L	1	11/11/2002 9:22:00 PM
1,1-Dichloropropene	< 1.0	1.0		µg/L	1	11/11/2002 9:22:00 PM
1,2,3-Trichlorobenzene	< 1.0	1.0		µg/L	1	11/11/2002 9:22:00 PM
1,2,3-Trichloropropane	< 1.0	1.0		µg/L	1	11/11/2002 9:22:00 PM
1,2,4-Trichlorobenzene	< 1.0	1.0		µg/L	1	11/11/2002 9:22:00 PM
1,2,4-Trimethylbenzene	< 1.0	1.0		µg/L	1	11/11/2002 9:22:00 PM
1,2-Dibromo-3-chloropropane	< 1.0	1.0		µg/L	1	11/11/2002 9:22:00 PM
1,2-Dibromoethane	< 1.0	1.0		µg/L	1	11/11/2002 9:22:00 PM
1,2-Dichlorobenzene	< 1.0	1.0		µg/L	1	11/11/2002 9:22:00 PM
1,2-Dichloroethane	< 1.0	1.0		µg/L	1	11/11/2002 9:22:00 PM
1,2-Dichloropropane	< 1.0	1.0		µg/L	1	11/11/2002 9:22:00 PM
1,3,5-Trimethylbenzene	< 1.0	1.0		µg/L	1	11/11/2002 9:22:00 PM
1,3-Dichlorobenzene	< 1.0	1.0		µg/L	1	11/11/2002 9:22:00 PM
1,3-dichloropropane	< 1.0	1.0		µg/L	1	11/11/2002 9:22:00 PM
1,4-Dichlorobenzene	< 1.0	1.0		µg/L	1	11/11/2002 9:22:00 PM
2,2-Dichloropropane	< 1.0	1.0		µg/L	1	11/11/2002 9:22:00 PM
2-Chloroethyl vinyl ether	< 1.0	1.0		µg/L	1	11/11/2002 9:22:00 PM
2-Chlorotoluene	< 1.0	1.0		µg/L	1	11/11/2002 9:22:00 PM
4-Chlorotoluene	< 1.0	1.0		µg/L	1	11/11/2002 9:22:00 PM
4-Isopropyltoluene	< 1.0	1.0		µg/L	1	11/11/2002 9:22:00 PM
Benzene	< 1.0	1.0		µg/L	1	11/11/2002 9:22:00 PM
Bromobenzene	< 1.0	1.0		µg/L	1	11/11/2002 9:22:00 PM
Bromochloromethane	< 1.0	1.0		µg/L	1	11/11/2002 9:22:00 PM
Bromodichloromethane	< 1.0	1.0		µg/L	1	11/11/2002 9:22:00 PM
Bromoform	< 1.0	1.0		µg/L	1	11/11/2002 9:22:00 PM
Bromomethane	< 1.0	1.0		µg/L	1	11/11/2002 9:22:00 PM
Carbon disulfide	< 1.0	1.0		µg/L	1	11/11/2002 9:22:00 PM
Carbon tetrachloride	< 1.0	1.0		µg/L	1	11/11/2002 9:22:00 PM
Chlorobenzene	< 1.0	1.0		µg/L	1	11/11/2002 9:22:00 PM
Chloroethane	< 1.0	1.0		µg/L	1	11/11/2002 9:22:00 PM
Chloroform	< 1.0	1.0		µg/L	1	11/11/2002 9:22:00 PM
Chloromethane	< 1.0	1.0		µg/L	1	11/11/2002 9:22:00 PM
cis-1,2-Dichloroethene	< 1.0	1.0		µg/L	1	11/11/2002 9:22:00 PM
cis-1,3-Dichloropropene	< 1.0	1.0		µg/L	1	11/11/2002 9:22:00 PM
Dibromochloromethane	< 1.0	1.0		µg/L	1	11/11/2002 9:22:00 PM

Qualifiers: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits
E - Value above quantitation range

American Analytical Laboratories, Inc.

Date: 13-Nov-02

CLIENT:	Legette Brashears & Graham Inc.	Client Sample ID:	POST 110602
Lab Order:	0211039	Tag Number:	
Project:	Rowe Industries	Collection Date:	11/6/2002
Lab ID:	0211039-05A	Matrix:	LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILES SW-846 8021		SW8021B				Analyst: LDS
Dibromomethane	< 1.0	1.0		µg/L	1	11/11/2002 9:22:00 PM
Dichlorodifluoromethane	< 1.0	1.0		µg/L	1	11/11/2002 9:22:00 PM
Ethylbenzene	< 1.0	1.0		µg/L	1	11/11/2002 9:22:00 PM
Hexachlorobutadiene	< 1.0	1.0		µg/L	1	11/11/2002 9:22:00 PM
Isopropylbenzene	< 1.0	1.0		µg/L	1	11/11/2002 9:22:00 PM
m,p-Xylene	< 2.0	2.0		µg/L	1	11/11/2002 9:22:00 PM
Methylene chloride	< 1.0	1.0		µg/L	1	11/11/2002 9:22:00 PM
Naphthalene	< 1.0	1.0		µg/L	1	11/11/2002 9:22:00 PM
n-Butylbenzene	< 1.0	1.0		µg/L	1	11/11/2002 9:22:00 PM
n-Propylbenzene	< 1.0	1.0		µg/L	1	11/11/2002 9:22:00 PM
o-Xylene	< 1.0	1.0		µg/L	1	11/11/2002 9:22:00 PM
sec-Butylbenzene	< 1.0	1.0		µg/L	1	11/11/2002 9:22:00 PM
Styrene	< 1.0	1.0		µg/L	1	11/11/2002 9:22:00 PM
tert-Butylbenzene	< 1.0	1.0		µg/L	1	11/11/2002 9:22:00 PM
Tetrachloroethene	< 1.0	1.0		µg/L	1	11/11/2002 9:22:00 PM
Toluene	< 1.0	1.0		µg/L	1	11/11/2002 9:22:00 PM
trans-1,2-Dichloroethene	< 1.0	1.0		µg/L	1	11/11/2002 9:22:00 PM
trans-1,3-Dichloropropene	< 1.0	1.0		µg/L	1	11/11/2002 9:22:00 PM
Trichloroethene	< 1.0	1.0		µg/L	1	11/11/2002 9:22:00 PM
Trichlorofluoromethane	< 1.0	1.0		µg/L	1	11/11/2002 9:22:00 PM
Vinyl acetate	< 1.0	1.0		µg/L	1	11/11/2002 9:22:00 PM
Vinyl chloride	< 1.0	1.0		µg/L	1	11/11/2002 9:22:00 PM

Qualifiers:	ND - Not Detected at the Reporting Limit	S - Spike Recovery outside accepted recovery limits
	J - Analyte detected below quantitation limits	R - RPD outside accepted recovery limits
	B - Analyte detected in the associated Method Blank	E - Value above quantitation range
	* - Value exceeds Maximum Contaminant Level	

American Analytical Laboratories, Inc.

Date: 13-Nov-02

CLIENT:	Legette Brashears & Graham Inc.	Client Sample ID:	FRAC TANK 110602
Lab Order:	0211039	Tag Number:	
Project:	Rowe Industries	Collection Date:	11/6/2002
Lab ID:	0211039-06A	Matrix:	LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILES SW-846 8021		SW8021B				Analyst: LDS
1,1,1,2-Tetrachloroethane	< 1.0	1.0		µg/L	1	11/11/2002 10:01:00 PM
1,1,1-Trichloroethane	< 1.0	1.0		µg/L	1	11/11/2002 10:01:00 PM
1,1,2,2-Tetrachloroethane	< 1.0	1.0		µg/L	1	11/11/2002 10:01:00 PM
1,1,2-Trichloroethane	< 1.0	1.0		µg/L	1	11/11/2002 10:01:00 PM
1,1-Dichloroethane	< 1.0	1.0		µg/L	1	11/11/2002 10:01:00 PM
1,1-Dichloroethene	< 1.0	1.0		µg/L	1	11/11/2002 10:01:00 PM
1,1-Dichloropropene	< 1.0	1.0		µg/L	1	11/11/2002 10:01:00 PM
1,2,3-Trichlorobenzene	< 1.0	1.0		µg/L	1	11/11/2002 10:01:00 PM
1,2,3-Trichloropropane	< 1.0	1.0		µg/L	1	11/11/2002 10:01:00 PM
1,2,4-Trichlorobenzene	< 1.0	1.0		µg/L	1	11/11/2002 10:01:00 PM
1,2,4-Trimethylbenzene	< 1.0	1.0		µg/L	1	11/11/2002 10:01:00 PM
1,2-Dibromo-3-chloropropane	< 1.0	1.0		µg/L	1	11/11/2002 10:01:00 PM
1,2-Dibromoethane	< 1.0	1.0		µg/L	1	11/11/2002 10:01:00 PM
1,2-Dichlorobenzene	< 1.0	1.0		µg/L	1	11/11/2002 10:01:00 PM
1,2-Dichloroethane	< 1.0	1.0		µg/L	1	11/11/2002 10:01:00 PM
1,2-Dichloropropane	< 1.0	1.0		µg/L	1	11/11/2002 10:01:00 PM
1,3,5-Trimethylbenzene	< 1.0	1.0		µg/L	1	11/11/2002 10:01:00 PM
1,3-Dichlorobenzene	< 1.0	1.0		µg/L	1	11/11/2002 10:01:00 PM
1,3-dichloropropane	< 1.0	1.0		µg/L	1	11/11/2002 10:01:00 PM
1,4-Dichlorobenzene	< 1.0	1.0		µg/L	1	11/11/2002 10:01:00 PM
2,2-Dichloropropane	< 1.0	1.0		µg/L	1	11/11/2002 10:01:00 PM
2-Chloroethyl vinyl ether	< 1.0	1.0		µg/L	1	11/11/2002 10:01:00 PM
2-Chlorotoluene	< 1.0	1.0		µg/L	1	11/11/2002 10:01:00 PM
4-Chlorotoluene	< 1.0	1.0		µg/L	1	11/11/2002 10:01:00 PM
4-Isopropyltoluene	< 1.0	1.0		µg/L	1	11/11/2002 10:01:00 PM
Benzene	< 1.0	1.0		µg/L	1	11/11/2002 10:01:00 PM
Bromobenzene	< 1.0	1.0		µg/L	1	11/11/2002 10:01:00 PM
Bromochloromethane	< 1.0	1.0		µg/L	1	11/11/2002 10:01:00 PM
Bromodichloromethane	< 1.0	1.0		µg/L	1	11/11/2002 10:01:00 PM
Bromoform	< 1.0	1.0		µg/L	1	11/11/2002 10:01:00 PM
Bromomethane	< 1.0	1.0		µg/L	1	11/11/2002 10:01:00 PM
Carbon disulfide	< 1.0	1.0		µg/L	1	11/11/2002 10:01:00 PM
Carbon tetrachloride	< 1.0	1.0		µg/L	1	11/11/2002 10:01:00 PM
Chlorobenzene	< 1.0	1.0		µg/L	1	11/11/2002 10:01:00 PM
Chloroethane	< 1.0	1.0		µg/L	1	11/11/2002 10:01:00 PM
Chloroform	< 1.0	1.0		µg/L	1	11/11/2002 10:01:00 PM
Chloromethane	< 1.0	1.0		µg/L	1	11/11/2002 10:01:00 PM
cis-1,2-Dichloroethene	< 1.0	1.0		µg/L	1	11/11/2002 10:01:00 PM
cis-1,3-Dichloropropene	< 1.0	1.0		µg/L	1	11/11/2002 10:01:00 PM
Dibromochloromethane	< 1.0	1.0		µg/L	1	11/11/2002 10:01:00 PM

Qualifiers:	ND - Not Detected at the Reporting Limit	S - Spike Recovery outside accepted recovery limits
	J - Analyte detected below quantitation limits	R - RPD outside accepted recovery limits
	B - Analyte detected in the associated Method Blank	E - Value above quantitation range
	* - Value exceeds Maximum Contaminant Level	

American Analytical Laboratories, Inc.

Date: 13-Nov-02

CLIENT:	Legette Brashears & Graham Inc.	Client Sample ID:	FRAC TANK 110602
Lab Order:	0211039	Tag Number:	
Project:	Rowe Industries	Collection Date:	11/6/2002
Lab ID:	0211039-06A	Matrix:	LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILES SW-846 8021		SW8021B				Analyst: LDS
Dibromomethane	< 1.0	1.0		µg/L	1	11/11/2002 10:01:00 PM
Dichlorodifluoromethane	< 1.0	1.0		µg/L	1	11/11/2002 10:01:00 PM
Ethylbenzene	< 1.0	1.0		µg/L	1	11/11/2002 10:01:00 PM
Hexachlorobutadiene	< 1.0	1.0		µg/L	1	11/11/2002 10:01:00 PM
Isopropylbenzene	< 1.0	1.0		µg/L	1	11/11/2002 10:01:00 PM
m,p-Xylene	< 2.0	2.0		µg/L	1	11/11/2002 10:01:00 PM
Methylene chloride	< 1.0	1.0		µg/L	1	11/11/2002 10:01:00 PM
Naphthalene	< 1.0	1.0		µg/L	1	11/11/2002 10:01:00 PM
n-Butylbenzene	< 1.0	1.0		µg/L	1	11/11/2002 10:01:00 PM
n-Propylbenzene	< 1.0	1.0		µg/L	1	11/11/2002 10:01:00 PM
o-Xylene	< 1.0	1.0		µg/L	1	11/11/2002 10:01:00 PM
sec-Butylbenzene	< 1.0	1.0		µg/L	1	11/11/2002 10:01:00 PM
Styrene	< 1.0	1.0		µg/L	1	11/11/2002 10:01:00 PM
tert-Butylbenzene	< 1.0	1.0		µg/L	1	11/11/2002 10:01:00 PM
Tetrachloroethene	< 1.0	1.0		µg/L	1	11/11/2002 10:01:00 PM
Toluene	< 1.0	1.0		µg/L	1	11/11/2002 10:01:00 PM
trans-1,2-Dichloroethene	< 1.0	1.0		µg/L	1	11/11/2002 10:01:00 PM
trans-1,3-Dichloropropene	< 1.0	1.0		µg/L	1	11/11/2002 10:01:00 PM
Trichloroethene	< 1.0	1.0		µg/L	1	11/11/2002 10:01:00 PM
Trichlorofluoromethane	< 1.0	1.0		µg/L	1	11/11/2002 10:01:00 PM
Vinyl acetate	< 1.0	1.0		µg/L	1	11/11/2002 10:01:00 PM
Vinyl chloride	< 1.0	1.0		µg/L	1	11/11/2002 10:01:00 PM

Qualifiers:	ND - Not Detected at the Reporting Limit	S - Spike Recovery outside accepted recovery limits
	J - Analyte detected below quantitation limits	R - RPD outside accepted recovery limits
	B - Analyte detected in the associated Method Blank	E - Value above quantitation range
	* - Value exceeds Maximum Contaminant Level	

CHAIN OF CUSTODY / REQUEST FOR ANALYSIS DOCUMENT

[illegible]

December 17, 2002

Meredith Honan
Legette Brashears & Graham Inc.
126 Monroe Turnpike
Trumbull, CT 06611

TEL: (203) 452-3110
FAX (203) 452-3111

RE: Rowe Industries Sag Harbor, N.Y.


Dear Meredith Honan: Order No.: 0212038

American Analytical Laboratories, Inc. received 5 samples on 12/11/2002 for the analyses presented in the following report.

There were no problems with the analyses and all data for associated QC met EPA or laboratory specifications except where noted in the Case Narrative.

If you have any questions regarding these tests results, please feel free to call.

Sincerely,



Lori Beyer
Lab Director

American Analytical Laboratories, Inc.

Date: 17-Dec-02

CLIENT: Legette Brashears & Graham Inc.
Project: Rowe Industries Sag Harbor, N.Y.
Lab Order: 0212038

Work Order Sample Summary

Lab Sample ID	Client Sample ID	Tag Number	Collection Date	Date Received
0212038-01A	PRE [120402]		12/4/2002	12/11/2002
0212038-02A	MID [120402]		12/4/2002	12/11/2002
0212038-03A	POST [120402]		12/4/2002	12/11/2002
0212038-04A	FRW1 [120402]		12/4/2002	12/11/2002
0212038-05A	FRW2 [120402]		12/4/2002	12/11/2002

American Analytical Laboratories, Inc.

Date: 17-Dec-02

CLIENT:	Legette Brashears & Graham Inc.	Client Sample ID:	PRE [120402]
Lab Order:	0212038	Tag Number:	
Project:	Rowe Industries Sag Harbor, N.Y.	Collection Date:	12/4/2002
Lab ID:	0212038-01A	Matrix:	LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILES SW-846 8021		SW8021B				Analyst: LDS
1,1,1,2-Tetrachloroethane	< 1.0	1.0		µg/L	1	12/13/2002 2:11:00 AM
1,1,1-Trichloroethane	1.2	1.0		µg/L	1	12/13/2002 2:11:00 AM
1,1,2,2-Tetrachloroethane	< 1.0	1.0		µg/L	1	12/13/2002 2:11:00 AM
1,1,2-Trichloroethane	< 1.0	1.0		µg/L	1	12/13/2002 2:11:00 AM
1,1-Dichloroethane	< 1.0	1.0		µg/L	1	12/13/2002 2:11:00 AM
1,1-Dichloroethene	< 1.0	1.0		µg/L	1	12/13/2002 2:11:00 AM
1,1-Dichloropropene	< 1.0	1.0		µg/L	1	12/13/2002 2:11:00 AM
1,2,3-Trichlorobenzene	< 1.0	1.0		µg/L	1	12/13/2002 2:11:00 AM
1,2,3-Trichloropropane	< 1.0	1.0		µg/L	1	12/13/2002 2:11:00 AM
1,2,4-Trichlorobenzene	< 1.0	1.0		µg/L	1	12/13/2002 2:11:00 AM
1,2,4-Trimethylbenzene	1.4	1.0		µg/L	1	12/13/2002 2:11:00 AM
1,2-Dibromo-3-chloropropane	< 1.0	1.0		µg/L	1	12/13/2002 2:11:00 AM
1,2-Dibromoethane	< 1.0	1.0		µg/L	1	12/13/2002 2:11:00 AM
1,2-Dichlorobenzene	< 1.0	1.0		µg/L	1	12/13/2002 2:11:00 AM
1,2-Dichloroethane	< 1.0	1.0		µg/L	1	12/13/2002 2:11:00 AM
1,2-Dichloropropane	< 1.0	1.0		µg/L	1	12/13/2002 2:11:00 AM
1,3,5-Trimethylbenzene	< 1.0	1.0		µg/L	1	12/13/2002 2:11:00 AM
1,3-Dichlorobenzene	< 1.0	1.0		µg/L	1	12/13/2002 2:11:00 AM
1,3-dichloropropane	< 1.0	1.0		µg/L	1	12/13/2002 2:11:00 AM
1,4-Dichlorobenzene	< 1.0	1.0		µg/L	1	12/13/2002 2:11:00 AM
2,2-Dichloropropane	< 1.0	1.0		µg/L	1	12/13/2002 2:11:00 AM
2-Chloroethyl vinyl ether	< 1.0	1.0		µg/L	1	12/13/2002 2:11:00 AM
2-Chlorotoluene	< 1.0	1.0		µg/L	1	12/13/2002 2:11:00 AM
4-Chlorotoluene	< 1.0	1.0		µg/L	1	12/13/2002 2:11:00 AM
4-Isopropyltoluene	< 1.0	1.0		µg/L	1	12/13/2002 2:11:00 AM
Benzene	< 1.0	1.0		µg/L	1	12/13/2002 2:11:00 AM
Bromobenzene	< 1.0	1.0		µg/L	1	12/13/2002 2:11:00 AM
Bromochloromethane	< 1.0	1.0		µg/L	1	12/13/2002 2:11:00 AM
Bromodichloromethane	< 1.0	1.0		µg/L	1	12/13/2002 2:11:00 AM
Bromoform	< 1.0	1.0		µg/L	1	12/13/2002 2:11:00 AM
Bromomethane	< 1.0	1.0		µg/L	1	12/13/2002 2:11:00 AM
Carbon disulfide	< 1.0	1.0		µg/L	1	12/13/2002 2:11:00 AM
Carbon tetrachloride	< 1.0	1.0		µg/L	1	12/13/2002 2:11:00 AM
Chlorobenzene	< 1.0	1.0		µg/L	1	12/13/2002 2:11:00 AM
Chloroethane	< 1.0	1.0		µg/L	1	12/13/2002 2:11:00 AM
Chloroform	< 1.0	1.0		µg/L	1	12/13/2002 2:11:00 AM
Chloromethane	< 1.0	1.0		µg/L	1	12/13/2002 2:11:00 AM
cis-1,2-Dichloroethene	8.3	1.0		µg/L	1	12/13/2002 2:11:00 AM
cis-1,3-Dichloropropene	< 1.0	1.0		µg/L	1	12/13/2002 2:11:00 AM
Dibromochloromethane	< 1.0	1.0		µg/L	1	12/13/2002 2:11:00 AM

Qualifiers: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

American Analytical Laboratories, Inc.

Date: 17-Dec-02

CLIENT:	Legette Brashears & Graham Inc.	Client Sample ID:	PRE [120402]
Lab Order:	0212038	Tag Number:	
Project:	Rowe Industries Sag Harbor, N.Y.	Collection Date:	12/4/2002
Lab ID:	0212038-01A	Matrix:	LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILES SW-846 8021						
Dibromomethane	< 1.0	1.0		µg/L	1	Analyst: LDS 12/13/2002 2:11:00 AM
Dichlorodifluoromethane	< 1.0	1.0		µg/L	1	12/13/2002 2:11:00 AM
Ethylbenzene	< 1.0	1.0		µg/L	1	12/13/2002 2:11:00 AM
Hexachlorobutadiene	< 1.0	1.0		µg/L	1	12/13/2002 2:11:00 AM
Isopropylbenzene	0.7	1.0	J	µg/L	1	12/13/2002 2:11:00 AM
m,p-Xylene	< 2.0	2.0		µg/L	1	12/13/2002 2:11:00 AM
Methylene chloride	< 1.0	1.0		µg/L	1	12/13/2002 2:11:00 AM
Naphthalene	< 1.0	1.0		µg/L	1	12/13/2002 2:11:00 AM
n-Butylbenzene	< 1.0	1.0		µg/L	1	12/13/2002 2:11:00 AM
n-Propylbenzene	< 1.0	1.0		µg/L	1	12/13/2002 2:11:00 AM
o-Xylene	< 1.0	1.0		µg/L	1	12/13/2002 2:11:00 AM
sec-Butylbenzene	< 1.0	1.0		µg/L	1	12/13/2002 2:11:00 AM
Styrene	< 1.0	1.0		µg/L	1	12/13/2002 2:11:00 AM
tert-Butylbenzene	< 1.0	1.0		µg/L	1	12/13/2002 2:11:00 AM
Tetrachloroethene	< 1.0	1.0		µg/L	1	12/13/2002 2:11:00 AM
Toluene	64	1.0		µg/L	1	12/13/2002 2:11:00 AM
trans-1,2-Dichloroethene	< 1.0	1.0		µg/L	1	12/13/2002 2:11:00 AM
trans-1,3-Dichloropropene	< 1.0	1.0		µg/L	1	12/13/2002 2:11:00 AM
Trichloroethene	1.7	1.0		µg/L	1	12/13/2002 2:11:00 AM
Trichlorofluoromethane	< 1.0	1.0		µg/L	1	12/13/2002 2:11:00 AM
Vinyl acetate	< 1.0	1.0		µg/L	1	12/13/2002 2:11:00 AM
Vinyl chloride	< 1.0	1.0		µg/L	1	12/13/2002 2:11:00 AM

Qualifiers:	ND - Not Detected at the Reporting Limit	S - Spike Recovery outside accepted recovery limits
	J - Analyte detected below quantitation limits	R - RPD outside accepted recovery limits
	B - Analyte detected in the associated Method Blank	E - Value above quantitation range
	* - Value exceeds Maximum Contaminant Level	

American Analytical Laboratories, Inc.

Date: 17-Dec-02

CLIENT:	Legette Brashears & Graham Inc.	Client Sample ID:	MID [120402]
Lab Order:	0212038	Tag Number:	
Project:	Rowe Industries Sag Harbor, N.Y.	Collection Date:	12/4/2002
Lab ID:	0212038-02A	Matrix:	LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILES SW-846 8021						
SW8021B						
1,1,1,2-Tetrachloroethane	< 1.0	1.0		µg/L	1	Analyst: LDS 12/13/2002 2:50:00 AM
1,1,1-Trichloroethane	< 1.0	1.0		µg/L	1	12/13/2002 2:50:00 AM
1,1,2,2-Tetrachloroethane	< 1.0	1.0		µg/L	1	12/13/2002 2:50:00 AM
1,1,2-Trichloroethane	< 1.0	1.0		µg/L	1	12/13/2002 2:50:00 AM
1,1-Dichloroethane	< 1.0	1.0		µg/L	1	12/13/2002 2:50:00 AM
1,1-Dichloroethene	< 1.0	1.0		µg/L	1	12/13/2002 2:50:00 AM
1,1-Dichloropropene	< 1.0	1.0		µg/L	1	12/13/2002 2:50:00 AM
1,2,3-Trichlorobenzene	< 1.0	1.0		µg/L	1	12/13/2002 2:50:00 AM
1,2,3-Trichloropropane	< 1.0	1.0		µg/L	1	12/13/2002 2:50:00 AM
1,2,4-Trichlorobenzene	< 1.0	1.0		µg/L	1	12/13/2002 2:50:00 AM
1,2,4-Trimethylbenzene	< 1.0	1.0		µg/L	1	12/13/2002 2:50:00 AM
1,2-Dibromo-3-chloropropane	< 1.0	1.0		µg/L	1	12/13/2002 2:50:00 AM
1,2-Dibromoethane	< 1.0	1.0		µg/L	1	12/13/2002 2:50:00 AM
1,2-Dichlorobenzene	< 1.0	1.0		µg/L	1	12/13/2002 2:50:00 AM
1,2-Dichloroethane	< 1.0	1.0		µg/L	1	12/13/2002 2:50:00 AM
1,2-Dichloropropane	< 1.0	1.0		µg/L	1	12/13/2002 2:50:00 AM
1,3,5-Trimethylbenzene	< 1.0	1.0		µg/L	1	12/13/2002 2:50:00 AM
1,3-Dichlorobenzene	< 1.0	1.0		µg/L	1	12/13/2002 2:50:00 AM
1,3-dichloropropane	< 1.0	1.0		µg/L	1	12/13/2002 2:50:00 AM
1,4-Dichlorobenzene	< 1.0	1.0		µg/L	1	12/13/2002 2:50:00 AM
2,2-Dichloropropane	< 1.0	1.0		µg/L	1	12/13/2002 2:50:00 AM
2-Chloroethyl vinyl ether	< 1.0	1.0		µg/L	1	12/13/2002 2:50:00 AM
2-Chlorotoluene	< 1.0	1.0		µg/L	1	12/13/2002 2:50:00 AM
4-Chlorotoluene	< 1.0	1.0		µg/L	1	12/13/2002 2:50:00 AM
4-Isopropyltoluene	< 1.0	1.0		µg/L	1	12/13/2002 2:50:00 AM
Benzene	< 1.0	1.0		µg/L	1	12/13/2002 2:50:00 AM
Bromobenzene	< 1.0	1.0		µg/L	1	12/13/2002 2:50:00 AM
Bromochloromethane	< 1.0	1.0		µg/L	1	12/13/2002 2:50:00 AM
Bromodichloromethane	< 1.0	1.0		µg/L	1	12/13/2002 2:50:00 AM
Bromoform	< 1.0	1.0		µg/L	1	12/13/2002 2:50:00 AM
Bromomethane	< 1.0	1.0		µg/L	1	12/13/2002 2:50:00 AM
Carbon disulfide	< 1.0	1.0		µg/L	1	12/13/2002 2:50:00 AM
Carbon tetrachloride	< 1.0	1.0		µg/L	1	12/13/2002 2:50:00 AM
Chlorobenzene	< 1.0	1.0		µg/L	1	12/13/2002 2:50:00 AM
Chloroethane	< 1.0	1.0		µg/L	1	12/13/2002 2:50:00 AM
Chloroform	< 1.0	1.0		µg/L	1	12/13/2002 2:50:00 AM
Chloromethane	< 1.0	1.0		µg/L	1	12/13/2002 2:50:00 AM
cis-1,2-Dichloroethene	< 1.0	1.0		µg/L	1	12/13/2002 2:50:00 AM
cis-1,3-Dichloropropene	< 1.0	1.0		µg/L	1	12/13/2002 2:50:00 AM
Dibromochloromethane	< 1.0	1.0		µg/L	1	12/13/2002 2:50:00 AM

Qualifiers: ND - Not Detected at the Reporting Limit S - Spike Recovery outside accepted recovery limits

J - Analyte detected below quantitation limits R - RPD outside accepted recovery limits

B - Analyte detected in the associated Method Blank E - Value above quantitation range

* - Value exceeds Maximum Contaminant Level

American Analytical Laboratories, Inc.

Date: 17-Dec-02

CLIENT:	Legette Brashears & Graham Inc.	Client Sample ID:	MID [120402]
Lab Order:	0212038	Tag Number:	
Project:	Rowe Industries Sag Harbor, N.Y.	Collection Date:	12/4/2002
Lab ID:	0212038-02A	Matrix:	LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILES SW-846 8021						
Dibromomethane	< 1.0	1.0	SW8021B	µg/L	1	Analyst: LDS 12/13/2002 2:50:00 AM
Dichlorodifluoromethane	< 1.0	1.0		µg/L	1	12/13/2002 2:50:00 AM
Ethylbenzene	< 1.0	1.0		µg/L	1	12/13/2002 2:50:00 AM
Hexachlorobutadiene	< 1.0	1.0		µg/L	1	12/13/2002 2:50:00 AM
Isopropylbenzene	< 1.0	1.0		µg/L	1	12/13/2002 2:50:00 AM
m,p-Xylene	< 2.0	2.0		µg/L	1	12/13/2002 2:50:00 AM
Methylene chloride	< 1.0	1.0		µg/L	1	12/13/2002 2:50:00 AM
Naphthalene	< 1.0	1.0		µg/L	1	12/13/2002 2:50:00 AM
n-Butylbenzene	< 1.0	1.0		µg/L	1	12/13/2002 2:50:00 AM
n-Propylbenzene	< 1.0	1.0		µg/L	1	12/13/2002 2:50:00 AM
o-Xylene	< 1.0	1.0		µg/L	1	12/13/2002 2:50:00 AM
sec-Butylbenzene	< 1.0	1.0		µg/L	1	12/13/2002 2:50:00 AM
Styrene	< 1.0	1.0		µg/L	1	12/13/2002 2:50:00 AM
tert-Butylbenzene	< 1.0	1.0		µg/L	1	12/13/2002 2:50:00 AM
Tetrachloroethene	< 1.0	1.0		µg/L	1	12/13/2002 2:50:00 AM
Toluene	< 1.0	1.0		µg/L	1	12/13/2002 2:50:00 AM
trans-1,2-Dichloroethene	< 1.0	1.0		µg/L	1	12/13/2002 2:50:00 AM
trans-1,3-Dichloropropene	< 1.0	1.0		µg/L	1	12/13/2002 2:50:00 AM
Trichloroethene	< 1.0	1.0		µg/L	1	12/13/2002 2:50:00 AM
Trichlorofluoromethane	< 1.0	1.0		µg/L	1	12/13/2002 2:50:00 AM
Vinyl acetate	< 1.0	1.0		µg/L	1	12/13/2002 2:50:00 AM
Vinyl chloride	< 1.0	1.0		µg/L	1	12/13/2002 2:50:00 AM

Qualifiers:	ND - Not Detected at the Reporting Limit	S - Spike Recovery outside accepted recovery limits
	J - Analyte detected below quantitation limits	R - RPD outside accepted recovery limits
	B - Analyte detected in the associated Method Blank	E - Value above quantitation range
	* - Value exceeds Maximum Contaminant Level	

American Analytical Laboratories, Inc.

Date: 17-Dec-02

CLIENT:	Legette Brashears & Graham Inc.	Client Sample ID:	POST [120402]
Lab Order:	0212038	Tag Number:	
Project:	Rowe Industries Sag Harbor, N.Y.	Collection Date:	12/4/2002
Lab ID:	0212038-03A	Matrix:	LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILES SW-846 8021		SW8021B				Analyst: LDS
1,1,1,2-Tetrachloroethane	< 1.0	1.0		µg/L	1	12/13/2002 3:28:00 AM
1,1,1-Trichloroethane	< 1.0	1.0		µg/L	1	12/13/2002 3:28:00 AM
1,1,2,2-Tetrachloroethane	< 1.0	1.0		µg/L	1	12/13/2002 3:28:00 AM
1,1,2-Trichloroethane	< 1.0	1.0		µg/L	1	12/13/2002 3:28:00 AM
1,1-Dichloroethane	< 1.0	1.0		µg/L	1	12/13/2002 3:28:00 AM
1,1-Dichloroethene	< 1.0	1.0		µg/L	1	12/13/2002 3:28:00 AM
1,1-Dichloropropene	< 1.0	1.0		µg/L	1	12/13/2002 3:28:00 AM
1,2,3-Trichlorobenzene	< 1.0	1.0		µg/L	1	12/13/2002 3:28:00 AM
1,2,3-Trichloropropane	< 1.0	1.0		µg/L	1	12/13/2002 3:28:00 AM
1,2,4-Trichlorobenzene	< 1.0	1.0		µg/L	1	12/13/2002 3:28:00 AM
1,2,4-Trimethylbenzene	< 1.0	1.0		µg/L	1	12/13/2002 3:28:00 AM
1,2-Dibromo-3-chloropropane	< 1.0	1.0		µg/L	1	12/13/2002 3:28:00 AM
1,2-Dibromoethane	< 1.0	1.0		µg/L	1	12/13/2002 3:28:00 AM
1,2-Dichlorobenzene	< 1.0	1.0		µg/L	1	12/13/2002 3:28:00 AM
1,2-Dichloroethane	< 1.0	1.0		µg/L	1	12/13/2002 3:28:00 AM
1,2-Dichloropropane	< 1.0	1.0		µg/L	1	12/13/2002 3:28:00 AM
1,3,5-Trimethylbenzene	< 1.0	1.0		µg/L	1	12/13/2002 3:28:00 AM
1,3-Dichlorobenzene	< 1.0	1.0		µg/L	1	12/13/2002 3:28:00 AM
1,3-dichloropropane	< 1.0	1.0		µg/L	1	12/13/2002 3:28:00 AM
1,4-Dichlorobenzene	< 1.0	1.0		µg/L	1	12/13/2002 3:28:00 AM
2,2-Dichloropropane	< 1.0	1.0		µg/L	1	12/13/2002 3:28:00 AM
2-Chloroethyl vinyl ether	< 1.0	1.0		µg/L	1	12/13/2002 3:28:00 AM
2-Chlorotoluene	< 1.0	1.0		µg/L	1	12/13/2002 3:28:00 AM
4-Chlorotoluene	< 1.0	1.0		µg/L	1	12/13/2002 3:28:00 AM
4-Isopropyltoluene	< 1.0	1.0		µg/L	1	12/13/2002 3:28:00 AM
Benzene	< 1.0	1.0		µg/L	1	12/13/2002 3:28:00 AM
Bromobenzene	< 1.0	1.0		µg/L	1	12/13/2002 3:28:00 AM
Bromochloromethane	< 1.0	1.0		µg/L	1	12/13/2002 3:28:00 AM
Bromodichloromethane	< 1.0	1.0		µg/L	1	12/13/2002 3:28:00 AM
Bromoform	< 1.0	1.0		µg/L	1	12/13/2002 3:28:00 AM
Bromomethane	< 1.0	1.0		µg/L	1	12/13/2002 3:28:00 AM
Carbon disulfide	< 1.0	1.0		µg/L	1	12/13/2002 3:28:00 AM
Carbon tetrachloride	< 1.0	1.0		µg/L	1	12/13/2002 3:28:00 AM
Chlorobenzene	< 1.0	1.0		µg/L	1	12/13/2002 3:28:00 AM
Chloroethane	< 1.0	1.0		µg/L	1	12/13/2002 3:28:00 AM
Chloroform	< 1.0	1.0		µg/L	1	12/13/2002 3:28:00 AM
Chloromethane	< 1.0	1.0		µg/L	1	12/13/2002 3:28:00 AM
cis-1,2-Dichloroethene	< 1.0	1.0		µg/L	1	12/13/2002 3:28:00 AM
cis-1,3-Dichloropropene	< 1.0	1.0		µg/L	1	12/13/2002 3:28:00 AM
Dibromochloromethane	< 1.0	1.0		µg/L	1	12/13/2002 3:28:00 AM

Qualifiers: ND - Not Detected at the Reporting Limit S - Spike Recovery outside accepted recovery limits

J - Analyte detected below quantitation limits R - RPD outside accepted recovery limits

B - Analyte detected in the associated Method Blank E - Value above quantitation range

* - Value exceeds Maximum Contaminant Level

American Analytical Laboratories, Inc.

Date: 17-Dec-02

CLIENT:	Legette Brashears & Graham Inc.	Client Sample ID:	POST [120402]
Lab Order:	0212038	Tag Number:	
Project:	Rowe Industries Sag Harbor, N.Y.	Collection Date:	12/4/2002
Lab ID:	0212038-03A	Matrix:	LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILES SW-846 8021		SW8021B				Analyst: LDS
Dibromomethane	< 1.0	1.0		µg/L	1	12/13/2002 3:28:00 AM
Dichlorodifluoromethane	< 1.0	1.0		µg/L	1	12/13/2002 3:28:00 AM
Ethylbenzene	< 1.0	1.0		µg/L	1	12/13/2002 3:28:00 AM
Hexachlorobutadiene	< 1.0	1.0		µg/L	1	12/13/2002 3:28:00 AM
Isopropylbenzene	< 1.0	1.0		µg/L	1	12/13/2002 3:28:00 AM
m,p-Xylene	< 2.0	2.0		µg/L	1	12/13/2002 3:28:00 AM
Methylene chloride	< 1.0	1.0		µg/L	1	12/13/2002 3:28:00 AM
Naphthalene	< 1.0	1.0		µg/L	1	12/13/2002 3:28:00 AM
n-Butylbenzene	< 1.0	1.0		µg/L	1	12/13/2002 3:28:00 AM
n-Propylbenzene	< 1.0	1.0		µg/L	1	12/13/2002 3:28:00 AM
o-Xylene	< 1.0	1.0		µg/L	1	12/13/2002 3:28:00 AM
sec-Butylbenzene	< 1.0	1.0		µg/L	1	12/13/2002 3:28:00 AM
Styrene	< 1.0	1.0		µg/L	1	12/13/2002 3:28:00 AM
tert-Butylbenzene	< 1.0	1.0		µg/L	1	12/13/2002 3:28:00 AM
Tetrachloroethene	< 1.0	1.0		µg/L	1	12/13/2002 3:28:00 AM
Toluene	< 1.0	1.0		µg/L	1	12/13/2002 3:28:00 AM
trans-1,2-Dichloroethene	< 1.0	1.0		µg/L	1	12/13/2002 3:28:00 AM
trans-1,3-Dichloropropene	< 1.0	1.0		µg/L	1	12/13/2002 3:28:00 AM
Trichloroethene	< 1.0	1.0		µg/L	1	12/13/2002 3:28:00 AM
Trichlorofluoromethane	< 1.0	1.0		µg/L	1	12/13/2002 3:28:00 AM
Vinyl acetate	< 1.0	1.0		µg/L	1	12/13/2002 3:28:00 AM
Vinyl chloride	< 1.0	1.0		µg/L	1	12/13/2002 3:28:00 AM

Qualifiers:	ND - Not Detected at the Reporting Limit	S - Spike Recovery outside accepted recovery limits
	J - Analyte detected below quantitation limits	R - RPD outside accepted recovery limits
	B - Analyte detected in the associated Method Blank	E - Value above quantitation range
	* - Value exceeds Maximum Contaminant Level	

American Analytical Laboratories, Inc.

Date: 17-Dec-02

CLIENT:	Legette Brashears & Graham Inc.	Client Sample ID:	FRW1 [120402]
Lab Order:	0212038	Tag Number:	
Project:	Rowe Industries Sag Harbor, N.Y.	Collection Date:	12/4/2002
Lab ID:	0212038-04A	Matrix:	LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILES SW-846 8021						
SW8021B						
1,1,1,2-Tetrachloroethane	< 1.0	1.0		µg/L	1	Analyst: LDS 12/13/2002 4:12:00 AM
1,1,1-Trichloroethane	2.0	1.0		µg/L	1	12/13/2002 4:12:00 AM
1,1,2,2-Tetrachloroethane	< 1.0	1.0		µg/L	1	12/13/2002 4:12:00 AM
1,1,2-Trichloroethane	< 1.0	1.0		µg/L	1	12/13/2002 4:12:00 AM
1,1-Dichloroethane	< 1.0	1.0		µg/L	1	12/13/2002 4:12:00 AM
1,1-Dichloroethene	< 1.0	1.0		µg/L	1	12/13/2002 4:12:00 AM
1,1-Dichloropropene	< 1.0	1.0		µg/L	1	12/13/2002 4:12:00 AM
1,2,3-Trichlorobenzene	< 1.0	1.0		µg/L	1	12/13/2002 4:12:00 AM
1,2,3-Trichloropropane	< 1.0	1.0		µg/L	1	12/13/2002 4:12:00 AM
1,2,4-Trichlorobenzene	< 1.0	1.0		µg/L	1	12/13/2002 4:12:00 AM
1,2,4-Trimethylbenzene	< 1.0	1.0		µg/L	1	12/13/2002 4:12:00 AM
1,2-Dibromo-3-chloropropane	< 1.0	1.0		µg/L	1	12/13/2002 4:12:00 AM
1,2-Dibromoethane	< 1.0	1.0		µg/L	1	12/13/2002 4:12:00 AM
1,2-Dichlorobenzene	< 1.0	1.0		µg/L	1	12/13/2002 4:12:00 AM
1,2-Dichloroethane	< 1.0	1.0		µg/L	1	12/13/2002 4:12:00 AM
1,2-Dichloropropane	< 1.0	1.0		µg/L	1	12/13/2002 4:12:00 AM
1,3,5-Trimethylbenzene	< 1.0	1.0		µg/L	1	12/13/2002 4:12:00 AM
1,3-Dichlorobenzene	< 1.0	1.0		µg/L	1	12/13/2002 4:12:00 AM
1,3-dichloropropane	< 1.0	1.0		µg/L	1	12/13/2002 4:12:00 AM
1,4-Dichlorobenzene	< 1.0	1.0		µg/L	1	12/13/2002 4:12:00 AM
2,2-Dichloropropane	< 1.0	1.0		µg/L	1	12/13/2002 4:12:00 AM
2-Chloroethyl vinyl ether	< 1.0	1.0		µg/L	1	12/13/2002 4:12:00 AM
2-Chlorotoluene	< 1.0	1.0		µg/L	1	12/13/2002 4:12:00 AM
4-Chlorotoluene	< 1.0	1.0		µg/L	1	12/13/2002 4:12:00 AM
4-Isopropyltoluene	< 1.0	1.0		µg/L	1	12/13/2002 4:12:00 AM
Benzene	< 1.0	1.0		µg/L	1	12/13/2002 4:12:00 AM
Bromobenzene	< 1.0	1.0		µg/L	1	12/13/2002 4:12:00 AM
Bromochloromethane	< 1.0	1.0		µg/L	1	12/13/2002 4:12:00 AM
Bromodichloromethane	< 1.0	1.0		µg/L	1	12/13/2002 4:12:00 AM
Bromoform	< 1.0	1.0		µg/L	1	12/13/2002 4:12:00 AM
Bromomethane	< 1.0	1.0		µg/L	1	12/13/2002 4:12:00 AM
Carbon disulfide	< 1.0	1.0		µg/L	1	12/13/2002 4:12:00 AM
Carbon tetrachloride	< 1.0	1.0		µg/L	1	12/13/2002 4:12:00 AM
Chlorobenzene	< 1.0	1.0		µg/L	1	12/13/2002 4:12:00 AM
Chloroethane	< 1.0	1.0		µg/L	1	12/13/2002 4:12:00 AM
Chloroform	< 1.0	1.0		µg/L	1	12/13/2002 4:12:00 AM
Chloromethane	< 1.0	1.0		µg/L	1	12/13/2002 4:12:00 AM
cis-1,2-Dichloroethene	< 1.0	1.0		µg/L	1	12/13/2002 4:12:00 AM
cis-1,3-Dichloropropene	8.4	1.0		µg/L	1	12/13/2002 4:12:00 AM
Dibromochloromethane	< 1.0	1.0		µg/L	1	12/13/2002 4:12:00 AM
	< 1.0	1.0		µg/L	1	12/13/2002 4:12:00 AM

Qualifiers:	ND - Not Detected at the Reporting Limit	S - Spike Recovery outside accepted recovery limits
	J - Analyte detected below quantitation limits	R - RPD outside accepted recovery limits
	B - Analyte detected in the associated Method Blank	E - Value above quantitation range
	* - Value exceeds Maximum Contaminant Level	

American Analytical Laboratories, Inc.

Date: 17-Dec-02

CLIENT:	Legette Brashears & Graham Inc.	Client Sample ID:	FRW1 [120402]
Lab Order:	0212038	Tag Number:	
Project:	Rowe Industries Sag Harbor, N.Y.	Collection Date:	12/4/2002
Lab ID:	0212038-04A	Matrix:	LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILES SW-846 8021						
Dibromomethane	< 1.0	1.0		µg/L	1	Analyst: LDS 12/13/2002 4:12:00 AM
Dichlorodifluoromethane	< 1.0	1.0		µg/L	1	12/13/2002 4:12:00 AM
Ethylbenzene	< 1.0	1.0		µg/L	1	12/13/2002 4:12:00 AM
Hexachlorobutadiene	< 1.0	1.0		µg/L	1	12/13/2002 4:12:00 AM
Isopropylbenzene	1.4	1.0		µg/L	1	12/13/2002 4:12:00 AM
m,p-Xylene	< 2.0	2.0		µg/L	1	12/13/2002 4:12:00 AM
Methylene chloride	< 1.0	1.0		µg/L	1	12/13/2002 4:12:00 AM
Naphthalene	< 1.0	1.0		µg/L	1	12/13/2002 4:12:00 AM
n-Butylbenzene	< 1.0	1.0		µg/L	1	12/13/2002 4:12:00 AM
n-Propylbenzene	0.5	1.0	J	µg/L	1	12/13/2002 4:12:00 AM
o-Xylene	< 1.0	1.0		µg/L	1	12/13/2002 4:12:00 AM
sec-Butylbenzene	< 1.0	1.0		µg/L	1	12/13/2002 4:12:00 AM
Styrene	< 1.0	1.0		µg/L	1	12/13/2002 4:12:00 AM
tert-Butylbenzene	< 1.0	1.0		µg/L	1	12/13/2002 4:12:00 AM
Tetrachloroethene	78	1.0		µg/L	1	12/13/2002 4:12:00 AM
Toluene	< 1.0	1.0		µg/L	1	12/13/2002 4:12:00 AM
trans-1,2-Dichloroethene	< 1.0	1.0		µg/L	1	12/13/2002 4:12:00 AM
trans-1,3-Dichloropropene	< 1.0	1.0		µg/L	1	12/13/2002 4:12:00 AM
Trichloroethene	2.3	1.0		µg/L	1	12/13/2002 4:12:00 AM
Trichlorofluoromethane	< 1.0	1.0		µg/L	1	12/13/2002 4:12:00 AM
Vinyl acetate	< 1.0	1.0		µg/L	1	12/13/2002 4:12:00 AM
Vinyl chloride	< 1.0	1.0		µg/L	1	12/13/2002 4:12:00 AM

Qualifiers:	ND - Not Detected at the Reporting Limit	S - Spike Recovery outside accepted recovery limits
	J - Analyte detected below quantitation limits	R - RPD outside accepted recovery limits
	B - Analyte detected in the associated Method Blank	E - Value above quantitation range
	* - Value exceeds Maximum Contaminant Level	

American Analytical Laboratories, Inc.

Date: 17-Dec-02

CLIENT:	Legette Brashears & Graham Inc.	Client Sample ID:	FRW2 [120402]
Lab Order:	0212038	Tag Number:	
Project:	Rowe Industries Sag Harbor, N.Y.	Collection Date:	12/4/2002
Lab ID:	0212038-05A	Matrix:	LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILES SW-846 8021						
SW8021B						
1,1,1,2-Tetrachloroethane	< 1.0	1.0		µg/L	1	Analyst: LDS 12/13/2002 4:49:00 AM
1,1,1-Trichloroethane	< 1.0	1.0		µg/L	1	12/13/2002 4:49:00 AM
1,1,2,2-Tetrachloroethane	< 1.0	1.0		µg/L	1	12/13/2002 4:49:00 AM
1,1,2-Trichloroethane	< 1.0	1.0		µg/L	1	12/13/2002 4:49:00 AM
1,1-Dichloroethane	< 1.0	1.0		µg/L	1	12/13/2002 4:49:00 AM
1,1-Dichloroethene	< 1.0	1.0		µg/L	1	12/13/2002 4:49:00 AM
1,1-Dichloropropene	< 1.0	1.0		µg/L	1	12/13/2002 4:49:00 AM
1,2,3-Trichlorobenzene	< 1.0	1.0		µg/L	1	12/13/2002 4:49:00 AM
1,2,3-Trichloropropane	< 1.0	1.0		µg/L	1	12/13/2002 4:49:00 AM
1,2,4-Trichlorobenzene	< 1.0	1.0		µg/L	1	12/13/2002 4:49:00 AM
1,2,4-Trimethylbenzene	< 1.0	1.0		µg/L	1	12/13/2002 4:49:00 AM
1,2-Dibromo-3-chloropropane	< 1.0	1.0		µg/L	1	12/13/2002 4:49:00 AM
1,2-Dibromoethane	< 1.0	1.0		µg/L	1	12/13/2002 4:49:00 AM
1,2-Dichlorobenzene	< 1.0	1.0		µg/L	1	12/13/2002 4:49:00 AM
1,2-Dichloroethane	< 1.0	1.0		µg/L	1	12/13/2002 4:49:00 AM
1,2-Dichloropropane	< 1.0	1.0		µg/L	1	12/13/2002 4:49:00 AM
1,3,5-Trimethylbenzene	1.1	1.0		µg/L	1	12/13/2002 4:49:00 AM
1,3-Dichlorobenzene	< 1.0	1.0		µg/L	1	12/13/2002 4:49:00 AM
1,3-dichloropropane	< 1.0	1.0		µg/L	1	12/13/2002 4:49:00 AM
1,4-Dichlorobenzene	< 1.0	1.0		µg/L	1	12/13/2002 4:49:00 AM
2,2-Dichloropropane	< 1.0	1.0		µg/L	1	12/13/2002 4:49:00 AM
2-Chloroethyl vinyl ether	< 1.0	1.0		µg/L	1	12/13/2002 4:49:00 AM
2-Chlorotoluene	< 1.0	1.0		µg/L	1	12/13/2002 4:49:00 AM
4-Chlorotoluene	< 1.0	1.0		µg/L	1	12/13/2002 4:49:00 AM
4-Isopropyltoluene	< 1.0	1.0		µg/L	1	12/13/2002 4:49:00 AM
Benzene	< 1.0	1.0		µg/L	1	12/13/2002 4:49:00 AM
Bromobenzene	< 1.0	1.0		µg/L	1	12/13/2002 4:49:00 AM
Bromochloromethane	< 1.0	1.0		µg/L	1	12/13/2002 4:49:00 AM
Bromodichloromethane	< 1.0	1.0		µg/L	1	12/13/2002 4:49:00 AM
Bromoform	< 1.0	1.0		µg/L	1	12/13/2002 4:49:00 AM
Bromomethane	< 1.0	1.0		µg/L	1	12/13/2002 4:49:00 AM
Carbon disulfide	< 1.0	1.0		µg/L	1	12/13/2002 4:49:00 AM
Carbon tetrachloride	< 1.0	1.0		µg/L	1	12/13/2002 4:49:00 AM
Chlorobenzene	< 1.0	1.0		µg/L	1	12/13/2002 4:49:00 AM
Chloroethane	< 1.0	1.0		µg/L	1	12/13/2002 4:49:00 AM
Chloroform	< 1.0	1.0		µg/L	1	12/13/2002 4:49:00 AM
Chloromethane	< 1.0	1.0		µg/L	1	12/13/2002 4:49:00 AM
cis-1,2-Dichloroethene	< 1.0	1.0		µg/L	1	12/13/2002 4:49:00 AM
cis-1,3-Dichloropropene	< 1.0	1.0		µg/L	1	12/13/2002 4:49:00 AM
Dibromochloromethane	< 1.0	1.0		µg/L	1	12/13/2002 4:49:00 AM

Qualifiers: ND - Not Detected at the Reporting Limit S - Spike Recovery outside accepted recovery limits

J - Analyte detected below quantitation limits R - RPD outside accepted recovery limits

B - Analyte detected in the associated Method Blank E - Value above quantitation range

* - Value exceeds Maximum Contaminant Level


American Analytical Laboratories, Inc.

Date: 17-Dec-02

CLIENT: Legette Brashears & Graham Inc. Client Sample ID: FRW2 [120402]
 Lab Order: 0212038 Tag Number:
 Project: Rowe Industries Sag Harbor, N.Y. Collection Date: 12/4/2002
 Lab ID: 0212038-05A Matrix: LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILES SW-846 8021						
SW8021B						
Dibromomethane	< 1.0	1.0		µg/L	1	Analyst: LDS 12/13/2002 4:49:00 AM
Dichlorodifluoromethane	< 1.0	1.0		µg/L	1	12/13/2002 4:49:00 AM
Ethylbenzene	< 1.0	1.0		µg/L	1	12/13/2002 4:49:00 AM
Hexachlorobutadiene	< 1.0	1.0		µg/L	1	12/13/2002 4:49:00 AM
Isopropylbenzene	1	1.0	J	µg/L	1	12/13/2002 4:49:00 AM
m,p-Xylene	< 2.0	2.0		µg/L	1	12/13/2002 4:49:00 AM
Methylene chloride	< 1.0	1.0		µg/L	1	12/13/2002 4:49:00 AM
Naphthalene	< 1.0	1.0		µg/L	1	12/13/2002 4:49:00 AM
n-Butylbenzene	< 1.0	1.0		µg/L	1	12/13/2002 4:49:00 AM
n-Propylbenzene	< 1.0	1.0		µg/L	1	12/13/2002 4:49:00 AM
o-Xylene	< 1.0	1.0		µg/L	1	12/13/2002 4:49:00 AM
sec-Butylbenzene	< 1.0	1.0		µg/L	1	12/13/2002 4:49:00 AM
Styrene	< 1.0	1.0		µg/L	1	12/13/2002 4:49:00 AM
tert-Butylbenzene	< 1.0	1.0		µg/L	1	12/13/2002 4:49:00 AM
Tetrachloroethene	26	1.0		µg/L	1	12/13/2002 4:49:00 AM
Toluene	< 1.0	1.0		µg/L	1	12/13/2002 4:49:00 AM
trans-1,2-Dichloroethene	< 1.0	1.0		µg/L	1	12/13/2002 4:49:00 AM
trans-1,3-Dichloropropene	< 1.0	1.0		µg/L	1	12/13/2002 4:49:00 AM
Trichloroethene	0.7	1.0	J	µg/L	1	12/13/2002 4:49:00 AM
Trichlorofluoromethane	< 1.0	1.0		µg/L	1	12/13/2002 4:49:00 AM
Vinyl acetate	< 1.0	1.0		µg/L	1	12/13/2002 4:49:00 AM
Vinyl chloride	< 1.0	1.0		µg/L	1	12/13/2002 4:49:00 AM

Qualifiers:	ND - Not Detected at the Reporting Limit	S - Spike Recovery outside accepted recovery limits
	J - Analyte detected below quantitation limits	R - RPD outside accepted recovery limits
	B - Analyte detected in the associated Method Blank	E - Value above quantitation range
	* - Value exceeds Maximum Contaminant Level	

[illegible]

December 18, 2002

Paul Jobmann
Legette Brashears & Graham Inc.
126 Monroe Turnpike
Trumbull, CT 06611

TEL: (203) 452-3110
FAX (203) 452-3111

RE: Rowe Industries

Dear Paul Jobmann:


Order No.: 0212051

American Analytical Laboratories, Inc. received 3 samples on 12/16/2002 for the analyses presented in the following report.

There were no problems with the analyses and all data for associated QC met EPA or laboratory specifications except where noted in the Case Narrative.

If you have any questions regarding these tests results, please feel free to call.

Sincerely,



Lori Beyer
Lab Director

American Analytical Laboratories, Inc.

Date: 18-Dec-02

CLIENT: Legette Brashears & Graham Inc.
Project: Rowe Industries
Lab Order: 0212051

Work Order Sample Summary

Lab Sample ID	Client Sample ID	Tag Number	Collection Date	Date Received
0212051-01A	PRE [121202]		12/12/2002	12/16/2002
0212051-02A	MID [121202]		12/12/2002	12/16/2002
0212051-03A	POST [121202]		12/12/2002	12/16/2002

American Analytical Laboratories, Inc.

Date: 18-Dec-02

CLIENT: Legette Brashears & Graham Inc.

Client Sample ID: PRE [121202]

Lab Order: 0212051

Tag Number:

Project: Rowe Industries

Collection Date: 12/12/2002

Lab ID: 0212051-01A

Matrix: LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILES SW-846 8021						
1,1,1,2-Tetrachloroethane	< 1.0	1.0	SW8021B	µg/L	1	Analyst: LDS 12/18/2002 3:09:00 AM
1,1,1-Trichloroethane	< 1.0	1.0		µg/L	1	12/18/2002 3:09:00 AM
1,1,2,2-Tetrachloroethane	< 1.0	1.0		µg/L	1	12/18/2002 3:09:00 AM
1,1,2-Trichloroethane	< 1.0	1.0		µg/L	1	12/18/2002 3:09:00 AM
1,1-Dichloroethane	< 1.0	1.0		µg/L	1	12/18/2002 3:09:00 AM
1,1-Dichloroethene	< 1.0	1.0		µg/L	1	12/18/2002 3:09:00 AM
1,1-Dichloropropene	< 1.0	1.0		µg/L	1	12/18/2002 3:09:00 AM
1,2,3-Trichlorobenzene	< 1.0	1.0		µg/L	1	12/18/2002 3:09:00 AM
1,2,3-Trichloropropane	< 1.0	1.0		µg/L	1	12/18/2002 3:09:00 AM
1,2,4-Trichlorobenzene	< 1.0	1.0		µg/L	1	12/18/2002 3:09:00 AM
1,2,4-Trimethylbenzene	1.8	1.0		µg/L	1	12/18/2002 3:09:00 AM
1,2-Dibromo-3-chloropropane	< 1.0	1.0		µg/L	1	12/18/2002 3:09:00 AM
1,2-Dibromoethane	< 1.0	1.0		µg/L	1	12/18/2002 3:09:00 AM
1,2-Dichlorobenzene	< 1.0	1.0		µg/L	1	12/18/2002 3:09:00 AM
1,2-Dichloroethane	< 1.0	1.0		µg/L	1	12/18/2002 3:09:00 AM
1,2-Dichloropropane	< 1.0	1.0		µg/L	1	12/18/2002 3:09:00 AM
1,3,5-Trimethylbenzene	2.4	1.0		µg/L	1	12/18/2002 3:09:00 AM
1,3-Dichlorobenzene	< 1.0	1.0		µg/L	1	12/18/2002 3:09:00 AM
1,3-dichloropropane	< 1.0	1.0		µg/L	1	12/18/2002 3:09:00 AM
1,4-Dichlorobenzene	< 1.0	1.0		µg/L	1	12/18/2002 3:09:00 AM
2,2-Dichloropropane	< 1.0	1.0		µg/L	1	12/18/2002 3:09:00 AM
2-Chloroethyl vinyl ether	< 1.0	1.0		µg/L	1	12/18/2002 3:09:00 AM
2-Chlorotoluene	< 1.0	1.0		µg/L	1	12/18/2002 3:09:00 AM
4-Chlorotoluene	< 1.0	1.0		µg/L	1	12/18/2002 3:09:00 AM
4-Isopropyltoluene	< 1.0	1.0		µg/L	1	12/18/2002 3:09:00 AM
Benzene	< 1.0	1.0		µg/L	1	12/18/2002 3:09:00 AM
Bromobenzene	< 1.0	1.0		µg/L	1	12/18/2002 3:09:00 AM
Bromochloromethane	< 1.0	1.0		µg/L	1	12/18/2002 3:09:00 AM
Bromodichloromethane	< 1.0	1.0		µg/L	1	12/18/2002 3:09:00 AM
Bromoform	< 1.0	1.0		µg/L	1	12/18/2002 3:09:00 AM
Bromomethane	< 1.0	1.0		µg/L	1	12/18/2002 3:09:00 AM
Carbon disulfide	< 1.0	1.0		µg/L	1	12/18/2002 3:09:00 AM
Carbon tetrachloride	< 1.0	1.0		µg/L	1	12/18/2002 3:09:00 AM
Chlorobenzene	< 1.0	1.0		µg/L	1	12/18/2002 3:09:00 AM
Chloroethane	< 1.0	1.0		µg/L	1	12/18/2002 3:09:00 AM
Chloroform	< 1.0	1.0		µg/L	1	12/18/2002 3:09:00 AM
Chloromethane	< 1.0	1.0		µg/L	1	12/18/2002 3:09:00 AM
cis-1,2-Dichloroethene	< 1.0	1.0		µg/L	1	12/18/2002 3:09:00 AM
cis-1,3-Dichloropropene	< 1.0	1.0		µg/L	1	12/18/2002 3:09:00 AM
Dibromochloromethane	< 1.0	1.0		µg/L	1	12/18/2002 3:09:00 AM

Qualifiers: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits
E - Value above quantitation range

American Analytical Laboratories, Inc.

Date: 18-Dec-02

CLIENT: Legette Brashears & Graham Inc. **Client Sample ID:** PRE [121202]
Lab Order: 0212051 **Tag Number:**
Project: Rowe Industries **Collection Date:** 12/12/2002
Lab ID: 0212051-01A **Matrix:** LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILES SW-846 8021						
Dibromomethane	< 1.0	1.0	SW8021B	µg/L	1	Analyst: LDS 12/18/2002 3:09:00 AM
Dichlorodifluoromethane	< 1.0	1.0		µg/L	1	12/18/2002 3:09:00 AM
Ethylbenzene	< 1.0	1.0		µg/L	1	12/18/2002 3:09:00 AM
Hexachlorobutadiene	< 1.0	1.0		µg/L	1	12/18/2002 3:09:00 AM
Isopropylbenzene	2.5	1.0		µg/L	1	12/18/2002 3:09:00 AM
m,p-Xylene	< 2.0	2.0		µg/L	1	12/18/2002 3:09:00 AM
Methylene chloride	< 1.0	1.0		µg/L	1	12/18/2002 3:09:00 AM
Naphthalene	< 1.0	1.0		µg/L	1	12/18/2002 3:09:00 AM
n-Butylbenzene	< 1.0	1.0		µg/L	1	12/18/2002 3:09:00 AM
n-Propylbenzene	0.9	1.0	J	µg/L	1	12/18/2002 3:09:00 AM
o-Xylene	< 1.0	1.0		µg/L	1	12/18/2002 3:09:00 AM
sec-Butylbenzene	< 1.0	1.0		µg/L	1	12/18/2002 3:09:00 AM
Styrene	< 1.0	1.0		µg/L	1	12/18/2002 3:09:00 AM
tert-Butylbenzene	< 1.0	1.0		µg/L	1	12/18/2002 3:09:00 AM
Tetrachloroethene	130	1.0		µg/L	1	12/18/2002 3:09:00 AM
Toluene	< 1.0	1.0		µg/L	1	12/18/2002 3:09:00 AM
trans-1,2-Dichloroethene	< 1.0	1.0		µg/L	1	12/18/2002 3:09:00 AM
trans-1,3-Dichloropropene	< 1.0	1.0		µg/L	1	12/18/2002 3:09:00 AM
Trichloroethene	< 1.0	1.0		µg/L	1	12/18/2002 3:09:00 AM
Trichlorofluoromethane	< 1.0	1.0		µg/L	1	12/18/2002 3:09:00 AM
Vinyl acetate	< 1.0	1.0		µg/L	1	12/18/2002 3:09:00 AM
Vinyl chloride	< 1.0	1.0		µg/L	1	12/18/2002 3:09:00 AM

Qualifiers: ND - Not Detected at the Reporting Limit S - Spike Recovery outside accepted recovery limits
J - Analyte detected below quantitation limits R - RPD outside accepted recovery limits
B - Analyte detected in the associated Method Blank E - Value above quantitation range
* - Value exceeds Maximum Contaminant Level

American Analytical Laboratories, Inc.

Date: 18-Dec-02

CLIENT: Legettte Brashears & Graham Inc.
Lab Order: 0212051
Project: Rowe Industries
Lab ID: 0212051-02A

Client Sample ID: MID [121202]
Tag Number:
Collection Date: 12/12/2002
Matrix: LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILES SW-846 8021						
1,1,1,2-Tetrachloroethane	< 1.0	1.0	SW8021B	µg/L	1	Analyst: LDS 12/18/2002 3:47:00 AM
1,1,1,-Trichloroethane	< 1.0	1.0		µg/L	1	12/18/2002 3:47:00 AM
1,1,2,2-Tetrachloroethane	< 1.0	1.0		µg/L	1	12/18/2002 3:47:00 AM
1,1,2,-Trichloroethane	< 1.0	1.0		µg/L	1	12/18/2002 3:47:00 AM
1,1-Dichloroethane	< 1.0	1.0		µg/L	1	12/18/2002 3:47:00 AM
1,1-Dichloroethene	< 1.0	1.0		µg/L	1	12/18/2002 3:47:00 AM
1,1-Dichloropropene	< 1.0	1.0		µg/L	1	12/18/2002 3:47:00 AM
1,2,3-Trichlorobenzene	< 1.0	1.0		µg/L	1	12/18/2002 3:47:00 AM
1,2,3-Trichloropropane	< 1.0	1.0		µg/L	1	12/18/2002 3:47:00 AM
1,2,4-Trichlorobenzene	< 1.0	1.0		µg/L	1	12/18/2002 3:47:00 AM
1,2,4-Trimethylbenzene	< 1.0	1.0		µg/L	1	12/18/2002 3:47:00 AM
1,2-Dibromo-3-chloropropane	< 1.0	1.0		µg/L	1	12/18/2002 3:47:00 AM
1,2-Dibromoethane	< 1.0	1.0		µg/L	1	12/18/2002 3:47:00 AM
1,2-Dichlorobenzene	< 1.0	1.0		µg/L	1	12/18/2002 3:47:00 AM
1,2-Dichloroethane	< 1.0	1.0		µg/L	1	12/18/2002 3:47:00 AM
1,2-Dichloropropane	< 1.0	1.0		µg/L	1	12/18/2002 3:47:00 AM
1,3,5-Trimethylbenzene	< 1.0	1.0		µg/L	1	12/18/2002 3:47:00 AM
1,3-Dichlorobenzene	< 1.0	1.0		µg/L	1	12/18/2002 3:47:00 AM
1,3-dichloropropane	< 1.0	1.0		µg/L	1	12/18/2002 3:47:00 AM
1,4-Dichlorobenzene	< 1.0	1.0		µg/L	1	12/18/2002 3:47:00 AM
2,2-Dichloropropane	< 1.0	1.0		µg/L	1	12/18/2002 3:47:00 AM
2-Chloroethyl vinyl ether	< 1.0	1.0		µg/L	1	12/18/2002 3:47:00 AM
2-Chlorotoluene	< 1.0	1.0		µg/L	1	12/18/2002 3:47:00 AM
4-Chlorotoluene	< 1.0	1.0		µg/L	1	12/18/2002 3:47:00 AM
4-Isopropyltoluene	< 1.0	1.0		µg/L	1	12/18/2002 3:47:00 AM
Benzene	< 1.0	1.0		µg/L	1	12/18/2002 3:47:00 AM
Bromobenzene	< 1.0	1.0		µg/L	1	12/18/2002 3:47:00 AM
Bromochloromethane	< 1.0	1.0		µg/L	1	12/18/2002 3:47:00 AM
Bromodichloromethane	< 1.0	1.0		µg/L	1	12/18/2002 3:47:00 AM
Bromoform	< 1.0	1.0		µg/L	1	12/18/2002 3:47:00 AM
Bromomethane	< 1.0	1.0		µg/L	1	12/18/2002 3:47:00 AM
Carbon disulfide	< 1.0	1.0		µg/L	1	12/18/2002 3:47:00 AM
Carbon tetrachloride	< 1.0	1.0		µg/L	1	12/18/2002 3:47:00 AM
Chlorobenzene	< 1.0	1.0		µg/L	1	12/18/2002 3:47:00 AM
Chloroethane	< 1.0	1.0		µg/L	1	12/18/2002 3:47:00 AM
Chloroform	< 1.0	1.0		µg/L	1	12/18/2002 3:47:00 AM
Chloromethane	< 1.0	1.0		µg/L	1	12/18/2002 3:47:00 AM
cis-1,2-Dichloroethene	< 1.0	1.0		µg/L	1	12/18/2002 3:47:00 AM
cis-1,3-Dichloropropene	< 1.0	1.0		µg/L	1	12/18/2002 3:47:00 AM
Dibromochloromethane	< 1.0	1.0		µg/L	1	12/18/2002 3:47:00 AM

Qualifiers: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits
E - Value above quantitation range

American Analytical Laboratories, Inc.

Date: 18-Dec-02

CLIENT:	Legette Brashears & Graham Inc.	Client Sample ID:	MID [121202]
Lab Order:	0212051	Tag Number:	
Project:	Rowe Industries	Collection Date:	12/12/2002
Lab ID:	0212051-02A	Matrix:	LJQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILES SW-846 8021		SW8021B				Analyst: LDS
Dibromomethane	< 1.0	1.0		µg/L	1	12/18/2002 3:47:00 AM
Dichlorodifluoromethane	< 1.0	1.0		µg/L	1	12/18/2002 3:47:00 AM
Ethylbenzene	< 1.0	1.0		µg/L	1	12/18/2002 3:47:00 AM
Hexachlorobutadiene	< 1.0	1.0		µg/L	1	12/18/2002 3:47:00 AM
Isopropylbenzene	< 1.0	1.0		µg/L	1	12/18/2002 3:47:00 AM
m,p-Xylene	< 2.0	2.0		µg/L	1	12/18/2002 3:47:00 AM
Methylene chloride	< 1.0	1.0		µg/L	1	12/18/2002 3:47:00 AM
Naphthalene	< 1.0	1.0		µg/L	1	12/18/2002 3:47:00 AM
n-Butylbenzene	< 1.0	1.0		µg/L	1	12/18/2002 3:47:00 AM
n-Propylbenzene	< 1.0	1.0		µg/L	1	12/18/2002 3:47:00 AM
o-Xylene	< 1.0	1.0		µg/L	1	12/18/2002 3:47:00 AM
sec-Butylbenzene	< 1.0	1.0		µg/L	1	12/18/2002 3:47:00 AM
Styrene	< 1.0	1.0		µg/L	1	12/18/2002 3:47:00 AM
tert-Butylbenzene	< 1.0	1.0		µg/L	1	12/18/2002 3:47:00 AM
Tetrachloroethene	< 1.0	1.0		µg/L	1	12/18/2002 3:47:00 AM
Toluene	< 1.0	1.0		µg/L	1	12/18/2002 3:47:00 AM
trans-1,2-Dichloroethene	< 1.0	1.0		µg/L	1	12/18/2002 3:47:00 AM
trans-1,3-Dichloropropene	< 1.0	1.0		µg/L	1	12/18/2002 3:47:00 AM
Trichloroethene	< 1.0	1.0		µg/L	1	12/18/2002 3:47:00 AM
Trichlorofluoromethane	< 1.0	1.0		µg/L	1	12/18/2002 3:47:00 AM
Vinyl acetate	< 1.0	1.0		µg/L	1	12/18/2002 3:47:00 AM
Vinyl chloride	< 1.0	1.0		µg/L	1	12/18/2002 3:47:00 AM

Qualifiers:	ND - Not Detected at the Reporting Limit	S - Spike Recovery outside accepted recovery limits
	J - Analyte detected below quantitation limits	R - RPD outside accepted recovery limits
	B - Analyte detected in the associated Method Blank	E - Value above quantitation range
	* - Value exceeds Maximum Contaminant Level	

American Analytical Laboratories, Inc.

Date: 18-Dec-02

CLIENT: Legette Brashears & Graham Inc. Client Sample ID: POST [121202]

Lab Order: 0212051 Tag Number:

Project: Rowe Industries Collection Date: 12/12/2002

Lab ID: 0212051-03A Matrix: LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILES SW-846 8021						
1,1,1,2-Tetrachloroethane	< 1.0	1.0	SW8021B	µg/L	1	Analyst: LDS 12/18/2002 4:25:00 AM
1,1,1-Trichloroethane	< 1.0	1.0		µg/L	1	12/18/2002 4:25:00 AM
1,1,2,2-Tetrachloroethane	< 1.0	1.0		µg/L	1	12/18/2002 4:25:00 AM
1,1,2-Trichloroethane	< 1.0	1.0		µg/L	1	12/18/2002 4:25:00 AM
1,1-Dichloroethane	< 1.0	1.0		µg/L	1	12/18/2002 4:25:00 AM
1,1-Dichloroethene	< 1.0	1.0		µg/L	1	12/18/2002 4:25:00 AM
1,1-Dichloropropene	< 1.0	1.0		µg/L	1	12/18/2002 4:25:00 AM
1,2,3-Trichlorobenzene	< 1.0	1.0		µg/L	1	12/18/2002 4:25:00 AM
1,2,3-Trichloropropane	< 1.0	1.0		µg/L	1	12/18/2002 4:25:00 AM
1,2,4-Trichlorobenzene	< 1.0	1.0		µg/L	1	12/18/2002 4:25:00 AM
1,2,4-Trimethylbenzene	< 1.0	1.0		µg/L	1	12/18/2002 4:25:00 AM
1,2-Dibromo-3-chloropropane	< 1.0	1.0		µg/L	1	12/18/2002 4:25:00 AM
1,2-Dibromoethane	< 1.0	1.0		µg/L	1	12/18/2002 4:25:00 AM
1,2-Dichlorobenzene	< 1.0	1.0		µg/L	1	12/18/2002 4:25:00 AM
1,2-Dichloroethane	< 1.0	1.0		µg/L	1	12/18/2002 4:25:00 AM
1,2-Dichloropropane	< 1.0	1.0		µg/L	1	12/18/2002 4:25:00 AM
1,3,5-Trimethylbenzene	< 1.0	1.0		µg/L	1	12/18/2002 4:25:00 AM
1,3-Dichlorobenzene	< 1.0	1.0		µg/L	1	12/18/2002 4:25:00 AM
1,3-dichloropropane	< 1.0	1.0		µg/L	1	12/18/2002 4:25:00 AM
1,4-Dichlorobenzene	< 1.0	1.0		µg/L	1	12/18/2002 4:25:00 AM
2,2-Dichloropropane	< 1.0	1.0		µg/L	1	12/18/2002 4:25:00 AM
2-Chloroethyl vinyl ether	< 1.0	1.0		µg/L	1	12/18/2002 4:25:00 AM
2-Chlorotoluene	< 1.0	1.0		µg/L	1	12/18/2002 4:25:00 AM
4-Chlorotoluene	< 1.0	1.0		µg/L	1	12/18/2002 4:25:00 AM
4-Isopropyltoluene	< 1.0	1.0		µg/L	1	12/18/2002 4:25:00 AM
Benzene	< 1.0	1.0		µg/L	1	12/18/2002 4:25:00 AM
Bromobenzene	< 1.0	1.0		µg/L	1	12/18/2002 4:25:00 AM
Bromochloromethane	< 1.0	1.0		µg/L	1	12/18/2002 4:25:00 AM
Bromodichloromethane	< 1.0	1.0		µg/L	1	12/18/2002 4:25:00 AM
Bromoform	< 1.0	1.0		µg/L	1	12/18/2002 4:25:00 AM
Bromomethane	< 1.0	1.0		µg/L	1	12/18/2002 4:25:00 AM
Carbon disulfide	< 1.0	1.0		µg/L	1	12/18/2002 4:25:00 AM
Carbon tetrachloride	< 1.0	1.0		µg/L	1	12/18/2002 4:25:00 AM
Chlorobenzene	< 1.0	1.0		µg/L	1	12/18/2002 4:25:00 AM
Chloroethane	< 1.0	1.0		µg/L	1	12/18/2002 4:25:00 AM
Chloroform	< 1.0	1.0		µg/L	1	12/18/2002 4:25:00 AM
Chloromethane	< 1.0	1.0		µg/L	1	12/18/2002 4:25:00 AM
cis-1,2-Dichloroethene	< 1.0	1.0		µg/L	1	12/18/2002 4:25:00 AM
cis-1,3-Dichloropropene	< 1.0	1.0		µg/L	1	12/18/2002 4:25:00 AM
Dibromochloromethane	< 1.0	1.0		µg/L	1	12/18/2002 4:25:00 AM

Qualifiers: ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

American Analytical Laboratories, Inc.

Date: 18-Dec-02

CLIENT:	Legette Brashears & Graham Inc.	Client Sample ID: POST [121202]
Lab Order:	0212051	Tag Number:
Project:	Rowe Industries	Collection Date: 12/12/2002
Lab ID:	0212051-03A	Matrix: LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILES SW-846 8021						
SW8021B						
Dibromomethane	< 1.0	1.0		µg/L	1	Analyst: LDS 12/18/2002 4:25:00 AM
Dichlorodifluoromethane	< 1.0	1.0		µg/L	1	12/18/2002 4:25:00 AM
Ethylbenzene	< 1.0	1.0		µg/L	1	12/18/2002 4:25:00 AM
Hexachlorobutadiene	< 1.0	1.0		µg/L	1	12/18/2002 4:25:00 AM
Isopropylbenzene	< 1.0	1.0		µg/L	1	12/18/2002 4:25:00 AM
m,p-Xylene	< 2.0	2.0		µg/L	1	12/18/2002 4:25:00 AM
Methylene chloride	< 1.0	1.0		µg/L	1	12/18/2002 4:25:00 AM
Naphthalene	< 1.0	1.0		µg/L	1	12/18/2002 4:25:00 AM
n-Butylbenzene	< 1.0	1.0		µg/L	1	12/18/2002 4:25:00 AM
n-Propylbenzene	< 1.0	1.0		µg/L	1	12/18/2002 4:25:00 AM
o-Xylene	< 1.0	1.0		µg/L	1	12/18/2002 4:25:00 AM
sec-Butylbenzene	< 1.0	1.0		µg/L	1	12/18/2002 4:25:00 AM
Styrene	< 1.0	1.0		µg/L	1	12/18/2002 4:25:00 AM
tert-Butylbenzene	< 1.0	1.0		µg/L	1	12/18/2002 4:25:00 AM
Tetrachloroethene	< 1.0	1.0		µg/L	1	12/18/2002 4:25:00 AM
Toluene	< 1.0	1.0		µg/L	1	12/18/2002 4:25:00 AM
trans-1,2-Dichloroethene	< 1.0	1.0		µg/L	1	12/18/2002 4:25:00 AM
trans-1,3-Dichloropropene	< 1.0	1.0		µg/L	1	12/18/2002 4:25:00 AM
Trichloroethene	< 1.0	1.0		µg/L	1	12/18/2002 4:25:00 AM
Trichlorofluoromethane	< 1.0	1.0		µg/L	1	12/18/2002 4:25:00 AM
Vinyl acetate	< 1.0	1.0		µg/L	1	12/18/2002 4:25:00 AM
Vinyl chloride	< 1.0	1.0		µg/L	1	12/18/2002 4:25:00 AM

Qualifiers:	ND - Not Detected at the Reporting Limit	S - Spike Recovery outside accepted recovery limits
	J - Analyte detected below quantitation limits	R - RPD outside accepted recovery limits
	B - Analyte detected in the associated Method Blank	E - Value above quantitation range
	* - Value exceeds Maximum Contaminant Level	

[illegible]

WHITE-OFFICE / CANARY-LAB / PINK-SAMPLE CUSTODIAN / GOLDENROD-CLIENT

December 26, 2002

Paul Jobmann
Legette Brashears & Graham Inc.
126 Monroe Turnpike
Trumbull, CT 06611

TEL: (203) 452-3110
FAX (203) 452-3111

RE: Rowe Industries

Dear Paul Jobmann:

Order No.: 0212088

American Analytical Laboratories, Inc. received 5 samples on 12/23/2002 for the analyses presented in the following report.

There were no problems with the analyses and all data for associated QC met EPA or laboratory specifications except where noted in the Case Narrative.

If you have any questions regarding these tests results, please feel free to call.

Sincerely,



Lori Beyer
Lab Director

American Analytical Laboratories, Inc.

Date: 26-Dec-02

CLIENT: Legette Brashears & Graham Inc.
Project: Rowe Industries
Lab Order: 0212088

Work Order Sample Summary

Lab Sample ID	Client Sample ID	Tag Number	Collection Date	Date Received
0212088-01A	FRW1 [121902]		12/19/2002	12/23/2002
0212088-02A	FRW2 [121902]		12/19/2002	12/23/2002
0212088-03A	PRE [121902]		12/19/2002	12/23/2002
0212088-04A	MID [121902]		12/19/2002	12/23/2002
0212088-05A	POST [121902]		12/19/2002	12/23/2002

American Analytical Laboratories, Inc.

Date: 26-Dec-02

CLIENT: Legette Brashears & Graham Inc. **Client Sample ID:** FRW1 [121902]
Lab Order: 0212088 **Tag Number:**
Project: Rowe Industries **Collection Date:** 12/19/2002
Lab ID: 0212088-01A **Matrix:** LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILES SW-846 8021						
1,1,1,2-Tetrachloroethane	< 1.0	1.0	SW8021B	µg/L	1	Analyst: LDS 12/24/2002 2:21:00 AM
1,1,1-Trichloroethane	< 1.0	1.0		µg/L	1	12/24/2002 2:21:00 AM
1,1,2,2-Tetrachloroethane	< 1.0	1.0		µg/L	1	12/24/2002 2:21:00 AM
1,1,2-Trichloroethane	< 1.0	1.0		µg/L	1	12/24/2002 2:21:00 AM
1,1-Dichloroethane	< 1.0	1.0		µg/L	1	12/24/2002 2:21:00 AM
1,1-Dichloroethene	< 1.0	1.0		µg/L	1	12/24/2002 2:21:00 AM
1,1-Dichloropropene	< 1.0	1.0		µg/L	1	12/24/2002 2:21:00 AM
1,2,3-Trichlorobenzene	< 1.0	1.0		µg/L	1	12/24/2002 2:21:00 AM
1,2,3-Trichloropropane	< 1.0	1.0		µg/L	1	12/24/2002 2:21:00 AM
1,2,4-Trichlorobenzene	< 1.0	1.0		µg/L	1	12/24/2002 2:21:00 AM
1,2,4-Trimethylbenzene	< 1.0	1.0		µg/L	1	12/24/2002 2:21:00 AM
1,2-Dibromo-3-chloropropane	< 1.0	1.0		µg/L	1	12/24/2002 2:21:00 AM
1,2-Dibromoethane	< 1.0	1.0		µg/L	1	12/24/2002 2:21:00 AM
1,2-Dichlorobenzene	< 1.0	1.0		µg/L	1	12/24/2002 2:21:00 AM
1,2-Dichloroethane	< 1.0	1.0		µg/L	1	12/24/2002 2:21:00 AM
1,2-Dichloropropane	< 1.0	1.0		µg/L	1	12/24/2002 2:21:00 AM
1,3,5-Trimethylbenzene	< 1.0	1.0		µg/L	1	12/24/2002 2:21:00 AM
1,3-Dichlorobenzene	< 1.0	1.0		µg/L	1	12/24/2002 2:21:00 AM
1,3-dichloropropane	< 1.0	1.0		µg/L	1	12/24/2002 2:21:00 AM
1,4-Dichlorobenzene	< 1.0	1.0		µg/L	1	12/24/2002 2:21:00 AM
2,2-Dichloropropane	< 1.0	1.0		µg/L	1	12/24/2002 2:21:00 AM
2-Chloroethyl vinyl ether	< 1.0	1.0		µg/L	1	12/24/2002 2:21:00 AM
2-Chlorotoluene	< 1.0	1.0		µg/L	1	12/24/2002 2:21:00 AM
4-Chlorotoluene	< 1.0	1.0		µg/L	1	12/24/2002 2:21:00 AM
4-Isopropyltoluene	< 1.0	1.0		µg/L	1	12/24/2002 2:21:00 AM
Benzene	< 1.0	1.0		µg/L	1	12/24/2002 2:21:00 AM
Bromobenzene	< 1.0	1.0		µg/L	1	12/24/2002 2:21:00 AM
Bromochloromethane	< 1.0	1.0		µg/L	1	12/24/2002 2:21:00 AM
Bromodichloromethane	< 1.0	1.0		µg/L	1	12/24/2002 2:21:00 AM
Bromoform	< 1.0	1.0		µg/L	1	12/24/2002 2:21:00 AM
Bromomethane	< 1.0	1.0		µg/L	1	12/24/2002 2:21:00 AM
Carbon disulfide	< 1.0	1.0		µg/L	1	12/24/2002 2:21:00 AM
Carbon tetrachloride	< 1.0	1.0		µg/L	1	12/24/2002 2:21:00 AM
Chlorobenzene	< 1.0	1.0		µg/L	1	12/24/2002 2:21:00 AM
Chloroethane	< 1.0	1.0		µg/L	1	12/24/2002 2:21:00 AM
Chloroform	< 1.0	1.0		µg/L	1	12/24/2002 2:21:00 AM
Chloromethane	< 1.0	1.0		µg/L	1	12/24/2002 2:21:00 AM
cis-1,2-Dichloroethene	< 1.0	1.0		µg/L	1	12/24/2002 2:21:00 AM
cis-1,3-Dichloropropene	< 1.0	1.0		µg/L	1	12/24/2002 2:21:00 AM
Dibromochloromethane	< 1.0	1.0		µg/L	1	12/24/2002 2:21:00 AM

Qualifiers: ND - Not Detected at the Reporting Limit S - Spike Recovery outside accepted recovery limits
J - Analyte detected below quantitation limits R - RPD outside accepted recovery limits
B - Analyte detected in the associated Method Blank E - Value above quantitation range
* - Value exceeds Maximum Contaminant Level

American Analytical Laboratories, Inc.

Date: 26-Dec-02

CLIENT: Legette Brashears & Graham Inc. **Client Sample ID:** FRW1 [121902]
Lab Order: 0212088 **Tag Number:**
Project: Rowe Industries **Collection Date:** 12/19/2002
Lab ID: 0212088-01A **Matrix:** LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILES SW-846 8021						
Dibromomethane	< 1.0	1.0		µg/L	1	Analyst: LDS 12/24/2002 2:21:00 AM
Dichlorodifluoromethane	< 1.0	1.0		µg/L	1	12/24/2002 2:21:00 AM
Ethylbenzene	< 1.0	1.0		µg/L	1	12/24/2002 2:21:00 AM
Hexachlorobutadiene	< 1.0	1.0		µg/L	1	12/24/2002 2:21:00 AM
Isopropylbenzene	3.1	1.0		µg/L	1	12/24/2002 2:21:00 AM
m,p-Xylene	< 2.0	2.0		µg/L	1	12/24/2002 2:21:00 AM
Methylene chloride	< 1.0	1.0		µg/L	1	12/24/2002 2:21:00 AM
Naphthalene	< 1.0	1.0		µg/L	1	12/24/2002 2:21:00 AM
n-Butylbenzene	< 1.0	1.0		µg/L	1	12/24/2002 2:21:00 AM
n-Propylbenzene	1.1	1.0		µg/L	1	12/24/2002 2:21:00 AM
o-Xylene	< 1.0	1.0		µg/L	1	12/24/2002 2:21:00 AM
sec-Butylbenzene	< 1.0	1.0		µg/L	1	12/24/2002 2:21:00 AM
Styrene	< 1.0	1.0		µg/L	1	12/24/2002 2:21:00 AM
tert-Butylbenzene	< 1.0	1.0		µg/L	1	12/24/2002 2:21:00 AM
Tetrachloroethene	160	1.0		µg/L	1	12/24/2002 2:21:00 AM
Toluene	< 1.0	1.0		µg/L	1	12/24/2002 2:21:00 AM
trans-1,2-Dichloroethene	< 1.0	1.0		µg/L	1	12/24/2002 2:21:00 AM
trans-1,3-Dichloropropene	< 1.0	1.0		µg/L	1	12/24/2002 2:21:00 AM
Trichloroethene	< 1.0	1.0		µg/L	1	12/24/2002 2:21:00 AM
Trichlorofluoromethane	< 1.0	1.0		µg/L	1	12/24/2002 2:21:00 AM
Vinyl acetate	< 1.0	1.0		µg/L	1	12/24/2002 2:21:00 AM
Vinyl chloride	< 1.0	1.0		µg/L	1	12/24/2002 2:21:00 AM

Qualifiers:	ND - Not Detected at the Reporting Limit	S - Spike Recovery outside accepted recovery limits
	J - Analyte detected below quantitation limits	R - RPD outside accepted recovery limits
	B - Analyte detected in the associated Method Blank	E - Value above quantitation range
	* - Value exceeds Maximum Contaminant Level	

American Analytical Laboratories, Inc.

Date: 26-Dec-02

CLIENT:	Legette Brashears & Graham Inc.	Client Sample ID:	FRW2 [121902]
Lab Order:	0212088	Tag Number:	
Project:	Rowe Industries	Collection Date:	12/19/2002
Lab ID:	0212088-02A	Matrix:	LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILES SW-846 8021		SW8021B				Analyst: LDS
1,1,1,2-Tetrachloroethane	< 1.0	1.0		µg/L	1	12/24/2002 2:59:00 AM
1,1,1-Trichloroethane	< 1.0	1.0		µg/L	1	12/24/2002 2:59:00 AM
1,1,2,2-Tetrachloroethane	< 1.0	1.0		µg/L	1	12/24/2002 2:59:00 AM
1,1,2-Trichloroethane	< 1.0	1.0		µg/L	1	12/24/2002 2:59:00 AM
1,1-Dichloroethane	< 1.0	1.0		µg/L	1	12/24/2002 2:59:00 AM
1,1-Dichloroethene	< 1.0	1.0		µg/L	1	12/24/2002 2:59:00 AM
1,1-Dichloropropene	< 1.0	1.0		µg/L	1	12/24/2002 2:59:00 AM
1,2,3-Trichlorobenzene	< 1.0	1.0		µg/L	1	12/24/2002 2:59:00 AM
1,2,3-Trichloropropane	< 1.0	1.0		µg/L	1	12/24/2002 2:59:00 AM
1,2,4-Trichlorobenzene	< 1.0	1.0		µg/L	1	12/24/2002 2:59:00 AM
1,2,4-Trimethylbenzene	< 1.0	1.0		µg/L	1	12/24/2002 2:59:00 AM
1,2-Dibromo-3-chloropropane	< 1.0	1.0		µg/L	1	12/24/2002 2:59:00 AM
1,2-Dibromoethane	< 1.0	1.0		µg/L	1	12/24/2002 2:59:00 AM
1,2-Dichlorobenzene	< 1.0	1.0		µg/L	1	12/24/2002 2:59:00 AM
1,2-Dichloroethane	< 1.0	1.0		µg/L	1	12/24/2002 2:59:00 AM
1,2-Dichloropropane	< 1.0	1.0		µg/L	1	12/24/2002 2:59:00 AM
1,3,5-Trimethylbenzene	< 1.0	1.0		µg/L	1	12/24/2002 2:59:00 AM
1,3-Dichlorobenzene	< 1.0	1.0		µg/L	1	12/24/2002 2:59:00 AM
1,3-dichloropropane	< 1.0	1.0		µg/L	1	12/24/2002 2:59:00 AM
1,4-Dichlorobenzene	< 1.0	1.0		µg/L	1	12/24/2002 2:59:00 AM
2,2-Dichloropropane	< 1.0	1.0		µg/L	1	12/24/2002 2:59:00 AM
2-Chloroethyl vinyl ether	< 1.0	1.0		µg/L	1	12/24/2002 2:59:00 AM
2-Chlorotoluene	< 1.0	1.0		µg/L	1	12/24/2002 2:59:00 AM
4-Chlorotoluene	< 1.0	1.0		µg/L	1	12/24/2002 2:59:00 AM
4-Isopropyltoluene	< 1.0	1.0		µg/L	1	12/24/2002 2:59:00 AM
Benzene	< 1.0	1.0		µg/L	1	12/24/2002 2:59:00 AM
Bromobenzene	< 1.0	1.0		µg/L	1	12/24/2002 2:59:00 AM
Bromochloromethane	< 1.0	1.0		µg/L	1	12/24/2002 2:59:00 AM
Bromodichloromethane	< 1.0	1.0		µg/L	1	12/24/2002 2:59:00 AM
Bromoform	< 1.0	1.0		µg/L	1	12/24/2002 2:59:00 AM
Bromomethane	< 1.0	1.0		µg/L	1	12/24/2002 2:59:00 AM
Carbon disulfide	< 1.0	1.0		µg/L	1	12/24/2002 2:59:00 AM
Carbon tetrachloride	< 1.0	1.0		µg/L	1	12/24/2002 2:59:00 AM
Chlorobenzene	< 1.0	1.0		µg/L	1	12/24/2002 2:59:00 AM
Chloroethane	< 1.0	1.0		µg/L	1	12/24/2002 2:59:00 AM
Chloroform	< 1.0	1.0		µg/L	1	12/24/2002 2:59:00 AM
Chloromethane	< 1.0	1.0		µg/L	1	12/24/2002 2:59:00 AM
cis-1,2-Dichloroethene	< 1.0	1.0		µg/L	1	12/24/2002 2:59:00 AM
cis-1,3-Dichloropropene	< 1.0	1.0		µg/L	1	12/24/2002 2:59:00 AM
Dibromochloromethane	< 1.0	1.0		µg/L	1	12/24/2002 2:59:00 AM

Qualifiers: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits
E - Value above quantitation range

American Analytical Laboratories, Inc.

Date: 26-Dec-02

CLIENT:	Legette Brashears & Graham Inc.	Client Sample ID: FRW2 [121902]
Lab Order:	0212088	Tag Number:
Project:	Rowe Industries	Collection Date: 12/19/2002
Lab ID:	0212088-02A	Matrix: LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILES SW-846 8021						
Dibromomethane	< 1.0	1.0		µg/L	1	Analyst: LDS 12/24/2002 2:59:00 AM
Dichlorodifluoromethane	< 1.0	1.0		µg/L	1	12/24/2002 2:59:00 AM
Ethylbenzene	< 1.0	1.0		µg/L	1	12/24/2002 2:59:00 AM
Hexachlorobutadiene	< 1.0	1.0		µg/L	1	12/24/2002 2:59:00 AM
Isopropylbenzene	< 1.0	1.0		µg/L	1	12/24/2002 2:59:00 AM
m,p-Xylene	< 2.0	2.0		µg/L	1	12/24/2002 2:59:00 AM
Methylene chloride	< 1.0	1.0		µg/L	1	12/24/2002 2:59:00 AM
Naphthalene	< 1.0	1.0		µg/L	1	12/24/2002 2:59:00 AM
n-Butylbenzene	< 1.0	1.0		µg/L	1	12/24/2002 2:59:00 AM
n-Propylbenzene	< 1.0	1.0		µg/L	1	12/24/2002 2:59:00 AM
o-Xylene	< 1.0	1.0		µg/L	1	12/24/2002 2:59:00 AM
sec-Butylbenzene	< 1.0	1.0		µg/L	1	12/24/2002 2:59:00 AM
Styrene	< 1.0	1.0		µg/L	1	12/24/2002 2:59:00 AM
tert-Butylbenzene	< 1.0	1.0		µg/L	1	12/24/2002 2:59:00 AM
Tetrachloroethene	12	1.0		µg/L	1	12/24/2002 2:59:00 AM
Toluene	< 1.0	1.0		µg/L	1	12/24/2002 2:59:00 AM
trans-1,2-Dichloroethene	< 1.0	1.0		µg/L	1	12/24/2002 2:59:00 AM
trans-1,3-Dichloropropene	< 1.0	1.0		µg/L	1	12/24/2002 2:59:00 AM
Trichloroethene	< 1.0	1.0		µg/L	1	12/24/2002 2:59:00 AM
Trichlorofluoromethane	< 1.0	1.0		µg/L	1	12/24/2002 2:59:00 AM
Vinyl acetate	< 1.0	1.0		µg/L	1	12/24/2002 2:59:00 AM
Vinyl chloride	< 1.0	1.0		µg/L	1	12/24/2002 2:59:00 AM

Qualifiers:	ND - Not Detected at the Reporting Limit	S - Spike Recovery outside accepted recovery limits
	J - Analyte detected below quantitation limits	R - RPD outside accepted recovery limits
	B - Analyte detected in the associated Method Blank	E - Value above quantitation range
	* - Value exceeds Maximum Contaminant Level	

American Analytical Laboratories, Inc.

Date: 26-Dec-02

CLIENT:	Legette Brashears & Graham Inc.	Client Sample ID:	PRE [121902]
Lab Order:	0212088	Tag Number:	
Project:	Rowe Industries	Collection Date:	12/19/2002
Lab ID:	0212088-03A	Matrix:	LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILES SW-846 8021		SW8021B				Analyst: LDS
1,1,1,2-Tetrachloroethane	< 1.0	1.0		µg/L	1	12/24/2002 3:42:00 AM
1,1,1-Trichloroethane	< 1.0	1.0		µg/L	1	12/24/2002 3:42:00 AM
1,1,2,2-Tetrachloroethane	< 1.0	1.0		µg/L	1	12/24/2002 3:42:00 AM
1,1,2-Trichloroethane	< 1.0	1.0		µg/L	1	12/24/2002 3:42:00 AM
1,1-Dichloroethane	< 1.0	1.0		µg/L	1	12/24/2002 3:42:00 AM
1,1-Dichloroethene	< 1.0	1.0		µg/L	1	12/24/2002 3:42:00 AM
1,1-Dichloropropene	< 1.0	1.0		µg/L	1	12/24/2002 3:42:00 AM
1,2,3-Trichlorobenzene	< 1.0	1.0		µg/L	1	12/24/2002 3:42:00 AM
1,2,3-Trichloropropane	< 1.0	1.0		µg/L	1	12/24/2002 3:42:00 AM
1,2,4-Trichlorobenzene	< 1.0	1.0		µg/L	1	12/24/2002 3:42:00 AM
1,2,4-Trimethylbenzene	2.4	1.0		µg/L	1	12/24/2002 3:42:00 AM
1,2-Dibromo-3-chloropropane	< 1.0	1.0		µg/L	1	12/24/2002 3:42:00 AM
1,2-Dibromoethane	< 1.0	1.0		µg/L	1	12/24/2002 3:42:00 AM
1,2-Dichlorobenzene	< 1.0	1.0		µg/L	1	12/24/2002 3:42:00 AM
1,2-Dichloroethane	< 1.0	1.0		µg/L	1	12/24/2002 3:42:00 AM
1,2-Dichloropropane	< 1.0	1.0		µg/L	1	12/24/2002 3:42:00 AM
1,3,5-Trimethylbenzene	< 1.0	1.0		µg/L	1	12/24/2002 3:42:00 AM
1,3-Dichlorobenzene	< 1.0	1.0		µg/L	1	12/24/2002 3:42:00 AM
1,3-dichloropropane	< 1.0	1.0		µg/L	1	12/24/2002 3:42:00 AM
1,4-Dichlorobenzene	< 1.0	1.0		µg/L	1	12/24/2002 3:42:00 AM
2,2-Dichloropropane	< 1.0	1.0		µg/L	1	12/24/2002 3:42:00 AM
2-Chloroethyl vinyl ether	< 1.0	1.0		µg/L	1	12/24/2002 3:42:00 AM
2-Chlorotoluene	< 1.0	1.0		µg/L	1	12/24/2002 3:42:00 AM
4-Chlorotoluene	< 1.0	1.0		µg/L	1	12/24/2002 3:42:00 AM
4-Isopropyltoluene	< 1.0	1.0		µg/L	1	12/24/2002 3:42:00 AM
Benzene	< 1.0	1.0		µg/L	1	12/24/2002 3:42:00 AM
Bromobenzene	< 1.0	1.0		µg/L	1	12/24/2002 3:42:00 AM
Bromochloromethane	< 1.0	1.0		µg/L	1	12/24/2002 3:42:00 AM
Bromodichloromethane	< 1.0	1.0		µg/L	1	12/24/2002 3:42:00 AM
Bromoform	< 1.0	1.0		µg/L	1	12/24/2002 3:42:00 AM
Bromomethane	< 1.0	1.0		µg/L	1	12/24/2002 3:42:00 AM
Carbon disulfide	< 1.0	1.0		µg/L	1	12/24/2002 3:42:00 AM
Carbon tetrachloride	< 1.0	1.0		µg/L	1	12/24/2002 3:42:00 AM
Chlorobenzene	< 1.0	1.0		µg/L	1	12/24/2002 3:42:00 AM
Chloroethane	< 1.0	1.0		µg/L	1	12/24/2002 3:42:00 AM
Chloroform	< 1.0	1.0		µg/L	1	12/24/2002 3:42:00 AM
Chloromethane	< 1.0	1.0		µg/L	1	12/24/2002 3:42:00 AM
cis-1,2-Dichloroethene	< 1.0	1.0		µg/L	1	12/24/2002 3:42:00 AM
cis-1,3-Dichloropropene	< 1.0	1.0		µg/L	1	12/24/2002 3:42:00 AM
Dibromochloromethane	< 1.0	1.0		µg/L	1	12/24/2002 3:42:00 AM

Qualifiers:	ND - Not Detected at the Reporting Limit	S - Spike Recovery outside accepted recovery limits
	J - Analyte detected below quantitation limits	R - RPD outside accepted recovery limits
	B - Analyte detected in the associated Method Blank	E - Value above quantitation range
	* - Value exceeds Maximum Contaminant Level	

American Analytical Laboratories, Inc.

Date: 26-Dec-02

CLIENT:	Legette Brashears & Graham Inc.	Client Sample ID:	PRE [121902]
Lab Order:	0212088	Tag Number:	
Project:	Rowe Industries	Collection Date:	12/19/2002
Lab ID:	0212088-03A	Matrix:	LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILES SW-846 8021						
Dibromomethane	< 1.0	1.0		µg/L	1	Analyst: LDS 12/24/2002 3:42:00 AM
Dichlorodifluoromethane	< 1.0	1.0		µg/L	1	12/24/2002 3:42:00 AM
Ethylbenzene	< 1.0	1.0		µg/L	1	12/24/2002 3:42:00 AM
Hexachlorobutadiene	< 1.0	1.0		µg/L	1	12/24/2002 3:42:00 AM
Isopropylbenzene	2.4	1.0		µg/L	1	12/24/2002 3:42:00 AM
m,p-Xylene	< 2.0	2.0		µg/L	1	12/24/2002 3:42:00 AM
Methylene chloride	< 1.0	1.0		µg/L	1	12/24/2002 3:42:00 AM
Naphthalene	< 1.0	1.0		µg/L	1	12/24/2002 3:42:00 AM
n-Butylbenzene	< 1.0	1.0		µg/L	1	12/24/2002 3:42:00 AM
n-Propylbenzene	0.8	1.0	J	µg/L	1	12/24/2002 3:42:00 AM
o-Xylene	< 1.0	1.0		µg/L	1	12/24/2002 3:42:00 AM
sec-Butylbenzene	< 1.0	1.0		µg/L	1	12/24/2002 3:42:00 AM
Styrene	< 1.0	1.0		µg/L	1	12/24/2002 3:42:00 AM
tert-Butylbenzene	< 1.0	1.0		µg/L	1	12/24/2002 3:42:00 AM
Tetrachloroethene	120	1.0		µg/L	1	12/24/2002 3:42:00 AM
Toluene	< 1.0	1.0		µg/L	1	12/24/2002 3:42:00 AM
trans-1,2-Dichloroethene	< 1.0	1.0		µg/L	1	12/24/2002 3:42:00 AM
trans-1,3-Dichloropropene	< 1.0	1.0		µg/L	1	12/24/2002 3:42:00 AM
Trichloroethene	< 1.0	1.0		µg/L	1	12/24/2002 3:42:00 AM
Trichlorofluoromethane	< 1.0	1.0		µg/L	1	12/24/2002 3:42:00 AM
Vinyl acetate	< 1.0	1.0		µg/L	1	12/24/2002 3:42:00 AM
Vinyl chloride	< 1.0	1.0		µg/L	1	12/24/2002 3:42:00 AM

Qualifiers:	ND - Not Detected at the Reporting Limit	S - Spike Recovery outside accepted recovery limits
	J - Analyte detected below quantitation limits	R - RPD outside accepted recovery limits
	B - Analyte detected in the associated Method Blank	E - Value above quantitation range
	* - Value exceeds Maximum Contaminant Level	

American Analytical Laboratories, Inc.

Date: 26-Dec-02

CLIENT:	Legette Brashears & Graham Inc.	Client Sample ID:	MID [121902]
Lab Order:	0212088	Tag Number:	
Project:	Rowe Industries	Collection Date:	12/19/2002
Lab ID:	0212088-04A	Matrix:	LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILES SW-846 8021			SW8021B			Analyst: LDS
1,1,1,2-Tetrachloroethane	< 1.0	1.0		µg/L	1	12/24/2002 4:21:00 AM
1,1,1-Trichloroethane	< 1.0	1.0		µg/L	1	12/24/2002 4:21:00 AM
1,1,2,2-Tetrachloroethane	< 1.0	1.0		µg/L	1	12/24/2002 4:21:00 AM
1,1,2-Trichloroethane	< 1.0	1.0		µg/L	1	12/24/2002 4:21:00 AM
1,1-Dichloroethane	< 1.0	1.0		µg/L	1	12/24/2002 4:21:00 AM
1,1-Dichloroethene	< 1.0	1.0		µg/L	1	12/24/2002 4:21:00 AM
1,1-Dichloropropene	< 1.0	1.0		µg/L	1	12/24/2002 4:21:00 AM
1,2,3-Trichlorobenzene	< 1.0	1.0		µg/L	1	12/24/2002 4:21:00 AM
1,2,3-Trichloropropane	< 1.0	1.0		µg/L	1	12/24/2002 4:21:00 AM
1,2,4-Trichlorobenzene	< 1.0	1.0		µg/L	1	12/24/2002 4:21:00 AM
1,2,4-Trimethylbenzene	< 1.0	1.0		µg/L	1	12/24/2002 4:21:00 AM
1,2-Dibromo-3-chloropropane	< 1.0	1.0		µg/L	1	12/24/2002 4:21:00 AM
1,2-Dibromoethane	< 1.0	1.0		µg/L	1	12/24/2002 4:21:00 AM
1,2-Dichlorobenzene	< 1.0	1.0		µg/L	1	12/24/2002 4:21:00 AM
1,2-Dichloroethane	< 1.0	1.0		µg/L	1	12/24/2002 4:21:00 AM
1,2-Dichloropropene	< 1.0	1.0		µg/L	1	12/24/2002 4:21:00 AM
1,3,5-Trimethylbenzene	< 1.0	1.0		µg/L	1	12/24/2002 4:21:00 AM
1,3-Dichlorobenzene	< 1.0	1.0		µg/L	1	12/24/2002 4:21:00 AM
1,3-dichloropropane	< 1.0	1.0		µg/L	1	12/24/2002 4:21:00 AM
1,4-Dichlorobenzene	< 1.0	1.0		µg/L	1	12/24/2002 4:21:00 AM
2,2-Dichloropropane	< 1.0	1.0		µg/L	1	12/24/2002 4:21:00 AM
2-Chloroethyl vinyl ether	< 1.0	1.0		µg/L	1	12/24/2002 4:21:00 AM
2-Chlorotoluene	< 1.0	1.0		µg/L	1	12/24/2002 4:21:00 AM
4-Chlorotoluene	< 1.0	1.0		µg/L	1	12/24/2002 4:21:00 AM
4-Isopropyltoluene	< 1.0	1.0		µg/L	1	12/24/2002 4:21:00 AM
Benzene	< 1.0	1.0		µg/L	1	12/24/2002 4:21:00 AM
Bromobenzene	< 1.0	1.0		µg/L	1	12/24/2002 4:21:00 AM
Bromochloromethane	< 1.0	1.0		µg/L	1	12/24/2002 4:21:00 AM
Bromodichloromethane	< 1.0	1.0		µg/L	1	12/24/2002 4:21:00 AM
Bromoform	< 1.0	1.0		µg/L	1	12/24/2002 4:21:00 AM
Bromomethane	< 1.0	1.0		µg/L	1	12/24/2002 4:21:00 AM
Carbon disulfide	< 1.0	1.0		µg/L	1	12/24/2002 4:21:00 AM
Carbon tetrachloride	< 1.0	1.0		µg/L	1	12/24/2002 4:21:00 AM
Chlorobenzene	< 1.0	1.0		µg/L	1	12/24/2002 4:21:00 AM
Chloroethane	< 1.0	1.0		µg/L	1	12/24/2002 4:21:00 AM
Chloroform	< 1.0	1.0		µg/L	1	12/24/2002 4:21:00 AM
Chloromethane	< 1.0	1.0		µg/L	1	12/24/2002 4:21:00 AM
cis-1,2-Dichloroethene	< 1.0	1.0		µg/L	1	12/24/2002 4:21:00 AM
cis-1,3-Dichloropropene	< 1.0	1.0		µg/L	1	12/24/2002 4:21:00 AM
Dibromochloromethane	< 1.0	1.0		µg/L	1	12/24/2002 4:21:00 AM

Qualifiers:	ND - Not Detected at the Reporting Limit	S - Spike Recovery outside accepted recovery limits
	J - Analyte detected below quantitation limits	R - RPD outside accepted recovery limits
	B - Analyte detected in the associated Method Blank	E - Value above quantitation range
	* - Value exceeds Maximum Contaminant Level	

American Analytical Laboratories, Inc.

Date: 26-Dec-02

CLIENT:	Legette Brashears & Graham Inc.	Client Sample ID:	MID [121902]
Lab Order:	0212088	Tag Number:	
Project:	Rowe Industries	Collection Date:	12/19/2002
Lab ID:	0212088-04A	Matrix:	LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILES SW-846 8021		SW8021B				Analyst: LDS
Dibromomethane	< 1.0	1.0		µg/L	1	12/24/2002 4:21:00 AM
Dichlorodifluoromethane	< 1.0	1.0		µg/L	1	12/24/2002 4:21:00 AM
Ethylbenzene	< 1.0	1.0		µg/L	1	12/24/2002 4:21:00 AM
Hexachlorobutadiene	< 1.0	1.0		µg/L	1	12/24/2002 4:21:00 AM
Isopropylbenzene	< 1.0	1.0		µg/L	1	12/24/2002 4:21:00 AM
m,p-Xylene	< 2.0	2.0		µg/L	1	12/24/2002 4:21:00 AM
Methylene chloride	< 1.0	1.0		µg/L	1	12/24/2002 4:21:00 AM
Naphthalene	< 1.0	1.0		µg/L	1	12/24/2002 4:21:00 AM
n-Butylbenzene	< 1.0	1.0		µg/L	1	12/24/2002 4:21:00 AM
n-Propylbenzene	< 1.0	1.0		µg/L	1	12/24/2002 4:21:00 AM
o-Xylene	< 1.0	1.0		µg/L	1	12/24/2002 4:21:00 AM
sec-Butylbenzene	< 1.0	1.0		µg/L	1	12/24/2002 4:21:00 AM
Styrene	< 1.0	1.0		µg/L	1	12/24/2002 4:21:00 AM
tert-Butylbenzene	< 1.0	1.0		µg/L	1	12/24/2002 4:21:00 AM
Tetrachloroethene	< 1.0	1.0		µg/L	1	12/24/2002 4:21:00 AM
Toluene	< 1.0	1.0		µg/L	1	12/24/2002 4:21:00 AM
trans-1,2-Dichloroethene	< 1.0	1.0		µg/L	1	12/24/2002 4:21:00 AM
trans-1,3-Dichloropropene	< 1.0	1.0		µg/L	1	12/24/2002 4:21:00 AM
Trichloroethene	< 1.0	1.0		µg/L	1	12/24/2002 4:21:00 AM
Trichlorofluoromethane	< 1.0	1.0		µg/L	1	12/24/2002 4:21:00 AM
Vinyl acetate	< 1.0	1.0		µg/L	1	12/24/2002 4:21:00 AM
Vinyl chloride	< 1.0	1.0		µg/L	1	12/24/2002 4:21:00 AM

Qualifiers:	ND - Not Detected at the Reporting Limit	S - Spike Recovery outside accepted recovery limits
	J - Analyte detected below quantitation limits	R - RPD outside accepted recovery limits
	B - Analyte detected in the associated Method Blank	E - Value above quantitation range
	* - Value exceeds Maximum Contaminant Level	

American Analytical Laboratories, Inc.

Date: 26-Dec-02

CLIENT: Legette Brashears & Graham Inc. Client Sample ID: POST [121902]

Lab Order: 0212088

Tag Number:

Project: Rowe Industries

Collection Date: 12/19/2002

Lab ID: 0212088-05A

Matrix: LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILES SW-846 8021		SW8021B				Analyst: LDS
1,1,1,2-Tetrachloroethane	< 1.0	1.0		µg/L	1	12/24/2002 4:58:00 AM
1,1,1-Trichloroethane	< 1.0	1.0		µg/L	1	12/24/2002 4:58:00 AM
1,1,2,2-Tetrachloroethane	< 1.0	1.0		µg/L	1	12/24/2002 4:58:00 AM
1,1,2-Trichloroethane	< 1.0	1.0		µg/L	1	12/24/2002 4:58:00 AM
1,1-Dichloroethane	< 1.0	1.0		µg/L	1	12/24/2002 4:58:00 AM
1,1-Dichloroethene	< 1.0	1.0		µg/L	1	12/24/2002 4:58:00 AM
1,1-Dichloropropene	< 1.0	1.0		µg/L	1	12/24/2002 4:58:00 AM
1,2,3-Trichlorobenzene	< 1.0	1.0		µg/L	1	12/24/2002 4:58:00 AM
1,2,3-Trichloropropane	< 1.0	1.0		µg/L	1	12/24/2002 4:58:00 AM
1,2,4-Trichlorobenzene	< 1.0	1.0		µg/L	1	12/24/2002 4:58:00 AM
1,2,4-Trimethylbenzene	< 1.0	1.0		µg/L	1	12/24/2002 4:58:00 AM
1,2-Dibromo-3-chloropropane	< 1.0	1.0		µg/L	1	12/24/2002 4:58:00 AM
1,2-Dibromoethane	< 1.0	1.0		µg/L	1	12/24/2002 4:58:00 AM
1,2-Dichlorobenzene	< 1.0	1.0		µg/L	1	12/24/2002 4:58:00 AM
1,2-Dichloroethane	< 1.0	1.0		µg/L	1	12/24/2002 4:58:00 AM
1,2-Dichloropropane	< 1.0	1.0		µg/L	1	12/24/2002 4:58:00 AM
1,3,5-Trimethylbenzene	< 1.0	1.0		µg/L	1	12/24/2002 4:58:00 AM
1,3-Dichlorobenzene	< 1.0	1.0		µg/L	1	12/24/2002 4:58:00 AM
1,3-dichloropropane	< 1.0	1.0		µg/L	1	12/24/2002 4:58:00 AM
1,4-Dichlorobenzene	< 1.0	1.0		µg/L	1	12/24/2002 4:58:00 AM
2,2-Dichloropropane	< 1.0	1.0		µg/L	1	12/24/2002 4:58:00 AM
2-Chloroethyl vinyl ether	< 1.0	1.0		µg/L	1	12/24/2002 4:58:00 AM
2-Chlorotoluene	< 1.0	1.0		µg/L	1	12/24/2002 4:58:00 AM
4-Chlorotoluene	< 1.0	1.0		µg/L	1	12/24/2002 4:58:00 AM
4-Isopropyltoluene	< 1.0	1.0		µg/L	1	12/24/2002 4:58:00 AM
Benzene	< 1.0	1.0		µg/L	1	12/24/2002 4:58:00 AM
Bromobenzene	< 1.0	1.0		µg/L	1	12/24/2002 4:58:00 AM
Bromochloromethane	< 1.0	1.0		µg/L	1	12/24/2002 4:58:00 AM
Bromodichloromethane	< 1.0	1.0		µg/L	1	12/24/2002 4:58:00 AM
Bromoform	< 1.0	1.0		µg/L	1	12/24/2002 4:58:00 AM
Bromomethane	< 1.0	1.0		µg/L	1	12/24/2002 4:58:00 AM
Carbon disulfide	< 1.0	1.0		µg/L	1	12/24/2002 4:58:00 AM
Carbon tetrachloride	< 1.0	1.0		µg/L	1	12/24/2002 4:58:00 AM
Chlorobenzene	< 1.0	1.0		µg/L	1	12/24/2002 4:58:00 AM
Chloroethane	< 1.0	1.0		µg/L	1	12/24/2002 4:58:00 AM
Chloroform	< 1.0	1.0		µg/L	1	12/24/2002 4:58:00 AM
Chloromethane	< 1.0	1.0		µg/L	1	12/24/2002 4:58:00 AM
cis-1,2-Dichloroethene	< 1.0	1.0		µg/L	1	12/24/2002 4:58:00 AM
cis-1,3-Dichloropropene	< 1.0	1.0		µg/L	1	12/24/2002 4:58:00 AM
Dibromochloromethane	< 1.0	1.0		µg/L	1	12/24/2002 4:58:00 AM

Qualifiers: ND - Not Detected at the Reporting Limit

S - Spike Recovery outside accepted recovery limits

J - Analyte detected below quantitation limits

R - RPD outside accepted recovery limits

B - Analyte detected in the associated Method Blank

E - Value above quantitation range

* - Value exceeds Maximum Contaminant Level

American Analytical Laboratories, Inc.

Date: 26-Dec-02

CLIENT: Legette Brashears & Graham Inc. Client Sample ID: POST [121902]

Lab Order: 0212088

Tag Number:

Project: Rowe Industries

Collection Date: 12/19/2002

Lab ID: 0212088-05A

Matrix: LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILES SW-846 8021						
Dibromomethane	< 1.0	1.0	SW8021B	µg/L	1	Analyst: LDS 12/24/2002 4:58:00 AM
Dichlorodifluoromethane	< 1.0	1.0		µg/L	1	12/24/2002 4:58:00 AM
Ethylbenzene	< 1.0	1.0		µg/L	1	12/24/2002 4:58:00 AM
Hexachlorobutadiene	< 1.0	1.0		µg/L	1	12/24/2002 4:58:00 AM
Isopropylbenzene	< 1.0	1.0		µg/L	1	12/24/2002 4:58:00 AM
m,p-Xylene	< 2.0	2.0		µg/L	1	12/24/2002 4:58:00 AM
Methylene chloride	< 1.0	1.0		µg/L	1	12/24/2002 4:58:00 AM
Naphthalene	< 1.0	1.0		µg/L	1	12/24/2002 4:58:00 AM
n-Butylbenzene	< 1.0	1.0		µg/L	1	12/24/2002 4:58:00 AM
n-Propylbenzene	< 1.0	1.0		µg/L	1	12/24/2002 4:58:00 AM
o-Xylene	< 1.0	1.0		µg/L	1	12/24/2002 4:58:00 AM
sec-Butylbenzene	< 1.0	1.0		µg/L	1	12/24/2002 4:58:00 AM
Styrene	< 1.0	1.0		µg/L	1	12/24/2002 4:58:00 AM
tert-Butylbenzene	< 1.0	1.0		µg/L	1	12/24/2002 4:58:00 AM
Tetrachloroethene	< 1.0	1.0		µg/L	1	12/24/2002 4:58:00 AM
Toluene	< 1.0	1.0		µg/L	1	12/24/2002 4:58:00 AM
trans-1,2-Dichloroethene	< 1.0	1.0		µg/L	1	12/24/2002 4:58:00 AM
trans-1,3-Dichloropropene	< 1.0	1.0		µg/L	1	12/24/2002 4:58:00 AM
Trichloroethene	< 1.0	1.0		µg/L	1	12/24/2002 4:58:00 AM
Trichlorofluoromethane	< 1.0	1.0		µg/L	1	12/24/2002 4:58:00 AM
Vinyl acetate	< 1.0	1.0		µg/L	1	12/24/2002 4:58:00 AM
Vinyl chloride	< 1.0	1.0		µg/L	1	12/24/2002 4:58:00 AM

Qualifiers:

ND - Not Detected at the Reporting Limit

S - Spike Recovery outside accepted recovery limits


J - Analyte detected below quantitation limits

R - RPD outside accepted recovery limits

B - Analyte detected in the associated Method Blank

E - Value above quantitation range

* - Value exceeds Maximum Contaminant Level



CHAIN OF CUSTODY / REQUEST FOR ANALYSIS DOCUMENT

[illegible]