

LBG ENGINEERING SERVICES, P.C.

PROFESSIONAL ENVIRONMENTAL & CIVIL ENGINEERS

126 MONROE TURNPIKE
TRUMBULL, CT 06611
203-452-3100
203-452-3119 (FAX)



October 21, 2005

Ms. Pamela Tames, P.E.
U.S. Environmental Protection Agency
290 Broadway
New York, NY 10007

RE: **-DRAFT-**
EHCTM Monitoring Report
March 2005 to September 2005
Ground-Water Remedial Action
Rowe Industries Superfund Site
Sag Harbor, New York

Dear Ms. Tames:

LBG Engineering Services, P.C. (LBGES) has prepared this summary of monitoring activities conducted for the Former Drum Storage Area (FDSA) at the Rowe Industries Superfund Site in Sag Harbor, New York (Site) from March 2005 to September 2005. The January 2005 monitoring results were previously submitted and discussed in the letter report entitled "Summary of EHCTM Injection and Monitoring Activities in the FDSA", which was included as Appendix B in the "2004 Annual Summary Report". The purpose of this report is to present the results of ongoing monitoring in the FDSA.

BACKGROUND

The soil in the FDSA consists of medium to fine sand from grade to approximately 27 ft bg (feet below grade) where a clay lens is encountered. The EHCTM product, which is a mixture of zero-valent iron and a carbon nutrient source for indigenous bacteria, was injected into the saturated zone above the clay lens of the FDSA in November 2004 to accelerate the treatment (degradation) of the primary contaminants of concern (COC), which are tetrachloroethene (PCE), trichloroethene (TCE), and 1,1,1-trichloroethane (TCA). Since January 2005, ground-water quality monitoring for the FDSA was completed in March, May, June, August and September 2005. The results of these sampling events are discussed below.

Access restrictions have prevented LBG from collecting ground-water samples at monitor wells MW98-05A, MW98-05B and MW98-01A, which are located on the residential property where the FDSA is located. Samples of ground water were collected from the following wells in the FDSA from March 2005 to September 2005: FRW-1, FRW-2, FRW-3, FRW-4, MW-45A and MW98-04. The first samples from FRW-4 were collected in March 2005 following repairs to that well and the associated piping. Therefore, pre-injection ground-water data from FRW-4 are not available for comparative purposes. Recovery wells FRW-1, FRW-2, FRW-3 and FRW-4 are located in the source area. Ground-water monitor wells MW-45A and MW98-04 are located immediately downgradient from the source area. Refer to Figure 1 for well locations and other pertinent site features.

RESULTS AND DISCUSSION

Geochemical Parameters

Several geochemical parameters, including dissolved oxygen (DO), oxidation reduction potential (ORP), sulfate, ferrous iron (iron II), total organic carbon (TOC), pH, alkalinity, ethene, ethane, chloride and volatile fatty acids (VFAs), were monitored to help evaluate the effectiveness of the EHCTM treatment. The analytical results for each geochemical parameter are briefly discussed below.

Table 1 summarizes the ground-water quality data for wells MW98-01A, MW98-04, MW98-05A, MW-45A, FRW-1, FRW-2, FRW-3 and FRW-4. Laboratory analytical reports are included as Attachment 1. Graph 1 shows that the DO concentrations have been higher than the concentrations that were targeted to promote anaerobic conditions in the ground water. Only in the September 2005 sampling event are the DO concentrations approaching anaerobic conditions. One possible reason for the high DO readings in the ground water may be related to the in-flux of high DO precipitation permeating into the aquifer. The high DO precipitation counteracts the affect of the EHCTM product, which is trying to consume the DO so anaerobic conditions can be created in the aquifer. The dry summer (lack of precipitation) that was experienced in 2005 tends to support this hypothesis and may be the reason why the EHCTM product produced lower DO concentrations in the ground water in the FDSA for the September 2005 sampling event.

The ORP of ground water is a measure of electron activity and is an indicator of the relative tendency of a solution to accept or transfer electrons. ORP values can range from -400 mV to 800 mV. The lower the ORP values, the more reducing and anaerobic the environment. Subsurface environments that have ORP values below -50 mV indicate that the subsurface conditions are anaerobic. Graph 2 shows that the ORP values have recently decreased to values below -100 mV in the August and September 2005 sampling events for wells FRW-2 and FRW-3. This situation is an encouraging sign that suggests that anaerobic degradation of the COCs can occur. ORP values are high when DO is present in high concentrations. Again, the dry summer (i.e. the lack of high DO precipitation) may be a contributing factor for the lower ORP values detected in August and September. The ORP values in well FRW-1 are not as low because there was less EHCTM product injected near FRW-1 than the other wells (FRW-2 and FRW-3). The ORP value in downgradient monitor well MW-45A is higher than FRW-2 and FRW-3 because the EHCTM product was not injected directly in the area of MW-45A.

Graph 3 continues to show sulfate concentrations at acceptable levels to prevent interference from sulfate reducing bacteria. Graphs 4 and 5 show decreasing concentrations of iron II and TOC, respectively. This situation is expected as the EHCTM product begins to dissipate and be consumed by the indigenous bacteria.

Graph 6 continues to show pH readings in a range that is suitable for biodegradation of contaminants. Graph 7 shows alkalinity decreasing with time; again, this situation is expected as the EHCTM product (which contains a buffering agent) begins to dissipate and disperse.

Graphs 8, 9 and 10 show the concentrations of ethene, ethane and chloride, respectively. These compounds would be the final breakdown products for the COCs. There were not any detectable concentrations of these compounds for the March, May, June and September sampling events. These compounds were not measured in the August 2005 sampling event. Increases in these compound concentrations were expected by this time. Possible explanations why increases may not be occurring are discussed at the end of the report.

In August 2005, VFAs were analyzed to determine if intermediate breakdown products are being produced by the indigenous bacteria. Acetic acid, butyric acid and propionic acid were detected in wells FRW-2 and FRW-3. These compounds are other geochemical indicators that suggests bacterial metabolic activity is occurring in this area. VFA's were not detected in the

water samples from other wells because the EHCTM product was not injected in these areas in the same amount as at FRW-2 and FRW-3.

Although the magnitudes or quantities of some of the geochemical parameters have not attained the expected concentrations, LBG believes that degradation of the COCs is occurring in the FDSA. Based on the results of the geochemical parameter testing, there is reason to believe that aquifer conditions are suitable for more COC degradation to occur with time.

Chlorinated Volatile Organic Compounds (CVOCs)

Graph 11 shows the concentrations of chlorinated volatile organic compounds (CVOCs) in the ground water at wells FRW-1, FRW-2 and FRW-3. The total CVOC concentrations between September 2004 and September 2005 peaked in March 2005 in the samples from wells FRW-1 and FRW-3. Total CVOC concentrations for FRW-1 and FRW-3 were 230 ug/l (micrograms per liter) and 1,837 ug/l, respectively, in March 2005. The peak CVOC concentration of 463 ug/l was observed in June 2005 in the ground water from well FRW-2. The August and September 2005 sampling events show a decrease in CVOC concentrations for these three wells. The decreasing CVOC trend is likely attributed to a combination of degradation and dispersion. The peak CVOC concentration of 39 ug/l was observed in the ground water at monitor well MW98-04 in March 2005. CVOC concentrations at this well have steadily decreased since that time and were not detected in the August and September 2005 sampling events. Since January 2005, CVOC concentrations in the ground water at monitor well MW-45A have been 1.1 ug/l or non-detect.

When PCE (the COC with the highest concentration in the ground water) degrades, the following daughter (breakdown) products can form: TCE, 1,2 cis-dichloroethylene (DCE) and vinyl chloride (VC) (i.e. $\text{PCE} \longrightarrow \text{TCE} \longrightarrow \text{DCE} \longrightarrow \text{VC}$).

Prior to EHCTM injections, the ratio of daughter products to PCE was very low or zero. Following injections, this ratio increased, particularly at wells FRW-2 and FRW-3 where more EHCTM product was injected. The peak ratio of daughter products to PCE between March 2005 and September 2005 in the samples from FRW-2 and FRW-3 were 0.98 and 1.23, respectively. The increase in the ratio of daughter products to PCE observed after injection activities is another indicator that COC breakdown is occurring. In addition, PCE concentrations in the

ground water at FRW-2 and FRW-3 have decreased from 420 ug/l (June 2005) and 1,500 ug/l (March 2005) to 10 ug/l (September 2005) and 63 ug/l (September 2005), respectively.

In August and September 2005, low concentrations (2-3 mg/l (milligrams per liter)) of vinyl chloride (VC) were detected in the ground water from wells FRW-2 and FRW-3, which suggests the injected material is continuing to degrade the COCs in the FDSA. VC has not previously been detected at any of the wells. Although applicable or relevant and appropriate requirements (ARARs) have not been established for VC at the site, the New York State Department of Environmental Conservation (NYSDEC) Technical and Operational Guidance Series (TOGS) ambient water-quality standard is 2 ug/l. VC is expected to degrade to non-toxic compounds under aerobic conditions downgradient of the FDSA or be captured by the full-scale pump and treat (FSP&T) system.

The peak ratio of daughter products to PCE in the ground water at FRW-1 was 0.08 in March 2005. Although the ratio at FRW-1 isn't as high as FRW-2 and FRW-3, the PCE concentration in FRW-1 has steadily decreased from March (150 ug/l) to September 2005 (11 ug/l). PCE concentrations in FRW-4 are low and have ranged from 2.5 ug/l (September 2005) to 12 ug/l (March 2005). Daughter products have not been observed in FRW-4. Degradation of COCs may not be occurring in FRW-1 and FRW-4 as prominently as FRW-2 and FRW-3 for the following reasons:

- Based on the ground-water data, wells FRW-1 and FRW-4 have lower concentrations of COCs compared to FRW-2 and FRW-3; and
- Wells FRW-1 and FRW-4 are located closer to the perimeter of the injected EHCTM material, therefore, these wells may not have received the same quantity of EHCTM product compared to FRW-2 and FRW-3.

Volatile Organic Compounds (VOCs)

Table 1 also summarizes the COC concentrations in the ground water at wells MW98-01A, MW98-04, MW98-05A, MW-45A, FRW-1, FRW-2, FRW-3 and FRW-4. Laboratory analytical reports are included as Attachment 1. Total volatile organic compound (VOC) concentrations peaked in March 2005 and then exhibit a downward trend to September 2005 in the ground water at all wells except FRW-3. The high total VOC concentrations in

FRW-3 are caused by the elevated acetone and 2-butanone (MEK) concentrations observed in September 2005. Once the EHCTM product is sufficiently dispersed and consumed by the indigenous bacteria, the acetone and MEK concentrations in the ground water at FRW-3 are expected to decrease with time.

VOC concentrations in ground water at downgradient monitor wells MW-45A and MW98-04 were low in the spring and have dropped to non-detect concentrations in the August and September 2005 sampling events.

Elevated concentrations of acetone and MEK continue to be detected after the injection activities, particularly in wells FRW-2 and FRW-3. Prior to injection activities, acetone and MEK were not detected in the ground water beneath the FDSA. From March 2005 to September 2005, acetone and MEK concentrations in the ground water from FRW-2 have ranged from less than 1 ug/l to 1,200 ug/l and less than 1 ug/l to 3,200 ug/l, respectively. From March 2005 to September 2005, acetone and MEK concentrations in the ground water from FRW-3 have ranged from 190 ug/l to 1,300 ug/l and 750 ug/l to 4,500 ug/l, respectively. Acetone and/or MEK have been detected at lower concentrations in the ground water from FRW-1 and FRW-4. Acetone and MEK in the ground water have not been detected in downgradient monitor well MW-45A since January 2005. Acetone and MEK have not been detected in the ground water at downgradient monitor well MW98-04.

The newly observed acetone and MEK concentrations are likely related to the injection of the EHCTM product in the FDSA. Possible explanations for the elevated acetone and MEK concentrations as it pertains to the EHCTM injection are presented below.

- The physical disturbance of soils in the saturated zone during injection activities may have loosened residual acetone and MEK adsorbed to the soil and mobilized these compounds to the aqueous phase.
- Indigenous bacteria that were present before the injection activities were degrading these compounds to non-detectable or low concentrations. Following the injection activities, the indigenous bacteria that were aerobically degrading the acetone and MEK are no longer present in sufficient quantities.

The geochemical and CVOC ground-water data collected to date indicate that some degradation of COCs is occurring, however, the EHCTM product has not worked as well as anticipated. The following hypotheses explain why more COC degradation has not occurred in the FDSA.

- The in-flux of high DO precipitation permeating into the aquifer. The high DO precipitation counteracts the affect of the EHCTM product, which is trying to consume the DO so anaerobic conditions can be created in the aquifer. This hypothesis is supported by the fact that a dry summer allowed for very little precipitation to permeate into the saturated zone and, as a result, the August and September ground water data show more degradation of COCs occurring, as indicated by the presence of vinyl chloride and lower ORP values in ground-water samples at FRW-2 and FRW-3.
- Upgradient ground water, which is assumed to contain higher DO concentrations, flows into the FDSA at a quicker rate than the EHCTM can remove the DO from the water.
- Slightly colder ground-water temperatures in the winter and spring (approximately 3°C colder) may have inhibited the bacterial growth and the metabolic activity. Conversely, the warmer ground water and air temperatures in the summer may have been a contributing factor to detecting VC and lower ORP values in the August and September 2005 ground-water sampling events. (As a general rule of thumb, an increase in temperature by 10°C, doubles the growth and metabolic activity of bacteria.)

Conclusions and Recommendations

Based on the ground-water data obtained from March 2005 to September 2005, the following conclusions and recommendations are offered.

1. COC concentrations in the ground water (particularly PCE) are decreasing with time. In the September 2005 ground-water sampling event, the COC (PCE, TCE and 1,1,1-TCA) concentrations are below the applicable or relevant and appropriate requirements (ARARs) of 5 ug/l in the water from downgradient monitor wells MW-45A and MW98-04 and recovery well FRW-4. Furthermore, the PCE concentrations in the ground water at wells FRW-1 (11 ug/l) and FRW-2 (10 ug/l) were approaching ARARs during the September 2005 sampling event.
2. Based on the ground-water sampling results, degradation of COCs is occurring as a result of the EHCTM injection. The COC degradation is occurring most prominently at FRW-2

and FRW-3. The most compelling information that indicates COC degradation is occurring in the FDSA is summarized below.

- lower CVOC concentrations;
 - an increase in the ratio of daughter products to PCE;
 - the presence of VC; and,
 - lower ORP values.
3. The trend of acetone and MEK concentrations in the ground water is decreasing in all wells except FRW-3. The acetone and MEK concentrations are expected to decrease as the EHCTM product is consumed by bacteria or dispersed in the aquifer.
4. Continued ground-water monitoring of the FDSA is recommended at this time. LBG will schedule a sampling event for the FDSA wells in December 2005 and then continue to monitor these wells during the normal semi-annual ground-water sampling events thereafter. The FDSA wells will be analyzed for VOCs and a scaled-back number of geochemical parameters.

Should you have any questions, please feel free to contact us at (203) 452-3100.

Very truly yours,

LBG ENGINEERING SERVICES, P.C.

Mark Goldberg, PE
Senior Environmental Engineer

Alfred N. Kovalik, PE
Senior Associate

Reviewed by:

William K. Beckman, PE, LEP
Principal

MMG:ng
Enclosures

cc: P. McAndrew (pdf)
L. Krogman (pdf)
J. Trad (2)
A. Kovalik
In-house file

H:\NABIS\FDSA\2005\FDSA Monitoring Report.doc

TABLES

TABLE 1

GROUND-WATER QUALITY
FORMER DRUM STORAGE AREA
GROUND-WATER REMEDIAL ACTION
ROWE INDUSTRIES SUPERFUND SITE
SAG HARBOR, NY

Parameter	Date	MW98-01A upgradient from the injected area				MW98-04 downgradient from the injected area				MW98-05A VOC-impacted area				FRW-1 VOC-impacted area			
		9/15/04 Pre- Injection	1/13/05 Post- Injection	9/15/04 Pre- Injection	1/13/05 Post- Injection	3/14/05 Pre- Injection	5/17/05 Post- Injection	9/18/05 Pre- Injection	1/22/06 Post- Injection	9/15/04 Pre- Injection	1/13/05 Post- Injection	3/14/05 Pre- Injection	5/17/05 Post- Injection	9/18/05 Pre- Injection	1/22/06 Post- Injection	3/14/05 Pre- Injection	5/17/05 Post- Injection
tetrachloroethene (PCE) (ug/L)		<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
trichloroethene (TCE) (ug/L)		<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
cis 1,2 dichloroethene (DCE) (ug/L)		<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
Vinyl Chloride (VC) (ug/L)		<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
1,1,1 trichloroethane (TCA) (ug/L)		<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
1,1 dichloroethane (DCA) (ug/L)		<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
2-butanone (ug/L)		<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
acetone (ug/L)		<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
methylene chloride (ug/L)		<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
isopropylbenzene (ug/L)		<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
n-propylbenzene (ug/L)		<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
4-isopropyltoluene (ug/L)		<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
toluene (ug/L)		<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
ethylbenzene (ug/L)		<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
m,p-xylene (ug/L)		<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
o-xylene (ug/L)		<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
1,2,4 trimethylbenzene (ug/L)		<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
1,3,5 trimethylbenzene (ug/L)		<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
Total VOC's		4.4	9.4	<1	<1	39	19.9	<1	<1	80.8	1,059	324	154	66	24	11	11
ethane (ug/L) ^v		NA	NA	NA	NA	NA	NA	NA	NA	NA	<4	NA	<4	NA	<4	NA	<4
chloride (mg/L)		22	20.5	NA	NA	NA	NA	NA	NA	14	23.5	20.5	17	17.5	NA	20.5	NA
total iron (mg/L)		0.676	0.266	NA	NA	NA	NA	NA	NA	0.404	28	NA	3.85	3.85	NA	8.84	NA
dissolved iron (mg/L)		0.535	0.0457	NA	NA	NA	NA	NA	NA	0.0989	26.4	NA	1.41	2.02	NA	6.87	NA
iron II (ferrous) (ug/L)		<25	<25	NA	NA	NA	NA	NA	NA	<25	12,800	NA	276	<25	NA	934	NA
alkalinity (mg/L CaCO3)		10.1	11.1	NA	NA	NA	NA	NA	NA	17.2	99	20.2	15.2	17.2	NA	31.3	NA
sulfate (mg/L)		10.5	12.8	NA	NA	NA	NA	NA	NA	12.4	6.3	9	11.8	11.8	NA	7.8	NA
sulfide (mg/L)		<1	<1	NA	NA	NA	NA	NA	NA	<1	<1	<1	<1	<1	<1	<1	<1
total organic carbon (TOC) (mg/L)		1.08	1.13	NA	NA	NA	NA	NA	NA	1.66	53.4	11	3.3	2.1	1.7	5.38	NA
Dissolved CO ₂ (ppm)		108	NA	NA	NA	NA	NA	NA	NA	107	NA	142	182	157	NA	99	NA
Dissolved CH ₄ (ppm)		0.0049	NA	NA	NA	NA	NA	NA	NA	0.0049	NA	<0.0011	<0.0011	0.01	NA	0.19	NA
Dissolved H ₂ (ppm)		0.099	NA	NA	NA	NA	NA	NA	NA	0.099	NA	<0.0016	<0.022	<0.10	NA	<0.0016	NA
Acetic Acid (mg/L)		NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Butyric Acid (mg/L)		NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Formic Acid (mg/L)		NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Lactic Acid (mg/L)		NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Propionic Acid (mg/L)		NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Pyruvic Acid (mg/L)		NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
pH		5.42	5.63	5.68	5.5	5.53	5.5	4.96	5.29	5.55	5.95	5.89	5.3	5.52	5.74	5.87	5.87
conductivity (mS/cm)		0.159	13.1	0.168	0.184	19	0.17	0.171	0.172	0.171	31.2	0.214	19.3	0.207	3.2	0.148	20.8
turbidity (NTU)		90	0.3	42	4	42.3	4	4.8	23.4	19	29.5	4.5	5	5	5.1	82.8	2
dissolved oxygen (DO) (mg/L)		5.5	0	3.73	4.3	3.88	4.3	4.43	5.85	1.51	0	6.81	7.66	3.3	3.98	7.46	1.1
temperature (deg. C)		14.5	13.2	15.11	14.25	10.1	15.31	16.91	16.51	14.6	13.6	14.4	12.6	13.38	15.23	16.23	16.23
oxidation-reduction potential (ORP) (mV)		287	149	237	181	116	203	261	225	155	-81	36	17	143	31	-26	-23

TABLE 1

GROUND-WATER QUALITY
FORMER DRUM STORAGE AREA
GROUND-WATER REMEDIAL ACTION
ROWE INDUSTRIES SUPERFUND SITE
SAG HARBOR, NY

FRW-2		FRW-3												
VOC impacted area		VOC impacted area near MW98-05A												
Parameter	Date	9/15/04	1/12/05	3/14/05	5/17/05	6/16/05	8/17/05	9/8/05	Pre-Injection	3/14/05	5/17/05	6/16/05	8/17/05	9/8/05
Pre-Injection		150	130	200	390	420	190	10	67	1500	480	720	110	63
tetrachloroethene (PCE) (ug/L)		14	7.4	15	6.2	12	12	<1	1.9	31	8.2	28	13	1.7
trichloroethene (TCE) (ug/L)		8.2	190	180	27	31	54	<1	<1	240	31	22	120	31
cis 1,2 dichloroethene (DCE) (ug/L)		<1	<1	<1	<1	<1	3.7	<1	<1	<1	<1	<1	3	2
Vinyl Chloride (VC) (ug/L)		1	23	5.6	<1	<1	1.2	<1	2.6	61	28	54	5.1	<1
1,1,1 trichloroethane (TCA) (ug/L)		<1	<1	2.2	<1	<1	<1	<1	<1	5.3	<1	<1	<1	<1
1,1 dichloroethane (DCA) (ug/L)		<1	300	3,200	1,800	690	1,400	<1	<1	2,800	2,200	750	2,700	4,500
2-butanone (ug/L)		<1	140	1,200	620	210	240	<1	<1	730	590	190	700	1,300
acetone (ug/L)		<1	<1	<1	<1	<1	8.0 ^y	<1	<1	<1	<1	<1	9.6 ^y	<1
methylene chloride (ug/L)		6.1	7.4	6.2	<1	5.6	6	<1	1.9	3.5	<1	<1	7.4	6
isopropylbenzene (ug/L)		5.9	8.6	7.8	<1	7.8	7.2	<1	1.6	1.6	<1	<1	3.9	4
n-propylbenzene (ug/L)		1.1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
4-isopropyltoluene (ug/L)		<1	<1	89	34	56	200	<1	<1	<1	<1	6.3	290	130
toluene (ug/L)		<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	3.8	<1	<1
ethylbenzene (ug/L)		<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	22	<1	<1
m,p xylene (ug/L)		<1	<1	<1	<1	<1	<1	<1	<1	<1	4.1	15	<1	<1
o-xylene (ug/L)		5.4	7.1	6.6	<1	<1	5.8	<1	<1	<1	4.1	<1	<1	<1
1,2,4 trimethylbenzene (ug/L)		6.1	4.2	<1	<1	<1	4.6	<1	<1	<1	<1	<1	<1	<1
1,3,5 trimethylbenzene (ug/L)		198	818	4,912	2,867	1,434	2,125	10	75	5,372	3,341	1,811	3,952	6,038
Total VOCs		<3	5.9	<3	<3	<3	<3	<3	<3 ^y	<3	<3	<3	NA	<3
ethane (ug/L) ^v		<4	7.1	<4	<4	<4	NA	<4	<4 ^y	<4	<4	<4	NA	<4
ethane (ug/L) ^v		19	31	31	38	24	NA	30	NA	24	16	22	NA	25
chloride (mg/L)		12.6	117	150	82.7	72.9	NA	77.1	NA	149	74.1	55.9	NA	128
total iron (mg/L)		0.426	114	127	62.9	53.7	NA	25.9	NA	74.9	36.7	18.3	NA	11
dissolved iron (mg/L)		<25	62,700	38,800	27,200	19,400	NA	14,000	NA	35,800	14,100	4,640	NA	22,100
iron II (ferrous) (mg/L)		30.3	310	219	134	119	NA	139	NA	223	86.9	79.8	NA	312
alkalinity (mg/L CaCO3)		5.1	4.7	3.5	7.5	3.6	NA	4.9	NA	6.4	15.9	10.9	NA	2.8
sulfate (mg/L)		<1	<1	<1	<1	<1	NA	<1	NA	<1	<1	<1	NA	<1
sulfide (mg/L)		3.81	357	415	150	110	68	52.8	NA	307	68	39	79	144
total organic carbon (TOC) (mg/L)		88.2	NA	250	339	605	NA	373	NA	218	250	330	NA	385
Dissolved CO ₂ (ppm)		0.0049	NA	0.17	0.28	0.47	NA	0.71	NA	0.13	0.21	0.45	NA	0.65
Dissolved CH ₄ (ppm)		0.099	NA	<0.0016	<0.022	<0.10	NA	<0.0016	NA	<0.0016	<0.022	<0.10	NA	<0.0016
Dissolved H ₂ (ppm)		NA	NA	NA	NA	NA	49.8	NA	NA	NA	NA	NA	NA	NA
Acetic Acid (mg/L)		NA	NA	NA	NA	NA	17.1	NA	NA	NA	NA	NA	NA	NA
Butyric Acid (mg/L)		NA	NA	NA	NA	NA	<1	NA	NA	NA	NA	NA	NA	NA
Formic Acid (mg/L)		NA	NA	NA	NA	NA	<1	NA	NA	NA	NA	NA	NA	NA
Lactic Acid (mg/L)		NA	NA	NA	NA	NA	<1	NA	NA	NA	NA	NA	NA	NA
Propionic Acid (mg/L)		NA	NA	NA	NA	NA	21.5	NA	NA	NA	NA	NA	NA	NA
Pyruvic Acid (mg/L)		NA	NA	NA	NA	NA	<1	NA	NA	NA	NA	NA	NA	NA
pH		6.2	5.67	6.04	5.8	5.82	5.89	6.13	6.07	6.55	6	6.23	6.1	6.42
conductivity (mS/cm)		0.204	0.668	0.097	0.481	0.918	0.582	1.20	0.207	0.974	0.503	5.08	0.746	1.19
turbidity (NTU)		0	116	53.2	0	208	46.7	180	0	13	20	23.2	61.4	330
dissolved oxygen (DO) (mg/L)		6.35	6.85	6.71	4.1	3.91	6.79	0.43	6.22	4.2	0.3	2.64	10.45	1.2
temperature (deg. C)		14.5	13.8	13.3	12.9	13.67	16.7	12.53	14.8	13.2	13	13.73	16.25	16.56
oxidation-reduction potential (ORP) (mV)		-5	3	29	96	-72	-120	-116	20	-66	101	-84	-130	-113

TABLE 1
GROUND-WATER QUALITY
FORMER DRUM STORAGE AREA
GROUND-WATER REMEDIAL ACTION
ROWE INDUSTRIES SUPERFUND SITE
SAG HARBOR, NY


Parameter	FRW-4				MW-45A			
	3/24/05	5/17/05	8/16/05	9/15/05	3/14/05	5/17/05	8/16/05	9/15/05
Location	VOC-impacted area				downgradient from the injected area			
Injection	Post-Injection	Post-Injection	Post-Injection	Post-Injection	Pre-Injection	Post-Injection	Post-Injection	Post-Injection
1,1,1-trichloroethane (TCE) (ug/L)	<1	<1	<1	<1	<1	<1	<1	<1
cis 1,2-dichloroethane (DCE) (ug/L)	<1	<1	<1	<1	<1	<1	<1	<1
Vinyl Chloride (VC) (ug/L)	<1	<1	<1	<1	<1	<1	<1	<1
1,1,1-trichloroethane (TCA) (ug/L)	<1	<1	<1	<1	<1	<1	<1	<1
1,1-dichloroethane (DCA) (ug/L)	<1	<1	<1	<1	<1	<1	<1	<1
2-butanone (ug/L)	280	310	46	<1	140	<1	<1	<1
acetone (ug/L)	78	<1	<1	<1	54	<1	<1	<1
methylene chloride (ug/L)	<1	<1	<1	<1	<1	<1	<1	<1
isopropylbenzene (ug/L)	<1	<1	<1	<1	<1	<1	<1	<1
n-propylbenzene (ug/L)	<1	<1	<1	<1	<1	<1	<1	<1
4-isopropyltoluene (ug/L)	<1	<1	<1	<1	<1	<1	<1	<1
toluene (ug/L)	20	170	110	98	<1	<1	<1	<1
ethylbenzene (ug/L)	<1	<1	<1	<1	<1	<1	<1	<1
m,p-xylene (ug/L)	<1	<1	<1	<1	<1	<1	<1	<1
o-xylene (ug/L)	<1	<1	<1	<1	<1	<1	<1	<1
1,2,4-trimethylbenzene (ug/L)	<1	<1	<1	<1	<1	<1	<1	<1
1,3,5-trimethylbenzene (ug/L)	<1	<1	<1	<1	<1	<1	<1	<1
Total VOCs	390	492	166	20.2	100.5	<1	<1	<1
ethane (ug/L) ¹	NA	<3	<3	NA	<3	<3	<3	<3
ethane (ug/L) ¹	NA	<4	<4	NA	<4	<4	<4	<4
chloride (mg/L)	NA	19	18	NA	17.5	27	23	22.5
total iron (mg/L)	NA	20.3	15.5	NA	15.7	0.896	2.34	2.77
dissolved iron (mg/L)	NA	5.19	15.9	NA	7.82	2.72	0.863	2.13
iron II (ferrous) (ug/L)	NA	1900	2010	NA	0.392	2.250	941	49.7
alkalinity (mg/L CaCO ₃)	NA	26.3	41.4	NA	39.4	20.2	22.2	26.3
sulfate (mg/L)	NA	11.4	13.2	NA	11.2	7.3	2.6	1.3
sulfide (mg/L)	NA	<1	<1	NA	<1	<1	<1	<1
total organic carbon (TOC) (mg/L)	NA	7.3	9	3.8	6.69	2.36	2.1	3.13
Dissolved CO ₂ (ppm)	NA	235	208	NA	155	0.19	38.4	60.4
Dissolved CH ₄ (ppm)	NA	0.13	0.12	NA	0.27	0.0049	<0.0011	0.01
Dissolved H ₂ (ppm)	NA	<0.022	<0.010	NA	<0.0016	0.099	<0.0016	<0.0016
Acetic Acid (mg/L)	NA	NA	NA	<1	NA	NA	NA	NA
Butyric Acid (mg/L)	NA	NA	NA	<1	NA	NA	NA	NA
Formic Acid (mg/L)	NA	NA	NA	<1	NA	NA	NA	NA
Lactic Acid (mg/L)	NA	NA	NA	<1	NA	NA	NA	NA
Propionic Acid (mg/L)	NA	NA	NA	<1	NA	NA	NA	NA
Pyruvic Acid (mg/L)	NA	NA	NA	<1	NA	NA	NA	NA
pH	NA	8	5.95	5.48	5.96	6.15	6.07	5.85
conductivity (mS/cm)	NA	0.251	0.258	0.176	0.171	27.7	174	0.169
turbidity (NTU)	NA	4	8.5	40	12	92	13	2.46
dissolved oxygen (DO) (mg/L)	NA	0.7	2.51	4.51	0.28	0.57	0.3	2.11
temperature (deg. C)	NA	13.2	13.54	15.14	15.55	14.1	9.2	16.37
oxidation-reduction potential (ORP) (mV)	NA	124	-34	-22	-7	40	-12	-64

Notes: 1. The FRW-2 ethene and ethane sample results shown in the September 2004 column were collected on 11/9/04 prior to EHC injection. The FRW-3 ethene and ethane sample results shown in the September 2004 column were collected on 11/16/04 during the 1st day of EHC injection activities.
2. NA indicates not analyzed.
3. Methylene chloride is derived from laboratory contamination.


4. The ground water sample used to collect the January 13, 2005 field measurements of pH, conductivity, turbidity, DO, temp. and ORP readings at FRW-2 may not have been representative ground-water condition because of temporary Focused Pump and Treat (FP&T) system limitations. These temporary system limitations have subsequently been addressed.

FIGURES


GRAPHS




Dissolved oxygen concentrations below 1 mg/L suggest anaerobic conditions prevail.




ORP values below -50 mV suggests anaerobic conditions prevail.




Decreases in sulfate concentrations suggest sulfate reducing conditions are beginning and anaerobic bacteria can begin to dechlorinate the contaminants of concern. In addition, high sulfate concentrations can inhibit dechlorination because of the presence of sulfate reducing bacteria.




Elevated ferrous iron concentrations is a direct result of the zero-valent iron injection and the fact that iron-reducing conditions are prevalent in the FDPA.




Elevated TOC concentrations suggests an increase in biodegradation rates since more food is available for bacteria to consume.




An increase in alkalinity is a direct result of the EHC™ injection and will benefit microbial degradation of the contaminants.




Ground-water pH has not been significantly altered by the addition of the EHC™ product. Optimum pH levels for bacterial growth ranges from approximately 6 to 8, however, significant metabolic activity can still occur at a pH of 5.5 (and even at a pH as low as 5.0). The low and high pH lines on Graph 7 are set at 5.5 and 8.5 respectively as a general guideline for the range of optimum metabolic activity of bacteria.



Ethane is one of the final breakdown products for the contaminants PCE, TCE, DCE and VC.
An increase in ethene concentrations in ground water suggest that the EHC™ is beginning to breakdown the contaminants.




Ethane is one of the final breakdown products for the contaminants 1,1,1 TCA and DCA.
An increase in ethane concentrations in ground water suggest that the EHC™ is beginning to breakdown the contaminants.



Chloride is one of the final breakdown products for the chlorinated VOCs.
An increase in chloride concentrations in ground water suggest that the EHC™ is beginning to breakdown the contaminants.

GRAPH 11

CVOC CONCENTRATIONS FOR WELL'S FRW-1, 2 AND 3



ATTACHMENT 1

**MARCH, MAY, JUNE, AUGUST AND SEPTEMBER 2005
LABORATORY ANALYTICAL REPORTS**

Friday, March 25, 2005

Mark Goldberg
Leggette Brashears & Graham Inc.
126 Monroe Turnpike
Trumbull, CT 06611

TEL: (203) 452-3110

FAX (203) 452-3111

RE: Rowe Industries

Order No.: 0503143

Dear Mark Goldberg:

American Analytical Laboratories, LLC. received 3 sample(s) on 3/17/2005 for the analyses presented in the following report.

Samples were analyzed in accordance with the test procedures documented on the chain of custody and detailed throughout the text of this report.

The limits provided in the data package are analytical reporting limits and not Federal or Local mandated values to which the sample results should be compared.

There were no problems with the analyses and all data for associated QC met laboratory specifications.

If you have any questions regarding these tests results, please do not hesitate to call (631) 454-6100 or email me directly at lbeyer@american-analytical.com.

Sincerely,



Lori Beyer
Lab Director

American Analytical Laboratories, LLC.

Date: 30-Mar-05

CLIENT: Leggette Brashears & Graham Inc.
Project: Rowe Industries
Lab Order: 0503143

Work Order Sample Summary

Lab Sample ID	Client Sample ID	Tag Number	Collection Date	Date Received
0503143-01A	FRW-1	4620	3/14/2005	3/17/2005
0503143-01B	FRW-1	4620	3/14/2005	3/17/2005
0503143-01C	FRW-1	4620	3/14/2005	3/17/2005
0503143-01D	FRW-1	4620	3/14/2005	3/17/2005
0503143-01E	FRW-1	4620	3/14/2005	3/17/2005
0503143-02A	FRW-2	4620	3/14/2005	3/17/2005
0503143-02B	FRW-2	4620	3/14/2005	3/17/2005
0503143-02C	FRW-2	4620	3/14/2005	3/17/2005
0503143-02D	FRW-2	4620	3/14/2005	3/17/2005
0503143-02E	FRW-2	4620	3/14/2005	3/17/2005
0503143-03A	FRW-3	4620	3/14/2005	3/17/2005
0503143-03B	FRW-3	4620	3/14/2005	3/17/2005
0503143-03C	FRW-3	4620	3/14/2005	3/17/2005
0503143-03D	FRW-3	4620	3/14/2005	3/17/2005
0503143-03E	FRW-3	4620	3/14/2005	3/17/2005

WHITE-OFFICE / CANARY-LAB / PINK-SAMPLE CUSTODIAN / GOLDENROD-CLIENT

American Analytical Laboratories, LLC.
56 Toledo Street
Farmingdale, NY 11735-

TEL: 6314546100 FAX: 6314548027

Subcontractor:

Severn Trent Laboratories (STL) Newburgh
315 Fullerton Avenue
Newburgh, New York 12550
TEL: (845) 562-0890
FAX: (845) 562-0794
Acct #:

CHAIN-OF-CUSTODY RECORD

17-Mar-05

Sample ID	Matrix	Collection Date	Bottle Type	Requested Tests				
				SW9060				
0503143-01E	Liquid	3/14/2005	125mL	1				
0503143-02E	Liquid	3/14/2005	125mL	1				
0503143-03E	Liquid	3/14/2005	125mL	1				

Comments: Analyze for IOC. Perform MS/MSD on Sample 0503143-3E
Normal TAT. Thanks.

SUD HL 3/17

	Date/Time	Date/Time
Relinquished by:		Received by:
Relinquished by:		Received by:

AMERICAN ANALYTICAL LABORATORIES, LLC

56 TOLEDO STREET

FARMINGDALE, NEW YORK 11735

TELEPHONE: (631) 454-6100 FAX: (631) 454-8027

DATA REPORTING QUALIFIERS

For reporting results, the following "Results Qualifiers" are used:

Value	If the result is greater than or equal to the detection limit, report the value
U	Indicates the compound was analyzed for but was not detected. Report the minimum detection limit for the sample with the U, i.e. "10U". This is not necessarily the instrument detection limit attainable for this particular sample based on any concentration or dilution that may have been required.
J	Indicates an estimated value. The flag is used: (1) When estimating a concentration for a tentatively identified compound (library search hits, where a 1:1 response is assumed.) (2) When the mass spectral data indicated the identification, however the result was less than the specified detection limit greater than zero. If the detection limit was 10ug/L and a concentration of 3ug/L was calculated report as 3J. This flag is used when similar situations arise on any organic parameter i.e. Pesticide, PCBs and others.
B	Indicates the analyte was found in the blank as well as the sample report "10B".
E	Indicates the analytes concentration exceeds the calibrated range of the instrument for that specific analysis.
D	This flag identifies all compounds identified in an analysis at a secondary dilution factor.
P	This flag is used for Pesticide / PCB target analyte when there is >25% difference for detected concentrations between the two GC Columns. The higher of the two values is reported on Form I and flagged with a "P".
N	This flag indicates presumptive evidence of a compound. This is only used for tentatively identified compounds (TICs), where the identification is based on a mass spectral library search. It applies to all TIC results. For generic characterization of a TIC, such as chlorinated hydrocarbon, the flag is not used.
H	Indicates sample was received and/or analyzed outside of The method allowable holding time

American Analytical Laboratories, LLC.

Date: 30-Mar-05

CLIENT: Leggette Brashears & Graham Inc.**Project:** Rowe Industries**Lab Order:** 0503143**CASE NARRATIVE**

Samples were analyzed using the methods outlined throughout the text of this report.

MS/MSD analysis was performed on sample FRW-3. Summary results are included in this report.

Environmental Testing Laboratories, Inc.

208 Route 109, Farmingdale NY 11735

Phone - 631-249-1456 Fax - 631-249-8344

03/29/2005

Case Narrative

GAS ANALYSIS:

The analysis of methane, carbon dioxide and hydrogen was carried out at 25 C and 1 atm. The headspace method was used. The Henry's constant at this conditions were: 71,000 for hydrogen, 1,640 for carbon dioxide and 41300 for methane.

MS/MSD was carried out using only the standard that contained carbon dioxide and methane. The true value for both gases were 2% mole as raw data. It was not possible to spike separately the hydrogen gas.



American Analytical Laboratories, LLC.

Date: 28-Mar-05

CLIENT: Leggette Brashears & Graham Inc.
Lab Order: 0503143
Project: Rowe Industries
Lab ID: 0503143-01A

Client Sample ID: FRW-1
Tag Number: 4620
Collection Date: 3/14/2005
Matrix: LIQUID

Date Received: 3/17/2005

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILES SW-846 8260 PLUS MTBE & FREON1		SW8260B		Analyst: LDS		
1,1,1,2-Tetrachloroethane	U	1.0		µg/L	1	3/18/2005 4:02:00 AM
1,1,1-Trichloroethane	3.2	1.0		µg/L	1	3/18/2005 4:02:00 AM
1,1,2,2-Tetrachloroethane	U	1.0		µg/L	1	3/18/2005 4:02:00 AM
1,1,2-Trichloro-1,2,2-trifluoroethane	U	1.0		µg/L	1	3/18/2005 4:02:00 AM
1,1,2-Trichloroethane	U	1.0		µg/L	1	3/18/2005 4:02:00 AM
1,1-Dichloroethane	U	1.0		µg/L	1	3/18/2005 4:02:00 AM
1,1-Dichloroethene	U	1.0		µg/L	1	3/18/2005 4:02:00 AM
1,1-Dichloropropene	U	1.0		µg/L	1	3/18/2005 4:02:00 AM
1,2,3-Trichlorobenzene	U	1.0		µg/L	1	3/18/2005 4:02:00 AM
1,2,3-Trichloropropane	U	1.0		µg/L	1	3/18/2005 4:02:00 AM
1,2,4-Trichlorobenzene	U	1.0		µg/L	1	3/18/2005 4:02:00 AM
1,2,4-Trimethylbenzene	U	1.0		µg/L	1	3/18/2005 4:02:00 AM
1,2-Dibromo-3-chloropropane	U	1.0		µg/L	1	3/18/2005 4:02:00 AM
1,2-Dibromoethane	U	1.0		µg/L	1	3/18/2005 4:02:00 AM
1,2-Dichlorobenzene	U	1.0		µg/L	1	3/18/2005 4:02:00 AM
1,2-Dichloroethane	U	1.0		µg/L	1	3/18/2005 4:02:00 AM
1,2-Dichloropropane	U	1.0		µg/L	1	3/18/2005 4:02:00 AM
1,3,5-Trimethylbenzene	U	1.0		µg/L	1	3/18/2005 4:02:00 AM
1,3-Dichlorobenzene	U	1.0		µg/L	1	3/18/2005 4:02:00 AM
1,3-dichloropropane	U	1.0		µg/L	1	3/18/2005 4:02:00 AM
1,4-Dichlorobenzene	U	1.0		µg/L	1	3/18/2005 4:02:00 AM
2,2-Dichloropropane	U	1.0		µg/L	1	3/18/2005 4:02:00 AM
2-Butanone	94	1.0		µg/L	1	3/18/2005 4:02:00 AM
2-Chloroethyl vinyl ether	U	1.0		µg/L	1	3/18/2005 4:02:00 AM
2-Chlorotoluene	U	1.0		µg/L	1	3/18/2005 4:02:00 AM
2-Hexanone	U	1.0		µg/L	1	3/18/2005 4:02:00 AM
4-Chlorotoluene	U	1.0		µg/L	1	3/18/2005 4:02:00 AM
4-Isopropyltoluene	U	1.0		µg/L	1	3/18/2005 4:02:00 AM
4-Methyl-2-pentanone	U	1.0		µg/L	1	3/18/2005 4:02:00 AM
Acetone	U	1.0		µg/L	1	3/18/2005 4:02:00 AM
Benzene	U	1.0		µg/L	1	3/18/2005 4:02:00 AM
Bromobenzene	U	1.0		µg/L	1	3/18/2005 4:02:00 AM
Bromochloromethane	U	1.0		µg/L	1	3/18/2005 4:02:00 AM
Bromodichloromethane	U	1.0		µg/L	1	3/18/2005 4:02:00 AM
Bromoform	U	1.0		µg/L	1	3/18/2005 4:02:00 AM
Bromomethane	U	1.0		µg/L	1	3/18/2005 4:02:00 AM
Carbon disulfide	U	1.0		µg/L	1	3/18/2005 4:02:00 AM
Carbon tetrachloride	U	1.0		µg/L	1	3/18/2005 4:02:00 AM
Chlorobenzene	U	1.0		µg/L	1	3/18/2005 4:02:00 AM
Chloroethane	U	1.0		µg/L	1	3/18/2005 4:02:00 AM

Qualifiers: * Value exceeds Maximum Contaminant Level
E Value above quantitation range
J Analyte detected below quantitation limits
S Spike Recovery outside accepted recovery limits

B Analyte detected in the associated Method Blank
H Holding times for preparation or analysis exceeded
ND Not Detected at the Reporting Limit
U Indicates the compound was analyzed for but not detected

American Analytical Laboratories, LLC.

Date: 28-Mar-05

CLIENT:	Leggette Brashears & Graham Inc.	Client Sample ID:	FRW-1
Lab Order:	0503143	Tag Number:	4620
Project:	Rowe Industries	Collection Date:	3/14/2005
Lab ID:	0503143-01A	Date Received:	3/17/2005
		Matrix:	LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
Chloroform	U	1.0		µg/L	1	3/18/2005 4:02:00 AM
Chloromethane	U	1.0		µg/L	1	3/18/2005 4:02:00 AM
cis-1,2-Dichloroethene	15	1.0		µg/L	1	3/18/2005 4:02:00 AM
cis-1,3-Dichloropropene	U	1.0		µg/L	1	3/18/2005 4:02:00 AM
Dibromochloromethane	U	1.0		µg/L	1	3/18/2005 4:02:00 AM
Dibromomethane	U	1.0		µg/L	1	3/18/2005 4:02:00 AM
Dichlorodifluoromethane	U	1.0		µg/L	1	3/18/2005 4:02:00 AM
Ethylbenzene	U	1.0		µg/L	1	3/18/2005 4:02:00 AM
Hexachlorobutadiene	U	1.0		µg/L	1	3/18/2005 4:02:00 AM
Isopropylbenzene	U	1.0		µg/L	1	3/18/2005 4:02:00 AM
m,p-Xylene	U	2.0		µg/L	1	3/18/2005 4:02:00 AM
Methyl tert-butyl ether	U	1.0		µg/L	1	3/18/2005 4:02:00 AM
Methylene chloride	U	1.0		µg/L	1	3/18/2005 4:02:00 AM
Naphthalene	U	1.0		µg/L	1	3/18/2005 4:02:00 AM
n-Butylbenzene	U	1.0		µg/L	1	3/18/2005 4:02:00 AM
n-Propylbenzene	U	1.0		µg/L	1	3/18/2005 4:02:00 AM
o-Xylene	U	1.0		µg/L	1	3/18/2005 4:02:00 AM
sec-Butylbenzene	U	1.0		µg/L	1	3/18/2005 4:02:00 AM
Styrene	U	1.0		µg/L	1	3/18/2005 4:02:00 AM
tert-Butylbenzene	U	1.0		µg/L	1	3/18/2005 4:02:00 AM
Tetrachloroethene	210	1.0		µg/L	1	3/18/2005 4:02:00 AM
Toluene	U	1.0		µg/L	1	3/18/2005 4:02:00 AM
trans-1,2-Dichloroethene	U	1.0		µg/L	1	3/18/2005 4:02:00 AM
trans-1,3-Dichloropropene	U	1.0		µg/L	1	3/18/2005 4:02:00 AM
Trichloroethene	1.6	1.0		µg/L	1	3/18/2005 4:02:00 AM
Trichlorofluoromethane	U	1.0		µg/L	1	3/18/2005 4:02:00 AM
Vinyl acetate	U	1.0		µg/L	1	3/18/2005 4:02:00 AM
Vinyl chloride	U	1.0		µg/L	1	3/18/2005 4:02:00 AM

Qualifiers:	*	Value exceeds Maximum Contaminant Level	B	Analyte detected in the associated Method Blank
	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded
	J	Analyte detected below quantitation limits	ND	Not Detected at the Reporting Limit
	S	Spike Recovery outside accepted recovery limits	U	Indicates the compound was analyzed for but not detected

American Analytical Laboratories, LLC.

Date: 28-Mar-05

CLIENT: Leggette Brashears & Graham Inc.

Client Sample ID: FRW-1

Lab Order: 0503143

Tag Number: 4620

Project: Rowe Industries

Collection Date: 3/14/2005

Lab ID: 0503143-01B

Date Received: 3/17/2005

Matrix: LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
DISSOLVED IRON		E200.7		(SW3005A)		Analyst: JP
Iron	6.42	0.0200		mg/L	1	3/21/2005 11:13:11 AM
NITRATE AS N		E353.2				Analyst: BK
Nitrogen, Nitrate-Nitrite	1.56	0.100		mg/L	1	3/23/2005
CHLORIDE		M4500-C1 B				Analyst: AT
Chloride	20.5	1.00		mg/L	1	3/18/2005
IRON, FERROUS (FE+2)		M3500-Fe D				Analyst: IP
Iron, Ferrous	2940	25.0		µg/L	1	3/21/2005
SULFATE		E375.4				Analyst: IP
Sulfate	9.00	1.00		mg/L	1	3/18/2005
ALKALINITY		E310.1				Analyst: AT
Alkalinity, Total (As CaCO3)	20.2	1.00		mg/L CaCO3	1	3/18/2005

Qualifiers: * Value exceeds Maximum Contaminant Level
E Value above quantitation range
J Analyte detected below quantitation limits
S Spike Recovery outside accepted recovery limits

B Analyte detected in the associated Method Blank
H Holding times for preparation or analysis exceeded
ND Not Detected at the Reporting Limit
U Indicates the compound was analyzed for but not detected

American Analytical Laboratories, LLC.

Date: 28-Mar-05

CLIENT:	Leggette Brashears & Graham Inc.	Client Sample ID:	FRW-1
Lab Order:	0503143	Tag Number:	4620
Project:	Rowe Industries	Collection Date:	3/14/2005
Lab ID:	0503143-01C	Date Received:	3/17/2005
		Matrix:	LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
TOTAL IRON		E200.7		(SW3010A)		Analyst: JP
Iron	8.55	0.0200		mg/L	1	3/21/2005 11:15:07 AM

Qualifiers:	*	Value exceeds Maximum Contaminant Level	B	Analyte detected in the associated Method Blank
	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded
	J	Analyte detected below quantitation limits	ND	Not Detected at the Reporting Limit
	S	Spike Recovery outside accepted recovery limits	U	Indicates the compound was analyzed for but not detected

American Analytical Laboratories, LLC.

Date: 28-Mar-05

CLIENT:	Leggette Brashears & Graham Inc.	Client Sample ID:	FRW-1
Lab Order:	0503143	Tag Number:	4620
Project:	Rowe Industries	Collection Date:	3/14/2005
Lab ID:	0503143-01D	Date Received:	3/17/2005
		Matrix:	LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
SULFIDE		E376.1				Analyst: AT
Sulfide	U	1.0		mg/L	1	3/18/2005

Qualifiers:	*	Value exceeds Maximum Contaminant Level	B	Analyte detected in the associated Method Blank
	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded
	J	Analyte detected below quantitation limits	ND	Not Detected at the Reporting Limit
	S	Spike Recovery outside accepted recovery limits	U	Indicates the compound was analyzed for but not detected

American Analytical Laboratories, LLC.

Date: 28-Mar-05

CLIENT: Leggette Brashears & Graham Inc.

Client Sample ID: FRW-2

Lab Order: 0503143

Tag Number: 4620

Project: Rowe Industries

Collection Date: 3/14/2005

Lab ID: 0503143-02A

Date Received: 3/17/2005

Matrix: LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILES SW-846 8260 PLUS MTBE & FREON1		SW8260B		Analyst: LDS		
1,1,1,2-Tetrachloroethane	U	1.0		µg/L	1	3/18/2005 4:34:00 AM
1,1,1-Trichloroethane	5.6	1.0		µg/L	1	3/18/2005 4:34:00 AM
1,1,2,2-Tetrachloroethane	U	1.0		µg/L	1	3/18/2005 4:34:00 AM
1,1,2-Trichloro-1,2,2-trifluoroethane	U	1.0		µg/L	1	3/18/2005 4:34:00 AM
1,1,2-Trichloroethane	U	1.0		µg/L	1	3/18/2005 4:34:00 AM
1,1-Dichloroethane	2.2	1.0		µg/L	1	3/18/2005 4:34:00 AM
1,1-Dichloroethene	U	1.0		µg/L	1	3/18/2005 4:34:00 AM
1,1-Dichloropropene	U	1.0		µg/L	1	3/18/2005 4:34:00 AM
1,2,3-Trichlorobenzene	U	1.0		µg/L	1	3/18/2005 4:34:00 AM
1,2,3-Trichloropropane	U	1.0		µg/L	1	3/18/2005 4:34:00 AM
1,2,4-Trichlorobenzene	U	1.0		µg/L	1	3/18/2005 4:34:00 AM
1,2,4-Trimethylbenzene	6.6	1.0		µg/L	1	3/18/2005 4:34:00 AM
1,2-Dibromo-3-chloropropane	U	1.0		µg/L	1	3/18/2005 4:34:00 AM
1,2-Dibromoethane	U	1.0		µg/L	1	3/18/2005 4:34:00 AM
1,2-Dichlorobenzene	U	1.0		µg/L	1	3/18/2005 4:34:00 AM
1,2-Dichloroethane	U	1.0		µg/L	1	3/18/2005 4:34:00 AM
1,2-Dichloropropane	U	1.0		µg/L	1	3/18/2005 4:34:00 AM
1,3,5-Trimethylbenzene	U	1.0		µg/L	1	3/18/2005 4:34:00 AM
1,3-Dichlorobenzene	U	1.0		µg/L	1	3/18/2005 4:34:00 AM
1,3-dichloropropane	U	1.0		µg/L	1	3/18/2005 4:34:00 AM
1,4-Dichlorobenzene	U	1.0		µg/L	1	3/18/2005 4:34:00 AM
2,2-Dichloropropane	U	1.0		µg/L	1	3/18/2005 4:34:00 AM
2-Butanone	3200	10		µg/L	10	3/22/2005 5:03:00 PM
2-Chloroethyl vinyl ether	U	1.0		µg/L	1	3/18/2005 4:34:00 AM
2-Chlorotoluene	U	1.0		µg/L	1	3/18/2005 4:34:00 AM
2-Hexanone	U	1.0		µg/L	1	3/18/2005 4:34:00 AM
4-Chlorotoluene	U	1.0		µg/L	1	3/18/2005 4:34:00 AM
4-Isopropyltoluene	U	1.0		µg/L	1	3/18/2005 4:34:00 AM
4-Methyl-2-pentanone	U	1.0		µg/L	1	3/18/2005 4:34:00 AM
Acetone	1200	1.0		µg/L	1	3/18/2005 4:34:00 AM
Benzene	U	1.0		µg/L	1	3/18/2005 4:34:00 AM
Bromobenzene	U	1.0		µg/L	1	3/18/2005 4:34:00 AM
Bromochloromethane	U	1.0		µg/L	1	3/18/2005 4:34:00 AM
Bromodichloromethane	U	1.0		µg/L	1	3/18/2005 4:34:00 AM
Bromoform	U	1.0		µg/L	1	3/18/2005 4:34:00 AM
Bromomethane	U	1.0		µg/L	1	3/18/2005 4:34:00 AM
Carbon disulfide	U	1.0		µg/L	1	3/18/2005 4:34:00 AM
Carbon tetrachloride	U	1.0		µg/L	1	3/18/2005 4:34:00 AM
Chlorobenzene	U	1.0		µg/L	1	3/18/2005 4:34:00 AM
Chloroethane	U	1.0		µg/L	1	3/18/2005 4:34:00 AM

Qualifiers: * Value exceeds Maximum Contaminant Level
 E Value above quantitation range
 J Analyte detected below quantitation limits
 S Spike Recovery outside accepted recovery limits

B Analyte detected in the associated Method Blank
 H Holding times for preparation or analysis exceeded
 ND Not Detected at the Reporting Limit
 U Indicates the compound was analyzed for but not detected

American Analytical Laboratories, LLC.

Date: 28-Mar-05

CLIENT: Leggette Brashears & Graham Inc.

Client Sample ID: FRW-2

Lab Order: 0503143

Tag Number: 4620

Project: Rowe Industries

Collection Date: 3/14/2005

Lab ID: 0503143-02A

Date Received: 3/17/2005

Matrix: LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
Chloroform	U	1.0		µg/L	1	3/18/2005 4:34:00 AM
Chloromethane	U	1.0		µg/L	1	3/18/2005 4:34:00 AM
cis-1,2-Dichloroethene	180	1.0		µg/L	1	3/18/2005 4:34:00 AM
cis-1,3-Dichloropropene	U	1.0		µg/L	1	3/18/2005 4:34:00 AM
Dibromochloromethane	U	1.0		µg/L	1	3/18/2005 4:34:00 AM
Dibromomethane	U	1.0		µg/L	1	3/18/2005 4:34:00 AM
Dichlorodifluoromethane	U	1.0		µg/L	1	3/18/2005 4:34:00 AM
Ethylbenzene	U	1.0		µg/L	1	3/18/2005 4:34:00 AM
Hexachlorobutadiene	U	1.0		µg/L	1	3/18/2005 4:34:00 AM
Isopropylbenzene	6.2	1.0		µg/L	1	3/18/2005 4:34:00 AM
m,p-Xylene	U	2.0		µg/L	1	3/18/2005 4:34:00 AM
Methyl tert-butyl ether	U	1.0		µg/L	1	3/18/2005 4:34:00 AM
Methylene chloride	U	1.0		µg/L	1	3/18/2005 4:34:00 AM
Naphthalene	U	1.0		µg/L	1	3/18/2005 4:34:00 AM
n-Butylbenzene	U	1.0		µg/L	1	3/18/2005 4:34:00 AM
n-Propylbenzene	7.8	1.0		µg/L	1	3/18/2005 4:34:00 AM
o-Xylene	U	1.0		µg/L	1	3/18/2005 4:34:00 AM
sec-Butylbenzene	U	1.0		µg/L	1	3/18/2005 4:34:00 AM
Styrene	U	1.0		µg/L	1	3/18/2005 4:34:00 AM
tert-Butylbenzene	U	1.0		µg/L	1	3/18/2005 4:34:00 AM
Tetrachloroethene	200	1.0		µg/L	1	3/18/2005 4:34:00 AM
Toluene	89	1.0		µg/L	1	3/18/2005 4:34:00 AM
trans-1,2-Dichloroethene	U	1.0		µg/L	1	3/18/2005 4:34:00 AM
trans-1,3-Dichloropropene	U	1.0		µg/L	1	3/18/2005 4:34:00 AM
Trichloroethene	15	1.0		µg/L	1	3/18/2005 4:34:00 AM
Trichlorofluoromethane	U	1.0		µg/L	1	3/18/2005 4:34:00 AM
Vinyl acetate	U	1.0		µg/L	1	3/18/2005 4:34:00 AM
Vinyl chloride	U	1.0		µg/L	1	3/18/2005 4:34:00 AM

Qualifiers:

- * Value exceeds Maximum Contaminant Level
- E Value above quantitation range
- J Analyte detected below quantitation limits
- S Spike Recovery outside accepted recovery limits

- B Analyte detected in the associated Method Blank
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- U Indicates the compound was analyzed for but not detected

Page 7 of 15

American Analytical Laboratories, LLC.

Date: 28-Mar-05

CLIENT:	Leggette Brashears & Graham Inc.	Client Sample ID:	FRW-2
Lab Order:	0503143	Tag Number:	4620
Project:	Rowe Industries	Collection Date:	3/14/2005
Lab ID:	0503143-02B	Date Received:	3/17/2005
		Matrix:	LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
DISSOLVED IRON Iron	127	E200.7 0.0200		(SW3005A) mg/L	1	Analyst: JP 3/21/2005 11:17:04 AM
NITRATE AS N Nitrogen, Nitrate-Nitrite	0.222	E353.2 0.100		mg/L	1	Analyst: BK 3/23/2005
CHLORIDE Chloride	31.0	M4500-C1 B 1.00		mg/L	1	Analyst: AT 3/18/2005
IRON, FERROUS (FE+2) Iron, Ferrous	38800	M3500-Fe D 25.0		µg/L	1	Analyst: IP 3/21/2005
SULFATE Sulfate	3.50	E375.4 1.00		mg/L	1	Analyst: IP 3/18/2005
ALKALINITY Alkalinity, Total (As CaCO3)	219	E310.1 1.00		mg/L CaCO3	1	Analyst: AT 3/18/2005

Qualifiers:	* Value exceeds Maximum Contaminant Level	B Analyte detected in the associated Method Blank
	E Value above quantitation range	H Holding times for preparation or analysis exceeded
	J Analyte detected below quantitation limits	ND Not Detected at the Reporting Limit
	S Spike Recovery outside accepted recovery limits	U Indicates the compound was analyzed for but not detected

American Analytical Laboratories, LLC.

Date: 28-Mar-05

CLIENT: Leggette Brashears & Graham Inc.**Client Sample ID:** FRW-2**Lab Order:** 0503143**Tag Number:** 4620**Project:** Rowe Industries**Collection Date:** 3/14/2005**Lab ID:** 0503143-02C**Date Received:** 3/17/2005**Matrix:** LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
TOTAL IRON		E200.7		(SW3010A)		Analyst: JP
Iron	150	0.0200		mg/L	1	3/21/2005 11:19:24 AM

Qualifiers:

- * Value exceeds Maximum Contaminant Level
- E Value above quantitation range
- J Analyte detected below quantitation limits
- S Spike Recovery outside accepted recovery limits

- B Analyte detected in the associated Method Blank
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- U Indicates the compound was analyzed for but not detected

American Analytical Laboratories, LLC.

Date: 28-Mar-05

CLIENT:	Leggette Brashears & Graham Inc.	Client Sample ID:	FRW-2
Lab Order:	0503143	Tag Number:	4620
Project:	Rowe Industries	Collection Date:	3/14/2005
Lab ID:	0503143-02D	Date Received:	3/17/2005
		Matrix:	LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
SULFIDE		E376.1				Analyst: AT
Sulfide	U	1.0		mg/L	1	3/18/2005

Qualifiers:	*	Value exceeds Maximum Contaminant Level	B	Analyte detected in the associated Method Blank
	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded
	J	Analyte detected below quantitation limits	ND	Not Detected at the Reporting Limit
	S	Spike Recovery outside accepted recovery limits	U	Indicates the compound was analyzed for but not detected

American Analytical Laboratories, LLC.

Date: 28-Mar-05

CLIENT:	Leggette Brashears & Graham Inc.	Client Sample ID:	FRW-3-MS/MSD
Lab Order:	0503143	Tag Number:	4620
Project:	Rowe Industries	Collection Date:	3/14/2005
Lab ID:	0503143-03A	Date Received:	3/17/2005
		Matrix:	LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILES SW-846 8260 PLUS MTBE & FREON1		SW8260B		Analyst: LDS		
1,1,1,2-Tetrachloroethane	U	1.0		µg/L	1	3/18/2005 5:41:00 AM
1,1,1-Trichloroethane	61	1.0		µg/L	1	3/18/2005 5:41:00 AM
1,1,2,2-Tetrachloroethane	U	1.0		µg/L	1	3/18/2005 5:41:00 AM
1,1,2-Trichloro-1,2,2-trifluoroethane	U	1.0		µg/L	1	3/18/2005 5:41:00 AM
1,1,2-Trichloroethane	U	1.0		µg/L	1	3/18/2005 5:41:00 AM
1,1-Dichloroethane	5.3	1.0		µg/L	1	3/18/2005 5:41:00 AM
1,1-Dichloroethene	U	1.0		µg/L	1	3/18/2005 5:41:00 AM
1,1-Dichloropropene	U	1.0		µg/L	1	3/18/2005 5:41:00 AM
1,2,3-Trichlorobenzene	U	1.0		µg/L	1	3/18/2005 5:41:00 AM
1,2,3-Trichloropropane	U	1.0		µg/L	1	3/18/2005 5:41:00 AM
1,2,4-Trichlorobenzene	U	1.0		µg/L	1	3/18/2005 5:41:00 AM
1,2,4-Trimethylbenzene	U	1.0		µg/L	1	3/18/2005 5:41:00 AM
1,2-Dibromo-3-chloropropane	U	1.0		µg/L	1	3/18/2005 5:41:00 AM
1,2-Dibromoethane	U	1.0		µg/L	1	3/18/2005 5:41:00 AM
1,2-Dichlorobenzene	U	1.0		µg/L	1	3/18/2005 5:41:00 AM
1,2-Dichloroethane	U	1.0		µg/L	1	3/18/2005 5:41:00 AM
1,2-Dichloropropane	U	1.0		µg/L	1	3/18/2005 5:41:00 AM
1,3,5-Trimethylbenzene	U	1.0		µg/L	1	3/18/2005 5:41:00 AM
1,3-Dichlorobenzene	U	1.0		µg/L	1	3/18/2005 5:41:00 AM
1,3-dichloropropane	U	1.0		µg/L	1	3/18/2005 5:41:00 AM
1,4-Dichlorobenzene	U	1.0		µg/L	1	3/18/2005 5:41:00 AM
2,2-Dichloropropane	U	1.0		µg/L	1	3/18/2005 5:41:00 AM
2-Butanone	2800	10		µg/L	10	3/22/2005 5:36:00 PM
2-Chloroethyl vinyl ether	U	1.0		µg/L	1	3/18/2005 5:41:00 AM
2-Chlorotoluene	U	1.0		µg/L	1	3/18/2005 5:41:00 AM
2-Hexanone	U	1.0		µg/L	1	3/18/2005 5:41:00 AM
4-Chlorotoluene	U	1.0		µg/L	1	3/18/2005 5:41:00 AM
4-Isopropyltoluene	U	1.0		µg/L	1	3/18/2005 5:41:00 AM
4-Methyl-2-pentanone	U	1.0		µg/L	1	3/18/2005 5:41:00 AM
Acetone	730	1.0		µg/L	1	3/18/2005 5:41:00 AM
Benzene	U	1.0		µg/L	1	3/18/2005 5:41:00 AM
Bromobenzene	U	1.0		µg/L	1	3/18/2005 5:41:00 AM
Bromochloromethane	U	1.0		µg/L	1	3/18/2005 5:41:00 AM
Bromodichloromethane	U	1.0		µg/L	1	3/18/2005 5:41:00 AM
Bromoform	U	1.0		µg/L	1	3/18/2005 5:41:00 AM
Bromomethane	U	1.0		µg/L	1	3/18/2005 5:41:00 AM
Carbon disulfide	U	1.0		µg/L	1	3/18/2005 5:41:00 AM
Carbon tetrachloride	U	1.0		µg/L	1	3/18/2005 5:41:00 AM
Chlorobenzene	U	1.0		µg/L	1	3/18/2005 5:41:00 AM
Chloroethane	U	1.0		µg/L	1	3/18/2005 5:41:00 AM

Qualifiers:

- * Value exceeds Maximum Contaminant Level
- E Value above quantitation range
- J Analyte detected below quantitation limits
- S Spike Recovery outside accepted recovery limits

- B Analyte detected in the associated Method Blank
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- U Indicates the compound was analyzed for but not detected

American Analytical Laboratories, LLC.

Date: 28-Mar-05

CLIENT:	Leggette Brashears & Graham Inc.	Client Sample ID:	FRW-3-MS/MSD
Lab Order:	0503143	Tag Number:	4620
Project:	Rowe Industries	Collection Date:	3/14/2005
Lab ID:	0503143-03A	Date Received:	3/17/2005
		Matrix:	LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
Chloroform	U	1.0		µg/L	1	3/18/2005 5:41:00 AM
Chloromethane	U	1.0		µg/L	1	3/18/2005 5:41:00 AM
cis-1,2-Dichloroethene	240	1.0		µg/L	1	3/18/2005 5:41:00 AM
cis-1,3-Dichloropropene	U	1.0		µg/L	1	3/18/2005 5:41:00 AM
Dibromochloromethane	U	1.0		µg/L	1	3/18/2005 5:41:00 AM
Dibromomethane	U	1.0		µg/L	1	3/18/2005 5:41:00 AM
Dichlorodifluoromethane	U	1.0		µg/L	1	3/18/2005 5:41:00 AM
Ethylbenzene	U	1.0		µg/L	1	3/18/2005 5:41:00 AM
Hexachlorobutadiene	U	1.0		µg/L	1	3/18/2005 5:41:00 AM
Isopropylbenzene	3.5	1.0		µg/L	1	3/18/2005 5:41:00 AM
m,p-Xylene	U	2.0		µg/L	1	3/18/2005 5:41:00 AM
Methyl tert-butyl ether	U	1.0		µg/L	1	3/18/2005 5:41:00 AM
Methylene chloride	U	1.0		µg/L	1	3/18/2005 5:41:00 AM
Naphthalene	U	1.0		µg/L	1	3/18/2005 5:41:00 AM
n-Butylbenzene	U	1.0		µg/L	1	3/18/2005 5:41:00 AM
n-Propylbenzene	1.6	1.0		µg/L	1	3/18/2005 5:41:00 AM
o-Xylene	U	1.0		µg/L	1	3/18/2005 5:41:00 AM
sec-Butylbenzene	U	1.0		µg/L	1	3/18/2005 5:41:00 AM
Styrene	U	1.0		µg/L	1	3/18/2005 5:41:00 AM
tert-Butylbenzene	U	1.0		µg/L	1	3/18/2005 5:41:00 AM
Tetrachloroethene	1500	10		µg/L	10	3/22/2005 5:36:00 PM
Toluene	U	1.0		µg/L	1	3/18/2005 5:41:00 AM
trans-1,2-Dichloroethene	U	1.0		µg/L	1	3/18/2005 5:41:00 AM
trans-1,3-Dichloropropene	U	1.0		µg/L	1	3/18/2005 5:41:00 AM
Trichloroethene	31	1.0		µg/L	1	3/18/2005 5:41:00 AM
Trichlorofluoromethane	U	1.0		µg/L	1	3/18/2005 5:41:00 AM
Vinyl acetate	U	1.0		µg/L	1	3/18/2005 5:41:00 AM
Vinyl chloride	U	1.0		µg/L	1	3/18/2005 5:41:00 AM

Qualifiers:	* Value exceeds Maximum Contaminant Level	B Analyte detected in the associated Method Blank
	E Value above quantitation range	H Holding times for preparation or analysis exceeded
	J Analyte detected below quantitation limits	ND Not Detected at the Reporting Limit
	S Spike Recovery outside accepted recovery limits	U Indicates the compound was analyzed for but not detected

American Analytical Laboratories, LLC.

Date: 28-Mar-05

CLIENT:	Leggette Brashears & Graham Inc.	Client Sample ID:	FRW-3-MS/MSD
Lab Order:	0503143	Tag Number:	4620
Project:	Rowe Industries	Collection Date:	3/14/2005
Lab ID:	0503143-03B	Date Received:	3/17/2005
		Matrix:	LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
DISSOLVED IRON		E200.7		(SW3005A)		Analyst: JP
Iron	74.9	0.0200		mg/L	1	3/21/2005 11:22:10 AM
NITRATE AS N		E353.2				Analyst: BK
Nitrogen, Nitrate-Nitrite	0.0805	0.100	J	mg/L	1	3/23/2005
CHLORIDE		M4500-C1 B				Analyst: AT
Chloride	24.0	1.00		mg/L	1	3/18/2005
IRON, FERROUS (FE+2)		M3500-Fe D				Analyst: IP
Iron, Ferrous	35800	25.0		µg/L	1	3/21/2005
SULFATE		E375.4				Analyst: IP
Sulfate	6.40	1.00		mg/L	1	3/18/2005
ALKALINITY		E310.1				Analyst: AT
Alkalinity, Total (As CaCO3)	223	1.00		mg/L CaCO3	1	3/18/2005

Qualifiers:	* Value exceeds Maximum Contaminant Level	B Analyte detected in the associated Method Blank
	E Value above quantitation range	H Holding times for preparation or analysis exceeded
	J Analyte detected below quantitation limits	ND Not Detected at the Reporting Limit
	S Spike Recovery outside accepted recovery limits	U Indicates the compound was analyzed for but not detected

American Analytical Laboratories, LLC.

Date: 28-Mar-05

CLIENT:	Leggette Brashears & Graham Inc.	Client Sample ID:	FRW-3-MS/MSD
Lab Order:	0503143	Tag Number:	4620
Project:	Rowe Industries	Collection Date:	3/14/2005
Lab ID:	0503143-03C	Date Received:	3/17/2005
		Matrix:	LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
TOTAL IRON		E200.7		(SW3010A)		Analyst: JP
Iron	149	0.0200		mg/L	1	3/21/2005 11:24:43 AM

Qualifiers:	*	Value exceeds Maximum Contaminant Level	B	Analyte detected in the associated Method Blank
	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded
	J	Analyte detected below quantitation limits	ND	Not Detected at the Reporting Limit
	S	Spike Recovery outside accepted recovery limits	U	Indicates the compound was analyzed for but not detected

American Analytical Laboratories, LLC.

Date: 28-Mar-05

CLIENT:	Leggette Brashears & Graham Inc.	Client Sample ID:	FRW-3-MS/MSD
Lab Order:	0503143	Tag Number:	4620
Project:	Rowe Industries	Collection Date:	3/14/2005
Lab ID:	0503143-03D	Date Received:	3/17/2005
		Matrix:	LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
SULFIDE		E376.1				Analyst: AT
Sulfide	U	1.0		mg/L	1	3/18/2005

Qualifiers:	*	Value exceeds Maximum Contaminant Level	B	Analyte detected in the associated Method Blank
	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded
	J	Analyte detected below quantitation limits	ND	Not Detected at the Reporting Limit
	S	Spike Recovery outside accepted recovery limits	U	Indicates the compound was analyzed for but not detected

QC RESULTS – MS/MSD

CLIENT: Leggett Brashears & Graham Inc.

Work Order: 0503143

Project: Rowe Industries

ANALYTICAL QC SUMMARY REPORT

BatchID: R12009

Sample ID: 0503143-03AMS	SampType: MS	TestCode: 8260MTBE11	Units: µg/L	Prep Date:	RunNo: 12009						
Client ID: FRW-3-MS/MSD	Batch ID: R12009	TestNo: SW8260B		Analysis Date: 3/18/2005	SeqNo: 119355						
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual

1,1-Dichloroethene

62.69

1.0

50

0

125

57

135

Benzene

61.56

1.0

50

0

123

54.4

138

Chlorobenzene

69.57

1.0

50

0

139

60

135

Toluene

69.55

1.0

50

0

139

54.2

136

Trichloroethene

81.84

1.0

50

31.07

102

54

135

Sample ID: 0503143-03AMSD	SampType: MSD	TestCode: 8260MTBE11	Units: µg/L	Prep Date:	RunNo: 12009						
Client ID: FRW-3-MS/MSD	Batch ID: R12009	TestNo: SW8260B		Analysis Date: 3/18/2005	SeqNo: 119356						
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual

1,1-Dichloroethene

63.51

1.0

50

0

127

57

135

Benzene

63.94

1.0

50

0

128

54.4

138

Chlorobenzene

71.56

1.0

50

0

143

60

135

Toluene

71.17

1.0

50

0

142

54.2

136

Trichloroethene

84.34

1.0

50

31.07

107

54

135

Sample ID: LCS031705CY	SampType: LCS	TestCode: Full8260_W	Units: µg/L	Prep Date:	RunNo: 12009						
Client ID: ZZZZZ	Batch ID: R12009 b/anal spike	TestNo: SW8260B		Analysis Date: 3/18/2005	SeqNo: 119334						
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual

1,1-Dichloroethene

56.17

1.0

50

0

112

57

135

Benzene

60.93

1.0

50

0

122

54.4

138

Chlorobenzene

67.51

1.0

50

0

135

60

135

Toluene

67.06

1.0

50

0

134

54.2

136

Trichloroethene

49.66

1.0

50

0

99.3

54

135

5 Qualifier - spike standard mix used had expired, 9% recoveries are high

Qualifiers:

E Value above quantitation range

ND Not Detected at the Reporting Limit

U Indicates the compound was analyzed for but not detected

H Holding times for preparation or analysis exceeded

R RPD outside accepted recovery limits

J Analyte detected below quantitation limits

S Spike Recovery outside accepted recovery limits

ANALYTICAL QC SUMMARY REPORT

CLIENT: Leggette Brashears & Graham Inc.

Work Order: 0503143

Project: Rowe Industries

BatchID: 5878

Sample ID: LCS	SampType: LCS	TestCode: FE_D	Units: mg/L	Prep Date:	RunNo: 12013					
Client ID: ZZZZZ	Batch ID: 5878 <i>blend spike</i>	TestNo: E200.7	(SW3005A)	Analysis Date: 3/21/2005	SeqNo: 120391					
Analyte	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Iron	1.935	0.0200	2	0	96.8	69	122			

Sample ID: 0503143-03BMS	SampType: MS	TestCode: FE_D	Units: mg/L	Prep Date: 3/21/2005	RunNo: 12013					
Client ID: FRW-3-MS/MSD	Batch ID: 5878 <i>matrix spike</i>	TestNo: E200.7	(SW3005A)	Analysis Date: 3/21/2005	SeqNo: 120460					
Analyte	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Iron	74.35	0.0200	1	74.86	-51.4	69	122			S

Sample ID: 0503143-03BDUP	SampType: DUP	TestCode: FE_D	Units: mg/L	Prep Date: 3/21/2005	RunNo: 12013					
Client ID: FRW-3-MS/MSD	Batch ID: 5878 <i>Duplicate</i>	TestNo: E200.7	(SW3005A)	Analysis Date: 3/21/2005	SeqNo: 120318					
Analyte	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Iron	75.91	0.0200		74.86			74.86	1.39		20

MS Qualifier - MS - spike not applicable, sample concentration is 5 times greater than spike concentration, a sample duplicate was run for precision (No RPD)

Qualifiers: E Value above quantitation range H Holding times for preparation or analysis exceeded J Analyte detected below quantitation limits
 ND Not Detected at the Reporting Limit R RPD outside accepted recovery limits S Spike Recovery outside accepted recovery limits
 U Indicates the compound was analyzed for but not detected

American Analytical Laboratories, LLC.

Date: 28-Mar-05

CLIENT: Leggett Brashears & Graham Inc.
 Work Order: 0503143
 Project: Rowe Industries

ANALYTICAL QC SUMMARY REPORT

BatchID: R12010

Ferrous Iron

Sample ID: 0503143-03BMS	SampType: MS	TestCode: FE+2_W	Units: µg/L	Prep Date:	RunNo: 12010
Client ID: FRW-3-MS/MSD	Batch ID: R12010	TestNo: M3500-Fe D		Analysis Date: 3/21/2005	SeqNo: 120485
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC LowLimit HighLimit RPD Ref Val %RPD RPDLimit Qual
Iron, Ferrous	63620	25.0	25000	35810	111 80 120

Sample ID: 0503143-03BMSD	SampType: MSD	TestCode: FE+2_W	Units: µg/L	Prep Date:	RunNo: 12010
Client ID: FRW-3-MS/MSD	Batch ID: R12010	TestNo: M3500-Fe D		Analysis Date: 3/21/2005	SeqNo: 120486
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC LowLimit HighLimit RPD Ref Val %RPD RPDLimit Qual
Iron, Ferrous	64470	25.0	25000	35810	115 80 120 63620 1.32 20

Qualifiers:	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	R	RPD outside accepted recovery limits	S	Spike Recovery outside accepted recovery limits
	U	Indicates the compound was analyzed for but not detected				

CLIENT: Leggett Brashears & Graham Inc.
Work Order: 0503143
Project: Rowe Industries

ANALYTICAL QC SUMMARY REPORT

BatchID: R11997

Chloride

Sample ID: 0503143-03BMS	SampType: MS	TestCode: CL_W	Units: mg/L	Prep Date:	RunNo: 11997
Client ID: FRW-3-MS/MSD	Batch ID: R11997	TestNo: M4500-C1 B		Analysis Date: 3/18/2005	SeqNo: 119171
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC LowLimit HighLimit RPD Ref Val %RPD RPDLimit Qual
Chloride	213.9	1.00	200	23.99	95.0 80 120
Sample ID: 0503143-03BMSD	SampType: MSD	TestCode: CL_W	Units: mg/L	Prep Date:	RunNo: 11997
Client ID: FRW-3-MS/MSD	Batch ID: R11997	TestNo: M4500-C1 B		Analysis Date: 3/18/2005	SeqNo: 119172
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC LowLimit HighLimit RPD Ref Val %RPD RPDLimit Qual
Chloride	212.9	1.00	200	23.99	94.5 80 120 213.9 0.469 20

Qualifiers: E Value above quantitation range H Holding times for preparation or analysis exceeded J Analyte detected below quantitation limits
ND Not Detected at the Reporting Limit R RPD outside accepted recovery limits S Spike Recovery outside accepted recovery limits
U Indicates the compound was analyzed for but not detect

CLIENT: Leggette Brashears & Graham Inc.
Work Order: 0503143
Project: Rowe Industries

ANALYTICAL QC SUMMARY REPORT

BatchID: R11985

Sample ID: 0503143-03BMS	SampType: MS	TestCode: SULFATE_W	Units: mg/L	Prep Date:	RunNo: 11985						
Client ID: FRW-3-MS/MSD	Batch ID: R11985	TestNo: E375.4		Analysis Date: 3/18/2005	SeqNo: 119086						
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Sulfate	27.11	1.00	20	6.4	104	80	120				

Sample ID: 0503143-03BMSD	SampType: MSD	TestCode: SULFATE_W	Units: mg/L	Prep Date:	RunNo: 11985						
Client ID: FRW-3-MS/MSD	Batch ID: R11985	TestNo: E375.4		Analysis Date: 3/18/2005	SeqNo: 120320						
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Sulfate	27.80	1.00	20	6.4	107	80	120	27.11	2.51	20	

Qualifiers:	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	R	RPD outside accepted recovery limits	S	Spike Recovery outside accepted recovery limits
	U	Indicates the compound was analyzed for but not detected				

American Analytical Laboratories, LLC.

Date: 28-Mar-05

CLIENT: Leggett Brashears & Graham Inc.

Work Order: 0503143

Project: Rowe Industries

ANALYTICAL QC SUMMARY REPORT

BatchID: R11997

Duplicate Alkalinity

Sample ID: 0503143-03BDUP	SampType: DUP	TestCode: ALK	Units: mg/L CaCO3	Prep Date:	RunNo: 11997						
Client ID: FRW-3-MS/MSD	Batch ID: R11997	TestNo: E310.1		Analysis Date: 3/18/2005	SeqNo: 120244						
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Alkalinity, Total (As CaCO3)	222.2	1.00						223.2	0.454	20	

Sample ID: 0503143-03DDUP	SampType: DUP	TestCode: SULFIDE_W	Units: mg/L	Prep Date:	RunNo: 11997						
Client ID: FRW-3-MS/MSD	Batch ID: R11997	TestNo: E376.1		Analysis Date: 3/18/2005	SeqNo: 120374						
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Sulfide	U	1.0						0	0	20	

*MS/MSD not applicable for Alkalinity + Sulfide (Titration analyses), a sample duplicate was run for precision (90 RPD).

Qualifiers:	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	R	RPD outside accepted recovery limits	S	Spike Recovery outside accepted recovery limits
	U	Indicates the compound was analyzed for but not detected				

American Analytical Laboratories, LLC.

Date: 28-Mar-05

CLIENT: Leggette Brashears & Graham Inc.
 Work Order: 0503143
 Project: Rowe Industries

ANALYTICAL QC SUMMARY REPORT

BatchID: R12050

Sample ID: LCS	SampType: LCS	TestCode: NO3_W	Units: mg/L	Prep Date:	RunNo: 12050
Client ID: ZZZZZ	Batch ID: R12050	TestNo: E353.2		Analysis Date: 3/23/2005	SeqNo: 120383
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC LowLimit HighLimit RPD Ref Val %RPD RPDLimit Qual
Nitrogen, Nitrate-Nitrite	0.4980	0.100	0.5	0	99.6 80 120

Sample ID: 0503143-03BMS	SampType: MS	TestCode: NO3_W	Units: mg/L	Prep Date:	RunNo: 12050
Client ID: FRW-3-MS/MSD	Batch ID: R12050	TestNo: E353.2		Analysis Date: 3/23/2005	SeqNo: 120092
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC LowLimit HighLimit RPD Ref Val %RPD RPDLimit Qual
Nitrogen, Nitrate-Nitrite	0.7940	0.100	0.5	0.174	124 80 120 S

Sample ID: 0503143-03BMSD	SampType: MSD	TestCode: NO3_W	Units: mg/L	Prep Date:	RunNo: 12050
Client ID: FRW-3-MS/MSD	Batch ID: R12050	TestNo: E353.2		Analysis Date: 3/23/2005	SeqNo: 120093
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC LowLimit HighLimit RPD Ref Val %RPD RPDLimit Qual
Nitrogen, Nitrate-Nitrite	0.8110	0.100	0.5	0.174	127 80 120 0.794 2.12 20 S

85 Qualifier - 070 Recovery high due to matrix interference.

Qualifiers:	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	R	RPD outside accepted recovery limits	S	Spike Recovery outside accepted recovery limits
	U	Indicates the compound was analyzed for but not detected				

Environmental Testing Laboratories, Inc.

208 Route 109, Farmingdale NY 11735
Phone - 631-249-1456 Fax - 631-249-8344

03/29/2005

TCD Head Space Analysis

Sample: 0503372-1

Client Sample ID: 0503143-1A

Collected: 03/14/2005

Matrix: Liquid

Type: Grab

Remarks:

Analyzed Date: 03/25/2005

Analytical Results

Cas No	Analyte	File ID	MDL	Concentration	Units	Q
124-38-9	Carbon Dioxide	D -	1.49	142	ppm	
74-82-8	Methane	D -	0.0011	0.0011	ppm	U
1333-74-0	Hydrogen	D -	0.0016	0.0016	ppm	U

Sample: 0503372-2

Client Sample ID: 0503143-2A

Collected: 03/14/2005

Matrix: Liquid

Type: Grab

Remarks:

Analyzed Date: 03/25/2005

Analytical Results

Cas No	Analyte	File ID	MDL	Concentration	Units	Q
124-38-9	Carbon Dioxide	D -	1.49	250	ppm	
74-82-8	Methane	D -	0.0011	0.17	ppm	
1333-74-0	Hydrogen	D -	0.0016	0.0016	ppm	U

Sample: 0503372-3

Client Sample ID: 0503143-3A

Collected: 03/14/2005

Matrix: Liquid

Type: Grab

Remarks:

Analyzed Date: 03/25/2005

Analytical Results

Cas No	Analyte	File ID	MDL	Concentration	Units	Q
124-38-9	Carbon Dioxide	D -	1.49	218	ppm	
74-82-8	Methane	D -	0.0011	0.13	ppm	
1333-74-0	Hydrogen	D -	0.0016	0.0016	ppm	U



Environmental Testing Laboratories, Inc.

208 Route 109, Farmingdale NY 11735
Phone - 631-249-1456 Fax - 631-249-8344

03/29/2005

TCD Head Space Analysis

Sample: 0503372-3MS

Client Sample ID: 0503143-3A MS

Collected: 03/14/2005

Matrix: Liquid

Type: Matrix Spike

Remarks:

Analyzed Date: 03/25/2005

Analytical Results

Cas No	Analyte	File ID	MDL	Concentration	Units	Q
124-38-9	Carbon Dioxide	D -	1.49	240	ppm	
74-82-8	Methane	D -	0.0011	0.57	ppm	
1333-74-0	Hydrogen	D -	0.0016	0.0016	ppm	U

Sample: 0503372-3MSD

Client Sample ID: 0503143-3A MSD

Collected: 03/14/2005

Matrix: Liquid

Type: Matrix Spike Dup

Remarks:

Analyzed Date: 03/25/2005

Analytical Results

Cas No	Analyte	File ID	MDL	Concentration	Units	Q
124-38-9	Carbon Dioxide	D -	1.49	219	ppm	
74-82-8	Methane	D -	0.0011	0.53	ppm	
1333-74-0	Hydrogen	D -	0.0016	0.0016	ppm	U



Job Number: 246362

LABORATORY TEST RESULTS

Date: 03/30/2005

CUSTOMER: American Analytical Labs

PROJECT: AMERICAN ANALYTICAL

ATTN: Lori Beyer

Customer Sample ID: 0503143-01E

Date Sampled.....: 03/14/2005

Time Sampled.....: 00:00

Sample Matrix.....: Water

Laboratory Sample ID: 246362-1

Date Received.....: 03/22/2005

Time Received.....: 09:21

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	REPORTING LIMIT	UNITS	ANALYZED	TECH
SM18 5310C	Total Organic Carbon (TOC) Organic Carbon, Total (TOC)	11.0			1.00	mg/L	03/28/05	mad

* In Description = Dry Wgt.

Page 2

LABORATORY TEST RESULTS

Job Number: 246362

Date: 03/30/2005

CUSTOMER: American Analytical Labs

PROJECT: AMERICAN ANALYTICAL

ATTN: Lori Beyer

Customer Sample ID: 0503143-02E
 Date Sampled.....: 03/14/2005
 Time Sampled.....: 00:00
 Sample Matrix.....: Water

Laboratory Sample ID: 246362-2
 Date Received.....: 03/22/2005
 Time Received.....: 09:21

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	REPORTING LIMIT	UNITS	ANALYZED	TECH
SM18 5310C	Total Organic Carbon (TOC) Organic Carbon, Total (TOC)	415			10.0	mg/L	03/29/05	mad

* In Description = Dry Wgt.

LABORATORY TEST RESULTS

Job Number: 246362

Date: 03/30/2005

CUSTOMER: American Analytical Labs

PROJECT: AMERICAN ANALYTICAL

ATTN: Lori Beyer

Customer Sample ID: 0503143-03E
Date Sampled.....: 03/14/2005
Time Sampled.....: 00:00
Sample Matrix.....: Water

Laboratory Sample ID: 246362-3
Date Received.....: 03/22/2005
Time Received.....: 09:21

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	REPORTING LIMIT	UNITS	ANALYZED	TECH
SM18 5310C	Total Organic Carbon (TOC) Organic Carbon, Total (TOC)	327			10.0	mg/L	03/29/05	mad

* In Description = Dry Wgt.

Monday, April 04, 2005

Mark Goldberg
Leggette Brashears & Graham Inc.
126 Monroe Turnpike
Trumbull, CT 06611

TEL: (203) 452-3110

FAX (203) 452-3111

RE: Rowe Industries

Order No.: 0503223

Dear Mark Goldberg:

American Analytical Laboratories, LLC. received 1 sample(s) on 3/29/2005 for the analyses presented in the following report.

Samples were analyzed in accordance with the test procedures documented on the chain of custody and detailed throughout the text of this report.

The limits provided in the data package are analytical reporting limits and not Federal or Local mandated values to which the sample results should be compared.

There were no problems with the analyses and all data for associated QC met laboratory specifications.

If you have any questions regarding these tests results, please do not hesitate to call (631) 454-6100 or email me directly at lbeyer@american-analytical.com.

Sincerely,


Lori Beyer
Lab Director



American Analytical Laboratories, LLC.

Date: 04-Apr-05

CLIENT: Leggette Brashears & Graham Inc.

Project: Rowe Industries

Lab Order: 0503223

Work Order Sample Summary

Lab Sample ID	Client Sample ID	Tag Number	Collection Date	Date Received
0503223-01A	FRW-4	4629	3/24/2005	3/29/2005

CHAIN OF CUSTODY / REQUEST FOR ANALYSIS DOCUMENT

[illegible]

WHITE-OFFICE / CANARY-LAB / PINK-SAMPLE CUSTODIAN / GOLDENROD-CLIENT

AMERICAN ANALYTICAL LABORATORIES, LLC

56 TOLEDO STREET

FARMINGDALE, NEW YORK 11735

TELEPHONE: (631) 454-6100 FAX: (631) 454-8027

DATA REPORTING QUALIFIERS

For reporting results, the following "Results Qualifiers" are used:

Value	If the result is greater than or equal to the detection limit, report the value
U	Indicates the compound was analyzed for but was not detected. Report the minimum detection limit for the sample with the U, i.e. "10U". This is not necessarily the instrument detection limit attainable for this particular sample based on any concentration or dilution that may have been required.
J	Indicates an estimated value. The flag is used: (1) When estimating a concentration for a tentatively identified compound (library search hits, where a 1:1 response is assumed.) (2) When the mass spectral data indicated the identification, however the result was less than the specified detection limit greater than zero. If the detection limit was 10ug/L and a concentration of 3ug/L was calculated report as 3J. This flag is used when similar situations arise on any organic parameter i.e. Pesticide, PCBs and others.
B	Indicates the analyte was found in the blank as well as the sample report "10B".
E	Indicates the analytes concentration exceeds the calibrated range of the instrument for that specific analysis.
D	This flag identifies all compounds identified in an analysis at a secondary dilution factor.
P	This flag is used for Pesticide / PCB target analyte when there is >25% difference for detected concentrations between the two GC Columns. The higher of the two values is reported on Form I and flagged with a "P".
N	This flag indicates presumptive evidence of a compound. This is only used for tentatively identified compounds (TICs), where the identification is based on a mass spectral library search. It applies to all TIC results. For generic characterization of a TIC, such as chlorinated hydrocarbon, the flag is not used.
H	Indicates sample was received and/or analyzed outside of The method allowable holding time

American Analytical Laboratories, LLC.

Date: 04-Apr-05

CLIENT: Leggette Brashears & Graham Inc. **Client Sample ID:** FRW-4
Lab Order: 0503223 **Tag Number:** 4629
Project: Rowe Industries **Collection Date:** 3/24/2005
Lab ID: 0503223-01A **Date Received:** 3/29/2005 **Matrix:** LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILES SW-846 8260 PLUS MTBE & FREON1		SW8260B		Analyst: LDS		
1,1,1,2-Tetrachloroethane	U	1.0		µg/L	1	3/29/2005 4:13:00 PM
1,1,1-Trichloroethane	U	1.0		µg/L	1	3/29/2005 4:13:00 PM
1,1,2,2-Tetrachloroethane	U	1.0		µg/L	1	3/29/2005 4:13:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	U	1.0		µg/L	1	3/29/2005 4:13:00 PM
1,1,2-Trichloroethane	U	1.0		µg/L	1	3/29/2005 4:13:00 PM
1,1-Dichloroethane	U	1.0		µg/L	1	3/29/2005 4:13:00 PM
1,1-Dichloroethene	U	1.0		µg/L	1	3/29/2005 4:13:00 PM
1,1-Dichloropropene	U	1.0		µg/L	1	3/29/2005 4:13:00 PM
1,2,3-Trichlorobenzene	U	1.0		µg/L	1	3/29/2005 4:13:00 PM
1,2,3-Trichloropropane	U	1.0		µg/L	1	3/29/2005 4:13:00 PM
1,2,4-Trichlorobenzene	U	1.0		µg/L	1	3/29/2005 4:13:00 PM
1,2,4-Trimethylbenzene	U	1.0		µg/L	1	3/29/2005 4:13:00 PM
1,2-Dibromo-3-chloropropane	U	1.0		µg/L	1	3/29/2005 4:13:00 PM
1,2-Dibromoethane	U	1.0		µg/L	1	3/29/2005 4:13:00 PM
1,2-Dichlorobenzene	U	1.0		µg/L	1	3/29/2005 4:13:00 PM
1,2-Dichloroethane	U	1.0		µg/L	1	3/29/2005 4:13:00 PM
1,2-Dichloropropane	U	1.0		µg/L	1	3/29/2005 4:13:00 PM
1,3,5-Trimethylbenzene	U	1.0		µg/L	1	3/29/2005 4:13:00 PM
1,3-Dichlorobenzene	U	1.0		µg/L	1	3/29/2005 4:13:00 PM
1,3-dichloropropane	U	1.0		µg/L	1	3/29/2005 4:13:00 PM
1,4-Dichlorobenzene	U	1.0		µg/L	1	3/29/2005 4:13:00 PM
2,2-Dichloropropane	U	1.0		µg/L	1	3/29/2005 4:13:00 PM
2-Butanone	280	1.0		µg/L	1	3/29/2005 4:13:00 PM
2-Chloroethyl vinyl ether	U	1.0		µg/L	1	3/29/2005 4:13:00 PM
2-Chlorotoluene	U	1.0		µg/L	1	3/29/2005 4:13:00 PM
2-Hexanone	U	1.0		µg/L	1	3/29/2005 4:13:00 PM
4-Chlorotoluene	U	1.0		µg/L	1	3/29/2005 4:13:00 PM
4-Isopropyltoluene	U	1.0		µg/L	1	3/29/2005 4:13:00 PM
4-Methyl-2-pentanone	U	1.0		µg/L	1	3/29/2005 4:13:00 PM
Acetone	78	1.0		µg/L	1	3/29/2005 4:13:00 PM
Benzene	U	1.0		µg/L	1	3/29/2005 4:13:00 PM
Bromobenzene	U	1.0		µg/L	1	3/29/2005 4:13:00 PM
Bromochloromethane	U	1.0		µg/L	1	3/29/2005 4:13:00 PM
Bromodichloromethane	U	1.0		µg/L	1	3/29/2005 4:13:00 PM
Bromoform	U	1.0		µg/L	1	3/29/2005 4:13:00 PM
Bromomethane	U	1.0		µg/L	1	3/29/2005 4:13:00 PM
Carbon disulfide	U	1.0		µg/L	1	3/29/2005 4:13:00 PM
Carbon tetrachloride	U	1.0		µg/L	1	3/29/2005 4:13:00 PM
Chlorobenzene	U	1.0		µg/L	1	3/29/2005 4:13:00 PM
Chloroethane	U	1.0		µg/L	1	3/29/2005 4:13:00 PM

Qualifiers: * Value exceeds Maximum Contaminant Level
 E Value above quantitation range
 J Analyte detected below quantitation limits
 S Spike Recovery outside accepted recovery limits

B Analyte detected in the associated Method Blank
 H Holding times for preparation or analysis exceeded
 ND Not Detected at the Reporting Limit
 U Indicates the compound was analyzed for but not detected

American Analytical Laboratories, LLC.

Date: 04-Apr-05

CLIENT: Leggett Brashears & Graham Inc. **Client Sample ID:** FRW-4
Lab Order: 0503223 **Tag Number:** 4629
Project: Rowe Industries **Collection Date:** 3/24/2005
Lab ID: 0503223-01A **Date Received:** 3/29/2005 **Matrix:** LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
Chloroform	U	1.0		µg/L	1	3/29/2005 4:13:00 PM
Chloromethane	U	1.0		µg/L	1	3/29/2005 4:13:00 PM
cis-1,2-Dichloroethene	U	1.0		µg/L	1	3/29/2005 4:13:00 PM
cis-1,3-Dichloropropene	U	1.0		µg/L	1	3/29/2005 4:13:00 PM
Dibromochloromethane	U	1.0		µg/L	1	3/29/2005 4:13:00 PM
Dibromomethane	U	1.0		µg/L	1	3/29/2005 4:13:00 PM
Dichlorodifluoromethane	U	1.0		µg/L	1	3/29/2005 4:13:00 PM
Ethylbenzene	U	1.0		µg/L	1	3/29/2005 4:13:00 PM
Hexachlorobutadiene	U	1.0		µg/L	1	3/29/2005 4:13:00 PM
Isopropylbenzene	U	1.0		µg/L	1	3/29/2005 4:13:00 PM
m,p-Xylene	U	2.0		µg/L	1	3/29/2005 4:13:00 PM
Methyl tert-butyl ether	U	1.0		µg/L	1	3/29/2005 4:13:00 PM
Methylene chloride	U	1.0		µg/L	1	3/29/2005 4:13:00 PM
Naphthalene	U	1.0		µg/L	1	3/29/2005 4:13:00 PM
n-Butylbenzene	U	1.0		µg/L	1	3/29/2005 4:13:00 PM
n-Propylbenzene	U	1.0		µg/L	1	3/29/2005 4:13:00 PM
o-Xylene	U	1.0		µg/L	1	3/29/2005 4:13:00 PM
sec-Butylbenzene	U	1.0		µg/L	1	3/29/2005 4:13:00 PM
Styrene	U	1.0		µg/L	1	3/29/2005 4:13:00 PM
tert-Butylbenzene	U	1.0		µg/L	1	3/29/2005 4:13:00 PM
Tetrachloroethene	12	1.0		µg/L	1	3/29/2005 4:13:00 PM
Toluene	20	1.0		µg/L	1	3/29/2005 4:13:00 PM
trans-1,2-Dichloroethene	U	1.0		µg/L	1	3/29/2005 4:13:00 PM
trans-1,3-Dichloropropene	U	1.0		µg/L	1	3/29/2005 4:13:00 PM
Trichloroethene	U	1.0		µg/L	1	3/29/2005 4:13:00 PM
Trichlorofluoromethane	U	1.0		µg/L	1	3/29/2005 4:13:00 PM
Vinyl acetate	U	1.0		µg/L	1	3/29/2005 4:13:00 PM
Vinyl chloride	U	1.0		µg/L	1	3/29/2005 4:13:00 PM

Qualifiers: * Value exceeds Maximum Contaminant Level
 E Value above quantitation range
 J Analyte detected below quantitation limits
 S Spike Recovery outside accepted recovery limits
 B Analyte detected in the associated Method Blank
 H Holding times for preparation or analysis exceeded
 ND Not Detected at the Reporting Limit
 U Indicates the compound was analyzed for but not detected

Friday, March 25, 2005

Mark Goldberg
Leggette Brashears & Graham Inc.
126 Monroe Turnpike
Trumbull, CT 06611

TEL: (203) 452-3110

FAX (203) 452-3111

RE: Rowe

Order No.: 0503166

Dear Mark Goldberg:

American Analytical Laboratories, LLC. received 1 sample(s) on 3/18/2005 for the analyses presented in the following report.


Samples were analyzed in accordance with the test procedures documented on the chain of custody and detailed throughout the text of this report.

The limits provided in the data package are analytical reporting limits and not Federal or Local mandated values to which the sample results should be compared.

There were no problems with the analyses and all data for associated QC met laboratory specifications.

If you have any questions regarding these tests results, please do not hesitate to call (631) 454-6100 or email me directly at lbeyer@american-analytical.com.

Sincerely,



Lori Beyer
Lab Director

American Analytical Laboratories, LLC.**Date:** 25-Mar-05**CLIENT:** Leggette Brashears & Graham Inc.**Project:** Rowe**Lab Order:** 0503166**Work Order Sample Summary**

Lab Sample ID	Client Sample ID	Tag Number	Collection Date	Date Received
0503166-01A	MW-45A	4630	3/15/2005	3/18/2005
0503166-01B	MW-45A	4630	3/15/2005	3/18/2005
0503166-01C	MW-45A	4630	3/15/2005	3/18/2005
0503166-01D	MW-45A	4630	3/15/2005	3/18/2005
0503166-01E	MW-45A	4630	3/15/2005	3/18/2005

[illegible]

WHITE-OFFICE / CANARY-LAB / PINK-SAMPLE CUSTODIAN / GOLDENROD-CLIENT

0503401

Rec'd Date: 03/18/05 15:20

FARMINGDALE, NEW YORK 11735
631) 464-8027

TAG # / COC

5826

CTDOH PH-0205
NJDEP NY050
PADEP 68-573

0503401

TODAY / REQUEST FOR ANALYSIS DOCUMENT

CONTACT:

SAMPLER (SIGNATURE)

SAMPLE(S)
SEALED

YES / NO

AAC

CONE Zayer

SAMPLER NAME (PRINT)

CORRECT
CONTAINER(S)

YES / NO

PROJECT LOCATION:

0503166

ANALYSIS
REQUIRED
2/15/05
2/17/05
2/18/05FOR
METHANOL PRESERVED
SAMPLES
[VOLATILE VIAL #]

SAMPLE # - LOCATION

CON-
TAINERSSAMPLING
DATE/
TIMELABORATORY
ID #

MATRIX

L 2 3/15/05 0503166-1K

COOLER TEMPERATURE:

COMMENTS / INSTRUCTIONS

TURNAROUND REQUIRED:

MATRIX S=SOIL; L=LIQUID; SL=SLUDGE; A-AIR; W=WIFE; P=PAINT CHIPS; B=BULK MATERIAL

TYPE G=GRAB; C=COMPOSITE; SS=SPLIT SPOON

RELINQUISHED BY (SIGNATURE)

DATE 3/18/05

PRINTED NAME P. Antonio

RECEIVED BY LAB (SIGNATURE)

DATE 3/18/05

TIME

PRINTED NAME

RELINQUISHED BY (SIGNATURE)

DATE 3/29/05

PRINTED NAME

RECEIVED BY LAB (SIGNATURE)

DATE 3/18/05

TIME

PRINTED NAME C. Lopez

American Analytical Laboratories, LLC.
56 Toledo Street
Farmingdale, NY 11735-

TEL: 6314546100 FAX: 6314548027

Subcontractor:

Severn Trent Laboratories (STL) Newburgh
315 Fullerton Avenue
Newburgh, New York 12550
TEL: (845) 562-0890
FAX: (845) 562-0794
Acct #:

CHAIN-OF-CUSTODY RECORD

Page 1 of 1

18-Mar-05

Sample ID	Matrix	Collection Date	Bottle Type	Requested Tests				
				SW9060				
0503166-01E	Liquid	3/15/2005	1					

12 SWC
H₂SO₄

Comments: Analyze for TOC.
Normal TAT.Thanks.

Date/Time	
Relinquished by:	SVDHL 3/18
Relinquished by:	Received by:
Relinquished by:	Received by:

AMERICAN ANALYTICAL LABORATORIES, LLC

56 TOLEDO STREET

FARMINGDALE, NEW YORK 11735

TELEPHONE: (631) 454-6100

FAX: (631) 454-8027

DATA REPORTING QUALIFIERS

For reporting results, the following "Results Qualifiers" are used:

Value	If the result is greater than or equal to the detection limit, report the value
U	Indicates the compound was analyzed for but was not detected. Report the minimum detection limit for the sample with the U, i.e. "10U". This is not necessarily the instrument detection limit attainable for this particular sample based on any concentration or dilution that may have been required.
J	Indicates an estimated value. The flag is used: (1) When estimating a concentration for a tentatively identified compound (library search hits, where a 1:1 response is assumed.) (2) When the mass spectral data indicated the identification, however the result was less than the specified detection limit greater than zero. If the detection limit was 10ug/L and a concentration of 3ug/L was calculated report as 3J. This flag is used when similar situations arise on any organic parameter i.e. Pesticide, PCBs and others.
B	Indicates the analyte was found in the blank as well as the sample report "10B".
E	Indicates the analytes concentration exceeds the calibrated range of the instrument for that specific analysis.
D	This flag identifies all compounds identified in an analysis at a secondary dilution factor.
P	This flag is used for Pesticide / PCB target analyte when there is >25% difference for detected concentrations between the two GC Columns. The higher of the two values is reported on Form I and flagged with a "P".
N	This flag indicates presumptive evidence of a compound. This is only used for tentatively identified compounds (TICs), where the identification is based on a mass spectral library search. It applies to all TIC results. For generic characterization of a TIC, such as chlorinated hydrocarbon, the flag is not used.
H	Indicates sample was received and/or analyzed outside of The method allowable holding time

Environmental Testing Laboratories, Inc.

208 Route 109, Farmingdale NY 11735

Phone - 631-249-1456 Fax - 631-249-8344

03/29/2005

Case Narrative

GAS ANALYSIS:

The analysis of methane, carbon dioxide and hydrogen was carried out at 25 C and 1 atm. The headspace method was used. The Henry's constant at this conditions were: 71,000 for hydrogen, 1,640 for carbon dioxide and 41300 for methane.



American Analytical Laboratories, LLC.

Date: 25-Mar-05

CLIENT: Leggette Brashears & Graham Inc.

Client Sample ID: MW-45A

Lab Order: 0503166

Tag Number: 4630

Project: Rowe

Collection Date: 3/15/2005

Lab ID: 0503166-01A

Date Received: 3/18/2005

Matrix: LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILES SW-846 8260 PLUS MTBE & FREON1		SW8260B		Analyst: LDS		
1,1,1,2-Tetrachloroethane	U	1.0		µg/L	1	3/19/2005 4:12:00 PM
1,1,1-Trichloroethane	U	1.0		µg/L	1	3/19/2005 4:12:00 PM
1,1,2,2-Tetrachloroethane	U	1.0		µg/L	1	3/19/2005 4:12:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	U	1.0		µg/L	1	3/19/2005 4:12:00 PM
1,1,2-Trichloroethane	U	1.0		µg/L	1	3/19/2005 4:12:00 PM
1,1-Dichloroethane	U	1.0		µg/L	1	3/19/2005 4:12:00 PM
1,1-Dichloroethene	U	1.0		µg/L	1	3/19/2005 4:12:00 PM
1,1-Dichloropropene	U	1.0		µg/L	1	3/19/2005 4:12:00 PM
1,2,3-Trichlorobenzene	U	1.0		µg/L	1	3/19/2005 4:12:00 PM
1,2,3-Trichloropropane	U	1.0		µg/L	1	3/19/2005 4:12:00 PM
1,2,4-Trichlorobenzene	U	1.0		µg/L	1	3/19/2005 4:12:00 PM
1,2,4-Trimethylbenzene	U	1.0		µg/L	1	3/19/2005 4:12:00 PM
1,2-Dibromo-3-chloropropane	U	1.0		µg/L	1	3/19/2005 4:12:00 PM
1,2-Dibromoethane	U	1.0		µg/L	1	3/19/2005 4:12:00 PM
1,2-Dichlorobenzene	U	1.0		µg/L	1	3/19/2005 4:12:00 PM
1,2-Dichloroethane	U	1.0		µg/L	1	3/19/2005 4:12:00 PM
1,2-Dichloropropane	U	1.0		µg/L	1	3/19/2005 4:12:00 PM
1,3,5-Trimethylbenzene	U	1.0		µg/L	1	3/19/2005 4:12:00 PM
1,3-Dichlorobenzene	U	1.0		µg/L	1	3/19/2005 4:12:00 PM
1,3-dichloropropane	U	1.0		µg/L	1	3/19/2005 4:12:00 PM
1,4-Dichlorobenzene	U	1.0		µg/L	1	3/19/2005 4:12:00 PM
2,2-Dichloropropane	U	1.0		µg/L	1	3/19/2005 4:12:00 PM
2-Butanone	U	1.0		µg/L	1	3/19/2005 4:12:00 PM
2-Chloroethyl vinyl ether	U	1.0		µg/L	1	3/19/2005 4:12:00 PM
2-Chlorotoluene	U	1.0		µg/L	1	3/19/2005 4:12:00 PM
2-Hexanone	U	1.0		µg/L	1	3/19/2005 4:12:00 PM
4-Chlorotoluene	U	1.0		µg/L	1	3/19/2005 4:12:00 PM
4-Isopropyltoluene	U	1.0		µg/L	1	3/19/2005 4:12:00 PM
4-Methyl-2-pentanone	U	1.0		µg/L	1	3/19/2005 4:12:00 PM
Acetone	U	1.0		µg/L	1	3/19/2005 4:12:00 PM
Benzene	U	1.0		µg/L	1	3/19/2005 4:12:00 PM
Bromobenzene	U	1.0		µg/L	1	3/19/2005 4:12:00 PM
Bromochloromethane	U	1.0		µg/L	1	3/19/2005 4:12:00 PM
Bromodichloromethane	U	1.0		µg/L	1	3/19/2005 4:12:00 PM
Bromoform	U	1.0		µg/L	1	3/19/2005 4:12:00 PM
Bromomethane	U	1.0		µg/L	1	3/19/2005 4:12:00 PM
Carbon disulfide	U	1.0		µg/L	1	3/19/2005 4:12:00 PM
Carbon tetrachloride	U	1.0		µg/L	1	3/19/2005 4:12:00 PM
Chlorobenzene	U	1.0		µg/L	1	3/19/2005 4:12:00 PM
Chloroethane	U	1.0		µg/L	1	3/19/2005 4:12:00 PM

Qualifiers: * Value exceeds Maximum Contaminant Level
 E Value above quantitation range
 J Analyte detected below quantitation limits
 S Spike Recovery outside accepted recovery limits

B Analyte detected in the associated Method Blank
 H Holding times for preparation or analysis exceeded
 ND Not Detected at the Reporting Limit
 U Indicates the compound was analyzed for but not detected

American Analytical Laboratories, LLC.

Date: 25-Mar-05

CLIENT: Leggette Brashears & Graham Inc.

Client Sample ID: MW-45A

Lab Order: 0503166

Tag Number: 4630

Project: Rowe

Collection Date: 3/15/2005

Lab ID: 0503166-01A

Date Received: 3/18/2005

Matrix: LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
Chloroform	U	1.0		µg/L	1	3/19/2005 4:12:00 PM
Chloromethane	U	1.0		µg/L	1	3/19/2005 4:12:00 PM
cis-1,2-Dichloroethene	U	1.0		µg/L	1	3/19/2005 4:12:00 PM
cis-1,3-Dichloropropene	U	1.0		µg/L	1	3/19/2005 4:12:00 PM
Dibromochloromethane	U	1.0		µg/L	1	3/19/2005 4:12:00 PM
Dibromomethane	U	1.0		µg/L	1	3/19/2005 4:12:00 PM
Dichlorodifluoromethane	U	1.0		µg/L	1	3/19/2005 4:12:00 PM
Ethylbenzene	U	1.0		µg/L	1	3/19/2005 4:12:00 PM
Hexachlorobutadiene	U	1.0		µg/L	1	3/19/2005 4:12:00 PM
Isopropylbenzene	U	1.0		µg/L	1	3/19/2005 4:12:00 PM
m,p-Xylene	U	2.0		µg/L	1	3/19/2005 4:12:00 PM
Methyl tert-butyl ether	U	1.0		µg/L	1	3/19/2005 4:12:00 PM
Methylene chloride	U	1.0		µg/L	1	3/19/2005 4:12:00 PM
Naphthalene	U	1.0		µg/L	1	3/19/2005 4:12:00 PM
n-Butylbenzene	U	1.0		µg/L	1	3/19/2005 4:12:00 PM
n-Propylbenzene	U	1.0		µg/L	1	3/19/2005 4:12:00 PM
o-Xylene	U	1.0		µg/L	1	3/19/2005 4:12:00 PM
sec-Butylbenzene	U	1.0		µg/L	1	3/19/2005 4:12:00 PM
Styrene	U	1.0		µg/L	1	3/19/2005 4:12:00 PM
tert-Butylbenzene	U	1.0		µg/L	1	3/19/2005 4:12:00 PM
Tetrachloroethene	U	1.0		µg/L	1	3/19/2005 4:12:00 PM
Toluene	U	1.0		µg/L	1	3/19/2005 4:12:00 PM
trans-1,2-Dichloroethene	U	1.0		µg/L	1	3/19/2005 4:12:00 PM
trans-1,3-Dichloropropene	U	1.0		µg/L	1	3/19/2005 4:12:00 PM
Trichloroethene	U	1.0		µg/L	1	3/19/2005 4:12:00 PM
Trichlorofluoromethane	U	1.0		µg/L	1	3/19/2005 4:12:00 PM
Vinyl acetate	U	1.0		µg/L	1	3/19/2005 4:12:00 PM
Vinyl chloride	U	1.0		µg/L	1	3/19/2005 4:12:00 PM

Qualifiers: * Value exceeds Maximum Contaminant Level
 E Value above quantitation range
 J Analyte detected below quantitation limits
 S Spike Recovery outside accepted recovery limits

B Analyte detected in the associated Method Blank
 H Holding times for preparation or analysis exceeded
 ND Not Detected at the Reporting Limit
 U Indicates the compound was analyzed for but not detected

American Analytical Laboratories, LLC.

Date: 25-Mar-05

CLIENT:	Leggette Brashears & Graham Inc.	Client Sample ID:	MW-45A
Lab Order:	0503166	Tag Number:	4630
Project:	Rowe	Collection Date:	3/15/2005
Lab ID:	0503166-01B	Date Received:	3/18/2005
		Matrix:	LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
DISSOLVED IRON		E200.7		(SW3005A)		Analyst: JP
Iron	2.72	0.0200		mg/L	1	3/21/2005 1:31:21 PM
NITRATE AS N		E353.2				Analyst: BK
Nitrogen, Nitrate-Nitrite	0.0463	0.100	J	mg/L	1	3/23/2005
CHLORIDE		M4500-C1 B				Analyst: AT
Chloride	24.0	1.00		mg/L	1	3/21/2005
IRON, FERROUS (FE+2)		M3500-Fe D				Analyst: IP
Iron, Ferrous	941	25.0		µg/L	1	3/21/2005
SULFATE		E375.4				Analyst: IP
Sulfate	9.35	1.00		mg/L	1	3/23/2005
ALKALINITY		E310.1				Analyst: AT
Alkalinity, Total (As CaCO3)	24.2	1.00		mg/L CaCO3	1	3/21/2005

Qualifiers:	* Value exceeds Maximum Contaminant Level	B Analyte detected in the associated Method Blank
	E Value above quantitation range	H Holding times for preparation or analysis exceeded
	J Analyte detected below quantitation limits	ND Not Detected at the Reporting Limit
	S Spike Recovery outside accepted recovery limits	U Indicates the compound was analyzed for but not detected

American Analytical Laboratories, LLC.

Date: 25-Mar-05

CLIENT: Leggette Brashears & Graham Inc.**Client Sample ID:** MW-45A**Lab Order:** 0503166**Tag Number:** 4630**Project:** Rowe**Collection Date:** 3/15/2005**Lab ID:** 0503166-01C**Date Received:** 3/18/2005**Matrix:** LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
TOTAL IRON		E200.7		(SW3010A)		Analyst: JP
Iron	2.50	0.0200		mg/L	1	3/21/2005 1:34:16 PM

Qualifiers:

- * Value exceeds Maximum Contaminant Level
- E Value above quantitation range
- J Analyte detected below quantitation limits
- S Spike Recovery outside accepted recovery limits

- B Analyte detected in the associated Method Blank
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- U Indicates the compound was analyzed for but not detected

American Analytical Laboratories, LLC.

Date: 25-Mar-05

CLIENT:	Leggette Brashears & Graham Inc.	Client Sample ID:	MW-45A
Lab Order:	0503166	Tag Number:	4630
Project:	Rowe	Collection Date:	3/15/2005
Lab ID:	0503166-01D	Date Received:	3/18/2005
		Matrix:	LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
SULFIDE		E376.1				Analyst: AT
Sulfide	U	1.0		mg/L	1	3/21/2005

Qualifiers:	* Value exceeds Maximum Contaminant Level	B Analyte detected in the associated Method Blank
	E Value above quantitation range	H Holding times for preparation or analysis exceeded
	J Analyte detected below quantitation limits	ND Not Detected at the Reporting Limit
	S Spike Recovery outside accepted recovery limits	U Indicates the compound was analyzed for but not detected

Environmental Testing Laboratories, Inc.

208 Route 109, Farmingdale NY 11735
Phone - 631-249-1456 Fax - 631-249-8344

03/29/2005

TCD Head Space Analysis

Sample: 0503401-1

Client Sample ID: 0503166-1E

Matrix: Liquid

Remarks:

Analyzed Date: 03/25/2005

Type: Grab

Collected: 03/15/2005

Analytical Results

Cas No	Analyte	File ID	MDL	Concentration	Units	Q
124-38-9	Carbon Dioxide	D -	1.49	38.4	ppm	
74-82-8	Methane	D -	0.0011	0.0011	ppm	U
1333-74-0	Hydrogen	D -	0.0016	0.0016	ppm	U



Job Number: 246360		LABORATORY TEST RESULTS				Date: 03/30/2005		
CUSTOMER: American Analytical Labs		PROJECT: AMERICAN ANALYTICAL			ATTN: Lori Beyer			
Customer Sample ID: 0503166-01E Date Sampled.....: 03/15/2005 Time Sampled.....: 00:00 Sample Matrix.....: Water		Laboratory Sample ID: 246360-1 Date Received.....: 03/22/2005 Time Received.....: 09:21						
TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	REPORTING LIMIT	UNITS	ANALYZED	TECH
SM18 5310C	Total Organic Carbon (TOC) Organic Carbon, Total (TOC)	2.10			1.00	mg/L	03/28/05	mad

* In Description = Dry Wgt.

Tuesday, March 22, 2005

Mark Goldberg
Leggette Brashears & Graham Inc.
126 Monroe Turnpike
Trumbull, CT 06611

TEL: (203) 452-3110

FAX (203) 452-3111

RE: Rowe Industries

Order No.: 0503141

Dear Mark Goldberg:

American Analytical Laboratories, LLC. received 8 sample(s) on 3/17/2005 for the analyses presented in the following report.

Samples were analyzed in accordance with the test procedures documented on the chain of custody and detailed throughout the text of this report.

The limits provided in the data package are analytical reporting limits and not Federal or Local mandated values to which the sample results should be compared.

There were no problems with the analyses and all data for associated QC met laboratory specifications.

If you have any questions regarding these tests results, please do not hesitate to call (631) 454-6100 or email me directly at lbeyer@american-analytical.com.

Sincerely,



Lori Beyer
Lab Director

American Analytical Laboratories, LLC.

Date: 22-Mar-05

CLIENT: Leggette Brashears & Graham Inc.**Project:** Rowe Industries**Lab Order:** 0503141**Work Order Sample Summary**

Lab Sample ID	Client Sample ID	Tag Number	Collection Date	Date Received
0503141-01A	MW-47B	4622	3/14/2005	3/17/2005
0503141-02A	MW-47A	4622	3/14/2005	3/17/2005
0503141-03A	MW-46A	4622	3/14/2005	3/17/2005
0503141-04A	MW-46B	4622	3/14/2005	3/17/2005
0503141-05A	MW-48B	4622	3/14/2005	3/17/2005
0503141-06A	MW-28B	4622	3/14/2005	3/17/2005
0503141-07A	MW-98-04	4622	3/14/2005	3/17/2005
0503141-08A	Trip Blank MMG	4622	3/14/2005	3/17/2005

TAG # / COC 4622

CHAIN OF CUSTODY / REQUEST FOR ANALYSIS DOCUMENT

[illegible]

WHITE-OFFICE / CANARY-LAB / PINK-SAMPLE CUSTODIAN / GOLDENROD-CLIENT

AMERICAN ANALYTICAL LABORATORIES, LLC

56 TOLEDO STREET

FARMINGDALE, NEW YORK 11735

TELEPHONE: (631) 454-6100 FAX: (631) 454-8027

DATA REPORTING QUALIFIERS

For reporting results, the following "Results Qualifiers" are used:

Value	If the result is greater than or equal to the detection limit, report the value
U	Indicates the compound was analyzed for but was not detected. Report the minimum detection limit for the sample with the U, i.e. "10U". This is not necessarily the instrument detection limit attainable for this particular sample based on any concentration or dilution that may have been required.
J	Indicates an estimated value. The flag is used: (1) When estimating a concentration for a tentatively identified compound (library search hits, where a 1:1 response is assumed.) (2) When the mass spectral data indicated the identification, however the result was less than the specified detection limit greater than zero. If the detection limit was 10ug/L and a concentration of 3ug/L was calculated report as 3J. This flag is used when similar situations arise on any organic parameter i.e. Pesticide, PCBs and others.
B	Indicates the analyte was found in the blank as well as the sample report "10B".
E	Indicates the analytes concentration exceeds the calibrated range of the instrument for that specific analysis.
D	This flag identifies all compounds identified in an analysis at a secondary dilution factor.
P	This flag is used for Pesticide / PCB target analyte when there is >25% difference for detected concentrations between the two GC Columns. The higher of the two values is reported on Form I and flagged with a "P".
N	This flag indicates presumptive evidence of a compound. This is only used for tentatively identified compounds (TICs), where the identification is based on a mass spectral library search. It applies to all TIC results. For generic characterization of a TIC, such as chlorinated hydrocarbon, the flag is not used.
H	Indicates sample was received and/or analyzed outside of The method allowable holding time

American Analytical Laboratories, LLC.

Date: 22-Mar-05

CLIENT: Leggette Brashears & Graham Inc.

Client Sample ID: MW-47B

Lab Order: 0503141

Tag Number: 4622

Project: Rowe Industries

Collection Date: 3/14/2005

Lab ID: 0503141-01A

Date Received: 3/17/2005

Matrix: LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILES SW-846 8260 PLUS MTBE & FREON1		SW8260B		Analyst: LDS		
1,1,1,2-Tetrachloroethane	U	1.0		µg/L	1	3/18/2005 6:20:00 PM
1,1,1-Trichloroethane	U	1.0		µg/L	1	3/18/2005 6:20:00 PM
1,1,2,2-Tetrachloroethane	U	1.0		µg/L	1	3/18/2005 6:20:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	U	1.0		µg/L	1	3/18/2005 6:20:00 PM
1,1,2-Trichloroethane	U	1.0		µg/L	1	3/18/2005 6:20:00 PM
1,1-Dichloroethane	U	1.0		µg/L	1	3/18/2005 6:20:00 PM
1,1-Dichloroethene	U	1.0		µg/L	1	3/18/2005 6:20:00 PM
1,1-Dichloropropene	U	1.0		µg/L	1	3/18/2005 6:20:00 PM
1,2,3-Trichlorobenzene	U	1.0		µg/L	1	3/18/2005 6:20:00 PM
1,2,3-Trichloropropane	U	1.0		µg/L	1	3/18/2005 6:20:00 PM
1,2,4-Trichlorobenzene	U	1.0		µg/L	1	3/18/2005 6:20:00 PM
1,2,4-Trimethylbenzene	U	1.0		µg/L	1	3/18/2005 6:20:00 PM
1,2-Dibromo-3-chloropropane	U	1.0		µg/L	1	3/18/2005 6:20:00 PM
1,2-Dibromoethane	U	1.0		µg/L	1	3/18/2005 6:20:00 PM
1,2-Dichlorobenzene	U	1.0		µg/L	1	3/18/2005 6:20:00 PM
1,2-Dichloroethane	U	1.0		µg/L	1	3/18/2005 6:20:00 PM
1,2-Dichloropropane	U	1.0		µg/L	1	3/18/2005 6:20:00 PM
1,3,5-Trimethylbenzene	U	1.0		µg/L	1	3/18/2005 6:20:00 PM
1,3-Dichlorobenzene	U	1.0		µg/L	1	3/18/2005 6:20:00 PM
1,3-dichloropropane	U	1.0		µg/L	1	3/18/2005 6:20:00 PM
1,4-Dichlorobenzene	U	1.0		µg/L	1	3/18/2005 6:20:00 PM
2,2-Dichloropropane	U	1.0		µg/L	1	3/18/2005 6:20:00 PM
2-Butanone	U	1.0		µg/L	1	3/18/2005 6:20:00 PM
2-Chloroethyl vinyl ether	U	1.0		µg/L	1	3/18/2005 6:20:00 PM
2-Chlorotoluene	U	1.0		µg/L	1	3/18/2005 6:20:00 PM
2-Hexanone	U	1.0		µg/L	1	3/18/2005 6:20:00 PM
4-Chlorotoluene	U	1.0		µg/L	1	3/18/2005 6:20:00 PM
4-Isopropyltoluene	U	1.0		µg/L	1	3/18/2005 6:20:00 PM
4-Methyl-2-pentanone	U	1.0		µg/L	1	3/18/2005 6:20:00 PM
Acetone	U	1.0		µg/L	1	3/18/2005 6:20:00 PM
Benzene	U	1.0		µg/L	1	3/18/2005 6:20:00 PM
Bromobenzene	U	1.0		µg/L	1	3/18/2005 6:20:00 PM
Bromochloromethane	U	1.0		µg/L	1	3/18/2005 6:20:00 PM
Bromodichloromethane	U	1.0		µg/L	1	3/18/2005 6:20:00 PM
Bromoform	U	1.0		µg/L	1	3/18/2005 6:20:00 PM
Bromomethane	U	1.0		µg/L	1	3/18/2005 6:20:00 PM
Carbon disulfide	U	1.0		µg/L	1	3/18/2005 6:20:00 PM
Carbon tetrachloride	U	1.0		µg/L	1	3/18/2005 6:20:00 PM
Chlorobenzene	U	1.0		µg/L	1	3/18/2005 6:20:00 PM
Chloroethane	U	1.0		µg/L	1	3/18/2005 6:20:00 PM

Qualifiers: * Value exceeds Maximum Contaminant Level
 E Value above quantitation range
 J Analyte detected below quantitation limits
 S Spike Recovery outside accepted recovery limits

B Analyte detected in the associated Method Blank
 H Holding times for preparation or analysis exceeded
 ND Not Detected at the Reporting Limit
 U Indicates the compound was analyzed for but not detected

American Analytical Laboratories, LLC.

Date: 22-Mar-05

CLIENT: Leggette Brashears & Graham Inc.

Client Sample ID: MW-47B

Lab Order: 0503141

Tag Number: 4622

Project: Rowe Industries

Collection Date: 3/14/2005

Lab ID: 0503141-01A

Date Received: 3/17/2005

Matrix: LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
Chloroform	U	1.0		µg/L	1	3/18/2005 6:20:00 PM
Chloromethane	U	1.0		µg/L	1	3/18/2005 6:20:00 PM
cis-1,2-Dichloroethene	U	1.0		µg/L	1	3/18/2005 6:20:00 PM
cis-1,3-Dichloropropene	U	1.0		µg/L	1	3/18/2005 6:20:00 PM
Dibromochloromethane	U	1.0		µg/L	1	3/18/2005 6:20:00 PM
Dibromomethane	U	1.0		µg/L	1	3/18/2005 6:20:00 PM
Dichlorodifluoromethane	U	1.0		µg/L	1	3/18/2005 6:20:00 PM
Ethylbenzene	U	1.0		µg/L	1	3/18/2005 6:20:00 PM
Hexachlorobutadiene	U	1.0		µg/L	1	3/18/2005 6:20:00 PM
Isopropylbenzene	U	1.0		µg/L	1	3/18/2005 6:20:00 PM
m,p-Xylene	U	2.0		µg/L	1	3/18/2005 6:20:00 PM
Methyl tert-butyl ether	U	1.0		µg/L	1	3/18/2005 6:20:00 PM
Methylene chloride	U	1.0		µg/L	1	3/18/2005 6:20:00 PM
Naphthalene	U	1.0		µg/L	1	3/18/2005 6:20:00 PM
n-Butylbenzene	U	1.0		µg/L	1	3/18/2005 6:20:00 PM
n-Propylbenzene	U	1.0		µg/L	1	3/18/2005 6:20:00 PM
o-Xylene	U	1.0		µg/L	1	3/18/2005 6:20:00 PM
sec-Butylbenzene	U	1.0		µg/L	1	3/18/2005 6:20:00 PM
Styrene	U	1.0		µg/L	1	3/18/2005 6:20:00 PM
tert-Butylbenzene	U	1.0		µg/L	1	3/18/2005 6:20:00 PM
Tetrachloroethene	U	1.0		µg/L	1	3/18/2005 6:20:00 PM
Toluene	U	1.0		µg/L	1	3/18/2005 6:20:00 PM
trans-1,2-Dichloroethene	U	1.0		µg/L	1	3/18/2005 6:20:00 PM
trans-1,3-Dichloropropene	U	1.0		µg/L	1	3/18/2005 6:20:00 PM
Trichloroethene	U	1.0		µg/L	1	3/18/2005 6:20:00 PM
Trichlorofluoromethane	U	1.0		µg/L	1	3/18/2005 6:20:00 PM
Vinyl acetate	U	1.0		µg/L	1	3/18/2005 6:20:00 PM
Vinyl chloride	U	1.0		µg/L	1	3/18/2005 6:20:00 PM

Qualifiers:

- * Value exceeds Maximum Contaminant Level
- E Value above quantitation range
- J Analyte detected below quantitation limits
- S Spike Recovery outside accepted recovery limits

- B Analyte detected in the associated Method Blank
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- U Indicates the compound was analyzed for but not detected

American Analytical Laboratories, LLC.

Date: 22-Mar-05

CLIENT:	Leggette Brashears & Graham Inc.	Client Sample ID:	MW-47A
Lab Order:	0503141	Tag Number:	4622
Project:	Rowe Industries	Collection Date:	3/14/2005
Lab ID:	0503141-02A	Date Received:	3/17/2005
		Matrix:	LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILES SW-846 8260 PLUS MTBE & FREON1		SW8260B		Analyst: LDS		
1,1,1,2-Tetrachloroethane	U	1.0		µg/L	1	3/18/2005 5:48:00 PM
1,1,1-Trichloroethane	U	1.0		µg/L	1	3/18/2005 5:48:00 PM
1,1,2,2-Tetrachloroethane	U	1.0		µg/L	1	3/18/2005 5:48:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	U	1.0		µg/L	1	3/18/2005 5:48:00 PM
1,1,2-Trichloroethane	U	1.0		µg/L	1	3/18/2005 5:48:00 PM
1,1-Dichloroethane	U	1.0		µg/L	1	3/18/2005 5:48:00 PM
1,1-Dichloroethene	U	1.0		µg/L	1	3/18/2005 5:48:00 PM
1,1-Dichloropropene	U	1.0		µg/L	1	3/18/2005 5:48:00 PM
1,2,3-Trichlorobenzene	U	1.0		µg/L	1	3/18/2005 5:48:00 PM
1,2,3-Trichloropropane	U	1.0		µg/L	1	3/18/2005 5:48:00 PM
1,2,4-Trichlorobenzene	U	1.0		µg/L	1	3/18/2005 5:48:00 PM
1,2,4-Trimethylbenzene	U	1.0		µg/L	1	3/18/2005 5:48:00 PM
1,2-Dibromo-3-chloropropane	U	1.0		µg/L	1	3/18/2005 5:48:00 PM
1,2-Dibromoethane	U	1.0		µg/L	1	3/18/2005 5:48:00 PM
1,2-Dichlorobenzene	U	1.0		µg/L	1	3/18/2005 5:48:00 PM
1,2-Dichloroethane	U	1.0		µg/L	1	3/18/2005 5:48:00 PM
1,2-Dichloropropane	U	1.0		µg/L	1	3/18/2005 5:48:00 PM
1,3,5-Trimethylbenzene	U	1.0		µg/L	1	3/18/2005 5:48:00 PM
1,3-Dichlorobenzene	U	1.0		µg/L	1	3/18/2005 5:48:00 PM
1,3-dichloropropane	U	1.0		µg/L	1	3/18/2005 5:48:00 PM
1,4-Dichlorobenzene	U	1.0		µg/L	1	3/18/2005 5:48:00 PM
2,2-Dichloropropane	U	1.0		µg/L	1	3/18/2005 5:48:00 PM
2-Butanone	U	1.0		µg/L	1	3/18/2005 5:48:00 PM
2-Chloroethyl vinyl ether	U	1.0		µg/L	1	3/18/2005 5:48:00 PM
2-Chlorotoluene	U	1.0		µg/L	1	3/18/2005 5:48:00 PM
2-Hexanone	U	1.0		µg/L	1	3/18/2005 5:48:00 PM
4-Chlorotoluene	U	1.0		µg/L	1	3/18/2005 5:48:00 PM
4-Isopropyltoluene	U	1.0		µg/L	1	3/18/2005 5:48:00 PM
4-Methyl-2-pentanone	U	1.0		µg/L	1	3/18/2005 5:48:00 PM
Acetone	U	1.0		µg/L	1	3/18/2005 5:48:00 PM
Benzene	U	1.0		µg/L	1	3/18/2005 5:48:00 PM
Bromobenzene	U	1.0		µg/L	1	3/18/2005 5:48:00 PM
Bromochloromethane	U	1.0		µg/L	1	3/18/2005 5:48:00 PM
Bromodichloromethane	U	1.0		µg/L	1	3/18/2005 5:48:00 PM
Bromoform	U	1.0		µg/L	1	3/18/2005 5:48:00 PM
Bromomethane	U	1.0		µg/L	1	3/18/2005 5:48:00 PM
Carbon disulfide	U	1.0		µg/L	1	3/18/2005 5:48:00 PM
Carbon tetrachloride	U	1.0		µg/L	1	3/18/2005 5:48:00 PM
Chlorobenzene	U	1.0		µg/L	1	3/18/2005 5:48:00 PM
Chloroethane	U	1.0		µg/L	1	3/18/2005 5:48:00 PM

Qualifiers:

- * Value exceeds Maximum Contaminant Level
- E Value above quantitation range
- J Analyte detected below quantitation limits
- S Spike Recovery outside accepted recovery limits

- B Analyte detected in the associated Method Blank
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit

U Indicates the compound was analyzed for but not detected

American Analytical Laboratories, LLC.

Date: 22-Mar-05

CLIENT:	Leggette Brashears & Graham Inc.	Client Sample ID:	MW-47A
Lab Order:	0503141	Tag Number:	4622
Project:	Rowe Industries	Collection Date:	3/14/2005
Lab ID:	0503141-02A	Date Received:	3/17/2005
		Matrix:	LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
Chloroform	U	1.0		µg/L	1	3/18/2005 5:48:00 PM
Chloromethane	U	1.0		µg/L	1	3/18/2005 5:48:00 PM
cis-1,2-Dichloroethene	U	1.0		µg/L	1	3/18/2005 5:48:00 PM
cis-1,3-Dichloropropene	U	1.0		µg/L	1	3/18/2005 5:48:00 PM
Dibromochloromethane	U	1.0		µg/L	1	3/18/2005 5:48:00 PM
Dibromomethane	U	1.0		µg/L	1	3/18/2005 5:48:00 PM
Dichlorodifluoromethane	U	1.0		µg/L	1	3/18/2005 5:48:00 PM
Ethylbenzene	U	1.0		µg/L	1	3/18/2005 5:48:00 PM
Hexachlorobutadiene	U	1.0		µg/L	1	3/18/2005 5:48:00 PM
Isopropylbenzene	U	1.0		µg/L	1	3/18/2005 5:48:00 PM
m,p-Xylene	U	2.0		µg/L	1	3/18/2005 5:48:00 PM
Methyl tert-butyl ether	U	1.0		µg/L	1	3/18/2005 5:48:00 PM
Methylene chloride	U	1.0		µg/L	1	3/18/2005 5:48:00 PM
Naphthalene	U	1.0		µg/L	1	3/18/2005 5:48:00 PM
n-Butylbenzene	U	1.0		µg/L	1	3/18/2005 5:48:00 PM
n-Propylbenzene	U	1.0		µg/L	1	3/18/2005 5:48:00 PM
o-Xylene	U	1.0		µg/L	1	3/18/2005 5:48:00 PM
sec-Butylbenzene	U	1.0		µg/L	1	3/18/2005 5:48:00 PM
Styrene	U	1.0		µg/L	1	3/18/2005 5:48:00 PM
tert-Butylbenzene	U	1.0		µg/L	1	3/18/2005 5:48:00 PM
Tetrachloroethene	16	1.0		µg/L	1	3/18/2005 5:48:00 PM
Toluene	U	1.0		µg/L	1	3/18/2005 5:48:00 PM
trans-1,2-Dichloroethene	U	1.0		µg/L	1	3/18/2005 5:48:00 PM
trans-1,3-Dichloropropene	U	1.0		µg/L	1	3/18/2005 5:48:00 PM
Trichloroethene	U	1.0		µg/L	1	3/18/2005 5:48:00 PM
Trichlorofluoromethane	U	1.0		µg/L	1	3/18/2005 5:48:00 PM
Vinyl acetate	U	1.0		µg/L	1	3/18/2005 5:48:00 PM
Vinyl chloride	U	1.0		µg/L	1	3/18/2005 5:48:00 PM

Qualifiers:	* Value exceeds Maximum Contaminant Level	B Analyte detected in the associated Method Blank
	E Value above quantitation range	H Holding times for preparation or analysis exceeded
	J Analyte detected below quantitation limits	ND Not Detected at the Reporting Limit
	S Spike Recovery outside accepted recovery limits	U Indicates the compound was analyzed for but not detected

American Analytical Laboratories, LLC.

Date: 22-Mar-05

CLIENT:	Leggette Brashears & Graham Inc.	Client Sample ID:	MW-46A
Lab Order:	0503141	Tag Number:	4622
Project:	Rowe Industries	Collection Date:	3/14/2005
Lab ID:	0503141-03A	Date Received:	3/17/2005
		Matrix:	LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILES SW-846 8260 PLUS MTBE & FREON1		SW8260B		Analyst: LDS		
1,1,1,2-Tetrachloroethane	U	1.0		µg/L	1	3/18/2005 5:16:00 PM
1,1,1-Trichloroethane	U	1.0		µg/L	1	3/18/2005 5:16:00 PM
1,1,2,2-Tetrachloroethane	U	1.0		µg/L	1	3/18/2005 5:16:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	U	1.0		µg/L	1	3/18/2005 5:16:00 PM
1,1,2-Trichloroethane	U	1.0		µg/L	1	3/18/2005 5:16:00 PM
1,1-Dichloroethane	U	1.0		µg/L	1	3/18/2005 5:16:00 PM
1,1-Dichloroethene	U	1.0		µg/L	1	3/18/2005 5:16:00 PM
1,1-Dichloropropene	U	1.0		µg/L	1	3/18/2005 5:16:00 PM
1,2,3-Trichlorobenzene	U	1.0		µg/L	1	3/18/2005 5:16:00 PM
1,2,3-Trichloropropane	U	1.0		µg/L	1	3/18/2005 5:16:00 PM
1,2,4-Trichlorobenzene	U	1.0		µg/L	1	3/18/2005 5:16:00 PM
1,2,4-Trimethylbenzene	U	1.0		µg/L	1	3/18/2005 5:16:00 PM
1,2-Dibromo-3-chloropropane	U	1.0		µg/L	1	3/18/2005 5:16:00 PM
1,2-Dibromoethane	U	1.0		µg/L	1	3/18/2005 5:16:00 PM
1,2-Dichlorobenzene	U	1.0		µg/L	1	3/18/2005 5:16:00 PM
1,2-Dichloroethane	U	1.0		µg/L	1	3/18/2005 5:16:00 PM
1,2-Dichloropropane	U	1.0		µg/L	1	3/18/2005 5:16:00 PM
1,3,5-Trimethylbenzene	U	1.0		µg/L	1	3/18/2005 5:16:00 PM
1,3-Dichlorobenzene	U	1.0		µg/L	1	3/18/2005 5:16:00 PM
1,3-dichloropropane	U	1.0		µg/L	1	3/18/2005 5:16:00 PM
1,4-Dichlorobenzene	U	1.0		µg/L	1	3/18/2005 5:16:00 PM
2,2-Dichloropropane	U	1.0		µg/L	1	3/18/2005 5:16:00 PM
2-Butanone	U	1.0		µg/L	1	3/18/2005 5:16:00 PM
2-Chloroethyl vinyl ether	U	1.0		µg/L	1	3/18/2005 5:16:00 PM
2-Chlorotoluene	U	1.0		µg/L	1	3/18/2005 5:16:00 PM
2-Hexanone	U	1.0		µg/L	1	3/18/2005 5:16:00 PM
4-Chlorotoluene	U	1.0		µg/L	1	3/18/2005 5:16:00 PM
4-Isopropyltoluene	U	1.0		µg/L	1	3/18/2005 5:16:00 PM
4-Methyl-2-pentanone	U	1.0		µg/L	1	3/18/2005 5:16:00 PM
Acetone	U	1.0		µg/L	1	3/18/2005 5:16:00 PM
Benzene	U	1.0		µg/L	1	3/18/2005 5:16:00 PM
Bromobenzene	U	1.0		µg/L	1	3/18/2005 5:16:00 PM
Bromochloromethane	U	1.0		µg/L	1	3/18/2005 5:16:00 PM
Bromodichloromethane	U	1.0		µg/L	1	3/18/2005 5:16:00 PM
Bromoform	U	1.0		µg/L	1	3/18/2005 5:16:00 PM
Bromomethane	U	1.0		µg/L	1	3/18/2005 5:16:00 PM
Carbon disulfide	U	1.0		µg/L	1	3/18/2005 5:16:00 PM
Carbon tetrachloride	U	1.0		µg/L	1	3/18/2005 5:16:00 PM
Chlorobenzene	U	1.0		µg/L	1	3/18/2005 5:16:00 PM
Chloroethane	U	1.0		µg/L	1	3/18/2005 5:16:00 PM

Qualifiers:

- * Value exceeds Maximum Contaminant Level
- E Value above quantitation range
- J Analyte detected below quantitation limits
- S Spike Recovery outside accepted recovery limits

- B Analyte detected in the associated Method Blank
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- U Indicates the compound was analyzed for but not detected

American Analytical Laboratories, LLC.

Date: 22-Mar-05

CLIENT: Leggette Brashears & Graham Inc.

Client Sample ID: MW-46A

Lab Order: 0503141

Tag Number: 4622

Project: Rowe Industries

Collection Date: 3/14/2005

Lab ID: 0503141-03A

Date Received: 3/17/2005

Matrix: LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
Chloroform	U	1.0		µg/L	1	3/18/2005 5:16:00 PM
Chloromethane	U	1.0		µg/L	1	3/18/2005 5:16:00 PM
cis-1,2-Dichloroethene	U	1.0		µg/L	1	3/18/2005 5:16:00 PM
cis-1,3-Dichloropropene	U	1.0		µg/L	1	3/18/2005 5:16:00 PM
Dibromochloromethane	U	1.0		µg/L	1	3/18/2005 5:16:00 PM
Dibromomethane	U	1.0		µg/L	1	3/18/2005 5:16:00 PM
Dichlorodifluoromethane	U	1.0		µg/L	1	3/18/2005 5:16:00 PM
Ethylbenzene	U	1.0		µg/L	1	3/18/2005 5:16:00 PM
Hexachlorobutadiene	U	1.0		µg/L	1	3/18/2005 5:16:00 PM
Isopropylbenzene	U	1.0		µg/L	1	3/18/2005 5:16:00 PM
m,p-Xylene	U	2.0		µg/L	1	3/18/2005 5:16:00 PM
Methyl tert-butyl ether	U	1.0		µg/L	1	3/18/2005 5:16:00 PM
Methylene chloride	U	1.0		µg/L	1	3/18/2005 5:16:00 PM
Naphthalene	U	1.0		µg/L	1	3/18/2005 5:16:00 PM
n-Butylbenzene	U	1.0		µg/L	1	3/18/2005 5:16:00 PM
n-Propylbenzene	U	1.0		µg/L	1	3/18/2005 5:16:00 PM
o-Xylene	U	1.0		µg/L	1	3/18/2005 5:16:00 PM
sec-Butylbenzene	U	1.0		µg/L	1	3/18/2005 5:16:00 PM
Styrene	U	1.0		µg/L	1	3/18/2005 5:16:00 PM
tert-Butylbenzene	U	1.0		µg/L	1	3/18/2005 5:16:00 PM
Tetrachloroethene	U	1.0		µg/L	1	3/18/2005 5:16:00 PM
Toluene	U	1.0		µg/L	1	3/18/2005 5:16:00 PM
trans-1,2-Dichloroethene	U	1.0		µg/L	1	3/18/2005 5:16:00 PM
trans-1,3-Dichloropropene	U	1.0		µg/L	1	3/18/2005 5:16:00 PM
Trichloroethene	U	1.0		µg/L	1	3/18/2005 5:16:00 PM
Trichlorofluoromethane	U	1.0		µg/L	1	3/18/2005 5:16:00 PM
Vinyl acetate	U	1.0		µg/L	1	3/18/2005 5:16:00 PM
Vinyl chloride	U	1.0		µg/L	1	3/18/2005 5:16:00 PM

Qualifiers: * Value exceeds Maximum Contaminant Level
 E Value above quantitation range
 J Analyte detected below quantitation limits
 S Spike Recovery outside accepted recovery limits

B Analyte detected in the associated Method Blank
 H Holding times for preparation or analysis exceeded
 ND Not Detected at the Reporting Limit
 U Indicates the compound was analyzed for but not detected

American Analytical Laboratories, LLC.

Date: 22-Mar-05

CLIENT:	Leggette Brashears & Graham Inc.	Client Sample ID:	MW-46B
Lab Order:	0503141	Tag Number:	4622
Project:	Rowe Industries	Collection Date:	3/14/2005
Lab ID:	0503141-04A	Date Received:	3/17/2005
		Matrix:	LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILES SW-846 8260 PLUS MTBE & FREON1		SW8260B		Analyst: LDS		
1,1,1,2-Tetrachloroethane	U	1.0		µg/L	1	3/18/2005 4:44:00 PM
1,1,1-Trichloroethane	U	1.0		µg/L	1	3/18/2005 4:44:00 PM
1,1,2,2-Tetrachloroethane	U	1.0		µg/L	1	3/18/2005 4:44:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	U	1.0		µg/L	1	3/18/2005 4:44:00 PM
1,1,2-Trichloroethane	U	1.0		µg/L	1	3/18/2005 4:44:00 PM
1,1-Dichloroethane	U	1.0		µg/L	1	3/18/2005 4:44:00 PM
1,1-Dichloroethene	U	1.0		µg/L	1	3/18/2005 4:44:00 PM
1,1-Dichloropropene	U	1.0		µg/L	1	3/18/2005 4:44:00 PM
1,2,3-Trichlorobenzene	U	1.0		µg/L	1	3/18/2005 4:44:00 PM
1,2,3-Trichloropropane	U	1.0		µg/L	1	3/18/2005 4:44:00 PM
1,2,4-Trichlorobenzene	U	1.0		µg/L	1	3/18/2005 4:44:00 PM
1,2,4-Trimethylbenzene	U	1.0		µg/L	1	3/18/2005 4:44:00 PM
1,2-Dibromo-3-chloropropane	U	1.0		µg/L	1	3/18/2005 4:44:00 PM
1,2-Dibromoethane	U	1.0		µg/L	1	3/18/2005 4:44:00 PM
1,2-Dichlorobenzene	U	1.0		µg/L	1	3/18/2005 4:44:00 PM
1,2-Dichloroethane	U	1.0		µg/L	1	3/18/2005 4:44:00 PM
1,2-Dichloropropane	U	1.0		µg/L	1	3/18/2005 4:44:00 PM
1,3,5-Trimethylbenzene	U	1.0		µg/L	1	3/18/2005 4:44:00 PM
1,3-Dichlorobenzene	U	1.0		µg/L	1	3/18/2005 4:44:00 PM
1,3-dichloropropane	U	1.0		µg/L	1	3/18/2005 4:44:00 PM
1,4-Dichlorobenzene	U	1.0		µg/L	1	3/18/2005 4:44:00 PM
2,2-Dichloropropane	U	1.0		µg/L	1	3/18/2005 4:44:00 PM
2-Butanone	U	1.0		µg/L	1	3/18/2005 4:44:00 PM
2-Chloroethyl vinyl ether	U	1.0		µg/L	1	3/18/2005 4:44:00 PM
2-Chlorotoluene	U	1.0		µg/L	1	3/18/2005 4:44:00 PM
2-Hexanone	U	1.0		µg/L	1	3/18/2005 4:44:00 PM
4-Chlorotoluene	U	1.0		µg/L	1	3/18/2005 4:44:00 PM
4-Isopropyltoluene	U	1.0		µg/L	1	3/18/2005 4:44:00 PM
4-Methyl-2-pentanone	U	1.0		µg/L	1	3/18/2005 4:44:00 PM
Acetone	U	1.0		µg/L	1	3/18/2005 4:44:00 PM
Benzene	U	1.0		µg/L	1	3/18/2005 4:44:00 PM
Bromobenzene	U	1.0		µg/L	1	3/18/2005 4:44:00 PM
Bromochloromethane	U	1.0		µg/L	1	3/18/2005 4:44:00 PM
Bromodichloromethane	U	1.0		µg/L	1	3/18/2005 4:44:00 PM
Bromoform	U	1.0		µg/L	1	3/18/2005 4:44:00 PM
Bromomethane	U	1.0		µg/L	1	3/18/2005 4:44:00 PM
Carbon disulfide	U	1.0		µg/L	1	3/18/2005 4:44:00 PM
Carbon tetrachloride	U	1.0		µg/L	1	3/18/2005 4:44:00 PM
Chlorobenzene	U	1.0		µg/L	1	3/18/2005 4:44:00 PM
Chloroethane	U	1.0		µg/L	1	3/18/2005 4:44:00 PM

Qualifiers:	*	Value exceeds Maximum Contaminant Level	B	Analyte detected in the associated Method Blank
	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded
	J	Analyte detected below quantitation limits	ND	Not Detected at the Reporting Limit
	S	Spike Recovery outside accepted recovery limits	U	Indicates the compound was analyzed for but not detected

American Analytical Laboratories, LLC.

Date: 22-Mar-05

CLIENT: Leggette Brashears & Graham Inc.**Client Sample ID:** MW-46B**Lab Order:** 0503141**Tag Number:** 4622**Project:** Rowe Industries**Collection Date:** 3/14/2005**Lab ID:** 0503141-04A**Date Received:** 3/17/2005**Matrix:** LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
Chloroform	U	1.0		µg/L	1	3/18/2005 4:44:00 PM
Chloromethane	U	1.0		µg/L	1	3/18/2005 4:44:00 PM
cis-1,2-Dichloroethene	U	1.0		µg/L	1	3/18/2005 4:44:00 PM
cis-1,3-Dichloropropene	U	1.0		µg/L	1	3/18/2005 4:44:00 PM
Dibromochloromethane	U	1.0		µg/L	1	3/18/2005 4:44:00 PM
Dibromomethane	U	1.0		µg/L	1	3/18/2005 4:44:00 PM
Dichlorodifluoromethane	U	1.0		µg/L	1	3/18/2005 4:44:00 PM
Ethylbenzene	U	1.0		µg/L	1	3/18/2005 4:44:00 PM
Hexachlorobutadiene	U	1.0		µg/L	1	3/18/2005 4:44:00 PM
Isopropylbenzene	U	1.0		µg/L	1	3/18/2005 4:44:00 PM
m,p-Xylene	U	2.0		µg/L	1	3/18/2005 4:44:00 PM
Methyl tert-butyl ether	U	1.0		µg/L	1	3/18/2005 4:44:00 PM
Methylene chloride	U	1.0		µg/L	1	3/18/2005 4:44:00 PM
Naphthalene	U	1.0		µg/L	1	3/18/2005 4:44:00 PM
n-Butylbenzene	U	1.0		µg/L	1	3/18/2005 4:44:00 PM
n-Propylbenzene	U	1.0		µg/L	1	3/18/2005 4:44:00 PM
o-Xylene	U	1.0		µg/L	1	3/18/2005 4:44:00 PM
sec-Butylbenzene	U	1.0		µg/L	1	3/18/2005 4:44:00 PM
Styrene	U	1.0		µg/L	1	3/18/2005 4:44:00 PM
tert-Butylbenzene	U	1.0		µg/L	1	3/18/2005 4:44:00 PM
Tetrachloroethene	U	1.0		µg/L	1	3/18/2005 4:44:00 PM
Toluene	U	1.0		µg/L	1	3/18/2005 4:44:00 PM
trans-1,2-Dichloroethene	U	1.0		µg/L	1	3/18/2005 4:44:00 PM
trans-1,3-Dichloropropene	U	1.0		µg/L	1	3/18/2005 4:44:00 PM
Trichloroethene	U	1.0		µg/L	1	3/18/2005 4:44:00 PM
Trichlorofluoromethane	U	1.0		µg/L	1	3/18/2005 4:44:00 PM
Vinyl acetate	U	1.0		µg/L	1	3/18/2005 4:44:00 PM
Vinyl chloride	U	1.0		µg/L	1	3/18/2005 4:44:00 PM

Qualifiers:

- * Value exceeds Maximum Contaminant Level
- E Value above quantitation range
- J Analyte detected below quantitation limits
- S Spike Recovery outside accepted recovery limits

- B Analyte detected in the associated Method Blank
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- U Indicates the compound was analyzed for but not detected

American Analytical Laboratories, LLC.

Date: 22-Mar-05

CLIENT: Leggette Brashears & Graham Inc.

Client Sample ID: MW-48B

Lab Order: 0503141

Tag Number: 4622

Project: Rowe Industries

Collection Date: 3/14/2005

Lab ID: 0503141-05A

Date Received: 3/17/2005

Matrix: LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILES SW-846 8260 PLUS MTBE & FREON1		SW8260B		Analyst: LDS		
1,1,1,2-Tetrachloroethane	U	1.0		µg/L	1	3/18/2005 4:12:00 PM
1,1,1-Trichloroethane	U	1.0		µg/L	1	3/18/2005 4:12:00 PM
1,1,2,2-Tetrachloroethane	U	1.0		µg/L	1	3/18/2005 4:12:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	U	1.0		µg/L	1	3/18/2005 4:12:00 PM
1,1,2-Trichloroethane	U	1.0		µg/L	1	3/18/2005 4:12:00 PM
1,1-Dichloroethane	U	1.0		µg/L	1	3/18/2005 4:12:00 PM
1,1-Dichloroethene	U	1.0		µg/L	1	3/18/2005 4:12:00 PM
1,1-Dichloropropene	U	1.0		µg/L	1	3/18/2005 4:12:00 PM
1,2,3-Trichlorobenzene	U	1.0		µg/L	1	3/18/2005 4:12:00 PM
1,2,3-Trichloropropane	U	1.0		µg/L	1	3/18/2005 4:12:00 PM
1,2,4-Trichlorobenzene	U	1.0		µg/L	1	3/18/2005 4:12:00 PM
1,2,4-Trimethylbenzene	U	1.0		µg/L	1	3/18/2005 4:12:00 PM
1,2-Dibromo-3-chloropropane	U	1.0		µg/L	1	3/18/2005 4:12:00 PM
1,2-Dibromoethane	U	1.0		µg/L	1	3/18/2005 4:12:00 PM
1,2-Dichlorobenzene	U	1.0		µg/L	1	3/18/2005 4:12:00 PM
1,2-Dichloroethane	U	1.0		µg/L	1	3/18/2005 4:12:00 PM
1,2-Dichloropropane	U	1.0		µg/L	1	3/18/2005 4:12:00 PM
1,3,5-Trimethylbenzene	U	1.0		µg/L	1	3/18/2005 4:12:00 PM
1,3-Dichlorobenzene	U	1.0		µg/L	1	3/18/2005 4:12:00 PM
1,3-dichloropropane	U	1.0		µg/L	1	3/18/2005 4:12:00 PM
1,4-Dichlorobenzene	U	1.0		µg/L	1	3/18/2005 4:12:00 PM
2,2-Dichloropropane	U	1.0		µg/L	1	3/18/2005 4:12:00 PM
2-Butanone	U	1.0		µg/L	1	3/18/2005 4:12:00 PM
2-Chloroethyl vinyl ether	U	1.0		µg/L	1	3/18/2005 4:12:00 PM
2-Chlorotoluene	U	1.0		µg/L	1	3/18/2005 4:12:00 PM
2-Hexanone	U	1.0		µg/L	1	3/18/2005 4:12:00 PM
4-Chlorotoluene	U	1.0		µg/L	1	3/18/2005 4:12:00 PM
4-Isopropyltoluene	U	1.0		µg/L	1	3/18/2005 4:12:00 PM
4-Methyl-2-pentanone	U	1.0		µg/L	1	3/18/2005 4:12:00 PM
Acetone	U	1.0		µg/L	1	3/18/2005 4:12:00 PM
Benzene	U	1.0		µg/L	1	3/18/2005 4:12:00 PM
Bromobenzene	U	1.0		µg/L	1	3/18/2005 4:12:00 PM
Bromochloromethane	U	1.0		µg/L	1	3/18/2005 4:12:00 PM
Bromodichloromethane	U	1.0		µg/L	1	3/18/2005 4:12:00 PM
Bromoform	U	1.0		µg/L	1	3/18/2005 4:12:00 PM
Bromomethane	U	1.0		µg/L	1	3/18/2005 4:12:00 PM
Carbon disulfide	U	1.0		µg/L	1	3/18/2005 4:12:00 PM
Carbon tetrachloride	U	1.0		µg/L	1	3/18/2005 4:12:00 PM
Chlorobenzene	U	1.0		µg/L	1	3/18/2005 4:12:00 PM
Chloroethane	U	1.0		µg/L	1	3/18/2005 4:12:00 PM

Qualifiers:

- * Value exceeds Maximum Contaminant Level
- E Value above quantitation range
- J Analyte detected below quantitation limits
- S Spike Recovery outside accepted recovery limits

- B Analyte detected in the associated Method Blank
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- U Indicates the compound was analyzed for but not detected

American Analytical Laboratories, LLC.

Date: 22-Mar-05

CLIENT: Leggette Brashears & Graham Inc.

Client Sample ID: MW-48B

Lab Order: 0503141

Tag Number: 4622

Project: Rowe Industries

Collection Date: 3/14/2005

Lab ID: 0503141-05A

Date Received: 3/17/2005

Matrix: LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
Chloroform	U	1.0		µg/L	1	3/18/2005 4:12:00 PM
Chloromethane	U	1.0		µg/L	1	3/18/2005 4:12:00 PM
cis-1,2-Dichloroethene	U	1.0		µg/L	1	3/18/2005 4:12:00 PM
cis-1,3-Dichloropropene	U	1.0		µg/L	1	3/18/2005 4:12:00 PM
Dibromochloromethane	U	1.0		µg/L	1	3/18/2005 4:12:00 PM
Dibromomethane	U	1.0		µg/L	1	3/18/2005 4:12:00 PM
Dichlorodifluoromethane	U	1.0		µg/L	1	3/18/2005 4:12:00 PM
Ethylbenzene	U	1.0		µg/L	1	3/18/2005 4:12:00 PM
Hexachlorobutadiene	U	1.0		µg/L	1	3/18/2005 4:12:00 PM
Isopropylbenzene	U	1.0		µg/L	1	3/18/2005 4:12:00 PM
m,p-Xylene	U	2.0		µg/L	1	3/18/2005 4:12:00 PM
Methyl tert-butyl ether	U	1.0		µg/L	1	3/18/2005 4:12:00 PM
Methylene chloride	U	1.0		µg/L	1	3/18/2005 4:12:00 PM
Naphthalene	U	1.0		µg/L	1	3/18/2005 4:12:00 PM
n-Butylbenzene	U	1.0		µg/L	1	3/18/2005 4:12:00 PM
n-Propylbenzene	U	1.0		µg/L	1	3/18/2005 4:12:00 PM
o-Xylene	U	1.0		µg/L	1	3/18/2005 4:12:00 PM
sec-Butylbenzene	U	1.0		µg/L	1	3/18/2005 4:12:00 PM
Styrene	U	1.0		µg/L	1	3/18/2005 4:12:00 PM
tert-Butylbenzene	U	1.0		µg/L	1	3/18/2005 4:12:00 PM
Tetrachloroethene	U	1.0		µg/L	1	3/18/2005 4:12:00 PM
Toluene	U	1.0		µg/L	1	3/18/2005 4:12:00 PM
trans-1,2-Dichloroethene	U	1.0		µg/L	1	3/18/2005 4:12:00 PM
trans-1,3-Dichloropropene	U	1.0		µg/L	1	3/18/2005 4:12:00 PM
Trichloroethene	U	1.0		µg/L	1	3/18/2005 4:12:00 PM
Trichlorofluoromethane	U	1.0		µg/L	1	3/18/2005 4:12:00 PM
Vinyl acetate	U	1.0		µg/L	1	3/18/2005 4:12:00 PM
Vinyl chloride	U	1.0		µg/L	1	3/18/2005 4:12:00 PM

Qualifiers: * Value exceeds Maximum Contaminant Level
 E Value above quantitation range
 J Analyte detected below quantitation limits
 S Spike Recovery outside accepted recovery limits

B Analyte detected in the associated Method Blank
 H Holding times for preparation or analysis exceeded
 ND Not Detected at the Reporting Limit
 U Indicates the compound was analyzed for but not detected

American Analytical Laboratories, LLC.

Date: 22-Mar-05

CLIENT: Leggette Brashears & Graham Inc.

Client Sample ID: MW-28B

Lab Order: 0503141

Tag Number: 4622

Project: Rowe Industries

Collection Date: 3/14/2005

Lab ID: 0503141-06A

Date Received: 3/17/2005

Matrix: LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILES SW-846 8260 PLUS MTBE & FREON1		SW8260B		Analyst: LDS		
1,1,1,2-Tetrachloroethane	U	1.0		µg/L	1	3/18/2005 9:42:00 AM
1,1,1-Trichloroethane	U	1.0		µg/L	1	3/18/2005 9:42:00 AM
1,1,2,2-Tetrachloroethane	U	1.0		µg/L	1	3/18/2005 9:42:00 AM
1,1,2-Trichloro-1,2,2-trifluoroethane	U	1.0		µg/L	1	3/18/2005 9:42:00 AM
1,1,2-Trichloroethane	U	1.0		µg/L	1	3/18/2005 9:42:00 AM
1,1-Dichloroethane	U	1.0		µg/L	1	3/18/2005 9:42:00 AM
1,1-Dichloroethene	U	1.0		µg/L	1	3/18/2005 9:42:00 AM
1,1-Dichloropropene	U	1.0		µg/L	1	3/18/2005 9:42:00 AM
1,2,3-Trichlorobenzene	U	1.0		µg/L	1	3/18/2005 9:42:00 AM
1,2,3-Trichloropropane	U	1.0		µg/L	1	3/18/2005 9:42:00 AM
1,2,4-Trichlorobenzene	U	1.0		µg/L	1	3/18/2005 9:42:00 AM
1,2,4-Trimethylbenzene	U	1.0		µg/L	1	3/18/2005 9:42:00 AM
1,2-Dibromo-3-chloropropane	U	1.0		µg/L	1	3/18/2005 9:42:00 AM
1,2-Dibromoethane	U	1.0		µg/L	1	3/18/2005 9:42:00 AM
1,2-Dichlorobenzene	U	1.0		µg/L	1	3/18/2005 9:42:00 AM
1,2-Dichloroethane	U	1.0		µg/L	1	3/18/2005 9:42:00 AM
1,2-Dichloropropane	U	1.0		µg/L	1	3/18/2005 9:42:00 AM
1,3,5-Trimethylbenzene	U	1.0		µg/L	1	3/18/2005 9:42:00 AM
1,3-Dichlorobenzene	U	1.0		µg/L	1	3/18/2005 9:42:00 AM
1,3-dichloropropane	U	1.0		µg/L	1	3/18/2005 9:42:00 AM
1,4-Dichlorobenzene	U	1.0		µg/L	1	3/18/2005 9:42:00 AM
2,2-Dichloropropane	U	1.0		µg/L	1	3/18/2005 9:42:00 AM
2-Butanone	U	1.0		µg/L	1	3/18/2005 9:42:00 AM
2-Chloroethyl vinyl ether	U	1.0		µg/L	1	3/18/2005 9:42:00 AM
2-Chlorotoluene	U	1.0		µg/L	1	3/18/2005 9:42:00 AM
2-Hexanone	U	1.0		µg/L	1	3/18/2005 9:42:00 AM
4-Chlorotoluene	U	1.0		µg/L	1	3/18/2005 9:42:00 AM
4-Isopropyltoluene	U	1.0		µg/L	1	3/18/2005 9:42:00 AM
4-Methyl-2-pentanone	U	1.0		µg/L	1	3/18/2005 9:42:00 AM
Acetone	U	1.0		µg/L	1	3/18/2005 9:42:00 AM
Benzene	U	1.0		µg/L	1	3/18/2005 9:42:00 AM
Bromobenzene	U	1.0		µg/L	1	3/18/2005 9:42:00 AM
Bromochloromethane	U	1.0		µg/L	1	3/18/2005 9:42:00 AM
Bromodichloromethane	U	1.0		µg/L	1	3/18/2005 9:42:00 AM
Bromoform	U	1.0		µg/L	1	3/18/2005 9:42:00 AM
Bromomethane	U	1.0		µg/L	1	3/18/2005 9:42:00 AM
Carbon disulfide	U	1.0		µg/L	1	3/18/2005 9:42:00 AM
Carbon tetrachloride	U	1.0		µg/L	1	3/18/2005 9:42:00 AM
Chlorobenzene	U	1.0		µg/L	1	3/18/2005 9:42:00 AM
Chloroethane	U	1.0		µg/L	1	3/18/2005 9:42:00 AM

Qualifiers: * Value exceeds Maximum Contaminant Level
 E Value above quantitation range
 J Analyte detected below quantitation limits
 S Spike Recovery outside accepted recovery limits

B Analyte detected in the associated Method Blank
 H Holding times for preparation or analysis exceeded
 ND Not Detected at the Reporting Limit
 U Indicates the compound was analyzed for but not detected

American Analytical Laboratories, LLC.

Date: 22-Mar-05

CLIENT: Leggette Brashears & Graham Inc. **Client Sample ID:** MW-28B
Lab Order: 0503141 **Tag Number:** 4622
Project: Rowe Industries **Collection Date:** 3/14/2005
Lab ID: 0503141-06A **Date Received:** 3/17/2005 **Matrix:** LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
Chloroform	U	1.0		µg/L	1	3/18/2005 9:42:00 AM
Chloromethane	U	1.0		µg/L	1	3/18/2005 9:42:00 AM
cis-1,2-Dichloroethene	U	1.0		µg/L	1	3/18/2005 9:42:00 AM
cis-1,3-Dichloropropene	U	1.0		µg/L	1	3/18/2005 9:42:00 AM
Dibromochloromethane	U	1.0		µg/L	1	3/18/2005 9:42:00 AM
Dibromomethane	U	1.0		µg/L	1	3/18/2005 9:42:00 AM
Dichlorodifluoromethane	U	1.0		µg/L	1	3/18/2005 9:42:00 AM
Ethylbenzene	U	1.0		µg/L	1	3/18/2005 9:42:00 AM
Hexachlorobutadiene	U	1.0		µg/L	1	3/18/2005 9:42:00 AM
Isopropylbenzene	U	1.0		µg/L	1	3/18/2005 9:42:00 AM
m,p-Xylene	U	2.0		µg/L	1	3/18/2005 9:42:00 AM
Methyl tert-butyl ether	U	1.0		µg/L	1	3/18/2005 9:42:00 AM
Methylene chloride	U	1.0		µg/L	1	3/18/2005 9:42:00 AM
Naphthalene	U	1.0		µg/L	1	3/18/2005 9:42:00 AM
n-Butylbenzene	U	1.0		µg/L	1	3/18/2005 9:42:00 AM
n-Propylbenzene	U	1.0		µg/L	1	3/18/2005 9:42:00 AM
o-Xylene	U	1.0		µg/L	1	3/18/2005 9:42:00 AM
sec-Butylbenzene	U	1.0		µg/L	1	3/18/2005 9:42:00 AM
Styrene	U	1.0		µg/L	1	3/18/2005 9:42:00 AM
tert-Butylbenzene	U	1.0		µg/L	1	3/18/2005 9:42:00 AM
Tetrachloroethene	U	1.0		µg/L	1	3/18/2005 9:42:00 AM
Toluene	U	1.0		µg/L	1	3/18/2005 9:42:00 AM
trans-1,2-Dichloroethene	U	1.0		µg/L	1	3/18/2005 9:42:00 AM
trans-1,3-Dichloropropene	U	1.0		µg/L	1	3/18/2005 9:42:00 AM
Trichloroethene	U	1.0		µg/L	1	3/18/2005 9:42:00 AM
Trichlorofluoromethane	U	1.0		µg/L	1	3/18/2005 9:42:00 AM
Vinyl acetate	U	1.0		µg/L	1	3/18/2005 9:42:00 AM
Vinyl chloride	U	1.0		µg/L	1	3/18/2005 9:42:00 AM

Qualifiers: * Value exceeds Maximum Contaminant Level B Analyte detected in the associated Method Blank
 E Value above quantitation range H Holding times for preparation or analysis exceeded
 J Analyte detected below quantitation limits ND Not Detected at the Reporting Limit
 S Spike Recovery outside accepted recovery limits U Indicates the compound was analyzed for but not detected

American Analytical Laboratories, LLC.

Date: 22-Mar-05

CLIENT: Leggette Brashears & Graham Inc.
Lab Order: 0503141
Project: Rowe Industries
Lab ID: 0503141-07A

Client Sample ID: MW-98-04
Tag Number: 4622
Collection Date: 3/14/2005
Matrix: LIQUID

Date Received: 3/17/2005

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILES SW-846 8260 PLUS MTBE & FREON1		SW8260B		Analyst: LDS		
1,1,1,2-Tetrachloroethane	U	1.0		µg/L	1	3/18/2005 10:15:00 AM
1,1,1-Trichloroethane	U	1.0		µg/L	1	3/18/2005 10:15:00 AM
1,1,2,2-Tetrachloroethane	U	1.0		µg/L	1	3/18/2005 10:15:00 AM
1,1,2-Trichloro-1,2,2-trifluoroethane	U	1.0		µg/L	1	3/18/2005 10:15:00 AM
1,1,2-Trichloroethane	U	1.0		µg/L	1	3/18/2005 10:15:00 AM
1,1-Dichloroethane	U	1.0		µg/L	1	3/18/2005 10:15:00 AM
1,1-Dichloroethene	U	1.0		µg/L	1	3/18/2005 10:15:00 AM
1,1-Dichloropropene	U	1.0		µg/L	1	3/18/2005 10:15:00 AM
1,2,3-Trichlorobenzene	U	1.0		µg/L	1	3/18/2005 10:15:00 AM
1,2,3-Trichloropropane	U	1.0		µg/L	1	3/18/2005 10:15:00 AM
1,2,4-Trichlorobenzene	U	1.0		µg/L	1	3/18/2005 10:15:00 AM
1,2,4-Trimethylbenzene	U	1.0		µg/L	1	3/18/2005 10:15:00 AM
1,2-Dibromo-3-chloropropane	U	1.0		µg/L	1	3/18/2005 10:15:00 AM
1,2-Dibromoethane	U	1.0		µg/L	1	3/18/2005 10:15:00 AM
1,2-Dichlorobenzene	U	1.0		µg/L	1	3/18/2005 10:15:00 AM
1,2-Dichloroethane	U	1.0		µg/L	1	3/18/2005 10:15:00 AM
1,2-Dichloropropane	U	1.0		µg/L	1	3/18/2005 10:15:00 AM
1,3,5-Trimethylbenzene	U	1.0		µg/L	1	3/18/2005 10:15:00 AM
1,3-Dichlorobenzene	U	1.0		µg/L	1	3/18/2005 10:15:00 AM
1,3-dichloropropane	U	1.0		µg/L	1	3/18/2005 10:15:00 AM
1,4-Dichlorobenzene	U	1.0		µg/L	1	3/18/2005 10:15:00 AM
2,2-Dichloropropane	U	1.0		µg/L	1	3/18/2005 10:15:00 AM
2-Butanone	U	1.0		µg/L	1	3/18/2005 10:15:00 AM
2-Chloroethyl vinyl ether	U	1.0		µg/L	1	3/18/2005 10:15:00 AM
2-Chlorotoluene	U	1.0		µg/L	1	3/18/2005 10:15:00 AM
2-Hexanone	U	1.0		µg/L	1	3/18/2005 10:15:00 AM
4-Chlorotoluene	U	1.0		µg/L	1	3/18/2005 10:15:00 AM
4-Isopropyltoluene	U	1.0		µg/L	1	3/18/2005 10:15:00 AM
4-Methyl-2-pentanone	U	1.0		µg/L	1	3/18/2005 10:15:00 AM
Acetone	U	1.0		µg/L	1	3/18/2005 10:15:00 AM
Benzene	U	1.0		µg/L	1	3/18/2005 10:15:00 AM
Bromobenzene	U	1.0		µg/L	1	3/18/2005 10:15:00 AM
Bromochloromethane	U	1.0		µg/L	1	3/18/2005 10:15:00 AM
Bromodichloromethane	U	1.0		µg/L	1	3/18/2005 10:15:00 AM
Bromoform	U	1.0		µg/L	1	3/18/2005 10:15:00 AM
Bromomethane	U	1.0		µg/L	1	3/18/2005 10:15:00 AM
Carbon disulfide	U	1.0		µg/L	1	3/18/2005 10:15:00 AM
Carbon tetrachloride	U	1.0		µg/L	1	3/18/2005 10:15:00 AM
Chlorobenzene	U	1.0		µg/L	1	3/18/2005 10:15:00 AM
Chloroethane	U	1.0		µg/L	1	3/18/2005 10:15:00 AM

Qualifiers:
 * Value exceeds Maximum Contaminant Level
 E Value above quantitation range
 J Analyte detected below quantitation limits
 S Spike Recovery outside accepted recovery limits

B Analyte detected in the associated Method Blank
 H Holding times for preparation or analysis exceeded
 ND Not Detected at the Reporting Limit
 U Indicates the compound was analyzed for but not detected

American Analytical Laboratories, LLC.

Date: 22-Mar-05

CLIENT: Leggette Brashears & Graham Inc. **Client Sample ID:** MW-98-04
Lab Order: 0503141 **Tag Number:** 4622
Project: Rowe Industries **Collection Date:** 3/14/2005
Lab ID: 0503141-07A **Date Received:** 3/17/2005 **Matrix:** LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
Chloroform	U	1.0		µg/L	1	3/18/2005 10:15:00 AM
Chloromethane	U	1.0		µg/L	1	3/18/2005 10:15:00 AM
cis-1,2-Dichloroethene	11	1.0		µg/L	1	3/18/2005 10:15:00 AM
cis-1,3-Dichloropropene	U	1.0		µg/L	1	3/18/2005 10:15:00 AM
Dibromochloromethane	U	1.0		µg/L	1	3/18/2005 10:15:00 AM
Dibromomethane	U	1.0		µg/L	1	3/18/2005 10:15:00 AM
Dichlorodifluoromethane	U	1.0		µg/L	1	3/18/2005 10:15:00 AM
Ethylbenzene	U	1.0		µg/L	1	3/18/2005 10:15:00 AM
Hexachlorobutadiene	U	1.0		µg/L	1	3/18/2005 10:15:00 AM
Isopropylbenzene	U	1.0		µg/L	1	3/18/2005 10:15:00 AM
m,p-Xylene	U	2.0		µg/L	1	3/18/2005 10:15:00 AM
Methyl tert-butyl ether	U	1.0		µg/L	1	3/18/2005 10:15:00 AM
Methylene chloride	U	1.0		µg/L	1	3/18/2005 10:15:00 AM
Naphthalene	U	1.0		µg/L	1	3/18/2005 10:15:00 AM
n-Butylbenzene	U	1.0		µg/L	1	3/18/2005 10:15:00 AM
n-Propylbenzene	U	1.0		µg/L	1	3/18/2005 10:15:00 AM
o-Xylene	U	1.0		µg/L	1	3/18/2005 10:15:00 AM
sec-Butylbenzene	U	1.0		µg/L	1	3/18/2005 10:15:00 AM
Styrene	U	1.0		µg/L	1	3/18/2005 10:15:00 AM
tert-Butylbenzene	U	1.0		µg/L	1	3/18/2005 10:15:00 AM
Tetrachloroethene	28	1.0		µg/L	1	3/18/2005 10:15:00 AM
Toluene	U	1.0		µg/L	1	3/18/2005 10:15:00 AM
trans-1,2-Dichloroethene	U	1.0		µg/L	1	3/18/2005 10:15:00 AM
trans-1,3-Dichloropropene	U	1.0		µg/L	1	3/18/2005 10:15:00 AM
Trichloroethene	U	1.0		µg/L	1	3/18/2005 10:15:00 AM
Trichlorofluoromethane	U	1.0		µg/L	1	3/18/2005 10:15:00 AM
Vinyl acetate	U	1.0		µg/L	1	3/18/2005 10:15:00 AM
Vinyl chloride	U	1.0		µg/L	1	3/18/2005 10:15:00 AM

Qualifiers: * Value exceeds Maximum Contaminant Level B Analyte detected in the associated Method Blank
 E Value above quantitation range H Holding times for preparation or analysis exceeded
 J Analyte detected below quantitation limits ND Not Detected at the Reporting Limit
 S Spike Recovery outside accepted recovery limits U Indicates the compound was analyzed for but not detected

American Analytical Laboratories, LLC.

Date: 22-Mar-05

CLIENT: Leggette Brashears & Graham Inc.
Lab Order: 0503141
Project: Rowe Industries
Lab ID: 0503141-08A

Client Sample ID: Trip Blank MMG
Tag Number: 4622
Collection Date: 3/14/2005
Matrix: LIQUID

Date Received: 3/17/2005

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILES SW-846 8260 PLUS MTBE & FREON1		SW8260B		Analyst: LDS		
1,1,1,2-Tetrachloroethane	U	1.0		µg/L	1	3/18/2005 1:15:00 PM
1,1,1-Trichloroethane	U	1.0		µg/L	1	3/18/2005 1:15:00 PM
1,1,2,2-Tetrachloroethane	U	1.0		µg/L	1	3/18/2005 1:15:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	U	1.0		µg/L	1	3/18/2005 1:15:00 PM
1,1,2-Trichloroethane	U	1.0		µg/L	1	3/18/2005 1:15:00 PM
1,1-Dichloroethane	U	1.0		µg/L	1	3/18/2005 1:15:00 PM
1,1-Dichloroethene	U	1.0		µg/L	1	3/18/2005 1:15:00 PM
1,1-Dichloropropene	U	1.0		µg/L	1	3/18/2005 1:15:00 PM
1,2,3-Trichlorobenzene	U	1.0		µg/L	1	3/18/2005 1:15:00 PM
1,2,3-Trichloropropane	U	1.0		µg/L	1	3/18/2005 1:15:00 PM
1,2,4-Trichlorobenzene	U	1.0		µg/L	1	3/18/2005 1:15:00 PM
1,2,4-Trimethylbenzene	U	1.0		µg/L	1	3/18/2005 1:15:00 PM
1,2-Dibromo-3-chloropropane	U	1.0		µg/L	1	3/18/2005 1:15:00 PM
1,2-Dibromoethane	U	1.0		µg/L	1	3/18/2005 1:15:00 PM
1,2-Dichlorobenzene	U	1.0		µg/L	1	3/18/2005 1:15:00 PM
1,2-Dichloroethane	U	1.0		µg/L	1	3/18/2005 1:15:00 PM
1,2-Dichloropropane	U	1.0		µg/L	1	3/18/2005 1:15:00 PM
1,3,5-Trimethylbenzene	U	1.0		µg/L	1	3/18/2005 1:15:00 PM
1,3-Dichlorobenzene	U	1.0		µg/L	1	3/18/2005 1:15:00 PM
1,3-dichloropropane	U	1.0		µg/L	1	3/18/2005 1:15:00 PM
1,4-Dichlorobenzene	U	1.0		µg/L	1	3/18/2005 1:15:00 PM
2,2-Dichloropropane	U	1.0		µg/L	1	3/18/2005 1:15:00 PM
2-Butanone	U	1.0		µg/L	1	3/18/2005 1:15:00 PM
2-Chloroethyl vinyl ether	U	1.0		µg/L	1	3/18/2005 1:15:00 PM
2-Chlorotoluene	U	1.0		µg/L	1	3/18/2005 1:15:00 PM
2-Hexanone	U	1.0		µg/L	1	3/18/2005 1:15:00 PM
4-Chlorotoluene	U	1.0		µg/L	1	3/18/2005 1:15:00 PM
4-Isopropyltoluene	U	1.0		µg/L	1	3/18/2005 1:15:00 PM
4-Methyl-2-pentanone	U	1.0		µg/L	1	3/18/2005 1:15:00 PM
Acetone	U	1.0		µg/L	1	3/18/2005 1:15:00 PM
Benzene	U	1.0		µg/L	1	3/18/2005 1:15:00 PM
Bromobenzene	U	1.0		µg/L	1	3/18/2005 1:15:00 PM
Bromochloromethane	U	1.0		µg/L	1	3/18/2005 1:15:00 PM
Bromodichloromethane	U	1.0		µg/L	1	3/18/2005 1:15:00 PM
Bromoform	U	1.0		µg/L	1	3/18/2005 1:15:00 PM
Bromomethane	U	1.0		µg/L	1	3/18/2005 1:15:00 PM
Carbon disulfide	U	1.0		µg/L	1	3/18/2005 1:15:00 PM
Carbon tetrachloride	U	1.0		µg/L	1	3/18/2005 1:15:00 PM
Chlorobenzene	U	1.0		µg/L	1	3/18/2005 1:15:00 PM
Chloroethane	U	1.0		µg/L	1	3/18/2005 1:15:00 PM

Qualifiers: * Value exceeds Maximum Contaminant Level
E Value above quantitation range
J Analyte detected below quantitation limits
S Spike Recovery outside accepted recovery limits

B Analyte detected in the associated Method Blank
H Holding times for preparation or analysis exceeded
ND Not Detected at the Reporting Limit
U Indicates the compound was analyzed for but not detected

American Analytical Laboratories, LLC.

Date: 22-Mar-05

CLIENT:	Leggette Brashears & Graham Inc.	Client Sample ID:	Trip Blank MMG
Lab Order:	0503141	Tag Number:	4622
Project:	Rowe Industries	Collection Date:	3/14/2005
Lab ID:	0503141-08A	Date Received:	3/17/2005
		Matrix:	LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
Chloroform	U	1.0		µg/L	1	3/18/2005 1:15:00 PM
Chloromethane	U	1.0		µg/L	1	3/18/2005 1:15:00 PM
cis-1,2-Dichloroethene	U	1.0		µg/L	1	3/18/2005 1:15:00 PM
cis-1,3-Dichloropropene	U	1.0		µg/L	1	3/18/2005 1:15:00 PM
Dibromochloromethane	U	1.0		µg/L	1	3/18/2005 1:15:00 PM
Dibromomethane	U	1.0		µg/L	1	3/18/2005 1:15:00 PM
Dichlorodifluoromethane	U	1.0		µg/L	1	3/18/2005 1:15:00 PM
Ethylbenzene	U	1.0		µg/L	1	3/18/2005 1:15:00 PM
Hexachlorobutadiene	U	1.0		µg/L	1	3/18/2005 1:15:00 PM
Isopropylbenzene	U	1.0		µg/L	1	3/18/2005 1:15:00 PM
m,p-Xylene	U	2.0		µg/L	1	3/18/2005 1:15:00 PM
Methyl tert-butyl ether	U	1.0		µg/L	1	3/18/2005 1:15:00 PM
Methylene chloride	U	1.0		µg/L	1	3/18/2005 1:15:00 PM
Naphthalene	U	1.0		µg/L	1	3/18/2005 1:15:00 PM
n-Butylbenzene	U	1.0		µg/L	1	3/18/2005 1:15:00 PM
n-Propylbenzene	U	1.0		µg/L	1	3/18/2005 1:15:00 PM
o-Xylene	U	1.0		µg/L	1	3/18/2005 1:15:00 PM
sec-Butylbenzene	U	1.0		µg/L	1	3/18/2005 1:15:00 PM
Styrene	U	1.0		µg/L	1	3/18/2005 1:15:00 PM
tert-Butylbenzene	U	1.0		µg/L	1	3/18/2005 1:15:00 PM
Tetrachloroethene	U	1.0		µg/L	1	3/18/2005 1:15:00 PM
Toluene	U	1.0		µg/L	1	3/18/2005 1:15:00 PM
trans-1,2-Dichloroethene	U	1.0		µg/L	1	3/18/2005 1:15:00 PM
trans-1,3-Dichloropropene	U	1.0		µg/L	1	3/18/2005 1:15:00 PM
Trichloroethene	U	1.0		µg/L	1	3/18/2005 1:15:00 PM
Trichlorofluoromethane	U	1.0		µg/L	1	3/18/2005 1:15:00 PM
Vinyl acetate	U	1.0		µg/L	1	3/18/2005 1:15:00 PM
Vinyl chloride	U	1.0		µg/L	1	3/18/2005 1:15:00 PM

Qualifiers:	*	Value exceeds Maximum Contaminant Level	B	Analyte detected in the associated Method Blank
	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded
	J	Analyte detected below quantitation limits	ND	Not Detected at the Reporting Limit
	S	Spike Recovery outside accepted recovery limits	U	Indicates the compound was analyzed for but not detected

ANALYTICAL REPORT

JOB NUMBER: 209042


Prepared For:

LEGGETTE, BRASHEARS & GRAHAM
126 Monroe Turnpike
Trumbull, CT 06611

Project: ROWE INDUSTRIES

Attention: Mark Goldberg

Date: 03/30/2005




Signature

Name: William D. Goodman

Title: Project Manager

E-Mail: wgoodman@stl-inc.com



Date

STL Connecticut
128 Long Hill Cross Road
Shelton, CT 06484

QUALITY ASSURANCE METHODS

REFERENCES AND NOTES

Report Date: 03/30/2005

REPORT COMMENTS

- 1) All pages of this report are integral parts of the analytical data. Therefore, this report should be reproduced only in its entirety.
- 2) Soil, sediment and sludge sample results are reported on a "dry weight" basis except when analyzed for landfill disposal or incineration parameters. All other solid matrix samples are reported on an "as received" basis unless noted differently.
- 3) Reporting limits are adjusted for sample size used, dilutions and moisture content if applicable.
- 4) The test results for the noted analytical method(s) meet the requirements of NELAC. Lab Cert. ID# 10604
- 5) According to 40CFR Part 136.3, pH, Chlorine Residual and Dissolved Oxygen analyses are to be performed immediately after aqueous sample collection. When these parameters are not indicated as field (e.g. pH Field) they were not analyzed immediately, but as soon as possible on laboratory receipt.

Glossary of flags, qualifiers and abbreviation

Inorganic Qualifiers (Q-Column)

- U Analyte was not detected at or above the reporting limit.
- < Not detected at or above the reporting limit.
- J Result is less than the RL, but greater than or equal to the method detection limit.
- B Result is less than the CRDL/RL, but greater than or equal to the IDL/MDL.
- S Result was determined by the Method of Standard Additions.

Inorganic Flags (Flag Column)

- ICV,CCV,ICB,CCB,ISA,ISB,CRI,CRA,MRL: Instrument related QC exceed th upper or lower control limits.
- * LCS, LCD, MD: Batch QC exceeds the upper or lower control limits.
- + MSA correlation coefficient is less than 0.995.
- 4 MS, MSD: The analyte present in the original sample is 4 times greater than the matrix spike concentration; therefore, control limits are not applicable.
- E SD: Serial dilution exceeds the control limits.
- H MB, EB: Batch QC is greater than reporting limit or had a negative instrument reading lower than the absolute value of the reporting limit.
- N MS, MSD: Spike recovery exceeds the upper or lower control limits.
- W PS: Post-digestion spike was outside 85-115% control limits.

Organic Qualifiers (Q - Column)

- U Analyte was not detected at or above the reporting limit.
- ND Compound not detected.
- J Result is an estimated value below the reporting limit or a tentatively identified compound (TIC).
- Q Result was qualitatively confirmed, but not quantified.
- C Pesticide identification was confirmed by GC/MS.
- Y The chromatographic response resembles a typical fuel pattern.
- Z The chromatographic response does not resemble a typical fuel pattern.
- E Result exceeded calibration range, secondary dilution required.

Organic Flags (Flags Column)

- MB,EB, MLE: Batch QC is greater than reporting limit.
- * LCS, LCD, CCV, MS, MSD, Surrogate, RS:Batch QC exceeds the upper or lower control limits.
- A Concentration exceeds the instrument calibration range or below the reporting limit.
- B Compound was found in the blank.
- D Surrogate or matrix spike recoveries were not obtained because the extract was diluted for analysis; also compounds analyzed at a dilution will be flagged with a D.
- H Alternate peak selection upon analytical review
- I Indicates the presence of an interference, recovery is not calculated.
- M Manually integrated compound.
- P The lower of the two values is reported when the % difference between the results of two GC columns is greater than 25%.

QUALITY ASSURANCE METHODS

REFERENCES AND NOTES

Report Date: 03/30/2005

Abbreviations

Batch	Designation given to identify a specific extraction, digestion, preparation set, or analysis set
CAP	Capillary Column
CCB	Continuing Calibration Blank
CCV	Continuing Calibration Verification
CF	Confirmation Analysis
CRA	Low Level Standard Check - GFAA; Mercury
CRI	Low Level Standard Check - ICP
Dil Fac	Dilution Factor
DL	Secondary dilution and analysis
DLFac	Detection Limit Factor
DSH	Distilled Standard - High Level
DSL	Distilled Standard - Low Level
DSM	Distilled Standard - Medium Level
EB	Extraction Blank
ICB	Initial Calibration Blank
ICV	Initial Calibration Verification
IDL	Instrument Detection Limit
ISA	Interference Check Sample A
ISB	Interference Check Sample B
Job No.	The first six digits of the sample ID which refers to a specific client, project and sample group
Lab ID	An 8 number unique laboratory identification
LCD	Laboratory Control Standard Duplicate
LCS	Laboratory Control Standard with reagent grade water or a matrix free from the analyte of interest
MB	Method Blank or (PB) Preparation Blank
MD	Method Duplicate
MDL	Method Detection Limit
MLE	Medium Level Extraction Blank
MRL	Method Reporting Limit Standard
MSA	Method of Standard Additions
MS	Matrix Spike
MSD	Matrix Spike Duplicate
ND	Not Detected
PACK	Packed Column
PREPF	Preparation factor used by the Laboratory's Information Management System (LIMS)
PS	Post Spike
PSD	Post Spike Duplicate
RA	Re-analysis
RE	Re-extraction and analysis
RL	Reporting Limit
RPD	Relative Percent Difference of duplicate (unrounded) analyses
RRF	Relative Response Factor
RS	Reference Standard
RT	Retention Time
RTW	Retention Time Window
SampleID	A 9 digit number unique for each sample, the first six digits are referred as the job number
SCB	Seeded Control Blank
SD	Serial Dilution
UCB	Unseeded Control Blank

One or a combination of these data qualifiers and abbreviations may appear in the analytical report.

CHAIN OF CUSTODY RECORD

STL JOB #:

CLIENT: LBG- 126 Monroe Turnpike, Tumbull, CT

PROJECT ID: Ronze

STL PROJECT MGR: Bill Goodman

RUSH	☐	YES	☒	NO	DUE DATE
------	--------------------------	-----	-------------------------------------	----	----------

☒ NO

DUE DATE

[illegible]

209042

LEGGETTE, BRASHEARS GRAHAM
MARK GOLDBERG
BOWE INDUSTRIES

03/29/2005

MATRIX CODES

A - AIR
AQ - AQUEOUS
C - COMPLEX
D - DRUM WASTE
OI - OIL
S - SOIL
SL - SLUDGE
W - WIPE
O - OTHER
FB - FIELD BLANK
TB - TRIP BLANK

BOTTLES PREPARED BY

SIGNATURE

SAMPLES COLLECTED BY

SIGNATURE

DATE/TIME

DATE/TIME

DATE/TIME 1/17/05 8:55

10/11/17

BOTTLES REC'D BY

SIGNATURE	
-----------	--

RECEIVED IN LAB R

SIGNATURE

DATE/TIME

DATE/TIME
3/17/25

08/5

DATE/TIME

REMARKS ON SAMPLE RECEIPT

☐ BOTTLES INTACT ☐ CUSTODY SEALS
☐ PRESERVED ☐ SEALS INTACT
☐ CHILLED ☐ SEE REMARKS

rpjsckl

Job Sample Receipt Checklist Report

V2

Job Number.: 209042 Location.: 57207 Check List Number.: 1 Description.:
Customer Job ID..... Job Check List Date.:
Project Number.: 20000283 Project Description.: Rowe Industries
Customer.....: LEGGETTE, BRASHEARS & GRAHAM Contact.: Mark Goldberg

Date of the Report...: 03/17/2005
Project Manager.....: wdg

Questions ?

(Y/N) Comments

Chain-of-Custody Present?..... Y

...If "yes", completed properly?..... Y

Custody seal on shipping container?..... Y

...If "yes", custody seal intact?..... Y

Custody seals on sample containers?..... N

...If "yes", custody seal intact?.....

Samples iced?..... N NO COOLER NO ICE

Temperature of cooler acceptable? (4 deg C +/- 2). N 7.6C

Samples received intact (good condition)?..... Y

Volatile samples acceptable? (no headspace)..... N ONE VIAL FOR FRW-2 REC. W/HEADSPACE

Correct containers used?..... Y

Adequate sample volume provided?..... Y

Samples preserved correctly?.....

Samples received within holding-time?..... Y

Agreement between COC and sample labels?..... Y

Radioactivity at or below background levels?..... Y

A Sample Discrepancy Report (SDR) was needed?..... N

Comments.....

If samples were shipped was there an air bill #?.. N P/U BY DICK

Sample Custodian Signature/Date..... Y

STL Burlington
Colchester, Vermont

Extended Data Package

SDG: 209042

SEVERN

TRENT

STL

NARRATIVE



STL Burlington
208 South Park Drive, Suite 1
Colchester, VT 05446

Tel: 802 655 1203 Fax: 802 655 1248
www.stl-inc.com

March 29, 2005

Mr. Bill Goodman
Severn Trent Laboratories
128 Long Hill Cross Road
Shelton, CT 06484

Re: Laboratory Project No. 25001
Case: 25001; SDG: 209042

Dear Mr. Goodman:

Enclosed are the analytical results for samples received by STL Burlington on March 18, 2005. This report is sequentially numbered starting with page 0001 and ending with page 0057.

Laboratory numbers have been assigned and designated as follows:

<u>Lab ID</u>	<u>Client Sample ID</u>	<u>Sample Date</u>	<u>Sample Matrix</u>
Received: 03/18/05 ETR No: 105971			
611394	FRW-1	03/14/05	Water
611395	FRW-2	03/14/05	Water
611396	FRW-3	03/14/05	Water
611397	MW-45A	03/16/05	Water

Documentation of the condition of the samples at the time their receipt and any exceptions to the laboratory's Sample Acceptance Policy is included in the Sample Handling section of this submittal.

RSK-175 – Dissolved Gases (Ethane and Ethene):

No exceptions to the method prescribed quality control criteria were observed during the analyses of the samples in this delivery group.

Client specified matrix spike/matrix spike duplicate samples were not analyzed or requested with the above samples. However, routine method quality control analyses were performed.

The analytical results presented in this data report were generated under a quality system that adheres to the requirements specified in the NELAC standard. This report shall not be reproduced, except in full, without the written approval of the laboratory. The release of the data in this report is authorized by the Laboratory Director or his designee, as verified by the following signature.

If there are any questions regarding this submittal, please contact Ron Pentkowski at 802 655-1203.

Sincerely,

A handwritten signature in cursive script, appearing to read "Ron Pentkowski" with a flourish at the end.

Michael F. Wheeler, Ph.D.
Laboratory Director

Enclosure

STL Burlington Data Qualifier Definitions

Organic

- U: Compound analyzed but not detected at a concentration above the reporting limit.
- J: Estimated value.
- N: Indicates presumptive evidence of a compound. This flag is used only for tentatively identified compounds (TICs) where the identification of a compound is based on a mass spectral library search.
- P: Greater than 25% difference for detected concentrations between two GC columns. Unless otherwise specified in project QA plan, the lower of the two values is reported on the Form I.
- C: Pesticide result whose identification has been confirmed by GC/MS.
- B: Analyte is found in the sample and the associated method blank. The flag is used for tentatively identified compounds as well as positively identified compounds.
- E: Compounds whose concentrations exceed the upper limit of the calibration range of the instrument for that specific analysis.
- D: Concentrations identified from analysis of the sample at a secondary dilution.
- A: Tentatively identified compound is a suspected aldol condensation product.
- X,Y,Z: Laboratory defined flags that may be used alone or combined, as needed. If used, the description of the flag is defined in the project narrative.

Inorganic/Metals

- E: Reported value is estimated due to the presence of interference.
- N: Matrix spike sample recovery is not within control limits.
- * Duplicate sample analysis is not within control limits.
- B: The result reported is less than the reporting limit but greater than the instrument detection limit.
- U: Analyte was analyzed for but not detected above the reporting limit.

Method Codes:

- P ICP-AES
MS ICP-MS
CV Cold Vapor AA
AS Semi-Automated Spectrophotometric

0002

03/17/2005

STL Connecticut

RE: Subcontract Chain of Custody

STL CT Project Manager: William D. Goodman
Telephone Number: 203-944-1318
PO/Job #: 209042
Client: LEGGETTE, BRASHEARS & GRAHAM
Project Name: ROWE INDUSTRIES
SDG Complete: Y
VTSR Date: 03/17/2005
Hardcopy Due Date: 03/29/2005
Report Type: level 4
EDD Type: .pdf

Samp#	Sample I.D.	Sampled	Time
1	FRW-1	03/14/2005	1450
2	FRW-2	03/14/2005	1430
3	FRW-3	03/14/2005	1510
4	MW-45A	03/16/2005	1124

Mthds	Method Description	#of	Analytical Mthd
	Sample Distribution		Unit Price Extended
RSK175	RSK-175		RSK-175
1-4		4	\$110.00 \$440.00

Total Cost \$440.00

Matrix: Water

Bottle Type & Number: 2 x 40mL VOA Unpreserved

Ship To: Ron Pentkowski c/o STL Burlington

Ship Date: 06/17/2005

Special Instructions:

Prices include rush premium, if applicable.
Please overnight a paginated single-sided unbound hardcopy.
Please use client IDs in hardcopy report.
Please send EDD with hardcopy report.

Sending Laboratory:

Date:

Receiving Laboratory:

Date:

PLEASE SEND A SAMPLE CONFIRMATION REPORT UPON SAMPLE RECEIPT

0003



RSK-175 CARBON DIOXIDE

QC SUMMARY

0004

FORM 3
WATER VOLATILE LAB CONTROL SAMPLE

Lab Name: STL BURLINGTON

Contract: 25001

Lab Code: STLVT

Case No.: 25001

SAS No.:

SDG No.: 209042

Matrix Spike - Sample No.: M3LCS

COMPOUND	SPIKE ADDED (ug/L)	SAMPLE CONCENTRATION (ug/L)	LCS CONCENTRATION (ug/L)	LCS % REC #	QC. LIMITS REC.
Ethane	140		120	86	70-130
Ethene	130		120	92	70-130

Column to be used to flag recovery and RPD values with an asterisk

* Values outside of QC limits

RPD: 0 out of 0 outside limits

Spike Recovery: 0 out of 2 outside limits

COMMENTS:

FORM 4
VOLATILE METHOD BLANK SUMMARY

CLIENT SAMPLE NO.

ABLKM3

Lab Name: STL BURLINGTON

Contract: 25001

Lab Code: STLVT

Case No.: 25001

SAS No.:

SDG No.: 209042

Lab File ID: 25MA051038-R031

Lab Sample ID: ABLKM3

Date Analyzed: 03/25/05

Time Analyzed: 1115

GC Column: RTUPLLOT ID: 0.32 (mm)

Heated Purge: (Y/N) N

Instrument ID: 2866_1

THIS METHOD BLANK APPLIES TO THE FOLLOWING SAMPLES, MS and MSD:

	SAMPLE NO.	LAB SAMPLE ID	LAB FILE ID	TIME ANALYZED
	=====	=====	=====	=====
01	M3LCS	M3LCS	25MA051038-R	1111
02	FRW-1	611394	25MA051245-R	1256
03	FRW-2	611395	25MA051245-R	1301
04	FRW-3	611396	25MA051245-R	1306
05	MW-45A	611397	25MA051245-R	1312
06				
07				
08				
09				
10				
11				
12				
13				
14				
15				
16				
17				
18				
19				
20				
21				
22				
23				
24				
25				
26				
27				
28				
29				
30				

COMMENTS:

FORM 8
VOLATILE ANALYTICAL SEQUENCE

Lab Name: STL BURLINGTON

Contract: 25001

Lab Code: STLVT

Case No.: 25001

SAS No.:

SDG No.: 209042

GC Column: RTUPLLOT ID: 0.32 (mm) Init. Calib. Date(s): 10/28/04 10/28/04

Instrument ID: 2866_1

THE ANALYTICAL SEQUENCE OF PERFORMANCE EVALUATION MIXTURES, BLANKS,
SAMPLES, AND STANDARDS IS GIVEN BELOW:

MEAN SURROGATE RT FROM INITIAL CALIBRATION					
CLIENT SAMPLE NO.	LAB SAMPLE ID	DATE ANALYZED	TIME ANALYZED	RT #	RT #
=====	=====	=====	=====	=====	=====
01 CCV	CCV	03/25/05	1045		
02 M3LCS	M3LCS	03/25/05	1111		
03 ABLKM3	ABLKM3	03/25/05	1115		
04 FRW-1	611394	03/25/05	1256		
05 FRW-2	611395	03/25/05	1301		
06 FRW-3	611396	03/25/05	1306		
07 MW-45A	611397	03/25/05	1312		
08 CCV	CCV	03/25/05	1526		
09					
10					
11					
12					
13					
14					
15					
16					
17					
18					
19					
20					
21					
22					
23					
24					
25					
26					
27					
28					
29					
30					
31					
32					

QC LIMITS

Column used to flag retention time values with an asterisk.
* Values outside of QC limits.



RSK-175 CARBON DIOXIDE

SUPPORTIVE DOCUMENTATION

FORM 1
VOLATILE ORGANICS ANALYSIS DATA SHEET

STLCTS SAMPLE NO.

FRW-1

Lab Name: STL BURLINGTON

Contract: 25001

Lab Code: STLVT

Case No.: 25001

SAS No.:

SDG No.: 209042

Matrix: (soil/water) WATER

Lab Sample ID: 611394

Sample wt/vol: _____ (g/mL) ML

Lab File ID: 25MA051245-R011

Level: (low/med) LOW

Date Received: 03/18/05

% Moisture: not dec. _____

Date Analyzed: 03/25/05

GC Column: RTUPLOT ID: 0.32 (mm)

Dilution Factor: 1.0

Soil Extract Volume: _____ (uL)


Soil Aliquot Volume: _____ (uL)

CAS NO.	COMPOUND	CONCENTRATION UNITS: (ug/L or ug/Kg) UG/L	Q
---------	----------	--	---

74-84-0-----	Ethane	4.0	U
74-85-1-----	Ethene	3.0	U

Data File: /var/chem/2866_1.i/25HAR06RSK.b/25ma051245-p011.d
Date: 25-MAR-2008 12:56
Client ID: FRM-1
Sample Info: FRM-1: I 103/14/06 01450(Water)
Column phase: RTUPLOT

Instrument: 2866_1.1
Operator: JKN
Column diameter: 0.32



Data File: /var/chem/2866_1.i/25MAR05RSK.b/25ma051245-r011.d
Report Date: 28-Mar-2005 19:38

Page 1

STL Burlington

Data file : /var/chem/2866_1.i/25MAR05RSK.b/25ma051245-r011.d
Lab Smp Id: 611394 Client Smp ID: FRW-1
Inj Date : 25-MAR-2005 12:56
Operator : JKN Inst ID: 2866_1.i
Smp Info : FRW-1 :[]03/14/05 @1450(Water)
Misc Info :
Comment :
Method : /var/chem/2866_1.i/25MAR05RSK.b/cRSK175.m
Meth Date : 28-Mar-2005 19:38 jdl Quant Type: ESTD
Cal Date : 28-OCT-2004 14:00 Cal File: 28oct041316-r051.d
Als bottle: 1
Dil Factor: 1.00000
Integrator: Falcon Compound Sublist: EtaEtewo.sub
Target Version: 3.50
Processing Host: chemsvr5

Concentration Formula: Amt * DF * 1 * CpndVariable

Name	Value	Description
DF	1.00000	Dilution Factor

Compounds	RT	EXP RT	DLT RT	RESPONSE	CONCENTRATIONS	
					ON-COLUMN (ug/L)	FINAL (ug/L)
2 Ethene				Compound Not Detected.		
3 Ethane				Compound Not Detected.		

0011

FORM 1
VOLATILE ORGANICS ANALYSIS DATA SHEET

STLCTS SAMPLE NO.

FRW-2

Lab Name: STL BURLINGTON

Contract: 25001

Lab Code: STLVT

Case No.: 25001

SAS No.:

SDG No.: 209042

Matrix: (soil/water) WATER

Lab Sample ID: 611395

Sample wt/vol: _____ (g/mL) ML

Lab File ID: 25MA051245-R021

Level: (low/med) LOW

Date Received: 03/18/05

% Moisture: not dec. _____

Date Analyzed: 03/25/05

GC Column: RTUPLLOT ID: 0.32 (mm)

Dilution Factor: 1.0

Soil Extract Volume: _____ (uL)


Soil Aliquot Volume: _____ (uL)

CAS NO.	COMPOUND	CONCENTRATION UNITS: (ug/L or ug/Kg) UG/L	Q
---------	----------	--	---

74-84-0-----Ethane	4.0	U
74-85-1-----Ethene	3.0	U

Data File: /var/chem/2866.1.i/25HAR05RSK.b/25ma051245-r021.d
Date: 25-HAR-2005 13101
Client ID: FRM-2
Sample Info: FRM-2 : (103/14/05 01430(Water))
Column phase: RTUPL0T

Instrument: 2866.1.i
Operator: JKN
Column diameter: 0.32



0013

STL Burlington

Data file : /var/chem/2866_1.i/25MAR05RSK.b/25ma051245-r021.d
Lab Smp Id: 611395 Client Smp ID: FRW-2
Inj Date : 25-MAR-2005 13:01
Operator : JKN Inst ID: 2866_1.i
Smp Info : FRW-2 :[]03/14/05 @1430(Water)
Misc Info :
Comment :
Method : /var/chem/2866_1.i/25MAR05RSK.b/cRSK175.m
Meth Date : 28-Mar-2005 19:38 jdl Quant Type: ESTD
Cal Date : 28-OCT-2004 14:00 Cal File: 28oct041316-r051.d
Als bottle: 1
Dil Factor: 1.00000
Integrator: Falcon Compound Sublist: EtaEtewo.sub
Target Version: 3.50
Processing Host: chemsvr5

Concentration Formula: Amt * DF * 1 * CpndVariable

Name	Value	Description
DF	1.00000	Dilution Factor

Compounds	RT	EXP RT	DLT RT	RESPONSE	CONCENTRATIONS	
					ON-COLUMN (ug/L)	FINAL (ug/L)
2 Ethene				Compound Not Detected.		
3 Ethane				Compound Not Detected.		

FORM 1
VOLATILE ORGANICS ANALYSIS DATA SHEET

STLCTS SAMPLE NO.

FRW-3

Lab Name: STL BURLINGTON

Contract: 25001

Lab Code: STLVT

Case No.: 25001

SAS No.:

SDG No.: 209042

Matrix: (soil/water) WATER

Lab Sample ID: 611396

Sample wt/vol: _____ (g/mL) ML

Lab File ID: 25MA051245-R031

Level: (low/med) LOW

Date Received: 03/18/05

% Moisture: not dec. _____

Date Analyzed: 03/25/05

GC Column: RTUPLOT ID: 0.32 (mm)

Dilution Factor: 1.0

Soil Extract Volume: _____ (uL)

Soil Aliquot Volume: _____ (uL)

CAS NO.	COMPOUND	CONCENTRATION UNITS: (ug/L or ug/Kg) UG/L	Q
---------	----------	--	---

74-84-0-----	Ethane	4.0	U
--------------	--------	-----	---


74-85-1-----	Ethene	3.0	U
--------------	--------	-----	---

FORM I VOA

0015

Data File: /var/chem/2866_1.i/25HAR05RSK.b/25ma051245-r031.d
Date: 25-HAR-2005 13:06
Client ID: FRM-3
Sample Info: FRM-3 [T 103/14/05 04510(Mater)
Column phase: RTUPL0T

Instrument: 2866_1.1
Operator: JKN
Column diameter: 0.32



0016

Data File: /var/chem/2866_1.i/25MAR05RSK.b/25ma051245-r031.d
Report Date: 28-Mar-2005 19:38

Page 1

STL Burlington

Data file : /var/chem/2866_1.i/25MAR05RSK.b/25ma051245-r031.d
Lab Smp Id: 611396 Client Smp ID: FRW-3
Inj Date : 25-MAR-2005 13:06
Operator : JKN Inst ID: 2866_1.i
Smp Info : FRW-3 :[]03/14/05 @1510(Water)
Misc Info :
Comment :
Method : /var/chem/2866_1.i/25MAR05RSK.b/cRSK175.m
Meth Date : 28-Mar-2005 19:38 jdl Quant Type: ESTD
Cal Date : 28-OCT-2004 14:00 Cal File: 28oct041316-r051.d
Als bottle: 1
Dil Factor: 1.00000
Integrator: Falcon Compound Sublist: EtaEtewo.sub
Target Version: 3.50
Processing Host: chemsvr5

Concentration Formula: Amt * DF * 1 * CpndVariable

Name	Value	Description
DF	1.00000	Dilution Factor

Compounds	RT	EXP RT	DLT RT	RESPONSE	CONCENTRATIONS	
					ON-COLUMN (ug/L)	FINAL (ug/L)
2 Ethene				Compound Not Detected.		
3 Ethane				Compound Not Detected.		

FORM 1
VOLATILE ORGANICS ANALYSIS DATA SHEET

STLCTS SAMPLE NO.

MW-45A

Lab Name: STL BURLINGTON

Contract: 25001

Lab Code: STLVT

Case No.: 25001

SAS No.:

SDG No.: 209042

Matrix: (soil/water) WATER

Lab Sample ID: 611397

Sample wt/vol: _____ (g/mL) ML

Lab File ID: 25MA051245-R041

Level: (low/med) LOW

Date Received: 03/18/05

% Moisture: not dec. _____

Date Analyzed: 03/25/05

GC Column: RTUPLOT ID: 0.32 (mm)

Dilution Factor: 1.0

Soil Extract Volume: _____ (uL)

Soil Aliquot Volume: _____ (uL)

CAS NO.	COMPOUND	CONCENTRATION UNITS: (ug/L or ug/Kg) UG/L	Q
---------	----------	--	---

74-84-0-----	Ethane	4.0	U
74-85-1-----	Ethene	3.0	U

Data File: /var/chem/2866_1.1/25MAR05RSK,b/25ma051245-r041.d

Date : 25-MAR-2005 13:12

Client ID: MM-45A


Sample Info: MM-45A : [103/16/05 01124(Water)]

Column phase: RTUPLOT

Instrument: 2866_1.1

Operator: JKN

Column diameter: 0.32



0019

STL Burlington

Data file : /var/chem/2866_1.i/25MAR05RSK.b/25ma051245-r041.d
 Lab Smp Id: 611397 Client Smp ID: MW-45A
 Inj Date : 25-MAR-2005 13:12
 Operator : JKN Inst ID: 2866_1.i
 Smp Info : MW-45A :[]03/16/05 @1124(Water)
 Misc Info :
 Comment :
 Method : /var/chem/2866_1.i/25MAR05RSK.b/cRSK175.m
 Meth Date : 28-Mar-2005 19:38 jdl Quant Type: ESTD
 Cal Date : 28-OCT-2004 14:00 Cal File: 28oct041316-r051.d
 Als bottle: 1
 Dil Factor: 1.00000
 Integrator: Falcon Compound Sublist: EtaEtewo.sub
 Target Version: 3.50
 Processing Host: chemsvr5

Concentration Formula: Amt * DF * 1 * CpndVariable

Name	Value	Description
DF	1.00000	Dilution Factor

Compounds	RT	EXP RT	DLT RT	RESPONSE	CONCENTRATIONS	
					ON-COLUMN (ug/L)	FINAL (ug/L)
2 Ethene						
3 Ethane						



NYSDOH	11418
NJDEP	NY050
CTDOH	PH-0205
PADEP	68-00573

Friday, May 27, 2005

Mark Goldberg
Leggette Brashears & Graham Inc.
126 Monroe Turnpike
Trumbull, CT 06611

TEL: (203) 452-3110

FAX (203) 452-3111

RE: Rowe Quarterly

Order No.: 0505171

Dear Mark Goldberg:

American Analytical Laboratories, LLC. received 7 sample(s) on 5/24/2005 for the analyses presented in the following report.

Samples were analyzed in accordance with the test procedures documented on the chain of custody and detailed throughout the text of this report.

The limits provided in the data package are analytical reporting limits and not Federal or Local mandated values to which the sample results should be compared.

There were no problems with the analyses and all data for associated QC met laboratory specifications.

If you have any questions regarding these tests results, please do not hesitate to call (631) 454-6100 or email me directly at lbeyer@american-analytical.com.

Sincerely,

Lori Beyer
Lab Director

American Analytical Laboratories, LLC.

Date: 27-May-05

CLIENT: Leggette Brashears & Graham Inc.
Project: Rowe Quarterly
Lab Order: 0505171

Work Order Sample Summary

Lab Sample ID	Client Sample ID	Tag Number	Collection Date	Date Received
0505171-01A	FRW-1	4615	5/17/2005 10:02:00 AM	5/24/2005
0505171-01B	FRW-1	4615	5/17/2005 10:02:00 AM	5/24/2005
0505171-01C	FRW-1	4615	5/17/2005 10:02:00 AM	5/24/2005
0505171-01D	FRW-1	4615	5/17/2005 10:02:00 AM	5/24/2005
0505171-01E	FRW-1	4615	5/17/2005 10:02:00 AM	5/24/2005
0505171-02A	FRW-2	4615	5/17/2005 10:29:00 AM	5/24/2005
0505171-02B	FRW-2	4615	5/17/2005 10:29:00 AM	5/24/2005
0505171-02C	FRW-2	4615	5/17/2005 10:29:00 AM	5/24/2005
0505171-02D	FRW-2	4615	5/17/2005 10:29:00 AM	5/24/2005
0505171-02E	FRW-2	4615	5/17/2005 10:29:00 AM	5/24/2005
0505171-03A	FRW-3	4615	5/17/2005 10:57:00 AM	5/24/2005
0505171-03B	FRW-3	4615	5/17/2005 10:57:00 AM	5/24/2005
0505171-03C	FRW-3	4615	5/17/2005 10:57:00 AM	5/24/2005
0505171-03D	FRW-3	4615	5/17/2005 10:57:00 AM	5/24/2005
0505171-03E	FRW-3	4615	5/17/2005 10:57:00 AM	5/24/2005
0505171-04A	FRW-4	4615	5/17/2005 11:30:00 AM	5/24/2005
0505171-04B	FRW-4	4615	5/17/2005 11:30:00 AM	5/24/2005
0505171-04C	FRW-4	4615	5/17/2005 11:30:00 AM	5/24/2005
0505171-04D	FRW-4	4615	5/17/2005 11:30:00 AM	5/24/2005
0505171-04E	FRW-4	4615	5/17/2005 11:30:00 AM	5/24/2005
0505171-05A	MW-45A	4615	5/17/2005 1:51:00 PM	5/24/2005
0505171-05B	MW-45A	4615	5/17/2005 1:51:00 PM	5/24/2005
0505171-05C	MW-45A	4615	5/17/2005 1:51:00 PM	5/24/2005
0505171-05D	MW-45A	4615	5/17/2005 1:51:00 PM	5/24/2005
0505171-05E	MW-45A	4615	5/17/2005 1:51:00 PM	5/24/2005
0505171-06A	MW-98-04	4615	5/17/2005 1:32:00 PM	5/24/2005
0505171-06B	MW-98-04	4615	5/17/2005 1:32:00 PM	5/24/2005
0505171-07A	Trip Blank	4615	5/17/2005	5/24/2005

☒ YES / NO

PRINTED NAME

American Analytical Laboratories, LLC.
56 Toledo Street
Farmingdale, NY 11735-

TEL: 6314546100 FAX: 6314548027

Subcontractor:

EcoTest Laboratories, Inc.
377 Sheffield Avenue
North Babylon, NY 11703

TEL: (631) 422-5777
FAX: (631) 422-5770
Acct #:

CHAIN-OF-CUSTODY RECORD

Page 1 of 1

24-May-05

Sample ID	Matrix	Collection Date	Bottle Type	Requested Tests			
				SW9060			
0505171-01D	Liquid	5/17/2005 10:02:00 AM		1			
0505171-02D	Liquid	5/17/2005 10:29:00 AM		1			
0505171-03D	Liquid	5/17/2005 10:57:00 AM		1			
0505171-04D	Liquid	5/17/2005 11:30:00 AM		1			
0505171-05D	Liquid	5/17/2005 1:51:00 PM		1			
0505171-06B	Liquid	5/17/2005 1:32:00 PM	250MLPH2SO4	1			

Comments: Analyze for TOC.
Normal TAT, Thanks.

Temp - cold

Relinquished by:	<u>Chris Dunn</u>	Date/Time	<u>5-25-05 10:25</u>
Relinquished by:		Date/Time	<u>5/25/05 10:3</u>

AMERICAN ANALYTICAL LABORATORIES, LLC

56 TOLEDO STREET

FARMINGDALE, NEW YORK 11735

TELEPHONE: (631) 454-6100

FAX: (631) 454-8027

DATA REPORTING QUALIFIERS

For reporting results, the following "Results Qualifiers" are used:

Value	If the result is greater than or equal to the detection limit, report the value
U	Indicates the compound was analyzed for but was not detected. Report the minimum detection limit for the sample with the U, i.e. "10U". This is not necessarily the instrument detection limit attainable for this particular sample based on any concentration or dilution that may have been required.
J	Indicates an estimated value. The flag is used: (1) When estimating a concentration for a tentatively identified compound (library search hits, where a 1:1 response is assumed.) (2) When the mass spectral data indicated the identification, however the result was less than the specified detection limit greater than zero. If the detection limit was 10ug/L and a concentration of 3ug/L was calculated report as 3J. This flag is used when similar situations arise on any organic parameter i.e. Pesticide, PCBs and others.
B	Indicates the analyte was found in the blank as well as the sample report "10B".
E	Indicates the analytes concentration exceeds the calibrated range of the instrument for that specific analysis.
D	This flag identifies all compounds identified in an analysis at a secondary dilution factor.
P	This flag is used for Pesticide / PCB target analyte when there is >25% difference for detected concentrations between the two GC Columns. The higher of the two values is reported on Form I and flagged with a "P".
N	This flag indicates presumptive evidence of a compound. This is only used for tentatively identified compounds (TICs), where the identification is based on a mass spectral library search. It applies to all TIC results. For generic characterization of a TIC, such as chlorinated hydrocarbon, the flag is not used.
H	Indicates sample was received and/or analyzed outside of The method allowable holding time

American Analytical Laboratories, LLC.

Date: 27-May-05

CLIENT: Leggette Brashears & Graham Inc.
Lab Order: 0505171
Project: Rowe Quarterly
Lab ID: 0505171-01A

Client Sample ID: FRW-1
Tag Number: 4615
Collection Date: 5/17/2005 10:02:00 AM
Matrix: LIQUID

Date Received: 5/24/2005

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILES SW-846 8260 PLUS MTBE & FREON1		SW8260B		Analyst: LDS		
1,1,1,2-Tetrachloroethane	U	1.0		µg/L	1	5/24/2005 12:54:00 PM
1,1,1-Trichloroethane	U	1.0		µg/L	1	5/24/2005 12:54:00 PM
1,1,2,2-Tetrachloroethane	U	1.0		µg/L	1	5/24/2005 12:54:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	U	1.0		µg/L	1	5/24/2005 12:54:00 PM
1,1,2-Trichloroethane	U	1.0		µg/L	1	5/24/2005 12:54:00 PM
1,1-Dichloroethane	U	1.0		µg/L	1	5/24/2005 12:54:00 PM
1,1-Dichloroethene	U	1.0		µg/L	1	5/24/2005 12:54:00 PM
1,1-Dichloropropene	U	1.0		µg/L	1	5/24/2005 12:54:00 PM
1,2,3-Trichlorobenzene	U	1.0		µg/L	1	5/24/2005 12:54:00 PM
1,2,3-Trichloropropane	U	1.0		µg/L	1	5/24/2005 12:54:00 PM
1,2,4-Trichlorobenzene	U	1.0		µg/L	1	5/24/2005 12:54:00 PM
1,2,4-Trimethylbenzene	U	1.0		µg/L	1	5/24/2005 12:54:00 PM
1,2-Dibromo-3-chloropropane	U	1.0		µg/L	1	5/24/2005 12:54:00 PM
1,2-Dibromoethane	U	1.0		µg/L	1	5/24/2005 12:54:00 PM
1,2-Dichlorobenzene	U	1.0		µg/L	1	5/24/2005 12:54:00 PM
1,2-Dichloroethane	U	1.0		µg/L	1	5/24/2005 12:54:00 PM
1,2-Dichloropropane	U	1.0		µg/L	1	5/24/2005 12:54:00 PM
1,3,5-Trimethylbenzene	U	1.0		µg/L	1	5/24/2005 12:54:00 PM
1,3-Dichlorobenzene	U	1.0		µg/L	1	5/24/2005 12:54:00 PM
1,3-dichloropropane	U	1.0		µg/L	1	5/24/2005 12:54:00 PM
1,4-Dichlorobenzene	U	1.0		µg/L	1	5/24/2005 12:54:00 PM
2,2-Dichloropropane	U	1.0		µg/L	1	5/24/2005 12:54:00 PM
2-Butanone	U	1.0		µg/L	1	5/24/2005 12:54:00 PM
2-Chloroethyl vinyl ether	U	1.0		µg/L	1	5/24/2005 12:54:00 PM
2-Chlorotoluene	U	1.0		µg/L	1	5/24/2005 12:54:00 PM
2-Hexanone	U	1.0		µg/L	1	5/24/2005 12:54:00 PM
4-Chlorotoluene	U	1.0		µg/L	1	5/24/2005 12:54:00 PM
4-Isopropyltoluene	U	1.0		µg/L	1	5/24/2005 12:54:00 PM
4-Methyl-2-pentanone	U	1.0		µg/L	1	5/24/2005 12:54:00 PM
Acetone	U	1.0		µg/L	1	5/24/2005 12:54:00 PM
Benzene	U	1.0		µg/L	1	5/24/2005 12:54:00 PM
Bromobenzene	U	1.0		µg/L	1	5/24/2005 12:54:00 PM
Bromochloromethane	U	1.0		µg/L	1	5/24/2005 12:54:00 PM
Bromodichloromethane	U	1.0		µg/L	1	5/24/2005 12:54:00 PM
Bromoform	U	1.0		µg/L	1	5/24/2005 12:54:00 PM
Bromomethane	U	1.0		µg/L	1	5/24/2005 12:54:00 PM
Carbon disulfide	U	1.0		µg/L	1	5/24/2005 12:54:00 PM
Carbon tetrachloride	U	1.0		µg/L	1	5/24/2005 12:54:00 PM
Chlorobenzene	U	1.0		µg/L	1	5/24/2005 12:54:00 PM
Chloroethane	U	1.0		µg/L	1	5/24/2005 12:54:00 PM

Qualifiers:

- * Value exceeds Maximum Contaminant Level
- E Value above quantitation range
- J Analyte detected below quantitation limits
- S Spike Recovery outside accepted recovery limits

- B Analyte detected in the associated Method Blank
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- U Indicates the compound was analyzed for but not detected

American Analytical Laboratories, LLC.

Date: 27-May-05

CLIENT:	Leggette Brashears & Graham Inc.	Client Sample ID:	FRW-1
Lab Order:	0505171	Tag Number:	4615
Project:	Rowe Quarterly	Collection Date:	5/17/2005 10:02:00 AM
Lab ID:	0505171-01A	Date Received:	5/24/2005
		Matrix:	LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
Chloroform	U	1.0		µg/L	1	5/24/2005 12:54:00 PM
Chloromethane	U	1.0		µg/L	1	5/24/2005 12:54:00 PM
cis-1,2-Dichloroethene	4.0	1.0		µg/L	1	5/24/2005 12:54:00 PM
cis-1,3-Dichloropropene	U	1.0		µg/L	1	5/24/2005 12:54:00 PM
Dibromochloromethane	U	1.0		µg/L	1	5/24/2005 12:54:00 PM
Dibromomethane	U	1.0		µg/L	1	5/24/2005 12:54:00 PM
Dichlorodifluoromethane	U	1.0		µg/L	1	5/24/2005 12:54:00 PM
Ethylbenzene	U	1.0		µg/L	1	5/24/2005 12:54:00 PM
Hexachlorobutadiene	U	1.0		µg/L	1	5/24/2005 12:54:00 PM
Isopropylbenzene	U	1.0		µg/L	1	5/24/2005 12:54:00 PM
m,p-Xylene	U	2.0		µg/L	1	5/24/2005 12:54:00 PM
Methyl tert-butyl ether	U	1.0		µg/L	1	5/24/2005 12:54:00 PM
Methylene chloride	U	1.0		µg/L	1	5/24/2005 12:54:00 PM
Naphthalene	U	1.0		µg/L	1	5/24/2005 12:54:00 PM
n-Butylbenzene	U	1.0		µg/L	1	5/24/2005 12:54:00 PM
n-Propylbenzene	U	1.0		µg/L	1	5/24/2005 12:54:00 PM
o-Xylene	U	1.0		µg/L	1	5/24/2005 12:54:00 PM
sec-Butylbenzene	U	1.0		µg/L	1	5/24/2005 12:54:00 PM
Styrene	U	1.0		µg/L	1	5/24/2005 12:54:00 PM
tert-Butylbenzene	U	1.0		µg/L	1	5/24/2005 12:54:00 PM
Tetrachloroethene	150	1.0		µg/L	1	5/24/2005 12:54:00 PM
Toluene	U	1.0		µg/L	1	5/24/2005 12:54:00 PM
trans-1,2-Dichloroethene	U	1.0		µg/L	1	5/24/2005 12:54:00 PM
trans-1,3-Dichloropropene	U	1.0		µg/L	1	5/24/2005 12:54:00 PM
Trichloroethene	U	1.0		µg/L	1	5/24/2005 12:54:00 PM
Trichlorofluoromethane	U	1.0		µg/L	1	5/24/2005 12:54:00 PM
Vinyl acetate	U	1.0		µg/L	1	5/24/2005 12:54:00 PM
Vinyl chloride	U	1.0		µg/L	1	5/24/2005 12:54:00 PM

Qualifiers:	*	Value exceeds Maximum Contaminant Level	B	Analyte detected in the associated Method Blank
	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded
	J	Analyte detected below quantitation limits	ND	Not Detected at the Reporting Limit
	S	Spike Recovery outside accepted recovery limits	U	Indicates the compound was analyzed for but not detected

American Analytical Laboratories, LLC.

Date: 27-May-05

CLIENT:	Leggette Brashears & Graham Inc.	Client Sample ID:	FRW-1
Lab Order:	0505171	Tag Number:	4615
Project:	Rowe Quarterly	Collection Date:	5/17/2005 10:02:00 AM
Lab ID:	0505171-01B	Date Received:	5/24/2005
		Matrix:	LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
DISSOLVED IRON Iron	1.41	E200.7 0.0200		(SW3005A) mg/L	1	Analyst: JP 5/25/2005 10:54:26 AM
CHLORIDE Chloride	17.0	M4500-C1 B 1.00		mg/L	1	Analyst: BK 5/24/2005
IRON, FERROUS (FE+2) Iron, Ferrous	276	M3500-Fe D 25.0		µg/L	1	Analyst: IP 5/26/2005
SULFATE Sulfate	11.8	E375.4 1.00		mg/L	1	Analyst: IP 5/24/2005
ALKALINITY Alkalinity, Total (As CaCO3)	15.2	E310.1 1.00		mg/L CaCO3	1	Analyst: BK 5/25/2005

Qualifiers:	*	Value exceeds Maximum Contaminant Level	B	Analyte detected in the associated Method Blank
	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded
	J	Analyte detected below quantitation limits	ND	Not Detected at the Reporting Limit
	S	Spike Recovery outside accepted recovery limits	U	Indicates the compound was analyzed for but not detected

American Analytical Laboratories, LLC.

Date: 27-May-05

CLIENT:	Leggette Brashears & Graham Inc.	Client Sample ID:	FRW-1
Lab Order:	0505171	Tag Number:	4615
Project:	Rowe Quarterly	Collection Date:	5/17/2005 10:02:00 AM
Lab ID:	0505171-01C	Date Received:	5/24/2005
		Matrix:	LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
TOTAL IRON		E200.7		(SW3010A)		Analyst: JP
Iron	3.48	0.0200		mg/L	1	5/25/2005 10:57:32 AM

Qualifiers:	*	Value exceeds Maximum Contaminant Level	B	Analyte detected in the associated Method Blank
	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded
	J	Analyte detected below quantitation limits	ND	Not Detected at the Reporting Limit
	S	Spike Recovery outside accepted recovery limits	U	Indicates the compound was analyzed for but not detected

Page 4 of 34

American Analytical Laboratories, LLC.

Date: 27-May-05

CLIENT:	Leggette Brashears & Graham Inc.	Client Sample ID:	FRW-1
Lab Order:	0505171	Tag Number:	4615
Project:	Rowe Quarterly	Collection Date:	5/17/2005 10:02:00 AM
Lab ID:	0505171-01D	Date Received:	5/24/2005
		Matrix:	LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
NITRATE AS N		E353.2				Analyst: BK
Nitrogen, Nitrate-Nitrite	1.65	0.100		mg/L	1	5/25/2005

Qualifiers:	*	Value exceeds Maximum Contaminant Level	B	Analyte detected in the associated Method Blank
	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded
	J	Analyte detected below quantitation limits	ND	Not Detected at the Reporting Limit
	S	Spike Recovery outside accepted recovery limits	U	Indicates the compound was analyzed for but not detected

American Analytical Laboratories, LLC.

Date: 27-May-05

CLIENT:	Leggette Brashears & Graham Inc.	Client Sample ID:	FRW-1
Lab Order:	0505171	Tag Number:	4615
Project:	Rowe Quarterly	Collection Date:	5/17/2005 10:02:00 AM
Lab ID:	0505171-01E	Date Received:	5/24/2005
		Matrix:	LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
SULFIDE		E376.1				Analyst: BK
Sulfide	U	1.0		mg/L	1	5/24/2005

Qualifiers:	*	Value exceeds Maximum Contaminant Level	B	Analyte detected in the associated Method Blank
	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded
	J	Analyte detected below quantitation limits	ND	Not Detected at the Reporting Limit
	S	Spike Recovery outside accepted recovery limits	U	Indicates the compound was analyzed for but not detected

American Analytical Laboratories, LLC.

Date: 27-May-05

CLIENT: Leggette Brashears & Graham Inc.

Client Sample ID: FRW-2

Lab Order: 0505171

Tag Number: 4615

Project: Rowe Quarterly

Collection Date: 5/17/2005 10:29:00 AM

Lab ID: 0505171-02A

Date Received: 5/24/2005

Matrix: LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILES SW-846 8260 PLUS MTBE & FREON1		SW8260B		Analyst: LDS		
1,1,1,2-Tetrachloroethane	U	1.0		µg/L	1	5/24/2005 1:32:00 PM
1,1,1-Trichloroethane	U	1.0		µg/L	1	5/24/2005 1:32:00 PM
1,1,2,2-Tetrachloroethane	U	1.0		µg/L	1	5/24/2005 1:32:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	U	1.0		µg/L	1	5/24/2005 1:32:00 PM
1,1,2-Trichloroethane	U	1.0		µg/L	1	5/24/2005 1:32:00 PM
1,1-Dichloroethane	U	1.0		µg/L	1	5/24/2005 1:32:00 PM
1,1-Dichloroethene	U	1.0		µg/L	1	5/24/2005 1:32:00 PM
1,1-Dichloropropene	U	1.0		µg/L	1	5/24/2005 1:32:00 PM
1,2,3-Trichlorobenzene	U	1.0		µg/L	1	5/24/2005 1:32:00 PM
1,2,3-Trichloropropane	U	1.0		µg/L	1	5/24/2005 1:32:00 PM
1,2,4-Trichlorobenzene	U	1.0		µg/L	1	5/24/2005 1:32:00 PM
1,2,4-Trimethylbenzene	U	1.0		µg/L	1	5/24/2005 1:32:00 PM
1,2-Dibromo-3-chloropropane	U	1.0		µg/L	1	5/24/2005 1:32:00 PM
1,2-Dibromoethane	U	1.0		µg/L	1	5/24/2005 1:32:00 PM
1,2-Dichlorobenzene	U	1.0		µg/L	1	5/24/2005 1:32:00 PM
1,2-Dichloroethane	U	1.0		µg/L	1	5/24/2005 1:32:00 PM
1,2-Dichloropropane	U	1.0		µg/L	1	5/24/2005 1:32:00 PM
1,3,5-Trimethylbenzene	U	1.0		µg/L	1	5/24/2005 1:32:00 PM
1,3-Dichlorobenzene	U	1.0		µg/L	1	5/24/2005 1:32:00 PM
1,3-dichloropropane	U	1.0		µg/L	1	5/24/2005 1:32:00 PM
1,4-Dichlorobenzene	U	1.0		µg/L	1	5/24/2005 1:32:00 PM
2,2-Dichloropropane	U	1.0		µg/L	1	5/24/2005 1:32:00 PM
2-Butanone	1800	1.0		µg/L	1	5/24/2005 1:32:00 PM
2-Chloroethyl vinyl ether	U	1.0		µg/L	1	5/24/2005 1:32:00 PM
2-Chlorotoluene	U	1.0		µg/L	1	5/24/2005 1:32:00 PM
2-Hexanone	U	1.0		µg/L	1	5/24/2005 1:32:00 PM
4-Chlorotoluene	U	1.0		µg/L	1	5/24/2005 1:32:00 PM
4-Isopropyltoluene	U	1.0		µg/L	1	5/24/2005 1:32:00 PM
4-Methyl-2-pentanone	U	1.0		µg/L	1	5/24/2005 1:32:00 PM
Acetone	620	1.0		µg/L	1	5/24/2005 1:32:00 PM
Benzene	U	1.0		µg/L	1	5/24/2005 1:32:00 PM
Bromobenzene	U	1.0		µg/L	1	5/24/2005 1:32:00 PM
Bromochloromethane	U	1.0		µg/L	1	5/24/2005 1:32:00 PM
Bromodichloromethane	U	1.0		µg/L	1	5/24/2005 1:32:00 PM
Bromoform	U	1.0		µg/L	1	5/24/2005 1:32:00 PM
Bromomethane	U	1.0		µg/L	1	5/24/2005 1:32:00 PM
Carbon disulfide	U	1.0		µg/L	1	5/24/2005 1:32:00 PM
Carbon tetrachloride	U	1.0		µg/L	1	5/24/2005 1:32:00 PM
Chlorobenzene	U	1.0		µg/L	1	5/24/2005 1:32:00 PM
Chloroethane	U	1.0		µg/L	1	5/24/2005 1:32:00 PM

Qualifiers:

- * Value exceeds Maximum Contaminant Level
- E Value above quantitation range
- J Analyte detected below quantitation limits
- S Spike Recovery outside accepted recovery limits

- B Analyte detected in the associated Method Blank
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- U Indicates the compound was analyzed for but not detected

American Analytical Laboratories, LLC.

Date: 27-May-05

CLIENT:	Leggette Brashears & Graham Inc.	Client Sample ID:	FRW-2
Lab Order:	0505171	Tag Number:	4615
Project:	Rowe Quarterly	Collection Date:	5/17/2005 10:29:00 AM
Lab ID:	0505171-02A	Date Received:	5/24/2005
		Matrix:	LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
Chloroform	U	1.0		µg/L	1	5/24/2005 1:32:00 PM
Chloromethane	U	1.0		µg/L	1	5/24/2005 1:32:00 PM
cis-1,2-Dichloroethene	27	1.0		µg/L	1	5/24/2005 1:32:00 PM
cis-1,3-Dichloropropene	U	1.0		µg/L	1	5/24/2005 1:32:00 PM
Dibromochloromethane	U	1.0		µg/L	1	5/24/2005 1:32:00 PM
Dibromomethane	U	1.0		µg/L	1	5/24/2005 1:32:00 PM
Dichlorodifluoromethane	U	1.0		µg/L	1	5/24/2005 1:32:00 PM
Ethylbenzene	U	1.0		µg/L	1	5/24/2005 1:32:00 PM
Hexachlorobutadiene	U	1.0		µg/L	1	5/24/2005 1:32:00 PM
Isopropylbenzene	U	1.0		µg/L	1	5/24/2005 1:32:00 PM
m,p-Xylene	U	2.0		µg/L	1	5/24/2005 1:32:00 PM
Methyl tert-butyl ether	U	1.0		µg/L	1	5/24/2005 1:32:00 PM
Methylene chloride	U	1.0		µg/L	1	5/24/2005 1:32:00 PM
Naphthalene	U	1.0		µg/L	1	5/24/2005 1:32:00 PM
n-Butylbenzene	U	1.0		µg/L	1	5/24/2005 1:32:00 PM
n-Propylbenzene	U	1.0		µg/L	1	5/24/2005 1:32:00 PM
o-Xylene	U	1.0		µg/L	1	5/24/2005 1:32:00 PM
sec-Butylbenzene	U	1.0		µg/L	1	5/24/2005 1:32:00 PM
Styrene	U	1.0		µg/L	1	5/24/2005 1:32:00 PM
tert-Butylbenzene	U	1.0		µg/L	1	5/24/2005 1:32:00 PM
Tetrachloroethene	380	1.0		µg/L	1	5/24/2005 1:32:00 PM
Toluene	34	1.0		µg/L	1	5/24/2005 1:32:00 PM
trans-1,2-Dichloroethene	U	1.0		µg/L	1	5/24/2005 1:32:00 PM
trans-1,3-Dichloropropene	U	1.0		µg/L	1	5/24/2005 1:32:00 PM
Trichloroethene	6.2	1.0		µg/L	1	5/24/2005 1:32:00 PM
Trichlorofluoromethane	U	1.0		µg/L	1	5/24/2005 1:32:00 PM
Vinyl acetate	U	1.0		µg/L	1	5/24/2005 1:32:00 PM
Vinyl chloride	U	1.0		µg/L	1	5/24/2005 1:32:00 PM

Qualifiers:	* Value exceeds Maximum Contaminant Level	B Analyte detected in the associated Method Blank
	E Value above quantitation range	H Holding times for preparation or analysis exceeded
	J Analyte detected below quantitation limits	ND Not Detected at the Reporting Limit
	S Spike Recovery outside accepted recovery limits	U Indicates the compound was analyzed for but not detected

American Analytical Laboratories, LLC.

Date: 27-May-05

CLIENT:	Leggette Brashears & Graham Inc.	Client Sample ID:	FRW-2
Lab Order:	0505171	Tag Number:	4615
Project:	Rowe Quarterly	Collection Date:	5/17/2005 10:29:00 AM
Lab ID:	0505171-02B	Date Received:	5/24/2005
		Matrix:	LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
DISSOLVED IRON		E200.7		(SW3005A)		Analyst: JP
Iron	62.9	0.0200		mg/L	1	5/25/2005 11:10:36 AM
CHLORIDE		M4500-C1 B				Analyst: BK
Chloride	38.0	1.00		mg/L	1	5/24/2005
IRON, FERROUS (FE+2)		M3500-Fe D				Analyst: IP
Iron, Ferrous	27200	25.0		µg/L	1	5/26/2005
SULFATE		E375.4				Analyst: IP
Sulfate	7.50	1.00		mg/L	1	5/24/2005
ALKALINITY		E310.1				Analyst: BK
Alkalinity, Total (As CaCO3)	134	1.00		mg/L CaCO3	1	5/25/2005

Qualifiers:	*	Value exceeds Maximum Contaminant Level	B	Analyte detected in the associated Method Blank
	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded
	J	Analyte detected below quantitation limits	ND	Not Detected at the Reporting Limit
	S	Spike Recovery outside accepted recovery limits	U	Indicates the compound was analyzed for but not detected

American Analytical Laboratories, LLC.

Date: 27-May-05

CLIENT:	Leggette Brashears & Graham Inc.	Client Sample ID:	FRW-2
Lab Order:	0505171	Tag Number:	4615
Project:	Rowe Quarterly	Collection Date:	5/17/2005 10:29:00 AM
Lab ID:	0505171-02C	Date Received:	5/24/2005
		Matrix:	LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
TOTAL IRON		E200.7		(SW3010A)		Analyst: JP
Iron	82.7	0.0200		mg/L	1	5/25/2005 11:12:52 AM

Qualifiers:	*	Value exceeds Maximum Contaminant Level	B	Analyte detected in the associated Method Blank
	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded
	J	Analyte detected below quantitation limits	ND	Not Detected at the Reporting Limit
	S	Spike Recovery outside accepted recovery limits	U	Indicates the compound was analyzed for but not detected

American Analytical Laboratories, LLC.

Date: 27-May-05

CLIENT:	Leggette Brashears & Graham Inc.	Client Sample ID:	FRW-2
Lab Order:	0505171	Tag Number:	4615
Project:	Rowe Quarterly	Collection Date:	5/17/2005 10:29:00 AM
Lab ID:	0505171-02D	Date Received:	5/24/2005
		Matrix:	LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
NITRATE AS N		E353.2				Analyst: BK
Nitrogen, Nitrate-Nitrite	0.322	0.100		mg/L	1	5/25/2005

Qualifiers:	*	Value exceeds Maximum Contaminant Level	B	Analyte detected in the associated Method Blank
	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded
	J	Analyte detected below quantitation limits	ND	Not Detected at the Reporting Limit
	S	Spike Recovery outside accepted recovery limits	U	Indicates the compound was analyzed for but not detected

Page 11 of 34

American Analytical Laboratories, LLC.

Date: 27-May-05

CLIENT: Leggette Brashears & Graham Inc.**Client Sample ID:** FRW-2**Lab Order:** 0505171**Tag Number:** 4615**Project:** Rowe Quarterly**Collection Date:** 5/17/2005 10:29:00 AM**Lab ID:** 0505171-02E**Date Received:** 5/24/2005**Matrix:** LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
SULFIDE		E376.1				Analyst: BK
Sulfide	U	1.0		mg/L	1	5/24/2005

Qualifiers:

- * Value exceeds Maximum Contaminant Level
- E Value above quantitation range
- J Analyte detected below quantitation limits
- S Spike Recovery outside accepted recovery limits

- B Analyte detected in the associated Method Blank
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- U Indicates the compound was analyzed for but not detected

American Analytical Laboratories, LLC.

Date: 27-May-05

CLIENT:	Leggette Brashears & Graham Inc.	Client Sample ID:	FRW-3
Lab Order:	0505171	Tag Number:	4615
Project:	Rowe Quarterly	Collection Date:	5/17/2005 10:57:00 AM
Lab ID:	0505171-03A	Date Received:	5/24/2005
		Matrix:	LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILES SW-846 8260 PLUS MTBE & FREON1		SW8260B		Analyst: LDS		
1,1,1,2-Tetrachloroethane	U	1.0		µg/L	1	5/24/2005 2:14:00 PM
1,1,1-Trichloroethane	28	1.0		µg/L	1	5/24/2005 2:14:00 PM
1,1,2,2-Tetrachloroethane	U	1.0		µg/L	1	5/24/2005 2:14:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	U	1.0		µg/L	1	5/24/2005 2:14:00 PM
1,1,2-Trichloroethane	U	1.0		µg/L	1	5/24/2005 2:14:00 PM
1,1-Dichloroethane	U	1.0		µg/L	1	5/24/2005 2:14:00 PM
1,1-Dichloroethene	U	1.0		µg/L	1	5/24/2005 2:14:00 PM
1,1-Dichloropropene	U	1.0		µg/L	1	5/24/2005 2:14:00 PM
1,2,3-Trichlorobenzene	U	1.0		µg/L	1	5/24/2005 2:14:00 PM
1,2,3-Trichloropropane	U	1.0		µg/L	1	5/24/2005 2:14:00 PM
1,2,4-Trichlorobenzene	U	1.0		µg/L	1	5/24/2005 2:14:00 PM
1,2,4-Trimethylbenzene	U	1.0		µg/L	1	5/24/2005 2:14:00 PM
1,2-Dibromo-3-chloropropane	U	1.0		µg/L	1	5/24/2005 2:14:00 PM
1,2-Dibromoethane	U	1.0		µg/L	1	5/24/2005 2:14:00 PM
1,2-Dichlorobenzene	U	1.0		µg/L	1	5/24/2005 2:14:00 PM
1,2-Dichloroethane	U	1.0		µg/L	1	5/24/2005 2:14:00 PM
1,2-Dichloropropane	U	1.0		µg/L	1	5/24/2005 2:14:00 PM
1,3,5-Trimethylbenzene	U	1.0		µg/L	1	5/24/2005 2:14:00 PM
1,3-Dichlorobenzene	U	1.0		µg/L	1	5/24/2005 2:14:00 PM
1,3-dichloropropane	U	1.0		µg/L	1	5/24/2005 2:14:00 PM
1,4-Dichlorobenzene	U	1.0		µg/L	1	5/24/2005 2:14:00 PM
2,2-Dichloropropane	U	1.0		µg/L	1	5/24/2005 2:14:00 PM
2-Butanone	2200	1.0		µg/L	1	5/24/2005 2:14:00 PM
2-Chloroethyl vinyl ether	U	1.0		µg/L	1	5/24/2005 2:14:00 PM
2-Chlorotoluene	U	1.0		µg/L	1	5/24/2005 2:14:00 PM
2-Hexanone	U	1.0		µg/L	1	5/24/2005 2:14:00 PM
4-Chlorotoluene	U	1.0		µg/L	1	5/24/2005 2:14:00 PM
4-Isopropyltoluene	U	1.0		µg/L	1	5/24/2005 2:14:00 PM
4-Methyl-2-pentanone	U	1.0		µg/L	1	5/24/2005 2:14:00 PM
Acetone	590	1.0		µg/L	1	5/24/2005 2:14:00 PM
Benzene	U	1.0		µg/L	1	5/24/2005 2:14:00 PM
Bromobenzene	U	1.0		µg/L	1	5/24/2005 2:14:00 PM
Bromochloromethane	U	1.0		µg/L	1	5/24/2005 2:14:00 PM
Bromodichloromethane	U	1.0		µg/L	1	5/24/2005 2:14:00 PM
Bromoform	U	1.0		µg/L	1	5/24/2005 2:14:00 PM
Bromomethane	U	1.0		µg/L	1	5/24/2005 2:14:00 PM
Carbon disulfide	U	1.0		µg/L	1	5/24/2005 2:14:00 PM
Carbon tetrachloride	U	1.0		µg/L	1	5/24/2005 2:14:00 PM
Chlorobenzene	U	1.0		µg/L	1	5/24/2005 2:14:00 PM
Chloroethane	U	1.0		µg/L	1	5/24/2005 2:14:00 PM

Qualifiers:

- * Value exceeds Maximum Contaminant Level
- E Value above quantitation range
- J Analyte detected below quantitation limits
- S Spike Recovery outside accepted recovery limits

- B Analyte detected in the associated Method Blank
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit

U Indicates the compound was analyzed for but not detected

American Analytical Laboratories, LLC.

Date: 27-May-05

CLIENT:	Leggette Brashears & Graham Inc.	Client Sample ID:	FRW-3
Lab Order:	0505171	Tag Number:	4615
Project:	Rowe Quarterly	Collection Date:	5/17/2005 10:57:00 AM
Lab ID:	0505171-03A	Date Received:	5/24/2005
		Matrix:	LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
Chloroform	U	1.0		µg/L	1	5/24/2005 2:14:00 PM
Chloromethane	U	1.0		µg/L	1	5/24/2005 2:14:00 PM
cis-1,2-Dichloroethene	31	1.0		µg/L	1	5/24/2005 2:14:00 PM
cis-1,3-Dichloropropene	U	1.0		µg/L	1	5/24/2005 2:14:00 PM
Dibromochloromethane	U	1.0		µg/L	1	5/24/2005 2:14:00 PM
Dibromomethane	U	1.0		µg/L	1	5/24/2005 2:14:00 PM
Dichlorodifluoromethane	U	1.0		µg/L	1	5/24/2005 2:14:00 PM
Ethylbenzene	U	1.0		µg/L	1	5/24/2005 2:14:00 PM
Hexachlorobutadiene	U	1.0		µg/L	1	5/24/2005 2:14:00 PM
Isopropylbenzene	U	1.0		µg/L	1	5/24/2005 2:14:00 PM
m,p-Xylene	U	2.0		µg/L	1	5/24/2005 2:14:00 PM
Methyl tert-butyl ether	U	1.0		µg/L	1	5/24/2005 2:14:00 PM
Methylene chloride	U	1.0		µg/L	1	5/24/2005 2:14:00 PM
Naphthalene	U	1.0		µg/L	1	5/24/2005 2:14:00 PM
n-Butylbenzene	U	1.0		µg/L	1	5/24/2005 2:14:00 PM
n-Propylbenzene	U	1.0		µg/L	1	5/24/2005 2:14:00 PM
o-Xylene	4.1	1.0		µg/L	1	5/24/2005 2:14:00 PM
sec-Butylbenzene	U	1.0		µg/L	1	5/24/2005 2:14:00 PM
Styrene	U	1.0		µg/L	1	5/24/2005 2:14:00 PM
tert-Butylbenzene	U	1.0		µg/L	1	5/24/2005 2:14:00 PM
Tetrachloroethene	480	1.0		µg/L	1	5/24/2005 2:14:00 PM
Toluene	U	1.0		µg/L	1	5/24/2005 2:14:00 PM
trans-1,2-Dichloroethene	U	1.0		µg/L	1	5/24/2005 2:14:00 PM
trans-1,3-Dichloropropene	U	1.0		µg/L	1	5/24/2005 2:14:00 PM
Trichloroethene	8.2	1.0		µg/L	1	5/24/2005 2:14:00 PM
Trichlorofluoromethane	U	1.0		µg/L	1	5/24/2005 2:14:00 PM
Vinyl acetate	U	1.0		µg/L	1	5/24/2005 2:14:00 PM
Vinyl chloride	U	1.0		µg/L	1	5/24/2005 2:14:00 PM

Qualifiers:	* Value exceeds Maximum Contaminant Level	B Analyte detected in the associated Method Blank
	E Value above quantitation range	H Holding times for preparation or analysis exceeded
	J Analyte detected below quantitation limits	ND Not Detected at the Reporting Limit
	S Spike Recovery outside accepted recovery limits	U Indicates the compound was analyzed for but not detected

American Analytical Laboratories, LLC.

Date: 27-May-05

CLIENT:	Leggette Brashears & Graham Inc.	Client Sample ID:	FRW-3
Lab Order:	0505171	Tag Number:	4615
Project:	Rowe Quarterly	Collection Date:	5/17/2005 10:57:00 AM
Lab ID:	0505171-03B	Date Received:	5/24/2005
		Matrix:	LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
DISSOLVED IRON		E200.7		(SW3005A)		Analyst: JP
Iron	36.7	0.0200		mg/L	1	5/25/2005 11:15:34 AM
CHLORIDE		M4500-C1 B				Analyst: BK
Chloride	16.0	1.00		mg/L	1	5/24/2005
IRON, FERROUS (FE+2)		M3500-Fe D				Analyst: IP
Iron, Ferrous	14100	25.0		µg/L	1	5/26/2005
SULFATE		E375.4				Analyst: IP
Sulfate	15.9	1.00		mg/L	1	5/24/2005
ALKALINITY		E310.1				Analyst: BK
Alkalinity, Total (As CaCO ₃)	86.9	1.00		mg/L CaCO ₃	1	5/25/2005

Qualifiers:

- * Value exceeds Maximum Contaminant Level
- E Value above quantitation range
- J Analyte detected below quantitation limits
- S Spike Recovery outside accepted recovery limits

- B Analyte detected in the associated Method Blank
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- U Indicates the compound was analyzed for but not detected

American Analytical Laboratories, LLC.

Date: 27-May-05

CLIENT:	Leggette Brashears & Graham Inc.	Client Sample ID:	FRW-3
Lab Order:	0505171	Tag Number:	4615
Project:	Rowe Quarterly	Collection Date:	5/17/2005 10:57:00 AM
Lab ID:	0505171-03C	Date Received:	5/24/2005
		Matrix:	LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
TOTAL IRON		E200.7		(SW3010A)		Analyst: JP
Iron	74.1	0.0200		mg/L	1	5/25/2005 11:18:03 AM

Qualifiers:	*	Value exceeds Maximum Contaminant Level	B	Analyte detected in the associated Method Blank
	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded
	J	Analyte detected below quantitation limits	ND	Not Detected at the Reporting Limit
	S	Spike Recovery outside accepted recovery limits	U	Indicates the compound was analyzed for but not detected

American Analytical Laboratories, LLC.

Date: 27-May-05

CLIENT: Leggette Brashears & Graham Inc.**Client Sample ID:** FRW-3**Lab Order:** 0505171**Tag Number:** 4615**Project:** Rowe Quarterly**Collection Date:** 5/17/2005 10:57:00 AM**Lab ID:** 0505171-03D**Date Received:** 5/24/2005**Matrix:** LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
NITRATE AS N		E353.2				Analyst: BK
Nitrogen, Nitrate-Nitrite	0.224	0.100		mg/L	1	5/25/2005

Qualifiers:

- * Value exceeds Maximum Contaminant Level
- E Value above quantitation range
- J Analyte detected below quantitation limits
- S Spike Recovery outside accepted recovery limits

- B Analyte detected in the associated Method Blank
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- U Indicates the compound was analyzed for but not detected

American Analytical Laboratories, LLC.

Date: 27-May-05

CLIENT:	Leggette Brashears & Graham Inc.	Client Sample ID:	FRW-3
Lab Order:	0505171	Tag Number:	4615
Project:	Rowe Quarterly	Collection Date:	5/17/2005 10:57:00 AM
Lab ID:	0505171-03E	Date Received:	5/24/2005
		Matrix:	LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
SULFIDE		E376.1				Analyst: BK
Sulfide	U	1.0		mg/L	1	5/24/2005

Qualifiers:	*	Value exceeds Maximum Contaminant Level	B	Analyte detected in the associated Method Blank
	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded
	J	Analyte detected below quantitation limits	ND	Not Detected at the Reporting Limit
	S	Spike Recovery outside accepted recovery limits	U	Indicates the compound was analyzed for but not detected

American Analytical Laboratories, LLC.

Date: 27-May-05

CLIENT: Leggette Brashears & Graham Inc.
Lab Order: 0505171
Project: Rowe Quarterly
Lab ID: 0505171-04A

Client Sample ID: FRW-4
Tag Number: 4615
Collection Date: 5/17/2005 11:30:00 AM
Matrix: LIQUID

Date Received: 5/24/2005

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILES SW-846 8260 PLUS MTBE & FREON1		SW8260B		Analyst: LDS		
1,1,1,2-Tetrachloroethane	U	1.0		µg/L	1	5/24/2005 2:47:00 PM
1,1,1-Trichloroethane	U	1.0		µg/L	1	5/24/2005 2:47:00 PM
1,1,2,2-Tetrachloroethane	U	1.0		µg/L	1	5/24/2005 2:47:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	U	1.0		µg/L	1	5/24/2005 2:47:00 PM
1,1,2-Trichloroethane	U	1.0		µg/L	1	5/24/2005 2:47:00 PM
1,1-Dichloroethane	U	1.0		µg/L	1	5/24/2005 2:47:00 PM
1,1-Dichloroethene	U	1.0		µg/L	1	5/24/2005 2:47:00 PM
1,1-Dichloropropene	U	1.0		µg/L	1	5/24/2005 2:47:00 PM
1,2,3-Trichlorobenzene	U	1.0		µg/L	1	5/24/2005 2:47:00 PM
1,2,3-Trichloropropane	U	1.0		µg/L	1	5/24/2005 2:47:00 PM
1,2,4-Trichlorobenzene	U	1.0		µg/L	1	5/24/2005 2:47:00 PM
1,2,4-Trimethylbenzene	U	1.0		µg/L	1	5/24/2005 2:47:00 PM
1,2-Dibromo-3-chloropropane	U	1.0		µg/L	1	5/24/2005 2:47:00 PM
1,2-Dibromoethane	U	1.0		µg/L	1	5/24/2005 2:47:00 PM
1,2-Dichlorobenzene	U	1.0		µg/L	1	5/24/2005 2:47:00 PM
1,2-Dichloroethane	U	1.0		µg/L	1	5/24/2005 2:47:00 PM
1,2-Dichloropropane	U	1.0		µg/L	1	5/24/2005 2:47:00 PM
1,3,5-Trimethylbenzene	U	1.0		µg/L	1	5/24/2005 2:47:00 PM
1,3-Dichlorobenzene	U	1.0		µg/L	1	5/24/2005 2:47:00 PM
1,3-dichloropropane	U	1.0		µg/L	1	5/24/2005 2:47:00 PM
1,4-Dichlorobenzene	U	1.0		µg/L	1	5/24/2005 2:47:00 PM
2,2-Dichloropropane	U	1.0		µg/L	1	5/24/2005 2:47:00 PM
2-Butanone	310	1.0		µg/L	1	5/24/2005 2:47:00 PM
2-Chloroethyl vinyl ether	U	1.0		µg/L	1	5/24/2005 2:47:00 PM
2-Chlorotoluene	U	1.0		µg/L	1	5/24/2005 2:47:00 PM
2-Hexanone	U	1.0		µg/L	1	5/24/2005 2:47:00 PM
4-Chlorotoluene	U	1.0		µg/L	1	5/24/2005 2:47:00 PM
4-Isopropyltoluene	U	1.0		µg/L	1	5/24/2005 2:47:00 PM
4-Methyl-2-pentanone	U	1.0		µg/L	1	5/24/2005 2:47:00 PM
Acetone	U	1.0		µg/L	1	5/24/2005 2:47:00 PM
Benzene	U	1.0		µg/L	1	5/24/2005 2:47:00 PM
Bromobenzene	U	1.0		µg/L	1	5/24/2005 2:47:00 PM
Bromochloromethane	U	1.0		µg/L	1	5/24/2005 2:47:00 PM
Bromodichloromethane	U	1.0		µg/L	1	5/24/2005 2:47:00 PM
Bromoform	U	1.0		µg/L	1	5/24/2005 2:47:00 PM
Bromomethane	U	1.0		µg/L	1	5/24/2005 2:47:00 PM
Carbon disulfide	U	1.0		µg/L	1	5/24/2005 2:47:00 PM
Carbon tetrachloride	U	1.0		µg/L	1	5/24/2005 2:47:00 PM
Chlorobenzene	U	1.0		µg/L	1	5/24/2005 2:47:00 PM
Chloroethane	U	1.0		µg/L	1	5/24/2005 2:47:00 PM

Qualifiers: * Value exceeds Maximum Contaminant Level
 E Value above quantitation range
 J Analyte detected below quantitation limits
 S Spike Recovery outside accepted recovery limits

B Analyte detected in the associated Method Blank
 H Holding times for preparation or analysis exceeded
 ND Not Detected at the Reporting Limit
 U Indicates the compound was analyzed for but not detected

American Analytical Laboratories, LLC.

Date: 27-May-05

CLIENT: Leggette Brashears & Graham Inc.

Client Sample ID: FRW-4

Lab Order: 0505171

Tag Number: 4615

Project: Rowe Quarterly

Collection Date: 5/17/2005 11:30:00 AM

Lab ID: 0505171-04A

Date Received: 5/24/2005

Matrix: LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
Chloroform	U	1.0		µg/L	1	5/24/2005 2:47:00 PM
Chloromethane	U	1.0		µg/L	1	5/24/2005 2:47:00 PM
cis-1,2-Dichloroethene	U	1.0		µg/L	1	5/24/2005 2:47:00 PM
cis-1,3-Dichloropropene	U	1.0		µg/L	1	5/24/2005 2:47:00 PM
Dibromochloromethane	U	1.0		µg/L	1	5/24/2005 2:47:00 PM
Dibromomethane	U	1.0		µg/L	1	5/24/2005 2:47:00 PM
Dichlorodifluoromethane	U	1.0		µg/L	1	5/24/2005 2:47:00 PM
Ethylbenzene	U	1.0		µg/L	1	5/24/2005 2:47:00 PM
Hexachlorobutadiene	U	1.0		µg/L	1	5/24/2005 2:47:00 PM
Isopropylbenzene	U	1.0		µg/L	1	5/24/2005 2:47:00 PM
m,p-Xylene	U	2.0		µg/L	1	5/24/2005 2:47:00 PM
Methyl tert-butyl ether	U	1.0		µg/L	1	5/24/2005 2:47:00 PM
Methylene chloride	U	1.0		µg/L	1	5/24/2005 2:47:00 PM
Naphthalene	U	1.0		µg/L	1	5/24/2005 2:47:00 PM
n-Butylbenzene	U	1.0		µg/L	1	5/24/2005 2:47:00 PM
n-Propylbenzene	U	1.0		µg/L	1	5/24/2005 2:47:00 PM
o-Xylene	U	1.0		µg/L	1	5/24/2005 2:47:00 PM
sec-Butylbenzene	U	1.0		µg/L	1	5/24/2005 2:47:00 PM
Styrene	U	1.0		µg/L	1	5/24/2005 2:47:00 PM
tert-Butylbenzene	U	1.0		µg/L	1	5/24/2005 2:47:00 PM
Tetrachloroethene	12	1.0		µg/L	1	5/24/2005 2:47:00 PM
Toluene	170	1.0		µg/L	1	5/24/2005 2:47:00 PM
trans-1,2-Dichloroethene	U	1.0		µg/L	1	5/24/2005 2:47:00 PM
trans-1,3-Dichloropropene	U	1.0		µg/L	1	5/24/2005 2:47:00 PM
Trichloroethene	U	1.0		µg/L	1	5/24/2005 2:47:00 PM
Trichlorofluoromethane	U	1.0		µg/L	1	5/24/2005 2:47:00 PM
Vinyl acetate	U	1.0		µg/L	1	5/24/2005 2:47:00 PM
Vinyl chloride	U	1.0		µg/L	1	5/24/2005 2:47:00 PM

Qualifiers: * Value exceeds Maximum Contaminant Level
 E Value above quantitation range
 J Analyte detected below quantitation limits
 S Spike Recovery outside accepted recovery limits

B Analyte detected in the associated Method Blank
 H Holding times for preparation or analysis exceeded
 ND Not Detected at the Reporting Limit
 U Indicates the compound was analyzed for but not detected
 Page 20 of 34

American Analytical Laboratories, LLC.

Date: 27-May-05

CLIENT:	Leggette Brashears & Graham Inc.	Client Sample ID:	FRW-4
Lab Order:	0505171	Tag Number:	4615
Project:	Rowe Quarterly	Collection Date:	5/17/2005 11:30:00 AM
Lab ID:	0505171-04B	Date Received:	5/24/2005
		Matrix:	LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
DISSOLVED IRON Iron	5.19	E200.7 0.0200		(SW3005A) mg/L	1	Analyst: JP 5/25/2005 11:20:54 AM
CHLORIDE Chloride	19.0	M4500-C1 B 1.00		mg/L	1	Analyst: BK 5/24/2005
IRON, FERROUS (FE+2) Iron, Ferrous	1900	M3500-Fe D 25.0		µg/L	1	Analyst: IP 5/26/2005
SULFATE Sulfate	11.4	E375.4 1.00		mg/L	1	Analyst: IP 5/24/2005
ALKALINITY Alkalinity, Total (As CaCO ₃)	26.3	E310.1 1.00		mg/L CaCO ₃	1	Analyst: BK 5/25/2005

Qualifiers:	* Value exceeds Maximum Contaminant Level	B Analyte detected in the associated Method Blank
	E Value above quantitation range	H Holding times for preparation or analysis exceeded
	J Analyte detected below quantitation limits	ND Not Detected at the Reporting Limit
	S Spike Recovery outside accepted recovery limits	U Indicates the compound was analyzed for but not detected

American Analytical Laboratories, LLC.

Date: 27-May-05

CLIENT:	Leggette Brashears & Graham Inc.	Client Sample ID:	FRW-4
Lab Order:	0505171	Tag Number:	4615
Project:	Rowe Quarterly	Collection Date:	5/17/2005 11:30:00 AM
Lab ID:	0505171-04C	Date Received:	5/24/2005
		Matrix:	LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
TOTAL IRON		E200.7		(SW3010A)		Analyst: JP
Iron	20.3	0.0200		mg/L	1	5/25/2005 11:23:16 AM

Qualifiers:	*	Value exceeds Maximum Contaminant Level	B	Analyte detected in the associated Method Blank
	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded
	J	Analyte detected below quantitation limits	ND	Not Detected at the Reporting Limit
	S	Spike Recovery outside accepted recovery limits	U	Indicates the compound was analyzed for but not detected

American Analytical Laboratories, LLC.

Date: 27-May-05

CLIENT:	Leggette Brashears & Graham Inc.	Client Sample ID:	FRW-4
Lab Order:	0505171	Tag Number:	4615
Project:	Rowe Quarterly	Collection Date:	5/17/2005 11:30:00 AM
Lab ID:	0505171-04D	Date Received:	5/24/2005
		Matrix:	LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
NITRATE AS N		E353.2				Analyst: BK
Nitrogen, Nitrate-Nitrite	0.469	0.100		mg/L	1	5/25/2005

Qualifiers:	*	Value exceeds Maximum Contaminant Level	B	Analyte detected in the associated Method Blank
	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded
	J	Analyte detected below quantitation limits	ND	Not Detected at the Reporting Limit
	S	Spike Recovery outside accepted recovery limits	U	Indicates the compound was analyzed for but not detected

American Analytical Laboratories, LLC.

Date: 27-May-05

CLIENT: Leggette Brashears & Graham Inc.**Client Sample ID:** FRW-4**Lab Order:** 0505171**Tag Number:** 4615**Project:** Rowe Quarterly**Collection Date:** 5/17/2005 11:30:00 AM**Lab ID:** 0505171-04E**Date Received:** 5/24/2005**Matrix:** LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
SULFIDE		E376.1				Analyst: BK
Sulfide	U	1.0		mg/L	1	5/24/2005

Qualifiers:

- * Value exceeds Maximum Contaminant Level
- E Value above quantitation range
- J Analyte detected below quantitation limits
- S Spike Recovery outside accepted recovery limits

- B Analyte detected in the associated Method Blank
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- U Indicates the compound was analyzed for but not detected

American Analytical Laboratories, LLC.

Date: 27-May-05

CLIENT:	Leggette Brashears & Graham Inc.	Client Sample ID:	MW-45A
Lab Order:	0505171	Tag Number:	4615
Project:	Rowe Quarterly	Collection Date:	5/17/2005 1:51:00 PM
Lab ID:	0505171-05A	Date Received:	5/24/2005
		Matrix:	LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILES SW-846 8260 PLUS MTBE & FREON1		SW8260B		Analyst: LDS		
1,1,1,2-Tetrachloroethane	U	1.0		µg/L	1	5/24/2005 3:20:00 PM
1,1,1-Trichloroethane	U	1.0		µg/L	1	5/24/2005 3:20:00 PM
1,1,2,2-Tetrachloroethane	U	1.0		µg/L	1	5/24/2005 3:20:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	U	1.0		µg/L	1	5/24/2005 3:20:00 PM
1,1,2-Trichloroethane	U	1.0		µg/L	1	5/24/2005 3:20:00 PM
1,1-Dichloroethane	U	1.0		µg/L	1	5/24/2005 3:20:00 PM
1,1-Dichloroethene	U	1.0		µg/L	1	5/24/2005 3:20:00 PM
1,1-Dichloropropene	U	1.0		µg/L	1	5/24/2005 3:20:00 PM
1,2,3-Trichlorobenzene	U	1.0		µg/L	1	5/24/2005 3:20:00 PM
1,2,3-Trichloropropane	U	1.0		µg/L	1	5/24/2005 3:20:00 PM
1,2,4-Trichlorobenzene	U	1.0		µg/L	1	5/24/2005 3:20:00 PM
1,2,4-Trimethylbenzene	U	1.0		µg/L	1	5/24/2005 3:20:00 PM
1,2-Dibromo-3-chloropropane	U	1.0		µg/L	1	5/24/2005 3:20:00 PM
1,2-Dibromoethane	U	1.0		µg/L	1	5/24/2005 3:20:00 PM
1,2-Dichlorobenzene	U	1.0		µg/L	1	5/24/2005 3:20:00 PM
1,2-Dichloroethane	U	1.0		µg/L	1	5/24/2005 3:20:00 PM
1,2-Dichloropropane	U	1.0		µg/L	1	5/24/2005 3:20:00 PM
1,3,5-Trimethylbenzene	U	1.0		µg/L	1	5/24/2005 3:20:00 PM
1,3-Dichlorobenzene	U	1.0		µg/L	1	5/24/2005 3:20:00 PM
1,3-dichloropropane	U	1.0		µg/L	1	5/24/2005 3:20:00 PM
1,4-Dichlorobenzene	U	1.0		µg/L	1	5/24/2005 3:20:00 PM
2,2-Dichloropropane	U	1.0		µg/L	1	5/24/2005 3:20:00 PM
2-Butanone	U	1.0		µg/L	1	5/24/2005 3:20:00 PM
2-Chloroethyl vinyl ether	U	1.0		µg/L	1	5/24/2005 3:20:00 PM
2-Chlorotoluene	U	1.0		µg/L	1	5/24/2005 3:20:00 PM
2-Hexanone	U	1.0		µg/L	1	5/24/2005 3:20:00 PM
4-Chlorotoluene	U	1.0		µg/L	1	5/24/2005 3:20:00 PM
4-Isopropyltoluene	U	1.0		µg/L	1	5/24/2005 3:20:00 PM
4-Methyl-2-pentanone	U	1.0		µg/L	1	5/24/2005 3:20:00 PM
Acetone	U	1.0		µg/L	1	5/24/2005 3:20:00 PM
Benzene	U	1.0		µg/L	1	5/24/2005 3:20:00 PM
Bromobenzene	U	1.0		µg/L	1	5/24/2005 3:20:00 PM
Bromochloromethane	U	1.0		µg/L	1	5/24/2005 3:20:00 PM
Bromodichloromethane	U	1.0		µg/L	1	5/24/2005 3:20:00 PM
Bromoform	U	1.0		µg/L	1	5/24/2005 3:20:00 PM
Bromomethane	U	1.0		µg/L	1	5/24/2005 3:20:00 PM
Carbon disulfide	U	1.0		µg/L	1	5/24/2005 3:20:00 PM
Carbon tetrachloride	U	1.0		µg/L	1	5/24/2005 3:20:00 PM
Chlorobenzene	U	1.0		µg/L	1	5/24/2005 3:20:00 PM
Chloroethane	U	1.0		µg/L	1	5/24/2005 3:20:00 PM

Qualifiers:

- * Value exceeds Maximum Contaminant Level
- E Value above quantitation range
- J Analyte detected below quantitation limits
- S Spike Recovery outside accepted recovery limits

- B Analyte detected in the associated Method Blank
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- U Indicates the compound was analyzed for but not detected

American Analytical Laboratories, LLC.

Date: 27-May-05

CLIENT:	Leggette Brashears & Graham Inc.	Client Sample ID:	MW-45A
Lab Order:	0505171	Tag Number:	4615
Project:	Rowe Quarterly	Collection Date:	5/17/2005 1:51:00 PM
Lab ID:	0505171-05A	Date Received:	5/24/2005
		Matrix:	LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
Chloroform	U	1.0		µg/L	1	5/24/2005 3:20:00 PM
Chloromethane	U	1.0		µg/L	1	5/24/2005 3:20:00 PM
cis-1,2-Dichloroethene	U	1.0		µg/L	1	5/24/2005 3:20:00 PM
cis-1,3-Dichloropropene	U	1.0		µg/L	1	5/24/2005 3:20:00 PM
Dibromochloromethane	U	1.0		µg/L	1	5/24/2005 3:20:00 PM
Dibromomethane	U	1.0		µg/L	1	5/24/2005 3:20:00 PM
Dichlorodifluoromethane	U	1.0		µg/L	1	5/24/2005 3:20:00 PM
Ethylbenzene	U	1.0		µg/L	1	5/24/2005 3:20:00 PM
Hexachlorobutadiene	U	1.0		µg/L	1	5/24/2005 3:20:00 PM
Isopropylbenzene	U	1.0		µg/L	1	5/24/2005 3:20:00 PM
m,p-Xylene	U	2.0		µg/L	1	5/24/2005 3:20:00 PM
Methyl tert-butyl ether	U	1.0		µg/L	1	5/24/2005 3:20:00 PM
Methylene chloride	U	1.0		µg/L	1	5/24/2005 3:20:00 PM
Naphthalene	U	1.0		µg/L	1	5/24/2005 3:20:00 PM
n-Butylbenzene	U	1.0		µg/L	1	5/24/2005 3:20:00 PM
n-Propylbenzene	U	1.0		µg/L	1	5/24/2005 3:20:00 PM
o-Xylene	U	1.0		µg/L	1	5/24/2005 3:20:00 PM
sec-Butylbenzene	U	1.0		µg/L	1	5/24/2005 3:20:00 PM
Styrene	U	1.0		µg/L	1	5/24/2005 3:20:00 PM
tert-Butylbenzene	U	1.0		µg/L	1	5/24/2005 3:20:00 PM
Tetrachloroethene	U	1.0		µg/L	1	5/24/2005 3:20:00 PM
Toluene	U	1.0		µg/L	1	5/24/2005 3:20:00 PM
trans-1,2-Dichloroethene	U	1.0		µg/L	1	5/24/2005 3:20:00 PM
trans-1,3-Dichloropropene	U	1.0		µg/L	1	5/24/2005 3:20:00 PM
Trichloroethene	U	1.0		µg/L	1	5/24/2005 3:20:00 PM
Trichlorofluoromethane	U	1.0		µg/L	1	5/24/2005 3:20:00 PM
Vinyl acetate	U	1.0		µg/L	1	5/24/2005 3:20:00 PM
Vinyl chloride	U	1.0		µg/L	1	5/24/2005 3:20:00 PM

Qualifiers:	*	Value exceeds Maximum Contaminant Level	B	Analyte detected in the associated Method Blank
	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded
	J	Analyte detected below quantitation limits	ND	Not Detected at the Reporting Limit
	S	Spike Recovery outside accepted recovery limits	U	Indicates the compound was analyzed for but not detected

American Analytical Laboratories, LLC.

Date: 27-May-05

CLIENT:	Leggette Brashears & Graham Inc.	Client Sample ID:	MW-45A
Lab Order:	0505171	Tag Number:	4615
Project:	Rowe Quarterly	Collection Date:	5/17/2005 1:51:00 PM
Lab ID:	0505171-05B	Date Received:	5/24/2005
		Matrix:	LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
DISSOLVED IRON Iron	0.863	E200.7 0.0200		(SW3005A) mg/L	1	Analyst: JP 5/25/2005 11:25:37 AM
CHLORIDE Chloride	22.0	M4500-C1 B 1.00		mg/L	1	Analyst: BK 5/24/2005
IRON, FERROUS (FE+2) Iron, Ferrous	27.3	M3500-Fe D 25.0		µg/L	1	Analyst: IP 5/26/2005
SULFATE Sulfate	6.71	E375.4 1.00		mg/L	1	Analyst: IP 5/24/2005
ALKALINITY Alkalinity, Total (As CaCO ₃)	17.2	E310.1 1.00		mg/L CaCO ₃	1	Analyst: BK 5/25/2005

Qualifiers:	*	Value exceeds Maximum Contaminant Level	B	Analyte detected in the associated Method Blank
	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded
	J	Analyte detected below quantitation limits	ND	Not Detected at the Reporting Limit
	S	Spike Recovery outside accepted recovery limits	U	Indicates the compound was analyzed for but not detected

American Analytical Laboratories, LLC.

Date: 27-May-05

CLIENT:	Leggette Brashears & Graham Inc.	Client Sample ID:	MW-45A
Lab Order:	0505171	Tag Number:	4615
Project:	Rowe Quarterly	Collection Date:	5/17/2005 1:51:00 PM
Lab ID:	0505171-05C	Date Received:	5/24/2005
		Matrix:	LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
TOTAL IRON		E200.7		(SW3010A)		Analyst: JP
Iron	2.08	0.0200		mg/L	1	5/25/2005 11:27:39 AM

Qualifiers:	*	Value exceeds Maximum Contaminant Level	B	Analyte detected in the associated Method Blank
	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded
	J	Analyte detected below quantitation limits	ND	Not Detected at the Reporting Limit
	S	Spike Recovery outside accepted recovery limits	U	Indicates the compound was analyzed for but not detected

American Analytical Laboratories, LLC.

Date: 27-May-05

CLIENT: Leggette Brashears & Graham Inc.**Client Sample ID:** MW-45A**Lab Order:** 0505171**Tag Number:** 4615**Project:** Rowe Quarterly**Collection Date:** 5/17/2005 1:51:00 PM**Lab ID:** 0505171-05D**Date Received:** 5/24/2005**Matrix:** LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
NITRATE AS N		E353.2				Analyst: BK
Nitrogen, Nitrate-Nitrite	U	0.100		mg/L	1	5/25/2005

Qualifiers:

- * Value exceeds Maximum Contaminant Level
- E Value above quantitation range
- J Analyte detected below quantitation limits
- S Spike Recovery outside accepted recovery limits

- B Analyte detected in the associated Method Blank
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit

- U Indicates the compound was analyzed for but not detected

American Analytical Laboratories, LLC.

Date: 27-May-05

CLIENT: Leggette Brashears & Graham Inc.**Client Sample ID:** MW-45A**Lab Order:** 0505171**Tag Number:** 4615**Project:** Rowe Quarterly**Collection Date:** 5/17/2005 1:51:00 PM**Lab ID:** 0505171-05E**Date Received:** 5/24/2005**Matrix:** LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
SULFIDE		E376.1				Analyst: BK
Sulfide	U	1.0		mg/L	1	5/24/2005

Qualifiers:

- * Value exceeds Maximum Contaminant Level
- E Value above quantitation range
- J Analyte detected below quantitation limits
- S Spike Recovery outside accepted recovery limits

- B Analyte detected in the associated Method Blank
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- U Indicates the compound was analyzed for but not detected

Page 30 of 34

American Analytical Laboratories, LLC.

Date: 27-May-05

CLIENT: Leggette Brashears & Graham Inc.

Client Sample ID: MW-98-04

Lab Order: 0505171

Tag Number: 4615

Project: Rowe Quarterly

Collection Date: 5/17/2005 1:32:00 PM

Lab ID: 0505171-06A

Date Received: 5/24/2005

Matrix: LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILES SW-846 8260 PLUS MTBE & FREON1		SW8260B		Analyst: LDS		
1,1,1,2-Tetrachloroethane	U	1.0		µg/L	1	5/24/2005 3:53:00 PM
1,1,1-Trichloroethane	U	1.0		µg/L	1	5/24/2005 3:53:00 PM
1,1,2,2-Tetrachloroethane	U	1.0		µg/L	1	5/24/2005 3:53:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	U	1.0		µg/L	1	5/24/2005 3:53:00 PM
1,1,2-Trichloroethane	U	1.0		µg/L	1	5/24/2005 3:53:00 PM
1,1-Dichloroethane	U	1.0		µg/L	1	5/24/2005 3:53:00 PM
1,1-Dichloroethene	U	1.0		µg/L	1	5/24/2005 3:53:00 PM
1,1-Dichloropropene	U	1.0		µg/L	1	5/24/2005 3:53:00 PM
1,2,3-Trichlorobenzene	U	1.0		µg/L	1	5/24/2005 3:53:00 PM
1,2,3-Trichloropropane	U	1.0		µg/L	1	5/24/2005 3:53:00 PM
1,2,4-Trichlorobenzene	U	1.0		µg/L	1	5/24/2005 3:53:00 PM
1,2,4-Trimethylbenzene	U	1.0		µg/L	1	5/24/2005 3:53:00 PM
1,2-Dibromo-3-chloropropane	U	1.0		µg/L	1	5/24/2005 3:53:00 PM
1,2-Dibromoethane	U	1.0		µg/L	1	5/24/2005 3:53:00 PM
1,2-Dichlorobenzene	U	1.0		µg/L	1	5/24/2005 3:53:00 PM
1,2-Dichloroethane	U	1.0		µg/L	1	5/24/2005 3:53:00 PM
1,2-Dichloropropane	U	1.0		µg/L	1	5/24/2005 3:53:00 PM
1,3,5-Trimethylbenzene	U	1.0		µg/L	1	5/24/2005 3:53:00 PM
1,3-Dichlorobenzene	U	1.0		µg/L	1	5/24/2005 3:53:00 PM
1,3-dichloropropane	U	1.0		µg/L	1	5/24/2005 3:53:00 PM
1,4-Dichlorobenzene	U	1.0		µg/L	1	5/24/2005 3:53:00 PM
2,2-Dichloropropane	U	1.0		µg/L	1	5/24/2005 3:53:00 PM
2-Butanone	U	1.0		µg/L	1	5/24/2005 3:53:00 PM
2-Chloroethyl vinyl ether	U	1.0		µg/L	1	5/24/2005 3:53:00 PM
2-Chlorotoluene	U	1.0		µg/L	1	5/24/2005 3:53:00 PM
2-Hexanone	U	1.0		µg/L	1	5/24/2005 3:53:00 PM
4-Chlorotoluene	U	1.0		µg/L	1	5/24/2005 3:53:00 PM
4-Isopropyltoluene	U	1.0		µg/L	1	5/24/2005 3:53:00 PM
4-Methyl-2-pentanone	U	1.0		µg/L	1	5/24/2005 3:53:00 PM
Acetone	U	1.0		µg/L	1	5/24/2005 3:53:00 PM
Benzene	U	1.0		µg/L	1	5/24/2005 3:53:00 PM
Bromobenzene	U	1.0		µg/L	1	5/24/2005 3:53:00 PM
Bromochloromethane	U	1.0		µg/L	1	5/24/2005 3:53:00 PM
Bromodichloromethane	U	1.0		µg/L	1	5/24/2005 3:53:00 PM
Bromoform	U	1.0		µg/L	1	5/24/2005 3:53:00 PM
Bromomethane	U	1.0		µg/L	1	5/24/2005 3:53:00 PM
Carbon disulfide	U	1.0		µg/L	1	5/24/2005 3:53:00 PM
Carbon tetrachloride	U	1.0		µg/L	1	5/24/2005 3:53:00 PM
Chlorobenzene	U	1.0		µg/L	1	5/24/2005 3:53:00 PM
Chloroethane	U	1.0		µg/L	1	5/24/2005 3:53:00 PM

Qualifiers: * Value exceeds Maximum Contaminant Level
 E Value above quantitation range
 J Analyte detected below quantitation limits
 S Spike Recovery outside accepted recovery limits

B Analyte detected in the associated Method Blank
 H Holding times for preparation or analysis exceeded
 ND Not Detected at the Reporting Limit
 U Indicates the compound was analyzed for but not detected
 Page 31 of 34

American Analytical Laboratories, LLC.

Date: 27-May-05

CLIENT: Leggette Brashears & Graham Inc.

Client Sample ID: MW-98-04

Lab Order: 0505171

Tag Number: 4615

Project: Rowe Quarterly

Collection Date: 5/17/2005 1:32:00 PM

Lab ID: 0505171-06A

Date Received: 5/24/2005

Matrix: LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
Chloroform	U	1.0		µg/L	1	5/24/2005 3:53:00 PM
Chloromethane	U	1.0		µg/L	1	5/24/2005 3:53:00 PM
cis-1,2-Dichloroethene	15	1.0		µg/L	1	5/24/2005 3:53:00 PM
cis-1,3-Dichloropropene	U	1.0		µg/L	1	5/24/2005 3:53:00 PM
Dibromochloromethane	U	1.0		µg/L	1	5/24/2005 3:53:00 PM
Dibromomethane	U	1.0		µg/L	1	5/24/2005 3:53:00 PM
Dichlorodifluoromethane	U	1.0		µg/L	1	5/24/2005 3:53:00 PM
Ethylbenzene	U	1.0		µg/L	1	5/24/2005 3:53:00 PM
Hexachlorobutadiene	U	1.0		µg/L	1	5/24/2005 3:53:00 PM
Isopropylbenzene	U	1.0		µg/L	1	5/24/2005 3:53:00 PM
m,p-Xylene	U	2.0		µg/L	1	5/24/2005 3:53:00 PM
Methyl tert-butyl ether	U	1.0		µg/L	1	5/24/2005 3:53:00 PM
Methylene chloride	U	1.0		µg/L	1	5/24/2005 3:53:00 PM
Naphthalene	U	1.0		µg/L	1	5/24/2005 3:53:00 PM
n-Butylbenzene	U	1.0		µg/L	1	5/24/2005 3:53:00 PM
n-Propylbenzene	U	1.0		µg/L	1	5/24/2005 3:53:00 PM
o-Xylene	U	1.0		µg/L	1	5/24/2005 3:53:00 PM
sec-Butylbenzene	U	1.0		µg/L	1	5/24/2005 3:53:00 PM
Styrene	U	1.0		µg/L	1	5/24/2005 3:53:00 PM
tert-Butylbenzene	U	1.0		µg/L	1	5/24/2005 3:53:00 PM
Tetrachloroethene	4.9	1.0		µg/L	1	5/24/2005 3:53:00 PM
Toluene	U	1.0		µg/L	1	5/24/2005 3:53:00 PM
trans-1,2-Dichloroethene	U	1.0		µg/L	1	5/24/2005 3:53:00 PM
trans-1,3-Dichloropropene	U	1.0		µg/L	1	5/24/2005 3:53:00 PM
Trichloroethene	U	1.0		µg/L	1	5/24/2005 3:53:00 PM
Trichlorofluoromethane	U	1.0		µg/L	1	5/24/2005 3:53:00 PM
Vinyl acetate	U	1.0		µg/L	1	5/24/2005 3:53:00 PM
Vinyl chloride	U	1.0		µg/L	1	5/24/2005 3:53:00 PM

Qualifiers: * Value exceeds Maximum Contaminant Level

E Value above quantitation range

J Analyte detected below quantitation limits

S Spike Recovery outside accepted recovery limits

B Analyte detected in the associated Method Blank

H Holding times for preparation or analysis exceeded

ND Not Detected at the Reporting Limit

U Indicates the compound was analyzed for but not detected

American Analytical Laboratories, LLC.

Date: 27-May-05

CLIENT: Leggette Brashears & Graham Inc. Client Sample ID: Trip Blank
 Lab Order: 0505171 Tag Number: 4615
 Project: Rowe Quarterly Collection Date: 5/17/2005
 Lab ID: 0505171-07A Date Received: 5/24/2005 Matrix: LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILES SW-846 8260 PLUS MTBE & FREON1		SW8260B		Analyst: LDS		
1,1,1,2-Tetrachloroethane	U	1.0		µg/L	1	5/24/2005 4:25:00 PM
1,1,1-Trichloroethane	U	1.0		µg/L	1	5/24/2005 4:25:00 PM
1,1,2,2-Tetrachloroethane	U	1.0		µg/L	1	5/24/2005 4:25:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	U	1.0		µg/L	1	5/24/2005 4:25:00 PM
1,1,2-Trichloroethane	U	1.0		µg/L	1	5/24/2005 4:25:00 PM
1,1-Dichloroethane	U	1.0		µg/L	1	5/24/2005 4:25:00 PM
1,1-Dichloroethene	U	1.0		µg/L	1	5/24/2005 4:25:00 PM
1,1-Dichloropropene	U	1.0		µg/L	1	5/24/2005 4:25:00 PM
1,2,3-Trichlorobenzene	U	1.0		µg/L	1	5/24/2005 4:25:00 PM
1,2,3-Trichloropropane	U	1.0		µg/L	1	5/24/2005 4:25:00 PM
1,2,4-Trichlorobenzene	U	1.0		µg/L	1	5/24/2005 4:25:00 PM
1,2,4-Trimethylbenzene	U	1.0		µg/L	1	5/24/2005 4:25:00 PM
1,2-Dibromo-3-chloropropane	U	1.0		µg/L	1	5/24/2005 4:25:00 PM
1,2-Dibromoethane	U	1.0		µg/L	1	5/24/2005 4:25:00 PM
1,2-Dichlorobenzene	U	1.0		µg/L	1	5/24/2005 4:25:00 PM
1,2-Dichloroethane	U	1.0		µg/L	1	5/24/2005 4:25:00 PM
1,2-Dichloropropane	U	1.0		µg/L	1	5/24/2005 4:25:00 PM
1,3,5-Trimethylbenzene	U	1.0		µg/L	1	5/24/2005 4:25:00 PM
1,3-Dichlorobenzene	U	1.0		µg/L	1	5/24/2005 4:25:00 PM
1,3-dichloropropane	U	1.0		µg/L	1	5/24/2005 4:25:00 PM
1,4-Dichlorobenzene	U	1.0		µg/L	1	5/24/2005 4:25:00 PM
2,2-Dichloropropane	U	1.0		µg/L	1	5/24/2005 4:25:00 PM
2-Butanone	U	1.0		µg/L	1	5/24/2005 4:25:00 PM
2-Chloroethyl vinyl ether	U	1.0		µg/L	1	5/24/2005 4:25:00 PM
2-Chlorotoluene	U	1.0		µg/L	1	5/24/2005 4:25:00 PM
2-Hexanone	U	1.0		µg/L	1	5/24/2005 4:25:00 PM
4-Chlorotoluene	U	1.0		µg/L	1	5/24/2005 4:25:00 PM
4-Isopropyltoluene	U	1.0		µg/L	1	5/24/2005 4:25:00 PM
4-Methyl-2-pentanone	U	1.0		µg/L	1	5/24/2005 4:25:00 PM
Acetone	U	1.0		µg/L	1	5/24/2005 4:25:00 PM
Benzene	U	1.0		µg/L	1	5/24/2005 4:25:00 PM
Bromobenzene	U	1.0		µg/L	1	5/24/2005 4:25:00 PM
Bromochloromethane	U	1.0		µg/L	1	5/24/2005 4:25:00 PM
Bromodichloromethane	U	1.0		µg/L	1	5/24/2005 4:25:00 PM
Bromoform	U	1.0		µg/L	1	5/24/2005 4:25:00 PM
Bromomethane	U	1.0		µg/L	1	5/24/2005 4:25:00 PM
Carbon disulfide	U	1.0		µg/L	1	5/24/2005 4:25:00 PM
Carbon tetrachloride	U	1.0		µg/L	1	5/24/2005 4:25:00 PM
Chlorobenzene	U	1.0		µg/L	1	5/24/2005 4:25:00 PM
Chloroethane	U	1.0		µg/L	1	5/24/2005 4:25:00 PM

Qualifiers: * Value exceeds Maximum Contaminant Level
 E Value above quantitation range
 J Analyte detected below quantitation limits
 S Spike Recovery outside accepted recovery limits

B Analyte detected in the associated Method Blank
 H Holding times for preparation or analysis exceeded
 ND Not Detected at the Reporting Limit

U Indicates the compound was analyzed for but not detected
 Page 33 of 34

American Analytical Laboratories, LLC.

Date: 27-May-05

CLIENT: Leggette Brashears & Graham Inc. **Client Sample ID:** Trip Blank
Lab Order: 0505171 **Tag Number:** 4615
Project: Rowe Quarterly **Collection Date:** 5/17/2005
Lab ID: 0505171-07A **Date Received:** 5/24/2005 **Matrix:** LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
Chloroform	U	1.0		µg/L	1	5/24/2005 4:25:00 PM
Chloromethane	U	1.0		µg/L	1	5/24/2005 4:25:00 PM
cis-1,2-Dichloroethene	U	1.0		µg/L	1	5/24/2005 4:25:00 PM
cis-1,3-Dichloropropene	U	1.0		µg/L	1	5/24/2005 4:25:00 PM
Dibromochloromethane	U	1.0		µg/L	1	5/24/2005 4:25:00 PM
Dibromomethane	U	1.0		µg/L	1	5/24/2005 4:25:00 PM
Dichlorodifluoromethane	U	1.0		µg/L	1	5/24/2005 4:25:00 PM
Ethylbenzene	U	1.0		µg/L	1	5/24/2005 4:25:00 PM
Hexachlorobutadiene	U	1.0		µg/L	1	5/24/2005 4:25:00 PM
Isopropylbenzene	U	1.0		µg/L	1	5/24/2005 4:25:00 PM
m,p-Xylene	U	2.0		µg/L	1	5/24/2005 4:25:00 PM
Methyl tert-butyl ether	U	1.0		µg/L	1	5/24/2005 4:25:00 PM
Methylene chloride	U	1.0		µg/L	1	5/24/2005 4:25:00 PM
Naphthalene	U	1.0		µg/L	1	5/24/2005 4:25:00 PM
n-Butylbenzene	U	1.0		µg/L	1	5/24/2005 4:25:00 PM
n-Propylbenzene	U	1.0		µg/L	1	5/24/2005 4:25:00 PM
o-Xylene	U	1.0		µg/L	1	5/24/2005 4:25:00 PM
sec-Butylbenzene	U	1.0		µg/L	1	5/24/2005 4:25:00 PM
Styrene	U	1.0		µg/L	1	5/24/2005 4:25:00 PM
tert-Butylbenzene	U	1.0		µg/L	1	5/24/2005 4:25:00 PM
Tetrachloroethene	U	1.0		µg/L	1	5/24/2005 4:25:00 PM
Toluene	U	1.0		µg/L	1	5/24/2005 4:25:00 PM
trans-1,2-Dichloroethene	U	1.0		µg/L	1	5/24/2005 4:25:00 PM
trans-1,3-Dichloropropene	U	1.0		µg/L	1	5/24/2005 4:25:00 PM
Trichloroethene	U	1.0		µg/L	1	5/24/2005 4:25:00 PM
Trichlorofluoromethane	U	1.0		µg/L	1	5/24/2005 4:25:00 PM
Vinyl acetate	U	1.0		µg/L	1	5/24/2005 4:25:00 PM
Vinyl chloride	U	1.0		µg/L	1	5/24/2005 4:25:00 PM

Qualifiers: * Value exceeds Maximum Contaminant Level B Analyte detected in the associated Method Blank
 E Value above quantitation range H Holding times for preparation or analysis exceeded
 J Analyte detected below quantitation limits ND Not Detected at the Reporting Limit
 S Spike Recovery outside accepted recovery limits U Indicates the compound was analyzed for but not detected

Environmental Testing Laboratories, Inc.

208 Route 109, Farmingdale NY 11735
Phone - 631-249-1456 Fax - 631-249-8344

06/10/2005

TCD Head Space Analysis

Sample: 0505521-1

Client Sample ID: 0505171-01D

Collected: 05/17/2005 10:02

Matrix: Liquid

Type: Grab

Remarks:

Analyzed Date: 06/07/2005

Analytical Results

Cas No	Analyte	File ID	MDL	Concentration	Units	Q
124-38-9	Carbon Dioxide	D 605 -3	0.022	182	ppm	
74-82-8	Methane	D 605 -3	0.0011	0.0011	ppm	U
1333-74-0	Hydrogen	D 605 -3	0.022	0.022	ppm	U

Sample: 0505521-2

Client Sample ID: 0505171-02D

Collected: 05/17/2005 10:29

Matrix: Liquid

Type: Grab

Remarks:

Analyzed Date: 06/07/2005

Analytical Results

Cas No	Analyte	File ID	MDL	Concentration	Units	Q
124-38-9	Carbon Dioxide	D 605 -4	0.022	339	ppm	
74-82-8	Methane	D 605 -4	0.0011	0.28	ppm	
1333-74-0	Hydrogen	D 605 -4	0.022	0.022	ppm	U

Sample: 0505521-3

Client Sample ID: 0505171-03D

Collected: 05/17/2005 10:57

Matrix: Liquid

Type: Grab

Remarks:

Analyzed Date: 06/07/2005

Analytical Results

Cas No	Analyte	File ID	MDL	Concentration	Units	Q
124-38-9	Carbon Dioxide	D 605 -5	0.022	250	ppm	
74-82-8	Methane	D 605 -5	0.0011	0.21	ppm	
1333-74-0	Hydrogen	D 605 -5	0.022	0.022	ppm	U



Environmental Testing Laboratories, Inc.

208 Route 109, Farmingdale NY 11735
Phone - 631-249-1456 Fax - 631-249-8344

06/10/2005

TCD Head Space Analysis

Sample: 0505521-4

Client Sample ID: 0505171-04D

Collected: 05/17/2005 11:30

Matrix: Liquid

Type: Grab

Remarks:

Analyzed Date: 06/07/2005

Analytical Results

Cas No	Analyte	File ID	MDL	Concentration	Units	Q
124-38-9	Carbon Dioxide	D 605 -6	0.022	235	ppm	
74-82-8	Methane	D 605 -6	0.0011	0.13	ppm	
1333-74-0	Hydrogen	D 605 -6	0.022	0.022	ppm	U

Sample: 0505521-5

Client Sample ID: 0505171-05D

Collected: 05/17/2005 13:51

Matrix: Liquid

Type: Grab

Remarks:

Analyzed Date: 06/07/2005

Analytical Results

Cas No	Analyte	File ID	MDL	Concentration	Units	Q
124-38-9	Carbon Dioxide	D 605 -7	0.022	54.2	ppm	
74-82-8	Methane	D 605 -7	0.0011	0.0011	ppm	U
1333-74-0	Hydrogen	D 605 -7	0.022	0.022	ppm	U



EcoTest Laboratories Inc
377 Sheffield Ave
North Babylon, NY 11703
631 422-5777

LAB NO.251851.01

FRW-1

06/02/05

American Analytical Laboratories
56 Toledo Street
Farmingdale, NY 11735

ATTN: Lori Beyer

PO#:

SOURCE OF SAMPLE: AAL #0505171-01D

SOURCE OF SAMPLE:

COLLECTED BY: Client

DATE COL'D:05/17/05 RECEIVED:05/25/05

TIME COL'D:1002

MATRIX:Water SAMPLE:

ANALYTICAL PARAMETERS
Tot Organic Carbon

UNITS RESULT
mg/L 3.3

DATE OF ANALYSIS LRL ANALYTICAL METHOD
06/01/05 1 EPA415.1

cc:

LRL=laboratory Reporting Limit

REMARKS:

DIRECTOR



EcoTest Laboratories Inc
377 Sheffield Ave
North Babylon, NY 11703
631 422-5777

LAB NO.251851.02

FRW-2

06/02/05

American Analytical Laboratories
56 Toledo Street
Farmingdale, NY 11735

ATTN: Lori Beyer

PO#:

SOURCE OF SAMPLE: AAL #0505171-02D

SOURCE OF SAMPLE:

COLLECTED BY: Client

DATE COL'D:05/17/05 RECEIVED:05/25/05

TIME COL'D:1029

MATRIX:Water SAMPLE:

ANALYTICAL PARAMETERS
Tot Organic Carbon

UNITS RESULT
mg/L 150

DATE OF
FLAG ANALYSIS LRL
06/01/05 10

ANALYTICAL
METHOD
EPA415 1

cc:

LRL=laboratory Reporting Limit

REMARKS:

DIRECTOR



EcoTest Laboratories Inc
377 Sheffield Ave
North Babylon, NY 11703
631 422-5777

LAB NO.251851.03

FRW-3

06/02/05

American Analytical Laboratories
56 Toledo Street
Farmingdale, NY 11735

ATTN: Lori Beyer

PO#:

SOURCE OF SAMPLE: AAL #0505171-03D

SOURCE OF SAMPLE:

COLLECTED BY: Client

DATE COL'D:05/17/05 RECEIVED:05/25/05

TIME COL'D:1057

MATRIX:Water SAMPLE:

ANALYTICAL PARAMETERS

UNITS RESULT

FLAG	DATE OF ANALYSIS	LRL	ANALYTIC METHOD
	06/01/05	5	EPA415.1

Tot Organic Carbon

mg/L 68

cc:

LRL=laboratory Reporting Limit

REMARKS:

DIRECTOR

EcoTest Laboratories Inc
377 Sheffield Ave
North Babylon, NY 11703
631 422-5777

LAB NO.251851.04

FRW-4

06/02/05

American Analytical Laboratories
56 Toledo Street
Farmingdale, NY 11735

ATTN: Lori Beyer

PO#:

SOURCE OF SAMPLE: AAL #0505171-04D

SOURCE OF SAMPLE:

COLLECTED BY: Client

DATE COL'D:05/17/05 RECEIVED:05/25/05

TIME COL'D:1130

MATRIX:Water SAMPLE:

ANALYTICAL PARAMETERS	UNITS	RESULT	FLAG	DATE OF ANALYSIS	LRL	ANALYTIC METHOD
Tot Organic Carbon	mg/L	7.3		06/01/05	1	EPA415 1

cc:

LRL=laboratory Reporting Limit

REMARKS:

DIRECTOR

EcoTest Laboratories Inc
377 Sheffield Ave
North Babylon, NY 11703
631 422-5777

LAB NO.251851.05

MW-45A

06/02/05

American Analytical Laboratories
56 Toledo Street
Farmingdale, NY 11735

ATTN: Lori Beyer

PO#:

SOURCE OF SAMPLE: AAL #0505171-05D

SOURCE OF SAMPLE:

COLLECTED BY: Client

DATE COL'D:05/17/05 RECEIVED:05/25/05

TIME COL'D:1351

MATRIX:Water

SAMPLE:

ANALYTICAL PARAMETERS	UNITS	RESULT	FLAG	DATE OF ANALYSIS	LRL	ANALYTIC METHOD
- Tot Organic Carbon	mg/L	2.5		06/01/05	1	EPA415.1

cc:

LRL=laboratory Reporting Limit

REMARKS:

DIRECTOR



EcoTest Laboratories Inc
377 Sheffield Ave
North Babylon, NY 11703
631 422-5777

LAB NO.251851.06

MW98-04

06/02/05

American Analytical Laboratories
56 Toledo Street
Farmingdale, NY 11735

ATTN: Lori Beyer

PO#:

SOURCE OF SAMPLE: AAL #0505171-06B

SOURCE OF SAMPLE:

COLLECTED BY: Client

DATE COL'D:05/17/05 RECEIVED:05/25/05

TIME COL'D:1332

MATRIX:Water SAMPLE:

ANALYTICAL PARAMETERS
Tot Organic Carbon

UNITS RESULT
mg/L < 1

DATE OF
FLAG ANALYSIS LRL
06/01/05 1

ANALYTICAL
METHOD
EPA41

cc:

LRL=laboratory Reporting Limit

REMARKS:

DIRECTOR

ANALYTICAL REPORT

JOB NUMBER: 209604

Prepared For:

LEGGETTE, BRASHEARS & GRAHAM
126 Monroe Turnpike
Trumbull, CT 06611

Project: ROWE INDUSTRIES

Attention: Mark Goldberg

Date: 06/07/2005

W-7L

Signature

Name: William D. Goodman

Title: Project Manager

E-Mail: wgoodman@stl-inc.com

6/7/2005

Date

STL Connecticut
128 Long Hill Cross Road
Shelton, CT 06484

STL Report : 209604
LEGGETTE, BRASHEARS, & GRAHAM

Case Narrative

Sample Receipt – All samples were received in good condition and at the proper temperature.

The following analyses were subcontracted out to the indicated laboratories:

**RSK 175 sent to STL Burlington, 208 South Park Drive, Suite 1, Colchester, VT
05446**

SAMPLE INFORMATION
Date: 06/07/2005

Job Number.: 209604
Customer...: LEGGETTE, BRASHEARS & GRAHAM
Attn.....: Mark Goldberg

Project Number.....: 20000283
Customer Project ID....: ROWE INDUSTRIES
Project Description....: Rowe Industries

Laboratory Sample ID	Customer Sample ID	Sample Matrix	Date Sampled	Time Sampled	Date Received	Time Received
209604-1	FRW-1	Water	05/17/2005	00:00	05/23/2005	15:35
209604-2	FRW-2	Water	05/17/2005	00:00	05/23/2005	15:35
209604-3	FRW-3	Water	05/17/2005	00:00	05/23/2005	15:35
209604-4	FRW-4	Water	05/17/2005	00:00	05/23/2005	15:35
209604-5	MW-45A	Water	05/17/2005	00:00	05/23/2005	15:35
209604-6	MW98-04	Water	05/17/2005	00:00	05/23/2005	15:35

rpjsckl

Job Sample Receipt Checklist Report

V2

Job Number.: 209604 Location.: 57207 Check List Number.: 1 Description.:
Customer Job ID..... Job Check List Date.:
Project Number.: 20000283 Project Description.: Rowe Industries
Customer.....: LEGGETTE, BRASHEARS & GRAHAM Contact.: Mark Goldberg

Date of the Report...: 05/23/2005
Project Manager.....: wdg

Questions ?

(Y/N) Comments

Chain-of-Custody Present?..... Y

...If "yes", completed properly?..... Y

Custody seal on shipping container?..... Y

...If "yes", custody seal intact?..... Y

Custody seals on sample containers?..... N

...If "yes", custody seal intact?.....

Samples iced?..... Y

Temperature of cooler acceptable? (4 deg C +/- 2). Y 5.2C

Samples received intact (good condition)?..... Y

Volatile samples acceptable? (no headspace)..... N ONE VIAL FOR FRW-2 REC. W/HEADSPACE

Correct containers used?..... Y

Adequate sample volume provided?..... Y

Samples preserved correctly?.....

Samples received within holding-time?..... Y

Agreement between COC and sample labels?..... Y

Radioactivity at or below background levels?..... Y

A Sample Discrepancy Report (SDR) was needed?..... N

Comments.....

If samples were shipped was there an air bill #?.. N P/U BY RUTH

Sample Custodian Signature/Date..... Y

**STL Burlington
Colchester, Vermont**

**Sample Data Summary
Package**

SDG: 209604

June 3, 2005

Mr. Bill Goodman
Severn Trent Laboratories
128 Long Hill Cross Road
Shelton, CT 06484

STL Burlington

208 South Park Drive, Suite 1
Colchester, VT 05446

Tel: 802 655 1203 Fax: 802 655 1248
www.stl-inc.com

Re: Laboratory Project No. 24001
Case: 24001; SDG: 209604

Dear Mr. Goodman:

Enclosed are the analytical results for samples received by STL Burlington on May 24, 2005.
This report is sequentially numbered starting with page 0001 and ending with page 0059.

Laboratory numbers have been assigned and designated as follows:

<u>Lab ID</u>	<u>Client Sample ID</u>	<u>Sample Date</u>	<u>Sample Matrix</u>
Received: 05/24/05 ETR No: 107387			
622050	FRW-1	05/17/05	Water
622051	FRW-2	05/17/05	Water
622052	FRW-3	05/17/05	Water
622053	FRW-4	05/17/05	Water
622054	MW-45A	05/17/05	Water

Documentation of the condition of the samples at the time their receipt and any exceptions to the laboratory's Sample Acceptance Policy is included in the Sample Handling section of this submittal.

RSK-175 – Dissolved Gases:

The sample identified as MW98-04 was received by the laboratory, however, the client directed the laboratory that it not be analyzed.

The analytical results associated with the samples presented in this test report were generated under a quality system that adheres to the requirements specified in the NELAC standard. Release of the data contained in this test report and any associated electronic deliverables is authorized by the Laboratory Director's designee as verified by the following signature.

If there are any questions regarding this submittal, please contact me at (802) 655-1203.

Sincerely,



Ron Pentkowski
Project Manager

Enclosure

STL Burlington Data Qualifier Definitions

Organic

- U: Compound analyzed but not detected at a concentration above the reporting limit.
- J: Estimated value.
- N: Indicates presumptive evidence of a compound. This flag is used only for tentatively identified compounds (TICs) where the identification of a compound is based on a mass spectral library search.
- P: Greater than 25% difference for detected concentrations between two GC columns. Unless otherwise specified in project QA plan, the lower of the two values is reported on the Form I.
- C: Pesticide result whose identification has been confirmed by GC/MS.
- B: Analyte is found in the sample and the associated method blank. The flag is used for tentatively identified compounds as well as positively identified compounds.
- E: Compounds whose concentrations exceed the upper limit of the calibration range of the instrument for that specific analysis.
- D: Concentrations identified from analysis of the sample at a secondary dilution.
- A: Tentatively identified compound is a suspected aldol condensation product.
- X,Y,Z: Laboratory defined flags that may be used alone or combined, as needed. If used, the description of the flag is defined in the project narrative.

Inorganic/Metals

- E: Reported value is estimated due to the presence of interference.
- N: Matrix spike sample recovery is not within control limits.
- * Duplicate sample analysis is not within control limits.
- B: The result reported is less than the reporting limit but greater than the instrument detection limit.
- U: Analyte was analyzed for but not detected above the reporting limit.

Method Codes:

- P ICP-AES
MS ICP-MS
CV Cold Vapor AA
AS Semi-Automated Spectrophotometric

05/23/2005

STL Connecticut

RE: Subcontract Chain of Custody

STL CT Project Manager: William D. Goodman
Telephone Number: 203-944-1318
PO/Job #: 209604
Client: LEGGETTE, BRASHEARS & GRAHAM
Project Name: ROWE INDUSTRIES
Certification: NY
VTSR Date: 05/23/2005
Hardcopy Due Date: 06/04/2005
Report Type: LEVEL 4
EDD Type: STD EXCEL
Please send EDD with hardcopy report

Samp#	Sample I.D.	Sampled Time
1	FRW-1	05/17/2005
2	FRW-2	05/17/2005
3	FRW-3	05/17/2005
4	FRW-4	05/17/2005
5	FRW-45A	05/17/2005
6	MW98-04	05/17/2005

Mthds	Method Description	#of	Analytical Mthd	Unit Price	Extended
RSK175	RSK-175		RSK-175		
1-6		6		\$110.00	\$660.00
Total Cost					\$660.00

Matrix: WATER
Bottle Type & Number: 2 X 40mL VOA UNP

Ship To: STL BURLINGTON
Ship Date: 05/23/2005

Special Instructions:

Prices include rush premium, if applicable.
Please overnight a paginated single-sided unbound hardcopy.
Please use client IDs in hardcopy report.
Please send EDD with hardcopy report.

Sending Laboratory: _____

Date: 5/23/05

Receiving Laboratory: _____

Date: 5-24-05

PLEASE SEND A SAMPLE CONFIRMATION REPORT UPON SAMPLE RECEIPT



NYSDOH 11418
NJDEP NY050
CTDOH PH-0205
PADEP 68-00573

Wednesday, July 06, 2005

Mark Goldberg
Leggette Brashears & Graham Inc.
126 Monroe Turnpike
Trumbull, CT 06611

TEL: (203) 452-3110

FAX (203) 452-3111

RE: Rowe Quarterly

Order No.: 0506177

Dear Mark Goldberg:

American Analytical Laboratories, LLC. received 8 sample(s) on 6/21/2005 for the analyses presented in the following report.

Samples were analyzed in accordance with the test procedures documented on the chain of custody and detailed throughout the text of this report.

The limits provided in the data package are analytical reporting limits and not Federal or Local mandated values to which the sample results should be compared.

There were no problems with the analyses and all data for associated QC met laboratory specifications.

If you have any questions regarding these tests results, please do not hesitate to call (631) 454-6100 or email me directly at lbeyer@american-analytical.com.

Sincerely,

Lori Beyer
Lab Director

American Analytical Laboratories, LLC.

Date: 06-Jul-05

CLIENT: Leggette Brashears & Graham Inc.**Project:** Rowe Quarterly**Lab Order:** 0506177**Work Order Sample Summary**

Lab Sample ID	Client Sample ID	Tag Number	Collection Date	Date Received
0506177-01A	FRW-1	4618	6/16/2005 7:55:00 AM	6/21/2005
0506177-01B	FRW-1	4618	6/16/2005 7:55:00 AM	6/21/2005
0506177-01C	FRW-1	4618	6/16/2005 7:55:00 AM	6/21/2005
0506177-01D	FRW-1	4618	6/16/2005 7:55:00 AM	6/21/2005
0506177-01E	FRW-1	4618	6/16/2005 7:55:00 AM	6/21/2005
0506177-02A	FRW-2	4618	6/16/2005 8:15:00 AM	6/21/2005
0506177-02B	FRW-2	4618	6/16/2005 8:15:00 AM	6/21/2005
0506177-02C	FRW-2	4618	6/16/2005 8:15:00 AM	6/21/2005
0506177-02D	FRW-2	4618	6/16/2005 8:15:00 AM	6/21/2005
0506177-02E	FRW-2	4618	6/16/2005 8:15:00 AM	6/21/2005
0506177-03A	FRW-3	4618	6/16/2005 9:00:00 AM	6/21/2005
0506177-03B	FRW-3	4618	6/16/2005 9:00:00 AM	6/21/2005
0506177-03C	FRW-3	4618	6/16/2005 9:00:00 AM	6/21/2005
0506177-03D	FRW-3	4618	6/16/2005 9:00:00 AM	6/21/2005
0506177-03E	FRW-3	4618	6/16/2005 9:00:00 AM	6/21/2005
0506177-04A	FRW-4	4618	6/16/2005 9:30:00 AM	6/21/2005
0506177-04B	FRW-4	4618	6/16/2005 9:30:00 AM	6/21/2005
0506177-04C	FRW-4	4618	6/16/2005 9:30:00 AM	6/21/2005
0506177-04D	FRW-4	4618	6/16/2005 9:30:00 AM	6/21/2005
0506177-04E	FRW-4	4618	6/16/2005 9:30:00 AM	6/21/2005
0506177-05A	MW-45A	4618	6/16/2005 10:39:00 AM	6/21/2005
0506177-05B	MW-45A	4618	6/16/2005 10:39:00 AM	6/21/2005
0506177-05C	MW-45A	4618	6/16/2005 10:39:00 AM	6/21/2005
0506177-05D	MW-45A	4618	6/16/2005 10:39:00 AM	6/21/2005
0506177-05E	MW-45A	4618	6/16/2005 10:39:00 AM	6/21/2005
0506177-06A	MW-98-04	4618	6/16/2005 12:01:00 PM	6/21/2005
0506177-07A	Field Blank	4618	6/16/2005	6/21/2005
0506177-08A	Trip Blank	4618	6/16/2005	6/21/2005

CHAIN OF CUSTODY / REQUEST FOR ANALYSIS DOCUMENT

[illegible]

WHITE-OFFICE / CANARY-LAB / PINK-SAMPLE CUSTODIAN / GOLDENROD-CLIENT

American Analytical Laboratories, LLC.
56 Toledo Street
Farmingdale, NY 11735-

TEL: 6314546100 FAX: 6314548027

Subcontractor:

EcoTest Laboratories, Inc.
377 Sheffield Avenue
North Babylon, NY 11703

TEL: (631) 422-5777
FAX: (631) 422-5770
Acct #:

CHAIN-OF-CUSTODY RECORD

21-Jun-05

Sample ID	Matrix	Collection Date	Bottle Type	Requested Tests			
				SW9060			
0506177-01E	Liquid	6/16/2005 7:55:00 AM	250MLPH2SO4	1			
0506177-02E	Liquid	6/16/2005 8:15:00 AM	250MLPH2SO4	1			
0506177-03E	Liquid	6/16/2005 9:00:00 AM	250MLPH2SO4	1			
0506177-04E	Liquid	6/16/2005 9:30:00 AM	250MLPH2SO4	1			
0506177-05E	Liquid	6/16/2005 10:39:00 AM	250MLPH2SO4	1			

Comments: Analyze for TOC.
Results by 6/27/05, Thanks.

Relinquished by:	Cheryl Dunn	Date/Time	6-22-05 11:30
Relinquished by:		Date/Time	

1
PH-0205
NY050
68-573



Y / REQUEST FOR ANALYSIS DOCUMENT

SAMPLER (SIGNATURE)

SAMPLE(S) SEALED	YES / NO
1	
2	
3	
4	
5	
6	
7	
8	
9	
10	
11	
12	
13	
14	
15	
16	
17	
18	
19	
20	
21	
22	
23	
24	
25	
26	
27	
28	
29	
30	
31	
32	
33	
34	
35	
36	
37	
38	
39	
40	
41	
42	
43	
44	
45	
46	
47	
48	
49	
50	
51	
52	
53	
54	
55	
56	
57	
58	
59	
60	
61	
62	
63	
64	
65	
66	
67	
68	
69	
70	
71	
72	
73	
74	
75	
76	
77	
78	
79	
80	
81	
82	
83	
84	
85	
86	
87	
88	
89	
90	
91	
92	
93	
94	
95	
96	
97	
98	
99	
100	

CORRECT
CONTAINER(S)

Lori Beyen

SAMPLE # - LOCATION

1-22715.6.50/177

815	FLW-2
-----	-------

920	Flw-3
-----	-------

930	F 22-4
-----	--------

103	mw-45-a
-----	---------

COOLER TEMPERATURE:

COMMENTS / INSTRUCTIONS

TYPE G=GRAB; C=COMPOSITE, SS=SPLIT SPOON

PRINTED NAME

RECEIVED BY LAB (SIGNATURE)

PRINTED NAME

TIME.

TIME.



TIME

DATE _____

PRINTED NAME

RECEIVED BY LAB (SIGNATURE)

DATE 6/22/05

PRINTED NAME

J. Holiday

WHITE-OFFICE / CANARY-LAB / PINK-SAMPLE CUSTODIAN / GOLDENROD-CLIENT

AMERICAN ANALYTICAL LABORATORIES, LLC

56 TOLEDO STREET

FARMINGDALE, NEW YORK 11735

TELEPHONE: (631) 454-6100

FAX: (631) 454-8027

DATA REPORTING QUALIFIERS

For reporting results, the following "Results Qualifiers" are used:

Value	If the result is greater than or equal to the detection limit, report the value
U	Indicates the compound was analyzed for but was not detected. Report the minimum detection limit for the sample with the U, i.e. "10U". This is not necessarily the instrument detection limit attainable for this particular sample based on any concentration or dilution that may have been required.
J	Indicates an estimated value. The flag is used: (1) When estimating a concentration for a tentatively identified compound (library search hits, where a 1:1 response is assumed.) (2) When the mass spectral data indicated the identification, however the result was less than the specified detection limit greater than zero. If the detection limit was 10ug/L and a concentration of 3ug/L was calculated report as 3J. This flag is used when similar situations arise on any organic parameter i.e. Pesticide, PCBs and others.
B	Indicates the analyte was found in the blank as well as the sample report "10B".
E	Indicates the analytes concentration exceeds the calibrated range of the instrument for that specific analysis.
D	This flag identifies all compounds identified in an analysis at a secondary dilution factor.
P	This flag is used for Pesticide / PCB target analyte when there is >25% difference for detected concentrations between the two GC Columns. The higher of the two values is reported on Form I and flagged with a "P".
N	This flag indicates presumptive evidence of a compound. This is only used for tentatively identified compounds (TICs), where the identification is based on a mass spectral library search. It applies to all TIC results. For generic characterization of a TIC, such as chlorinated hydrocarbon, the flag is not used.
H	Indicates sample was received and/or analyzed outside of The method allowable holding time

Environmental Testing Laboratories, Inc.

208 Route 109, Farmingdale NY 11735

Phone - 631-249-1456 Fax - 631-249-8344

07/07/2005

Case Narrative

DISSOLVED GASES

The analysis was carried out at 25 C and 1 atm. The Henry's constants were CH₄ = 41300, CO₂ = 1474, H₂ = 70000. The head space method was used to determine the concentration in water.



American Analytical Laboratories, LLC.

Date: 06-Jul-05

CLIENT: Leggette Brashears & Graham Inc.

Client Sample ID: FRW-1

Lab Order: 0506177

Tag Number: 4618

Project: Rowe Quarterly

Collection Date: 6/16/2005 7:55:00 AM

Lab ID: 0506177-01A

Date Received: 6/21/2005

Matrix: LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILES SW-846 8260 PLUS MTBE & FREON1		SW8260B		Analyst: LDS		
1,1,1,2-Tetrachloroethane	U	1.0		µg/L	1	6/22/2005 6:00:00 PM
1,1,1-Trichloroethane	U	1.0		µg/L	1	6/22/2005 6:00:00 PM
1,1,2,2-Tetrachloroethane	U	1.0		µg/L	1	6/22/2005 6:00:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	U	1.0		µg/L	1	6/22/2005 6:00:00 PM
1,1,2-Trichloroethane	U	1.0		µg/L	1	6/22/2005 6:00:00 PM
1,1-Dichloroethane	U	1.0		µg/L	1	6/22/2005 6:00:00 PM
1,1-Dichloroethene	U	1.0		µg/L	1	6/22/2005 6:00:00 PM
1,1-Dichloropropene	U	1.0		µg/L	1	6/22/2005 6:00:00 PM
1,2,3-Trichlorobenzene	U	1.0		µg/L	1	6/22/2005 6:00:00 PM
1,2,3-Trichloropropane	U	1.0		µg/L	1	6/22/2005 6:00:00 PM
1,2,4-Trichlorobenzene	U	1.0		µg/L	1	6/22/2005 6:00:00 PM
1,2,4-Trimethylbenzene	U	1.0		µg/L	1	6/22/2005 6:00:00 PM
1,2-Dibromo-3-chloropropane	U	1.0		µg/L	1	6/22/2005 6:00:00 PM
1,2-Dibromoethane	U	1.0		µg/L	1	6/22/2005 6:00:00 PM
1,2-Dichlorobenzene	U	1.0		µg/L	1	6/22/2005 6:00:00 PM
1,2-Dichloroethane	U	1.0		µg/L	1	6/22/2005 6:00:00 PM
1,2-Dichloropropane	U	1.0		µg/L	1	6/22/2005 6:00:00 PM
1,3,5-Trimethylbenzene	U	1.0		µg/L	1	6/22/2005 6:00:00 PM
1,3-Dichlorobenzene	U	1.0		µg/L	1	6/22/2005 6:00:00 PM
1,3-dichloropropane	U	1.0		µg/L	1	6/22/2005 6:00:00 PM
1,4-Dichlorobenzene	U	1.0		µg/L	1	6/22/2005 6:00:00 PM
2,2-Dichloropropane	U	1.0		µg/L	1	6/22/2005 6:00:00 PM
2-Butanone	33	1.0		µg/L	1	6/22/2005 6:00:00 PM
2-Chloroethyl vinyl ether	U	1.0		µg/L	1	6/22/2005 6:00:00 PM
2-Chlorotoluene	U	1.0		µg/L	1	6/22/2005 6:00:00 PM
2-Hexanone	U	1.0		µg/L	1	6/22/2005 6:00:00 PM
4-Chlorotoluene	U	1.0		µg/L	1	6/22/2005 6:00:00 PM
4-Isopropyltoluene	U	1.0		µg/L	1	6/22/2005 6:00:00 PM
4-Methyl-2-pentanone	U	1.0		µg/L	1	6/22/2005 6:00:00 PM
Acetone	U	1.0		µg/L	1	6/22/2005 6:00:00 PM
Benzene	U	1.0		µg/L	1	6/22/2005 6:00:00 PM
Bromobenzene	U	1.0		µg/L	1	6/22/2005 6:00:00 PM
Bromochloromethane	U	1.0		µg/L	1	6/22/2005 6:00:00 PM
Bromodichloromethane	U	1.0		µg/L	1	6/22/2005 6:00:00 PM
Bromoform	U	1.0		µg/L	1	6/22/2005 6:00:00 PM
Bromomethane	U	1.0		µg/L	1	6/22/2005 6:00:00 PM
Carbon disulfide	U	1.0		µg/L	1	6/22/2005 6:00:00 PM
Carbon tetrachloride	U	1.0		µg/L	1	6/22/2005 6:00:00 PM
Chlorobenzene	U	1.0		µg/L	1	6/22/2005 6:00:00 PM
Chloroethane	U	1.0		µg/L	1	6/22/2005 6:00:00 PM

Qualifiers: * Value exceeds Maximum Contaminant Level
 E Value above quantitation range
 J Analyte detected below quantitation limits
 S Spike Recovery outside accepted recovery limits

B Analyte detected in the associated Method Blank
 H Holding times for preparation or analysis exceeded
 ND Not Detected at the Reporting Limit
 U Indicates the compound was analyzed for but not detected

American Analytical Laboratories, LLC.

Date: 06-Jul-05

CLIENT: Leggette Brashears & Graham Inc.**Client Sample ID:** FRW-1**Lab Order:** 0506177**Tag Number:** 4618**Project:** Rowe Quarterly**Collection Date:** 6/16/2005 7:55:00 AM**Lab ID:** 0506177-01A**Date Received:** 6/21/2005**Matrix:** LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
Chloroform	U	1.0		µg/L	1	6/22/2005 6:00:00 PM
Chloromethane	U	1.0		µg/L	1	6/22/2005 6:00:00 PM
cis-1,2-Dichloroethene	1.4	1.0		µg/L	1	6/22/2005 6:00:00 PM
cis-1,3-Dichloropropene	U	1.0		µg/L	1	6/22/2005 6:00:00 PM
Dibromochloromethane	U	1.0		µg/L	1	6/22/2005 6:00:00 PM
Dibromomethane	U	1.0		µg/L	1	6/22/2005 6:00:00 PM
Dichlorodifluoromethane	U	1.0		µg/L	1	6/22/2005 6:00:00 PM
Ethylbenzene	U	1.0		µg/L	1	6/22/2005 6:00:00 PM
Hexachlorobutadiene	U	1.0		µg/L	1	6/22/2005 6:00:00 PM
Isopropylbenzene	U	1.0		µg/L	1	6/22/2005 6:00:00 PM
m,p-Xylene	U	2.0		µg/L	1	6/22/2005 6:00:00 PM
Methyl tert-butyl ether	U	1.0		µg/L	1	6/22/2005 6:00:00 PM
Methylene chloride	U	1.0		µg/L	1	6/22/2005 6:00:00 PM
Naphthalene	U	1.0		µg/L	1	6/22/2005 6:00:00 PM
n-Butylbenzene	U	1.0		µg/L	1	6/22/2005 6:00:00 PM
n-Propylbenzene	U	1.0		µg/L	1	6/22/2005 6:00:00 PM
o-Xylene	U	1.0		µg/L	1	6/22/2005 6:00:00 PM
sec-Butylbenzene	U	1.0		µg/L	1	6/22/2005 6:00:00 PM
Styrene	U	1.0		µg/L	1	6/22/2005 6:00:00 PM
tert-Butylbenzene	U	1.0		µg/L	1	6/22/2005 6:00:00 PM
Tetrachloroethene	32	1.0		µg/L	1	6/22/2005 6:00:00 PM
Toluene	U	1.0		µg/L	1	6/22/2005 6:00:00 PM
trans-1,2-Dichloroethene	U	1.0		µg/L	1	6/22/2005 6:00:00 PM
trans-1,3-Dichloropropene	U	1.0		µg/L	1	6/22/2005 6:00:00 PM
Trichloroethene	U	1.0		µg/L	1	6/22/2005 6:00:00 PM
Trichlorofluoromethane	U	1.0		µg/L	1	6/22/2005 6:00:00 PM
Vinyl acetate	U	1.0		µg/L	1	6/22/2005 6:00:00 PM
Vinyl chloride	U	1.0		µg/L	1	6/22/2005 6:00:00 PM

Qualifiers:

- * Value exceeds Maximum Contaminant Level
- E Value above quantitation range
- J Analyte detected below quantitation limits
- S Spike Recovery outside accepted recovery limits

B Analyte detected in the associated Method Blank
H Holding times for preparation or analysis exceeded
ND Not Detected at the Reporting Limit

U Indicates the compound was analyzed for but not detected

American Analytical Laboratories, LLC.

Date: 06-Jul-05

CLIENT:	Leggette Brashears & Graham Inc.	Client Sample ID:	FRW-1
Lab Order:	0506177	Tag Number:	4618
Project:	Rowe Quarterly	Collection Date:	6/16/2005 7:55:00 AM
Lab ID:	0506177-01B	Date Received:	6/21/2005
		Matrix:	LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
DISSOLVED IRON		E200.7				Analyst: JP
Iron	2.02	0.0200		mg/L	1	6/27/2005 1:48:01 PM
NITRATE AS N		E353.2				Analyst: BK
Nitrogen, Nitrate-Nitrite	7.04	0.100		mg/L	1	7/6/2005
CHLORIDE		M4500-C1 B				Analyst: IP
Chloride	17.5	1.00		mg/L	1	6/30/2005
IRON, FERROUS (FE+2)		M3500-Fe D				Analyst: IP
Iron, Ferrous	U	25.0		µg/L	1	6/30/2005
SULFATE		E375.4				Analyst: IP
Sulfate	11.6	1.00		mg/L	1	6/30/2005
ALKALINITY		E310.1				Analyst: WN
Alkalinity, Total (As CaCO3)	17.2	1.00		mg/L CaCO3	1	6/29/2005

Qualifiers:	* Value exceeds Maximum Contaminant Level	B Analyte detected in the associated Method Blank
	E Value above quantitation range	H Holding times for preparation or analysis exceeded
	J Analyte detected below quantitation limits	ND Not Detected at the Reporting Limit
	S Spike Recovery outside accepted recovery limits	U Indicates the compound was analyzed for but not detected

American Analytical Laboratories, LLC.

Date: 06-Jul-05

CLIENT:	Leggette Brashears & Graham Inc.	Client Sample ID:	FRW-1
Lab Order:	0506177	Tag Number:	4618
Project:	Rowe Quarterly	Collection Date:	6/16/2005 7:55:00 AM
Lab ID:	0506177-01C	Date Received:	6/21/2005
		Matrix:	LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
TOTAL IRON		E200.7				Analyst: JP
Iron	3.85	0.0200		mg/L	1	6/27/2005 1:50:48 PM

Qualifiers:	*	Value exceeds Maximum Contaminant Level	B	Analyte detected in the associated Method Blank
	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded
	J	Analyte detected below quantitation limits	ND	Not Detected at the Reporting Limit
	S	Spike Recovery outside accepted recovery limits	U	Indicates the compound was analyzed for but not detected

American Analytical Laboratories, LLC.

Date: 06-Jul-05

CLIENT:	Leggette Brashears & Graham Inc.	Client Sample ID:	FRW-1
Lab Order:	0506177	Tag Number:	4618
Project:	Rowe Quarterly	Collection Date:	6/16/2005 7:55:00 AM
Lab ID:	0506177-01D	Date Received:	6/21/2005
		Matrix:	LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
SULFIDE		E376.1				Analyst: WN
Sulfide	U	1.0		mg/L	1	6/23/2005

Qualifiers:	*	Value exceeds Maximum Contaminant Level	B	Analyte detected in the associated Method Blank
	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded
	J	Analyte detected below quantitation limits	ND	Not Detected at the Reporting Limit
	S	Spike Recovery outside accepted recovery limits	U	Indicates the compound was analyzed for but not detected

Page 5 of 31

American Analytical Laboratories, LLC.

Date: 06-Jul-05

CLIENT:	Leggette Brashears & Graham Inc.	Client Sample ID:	FRW-2
Lab Order:	0506177	Tag Number:	4618
Project:	Rowe Quarterly	Collection Date:	6/16/2005 8:15:00 AM
Lab ID:	0506177-02A	Date Received:	6/21/2005
		Matrix:	LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILES SW-846 8260 PLUS MTBE & FREON1		SW8260B		Analyst: LDS		
1,1,1,2-Tetrachloroethane	U	1.0		µg/L	1	6/22/2005 7:37:00 PM
1,1,1-Trichloroethane	U	1.0		µg/L	1	6/22/2005 7:37:00 PM
1,1,2,2-Tetrachloroethane	U	1.0		µg/L	1	6/22/2005 7:37:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	U	1.0		µg/L	1	6/22/2005 7:37:00 PM
1,1,2-Trichloroethane	U	1.0		µg/L	1	6/22/2005 7:37:00 PM
1,1-Dichloroethane	U	1.0		µg/L	1	6/22/2005 7:37:00 PM
1,1-Dichloroethene	U	1.0		µg/L	1	6/22/2005 7:37:00 PM
1,1-Dichloropropene	U	1.0		µg/L	1	6/22/2005 7:37:00 PM
1,2,3-Trichlorobenzene	U	1.0		µg/L	1	6/22/2005 7:37:00 PM
1,2,3-Trichloropropane	U	1.0		µg/L	1	6/22/2005 7:37:00 PM
1,2,4-Trichlorobenzene	U	1.0		µg/L	1	6/22/2005 7:37:00 PM
1,2,4-Trimethylbenzene	U	1.0		µg/L	1	6/22/2005 7:37:00 PM
1,2-Dibromo-3-chloropropane	U	1.0		µg/L	1	6/22/2005 7:37:00 PM
1,2-Dibromoethane	U	1.0		µg/L	1	6/22/2005 7:37:00 PM
1,2-Dichlorobenzene	U	1.0		µg/L	1	6/22/2005 7:37:00 PM
1,2-Dichloroethane	U	1.0		µg/L	1	6/22/2005 7:37:00 PM
1,2-Dichloropropane	U	1.0		µg/L	1	6/22/2005 7:37:00 PM
1,3,5-Trimethylbenzene	U	1.0		µg/L	1	6/22/2005 7:37:00 PM
1,3-Dichlorobenzene	U	1.0		µg/L	1	6/22/2005 7:37:00 PM
1,3-dichloropropane	U	1.0		µg/L	1	6/22/2005 7:37:00 PM
1,4-Dichlorobenzene	U	1.0		µg/L	1	6/22/2005 7:37:00 PM
2,2-Dichloropropane	U	1.0		µg/L	1	6/22/2005 7:37:00 PM
2-Butanone	690	1.0		µg/L	1	6/22/2005 7:37:00 PM
2-Chloroethyl vinyl ether	U	1.0		µg/L	1	6/22/2005 7:37:00 PM
2-Chlorotoluene	U	1.0		µg/L	1	6/22/2005 7:37:00 PM
2-Hexanone	U	1.0		µg/L	1	6/22/2005 7:37:00 PM
4-Chlorotoluene	U	1.0		µg/L	1	6/22/2005 7:37:00 PM
4-Isopropyltoluene	U	1.0		µg/L	1	6/22/2005 7:37:00 PM
4-Methyl-2-pentanone	U	1.0		µg/L	1	6/22/2005 7:37:00 PM
Acetone	210	1.0		µg/L	1	6/22/2005 7:37:00 PM
Benzene	U	1.0		µg/L	1	6/22/2005 7:37:00 PM
Bromobenzene	U	1.0		µg/L	1	6/22/2005 7:37:00 PM
Bromochloromethane	U	1.0		µg/L	1	6/22/2005 7:37:00 PM
Bromodichloromethane	U	1.0		µg/L	1	6/22/2005 7:37:00 PM
Bromoform	U	1.0		µg/L	1	6/22/2005 7:37:00 PM
Bromomethane	U	1.0		µg/L	1	6/22/2005 7:37:00 PM
Carbon disulfide	U	1.0		µg/L	1	6/22/2005 7:37:00 PM
Carbon tetrachloride	U	1.0		µg/L	1	6/22/2005 7:37:00 PM
Chlorobenzene	U	1.0		µg/L	1	6/22/2005 7:37:00 PM
Chloroethane	U	1.0		µg/L	1	6/22/2005 7:37:00 PM

Qualifiers:	*	Value exceeds Maximum Contaminant Level	B	Analyte detected in the associated Method Blank
	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded
	J	Analyte detected below quantitation limits	ND	Not Detected at the Reporting Limit
	S	Spike Recovery outside accepted recovery limits	U	Indicates the compound was analyzed for but not detected

American Analytical Laboratories, LLC.

Date: 06-Jul-05

CLIENT:	Leggette Brashears & Graham Inc.	Client Sample ID:	FRW-2
Lab Order:	0506177	Tag Number:	4618
Project:	Rowe Quarterly	Collection Date:	6/16/2005 8:15:00 AM
Lab ID:	0506177-02A	Date Received:	6/21/2005
		Matrix:	LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
Chloroform	U	1.0		µg/L	1	6/22/2005 7:37:00 PM
Chloromethane	U	1.0		µg/L	1	6/22/2005 7:37:00 PM
cis-1,2-Dichloroethene	31	1.0		µg/L	1	6/22/2005 7:37:00 PM
cis-1,3-Dichloropropene	U	1.0		µg/L	1	6/22/2005 7:37:00 PM
Dibromochloromethane	U	1.0		µg/L	1	6/22/2005 7:37:00 PM
Dibromomethane	U	1.0		µg/L	1	6/22/2005 7:37:00 PM
Dichlorodifluoromethane	U	1.0		µg/L	1	6/22/2005 7:37:00 PM
Ethylbenzene	U	1.0		µg/L	1	6/22/2005 7:37:00 PM
Hexachlorobutadiene	U	1.0		µg/L	1	6/22/2005 7:37:00 PM
Isopropylbenzene	5.6	1.0		µg/L	1	6/22/2005 7:37:00 PM
m,p-Xylene	U	2.0		µg/L	1	6/22/2005 7:37:00 PM
Methyl tert-butyl ether	U	1.0		µg/L	1	6/22/2005 7:37:00 PM
Methylene chloride	U	1.0		µg/L	1	6/22/2005 7:37:00 PM
Naphthalene	U	1.0		µg/L	1	6/22/2005 7:37:00 PM
n-Butylbenzene	U	1.0		µg/L	1	6/22/2005 7:37:00 PM
n-Propylbenzene	7.8	1.0		µg/L	1	6/22/2005 7:37:00 PM
o-Xylene	U	1.0		µg/L	1	6/22/2005 7:37:00 PM
sec-Butylbenzene	U	1.0		µg/L	1	6/22/2005 7:37:00 PM
Styrene	U	1.0		µg/L	1	6/22/2005 7:37:00 PM
tert-Butylbenzene	U	1.0		µg/L	1	6/22/2005 7:37:00 PM
Tetrachloroethene	420	1.0		µg/L	1	6/22/2005 7:37:00 PM
Toluene	58	1.0		µg/L	1	6/22/2005 7:37:00 PM
trans-1,2-Dichloroethene	U	1.0		µg/L	1	6/22/2005 7:37:00 PM
trans-1,3-Dichloropropene	U	1.0		µg/L	1	6/22/2005 7:37:00 PM
Trichloroethene	12	1.0		µg/L	1	6/22/2005 7:37:00 PM
Trichlorofluoromethane	U	1.0		µg/L	1	6/22/2005 7:37:00 PM
Vinyl acetate	U	1.0		µg/L	1	6/22/2005 7:37:00 PM
Vinyl chloride	U	1.0		µg/L	1	6/22/2005 7:37:00 PM

Qualifiers:	* Value exceeds Maximum Contaminant Level	B Analyte detected in the associated Method Blank
	E Value above quantitation range	H Holding times for preparation or analysis exceeded
	J Analyte detected below quantitation limits	ND Not Detected at the Reporting Limit
	S Spike Recovery outside accepted recovery limits	U Indicates the compound was analyzed for but not detected

American Analytical Laboratories, LLC.

Date: 06-Jul-05

CLIENT:	Leggette Brashears & Graham Inc.	Client Sample ID:	FRW-2
Lab Order:	0506177	Tag Number:	4618
Project:	Rowe Quarterly	Collection Date:	6/16/2005 8:15:00 AM
Lab ID:	0506177-02B	Date Received:	6/21/2005
		Matrix:	LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
DISSOLVED IRON Iron	53.7	E200.7 0.0200		mg/L	1	Analyst: JP 6/27/2005 2:05:09 PM
NITRATE AS N Nitrogen, Nitrate-Nitrite	1.73	E353.2 0.100		mg/L	1	Analyst: BK 7/6/2005
CHLORIDE Chloride	24.0	M4500-C1 B 1.00		mg/L	1	Analyst: IP 6/30/2005
IRON, FERROUS (FE+2) Iron, Ferrous	19400	M3500-Fe D 25.0		µg/L	1	Analyst: IP 6/30/2005
SULFATE Sulfate	3.60	E375.4 1.00		mg/L	1	Analyst: IP 6/30/2005
ALKALINITY Alkalinity, Total (As CaCO3)	119	E310.1 1.00		mg/L CaCO3	1	Analyst: WN 6/29/2005

Qualifiers:	*	Value exceeds Maximum Contaminant Level	B	Analyte detected in the associated Method Blank
	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded
	J	Analyte detected below quantitation limits	ND	Not Detected at the Reporting Limit
	S	Spike Recovery outside accepted recovery limits	U	Indicates the compound was analyzed for but not detected

American Analytical Laboratories, LLC.

Date: 06-Jul-05

CLIENT:	Leggette Brashears & Graham Inc.	Client Sample ID:	FRW-2
Lab Order:	0506177	Tag Number:	4618
Project:	Rowe Quarterly	Collection Date:	6/16/2005 8:15:00 AM
Lab ID:	0506177-02C	Date Received:	6/21/2005
		Matrix:	LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
TOTAL IRON		E200.7				Analyst: JP
Iron	72.9	0.0200		mg/L	1	6/27/2005 2:08:25 PM

Qualifiers:	* Value exceeds Maximum Contaminant Level	B Analyte detected in the associated Method Blank
	E Value above quantitation range	H Holding times for preparation or analysis exceeded
	J Analyte detected below quantitation limits	ND Not Detected at the Reporting Limit
	S Spike Recovery outside accepted recovery limits	U Indicates the compound was analyzed for but not detected

American Analytical Laboratories, LLC.

Date: 06-Jul-05

CLIENT:	Leggette Brashears & Graham Inc.	Client Sample ID:	FRW-2
Lab Order:	0506177	Tag Number:	4618
Project:	Rowe Quarterly	Collection Date:	6/16/2005 8:15:00 AM
Lab ID:	0506177-02D	Date Received:	6/21/2005
		Matrix:	LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
SULFIDE		E376.1				Analyst: WN
Sulfide	U	1.0		mg/L	1	6/23/2005

Qualifiers:	* Value exceeds Maximum Contaminant Level	B Analyte detected in the associated Method Blank
	E Value above quantitation range	H Holding times for preparation or analysis exceeded
	J Analyte detected below quantitation limits	ND Not Detected at the Reporting Limit
	S Spike Recovery outside accepted recovery limits	U Indicates the compound was analyzed for but not detected

American Analytical Laboratories, LLC.

Date: 06-Jul-05

CLIENT: Leggette Brashears & Graham Inc.

Client Sample ID: FRW-3

Lab Order: 0506177

Tag Number: 4618

Project: Rowe Quarterly

Collection Date: 6/16/2005 9:00:00 AM

Lab ID: 0506177-03A

Date Received: 6/21/2005

Matrix: LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILES SW-846 8260 PLUS MTBE & FREON1		SW8260B		Analyst: LDS		
1,1,1,2-Tetrachloroethane	U	1.0		µg/L	1	6/22/2005 8:09:00 PM
1,1,1-Trichloroethane	54	1.0		µg/L	1	6/22/2005 8:09:00 PM
1,1,2,2-Tetrachloroethane	U	1.0		µg/L	1	6/22/2005 8:09:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	U	1.0		µg/L	1	6/22/2005 8:09:00 PM
1,1,2-Trichloroethane	U	1.0		µg/L	1	6/22/2005 8:09:00 PM
1,1-Dichloroethane	U	1.0		µg/L	1	6/22/2005 8:09:00 PM
1,1-Dichloroethene	U	1.0		µg/L	1	6/22/2005 8:09:00 PM
1,1-Dichloropropene	U	1.0		µg/L	1	6/22/2005 8:09:00 PM
1,2,3-Trichlorobenzene	U	1.0		µg/L	1	6/22/2005 8:09:00 PM
1,2,3-Trichloropropane	U	1.0		µg/L	1	6/22/2005 8:09:00 PM
1,2,4-Trichlorobenzene	U	1.0		µg/L	1	6/22/2005 8:09:00 PM
1,2,4-Trimethylbenzene	U	1.0		µg/L	1	6/22/2005 8:09:00 PM
1,2-Dibromo-3-chloropropane	U	1.0		µg/L	1	6/22/2005 8:09:00 PM
1,2-Dibromoethane	U	1.0		µg/L	1	6/22/2005 8:09:00 PM
1,2-Dichlorobenzene	U	1.0		µg/L	1	6/22/2005 8:09:00 PM
1,2-Dichloroethane	U	1.0		µg/L	1	6/22/2005 8:09:00 PM
1,2-Dichloropropane	U	1.0		µg/L	1	6/22/2005 8:09:00 PM
1,3,5-Trimethylbenzene	U	1.0		µg/L	1	6/22/2005 8:09:00 PM
1,3-Dichlorobenzene	U	1.0		µg/L	1	6/22/2005 8:09:00 PM
1,3-dichloropropane	U	1.0		µg/L	1	6/22/2005 8:09:00 PM
1,4-Dichlorobenzene	U	1.0		µg/L	1	6/22/2005 8:09:00 PM
2,2-Dichloropropane	U	1.0		µg/L	1	6/22/2005 8:09:00 PM
2-Butanone	750	1.0		µg/L	1	6/22/2005 8:09:00 PM
2-Chloroethyl vinyl ether	U	1.0		µg/L	1	6/22/2005 8:09:00 PM
2-Chlorotoluene	U	1.0		µg/L	1	6/22/2005 8:09:00 PM
2-Hexanone	U	1.0		µg/L	1	6/22/2005 8:09:00 PM
4-Chlorotoluene	U	1.0		µg/L	1	6/22/2005 8:09:00 PM
4-Isopropyltoluene	U	1.0		µg/L	1	6/22/2005 8:09:00 PM
4-Methyl-2-pentanone	U	1.0		µg/L	1	6/22/2005 8:09:00 PM
Acetone	190	1.0		µg/L	1	6/22/2005 8:09:00 PM
Benzene	U	1.0		µg/L	1	6/22/2005 8:09:00 PM
Bromobenzene	U	1.0		µg/L	1	6/22/2005 8:09:00 PM
Bromochloromethane	U	1.0		µg/L	1	6/22/2005 8:09:00 PM
Bromodichloromethane	U	1.0		µg/L	1	6/22/2005 8:09:00 PM
Bromoform	U	1.0		µg/L	1	6/22/2005 8:09:00 PM
Bromomethane	U	1.0		µg/L	1	6/22/2005 8:09:00 PM
Carbon disulfide	U	1.0		µg/L	1	6/22/2005 8:09:00 PM
Carbon tetrachloride	U	1.0		µg/L	1	6/22/2005 8:09:00 PM
Chlorobenzene	U	1.0		µg/L	1	6/22/2005 8:09:00 PM
Chloroethane	U	1.0		µg/L	1	6/22/2005 8:09:00 PM

Qualifiers: * Value exceeds Maximum Contaminant Level
 E Value above quantitation range
 J Analyte detected below quantitation limits
 S Spike Recovery outside accepted recovery limits

B Analyte detected in the associated Method Blank
 H Holding times for preparation or analysis exceeded
 ND Not Detected at the Reporting Limit
 U Indicates the compound was analyzed for but not detected

American Analytical Laboratories, LLC.

Date: 06-Jul-05

CLIENT: Leggette Brashears & Graham Inc. **Client Sample ID:** FRW-3
Lab Order: 0506177 **Tag Number:** 4618
Project: Rowe Quarterly **Collection Date:** 6/16/2005 9:00:00 AM
Lab ID: 0506177-03A **Date Received:** 6/21/2005 **Matrix:** LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
Chloroform	U	1.0		µg/L	1	6/22/2005 8:09:00 PM
Chloromethane	U	1.0		µg/L	1	6/22/2005 8:09:00 PM
cis-1,2-Dichloroethene	22	1.0		µg/L	1	6/22/2005 8:09:00 PM
cis-1,3-Dichloropropene	U	1.0		µg/L	1	6/22/2005 8:09:00 PM
Dibromochloromethane	U	1.0		µg/L	1	6/22/2005 8:09:00 PM
Dibromomethane	U	1.0		µg/L	1	6/22/2005 8:09:00 PM
Dichlorodifluoromethane	U	1.0		µg/L	1	6/22/2005 8:09:00 PM
Ethylbenzene	3.8	1.0		µg/L	1	6/22/2005 8:09:00 PM
Hexachlorobutadiene	U	1.0		µg/L	1	6/22/2005 8:09:00 PM
Isopropylbenzene	U	1.0		µg/L	1	6/22/2005 8:09:00 PM
m,p-Xylene	22	2.0		µg/L	1	6/22/2005 8:09:00 PM
Methyl tert-butyl ether	U	1.0		µg/L	1	6/22/2005 8:09:00 PM
Methylene chloride	U	1.0		µg/L	1	6/22/2005 8:09:00 PM
Naphthalene	U	1.0		µg/L	1	6/22/2005 8:09:00 PM
n-Butylbenzene	U	1.0		µg/L	1	6/22/2005 8:09:00 PM
n-Propylbenzene	U	1.0		µg/L	1	6/22/2005 8:09:00 PM
o-Xylene	15	1.0		µg/L	1	6/22/2005 8:09:00 PM
sec-Butylbenzene	U	1.0		µg/L	1	6/22/2005 8:09:00 PM
Styrene	U	1.0		µg/L	1	6/22/2005 8:09:00 PM
tert-Butylbenzene	U	1.0		µg/L	1	6/22/2005 8:09:00 PM
Tetrachloroethene	720	1.0		µg/L	1	6/22/2005 8:09:00 PM
Toluene	6.3	1.0		µg/L	1	6/22/2005 8:09:00 PM
trans-1,2-Dichloroethene	U	1.0		µg/L	1	6/22/2005 8:09:00 PM
trans-1,3-Dichloropropene	U	1.0		µg/L	1	6/22/2005 8:09:00 PM
Trichloroethene	28	1.0		µg/L	1	6/22/2005 8:09:00 PM
Trichlorofluoromethane	U	1.0		µg/L	1	6/22/2005 8:09:00 PM
Vinyl acetate	U	1.0		µg/L	1	6/22/2005 8:09:00 PM
Vinyl chloride	U	1.0		µg/L	1	6/22/2005 8:09:00 PM

Qualifiers:	* Value exceeds Maximum Contaminant Level	B Analyte detected in the associated Method Blank
	E Value above quantitation range	H Holding times for preparation or analysis exceeded
	J Analyte detected below quantitation limits	ND Not Detected at the Reporting Limit
	S Spike Recovery outside accepted recovery limits	U Indicates the compound was analyzed for but not detected

American Analytical Laboratories, LLC.

Date: 06-Jul-05

CLIENT:	Leggette Brashears & Graham Inc.	Client Sample ID:	FRW-3
Lab Order:	0506177	Tag Number:	4618
Project:	Rowe Quarterly	Collection Date:	6/16/2005 9:00:00 AM
Lab ID:	0506177-03B	Date Received:	6/21/2005
		Matrix:	LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
DISSOLVED IRON Iron	18.3	E200.7 0.0200		mg/L	1	Analyst: JP 6/27/2005 2:10:50 PM
NITRATE AS N Nitrogen, Nitrate-Nitrite	0.660	E353.2 0.100		mg/L	1	Analyst: BK 7/6/2005
CHLORIDE Chloride	22.0	M4500-C1 B 1.00		mg/L	1	Analyst: IP 6/30/2005
IRON, FERROUS (FE+2) Iron, Ferrous	4640	M3500-Fe D 25.0		µg/L	1	Analyst: IP 6/30/2005
SULFATE Sulfate	10.9	E375.4 1.00		mg/L	1	Analyst: IP 6/30/2005
ALKALINITY Alkalinity, Total (As CaCO3)	79.8	E310.1 1.00		mg/L CaCO3	1	Analyst: WN 6/29/2005

Qualifiers:	* Value exceeds Maximum Contaminant Level	B Analyte detected in the associated Method Blank
E Value above quantitation range	H Holding times for preparation or analysis exceeded	
J Analyte detected below quantitation limits	ND Not Detected at the Reporting Limit	
S Spike Recovery outside accepted recovery limits	U Indicates the compound was analyzed for but not detected	

American Analytical Laboratories, LLC.

Date: 06-Jul-05

CLIENT:	Leggette Brashears & Graham Inc.	Client Sample ID:	FRW-3
Lab Order:	0506177	Tag Number:	4618
Project:	Rowe Quarterly	Collection Date:	6/16/2005 9:00:00 AM
Lab ID:	0506177-03C	Date Received:	6/21/2005
		Matrix:	LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
TOTAL IRON		E200.7				Analyst: JP
Iron	55.9	0.0200		mg/L	1	6/27/2005 2:15:42 PM

Qualifiers:	*	Value exceeds Maximum Contaminant Level	B	Analyte detected in the associated Method Blank
	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded
	J	Analyte detected below quantitation limits	ND	Not Detected at the Reporting Limit
	S	Spike Recovery outside accepted recovery limits	U	Indicates the compound was analyzed for but not detected

American Analytical Laboratories, LLC.

Date: 06-Jul-05

CLIENT:	Leggette Brashears & Graham Inc.	Client Sample ID:	FRW-3
Lab Order:	0506177	Tag Number:	4618
Project:	Rowe Quarterly	Collection Date:	6/16/2005 9:00:00 AM
Lab ID:	0506177-03D	Date Received:	6/21/2005
		Matrix:	LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
SULFIDE		E376.1				Analyst: WN
Sulfide	U	1.0		mg/L	1	6/23/2005

Qualifiers:	*	Value exceeds Maximum Contaminant Level	B	Analyte detected in the associated Method Blank
	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded
	J	Analyte detected below quantitation limits	ND	Not Detected at the Reporting Limit
	S	Spike Recovery outside accepted recovery limits	U	Indicates the compound was analyzed for but not detected

Page 15 of 31

American Analytical Laboratories, LLC.

Date: 06-Jul-05

CLIENT: Leggette Brashears & Graham Inc. **Client Sample ID:** FRW-4
Lab Order: 0506177 **Tag Number:** 4618
Project: Rowe Quarterly **Collection Date:** 6/16/2005 9:30:00 AM
Lab ID: 0506177-04A **Date Received:** 6/21/2005 **Matrix:** LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILES SW-846 8260 PLUS MTBE & FREON1		SW8260B		Analyst: LDS		
1,1,1,2-Tetrachloroethane	U	1.0		µg/L	1	6/22/2005 8:41:00 PM
1,1,1-Trichloroethane	U	1.0		µg/L	1	6/22/2005 8:41:00 PM
1,1,2,2-Tetrachloroethane	U	1.0		µg/L	1	6/22/2005 8:41:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	U	1.0		µg/L	1	6/22/2005 8:41:00 PM
1,1,2-Trichloroethane	U	1.0		µg/L	1	6/22/2005 8:41:00 PM
1,1-Dichloroethane	U	1.0		µg/L	1	6/22/2005 8:41:00 PM
1,1-Dichloroethene	U	1.0		µg/L	1	6/22/2005 8:41:00 PM
1,1-Dichloropropene	U	1.0		µg/L	1	6/22/2005 8:41:00 PM
1,2,3-Trichlorobenzene	U	1.0		µg/L	1	6/22/2005 8:41:00 PM
1,2,3-Trichloropropane	U	1.0		µg/L	1	6/22/2005 8:41:00 PM
1,2,4-Trichlorobenzene	U	1.0		µg/L	1	6/22/2005 8:41:00 PM
1,2,4-Trimethylbenzene	U	1.0		µg/L	1	6/22/2005 8:41:00 PM
1,2-Dibromo-3-chloropropane	U	1.0		µg/L	1	6/22/2005 8:41:00 PM
1,2-Dibromoethane	U	1.0		µg/L	1	6/22/2005 8:41:00 PM
1,2-Dichlorobenzene	U	1.0		µg/L	1	6/22/2005 8:41:00 PM
1,2-Dichloroethane	U	1.0		µg/L	1	6/22/2005 8:41:00 PM
1,2-Dichloropropane	U	1.0		µg/L	1	6/22/2005 8:41:00 PM
1,3,5-Trimethylbenzene	U	1.0		µg/L	1	6/22/2005 8:41:00 PM
1,3-Dichlorobenzene	U	1.0		µg/L	1	6/22/2005 8:41:00 PM
1,3-dichloropropane	U	1.0		µg/L	1	6/22/2005 8:41:00 PM
1,4-Dichlorobenzene	U	1.0		µg/L	1	6/22/2005 8:41:00 PM
2,2-Dichloropropane	U	1.0		µg/L	1	6/22/2005 8:41:00 PM
2-Butanone	46	1.0		µg/L	1	6/22/2005 8:41:00 PM
2-Chloroethyl vinyl ether	U	1.0		µg/L	1	6/22/2005 8:41:00 PM
2-Chlorotoluene	U	1.0		µg/L	1	6/22/2005 8:41:00 PM
2-Hexanone	U	1.0		µg/L	1	6/22/2005 8:41:00 PM
4-Chlorotoluene	U	1.0		µg/L	1	6/22/2005 8:41:00 PM
4-Isopropyltoluene	U	1.0		µg/L	1	6/22/2005 8:41:00 PM
4-Methyl-2-pentanone	U	1.0		µg/L	1	6/22/2005 8:41:00 PM
Acetone	U	1.0		µg/L	1	6/22/2005 8:41:00 PM
Benzene	U	1.0		µg/L	1	6/22/2005 8:41:00 PM
Bromobenzene	U	1.0		µg/L	1	6/22/2005 8:41:00 PM
Bromochloromethane	U	1.0		µg/L	1	6/22/2005 8:41:00 PM
Bromodichloromethane	U	1.0		µg/L	1	6/22/2005 8:41:00 PM
Bromoform	U	1.0		µg/L	1	6/22/2005 8:41:00 PM
Bromomethane	U	1.0		µg/L	1	6/22/2005 8:41:00 PM
Carbon disulfide	U	1.0		µg/L	1	6/22/2005 8:41:00 PM
Carbon tetrachloride	U	1.0		µg/L	1	6/22/2005 8:41:00 PM
Chlorobenzene	U	1.0		µg/L	1	6/22/2005 8:41:00 PM
Chloroethane	U	1.0		µg/L	1	6/22/2005 8:41:00 PM

Qualifiers: * Value exceeds Maximum Contaminant Level
 E Value above quantitation range
 J Analyte detected below quantitation limits
 S Spike Recovery outside accepted recovery limits

B Analyte detected in the associated Method Blank
 H Holding times for preparation or analysis exceeded
 ND Not Detected at the Reporting Limit
 U Indicates the compound was analyzed for but not detected

American Analytical Laboratories, LLC.

Date: 06-Jul-05

CLIENT:	Leggette Brashears & Graham Inc.	Client Sample ID:	FRW-4
Lab Order:	0506177	Tag Number:	4618
Project:	Rowe Quarterly	Collection Date:	6/16/2005 9:30:00 AM
Lab ID:	0506177-04A	Date Received:	6/21/2005
		Matrix:	LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
Chloroform	U	1.0		µg/L	1	6/22/2005 8:41:00 PM
Chloromethane	U	1.0		µg/L	1	6/22/2005 8:41:00 PM
cis-1,2-Dichloroethene	U	1.0		µg/L	1	6/22/2005 8:41:00 PM
cis-1,3-Dichloropropene	U	1.0		µg/L	1	6/22/2005 8:41:00 PM
Dibromochloromethane	U	1.0		µg/L	1	6/22/2005 8:41:00 PM
Dibromomethane	U	1.0		µg/L	1	6/22/2005 8:41:00 PM
Dichlorodifluoromethane	U	1.0		µg/L	1	6/22/2005 8:41:00 PM
Ethylbenzene	U	1.0		µg/L	1	6/22/2005 8:41:00 PM
Hexachlorobutadiene	U	1.0		µg/L	1	6/22/2005 8:41:00 PM
Isopropylbenzene	U	1.0		µg/L	1	6/22/2005 8:41:00 PM
m,p-Xylene	U	2.0		µg/L	1	6/22/2005 8:41:00 PM
Methyl tert-butyl ether	U	1.0		µg/L	1	6/22/2005 8:41:00 PM
Methylene chloride	U	1.0		µg/L	1	6/22/2005 8:41:00 PM
Naphthalene	U	1.0		µg/L	1	6/22/2005 8:41:00 PM
n-Butylbenzene	U	1.0		µg/L	1	6/22/2005 8:41:00 PM
n-Propylbenzene	U	1.0		µg/L	1	6/22/2005 8:41:00 PM
o-Xylene	U	1.0		µg/L	1	6/22/2005 8:41:00 PM
sec-Butylbenzene	U	1.0		µg/L	1	6/22/2005 8:41:00 PM
Styrene	U	1.0		µg/L	1	6/22/2005 8:41:00 PM
tert-Butylbenzene	U	1.0		µg/L	1	6/22/2005 8:41:00 PM
Tetrachloroethene	10	1.0		µg/L	1	6/22/2005 8:41:00 PM
Toluene	110	1.0		µg/L	1	6/22/2005 8:41:00 PM
trans-1,2-Dichloroethene	U	1.0		µg/L	1	6/22/2005 8:41:00 PM
trans-1,3-Dichloropropene	U	1.0		µg/L	1	6/22/2005 8:41:00 PM
Trichloroethene	U	1.0		µg/L	1	6/22/2005 8:41:00 PM
Trichlorofluoromethane	U	1.0		µg/L	1	6/22/2005 8:41:00 PM
Vinyl acetate	U	1.0		µg/L	1	6/22/2005 8:41:00 PM
Vinyl chloride	U	1.0		µg/L	1	6/22/2005 8:41:00 PM

Qualifiers:	* Value exceeds Maximum Contaminant Level	B Analyte detected in the associated Method Blank
	E Value above quantitation range	H Holding times for preparation or analysis exceeded
	J Analyte detected below quantitation limits	ND Not Detected at the Reporting Limit
	S Spike Recovery outside accepted recovery limits	U Indicates the compound was analyzed for but not detected

American Analytical Laboratories, LLC.

Date: 06-Jul-05

CLIENT:	Leggette Brashears & Graham Inc.	Client Sample ID:	FRW-4
Lab Order:	0506177	Tag Number:	4618
Project:	Rowe Quarterly	Collection Date:	6/16/2005 9:30:00 AM
Lab ID:	0506177-04B	Date Received:	6/21/2005
		Matrix:	LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
DISSOLVED IRON Iron	15.9	E200.7 0.0200		mg/L	1	Analyst: JP 6/27/2005 2:18:10 PM
NITRATE AS N Nitrogen, Nitrate-Nitrite	4.97	E353.2 0.100		mg/L	1	Analyst: BK 7/6/2005
CHLORIDE Chloride	18.0	M4500-C1 B 1.00		mg/L	1	Analyst: IP 6/30/2005
IRON, FERROUS (FE+2) Iron, Ferrous	2010	M3500-Fe D 25.0		µg/L	1	Analyst: IP 6/30/2005
SULFATE Sulfate	13.2	E375.4 1.00		mg/L	1	Analyst: IP 6/30/2005
ALKALINITY Alkalinity, Total (As CaCO3)	41.4	E310.1 1.00		mg/L CaCO3	1	Analyst: WN 6/29/2005

Qualifiers:	*	Value exceeds Maximum Contaminant Level	B	Analyte detected in the associated Method Blank
	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded
	J	Analyte detected below quantitation limits	ND	Not Detected at the Reporting Limit
	S	Spike Recovery outside accepted recovery limits	U	Indicates the compound was analyzed for but not detected

American Analytical Laboratories, LLC.

Date: 06-Jul-05

CLIENT:	Leggette Brashears & Graham Inc.	Client Sample ID:	FRW-4
Lab Order:	0506177	Tag Number:	4618
Project:	Rowe Quarterly	Collection Date:	6/16/2005 9:30:00 AM
Lab ID:	0506177-04C	Date Received:	6/21/2005
		Matrix:	LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
TOTAL IRON		E200.7				Analyst: JP
Iron	15.5	0.0200		mg/L	1	6/27/2005 2:27:05 PM

Qualifiers:	* Value exceeds Maximum Contaminant Level	B Analyte detected in the associated Method Blank
	E Value above quantitation range	H Holding times for preparation or analysis exceeded
	J Analyte detected below quantitation limits	ND Not Detected at the Reporting Limit
	S Spike Recovery outside accepted recovery limits	U Indicates the compound was analyzed for but not detected

American Analytical Laboratories, LLC.

Date: 06-Jul-05

CLIENT:	Leggette Brashears & Graham Inc.	Client Sample ID:	FRW-4
Lab Order:	0506177	Tag Number:	4618
Project:	Rowe Quarterly	Collection Date:	6/16/2005 9:30:00 AM
Lab ID:	0506177-04D	Date Received:	6/21/2005
		Matrix:	LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
SULFIDE		E376.1				Analyst: WN
Sulfide	U	1.0		mg/L	1	6/23/2005

Qualifiers:	*	Value exceeds Maximum Contaminant Level	B	Analyte detected in the associated Method Blank
	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded
	J	Analyte detected below quantitation limits	ND	Not Detected at the Reporting Limit
	S	Spike Recovery outside accepted recovery limits	U	Indicates the compound was analyzed for but not detected

American Analytical Laboratories, LLC.

Date: 06-Jul-05

CLIENT:	Leggette Brashears & Graham Inc.	Client Sample ID:	MW-45A
Lab Order:	0506177	Tag Number:	4618
Project:	Rowe Quarterly	Collection Date:	6/16/2005 10:39:00 AM
Lab ID:	0506177-05A	Date Received:	6/21/2005
		Matrix:	LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILES SW-846 8260 PLUS MTBE & FREON1		SW8260B		Analyst: LDS		
1,1,1,2-Tetrachloroethane	U	1.0		µg/L	1	6/22/2005 9:13:00 PM
1,1,1-Trichloroethane	U	1.0		µg/L	1	6/22/2005 9:13:00 PM
1,1,2,2-Tetrachloroethane	U	1.0		µg/L	1	6/22/2005 9:13:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	U	1.0		µg/L	1	6/22/2005 9:13:00 PM
1,1,2-Trichloroethane	U	1.0		µg/L	1	6/22/2005 9:13:00 PM
1,1-Dichloroethane	U	1.0		µg/L	1	6/22/2005 9:13:00 PM
1,1-Dichloroethene	U	1.0		µg/L	1	6/22/2005 9:13:00 PM
1,1-Dichloropropene	U	1.0		µg/L	1	6/22/2005 9:13:00 PM
1,2,3-Trichlorobenzene	U	1.0		µg/L	1	6/22/2005 9:13:00 PM
1,2,3-Trichloropropane	U	1.0		µg/L	1	6/22/2005 9:13:00 PM
1,2,4-Trichlorobenzene	U	1.0		µg/L	1	6/22/2005 9:13:00 PM
1,2,4-Trimethylbenzene	U	1.0		µg/L	1	6/22/2005 9:13:00 PM
1,2-Dibromo-3-chloropropane	U	1.0		µg/L	1	6/22/2005 9:13:00 PM
1,2-Dibromoethane	U	1.0		µg/L	1	6/22/2005 9:13:00 PM
1,2-Dichlorobenzene	U	1.0		µg/L	1	6/22/2005 9:13:00 PM
1,2-Dichloroethane	U	1.0		µg/L	1	6/22/2005 9:13:00 PM
1,2-Dichloropropane	U	1.0		µg/L	1	6/22/2005 9:13:00 PM
1,3,5-Trimethylbenzene	U	1.0		µg/L	1	6/22/2005 9:13:00 PM
1,3-Dichlorobenzene	U	1.0		µg/L	1	6/22/2005 9:13:00 PM
1,3-dichloropropane	U	1.0		µg/L	1	6/22/2005 9:13:00 PM
1,4-Dichlorobenzene	U	1.0		µg/L	1	6/22/2005 9:13:00 PM
2,2-Dichloropropane	U	1.0		µg/L	1	6/22/2005 9:13:00 PM
2-Butanone	U	1.0		µg/L	1	6/22/2005 9:13:00 PM
2-Chloroethyl vinyl ether	U	1.0		µg/L	1	6/22/2005 9:13:00 PM
2-Chlorotoluene	U	1.0		µg/L	1	6/22/2005 9:13:00 PM
2-Hexanone	U	1.0		µg/L	1	6/22/2005 9:13:00 PM
4-Chlorotoluene	U	1.0		µg/L	1	6/22/2005 9:13:00 PM
4-Isopropyltoluene	U	1.0		µg/L	1	6/22/2005 9:13:00 PM
4-Methyl-2-pentanone	U	1.0		µg/L	1	6/22/2005 9:13:00 PM
Acetone	U	1.0		µg/L	1	6/22/2005 9:13:00 PM
Benzene	U	1.0		µg/L	1	6/22/2005 9:13:00 PM
Bromobenzene	U	1.0		µg/L	1	6/22/2005 9:13:00 PM
Bromochloromethane	U	1.0		µg/L	1	6/22/2005 9:13:00 PM
Bromodichloromethane	U	1.0		µg/L	1	6/22/2005 9:13:00 PM
Bromoform	U	1.0		µg/L	1	6/22/2005 9:13:00 PM
Bromomethane	U	1.0		µg/L	1	6/22/2005 9:13:00 PM
Carbon disulfide	U	1.0		µg/L	1	6/22/2005 9:13:00 PM
Carbon tetrachloride	U	1.0		µg/L	1	6/22/2005 9:13:00 PM
Chlorobenzene	U	1.0		µg/L	1	6/22/2005 9:13:00 PM
Chloroethane	U	1.0		µg/L	1	6/22/2005 9:13:00 PM

Qualifiers:	* Value exceeds Maximum Contaminant Level	B Analyte detected in the associated Method Blank
	E Value above quantitation range	H Holding times for preparation or analysis exceeded
	J Analyte detected below quantitation limits	ND Not Detected at the Reporting Limit
	S Spike Recovery outside accepted recovery limits	U Indicates the compound was analyzed for but not detected

American Analytical Laboratories, LLC.

Date: 06-Jul-05

CLIENT: Leggette Brashears & Graham Inc. **Client Sample ID:** MW-45A
Lab Order: 0506177 **Tag Number:** 4618
Project: Rowe Quarterly **Collection Date:** 6/16/2005 10:39:00 AM
Lab ID: 0506177-05A **Date Received:** 6/21/2005 **Matrix:** LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
Chloroform	U	1.0		µg/L	1	6/22/2005 9:13:00 PM
Chloromethane	U	1.0		µg/L	1	6/22/2005 9:13:00 PM
cis-1,2-Dichloroethene	U	1.0		µg/L	1	6/22/2005 9:13:00 PM
cis-1,3-Dichloropropene	U	1.0		µg/L	1	6/22/2005 9:13:00 PM
Dibromochloromethane	U	1.0		µg/L	1	6/22/2005 9:13:00 PM
Dibromomethane	U	1.0		µg/L	1	6/22/2005 9:13:00 PM
Dichlorodifluoromethane	U	1.0		µg/L	1	6/22/2005 9:13:00 PM
Ethylbenzene	U	1.0		µg/L	1	6/22/2005 9:13:00 PM
Hexachlorobutadiene	U	1.0		µg/L	1	6/22/2005 9:13:00 PM
Isopropylbenzene	U	1.0		µg/L	1	6/22/2005 9:13:00 PM
m,p-Xylene	U	2.0		µg/L	1	6/22/2005 9:13:00 PM
Methyl tert-butyl ether	U	1.0		µg/L	1	6/22/2005 9:13:00 PM
Methylene chloride	U	1.0		µg/L	1	6/22/2005 9:13:00 PM
Naphthalene	U	1.0		µg/L	1	6/22/2005 9:13:00 PM
n-Butylbenzene	U	1.0		µg/L	1	6/22/2005 9:13:00 PM
n-Propylbenzene	U	1.0		µg/L	1	6/22/2005 9:13:00 PM
o-Xylene	U	1.0		µg/L	1	6/22/2005 9:13:00 PM
sec-Butylbenzene	U	1.0		µg/L	1	6/22/2005 9:13:00 PM
Styrene	U	1.0		µg/L	1	6/22/2005 9:13:00 PM
tert-Butylbenzene	U	1.0		µg/L	1	6/22/2005 9:13:00 PM
Tetrachloroethene	1.1	1.0		µg/L	1	6/22/2005 9:13:00 PM
Toluene	U	1.0		µg/L	1	6/22/2005 9:13:00 PM
trans-1,2-Dichloroethene	U	1.0		µg/L	1	6/22/2005 9:13:00 PM
trans-1,3-Dichloropropene	U	1.0		µg/L	1	6/22/2005 9:13:00 PM
Trichloroethene	U	1.0		µg/L	1	6/22/2005 9:13:00 PM
Trichlorofluoromethane	U	1.0		µg/L	1	6/22/2005 9:13:00 PM
Vinyl acetate	U	1.0		µg/L	1	6/22/2005 9:13:00 PM
Vinyl chloride	U	1.0		µg/L	1	6/22/2005 9:13:00 PM

Qualifiers:	* Value exceeds Maximum Contaminant Level	B Analyte detected in the associated Method Blank
	E Value above quantitation range	H Holding times for preparation or analysis exceeded
	J Analyte detected below quantitation limits	ND Not Detected at the Reporting Limit
	S Spike Recovery outside accepted recovery limits	U Indicates the compound was analyzed for but not detected

American Analytical Laboratories, LLC.

Date: 06-Jul-05

CLIENT:	Leggette Brashears & Graham Inc.	Client Sample ID:	MW-45A
Lab Order:	0506177	Tag Number:	4618
Project:	Rowe Quarterly	Collection Date:	6/16/2005 10:39:00 AM
Lab ID:	0506177-05B	Date Received:	6/21/2005
		Matrix:	LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
DISSOLVED IRON		E200.7				Analyst: JP
Iron	0.883	0.0200		mg/L	1	6/27/2005 2:29:29 PM
NITRATE AS N		E353.2				Analyst: BK
Nitrogen, Nitrate-Nitrite	U	0.100		mg/L	1	7/6/2005
CHLORIDE		M4500-C1 B				Analyst: IP
Chloride	23.0	1.00		mg/L	1	6/30/2005
IRON, FERROUS (FE+2)		M3500-Fe D				Analyst: IP
Iron, Ferrous	U	25.0		µg/L	1	6/30/2005
SULFATE		E375.4				Analyst: IP
Sulfate	2.60	1.00		mg/L	1	6/30/2005
ALKALINITY		E310.1				Analyst: WN
Alkalinity, Total (As CaCO3)	22.2	1.00		mg/L CaCO3	1	6/29/2005

Qualifiers:	*	Value exceeds Maximum Contaminant Level	B	Analyte detected in the associated Method Blank
	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded
	J	Analyte detected below quantitation limits	ND	Not Detected at the Reporting Limit
	S	Spike Recovery outside accepted recovery limits	U	Indicates the compound was analyzed for but not detected

American Analytical Laboratories, LLC.

Date: 06-Jul-05

CLIENT: Leggette Brashears & Graham Inc.

Client Sample ID: MW-45A

Lab Order: 0506177

Tag Number: 4618

Project: Rowe Quarterly

Collection Date: 6/16/2005 10:39:00 AM

Lab ID: 0506177-05C

Date Received: 6/21/2005

Matrix: LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
TOTAL IRON		E200.7				Analyst: JP
Iron	2.34	0.0200		mg/L	1	6/27/2005 2:31:47 PM

Qualifiers:

- * Value exceeds Maximum Contaminant Level
- E Value above quantitation range
- J Analyte detected below quantitation limits
- S Spike Recovery outside accepted recovery limits

- B Analyte detected in the associated Method Blank
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit

- U Indicates the compound was analyzed for but not detected

American Analytical Laboratories, LLC.

Date: 06-Jul-05

CLIENT:	Leggette Brashears & Graham Inc.	Client Sample ID:	MW-45A
Lab Order:	0506177	Tag Number:	4618
Project:	Rowe Quarterly	Collection Date:	6/16/2005 10:39:00 AM
Lab ID:	0506177-05D	Date Received:	6/21/2005
		Matrix:	LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
SULFIDE		E376.1				Analyst: WN
Sulfide	U	1.0		mg/L	1	6/23/2005

Qualifiers:	*	Value exceeds Maximum Contaminant Level	B	Analyte detected in the associated Method Blank
	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded
	J	Analyte detected below quantitation limits	ND	Not Detected at the Reporting Limit
	S	Spike Recovery outside accepted recovery limits	U	Indicates the compound was analyzed for but not detected

American Analytical Laboratories, LLC.

Date: 06-Jul-05

CLIENT: Leggette Brashears & Graham Inc. Client Sample ID: MW-98-04
 Lab Order: 0506177 Tag Number: 4618
 Project: Rowe Quarterly Collection Date: 6/16/2005 12:01:00 PM
 Lab ID: 0506177-06A Date Received: 6/21/2005 Matrix: LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILES SW-846 8260 PLUS MTBE & FREON1		SW8260B		Analyst: LDS		
1,1,1,2-Tetrachloroethane	U	1.0		µg/L	1	6/22/2005 9:45:00 PM
1,1,1-Trichloroethane	U	1.0		µg/L	1	6/22/2005 9:45:00 PM
1,1,2,2-Tetrachloroethane	U	1.0		µg/L	1	6/22/2005 9:45:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	U	1.0		µg/L	1	6/22/2005 9:45:00 PM
1,1,2-Trichloroethane	U	1.0		µg/L	1	6/22/2005 9:45:00 PM
1,1-Dichloroethane	U	1.0		µg/L	1	6/22/2005 9:45:00 PM
1,1-Dichloroethene	U	1.0		µg/L	1	6/22/2005 9:45:00 PM
1,1-Dichloropropene	U	1.0		µg/L	1	6/22/2005 9:45:00 PM
1,2,3-Trichlorobenzene	U	1.0		µg/L	1	6/22/2005 9:45:00 PM
1,2,3-Trichloropropane	U	1.0		µg/L	1	6/22/2005 9:45:00 PM
1,2,4-Trichlorobenzene	U	1.0		µg/L	1	6/22/2005 9:45:00 PM
1,2,4-Trimethylbenzene	U	1.0		µg/L	1	6/22/2005 9:45:00 PM
1,2-Dibromo-3-chloropropane	U	1.0		µg/L	1	6/22/2005 9:45:00 PM
1,2-Dibromoethane	U	1.0		µg/L	1	6/22/2005 9:45:00 PM
1,2-Dichlorobenzene	U	1.0		µg/L	1	6/22/2005 9:45:00 PM
1,2-Dichloroethane	U	1.0		µg/L	1	6/22/2005 9:45:00 PM
1,2-Dichloropropane	U	1.0		µg/L	1	6/22/2005 9:45:00 PM
1,3,5-Trimethylbenzene	U	1.0		µg/L	1	6/22/2005 9:45:00 PM
1,3-Dichlorobenzene	U	1.0		µg/L	1	6/22/2005 9:45:00 PM
1,3-dichloropropane	U	1.0		µg/L	1	6/22/2005 9:45:00 PM
1,4-Dichlorobenzene	U	1.0		µg/L	1	6/22/2005 9:45:00 PM
2,2-Dichloropropane	U	1.0		µg/L	1	6/22/2005 9:45:00 PM
2-Butanone	U	1.0		µg/L	1	6/22/2005 9:45:00 PM
2-Chloroethyl vinyl ether	U	1.0		µg/L	1	6/22/2005 9:45:00 PM
2-Chlorotoluene	U	1.0		µg/L	1	6/22/2005 9:45:00 PM
2-Hexanone	U	1.0		µg/L	1	6/22/2005 9:45:00 PM
4-Chlorotoluene	U	1.0		µg/L	1	6/22/2005 9:45:00 PM
4-Isopropyltoluene	U	1.0		µg/L	1	6/22/2005 9:45:00 PM
4-Methyl-2-pentanone	U	1.0		µg/L	1	6/22/2005 9:45:00 PM
Acetone	U	1.0		µg/L	1	6/22/2005 9:45:00 PM
Benzene	U	1.0		µg/L	1	6/22/2005 9:45:00 PM
Bromobenzene	U	1.0		µg/L	1	6/22/2005 9:45:00 PM
Bromochloromethane	U	1.0		µg/L	1	6/22/2005 9:45:00 PM
Bromodichloromethane	U	1.0		µg/L	1	6/22/2005 9:45:00 PM
Bromoform	U	1.0		µg/L	1	6/22/2005 9:45:00 PM
Bromomethane	U	1.0		µg/L	1	6/22/2005 9:45:00 PM
Carbon disulfide	U	1.0		µg/L	1	6/22/2005 9:45:00 PM
Carbon tetrachloride	U	1.0		µg/L	1	6/22/2005 9:45:00 PM
Chlorobenzene	U	1.0		µg/L	1	6/22/2005 9:45:00 PM
Chloroethane	U	1.0		µg/L	1	6/22/2005 9:45:00 PM

Qualifiers: * Value exceeds Maximum Contaminant Level B Analyte detected in the associated Method Blank
 E Value above quantitation range H Holding times for preparation or analysis exceeded
 J Analyte detected below quantitation limits ND Not Detected at the Reporting Limit
 S Spike Recovery outside accepted recovery limits U Indicates the compound was analyzed for but not detected

American Analytical Laboratories, LLC.

Date: 06-Jul-05

CLIENT:	Leggette Brashears & Graham Inc.	Client Sample ID:	MW-98-04
Lab Order:	0506177	Tag Number:	4618
Project:	Rowe Quarterly	Collection Date:	6/16/2005 12:01:00 PM
Lab ID:	0506177-06A	Date Received:	6/21/2005
		Matrix:	LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
Chloroform	U	1.0		µg/L	1	6/22/2005 9:45:00 PM
Chloromethane	U	1.0		µg/L	1	6/22/2005 9:45:00 PM
cis-1,2-Dichloroethene	U	1.0		µg/L	1	6/22/2005 9:45:00 PM
cis-1,3-Dichloropropene	U	1.0		µg/L	1	6/22/2005 9:45:00 PM
Dibromochloromethane	U	1.0		µg/L	1	6/22/2005 9:45:00 PM
Dibromomethane	U	1.0		µg/L	1	6/22/2005 9:45:00 PM
Dichlorodifluoromethane	U	1.0		µg/L	1	6/22/2005 9:45:00 PM
Ethylbenzene	U	1.0		µg/L	1	6/22/2005 9:45:00 PM
Hexachlorobutadiene	U	1.0		µg/L	1	6/22/2005 9:45:00 PM
Isopropylbenzene	U	1.0		µg/L	1	6/22/2005 9:45:00 PM
m,p-Xylene	U	2.0		µg/L	1	6/22/2005 9:45:00 PM
Methyl tert-butyl ether	U	1.0		µg/L	1	6/22/2005 9:45:00 PM
Methylene chloride	U	1.0		µg/L	1	6/22/2005 9:45:00 PM
Naphthalene	U	1.0		µg/L	1	6/22/2005 9:45:00 PM
n-Butylbenzene	U	1.0		µg/L	1	6/22/2005 9:45:00 PM
n-Propylbenzene	U	1.0		µg/L	1	6/22/2005 9:45:00 PM
o-Xylene	U	1.0		µg/L	1	6/22/2005 9:45:00 PM
sec-Butylbenzene	U	1.0		µg/L	1	6/22/2005 9:45:00 PM
Styrene	U	1.0		µg/L	1	6/22/2005 9:45:00 PM
tert-Butylbenzene	U	1.0		µg/L	1	6/22/2005 9:45:00 PM
Tetrachloroethene	1.7	1.0		µg/L	1	6/22/2005 9:45:00 PM
Toluene	U	1.0		µg/L	1	6/22/2005 9:45:00 PM
trans-1,2-Dichloroethene	U	1.0		µg/L	1	6/22/2005 9:45:00 PM
trans-1,3-Dichloropropene	U	1.0		µg/L	1	6/22/2005 9:45:00 PM
Trichloroethene	U	1.0		µg/L	1	6/22/2005 9:45:00 PM
Trichlorofluoromethane	U	1.0		µg/L	1	6/22/2005 9:45:00 PM
Vinyl acetate	U	1.0		µg/L	1	6/22/2005 9:45:00 PM
Vinyl chloride	U	1.0		µg/L	1	6/22/2005 9:45:00 PM

Qualifiers:

- * Value exceeds Maximum Contaminant Level
- E Value above quantitation range
- J Analyte detected below quantitation limits
- S Spike Recovery outside accepted recovery limits

- B Analyte detected in the associated Method Blank
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- U Indicates the compound was analyzed for but not detected

American Analytical Laboratories, LLC.

Date: 06-Jul-05

CLIENT: Leggette Brashears & Graham Inc.

Client Sample ID: Field Blank

Lab Order: 0506177

Tag Number: 4618

Project: Rowe Quarterly

Collection Date: 6/16/2005

Lab ID: 0506177-07A

Date Received: 6/21/2005

Matrix: LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILES SW-846 8260 PLUS MTBE & FREON1		SW8260B		Analyst: LDS		
1,1,1,2-Tetrachloroethane	U	1.0		µg/L	1	6/22/2005 10:16:00 PM
1,1,1-Trichloroethane	U	1.0		µg/L	1	6/22/2005 10:16:00 PM
1,1,2,2-Tetrachloroethane	U	1.0		µg/L	1	6/22/2005 10:16:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	U	1.0		µg/L	1	6/22/2005 10:16:00 PM
1,1,2-Trichloroethane	U	1.0		µg/L	1	6/22/2005 10:16:00 PM
1,1-Dichloroethane	U	1.0		µg/L	1	6/22/2005 10:16:00 PM
1,1-Dichloroethene	U	1.0		µg/L	1	6/22/2005 10:16:00 PM
1,1-Dichloropropene	U	1.0		µg/L	1	6/22/2005 10:16:00 PM
1,2,3-Trichlorobenzene	U	1.0		µg/L	1	6/22/2005 10:16:00 PM
1,2,3-Trichloropropane	U	1.0		µg/L	1	6/22/2005 10:16:00 PM
1,2,4-Trichlorobenzene	U	1.0		µg/L	1	6/22/2005 10:16:00 PM
1,2,4-Trimethylbenzene	U	1.0		µg/L	1	6/22/2005 10:16:00 PM
1,2-Dibromo-3-chloropropane	U	1.0		µg/L	1	6/22/2005 10:16:00 PM
1,2-Dibromoethane	U	1.0		µg/L	1	6/22/2005 10:16:00 PM
1,2-Dichlorobenzene	U	1.0		µg/L	1	6/22/2005 10:16:00 PM
1,2-Dichloroethane	U	1.0		µg/L	1	6/22/2005 10:16:00 PM
1,2-Dichloropropane	U	1.0		µg/L	1	6/22/2005 10:16:00 PM
1,3,5-Trimethylbenzene	U	1.0		µg/L	1	6/22/2005 10:16:00 PM
1,3-Dichlorobenzene	U	1.0		µg/L	1	6/22/2005 10:16:00 PM
1,3-dichloropropane	U	1.0		µg/L	1	6/22/2005 10:16:00 PM
1,4-Dichlorobenzene	U	1.0		µg/L	1	6/22/2005 10:16:00 PM
2,2-Dichloropropane	U	1.0		µg/L	1	6/22/2005 10:16:00 PM
2-Butanone	U	1.0		µg/L	1	6/22/2005 10:16:00 PM
2-Chloroethyl vinyl ether	U	1.0		µg/L	1	6/22/2005 10:16:00 PM
2-Chlorotoluene	U	1.0		µg/L	1	6/22/2005 10:16:00 PM
2-Hexanone	U	1.0		µg/L	1	6/22/2005 10:16:00 PM
4-Chlorotoluene	U	1.0		µg/L	1	6/22/2005 10:16:00 PM
4-Isopropyltoluene	U	1.0		µg/L	1	6/22/2005 10:16:00 PM
4-Methyl-2-pentanone	U	1.0		µg/L	1	6/22/2005 10:16:00 PM
Acetone	U	1.0		µg/L	1	6/22/2005 10:16:00 PM
Benzene	U	1.0		µg/L	1	6/22/2005 10:16:00 PM
Bromobenzene	U	1.0		µg/L	1	6/22/2005 10:16:00 PM
Bromochloromethane	U	1.0		µg/L	1	6/22/2005 10:16:00 PM
Bromodichloromethane	U	1.0		µg/L	1	6/22/2005 10:16:00 PM
Bromoform	U	1.0		µg/L	1	6/22/2005 10:16:00 PM
Bromomethane	U	1.0		µg/L	1	6/22/2005 10:16:00 PM
Carbon disulfide	U	1.0		µg/L	1	6/22/2005 10:16:00 PM
Carbon tetrachloride	U	1.0		µg/L	1	6/22/2005 10:16:00 PM
Chlorobenzene	U	1.0		µg/L	1	6/22/2005 10:16:00 PM
Chloroethane	U	1.0		µg/L	1	6/22/2005 10:16:00 PM

Qualifiers: * Value exceeds Maximum Contaminant Level
 E Value above quantitation range
 J Analyte detected below quantitation limits
 S Spike Recovery outside accepted recovery limits

B Analyte detected in the associated Method Blank
 H Holding times for preparation or analysis exceeded
 ND Not Detected at the Reporting Limit
 U Indicates the compound was analyzed for but not detected

American Analytical Laboratories, LLC.

Date: 06-Jul-05

CLIENT:	Leggette Brashears & Graham Inc.	Client Sample ID:	Field Blank
Lab Order:	0506177	Tag Number:	4618
Project:	Rowe Quarterly	Collection Date:	6/16/2005
Lab ID:	0506177-07A	Date Received:	6/21/2005
		Matrix:	LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
Chloroform	U	1.0		µg/L	1	6/22/2005 10:16:00 PM
Chloromethane	U	1.0		µg/L	1	6/22/2005 10:16:00 PM
cis-1,2-Dichloroethene	U	1.0		µg/L	1	6/22/2005 10:16:00 PM
cis-1,3-Dichloropropene	U	1.0		µg/L	1	6/22/2005 10:16:00 PM
Dibromochloromethane	U	1.0		µg/L	1	6/22/2005 10:16:00 PM
Dibromomethane	U	1.0		µg/L	1	6/22/2005 10:16:00 PM
Dichlorodifluoromethane	U	1.0		µg/L	1	6/22/2005 10:16:00 PM
Ethylbenzene	U	1.0		µg/L	1	6/22/2005 10:16:00 PM
Hexachlorobutadiene	U	1.0		µg/L	1	6/22/2005 10:16:00 PM
Isopropylbenzene	U	1.0		µg/L	1	6/22/2005 10:16:00 PM
m,p-Xylene	U	2.0		µg/L	1	6/22/2005 10:16:00 PM
Methyl tert-butyl ether	U	1.0		µg/L	1	6/22/2005 10:16:00 PM
Methylene chloride	U	1.0		µg/L	1	6/22/2005 10:16:00 PM
Naphthalene	U	1.0		µg/L	1	6/22/2005 10:16:00 PM
n-Butylbenzene	U	1.0		µg/L	1	6/22/2005 10:16:00 PM
n-Propylbenzene	U	1.0		µg/L	1	6/22/2005 10:16:00 PM
o-Xylene	U	1.0		µg/L	1	6/22/2005 10:16:00 PM
sec-Butylbenzene	U	1.0		µg/L	1	6/22/2005 10:16:00 PM
Styrene	U	1.0		µg/L	1	6/22/2005 10:16:00 PM
tert-Butylbenzene	U	1.0		µg/L	1	6/22/2005 10:16:00 PM
Tetrachloroethene	U	1.0		µg/L	1	6/22/2005 10:16:00 PM
Toluene	U	1.0		µg/L	1	6/22/2005 10:16:00 PM
trans-1,2-Dichloroethene	U	1.0		µg/L	1	6/22/2005 10:16:00 PM
trans-1,3-Dichloropropene	U	1.0		µg/L	1	6/22/2005 10:16:00 PM
Trichloroethene	U	1.0		µg/L	1	6/22/2005 10:16:00 PM
Trichlorofluoromethane	U	1.0		µg/L	1	6/22/2005 10:16:00 PM
Vinyl acetate	U	1.0		µg/L	1	6/22/2005 10:16:00 PM
Vinyl chloride	U	1.0		µg/L	1	6/22/2005 10:16:00 PM

Qualifiers:	*	Value exceeds Maximum Contaminant Level	B	Analyte detected in the associated Method Blank
	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded
	J	Analyte detected below quantitation limits	ND	Not Detected at the Reporting Limit
	S	Spike Recovery outside accepted recovery limits	U	Indicates the compound was analyzed for but not detected

American Analytical Laboratories, LLC.

Date: 06-Jul-05

CLIENT: Leggette Brashears & Graham Inc. Client Sample ID: Trip Blank
 Lab Order: 0506177 Tag Number: 4618
 Project: Rowe Quarterly Collection Date: 6/16/2005
 Lab ID: 0506177-08A Date Received: 6/21/2005 Matrix: LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILES SW-846 8260 PLUS MTBE & FREON1		SW8260B		Analyst: LDS		
1,1,1,2-Tetrachloroethane	U	1.0		µg/L	1	6/22/2005 10:48:00 PM
1,1,1-Trichloroethane	U	1.0		µg/L	1	6/22/2005 10:48:00 PM
1,1,2,2-Tetrachloroethane	U	1.0		µg/L	1	6/22/2005 10:48:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	U	1.0		µg/L	1	6/22/2005 10:48:00 PM
1,1,2-Trichloroethane	U	1.0		µg/L	1	6/22/2005 10:48:00 PM
1,1-Dichloroethane	U	1.0		µg/L	1	6/22/2005 10:48:00 PM
1,1-Dichloroethene	U	1.0		µg/L	1	6/22/2005 10:48:00 PM
1,1-Dichloropropene	U	1.0		µg/L	1	6/22/2005 10:48:00 PM
1,2,3-Trichlorobenzene	U	1.0		µg/L	1	6/22/2005 10:48:00 PM
1,2,3-Trichloropropane	U	1.0		µg/L	1	6/22/2005 10:48:00 PM
1,2,4-Trichlorobenzene	U	1.0		µg/L	1	6/22/2005 10:48:00 PM
1,2,4-Trimethylbenzene	U	1.0		µg/L	1	6/22/2005 10:48:00 PM
1,2-Dibromo-3-chloropropane	U	1.0		µg/L	1	6/22/2005 10:48:00 PM
1,2-Dibromoethane	U	1.0		µg/L	1	6/22/2005 10:48:00 PM
1,2-Dichlorobenzene	U	1.0		µg/L	1	6/22/2005 10:48:00 PM
1,2-Dichloroethane	U	1.0		µg/L	1	6/22/2005 10:48:00 PM
1,2-Dichloropropane	U	1.0		µg/L	1	6/22/2005 10:48:00 PM
1,3,5-Trimethylbenzene	U	1.0		µg/L	1	6/22/2005 10:48:00 PM
1,3-Dichlorobenzene	U	1.0		µg/L	1	6/22/2005 10:48:00 PM
1,3-dichloropropane	U	1.0		µg/L	1	6/22/2005 10:48:00 PM
1,4-Dichlorobenzene	U	1.0		µg/L	1	6/22/2005 10:48:00 PM
2,2-Dichloropropane	U	1.0		µg/L	1	6/22/2005 10:48:00 PM
2-Butanone	U	1.0		µg/L	1	6/22/2005 10:48:00 PM
2-Chloroethyl vinyl ether	U	1.0		µg/L	1	6/22/2005 10:48:00 PM
2-Chlorotoluene	U	1.0		µg/L	1	6/22/2005 10:48:00 PM
2-Hexanone	U	1.0		µg/L	1	6/22/2005 10:48:00 PM
4-Chlorotoluene	U	1.0		µg/L	1	6/22/2005 10:48:00 PM
4-Isopropyltoluene	U	1.0		µg/L	1	6/22/2005 10:48:00 PM
4-Methyl-2-pentanone	U	1.0		µg/L	1	6/22/2005 10:48:00 PM
Acetone	U	1.0		µg/L	1	6/22/2005 10:48:00 PM
Benzene	U	1.0		µg/L	1	6/22/2005 10:48:00 PM
Bromobenzene	U	1.0		µg/L	1	6/22/2005 10:48:00 PM
Bromochloromethane	U	1.0		µg/L	1	6/22/2005 10:48:00 PM
Bromodichloromethane	U	1.0		µg/L	1	6/22/2005 10:48:00 PM
Bromoform	U	1.0		µg/L	1	6/22/2005 10:48:00 PM
Bromomethane	U	1.0		µg/L	1	6/22/2005 10:48:00 PM
Carbon disulfide	U	1.0		µg/L	1	6/22/2005 10:48:00 PM
Carbon tetrachloride	U	1.0		µg/L	1	6/22/2005 10:48:00 PM
Chlorobenzene	U	1.0		µg/L	1	6/22/2005 10:48:00 PM
Chloroethane	U	1.0		µg/L	1	6/22/2005 10:48:00 PM

Qualifiers: * Value exceeds Maximum Contaminant Level
 E Value above quantitation range
 J Analyte detected below quantitation limits
 S Spike Recovery outside accepted recovery limits
 B Analyte detected in the associated Method Blank
 H Holding times for preparation or analysis exceeded
 ND Not Detected at the Reporting Limit
 U Indicates the compound was analyzed for but not detected

American Analytical Laboratories, LLC.

Date: 06-Jul-05

CLIENT: Leggette Brashears & Graham Inc. **Client Sample ID:** Trip Blank
Lab Order: 0506177 **Tag Number:** 4618
Project: Rowe Quarterly **Collection Date:** 6/16/2005
Lab ID: 0506177-08A **Date Received:** 6/21/2005 **Matrix:** LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
Chloroform	U	1.0		µg/L	1	6/22/2005 10:48:00 PM
Chloromethane	U	1.0		µg/L	1	6/22/2005 10:48:00 PM
cis-1,2-Dichloroethene	U	1.0		µg/L	1	6/22/2005 10:48:00 PM
cis-1,3-Dichloropropene	U	1.0		µg/L	1	6/22/2005 10:48:00 PM
Dibromochloromethane	U	1.0		µg/L	1	6/22/2005 10:48:00 PM
Dibromomethane	U	1.0		µg/L	1	6/22/2005 10:48:00 PM
Dichlorodifluoromethane	U	1.0		µg/L	1	6/22/2005 10:48:00 PM
Ethylbenzene	U	1.0		µg/L	1	6/22/2005 10:48:00 PM
Hexachlorobutadiene	U	1.0		µg/L	1	6/22/2005 10:48:00 PM
Isopropylbenzene	U	1.0		µg/L	1	6/22/2005 10:48:00 PM
m,p-Xylene	U	2.0		µg/L	1	6/22/2005 10:48:00 PM
Methyl tert-butyl ether	U	1.0		µg/L	1	6/22/2005 10:48:00 PM
Methylene chloride	U	1.0		µg/L	1	6/22/2005 10:48:00 PM
Naphthalene	U	1.0		µg/L	1	6/22/2005 10:48:00 PM
n-Butylbenzene	U	1.0		µg/L	1	6/22/2005 10:48:00 PM
n-Propylbenzene	U	1.0		µg/L	1	6/22/2005 10:48:00 PM
o-Xylene	U	1.0		µg/L	1	6/22/2005 10:48:00 PM
sec-Butylbenzene	U	1.0		µg/L	1	6/22/2005 10:48:00 PM
Styrene	U	1.0		µg/L	1	6/22/2005 10:48:00 PM
tert-Butylbenzene	U	1.0		µg/L	1	6/22/2005 10:48:00 PM
Tetrachloroethene	U	1.0		µg/L	1	6/22/2005 10:48:00 PM
Toluene	U	1.0		µg/L	1	6/22/2005 10:48:00 PM
trans-1,2-Dichloroethene	U	1.0		µg/L	1	6/22/2005 10:48:00 PM
trans-1,3-Dichloropropene	U	1.0		µg/L	1	6/22/2005 10:48:00 PM
Trichloroethene	U	1.0		µg/L	1	6/22/2005 10:48:00 PM
Trichlorofluoromethane	U	1.0		µg/L	1	6/22/2005 10:48:00 PM
Vinyl acetate	U	1.0		µg/L	1	6/22/2005 10:48:00 PM
Vinyl chloride	U	1.0		µg/L	1	6/22/2005 10:48:00 PM

Qualifiers: * Value exceeds Maximum Contaminant Level
 E Value above quantitation range
 J Analyte detected below quantitation limits
 S Spike Recovery outside accepted recovery limits
 B Analyte detected in the associated Method Blank
 H Holding times for preparation or analysis exceeded
 ND Not Detected at the Reporting Limit
 U Indicates the compound was analyzed for but not detected

ECOTEST LABORATORIES, INC.

ENVIRONMENTAL TESTING

377 SHEFFIELD AVE. • N. BABYLON, N.Y. 11703 • (631) 422-5777 • FAX (631) 422-5770

Email: ecotestlab@aol.com Website: www.ecotestlabs.com

LAB NO.252273.01

06/28/05

American Analytical Laboratories
56 Toledo Street
Farmingdale, NY 11735

ATTN: Lori Beyer

PO#:

SOURCE OF SAMPLE: AAL #0506177-01E

SOURCE OF SAMPLE:

COLLECTED BY: Client

DATE COL'D:06/16/05 RECEIVED:06/22/05
TIME COL'D:0755

MATRIX:Water SAMPLE:

ANALYTICAL PARAMETERS	UNITS	RESULT	DATE OF FLAG ANALYSIS	LRL	ANALYTICAL METHOD
ot Organic Carbon	mg/L	2.1	06/24/05	1	EPA415.1

cc:

LRL=Laboratory Reporting Limit

REMARKS:

DIRECTOR

ECOTEST LABORATORIES, INC.

ENVIRONMENTAL TESTING

377 SHEFFIELD AVE. • N. BABYLON, N.Y. 11703 • (631) 422-5777 • FAX (631) 422-5770

Email: ecotestlab@aol.com Website: www.ecotestlabs.com

LAB NO.252273.02

06/28/05

American Analytical Laboratories
56 Toledo Street
Farmingdale, NY 11735

ATTN: Lori Beyer

PO#:

SOURCE OF SAMPLE: AAL #0506177-02E

SOURCE OF SAMPLE:

COLLECTED BY: Client

DATE COL'D:06/16/05 RECEIVED:06/22/05

TIME COL'D:0815

MATRIX:Water

SAMPLE:

ANALYTICAL PARAMETERS
Tot Organic Carbon

UNITS RESULT
mg/L 110

DATE OF
FLAG ANALYSIS LRL
06/24/05 10

ANALYTICAL
METHOD
EPA415.1

cc:

LRL=Laboratory Reporting Limit

REMARKS:

DIRECTOR

ECOTEST LABORATORIES, INC.

ENVIRONMENTAL TESTING

377 SHEFFIELD AVE. • N. BABYLON, N.Y. 11703 • (631) 422-5777 • FAX (631) 422-5770

Email: ecotestlab@aol.com Website: www.ecotestlabs.com

LAB NO.252273.03

06/28/05

American Analytical Laboratories
56 Toledo Street
Farmingdale, NY 11735

ATTN: Lori Beyer

PO#:

SOURCE OF SAMPLE: AAL #0506177-03E

SOURCE OF SAMPLE:

COLLECTED BY: Client

DATE COL'D:06/16/05 RECEIVED:06/22/05
TIME COL'D:0900

MATRIX:Water SAMPLE:

ANALYTICAL PARAMETERS	UNITS	RESULT	DATE OF FLAG ANALYSIS	LRL	ANALYTICAL METHOD
ot Organic Carbon	mg/L	39	06/24/05	1	EPA415.1

cc:

LRL=Laboratory Reporting Limit

REMARKS:

DIRECTOR



ECOTEST LABORATORIES, INC.

ENVIRONMENTAL TESTING

377 SHEFFIELD AVE. • N. BABYLON, N.Y. 11703 • (631) 422-5777 • FAX (631) 422-5770

Email: ecotestlab@aol.com Website: www.ecotestlabs.com

LAB NO.252273.04

06/28/05

American Analytical Laboratories
56 Toledo Street
Farmingdale, NY 11735

ATTN: Lori Beyer

PO#:

SOURCE OF SAMPLE: AAL #0506177-04E

SOURCE OF SAMPLE:

COLLECTED BY: Client

DATE COL'D:06/16/05 RECEIVED:06/22/05
TIME COL'D:0930

MATRIX:Water

SAMPLE:

ANALYTICAL PARAMETERS	UNITS	RESULT	DATE OF FLAG ANALYSIS	LRL	ANALYTICAL METHOD
Tot Organic Carbon	mg/L	9	06/24/05	1	EPA415.1

cc:

LRL=Laboratory Reporting Limit

REMARKS:

DIRECTOR

rn = 16364

NYSDOH ID # 10320

Page 1 of 1

ECOTEST LABORATORIES, INC.

ENVIRONMENTAL TESTING

377 SHEFFIELD AVE. • N. BABYLON, N.Y. 11703 • (631) 422-5777 • FAX (631) 422-5770

Email: ecotestlab@aol.com Website: www.ecotestlabs.com

LAB NO.252273.05

06/28/05

American Analytical Laboratories
56 Toledo Street
Farmingdale, NY 11735

ATTN: Lori Beyer

P0#:

SOURCE OF SAMPLE: AAL #0506177-05E

SOURCE OF SAMPLE:

COLLECTED BY: Client

DATE COL'D:06/16/05 RECEIVED:06/22/05
TIME COL'D:1039

MATRIX:Water SAMPLE:

ANALYTICAL PARAMETERS	UNITS	RESULT	DATE OF FLAG ANALYSIS	LRL	ANALYTICAL METHOD
ot Organic Carbon	mg/L	1.8	06/24/05	1	EPA415.1

cc:

LRL=Laboratory Reporting Limit

REMARKS:

DIRECTOR

Environmental Testing Laboratories, Inc.

208 Route 109, Farmingdale NY 11735
Phone - 631-249-1456 Fax - 631-249-8344

07/07/2005

TCD Head Space Analysis

Sample: 0506461-1

Client Sample ID: FRW-1

Matrix: Liquid

Remarks:

Analyzed Date: 07/07/2005

Type: Grab

Collected: 06/16/2005 07:55

Analytical Results

Cas No	Analyte	File ID	MDL	Concentration	Units	Q
124-38-9	Carbon Dioxide	D 614 -5	0.10	157	ppm	
74-82-8	Methane	D 614 -5	0.0050	0.010	ppm	X
1333-74-0	Hydrogen	D 614 -5	0.10	0.10	ppm	U

Sample: 0506461-2

Client Sample ID: FRW-2

Matrix: Liquid

Remarks:

Analyzed Date: 07/07/2005

Type: Grab

Collected: 06/16/2005 08:15

Analytical Results

Cas No	Analyte	File ID	MDL	Concentration	Units	Q
124-38-9	Carbon Dioxide	D 614 -6	0.10	605	ppm	
74-82-8	Methane	D 614 -6	0.0050	0.47	ppm	
1333-74-0	Hydrogen	D 614 -6	0.10	0.10	ppm	U

Sample: 0506461-3

Client Sample ID: FRW-3

Matrix: Liquid

Remarks:

Analyzed Date: 07/07/2005

Type: Grab

Collected: 06/16/2005 09:00

Analytical Results

Cas No	Analyte	File ID	MDL	Concentration	Units	Q
124-38-9	Carbon Dioxide	D 614 -7	0.10	330	ppm	
74-82-8	Methane	D 614 -7	0.0050	0.45	ppm	
1333-74-0	Hydrogen	D 614 -7	0.10	0.10	ppm	U



Environmental Testing Laboratories, Inc.

208 Route 109, Farmingdale NY 11735
Phone - 631-249-1456 Fax - 631-249-8344

07/07/2005

TCD Head Space Analysis

Sample: 0506461-4

Client Sample ID: FRW-4

Collected: 06/16/2005 09:30

Matrix: Liquid

Type: Grab

Remarks:

Analyzed Date: 07/07/2005

Analytical Results

Cas No	Analyte	File ID	MDL	Concentration	Units	Q
124-38-9	Carbon Dioxide	D 614 -8	0.10	208	ppm	
74-82-8	Methane	D 614 -8	0.0050	0.12	ppm	X
1333-74-0	Hydrogen	D 614 -8	0.10	0.10	ppm	U

Sample: 0506461-5

Client Sample ID: MW-45-A

Collected: 06/16/2005 10:39

Matrix: Liquid

Type: Grab

Remarks:

Analyzed Date: 07/07/2005

Analytical Results

Cas No	Analyte	File ID	MDL	Concentration	Units	Q
124-38-9	Carbon Dioxide	D 614 -9	0.10	107	ppm	
74-82-8	Methane	D 614 -9	0.0050	0.0050	ppm	U
1333-74-0	Hydrogen	D 614 -9	0.10	0.10	ppm	U



ANALYTICAL REPORT

JOB NUMBER: 209911

Prepared For:

LEGGETTE, BRASHEARS & GRAHAM
126 Monroe Turnpike
Trumbull, CT 06611

Project: ROWE INDUSTRIES

Attention: Mark Goldberg

Date: 07/08/2005




Signature

Name: William D. Goodman

Title: Project Manager

E-Mail: wgoodman@stl-inc.com



Date

STL Connecticut
128 Long Hill Cross Road
Shelton, CT 06484

STL Report : 209911
LEGGETTE, BRASHEARS, & GRAHAM

Case Narrative

Sample Receipt – All samples were received in good condition and at the proper temperature.

The following analyses were subcontracted out to the indicated laboratories:

RSK175 sent to STL Burlington, 208 South Park Drive, Suite 1, Colchester, VT
05446

Date: 07/08/2005

Attn.....: Mark Goldberg

Project Description....: Rowe Industries

[illegible]

Job Number.: 209911 Location.: 57207 Check List Number.: 1 Description.:
 Customer Job ID..... Job Check List Date.: Date of the Report...: 06/22/2005
 Project Number.: 20000283 Project Description.: Rowe Industries Project Manager.....: wdg
 Customer.....: LEGGETTE, BRASHEARS & GRAHAM Contact.: Mark Goldberg

Questions ? (Y/N) Comments

Chain-of-Custody Present?..... Y
 ...If "yes", completed properly?..... Y
 Custody seal on shipping container?..... Y
 ...If "yes", custody seal intact?..... Y
 Custody seals on sample containers?..... N
 ...If "yes", custody seal intact?.....
 Samples iced?..... Y
 Temperature of cooler acceptable? (4 deg C +/- 2). Y 5.4C
 Samples received intact (good condition)?..... Y
 Volatile samples acceptable? (no headspace)..... Y
 Correct containers used?..... Y
 Adequate sample volume provided?..... Y
 Samples preserved correctly?.....
 Samples received within holding-time?..... Y
 Agreement between COC and sample labels?..... Y
 Radioactivity at or below background levels?..... Y
 A Sample Discrepancy Report (SDR) was needed?..... N
 Comments.....
 If samples were shipped was there an air bill #?.. N P/U BY RUTH
 Sample Custodian Signature/Date.....

hBlackman 06/22/05

STL Burlington
Colchester, Vermont

Extended Data Package

SDG: 209911

**SEVERN
TRENT** **STL**

NARRATIVE



July 6, 2005

Mr. Bill Goodman
Severn Trent Laboratories
128 Long Hill Cross Road
Shelton, CT 06484

STL Burlington
208 South Park Drive, Suite 1
Colchester, VT 05446

Tel: 802 655 1203 Fax: 802 655 1248
www.stl-inc.com

Re: Laboratory Project No. 24001
Case: 24001; SDG: 209911

Dear Mr. Goodman:

Enclosed are the analytical results for samples received by STL Burlington on June 23, 2005. This report is sequentially numbered starting with page 0001 and ending with page 0057.

Laboratory numbers have been assigned and designated as follows:

<u>Lab ID</u>	<u>Client Sample ID</u>	<u>Sample Date</u>	<u>Sample Matrix</u>
Received: 06/23/05 ETR No: 107993			
626095	FRW-1	06/16/05	Water
626096	FRW-2	06/16/05	Water
626097	FRW-3	06/16/05	Water
626098	FRW-4	06/16/05	Water
626099	MW-45A	06/16/05	Water

Documentation of the condition of the samples at the time their receipt and any exceptions to the laboratory's Sample Acceptance Policy is included in the Sample Handling section of this submittal.

RSK-175 – Dissolved Gases:

No exceptions to the method prescribed quality control criteria were observed during the analyses of the samples in this delivery group.

The analytical results associated with the samples presented in this test report were generated under a quality system that adheres to the requirements specified in the NELAC standard. Release of the data contained in this test report and any associated electronic deliverables is authorized by the Laboratory Director's designee as verified by the following signature.

If there are any questions regarding this submittal, please contact me at 802 655-1203.

Sincerely,

Ron Pentkowski
Project Manager

Enclosure

STL Burlington Data Qualifier Definitions

Organic

- U: Compound analyzed but not detected at a concentration above the reporting limit.
- J: Estimated value.
- N: Indicates presumptive evidence of a compound. This flag is used only for tentatively identified compounds (TICs) where the identification of a compound is based on a mass spectral library search.
- P: Greater than 25% difference for detected concentrations between two GC columns. Unless otherwise specified in project QA plan, the lower of the two values is reported on the Form I.
- C: Pesticide result whose identification has been confirmed by GC/MS.
- B: Analyte is found in the sample and the associated method blank. The flag is used for tentatively identified compounds as well as positively identified compounds.
- E: Compounds whose concentrations exceed the upper limit of the calibration range of the instrument for that specific analysis.
- D: Concentrations identified from analysis of the sample at a secondary dilution.
- A: Tentatively identified compound is a suspected aldol condensation product.
- X,Y,Z: Laboratory defined flags that may be used alone or combined, as needed. If used, the description of the flag is defined in the project narrative.

Inorganic/Metals

- E: Reported value is estimated due to the presence of interference.
- N: Matrix spike sample recovery is not within control limits.
- * Duplicate sample analysis is not within control limits.
- B: The result reported is less than the reporting limit but greater than the instrument detection limit.
- U: Analyte was analyzed for but not detected above the reporting limit.

Method Codes:

- P ICP-AES
MS ICP-MS
CV Cold Vapor AA
AS Semi-Automated Spectrophotometric

0002

06/22/2005

STL Connecticut

RE: Subcontract Chain of Custody

STL CT Project Manager: William D. Goodman
Telephone Number: 203-944-1318
PO/Job #: 209911
Client: LEGGETTE, BRASHEARS & GRAHAM
Project Name: ROWE INDUSTRIES
Certification: CT
SDG Complete: Y
VTSR Date: 06/21/2005
Hardcopy Due Date: 07/05/2005
Report Type: - level 4

Samp#	Sample I.D.	Sampled Time
1	FRW-1	06/16/2005 0755
2	FRW-2	06/16/2005 0817
3	FRW-3	06/16/2005 0900
4	FRW-4	06/16/2005 0930
5	MW-45A	06/16/2005 1039

Please run QC on sample:

Mthds	Method Description	#of	Analytical Mthd	Unit Price	Extended
RSK175	RSK-175		RSK-175		
1-5		5		\$110.00	\$550.00
				Total Cost	\$550.00

Matrix: water

Bottle Type & Number: 2 x 40mL VOA vial w/hcl

Ship To: STL Burlington

Ship Date: 06/22/2005

Special Instructions:

Prices include rush premium, if applicable.

Please overnight a paginated single-sided unbound hardcopy.

Please use client IDs in hardcopy report.

Please send EDD with hardcopy report.

Sending Laboratory: _____

Date: 06/22/05

Receiving Laboratory: _____

Date: 6/23/05

PLEASE SEND A SAMPLE CONFIRMATION REPORT UPON SAMPLE RECEIPT

0003

**SEVERN
TRENT**

STL

RSK-175

QC SUMMARY

0004

FORM 3
WATER VOLATILE LAB CONTROL SAMPLE

Lab Name: STL BURLINGTON

Contract: 24001

Lab Code: STLVT

Case No.: 24001

SAS No.:

SDG No.: 209911

Matrix Spike - Sample No.: S4LCS

COMPOUND	SPIKE ADDED (ug/L)	SAMPLE CONCENTRATION (ug/L)	LCS CONCENTRATION (ug/L)	LCS % REC #	QC. LIMITS REC.
=====	=====	=====	=====	=====	=====
Ethane	140		100	71	70-130
Ethene	130		92	71	70-130

Column to be used to flag recovery and RPD values with an asterisk

* Values outside of QC limits

RPD: 0 out of 0 outside limits

Spike Recovery: 0 out of 2 outside limits

COMMENTS: _____

FORM III VOA

0004-A Last Alpha

**SEVERN
TRENT**

STL

RSK-175

SUPPORTIVE DOCUMENTATION

0005

FORM 1
VOLATILE ORGANICS ANALYSIS DATA SHEET

STLCTS SAMPLE NO.

FRW-1

Lab Name: STL BURLINGTON

Contract: 24001

Lab Code: STLVT

Case No.: 24001

SAS No.:

SDG No.: 209911

Matrix: (soil/water) WATER

Lab Sample ID: 626095

Sample wt/vol: _____ (g/mL) ML

Lab File ID: 29JUN051518-R091

Level: (low/med) LOW

Date Received: 06/23/05

% Moisture: not dec. _____

Date Analyzed: 06/29/05

GC Column: RTUPLLOT ID: 0.32 (mm)

Dilution Factor: 1.0

Soil Extract Volume: _____ (uL)

Soil Aliquot Volume: _____ (uL)

CAS NO.	COMPOUND	CONCENTRATION UNITS: (ug/L or ug/Kg) UG/L	Q
---------	----------	--	---

74-84-0-----	Ethane	4.0	U
74-85-1-----	Ethene	3.0	U

Data File: /var/chem/2866_1.i/29JUN05RSK.b/29jun051518-r091.d

Date : 29-JUN-2005 16:26

Client ID: FRM-1

Sample Info: FRM-1 : [106/16/05 @0755(Mater)


Column phase: RTUPLDT

Instrument: 2866_1.i

Operator: JKN

Column diameter: 0.32

/var/chem/2866_1.i/29JUN05RSK.b/29jun051518-r091.d/29jun051518.1091



0007

STL Burlington

Data file : /var/chem/2866_1.i/29JUN05RSK.b/29jun051518-r091.d
 Lab Smp Id: 626095 Client Smp ID: FRW-1
 Inj Date : 29-JUN-2005 16:26
 Operator : JKN Inst ID: 2866_1.i
 Smp Info : FRW-1 :[]06/16/05 @0755(Water)
 Misc Info :
 Comment :
 Method : /var/chem/2866_1.i/29JUN05RSK.b/cRSK175.m
 Meth Date : 05-Jul-2005 13:29 jlc Quant Type: ESTD
 Cal Date : 28-OCT-2004 14:00 Cal File: 28oct041316-r051.d
 Als bottle: 1
 Dil Factor: 1.00000
 Integrator: Falcon Compound Sublist: EtaEtewo.sub
 Target Version: 3.50
 Processing Host: chemsvr5

Concentration Formula: Amt * DF * 1 * CpndVariable

Name	Value	Description
DF	1.00000	Dilution Factor

Compounds	RT	EXP RT	DLT RT	RESPONSE	CONCENTRATIONS	
					ON-COLUMN (ug/L)	FINAL (ug/L)
2 Ethene				Compound Not Detected.		
3 Ethane				Compound Not Detected.		

FORM 1
VOLATILE ORGANICS ANALYSIS DATA SHEET

STLCTS SAMPLE NO.

FRW-2

Lab Name: STL BURLINGTON

Contract: 24001

Lab Code: STLVT

Case No.: 24001

SAS No.:

SDG No.: 209911

Matrix: (soil/water) WATER

Lab Sample ID: 626096

Sample wt/vol: _____ (g/mL) ML

Lab File ID: 29JUN051518-R101

Level: (low/med) LOW

Date Received: 06/23/05

% Moisture: not dec. _____

Date Analyzed: 06/29/05

GC Column: RTUPLLOT ID: 0.32 (mm)

Dilution Factor: 1.0

Soil Extract Volume: _____ (uL)

Soil Aliquot Volume: _____ (uL)

CAS NO.	COMPOUND	CONCENTRATION UNITS: (ug/L or ug/Kg) UG/L	Q
---------	----------	--	---

74-84-0-----	Ethane	4.0	U
74-85-1-----	Ethene	3.0	U

Data File: /var/chem/2866_1.i/29JUN05RSK.b/29jun051518-r101.d

Date: 29-JUN-2005 16:32

Client ID: FRM-2

Sample Info: FRM-2 (106/16/05 00817(Water))


Column phase: RTUPLOT

Instrument: 2866_1.1

Operator: JKH

Column diameter: 0.32

Page 2



STL Burlington

Data file : /var/chem/2866_1.i/29JUN05RSK.b/29jun051518-r101.d
 Lab Smp Id: 626096 Client Smp ID: FRW-2
 Inj Date : 29-JUN-2005 16:32
 Operator : JKN Inst ID: 2866_1.i
 Smp Info : FRW-2 :[]06/16/05 @0817(Water)
 Misc Info :
 Comment :
 Method : /var/chem/2866_1.i/29JUN05RSK.b/cRSK175.m
 Meth Date : 05-Jul-2005 13:29 jlc Quant Type: ESTD
 Cal Date : 28-OCT-2004 14:00 Cal File: 28oct041316-r051.d
 Als bottle: 1
 Dil Factor: 1.00000
 Integrator: Falcon Compound Sublist: EtaEtewo.sub
 Target Version: 3.50
 Processing Host: chemsvr5

Concentration Formula: Amt * DF * 1 * CpndVariable

Name	Value	Description
DF	1.00000	Dilution Factor

Compounds	RT	EXP RT	DLT RT	RESPONSE	CONCENTRATIONS	
					ON-COLUMN (ug/L)	FINAL (ug/L)
2 Ethene				Compound Not Detected.		
3 Ethane				Compound Not Detected.		

FORM 1
VOLATILE ORGANICS ANALYSIS DATA SHEET

STLCTS SAMPLE NO.

FRW-3

Lab Name: STL BURLINGTON

Contract: 24001

Lab Code: STLVT

Case No.: 24001

SAS No.:

SDG No.: 209911

Matrix: (soil/water) WATER

Lab Sample ID: 626097

Sample wt/vol: _____ (g/mL) ML

Lab File ID: 29JUN051518-R111

Level: (low/med) LOW

Date Received: 06/23/05

% Moisture: not dec. _____

Date Analyzed: 06/29/05

GC Column: RTUPLLOT ID: 0.32 (mm)

Dilution Factor: 1.0


Soil Extract Volume: _____ (uL)

Soil Aliquot Volume: _____ (uL)

CAS NO.	COMPOUND	CONCENTRATION UNITS:	
		(ug/L or ug/Kg) UG/L	Q
74-84-0-----	Ethane	4.0	U
74-85-1-----	Ethene	3.0	U

Data File: /var/chem/2866_1.1/29JUN05RSK.b/29jun051518-r111.d
Date: 29-JUN-2005 16:37
Client ID: FRM-3
Sample Info: FRM-3 (106/16/05 00900(Water))
Column phase: RTUPL0T

Instrument: 2866_1.i
Operator: JKN
Column diameter: 0.32



0013

STL Burlington

Data file : /var/chem/2866_1.i/29JUN05RSK.b/29jun051518-r111.d
Lab Smp Id: 626097 Client Smp ID: FRW-3
Inj Date : 29-JUN-2005 16:37
Operator : JKN Inst ID: 2866_1.i
Smp Info : FRW-3 : [] 06/16/05 @0900 (Water)
Misc Info :
Comment :
Method : /var/chem/2866_1.i/29JUN05RSK.b/cRSK175.m
Meth Date : 05-Jul-2005 13:29 jlc Quant Type: ESTD
Cal Date : 28-OCT-2004 14:00 Cal File: 28oct041316-r051.d
Als bottle: 1
Dil Factor: 1.00000
Integrator: Falcon Compound Sublist: EtaEtewo.sub
Target Version: 3.50
Processing Host: chemsvr5

Concentration Formula: Amt * DF * 1 * CpndVariable

Name	Value	Description
DF	1.00000	Dilution Factor

Compounds	RT	EXP RT	DLT RT	RESPONSE	CONCENTRATIONS	
					ON-COLUMN (ug/L)	FINAL (ug/L)
2 Ethene				Compound Not Detected.		
3 Ethane				Compound Not Detected.		

FORM 1
VOLATILE ORGANICS ANALYSIS DATA SHEET

STLCTS SAMPLE NO.

FRW-4

Lab Name: STL BURLINGTON

Contract: 24001

Lab Code: STLVT

Case No.: 24001

SAS No.:

SDG No.: 209911

Matrix: (soil/water) WATER

Lab Sample ID: 626098

Sample wt/vol: _____ (g/mL) ML

Lab File ID: 29JUN051518-R121

Level: (low/med) LOW

Date Received: 06/23/05

% Moisture: not dec. _____

Date Analyzed: 06/29/05

GC Column: RTUPLLOT ID: 0.32 (mm)

Dilution Factor: 1.0

Soil Extract Volume: _____ (uL)

Soil Aliquot Volume: _____ (uL)

CAS NO.	COMPOUND	CONCENTRATION UNITS: (ug/L or ug/Kg) UG/L		Q
74-84-0-----	Ethane	4.0	U	
74-85-1-----	Ethene	3.0	U	

Data File: /var/chem/2866_1.1/29JUN05RSK,b/29jun051518-r121.d

Date: 29-JUN-2005 16:42

Client ID: FRM-4

Sample Info: FRM-4 IL 106/16/05 00930(Water)


Column phase: RTUPL01

Instrument: 2866_1.1

Operator: JKN

Column diameter: 0.32

Page 2



STL Burlington

Data file : /var/chem/2866_1.i/29JUN05RSK.b/29jun051518-r121.d
Lab Smp Id: 626098 Client Smp ID: FRW-4
Inj Date : 29-JUN-2005 16:42
Operator : JKN Inst ID: 2866_1.i
Smp Info : FRW-4 : [] 06/16/05 @0930 (Water)
Misc Info :
Comment :
Method : /var/chem/2866_1.i/29JUN05RSK.b/cRSK175.m
Meth Date : 05-Jul-2005 13:29 jlc Quant Type: ESTD
Cal Date : 28-OCT-2004 14:00 Cal File: 28oct041316-r051.d
Als bottle: 1
Dil Factor: 1.00000
Integrator: Falcon Compound Sublist: EtaEtewo.sub
Target Version: 3.50
Processing Host: chemsvr5

Concentration Formula: Amt * DF * 1 * CpndVariable

Name	Value	Description
DF	1.00000	Dilution Factor

Compounds	RT	EXP RT	DLT RT	RESPONSE	CONCENTRATIONS	
					ON-COLUMN (ug/L)	FINAL (ug/L)
2 Ethene				Compound Not Detected.		
3 Ethane				Compound Not Detected.		

FORM 1
VOLATILE ORGANICS ANALYSIS DATA SHEET

STLCTS SAMPLE NO.

MW-45A

Lab Name: STL BURLINGTON

Contract: 24001

Lab Code: STLVT

Case No.: 24001

SAS No.:

SDG No.: 209911

Matrix: (soil/water) WATER

Lab Sample ID: 626099

Sample wt/vol: _____ (g/mL) ML

Lab File ID: 29JUN051518-R131

Level: (low/med) LOW

Date Received: 06/23/05

% Moisture: not dec. _____

Date Analyzed: 06/29/05

GC Column: RTUPLOT ID: 0.32 (mm)

Dilution Factor: 1.0

Soil Extract Volume: _____ (uL)

Soil Aliquot Volume: _____ (uL)


CAS NO.	COMPOUND	CONCENTRATION UNITS: (ug/L or ug/Kg) UG/L	Q
---------	----------	--	---

74-84-0-----	Ethane	4.0	U
--------------	--------	-----	---

74-85-1-----	Ethene	3.0	U
--------------	--------	-----	---

Data File: /var/chem/2866_1.i/29JUN05RSK.b/29jun051518-r131.d
Date : 29-JUN-2005 16:48
Client ID: HM-45A
Sample Info: HM-45A : (106/16/05 @1039(Water))
Column phase: RTUPL0T

Instrument: 2866_1.i
Operator: JKN
Column diameter: 0.32



0019

STL Burlington

Data file : /var/chem/2866_1.i/29JUN05RSK.b/29jun051518-r131.d
Lab Smp Id: 626099 Client Smp ID: MW-45A
Inj Date : 29-JUN-2005 16:48
Operator : JKN Inst ID: 2866_1.i
Smp Info : MW-45A :[]06/16/05 @1039(Water)
Misc Info :
Comment :
Method : /var/chem/2866_1.i/29JUN05RSK.b/cRSK175.m
Meth Date : 05-Jul-2005 13:29 jlc Quant Type: ESTD
Cal Date : 28-OCT-2004 14:00 Cal File: 28oct041316-r051.d
Als bottle: 1
Dil Factor: 1.00000
Integrator: Falcon Compound Sublist: EtaEtewo.sub
Target Version: 3.50
Processing Host: chemsvr5

Concentration Formula: Amt * DF * 1 * CpndVariable

Name	Value	Description
DF	1.00000	Dilution Factor

Compounds	RT	EXP	RT	DLT	RT	RESPONSE	CONCENTRATIONS	
							ON-COLUMN (ug/L)	FINAL (ug/L)
2 Ethene								
3 Ethane								



NYSDOH 11418
NJDEP NY050
CTDOH PH-0205
PADEP 68-00573

Friday, August 26, 2005

Mark Goldberg
Leggette Brashears & Graham Inc.
126 Monroe Turnpike
Trumbull, CT 06611

TEL: (203) 452-3110

FAX (203) 452-3111

RE: Sag Harbor, NY Rowe Industries

Order No.: 0508177

Dear Mark Goldberg:

American Analytical Laboratories, LLC. received 8 sample(s) on 8/19/2005 for the analyses presented in the following report.

Samples were analyzed in accordance with the test procedures documented on the chain of custody and detailed throughout the text of this report.

The limits provided in the data package are analytical reporting limits and not Federal or Local mandated values to which the sample results should be compared.

There were no problems with the analyses and all data for associated QC met laboratory specifications.

If you have any questions regarding these tests results, please do not hesitate to call (631) 454-6100 or email me directly at lbeyer@american-analytical.com.

Sincerely,

Lori Beyer
Lab Director

American Analytical Laboratories, LLC.**Date:** 26-Aug-05

CLIENT: Leggette Brashears & Graham Inc.
Project: Sag Harbor, NY Rowe Industries
Lab Order: 0508177

Work Order Sample Summary

Lab Sample ID	Client Sample ID	Tag Number	Collection Date	Date Received
0508177-01A	FRW-1	4619	8/17/2005 10:00:00 AM	8/19/2005
0508177-02A	FRW-2	4619	8/17/2005 10:15:00 AM	8/19/2005
0508177-03A	FRW-3	4619	8/17/2005 10:30:00 AM	8/19/2005
0508177-04A	FRW-4	4619	8/17/2005 10:45:00 AM	8/19/2005
0508177-05A	MW-45A	4619	8/17/2005 11:10:00 AM	8/19/2005
0508177-06A	MW-98-04	4619	8/17/2005 11:40:00 AM	8/19/2005
0508177-07A	Field Blank	4619	8/17/2005 12:55:00 PM	8/19/2005
0508177-08A	Trip Blank	4619	8/17/2005	8/19/2005

WHITE-OFFICE / CANARY-LAB / PINK-SAMPLE CUSTODIAN / GOLDENROD-CLIENT

American Analytical Laboratories, LLC.
56 Toledo Street
Farmingdale, NY 11735-

TEL: 631-454-6100

FAX: 631-454-8027

CHAIN-OF-CUSTODY RECORD

Page 1 of 1

Subcontractor:

EcoTest Laboratories, Inc.
377 Sheffield Avenue
North Babylon, NY 11703

TEL: (631) 422-5777
FAX: (631) 422-5770
Acct #:

19-Aug-05

Sample ID	Matrix	Collection Date	Bottle Type	Requested Tests			
				SW9060			
0508177-01A	Liquid	8/17/2005 10:00:00 AM	250MLPH2SO4	1			
0508177-02A	Liquid	8/17/2005 10:15:00 AM	250MLPH2SO4	1			
0508177-03A	Liquid	8/17/2005 10:30:00 AM	250MLPH2SO4	1			
0508177-04A	Liquid	8/17/2005 10:45:00 AM	250MLPH2SO4	1			
0508177-05A	Liquid	8/17/2005 11:10:00 AM	250MLPH2SO4	1			
0508177-06A	Liquid	8/17/2005 11:40:00 AM	250MLPH2SO4	1			

Comments:

Analyze for TOC.
Results by 8/25/05, Thanks.

Relinquished by:

Chetana Juv

Date/Time

Received by:

8-22-05 10 AM

Relinquished by:

[Signature]

Date/Time

8/22/05/10:03

AMERICAN ANALYTICAL LABORATORIES, LLC

56 TOLEDO STREET

FARMINGDALE, NEW YORK 11735

TELEPHONE: (631) 454-6100

FAX: (631) 454-8027

DATA REPORTING QUALIFIERS

For reporting results, the following "Results Qualifiers" are used:

Value	If the result is greater than or equal to the detection limit, report the value
U	Indicates the compound was analyzed for but was not detected. Report the minimum detection limit for the sample with the U, i.e. "10U". This is not necessarily the instrument detection limit attainable for this particular sample based on any concentration or dilution that may have been required.
J	Indicates an estimated value. The flag is used: (1) When estimating a concentration for a tentatively identified compound (library search hits, where a 1:1 response is assumed.) (2) When the mass spectral data indicated the identification, however the result was less than the specified detection limit greater than zero. If the detection limit was 10ug/L and a concentration of 3ug/L was calculated report as 3J. This flag is used when similar situations arise on any organic parameter i.e. Pesticide, PCBs and others.
B	Indicates the analyte was found in the blank as well as the sample report "10B".
E	Indicates the analytes concentration exceeds the calibrated range of the instrument for that specific analysis.
D	This flag identifies all compounds identified in an analysis at a secondary dilution factor.
P	This flag is used for Pesticide / PCB target analyte when there is >25% difference for detected concentrations between the two GC Columns. The higher of the two values is reported on Form I and flagged with a "P".
N	This flag indicates presumptive evidence of a compound. This is only used for tentatively identified compounds (TICs), where the identification is based on a mass spectral library search. It applies to all TIC results. For generic characterization of a TIC, such as chlorinated hydrocarbon, the flag is not used.
H	Indicates sample was received and/or analyzed outside of The method allowable holding time

American Analytical Laboratories, LLC.

Date: 26-Aug-05

CLIENT: Leggette Brashears & Graham Inc.
Project: Sag Harbor, NY Rowe Industries
Lab Order: 0508177

CASE NARRATIVE

Samples were analyzed using the methods outlined in the following references:

Test Methods for Evaluating Solid Waste, Physical/Chemical Methods, SW846, 3rd Edition

All method blanks, laboratory spikes, and/or matrix spikes met quality assurance objectives.

Acceptable levels of methylene chloride was detected in the method blank associated with sample analysis. The levels are consistent with those found in the field samples and therefore, the reported sample concentrations can be attributed to laboratory contamination and not sample matrix constituents.

Acetone is a common laboratory contaminant, however, was not detected in the method blank and therefore sample results have not been qualified, "B." It should be noted that Acetone was detected in the field blank at 140 ug/L and not in the Trip Blank. Acetone concentrations <140 ug/L should be considered "suspect" in the field samples as a result of field contamination. Not all field samples were determined to have the presence of this compound as noted throughout the lab report.

Lori Beyer
LABORATORY DIRECTOR

American Analytical Laboratories, LLC.

Date: 26-Aug-05

CLIENT: Leggette Brashears & Graham Inc.

Client Sample ID: FRW-1

Lab Order: 0508177

Tag Number: 4619

Project: Sag Harbor, NY Rowe Industries

Collection Date: 8/17/2005 10:00:00 AM

Lab ID: 0508177-01A

Date Received: 8/19/2005

Matrix: LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILES SW-846 8260 PLUS MTBE & FREON1		SW8260B		Analyst: LDS		
1,1,1,2-Tetrachloroethane	U	1.0		µg/L	1	8/20/2005 2:54:00 AM
1,1,1-Trichloroethane	U	1.0		µg/L	1	8/20/2005 2:54:00 AM
1,1,2,2-Tetrachloroethane	U	1.0		µg/L	1	8/20/2005 2:54:00 AM
1,1,2-Trichloro-1,2,2-trifluoroethane	U	1.0		µg/L	1	8/20/2005 2:54:00 AM
1,1,2-Trichloroethane	U	1.0		µg/L	1	8/20/2005 2:54:00 AM
1,1-Dichloroethane	U	1.0		µg/L	1	8/20/2005 2:54:00 AM
1,1-Dichloroethene	U	1.0		µg/L	1	8/20/2005 2:54:00 AM
1,1-Dichloropropene	U	1.0		µg/L	1	8/20/2005 2:54:00 AM
1,2,3-Trichlorobenzene	U	1.0		µg/L	1	8/20/2005 2:54:00 AM
1,2,3-Trichloropropane	U	1.0		µg/L	1	8/20/2005 2:54:00 AM
1,2,4-Trichlorobenzene	U	1.0		µg/L	1	8/20/2005 2:54:00 AM
1,2,4-Trimethylbenzene	U	1.0		µg/L	1	8/20/2005 2:54:00 AM
1,2-Dibromo-3-chloropropane	U	1.0		µg/L	1	8/20/2005 2:54:00 AM
1,2-Dibromoethane	U	1.0		µg/L	1	8/20/2005 2:54:00 AM
1,2-Dichlorobenzene	U	1.0		µg/L	1	8/20/2005 2:54:00 AM
1,2-Dichloroethane	U	1.0		µg/L	1	8/20/2005 2:54:00 AM
1,2-Dichloropropane	U	1.0		µg/L	1	8/20/2005 2:54:00 AM
1,3,5-Trimethylbenzene	U	1.0		µg/L	1	8/20/2005 2:54:00 AM
1,3-Dichlorobenzene	U	1.0		µg/L	1	8/20/2005 2:54:00 AM
1,3-dichloropropane	U	1.0		µg/L	1	8/20/2005 2:54:00 AM
1,4-Dichlorobenzene	U	1.0		µg/L	1	8/20/2005 2:54:00 AM
2,2-Dichloropropane	U	1.0		µg/L	1	8/20/2005 2:54:00 AM
2-Butanone	U	1.0		µg/L	1	8/20/2005 2:54:00 AM
2-Chloroethyl vinyl ether	U	1.0		µg/L	1	8/20/2005 2:54:00 AM
2-Chlorotoluene	U	1.0		µg/L	1	8/20/2005 2:54:00 AM
2-Hexanone	U	1.0		µg/L	1	8/20/2005 2:54:00 AM
4-Chlorotoluene	U	1.0		µg/L	1	8/20/2005 2:54:00 AM
4-Isopropyltoluene	U	1.0		µg/L	1	8/20/2005 2:54:00 AM
4-Methyl-2-pentanone	U	1.0		µg/L	1	8/20/2005 2:54:00 AM
Acetone	U	1.0		µg/L	1	8/20/2005 2:54:00 AM
Benzene	U	1.0		µg/L	1	8/20/2005 2:54:00 AM
Bromobenzene	U	1.0		µg/L	1	8/20/2005 2:54:00 AM
Bromochloromethane	U	1.0		µg/L	1	8/20/2005 2:54:00 AM
Bromodichloromethane	U	1.0		µg/L	1	8/20/2005 2:54:00 AM
Bromoform	U	1.0		µg/L	1	8/20/2005 2:54:00 AM
Bromomethane	U	1.0		µg/L	1	8/20/2005 2:54:00 AM
Carbon disulfide	U	1.0		µg/L	1	8/20/2005 2:54:00 AM
Carbon tetrachloride	U	1.0		µg/L	1	8/20/2005 2:54:00 AM
Chlorobenzene	U	1.0		µg/L	1	8/20/2005 2:54:00 AM
Chloroethane	U	1.0		µg/L	1	8/20/2005 2:54:00 AM

Qualifiers: * Value exceeds Maximum Contaminant Level
 E Value above quantitation range
 J Analyte detected below quantitation limits
 S Spike Recovery outside accepted recovery limits

B Analyte detected in the associated Method Blank
 H Holding times for preparation or analysis exceeded
 ND Not Detected at the Reporting Limit
 U Indicates the compound was analyzed for but not detected

American Analytical Laboratories, LLC.

Date: 26-Aug-05

CLIENT:	Leggette Brashears & Graham Inc.	Client Sample ID:	FRW-1
Lab Order:	0508177	Tag Number:	4619
Project:	Sag Harbor, NY Rowe Industries	Collection Date:	8/17/2005 10:00:00 AM
Lab ID:	0508177-01A	Date Received:	8/19/2005
		Matrix:	LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
Chloroform	U	1.0		µg/L	1	8/20/2005 2:54:00 AM
Chloromethane	U	1.0		µg/L	1	8/20/2005 2:54:00 AM
cis-1,2-Dichloroethene	U	1.0		µg/L	1	8/20/2005 2:54:00 AM
cis-1,3-Dichloropropene	U	1.0		µg/L	1	8/20/2005 2:54:00 AM
Dibromochloromethane	U	1.0		µg/L	1	8/20/2005 2:54:00 AM
Dibromomethane	U	1.0		µg/L	1	8/20/2005 2:54:00 AM
Dichlorodifluoromethane	U	1.0		µg/L	1	8/20/2005 2:54:00 AM
Ethylbenzene	U	1.0		µg/L	1	8/20/2005 2:54:00 AM
Hexachlorobutadiene	U	1.0		µg/L	1	8/20/2005 2:54:00 AM
Isopropylbenzene	U	1.0		µg/L	1	8/20/2005 2:54:00 AM
m,p-Xylene	U	2.0		µg/L	1	8/20/2005 2:54:00 AM
Methyl tert-butyl ether	U	1.0		µg/L	1	8/20/2005 2:54:00 AM
Methylene chloride	8.3	1.0	B	µg/L	1	8/20/2005 2:54:00 AM
Naphthalene	U	1.0		µg/L	1	8/20/2005 2:54:00 AM
n-Butylbenzene	U	1.0		µg/L	1	8/20/2005 2:54:00 AM
n-Propylbenzene	U	1.0		µg/L	1	8/20/2005 2:54:00 AM
o-Xylene	U	1.0		µg/L	1	8/20/2005 2:54:00 AM
sec-Butylbenzene	U	1.0		µg/L	1	8/20/2005 2:54:00 AM
Styrene	U	1.0		µg/L	1	8/20/2005 2:54:00 AM
tert-Butylbenzene	U	1.0		µg/L	1	8/20/2005 2:54:00 AM
Tetrachloroethene	24	1.0		µg/L	1	8/20/2005 2:54:00 AM
Toluene	U	1.0		µg/L	1	8/20/2005 2:54:00 AM
trans-1,2-Dichloroethene	U	1.0		µg/L	1	8/20/2005 2:54:00 AM
trans-1,3-Dichloropropene	U	1.0		µg/L	1	8/20/2005 2:54:00 AM
Trichloroethene	U	1.0		µg/L	1	8/20/2005 2:54:00 AM
Trichlorofluoromethane	U	1.0		µg/L	1	8/20/2005 2:54:00 AM
Vinyl acetate	U	1.0		µg/L	1	8/20/2005 2:54:00 AM
Vinyl chloride	U	1.0		µg/L	1	8/20/2005 2:54:00 AM

Qualifiers:	* Value exceeds Maximum Contaminant Level	B Analyte detected in the associated Method Blank
	E Value above quantitation range	H Holding times for preparation or analysis exceeded
	J Analyte detected below quantitation limits	ND Not Detected at the Reporting Limit
	S Spike Recovery outside accepted recovery limits	U Indicates the compound was analyzed for but not detected

American Analytical Laboratories, LLC.

Date: 26-Aug-05

CLIENT: Leggette Brashears & Graham Inc.

Client Sample ID: FRW-2

Lab Order: 0508177

Tag Number: 4619

Project: Sag Harbor, NY Rowe Industries

Collection Date: 8/17/2005 10:15:00 AM

Lab ID: 0508177-02A

Date Received: 8/19/2005

Matrix: LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILES SW-846 8260 PLUS MTBE & FREON1		SW8260B		Analyst: LDS		
1,1,1,2-Tetrachloroethane	U	1.0		µg/L	1	8/20/2005 3:32:00 AM
1,1,1-Trichloroethane	1.2	1.0		µg/L	1	8/20/2005 3:32:00 AM
1,1,2,2-Tetrachloroethane	U	1.0		µg/L	1	8/20/2005 3:32:00 AM
1,1,2-Trichloro-1,2,2-trifluoroethane	U	1.0		µg/L	1	8/20/2005 3:32:00 AM
1,1,2-Trichloroethane	U	1.0		µg/L	1	8/20/2005 3:32:00 AM
1,1-Dichloroethane	U	1.0		µg/L	1	8/20/2005 3:32:00 AM
1,1-Dichloroethene	U	1.0		µg/L	1	8/20/2005 3:32:00 AM
1,1-Dichloropropene	U	1.0		µg/L	1	8/20/2005 3:32:00 AM
1,2,3-Trichlorobenzene	U	1.0		µg/L	1	8/20/2005 3:32:00 AM
1,2,3-Trichloropropane	U	1.0		µg/L	1	8/20/2005 3:32:00 AM
1,2,4-Trichlorobenzene	U	1.0		µg/L	1	8/20/2005 3:32:00 AM
1,2,4-Trimethylbenzene	5.8	1.0		µg/L	1	8/20/2005 3:32:00 AM
1,2-Dibromo-3-chloropropane	U	1.0		µg/L	1	8/20/2005 3:32:00 AM
1,2-Dibromoethane	U	1.0		µg/L	1	8/20/2005 3:32:00 AM
1,2-Dichlorobenzene	U	1.0		µg/L	1	8/20/2005 3:32:00 AM
1,2-Dichloroethane	U	1.0		µg/L	1	8/20/2005 3:32:00 AM
1,2-Dichloropropane	U	1.0		µg/L	1	8/20/2005 3:32:00 AM
1,3,5-Trimethylbenzene	4.6	1.0		µg/L	1	8/20/2005 3:32:00 AM
1,3-Dichlorobenzene	U	1.0		µg/L	1	8/20/2005 3:32:00 AM
1,3-dichloropropane	U	1.0		µg/L	1	8/20/2005 3:32:00 AM
1,4-Dichlorobenzene	U	1.0		µg/L	1	8/20/2005 3:32:00 AM
2,2-Dichloropropane	U	1.0		µg/L	1	8/20/2005 3:32:00 AM
2-Butanone	1400	1.0		µg/L	1	8/20/2005 3:32:00 AM
2-Chloroethyl vinyl ether	U	1.0		µg/L	1	8/20/2005 3:32:00 AM
2-Chlorotoluene	U	1.0		µg/L	1	8/20/2005 3:32:00 AM
2-Hexanone	U	1.0		µg/L	1	8/20/2005 3:32:00 AM
4-Chlorotoluene	U	1.0		µg/L	1	8/20/2005 3:32:00 AM
4-Isopropyltoluene	U	1.0		µg/L	1	8/20/2005 3:32:00 AM
4-Methyl-2-pentanone	U	1.0		µg/L	1	8/20/2005 3:32:00 AM
Acetone	240	1.0		µg/L	1	8/20/2005 3:32:00 AM
Benzene	U	1.0		µg/L	1	8/20/2005 3:32:00 AM
Bromobenzene	U	1.0		µg/L	1	8/20/2005 3:32:00 AM
Bromochloromethane	U	1.0		µg/L	1	8/20/2005 3:32:00 AM
Bromodichloromethane	U	1.0		µg/L	1	8/20/2005 3:32:00 AM
Bromoform	U	1.0		µg/L	1	8/20/2005 3:32:00 AM
Bromomethane	U	1.0		µg/L	1	8/20/2005 3:32:00 AM
Carbon disulfide	U	1.0		µg/L	1	8/20/2005 3:32:00 AM
Carbon tetrachloride	U	1.0		µg/L	1	8/20/2005 3:32:00 AM
Chlorobenzene	U	1.0		µg/L	1	8/20/2005 3:32:00 AM
Chloroethane	U	1.0		µg/L	1	8/20/2005 3:32:00 AM

Qualifiers: * Value exceeds Maximum Contaminant Level
 E Value above quantitation range
 J Analyte detected below quantitation limits
 S Spike Recovery outside accepted recovery limits

B Analyte detected in the associated Method Blank
 H Holding times for preparation or analysis exceeded
 ND Not Detected at the Reporting Limit
 U Indicates the compound was analyzed for but not detected

American Analytical Laboratories, LLC.

Date: 26-Aug-05

CLIENT:	Leggette Brashears & Graham Inc.	Client Sample ID:	FRW-2
Lab Order:	0508177	Tag Number:	4619
Project:	Sag Harbor, NY Rowe Industries	Collection Date:	8/17/2005 10:15:00 AM
Lab ID:	0508177-02A	Date Received:	8/19/2005
		Matrix:	LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
Chloroform	U	1.0		µg/L	1	8/20/2005 3:32:00 AM
Chloromethane	U	1.0		µg/L	1	8/20/2005 3:32:00 AM
cis-1,2-Dichloroethene	54	1.0		µg/L	1	8/20/2005 3:32:00 AM
cis-1,3-Dichloropropene	U	1.0		µg/L	1	8/20/2005 3:32:00 AM
Dibromochloromethane	U	1.0		µg/L	1	8/20/2005 3:32:00 AM
Dibromomethane	U	1.0		µg/L	1	8/20/2005 3:32:00 AM
Dichlorodifluoromethane	U	1.0		µg/L	1	8/20/2005 3:32:00 AM
Ethylbenzene	U	1.0		µg/L	1	8/20/2005 3:32:00 AM
Hexachlorobutadiene	U	1.0		µg/L	1	8/20/2005 3:32:00 AM
Isopropylbenzene	6.0	1.0		µg/L	1	8/20/2005 3:32:00 AM
m,p-Xylene	U	2.0		µg/L	1	8/20/2005 3:32:00 AM
Methyl tert-butyl ether	U	1.0		µg/L	1	8/20/2005 3:32:00 AM
Methylene chloride	8.0	1.0	B	µg/L	1	8/20/2005 3:32:00 AM
Naphthalene	U	1.0		µg/L	1	8/20/2005 3:32:00 AM
n-Butylbenzene	U	1.0		µg/L	1	8/20/2005 3:32:00 AM
n-Propylbenzene	7.2	1.0		µg/L	1	8/20/2005 3:32:00 AM
o-Xylene	U	1.0		µg/L	1	8/20/2005 3:32:00 AM
sec-Butylbenzene	U	1.0		µg/L	1	8/20/2005 3:32:00 AM
Styrene	U	1.0		µg/L	1	8/20/2005 3:32:00 AM
tert-Butylbenzene	U	1.0		µg/L	1	8/20/2005 3:32:00 AM
Tetrachloroethene	190	1.0		µg/L	1	8/20/2005 3:32:00 AM
Toluene	200	1.0		µg/L	1	8/20/2005 3:32:00 AM
trans-1,2-Dichloroethene	U	1.0		µg/L	1	8/20/2005 3:32:00 AM
trans-1,3-Dichloropropene	U	1.0		µg/L	1	8/20/2005 3:32:00 AM
Trichloroethene	12	1.0		µg/L	1	8/20/2005 3:32:00 AM
Trichlorofluoromethane	U	1.0		µg/L	1	8/20/2005 3:32:00 AM
Vinyl acetate	U	1.0		µg/L	1	8/20/2005 3:32:00 AM
Vinyl chloride	3.7	1.0		µg/L	1	8/20/2005 3:32:00 AM

Qualifiers:	* Value exceeds Maximum Contaminant Level	B Analyte detected in the associated Method Blank
	E Value above quantitation range	H Holding times for preparation or analysis exceeded
	J Analyte detected below quantitation limits	ND Not Detected at the Reporting Limit
	S Spike Recovery outside accepted recovery limits	U Indicates the compound was analyzed for but not detected

American Analytical Laboratories, LLC.

Date: 26-Aug-05

CLIENT: Leggette Brashears & Graham Inc.

Client Sample ID: FRW-3

Lab Order: 0508177

Tag Number: 4619

Project: Sag Harbor, NY Rowe Industries

Collection Date: 8/17/2005 10:30:00 AM

Lab ID: 0508177-03A

Date Received: 8/19/2005

Matrix: LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILES SW-846 8260 PLUS MTBE & FREON1		SW8260B		Analyst: LDS		
1,1,1,2-Tetrachloroethane	U	1.0		µg/L	1	8/20/2005 4:05:00 AM
1,1,1-Trichloroethane	5.1	1.0		µg/L	1	8/20/2005 4:05:00 AM
1,1,2,2-Tetrachloroethane	U	1.0		µg/L	1	8/20/2005 4:05:00 AM
1,1,2-Trichloro-1,2,2-trifluoroethane	U	1.0		µg/L	1	8/20/2005 4:05:00 AM
1,1,2-Trichloroethane	U	1.0		µg/L	1	8/20/2005 4:05:00 AM
1,1-Dichloroethane	U	1.0		µg/L	1	8/20/2005 4:05:00 AM
1,1-Dichloroethene	U	1.0		µg/L	1	8/20/2005 4:05:00 AM
1,1-Dichloropropene	U	1.0		µg/L	1	8/20/2005 4:05:00 AM
1,2,3-Trichlorobenzene	U	1.0		µg/L	1	8/20/2005 4:05:00 AM
1,2,3-Trichloropropane	U	1.0		µg/L	1	8/20/2005 4:05:00 AM
1,2,4-Trichlorobenzene	U	1.0		µg/L	1	8/20/2005 4:05:00 AM
1,2,4-Trimethylbenzene	U	1.0		µg/L	1	8/20/2005 4:05:00 AM
1,2-Dibromo-3-chloropropane	U	1.0		µg/L	1	8/20/2005 4:05:00 AM
1,2-Dibromoethane	U	1.0		µg/L	1	8/20/2005 4:05:00 AM
1,2-Dichlorobenzene	U	1.0		µg/L	1	8/20/2005 4:05:00 AM
1,2-Dichloroethane	U	1.0		µg/L	1	8/20/2005 4:05:00 AM
1,2-Dichloropropane	U	1.0		µg/L	1	8/20/2005 4:05:00 AM
1,3,5-Trimethylbenzene	U	1.0		µg/L	1	8/20/2005 4:05:00 AM
1,3-Dichlorobenzene	U	1.0		µg/L	1	8/20/2005 4:05:00 AM
1,3-dichloropropane	U	1.0		µg/L	1	8/20/2005 4:05:00 AM
1,4-Dichlorobenzene	U	1.0		µg/L	1	8/20/2005 4:05:00 AM
2,2-Dichloropropane	U	1.0		µg/L	1	8/20/2005 4:05:00 AM
2-Butanone	2700	1.0		µg/L	1	8/20/2005 4:05:00 AM
2-Chloroethyl vinyl ether	U	1.0		µg/L	1	8/20/2005 4:05:00 AM
2-Chlorotoluene	U	1.0		µg/L	1	8/20/2005 4:05:00 AM
2-Hexanone	U	1.0		µg/L	1	8/20/2005 4:05:00 AM
4-Chlorotoluene	U	1.0		µg/L	1	8/20/2005 4:05:00 AM
4-Isopropyltoluene	U	1.0		µg/L	1	8/20/2005 4:05:00 AM
4-Methyl-2-pentanone	U	1.0		µg/L	1	8/20/2005 4:05:00 AM
Acetone	700	1.0		µg/L	1	8/20/2005 4:05:00 AM
Benzene	U	1.0		µg/L	1	8/20/2005 4:05:00 AM
Bromobenzene	U	1.0		µg/L	1	8/20/2005 4:05:00 AM
Bromochloromethane	U	1.0		µg/L	1	8/20/2005 4:05:00 AM
Bromodichloromethane	U	1.0		µg/L	1	8/20/2005 4:05:00 AM
Bromoform	U	1.0		µg/L	1	8/20/2005 4:05:00 AM
Bromomethane	U	1.0		µg/L	1	8/20/2005 4:05:00 AM
Carbon disulfide	U	1.0		µg/L	1	8/20/2005 4:05:00 AM
Carbon tetrachloride	U	1.0		µg/L	1	8/20/2005 4:05:00 AM
Chlorobenzene	U	1.0		µg/L	1	8/20/2005 4:05:00 AM
Chloroethane	U	1.0		µg/L	1	8/20/2005 4:05:00 AM

Qualifiers: * Value exceeds Maximum Contaminant Level
 E Value above quantitation range
 J Analyte detected below quantitation limits
 S Spike Recovery outside accepted recovery limits

B Analyte detected in the associated Method Blank
 H Holding times for preparation or analysis exceeded
 ND Not Detected at the Reporting Limit
 U Indicates the compound was analyzed for but not detected

American Analytical Laboratories, LLC.

Date: 26-Aug-05

CLIENT:	Leggette Brashears & Graham Inc.	Client Sample ID:	FRW-3
Lab Order:	0508177	Tag Number:	4619
Project:	Sag Harbor, NY Rowe Industries	Collection Date:	8/17/2005 10:30:00 AM
Lab ID:	0508177-03A	Date Received:	8/19/2005
		Matrix:	LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
Chloroform	U	1.0		µg/L	1	8/20/2005 4:05:00 AM
Chloromethane	U	1.0		µg/L	1	8/20/2005 4:05:00 AM
cis-1,2-Dichloroethene	120	1.0		µg/L	1	8/20/2005 4:05:00 AM
cis-1,3-Dichloropropene	U	1.0		µg/L	1	8/20/2005 4:05:00 AM
Dibromochloromethane	U	1.0		µg/L	1	8/20/2005 4:05:00 AM
Dibromomethane	U	1.0		µg/L	1	8/20/2005 4:05:00 AM
Dichlorodifluoromethane	U	1.0		µg/L	1	8/20/2005 4:05:00 AM
Ethylbenzene	U	1.0		µg/L	1	8/20/2005 4:05:00 AM
Hexachlorobutadiene	U	1.0		µg/L	1	8/20/2005 4:05:00 AM
Isopropylbenzene	7.4	1.0		µg/L	1	8/20/2005 4:05:00 AM
m,p-Xylene	U	2.0		µg/L	1	8/20/2005 4:05:00 AM
Methyl tert-butyl ether	U	1.0		µg/L	1	8/20/2005 4:05:00 AM
Methylene chloride	9.6	1.0	B	µg/L	1	8/20/2005 4:05:00 AM
Naphthalene	U	1.0		µg/L	1	8/20/2005 4:05:00 AM
n-Butylbenzene	U	1.0		µg/L	1	8/20/2005 4:05:00 AM
n-Propylbenzene	3.9	1.0		µg/L	1	8/20/2005 4:05:00 AM
o-Xylene	U	1.0		µg/L	1	8/20/2005 4:05:00 AM
sec-Butylbenzene	U	1.0		µg/L	1	8/20/2005 4:05:00 AM
Styrene	U	1.0		µg/L	1	8/20/2005 4:05:00 AM
tert-Butylbenzene	U	1.0		µg/L	1	8/20/2005 4:05:00 AM
Tetrachloroethene	110	1.0		µg/L	1	8/20/2005 4:05:00 AM
Toluene	290	1.0		µg/L	1	8/20/2005 4:05:00 AM
trans-1,2-Dichloroethene	U	1.0		µg/L	1	8/20/2005 4:05:00 AM
trans-1,3-Dichloropropene	U	1.0		µg/L	1	8/20/2005 4:05:00 AM
Trichloroethene	13	1.0		µg/L	1	8/20/2005 4:05:00 AM
Trichlorofluoromethane	U	1.0		µg/L	1	8/20/2005 4:05:00 AM
Vinyl acetate	U	1.0		µg/L	1	8/20/2005 4:05:00 AM
Vinyl chloride	3.0	1.0		µg/L	1	8/20/2005 4:05:00 AM

Qualifiers:	* Value exceeds Maximum Contaminant Level	B Analyte detected in the associated Method Blank
	E Value above quantitation range	H Holding times for preparation or analysis exceeded
	J Analyte detected below quantitation limits	ND Not Detected at the Reporting Limit
	S Spike Recovery outside accepted recovery limits	U Indicates the compound was analyzed for but not detected

American Analytical Laboratories, LLC.

Date: 26-Aug-05

CLIENT: Leggette Brashears & Graham Inc.

Client Sample ID: FRW-4

Lab Order: 0508177

Tag Number: 4619

Project: Sag Harbor, NY Rowe Industries

Collection Date: 8/17/2005 10:45:00 AM

Lab ID: 0508177-04A

Date Received: 8/19/2005

Matrix: LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILES SW-846 8260 PLUS MTBE & FREON1		SW8260B		Analyst: LDS		
1,1,1,2-Tetrachloroethane	U	1.0		µg/L	1	8/20/2005 4:41:00 AM
1,1,1-Trichloroethane	U	1.0		µg/L	1	8/20/2005 4:41:00 AM
1,1,2,2-Tetrachloroethane	U	1.0		µg/L	1	8/20/2005 4:41:00 AM
1,1,2-Trichloro-1,2,2-trifluoroethane	U	1.0		µg/L	1	8/20/2005 4:41:00 AM
1,1,2-Trichloroethane	U	1.0		µg/L	1	8/20/2005 4:41:00 AM
1,1-Dichloroethane	U	1.0		µg/L	1	8/20/2005 4:41:00 AM
1,1-Dichloroethene	U	1.0		µg/L	1	8/20/2005 4:41:00 AM
1,1-Dichloropropene	U	1.0		µg/L	1	8/20/2005 4:41:00 AM
1,2,3-Trichlorobenzene	U	1.0		µg/L	1	8/20/2005 4:41:00 AM
1,2,3-Trichloropropane	U	1.0		µg/L	1	8/20/2005 4:41:00 AM
1,2,4-Trichlorobenzene	U	1.0		µg/L	1	8/20/2005 4:41:00 AM
1,2,4-Trimethylbenzene	U	1.0		µg/L	1	8/20/2005 4:41:00 AM
1,2-Dibromo-3-chloropropane	U	1.0		µg/L	1	8/20/2005 4:41:00 AM
1,2-Dibromoethane	U	1.0		µg/L	1	8/20/2005 4:41:00 AM
1,2-Dichlorobenzene	U	1.0		µg/L	1	8/20/2005 4:41:00 AM
1,2-Dichloroethane	U	1.0		µg/L	1	8/20/2005 4:41:00 AM
1,2-Dichloropropane	U	1.0		µg/L	1	8/20/2005 4:41:00 AM
1,3,5-Trimethylbenzene	U	1.0		µg/L	1	8/20/2005 4:41:00 AM
1,3-Dichlorobenzene	U	1.0		µg/L	1	8/20/2005 4:41:00 AM
1,3-dichloropropane	U	1.0		µg/L	1	8/20/2005 4:41:00 AM
1,4-Dichlorobenzene	U	1.0		µg/L	1	8/20/2005 4:41:00 AM
2,2-Dichloropropane	U	1.0		µg/L	1	8/20/2005 4:41:00 AM
2-Butanone	U	1.0		µg/L	1	8/20/2005 4:41:00 AM
2-Chloroethyl vinyl ether	U	1.0		µg/L	1	8/20/2005 4:41:00 AM
2-Chlorotoluene	U	1.0		µg/L	1	8/20/2005 4:41:00 AM
2-Hexanone	U	1.0		µg/L	1	8/20/2005 4:41:00 AM
4-Chlorotoluene	U	1.0		µg/L	1	8/20/2005 4:41:00 AM
4-Isopropyltoluene	U	1.0		µg/L	1	8/20/2005 4:41:00 AM
4-Methyl-2-pentanone	U	1.0		µg/L	1	8/20/2005 4:41:00 AM
Acetone	U	1.0		µg/L	1	8/20/2005 4:41:00 AM
Benzene	U	1.0		µg/L	1	8/20/2005 4:41:00 AM
Bromobenzene	U	1.0		µg/L	1	8/20/2005 4:41:00 AM
Bromochloromethane	U	1.0		µg/L	1	8/20/2005 4:41:00 AM
Bromodichloromethane	U	1.0		µg/L	1	8/20/2005 4:41:00 AM
Bromoform	U	1.0		µg/L	1	8/20/2005 4:41:00 AM
Bromomethane	U	1.0		µg/L	1	8/20/2005 4:41:00 AM
Carbon disulfide	U	1.0		µg/L	1	8/20/2005 4:41:00 AM
Carbon tetrachloride	U	1.0		µg/L	1	8/20/2005 4:41:00 AM
Chlorobenzene	U	1.0		µg/L	1	8/20/2005 4:41:00 AM
Chloroethane	U	1.0		µg/L	1	8/20/2005 4:41:00 AM

Qualifiers: * Value exceeds Maximum Contaminant Level
 E Value above quantitation range
 J Analyte detected below quantitation limits
 S Spike Recovery outside accepted recovery limits

B Analyte detected in the associated Method Blank
 H Holding times for preparation or analysis exceeded
 ND Not Detected at the Reporting Limit
 U Indicates the compound was analyzed for but not detected

American Analytical Laboratories, LLC.

Date: 26-Aug-05

CLIENT: Leggette Brashears & Graham Inc.

Client Sample ID: FRW-4

Lab Order: 0508177

Tag Number: 4619

Project: Sag Harbor, NY Rowe Industries

Collection Date: 8/17/2005 10:45:00 AM

Lab ID: 0508177-04A

Date Received: 8/19/2005

Matrix: LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
Chloroform	U	1.0		µg/L	1	8/20/2005 4:41:00 AM
Chloromethane	U	1.0		µg/L	1	8/20/2005 4:41:00 AM
cis-1,2-Dichloroethene	U	1.0		µg/L	1	8/20/2005 4:41:00 AM
cis-1,3-Dichloropropene	U	1.0		µg/L	1	8/20/2005 4:41:00 AM
Dibromochloromethane	U	1.0		µg/L	1	8/20/2005 4:41:00 AM
Dibromomethane	U	1.0		µg/L	1	8/20/2005 4:41:00 AM
Dichlorodifluoromethane	U	1.0		µg/L	1	8/20/2005 4:41:00 AM
Ethylbenzene	U	1.0		µg/L	1	8/20/2005 4:41:00 AM
Hexachlorobutadiene	U	1.0		µg/L	1	8/20/2005 4:41:00 AM
Isopropylbenzene	U	1.0		µg/L	1	8/20/2005 4:41:00 AM
m,p-Xylene	U	2.0		µg/L	1	8/20/2005 4:41:00 AM
Methyl tert-butyl ether	U	1.0		µg/L	1	8/20/2005 4:41:00 AM
Methylene chloride	8.2	1.0	B	µg/L	1	8/20/2005 4:41:00 AM
Naphthalene	U	1.0		µg/L	1	8/20/2005 4:41:00 AM
n-Butylbenzene	U	1.0		µg/L	1	8/20/2005 4:41:00 AM
n-Propylbenzene	U	1.0		µg/L	1	8/20/2005 4:41:00 AM
o-Xylene	U	1.0		µg/L	1	8/20/2005 4:41:00 AM
sec-Butylbenzene	U	1.0		µg/L	1	8/20/2005 4:41:00 AM
Styrene	U	1.0		µg/L	1	8/20/2005 4:41:00 AM
tert-Butylbenzene	U	1.0		µg/L	1	8/20/2005 4:41:00 AM
Tetrachloroethene	4.2	1.0		µg/L	1	8/20/2005 4:41:00 AM
Toluene	16	1.0		µg/L	1	8/20/2005 4:41:00 AM
trans-1,2-Dichloroethene	U	1.0		µg/L	1	8/20/2005 4:41:00 AM
trans-1,3-Dichloropropene	U	1.0		µg/L	1	8/20/2005 4:41:00 AM
Trichloroethene	U	1.0		µg/L	1	8/20/2005 4:41:00 AM
Trichlorofluoromethane	U	1.0		µg/L	1	8/20/2005 4:41:00 AM
Vinyl acetate	U	1.0		µg/L	1	8/20/2005 4:41:00 AM
Vinyl chloride	U	1.0		µg/L	1	8/20/2005 4:41:00 AM

Qualifiers: * Value exceeds Maximum Contaminant Level
 E Value above quantitation range
 J Analyte detected below quantitation limits
 S Spike Recovery outside accepted recovery limits

B Analyte detected in the associated Method Blank
 H Holding times for preparation or analysis exceeded
 ND Not Detected at the Reporting Limit
 U Indicates the compound was analyzed for but not detected

American Analytical Laboratories, LLC.

Date: 26-Aug-05

CLIENT: Leggette Brashears & Graham Inc. **Client Sample ID:** MW-45A
Lab Order: 0508177 **Tag Number:** 4619
Project: Sag Harbor, NY Rowe Industries **Collection Date:** 8/17/2005 11:10:00 AM
Lab ID: 0508177-05A **Date Received:** 8/19/2005 **Matrix:** LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILES SW-846 8260 PLUS MTBE & FREON1		SW8260B		Analyst: LDS		
1,1,1,2-Tetrachloroethane	U	1.0		µg/L	1	8/20/2005 5:15:00 AM
1,1,1-Trichloroethane	U	1.0		µg/L	1	8/20/2005 5:15:00 AM
1,1,2,2-Tetrachloroethane	U	1.0		µg/L	1	8/20/2005 5:15:00 AM
1,1,2-Trichloro-1,2,2-trifluoroethane	U	1.0		µg/L	1	8/20/2005 5:15:00 AM
1,1,2-Trichloroethane	U	1.0		µg/L	1	8/20/2005 5:15:00 AM
1,1-Dichloroethane	U	1.0		µg/L	1	8/20/2005 5:15:00 AM
1,1-Dichloroethene	U	1.0		µg/L	1	8/20/2005 5:15:00 AM
1,1-Dichloropropene	U	1.0		µg/L	1	8/20/2005 5:15:00 AM
1,2,3-Trichlorobenzene	U	1.0		µg/L	1	8/20/2005 5:15:00 AM
1,2,3-Trichloropropane	U	1.0		µg/L	1	8/20/2005 5:15:00 AM
1,2,4-Trichlorobenzene	U	1.0		µg/L	1	8/20/2005 5:15:00 AM
1,2,4-Trimethylbenzene	U	1.0		µg/L	1	8/20/2005 5:15:00 AM
1,2-Dibromo-3-chloropropane	U	1.0		µg/L	1	8/20/2005 5:15:00 AM
1,2-Dibromoethane	U	1.0		µg/L	1	8/20/2005 5:15:00 AM
1,2-Dichlorobenzene	U	1.0		µg/L	1	8/20/2005 5:15:00 AM
1,2-Dichloroethane	U	1.0		µg/L	1	8/20/2005 5:15:00 AM
1,2-Dichloropropane	U	1.0		µg/L	1	8/20/2005 5:15:00 AM
1,3,5-Trimethylbenzene	U	1.0		µg/L	1	8/20/2005 5:15:00 AM
1,3-Dichlorobenzene	U	1.0		µg/L	1	8/20/2005 5:15:00 AM
1,3-dichloropropane	U	1.0		µg/L	1	8/20/2005 5:15:00 AM
1,4-Dichlorobenzene	U	1.0		µg/L	1	8/20/2005 5:15:00 AM
2,2-Dichloropropane	U	1.0		µg/L	1	8/20/2005 5:15:00 AM
2-Butanone	U	1.0		µg/L	1	8/20/2005 5:15:00 AM
2-Chloroethyl vinyl ether	U	1.0		µg/L	1	8/20/2005 5:15:00 AM
2-Chlorotoluene	U	1.0		µg/L	1	8/20/2005 5:15:00 AM
2-Hexanone	U	1.0		µg/L	1	8/20/2005 5:15:00 AM
4-Chlorotoluene	U	1.0		µg/L	1	8/20/2005 5:15:00 AM
4-Isopropyltoluene	U	1.0		µg/L	1	8/20/2005 5:15:00 AM
4-Methyl-2-pentanone	U	1.0		µg/L	1	8/20/2005 5:15:00 AM
Acetone	U	1.0		µg/L	1	8/20/2005 5:15:00 AM
Benzene	U	1.0		µg/L	1	8/20/2005 5:15:00 AM
Bromobenzene	U	1.0		µg/L	1	8/20/2005 5:15:00 AM
Bromochloromethane	U	1.0		µg/L	1	8/20/2005 5:15:00 AM
Bromodichloromethane	U	1.0		µg/L	1	8/20/2005 5:15:00 AM
Bromoform	U	1.0		µg/L	1	8/20/2005 5:15:00 AM
Bromomethane	U	1.0		µg/L	1	8/20/2005 5:15:00 AM
Carbon disulfide	U	1.0		µg/L	1	8/20/2005 5:15:00 AM
Carbon tetrachloride	U	1.0		µg/L	1	8/20/2005 5:15:00 AM
Chlorobenzene	U	1.0		µg/L	1	8/20/2005 5:15:00 AM
Chloroethane	U	1.0		µg/L	1	8/20/2005 5:15:00 AM

Qualifiers:
 * Value exceeds Maximum Contaminant Level
 E Value above quantitation range
 J Analyte detected below quantitation limits
 S Spike Recovery outside accepted recovery limits

B Analyte detected in the associated Method Blank
 H Holding times for preparation or analysis exceeded
 ND Not Detected at the Reporting Limit
 U Indicates the compound was analyzed for but not detected

American Analytical Laboratories, LLC.

Date: 26-Aug-05

CLIENT: Leggette Brashears & Graham Inc.

Client Sample ID: MW-45A

Lab Order: 0508177

Tag Number: 4619

Project: Sag Harbor, NY Rowe Industries

Collection Date: 8/17/2005 11:10:00 AM

Lab ID: 0508177-05A

Date Received: 8/19/2005

Matrix: LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
Chloroform	U	1.0		µg/L	1	8/20/2005 5:15:00 AM
Chloromethane	U	1.0		µg/L	1	8/20/2005 5:15:00 AM
cis-1,2-Dichloroethene	U	1.0		µg/L	1	8/20/2005 5:15:00 AM
cis-1,3-Dichloropropene	U	1.0		µg/L	1	8/20/2005 5:15:00 AM
Dibromochloromethane	U	1.0		µg/L	1	8/20/2005 5:15:00 AM
Dibromomethane	U	1.0		µg/L	1	8/20/2005 5:15:00 AM
Dichlorodifluoromethane	U	1.0		µg/L	1	8/20/2005 5:15:00 AM
Ethylbenzene	U	1.0		µg/L	1	8/20/2005 5:15:00 AM
Hexachlorobutadiene	U	1.0		µg/L	1	8/20/2005 5:15:00 AM
Isopropylbenzene	U	1.0		µg/L	1	8/20/2005 5:15:00 AM
m,p-Xylene	U	2.0		µg/L	1	8/20/2005 5:15:00 AM
Methyl tert-butyl ether	U	1.0		µg/L	1	8/20/2005 5:15:00 AM
Methylene chloride	9.4	1.0	B	µg/L	1	8/20/2005 5:15:00 AM
Naphthalene	U	1.0		µg/L	1	8/20/2005 5:15:00 AM
n-Butylbenzene	U	1.0		µg/L	1	8/20/2005 5:15:00 AM
n-Propylbenzene	U	1.0		µg/L	1	8/20/2005 5:15:00 AM
o-Xylene	U	1.0		µg/L	1	8/20/2005 5:15:00 AM
sec-Butylbenzene	U	1.0		µg/L	1	8/20/2005 5:15:00 AM
Styrene	U	1.0		µg/L	1	8/20/2005 5:15:00 AM
tert-Butylbenzene	U	1.0		µg/L	1	8/20/2005 5:15:00 AM
Tetrachloroethene	U	1.0		µg/L	1	8/20/2005 5:15:00 AM
Toluene	U	1.0		µg/L	1	8/20/2005 5:15:00 AM
trans-1,2-Dichloroethene	U	1.0		µg/L	1	8/20/2005 5:15:00 AM
trans-1,3-Dichloropropene	U	1.0		µg/L	1	8/20/2005 5:15:00 AM
Trichloroethene	U	1.0		µg/L	1	8/20/2005 5:15:00 AM
Trichlorofluoromethane	U	1.0		µg/L	1	8/20/2005 5:15:00 AM
Vinyl acetate	U	1.0		µg/L	1	8/20/2005 5:15:00 AM
Vinyl chloride	U	1.0		µg/L	1	8/20/2005 5:15:00 AM

Qualifiers: * Value exceeds Maximum Contaminant Level
 E Value above quantitation range
 J Analyte detected below quantitation limits
 S Spike Recovery outside accepted recovery limits

B Analyte detected in the associated Method Blank
 H Holding times for preparation or analysis exceeded
 ND Not Detected at the Reporting Limit
 U Indicates the compound was analyzed for but not detected

American Analytical Laboratories, LLC.

Date: 26-Aug-05

CLIENT: Leggette Brashears & Graham Inc.

Client Sample ID: MW-98-04

Lab Order: 0508177

Tag Number: 4619

Project: Sag Harbor, NY Rowe Industries

Collection Date: 8/17/2005 11:40:00 AM

Lab ID: 0508177-06A

Date Received: 8/19/2005

Matrix: LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILES SW-846 8260 PLUS MTBE & FREON1		SW8260B		Analyst: LDS		
1,1,1,2-Tetrachloroethane	U	1.0		µg/L	1	8/20/2005 5:59:00 AM
1,1,1-Trichloroethane	U	1.0		µg/L	1	8/20/2005 5:59:00 AM
1,1,2,2-Tetrachloroethane	U	1.0		µg/L	1	8/20/2005 5:59:00 AM
1,1,2-Trichloro-1,2,2-trifluoroethane	U	1.0		µg/L	1	8/20/2005 5:59:00 AM
1,1,2-Trichloroethane	U	1.0		µg/L	1	8/20/2005 5:59:00 AM
1,1-Dichloroethane	U	1.0		µg/L	1	8/20/2005 5:59:00 AM
1,1-Dichloroethene	U	1.0		µg/L	1	8/20/2005 5:59:00 AM
1,1-Dichloropropene	U	1.0		µg/L	1	8/20/2005 5:59:00 AM
1,2,3-Trichlorobenzene	U	1.0		µg/L	1	8/20/2005 5:59:00 AM
1,2,3-Trichloropropane	U	1.0		µg/L	1	8/20/2005 5:59:00 AM
1,2,4-Trichlorobenzene	U	1.0		µg/L	1	8/20/2005 5:59:00 AM
1,2,4-Trimethylbenzene	U	1.0		µg/L	1	8/20/2005 5:59:00 AM
1,2-Dibromo-3-chloropropane	U	1.0		µg/L	1	8/20/2005 5:59:00 AM
1,2-Dibromoethane	U	1.0		µg/L	1	8/20/2005 5:59:00 AM
1,2-Dichlorobenzene	U	1.0		µg/L	1	8/20/2005 5:59:00 AM
1,2-Dichloroethane	U	1.0		µg/L	1	8/20/2005 5:59:00 AM
1,2-Dichloropropane	U	1.0		µg/L	1	8/20/2005 5:59:00 AM
1,3,5-Trimethylbenzene	U	1.0		µg/L	1	8/20/2005 5:59:00 AM
1,3-Dichlorobenzene	U	1.0		µg/L	1	8/20/2005 5:59:00 AM
1,3-dichloropropane	U	1.0		µg/L	1	8/20/2005 5:59:00 AM
1,4-Dichlorobenzene	U	1.0		µg/L	1	8/20/2005 5:59:00 AM
2,2-Dichloropropane	U	1.0		µg/L	1	8/20/2005 5:59:00 AM
2-Butanone	U	1.0		µg/L	1	8/20/2005 5:59:00 AM
2-Chloroethyl vinyl ether	U	1.0		µg/L	1	8/20/2005 5:59:00 AM
2-Chlorotoluene	U	1.0		µg/L	1	8/20/2005 5:59:00 AM
2-Hexanone	U	1.0		µg/L	1	8/20/2005 5:59:00 AM
4-Chlorotoluene	U	1.0		µg/L	1	8/20/2005 5:59:00 AM
4-Isopropyltoluene	U	1.0		µg/L	1	8/20/2005 5:59:00 AM
4-Methyl-2-pentanone	U	1.0		µg/L	1	8/20/2005 5:59:00 AM
Acetone	U	1.0		µg/L	1	8/20/2005 5:59:00 AM
Benzene	U	1.0		µg/L	1	8/20/2005 5:59:00 AM
Bromobenzene	U	1.0		µg/L	1	8/20/2005 5:59:00 AM
Bromochloromethane	U	1.0		µg/L	1	8/20/2005 5:59:00 AM
Bromodichloromethane	U	1.0		µg/L	1	8/20/2005 5:59:00 AM
Bromoform	U	1.0		µg/L	1	8/20/2005 5:59:00 AM
Bromomethane	U	1.0		µg/L	1	8/20/2005 5:59:00 AM
Carbon disulfide	U	1.0		µg/L	1	8/20/2005 5:59:00 AM
Carbon tetrachloride	U	1.0		µg/L	1	8/20/2005 5:59:00 AM
Chlorobenzene	U	1.0		µg/L	1	8/20/2005 5:59:00 AM
Chloroethane	U	1.0		µg/L	1	8/20/2005 5:59:00 AM

Qualifiers: * Value exceeds Maximum Contaminant Level
 E Value above quantitation range
 J Analyte detected below quantitation limits
 S Spike Recovery outside accepted recovery limits

B Analyte detected in the associated Method Blank
 H Holding times for preparation or analysis exceeded
 ND Not Detected at the Reporting Limit
 U Indicates the compound was analyzed for but not detected

American Analytical Laboratories, LLC.

Date: 26-Aug-05

CLIENT: Leggette Brashears & Graham Inc.

Client Sample ID: MW-98-04

Lab Order: 0508177

Tag Number: 4619

Project: Sag Harbor, NY Rowe Industries

Collection Date: 8/17/2005 11:40:00 AM

Lab ID: 0508177-06A

Date Received: 8/19/2005

Matrix: LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
Chloroform	U	1.0		µg/L	1	8/20/2005 5:59:00 AM
Chloromethane	U	1.0		µg/L	1	8/20/2005 5:59:00 AM
cis-1,2-Dichloroethene	U	1.0		µg/L	1	8/20/2005 5:59:00 AM
cis-1,3-Dichloropropene	U	1.0		µg/L	1	8/20/2005 5:59:00 AM
Dibromochloromethane	U	1.0		µg/L	1	8/20/2005 5:59:00 AM
Dibromomethane	U	1.0		µg/L	1	8/20/2005 5:59:00 AM
Dichlorodifluoromethane	U	1.0		µg/L	1	8/20/2005 5:59:00 AM
Ethylbenzene	U	1.0		µg/L	1	8/20/2005 5:59:00 AM
Hexachlorobutadiene	U	1.0		µg/L	1	8/20/2005 5:59:00 AM
Isopropylbenzene	U	1.0		µg/L	1	8/20/2005 5:59:00 AM
m,p-Xylene	U	2.0		µg/L	1	8/20/2005 5:59:00 AM
Methyl tert-butyl ether	U	1.0		µg/L	1	8/20/2005 5:59:00 AM
Methylene chloride	8.3	1.0	B	µg/L	1	8/20/2005 5:59:00 AM
Naphthalene	U	1.0		µg/L	1	8/20/2005 5:59:00 AM
n-Butylbenzene	U	1.0		µg/L	1	8/20/2005 5:59:00 AM
n-Propylbenzene	U	1.0		µg/L	1	8/20/2005 5:59:00 AM
o-Xylene	U	1.0		µg/L	1	8/20/2005 5:59:00 AM
sec-Butylbenzene	U	1.0		µg/L	1	8/20/2005 5:59:00 AM
Styrene	U	1.0		µg/L	1	8/20/2005 5:59:00 AM
tert-Butylbenzene	U	1.0		µg/L	1	8/20/2005 5:59:00 AM
Tetrachloroethene	U	1.0		µg/L	1	8/20/2005 5:59:00 AM
Toluene	U	1.0		µg/L	1	8/20/2005 5:59:00 AM
trans-1,2-Dichloroethene	U	1.0		µg/L	1	8/20/2005 5:59:00 AM
trans-1,3-Dichloropropene	U	1.0		µg/L	1	8/20/2005 5:59:00 AM
Trichloroethene	U	1.0		µg/L	1	8/20/2005 5:59:00 AM
Trichlorofluoromethane	U	1.0		µg/L	1	8/20/2005 5:59:00 AM
Vinyl acetate	U	1.0		µg/L	1	8/20/2005 5:59:00 AM
Vinyl chloride	U	1.0		µg/L	1	8/20/2005 5:59:00 AM

Qualifiers: * Value exceeds Maximum Contaminant Level
 E Value above quantitation range
 J Analyte detected below quantitation limits
 S Spike Recovery outside accepted recovery limits

B Analyte detected in the associated Method Blank
 H Holding times for preparation or analysis exceeded
 ND Not Detected at the Reporting Limit
 U Indicates the compound was analyzed for but not detected
 Page 12 of 16

American Analytical Laboratories, LLC.

Date: 26-Aug-05

CLIENT:	Leggette Brashears & Graham Inc.	Client Sample ID:	Field Blank
Lab Order:	0508177	Tag Number:	4619
Project:	Sag Harbor, NY Rowe Industries	Collection Date:	8/17/2005 12:55:00 PM
Lab ID:	0508177-07A	Date Received:	8/19/2005
		Matrix:	LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILES SW-846 8260 PLUS MTBE & FREON1		SW8260B		Analyst: LDS		
1,1,1,2-Tetrachloroethane	U	1.0		µg/L	1	8/20/2005 6:32:00 AM
1,1,1-Trichloroethane	U	1.0		µg/L	1	8/20/2005 6:32:00 AM
1,1,2,2-Tetrachloroethane	U	1.0		µg/L	1	8/20/2005 6:32:00 AM
1,1,2-Trichloro-1,2,2-trifluoroethane	U	1.0		µg/L	1	8/20/2005 6:32:00 AM
1,1,2-Trichloroethane	U	1.0		µg/L	1	8/20/2005 6:32:00 AM
1,1-Dichloroethane	U	1.0		µg/L	1	8/20/2005 6:32:00 AM
1,1-Dichloroethene	U	1.0		µg/L	1	8/20/2005 6:32:00 AM
1,1-Dichloropropene	U	1.0		µg/L	1	8/20/2005 6:32:00 AM
1,2,3-Trichlorobenzene	U	1.0		µg/L	1	8/20/2005 6:32:00 AM
1,2,3-Trichloropropane	U	1.0		µg/L	1	8/20/2005 6:32:00 AM
1,2,4-Trichlorobenzene	U	1.0		µg/L	1	8/20/2005 6:32:00 AM
1,2,4-Trimethylbenzene	U	1.0		µg/L	1	8/20/2005 6:32:00 AM
1,2-Dibromo-3-chloropropane	U	1.0		µg/L	1	8/20/2005 6:32:00 AM
1,2-Dibromoethane	U	1.0		µg/L	1	8/20/2005 6:32:00 AM
1,2-Dichlorobenzene	U	1.0		µg/L	1	8/20/2005 6:32:00 AM
1,2-Dichloroethane	U	1.0		µg/L	1	8/20/2005 6:32:00 AM
1,2-Dichloropropane	U	1.0		µg/L	1	8/20/2005 6:32:00 AM
1,3,5-Trimethylbenzene	U	1.0		µg/L	1	8/20/2005 6:32:00 AM
1,3-Dichlorobenzene	U	1.0		µg/L	1	8/20/2005 6:32:00 AM
1,3-dichloropropane	U	1.0		µg/L	1	8/20/2005 6:32:00 AM
1,4-Dichlorobenzene	U	1.0		µg/L	1	8/20/2005 6:32:00 AM
2,2-Dichloropropane	U	1.0		µg/L	1	8/20/2005 6:32:00 AM
2-Butanone	64	1.0		µg/L	1	8/20/2005 6:32:00 AM
2-Chloroethyl vinyl ether	U	1.0		µg/L	1	8/20/2005 6:32:00 AM
2-Chlorotoluene	U	1.0		µg/L	1	8/20/2005 6:32:00 AM
2-Hexanone	U	1.0		µg/L	1	8/20/2005 6:32:00 AM
4-Chlorotoluene	U	1.0		µg/L	1	8/20/2005 6:32:00 AM
4-Isopropyltoluene	U	1.0		µg/L	1	8/20/2005 6:32:00 AM
4-Methyl-2-pentanone	U	1.0		µg/L	1	8/20/2005 6:32:00 AM
Acetone	140	1.0		µg/L	1	8/20/2005 6:32:00 AM
Benzene	U	1.0		µg/L	1	8/20/2005 6:32:00 AM
Bromobenzene	U	1.0		µg/L	1	8/20/2005 6:32:00 AM
Bromochloromethane	U	1.0		µg/L	1	8/20/2005 6:32:00 AM
Bromodichloromethane	U	1.0		µg/L	1	8/20/2005 6:32:00 AM
Bromoform	U	1.0		µg/L	1	8/20/2005 6:32:00 AM
Bromomethane	U	1.0		µg/L	1	8/20/2005 6:32:00 AM
Carbon disulfide	U	1.0		µg/L	1	8/20/2005 6:32:00 AM
Carbon tetrachloride	U	1.0		µg/L	1	8/20/2005 6:32:00 AM
Chlorobenzene	U	1.0		µg/L	1	8/20/2005 6:32:00 AM
Chloroethane	U	1.0		µg/L	1	8/20/2005 6:32:00 AM

Qualifiers:

- * Value exceeds Maximum Contaminant Level
- E Value above quantitation range
- J Analyte detected below quantitation limits
- S Spike Recovery outside accepted recovery limits

- B Analyte detected in the associated Method Blank
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit

U Indicates the compound was analyzed for but not detected

Page 13 of 16

American Analytical Laboratories, LLC.

Date: 26-Aug-05

CLIENT:	Leggette Brashears & Graham Inc.	Client Sample ID:	Field Blank
Lab Order:	0508177	Tag Number:	4619
Project:	Sag Harbor, NY Rowe Industries	Collection Date:	8/17/2005 12:55:00 PM
Lab ID:	0508177-07A	Date Received:	8/19/2005
		Matrix:	LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
Chloroform	U	1.0		µg/L	1	8/20/2005 6:32:00 AM
Chloromethane	U	1.0		µg/L	1	8/20/2005 6:32:00 AM
cis-1,2-Dichloroethene	U	1.0		µg/L	1	8/20/2005 6:32:00 AM
cis-1,3-Dichloropropene	U	1.0		µg/L	1	8/20/2005 6:32:00 AM
Dibromochloromethane	U	1.0		µg/L	1	8/20/2005 6:32:00 AM
Dibromomethane	U	1.0		µg/L	1	8/20/2005 6:32:00 AM
Dichlorodifluoromethane	U	1.0		µg/L	1	8/20/2005 6:32:00 AM
Ethylbenzene	U	1.0		µg/L	1	8/20/2005 6:32:00 AM
Hexachlorobutadiene	U	1.0		µg/L	1	8/20/2005 6:32:00 AM
Isopropylbenzene	U	1.0		µg/L	1	8/20/2005 6:32:00 AM
m,p-Xylene	U	2.0		µg/L	1	8/20/2005 6:32:00 AM
Methyl tert-butyl ether	U	1.0		µg/L	1	8/20/2005 6:32:00 AM
Methylene chloride	9.6	1.0	B	µg/L	1	8/20/2005 6:32:00 AM
Naphthalene	U	1.0		µg/L	1	8/20/2005 6:32:00 AM
n-Butylbenzene	U	1.0		µg/L	1	8/20/2005 6:32:00 AM
n-Propylbenzene	U	1.0		µg/L	1	8/20/2005 6:32:00 AM
o-Xylene	U	1.0		µg/L	1	8/20/2005 6:32:00 AM
sec-Butylbenzene	U	1.0		µg/L	1	8/20/2005 6:32:00 AM
Styrene	U	1.0		µg/L	1	8/20/2005 6:32:00 AM
tert-Butylbenzene	U	1.0		µg/L	1	8/20/2005 6:32:00 AM
Tetrachloroethene	U	1.0		µg/L	1	8/20/2005 6:32:00 AM
Toluene	U	1.0		µg/L	1	8/20/2005 6:32:00 AM
trans-1,2-Dichloroethene	U	1.0		µg/L	1	8/20/2005 6:32:00 AM
trans-1,3-Dichloropropene	U	1.0		µg/L	1	8/20/2005 6:32:00 AM
Trichloroethene	U	1.0		µg/L	1	8/20/2005 6:32:00 AM
Trichlorofluoromethane	U	1.0		µg/L	1	8/20/2005 6:32:00 AM
Vinyl acetate	U	1.0		µg/L	1	8/20/2005 6:32:00 AM
Vinyl chloride	U	1.0		µg/L	1	8/20/2005 6:32:00 AM

Qualifiers:	* Value exceeds Maximum Contaminant Level	B Analyte detected in the associated Method Blank
	E Value above quantitation range	H Holding times for preparation or analysis exceeded
	J Analyte detected below quantitation limits	ND Not Detected at the Reporting Limit
	S Spike Recovery outside accepted recovery limits	U Indicates the compound was analyzed for but not detected

American Analytical Laboratories, LLC.

Date: 26-Aug-05

CLIENT: Leggette Brashears & Graham Inc. **Client Sample ID:** Trip Blank
Lab Order: 0508177 **Tag Number:** 4619
Project: Sag Harbor, NY Rowe Industries **Collection Date:** 8/17/2005
Lab ID: 0508177-08A **Date Received:** 8/19/2005 **Matrix:** LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILES SW-846 8260 PLUS MTBE & FREON1		SW8260B		Analyst: LDS		
1,1,1,2-Tetrachloroethane	U	1.0		µg/L	1	8/20/2005 7:14:00 AM
1,1,1-Trichloroethane	U	1.0		µg/L	1	8/20/2005 7:14:00 AM
1,1,2,2-Tetrachloroethane	U	1.0		µg/L	1	8/20/2005 7:14:00 AM
1,1,2-Trichloro-1,2,2-trifluoroethane	U	1.0		µg/L	1	8/20/2005 7:14:00 AM
1,1,2-Trichloroethane	U	1.0		µg/L	1	8/20/2005 7:14:00 AM
1,1-Dichloroethane	U	1.0		µg/L	1	8/20/2005 7:14:00 AM
1,1-Dichloroethene	U	1.0		µg/L	1	8/20/2005 7:14:00 AM
1,1-Dichloropropene	U	1.0		µg/L	1	8/20/2005 7:14:00 AM
1,2,3-Trichlorobenzene	U	1.0		µg/L	1	8/20/2005 7:14:00 AM
1,2,3-Trichloropropane	U	1.0		µg/L	1	8/20/2005 7:14:00 AM
1,2,4-Trichlorobenzene	U	1.0		µg/L	1	8/20/2005 7:14:00 AM
1,2,4-Trimethylbenzene	U	1.0		µg/L	1	8/20/2005 7:14:00 AM
1,2-Dibromo-3-chloropropane	U	1.0		µg/L	1	8/20/2005 7:14:00 AM
1,2-Dibromoethane	U	1.0		µg/L	1	8/20/2005 7:14:00 AM
1,2-Dichlorobenzene	U	1.0		µg/L	1	8/20/2005 7:14:00 AM
1,2-Dichloroethane	U	1.0		µg/L	1	8/20/2005 7:14:00 AM
1,2-Dichloropropane	U	1.0		µg/L	1	8/20/2005 7:14:00 AM
1,3,5-Trimethylbenzene	U	1.0		µg/L	1	8/20/2005 7:14:00 AM
1,3-Dichlorobenzene	U	1.0		µg/L	1	8/20/2005 7:14:00 AM
1,3-dichloropropane	U	1.0		µg/L	1	8/20/2005 7:14:00 AM
1,4-Dichlorobenzene	U	1.0		µg/L	1	8/20/2005 7:14:00 AM
2,2-Dichloropropane	U	1.0		µg/L	1	8/20/2005 7:14:00 AM
2-Butanone	U	1.0		µg/L	1	8/20/2005 7:14:00 AM
2-Chloroethyl vinyl ether	U	1.0		µg/L	1	8/20/2005 7:14:00 AM
2-Chlorotoluene	U	1.0		µg/L	1	8/20/2005 7:14:00 AM
2-Hexanone	U	1.0		µg/L	1	8/20/2005 7:14:00 AM
4-Chlorotoluene	U	1.0		µg/L	1	8/20/2005 7:14:00 AM
4-Isopropyltoluene	U	1.0		µg/L	1	8/20/2005 7:14:00 AM
4-Methyl-2-pentanone	U	1.0		µg/L	1	8/20/2005 7:14:00 AM
Acetone	U	1.0		µg/L	1	8/20/2005 7:14:00 AM
Benzene	U	1.0		µg/L	1	8/20/2005 7:14:00 AM
Bromobenzene	U	1.0		µg/L	1	8/20/2005 7:14:00 AM
Bromochloromethane	U	1.0		µg/L	1	8/20/2005 7:14:00 AM
Bromodichloromethane	U	1.0		µg/L	1	8/20/2005 7:14:00 AM
Bromoform	U	1.0		µg/L	1	8/20/2005 7:14:00 AM
Bromomethane	U	1.0		µg/L	1	8/20/2005 7:14:00 AM
Carbon disulfide	U	1.0		µg/L	1	8/20/2005 7:14:00 AM
Carbon tetrachloride	U	1.0		µg/L	1	8/20/2005 7:14:00 AM
Chlorobenzene	U	1.0		µg/L	1	8/20/2005 7:14:00 AM
Chloroethane	U	1.0		µg/L	1	8/20/2005 7:14:00 AM

Qualifiers:
 * Value exceeds Maximum Contaminant Level
 E Value above quantitation range
 J Analyte detected below quantitation limits
 S Spike Recovery outside accepted recovery limits

B Analyte detected in the associated Method Blank
 H Holding times for preparation or analysis exceeded
 ND Not Detected at the Reporting Limit
 U Indicates the compound was analyzed for but not detected

American Analytical Laboratories, LLC.

Date: 26-Aug-05

CLIENT: Leggette Brashears & Graham Inc.

Client Sample ID: Trip Blank

Lab Order: 0508177

Tag Number: 4619

Project: Sag Harbor, NY Rowe Industries

Collection Date: 8/17/2005

Lab ID: 0508177-08A Date Received: 8/19/2005

Matrix: LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
Chloroform	U	1.0		µg/L	1	8/20/2005 7:14:00 AM
Chloromethane	U	1.0		µg/L	1	8/20/2005 7:14:00 AM
cis-1,2-Dichloroethene	U	1.0		µg/L	1	8/20/2005 7:14:00 AM
cis-1,3-Dichloropropene	U	1.0		µg/L	1	8/20/2005 7:14:00 AM
Dibromochloromethane	U	1.0		µg/L	1	8/20/2005 7:14:00 AM
Dibromomethane	U	1.0		µg/L	1	8/20/2005 7:14:00 AM
Dichlorodifluoromethane	U	1.0		µg/L	1	8/20/2005 7:14:00 AM
Ethylbenzene	U	1.0		µg/L	1	8/20/2005 7:14:00 AM
Hexachlorobutadiene	U	1.0		µg/L	1	8/20/2005 7:14:00 AM
Isopropylbenzene	U	1.0		µg/L	1	8/20/2005 7:14:00 AM
m,p-Xylene	U	2.0		µg/L	1	8/20/2005 7:14:00 AM
Methyl tert-butyl ether	U	1.0		µg/L	1	8/20/2005 7:14:00 AM
Methylene chloride	9.9	1.0	B	µg/L	1	8/20/2005 7:14:00 AM
Naphthalene	U	1.0		µg/L	1	8/20/2005 7:14:00 AM
n-Butylbenzene	U	1.0		µg/L	1	8/20/2005 7:14:00 AM
n-Propylbenzene	U	1.0		µg/L	1	8/20/2005 7:14:00 AM
o-Xylene	U	1.0		µg/L	1	8/20/2005 7:14:00 AM
sec-Butylbenzene	U	1.0		µg/L	1	8/20/2005 7:14:00 AM
Styrene	U	1.0		µg/L	1	8/20/2005 7:14:00 AM
tert-Butylbenzene	U	1.0		µg/L	1	8/20/2005 7:14:00 AM
Tetrachloroethene	U	1.0		µg/L	1	8/20/2005 7:14:00 AM
Toluene	U	1.0		µg/L	1	8/20/2005 7:14:00 AM
trans-1,2-Dichloroethene	U	1.0		µg/L	1	8/20/2005 7:14:00 AM
trans-1,3-Dichloropropene	U	1.0		µg/L	1	8/20/2005 7:14:00 AM
Trichloroethene	U	1.0		µg/L	1	8/20/2005 7:14:00 AM
Trichlorofluoromethane	U	1.0		µg/L	1	8/20/2005 7:14:00 AM
Vinyl acetate	U	1.0		µg/L	1	8/20/2005 7:14:00 AM
Vinyl chloride	U	1.0		µg/L	1	8/20/2005 7:14:00 AM

Qualifiers: * Value exceeds Maximum Contaminant Level
 E Value above quantitation range
 J Analyte detected below quantitation limits
 S Spike Recovery outside accepted recovery limits

B Analyte detected in the associated Method Blank
 H Holding times for preparation or analysis exceeded
 ND Not Detected at the Reporting Limit
 U Indicates the compound was analyzed for but not detected
 Page 16 of 16

EcoTest Laboratories Inc
377 Sheffield Ave
North Babylon, NY 11703
631 422-5777

LAB NO.253196.01

08/25/05

American Analytical Laboratories
56 Toledo Street
Farmingdale, NY 11735

ATTN: Lori Beyer

PO#:

SOURCE OF SAMPLE: AAL #0508177-01A

SOURCE OF SAMPLE:

COLLECTED BY: Client

DATE COL'D:08/17/05 RECEIVED:08/22/05

TIME COL'D:1000

MATRIX:Water SAMPLE:

ANALYTICAL PARAMETERS
Tot Organic Carbon

UNITS RESULT
mg/L 1.7

DATE OF ANALYSIS 08/24/05
LRL 1
ANALYTICAL METHOD
EPA415.1

cc:

LRL=laboratory Reporting Limit

REMARKS:

DIRECTOR

EcoTest Laboratories Inc
377 Sheffield Ave
North Babylon, NY 11703
631 422-5777

LAB NO.253196.02

08/25/05

American Analytical Laboratories
56 Toledo Street
Farmingdale, NY 11735

ATTN: Lori Beyer

PO#:

SOURCE OF SAMPLE: AAL #0508177-02A

SOURCE OF SAMPLE:

COLLECTED BY: Client

DATE COL'D:08/17/05 RECEIVED:08/22/05

TIME COL'D:1015

MATRIX:Water

SAMPLE:

ANALYTICAL PARAMETERS

Tot Organic Carbon

UNITS RESULT

mg/L 68

DATE OF

FLAG ANALYSIS LRL

08/24/05 5

ANALYTICAL

METHOD

EPA415-

CC:

LRL=laboratory Reporting Limit

REMARKS:

DIRECTOR

EcoTest Laboratories Inc
377 Sheffield Ave
North Babylon, NY 11703
631 422-5777

LAB NO-253196-03

08/25/05

American Analytical Laboratories
56 Toledo Street
Farmingdale, NY 11735

ATTN: Lori Beyer

PO#:

SOURCE OF SAMPLE: AAL #0508177-03A

SOURCE OF SAMPLE:

COLLECTED BY: Client

DATE COL'D:08/17/05 RECEIVED:08/22/05

TIME COL'D:1030

MATRIX:Water

SAMPLE:

ANALYTICAL PARAMETERS
Tot Organic Carbon

UNITS RESULT
mg/L 79

DATE OF
FLAG ANALYSIS LRL
08/24/05 5

ANALYTICAL
METHOD
EPA415.1

cc:

LRL=laboratory Reporting Limit

REMARKS:

DIRECTOR



EcoTest Laboratories Inc
377 Sheffield Ave
North Babylon, NY 11703
631 422-5777

LAB NO.253196.04

08/25/05

American Analytical Laboratories
56 Toledo Street
Farmingdale, NY 11735

ATTN: Lori Beyer

PO#:

SOURCE OF SAMPLE: AAL #0508177-04A

SOURCE OF SAMPLE:

COLLECTED BY: Client

DATE COL'D:08/17/05 RECEIVED:08/22/05

TIME COL'D:1045

MATRIX:Water

SAMPLE:

ANALYTICAL PARAMETERS
Tot Organic Carbon

UNITS RESULT
mg/L 3.8

DATE OF
FLAG ANALYSIS LRL
08/24/05 1

ANALYTICAL
METHOD
EPA415.1

cc:

LRL=laboratory Reporting Limit

REMARKS:

DIRECTOR

rn = 22629

NYSDOH ID # 10320

Page 1 of 1

EcoTest Laboratories Inc
377 Sheffield Ave
North Babylon, NY 11703
631 422-5777

LAB NO.253196.05

08/25/05

American Analytical Laboratories
56 Toledo Street
Farmingdale, NY 11735

ATTN: Lori Beyer

PO#:

SOURCE OF SAMPLE: AAL #0508177-05A

SOURCE OF SAMPLE:

COLLECTED BY: Client

DATE COL'D:08/17/05 RECEIVED:08/22/05

TIME COL'D:1110

MATRIX:Water

SAMPLE:

ANALYTICAL PARAMETERS
Tot Organic Carbon

UNITS RESULT
mg/L 2.1

DATE OF
FLAG ANALYSIS LRL
08/24/05 1


ANALYTICAL
METHOD
EPA415.1

cc:

LRL=laboratory Reporting Limit

REMARKS:

DIRECTOR



EcoTest Laboratories Inc
377 Sheffield Ave
North Babylon, NY 11703
631 422-5777

LAB NO.253196.06

08/25/05

American Analytical Laboratories
56 Toledo Street
Farmingdale, NY 11735

ATTN: Lori Beyer

PO#:

SOURCE OF SAMPLE: AAL #0508177-06A

SOURCE OF SAMPLE:

COLLECTED BY: Client

DATE COL'D:08/17/05 RECEIVED:08/22/05

TIME COL'D:1140

MATRIX:Water

SAMPLE:

ANALYTICAL PARAMETERS
Tot Organic Carbon

UNITS RESULT
mg/L < 1

DATE OF
FLAG ANALYSIS LRL
08/24/05 1

ANALYTICAL
METHOD
EPA415.1

cc:

REMARKS:

LRL=laboratory Reporting Limit

CLIENT: Leggette Brashears & Graham Inc.
 Work Order: 0508177
 Project: Sag Harbor, NY Rowe Industries

ANALYTICAL QC SUMMARY REPORT

TestCode: 8260MTBE113_W

Sample ID: VBLK081905BY	SampType: MBLK	TestCode: 8260MTBE11	Units: µg/L	Prep Date:	RunNo: 14256						
Client ID: ZZZZ	Batch ID: R14256	TestNo: SW8260B		Analysis Date: 8/19/2005	SeqNo: 152802						
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
1,1,1,2-Tetrachloroethane	U	1.0									
1,1,1-Trichloroethane	U	1.0									
1,1,2,2-Tetrachloroethane	U	1.0									
1,1,2-Trichloro-1,2,2-trifluoroethane	U	1.0									
1,1,2-Trichloroethane	U	1.0									
1,1-Dichloroethane	U	1.0									
1,1-Dichloroethene	U	1.0									
1,1-Dichloropropene	U	1.0									
1,2,3-Trichlorobenzene	U	1.0									
1,2,3-Trichloropropane	U	1.0									
1,2,4-Trichlorobenzene	U	1.0									
1,2,4-Trimethylbenzene	U	1.0									
1,2-Dibromo-3-chloropropane	U	1.0									
1,2-Dibromoethane	U	1.0									
1,2-Dichlorobenzene	U	1.0									
1,2-Dichloroethane	U	1.0									
1,2-Dichloropropane	U	1.0									
1,3,5-Trimethylbenzene	U	1.0									
1,3-Dichlorobenzene	U	1.0									
1,3-dichloropropane	U	1.0									
1,4-Dichlorobenzene	U	1.0									
2,2-Dichloropropane	U	1.0									
2-Butanone	U	1.0									
2-Chloroethyl vinyl ether	U	1.0									
2-Chlorotoluene	U	1.0									
2-Hexanone	U	1.0									
4-Chlorotoluene	U	1.0									
4-Isopropyltoluene	U	1.0									
4-Methyl-2-pentanone	U	1.0									

Qualifiers: E Value above quantitation range
 ND Not Detected at the Reporting Limit
 U Indicates the compound was analyzed for but not detected

H Holding times for preparation or analysis exceeded
 R RPD outside accepted recovery limits
 J Analyte detected below quantitation limits
 S Spike Recovery outside accepted recovery limits

CLIENT: Leggette Brashears & Graham Inc.
 Work Order: 0508177
 Project: Sag Harbor, NY Rowe Industries

ANALYTICAL QC SUMMARY REPORT

TestCode: 8260MTBE113_W

Sample ID: VBLK081905BY	SampType: MBLK	TestCode: 8260MTBE11	Units: µg/L	Prep Date:	RunNo: 14256						
Client ID: ZZZZZ	Batch ID: R14256	TestNo: SW8260B		Analysis Date: 8/19/2005	SeqNo: 152802						
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Acetone	U	1.0									
Benzene	U	1.0									
Bromobenzene	U	1.0									
Bromochloromethane	U	1.0									
Bromodichloromethane	U	1.0									
Bromoform	U	1.0									
Bromomethane	U	1.0									
Carbon disulfide	U	1.0									
Carbon tetrachloride	U	1.0									
Chlorobenzene	U	1.0									
Chloroethane	U	1.0									
Chloroform	U	1.0									
Chloromethane	U	1.0									
cis-1,2-Dichloroethene	U	1.0									
cis-1,3-Dichloropropene	U	1.0									
Dibromochloromethane	U	1.0									
Dibromomethane	U	1.0									
Dichlorodifluoromethane	U	1.0									
Ethylbenzene	U	1.0									
Hexachlorobutadiene	U	1.0									
Isopropylbenzene	U	1.0									
m,p-Xylene	U	2.0									
Methyl tert-butyl ether	U	1.0									
Methylene chloride	9.330	1.0									
Naphthalene	U	1.0									
n-Butylbenzene	U	1.0									
n-Propylbenzene	U	1.0									
o-Xylene	U	1.0									
sec-Butylbenzene	U	1.0									
Styrene	U	1.0									
tert-Butylbenzene	U	1.0									

Qualifiers: E Value above quantitation range H Holding times for preparation or analysis exceeded J Analyte detected below quantitation limits
 ND Not Detected at the Reporting Limit R RPD outside accepted recovery limits S Spike Recovery outside accepted recovery limits
 U Indicates the compound was analyzed for but not detect

CLIENT: Leggette Brashears & Graham Inc.
Work Order: 0508177
Project: Sag Harbor, NY Rowe Industries

ANALYTICAL QC SUMMARY REPORT

TestCode: 8260MTBE113_W

Sample ID: VBLK081905BY	SampType: MBLK	TestCode: 8260MTBE11	Units: µg/L	Prep Date:	RunNo: 14256						
Client ID: ZZZZZ	Batch ID: R14256	TestNo: SW8260B		Analysis Date: 8/19/2005	SeqNo: 152802						
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Tetrachloroethene	U	1.0									
Toluene	U	1.0									
trans-1,2-Dichloroethene	U	1.0									
trans-1,3-Dichloropropene	U	1.0									
Trichloroethene	U	1.0									
Trichlorofluoromethane	U	1.0									
Vinyl acetate	U	1.0									
Vinyl chloride	U	1.0									

Sample ID: LCS081905BY	SampType: LCS	TestCode: 8260MTBE11	Units: µg/L	Prep Date:	RunNo: 14256						
Client ID: ZZZZZ	Batch ID: R14256	TestNo: SW8260B		Analysis Date: 8/19/2005	SeqNo: 152819						
Analyte	Result	PQL	SPK value	SPK RefVal	%REC	LowLimit	HighLimit	RPD RefVal	%RPD	RPDLimit	Qual
1,1-Dichloroethene	52.54	1.0	50	0	105	51	139				
Benzene	45.74	1.0	50	0	91.5	53	135				
Chlorobenzene	50.80	1.0	50	0	102	58	142				
Toluene	48.92	1.0	50	0	97.8	50	142				
Trichloroethene	59.18	1.0	50	0	118	53	131				

Qualifiers: E Value above quantitation range
ND Not Detected at the Reporting Limit
U Indicates the compound was analyzed for but not detect

H Holding times for preparation or analysis exceeded
R RPD outside accepted recovery limits
J Analyte detected below quantitation limits
S Spike Recovery outside accepted recovery limits

CLIENT: Leggette Brashears & Graham Inc.
Work Order: 0508177
Project: Sag Harbor, NY Rowe Industries
Test No: SW8260B Matrix: W

QC SUMMARY REPORT SURROGATE RECOVERIES

Sample ID	BR4FBZ	BZMED8	DBFM					
0508177-01A	105	91.5	115					
0508177-02A	102	92.6	112					
0508177-03A	104	94.5	115					
0508177-04A	104	91.5	111					
0508177-05A	101	90.7	116					
0508177-06A	99.1	94.7	114					
0508177-07A	98.9	92.6	113					
0508177-08A	99.1	91.8	113					
LCS081905BY	105	97.8	109					
VBLK081905BY	102	95.8	108					

Acronym	Surrogate	QC Limits
BR4FBZ	= 4-Bromofluorobenzene	69-134
BZMED8	= Toluene-d8	71-123
DBFM	= Dibromofluoromethane	70-135

* Surrogate recovery outside acceptance limits

ANALYTICAL REPORT

JOB NUMBER: 210531


Prepared For:

LEGGETTE, BRASHEARS & GRAHAM
126 Monroe Turnpike
Trumbull, CT 06611

Project: ROWE INDUSTRIES

Attention: Mark Goldberg

Date: 09/19/2005



Signature

Name: William D. Goodman

Title: Project Manager

E-Mail: wgoodman@stl-inc.com

9/19/05

Date

STL Connecticut
128 Long Hill Cross Road
Shelton, CT 06484

This Report Contains (____) Pages

STL Report : 210531
LEGGETTE, BRASHEARS & GRAHAM

Case Narrative

Sample Receipt – All samples were received in good condition and at the proper temperature.

The following analyses were subcontracted out to the indicated laboratories:

Volatile Fatty Acids *sent to* STL Buffalo, 10 Hazelwood Drive, Suite 106, Amherst,
NY 14228

SAMPLE INFORMATION

Date: 09/20/2005

Job Number.: 210531
 Customer....: LEGGETTE, BRASHEARS & GRAHAM
 Attn.....: Mark Goldberg

Project Number.....: 20000283
 Customer Project ID....: ROWE INDUSTRIES
 Project Description....: Rowe Industries

Laboratory Sample ID	Customer Sample ID	Sample Matrix	Date Sampled	Time Sampled	Date Received	Time Received
210531-1	FRW-1	Water	08/17/2005	10:00	08/18/2005	11:50
210531-2	FRW-2	Water	08/17/2005	10:15	08/18/2005	11:50
210531-3	FRW-3	Water	08/17/2005	10:30	08/18/2005	11:50
210531-4	FRW-4	Water	08/17/2005	10:45	08/18/2005	11:50
210531-5	MW-45A	Water	08/17/2005	11:10	08/18/2005	11:50
210531-6	MW-98-04	Water	08/17/2005	11:40	08/18/2005	11:50

rpjsckl		Job Sample Receipt Checklist Report		V2
Job Number.: 210531	Location.: 57207	Check List Number.: 1	Description.:	
Customer Job ID.....:		Job Check List Date.:		Date of the Report.: 08/19/2005
Project Number.: 20000283	Project Description.: Rowe Industries			Project Manager.....: wdg
Customer.....: LEGGETTE, BRASHEARS & GRAHAM		Contact.: Mark Goldberg		
Questions ?	(Y/N) Comments			
Chain-of-Custody Present?.....	Y			
...If "yes", completed properly?.....	Y			
Custody seal on shipping container?.....	N			
...If "yes", custody seal intact?.....				
Custody seals on sample containers?.....	N			
...If "yes", custody seal intact?.....				
Samples iced?.....	Y			
Temperature of cooler acceptable? (4 deg C +/- 2).	N	8.8c		
Samples received intact (good condition)?.....	Y			
Volatile samples acceptable? (no headspace).....	Y			
Correct containers used?.....	Y			
Adequate sample volume provided?.....	Y			
Samples preserved correctly?.....	Y			
Samples received within holding-time?.....	Y			
Agreement between COC and sample labels?.....	Y			
Radioactivity at or below background levels?.....	Y			
A Sample Discrepancy Report (SDR) was needed?.....	N			
Comments.....				
If samples were shipped was there an air bill #?..	N			
Sample Custodian Signature/Date.....	 8/19/05			



STL Buffalo
10 Hazelwood Drive, Suite 106
Amherst, NY 14228

Tel: 716 691 2600 Fax: 716 691 7991
www.stl-inc.com

ANALYTICAL REPORT

Job#: A05-9031

STL Project#: NY9A8398

SDG#: 210531

Site Name: STL Connecticut

Task: Leggett Brasbears & Graham - VFA

Mr. Bill Goodman
STL Connecticut
128 Long Hill Cross Road
Shelton, CT 06484

STL Buffalo

A handwritten signature in black ink, appearing to read "Sally Hoffman".

Sally Hoffman
Project Manager

08/31/2005

STL Buffalo **Current Certifications**

STATE	Program	Cert # / Lab ID
Arkansas	SDWA, CWA, RCRA, SOIL	03-054-D/88-0686
California	NELAP SDWA, CWA, RCRA	01169CA
Connecticut	SDWA, CWA, RCRA, SOIL	PH-0568
Florida	NELAP RCRA	E87672
Georgia	SDWA	956
Illinois	NELAP SDWA, CWA, RCRA	200003
Iowa	SW/CS	374
Kansas	NELAP SDWA, CWA, RCRA	E-10187
Kentucky	SDWA	90029
Kentucky UST	UST	30
Louisiana	NELAP CWA, RCRA	2031
Maine	SDWA, CWA	NY044
Maryland	SDWA	294
Massachusetts	SDWA, CWA	M-NY044
Michigan	SDWA	9937
Minnesota	CWA, RCRA	036-999-337
New Hampshire	NELAP SDWA, CWA	233701
New Jersey	SDWA, CWA, RCRA, CLP	NY455
New York	NELAP, AIR, SDWA, CWA, RCRA	10026
North Carolina	CWA	411
North Dakota	SDWA, CWA, RCRA	R-176
Oklahoma	CWA, RCRA	9421
Pennsylvania	Env. Lab Reg.	68-281
South Carolina	RCRA	91013
USDA	FOREIGN SOIL PERMIT	S-41579
Virginia	SDWA	278
Washington	CWA	C254
West Virginia	CWA	252
Wisconsin	CWA	99B310390

Sample Data Summary Package

SAMPLE SUMMARY

<u>LAB SAMPLE ID</u>	<u>CLIENT SAMPLE ID</u>	<u>MATRIX</u>	<u>SAMPLED</u>		<u>RECEIVED</u>	
			<u>DATE</u>	<u>TIME</u>	<u>DATE</u>	<u>TIME</u>
A5903101	FRW-1	WATER	08/17/2005	10:00	08/20/2005	10:15
A5903102	FRW-2	WATER	08/17/2005	10:15	08/20/2005	10:15
A5903103	FRW-3	WATER	08/17/2005	10:30	08/20/2005	10:15
A5903104	FRW-4	WATER	08/17/2005	10:45	08/20/2005	10:15
A5903105	MW-45A	WATER	08/17/2005	11:10	08/20/2005	10:15
A5903106	MW-98-04	WATER	08/17/2005	11:40	08/20/2005	10:15

METHODS SUMMARY

Job#: A05-9031STL Project#: NY9A8398SDG#: 210531Site Name: STL Connecticut

PARAMETER	ANALYTICAL METHOD
Acetic Acid	OTHER VFA
Butyric Acid	OTHER VFA
Formic Acid	OTHER VFA
Lactic Acid	OTHER VFA
Propionic Acid	OTHER VFA
Pyruvic Acid	OTHER VFA

OTHER Non-Standard Protocol and Method Defined by State, Client QAPP or
Developed by Laboratory

NON-CONFORMANCE SUMMARY

Job#: A05-9031STL Project#: NY9A8398SDG#: 210531Site Name: STL ConnecticutGeneral Comments

The enclosed data have been reported utilizing data qualifiers (Q) as defined on the Data Comment Page.

Soil, sediment and sludge sample results are reported on "dry weight" basis unless otherwise noted in this data package.

According to 40CFR Part 136.3, pH, Chlorine Residual, Dissolved Oxygen, Sulfite, and Temperature analyses are to be performed immediately after aqueous sample collection. When these parameters are not indicated as field (e.g. pH-Field), they were not analyzed immediately, but as soon as possible after laboratory receipt.

Sample dilutions were performed as indicated on the attached Dilution Log. The rationale for dilution is specified by the 3-digit code and definition.

Sample Receipt Comments

A05-9031

Sample Cooler(s) were received at the following temperature(s); 2.0 °C

Reference 210531

Wet Chemistry Data

No deviations from protocol were encountered during the analytical procedures.

The results presented in this report relate only to the analytical testing and condition of the sample at receipt. This report pertains to only those samples actually tested. All pages of this report are integral parts of the analytical data. Therefore, this report should be reproduced only in its entirety.

Date: 08/31/2005
Time: 17:12:51

Dilution Log w/Code Information
For Job A05-9031

7169

Page: 1
Rept: AN1266R

<u>Client Sample ID</u>	<u>Lob Sample ID</u>	<u>Parameter (Inorganic)/Method (Organic)</u>	<u>Dilution</u>	<u>Code</u>
FRW-3	A5903103	Acetic Acid	2.00	008

Dilution Code Definition:

- 002 - sample matrix effects
- 003 - excessive foaming
- 004 - high levels of non-target compounds
- 005 - sample matrix resulted in method non-compliance for an Internal Standard
- 006 - sample matrix resulted in method non-compliance for Surrogate
- 007 - nature of the TCLP matrix
- 008 - high concentration of target analyte(s)
- 009 - sample turbidity
- 010 - sample color
- 011 - insufficient volume for lower dilution
- 012 - sample viscosity
- 013 - other

Wet Chemistry Analysis

8169

Client Sample No.

FRW-1

Lab Name: STL Buffalo

Contract: _____

Lab Code: RECONY

Case No.: _____

SAS No.: _____

SDG No.: 210531Matrix (soil/water): WATERLab Sample ID: A5903101% Solids: 0.0Date Samp/Recv: 08/17/2005 08/20/2005

Parameter Name	Units of Measure	Result	C	Q	M	Method Number	Analyzed Date
Acetic Acid	MG/L	1.0	U			VFA	08/23/2005
Butyric Acid	MG/L	1.0	U			VFA	08/23/2005
Formic Acid	MG/L	1.0	U			VFA	08/23/2005
Lactic Acid	MG/L	1.0	U			VFA	08/23/2005
Propionic Acid	MG/L	1.0	U			VFA	08/23/2005
Pyruvic Acid	MG/L	1.0	U			VFA	08/23/2005

Comments:

Wet Chemistry Analysis

9\69

Client Sample No.

FRW-2

Lab Name: STL Buffalo

Contract: _____

Lab Code: REONY

Case No.: _____

SAS No.: _____

SDG No.: 210531Matrix (soil/water): WATERLab Sample ID: A5903102% Solids: 0.0Date Samp/Recv: 08/17/2005 08/20/2005

Parameter Name	Units of Measure	Result	C	Q	M	Method Number	Analyzed Date
Acetic Acid	MG/L	49.8				VFA	08/23/2005
Butyric Acid	MG/L	17.1				VFA	08/23/2005
Formic Acid	MG/L	1.0	U			VFA	08/23/2005
Lactic Acid	MG/L	1.0	U			VFA	08/23/2005
Propionic Acid	MG/L	21.5				VFA	08/23/2005
Pyruvic Acid	MG/L	1.0	U			VFA	08/23/2005

Comments:

Wet Chemistry Analysis

10\69

Client Sample No.

FRW-3

Lab Name: STL Buffalo

Contract: _____

Lab Code: RECNY

Case No.: _____

SAS No.: _____

SDG No.: 210531Matrix (soil/water): WATERLab Sample ID: A5903103% Solids: 0.0Date Samp/Recv: 08/17/2005 08/20/2005

Parameter Name	Units of Measure	Result	C	Q	M	Method Number	Analyzed Date
Acetic Acid	MG/L	56.2				VFA	08/23/2005
Butyric Acid	MG/L	22.1				VFA	08/23/2005
Formic Acid	MG/L	1.0	U			VFA	08/23/2005
Lactic Acid	MG/L	1.0	U			VFA	08/23/2005
Propionic Acid	MG/L	31.6				VFA	08/23/2005
Pyruvic Acid	MG/L	1.0	U			VFA	08/23/2005

Comments:

Wet Chemistry Analysis

11\69

Client Sample No.

FRW-4

Lab Name: STL Buffalo

Contract: _____

Lab Code: RECNV

Case No.: _____

SAS No.: _____

SDG No.: 210531Matrix (soil/water): WATERLab Sample ID: A5903104% Solids: 0.0Date Samp/Recv: 08/17/2005 08/20/2005

Parameter Name	Units of Measure	Result	C	Q	M	Method Number	Analyzed Date
Acetic Acid	MG/L	1.0	U			VFA	08/23/2005
Butyric Acid	MG/L	1.0	U			VFA	08/23/2005
Formic Acid	MG/L	1.0	U			VFA	08/23/2005
Lactic Acid	MG/L	1.0	U			VFA	08/23/2005
Propionic Acid	MG/L	1.0	U			VFA	08/23/2005
Pyruvic Acid	MG/L	1.0	U			VFA	08/23/2005

Comments:

Wet Chemistry Analysis

12\69

Client Sample No.

MW-45A

Lab Name: STL Buffalo

Contract: _____

Lab Code: RECNY

Case No.: _____

SAS No.: _____

SDG No.: 210531Matrix (soil/water): WATERLab Sample ID: A5903105% Solids: 0.0Date Samp/Recv: 08/17/2005 08/20/2005

Parameter Name	Units of Measure	Result	C	Q	M	Method Number	Analyzed Date
Acetic Acid	MG/L	1.0	U			VFA	08/23/2005
Butyric Acid	MG/L	1.0	U			VFA	08/23/2005
Formic Acid	MG/L	1.0	U			VFA	08/23/2005
Lactic Acid	MG/L	1.0	U			VFA	08/23/2005
Propionic Acid	MG/L	1.0	U			VFA	08/23/2005
Pyruvic Acid	MG/L	1.0	U			VFA	08/23/2005

Comments:

Wet Chemistry Analysis

13\69

Client Sample No.

MW-98-04

Lab Name: STL Buffalo

Contract: _____

Lab Code: RECNY

Case No.: _____

SAS No.: _____

SDG No.: 210531Matrix (soil/water): WATERLab Sample ID: A5903106% Solids: 0.0Date Samp/Recv: 08/17/2005 08/20/2005

Parameter Name	Units of Measure	Result	C	Q	M	Method Number	Analyzed Date
Acetic Acid	MG/L	1.0 U				VFA	08/23/2005
Butyric Acid	MG/L	1.0 U				VFA	08/23/2005
Formic Acid	MG/L	1.0 U				VFA	08/23/2005
Lactic Acid	MG/L	1.0 U				VFA	08/23/2005
Propionic Acid	MG/L	1.0 U				VFA	08/23/2005
Pyruvic Acid	MG/L	1.0 U				VFA	08/23/2005

Comments:



NYSDOH 11418
NJDEP NY050
CTDOH PH-0205
PADEP 68-00573

Wednesday, September 21, 2005

Mark Goldberg
Leggette Brashears & Graham Inc.
126 Monroe Turnpike
Trumbull, CT 06611

TEL: (203) 452-3110

FAX (203) 452-3111

RE: Sag Harbor, N.Y.

Order No.: 0509104

Dear Mark Goldberg:

American Analytical Laboratories, LLC. received 44 sample(s) on 9/13/2005 for the analyses presented in the following report.

Samples were analyzed in accordance with the test procedures documented on the chain of custody and detailed throughout the text of this report.

The limits provided in the data package are analytical reporting limits and not Federal or Local mandated values to which the sample results should be compared.

There were no problems with the analyses and all data for associated QC met laboratory specifications.

If you have any questions regarding these tests results, please do not hesitate to call (631) 454-6100 or email me directly at lbeyer@american-analytical.com.

Sincerely,

Lori Beyer
Lab Director

American Analytical Laboratories, LLC.

Date: 29-Sep-05

CLIENT: Leggette Brashears & Graham Inc.
Project: Sag Harbor, N.Y.
Lab Order: 0509104

Work Order Sample Summary

Lab Sample ID	Client Sample ID	Tag Number	Collection Date	Date Received
0509104-01A	Trip Blank	2432	9/8/2005	9/13/2005
0509104-02A	N-2B	2432	9/8/2005 10:48:00 AM	9/13/2005
0509104-03A	MW-49C	2432	9/8/2005 11:11:00 AM	9/13/2005
0509104-04A	MW-49B	2432	9/8/2005 11:29:00 AM	9/13/2005
0509104-05A	MW-49 A	2432	9/8/2005 11:51:00 AM	9/13/2005
0509104-06A	N-1B	2432	9/8/2005 12:20:00 PM	9/13/2005
0509104-07A	MW-50C	2432	9/8/2005 12:53:00 PM	9/13/2005
0509104-08A	MW-50B	2432	9/8/2005 1:12:00 PM	9/13/2005
0509104-09A	MW-50A	2432	9/8/2005 1:30:00 PM	9/13/2005
0509104-10A	MW-56B	2432	9/8/2005 3:35:00 PM	9/13/2005
0509104-11A	MW-56A	2433	9/8/2005 3:39:00 PM	9/13/2005
0509104-12A	MW-57B	2433	9/8/2005 4:21:00 PM	9/13/2005
0509104-13A	MW-43C	2433	9/8/2005 4:45:00 PM	9/13/2005
0509104-14A	MW-43B	2433	9/8/2005 5:08:00 PM	9/13/2005
0509104-15A	MW-B1	2433	9/8/2005 6:16:00 PM	9/13/2005
0509104-16A	MW-47B	2433	9/8/2005 7:06:00 PM	9/13/2005
0509104-17A	MW-47A	2433	9/8/2005 6:39:00 PM	9/13/2005
0509104-18A	MW-46A	2433	9/9/2005 9:56:00 AM	9/13/2005
0509104-19A	MW-46B	2433	9/9/2005 9:28:00 AM	9/13/2005
0509104-20A	Field Blank	2433	9/9/2005 10:30:00 AM	9/13/2005
0509104-21A	N-38	2430	9/8/2005 2:35:00 PM	9/13/2005
0509104-22A	N-37	2430	9/8/2005 2:40:00 PM	9/13/2005
0509104-23A	N-39	2430	9/8/2005 2:42:00 PM	9/13/2005
0509104-24A	MW-44C	2431	9/8/2005 8:45:00 AM	9/13/2005
0509104-25A	MW-28A	2431	9/8/2005 9:35:00 AM	9/13/2005
0509104-26A	MW-28B	2431	9/8/2005 10:15:00 AM	9/13/2005
0509104-27A	MW-52A	2431	9/8/2005 11:10:00 AM	9/13/2005
0509104-28A	MW-56C	2431	9/8/2005 3:30:00 PM	9/13/2005
0509104-29A	MW-55	2431	9/8/2005 4:02:00 PM	9/13/2005
0509104-30A	N-17	2431	9/8/2005 4:45:00 PM	9/13/2005
0509104-31A	MW-48A	2431	9/9/2005 9:49:00 AM	9/13/2005
0509104-32A	MW-48B	2431	9/9/2005 10:40:00 AM	9/13/2005
0509104-33A	N-16	2431	9/8/2005 5:45:00 PM	9/13/2005
0509104-34A	Trip Blank	2431	9/8/2005	9/13/2005
0509104-35A	MW-45B	2434	9/8/2005 11:45:00 AM	9/13/2005
0509104-36A	MW-44A	2434	9/8/2005 8:30:00 AM	9/13/2005
0509104-37A	MW-44B	2434	9/8/2005 9:15:00 AM	9/13/2005
0509104-38A	MW-98-04	2431	9/8/2005 12:02:00 PM	9/13/2005

CLIENT: Leggette Brashears & Graham Inc.
Project: Sag Harbor, N.Y.
Lab Order: 0509104

Work Order Sample Summary

Lab Sample ID	Client Sample ID	Tag Number	Collection Date	Date Received
0509104-38B	MW-98-04	2431	9/8/2005 12:02:00 PM	9/13/2005
0509104-38C	MW-98-04	2431	9/8/2005 12:02:00 PM	9/13/2005
0509104-38D	MW-98-04	2431	9/8/2005 12:02:00 PM	9/13/2005
0509104-38E	MW-98-04	2431	9/8/2005 12:02:00 PM	9/13/2005
0509104-39A	FRW-1	2434	9/8/2005 12:22:00 PM	9/13/2005
0509104-39B	FRW-1	2434	9/8/2005 12:22:00 PM	9/13/2005
0509104-39C	FRW-1	2434	9/8/2005 12:22:00 PM	9/13/2005
0509104-39D	FRW-1	2434	9/8/2005 12:22:00 PM	9/13/2005
0509104-39E	FRW-1	2434	9/8/2005 12:22:00 PM	9/13/2005
0509104-40A	FRW-2	2434	9/8/2005 1:00:00 PM	9/13/2005
0509104-40B	FRW-2	2434	9/8/2005 1:00:00 PM	9/13/2005
0509104-40C	FRW-2	2434	9/8/2005 1:00:00 PM	9/13/2005
0509104-40D	FRW-2	2434	9/8/2005 1:00:00 PM	9/13/2005
0509104-40E	FRW-2	2434	9/8/2005 1:00:00 PM	9/13/2005
0509104-41A	FRW-3	2434	9/8/2005 1:30:00 PM	9/13/2005
0509104-41B	FRW-3	2434	9/8/2005 1:30:00 PM	9/13/2005
0509104-41C	FRW-3	2434	9/8/2005 1:30:00 PM	9/13/2005
0509104-41D	FRW-3	2434	9/8/2005 1:30:00 PM	9/13/2005
0509104-41E	FRW-3	2434	9/8/2005 1:30:00 PM	9/13/2005
0509104-42A	FRW-4	2434	9/8/2005 1:45:00 PM	9/13/2005
0509104-42B	FRW-4	2434	9/8/2005 1:45:00 PM	9/13/2005
0509104-42C	FRW-4	2434	9/8/2005 1:45:00 PM	9/13/2005
0509104-42D	FRW-4	2434	9/8/2005 1:45:00 PM	9/13/2005
0509104-42E	FRW-4	2434	9/8/2005 1:45:00 PM	9/13/2005
0509104-43A	MW-45A	2434	9/8/2005 10:45:00 AM	9/13/2005
0509104-43B	MW-45A	2434	9/8/2005 10:45:00 AM	9/13/2005
0509104-43C	MW-45A	2434	9/8/2005 10:45:00 AM	9/13/2005
0509104-43D	MW-45A	2434	9/8/2005 10:45:00 AM	9/13/2005
0509104-43E	MW-45A	2434	9/8/2005 10:45:00 AM	9/13/2005
0509104-44A	Trip Blank	2434	9/8/2005	9/13/2005



56 TOLEDO STREET • FARMINGDALE, NEW YORK 11735
(631) 454-6100 • FAX (631) 454-8027

TAG # / COC 2434

NYSDOH 11418
CTDOH PH-0205
NJDEP NY050
PADEP 68-573

CHAIN OF CUSTODY / REQUEST FOR ANALYSIS DOCUMENT

CLIENT NAME/ADDRESS LBB 126 Monroe Tpk Trumbull CT 06611		CONTACT: M. Goldberg		SAMPLER (SIGNATURE)		SAMPLE(S) SEALED ☒ YES / ☐ NO	
PROJECT LOCATION: Sag Harbor, NY 1		SAMPLER NAME (PRINT) Tunde Komures-Sandor		CORRECT CONTAINER(S)		☒ YES / ☐ NO	
ANALYSIS REQUIRED		8260: PCBs		Fe #		Nitrate	
ANALYSIS REQUIRED		Tet. Diss Fe		Sulfate: Sulfide		T.O.C	
ANALYSIS REQUIRED		Alkalinity		Chloride			
LABORATORY ID #	MATRIX	# CONTAINERS	SAMPLING DATE/TIME	SAMPLE # - LOCATION		FOR METHANOL PRESERVED SAMPLES (VOLATILE VIAL #)	
309004-35A	H ₂ O	2	9/8/05-11:45	MW-45B			
36A	H ₂ O	2	9/8/05-8:30	MW-44A			
37A	H ₂ O	2	9/8/05-9:15	MW-44B			
39 ABCDE	H ₂ O	15	9/8/05-12:22	FRW-1			
40 ABCDE	H ₂ O	15	9/8/05-13:00	FRW-2			
41 ABCDE	H ₂ O	15	9/8/05-13:30	FRW-3			
42 ABCDE	H ₂ O	15	9/8/05-13:45	FRW-4			
43 ABCDE	H ₂ O	15	9/8/05-10:45	MW-45A			
44A				TRIP BLANK			
RELINQUISHED BY (SIGNATURE)				DATE 9/14/05 TIME 17:00	PRINTED NAME Robert Drew		
RELINQUISHED BY (SIGNATURE)				DATE 9/13/05 TIME 1200	PRINTED NAME P. Arbono		
TURNAROUND REQUIRED: NORMAL ☒ STAT ☐				RECEIVED BY LAB (SIGNATURE)	RECEIVED BY LAB (SIGNATURE)		
MATRIX S=SOIL, L=LIQUID, SL=SLUDGE, A=AIR, W=WIFE, P=PAINT CHIPS, B=BULK MATERIAL TYPE G=GRAB, C=COMPOSITE, SS=SPLIT SPOON				COMMENTS / INSTRUCTIONS			
COOLER TEMPERATURE:							

WHITE-OFFICE / CANARY-LAB / PINK-SAMPLE CUSTODIAN / GOLDENROD-CLIENT



56 TOLEDO STREET • FARMINGDALE, NEW YORK 11735
(631) 454-6100 • FAX (631) 454-8027

TAG # / COC 2431

NYSDOH 11418
CTDOH PH-0205
NJDEP NY050
PADEP 68-573

CHAIN OF CUSTODY / REQUEST FOR ANALYSIS DOCUMENT

CLIENT NAME/ADDRESS LBC 126 Monroe Trk Trumbull CT 06611				CONTACT: M. Goldberg		SAMPLER (SIGNATURE) <i>[Signature]</i>		SAMPLE(S) SEALED	YES / NO ☒
PROJECT LOCATION: Sag Harbor, NY				SAMPLER NAME (PRINT) Solene Wozniak		CORRECT CONTAINER(S)		CORRECT CONTAINER(S)	YES / NO ☒
LABORATORY ID #	MATRIX	# CON- TAINERS	SAMPLING DATE/ TIME	SAMPLE # - LOCATION		FOR METHANOL PRESERVED SAMPLES (VOLATILE VIAL #)			
25A	H ₂ O	2	9/8/05 - 8:45	MW-44 C					
26A		2	9/8/05 - 9:35	MW-28 A					
27A		2	9/8/05 - 10:15	MW-28 B					
38A B C D E		15	9/8/05 - 11:10	MW-52 A					
28A		2	9/8/05 - 12:02	MW-98-04*					
29A		2	9/8/05 - 15:30	MW-56 C					
30A		2	9/8/05 - 16:02	MW-55					
31A		2	9/8/05 - 16:45	N-17					
32A		2	9/8/05 - 9:49	MW-48 A					
33A		2	9/8/05 - 10:40	MW-48 B					
34A		2	9/8/05 - 17:45	N-16					
34A		2	9/8/05	Trip Blank					
COOLING TEMPERATURE:									
COMMENTS / INSTRUCTIONS									
TURNAROUND REQUIRED: NORMAL ☒ STAT ☐ BY 1/1									
RELINQUISHED BY (SIGNATURE) <i>[Signature]</i>				PRINTED NAME Rob Drew		RECEIVED BY LAB (SIGNATURE) <i>[Signature]</i>		DATE 9/12/05 TIME 17:00	
RELINQUISHED BY (SIGNATURE) <i>[Signature]</i>				PRINTED NAME P. Ardonio		RECEIVED BY LAB (SIGNATURE) <i>[Signature]</i>		DATE 9/13/05 TIME 12:00	

WHITE-OFFICE / CANARY-LAB / PINK-SAMPLE CUSTODIAN / GOLDENROD-CLIENT

AMERICAN ANALYTICAL LABORATORIES, LLC

56 TOLEDO STREET

FARMINGDALE, NEW YORK 11735

TELEPHONE: (631) 454-6100 FAX: (631) 454-8027

DATA REPORTING QUALIFIERS

For reporting results, the following "Results Qualifiers" are used:

Value	If the result is greater than or equal to the detection limit, report the value
U	Indicates the compound was analyzed for but was not detected. Report the minimum detection limit for the sample with the U, i.e. "10U". This is not necessarily the instrument detection limit attainable for this particular sample based on any concentration or dilution that may have been required.
J	Indicates an estimated value. The flag is used: (1) When estimating a concentration for a tentatively identified compound (library search hits, where a 1:1 response is assumed.) (2) When the mass spectral data indicated the identification, however the result was less than the specified detection limit greater than zero. If the detection limit was 10ug/L and a concentration of 3ug/L was calculated report as 3J. This flag is used when similar situations arise on any organic parameter i.e. Pesticide, PCBs and others.
B	Indicates the analyte was found in the blank as well as the sample report "10B".
E	Indicates the analytes concentration exceeds the calibrated range of the instrument for that specific analysis.
D	This flag identifies all compounds identified in an analysis at a secondary dilution factor.
P	This flag is used for Pesticide / PCB target analyte when there is >25% difference for detected concentrations between the two GC Columns. The higher of the two values is reported on Form I and flagged with a "P".
N	This flag indicates presumptive evidence of a compound. This is only used for tentatively identified compounds (TICs), where the identification is based on a mass spectral library search. It applies to all TIC results. For generic characterization of a TIC, such as chlorinated hydrocarbon, the flag is not used.
H	Indicates sample was received and/or analyzed outside of The method allowable holding time

American Analytical Laboratories, LLC.

Date: 28-Sep-05

CLIENT: Leggette Brashears & Graham Inc. Client Sample ID: FRW-1
 Lab Order: 0509104 Tag Number: 2434
 Project: Sag Harbor, N.Y. Collection Date: 9/8/2005 12:22:00 PM
 Lab ID: 0509104-39A Date Received: 9/13/2005 Matrix: LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILES SW-846 8260 PLUS MTBE & FREON1		SW8260B		Analyst: LDS		
1,1,1,2-Tetrachloroethane	U	1.0		µg/L	1	9/17/2005 5:51:00 AM
1,1,1-Trichloroethane	U	1.0		µg/L	1	9/17/2005 5:51:00 AM
1,1,2,2-Tetrachloroethane	U	1.0		µg/L	1	9/17/2005 5:51:00 AM
1,1,2-Trichloro-1,2,2-trifluoroethane	U	1.0		µg/L	1	9/17/2005 5:51:00 AM
1,1,2-Trichloroethane	U	1.0		µg/L	1	9/17/2005 5:51:00 AM
1,1-Dichloroethane	U	1.0		µg/L	1	9/17/2005 5:51:00 AM
1,1-Dichloroethene	U	1.0		µg/L	1	9/17/2005 5:51:00 AM
1,1-Dichloropropene	U	1.0		µg/L	1	9/17/2005 5:51:00 AM
1,2,3-Trichlorobenzene	U	1.0		µg/L	1	9/17/2005 5:51:00 AM
1,2,3-Trichloropropane	U	1.0		µg/L	1	9/17/2005 5:51:00 AM
1,2,4-Trichlorobenzene	U	1.0		µg/L	1	9/17/2005 5:51:00 AM
1,2,4-Trimethylbenzene	U	1.0		µg/L	1	9/17/2005 5:51:00 AM
1,2-Dibromo-3-chloropropane	U	1.0		µg/L	1	9/17/2005 5:51:00 AM
1,2-Dibromoethane	U	1.0		µg/L	1	9/17/2005 5:51:00 AM
1,2-Dichlorobenzene	U	1.0		µg/L	1	9/17/2005 5:51:00 AM
1,2-Dichloroethane	U	1.0		µg/L	1	9/17/2005 5:51:00 AM
1,2-Dichloropropane	U	1.0		µg/L	1	9/17/2005 5:51:00 AM
1,3,5-Trimethylbenzene	U	1.0		µg/L	1	9/17/2005 5:51:00 AM
1,3-Dichlorobenzene	U	1.0		µg/L	1	9/17/2005 5:51:00 AM
1,3-dichloropropane	U	1.0		µg/L	1	9/17/2005 5:51:00 AM
1,4-Dichlorobenzene	U	1.0		µg/L	1	9/17/2005 5:51:00 AM
2,2-Dichloropropane	U	1.0		µg/L	1	9/17/2005 5:51:00 AM
2-Butanone	U	1.0		µg/L	1	9/17/2005 5:51:00 AM
2-Chloroethyl vinyl ether	U	1.0		µg/L	1	9/17/2005 5:51:00 AM
2-Chlorotoluene	U	1.0		µg/L	1	9/17/2005 5:51:00 AM
2-Hexanone	U	1.0		µg/L	1	9/17/2005 5:51:00 AM
4-Chlorotoluene	U	1.0		µg/L	1	9/17/2005 5:51:00 AM
4-Isopropyltoluene	U	1.0		µg/L	1	9/17/2005 5:51:00 AM
4-Methyl-2-pentanone	U	1.0		µg/L	1	9/17/2005 5:51:00 AM
Acetone	U	1.0		µg/L	1	9/17/2005 5:51:00 AM
Benzene	U	1.0		µg/L	1	9/17/2005 5:51:00 AM
Bromobenzene	U	1.0		µg/L	1	9/17/2005 5:51:00 AM
Bromochloromethane	U	1.0		µg/L	1	9/17/2005 5:51:00 AM
Bromodichloromethane	U	1.0		µg/L	1	9/17/2005 5:51:00 AM
Bromoform	U	1.0		µg/L	1	9/17/2005 5:51:00 AM
Bromomethane	U	1.0		µg/L	1	9/17/2005 5:51:00 AM
Carbon disulfide	U	1.0		µg/L	1	9/17/2005 5:51:00 AM
Carbon tetrachloride	U	1.0		µg/L	1	9/17/2005 5:51:00 AM
Chlorobenzene	U	1.0		µg/L	1	9/17/2005 5:51:00 AM
Chloroethane	U	1.0		µg/L	1	9/17/2005 5:51:00 AM

Qualifiers: * Value exceeds Maximum Contaminant Level B Analyte detected in the associated Method Blank
 E Value above quantitation range H Holding times for preparation or analysis exceeded
 J Analyte detected below quantitation limits ND Not Detected at the Reporting Limit
 S Spike Recovery outside accepted recovery limits U Indicates the compound was analyzed for but not detected

American Analytical Laboratories, LLC.

Date: 28-Sep-05

CLIENT:	Leggette Brashears & Graham Inc.	Client Sample ID:	FRW-1
Lab Order:	0509104	Tag Number:	2434
Project:	Sag Harbor, N.Y.	Collection Date:	9/8/2005 12:22:00 PM
Lab ID:	0509104-39A	Date Received:	9/13/2005
		Matrix:	LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
Chloroform	U	1.0		µg/L	1	9/17/2005 5:51:00 AM
Chloromethane	U	1.0		µg/L	1	9/17/2005 5:51:00 AM
cis-1,2-Dichloroethene	U	1.0		µg/L	1	9/17/2005 5:51:00 AM
cis-1,3-Dichloropropene	U	1.0		µg/L	1	9/17/2005 5:51:00 AM
Dibromochloromethane	U	1.0		µg/L	1	9/17/2005 5:51:00 AM
Dibromomethane	U	1.0		µg/L	1	9/17/2005 5:51:00 AM
Dichlorodifluoromethane	U	1.0		µg/L	1	9/17/2005 5:51:00 AM
Ethylbenzene	U	1.0		µg/L	1	9/17/2005 5:51:00 AM
Hexachlorobutadiene	U	1.0		µg/L	1	9/17/2005 5:51:00 AM
Isopropylbenzene	U	1.0		µg/L	1	9/17/2005 5:51:00 AM
m,p-Xylene	U	2.0		µg/L	1	9/17/2005 5:51:00 AM
Methyl tert-butyl ether	U	1.0		µg/L	1	9/17/2005 5:51:00 AM
Methylene chloride	U	1.0	B	µg/L	1	9/17/2005 5:51:00 AM
Naphthalene	U	1.0		µg/L	1	9/17/2005 5:51:00 AM
n-Butylbenzene	U	1.0		µg/L	1	9/17/2005 5:51:00 AM
n-Propylbenzene	U	1.0		µg/L	1	9/17/2005 5:51:00 AM
o-Xylene	U	1.0		µg/L	1	9/17/2005 5:51:00 AM
sec-Butylbenzene	U	1.0		µg/L	1	9/17/2005 5:51:00 AM
Styrene	U	1.0		µg/L	1	9/17/2005 5:51:00 AM
tert-Butylbenzene	U	1.0		µg/L	1	9/17/2005 5:51:00 AM
Tetrachloroethene	11	1.0		µg/L	1	9/17/2005 5:51:00 AM
Toluene	U	1.0		µg/L	1	9/17/2005 5:51:00 AM
trans-1,2-Dichloroethene	U	1.0		µg/L	1	9/17/2005 5:51:00 AM
trans-1,3-Dichloropropene	U	1.0		µg/L	1	9/17/2005 5:51:00 AM
Trichloroethene	U	1.0		µg/L	1	9/17/2005 5:51:00 AM
Trichlorofluoromethane	U	1.0		µg/L	1	9/17/2005 5:51:00 AM
Vinyl acetate	U	1.0		µg/L	1	9/17/2005 5:51:00 AM
Vinyl chloride	U	1.0		µg/L	1	9/17/2005 5:51:00 AM

Qualifiers:	* Value exceeds Maximum Contaminant Level	B Analyte detected in the associated Method Blank
	E Value above quantitation range	H Holding times for preparation or analysis exceeded
	J Analyte detected below quantitation limits	ND Not Detected at the Reporting Limit
	S Spike Recovery outside accepted recovery limits	U Indicates the compound was analyzed for but not detected

American Analytical Laboratories, LLC.**Date:** 28-Sep-05

CLIENT:	Leggette Brashears & Graham Inc.	Client Sample ID:	FRW-1
Lab Order:	0509104	Tag Number:	2434
Project:	Sag Harbor, N.Y.	Collection Date:	9/8/2005 12:22:00 PM
Lab ID:	0509104-39B	Date Received:	9/13/2005
		Matrix:	LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
TOTAL IRON		E200.7		(SW3010A)		Analyst: JP
Iron	8.94	0.0200		mg/L	1	9/15/2005 11:54:24 AM

Qualifiers:	*	Value exceeds Maximum Contaminant Level	B	Analyte detected in the associated Method Blank
	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded
	J	Analyte detected below quantitation limits	ND	Not Detected at the Reporting Limit
	S	Spike Recovery outside accepted recovery limits	U	Indicates the compound was analyzed for but not detected

American Analytical Laboratories, LLC.

Date: 28-Sep-05

CLIENT:	Leggette Brashears & Graham Inc.	Client Sample ID:	FRW-1
Lab Order:	0509104	Tag Number:	2434
Project:	Sag Harbor, N.Y.	Collection Date:	9/8/2005 12:22:00 PM
Lab ID:	0509104-39C	Date Received:	9/13/2005
		Matrix:	LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
DISSOLVED IRON		E200.7		{SW3005A}		Analyst: JP
Iron	6.87	0.0200		mg/L	1	9/15/2005 11:52:10 AM
CHLORIDE		M4500-C1 B				Analyst: IP
Chloride	20.5	1.00		mg/L	1	9/15/2005
IRON, FERROUS (FE+2)		M3500-Fe D				Analyst: IP
Iron, Ferrous	934	25.0		µg/L	1	9/19/2005
SULFATE		E375.4				Analyst: IP
Sulfate	7.80	1.00		mg/L	1	9/16/2005
ALKALINITY		E310.1				Analyst: WN
Alkalinity, Total (As CaCO3)	31.3	1.00		mg/L CaCO3	1	9/19/2005

Qualifiers:	*	Value exceeds Maximum Contaminant Level	B	Analyte detected in the associated Method Blank
	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded
	J	Analyte detected below quantitation limits	ND	Not Detected at the Reporting Limit
	S	Spike Recovery outside accepted recovery limits	U	Indicates the compound was analyzed for but not detected

American Analytical Laboratories, LLC.

Date: 28-Sep-05

CLIENT:	Leggette Brashears & Graham Inc.	Client Sample ID:	FRW-1
Lab Order:	0509104	Tag Number:	2434
Project:	Sag Harbor, N.Y.	Collection Date:	9/8/2005 12:22:00 PM
Lab ID:	0509104-39D	Date Received:	9/13/2005
		Matrix:	LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
NITRATE AS N		E353.2				Analyst: BK
Nitrogen, Nitrate-Nitrite	2.27	0.100		mg/L	1	9/20/2005

Qualifiers:	* Value exceeds Maximum Contaminant Level	B Analyte detected in the associated Method Blank
	E Value above quantitation range	H Holding times for preparation or analysis exceeded
	J Analyte detected below quantitation limits	ND Not Detected at the Reporting Limit
	S Spike Recovery outside accepted recovery limits	U Indicates the compound was analyzed for but not detected

American Analytical Laboratories, LLC.

Date: 28-Sep-05

CLIENT:	Leggette Brashears & Graham Inc.	Client Sample ID:	FRW-1
Lab Order:	0509104	Tag Number:	2434
Project:	Sag Harbor, N.Y.	Collection Date:	9/8/2005 12:22:00 PM
Lab ID:	0509104-39E	Date Received:	9/13/2005
		Matrix:	LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
SULFIDE		E376.1				Analyst: WN
Sulfide	U	1.0		mg/L	1	4/15/2005

Qualifiers:	*	Value exceeds Maximum Contaminant Level	B	Analyte detected in the associated Method Blank
	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded
	J	Analyte detected below quantitation limits	ND	Not Detected at the Reporting Limit
	S	Spike Recovery outside accepted recovery limits	U	Indicates the compound was analyzed for but not detected

American Analytical Laboratories, LLC.

Date: 28-Sep-05

CLIENT:	Leggette Brashears & Graham Inc.	Client Sample ID:	FRW-2
Lab Order:	0509104	Tag Number:	2434
Project:	Sag Harbor, N.Y.	Collection Date:	9/8/2005 1:00:00 PM
Lab ID:	0509104-40A	Date Received:	9/13/2005
		Matrix:	LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILES SW-846 8260 PLUS MTBE & FREON1		SW8260B		Analyst: LDS		
1,1,1,2-Tetrachloroethane	U	1.0		µg/L	1	9/17/2005 6:26:00 AM
1,1,1-Trichloroethane	U	1.0		µg/L	1	9/17/2005 6:26:00 AM
1,1,2,2-Tetrachloroethane	U	1.0		µg/L	1	9/17/2005 6:26:00 AM
1,1,2-Trichloro-1,2,2-trifluoroethane	U	1.0		µg/L	1	9/17/2005 6:26:00 AM
1,1,2-Trichloroethane	U	1.0		µg/L	1	9/17/2005 6:26:00 AM
1,1-Dichloroethane	U	1.0		µg/L	1	9/17/2005 6:26:00 AM
1,1-Dichloroethene	U	1.0		µg/L	1	9/17/2005 6:26:00 AM
1,1-Dichloropropene	U	1.0		µg/L	1	9/17/2005 6:26:00 AM
1,2,3-Trichlorobenzene	U	1.0		µg/L	1	9/17/2005 6:26:00 AM
1,2,3-Trichloropropane	U	1.0		µg/L	1	9/17/2005 6:26:00 AM
1,2,4-Trichlorobenzene	U	1.0		µg/L	1	9/17/2005 6:26:00 AM
1,2,4-Trimethylbenzene	U	1.0		µg/L	1	9/17/2005 6:26:00 AM
1,2-Dibromo-3-chloropropane	U	1.0		µg/L	1	9/17/2005 6:26:00 AM
1,2-Dibromoethane	U	1.0		µg/L	1	9/17/2005 6:26:00 AM
1,2-Dichlorobenzene	U	1.0		µg/L	1	9/17/2005 6:26:00 AM
1,2-Dichloroethane	U	1.0		µg/L	1	9/17/2005 6:26:00 AM
1,2-Dichloropropane	U	1.0		µg/L	1	9/17/2005 6:26:00 AM
1,3,5-Trimethylbenzene	U	1.0		µg/L	1	9/17/2005 6:26:00 AM
1,3-Dichlorobenzene	U	1.0		µg/L	1	9/17/2005 6:26:00 AM
1,3-dichloropropane	U	1.0		µg/L	1	9/17/2005 6:26:00 AM
1,4-Dichlorobenzene	U	1.0		µg/L	1	9/17/2005 6:26:00 AM
2,2-Dichloropropane	U	1.0		µg/L	1	9/17/2005 6:26:00 AM
2-Butanone	U	1.0		µg/L	1	9/17/2005 6:26:00 AM
2-Chloroethyl vinyl ether	U	1.0		µg/L	1	9/17/2005 6:26:00 AM
2-Chlorotoluene	U	1.0		µg/L	1	9/17/2005 6:26:00 AM
2-Hexanone	U	1.0		µg/L	1	9/17/2005 6:26:00 AM
4-Chlorotoluene	U	1.0		µg/L	1	9/17/2005 6:26:00 AM
4-Isopropyltoluene	U	1.0		µg/L	1	9/17/2005 6:26:00 AM
4-Methyl-2-pentanone	U	1.0		µg/L	1	9/17/2005 6:26:00 AM
Acetone	U	1.0		µg/L	1	9/17/2005 6:26:00 AM
Benzene	U	1.0		µg/L	1	9/17/2005 6:26:00 AM
Bromobenzene	U	1.0		µg/L	1	9/17/2005 6:26:00 AM
Bromochloromethane	U	1.0		µg/L	1	9/17/2005 6:26:00 AM
Bromodichloromethane	U	1.0		µg/L	1	9/17/2005 6:26:00 AM
Bromoform	U	1.0		µg/L	1	9/17/2005 6:26:00 AM
Bromomethane	U	1.0		µg/L	1	9/17/2005 6:26:00 AM
Carbon disulfide	U	1.0		µg/L	1	9/17/2005 6:26:00 AM
Carbon tetrachloride	U	1.0		µg/L	1	9/17/2005 6:26:00 AM
Chlorobenzene	U	1.0		µg/L	1	9/17/2005 6:26:00 AM
Chloroethane	U	1.0		µg/L	1	9/17/2005 6:26:00 AM

Qualifiers:	* Value exceeds Maximum Contaminant Level	B Analyte detected in the associated Method Blank
	E Value above quantitation range	H Holding times for preparation or analysis exceeded
	J Analyte detected below quantitation limits	ND Not Detected at the Reporting Limit
	S Spike Recovery outside accepted recovery limits	U Indicates the compound was analyzed for but not detected

American Analytical Laboratories, LLC.

Date: 28-Sep-05

CLIENT:	Leggette Brashears & Graham Inc.	Client Sample ID:	FRW-2
Lab Order:	0509104	Tag Number:	2434
Project:	Sag Harbor, N.Y.	Collection Date:	9/8/2005 1:00:00 PM
Lab ID:	0509104-40A	Date Received:	9/13/2005
		Matrix:	LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
Chloroform	U	1.0		µg/L	1	9/17/2005 6:26:00 AM
Chloromethane	U	1.0		µg/L	1	9/17/2005 6:26:00 AM
cis-1,2-Dichloroethene	U	1.0		µg/L	1	9/17/2005 6:26:00 AM
cis-1,3-Dichloropropene	U	1.0		µg/L	1	9/17/2005 6:26:00 AM
Dibromochloromethane	U	1.0		µg/L	1	9/17/2005 6:26:00 AM
Dibromomethane	U	1.0		µg/L	1	9/17/2005 6:26:00 AM
Dichlorodifluoromethane	U	1.0		µg/L	1	9/17/2005 6:26:00 AM
Ethylbenzene	U	1.0		µg/L	1	9/17/2005 6:26:00 AM
Hexachlorobutadiene	U	1.0		µg/L	1	9/17/2005 6:26:00 AM
Isopropylbenzene	U	1.0		µg/L	1	9/17/2005 6:26:00 AM
m,p-Xylene	U	2.0		µg/L	1	9/17/2005 6:26:00 AM
Methyl tert-butyl ether	U	1.0		µg/L	1	9/17/2005 6:26:00 AM
Methylene chloride	U	1.0	B	µg/L	1	9/17/2005 6:26:00 AM
Naphthalene	U	1.0		µg/L	1	9/17/2005 6:26:00 AM
n-Butylbenzene	U	1.0		µg/L	1	9/17/2005 6:26:00 AM
n-Propylbenzene	U	1.0		µg/L	1	9/17/2005 6:26:00 AM
o-Xylene	U	1.0		µg/L	1	9/17/2005 6:26:00 AM
sec-Butylbenzene	U	1.0		µg/L	1	9/17/2005 6:26:00 AM
Styrene	U	1.0		µg/L	1	9/17/2005 6:26:00 AM
tert-Butylbenzene	U	1.0		µg/L	1	9/17/2005 6:26:00 AM
Tetrachloroethene	10	1.0		µg/L	1	9/17/2005 6:26:00 AM
Toluene	U	1.0		µg/L	1	9/17/2005 6:26:00 AM
trans-1,2-Dichloroethene	U	1.0		µg/L	1	9/17/2005 6:26:00 AM
trans-1,3-Dichloropropene	U	1.0		µg/L	1	9/17/2005 6:26:00 AM
Trichloroethene	U	1.0		µg/L	1	9/17/2005 6:26:00 AM
Trichlorofluoromethane	U	1.0		µg/L	1	9/17/2005 6:26:00 AM
Vinyl acetate	U	1.0		µg/L	1	9/17/2005 6:26:00 AM
Vinyl chloride	U	1.0		µg/L	1	9/17/2005 6:26:00 AM

Qualifiers:	*	Value exceeds Maximum Contaminant Level	B	Analyte detected in the associated Method Blank
	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded
	J	Analyte detected below quantitation limits	ND	Not Detected at the Reporting Limit
	S	Spike Recovery outside accepted recovery limits	U	Indicates the compound was analyzed for but not detected

American Analytical Laboratories, LLC.**Date:** 28-Sep-05

CLIENT:	Leggette Brashears & Graham Inc.	Client Sample ID:	FRW-2
Lab Order:	0509104	Tag Number:	2434
Project:	Sag Harbor, N.Y.	Collection Date:	9/8/2005 1:00:00 PM
Lab ID:	0509104-40B	Date Received:	9/13/2005
		Matrix:	LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
TOTAL IRON		E200.7		(SW3010A)		Analyst: JP
Iron	77.1	0.0200		mg/L	1	9/15/2005 12:00:28 PM

Qualifiers:	*	Value exceeds Maximum Contaminant Level	B	Analyte detected in the associated Method Blank
	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded
	J	Analyte detected below quantitation limits	ND	Not Detected at the Reporting Limit
	S	Spike Recovery outside accepted recovery limits	U	Indicates the compound was analyzed for but not detected

Page 1 of 1

American Analytical Laboratories, LLC.

Date: 28-Sep-05

CLIENT:	Leggette Brashears & Graham Inc.	Client Sample ID:	FRW-2
Lab Order:	0509104	Tag Number:	2434
Project:	Sag Harbor, N.Y.	Collection Date:	9/8/2005 1:00:00 PM
Lab ID:	0509104-40C	Date Received:	9/13/2005
		Matrix:	LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
DISSOLVED IRON		E200.7		(SW3005A)		Analyst: JP
Iron	25.9	0.0200		mg/L	1	9/15/2005 11:58:03 AM
CHLORIDE		M4500-C1 B				Analyst: IP
Chloride	30.0	1.00		mg/L	1	9/15/2005
IRON, FERROUS (FE+2)		M3500-Fe D				Analyst: IP
Iron, Ferrous	14000	25.0		µg/L	1	9/19/2005
SULFATE		E375.4				Analyst: IP
Sulfate	4.90	1.00		mg/L	1	9/16/2005
ALKALINITY		E310.1				Analyst: WN
Alkalinity, Total (As CaCO ₃)	139	1.00		mg/L CaCO ₃	1	9/19/2005

Qualifiers:	*	Value exceeds Maximum Contaminant Level	B	Analyte detected in the associated Method Blank
	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded
	J	Analyte detected below quantitation limits	ND	Not Detected at the Reporting Limit
	S	Spike Recovery outside accepted recovery limits	U	Indicates the compound was analyzed for but not detected

American Analytical Laboratories, LLC.

Date: 28-Sep-05

CLIENT:	Leggette Brashears & Graham Inc.	Client Sample ID:	FRW-2
Lab Order:	0509104	Tag Number:	2434
Project:	Sag Harbor, N.Y.	Collection Date:	9/8/2005 1:00:00 PM
Lab ID:	0509104-40D	Date Received:	9/13/2005
		Matrix:	LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
NITRATE AS N		E353.2				Analyst: BK
Nitrogen, Nitrate-Nitrite	1.10	0.100		mg/L	1	9/20/2005

Qualifiers:	* Value exceeds Maximum Contaminant Level	B Analyte detected in the associated Method Blank
	E Value above quantitation range	H Holding times for preparation or analysis exceeded
	J Analyte detected below quantitation limits	ND Not Detected at the Reporting Limit
	S Spike Recovery outside accepted recovery limits	U Indicates the compound was analyzed for but not detected

American Analytical Laboratories, LLC.

Date: 28-Sep-05

CLIENT:	Leggette Brashears & Graham Inc.	Client Sample ID:	FRW-2
Lab Order:	0509104	Tag Number:	2434
Project:	Sag Harbor, N.Y.	Collection Date:	9/8/2005 1:00:00 PM
Lab ID:	0509104-40E	Date Received:	9/13/2005
		Matrix:	LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
SULFIDE		E376.1				Analyst: WN
Sulfide	U	1.0		mg/L	1	4/15/2005

Qualifiers:	* Value exceeds Maximum Contaminant Level	B	Analyte detected in the associated Method Blank
	E Value above quantitation range	H	Holding times for preparation or analysis exceeded
	J Analyte detected below quantitation limits	ND	Not Detected at the Reporting Limit
	S Spike Recovery outside accepted recovery limits	U	Indicates the compound was analyzed for but not detected

American Analytical Laboratories, LLC.

Date: 28-Sep-05

CLIENT:	Leggette Brashears & Graham Inc.	Client Sample ID:	FRW-3
Lab Order:	0509104	Tag Number:	2434
Project:	Sag Harbor, N.Y.	Collection Date:	9/8/2005 1:30:00 PM
Lab ID:	0509104-41A	Date Received:	9/13/2005
		Matrix:	LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILES SW-846 8260 PLUS MTBE & FREON1		SW8260B		Analyst: LDS		
1,1,1,2-Tetrachloroethane	U	1.0		µg/L	1	9/17/2005 7:00:00 AM
1,1,1-Trichloroethane	U	1.0		µg/L	1	9/17/2005 7:00:00 AM
1,1,2,2-Tetrachloroethane	U	1.0		µg/L	1	9/17/2005 7:00:00 AM
1,1,2-Trichloro-1,2,2-trifluoroethane	U	1.0		µg/L	1	9/17/2005 7:00:00 AM
1,1,2-Trichloroethane	U	1.0		µg/L	1	9/17/2005 7:00:00 AM
1,1-Dichloroethane	U	1.0		µg/L	1	9/17/2005 7:00:00 AM
1,1-Dichloroethene	U	1.0		µg/L	1	9/17/2005 7:00:00 AM
1,1-Dichloropropene	U	1.0		µg/L	1	9/17/2005 7:00:00 AM
1,2,3-Trichlorobenzene	U	1.0		µg/L	1	9/17/2005 7:00:00 AM
1,2,3-Trichloropropane	U	1.0		µg/L	1	9/17/2005 7:00:00 AM
1,2,4-Trichlorobenzene	U	1.0		µg/L	1	9/17/2005 7:00:00 AM
1,2,4-Trimethylbenzene	U	1.0		µg/L	1	9/17/2005 7:00:00 AM
1,2-Dibromo-3-chloropropane	U	1.0		µg/L	1	9/17/2005 7:00:00 AM
1,2-Dibromoethane	U	1.0		µg/L	1	9/17/2005 7:00:00 AM
1,2-Dichlorobenzene	U	1.0		µg/L	1	9/17/2005 7:00:00 AM
1,2-Dichloroethane	U	1.0		µg/L	1	9/17/2005 7:00:00 AM
1,2-Dichloropropane	U	1.0		µg/L	1	9/17/2005 7:00:00 AM
1,3,5-Trimethylbenzene	U	1.0		µg/L	1	9/17/2005 7:00:00 AM
1,3-Dichlorobenzene	U	1.0		µg/L	1	9/17/2005 7:00:00 AM
1,3-dichloropropane	U	1.0		µg/L	1	9/17/2005 7:00:00 AM
1,4-Dichlorobenzene	U	1.0		µg/L	1	9/17/2005 7:00:00 AM
2,2-Dichloropropane	U	1.0		µg/L	1	9/17/2005 7:00:00 AM
2-Butanone	4500	1.0		µg/L	1	9/17/2005 7:00:00 AM
2-Chloroethyl vinyl ether	U	1.0		µg/L	1	9/17/2005 7:00:00 AM
2-Chlorotoluene	U	1.0		µg/L	1	9/17/2005 7:00:00 AM
2-Hexanone	U	1.0		µg/L	1	9/17/2005 7:00:00 AM
4-Chlorotoluene	U	1.0		µg/L	1	9/17/2005 7:00:00 AM
4-Isopropyltoluene	U	1.0		µg/L	1	9/17/2005 7:00:00 AM
4-Methyl-2-pentanone	U	1.0		µg/L	1	9/17/2005 7:00:00 AM
Acetone	1300	1.0		µg/L	1	9/17/2005 7:00:00 AM
Benzene	U	1.0		µg/L	1	9/17/2005 7:00:00 AM
Bromobenzene	U	1.0		µg/L	1	9/17/2005 7:00:00 AM
Bromochloromethane	U	1.0		µg/L	1	9/17/2005 7:00:00 AM
Bromodichloromethane	U	1.0		µg/L	1	9/17/2005 7:00:00 AM
Bromoform	U	1.0		µg/L	1	9/17/2005 7:00:00 AM
Bromomethane	U	1.0		µg/L	1	9/17/2005 7:00:00 AM
Carbon disulfide	U	1.0		µg/L	1	9/17/2005 7:00:00 AM
Carbon tetrachloride	U	1.0		µg/L	1	9/17/2005 7:00:00 AM
Chlorobenzene	U	1.0		µg/L	1	9/17/2005 7:00:00 AM
Chloroethane	U	1.0		µg/L	1	9/17/2005 7:00:00 AM

Qualifiers:

- * Value exceeds Maximum Contaminant Level
- E Value above quantitation range
- J Analyte detected below quantitation limits
- S Spike Recovery outside accepted recovery limits

- B Analyte detected in the associated Method Blank
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- U Indicates the compound was analyzed for but not detected

American Analytical Laboratories, LLC.

Date: 28-Sep-05

CLIENT: Leggette Brashears & Graham Inc. **Client Sample ID:** FRW-3
Lab Order: 0509104 **Tag Number:** 2434
Project: Sag Harbor, N.Y. **Collection Date:** 9/8/2005 1:30:00 PM
Lab ID: 0509104-41A **Date Received:** 9/13/2005 **Matrix:** LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
Chloroform	U	1.0		µg/L	1	9/17/2005 7:00:00 AM
Chloromethane	U	1.0		µg/L	1	9/17/2005 7:00:00 AM
cis-1,2-Dichloroethene	31	1.0		µg/L	1	9/17/2005 7:00:00 AM
cis-1,3-Dichloropropene	U	1.0		µg/L	1	9/17/2005 7:00:00 AM
Dibromochloromethane	U	1.0		µg/L	1	9/17/2005 7:00:00 AM
Dibromomethane	U	1.0		µg/L	1	9/17/2005 7:00:00 AM
Dichlorodifluoromethane	U	1.0		µg/L	1	9/17/2005 7:00:00 AM
Ethylbenzene	U	1.0		µg/L	1	9/17/2005 7:00:00 AM
Hexachlorobutadiene	U	1.0		µg/L	1	9/17/2005 7:00:00 AM
Isopropylbenzene	6.0	1.0		µg/L	1	9/17/2005 7:00:00 AM
m,p-Xylene	U	2.0		µg/L	1	9/17/2005 7:00:00 AM
Methyl tert-butyl ether	U	1.0		µg/L	1	9/17/2005 7:00:00 AM
Methylene chloride	U	1.0	B	µg/L	1	9/17/2005 7:00:00 AM
Naphthalene	U	1.0		µg/L	1	9/17/2005 7:00:00 AM
n-Butylbenzene	U	1.0		µg/L	1	9/17/2005 7:00:00 AM
n-Propylbenzene	4.0	1.0		µg/L	1	9/17/2005 7:00:00 AM
o-Xylene	U	1.0		µg/L	1	9/17/2005 7:00:00 AM
sec-Butylbenzene	U	1.0		µg/L	1	9/17/2005 7:00:00 AM
Styrene	U	1.0		µg/L	1	9/17/2005 7:00:00 AM
tert-Butylbenzene	U	1.0		µg/L	1	9/17/2005 7:00:00 AM
Tetrachloroethene	63	1.0		µg/L	1	9/17/2005 7:00:00 AM
Toluene	130	1.0		µg/L	1	9/17/2005 7:00:00 AM
trans-1,2-Dichloroethene	U	1.0		µg/L	1	9/17/2005 7:00:00 AM
trans-1,3-Dichloropropene	U	1.0		µg/L	1	9/17/2005 7:00:00 AM
Trichloroethene	1.7	1.0		µg/L	1	9/17/2005 7:00:00 AM
Trichlorofluoromethane	U	1.0		µg/L	1	9/17/2005 7:00:00 AM
Vinyl acetate	U	1.0		µg/L	1	9/17/2005 7:00:00 AM
Vinyl chloride	2.0	1.0		µg/L	1	9/17/2005 7:00:00 AM

Qualifiers: * Value exceeds Maximum Contaminant Level
 E Value above quantitation range
 J Analyte detected below quantitation limits
 S Spike Recovery outside accepted recovery limits
 B Analyte detected in the associated Method Blank
 H Holding times for preparation or analysis exceeded
 ND Not Detected at the Reporting Limit
 U Indicates the compound was analyzed for but not detected

American Analytical Laboratories, LLC.

Date: 28-Sep-05

CLIENT:	Leggette Brashears & Graham Inc.	Client Sample ID:	FRW-3
Lab Order:	0509104	Tag Number:	2434
Project:	Sag Harbor, N.Y.	Collection Date:	9/8/2005 1:30:00 PM
Lab ID:	0509104-41B	Date Received:	9/13/2005
		Matrix:	LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
TOTAL IRON		E200.7		(SW3010A)		Analyst: JP
Iron	128	0.0200		mg/L	1	9/15/2005 12:06:34 PM

Qualifiers:	* Value exceeds Maximum Contaminant Level	B Analyte detected in the associated Method Blank
	E Value above quantitation range	H Holding times for preparation or analysis exceeded
	J Analyte detected below quantitation limits	ND Not Detected at the Reporting Limit
	S Spike Recovery outside accepted recovery limits	U Indicates the compound was analyzed for but not detected

American Analytical Laboratories, LLC.

Date: 28-Sep-05

CLIENT: Leggette Brashears & Graham Inc. **Client Sample ID:** FRW-3
Lab Order: 0509104 **Tag Number:** 2434
Project: Sag Harbor, N.Y. **Collection Date:** 9/8/2005 1:30:00 PM
Lab ID: 0509104-41C **Date Received:** 9/13/2005 **Matrix:** LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
DISSOLVED IRON		E200.7		(SW3005A)		Analyst: JP
Iron	11.0	0.0200		mg/L	1	9/15/2005 12:04:05 PM
CHLORIDE		M4500-C1 B				Analyst: IP
Chloride	25.0	1.00		mg/L	1	9/15/2005
IRON, FERROUS (FE+2)		M3500-Fe D				Analyst: IP
Iron, Ferrous	22100	25.0		µg/L	1	9/19/2005
SULFATE		E375.4				Analyst: IP
Sulfate	2.80	1.00		mg/L	1	9/16/2005
ALKALINITY		E310.1				Analyst: WN
Alkalinity, Total (As CaCO ₃)	312	1.00		mg/L CaCO ₃	1	9/19/2005

Qualifiers: * Value exceeds Maximum Contaminant Level
 E Value above quantitation range
 J Analyte detected below quantitation limits
 S Spike Recovery outside accepted recovery limits
 B Analyte detected in the associated Method Blank
 H Holding times for preparation or analysis exceeded
 ND Not Detected at the Reporting Limit
 U Indicates the compound was analyzed for but not detected

American Analytical Laboratories, LLC.

Date: 28-Sep-05

CLIENT:	Leggette Brashears & Graham Inc.	Client Sample ID:	FRW-3
Lab Order:	0509104	Tag Number:	2434
Project:	Sag Harbor, N.Y.	Collection Date:	9/8/2005 1:30:00 PM
Lab ID:	0509104-41D	Date Received:	9/13/2005
		Matrix:	LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
NITRATE AS N		E353.2				Analyst: BK
Nitrogen, Nitrate-Nitrite	0.844	0.100		mg/L	1	9/20/2005

Qualifiers:	* Value exceeds Maximum Contaminant Level	B Analyte detected in the associated Method Blank
	E Value above quantitation range	H Holding times for preparation or analysis exceeded
	J Analyte detected below quantitation limits	ND Not Detected at the Reporting Limit
	S Spike Recovery outside accepted recovery limits	U Indicates the compound was analyzed for but not detected

American Analytical Laboratories, LLC.

Date: 28-Sep-05

CLIENT:	Leggette Brashears & Graham Inc.	Client Sample ID:	FRW-3
Lab Order:	0509104	Tag Number:	2434
Project:	Sag Harbor, N.Y.	Collection Date:	9/8/2005 1:30:00 PM
Lab ID:	0509104-41E	Date Received:	9/13/2005
		Matrix:	LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
SULFIDE		E376.1				Analyst: WN
Sulfide	U	1.0		mg/L	1	4/15/2005

Qualifiers:	*	Value exceeds Maximum Contaminant Level	B	Analyte detected in the associated Method Blank
	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded
	J	Analyte detected below quantitation limits	ND	Not Detected at the Reporting Limit
	S	Spike Recovery outside accepted recovery limits	U	Indicates the compound was analyzed for but not detected

American Analytical Laboratories, LLC.

Date: 28-Sep-05

CLIENT: Leggette Brashears & Graham Inc. Client Sample ID: FRW-4
 Lab Order: 0509104 Tag Number: 2434
 Project: Sag Harbor, N.Y. Collection Date: 9/8/2005 1:45:00 PM
 Lab ID: 0509104-42A Date Received: 9/13/2005 Matrix: LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILES SW-846 8260 PLUS MTBE & FREON1		SW8260B		Analyst: LDS		
1,1,1,2-Tetrachloroethane	U	1.0		µg/L	1	9/17/2005 7:34:00 AM
1,1,1-Trichloroethane	U	1.0		µg/L	1	9/17/2005 7:34:00 AM
1,1,2,2-Tetrachloroethane	U	1.0		µg/L	1	9/17/2005 7:34:00 AM
1,1,2-Trichloro-1,2,2-trifluoroethane	U	1.0		µg/L	1	9/17/2005 7:34:00 AM
1,1,2-Trichloroethane	U	1.0		µg/L	1	9/17/2005 7:34:00 AM
1,1-Dichloroethane	U	1.0		µg/L	1	9/17/2005 7:34:00 AM
1,1-Dichloroethene	U	1.0		µg/L	1	9/17/2005 7:34:00 AM
1,1-Dichloropropene	U	1.0		µg/L	1	9/17/2005 7:34:00 AM
1,2,3-Trichlorobenzene	U	1.0		µg/L	1	9/17/2005 7:34:00 AM
1,2,3-Trichloropropane	U	1.0		µg/L	1	9/17/2005 7:34:00 AM
1,2,4-Trichlorobenzene	U	1.0		µg/L	1	9/17/2005 7:34:00 AM
1,2,4-Trimethylbenzene	U	1.0		µg/L	1	9/17/2005 7:34:00 AM
1,2-Dibromo-3-chloropropane	U	1.0		µg/L	1	9/17/2005 7:34:00 AM
1,2-Dibromoethane	U	1.0		µg/L	1	9/17/2005 7:34:00 AM
1,2-Dichlorobenzene	U	1.0		µg/L	1	9/17/2005 7:34:00 AM
1,2-Dichloroethane	U	1.0		µg/L	1	9/17/2005 7:34:00 AM
1,2-Dichloropropane	U	1.0		µg/L	1	9/17/2005 7:34:00 AM
1,3,5-Trimethylbenzene	U	1.0		µg/L	1	9/17/2005 7:34:00 AM
1,3-Dichlorobenzene	U	1.0		µg/L	1	9/17/2005 7:34:00 AM
1,3-dichloropropane	U	1.0		µg/L	1	9/17/2005 7:34:00 AM
1,4-Dichlorobenzene	U	1.0		µg/L	1	9/17/2005 7:34:00 AM
2,2-Dichloropropane	U	1.0		µg/L	1	9/17/2005 7:34:00 AM
2-Butanone	U	1.0		µg/L	1	9/17/2005 7:34:00 AM
2-Chloroethyl vinyl ether	U	1.0		µg/L	1	9/17/2005 7:34:00 AM
2-Chlorotoluene	U	1.0		µg/L	1	9/17/2005 7:34:00 AM
2-Hexanone	U	1.0		µg/L	1	9/17/2005 7:34:00 AM
4-Chlorotoluene	U	1.0		µg/L	1	9/17/2005 7:34:00 AM
4-Isopropyltoluene	U	1.0		µg/L	1	9/17/2005 7:34:00 AM
4-Methyl-2-pentanone	U	1.0		µg/L	1	9/17/2005 7:34:00 AM
Acetone	U	1.0		µg/L	1	9/17/2005 7:34:00 AM
Benzene	U	1.0		µg/L	1	9/17/2005 7:34:00 AM
Bromobenzene	U	1.0		µg/L	1	9/17/2005 7:34:00 AM
Bromochloromethane	U	1.0		µg/L	1	9/17/2005 7:34:00 AM
Bromodichloromethane	U	1.0		µg/L	1	9/17/2005 7:34:00 AM
Bromoform	U	1.0		µg/L	1	9/17/2005 7:34:00 AM
Bromomethane	U	1.0		µg/L	1	9/17/2005 7:34:00 AM
Carbon disulfide	U	1.0		µg/L	1	9/17/2005 7:34:00 AM
Carbon tetrachloride	U	1.0		µg/L	1	9/17/2005 7:34:00 AM
Chlorobenzene	U	1.0		µg/L	1	9/17/2005 7:34:00 AM
Chloroethane	U	1.0		µg/L	1	9/17/2005 7:34:00 AM

Qualifiers: * Value exceeds Maximum Contaminant Level B Analyte detected in the associated Method Blank
 E Value above quantitation range H Holding times for preparation or analysis exceeded
 J Analyte detected below quantitation limits ND Not Detected at the Reporting Limit
 S Spike Recovery outside accepted recovery limits U Indicates the compound was analyzed for but not detected

American Analytical Laboratories, LLC.

Date: 28-Sep-05

CLIENT: Leggette Brashears & Graham Inc. **Client Sample ID:** FRW-4
Lab Order: 0509104 **Tag Number:** 2434
Project: Sag Harbor, N.Y. **Collection Date:** 9/8/2005 1:45:00 PM
Lab ID: 0509104-42A **Date Received:** 9/13/2005 **Matrix:** LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
Chloroform	U	1.0		µg/L	1	9/17/2005 7:34:00 AM
Chloromethane	U	1.0		µg/L	1	9/17/2005 7:34:00 AM
cis-1,2-Dichloroethene	U	1.0		µg/L	1	9/17/2005 7:34:00 AM
cis-1,3-Dichloropropene	U	1.0		µg/L	1	9/17/2005 7:34:00 AM
Dibromochloromethane	U	1.0		µg/L	1	9/17/2005 7:34:00 AM
Dibromomethane	U	1.0		µg/L	1	9/17/2005 7:34:00 AM
Dichlorodifluoromethane	U	1.0		µg/L	1	9/17/2005 7:34:00 AM
Ethylbenzene	U	1.0		µg/L	1	9/17/2005 7:34:00 AM
Hexachlorobutadiene	U	1.0		µg/L	1	9/17/2005 7:34:00 AM
Isopropylbenzene	U	1.0		µg/L	1	9/17/2005 7:34:00 AM
m,p-Xylene	U	2.0		µg/L	1	9/17/2005 7:34:00 AM
Methyl tert-butyl ether	U	1.0		µg/L	1	9/17/2005 7:34:00 AM
Methylene chloride	U	1.0	B	µg/L	1	9/17/2005 7:34:00 AM
Naphthalene	U	1.0		µg/L	1	9/17/2005 7:34:00 AM
n-Butylbenzene	U	1.0		µg/L	1	9/17/2005 7:34:00 AM
n-Propylbenzene	U	1.0		µg/L	1	9/17/2005 7:34:00 AM
o-Xylene	U	1.0		µg/L	1	9/17/2005 7:34:00 AM
sec-Butylbenzene	U	1.0		µg/L	1	9/17/2005 7:34:00 AM
Styrene	U	1.0		µg/L	1	9/17/2005 7:34:00 AM
tert-Butylbenzene	U	1.0		µg/L	1	9/17/2005 7:34:00 AM
Tetrachloroethene	2.5	1.0		µg/L	1	9/17/2005 7:34:00 AM
Toluene	98	1.0		µg/L	1	9/17/2005 7:34:00 AM
trans-1,2-Dichloroethene	U	1.0		µg/L	1	9/17/2005 7:34:00 AM
trans-1,3-Dichloropropene	U	1.0		µg/L	1	9/17/2005 7:34:00 AM
Trichloroethene	U	1.0		µg/L	1	9/17/2005 7:34:00 AM
Trichlorofluoromethane	U	1.0		µg/L	1	9/17/2005 7:34:00 AM
Vinyl acetate	U	1.0		µg/L	1	9/17/2005 7:34:00 AM
Vinyl chloride	U	1.0		µg/L	1	9/17/2005 7:34:00 AM

Qualifiers:	*	Value exceeds Maximum Contaminant Level	B	Analyte detected in the associated Method Blank
	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded
	J	Analyte detected below quantitation limits	ND	Not Detected at the Reporting Limit
	S	Spike Recovery outside accepted recovery limits	U	Indicates the compound was analyzed for but not detected

American Analytical Laboratories, LLC.

Date: 28-Sep-05

CLIENT:	Leggette Brashears & Graham Inc.	Client Sample ID:	FRW-4
Lab Order:	0509104	Tag Number:	2434
Project:	Sag Harbor, N.Y.	Collection Date:	9/8/2005 1:45:00 PM
Lab ID:	0509104-42B	Date Received:	9/13/2005
		Matrix:	LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
TOTAL IRON		E200.7		(SW3010A)		Analyst: JP
Iron	15.7	0.0200		mg/L	1	9/15/2005 12:11:41 PM

Qualifiers:	* Value exceeds Maximum Contaminant Level	B Analyte detected in the associated Method Blank
	E Value above quantitation range	H Holding times for preparation or analysis exceeded
	J Analyte detected below quantitation limits	ND Not Detected at the Reporting Limit
	S Spike Recovery outside accepted recovery limits	U Indicates the compound was analyzed for but not detected

Page 1 of 1

American Analytical Laboratories, LLC.

Date: 28-Sep-05

CLIENT:	Leggette Brashears & Graham Inc.	Client Sample ID:	FRW-4
Lab Order:	0509104	Tag Number:	2434
Project:	Sag Harbor, N.Y.	Collection Date:	9/8/2005 1:45:00 PM
Lab ID:	0509104-42C	Date Received:	9/13/2005
		Matrix:	LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
DISSOLVED IRON		E200.7		(SW3005A)		Analyst: JP
Iron	7.53	0.0200		mg/L	1	9/15/2005 12:09:02 PM
CHLORIDE		M4500-C1 B				Analyst: IP
Chloride	17.5	1.00		mg/L	1	9/15/2005
IRON, FERROUS (FE+2)		M3500-Fe D				Analyst: IP
Iron, Ferrous	884	25.0		µg/L	1	9/19/2005
SULFATE		E375.4				Analyst: IP
Sulfate	11.2	1.00		mg/L	1	9/16/2005
ALKALINITY		E310.1				Analyst: WN
Alkalinity, Total (As CaCO3)	39.4	1.00		mg/L CaCO3	1	9/19/2005

Qualifiers:	*	Value exceeds Maximum Contaminant Level	B	Analyte detected in the associated Method Blank
	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded
	J	Analyte detected below quantitation limits	ND	Not Detected at the Reporting Limit
	S	Spike Recovery outside accepted recovery limits	U	Indicates the compound was analyzed for but not detected

American Analytical Laboratories, LLC.

Date: 28-Sep-05

CLIENT:	Leggette Brashears & Graham Inc.	Client Sample ID:	FRW-4
Lab Order:	0509104	Tag Number:	2434
Project:	Sag Harbor, N.Y.	Collection Date:	9/8/2005 1:45:00 PM
Lab ID:	0509104-42D	Date Received:	9/13/2005
		Matrix:	LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
NITRATE AS N		E353.2				Analyst: BK
Nitrogen, Nitrate-Nitrite	1.04	0.100		mg/L	1	9/20/2005

Qualifiers:	* Value exceeds Maximum Contaminant Level	B Analyte detected in the associated Method Blank
	E Value above quantitation range	H Holding times for preparation or analysis exceeded
	J Analyte detected below quantitation limits	ND Not Detected at the Reporting Limit
	S Spike Recovery outside accepted recovery limits	U Indicates the compound was analyzed for but not detected

American Analytical Laboratories, LLC.

Date: 28-Sep-05

CLIENT:	Leggette Brashears & Graham Inc.	Client Sample ID:	FRW-4
Lab Order:	0509104	Tag Number:	2434
Project:	Sag Harbor, N.Y.	Collection Date:	9/8/2005 1:45:00 PM
Lab ID:	0509104-42E	Date Received:	9/13/2005
		Matrix:	LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
SULFIDE		E376.1				Analyst: WN
Sulfide	U	1.0		mg/L	1	4/15/2005

Qualifiers:	* Value exceeds Maximum Contaminant Level	B Analyte detected in the associated Method Blank
	E Value above quantitation range	H Holding times for preparation or analysis exceeded
	J Analyte detected below quantitation limits	ND Not Detected at the Reporting Limit
	S Spike Recovery outside accepted recovery limits	U Indicates the compound was analyzed for but not detected

American Analytical Laboratories, LLC.

Date: 28-Sep-05

CLIENT: Leggette Brashears & Graham Inc. Client Sample ID: MW-98-04
 Lab Order: 0509104 Tag Number: 2431
 Project: Sag Harbor, N.Y. Collection Date: 9/8/2005 12:02:00 PM
 Lab ID: 0509104-38A Date Received: 9/13/2005 Matrix: LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILES SW-846 8260 PLUS MTBE & FREON1		SW8260B		Analyst: LDS		
1,1,1,2-Tetrachloroethane	U	1.0		µg/L	1	9/17/2005 4:09:00 AM
1,1,1-Trichloroethane	U	1.0		µg/L	1	9/17/2005 4:09:00 AM
1,1,2,2-Tetrachloroethane	U	1.0		µg/L	1	9/17/2005 4:09:00 AM
1,1,2-Trichloro-1,2,2-trifluoroethane	U	1.0		µg/L	1	9/17/2005 4:09:00 AM
1,1,2-Trichloroethane	U	1.0		µg/L	1	9/17/2005 4:09:00 AM
1,1-Dichloroethane	U	1.0		µg/L	1	9/17/2005 4:09:00 AM
1,1-Dichloroethene	U	1.0		µg/L	1	9/17/2005 4:09:00 AM
1,1-Dichloropropene	U	1.0		µg/L	1	9/17/2005 4:09:00 AM
1,2,3-Trichlorobenzene	U	1.0		µg/L	1	9/17/2005 4:09:00 AM
1,2,3-Trichloropropane	U	1.0		µg/L	1	9/17/2005 4:09:00 AM
1,2,4-Trichlorobenzene	U	1.0		µg/L	1	9/17/2005 4:09:00 AM
1,2,4-Trimethylbenzene	U	1.0		µg/L	1	9/17/2005 4:09:00 AM
1,2-Dibromo-3-chloropropane	U	1.0		µg/L	1	9/17/2005 4:09:00 AM
1,2-Dibromoethane	U	1.0		µg/L	1	9/17/2005 4:09:00 AM
1,2-Dichlorobenzene	U	1.0		µg/L	1	9/17/2005 4:09:00 AM
1,2-Dichloroethane	U	1.0		µg/L	1	9/17/2005 4:09:00 AM
1,2-Dichloropropane	U	1.0		µg/L	1	9/17/2005 4:09:00 AM
1,3,5-Trimethylbenzene	U	1.0		µg/L	1	9/17/2005 4:09:00 AM
1,3-Dichlorobenzene	U	1.0		µg/L	1	9/17/2005 4:09:00 AM
1,3-dichloropropane	U	1.0		µg/L	1	9/17/2005 4:09:00 AM
1,4-Dichlorobenzene	U	1.0		µg/L	1	9/17/2005 4:09:00 AM
2,2-Dichloropropane	U	1.0		µg/L	1	9/17/2005 4:09:00 AM
2-Butanone	U	1.0		µg/L	1	9/17/2005 4:09:00 AM
2-Chloroethyl vinyl ether	U	1.0		µg/L	1	9/17/2005 4:09:00 AM
2-Chlorotoluene	U	1.0		µg/L	1	9/17/2005 4:09:00 AM
2-Hexanone	U	1.0		µg/L	1	9/17/2005 4:09:00 AM
4-Chlorotoluene	U	1.0		µg/L	1	9/17/2005 4:09:00 AM
4-Isopropyltoluene	U	1.0		µg/L	1	9/17/2005 4:09:00 AM
4-Methyl-2-pentanone	U	1.0		µg/L	1	9/17/2005 4:09:00 AM
Acetone	U	1.0		µg/L	1	9/17/2005 4:09:00 AM
Benzene	U	1.0		µg/L	1	9/17/2005 4:09:00 AM
Bromobenzene	U	1.0		µg/L	1	9/17/2005 4:09:00 AM
Bromochloromethane	U	1.0		µg/L	1	9/17/2005 4:09:00 AM
Bromodichloromethane	U	1.0		µg/L	1	9/17/2005 4:09:00 AM
Bromoform	U	1.0		µg/L	1	9/17/2005 4:09:00 AM
Bromomethane	U	1.0		µg/L	1	9/17/2005 4:09:00 AM
Carbon disulfide	U	1.0		µg/L	1	9/17/2005 4:09:00 AM
Carbon tetrachloride	U	1.0		µg/L	1	9/17/2005 4:09:00 AM
Chlorobenzene	U	1.0		µg/L	1	9/17/2005 4:09:00 AM
Chloroethane	U	1.0		µg/L	1	9/17/2005 4:09:00 AM

Qualifiers: * Value exceeds Maximum Contaminant Level B Analyte detected in the associated Method Blank
 E Value above quantitation range H Holding times for preparation or analysis exceeded
 J Analyte detected below quantitation limits ND Not Detected at the Reporting Limit
 S Spike Recovery outside accepted recovery limits U Indicates the compound was analyzed for but not detected.

American Analytical Laboratories, LLC.

Date: 28-Sep-05

CLIENT:	Leggette Brashears & Graham Inc.	Client Sample ID:	MW-98-04
Lab Order:	0509104	Tag Number:	2431
Project:	Sag Harbor, N.Y.	Collection Date:	9/8/2005 12:02:00 PM
Lab ID:	0509104-38A	Date Received:	9/13/2005
		Matrix:	LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
Chloroform	U	1.0		µg/L	1	9/17/2005 4:09:00 AM
Chloromethane	U	1.0		µg/L	1	9/17/2005 4:09:00 AM
cis-1,2-Dichloroethene	U	1.0		µg/L	1	9/17/2005 4:09:00 AM
cis-1,3-Dichloropropene	U	1.0		µg/L	1	9/17/2005 4:09:00 AM
Dibromochloromethane	U	1.0		µg/L	1	9/17/2005 4:09:00 AM
Dibromomethane	U	1.0		µg/L	1	9/17/2005 4:09:00 AM
Dichlorodifluoromethane	U	1.0		µg/L	1	9/17/2005 4:09:00 AM
Ethylbenzene	U	1.0		µg/L	1	9/17/2005 4:09:00 AM
Hexachlorobutadiene	U	1.0		µg/L	1	9/17/2005 4:09:00 AM
Isopropylbenzene	U	1.0		µg/L	1	9/17/2005 4:09:00 AM
m,p-Xylene	U	2.0		µg/L	1	9/17/2005 4:09:00 AM
Methyl tert-butyl ether	U	1.0		µg/L	1	9/17/2005 4:09:00 AM
Methylene chloride	U	1.0	B	µg/L	1	9/17/2005 4:09:00 AM
Naphthalene	U	1.0		µg/L	1	9/17/2005 4:09:00 AM
n-Butylbenzene	U	1.0		µg/L	1	9/17/2005 4:09:00 AM
n-Propylbenzene	U	1.0		µg/L	1	9/17/2005 4:09:00 AM
o-Xylene	U	1.0		µg/L	1	9/17/2005 4:09:00 AM
sec-Butylbenzene	U	1.0		µg/L	1	9/17/2005 4:09:00 AM
Styrene	U	1.0		µg/L	1	9/17/2005 4:09:00 AM
tert-Butylbenzene	U	1.0		µg/L	1	9/17/2005 4:09:00 AM
Tetrachloroethene	U	1.0		µg/L	1	9/17/2005 4:09:00 AM
Toluene	U	1.0		µg/L	1	9/17/2005 4:09:00 AM
trans-1,2-Dichloroethene	U	1.0		µg/L	1	9/17/2005 4:09:00 AM
trans-1,3-Dichloropropene	U	1.0		µg/L	1	9/17/2005 4:09:00 AM
Trichloroethene	U	1.0		µg/L	1	9/17/2005 4:09:00 AM
Trichlorofluoromethane	U	1.0		µg/L	1	9/17/2005 4:09:00 AM
Vinyl acetate	U	1.0		µg/L	1	9/17/2005 4:09:00 AM
Vinyl chloride	U	1.0		µg/L	1	9/17/2005 4:09:00 AM

Qualifiers:	* Value exceeds Maximum Contaminant Level	B Analyte detected in the associated Method Blank
	E Value above quantitation range	H Holding times for preparation or analysis exceeded
	J Analyte detected below quantitation limits	ND Not Detected at the Reporting Limit
	S Spike Recovery outside accepted recovery limits	U Indicates the compound was analyzed for but not detected

American Analytical Laboratories, LLC.

Date: 28-Sep-05

CLIENT:	Leggette Brashears & Graham Inc.	Client Sample ID:	MW-98-04
Lab Order:	0509104	Tag Number:	2431
Project:	Sag Harbor, N.Y.	Collection Date:	9/8/2005 12:02:00 PM
Lab ID:	0509104-38B	Date Received:	9/13/2005
		Matrix:	LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
TOTAL IRON		E200.7		(SW3010A)		Analyst: JP
Iron	0.159	0.0200		mg/L	1	9/20/2005 10:19:33 AM

Qualifiers:	* Value exceeds Maximum Contaminant Level	B Analyte detected in the associated Method Blank
	E Value above quantitation range	H Holding times for preparation or analysis exceeded
	J Analyte detected below quantitation limits	ND Not Detected at the Reporting Limit
	S Spike Recovery outside accepted recovery limits	U Indicates the compound was analyzed for but not detected

American Analytical Laboratories, LLC.

Date: 28-Sep-05

CLIENT:	Leggette Brashears & Graham Inc.	Client Sample ID:	MW-98-04
Lab Order:	0509104	Tag Number:	2431
Project:	Sag Harbor, N.Y.	Collection Date:	9/8/2005 12:02:00 PM
Lab ID:	0509104-38C	Date Received:	9/13/2005
		Matrix:	LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
DISSOLVED IRON		E200.7				Analyst: JP
Iron	U	0.0200		mg/L	1	9/14/2005 2:39:20 PM
CHLORIDE		M4500-C1 B				Analyst: IP
Chloride	19.5	1.00		mg/L	1	9/15/2005
IRON, FERROUS (FE+2)		M3500-Fe D				Analyst: IP
Iron, Ferrous	U	25.0		µg/L	1	9/19/2005
SULFATE		E375.4				Analyst: IP
Sulfate	14.2	1.00		mg/L	1	9/16/2005
ALKALINITY		E310.1				Analyst: WN
Alkalinity, Total (As CaCO3)	21.2	1.00		mg/L CaCO3	1	9/19/2005

Qualifiers:	*	Value exceeds Maximum Contaminant Level	B	Analyte detected in the associated Method Blank
	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded
	J	Analyte detected below quantitation limits	ND	Not Detected at the Reporting Limit
	S	Spike Recovery outside accepted recovery limits	U	Indicates the compound was analyzed for but not detected

American Analytical Laboratories, LLC.

Date: 28-Sep-05

CLIENT:	Leggette Brashears & Graham Inc.	Client Sample ID:	MW-98-04
Lab Order:	0509104	Tag Number:	2431
Project:	Sag Harbor, N.Y.	Collection Date:	9/8/2005 12:02:00 PM
Lab ID:	0509104-38D	Date Received:	9/13/2005
		Matrix:	LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
NITRATE AS N		E353.2				Analyst: BK
Nitrogen, Nitrate-Nitrite	6.27	0.100		mg/L	1	9/20/2005

Qualifiers:	* Value exceeds Maximum Contaminant Level	B Analyte detected in the associated Method Blank
	E Value above quantitation range	H Holding times for preparation or analysis exceeded
	J Analyte detected below quantitation limits	ND Not Detected at the Reporting Limit
	S Spike Recovery outside accepted recovery limits	U Indicates the compound was analyzed for but not detected

Page 1 of 1

American Analytical Laboratories, LLC.

Date: 28-Sep-05

CLIENT:	Leggette Brashears & Graham Inc.	Client Sample ID:	MW-98-04
Lab Order:	0509104	Tag Number:	2431
Project:	Sag Harbor, N.Y.	Collection Date:	9/8/2005 12:02:00 PM
Lab ID:	0509104-38E	Date Received:	9/13/2005
		Matrix:	LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
SULFIDE		E376.1				Analyst: WN
Sulfide	U	1.0		mg/L	1	4/15/2005

Qualifiers:	* Value exceeds Maximum Contaminant Level	B Analyte detected in the associated Method Blank
	E Value above quantitation range	H Holding times for preparation or analysis exceeded
	J Analyte detected below quantitation limits	ND Not Detected at the Reporting Limit
	S Spike Recovery outside accepted recovery limits	U Indicates the compound was analyzed for but not detected

Page 1 of 1

American Analytical Laboratories, LLC.

Date: 28-Sep-05

CLIENT:	Leggette Brashears & Graham Inc.	Client Sample ID:	MW-45A
Lab Order:	0509104	Tag Number:	2434
Project:	Sag Harbor, N.Y.	Collection Date:	9/8/2005 10:45:00 AM
Lab ID:	0509104-43A	Date Received:	9/13/2005
		Matrix:	LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILES SW-846 8260 PLUS MTBE & FREON1		SW8260B		Analyst: LDS		
1,1,1,2-Tetrachloroethane	U	1.0		µg/L	1	9/17/2005 8:08:00 AM
1,1,1-Trichloroethane	U	1.0		µg/L	1	9/17/2005 8:08:00 AM
1,1,2,2-Tetrachloroethane	U	1.0		µg/L	1	9/17/2005 8:08:00 AM
1,1,2-Trichloro-1,2,2-trifluoroethane	U	1.0		µg/L	1	9/17/2005 8:08:00 AM
1,1,2-Trichloroethane	U	1.0		µg/L	1	9/17/2005 8:08:00 AM
1,1-Dichloroethane	U	1.0		µg/L	1	9/17/2005 8:08:00 AM
1,1-Dichloroethene	U	1.0		µg/L	1	9/17/2005 8:08:00 AM
1,1-Dichloropropene	U	1.0		µg/L	1	9/17/2005 8:08:00 AM
1,2,3-Trichlorobenzene	U	1.0		µg/L	1	9/17/2005 8:08:00 AM
1,2,3-Trichloropropane	U	1.0		µg/L	1	9/17/2005 8:08:00 AM
1,2,4-Trichlorobenzene	U	1.0		µg/L	1	9/17/2005 8:08:00 AM
1,2,4-Trimethylbenzene	U	1.0		µg/L	1	9/17/2005 8:08:00 AM
1,2-Dibromo-3-chloropropane	U	1.0		µg/L	1	9/17/2005 8:08:00 AM
1,2-Dibromoethane	U	1.0		µg/L	1	9/17/2005 8:08:00 AM
1,2-Dichlorobenzene	U	1.0		µg/L	1	9/17/2005 8:08:00 AM
1,2-Dichloroethane	U	1.0		µg/L	1	9/17/2005 8:08:00 AM
1,2-Dichloropropane	U	1.0		µg/L	1	9/17/2005 8:08:00 AM
1,3,5-Trimethylbenzene	U	1.0		µg/L	1	9/17/2005 8:08:00 AM
1,3-Dichlorobenzene	U	1.0		µg/L	1	9/17/2005 8:08:00 AM
1,3-dichloropropane	U	1.0		µg/L	1	9/17/2005 8:08:00 AM
1,4-Dichlorobenzene	U	1.0		µg/L	1	9/17/2005 8:08:00 AM
2,2-Dichloropropane	U	1.0		µg/L	1	9/17/2005 8:08:00 AM
2-Butanone	U	1.0		µg/L	1	9/17/2005 8:08:00 AM
2-Chloroethyl vinyl ether	U	1.0		µg/L	1	9/17/2005 8:08:00 AM
2-Chlorotoluene	U	1.0		µg/L	1	9/17/2005 8:08:00 AM
2-Hexanone	U	1.0		µg/L	1	9/17/2005 8:08:00 AM
4-Chlorotoluene	U	1.0		µg/L	1	9/17/2005 8:08:00 AM
4-Isopropyltoluene	U	1.0		µg/L	1	9/17/2005 8:08:00 AM
4-Methyl-2-pentanone	U	1.0		µg/L	1	9/17/2005 8:08:00 AM
Acetone	U	1.0		µg/L	1	9/17/2005 8:08:00 AM
Benzene	U	1.0		µg/L	1	9/17/2005 8:08:00 AM
Bromobenzene	U	1.0		µg/L	1	9/17/2005 8:08:00 AM
Bromochloromethane	U	1.0		µg/L	1	9/17/2005 8:08:00 AM
Bromodichloromethane	U	1.0		µg/L	1	9/17/2005 8:08:00 AM
Bromoform	U	1.0		µg/L	1	9/17/2005 8:08:00 AM
Bromomethane	U	1.0		µg/L	1	9/17/2005 8:08:00 AM
Carbon disulfide	U	1.0		µg/L	1	9/17/2005 8:08:00 AM
Carbon tetrachloride	U	1.0		µg/L	1	9/17/2005 8:08:00 AM
Chlorobenzene	U	1.0		µg/L	1	9/17/2005 8:08:00 AM
Chloroethane	U	1.0		µg/L	1	9/17/2005 8:08:00 AM

Qualifiers:	* Value exceeds Maximum Contaminant Level	B Analyte detected in the associated Method Blank
	E Value above quantitation range	H Holding times for preparation or analysis exceeded
	J Analyte detected below quantitation limits	ND Not Detected at the Reporting Limit
	S Spike Recovery outside accepted recovery limits	U Indicates the compound was analyzed for but not detected

American Analytical Laboratories, LLC.

Date: 28-Sep-05

CLIENT:	Leggette Brashears & Graham Inc.	Client Sample ID:	MW-45A
Lab Order:	0509104	Tag Number:	2434
Project:	Sag Harbor, N.Y.	Collection Date:	9/8/2005 10:45:00 AM
Lab ID:	0509104-43A	Date Received:	9/13/2005
		Matrix:	LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
Chloroform	U	1.0		µg/L	1	9/17/2005 8:08:00 AM
Chloromethane	U	1.0		µg/L	1	9/17/2005 8:08:00 AM
cis-1,2-Dichloroethene	U	1.0		µg/L	1	9/17/2005 8:08:00 AM
cis-1,3-Dichloropropene	U	1.0		µg/L	1	9/17/2005 8:08:00 AM
Dibromochloromethane	U	1.0		µg/L	1	9/17/2005 8:08:00 AM
Dibromomethane	U	1.0		µg/L	1	9/17/2005 8:08:00 AM
Dichlorodifluoromethane	U	1.0		µg/L	1	9/17/2005 8:08:00 AM
Ethylbenzene	U	1.0		µg/L	1	9/17/2005 8:08:00 AM
Hexachlorobutadiene	U	1.0		µg/L	1	9/17/2005 8:08:00 AM
Isopropylbenzene	U	1.0		µg/L	1	9/17/2005 8:08:00 AM
m,p-Xylene	U	2.0		µg/L	1	9/17/2005 8:08:00 AM
Methyl tert-butyl ether	U	1.0		µg/L	1	9/17/2005 8:08:00 AM
Methylene chloride	U	1.0	B	µg/L	1	9/17/2005 8:08:00 AM
Naphthalene	U	1.0		µg/L	1	9/17/2005 8:08:00 AM
n-Butylbenzene	U	1.0		µg/L	1	9/17/2005 8:08:00 AM
n-Propylbenzene	U	1.0		µg/L	1	9/17/2005 8:08:00 AM
o-Xylene	U	1.0		µg/L	1	9/17/2005 8:08:00 AM
sec-Butylbenzene	U	1.0		µg/L	1	9/17/2005 8:08:00 AM
Styrene	U	1.0		µg/L	1	9/17/2005 8:08:00 AM
tert-Butylbenzene	U	1.0		µg/L	1	9/17/2005 8:08:00 AM
Tetrachloroethene	U	1.0		µg/L	1	9/17/2005 8:08:00 AM
Toluene	U	1.0		µg/L	1	9/17/2005 8:08:00 AM
trans-1,2-Dichloroethene	U	1.0		µg/L	1	9/17/2005 8:08:00 AM
trans-1,3-Dichloropropene	U	1.0		µg/L	1	9/17/2005 8:08:00 AM
Trichloroethene	U	1.0		µg/L	1	9/17/2005 8:08:00 AM
Trichlorofluoromethane	U	1.0		µg/L	1	9/17/2005 8:08:00 AM
Vinyl acetate	U	1.0		µg/L	1	9/17/2005 8:08:00 AM
Vinyl chloride	U	1.0		µg/L	1	9/17/2005 8:08:00 AM

Qualifiers:	* Value exceeds Maximum Contaminant Level	B Analyte detected in the associated Method Blank
	E Value above quantitation range	H Holding times for preparation or analysis exceeded
	J Analyte detected below quantitation limits	ND Not Detected at the Reporting Limit
	S Spike Recovery outside accepted recovery limits	U Indicates the compound was analyzed for but not detected

American Analytical Laboratories, LLC.

Date: 28-Sep-05

CLIENT:	Leggette Brashears & Graham Inc.	Client Sample ID:	MW-45A
Lab Order:	0509104	Tag Number:	2434
Project:	Sag Harbor, N.Y.	Collection Date:	9/8/2005 10:45:00 AM
Lab ID:	0509104-43B	Date Received:	9/13/2005
		Matrix:	LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
TOTAL IRON		E200.7		(SW3010A)		Analyst: JP
Iron				mg/L	1	9/15/2005 12:16:45 PM

Qualifiers:	*	Value exceeds Maximum Contaminant Level	B	Analyte detected in the associated Method Blank
	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded
	J	Analyte detected below quantitation limits	ND	Not Detected at the Reporting Limit
	S	Spike Recovery outside accepted recovery limits	U	Indicates the compound was analyzed for but not detected

American Analytical Laboratories, LLC.

Date: 28-Sep-05

CLIENT:	Leggette Brashears & Graham Inc.	Client Sample ID:	MW-45A
Lab Order:	0509104	Tag Number:	2434
Project:	Sag Harbor, N.Y.	Collection Date:	9/8/2005 10:45:00 AM
Lab ID:	0509104-43C	Date Received:	9/13/2005
		Matrix:	LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
DISSOLVED IRON Iron		E200.7		(SW3005A) mg/L	1	Analyst: JP 9/15/2005 12:14:31 PM
CHLORIDE Chloride		M4500-C1 B		mg/L	1	Analyst: IP 9/15/2005
IRON, FERROUS (FE+2) Iron, Ferrous		M3500-Fe D		µg/L	1	Analyst: IP 9/19/2005
SULFATE Sulfate		E375.4		mg/L	1	Analyst: IP 9/16/2005
ALKALINITY Alkalinity, Total (As CaCO3)		E310.1		mg/L CaCO3	1	Analyst: WN 9/19/2005

Qualifiers:	* Value exceeds Maximum Contaminant Level	B Analyte detected in the associated Method Blank
	E Value above quantitation range	H Holding times for preparation or analysis exceeded
	J Analyte detected below quantitation limits	ND Not Detected at the Reporting Limit
	S Spike Recovery outside accepted recovery limits	U Indicates the compound was analyzed for but not detected

American Analytical Laboratories, LLC.

Date: 28-Sep-05

CLIENT:	Leggette Brashears & Graham Inc.	Client Sample ID:	MW-45A
Lab Order:	0509104	Tag Number:	2434
Project:	Sag Harbor, N.Y.	Collection Date:	9/8/2005 10:45:00 AM
Lab ID:	0509104-43D	Date Received:	9/13/2005
		Matrix:	LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
NITRATE AS N		E353.2				Analyst: BK
Nitrogen, Nitrate-Nitrite		J		mg/L	1	9/20/2005

Qualifiers:	* Value exceeds Maximum Contaminant Level	B Analyte detected in the associated Method Blank
	E Value above quantitation range	H Holding times for preparation or analysis exceeded
	J Analyte detected below quantitation limits	ND Not Detected at the Reporting Limit
	S Spike Recovery outside accepted recovery limits	U Indicates the compound was analyzed for but not detected

American Analytical Laboratories, LLC.

Date: 28-Sep-05

CLIENT:	Leggette Brashears & Graham Inc.	Client Sample ID:	MW-45A
Lab Order:	0509104	Tag Number:	2434
Project:	Sag Harbor, N.Y.	Collection Date:	9/8/2005 10:45:00 AM
Lab ID:	0509104-43E	Date Received:	9/13/2005
		Matrix:	LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
SULFIDE		E376.1				Analyst: WN
Sulfide				mg/L	1	4/15/2005

Qualifiers:	*	Value exceeds Maximum Contaminant Level	B	Analyte detected in the associated Method Blank
	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded
	J	Analyte detected below quantitation limits	ND	Not Detected at the Reporting Limit
	S	Spike Recovery outside accepted recovery limits	U	Indicates the compound was analyzed for but not detected

Page 1 of 1

ANALYTICAL REPORT

JOB NUMBER: 210745


Prepared For:

LEGGETTE, BRASHEARS & GRAHAM
126 Monroe Turnpike
Trumbull, CT 06611

Project: ROWE INDUSTRIES

Attention: Mark Goldberg

Date: 09/29/2005


Signature

Name: Johanna L. Dubauskas

Title: Project Manager

E-Mail: jdubauskas@stl-inc.com

9.30.05
Date

STL Connecticut
128 Long Hill Cross Road
Shelton, CT 06484

This Report Contains (____) Pages

STL Report : 210745
LEGGETTE, BRASHEARS, & GRAHAM

Case Narrative

Sample Receipt - The samples were received at 9.8°C, collection in a cooler containing ice. The client was notified, and the laboratory was instructed to proceed with the analyses.

The following analyses were subcontracted out to the indicated laboratories:

RSK175 sent to STL Burlington, 208 South Park Drive, Suite 1, Colchester, VT 05446

SAMPLE INFORMATION

Date: 09/29/2005

Job Number.: 210745

Customer....: LEGGETTE, BRASHEARS & GRAHAM

Attn.....: Mark Goldberg

Project Number.....: 20000283

Customer Project ID....: ROWE INDUSTRIES

Project Description....: Rowe Industries

Laboratory Sample ID	Customer Sample ID	Sample Matrix	Date Sampled	Time Sampled	Date Received	Time Received
210745-1	FRW-1	Water	09/08/2005	12:22	09/13/2005	16:30
210745-2	FRW-2	Water	09/08/2005	13:00	09/13/2005	16:30
210745-3	FRW-3	Water	09/08/2005	13:30	09/13/2005	16:30
210745-4	FRW-4	Water	09/08/2005	13:45	09/13/2005	16:30
210745-5	MW-45A	Water	09/08/2005	10:45	09/13/2005	16:30
210745-6	MW98-04	Water	09/08/2005	12:02	09/13/2005	16:30

STL Connecticut
128 Long Hill Cross Road
Shelton, CT 06484
Tel: 203-929-8140

Chain of
Custody Record



Severn Trent Laboratories, Inc.
Severn Trent
ASSESSED RAD SCREEN

STL-4124 (0901)

Client: **LBG**
Address: **126 Monroe Tarapike**
City: **Trumbull** State: **CT** Zip Code: **06611**
Project Name and Location (State): **Rovle**
Contract/Purchase Order/Quote No.:
Project Manager: **Mark Goldberg**
Telephone Number (Area Code)/Fax Number: **203-452-3100**
Site Contact: **Bill Goodman**
Carrier/Vanbill Number:
Date: **9/13/05** Chain of Custody Number: **02286**
Page: **1** of **1**

Sample I.D. No. and Description (Containers for each sample may be combined on one line)	Date	Time	Matrix					Containers & Preservatives					Analysis (Attach list if more space is needed)	Special Instructions/ Conditions of Receipt
			Air	Aqueous	Sed.	Soil	Unpres.	H2SO4	HNO3	HCl	NaOH	ZnCl2/NaOH		
FRW-1	9/8/05	12:22	X	X			X							9.8-0C
2	9/8/05	13:00	X	X			X							100SE 102 MCLR
3	9/8/05	13:30	X	X			X							100SE 102 MCLR
4	9/8/05	13:45	X	X			X							100SE 102 MCLR
MW-45A	9/8/05	10:45	X	X			X							100SE 102 MCLR
MW 98-04	9/8/05	12:02	X	X			X							100SE 102 MCLR

210745
09/25/2005
LEGGETTE, BRASHEARS GRAHAM
MARK GOLDBERG
ROWE INDUSTRIES

Possible Hazard Identification
☒ Non-Hazard ☐ Flammable ☐ Skin Irritant ☐ Poison B ☐ Unknown ☐ Return To Client ☐ Disposal By Lab ☐ Archive For _____ Months
(A fee may be assessed if samples are retained longer than 1 month)

Turn Around Time Required
☐ 24 Hours ☐ 48 Hours ☐ 7 Days ☐ 14 Days ☐ 21 Days ☐ Other: **Standard**

1. Relinquished By: **Mark M. Goldberg** Date: **9/13/05** Time: **13:45**
2. Relinquished By: _____ Date: _____ Time: _____
3. Relinquished By: _____ Date: _____ Time: _____

OC Requirements (Specify)
1. Received By: **Mark M. Goldberg** Date: **9/13/05** Time: **13:45**
2. Received By: _____ Date: _____ Time: _____
3. Received By: **h Blackman** Date: **9/13/05** Time: **16:30**

Comments:

rpjsckl

Job Sample Receipt Checklist Report

V2

Job Number.: 210745 Location.: 57207 Check List Number.: 1 Description.:
Customer Job ID..... Job Check List Date.:
Project Number.: 20000283 Project Description.: Rowe Industries
Customer.....: LEGGETTE, BRASHEARS & GRAHAM Contact.: Mark Goldberg

Date of the Report...: 09/14/2005
Project Manager.....: wdg

Questions ?

(Y/N) Comments

Chain-of-Custody Present?..... Y

...If "yes", completed properly?..... Y

Custody seal on shipping container?..... Y

...If "yes", custody seal intact?..... Y

Custody seals on sample containers?..... N

...If "yes", custody seal intact?.....

Samples iced?..... Y

Temperature of cooler acceptable? (4 deg C +/- 2). N 9.8C

Samples received intact (good condition)?..... Y

Volatile samples acceptable? (no headspace)..... Y

Correct containers used?..... Y

Adequate sample volume provided?..... Y

Samples preserved correctly?.....

Samples received within holding-time?..... Y

Agreement between COC and sample labels?..... Y

Radioactivity at or below background levels?..... Y

A Sample Discrepancy Report (SDR) was needed?..... N

Comments.....

If samples were shipped was there an air bill #?.. N P/U BY RUTH

Sample Custodian Signature/Date..... Y

STL Burlington
Colchester, Vermont

Sample Data Summary
Package

SDG: 210745



STL Burlington
208 South Park Drive, Suite 1
Colchester, VT 05446

Tel: 802 655 1203 Fax: 802 655 1248
www.stl-inc.com

September 28, 2005

Ms. Johanna Dubaukas
Severn Trent Laboratories
128 Long Hill Cross Road
Shelton, CT 06484

Re: Laboratory Project No. 25001
Case: ROWE/ND; SDG: 210745

Dear Ms. Dubaukas:

Enclosed are the analytical results for samples received by STL Burlington on September 15, 2005. This report is sequentially numbered starting with page 0001 and ending with page 0073. Laboratory identification numbers were assigned, and designated as follows:

<u>Lab ID</u>	<u>Client Sample ID</u>	<u>Sample Date</u>	<u>Sample Matrix</u>
Received: 09/15/05 ETR No: 109744			
637986	FRW-1	09/08/05	Water
637987	FRW-2	09/08/05	Water
637988	FRW-3	09/08/05	Water
637989	FRW-4	09/08/05	Water
637990	MW-45A	09/08/05	Water
637991	MW98-04	09/08/05	Water

Documentation of the condition of the samples at the time of their receipt and any exception to the laboratory's Sample Acceptance Policy is documented in the Sample Handling section of this submittal.

The samples were analyzed for methane, ethane, and ethene by Method RSK-175. All the samples were analyzed for methane at a dilution in order to provide for quantification with the range of calibrated instrument response. Matrix spike and matrix spike duplicate analyses were not performed on the sample in this sample set due to insufficient sample volume. A laboratory control sample was prepared and analyzed in the analytical sequence, and there was an acceptable recovery of each target analyte in that analysis. The method blank that was analyzed in association with the sample was free of contamination.

The analytical results associated with the samples presented in this test report were generated under a quality system that adheres to requirements specified in the NELAC standard. Release of the data in this test report and any associated electronic deliverables is authorized by the Laboratory Director's designee as verified by the following signature.



STL

September 28, 2005
Ms. Johanna Dubaukas
Page 2 of 2

If there are any questions regarding this submittal, please contact me at 802 655-1203.

Sincerely,

A handwritten signature in cursive script that reads "Kristine Dusablon".

Kristine A. Dusablon
Project Manager

Enclosure

0001B (last alpha)

STL Burlington Data Qualifier Definitions

Organic

- U: Compound analyzed but not detected at a concentration above the reporting limit.
- J: Estimated value.
- N: Indicates presumptive evidence of a compound. This flag is used only for tentatively identified compounds (TICs) where the identification of a compound is based on a mass spectral library search.
- P: Greater than 25% difference for detected concentrations between two GC columns. Unless otherwise specified in project QA plan, the lower of the two values is reported on the Form I.
- C: Pesticide result whose identification has been confirmed by GC/MS.
- B: Analyte is found in the sample and the associated method blank. The flag is used for tentatively identified compounds as well as positively identified compounds.
- E: Compounds whose concentrations exceed the upper limit of the calibration range of the instrument for that specific analysis.
- D: Concentrations identified from analysis of the sample at a secondary dilution.
- A: Tentatively identified compound is a suspected aldol condensation product.
- X,Y,Z: Laboratory defined flags that may be used alone or combined, as needed. If used, the description of the flag is defined in the project narrative.

Inorganic/Metals

- E: Reported value is estimated due to the presence of interference.
- N: Matrix spike sample recovery is not within control limits.
- * Duplicate sample analysis is not within control limits.
- B: The result reported is less than the reporting limit but greater than the instrument detection limit.
- U: Analyte was analyzed for but not detected above the reporting limit.

Method Codes:

- P ICP-AES
MS ICP-MS
CV Cold Vapor AA
AS Semi-Automated Spectrophotometric

09/14/2005

STL Connecticut

RE: Subcontract Chain of Custody

STL CT Project Manager: William D. Goodman
Telephone Number: 203-929-8140
PO/Job #: 210745
Client: LEGGETTE, BRASHEARS & GRAHAM
Project Name: ROWE INDUSTRIES
VTSR Date: 09/13/2005
Hardcopy Due Date: 09/25/2005
Report Type: CLP Like

Samp#	Sample I.D.	Sampled	Time
1	FRW-1	09/08/2005	1222
2	FRW-2	09/08/2005	1300
3	FRW-3	09/08/2005	1330
4	FRW-4	09/08/2005	1345
5	MW-45A	09/08/2005	1045
6	MW98-04	09/08/2005	1202

Mthds	Method Description	#of	Analytical Mthd	Unit Price	Extended
RSK175	RSK-175		RSK-175		
1-6		6		\$110.00	\$660.00
Total Cost					\$660.00

Matrix: Water
Bottle Type & Number: 2 x VOA

Ship To: STL VT
Ship Date: 09/14/2005

Special Instructions:

Prices include rush premium, if applicable.
Please overnight a paginated single-sided unbound hardcopy.
Please use client IDs in hardcopy report.
Please send EDD with hardcopy report.

Sending Laboratory:

Cary A. D'Amico

STLCT

Date:

8/14/05

Receiving Laboratory:

Jon Mark

Date:

9/15/05 0930

PLEASE SEND A SAMPLE CONFIRMATION REPORT UPON SAMPLE RECEIPT



RSK-175

SAMPLE DATA SUMMARY PACKAGE

FORM 1
VOLATILE ORGANICS ANALYSIS DATA SHEET

STLCTS SAMPLE NO.

FRW-1

Lab Name: STL BURLINGTON

Contract: 25001

Lab Code: STLVT

Case No.: ROWEIND SAS No.:

SDG No.: 210745

Matrix: (soil/water) WATER

Lab Sample ID: 637986

Sample wt/vol: _____ (g/mL) ML

Lab File ID: 20SEP051244-R011

Level: (low/med) LOW

Date Received: 09/15/05

% Moisture: not dec. _____

Date Analyzed: 09/20/05

GC Column: RTUPLLOT ID: 0.32 (mm)

Dilution Factor: 1.0

Soil Extract Volume: _____ (uL)

Soil Aliquot Volume: _____ (uL)

CAS NO.	COMPOUND	CONCENTRATION UNITS: (ug/L or ug/Kg) UG/L		Q
74-82-8-----	Methane	600	E	
74-84-0-----	Ethane	4.0	U	
74-85-1-----	Ethene	3.0	U	

FORM 1
VOLATILE ORGANICS ANALYSIS DATA SHEET

STLCTS SAMPLE NO.

FRW-1DL

Lab Name: STL BURLINGTON

Contract: 25001

Lab Code: STLVT

Case No.: ROWEIND SAS No.:

SDG No.: 210745

Matrix: (soil/water) WATER

Lab Sample ID: 637986D1

Sample wt/vol: _____ (g/mL) ML

Lab File ID: 20SEP051352-R011

Level: (low/med) LOW

Date Received: 09/15/05

% Moisture: not dec. _____

Date Analyzed: 09/20/05

GC Column: RTUPLLOT ID: 0.32 (mm)

Dilution Factor: 5.0

Soil Extract Volume: _____ (uL)

Soil Aliquot Volume: _____ (uL)

CAS NO.	COMPOUND	CONCENTRATION UNITS: (ug/L or ug/Kg) UG/L	Q
74-82-8-----	Methane	1200	D
74-84-0-----	Ethane	20	U
74-85-1-----	Ethene	15	U

FORM 1
VOLATILE ORGANICS ANALYSIS DATA SHEET

STLCTS SAMPLE NO.

FRW-2

Lab Name: STL BURLINGTON

Contract: 25001

Lab Code: STLVT

Case No.: ROWEIND SAS No.:

SDG No.: 210745

Matrix: (soil/water) WATER

Lab Sample ID: 637987

Sample wt/vol: _____ (g/mL) ML

Lab File ID: 20SEP051244-R021

Level: (low/med) LOW

Date Received: 09/15/05

% Moisture: not dec. _____

Date Analyzed: 09/20/05

GC Column: RTUPL0T ID: 0.32 (mm)

Dilution Factor: 1.0

Soil Extract Volume: _____ (uL)

Soil Aliquot Volume: _____ (uL)

CAS NO.	COMPOUND	CONCENTRATION UNITS: (ug/L or ug/Kg) UG/L		Q
74-82-8-----	Methane	1300	E	
74-84-0-----	Ethane	4.0	U	
74-85-1-----	Ethene	3.0	U	

FORM 1
VOLATILE ORGANICS ANALYSIS DATA SHEET

STLCTS SAMPLE NO.

FRW-2DL

Lab Name: STL BURLINGTON

Contract: 25001

Lab Code: STLVT

Case No.: ROWEIND SAS No.:

SDG No.: 210745

Matrix: (soil/water) WATER

Lab Sample ID: 637987D1

Sample wt/vol: _____ (g/mL) ML

Lab File ID: 20SEP051352-R021

Level: (low/med) LOW

Date Received: 09/15/05

% Moisture: not dec. _____

Date Analyzed: 09/20/05

GC Column: RTUPLLOT ID: 0.32 (mm)

Dilution Factor: 10.0

Soil Extract Volume: _____ (uL)

Soil Aliquot Volume: _____ (uL)

CAS NO.	COMPOUND	CONCENTRATION UNITS: (ug/L or ug/Kg) UG/L	Q
---------	----------	--	---

74-82-8-----	Methane	3300	D
74-84-0-----	Ethane	40	U
74-85-1-----	Ethene	30	U

FORM 1
VOLATILE ORGANICS ANALYSIS DATA SHEET

STLCTS SAMPLE NO.

FRW-3

Lab Name: STL BURLINGTON

Contract: 25001

Lab Code: STLVT

Case No.: ROWEIND SAS No.:

SDG No.: 210745

Matrix: (soil/water) WATER

Lab Sample ID: 637988

Sample wt/vol: _____ (g/mL) ML

Lab File ID: 20SEP051244-R031

Level: (low/med) LOW

Date Received: 09/15/05

% Moisture: not dec. _____

Date Analyzed: 09/20/05

GC Column: RTUPL0T ID: 0.32 (mm)

Dilution Factor: 1.0

Soil Extract Volume: _____ (uL)

Soil Aliquot Volume: _____ (uL)

CAS NO.	COMPOUND	CONCENTRATION UNITS: (ug/L or ug/Kg) UG/L	Q
---------	----------	--	---

74-82-8-----	Methane		
--------------	---------	--	--

1300	E
------	---

74-84-0-----	Ethane		
--------------	--------	--	--

4.0	U
-----	---

74-85-1-----	Ethene		
--------------	--------	--	--

3.0	U
-----	---

FORM 1
VOLATILE ORGANICS ANALYSIS DATA SHEET

STLCTS SAMPLE NO.

FRW-3DL

Lab Name: STL BURLINGTON

Contract: 25001

Lab Code: STLVT

Case No.: ROWEIND SAS No.:

SDG No.: 210745

Matrix: (soil/water) WATER

Lab Sample ID: 637988D1

Sample wt/vol: _____ (g/mL) ML

Lab File ID: 20SEP051352-R031

Level: (low/med) LOW

Date Received: 09/15/05

% Moisture: not dec. _____

Date Analyzed: 09/20/05

GC Column: RTUPL0T ID: 0.32 (mm)

Dilution Factor: 10.0

Soil Extract Volume: _____ (uL)

Soil Aliquot Volume: _____ (uL)

CAS NO.	COMPOUND	CONCENTRATION UNITS: (ug/L or ug/Kg) UG/L	Q
74-82-8-----	Methane	2400	D
74-84-0-----	Ethane	40	U
74-85-1-----	Ethene	30	U

FORM 1
VOLATILE ORGANICS ANALYSIS DATA SHEET

STLCTS SAMPLE NO.

FRW-4

Lab Name: STL BURLINGTON

Contract: 25001

Lab Code: STLVT

Case No.: ROWEIND SAS No.:

SDG No.: 210745

Matrix: (soil/water) WATER

Lab Sample ID: 637989

Sample wt/vol: _____ (g/mL) ML

Lab File ID: 20SEP051244-R041

Level: (low/med) LOW

Date Received: 09/15/05

% Moisture: not dec. _____

Date Analyzed: 09/20/05

GC Column: RTUPLLOT ID: 0.32 (mm)

Dilution Factor: 1.0

Soil Extract Volume: _____ (uL)

Soil Aliquot Volume: _____ (uL)

CAS NO.	COMPOUND	CONCENTRATION UNITS: (ug/L or ug/Kg) UG/L		Q
74-82-8-----	Methane	940	E	
74-84-0-----	Ethane	4.0	U	
74-85-1-----	Ethene	3.0	U	

FORM 1
VOLATILE ORGANICS ANALYSIS DATA SHEET

STLCTS SAMPLE NO.

FRW-4DL

Lab Name: STL BURLINGTON

Contract: 25001

Lab Code: STLVT

Case No.: ROWEIND SAS No.:

SDG No.: 210745

Matrix: (soil/water) WATER

Lab Sample ID: 637989D1

Sample wt/vol: _____ (g/mL) ML

Lab File ID: 20SEP051352-R041

Level: (low/med) LOW

Date Received: 09/15/05

% Moisture: not dec. _____

Date Analyzed: 09/20/05

GC Column: RTUPLLOT ID: 0.32 (mm)

Dilution Factor: 10.0

Soil Extract Volume: _____ (uL)

Soil Aliquot Volume: _____ (uL)

CAS NO.	COMPOUND	CONCENTRATION UNITS: (ug/L or ug/Kg) UG/L		Q
74-82-8-----	Methane	940	D	
74-84-0-----	Ethane	40	U	
74-85-1-----	Ethene	30	U	

FORM 1
VOLATILE ORGANICS ANALYSIS DATA SHEET

STLCTS SAMPLE NO.

MW-45A

Lab Name: STL BURLINGTON

Contract: 25001

Lab Code: STLVT

Case No.: ROWEIND SAS No.:

SDG No.: 210745

Matrix: (soil/water) WATER

Lab Sample ID: 637990

Sample wt/vol: _____ (g/mL) ML

Lab File ID: 20SEP051244-R051

Level: (low/med) LOW

Date Received: 09/15/05

% Moisture: not dec. _____

Date Analyzed: 09/20/05

GC Column: RTUPLLOT ID: 0.32 (mm)

Dilution Factor: 1.0

Soil Extract Volume: _____ (uL)

Soil Aliquot Volume: _____ (uL)

CAS NO.	COMPOUND	CONCENTRATION UNITS:	
		(ug/L or ug/Kg) UG/L	Q
74-82-8-----	Methane	100	
74-84-0-----	Ethane	4.0	U
74-85-1-----	Ethene	3.0	U

FORM 1
VOLATILE ORGANICS ANALYSIS DATA SHEET

STLCTS SAMPLE NO.

MW98-04

Lab Name: STL BURLINGTON

Contract: 25001

Lab Code: STLVT

Case No.: ROWEIND SAS No.:

SDG No.: 210745

Matrix: (soil/water) WATER

Lab Sample ID: 637991

Sample wt/vol: _____ (g/mL) ML

Lab File ID: 20SEP051244-R061

Level: (low/med) LOW

Date Received: 09/15/05

% Moisture: not dec. _____

Date Analyzed: 09/20/05

GC Column: RTUPLLOT ID: 0.32 (mm)

Dilution Factor: 1.0

Soil Extract Volume: _____ (uL)

Soil Aliquot Volume: _____ (uL)

CAS NO.	COMPOUND	CONCENTRATION UNITS: (ug/L or ug/Kg) UG/L	Q
74-82-8-----	Methane	2.0	U
74-84-0-----	Ethane	4.0	U
74-85-1-----	Ethene	3.0	U

