

LEGGETTE, BRASHEARS & GRAHAM, INC.

PROFESSIONAL GROUND-WATER AND ENVIRONMENTAL ENGINEERING SERVICES

4 RESEARCH DRIVE
SUITE 301
SHELTON, CT 06484
203-929-8555
FAX 203-926-9140
www.lbgweb.com

February 17, 2006

Mr. Jeffery Trad
Project Manager
New York State Department of Environmental Conservation
Division of Environmental Remediation, Construction Services
625 Broadway, 12th floor
Albany, NY 12233-7013

RE: November 2005 Status Report
Ground-Water Remedial Action
Rowe Industries Superfund Site
Sag Harbor, New York

Dear Mr. Trad:

The enclosed letter report details the operation status of the full-scale ground-water pump and treat system at the above-referenced site. Leggette, Brashears & Graham has enclosed an additional copy of the report to be forwarded to the Chief of the Operation Maintenance and Support Section.

Should you or the Operation Maintenance and Support Section have any questions, please feel free to contact myself, Paul Jobmann, or Al Kovalik at (203) 929-8555.

Very truly yours,

LEGGETTE, BRASHEARS & GRAHAM, INC.


Mark M. Goldberg / m.r.

Mark M. Goldberg, P.E.
Senior Environmental Engineer

MG:mr

Enclosures

H:\NABIS\2006\trad_Nov2005_report.doc



-DRAFT-

PROJECT STATUS MEMORANDUM

NO. 11-05

TO: Pamela Tames, USEPA

FROM: Mark M. Goldberg, P.E.
Alfred N. Kovalik, P.E.

DATE: February 16, 2006

PROJECT: Rowe Industries Superfund Site
Ground-Water Recovery and Treatment System
November 2005 Status Report
Sag Harbor, New York

FEB 24 2006

LBG Engineering Services, P.C. (LBGES) commenced operation of the ground-water remediation system at the above-referenced site on December 17, 2002. This status report presents a summary of system performance, operation and maintenance, and monitoring activities for the site from November 1, 2005 through November 30, 2005. The report includes a summary of system performance parameters, system operation parameters, analytical results for ground water, system effluent samples, and air quality results.

SUMMARY OF SYSTEM PERFORMANCE AND OPERATION

(November 1, 2005 through November 30, 2005)

- | | |
|---|-----------------------------------|
| 1. Hours of operation during the reporting period: | 301 hours (42%) |
| 2. Alarm conditions during the reporting period: | See Table 1 |
| 3. Was the SPDES VOC discharge permit criteria achieved: | yes, (Table 2) |
| 4. Total volume of water pumped during the reporting period: | 6,057,412 gal. |
| 5. Was the system effluent flow below the SPDES limit of 1,023,000 gpd: | yes, (Graph 1) |
| 6. Mass of VOCs recovered during the reporting period: | 1.4 pounds |
| 7. Cumulative mass of VOCs recovered since startup on 12/17/02:
(calculations can be provided upon request) | 173.8 pounds |
| 8. Effluent VOC vapor concentration for the reporting period: | 0.188 mg/m ³ (Table 3) |
| 9. Was the effluent VOC vapor emission rate below 0.022 lbs/hr.:
(calculations can be provided upon request) | yes (0.00181 lbs/hr) |

GROUND-WATER RECOVERY SYSTEM STATUS SUMMARY

From November 1, 2005 to November 16, 2005 the full scale pump and treat system (FSP&T) system was not operating because of a computer software malfunction that occurred on October 19, 2005. On November 16, 2005 the computer software malfunction was corrected by reinstalling the program and rebooting the system. The operation of the FSP&T system resumed shortly thereafter.

The following table summarizes select recovery well parameters for the reporting period. Table 4 presents a summary of the quality results for water samples collected from recovery wells. Graph 2 presents PCE concentrations for each recovery well. For wells with water quality that meets or is approaching remedial criteria, Graph 3 presents PCE concentrations at an expanded scale in order to compare them to the PCE aquifer restoration concentration of 5 ug/L. Laboratory analytical reports are included as Appendix I.

Well	Volume Pumped (gal)	Average Flow (gpm)	Minimum Design Flow (gpm)	Total VOC Concentration (µg/L)	VOC Recovery (lbs)
RW-2	528,490	27	26	29.1	0.13
RW-3	264,391	14	23	1.3	0.003
RW-4	364,387	21	13	30	0.09
RW-5*	1,042,035	55	42	2.6	0.02
RW-6*	389,207	19	28	68.0	0.22
RW-7	1,951,570	70	54	36.0	0.59
RW-8	1,056,934	50	46	1.5	0.01
RW-9	615,070	35	68	ND<1 **	0

* The RW-5 and RW-6 totalizers malfunctioned on November 26 and November 21, 2005, respectively. The calculation for the total volume of water pumped from the above dates to the end of the month (November 30, 2005) for RW-5 and RW-6 was determined by multiplying the total hours of operation for the wells by the average flow rate over that period of time. These values were then added to the totalizer readings for the period in November when the totalizers for RW-5 and RW-6 were functioning properly.

** ND = not detected.

Recovery wells RW-3, RW-6 and RW-9 had average flows below the respective minimum design flows determined to be necessary for capture of the plume. The RW-9 flow rate was below the minimum design flow because the reinstallation of the computer software reset the old setpoints from the last time the computer program was saved. The setpoint for RW-9 will be adjusted to 80 gpm in December.

The pumping rate and specific capacity for RW-3 have both decreased with time. Rehabilitation efforts in 2005 did not improve the specific capacity of this well. Build-up of microbial growth in the formation, in conjunction with the finer soils associated with the aquifer in the immediate vicinity of RW-3, are believed to be causing the decrease in well yield. During well rehabilitation activities next year, LBGES will consider the application of alternative chemicals to this well and surrounding formation in an effort to regain some of this well's capacity.

The ground-water drawdown at RW-6 is significant and the drawdown is continuing to increase; therefore, the pumping rate at RW-6 will continue to be 15 gpm as long as well conditions allow. The current pumping rate prevents de-watering of the well and damaging the pump. Build-up of microbial growth in the formation, in conjunction with the finer soils associated with the aquifer in the immediate vicinity of RW-6, are believed to be causing the decrease in well yield. During well rehabilitation activities next year, LBGES will consider the application of alternative chemicals to this well and surrounding formation in an effort to regain some of this well's specific capacity.

The effluent pH values are below the State Pollutant Discharge Elimination System (SPDES) Applicable or Relevant and Appropriate Requirements (ARARs) of 6.5 on a routine basis. November pH values for water samples from the recovery wells were in the range of approximately 5.8 to 6.3. The FSP&T system does not use any chemical treatment processes to alter pH. In addition, the effluent water discharge and the recovery well extraction points are located in the same aquifer. As discussed with the New York State Department of Environmental Conservation (NYSDEC), because the low pH is naturally occurring, and because of the previously mentioned factors, it is not considered an exceedance of the discharge requirements.

BAG FILTER STATUS

The following table presents an operational summary of the bag filter usage and configuration for the reporting period.

Dates	Bank 1	Bank 2	Bank 3
November 1 to 20	7 of 8 housings used with 400 micron bag filters	7 of 8 housings used with 400 micron bag filters	Not active
November 21 to 27	7 of 8 housings used with 400 micron bag filters	7 of 8 housings used with 200 micron bag filters	Not active
November 28 to 30	7 of 8 housings used with 600 micron bag filters	7 of 8 housings used with 600 micron bag filters	Not active

Bag filters with different pore sizes of 200 microns and 600 microns were used because all of the 400-micron bag filters were consumed. The 400-micron bag filters were delivered to the site on November 29, 2005. The 400-micron bag filters will be utilized during the next scheduled bag filter change. No other modifications were made to the filter bank configuration or operation during this reporting period.

OTHER O&M ACTIVITIES AND FUTURE O&M ACTIVITIES

Other O&M activities conducted in November 2005 include:

- On November 2, 2005, an attempt was made by LBGES to fix the computer software malfunction using the instructions provided by the computer technician. The FSP&T system could not be restarted.

- On November 16, 2005, the computer technician repaired the computer software malfunction.
- On November 29 and 30, 2005, both recharge basins were rehabilitated.

Future O&M activities scheduled for the winter of 2005/2006 include:

- Conduct ground-water monitoring in the former drum storage area (FDSA) wells in December; and
- Fasten some wire mesh screen, place “putty” or find conically shaped corks to place over the openings in the well cover of RW-4 and service the RW-4 pump and pump motor.

MMG:etn

cc: Phil McAndrew, Kraft Foods, N.A. – .pdf
 Lisa Krogman, Kraft Foods, N.A. (Environ) – .pdf
 Jeff Trad, NYSDEC
 Chief-Operation Maintenance and Support Section, NYSDEC
 William Spitz, RWM, R-1, NYSDEC
 Eileen A. Powers, Esq., Town of Southampton

Attachments

H:\NABIS\2005\Monthly Reports\November 2005\Status1105Nov.doc

TABLES

TABLE 1
GROUND-WATER REMEDIAL ACTION
ROWE INDUSTRIES SUPERFUND SITE
SAG HARBOR, NEW YORK

MAINTENANCE LOG
(November 1, 2005 through November 30, 2005)

Date	Time	System Changes/Modifications	Personnel
11/2/2005		Attempted to fix the computer malfunction using the instructions provided by the computer technician. The FSP&T system could not be restarted. The computer technician will schedule a time to visit the site to troubleshoot the computer.	RD
11/16/2005	10:27 AM	The computer technician reinstalled the program. After reinstallation of the program was completed, the computer was rebooted and restarted. The PLC battery power was low so the PLC battery was replaced. Once the computer malfunction was repaired, the FSP&T system was restarted.	CH, RD
11/21/2005		Changed multi-bag filter bags; 400 um in bank 1 and 200 um in bank 2; seven of eight housings used. Banks 1 and 2 left open. Bank 3 closed. Ran out of 400 um bag filters so 200 um bag filters was used in bank 2. An order for more 400 um bag filters has already been completed.	RD
11/28/2005	9:02 AM	Shut the system down in preparation for recharge basin rehabilitation.	RD
		Changed multi-bag filter bags (600 um) in banks 1 and 2 seven of eight housings used. Banks 1 and 2 left open. Bank 3 closed.	RD
11/29/2005		Recharge basin rehabilitation begins.	ETL, MG, ZZ
	11:07 AM	Communication failure alarm; the system was already shut down	
	11:22 AM	Reset the communication failure alarm and left the system down	MG, ZZ
		A shipment of 20 boxes of 400 um bag filters arrives on-site.	ETL, MG, ZZ
11/30/2005		Recharge basin rehabilitation is completed.	ETL, RD
	8:50 AM	The FSP&T system was restarted.	RD

TABLE 2

**GROUND-WATER REMEDIAL ACTION
ROWE INDUSTRIES SUPERFUND SITE
SAG HARBOR, NEW YORK**

EFFLUENT WATER QUALITY RESULTS

Date Sampled ¹	pH ¹	TDS (mg/l)	PCE (ug/l)	1,1,1-TCA (ug/l)	TCE (ug/l)	1,1-DCA (ug/l)	1,1-DCE (ug/l)	1,2-DCE (ug/l)	Xylene (ug/l)	Bromoform (ug/l)	Dibromo-chloromethane (ug/l)	Methylene Chloride (ug/l)	Freon 113 (ug/l)	Acetone (ug/l)	Chloroform (ug/l)	MTBE (ug/l)	Total Iron (mg/l)	Dissolved Iron (mg/l)
SPDES Limits	6.5 to 8.5	---	1	5	5	5	5	5	5	---	---	5	---	50	7	---	---	---
16-Nov-05	5.3	100	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<2.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	3.27	0.425
21-Nov-05	5.3	120	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<2.0	ND<1.0	ND<1.0	76 ^{4/}	ND<1.0	ND<1.0	ND<1.0	ND<1.0	1.47	0.0766
28-Nov-05	5.3	24	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<2.0	ND<1.0	ND<1.0	3.8 ^{4/}	ND<1.0	ND<1.0	ND<1.0	ND<1.0	3.13	0.103

SPDES: State Pollutant Discharge Elimination System

mg/l: Milligrams per liter

ug/l: Micrograms per liter

---: Not established

Notes:

1. pH was measured using litmus paper. Influent pH values from recovery wells, which reflect the pH of natural ground water, are below 6.5 on a regular basis.
2. "Effluent" samples were collected from sample port labeled NP2-10.
3. The system was not operating from November 1, 2005 to November 15, 2005 because of a system computer malfunction.
4. Methylene chloride detected in these samples are suspected to be from laboratory contamination.

NM: Not Measured
TDS: Total dissolved solids
PCE: Tetrachloroethylene
TCE: Trichloroethylene
1,1-DCA: 1,1-Dichloroethane
1,1-DCE: 1,1-Dichloroethene
1,2-DCE: 1,2-Dichloroethene
MTBE: Methyl tert-butyl ether

**GROUND-WATER REMEDIAL ACTION
ROWE INDUSTRIES SUPERFUND SITE
SAG HARBOR, NEW YORK**

CARBON UNIT SYSTEM AIR QUALITY RESULTS

Precarbon			Parameters (mg/m3)																	TOTAL			
Sample Name	Date	Time	PCE	TCE	TCA	DCE	DCA	cis-DCE	Toluene	Benzene	m&p-Xylenes	o-Xylene	Styrene	CF	MC	CM	CD	BM	CB	EB	VC	CT	VOCs
AQ120204:1100NP4-1	12/2/2004	11:00	0.4	0.026	0.08	0.01	0.022	0.004	0.052	0.03	0.006	0.0014	0.002	ND	1.04	0.012	0.05	0.24	ND	0.0018	ND	ND	1.04
AQ010405:1145NP4-1	1/4/2005	11:45	0.06	0.025	0.0775	ND	ND	ND	0.015	0.005	ND	ND	0.005	0.005	0.025	ND	ND	0.04	ND	ND	ND	ND	0.25
AQ020205:1345NP4-1	2/2/2005	13:45	0.45	0.0325	0.0675	ND	ND	ND	0.02	0.0075	ND	ND	ND	0.0075	0.015	0.0325	ND	0.185	ND	ND	ND	ND	0.80
AQ030205:1105NP4-1	3/2/2005	11:05	0.35	0.0325	0.0725	ND	ND	ND	0.0175	0.005	ND	ND	ND	0.005	0.015	ND	ND	0.0825	ND	ND	ND	ND	0.58
AQ040705:1430NP4-1	4/7/2005	14:30	0.34	0.027	0.058	0.006	0.02	ND	0.029	0.012	0.003	ND	0.002	0.006	0.053	ND	0.015	ND	ND	ND	ND	ND	0.57
AQ050205:1405NP4-1	5/2/2005	14:05	0.52	0.032	0.116	ND	ND	ND	0.024	0.008	ND	ND	ND	ND	0.024	ND	0.054	0.04	ND	ND	ND	ND	0.76
AQ062405:12:40NP4-1	6/24/2005	12:40	0.36	0.028	0.1	ND	ND	ND	0.074	0.046	0.004	ND	ND	ND	0.144	ND	0.054	0.16	ND	ND	ND	ND	0.97
AQ070705:1400NP4-1	7/7/2005	14:00	0.43	0.026	0.12	ND	ND	ND	0.044	ND	0.006	0.002	0.006	ND	0.19 1/	ND	0.51 1/	0.024	ND	0.001	ND	ND	0.86
AQ080205:1400NP4-1	8/2/2005	14:00	0.42	0.034	0.15	ND	ND	0.009	0.05	0.008	0.006	ND	0.007	0.006	0.017 1/	ND	0.66 1/	0.043	ND	ND	ND	ND	0.93
AQ090805:900NP4-1	9/8/2005	9:00	0.27	0.032	0.1	0.011	ND	0.016	0.079	0.039	0.025	0.013	0.003	ND	1.7 1/	ND	0.021	0.038	0.01	0.004	ND	ND	0.81
AQ100605:1230NP4-1	10/6/2005	12:30	0.28	0.022	0.1	0.007	0.025	0.011	0.015	0.004	0.003	ND	0.002	0.005	0.036	ND	ND	0.032	ND	ND	ND	ND	0.54
AQ111605:1130NP4-1	11/16/2005	11:30	0.76	0.033	0.11	0.008	0.022	0.054	0.44	0.016	0.012	0.004	0.004	ND	0.05	ND	0.023	0.052	ND	0.002	ND	ND	1.59
Midcarbon			Parameters (mg/m3)																	TOTAL			
Sample Name	Date	Time	PCE	TCE	TCA	DCE	DCA	cis-DCE	Toluene	Benzene	m&p-Xylenes	o-Xylene	Styrene	CF	MC	CM	CD	BM	CB	EB	VC	CT	VOCs
AQ120204:1102NP4-2	12/2/2004	11:02	0.004	ND	ND	0.009	0.017	0.002	0.034	0.003	0.003	0.0005	0.003	0.011	0.097	0.004	0.025	0.08	ND	0.001	ND	ND	0.23
AQ010405:1150NP4-2	1/4/2005	11:50	0.004	ND	0.045	0.011	0.028	0.003	0.024	0.002	0.001	ND	ND	0.018	0.009	ND	0.015	0.028	ND	ND	ND	ND	0.19
AQ020205:1350NP4-2	2/2/2005	13:50	ND	ND	0.15	0.011	0.033	0.005	0.019	0.001	ND	ND	ND	0.018	0.019	ND	0.013	0.004	ND	ND	ND	ND	0.27
AQ030205:1110NP4-2	3/2/2005	11:10	ND	ND	0.14	0.009	0.022	0.004	0.016	0.002	0.002	ND	ND	0.011	0.01	ND	0.008	0.021	ND	ND	ND	ND	0.25
AQ040705:1432NP4-2	4/7/2005	14:32	0.004	ND	ND	0.009	0.014	0.003	0.012	0.002	ND	ND	ND	0.006	0.05	ND	ND	0.026	ND	ND	ND	ND	0.19
AQ050205:1410NP4-2	5/2/2005	14:10	ND	ND	0.085	0.005	0.005	0.003	0.016	0.001	ND	ND	ND	0.003	0.006	ND	0.005	0.01	ND	ND	ND	ND	0.13
AQ062405:1241NP4-2	6/24/2005	12:41	ND	ND	0.063	ND	ND	ND	0.071	0.023	0.005	ND	0.006	0.007	0.096	ND	0.047	ND	ND	ND	ND	ND	0.32
AQ070705:1415NP4-2	7/7/2005	14:15	ND	ND	0.036	ND	ND	ND	0.036	0.006	0.002	ND	ND	ND	0.65 1/	ND	0.49 1/	0.11	ND	ND	ND	ND	0.33
AQ080205:1405NP4-2	8/2/2005	14:05	0.019	ND	0.05	ND	ND	ND	0.051	0.006	0.007	ND	0.006	0.007	0.029 1/	ND	0.72 1/	0.048	ND	0.002	ND	ND	0.34
AQ090805:905NP4-2	9/8/2005	9:05	0.008	ND	0.039	ND	ND	ND	0.049	0.002	0.024	0.012	ND	0.004	0.10 1/	ND	0.018	0.013	ND	0.003	ND	ND	0.27
AQ100605:1232NP4-2	10/6/2005	12:32	0.007	ND	0.1	0.01	0.028	0.009	0.013	0.001	0.003	ND	0.003	0.01	0.021	ND	ND	0.049	ND	0.001	ND	ND	0.26
AQ111605:1132NP4-2	11/16/2005	11:32	0.01	ND	0.058	ND	0.015	0.004	0.013	0.002	0.002	ND	ND	0.005	0.017	ND	0.021	0.031	ND	ND	ND	ND	0.18
Postcarbon			Parameters (mg/m3)																	TOTAL			
Sample Name	Date	Time	PCE	TCE	TCA	DCE	DCA	cis-DCE	Toluene	Benzene	m&p-Xylenes	o-Xylene	Styrene	CF	MC	CM	CD	BM	CB	EB	VC	CT	VOCs
AQ120204:1105NP4-3	12/2/2004	11:05	ND	0.002	ND	0.006	ND	ND	0.035	0.011	0.003	0.0006	0.003	ND	0.27	0.005	0.025	0.064	ND	0.001	ND	ND	0.19
AQ010405:1155NP4-3	1/4/2005	11:55	0.002	ND	ND	0.007	0.013	0.002	0.023	0.002	0.002	ND	0.003	ND	0.006	ND	0.015	0.008	ND	ND	ND	ND	0.08
AQ020205:1355NP4-3	2/2/2005	13:55	0.004	ND	ND	ND	ND	ND	0.021	0.002	ND	ND	ND	ND	0.023	ND	0.013	ND	ND	ND	ND	ND	0.06
AQ030205:1115NP4-3	3/2/2005	11:15	ND	ND	ND	0.023	0.009	0.031	0.016	0.002	0.002	ND	0.001	0.012	0.008	ND	0.009	0.007	ND	ND	ND	ND	0.12
AQ040705:1434NP4-3	4/7/2005	14:34	0.001	ND	ND	0.02	0.006	0.016	0.013	0.002	ND	ND	ND	0.007	0.015	ND	ND	0.015	ND	ND	ND	ND	0.10
AQ050205:1415NP4-3	5/2/2005	14:15	ND	ND	ND	0.007	0.016	ND	0.019	0.01	0.0009	ND	ND	0.009	0.007	ND	0.012	0.002	ND	ND	ND	ND	0.11
AQ062405:1242NP4-3	6/24/2005	12:42	ND	ND	0.032	ND	ND	ND	0.035	0.002	0.002	ND	0.004	0.004	0.063	ND	0.022	0.054	ND	ND	ND	ND	0.20
AQ070705:1420NP4-3	7/7/2005	14:20	ND	ND	0.014	ND	ND	ND	0.038	0.004	0.003	ND	0.005	ND	0.23 1/	ND	0.45 1/	0.046	ND	ND	ND	ND	0.20
AQ080205:1410NP4-3	8/2/2005	14:10	ND	ND	ND	ND	ND	ND	0.068	0.007	0.007	ND	0.008	0.007	0.019 1/	ND	0.640 1/	0.046	ND	ND	ND	ND	0.23
AQ090805:910NP4-3	9/8/2005	9:10	ND	ND	0.016	ND	ND	ND	0.038	0.002	0.022	0.01	0.004	0.005	0.025 1/	ND	0.019	0.035	ND	0.002	ND	ND	0.22
AQ100605:1234NP4-3	10/6/2005	12:34	0.004	ND	0.014	0.004	0.009	0.009	0.012	0.002	0.002	ND	0.002	0.004	0.02	ND	ND	0.084	ND	ND	ND	ND	0.19
AQ111605:1134NP4-3	11/16/2005	11:34	0.003	ND	0.029	ND	0.014	ND	0.044	0.011	0.009	0.003	ND	0.005	0.03	ND	0.022	0.016	ND	0.002	ND	ND	0.17

Notes: 1. Methylen chloride and/or carbon disulfide concentrations in all three air samples collected during the July 7, August 9 and September 8, 2005 sampling events are greatly elevated due to suspected laboratory contamination. The methylene chloride concentration from the June 24, 2005 sampling event was used instead of the July 7, August 9 or September 8, 2005 methylene chloride concentrations to calculate the total VOCs for July, August and September 2005. The carbon disulfide concentration from the June 24, 2005 sampling event was used instead of the July 7 and August 9, 2005 carbon disulfide concentration to calculate the total VOCs for July and August 2005.

PCE - 1,1,1-Trichloroethane
TCE - 1,1,2-Trichloroethane
TCA - 1,1,1-Trichloroethane
DCE - 1,1-Dichloroethane
DCA - 1,1-Dichloroethane
dis-DCE - cis-1,2-Dichloroethane
CT - Carbon Tetrachloride
CF - Chloroform
MC - Methylene Chloride
CM - Chloromethane
CD - Carbon Disulfide
BM - Bromomethane
CB - Chlorobenzene
EB - Ethylbenzene
VC - Vinyl Chloride

TABLE 4

**GROUND-WATER REMEDIAL ACTION
ROWE INDUSTRIES SUPERFUND SITE
SAG HARBOR, NEW YORK**

RECOVERY WELL WATER QUALITY RESULTS

Recovery Well	Date Sampled ARAR's	PCE (ug/L) 6	TCE (ug/L) 5	TCA (ug/L) 5	Vinyl Acetate (ug/L) NE	Chloroform (ug/L) 7	MTBE (ug/L) NE	Total Iron (mg/L) 300	Dissolved Iron (mg/L) 300	1,1-Dichloro- ethane (ug/L) 5	cis-1,2-Dichloro- ethane (ug/L) 5	1,1-Dichloro- ethene (ug/L) 5	Methylene Chloride (ug/L) 1/ 5	Bromoform (ug/L) NE	Dibromochloro- methane (ug/L) NE	Acetone (ug/L) 1/ NE
RW-1	23-Jan-04	ND<1	ND<1	ND<1	ND<1	4.0	2.2	0.0098	ND<0.02	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
	11-Feb-04	ND<1	ND<1	ND<1	ND<1	4.6	5.2	ND<0.02	ND<0.02	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
	8-Mar-04	ND<1	ND<1	ND<1	ND<1	ND<1	4.1	ND<0.02	ND<0.02	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
	14-Apr-04	ND<1	ND<1	ND<1	ND<1	2.9	6.1	0.0240	ND<0.02	ND<1	ND<1	ND<1	1.8 *	ND<1	ND<1	ND<1
	5-May-04	ND<1	ND<1	ND<1	ND<1	5.6	6.8	ND<0.02	ND<0.02	ND<1	ND<1	ND<1	6.1 *	ND<1	ND<1	ND<1
	14-Jun-04	ND<1	ND<1	ND<1	ND<1	2.0	3.4	0.0454	ND<0.02	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
	14-Jul-04	ND<1	ND<1	ND<1	ND<1	ND<1	3.1	0.0190	ND<0.02	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
	26-Aug-04 ***	NM	NM	NM	NM	ND<1	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM
	15-Sep-04	ND<1	ND<1	ND<1	ND<1	2.8	ND<1	0.0865	ND<0.02	ND<1	ND<1	ND<1	ND<1	2.5	ND<1	ND<1
	7-Oct-04	ND<1	ND<1	ND<1	ND<1	ND<1	2.2	0.0332	ND<0.02	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
	3-Nov-04	ND<1	ND<1	ND<1	ND<1	1.9	2.0	0.0133	ND<0.02	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
	15-Dec-04	ND<1	ND<1	ND<1	ND<1	9.8	ND<1	0.0475	0.0229	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
	13-Jan-05	ND<1	ND<1	ND<1	ND<1	1.5	2.1	0.0703	0.0326	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
	8-Feb-05	ND<1	ND<1	ND<1	ND<1	4.6	ND<1	ND<0.02	ND<0.02	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
	15-Mar-05	ND<1	ND<1	ND<1	ND<1	2.5	ND<1	0.0285	ND<0.02	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
	19-Apr-05	ND<1	ND<1	ND<1	ND<1	1.5	ND<1	0.0357	0.0217	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
	2-May-05	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<0.02	ND<0.02	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
	16-Jun-05	ND<1	ND<1	ND<1	ND<1	4.0	ND<1	ND<0.02	ND<0.02	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
	14-Jul-05	ND<1	ND<1	ND<1	ND<1	2.1	ND<1	0.0289	ND<0.02	ND<1	ND<1	ND<1	8.4 *	ND<1	ND<1	6.9 *
	23-Jan-04	8.7	ND<1	ND<1	ND<1	ND<1	1.1	5.57	0.207	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
RW-2	11-Feb-04	5.4	ND<1	ND<1	ND<1	ND<1	3.9	3.77	0.0748	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
	8-Mar-04	4.9	ND<1	ND<1	ND<1	ND<1	3.3	0.343	0.318	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
	14-Apr-04	4.4	ND<1	ND<1	ND<1	ND<1	2.8	5.59	0.224	ND<1	ND<1	ND<1	1.8 *	ND<1	ND<1	ND<1
	5-May-04	8.2	ND<1	ND<1	ND<1	ND<1	4.7	4.5	0.691	ND<1	ND<1	ND<1	5.6 *	ND<1	ND<1	ND<1
	14-Jun-04	ND<1	ND<1	ND<1	ND<1	ND<1	2.0	52.5	1.03	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
	14-Jul-04	6.5	ND<1	ND<1	ND<1	ND<1	1.3	4.88	0.704	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
	26-Aug-04 ***	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM
	15-Sep-04	12	ND<1	ND<1	ND<1	ND<1	ND<1	3.82	ND<0.02	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
	7-Oct-04	10	ND<1	ND<1	ND<1	ND<1	1.5	4.78	0.213	ND<1	ND<1	ND<1	ND<1	2.1	1.5	ND<1
	3-Nov-04	11	ND<1	ND<1	ND<1	ND<1	ND<1	5.21	0.152	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
	15-Dec-04	10	ND<1	ND<1	ND<1	ND<1	ND<1	10.8	0.297	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
	4-Jan-05	25	ND<1	ND<1	ND<1	ND<1	ND<1	4.81	1.5	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
	8-Feb-05	18	ND<1	ND<1	ND<1	ND<1	ND<1	5.01	ND<0.02	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
	15-Mar-05	20	1.1	ND<1	ND<1	ND<1	ND<1	5.28	0.0816	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
	19-Apr-05	9.0	ND<1	ND<1	ND<1	ND<1	ND<1	4.51	0.128	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
	2-May-05	8.2	ND<1	ND<1	ND<1	ND<1	ND<1	3.69	0.17	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
	16-Jun-05	12.0	ND<1	1.0	ND<1	ND<1	ND<1	3.5	0.0511	ND<1	2.0	ND<1	ND<1	ND<1	ND<1	ND<1
	14-Jul-05	7.7	1.1	ND<1	ND<1	ND<1	ND<1	0.28	0.0298	ND<1	ND<1	ND<1	7.3 *	ND<1	ND<1	5.6 *
	9-Aug-05	5.4	ND<1	ND<1	ND<1	ND<1	ND<1	3.74	0.107	ND<1	5.8	ND<1	ND<1	ND<1	ND<1	ND<1
	8-Sep-05	16	1.8	ND<1	ND<1	ND<1	ND<1	3.57	0.0704	ND<1	11	ND<1	ND<1	ND<1	ND<1	ND<1
	19-Oct-05	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM
	21-Nov-05	15	2.1	ND<1	ND<1	ND<1	ND<1	6.1	0.0269	ND<1	12	ND<1	ND<1	ND<1	ND<1	ND<1

**GROUND-WATER REMEDIAL ACTION
ROWE INDUSTRIES SUPERFUND SITE
SAG HARBOR, NEW YORK**

RECOVERY WELL WATER QUALITY RESULTS

Recovery Well	Date Sampled ABAR's	PCE (ug/L)	TCE (ug/L)	TCA (ug/L)	Vinyl Acetate (ug/L)	Chloroform (ug/L)	MTBE (ug/L)	Total Iron (mg/L)	Dissolved Iron (mg/L)	1,1-Dichloro-ethane (ug/L)	cis-1,2-Dichloro-ethane (ug/L)	1,1-Dichloro-ethene (ug/L)	Methylene Chloride (ug/L)	Bromoform (ug/L)	Dibromochloromethane (ug/L)	Acetone (ug/L)
RW-3	23-Jan-04	2.2	6.9	3.2	ND<1	ND<1	NE	1.96	1.5	ND<1	ND<1	ND<1	ND<1	NE	ND<1	NE
	11-Feb-04	ND<1	3.6	2.2	ND<1	ND<1	ND<1	1.63	1.43	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
	8-Mar-04	1.2	5.0	2.3	ND<1	ND<1	ND<1	3.34	0.542	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
	28-Apr-04	1.3	8.8	4.4	ND<1	ND<1	ND<1	3.07	1.32	ND<1	1.5	ND<1	ND<1	ND<1	ND<1	ND<1
	5-May-04	0.9	6.9	3.6	ND<1	ND<1	ND<1	2.07	1.96	ND<1	ND<1	ND<1	5.6*	ND<1	ND<1	ND<1
	30-Jun-04	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	2.77	0.619	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
	14-Jul-04	2.4	6.1	2.6	ND<1	ND<1	ND<1	2.07	1.79	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
	26-Aug-04 ***	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	ND<1	NM
	15-Sep-04	2.7	21	8.7	ND<1	ND<1	ND<1	1.91	0.42	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
	7-Oct-04	2.2	12	5.0	ND<1	ND<1	ND<1	2.09	1.82	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
	3-Nov-04	1.5	6.5	2.6	ND<1	ND<1	ND<1	1.87	1.8	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
	15-Dec-04	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	3.77	0.489	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
	4-Jan-05	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	2.60	2.24	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
	8-Feb-05	1.6	1.3	ND<1	ND<1	ND<1	ND<1	2.10	1.15	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
	15-Mar-05	3	13	5.0	ND<1	ND<1	ND<1	1.89	1.36	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
	19-Apr-05	ND<1	2.0	ND<1	ND<1	ND<1	ND<1	4.61	0.539	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
	2-May-05	2.2	7.7	2.8	ND<1	ND<1	ND<1	1.85	0.82	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
	18-Jun-05	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	9.91	10	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
	14-Jul-05	1.6	ND<1	ND<1	ND<1	ND<1	ND<1	2.01	0.649	ND<1	ND<1	ND<1	9.1*	ND<1	ND<1	6.9*
	9-Aug-05	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	2.50	0.973	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
	8-Sep-05	1	3.6	1.2	ND<1	ND<1	ND<1	2.03	0.71	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
RW-4	19-Oct-05	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM
	21-Nov-05	1.3	ND<1	ND<1	ND<1	ND<1	ND<1	1.83	0.708	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
	23-Jan-04	270	6.9	ND<1	ND<1	ND<1	ND<1	3.56	0.48	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
	11-Feb-04	170	6.9	14.0	ND<1	ND<1	ND<1	3.28	0.353	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
	8-Mar-04	170	5.8	4.5	ND<1	ND<1	ND<1	1.61	0.0691	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
	14-Apr-04	22	ND<1	ND<1	ND<1	ND<1	ND<1	0.982	0.173	ND<1	ND<1	ND<1	2.1*	ND<1	ND<1	ND<1
	5-May-04	470	6.2	7.8	ND<1	ND<1	ND<1	7.08	2.33	ND<1	ND<1	ND<1	7.2*	ND<1	ND<1	ND<1
	30-Jun-04	110	3.8	26	ND<1	ND<1	ND<1	4.44	1.11	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
	14-Jul-04	110	3.2	29	ND<1	ND<1	ND<1	5.00	0.157	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
	26-Aug-04 ***	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	ND<1	NM
	15-Sep-04	120	3.7	18	ND<1	ND<1	ND<1	2.98	ND<0.02	ND<1	ND<1	ND<1	ND<1	3.2	ND<1	ND<1
	7-Oct-04	94	ND<1	14	ND<1	ND<1	ND<1	3.65	0.128	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
	3-Nov-04	130	4.2	11	ND<1	ND<1	ND<1	4.75	0.205	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
	15-Dec-04	230	5.7	35	ND<1	ND<1	ND<1	1.90	1.62	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
	4-Jan-05	160	4.1	7.3	ND<1	ND<1	ND<1	6.11	3.28	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
	8-Feb-05	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM
	15-Mar-05	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM
	19-Apr-05	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM
	2-May-05	80	2.4	9.8	ND<1	ND<1	ND<1	3.77	0.0687	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
	30-Jun-05	74	2.6	ND<1	ND<1	ND<1	ND<1	9.95	0.28	ND<1	ND<1	ND<1	4.5*	ND<1	ND<1	ND<1
	14-Jul-05	37	ND<1	8.9	ND<1	ND<1	ND<1	3.22	0.0185	ND<1	ND<1	ND<1	9.4*	ND<1	ND<1	7.4*
	9-Aug-05	31	ND<1	ND<1	ND<1	ND<1	ND<1	2.49	0.111	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
	8-Sep-05	45	ND<1	6	ND<1	ND<1	ND<1	3.47	0.173	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
	19-Oct-05	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM
	21-Nov-05	30	ND<1	ND<1	ND<1	ND<1	ND<1	3.69	0.0777	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1

**GROUND-WATER REMEDIAL ACTION
ROWE INDUSTRIES SUPERFUND SITE
SAG HARBOR, NEW YORK**

RECOVERY WELL WATER QUALITY RESULTS

Recovery Well	Date Sampled - ARAR's	POE (ug/L) 5	TCE (ug/L) 5	TCA (ug/L) 5	Vinyl Acetate (ug/L) NE	Chloroform (ug/L)	MTBE (ug/L) NE	Total Iron (mg/L) 300	Dissolved Iron (mg/L) 300	1,1-Dichloro-ethane (ug/L) 5	cis-1,2-Dichloro-ethane (ug/L) 5	1,1-Dichloro-ethene (ug/L) 5	Methylene Chloride (ug/L) 5	Bromoform (ug/L) NE	Dibromochloromethane (ug/L) NE	Acetone (ug/L) NE
RW-5	23-Jul-03	11	ND<1	ND<1	ND<1	1.1	9.7	6.47	0.068	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
	23-Sep-03	15	ND<1	ND<1	ND<1	0.9	7.3	0.269	0.021	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
	30-Oct-03	18	ND<1	ND<1	ND<1	ND<1	8.1	0.043	0.016	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
	25-Nov-03	18	ND<1	ND<1	ND<1	ND<1	ND<1	13.1	0.0097	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
	23-Dec-03	11	ND<1	ND<1	ND<1	ND<1	7.5	0.0523	ND<0.02	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
	23-Jan-04	14	ND<1	ND<1	ND<1	0.9	4.0	0.05	ND<0.02	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
	11-Feb-04	14	ND<1	ND<1	ND<1	1.0	6.2	ND<0.02	ND<0.02	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
	8-Mar-04	14	ND<1	ND<1	ND<1	ND<1	5.0	0.0852	ND<0.02	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
	14-Apr-04	18	ND<1	ND<1	ND<1	1.5	6.1	0.147	0.015	ND<1	ND<1	ND<1	2*	ND<1	ND<1	ND<1
	5-May-04	38	0.8	3.2	ND<1	ND<1	8.0	0.055	0.015	ND<1	ND<1	ND<1	6.4*	ND<1	ND<1	ND<1
	14-Jun-04	17	ND<1	4.6	ND<1	ND<1	3.9	0.054	0.022	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
	14-Jul-04	21	ND<1	4.6	ND<1	ND<1	3.1	0.0254	0.0265	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
	26-Aug-04 ***	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM
	15-Sep-04	24	ND<1	6.5	ND<1	ND<1	3.2	2.39	ND<0.02	ND<1	ND<1	ND<1	ND<1	2.3	ND<1	ND<1
	7-Oct-04	16	ND<1	5.2	ND<1	ND<1	2.4	0.139	0.0163	ND<1	ND<1	ND<1	ND<1	1.8	1.4	ND<1
	3-Nov-04	15	ND<1	6.4	ND<1	ND<1	2.2	0.0287	ND<0.02	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
	15-Dec-04	28	ND<1	28	ND<1	ND<1	ND<1	0.0621	ND<0.02	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
	4-Jan-05	12	ND<1	5.6	ND<1	ND<1	2.0	0.0269	0.0172	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
	8-Feb-05	11	ND<1	ND<1	ND<1	ND<1	ND<1	ND<0.02	ND<0.02	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
	15-Mar-05	14	ND<1	4.3	ND<1	ND<1	2.6	0.318	ND<0.02	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
	19-Apr-05	9	ND<1	4.1	ND<1	ND<1	ND<1	0.0887	0.0187	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
	2-May-05	13	ND<1	5.7	ND<1	ND<1	ND<1	0.0223	ND<0.02	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
	16-Jun-05	4.7	ND<1	ND<1	ND<1	ND<1	ND<1	0.0177	ND<0.02	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
	14-Jul-05	8.2	ND<1	1.6	ND<1	ND<1	ND<1	0.0358	ND<0.02	ND<1	ND<1	ND<1	9.5*	ND<1	ND<1	5.6*
	9-Aug-05	2.6	ND<1	ND<1	ND<1	ND<1	ND<1	0.0227	0.0303	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
	8-Sep-05	8	ND<1	3.8	ND<1	ND<1	ND<1	0.0185	ND<0.02	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
	19-Oct-05	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM
	21-Nov-05	2.6	ND<1	ND<1	ND<1	ND<1	ND<1	0.0482	ND<0.02	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
RW-6	23-Jan-04	160	2.4	ND<1	ND<1	ND<1	ND<1	0.015	ND<0.02	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
	11-Feb-04	130	3.3	1.1	ND<1	ND<1	1.7	ND<0.02	ND<0.02	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
	8-Mar-04	110	2.7	ND<1	ND<1	ND<1	1.6	0.077	ND<0.02	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
	14-Apr-04	110	2.9	1.3	ND<1	ND<1	2.6	0.016	ND<0.02	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
	5-May-04	210	4.8	ND<1	ND<1	ND<1	3.2	0.719	ND<0.02	ND<1	ND<1	ND<1	5.9*	ND<1	ND<1	ND<1
	14-Jun-04	92	3.6	1.3	ND<1	ND<1	2.1	0.151	ND<0.02	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
	14-Jul-04	100	2.8	1.2	ND<1	ND<1	1.7	0.437	ND<0.02	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
	26-Aug-04 ***	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM
	15-Sep-04	130	3.3	2.2	ND<1	ND<1	ND<1	0.0976	ND<0.02	ND<1	ND<1	ND<1	ND<1	4.0	ND<1	ND<1
	7-Oct-04	94	ND<1	1.6	ND<1	ND<1	ND<1	0.214	ND<0.02	ND<1	ND<1	ND<1	ND<1	2.9	2.0	ND<1
	3-Nov-04	94	2.1	2.4	ND<1	ND<1	2.5	0.0111	ND<0.02	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
	15-Dec-04	200	3.8	16	ND<1	ND<1	ND<1	4.73	0.117	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
	4-Jan-05	86	2.1	3.7	ND<1	ND<1	2.4	0.0279	ND<0.02	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
	8-Feb-05	110	2.4	7.6	ND<1	ND<1	ND<1	ND<0.02	ND<0.02	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
	15-Mar-05	120	2.3	6.6	ND<1	ND<1	2.7	0.0294	ND<0.02	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
	19-Apr-05	74	ND<1	7.0	ND<1	ND<1	ND<1	0.0509	ND<0.02	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
	2-May-05	96	2.8	8.5	ND<1	ND<1	ND<1	ND<0.02	ND<0.02	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
	16-Jun-05	69	1.6	13.0	ND<1	ND<1	ND<1	0.067	0.0195	ND<1	ND<1	ND<1	2.1	ND<1	ND<1	ND<1
	14-Jul-05	64	1.6	9.5	ND<1	ND<1	ND<1	0.0406	ND<0.02	ND<1	ND<1	ND<1	7.2*	ND<1	ND<1	7*
	9-Aug-05	49	ND<1	12.0	ND<1	ND<1	ND<1	0.088	0.0366	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
	8-Sep-05	100	1.6	12.0	ND<1	ND<1	ND<1	1.3	0.0143	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
	19-Oct-05	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM
	21-Nov-05	68	ND<1	ND<1	ND<1	ND<1	ND<1	0.144	ND<0.02	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1

**GROUND-WATER REMEDIAL ACTION
ROWE INDUSTRIES SUPERFUND SITE
SAG HARBOR, NEW YORK**

RECOVERY WELL WATER QUALITY RESULTS

Recovery Well	Date Sampled ARAR's	PCE (ug/L) 5	TCE (ug/L) 5	TCA (ug/L) 5	Vinyl Acetate (ug/L) NE	Chloroform (ug/L) 7	MTBE (ug/L) NE	Total Iron (mg/L) 300	Dissolved Iron (mg/L) 300	1,1-Dichloro- ethane (ug/L) 5	cis-1,2-Dichloro- ethene (ug/L) 5	1,1-Dichloro- ethene (ug/L) 5	Methylene Chloride (ug/L) 5	Bromoform (ug/L) NE	Dibromochloro- methane (ug/L) NE	Acetone (ug/L) NE
RW-7	23-Jan-04	190	3.7	ND<1	ND<1	ND<1	ND<1	0.0069	ND<0.02	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
	11-Feb-04	120	2.9	ND<1	ND<1	ND<1	ND<1	ND<0.02	ND<0.02	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
	8-Mar-04	100	3.0	ND<1	ND<1	ND<1	ND<1	0.0205	ND<0.02	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
	14-Apr-04	79	2.5	ND<1	ND<1	ND<1	ND<1	0.02	ND<0.02	ND<1	ND<1	ND<1	2.2*	ND<1	ND<1	ND<1
	5-May-04	130	4.0	ND<1	ND<1	ND<1	ND<1	0.012	ND<0.02	ND<1	ND<1	ND<1	6.2*	ND<1	ND<1	ND<1
	14-Jun-04	59	2.7	ND<1	ND<1	ND<1	ND<1	0.018	ND<0.02	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
	14-Jul-04	55	2.1	ND<1	ND<1	ND<1	ND<1	0.791	0.017	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
	28-Aug-04 ***	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM
	15-Sep-04	59	2.2	ND<1	ND<1	ND<1	ND<1	ND<0.02	ND<0.02	ND<1	ND<1	ND<1	ND<1	2.6	ND<1	ND<1
	7-Oct-04	38	ND<1	ND<1	ND<1	ND<1	ND<1	0.0429	0.0126	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
	3-Nov-04	36	ND<1	ND<1	ND<1	ND<1	ND<1	0.0214	0.0108	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
	15-Dec-04	82	ND<1	4.3	ND<1	ND<1	ND<1	0.0272	0.00876	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
	4-Jan-05	37	1.1	ND<1	ND<1	ND<1	ND<1	0.0343	ND<0.02	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
	8-Feb-05	45	ND<1	ND<1	ND<1	ND<1	ND<1	ND<0.02	ND<0.02	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
	15-Mar-05	42	1.5	1.7	ND<1	ND<1	ND<1	0.0356	ND<0.02	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
	19-Apr-05	22	ND<1	ND<1	ND<1	ND<1	ND<1	0.107	0.0152	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
	2-May-05	30	ND<1	ND<1	ND<1	ND<1	ND<1	0.02	ND<0.02	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
	16-Jun-05	32	1.0	4.7	ND<1	ND<1	ND<1	0.0753	0.02	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
	14-Jul-05	32	ND<1	2.2	ND<1	ND<1	ND<1	0.0155	ND<0.02	ND<1	ND<1	ND<1	8.7*	ND<1	ND<1	7.2*
	9-Aug-05	31	ND<1	6.2	ND<1	ND<1	ND<1	0.0903	0.0409	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
	8-Sep-05	39	ND<1	3.4	ND<1	ND<1	ND<1	0.0452	ND<0.02	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
	19-Oct-05	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM
	21-Nov-05	36	ND<1	ND<1	ND<1	ND<1	ND<1	0.536	ND<0.02	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
RW-8	23-Jan-04	16	2.2	4.1	ND<1	ND<1	ND<1	9.73	2.72	3.5	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
	11-Feb-04	15	2.2	4.7	ND<1	ND<1	ND<1	8.74	0.19	4.1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
	8-Mar-04	22	2.7	4.3	ND<1	ND<1	ND<1	11.9	0.23	3.9	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
	14-Apr-04	14	2.0	6.2	ND<1	ND<1	ND<1	10.7	0.14	6.7	ND<1	ND<1	1.9*	ND<1	ND<1	ND<1
	5-May-04	27	4.1	8.3	ND<1	ND<1	ND<1	8.77	0.21	8.7	ND<1	ND<1	8.5*	ND<1	ND<1	ND<1
	14-Jun-04	10	2.4	5.8	ND<1	ND<1	ND<1	9.15	0.10	4.0	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
	14-Jul-04 **	3	1.0	3.7	ND<1	ND<1	ND<1	4.18	0.21	2.1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
	26-Aug-04 ***	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM
	15-Sep-04	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM
	27-Oct-04	4.1	1.0	2.2	ND<1	ND<1	ND<1	28.8	0.2	1.6	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
	3-Nov-04	5.3	ND<1	4.0	ND<1	ND<1	ND<1	10.6	0.3	3.5	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
	15-Dec-04	16	ND<1	22	ND<1	ND<1	ND<1	15.6	0.1	15	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
	4-Jan-05	6.9	1.3	3.9	ND<1	ND<1	ND<1	8.92	2.85	2.7	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
	8-Feb-05	7.4	ND<1	7.2	ND<1	ND<1	ND<1	8.24	ND<0.02	4.7	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
	15-Mar-05	9.0	1.3	4.2	ND<1	ND<1	ND<1	7.54	0.08	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
	19-Apr-05	3.5	ND<1	3.5	ND<1	ND<1	ND<1	8.89	0.32	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
	2-May-05	5.6	ND<1	5.2	ND<1	ND<1	ND<1	7.33	0.07	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
	16-Jun-05	2.7	ND<1	5.8	ND<1	ND<1	ND<1	7.06	0.33	2.1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
	14-Jul-05	2.6	ND<1	3.4	ND<1	ND<1	ND<1	8.33	0.02	ND<1	ND<1	ND<1	8.5*	ND<1	ND<1	8.2*
	9-Aug-05	1.8	ND<1	2.9	ND<1	ND<1	ND<1	0.24	0.06	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
	8-Sep-05	2.9	ND<1	4.2	ND<1	ND<1	ND<1	7.53	0.26	2.5	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
	19-Oct-05	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM
	21-Nov-05	1.5	ND<1	ND<1	ND<1	ND<1	ND<1	7.65	0.11	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1

**GROUND-WATER REMEDIAL ACTION
ROWE INDUSTRIES SUPERFUND SITE
SAG HARBOR, NEW YORK**

RECOVERY WELL WATER QUALITY RESULTS

Recovery Well	Date Sampled ARAR's	PCE (ug/L) ^u g	TCE (ug/L) ^u g	TCA (ug/L) ^u g	Vinyl Acetate (ug/L) ^u NE	Chloroform (ug/L) ^u NE	MTBE (ug/L) ^u NE	Total Iron (mg/L) ^u 300	Dissolved Iron (mg/L) ^u 300	1,1-Dichloro-ethane (ug/L) ^u g	cis-1,2-Dichloro-ethane (ug/L) ^u g	1,1-Dichloro-ethene (ug/L) ^u g	Methylene Chloride (ug/L) ^u g	Bromoform (ug/L) ^u NE	Dibromochloromethane (ug/L) ^u NE	Acetone (ug/L) ^u NE
RW-9	23-Jan-04	2.3	2.2	13	ND<1	ND<1	ND<1	0.638	0.029	1.8	ND<1	1.5	ND<1	ND<1	ND<1	ND<1
	11-Feb-04	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	ND<1
	8-Mar-04	ND<1	2.2	12	ND<1	ND<1	ND<1	1.24	0.222	3.7	ND<1	1.3	ND<1	ND<1	ND<1	ND<1
	14-Apr-04	5.6	1.7	10	ND<1	ND<1	ND<1	2.65	1.22	5.9	ND<1	2.0	2.0*	ND<1	ND<1	ND<1
	5-May-04	3.7	1.7	13	ND<1	ND<1	ND<1	2.58	1.83	6.7	ND<1	1.7	7.1*	ND<1	ND<1	ND<1
	14-Jun-04	1.8	1.9	8.2	ND<1	ND<1	ND<1	3.03	1.11	3.0	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
	14-Jul-04	3.4	1.3	5.1	ND<1	ND<1	ND<1	2.6	1.95	1.8	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
	26-Aug-04 ***	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM
	15-Sep-04	3.7	1.0	6.0	ND<1	ND<1	ND<1	0.049	ND<0.02	1.9	ND<1	ND<1	ND<1	1.6	ND<1	ND<1
	7-Oct-04	3.1	ND<1	5.0	ND<1	ND<1	ND<1	3.12	0.716	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
	3-Nov-04	1.6	ND<1	5.9	ND<1	ND<1	ND<1	2.97	1.41	1.6	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
	15-Dec-04	1.3	ND<1	31	ND<1	ND<1	ND<1	2.78	0.497	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
	4-Jan-05	ND<1	1.0	6.4	ND<1	ND<1	ND<1	2.35	1.72	1.6	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
	8-Feb-05	ND<1	ND<1	10	ND<1	ND<1	ND<1	0.0974	ND<0.02	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
	15-Mar-05	ND<1	1.4	5.9	ND<1	ND<1	ND<1	1.55	0.507	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
	19-Apr-05	ND<1	ND<1	4.5	ND<1	ND<1	ND<1	1.59	0.091	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
	2-May-05	ND<1	2.9	9.0	ND<1	ND<1	ND<1	2.89	0.0596	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
	16-Jun-05	ND<1	ND<1	5.8	ND<1	ND<1	ND<1	1.38	0.149	0.9	ND<1	1.2	ND<1	ND<1	ND<1	ND<1
	14-Jul-05	3.4	ND<1	3.1	ND<1	ND<1	ND<1	2.55	0.238	ND<1	ND<1	ND<1	6.9*	ND<1	ND<1	7.3*
	9-Aug-05	ND<1	ND<1	1.4	ND<1	ND<1	ND<1	0.994	0.0734	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
	8-Sep-05	1.2	ND<1	2.0	ND<1	ND<1	ND<1	3.64	0.161	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
	19-Oct-05	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM
	21-Nov-05	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	1.31	0.108	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1

ND: Not detected

<#: Less than method detection limit
ug/L: Micrograms per liter

-: Not analyzed

ARAR's are chemical specific aquifer restoration goals for ground water at the Former Rowe Industries Superfund Site. Bold values indicate an exceedance of the ARAR standard established for the site.

PCE: Tetrachloroethylene
TCE: Trichloroethylene
TCA: 1,1,1-Trichloroethane
1,1-DCA: 1,1-Dichloroethane

1,1-DCE: 1,1-Dichloroethene
1,2-DCE: 1,2-Dichloroethene
MTBE: Methyl Tertiary Butyl Ether
NM: Not Measured


ARAR goal was not established for this compound by the EPA.
*Concentrations with an asterisk following them are due to laboratory contamination.

GRAPHS


GRAPH 1

GROUND-WATER REMEDIAL ACTION
ROWE INDUSTRIES SUPERFUND SITE
SAG HARBOR, NEW YORK

EFFLUENT FLOW DATA
(November 1, 2005 through November 30, 2005)




GRAPH 2
GROUND-WATER REMEDIAL ACTION
ROWE INDUSTRIES SUPERFUND SITE
SAG HARBOR, NEW YORK
RECOVERY WELL PCE CONCENTRATION IN MICROGRAMS PER LITER



GRAPH 3

GROUND-WATER REMEDIAL ACTION
 ROWE INDUSTRIES SUPERFUND SITE
 SAG HARBOR, NEW YORK

RECOVERY WELL PCE CONCENTRATION FOR SELECT RECOVERY WELLS



APPENDIX I
NOVEMBER 2005 LABORATORY ANALYTICAL REPORTS



NYSDOH 11418
NJDEP NY050
CTDOH PH-0205
PADEP 68-00573

Tuesday, November 29, 2005

Mark Goldberg
Leggette Brashears & Graham Inc.
126 Monroe Turnpike
Trumbull, CT 06611

TEL: (203) 452-3110
FAX (203) 452-3111

RE: Rowe Industries

Order No.: 0511179

Dear Mark Goldberg:

American Analytical Laboratories, LLC. received 3 sample(s) on 11/22/2005 for the analyses presented in the following report.


Samples were analyzed in accordance with the test procedures documented on the chain of custody and detailed throughout the text of this report.

The limits provided in the data package are analytical reporting limits and not Federal or Local mandated values to which the sample results should be compared.

There were no problems with the analyses and all data for associated QC met laboratory specifications.

If you have any questions regarding these tests results, please do not hesitate to call (631) 454-6100 or email me directly at lbeyer@american-analytical.com.

Sincerely,


Lori Beyer
Lab Director

American Analytical Laboratories, LLC.

Date: 29-Nov-05

CLIENT: Leggette Brashears & Graham Inc.**Project:** Rowe Industries**Lab Order:** 0511179**Work Order Sample Summary**

Lab Sample ID	Client Sample ID	Tag Number	Collection Date	Date Received
0511179-01A	WQ111605:1105 NP2-6		11/16/2005	11/22/2005
0511179-01B	WQ111605:1105 NP2-6		11/16/2005	11/22/2005
0511179-01C	WQ111605:1105 NP2-6		11/16/2005	11/22/2005
0511179-02A	WQ111605:1100 NP2-7		11/16/2005	11/22/2005
0511179-02B	WQ111605:1100 NP2-7		11/16/2005	11/22/2005
0511179-02C	WQ111605:1100 NP2-7		11/16/2005	11/22/2005
0511179-03A	WQ111605:1110 NP2-10		11/16/2005	11/22/2005
0511179-03B	WQ111605:1110 NP2-10		11/16/2005	11/22/2005
0511179-03C	WQ111605:1110 NP2-10		11/16/2005	11/22/2005



AMERICAN
ANALYTICAL
LABORATORIES

56 TOLEDO STREET • FARMINGDALE, NY 11735 • (516) 454-6100 • FAX (516) 454-8027

NYSDOH	ELAP	11418
AIHA	PAT, LPAT	15668
CTDOH	PH-0205	

CHAIN OF CUSTODY / REQUEST FOR ANALYSIS DOCUMENT

[illegible]

WHITE-OFFICE / CANARY-LAB / PINK-SAMPLE CUSTODIAN / GOLDENROD-CLIENT

AMERICAN ANALYTICAL LABORATORIES, LLC

56 TOLEDO STREET

FARMINGDALE, NEW YORK 11735

TELEPHONE: (631) 454-6100

FAX: (631) 454-8027

DATA REPORTING QUALIFIERS

For reporting results, the following "Results Qualifiers" are used:

Value	If the result is greater than or equal to the detection limit, report the value
U	Indicates the compound was analyzed for but was not detected. Report the minimum detection limit for the sample with the U, i.e. "10U". This is not necessarily the instrument detection limit attainable for this particular sample based on any concentration or dilution that may have been required.
J	Indicates an estimated value. The flag is used: (1) When estimating a concentration for a tentatively identified compound (library search hits, where a 1:1 response is assumed.) (2) When the mass spectral data indicated the identification, however the result was less than the specified detection limit greater than zero. If the detection limit was 10ug/L and a concentration of 3ug/L was calculated report as 3J. This flag is used when similar situations arise on any organic parameter i.e. Pesticide, PCBs and others.
B	Indicates the analyte was found in the blank as well as the sample report "10B".
E	Indicates the analytes concentration exceeds the calibrated range of the instrument for that specific analysis.
D	This flag identifies all compounds identified in an analysis at a secondary dilution factor.
P	This flag is used for Pesticide / PCB target analyte when there is >25% difference for detected concentrations between the two GC Columns. The higher of the two values is reported on Form I and flagged with a "P".
N	This flag indicates presumptive evidence of a compound. This is only used for tentatively identified compounds (TICs), where the identification is based on a mass spectral library search. It applies to all TIC results. For generic characterization of a TIC, such as chlorinated hydrocarbon, the flag is not used.
H	Indicates sample was received and/or analyzed outside of The method allowable holding time

American Analytical Laboratories, LLC.

Date: 29-Nov-05

CLIENT: Leggette Brashears & Graham Inc. **Client Sample ID:** WQ111605:1105 NP2-6
Lab Order: 0511179 **Tag Number:**
Project: Rowe Industries **Collection Date:** 11/16/2005
Lab ID: 0511179-01A **Date Received:** 11/22/2005 **Matrix:** LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILES SW-846 8260 PLUS MTBE & FREON1		SW8260B		Analyst: LDS		
1,1,1,2-Tetrachloroethane	U	1.0		µg/L	1	11/22/2005 7:15:00 PM
1,1,1-Trichloroethane	4.0	1.0		µg/L	1	11/22/2005 7:15:00 PM
1,1,2,2-Tetrachloroethane	U	1.0		µg/L	1	11/22/2005 7:15:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	U	1.0		µg/L	1	11/22/2005 7:15:00 PM
1,1,2-Trichloroethane	U	1.0		µg/L	1	11/22/2005 7:15:00 PM
1,1-Dichloroethane	1.2	1.0		µg/L	1	11/22/2005 7:15:00 PM
1,1-Dichloroethene	U	1.0		µg/L	1	11/22/2005 7:15:00 PM
1,1-Dichloropropene	U	1.0		µg/L	1	11/22/2005 7:15:00 PM
1,2,3-Trichlorobenzene	U	1.0		µg/L	1	11/22/2005 7:15:00 PM
1,2,3-Trichloropropane	U	1.0		µg/L	1	11/22/2005 7:15:00 PM
1,2,4-Trichlorobenzene	U	1.0		µg/L	1	11/22/2005 7:15:00 PM
1,2,4-Trimethylbenzene	U	1.0		µg/L	1	11/22/2005 7:15:00 PM
1,2-Dibromo-3-chloropropane	U	1.0		µg/L	1	11/22/2005 7:15:00 PM
1,2-Dibromoethane	U	1.0		µg/L	1	11/22/2005 7:15:00 PM
1,2-Dichlorobenzene	U	1.0		µg/L	1	11/22/2005 7:15:00 PM
1,2-Dichloroethane	U	1.0		µg/L	1	11/22/2005 7:15:00 PM
1,2-Dichloropropane	U	1.0		µg/L	1	11/22/2005 7:15:00 PM
1,3,5-Trimethylbenzene	U	1.0		µg/L	1	11/22/2005 7:15:00 PM
1,3-Dichlorobenzene	U	1.0		µg/L	1	11/22/2005 7:15:00 PM
1,3-dichloropropane	U	1.0		µg/L	1	11/22/2005 7:15:00 PM
1,4-Dichlorobenzene	U	1.0		µg/L	1	11/22/2005 7:15:00 PM
2,2-Dichloropropane	U	1.0		µg/L	1	11/22/2005 7:15:00 PM
2-Butanone	U	1.0		µg/L	1	11/22/2005 7:15:00 PM
2-Chloroethyl vinyl ether	U	1.0		µg/L	1	11/22/2005 7:15:00 PM
2-Chlorotoluene	U	1.0		µg/L	1	11/22/2005 7:15:00 PM
2-Hexanone	U	1.0		µg/L	1	11/22/2005 7:15:00 PM
4-Chlorotoluene	U	1.0		µg/L	1	11/22/2005 7:15:00 PM
4-Isopropyltoluene	U	1.0		µg/L	1	11/22/2005 7:15:00 PM
4-Methyl-2-pentanone	U	1.0		µg/L	1	11/22/2005 7:15:00 PM
Acetone	U	1.0		µg/L	1	11/22/2005 7:15:00 PM
Benzene	U	1.0		µg/L	1	11/22/2005 7:15:00 PM
Bromobenzene	U	1.0		µg/L	1	11/22/2005 7:15:00 PM
Bromochloromethane	U	1.0		µg/L	1	11/22/2005 7:15:00 PM
Bromodichloromethane	U	1.0		µg/L	1	11/22/2005 7:15:00 PM
Bromoform	U	1.0		µg/L	1	11/22/2005 7:15:00 PM
Bromomethane	U	1.0		µg/L	1	11/22/2005 7:15:00 PM
Carbon disulfide	U	1.0		µg/L	1	11/22/2005 7:15:00 PM
Carbon tetrachloride	U	1.0		µg/L	1	11/22/2005 7:15:00 PM
Chlorobenzene	U	1.0		µg/L	1	11/22/2005 7:15:00 PM
Chloroethane	U	1.0		µg/L	1	11/22/2005 7:15:00 PM

Qualifiers: * Value exceeds Maximum Contaminant Level
 E Value above quantitation range
 J Analyte detected below quantitation limits
 S Spike Recovery outside accepted recovery limits

B Analyte detected in the associated Method Blank
 H Holding times for preparation or analysis exceeded
 ND Not Detected at the Reporting Limit
 U Indicates the compound was analyzed for but not detected

American Analytical Laboratories, LLC.

Date: 29-Nov-05

CLIENT: Leggette Brashears & Graham Inc. **Client Sample ID:** WQ111605:1105 NP2-6
Lab Order: 0511179 **Tag Number:**
Project: Rowe Industries **Collection Date:** 11/16/2005
Lab ID: 0511179-01A **Date Received:** 11/22/2005 **Matrix:** LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
Chloroform	U	1.0		µg/L	1	11/22/2005 7:15:00 PM
Chloromethane	U	1.0		µg/L	1	11/22/2005 7:15:00 PM
cis-1,2-Dichloroethene	2.8	1.0		µg/L	1	11/22/2005 7:15:00 PM
cis-1,3-Dichloropropene	U	1.0		µg/L	1	11/22/2005 7:15:00 PM
Dibromochloromethane	U	1.0		µg/L	1	11/22/2005 7:15:00 PM
Dibromomethane	U	1.0		µg/L	1	11/22/2005 7:15:00 PM
Dichlorodifluoromethane	U	1.0		µg/L	1	11/22/2005 7:15:00 PM
Ethylbenzene	U	1.0		µg/L	1	11/22/2005 7:15:00 PM
Hexachlorobutadiene	U	1.0		µg/L	1	11/22/2005 7:15:00 PM
Isopropylbenzene	U	1.0		µg/L	1	11/22/2005 7:15:00 PM
m,p-Xylene	U	2.0		µg/L	1	11/22/2005 7:15:00 PM
Methyl tert-butyl ether	U	1.0		µg/L	1	11/22/2005 7:15:00 PM
Methylene chloride	U	1.0	B	µg/L	1	11/22/2005 7:15:00 PM
Naphthalene	U	1.0		µg/L	1	11/22/2005 7:15:00 PM
n-Butylbenzene	U	1.0		µg/L	1	11/22/2005 7:15:00 PM
n-Propylbenzene	U	1.0		µg/L	1	11/22/2005 7:15:00 PM
o-Xylene	U	1.0		µg/L	1	11/22/2005 7:15:00 PM
sec-Butylbenzene	U	1.0		µg/L	1	11/22/2005 7:15:00 PM
Styrene	U	1.0		µg/L	1	11/22/2005 7:15:00 PM
tert-Butylbenzene	U	1.0		µg/L	1	11/22/2005 7:15:00 PM
Tetrachloroethene	22	1.0		µg/L	1	11/22/2005 7:15:00 PM
Toluene	U	1.0		µg/L	1	11/22/2005 7:15:00 PM
trans-1,2-Dichloroethene	U	1.0		µg/L	1	11/22/2005 7:15:00 PM
trans-1,3-Dichloropropene	U	1.0		µg/L	1	11/22/2005 7:15:00 PM
Trichloroethene	U	1.0		µg/L	1	11/22/2005 7:15:00 PM
Trichlorofluoromethane	U	1.0		µg/L	1	11/22/2005 7:15:00 PM
Vinyl acetate	U	1.0		µg/L	1	11/22/2005 7:15:00 PM
Vinyl chloride	U	1.0		µg/L	1	11/22/2005 7:15:00 PM

Qualifiers:	* Value exceeds Maximum Contaminant Level	B Analyte detected in the associated Method Blank
	E Value above quantitation range	H Holding times for preparation or analysis exceeded
	J Analyte detected below quantitation limits	ND Not Detected at the Reporting Limit
	S Spike Recovery outside accepted recovery limits	U Indicates the compound was analyzed for but not detected

American Analytical Laboratories, LLC.

Date: 29-Nov-05

CLIENT:	Leggette Brashears & Graham Inc.	Client Sample ID:	WQ111605:1105 NP2-6
Lab Order:	0511179	Tag Number:	
Project:	Rowe Industries	Collection Date:	11/16/2005
Lab ID:	0511179-01B	Date Received:	11/22/2005
		Matrix:	LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
TOTAL IRON		E200.7		(SW3010A)		Analyst: JP
Iron	10.6	0.0200		mg/L	1	11/22/2005 12:15:51 PM

Qualifiers:	* Value exceeds Maximum Contaminant Level	B Analyte detected in the associated Method Blank
	E Value above quantitation range	H Holding times for preparation or analysis exceeded
	J Analyte detected below quantitation limits	ND Not Detected at the Reporting Limit
	S Spike Recovery outside accepted recovery limits	U Indicates the compound was analyzed for but not detected

American Analytical Laboratories, LLC.**Date:** 29-Nov-05

CLIENT:	Leggette Brashears & Graham Inc.	Client Sample ID:	WQ111605:1105 NP2-6
Lab Order:	0511179	Tag Number:	
Project:	Rowe Industries	Collection Date:	11/16/2005
Lab ID:	0511179-01C	Date Received:	11/22/2005
		Matrix:	LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
DISSOLVED IRON		E200.7		(SW3005A)		Analyst: JP
Iron	0.234	0.0200		mg/L	1	11/22/2005 12:13:41 PM

Qualifiers:	* Value exceeds Maximum Contaminant Level	B Analyte detected in the associated Method Blank
	E Value above quantitation range	H Holding times for preparation or analysis exceeded
	J Analyte detected below quantitation limits	ND Not Detected at the Reporting Limit
	S Spike Recovery outside accepted recovery limits	U Indicates the compound was analyzed for but not detected

American Analytical Laboratories, LLC.

Date: 29-Nov-05

CLIENT: Leggette Brashears & Graham Inc.

Client Sample ID: WQ111605:1100 NP2-7

Lab Order: 0511179

Tag Number:

Project: Rowe Industries

Collection Date: 11/16/2005

Lab ID: 0511179-02A

Date Received: 11/22/2005

Matrix: LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILES SW-846 8260 PLUS MTBE & FREON1		SW8260B		Analyst: LDS		
1,1,1,2-Tetrachloroethane	U	1.0		µg/L	1	11/22/2005 9:14:00 PM
1,1,1-Trichloroethane	U	1.0		µg/L	1	11/22/2005 9:14:00 PM
1,1,2,2-Tetrachloroethane	U	1.0		µg/L	1	11/22/2005 9:14:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	U	1.0		µg/L	1	11/22/2005 9:14:00 PM
1,1,2-Trichloroethane	U	1.0		µg/L	1	11/22/2005 9:14:00 PM
1,1-Dichloroethane	U	1.0		µg/L	1	11/22/2005 9:14:00 PM
1,1-Dichloroethene	U	1.0		µg/L	1	11/22/2005 9:14:00 PM
1,1-Dichloropropene	U	1.0		µg/L	1	11/22/2005 9:14:00 PM
1,2,3-Trichlorobenzene	U	1.0		µg/L	1	11/22/2005 9:14:00 PM
1,2,3-Trichloropropane	U	1.0		µg/L	1	11/22/2005 9:14:00 PM
1,2,4-Trichlorobenzene	U	1.0		µg/L	1	11/22/2005 9:14:00 PM
1,2,4-Trimethylbenzene	U	1.0		µg/L	1	11/22/2005 9:14:00 PM
1,2-Dibromo-3-chloropropane	U	1.0		µg/L	1	11/22/2005 9:14:00 PM
1,2-Dibromoethane	U	1.0		µg/L	1	11/22/2005 9:14:00 PM
1,2-Dichlorobenzene	U	1.0		µg/L	1	11/22/2005 9:14:00 PM
1,2-Dichloroethane	U	1.0		µg/L	1	11/22/2005 9:14:00 PM
1,2-Dichloropropane	U	1.0		µg/L	1	11/22/2005 9:14:00 PM
1,3,5-Trimethylbenzene	U	1.0		µg/L	1	11/22/2005 9:14:00 PM
1,3-Dichlorobenzene	U	1.0		µg/L	1	11/22/2005 9:14:00 PM
1,3-dichloropropane	U	1.0		µg/L	1	11/22/2005 9:14:00 PM
1,4-Dichlorobenzene	U	1.0		µg/L	1	11/22/2005 9:14:00 PM
2,2-Dichloropropane	U	1.0		µg/L	1	11/22/2005 9:14:00 PM
2-Butanone	U	1.0		µg/L	1	11/22/2005 9:14:00 PM
2-Chloroethyl vinyl ether	U	1.0		µg/L	1	11/22/2005 9:14:00 PM
2-Chlorotoluene	U	1.0		µg/L	1	11/22/2005 9:14:00 PM
2-Hexanone	U	1.0		µg/L	1	11/22/2005 9:14:00 PM
4-Chlorotoluene	U	1.0		µg/L	1	11/22/2005 9:14:00 PM
4-Isopropyltoluene	U	1.0		µg/L	1	11/22/2005 9:14:00 PM
4-Methyl-2-pentanone	U	1.0		µg/L	1	11/22/2005 9:14:00 PM
Acetone	U	1.0		µg/L	1	11/22/2005 9:14:00 PM
Benzene	U	1.0		µg/L	1	11/22/2005 9:14:00 PM
Bromobenzene	U	1.0		µg/L	1	11/22/2005 9:14:00 PM
Bromochloromethane	U	1.0		µg/L	1	11/22/2005 9:14:00 PM
Bromodichloromethane	U	1.0		µg/L	1	11/22/2005 9:14:00 PM
Bromoform	U	1.0		µg/L	1	11/22/2005 9:14:00 PM
Bromomethane	U	1.0		µg/L	1	11/22/2005 9:14:00 PM
Carbon disulfide	U	1.0		µg/L	1	11/22/2005 9:14:00 PM
Carbon tetrachloride	U	1.0		µg/L	1	11/22/2005 9:14:00 PM
Chlorobenzene	U	1.0		µg/L	1	11/22/2005 9:14:00 PM
Chloroethane	U	1.0		µg/L	1	11/22/2005 9:14:00 PM

Qualifiers: * Value exceeds Maximum Contaminant Level
 E Value above quantitation range
 J Analyte detected below quantitation limits
 S Spike Recovery outside accepted recovery limits

B Analyte detected in the associated Method Blank
 H Holding times for preparation or analysis exceeded
 ND Not Detected at the Reporting Limit
 U Indicates the compound was analyzed for but not detected

American Analytical Laboratories, LLC.

Date: 29-Nov-05

CLIENT: Leggette Brashears & Graham Inc. **Client Sample ID:** WQ111605:1100 NP2-7
Lab Order: 0511179 **Tag Number:**
Project: Rowe Industries **Collection Date:** 11/16/2005
Lab ID: 0511179-02A **Date Received:** 11/22/2005 **Matrix:** LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
Chloroform	U	1.0		µg/L	1	11/22/2005 9:14:00 PM
Chloromethane	U	1.0		µg/L	1	11/22/2005 9:14:00 PM
cis-1,2-Dichloroethene	U	1.0		µg/L	1	11/22/2005 9:14:00 PM
cis-1,3-Dichloropropene	U	1.0		µg/L	1	11/22/2005 9:14:00 PM
Dibromochloromethane	U	1.0		µg/L	1	11/22/2005 9:14:00 PM
Dibromomethane	U	1.0		µg/L	1	11/22/2005 9:14:00 PM
Dichlorodifluoromethane	U	1.0		µg/L	1	11/22/2005 9:14:00 PM
Ethylbenzene	U	1.0		µg/L	1	11/22/2005 9:14:00 PM
Hexachlorobutadiene	U	1.0		µg/L	1	11/22/2005 9:14:00 PM
Isopropylbenzene	U	1.0		µg/L	1	11/22/2005 9:14:00 PM
m,p-Xylene	U	2.0		µg/L	1	11/22/2005 9:14:00 PM
Methyl tert-butyl ether	U	1.0		µg/L	1	11/22/2005 9:14:00 PM
Methylene chloride	U	1.0	B	µg/L	1	11/22/2005 9:14:00 PM
Naphthalene	U	1.0		µg/L	1	11/22/2005 9:14:00 PM
n-Butylbenzene	U	1.0		µg/L	1	11/22/2005 9:14:00 PM
n-Propylbenzene	U	1.0		µg/L	1	11/22/2005 9:14:00 PM
o-Xylene	U	1.0		µg/L	1	11/22/2005 9:14:00 PM
sec-Butylbenzene	U	1.0		µg/L	1	11/22/2005 9:14:00 PM
Styrene	U	1.0		µg/L	1	11/22/2005 9:14:00 PM
tert-Butylbenzene	U	1.0		µg/L	1	11/22/2005 9:14:00 PM
Tetrachloroethene	U	1.0		µg/L	1	11/22/2005 9:14:00 PM
Toluene	U	1.0		µg/L	1	11/22/2005 9:14:00 PM
trans-1,2-Dichloroethene	U	1.0		µg/L	1	11/22/2005 9:14:00 PM
trans-1,3-Dichloropropene	U	1.0		µg/L	1	11/22/2005 9:14:00 PM
Trichloroethene	U	1.0		µg/L	1	11/22/2005 9:14:00 PM
Trichlorofluoromethane	U	1.0		µg/L	1	11/22/2005 9:14:00 PM
Vinyl acetate	U	1.0		µg/L	1	11/22/2005 9:14:00 PM
Vinyl chloride	U	1.0		µg/L	1	11/22/2005 9:14:00 PM

Qualifiers: * Value exceeds Maximum Contaminant Level
 E Value above quantitation range
 J Analyte detected below quantitation limits
 S Spike Recovery outside accepted recovery limits
 B Analyte detected in the associated Method Blank
 H Holding times for preparation or analysis exceeded
 ND Not Detected at the Reporting Limit
 U Indicates the compound was analyzed for but not detected

American Analytical Laboratories, LLC.

Date: 29-Nov-05

CLIENT:	Leggette Brashears & Graham Inc.	Client Sample ID:	WQ111605:1100 NP2-7
Lab Order:	0511179	Tag Number:	
Project:	Rowe Industries	Collection Date:	11/16/2005
Lab ID:	0511179-02B	Date Received:	11/22/2005
		Matrix:	LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
TOTAL IRON		E200.7		(SW3010A)		Analyst: JP
Iron	3.00	0.0200		mg/L	1	11/22/2005 12:20:27 PM

Qualifiers:	*	Value exceeds Maximum Contaminant Level	B	Analyte detected in the associated Method Blank
	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded
	J	Analyte detected below quantitation limits	ND	Not Detected at the Reporting Limit
	S	Spike Recovery outside accepted recovery limits	U	Indicates the compound was analyzed for but not detected

Page 7 of 12

American Analytical Laboratories, LLC.

Date: 29-Nov-05

CLIENT:	Leggette Brashears & Graham Inc.	Client Sample ID:	WQ111605:1100 NP2-7
Lab Order:	0511179	Tag Number:	
Project:	Rowe Industries	Collection Date:	11/16/2005
Lab ID:	0511179-02C	Date Received:	11/22/2005
		Matrix:	LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
DISSOLVED IRON		E200.7		(SW3005A)		Analyst: JP
Iron	0.427	0.0200		mg/L	1	11/22/2005 12:18:21 PM

Qualifiers:	*	Value exceeds Maximum Contaminant Level	B	Analyte detected in the associated Method Blank
	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded
	J	Analyte detected below quantitation limits	ND	Not Detected at the Reporting Limit
	S	Spike Recovery outside accepted recovery limits	U	Indicates the compound was analyzed for but not detected

American Analytical Laboratories, LLC.

Date: 29-Nov-05

CLIENT: Leggette Brashears & Graham Inc.

Client Sample ID: WQ111605:1110 NP2-10

Lab Order: 0511179

Tag Number:

Project: Rowe Industries

Collection Date: 11/16/2005

Lab ID: 0511179-03A

Date Received: 11/22/2005

Matrix: LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILES SW-846 8260 PLUS MTBE & FREON1		SW8260B		Analyst: LDS		
1,1,1,2-Tetrachloroethane	U	1.0		µg/L	1	11/22/2005 9:53:00 PM
1,1,1-Trichloroethane	U	1.0		µg/L	1	11/22/2005 9:53:00 PM
1,1,2,2-Tetrachloroethane	U	1.0		µg/L	1	11/22/2005 9:53:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	U	1.0		µg/L	1	11/22/2005 9:53:00 PM
1,1,2-Trichloroethane	U	1.0		µg/L	1	11/22/2005 9:53:00 PM
1,1-Dichloroethane	U	1.0		µg/L	1	11/22/2005 9:53:00 PM
1,1-Dichloroethene	U	1.0		µg/L	1	11/22/2005 9:53:00 PM
1,1-Dichloropropene	U	1.0		µg/L	1	11/22/2005 9:53:00 PM
1,2,3-Trichlorobenzene	U	1.0		µg/L	1	11/22/2005 9:53:00 PM
1,2,3-Trichloropropane	U	1.0		µg/L	1	11/22/2005 9:53:00 PM
1,2,4-Trichlorobenzene	U	1.0		µg/L	1	11/22/2005 9:53:00 PM
1,2,4-Trimethylbenzene	U	1.0		µg/L	1	11/22/2005 9:53:00 PM
1,2-Dibromo-3-chloropropane	U	1.0		µg/L	1	11/22/2005 9:53:00 PM
1,2-Dibromoethane	U	1.0		µg/L	1	11/22/2005 9:53:00 PM
1,2-Dichlorobenzene	U	1.0		µg/L	1	11/22/2005 9:53:00 PM
1,2-Dichloroethane	U	1.0		µg/L	1	11/22/2005 9:53:00 PM
1,2-Dichloropropane	U	1.0		µg/L	1	11/22/2005 9:53:00 PM
1,3,5-Trimethylbenzene	U	1.0		µg/L	1	11/22/2005 9:53:00 PM
1,3-Dichlorobenzene	U	1.0		µg/L	1	11/22/2005 9:53:00 PM
1,3-dichloropropane	U	1.0		µg/L	1	11/22/2005 9:53:00 PM
1,4-Dichlorobenzene	U	1.0		µg/L	1	11/22/2005 9:53:00 PM
2,2-Dichloropropane	U	1.0		µg/L	1	11/22/2005 9:53:00 PM
2-Butanone	U	1.0		µg/L	1	11/22/2005 9:53:00 PM
2-Chloroethyl vinyl ether	U	1.0		µg/L	1	11/22/2005 9:53:00 PM
2-Chlorotoluene	U	1.0		µg/L	1	11/22/2005 9:53:00 PM
2-Hexanone	U	1.0		µg/L	1	11/22/2005 9:53:00 PM
4-Chlorotoluene	U	1.0		µg/L	1	11/22/2005 9:53:00 PM
4-Isopropyltoluene	U	1.0		µg/L	1	11/22/2005 9:53:00 PM
4-Methyl-2-pentanone	U	1.0		µg/L	1	11/22/2005 9:53:00 PM
Acetone	U	1.0		µg/L	1	11/22/2005 9:53:00 PM
Benzene	U	1.0		µg/L	1	11/22/2005 9:53:00 PM
Bromobenzene	U	1.0		µg/L	1	11/22/2005 9:53:00 PM
Bromochloromethane	U	1.0		µg/L	1	11/22/2005 9:53:00 PM
Bromodichloromethane	U	1.0		µg/L	1	11/22/2005 9:53:00 PM
Bromoform	U	1.0		µg/L	1	11/22/2005 9:53:00 PM
Bromomethane	U	1.0		µg/L	1	11/22/2005 9:53:00 PM
Carbon disulfide	U	1.0		µg/L	1	11/22/2005 9:53:00 PM
Carbon tetrachloride	U	1.0		µg/L	1	11/22/2005 9:53:00 PM
Chlorobenzene	U	1.0		µg/L	1	11/22/2005 9:53:00 PM
Chloroethane	U	1.0		µg/L	1	11/22/2005 9:53:00 PM

Qualifiers: * Value exceeds Maximum Contaminant Level
 E Value above quantitation range
 J Analyte detected below quantitation limits
 S Spike Recovery outside accepted recovery limits

B Analyte detected in the associated Method Blank
 H Holding times for preparation or analysis exceeded
 ND Not Detected at the Reporting Limit

U Indicates the compound was analyzed for but not detected

American Analytical Laboratories, LLC.

Date: 29-Nov-05

CLIENT: Leggette Brashears & Graham Inc. **Client Sample ID:** WQ111605:1110 NP2-10
Lab Order: 0511179 **Tag Number:**
Project: Rowe Industries **Collection Date:** 11/16/2005
Lab ID: 0511179-03A **Date Received:** 11/22/2005 **Matrix:** LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
Chloroform	U	1.0		µg/L	1	11/22/2005 9:53:00 PM
Chloromethane	U	1.0		µg/L	1	11/22/2005 9:53:00 PM
cis-1,2-Dichloroethene	U	1.0		µg/L	1	11/22/2005 9:53:00 PM
cis-1,3-Dichloropropene	U	1.0		µg/L	1	11/22/2005 9:53:00 PM
Dibromochloromethane	U	1.0		µg/L	1	11/22/2005 9:53:00 PM
Dibromomethane	U	1.0		µg/L	1	11/22/2005 9:53:00 PM
Dichlorodifluoromethane	U	1.0		µg/L	1	11/22/2005 9:53:00 PM
Ethylbenzene	U	1.0		µg/L	1	11/22/2005 9:53:00 PM
Hexachlorobutadiene	U	1.0		µg/L	1	11/22/2005 9:53:00 PM
Isopropylbenzene	U	1.0		µg/L	1	11/22/2005 9:53:00 PM
m,p-Xylene	U	2.0		µg/L	1	11/22/2005 9:53:00 PM
Methyl tert-butyl ether	U	1.0		µg/L	1	11/22/2005 9:53:00 PM
Methylene chloride	U	1.0	B	µg/L	1	11/22/2005 9:53:00 PM
Naphthalene	U	1.0		µg/L	1	11/22/2005 9:53:00 PM
n-Butylbenzene	U	1.0		µg/L	1	11/22/2005 9:53:00 PM
n-Propylbenzene	U	1.0		µg/L	1	11/22/2005 9:53:00 PM
o-Xylene	U	1.0		µg/L	1	11/22/2005 9:53:00 PM
sec-Butylbenzene	U	1.0		µg/L	1	11/22/2005 9:53:00 PM
Styrene	U	1.0		µg/L	1	11/22/2005 9:53:00 PM
tert-Butylbenzene	U	1.0		µg/L	1	11/22/2005 9:53:00 PM
Tetrachloroethene	U	1.0		µg/L	1	11/22/2005 9:53:00 PM
Toluene	U	1.0		µg/L	1	11/22/2005 9:53:00 PM
trans-1,2-Dichloroethene	U	1.0		µg/L	1	11/22/2005 9:53:00 PM
trans-1,3-Dichloropropene	U	1.0		µg/L	1	11/22/2005 9:53:00 PM
Trichloroethene	U	1.0		µg/L	1	11/22/2005 9:53:00 PM
Trichlorofluoromethane	U	1.0		µg/L	1	11/22/2005 9:53:00 PM
Vinyl acetate	U	1.0		µg/L	1	11/22/2005 9:53:00 PM
Vinyl chloride	U	1.0		µg/L	1	11/22/2005 9:53:00 PM

Qualifiers: * Value exceeds Maximum Contaminant Level B Analyte detected in the associated Method Blank
 E Value above quantitation range H Holding times for preparation or analysis exceeded
 J Analyte detected below quantitation limits ND Not Detected at the Reporting Limit
 S Spike Recovery outside accepted recovery limits U Indicates the compound was analyzed for but not detected

American Analytical Laboratories, LLC.

Date: 29-Nov-05

CLIENT:	Leggette Brashears & Graham Inc.	Client Sample ID:	WQ111605:1110 NP2-10
Lab Order:	0511179	Tag Number:	
Project:	Rowe Industries	Collection Date:	11/16/2005
Lab ID:	0511179-03B	Date Received:	11/22/2005
		Matrix:	LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
TOTAL IRON		E200.7		(SW3010A)		Analyst: JP
Iron	3.27	0.0200		mg/L	1	11/22/2005 12:25:04 PM

Qualifiers:	* Value exceeds Maximum Contaminant Level	B Analyte detected in the associated Method Blank
	E Value above quantitation range	H Holding times for preparation or analysis exceeded
	J Analyte detected below quantitation limits	ND Not Detected at the Reporting Limit
	S Spike Recovery outside accepted recovery limits	U Indicates the compound was analyzed for but not detected

American Analytical Laboratories, LLC.

Date: 29-Nov-05

CLIENT:	Leggette Brashears & Graham Inc.	Client Sample ID:	WQ111605:1110 NP2-10
Lab Order:	0511179	Tag Number:	
Project:	Rowe Industries	Collection Date:	11/16/2005
Lab ID:	0511179-03C	Date Received:	11/22/2005
		Matrix:	LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
DISSOLVED IRON		E200.7		(SW3005A)		Analyst: JP
Iron	0.425	0.0200		mg/L	1	11/22/2005 12:22:47 PM
TOTAL DISSOLVED SOLIDS		E160.1				Analyst: WN
Total Dissolved Solids (Residue, Filterable)	100	1.0		mg/L	1	11/23/2005

Qualifiers:	*	Value exceeds Maximum Contaminant Level	B	Analyte detected in the associated Method Blank
	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded
	J	Analyte detected below quantitation limits	ND	Not Detected at the Reporting Limit
	S	Spike Recovery outside accepted recovery limits	U	Indicates the compound was analyzed for but not detected



NYSDOH 11418
NJDEP NY050
CTDOH PH-0205
PADEP 68-00573

Tuesday, December 06, 2005

Mark Goldberg
Leggette Brashears & Graham Inc.
126 Monroe Turnpike
Trumbull, CT 06611

TEL: (203) 452-3110

FAX (203) 452-3111

RE: Rowe Industries

Order No.: 0511219

Dear Mark Goldberg:

American Analytical Laboratories, LLC. received 3 sample(s) on 11/29/2005 for the analyses presented in the following report.

Samples were analyzed in accordance with the test procedures documented on the chain of custody and detailed throughout the text of this report.

The limits provided in the data package are analytical reporting limits and not Federal or Local mandated values to which the sample results should be compared.

There were no problems with the analyses and all data for associated QC met laboratory specifications.

If you have any questions regarding these tests results, please do not hesitate to call (631) 454-6100 or email me directly at lbeyer@american-analytical.com.

Sincerely,



Lori Beyer
Lab Director

American Analytical Laboratories, LLC.

Date: 06-Dec-05

CLIENT: Leggette Brashears & Graham Inc.
Project: Rowe Industries
Lab Order: 0511219

Work Order Sample Summary

Lab Sample ID	Client Sample ID	Tag Number	Collection Date	Date Received
0511219-01A	WQ112105:1000 NP2-6		11/21/2005	11/29/2005
0511219-01B	WQ112105:1000 NP2-6		11/21/2005	11/29/2005
0511219-01C	WQ112105:1000 NP2-6		11/21/2005	11/29/2005
0511219-02A	WQ112105:1005 NP2-7		11/21/2005	11/29/2005
0511219-02B	WQ112105:1005 NP2-7		11/21/2005	11/29/2005
0511219-02C	WQ112105:1005 NP2-7		11/21/2005	11/29/2005
0511219-03A	WQ112105:1010 NP2-10		11/21/2005	11/29/2005
0511219-03B	WQ112105:1010 NP2-10		11/21/2005	11/29/2005
0511219-03C	WQ112105:1010 NP2-10		11/21/2005	11/29/2005

AMERICAN ANALYTICAL LABORATORIES, LLC

56 TOLEDO STREET

FARMINGDALE, NEW YORK 11735

TELEPHONE: (631) 454-6100

FAX: (631) 454-8027

DATA REPORTING QUALIFIERS

For reporting results, the following "Results Qualifiers" are used:

Value	If the result is greater than or equal to the detection limit, report the value
U	Indicates the compound was analyzed for but was not detected. Report the minimum detection limit for the sample with the U, i.e. "10U". This is not necessarily the instrument detection limit attainable for this particular sample based on any concentration or dilution that may have been required.
J	Indicates an estimated value. The flag is used: (1) When estimating a concentration for a tentatively identified compound (library search hits, where a 1:1 response is assumed.) (2) When the mass spectral data indicated the identification, however the result was less than the specified detection limit greater than zero. If the detection limit was 10ug/L and a concentration of 3ug/L was calculated report as 3J. This flag is used when similar situations arise on any organic parameter i.e. Pesticide, PCBs and others.
B	Indicates the analyte was found in the blank as well as the sample report "10B".
E	Indicates the analytes concentration exceeds the calibrated range of the instrument for that specific analysis.
D	This flag identifies all compounds identified in an analysis at a secondary dilution factor.
P	This flag is used for Pesticide / PCB target analyte when there is >25% difference for detected concentrations between the two GC Columns. The higher of the two values is reported on Form I and flagged with a "P".
N	This flag indicates presumptive evidence of a compound. This is only used for tentatively identified compounds (TICs), where the identification is based on a mass spectral library search. It applies to all TIC results. For generic characterization of a TIC, such as chlorinated hydrocarbon, the flag is not used.
H	Indicates sample was received and/or analyzed outside of The method allowable holding time

American Analytical Laboratories, LLC.

Date: 06-Dec-05

CLIENT: Leggette Brashears & Graham Inc. **Client Sample ID:** WQ112105:1000 NP2-6
Lab Order: 0511219 **Tag Number:**
Project: Rowe Industries **Collection Date:** 11/21/2005
Lab ID: 0511219-01A **Date Received:** 11/29/2005 **Matrix:** LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILES SW-846 8260 PLUS MTBE & FREON1		SW8260B		Analyst: SB		
1,1,1,2-Tetrachloroethane	U	1.0		µg/L	1	12/2/2005 2:02:00 AM
1,1,1-Trichloroethane	2.8	1.0		µg/L	1	12/2/2005 2:02:00 AM
1,1,2,2-Tetrachloroethane	U	1.0		µg/L	1	12/2/2005 2:02:00 AM
1,1,2-Trichloro-1,2,2-trifluoroethane	U	1.0		µg/L	1	12/2/2005 2:02:00 AM
1,1,2-Trichloroethane	U	1.0		µg/L	1	12/2/2005 2:02:00 AM
1,1-Dichloroethane	U	1.0		µg/L	1	12/2/2005 2:02:00 AM
1,1-Dichloroethene	U	1.0		µg/L	1	12/2/2005 2:02:00 AM
1,1-Dichloropropene	U	1.0		µg/L	1	12/2/2005 2:02:00 AM
1,2,3-Trichlorobenzene	U	1.0		µg/L	1	12/2/2005 2:02:00 AM
1,2,3-Trichloropropane	U	1.0		µg/L	1	12/2/2005 2:02:00 AM
1,2,4-Trichlorobenzene	U	1.0		µg/L	1	12/2/2005 2:02:00 AM
1,2,4-Trimethylbenzene	U	1.0		µg/L	1	12/2/2005 2:02:00 AM
1,2-Dibromo-3-chloropropane	U	1.0		µg/L	1	12/2/2005 2:02:00 AM
1,2-Dibromoethane	U	1.0		µg/L	1	12/2/2005 2:02:00 AM
1,2-Dichlorobenzene	U	1.0		µg/L	1	12/2/2005 2:02:00 AM
1,2-Dichloroethane	U	1.0		µg/L	1	12/2/2005 2:02:00 AM
1,2-Dichloropropane	U	1.0		µg/L	1	12/2/2005 2:02:00 AM
1,3,5-Trimethylbenzene	U	1.0		µg/L	1	12/2/2005 2:02:00 AM
1,3-Dichlorobenzene	U	1.0		µg/L	1	12/2/2005 2:02:00 AM
1,3-dichloropropane	U	1.0		µg/L	1	12/2/2005 2:02:00 AM
1,4-Dichlorobenzene	U	1.0		µg/L	1	12/2/2005 2:02:00 AM
2,2-Dichloropropane	U	1.0		µg/L	1	12/2/2005 2:02:00 AM
2-Butanone	U	1.0		µg/L	1	12/2/2005 2:02:00 AM
2-Chloroethyl vinyl ether	U	1.0		µg/L	1	12/2/2005 2:02:00 AM
2-Chlorotoluene	U	1.0		µg/L	1	12/2/2005 2:02:00 AM
2-Hexanone	U	1.0		µg/L	1	12/2/2005 2:02:00 AM
4-Chlorotoluene	U	1.0		µg/L	1	12/2/2005 2:02:00 AM
4-Isopropyltoluene	U	1.0		µg/L	1	12/2/2005 2:02:00 AM
4-Methyl-2-pentanone	U	1.0		µg/L	1	12/2/2005 2:02:00 AM
Acetone	U	1.0		µg/L	1	12/2/2005 2:02:00 AM
Benzene	U	1.0		µg/L	1	12/2/2005 2:02:00 AM
Bromobenzene	U	1.0		µg/L	1	12/2/2005 2:02:00 AM
Bromochloromethane	U	1.0		µg/L	1	12/2/2005 2:02:00 AM
Bromodichloromethane	U	1.0		µg/L	1	12/2/2005 2:02:00 AM
Bromoform	U	1.0		µg/L	1	12/2/2005 2:02:00 AM
Bromomethane	U	1.0		µg/L	1	12/2/2005 2:02:00 AM
Carbon disulfide	U	1.0		µg/L	1	12/2/2005 2:02:00 AM
Carbon tetrachloride	U	1.0		µg/L	1	12/2/2005 2:02:00 AM
Chlorobenzene	U	1.0		µg/L	1	12/2/2005 2:02:00 AM
Chloroethane	U	1.0		µg/L	1	12/2/2005 2:02:00 AM

Qualifiers: * Value exceeds Maximum Contaminant Level B Analyte detected in the associated Method Blank
 E Value above quantitation range H Holding times for preparation or analysis exceeded
 J Analyte detected below quantitation limits ND Not Detected at the Reporting Limit
 S Spike Recovery outside accepted recovery limits U Indicates the compound was analyzed for but not detected

American Analytical Laboratories, LLC.

Date: 06-Dec-05

CLIENT: Leggette Brashears & Graham Inc. **Client Sample ID:** WQ112105:1000 NP2-6
Lab Order: 0511219 **Tag Number:**
Project: Rowe Industries **Collection Date:** 11/21/2005
Lab ID: 0511219-01A **Date Received:** 11/29/2005 **Matrix:** LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
Chloroform	U	1.0		µg/L	1	12/2/2005 2:02:00 AM
Chloromethane	U	1.0		µg/L	1	12/2/2005 2:02:00 AM
cis-1,2-Dichloroethene	U	1.0		µg/L	1	12/2/2005 2:02:00 AM
cis-1,3-Dichloropropene	U	1.0		µg/L	1	12/2/2005 2:02:00 AM
Dibromochloromethane	U	1.0		µg/L	1	12/2/2005 2:02:00 AM
Dibromomethane	U	1.0		µg/L	1	12/2/2005 2:02:00 AM
Dichlorodifluoromethane	U	1.0		µg/L	1	12/2/2005 2:02:00 AM
Ethylbenzene	U	1.0		µg/L	1	12/2/2005 2:02:00 AM
Hexachlorobutadiene	U	1.0		µg/L	1	12/2/2005 2:02:00 AM
Isopropylbenzene	U	1.0		µg/L	1	12/2/2005 2:02:00 AM
m,p-Xylene	U	2.0		µg/L	1	12/2/2005 2:02:00 AM
Methyl tert-butyl ether	U	1.0		µg/L	1	12/2/2005 2:02:00 AM
Methylene chloride	52	1.0	B	µg/L	1	12/2/2005 2:02:00 AM
Naphthalene	U	1.0		µg/L	1	12/2/2005 2:02:00 AM
n-Butylbenzene	U	1.0		µg/L	1	12/2/2005 2:02:00 AM
n-Propylbenzene	U	1.0		µg/L	1	12/2/2005 2:02:00 AM
o-Xylene	U	1.0		µg/L	1	12/2/2005 2:02:00 AM
sec-Butylbenzene	U	1.0		µg/L	1	12/2/2005 2:02:00 AM
Styrene	U	1.0		µg/L	1	12/2/2005 2:02:00 AM
tert-Butylbenzene	U	1.0		µg/L	1	12/2/2005 2:02:00 AM
Tetrachloroethene	10	1.0		µg/L	1	12/2/2005 2:02:00 AM
Toluene	U	1.0		µg/L	1	12/2/2005 2:02:00 AM
trans-1,2-Dichloroethene	U	1.0		µg/L	1	12/2/2005 2:02:00 AM
trans-1,3-Dichloropropene	U	1.0		µg/L	1	12/2/2005 2:02:00 AM
Trichloroethene	U	1.0		µg/L	1	12/2/2005 2:02:00 AM
Trichlorofluoromethane	U	1.0		µg/L	1	12/2/2005 2:02:00 AM
Vinyl acetate	U	1.0		µg/L	1	12/2/2005 2:02:00 AM
Vinyl chloride	U	1.0		µg/L	1	12/2/2005 2:02:00 AM

Qualifiers: * Value exceeds Maximum Contaminant Level
 E Value above quantitation range
 J Analyte detected below quantitation limits
 S Spike Recovery outside accepted recovery limits
 B Analyte detected in the associated Method Blank
 H Holding times for preparation or analysis exceeded
 ND Not Detected at the Reporting Limit
 U Indicates the compound was analyzed for but not detected

American Analytical Laboratories, LLC.

Date: 06-Dec-05

CLIENT:	Leggette Brashears & Graham Inc.	Client Sample ID:	WQ112105:1000 NP2-6
Lab Order:	0511219	Tag Number:	
Project:	Rowe Industries	Collection Date:	11/21/2005
Lab ID:	0511219-01B	Date Received:	11/29/2005
		Matrix:	LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
TOTAL IRON		E200.7				Analyst: JP
Iron	1.47	0.0200		mg/L	1	12/2/2005 9:29:27 AM

Qualifiers:	* Value exceeds Maximum Contaminant Level	B Analyte detected in the associated Method Blank
	E Value above quantitation range	H Holding times for preparation or analysis exceeded
	J Analyte detected below quantitation limits	ND Not Detected at the Reporting Limit
	S Spike Recovery outside accepted recovery limits	U Indicates the compound was analyzed for but not detected

American Analytical Laboratories, LLC.

Date: 06-Dec-05

CLIENT: Leggette Brashears & Graham Inc. **Client Sample ID:** WQ112105:1000 NP2-6
Lab Order: 0511219 **Tag Number:**
Project: Rowe Industries **Collection Date:** 11/21/2005
Lab ID: 0511219-01C **Date Received:** 11/29/2005 **Matrix:** LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
DISSOLVED IRON		E200.7		(SW3005A)		Analyst: JP
Iron	0.0399	0.0200		mg/L	1	12/2/2005 9:27:18 AM

Qualifiers:

*	Value exceeds Maximum Contaminant Level	B	Analyte detected in the associated Method Blank
E	Value above quantitation range	H	Holding times for preparation or analysis exceeded
J	Analyte detected below quantitation limits	ND	Not Detected at the Reporting Limit
S	Spike Recovery outside accepted recovery limits	U	Indicates the compound was analyzed for but not detected

Page 4 of 12

American Analytical Laboratories, LLC.

Date: 06-Dec-05

CLIENT: Leggette Brashears & Graham Inc. **Client Sample ID:** WQ112105:1005 NP2-7
Lab Order: 0511219 **Tag Number:**
Project: Rowe Industries **Collection Date:** 11/21/2005
Lab ID: 0511219-02A **Date Received:** 11/29/2005 **Matrix:** LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILES SW-846 8260 PLUS MTBE & FREON1		SW8260B		Analyst: SB		
1,1,1,2-Tetrachloroethane	U	1.0		µg/L	1	12/2/2005 2:39:00 AM
1,1,1-Trichloroethane	U	1.0		µg/L	1	12/2/2005 2:39:00 AM
1,1,2,2-Tetrachloroethane	U	1.0		µg/L	1	12/2/2005 2:39:00 AM
1,1,2-Trichloro-1,2,2-trifluoroethane	U	1.0		µg/L	1	12/2/2005 2:39:00 AM
1,1,2-Trichloroethane	U	1.0		µg/L	1	12/2/2005 2:39:00 AM
1,1-Dichloroethane	U	1.0		µg/L	1	12/2/2005 2:39:00 AM
1,1-Dichloroethene	U	1.0		µg/L	1	12/2/2005 2:39:00 AM
1,1-Dichloropropene	U	1.0		µg/L	1	12/2/2005 2:39:00 AM
1,2,3-Trichlorobenzene	U	1.0		µg/L	1	12/2/2005 2:39:00 AM
1,2,3-Trichloropropane	U	1.0		µg/L	1	12/2/2005 2:39:00 AM
1,2,4-Trichlorobenzene	U	1.0		µg/L	1	12/2/2005 2:39:00 AM
1,2,4-Trimethylbenzene	U	1.0		µg/L	1	12/2/2005 2:39:00 AM
1,2-Dibromo-3-chloropropane	U	1.0		µg/L	1	12/2/2005 2:39:00 AM
1,2-Dibromoethane	U	1.0		µg/L	1	12/2/2005 2:39:00 AM
1,2-Dichlorobenzene	U	1.0		µg/L	1	12/2/2005 2:39:00 AM
1,2-Dichloroethane	U	1.0		µg/L	1	12/2/2005 2:39:00 AM
1,2-Dichloropropane	U	1.0		µg/L	1	12/2/2005 2:39:00 AM
1,3,5-Trimethylbenzene	U	1.0		µg/L	1	12/2/2005 2:39:00 AM
1,3-Dichlorobenzene	U	1.0		µg/L	1	12/2/2005 2:39:00 AM
1,3-dichloropropane	U	1.0		µg/L	1	12/2/2005 2:39:00 AM
1,4-Dichlorobenzene	U	1.0		µg/L	1	12/2/2005 2:39:00 AM
2,2-Dichloropropane	U	1.0		µg/L	1	12/2/2005 2:39:00 AM
2-Butanone	U	1.0		µg/L	1	12/2/2005 2:39:00 AM
2-Chloroethyl vinyl ether	U	1.0		µg/L	1	12/2/2005 2:39:00 AM
2-Chlorotoluene	U	1.0		µg/L	1	12/2/2005 2:39:00 AM
2-Hexanone	U	1.0		µg/L	1	12/2/2005 2:39:00 AM
4-Chlorotoluene	U	1.0		µg/L	1	12/2/2005 2:39:00 AM
4-Isopropyltoluene	U	1.0		µg/L	1	12/2/2005 2:39:00 AM
4-Methyl-2-pentanone	U	1.0		µg/L	1	12/2/2005 2:39:00 AM
Acetone	U	1.0		µg/L	1	12/2/2005 2:39:00 AM
Benzene	U	1.0		µg/L	1	12/2/2005 2:39:00 AM
Bromobenzene	U	1.0		µg/L	1	12/2/2005 2:39:00 AM
Bromochloromethane	U	1.0		µg/L	1	12/2/2005 2:39:00 AM
Bromodichloromethane	U	1.0		µg/L	1	12/2/2005 2:39:00 AM
Bromoform	U	1.0		µg/L	1	12/2/2005 2:39:00 AM
Bromomethane	U	1.0		µg/L	1	12/2/2005 2:39:00 AM
Carbon disulfide	U	1.0		µg/L	1	12/2/2005 2:39:00 AM
Carbon tetrachloride	U	1.0		µg/L	1	12/2/2005 2:39:00 AM
Chlorobenzene	U	1.0		µg/L	1	12/2/2005 2:39:00 AM
Chloroethane	U	1.0		µg/L	1	12/2/2005 2:39:00 AM

Qualifiers: * Value exceeds Maximum Contaminant Level
 E Value above quantitation range
 J Analyte detected below quantitation limits
 S Spike Recovery outside accepted recovery limits
 B Analyte detected in the associated Method Blank
 H Holding times for preparation or analysis exceeded
 ND Not Detected at the Reporting Limit
 U Indicates the compound was analyzed for but not detected

American Analytical Laboratories, LLC.
Date: 06-Dec-05

CLIENT:	Leggette Brashears & Graham Inc.	Client Sample ID:	WQ112105:1005 NP2-7
Lab Order:	0511219	Tag Number:	
Project:	Rowe Industries	Collection Date:	11/21/2005
Lab ID:	0511219-02A	Date Received:	11/29/2005
		Matrix:	LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
Chloroform	U	1.0		µg/L	1	12/2/2005 2:39:00 AM
Chloromethane	U	1.0		µg/L	1	12/2/2005 2:39:00 AM
cis-1,2-Dichloroethene	U	1.0		µg/L	1	12/2/2005 2:39:00 AM
cis-1,3-Dichloropropene	U	1.0		µg/L	1	12/2/2005 2:39:00 AM
Dibromochloromethane	U	1.0		µg/L	1	12/2/2005 2:39:00 AM
Dibromomethane	U	1.0		µg/L	1	12/2/2005 2:39:00 AM
Dichlorodifluoromethane	U	1.0		µg/L	1	12/2/2005 2:39:00 AM
Ethylbenzene	U	1.0		µg/L	1	12/2/2005 2:39:00 AM
Hexachlorobutadiene	U	1.0		µg/L	1	12/2/2005 2:39:00 AM
Isopropylbenzene	U	1.0		µg/L	1	12/2/2005 2:39:00 AM
m,p-Xylene	U	2.0		µg/L	1	12/2/2005 2:39:00 AM
Methyl tert-butyl ether	U	1.0		µg/L	1	12/2/2005 2:39:00 AM
Methylene chloride	57	1.0	B	µg/L	1	12/2/2005 2:39:00 AM
Naphthalene	U	1.0		µg/L	1	12/2/2005 2:39:00 AM
n-Butylbenzene	U	1.0		µg/L	1	12/2/2005 2:39:00 AM
n-Propylbenzene	U	1.0		µg/L	1	12/2/2005 2:39:00 AM
o-Xylene	U	1.0		µg/L	1	12/2/2005 2:39:00 AM
sec-Butylbenzene	U	1.0		µg/L	1	12/2/2005 2:39:00 AM
Styrene	U	1.0		µg/L	1	12/2/2005 2:39:00 AM
tert-Butylbenzene	U	1.0		µg/L	1	12/2/2005 2:39:00 AM
Tetrachloroethene	U	1.0		µg/L	1	12/2/2005 2:39:00 AM
Toluene	U	1.0		µg/L	1	12/2/2005 2:39:00 AM
trans-1,2-Dichloroethene	U	1.0		µg/L	1	12/2/2005 2:39:00 AM
trans-1,3-Dichloropropene	U	1.0		µg/L	1	12/2/2005 2:39:00 AM
Trichloroethene	U	1.0		µg/L	1	12/2/2005 2:39:00 AM
Trichlorofluoromethane	U	1.0		µg/L	1	12/2/2005 2:39:00 AM
Vinyl acetate	U	1.0		µg/L	1	12/2/2005 2:39:00 AM
Vinyl chloride	U	1.0		µg/L	1	12/2/2005 2:39:00 AM

Qualifiers:	* Value exceeds Maximum Contaminant Level	B Analyte detected in the associated Method Blank
	E Value above quantitation range	H Holding times for preparation or analysis exceeded
	J Analyte detected below quantitation limits	ND Not Detected at the Reporting Limit
	S Spike Recovery outside accepted recovery limits	U Indicates the compound was analyzed for but not detected

American Analytical Laboratories, LLC.

Date: 06-Dec-05

CLIENT:	Leggette Brashears & Graham Inc.	Client Sample ID:	WQ112105:1005 NP2-7
Lab Order:	0511219	Tag Number:	
Project:	Rowe Industries	Collection Date:	11/21/2005
Lab ID:	0511219-02B	Date Received:	11/29/2005
		Matrix:	LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
TOTAL IRON		E200.7				Analyst: JP
Iron	1.25	0.0200		mg/L	1	12/2/2005 9:33:51 AM

Qualifiers:	* Value exceeds Maximum Contaminant Level	B Analyte detected in the associated Method Blank
	E Value above quantitation range	H Holding times for preparation or analysis exceeded
	J Analyte detected below quantitation limits	ND Not Detected at the Reporting Limit
	S Spike Recovery outside accepted recovery limits	U Indicates the compound was analyzed for but not detected

American Analytical Laboratories, LLC.

Date: 06-Dec-05

CLIENT:	Leggette Brashears & Graham Inc.	Client Sample ID:	WQ112105:1005 NP2-7
Lab Order:	0511219	Tag Number:	
Project:	Rowe Industries	Collection Date:	11/21/2005
Lab ID:	0511219-02C	Date Received:	11/29/2005
		Matrix:	LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
----------	--------	-------	------	-------	----	---------------

DISSOLVED IRON		E200.7				Analyst: JP
Iron	0.0771	0.0200		mg/L	1	12/2/2005 9:31:36 AM

Qualifiers:	* Value exceeds Maximum Contaminant Level	B Analyte detected in the associated Method Blank
	E Value above quantitation range	H Holding times for preparation or analysis exceeded
	J Analyte detected below quantitation limits	ND Not Detected at the Reporting Limit
	S Spike Recovery outside accepted recovery limits	U Indicates the compound was analyzed for but not detected

Page 8 of 12

American Analytical Laboratories, LLC.

Date: 06-Dec-05

CLIENT: Leggette Brashears & Graham Inc. **Client Sample ID:** WQ112105:1010 NP2-10
Lab Order: 0511219 **Tag Number:**
Project: Rowe Industries **Collection Date:** 11/21/2005
Lab ID: 0511219-03A **Date Received:** 11/29/2005 **Matrix:** LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILES SW-846 8260 PLUS MTBE & FREON1		SW8260B		Analyst: SB		
1,1,1,2-Tetrachloroethane	U	1.0		µg/L	1	12/2/2005 3:16:00 AM
1,1,1-Trichloroethane	U	1.0		µg/L	1	12/2/2005 3:16:00 AM
1,1,2,2-Tetrachloroethane	U	1.0		µg/L	1	12/2/2005 3:16:00 AM
1,1,2-Trichloro-1,2,2-trifluoroethane	U	1.0		µg/L	1	12/2/2005 3:16:00 AM
1,1,2-Trichloroethane	U	1.0		µg/L	1	12/2/2005 3:16:00 AM
1,1-Dichloroethane	U	1.0		µg/L	1	12/2/2005 3:16:00 AM
1,1-Dichloroethene	U	1.0		µg/L	1	12/2/2005 3:16:00 AM
1,1-Dichloropropene	U	1.0		µg/L	1	12/2/2005 3:16:00 AM
1,2,3-Trichlorobenzene	U	1.0		µg/L	1	12/2/2005 3:16:00 AM
1,2,3-Trichloropropane	U	1.0		µg/L	1	12/2/2005 3:16:00 AM
1,2,4-Trichlorobenzene	U	1.0		µg/L	1	12/2/2005 3:16:00 AM
1,2,4-Trimethylbenzene	U	1.0		µg/L	1	12/2/2005 3:16:00 AM
1,2-Dibromo-3-chloropropane	U	1.0		µg/L	1	12/2/2005 3:16:00 AM
1,2-Dibromoethane	U	1.0		µg/L	1	12/2/2005 3:16:00 AM
1,2-Dichlorobenzene	U	1.0		µg/L	1	12/2/2005 3:16:00 AM
1,2-Dichloroethane	U	1.0		µg/L	1	12/2/2005 3:16:00 AM
1,2-Dichloropropane	U	1.0		µg/L	1	12/2/2005 3:16:00 AM
1,3,5-Trimethylbenzene	U	1.0		µg/L	1	12/2/2005 3:16:00 AM
1,3-Dichlorobenzene	U	1.0		µg/L	1	12/2/2005 3:16:00 AM
1,3-dichloropropane	U	1.0		µg/L	1	12/2/2005 3:16:00 AM
1,4-Dichlorobenzene	U	1.0		µg/L	1	12/2/2005 3:16:00 AM
2,2-Dichloropropane	U	1.0		µg/L	1	12/2/2005 3:16:00 AM
2-Butanone	U	1.0		µg/L	1	12/2/2005 3:16:00 AM
2-Chloroethyl vinyl ether	U	1.0		µg/L	1	12/2/2005 3:16:00 AM
2-Chlorotoluene	U	1.0		µg/L	1	12/2/2005 3:16:00 AM
2-Hexanone	U	1.0		µg/L	1	12/2/2005 3:16:00 AM
4-Chlorotoluene	U	1.0		µg/L	1	12/2/2005 3:16:00 AM
4-Isopropyltoluene	U	1.0		µg/L	1	12/2/2005 3:16:00 AM
4-Methyl-2-pentanone	U	1.0		µg/L	1	12/2/2005 3:16:00 AM
Acetone	U	1.0		µg/L	1	12/2/2005 3:16:00 AM
Benzene	U	1.0		µg/L	1	12/2/2005 3:16:00 AM
Bromobenzene	U	1.0		µg/L	1	12/2/2005 3:16:00 AM
Bromochloromethane	U	1.0		µg/L	1	12/2/2005 3:16:00 AM
Bromodichloromethane	U	1.0		µg/L	1	12/2/2005 3:16:00 AM
Bromoform	U	1.0		µg/L	1	12/2/2005 3:16:00 AM
Bromomethane	U	1.0		µg/L	1	12/2/2005 3:16:00 AM
Carbon disulfide	U	1.0		µg/L	1	12/2/2005 3:16:00 AM
Carbon tetrachloride	U	1.0		µg/L	1	12/2/2005 3:16:00 AM
Chlorobenzene	U	1.0		µg/L	1	12/2/2005 3:16:00 AM
Chloroethane	U	1.0		µg/L	1	12/2/2005 3:16:00 AM

Qualifiers:
 * Value exceeds Maximum Contaminant Level
 E Value above quantitation range
 J Analyte detected below quantitation limits
 S Spike Recovery outside accepted recovery limits

B Analyte detected in the associated Method Blank
 H Holding times for preparation or analysis exceeded
 ND Not Detected at the Reporting Limit

U Indicates the compound was analyzed for but not detected

American Analytical Laboratories, LLC.

Date: 06-Dec-05

CLIENT: Leggette Brashears & Graham Inc. **Client Sample ID:** WQ112105:1010 NP2-10
Lab Order: 0511219 **Tag Number:**
Project: Rowe Industries **Collection Date:** 11/21/2005
Lab ID: 0511219-03A **Date Received:** 11/29/2005 **Matrix:** LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
Chloroform	U	1.0		µg/L	1	12/2/2005 3:16:00 AM
Chloromethane	U	1.0		µg/L	1	12/2/2005 3:16:00 AM
cis-1,2-Dichloroethene	U	1.0		µg/L	1	12/2/2005 3:16:00 AM
cis-1,3-Dichloropropene	U	1.0		µg/L	1	12/2/2005 3:16:00 AM
Dibromochloromethane	U	1.0		µg/L	1	12/2/2005 3:16:00 AM
Dibromomethane	U	1.0		µg/L	1	12/2/2005 3:16:00 AM
Dichlorodifluoromethane	U	1.0		µg/L	1	12/2/2005 3:16:00 AM
Ethylbenzene	U	1.0		µg/L	1	12/2/2005 3:16:00 AM
Hexachlorobutadiene	U	1.0		µg/L	1	12/2/2005 3:16:00 AM
Isopropylbenzene	U	1.0		µg/L	1	12/2/2005 3:16:00 AM
m,p-Xylene	U	2.0		µg/L	1	12/2/2005 3:16:00 AM
Methyl tert-butyl ether	U	1.0		µg/L	1	12/2/2005 3:16:00 AM
Methylene chloride	78	1.0	B	µg/L	1	12/2/2005 3:16:00 AM
Naphthalene	U	1.0		µg/L	1	12/2/2005 3:16:00 AM
n-Butylbenzene	U	1.0		µg/L	1	12/2/2005 3:16:00 AM
n-Propylbenzene	U	1.0		µg/L	1	12/2/2005 3:16:00 AM
o-Xylene	U	1.0		µg/L	1	12/2/2005 3:16:00 AM
sec-Butylbenzene	U	1.0		µg/L	1	12/2/2005 3:16:00 AM
Styrene	U	1.0		µg/L	1	12/2/2005 3:16:00 AM
tert-Butylbenzene	U	1.0		µg/L	1	12/2/2005 3:16:00 AM
Tetrachloroethene	U	1.0		µg/L	1	12/2/2005 3:16:00 AM
Toluene	U	1.0		µg/L	1	12/2/2005 3:16:00 AM
trans-1,2-Dichloroethene	U	1.0		µg/L	1	12/2/2005 3:16:00 AM
trans-1,3-Dichloropropene	U	1.0		µg/L	1	12/2/2005 3:16:00 AM
Trichloroethene	U	1.0		µg/L	1	12/2/2005 3:16:00 AM
Trichlorofluoromethane	U	1.0		µg/L	1	12/2/2005 3:16:00 AM
Vinyl acetate	U	1.0		µg/L	1	12/2/2005 3:16:00 AM
Vinyl chloride	U	1.0		µg/L	1	12/2/2005 3:16:00 AM

Qualifiers: * Value exceeds Maximum Contaminant Level
 E Value above quantitation range
 J Analyte detected below quantitation limits
 S Spike Recovery outside accepted recovery limits

B Analyte detected in the associated Method Blank
 H Holding times for preparation or analysis exceeded
 ND Not Detected at the Reporting Limit
 U Indicates the compound was analyzed for but not detected

American Analytical Laboratories, LLC.**Date:** 06-Dec-05

CLIENT:	Leggette Brashears & Graham Inc.	Client Sample ID:	WQ112105:1010 NP2-10
Lab Order:	0511219	Tag Number:	
Project:	Rowe Industries	Collection Date:	11/21/2005
Lab ID:	0511219-03B	Date Received:	11/29/2005
		Matrix:	LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
TOTAL IRON		E200.7				Analyst: JP
Iron	1.47	0.0200		mg/L	1	12/2/2005 9:38:10 AM

Qualifiers:	*	Value exceeds Maximum Contaminant Level	B	Analyte detected in the associated Method Blank
	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded
	J	Analyte detected below quantitation limits	ND	Not Detected at the Reporting Limit
	S	Spike Recovery outside accepted recovery limits	U	Indicates the compound was analyzed for but not detected

Page 11 of 12

American Analytical Laboratories, LLC.

Date: 06-Dec-05

CLIENT:	Leggette Brashears & Graham Inc.	Client Sample ID:	WQ112105:1010 NP2-10
Lab Order:	0511219	Tag Number:	
Project:	Rowe Industries	Collection Date:	11/21/2005
Lab ID:	0511219-03C	Date Received:	11/29/2005
		Matrix:	LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
DISSOLVED IRON		E200.7				Analyst: JP
Iron	0.0766	0.0200		mg/L	1	12/2/2005 9:35:52 AM
TOTAL DISSOLVED SOLIDS		E160.1				Analyst: WN
Total Dissolved Solids (Residue, Filterable)	120	1.0	H	mg/L	1	11/29/2005

Qualifiers:	* Value exceeds Maximum Contaminant Level	B Analyte detected in the associated Method Blank
	E Value above quantitation range	H Holding times for preparation or analysis exceeded
	J Analyte detected below quantitation limits	ND Not Detected at the Reporting Limit
	S Spike Recovery outside accepted recovery limits	U Indicates the compound was analyzed for but not detected



NYSDOH 11418
NJDEP NY050
CTDOH PH-0205
PADEP 68-00573

Wednesday, December 07, 2005

Mark Goldberg
Leggette Brashears & Graham Inc.
126 Monroe Turnpike
Trumbull, CT 06611

TEL: (203) 452-3110

FAX (203) 452-3111

RE: Rowe Industries

Order No.: 0511218

Dear Mark Goldberg:

American Analytical Laboratories, LLC. received 8 sample(s) on 11/29/2005 for the analyses presented in the following report.


Samples were analyzed in accordance with the test procedures documented on the chain of custody and detailed throughout the text of this report.

The limits provided in the data package are analytical reporting limits and not Federal or Local mandated values to which the sample results should be compared.

There were no problems with the analyses and all data for associated QC met laboratory specifications.

If you have any questions regarding these tests results, please do not hesitate to call (631) 454-6100 or email me directly at lbeyer@american-analytical.com.

Sincerely,



Lori Beyer
Lab Director

American Analytical Laboratories, LLC.

Date: 07-Dec-05

CLIENT: Leggette Brashears & Graham Inc.
Project: Rowe Industries
Lab Order: 0511218

Work Order Sample Summary

Lab Sample ID	Client Sample ID	Tag Number	Collection Date	Date Received
0511218-01A	GWQ112105:830 NP1-1-2		11/21/2005	11/29/2005
0511218-01B	GWQ112105:830 NP1-1-2		11/21/2005	11/29/2005
0511218-01C	GWQ112105:830 NP1-1-2		11/21/2005	11/29/2005
0511218-01D	GWQ112105:830 NP1-1-2		11/21/2005	11/29/2005
0511218-02A	GWQ112105:840 NP1-1-3		11/21/2005	11/29/2005
0511218-02B	GWQ112105:840 NP1-1-3		11/21/2005	11/29/2005
0511218-02C	GWQ112105:840 NP1-1-3		11/21/2005	11/29/2005
0511218-02D	GWQ112105:840 NP1-1-3		11/21/2005	11/29/2005
0511218-03A	GWQ112105:850 NP1-1-4		11/21/2005	11/29/2005
0511218-03B	GWQ112105:850 NP1-1-4		11/21/2005	11/29/2005
0511218-03C	GWQ112105:850 NP1-1-4		11/21/2005	11/29/2005
0511218-03D	GWQ112105:850 NP1-1-4		11/21/2005	11/29/2005
0511218-04A	GWQ112105:900 NP1-1-5		11/21/2005	11/29/2005
0511218-04B	GWQ112105:900 NP1-1-5		11/21/2005	11/29/2005
0511218-04C	GWQ112105:900 NP1-1-5		11/21/2005	11/29/2005
0511218-04D	GWQ112105:900 NP1-1-5		11/21/2005	11/29/2005
0511218-05A	GWQ112105:910 NP1-1-6		11/21/2005	11/29/2005
0511218-05B	GWQ112105:910 NP1-1-6		11/21/2005	11/29/2005
0511218-05C	GWQ112105:910 NP1-1-6		11/21/2005	11/29/2005
0511218-05D	GWQ112105:910 NP1-1-6		11/21/2005	11/29/2005
0511218-06A	GWQ112105:920 NP1-1-7		11/21/2005	11/29/2005
0511218-06B	GWQ112105:920 NP1-1-7		11/21/2005	11/29/2005
0511218-06C	GWQ112105:920 NP1-1-7		11/21/2005	11/29/2005
0511218-06D	GWQ112105:920 NP1-1-7		11/21/2005	11/29/2005
0511218-07A	GWQ112105:930 NP1-1-8		11/21/2005	11/29/2005
0511218-07B	GWQ112105:930 NP1-1-8		11/21/2005	11/29/2005
0511218-07C	GWQ112105:930 NP1-1-8		11/21/2005	11/29/2005
0511218-07D	GWQ112105:930 NP1-1-8		11/21/2005	11/29/2005
0511218-08A	GWQ112105:930 NP1-1-9		11/21/2005	11/29/2005
0511218-08B	GWQ112105:930 NP1-1-9		11/21/2005	11/29/2005
0511218-08C	GWQ112105:930 NP1-1-9		11/21/2005	11/29/2005
0511218-08D	GWQ112105:930 NP1-1-9		11/21/2005	11/29/2005

CHAIN OF CUSTODY / REQUEST FOR ANALYSIS DOCUMENT

[illegible]

WHITE-OFFICE / CANARY-LAB / PINK-SAMPLE CUSTODIAN / GOLDENROD-CLIENT

AMERICAN ANALYTICAL LABORATORIES, LLC

56 TOLEDO STREET

FARMINGDALE, NEW YORK 11735

TELEPHONE: (631) 454-6100 FAX: (631) 454-8027

DATA REPORTING QUALIFIERS

For reporting results, the following "Results Qualifiers" are used:

Value	If the result is greater than or equal to the detection limit, report the value
U	Indicates the compound was analyzed for but was not detected. Report the minimum detection limit for the sample with the U, i.e. "10U". This is not necessarily the instrument detection limit attainable for this particular sample based on any concentration or dilution that may have been required.
J	Indicates an estimated value. The flag is used: (1) When estimating a concentration for a tentatively identified compound (library search hits, where a 1:1 response is assumed.) (2) When the mass spectral data indicated the identification, however the result was less than the specified detection limit greater than zero. If the detection limit was 10ug/L and a concentration of 3ug/L was calculated report as 3J. This flag is used when similar situations arise on any organic parameter i.e. Pesticide, PCBs and others.
B	Indicates the analyte was found in the blank as well as the sample report "10B".
E	Indicates the analytes concentration exceeds the calibrated range of the instrument for that specific analysis.
D	This flag identifies all compounds identified in an analysis at a secondary dilution factor.
P	This flag is used for Pesticide / PCB target analyte when there is >25% difference for detected concentrations between the two GC Columns. The higher of the two values is reported on Form I and flagged with a "P".
N	This flag indicates presumptive evidence of a compound. This is only used for tentatively identified compounds (TICs), where the identification is based on a mass spectral library search. It applies to all TIC results. For generic characterization of a TIC, such as chlorinated hydrocarbon, the flag is not used.
H	Indicates sample was received and/or analyzed outside of The method allowable holding time

American Analytical Laboratories, LLC.

Date: 07-Dec-05

CLIENT: Leggette Brashears & Graham Inc. Client Sample ID: GWQ112105:830 NP1-1-2
 Lab Order: 0511218 Tag Number:
 Project: Rowe Industries Collection Date: 11/21/2005
 Lab ID: 0511218-01A Date Received: 11/29/2005 Matrix: LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILES SW-846 8260 PLUS MTBE & FREON1		SW8260B		Analyst: SB		
1,1,1,2-Tetrachloroethane	U	1.0		µg/L	1	12/1/2005 10:27:00 PM
1,1,1-Trichloroethane	U	1.0		µg/L	1	12/1/2005 10:27:00 PM
1,1,2,2-Tetrachloroethane	U	1.0		µg/L	1	12/1/2005 10:27:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	U	1.0		µg/L	1	12/1/2005 10:27:00 PM
1,1,2-Trichloroethane	U	1.0		µg/L	1	12/1/2005 10:27:00 PM
1,1-Dichloroethane	U	1.0		µg/L	1	12/1/2005 10:27:00 PM
1,1-Dichloroethene	U	1.0		µg/L	1	12/1/2005 10:27:00 PM
1,1-Dichloropropene	U	1.0		µg/L	1	12/1/2005 10:27:00 PM
1,2,3-Trichlorobenzene	U	1.0		µg/L	1	12/1/2005 10:27:00 PM
1,2,3-Trichloropropane	U	1.0		µg/L	1	12/1/2005 10:27:00 PM
1,2,4-Trichlorobenzene	U	1.0		µg/L	1	12/1/2005 10:27:00 PM
1,2,4-Trimethylbenzene	U	1.0		µg/L	1	12/1/2005 10:27:00 PM
1,2-Dibromo-3-chloropropane	U	1.0		µg/L	1	12/1/2005 10:27:00 PM
1,2-Dibromoethane	U	1.0		µg/L	1	12/1/2005 10:27:00 PM
1,2-Dichlorobenzene	U	1.0		µg/L	1	12/1/2005 10:27:00 PM
1,2-Dichloroethane	U	1.0		µg/L	1	12/1/2005 10:27:00 PM
1,2-Dichloropropane	U	1.0		µg/L	1	12/1/2005 10:27:00 PM
1,3,5-Trimethylbenzene	U	1.0		µg/L	1	12/1/2005 10:27:00 PM
1,3-Dichlorobenzene	U	1.0		µg/L	1	12/1/2005 10:27:00 PM
1,3-dichloropropane	U	1.0		µg/L	1	12/1/2005 10:27:00 PM
1,4-Dichlorobenzene	U	1.0		µg/L	1	12/1/2005 10:27:00 PM
2,2-Dichloropropane	U	1.0		µg/L	1	12/1/2005 10:27:00 PM
2-Butanone	U	1.0		µg/L	1	12/1/2005 10:27:00 PM
2-Chloroethyl vinyl ether	U	1.0		µg/L	1	12/1/2005 10:27:00 PM
2-Chlorotoluene	U	1.0		µg/L	1	12/1/2005 10:27:00 PM
2-Hexanone	U	1.0		µg/L	1	12/1/2005 10:27:00 PM
4-Chlorotoluene	U	1.0		µg/L	1	12/1/2005 10:27:00 PM
4-Isopropyltoluene	U	1.0		µg/L	1	12/1/2005 10:27:00 PM
4-Methyl-2-pentanone	U	1.0		µg/L	1	12/1/2005 10:27:00 PM
Acetone	U	1.0		µg/L	1	12/1/2005 10:27:00 PM
Benzene	U	1.0		µg/L	1	12/1/2005 10:27:00 PM
Bromobenzene	U	1.0		µg/L	1	12/1/2005 10:27:00 PM
Bromochloromethane	U	1.0		µg/L	1	12/1/2005 10:27:00 PM
Bromodichloromethane	U	1.0		µg/L	1	12/1/2005 10:27:00 PM
Bromoform	U	1.0		µg/L	1	12/1/2005 10:27:00 PM
Bromomethane	U	1.0		µg/L	1	12/1/2005 10:27:00 PM
Carbon disulfide	U	1.0		µg/L	1	12/1/2005 10:27:00 PM
Carbon tetrachloride	U	1.0		µg/L	1	12/1/2005 10:27:00 PM
Chlorobenzene	U	1.0		µg/L	1	12/1/2005 10:27:00 PM
Chloroethane	U	1.0		µg/L	1	12/1/2005 10:27:00 PM

Qualifiers: * Value exceeds Maximum Contaminant Level
 E Value above quantitation range
 J Analyte detected below quantitation limits
 S Spike Recovery outside accepted recovery limits

B Analyte detected in the associated Method Blank
 H Holding times for preparation or analysis exceeded
 ND Not Detected at the Reporting Limit
 U Indicates the compound was analyzed for but not detected

American Analytical Laboratories, LLC.

Date: 07-Dec-05

CLIENT: Leggette Brashears & Graham Inc. **Client Sample ID:** GWQ112105:830 NP1-1-2
Lab Order: 0511218 **Tag Number:**
Project: Rowe Industries **Collection Date:** 11/21/2005
Lab ID: 0511218-01A **Date Received:** 11/29/2005 **Matrix:** LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
Chloroform	U	1.0		µg/L	1	12/1/2005 10:27:00 PM
Chloromethane	U	1.0		µg/L	1	12/1/2005 10:27:00 PM
cis-1,2-Dichloroethene	12	1.0		µg/L	1	12/1/2005 10:27:00 PM
cis-1,3-Dichloropropene	U	1.0		µg/L	1	12/1/2005 10:27:00 PM
Dibromochloromethane	U	1.0		µg/L	1	12/1/2005 10:27:00 PM
Dibromomethane	U	1.0		µg/L	1	12/1/2005 10:27:00 PM
Dichlorodifluoromethane	U	1.0		µg/L	1	12/1/2005 10:27:00 PM
Ethylbenzene	U	1.0		µg/L	1	12/1/2005 10:27:00 PM
Hexachlorobutadiene	U	1.0		µg/L	1	12/1/2005 10:27:00 PM
Isopropylbenzene	U	1.0		µg/L	1	12/1/2005 10:27:00 PM
m,p-Xylene	U	2.0		µg/L	1	12/1/2005 10:27:00 PM
Methyl tert-butyl ether	U	1.0		µg/L	1	12/1/2005 10:27:00 PM
Methylene chloride	U	1.0	B	µg/L	1	12/1/2005 10:27:00 PM
Naphthalene	U	1.0		µg/L	1	12/1/2005 10:27:00 PM
n-Butylbenzene	U	1.0		µg/L	1	12/1/2005 10:27:00 PM
n-Propylbenzene	U	1.0		µg/L	1	12/1/2005 10:27:00 PM
o-Xylene	U	1.0		µg/L	1	12/1/2005 10:27:00 PM
sec-Butylbenzene	U	1.0		µg/L	1	12/1/2005 10:27:00 PM
Styrene	U	1.0		µg/L	1	12/1/2005 10:27:00 PM
tert-Butylbenzene	U	1.0		µg/L	1	12/1/2005 10:27:00 PM
Tetrachloroethene	15	1.0		µg/L	1	12/1/2005 10:27:00 PM
Toluene	U	1.0		µg/L	1	12/1/2005 10:27:00 PM
trans-1,2-Dichloroethene	U	1.0		µg/L	1	12/1/2005 10:27:00 PM
trans-1,3-Dichloropropene	U	1.0		µg/L	1	12/1/2005 10:27:00 PM
Trichloroethene	2.1	1.0		µg/L	1	12/1/2005 10:27:00 PM
Trichlorofluoromethane	U	1.0		µg/L	1	12/1/2005 10:27:00 PM
Vinyl acetate	U	1.0		µg/L	1	12/1/2005 10:27:00 PM
Vinyl chloride	U	1.0		µg/L	1	12/1/2005 10:27:00 PM

Qualifiers: * Value exceeds Maximum Contaminant Level B Analyte detected in the associated Method Blank
 E Value above quantitation range H Holding times for preparation or analysis exceeded
 J Analyte detected below quantitation limits ND Not Detected at the Reporting Limit
 S Spike Recovery outside accepted recovery limits U Indicates the compound was analyzed for but not detected

American Analytical Laboratories, LLC.

Date: 07-Dec-05

CLIENT:	Leggette Brashears & Graham Inc.	Client Sample ID:	GWQ112105:830 NP1-1-2
Lab Order:	0511218	Tag Number:	
Project:	Rowe Industries	Collection Date:	11/21/2005
Lab ID:	0511218-01B	Date Received:	11/29/2005
		Matrix:	LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
TOTAL IRON,MANGANESE		E200.7				Analyst: JP
Iron	6.10	0.0200		mg/L	1	12/2/2005 9:51:03 AM
Manganese	0.843	0.0200		mg/L	1	12/2/2005 9:51:03 AM

Qualifiers:	* Value exceeds Maximum Contaminant Level	B Analyte detected in the associated Method Blank
	E Value above quantitation range	H Holding times for preparation or analysis exceeded
	J Analyte detected below quantitation limits	ND Not Detected at the Reporting Limit
	S Spike Recovery outside accepted recovery limits	U Indicates the compound was analyzed for but not detected

American Analytical Laboratories, LLC.

Date: 07-Dec-05

CLIENT:	Leggette Brashears & Graham Inc.	Client Sample ID:	GWQ112105:830 NP1-1-2
Lab Order:	0511218	Tag Number:	
Project:	Rowe Industries	Collection Date:	11/21/2005
Lab ID:	0511218-01C	Date Received:	11/29/2005
		Matrix:	LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
DISSOLVED IRON,MANGANESE		E200.7		Analyst: JP		
Iron	0.0269	0.0200		mg/L	1	12/2/2005 9:48:42 AM
Manganese	0.907	0.0200		mg/L	1	12/2/2005 9:48:42 AM
TOTAL DISSOLVED SOLIDS		E160.1		Analyst: WN		
Total Dissolved Solids (Residue, Filterable)	160	1.0	H	mg/L	1	11/29/2005

Qualifiers:	* Value exceeds Maximum Contaminant Level	B Analyte detected in the associated Method Blank
	E Value above quantitation range	H Holding times for preparation or analysis exceeded
	J Analyte detected below quantitation limits	ND Not Detected at the Reporting Limit
	S Spike Recovery outside accepted recovery limits	U Indicates the compound was analyzed for but not detected

American Analytical Laboratories, LLC.

Date: 07-Dec-05

CLIENT: Leggette Brashears & Graham Inc.**Client Sample ID:** GWQ112105:830 NP1-1-2**Lab Order:** 0511218**Tag Number:****Project:** Rowe Industries**Collection Date:** 11/21/2005**Lab ID:** 0511218-01D**Date Received:** 11/29/2005**Matrix:** LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
HARDNESS						Analyst: JP
Hardness, Calcium/Magnesium (As CaCO ₃)	47.4	1.00		mg/L	1	12/2/2005
TURBIDITY						Analyst: KK
Turbidity	1.30	1.00	H	NTU	1	12/1/2005

Qualifiers:

- * Value exceeds Maximum Contaminant Level
- E Value above quantitation range
- J Analyte detected below quantitation limits
- S Spike Recovery outside accepted recovery limits

- B Analyte detected in the associated Method Blank
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- U Indicates the compound was analyzed for but not detected

American Analytical Laboratories, LLC.

Date: 07-Dec-05

CLIENT: Leggett Brashears & Graham Inc. **Client Sample ID:** GWQ112105:840 NP1-1-3
Lab Order: 0511218 **Tag Number:**
Project: Rowe Industries **Collection Date:** 11/21/2005
Lab ID: 0511218-02A **Date Received:** 11/29/2005 **Matrix:** LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILES SW-846 8260 PLUS MTBE & FREON1		SW8260B		Analyst: SB		
1,1,1,2-Tetrachloroethane	U	1.0		µg/L	1	12/2/2005 12:16:00 AM
1,1,1-Trichloroethane	U	1.0		µg/L	1	12/2/2005 12:16:00 AM
1,1,2,2-Tetrachloroethane	U	1.0		µg/L	1	12/2/2005 12:16:00 AM
1,1,2-Trichloro-1,2,2-trifluoroethane	U	1.0		µg/L	1	12/2/2005 12:16:00 AM
1,1,2-Trichloroethane	U	1.0		µg/L	1	12/2/2005 12:16:00 AM
1,1-Dichloroethane	U	1.0		µg/L	1	12/2/2005 12:16:00 AM
1,1-Dichloroethene	U	1.0		µg/L	1	12/2/2005 12:16:00 AM
1,1-Dichloropropene	U	1.0		µg/L	1	12/2/2005 12:16:00 AM
1,2,3-Trichlorobenzene	U	1.0		µg/L	1	12/2/2005 12:16:00 AM
1,2,3-Trichloropropane	U	1.0		µg/L	1	12/2/2005 12:16:00 AM
1,2,4-Trichlorobenzene	U	1.0		µg/L	1	12/2/2005 12:16:00 AM
1,2,4-Trimethylbenzene	U	1.0		µg/L	1	12/2/2005 12:16:00 AM
1,2-Dibromo-3-chloropropane	U	1.0		µg/L	1	12/2/2005 12:16:00 AM
1,2-Dibromoethane	U	1.0		µg/L	1	12/2/2005 12:16:00 AM
1,2-Dichlorobenzene	U	1.0		µg/L	1	12/2/2005 12:16:00 AM
1,2-Dichloroethane	U	1.0		µg/L	1	12/2/2005 12:16:00 AM
1,2-Dichloropropane	U	1.0		µg/L	1	12/2/2005 12:16:00 AM
1,3,5-Trimethylbenzene	U	1.0		µg/L	1	12/2/2005 12:16:00 AM
1,3-Dichlorobenzene	U	1.0		µg/L	1	12/2/2005 12:16:00 AM
1,3-dichloropropane	U	1.0		µg/L	1	12/2/2005 12:16:00 AM
1,4-Dichlorobenzene	U	1.0		µg/L	1	12/2/2005 12:16:00 AM
2,2-Dichloropropane	U	1.0		µg/L	1	12/2/2005 12:16:00 AM
2-Butanone	U	1.0		µg/L	1	12/2/2005 12:16:00 AM
2-Chloroethyl vinyl ether	U	1.0		µg/L	1	12/2/2005 12:16:00 AM
2-Chlorotoluene	U	1.0		µg/L	1	12/2/2005 12:16:00 AM
2-Hexanone	U	1.0		µg/L	1	12/2/2005 12:16:00 AM
4-Chlorotoluene	U	1.0		µg/L	1	12/2/2005 12:16:00 AM
4-Isopropyltoluene	U	1.0		µg/L	1	12/2/2005 12:16:00 AM
4-Methyl-2-pentanone	U	1.0		µg/L	1	12/2/2005 12:16:00 AM
Acetone	U	1.0		µg/L	1	12/2/2005 12:16:00 AM
Benzene	U	1.0		µg/L	1	12/2/2005 12:16:00 AM
Bromobenzene	U	1.0		µg/L	1	12/2/2005 12:16:00 AM
Bromochloromethane	U	1.0		µg/L	1	12/2/2005 12:16:00 AM
Bromodichloromethane	U	1.0		µg/L	1	12/2/2005 12:16:00 AM
Bromoform	U	1.0		µg/L	1	12/2/2005 12:16:00 AM
Bromomethane	U	1.0		µg/L	1	12/2/2005 12:16:00 AM
Carbon disulfide	U	1.0		µg/L	1	12/2/2005 12:16:00 AM
Carbon tetrachloride	U	1.0		µg/L	1	12/2/2005 12:16:00 AM
Chlorobenzene	U	1.0		µg/L	1	12/2/2005 12:16:00 AM
Chloroethane	U	1.0		µg/L	1	12/2/2005 12:16:00 AM

Qualifiers: * Value exceeds Maximum Contaminant Level
 E Value above quantitation range
 J Analyte detected below quantitation limits
 S Spike Recovery outside accepted recovery limits
 B Analyte detected in the associated Method Blank
 H Holding times for preparation or analysis exceeded
 ND Not Detected at the Reporting Limit
 U Indicates the compound was analyzed for but not detected

American Analytical Laboratories, LLC.

Date: 07-Dec-05

CLIENT: Leggette Brashears & Graham Inc. **Client Sample ID:** GWQ112105:840 NP1-1-3
Lab Order: 0511218 **Tag Number:**
Project: Rowe Industries **Collection Date:** 11/21/2005
Lab ID: 0511218-02A **Date Received:** 11/29/2005 **Matrix:** LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
Chloroform	U	1.0		µg/L	1	12/2/2005 12:16:00 AM
Chloromethane	U	1.0		µg/L	1	12/2/2005 12:16:00 AM
cis-1,2-Dichloroethene	U	1.0		µg/L	1	12/2/2005 12:16:00 AM
cis-1,3-Dichloropropene	U	1.0		µg/L	1	12/2/2005 12:16:00 AM
Dibromochloromethane	U	1.0		µg/L	1	12/2/2005 12:16:00 AM
Dibromomethane	U	1.0		µg/L	1	12/2/2005 12:16:00 AM
Dichlorodifluoromethane	U	1.0		µg/L	1	12/2/2005 12:16:00 AM
Ethylbenzene	U	1.0		µg/L	1	12/2/2005 12:16:00 AM
Hexachlorobutadiene	U	1.0		µg/L	1	12/2/2005 12:16:00 AM
Isopropylbenzene	U	1.0		µg/L	1	12/2/2005 12:16:00 AM
m,p-Xylene	U	2.0		µg/L	1	12/2/2005 12:16:00 AM
Methyl tert-butyl ether	U	1.0		µg/L	1	12/2/2005 12:16:00 AM
Methylene chloride	U	1.0	B	µg/L	1	12/2/2005 12:16:00 AM
Naphthalene	U	1.0		µg/L	1	12/2/2005 12:16:00 AM
n-Butylbenzene	U	1.0		µg/L	1	12/2/2005 12:16:00 AM
n-Propylbenzene	U	1.0		µg/L	1	12/2/2005 12:16:00 AM
o-Xylene	U	1.0		µg/L	1	12/2/2005 12:16:00 AM
sec-Butylbenzene	U	1.0		µg/L	1	12/2/2005 12:16:00 AM
Styrene	U	1.0		µg/L	1	12/2/2005 12:16:00 AM
tert-Butylbenzene	U	1.0		µg/L	1	12/2/2005 12:16:00 AM
Tetrachloroethene	1.3	1.0		µg/L	1	12/2/2005 12:16:00 AM
Toluene	U	1.0		µg/L	1	12/2/2005 12:16:00 AM
trans-1,2-Dichloroethene	U	1.0		µg/L	1	12/2/2005 12:16:00 AM
trans-1,3-Dichloropropene	U	1.0		µg/L	1	12/2/2005 12:16:00 AM
Trichloroethene	U	1.0		µg/L	1	12/2/2005 12:16:00 AM
Trichlorofluoromethane	U	1.0		µg/L	1	12/2/2005 12:16:00 AM
Vinyl acetate	U	1.0		µg/L	1	12/2/2005 12:16:00 AM
Vinyl chloride	U	1.0		µg/L	1	12/2/2005 12:16:00 AM

Qualifiers: * Value exceeds Maximum Contaminant Level
 E Value above quantitation range
 J Analyte detected below quantitation limits
 S Spike Recovery outside accepted recovery limits
 B Analyte detected in the associated Method Blank
 H Holding times for preparation or analysis exceeded
 ND Not Detected at the Reporting Limit
 U Indicates the compound was analyzed for but not detected

American Analytical Laboratories, LLC.

Date: 07-Dec-05

CLIENT:	Leggette Brashears & Graham Inc.	Client Sample ID:	GWQ112105:840 NP1-1-3
Lab Order:	0511218	Tag Number:	
Project:	Rowe Industries	Collection Date:	11/21/2005
Lab ID:	0511218-02B	Date Received:	11/29/2005
		Matrix:	LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
TOTAL IRON,MANGANESE		E200.7				Analyst: JP
Iron	1.83	0.0200		mg/L	1	12/2/2005 9:55:40 AM
Manganese	0.118	0.0200		mg/L	1	12/2/2005 9:55:40 AM

Qualifiers:	*	Value exceeds Maximum Contaminant Level	B	Analyte detected in the associated Method Blank
	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded
	J	Analyte detected below quantitation limits	ND	Not Detected at the Reporting Limit
	S	Spike Recovery outside accepted recovery limits	U	Indicates the compound was analyzed for but not detected

American Analytical Laboratories, LLC.

Date: 07-Dec-05

CLIENT:	Leggette Brashears & Graham Inc.	Client Sample ID:	GWQ112105:840 NP1-1-3
Lab Order:	0511218	Tag Number:	
Project:	Rowe Industries	Collection Date:	11/21/2005
Lab ID:	0511218-02C	Date Received:	11/29/2005
		Matrix:	LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
DISSOLVED IRON,MANGANESE		E200.7				Analyst: JP
Iron	0.708	0.0200		mg/L	1	12/2/2005 9:53:09 AM
Manganese	0.120	0.0200		mg/L	1	12/2/2005 9:53:09 AM
TOTAL DISSOLVED SOLIDS		E160.1				Analyst: WN
Total Dissolved Solids (Residue, Filterable)	140	1.0	H	mg/L	1	11/29/2005

Qualifiers:	*	Value exceeds Maximum Contaminant Level	B	Analyte detected in the associated Method Blank
	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded
	J	Analyte detected below quantitation limits	ND	Not Detected at the Reporting Limit
	S	Spike Recovery outside accepted recovery limits	U	Indicates the compound was analyzed for but not detected

American Analytical Laboratories, LLC.

Date: 07-Dec-05

CLIENT:	Leggette Brashears & Graham Inc.	Client Sample ID:	GWQ112105:840 NP1-1-3
Lab Order:	0511218	Tag Number:	
Project:	Rowe Industries	Collection Date:	11/21/2005
Lab ID:	0511218-02D	Date Received:	11/29/2005
		Matrix:	LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
HARDNESS						Analyst: JP
Hardness, Calcium/Magnesium (As CaCO ₃)	35.6	1.00		mg/L	1	12/2/2005
		M2340 B				
TURBIDITY						Analyst: KK
Turbidity	2.90	1.00	H	NTU	1	12/1/2005
		E180.1				

Qualifiers:	*	Value exceeds Maximum Contaminant Level	B	Analyte detected in the associated Method Blank
	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded
	J	Analyte detected below quantitation limits	ND	Not Detected at the Reporting Limit
	S	Spike Recovery outside accepted recovery limits	U	Indicates the compound was analyzed for but not detected

American Analytical Laboratories, LLC.

Date: 07-Dec-05

CLIENT: Leggette Brashears & Graham Inc. **Client Sample ID:** GWQ112105:850 NP1-1-4
Lab Order: 0511218 **Tag Number:**
Project: Rowe Industries **Collection Date:** 11/21/2005
Lab ID: 0511218-03A **Date Received:** 11/29/2005 **Matrix:** LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILES SW-846 8260 PLUS MTBE & FREON1		SW8260B		Analyst: SB		
1,1,1,2-Tetrachloroethane	U	1.0		µg/L	1	12/2/2005 12:53:00 AM
1,1,1-Trichloroethane	U	1.0		µg/L	1	12/2/2005 12:53:00 AM
1,1,2,2-Tetrachloroethane	U	1.0		µg/L	1	12/2/2005 12:53:00 AM
1,1,2-Trichloro-1,2,2-trifluoroethane	U	1.0		µg/L	1	12/2/2005 12:53:00 AM
1,1,2-Trichloroethane	U	1.0		µg/L	1	12/2/2005 12:53:00 AM
1,1-Dichloroethane	U	1.0		µg/L	1	12/2/2005 12:53:00 AM
1,1-Dichloroethene	U	1.0		µg/L	1	12/2/2005 12:53:00 AM
1,1-Dichloropropene	U	1.0		µg/L	1	12/2/2005 12:53:00 AM
1,2,3-Trichlorobenzene	U	1.0		µg/L	1	12/2/2005 12:53:00 AM
1,2,3-Trichloropropane	U	1.0		µg/L	1	12/2/2005 12:53:00 AM
1,2,4-Trichlorobenzene	U	1.0		µg/L	1	12/2/2005 12:53:00 AM
1,2,4-Trimethylbenzene	U	1.0		µg/L	1	12/2/2005 12:53:00 AM
1,2-Dibromo-3-chloropropane	U	1.0		µg/L	1	12/2/2005 12:53:00 AM
1,2-Dibromoethane	U	1.0		µg/L	1	12/2/2005 12:53:00 AM
1,2-Dichlorobenzene	U	1.0		µg/L	1	12/2/2005 12:53:00 AM
1,2-Dichloroethane	U	1.0		µg/L	1	12/2/2005 12:53:00 AM
1,2-Dichloropropane	U	1.0		µg/L	1	12/2/2005 12:53:00 AM
1,3,5-Trimethylbenzene	U	1.0		µg/L	1	12/2/2005 12:53:00 AM
1,3-Dichlorobenzene	U	1.0		µg/L	1	12/2/2005 12:53:00 AM
1,3-dichloropropane	U	1.0		µg/L	1	12/2/2005 12:53:00 AM
1,4-Dichlorobenzene	U	1.0		µg/L	1	12/2/2005 12:53:00 AM
2,2-Dichloropropane	U	1.0		µg/L	1	12/2/2005 12:53:00 AM
2-Butanone	U	1.0		µg/L	1	12/2/2005 12:53:00 AM
2-Chloroethyl vinyl ether	U	1.0		µg/L	1	12/2/2005 12:53:00 AM
2-Chlorotoluene	U	1.0		µg/L	1	12/2/2005 12:53:00 AM
2-Hexanone	U	1.0		µg/L	1	12/2/2005 12:53:00 AM
4-Chlorotoluene	U	1.0		µg/L	1	12/2/2005 12:53:00 AM
4-Isopropyltoluene	U	1.0		µg/L	1	12/2/2005 12:53:00 AM
4-Methyl-2-pentanone	U	1.0		µg/L	1	12/2/2005 12:53:00 AM
Acetone	U	1.0		µg/L	1	12/2/2005 12:53:00 AM
Benzene	U	1.0		µg/L	1	12/2/2005 12:53:00 AM
Bromobenzene	U	1.0		µg/L	1	12/2/2005 12:53:00 AM
Bromochloromethane	U	1.0		µg/L	1	12/2/2005 12:53:00 AM
Bromodichloromethane	U	1.0		µg/L	1	12/2/2005 12:53:00 AM
Bromoform	U	1.0		µg/L	1	12/2/2005 12:53:00 AM
Bromomethane	U	1.0		µg/L	1	12/2/2005 12:53:00 AM
Carbon disulfide	U	1.0		µg/L	1	12/2/2005 12:53:00 AM
Carbon tetrachloride	U	1.0		µg/L	1	12/2/2005 12:53:00 AM
Chlorobenzene	U	1.0		µg/L	1	12/2/2005 12:53:00 AM
Chloroethane	U	1.0		µg/L	1	12/2/2005 12:53:00 AM

Qualifiers: * Value exceeds Maximum Contaminant Level
 E Value above quantitation range
 J Analyte detected below quantitation limits
 S Spike Recovery outside accepted recovery limits
 B Analyte detected in the associated Method Blank
 H Holding times for preparation or analysis exceeded
 ND Not Detected at the Reporting Limit
 U Indicates the compound was analyzed for but not detected

American Analytical Laboratories, LLC.

Date: 07-Dec-05

CLIENT: Leggette Brashears & Graham Inc. **Client Sample ID:** GWQ112105:850 NP1-1-4
Lab Order: 0511218 **Tag Number:**
Project: Rowe Industries **Collection Date:** 11/21/2005
Lab ID: 0511218-03A **Date Received:** 11/29/2005 **Matrix:** LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
Chloroform	U	1.0		µg/L	1	12/2/2005 12:53:00 AM
Chloromethane	U	1.0		µg/L	1	12/2/2005 12:53:00 AM
cis-1,2-Dichloroethene	U	1.0		µg/L	1	12/2/2005 12:53:00 AM
cis-1,3-Dichloropropene	U	1.0		µg/L	1	12/2/2005 12:53:00 AM
Dibromochloromethane	U	1.0		µg/L	1	12/2/2005 12:53:00 AM
Dibromomethane	U	1.0		µg/L	1	12/2/2005 12:53:00 AM
Dichlorodifluoromethane	U	1.0		µg/L	1	12/2/2005 12:53:00 AM
Ethylbenzene	U	1.0		µg/L	1	12/2/2005 12:53:00 AM
Hexachlorobutadiene	U	1.0		µg/L	1	12/2/2005 12:53:00 AM
Isopropylbenzene	U	1.0		µg/L	1	12/2/2005 12:53:00 AM
m,p-Xylene	U	2.0		µg/L	1	12/2/2005 12:53:00 AM
Methyl tert-butyl ether	U	1.0		µg/L	1	12/2/2005 12:53:00 AM
Methylene chloride	U	1.0	B	µg/L	1	12/2/2005 12:53:00 AM
Naphthalene	U	1.0		µg/L	1	12/2/2005 12:53:00 AM
n-Butylbenzene	U	1.0		µg/L	1	12/2/2005 12:53:00 AM
n-Propylbenzene	U	1.0		µg/L	1	12/2/2005 12:53:00 AM
o-Xylene	U	1.0		µg/L	1	12/2/2005 12:53:00 AM
sec-Butylbenzene	U	1.0		µg/L	1	12/2/2005 12:53:00 AM
Styrene	U	1.0		µg/L	1	12/2/2005 12:53:00 AM
tert-Butylbenzene	U	1.0		µg/L	1	12/2/2005 12:53:00 AM
Tetrachloroethene	30	1.0		µg/L	1	12/2/2005 12:53:00 AM
Toluene	U	1.0		µg/L	1	12/2/2005 12:53:00 AM
trans-1,2-Dichloroethene	U	1.0		µg/L	1	12/2/2005 12:53:00 AM
trans-1,3-Dichloropropene	U	1.0		µg/L	1	12/2/2005 12:53:00 AM
Trichloroethene	U	1.0		µg/L	1	12/2/2005 12:53:00 AM
Trichlorofluoromethane	U	1.0		µg/L	1	12/2/2005 12:53:00 AM
Vinyl acetate	U	1.0		µg/L	1	12/2/2005 12:53:00 AM
Vinyl chloride	U	1.0		µg/L	1	12/2/2005 12:53:00 AM

Qualifiers: * Value exceeds Maximum Contaminant Level
 E Value above quantitation range
 J Analyte detected below quantitation limits
 S Spike Recovery outside accepted recovery limits
 B Analyte detected in the associated Method Blank
 H Holding times for preparation or analysis exceeded
 ND Not Detected at the Reporting Limit
 U Indicates the compound was analyzed for but not detected

American Analytical Laboratories, LLC.

Date: 07-Dec-05

CLIENT:	Leggette Brashears & Graham Inc.	Client Sample ID:	GWQ112105:850 NP1-1-4
Lab Order:	0511218	Tag Number:	
Project:	Rowe Industries	Collection Date:	11/21/2005
Lab ID:	0511218-03B	Date Received:	11/29/2005
		Matrix:	LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
TOTAL IRON,MANGANESE		E200.7				Analyst: JP
Iron	3.69	0.0200		mg/L	1	12/2/2005 10:00:03 AM
Manganese	1.13	0.0200		mg/L	1	12/2/2005 10:00:03 AM

Qualifiers:	*	Value exceeds Maximum Contaminant Level	B	Analyte detected in the associated Method Blank
	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded
	J	Analyte detected below quantitation limits	ND	Not Detected at the Reporting Limit
	S	Spike Recovery outside accepted recovery limits	U	Indicates the compound was analyzed for but not detected

American Analytical Laboratories, LLC.

Date: 07-Dec-05

CLIENT:	Leggette Brashears & Graham Inc.	Client Sample ID:	GWQ112105:850 NP1-1-4
Lab Order:	0511218	Tag Number:	
Project:	Rowe Industries	Collection Date:	11/21/2005
Lab ID:	0511218-03C	Date Received:	11/29/2005
		Matrix:	LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
DISSOLVED IRON,MANGANESE		E200.7				Analyst: JP
Iron	0.0777	0.0200		mg/L	1	12/2/2005 9:57:52 AM
Manganese	1.16	0.0200		mg/L	1	12/2/2005 9:57:52 AM
TOTAL DISSOLVED SOLIDS		E160.1				Analyst: WN
Total Dissolved Solids (Residue, Filterable)	150	1.0	H	mg/L	1	11/29/2005

Qualifiers:	* Value exceeds Maximum Contaminant Level	B Analyte detected in the associated Method Blank
	E Value above quantitation range	H Holding times for preparation or analysis exceeded
	J Analyte detected below quantitation limits	ND Not Detected at the Reporting Limit
	S Spike Recovery outside accepted recovery limits	U Indicates the compound was analyzed for but not detected

American Analytical Laboratories, LLC.

Date: 07-Dec-05

CLIENT:	Leggette Brashears & Graham Inc.	Client Sample ID:	GWQ112105:850 NP1-1-4
Lab Order:	0511218	Tag Number:	
Project:	Rowe Industries	Collection Date:	11/21/2005
Lab ID:	0511218-03D	Date Received:	11/29/2005
		Matrix:	LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
HARDNESS		M2340 B				Analyst: JP
Hardness, Calcium/Magnesium (As CaCO ₃)	29.3	1.00		mg/L	1	12/2/2005
TURBIDITY		E180.1				Analyst: KK
Turbidity	2.00	1.00	H	NTU	1	12/1/2005

Qualifiers:	▼	Value exceeds Maximum Contaminant Level	B	Analyte detected in the associated Method Blank
	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded
	J	Analyte detected below quantitation limits	ND	Not Detected at the Reporting Limit
	S	Spike Recovery outside accepted recovery limits	U	Indicates the compound was analyzed for but not detected

American Analytical Laboratories, LLC.

Date: 07-Dec-05

CLIENT: Leggette Brashears & Graham Inc. **Client Sample ID:** GWQ112105:900 NP1-1-5
Lab Order: 0511218 **Tag Number:**
Project: Rowe Industries **Collection Date:** 11/21/2005
Lab ID: 0511218-04A **Date Received:** 11/29/2005 **Matrix:** LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILES SW-846 8260 PLUS MTBE & FREON1		SW8260B		Analyst: SB		
1,1,1,2-Tetrachloroethane	U	1.0		µg/L	1	12/2/2005 1:29:00 AM
1,1,1-Trichloroethane	U	1.0		µg/L	1	12/2/2005 1:29:00 AM
1,1,2,2-Tetrachloroethane	U	1.0		µg/L	1	12/2/2005 1:29:00 AM
1,1,2-Trichloro-1,2,2-trifluoroethane	U	1.0		µg/L	1	12/2/2005 1:29:00 AM
1,1,2-Trichloroethane	U	1.0		µg/L	1	12/2/2005 1:29:00 AM
1,1-Dichloroethane	U	1.0		µg/L	1	12/2/2005 1:29:00 AM
1,1-Dichloroethene	U	1.0		µg/L	1	12/2/2005 1:29:00 AM
1,1-Dichloropropene	U	1.0		µg/L	1	12/2/2005 1:29:00 AM
1,2,3-Trichlorobenzene	U	1.0		µg/L	1	12/2/2005 1:29:00 AM
1,2,3-Trichloropropane	U	1.0		µg/L	1	12/2/2005 1:29:00 AM
1,2,4-Trichlorobenzene	U	1.0		µg/L	1	12/2/2005 1:29:00 AM
1,2,4-Trimethylbenzene	U	1.0		µg/L	1	12/2/2005 1:29:00 AM
1,2-Dibromo-3-chloropropane	U	1.0		µg/L	1	12/2/2005 1:29:00 AM
1,2-Dibromoethane	U	1.0		µg/L	1	12/2/2005 1:29:00 AM
1,2-Dichlorobenzene	U	1.0		µg/L	1	12/2/2005 1:29:00 AM
1,2-Dichloroethane	U	1.0		µg/L	1	12/2/2005 1:29:00 AM
1,2-Dichloropropane	U	1.0		µg/L	1	12/2/2005 1:29:00 AM
1,3,5-Trimethylbenzene	U	1.0		µg/L	1	12/2/2005 1:29:00 AM
1,3-Dichlorobenzene	U	1.0		µg/L	1	12/2/2005 1:29:00 AM
1,3-dichloropropane	U	1.0		µg/L	1	12/2/2005 1:29:00 AM
1,4-Dichlorobenzene	U	1.0		µg/L	1	12/2/2005 1:29:00 AM
2,2-Dichloropropane	U	1.0		µg/L	1	12/2/2005 1:29:00 AM
2-Butanone	U	1.0		µg/L	1	12/2/2005 1:29:00 AM
2-Chloroethyl vinyl ether	U	1.0		µg/L	1	12/2/2005 1:29:00 AM
2-Chlorotoluene	U	1.0		µg/L	1	12/2/2005 1:29:00 AM
2-Hexanone	U	1.0		µg/L	1	12/2/2005 1:29:00 AM
4-Chlorotoluene	U	1.0		µg/L	1	12/2/2005 1:29:00 AM
4-Isopropyltoluene	U	1.0		µg/L	1	12/2/2005 1:29:00 AM
4-Methyl-2-pentanone	U	1.0		µg/L	1	12/2/2005 1:29:00 AM
Acetone	U	1.0		µg/L	1	12/2/2005 1:29:00 AM
Benzene	U	1.0		µg/L	1	12/2/2005 1:29:00 AM
Bromobenzene	U	1.0		µg/L	1	12/2/2005 1:29:00 AM
Bromochloromethane	U	1.0		µg/L	1	12/2/2005 1:29:00 AM
Bromodichloromethane	U	1.0		µg/L	1	12/2/2005 1:29:00 AM
Bromoform	U	1.0		µg/L	1	12/2/2005 1:29:00 AM
Bromomethane	U	1.0		µg/L	1	12/2/2005 1:29:00 AM
Carbon disulfide	U	1.0		µg/L	1	12/2/2005 1:29:00 AM
Carbon tetrachloride	U	1.0		µg/L	1	12/2/2005 1:29:00 AM
Chlorobenzene	U	1.0		µg/L	1	12/2/2005 1:29:00 AM
Chloroethane	U	1.0		µg/L	1	12/2/2005 1:29:00 AM

Qualifiers: * Value exceeds Maximum Contaminant Level
 E Value above quantitation range
 J Analyte detected below quantitation limits
 S Spike Recovery outside accepted recovery limits
 B Analyte detected in the associated Method Blank
 H Holding times for preparation or analysis exceeded
 ND Not Detected at the Reporting Limit
 U Indicates the compound was analyzed for but not detected

American Analytical Laboratories, LLC.

Date: 07-Dec-05

CLIENT: Leggette Brashears & Graham Inc. **Client Sample ID:** GWQ112105:900 NP1-1-5
Lab Order: 0511218 **Tag Number:**
Project: Rowe Industries **Collection Date:** 11/21/2005
Lab ID: 0511218-04A **Date Received:** 11/29/2005 **Matrix:** LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
Chloroform	U	1.0		µg/L	1	12/2/2005 1:29:00 AM
Chloromethane	U	1.0		µg/L	1	12/2/2005 1:29:00 AM
cis-1,2-Dichloroethene	U	1.0		µg/L	1	12/2/2005 1:29:00 AM
cis-1,3-Dichloropropene	U	1.0		µg/L	1	12/2/2005 1:29:00 AM
Dibromochloromethane	U	1.0		µg/L	1	12/2/2005 1:29:00 AM
Dibromomethane	U	1.0		µg/L	1	12/2/2005 1:29:00 AM
Dichlorodifluoromethane	U	1.0		µg/L	1	12/2/2005 1:29:00 AM
Ethylbenzene	U	1.0		µg/L	1	12/2/2005 1:29:00 AM
Hexachlorobutadiene	U	1.0		µg/L	1	12/2/2005 1:29:00 AM
Isopropylbenzene	U	1.0		µg/L	1	12/2/2005 1:29:00 AM
m,p-Xylene	U	2.0		µg/L	1	12/2/2005 1:29:00 AM
Methyl tert-butyl ether	U	1.0		µg/L	1	12/2/2005 1:29:00 AM
Methylene chloride	U	1.0	B	µg/L	1	12/2/2005 1:29:00 AM
Naphthalene	U	1.0		µg/L	1	12/2/2005 1:29:00 AM
n-Butylbenzene	U	1.0		µg/L	1	12/2/2005 1:29:00 AM
n-Propylbenzene	U	1.0		µg/L	1	12/2/2005 1:29:00 AM
o-Xylene	U	1.0		µg/L	1	12/2/2005 1:29:00 AM
sec-Butylbenzene	U	1.0		µg/L	1	12/2/2005 1:29:00 AM
Styrene	U	1.0		µg/L	1	12/2/2005 1:29:00 AM
tert-Butylbenzene	U	1.0		µg/L	1	12/2/2005 1:29:00 AM
Tetrachloroethene	2.6	1.0		µg/L	1	12/2/2005 1:29:00 AM
Toluene	U	1.0		µg/L	1	12/2/2005 1:29:00 AM
trans-1,2-Dichloroethene	U	1.0		µg/L	1	12/2/2005 1:29:00 AM
trans-1,3-Dichloropropene	U	1.0		µg/L	1	12/2/2005 1:29:00 AM
Trichloroethene	U	1.0		µg/L	1	12/2/2005 1:29:00 AM
Trichlorofluoromethane	U	1.0		µg/L	1	12/2/2005 1:29:00 AM
Vinyl acetate	U	1.0		µg/L	1	12/2/2005 1:29:00 AM
Vinyl chloride	U	1.0		µg/L	1	12/2/2005 1:29:00 AM

Qualifiers:	* Value exceeds Maximum Contaminant Level	B Analyte detected in the associated Method Blank
	E Value above quantitation range	H Holding times for preparation or analysis exceeded
	J Analyte detected below quantitation limits	ND Not Detected at the Reporting Limit
	S Spike Recovery outside accepted recovery limits	U Indicates the compound was analyzed for but not detected

American Analytical Laboratories, LLC.

Date: 07-Dec-05

CLIENT:	Leggette Brashears & Graham Inc.	Client Sample ID:	GWQ112105:900 NP1-1-5
Lab Order:	0511218	Tag Number:	
Project:	Rowe Industries	Collection Date:	11/21/2005
Lab ID:	0511218-04B	Date Received:	11/29/2005
		Matrix:	LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
TOTAL IRON		E200.7				Analyst: JP
Iron	0.0482	0.0200		mg/L	1	12/2/2005 10:04:25 AM

Qualifiers:	* Value exceeds Maximum Contaminant Level	B Analyte detected in the associated Method Blank
	E Value above quantitation range	H Holding times for preparation or analysis exceeded
	J Analyte detected below quantitation limits	ND Not Detected at the Reporting Limit
	S Spike Recovery outside accepted recovery limits	U Indicates the compound was analyzed for but not detected

American Analytical Laboratories, LLC.

Date: 07-Dec-05

CLIENT:	Leggette Brashears & Graham Inc.	Client Sample ID:	GWQ112105:900 NP1-1-5
Lab Order:	0511218	Tag Number:	
Project:	Rowe Industries	Collection Date:	11/21/2005
Lab ID:	0511218-04C	Date Received:	11/29/2005
		Matrix:	LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
DISSOLVED IRON,MANGANESE		E200.7				Analyst: JP
Iron	U	0.0200		mg/L	1	12/2/2005 10:02:16 AM
Manganese	U	0.0200		mg/L	1	12/2/2005 10:02:16 AM
TOTAL DISSOLVED SOLIDS		E160.1				Analyst: WN
Total Dissolved Solids (Residue, Filterable)	180	1.0	H	mg/L	1	11/29/2005

Qualifiers:	* Value exceeds Maximum Contaminant Level	B Analyte detected in the associated Method Blank
	E Value above quantitation range	H Holding times for preparation or analysis exceeded
	J Analyte detected below quantitation limits	ND Not Detected at the Reporting Limit
	S Spike Recovery outside accepted recovery limits	U Indicates the compound was analyzed for but not detected

American Analytical Laboratories, LLC.

Date: 07-Dec-05

CLIENT:	Leggette Brashears & Graham Inc.	Client Sample ID:	GWQ112105:900 NP1-1-5
Lab Order:	0511218	Tag Number:	
Project:	Rowe Industries	Collection Date:	11/21/2005
Lab ID:	0511218-04D	Date Received:	11/29/2005
		Matrix:	LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
HARDNESS						Analyst: JP
Hardness, Calcium/Magnesium (As CaCO ₃)	31.0	1.00		mg/L	1	12/2/2005
TURBIDITY						Analyst: KK
Turbidity	U	1.00	H	NTU	1	12/1/2005

Qualifiers:	* Value exceeds Maximum Contaminant Level	B Analyte detected in the associated Method Blank
	E Value above quantitation range	H Holding times for preparation or analysis exceeded
	J Analyte detected below quantitation limits	ND Not Detected at the Reporting Limit
	S Spike Recovery outside accepted recovery limits	U Indicates the compound was analyzed for but not detected

American Analytical Laboratories, LLC.

Date: 07-Dec-05

CLIENT: Leggette Brashears & Graham Inc.

Client Sample ID: GWQ112105:910 NP1-1-6

Lab Order: 0511218

Tag Number:

Project: Rowe Industries

Collection Date: 11/21/2005

Lab ID: 0511218-05A

Date Received: 11/29/2005

Matrix: LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILES SW-846 8260 PLUS MTBE & FREON1		SW8260B		Analyst: SB		
1,1,1,2-Tetrachloroethane	U	1.0		µg/L	1	12/2/2005 2:06:00 AM
1,1,1-Trichloroethane	U	1.0		µg/L	1	12/2/2005 2:06:00 AM
1,1,2,2-Tetrachloroethane	U	1.0		µg/L	1	12/2/2005 2:06:00 AM
1,1,2-Trichloro-1,2,2-trifluoroethane	U	1.0		µg/L	1	12/2/2005 2:06:00 AM
1,1,2-Trichloroethane	U	1.0		µg/L	1	12/2/2005 2:06:00 AM
1,1-Dichloroethane	U	1.0		µg/L	1	12/2/2005 2:06:00 AM
1,1-Dichloroether	U	1.0		µg/L	1	12/2/2005 2:06:00 AM
1,1-Dichloropropene	U	1.0		µg/L	1	12/2/2005 2:06:00 AM
1,2,3-Trichlorobenzene	U	1.0		µg/L	1	12/2/2005 2:06:00 AM
1,2,3-Trichloropropane	U	1.0		µg/L	1	12/2/2005 2:06:00 AM
1,2,4-Trichlorobenzene	U	1.0		µg/L	1	12/2/2005 2:06:00 AM
1,2,4-Trimethylbenzene	U	1.0		µg/L	1	12/2/2005 2:06:00 AM
1,2-Dibromo-3-chloropropane	U	1.0		µg/L	1	12/2/2005 2:06:00 AM
1,2-Dibromoethane	U	1.0		µg/L	1	12/2/2005 2:06:00 AM
1,2-Dichlorobenzene	U	1.0		µg/L	1	12/2/2005 2:06:00 AM
1,2-Dichloroethane	U	1.0		µg/L	1	12/2/2005 2:06:00 AM
1,2-Dichloropropane	U	1.0		µg/L	1	12/2/2005 2:06:00 AM
1,3,5-Trimethylbenzene	U	1.0		µg/L	1	12/2/2005 2:06:00 AM
1,3-Dichlorobenzene	U	1.0		µg/L	1	12/2/2005 2:06:00 AM
1,3-dichloropropane	U	1.0		µg/L	1	12/2/2005 2:06:00 AM
1,4-Dichlorobenzene	U	1.0		µg/L	1	12/2/2005 2:06:00 AM
2,2-Dichloropropane	U	1.0		µg/L	1	12/2/2005 2:06:00 AM
2-Butanone	U	1.0		µg/L	1	12/2/2005 2:06:00 AM
2-Chloroethyl vinyl ether	U	1.0		µg/L	1	12/2/2005 2:06:00 AM
2-Chlorotoluene	U	1.0		µg/L	1	12/2/2005 2:06:00 AM
2-Hexanone	U	1.0		µg/L	1	12/2/2005 2:06:00 AM
4-Chlorotoluene	U	1.0		µg/L	1	12/2/2005 2:06:00 AM
4-Isopropyltoluene	U	1.0		µg/L	1	12/2/2005 2:06:00 AM
4-Methyl-2-pentanone	U	1.0		µg/L	1	12/2/2005 2:06:00 AM
Acetone	U	1.0		µg/L	1	12/2/2005 2:06:00 AM
Benzene	U	1.0		µg/L	1	12/2/2005 2:06:00 AM
Bromobenzene	U	1.0		µg/L	1	12/2/2005 2:06:00 AM
Bromochloromethane	U	1.0		µg/L	1	12/2/2005 2:06:00 AM
Bromodichloromethane	U	1.0		µg/L	1	12/2/2005 2:06:00 AM
Bromoform	U	1.0		µg/L	1	12/2/2005 2:06:00 AM
Bromomethane	U	1.0		µg/L	1	12/2/2005 2:06:00 AM
Carbon disulfide	U	1.0		µg/L	1	12/2/2005 2:06:00 AM
Carbon tetrachloride	U	1.0		µg/L	1	12/2/2005 2:06:00 AM
Chlorobenzene	U	1.0		µg/L	1	12/2/2005 2:06:00 AM
Chloroethane	U	1.0		µg/L	1	12/2/2005 2:06:00 AM

Qualifiers:

- * Value exceeds Maximum Contaminant Level
- E Value above quantitation range
- J Analyte detected below quantitation limits
- S Spike Recovery outside accepted recovery limits

B Analyte detected in the associated Method Blank

H Holding times for preparation or analysis exceeded

ND Not Detected at the Reporting Limit

U Indicates the compound was analyzed for but not detected

American Analytical Laboratories, LLC.

Date: 07-Dec-05

CLIENT: Leggette Brashears & Graham Inc. Client Sample ID: GWQ112105:910 NP1-1-6
 Lab Order: 0511218 Tag Number:
 Project: Rowe Industries Collection Date: 11/21/2005
 Lab ID: 0511218-05A Date Received: 11/29/2005 Matrix: LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
Chloroform	U	1.0		µg/L	1	12/2/2005 2:06:00 AM
Chloromethane	U	1.0		µg/L	1	12/2/2005 2:06:00 AM
cis-1,2-Dichloroethene	U	1.0		µg/L	1	12/2/2005 2:06:00 AM
cis-1,3-Dichloropropene	U	1.0		µg/L	1	12/2/2005 2:06:00 AM
Dibromochloromethane	U	1.0		µg/L	1	12/2/2005 2:06:00 AM
Dibromomethane	U	1.0		µg/L	1	12/2/2005 2:06:00 AM
Dichlorodifluoromethane	U	1.0		µg/L	1	12/2/2005 2:06:00 AM
Ethylbenzene	U	1.0		µg/L	1	12/2/2005 2:06:00 AM
Hexachlorobutadiene	U	1.0		µg/L	1	12/2/2005 2:06:00 AM
Isopropylbenzene	U	1.0		µg/L	1	12/2/2005 2:06:00 AM
m,p-Xylene	U	2.0		µg/L	1	12/2/2005 2:06:00 AM
Methyl tert-butyl ether	U	1.0		µg/L	1	12/2/2005 2:06:00 AM
Methylene chloride	U	1.0	B	µg/L	1	12/2/2005 2:06:00 AM
Naphthalene	U	1.0		µg/L	1	12/2/2005 2:06:00 AM
n-Butylbenzene	U	1.0		µg/L	1	12/2/2005 2:06:00 AM
n-Propylbenzene	U	1.0		µg/L	1	12/2/2005 2:06:00 AM
o-Xylene	U	1.0		µg/L	1	12/2/2005 2:06:00 AM
sec-Butylbenzene	U	1.0		µg/L	1	12/2/2005 2:06:00 AM
Styrene	U	1.0		µg/L	1	12/2/2005 2:06:00 AM
tert-Butylbenzene	U	1.0		µg/L	1	12/2/2005 2:06:00 AM
Tetrachloroethene	68	1.0		µg/L	1	12/2/2005 2:06:00 AM
Toluene	U	1.0		µg/L	1	12/2/2005 2:06:00 AM
trans-1,2-Dichloroethene	U	1.0		µg/L	1	12/2/2005 2:06:00 AM
trans-1,3-Dichloropropene	U	1.0		µg/L	1	12/2/2005 2:06:00 AM
Trichloroethene	U	1.0		µg/L	1	12/2/2005 2:06:00 AM
Trichlorofluoromethane	U	1.0		µg/L	1	12/2/2005 2:06:00 AM
Vinyl acetate	U	1.0		µg/L	1	12/2/2005 2:06:00 AM
Vinyl chloride	U	1.0		µg/L	1	12/2/2005 2:06:00 AM

Qualifiers: * Value exceeds Maximum Contaminant Level B Analyte detected in the associated Method Blank
 E Value above quantitation range H Holding times for preparation or analysis exceeded
 J Analyte detected below quantitation limits ND Not Detected at the Reporting Limit
 S Spike Recovery outside accepted recovery limits U Indicates the compound was analyzed for but not detected

American Analytical Laboratories, LLC.

Date: 07-Dec-05

CLIENT:	Leggette Brashears & Graham Inc.	Client Sample ID:	GWQ112105:910 NP1-1-6
Lab Order:	0511218	Tag Number:	
Project:	Rowe Industries	Collection Date:	11/21/2005
Lab ID:	0511218-05B	Date Received:	11/29/2005
		Matrix:	LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
TOTAL IRON,MANGANESE		E200.7				Analyst: JP
Iron	0.144	0.0200		mg/L	1	12/2/2005 10:11:39 AM
Manganese	0.185	0.0200		mg/L	1	12/2/2005 10:11:39 AM

Qualifiers:	*	Value exceeds Maximum Contaminant Level	B	Analyte detected in the associated Method Blank
	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded
	J	Analyte detected below quantitation limits	ND	Not Detected at the Reporting Limit
	S	Spike Recovery outside accepted recovery limits	U	Indicates the compound was analyzed for but not detected

American Analytical Laboratories, LLC.

Date: 07-Dec-05

CLIENT:	Leggette Brashears & Graham Inc.	Client Sample ID:	GWQ112105:910 NP1-1-6
Lab Order:	0511218	Tag Number:	
Project:	Rowe Industries	Collection Date:	11/21/2005
Lab ID:	0511218-05C	Date Received:	11/29/2005
		Matrix:	LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
DISSOLVED IRON,MANGANESE		E200.7		Analyst: JP		
Iron	U	0.0200		mg/L	1	12/2/2005 10:09:24 AM
Manganese	0.187	0.0200		mg/L	1	12/2/2005 10:09:24 AM
TOTAL DISSOLVED SOLIDS		E160.1		Analyst: WN		
Total Dissolved Solids (Residue, Filterable)	150	1.0	H	mg/L	1	11/29/2005

Qualifiers:	*	Value exceeds Maximum Contaminant Level	B	Analyte detected in the associated Method Blank
	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded
	J	Analyte detected below quantitation limits	ND	Not Detected at the Reporting Limit
	S	Spike Recovery outside accepted recovery limits	U	Indicates the compound was analyzed for but not detected

American Analytical Laboratories, LLC.

Date: 07-Dec-05

CLIENT:	Leggette Brashears & Graham Inc.	Client Sample ID:	GWQ112105:910 NP1-1-6
Lab Order:	0511218	Tag Number:	
Project:	Rowe Industries	Collection Date:	11/21/2005
Lab ID:	0511218-05D	Date Received:	11/29/2005
		Matrix:	LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
HARDNESS		M2340 B				Analyst: JP
Hardness, Calcium/Magnesium (As CaCO3)	30.9	1.00		mg/L	1	12/2/2005
TURBIDITY		E180.1				Analyst: KK
Turbidity	U	1.00	H	NTU	1	12/1/2005

Qualifiers:	* Value exceeds Maximum Contaminant Level	B Analyte detected in the associated Method Blank
	E Value above quantitation range	H Holding times for preparation or analysis exceeded
	J Analyte detected below quantitation limits	ND Not Detected at the Reporting Limit
	S Spike Recovery outside accepted recovery limits	U Indicates the compound was analyzed for but not detected

American Analytical Laboratories, LLC.

Date: 07-Dec-05

CLIENT: Leggette Brashears & Graham Inc. **Client Sample ID:** GWQ112105:920 NP1-1-7
Lab Order: 0511218 **Tag Number:**
Project: Rowe Industries **Collection Date:** 11/21/2005
Lab ID: 0511218-06A **Date Received:** 11/29/2005 **Matrix:** LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILES SW-846 8260 PLUS MTBE & FREON1		SW8260B		Analyst: SB		
1,1,1,2-Tetrachloroethane	U	1.0		µg/L	1	12/2/2005 2:43:00 AM
1,1,1-Trichloroethane	U	1.0		µg/L	1	12/2/2005 2:43:00 AM
1,1,2,2-Tetrachloroethane	U	1.0		µg/L	1	12/2/2005 2:43:00 AM
1,1,2-Trichloro-1,2,2-trifluoroethane	U	1.0		µg/L	1	12/2/2005 2:43:00 AM
1,1,2-Trichloroethane	U	1.0		µg/L	1	12/2/2005 2:43:00 AM
1,1-Dichloroethane	U	1.0		µg/L	1	12/2/2005 2:43:00 AM
1,1-Dichloroethene	U	1.0		µg/L	1	12/2/2005 2:43:00 AM
1,1-Dichloropropene	U	1.0		µg/L	1	12/2/2005 2:43:00 AM
1,2,3-Trichlorobenzene	U	1.0		µg/L	1	12/2/2005 2:43:00 AM
1,2,3-Trichloropropane	U	1.0		µg/L	1	12/2/2005 2:43:00 AM
1,2,4-Trichlorobenzene	U	1.0		µg/L	1	12/2/2005 2:43:00 AM
1,2,4-Trimethylbenzene	U	1.0		µg/L	1	12/2/2005 2:43:00 AM
1,2-Dibromo-3-chloropropane	U	1.0		µg/L	1	12/2/2005 2:43:00 AM
1,2-Dibromoethane	U	1.0		µg/L	1	12/2/2005 2:43:00 AM
1,2-Dichlorobenzene	U	1.0		µg/L	1	12/2/2005 2:43:00 AM
1,2-Dichloroethane	U	1.0		µg/L	1	12/2/2005 2:43:00 AM
1,2-Dichloropropane	U	1.0		µg/L	1	12/2/2005 2:43:00 AM
1,3,5-Trimethylbenzene	U	1.0		µg/L	1	12/2/2005 2:43:00 AM
1,3-Dichlorobenzene	U	1.0		µg/L	1	12/2/2005 2:43:00 AM
1,3-dichloropropane	U	1.0		µg/L	1	12/2/2005 2:43:00 AM
1,4-Dichlorobenzene	U	1.0		µg/L	1	12/2/2005 2:43:00 AM
2,2-Dichloropropane	U	1.0		µg/L	1	12/2/2005 2:43:00 AM
2-Butanone	U	1.0		µg/L	1	12/2/2005 2:43:00 AM
2-Chloroethyl vinyl ether	U	1.0		µg/L	1	12/2/2005 2:43:00 AM
2-Chlorotoluene	U	1.0		µg/L	1	12/2/2005 2:43:00 AM
2-Hexanone	U	1.0		µg/L	1	12/2/2005 2:43:00 AM
4-Chlorotoluene	U	1.0		µg/L	1	12/2/2005 2:43:00 AM
4-Isopropyltoluene	U	1.0		µg/L	1	12/2/2005 2:43:00 AM
4-Methyl-2-pentanone	U	1.0		µg/L	1	12/2/2005 2:43:00 AM
Acetone	U	1.0		µg/L	1	12/2/2005 2:43:00 AM
Benzene	U	1.0		µg/L	1	12/2/2005 2:43:00 AM
Bromobenzene	U	1.0		µg/L	1	12/2/2005 2:43:00 AM
Bromochloromethane	U	1.0		µg/L	1	12/2/2005 2:43:00 AM
Bromodichloromethane	U	1.0		µg/L	1	12/2/2005 2:43:00 AM
Bromoform	U	1.0		µg/L	1	12/2/2005 2:43:00 AM
Bromomethane	U	1.0		µg/L	1	12/2/2005 2:43:00 AM
Carbon disulfide	U	1.0		µg/L	1	12/2/2005 2:43:00 AM
Carbon tetrachloride	U	1.0		µg/L	1	12/2/2005 2:43:00 AM
Chlorobenzene	U	1.0		µg/L	1	12/2/2005 2:43:00 AM
Chloroethane	U	1.0		µg/L	1	12/2/2005 2:43:00 AM

Qualifiers: * Value exceeds Maximum Contaminant Level
 E Value above quantitation range
 J Analyte detected below quantitation limits
 S Spike Recovery outside accepted recovery limits
 B Analyte detected in the associated Method Blank
 H Holding times for preparation or analysis exceeded
 ND Not Detected at the Reporting Limit
 U Indicates the compound was analyzed for but not detected

American Analytical Laboratories, LLC.

Date: 07-Dec-05

CLIENT: Leggette Brashears & Graham Inc. **Client Sample ID:** GWQ112105:920 NP1-1-7
Lab Order: 0511218 **Tag Number:**
Project: Rowe Industries **Collection Date:** 11/21/2005
Lab ID: 0511218-06A **Date Received:** 11/29/2005 **Matrix:** LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
Chloroform	U	1.0		µg/L	1	12/2/2005 2:43:00 AM
Chloromethane	U	1.0		µg/L	1	12/2/2005 2:43:00 AM
cis-1,2-Dichloroethene	U	1.0		µg/L	1	12/2/2005 2:43:00 AM
cis-1,3-Dichloropropene	U	1.0		µg/L	1	12/2/2005 2:43:00 AM
Dibromochloromethane	U	1.0		µg/L	1	12/2/2005 2:43:00 AM
Dibromomethane	U	1.0		µg/L	1	12/2/2005 2:43:00 AM
Dichlorodifluoromethane	U	1.0		µg/L	1	12/2/2005 2:43:00 AM
Ethylbenzene	U	1.0		µg/L	1	12/2/2005 2:43:00 AM
Hexachlorobutadiene	U	1.0		µg/L	1	12/2/2005 2:43:00 AM
Isopropylbenzene	U	1.0		µg/L	1	12/2/2005 2:43:00 AM
m,p-Xylene	U	2.0		µg/L	1	12/2/2005 2:43:00 AM
Methyl tert-butyl ether	U	1.0		µg/L	1	12/2/2005 2:43:00 AM
Methylene chloride	U	1.0	B	µg/L	1	12/2/2005 2:43:00 AM
Naphthalene	U	1.0		µg/L	1	12/2/2005 2:43:00 AM
n-Butylbenzene	U	1.0		µg/L	1	12/2/2005 2:43:00 AM
n-Propylbenzene	U	1.0		µg/L	1	12/2/2005 2:43:00 AM
o-Xylene	U	1.0		µg/L	1	12/2/2005 2:43:00 AM
sec-Butylbenzene	U	1.0		µg/L	1	12/2/2005 2:43:00 AM
Styrene	U	1.0		µg/L	1	12/2/2005 2:43:00 AM
tert-Butylbenzene	U	1.0		µg/L	1	12/2/2005 2:43:00 AM
Tetrachloroethene	36	1.0		µg/L	1	12/2/2005 2:43:00 AM
Toluene	U	1.0		µg/L	1	12/2/2005 2:43:00 AM
trans-1,2-Dichloroethene	U	1.0		µg/L	1	12/2/2005 2:43:00 AM
trans-1,3-Dichloropropene	U	1.0		µg/L	1	12/2/2005 2:43:00 AM
Trichloroethene	U	1.0		µg/L	1	12/2/2005 2:43:00 AM
Trichlorofluoromethane	U	1.0		µg/L	1	12/2/2005 2:43:00 AM
Vinyl acetate	U	1.0		µg/L	1	12/2/2005 2:43:00 AM
Vinyl chloride	U	1.0		µg/L	1	12/2/2005 2:43:00 AM

Qualifiers: * Value exceeds Maximum Contaminant Level B Analyte detected in the associated Method Blank
 E Value above quantitation range H Holding times for preparation or analysis exceeded
 J Analyte detected below quantitation limits ND Not Detected at the Reporting Limit
 S Spike Recovery outside accepted recovery limits U Indicates the compound was analyzed for but not detected

American Analytical Laboratories, LLC.

Date: 07-Dec-05

CLIENT:	Leggette Brashears & Graham Inc.	Client Sample ID:	GWQ112105:920 NP1-1-7
Lab Order:	0511218	Tag Number:	
Project:	Rowe Industries	Collection Date:	11/21/2005
Lab ID:	0511218-06B	Date Received:	11/29/2005
		Matrix:	LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
TOTAL IRON,MANGANESE		E200.7				Analyst: JP
Iron	0.536	0.0200		mg/L	1	12/2/2005 10:26:55 AM
Manganese	0.0545	0.0200		mg/L	1	12/2/2005 10:26:55 AM

Qualifiers:	* Value exceeds Maximum Contaminant Level	B Analyte detected in the associated Method Blank
	E Value above quantitation range	H Holding times for preparation or analysis exceeded
	J Analyte detected below quantitation limits	ND Not Detected at the Reporting Limit
	S Spike Recovery outside accepted recovery limits	U Indicates the compound was analyzed for but not detected

American Analytical Laboratories, LLC.

Date: 07-Dec-05

CLIENT:	Leggette Brashears & Graham Inc.	Client Sample ID:	GWQ112105:920 NP1-1-7
Lab Order:	0511218	Tag Number:	
Project:	Rowe Industries	Collection Date:	11/21/2005
Lab ID:	0511218-06C	Date Received:	11/29/2005
		Matrix:	LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
DISSOLVED IRON,MANGANESE		E200.7		Analyst: JP		
Iron	U	0.0200		mg/L	1	12/2/2005 10:22:26 AM
Manganese	0.0545	0.0200		mg/L	1	12/2/2005 10:22:26 AM
TOTAL DISSOLVED SOLIDS		E160.1		Analyst: WN		
Total Dissolved Solids (Residue, Filterable)	130	1.0	H	mg/L	1	11/29/2005

Qualifiers:	*	Value exceeds Maximum Contaminant Level	B	Analyte detected in the associated Method Blank
	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded
	J	Analyte detected below quantitation limits	ND	Not Detected at the Reporting Limit
	S	Spike Recovery outside accepted recovery limits	U	Indicates the compound was analyzed for but not detected

American Analytical Laboratories, LLC.

Date: 07-Dec-05

CLIENT:	Leggette Brashears & Graham Inc.	Client Sample ID:	GWQ112105:920 NP1-1-7
Lab Order:	0511218	Tag Number:	
Project:	Rowe Industries	Collection Date:	11/21/2005
Lab ID:	0511218-06D	Date Received:	11/29/2005
		Matrix:	LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
HARDNESS		M2340 B				Analyst: JP
Hardness, Calcium/Magnesium (As CaCO3)	30.5	1.00		mg/L	1	12/2/2005
TURBIDITY		E180.1				Analyst: KK
Turbidity	U	1.00	H	NTU	1	12/1/2005

Qualifiers:	*	Value exceeds Maximum Contaminant Level	B	Analyte detected in the associated Method Blank
	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded
	J	Analyte detected below quantitation limits	ND	Not Detected at the Reporting Limit
	S	Spike Recovery outside accepted recovery limits	U	Indicates the compound was analyzed for but not detected

American Analytical Laboratories, LLC.

Date: 07-Dec-05

CLIENT: Leggette Brashears & Graham Inc. **Client Sample ID:** GWQ112105:930 NP1-1-8
Lab Order: 0511218 **Tag Number:**
Project: Rowe Industries **Collection Date:** 11/21/2005
Lab ID: 0511218-07A **Date Received:** 11/29/2005 **Matrix:** LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILES SW-846 8260 PLUS MTBE & FREON1		SW8260B		Analyst: SB		
1,1,1,2-Tetrachloroethane	U	1.0		µg/L	1	12/2/2005 3:19:00 AM
1,1,1-Trichloroethane	U	1.0		µg/L	1	12/2/2005 3:19:00 AM
1,1,2,2-Tetrachloroethane	U	1.0		µg/L	1	12/2/2005 3:19:00 AM
1,1,2-Trichloro-1,2,2-trifluoroethane	U	1.0		µg/L	1	12/2/2005 3:19:00 AM
1,1,2-Trichloroethane	U	1.0		µg/L	1	12/2/2005 3:19:00 AM
1,1-Dichloroethane	U	1.0		µg/L	1	12/2/2005 3:19:00 AM
1,1-Dichloroethene	U	1.0		µg/L	1	12/2/2005 3:19:00 AM
1,1-Dichloropropene	U	1.0		µg/L	1	12/2/2005 3:19:00 AM
1,2,3-Trichlorobenzene	U	1.0		µg/L	1	12/2/2005 3:19:00 AM
1,2,3-Trichloropropane	U	1.0		µg/L	1	12/2/2005 3:19:00 AM
1,2,4-Trichlorobenzene	U	1.0		µg/L	1	12/2/2005 3:19:00 AM
1,2,4-Trimethylbenzene	U	1.0		µg/L	1	12/2/2005 3:19:00 AM
1,2-Dibromo-3-chloropropane	U	1.0		µg/L	1	12/2/2005 3:19:00 AM
1,2-Dibromoethane	U	1.0		µg/L	1	12/2/2005 3:19:00 AM
1,2-Dichlorobenzene	U	1.0		µg/L	1	12/2/2005 3:19:00 AM
1,2-Dichloroethane	U	1.0		µg/L	1	12/2/2005 3:19:00 AM
1,2-Dichloropropane	U	1.0		µg/L	1	12/2/2005 3:19:00 AM
1,3,5-Trimethylbenzene	U	1.0		µg/L	1	12/2/2005 3:19:00 AM
1,3-Dichlorobenzene	U	1.0		µg/L	1	12/2/2005 3:19:00 AM
1,3-dichloropropane	U	1.0		µg/L	1	12/2/2005 3:19:00 AM
1,4-Dichlorobenzene	U	1.0		µg/L	1	12/2/2005 3:19:00 AM
2,2-Dichloropropane	U	1.0		µg/L	1	12/2/2005 3:19:00 AM
2-Butanone	U	1.0		µg/L	1	12/2/2005 3:19:00 AM
2-Chloroethyl vinyl ether	U	1.0		µg/L	1	12/2/2005 3:19:00 AM
2-Chlorotoluene	U	1.0		µg/L	1	12/2/2005 3:19:00 AM
2-Hexanone	U	1.0		µg/L	1	12/2/2005 3:19:00 AM
4-Chlorotoluene	U	1.0		µg/L	1	12/2/2005 3:19:00 AM
4-Isopropyltoluene	U	1.0		µg/L	1	12/2/2005 3:19:00 AM
4-Methyl-2-pentanone	U	1.0		µg/L	1	12/2/2005 3:19:00 AM
Acetone	U	1.0		µg/L	1	12/2/2005 3:19:00 AM
Benzene	U	1.0		µg/L	1	12/2/2005 3:19:00 AM
Bromobenzene	U	1.0		µg/L	1	12/2/2005 3:19:00 AM
Bromochloromethane	U	1.0		µg/L	1	12/2/2005 3:19:00 AM
Bromodichloromethane	U	1.0		µg/L	1	12/2/2005 3:19:00 AM
Bromoform	U	1.0		µg/L	1	12/2/2005 3:19:00 AM
Bromomethane	U	1.0		µg/L	1	12/2/2005 3:19:00 AM
Carbon disulfide	U	1.0		µg/L	1	12/2/2005 3:19:00 AM
Carbon tetrachloride	U	1.0		µg/L	1	12/2/2005 3:19:00 AM
Chlorobenzene	U	1.0		µg/L	1	12/2/2005 3:19:00 AM
Chloroethane	U	1.0		µg/L	1	12/2/2005 3:19:00 AM

Qualifiers: * Value exceeds Maximum Contaminant Level B Analyte detected in the associated Method Blank
 E Value above quantitation range H Holding times for preparation or analysis exceeded
 J Analyte detected below quantitation limits ND Not Detected at the Reporting Limit
 S Spike Recovery outside accepted recovery limits U Indicates the compound was analyzed for but not detected

American Analytical Laboratories, LLC.

Date: 07-Dec-05

CLIENT: Leggette Brashears & Graham Inc. **Client Sample ID:** GWQ112105:930 NP1-1-8
Lab Order: 0511218 **Tag Number:**
Project: Rowe Industries **Collection Date:** 11/21/2005
Lab ID: 0511218-07A **Date Received:** 11/29/2005 **Matrix:** LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
Chloroform	U	1.0		µg/L	1	12/2/2005 3:19:00 AM
Chloromethane	U	1.0		µg/L	1	12/2/2005 3:19:00 AM
cis-1,2-Dichloroethene	U	1.0		µg/L	1	12/2/2005 3:19:00 AM
cis-1,3-Dichloropropene	U	1.0		µg/L	1	12/2/2005 3:19:00 AM
Dibromochloromethane	U	1.0		µg/L	1	12/2/2005 3:19:00 AM
Dibromomethane	U	1.0		µg/L	1	12/2/2005 3:19:00 AM
Dichlorodifluoromethane	U	1.0		µg/L	1	12/2/2005 3:19:00 AM
Ethylbenzene	U	1.0		µg/L	1	12/2/2005 3:19:00 AM
Hexachlorobutadiene	U	1.0		µg/L	1	12/2/2005 3:19:00 AM
Isopropylbenzene	U	1.0		µg/L	1	12/2/2005 3:19:00 AM
m,p-Xylene	U	2.0		µg/L	1	12/2/2005 3:19:00 AM
Methyl tert-butyl ether	U	1.0		µg/L	1	12/2/2005 3:19:00 AM
Methylene chloride	U	1.0	B	µg/L	1	12/2/2005 3:19:00 AM
Naphthalene	U	1.0		µg/L	1	12/2/2005 3:19:00 AM
n-Butylbenzene	U	1.0		µg/L	1	12/2/2005 3:19:00 AM
n-Propylbenzene	U	1.0		µg/L	1	12/2/2005 3:19:00 AM
o-Xylene	U	1.0		µg/L	1	12/2/2005 3:19:00 AM
sec-Butylbenzene	U	1.0		µg/L	1	12/2/2005 3:19:00 AM
Styrene	U	1.0		µg/L	1	12/2/2005 3:19:00 AM
tert-Butylbenzene	U	1.0		µg/L	1	12/2/2005 3:19:00 AM
Tetrachloroethene	1.5	1.0		µg/L	1	12/2/2005 3:19:00 AM
Toluene	U	1.0		µg/L	1	12/2/2005 3:19:00 AM
trans-1,2-Dichloroethene	U	1.0		µg/L	1	12/2/2005 3:19:00 AM
trans-1,3-Dichloropropene	U	1.0		µg/L	1	12/2/2005 3:19:00 AM
Trichloroethene	U	1.0		µg/L	1	12/2/2005 3:19:00 AM
Trichlorofluoromethane	U	1.0		µg/L	1	12/2/2005 3:19:00 AM
Vinyl acetate	U	1.0		µg/L	1	12/2/2005 3:19:00 AM
Vinyl chloride	U	1.0		µg/L	1	12/2/2005 3:19:00 AM

Qualifiers:	* Value exceeds Maximum Contaminant Level	B Analyte detected in the associated Method Blank
	E Value above quantitation range	H Holding times for preparation or analysis exceeded
	J Analyte detected below quantitation limits	ND Not Detected at the Reporting Limit
	S Spike Recovery outside accepted recovery limits	U Indicates the compound was analyzed for but not detected

American Analytical Laboratories, LLC.

Date: 07-Dec-05

CLIENT:	Leggette Brashears & Graham Inc.	Client Sample ID:	GWQ112105:930 NP1-1-8
Lab Order:	0511218	Tag Number:	
Project:	Rowe Industries	Collection Date:	11/21/2005
Lab ID:	0511218-07B	Date Received:	11/29/2005
		Matrix:	LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
TOTAL IRON,MANGANESE		E200.7				Analyst: JP
Iron	7.65	0.0200		mg/L	1	12/2/2005 10:33:08 AM
Manganese	0.680	0.0200		mg/L	1	12/2/2005 10:33:08 AM

Qualifiers:	* Value exceeds Maximum Contaminant Level	B Analyte detected in the associated Method Blank
	E Value above quantitation range	H Holding times for preparation or analysis exceeded
	J Analyte detected below quantitation limits	ND Not Detected at the Reporting Limit
	S Spike Recovery outside accepted recovery limits	U Indicates the compound was analyzed for but not detected

American Analytical Laboratories, LLC.

Date: 07-Dec-05

CLIENT:	Leggette Brashears & Graham Inc.	Client Sample ID:	GWQ112105:930 NP1-1-8
Lab Order:	0511218	Tag Number:	
Project:	Rowe Industries	Collection Date:	11/21/2005
Lab ID:	0511218-07C	Date Received:	11/29/2005
		Matrix:	LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
DISSOLVED IRON,MANGANESE		E200.7				Analyst: JP
Iron	0.106	0.0200		mg/L	1	12/2/2005 10:30:47 AM
Manganese	0.687	0.0200		mg/L	1	12/2/2005 10:30:47 AM
TOTAL DISSOLVED SOLIDS		E160.1				Analyst: WN
Total Dissolved Solids (Residue, Filterable)	100	1.0	H	mg/L	1	11/29/2005

Qualifiers:	* Value exceeds Maximum Contaminant Level	B Analyte detected in the associated Method Blank
	E Value above quantitation range	H Holding times for preparation or analysis exceeded
	J Analyte detected below quantitation limits	ND Not Detected at the Reporting Limit
	S Spike Recovery outside accepted recovery limits	U Indicates the compound was analyzed for but not detected

American Analytical Laboratories, LLC.

Date: 07-Dec-05

CLIENT:	Leggette Brashears & Graham Inc.	Client Sample ID:	GWQ112105:930 NP1-1-8
Lab Order:	0511218	Tag Number:	
Project:	Rowe Industries	Collection Date:	11/21/2005
Lab ID:	0511218-07D	Date Received:	11/29/2005
		Matrix:	LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
HARDNESS						Analyst: JP
Hardness, Calcium/Magnesium (As CaCO ₃)	21.7	1.00		mg/L	1	12/2/2005
		M2340 B				
TURBIDITY						Analyst: KK
Turbidity	2.70	1.00	H	NTU	1	12/1/2005
		E180.1				

Qualifiers:	*	Value exceeds Maximum Contaminant Level	B	Analyte detected in the associated Method Blank
	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded
	J	Analyte detected below quantitation limits	ND	Not Detected at the Reporting Limit
	S	Spike Recovery outside accepted recovery limits	U	Indicates the compound was analyzed for but not detected

American Analytical Laboratories, LLC.

Date: 07-Dec-05

CLIENT: Leggette Brashears & Graham Inc. Client Sample ID: GWQ112105:930 NP1-1-9
 Lab Order: 0511218 Tag Number:
 Project: Rowe Industries Collection Date: 11/21/2005
 Lab ID: 0511218-08A Date Received: 11/29/2005 Matrix: LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILES SW-846 8260 PLUS MTBE & FREON1		SW8260B		Analyst: SB		
1,1,1,2-Tetrachloroethane	U	1.0		µg/L	1	12/2/2005 3:56:00 AM
1,1,1-Trichloroethane	U	1.0		µg/L	1	12/2/2005 3:56:00 AM
1,1,2,2-Tetrachloroethane	U	1.0		µg/L	1	12/2/2005 3:56:00 AM
1,1,2-Trichloro-1,2,2-trifluoroethane	U	1.0		µg/L	1	12/2/2005 3:56:00 AM
1,1,2-Trichloroethane	U	1.0		µg/L	1	12/2/2005 3:56:00 AM
1,1-Dichloroethane	U	1.0		µg/L	1	12/2/2005 3:56:00 AM
1,1-Dichloroethene	U	1.0		µg/L	1	12/2/2005 3:56:00 AM
1,1-Dichloropropene	U	1.0		µg/L	1	12/2/2005 3:56:00 AM
1,2,3-Trichlorobenzene	U	1.0		µg/L	1	12/2/2005 3:56:00 AM
1,2,3-Trichloropropane	U	1.0		µg/L	1	12/2/2005 3:56:00 AM
1,2,4-Trichlorobenzene	U	1.0		µg/L	1	12/2/2005 3:56:00 AM
1,2,4-Trimethylbenzene	U	1.0		µg/L	1	12/2/2005 3:56:00 AM
1,2-Dibromo-3-chloropropane	U	1.0		µg/L	1	12/2/2005 3:56:00 AM
1,2-Dibromoethane	U	1.0		µg/L	1	12/2/2005 3:56:00 AM
1,2-Dichlorobenzene	U	1.0		µg/L	1	12/2/2005 3:56:00 AM
1,2-Dichloroethane	U	1.0		µg/L	1	12/2/2005 3:56:00 AM
1,2-Dichloropropane	U	1.0		µg/L	1	12/2/2005 3:56:00 AM
1,3,5-Trimethylbenzene	U	1.0		µg/L	1	12/2/2005 3:56:00 AM
1,3-Dichlorobenzene	U	1.0		µg/L	1	12/2/2005 3:56:00 AM
1,3-dichloropropane	U	1.0		µg/L	1	12/2/2005 3:56:00 AM
1,4-Dichlorobenzene	U	1.0		µg/L	1	12/2/2005 3:56:00 AM
2,2-Dichloropropane	U	1.0		µg/L	1	12/2/2005 3:56:00 AM
2-Butanone	U	1.0		µg/L	1	12/2/2005 3:56:00 AM
2-Chloroethyl vinyl ether	U	1.0		µg/L	1	12/2/2005 3:56:00 AM
2-Chlorotoluene	U	1.0		µg/L	1	12/2/2005 3:56:00 AM
2-Hexanone	U	1.0		µg/L	1	12/2/2005 3:56:00 AM
4-Chlorotoluene	U	1.0		µg/L	1	12/2/2005 3:56:00 AM
4-Isopropyltoluene	U	1.0		µg/L	1	12/2/2005 3:56:00 AM
4-Methyl-2-pentanone	U	1.0		µg/L	1	12/2/2005 3:56:00 AM
Acetone	U	1.0		µg/L	1	12/2/2005 3:56:00 AM
Benzene	U	1.0		µg/L	1	12/2/2005 3:56:00 AM
Bromobenzene	U	1.0		µg/L	1	12/2/2005 3:56:00 AM
Bromochloromethane	U	1.0		µg/L	1	12/2/2005 3:56:00 AM
Bromodichloromethane	U	1.0		µg/L	1	12/2/2005 3:56:00 AM
Bromoform	U	1.0		µg/L	1	12/2/2005 3:56:00 AM
Bromomethane	U	1.0		µg/L	1	12/2/2005 3:56:00 AM
Carbon disulfide	U	1.0		µg/L	1	12/2/2005 3:56:00 AM
Carbon tetrachloride	U	1.0		µg/L	1	12/2/2005 3:56:00 AM
Chlorobenzene	U	1.0		µg/L	1	12/2/2005 3:56:00 AM
Chloroethane	U	1.0		µg/L	1	12/2/2005 3:56:00 AM

Qualifiers: * Value exceeds Maximum Contaminant Level B Analyte detected in the associated Method Blank
 E Value above quantitation range H Holding times for preparation or analysis exceeded
 J Analyte detected below quantitation limits ND Not Detected at the Reporting Limit
 S Spike Recovery outside accepted recovery limits U Indicates the compound was analyzed for but not detected

American Analytical Laboratories, LLC.

Date: 07-Dec-05

CLIENT: Leggette Brashears & Graham Inc. **Client Sample ID:** GWQ112105:930 NP1-1-9
Lab Order: 0511218 **Tag Number:**
Project: Rowe Industries **Collection Date:** 11/21/2005
Lab ID: 0511218-08A **Date Received:** 11/29/2005 **Matrix:** LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
Chloroform	U	1.0		µg/L	1	12/2/2005 3:56:00 AM
Chloromethane	U	1.0		µg/L	1	12/2/2005 3:56:00 AM
cis-1,2-Dichloroethene	U	1.0		µg/L	1	12/2/2005 3:56:00 AM
cis-1,3-Dichloropropene	U	1.0		µg/L	1	12/2/2005 3:56:00 AM
Dibromochloromethane	U	1.0		µg/L	1	12/2/2005 3:56:00 AM
Dibromomethane	U	1.0		µg/L	1	12/2/2005 3:56:00 AM
Dichlorodifluoromethane	U	1.0		µg/L	1	12/2/2005 3:56:00 AM
Ethylbenzene	U	1.0		µg/L	1	12/2/2005 3:56:00 AM
Hexachlorobutadiene	U	1.0		µg/L	1	12/2/2005 3:56:00 AM
Isopropylbenzene	U	1.0		µg/L	1	12/2/2005 3:56:00 AM
m,p-Xylene	U	2.0		µg/L	1	12/2/2005 3:56:00 AM
Methyl tert-butyl ether	U	1.0		µg/L	1	12/2/2005 3:56:00 AM
Methylene chloride	U	1.0	B	µg/L	1	12/2/2005 3:56:00 AM
Naphthalene	U	1.0		µg/L	1	12/2/2005 3:56:00 AM
n-Butylbenzene	U	1.0		µg/L	1	12/2/2005 3:56:00 AM
n-Propylbenzene	U	1.0		µg/L	1	12/2/2005 3:56:00 AM
o-Xylene	U	1.0		µg/L	1	12/2/2005 3:56:00 AM
sec-Butylbenzene	U	1.0		µg/L	1	12/2/2005 3:56:00 AM
Styrene	U	1.0		µg/L	1	12/2/2005 3:56:00 AM
tert-Butylbenzene	U	1.0		µg/L	1	12/2/2005 3:56:00 AM
Tetrachloroethene	U	1.0		µg/L	1	12/2/2005 3:56:00 AM
Toluene	U	1.0		µg/L	1	12/2/2005 3:56:00 AM
trans-1,2-Dichloroethene	U	1.0		µg/L	1	12/2/2005 3:56:00 AM
trans-1,3-Dichloropropene	U	1.0		µg/L	1	12/2/2005 3:56:00 AM
Trichloroethene	U	1.0		µg/L	1	12/2/2005 3:56:00 AM
Trichlorofluoromethane	U	1.0		µg/L	1	12/2/2005 3:56:00 AM
Vinyl acetate	U	1.0		µg/L	1	12/2/2005 3:56:00 AM
Vinyl chloride	U	1.0		µg/L	1	12/2/2005 3:56:00 AM

Qualifiers: * Value exceeds Maximum Contaminant Level B Analyte detected in the associated Method Blank
 E Value above quantitation range H Holding times for preparation or analysis exceeded
 J Analyte detected below quantitation limits ND Not Detected at the Reporting Limit
 S Spike Recovery outside accepted recovery limits U Indicates the compound was analyzed for but not detected

American Analytical Laboratories, LLC.

Date: 07-Dec-05

CLIENT:	Leggette Brashears & Graham Inc.	Client Sample ID:	GWQ112105:930 NP1-1-9
Lab Order:	0511218	Tag Number:	
Project:	Rowe Industries	Collection Date:	11/21/2005
Lab ID:	0511218-08B	Date Received:	11/29/2005
		Matrix:	LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
TOTAL IRON,MANGANESE		E200.7				Analyst: JP
Iron	1.31	0.0200		mg/L	1	12/2/2005 10:37:37 AM
Manganese	1.01	0.0200		mg/L	1	12/2/2005 10:37:37 AM

Qualifiers:	*	Value exceeds Maximum Contaminant Level	B	Analyte detected in the associated Method Blank
	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded
	J	Analyte detected below quantitation limits	ND	Not Detected at the Reporting Limit
	S	Spike Recovery outside accepted recovery limits	U	Indicates the compound was analyzed for but not detected

American Analytical Laboratories, LLC.

Date: 07-Dec-05

CLIENT:	Leggette Brashears & Graham Inc.	Client Sample ID:	GWQ112105:930 NP1-1-9
Lab Order:	0511218	Tag Number:	
Project:	Rowe Industries	Collection Date:	11/21/2005
Lab ID:	0511218-08C	Date Received:	11/29/2005
		Matrix:	LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
DISSOLVED IRON,MANGANESE		E200.7				Analyst: JP
Iron	0.108	0.0200		mg/L	1	12/2/2005 10:35:23 AM
Manganese	1.03	0.0200		mg/L	1	12/2/2005 10:35:23 AM
TOTAL DISSOLVED SOLIDS		E160.1				Analyst: WN
Total Dissolved Solids (Residue, Filterable)	120	1.0	H	mg/L	1	11/29/2005

Qualifiers:	*	Value exceeds Maximum Contaminant Level	B	Analyte detected in the associated Method Blank
	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded
	J	Analyte detected below quantitation limits	ND	Not Detected at the Reporting Limit
	S	Spike Recovery outside accepted recovery limits	U	Indicates the compound was analyzed for but not detected

American Analytical Laboratories, LLC.

Date: 07-Dec-05

CLIENT:	Leggette Brashears & Graham Inc.	Client Sample ID:	GWQ112105:930 NP1-1-9
Lab Order:	0511218	Tag Number:	
Project:	Rowe Industries	Collection Date:	11/21/2005
Lab ID:	0511218-08D	Date Received:	11/29/2005
		Matrix:	LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
HARDNESS		M2340 B				Analyst: JP
Hardness, Calcium/Magnesium (As CaCO ₃)	23.9	1.00		mg/L	1	12/2/2005
TURBIDITY		E180.1				Analyst: KK
Turbidity	U	1.00	H	NTU	1	12/1/2005

Qualifiers:	*	Value exceeds Maximum Contaminant Level	B	Analyte detected in the associated Method Blank
	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded
	J	Analyte detected below quantitation limits	ND	Not Detected at the Reporting Limit
	S	Spike Recovery outside accepted recovery limits	U	Indicates the compound was analyzed for but not detected



NYSDOH 11418
NJDEP NY050
CTDOH PH-0205
PADEP 68-00573

Friday, December 09, 2005

Mark Goldberg
Leggette Brashears & Graham Inc.
126 Monroe Turnpike
Trumbull, CT 06611

TEL: (203) 452-3110

FAX (203) 452-3111

RE: Rowe Industries

Order No.: 0512019

Dear Mark Goldberg:

American Analytical Laboratories, LLC. received 3 sample(s) on 12/2/2005 for the analyses presented in the following report.


Samples were analyzed in accordance with the test procedures documented on the chain of custody and detailed throughout the text of this report.

The limits provided in the data package are analytical reporting limits and not Federal or Local mandated values to which the sample results should be compared.

There were no problems with the analyses and all data for associated QC met laboratory specifications.

If you have any questions regarding these tests results, please do not hesitate to call (631) 454-6100 or email me directly at lbeyer@american-analytical.com.

Sincerely,



Lori Beyer
Lab Director

American Analytical Laboratories, LLC.

Date: 09-Dec-05

CLIENT: Leggette Brashears & Graham Inc.
Project: Rowe Industries
Lab Order: 0512019

Work Order Sample Summary

Lab Sample ID	Client Sample ID	Tag Number	Collection Date	Date Received
0512019-01A	WQ112805:830 NP2-6		11/28/2005	12/2/2005
0512019-01B	WQ112805:830 NP2-6		11/28/2005	12/2/2005
0512019-01C	WQ112805:830 NP2-6		11/28/2005	12/2/2005
0512019-02A	WQ112805:835 NP2-7		11/28/2005	12/2/2005
0512019-02B	WQ112805:835 NP2-7		11/28/2005	12/2/2005
0512019-02C	WQ112805:835 NP2-7		11/28/2005	12/2/2005
0512019-03A	WQ112805:840 NP2-10		11/28/2005	12/2/2005
0512019-03B	WQ112805:840 NP2-10		11/28/2005	12/2/2005
0512019-03C	WQ112805:840 NP2-10		11/28/2005	12/2/2005

CHAIN OF CUSTODY / REQUEST FOR ANALYSIS DOCUMENT

[illegible]

WHITE-OFFICE / CANARY-LAB / PINK-SAMPLE CUSTODIAN / GOLDENROD-CLIENT

AMERICAN ANALYTICAL LABORATORIES, LLC

56 TOLEDO STREET

FARMINGDALE, NEW YORK 11735

TELEPHONE: (631) 454-6100 FAX: (631) 454-8027

DATA REPORTING QUALIFIERS

For reporting results, the following "Results Qualifiers" are used:

Value	If the result is greater than or equal to the detection limit, report the value
U	Indicates the compound was analyzed for but was not detected. Report the minimum detection limit for the sample with the U, i.e. "10U". This is not necessarily the instrument detection limit attainable for this particular sample based on any concentration or dilution that may have been required.
J	Indicates an estimated value. The flag is used: (1) When estimating a concentration for a tentatively identified compound (library search hits, where a 1:1 response is assumed.) (2) When the mass spectral data indicated the identification, however the result was less than the specified detection limit greater than zero. If the detection limit was 10ug/L and a concentration of 3ug/L was calculated report as 3J. This flag is used when similar situations arise on any organic parameter i.e. Pesticide, PCBs and others.
B	Indicates the analyte was found in the blank as well as the sample report "10B".
E	Indicates the analytes concentration exceeds the calibrated range of the instrument for that specific analysis.
D	This flag identifies all compounds identified in an analysis at a secondary dilution factor.
P	This flag is used for Pesticide / PCB target analyte when there is >25% difference for detected concentrations between the two GC Columns. The higher of the two values is reported on Form I and flagged with a "P".
N	This flag indicates presumptive evidence of a compound. This is only used for tentatively identified compounds (TICs), where the identification is based on a mass spectral library search. It applies to all TIC results. For generic characterization of a TIC, such as chlorinated hydrocarbon, the flag is not used.
H	Indicates sample was received and/or analyzed outside of The method allowable holding time

American Analytical Laboratories, LLC.

Date: 09-Dec-05

CLIENT: Leggette Brashears & Graham Inc. Client Sample ID: WQ112805:830 NP2-6
 Lab Order: 0512019 Tag Number:
 Project: Rowe Industries Collection Date: 11/28/2005
 Lab ID: 0512019-01A Date Received: 12/2/2005 Matrix: LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILES SW-846 8260 PLUS MTBE & FREON1		SW8260B		Analyst: LDS		
1,1,1,2-Tetrachloroethane	U	1.0		µg/L	1	12/5/2005 10:04:00 AM
1,1,1-Trichloroethane	U	1.0		µg/L	1	12/5/2005 10:04:00 AM
1,1,2,2-Tetrachloroethane	U	1.0		µg/L	1	12/5/2005 10:04:00 AM
1,1,2-Trichloro-1,2,2-trifluoroethane	U	1.0		µg/L	1	12/5/2005 10:04:00 AM
1,1,2-Trichloroethane	U	1.0		µg/L	1	12/5/2005 10:04:00 AM
1,1-Dichloroethane	U	1.0		µg/L	1	12/5/2005 10:04:00 AM
1,1-Dichloroethene	U	1.0		µg/L	1	12/5/2005 10:04:00 AM
1,1-Dichloropropene	U	1.0		µg/L	1	12/5/2005 10:04:00 AM
1,2,3-Trichlorobenzene	U	1.0		µg/L	1	12/5/2005 10:04:00 AM
1,2,3-Trichloropropane	U	1.0		µg/L	1	12/5/2005 10:04:00 AM
1,2,4-Trichlorobenzene	U	1.0		µg/L	1	12/5/2005 10:04:00 AM
1,2,4-Trimethylbenzene	U	1.0		µg/L	1	12/5/2005 10:04:00 AM
1,2-Dibromo-3-chloropropane	U	1.0		µg/L	1	12/5/2005 10:04:00 AM
1,2-Dibromoethane	U	1.0		µg/L	1	12/5/2005 10:04:00 AM
1,2-Dichlorobenzene	U	1.0		µg/L	1	12/5/2005 10:04:00 AM
1,2-Dichloroethane	U	1.0		µg/L	1	12/5/2005 10:04:00 AM
1,2-Dichloropropane	U	1.0		µg/L	1	12/5/2005 10:04:00 AM
1,3,5-Trimethylbenzene	U	1.0		µg/L	1	12/5/2005 10:04:00 AM
1,3-Dichlorobenzene	U	1.0		µg/L	1	12/5/2005 10:04:00 AM
1,3-dichloropropane	U	1.0		µg/L	1	12/5/2005 10:04:00 AM
1,4-Dichlorobenzene	U	1.0		µg/L	1	12/5/2005 10:04:00 AM
2,2-Dichloropropane	U	1.0		µg/L	1	12/5/2005 10:04:00 AM
2-Butanone	U	1.0		µg/L	1	12/5/2005 10:04:00 AM
2-Chloroethyl vinyl ether	U	1.0		µg/L	1	12/5/2005 10:04:00 AM
2-Chlorotoluene	U	1.0		µg/L	1	12/5/2005 10:04:00 AM
2-Hexanone	U	1.0		µg/L	1	12/5/2005 10:04:00 AM
4-Chlorotoluene	U	1.0		µg/L	1	12/5/2005 10:04:00 AM
4-Isopropyltoluene	U	1.0		µg/L	1	12/5/2005 10:04:00 AM
4-Methyl-2-pentanone	U	1.0		µg/L	1	12/5/2005 10:04:00 AM
Acetone	U	1.0		µg/L	1	12/5/2005 10:04:00 AM
Benzene	U	1.0		µg/L	1	12/5/2005 10:04:00 AM
Bromobenzene	U	1.0		µg/L	1	12/5/2005 10:04:00 AM
Bromochloromethane	U	1.0		µg/L	1	12/5/2005 10:04:00 AM
Bromodichloromethane	U	1.0		µg/L	1	12/5/2005 10:04:00 AM
Bromoform	U	1.0		µg/L	1	12/5/2005 10:04:00 AM
Bromomethane	U	1.0		µg/L	1	12/5/2005 10:04:00 AM
Carbon disulfide	U	1.0		µg/L	1	12/5/2005 10:04:00 AM
Carbon tetrachloride	U	1.0		µg/L	1	12/5/2005 10:04:00 AM
Chlorobenzene	U	1.0		µg/L	1	12/5/2005 10:04:00 AM
Chloroethane	U	1.0		µg/L	1	12/5/2005 10:04:00 AM

Qualifiers: * Value exceeds Maximum Contaminant Level B Analyte detected in the associated Method Blank
 E Value above quantitation range H Holding times for preparation or analysis exceeded
 J Analyte detected below quantitation limits ND Not Detected at the Reporting Limit
 S Spike Recovery outside accepted recovery limits U Indicates the compound was analyzed for but not detected

American Analytical Laboratories, LLC.

Date: 09-Dec-05

CLIENT: Leggette Brashears & Graham Inc. **Client Sample ID:** WQ112805:830 NP2-6
Lab Order: 0512019 **Tag Number:**
Project: Rowe Industries **Collection Date:** 11/28/2005
Lab ID: 0512019-01A **Date Received:** 12/2/2005 **Matrix:** LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
Chloroform	U	1.0		µg/L	1	12/5/2005 10:04:00 AM
Chloromethane	U	1.0		µg/L	1	12/5/2005 10:04:00 AM
cis-1,2-Dichloroethene	U	1.0		µg/L	1	12/5/2005 10:04:00 AM
cis-1,3-Dichloropropene	U	1.0		µg/L	1	12/5/2005 10:04:00 AM
Dibromochloromethane	U	1.0		µg/L	1	12/5/2005 10:04:00 AM
Dibromomethane	U	1.0		µg/L	1	12/5/2005 10:04:00 AM
Dichlorodifluoromethane	U	1.0		µg/L	1	12/5/2005 10:04:00 AM
Ethylbenzene	U	1.0		µg/L	1	12/5/2005 10:04:00 AM
Hexachlorobutadiene	U	1.0		µg/L	1	12/5/2005 10:04:00 AM
Isopropylbenzene	U	1.0		µg/L	1	12/5/2005 10:04:00 AM
m,p-Xylene	U	2.0		µg/L	1	12/5/2005 10:04:00 AM
Methyl tert-butyl ether	U	1.0		µg/L	1	12/5/2005 10:04:00 AM
Methylene chloride	4.9	1.0		µg/L	1	12/5/2005 10:04:00 AM
Naphthalene	U	1.0		µg/L	1	12/5/2005 10:04:00 AM
n-Butylbenzene	U	1.0		µg/L	1	12/5/2005 10:04:00 AM
n-Propylbenzene	U	1.0		µg/L	1	12/5/2005 10:04:00 AM
o-Xylene	U	1.0		µg/L	1	12/5/2005 10:04:00 AM
sec-Butylbenzene	U	1.0		µg/L	1	12/5/2005 10:04:00 AM
Styrene	U	1.0		µg/L	1	12/5/2005 10:04:00 AM
tert-Butylbenzene	U	1.0		µg/L	1	12/5/2005 10:04:00 AM
Tetrachloroethene	U	1.0		µg/L	1	12/5/2005 10:04:00 AM
Toluene	U	1.0		µg/L	1	12/5/2005 10:04:00 AM
trans-1,2-Dichloroethene	U	1.0		µg/L	1	12/5/2005 10:04:00 AM
trans-1,3-Dichloropropene	U	1.0		µg/L	1	12/5/2005 10:04:00 AM
Trichloroethene	U	1.0		µg/L	1	12/5/2005 10:04:00 AM
Trichlorofluoromethane	U	1.0		µg/L	1	12/5/2005 10:04:00 AM
Vinyl acetate	U	1.0		µg/L	1	12/5/2005 10:04:00 AM
Vinyl chloride	U	1.0		µg/L	1	12/5/2005 10:04:00 AM

Qualifiers: * Value exceeds Maximum Contaminant Level B Analyte detected in the associated Method Blank
 E Value above quantitation range H Holding times for preparation or analysis exceeded
 J Analyte detected below quantitation limits ND Not Detected at the Reporting Limit
 S Spike Recovery outside accepted recovery limits U Indicates the compound was analyzed for but not detected

American Analytical Laboratories, LLC.

Date: 09-Dec-05

CLIENT:	Leggette Brashears & Graham Inc.	Client Sample ID:	WQ112805:830 NP2-6
Lab Order:	0512019	Tag Number:	
Project:	Rowe Industries	Collection Date:	11/28/2005
Lab ID:	0512019-01B	Date Received:	12/2/2005
		Matrix:	LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
TOTAL IRON		E200.7				Analyst: JP
Iron	1.24	0.0200		mg/L	1	12/8/2005 3:33:29 PM

Qualifiers:	* Value exceeds Maximum Contaminant Level	B Analyte detected in the associated Method Blank
	E Value above quantitation range	H Holding times for preparation or analysis exceeded
	J Analyte detected below quantitation limits	ND Not Detected at the Reporting Limit
	S Spike Recovery outside accepted recovery limits	U Indicates the compound was analyzed for but not detected

American Analytical Laboratories, LLC.

Date: 09-Dec-05

CLIENT:	Leggette Brashears & Graham Inc.	Client Sample ID:	WQ112805:830 NP2-6
Lab Order:	0512019	Tag Number:	
Project:	Rowe Industries	Collection Date:	11/28/2005
Lab ID:	0512019-01C	Date Received:	12/2/2005
		Matrix:	LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
DISSOLVED IRON		E200.7				Analyst: JP
Iron	0.0880	0.0200		mg/L	1	12/8/2005 3:30:38 PM

Qualifiers:	* Value exceeds Maximum Contaminant Level	B Analyte detected in the associated Method Blank
	E Value above quantitation range	H Holding times for preparation or analysis exceeded
	J Analyte detected below quantitation limits	ND Not Detected at the Reporting Limit
	S Spike Recovery outside accepted recovery limits	U Indicates the compound was analyzed for but not detected

American Analytical Laboratories, LLC.

Date: 09-Dec-05

CLIENT: Leggette Brashears & Graham Inc. Client Sample ID: WQ112805:835 NP2-7
 Lab Order: 0512019 Tag Number:
 Project: Rowe Industries Collection Date: 11/28/2005
 Lab ID: 0512019-02A Date Received: 12/2/2005 Matrix: LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILES SW-846 8260 PLUS MTBE & FREON1		SW8260B		Analyst: LDS		
1,1,1,2-Tetrachloroethane	U	1.0		µg/L	1	12/5/2005 11:51:00 AM
1,1,1-Trichloroethane	3.7	1.0		µg/L	1	12/5/2005 11:51:00 AM
1,1,2,2-Tetrachloroethane	U	1.0		µg/L	1	12/5/2005 11:51:00 AM
1,1,2-Trichloro-1,2,2-trifluoroethane	U	1.0		µg/L	1	12/5/2005 11:51:00 AM
1,1,2-Trichloroethane	U	1.0		µg/L	1	12/5/2005 11:51:00 AM
1,1-Dichloroethane	U	1.0		µg/L	1	12/5/2005 11:51:00 AM
1,1-Dichloroethene	U	1.0		µg/L	1	12/5/2005 11:51:00 AM
1,1-Dichloropropene	U	1.0		µg/L	1	12/5/2005 11:51:00 AM
1,2,3-Trichlorobenzene	U	1.0		µg/L	1	12/5/2005 11:51:00 AM
1,2,3-Trichloropropane	U	1.0		µg/L	1	12/5/2005 11:51:00 AM
1,2,4-Trichlorobenzene	U	1.0		µg/L	1	12/5/2005 11:51:00 AM
1,2,4-Trimethylbenzene	U	1.0		µg/L	1	12/5/2005 11:51:00 AM
1,2-Dibromo-3-chloropropane	U	1.0		µg/L	1	12/5/2005 11:51:00 AM
1,2-Dibromoethane	U	1.0		µg/L	1	12/5/2005 11:51:00 AM
1,2-Dichlorobenzene	U	1.0		µg/L	1	12/5/2005 11:51:00 AM
1,2-Dichloroethane	U	1.0		µg/L	1	12/5/2005 11:51:00 AM
1,2-Dichloropropane	U	1.0		µg/L	1	12/5/2005 11:51:00 AM
1,3,5-Trimethylbenzene	U	1.0		µg/L	1	12/5/2005 11:51:00 AM
1,3-Dichlorobenzene	U	1.0		µg/L	1	12/5/2005 11:51:00 AM
1,3-dichloropropane	U	1.0		µg/L	1	12/5/2005 11:51:00 AM
1,4-Dichlorobenzene	U	1.0		µg/L	1	12/5/2005 11:51:00 AM
2,2-Dichloropropane	U	1.0		µg/L	1	12/5/2005 11:51:00 AM
2-Butanone	U	1.0		µg/L	1	12/5/2005 11:51:00 AM
2-Chloroethyl vinyl ether	U	1.0		µg/L	1	12/5/2005 11:51:00 AM
2-Chlorotoluene	U	1.0		µg/L	1	12/5/2005 11:51:00 AM
2-Hexanone	U	1.0		µg/L	1	12/5/2005 11:51:00 AM
4-Chlorotoluene	U	1.0		µg/L	1	12/5/2005 11:51:00 AM
4-Isopropyltoluene	U	1.0		µg/L	1	12/5/2005 11:51:00 AM
4-Methyl-2-pentanone	U	1.0		µg/L	1	12/5/2005 11:51:00 AM
Acetone	U	1.0		µg/L	1	12/5/2005 11:51:00 AM
Benzene	U	1.0		µg/L	1	12/5/2005 11:51:00 AM
Bromobenzene	U	1.0		µg/L	1	12/5/2005 11:51:00 AM
Bromochloromethane	U	1.0		µg/L	1	12/5/2005 11:51:00 AM
Bromodichloromethane	U	1.0		µg/L	1	12/5/2005 11:51:00 AM
Bromoform	U	1.0		µg/L	1	12/5/2005 11:51:00 AM
Bromomethane	U	1.0		µg/L	1	12/5/2005 11:51:00 AM
Carbon disulfide	U	1.0		µg/L	1	12/5/2005 11:51:00 AM
Carbon tetrachloride	U	1.0		µg/L	1	12/5/2005 11:51:00 AM
Chlorobenzene	U	1.0		µg/L	1	12/5/2005 11:51:00 AM
Chloroethane	U	1.0		µg/L	1	12/5/2005 11:51:00 AM

Qualifiers: * Value exceeds Maximum Contaminant Level B Analyte detected in the associated Method Blank
 E Value above quantitation range H Holding times for preparation or analysis exceeded
 J Analyte detected below quantitation limits ND Not Detected at the Reporting Limit
 S Spike Recovery outside accepted recovery limits U Indicates the compound was analyzed for but not detected

American Analytical Laboratories, LLC.

Date: 09-Dec-05

CLIENT: Leggette Brashears & Graham Inc. **Client Sample ID:** WQ112805:835 NP2-7
Lab Order: 0512019 **Tag Number:**
Project: Rowe Industries **Collection Date:** 11/28/2005
Lab ID: 0512019-02A **Date Received:** 12/2/2005 **Matrix:** LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
Chloroform	U	1.0		µg/L	1	12/5/2005 11:51:00 AM
Chloromethane	U	1.0		µg/L	1	12/5/2005 11:51:00 AM
cis-1,2-Dichloroethene	U	1.0		µg/L	1	12/5/2005 11:51:00 AM
cis-1,3-Dichloropropene	U	1.0		µg/L	1	12/5/2005 11:51:00 AM
Dibromochloromethane	U	1.0		µg/L	1	12/5/2005 11:51:00 AM
Dibromomethane	U	1.0		µg/L	1	12/5/2005 11:51:00 AM
Dichlorodifluoromethane	U	1.0		µg/L	1	12/5/2005 11:51:00 AM
Ethylbenzene	U	1.0		µg/L	1	12/5/2005 11:51:00 AM
Hexachlorobutadiene	U	1.0		µg/L	1	12/5/2005 11:51:00 AM
Isopropylbenzene	U	1.0		µg/L	1	12/5/2005 11:51:00 AM
m,p-Xylene	U	2.0		µg/L	1	12/5/2005 11:51:00 AM
Methyl tert-butyl ether	U	1.0		µg/L	1	12/5/2005 11:51:00 AM
Methylene chloride	5.6	1.0		µg/L	1	12/5/2005 11:51:00 AM
Naphthalene	U	1.0		µg/L	1	12/5/2005 11:51:00 AM
n-Butylbenzene	U	1.0		µg/L	1	12/5/2005 11:51:00 AM
n-Propylbenzene	U	1.0		µg/L	1	12/5/2005 11:51:00 AM
o-Xylene	U	1.0		µg/L	1	12/5/2005 11:51:00 AM
sec-Butylbenzene	U	1.0		µg/L	1	12/5/2005 11:51:00 AM
Styrene	U	1.0		µg/L	1	12/5/2005 11:51:00 AM
tert-Butylbenzene	U	1.0		µg/L	1	12/5/2005 11:51:00 AM
Tetrachloroethene	8.4	1.0		µg/L	1	12/5/2005 11:51:00 AM
Toluene	U	1.0		µg/L	1	12/5/2005 11:51:00 AM
trans-1,2-Dichloroethene	U	1.0		µg/L	1	12/5/2005 11:51:00 AM
trans-1,3-Dichloropropene	U	1.0		µg/L	1	12/5/2005 11:51:00 AM
Trichloroethene	U	1.0		µg/L	1	12/5/2005 11:51:00 AM
Trichlorofluoromethane	U	1.0		µg/L	1	12/5/2005 11:51:00 AM
Vinyl acetate	U	1.0		µg/L	1	12/5/2005 11:51:00 AM
Vinyl chloride	U	1.0		µg/L	1	12/5/2005 11:51:00 AM

Qualifiers: * Value exceeds Maximum Contaminant Level
 E Value above quantitation range
 J Analyte detected below quantitation limits
 S Spike Recovery outside accepted recovery limits
 B Analyte detected in the associated Method Blank
 H Holding times for preparation or analysis exceeded
 ND Not Detected at the Reporting Limit
 U Indicates the compound was analyzed for but not detected

American Analytical Laboratories, LLC.

Date: 09-Dec-05

CLIENT:	Leggette Brashears & Graham Inc.	Client Sample ID:	WQ112805:835 NP2-7
Lab Order:	0512019	Tag Number:	
Project:	Rowe Industries	Collection Date:	11/28/2005
Lab ID:	0512019-02B	Date Received:	12/2/2005
		Matrix:	LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
TOTAL IRON		E200.7				Analyst: JP
Iron	1.52	0.0200		mg/L	1	12/8/2005 3:38:44 PM

Qualifiers:	* Value exceeds Maximum Contaminant Level	B Analyte detected in the associated Method Blank
	E Value above quantitation range	H Holding times for preparation or analysis exceeded
	J Analyte detected below quantitation limits	ND Not Detected at the Reporting Limit
	S Spike Recovery outside accepted recovery limits	U Indicates the compound was analyzed for but not detected

American Analytical Laboratories, LLC.

Date: 09-Dec-05

CLIENT:	Leggette Brashears & Graham Inc.	Client Sample ID:	WQ112805:835 NP2-7
Lab Order:	0512019	Tag Number:	
Project:	Rowe Industries	Collection Date:	11/28/2005
Lab ID:	0512019-02C	Date Received:	12/2/2005
		Matrix:	LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
DISSOLVED IRON		E200.7				Analyst: JP
Iron	0.0497	0.0200		mg/L	1	12/8/2005 3:35:55 PM

Qualifiers:	* Value exceeds Maximum Contaminant Level	B Analyte detected in the associated Method Blank
	E Value above quantitation range	H Holding times for preparation or analysis exceeded
	J Analyte detected below quantitation limits	ND Not Detected at the Reporting Limit
	S Spike Recovery outside accepted recovery limits	U Indicates the compound was analyzed for but not detected

American Analytical Laboratories, LLC.

Date: 09-Dec-05

CLIENT: Leggette Brashears & Graham Inc. **Client Sample ID:** WQ112805:840 NP2-10
Lab Order: 0512019 **Tag Number:**
Project: Rowe Industries **Collection Date:** 11/28/2005
Lab ID: 0512019-03A **Date Received:** 12/2/2005 **Matrix:** LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILES SW-846 8260 PLUS MTBE & FREON1		SW8260B		Analyst: LDS		
1,1,1,2-Tetrachloroethane	U	1.0		µg/L	1	12/5/2005 12:27:00 PM
1,1,1-Trichloroethane	U	1.0		µg/L	1	12/5/2005 12:27:00 PM
1,1,2,2-Tetrachloroethane	U	1.0		µg/L	1	12/5/2005 12:27:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	U	1.0		µg/L	1	12/5/2005 12:27:00 PM
1,1,2-Trichloroethane	U	1.0		µg/L	1	12/5/2005 12:27:00 PM
1,1-Dichloroethane	U	1.0		µg/L	1	12/5/2005 12:27:00 PM
1,1-Dichloroethene	U	1.0		µg/L	1	12/5/2005 12:27:00 PM
1,1-Dichloropropene	U	1.0		µg/L	1	12/5/2005 12:27:00 PM
1,2,3-Trichlorobenzene	U	1.0		µg/L	1	12/5/2005 12:27:00 PM
1,2,3-Trichloropropane	U	1.0		µg/L	1	12/5/2005 12:27:00 PM
1,2,4-Trichlorobenzene	U	1.0		µg/L	1	12/5/2005 12:27:00 PM
1,2,4-Trimethylbenzene	U	1.0		µg/L	1	12/5/2005 12:27:00 PM
1,2-Dibromo-3-chloropropane	U	1.0		µg/L	1	12/5/2005 12:27:00 PM
1,2-Dibromoethane	U	1.0		µg/L	1	12/5/2005 12:27:00 PM
1,2-Dichlorobenzene	U	1.0		µg/L	1	12/5/2005 12:27:00 PM
1,2-Dichloroethane	U	1.0		µg/L	1	12/5/2005 12:27:00 PM
1,2-Dichloropropane	U	1.0		µg/L	1	12/5/2005 12:27:00 PM
1,3,5-Trimethylbenzene	U	1.0		µg/L	1	12/5/2005 12:27:00 PM
1,3-Dichlorobenzene	U	1.0		µg/L	1	12/5/2005 12:27:00 PM
1,3-dichloropropane	U	1.0		µg/L	1	12/5/2005 12:27:00 PM
1,4-Dichlorobenzene	U	1.0		µg/L	1	12/5/2005 12:27:00 PM
2,2-Dichloropropane	U	1.0		µg/L	1	12/5/2005 12:27:00 PM
2-Butanone	U	1.0		µg/L	1	12/5/2005 12:27:00 PM
2-Chloroethyl vinyl ether	U	1.0		µg/L	1	12/5/2005 12:27:00 PM
2-Chlorotoluene	U	1.0		µg/L	1	12/5/2005 12:27:00 PM
2-Hexanone	U	1.0		µg/L	1	12/5/2005 12:27:00 PM
4-Chlorotoluene	U	1.0		µg/L	1	12/5/2005 12:27:00 PM
4-Isopropyltoluene	U	1.0		µg/L	1	12/5/2005 12:27:00 PM
4-Methyl-2-pentanone	U	1.0		µg/L	1	12/5/2005 12:27:00 PM
Acetone	U	1.0		µg/L	1	12/5/2005 12:27:00 PM
Benzene	U	1.0		µg/L	1	12/5/2005 12:27:00 PM
Bromobenzene	U	1.0		µg/L	1	12/5/2005 12:27:00 PM
Bromochloromethane	U	1.0		µg/L	1	12/5/2005 12:27:00 PM
Bromodichloromethane	U	1.0		µg/L	1	12/5/2005 12:27:00 PM
Bromoform	U	1.0		µg/L	1	12/5/2005 12:27:00 PM
Bromomethane	U	1.0		µg/L	1	12/5/2005 12:27:00 PM
Carbon disulfide	U	1.0		µg/L	1	12/5/2005 12:27:00 PM
Carbon tetrachloride	U	1.0		µg/L	1	12/5/2005 12:27:00 PM
Chlorobenzene	U	1.0		µg/L	1	12/5/2005 12:27:00 PM
Chloroethane	U	1.0		µg/L	1	12/5/2005 12:27:00 PM

Qualifiers: * Value exceeds Maximum Contaminant Level B Analyte detected in the associated Method Blank
 E Value above quantitation range H Holding times for preparation or analysis exceeded
 J Analyte detected below quantitation limits ND Not Detected at the Reporting Limit
 S Spike Recovery outside accepted recovery limits U Indicates the compound was analyzed for but not detected

American Analytical Laboratories, LLC.

Date: 09-Dec-05

CLIENT: Leggette Brashears & Graham Inc. **Client Sample ID:** WQ112805:840 NP2-10
Lab Order: 0512019 **Tag Number:**
Project: Rowe Industries **Collection Date:** 11/28/2005
Lab ID: 0512019-03A **Date Received:** 12/2/2005 **Matrix:** LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
Chloroform	U	1.0		µg/L	1	12/5/2005 12:27:00 PM
Chloromethane	U	1.0		µg/L	1	12/5/2005 12:27:00 PM
cis-1,2-Dichloroethene	U	1.0		µg/L	1	12/5/2005 12:27:00 PM
cis-1,3-Dichloropropene	U	1.0		µg/L	1	12/5/2005 12:27:00 PM
Dibromochloromethane	U	1.0		µg/L	1	12/5/2005 12:27:00 PM
Dibromomethane	U	1.0		µg/L	1	12/5/2005 12:27:00 PM
Dichlorodifluoromethane	U	1.0		µg/L	1	12/5/2005 12:27:00 PM
Ethylbenzene	U	1.0		µg/L	1	12/5/2005 12:27:00 PM
Hexachlorobutadiene	U	1.0		µg/L	1	12/5/2005 12:27:00 PM
Isopropylbenzene	U	1.0		µg/L	1	12/5/2005 12:27:00 PM
m,p-Xylene	U	2.0		µg/L	1	12/5/2005 12:27:00 PM
Methyl tert-butyl ether	U	1.0		µg/L	1	12/5/2005 12:27:00 PM
Methylene chloride	3.8	1.0		µg/L	1	12/5/2005 12:27:00 PM
Naphthalene	U	1.0		µg/L	1	12/5/2005 12:27:00 PM
n-Butylbenzene	U	1.0		µg/L	1	12/5/2005 12:27:00 PM
n-Propylbenzene	U	1.0		µg/L	1	12/5/2005 12:27:00 PM
o-Xylene	U	1.0		µg/L	1	12/5/2005 12:27:00 PM
sec-Butylbenzene	U	1.0		µg/L	1	12/5/2005 12:27:00 PM
Styrene	U	1.0		µg/L	1	12/5/2005 12:27:00 PM
tert-Butylbenzene	U	1.0		µg/L	1	12/5/2005 12:27:00 PM
Tetrachloroethene	U	1.0		µg/L	1	12/5/2005 12:27:00 PM
Toluene	U	1.0		µg/L	1	12/5/2005 12:27:00 PM
trans-1,2-Dichloroethene	U	1.0		µg/L	1	12/5/2005 12:27:00 PM
trans-1,3-Dichloropropene	U	1.0		µg/L	1	12/5/2005 12:27:00 PM
Trichloroethene	U	1.0		µg/L	1	12/5/2005 12:27:00 PM
Trichlorofluoromethane	U	1.0		µg/L	1	12/5/2005 12:27:00 PM
Vinyl acetate	U	1.0		µg/L	1	12/5/2005 12:27:00 PM
Vinyl chloride	U	1.0		µg/L	1	12/5/2005 12:27:00 PM

Qualifiers: * Value exceeds Maximum Contaminant Level
 E Value above quantitation range
 J Analyte detected below quantitation limits
 S Spike Recovery outside accepted recovery limits
 B Analyte detected in the associated Method Blank
 H Holding times for preparation or analysis exceeded
 ND Not Detected at the Reporting Limit
 U Indicates the compound was analyzed for but not detected

American Analytical Laboratories, LLC.

Date: 09-Dec-05

CLIENT:	Leggette Brashears & Graham Inc.	Client Sample ID:	WQ112805:840 NP2-10
Lab Order:	0512019	Tag Number:	
Project:	Rowe Industries	Collection Date:	11/28/2005
Lab ID:	0512019-03B	Date Received:	12/2/2005
		Matrix:	LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
TOTAL IRON		E200.7				Analyst: JP
Iron	3.13	0.0200		mg/L	1	12/8/2005 3:54:17 PM

Qualifiers:	* Value exceeds Maximum Contaminant Level	B Analyte detected in the associated Method Blank
	E Value above quantitation range	H Holding times for preparation or analysis exceeded
	J Analyte detected below quantitation limits	ND Not Detected at the Reporting Limit
	S Spike Recovery outside accepted recovery limits	U Indicates the compound was analyzed for but not detected

American Analytical Laboratories, LLC.

Date: 09-Dec-05

CLIENT:	Leggette Brashears & Graham Inc.	Client Sample ID:	WQ112805:840 NP2-10
Lab Order:	0512019	Tag Number:	
Project:	Rowe Industries	Collection Date:	11/28/2005
Lab ID:	0512019-03C	Date Received:	12/2/2005
		Matrix:	LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
DISSOLVED IRON		E200.7				Analyst: JP
Iron	0.103	0.0200		mg/L	1	12/8/2005 3:51:34 PM
TOTAL DISSOLVED SOLIDS		E160.1				Analyst: WN
Total Dissolved Solids (Residue, Filterable)	24	1.0		mg/L	1	12/5/2005

Qualifiers:	* Value exceeds Maximum Contaminant Level	B Analyte detected in the associated Method Blank
	E Value above quantitation range	H Holding times for preparation or analysis exceeded
	J Analyte detected below quantitation limits	ND Not Detected at the Reporting Limit
	S Spike Recovery outside accepted recovery limits	U Indicates the compound was analyzed for but not detected

ANALYTICAL REPORT

JOB NUMBER: 211414


Prepared For:

LEGGETTE, BRASHEARS & GRAHAM
126 Monroe Turnpike
Trumbull, CT 06611

Project: ROWE INDUSTRIES

Attention: Mark Goldberg


Date: 12/13/2005


Signature

Name: Erin A. Gaus

Title: Project Manager

E-Mail: egaus@stl-inc.com


Date

STL Connecticut
128 Long Hill Cross Road
Shelton, CT 06484

This Report Contains (134) Pages

STL Report : 211414
LEGGETTE, BRASHEARS, AND GRAHAM**Case Narrative**

Sample Receipt – All samples were received in good condition.

Volatile Organics – Air volatile organics were determined by purge and trap GC/MS using guidance provided in Method TO-17. The instrumentation used was a Perkin Elmer ATD 50 interfaced with a Hewlett-Packard Model 5972A GC/MS/DS.

The sample in this job was collected in Air Toxic TO-17 tubes and analyzed at a sample volume of 1L except for sample AQ111605:1130:NP4-1 which required an analysis at a sample volume of .2L for high targets.

Sample Calculation:

Sample ID- AQ111605:1130:NP4-1
Compound-Bromomethane

$$\frac{(329213 \text{ area})(25\text{ng})}{(361787 \text{ area})(.435 \text{ area/ng})} = 52.29 = 57 \text{ ng}$$

$$\frac{(52 \text{ NG})(.08206)(298)}{(1\text{L})(95)(1.0\text{ATM})} = 13.38 = 13.4 \text{ nL/L.}$$

The test results in this report meet all NELAP requirements for parameters for which accreditation is required or available. Any exceptions to NELAP requirements are noted in the case narrative.

STL

Date: 12/13/2005

Project Number.....: 20000283
Customer Project ID....: ROWE INDUSTRIES
Project Description....: Rowe Industries

Laboratory Sample ID	Customer Sample ID	Sample Matrix	Date Sampled	Time Sampled	Date Received	Time Received
211414-1	AQ111605:1130 NP4-1	Air	11/16/2005	11:30	11/17/2005	15:45
211414-2	AQ111605:1132 NP4-2	Air	11/16/2005	11:32	11/17/2005	15:45
211414-3	AQ111605:1134 NP4-3	Air	11/16/2005	11:34	11/17/2005	15:45

STL Connecticut		Form 1				
		Client Sample ID		1130:NP4-1		
Method: TO17		Lab Sample ID		211414-1		
Sample Volume (L)		1.000	Date Sampled		11/16/2005	
Temp (C)		25	Date Analyzed		11/29/2005	
Compound	nL/L (ppbv/v)	Qualifier	RL	mg/M3	Qualifier	RL
Chloromethane	9.7	U	9.7	0.020	U	0.020
Vinyl Chloride	7.8	U	7.8	0.020	U	0.020
Bromomethane	13.4	B	5.1	0.052	B	0.020
Chloroethane	7.6	U	7.6	0.020	U	0.020
1,1-Dichloroethene	2.0	J	2.5	0.008	J	0.010
Carbon Disulfide	7.4		3.2	0.023		0.010
Methylene Chloride	14.4		2.9	0.050		0.010
trans-1,2-Dichloroethene	2.5	U	2.5	0.010	U	0.010
1,1-Dichloroethane	5.4		2.5	0.022		0.010
cis-1,2-Dichloroethene	13.8		2.5	0.054		0.010
Chloroform	2.1	U	2.1	0.010	U	0.010
1,1,1-Trichloroethane	20.2		1.8	0.110		0.010
Carbon Tetrachloride	1.6	U	1.6	0.010	U	0.010
Benzene	5.0	B	3.1	0.016	B	0.010
1,2-Dichloroethane	2.5	U	2.5	0.010	U	0.010
Trichloroethene	6.2		1.9	0.033		0.010
1,2-Dichloropropane	2.2	U	2.2	0.010	U	0.010
Bromodichloromethane	1.5	U	1.5	0.010	U	0.010
cis-1,3-Dichloropropene	2.2	U	2.2	0.010	U	0.010
Toluene	116.8	A	2.7	0.440	A	0.010
trans-1,3-Dichloropropene	2.2	U	2.2	0.010	U	0.010
1,1,2-Trichloroethane	1.8	U	1.8	0.010	U	0.010
Tetrachloroethene	112.0	A	1.5	0.760	A	0.010
Dibromochloromethane	1.2	U	1.2	0.010	U	0.010
Chlorobenzene	2.2	U	2.2	0.010	U	0.010
Ethylbenzene	0.5	J	2.3	0.002	J	0.010
m&p-Xylenes	2.8		2.3	0.012		0.010
o-Xylene	0.9	J	2.3	0.004	J	0.010
Styrene	0.9	J	2.4	0.004	J	0.010
Bromoform	1.0	U	1.0	0.010	U	0.010
1,1,2,2-Tetrachloroethane	1.5	U	1.5	0.010	U	0.010

STL Connecticut		Form 1		Client Sample ID	1130:NP4-1DL
Method: TO17		Lab Sample ID		211414-1DL	
Sample Volume (L)		0.200	Date Sampled		11/16/2005
Temp (C)		25	Date Analyzed		11/30/2005
Compound	nL/L (ppbv/v)	Qualifier	RL	mg/M3	Qualifier RL
Chloromethane	48.4	U	48.4	0.100	U 0.100
Vinyl Chloride	39.1	U	39.1	0.100	U 0.100
Bromomethane	55.3	B	25.7	0.215	B 0.100
Chloroethane	37.9	U	37.9	0.100	U 0.100
1,1-Dichloroethene	12.6	U	12.6	0.050	U 0.050
Carbon Disulfide	16.1	U	16.1	0.050	U 0.050
Methylene Chloride	10.1	J	14.4	0.035	J 0.050
trans-1,2-Dichloroethene	12.7	U	12.7	0.050	U 0.050
1,1-Dichloroethane	12.4	U	12.4	0.050	U 0.050
cis-1,2-Dichloroethene	8.9	J	12.7	0.035	J 0.050
Chloroform	10.3	U	10.3	0.050	U 0.050
1,1,1-Trichloroethane	14.7		9.2	0.080	
Carbon Tetrachloride	7.9	U	7.9	0.050	U 0.050
Benzene	14.1	JB	15.7	0.045	JB 0.050
1,2-Dichloroethane	12.4	U	12.4	0.050	U 0.050
Trichloroethene	3.7	J	9.3	0.020	J 0.050
1,2-Dichloropropane	10.8	U	10.8	0.050	U 0.050
Bromodichloromethane	7.5	U	7.5	0.050	U 0.050
cis-1,3-Dichloropropene	11.0	U	11.0	0.050	U 0.050
Toluene	185.9		13.3	0.700	
trans-1,3-Dichloropropene	11.0	U	11.0	0.050	U 0.050
1,1,2-Trichloroethane	9.2	U	9.2	0.050	U 0.050
Tetrachloroethene	71.4		7.4	0.485	
Dibromochloromethane	5.9	U	5.9	0.050	U 0.050
Chlorobenzene	10.8	U	10.8	0.050	U 0.050
Ethylbenzene	11.5	U	11.5	0.050	U 0.050
m&p-Xylenes	11.5		11.5	0.050	
o-Xylene	11.5	U	11.5	0.050	U 0.050
Styrene	11.8	U	11.8	0.050	U 0.050
Bromoform	4.8	U	4.8	0.050	U 0.050
1,1,2,2-Tetrachloroethane	7.3	U	7.3	0.050	U 0.050

STL Connecticut		Form 1				
		Client Sample ID	1132:NP4-2			
Method: TO17		Lab Sample ID	211414-2			
Sample Volume (L)	1.000	Date Sampled	11/16/2005			
Temp (C)	25	Date Analyzed	11/29/2005			
Compound	nL/L (ppbv/v)	Qualifier	RL	mg/M3	Qualifier	RL
Chloromethane	9.7	U	9.7	0.020	U	0.020
Vinyl Chloride	7.8	U	7.8	0.020	U	0.020
Bromomethane	8.0	B	5.1	0.031	B	0.020
Chloroethane	7.6	U	7.6	0.020	U	0.020
1,1-Dichloroethene	1.0	J	2.5	0.004	J	0.010
Carbon Disulfide	6.7		3.2	0.021		0.010
Methylene Chloride	4.9		2.9	0.017		0.010
trans-1,2-Dichloroethene	2.5	U	2.5	0.010	U	0.010
1,1-Dichloroethane	3.7		2.5	0.015		0.010
cis-1,2-Dichloroethene	1.0	J	2.5	0.004	J	0.010
Chloroform	1.0	J	2.1	0.005	J	0.010
1,1,1-Trichloroethane	10.7		1.8	0.058		0.010
Carbon Tetrachloride	1.6	U	1.6	0.010	U	0.010
Benzene	0.6	JB	3.1	0.002	JB	0.010
1,2-Dichloroethane	2.5	U	2.5	0.010	U	0.010
Trichloroethene	1.9	U	1.9	0.010	U	0.010
1,2-Dichloropropane	2.2	U	2.2	0.010	U	0.010
Bromodichloromethane	1.5	U	1.5	0.010	U	0.010
cis-1,3-Dichloropropene	2.2	U	2.2	0.010	U	0.010
Toluene	3.5		2.7	0.013		0.010
trans-1,3-Dichloropropene	2.2	U	2.2	0.010	U	0.010
1,1,2-Trichloroethane	1.8	U	1.8	0.010	U	0.010
Tetrachloroethene	1.5		1.5	0.010		0.010
Dibromochloromethane	1.2	U	1.2	0.010	U	0.010
Chlorobenzene	2.2	U	2.2	0.010	U	0.010
Ethylbenzene	2.3	U	2.3	0.010	U	0.010
m&p-Xylenes	0.5	J	2.3	0.002	J	0.010
o-Xylene	2.3	U	2.3	0.010	U	0.010
Styrene	2.4	U	2.4	0.010	U	0.010
Bromoform	1.0	U	1.0	0.010	U	0.010
1,1,2,2-Tetrachloroethane	1.5	U	1.5	0.010	U	0.010

STL Connecticut		Form 1		Client Sample ID	1134:NP4-3
Method: TO17		Lab Sample ID		211414-3	
Sample Volume (L)	1.000	Date Sampled		11/16/2005	
Temp (C)	25	Date Analyzed		11/29/2005	
Compound	nL/L (ppbv/v) Qualifier	RL	mg/M3	Qualifier	RL
Chloromethane	9.7 U	9.7	0.020	U	0.020
Vinyl Chloride	7.8 U	7.8	0.020	U	0.020
Bromomethane	4.1 JB	5.1	0.016	JB	0.020
Chloroethane	7.6 U	7.6	0.020	U	0.020
1,1-Dichloroethene	2.5 U	2.5	0.010	U	0.010
Carbon Disulfide	7.1	3.2	0.022		0.010
Methylene Chloride	8.6	2.9	0.030		0.010
trans-1,2-Dichloroethene	2.5 U	2.5	0.010	U	0.010
1,1-Dichloroethane	3.5	2.5	0.014		0.010
cis-1,2-Dichloroethene	2.5 U	2.5	0.010	U	0.010
Chloroform	1.0 J	2.1	0.005	J	0.010
1,1,1-Trichloroethane	5.3	1.8	0.029		0.010
Carbon Tetrachloride	1.6 U	1.6	0.010	U	0.010
Benzene	3.4 B	3.1	0.011	B	0.010
1,2-Dichloroethane	2.5 U	2.5	0.010	U	0.010
Trichloroethene	1.9 U	1.9	0.010	U	0.010
1,2-Dichloropropane	2.2 U	2.2	0.010	U	0.010
Bromodichloromethane	1.5 U	1.5	0.010	U	0.010
cis-1,3-Dichloropropene	2.2 U	2.2	0.010	U	0.010
Toluene	11.7	2.7	0.044		0.010
trans-1,3-Dichloropropene	2.2 U	2.2	0.010	U	0.010
1,1,2-Trichloroethane	1.8 U	1.8	0.010	U	0.010
Tetrachloroethene	0.4 J	1.5	0.003	J	0.010
Dibromochloromethane	1.2 U	1.2	0.010	U	0.010
Chlorobenzene	2.2 U	2.2	0.010	U	0.010
Ethylbenzene	0.5 J	2.3	0.002	J	0.010
m&p-Xylenes	2.1 J	2.3	0.009	J	0.010
o-Xylene	0.7 J	2.3	0.003	J	0.010
Styrene	2.4 U	2.4	0.010	U	0.010
Bromoform	1.0 U	1.0	0.010	U	0.010
1,1,2,2-Tetrachloroethane	1.5 U	1.5	0.010	U	0.010

LABORATORY CHRONICLE				Date: 12/13/2005			
Job Number: 211414							
CUSTOMER: LEGGETTE, BRASHEARS & GRAHAM		PROJECT: ROWE INDUSTRIES		ATTN: Mark Goldberg			
Lab ID: 211414-1	Client ID: AQ111605:1130 NP4-1	Date Recvd: 11/17/2005		Sample Date: 11/16/2005			
METHOD	DESCRIPTION	RUN#	BATCH#	PREP BT	#(S)	DATE/TIME ANALYZED	DILUTION
T017	Volatile Organics (Air)	1	58297			11/29/2005 1429	1.00000
T017	Volatile Organics (Air)	2	58297			11/30/2005 0759	1.00000
Lab ID: 211414-2	Client ID: AQ111605:1132 NP4-2	Date Recvd: 11/17/2005		Sample Date: 11/16/2005			
METHOD	DESCRIPTION	RUN#	BATCH#	PREP BT	#(S)	DATE/TIME ANALYZED	DILUTION
T017	Volatile Organics (Air)	1	58297			11/29/2005 1547	1.00000
Lab ID: 211414-3	Client ID: AQ111605:1134 NP4-3	Date Recvd: 11/17/2005		Sample Date: 11/16/2005			
METHOD	DESCRIPTION	RUN#	BATCH#	PREP BT	#(S)	DATE/TIME ANALYZED	DILUTION
T017	Volatile Organics (Air)	1	58297			11/29/2005 1623	1.00000

AIR
 2A
~~WATER~~-VOLATILE SYSTEM MONITORING COMPOUND RECOVERY
 211414

Lab Name: STL-CT

Contract:

Lab Code: STL-CT

Case No.: 211414 SAS No.:

SDG No.: 211414

	EPA SAMPLE NO.	SMC1 #	SMC2 (DCE) #	SMC3 (TOL) #	OTHER (BFB) #	TOT OUT
	=====	=====	=====	=====	=====	=====
01	VBLKTU	101	87	111	108	
02	LCS	101	95	108	106	
03	AQ111605:1130 NP4-	101	95	110	108	
04	AQ111605:1132 NP4-	108	92	106	100	
05	AQ111605:1134 NP4-	104	89	109	109	
06	AQ111605:1130 NP4-	89	83	116	109	
07						
08						
09						
10						
11						
12						
13						
14						
15						
16						
17						
18						
19						
20						
21						
22						
23						
24						
25						
26						
27						
28						
29						
30						

QC LIMITS

SMC1 = Dibromofluoromethane (70-130)
 SMC2 (DCE) = 1,2-Dichloroethane-d4 (70-130)
 SMC3 (TOL) = Toluene-d8 (70-130)
 OTHER (BFB) = Bromofluorobenzene (70-130)

Column to be used to flag recovery values

* Values outside of contract required QC limits

D System Monitoring Compound diluted out

FORM 3

Data File: \\target1_ct\Files\chem\VOA\mst.i\T055581.b\T5584.D Page 3
 Report Date: 02-Dec-2005 09:54

STL-INC

RECOVERY REPORT

Client Name: Client SDG: SDGa24843
 Sample Matrix: LIQUID Fraction: VOA
 Lab Smp Id: LCS Client Smp ID: LCS
 Level: LOW Operator: L.Decker
 Data Type: MS DATA SampleType: LCS
 SpikeList File: AIRQCS.spk Quant Type: ISTD
 Sublist File: all.sub
 Method File: \\target1_ct\Files\chem\VOA\mst.i\T055581.b\TAIRFULL.m
 Misc Info: :LCS ;;;20ng LCS ; * 1L* ; AIR

SPIKE COMPOUND	CONC ADDED ug/L	CONC RECOVERED ug/L	% RECOVERED	LIMITS
4 Vinyl Chloride	20	31	153.00*	60-140
5 Bromomethane	20	46	231.77*	60-140
6 Chloroethane	20	23	113.51	60-140
12 1,1-Dichloroethene	20	22	110.58	60-140
11 Trichlorotrifluoro	20	18	87.90	60-140
17 Acetone	20	23	115.14	60-140
13 Carbon Disulfide	20	21	103.90	60-140
16 Methylene Chloride	20	21	106.20	60-140
18 trans-1,2-Dichloro	20	21	107.42	60-140
28 1,1-Dichloroethane	20	21	107.29	60-140
30 cis-1,2-Dichloroet	20	22	107.91	60-140
40 2-Butanone	20	23	115.29	60-140
33 Chloroform	20	21	105.14	60-140
38 1,1,1-Trichloroeth	20	24	120.91	60-140
39 Carbon Tetrachlori	20	28	138.37	60-140
51 1,2-Dichloroethane	20	23	115.37	60-140
48 Benzene	20	19	93.94	60-140
56 Trichloroethene	20	23	112.55	60-140
63 cis-1,3-Dichloropr	20	22	110.06	60-140
72 4-Methyl-2-Pentano	20	18	91.07	60-140
69 Toluene	20	22	109.25	60-140
66 trans-1,3-Dichloro	20	17	87.49	60-140
67 1,1,2-Trichloroeth	20	21	106.50	60-140
73 Tetrachloroethene	20	22	112.29	60-140
75 Dibromochlorometha	20	23	115.68	60-140
80 Chlorobenzene	20	23	115.17	60-140
82 Ethylbenzene	20	22	111.52	60-140
83 Xylene (total)mp	40	44	110.20	60-140
84 Xylene (total)o	20	23	114.18	60-140
85 Styrene	20	24	118.74	60-140
86 Bromoform	20	23	115.67	60-140
89 1,1,2,2-Tetrachlor	20	22	112.25	60-140
101 1,3-Dichlorobenzen	20	22	108.78	60-140
102 1,4-Dichlorobenzen	20	23	114.21	60-140
103 1,2-Dichlorobenzen	20	22	112.49	60-140

QUALITY ASSURANCE METHODS REFERENCES AND NOTES

REPORT COMMENTS

- 1) All pages of this report are integral parts of the analytical data. Therefore, this report should be reproduced only in its entirety.
- 2) Soil, sediment and sludge sample results are reported on a "dry weight" basis except when analyzed for landfill disposal or incineration parameters. All other solid matrix samples are reported on an "as received" basis unless noted differently.
- 3) Reporting limits are adjusted for sample size used, dilutions and moisture content if applicable.
- 4) The test results for the noted analytical method(s) meet the requirements of NELAC. Lab Cert. ID# 10604
- 5) According to 40CFR Part 136.3, pH, Chlorine Residual and Dissolved Oxygen analyses are to be performed immediately after aqueous sample collection. When these parameters are not indicated as field (e.g. pH Field) they were not analyzed immediately, but as soon as possible on laboratory receipt.

Glossary of flags, qualifiers and abbreviation

Inorganic Qualifiers (Q-Column)

- U Analyte was not detected at or above the reporting limit.
- < Not detected at or above the reporting limit.
- J Result is less than the RL, but greater than or equal to the method detection limit.
- B Result is less than the CRDL/RL, but greater than or equal to the IDL/MDL.
- S Result was determined by the Method of Standard Additions.

Inorganic Flags (Flag Column)

- ICV,CCV,LCB,CCB,ISA,ISB,CRI,CRA,MRL: Instrument related QC exceed the upper or lower control limits.
- * LCS, LCD, MD: Batch QC exceeds the upper or lower control limits.
- + MSA correlation coefficient is less than 0.995.
- 4 MS, MSD: The analyte present in the original sample is 4 times greater than the matrix spike concentration; therefore, control limits are not applicable.
- E SD: Serial dilution exceeds the control limits.
- H MB, EB: Batch QC is greater than reporting limit or had a negative instrument reading lower than the absolute value of the reporting limit.
- N MS, MSD: Spike recovery exceeds the upper or lower control limits.
- W PS: Post-digestion spike was outside 85-115% control limits.

Organic Qualifiers (Q - Column)

- U Analyte was not detected at or above the reporting limit.
- ND Compound not detected.
- J Result is an estimated value below the reporting limit or a tentatively identified compound (TIC).
- Q Result was qualitatively confirmed, but not quantified.
- C Pesticide identification was confirmed by GC/MS.
- Y The chromatographic response resembles a typical fuel pattern.
- Z The chromatographic response does not resemble a typical fuel pattern.
- E Result exceeded calibration range, secondary dilution required.

Organic Flags (Flags Column)

- MB,EB, MLE: Batch QC is greater than reporting limit.
- * LCS, LCD, CCV, MS, MSD, Surrogate, RS:Batch QC exceeds the upper or lower control limits.
- A Concentration exceeds the instrument calibration range or below the reporting limit.
- B Compound was found in the blank.
- D Surrogate or matrix spike recoveries were not obtained because the extract was diluted for analysis; also compounds analyzed at a dilution will be flagged with a D.
- H Alternate peak selection upon analytical review
- I Indicates the presence of an interference, recovery is not calculated.
- M Manually integrated compound.
- P The lower of the two values is reported when the % difference between the results of two GC columns is greater than 25%.

QUALITY ASSURANCE METHODS

REFERENCES AND NOTES

Abbreviations

Batch	Designation given to identify a specific extraction, digestion, preparation set, or analysis set
CAP	Capillary Column
CCB	Continuing Calibration Blank
CCV	Continuing Calibration Verification
CF	Confirmation Analysis
CRA	Low Level Standard Check - GFAA; Mercury
CRI	Low Level Standard Check - ICP
Dil. Fac	Dilution Factor
DL	Secondary dilution and analysis
DLFac	Detection Limit Factor
DSH	Distilled Standard - High Level
DSL	Distilled Standard - Low Level
DSM	Distilled Standard - Medium Level
EB	Extraction Blank
ICB	Initial Calibration Blank
ICV	Initial Calibration Verification
IDL	Instrument Detection Limit
ISA	Interference Check Sample A
ISB	Interference Check Sample B
Job No.	The first six digits of the sample ID which refers to a specific client, project and sample group
Lab ID	An 8 number unique laboratory identification
LCD	Laboratory Control Standard Duplicate
LCS	Laboratory Control Standard with reagent grade water or a matrix free from the analyte of interest
MB	Method Blank or (PB) Preparation Blank
MD	Method Duplicate
MDL	Method Detection Limit
MLE	Medium Level Extraction Blank
MRL	Method Reporting Limit Standard
MSA	Method of Standard Additions
MS	Matrix Spike
MSD	Matrix Spike Duplicate
ND	Not Detected
PACK	Packed Column
PREPF	Preparation factor used by the Laboratory's Information Management System (LIMS)
PS	Post Spike
PSD	Post Spike Duplicate
RA	Re-analysis
RE	Re-extraction and analysis
RL	Reporting Limit
RPD	Relative Percent Difference of duplicate (unrounded) analyses
RRF	Relative Response Factor
RS	Reference Standard
RT	Retention Time
RTW	Retention Time Window
SampleID	A 9 digit number unique for each sample, the first six digits are referred as the job number
SCB	Seeded Control Blank
SD	Serial Dilution
UCB	Unseeded Control Blank

One or a combination of these data qualifiers and abbreviations may appear in the analytical report.

STL-Connecticut

Certification Summary (as of September 2005)

The laboratory identification numbers for the STL-Connecticut laboratory are provided in the following table. Many states certify laboratories for specific parameters or tests within a category (i.e. method 325.2 for wastewater). The information in the following table indicates the lab is certified in a general category of testing such as drinking water or wastewater analysis. The laboratory should be contacted directly if parameter-specific certification information is required.

State	Responsible Agency	Certification	Expiration Date	Lab Number
Connecticut	Department of Health Services	Drinking Water, Wastewater	12/31/06	PH-0497
Maine	Department of Health and Environmental Services	Drinking Water, Wastewater/Solid, Hazardous Waste	04/18/06	CT023
Massachusetts	Department of Environmental Protection	Potable/Non-Potable Water	06/30/06	CT023
New Hampshire	Department of Environmental Services	Drinking Water, Wastewater	08/29/06	2528
New Jersey	Department of Environmental Protection	Drinking Water, Wastewater	06/30/06	CT410
New York	Department of Health	CLP, Drinking Water, Wastewater, Solid/ Hazardous Waste NELAC	04/01/06	10602
Rhode Island	Department of Health	Chemistry...Non- Potable Water and Wastewater	12/30/06	A43
Utah	Department of Health	RCRA	05/31/06	2032614458

MISCELLANEOUS DOCUMENTS

STL Connecticut
128 Long Hill Cross Road
Shelton, CT 06484
Tel: 203-929-8140

STL
TRENT
Severn Trent Laboratories, Inc.

Chain of
Custody Record

STL-4124 (0901)

Client: LBG

Address: 126 Monroe Turnpike

City: Trumbull State: CT Zip Code: 06611

Project Name and Location (State): Roule NY

Contract/Purchase Order/Quote No.

Project Manager: Mark Goldberg

Telephone Number (Area Code)/Fax Number: 203-452-3100

Date: 11/17/05 Chain of Custody Number: 02272

Lab Number: 1 of 1

Analysis (Attach list if more space is needed)

Special Instructions/Conditions of Receipt

Sample I.D. No. and Description (Containers for each sample may be combined on one line)	Date	Time	Matrix			Containers & Preservatives									
			Aqueous	Sed	Soil	Unpres	H2SO4	HNO3	HCl	NaOH	ZnAc				
AR 11/16/05: 1130 NP4-1 (1)	11/16/05	11:30	X												
1132 NP4-2 (2)	11/16/05	11:32	X												
1134 NP4-3 (3)	11/16/05	11:34	X												

211414

11/29/2005

LEGGETTE, BRASHEARS GRAHAM
MARK GOLDBERG
ROWE INDUSTRIES

Possible Hazard Identification

☐ Non-Hazard ☐ Flammable ☐ Skin Irritant ☐ Poison B ☒ Unknown

Turn Around Time Required

☐ 24 Hours ☐ 48 Hours ☐ 7 Days ☐ 14 Days ☐ 21 Days

Relinquished By: Mark M. Goldberg Date: 11/17/05 Time: 13:30

Relinquished By: Y. Blocker Date: 11/17/05 Time: 15:45

Relinquished By: _____ Date: _____ Time: _____

Comments: Send pdf copy via email to MGoldberg@LBG4HQ.com

DISTRIBUTION: WHITE - Returned to Client with Report; CANARY - Stays with the Sample; PINK - Field Copy