

-DRAFT-

PROJECT STATUS MEMORANDUM

NO. 06-01

TO: Pamela Tames, USEPA

FROM: Mark M. Goldberg, P.E.
Paul Jobmann

DATE: August 23, 2006

PROJECT: Ground Water Remedial Action
Focused Pump & Treat System
Rowe Industries Superfund Site
Sag Harbor, New York
May 2006 through June 2006 Status Report

This status report presents a summary of the operation, maintenance and monitoring activities for the Focused Pump & Treat (FP&T) System from May 30, 2006 through June 30, 2006. The report also includes a brief history of system operation prior to May 30, 2006, including a discussion of work in the former drum storage area (FDSA) that affected the operation of the FP&T system.

LBG Engineering Services, P.C. (LBG) initially operated the FP&T system from March 22, 2001 to December 23, 2003. During that time, the total volume of water pumped and the total volatile organic compounds (VOCs) recovered from the FP&T system were 5,778,917 gallons and 16.47 pounds, respectively. The operation of the FP&T system was discontinued on December 23, 2003 because of diminishing returns in the recovery of VOCs.

In 2004, a feasibility study was conducted to determine the most appropriate course of action to accelerate remediation efforts in the FDSA. In November 2004, the preferred remedial action was implemented. The remedial action for the FDSA involved the injection of a product called EHCTM, which contains zero-valent iron and an enriched carbon nutrient source. Shortly after injection activities, increases in the concentrations of the contaminants of concern (COCs) were detected in the ground water. While some degradation took place as a result of the injection and the subsequent chemical and biological reactions, the main benefit of the treatment ended up being the accelerated loosening and partitioning of COCs from the soil matrix to the aqueous phase.

By the end of 2005, no significant decrease in the concentration of COCs was detected, so the decision was made to restart the FP&T system to remove the COCs that are in the aqueous phase. More information about the monitoring activities may be found in the "Summary of EHCTM Monitoring Activities in the FDSA from March 2005 to December 2005" included as Appendix B in the "2005 Annual Summary Report".

LBG restarted the operation of the FP&T system at the above-referenced site on May 30, 2006. A summary of the system operation is provided below.

SUMMARY OF SYSTEM OPERATION

(May 2006 through June 2006)

<i>Reporting Period:</i>	31 days
<i>Total Flow During Period:</i>	257,051 gallons
<i>Cumulative Total Flow</i>	
<i>Since May 30, 2006:</i>	257,051 gallons
<i>Since March 22, 2001:</i>	6,051,671 gallons
<i>System Average Flow:</i>	17.7 gallons per minute (gpm)
<i>Mass of VOCs Recovered:</i>	
<i>Since May 30, 2006:</i>	0.87 pounds
<i>Cumulative VOCs Recovered</i>	
<i>Since May 30, 2006:</i>	0.87 pounds (see Table 1)
<i>Since March 22, 2001:</i>	17.34 Pounds
<i>Discharge Criteria:</i>	Effluent water quality criteria met (see Table 8)

Water quality samples were collected on May 17, 2006 and subsequently analyzed for VOCs using EPA Method 8260 to determine if the existing granular activated carbon (GAC) filters in the FP&T system were still effective at treating the ground water. Prior to the collection of the FP&T system samples, the system was allowed to run for approximately 30 minutes to remove water that was sitting in the holding tank and the piping. This procedure allowed for the collection of representative ground-water samples from the aquifer in the FDSA. The operation of the FP&T system was discontinued following the collection of the pre-startup ground-water samples until May 30, 2006. The laboratory results indicated that the GAC was still effective at treating the ground water. These results may be found in Tables 6, 7 and 8 and the laboratory reports in Appendix I.

Table 1 presents the pre-carbon VOC concentrations, the total volume of water pumped and the mass of VOCs removed and treated by the FP&T system. Graph 1 presents the pre-carbon VOC concentrations and total cumulative mass removed for the reporting period. The trend in pre-carbon VOC concentrations is downward for this reporting period, although there is limited data and additional sampling will be needed to verify this claim. VOC concentrations will continue to be monitored weekly to determine if this trend continues.

The concentration of tetrachloroethylene (PCE) from the FP&T recovery wells during this reporting period ranged from non-detect (below the laboratory reporting limits of 1 ug/l) in the samples from FRW-1 and FRW-4 to 650 ug/l in the sample from FRW-3. During this reporting period, the highest and lowest PCE concentrations in the ground water were consistently detected in the samples from FRW-3 and FRW-4, respectively. The high concentrations of PCE detected in the samples from FRW-3 are expected because this well is near a hot spot in the FDSA source area. A summary of the laboratory results from the recovery wells may be found in Tables 2, 3, 4 and 5. Graph 2 illustrates the PCE trends in each recovery well.

Vinyl chloride was detected at low concentrations (less than 5 ug/l) in the water samples from FRW-2 and FRW-3, which indicates that limited degradation continues to occur in the FDSA as a result of the EHCTM injection. The area around FRW-2 and FRW-3 was the location where the heaviest dose of EHCTM was injected.

High concentrations of toluene were detected in the ground water samples from FRW-2 and FRW-3. During this reporting period, toluene concentrations in the ground water at these wells ranged from 420 ug/l to 720 ug/l and 140 ug/l to 230 ug/l, respectively. The high toluene concentrations are also a result of the EHCTM injection. Decreases in toluene concentrations in a ground water are expected with the continued operation of the FP&T system. These results are summarized in Tables 3 and 4.

LBG will continue weekly monitoring of the water quality at the FP&T recovery wells during the early part of the third quarter of 2006 to establish a baseline of contaminant concentrations in the ground water at each recovery well. Once an adequate baseline of weekly data from the recovery wells is developed, the sampling frequency of the ground water from the recovery wells will be reduced to monthly intervals.

Equalization (EQ) tank high level alarms started to occur with some frequency shortly after the startup of the system (6/2, 6/11 and 6/14). The factors that are believed to be causing high water levels in the EQ tank are:

- The clogging of the bag filter with the granular EHCTM product, which increases the pressure in the system. The increased pressure in the system decreases the flow the transfer pump can deliver.
- Clogging of the GAC filter due to biological growth during the period when the system was not operating.
- Damage to the transfer pump from the EHCTM product.

Biological growth in the GAC filters were removed during the carbon change-out activities discussed below. The EHCTM product will continue to clog the bag filter in the short term, however, this problem is expected to decrease over time as additional EHCTM product is pumped out of the FDSA. LBG is currently evaluating options to address the EHC product that is being recovered from the FDSA. Bag filter changes will continue on a weekly basis. Water samples from the recovery wells will be monitored weekly to see if the EHCTM product is visible as sediment on the bottom of the sample bottles. In addition, pressures and flows for the system will continue to be monitored on a weekly basis.

On June 7 and 14, 2006, concentrations of volatile organic compounds (VOCs) in the mid-carbon sample were detected. This condition indicates breakthrough occurred in the first carbon vessel. Following an alarm on June 14th, the FP&T system remained off until the carbon change-out could be completed. A carbon change-out for both carbon filters was completed on June 28, 2006. Eleven 55-gallon drums of spent carbon were removed and properly disposed of from the site. VOC concentrations in the weekly FP&T system samples will continue to be monitored weekly to determine when breakthrough occurs.

The continued operation of the FP&T system is expected to lower the COC concentrations in the FDSA. Any contaminated water migrating from the FDSA has been and will continue to be captured by the onsite recovery wells full-scale pump and treat (FSP&T) system.

TABLES

Table 1

**GROUND-WATER REMEDIAL ACTION
FOCUSED PUMP AND TREAT SYSTEM
ROWE INDUSTRIES SUPERFUND SITE
SAG HARBOR, NEW YORK**

**Mass of VOCs Removed from the FDSA
May 2006 through June 2006**

Date	Total Precarbon VOC Concentrations (µg/L)	Total Volume of Water Pumped (gals)	Volume of Water Processed for Period (gallons)	Total Mass of VOCs Removed (lbs.)	Cumulative Mass of VOCs Removed (lbs.)
5/30/2006 ^{1/}	547	5,794,620	0	0.00	0.00
6/7/2006	401	5,859,910	65,290	0.22	0.22
6/14/2006	410	5,987,998	128,088	0.44	0.66
6/28/2006 ^{2/}	410	6,051,671	63,673	0.22	0.87

1. On May 30, 2006, the FP&T system was restarted. The flow meter reading on May 30, 2006 was 5,794,620 gallons. This will be considered the "zero" datum for volume pumped after re-starting the FP&T system.
2. Precarbon values from the June 14, 2006 sampling event were used to calculate the total mass of VOCs removed on 6/28/06 because pre-carbon data was not obtained on June 28, 2006.

Table 2

GROUND-WATER REMEDIAL ACTION
FOCUSED PUMP AND TREAT SYSTEM
ROWE INDUSTRIES SUPERFUND SITE
SAG HARBOR, NEW YORK

Recovery Well FRW-1 VOC Concentrations, micrograms per liter
May 2006 through June 2006

FRW-1										
Date	PCE	TCE	12DCE	TCA	IPB	NPB	124TMB	135TMB	TOLUENE	VC
5/30/2006	340	1.0	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
6/7/2006	77	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
6/14/2006	320	ND<1	0.92	7.4	ND<1	ND<1	ND<1	ND<1	4.1	ND<1
6/28/2006	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1

PCE- TETRACHLOROETHYLENE

TCA - 1,1,1-TRICHLOROETHANE

11 2-TCA - 1,1,2-TRICHLOROETHANE

TCE - TRICHLOROETHENE

12DCE - cis1,2-DICHLOROETHENE

MTBE - METHYL TERTIARY-BUTYL ETHER

VC - VINYL CHLORIDE

NPB - n PROPYL BENZENE

124TMB - 1,2,4-TRIMETHYLBENZENE

135TMB - 1,3,5-TRIMETHYLBENZENE

IPB - ISOPROPYLBENZENE

4-IPT - 4-ISOPROPYLTOLUENE

-- NOT ANALYZED

Table 3

**GROUND-WATER REMEDIAL ACTION
FOCUSED PUMP AND TREAT SYSTEM
ROWE INDUSTRIES SUPERFUND SITE
SAG HARBOR, NEW YORK**

**Recovery Well FRW-2 VOC Concentrations, micrograms per liter
May 2006 through June 2006**

FRW-2										
Date	PCE	TCE	12DCE	TCA	IPB	NPB	124TMB	135TMB	TOLUENE	VC
5/30/2006	360	11	14	ND<1	6.7	ND<1	ND<1	6.8	700	ND<1
6/7/2006	200	14	14	ND<1	6.4	6.7	ND<1	ND<1	460	4.7
6/14/2006	66	6.6	13	ND<1	ND<1	ND<1	ND<1	ND<1	720	2.3
6/28/2006	38	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	700	ND<1

PCE- TETRACHLOROETHYLENE

TCA - 1,1,1-TRICHLOROETHANE

11 2-TCA - 1,1,2-TRICHLOROETHANE

TCE - TRICHLOROETHENE

12DCE - cis1,2-DICHLOROETHENE

MTBE - METHYL TERTIARY-BUTYL ETHER

VC - VINYL CHLORIDE

NPB - n PROPYL BENZENE

124TMB - 1,2,4-TRIMETHYLBENZENE

1,3,5TMB - 1,3,5-TRIMETHYLBENZENE

IPB - ISOPROPYLBENZENE

4-IPT - 4-ISOPROPYLTOLUENE

-- - NOT ANALYZED

Table 4

GROUND-WATER REMEDIAL ACTION
FOCUSED PUMP AND TREAT SYSTEM
ROWE INDUSTRIES SUPERFUND SITE
SAG HARBOR, NEW YORK

Recovery Well FRW-3 VOC Concentrations, micrograms per liter
May 2006 through June 2006

FRW-3										
Date	PCE	TCE	12DCE	TCA	IPB	NPB	124TMB	135TMB	TOLUENE	VC
5/30/2006	530	21	64	ND<1	6.4	3.1	ND<1	ND<1	140	ND<1
6/7/2006	650	8.8	9.4	ND<1	6	ND<1	ND<1	ND<1	230	ND<1
6/14/2006	580	17	66	ND<1	ND<1	ND<1	ND<1	ND<1	200	2.6
6/28/2006	530	21	36	ND<1	ND<1	ND<1	ND<1	ND<1	200	ND<1

PCE- TETRACHLOROETHYLENE

TCA - 1,1,1-TRICHLOROETHANE

11 2-TCA - 1,1,2-TRICHLOROETHANE

TCE - TRICHLOROETHENE

12DCE - cis1,2-DICHLOROETHENE

MTBE - METHYL TERTIARY-BUTYL ETHER

VC - VINYL CHLORIDE

NPB - n PROPYL BENZENE

124TMB - 1,2,4-TRIMETHYLBENZENE

1,3,5TMB - 1,3,5-TRIMETHYLBENZENE

IPB - ISOPROPYLBENZENE

4-IPT - 4-ISOPROPYLTOLUENE

-- NOT ANALYZED

Table 5

**GROUND-WATER REMEDIAL ACTION
FOCUSED PUMP AND TREAT SYSTEM
ROWE INDUSTRIES SUPERFUND SITE
SAG HARBOR, NEW YORK**

**Recovery Well FRW-4 VOC Concentrations, micrograms per liter
May 2006 through June 2006**

FRW-4										
Date	PCE	TCE	11DCE	TCA	IPB	NPB	124TMB	135TMB	TOLUENE	VC
5/30/2006	16	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
6/7/2006	14	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	22	ND<1
6/14/2006	3.0	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	4.8	ND<1
6/28/2006	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1

PCE- TETRACHLOROETHYLENE

TCA - 1,1,1-TRICHLOROETHANE

11 2-TCA - 1,1,2-TRICHLOROETHANE

TCE - TRICHLOROETHENE

12DCE - cis1,2-DICHLOROETHENE

MTBE - METHYL TERTIARY-BUTYL ETHER

VC - VINYL CHLORIDE

NPB - n PROPYLBENZENE

124TMB - 1,2,4-TRIMETHYLBENZENE

1,3,5TMB - 1,3,5-TRIMETHYLBENZENE

IPB - ISOPROPYLBENZENE

4-IPT - 4-ISOPROPYLTOLUENE

-- NOT ANALYZED

Table 6

**GROUND-WATER REMEDIAL ACTION
FOCUSED FOCUSED PUMP AND TREAT SYSTEM
ROWE INDUSTRIES SUPERFUND SITE
SAG HARBOR, NEW YORK**

**Pre-Carbon VOC Concentrations, micrograms per liter
May 2006 through June 2006**

PRE-CARBON										
Date	PCE	TCA	12DCE	IPB	NPB	124TMB	135TMB	TCE	Toluene	MC
5/17/2006 ^{1/}	250	ND<1	14	ND<1	ND<1	ND<1	ND<1	ND<1	160	ND<1
5/30/2006	210	ND<1	24.0	1.7	1.6	ND<1	ND<1	ND<1	310	ND<1
6/7/2006	220	ND<1	5.9	ND<1	ND<1	ND<1	ND<1	5.0	170	ND<1
6/14/2006	160	ND<1	16.0	ND<1	ND<1	ND<1	ND<1	3.6	230	ND<1
6/28/2006 ^{2/}	--	--	--	--	--	--	--	--	--	--

1. On May 17, 2006, a pre-startup sample was collected to determine if breakthrough was occurring in the carbon vessels.
2. The June 28, 2006, pre-carbon sample was not collected.

PCE- TETRACHLOROETHYLENE
TCA - 1,1,1-TRICHLOROETHANE
112-TCA - 1,1,2-TRICHLOROETHANE
TCE - TRICHLOROETHENE
EB - ETHYLBENZENE
IPB - ISOPROPYLBENZENE
CB - CHLOROBENZENE
MC - METHYLENE CHLORIDE

BF - BROMOFORM
124TMB - 1,2,4-TRIMETHYLBENZENE
135TMB - 1,3,5-TRIMETHYLBENZENE
CB - CHLOROBENZENE
12DCE - cis1,2-DICHLOROETHENE
4-IPT - 4-ISOPROPYLTOLUENE
-- - NOT ANALYZED
NPB - N-PROPYLBENZENE

Table 7

**GROUND-WATER REMEDIAL ACTION
FOCUSED PUMP AND TREAT SYSTEM
ROWE INDUSTRIES SUPERFUND SITE
SAG HARBOR, NEW YORK**

**Mid-carbon VOC Concentrations, micrograms per liter
May 2006 through June 2006**

MID-CARBON										
Date	PCE	TCA	12DCE	IPB	NPB	124TMB	135TMB	TCE	Toluene	MC
5/17/06 ^{1/}	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
5/30/2006	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
6/7/2006	86	ND<1	3.5	ND<1	ND<1	ND<1	ND<1	3	97	ND<1
6/14/2006	62	ND<1	7.4	ND<1	ND<1	ND<1	ND<1	ND<1	130	ND<1
6/28/06 ^{2/}	--	--	--	--	--	--	--	--	--	--

1. On May 17, 2006, a pre-startup sample was collected to determine if breakthrough was occurring in the carbon vessels.
2. The June 28, 2006, mid-carbon sample was not collected.

PCE- TETRACHLOROETHYLENE
TCA - 1,1,1-TRICHLOROETHANE
112-TCA - 1,1,2-TRICHLOROETHANE
TCE - TRICHLOROETHENE
EB - ETHYLBENZENE
IPB - ISOPROPYLBENZENE
CB - CHLOROBENZENE
MC - METHYLENE CHLORIDE

BF - BROMOFORM
124TMB - 1,2,4-TRIMETHYLBENZENE
135TMB - 1,3,5-TRIMETHYLBENZENE
CB - CHLOROBENZENE
12DCE - cis1,2-DICHLOROETHENE
4-IPT - 4-ISOPROPYLTOLUENE
-- - NOT ANALYZED
NPB - N-PROPYLBENZENE

Table 8

**GROUND-WATER REMEDIAL ACTION
FOCUSED PUMP AND TREAT SYSTEM
ROWE INDUSTRIES SUPERFUND SITE
SAG HARBOR, NEW YORK**

**Post-carbon VOC Concentrations, micrograms per liter
May 2006 through June 2006**

POST-CARBON										
Date	PCE	TCA	12DCE	IPB	NPB	124TMB	135TMB	TCE	Toluene	MC
5/17/06 ^{1/}	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
5/30/2006	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
6/7/2006	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
6/14/2006	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
6/28/2006	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1


1. On May 17, 2006, a pre-startup sample was collected to determine if breakthrough was occurring in the carbon vessels.

PCE- TETRACHLOROETHYLENE
TCA - 1,1,1-TRICHLOROETHANE
112-TCA - 1,1,2-TRICHLOROETHANE
TCE - TRICHLOROETHENE
EB - ETHYLBENZENE
IPB - ISOPROPYLBENZENE
CB - CHLOROBENZENE
MC - METHYLENE CHLORIDE


BF - BROMOFORM
124TMB - 1,2,4-TRIMETHYLBENZENE
135TMB - 1,3,5-TRIMETHYLBENZENE
CB - CHLOROBENZENE
12DCE - cis1,2-DICHLOROETHENE
4-IPT - 4-ISOPROPYLTOLUENE
-- - NOT ANALYZED
NPB - N-PROPYLBENZENE

GRAPHS


GRAPH 1
GROUND WATER REMEDIAL ACTION
FOCUSED PUMP AND TREAT SYSTEM
ROWE INDUSTRIES SUPERFUND SITE
SAG HARBOR, NEW YORK
INFLUENT VOC CONCENTRATIONS AND CUMULATIVE MASS REMOVED FROM FDSA
May 2006 through June 2006



GRAPH 2
GROUND WATER REMEDIAL ACTION
FOCUSED PUMP AND TREAT SYSTEM
ROWE INDUSTRIES SUPERFUND SITE
SAG HARBOR, NEW YORK
TETRACHLOROETHENE CONCENTRATIONS IN RECOVERED GROUND WATER
May 30, 2006 through June 30, 2006



APPENDIX I
2nd QUARTER 2006 LABORATORY ANALYTICAL REPORTS



NYSDOH	11418
NJDEP	NY050
CTDOH	PH-0205
PADEP	68-00573

Tuesday, May 23, 2006

Mark Goldberg
Leggette Brashears & Graham Inc.
4 Research Drive
Suite 301
Shelton, CT 06484

TEL: (203) 929-8555
FAX (203) 926-9140

RE: Rowe Industries

Order No.: 0605206

Dear Mark Goldberg:

American Analytical Laboratories, LLC. received 3 sample(s) on 5/19/2006 for the analyses presented in the following report.

Samples were analyzed in accordance with the test procedures documented on the chain of custody and detailed throughout the text of this report.

The limits provided in the data package are analytical reporting limits and not Federal or Local mandated values to which the sample results should be compared.

There were no problems with the analyses and all data for associated QC met laboratory specifications. If there are any exceptions a Case Narrative is provided in the report.

If you have any questions regarding these tests results, please do not hesitate to call (631) 454-6100 or email me directly at lbeyer@american-analytical.com.

Sincerely,

Lori Beyer
Lab Director

American Analytical Laboratories, LLC.

Date: 23-May-06

CLIENT: Leggette Brashears & Graham Inc.
Project: Rowe Industries
Lab Order: 0605206

Work Order Sample Summary

Lab Sample ID	Client Sample ID	Tag Number	Date Collected	Date Received
0605206-01A	FP+T Pre-Carbon		5/17/2006	5/19/2006
0605206-02A	FP+T Mid-Carbon		5/17/2006	5/19/2006
0605206-03A	FP+T Post-Carbon		5/17/2006	5/19/2006

56 TOLEDO STREET • FARMINGDALE, NEW YORK 11735
(631) 454-6100 • FAX (631) 454-8027

CHAIN OF CUSTODY / REQUEST FOR ANALYSIS DOCUMENT

[illegible]

WHITE-OFFICE / CANARY-LAB / PINK-SAMPLE CUSTODIAN / GOLDENROD-CLIENT

AMERICAN ANALYTICAL LABORATORIES, LLC

56 TOLEDO STREET

FARMINGDALE, NEW YORK 11735

TELEPHONE: (631) 454-6100

FAX: (631) 454-8027

DATA REPORTING QUALIFIERS

For reporting results, the following "Results Qualifiers" are used:

Value	If the result is greater than or equal to the detection limit, report the value
U	Indicates the compound was analyzed for but was not detected. Report the minimum detection limit for the sample with the U, i.e. "10U". This is not necessarily the instrument detection limit attainable for this particular sample based on any concentration or dilution that may have been required.
J	Indicates an estimated value. The flag is used: (1) When estimating a concentration for a tentatively identified compound (library search hits, where a 1:1 response is assumed.) (2) When the mass spectral data indicated the identification, however the result was less than the specified detection limit greater than zero. If the detection limit was 10ug/L and a concentration of 3ug/L was calculated report as 3J. This flag is used when similar situations arise on any organic parameter i.e. Pesticide, PCBs and others.
B	Indicates the analyte was found in the blank as well as the sample report "10B".
E	Indicates the analytes concentration exceeds the calibrated range of the instrument for that specific analysis.
D	This flag identifies all compounds identified in an analysis at a secondary dilution factor.
P	This flag is used for Pesticide / PCB target analyte when there is >25% difference for detected concentrations between the two GC Columns. The higher of the two values is reported on Form I and flagged with a "P".
N	This flag indicates presumptive evidence of a compound. This is only used for tentatively identified compounds (TICs), where the identification is based on a mass spectral library search. It applies to all TIC results. For generic characterization of a TIC, such as chlorinated hydrocarbon, the flag is not used.
H	Indicates sample was received and/or analyzed outside of The method allowable holding time

American Analytical Laboratories, LLC.

Date: 23-May-06

CLIENT: Leggette Brashears & Graham Inc.
Lab Order: 0605206
Project: Rowe Industries
Lab ID: 0605206-01A

Client Sample ID: FP+T Pre-Carbon
Tag Number:
Collection Date: 5/17/2006
Matrix: LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILE SW-846 8260 PLUS MTBE & FREON11		SW8260B		SW5030A		Analyst: MMR
1,1,1,2-Tetrachloroethane	U	1.0		µg/L	1	5/22/2006 3:19:00 PM
1,1,1-Trichloroethane	U	1.0		µg/L	1	5/22/2006 3:19:00 PM
1,1,2,2-Tetrachloroethane	U	1.0		µg/L	1	5/22/2006 3:19:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	U	1.0		µg/L	1	5/22/2006 3:19:00 PM
1,1,2-Trichloroethane	U	1.0		µg/L	1	5/22/2006 3:19:00 PM
1,1-Dichloroethane	U	1.0		µg/L	1	5/22/2006 3:19:00 PM
1,1-Dichloroethene	U	1.0		µg/L	1	5/22/2006 3:19:00 PM
1,1-Dichloropropene	U	1.0		µg/L	1	5/22/2006 3:19:00 PM
1,2,3-Trichlorobenzene	U	1.0		µg/L	1	5/22/2006 3:19:00 PM
1,2,3-Trichloropropane	U	1.0		µg/L	1	5/22/2006 3:19:00 PM
1,2,4-Trichlorobenzene	U	1.0		µg/L	1	5/22/2006 3:19:00 PM
1,2,4-Trimethylbenzene	U	1.0		µg/L	1	5/22/2006 3:19:00 PM
1,2-Dibromo-3-chloropropane	U	1.0		µg/L	1	5/22/2006 3:19:00 PM
1,2-Dibromoethane	U	1.0		µg/L	1	5/22/2006 3:19:00 PM
1,2-Dichlorobenzene	U	1.0		µg/L	1	5/22/2006 3:19:00 PM
1,2-Dichloroethane	U	1.0		µg/L	1	5/22/2006 3:19:00 PM
1,2-Dichloropropane	U	1.0		µg/L	1	5/22/2006 3:19:00 PM
1,3,5-Trimethylbenzene	U	1.0		µg/L	1	5/22/2006 3:19:00 PM
1,3-Dichlorobenzene	U	1.0		µg/L	1	5/22/2006 3:19:00 PM
1,3-dichloropropane	U	1.0		µg/L	1	5/22/2006 3:19:00 PM
1,4-Dichlorobenzene	U	1.0		µg/L	1	5/22/2006 3:19:00 PM
2,2-Dichloropropane	U	1.0		µg/L	1	5/22/2006 3:19:00 PM
2-Butanone	U	1.0		µg/L	1	5/22/2006 3:19:00 PM
2-Chloroethyl vinyl ether	U	1.0		µg/L	1	5/22/2006 3:19:00 PM
2-Chlorotoluene	U	1.0		µg/L	1	5/22/2006 3:19:00 PM
2-Hexanone	U	1.0		µg/L	1	5/22/2006 3:19:00 PM
4-Chlorotoluene	U	1.0		µg/L	1	5/22/2006 3:19:00 PM
4-Isopropyltoluene	U	1.0		µg/L	1	5/22/2006 3:19:00 PM
4-Methyl-2-pentanone	U	1.0		µg/L	1	5/22/2006 3:19:00 PM
Acetone	U	1.0		µg/L	1	5/22/2006 3:19:00 PM
Benzene	U	1.0		µg/L	1	5/22/2006 3:19:00 PM
Bromobenzene	U	1.0		µg/L	1	5/22/2006 3:19:00 PM
Bromochloromethane	U	1.0		µg/L	1	5/22/2006 3:19:00 PM
Bromodichloromethane	U	1.0		µg/L	1	5/22/2006 3:19:00 PM
Bromoform	U	1.0		µg/L	1	5/22/2006 3:19:00 PM
Bromomethane	U	1.0		µg/L	1	5/22/2006 3:19:00 PM
Carbon disulfide	U	1.0		µg/L	1	5/22/2006 3:19:00 PM
Carbon tetrachloride	U	1.0		µg/L	1	5/22/2006 3:19:00 PM
Chlorobenzene	U	1.0		µg/L	1	5/22/2006 3:19:00 PM

Qualifiers:
 B Analyte detected in the associated Method Blank
 H Holding times for preparation or analysis exceeded
 ND Not Detected at the Reporting Limit
 U Indicates the compound was analyzed for but not detected

E Value above quantitation range
 J Analyte detected below quantitation limits
 S Spike Recovery outside accepted recovery limits
 X Value exceeds Maximum Contaminant Level

American Analytical Laboratories, LLC.

Date: 23-May-06

CLIENT: Leggette Brashears & Graham Inc.
Lab Order: 0605206
Project: Rowe Industries
Lab ID: 0605206-01A

Client Sample ID: FP+T Pre-Carbon
Tag Number:
Collection Date: 5/17/2006
Matrix: LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILE SW-846 8260 PLUS MTBE & FREON11		SW8260B		SW5030A		Analyst: MMR
Chloroethane	U	1.0		µg/L	1	5/22/2006 3:19:00 PM
Chloroform	U	1.0		µg/L	1	5/22/2006 3:19:00 PM
Chloromethane	U	1.0		µg/L	1	5/22/2006 3:19:00 PM
cis-1,2-Dichloroethene	14	1.0		µg/L	1	5/22/2006 3:19:00 PM
cis-1,3-Dichloropropene	U	1.0		µg/L	1	5/22/2006 3:19:00 PM
Dibromochloromethane	U	1.0		µg/L	1	5/22/2006 3:19:00 PM
Dibromomethane	U	1.0		µg/L	1	5/22/2006 3:19:00 PM
Dichlorodifluoromethane	U	1.0		µg/L	1	5/22/2006 3:19:00 PM
Ethylbenzene	U	1.0		µg/L	1	5/22/2006 3:19:00 PM
Hexachlorobutadiene	U	1.0		µg/L	1	5/22/2006 3:19:00 PM
Isopropylbenzene	U	1.0		µg/L	1	5/22/2006 3:19:00 PM
m,p-Xylene	U	2.0		µg/L	1	5/22/2006 3:19:00 PM
Methyl tert-butyl ether	U	1.0		µg/L	1	5/22/2006 3:19:00 PM
Methylene chloride	U	1.0		µg/L	1	5/22/2006 3:19:00 PM
Naphthalene	U	1.0		µg/L	1	5/22/2006 3:19:00 PM
n-Butylbenzene	U	1.0		µg/L	1	5/22/2006 3:19:00 PM
n-Propylbenzene	U	1.0		µg/L	1	5/22/2006 3:19:00 PM
o-Xylene	U	1.0		µg/L	1	5/22/2006 3:19:00 PM
sec-Butylbenzene	U	1.0		µg/L	1	5/22/2006 3:19:00 PM
Styrene	U	1.0		µg/L	1	5/22/2006 3:19:00 PM
tert-Butylbenzene	U	1.0		µg/L	1	5/22/2006 3:19:00 PM
Tetrachloroethene	250	1.0		µg/L	1	5/22/2006 3:19:00 PM
Toluene	160	1.0		µg/L	1	5/22/2006 3:19:00 PM
trans-1,2-Dichloroethene	U	1.0		µg/L	1	5/22/2006 3:19:00 PM
trans-1,3-Dichloropropene	U	1.0		µg/L	1	5/22/2006 3:19:00 PM
Trichloroethene	U	1.0		µg/L	1	5/22/2006 3:19:00 PM
Trichlorofluoromethane	U	1.0		µg/L	1	5/22/2006 3:19:00 PM
Vinyl acetate	U	1.0		µg/L	1	5/22/2006 3:19:00 PM
Vinyl chloride	U	1.0		µg/L	1	5/22/2006 3:19:00 PM

Qualifiers:	B	Analyte detected in the associated Method Blank	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	S	Spike Recovery outside accepted recovery limits
	U	Indicates the compound was analyzed for but not detected	X	Value exceeds Maximum Contaminant Level

American Analytical Laboratories, LLC.

Date: 23-May-06

CLIENT: Leggette Brashears & Graham Inc.
Lab Order: 0605206
Project: Rowe Industries
Lab ID: 0605206-02A

Client Sample ID: FP+T Mid-Carbon
Tag Number:
Collection Date: 5/17/2006
Matrix: LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILE SW-846 8260 PLUS MTBE & FREON11		SW8260B		SW5030A		Analyst: MMR
1,1,1,2-Tetrachloroethane	U	1.0		µg/L	1	5/22/2006 3:57:00 PM
1,1,1-Trichloroethane	U	1.0		µg/L	1	5/22/2006 3:57:00 PM
1,1,2,2-Tetrachloroethane	U	1.0		µg/L	1	5/22/2006 3:57:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	U	1.0		µg/L	1	5/22/2006 3:57:00 PM
1,1,2-Trichloroethane	U	1.0		µg/L	1	5/22/2006 3:57:00 PM
1,1-Dichloroethane	U	1.0		µg/L	1	5/22/2006 3:57:00 PM
1,1-Dichloroethene	U	1.0		µg/L	1	5/22/2006 3:57:00 PM
1,1-Dichloropropene	U	1.0		µg/L	1	5/22/2006 3:57:00 PM
1,2,3-Trichlorobenzene	U	1.0		µg/L	1	5/22/2006 3:57:00 PM
1,2,3-Trichloropropane	U	1.0		µg/L	1	5/22/2006 3:57:00 PM
1,2,4-Trichlorobenzene	U	1.0		µg/L	1	5/22/2006 3:57:00 PM
1,2,4-Trimethylbenzene	U	1.0		µg/L	1	5/22/2006 3:57:00 PM
1,2-Dibromo-3-chloropropane	U	1.0		µg/L	1	5/22/2006 3:57:00 PM
1,2-Dibromoethane	U	1.0		µg/L	1	5/22/2006 3:57:00 PM
1,2-Dichlorobenzene	U	1.0		µg/L	1	5/22/2006 3:57:00 PM
1,2-Dichloroethane	U	1.0		µg/L	1	5/22/2006 3:57:00 PM
1,2-Dichloropropane	U	1.0		µg/L	1	5/22/2006 3:57:00 PM
1,3,5-Trimethylbenzene	U	1.0		µg/L	1	5/22/2006 3:57:00 PM
1,3-Dichlorobenzene	U	1.0		µg/L	1	5/22/2006 3:57:00 PM
1,3-dichloropropane	U	1.0		µg/L	1	5/22/2006 3:57:00 PM
1,4-Dichlorobenzene	U	1.0		µg/L	1	5/22/2006 3:57:00 PM
2,2-Dichloropropane	U	1.0		µg/L	1	5/22/2006 3:57:00 PM
2-Butanone	U	1.0		µg/L	1	5/22/2006 3:57:00 PM
2-Chloroethyl vinyl ether	U	1.0		µg/L	1	5/22/2006 3:57:00 PM
2-Chlorotoluene	U	1.0		µg/L	1	5/22/2006 3:57:00 PM
2-Hexanone	U	1.0		µg/L	1	5/22/2006 3:57:00 PM
4-Chlorotoluene	U	1.0		µg/L	1	5/22/2006 3:57:00 PM
4-Isopropyltoluene	U	1.0		µg/L	1	5/22/2006 3:57:00 PM
4-Methyl-2-pentanone	U	1.0		µg/L	1	5/22/2006 3:57:00 PM
Acetone	U	1.0		µg/L	1	5/22/2006 3:57:00 PM
Benzene	U	1.0		µg/L	1	5/22/2006 3:57:00 PM
Bromobenzene	U	1.0		µg/L	1	5/22/2006 3:57:00 PM
Bromochloromethane	U	1.0		µg/L	1	5/22/2006 3:57:00 PM
Bromodichloromethane	U	1.0		µg/L	1	5/22/2006 3:57:00 PM
Bromoform	U	1.0		µg/L	1	5/22/2006 3:57:00 PM
Bromomethane	U	1.0		µg/L	1	5/22/2006 3:57:00 PM
Carbon disulfide	U	1.0		µg/L	1	5/22/2006 3:57:00 PM
Carbon tetrachloride	U	1.0		µg/L	1	5/22/2006 3:57:00 PM
Chlorobenzene	U	1.0		µg/L	1	5/22/2006 3:57:00 PM

Qualifiers:	B	Analyte detected in the associated Method Blank	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	S	Spike Recovery outside accepted recovery limits
	U	Indicates the compound was analyzed for but not detected	X	Value exceeds Maximum Contaminant Level

American Analytical Laboratories, LLC.

Date: 23-May-06

CLIENT: Leggette Brashears & Graham Inc.
Lab Order: 0605206
Project: Rowe Industries
Lab ID: 0605206-02A

Client Sample ID: FP+T Mid-Carbon
Tag Number:
Collection Date: 5/17/2006
Matrix: LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILE SW-846 8260 PLUS MTBE & FREON11		SW8260B		SW5030A		Analyst: MMR
Chloroethane	U	1.0		µg/L	1	5/22/2006 3:57:00 PM
Chloroform	U	1.0		µg/L	1	5/22/2006 3:57:00 PM
Chloromethane	U	1.0		µg/L	1	5/22/2006 3:57:00 PM
cis-1,2-Dichloroethene	U	1.0		µg/L	1	5/22/2006 3:57:00 PM
cis-1,3-Dichloropropene	U	1.0		µg/L	1	5/22/2006 3:57:00 PM
Dibromochloromethane	U	1.0		µg/L	1	5/22/2006 3:57:00 PM
Dibromomethane	U	1.0		µg/L	1	5/22/2006 3:57:00 PM
Dichlorodifluoromethane	U	1.0		µg/L	1	5/22/2006 3:57:00 PM
Ethylbenzene	U	1.0		µg/L	1	5/22/2006 3:57:00 PM
Hexachlorobutadiene	U	1.0		µg/L	1	5/22/2006 3:57:00 PM
Isopropylbenzene	U	1.0		µg/L	1	5/22/2006 3:57:00 PM
m,p-Xylene	U	2.0		µg/L	1	5/22/2006 3:57:00 PM
Methyl tert-butyl ether	U	1.0		µg/L	1	5/22/2006 3:57:00 PM
Methylene chloride	U	1.0		µg/L	1	5/22/2006 3:57:00 PM
Naphthalene	U	1.0		µg/L	1	5/22/2006 3:57:00 PM
n-Butylbenzene	U	1.0		µg/L	1	5/22/2006 3:57:00 PM
n-Propylbenzene	U	1.0		µg/L	1	5/22/2006 3:57:00 PM
o-Xylene	U	1.0		µg/L	1	5/22/2006 3:57:00 PM
sec-Butylbenzene	U	1.0		µg/L	1	5/22/2006 3:57:00 PM
Styrene	U	1.0		µg/L	1	5/22/2006 3:57:00 PM
tert-Butylbenzene	U	1.0		µg/L	1	5/22/2006 3:57:00 PM
Tetrachloroethene	U	1.0		µg/L	1	5/22/2006 3:57:00 PM
Toluene	U	1.0		µg/L	1	5/22/2006 3:57:00 PM
trans-1,2-Dichloroethene	U	1.0		µg/L	1	5/22/2006 3:57:00 PM
trans-1,3-Dichloropropene	U	1.0		µg/L	1	5/22/2006 3:57:00 PM
Trichloroethene	U	1.0		µg/L	1	5/22/2006 3:57:00 PM
Trichlorofluoromethane	U	1.0		µg/L	1	5/22/2006 3:57:00 PM
Vinyl acetate	U	1.0		µg/L	1	5/22/2006 3:57:00 PM
Vinyl chloride	U	1.0		µg/L	1	5/22/2006 3:57:00 PM

Qualifiers:	B	Analyte detected in the associated Method Blank	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	S	Spike Recovery outside accepted recovery limits
	U	Indicates the compound was analyzed for but not detected	X	Value exceeds Maximum Contaminant Level

American Analytical Laboratories, LLC.

Date: 23-May-06

CLIENT: Leggette Brashears & Graham Inc.
Lab Order: 0605206
Project: Rowe Industries
Lab ID: 0605206-03A

Client Sample ID: FP+T Post-Carbon
Tag Number:
Collection Date: 5/17/2006
Matrix: LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILE SW-846 8260 PLUS MTBE & FREON11		SW8260B		SW5030A		Analyst: MMR
1,1,1,2-Tetrachloroethane	U	1.0		µg/L	1	5/22/2006 4:36:00 PM
1,1,1-Trichloroethane	U	1.0		µg/L	1	5/22/2006 4:36:00 PM
1,1,2,2-Tetrachloroethane	U	1.0		µg/L	1	5/22/2006 4:36:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	U	1.0		µg/L	1	5/22/2006 4:36:00 PM
1,1,2-Trichloroethane	U	1.0		µg/L	1	5/22/2006 4:36:00 PM
1,1-Dichloroethane	U	1.0		µg/L	1	5/22/2006 4:36:00 PM
1,1-Dichloroethane	U	1.0		µg/L	1	5/22/2006 4:36:00 PM
1,1-Dichloropropene	U	1.0		µg/L	1	5/22/2006 4:36:00 PM
1,2,3-Trichlorobenzene	U	1.0		µg/L	1	5/22/2006 4:36:00 PM
1,2,3-Trichloropropane	U	1.0		µg/L	1	5/22/2006 4:36:00 PM
1,2,4-Trichlorobenzene	U	1.0		µg/L	1	5/22/2006 4:36:00 PM
1,2,4-Trimethylbenzene	U	1.0		µg/L	1	5/22/2006 4:36:00 PM
1,2-Dibromo-3-chloropropane	U	1.0		µg/L	1	5/22/2006 4:36:00 PM
1,2-Dibromoethane	U	1.0		µg/L	1	5/22/2006 4:36:00 PM
1,2-Dichlorobenzene	U	1.0		µg/L	1	5/22/2006 4:36:00 PM
1,2-Dichloroethane	U	1.0		µg/L	1	5/22/2006 4:36:00 PM
1,2-Dichloropropane	U	1.0		µg/L	1	5/22/2006 4:36:00 PM
1,3,5-Trimethylbenzene	U	1.0		µg/L	1	5/22/2006 4:36:00 PM
1,3-Dichlorobenzene	U	1.0		µg/L	1	5/22/2006 4:36:00 PM
1,3-dichloropropane	U	1.0		µg/L	1	5/22/2006 4:36:00 PM
1,4-Dichlorobenzene	U	1.0		µg/L	1	5/22/2006 4:36:00 PM
2,2-Dichloropropane	U	1.0		µg/L	1	5/22/2006 4:36:00 PM
2-Butanone	U	1.0		µg/L	1	5/22/2006 4:36:00 PM
2-Chloroethyl vinyl ether	U	1.0		µg/L	1	5/22/2006 4:36:00 PM
2-Chlorotoluene	U	1.0		µg/L	1	5/22/2006 4:36:00 PM
2-Hexanone	U	1.0		µg/L	1	5/22/2006 4:36:00 PM
4-Chlorotoluene	U	1.0		µg/L	1	5/22/2006 4:36:00 PM
4-Isopropyltoluene	U	1.0		µg/L	1	5/22/2006 4:36:00 PM
4-Methyl-2-pentanone	U	1.0		µg/L	1	5/22/2006 4:36:00 PM
Acetone	U	1.0		µg/L	1	5/22/2006 4:36:00 PM
Benzene	U	1.0		µg/L	1	5/22/2006 4:36:00 PM
Bromobenzene	U	1.0		µg/L	1	5/22/2006 4:36:00 PM
Bromochloromethane	U	1.0		µg/L	1	5/22/2006 4:36:00 PM
Bromodichloromethane	U	1.0		µg/L	1	5/22/2006 4:36:00 PM
Bromoform	U	1.0		µg/L	1	5/22/2006 4:36:00 PM
Bromomethane	U	1.0		µg/L	1	5/22/2006 4:36:00 PM
Carbon disulfide	U	1.0		µg/L	1	5/22/2006 4:36:00 PM
Carbon tetrachloride	U	1.0		µg/L	1	5/22/2006 4:36:00 PM
Chlorobenzene	U	1.0		µg/L	1	5/22/2006 4:36:00 PM

Qualifiers:
 B Analyte detected in the associated Method Blank
 H Holding times for preparation or analysis exceeded
 ND Not Detected at the Reporting Limit
 U Indicates the compound was analyzed for but not detected

E Value above quantitation range
 J Analyte detected below quantitation limits
 S Spike Recovery outside accepted recovery limits
 X Value exceeds Maximum Contaminant Level

American Analytical Laboratories, LLC.

Date: 23-May-06

CLIENT: Leggette Brashears & Graham Inc.
Lab Order: 0605206
Project: Rowe Industries
Lab ID: 0605206-03A

Client Sample ID: FP+T Post-Carbon
Tag Number:
Collection Date: 5/17/2006
Matrix: LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILE SW-846 8260 PLUS MTBE & FREON11		SW8260B		SW5030A		Analyst: MMR
Chloroethane	U	1.0		µg/L	1	5/22/2006 4:36:00 PM
Chloroform	U	1.0		µg/L	1	5/22/2006 4:36:00 PM
Chloromethane	U	1.0		µg/L	1	5/22/2006 4:36:00 PM
cis-1,2-Dichloroethane	U	1.0		µg/L	1	5/22/2006 4:36:00 PM
cis-1,3-Dichloropropene	U	1.0		µg/L	1	5/22/2006 4:36:00 PM
Dibromochloromethane	U	1.0		µg/L	1	5/22/2006 4:36:00 PM
Dibromomethane	U	1.0		µg/L	1	5/22/2006 4:36:00 PM
Dichlorodifluoromethane	U	1.0		µg/L	1	5/22/2006 4:36:00 PM
Ethylbenzene	U	1.0		µg/L	1	5/22/2006 4:36:00 PM
Hexachlorobutadiene	U	1.0		µg/L	1	5/22/2006 4:36:00 PM
Isopropylbenzene	U	1.0		µg/L	1	5/22/2006 4:36:00 PM
m,p-Xylene	U	2.0		µg/L	1	5/22/2006 4:36:00 PM
Methyl tert-butyl ether	U	1.0		µg/L	1	5/22/2006 4:36:00 PM
Methylene chloride	U	1.0		µg/L	1	5/22/2006 4:36:00 PM
Naphthalene	U	1.0		µg/L	1	5/22/2006 4:36:00 PM
n-Butylbenzene	U	1.0		µg/L	1	5/22/2006 4:36:00 PM
n-Propylbenzene	U	1.0		µg/L	1	5/22/2006 4:36:00 PM
o-Xylene	U	1.0		µg/L	1	5/22/2006 4:36:00 PM
sec-Butylbenzene	U	1.0		µg/L	1	5/22/2006 4:36:00 PM
Styrene	U	1.0		µg/L	1	5/22/2006 4:36:00 PM
tert-Butylbenzene	U	1.0		µg/L	1	5/22/2006 4:36:00 PM
Tetrachloroethene	U	1.0		µg/L	1	5/22/2006 4:36:00 PM
Toluene	U	1.0		µg/L	1	5/22/2006 4:36:00 PM
trans-1,2-Dichloroethene	U	1.0		µg/L	1	5/22/2006 4:36:00 PM
trans-1,3-Dichloropropene	U	1.0		µg/L	1	5/22/2006 4:36:00 PM
Trichloroethene	U	1.0		µg/L	1	5/22/2006 4:36:00 PM
Trichlorofluoromethane	U	1.0		µg/L	1	5/22/2006 4:36:00 PM
Vinyl acetate	U	1.0		µg/L	1	5/22/2006 4:36:00 PM
Vinyl chloride	U	1.0		µg/L	1	5/22/2006 4:36:00 PM

Qualifiers:	B	Analyte detected in the associated Method Blank	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	S	Spike Recovery outside accepted recovery limits
	U	Indicates the compound was analyzed for but not detected	X	Value exceeds Maximum Contaminant Level



NYSDOH 11418
NJDEP NY050
CTDOH PH-0205
PADEP 68-00573

Wednesday, June 07, 2006

Mark Goldberg
Leggette Brashears & Graham Inc.
4 Research Drive
Suite 301
Shelton, CT 06484

TEL: (203) 929-8555

FAX (203) 926-9140

RE: Rowe Industries

Order No.: 0606033

Dear Mark Goldberg:

American Analytical Laboratories, LLC. received 7 sample(s) on 6/2/2006 for the analyses presented in the following report.

Samples were analyzed in accordance with the test procedures documented on the chain of custody and detailed throughout the text of this report.

The limits provided in the data package are analytical reporting limits and not Federal or Local mandated values to which the sample results should be compared.

There were no problems with the analyses and all data for associated QC met laboratory specifications. If there are any exceptions a Case Narrative is provided in the report.

If you have any questions regarding these tests results, please do not hesitate to call (631) 454-6100 or email me directly at lbeyer@american-analytical.com.

Sincerely,


Lori Beyer
Lab Director

American Analytical Laboratories, LLC.**Date:** 07-Jun-06**CLIENT:** Leggette Brashears & Graham Inc.**Project:** Rowe Industries**Lab Order:** 0606033**Work Order Sample Summary**

Lab Sample ID	Client Sample ID	Tag Number	Date Collected	Date Received
0606033-01A	FPT-Pre-Carbon	2624	5/30/2006	6/2/2006
0606033-02A	FPT-Mid-Carbon	2624	5/30/2006	6/2/2006
0606033-03A	FPT Post-Carbon	2624	5/30/2006	6/2/2006
0606033-04A	FRW-1	2624	5/30/2006	6/2/2006
0606033-05A	FRW-2	2624	5/30/2006	6/2/2006
0606033-06A	FRW-3	2624	5/30/2006	6/2/2006
0606033-07A	FRW-4	2624	5/30/2006	6/2/2006

56 TOLEDO STREET • FARMINGDALE, NEW YORK, 11735
(631) 454-6100 • FAX (631) 454-8027

TAG # / COC 2624

CHAIN OF CUSTODY / REQUEST FOR ANALYSIS DOCUMENT

[illegible]

WHITE-OFFICE / CANARY-LAB / PINK-SAMPLE CUSTODIAN / GOLDENROD-CLIENT

AMERICAN ANALYTICAL LABORATORIES, LLC

56 TOLEDO STREET

FARMINGDALE, NEW YORK 11735

TELEPHONE: (631) 454-6100

FAX: (631) 454-8027

DATA REPORTING QUALIFIERS

For reporting results, the following "Results Qualifiers" are used:

Value	If the result is greater than or equal to the detection limit, report the value
U	Indicates the compound was analyzed for but was not detected. Report the minimum detection limit for the sample with the U, i.e. "10U". This is not necessarily the instrument detection limit attainable for this particular sample based on any concentration or dilution that may have been required.
J	Indicates an estimated value. The flag is used: (1) When estimating a concentration for a tentatively identified compound (library search hits, where a 1:1 response is assumed.) (2) When the mass spectral data indicated the identification, however the result was less than the specified detection limit greater than zero. If the detection limit was 10ug/L and a concentration of 3ug/L was calculated report as 3J. This flag is used when similar situations arise on any organic parameter i.e. Pesticide, PCBs and others.
B	Indicates the analyte was found in the blank as well as the sample report "10B".
E	Indicates the analytes concentration exceeds the calibrated range of the instrument for that specific analysis.
D	This flag identifies all compounds identified in an analysis at a secondary dilution factor.
P	This flag is used for Pesticide / PCB target analyte when there is >25% difference for detected concentrations between the two GC Columns. The higher of the two values is reported on Form I and flagged with a "P".
N	This flag indicates presumptive evidence of a compound. This is only used for tentatively identified compounds (TICs), where the identification is based on a mass spectral library search. It applies to all TIC results. For generic characterization of a TIC, such as chlorinated hydrocarbon, the flag is not used.
H	Indicates sample was received and/or analyzed outside of The method allowable holding time

American Analytical Laboratories, LLC.

Date: 07-Jun-06

CLIENT: Leggette Brashears & Graham Inc.
Lab Order: 0606033
Project: Rowe Industries
Lab ID: 0606033-01A

Client Sample ID: FPT-Pre-Carbon
Tag Number: 2624
Collection Date: 5/30/2006
Matrix: LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILE SW-846 8260 PLUS MTBE & FREON11		SW8260B		SW5030A		Analyst: LDS
1,1,1,2-Tetrachloroethane	U	1.0		µg/L	1	6/6/2006 1:57:00 AM
1,1,1-Trichloroethane	U	1.0		µg/L	1	6/6/2006 1:57:00 AM
1,1,2,2-Tetrachloroethane	U	1.0		µg/L	1	6/6/2006 1:57:00 AM
1,1,2-Trichloro-1,2,2-trifluoroethane	U	1.0		µg/L	1	6/6/2006 1:57:00 AM
1,1,2-Trichloroethane	U	1.0		µg/L	1	6/6/2006 1:57:00 AM
1,1-Dichloroethane	U	1.0		µg/L	1	6/6/2006 1:57:00 AM
1,1-Dichloroethene	U	1.0		µg/L	1	6/6/2006 1:57:00 AM
1,1-Dichloropropene	U	1.0		µg/L	1	6/6/2006 1:57:00 AM
1,2,3-Trichlorobenzene	U	1.0		µg/L	1	6/6/2006 1:57:00 AM
1,2,3-Trichloropropane	U	1.0		µg/L	1	6/6/2006 1:57:00 AM
1,2,4-Trichlorobenzene	U	1.0		µg/L	1	6/6/2006 1:57:00 AM
1,2,4-Trimethylbenzene	U	1.0		µg/L	1	6/6/2006 1:57:00 AM
1,2-Dibromo-3-chloropropane	U	1.0		µg/L	1	6/6/2006 1:57:00 AM
1,2-Dibromoethane	U	1.0		µg/L	1	6/6/2006 1:57:00 AM
1,2-Dichlorobenzene	U	1.0		µg/L	1	6/6/2006 1:57:00 AM
1,2-Dichloroethane	U	1.0		µg/L	1	6/6/2006 1:57:00 AM
1,2-Dichloropropane	U	1.0		µg/L	1	6/6/2006 1:57:00 AM
1,3,5-Trimethylbenzene	U	1.0		µg/L	1	6/6/2006 1:57:00 AM
1,3-Dichlorobenzene	U	1.0		µg/L	1	6/6/2006 1:57:00 AM
1,3-dichloropropane	U	1.0		µg/L	1	6/6/2006 1:57:00 AM
1,4-Dichlorobenzene	U	1.0		µg/L	1	6/6/2006 1:57:00 AM
2,2-Dichloropropane	U	1.0		µg/L	1	6/6/2006 1:57:00 AM
2-Butanone	U	1.0		µg/L	1	6/6/2006 1:57:00 AM
2-Chloroethyl vinyl ether	U	1.0		µg/L	1	6/6/2006 1:57:00 AM
2-Chlorotoluene	U	1.0		µg/L	1	6/6/2006 1:57:00 AM
2-Hexanone	U	1.0		µg/L	1	6/6/2006 1:57:00 AM
4-Chlorotoluene	U	1.0		µg/L	1	6/6/2006 1:57:00 AM
4-Isopropyltoluene	U	1.0		µg/L	1	6/6/2006 1:57:00 AM
4-Methyl-2-pentanone	U	1.0		µg/L	1	6/6/2006 1:57:00 AM
Acetone	U	1.0		µg/L	1	6/6/2006 1:57:00 AM
Benzene	U	1.0		µg/L	1	6/6/2006 1:57:00 AM
Bromobenzene	U	1.0		µg/L	1	6/6/2006 1:57:00 AM
Bromochloromethane	U	1.0		µg/L	1	6/6/2006 1:57:00 AM
Bromodichloromethane	U	1.0		µg/L	1	6/6/2006 1:57:00 AM
Bromoform	U	1.0		µg/L	1	6/6/2006 1:57:00 AM
Bromomethane	U	1.0		µg/L	1	6/6/2006 1:57:00 AM
Carbon disulfide	U	1.0		µg/L	1	6/6/2006 1:57:00 AM
Carbon tetrachloride	U	1.0		µg/L	1	6/6/2006 1:57:00 AM
Chlorobenzene	U	1.0		µg/L	1	6/6/2006 1:57:00 AM

Qualifiers: B Analyte detected in the associated Method Blank
H Holding times for preparation or analysis exceeded
ND Not Detected at the Reporting Limit
U Indicates the compound was analyzed for but not detected

E Value above quantitation range
J Analyte detected below quantitation limits
S Spike Recovery outside accepted recovery limits
X Value exceeds Maximum Contaminant Level

American Analytical Laboratories, LLC.

Date: 07-Jun-06

CLIENT: Leggette Brashears & Graham Inc.
Lab Order: 0606033
Project: Rowe Industries
Lab ID: 0606033-01A

Client Sample ID: FPT-Pre-Carbon
Tag Number: 2624
Collection Date: 5/30/2006
Matrix: LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILE SW-846 8260 PLUS MTBE & FREON11						Analyst: LDS
		SW8260B		SW5030A		
Chloroethane	U	1.0		µg/L	1	6/6/2006 1:57:00 AM
Chloroform	U	1.0		µg/L	1	6/6/2006 1:57:00 AM
Chloromethane	U	1.0		µg/L	1	6/6/2006 1:57:00 AM
cis-1,2-Dichloroethene	24	1.0		µg/L	1	6/6/2006 1:57:00 AM
cis-1,3-Dichloropropene	U	1.0		µg/L	1	6/6/2006 1:57:00 AM
Dibromochloromethane	U	1.0		µg/L	1	6/6/2006 1:57:00 AM
Dibromomethane	U	1.0		µg/L	1	6/6/2006 1:57:00 AM
Dichlorodifluoromethane	U	1.0		µg/L	1	6/6/2006 1:57:00 AM
Ethylbenzene	U	1.0		µg/L	1	6/6/2006 1:57:00 AM
Hexachlorobutadiene	U	1.0		µg/L	1	6/6/2006 1:57:00 AM
Isopropylbenzene	1.7	1.0		µg/L	1	6/6/2006 1:57:00 AM
m,p-Xylene	U	2.0		µg/L	1	6/6/2006 1:57:00 AM
Methyl tert-butyl ether	U	1.0		µg/L	1	6/6/2006 1:57:00 AM
Methylene chloride	U	1.0		µg/L	1	6/6/2006 1:57:00 AM
Naphthalene	U	1.0		µg/L	1	6/6/2006 1:57:00 AM
n-Butylbenzene	U	1.0		µg/L	1	6/6/2006 1:57:00 AM
n-Propylbenzene	1.6	1.0		µg/L	1	6/6/2006 1:57:00 AM
o-Xylene	U	1.0		µg/L	1	6/6/2006 1:57:00 AM
sec-Butylbenzene	U	1.0		µg/L	1	6/6/2006 1:57:00 AM
Styrene	U	1.0		µg/L	1	6/6/2006 1:57:00 AM
tert-Butylbenzene	U	1.0		µg/L	1	6/6/2006 1:57:00 AM
Tetrachloroethene	210	1.0		µg/L	1	6/6/2006 1:57:00 AM
Toluene	310	1.0		µg/L	1	6/6/2006 1:57:00 AM
trans-1,2-Dichloroethene	U	1.0		µg/L	1	6/6/2006 1:57:00 AM
trans-1,3-Dichloropropene	U	1.0		µg/L	1	6/6/2006 1:57:00 AM
Trichloroethene	11	1.0		µg/L	1	6/6/2006 1:57:00 AM
Trichlorofluoromethane	U	1.0		µg/L	1	6/6/2006 1:57:00 AM
Vinyl acetate	U	1.0		µg/L	1	6/6/2006 1:57:00 AM
Vinyl chloride	U	1.0		µg/L	1	6/6/2006 1:57:00 AM

Qualifiers:	B	Analyte detected in the associated Method Blank	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	S	Spike Recovery outside accepted recovery limits
	U	Indicates the compound was analyzed for but not detected	X	Value exceeds Maximum Contaminant Level

American Analytical Laboratories, LLC.

Date: 07-Jun-06

CLIENT: Leggette Brashears & Graham Inc.
Lab Order: 0606033
Project: Rowe Industries
Lab ID: 0606033-02A

Client Sample ID: FPT-Mid-Carbon
Tag Number: 2624
Collection Date: 5/30/2006
Matrix: LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILE SW-846 8260 PLUS MTBE & FREON11		SW8260B		SW5030A		Analyst: LDS
1,1,1,2-Tetrachloroethane	U	1.0		µg/L	1	6/6/2006 2:34:00 AM
1,1,1-Trichloroethane	U	1.0		µg/L	1	6/6/2006 2:34:00 AM
1,1,2,2-Tetrachloroethane	U	1.0		µg/L	1	6/6/2006 2:34:00 AM
1,1,2-Trichloro-1,2,2-trifluoroethane	U	1.0		µg/L	1	6/6/2006 2:34:00 AM
1,1,2-Trichloroethane	U	1.0		µg/L	1	6/6/2006 2:34:00 AM
1,1-Dichloroethane	U	1.0		µg/L	1	6/6/2006 2:34:00 AM
1,1-Dichloroethene	U	1.0		µg/L	1	6/6/2006 2:34:00 AM
1,1-Dichloropropene	U	1.0		µg/L	1	6/6/2006 2:34:00 AM
1,2,3-Trichlorobenzene	U	1.0		µg/L	1	6/6/2006 2:34:00 AM
1,2,3-Trichloropropene	U	1.0		µg/L	1	6/6/2006 2:34:00 AM
1,2,4-Trichlorobenzene	U	1.0		µg/L	1	6/6/2006 2:34:00 AM
1,2,4-Trimethylbenzene	U	1.0		µg/L	1	6/6/2006 2:34:00 AM
1,2-Dibromo-3-chloropropene	U	1.0		µg/L	1	6/6/2006 2:34:00 AM
1,2-Dibromoethane	U	1.0		µg/L	1	6/6/2006 2:34:00 AM
1,2-Dichlorobenzene	U	1.0		µg/L	1	6/6/2006 2:34:00 AM
1,2-Dichloroethane	U	1.0		µg/L	1	6/6/2006 2:34:00 AM
1,2-Dichloropropene	U	1.0		µg/L	1	6/6/2006 2:34:00 AM
1,3,5-Trimethylbenzene	U	1.0		µg/L	1	6/6/2006 2:34:00 AM
1,3-Dichlorobenzene	U	1.0		µg/L	1	6/6/2006 2:34:00 AM
1,3-dichloropropene	U	1.0		µg/L	1	6/6/2006 2:34:00 AM
1,4-Dichlorobenzene	U	1.0		µg/L	1	6/6/2006 2:34:00 AM
2,2-Dichloropropene	U	1.0		µg/L	1	6/6/2006 2:34:00 AM
2-Butanone	U	1.0		µg/L	1	6/6/2006 2:34:00 AM
2-Chloroethyl vinyl ether	U	1.0		µg/L	1	6/6/2006 2:34:00 AM
2-Chlorotoluene	U	1.0		µg/L	1	6/6/2006 2:34:00 AM
2-Hexanone	U	1.0		µg/L	1	6/6/2006 2:34:00 AM
4-Chlorotoluene	U	1.0		µg/L	1	6/6/2006 2:34:00 AM
4-Isopropyltoluene	U	1.0		µg/L	1	6/6/2006 2:34:00 AM
4-Methyl-2-pentanone	U	1.0		µg/L	1	6/6/2006 2:34:00 AM
Acetone	U	1.0		µg/L	1	6/6/2006 2:34:00 AM
Benzene	U	1.0		µg/L	1	6/6/2006 2:34:00 AM
Bromobenzene	U	1.0		µg/L	1	6/6/2006 2:34:00 AM
Bromochloromethane	U	1.0		µg/L	1	6/6/2006 2:34:00 AM
Bromodichloromethane	U	1.0		µg/L	1	6/6/2006 2:34:00 AM
Bromofom	U	1.0		µg/L	1	6/6/2006 2:34:00 AM
Bromomethane	U	1.0		µg/L	1	6/6/2006 2:34:00 AM
Carbon disulfide	U	1.0		µg/L	1	6/6/2006 2:34:00 AM
Carbon tetrachloride	U	1.0		µg/L	1	6/6/2006 2:34:00 AM
Chlorobenzene	U	1.0		µg/L	1	6/6/2006 2:34:00 AM

Qualifiers:	B	Analyte detected in the associated Method Blank	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	S	Spike Recovery outside accepted recovery limits
	U	Indicates the compound was analyzed for but not detected	X	Value exceeds Maximum Contaminant Level

American Analytical Laboratories, LLC.

Date: 07-Jun-06

CLIENT: Leggette Brashears & Graham Inc.
Lab Order: 0606033
Project: Rowe Industries
Lab ID: 0606033-02A

Client Sample ID: FPT-Mid-Carbon
Tag Number: 2624
Collection Date: 5/30/2006
Matrix: LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILE SW-846 8260 PLUS MTBE & FREON11		SW8260B		SW5030A		Analyst: LDS
Chloroethane	U	1.0		µg/L	1	6/6/2006 2:34:00 AM
Chloroform	U	1.0		µg/L	1	6/6/2006 2:34:00 AM
Chloromethane	U	1.0		µg/L	1	6/6/2006 2:34:00 AM
cis-1,2-Dichloroethene	U	1.0		µg/L	1	6/6/2006 2:34:00 AM
cis-1,3-Dichloropropene	U	1.0		µg/L	1	6/6/2006 2:34:00 AM
Dibromochloromethane	U	1.0		µg/L	1	6/6/2006 2:34:00 AM
Dibromomethane	U	1.0		µg/L	1	6/6/2006 2:34:00 AM
Dichlorodifluoromethane	U	1.0		µg/L	1	6/6/2006 2:34:00 AM
Ethylbenzene	U	1.0		µg/L	1	6/6/2006 2:34:00 AM
Hexachlorobutadiene	U	1.0		µg/L	1	6/6/2006 2:34:00 AM
Isopropylbenzene	U	1.0		µg/L	1	6/6/2006 2:34:00 AM
m,p-Xylene	U	2.0		µg/L	1	6/6/2006 2:34:00 AM
Methyl tert-butyl ether	U	1.0		µg/L	1	6/6/2006 2:34:00 AM
Methylene chloride	U	1.0		µg/L	1	6/6/2006 2:34:00 AM
Naphthalene	U	1.0		µg/L	1	6/6/2006 2:34:00 AM
n-Butylbenzene	U	1.0		µg/L	1	6/6/2006 2:34:00 AM
n-Propylbenzene	U	1.0		µg/L	1	6/6/2006 2:34:00 AM
o-Xylene	U	1.0		µg/L	1	6/6/2006 2:34:00 AM
sec-Butylbenzene	U	1.0		µg/L	1	6/6/2006 2:34:00 AM
Styrene	U	1.0		µg/L	1	6/6/2006 2:34:00 AM
tert-Butylbenzene	U	1.0		µg/L	1	6/6/2006 2:34:00 AM
Tetrachloroethene	U	1.0		µg/L	1	6/6/2006 2:34:00 AM
Toluene	U	1.0		µg/L	1	6/6/2006 2:34:00 AM
trans-1,2-Dichloroethene	U	1.0		µg/L	1	6/6/2006 2:34:00 AM
trans-1,3-Dichloropropene	U	1.0		µg/L	1	6/6/2006 2:34:00 AM
Trichloroethene	U	1.0		µg/L	1	6/6/2006 2:34:00 AM
Trichlorofluoromethane	U	1.0		µg/L	1	6/6/2006 2:34:00 AM
Vinyl acetate	U	1.0		µg/L	1	6/6/2006 2:34:00 AM
Vinyl chloride	U	1.0		µg/L	1	6/6/2006 2:34:00 AM

Qualifiers:	B	Analyte detected in the associated Method Blank	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	S	Spike Recovery outside accepted recovery limits
	U	Indicates the compound was analyzed for but not detected	X	Value exceeds Maximum Contaminant Level

American Analytical Laboratories, LLC.

Date: 07-Jun-06

CLIENT: Leggette Brashears & Graham Inc.
Lab Order: 0606033
Project: Rowe Industries
Lab ID: 0606033-03A

Client Sample ID: FPT Post-Carbon
Tag Number: 2624
Collection Date: 5/30/2006
Matrix: LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILE SW-846 8260 PLUS MTBE & FREON11		SW8260B		SW5030A		Analyst: LDS
1,1,1,2-Tetrachloroethane	U	1.0		µg/L	1	6/6/2006 3:11:00 AM
1,1,1-Trichloroethane	U	1.0		µg/L	1	6/6/2006 3:11:00 AM
1,1,2,2-Tetrachloroethane	U	1.0		µg/L	1	6/6/2006 3:11:00 AM
1,1,2-Trichloro-1,2,2-trifluoroethane	U	1.0		µg/L	1	6/6/2006 3:11:00 AM
1,1,2-Trichloroethane	U	1.0		µg/L	1	6/6/2006 3:11:00 AM
1,1-Dichloroethane	U	1.0		µg/L	1	6/6/2006 3:11:00 AM
1,1-Dichloroethene	U	1.0		µg/L	1	6/6/2006 3:11:00 AM
1,1-Dichloropropene	U	1.0		µg/L	1	6/6/2006 3:11:00 AM
1,2,3-Trichlorobenzene	U	1.0		µg/L	1	6/6/2006 3:11:00 AM
1,2,3-Trichloropropane	U	1.0		µg/L	1	6/6/2006 3:11:00 AM
1,2,4-Trichlorobenzene	U	1.0		µg/L	1	6/6/2006 3:11:00 AM
1,2,4-Trimethylbenzene	U	1.0		µg/L	1	6/6/2006 3:11:00 AM
1,2-Dibromo-3-chloropropane	U	1.0		µg/L	1	6/6/2006 3:11:00 AM
1,2-Dibromoethane	U	1.0		µg/L	1	6/6/2006 3:11:00 AM
1,2-Dichlorobenzene	U	1.0		µg/L	1	6/6/2006 3:11:00 AM
1,2-Dichloroethane	U	1.0		µg/L	1	6/6/2006 3:11:00 AM
1,2-Dichloropropane	U	1.0		µg/L	1	6/6/2006 3:11:00 AM
1,3,5-Trimethylbenzene	U	1.0		µg/L	1	6/6/2006 3:11:00 AM
1,3-Dichlorobenzene	U	1.0		µg/L	1	6/6/2006 3:11:00 AM
1,3-dichloropropane	U	1.0		µg/L	1	6/6/2006 3:11:00 AM
1,4-Dichlorobenzene	U	1.0		µg/L	1	6/6/2006 3:11:00 AM
2,2-Dichloropropane	U	1.0		µg/L	1	6/6/2006 3:11:00 AM
2-Butanone	U	1.0		µg/L	1	6/6/2006 3:11:00 AM
2-Chloroethyl vinyl ether	U	1.0		µg/L	1	6/6/2006 3:11:00 AM
2-Chlorotoluene	U	1.0		µg/L	1	6/6/2006 3:11:00 AM
2-Hexanone	U	1.0		µg/L	1	6/6/2006 3:11:00 AM
4-Chlorotoluene	U	1.0		µg/L	1	6/6/2006 3:11:00 AM
4-Isopropyltoluene	U	1.0		µg/L	1	6/6/2006 3:11:00 AM
4-Methyl-2-pentanone	U	1.0		µg/L	1	6/6/2006 3:11:00 AM
Acetone	U	1.0		µg/L	1	6/6/2006 3:11:00 AM
Benzene	U	1.0		µg/L	1	6/6/2006 3:11:00 AM
Bromobenzene	U	1.0		µg/L	1	6/6/2006 3:11:00 AM
Bromochloromethane	U	1.0		µg/L	1	6/6/2006 3:11:00 AM
Bromodichloromethane	U	1.0		µg/L	1	6/6/2006 3:11:00 AM
Bromoform	U	1.0		µg/L	1	6/6/2006 3:11:00 AM
Bromomethane	U	1.0		µg/L	1	6/6/2006 3:11:00 AM
Carbon disulfide	U	1.0		µg/L	1	6/6/2006 3:11:00 AM
Carbon tetrachloride	U	1.0		µg/L	1	6/6/2006 3:11:00 AM
Chlorobenzene	U	1.0		µg/L	1	6/6/2006 3:11:00 AM

Qualifiers:	B	Analyte detected in the associated Method Blank	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	S	Spike Recovery outside accepted recovery limits
	U	Indicates the compound was analyzed for but not detected	X	Value exceeds Maximum Contaminant Level

American Analytical Laboratories, LLC.

Date: 07-Jun-06

CLIENT: Leggette Brashears & Graham Inc.
Lab Order: 0606033
Project: Rowe Industries
Lab ID: 0606033-03A

Client Sample ID: FPT Post-Carbon
Tag Number: 2624
Collection Date: 5/30/2006
Matrix: LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILE SW-846 8260 PLUS MTBE & FREON11		SW8260B		SW5030A		Analyst: LDS
Chloroethane	U	1.0		µg/L	1	6/6/2006 3:11:00 AM
Chloroform	U	1.0		µg/L	1	6/6/2006 3:11:00 AM
Chloromethane	U	1.0		µg/L	1	6/6/2006 3:11:00 AM
cis-1,2-Dichloroethene	U	1.0		µg/L	1	6/6/2006 3:11:00 AM
cis-1,3-Dichloropropene	U	1.0		µg/L	1	6/6/2006 3:11:00 AM
Dibromochloromethane	U	1.0		µg/L	1	6/6/2006 3:11:00 AM
Dibromomethane	U	1.0		µg/L	1	6/6/2006 3:11:00 AM
Dichlorodifluoromethane	U	1.0		µg/L	1	6/6/2006 3:11:00 AM
Ethylbenzene	U	1.0		µg/L	1	6/6/2006 3:11:00 AM
Hexachlorobutadiene	U	1.0		µg/L	1	6/6/2006 3:11:00 AM
Isopropylbenzene	U	1.0		µg/L	1	6/6/2006 3:11:00 AM
m,p-Xylene	U	2.0		µg/L	1	6/6/2006 3:11:00 AM
Methyl tert-butyl ether	U	1.0		µg/L	1	6/6/2006 3:11:00 AM
Methylene chloride	U	1.0		µg/L	1	6/6/2006 3:11:00 AM
Naphthalene	U	1.0		µg/L	1	6/6/2006 3:11:00 AM
n-Butylbenzene	U	1.0		µg/L	1	6/6/2006 3:11:00 AM
n-Propylbenzene	U	1.0		µg/L	1	6/6/2006 3:11:00 AM
o-Xylene	U	1.0		µg/L	1	6/6/2006 3:11:00 AM
sec-Butylbenzene	U	1.0		µg/L	1	6/6/2006 3:11:00 AM
Styrene	U	1.0		µg/L	1	6/6/2006 3:11:00 AM
tert-Butylbenzene	U	1.0		µg/L	1	6/6/2006 3:11:00 AM
Tetrachloroethene	U	1.0		µg/L	1	6/6/2006 3:11:00 AM
Toluene	U	1.0		µg/L	1	6/6/2006 3:11:00 AM
trans-1,2-Dichloroethene	U	1.0		µg/L	1	6/6/2006 3:11:00 AM
trans-1,3-Dichloropropene	U	1.0		µg/L	1	6/6/2006 3:11:00 AM
Trichloroethene	U	1.0		µg/L	1	6/6/2006 3:11:00 AM
Trichlorofluoromethane	U	1.0		µg/L	1	6/6/2006 3:11:00 AM
Vinyl acetate	U	1.0		µg/L	1	6/6/2006 3:11:00 AM
Vinyl chloride	U	1.0		µg/L	1	6/6/2006 3:11:00 AM

Qualifiers:	B	Analyte detected in the associated Method Blank	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	S	Spike Recovery outside accepted recovery limits
	U	Indicates the compound was analyzed for but not detected	X	Value exceeds Maximum Contaminant Level

American Analytical Laboratories, LLC.

Date: 07-Jun-06

CLIENT: Leggett Brashears & Graham Inc.
Lab Order: 0606033
Project: Rowe Industries
Lab ID: 0606033-04A

Client Sample ID: FRW-1
Tag Number: 2624
Collection Date: 5/30/2006
Matrix: LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILE SW-846 8260 PLUS MTBE & FREON11		SW8260B		SW5030A		Analyst: LDS
1,1,1,2-Tetrachloroethane	U	1.0		µg/L	1	6/6/2006 3:47:00 AM
1,1,1-Trichloroethane	U	1.0		µg/L	1	6/6/2006 3:47:00 AM
1,1,2,2-Tetrachloroethane	U	1.0		µg/L	1	6/6/2006 3:47:00 AM
1,1,2-Trichloro-1,2,2-trifluoroethane	U	1.0		µg/L	1	6/6/2006 3:47:00 AM
1,1,2-Trichloroethane	U	1.0		µg/L	1	6/6/2006 3:47:00 AM
1,1-Dichloroethane	U	1.0		µg/L	1	6/6/2006 3:47:00 AM
1,1-Dichloroethene	U	1.0		µg/L	1	6/6/2006 3:47:00 AM
1,1-Dichloropropene	U	1.0		µg/L	1	6/6/2006 3:47:00 AM
1,2,3-Trichlorobenzene	U	1.0		µg/L	1	6/6/2006 3:47:00 AM
1,2,3-Trichloropropane	U	1.0		µg/L	1	6/6/2006 3:47:00 AM
1,2,4-Trichlorobenzene	U	1.0		µg/L	1	6/6/2006 3:47:00 AM
1,2,4-Trimethylbenzene	U	1.0		µg/L	1	6/6/2006 3:47:00 AM
1,2-Dibromo-3-chloropropane	U	1.0		µg/L	1	6/6/2006 3:47:00 AM
1,2-Dibromoethane	U	1.0		µg/L	1	6/6/2006 3:47:00 AM
1,2-Dichlorobenzene	U	1.0		µg/L	1	6/6/2006 3:47:00 AM
1,2-Dichloroethane	U	1.0		µg/L	1	6/6/2006 3:47:00 AM
1,2-Dichloropropane	U	1.0		µg/L	1	6/6/2006 3:47:00 AM
1,3,5-Trimethylbenzene	U	1.0		µg/L	1	6/6/2006 3:47:00 AM
1,3-Dichlorobenzene	U	1.0		µg/L	1	6/6/2006 3:47:00 AM
1,3-dichloropropane	U	1.0		µg/L	1	6/6/2006 3:47:00 AM
1,4-Dichlorobenzene	U	1.0		µg/L	1	6/6/2006 3:47:00 AM
2,2-Dichloropropane	U	1.0		µg/L	1	6/6/2006 3:47:00 AM
2-Butanone	U	1.0		µg/L	1	6/6/2006 3:47:00 AM
2-Chloroethyl vinyl ether	U	1.0		µg/L	1	6/6/2006 3:47:00 AM
2-Chlorotoluene	U	1.0		µg/L	1	6/6/2006 3:47:00 AM
2-Hexanone	U	1.0		µg/L	1	6/6/2006 3:47:00 AM
4-Chlorotoluene	U	1.0		µg/L	1	6/6/2006 3:47:00 AM
4-Isopropyltoluene	U	1.0		µg/L	1	6/6/2006 3:47:00 AM
4-Methyl-2-pentanone	U	1.0		µg/L	1	6/6/2006 3:47:00 AM
Acetone	U	1.0		µg/L	1	6/6/2006 3:47:00 AM
Benzene	U	1.0		µg/L	1	6/6/2006 3:47:00 AM
Bromobenzene	U	1.0		µg/L	1	6/6/2006 3:47:00 AM
Bromochloromethane	U	1.0		µg/L	1	6/6/2006 3:47:00 AM
Bromodichloromethane	U	1.0		µg/L	1	6/6/2006 3:47:00 AM
Bromoform	U	1.0		µg/L	1	6/6/2006 3:47:00 AM
Bromomethane	U	1.0		µg/L	1	6/6/2006 3:47:00 AM
Carbon disulfide	U	1.0		µg/L	1	6/6/2006 3:47:00 AM
Carbon tetrachloride	U	1.0		µg/L	1	6/6/2006 3:47:00 AM
Chlorobenzene	U	1.0		µg/L	1	6/6/2006 3:47:00 AM

Qualifiers:	B	Analyte detected in the associated Method Blank	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	S	Spike Recovery outside accepted recovery limits
	U	Indicates the compound was analyzed for but not detected	X	Value exceeds Maximum Contaminant Level

American Analytical Laboratories, LLC.

Date: 07-Jun-06

CLIENT: Leggette Brashears & Graham Inc.
Lab Order: 0606033
Project: Rowe Industries
Lab ID: 0606033-04A

Client Sample ID: FRW-1
Tag Number: 2624
Collection Date: 5/30/2006
Matrix: LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILE SW-846 8260 PLUS MTBE & FREON11		SW8260B		SW5030A		Analyst: LDS
Chloroethane	U	1.0		µg/L	1	6/6/2006 3:47:00 AM
Chloroform	U	1.0		µg/L	1	6/6/2006 3:47:00 AM
Chloromethane	U	1.0		µg/L	1	6/6/2006 3:47:00 AM
cis-1,2-Dichloroethene	U	1.0		µg/L	1	6/6/2006 3:47:00 AM
cis-1,3-Dichloropropene	U	1.0		µg/L	1	6/6/2006 3:47:00 AM
Dibromochloromethane	U	1.0		µg/L	1	6/6/2006 3:47:00 AM
Dibromomethane	U	1.0		µg/L	1	6/6/2006 3:47:00 AM
Dichlorodifluoromethane	U	1.0		µg/L	1	6/6/2006 3:47:00 AM
Ethylbenzene	U	1.0		µg/L	1	6/6/2006 3:47:00 AM
Hexachlorobutadiene	U	1.0		µg/L	1	6/6/2006 3:47:00 AM
Isopropylbenzene	U	1.0		µg/L	1	6/6/2006 3:47:00 AM
m,p-Xylene	U	2.0		µg/L	1	6/6/2006 3:47:00 AM
Methyl tert-butyl ether	U	1.0		µg/L	1	6/6/2006 3:47:00 AM
Methylene chloride	U	1.0		µg/L	1	6/6/2006 3:47:00 AM
Naphthalene	U	1.0		µg/L	1	6/6/2006 3:47:00 AM
n-Butylbenzene	U	1.0		µg/L	1	6/6/2006 3:47:00 AM
n-Propylbenzene	U	1.0		µg/L	1	6/6/2006 3:47:00 AM
o-Xylene	U	1.0		µg/L	1	6/6/2006 3:47:00 AM
sec-Butylbenzene	U	1.0		µg/L	1	6/6/2006 3:47:00 AM
Styrene	U	1.0		µg/L	1	6/6/2006 3:47:00 AM
tert-Butylbenzene	U	1.0		µg/L	1	6/6/2006 3:47:00 AM
Tetrachloroethene	340	1.0		µg/L	1	6/6/2006 3:47:00 AM
Toluene	U	1.0		µg/L	1	6/6/2006 3:47:00 AM
trans-1,2-Dichloroethene	U	1.0		µg/L	1	6/6/2006 3:47:00 AM
trans-1,3-Dichloropropene	U	1.0		µg/L	1	6/6/2006 3:47:00 AM
Trichloroethene	1.0	1.0		µg/L	1	6/6/2006 3:47:00 AM
Trichlorofluoromethane	U	1.0		µg/L	1	6/6/2006 3:47:00 AM
Vinyl acetate	U	1.0		µg/L	1	6/6/2006 3:47:00 AM
Vinyl chloride	U	1.0		µg/L	1	6/6/2006 3:47:00 AM

Qualifiers:	B	Analyte detected in the associated Method Blank	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	S	Spike Recovery outside accepted recovery limits
	U	Indicates the compound was analyzed for but not detected	X	Value exceeds Maximum Contaminant Level

American Analytical Laboratories, LLC.

Date: 07-Jun-06

CLIENT: Leggette Brashears & Graham Inc.
Lab Order: 0606033
Project: Rowe Industries
Lab ID: 0606033-05A

Client Sample ID: FRW-2
Tag Number: 2624
Collection Date: 5/30/2006
Matrix: LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILE SW-846 8260 PLUS MTBE & FREON11		SW8260B		SW5030A		Analyst: LDS
1,1,1,2-Tetrachloroethane	U	1.0		µg/L	1	6/6/2006 4:25:00 AM
1,1,1-Trichloroethane	U	1.0		µg/L	1	6/6/2006 4:25:00 AM
1,1,2,2-Tetrachloroethane	U	1.0		µg/L	1	6/6/2006 4:25:00 AM
1,1,2-Trichloro-1,2,2-trifluoroethane	U	1.0		µg/L	1	6/6/2006 4:25:00 AM
1,1,2-Trichloroethane	U	1.0		µg/L	1	6/6/2006 4:25:00 AM
1,1-Dichloroethane	U	1.0		µg/L	1	6/6/2006 4:25:00 AM
1,1-Dichloroethane	U	1.0		µg/L	1	6/6/2006 4:25:00 AM
1,1-Dichloropropene	U	1.0		µg/L	1	6/6/2006 4:25:00 AM
1,2,3-Trichlorobenzene	U	1.0		µg/L	1	6/6/2006 4:25:00 AM
1,2,3-Trichloropropane	U	1.0		µg/L	1	6/6/2006 4:25:00 AM
1,2,4-Trichlorobenzene	U	1.0		µg/L	1	6/6/2006 4:25:00 AM
1,2,4-Trimethylbenzene	U	1.0		µg/L	1	6/6/2006 4:25:00 AM
1,2-Dibromo-3-chloropropane	U	1.0		µg/L	1	6/6/2006 4:25:00 AM
1,2-Dibromoethane	U	1.0		µg/L	1	6/6/2006 4:25:00 AM
1,2-Dichlorobenzene	U	1.0		µg/L	1	6/6/2006 4:25:00 AM
1,2-Dichloroethane	U	1.0		µg/L	1	6/6/2006 4:25:00 AM
1,2-Dichloropropane	U	1.0		µg/L	1	6/6/2006 4:25:00 AM
1,3,5-Trimethylbenzene	6.8	1.0		µg/L	1	6/6/2006 4:25:00 AM
1,3-Dichlorobenzene	U	1.0		µg/L	1	6/6/2006 4:25:00 AM
1,3-dichloropropane	U	1.0		µg/L	1	6/6/2006 4:25:00 AM
1,4-Dichlorobenzene	U	1.0		µg/L	1	6/6/2006 4:25:00 AM
2,2-Dichloropropane	U	1.0		µg/L	1	6/6/2006 4:25:00 AM
2-Butanone	U	1.0		µg/L	1	6/6/2006 4:25:00 AM
2-Chloroethyl vinyl ether	U	1.0		µg/L	1	6/6/2006 4:25:00 AM
2-Chlorotoluene	U	1.0		µg/L	1	6/6/2006 4:25:00 AM
2-Hexanone	U	1.0		µg/L	1	6/6/2006 4:25:00 AM
4-Chlorotoluene	U	1.0		µg/L	1	6/6/2006 4:25:00 AM
4-Isopropyltoluene	U	1.0		µg/L	1	6/6/2006 4:25:00 AM
4-Methyl-2-pentanone	U	1.0		µg/L	1	6/6/2006 4:25:00 AM
Acetone	U	1.0		µg/L	1	6/6/2006 4:25:00 AM
Benzene	U	1.0		µg/L	1	6/6/2006 4:25:00 AM
Bromobenzene	U	1.0		µg/L	1	6/6/2006 4:25:00 AM
Bromochloromethane	U	1.0		µg/L	1	6/6/2006 4:25:00 AM
Bromodichloromethane	U	1.0		µg/L	1	6/6/2006 4:25:00 AM
Bromoform	U	1.0		µg/L	1	6/6/2006 4:25:00 AM
Bromomethane	U	1.0		µg/L	1	6/6/2006 4:25:00 AM
Carbon disulfide	U	1.0		µg/L	1	6/6/2006 4:25:00 AM
Carbon tetrachloride	U	1.0		µg/L	1	6/6/2006 4:25:00 AM
Chlorobenzene	U	1.0		µg/L	1	6/6/2006 4:25:00 AM

Qualifiers:	B	Analyte detected in the associated Method Blank	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	S	Spike Recovery outside accepted recovery limits
	U	Indicates the compound was analyzed for but not detects	X	Value exceeds Maximum Contaminant Level

American Analytical Laboratories, LLC.

Date: 07-Jun-06

CLIENT:	Leggette Brashears & Graham Inc.	Client Sample ID:	FRW-2
Lab Order:	0606033	Tag Number:	2624
Project:	Rowe Industries	Collection Date:	5/30/2006
Lab ID:	0606033-05A	Matrix:	LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILE SW-846 8260 PLUS MTBE & FREON11		SW8260B		SW5030A		Analyst: LDS
Chloroethane	U	1.0		µg/L	1	6/6/2006 4:25:00 AM
Chloroform	U	1.0		µg/L	1	6/6/2006 4:25:00 AM
Chloromethane	U	1.0		µg/L	1	6/6/2006 4:25:00 AM
cis-1,2-Dichloroethene	14	1.0		µg/L	1	6/6/2006 4:25:00 AM
cis-1,3-Dichloropropene	U	1.0		µg/L	1	6/6/2006 4:25:00 AM
Dibromochloromethane	U	1.0		µg/L	1	6/6/2006 4:25:00 AM
Dibromomethane	U	1.0		µg/L	1	6/6/2006 4:25:00 AM
Dichlorodifluoromethane	U	1.0		µg/L	1	6/6/2006 4:25:00 AM
Ethylbenzene	U	1.0		µg/L	1	6/6/2006 4:25:00 AM
Hexachlorobutadiene	U	1.0		µg/L	1	6/6/2006 4:25:00 AM
Isopropylbenzene	6.7	1.0		µg/L	1	6/6/2006 4:25:00 AM
m,p-Xylene	U	2.0		µg/L	1	6/6/2006 4:25:00 AM
Methyl tert-butyl ether	U	1.0		µg/L	1	6/6/2006 4:25:00 AM
Methylene chloride	U	1.0		µg/L	1	6/6/2006 4:25:00 AM
Naphthalene	U	1.0		µg/L	1	6/6/2006 4:25:00 AM
n-Butylbenzene	U	1.0		µg/L	1	6/6/2006 4:25:00 AM
n-Propylbenzene	10	1.0		µg/L	1	6/6/2006 4:25:00 AM
o-Xylene	U	1.0		µg/L	1	6/6/2006 4:25:00 AM
sec-Butylbenzene	U	1.0		µg/L	1	6/6/2006 4:25:00 AM
Styrene	U	1.0		µg/L	1	6/6/2006 4:25:00 AM
tert-Butylbenzene	U	1.0		µg/L	1	6/6/2006 4:25:00 AM
Tetrachloroethene	360	1.0		µg/L	1	6/6/2006 4:25:00 AM
Toluene	700	1.0		µg/L	1	6/6/2006 4:25:00 AM
trans-1,2-Dichloroethene	U	1.0		µg/L	1	6/6/2006 4:25:00 AM
trans-1,3-Dichloropropene	U	1.0		µg/L	1	6/6/2006 4:25:00 AM
Trichloroethene	11	1.0		µg/L	1	6/6/2006 4:25:00 AM
Trichlorofluoromethane	U	1.0		µg/L	1	6/6/2006 4:25:00 AM
Vinyl acetate	U	1.0		µg/L	1	6/6/2006 4:25:00 AM
Vinyl chloride	U	1.0		µg/L	1	6/6/2006 4:25:00 AM

Qualifiers:	B	Analyte detected in the associated Method Blank	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	S	Spike Recovery outside accepted recovery limits
	U	Indicates the compound was analyzed for but not detected	X	Value exceeds Maximum Contaminant Level

American Analytical Laboratories, LLC.

Date: 07-Jun-06

CLIENT: Leggette Brashears & Graham Inc.
Lab Order: 0606033
Project: Rowe Industries
Lab ID: 0606033-06A

Client Sample ID: FRW-3
Tag Number: 2624
Collection Date: 5/30/2006
Matrix: LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILE SW-846 8260 PLUS MTBE & FREON11		SW8260B		SW5030A		Analyst: LDS
1,1,1,2-Tetrachloroethane	U	1.0		µg/L	1	6/6/2006 5:04:00 AM
1,1,1-Trichloroethane	U	1.0		µg/L	1	6/6/2006 5:04:00 AM
1,1,2,2-Tetrachloroethane	U	1.0		µg/L	1	6/6/2006 5:04:00 AM
1,1,2-Trichloro-1,2,2-trifluoroethane	U	1.0		µg/L	1	6/6/2006 5:04:00 AM
1,1,2-Trichloroethane	U	1.0		µg/L	1	6/6/2006 5:04:00 AM
1,1-Dichloroethane	U	1.0		µg/L	1	6/6/2006 5:04:00 AM
1,1-Dichloroethene	U	1.0		µg/L	1	6/6/2006 5:04:00 AM
1,1-Dichloropropene	U	1.0		µg/L	1	6/6/2006 5:04:00 AM
1,2,3-Trichlorobenzene	U	1.0		µg/L	1	6/6/2006 5:04:00 AM
1,2,3-Trichloropropane	U	1.0		µg/L	1	6/6/2006 5:04:00 AM
1,2,4-Trichlorobenzene	U	1.0		µg/L	1	6/6/2006 5:04:00 AM
1,2,4-Trimethylbenzene	U	1.0		µg/L	1	6/6/2006 5:04:00 AM
1,2-Dibromo-3-chloropropane	U	1.0		µg/L	1	6/6/2006 5:04:00 AM
1,2-Dibromoethane	U	1.0		µg/L	1	6/6/2006 5:04:00 AM
1,2-Dichlorobenzene	U	1.0		µg/L	1	6/6/2006 5:04:00 AM
1,2-Dichloroethane	U	1.0		µg/L	1	6/6/2006 5:04:00 AM
1,2-Dichloropropane	U	1.0		µg/L	1	6/6/2006 5:04:00 AM
1,3,5-Trimethylbenzene	U	1.0		µg/L	1	6/6/2006 5:04:00 AM
1,3-Dichlorobenzene	U	1.0		µg/L	1	6/6/2006 5:04:00 AM
1,3-dichloropropane	U	1.0		µg/L	1	6/6/2006 5:04:00 AM
1,4-Dichlorobenzene	U	1.0		µg/L	1	6/6/2006 5:04:00 AM
2,2-Dichloropropane	U	1.0		µg/L	1	6/6/2006 5:04:00 AM
2-Butanone	U	1.0		µg/L	1	6/6/2006 5:04:00 AM
2-Chloroethyl vinyl ether	U	1.0		µg/L	1	6/6/2006 5:04:00 AM
2-Chlorotoluene	U	1.0		µg/L	1	6/6/2006 5:04:00 AM
2-Hexanone	U	1.0		µg/L	1	6/6/2006 5:04:00 AM
4-Chlorotoluene	U	1.0		µg/L	1	6/6/2006 5:04:00 AM
4-Isopropyltoluene	U	1.0		µg/L	1	6/6/2006 5:04:00 AM
4-Methyl-2-pentanone	U	1.0		µg/L	1	6/6/2006 5:04:00 AM
Acetone	U	1.0		µg/L	1	6/6/2006 5:04:00 AM
Benzene	U	1.0		µg/L	1	6/6/2006 5:04:00 AM
Bromobenzene	U	1.0		µg/L	1	6/6/2006 5:04:00 AM
Bromochloromethane	U	1.0		µg/L	1	6/6/2006 5:04:00 AM
Bromodichloromethane	U	1.0		µg/L	1	6/6/2006 5:04:00 AM
Bromoform	U	1.0		µg/L	1	6/6/2006 5:04:00 AM
Bromomethane	U	1.0		µg/L	1	6/6/2006 5:04:00 AM
Carbon disulfide	U	1.0		µg/L	1	6/6/2006 5:04:00 AM
Carbon tetrachloride	U	1.0		µg/L	1	6/6/2006 5:04:00 AM
Chlorobenzene	U	1.0		µg/L	1	6/6/2006 5:04:00 AM

Qualifiers:	B	Analyte detected in the associated Method Blank	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	S	Spike Recovery outside accepted recovery limits
	U	Indicates the compound was analyzed for but not detected	X	Value exceeds Maximum Contaminant Level

American Analytical Laboratories, LLC.

Date: 07-Jun-06

CLIENT: Leggette Brashears & Graham Inc.
Lab Order: 0606033
Project: Rowe Industries
Lab ID: 0606033-06A

Client Sample ID: FRW-3
Tag Number: 2624
Collection Date: 5/30/2006
Matrix: LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILE SW-846 8260 PLUS MTBE & FREON11		SW8260B		SW5030A		Analyst: LDS
Chloroethane	U	1.0		µg/L	1	6/6/2006 5:04:00 AM
Chloroform	U	1.0		µg/L	1	6/6/2006 5:04:00 AM
Chloromethane	U	1.0		µg/L	1	6/6/2006 5:04:00 AM
cis-1,2-Dichloroethene	64	1.0		µg/L	1	6/6/2006 5:04:00 AM
cis-1,3-Dichloropropene	U	1.0		µg/L	1	6/6/2006 5:04:00 AM
Dibromochloromethane	U	1.0		µg/L	1	6/6/2006 5:04:00 AM
Dibromomethane	U	1.0		µg/L	1	6/6/2006 5:04:00 AM
Dichlorodifluoromethane	U	1.0		µg/L	1	6/6/2006 5:04:00 AM
Ethylbenzene	U	1.0		µg/L	1	6/6/2006 5:04:00 AM
Hexachlorobutadiene	U	1.0		µg/L	1	6/6/2006 5:04:00 AM
Isopropylbenzene	6.4	1.0		µg/L	1	6/6/2006 5:04:00 AM
m,p-Xylene	U	2.0		µg/L	1	6/6/2006 5:04:00 AM
Methyl tert-butyl ether	U	1.0		µg/L	1	6/6/2006 5:04:00 AM
Methylene chloride	U	1.0		µg/L	1	6/6/2006 5:04:00 AM
Naphthalene	U	1.0		µg/L	1	6/6/2006 5:04:00 AM
n-Butylbenzene	U	1.0		µg/L	1	6/6/2006 5:04:00 AM
n-Propylbenzene	3.1	1.0		µg/L	1	6/6/2006 5:04:00 AM
o-Xylene	U	1.0		µg/L	1	6/6/2006 5:04:00 AM
sec-Butylbenzene	U	1.0		µg/L	1	6/6/2006 5:04:00 AM
Styrene	U	1.0		µg/L	1	6/6/2006 5:04:00 AM
tert-Butylbenzene	U	1.0		µg/L	1	6/6/2006 5:04:00 AM
Tetrachloroethene	530	1.0		µg/L	1	6/6/2006 5:04:00 AM
Toluene	140	1.0		µg/L	1	6/6/2006 5:04:00 AM
trans-1,2-Dichloroethene	U	1.0		µg/L	1	6/6/2006 5:04:00 AM
trans-1,3-Dichloropropene	U	1.0		µg/L	1	6/6/2006 5:04:00 AM
Trichloroethene	21	1.0		µg/L	1	6/6/2006 5:04:00 AM
Trichlorofluoromethane	U	1.0		µg/L	1	6/6/2006 5:04:00 AM
Vinyl acetate	U	1.0		µg/L	1	6/6/2006 5:04:00 AM
Vinyl chloride	U	1.0		µg/L	1	6/6/2006 5:04:00 AM

Qualifiers:	B	Analyte detected in the associated Method Blank	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	S	Spike Recovery outside accepted recovery limits
	U	Indicates the compound was analyzed for but not detected	X	Value exceeds Maximum Contaminant Level

American Analytical Laboratories, LLC.
Date: 07-Jun-06

CLIENT: Leggette Brashears & Graham Inc.
Lab Order: 0606033
Project: Rowe Industries
Lab ID: 0606033-07A

Client Sample ID: FRW-4
Tag Number: 2624
Collection Date: 5/30/2006
Matrix: LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILE SW-846 8260 PLUS MTBE & FREON11		SW8260B		SW5030A		Analyst: LDS
1,1,1,2-Tetrachloroethane	U	1.0		µg/L	1	6/6/2006 5:41:00 AM
1,1,1-Trichloroethane	U	1.0		µg/L	1	6/6/2006 5:41:00 AM
1,1,2,2-Tetrachloroethane	U	1.0		µg/L	1	6/6/2006 5:41:00 AM
1,1,2-Trichloro-1,2,2-trifluoroethane	U	1.0		µg/L	1	6/6/2006 5:41:00 AM
1,1,2-Trichloroethane	U	1.0		µg/L	1	6/6/2006 5:41:00 AM
1,1-Dichloroethane	U	1.0		µg/L	1	6/6/2006 5:41:00 AM
1,1-Dichloroethene	U	1.0		µg/L	1	6/6/2006 5:41:00 AM
1,1-Dichloropropene	U	1.0		µg/L	1	6/6/2006 5:41:00 AM
1,2,3-Trichlorobenzene	U	1.0		µg/L	1	6/6/2006 5:41:00 AM
1,2,3-Trichloropropane	U	1.0		µg/L	1	6/6/2006 5:41:00 AM
1,2,4-Trichlorobenzene	U	1.0		µg/L	1	6/6/2006 5:41:00 AM
1,2,4-Trimethylbenzene	U	1.0		µg/L	1	6/6/2006 5:41:00 AM
1,2-Dibromo-3-chloropropane	U	1.0		µg/L	1	6/6/2006 5:41:00 AM
1,2-Dibromoethane	U	1.0		µg/L	1	6/6/2006 5:41:00 AM
1,2-Dichlorobenzene	U	1.0		µg/L	1	6/6/2006 5:41:00 AM
1,2-Dichloroethane	U	1.0		µg/L	1	6/6/2006 5:41:00 AM
1,2-Dichloropropane	U	1.0		µg/L	1	6/6/2006 5:41:00 AM
1,3,5-Trimethylbenzene	U	1.0		µg/L	1	6/6/2006 5:41:00 AM
1,3-Dichlorobenzene	U	1.0		µg/L	1	6/6/2006 5:41:00 AM
1,3-dichloropropane	U	1.0		µg/L	1	6/6/2006 5:41:00 AM
1,4-Dichlorobenzene	U	1.0		µg/L	1	6/6/2006 5:41:00 AM
2,2-Dichloropropane	U	1.0		µg/L	1	6/6/2006 5:41:00 AM
2-Butanone	U	1.0		µg/L	1	6/6/2006 5:41:00 AM
2-Chloroethyl vinyl ether	U	1.0		µg/L	1	6/6/2006 5:41:00 AM
2-Chlorotoluene	U	1.0		µg/L	1	6/6/2006 5:41:00 AM
2-Hexanone	U	1.0		µg/L	1	6/6/2006 5:41:00 AM
4-Chlorotoluene	U	1.0		µg/L	1	6/6/2006 5:41:00 AM
4-Isopropyltoluene	U	1.0		µg/L	1	6/6/2006 5:41:00 AM
4-Methyl-2-pentanone	U	1.0		µg/L	1	6/6/2006 5:41:00 AM
Acetone	U	1.0		µg/L	1	6/6/2006 5:41:00 AM
Benzene	U	1.0		µg/L	1	6/6/2006 5:41:00 AM
Bromobenzene	U	1.0		µg/L	1	6/6/2006 5:41:00 AM
Bromochloromethane	U	1.0		µg/L	1	6/6/2006 5:41:00 AM
Bromodichloromethane	U	1.0		µg/L	1	6/6/2006 5:41:00 AM
Bromoform	U	1.0		µg/L	1	6/6/2006 5:41:00 AM
Bromomethane	U	1.0		µg/L	1	6/6/2006 5:41:00 AM
Carbon disulfide	U	1.0		µg/L	1	6/6/2006 5:41:00 AM
Carbon tetrachloride	U	1.0		µg/L	1	6/6/2006 5:41:00 AM
Chlorobenzene	U	1.0		µg/L	1	6/6/2006 5:41:00 AM

Qualifiers:	B	Analyte detected in the associated Method Blank	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	S	Spike Recovery outside accepted recovery limits
	U	Indicates the compound was analyzed for but not detected	X	Value exceeds Maximum Contaminant Level

American Analytical Laboratories, LLC.

Date: 07-Jun-06

CLIENT:	Leggette Brashears & Graham Inc.	Client Sample ID:	FRW-4
Lab Order:	0606033	Tag Number:	2624
Project:	Rowe Industries	Collection Date:	5/30/2006
Lab ID:	0606033-07A	Matrix:	LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILE SW-846 8260 PLUS MTBE & FREON11		SW8260B		SW5030A		Analyst: LDS
Chloroethane	U	1.0		µg/L	1	6/6/2006 5:41:00 AM
Chloroform	U	1.0		µg/L	1	6/6/2006 5:41:00 AM
Chloromethane	U	1.0		µg/L	1	6/6/2006 5:41:00 AM
cis-1,2-Dichloroethene	U	1.0		µg/L	1	6/6/2006 5:41:00 AM
cis-1,3-Dichloropropene	U	1.0		µg/L	1	6/6/2006 5:41:00 AM
Dibromochloromethane	U	1.0		µg/L	1	6/6/2006 5:41:00 AM
Dibromomethane	U	1.0		µg/L	1	6/6/2006 5:41:00 AM
Dichlorodifluoromethane	U	1.0		µg/L	1	6/6/2006 5:41:00 AM
Ethylbenzene	U	1.0		µg/L	1	6/6/2006 5:41:00 AM
Hexachlorobutadiene	U	1.0		µg/L	1	6/6/2006 5:41:00 AM
Isopropylbenzene	U	1.0		µg/L	1	6/6/2006 5:41:00 AM
m,p-Xylene	U	2.0		µg/L	1	6/6/2006 5:41:00 AM
Methyl tert-butyl ether	U	1.0		µg/L	1	6/6/2006 5:41:00 AM
Methylene chloride	U	1.0		µg/L	1	6/6/2006 5:41:00 AM
Naphthalene	U	1.0		µg/L	1	6/6/2006 5:41:00 AM
n-Butylbenzene	U	1.0		µg/L	1	6/6/2006 5:41:00 AM
n-Propylbenzene	U	1.0		µg/L	1	6/6/2006 5:41:00 AM
o-Xylene	U	1.0		µg/L	1	6/6/2006 5:41:00 AM
sec-Butylbenzene	U	1.0		µg/L	1	6/6/2006 5:41:00 AM
Styrene	U	1.0		µg/L	1	6/6/2006 5:41:00 AM
tert-Butylbenzene	U	1.0		µg/L	1	6/6/2006 5:41:00 AM
Tetrachloroethene	16	1.0		µg/L	1	6/6/2006 5:41:00 AM
Toluene	U	1.0		µg/L	1	6/6/2006 5:41:00 AM
trans-1,2-Dichloroethene	U	1.0		µg/L	1	6/6/2006 5:41:00 AM
trans-1,3-Dichloropropene	U	1.0		µg/L	1	6/6/2006 5:41:00 AM
Trichloroethene	U	1.0		µg/L	1	6/6/2006 5:41:00 AM
Trichlorofluoromethane	U	1.0		µg/L	1	6/6/2006 5:41:00 AM
Vinyl acetate	U	1.0		µg/L	1	6/6/2006 5:41:00 AM
Vinyl chloride	U	1.0		µg/L	1	6/6/2006 5:41:00 AM

Qualifiers:	B	Analyte detected in the associated Method Blank	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	S	Spike Recovery outside accepted recovery limits
	U	Indicates the compound was analyzed for but not detected	X	Value exceeds Maximum Contaminant Level



NYSDOH 11418
NJDEP NY050
CTDOH PH-0205
PADEP 68-00573

Thursday, June 15, 2006

Mark Goldberg
Leggette Brashears & Graham Inc.
4 Research Drive
Suite 301
Shelton, CT 06484

TEL: (203) 929-8555

FAX (203) 926-9140

RE: Rowe Industries

Order No.: 0606098

Dear Mark Goldberg:

American Analytical Laboratories, LLC. received 7 sample(s) on 6/9/2006 for the analyses presented in the following report.


Samples were analyzed in accordance with the test procedures documented on the chain of custody and detailed throughout the text of this report.

The limits provided in the data package are analytical reporting limits and not Federal or Local mandated values to which the sample results should be compared.

There were no problems with the analyses and all data for associated QC met laboratory specifications. If there are any exceptions a Case Narrative is provided in the report.

If you have any questions regarding these tests results, please do not hesitate to call (631) 454-6100 or email me directly at lbeyer@american-analytical.com.

Sincerely,


Lori Beyer
Lab Director

American Analytical Laboratories, LLC.**Date:** 15-Jun-06**CLIENT:** Leggette Brashears & Graham Inc.**Project:** Rowe Industries**Lab Order:** 0606098**Work Order Sample Summary**

Lab Sample ID	Client Sample ID	Tag Number	Date Collected	Date Received
0606098-01A	FRW 1:060706:810		6/7/2006	6/9/2006
0606098-02A	FRW 2:060706:812		6/7/2006	6/9/2006
0606098-03A	FRW 3:060706:814		6/7/2006	6/9/2006
0606098-04A	FRW 4:060706:816		6/7/2006	6/9/2006
0606098-05A	PRE 060706:800		6/7/2006	6/9/2006
0606098-06A	MID 060706:802		6/7/2006	6/9/2006
0606098-07A	POST 060706:805		6/7/2006	6/9/2006



NYSDOH ELAP 11418
AIHA PAT, LPAT 15668
CTDOH PH-0205

56 TOLEDO STREET • FARMINGDALE, NY 11735 • (516) 454-6100 • FAX (516) 454-8027

CHAIN OF CUSTODY / REQUEST FOR ANALYSIS DOCUMENT

CLIENT NAME/ADDRESS 135 4 Research Dr. Suite 301 The Ham, CT		CONTACT: Mark M. Goldberg		SAMPLER (SIGNATURE) Rob Drew	DATE 6/18/06	TIME 15:45	SAMPLE(S) SEALED ☒	YES/NO ☒
PROJECT LOCATION: Route		ANALYSIS REQUIRED Soil Wipe Extra 1/3		SAMPLER NAME (PRINT) Rob Drew		CORRECT CONTAINER(S) ☒		YES/NO ☒
LABORATORY ID #	MATRIX	TYPE	PRES.	SAMPLE # - LOCATION	P.O.#			
0606098-1A	L	G	HCl	FRW1: 060706: 810				
2A				FRW2: 060706: 812				
3A				FRW3: 060706: 814				
4A				FRW4: 060706: 816				
5A				PRE 060706: 800				
6A				MID 060706: 802				
7A				POST 060706: 805				
MATRIX S=SOIL; L=LIQUID; SL=SLUDGE; A=AIR; W=WIFE; P=PAINT CHIPS; B=BULK MATERIAL					COMMENTS / INSTRUCTIONS			
TYPE G=GRAB; C=COMPOSITE, SS=SPLIT SPOON					TURNAROUND REQUIRED: NORMAL ☒ STAT ☐ BY 1/1			
RELINQUISHED BY (SIGNATURE) Mark M. Goldberg	DATE 6/18/06	TIME 17:00	PRINTED NAME Mark M. Goldberg	RECEIVED BY LAB (SIGNATURE) [Signature]	DATE 6/18/06	TIME 10:18	PRINTED NAME G. Altonio	
RELINQUISHED BY (SIGNATURE)	DATE	TIME	PRINTED NAME	RECEIVED BY LAB (SIGNATURE)	DATE	TIME	PRINTED NAME	

WHITE-OFFICE / CANARY-LAB / PINK-SAMPLE CUSTODIAN / GOLDENROD-CLIENT

AMERICAN ANALYTICAL LABORATORIES, LLC

56 TOLEDO STREET

FARMINGDALE, NEW YORK 11735

TELEPHONE: (631) 454-6100 FAX: (631) 454-8027

DATA REPORTING QUALIFIERS

For reporting results, the following "Results Qualifiers" are used:

Value	If the result is greater than or equal to the detection limit, report the value
U	Indicates the compound was analyzed for but was not detected. Report the minimum detection limit for the sample with the U, i.e. "10U". This is not necessarily the instrument detection limit attainable for this particular sample based on any concentration or dilution that may have been required.
J	Indicates an estimated value. The flag is used: (1) When estimating a concentration for a tentatively identified compound (library search hits, where a 1:1 response is assumed.) (2) When the mass spectral data indicated the identification, however the result was less than the specified detection limit greater than zero. If the detection limit was 10ug/L and a concentration of 3ug/L was calculated report as 3J. This flag is used when similar situations arise on any organic parameter i.e. Pesticide, PCBs and others.
B	Indicates the analyte was found in the blank as well as the sample report "10B".
E	Indicates the analytes concentration exceeds the calibrated range of the instrument for that specific analysis.
D	This flag identifies all compounds identified in an analysis at a secondary dilution factor.
P	This flag is used for Pesticide / PCB target analyte when there is >25% difference for detected concentrations between the two GC Columns. The higher of the two values is reported on Form I and flagged with a "P".
N	This flag indicates presumptive evidence of a compound. This is only used for tentatively identified compounds (TICs), where the identification is based on a mass spectral library search. It applies to all TIC results. For generic characterization of a TIC, such as chlorinated hydrocarbon, the flag is not used.
H	Indicates sample was received and/or analyzed outside of The method allowable holding time

American Analytical Laboratories, LLC.

Date: 15-Jun-06

CLIENT: Leggette Brashears & Graham Inc.
Lab Order: 0606098
Project: Rowe Industries
Lab ID: 0606098-01A

Client Sample ID: FRW 1:060706:810
Tag Number:
Collection Date: 6/7/2006
Matrix: LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILE SW-846 8260 PLUS MTBE & FREON11		SW8260B		SW5030A		Analyst: LDS
1,1,1,2-Tetrachloroethane	U	1.0		µg/L	1	6/9/2006 11:54:00 PM
1,1,1-Trichloroethane	U	1.0		µg/L	1	6/9/2006 11:54:00 PM
1,1,2,2-Tetrachloroethane	U	1.0		µg/L	1	6/9/2006 11:54:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	U	1.0		µg/L	1	6/9/2006 11:54:00 PM
1,1,2-Trichloroethane	U	1.0		µg/L	1	6/9/2006 11:54:00 PM
1,1-Dichloroethane	U	1.0		µg/L	1	6/9/2006 11:54:00 PM
1,1-Dichloroethene	U	1.0		µg/L	1	6/9/2006 11:54:00 PM
1,1-Dichloropropene	U	1.0		µg/L	1	6/9/2006 11:54:00 PM
1,2,3-Trichlorobenzene	U	1.0		µg/L	1	6/9/2006 11:54:00 PM
1,2,3-Trichloropropane	U	1.0		µg/L	1	6/9/2006 11:54:00 PM
1,2,4-Trichlorobenzene	U	1.0		µg/L	1	6/9/2006 11:54:00 PM
1,2,4-Trimethylbenzene	U	1.0		µg/L	1	6/9/2006 11:54:00 PM
1,2-Dibromo-3-chloropropane	U	1.0		µg/L	1	6/9/2006 11:54:00 PM
1,2-Dibromoethane	U	1.0		µg/L	1	6/9/2006 11:54:00 PM
1,2-Dichlorobenzene	U	1.0		µg/L	1	6/9/2006 11:54:00 PM
1,2-Dichloroethane	U	1.0		µg/L	1	6/9/2006 11:54:00 PM
1,2-Dichloropropane	U	1.0		µg/L	1	6/9/2006 11:54:00 PM
1,3,5-Trimethylbenzene	U	1.0		µg/L	1	6/9/2006 11:54:00 PM
1,3-Dichlorobenzene	U	1.0		µg/L	1	6/9/2006 11:54:00 PM
1,3-dichloropropane	U	1.0		µg/L	1	6/9/2006 11:54:00 PM
1,4-Dichlorobenzene	U	1.0		µg/L	1	6/9/2006 11:54:00 PM
2,2-Dichloropropane	U	1.0		µg/L	1	6/9/2006 11:54:00 PM
2-Butanone	U	1.0		µg/L	1	6/9/2006 11:54:00 PM
2-Chloroethyl vinyl ether	U	1.0		µg/L	1	6/9/2006 11:54:00 PM
2-Chlorotoluene	U	1.0		µg/L	1	6/9/2006 11:54:00 PM
2-Hexanone	U	1.0		µg/L	1	6/9/2006 11:54:00 PM
4-Chlorotoluene	U	1.0		µg/L	1	6/9/2006 11:54:00 PM
4-Isopropyltoluene	U	1.0		µg/L	1	6/9/2006 11:54:00 PM
4-Methyl-2-pentanone	U	1.0		µg/L	1	6/9/2006 11:54:00 PM
Acetone	U	1.0		µg/L	1	6/9/2006 11:54:00 PM
Benzene	U	1.0		µg/L	1	6/9/2006 11:54:00 PM
Bromobenzene	U	1.0		µg/L	1	6/9/2006 11:54:00 PM
Bromochloromethane	U	1.0		µg/L	1	6/9/2006 11:54:00 PM
Bromodichloromethane	U	1.0		µg/L	1	6/9/2006 11:54:00 PM
Bromoform	U	1.0		µg/L	1	6/9/2006 11:54:00 PM
Bromomethane	U	1.0		µg/L	1	6/9/2006 11:54:00 PM
Carbon disulfide	U	1.0		µg/L	1	6/9/2006 11:54:00 PM
Carbon tetrachloride	U	1.0		µg/L	1	6/9/2006 11:54:00 PM
Chlorobenzene	U	1.0		µg/L	1	6/9/2006 11:54:00 PM

Qualifiers:	B	Analyte detected in the associated Method Blank	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	I	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	S	Spike Recovery outside accepted recovery limits
	U	Indicates the compound was analyzed for but not detected	X	Value exceeds Maximum Contaminant Level

American Analytical Laboratories, LLC.

Date: 15-Jun-06

CLIENT: Leggette Brashears & Graham Inc.
Lab Order: 0606098
Project: Rowe Industries
Lab ID: 0606098-01A

Client Sample ID: FRW 1:060706:810
Tag Number:
Collection Date: 6/7/2006
Matrix: LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILE SW-846 8260 PLUS MTBE & FREON11		SW8260B	SW5030A	Analyst: LDS		
Chloroethane	U	1.0		µg/L	1	6/9/2006 11:54:00 PM
Chloroform	U	1.0		µg/L	1	6/9/2006 11:54:00 PM
Chloromethane	U	1.0		µg/L	1	6/9/2006 11:54:00 PM
cis-1,2-Dichloroethene	U	1.0		µg/L	1	6/9/2006 11:54:00 PM
cis-1,3-Dichloropropene	U	1.0		µg/L	1	6/9/2006 11:54:00 PM
Dibromochloromethane	U	1.0		µg/L	1	6/9/2006 11:54:00 PM
Dibromomethane	U	1.0		µg/L	1	6/9/2006 11:54:00 PM
Dichlorodifluoromethane	U	1.0		µg/L	1	6/9/2006 11:54:00 PM
Ethylbenzene	U	1.0		µg/L	1	6/9/2006 11:54:00 PM
Hexachlorobutadiene	U	1.0		µg/L	1	6/9/2006 11:54:00 PM
Isopropylbenzene	U	1.0		µg/L	1	6/9/2006 11:54:00 PM
m,p-Xylene	U	2.0		µg/L	1	6/9/2006 11:54:00 PM
Methyl tert-butyl ether	U	1.0		µg/L	1	6/9/2006 11:54:00 PM
Methylene chloride	U	1.0		µg/L	1	6/9/2006 11:54:00 PM
Naphthalene	U	1.0		µg/L	1	6/9/2006 11:54:00 PM
n-Butylbenzene	U	1.0		µg/L	1	6/9/2006 11:54:00 PM
n-Propylbenzene	U	1.0		µg/L	1	6/9/2006 11:54:00 PM
o-Xylene	U	1.0		µg/L	1	6/9/2006 11:54:00 PM
sec-Butylbenzene	U	1.0		µg/L	1	6/9/2006 11:54:00 PM
Styrene	U	1.0		µg/L	1	6/9/2006 11:54:00 PM
tert-Butylbenzene	U	1.0		µg/L	1	6/9/2006 11:54:00 PM
Tetrachloroethene	77	1.0		µg/L	1	6/9/2006 11:54:00 PM
Toluene	U	1.0		µg/L	1	6/9/2006 11:54:00 PM
trans-1,2-Dichloroethene	U	1.0		µg/L	1	6/9/2006 11:54:00 PM
trans-1,3-Dichloropropene	U	1.0		µg/L	1	6/9/2006 11:54:00 PM
Trichloroethene	U	1.0		µg/L	1	6/9/2006 11:54:00 PM
Trichlorofluoromethane	U	1.0		µg/L	1	6/9/2006 11:54:00 PM
Vinyl acetate	U	1.0		µg/L	1	6/9/2006 11:54:00 PM
Vinyl chloride	U	1.0		µg/L	1	6/9/2006 11:54:00 PM

Qualifiers:	B	Analyte detected in the associated Method Blank	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	S	Spike Recovery outside accepted recovery limits
	U	Indicates the compound was analyzed for but not detected	X	Value exceeds Maximum Contaminant Level

American Analytical Laboratories, LLC.

Date: 15-Jun-06

CLIENT: Leggette Brashears & Graham Inc.
Lab Order: 0606098
Project: Rowe Industries
Lab ID: 0606098-02A

Client Sample ID: FRW 2:060706:812
Tag Number:
Collection Date: 6/7/2006
Matrix: LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILE SW-846 8260 PLUS MTBE & FREON11		SW8260B		SW5030A		Analyst: LDS
1,1,1,2-Tetrachloroethane	U	1.0		µg/L	1	6/10/2006 12:32:00 AM
1,1,1-Trichloroethane	U	1.0		µg/L	1	6/10/2006 12:32:00 AM
1,1,2,2-Tetrachloroethane	U	1.0		µg/L	1	6/10/2006 12:32:00 AM
1,1,2-Trichloro-1,2,2-trifluoroethane	U	1.0		µg/L	1	6/10/2006 12:32:00 AM
1,1,2-Trichloroethane	U	1.0		µg/L	1	6/10/2006 12:32:00 AM
1,1-Dichloroethane	U	1.0		µg/L	1	6/10/2006 12:32:00 AM
1,1-Dichloroethene	U	1.0		µg/L	1	6/10/2006 12:32:00 AM
1,1-Dichloropropene	U	1.0		µg/L	1	6/10/2006 12:32:00 AM
1,2,3-Trichlorobenzene	U	1.0		µg/L	1	6/10/2006 12:32:00 AM
1,2,3-Trichloropropane	U	1.0		µg/L	1	6/10/2006 12:32:00 AM
1,2,4-Trichlorobenzene	U	1.0		µg/L	1	6/10/2006 12:32:00 AM
1,2,4-Trimethylbenzene	U	1.0		µg/L	1	6/10/2006 12:32:00 AM
1,2-Dibromo-3-chloropropane	U	1.0		µg/L	1	6/10/2006 12:32:00 AM
1,2-Dibromoethane	U	1.0		µg/L	1	6/10/2006 12:32:00 AM
1,2-Dichlorobenzene	U	1.0		µg/L	1	6/10/2006 12:32:00 AM
1,2-Dichloroethane	U	1.0		µg/L	1	6/10/2006 12:32:00 AM
1,2-Dichloropropane	U	1.0		µg/L	1	6/10/2006 12:32:00 AM
1,3,5-Trimethylbenzene	U	1.0		µg/L	1	6/10/2006 12:32:00 AM
1,3-Dichlorobenzene	U	1.0		µg/L	1	6/10/2006 12:32:00 AM
1,3-dichloropropane	U	1.0		µg/L	1	6/10/2006 12:32:00 AM
1,4-Dichlorobenzene	U	1.0		µg/L	1	6/10/2006 12:32:00 AM
2,2-Dichloropropane	U	1.0		µg/L	1	6/10/2006 12:32:00 AM
2-Butanone	U	1.0		µg/L	1	6/10/2006 12:32:00 AM
2-Chloroethyl vinyl ether	U	1.0		µg/L	1	6/10/2006 12:32:00 AM
2-Chlorotoluene	U	1.0		µg/L	1	6/10/2006 12:32:00 AM
2-Hexanone	U	1.0		µg/L	1	6/10/2006 12:32:00 AM
4-Chlorotoluene	U	1.0		µg/L	1	6/10/2006 12:32:00 AM
4-Isopropyltoluene	U	1.0		µg/L	1	6/10/2006 12:32:00 AM
4-Methyl-2-pentanone	U	1.0		µg/L	1	6/10/2006 12:32:00 AM
Acetone	U	1.0		µg/L	1	6/10/2006 12:32:00 AM
Benzene	U	1.0		µg/L	1	6/10/2006 12:32:00 AM
Bromobenzene	U	1.0		µg/L	1	6/10/2006 12:32:00 AM
Bromochloromethane	U	1.0		µg/L	1	6/10/2006 12:32:00 AM
Bromodichloromethane	U	1.0		µg/L	1	6/10/2006 12:32:00 AM
Bromoform	U	1.0		µg/L	1	6/10/2006 12:32:00 AM
Bromomethane	U	1.0		µg/L	1	6/10/2006 12:32:00 AM
Carbon disulfide	U	1.0		µg/L	1	6/10/2006 12:32:00 AM
Carbon tetrachloride	U	1.0		µg/L	1	6/10/2006 12:32:00 AM
Chlorobenzene	U	1.0		µg/L	1	6/10/2006 12:32:00 AM

Qualifiers:	B	Analyte detected in the associated Method Blank	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	S	Spike Recovery outside accepted recovery limits
	U	Indicates the compound was analyzed for but not detected	X	Value exceeds Maximum Contaminant Level

American Analytical Laboratories, LLC.

Date: 15-Jun-06

CLIENT: Leggett Brashears & Graham Inc.
Lab Order: 0606098
Project: Rowe Industries
Lab ID: 0606098-02A

Client Sample ID: FRW 2:060706:812
Tag Number:
Collection Date: 6/7/2006
Matrix: LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILE SW-846 8260 PLUS MTBE & FREON11		SW8260B		SW5030A		Analyst: LDS
Chloroethane	U	1.0		µg/L	1	6/10/2006 12:32:00 AM
Chloroform	U	1.0		µg/L	1	6/10/2006 12:32:00 AM
Chloromethane	U	1.0		µg/L	1	6/10/2006 12:32:00 AM
cis-1,2-Dichloroethene	14	1.0		µg/L	1	6/10/2006 12:32:00 AM
cis-1,3-Dichloropropene	U	1.0		µg/L	1	6/10/2006 12:32:00 AM
Dibromochloromethane	U	1.0		µg/L	1	6/10/2006 12:32:00 AM
Dibromomethane	U	1.0		µg/L	1	6/10/2006 12:32:00 AM
Dichlorodifluoromethane	U	1.0		µg/L	1	6/10/2006 12:32:00 AM
Ethylbenzene	U	1.0		µg/L	1	6/10/2006 12:32:00 AM
Hexachlorobutadiene	U	1.0		µg/L	1	6/10/2006 12:32:00 AM
Isopropylbenzene	6.4	1.0		µg/L	1	6/10/2006 12:32:00 AM
m,p-Xylene	U	2.0		µg/L	1	6/10/2006 12:32:00 AM
Methyl tert-butyl ether	U	1.0		µg/L	1	6/10/2006 12:32:00 AM
Methylene chloride	U	1.0		µg/L	1	6/10/2006 12:32:00 AM
Naphthalene	U	1.0		µg/L	1	6/10/2006 12:32:00 AM
n-Butylbenzene	U	1.0		µg/L	1	6/10/2006 12:32:00 AM
n-Propylbenzene	6.7	1.0		µg/L	1	6/10/2006 12:32:00 AM
o-Xylene	U	1.0		µg/L	1	6/10/2006 12:32:00 AM
sec-Butylbenzene	U	1.0		µg/L	1	6/10/2006 12:32:00 AM
Styrene	U	1.0		µg/L	1	6/10/2006 12:32:00 AM
tert-Butylbenzene	U	1.0		µg/L	1	6/10/2006 12:32:00 AM
Tetrachloroethene	200	1.0		µg/L	1	6/10/2006 12:32:00 AM
Toluene	460	1.0		µg/L	1	6/10/2006 12:32:00 AM
trans-1,2-Dichloroethene	U	1.0		µg/L	1	6/10/2006 12:32:00 AM
trans-1,3-Dichloropropene	U	1.0		µg/L	1	6/10/2006 12:32:00 AM
Trichloroethene	14	1.0		µg/L	1	6/10/2006 12:32:00 AM
Trichlorofluoromethane	U	1.0		µg/L	1	6/10/2006 12:32:00 AM
Vinyl acetate	U	1.0		µg/L	1	6/10/2006 12:32:00 AM
Vinyl chloride	4.7	1.0		µg/L	1	6/10/2006 12:32:00 AM

Qualifiers:	B	Analyte detected in the associated Method Blank	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	S	Spike Recovery outside accepted recovery limits
	U	Indicates the compound was analyzed for but not detected	X	Value exceeds Maximum Contaminant Level

American Analytical Laboratories, LLC.

Date: 15-Jun-06

CLIENT: Leggette Brashears & Graham Inc.
Lab Order: 0606098
Project: Rowe Industries
Lab ID: 0606098-03A

Client Sample ID: FRW 3:060706:814
Tag Number:
Collection Date: 6/7/2006
Matrix: LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILE SW-846 8260 PLUS MTBE & FREON11		SW8260B	SW5030A	Analyst: LDS		
1,1,1,2-Tetrachloroethane	U	1.0		µg/L	1	6/10/2006 4:16:00 AM
1,1,1-Trichloroethane	U	1.0		µg/L	1	6/10/2006 4:16:00 AM
1,1,2,2-Tetrachloroethane	U	1.0		µg/L	1	6/10/2006 4:16:00 AM
1,1,2-Trichloro-1,2,2-trifluoroethane	U	1.0		µg/L	1	6/10/2006 4:16:00 AM
1,1,2-Trichloroethane	U	1.0		µg/L	1	6/10/2006 4:16:00 AM
1,1-Dichloroethane	U	1.0		µg/L	1	6/10/2006 4:16:00 AM
1,1-Dichloroethene	U	1.0		µg/L	1	6/10/2006 4:16:00 AM
1,1-Dichloropropene	U	1.0		µg/L	1	6/10/2006 4:16:00 AM
1,2,3-Trichlorobenzene	U	1.0		µg/L	1	6/10/2006 4:16:00 AM
1,2,3-Trichloropropane	U	1.0		µg/L	1	6/10/2006 4:16:00 AM
1,2,4-Trichlorobenzene	U	1.0		µg/L	1	6/10/2006 4:16:00 AM
1,2,4-Trimethylbenzene	U	1.0		µg/L	1	6/10/2006 4:16:00 AM
1,2-Dibromo-3-chloropropane	U	1.0		µg/L	1	6/10/2006 4:16:00 AM
1,2-Dibromoethane	U	1.0		µg/L	1	6/10/2006 4:16:00 AM
1,2-Dichlorobenzene	U	1.0		µg/L	1	6/10/2006 4:16:00 AM
1,2-Dichloroethane	U	1.0		µg/L	1	6/10/2006 4:16:00 AM
1,2-Dichloropropane	U	1.0		µg/L	1	6/10/2006 4:16:00 AM
1,3,5-Trimethylbenzene	U	1.0		µg/L	1	6/10/2006 4:16:00 AM
1,3-Dichlorobenzene	U	1.0		µg/L	1	6/10/2006 4:16:00 AM
1,3-dichloropropane	U	1.0		µg/L	1	6/10/2006 4:16:00 AM
1,4-Dichlorobenzene	U	1.0		µg/L	1	6/10/2006 4:16:00 AM
2,2-Dichloropropane	U	1.0		µg/L	1	6/10/2006 4:16:00 AM
2-Butanone	U	1.0		µg/L	1	6/10/2006 4:16:00 AM
2-Chloroethyl vinyl ether	U	1.0		µg/L	1	6/10/2006 4:16:00 AM
2-Chlorotoluene	U	1.0		µg/L	1	6/10/2006 4:16:00 AM
2-Hexanone	U	1.0		µg/L	1	6/10/2006 4:16:00 AM
4-Chlorotoluene	U	1.0		µg/L	1	6/10/2006 4:16:00 AM
4-Isopropyltoluene	U	1.0		µg/L	1	6/10/2006 4:16:00 AM
4-Methyl-2-pentanone	U	1.0		µg/L	1	6/10/2006 4:16:00 AM
Acetone	U	1.0		µg/L	1	6/10/2006 4:16:00 AM
Benzene	U	1.0		µg/L	1	6/10/2006 4:16:00 AM
Bromobenzene	U	1.0		µg/L	1	6/10/2006 4:16:00 AM
Bromochloromethane	U	1.0		µg/L	1	6/10/2006 4:16:00 AM
Bromodichloromethane	U	1.0		µg/L	1	6/10/2006 4:16:00 AM
Bromoform	U	1.0		µg/L	1	6/10/2006 4:16:00 AM
Bromomethane	U	1.0		µg/L	1	6/10/2006 4:16:00 AM
Carbon disulfide	U	1.0		µg/L	1	6/10/2006 4:16:00 AM
Carbon tetrachloride	U	1.0		µg/L	1	6/10/2006 4:16:00 AM
Chlorobenzene	U	1.0		µg/L	1	6/10/2006 4:16:00 AM

Qualifiers:	B	Analyte detected in the associated Method Blank	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	S	Spike Recovery outside accepted recovery limits
	U	Indicates the compound was analyzed for but not detected	X	Value exceeds Maximum Contaminant Level

American Analytical Laboratories, LLC.

Date: 15-Jun-06

CLIENT: Leggette Brashears & Graham Inc.
Lab Order: 0606098
Project: Rowe Industries
Lab ID: 0606098-03A

Client Sample ID: FRW 3:060706:814
Tag Number:
Collection Date: 6/7/2006
Matrix: LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILE SW-846 8260 PLUS MTBE & FREON11						Analyst: LDS
Chloroethane	U	1.0		µg/L	1	6/10/2006 4:16:00 AM
Chloroform	U	1.0		µg/L	1	6/10/2006 4:16:00 AM
Chloromethane	U	1.0		µg/L	1	6/10/2006 4:16:00 AM
cis-1,2-Dichloroethene	9.4	1.0		µg/L	1	6/10/2006 4:16:00 AM
cis-1,3-Dichloropropene	U	1.0		µg/L	1	6/10/2006 4:16:00 AM
Dibromochloromethane	U	1.0		µg/L	1	6/10/2006 4:16:00 AM
Dibromomethane	U	1.0		µg/L	1	6/10/2006 4:16:00 AM
Dichlorodifluoromethane	U	1.0		µg/L	1	6/10/2006 4:16:00 AM
Ethylbenzene	U	1.0		µg/L	1	6/10/2006 4:16:00 AM
Hexachlorobutadiene	U	1.0		µg/L	1	6/10/2006 4:16:00 AM
Isopropylbenzene	6.0	1.0		µg/L	1	6/10/2006 4:16:00 AM
m,p-Xylene	U	2.0		µg/L	1	6/10/2006 4:16:00 AM
Methyl tert-butyl ether	U	1.0		µg/L	1	6/10/2006 4:16:00 AM
Methylene chloride	U	1.0		µg/L	1	6/10/2006 4:16:00 AM
Naphthalene	U	1.0		µg/L	1	6/10/2006 4:16:00 AM
n-Butylbenzene	U	1.0		µg/L	1	6/10/2006 4:16:00 AM
n-Propylbenzene	U	1.0		µg/L	1	6/10/2006 4:16:00 AM
o-Xylene	U	1.0		µg/L	1	6/10/2006 4:16:00 AM
sec-Butylbenzene	U	1.0		µg/L	1	6/10/2006 4:16:00 AM
Styrene	U	1.0		µg/L	1	6/10/2006 4:16:00 AM
tert-Butylbenzene	U	1.0		µg/L	1	6/10/2006 4:16:00 AM
Tetrachloroethene	650	1.0		µg/L	1	6/10/2006 4:16:00 AM
Toluene	230	1.0		µg/L	1	6/10/2006 4:16:00 AM
trans-1,2-Dichloroethene	U	1.0		µg/L	1	6/10/2006 4:16:00 AM
trans-1,3-Dichloropropene	U	1.0		µg/L	1	6/10/2006 4:16:00 AM
Trichloroethene	8.8	1.0		µg/L	1	6/10/2006 4:16:00 AM
Trichlorofluoromethane	U	1.0		µg/L	1	6/10/2006 4:16:00 AM
Vinyl acetate	U	1.0		µg/L	1	6/10/2006 4:16:00 AM
Vinyl chloride	U	1.0		µg/L	1	6/10/2006 4:16:00 AM

Qualifiers:	B	Analyte detected in the associated Method Blank	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	S	Spike Recovery outside accepted recovery limits
	U	Indicates the compound was analyzed for but not detected	X	Value exceeds Maximum Contaminant Level

American Analytical Laboratories, LLC.

Date: 15-Jun-06

CLIENT: Leggette Brashears & Graham Inc.
Lab Order: 0606098
Project: Rowe Industries
Lab ID: 0606098-04A

Client Sample ID: FRW 4:060706:816
Tag Number:
Collection Date: 6/7/2006
Matrix: LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILE SW-846 8260 PLUS MTBE & FREON11						Analyst: LDS
1,1,1,2-Tetrachloroethane	U	1.0		µg/L	1	6/10/2006 4:54:00 AM
1,1,1-Trichloroethane	U	1.0		µg/L	1	6/10/2006 4:54:00 AM
1,1,2,2-Tetrachloroethane	U	1.0		µg/L	1	6/10/2006 4:54:00 AM
1,1,2-Trichloro-1,2,2-trifluoroethane	U	1.0		µg/L	1	6/10/2006 4:54:00 AM
1,1,2-Trichloroethane	U	1.0		µg/L	1	6/10/2006 4:54:00 AM
1,1-Dichloroethane	U	1.0		µg/L	1	6/10/2006 4:54:00 AM
1,1-Dichloroethene	U	1.0		µg/L	1	6/10/2006 4:54:00 AM
1,1-Dichloropropene	U	1.0		µg/L	1	6/10/2006 4:54:00 AM
1,2,3-Trichlorobenzene	U	1.0		µg/L	1	6/10/2006 4:54:00 AM
1,2,3-Trichloropropane	U	1.0		µg/L	1	6/10/2006 4:54:00 AM
1,2,4-Trichlorobenzene	U	1.0		µg/L	1	6/10/2006 4:54:00 AM
1,2,4-Trimethylbenzene	U	1.0		µg/L	1	6/10/2006 4:54:00 AM
1,2-Dibromo-3-chloropropane	U	1.0		µg/L	1	6/10/2006 4:54:00 AM
1,2-Dibromoethane	U	1.0		µg/L	1	6/10/2006 4:54:00 AM
1,2-Dichlorobenzene	U	1.0		µg/L	1	6/10/2006 4:54:00 AM
1,2-Dichloroethane	U	1.0		µg/L	1	6/10/2006 4:54:00 AM
1,2-Dichloropropane	U	1.0		µg/L	1	6/10/2006 4:54:00 AM
1,3,5-Trimethylbenzene	U	1.0		µg/L	1	6/10/2006 4:54:00 AM
1,3-Dichlorobenzene	U	1.0		µg/L	1	6/10/2006 4:54:00 AM
1,3-dichloropropane	U	1.0		µg/L	1	6/10/2006 4:54:00 AM
1,4-Dichlorobenzene	U	1.0		µg/L	1	6/10/2006 4:54:00 AM
2,2-Dichloropropane	U	1.0		µg/L	1	6/10/2006 4:54:00 AM
2-Butanone	U	1.0		µg/L	1	6/10/2006 4:54:00 AM
2-Chloroethyl vinyl ether	U	1.0		µg/L	1	6/10/2006 4:54:00 AM
2-Chlorotoluene	U	1.0		µg/L	1	6/10/2006 4:54:00 AM
2-Hexanone	U	1.0		µg/L	1	6/10/2006 4:54:00 AM
4-Chlorotoluene	U	1.0		µg/L	1	6/10/2006 4:54:00 AM
4-Isopropyltoluene	U	1.0		µg/L	1	6/10/2006 4:54:00 AM
4-Methyl-2-pentanone	U	1.0		µg/L	1	6/10/2006 4:54:00 AM
Acetone	U	1.0		µg/L	1	6/10/2006 4:54:00 AM
Benzene	U	1.0		µg/L	1	6/10/2006 4:54:00 AM
Bromobenzene	U	1.0		µg/L	1	6/10/2006 4:54:00 AM
Bromochloromethane	U	1.0		µg/L	1	6/10/2006 4:54:00 AM
Bromodichloromethane	U	1.0		µg/L	1	6/10/2006 4:54:00 AM
Bromoform	U	1.0		µg/L	1	6/10/2006 4:54:00 AM
Bromomethane	U	1.0		µg/L	1	6/10/2006 4:54:00 AM
Carbon disulfide	U	1.0		µg/L	1	6/10/2006 4:54:00 AM
Carbon tetrachloride	U	1.0		µg/L	1	6/10/2006 4:54:00 AM
Chlorobenzene	U	1.0		µg/L	1	6/10/2006 4:54:00 AM

Qualifiers:	B	Analyte detected in the associated Method Blank	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	S	Spike Recovery outside accepted recovery limits
	U	Indicates the compound was analyzed for but not detected	X	Value exceeds Maximum Contaminant Level

American Analytical Laboratories, LLC.

Date: 15-Jun-06

CLIENT:	Leggette Brashears & Graham Inc.	Client Sample ID:	FRW 4:060706:816
Lab Order:	0606098	Tag Number:	
Project:	Rowe Industries	Collection Date:	6/7/2006
Lab ID:	0606098-04A	Matrix:	LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILE SW-846 8260 PLUS MTBE & FREON11						Analyst: LDS
Chloroethane	U	1.0		µg/L	1	6/10/2006 4:54:00 AM
Chloroform	U	1.0		µg/L	1	6/10/2006 4:54:00 AM
Chloromethane	U	1.0		µg/L	1	6/10/2006 4:54:00 AM
cis-1,2-Dichloroethene	U	1.0		µg/L	1	6/10/2006 4:54:00 AM
cls-1,3-Dichloropropene	U	1.0		µg/L	1	6/10/2006 4:54:00 AM
Dibromochloromethane	U	1.0		µg/L	1	6/10/2006 4:54:00 AM
Dibromomethane	U	1.0		µg/L	1	6/10/2006 4:54:00 AM
Dichlorodifluoromethane	U	1.0		µg/L	1	6/10/2006 4:54:00 AM
Ethylbenzene	U	1.0		µg/L	1	6/10/2006 4:54:00 AM
Hexachlorobutadiene	U	1.0		µg/L	1	6/10/2006 4:54:00 AM
Isopropylbenzene	U	1.0		µg/L	1	6/10/2006 4:54:00 AM
m,p-Xylene	U	2.0		µg/L	1	6/10/2006 4:54:00 AM
Methyl tert-butyl ether	U	1.0		µg/L	1	6/10/2006 4:54:00 AM
Methylene chloride	U	1.0		µg/L	1	6/10/2006 4:54:00 AM
Naphthalene	U	1.0		µg/L	1	6/10/2006 4:54:00 AM
n-Butylbenzene	U	1.0		µg/L	1	6/10/2006 4:54:00 AM
n-Propylbenzene	U	1.0		µg/L	1	6/10/2006 4:54:00 AM
o-Xylene	U	1.0		µg/L	1	6/10/2006 4:54:00 AM
sec-Butylbenzene	U	1.0		µg/L	1	6/10/2006 4:54:00 AM
Styrene	U	1.0		µg/L	1	6/10/2006 4:54:00 AM
tert-Butylbenzene	U	1.0		µg/L	1	6/10/2006 4:54:00 AM
Tetrachloroethene	14	1.0		µg/L	1	6/10/2006 4:54:00 AM
Toluene	22	1.0		µg/L	1	6/10/2006 4:54:00 AM
trans-1,2-Dichloroethene	U	1.0		µg/L	1	6/10/2006 4:54:00 AM
trans-1,3-Dichloropropene	U	1.0		µg/L	1	6/10/2006 4:54:00 AM
Trichloroethene	U	1.0		µg/L	1	6/10/2006 4:54:00 AM
Trichlorofluoromethane	U	1.0		µg/L	1	6/10/2006 4:54:00 AM
Vinyl acetate	U	1.0		µg/L	1	6/10/2006 4:54:00 AM
Vinyl chloride	U	1.0		µg/L	1	6/10/2006 4:54:00 AM

Qualifiers:	B	Analyte detected in the associated Method Blank	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	S	Spike Recovery outside accepted recovery limits
	U	Indicates the compound was analyzed for but not detected	X	Value exceeds Maximum Contaminant Level

American Analytical Laboratories, LLC.

Date: 15-Jun-06

CLIENT: Leggette Brashears & Graham Inc.
Lab Order: 0606098
Project: Rowe Industries
Lab ID: 0606098-05A

Client Sample ID: PRE 060706:800
Tag Number:
Collection Date: 6/7/2006
Matrix: LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILE SW-846 8260 PLUS MTBE & FREON11		SW8260B		SW5030A		Analyst: LDS
1,1,1,2-Tetrachloroethane	U	1.0		µg/L	1	6/10/2006 5:30:00 AM
1,1,1-Trichloroethane	U	1.0		µg/L	1	6/10/2006 5:30:00 AM
1,1,2,2-Tetrachloroethane	U	1.0		µg/L	1	6/10/2006 5:30:00 AM
1,1,2-Trichloro-1,2,2-trifluoroethane	U	1.0		µg/L	1	6/10/2006 5:30:00 AM
1,1,2-Trichloroethane	U	1.0		µg/L	1	6/10/2006 5:30:00 AM
1,1-Dichloroethane	U	1.0		µg/L	1	6/10/2006 5:30:00 AM
1,1-Dichloroethene	U	1.0		µg/L	1	6/10/2006 5:30:00 AM
1,1-Dichloropropene	U	1.0		µg/L	1	6/10/2006 5:30:00 AM
1,2,3-Trichlorobenzene	U	1.0		µg/L	1	6/10/2006 5:30:00 AM
1,2,3-Trichloropropane	U	1.0		µg/L	1	6/10/2006 5:30:00 AM
1,2,4-Trichlorobenzene	U	1.0		µg/L	1	6/10/2006 5:30:00 AM
1,2,4-Trimethylbenzene	U	1.0		µg/L	1	6/10/2006 5:30:00 AM
1,2-Dibromo-3-chloropropane	U	1.0		µg/L	1	6/10/2006 5:30:00 AM
1,2-Dibromoethane	U	1.0		µg/L	1	6/10/2006 5:30:00 AM
1,2-Dichlorobenzene	U	1.0		µg/L	1	6/10/2006 5:30:00 AM
1,2-Dichloroethane	U	1.0		µg/L	1	6/10/2006 5:30:00 AM
1,2-Dichloropropane	U	1.0		µg/L	1	6/10/2006 5:30:00 AM
1,3,5-Trimethylbenzene	U	1.0		µg/L	1	6/10/2006 5:30:00 AM
1,3-Dichlorobenzene	U	1.0		µg/L	1	6/10/2006 5:30:00 AM
1,3-dichloropropane	U	1.0		µg/L	1	6/10/2006 5:30:00 AM
1,4-Dichlorobenzene	U	1.0		µg/L	1	6/10/2006 5:30:00 AM
2,2-Dichloropropane	U	1.0		µg/L	1	6/10/2006 5:30:00 AM
2-Butanone	U	1.0		µg/L	1	6/10/2006 5:30:00 AM
2-Chloroethyl vinyl ether	U	1.0		µg/L	1	6/10/2006 5:30:00 AM
2-Chlorotoluene	U	1.0		µg/L	1	6/10/2006 5:30:00 AM
2-Hexanone	U	1.0		µg/L	1	6/10/2006 5:30:00 AM
4-Chlorotoluene	U	1.0		µg/L	1	6/10/2006 5:30:00 AM
4-Isopropyltoluene	U	1.0		µg/L	1	6/10/2006 5:30:00 AM
4-Methyl-2-pentanone	U	1.0		µg/L	1	6/10/2006 5:30:00 AM
Acetone	U	1.0		µg/L	1	6/10/2006 5:30:00 AM
Benzene	U	1.0		µg/L	1	6/10/2006 5:30:00 AM
Bromobenzene	U	1.0		µg/L	1	6/10/2006 5:30:00 AM
Bromochloromethane	U	1.0		µg/L	1	6/10/2006 5:30:00 AM
Bromodichloromethane	U	1.0		µg/L	1	6/10/2006 5:30:00 AM
Bromoform	U	1.0		µg/L	1	6/10/2006 5:30:00 AM
Bromomethane	U	1.0		µg/L	1	6/10/2006 5:30:00 AM
Carbon disulfide	U	1.0		µg/L	1	6/10/2006 5:30:00 AM
Carbon tetrachloride	U	1.0		µg/L	1	6/10/2006 5:30:00 AM
Chlorobenzene	U	1.0		µg/L	1	6/10/2006 5:30:00 AM

Qualifiers:	B	Analyte detected in the associated Method Blank	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	S	Spike Recovery outside accepted recovery limits
	U	Indicates the compound was analyzed for but not detected	X	Value exceeds Maximum Contaminant Level

American Analytical Laboratories, LLC.

Date: 15-Jun-06

CLIENT: Leggett Brashears & Graham Inc.
Lab Order: 0606098
Project: Rowe Industries
Lab ID: 0606098-05A

Client Sample ID: PRE 060706:800
Tag Number:
Collection Date: 6/7/2006
Matrix: LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILE SW-846 8260 PLUS MTBE & FREON11		SW8260B		SW5030A		Analyst: LDS
Chloroethane	U	1.0		µg/L	1	6/10/2006 5:30:00 AM
Chloroform	U	1.0		µg/L	1	6/10/2006 5:30:00 AM
Chloromethane	U	1.0		µg/L	1	6/10/2006 5:30:00 AM
cis-1,2-Dichloroethene	5.9	1.0		µg/L	1	6/10/2006 5:30:00 AM
cis-1,3-Dichloropropene	U	1.0		µg/L	1	6/10/2006 5:30:00 AM
Dibromochloromethane	U	1.0		µg/L	1	6/10/2006 5:30:00 AM
Dibromomethane	U	1.0		µg/L	1	6/10/2006 5:30:00 AM
Dichlorodifluoromethane	U	1.0		µg/L	1	6/10/2006 5:30:00 AM
Ethylbenzene	U	1.0		µg/L	1	6/10/2006 5:30:00 AM
Hexachlorobutadiene	U	1.0		µg/L	1	6/10/2006 5:30:00 AM
Isopropylbenzene	U	1.0		µg/L	1	6/10/2006 5:30:00 AM
m,p-Xylene	U	2.0		µg/L	1	6/10/2006 5:30:00 AM
Methyl tert-butyl ether	U	1.0		µg/L	1	6/10/2006 5:30:00 AM
Methylene chloride	U	1.0		µg/L	1	6/10/2006 5:30:00 AM
Naphthalene	U	1.0		µg/L	1	6/10/2006 5:30:00 AM
n-Butylbenzene	U	1.0		µg/L	1	6/10/2006 5:30:00 AM
n-Propylbenzene	U	1.0		µg/L	1	6/10/2006 5:30:00 AM
o-Xylene	U	1.0		µg/L	1	6/10/2006 5:30:00 AM
sec-Butylbenzene	U	1.0		µg/L	1	6/10/2006 5:30:00 AM
Styrene	U	1.0		µg/L	1	6/10/2006 5:30:00 AM
tert-Butylbenzene	U	1.0		µg/L	1	6/10/2006 5:30:00 AM
Tetrachloroethene	220	1.0		µg/L	1	6/10/2006 5:30:00 AM
Toluene	170	1.0		µg/L	1	6/10/2006 5:30:00 AM
trans-1,2-Dichloroethene	U	1.0		µg/L	1	6/10/2006 5:30:00 AM
trans-1,3-Dichloropropene	U	1.0		µg/L	1	6/10/2006 5:30:00 AM
Trichloroethene	5.0	1.0		µg/L	1	6/10/2006 5:30:00 AM
Trichlorofluoromethane	U	1.0		µg/L	1	6/10/2006 5:30:00 AM
Vinyl acetate	U	1.0		µg/L	1	6/10/2006 5:30:00 AM
Vinyl chloride	U	1.0		µg/L	1	6/10/2006 5:30:00 AM

Qualifiers:	B	Analyte detected in the associated Method Blank	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	S	Spike Recovery outside accepted recovery limits
	U	Indicates the compound was analyzed for but not detected	X	Value exceeds Maximum Contaminant Level

American Analytical Laboratories, LLC.

Date: 15-Jun-06

CLIENT: Leggette Brashears & Graham Inc.
Lab Order: 0606098
Project: Rowe Industries
Lab ID: 0606098-06A

Client Sample ID: MID 060706:802
Tag Number:
Collection Date: 6/7/2006
Matrix: LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILE SW-846 8260 PLUS MTBE & FREON11		SW8260B	SW5030A	Analyst: LDS		
1,1,1,2-Tetrachloroethane	U	1.0		µg/L	1	6/10/2006 6:08:00 AM
1,1,1-Trichloroethane	U	1.0		µg/L	1	6/10/2006 6:08:00 AM
1,1,2,2-Tetrachloroethane	U	1.0		µg/L	1	6/10/2006 6:08:00 AM
1,1,2-Trichloro-1,2,2-trifluoroethane	U	1.0		µg/L	1	6/10/2006 6:08:00 AM
1,1,2-Trichloroethane	U	1.0		µg/L	1	6/10/2006 6:08:00 AM
1,1-Dichloroethane	U	1.0		µg/L	1	6/10/2006 6:08:00 AM
1,1-Dichloroethene	U	1.0		µg/L	1	6/10/2006 6:08:00 AM
1,1-Dichloropropene	U	1.0		µg/L	1	6/10/2006 6:08:00 AM
1,2,3-Trichlorobenzene	U	1.0		µg/L	1	6/10/2006 6:08:00 AM
1,2,3-Trichloropropane	U	1.0		µg/L	1	6/10/2006 6:08:00 AM
1,2,4-Trichlorobenzene	U	1.0		µg/L	1	6/10/2006 6:08:00 AM
1,2,4-Trimethylbenzene	U	1.0		µg/L	1	6/10/2006 6:08:00 AM
1,2-Dibromo-3-chloropropane	U	1.0		µg/L	1	6/10/2006 6:08:00 AM
1,2-Dibromoethane	U	1.0		µg/L	1	6/10/2006 6:08:00 AM
1,2-Dichlorobenzene	U	1.0		µg/L	1	6/10/2006 6:08:00 AM
1,2-Dichloroethane	U	1.0		µg/L	1	6/10/2006 6:08:00 AM
1,2-Dichloropropane	U	1.0		µg/L	1	6/10/2006 6:08:00 AM
1,3,5-Trimethylbenzene	U	1.0		µg/L	1	6/10/2006 6:08:00 AM
1,3-Dichlorobenzene	U	1.0		µg/L	1	6/10/2006 6:08:00 AM
1,3-dichloropropane	U	1.0		µg/L	1	6/10/2006 6:08:00 AM
1,4-Dichlorobenzene	U	1.0		µg/L	1	6/10/2006 6:08:00 AM
2,2-Dichloropropane	U	1.0		µg/L	1	6/10/2006 6:08:00 AM
2-Butanone	U	1.0		µg/L	1	6/10/2006 6:08:00 AM
2-Chloroethyl vinyl ether	U	1.0		µg/L	1	6/10/2006 6:08:00 AM
2-Chlorotoluene	U	1.0		µg/L	1	6/10/2006 6:08:00 AM
2-Hexanone	U	1.0		µg/L	1	6/10/2006 6:08:00 AM
4-Chlorotoluene	U	1.0		µg/L	1	6/10/2006 6:08:00 AM
4-Isopropyltoluene	U	1.0		µg/L	1	6/10/2006 6:08:00 AM
4-Methyl-2-pentanone	U	1.0		µg/L	1	6/10/2006 6:08:00 AM
Acetone	U	1.0		µg/L	1	6/10/2006 6:08:00 AM
Benzene	U	1.0		µg/L	1	6/10/2006 6:08:00 AM
Bromobenzene	U	1.0		µg/L	1	6/10/2006 6:08:00 AM
Bromochloromethane	U	1.0		µg/L	1	6/10/2006 6:08:00 AM
Bromodichloromethane	U	1.0		µg/L	1	6/10/2006 6:08:00 AM
Bromoform	U	1.0		µg/L	1	6/10/2006 6:08:00 AM
Bromomethane	U	1.0		µg/L	1	6/10/2006 6:08:00 AM
Carbon disulfide	U	1.0		µg/L	1	6/10/2006 6:08:00 AM
Carbon tetrachloride	U	1.0		µg/L	1	6/10/2006 6:08:00 AM
Chlorobenzene	U	1.0		µg/L	1	6/10/2006 6:08:00 AM

Qualifiers: B Analyte detected in the associated Method Blank
H Holding times for preparation or analysis exceeded
ND Not Detected at the Reporting Limit
U Indicates the compound was analyzed for but not detected

E Value above quantitation range
J Analyte detected below quantitation limits
S Spike Recovery outside accepted recovery limits
X Value exceeds Maximum Contaminant Level

American Analytical Laboratories, LLC.

Date: 15-Jun-06

CLIENT:	Leggette Brashears & Graham Inc.	Client Sample ID:	MID 060706:802
Lab Order:	0606098	Tag Number:	
Project:	Rowe Industries	Collection Date:	6/7/2006
Lab ID:	0606098-06A	Matrix:	LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILE SW-846 8260 PLUS MTBE & FREON11		SW8260B	SW5030A	Analyst: LDS		
Chloroethane	U	1.0		µg/L	1	6/10/2006 6:08:00 AM
Chloroform	U	1.0		µg/L	1	6/10/2006 6:08:00 AM
Chloromethane	U	1.0		µg/L	1	6/10/2006 6:08:00 AM
cis-1,2-Dichloroethene	3.5	1.0		µg/L	1	6/10/2006 6:08:00 AM
cis-1,3-Dichloropropene	U	1.0		µg/L	1	6/10/2006 6:08:00 AM
Dibromochloromethane	U	1.0		µg/L	1	6/10/2006 6:08:00 AM
Dibromomethane	U	1.0		µg/L	1	6/10/2006 6:08:00 AM
Dichlorodifluoromethane	U	1.0		µg/L	1	6/10/2006 6:08:00 AM
Ethylbenzene	U	1.0		µg/L	1	6/10/2006 6:08:00 AM
Hexachlorobutadiene	U	1.0		µg/L	1	6/10/2006 6:08:00 AM
Isopropylbenzene	U	1.0		µg/L	1	6/10/2006 6:08:00 AM
m,p-Xylene	U	2.0		µg/L	1	6/10/2006 6:08:00 AM
Methyl tert-butyl ether	U	1.0		µg/L	1	6/10/2006 6:08:00 AM
Methylene chloride	U	1.0		µg/L	1	6/10/2006 6:08:00 AM
Naphthalene	U	1.0		µg/L	1	6/10/2006 6:08:00 AM
n-Butylbenzene	U	1.0		µg/L	1	6/10/2006 6:08:00 AM
n-Propylbenzene	U	1.0		µg/L	1	6/10/2006 6:08:00 AM
o-Xylene	U	1.0		µg/L	1	6/10/2006 6:08:00 AM
sec-Butylbenzene	U	1.0		µg/L	1	6/10/2006 6:08:00 AM
Styrene	U	1.0		µg/L	1	6/10/2006 6:08:00 AM
tert-Butylbenzene	U	1.0		µg/L	1	6/10/2006 6:08:00 AM
Tetrachloroethene	86	1.0		µg/L	1	6/10/2006 6:08:00 AM
Toluene	97	1.0		µg/L	1	6/10/2006 6:08:00 AM
trans-1,2-Dichloroethene	U	1.0		µg/L	1	6/10/2006 6:08:00 AM
trans-1,3-Dichloropropene	U	1.0		µg/L	1	6/10/2006 6:08:00 AM
Trichloroethene	2.5	1.0		µg/L	1	6/10/2006 6:08:00 AM
Trichlorofluoromethane	U	1.0		µg/L	1	6/10/2006 6:08:00 AM
Vinyl acetate	U	1.0		µg/L	1	6/10/2006 6:08:00 AM
Vinyl chloride	U	1.0		µg/L	1	6/10/2006 6:08:00 AM

Qualifiers:	B	Analyte detected in the associated Method Blank	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	S	Spike Recovery outside accepted recovery limits
	U	Indicates the compound was analyzed for but not detected	X	Value exceeds Maximum Contaminant Level

American Analytical Laboratories, LLC.

Date: 15-Jun-06

CLIENT: Leggette Brashears & Graham Inc.
Lab Order: 0606098
Project: Rowe Industries
Lab ID: 0606098-07A

Client Sample ID: POST 060706:805
Tag Number:
Collection Date: 6/7/2006
Matrix: LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILE SW-846 8260 PLUS MTBE & FREON11		SW8260B		SW5030A		Analyst: LDS
1,1,1,2-Tetrachloroethane	U	1.0		µg/L	1	6/10/2006 6:45:00 AM
1,1,1-Trichloroethane	U	1.0		µg/L	1	6/10/2006 6:45:00 AM
1,1,2,2-Tetrachloroethane	U	1.0		µg/L	1	6/10/2006 6:45:00 AM
1,1,2-Trichloro-1,2,2-trifluoroethane	U	1.0		µg/L	1	6/10/2006 6:45:00 AM
1,1,2-Trichloroethane	U	1.0		µg/L	1	6/10/2006 6:45:00 AM
1,1-Dichloroethane	U	1.0		µg/L	1	6/10/2006 6:45:00 AM
1,1-Dichloroethene	U	1.0		µg/L	1	6/10/2006 6:45:00 AM
1,1-Dichloropropene	U	1.0		µg/L	1	6/10/2006 6:45:00 AM
1,2,3-Trichlorobenzene	U	1.0		µg/L	1	6/10/2006 6:45:00 AM
1,2,3-Trichloropropane	U	1.0		µg/L	1	6/10/2006 6:45:00 AM
1,2,4-Trichlorobenzene	U	1.0		µg/L	1	6/10/2006 6:45:00 AM
1,2,4-Trimethylbenzene	U	1.0		µg/L	1	6/10/2006 6:45:00 AM
1,2-Dibromo-3-chloropropane	U	1.0		µg/L	1	6/10/2006 6:45:00 AM
1,2-Dibromoethane	U	1.0		µg/L	1	6/10/2006 6:45:00 AM
1,2-Dichlorobenzene	U	1.0		µg/L	1	6/10/2006 6:45:00 AM
1,2-Dichloroethane	U	1.0		µg/L	1	6/10/2006 6:45:00 AM
1,2-Dichloropropane	U	1.0		µg/L	1	6/10/2006 6:45:00 AM
1,3,5-Trimethylbenzene	U	1.0		µg/L	1	6/10/2006 6:45:00 AM
1,3-Dichlorobenzene	U	1.0		µg/L	1	6/10/2006 6:45:00 AM
1,3-dichloropropane	U	1.0		µg/L	1	6/10/2006 6:45:00 AM
1,4-Dichlorobenzene	U	1.0		µg/L	1	6/10/2006 6:45:00 AM
2,2-Dichloropropane	U	1.0		µg/L	1	6/10/2006 6:45:00 AM
2-Butanone	U	1.0		µg/L	1	6/10/2006 6:45:00 AM
2-Chloroethyl vinyl ether	U	1.0		µg/L	1	6/10/2006 6:45:00 AM
2-Chlorotoluene	U	1.0		µg/L	1	6/10/2006 6:45:00 AM
2-Hexanone	U	1.0		µg/L	1	6/10/2006 6:45:00 AM
4-Chlorotoluene	U	1.0		µg/L	1	6/10/2006 6:45:00 AM
4-Isopropyltoluene	U	1.0		µg/L	1	6/10/2006 6:45:00 AM
4-Methyl-2-pentanone	U	1.0		µg/L	1	6/10/2006 6:45:00 AM
Acetone	U	1.0		µg/L	1	6/10/2006 6:45:00 AM
Benzene	U	1.0		µg/L	1	6/10/2006 6:45:00 AM
Bromobenzene	U	1.0		µg/L	1	6/10/2006 6:45:00 AM
Bromochloromethane	U	1.0		µg/L	1	6/10/2006 6:45:00 AM
Bromodichloromethane	U	1.0		µg/L	1	6/10/2006 6:45:00 AM
Bromoform	U	1.0		µg/L	1	6/10/2006 6:45:00 AM
Bromomethane	U	1.0		µg/L	1	6/10/2006 6:45:00 AM
Carbon disulfide	U	1.0		µg/L	1	6/10/2006 6:45:00 AM
Carbon tetrachloride	U	1.0		µg/L	1	6/10/2006 6:45:00 AM
Chlorobenzene	U	1.0		µg/L	1	6/10/2006 6:45:00 AM

Qualifiers:	B	Analyte detected in the associated Method Blank	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	S	Spike Recovery outside accepted recovery limits
	U	Indicates the compound was analyzed for but not detected	X	Value exceeds Maximum Contaminant Level

American Analytical Laboratories, LLC.
Date: 15-Jun-06

CLIENT: Leggette Brashears & Graham Inc.
Lab Order: 0606098
Project: Rowe Industries
Lab ID: 0606098-07A

Client Sample ID: POST 060706:805
Tag Number:
Collection Date: 6/7/2006
Matrix: LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILE SW-846 8260 PLUS MTBE & FREON11						
		SW8260B		SW5030A		Analyst: LDS
Chloroethane	U	1.0		µg/L	1	6/10/2006 6:45:00 AM
Chloroform	U	1.0		µg/L	1	6/10/2006 6:45:00 AM
Chloromethane	U	1.0		µg/L	1	6/10/2006 6:45:00 AM
cis-1,2-Dichloroethene	U	1.0		µg/L	1	6/10/2006 6:45:00 AM
cis-1,3-Dichloropropene	U	1.0		µg/L	1	6/10/2006 6:45:00 AM
Dibromochloromethane	U	1.0		µg/L	1	6/10/2006 6:45:00 AM
Dibromomethane	U	1.0		µg/L	1	6/10/2006 6:45:00 AM
Dichlorodifluoromethane	U	1.0		µg/L	1	6/10/2006 6:45:00 AM
Ethylbenzene	U	1.0		µg/L	1	6/10/2006 6:45:00 AM
Hexachlorobutadiene	U	1.0		µg/L	1	6/10/2006 6:45:00 AM
Isopropylbenzene	U	1.0		µg/L	1	6/10/2006 6:45:00 AM
m,p-Xylene	U	2.0		µg/L	1	6/10/2006 6:45:00 AM
Methyl tert-butyl ether	U	1.0		µg/L	1	6/10/2006 6:45:00 AM
Methylene chloride	U	1.0		µg/L	1	6/10/2006 6:45:00 AM
Naphthalene	U	1.0		µg/L	1	6/10/2006 6:45:00 AM
n-Butylbenzene	U	1.0		µg/L	1	6/10/2006 6:45:00 AM
n-Propylbenzene	U	1.0		µg/L	1	6/10/2006 6:45:00 AM
o-Xylene	U	1.0		µg/L	1	6/10/2006 6:45:00 AM
sec-Butylbenzene	U	1.0		µg/L	1	6/10/2006 6:45:00 AM
Styrene	U	1.0		µg/L	1	6/10/2006 6:45:00 AM
tert-Butylbenzene	U	1.0		µg/L	1	6/10/2006 6:45:00 AM
Tetrachloroethene	U	1.0		µg/L	1	6/10/2006 6:45:00 AM
Toluene	U	1.0		µg/L	1	6/10/2006 6:45:00 AM
trans-1,2-Dichloroethene	U	1.0		µg/L	1	6/10/2006 6:45:00 AM
trans-1,3-Dichloropropene	U	1.0		µg/L	1	6/10/2006 6:45:00 AM
Trichloroethene	U	1.0		µg/L	1	6/10/2006 6:45:00 AM
Trichlorofluoromethane	U	1.0		µg/L	1	6/10/2006 6:45:00 AM
Vinyl acetate	U	1.0		µg/L	1	6/10/2006 6:45:00 AM
Vinyl chloride	U	1.0		µg/L	1	6/10/2006 6:45:00 AM

Qualifiers:	B	Analyte detected in the associated Method Blank	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	S	Spike Recovery outside accepted recovery limits
	U	Indicates the compound was analyzed for but not detected	X	Value exceeds Maximum Contaminant Level



NYSDOH 11418
NJDEP NY050
CTDOH PH-0205
PADEP 68-00573

Monday, June 26, 2006

Mark Goldberg
Leggette Brashears & Graham Inc.
4 Research Drive
Suite 301
Shelton, CT 06484

TEL: (203) 929-8555

FAX (203) 926-9140

RE: Rowe Industries

Dear Mark Goldberg:

Order No.: 0606172

American Analytical Laboratories, LLC. received 7 sample(s) on 6/16/2006 for the analyses presented in the following report.


Samples were analyzed in accordance with the test procedures documented on the chain of custody and detailed throughout the text of this report.

The limits provided in the data package are analytical reporting limits and not Federal or Local mandated values to which the sample results should be compared.

There were no problems with the analyses and all data for associated QC met laboratory specifications. If there are any exceptions a Case Narrative is provided in the report.

If you have any questions regarding these tests results, please do not hesitate to call (631) 454-6100 or email me directly at lbeyer@american-analytical.com.

Sincerely,


Lori Beyer
Lab Director

American Analytical Laboratories, LLC.

Date: 26-Jun-06

CLIENT: Leggette Brashears & Graham Inc.**Project:** Rowe Industries**Lab Order:** 0606172**Work Order Sample Summary**

Lab Sample ID	Client Sample ID	Tag Number	Date Collected	Date Received
0606172-01A	Pre 061406	10282	6/14/2006	6/16/2006
0606172-02A	Mid 061406	10282	6/14/2006	6/16/2006
0606172-03A	Post 061406	10282	6/14/2006	6/16/2006
0606172-04A	FRW1 061406	10282	6/14/2006	6/16/2006
0606172-05A	FRW2 061406	10282	6/14/2006	6/16/2006
0606172-06A	FRW3 061406	10282	6/14/2006	6/16/2006
0606172-07A	FRW4 061406	10282	6/14/2006	6/16/2006



56 TOLEDO STREET • FARMINGDALE, NEW YORK 11735
(631) 454-6100 • FAX (631) 454-8027

NYSDC	11418
CTDOH	PH-0205
NJDEP	NY050
PADEP	68-573

TAG# / COC 10782

CHAIN OF CUSTODY / REQUEST FOR ANALYSIS DOCUMENT

[illegible]

WHITE-OFFICE / CANARY-LAB / PINK-SAMPLE CUSTODIAN / GOLDENROD-CLIENT

AMERICAN ANALYTICAL LABORATORIES, LLC

56 TOLEDO STREET

FARMINGDALE, NEW YORK 11735

TELEPHONE: (631) 454-6100 FAX: (631) 454-8027

DATA REPORTING QUALIFIERS

For reporting results, the following "Results Qualifiers" are used:

Value	If the result is greater than or equal to the detection limit, report the value
U	Indicates the compound was analyzed for but was not detected. Report the minimum detection limit for the sample with the U, i.e. "10U". This is not necessarily the instrument detection limit attainable for this particular sample based on any concentration or dilution that may have been required.
J	Indicates an estimated value. The flag is used: (1) When estimating a concentration for a tentatively identified compound (library search hits, where a 1:1 response is assumed.) (2) When the mass spectral data indicated the identification, however the result was less than the specified detection limit greater than zero. If the detection limit was 10ug/L and a concentration of 3ug/L was calculated report as 3J. This flag is used when similar situations arise on any organic parameter i.e. Pesticide, PCBs and others.
B	Indicates the analyte was found in the blank as well as the sample report "10B".
E	Indicates the analytes concentration exceeds the calibrated range of the instrument for that specific analysis.
D	This flag identifies all compounds identified in an analysis at a secondary dilution factor.
P	This flag is used for Pesticide / PCB target analyte when there is >25% difference for detected concentrations between the two GC Columns. The higher of the two values is reported on Form I and flagged with a "P".
N	This flag indicates presumptive evidence of a compound. This is only used for tentatively identified compounds (TICs), where the identification is based on a mass spectral library search. It applies to all TIC results. For generic characterization of a TIC, such as chlorinated hydrocarbon, the flag is not used.
H	Indicates sample was received and/or analyzed outside of The method allowable holding time

American Analytical Laboratories, LLC.

Date: 26-Jun-06

CLIENT: Leggette Brashears & Graham Inc.
Lab Order: 0606172
Project: Rowe Industries
Lab ID: 0606172-01A

Client Sample ID: Pre 061406
Tag Number: 10282
Collection Date: 6/14/2006
Matrix: LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILE SW-846 8260 PLUS MTBE & FREON11		SW8260B		SW5030A		Analyst: LDS
1,1,1,2-Tetrachloroethane	U	1.0		µg/L	1	6/17/2006 10:43:00 AM
1,1,1-Trichloroethane	U	1.0		µg/L	1	6/17/2006 10:43:00 AM
1,1,2,2-Tetrachloroethane	U	1.0		µg/L	1	6/17/2006 10:43:00 AM
1,1,2-Trichloro-1,2,2-trifluoroethane	U	1.0		µg/L	1	6/17/2006 10:43:00 AM
1,1,2-Trichloroethane	U	1.0		µg/L	1	6/17/2006 10:43:00 AM
1,1-Dichloroethane	U	1.0		µg/L	1	6/17/2006 10:43:00 AM
1,1-Dichloroethene	U	1.0		µg/L	1	6/17/2006 10:43:00 AM
1,1-Dichloropropene	U	1.0		µg/L	1	6/17/2006 10:43:00 AM
1,2,3-Trichlorobenzene	U	1.0		µg/L	1	6/17/2006 10:43:00 AM
1,2,3-Trichloropropane	U	1.0		µg/L	1	6/17/2006 10:43:00 AM
1,2,4-Trichlorobenzene	U	1.0		µg/L	1	6/17/2006 10:43:00 AM
1,2,4-Trimethylbenzene	U	1.0		µg/L	1	6/17/2006 10:43:00 AM
1,2-Dibromo-3-chloropropane	U	1.0		µg/L	1	6/17/2006 10:43:00 AM
1,2-Dibromoethane	U	1.0		µg/L	1	6/17/2006 10:43:00 AM
1,2-Dichlorobenzene	U	1.0		µg/L	1	6/17/2006 10:43:00 AM
1,2-Dichloroethane	U	1.0		µg/L	1	6/17/2006 10:43:00 AM
1,2-Dichloropropane	U	1.0		µg/L	1	6/17/2006 10:43:00 AM
1,3,5-Trimethylbenzene	U	1.0		µg/L	1	6/17/2006 10:43:00 AM
1,3-Dichlorobenzene	U	1.0		µg/L	1	6/17/2006 10:43:00 AM
1,3-dichloropropane	U	1.0		µg/L	1	6/17/2006 10:43:00 AM
1,4-Dichlorobenzene	U	1.0		µg/L	1	6/17/2006 10:43:00 AM
2,2-Dichloropropane	U	1.0		µg/L	1	6/17/2006 10:43:00 AM
2-Butanone	U	1.0		µg/L	1	6/17/2006 10:43:00 AM
2-Chloroethyl vinyl ether	U	1.0		µg/L	1	6/17/2006 10:43:00 AM
2-Chlorotoluene	U	1.0		µg/L	1	6/17/2006 10:43:00 AM
2-Hexanone	U	1.0		µg/L	1	6/17/2006 10:43:00 AM
4-Chlorotoluene	U	1.0		µg/L	1	6/17/2006 10:43:00 AM
4-Isopropyltoluene	U	1.0		µg/L	1	6/17/2006 10:43:00 AM
4-Methyl-2-pentanone	U	1.0		µg/L	1	6/17/2006 10:43:00 AM
Acetone	U	1.0		µg/L	1	6/17/2006 10:43:00 AM
Benzene	U	1.0		µg/L	1	6/17/2006 10:43:00 AM
Bromobenzene	U	1.0		µg/L	1	6/17/2006 10:43:00 AM
Bromochloromethane	U	1.0		µg/L	1	6/17/2006 10:43:00 AM
Bromodichloromethane	U	1.0		µg/L	1	6/17/2006 10:43:00 AM
Bromoform	U	1.0		µg/L	1	6/17/2006 10:43:00 AM
Bromomethane	U	1.0		µg/L	1	6/17/2006 10:43:00 AM
Carbon disulfide	U	1.0		µg/L	1	6/17/2006 10:43:00 AM
Carbon tetrachloride	U	1.0		µg/L	1	6/17/2006 10:43:00 AM
Chlorobenzene	U	1.0		µg/L	1	6/17/2006 10:43:00 AM

Qualifiers:	B	Analyte detected in the associated Method Blank	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	S	Spike Recovery outside accepted recovery limits
	U	Indicates the compound was analyzed for but not detected	X	Value exceeds Maximum Contaminant Level

American Analytical Laboratories, LLC.

Date: 26-Jun-06

CLIENT: Leggette Brashears & Graham Inc.
Lab Order: 0606172
Project: Rowe Industries
Lab ID: 0606172-01A

Client Sample ID: Pre 061406
Tag Number: 10282
Collection Date: 6/14/2006
Matrix: LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILE SW-846 8260 PLUS MTBE & FREON11		SW8260B		SW5030A		Analyst: LDS
Chloroethane	U	1.0		µg/L	1	6/17/2006 10:43:00 AM
Chloroform	U	1.0		µg/L	1	6/17/2006 10:43:00 AM
Chloromethane	U	1.0		µg/L	1	6/17/2006 10:43:00 AM
cis-1,2-Dichloroethene	16	1.0		µg/L	1	6/17/2006 10:43:00 AM
cis-1,3-Dichloropropene	U	1.0		µg/L	1	6/17/2006 10:43:00 AM
Dibromochloromethane	U	1.0		µg/L	1	6/17/2006 10:43:00 AM
Dibromomethane	U	1.0		µg/L	1	6/17/2006 10:43:00 AM
Dichlorodifluoromethane	U	1.0		µg/L	1	6/17/2006 10:43:00 AM
Ethylbenzene	U	1.0		µg/L	1	6/17/2006 10:43:00 AM
Hexachlorobutadiene	U	1.0		µg/L	1	6/17/2006 10:43:00 AM
Isopropylbenzene	U	1.0		µg/L	1	6/17/2006 10:43:00 AM
m,p-Xylene	U	2.0		µg/L	1	6/17/2006 10:43:00 AM
Methyl tert-butyl ether	U	1.0		µg/L	1	6/17/2006 10:43:00 AM
Methylene chloride	U	1.0		µg/L	1	6/17/2006 10:43:00 AM
Naphthalene	U	1.0		µg/L	1	6/17/2006 10:43:00 AM
n-Butylbenzene	U	1.0		µg/L	1	6/17/2006 10:43:00 AM
n-Propylbenzene	U	1.0		µg/L	1	6/17/2006 10:43:00 AM
o-Xylene	U	1.0		µg/L	1	6/17/2006 10:43:00 AM
sec-Butylbenzene	U	1.0		µg/L	1	6/17/2006 10:43:00 AM
Styrene	U	1.0		µg/L	1	6/17/2006 10:43:00 AM
tert-Butylbenzene	U	1.0		µg/L	1	6/17/2006 10:43:00 AM
Tetrachloroethene	160	1.0		µg/L	1	6/17/2006 10:43:00 AM
Toluene	230	1.0		µg/L	1	6/17/2006 10:43:00 AM
trans-1,2-Dichloroethene	U	1.0		µg/L	1	6/17/2006 10:43:00 AM
trans-1,3-Dichloropropene	U	1.0		µg/L	1	6/17/2006 10:43:00 AM
Trichloroethene	3.6	1.0		µg/L	1	6/17/2006 10:43:00 AM
Trichlorofluoromethane	U	1.0		µg/L	1	6/17/2006 10:43:00 AM
Vinyl acetate	U	1.0		µg/L	1	6/17/2006 10:43:00 AM
Vinyl chloride	U	1.0		µg/L	1	6/17/2006 10:43:00 AM

Qualifiers:	B	Analyte detected in the associated Method Blank	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	S	Spike Recovery outside accepted recovery limits
	U	Indicates the compound was analyzed for but not detected	X	Value exceeds Maximum Contaminant Level

American Analytical Laboratories, LLC.

Date: 26-Jun-06

CLIENT: Leggett Brashears & Graham Inc.
Lab Order: 0606172
Project: Rowe Industries
Lab ID: 0606172-02A

Client Sample ID: Mid 061406
Tag Number: 10282
Collection Date: 6/14/2006
Matrix: LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILE SW-846 8260 PLUS MTBE & FREON11		SW8260B		SW5030A		Analyst: LDS
1,1,1,2-Tetrachloroethane	U	1.0		µg/L	1	6/17/2006 12:36:00 PM
1,1,1-Trichloroethane	U	1.0		µg/L	1	6/17/2006 12:36:00 PM
1,1,2,2-Tetrachloroethane	U	1.0		µg/L	1	6/17/2006 12:36:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	U	1.0		µg/L	1	6/17/2006 12:36:00 PM
1,1,2-Trichloroethane	U	1.0		µg/L	1	6/17/2006 12:36:00 PM
1,1-Dichloroethane	U	1.0		µg/L	1	6/17/2006 12:36:00 PM
1,1-Dichloroethene	U	1.0		µg/L	1	6/17/2006 12:36:00 PM
1,1-Dichloropropene	U	1.0		µg/L	1	6/17/2006 12:36:00 PM
1,2,3-Trichlorobenzene	U	1.0		µg/L	1	6/17/2006 12:36:00 PM
1,2,3-Trichloropropene	U	1.0		µg/L	1	6/17/2006 12:36:00 PM
1,2,4-Trichlorobenzene	U	1.0		µg/L	1	6/17/2006 12:36:00 PM
1,2,4-Trimethylbenzene	U	1.0		µg/L	1	6/17/2006 12:36:00 PM
1,2-Dibromo-3-chloropropane	U	1.0		µg/L	1	6/17/2006 12:36:00 PM
1,2-Dibromoethane	U	1.0		µg/L	1	6/17/2006 12:36:00 PM
1,2-Dichlorobenzene	U	1.0		µg/L	1	6/17/2006 12:36:00 PM
1,2-Dichloroethane	U	1.0		µg/L	1	6/17/2006 12:36:00 PM
1,2-Dichloropropane	U	1.0		µg/L	1	6/17/2006 12:36:00 PM
1,3,5-Trimethylbenzene	U	1.0		µg/L	1	6/17/2006 12:36:00 PM
1,3-Dichlorobenzene	U	1.0		µg/L	1	6/17/2006 12:36:00 PM
1,3-dichloropropane	U	1.0		µg/L	1	6/17/2006 12:36:00 PM
1,4-Dichlorobenzene	U	1.0		µg/L	1	6/17/2006 12:36:00 PM
2,2-Dichloropropane	U	1.0		µg/L	1	6/17/2006 12:36:00 PM
2-Butanone	U	1.0		µg/L	1	6/17/2006 12:36:00 PM
2-Chloroethyl vinyl ether	U	1.0		µg/L	1	6/17/2006 12:36:00 PM
2-Chlorotoluene	U	1.0		µg/L	1	6/17/2006 12:36:00 PM
2-Hexanone	U	1.0		µg/L	1	6/17/2006 12:36:00 PM
4-Chlorotoluene	U	1.0		µg/L	1	6/17/2006 12:36:00 PM
4-Isopropyltoluene	U	1.0		µg/L	1	6/17/2006 12:36:00 PM
4-Methyl-2-pentanone	U	1.0		µg/L	1	6/17/2006 12:36:00 PM
Acetone	U	1.0		µg/L	1	6/17/2006 12:36:00 PM
Benzene	U	1.0		µg/L	1	6/17/2006 12:36:00 PM
Bromobenzene	U	1.0		µg/L	1	6/17/2006 12:36:00 PM
Bromochloromethane	U	1.0		µg/L	1	6/17/2006 12:36:00 PM
Bromodichloromethane	U	1.0		µg/L	1	6/17/2006 12:36:00 PM
Bromoform	U	1.0		µg/L	1	6/17/2006 12:36:00 PM
Bromomethane	U	1.0		µg/L	1	6/17/2006 12:36:00 PM
Carbon disulfide	U	1.0		µg/L	1	6/17/2006 12:36:00 PM
Carbon tetrachloride	U	1.0		µg/L	1	6/17/2006 12:36:00 PM
Chlorobenzene	U	1.0		µg/L	1	6/17/2006 12:36:00 PM

Qualifiers: B Analyte detected in the associated Method Blank
H Holding times for preparation or analysis exceeded
ND Not Detected at the Reporting Limit
U Indicates the compound was analyzed for but not detected

E Value above quantitation range
J Analyte detected below quantitation limits
S Spike Recovery outside accepted recovery limits
X Value exceeds Maximum Contaminant Level

American Analytical Laboratories, LLC.

Date: 26-Jun-06

CLIENT: Leggette Brashears & Graham Inc.
Lab Order: 0606172
Project: Rowe Industries
Lab ID: 0606172-02A

Client Sample ID: Mid 061406
Tag Number: 10282
Collection Date: 6/14/2006
Matrix: LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILE SW-846 8280 PLUS MTBE & FREON11		SW8260B		SW5030A		Analyst: LDS
Chloroethane	U	1.0		µg/L	1	6/17/2006 12:36:00 PM
Chloroform	U	1.0		µg/L	1	6/17/2006 12:36:00 PM
Chloromethane	U	1.0		µg/L	1	6/17/2006 12:36:00 PM
cis-1,2-Dichloroethene	7.4	1.0		µg/L	1	6/17/2006 12:36:00 PM
cis-1,3-Dichloropropene	U	1.0		µg/L	1	6/17/2006 12:36:00 PM
Dibromochloromethane	U	1.0		µg/L	1	6/17/2006 12:36:00 PM
Dibromomethane	U	1.0		µg/L	1	6/17/2006 12:36:00 PM
Dichlorodifluoromethane	U	1.0		µg/L	1	6/17/2006 12:36:00 PM
Ethylbenzene	U	1.0		µg/L	1	6/17/2006 12:36:00 PM
Hexachlorobutadiene	U	1.0		µg/L	1	6/17/2006 12:36:00 PM
Isopropylbenzene	U	1.0		µg/L	1	6/17/2006 12:36:00 PM
m,p-Xylene	U	2.0		µg/L	1	6/17/2006 12:36:00 PM
Methyl tert-butyl ether	U	1.0		µg/L	1	6/17/2006 12:36:00 PM
Methylene chloride	U	1.0		µg/L	1	6/17/2006 12:36:00 PM
Naphthalene	U	1.0		µg/L	1	6/17/2006 12:36:00 PM
n-Butylbenzene	U	1.0		µg/L	1	6/17/2006 12:36:00 PM
n-Propylbenzene	U	1.0		µg/L	1	6/17/2006 12:36:00 PM
o-Xylene	U	1.0		µg/L	1	6/17/2006 12:36:00 PM
sec-Butylbenzene	U	1.0		µg/L	1	6/17/2006 12:36:00 PM
Styrene	U	1.0		µg/L	1	6/17/2006 12:36:00 PM
tert-Butylbenzene	U	1.0		µg/L	1	6/17/2006 12:36:00 PM
Tetrachloroethene	62	1.0		µg/L	1	6/17/2006 12:36:00 PM
Toluene	130	1.0		µg/L	1	6/17/2006 12:36:00 PM
trans-1,2-Dichloroethene	U	1.0		µg/L	1	6/17/2006 12:36:00 PM
trans-1,3-Dichloropropene	U	1.0		µg/L	1	6/17/2006 12:36:00 PM
Trichloroethene	U	1.0		µg/L	1	6/17/2006 12:36:00 PM
Trichlorofluoromethane	U	1.0		µg/L	1	6/17/2006 12:36:00 PM
Vinyl acetate	U	1.0		µg/L	1	6/17/2006 12:36:00 PM
Vinyl chloride	U	1.0		µg/L	1	6/17/2006 12:36:00 PM

Qualifiers:	B	Analyte detected in the associated Method Blank	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	S	Spike Recovery outside accepted recovery limits
	U	Indicates the compound was analyzed for but not detected	X	Value exceeds Maximum Contaminant Level

American Analytical Laboratories, LLC.

Date: 26-Jun-06

CLIENT: Leggett Brashears & Graham Inc.
Lab Order: 0606172
Project: Rowe Industries
Lab ID: 0606172-03A

Client Sample ID: Post 061406
Tag Number: 10282
Collection Date: 6/14/2006
Matrix: LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILE SW-846 8260 PLUS MTBE & FREON11		SW8260B		SW5030A		Analyst: LDS
1,1,1,2-Tetrachloroethane	U	1.0		µg/L	1	6/17/2006 1:14:00 PM
1,1,1-Trichloroethane	U	1.0		µg/L	1	6/17/2006 1:14:00 PM
1,1,2,2-Tetrachloroethane	U	1.0		µg/L	1	6/17/2006 1:14:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	U	1.0		µg/L	1	6/17/2006 1:14:00 PM
1,1,2-Trichloroethane	U	1.0		µg/L	1	6/17/2006 1:14:00 PM
1,1-Dichloroethane	U	1.0		µg/L	1	6/17/2006 1:14:00 PM
1,1-Dichloroethene	U	1.0		µg/L	1	6/17/2006 1:14:00 PM
1,1-Dichloropropene	U	1.0		µg/L	1	6/17/2006 1:14:00 PM
1,2,3-Trichlorobenzene	U	1.0		µg/L	1	6/17/2006 1:14:00 PM
1,2,3-Trichloropropane	U	1.0		µg/L	1	6/17/2006 1:14:00 PM
1,2,4-Trichlorobenzene	U	1.0		µg/L	1	6/17/2006 1:14:00 PM
1,2,4-Trimethylbenzene	U	1.0		µg/L	1	6/17/2006 1:14:00 PM
1,2-Dibromo-3-chloropropane	U	1.0		µg/L	1	6/17/2006 1:14:00 PM
1,2-Dibromoethane	U	1.0		µg/L	1	6/17/2006 1:14:00 PM
1,2-Dichlorobenzene	U	1.0		µg/L	1	6/17/2006 1:14:00 PM
1,2-Dichloroethane	U	1.0		µg/L	1	6/17/2006 1:14:00 PM
1,2-Dichloropropane	U	1.0		µg/L	1	6/17/2006 1:14:00 PM
1,3,5-Trimethylbenzene	U	1.0		µg/L	1	6/17/2006 1:14:00 PM
1,3-Dichlorobenzene	U	1.0		µg/L	1	6/17/2006 1:14:00 PM
1,3-dichloropropane	U	1.0		µg/L	1	6/17/2006 1:14:00 PM
1,4-Dichlorobenzene	U	1.0		µg/L	1	6/17/2006 1:14:00 PM
2,2-Dichloropropane	U	1.0		µg/L	1	6/17/2006 1:14:00 PM
2-Butanone	U	1.0		µg/L	1	6/17/2006 1:14:00 PM
2-Chloroethyl vinyl ether	U	1.0		µg/L	1	6/17/2006 1:14:00 PM
2-Chlorotoluene	U	1.0		µg/L	1	6/17/2006 1:14:00 PM
2-Hexanone	U	1.0		µg/L	1	6/17/2006 1:14:00 PM
4-Chlorotoluene	U	1.0		µg/L	1	6/17/2006 1:14:00 PM
4-Isopropyltoluene	U	1.0		µg/L	1	6/17/2006 1:14:00 PM
4-Methyl-2-pentanone	U	1.0		µg/L	1	6/17/2006 1:14:00 PM
Acetone	U	1.0		µg/L	1	6/17/2006 1:14:00 PM
Benzene	U	1.0		µg/L	1	6/17/2006 1:14:00 PM
Bromobenzene	U	1.0		µg/L	1	6/17/2006 1:14:00 PM
Bromochloromethane	U	1.0		µg/L	1	6/17/2006 1:14:00 PM
Bromodichloromethane	U	1.0		µg/L	1	6/17/2006 1:14:00 PM
Bromoform	U	1.0		µg/L	1	6/17/2006 1:14:00 PM
Bromomethane	U	1.0		µg/L	1	6/17/2006 1:14:00 PM
Carbon disulfide	U	1.0		µg/L	1	6/17/2006 1:14:00 PM
Carbon tetrachloride	U	1.0		µg/L	1	6/17/2006 1:14:00 PM
Chlorobenzene	U	1.0		µg/L	1	6/17/2006 1:14:00 PM

Qualifiers:	B	Analyte detected in the associated Method Blank	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	S	Spike Recovery outside accepted recovery limits
	U	Indicates the compound was analyzed for but not detected	X	Value exceeds Maximum Contaminant Level

American Analytical Laboratories, LLC.

Date: 26-Jun-06

CLIENT: Leggett Brashears & Graham Inc.
Lab Order: 0606172
Project: Rowe Industries
Lab ID: 0606172-03A

Client Sample ID: Post 061406
Tag Number: 10282
Collection Date: 6/14/2006
Matrix: LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILE SW-846 8260 PLUS MTBE & FREON11		SW8260B		SW5030A		Analyst: LDS
Chloroethane	U	1.0		µg/L	1	6/17/2006 1:14:00 PM
Chloroform	U	1.0		µg/L	1	6/17/2006 1:14:00 PM
Chloromethane	U	1.0		µg/L	1	6/17/2006 1:14:00 PM
cis-1,2-Dichloroethene	U	1.0		µg/L	1	6/17/2006 1:14:00 PM
cis-1,3-Dichloropropene	U	1.0		µg/L	1	6/17/2006 1:14:00 PM
Dibromochloromethane	U	1.0		µg/L	1	6/17/2006 1:14:00 PM
Dibromomethane	U	1.0		µg/L	1	6/17/2006 1:14:00 PM
Dichlorodifluoromethane	U	1.0		µg/L	1	6/17/2006 1:14:00 PM
Ethylbenzene	U	1.0		µg/L	1	6/17/2006 1:14:00 PM
Hexachlorobutadiene	U	1.0		µg/L	1	6/17/2006 1:14:00 PM
Isopropylbenzene	U	1.0		µg/L	1	6/17/2006 1:14:00 PM
m,p-Xylene	U	2.0		µg/L	1	6/17/2006 1:14:00 PM
Methyl tert-butyl ether	U	1.0		µg/L	1	6/17/2006 1:14:00 PM
Methylene chloride	U	1.0		µg/L	1	6/17/2006 1:14:00 PM
Naphthalene	U	1.0		µg/L	1	6/17/2006 1:14:00 PM
n-Butylbenzene	U	1.0		µg/L	1	6/17/2006 1:14:00 PM
n-Propylbenzene	U	1.0		µg/L	1	6/17/2006 1:14:00 PM
o-Xylene	U	1.0		µg/L	1	6/17/2006 1:14:00 PM
sec-Butylbenzene	U	1.0		µg/L	1	6/17/2006 1:14:00 PM
Styrene	U	1.0		µg/L	1	6/17/2006 1:14:00 PM
tert-Butylbenzene	U	1.0		µg/L	1	6/17/2006 1:14:00 PM
Tetrachloroethene	U	1.0		µg/L	1	6/17/2006 1:14:00 PM
Toluene	U	1.0		µg/L	1	6/17/2006 1:14:00 PM
trans-1,2-Dichloroethene	U	1.0		µg/L	1	6/17/2006 1:14:00 PM
trans-1,3-Dichloropropene	U	1.0		µg/L	1	6/17/2006 1:14:00 PM
Trichloroethene	U	1.0		µg/L	1	6/17/2006 1:14:00 PM
Trichlorofluoromethane	U	1.0		µg/L	1	6/17/2006 1:14:00 PM
Vinyl acetate	U	1.0		µg/L	1	6/17/2006 1:14:00 PM
Vinyl chloride	U	1.0		µg/L	1	6/17/2006 1:14:00 PM

Qualifiers:	B	Analyte detected in the associated Method Blank	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	S	Spike Recovery outside accepted recovery limits
	U	Indicates the compound was analyzed for but not detected	X	Value exceeds Maximum Contaminant Level

American Analytical Laboratories, LLC.

Date: 26-Jun-06

CLIENT: Leggette Brashears & Graham Inc.
Lab Order: 0606172
Project: Rowe Industries
Lab ID: 0606172-04A

Client Sample ID: FRW1 061406
Tag Number: 10282
Collection Date: 6/14/2006
Matrix: LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILE SW-846 8260 PLUS MTBE & FREON11		SW8260B	SW5030A	Analyst: LDS		
1,1,1,2-Tetrachloroethane	U	1.0		µg/L	1	6/17/2006 1:51:00 PM
1,1,1-Trichloroethane	7.4	1.0		µg/L	1	6/17/2006 1:51:00 PM
1,1,2,2-Tetrachloroethane	U	1.0		µg/L	1	6/17/2006 1:51:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	U	1.0		µg/L	1	6/17/2006 1:51:00 PM
1,1,2-Trichloroethane	U	1.0		µg/L	1	6/17/2006 1:51:00 PM
1,1-Dichloroethane	U	1.0		µg/L	1	6/17/2006 1:51:00 PM
1,1-Dichloroethene	U	1.0		µg/L	1	6/17/2006 1:51:00 PM
1,1-Dichloropropene	U	1.0		µg/L	1	6/17/2006 1:51:00 PM
1,2,3-Trichlorobenzene	U	1.0		µg/L	1	6/17/2006 1:51:00 PM
1,2,3-Trichloropropane	U	1.0		µg/L	1	6/17/2006 1:51:00 PM
1,2,4-Trichlorobenzene	U	1.0		µg/L	1	6/17/2006 1:51:00 PM
1,2,4-Trimethylbenzene	U	1.0		µg/L	1	6/17/2006 1:51:00 PM
1,2-Dibromo-3-chloropropane	U	1.0		µg/L	1	6/17/2006 1:51:00 PM
1,2-Dibromoethane	U	1.0		µg/L	1	6/17/2006 1:51:00 PM
1,2-Dichlorobenzene	U	1.0		µg/L	1	6/17/2006 1:51:00 PM
1,2-Dichloroethane	U	1.0		µg/L	1	6/17/2006 1:51:00 PM
1,2-Dichloropropane	U	1.0		µg/L	1	6/17/2006 1:51:00 PM
1,3,5-Trimethylbenzene	U	1.0		µg/L	1	6/17/2006 1:51:00 PM
1,3-Dichlorobenzene	U	1.0		µg/L	1	6/17/2006 1:51:00 PM
1,3-dichloropropane	U	1.0		µg/L	1	6/17/2006 1:51:00 PM
1,4-Dichlorobenzene	U	1.0		µg/L	1	6/17/2006 1:51:00 PM
2,2-Dichloropropane	U	1.0		µg/L	1	6/17/2006 1:51:00 PM
2-Butanone	U	1.0		µg/L	1	6/17/2006 1:51:00 PM
2-Chloroethyl vinyl ether	U	1.0		µg/L	1	6/17/2006 1:51:00 PM
2-Chlorotoluene	U	1.0		µg/L	1	6/17/2006 1:51:00 PM
2-Hexanone	U	1.0		µg/L	1	6/17/2006 1:51:00 PM
4-Chlorotoluene	U	1.0		µg/L	1	6/17/2006 1:51:00 PM
4-Isopropyltoluene	U	1.0		µg/L	1	6/17/2006 1:51:00 PM
4-Methyl-2-pentanone	U	1.0		µg/L	1	6/17/2006 1:51:00 PM
Acetone	U	1.0		µg/L	1	6/17/2006 1:51:00 PM
Benzene	U	1.0		µg/L	1	6/17/2006 1:51:00 PM
Bromobenzene	U	1.0		µg/L	1	6/17/2006 1:51:00 PM
Bromochloromethane	U	1.0		µg/L	1	6/17/2006 1:51:00 PM
Bromodichloromethane	U	1.0		µg/L	1	6/17/2006 1:51:00 PM
Bromoform	U	1.0		µg/L	1	6/17/2006 1:51:00 PM
Bromomethane	U	1.0		µg/L	1	6/17/2006 1:51:00 PM
Carbon disulfide	U	1.0		µg/L	1	6/17/2006 1:51:00 PM
Carbon tetrachloride	U	1.0		µg/L	1	6/17/2006 1:51:00 PM
Chlorobenzene	U	1.0		µg/L	1	6/17/2006 1:51:00 PM

Qualifiers: B Analyte detected in the associated Method Blank
H Holding times for preparation or analysis exceeded
ND Not Detected at the Reporting Limit
U Indicates the compound was analyzed for but not detected

E Value above quantitation range
J Analyte detected below quantitation limits
S Spike Recovery outside accepted recovery limits
X Value exceeds Maximum Contaminant Level

American Analytical Laboratories, LLC.

Date: 26-Jun-06

CLIENT: Leggette Brashears & Graham Inc.
Lab Order: 0606172
Project: Rowe Industries
Lab ID: 0606172-04A

Client Sample ID: FRW1 061406
Tag Number: 10282
Collection Date: 6/14/2006
Matrix: LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILE SW-846 8260 PLUS MTBE & FREON11		SW8260B		SW5030A		Analyst: LDS
Chloroethane	U	1.0		µg/L	1	6/17/2006 1:51:00 PM
Chloroform	U	1.0		µg/L	1	6/17/2006 1:51:00 PM
Chloromethane	U	1.0		µg/L	1	6/17/2006 1:51:00 PM
cis-1,2-Dichloroethene	0.92	1.0	J	µg/L	1	6/17/2006 1:51:00 PM
cis-1,3-Dichloropropene	U	1.0		µg/L	1	6/17/2006 1:51:00 PM
Dibromochloromethane	U	1.0		µg/L	1	6/17/2006 1:51:00 PM
Dibromomethane	U	1.0		µg/L	1	6/17/2006 1:51:00 PM
Dichlorodifluoromethane	U	1.0		µg/L	1	6/17/2006 1:51:00 PM
Ethylbenzene	U	1.0		µg/L	1	6/17/2006 1:51:00 PM
Hexachlorobutadiene	U	1.0		µg/L	1	6/17/2006 1:51:00 PM
Isopropylbenzene	U	1.0		µg/L	1	6/17/2006 1:51:00 PM
m,p-Xylene	U	2.0		µg/L	1	6/17/2006 1:51:00 PM
Methyl tert-butyl ether	U	1.0		µg/L	1	6/17/2006 1:51:00 PM
Methylene chloride	U	1.0		µg/L	1	6/17/2006 1:51:00 PM
Naphthalene	U	1.0		µg/L	1	6/17/2006 1:51:00 PM
n-Butylbenzene	U	1.0		µg/L	1	6/17/2006 1:51:00 PM
n-Propylbenzene	U	1.0		µg/L	1	6/17/2006 1:51:00 PM
o-Xylene	U	1.0		µg/L	1	6/17/2006 1:51:00 PM
sec-Butylbenzene	U	1.0		µg/L	1	6/17/2006 1:51:00 PM
Styrene	U	1.0		µg/L	1	6/17/2006 1:51:00 PM
tert-Butylbenzene	U	1.0		µg/L	1	6/17/2006 1:51:00 PM
Tetrachloroethene	320	1.0		µg/L	1	6/17/2006 1:51:00 PM
Toluene	4.1	1.0		µg/L	1	6/17/2006 1:51:00 PM
trans-1,2-Dichloroethene	U	1.0		µg/L	1	6/17/2006 1:51:00 PM
trans-1,3-Dichloropropene	U	1.0		µg/L	1	6/17/2006 1:51:00 PM
Trichloroethene	U	1.0		µg/L	1	6/17/2006 1:51:00 PM
Trichlorofluoromethane	U	1.0		µg/L	1	6/17/2006 1:51:00 PM
Vinyl acetate	U	1.0		µg/L	1	6/17/2006 1:51:00 PM
Vinyl chloride	U	1.0		µg/L	1	6/17/2006 1:51:00 PM

Qualifiers:	B	Analyte detected in the associated Method Blank	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	S	Spike Recovery outside accepted recovery limits
	U	Indicates the compound was analyzed for but not detected	X	Value exceeds Maximum Contaminant Level

American Analytical Laboratories, LLC.

Date: 26-Jun-06

CLIENT: Leggette Brashears & Graham Inc.
Lab Order: 0606172
Project: Rowe Industries
Lab ID: 0606172-05A

Client Sample ID: FRW2 061406
Tag Number: 10282
Collection Date: 6/14/2006
Matrix: LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILE SW-846 8260 PLUS MTBE & FREON11		SW8260B		SW5030A		Analyst: LDS
1,1,1,2-Tetrachloroethane	U	1.0		µg/L	1	6/17/2006 2:29:00 PM
1,1,1-Trichloroethane	U	1.0		µg/L	1	6/17/2006 2:29:00 PM
1,1,2,2-Tetrachloroethane	U	1.0		µg/L	1	6/17/2006 2:29:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	U	1.0		µg/L	1	6/17/2006 2:29:00 PM
1,1,2-Trichloroethane	U	1.0		µg/L	1	6/17/2006 2:29:00 PM
1,1-Dichloroethane	U	1.0		µg/L	1	6/17/2006 2:29:00 PM
1,1-Dichloroethene	U	1.0		µg/L	1	6/17/2006 2:29:00 PM
1,1-Dichloropropene	U	1.0		µg/L	1	6/17/2006 2:29:00 PM
1,2,3-Trichlorobenzene	U	1.0		µg/L	1	6/17/2006 2:29:00 PM
1,2,3-Trichloropropane	U	1.0		µg/L	1	6/17/2006 2:29:00 PM
1,2,4-Trichlorobenzene	U	1.0		µg/L	1	6/17/2006 2:29:00 PM
1,2,4-Trimethylbenzene	U	1.0		µg/L	1	6/17/2006 2:29:00 PM
1,2-Dibromo-3-chloropropane	U	1.0		µg/L	1	6/17/2006 2:29:00 PM
1,2-Dibromoethane	U	1.0		µg/L	1	6/17/2006 2:29:00 PM
1,2-Dichlorobenzene	U	1.0		µg/L	1	6/17/2006 2:29:00 PM
1,2-Dichloroethane	U	1.0		µg/L	1	6/17/2006 2:29:00 PM
1,2-Dichloropropane	U	1.0		µg/L	1	6/17/2006 2:29:00 PM
1,3,5-Trimethylbenzene	U	1.0		µg/L	1	6/17/2006 2:29:00 PM
1,3-Dichlorobenzene	U	1.0		µg/L	1	6/17/2006 2:29:00 PM
1,3-dichloropropane	U	1.0		µg/L	1	6/17/2006 2:29:00 PM
1,4-Dichlorobenzene	U	1.0		µg/L	1	6/17/2006 2:29:00 PM
2,2-Dichloropropane	U	1.0		µg/L	1	6/17/2006 2:29:00 PM
2-Butanone	U	1.0		µg/L	1	6/17/2006 2:29:00 PM
2-Chloroethyl vinyl ether	U	1.0		µg/L	1	6/17/2006 2:29:00 PM
2-Chlorotoluene	U	1.0		µg/L	1	6/17/2006 2:29:00 PM
2-Hexanone	U	1.0		µg/L	1	6/17/2006 2:29:00 PM
4-Chlorotoluene	U	1.0		µg/L	1	6/17/2006 2:29:00 PM
4-Isopropyltoluene	U	1.0		µg/L	1	6/17/2006 2:29:00 PM
4-Methyl-2-pentanone	U	1.0		µg/L	1	6/17/2006 2:29:00 PM
Acetone	U	1.0		µg/L	1	6/17/2006 2:29:00 PM
Benzene	U	1.0		µg/L	1	6/17/2006 2:29:00 PM
Bromobenzene	U	1.0		µg/L	1	6/17/2006 2:29:00 PM
Bromochloromethane	U	1.0		µg/L	1	6/17/2006 2:29:00 PM
Bromodichloromethane	U	1.0		µg/L	1	6/17/2006 2:29:00 PM
Bromoform	U	1.0		µg/L	1	6/17/2006 2:29:00 PM
Bromomethane	U	1.0		µg/L	1	6/17/2006 2:29:00 PM
Carbon disulfide	U	1.0		µg/L	1	6/17/2006 2:29:00 PM
Carbon tetrachloride	U	1.0		µg/L	1	6/17/2006 2:29:00 PM
Chlorobenzene	U	1.0		µg/L	1	6/17/2006 2:29:00 PM

Qualifiers:	B	Analyte detected in the associated Method Blank	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	S	Spike Recovery outside accepted recovery limits
	U	Indicates the compound was analyzed for but not detected	X	Value exceeds Maximum Contaminant Level

American Analytical Laboratories, LLC.

Date: 26-Jun-06

CLIENT: Leggett Brashears & Graham Inc.
Lab Order: 0606172
Project: Rowe Industries
Lab ID: 0606172-05A

Client Sample ID: FRW2 061406
Tag Number: 10282
Collection Date: 6/14/2006
Matrix: LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILE SW-846 8260 PLUS MTBE & FREON11		SW8260B		SW5030A		Analyst: LDS
Chloroethane	U	1.0		µg/L	1	6/17/2006 2:29:00 PM
Chloroform	U	1.0		µg/L	1	6/17/2006 2:29:00 PM
Chloromethane	U	1.0		µg/L	1	6/17/2006 2:29:00 PM
cis-1,2-Dichloroethene	13	1.0		µg/L	1	6/17/2006 2:29:00 PM
cis-1,3-Dichloropropene	U	1.0		µg/L	1	6/17/2006 2:29:00 PM
Dibromochloromethane	U	1.0		µg/L	1	6/17/2006 2:29:00 PM
Dibromomethane	U	1.0		µg/L	1	6/17/2006 2:29:00 PM
Dichlorodifluoromethane	U	1.0		µg/L	1	6/17/2006 2:29:00 PM
Ethylbenzene	U	1.0		µg/L	1	6/17/2006 2:29:00 PM
Hexachlorobutadiene	U	1.0		µg/L	1	6/17/2006 2:29:00 PM
Isopropylbenzene	U	1.0		µg/L	1	6/17/2006 2:29:00 PM
m,p-Xylene	U	2.0		µg/L	1	6/17/2006 2:29:00 PM
Methyl tert-butyl ether	U	1.0		µg/L	1	6/17/2006 2:29:00 PM
Methylene chloride	U	1.0		µg/L	1	6/17/2006 2:29:00 PM
Naphthalene	U	1.0		µg/L	1	6/17/2006 2:29:00 PM
n-Butylbenzene	U	1.0		µg/L	1	6/17/2006 2:29:00 PM
n-Propylbenzene	U	1.0		µg/L	1	6/17/2006 2:29:00 PM
o-Xylene	U	1.0		µg/L	1	6/17/2006 2:29:00 PM
sec-Butylbenzene	U	1.0		µg/L	1	6/17/2006 2:29:00 PM
Styrene	U	1.0		µg/L	1	6/17/2006 2:29:00 PM
tert-Butylbenzene	U	1.0		µg/L	1	6/17/2006 2:29:00 PM
Tetrachloroethene	66	1.0		µg/L	1	6/17/2006 2:29:00 PM
Toluene	720	1.0		µg/L	1	6/17/2006 2:29:00 PM
trans-1,2-Dichloroethene	U	1.0		µg/L	1	6/17/2006 2:29:00 PM
trans-1,3-Dichloropropene	U	1.0		µg/L	1	6/17/2006 2:29:00 PM
Trichloroethene	6.6	1.0		µg/L	1	6/17/2006 2:29:00 PM
Trichlorofluoromethane	U	1.0		µg/L	1	6/17/2006 2:29:00 PM
Vinyl acetate	U	1.0		µg/L	1	6/17/2006 2:29:00 PM
Vinyl chloride	2.3	1.0		µg/L	1	6/17/2006 2:29:00 PM

Qualifiers:	B	Analyte detected in the associated Method Blank	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	S	Spike Recovery outside accepted recovery limits
	U	Indicates the compound was analyzed for but not detected	X	Value exceeds Maximum Contaminant Level

American Analytical Laboratories, LLC.
Date: 26-Jun-06

CLIENT: Leggette Brashears & Graham Inc.
Lab Order: 0606172
Project: Rowe Industries
Lab ID: 0606172-06A

Client Sample ID: FRW3 061406
Tag Number: 10282
Collection Date: 6/14/2006
Matrix: LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILE SW-846 8260 PLUS MTBE & FREON11		SW8260B		SW5030A		Analyst: LDS
1,1,1,2-Tetrachloroethane	U	1.0		µg/L	1	6/17/2006 3:07:00 PM
1,1,1-Trichloroethane	U	1.0		µg/L	1	6/17/2006 3:07:00 PM
1,1,2,2-Tetrachloroethane	U	1.0		µg/L	1	6/17/2006 3:07:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	U	1.0		µg/L	1	6/17/2006 3:07:00 PM
1,1,2-Trichloroethane	U	1.0		µg/L	1	6/17/2006 3:07:00 PM
1,1-Dichloroethane	U	1.0		µg/L	1	6/17/2006 3:07:00 PM
1,1-Dichloroethene	U	1.0		µg/L	1	6/17/2006 3:07:00 PM
1,1-Dichloropropene	U	1.0		µg/L	1	6/17/2006 3:07:00 PM
1,2,3-Trichlorobenzene	U	1.0		µg/L	1	6/17/2006 3:07:00 PM
1,2,3-Trichloropropane	U	1.0		µg/L	1	6/17/2006 3:07:00 PM
1,2,4-Trichlorobenzene	U	1.0		µg/L	1	6/17/2006 3:07:00 PM
1,2,4-Trimethylbenzene	U	1.0		µg/L	1	6/17/2006 3:07:00 PM
1,2-Dibromo-3-chloropropane	U	1.0		µg/L	1	6/17/2006 3:07:00 PM
1,2-Dibromoethane	U	1.0		µg/L	1	6/17/2006 3:07:00 PM
1,2-Dichlorobenzene	U	1.0		µg/L	1	6/17/2006 3:07:00 PM
1,2-Dichloroethane	U	1.0		µg/L	1	6/17/2006 3:07:00 PM
1,2-Dichloropropane	U	1.0		µg/L	1	6/17/2006 3:07:00 PM
1,3,5-Trimethylbenzene	U	1.0		µg/L	1	6/17/2006 3:07:00 PM
1,3-Dichlorobenzene	U	1.0		µg/L	1	6/17/2006 3:07:00 PM
1,3-dichloropropane	U	1.0		µg/L	1	6/17/2006 3:07:00 PM
1,4-Dichlorobenzene	U	1.0		µg/L	1	6/17/2006 3:07:00 PM
2,2-Dichloropropane	U	1.0		µg/L	1	6/17/2006 3:07:00 PM
2-Butanone	U	1.0		µg/L	1	6/17/2006 3:07:00 PM
2-Chloroethyl vinyl ether	U	1.0		µg/L	1	6/17/2006 3:07:00 PM
2-Chlorotoluene	U	1.0		µg/L	1	6/17/2006 3:07:00 PM
2-Hexanone	U	1.0		µg/L	1	6/17/2006 3:07:00 PM
4-Chlorotoluene	U	1.0		µg/L	1	6/17/2006 3:07:00 PM
4-Isopropyltoluene	U	1.0		µg/L	1	6/17/2006 3:07:00 PM
4-Methyl-2-pentanone	U	1.0		µg/L	1	6/17/2006 3:07:00 PM
Acetone	U	1.0		µg/L	1	6/17/2006 3:07:00 PM
Benzene	U	1.0		µg/L	1	6/17/2006 3:07:00 PM
Bromobenzene	U	1.0		µg/L	1	6/17/2006 3:07:00 PM
Bromochloromethane	U	1.0		µg/L	1	6/17/2006 3:07:00 PM
Bromodichloromethane	U	1.0		µg/L	1	6/17/2006 3:07:00 PM
Bromoforn	U	1.0		µg/L	1	6/17/2006 3:07:00 PM
Bromomethane	U	1.0		µg/L	1	6/17/2006 3:07:00 PM
Carbon disulfide	U	1.0		µg/L	1	6/17/2006 3:07:00 PM
Carbon tetrachloride	U	1.0		µg/L	1	6/17/2006 3:07:00 PM
Chlorobenzene	U	1.0		µg/L	1	6/17/2006 3:07:00 PM

Qualifiers:	B	Analyte detected in the associated Method Blank	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	S	Spike Recovery outside accepted recovery limits
	U	Indicates the compound was analyzed for but not detected	X	Value exceeds Maximum Contaminant Level

American Analytical Laboratories, LLC.

Date: 26-Jun-06

CLIENT: Leggette Brashears & Graham Inc.
Lab Order: 0606172
Project: Rowe Industries
Lab ID: 0606172-06A

Client Sample ID: FRW3 061406
Tag Number: 10282
Collection Date: 6/14/2006
Matrix: LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILE SW-846 8260 PLUS MTBE & FREON11		SW8260B		SW5030A		Analyst: LDS
Chloroethane	U	1.0		µg/L	1	6/17/2006 3:07:00 PM
Chloroform	U	1.0		µg/L	1	6/17/2006 3:07:00 PM
Chloromethane	U	1.0		µg/L	1	6/17/2006 3:07:00 PM
cis-1,2-Dichloroethene	66	1.0		µg/L	1	6/17/2006 3:07:00 PM
cis-1,3-Dichloropropene	U	1.0		µg/L	1	6/17/2006 3:07:00 PM
Dibromochloromethane	U	1.0		µg/L	1	6/17/2006 3:07:00 PM
Dibromomethane	U	1.0		µg/L	1	6/17/2006 3:07:00 PM
Dichlorodifluoromethane	U	1.0		µg/L	1	6/17/2006 3:07:00 PM
Ethylbenzene	U	1.0		µg/L	1	6/17/2006 3:07:00 PM
Hexachlorobutadiene	U	1.0		µg/L	1	6/17/2006 3:07:00 PM
Isopropylbenzene	U	1.0		µg/L	1	6/17/2006 3:07:00 PM
m,p-Xylene	U	2.0		µg/L	1	6/17/2006 3:07:00 PM
Methyl tert-butyl ether	U	1.0		µg/L	1	6/17/2006 3:07:00 PM
Methylene chloride	U	1.0		µg/L	1	6/17/2006 3:07:00 PM
Naphthalene	U	1.0		µg/L	1	6/17/2006 3:07:00 PM
n-Butylbenzene	U	1.0		µg/L	1	6/17/2006 3:07:00 PM
n-Propylbenzene	U	1.0		µg/L	1	6/17/2006 3:07:00 PM
o-Xylene	U	1.0		µg/L	1	6/17/2006 3:07:00 PM
sec-Butylbenzene	U	1.0		µg/L	1	6/17/2006 3:07:00 PM
Styrene	U	1.0		µg/L	1	6/17/2006 3:07:00 PM
tert-Butylbenzene	U	1.0		µg/L	1	6/17/2006 3:07:00 PM
Tetrachloroethene	580	1.0		µg/L	1	6/17/2006 3:07:00 PM
Toluene	200	1.0		µg/L	1	6/17/2006 3:07:00 PM
trans-1,2-Dichloroethene	U	1.0		µg/L	1	6/17/2006 3:07:00 PM
trans-1,3-Dichloropropene	U	1.0		µg/L	1	6/17/2006 3:07:00 PM
Trichloroethene	17	1.0		µg/L	1	6/17/2006 3:07:00 PM
Trichlorofluoromethane	U	1.0		µg/L	1	6/17/2006 3:07:00 PM
Vinyl acetate	U	1.0		µg/L	1	6/17/2006 3:07:00 PM
Vinyl chloride	2.6	1.0		µg/L	1	6/17/2006 3:07:00 PM

Qualifiers:	B	Analyte detected in the associated Method Blank	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	S	Spike Recovery outside accepted recovery limits
	U	Indicates the compound was analyzed for but not detected	X	Value exceeds Maximum Contaminant Level

American Analytical Laboratories, LLC.

Date: 26-Jun-06

CLIENT: Leggette Brashears & Graham Inc.
Lab Order: 0606172
Project: Rowe Industries
Lab ID: 0606172-07A

Client Sample ID: FRW4 061406
Tag Number: 10282
Collection Date: 6/14/2006
Matrix: LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILE SW-846 8260 PLUS MTBE & FREON11		SW8260B		SW5030A		Analyst: LDS
1,1,1,2-Tetrachloroethane	U	1.0		µg/L	1	6/17/2006 3:44:00 PM
1,1,1-Trichloroethane	U	1.0		µg/L	1	6/17/2006 3:44:00 PM
1,1,2,2-Tetrachloroethane	U	1.0		µg/L	1	6/17/2006 3:44:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	U	1.0		µg/L	1	6/17/2006 3:44:00 PM
1,1,2-Trichloroethane	U	1.0		µg/L	1	6/17/2006 3:44:00 PM
1,1-Dichloroethane	U	1.0		µg/L	1	6/17/2006 3:44:00 PM
1,1-Dichloroethene	U	1.0		µg/L	1	6/17/2006 3:44:00 PM
1,1-Dichloropropene	U	1.0		µg/L	1	6/17/2006 3:44:00 PM
1,2,3-Trichlorobenzene	U	1.0		µg/L	1	6/17/2006 3:44:00 PM
1,2,3-Trichloropropane	U	1.0		µg/L	1	6/17/2006 3:44:00 PM
1,2,4-Trichlorobenzene	U	1.0		µg/L	1	6/17/2006 3:44:00 PM
1,2,4-Trimethylbenzene	U	1.0		µg/L	1	6/17/2006 3:44:00 PM
1,2-Dibromo-3-chloropropane	U	1.0		µg/L	1	6/17/2006 3:44:00 PM
1,2-Dibromoethane	U	1.0		µg/L	1	6/17/2006 3:44:00 PM
1,2-Dichlorobenzene	U	1.0		µg/L	1	6/17/2006 3:44:00 PM
1,2-Dichloroethane	U	1.0		µg/L	1	6/17/2006 3:44:00 PM
1,2-Dichloropropane	U	1.0		µg/L	1	6/17/2006 3:44:00 PM
1,3,5-Trimethylbenzene	U	1.0		µg/L	1	6/17/2006 3:44:00 PM
1,3-Dichlorobenzene	U	1.0		µg/L	1	6/17/2006 3:44:00 PM
1,3-dichloropropane	U	1.0		µg/L	1	6/17/2006 3:44:00 PM
1,4-Dichlorobenzene	U	1.0		µg/L	1	6/17/2006 3:44:00 PM
2,2-Dichloropropane	U	1.0		µg/L	1	6/17/2006 3:44:00 PM
2-Butanone	U	1.0		µg/L	1	6/17/2006 3:44:00 PM
2-Chloroethyl vinyl ether	U	1.0		µg/L	1	6/17/2006 3:44:00 PM
2-Chlorotoluene	U	1.0		µg/L	1	6/17/2006 3:44:00 PM
2-Hexanone	U	1.0		µg/L	1	6/17/2006 3:44:00 PM
4-Chlorotoluene	U	1.0		µg/L	1	6/17/2006 3:44:00 PM
4-Isopropyltoluene	U	1.0		µg/L	1	6/17/2006 3:44:00 PM
4-Methyl-2-pentanone	U	1.0		µg/L	1	6/17/2006 3:44:00 PM
Acetone	U	1.0		µg/L	1	6/17/2006 3:44:00 PM
Benzene	U	1.0		µg/L	1	6/17/2006 3:44:00 PM
Bromobenzene	U	1.0		µg/L	1	6/17/2006 3:44:00 PM
Bromochloromethane	U	1.0		µg/L	1	6/17/2006 3:44:00 PM
Bromodichloromethane	U	1.0		µg/L	1	6/17/2006 3:44:00 PM
Bromoform	U	1.0		µg/L	1	6/17/2006 3:44:00 PM
Bromomethane	U	1.0		µg/L	1	6/17/2006 3:44:00 PM
Carbon disulfide	U	1.0		µg/L	1	6/17/2006 3:44:00 PM
Carbon tetrachloride	U	1.0		µg/L	1	6/17/2006 3:44:00 PM
Chlorobenzene	U	1.0		µg/L	1	6/17/2006 3:44:00 PM

Qualifiers:	B	Analyte detected in the associated Method Blank	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	S	Spike Recovery outside accepted recovery limits
	U	Indicates the compound was analyzed for but not detected	X	Value exceeds Maximum Contaminant Level

American Analytical Laboratories, LLC.

Date: 26-Jun-06

CLIENT: Leggette Brashears & Graham Inc.
Lab Order: 0606172
Project: Rowe Industries
Lab ID: 0606172-07A

Client Sample ID: FRW4 061406
Tag Number: 10282
Collection Date: 6/14/2006
Matrix: LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILE SW-846 8260 PLUS MTBE & FREON11		SW8260B		SW5030A		Analyst: LDS
Chloroethane	U	1.0		µg/L	1	6/17/2006 3:44:00 PM
Chloroform	U	1.0		µg/L	1	6/17/2006 3:44:00 PM
Chloromethane	U	1.0		µg/L	1	6/17/2006 3:44:00 PM
cis-1,2-Dichloroethene	U	1.0		µg/L	1	6/17/2006 3:44:00 PM
cis-1,3-Dichloropropene	U	1.0		µg/L	1	6/17/2006 3:44:00 PM
Dibromochloromethane	U	1.0		µg/L	1	6/17/2006 3:44:00 PM
Dibromomethane	U	1.0		µg/L	1	6/17/2006 3:44:00 PM
Dichlorodifluoromethane	U	1.0		µg/L	1	6/17/2006 3:44:00 PM
Ethylbenzene	U	1.0		µg/L	1	6/17/2006 3:44:00 PM
Hexachlorobutadiene	U	1.0		µg/L	1	6/17/2006 3:44:00 PM
Isopropylbenzene	U	1.0		µg/L	1	6/17/2006 3:44:00 PM
m,p-Xylene	U	2.0		µg/L	1	6/17/2006 3:44:00 PM
Methyl tert-butyl ether	U	1.0		µg/L	1	6/17/2006 3:44:00 PM
Methylene chloride	U	1.0		µg/L	1	6/17/2006 3:44:00 PM
Naphthalene	U	1.0		µg/L	1	6/17/2006 3:44:00 PM
n-Butylbenzene	U	1.0		µg/L	1	6/17/2006 3:44:00 PM
n-Propylbenzene	U	1.0		µg/L	1	6/17/2006 3:44:00 PM
o-Xylene	U	1.0		µg/L	1	6/17/2006 3:44:00 PM
sec-Butylbenzene	U	1.0		µg/L	1	6/17/2006 3:44:00 PM
Styrene	U	1.0		µg/L	1	6/17/2006 3:44:00 PM
tert-Butylbenzene	U	1.0		µg/L	1	6/17/2006 3:44:00 PM
Tetrachloroethene	3.0	1.0		µg/L	1	6/17/2006 3:44:00 PM
Toluene	4.8	1.0		µg/L	1	6/17/2006 3:44:00 PM
trans-1,2-Dichloroethene	U	1.0		µg/L	1	6/17/2006 3:44:00 PM
trans-1,3-Dichloropropene	U	1.0		µg/L	1	6/17/2006 3:44:00 PM
Trichloroethene	U	1.0		µg/L	1	6/17/2006 3:44:00 PM
Trichlorofluoromethane	U	1.0		µg/L	1	6/17/2006 3:44:00 PM
Vinyl acetate	U	1.0		µg/L	1	6/17/2006 3:44:00 PM
Vinyl chloride	U	1.0		µg/L	1	6/17/2006 3:44:00 PM

Qualifiers:	B	Analyte detected in the associated Method Blank	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	S	Spike Recovery outside accepted recovery limits
	U	Indicates the compound was analyzed for but not detected	X	Value exceeds Maximum Contaminant Level



NYSDOH 11418
NJDEP NY050
CTDOH PH-0205
PADEP 68-00573

Thursday, July 06, 2006

Mark Goldberg
Leggette Brashears & Graham Inc.
4 Research Drive
Suite 301
Shelton, CT 06484

TEL: (203) 929-8555

FAX (203) 926-9140

RE: Rowe Industries

Dear Mark Goldberg:

Order No.: 0606301

American Analytical Laboratories, LLC. received 5 sample(s) on 6/30/2006 for the analyses presented in the following report.


Samples were analyzed in accordance with the test procedures documented on the chain of custody and detailed throughout the text of this report.

The limits provided in the data package are analytical reporting limits and not Federal or Local mandated values to which the sample results should be compared.

There were no problems with the analyses and all data for associated QC met laboratory specifications. If there are any exceptions a Case Narrative is provided in the report.

If you have any questions regarding these tests results, please do not hesitate to call (631) 454-6100 or email me directly at lbeyer@american-analytical.com.

Sincerely,


Lori Beyer
Lab Director

American Analytical Laboratories, LLC.

Date: 06-Jul-06

CLIENT: Leggette Brashears & Graham Inc.**Project:** Rowe Industries**Lab Order:** 0606301**Work Order Sample Summary**

Lab Sample ID	Client Sample ID	Tag Number	Date Collected	Date Received
0606301-01A	Post 062806	10268	6/28/2006	6/30/2006
0606301-02A	FRW-1 062806	10268	6/28/2006	6/30/2006
0606301-03A	FRW-2 062806	10268	6/28/2006	6/30/2006
0606301-04A	FRW-3 062806	10268	6/28/2006	6/30/2006
0606301-05A	FRW-4 062806	10268	6/28/2006	6/30/2006



56 TOLEDO STREET • FARMINGDALE, NEW YORK 11735
(631) 454-6100 • FAX (631) 454-8027

NYSDC 11418
CTDOH PH-0205
NJDEP NY050
PADEP 68-573

TAG# / COC **10268**

CHAIN OF CUSTODY / REQUEST FOR ANALYSIS DOCUMENT

[illegible]

WHITE-OFFICE / CANARY-LAB / PINK-SAMPLE CUSTODIAN / GOLDENROD-CLIENT

AMERICAN ANALYTICAL LABORATORIES, LLC

56 TOLEDO STREET

FARMINGDALE, NEW YORK 11735

TELEPHONE: (631) 454-6100 FAX: (631) 454-8027

DATA REPORTING QUALIFIERS

For reporting results, the following "Results Qualifiers" are used:

Value	If the result is greater than or equal to the detection limit, report the value
U	Indicates the compound was analyzed for but was not detected. Report the minimum detection limit for the sample with the U, i.e. "10U". This is not necessarily the instrument detection limit attainable for this particular sample based on any concentration or dilution that may have been required.
J	Indicates an estimated value. The flag is used: (1) When estimating a concentration for a tentatively identified compound (library search hits, where a 1:1 response is assumed.) (2) When the mass spectral data indicated the identification, however the result was less than the specified detection limit greater than zero. If the detection limit was 10ug/L and a concentration of 3ug/L was calculated report as 3J. This flag is used when similar situations arise on any organic parameter i.e. Pesticide, PCBs and others.
B	Indicates the analyte was found in the blank as well as the sample report "10B".
E	Indicates the analytes concentration exceeds the calibrated range of the instrument for that specific analysis.
D	This flag identifies all compounds identified in an analysis at a secondary dilution factor.
P	This flag is used for Pesticide / PCB target analyte when there is >25% difference for detected concentrations between the two GC Columns. The higher of the two values is reported on Form I and flagged with a "P".
N	This flag indicates presumptive evidence of a compound. This is only used for tentatively identified compounds (TICs), where the identification is based on a mass spectral library search. It applies to all TIC results. For generic characterization of a TIC, such as chlorinated hydrocarbon, the flag is not used.
H	Indicates sample was received and/or analyzed outside of The method allowable holding time

American Analytical Laboratories, LLC.

Date: 06-Jul-06

CLIENT: Leggett Brashears & Graham Inc.
Lab Order: 0606301
Project: Rowe Industries
Lab ID: 0606301-01A

Client Sample ID: Post 062806
Tag Number: 10268
Collection Date: 6/28/2006
Matrix: LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILE SW-846 8260 PLUS MTBE & FREON11		SW8260B		SW5030A		Analyst: MMR
1,1,1,2-Tetrachloroethane	U	1.0		µg/L	1	7/1/2006 10:03:00 AM
1,1,1-Trichloroethane	U	1.0		µg/L	1	7/1/2006 10:03:00 AM
1,1,2,2-Tetrachloroethane	U	1.0		µg/L	1	7/1/2006 10:03:00 AM
1,1,2-Trichloro-1,2,2-trifluoroethane	U	1.0		µg/L	1	7/1/2006 10:03:00 AM
1,1,2-Trichloroethane	U	1.0		µg/L	1	7/1/2006 10:03:00 AM
1,1-Dichloroethane	U	1.0		µg/L	1	7/1/2006 10:03:00 AM
1,1-Dichloroethene	U	1.0		µg/L	1	7/1/2006 10:03:00 AM
1,1-Dichloropropene	U	1.0		µg/L	1	7/1/2006 10:03:00 AM
1,2,3-Trichlorobenzene	U	1.0		µg/L	1	7/1/2006 10:03:00 AM
1,2,3-Trichloropropane	U	1.0		µg/L	1	7/1/2006 10:03:00 AM
1,2,4-Trichlorobenzene	U	1.0		µg/L	1	7/1/2006 10:03:00 AM
1,2,4-Trimethylbenzene	U	1.0		µg/L	1	7/1/2006 10:03:00 AM
1,2-Dibromo-3-chloropropane	U	1.0		µg/L	1	7/1/2006 10:03:00 AM
1,2-Dibromoethane	U	1.0		µg/L	1	7/1/2006 10:03:00 AM
1,2-Dichlorobenzene	U	1.0		µg/L	1	7/1/2006 10:03:00 AM
1,2-Dichloroethane	U	1.0		µg/L	1	7/1/2006 10:03:00 AM
1,2-Dichloropropane	U	1.0		µg/L	1	7/1/2006 10:03:00 AM
1,3,5-Trimethylbenzene	U	1.0		µg/L	1	7/1/2006 10:03:00 AM
1,3-Dichlorobenzene	U	1.0		µg/L	1	7/1/2006 10:03:00 AM
1,3-dichloropropane	U	1.0		µg/L	1	7/1/2006 10:03:00 AM
1,4-Dichlorobenzene	U	1.0		µg/L	1	7/1/2006 10:03:00 AM
2,2-Dichloropropane	U	1.0		µg/L	1	7/1/2006 10:03:00 AM
2-Butanone	U	1.0		µg/L	1	7/1/2006 10:03:00 AM
2-Chloroethyl vinyl ether	U	1.0		µg/L	1	7/1/2006 10:03:00 AM
2-Chlorotoluene	U	1.0		µg/L	1	7/1/2006 10:03:00 AM
2-Hexanone	U	1.0		µg/L	1	7/1/2006 10:03:00 AM
4-Chlorotoluene	U	1.0		µg/L	1	7/1/2006 10:03:00 AM
4-Isopropyltoluene	U	1.0		µg/L	1	7/1/2006 10:03:00 AM
4-Methyl-2-pentanone	U	1.0		µg/L	1	7/1/2006 10:03:00 AM
Acetone	U	1.0		µg/L	1	7/1/2006 10:03:00 AM
Benzene	U	1.0		µg/L	1	7/1/2006 10:03:00 AM
Bromobenzene	U	1.0		µg/L	1	7/1/2006 10:03:00 AM
Bromochloromethane	U	1.0		µg/L	1	7/1/2006 10:03:00 AM
Bromodichloromethane	U	1.0		µg/L	1	7/1/2006 10:03:00 AM
Bromoform	U	1.0		µg/L	1	7/1/2006 10:03:00 AM
Bromomethane	U	1.0		µg/L	1	7/1/2006 10:03:00 AM
Carbon disulfide	U	1.0		µg/L	1	7/1/2006 10:03:00 AM
Carbon tetrachloride	U	1.0		µg/L	1	7/1/2006 10:03:00 AM
Chlorobenzene	U	1.0		µg/L	1	7/1/2006 10:03:00 AM

Qualifiers:	B	Analyte detected in the associated Method Blank	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	S	Spike Recovery outside accepted recovery limits
	U	Indicates the compound was analyzed for but not detected	X	Value exceeds Maximum Contaminant Level

American Analytical Laboratories, LLC.

Date: 06-Jul-06

CLIENT: Leggette Brashears & Graham Inc.
Lab Order: 0606301
Project: Rowe Industries
Lab ID: 0606301-01A

Client Sample ID: Post 062806
Tag Number: 10268
Collection Date: 6/28/2006
Matrix: LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILE SW-846 8260 PLUS MTBE & FREON11		SW8260B	SW5030A	Analyst: MMR		
Chloroethane	U	1.0		µg/L	1	7/1/2006 10:03:00 AM
Chloroform	U	1.0		µg/L	1	7/1/2006 10:03:00 AM
Chloromethane	U	1.0		µg/L	1	7/1/2006 10:03:00 AM
cis-1,2-Dichloroethene	U	1.0		µg/L	1	7/1/2006 10:03:00 AM
cis-1,3-Dichloropropene	U	1.0		µg/L	1	7/1/2006 10:03:00 AM
Dibromochloromethane	U	1.0		µg/L	1	7/1/2006 10:03:00 AM
Dibromomethane	U	1.0		µg/L	1	7/1/2006 10:03:00 AM
Dichlorodifluoromethane	U	1.0		µg/L	1	7/1/2006 10:03:00 AM
Ethylbenzene	U	1.0		µg/L	1	7/1/2006 10:03:00 AM
Hexachlorobutadiene	U	1.0		µg/L	1	7/1/2006 10:03:00 AM
Isopropylbenzene	U	1.0		µg/L	1	7/1/2006 10:03:00 AM
m,p-Xylene	U	2.0		µg/L	1	7/1/2006 10:03:00 AM
Methyl tert-butyl ether	U	1.0		µg/L	1	7/1/2006 10:03:00 AM
Methylene chloride	U	1.0		µg/L	1	7/1/2006 10:03:00 AM
Naphthalene	U	1.0		µg/L	1	7/1/2006 10:03:00 AM
n-Butylbenzene	U	1.0		µg/L	1	7/1/2006 10:03:00 AM
n-Propylbenzene	U	1.0		µg/L	1	7/1/2006 10:03:00 AM
o-Xylene	U	1.0		µg/L	1	7/1/2006 10:03:00 AM
sec-Butylbenzene	U	1.0		µg/L	1	7/1/2006 10:03:00 AM
Styrene	U	1.0		µg/L	1	7/1/2006 10:03:00 AM
tert-Butylbenzene	U	1.0		µg/L	1	7/1/2006 10:03:00 AM
Tetrachloroethene	U	1.0		µg/L	1	7/1/2006 10:03:00 AM
Toluene	U	1.0		µg/L	1	7/1/2006 10:03:00 AM
trans-1,2-Dichloroethene	U	1.0		µg/L	1	7/1/2006 10:03:00 AM
trans-1,3-Dichloropropene	U	1.0		µg/L	1	7/1/2006 10:03:00 AM
Trichloroethene	U	1.0		µg/L	1	7/1/2006 10:03:00 AM
Trichlorofluoromethane	U	1.0		µg/L	1	7/1/2006 10:03:00 AM
Vinyl acetate	U	1.0		µg/L	1	7/1/2006 10:03:00 AM
Vinyl chloride	U	1.0		µg/L	1	7/1/2006 10:03:00 AM

Qualifiers:	B	Analyte detected in the associated Method Blank	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	S	Spike Recovery outside accepted recovery limits
	U	Indicates the compound was analyzed for but not detected	X	Value exceeds Maximum Contaminant Level

American Analytical Laboratories, LLC.

Date: 06-Jul-06

CLIENT: Leggette Brashears & Graham Inc.
Lab Order: 0606301
Project: Rowe Industries
Lab ID: 0606301-02A

Client Sample ID: FRW-1 062806
Tag Number: 10268
Collection Date: 6/28/2006
Matrix: LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILE SW-846 8260 PLUS MTBE & FREON11		SW8260B	SW5030A	Analyst: MMR		
1,1,1,2-Tetrachloroethane	U	1.0		µg/L	1	7/1/2006 10:40:00 AM
1,1,1-Trichloroethane	U	1.0		µg/L	1	7/1/2006 10:40:00 AM
1,1,2,2-Tetrachloroethane	U	1.0		µg/L	1	7/1/2006 10:40:00 AM
1,1,2-Trichloro-1,2,2-trifluoroethane	U	1.0		µg/L	1	7/1/2006 10:40:00 AM
1,1,2-Trichloroethane	U	1.0		µg/L	1	7/1/2006 10:40:00 AM
1,1-Dichloroethane	U	1.0		µg/L	1	7/1/2006 10:40:00 AM
1,1-Dichloroethene	U	1.0		µg/L	1	7/1/2006 10:40:00 AM
1,1-Dichloropropene	U	1.0		µg/L	1	7/1/2006 10:40:00 AM
1,2,3-Trichlorobenzene	U	1.0		µg/L	1	7/1/2006 10:40:00 AM
1,2,3-Trichloropropane	U	1.0		µg/L	1	7/1/2006 10:40:00 AM
1,2,4-Trichlorobenzene	U	1.0		µg/L	1	7/1/2006 10:40:00 AM
1,2,4-Trimethylbenzene	U	1.0		µg/L	1	7/1/2006 10:40:00 AM
1,2-Dibromo-3-chloropropane	U	1.0		µg/L	1	7/1/2006 10:40:00 AM
1,2-Dibromoethane	U	1.0		µg/L	1	7/1/2006 10:40:00 AM
1,2-Dichlorobenzene	U	1.0		µg/L	1	7/1/2006 10:40:00 AM
1,2-Dichloroethane	U	1.0		µg/L	1	7/1/2006 10:40:00 AM
1,2-Dichloropropane	U	1.0		µg/L	1	7/1/2006 10:40:00 AM
1,3,5-Trimethylbenzene	U	1.0		µg/L	1	7/1/2006 10:40:00 AM
1,3-Dichlorobenzene	U	1.0		µg/L	1	7/1/2006 10:40:00 AM
1,3-dichloropropane	U	1.0		µg/L	1	7/1/2006 10:40:00 AM
1,4-Dichlorobenzene	U	1.0		µg/L	1	7/1/2006 10:40:00 AM
2,2-Dichloropropane	U	1.0		µg/L	1	7/1/2006 10:40:00 AM
2-Butanone	U	1.0		µg/L	1	7/1/2006 10:40:00 AM
2-Chloroethyl vinyl ether	U	1.0		µg/L	1	7/1/2006 10:40:00 AM
2-Chlorotoluene	U	1.0		µg/L	1	7/1/2006 10:40:00 AM
2-Hexanone	U	1.0		µg/L	1	7/1/2006 10:40:00 AM
4-Chlorotoluene	U	1.0		µg/L	1	7/1/2006 10:40:00 AM
4-Isopropyltoluene	U	1.0		µg/L	1	7/1/2006 10:40:00 AM
4-Methyl-2-pentanone	U	1.0		µg/L	1	7/1/2006 10:40:00 AM
Acetone	U	1.0		µg/L	1	7/1/2006 10:40:00 AM
Benzene	U	1.0		µg/L	1	7/1/2006 10:40:00 AM
Bromobenzene	U	1.0		µg/L	1	7/1/2006 10:40:00 AM
Bromochloromethane	U	1.0		µg/L	1	7/1/2006 10:40:00 AM
Bromodichloromethane	U	1.0		µg/L	1	7/1/2006 10:40:00 AM
Bromoform	U	1.0		µg/L	1	7/1/2006 10:40:00 AM
Bromomethane	U	1.0		µg/L	1	7/1/2006 10:40:00 AM
Carbon disulfide	U	1.0		µg/L	1	7/1/2006 10:40:00 AM
Carbon tetrachloride	U	1.0		µg/L	1	7/1/2006 10:40:00 AM
Chlorobenzene	U	1.0		µg/L	1	7/1/2006 10:40:00 AM

Qualifiers:	B	Analyte detected in the associated Method Blank	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	S	Spike Recovery outside accepted recovery limits
	U	Indicates the compound was analyzed for but not detected	X	Value exceeds Maximum Contaminant Level

American Analytical Laboratories, LLC.
Date: 06-Jul-06

CLIENT: Leggette Brashears & Graham Inc.
Lab Order: 0606301
Project: Rowe Industries
Lab ID: 0606301-02A

Client Sample ID: FRW-1 062806
Tag Number: 10268
Collection Date: 6/28/2006
Matrix: LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILE SW-846 8260 PLUS MTBE & FREON11						
		SW8260B		SW5030A		Analyst: MMR
Chloroethane	U	1.0		µg/L	1	7/1/2006 10:40:00 AM
Chloroform	U	1.0		µg/L	1	7/1/2006 10:40:00 AM
Chloromethane	U	1.0		µg/L	1	7/1/2006 10:40:00 AM
cis-1,2-Dichloroethene	U	1.0		µg/L	1	7/1/2006 10:40:00 AM
cis-1,3-Dichloropropene	U	1.0		µg/L	1	7/1/2006 10:40:00 AM
Dibromochloromethane	U	1.0		µg/L	1	7/1/2006 10:40:00 AM
Dibromomethane	U	1.0		µg/L	1	7/1/2006 10:40:00 AM
Dichlorodifluoromethane	U	1.0		µg/L	1	7/1/2006 10:40:00 AM
Ethylbenzene	U	1.0		µg/L	1	7/1/2006 10:40:00 AM
Hexachlorobutadiene	U	1.0		µg/L	1	7/1/2006 10:40:00 AM
Isopropylbenzene	U	1.0		µg/L	1	7/1/2006 10:40:00 AM
m,p-Xylene	U	2.0		µg/L	1	7/1/2006 10:40:00 AM
Methyl tert-butyl ether	U	1.0		µg/L	1	7/1/2006 10:40:00 AM
Methylene chloride	U	1.0		µg/L	1	7/1/2006 10:40:00 AM
Naphthalene	U	1.0		µg/L	1	7/1/2006 10:40:00 AM
n-Butylbenzene	U	1.0		µg/L	1	7/1/2006 10:40:00 AM
n-Propylbenzene	U	1.0		µg/L	1	7/1/2006 10:40:00 AM
o-Xylene	U	1.0		µg/L	1	7/1/2006 10:40:00 AM
sec-Butylbenzene	U	1.0		µg/L	1	7/1/2006 10:40:00 AM
Styrene	U	1.0		µg/L	1	7/1/2006 10:40:00 AM
tert-Butylbenzene	U	1.0		µg/L	1	7/1/2006 10:40:00 AM
Tetrachloroethene	U	1.0		µg/L	1	7/1/2006 10:40:00 AM
Toluene	U	1.0		µg/L	1	7/1/2006 10:40:00 AM
trans-1,2-Dichloroethene	U	1.0		µg/L	1	7/1/2006 10:40:00 AM
trans-1,3-Dichloropropene	U	1.0		µg/L	1	7/1/2006 10:40:00 AM
Trichloroethene	U	1.0		µg/L	1	7/1/2006 10:40:00 AM
Trichlorofluoromethane	U	1.0		µg/L	1	7/1/2006 10:40:00 AM
Vinyl acetate	U	1.0		µg/L	1	7/1/2006 10:40:00 AM
Vinyl chloride	U	1.0		µg/L	1	7/1/2006 10:40:00 AM

Qualifiers:	B	Analyte detected in the associated Method Blank	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	S	Spike Recovery outside accepted recovery limits
	U	Indicates the compound was analyzed for but not detected	X	Value exceeds Maximum Contaminant Level

American Analytical Laboratories, LLC.

Date: 06-Jul-06

CLIENT: Leggette Brashears & Graham Inc.
Lab Order: 0606301
Project: Rowe Industries
Lab ID: 0606301-03A

Client Sample ID: FRW-2 062806
Tag Number: 10268
Collection Date: 6/28/2006
Matrix: LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILE SW-846 8260 PLUS MTBE & FREON11		SW8260B	SW5030A	Analyst: MMR		
1,1,1,2-Tetrachloroethane	U	1.0		µg/L	1	7/1/2006 11:18:00 AM
1,1,1-Trichloroethane	U	1.0		µg/L	1	7/1/2006 11:18:00 AM
1,1,2,2-Tetrachloroethane	U	1.0		µg/L	1	7/1/2006 11:18:00 AM
1,1,2-Trichloro-1,2,2-trifluoroethane	U	1.0		µg/L	1	7/1/2006 11:18:00 AM
1,1,2-Trichloroethane	U	1.0		µg/L	1	7/1/2006 11:18:00 AM
1,1-Dichloroethane	U	1.0		µg/L	1	7/1/2006 11:18:00 AM
1,1-Dichloroethene	U	1.0		µg/L	1	7/1/2006 11:18:00 AM
1,1-Dichloropropene	U	1.0		µg/L	1	7/1/2006 11:18:00 AM
1,2,3-Trichlorobenzene	U	1.0		µg/L	1	7/1/2006 11:18:00 AM
1,2,3-Trichloropropane	U	1.0		µg/L	1	7/1/2006 11:18:00 AM
1,2,4-Trichlorobenzene	U	1.0		µg/L	1	7/1/2006 11:18:00 AM
1,2,4-Trimethylbenzene	U	1.0		µg/L	1	7/1/2006 11:18:00 AM
1,2-Dibromo-3-chloropropane	U	1.0		µg/L	1	7/1/2006 11:18:00 AM
1,2-Dibromoethane	U	1.0		µg/L	1	7/1/2006 11:18:00 AM
1,2-Dichlorobenzene	U	1.0		µg/L	1	7/1/2006 11:18:00 AM
1,2-Dichloroethane	U	1.0		µg/L	1	7/1/2006 11:18:00 AM
1,2-Dichloropropane	U	1.0		µg/L	1	7/1/2006 11:18:00 AM
1,3,5-Trimethylbenzene	U	1.0		µg/L	1	7/1/2006 11:18:00 AM
1,3-Dichlorobenzene	U	1.0		µg/L	1	7/1/2006 11:18:00 AM
1,3-dichloropropane	U	1.0		µg/L	1	7/1/2006 11:18:00 AM
1,4-Dichlorobenzene	U	1.0		µg/L	1	7/1/2006 11:18:00 AM
2,2-Dichloropropane	U	1.0		µg/L	1	7/1/2006 11:18:00 AM
2-Butanone	U	1.0		µg/L	1	7/1/2006 11:18:00 AM
2-Chloroethyl vinyl ether	U	1.0		µg/L	1	7/1/2006 11:18:00 AM
2-Chlorotoluene	U	1.0		µg/L	1	7/1/2006 11:18:00 AM
2-Hexanone	U	1.0		µg/L	1	7/1/2006 11:18:00 AM
4-Chlorotoluene	U	1.0		µg/L	1	7/1/2006 11:18:00 AM
4-Isopropyltoluene	U	1.0		µg/L	1	7/1/2006 11:18:00 AM
4-Methyl-2-pentanone	U	1.0		µg/L	1	7/1/2006 11:18:00 AM
Acetone	U	1.0		µg/L	1	7/1/2006 11:18:00 AM
Benzene	U	1.0		µg/L	1	7/1/2006 11:18:00 AM
Bromobenzene	U	1.0		µg/L	1	7/1/2006 11:18:00 AM
Bromochloromethane	U	1.0		µg/L	1	7/1/2006 11:18:00 AM
Bromodichloromethane	U	1.0		µg/L	1	7/1/2006 11:18:00 AM
Bromoform	U	1.0		µg/L	1	7/1/2006 11:18:00 AM
Bromomethane	U	1.0		µg/L	1	7/1/2006 11:18:00 AM
Carbon disulfide	U	1.0		µg/L	1	7/1/2006 11:18:00 AM
Carbon tetrachloride	U	1.0		µg/L	1	7/1/2006 11:18:00 AM
Chlorobenzene	U	1.0		µg/L	1	7/1/2006 11:18:00 AM

Qualifiers:	B	Analyte detected in the associated Method Blank	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	S	Spike Recovery outside accepted recovery limits
	U	Indicates the compound was analyzed for but not detected	X	Value exceeds Maximum Contaminant Level

American Analytical Laboratories, LLC.

Date: 06-Jul-06

CLIENT:	Leggette Brashears & Graham Inc.	Client Sample ID:	FRW-2 062806
Lab Order:	0606301	Tag Number:	10268
Project:	Rowe Industries	Collection Date:	6/28/2006
Lab ID:	0606301-03A	Matrix:	LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILE SW-846 8260 PLUS MTBE & FREON11		SW8260B		SW5030A		Analyst: MMR
Chloroethane	U	1.0		µg/L	1	7/1/2006 11:18:00 AM
Chloroform	U	1.0		µg/L	1	7/1/2006 11:18:00 AM
Chloromethane	U	1.0		µg/L	1	7/1/2006 11:18:00 AM
cis-1,2-Dichloroethene	U	1.0		µg/L	1	7/1/2006 11:18:00 AM
cis-1,3-Dichloropropene	U	1.0		µg/L	1	7/1/2006 11:18:00 AM
Dibromochloromethane	U	1.0		µg/L	1	7/1/2006 11:18:00 AM
Dibromomethane	U	1.0		µg/L	1	7/1/2006 11:18:00 AM
Dichlorodifluoromethane	U	1.0		µg/L	1	7/1/2006 11:18:00 AM
Ethylbenzene	U	1.0		µg/L	1	7/1/2006 11:18:00 AM
Hexachlorobutadiene	U	1.0		µg/L	1	7/1/2006 11:18:00 AM
Isopropylbenzene	U	1.0		µg/L	1	7/1/2006 11:18:00 AM
m,p-Xylene	U	2.0		µg/L	1	7/1/2006 11:18:00 AM
Methyl tert-butyl ether	U	1.0		µg/L	1	7/1/2006 11:18:00 AM
Methylene chloride	U	1.0		µg/L	1	7/1/2006 11:18:00 AM
Naphthalene	U	1.0		µg/L	1	7/1/2006 11:18:00 AM
n-Butylbenzene	U	1.0		µg/L	1	7/1/2006 11:18:00 AM
n-Propylbenzene	U	1.0		µg/L	1	7/1/2006 11:18:00 AM
o-Xylene	U	1.0		µg/L	1	7/1/2006 11:18:00 AM
sec-Butylbenzene	U	1.0		µg/L	1	7/1/2006 11:18:00 AM
Styrene	U	1.0		µg/L	1	7/1/2006 11:18:00 AM
tert-Butylbenzene	U	1.0		µg/L	1	7/1/2006 11:18:00 AM
Tetrachloroethene	38	1.0		µg/L	1	7/1/2006 11:18:00 AM
Toluene	700	5.0		µg/L	5	7/5/2006 12:25:00 PM
trans-1,2-Dichloroethene	U	1.0		µg/L	1	7/1/2006 11:18:00 AM
trans-1,3-Dichloropropene	U	1.0		µg/L	1	7/1/2006 11:18:00 AM
Trichloroethene	U	1.0		µg/L	1	7/1/2006 11:18:00 AM
Trichlorofluoromethane	U	1.0		µg/L	1	7/1/2006 11:18:00 AM
Vinyl acetate	U	1.0		µg/L	1	7/1/2006 11:18:00 AM
Vinyl chloride	U	1.0		µg/L	1	7/1/2006 11:18:00 AM

Qualifiers:	B	Analyte detected in the associated Method Blank	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	I	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	S	Spike Recovery outside accepted recovery limits
	U	Indicates the compound was analyzed for but not detected	X	Value exceeds Maximum Contaminant Level

American Analytical Laboratories, LLC.

Date: 06-Jul-06

CLIENT: Leggette Brashears & Graham Inc.
Lab Order: 0606301
Project: Rowe Industries
Lab ID: 0606301-04A

Client Sample ID: FRW-3 062806
Tag Number: 10268
Collection Date: 6/28/2006
Matrix: LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILE SW-846 8260 PLUS MTBE & FREON11		SW8260B	SW5030A	Analyst: MMR		
1,1,1,2-Tetrachloroethane	U	1.0		µg/L	1	7/1/2006 11:55:00 AM
1,1,1-Trichloroethane	U	1.0		µg/L	1	7/1/2006 11:55:00 AM
1,1,2,2-Tetrachloroethane	U	1.0		µg/L	1	7/1/2006 11:55:00 AM
1,1,2-Trichloro-1,2,2-trifluoroethane	U	1.0		µg/L	1	7/1/2006 11:55:00 AM
1,1,2-Trichloroethane	U	1.0		µg/L	1	7/1/2006 11:55:00 AM
1,1-Dichloroethane	U	1.0		µg/L	1	7/1/2006 11:55:00 AM
1,1-Dichloroethene	U	1.0		µg/L	1	7/1/2006 11:55:00 AM
1,1-Dichloropropene	U	1.0		µg/L	1	7/1/2006 11:55:00 AM
1,2,3-Trichlorobenzene	U	1.0		µg/L	1	7/1/2006 11:55:00 AM
1,2,3-Trichloropropane	U	1.0		µg/L	1	7/1/2006 11:55:00 AM
1,2,4-Trichlorobenzene	U	1.0		µg/L	1	7/1/2006 11:55:00 AM
1,2,4-Trimethylbenzene	U	1.0		µg/L	1	7/1/2006 11:55:00 AM
1,2-Dibromo-3-chloropropane	U	1.0		µg/L	1	7/1/2006 11:55:00 AM
1,2-Dibromoethane	U	1.0		µg/L	1	7/1/2006 11:55:00 AM
1,2-Dichlorobenzene	U	1.0		µg/L	1	7/1/2006 11:55:00 AM
1,2-Dichloroethane	U	1.0		µg/L	1	7/1/2006 11:55:00 AM
1,2-Dichloropropane	U	1.0		µg/L	1	7/1/2006 11:55:00 AM
1,3,5-Trimethylbenzene	U	1.0		µg/L	1	7/1/2006 11:55:00 AM
1,3-Dichlorobenzene	U	1.0		µg/L	1	7/1/2006 11:55:00 AM
1,3-dichloropropane	U	1.0		µg/L	1	7/1/2006 11:55:00 AM
1,4-Dichlorobenzene	U	1.0		µg/L	1	7/1/2006 11:55:00 AM
2,2-Dichloropropane	U	1.0		µg/L	1	7/1/2006 11:55:00 AM
2-Butanone	U	1.0		µg/L	1	7/1/2006 11:55:00 AM
2-Chloroethyl vinyl ether	U	1.0		µg/L	1	7/1/2006 11:55:00 AM
2-Chlorotoluene	U	1.0		µg/L	1	7/1/2006 11:55:00 AM
2-Hexanone	U	1.0		µg/L	1	7/1/2006 11:55:00 AM
4-Chlorotoluene	U	1.0		µg/L	1	7/1/2006 11:55:00 AM
4-Isopropyltoluene	U	1.0		µg/L	1	7/1/2006 11:55:00 AM
4-Methyl-2-pentanone	U	1.0		µg/L	1	7/1/2006 11:55:00 AM
Acetone	U	1.0		µg/L	1	7/1/2006 11:55:00 AM
Benzene	U	1.0		µg/L	1	7/1/2006 11:55:00 AM
Bromobenzene	U	1.0		µg/L	1	7/1/2006 11:55:00 AM
Bromochloromethane	U	1.0		µg/L	1	7/1/2006 11:55:00 AM
Bromodichloromethane	U	1.0		µg/L	1	7/1/2006 11:55:00 AM
Bromoform	U	1.0		µg/L	1	7/1/2006 11:55:00 AM
Bromomethane	U	1.0		µg/L	1	7/1/2006 11:55:00 AM
Carbon disulfide	U	1.0		µg/L	1	7/1/2006 11:55:00 AM
Carbon tetrachloride	U	1.0		µg/L	1	7/1/2006 11:55:00 AM
Chlorobenzene	U	1.0		µg/L	1	7/1/2006 11:55:00 AM

Qualifiers:	B	Analyte detected in the associated Method Blank	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	S	Spike Recovery outside accepted recovery limits
	U	Indicates the compound was analyzed for but not detected	X	Value exceeds Maximum Contaminant Level

American Analytical Laboratories, LLC.

Date: 06-Jul-06

CLIENT: Leggette Brashears & Graham Inc.
Lab Order: 0606301
Project: Rowe Industries
Lab ID: 0606301-04A

Client Sample ID: FRW-3 062806
Tag Number: 10268
Collection Date: 6/28/2006
Matrix: LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILE SW-846 8260 PLUS MTBE & FREON11		SW8260B	SW5030A	Analyst: MMR		
Chloroethane	U	1.0		µg/L	1	7/1/2006 11:55:00 AM
Chloroform	U	1.0		µg/L	1	7/1/2006 11:55:00 AM
Chloromethane	U	1.0		µg/L	1	7/1/2006 11:55:00 AM
cis-1,2-Dichloroethene	36	1.0		µg/L	1	7/1/2006 11:55:00 AM
cis-1,3-Dichloropropene	U	1.0		µg/L	1	7/1/2006 11:55:00 AM
Dibromochloromethane	U	1.0		µg/L	1	7/1/2006 11:55:00 AM
Dibromomethane	U	1.0		µg/L	1	7/1/2006 11:55:00 AM
Dichlorodifluoromethane	U	1.0		µg/L	1	7/1/2006 11:55:00 AM
Ethylbenzene	U	1.0		µg/L	1	7/1/2006 11:55:00 AM
Hexachlorobutadiene	U	1.0		µg/L	1	7/1/2006 11:55:00 AM
Isopropylbenzene	U	1.0		µg/L	1	7/1/2006 11:55:00 AM
m,p-Xylene	U	2.0		µg/L	1	7/1/2006 11:55:00 AM
Methyl tert-butyl ether	U	1.0		µg/L	1	7/1/2006 11:55:00 AM
Methylene chloride	U	1.0		µg/L	1	7/1/2006 11:55:00 AM
Naphthalene	U	1.0		µg/L	1	7/1/2006 11:55:00 AM
n-Butylbenzene	U	1.0		µg/L	1	7/1/2006 11:55:00 AM
n-Propylbenzene	U	1.0		µg/L	1	7/1/2006 11:55:00 AM
o-Xylene	U	1.0		µg/L	1	7/1/2006 11:55:00 AM
sec-Butylbenzene	U	1.0		µg/L	1	7/1/2006 11:55:00 AM
Styrene	U	1.0		µg/L	1	7/1/2006 11:55:00 AM
tert-Butylbenzene	U	1.0		µg/L	1	7/1/2006 11:55:00 AM
Tetrachloroethene	530	1.0		µg/L	1	7/1/2006 11:55:00 AM
Toluene	200	1.0		µg/L	1	7/1/2006 11:55:00 AM
trans-1,2-Dichloroethene	U	1.0		µg/L	1	7/1/2006 11:55:00 AM
trans-1,3-Dichloropropene	U	1.0		µg/L	1	7/1/2006 11:55:00 AM
Trichloroethene	21	1.0		µg/L	1	7/1/2006 11:55:00 AM
Trichlorofluoromethane	U	1.0		µg/L	1	7/1/2006 11:55:00 AM
Vinyl acetate	U	1.0		µg/L	1	7/1/2006 11:55:00 AM
Vinyl chloride	U	1.0		µg/L	1	7/1/2006 11:55:00 AM

Qualifiers:	B	Analyte detected in the associated Method Blank	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	S	Spike Recovery outside accepted recovery limits
	U	Indicates the compound was analyzed for but not detected	X	Value exceeds Maximum Contaminant Level

American Analytical Laboratories, LLC.

Date: 06-Jul-06

CLIENT: Leggett Brashears & Graham Inc.
Lab Order: 0606301
Project: Rowe Industries
Lab ID: 0606301-05A

Client Sample ID: FRW-4 062806
Tag Number: 10268
Collection Date: 6/28/2006
Matrix: LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILE SW-846 8260 PLUS MTBE & FREON11		SW8260B		SW5030A		Analyst: MMR
1,1,1,2-Tetrachloroethane	U	1.0		µg/L	1	7/6/2006 8:32:00 AM
1,1,1-Trichloroethane	U	1.0		µg/L	1	7/6/2006 8:32:00 AM
1,1,2,2-Tetrachloroethane	U	1.0		µg/L	1	7/6/2006 8:32:00 AM
1,1,2-Trichloro-1,2,2-trifluoroethane	U	1.0		µg/L	1	7/6/2006 8:32:00 AM
1,1,2-Trichloroethane	U	1.0		µg/L	1	7/6/2006 8:32:00 AM
1,1-Dichloroethane	U	1.0		µg/L	1	7/6/2006 8:32:00 AM
1,1-Dichloroethene	U	1.0		µg/L	1	7/6/2006 8:32:00 AM
1,1-Dichloropropene	U	1.0		µg/L	1	7/6/2006 8:32:00 AM
1,2,3-Trichlorobenzene	U	1.0		µg/L	1	7/6/2006 8:32:00 AM
1,2,3-Trichloropropane	U	1.0		µg/L	1	7/6/2006 8:32:00 AM
1,2,4-Trichlorobenzene	U	1.0		µg/L	1	7/6/2006 8:32:00 AM
1,2,4-Trimethylbenzene	U	1.0		µg/L	1	7/6/2006 8:32:00 AM
1,2-Dibromo-3-chloropropane	U	1.0		µg/L	1	7/6/2006 8:32:00 AM
1,2-Dibromoethane	U	1.0		µg/L	1	7/6/2006 8:32:00 AM
1,2-Dichlorobenzene	U	1.0		µg/L	1	7/6/2006 8:32:00 AM
1,2-Dichloroethane	U	1.0		µg/L	1	7/6/2006 8:32:00 AM
1,2-Dichloropropane	U	1.0		µg/L	1	7/6/2006 8:32:00 AM
1,3,5-Trimethylbenzene	U	1.0		µg/L	1	7/6/2006 8:32:00 AM
1,3-Dichlorobenzene	U	1.0		µg/L	1	7/6/2006 8:32:00 AM
1,3-dichloropropane	U	1.0		µg/L	1	7/6/2006 8:32:00 AM
1,4-Dichlorobenzene	U	1.0		µg/L	1	7/6/2006 8:32:00 AM
2,2-Dichloropropane	U	1.0		µg/L	1	7/6/2006 8:32:00 AM
2-Butanone	U	1.0		µg/L	1	7/6/2006 8:32:00 AM
2-Chloroethyl vinyl ether	U	1.0		µg/L	1	7/6/2006 8:32:00 AM
2-Chlorotoluene	U	1.0		µg/L	1	7/6/2006 8:32:00 AM
2-Hexanone	U	1.0		µg/L	1	7/6/2006 8:32:00 AM
4-Chlorotoluene	U	1.0		µg/L	1	7/6/2006 8:32:00 AM
4-Isopropyltoluene	U	1.0		µg/L	1	7/6/2006 8:32:00 AM
4-Methyl-2-pentanone	U	1.0		µg/L	1	7/6/2006 8:32:00 AM
Acetone	U	1.0		µg/L	1	7/6/2006 8:32:00 AM
Benzene	U	1.0		µg/L	1	7/6/2006 8:32:00 AM
Bromobenzene	U	1.0		µg/L	1	7/6/2006 8:32:00 AM
Bromochloromethane	U	1.0		µg/L	1	7/6/2006 8:32:00 AM
Bromodichloromethane	U	1.0		µg/L	1	7/6/2006 8:32:00 AM
Bromoform	U	1.0		µg/L	1	7/6/2006 8:32:00 AM
Bromomethane	U	1.0		µg/L	1	7/6/2006 8:32:00 AM
Carbon disulfide	U	1.0		µg/L	1	7/6/2006 8:32:00 AM
Carbon tetrachloride	U	1.0		µg/L	1	7/6/2006 8:32:00 AM
Chlorobenzene	U	1.0		µg/L	1	7/6/2006 8:32:00 AM

Qualifiers:	B	Analyte detected in the associated Method Blank	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	S	Spike Recovery outside accepted recovery limits
	U	Indicates the compound was analyzed for but not detected	X	Value exceeds Maximum Contaminant Level

American Analytical Laboratories, LLC.

Date: 06-Jul-06

CLIENT: Leggette Brashears & Graham Inc.
Lab Order: 0606301
Project: Rowe Industries
Lab ID: 0606301-05A

Client Sample ID: FRW-4 062806
Tag Number: 10268
Collection Date: 6/28/2006
Matrix: LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILE SW-846 8260 PLUS MTBE & FREON11		SW8260B	SW5030A	Analyst: MMR		
Chloroethane	U	1.0		µg/L	1	7/6/2006 8:32:00 AM
Chloroform	U	1.0		µg/L	1	7/6/2006 8:32:00 AM
Chloromethane	U	1.0		µg/L	1	7/6/2006 8:32:00 AM
cis-1,2-Dichloroethene	U	1.0		µg/L	1	7/6/2006 8:32:00 AM
cis-1,3-Dichloropropene	U	1.0		µg/L	1	7/6/2006 8:32:00 AM
Dibromochloromethane	U	1.0		µg/L	1	7/6/2006 8:32:00 AM
Dibromomethane	U	1.0		µg/L	1	7/6/2006 8:32:00 AM
Dichlorodifluoromethane	U	1.0		µg/L	1	7/6/2006 8:32:00 AM
Ethylbenzene	U	1.0		µg/L	1	7/6/2006 8:32:00 AM
Hexachlorobutadiene	U	1.0		µg/L	1	7/6/2006 8:32:00 AM
Isopropylbenzene	U	1.0		µg/L	1	7/6/2006 8:32:00 AM
m,p-Xylene	U	2.0		µg/L	1	7/6/2006 8:32:00 AM
Methyl tert-butyl ether	U	1.0		µg/L	1	7/6/2006 8:32:00 AM
Methylene chloride	U	1.0		µg/L	1	7/6/2006 8:32:00 AM
Naphthalene	U	1.0		µg/L	1	7/6/2006 8:32:00 AM
n-Butylbenzene	U	1.0		µg/L	1	7/6/2006 8:32:00 AM
n-Propylbenzene	U	1.0		µg/L	1	7/6/2006 8:32:00 AM
o-Xylene	U	1.0		µg/L	1	7/6/2006 8:32:00 AM
sec-Butylbenzene	U	1.0		µg/L	1	7/6/2006 8:32:00 AM
Styrene	U	1.0		µg/L	1	7/6/2006 8:32:00 AM
tert-Butylbenzene	U	1.0		µg/L	1	7/6/2006 8:32:00 AM
Tetrachloroethene	U	1.0		µg/L	1	7/6/2006 8:32:00 AM
Toluene	U	1.0		µg/L	1	7/6/2006 8:32:00 AM
trans-1,2-Dichloroethene	U	1.0		µg/L	1	7/6/2006 8:32:00 AM
trans-1,3-Dichloropropene	U	1.0		µg/L	1	7/6/2006 8:32:00 AM
Trichloroethene	U	1.0		µg/L	1	7/6/2006 8:32:00 AM
Trichlorofluoromethane	U	1.0		µg/L	1	7/6/2006 8:32:00 AM
Vinyl acetate	U	1.0		µg/L	1	7/6/2006 8:32:00 AM
Vinyl chloride	U	1.0		µg/L	1	7/6/2006 8:32:00 AM

Qualifiers:	B	Analyte detected in the associated Method Blank	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	S	Spike Recovery outside accepted recovery limits
	U	Indicates the compound was analyzed for but not detected	X	Value exceeds Maximum Contaminant Level