

PROJECT STATUS MEMORANDUM

NO. 12-06

TO: Pamela Tames, USEPA

FROM: Mark M. Goldberg, P.E.
Tunde H. Komuves-Sandor

DATE: February 9, 2007

PROJECT: Rowe Industries Superfund Site
Ground-Water Recovery and Treatment System
December 2006 Status Report
Sag Harbor, New York

LBG Engineering Services, P.C. (LBG) commenced operation of the ground-water remediation system at the above-referenced site on December 17, 2002. This status report presents a summary of system performance, operation and maintenance, and monitoring activities for the site from December 1, 2006 through December 31, 2006. The report includes a summary of system performance parameters, system operation parameters, analytical results for ground water, system effluent samples, and air quality results.

SUMMARY OF SYSTEM PERFORMANCE AND OPERATION
(December 1, 2006 through December 31, 2006)

- | | |
|---|----------------------------------|
| 1. Hours of operation during the reporting period: | 481 hours (65%) |
| 2. Alarm conditions during the reporting period: | See Table 1 |
| 3. Was the SPDES VOC discharge permit criteria achieved: | yes, (Table 2) |
| 4. Total volume of water pumped during the reporting period: | 13,675,829 gal. |
| 5. Was the system effluent flow below the SPDES limit of 1,023,000 gpd: yes, (Graph 1) | |
| 6. Mass of VOCs recovered during the reporting period: | 1.8 pounds |
| 7. Cumulative mass of VOCs recovered since startup on 12/17/02:
(calculations can be provided upon request) | 197.7 pounds |
| 8. Effluent VOC vapor concentration for the reporting period: | 0.18 mg/m ³ (Table 3) |
| 9. Was the effluent VOC vapor emission rate below 0.022 lbs/hr.:
(calculations can be provided upon request) | yes (0.00174 lbs/hr) |

GROUND-WATER RECOVERY SYSTEM STATUS SUMMARY

The following table summarizes select recovery well parameters for the reporting period. Table 4 presents a summary of the quality results for water samples collected from recovery wells. Graph 2 presents PCE concentrations for each recovery well. For wells with water quality that meets or is approaching remedial criteria, Graph 3 presents PCE concentrations at an expanded scale in order to compare them to the PCE aquifer restoration concentration of 5 ug/L. Laboratory analytical reports are included as Appendix I.

Well	Volume Pumped (gal)	Average Flow (gpm)	Minimum Design Flow (gpm)	Total VOC Concentration (µg/L)	VOC Recovery (lbs)
RW-2*	779,363	27	26	112.8	0.73
RW-3	229,081	10	23	0.0	0.0
RW-4*	1,071,657	37	13	4.4	0.04
RW-5*	1,443,111	50	42	0.0	0.0
RW-6	402,288	15	28	13.0	0.04
RW-7**	1,780,930	70	54	38.1	0.57
RW-8	1,733,720	50	46	3.5	0.05
RW-9	3,467,150	80	68	0.0	0.0

*The volume of water pumped from RW-2, RW-4 and RW-5 during the month of December was estimated based on average pumping rates and calculated operating times because of malfunctioning flow meters in these recovery wells. Each of these flow meters will be fixed so they are working properly.

**RW-7 was shut down because of a malfunctioning pump motor on 12/17/06. Water-quality data were not collected for RW-7 in December 2006; therefore, water-quality data from November 2006 were used to calculate VOC recovery from RW-7 this month.

Recovery well RW-6 and RW-3 had an average flow below the respective minimum design flow determined to be necessary for capture of the plume. RW-6 will continue to be monitored for performance. The ground-water model for the site will be updated to reflect the current pumping and water quality conditions to determine if the Full Scale Pump & Treat (FSP&T) system can effectively capture the plume if RW-6 is not operating.

In June 2006, the 1 HP pump in RW-3 was replaced with a 2 HP pump in an attempt to increase the flow from the well. The buildup of iron bacteria in the below-grade piping from the well has reduced the cross-sectional area of the pipe and in spite of repeated cleanings, has increased the hydraulic head the pump must overcome to maintain the desired flow rate. The 2 HP pump is capable of pumping a higher flow at an increased hydraulic head. Because the flow rate from RW-3 continues to be lower than the minimum design flow rate, LBG believes that the iron bacteria encrustation in the pipe may be greater than initially anticipated and the below-grade piping may require additional cleaning. An attempt will be made to jet clean the iron bacteria encrustation from the below-grade piping to increase the flow from the well. LBG is evaluating other options to increase the flow from RW-3 if the pipe cleaning is not effective.

The RW-7 pump motor malfunctioned on 12/17/06. Troubleshooting efforts to diagnose the problem indicate that the motor is faulty and must be replaced. RW-7 remains off until the pump motor can be replaced.

The effluent pH of the treated water from the FSP&T system is within the acceptable State Pollutant Discharge System (SPDES) criteria for the site as shown in Table 2.

BAG FILTER STATUS

The following table presents an operational summary of the bag filter usage and configuration for the reporting period.

Dates	Bank 1	Bank 2	Bank 3
December 1 to 31	7 of 8 housings used with 400 micron bag filters	7 of 8 housings used with 400 micron bag filters	Not active

No modifications were made to the filter bank configuration or operation during this reporting period.

OTHER O&M ACTIVITIES AND FUTURE O&M ACTIVITIES

Other O&M activities conducted in December 2006 include:

- During the month of December, routine maintenance and system sampling were conducted.

Future O&M activities scheduled for the winter and spring of 2007 include:

- Troubleshoot air stripper blower flow meter;
- Reset RW-2, RW-4 and RW-5 flow meters totalizers;
- Reset the EQ TP101 flow meter totalizer; and
- Replace the RW-7 pump motor.

MMG:nv

Attachments

cc: Phil McAndrew, Kraft Foods, N.A. – .pdf
Lisa Krogman, Kraft Foods, N.A. (Environ) – .pdf
Jeff Trad, NYSDEC – .pdf
Chief-Operation Maintenance and Support Section, NYSDEC – .pdf
William Spitz, RWM, R-1, NYSDEC
Garrett W. Swensen Jr., Esq., Town of Southampton

H:\NABIS\2006\Monthly Reports\December 2006\Status1206Dec.doc

TABLES

TABLE 1
GROUND-WATER REMEDIAL ACTION
ROWE INDUSTRIES SUPERFUND SITE
SAG HARBOR, NEW YORK

MAINTENANCE LOG

(December 1, 2006 through December 31, 2006)

Date	Time	System Changes/Modifications	Personnel
12/1/2006	5:00 PM	Booster Blower failure alarm, system shutdown.	
12/7/2006		Changed multi-bag filter bags (400 mm) in banks 1 and 2 seven of eight housings used. Banks 1 and 2 left open. Bank 3 closed.	MG/KD
	12:22 PM	Reset alarms, rebooted computer and restarted system.	MG/KD
12/13/2006		Changed multi-bag filter bags (400 mm) in banks 1 and 2 seven of eight housings used. Banks 1 and 2 left open. Bank 3 closed.	RD/EF
12/17/2005	8:15 AM	RW-7 Pump Fault Alarm, RW-7 shutdown. RW-2, RW-3, RW-4, RW-5, RW 6, RW-8 and RW-9 remain on.	
12/20/2006		Changed multi-bag filter bags (400 mm) in banks 1 and 2 seven of eight housings used. Banks 1 and 2 left open. Bank 3 closed.	RD
	9:20 AM	Reset RW-7 Pump Fault Alarm, could not to restart RW-7 becuase of a malfaunctioning pump motor. A new motor has been ordered and will be installed. RW-7 is off, RW-2, RW-3, RW-4, RW-5, RW-6, RW-8 and RW-9 remain on.	RD
12/22/2006	7:26 AM	System Communication Failure alarm, system shutdown.	
12/27/2006		Changed multi-bag filter bags (400 mm) in banks 1 and 2 seven of eight housings used. Banks 1 and 2 left open. Bank 3 closed.	RD
	7:30 AM	Rebooted computer, reset alarms and restarted system.	RD

TABLE 2

**GROUND-WATER REMEDIAL ACTION
ROWE INDUSTRIES SUPERFUND SITE
SAG HARBOR, NEW YORK**

EFFLUENT WATER QUALITY RESULTS

Date Sampled ^{2/}	pH ^{1/}	TDS (mg/l)	PCE (ug/l)	1,1,1-TCA (ug/l)	TCE (ug/l)	1,1-DCA (ug/l)	1,1-DCE (ug/l)	1,2-DCE (ug/l)	Xylene (ug/l)	Bromoform (ug/l)	Dibromo- chloromethane (ug/l)	Methylene Chloride (ug/l)	Freon 113 (ug/l)	Acetone (ug/l)	Chloroform (ug/l)	MTBE (ug/l)	Total Iron (mg/l)	Dissolved Iron (mg/l)
SPDES Limits	5.0 to 8.5	---	1	5	5	5	5	5	5	---	---	5	---	50	7	---	---	---
7-Dec-06	5.3	96	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	13.70	0.176
13-Dec-06	5.3	108	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	1.55	0.0754
20-Dec-06	5.3	84	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	9.63	0.1060
27-Dec-06	5.3	84	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	50.5	0.0681

SPDES: State Pollutant Discharge Elimination System

mg/l: Milligrams per liter

ug/l: Micrograms per liter

----: Not established

NM: Not Measured

TDS: Total dissolved solids

PCE: Tetrachloroethylene

TCE: Trichloroethene

1,1-DCA: 1,1-Dichloroethane

1,1-DCE: 1,1-Dichloroethene

1,2-DCE: 1,2-Dichloroethene

MTBE: Methyl tert-butyl ether

Notes:

1. Based on the new SPDES criteria from an NYSDEC letter dated on May 11, 2006, the new allowable pH range for the Rowe Site is between 5.0 and 8.5.

The pH was measured using litmus paper. Influent pH values from recovery wells typically range between 5 and 6.

2. "Effluent" samples were collected from sample port labeled NP2-10 unless otherwise noted.

TABLE 3

**GROUND-WATER REMEDIAL ACTION
ROWE INDUSTRIES SUPERFUND SITE
SAG HARBOR, NEW YORK**

CARBON UNIT SYSTEM AIR QUALITY RESULTS

Precarbon			Parameters (mg/m3)																				TOTAL VOCs
Sample Name	Date	Time	PCE	TCE	TCA	DCE	DCA	cis-DCE	Toluene	Benzene	m&p-Xylenes	o-Xylene	Styrene	CF	MC	CM	CD	BM	CB	EB	VC	CE	
AQ120805:930NP4-1	12/8/2005	9:30	0.34	0.016	0.079	0.006	0.02	0.032	0.014	0.003	0.003	ND	0.002	0.004	0.008 ^{2/}	0.002	0.038	0.015	ND	0.001	ND	ND	0.58
AQ010406:845NP4-1	1/4/2006	8:45	0.24	0.027	0.094	0.007	0.019	0.009	0.031	0.014	0.01	0.004	0.005	0.005	0.018	ND	0.027	0.002	ND	0.003	ND	ND	0.52
AQ020106:745NP4-1	2/1/2006	7:45	0.64	0.03	0.12	0.008	0.028	0.018	0.005	0.009	0.003	ND	ND	0.007	0.024	0.008	0.012	0.018 ^{3/}	ND	ND	ND	ND	0.91
AQ032206:1215NP4-1 ^{4/}	3/22/2006	12:15	0.12	0.018	0.077	0.0042	0.018	0.0062	0.0026	0.00096	0.0016	ND	ND	0.0049	0.0025	0.0017	0.0067	ND	ND	ND	ND	ND	0.26
AQ041206:950NP4-1	4/12/2006	9:50	0.18	0.011	0.038	0.004	0.0087	0.007	0.0014	ND	ND	ND	ND	0.0037	0.0011	0.0018	0.0047	ND	ND	ND	ND	ND	0.26
AQ051706:1000NP4-1	5/17/2006	10:00	0.28	0.017	0.048	0.0035	0.013	0.014	0.0093	0.0026	0.0032	ND	ND	0.0037	0.0019	0.0026	0.0097	ND	ND	0.0016	0.0011	ND	0.41
AQ062106:800NP4-1	6/21/2006	8:00	0.15	0.009	0.074	0.0037	0.014	0.0062	0.0048	0.00092	0.0022	ND	ND	0.0029	0.002	0.0019	0.014	ND	ND	ND	0.00091	ND	0.29
AQ072006:900NP4-1	7/20/2006	9:00	0.095	0.008	0.091	ND	0.0074	0.005	0.0057	ND	0.0069	0.0062	ND	ND	0.0067	0.0022	0.013	ND	ND	ND	ND	ND	0.25
AQ082406:900NP4-1	8/24/2006	9:00	0.28	0.012	0.055	0.0034	0.0083	0.013	0.0043	0.0021	0.0022	ND	ND	0.003	0.0043	ND	0.009	ND	ND	ND	0.0014	ND	0.40
AQ091906:910NP4-1	9/19/2006	9:10	0.21	0.01	0.26	0.006	0.016	0.0046	0.0029	0.001	0.0017	ND	ND	0.0053	0.0012	0.0023	0.013	ND	ND	ND	0.00089	0.0007	0.54
AQ102506:930NP4-1	10/24/2006	9:30	0.014	0.0063	0.2	0.0045	0.013	0.0035	0.0023	ND	0.0018	ND	ND	0.0043	0.001	ND	0.0091	ND	ND	ND	0.0097	ND	0.27
AQ112906:1000NP4-1	11/29/2006	10:00	0.21	0.0094	0.087	0.003	0.0094	0.0053	0.0028	0.0016	0.0016	ND	ND	0.0045	0.011	0.002	0.0052	ND	ND	ND	0.001	ND	0.35
AQ122006:815NP4-1	12/20/2006	8:15	0.065	0.013	0.13	0.0026	0.0081	0.0037	0.0052	0.0038	0.0021	ND	ND	0.0041	0.0021	0.0026	0.0071	ND	0.0013	ND	ND	ND	0.25

Midcarbon			Parameters (mg/m3)																				TOTAL VOCs
Sample Name	Date	Time	PCE	TCE	TCA	DCE	DCA	cis-DCE	Toluene	Benzene	m&p-Xylenes	o-Xylene	Styrene	CF	MC	CM	CD	BM	CB	EB	VC	CE	
AQ120805:935NP4-2	12/8/2005	9:35	0.003	ND	0.13	0.009	0.023	0.007	0.013	0.002	0.004	0.001	0.003	0.006	0.007 ^{2/}	ND	0.021	0.018	ND	0.001	0.003	ND	0.24
AQ010406:850NP4-2	1/4/2006	8:50	0.006	ND	0.11	0.005	0.017	0.006	0.018	0.001	0.003	ND	0.003	0.005	0.007	ND	0.022	0.009	ND	0.001	ND	ND	0.21
AQ020106:750NP4-2	2/1/2006	7:50	0.002	ND	0.086	ND	0.013	0.007	0.016	0.012	0.007	0.002	0.002	0.003	0.017	ND	0.01	ND	ND	0.002	ND	ND	0.19
AQ032206:1220NP4-2 ^{4/}	3/22/2006	12:20	0.0014	ND	0.075	0.0044	0.013	0.007	0.0041	ND	0.0025	ND	ND	0.0034	0.0027	ND	0.0062	ND	ND	ND	ND	ND	0.12
AQ041206:955NP4-2	4/12/2006	0:00	0.0012	ND	0.099	0.0076	0.014	0.0087	0.0015	ND	0.0011	ND	ND	0.0047	0.0013	ND	ND	ND	ND	ND	ND	ND	0.14
AQ051706:1005NP4-2	5/17/2006	10:05	0.0028	0.001	0.065	0.0039	0.014	0.0074	0.0045	ND	0.0032	ND	ND	0.0036	0.003	0.0019	0.0088	ND	ND	ND	ND	ND	0.12
AQ062106:805NP4-2	6/21/2006	8:05	ND	ND	0.025	0.0028	0.0081	0.0045	0.0036	ND	0.0014	ND	ND	0.0023	0.0019	0.0026	0.014	ND	ND	ND	0.001	ND	0.07
AQ072006:905NP4-2	7/20/2006	9:05	ND	ND	0.022	ND	0.0078	0.0044	ND	ND	ND	ND	ND	ND	ND	ND	0.013	ND	ND	ND	ND	ND	0.05
AQ082006:902NP4-2	8/24/2006	9:02	ND	ND	0.023	0.0017	0.0054	0.0045	0.0035	ND	0.0018	ND	ND	0.0019	0.0025	ND	0.013	ND	ND	ND	ND	ND	0.06
AQ091906:915NP4-2	9/19/2006	9:15	0.0014	ND	0.045	0.0031	0.006	0.0058	0.0031	ND	0.0016	ND	ND	0.0025	0.0012	ND	0.02	ND	ND	ND	0.00092	0.0065	0.10
AQ102506:935NP4-2	10/24/2006	9:35	0.0021	ND	0.062	0.0039	0.011	0.0044	0.0018	ND	0.0014	ND	ND	0.0026	0.001	ND	0.0077	ND	ND	ND	0.0009	0.00065	0.10
AQ112906:1006NP4-2	11/29/2006	10:06	0.0034	ND	0.24	0.0065	0.022	0.0067	0.0017	ND	0.0012	ND	ND	0.0061	0.0012	0.0033	0.012	ND	ND	ND	0.00085	ND	0.30
AQ122006:820NP4-2	12/20/2006	8:20	0.0054	0.002	0.3	0.0037	0.014	0.0048	0.0017	0.0012	ND	ND	ND	0.0051	0.0015	ND	0.0037	ND	ND	ND	ND	ND	0.34

Postcarbon			Parameters (mg/m3)																				TOTAL VOCs
Sample Name	Date	Time	PCE	TCE	TCA	DCE	DCA	cis-DCE	Toluene	Benzene	m&p-Xylenes	o-Xylene	Styrene	CF	MC	CM	CD	BM	CB	EB	VC	CE	
AQ120805:940NP4-3	12/8/2005	9:40	ND	ND	0.075	0.009	0.028	0.004	0.013	0.002	0.003	0.0003	0.003	0.009	0.009 ^{2/}	ND	0.025	0.02	ND	0.0008	ND	ND	0.19
AQ010406:855NP4-3	1/4/2006	8:55	0.004	ND	0.096	0.006	0.022	0.003	0.017	0.004	0.004	ND	0.003	0.006	0.014	ND	0.022	ND	ND	0.001	ND	ND	0.20
AQ020106:755NP4-3	2/1/2007	7:55	ND	0.002	0.075	0.004	0.016	0.003	0.004	0.003	0.001	ND	ND	0.005	0.017	ND	0.012	0.11 ^{3/}	ND	ND	ND	ND	0.14
AQ032206:1225NP4-3 ^{4/}	3/22/2006	12:25	ND	ND	0.11	0.0046	0.016	0.0045	0.0029	ND	0.0021	ND	ND	0.0049	0.0025	0.0016	0.0055	ND	ND	ND	ND	ND	0.15
AQ041206:1000NP4-3	4/12/2006	10:00	ND	ND	0.074	0.0065	0.011	0.0051	0.0018	ND	0.0015	ND	ND	0.0051	0.0013	ND	ND	ND	ND	ND	ND	ND	0.11
AQ051706:1010NP4-3	5/17/2006	10:10	0.0046	ND	0.068	0.0045	0.015	0.0048	0.0046	0.00088	0.0025	ND	ND	0.0042	0.0022	0.0026	0.012	ND	ND	ND	0.00075	ND	0.13
AQ062106:810NP4-3	6/21/2006	8:10	ND	ND	0.023	0.0027	0.0066	0.0036	0.0042	0.00075	0.0016	ND	ND	0.0018	0.0018	0.0023	0.015	ND	ND	ND	0.0008	ND	0.06
AQ072006:910NP4-3	7/20/2006	9:10	ND	ND	0.017	ND	0.0058	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.012	ND	ND	ND	ND	ND	0.03
AQ082406:904NP4-3	8/24/2006	9:04	ND	ND	0.025	0.0029	0.0082	0.0046	0.0038	0.00079	0.0018	ND	ND	0.002	0.0022	ND	0.014	ND	ND	ND	ND	ND	0.07
AQ091906:920NP4-3	9/19/2006	9:20	ND	ND	0.035	0.0039	0.011	0.0062	0.0026	0.0011	0.0015	ND	ND	0.0031	0.0012	ND	0.016	ND	ND	ND	0.00092	0.00074	0.08
AQ102506:936NP4-3	10/24/2006	9:36	ND	ND	0.041	0.001	0.0098	0.0048	0.0017	ND	0.0013	ND	ND	0.0028	0.00093	0.00062	0.0087	ND	ND	ND	0.00078	0.0062	0.08
AQ112906:1010NP4-3	11/29/2006	10:10	ND	0.0011	0.071	0.0033	0.012	0.0053	0.001	ND	ND	ND	ND	0.0032	0.001	ND	0.0084	ND	ND	ND	ND	ND	0.11
AQ122006:825	12/20/2006	8:25	ND	ND	0.14	0.0042	0.018	0.007	0.0024	0.0011	ND	ND	ND	0.0047	0.0012	ND	0.0042	ND	ND	ND	ND	ND	0.18

Notes: 1. Methylene chloride and/or carbon disulfide concentrations in all three air samples collected during the July 7, August 9 and September 8, 2005 sampling events are greatly elevated due to suspected laboratory contamination. The methylene chloride concentration from the June 24, 2005 sampling event was used instead of the July 7, August 9 or September 8, 2005 methylene chloride concentrations to calculate the total VOCs for July, August and September 2005. The carbon disulfide concentration from the June 24, 2005 sampling event was used instead of the July 7 and August 9, 2005 carbon disulfide concentration to calculate the total VOCs for July and August 2005.

2. The methylene chloride concentration in the air samples collected on December 8, 2005 are suspected to be from laboratory contamination.

3. The laboratory procedure for the % bromomethane recovered exceeded the upper limit for quality control, therefore the bromomethane concentration for January 4, 2006 was used to calculate the total VOC concentration in for the February 1, 2006 samples.

4. The air samples from March 2006 and forward were analyzed using the TO-15 method at the Severn Trent Laboratory located in Knoxville, TN. Air sampling using the TO-17 method at the Severn Trent Laboratory in Connecticut is no longer available. The March 2006 air quality results appear to be a little lower or similar to prior air quality results. LBG will continue to monitor the air quality on a monthly basis.

PCE - Tetrachloroethane	DCE - 1,1-Dichloroethane	CF - Chloroform	BM - Bromomethane
TCE - Trichloroethane	DCA - 1,1-Dichloroethane	MC - Methylene Chloride	CB - Chlorobenzene
TCA - 1,1,1-Trichloroethane	cis-DCE - cis-1,2-Dichloroethane	CM - Chloromethane	EB - Ethylbenzene
CE - Chloroethane	CT - Carbon Tetrachloride	CD - Carbon Disulfide	VC - Vinyl Chloride

TABLE 4

**GROUND-WATER REMEDIAL ACTION
ROWE INDUSTRIES SUPERFUND SITE
SAG HARBOR, NEW YORK**

RECOVERY WELL WATER QUALITY RESULTS

Recovery Well	Date Sampled	PCE (ug/L)	TCE (ug/L)	TCA (ug/L)	Vinyl Acetate (ug/L)	Chloroform (ug/L)	MTBE (ug/L)	Total Iron (mg/L)	Dissolved Iron (mg/L)	1,1-Dichloro-ethane (ug/L)	cis-1,2-Dichloro-ethene (ug/L)	1,1-Dichloro-ethene (ug/L)	Methylene Chloride (ug/L) ^{1,2}	Toluene (ug/L)	Dibromochloromethane (ug/L)	Acetone (ug/L) ^{1,2}
	ARAR's	5	5	5	NE	7	NE	300	300	5	5	5	5	NE	NE	NE
RW-1	15-Sep-04	ND<1	ND<1	ND<1	ND<1	2.8	ND<1	0.0865	ND<0.02	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
	7-Oct-04	ND<1	ND<1	ND<1	ND<1	2.2	ND<1	0.0332	ND<0.02	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
	3-Nov-04	ND<1	ND<1	ND<1	ND<1	1.9	2.0	0.0133	ND<0.02	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
	15-Dec-04	ND<1	ND<1	ND<1	ND<1	9.8	ND<1	0.0475	0.0229	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
	13-Jan-05	ND<1	ND<1	ND<1	ND<1	1.5	2.1	0.0703	0.0326	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
	8-Feb-05	ND<1	ND<1	ND<1	ND<1	4.6	ND<1	ND<0.02	ND<0.02	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
	15-Mar-05	ND<1	ND<1	ND<1	ND<1	2.5	ND<1	0.0285	ND<0.02	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
	19-Apr-05	ND<1	ND<1	ND<1	ND<1	1.5	ND<1	0.0357	0.0217	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
	2-May-05	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<0.02	ND<0.02	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
	16-Jun-05	ND<1	ND<1	ND<1	ND<1	4.0	ND<1	ND<0.02	ND<0.02	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
	14-Jul-05	ND<1	ND<1	ND<1	ND<1	2.1	ND<1	0.0289	ND<0.02	ND<1	ND<1	ND<1	8.4*	ND<1	ND<1	6.9*
	7-Mar-06	ND<1	ND<1	ND<1	ND<1	5.2	ND<1	0.1650	ND<0.02	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
	19-Sep-06	ND<1	ND<1	ND<1	ND<1	1.7	ND<1	NA	NA	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
RW-2	4-Jan-05	25	ND<1	ND<1	ND<1	ND<1	ND<1	4.81	1.5	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
	8-Feb-05	18	ND<1	ND<1	ND<1	ND<1	ND<1	5.01	ND<0.02	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
	15-Mar-05	20	1.1	ND<1	ND<1	ND<1	ND<1	5.28	0.0816	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
	19-Apr-05	9.0	ND<1	ND<1	ND<1	ND<1	ND<1	4.51	0.128	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
	2-May-05	8.2	ND<1	ND<1	ND<1	ND<1	ND<1	3.69	0.17	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
	16-Jun-05	12.0	ND<1	1.0	ND<1	ND<1	ND<1	3.5	0.0511	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
	14-Jul-05	7.7	1.1	ND<1	ND<1	ND<1	ND<1	0.28	0.0298	ND<1	ND<1	ND<1	7.3 *	ND<1	ND<1	5.6 *
	9-Aug-05	5.4	ND<1	ND<1	ND<1	ND<1	ND<1	3.74	0.107	ND<1	5.8	ND<1	ND<1	ND<1	ND<1	ND<1
	8-Sep-05	16	1.8	ND<1	ND<1	ND<1	ND<1	3.57	0.0704	ND<1	11	ND<1	ND<1	ND<1	ND<1	ND<1
	19-Oct-05	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM
	21-Nov-05	15	2.1	ND<1	ND<1	ND<1	ND<1	6.1	0.0269	ND<1	12	ND<1	ND<1	ND<1	ND<1	ND<1
	8-Dec-05	34	2.1	ND<1	ND<1	ND<1	ND<1	4.25	ND<0.02	ND<1	25	ND<1	ND<1	ND<1	ND<1	ND<1
	12-Jan-06	5.2	2.0	ND<1	ND<1	ND<1	ND<1	9.15	0.0696	ND<1	5.0	ND<1	4.8 *	1.0	ND<1	ND<1
	14-Feb-06	6.5	4.3	1.2	ND<1	ND<1	ND<1	3.99	ND<0.02	ND<1	2.8	ND<1	ND<1	ND<1	ND<1	ND<1
	7-Mar-06	6.5	3.5	ND<1	ND<1	ND<1	ND<1	4.76	0.0395	ND<1	3.8	ND<1	ND<1	ND<1	ND<1	ND<1
	12-Apr-06	12.0	3.9	1.2	ND<1	ND<1	ND<1	4.24	0.0522	ND<1	12.0	ND<1	ND<1	ND<1	ND<1	ND<1
	17-May-06	19.0	5.1	ND<1	ND<1	ND<1	ND<1	5.95	0.063	ND<1	14.0	ND<1	ND<1	ND<1	ND<1	ND<1
	21-Jun-06	13.0	3.0	25	ND<1	ND<1	ND<1	3.57	0.093	ND<1	5.0	ND<1	ND<1	ND<1	ND<1	ND<1
	20-Jul-06	8.0	3.4	60	ND<1	ND<1	ND<1	4.49	0.177	ND<1	7.5	ND<1	ND<1	ND<1	ND<1	ND<1
	24-Aug-06	11.0	1.1	25	ND<1	ND<1	ND<1	4.14	0.0172	ND<1	5.7	ND<1	ND<1	ND<1	ND<1	ND<1
	19-Sep-06	2.8	ND<1	200	ND<1	ND<1	ND<1	13.7	0.0184	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
	24-Oct-06	5.0	1.6	160	ND<1	ND<1	ND<1	3.6	0.00756	ND<1	3.6	0.91	ND<1	ND<1	ND<1	ND<1
	29-Nov-06	6.0	1.8	36	ND<1	ND<1	ND<1	14.1	0.0148	ND<1	3	ND<1	ND<1	ND<1	ND<1	ND<1
	20-Dec-06	2.2	ND<1	110	ND<1	ND<1	ND<1	11.8	0.0197	ND<1	2.8	ND<1	ND<1	ND<1	ND<1	ND<1

TABLE 4

**GROUND-WATER REMEDIAL ACTION
ROWE INDUSTRIES SUPERFUND SITE
SAG HARBOR, NEW YORK**

RECOVERY WELL WATER QUALITY RESULTS

Recovery Well	Date Sampled	PCE (ug/L)	TCE (ug/L)	TCA (ug/L)	Vinyl Acetate (ug/L)	Chloroform (ug/L)	MTBE (ug/L)	Total Iron (mg/L)	Dissolved Iron (mg/L)	1,1-Dichloro-ethane (ug/L)	cis-1,2-Dichloro-ethene (ug/L)	1,1-Dichloro-ethene (ug/L)	Methylene Chloride (ug/L) ¹	Toluene (ug/L)	Dibromochloromethane (ug/L)	Acetone (ug/L) ¹
	ARAR's	5	5	5	NE	7	NE	300	300	5	5	5	5	NE	NE	NE
RW-3	4-Jan-05	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	2.60	2.24	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
	8-Feb-05	1.6	1.3	ND<1	ND<1	ND<1	ND<1	2.10	1.15	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
	15-Mar-05	3	13	5.0	ND<1	ND<1	ND<1	1.89	1.36	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
	19-Apr-05	ND<1	2.0	ND<1	ND<1	ND<1	ND<1	46.1	0.539	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
	2-May-05	2.2	7.7	2.8	ND<1	ND<1	ND<1	1.85	0.82	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
	16-Jun-05	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	9.91	10	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
	14-Jul-05	1.6	ND<1	ND<1	ND<1	ND<1	ND<1	2.01	0.649	ND<1	ND<1	ND<1	9.1 *	ND<1	ND<1	6.9 *
	9-Aug-05	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	2.50	0.973	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
	8-Sep-05	1	3.6	1.2	ND<1	ND<1	ND<1	2.03	0.71	ND<1	2.6	ND<1	ND<1	ND<1	ND<1	ND<1
	19-Oct-05	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM
	21-Nov-05	1.3	ND<1	ND<1	ND<1	ND<1	ND<1	1.83	0.708	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
	8-Dec-05	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	2.11	0.556	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
	12-Jan-06	1.7	17	7.9	ND<1	ND<1	ND<1	1.93	0.455	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
	14-Feb-06	1.4	8.9	2.5	ND<1	ND<1	ND<1	3.80	0.157	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
	7-Mar-06	1.1	3.4	ND<1	ND<1	ND<1	ND<1	1.87	0.297	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
	12-Apr-06	0.95	ND<1	ND<1	ND<1	ND<1	ND<1	1.99	0.649	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
	17-May-06	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	1.06	0.353	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
	21-June-06 ¹	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM
	20-Jul-06	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM
	24-Aug-06	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM
	19-Sep-06	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM
	24-Oct-06	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM
RW-4	29-Nov-06	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	2.36	0.053	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
	20-Dec-06	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	3.62	1.84	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
	4-Jan-05	160	4.1	7.3	ND<1	ND<1	ND<1	6.11	3.28	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
	8-Feb-05	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM
	15-Mar-05	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM
	19-Apr-05	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM
	2-May-05	80	2.4	9.8	ND<1	ND<1	ND<1	3.77	0.0687	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
	30-Jun-05	74	2.6	ND<1	ND<1	ND<1	ND<1	9.95	9.28	ND<1	ND<1	ND<1	4.5 *	ND<1	ND<1	ND<1
	14-Jul-05	37	ND<1	8.9	ND<1	ND<1	ND<1	3.22	0.0185	ND<1	ND<1	ND<1	9.4 *	ND<1	ND<1	7.4 *
	9-Aug-05	31	ND<1	ND<1	ND<1	ND<1	ND<1	2.49	0.111	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
	8-Sep-05	45	ND<1	6.0	ND<1	ND<1	ND<1	3.47	0.173	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
	19-Oct-05	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM
	21-Nov-05	30	ND<1	ND<1	ND<1	ND<1	ND<1	3.69	0.0777	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
	12-Dec-05	64	2.0	1.5	ND<1	ND<1	ND<1	2.82	0.0302	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
	12-Jan-06	15	ND<1	9.5	ND<1	ND<1	ND<1	7.78	0.0412	ND<1	ND<1	ND<1	5.2 *	ND<1	ND<1	ND<1
	14-Feb-06	24	ND<1	8.7	ND<1	ND<1	ND<1	6.05	0.0627	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
	7-Mar-06	22	ND<1	7.0	ND<1	ND<1	ND<1	3.50	0.0476	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
	12-Apr-06	26	1.5	6.2	ND<1	ND<1	2	4.17	0.0963	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
	17-May-06	26	ND<1	ND<1	ND<1	ND<1	ND<1	3.15	0.109	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
	21-Jun-06	23	ND<1	8.4	ND<1	ND<1	ND<1	9.23	0.086	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
	20-Jul-06	14	ND<1	9.4	ND<1	ND<1	ND<1	4.10	0.155	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
	24-Aug-06	23	ND<1	ND<1	ND<1	ND<1	ND<1	8.60	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
	19-Sep-06	9	ND<1	7.5	ND<1	ND<1	ND<1	5.95	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
	24-Oct-06	11	ND<1	5.6	ND<1	ND<1	ND<1	7.17	0.0178	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
	29-Nov-06	14	0.9	ND<1	ND<1	ND<1	ND<1	2.82	0.00708	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
	20-Dec-06	6.4	ND<1	4.4	ND<1	ND<1	ND<1	17.30	0.0112	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1

TABLE 4

**GROUND-WATER REMEDIAL ACTION
ROWE INDUSTRIES SUPERFUND SITE
SAG HARBOR, NEW YORK**

RECOVERY WELL WATER QUALITY RESULTS

Recovery Well	Date Sampled	PCE (ug/L)	TCE (ug/L)	TCA (ug/L)	Vinyl Acetate (ug/L)	Chloroform (ug/L)	MTBE (ug/L)	Total Iron (mg/L)	Dissolved Iron (mg/L)	1,1-Dichloro-ethane (ug/L)	cis-1,2-Dichloro-ethene (ug/L)	1,1-Dichloro-ethene (ug/L)	Methylene Chloride (ug/L) ¹	Toluene (ug/L)	Dibromochloromethane (ug/L)	Acetone (ug/L) ¹
	ARAR's	5	5	5	NE	7	NE	300	300	5	5	5	5	NE	NE	NE
RW-5	4-Jan-05	12	ND<1	5.6	ND<1	ND<1	2.0	0.0269	0.0172	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
	8-Feb-05	11	ND<1	ND<1	ND<1	ND<1	ND<1	ND<0.02	ND<0.02	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
	15-Mar-05	14	ND<1	4.3	ND<1	ND<1	2.6	0.318	ND<0.02	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
	19-Apr-05	9	ND<1	4.1	ND<1	ND<1	ND<1	0.0887	0.0187	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
	2-May-05	13	ND<1	5.7	ND<1	ND<1	ND<1	0.0223	ND<0.02	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
	16-Jun-05	4.7	ND<1	ND<1	ND<1	ND<1	ND<1	0.0177	ND<0.02	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
	14-Jul-05	8.2	ND<1	1.6	ND<1	ND<1	ND<1	0.0358	ND<0.02	ND<1	ND<1	ND<1	9.5 *	ND<1	ND<1	5.6 *
	9-Aug-05	2.6	ND<1	ND<1	ND<1	ND<1	ND<1	0.0227	0.0303	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
	8-Sep-05	8	ND<1	3.8	ND<1	ND<1	ND<1	0.0185	ND<0.02	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
	19-Oct-05	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM
	21-Nov-05	2.6	ND<1	ND<1	ND<1	ND<1	ND<1	0.0482	ND<0.02	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
	8-Dec-05	2.4	ND<1	ND<1	ND<1	ND<1	ND<1	0.0468	ND<0.02	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
	12-Jan-06	2.3	ND<1	2.0	ND<1	ND<1	ND<1	0.0558	0.0119	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
	14-Feb-06	2.9	ND<1	3.8	ND<1	ND<1	ND<1	ND<0.02	ND<0.02	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
	7-Mar-06	2.6	ND<1	3.0	ND<1	ND<1	ND<1	ND<0.02	ND<0.02	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
	12-Apr-06	1.4	ND<1	ND<1	ND<1	1.5	2.4	0.0786	ND<0.02	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
	17-May-06	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	0.016	ND<0.02	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
	21-Jun-06	2.4	ND<1	2.6	ND<1	ND<1	ND<1	0.195	0.012	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
	20-Jul-06	1.3	ND<1	3.1	ND<1	ND<1	ND<1	0.184	ND<0.02	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
	24-Aug-06	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	2.09	0.0116	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
	19-Sep-06	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	0.194	ND<0.02	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
	24-Oct-06	1.1	ND<1	1.3	ND<1	ND<1	ND<1	0.0683	0.00684	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
	29-Nov-06	6	ND<1	1.3	ND<1	ND<1	ND<1	0.136	0.0195	ND<1	ND<1	ND<1	ND<1	0.96	ND<1	ND<1
	20-Dec-06	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	0.508	0.0113	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
RW-6	4-Jan-05	86	2.1	3.7	ND<1	ND<1	2.4	0.0279	ND<0.02	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
	8-Feb-05	110	2.4	7.6	ND<1	ND<1	ND<1	ND<0.02	ND<0.02	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
	15-Mar-05	120	2.3	6.6	ND<1	ND<1	2.7	0.0294	ND<0.02	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
	19-Apr-05	74	ND<1	7.0	ND<1	ND<1	ND<1	0.0509	ND<0.02	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
	2-May-05	96	2.8	8.5	ND<1	ND<1	ND<1	ND<0.02	ND<0.02	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
	16-Jun-05	69	1.6	13	ND<1	ND<1	ND<1	0.067	0.0195	ND<1	ND<1	ND<1	2.1	ND<1	ND<1	ND<1
	14-Jul-05	64	1.6	9.5	ND<1	ND<1	ND<1	0.0406	ND<0.02	ND<1	ND<1	ND<1	7.2 *	ND<1	ND<1	7 *
	9-Aug-05	49	ND<1	12	ND<1	ND<1	ND<1	0.088	0.0366	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
	8-Sep-05	100	1.6	12	ND<1	ND<1	ND<1	1.3	0.0143	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
	19-Oct-05	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM
	21-Nov-05	68	ND<1	ND<1	ND<1	ND<1	ND<1	0.144	ND<0.02	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
	8-Dec-05	100	2.1	20	ND<1	ND<1	ND<1	0.139	ND<0.02	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
	12-Jan-06	41	1.1	16	ND<1	ND<1	ND<1	0.189	ND<0.02	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
	22-Feb-06	63	1.6	15	ND<1	ND<1	ND<1	0.116	0.0155	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
	7-Mar-06	65	1.2	17	ND<1	ND<1	ND<1	0.0429	ND<0.02	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
	12-Apr-06	62	2.1	22	ND<1	ND<1	2	0.24	0.0137	0.97	ND<1	1.1	ND<1	ND<1	ND<1	ND<1
	17-May-06	68	ND<1	18	ND<1	ND<1	ND<1	0.17	0.019	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
	21-Jun-06	83	ND<1	20	ND<1	ND<1	ND<1	0.075	0.025	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
	20-Jul-06	45	1.5	24	ND<1	ND<1	ND<1	1.01	0.0169	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
	24-Aug-06	30	ND<1	22	ND<1	ND<1	ND<1	5.36	0.0563	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
	19-Sep-06	46	ND<1	27	ND<1	ND<1	ND<1	0.916	0.0078	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
	24-Oct-06	45	1.2	15	ND<1	ND<1	ND<1	1.84	0.007	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
	29-Nov-06	36	1.0	14	ND<1	ND<1	ND<1	0.399	0.137	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
	20-Dec-06	31	ND<1	13	ND<1	ND<1	ND<1	2.43	0.00877	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1

TABLE 4

**GROUND-WATER REMEDIAL ACTION
ROWE INDUSTRIES SUPERFUND SITE
SAG HARBOR, NEW YORK**

RECOVERY WELL WATER QUALITY RESULTS

Recovery Well	Date Sampled	PCE (ug/L)	TCE (ug/L)	TCA (ug/L)	Vinyl Acetate (ug/L)	Chloroform (ug/L)	MTBE (ug/L)	Total Iron (mg/L)	Dissolved Iron (mg/L)	1,1-Dichloroethane (ug/L)	cis-1,2-Dichloroethene (ug/L)	1,1-Dichloroethene (ug/L)	Methylene Chloride (ug/L) ¹	Toluene (ug/L)	Dibromochloromethane (ug/L)	Acetone (ug/L) ¹
	ARAR's	5	5	5	NE	7	NE	300	300	5	5	5	5	NE	NE	NE
RW-7	4-Jan-05	37	1.1	ND<1	ND<1	ND<1	ND<1	0.0343	ND<0.02	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
	8-Feb-05	45	ND<1	ND<1	ND<1	ND<1	ND<1	ND<0.02	ND<0.02	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
	15-Mar-05	42	1.5	1.7	ND<1	ND<1	ND<1	0.0356	ND<0.02	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
	19-Apr-05	22	ND<1	ND<1	ND<1	ND<1	ND<1	0.107	0.0152	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
	2-May-05	30	ND<1	ND<1	ND<1	ND<1	ND<1	0.02	ND<0.02	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
	16-Jun-05	32	1.0	4.7	ND<1	ND<1	ND<1	0.0753	0.02	1.5	ND<1	1.1	ND<1	ND<1	ND<1	ND<1
	14-Jul-05	32	ND<1	2.2	ND<1	ND<1	ND<1	0.0155	ND<0.02	ND<1	ND<1	ND<1	8.7 *	ND<1	ND<1	7.2 *
	9-Aug-05	31	ND<1	6.2	ND<1	ND<1	ND<1	0.0903	0.0409	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
	8-Sep-05	39	ND<1	3.4	ND<1	ND<1	ND<1	0.0452	ND<0.02	1.7	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
	19-Oct-05	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM
	21-Nov-05	36	ND<1	ND<1	ND<1	ND<1	ND<1	0.536	ND<0.02	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
	8-Dec-05	70	ND<1	12.0	ND<1	ND<1	ND<1	0.253	ND<0.02	4.2	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
	12-Jan-06	26	ND<1	5.0	ND<1	ND<1	ND<1	0.343	ND<0.02	2.2	ND<1	ND<1	5.0 *	ND<1	ND<1	ND<1
	14-Feb-06	36	ND<1	4.1	ND<1	ND<1	ND<1	0.0332	ND<0.02	2.0	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
	7-Mar-06	38	ND<1	4.1	ND<1	ND<1	ND<1	0.143	ND<0.02	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
	12-Apr-06	49	1.6	7.4	ND<1	ND<1	ND<1	0.0912	0.0175	3.4	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
	17-May-06	59	ND<1	ND<1	ND<1	ND<1	ND<1	0.126	0.026	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
	21-Jun-06	44	ND<1	4.6	ND<1	ND<1	ND<1	0.081	0.013	1.6	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
	20-Jul-06	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM
	24-Aug-06	39	ND<1	7.9	ND<1	ND<1	ND<1	0.307	0.1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
	19-Sep-06	36	ND<1	7.5	ND<1	ND<1	ND<1	0.116	ND<0.02	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
	24-Oct-06	26	ND<1	3.5	ND<1	ND<1	ND<1	0.0692	0.00846	2.4	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
	9-Nov-06	33	ND<1	4.1	ND<1	ND<1	ND<1	0.1910	0.04990	1.0	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
	20-Dec-06	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM
RW-8	4-Jan-05	6.9	1.3	3.9	ND<1	ND<1	ND<1	8.92	2.85	2.7	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
	8-Feb-05	7.4	ND<1	7.2	ND<1	ND<1	ND<1	8.24	ND<0.02	4.7	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
	15-Mar-05	9.0	1.3	4.2	ND<1	ND<1	ND<1	7.54	0.075	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
	19-Apr-05	3.5	ND<1	3.5	ND<1	ND<1	ND<1	8.89	0.321	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
	2-May-05	5.6	ND<1	5.2	ND<1	ND<1	ND<1	7.33	0.073	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
	16-Jun-05	2.7	ND<1	5.8	ND<1	ND<1	ND<1	7.06	0.325	2.1	ND<1	1.7	ND<1	ND<1	ND<1	ND<1
	14-Jul-05	2.6	ND<1	3.4	ND<1	ND<1	ND<1	8.33	0.017	ND<1	ND<1	ND<1	8.5 *	ND<1	ND<1	8.2 *
	9-Aug-05	1.8	ND<1	2.9	ND<1	ND<1	ND<1	0.24	0.065	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
	8-Sep-05	2.9	ND<1	4.2	ND<1	ND<1	ND<1	7.53	0.255	2.5	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
	19-Oct-05	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM
	21-Nov-05	1.5	ND<1	ND<1	ND<1	ND<1	ND<1	7.65	0.106	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
	8-Dec-05	2.4	ND<1	5.0	ND<1	ND<1	ND<1	5.19	0.021	3.2	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
	12-Jan-06	1.3	ND<1	3.7	ND<1	ND<1	ND<1	7.25	0.097	2.0	ND<1	ND<1	4.9 *	ND<1	ND<1	ND<1
	14-Feb-06	1.5	ND<1	3.0	ND<1	ND<1	ND<1	8.06	ND<0.02	1.5	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
	7-Mar-06	1.3	ND<1	2.8	ND<1	ND<1	ND<1	8.33	0.064	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
	12-Apr-06	2.1	0.9	4.5	ND<1	ND<1	ND<1	7.27	0.823	3.3	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
	17-May-06	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	2.03	0.056	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
	21-Jun-06	ND<1	ND<1	2.8	ND<1	ND<1	ND<1	8.40	0.897	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
	20-Jul-06	1.0	ND<1	4.0	ND<1	ND<1	ND<1	10.80	0.175	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
	24-Aug-06	ND<1	ND<1	3.2	ND<1	ND<1	ND<1	5.98	1.860	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
	19-Sep-06	ND<1	ND<1	3.0	ND<1	ND<1	ND<1	7.44	0.009	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
	24-Oct-06	0.9	ND<1	3.1	ND<1	ND<1	ND<1	8.32	0.0605	2.0	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
	29-Nov-06	1.0	ND<1	3.4	ND<1	ND<1	ND<1	3.87	0.0091	1.6	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
	20-Dec-06	ND<1	ND<1	3.5	ND<1	ND<1	ND<1	62.80	0.0346	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1

TABLE 4

**GROUND-WATER REMEDIAL ACTION
ROWE INDUSTRIES SUPERFUND SITE
SAG HARBOR, NEW YORK**

RECOVERY WELL WATER QUALITY RESULTS

Recovery Well	Date Sampled	PCE (ug/L)	TCE (ug/L)	TCA (ug/L)	Vinyl Acetate (ug/L)	Chloroform (ug/L)	MTBE (ug/L)	Total Iron (mg/L)	Dissolved Iron (mg/L)	1,1-Dichloroethane (ug/L)	cis-1,2-Dichloroethene (ug/L)	1,1-Dichloroethene (ug/L)	Methylene Chloride (ug/L) ^{1/}	Toluene (ug/L)	Dibromochloromethane (ug/L)	Acetone (ug/L) ^{1/}
	ARAR's	5	5	5	NE	7	NE	300	300	5	5	5	5	NE	NE	NE
RW-9	4-Jan-05	ND<1	1.0	6.4	ND<1	ND<1	ND<1	2.35	1.72	1.6	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
	8-Feb-05	ND<1	ND<1	10	ND<1	ND<1	ND<1	0.0974	ND<0.02	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
	15-Mar-05	ND<1	1.4	5.9	ND<1	ND<1	ND<1	1.55	0.507	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
	19-Apr-05	ND<1	ND<1	4.5	ND<1	ND<1	ND<1	1.59	0.091	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
	2-May-05	ND<1	2.9	9.0	ND<1	ND<1	ND<1	2.89	0.0596	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
	16-Jun-05	ND<1	ND<1	5.8	ND<1	ND<1	ND<1	1.38	0.149	0.9	ND<1	1.2	ND<1	ND<1	ND<1	ND<1
	14-Jul-05	3.4	ND<1	3.1	ND<1	ND<1	ND<1	2.55	0.238	ND<1	ND<1	ND<1	6.9 *	ND<1	ND<1	7.3 *
	9-Aug-05	ND<1	ND<1	1.4	ND<1	ND<1	ND<1	0.994	0.0734	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
	8-Sep-05	1.2	ND<1	2.0	ND<1	ND<1	ND<1	3.64	0.161	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
	19-Oct-05	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM
	21-Nov-05	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	1.31	0.108	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
	8-Dec-05	ND<1	ND<1	2.9	ND<1	ND<1	ND<1	2.01	0.024	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
	12-Jan-06	ND<1	ND<1	1.4	ND<1	ND<1	ND<1	2.36	0.0905	ND<1	ND<1	ND<1	4.9 *	ND<1	ND<1	ND<1
	14-Feb-06	2.1	ND<1	1.8	ND<1	ND<1	ND<1	5.23	ND<0.02	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
	7-Mar-06	1.3	ND<1	ND<1	ND<1	ND<1	ND<1	3.41	0.333	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
	12-Apr-06	ND<1	ND<1	2.2	ND<1	ND<1	ND<1	1.93	0.108	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
	17-May-06	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	1.64	0.054	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
	21-June-06 ^{2/}	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM
	20-Jul-06	ND<1	ND<1	2.2	ND<1	ND<1	ND<1	3.5	0.695	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
	24-Aug-06	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	0.97	0.0165	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
	19-Sep-06	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	5.16	ND<0.02	ND<1	ND<1	ND<1	18*	ND<1	ND<1	ND<1
	24-Oct-06	ND<1	ND<1	1.5	ND<1	ND<1	ND<1	6.96	0.00719	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
	29-Nov-06	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	3.99	ND<0.02	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
	20-Dec-06	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	6.54	0.0119	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1

ND: Not detected

<#: Less than method detection limit

ug/L: Micrograms per liter

-: Not analyzed

ARAR's are chemical specific aquifer restoration goals for ground water at the Former Rowe Industries Superfund Site

Bold values indicate an exceedance of the ARAR standard established for the site

PCE: Tetrachloroethylene

TCE: Trichloroethene

TCA: 1,1,1-Trichloroethane

1,1-DCA: 1,1-Dichloroethane

1,1-DCE: 1,1-Dichloroethene

1,2-DCE: 1,2-Dichloroethene

MTBE: Methyl Tertiary Butyl Ether

NM: Not Measured

NE indicates that the ARAR goal was not established for this compound by the EPA

*Concentrations with an asterisk following them are due to laboratory contamination.


^{1/} RW-3 is currently non operational weighting for the reprogramming of the drive for the new 4 amp pump

^{2/} RW-9 was being rehabilitated during this sampling event, thus no water sample was collected

GRAPHS


GRAPH 1
GROUND-WATER REMEDIAL ACTION
ROWE INDUSTRIES SUPERFUND SITE
SAG HARBOR, NEW YORK

EFFLUENT FLOW DATA
(December 1, 2006 through December 31, 2006)




GRAPH 2
GROUND-WATER REMEDIAL ACTION
ROWE INDUSTRIES SUPERFUND SITE
SAG HARBOR, NEW YORK

RECOVERY WELL PCE CONCENTRATION IN MICROGRAMS PER LITER



GRAPH 3
GROUND-WATER REMEDIAL ACTION
ROWE INDUSTRIES SUPERFUND SITE
SAG HARBOR, NEW YORK



APPENDIX I
DECEMBER 2006 LABORATORY ANALYTICAL REPORTS



NYSDOH 11418
NJDEP NY050
CTDOH PH-0205
PADEP 68-00573

Tuesday, December 19, 2006

Mark Goldberg
Leggette Brashears & Graham Inc.
4 Research Drive
Suite 301
Shelton, CT 06484

TEL: (203) 929-8555
FAX (203) 926-9140

RE: Rowe Industries

Order No.: 0612082

Dear Mark Goldberg:

American Analytical Laboratories, LLC. received 3 sample(s) on 12/12/2006 for the analyses presented in the following report.


Samples were analyzed in accordance with the test procedures documented on the chain of custody and detailed throughout the text of this report.

The limits provided in the data package are analytical reporting limits and not Federal or Local mandated values to which the sample results should be compared.

There were no problems with the analyses and all data for associated QC met laboratory specifications. If there are any exceptions a Case Narrative is provided in the report.

If you have any questions regarding these tests results, please do not hesitate to call (631) 454-6100 or email me directly at lbeyer@american-analytical.com.

Sincerely,


Lori Beyer
Lab Director

American Analytical Laboratories, LLC.**Date:** 19-Dec-06**CLIENT:** Leggette Brashears & Graham Inc.**Project:** Rowe Industries**Lab Order:** 0612082**Work Order Sample Summary**

Lab Sample ID	Client Sample ID	Tag Number	Date Collected	Date Received
0612082-01A	WQ120706:1200 NP2-6	12807	12/7/2006	12/12/2006
0612082-01B	WQ120706:1200 NP2-6	12807	12/7/2006	12/12/2006
0612082-01C	WQ120706:1200 NP2-6	12807	12/7/2006	12/12/2006
0612082-02A	WQ120706:1205 NP2-7	12807	12/7/2006	12/12/2006
0612082-02B	WQ120706:1205 NP2-7	12807	12/7/2006	12/12/2006
0612082-02C	WQ120706:1205 NP2-7	12807	12/7/2006	12/12/2006
0612082-03A	WQ120706:1210 NP2-10	12087	12/7/2006	12/12/2006
0612082-03B	WQ120706:1210 NP2-10	12087	12/7/2006	12/12/2006
0612082-03C	WQ120706:1210 NP2-10	12087	12/7/2006	12/12/2006

[illegible]

AMERICAN ANALYTICAL LABORATORIES, LLC

56 TOLEDO STREET

FARMINGDALE, NEW YORK 11735

TELEPHONE: (631) 454-6100 FAX: (631) 454-8027

DATA REPORTING QUALIFIERS

For reporting results, the following "Results Qualifiers" are used:

Value	If the result is greater than or equal to the detection limit, report the value
U	Indicates the compound was analyzed for but was not detected. Report the minimum detection limit for the sample with the U, i.e. "10U". This is not necessarily the instrument detection limit attainable for this particular sample based on any concentration or dilution that may have been required.
J	Indicates an estimated value. The flag is used: (1) When estimating a concentration for a tentatively identified compound (library search hits, where a 1:1 response is assumed.) (2) When the mass spectral data indicated the identification, however the result was less than the specified detection limit greater than zero. If the detection limit was 10ug/L and a concentration of 3ug/L was calculated report as 3J. This flag is used when similar situations arise on any organic parameter i.e. Pesticide, PCBs and others.
B	Indicates the analyte was found in the blank as well as the sample report "10B".
E	Indicates the analytes concentration exceeds the calibrated range of the instrument for that specific analysis.
D	This flag identifies all compounds identified in an analysis at a secondary dilution factor.
P	This flag is used for Pesticide / PCB target analyte when there is >25% difference for detected concentrations between the two GC Columns. The higher of the two values is reported on Form I and flagged with a "P".
N	This flag indicates presumptive evidence of a compound. This is only used for tentatively identified compounds (TICs), where the identification is based on a mass spectral library search. It applies to all TIC results. For generic characterization of a TIC, such as chlorinated hydrocarbon, the flag is not used.
H	Indicates sample was received and/or analyzed outside of The method allowable holding time

American Analytical Laboratories, LLC.

Date: 19-Dec-06

CLIENT: Leggette Brashears & Graham Inc.
Lab Order: 0612082
Project: Rowe Industries
Lab ID: 0612082-01A

Client Sample ID: WQ120706:1200 NP2-6
Tag Number: 12807
Collection Date: 12/7/2006
Matrix: LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILE SW-846 8260 PLUS MTBE & FREON11		SW8260B		SW5030A		Analyst: LDS
1,1,1,2-Tetrachloroethane	U	1.0		µg/L	1	12/14/2006 7:06:00 PM
1,1,1-Trichloroethane	8.8	1.0		µg/L	1	12/14/2006 7:06:00 PM
1,1,2,2-Tetrachloroethane	U	1.0		µg/L	1	12/14/2006 7:06:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	U	1.0		µg/L	1	12/14/2006 7:06:00 PM
1,1,2-Trichloroethane	U	1.0		µg/L	1	12/14/2006 7:06:00 PM
1,1-Dichloroethane	U	1.0		µg/L	1	12/14/2006 7:06:00 PM
1,1-Dichloroethene	U	1.0		µg/L	1	12/14/2006 7:06:00 PM
1,1-Dichloropropene	U	1.0		µg/L	1	12/14/2006 7:06:00 PM
1,2,3-Trichlorobenzene	U	1.0		µg/L	1	12/14/2006 7:06:00 PM
1,2,3-Trichloropropane	U	1.0		µg/L	1	12/14/2006 7:06:00 PM
1,2,4-Trichlorobenzene	U	1.0		µg/L	1	12/14/2006 7:06:00 PM
1,2,4-Trimethylbenzene	U	1.0		µg/L	1	12/14/2006 7:06:00 PM
1,2-Dibromo-3-chloropropane	U	1.0		µg/L	1	12/14/2006 7:06:00 PM
1,2-Dibromoethane	U	1.0		µg/L	1	12/14/2006 7:06:00 PM
1,2-Dichlorobenzene	U	1.0		µg/L	1	12/14/2006 7:06:00 PM
1,2-Dichloroethane	U	1.0		µg/L	1	12/14/2006 7:06:00 PM
1,2-Dichloropropane	U	1.0		µg/L	1	12/14/2006 7:06:00 PM
1,3,5-Trimethylbenzene	U	1.0		µg/L	1	12/14/2006 7:06:00 PM
1,3-Dichlorobenzene	U	1.0		µg/L	1	12/14/2006 7:06:00 PM
1,3-dichloropropane	U	1.0		µg/L	1	12/14/2006 7:06:00 PM
1,4-Dichlorobenzene	U	1.0		µg/L	1	12/14/2006 7:06:00 PM
2,2-Dichloropropane	U	1.0		µg/L	1	12/14/2006 7:06:00 PM
2-Butanone	U	3.0		µg/L	1	12/14/2006 7:06:00 PM
2-Chloroethyl vinyl ether	U	1.0		µg/L	1	12/14/2006 7:06:00 PM
2-Chlorotoluene	U	1.0		µg/L	1	12/14/2006 7:06:00 PM
2-Hexanone	U	2.0		µg/L	1	12/14/2006 7:06:00 PM
4-Chlorotoluene	U	1.0		µg/L	1	12/14/2006 7:06:00 PM
4-Isopropyltoluene	U	1.0		µg/L	1	12/14/2006 7:06:00 PM
4-Methyl-2-pentanone	U	2.0		µg/L	1	12/14/2006 7:06:00 PM
Acetone	U	2.0		µg/L	1	12/14/2006 7:06:00 PM
Benzene	U	1.0		µg/L	1	12/14/2006 7:06:00 PM
Bromobenzene	U	1.0		µg/L	1	12/14/2006 7:06:00 PM
Bromochloromethane	U	1.0		µg/L	1	12/14/2006 7:06:00 PM
Bromodichloromethane	U	1.0		µg/L	1	12/14/2006 7:06:00 PM
Bromoform	U	1.0		µg/L	1	12/14/2006 7:06:00 PM
Bromomethane	U	1.0		µg/L	1	12/14/2006 7:06:00 PM
Carbon disulfide	U	1.0		µg/L	1	12/14/2006 7:06:00 PM
Carbon tetrachloride	U	1.0		µg/L	1	12/14/2006 7:06:00 PM
Chlorobenzene	U	1.0		µg/L	1	12/14/2006 7:06:00 PM

Qualifiers:	B	Analyte detected in the associated Method Blank	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	S	Spike Recovery outside accepted recovery limits
	U	Indicates the compound was analyzed for but not detected	X	Value exceeds Maximum Contaminant Level

American Analytical Laboratories, LLC.

Date: 19-Dec-06

CLIENT: Leggette Brashears & Graham Inc.
Lab Order: 0612082
Project: Rowe Industries
Lab ID: 0612082-01A

Client Sample ID: WQ120706:1200 NP2-6
Tag Number: 12807
Collection Date: 12/7/2006
Matrix: LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILE SW-846 8260 PLUS MTBE & FREON11		SW8260B		SW5030A		Analyst: LDS
Chloroethane	U	1.0		µg/L	1	12/14/2006 7:06:00 PM
Chloroform	U	1.0		µg/L	1	12/14/2006 7:06:00 PM
Chloromethane	U	1.0		µg/L	1	12/14/2006 7:06:00 PM
cis-1,2-Dichloroethene	U	1.0		µg/L	1	12/14/2006 7:06:00 PM
cis-1,3-Dichloropropene	U	1.0		µg/L	1	12/14/2006 7:06:00 PM
Dibromochloromethane	U	1.0		µg/L	1	12/14/2006 7:06:00 PM
Dibromomethane	U	1.0		µg/L	1	12/14/2006 7:06:00 PM
Dichlorodifluoromethane	U	1.0		µg/L	1	12/14/2006 7:06:00 PM
Ethylbenzene	U	1.0		µg/L	1	12/14/2006 7:06:00 PM
Hexachlorobutadiene	U	1.0		µg/L	1	12/14/2006 7:06:00 PM
Isopropylbenzene	U	1.0		µg/L	1	12/14/2006 7:06:00 PM
m,p-Xylene	U	2.0		µg/L	1	12/14/2006 7:06:00 PM
Methyl tert-butyl ether	U	1.0		µg/L	1	12/14/2006 7:06:00 PM
Methylene chloride	U	1.0		µg/L	1	12/14/2006 7:06:00 PM
Naphthalene	U	1.0		µg/L	1	12/14/2006 7:06:00 PM
n-Butylbenzene	U	1.0		µg/L	1	12/14/2006 7:06:00 PM
n-Propylbenzene	U	1.0		µg/L	1	12/14/2006 7:06:00 PM
o-Xylene	U	1.0		µg/L	1	12/14/2006 7:06:00 PM
sec-Butylbenzene	U	1.0		µg/L	1	12/14/2006 7:06:00 PM
Styrene	U	1.0		µg/L	1	12/14/2006 7:06:00 PM
tert-Butylbenzene	U	1.0		µg/L	1	12/14/2006 7:06:00 PM
Tetrachloroethene	14	1.0		µg/L	1	12/14/2006 7:06:00 PM
Toluene	U	1.0		µg/L	1	12/14/2006 7:06:00 PM
trans-1,2-Dichloroethene	U	1.0		µg/L	1	12/14/2006 7:06:00 PM
trans-1,3-Dichloropropene	U	1.0		µg/L	1	12/14/2006 7:06:00 PM
Trichloroethene	U	1.0		µg/L	1	12/14/2006 7:06:00 PM
Trichlorofluoromethane	U	1.0		µg/L	1	12/14/2006 7:06:00 PM
Vinyl acetate	U	1.0		µg/L	1	12/14/2006 7:06:00 PM
Vinyl chloride	U	1.0		µg/L	1	12/14/2006 7:06:00 PM

Qualifiers:	B	Analyte detected in the associated Method Blank	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	S	Spike Recovery outside accepted recovery limits
	U	Indicates the compound was analyzed for but not detected	X	Value exceeds Maximum Contaminant Level

American Analytical Laboratories, LLC.

Date: 19-Dec-06

CLIENT: Leggette Brashears & Graham Inc.
Lab Order: 0612082
Project: Rowe Industries
Lab ID: 0612082-01B

Client Sample ID: WQ120706:1200 NP2-6
Tag Number: 12807
Collection Date: 12/7/2006
Matrix: LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
TOTAL IRON Iron	4.75	E200.7 0.0200		SW3010A mg/L	1	Analyst: JP 12/15/2006 11:14:17 AM

Qualifiers:	B	Analyte detected in the associated Method Blank	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	S	Spike Recovery outside accepted recovery limits
	U	Indicates the compound was analyzed for but not detected	X	Value exceeds Maximum Contaminant Level

American Analytical Laboratories, LLC.

Date: 19-Dec-06

CLIENT:	Leggette Brashears & Graham Inc.	Client Sample ID:	WQ120706:1200 NP2-6
Lab Order:	0612082	Tag Number:	12807
Project:	Rowe Industries	Collection Date:	12/7/2006
Lab ID:	0612082-01C	Matrix:	LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
DISSOLVED IRON		E200.7		SW3005A		Analyst: JP
Iron	U	0.0200		mg/L	1	12/15/2006 11:11:24 AM

Qualifiers:	B	Analyte detected in the associated Method Blank	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	S	Spike Recovery outside accepted recovery limits
	U	Indicates the compound was analyzed for but not detected	X	Value exceeds Maximum Contaminant Level

American Analytical Laboratories, LLC.

Date: 19-Dec-06

CLIENT: Leggette Brashears & Graham Inc.
Lab Order: 0612082
Project: Rowe Industries
Lab ID: 0612082-02A

Client Sample ID: WQ120706:1205 NP2-7
Tag Number: 12807
Collection Date: 12/7/2006
Matrix: LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILE SW-846 8260 PLUS MTBE & FREON11		SW8260B		SW5030A		Analyst: LDS
1,1,1,2-Tetrachloroethane	U	1.0		µg/L	1	12/14/2006 7:44:00 PM
1,1,1-Trichloroethane	U	1.0		µg/L	1	12/14/2006 7:44:00 PM
1,1,2,2-Tetrachloroethane	U	1.0		µg/L	1	12/14/2006 7:44:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	U	1.0		µg/L	1	12/14/2006 7:44:00 PM
1,1,2-Trichloroethane	U	1.0		µg/L	1	12/14/2006 7:44:00 PM
1,1-Dichloroethane	U	1.0		µg/L	1	12/14/2006 7:44:00 PM
1,1-Dichloroethene	U	1.0		µg/L	1	12/14/2006 7:44:00 PM
1,1-Dichloropropene	U	1.0		µg/L	1	12/14/2006 7:44:00 PM
1,2,3-Trichlorobenzene	U	1.0		µg/L	1	12/14/2006 7:44:00 PM
1,2,3-Trichloropropane	U	1.0		µg/L	1	12/14/2006 7:44:00 PM
1,2,4-Trichlorobenzene	U	1.0		µg/L	1	12/14/2006 7:44:00 PM
1,2,4-Trimethylbenzene	U	1.0		µg/L	1	12/14/2006 7:44:00 PM
1,2-Dibromo-3-chloropropane	U	1.0		µg/L	1	12/14/2006 7:44:00 PM
1,2-Dibromoethane	U	1.0		µg/L	1	12/14/2006 7:44:00 PM
1,2-Dichlorobenzene	U	1.0		µg/L	1	12/14/2006 7:44:00 PM
1,2-Dichloroethane	U	1.0		µg/L	1	12/14/2006 7:44:00 PM
1,2-Dichloropropane	U	1.0		µg/L	1	12/14/2006 7:44:00 PM
1,3,5-Trimethylbenzene	U	1.0		µg/L	1	12/14/2006 7:44:00 PM
1,3-Dichlorobenzene	U	1.0		µg/L	1	12/14/2006 7:44:00 PM
1,3-dichloropropane	U	1.0		µg/L	1	12/14/2006 7:44:00 PM
1,4-Dichlorobenzene	U	1.0		µg/L	1	12/14/2006 7:44:00 PM
2,2-Dichloropropane	U	1.0		µg/L	1	12/14/2006 7:44:00 PM
2-Butanone	U	3.0		µg/L	1	12/14/2006 7:44:00 PM
2-Chloroethyl vinyl ether	U	1.0		µg/L	1	12/14/2006 7:44:00 PM
2-Chlorotoluene	U	1.0		µg/L	1	12/14/2006 7:44:00 PM
2-Hexanone	U	2.0		µg/L	1	12/14/2006 7:44:00 PM
4-Chlorotoluene	U	1.0		µg/L	1	12/14/2006 7:44:00 PM
4-Isopropyltoluene	U	1.0		µg/L	1	12/14/2006 7:44:00 PM
4-Methyl-2-pentanone	U	2.0		µg/L	1	12/14/2006 7:44:00 PM
Acetone	U	2.0		µg/L	1	12/14/2006 7:44:00 PM
Benzene	U	1.0		µg/L	1	12/14/2006 7:44:00 PM
Bromobenzene	U	1.0		µg/L	1	12/14/2006 7:44:00 PM
Bromochloromethane	U	1.0		µg/L	1	12/14/2006 7:44:00 PM
Bromodichloromethane	U	1.0		µg/L	1	12/14/2006 7:44:00 PM
Bromoform	U	1.0		µg/L	1	12/14/2006 7:44:00 PM
Bromomethane	U	1.0		µg/L	1	12/14/2006 7:44:00 PM
Carbon disulfide	U	1.0		µg/L	1	12/14/2006 7:44:00 PM
Carbon tetrachloride	U	1.0		µg/L	1	12/14/2006 7:44:00 PM
Chlorobenzene	U	1.0		µg/L	1	12/14/2006 7:44:00 PM

Qualifiers:	B	Analyte detected in the associated Method Blank	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	S	Spike Recovery outside accepted recovery limits
	U	Indicates the compound was analyzed for but not detected	X	Value exceeds Maximum Contaminant Level

American Analytical Laboratories, LLC.

Date: 19-Dec-06

CLIENT: Leggette Brashears & Graham Inc.
Lab Order: 0612082
Project: Rowe Industries
Lab ID: 0612082-02A

Client Sample ID: WQ120706:1205 NP2-7
Tag Number: 12807
Collection Date: 12/7/2006
Matrix: LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILE SW-846 8260 PLUS MTBE & FREON11		SW8260B		SW5030A		Analyst: LDS
Chloroethane	U	1.0		µg/L	1	12/14/2006 7:44:00 PM
Chloroform	U	1.0		µg/L	1	12/14/2006 7:44:00 PM
Chloromethane	U	1.0		µg/L	1	12/14/2006 7:44:00 PM
cis-1,2-Dichloroethene	U	1.0		µg/L	1	12/14/2006 7:44:00 PM
cis-1,3-Dichloropropene	U	1.0		µg/L	1	12/14/2006 7:44:00 PM
Dibromochloromethane	U	1.0		µg/L	1	12/14/2006 7:44:00 PM
Dibromomethane	U	1.0		µg/L	1	12/14/2006 7:44:00 PM
Dichlorodifluoromethane	U	1.0		µg/L	1	12/14/2006 7:44:00 PM
Ethylbenzene	U	1.0		µg/L	1	12/14/2006 7:44:00 PM
Hexachlorobutadiene	U	1.0		µg/L	1	12/14/2006 7:44:00 PM
Isopropylbenzene	U	1.0		µg/L	1	12/14/2006 7:44:00 PM
m,p-Xylene	U	2.0		µg/L	1	12/14/2006 7:44:00 PM
Methyl tert-butyl ether	U	1.0		µg/L	1	12/14/2006 7:44:00 PM
Methylene chloride	U	1.0		µg/L	1	12/14/2006 7:44:00 PM
Naphthalene	U	1.0		µg/L	1	12/14/2006 7:44:00 PM
n-Butylbenzene	U	1.0		µg/L	1	12/14/2006 7:44:00 PM
n-Propylbenzene	U	1.0		µg/L	1	12/14/2006 7:44:00 PM
o-Xylene	U	1.0		µg/L	1	12/14/2006 7:44:00 PM
sec-Butylbenzene	U	1.0		µg/L	1	12/14/2006 7:44:00 PM
Styrene	U	1.0		µg/L	1	12/14/2006 7:44:00 PM
tert-Butylbenzene	U	1.0		µg/L	1	12/14/2006 7:44:00 PM
Tetrachloroethene	U	1.0		µg/L	1	12/14/2006 7:44:00 PM
Toluene	U	1.0		µg/L	1	12/14/2006 7:44:00 PM
trans-1,2-Dichloroethene	U	1.0		µg/L	1	12/14/2006 7:44:00 PM
trans-1,3-Dichloropropene	U	1.0		µg/L	1	12/14/2006 7:44:00 PM
Trichloroethene	U	1.0		µg/L	1	12/14/2006 7:44:00 PM
Trichlorofluoromethane	U	1.0		µg/L	1	12/14/2006 7:44:00 PM
Vinyl acetate	U	1.0		µg/L	1	12/14/2006 7:44:00 PM
Vinyl chloride	U	1.0		µg/L	1	12/14/2006 7:44:00 PM

Qualifiers:	B	Analyte detected in the associated Method Blank	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	S	Spike Recovery outside accepted recovery limits
	U	Indicates the compound was analyzed for but not detected	X	Value exceeds Maximum Contaminant Level

American Analytical Laboratories, LLC.

Date: 19-Dec-06

CLIENT: Leggette Brashears & Graham Inc.
Lab Order: 0612082
Project: Rowe Industries
Lab ID: 0612082-02B

Client Sample ID: WQ120706:1205 NP2-7
Tag Number: 12807
Collection Date: 12/7/2006
Matrix: LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
TOTAL IRON		E200.7		SW3010A		Analyst: JP
Iron	18.8	0.0200		mg/L	1	12/15/2006 11:18:30 AM

Qualifiers:	B	Analyte detected in the associated Method Blank	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	S	Spike Recovery outside accepted recovery limits
	U	Indicates the compound was analyzed for but not detected	X	Value exceeds Maximum Contaminant Level

American Analytical Laboratories, LLC.

Date: 19-Dec-06

CLIENT: Leggette Brashears & Graham Inc.**Client Sample ID:** WQ120706:1205 NP2-7**Lab Order:** 0612082**Tag Number:** 12807**Project:** Rowe Industries**Collection Date:** 12/7/2006**Lab ID:** 0612082-02C**Matrix:** LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
DISSOLVED IRON		E200.7		SW3005A		Analyst: JP
Iron	0.0839	0.0200		mg/L	1	12/15/2006 11:16:25 AM

Qualifiers:	B	Analyte detected in the associated Method Blank	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	S	Spike Recovery outside accepted recovery limits
	U	Indicates the compound was analyzed for but not detected	X	Value exceeds Maximum Contaminant Level

American Analytical Laboratories, LLC.

Date: 19-Dec-06

CLIENT: Leggette Brashears & Graham Inc.
Lab Order: 0612082
Project: Rowe Industries
Lab ID: 0612082-03A

Client Sample ID: WQ120706:1210 NP2-10
Tag Number: 12087
Collection Date: 12/7/2006
Matrix: LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILE SW-846 8260 PLUS MTBE & FREON11		SW8260B		SW5030A		Analyst: LDS
1,1,1,2-Tetrachloroethane	U	1.0		µg/L	1	12/14/2006 8:22:00 PM
1,1,1-Trichloroethane	U	1.0		µg/L	1	12/14/2006 8:22:00 PM
1,1,2,2-Tetrachloroethane	U	1.0		µg/L	1	12/14/2006 8:22:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	U	1.0		µg/L	1	12/14/2006 8:22:00 PM
1,1,2-Trichloroethane	U	1.0		µg/L	1	12/14/2006 8:22:00 PM
1,1-Dichloroethane	U	1.0		µg/L	1	12/14/2006 8:22:00 PM
1,1-Dichloroethene	U	1.0		µg/L	1	12/14/2006 8:22:00 PM
1,1-Dichloropropene	U	1.0		µg/L	1	12/14/2006 8:22:00 PM
1,2,3-Trichlorobenzene	U	1.0		µg/L	1	12/14/2006 8:22:00 PM
1,2,3-Trichloropropane	U	1.0		µg/L	1	12/14/2006 8:22:00 PM
1,2,4-Trichlorobenzene	U	1.0		µg/L	1	12/14/2006 8:22:00 PM
1,2,4-Trimethylbenzene	U	1.0		µg/L	1	12/14/2006 8:22:00 PM
1,2-Dibromo-3-chloropropane	U	1.0		µg/L	1	12/14/2006 8:22:00 PM
1,2-Dibromoethane	U	1.0		µg/L	1	12/14/2006 8:22:00 PM
1,2-Dichlorobenzene	U	1.0		µg/L	1	12/14/2006 8:22:00 PM
1,2-Dichloroethane	U	1.0		µg/L	1	12/14/2006 8:22:00 PM
1,2-Dichloropropane	U	1.0		µg/L	1	12/14/2006 8:22:00 PM
1,3,5-Trimethylbenzene	U	1.0		µg/L	1	12/14/2006 8:22:00 PM
1,3-Dichlorobenzene	U	1.0		µg/L	1	12/14/2006 8:22:00 PM
1,3-dichloropropane	U	1.0		µg/L	1	12/14/2006 8:22:00 PM
1,4-Dichlorobenzene	U	1.0		µg/L	1	12/14/2006 8:22:00 PM
2,2-Dichloropropane	U	1.0		µg/L	1	12/14/2006 8:22:00 PM
2-Butanone	U	3.0		µg/L	1	12/14/2006 8:22:00 PM
2-Chloroethyl vinyl ether	U	1.0		µg/L	1	12/14/2006 8:22:00 PM
2-Chlorotoluene	U	1.0		µg/L	1	12/14/2006 8:22:00 PM
2-Hexanone	U	2.0		µg/L	1	12/14/2006 8:22:00 PM
4-Chlorotoluene	U	1.0		µg/L	1	12/14/2006 8:22:00 PM
4-Isopropyltoluene	U	1.0		µg/L	1	12/14/2006 8:22:00 PM
4-Methyl-2-pentanone	U	2.0		µg/L	1	12/14/2006 8:22:00 PM
Acetone	U	2.0		µg/L	1	12/14/2006 8:22:00 PM
Benzene	U	1.0		µg/L	1	12/14/2006 8:22:00 PM
Bromobenzene	U	1.0		µg/L	1	12/14/2006 8:22:00 PM
Bromochloromethane	U	1.0		µg/L	1	12/14/2006 8:22:00 PM
Bromodichloromethane	U	1.0		µg/L	1	12/14/2006 8:22:00 PM
Bromoform	U	1.0		µg/L	1	12/14/2006 8:22:00 PM
Bromomethane	U	1.0		µg/L	1	12/14/2006 8:22:00 PM
Carbon disulfide	U	1.0		µg/L	1	12/14/2006 8:22:00 PM
Carbon tetrachloride	U	1.0		µg/L	1	12/14/2006 8:22:00 PM
Chlorobenzene	U	1.0		µg/L	1	12/14/2006 8:22:00 PM

Qualifiers:	B	Analyte detected in the associated Method Blank	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	S	Spike Recovery outside accepted recovery limits
	U	Indicates the compound was analyzed for but not detected	X	Value exceeds Maximum Contaminant Level

American Analytical Laboratories, LLC.

Date: 19-Dec-06

CLIENT: Leggette Brashears & Graham Inc.
Lab Order: 0612082
Project: Rowe Industries
Lab ID: 0612082-03A

Client Sample ID: WQ120706:1210 NP2-10
Tag Number: 12087
Collection Date: 12/7/2006
Matrix: LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILE SW-846 8260 PLUS MTBE & FREON11		SW8260B		SW5030A		Analyst: LDS
Chloroethane	U	1.0		µg/L	1	12/14/2006 8:22:00 PM
Chloroform	U	1.0		µg/L	1	12/14/2006 8:22:00 PM
Chloromethane	U	1.0		µg/L	1	12/14/2006 8:22:00 PM
cis-1,2-Dichloroethene	U	1.0		µg/L	1	12/14/2006 8:22:00 PM
cis-1,3-Dichloropropene	U	1.0		µg/L	1	12/14/2006 8:22:00 PM
Dibromochloromethane	U	1.0		µg/L	1	12/14/2006 8:22:00 PM
Dibromomethane	U	1.0		µg/L	1	12/14/2006 8:22:00 PM
Dichlorodifluoromethane	U	1.0		µg/L	1	12/14/2006 8:22:00 PM
Ethylbenzene	U	1.0		µg/L	1	12/14/2006 8:22:00 PM
Hexachlorobutadiene	U	1.0		µg/L	1	12/14/2006 8:22:00 PM
Isopropylbenzene	U	1.0		µg/L	1	12/14/2006 8:22:00 PM
m,p-Xylene	U	2.0		µg/L	1	12/14/2006 8:22:00 PM
Methyl tert-butyl ether	U	1.0		µg/L	1	12/14/2006 8:22:00 PM
Methylene chloride	U	1.0		µg/L	1	12/14/2006 8:22:00 PM
Naphthalene	U	1.0		µg/L	1	12/14/2006 8:22:00 PM
n-Butylbenzene	U	1.0		µg/L	1	12/14/2006 8:22:00 PM
n-Propylbenzene	U	1.0		µg/L	1	12/14/2006 8:22:00 PM
o-Xylene	U	1.0		µg/L	1	12/14/2006 8:22:00 PM
sec-Butylbenzene	U	1.0		µg/L	1	12/14/2006 8:22:00 PM
Styrene	U	1.0		µg/L	1	12/14/2006 8:22:00 PM
tert-Butylbenzene	U	1.0		µg/L	1	12/14/2006 8:22:00 PM
Tetrachloroethene	U	1.0		µg/L	1	12/14/2006 8:22:00 PM
Toluene	U	1.0		µg/L	1	12/14/2006 8:22:00 PM
trans-1,2-Dichloroethene	U	1.0		µg/L	1	12/14/2006 8:22:00 PM
trans-1,3-Dichloropropene	U	1.0		µg/L	1	12/14/2006 8:22:00 PM
Trichloroethene	U	1.0		µg/L	1	12/14/2006 8:22:00 PM
Trichlorofluoromethane	U	1.0		µg/L	1	12/14/2006 8:22:00 PM
Vinyl acetate	U	1.0		µg/L	1	12/14/2006 8:22:00 PM
Vinyl chloride	U	1.0		µg/L	1	12/14/2006 8:22:00 PM

Qualifiers:	B	Analyte detected in the associated Method Blank	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	S	Spike Recovery outside accepted recovery limits
	U	Indicates the compound was analyzed for but not detected	X	Value exceeds Maximum Contaminant Level

American Analytical Laboratories, LLC.

Date: 19-Dec-06

CLIENT: Leggette Brashears & Graham Inc.
Lab Order: 0612082
Project: Rowe Industries
Lab ID: 0612082-03B

Client Sample ID: WQ120706:1210 NP2-10
Tag Number: 12087
Collection Date: 12/7/2006
Matrix: LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
TOTAL IRON		E200.7		SW3010A		Analyst: JP
Iron	13.7	0.0200		mg/L	1	12/15/2006 11:25:28 AM

Qualifiers:	B	Analyte detected in the associated Method Blank	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	S	Spike Recovery outside accepted recovery limits
	U	Indicates the compound was analyzed for but not detected	X	Value exceeds Maximum Contaminant Level

American Analytical Laboratories, LLC.

Date: 19-Dec-06

CLIENT: Leggette Brashears & Graham Inc.
Lab Order: 0612082
Project: Rowe Industries
Lab ID: 0612082-03C

Client Sample ID: WQ120706:1210 NP2-10
Tag Number: 12087
Collection Date: 12/7/2006
Matrix: LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
DISSOLVED IRON Iron	0.176	E200.7 0.0200		SW3005A mg/L	1	Analyst: JP 12/15/2006 11:23:24 AM
TOTAL DISSOLVED SOLIDS Total Dissolved Solids (Residue, Filterable)	96.0	E160.1 1.00		mg/L	1	Analyst: JC 12/14/2006

Qualifiers:	B	Analyte detected in the associated Method Blank	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	S	Spike Recovery outside accepted recovery limits
	U	Indicates the compound was analyzed for but not detected	X	Value exceeds Maximum Contaminant Level



NYSDOH 11418
NJDEP NY050
CTDOH PH-0205
PADEP 68-00573

Tuesday, December 26, 2006

Mark Goldberg
Leggette Brashears & Graham Inc.
4 Research Drive
Suite 301
Shelton, CT 06484

TEL: (203) 929-8555

FAX (203) 926-9140

RE: Rowe Industries

Order No.: 0612137

Dear Mark Goldberg:

American Analytical Laboratories, LLC. received 3 sample(s) on 12/19/2006 for the analyses presented in the following report.


Samples were analyzed in accordance with the test procedures documented on the chain of custody and detailed throughout the text of this report.

The limits provided in the data package are analytical reporting limits and not Federal or Local mandated values to which the sample results should be compared.

There were no problems with the analyses and all data for associated QC met laboratory specifications. If there are any exceptions a Case Narrative is provided in the report.

If you have any questions regarding these tests results, please do not hesitate to call (631) 454-6100 or email me directly at lbeyer@american-analytical.com.

Sincerely,


Lori Beyer
Lab Director

American Analytical Laboratories, LLC.**Date:** 26-Dec-06

CLIENT: Leggette Brashears & Graham Inc.
Project: Rowe Industries
Lab Order: 0612137

Work Order Sample Summary

Lab Sample ID	Client Sample ID	Tag Number	Date Collected	Date Received
0612137-01A	WQ121306:800 NP2-6	12809	12/13/2006	12/19/2006
0612137-01B	WQ121306:800 NP2-6	12809	12/13/2006	12/19/2006
0612137-01C	WQ121306:800 NP2-6	12809	12/13/2006	12/19/2006
0612137-02A	WQ121306:805 NP2-7	12809	12/13/2006	12/19/2006
0612137-02B	WQ121306:805 NP2-7	12809	12/13/2006	12/19/2006
0612137-02C	WQ121306:805 NP2-7	12809	12/13/2006	12/19/2006
0612137-03A	WQ121306:810 NP2-10	12809	12/13/2006	12/19/2006
0612137-03B	WQ121306:810 NP2-10	12809	12/13/2006	12/19/2006
0612137-03C	WQ121306:810 NP2-10	12809	12/13/2006	12/19/2006

CHAIN OF CUSTODY / REQUEST FOR ANALYSIS DOCUMENT

[illegible]

WHITE-OFFICE / CANARY-LAB / PINK-SAMPLE CUSTODIAN / GOLDENROD-CLIENT

AMERICAN ANALYTICAL LABORATORIES, LLC

56 TOLEDO STREET

FARMINGDALE, NEW YORK 11735

TELEPHONE: (631) 454-6100

FAX: (631) 454-8027

DATA REPORTING QUALIFIERS

For reporting results, the following "Results Qualifiers" are used:

Value	If the result is greater than or equal to the detection limit, report the value
U	Indicates the compound was analyzed for but was not detected. Report the minimum detection limit for the sample with the U, i.e. "10U". This is not necessarily the instrument detection limit attainable for this particular sample based on any concentration or dilution that may have been required.
J	Indicates an estimated value. The flag is used: (1) When estimating a concentration for a tentatively identified compound (library search hits, where a 1:1 response is assumed.) (2) When the mass spectral data indicated the identification, however the result was less than the specified detection limit greater than zero. If the detection limit was 10ug/L and a concentration of 3ug/L was calculated report as 3J. This flag is used when similar situations arise on any organic parameter i.e. Pesticide, PCBs and others.
B	Indicates the analyte was found in the blank as well as the sample report "10B".
E	Indicates the analytes concentration exceeds the calibrated range of the instrument for that specific analysis.
D	This flag identifies all compounds identified in an analysis at a secondary dilution factor.
P	This flag is used for Pesticide / PCB target analyte when there is >25% difference for detected concentrations between the two GC Columns. The higher of the two values is reported on Form I and flagged with a "P".
N	This flag indicates presumptive evidence of a compound. This is only used for tentatively identified compounds (TICs), where the identification is based on a mass spectral library search. It applies to all TIC results. For generic characterization of a TIC, such as chlorinated hydrocarbon, the flag is not used.
H	Indicates sample was received and/or analyzed outside of The method allowable holding time

American Analytical Laboratories, LLC.

Date: 26-Dec-06

CLIENT: Leggette Brashears & Graham Inc.
Lab Order: 0612137
Project: Rowe Industries
Lab ID: 0612137-01A

Client Sample ID: WQ121306:800 NP2-6
Tag Number: 12809
Collection Date: 12/13/2006
Matrix: LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILE SW-846 8260 PLUS MTBE & FREON11		SW8260B		Analyst: LDS		
1,1,1,2-Tetrachloroethane	U	1.0		µg/L	1	12/20/2006 5:37:00 AM
1,1,1-Trichloroethane	13	1.0		µg/L	1	12/20/2006 5:37:00 AM
1,1,2,2-Tetrachloroethane	U	1.0		µg/L	1	12/20/2006 5:37:00 AM
1,1,2-Trichloro-1,2,2-trifluoroethane	U	1.0		µg/L	1	12/20/2006 5:37:00 AM
1,1,2-Trichloroethane	U	1.0		µg/L	1	12/20/2006 5:37:00 AM
1,1-Dichloroethane	U	1.0		µg/L	1	12/20/2006 5:37:00 AM
1,1-Dichloroethene	U	1.0		µg/L	1	12/20/2006 5:37:00 AM
1,1-Dichloropropene	U	1.0		µg/L	1	12/20/2006 5:37:00 AM
1,2,3-Trichlorobenzene	U	1.0		µg/L	1	12/20/2006 5:37:00 AM
1,2,3-Trichloropropane	U	1.0		µg/L	1	12/20/2006 5:37:00 AM
1,2,4-Trichlorobenzene	U	1.0		µg/L	1	12/20/2006 5:37:00 AM
1,2,4-Trimethylbenzene	U	1.0		µg/L	1	12/20/2006 5:37:00 AM
1,2-Dibromo-3-chloropropane	U	1.0		µg/L	1	12/20/2006 5:37:00 AM
1,2-Dibromoethane	U	1.0		µg/L	1	12/20/2006 5:37:00 AM
1,2-Dichlorobenzene	U	1.0		µg/L	1	12/20/2006 5:37:00 AM
1,2-Dichloroethane	U	1.0		µg/L	1	12/20/2006 5:37:00 AM
1,2-Dichloropropane	U	1.0		µg/L	1	12/20/2006 5:37:00 AM
1,3,5-Trimethylbenzene	U	1.0		µg/L	1	12/20/2006 5:37:00 AM
1,3-Dichlorobenzene	U	1.0		µg/L	1	12/20/2006 5:37:00 AM
1,3-dichloropropane	U	1.0		µg/L	1	12/20/2006 5:37:00 AM
1,4-Dichlorobenzene	U	1.0		µg/L	1	12/20/2006 5:37:00 AM
2,2-Dichloropropane	U	1.0		µg/L	1	12/20/2006 5:37:00 AM
2-Butanone	U	3.0		µg/L	1	12/20/2006 5:37:00 AM
2-Chloroethyl vinyl ether	U	1.0		µg/L	1	12/20/2006 5:37:00 AM
2-Chlorotoluene	U	1.0		µg/L	1	12/20/2006 5:37:00 AM
2-Hexanone	U	2.0		µg/L	1	12/20/2006 5:37:00 AM
4-Chlorotoluene	U	1.0		µg/L	1	12/20/2006 5:37:00 AM
4-Isopropyltoluene	U	1.0		µg/L	1	12/20/2006 5:37:00 AM
4-Methyl-2-pentanone	U	2.0		µg/L	1	12/20/2006 5:37:00 AM
Acetone	U	2.0		µg/L	1	12/20/2006 5:37:00 AM
Benzene	U	1.0		µg/L	1	12/20/2006 5:37:00 AM
Bromobenzene	U	1.0		µg/L	1	12/20/2006 5:37:00 AM
Bromochloromethane	U	1.0		µg/L	1	12/20/2006 5:37:00 AM
Bromodichloromethane	U	1.0		µg/L	1	12/20/2006 5:37:00 AM
Bromoform	U	1.0		µg/L	1	12/20/2006 5:37:00 AM
Bromomethane	U	1.0		µg/L	1	12/20/2006 5:37:00 AM
Carbon disulfide	U	1.0		µg/L	1	12/20/2006 5:37:00 AM
Carbon tetrachloride	U	1.0		µg/L	1	12/20/2006 5:37:00 AM
Chlorobenzene	U	1.0		µg/L	1	12/20/2006 5:37:00 AM

Qualifiers:	B	Analyte detected in the associated Method Blank	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	S	Spike Recovery outside accepted recovery limits
	U	Indicates the compound was analyzed for but not detected	X	Value exceeds Maximum Contaminant Level

American Analytical Laboratories, LLC.

Date: 26-Dec-06

CLIENT: Leggette Brashears & Graham Inc.
Lab Order: 0612137
Project: Rowe Industries
Lab ID: 0612137-01A

Client Sample ID: WQ121306:800 NP2-6
Tag Number: 12809
Collection Date: 12/13/2006
Matrix: LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILE SW-846 8260 PLUS MTBE & FREON11		SW8260B		Analyst: LDS		
Chloroethane	U	1.0		µg/L	1	12/20/2006 5:37:00 AM
Chloroform	U	1.0		µg/L	1	12/20/2006 5:37:00 AM
Chloromethane	U	1.0		µg/L	1	12/20/2006 5:37:00 AM
cis-1,2-Dichloroethene	U	1.0		µg/L	1	12/20/2006 5:37:00 AM
cis-1,3-Dichloropropene	U	1.0		µg/L	1	12/20/2006 5:37:00 AM
Dibromochloromethane	U	1.0		µg/L	1	12/20/2006 5:37:00 AM
Dibromomethane	U	1.0		µg/L	1	12/20/2006 5:37:00 AM
Dichlorodifluoromethane	U	1.0		µg/L	1	12/20/2006 5:37:00 AM
Ethylbenzene	U	1.0		µg/L	1	12/20/2006 5:37:00 AM
Hexachlorobutadiene	U	1.0		µg/L	1	12/20/2006 5:37:00 AM
Isopropylbenzene	U	1.0		µg/L	1	12/20/2006 5:37:00 AM
m,p-Xylene	U	2.0		µg/L	1	12/20/2006 5:37:00 AM
Methyl tert-butyl ether	U	1.0		µg/L	1	12/20/2006 5:37:00 AM
Methylene chloride	U	1.0		µg/L	1	12/20/2006 5:37:00 AM
Naphthalene	U	1.0		µg/L	1	12/20/2006 5:37:00 AM
n-Butylbenzene	U	1.0		µg/L	1	12/20/2006 5:37:00 AM
n-Propylbenzene	U	1.0		µg/L	1	12/20/2006 5:37:00 AM
o-Xylene	U	1.0		µg/L	1	12/20/2006 5:37:00 AM
sec-Butylbenzene	U	1.0		µg/L	1	12/20/2006 5:37:00 AM
Styrene	U	1.0		µg/L	1	12/20/2006 5:37:00 AM
tert-Butylbenzene	U	1.0		µg/L	1	12/20/2006 5:37:00 AM
Tetrachloroethene	12	1.0		µg/L	1	12/20/2006 5:37:00 AM
Toluene	U	1.0		µg/L	1	12/20/2006 5:37:00 AM
trans-1,2-Dichloroethene	U	1.0		µg/L	1	12/20/2006 5:37:00 AM
trans-1,3-Dichloropropene	U	1.0		µg/L	1	12/20/2006 5:37:00 AM
Trichloroethene	U	1.0		µg/L	1	12/20/2006 5:37:00 AM
Trichlorofluoromethane	U	1.0		µg/L	1	12/20/2006 5:37:00 AM
Vinyl acetate	U	1.0		µg/L	1	12/20/2006 5:37:00 AM
Vinyl chloride	U	1.0		µg/L	1	12/20/2006 5:37:00 AM

Qualifiers:	B	Analyte detected in the associated Method Blank	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	S	Spike Recovery outside accepted recovery limits
	U	Indicates the compound was analyzed for but not detected	X	Value exceeds Maximum Contaminant Level

American Analytical Laboratories, LLC.

Date: 26-Dec-06

CLIENT: Leggette Brashears & Graham Inc.
Lab Order: 0612137
Project: Rowe Industries
Lab ID: 0612137-01B

Client Sample ID: WQ121306:800 NP2-6
Tag Number: 12809
Collection Date: 12/13/2006
Matrix: LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
TOTAL IRON		E200.7		SW3010A		Analyst: JP
Iron	6.54	0.0200		mg/L	1	12/21/2006 1:33:58 PM

Qualifiers:	B	Analyte detected in the associated Method Blank	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	S	Spike Recovery outside accepted recovery limits
	U	Indicates the compound was analyzed for but not detected	X	Value exceeds Maximum Contaminant Level

American Analytical Laboratories, LLC.

Date: 26-Dec-06

CLIENT: Leggette Brashears & Graham Inc.
Lab Order: 0612137
Project: Rowe Industries
Lab ID: 0612137-01C

Client Sample ID: WQ121306:800 NP2-6
Tag Number: 12809
Collection Date: 12/13/2006
Matrix: LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
DISSOLVED IRON		E200.7		SW3005A		Analyst: JP
Iron	0.0578	0.0200		mg/L	1	12/21/2006 1:30:38 PM

Qualifiers:	B	Analyte detected in the associated Method Blank	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	S	Spike Recovery outside accepted recovery limits
	U	Indicates the compound was analyzed for but not detected	X	Value exceeds Maximum Contaminant Level

American Analytical Laboratories, LLC.

Date: 26-Dec-06

CLIENT: Leggette Brashears & Graham Inc.
Lab Order: 0612137
Project: Rowe Industries
Lab ID: 0612137-02A

Client Sample ID: WQ121306:805 NP2-7
Tag Number: 12809
Collection Date: 12/13/2006
Matrix: LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILE SW-846 8260 PLUS MTBE & FREON11		SW8260B		Analyst: LDS		
1,1,1,2-Tetrachloroethane	U	1.0		µg/L	1	12/20/2006 6:19:00 AM
1,1,1-Trichloroethane	U	1.0		µg/L	1	12/20/2006 6:19:00 AM
1,1,2,2-Tetrachloroethane	U	1.0		µg/L	1	12/20/2006 6:19:00 AM
1,1,2-Trichloro-1,2,2-trifluoroethane	U	1.0		µg/L	1	12/20/2006 6:19:00 AM
1,1,2-Trichloroethane	U	1.0		µg/L	1	12/20/2006 6:19:00 AM
1,1-Dichloroethane	U	1.0		µg/L	1	12/20/2006 6:19:00 AM
1,1-Dichloroethene	U	1.0		µg/L	1	12/20/2006 6:19:00 AM
1,1-Dichloropropene	U	1.0		µg/L	1	12/20/2006 6:19:00 AM
1,2,3-Trichlorobenzene	U	1.0		µg/L	1	12/20/2006 6:19:00 AM
1,2,3-Trichloropropane	U	1.0		µg/L	1	12/20/2006 6:19:00 AM
1,2,4-Trichlorobenzene	U	1.0		µg/L	1	12/20/2006 6:19:00 AM
1,2,4-Trimethylbenzene	U	1.0		µg/L	1	12/20/2006 6:19:00 AM
1,2-Dibromo-3-chloropropane	U	1.0		µg/L	1	12/20/2006 6:19:00 AM
1,2-Dibromoethane	U	1.0		µg/L	1	12/20/2006 6:19:00 AM
1,2-Dichlorobenzene	U	1.0		µg/L	1	12/20/2006 6:19:00 AM
1,2-Dichloroethane	U	1.0		µg/L	1	12/20/2006 6:19:00 AM
1,2-Dichloropropane	U	1.0		µg/L	1	12/20/2006 6:19:00 AM
1,3,5-Trimethylbenzene	U	1.0		µg/L	1	12/20/2006 6:19:00 AM
1,3-Dichlorobenzene	U	1.0		µg/L	1	12/20/2006 6:19:00 AM
1,3-dichloropropane	U	1.0		µg/L	1	12/20/2006 6:19:00 AM
1,4-Dichlorobenzene	U	1.0		µg/L	1	12/20/2006 6:19:00 AM
2,2-Dichloropropane	U	1.0		µg/L	1	12/20/2006 6:19:00 AM
2-Butanone	U	3.0		µg/L	1	12/20/2006 6:19:00 AM
2-Chloroethyl vinyl ether	U	1.0		µg/L	1	12/20/2006 6:19:00 AM
2-Chlorotoluene	U	1.0		µg/L	1	12/20/2006 6:19:00 AM
2-Hexanone	U	2.0		µg/L	1	12/20/2006 6:19:00 AM
4-Chlorotoluene	U	1.0		µg/L	1	12/20/2006 6:19:00 AM
4-Isopropyltoluene	U	1.0		µg/L	1	12/20/2006 6:19:00 AM
4-Methyl-2-pentanone	U	2.0		µg/L	1	12/20/2006 6:19:00 AM
Acetone	U	2.0		µg/L	1	12/20/2006 6:19:00 AM
Benzene	U	1.0		µg/L	1	12/20/2006 6:19:00 AM
Bromobenzene	U	1.0		µg/L	1	12/20/2006 6:19:00 AM
Bromochloromethane	U	1.0		µg/L	1	12/20/2006 6:19:00 AM
Bromodichloromethane	U	1.0		µg/L	1	12/20/2006 6:19:00 AM
Bromoform	U	1.0		µg/L	1	12/20/2006 6:19:00 AM
Bromomethane	U	1.0		µg/L	1	12/20/2006 6:19:00 AM
Carbon disulfide	U	1.0		µg/L	1	12/20/2006 6:19:00 AM
Carbon tetrachloride	U	1.0		µg/L	1	12/20/2006 6:19:00 AM
Chlorobenzene	U	1.0		µg/L	1	12/20/2006 6:19:00 AM

Qualifiers:	B	Analyte detected in the associated Method Blank	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	S	Spike Recovery outside accepted recovery limits
	U	Indicates the compound was analyzed for but not detected	X	Value exceeds Maximum Contaminant Level

American Analytical Laboratories, LLC.

Date: 26-Dec-06

CLIENT: Leggette Brashears & Graham Inc.
Lab Order: 0612137
Project: Rowe Industries
Lab ID: 0612137-02A

Client Sample ID: WQ121306:805 NP2-7
Tag Number: 12809
Collection Date: 12/13/2006
Matrix: LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILE SW-846 8260 PLUS MTBE & FREON11		SW8260B		Analyst: LDS		
Chloroethane	U	1.0		µg/L	1	12/20/2006 6:19:00 AM
Chloroform	U	1.0		µg/L	1	12/20/2006 6:19:00 AM
Chloromethane	U	1.0		µg/L	1	12/20/2006 6:19:00 AM
cis-1,2-Dichloroethene	U	1.0		µg/L	1	12/20/2006 6:19:00 AM
cis-1,3-Dichloropropene	U	1.0		µg/L	1	12/20/2006 6:19:00 AM
Dibromochloromethane	U	1.0		µg/L	1	12/20/2006 6:19:00 AM
Dibromomethane	U	1.0		µg/L	1	12/20/2006 6:19:00 AM
Dichlorodifluoromethane	U	1.0		µg/L	1	12/20/2006 6:19:00 AM
Ethylbenzene	U	1.0		µg/L	1	12/20/2006 6:19:00 AM
Hexachlorobutadiene	U	1.0		µg/L	1	12/20/2006 6:19:00 AM
Isopropylbenzene	U	1.0		µg/L	1	12/20/2006 6:19:00 AM
m,p-Xylene	U	2.0		µg/L	1	12/20/2006 6:19:00 AM
Methyl tert-butyl ether	U	1.0		µg/L	1	12/20/2006 6:19:00 AM
Methylene chloride	U	1.0		µg/L	1	12/20/2006 6:19:00 AM
Naphthalene	U	1.0		µg/L	1	12/20/2006 6:19:00 AM
n-Butylbenzene	U	1.0		µg/L	1	12/20/2006 6:19:00 AM
n-Propylbenzene	U	1.0		µg/L	1	12/20/2006 6:19:00 AM
o-Xylene	U	1.0		µg/L	1	12/20/2006 6:19:00 AM
sec-Butylbenzene	U	1.0		µg/L	1	12/20/2006 6:19:00 AM
Styrene	U	1.0		µg/L	1	12/20/2006 6:19:00 AM
tert-Butylbenzene	U	1.0		µg/L	1	12/20/2006 6:19:00 AM
Tetrachloroethene	U	1.0		µg/L	1	12/20/2006 6:19:00 AM
Toluene	U	1.0		µg/L	1	12/20/2006 6:19:00 AM
trans-1,2-Dichloroethene	U	1.0		µg/L	1	12/20/2006 6:19:00 AM
trans-1,3-Dichloropropene	U	1.0		µg/L	1	12/20/2006 6:19:00 AM
Trichloroethene	U	1.0		µg/L	1	12/20/2006 6:19:00 AM
Trichlorofluoromethane	U	1.0		µg/L	1	12/20/2006 6:19:00 AM
Vinyl acetate	U	1.0		µg/L	1	12/20/2006 6:19:00 AM
Vinyl chloride	U	1.0		µg/L	1	12/20/2006 6:19:00 AM

Qualifiers:	B	Analyte detected in the associated Method Blank	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	S	Spike Recovery outside accepted recovery limits
	U	Indicates the compound was analyzed for but not detected	X	Value exceeds Maximum Contaminant Level

American Analytical Laboratories, LLC.

Date: 26-Dec-06

CLIENT: Leggette Brashears & Graham Inc.
Lab Order: 0612137
Project: Rowe Industries
Lab ID: 0612137-02B

Client Sample ID: WQ121306:805 NP2-7
Tag Number: 12809
Collection Date: 12/13/2006
Matrix: LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
TOTAL IRON		E200.7		SW3010A		Analyst: JP
Iron	20.1	0.0200		mg/L	1	12/21/2006 1:38:25 PM

Qualifiers:	B	Analyte detected in the associated Method Blank	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	S	Spike Recovery outside accepted recovery limits
	U	Indicates the compound was analyzed for but not detected	X	Value exceeds Maximum Contaminant Level

American Analytical Laboratories, LLC.

Date: 26-Dec-06

CLIENT: Leggette Brashears & Graham Inc.
Lab Order: 0612137
Project: Rowe Industries
Lab ID: 0612137-02C

Client Sample ID: WQ121306:805 NP2-7
Tag Number: 12809
Collection Date: 12/13/2006
Matrix: LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
DISSOLVED IRON		E200.7		SW3005A		Analyst: JP
Iron	0.0599	0.0200		mg/L	1	12/21/2006 1:35:54 PM

Qualifiers:	B	Analyte detected in the associated Method Blank	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	S	Spike Recovery outside accepted recovery limits
	U	Indicates the compound was analyzed for but not detected	X	Value exceeds Maximum Contaminant Level

American Analytical Laboratories, LLC.

Date: 26-Dec-06

CLIENT: Leggette Brashears & Graham Inc.
Lab Order: 0612137
Project: Rowe Industries
Lab ID: 0612137-03A

Client Sample ID: WQ121306:810 NP2-10
Tag Number: 12809
Collection Date: 12/13/2006
Matrix: LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILE SW-846 8260 PLUS MTBE & FREON11		SW8260B		Analyst: LDS		
1,1,1,2-Tetrachloroethane	U	1.0		µg/L	1	12/20/2006 7:12:00 AM
1,1,1-Trichloroethane	U	1.0		µg/L	1	12/20/2006 7:12:00 AM
1,1,2,2-Tetrachloroethane	U	1.0		µg/L	1	12/20/2006 7:12:00 AM
1,1,2-Trichloro-1,2,2-trifluoroethane	U	1.0		µg/L	1	12/20/2006 7:12:00 AM
1,1,2-Trichloroethane	U	1.0		µg/L	1	12/20/2006 7:12:00 AM
1,1-Dichloroethane	U	1.0		µg/L	1	12/20/2006 7:12:00 AM
1,1-Dichloroethene	U	1.0		µg/L	1	12/20/2006 7:12:00 AM
1,1-Dichloropropene	U	1.0		µg/L	1	12/20/2006 7:12:00 AM
1,2,3-Trichlorobenzene	U	1.0		µg/L	1	12/20/2006 7:12:00 AM
1,2,3-Trichloropropane	U	1.0		µg/L	1	12/20/2006 7:12:00 AM
1,2,4-Trichlorobenzene	U	1.0		µg/L	1	12/20/2006 7:12:00 AM
1,2,4-Trimethylbenzene	U	1.0		µg/L	1	12/20/2006 7:12:00 AM
1,2-Dibromo-3-chloropropane	U	1.0		µg/L	1	12/20/2006 7:12:00 AM
1,2-Dibromoethane	U	1.0		µg/L	1	12/20/2006 7:12:00 AM
1,2-Dichlorobenzene	U	1.0		µg/L	1	12/20/2006 7:12:00 AM
1,2-Dichloroethane	U	1.0		µg/L	1	12/20/2006 7:12:00 AM
1,2-Dichloropropane	U	1.0		µg/L	1	12/20/2006 7:12:00 AM
1,3,5-Trimethylbenzene	U	1.0		µg/L	1	12/20/2006 7:12:00 AM
1,3-Dichlorobenzene	U	1.0		µg/L	1	12/20/2006 7:12:00 AM
1,3-dichloropropane	U	1.0		µg/L	1	12/20/2006 7:12:00 AM
1,4-Dichlorobenzene	U	1.0		µg/L	1	12/20/2006 7:12:00 AM
2,2-Dichloropropane	U	1.0		µg/L	1	12/20/2006 7:12:00 AM
2-Butanone	U	3.0		µg/L	1	12/20/2006 7:12:00 AM
2-Chloroethyl vinyl ether	U	1.0		µg/L	1	12/20/2006 7:12:00 AM
2-Chlorotoluene	U	1.0		µg/L	1	12/20/2006 7:12:00 AM
2-Hexanone	U	2.0		µg/L	1	12/20/2006 7:12:00 AM
4-Chlorotoluene	U	1.0		µg/L	1	12/20/2006 7:12:00 AM
4-Isopropyltoluene	U	1.0		µg/L	1	12/20/2006 7:12:00 AM
4-Methyl-2-pentanone	U	2.0		µg/L	1	12/20/2006 7:12:00 AM
Acetone	U	2.0		µg/L	1	12/20/2006 7:12:00 AM
Benzene	U	1.0		µg/L	1	12/20/2006 7:12:00 AM
Bromobenzene	U	1.0		µg/L	1	12/20/2006 7:12:00 AM
Bromochloromethane	U	1.0		µg/L	1	12/20/2006 7:12:00 AM
Bromodichloromethane	U	1.0		µg/L	1	12/20/2006 7:12:00 AM
Bromoform	U	1.0		µg/L	1	12/20/2006 7:12:00 AM
Bromomethane	U	1.0		µg/L	1	12/20/2006 7:12:00 AM
Carbon disulfide	U	1.0		µg/L	1	12/20/2006 7:12:00 AM
Carbon tetrachloride	U	1.0		µg/L	1	12/20/2006 7:12:00 AM
Chlorobenzene	U	1.0		µg/L	1	12/20/2006 7:12:00 AM

Qualifiers:	B	Analyte detected in the associated Method Blank	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	S	Spike Recovery outside accepted recovery limits
	U	Indicates the compound was analyzed for but not detected	X	Value exceeds Maximum Contaminant Level

American Analytical Laboratories, LLC.

Date: 26-Dec-06

CLIENT: Leggette Brashears & Graham Inc.
Lab Order: 0612137
Project: Rowe Industries
Lab ID: 0612137-03A

Client Sample ID: WQ121306:810 NP2-10
Tag Number: 12809
Collection Date: 12/13/2006
Matrix: LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILE SW-846 8260 PLUS MTBE & FREON11		SW8260B		Analyst: LDS		
Chloroethane	U	1.0		µg/L	1	12/20/2006 7:12:00 AM
Chloroform	U	1.0		µg/L	1	12/20/2006 7:12:00 AM
Chloromethane	U	1.0		µg/L	1	12/20/2006 7:12:00 AM
cis-1,2-Dichloroethene	U	1.0		µg/L	1	12/20/2006 7:12:00 AM
cis-1,3-Dichloropropene	U	1.0		µg/L	1	12/20/2006 7:12:00 AM
Dibromochloromethane	U	1.0		µg/L	1	12/20/2006 7:12:00 AM
Dibromomethane	U	1.0		µg/L	1	12/20/2006 7:12:00 AM
Dichlorodifluoromethane	U	1.0		µg/L	1	12/20/2006 7:12:00 AM
Ethylbenzene	U	1.0		µg/L	1	12/20/2006 7:12:00 AM
Hexachlorobutadiene	U	1.0		µg/L	1	12/20/2006 7:12:00 AM
Isopropylbenzene	U	1.0		µg/L	1	12/20/2006 7:12:00 AM
m,p-Xylene	U	2.0		µg/L	1	12/20/2006 7:12:00 AM
Methyl tert-butyl ether	U	1.0		µg/L	1	12/20/2006 7:12:00 AM
Methylene chloride	U	1.0		µg/L	1	12/20/2006 7:12:00 AM
Naphthalene	U	1.0		µg/L	1	12/20/2006 7:12:00 AM
n-Butylbenzene	U	1.0		µg/L	1	12/20/2006 7:12:00 AM
n-Propylbenzene	U	1.0		µg/L	1	12/20/2006 7:12:00 AM
o-Xylene	U	1.0		µg/L	1	12/20/2006 7:12:00 AM
sec-Butylbenzene	U	1.0		µg/L	1	12/20/2006 7:12:00 AM
Styrene	U	1.0		µg/L	1	12/20/2006 7:12:00 AM
tert-Butylbenzene	U	1.0		µg/L	1	12/20/2006 7:12:00 AM
Tetrachloroethene	U	1.0		µg/L	1	12/20/2006 7:12:00 AM
Toluene	U	1.0		µg/L	1	12/20/2006 7:12:00 AM
trans-1,2-Dichloroethene	U	1.0		µg/L	1	12/20/2006 7:12:00 AM
trans-1,3-Dichloropropene	U	1.0		µg/L	1	12/20/2006 7:12:00 AM
Trichloroethene	U	1.0		µg/L	1	12/20/2006 7:12:00 AM
Trichlorofluoromethane	U	1.0		µg/L	1	12/20/2006 7:12:00 AM
Vinyl acetate	U	1.0		µg/L	1	12/20/2006 7:12:00 AM
Vinyl chloride	U	1.0		µg/L	1	12/20/2006 7:12:00 AM

Qualifiers:	B	Analyte detected in the associated Method Blank	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	S	Spike Recovery outside accepted recovery limits
	U	Indicates the compound was analyzed for but not detected	X	Value exceeds Maximum Contaminant Level

American Analytical Laboratories, LLC.**Date:** 26-Dec-06**CLIENT:** Leggette Brashears & Graham Inc.**Client Sample ID:** WQ121306:810 NP2-10**Lab Order:** 0612137**Tag Number:** 12809**Project:** Rowe Industries**Collection Date:** 12/13/2006**Lab ID:** 0612137-03B**Matrix:** LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
TOTAL IRON		E200.7		SW3010A		Analyst: JP
Iron	1.55	0.0200		mg/L	1	12/21/2006 1:43:25 PM

Qualifiers:	B	Analyte detected in the associated Method Blank	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	S	Spike Recovery outside accepted recovery limits
	U	Indicates the compound was analyzed for but not detected	X	Value exceeds Maximum Contaminant Level

American Analytical Laboratories, LLC.

Date: 26-Dec-06

CLIENT: Leggette Brashears & Graham Inc.
Lab Order: 0612137
Project: Rowe Industries
Lab ID: 0612137-03C

Client Sample ID: WQ121306:810 NP2-10
Tag Number: 12809
Collection Date: 12/13/2006
Matrix: LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
DISSOLVED IRON		E200.7		SW3005A		Analyst: JP
Iron	0.0754	0.0200		mg/L	1	12/21/2006 1:40:47 PM
TOTAL DISSOLVED SOLIDS		E160.1				Analyst: JC
Total Dissolved Solids (Residue, Filterable)	108	1.00		mg/L	1	12/20/2006

Qualifiers:	B	Analyte detected in the associated Method Blank	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	S	Spike Recovery outside accepted recovery limits
	U	Indicates the compound was analyzed for but not detected	X	Value exceeds Maximum Contaminant Level



NYSDOH 11418
NJDEP NY050
CTDOH PH-0205
PADEP 68-00573

Friday, December 29, 2006

Mark Goldberg
Leggette Brashears & Graham Inc.
4 Research Drive
Suite 301
Shelton, CT 06484

TEL: (203) 929-8555
FAX (203) 926-9140

RE: Rowe Industries

Order No.: 0612188

Dear Mark Goldberg:

American Analytical Laboratories, LLC. received 3 sample(s) on 12/22/2006 for the analyses presented in the following report.


Samples were analyzed in accordance with the test procedures documented on the chain of custody and detailed throughout the text of this report.

The limits provided in the data package are analytical reporting limits and not Federal or Local mandated values to which the sample results should be compared.

There were no problems with the analyses and all data for associated QC met laboratory specifications. If there are any exceptions a Case Narrative is provided in the report.

If you have any questions regarding these tests results, please do not hesitate to call (631) 454-6100 or email me directly at lbeyer@american-analytical.com.

Sincerely,


Lori Beyer
Lab Director

American Analytical Laboratories, LLC.**Date:** 29-Dec-06**CLIENT:** Leggette Brashears & Graham Inc.**Project:** Rowe Industries**Lab Order:** 0612188**Work Order Sample Summary**

Lab Sample ID	Client Sample ID	Tag Number	Date Collected	Date Received
0612188-01A	WQ122006:800NP2-6	12811	12/20/2006 8:00:00 AM	12/22/2006
0612188-01B	WQ122006:800NP2-6	12811	12/20/2006 8:00:00 AM	12/22/2006
0612188-01C	WQ122006:800NP2-6	12811	12/20/2006 8:00:00 AM	12/22/2006
0612188-02A	WQ122006:805NP2-7	12811	12/20/2006 8:05:00 AM	12/22/2006
0612188-02B	WQ122006:805NP2-7	12811	12/20/2006 8:05:00 AM	12/22/2006
0612188-02C	WQ122006:805NP2-7	12811	12/20/2006 8:05:00 AM	12/22/2006
0612188-03A	WQ122006:810NP2-10	12811	12/20/2006 8:10:00 AM	12/22/2006
0612188-03B	WQ122006:810NP2-10	12811	12/20/2006 8:10:00 AM	12/22/2006
0612188-03C	WQ122006:810NP2-10	12811	12/20/2006 8:10:00 AM	12/22/2006

TAG # / COC

CHAIN OF CUSTODY / REQUEST FOR ANALYSIS DOCUMENT

[illegible]

WHITE-OFFICE / CANARY-LAB / PINK-SAMPLE CUSTODIAN / GOLDENROD-CLIENT

AMERICAN ANALYTICAL LABORATORIES, LLC

56 TOLEDO STREET

FARMINGDALE, NEW YORK 11735

TELEPHONE: (631) 454-6100

FAX: (631) 454-8027

DATA REPORTING QUALIFIERS

For reporting results, the following "Results Qualifiers" are used:

Value	If the result is greater than or equal to the detection limit, report the value
U	Indicates the compound was analyzed for but was not detected. Report the minimum detection limit for the sample with the U, i.e. "10U". This is not necessarily the instrument detection limit attainable for this particular sample based on any concentration or dilution that may have been required.
J	Indicates an estimated value. The flag is used: (1) When estimating a concentration for a tentatively identified compound (library search hits, where a 1:1 response is assumed.) (2) When the mass spectral data indicated the identification, however the result was less than the specified detection limit greater than zero. If the detection limit was 10ug/L and a concentration of 3ug/L was calculated report as 3J. This flag is used when similar situations arise on any organic parameter i.e. Pesticide, PCBs and others.
B	Indicates the analyte was found in the blank as well as the sample report "10B".
E	Indicates the analytes concentration exceeds the calibrated range of the instrument for that specific analysis.
D	This flag identifies all compounds identified in an analysis at a secondary dilution factor.
P	This flag is used for Pesticide / PCB target analyte when there is >25% difference for detected concentrations between the two GC Columns. The higher of the two values is reported on Form I and flagged with a "P".
N	This flag indicates presumptive evidence of a compound. This is only used for tentatively identified compounds (TICs), where the identification is based on a mass spectral library search. It applies to all TIC results. For generic characterization of a TIC, such as chlorinated hydrocarbon, the flag is not used.
H	Indicates sample was received and/or analyzed outside of The method allowable holding time

American Analytical Laboratories, LLC.

Date: 29-Dec-06

CLIENT: Leggette Brashears & Graham Inc.
Lab Order: 0612188
Project: Rowe Industries
Lab ID: 0612188-01A

Client Sample ID: WQ122006:800NP2-6
Tag Number: 12811
Collection Date: 12/20/2006 8:00:00 AM
Matrix: LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILE SW-846 8260 PLUS MTBE & FREON11		SW8260B		Analyst: LDS		
1,1,1,2-Tetrachloroethane	U	1.0		µg/L	1	12/27/2006 1:04:00 PM
1,1,1-Trichloroethane	6.4	1.0		µg/L	1	12/27/2006 1:04:00 PM
1,1,2,2-Tetrachloroethane	U	1.0		µg/L	1	12/27/2006 1:04:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	U	1.0		µg/L	1	12/27/2006 1:04:00 PM
1,1,2-Trichloroethane	U	1.0		µg/L	1	12/27/2006 1:04:00 PM
1,1-Dichloroethane	U	1.0		µg/L	1	12/27/2006 1:04:00 PM
1,1-Dichloroethene	U	1.0		µg/L	1	12/27/2006 1:04:00 PM
1,1-Dichloropropene	U	1.0		µg/L	1	12/27/2006 1:04:00 PM
1,2,3-Trichlorobenzene	U	1.0		µg/L	1	12/27/2006 1:04:00 PM
1,2,3-Trichloropropane	U	1.0		µg/L	1	12/27/2006 1:04:00 PM
1,2,4-Trichlorobenzene	U	1.0		µg/L	1	12/27/2006 1:04:00 PM
1,2,4-Trimethylbenzene	U	1.0		µg/L	1	12/27/2006 1:04:00 PM
1,2-Dibromo-3-chloropropane	U	1.0		µg/L	1	12/27/2006 1:04:00 PM
1,2-Dibromoethane	U	1.0		µg/L	1	12/27/2006 1:04:00 PM
1,2-Dichlorobenzene	U	1.0		µg/L	1	12/27/2006 1:04:00 PM
1,2-Dichloroethane	U	1.0		µg/L	1	12/27/2006 1:04:00 PM
1,2-Dichloropropane	U	1.0		µg/L	1	12/27/2006 1:04:00 PM
1,3,5-Trimethylbenzene	U	1.0		µg/L	1	12/27/2006 1:04:00 PM
1,3-Dichlorobenzene	U	1.0		µg/L	1	12/27/2006 1:04:00 PM
1,3-dichloropropane	U	1.0		µg/L	1	12/27/2006 1:04:00 PM
1,4-Dichlorobenzene	U	1.0		µg/L	1	12/27/2006 1:04:00 PM
2,2-Dichloropropane	U	1.0		µg/L	1	12/27/2006 1:04:00 PM
2-Butanone	U	3.0		µg/L	1	12/27/2006 1:04:00 PM
2-Chloroethyl vinyl ether	U	1.0		µg/L	1	12/27/2006 1:04:00 PM
2-Chlorotoluene	U	1.0		µg/L	1	12/27/2006 1:04:00 PM
2-Hexanone	U	2.0		µg/L	1	12/27/2006 1:04:00 PM
4-Chlorotoluene	U	1.0		µg/L	1	12/27/2006 1:04:00 PM
4-Isopropyltoluene	U	1.0		µg/L	1	12/27/2006 1:04:00 PM
4-Methyl-2-pentanone	U	2.0		µg/L	1	12/27/2006 1:04:00 PM
Acetone	U	2.0		µg/L	1	12/27/2006 1:04:00 PM
Benzene	U	1.0		µg/L	1	12/27/2006 1:04:00 PM
Bromobenzene	U	1.0		µg/L	1	12/27/2006 1:04:00 PM
Bromochloromethane	U	1.0		µg/L	1	12/27/2006 1:04:00 PM
Bromodichloromethane	U	1.0		µg/L	1	12/27/2006 1:04:00 PM
Bromoform	U	1.0		µg/L	1	12/27/2006 1:04:00 PM
Bromomethane	U	1.0		µg/L	1	12/27/2006 1:04:00 PM
Carbon disulfide	U	1.0		µg/L	1	12/27/2006 1:04:00 PM
Carbon tetrachloride	U	1.0		µg/L	1	12/27/2006 1:04:00 PM
Chlorobenzene	U	1.0		µg/L	1	12/27/2006 1:04:00 PM

Qualifiers:	B	Analyte detected in the associated Method Blank	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	S	Spike Recovery outside accepted recovery limits
	U	Indicates the compound was analyzed for but not detected	X	Value exceeds Maximum Contaminant Level

American Analytical Laboratories, LLC.

Date: 29-Dec-06

CLIENT: Leggette Brashears & Graham Inc.
Lab Order: 0612188
Project: Rowe Industries
Lab ID: 0612188-01A

Client Sample ID: WQ122006:800NP2-6
Tag Number: 12811
Collection Date: 12/20/2006 8:00:00 AM
Matrix: LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILE SW-846 8260 PLUS MTBE & FREON11		SW8260B		Analyst: LDS		
Chloroethane	U	1.0		µg/L	1	12/27/2006 1:04:00 PM
Chloroform	U	1.0		µg/L	1	12/27/2006 1:04:00 PM
Chloromethane	U	1.0		µg/L	1	12/27/2006 1:04:00 PM
cis-1,2-Dichloroethene	U	1.0		µg/L	1	12/27/2006 1:04:00 PM
cis-1,3-Dichloropropene	U	1.0		µg/L	1	12/27/2006 1:04:00 PM
Dibromochloromethane	U	1.0		µg/L	1	12/27/2006 1:04:00 PM
Dibromomethane	U	1.0		µg/L	1	12/27/2006 1:04:00 PM
Dichlorodifluoromethane	U	1.0		µg/L	1	12/27/2006 1:04:00 PM
Ethylbenzene	1.6	1.0		µg/L	1	12/27/2006 1:04:00 PM
Hexachlorobutadiene	U	1.0		µg/L	1	12/27/2006 1:04:00 PM
Isopropylbenzene	U	1.0		µg/L	1	12/27/2006 1:04:00 PM
m,p-Xylene	U	2.0		µg/L	1	12/27/2006 1:04:00 PM
Methyl tert-butyl ether	U	1.0		µg/L	1	12/27/2006 1:04:00 PM
Methylene chloride	U	1.0		µg/L	1	12/27/2006 1:04:00 PM
Naphthalene	U	1.0		µg/L	1	12/27/2006 1:04:00 PM
n-Butylbenzene	U	1.0		µg/L	1	12/27/2006 1:04:00 PM
n-Propylbenzene	U	1.0		µg/L	1	12/27/2006 1:04:00 PM
o-Xylene	U	1.0		µg/L	1	12/27/2006 1:04:00 PM
sec-Butylbenzene	U	1.0		µg/L	1	12/27/2006 1:04:00 PM
Styrene	U	1.0		µg/L	1	12/27/2006 1:04:00 PM
tert-Butylbenzene	U	1.0		µg/L	1	12/27/2006 1:04:00 PM
Tetrachloroethene	6.1	1.0		µg/L	1	12/27/2006 1:04:00 PM
Toluene	U	1.0		µg/L	1	12/27/2006 1:04:00 PM
trans-1,2-Dichloroethene	U	1.0		µg/L	1	12/27/2006 1:04:00 PM
trans-1,3-Dichloropropene	U	1.0		µg/L	1	12/27/2006 1:04:00 PM
Trichloroethene	U	1.0		µg/L	1	12/27/2006 1:04:00 PM
Trichlorofluoromethane	U	1.0		µg/L	1	12/27/2006 1:04:00 PM
Vinyl acetate	U	1.0		µg/L	1	12/27/2006 1:04:00 PM
Vinyl chloride	U	1.0		µg/L	1	12/27/2006 1:04:00 PM

Qualifiers:	B	Analyte detected in the associated Method Blank	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	S	Spike Recovery outside accepted recovery limits
	U	Indicates the compound was analyzed for but not detected	X	Value exceeds Maximum Contaminant Level

American Analytical Laboratories, LLC.**Date:** 29-Dec-06

CLIENT: Leggette Brashears & Graham Inc.
Lab Order: 0612188
Project: Rowe Industries
Lab ID: 0612188-01B

Client Sample ID: WQ122006:800NP2-6
Tag Number: 12811
Collection Date: 12/20/2006 8:00:00 AM
Matrix: LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
TOTAL IRON		E200.7		SW3010A		Analyst: JP
Iron	23.0	0.0200		mg/L	1	12/27/2006 2:35:51 PM

Qualifiers:	B	Analyte detected in the associated Method Blank	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	S	Spike Recovery outside accepted recovery limits
	U	Indicates the compound was analyzed for but not detected	X	Value exceeds Maximum Contaminant Level

American Analytical Laboratories, LLC.

Date: 29-Dec-06

CLIENT: Leggette Brashears & Graham Inc.**Client Sample ID:** WQ122006:800NP2-6**Lab Order:** 0612188**Tag Number:** 12811**Project:** Rowe Industries**Collection Date:** 12/20/2006 8:00:00 AM**Lab ID:** 0612188-01C**Matrix:** LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
DISSOLVED IRON		E200.7		SW3010A		Analyst: JP
Iron	0.0590	0.0200		mg/L	1	12/27/2006 2:33:24 PM

Qualifiers:	B	Analyte detected in the associated Method Blank	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	S	Spike Recovery outside accepted recovery limits
	U	Indicates the compound was analyzed for but not detected	X	Value exceeds Maximum Contaminant Level

American Analytical Laboratories, LLC.

Date: 29-Dec-06

CLIENT: Leggette Brashears & Graham Inc.
Lab Order: 0612188
Project: Rowe Industries
Lab ID: 0612188-02A

Client Sample ID: WQ122006:805NP2-7
Tag Number: 12811
Collection Date: 12/20/2006 8:05:00 AM
Matrix: LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILE SW-846 8260 PLUS MTBE & FREON11		SW8260B		Analyst: LDS		
1,1,1,2-Tetrachloroethane	U	1.0		µg/L	1	12/27/2006 1:42:00 PM
1,1,1-Trichloroethane	U	1.0		µg/L	1	12/27/2006 1:42:00 PM
1,1,2,2-Tetrachloroethane	U	1.0		µg/L	1	12/27/2006 1:42:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	U	1.0		µg/L	1	12/27/2006 1:42:00 PM
1,1,2-Trichloroethane	U	1.0		µg/L	1	12/27/2006 1:42:00 PM
1,1-Dichloroethane	U	1.0		µg/L	1	12/27/2006 1:42:00 PM
1,1-Dichloroethene	U	1.0		µg/L	1	12/27/2006 1:42:00 PM
1,1-Dichloropropene	U	1.0		µg/L	1	12/27/2006 1:42:00 PM
1,2,3-Trichlorobenzene	U	1.0		µg/L	1	12/27/2006 1:42:00 PM
1,2,3-Trichloropropane	U	1.0		µg/L	1	12/27/2006 1:42:00 PM
1,2,4-Trichlorobenzene	U	1.0		µg/L	1	12/27/2006 1:42:00 PM
1,2,4-Trimethylbenzene	U	1.0		µg/L	1	12/27/2006 1:42:00 PM
1,2-Dibromo-3-chloropropane	U	1.0		µg/L	1	12/27/2006 1:42:00 PM
1,2-Dibromoethane	U	1.0		µg/L	1	12/27/2006 1:42:00 PM
1,2-Dichlorobenzene	U	1.0		µg/L	1	12/27/2006 1:42:00 PM
1,2-Dichloroethane	U	1.0		µg/L	1	12/27/2006 1:42:00 PM
1,2-Dichloropropane	U	1.0		µg/L	1	12/27/2006 1:42:00 PM
1,3,5-Trimethylbenzene	U	1.0		µg/L	1	12/27/2006 1:42:00 PM
1,3-Dichlorobenzene	U	1.0		µg/L	1	12/27/2006 1:42:00 PM
1,3-dichloropropane	U	1.0		µg/L	1	12/27/2006 1:42:00 PM
1,4-Dichlorobenzene	U	1.0		µg/L	1	12/27/2006 1:42:00 PM
2,2-Dichloropropane	U	1.0		µg/L	1	12/27/2006 1:42:00 PM
2-Butanone	U	3.0		µg/L	1	12/27/2006 1:42:00 PM
2-Chloroethyl vinyl ether	U	1.0		µg/L	1	12/27/2006 1:42:00 PM
2-Chlorotoluene	U	1.0		µg/L	1	12/27/2006 1:42:00 PM
2-Hexanone	U	2.0		µg/L	1	12/27/2006 1:42:00 PM
4-Chlorotoluene	U	1.0		µg/L	1	12/27/2006 1:42:00 PM
4-Isopropyltoluene	U	1.0		µg/L	1	12/27/2006 1:42:00 PM
4-Methyl-2-pentanone	U	2.0		µg/L	1	12/27/2006 1:42:00 PM
Acetone	U	2.0		µg/L	1	12/27/2006 1:42:00 PM
Benzene	U	1.0		µg/L	1	12/27/2006 1:42:00 PM
Bromobenzene	U	1.0		µg/L	1	12/27/2006 1:42:00 PM
Bromochloromethane	U	1.0		µg/L	1	12/27/2006 1:42:00 PM
Bromodichloromethane	U	1.0		µg/L	1	12/27/2006 1:42:00 PM
Bromoform	U	1.0		µg/L	1	12/27/2006 1:42:00 PM
Bromomethane	U	1.0		µg/L	1	12/27/2006 1:42:00 PM
Carbon disulfide	U	1.0		µg/L	1	12/27/2006 1:42:00 PM
Carbon tetrachloride	U	1.0		µg/L	1	12/27/2006 1:42:00 PM
Chlorobenzene	U	1.0		µg/L	1	12/27/2006 1:42:00 PM

Qualifiers:	B	Analyte detected in the associated Method Blank	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	S	Spike Recovery outside accepted recovery limits
	U	Indicates the compound was analyzed for but not detecte	X	Value exceeds Maximum Contaminant Level

American Analytical Laboratories, LLC.

Date: 29-Dec-06

CLIENT: Leggette Brashears & Graham Inc.
Lab Order: 0612188
Project: Rowe Industries
Lab ID: 0612188-02A

Client Sample ID: WQ122006:805NP2-7
Tag Number: 12811
Collection Date: 12/20/2006 8:05:00 AM
Matrix: LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILE SW-846 8260 PLUS MTBE & FREON11		SW8260B		Analyst: LDS		
Chloroethane	U	1.0		µg/L	1	12/27/2006 1:42:00 PM
Chloroform	U	1.0		µg/L	1	12/27/2006 1:42:00 PM
Chloromethane	U	1.0		µg/L	1	12/27/2006 1:42:00 PM
cis-1,2-Dichloroethene	U	1.0		µg/L	1	12/27/2006 1:42:00 PM
cis-1,3-Dichloropropene	U	1.0		µg/L	1	12/27/2006 1:42:00 PM
Dibromochloromethane	U	1.0		µg/L	1	12/27/2006 1:42:00 PM
Dibromomethane	U	1.0		µg/L	1	12/27/2006 1:42:00 PM
Dichlorodifluoromethane	U	1.0		µg/L	1	12/27/2006 1:42:00 PM
Ethylbenzene	U	1.0		µg/L	1	12/27/2006 1:42:00 PM
Hexachlorobutadiene	U	1.0		µg/L	1	12/27/2006 1:42:00 PM
Isopropylbenzene	U	1.0		µg/L	1	12/27/2006 1:42:00 PM
m,p-Xylene	U	2.0		µg/L	1	12/27/2006 1:42:00 PM
Methyl tert-butyl ether	U	1.0		µg/L	1	12/27/2006 1:42:00 PM
Methylene chloride	U	1.0		µg/L	1	12/27/2006 1:42:00 PM
Naphthalene	U	1.0		µg/L	1	12/27/2006 1:42:00 PM
n-Butylbenzene	U	1.0		µg/L	1	12/27/2006 1:42:00 PM
n-Propylbenzene	U	1.0		µg/L	1	12/27/2006 1:42:00 PM
o-Xylene	U	1.0		µg/L	1	12/27/2006 1:42:00 PM
sec-Butylbenzene	U	1.0		µg/L	1	12/27/2006 1:42:00 PM
Styrene	U	1.0		µg/L	1	12/27/2006 1:42:00 PM
tert-Butylbenzene	U	1.0		µg/L	1	12/27/2006 1:42:00 PM
Tetrachloroethene	U	1.0		µg/L	1	12/27/2006 1:42:00 PM
Toluene	U	1.0		µg/L	1	12/27/2006 1:42:00 PM
trans-1,2-Dichloroethene	U	1.0		µg/L	1	12/27/2006 1:42:00 PM
trans-1,3-Dichloropropene	U	1.0		µg/L	1	12/27/2006 1:42:00 PM
Trichloroethene	U	1.0		µg/L	1	12/27/2006 1:42:00 PM
Trichlorofluoromethane	U	1.0		µg/L	1	12/27/2006 1:42:00 PM
Vinyl acetate	U	1.0		µg/L	1	12/27/2006 1:42:00 PM
Vinyl chloride	U	1.0		µg/L	1	12/27/2006 1:42:00 PM

Qualifiers:	B	Analyte detected in the associated Method Blank	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	S	Spike Recovery outside accepted recovery limits
	U	Indicates the compound was analyzed for but not detected	X	Value exceeds Maximum Contaminant Level

American Analytical Laboratories, LLC.

Date: 29-Dec-06

CLIENT: Leggette Brashears & Graham Inc.**Client Sample ID:** WQ122006:805NP2-7**Lab Order:** 0612188**Tag Number:** 12811**Project:** Rowe Industries**Collection Date:** 12/20/2006 8:05:00 AM**Lab ID:** 0612188-02B**Matrix:** LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
TOTAL IRON		E200.7		SW3010A		Analyst: JP
Iron	6.43	0.0200		mg/L	1	12/27/2006 2:47:34 PM

Qualifiers:	B	Analyte detected in the associated Method Blank	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	S	Spike Recovery outside accepted recovery limits
	U	Indicates the compound was analyzed for but not detected	X	Value exceeds Maximum Contaminant Level

American Analytical Laboratories, LLC.

Date: 29-Dec-06

CLIENT: Leggette Brashears & Graham Inc.**Client Sample ID:** WQ122006:805NP2-7**Lab Order:** 0612188**Tag Number:** 12811**Project:** Rowe Industries**Collection Date:** 12/20/2006 8:05:00 AM**Lab ID:** 0612188-02C**Matrix:** LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
DISSOLVED IRON		E200.7		SW3010A		Analyst: JP
Iron	0.102	0.0200		mg/L	1	12/27/2006 2:45:36 PM

Qualifiers:	B	Analyte detected in the associated Method Blank	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	S	Spike Recovery outside accepted recovery limits
	U	Indicates the compound was analyzed for but not detected	X	Value exceeds Maximum Contaminant Level

American Analytical Laboratories, LLC.

Date: 29-Dec-06

CLIENT: Leggette Brashears & Graham Inc.
Lab Order: 0612188
Project: Rowe Industries
Lab ID: 0612188-03A

Client Sample ID: WQ122006:810NP2-10
Tag Number: 12811
Collection Date: 12/20/2006 8:10:00 AM
Matrix: LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILE SW-846 8260 PLUS MTBE & FREON11		SW8260B		Analyst: LDS		
1,1,1,2-Tetrachloroethane	U	1.0		µg/L	1	12/27/2006 2:21:00 PM
1,1,1-Trichloroethane	U	1.0		µg/L	1	12/27/2006 2:21:00 PM
1,1,2,2-Tetrachloroethane	U	1.0		µg/L	1	12/27/2006 2:21:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	U	1.0		µg/L	1	12/27/2006 2:21:00 PM
1,1,2-Trichloroethane	U	1.0		µg/L	1	12/27/2006 2:21:00 PM
1,1-Dichloroethane	U	1.0		µg/L	1	12/27/2006 2:21:00 PM
1,1-Dichloroethene	U	1.0		µg/L	1	12/27/2006 2:21:00 PM
1,1-Dichloropropene	U	1.0		µg/L	1	12/27/2006 2:21:00 PM
1,2,3-Trichlorobenzene	U	1.0		µg/L	1	12/27/2006 2:21:00 PM
1,2,3-Trichloropropane	U	1.0		µg/L	1	12/27/2006 2:21:00 PM
1,2,4-Trichlorobenzene	U	1.0		µg/L	1	12/27/2006 2:21:00 PM
1,2,4-Trimethylbenzene	U	1.0		µg/L	1	12/27/2006 2:21:00 PM
1,2-Dibromo-3-chloropropane	U	1.0		µg/L	1	12/27/2006 2:21:00 PM
1,2-Dibromoethane	U	1.0		µg/L	1	12/27/2006 2:21:00 PM
1,2-Dichlorobenzene	U	1.0		µg/L	1	12/27/2006 2:21:00 PM
1,2-Dichloroethane	U	1.0		µg/L	1	12/27/2006 2:21:00 PM
1,2-Dichloropropane	U	1.0		µg/L	1	12/27/2006 2:21:00 PM
1,3,5-Trimethylbenzene	U	1.0		µg/L	1	12/27/2006 2:21:00 PM
1,3-Dichlorobenzene	U	1.0		µg/L	1	12/27/2006 2:21:00 PM
1,3-dichloropropane	U	1.0		µg/L	1	12/27/2006 2:21:00 PM
1,4-Dichlorobenzene	U	1.0		µg/L	1	12/27/2006 2:21:00 PM
2,2-Dichloropropane	U	1.0		µg/L	1	12/27/2006 2:21:00 PM
2-Butanone	U	3.0		µg/L	1	12/27/2006 2:21:00 PM
2-Chloroethyl vinyl ether	U	1.0		µg/L	1	12/27/2006 2:21:00 PM
2-Chlorotoluene	U	1.0		µg/L	1	12/27/2006 2:21:00 PM
2-Hexanone	U	2.0		µg/L	1	12/27/2006 2:21:00 PM
4-Chlorotoluene	U	1.0		µg/L	1	12/27/2006 2:21:00 PM
4-Isopropyltoluene	U	1.0		µg/L	1	12/27/2006 2:21:00 PM
4-Methyl-2-pentanone	U	2.0		µg/L	1	12/27/2006 2:21:00 PM
Acetone	U	2.0		µg/L	1	12/27/2006 2:21:00 PM
Benzene	U	1.0		µg/L	1	12/27/2006 2:21:00 PM
Bromobenzene	U	1.0		µg/L	1	12/27/2006 2:21:00 PM
Bromochloromethane	U	1.0		µg/L	1	12/27/2006 2:21:00 PM
Bromodichloromethane	U	1.0		µg/L	1	12/27/2006 2:21:00 PM
Bromoform	U	1.0		µg/L	1	12/27/2006 2:21:00 PM
Bromomethane	U	1.0		µg/L	1	12/27/2006 2:21:00 PM
Carbon disulfide	U	1.0		µg/L	1	12/27/2006 2:21:00 PM
Carbon tetrachloride	U	1.0		µg/L	1	12/27/2006 2:21:00 PM
Chlorobenzene	U	1.0		µg/L	1	12/27/2006 2:21:00 PM

Qualifiers:	B	Analyte detected in the associated Method Blank	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	S	Spike Recovery outside accepted recovery limits
	U	Indicates the compound was analyzed for but not detected	X	Value exceeds Maximum Contaminant Level

American Analytical Laboratories, LLC.

Date: 29-Dec-06

CLIENT: Leggette Brashears & Graham Inc.
Lab Order: 0612188
Project: Rowe Industries
Lab ID: 0612188-03A

Client Sample ID: WQ122006:810NP2-10
Tag Number: 12811
Collection Date: 12/20/2006 8:10:00 AM
Matrix: LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILE SW-846 8260 PLUS MTBE & FREON11		SW8260B		Analyst: LDS		
Chloroethane	U	1.0		µg/L	1	12/27/2006 2:21:00 PM
Chloroform	U	1.0		µg/L	1	12/27/2006 2:21:00 PM
Chloromethane	U	1.0		µg/L	1	12/27/2006 2:21:00 PM
cis-1,2-Dichloroethene	U	1.0		µg/L	1	12/27/2006 2:21:00 PM
cis-1,3-Dichloropropene	U	1.0		µg/L	1	12/27/2006 2:21:00 PM
Dibromochloromethane	U	1.0		µg/L	1	12/27/2006 2:21:00 PM
Dibromomethane	U	1.0		µg/L	1	12/27/2006 2:21:00 PM
Dichlorodifluoromethane	U	1.0		µg/L	1	12/27/2006 2:21:00 PM
Ethylbenzene	U	1.0		µg/L	1	12/27/2006 2:21:00 PM
Hexachlorobutadiene	U	1.0		µg/L	1	12/27/2006 2:21:00 PM
Isopropylbenzene	U	1.0		µg/L	1	12/27/2006 2:21:00 PM
m,p-Xylene	U	2.0		µg/L	1	12/27/2006 2:21:00 PM
Methyl tert-butyl ether	U	1.0		µg/L	1	12/27/2006 2:21:00 PM
Methylene chloride	U	1.0		µg/L	1	12/27/2006 2:21:00 PM
Naphthalene	U	1.0		µg/L	1	12/27/2006 2:21:00 PM
n-Butylbenzene	U	1.0		µg/L	1	12/27/2006 2:21:00 PM
n-Propylbenzene	U	1.0		µg/L	1	12/27/2006 2:21:00 PM
o-Xylene	U	1.0		µg/L	1	12/27/2006 2:21:00 PM
sec-Butylbenzene	U	1.0		µg/L	1	12/27/2006 2:21:00 PM
Styrene	U	1.0		µg/L	1	12/27/2006 2:21:00 PM
tert-Butylbenzene	U	1.0		µg/L	1	12/27/2006 2:21:00 PM
Tetrachloroethene	U	1.0		µg/L	1	12/27/2006 2:21:00 PM
Toluene	U	1.0		µg/L	1	12/27/2006 2:21:00 PM
trans-1,2-Dichloroethene	U	1.0		µg/L	1	12/27/2006 2:21:00 PM
trans-1,3-Dichloropropene	U	1.0		µg/L	1	12/27/2006 2:21:00 PM
Trichloroethene	U	1.0		µg/L	1	12/27/2006 2:21:00 PM
Trichlorofluoromethane	U	1.0		µg/L	1	12/27/2006 2:21:00 PM
Vinyl acetate	U	1.0		µg/L	1	12/27/2006 2:21:00 PM
Vinyl chloride	U	1.0		µg/L	1	12/27/2006 2:21:00 PM

Qualifiers:	B	Analyte detected in the associated Method Blank	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	S	Spike Recovery outside accepted recovery limits
	U	Indicates the compound was analyzed for but not detected	X	Value exceeds Maximum Contaminant Level

American Analytical Laboratories, LLC.

Date: 29-Dec-06

CLIENT: Leggette Brashears & Graham Inc.
Lab Order: 0612188
Project: Rowe Industries
Lab ID: 0612188-03B

Client Sample ID: WQ122006:810NP2-10
Tag Number: 12811
Collection Date: 12/20/2006 8:10:00 AM
Matrix: LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
TOTAL IRON		E200.7		SW3010A		Analyst: JP
Iron	9.63	0.0200		mg/L	1	12/27/2006 2:51:52 PM

Qualifiers:	B	Analyte detected in the associated Method Blank	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	S	Spike Recovery outside accepted recovery limits
	U	Indicates the compound was analyzed for but not detected	X	Value exceeds Maximum Contaminant Level

American Analytical Laboratories, LLC.

Date: 29-Dec-06

CLIENT: Leggette Brashears & Graham Inc.
Lab Order: 0612188
Project: Rowe Industries
Lab ID: 0612188-03C

Client Sample ID: WQ122006:810NP2-10
Tag Number: 12811
Collection Date: 12/20/2006 8:10:00 AM
Matrix: LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
DISSOLVED IRON		E200.7		SW3010A		Analyst: JP
Iron	0.106	0.0200		mg/L	1	12/27/2006 2:49:50 PM
TOTAL DISSOLVED SOLIDS		E160.1				Analyst: JC
Total Dissolved Solids (Residue, Filterable)	84.0	1.00		mg/L	1	12/27/2006

Qualifiers:	B	Analyte detected in the associated Method Blank	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	S	Spike Recovery outside accepted recovery limits
	U	Indicates the compound was analyzed for but not detected	X	Value exceeds Maximum Contaminant Level



NYSDOH 11418
NJDEP NY050
CTDOH PH-0205
PADEP 68-00573

Tuesday, January 09, 2007

Mark Goldberg
Leggette Brashears & Graham Inc.
4 Research Drive
Suite 301
Shelton, CT 06484

TEL: (203) 929-8555

FAX (203) 926-9140

RE: Rowe Industries

Order No.: 0612229

Dear Mark Goldberg:

American Analytical Laboratories, LLC. received 3 sample(s) on 12/29/2006 for the analyses presented in the following report.


Samples were analyzed in accordance with the test procedures documented on the chain of custody and detailed throughout the text of this report.

The limits provided in the data package are analytical reporting limits and not Federal or Local mandated values to which the sample results should be compared.

There were no problems with the analyses and all data for associated QC met laboratory specifications. If there are any exceptions a Case Narrative is provided in the report.

If you have any questions regarding these tests results, please do not hesitate to call (631) 454-6100 or email me directly at lbeyer@american-analytical.com.

Sincerely,


Lori Beyer
Lab Director

American Analytical Laboratories, LLC.**Date:** 09-Jan-07**CLIENT:** Leggette Brashears & Graham Inc.**Project:** Rowe Industries**Lab Order:** 0612229**Work Order Sample Summary**

Lab Sample ID	Client Sample ID	Tag Number	Date Collected	Date Received
0612229-01A	WQ122706:800 NP2-6	10289	12/27/2006	12/29/2006
0612229-01B	WQ122706:800 NP2-6	10289	12/27/2006	12/29/2006
0612229-01C	WQ122706:800 NP2-6	10289	12/27/2006	12/29/2006
0612229-02A	WQ122706:805 NP2-7	10289	12/27/2006	12/29/2006
0612229-02B	WQ122706:805 NP2-7	10289	12/27/2006	12/29/2006
0612229-02C	WQ122706:805 NP2-7	10289	12/27/2006	12/29/2006
0612229-03A	WQ122706:810 NP2-10	10289	12/27/2006	12/29/2006
0612229-03B	WQ122706:810 NP2-10	10289	12/27/2006	12/29/2006
0612229-03C	WQ122706:810 NP2-10	10289	12/27/2006	12/29/2006

TAG # / COC

CHAIN OF CUSTODY / REQUEST FOR ANALYSIS DOCUMENT

[illegible]

WHITE-OFFICE / CANARY-LAB / PINK-SAMPLE CUSTODIAN / GOLDENROD-CLIENT

AMERICAN ANALYTICAL LABORATORIES, LLC

56 TOLEDO STREET

FARMINGDALE, NEW YORK 11735

TELEPHONE: (631) 454-6100 FAX: (631) 454-8027

DATA REPORTING QUALIFIERS

For reporting results, the following "Results Qualifiers" are used:

Value	If the result is greater than or equal to the detection limit, report the value
U	Indicates the compound was analyzed for but was not detected. Report the minimum detection limit for the sample with the U, i.e. "10U". This is not necessarily the instrument detection limit attainable for this particular sample based on any concentration or dilution that may have been required.
J	Indicates an estimated value. The flag is used: (1) When estimating a concentration for a tentatively identified compound (library search hits, where a 1:1 response is assumed.) (2) When the mass spectral data indicated the identification, however the result was less than the specified detection limit greater than zero. If the detection limit was 10ug/L and a concentration of 3ug/L was calculated report as 3J. This flag is used when similar situations arise on any organic parameter i.e. Pesticide, PCBs and others.
B	Indicates the analyte was found in the blank as well as the sample report "10B".
E	Indicates the analytes concentration exceeds the calibrated range of the instrument for that specific analysis.
D	This flag identifies all compounds identified in an analysis at a secondary dilution factor.
P	This flag is used for Pesticide / PCB target analyte when there is >25% difference for detected concentrations between the two GC Columns. The higher of the two values is reported on Form I and flagged with a "P".
N	This flag indicates presumptive evidence of a compound. This is only used for tentatively identified compounds (TICs), where the identification is based on a mass spectral library search. It applies to all TIC results. For generic characterization of a TIC, such as chlorinated hydrocarbon, the flag is not used.
H	Indicates sample was received and/or analyzed outside of The method allowable holding time

American Analytical Laboratories, LLC.

Date: 09-Jan-07

CLIENT: Leggette Brashears & Graham Inc.
Lab Order: 0612229
Project: Rowe Industries
Lab ID: 0612229-01A

Client Sample ID: WQ122706:800 NP2-6
Tag Number: 10289
Collection Date: 12/27/2006
Matrix: LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILE SW-846 8260 PLUS MTBE & FREON11		SW8260B		Analyst: LDS		
1,1,1,2-Tetrachloroethane	U	1.0		µg/L	1	1/3/2007 5:18:00 PM
1,1,1-Trichloroethane	6.4	1.0		µg/L	1	1/3/2007 5:18:00 PM
1,1,2,2-Tetrachloroethane	U	1.0		µg/L	1	1/3/2007 5:18:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	U	1.0		µg/L	1	1/3/2007 5:18:00 PM
1,1,2-Trichloroethane	U	1.0		µg/L	1	1/3/2007 5:18:00 PM
1,1-Dichloroethane	U	1.0		µg/L	1	1/3/2007 5:18:00 PM
1,1-Dichloroethene	U	1.0		µg/L	1	1/3/2007 5:18:00 PM
1,1-Dichloropropene	U	1.0		µg/L	1	1/3/2007 5:18:00 PM
1,2,3-Trichlorobenzene	U	1.0		µg/L	1	1/3/2007 5:18:00 PM
1,2,3-Trichloropropane	U	1.0		µg/L	1	1/3/2007 5:18:00 PM
1,2,4-Trichlorobenzene	U	1.0		µg/L	1	1/3/2007 5:18:00 PM
1,2,4-Trimethylbenzene	U	1.0		µg/L	1	1/3/2007 5:18:00 PM
1,2-Dibromo-3-chloropropane	U	1.0		µg/L	1	1/3/2007 5:18:00 PM
1,2-Dibromoethane	U	1.0		µg/L	1	1/3/2007 5:18:00 PM
1,2-Dichlorobenzene	U	1.0		µg/L	1	1/3/2007 5:18:00 PM
1,2-Dichloroethane	U	1.0		µg/L	1	1/3/2007 5:18:00 PM
1,2-Dichloropropane	U	1.0		µg/L	1	1/3/2007 5:18:00 PM
1,3,5-Trimethylbenzene	U	1.0		µg/L	1	1/3/2007 5:18:00 PM
1,3-Dichlorobenzene	U	1.0		µg/L	1	1/3/2007 5:18:00 PM
1,3-dichloropropane	U	1.0		µg/L	1	1/3/2007 5:18:00 PM
1,4-Dichlorobenzene	U	1.0		µg/L	1	1/3/2007 5:18:00 PM
2,2-Dichloropropane	U	1.0		µg/L	1	1/3/2007 5:18:00 PM
2-Butanone	U	3.0		µg/L	1	1/3/2007 5:18:00 PM
2-Chloroethyl vinyl ether	U	1.0		µg/L	1	1/3/2007 5:18:00 PM
2-Chlorotoluene	U	1.0		µg/L	1	1/3/2007 5:18:00 PM
2-Hexanone	U	2.0		µg/L	1	1/3/2007 5:18:00 PM
4-Chlorotoluene	U	1.0		µg/L	1	1/3/2007 5:18:00 PM
4-Isopropyltoluene	U	1.0		µg/L	1	1/3/2007 5:18:00 PM
4-Methyl-2-pentanone	U	2.0		µg/L	1	1/3/2007 5:18:00 PM
Acetone	U	2.0		µg/L	1	1/3/2007 5:18:00 PM
Benzene	U	1.0		µg/L	1	1/3/2007 5:18:00 PM
Bromobenzene	U	1.0		µg/L	1	1/3/2007 5:18:00 PM
Bromochloromethane	U	1.0		µg/L	1	1/3/2007 5:18:00 PM
Bromodichloromethane	U	1.0		µg/L	1	1/3/2007 5:18:00 PM
Bromoform	U	1.0		µg/L	1	1/3/2007 5:18:00 PM
Bromomethane	U	1.0		µg/L	1	1/3/2007 5:18:00 PM
Carbon disulfide	U	1.0		µg/L	1	1/3/2007 5:18:00 PM
Carbon tetrachloride	U	1.0		µg/L	1	1/3/2007 5:18:00 PM
Chlorobenzene	U	1.0		µg/L	1	1/3/2007 5:18:00 PM

Qualifiers:	B	Analyte detected in the associated Method Blank	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	S	Spike Recovery outside accepted recovery limits
	U	Indicates the compound was analyzed for but not detected	X	Value exceeds Maximum Contaminant Level

American Analytical Laboratories, LLC.

Date: 09-Jan-07

CLIENT: Leggette Brashears & Graham Inc.
Lab Order: 0612229
Project: Rowe Industries
Lab ID: 0612229-01A

Client Sample ID: WQ122706:800 NP2-6
Tag Number: 10289
Collection Date: 12/27/2006
Matrix: LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILE SW-846 8260 PLUS MTBE & FREON11		SW8260B		Analyst: LDS		
Chloroethane	U	1.0		µg/L	1	1/3/2007 5:18:00 PM
Chloroform	U	1.0		µg/L	1	1/3/2007 5:18:00 PM
Chloromethane	U	1.0		µg/L	1	1/3/2007 5:18:00 PM
cis-1,2-Dichloroethene	U	1.0		µg/L	1	1/3/2007 5:18:00 PM
cis-1,3-Dichloropropene	U	1.0		µg/L	1	1/3/2007 5:18:00 PM
Dibromochloromethane	U	1.0		µg/L	1	1/3/2007 5:18:00 PM
Dibromomethane	U	1.0		µg/L	1	1/3/2007 5:18:00 PM
Dichlorodifluoromethane	U	1.0		µg/L	1	1/3/2007 5:18:00 PM
Ethylbenzene	U	1.0		µg/L	1	1/3/2007 5:18:00 PM
Hexachlorobutadiene	U	1.0		µg/L	1	1/3/2007 5:18:00 PM
Isopropylbenzene	U	1.0		µg/L	1	1/3/2007 5:18:00 PM
m,p-Xylene	U	2.0		µg/L	1	1/3/2007 5:18:00 PM
Methyl tert-butyl ether	U	1.0		µg/L	1	1/3/2007 5:18:00 PM
Methylene chloride	U	1.0		µg/L	1	1/3/2007 5:18:00 PM
Naphthalene	U	1.0		µg/L	1	1/3/2007 5:18:00 PM
n-Butylbenzene	U	1.0		µg/L	1	1/3/2007 5:18:00 PM
n-Propylbenzene	U	1.0		µg/L	1	1/3/2007 5:18:00 PM
o-Xylene	U	1.0		µg/L	1	1/3/2007 5:18:00 PM
sec-Butylbenzene	U	1.0		µg/L	1	1/3/2007 5:18:00 PM
Styrene	U	1.0		µg/L	1	1/3/2007 5:18:00 PM
tert-Butylbenzene	U	1.0		µg/L	1	1/3/2007 5:18:00 PM
Tetrachloroethene	2.9	1.0		µg/L	1	1/3/2007 5:18:00 PM
Toluene	U	1.0		µg/L	1	1/3/2007 5:18:00 PM
trans-1,2-Dichloroethene	U	1.0		µg/L	1	1/3/2007 5:18:00 PM
trans-1,3-Dichloropropene	U	1.0		µg/L	1	1/3/2007 5:18:00 PM
Trichloroethene	U	1.0		µg/L	1	1/3/2007 5:18:00 PM
Trichlorofluoromethane	U	1.0		µg/L	1	1/3/2007 5:18:00 PM
Vinyl acetate	U	1.0		µg/L	1	1/3/2007 5:18:00 PM
Vinyl chloride	U	1.0		µg/L	1	1/3/2007 5:18:00 PM
Surr: 4-Bromofluorobenzene	105	69-134		%REC	1	1/3/2007 5:18:00 PM
Surr: Dibromofluoromethane	102	70-135		%REC	1	1/3/2007 5:18:00 PM
Surr: Toluene-d8	115	71-123		%REC	1	1/3/2007 5:18:00 PM

Qualifiers:	B	Analyte detected in the associated Method Blank	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	S	Spike Recovery outside accepted recovery limits
	U	Indicates the compound was analyzed for but not detected	X	Value exceeds Maximum Contaminant Level

American Analytical Laboratories, LLC.**Date:** 09-Jan-07**CLIENT:** Leggette Brashears & Graham Inc.**Client Sample ID:** WQ122706:800 NP2-6**Lab Order:** 0612229**Tag Number:** 10289**Project:** Rowe Industries**Collection Date:** 12/27/2006**Lab ID:** 0612229-01B**Matrix:** LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
TOTAL IRON		E200.7		SW3010A		Analyst: JP
Iron	38.5	0.0200		mg/L	1	1/5/2007 10:00:25 AM

Qualifiers:	B	Analyte detected in the associated Method Blank	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	S	Spike Recovery outside accepted recovery limits
	U	Indicates the compound was analyzed for but not detected	X	Value exceeds Maximum Contaminant Level

American Analytical Laboratories, LLC.**Date:** 09-Jan-07**CLIENT:** Leggette Brashears & Graham Inc.**Client Sample ID:** WQ122706:800 NP2-6**Lab Order:** 0612229**Tag Number:** 10289**Project:** Rowe Industries**Collection Date:** 12/27/2006**Lab ID:** 0612229-01C**Matrix:** LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
DISSOLVED IRON		E200.7		SW3005A		Analyst: JP
Iron	U	0.0200		mg/L	1	1/5/2007 9:57:31 AM

Qualifiers:

B Analyte detected in the associated Method Blank

H Holding times for preparation or analysis exceeded

ND Not Detected at the Reporting Limit

U Indicates the compound was analyzed for but not detected

E Value above quantitation range

J Analyte detected below quantitation limits

S Spike Recovery outside accepted recovery limits

X Value exceeds Maximum Contaminant Level

American Analytical Laboratories, LLC.

Date: 09-Jan-07

CLIENT: Leggette Brashears & Graham Inc.
Lab Order: 0612229
Project: Rowe Industries
Lab ID: 0612229-02A

Client Sample ID: WQ122706:805 NP2-7
Tag Number: 10289
Collection Date: 12/27/2006
Matrix: LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILE SW-846 8260 PLUS MTBE & FREON11		SW8260B		Analyst: LDS		
1,1,1,2-Tetrachloroethane	U	1.0		µg/L	1	1/3/2007 5:56:00 PM
1,1,1-Trichloroethane	U	1.0		µg/L	1	1/3/2007 5:56:00 PM
1,1,2,2-Tetrachloroethane	U	1.0		µg/L	1	1/3/2007 5:56:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	U	1.0		µg/L	1	1/3/2007 5:56:00 PM
1,1,2-Trichloroethane	U	1.0		µg/L	1	1/3/2007 5:56:00 PM
1,1-Dichloroethane	U	1.0		µg/L	1	1/3/2007 5:56:00 PM
1,1-Dichloroethene	U	1.0		µg/L	1	1/3/2007 5:56:00 PM
1,1-Dichloropropene	U	1.0		µg/L	1	1/3/2007 5:56:00 PM
1,2,3-Trichlorobenzene	U	1.0		µg/L	1	1/3/2007 5:56:00 PM
1,2,3-Trichloropropane	U	1.0		µg/L	1	1/3/2007 5:56:00 PM
1,2,4-Trichlorobenzene	U	1.0		µg/L	1	1/3/2007 5:56:00 PM
1,2,4-Trimethylbenzene	U	1.0		µg/L	1	1/3/2007 5:56:00 PM
1,2-Dibromo-3-chloropropane	U	1.0		µg/L	1	1/3/2007 5:56:00 PM
1,2-Dibromoethane	U	1.0		µg/L	1	1/3/2007 5:56:00 PM
1,2-Dichlorobenzene	U	1.0		µg/L	1	1/3/2007 5:56:00 PM
1,2-Dichloroethane	U	1.0		µg/L	1	1/3/2007 5:56:00 PM
1,2-Dichloropropane	U	1.0		µg/L	1	1/3/2007 5:56:00 PM
1,3,5-Trimethylbenzene	U	1.0		µg/L	1	1/3/2007 5:56:00 PM
1,3-Dichlorobenzene	U	1.0		µg/L	1	1/3/2007 5:56:00 PM
1,3-dichloropropane	U	1.0		µg/L	1	1/3/2007 5:56:00 PM
1,4-Dichlorobenzene	U	1.0		µg/L	1	1/3/2007 5:56:00 PM
2,2-Dichloropropane	U	1.0		µg/L	1	1/3/2007 5:56:00 PM
2-Butanone	U	3.0		µg/L	1	1/3/2007 5:56:00 PM
2-Chloroethyl vinyl ether	U	1.0		µg/L	1	1/3/2007 5:56:00 PM
2-Chlorotoluene	U	1.0		µg/L	1	1/3/2007 5:56:00 PM
2-Hexanone	U	2.0		µg/L	1	1/3/2007 5:56:00 PM
4-Chlorotoluene	U	1.0		µg/L	1	1/3/2007 5:56:00 PM
4-Isopropyltoluene	U	1.0		µg/L	1	1/3/2007 5:56:00 PM
4-Methyl-2-pentanone	U	2.0		µg/L	1	1/3/2007 5:56:00 PM
Acetone	U	2.0		µg/L	1	1/3/2007 5:56:00 PM
Benzene	U	1.0		µg/L	1	1/3/2007 5:56:00 PM
Bromobenzene	U	1.0		µg/L	1	1/3/2007 5:56:00 PM
Bromochloromethane	U	1.0		µg/L	1	1/3/2007 5:56:00 PM
Bromodichloromethane	U	1.0		µg/L	1	1/3/2007 5:56:00 PM
Bromoform	U	1.0		µg/L	1	1/3/2007 5:56:00 PM
Bromomethane	U	1.0		µg/L	1	1/3/2007 5:56:00 PM
Carbon disulfide	U	1.0		µg/L	1	1/3/2007 5:56:00 PM
Carbon tetrachloride	U	1.0		µg/L	1	1/3/2007 5:56:00 PM
Chlorobenzene	U	1.0		µg/L	1	1/3/2007 5:56:00 PM

Qualifiers:	B	Analyte detected in the associated Method Blank	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	S	Spike Recovery outside accepted recovery limits
	U	Indicates the compound was analyzed for but not detected	X	Value exceeds Maximum Contaminant Level

American Analytical Laboratories, LLC.

Date: 09-Jan-07

CLIENT: Leggette Brashears & Graham Inc.
Lab Order: 0612229
Project: Rowe Industries
Lab ID: 0612229-02A

Client Sample ID: WQ122706:805 NP2-7
Tag Number: 10289
Collection Date: 12/27/2006
Matrix: LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILE SW-846 8260 PLUS MTBE & FREON11		SW8260B		Analyst: LDS		
Chloroethane	U	1.0		µg/L	1	1/3/2007 5:56:00 PM
Chloroform	U	1.0		µg/L	1	1/3/2007 5:56:00 PM
Chloromethane	U	1.0		µg/L	1	1/3/2007 5:56:00 PM
cis-1,2-Dichloroethene	U	1.0		µg/L	1	1/3/2007 5:56:00 PM
cis-1,3-Dichloropropene	U	1.0		µg/L	1	1/3/2007 5:56:00 PM
Dibromochloromethane	U	1.0		µg/L	1	1/3/2007 5:56:00 PM
Dibromomethane	U	1.0		µg/L	1	1/3/2007 5:56:00 PM
Dichlorodifluoromethane	U	1.0		µg/L	1	1/3/2007 5:56:00 PM
Ethylbenzene	U	1.0		µg/L	1	1/3/2007 5:56:00 PM
Hexachlorobutadiene	U	1.0		µg/L	1	1/3/2007 5:56:00 PM
Isopropylbenzene	U	1.0		µg/L	1	1/3/2007 5:56:00 PM
m,p-Xylene	U	2.0		µg/L	1	1/3/2007 5:56:00 PM
Methyl tert-butyl ether	U	1.0		µg/L	1	1/3/2007 5:56:00 PM
Methylene chloride	U	1.0		µg/L	1	1/3/2007 5:56:00 PM
Naphthalene	U	1.0		µg/L	1	1/3/2007 5:56:00 PM
n-Butylbenzene	U	1.0		µg/L	1	1/3/2007 5:56:00 PM
n-Propylbenzene	U	1.0		µg/L	1	1/3/2007 5:56:00 PM
o-Xylene	U	1.0		µg/L	1	1/3/2007 5:56:00 PM
sec-Butylbenzene	U	1.0		µg/L	1	1/3/2007 5:56:00 PM
Styrene	U	1.0		µg/L	1	1/3/2007 5:56:00 PM
tert-Butylbenzene	U	1.0		µg/L	1	1/3/2007 5:56:00 PM
Tetrachloroethene	U	1.0		µg/L	1	1/3/2007 5:56:00 PM
Toluene	U	1.0		µg/L	1	1/3/2007 5:56:00 PM
trans-1,2-Dichloroethene	U	1.0		µg/L	1	1/3/2007 5:56:00 PM
trans-1,3-Dichloropropene	U	1.0		µg/L	1	1/3/2007 5:56:00 PM
Trichloroethene	U	1.0		µg/L	1	1/3/2007 5:56:00 PM
Trichlorofluoromethane	U	1.0		µg/L	1	1/3/2007 5:56:00 PM
Vinyl acetate	U	1.0		µg/L	1	1/3/2007 5:56:00 PM
Vinyl chloride	U	1.0		µg/L	1	1/3/2007 5:56:00 PM
Surr: 4-Bromofluorobenzene	113	69-134		%REC	1	1/3/2007 5:56:00 PM
Surr: Dibromofluoromethane	111	70-135		%REC	1	1/3/2007 5:56:00 PM
Surr: Toluene-d8	120	71-123		%REC	1	1/3/2007 5:56:00 PM

Qualifiers:	B	Analyte detected in the associated Method Blank	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	S	Spike Recovery outside accepted recovery limits
	U	Indicates the compound was analyzed for but not detected	X	Value exceeds Maximum Contaminant Level

American Analytical Laboratories, LLC.**Date:** 09-Jan-07**CLIENT:** Leggette Brashears & Graham Inc.**Client Sample ID:** WQ122706:805 NP2-7**Lab Order:** 0612229**Tag Number:** 10289**Project:** Rowe Industries**Collection Date:** 12/27/2006**Lab ID:** 0612229-02B**Matrix:** LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
TOTAL IRON		E200.7		SW3010A		Analyst: JP
Iron	25.4	0.0200		mg/L	1	1/5/2007 10:05:19 AM

Qualifiers:	B	Analyte detected in the associated Method Blank	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	S	Spike Recovery outside accepted recovery limits
	U	Indicates the compound was analyzed for but not detected	X	Value exceeds Maximum Contaminant Level

American Analytical Laboratories, LLC.

Date: 09-Jan-07

CLIENT: Leggette Brashears & Graham Inc.**Client Sample ID:** WQ122706:805 NP2-7**Lab Order:** 0612229**Tag Number:** 10289**Project:** Rowe Industries**Collection Date:** 12/27/2006**Lab ID:** 0612229-02C**Matrix:** LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
DISSOLVED IRON		E200.7		SW3005A		Analyst: JP
Iron	0.0685	0.0200		mg/L	1	1/5/2007 10:02:23 AM

Qualifiers:	B	Analyte detected in the associated Method Blank	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	S	Spike Recovery outside accepted recovery limits
	U	Indicates the compound was analyzed for but not detected	X	Value exceeds Maximum Contaminant Level

American Analytical Laboratories, LLC.

Date: 09-Jan-07

CLIENT: Leggette Brashears & Graham Inc.
Lab Order: 0612229
Project: Rowe Industries
Lab ID: 0612229-03A

Client Sample ID: WQ122706:810 NP2-10
Tag Number: 10289
Collection Date: 12/27/2006
Matrix: LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILE SW-846 8260 PLUS MTBE & FREON11		SW8260B		Analyst: LDS		
1,1,1,2-Tetrachloroethane	U	1.0		µg/L	1	1/3/2007 6:33:00 PM
1,1,1-Trichloroethane	U	1.0		µg/L	1	1/3/2007 6:33:00 PM
1,1,2,2-Tetrachloroethane	U	1.0		µg/L	1	1/3/2007 6:33:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	U	1.0		µg/L	1	1/3/2007 6:33:00 PM
1,1,2-Trichloroethane	U	1.0		µg/L	1	1/3/2007 6:33:00 PM
1,1-Dichloroethane	U	1.0		µg/L	1	1/3/2007 6:33:00 PM
1,1-Dichloroethene	U	1.0		µg/L	1	1/3/2007 6:33:00 PM
1,1-Dichloropropene	U	1.0		µg/L	1	1/3/2007 6:33:00 PM
1,2,3-Trichlorobenzene	U	1.0		µg/L	1	1/3/2007 6:33:00 PM
1,2,3-Trichloropropane	U	1.0		µg/L	1	1/3/2007 6:33:00 PM
1,2,4-Trichlorobenzene	U	1.0		µg/L	1	1/3/2007 6:33:00 PM
1,2,4-Trimethylbenzene	U	1.0		µg/L	1	1/3/2007 6:33:00 PM
1,2-Dibromo-3-chloropropane	U	1.0		µg/L	1	1/3/2007 6:33:00 PM
1,2-Dibromoethane	U	1.0		µg/L	1	1/3/2007 6:33:00 PM
1,2-Dichlorobenzene	U	1.0		µg/L	1	1/3/2007 6:33:00 PM
1,2-Dichloroethane	U	1.0		µg/L	1	1/3/2007 6:33:00 PM
1,2-Dichloropropane	U	1.0		µg/L	1	1/3/2007 6:33:00 PM
1,3,5-Trimethylbenzene	U	1.0		µg/L	1	1/3/2007 6:33:00 PM
1,3-Dichlorobenzene	U	1.0		µg/L	1	1/3/2007 6:33:00 PM
1,3-dichloropropane	U	1.0		µg/L	1	1/3/2007 6:33:00 PM
1,4-Dichlorobenzene	U	1.0		µg/L	1	1/3/2007 6:33:00 PM
2,2-Dichloropropane	U	1.0		µg/L	1	1/3/2007 6:33:00 PM
2-Butanone	U	3.0		µg/L	1	1/3/2007 6:33:00 PM
2-Chloroethyl vinyl ether	U	1.0		µg/L	1	1/3/2007 6:33:00 PM
2-Chlorotoluene	U	1.0		µg/L	1	1/3/2007 6:33:00 PM
2-Hexanone	U	2.0		µg/L	1	1/3/2007 6:33:00 PM
4-Chlorotoluene	U	1.0		µg/L	1	1/3/2007 6:33:00 PM
4-Isopropyltoluene	U	1.0		µg/L	1	1/3/2007 6:33:00 PM
4-Methyl-2-pentanone	U	2.0		µg/L	1	1/3/2007 6:33:00 PM
Acetone	U	2.0		µg/L	1	1/3/2007 6:33:00 PM
Benzene	U	1.0		µg/L	1	1/3/2007 6:33:00 PM
Bromobenzene	U	1.0		µg/L	1	1/3/2007 6:33:00 PM
Bromochloromethane	U	1.0		µg/L	1	1/3/2007 6:33:00 PM
Bromodichloromethane	U	1.0		µg/L	1	1/3/2007 6:33:00 PM
Bromoform	U	1.0		µg/L	1	1/3/2007 6:33:00 PM
Bromomethane	U	1.0		µg/L	1	1/3/2007 6:33:00 PM
Carbon disulfide	U	1.0		µg/L	1	1/3/2007 6:33:00 PM
Carbon tetrachloride	U	1.0		µg/L	1	1/3/2007 6:33:00 PM
Chlorobenzene	U	1.0		µg/L	1	1/3/2007 6:33:00 PM

Qualifiers:	B	Analyte detected in the associated Method Blank	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	S	Spike Recovery outside accepted recovery limits
	U	Indicates the compound was analyzed for but not detecte	X	Value exceeds Maximum Contaminant Level

American Analytical Laboratories, LLC.

Date: 09-Jan-07

CLIENT: Leggette Brashears & Graham Inc.
Lab Order: 0612229
Project: Rowe Industries
Lab ID: 0612229-03A

Client Sample ID: WQ122706:810 NP2-10
Tag Number: 10289
Collection Date: 12/27/2006
Matrix: LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILE SW-846 8260 PLUS MTBE & FREON11		SW8260B		Analyst: LDS		
Chloroethane	U	1.0		µg/L	1	1/3/2007 6:33:00 PM
Chloroform	U	1.0		µg/L	1	1/3/2007 6:33:00 PM
Chloromethane	U	1.0		µg/L	1	1/3/2007 6:33:00 PM
cis-1,2-Dichloroethene	U	1.0		µg/L	1	1/3/2007 6:33:00 PM
cis-1,3-Dichloropropene	U	1.0		µg/L	1	1/3/2007 6:33:00 PM
Dibromochloromethane	U	1.0		µg/L	1	1/3/2007 6:33:00 PM
Dibromomethane	U	1.0		µg/L	1	1/3/2007 6:33:00 PM
Dichlorodifluoromethane	U	1.0		µg/L	1	1/3/2007 6:33:00 PM
Ethylbenzene	U	1.0		µg/L	1	1/3/2007 6:33:00 PM
Hexachlorobutadiene	U	1.0		µg/L	1	1/3/2007 6:33:00 PM
Isopropylbenzene	U	1.0		µg/L	1	1/3/2007 6:33:00 PM
m,p-Xylene	U	2.0		µg/L	1	1/3/2007 6:33:00 PM
Methyl tert-butyl ether	U	1.0		µg/L	1	1/3/2007 6:33:00 PM
Methylene chloride	U	1.0		µg/L	1	1/3/2007 6:33:00 PM
Naphthalene	U	1.0		µg/L	1	1/3/2007 6:33:00 PM
n-Butylbenzene	U	1.0		µg/L	1	1/3/2007 6:33:00 PM
n-Propylbenzene	U	1.0		µg/L	1	1/3/2007 6:33:00 PM
o-Xylene	U	1.0		µg/L	1	1/3/2007 6:33:00 PM
sec-Butylbenzene	U	1.0		µg/L	1	1/3/2007 6:33:00 PM
Styrene	U	1.0		µg/L	1	1/3/2007 6:33:00 PM
tert-Butylbenzene	U	1.0		µg/L	1	1/3/2007 6:33:00 PM
Tetrachloroethene	U	1.0		µg/L	1	1/3/2007 6:33:00 PM
Toluene	U	1.0		µg/L	1	1/3/2007 6:33:00 PM
trans-1,2-Dichloroethene	U	1.0		µg/L	1	1/3/2007 6:33:00 PM
trans-1,3-Dichloropropene	U	1.0		µg/L	1	1/3/2007 6:33:00 PM
Trichloroethene	U	1.0		µg/L	1	1/3/2007 6:33:00 PM
Trichlorofluoromethane	U	1.0		µg/L	1	1/3/2007 6:33:00 PM
Vinyl acetate	U	1.0		µg/L	1	1/3/2007 6:33:00 PM
Vinyl chloride	U	1.0		µg/L	1	1/3/2007 6:33:00 PM
Surr: 4-Bromofluorobenzene	110	69-134		%REC	1	1/3/2007 6:33:00 PM
Surr: Dibromofluoromethane	84.9	70-135		%REC	1	1/3/2007 6:33:00 PM
Surr: Toluene-d8	120	71-123		%REC	1	1/3/2007 6:33:00 PM

Qualifiers:	B	Analyte detected in the associated Method Blank	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	S	Spike Recovery outside accepted recovery limits
	U	Indicates the compound was analyzed for but not detected	X	Value exceeds Maximum Contaminant Level

American Analytical Laboratories, LLC.**Date:** 09-Jan-07**CLIENT:** Leggette Brashears & Graham Inc.**Client Sample ID:** WQ122706:810 NP2-10**Lab Order:** 0612229**Tag Number:** 10289**Project:** Rowe Industries**Collection Date:** 12/27/2006**Lab ID:** 0612229-03B**Matrix:** LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
TOTAL IRON		E200.7		SW3010A		Analyst: JP
Iron	50.5	0.0200		mg/L	1	1/5/2007 10:09:51 AM

Qualifiers:	B	Analyte detected in the associated Method Blank	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	S	Spike Recovery outside accepted recovery limits
	U	Indicates the compound was analyzed for but not detected	X	Value exceeds Maximum Contaminant Level

American Analytical Laboratories, LLC.

Date: 09-Jan-07

CLIENT: Leggette Brashears & Graham Inc.
Lab Order: 0612229
Project: Rowe Industries
Lab ID: 0612229-03C

Client Sample ID: WQ122706:810 NP2-10
Tag Number: 10289
Collection Date: 12/27/2006
Matrix: LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
DISSOLVED IRON		E200.7		SW3005A		Analyst: JP
Iron	0.0681	0.0200		mg/L	1	1/5/2007 10:07:17 AM
TOTAL DISSOLVED SOLIDS		E160.1				Analyst: JC
Total Dissolved Solids (Residue, Filterable)	84.0	1.00		mg/L	1	1/3/2007

Qualifiers:	B	Analyte detected in the associated Method Blank	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	S	Spike Recovery outside accepted recovery limits
	U	Indicates the compound was analyzed for but not detected	X	Value exceeds Maximum Contaminant Level



NYSDOH 11418
NJDEP NY050
CTDOH PH-0205
PADEP 68-00573

Friday, December 29, 2006

Mark Goldberg
Leggette Brashears & Graham Inc.
4 Research Drive
Suite 301
Shelton, CT 06484

TEL: (203) 929-8555

FAX (203) 926-9140

RE: Rowe Industries

Order No.: 0612189

Dear Mark Goldberg:

American Analytical Laboratories, LLC. received 7 sample(s) on 12/22/2006 for the analyses presented in the following report.


Samples were analyzed in accordance with the test procedures documented on the chain of custody and detailed throughout the text of this report.

The limits provided in the data package are analytical reporting limits and not Federal or Local mandated values to which the sample results should be compared.

There were no problems with the analyses and all data for associated QC met laboratory specifications. If there are any exceptions a Case Narrative is provided in the report.

If you have any questions regarding these tests results, please do not hesitate to call (631) 454-6100 or email me directly at lbeyer@american-analytical.com.

Sincerely,


Lori Beyer
Lab Director

American Analytical Laboratories, LLC.

Date: 29-Dec-06

CLIENT: Leggette Brashears & Graham Inc.**Project:** Rowe Industries**Lab Order:** 0612189**Work Order Sample Summary**

Lab Sample ID	Client Sample ID	Tag Number	Date Collected	Date Received
0612189-01A	GWQ122006:900NP1-1-2	12812	12/20/2006 9:00:00 AM	12/22/2006
0612189-01B	GWQ122006:900NP1-1-2	12812	12/20/2006 9:00:00 AM	12/22/2006
0612189-01C	GWQ122006:900NP1-1-2	12812	12/20/2006 9:00:00 AM	12/22/2006
0612189-01D	GWQ122006:900NP1-1-2	12812	12/20/2006 9:00:00 AM	12/22/2006
0612189-02A	GWQ122006:910NP1-1-3	12812	12/20/2006 9:10:00 AM	12/22/2006
0612189-02B	GWQ122006:910NP1-1-3	12812	12/20/2006 9:10:00 AM	12/22/2006
0612189-02C	GWQ122006:910NP1-1-3	12812	12/20/2006 9:10:00 AM	12/22/2006
0612189-02D	GWQ122006:910NP1-1-3	12812	12/20/2006 9:10:00 AM	12/22/2006
0612189-03A	GWQ122006:920NP1-1-4	12812	12/20/2006 9:20:00 AM	12/22/2006
0612189-03B	GWQ122006:920NP1-1-4	12812	12/20/2006 9:20:00 AM	12/22/2006
0612189-03C	GWQ122006:920NP1-1-4	12812	12/20/2006 9:20:00 AM	12/22/2006
0612189-03D	GWQ122006:920NP1-1-4	12812	12/20/2006 9:20:00 AM	12/22/2006
0612189-04A	GWQ122006:930NP1-1-5	12812	12/20/2006 9:30:00 AM	12/22/2006
0612189-04B	GWQ122006:930NP1-1-5	12812	12/20/2006 9:30:00 AM	12/22/2006
0612189-04C	GWQ122006:930NP1-1-5	12812	12/20/2006 9:30:00 AM	12/22/2006
0612189-04D	GWQ122006:930NP1-1-5	12812	12/20/2006 9:30:00 AM	12/22/2006
0612189-05A	GWQ122006:940NP1-1-6	12812	12/20/2006 9:40:00 AM	12/22/2006
0612189-05B	GWQ122006:940NP1-1-6	12812	12/20/2006 9:40:00 AM	12/22/2006
0612189-05C	GWQ122006:940NP1-1-6	12812	12/20/2006 9:40:00 AM	12/22/2006
0612189-05D	GWQ122006:940NP1-1-6	12812	12/20/2006 9:40:00 AM	12/22/2006
0612189-06A	GWQ122006:1000NP1-1-8	12812	12/20/2006 10:00:00 AM	12/22/2006
0612189-06B	GWQ122006:1000NP1-1-8	12812	12/20/2006 10:00:00 AM	12/22/2006
0612189-06C	GWQ122006:1000NP1-1-8	12812	12/20/2006 10:00:00 AM	12/22/2006
0612189-06D	GWQ122006:1000NP1-1-8	12812	12/20/2006 10:00:00 AM	12/22/2006
0612189-07A	GWQ122006:1010NP1-1-9	12812	12/20/2006 10:10:00 AM	12/22/2006
0612189-07B	GWQ122006:1010NP1-1-9	12812	12/20/2006 10:10:00 AM	12/22/2006
0612189-07C	GWQ122006:1010NP1-1-9	12812	12/20/2006 10:10:00 AM	12/22/2006
0612189-07D	GWQ122006:1010NP1-1-9	12812	12/20/2006 10:10:00 AM	12/22/2006

AMERICAN ANALYTICAL LABORATORIES, LLC

56 TOLEDO STREET

FARMINGDALE, NEW YORK 11735

TELEPHONE: (631) 454-6100

FAX: (631) 454-8027

DATA REPORTING QUALIFIERS

For reporting results, the following "Results Qualifiers" are used:

Value	If the result is greater than or equal to the detection limit, report the value
U	Indicates the compound was analyzed for but was not detected. Report the minimum detection limit for the sample with the U, i.e. "10U". This is not necessarily the instrument detection limit attainable for this particular sample based on any concentration or dilution that may have been required.
J	Indicates an estimated value. The flag is used: (1) When estimating a concentration for a tentatively identified compound (library search hits, where a 1:1 response is assumed.) (2) When the mass spectral data indicated the identification, however the result was less than the specified detection limit greater than zero. If the detection limit was 10ug/L and a concentration of 3ug/L was calculated report as 3J. This flag is used when similar situations arise on any organic parameter i.e. Pesticide, PCBs and others.
B	Indicates the analyte was found in the blank as well as the sample report "10B".
E	Indicates the analytes concentration exceeds the calibrated range of the instrument for that specific analysis.
D	This flag identifies all compounds identified in an analysis at a secondary dilution factor.
P	This flag is used for Pesticide / PCB target analyte when there is >25% difference for detected concentrations between the two GC Columns. The higher of the two values is reported on Form I and flagged with a "P".
N	This flag indicates presumptive evidence of a compound. This is only used for tentatively identified compounds (TICs), where the identification is based on a mass spectral library search. It applies to all TIC results. For generic characterization of a TIC, such as chlorinated hydrocarbon, the flag is not used.
H	Indicates sample was received and/or analyzed outside of The method allowable holding time

American Analytical Laboratories, LLC.

Date: 29-Dec-06

CLIENT: Leggette Brashears & Graham Inc.
Lab Order: 0612189
Project: Rowe Industries
Lab ID: 0612189-01A

Client Sample ID: GWQ122006:900NP1-1-2
Tag Number: 12812
Collection Date: 12/20/2006 9:00:00 AM
Matrix: LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILE SW-846 8260 PLUS MTBE & FREON11						
		SW8260B		SW5030A		Analyst: SB
1,1,1,2-Tetrachloroethane	U	1.0		µg/L	1	12/27/2006 9:19:00 PM
1,1,1-Trichloroethane	110	1.0		µg/L	1	12/27/2006 9:19:00 PM
1,1,2,2-Tetrachloroethane	U	1.0		µg/L	1	12/27/2006 9:19:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	U	1.0		µg/L	1	12/27/2006 9:19:00 PM
1,1,2-Trichloroethane	U	1.0		µg/L	1	12/27/2006 9:19:00 PM
1,1-Dichloroethane	U	1.0		µg/L	1	12/27/2006 9:19:00 PM
1,1-Dichloroethene	U	1.0		µg/L	1	12/27/2006 9:19:00 PM
1,1-Dichloropropene	U	1.0		µg/L	1	12/27/2006 9:19:00 PM
1,2,3-Trichlorobenzene	U	1.0		µg/L	1	12/27/2006 9:19:00 PM
1,2,3-Trichloropropane	U	1.0		µg/L	1	12/27/2006 9:19:00 PM
1,2,4-Trichlorobenzene	U	1.0		µg/L	1	12/27/2006 9:19:00 PM
1,2,4-Trimethylbenzene	U	1.0		µg/L	1	12/27/2006 9:19:00 PM
1,2-Dibromo-3-chloropropane	U	1.0		µg/L	1	12/27/2006 9:19:00 PM
1,2-Dibromoethane	U	1.0		µg/L	1	12/27/2006 9:19:00 PM
1,2-Dichlorobenzene	U	1.0		µg/L	1	12/27/2006 9:19:00 PM
1,2-Dichloroethane	U	1.0		µg/L	1	12/27/2006 9:19:00 PM
1,2-Dichloropropane	U	1.0		µg/L	1	12/27/2006 9:19:00 PM
1,3,5-Trimethylbenzene	U	1.0		µg/L	1	12/27/2006 9:19:00 PM
1,3-Dichlorobenzene	U	1.0		µg/L	1	12/27/2006 9:19:00 PM
1,3-dichloropropane	U	1.0		µg/L	1	12/27/2006 9:19:00 PM
1,4-Dichlorobenzene	U	1.0		µg/L	1	12/27/2006 9:19:00 PM
2,2-Dichloropropane	U	1.0		µg/L	1	12/27/2006 9:19:00 PM
2-Butanone	U	3.0		µg/L	1	12/27/2006 9:19:00 PM
2-Chloroethyl vinyl ether	U	1.0		µg/L	1	12/27/2006 9:19:00 PM
2-Chlorotoluene	U	1.0		µg/L	1	12/27/2006 9:19:00 PM
2-Hexanone	U	2.0		µg/L	1	12/27/2006 9:19:00 PM
4-Chlorotoluene	U	1.0		µg/L	1	12/27/2006 9:19:00 PM
4-Isopropyltoluene	U	1.0		µg/L	1	12/27/2006 9:19:00 PM
4-Methyl-2-pentanone	U	2.0		µg/L	1	12/27/2006 9:19:00 PM
Acetone	U	2.0		µg/L	1	12/27/2006 9:19:00 PM
Benzene	U	1.0		µg/L	1	12/27/2006 9:19:00 PM
Bromobenzene	U	1.0		µg/L	1	12/27/2006 9:19:00 PM
Bromochloromethane	U	1.0		µg/L	1	12/27/2006 9:19:00 PM
Bromodichloromethane	U	1.0		µg/L	1	12/27/2006 9:19:00 PM
Bromoform	U	1.0		µg/L	1	12/27/2006 9:19:00 PM
Bromomethane	U	1.0		µg/L	1	12/27/2006 9:19:00 PM
Carbon disulfide	U	1.0		µg/L	1	12/27/2006 9:19:00 PM
Carbon tetrachloride	12	1.0		µg/L	1	12/27/2006 9:19:00 PM
Chlorobenzene	U	1.0		µg/L	1	12/27/2006 9:19:00 PM

Qualifiers:	B	Analyte detected in the associated Method Blank	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	S	Spike Recovery outside accepted recovery limits
	U	Indicates the compound was analyzed for but not detected	X	Value exceeds Maximum Contaminant Level

American Analytical Laboratories, LLC.

Date: 29-Dec-06

CLIENT: Leggette Brashears & Graham Inc.
Lab Order: 0612189
Project: Rowe Industries
Lab ID: 0612189-01A

Client Sample ID: GWQ122006:900NP1-1-2
Tag Number: 12812
Collection Date: 12/20/2006 9:00:00 AM
Matrix: LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILE SW-846 8260 PLUS MTBE & FREON11						
		SW8260B		SW5030A		Analyst: SB
Chloroethane	U	1.0		µg/L	1	12/27/2006 9:19:00 PM
Chloroform	U	1.0		µg/L	1	12/27/2006 9:19:00 PM
Chloromethane	U	1.0		µg/L	1	12/27/2006 9:19:00 PM
cis-1,2-Dichloroethene	2.8	1.0		µg/L	1	12/27/2006 9:19:00 PM
cis-1,3-Dichloropropene	U	1.0		µg/L	1	12/27/2006 9:19:00 PM
Dibromochloromethane	U	1.0		µg/L	1	12/27/2006 9:19:00 PM
Dibromomethane	U	1.0		µg/L	1	12/27/2006 9:19:00 PM
Dichlorodifluoromethane	U	1.0		µg/L	1	12/27/2006 9:19:00 PM
Ethylbenzene	U	1.0		µg/L	1	12/27/2006 9:19:00 PM
Hexachlorobutadiene	U	1.0		µg/L	1	12/27/2006 9:19:00 PM
Isopropylbenzene	U	1.0		µg/L	1	12/27/2006 9:19:00 PM
m,p-Xylene	U	2.0		µg/L	1	12/27/2006 9:19:00 PM
Methyl tert-butyl ether	U	1.0		µg/L	1	12/27/2006 9:19:00 PM
Methylene chloride	U	1.0		µg/L	1	12/27/2006 9:19:00 PM
Naphthalene	U	1.0		µg/L	1	12/27/2006 9:19:00 PM
n-Butylbenzene	U	1.0		µg/L	1	12/27/2006 9:19:00 PM
n-Propylbenzene	U	1.0		µg/L	1	12/27/2006 9:19:00 PM
o-Xylene	U	1.0		µg/L	1	12/27/2006 9:19:00 PM
sec-Butylbenzene	U	1.0		µg/L	1	12/27/2006 9:19:00 PM
Styrene	U	1.0		µg/L	1	12/27/2006 9:19:00 PM
tert-Butylbenzene	U	1.0		µg/L	1	12/27/2006 9:19:00 PM
Tetrachloroethene	2.2	1.0		µg/L	1	12/27/2006 9:19:00 PM
Toluene	U	1.0		µg/L	1	12/27/2006 9:19:00 PM
trans-1,2-Dichloroethene	U	1.0		µg/L	1	12/27/2006 9:19:00 PM
trans-1,3-Dichloropropene	U	1.0		µg/L	1	12/27/2006 9:19:00 PM
Trichloroethene	U	1.0		µg/L	1	12/27/2006 9:19:00 PM
Trichlorofluoromethane	U	1.0		µg/L	1	12/27/2006 9:19:00 PM
Vinyl acetate	U	1.0		µg/L	1	12/27/2006 9:19:00 PM
Vinyl chloride	U	1.0		µg/L	1	12/27/2006 9:19:00 PM

Qualifiers:	B	Analyte detected in the associated Method Blank	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	S	Spike Recovery outside accepted recovery limits
	U	Indicates the compound was analyzed for but not detected	X	Value exceeds Maximum Contaminant Level

American Analytical Laboratories, LLC.

Date: 29-Dec-06

CLIENT:	Leggette Brashears & Graham Inc.	Client Sample ID:	GWQ122006:900NP1-1-2
Lab Order:	0612189	Tag Number:	12812
Project:	Rowe Industries	Collection Date:	12/20/2006 9:00:00 AM
Lab ID:	0612189-01B	Matrix:	LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
TOTAL IRON, MANGANESE		E200.7		SW3010A		Analyst: JP
Iron	11.8	0.0200		mg/L	1	12/27/2006 1:39:10 PM
Manganese	0.613	0.0200		mg/L	1	12/27/2006 1:39:10 PM

Qualifiers:	B	Analyte detected in the associated Method Blank	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	S	Spike Recovery outside accepted recovery limits
	U	Indicates the compound was analyzed for but not detected	X	Value exceeds Maximum Contaminant Level

American Analytical Laboratories, LLC.

Date: 29-Dec-06

CLIENT: Leggette Brashears & Graham Inc.
Lab Order: 0612189
Project: Rowe Industries
Lab ID: 0612189-01C

Client Sample ID: GWQ122006:900NP1-1-2
Tag Number: 12812
Collection Date: 12/20/2006 9:00:00 AM
Matrix: LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
DISSOLVED IRON, MANGANESE		E200.7		SW3005A		Analyst: JP
Iron	0.0197	0.0200	J	mg/L	1	12/27/2006 1:36:56 PM
Manganese	0.572	0.0200		mg/L	1	12/27/2006 1:36:56 PM

Qualifiers:	B	Analyte detected in the associated Method Blank	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	S	Spike Recovery outside accepted recovery limits
	U	Indicates the compound was analyzed for but not detected	X	Value exceeds Maximum Contaminant Level

American Analytical Laboratories, LLC.

Date: 29-Dec-06

CLIENT:	Leggette Brashears & Graham Inc.	Client Sample ID:	GWQ122006:900NP1-1-2
Lab Order:	0612189	Tag Number:	12812
Project:	Rowe Industries	Collection Date:	12/20/2006 9:00:00 AM
Lab ID:	0612189-01D	Matrix:	LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
HARDNESS		M2340 B				Analyst: JP
Hardness, Calcium/Magnesium (As CaCO3)	54.1	1.00		mg/L	1	12/27/2006
TURBIDITY		E180.1				Analyst: KK
Turbidity	4.90	1.00		NTU	1	12/22/2006
TOTAL DISSOLVED SOLIDS		E160.1				Analyst: JC
Total Dissolved Solids (Residue, Filterable)	120	1.00		mg/L	1	12/27/2006

Qualifiers:	B	Analyte detected in the associated Method Blank	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	S	Spike Recovery outside accepted recovery limits
	U	Indicates the compound was analyzed for but not detected	X	Value exceeds Maximum Contaminant Level

American Analytical Laboratories, LLC.

Date: 29-Dec-06

CLIENT: Leggette Brashears & Graham Inc.

Client Sample ID: GWQ122006:910NP1-1-3

Lab Order: 0612189

Tag Number: 12812

Project: Rowe Industries

Collection Date: 12/20/2006 9:10:00 AM

Lab ID: 0612189-02A

Matrix: LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILE SW-846 8260 PLUS MTBE & FREON11		SW8260B		SW5030A		Analyst: SB
1,1,1,2-Tetrachloroethane	U	1.0		µg/L	1	12/27/2006 9:59:00 PM
1,1,1-Trichloroethane	U	1.0		µg/L	1	12/27/2006 9:59:00 PM
1,1,2,2-Tetrachloroethane	U	1.0		µg/L	1	12/27/2006 9:59:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	U	1.0		µg/L	1	12/27/2006 9:59:00 PM
1,1,2-Trichloroethane	U	1.0		µg/L	1	12/27/2006 9:59:00 PM
1,1-Dichloroethane	U	1.0		µg/L	1	12/27/2006 9:59:00 PM
1,1-Dichloroethene	U	1.0		µg/L	1	12/27/2006 9:59:00 PM
1,1-Dichloropropene	U	1.0		µg/L	1	12/27/2006 9:59:00 PM
1,2,3-Trichlorobenzene	U	1.0		µg/L	1	12/27/2006 9:59:00 PM
1,2,3-Trichloropropane	U	1.0		µg/L	1	12/27/2006 9:59:00 PM
1,2,4-Trichlorobenzene	U	1.0		µg/L	1	12/27/2006 9:59:00 PM
1,2,4-Trimethylbenzene	U	1.0		µg/L	1	12/27/2006 9:59:00 PM
1,2-Dibromo-3-chloropropane	U	1.0		µg/L	1	12/27/2006 9:59:00 PM
1,2-Dibromoethane	U	1.0		µg/L	1	12/27/2006 9:59:00 PM
1,2-Dichlorobenzene	U	1.0		µg/L	1	12/27/2006 9:59:00 PM
1,2-Dichloroethane	U	1.0		µg/L	1	12/27/2006 9:59:00 PM
1,2-Dichloropropane	U	1.0		µg/L	1	12/27/2006 9:59:00 PM
1,3,5-Trimethylbenzene	U	1.0		µg/L	1	12/27/2006 9:59:00 PM
1,3-Dichlorobenzene	U	1.0		µg/L	1	12/27/2006 9:59:00 PM
1,3-dichloropropane	U	1.0		µg/L	1	12/27/2006 9:59:00 PM
1,4-Dichlorobenzene	U	1.0		µg/L	1	12/27/2006 9:59:00 PM
2,2-Dichloropropane	U	1.0		µg/L	1	12/27/2006 9:59:00 PM
2-Butanone	U	3.0		µg/L	1	12/27/2006 9:59:00 PM
2-Chloroethyl vinyl ether	U	1.0		µg/L	1	12/27/2006 9:59:00 PM
2-Chlorotoluene	U	1.0		µg/L	1	12/27/2006 9:59:00 PM
2-Hexanone	U	2.0		µg/L	1	12/27/2006 9:59:00 PM
4-Chlorotoluene	U	1.0		µg/L	1	12/27/2006 9:59:00 PM
4-Isopropyltoluene	U	1.0		µg/L	1	12/27/2006 9:59:00 PM
4-Methyl-2-pentanone	U	2.0		µg/L	1	12/27/2006 9:59:00 PM
Acetone	U	2.0		µg/L	1	12/27/2006 9:59:00 PM
Benzene	U	1.0		µg/L	1	12/27/2006 9:59:00 PM
Bromobenzene	U	1.0		µg/L	1	12/27/2006 9:59:00 PM
Bromochloromethane	U	1.0		µg/L	1	12/27/2006 9:59:00 PM
Bromodichloromethane	U	1.0		µg/L	1	12/27/2006 9:59:00 PM
Bromoform	U	1.0		µg/L	1	12/27/2006 9:59:00 PM
Bromomethane	U	1.0		µg/L	1	12/27/2006 9:59:00 PM
Carbon disulfide	U	1.0		µg/L	1	12/27/2006 9:59:00 PM
Carbon tetrachloride	U	1.0		µg/L	1	12/27/2006 9:59:00 PM
Chlorobenzene	U	1.0		µg/L	1	12/27/2006 9:59:00 PM

Qualifiers: B Analyte detected in the associated Method Blank
H Holding times for preparation or analysis exceeded
ND Not Detected at the Reporting Limit
U Indicates the compound was analyzed for but not detected

E Value above quantitation range
J Analyte detected below quantitation limits
S Spike Recovery outside accepted recovery limits
X Value exceeds Maximum Contaminant Level

American Analytical Laboratories, LLC.

Date: 29-Dec-06

CLIENT: Leggette Brashears & Graham Inc.
Lab Order: 0612189
Project: Rowe Industries
Lab ID: 0612189-02A

Client Sample ID: GWQ122006:910NP1-1-3
Tag Number: 12812
Collection Date: 12/20/2006 9:10:00 AM
Matrix: LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILE SW-846 8260 PLUS MTBE & FREON11		SW8260B		SW5030A		Analyst: SB
Chloroethane	U	1.0		µg/L	1	12/27/2006 9:59:00 PM
Chloroform	U	1.0		µg/L	1	12/27/2006 9:59:00 PM
Chloromethane	U	1.0		µg/L	1	12/27/2006 9:59:00 PM
cis-1,2-Dichloroethene	U	1.0		µg/L	1	12/27/2006 9:59:00 PM
cis-1,3-Dichloropropene	U	1.0		µg/L	1	12/27/2006 9:59:00 PM
Dibromochloromethane	U	1.0		µg/L	1	12/27/2006 9:59:00 PM
Dibromomethane	U	1.0		µg/L	1	12/27/2006 9:59:00 PM
Dichlorodifluoromethane	U	1.0		µg/L	1	12/27/2006 9:59:00 PM
Ethylbenzene	U	1.0		µg/L	1	12/27/2006 9:59:00 PM
Hexachlorobutadiene	U	1.0		µg/L	1	12/27/2006 9:59:00 PM
Isopropylbenzene	U	1.0		µg/L	1	12/27/2006 9:59:00 PM
m,p-Xylene	U	2.0		µg/L	1	12/27/2006 9:59:00 PM
Methyl tert-butyl ether	U	1.0		µg/L	1	12/27/2006 9:59:00 PM
Methylene chloride	U	1.0		µg/L	1	12/27/2006 9:59:00 PM
Naphthalene	U	1.0		µg/L	1	12/27/2006 9:59:00 PM
n-Butylbenzene	U	1.0		µg/L	1	12/27/2006 9:59:00 PM
n-Propylbenzene	U	1.0		µg/L	1	12/27/2006 9:59:00 PM
o-Xylene	U	1.0		µg/L	1	12/27/2006 9:59:00 PM
sec-Butylbenzene	U	1.0		µg/L	1	12/27/2006 9:59:00 PM
Styrene	U	1.0		µg/L	1	12/27/2006 9:59:00 PM
tert-Butylbenzene	U	1.0		µg/L	1	12/27/2006 9:59:00 PM
Tetrachloroethene	U	1.0		µg/L	1	12/27/2006 9:59:00 PM
Toluene	U	1.0		µg/L	1	12/27/2006 9:59:00 PM
trans-1,2-Dichloroethene	U	1.0		µg/L	1	12/27/2006 9:59:00 PM
trans-1,3-Dichloropropene	U	1.0		µg/L	1	12/27/2006 9:59:00 PM
Trichloroethene	U	1.0		µg/L	1	12/27/2006 9:59:00 PM
Trichlorofluoromethane	U	1.0		µg/L	1	12/27/2006 9:59:00 PM
Vinyl acetate	U	1.0		µg/L	1	12/27/2006 9:59:00 PM
Vinyl chloride	U	1.0		µg/L	1	12/27/2006 9:59:00 PM

Qualifiers:	B	Analyte detected in the associated Method Blank	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	S	Spike Recovery outside accepted recovery limits
	U	Indicates the compound was analyzed for but not detected	X	Value exceeds Maximum Contaminant Level

American Analytical Laboratories, LLC.

Date: 29-Dec-06

CLIENT:	Leggette Brashears & Graham Inc.	Client Sample ID:	GWQ122006:910NP1-1-3
Lab Order:	0612189	Tag Number:	12812
Project:	Rowe Industries	Collection Date:	12/20/2006 9:10:00 AM
Lab ID:	0612189-02B	Matrix:	LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
TOTAL IRON, MANGANESE		E200.7		SW3010A		Analyst: JP
Iron	3.62	0.0200		mg/L	1	12/27/2006 1:43:39 PM
Manganese	0.127	0.0200		mg/L	1	12/27/2006 1:43:39 PM

Qualifiers:	B	Analyte detected in the associated Method Blank	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	S	Spike Recovery outside accepted recovery limits
	U	Indicates the compound was analyzed for but not detected	X	Value exceeds Maximum Contaminant Level

American Analytical Laboratories, LLC.

Date: 29-Dec-06

CLIENT:	Leggette Brashears & Graham Inc.	Client Sample ID:	GWQ122006:910NP1-1-3
Lab Order:	0612189	Tag Number:	12812
Project:	Rowe Industries	Collection Date:	12/20/2006 9:10:00 AM
Lab ID:	0612189-02C	Matrix:	LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
DISSOLVED IRON, MANGANESE		E200.7		SW3005A		Analyst: JP
Iron	1.84	0.0200		mg/L	1	12/27/2006 1:41:32 PM
Manganese	0.113	0.0200		mg/L	1	12/27/2006 1:41:32 PM

Qualifiers:	B	Analyte detected in the associated Method Blank	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	S	Spike Recovery outside accepted recovery limits
	U	Indicates the compound was analyzed for but not detected	X	Value exceeds Maximum Contaminant Level

American Analytical Laboratories, LLC.

Date: 29-Dec-06

CLIENT:	Leggette Brashears & Graham Inc.	Client Sample ID:	GWQ122006:910NP1-1-3
Lab Order:	0612189	Tag Number:	12812
Project:	Rowe Industries	Collection Date:	12/20/2006 9:10:00 AM
Lab ID:	0612189-02D	Matrix:	LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
HARDNESS		M2340 B				Analyst: JP
Hardness, Calcium/Magnesium (As CaCO ₃)	42.8	1.00		mg/L	1	12/27/2006
TURBIDITY		E180.1				Analyst: KK
Turbidity	3.10	1.00		NTU	1	12/22/2006
TOTAL DISSOLVED SOLIDS		E160.1				Analyst: JC
Total Dissolved Solids (Residue, Filterable)	72.0	1.00		mg/L	1	12/27/2006

Qualifiers:	B	Analyte detected in the associated Method Blank	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	S	Spike Recovery outside accepted recovery limits
	U	Indicates the compound was analyzed for but not detected	X	Value exceeds Maximum Contaminant Level

American Analytical Laboratories, LLC.

Date: 29-Dec-06

CLIENT: Leggette Brashears & Graham Inc.
Lab Order: 0612189
Project: Rowe Industries
Lab ID: 0612189-03A

Client Sample ID: GWQ122006:920NP1-1-4
Tag Number: 12812
Collection Date: 12/20/2006 9:20:00 AM
Matrix: LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILE SW-846 8260 PLUS MTBE & FREON11		SW8260B		Analyst: SB		
1,1,1,2-Tetrachloroethane	U	1.0		µg/L	1	12/28/2006 1:11:00 AM
1,1,1-Trichloroethane	4.4	1.0		µg/L	1	12/28/2006 1:11:00 AM
1,1,2,2-Tetrachloroethane	U	1.0		µg/L	1	12/28/2006 1:11:00 AM
1,1,2-Trichloro-1,2,2-trifluoroethane	U	1.0		µg/L	1	12/28/2006 1:11:00 AM
1,1,2-Trichloroethane	U	1.0		µg/L	1	12/28/2006 1:11:00 AM
1,1-Dichloroethane	U	1.0		µg/L	1	12/28/2006 1:11:00 AM
1,1-Dichloroethene	U	1.0		µg/L	1	12/28/2006 1:11:00 AM
1,1-Dichloropropene	U	1.0		µg/L	1	12/28/2006 1:11:00 AM
1,2,3-Trichlorobenzene	U	1.0		µg/L	1	12/28/2006 1:11:00 AM
1,2,3-Trichloropropane	U	1.0		µg/L	1	12/28/2006 1:11:00 AM
1,2,4-Trichlorobenzene	U	1.0		µg/L	1	12/28/2006 1:11:00 AM
1,2,4-Trimethylbenzene	U	1.0		µg/L	1	12/28/2006 1:11:00 AM
1,2-Dibromo-3-chloropropane	U	1.0		µg/L	1	12/28/2006 1:11:00 AM
1,2-Dibromoethane	U	1.0		µg/L	1	12/28/2006 1:11:00 AM
1,2-Dichlorobenzene	U	1.0		µg/L	1	12/28/2006 1:11:00 AM
1,2-Dichloroethane	U	1.0		µg/L	1	12/28/2006 1:11:00 AM
1,2-Dichloropropane	U	1.0		µg/L	1	12/28/2006 1:11:00 AM
1,3,5-Trimethylbenzene	U	1.0		µg/L	1	12/28/2006 1:11:00 AM
1,3-Dichlorobenzene	U	1.0		µg/L	1	12/28/2006 1:11:00 AM
1,3-dichloropropane	U	1.0		µg/L	1	12/28/2006 1:11:00 AM
1,4-Dichlorobenzene	U	1.0		µg/L	1	12/28/2006 1:11:00 AM
2,2-Dichloropropane	U	1.0		µg/L	1	12/28/2006 1:11:00 AM
2-Butanone	U	3.0		µg/L	1	12/28/2006 1:11:00 AM
2-Chloroethyl vinyl ether	U	1.0		µg/L	1	12/28/2006 1:11:00 AM
2-Chlorotoluene	U	1.0		µg/L	1	12/28/2006 1:11:00 AM
2-Hexanone	U	2.0		µg/L	1	12/28/2006 1:11:00 AM
4-Chlorotoluene	U	1.0		µg/L	1	12/28/2006 1:11:00 AM
4-Isopropyltoluene	U	1.0		µg/L	1	12/28/2006 1:11:00 AM
4-Methyl-2-pentanone	U	2.0		µg/L	1	12/28/2006 1:11:00 AM
Acetone	U	2.0		µg/L	1	12/28/2006 1:11:00 AM
Benzene	U	1.0		µg/L	1	12/28/2006 1:11:00 AM
Bromobenzene	U	1.0		µg/L	1	12/28/2006 1:11:00 AM
Bromochloromethane	U	1.0		µg/L	1	12/28/2006 1:11:00 AM
Bromodichloromethane	U	1.0		µg/L	1	12/28/2006 1:11:00 AM
Bromoform	U	1.0		µg/L	1	12/28/2006 1:11:00 AM
Bromomethane	U	1.0		µg/L	1	12/28/2006 1:11:00 AM
Carbon disulfide	U	1.0		µg/L	1	12/28/2006 1:11:00 AM
Carbon tetrachloride	U	1.0		µg/L	1	12/28/2006 1:11:00 AM
Chlorobenzene	U	1.0		µg/L	1	12/28/2006 1:11:00 AM

Qualifiers:	B	Analyte detected in the associated Method Blank	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	S	Spike Recovery outside accepted recovery limits
	U	Indicates the compound was analyzed for but not detected	X	Value exceeds Maximum Contaminant Level

American Analytical Laboratories, LLC.

Date: 29-Dec-06

CLIENT: Leggette Brashears & Graham Inc.
Lab Order: 0612189
Project: Rowe Industries
Lab ID: 0612189-03A

Client Sample ID: GWQ122006:920NP1-1-4
Tag Number: 12812
Collection Date: 12/20/2006 9:20:00 AM
Matrix: LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILE SW-846 8260 PLUS MTBE & FREON11		SW8260B		Analyst: SB		
Chloroethane	U	1.0		µg/L	1	12/28/2006 1:11:00 AM
Chloroform	U	1.0		µg/L	1	12/28/2006 1:11:00 AM
Chloromethane	U	1.0		µg/L	1	12/28/2006 1:11:00 AM
cis-1,2-Dichloroethene	U	1.0		µg/L	1	12/28/2006 1:11:00 AM
cis-1,3-Dichloropropene	U	1.0		µg/L	1	12/28/2006 1:11:00 AM
Dibromochloromethane	U	1.0		µg/L	1	12/28/2006 1:11:00 AM
Dibromomethane	U	1.0		µg/L	1	12/28/2006 1:11:00 AM
Dichlorodifluoromethane	U	1.0		µg/L	1	12/28/2006 1:11:00 AM
Ethylbenzene	U	1.0		µg/L	1	12/28/2006 1:11:00 AM
Hexachlorobutadiene	U	1.0		µg/L	1	12/28/2006 1:11:00 AM
Isopropylbenzene	U	1.0		µg/L	1	12/28/2006 1:11:00 AM
m,p-Xylene	U	2.0		µg/L	1	12/28/2006 1:11:00 AM
Methyl tert-butyl ether	U	1.0		µg/L	1	12/28/2006 1:11:00 AM
Methylene chloride	U	1.0		µg/L	1	12/28/2006 1:11:00 AM
Naphthalene	U	1.0		µg/L	1	12/28/2006 1:11:00 AM
n-Butylbenzene	U	1.0		µg/L	1	12/28/2006 1:11:00 AM
n-Propylbenzene	U	1.0		µg/L	1	12/28/2006 1:11:00 AM
o-Xylene	U	1.0		µg/L	1	12/28/2006 1:11:00 AM
sec-Butylbenzene	U	1.0		µg/L	1	12/28/2006 1:11:00 AM
Styrene	U	1.0		µg/L	1	12/28/2006 1:11:00 AM
tert-Butylbenzene	U	1.0		µg/L	1	12/28/2006 1:11:00 AM
Tetrachloroethene	6.4	1.0		µg/L	1	12/28/2006 1:11:00 AM
Toluene	U	1.0		µg/L	1	12/28/2006 1:11:00 AM
trans-1,2-Dichloroethene	U	1.0		µg/L	1	12/28/2006 1:11:00 AM
trans-1,3-Dichloropropene	U	1.0		µg/L	1	12/28/2006 1:11:00 AM
Trichloroethene	U	1.0		µg/L	1	12/28/2006 1:11:00 AM
Trichlorofluoromethane	U	1.0		µg/L	1	12/28/2006 1:11:00 AM
Vinyl acetate	U	1.0		µg/L	1	12/28/2006 1:11:00 AM
Vinyl chloride	U	1.0		µg/L	1	12/28/2006 1:11:00 AM

Qualifiers:	B	Analyte detected in the associated Method Blank	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	S	Spike Recovery outside accepted recovery limits
	U	Indicates the compound was analyzed for but not detected	X	Value exceeds Maximum Contaminant Level

American Analytical Laboratories, LLC.**Date:** 29-Dec-06

CLIENT: Leggette Brashears & Graham Inc.
Lab Order: 0612189
Project: Rowe Industries
Lab ID: 0612189-03B

Client Sample ID: GWQ122006:920NP1-1-4
Tag Number: 12812
Collection Date: 12/20/2006 9:20:00 AM
Matrix: LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
TOTAL IRON, MANGANESE		E200.7		SW3010A		Analyst: JP
Iron	17.3	0.0200		mg/L	1	12/27/2006 1:48:55 PM
Manganese	1.26	0.0200		mg/L	1	12/27/2006 1:48:55 PM

Qualifiers:	B	Analyte detected in the associated Method Blank	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	S	Spike Recovery outside accepted recovery limits
	U	Indicates the compound was analyzed for but not detected	X	Value exceeds Maximum Contaminant Level

American Analytical Laboratories, LLC.**Date:** 29-Dec-06

CLIENT: Leggette Brashears & Graham Inc.
Lab Order: 0612189
Project: Rowe Industries
Lab ID: 0612189-03C

Client Sample ID: GWQ122006:920NP1-1-4
Tag Number: 12812
Collection Date: 12/20/2006 9:20:00 AM
Matrix: LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
DISSOLVED IRON, MANGANESE		E200.7		SW3005A		Analyst: JP
Iron	0.0112	0.0200	J	mg/L	1	12/27/2006 1:46:18 PM
Manganese	1.21	0.0200		mg/L	1	12/27/2006 1:46:18 PM

Qualifiers:	B	Analyte detected in the associated Method Blank	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	S	Spike Recovery outside accepted recovery limits
	U	Indicates the compound was analyzed for but not detected	X	Value exceeds Maximum Contaminant Level

American Analytical Laboratories, LLC.

Date: 29-Dec-06

CLIENT:	Leggette Brashears & Graham Inc.	Client Sample ID:	GWQ122006:920NP1-1-4
Lab Order:	0612189	Tag Number:	12812
Project:	Rowe Industries	Collection Date:	12/20/2006 9:20:00 AM
Lab ID:	0612189-03D	Matrix:	LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
HARDNESS		M2340 B				Analyst: JP
Hardness, Calcium/Magnesium (As CaCO3)	41.4	1.00		mg/L	1	12/27/2006
TURBIDITY		E180.1				Analyst: KK
Turbidity	5.40	1.00		NTU	1	12/22/2006
TOTAL DISSOLVED SOLIDS		E160.1				Analyst: JC
Total Dissolved Solids (Residue, Filterable)	92.0	1.00		mg/L	1	12/27/2006

Qualifiers:	B	Analyte detected in the associated Method Blank	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	S	Spike Recovery outside accepted recovery limits
	U	Indicates the compound was analyzed for but not detected	X	Value exceeds Maximum Contaminant Level

American Analytical Laboratories, LLC.

Date: 29-Dec-06

CLIENT: Leggette Brashears & Graham Inc.
Lab Order: 0612189
Project: Rowe Industries
Lab ID: 0612189-04A

Client Sample ID: GWQ122006:930NP1-1-5
Tag Number: 12812
Collection Date: 12/20/2006 9:30:00 AM
Matrix: LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILE SW-846 8260 PLUS MTBE & FREON11		SW8260B		Analyst: SB		
1,1,1,2-Tetrachloroethane	U	1.0		µg/L	1	12/28/2006 1:49:00 AM
1,1,1-Trichloroethane	U	1.0		µg/L	1	12/28/2006 1:49:00 AM
1,1,2,2-Tetrachloroethane	U	1.0		µg/L	1	12/28/2006 1:49:00 AM
1,1,2-Trichloro-1,2,2-trifluoroethane	U	1.0		µg/L	1	12/28/2006 1:49:00 AM
1,1,2-Trichloroethane	U	1.0		µg/L	1	12/28/2006 1:49:00 AM
1,1-Dichloroethane	U	1.0		µg/L	1	12/28/2006 1:49:00 AM
1,1-Dichloroethene	U	1.0		µg/L	1	12/28/2006 1:49:00 AM
1,1-Dichloropropene	U	1.0		µg/L	1	12/28/2006 1:49:00 AM
1,2,3-Trichlorobenzene	U	1.0		µg/L	1	12/28/2006 1:49:00 AM
1,2,3-Trichloropropane	U	1.0		µg/L	1	12/28/2006 1:49:00 AM
1,2,4-Trichlorobenzene	U	1.0		µg/L	1	12/28/2006 1:49:00 AM
1,2,4-Trimethylbenzene	U	1.0		µg/L	1	12/28/2006 1:49:00 AM
1,2-Dibromo-3-chloropropane	U	1.0		µg/L	1	12/28/2006 1:49:00 AM
1,2-Dibromoethane	U	1.0		µg/L	1	12/28/2006 1:49:00 AM
1,2-Dichlorobenzene	U	1.0		µg/L	1	12/28/2006 1:49:00 AM
1,2-Dichloroethane	U	1.0		µg/L	1	12/28/2006 1:49:00 AM
1,2-Dichloropropane	U	1.0		µg/L	1	12/28/2006 1:49:00 AM
1,3,5-Trimethylbenzene	U	1.0		µg/L	1	12/28/2006 1:49:00 AM
1,3-Dichlorobenzene	U	1.0		µg/L	1	12/28/2006 1:49:00 AM
1,3-dichloropropane	U	1.0		µg/L	1	12/28/2006 1:49:00 AM
1,4-Dichlorobenzene	U	1.0		µg/L	1	12/28/2006 1:49:00 AM
2,2-Dichloropropane	U	1.0		µg/L	1	12/28/2006 1:49:00 AM
2-Butanone	U	3.0		µg/L	1	12/28/2006 1:49:00 AM
2-Chloroethyl vinyl ether	U	1.0		µg/L	1	12/28/2006 1:49:00 AM
2-Chlorotoluene	U	1.0		µg/L	1	12/28/2006 1:49:00 AM
2-Hexanone	U	2.0		µg/L	1	12/28/2006 1:49:00 AM
4-Chlorotoluene	U	1.0		µg/L	1	12/28/2006 1:49:00 AM
4-Isopropyltoluene	U	1.0		µg/L	1	12/28/2006 1:49:00 AM
4-Methyl-2-pentanone	U	2.0		µg/L	1	12/28/2006 1:49:00 AM
Acetone	U	2.0		µg/L	1	12/28/2006 1:49:00 AM
Benzene	U	1.0		µg/L	1	12/28/2006 1:49:00 AM
Bromobenzene	U	1.0		µg/L	1	12/28/2006 1:49:00 AM
Bromochloromethane	U	1.0		µg/L	1	12/28/2006 1:49:00 AM
Bromodichloromethane	U	1.0		µg/L	1	12/28/2006 1:49:00 AM
Bromoform	U	1.0		µg/L	1	12/28/2006 1:49:00 AM
Bromomethane	U	1.0		µg/L	1	12/28/2006 1:49:00 AM
Carbon disulfide	U	1.0		µg/L	1	12/28/2006 1:49:00 AM
Carbon tetrachloride	U	1.0		µg/L	1	12/28/2006 1:49:00 AM
Chlorobenzene	U	1.0		µg/L	1	12/28/2006 1:49:00 AM

Qualifiers:	B	Analyte detected in the associated Method Blank	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	S	Spike Recovery outside accepted recovery limits
	U	Indicates the compound was analyzed for but not detected	X	Value exceeds Maximum Contaminant Level

American Analytical Laboratories, LLC.

Date: 29-Dec-06

CLIENT: Leggette Brashears & Graham Inc.
Lab Order: 0612189
Project: Rowe Industries
Lab ID: 0612189-04A

Client Sample ID: GWQ122006:930NP1-1-5
Tag Number: 12812
Collection Date: 12/20/2006 9:30:00 AM
Matrix: LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILE SW-846 8260 PLUS MTBE & FREON11		SW8260B		Analyst: SB		
Chloroethane	U	1.0		µg/L	1	12/28/2006 1:49:00 AM
Chloroform	U	1.0		µg/L	1	12/28/2006 1:49:00 AM
Chloromethane	U	1.0		µg/L	1	12/28/2006 1:49:00 AM
cis-1,2-Dichloroethene	U	1.0		µg/L	1	12/28/2006 1:49:00 AM
cis-1,3-Dichloropropene	U	1.0		µg/L	1	12/28/2006 1:49:00 AM
Dibromochloromethane	U	1.0		µg/L	1	12/28/2006 1:49:00 AM
Dibromomethane	U	1.0		µg/L	1	12/28/2006 1:49:00 AM
Dichlorodifluoromethane	U	1.0		µg/L	1	12/28/2006 1:49:00 AM
Ethylbenzene	U	1.0		µg/L	1	12/28/2006 1:49:00 AM
Hexachlorobutadiene	U	1.0		µg/L	1	12/28/2006 1:49:00 AM
Isopropylbenzene	U	1.0		µg/L	1	12/28/2006 1:49:00 AM
m,p-Xylene	U	2.0		µg/L	1	12/28/2006 1:49:00 AM
Methyl tert-butyl ether	U	1.0		µg/L	1	12/28/2006 1:49:00 AM
Methylene chloride	U	1.0		µg/L	1	12/28/2006 1:49:00 AM
Naphthalene	U	1.0		µg/L	1	12/28/2006 1:49:00 AM
n-Butylbenzene	U	1.0		µg/L	1	12/28/2006 1:49:00 AM
n-Propylbenzene	U	1.0		µg/L	1	12/28/2006 1:49:00 AM
o-Xylene	U	1.0		µg/L	1	12/28/2006 1:49:00 AM
sec-Butylbenzene	U	1.0		µg/L	1	12/28/2006 1:49:00 AM
Styrene	U	1.0		µg/L	1	12/28/2006 1:49:00 AM
tert-Butylbenzene	U	1.0		µg/L	1	12/28/2006 1:49:00 AM
Tetrachloroethene	U	1.0		µg/L	1	12/28/2006 1:49:00 AM
Toluene	U	1.0		µg/L	1	12/28/2006 1:49:00 AM
trans-1,2-Dichloroethene	U	1.0		µg/L	1	12/28/2006 1:49:00 AM
trans-1,3-Dichloropropene	U	1.0		µg/L	1	12/28/2006 1:49:00 AM
Trichloroethene	U	1.0		µg/L	1	12/28/2006 1:49:00 AM
Trichlorofluoromethane	U	1.0		µg/L	1	12/28/2006 1:49:00 AM
Vinyl acetate	U	1.0		µg/L	1	12/28/2006 1:49:00 AM
Vinyl chloride	U	1.0		µg/L	1	12/28/2006 1:49:00 AM

Qualifiers:	B	Analyte detected in the associated Method Blank	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	S	Spike Recovery outside accepted recovery limits
	U	Indicates the compound was analyzed for but not detected	X	Value exceeds Maximum Contaminant Level

American Analytical Laboratories, LLC.

Date: 29-Dec-06

CLIENT: Leggette Brashears & Graham Inc.**Client Sample ID:** GWQ122006:930NP1-1-5**Lab Order:** 0612189**Tag Number:** 12812**Project:** Rowe Industries**Collection Date:** 12/20/2006 9:30:00 AM**Lab ID:** 0612189-04B**Matrix:** LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
TOTAL IRON, MANGANESE		E200.7		SW3010A		Analyst: JP
Iron	0.508	0.0200		mg/L	1	12/27/2006 1:54:43 PM
Manganese	0.00953	0.0200	J	mg/L	1	12/27/2006 1:54:43 PM

Qualifiers:	B	Analyte detected in the associated Method Blank	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	S	Spike Recovery outside accepted recovery limits
	U	Indicates the compound was analyzed for but not detected	X	Value exceeds Maximum Contaminant Level

American Analytical Laboratories, LLC.

Date: 29-Dec-06

CLIENT: Leggette Brashears & Graham Inc.**Client Sample ID:** GWQ122006:930NP1-1-5**Lab Order:** 0612189**Tag Number:** 12812**Project:** Rowe Industries**Collection Date:** 12/20/2006 9:30:00 AM**Lab ID:** 0612189-04C**Matrix:** LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
DISSOLVED IRON, MANGANESE		E200.7		SW3005A		Analyst: JP
Iron	0.0113	0.0200	J	mg/L	1	12/27/2006 1:52:20 PM
Manganese	0.00748	0.0200	J	mg/L	1	12/27/2006 1:52:20 PM

Qualifiers:	B	Analyte detected in the associated Method Blank	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	S	Spike Recovery outside accepted recovery limits
	U	Indicates the compound was analyzed for but not detected	X	Value exceeds Maximum Contaminant Level

American Analytical Laboratories, LLC.

Date: 29-Dec-06

CLIENT:	Leggette Brashears & Graham Inc.	Client Sample ID:	GWQ122006:930NP1-1-5
Lab Order:	0612189	Tag Number:	12812
Project:	Rowe Industries	Collection Date:	12/20/2006 9:30:00 AM
Lab ID:	0612189-04D	Matrix:	LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
HARDNESS		M2340 B				Analyst: JP
Hardness, Calcium/Magnesium (As CaCO3)	39.2	1.00		mg/L	1	12/27/2006
TURBIDITY		E180.1				Analyst: KK
Turbidity	U	1.00		NTU	1	12/22/2006
TOTAL DISSOLVED SOLIDS		E160.1				Analyst: JC
Total Dissolved Solids (Residue, Filterable)	110	1.00		mg/L	1	12/27/2006

Qualifiers:	B	Analyte detected in the associated Method Blank	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	S	Spike Recovery outside accepted recovery limits
	U	Indicates the compound was analyzed for but not detected	X	Value exceeds Maximum Contaminant Level

American Analytical Laboratories, LLC.

Date: 29-Dec-06

CLIENT: Leggette Brashears & Graham Inc.
Lab Order: 0612189
Project: Rowe Industries
Lab ID: 0612189-05A

Client Sample ID: GWQ122006:940NP1-1-6
Tag Number: 12812
Collection Date: 12/20/2006 9:40:00 AM
Matrix: LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILE SW-846 8260 PLUS MTBE & FREON11		SW8260B		Analyst: SB		
1,1,1,2-Tetrachloroethane	U	1.0		µg/L	1	12/28/2006 2:26:00 AM
1,1,1-Trichloroethane	13	1.0		µg/L	1	12/28/2006 2:26:00 AM
1,1,2,2-Tetrachloroethane	U	1.0		µg/L	1	12/28/2006 2:26:00 AM
1,1,2-Trichloro-1,2,2-trifluoroethane	U	1.0		µg/L	1	12/28/2006 2:26:00 AM
1,1,2-Trichloroethane	U	1.0		µg/L	1	12/28/2006 2:26:00 AM
1,1-Dichloroethane	U	1.0		µg/L	1	12/28/2006 2:26:00 AM
1,1-Dichloroethene	U	1.0		µg/L	1	12/28/2006 2:26:00 AM
1,1-Dichloropropene	U	1.0		µg/L	1	12/28/2006 2:26:00 AM
1,2,3-Trichlorobenzene	U	1.0		µg/L	1	12/28/2006 2:26:00 AM
1,2,3-Trichloropropane	U	1.0		µg/L	1	12/28/2006 2:26:00 AM
1,2,4-Trichlorobenzene	U	1.0		µg/L	1	12/28/2006 2:26:00 AM
1,2,4-Trimethylbenzene	U	1.0		µg/L	1	12/28/2006 2:26:00 AM
1,2-Dibromo-3-chloropropane	U	1.0		µg/L	1	12/28/2006 2:26:00 AM
1,2-Dibromoethane	U	1.0		µg/L	1	12/28/2006 2:26:00 AM
1,2-Dichlorobenzene	U	1.0		µg/L	1	12/28/2006 2:26:00 AM
1,2-Dichloroethane	U	1.0		µg/L	1	12/28/2006 2:26:00 AM
1,2-Dichloropropane	U	1.0		µg/L	1	12/28/2006 2:26:00 AM
1,3,5-Trimethylbenzene	U	1.0		µg/L	1	12/28/2006 2:26:00 AM
1,3-Dichlorobenzene	U	1.0		µg/L	1	12/28/2006 2:26:00 AM
1,3-dichloropropane	U	1.0		µg/L	1	12/28/2006 2:26:00 AM
1,4-Dichlorobenzene	U	1.0		µg/L	1	12/28/2006 2:26:00 AM
2,2-Dichloropropane	U	1.0		µg/L	1	12/28/2006 2:26:00 AM
2-Butanone	U	3.0		µg/L	1	12/28/2006 2:26:00 AM
2-Chloroethyl vinyl ether	U	1.0		µg/L	1	12/28/2006 2:26:00 AM
2-Chlorotoluene	U	1.0		µg/L	1	12/28/2006 2:26:00 AM
2-Hexanone	U	2.0		µg/L	1	12/28/2006 2:26:00 AM
4-Chlorotoluene	U	1.0		µg/L	1	12/28/2006 2:26:00 AM
4-Isopropyltoluene	U	1.0		µg/L	1	12/28/2006 2:26:00 AM
4-Methyl-2-pentanone	U	2.0		µg/L	1	12/28/2006 2:26:00 AM
Acetone	U	2.0		µg/L	1	12/28/2006 2:26:00 AM
Benzene	U	1.0		µg/L	1	12/28/2006 2:26:00 AM
Bromobenzene	U	1.0		µg/L	1	12/28/2006 2:26:00 AM
Bromochloromethane	U	1.0		µg/L	1	12/28/2006 2:26:00 AM
Bromodichloromethane	U	1.0		µg/L	1	12/28/2006 2:26:00 AM
Bromoform	U	1.0		µg/L	1	12/28/2006 2:26:00 AM
Bromomethane	U	1.0		µg/L	1	12/28/2006 2:26:00 AM
Carbon disulfide	U	1.0		µg/L	1	12/28/2006 2:26:00 AM
Carbon tetrachloride	U	1.0		µg/L	1	12/28/2006 2:26:00 AM
Chlorobenzene	U	1.0		µg/L	1	12/28/2006 2:26:00 AM

Qualifiers:	B	Analyte detected in the associated Method Blank	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	S	Spike Recovery outside accepted recovery limits
	U	Indicates the compound was analyzed for but not detected	X	Value exceeds Maximum Contaminant Level

American Analytical Laboratories, LLC.

Date: 29-Dec-06

CLIENT:	Leggette Brashears & Graham Inc.	Client Sample ID:	GWQ122006:940NP1-1-6
Lab Order:	0612189	Tag Number:	12812
Project:	Rowe Industries	Collection Date:	12/20/2006 9:40:00 AM
Lab ID:	0612189-05A	Matrix:	LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILE SW-846 8260 PLUS MTBE & FREON11		SW8260B		Analyst: SB		
Chloroethane	U	1.0		µg/L	1	12/28/2006 2:26:00 AM
Chloroform	U	1.0		µg/L	1	12/28/2006 2:26:00 AM
Chloromethane	U	1.0		µg/L	1	12/28/2006 2:26:00 AM
cis-1,2-Dichloroethene	U	1.0		µg/L	1	12/28/2006 2:26:00 AM
cis-1,3-Dichloropropene	U	1.0		µg/L	1	12/28/2006 2:26:00 AM
Dibromochloromethane	U	1.0		µg/L	1	12/28/2006 2:26:00 AM
Dibromomethane	U	1.0		µg/L	1	12/28/2006 2:26:00 AM
Dichlorodifluoromethane	U	1.0		µg/L	1	12/28/2006 2:26:00 AM
Ethylbenzene	U	1.0		µg/L	1	12/28/2006 2:26:00 AM
Hexachlorobutadiene	U	1.0		µg/L	1	12/28/2006 2:26:00 AM
Isopropylbenzene	U	1.0		µg/L	1	12/28/2006 2:26:00 AM
m,p-Xylene	U	2.0		µg/L	1	12/28/2006 2:26:00 AM
Methyl tert-butyl ether	U	1.0		µg/L	1	12/28/2006 2:26:00 AM
Methylene chloride	U	1.0		µg/L	1	12/28/2006 2:26:00 AM
Naphthalene	U	1.0		µg/L	1	12/28/2006 2:26:00 AM
n-Butylbenzene	U	1.0		µg/L	1	12/28/2006 2:26:00 AM
n-Propylbenzene	U	1.0		µg/L	1	12/28/2006 2:26:00 AM
o-Xylene	U	1.0		µg/L	1	12/28/2006 2:26:00 AM
sec-Butylbenzene	U	1.0		µg/L	1	12/28/2006 2:26:00 AM
Styrene	U	1.0		µg/L	1	12/28/2006 2:26:00 AM
tert-Butylbenzene	U	1.0		µg/L	1	12/28/2006 2:26:00 AM
Tetrachloroethene	31	1.0		µg/L	1	12/28/2006 2:26:00 AM
Toluene	U	1.0		µg/L	1	12/28/2006 2:26:00 AM
trans-1,2-Dichloroethene	U	1.0		µg/L	1	12/28/2006 2:26:00 AM
trans-1,3-Dichloropropene	U	1.0		µg/L	1	12/28/2006 2:26:00 AM
Trichloroethene	U	1.0		µg/L	1	12/28/2006 2:26:00 AM
Trichlorofluoromethane	U	1.0		µg/L	1	12/28/2006 2:26:00 AM
Vinyl acetate	U	1.0		µg/L	1	12/28/2006 2:26:00 AM
Vinyl chloride	U	1.0		µg/L	1	12/28/2006 2:26:00 AM

Qualifiers:	B	Analyte detected in the associated Method Blank	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	S	Spike Recovery outside accepted recovery limits
	U	Indicates the compound was analyzed for but not detected	X	Value exceeds Maximum Contaminant Level

American Analytical Laboratories, LLC.

Date: 29-Dec-06

CLIENT: Leggette Brashears & Graham Inc.
Lab Order: 0612189
Project: Rowe Industries
Lab ID: 0612189-05B

Client Sample ID: GWQ122006:940NP1-1-6
Tag Number: 12812
Collection Date: 12/20/2006 9:40:00 AM
Matrix: LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
TOTAL IRON, MANGANESE		E200.7		SW3010A		Analyst: JP
Iron	2.43	0.0200		mg/L	1	12/27/2006 2:07:41 PM
Manganese	0.168	0.0200		mg/L	1	12/27/2006 2:07:41 PM

Qualifiers:	B	Analyte detected in the associated Method Blank	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	S	Spike Recovery outside accepted recovery limits
	U	Indicates the compound was analyzed for but not detected	X	Value exceeds Maximum Contaminant Level

American Analytical Laboratories, LLC.

Date: 29-Dec-06

CLIENT:	Leggette Brashears & Graham Inc.	Client Sample ID:	GWQ122006:940NP1-1-6
Lab Order:	0612189	Tag Number:	12812
Project:	Rowe Industries	Collection Date:	12/20/2006 9:40:00 AM
Lab ID:	0612189-05C	Matrix:	LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
DISSOLVED IRON, MANGANESE		E200.7		SW3005A		Analyst: JP
Iron	0.00877	0.0200	J	mg/L	1	12/27/2006 2:05:47 PM
Manganese	0.164	0.0200		mg/L	1	12/27/2006 2:05:47 PM

Qualifiers:	B	Analyte detected in the associated Method Blank	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	S	Spike Recovery outside accepted recovery limits
	U	Indicates the compound was analyzed for but not detected	X	Value exceeds Maximum Contaminant Level

American Analytical Laboratories, LLC.

Date: 29-Dec-06

CLIENT: Leggette Brashears & Graham Inc.
Lab Order: 0612189
Project: Rowe Industries
Lab ID: 0612189-05D

Client Sample ID: GWQ122006:940NP1-1-6
Tag Number: 12812
Collection Date: 12/20/2006 9:40:00 AM
Matrix: LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
HARDNESS						Analyst: JP
Hardness, Calcium/Magnesium (As CaCO ₃)	37.4	1.00		mg/L	1	12/27/2006
TURBIDITY						Analyst: KK
Turbidity	U	1.00		NTU	1	12/22/2006
TOTAL DISSOLVED SOLIDS						Analyst: JC
Total Dissolved Solids (Residue, Filterable)	106	1.00		mg/L	1	12/27/2006

Qualifiers:	B	Analyte detected in the associated Method Blank	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	S	Spike Recovery outside accepted recovery limits
	U	Indicates the compound was analyzed for but not detected	X	Value exceeds Maximum Contaminant Level

American Analytical Laboratories, LLC.

Date: 29-Dec-06

CLIENT: Leggette Brashears & Graham Inc.
Lab Order: 0612189
Project: Rowe Industries
Lab ID: 0612189-06A

Client Sample ID: GWQ122006:1000NP1-1-8
Tag Number: 12812
Collection Date: 12/20/2006 10:00:00 AM
Matrix: LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILE SW-846 8260 PLUS MTBE & FREON11		SW8260B		Analyst: SB		
1,1,1,2-Tetrachloroethane	U	1.0		µg/L	1	12/28/2006 3:03:00 AM
1,1,1-Trichloroethane	3.5	1.0		µg/L	1	12/28/2006 3:03:00 AM
1,1,2,2-Tetrachloroethane	U	1.0		µg/L	1	12/28/2006 3:03:00 AM
1,1,2-Trichloro-1,2,2-trifluoroethane	U	1.0		µg/L	1	12/28/2006 3:03:00 AM
1,1,2-Trichloroethane	U	1.0		µg/L	1	12/28/2006 3:03:00 AM
1,1-Dichloroethane	U	1.0		µg/L	1	12/28/2006 3:03:00 AM
1,1-Dichloroethene	U	1.0		µg/L	1	12/28/2006 3:03:00 AM
1,1-Dichloropropene	U	1.0		µg/L	1	12/28/2006 3:03:00 AM
1,2,3-Trichlorobenzene	U	1.0		µg/L	1	12/28/2006 3:03:00 AM
1,2,3-Trichloropropane	U	1.0		µg/L	1	12/28/2006 3:03:00 AM
1,2,4-Trichlorobenzene	U	1.0		µg/L	1	12/28/2006 3:03:00 AM
1,2,4-Trimethylbenzene	U	1.0		µg/L	1	12/28/2006 3:03:00 AM
1,2-Dibromo-3-chloropropane	U	1.0		µg/L	1	12/28/2006 3:03:00 AM
1,2-Dibromoethane	U	1.0		µg/L	1	12/28/2006 3:03:00 AM
1,2-Dichlorobenzene	U	1.0		µg/L	1	12/28/2006 3:03:00 AM
1,2-Dichloroethane	U	1.0		µg/L	1	12/28/2006 3:03:00 AM
1,2-Dichloropropane	U	1.0		µg/L	1	12/28/2006 3:03:00 AM
1,3,5-Trimethylbenzene	U	1.0		µg/L	1	12/28/2006 3:03:00 AM
1,3-Dichlorobenzene	U	1.0		µg/L	1	12/28/2006 3:03:00 AM
1,3-dichloropropane	U	1.0		µg/L	1	12/28/2006 3:03:00 AM
1,4-Dichlorobenzene	U	1.0		µg/L	1	12/28/2006 3:03:00 AM
2,2-Dichloropropane	U	1.0		µg/L	1	12/28/2006 3:03:00 AM
2-Butanone	U	3.0		µg/L	1	12/28/2006 3:03:00 AM
2-Chloroethyl vinyl ether	U	1.0		µg/L	1	12/28/2006 3:03:00 AM
2-Chlorotoluene	U	1.0		µg/L	1	12/28/2006 3:03:00 AM
2-Hexanone	U	2.0		µg/L	1	12/28/2006 3:03:00 AM
4-Chlorotoluene	U	1.0		µg/L	1	12/28/2006 3:03:00 AM
4-Isopropyltoluene	U	1.0		µg/L	1	12/28/2006 3:03:00 AM
4-Methyl-2-pentanone	U	2.0		µg/L	1	12/28/2006 3:03:00 AM
Acetone	U	2.0		µg/L	1	12/28/2006 3:03:00 AM
Benzene	U	1.0		µg/L	1	12/28/2006 3:03:00 AM
Bromobenzene	U	1.0		µg/L	1	12/28/2006 3:03:00 AM
Bromochloromethane	U	1.0		µg/L	1	12/28/2006 3:03:00 AM
Bromodichloromethane	U	1.0		µg/L	1	12/28/2006 3:03:00 AM
Bromoform	U	1.0		µg/L	1	12/28/2006 3:03:00 AM
Bromomethane	U	1.0		µg/L	1	12/28/2006 3:03:00 AM
Carbon disulfide	U	1.0		µg/L	1	12/28/2006 3:03:00 AM
Carbon tetrachloride	U	1.0		µg/L	1	12/28/2006 3:03:00 AM
Chlorobenzene	U	1.0		µg/L	1	12/28/2006 3:03:00 AM

Qualifiers:	B	Analyte detected in the associated Method Blank	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	S	Spike Recovery outside accepted recovery limits
	U	Indicates the compound was analyzed for but not detected	X	Value exceeds Maximum Contaminant Level

American Analytical Laboratories, LLC.

Date: 29-Dec-06

CLIENT: Leggette Brashears & Graham Inc.
Lab Order: 0612189
Project: Rowe Industries
Lab ID: 0612189-06A

Client Sample ID: GWQ122006:1000NP1-1-8
Tag Number: 12812
Collection Date: 12/20/2006 10:00:00 AM
Matrix: LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILE SW-846 8260 PLUS MTBE & FREON11		SW8260B		Analyst: SB		
Chloroethane	U	1.0		µg/L	1	12/28/2006 3:03:00 AM
Chloroform	U	1.0		µg/L	1	12/28/2006 3:03:00 AM
Chloromethane	U	1.0		µg/L	1	12/28/2006 3:03:00 AM
cis-1,2-Dichloroethene	U	1.0		µg/L	1	12/28/2006 3:03:00 AM
cis-1,3-Dichloropropene	U	1.0		µg/L	1	12/28/2006 3:03:00 AM
Dibromochloromethane	U	1.0		µg/L	1	12/28/2006 3:03:00 AM
Dibromomethane	U	1.0		µg/L	1	12/28/2006 3:03:00 AM
Dichlorodifluoromethane	U	1.0		µg/L	1	12/28/2006 3:03:00 AM
Ethylbenzene	U	1.0		µg/L	1	12/28/2006 3:03:00 AM
Hexachlorobutadiene	U	1.0		µg/L	1	12/28/2006 3:03:00 AM
Isopropylbenzene	U	1.0		µg/L	1	12/28/2006 3:03:00 AM
m,p-Xylene	U	2.0		µg/L	1	12/28/2006 3:03:00 AM
Methyl tert-butyl ether	U	1.0		µg/L	1	12/28/2006 3:03:00 AM
Methylene chloride	U	1.0		µg/L	1	12/28/2006 3:03:00 AM
Naphthalene	U	1.0		µg/L	1	12/28/2006 3:03:00 AM
n-Butylbenzene	U	1.0		µg/L	1	12/28/2006 3:03:00 AM
n-Propylbenzene	U	1.0		µg/L	1	12/28/2006 3:03:00 AM
o-Xylene	U	1.0		µg/L	1	12/28/2006 3:03:00 AM
sec-Butylbenzene	U	1.0		µg/L	1	12/28/2006 3:03:00 AM
Styrene	U	1.0		µg/L	1	12/28/2006 3:03:00 AM
tert-Butylbenzene	U	1.0		µg/L	1	12/28/2006 3:03:00 AM
Tetrachloroethene	U	1.0		µg/L	1	12/28/2006 3:03:00 AM
Toluene	U	1.0		µg/L	1	12/28/2006 3:03:00 AM
trans-1,2-Dichloroethene	U	1.0		µg/L	1	12/28/2006 3:03:00 AM
trans-1,3-Dichloropropene	U	1.0		µg/L	1	12/28/2006 3:03:00 AM
Trichloroethene	U	1.0		µg/L	1	12/28/2006 3:03:00 AM
Trichlorofluoromethane	U	1.0		µg/L	1	12/28/2006 3:03:00 AM
Vinyl acetate	U	1.0		µg/L	1	12/28/2006 3:03:00 AM
Vinyl chloride	U	1.0		µg/L	1	12/28/2006 3:03:00 AM

Qualifiers:	B	Analyte detected in the associated Method Blank	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	S	Spike Recovery outside accepted recovery limits
	U	Indicates the compound was analyzed for but not detected	X	Value exceeds Maximum Contaminant Level

American Analytical Laboratories, LLC.

Date: 29-Dec-06

CLIENT: Leggette Brashears & Graham Inc.
Lab Order: 0612189
Project: Rowe Industries
Lab ID: 0612189-06B

Client Sample ID: GWQ122006:1000NP1-1-8
Tag Number: 12812
Collection Date: 12/20/2006 10:00:00 AM
Matrix: LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
TOTAL IRON, MANGANESE		E200.7		SW3010A		Analyst: JP
Iron	62.8	0.0200		mg/L	1	12/27/2006 2:12:11 PM
Manganese	0.818	0.0200		mg/L	1	12/27/2006 2:12:11 PM

Qualifiers:	B	Analyte detected in the associated Method Blank	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	S	Spike Recovery outside accepted recovery limits
	U	Indicates the compound was analyzed for but not detected	X	Value exceeds Maximum Contaminant Level

American Analytical Laboratories, LLC.

Date: 29-Dec-06

CLIENT: Leggette Brashears & Graham Inc.
Lab Order: 0612189
Project: Rowe Industries
Lab ID: 0612189-06C

Client Sample ID: GWQ122006:1000NP1-1-8
Tag Number: 12812
Collection Date: 12/20/2006 10:00:00 AM
Matrix: LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
DISSOLVED IRON, MANGANESE		E200.7		SW3005A		Analyst: JP
Iron	0.0346	0.0200		mg/L	1	12/27/2006 2:10:09 PM
Manganese	0.662	0.0200		mg/L	1	12/27/2006 2:10:09 PM

Qualifiers:	B	Analyte detected in the associated Method Blank	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	S	Spike Recovery outside accepted recovery limits
	U	Indicates the compound was analyzed for but not detected	X	Value exceeds Maximum Contaminant Level

American Analytical Laboratories, LLC.

Date: 29-Dec-06

CLIENT:	Leggette Brashears & Graham Inc.	Client Sample ID:	GWQ122006:1000NP1-1-8
Lab Order:	0612189	Tag Number:	12812
Project:	Rowe Industries	Collection Date:	12/20/2006 10:00:00 AM
Lab ID:	0612189-06D	Matrix:	LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
HARDNESS		M2340 B				Analyst: JP
Hardness, Calcium/Magnesium (As CaCO3)	24.4	1.00		mg/L	1	12/27/2006
TURBIDITY		E180.1				Analyst: KK
Turbidity	26.0	1.00		NTU	1	12/22/2006
TOTAL DISSOLVED SOLIDS		E160.1				Analyst: JC
Total Dissolved Solids (Residue, Filterable)	66.0	1.00		mg/L	1	12/27/2006

Qualifiers:	B	Analyte detected in the associated Method Blank	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	S	Spike Recovery outside accepted recovery limits
	U	Indicates the compound was analyzed for but not detected	X	Value exceeds Maximum Contaminant Level

American Analytical Laboratories, LLC.

Date: 29-Dec-06

CLIENT: Leggette Brashears & Graham Inc.
Lab Order: 0612189
Project: Rowe Industries
Lab ID: 0612189-07A

Client Sample ID: GWQ122006:1010NP1-1-9
Tag Number: 12812
Collection Date: 12/20/2006 10:10:00 AM
Matrix: LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILE SW-846 8260 PLUS MTBE & FREON11		SW8260B		Analyst: SB		
1,1,1,2-Tetrachloroethane	U	1.0		µg/L	1	12/28/2006 3:41:00 AM
1,1,1-Trichloroethane	U	1.0		µg/L	1	12/28/2006 3:41:00 AM
1,1,2,2-Tetrachloroethane	U	1.0		µg/L	1	12/28/2006 3:41:00 AM
1,1,2-Trichloro-1,2,2-trifluoroethane	U	1.0		µg/L	1	12/28/2006 3:41:00 AM
1,1,2-Trichloroethane	U	1.0		µg/L	1	12/28/2006 3:41:00 AM
1,1-Dichloroethane	U	1.0		µg/L	1	12/28/2006 3:41:00 AM
1,1-Dichloroethene	U	1.0		µg/L	1	12/28/2006 3:41:00 AM
1,1-Dichloropropene	U	1.0		µg/L	1	12/28/2006 3:41:00 AM
1,2,3-Trichlorobenzene	U	1.0		µg/L	1	12/28/2006 3:41:00 AM
1,2,3-Trichloropropane	U	1.0		µg/L	1	12/28/2006 3:41:00 AM
1,2,4-Trichlorobenzene	U	1.0		µg/L	1	12/28/2006 3:41:00 AM
1,2,4-Trimethylbenzene	U	1.0		µg/L	1	12/28/2006 3:41:00 AM
1,2-Dibromo-3-chloropropane	U	1.0		µg/L	1	12/28/2006 3:41:00 AM
1,2-Dibromoethane	U	1.0		µg/L	1	12/28/2006 3:41:00 AM
1,2-Dichlorobenzene	U	1.0		µg/L	1	12/28/2006 3:41:00 AM
1,2-Dichloroethane	U	1.0		µg/L	1	12/28/2006 3:41:00 AM
1,2-Dichloropropane	U	1.0		µg/L	1	12/28/2006 3:41:00 AM
1,3,5-Trimethylbenzene	U	1.0		µg/L	1	12/28/2006 3:41:00 AM
1,3-Dichlorobenzene	U	1.0		µg/L	1	12/28/2006 3:41:00 AM
1,3-dichloropropane	U	1.0		µg/L	1	12/28/2006 3:41:00 AM
1,4-Dichlorobenzene	U	1.0		µg/L	1	12/28/2006 3:41:00 AM
2,2-Dichloropropane	U	1.0		µg/L	1	12/28/2006 3:41:00 AM
2-Butanone	U	3.0		µg/L	1	12/28/2006 3:41:00 AM
2-Chloroethyl vinyl ether	U	1.0		µg/L	1	12/28/2006 3:41:00 AM
2-Chlorotoluene	U	1.0		µg/L	1	12/28/2006 3:41:00 AM
2-Hexanone	U	2.0		µg/L	1	12/28/2006 3:41:00 AM
4-Chlorotoluene	U	1.0		µg/L	1	12/28/2006 3:41:00 AM
4-Isopropyltoluene	U	1.0		µg/L	1	12/28/2006 3:41:00 AM
4-Methyl-2-pentanone	U	2.0		µg/L	1	12/28/2006 3:41:00 AM
Acetone	U	2.0		µg/L	1	12/28/2006 3:41:00 AM
Benzene	U	1.0		µg/L	1	12/28/2006 3:41:00 AM
Bromobenzene	U	1.0		µg/L	1	12/28/2006 3:41:00 AM
Bromochloromethane	U	1.0		µg/L	1	12/28/2006 3:41:00 AM
Bromodichloromethane	U	1.0		µg/L	1	12/28/2006 3:41:00 AM
Bromoform	U	1.0		µg/L	1	12/28/2006 3:41:00 AM
Bromomethane	U	1.0		µg/L	1	12/28/2006 3:41:00 AM
Carbon disulfide	U	1.0		µg/L	1	12/28/2006 3:41:00 AM
Carbon tetrachloride	U	1.0		µg/L	1	12/28/2006 3:41:00 AM
Chlorobenzene	U	1.0		µg/L	1	12/28/2006 3:41:00 AM

Qualifiers:	B	Analyte detected in the associated Method Blank	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	S	Spike Recovery outside accepted recovery limits
	U	Indicates the compound was analyzed for but not detected	X	Value exceeds Maximum Contaminant Level

American Analytical Laboratories, LLC.

Date: 29-Dec-06

CLIENT: Leggette Brashears & Graham Inc.
Lab Order: 0612189
Project: Rowe Industries
Lab ID: 0612189-07A

Client Sample ID: GWQ122006:1010NP1-1-9
Tag Number: 12812
Collection Date: 12/20/2006 10:10:00 AM
Matrix: LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILE SW-846 8260 PLUS MTBE & FREON11		SW8260B		Analyst: SB		
Chloroethane	U	1.0		µg/L	1	12/28/2006 3:41:00 AM
Chloroform	U	1.0		µg/L	1	12/28/2006 3:41:00 AM
Chloromethane	U	1.0		µg/L	1	12/28/2006 3:41:00 AM
cis-1,2-Dichloroethene	U	1.0		µg/L	1	12/28/2006 3:41:00 AM
cis-1,3-Dichloropropene	U	1.0		µg/L	1	12/28/2006 3:41:00 AM
Dibromochloromethane	U	1.0		µg/L	1	12/28/2006 3:41:00 AM
Dibromomethane	U	1.0		µg/L	1	12/28/2006 3:41:00 AM
Dichlorodifluoromethane	U	1.0		µg/L	1	12/28/2006 3:41:00 AM
Ethylbenzene	U	1.0		µg/L	1	12/28/2006 3:41:00 AM
Hexachlorobutadiene	U	1.0		µg/L	1	12/28/2006 3:41:00 AM
Isopropylbenzene	U	1.0		µg/L	1	12/28/2006 3:41:00 AM
m,p-Xylene	U	2.0		µg/L	1	12/28/2006 3:41:00 AM
Methyl tert-butyl ether	U	1.0		µg/L	1	12/28/2006 3:41:00 AM
Methylene chloride	U	1.0		µg/L	1	12/28/2006 3:41:00 AM
Naphthalene	U	1.0		µg/L	1	12/28/2006 3:41:00 AM
n-Butylbenzene	U	1.0		µg/L	1	12/28/2006 3:41:00 AM
n-Propylbenzene	U	1.0		µg/L	1	12/28/2006 3:41:00 AM
o-Xylene	U	1.0		µg/L	1	12/28/2006 3:41:00 AM
sec-Butylbenzene	U	1.0		µg/L	1	12/28/2006 3:41:00 AM
Styrene	U	1.0		µg/L	1	12/28/2006 3:41:00 AM
tert-Butylbenzene	U	1.0		µg/L	1	12/28/2006 3:41:00 AM
Tetrachloroethene	U	1.0		µg/L	1	12/28/2006 3:41:00 AM
Toluene	U	1.0		µg/L	1	12/28/2006 3:41:00 AM
trans-1,2-Dichloroethene	U	1.0		µg/L	1	12/28/2006 3:41:00 AM
trans-1,3-Dichloropropene	U	1.0		µg/L	1	12/28/2006 3:41:00 AM
Trichloroethene	U	1.0		µg/L	1	12/28/2006 3:41:00 AM
Trichlorofluoromethane	U	1.0		µg/L	1	12/28/2006 3:41:00 AM
Vinyl acetate	U	1.0		µg/L	1	12/28/2006 3:41:00 AM
Vinyl chloride	U	1.0		µg/L	1	12/28/2006 3:41:00 AM

Qualifiers:	B	Analyte detected in the associated Method Blank	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	S	Spike Recovery outside accepted recovery limits
	U	Indicates the compound was analyzed for but not detected	X	Value exceeds Maximum Contaminant Level

American Analytical Laboratories, LLC.

Date: 29-Dec-06

CLIENT: Leggette Brashears & Graham Inc.
Lab Order: 0612189
Project: Rowe Industries
Lab ID: 0612189-07B

Client Sample ID: GWQ122006:1010NP1-1-9
Tag Number: 12812
Collection Date: 12/20/2006 10:10:00 AM
Matrix: LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
TOTAL IRON, MANGANESE		E200.7		SW3010A		Analyst: JP
Iron	6.54	0.0200		mg/L	1	12/27/2006 2:19:06 PM
Manganese	0.705	0.0200		mg/L	1	12/27/2006 2:19:06 PM

Qualifiers:	B	Analyte detected in the associated Method Blank	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	S	Spike Recovery outside accepted recovery limits
	U	Indicates the compound was analyzed for but not detected	X	Value exceeds Maximum Contaminant Level

American Analytical Laboratories, LLC.

Date: 29-Dec-06

CLIENT: Leggette Brashears & Graham Inc.
Lab Order: 0612189
Project: Rowe Industries
Lab ID: 0612189-07C

Client Sample ID: GWQ122006:1010NP1-1-9
Tag Number: 12812
Collection Date: 12/20/2006 10:10:00 AM
Matrix: LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
DISSOLVED IRON, MANGANESE		E200.7		SW3005A		Analyst: JP
Iron	0.0119	0.0200	J	mg/L	1	12/27/2006 2:17:04 PM
Manganese	0.622	0.0200		mg/L	1	12/27/2006 2:17:04 PM

Qualifiers:	B	Analyte detected in the associated Method Blank	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	S	Spike Recovery outside accepted recovery limits
	U	Indicates the compound was analyzed for but not detected	X	Value exceeds Maximum Contaminant Level

American Analytical Laboratories, LLC.

Date: 29-Dec-06

CLIENT: Leggette Brashears & Graham Inc.
Lab Order: 0612189
Project: Rowe Industries
Lab ID: 0612189-07D

Client Sample ID: GWQ122006:1010NP1-1-9
Tag Number: 12812
Collection Date: 12/20/2006 10:10:00 AM
Matrix: LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
HARDNESS						Analyst: JP
Hardness, Calcium/Magnesium (As CaCO ₃)	26.9	1.00		mg/L	1	12/27/2006
TURBIDITY						Analyst: KK
Turbidity	23.0	1.00		NTU	1	12/22/2006
TOTAL DISSOLVED SOLIDS						Analyst: JC
Total Dissolved Solids (Residue, Filterable)	78.0	1.00		mg/L	1	12/27/2006

Qualifiers:	B	Analyte detected in the associated Method Blank	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	S	Spike Recovery outside accepted recovery limits
	U	Indicates the compound was analyzed for but not detected	X	Value exceeds Maximum Contaminant Level

H7A160185 Analytical Report	1
Sample Receipt Documentation	15
Total Number of Pages	17



STL

STL Knoxville
5815 Middlebrook Pike
Knoxville, TN 37921

Tel: 865 291 3000 Fax: 865 584 4315
www.stl-inc.com

ANALYTICAL REPORT

Rowe-NABSAG 0401

Lot #: H7A160185

Mark Goldberg

Leggette, Brashears & Graham,
4 Research Drive
Suite #301
Shelton, CT 06484

SEVERN TRENT LABORATORIES, INC.

A handwritten signature in cursive script, appearing to read "f Amct", positioned above the printed name and title.

Jamie A. McKinney
Project Manager

January 22, 2007

ANALYTICAL METHODS SUMMARY

H7A160185

<u>PARAMETER</u>	<u>ANALYTICAL METHOD</u>
Volatile Organics by TO15	EPA-2 TO-15

References:

EPA-2 "Compendium of Methods for the Determination of Toxic
Organic Compounds in Ambient Air", EPA-625/R-96/010b,
January 1999.

SAMPLE SUMMARY

H7A160185

WO #	SAMPLE#	CLIENT SAMPLE ID	SAMPLED DATE	SAMP TIME
JMWV4	001	AQ122006:815HP4-1	12/20/06	08:15
JMWVG	002	AQ122006:820HP4-2	12/20/06	08:20
JMWWM	003	AQ122006:825HP4-3	12/20/06	08:25

NOTE(S) :

- The analytical results of the samples listed above are presented on the following pages.
- All calculations are performed before rounding to avoid round-off errors in calculated results.
- Results noted as "ND" were not detected at or above the stated limit.
- This report must not be reproduced, except in full, without the written approval of the laboratory.
- Results for the following parameters are never reported on a dry weight basis: color, corrosivity, density, flashpoint, ignitability, layers, odor, paint filter test, pH, porosity pressure, reactivity, redox potential, specific gravity, spot tests, solids, solubility, temperature, viscosity, and weight.

PROJECT NARRATIVE

H7A160185

The results reported herein are applicable to the samples submitted for analysis only.

This report shall not be reproduced except in full, without the written approval of the laboratory.

The original chain of custody documentation was included with the report for H5L220151.

Sample Receipt

There were no problems with the condition of the samples received.

Quality Control and Data Interpretation

Unless otherwise noted, all holding times and QC criteria were met and the test results shown in this report meet all applicable NELAC requirements.

The EPA method requires that all target analytes in the continuing calibration verification standard be within 30% difference from the initial calibration. The laboratory standard operating procedure allows up to four analytes in the calibration verification to be $\leq 40\%$ difference from the initial calibration. The calibration verification analyzed on 01/15/07 exhibited a %difference of $>30\%$ but $\leq 40\%$ for dibromochloromethane.

Samples were received on 12/22/06 in Tedlar bags and transferred into Summa Canisters within 72 hours of sampling.

STL Knoxville maintains the following certifications, approvals and accreditations: Arkansas DEQ Cert. #05-043-0, California DHS ELAP Cert. #2423, Colorado DPHE, Connecticut DPH Cert. #PH-0223, Florida DOH Cert. #E87177, Georgia DNR Cert. #906, Hawaii DOH, Illinois EPA Cert. #000687, Indiana DOH Cert. #C-TN-02, Iowa DNR Cert. #375, Kansas DHE Cert. #E-10349, Kentucky DEP Lab ID #90101, Louisiana DEQ Cert. #03079, Louisiana DOHH Cert. #LA030024, Maryland DHMH Cert. #277, Massachusetts DEP Cert. #M-TN009, Michigan DEQ Lab ID #9933, New Jersey DEP Cert. #TN001, New York DOH Lab #10781, North Carolina DPH Lab ID #21705, North Carolina DEHNR Cert. #64, Ohio EPA VAP Cert. #CL0059, Oklahoma DEQ ID #9415, Pennsylvania DEP Cert. #68-00576, South Carolina DHEC Lab ID #84001001, Tennessee DOH Lab ID #02014, Utah DOH Cert. # QUAN3, Virginia DGS Lab ID #00165, Washington DOE Lab #C120, West Virginia DEP Cert. #345, Wisconsin DNR Lab ID #998044300, Naval Facilities Engineering Service Center and USDA Soil Permit #S-46424. This list of approvals is subject to change and does not imply that laboratory certification is available for all parameters reported in this environmental sample data report.

Sample Data Summary

Leggette, Brashears & Graham, Inc.
 Client Sample ID: AQ122006:815HP4-1
 GC/MS Volatiles

Lot-Sample # H7A160185 - 001

Work Order # JMWV41AA

Matrix.....: AIR

Date Sampled...: 12/20/06

Date Received...: 12/22/06

Prep Date.....: 1/15/07

Analysis Date.. 1/15/07

Prep Batch #.....: 7016144

Dilution Factor.: 5

Method..... TO-15

PARAMETER	RESULTS (ppb(v/v))	REPORTING LIMIT (ppb(v/v))	RESULTS (ug/m3)	REPORTING LIMIT (ug/m3)
Benzene	1.2	1.0	3.8	3.2
Bromodichloromethane	ND	1.0	ND	6.7
Bromoform	ND	1.0	ND	10
Bromomethane	ND	1.0	ND	3.9
Carbon disulfide	2.3	2.5	7.1	7.8
Carbon tetrachloride	ND	1.0	ND	6.3
Chlorobenzene	0.27	1.0	1.3	4.6
Dibromochloromethane	ND	1.0	ND	8.5
Chloroethane	ND	1.0	ND	2.6
Chloroform	0.85	1.0	4.1	4.9
Chloromethane	1.3	2.5	2.6	5.2
1,1-Dichloroethane	2.0	1.0	8.1	4.0
1,2-Dichloroethane	ND	1.0	ND	4.0
cis-1,2-Dichloroethene	0.93	1.0	3.7	4.0
trans-1,2-Dichloroethene	ND	1.0	ND	4.0
1,1-Dichloroethene	0.65	1.0	2.6	4.0
1,2-Dichloropropane	ND	1.0	ND	4.6
cis-1,3-Dichloropropene	ND	1.0	ND	4.5
trans-1,3-Dichloropropene	ND	1.0	ND	4.5
Ethylbenzene	ND	1.0	ND	4.3
Methylene chloride	0.60	2.5	2.1	8.7
Styrene	ND	1.0	ND	4.3
1,1,2,2-Tetrachloroethane	ND	1.0	ND	6.9
Tetrachloroethene	9.6	1.0	65	6.8
Toluene	1.4	1.0	5.2	3.8
1,1,1-Trichloroethane	25	1.0	130	5.5
1,1,2-Trichloroethane	ND	1.0	ND	5.5
Trichloroethene	2.3	1.0	13	5.4
Vinyl chloride	ND	1.0	ND	2.6
m-Xylene & p-Xylene	0.48	1.0	2.1	4.3
o-Xylene	ND	1.0	ND	4.3

SURROGATE	PERCENT RECOVERY	LABORATORY CONTROL LIMITS (%)
1,2-Dichloroethane-d4	99	70 - 130
Toluene-d8	104	70 - 130
4-Bromofluorobenzene	90	70 - 130

Leggette, Brashears & Graham, Inc.
Client Sample ID: AQ122006:815HP4-1
GC/MS Volatiles

Lot-Sample # H7A160185 - 001

Work Order # JMWV41AA

Matrix.....: AIR

Qualifiers

B Method blank contamination. The associated method blank contains the target analyte at a reportable level.
J Estimated result. Result is less than RL.

The 'Result' in ug/m3 is calculated using the following equation: Amount Found(before rounding)*(Molecular Weight/24.45)

The 'Reporting Limit' in ug/m3 is calculated using the following equation: (Reporting
Limit(before rounding) * Dilution Factor) * (Molecular Weight/24.45)

Leggette, Brashears & Graham, Inc.
 Client Sample ID: AQ122006:820HP4-2
 GC/MS Volatiles

Lot-Sample # H7A160185 - 002 Work Order # JMWVG1AA Matrix.....: AIR

Date Sampled...: 12/20/06 Date Received...: 12/22/06
 Prep Date.....: 1/15/07 Analysis Date.. 1/15/07
 Prep Batch #.....: 7016144
 Dilution Factor.: 5 Method..... TO-15

PARAMETER	RESULTS (ppb(v/v))	REPORTING LIMIT (ppb(v/v))	RESULTS (ug/m3)		REPORTING LIMIT (ug/m3)
Benzene	0.36	1.0	1.2	J	3.2
Bromodichloromethane	ND	1.0	ND		6.7
Bromoform	ND	1.0	ND		10
Bromomethane	ND	1.0	ND		3.9
Carbon disulfide	1.2	2.5	3.7	J	7.8
Carbon tetrachloride	ND	1.0	ND		6.3
Chlorobenzene	ND	1.0	ND		4.6
Dibromochloromethane	ND	1.0	ND		8.5
Chloroethane	ND	1.0	ND		2.6
Chloroform	1.1	1.0	5.1		4.9
Chloromethane	ND	2.5	ND		5.2
1,1-Dichloroethane	3.5	1.0	14		4.0
1,2-Dichloroethane	ND	1.0	ND		4.0
cis-1,2-Dichloroethene	1.2	1.0	4.8		4.0
trans-1,2-Dichloroethene	ND	1.0	ND		4.0
1,1-Dichloroethene	0.94	1.0	3.7	J	4.0
1,2-Dichloropropane	ND	1.0	ND		4.6
cis-1,3-Dichloropropene	ND	1.0	ND		4.5
trans-1,3-Dichloropropene	ND	1.0	ND		4.5
Ethylbenzene	ND	1.0	ND		4.3
Methylene chloride	0.44	2.5	1.5	J B	8.7
Styrene	ND	1.0	ND		4.3
1,1,2,2-Tetrachloroethane	ND	1.0	ND		6.9
Tetrachloroethene	0.79	1.0	5.4	J	6.8
Toluene	0.45	1.0	1.7	J	3.8
1,1,1-Trichloroethane	55	1.0	300		5.5
1,1,2-Trichloroethane	ND	1.0	ND		5.5
Trichloroethene	0.31	1.0	1.7	J	5.4
Vinyl chloride	ND	1.0	ND		2.6
m-Xylene & p-Xylene	ND	1.0	ND		4.3
o-Xylene	ND	1.0	ND		4.3

SURROGATE	PERCENT RECOVERY	LABORATORY CONTROL LIMITS (%)
1,2-Dichloroethane-d4	112	70 - 130
Toluene-d8	101	70 - 130
4-Bromofluorobenzene	77	70 - 130

Leggette, Brashears & Graham, Inc.
Client Sample ID: AQ122006:820HP4-2
GC/MS Volatiles

Lot-Sample # H7A160185 - 002

Work Order # JMWVG1AA

Matrix.....: AIR

Qualifiers

B Method blank contamination. The associated method blank contains the target analyte at a reportable level.
J Estimated result. Result is less than RL.

The 'Result' in ug/m3 is calculated using the following equation: Amount Found(before rounding)*(Molecular Weight/24.45)

The 'Reporting Limit' in ug/m3 is calculated using the following equation: (Reporting
Limit(before rounding) * Dilution Factor) * (Molecular Weight/24.45)

Leggette, Brashears & Graham, Inc.
 Client Sample ID: AQ122006:825HP4-3
 GC/MS Volatiles

Lot-Sample # H7A160185 - 003 Work Order # JMWWM1AA Matrix.....: AIR

Date Sampled...: 12/20/06 Date Received...: 12/22/06
 Prep Date.....: 1/15/07 Analysis Date..: 1/15/07
 Prep Batch #.....: 7016144
 Dilution Factor.: 5 Method.....: TO-15

PARAMETER	RESULTS (ppb(v/v))	REPORTING LIMIT (ppb(v/v))	RESULTS (ug/m3)		REPORTING LIMIT (ug/m3)
Benzene	0.33	1.0	1.1	J	3.2
Bromodichloromethane	ND	1.0	ND		6.7
Bromoform	ND	1.0	ND		10
Bromomethane	ND	1.0	ND		3.9
Carbon disulfide	1.4	2.5	4.2	J	7.8
Carbon tetrachloride	ND	1.0	ND		6.3
Chlorobenzene	ND	1.0	ND		4.6
Dibromochloromethane	ND	1.0	ND		8.5
Chloroethane	ND	1.0	ND		2.6
Chloroform	0.96	1.0	4.7	J	4.9
Chloromethane	ND	2.5	ND		5.2
1,1-Dichloroethane	4.4	1.0	18		4.0
1,2-Dichloroethane	ND	1.0	ND		4.0
cis-1,2-Dichloroethene	1.8	1.0	7.0		4.0
trans-1,2-Dichloroethene	ND	1.0	ND		4.0
1,1-Dichloroethene	1.1	1.0	4.2		4.0
1,2-Dichloropropane	ND	1.0	ND		4.6
cis-1,3-Dichloropropene	ND	1.0	ND		4.5
trans-1,3-Dichloropropene	ND	1.0	ND		4.5
Ethylbenzene	ND	1.0	ND		4.3
Methylene chloride	0.35	2.5	1.2	J B	8.7
Styrene	ND	1.0	ND		4.3
1,1,2,2-Tetrachloroethane	ND	1.0	ND		6.9
Tetrachloroethene	ND	1.0	ND		6.8
Toluene	0.62	1.0	2.4	J	3.8
1,1,1-Trichloroethane	26	1.0	140		5.5
1,1,2-Trichloroethane	ND	1.0	ND		5.5
Trichloroethene	ND	1.0	ND		5.4
Vinyl chloride	ND	1.0	ND		2.6
m-Xylene & p-Xylene	ND	1.0	ND		4.3
o-Xylene	ND	1.0	ND		4.3

SURROGATE	PERCENT RECOVERY	LABORATORY CONTROL LIMITS (%)
1,2-Dichloroethane-d4	115	70 - 130
Toluene-d8	104	70 - 130
4-Bromofluorobenzene	81	70 - 130

Leggette, Brashears & Graham, Inc.
Client Sample ID: AQ122006:825HP4-3
GC/MS Volatiles

Lot-Sample # H7A160185 - 003

Work Order # JMWWM1AA

Matrix.....: AIR

Qualifiers

B Method blank contamination. The associated method blank contains the target analyte at a reportable level.
J Estimated result. Result is less than RL.

The 'Result' in ug/m3 is calculated using the following equation: $\text{Amount Found}(\text{before rounding}) * (\text{Molecular Weight}/24.45)$

The 'Reporting Limit' in ug/m3 is calculated using the following equation: $(\text{Reporting Limit}(\text{before rounding}) * \text{Dilution Factor}) * (\text{Molecular Weight}/24.45)$

Leggette, Brashears & Graham, Inc.
 Client Sample ID: INTRA-LAB BLANK
 GC/MS Volatiles

Lot-Sample # H7A160000 - 144B

Work Order # JMWPP1AA

Matrix.....: AIR

Prep Date.....: 1/15/07

Date Received..: 1/12/07

Prep Batch #.....: 7016144

Analysis Date..: 1/15/07

Dilution Factor.: 1

Method.....: TO-15

PARAMETER	RESULTS (ppb(v/v))	REPORTING LIMIT (ppb(v/v))	RESULTS (ug/m3)	REPORTING LIMIT (ug/m3)
Benzene	ND	0.20	ND	0.64
Bromodichloromethane	ND	0.20	ND	1.3
Bromoform	ND	0.20	ND	2.1
Bromomethane	ND	0.20	ND	0.78
Carbon disulfide	ND	0.50	ND	1.6
Carbon tetrachloride	ND	0.20	ND	1.3
Chlorobenzene	ND	0.20	ND	0.92
Dibromochloromethane	ND	0.20	ND	1.7
Chloroethane	ND	0.20	ND	0.53
Chloroform	ND	0.20	ND	0.98
Chloromethane	ND	0.50	ND	1.0
1,1-Dichloroethane	ND	0.20	ND	0.81
1,2-Dichloroethane	ND	0.20	ND	0.81
cis-1,2-Dichloroethene	ND	0.20	ND	0.79
trans-1,2-Dichloroethene	ND	0.20	ND	0.79
1,1-Dichloroethene	ND	0.20	ND	0.79
1,2-Dichloropropane	ND	0.20	ND	0.92
cis-1,3-Dichloropropene	ND	0.20	ND	0.91
trans-1,3-Dichloropropene	ND	0.20	ND	0.91
Ethylbenzene	ND	0.20	ND	0.87
Methylene chloride	0.048	0.50	0.17 J	1.7
Styrene	ND	0.20	ND	0.85
1,1,2,2-Tetrachloroethane	ND	0.20	ND	1.4
Tetrachloroethene	ND	0.20	ND	1.4
Toluene	ND	0.20	ND	0.75
1,1,1-Trichloroethane	ND	0.20	ND	1.1
1,1,2-Trichloroethane	ND	0.20	ND	1.1
Trichloroethene	ND	0.20	ND	1.1
Vinyl chloride	ND	0.20	ND	0.51
m-Xylene & p-Xylene	ND	0.20	ND	0.87
o-Xylene	ND	0.20	ND	0.87

SURROGATE	PERCENT RECOVERY	LABORATORY CONTROL LIMITS (%)
1,2-Dichloroethane-d4	106	70 - 130
Toluene-d8	100	70 - 130
4-Bromofluorobenzene	85	70 - 130

Leggette, Brashears & Graham, Inc.
Client Sample ID: INTRA-LAB BLANK
GC/MS Volatiles

Lot-Sample # H7A160000 - 144B

Work Order # JMWPP1AA

Matrix.....: AIR

Qualifiers

J Estimated result. Result is less than RL.

The 'Result' in ug/m3 is calculated using the following equation: Amount Found(before rounding)*(Molecular Weight/24.45)

The 'Reporting Limit' in ug/m3 is calculated using the following equation: (Reporting Limit(before rounding) * Dilution Factor) * (Molecular Weight/24.45)

Leggette, Brashears & Graham, Inc.
 Client Sample ID: CHECK SAMPLE
 GC/MS Volatiles

Lot-Sample # H7A160000 - 144C Work Order # JMWPP1AC Matrix.....: AIR

Prep Date.....: 1/15/07 Date Received..: 1/12/07
 Prep Batch #.....: 7016144 Analysis Date..: 1/15/07
 Dilution Factor.: 1 Method.....: TO-15

PARAMETER	SPIKE AMOUNT (ppb(v/v))	MEASURED AMOUNT (ppb(v/v))	SPIKE AMOUNT (ug/m3)	MEASURED AMOUNT (ug/m3)	PERCENT RECOVERY	RECOVERY LIMITS
Benzene	10.0	10.8	32	34	108	70 - 130
Chlorobenzene	10.0	10.9	46	50	109	70 - 130
1,1-Dichloroethene	10.0	7.75	40	31	78	70 - 130
Toluene	10.0	11.4	38	43	114	70 - 130
Trichloroethene	10.0	11.2	54	60	112	70 - 130

SURROGATE	PERCENT RECOVERY	LABORATORY CONTROL LIMITS (%)
1,2-Dichloroethane-d4	106	70 - 130
Toluene-d8	96	70 - 130
4-Bromofluorobenzene	88	70 - 130

The 'Result' in ug/m3 is calculated using the following equation: Amount Found(before rounding)*(Molecular Weight/24.45)

The 'Reporting Limit' in ug/m3 is calculated using the following equation: (Reporting Limit(before rounding) * Dilution Factor) * (Molecular Weight/24.45)

Sample Receipt Documentation

White: To accompany samples

Yellow: Field copy

STL Knoxville

5815 Middlebrook Pike • Knoxville, TN 37921-5947
 Phone: (865) 291-3000 • Fax: (865) 584-4315
 Receiving: (865) 291-3031

Project Name/No. ¹ Rowe
 Sample Team Members ² Rob Drew
 Profit Center No. ³ NA65AC0401
 Project Manager ⁴ Mark Goldberg
 Purchase Order No. ⁵ _____

Required Report Date ¹¹ Standard TAT

**ANALYSIS REQUEST AND
CHAIN OF CUSTODY RECORD***

Samples Shipment Date ⁷ 12-21-06
 Lab Destination ⁸ _____
 Lab Contact ⁹ Jerrie McKinney
 Project Contact / Phone ¹² 203-929-8555
 Carrier / Waybill No. ¹³ _____

Reference Document No.
 Page 1 of 1

Bill to: ⁵ BBG
H. Research Dr.
Suite 301
Shelton CT 06484
 Report to: ¹⁰ Mark Goldberg

ONE CONTAINER PER LINE

Sample ¹⁴ Number	Sample ¹⁵ Type	Date/Time ¹⁶ Collected	Container ¹⁷ Type	Sample ¹⁸ Volume	Pre- ¹⁹ servative	Requested Testing ²⁰ Program	Condition on Receipt ²¹ Lab use only
<u>AR 122006-815 HP4-1</u>	<u>Dir</u>	<u>12/21/06 8:15</u>	<u>Teklar bags</u>	<u>1L</u>	<u>—</u>	<u>TO-17</u>	Custody seals intact ☒ N NA
<u>AR 122006-820 HP4-2</u>	<u>↓</u>	<u>↓ 8:20</u>	<u>↓</u>	<u>↓</u>	<u>—</u>	<u>↓</u>	Temperature received at <u>Arbit</u>
<u>AR 122006-825 HP4-3</u>	<u>↓</u>	<u>↓ 8:25</u>	<u>↓</u>	<u>↓</u>	<u>—</u>	<u>↓</u>	Received by <u>MF it</u> Date <u>12-22-06</u> MF4 12-22-06
							Number of packages <u>1</u>
							Tracking # <u>7916 0636 6971</u>

Special Instructions: ²³

Possible Hazard Identification: ²⁴

Non-Hazard ☒ Flammable ☐ Skin Irritant ☐ Poison B ☐ Unknown ☐

Turnaround Time Required: ²⁵

Normal ☒ Rush ☐

1. Relinquished by ²⁸ [Signature]
 (Signature / Affiliation)

Date: 12/21/06
 Time: 12:00

QC Level: ²⁷

I. ☐ II. ☐ III. ☐

1. Received by ²⁸ [Signature]
 (Signature / Affiliation)

Date: 12-22-06
 Time: 11:50

1. Relinquished by
 (Signature / Affiliation)

Date: _____
 Time: _____

1. Received by
 (Signature / Affiliation)

Date: _____
 Time: _____

Comments: ²⁹

Sample Disposal: ²⁵

Return to Client ☐ Disposal by Lab ☒ Archive (mos.)

STL KNOXVILLE SAMPLE RECEIPT/CONDITION UPON RECEIPT ANOMALY CHECKLIST

Client: LBG Project: RowE Lot Number: W1220181-17A160185

Review Items	Yes	No	NA	If No, what was the problem?	Comments/Actions Taken
1. Do sample container labels match COC? (IDs, Dates, Times)				☐ 1a Do not match COC ☐ 1b Incomplete information ☐ 1c Marking smeared ☐ 1d Label torn ☐ 1e No label ☐ 1f COC not received ☐ 1g Other:	
2. Is the cooler temperature within limits? (> freezing temp. of water to 6°C; NC, 1668, 1613B: 0-4°C; VOST: 10°C; MA: 2-6°C)	✓		✓	☐ 2a Temp Blank = ☐ 2b Cooler Temp =	
3. Were samples received with correct chemical preservative (excluding Encore)?			✓	☐ 3a Sample preservative =	
4. Were custody seals present/intact on cooler and/or containers?	✓			☐ 4a Not present ☐ 4b Not intact ☐ 4c Other:	
5. Were all of the samples listed on the COC received?	✓			☐ 5a Samples received-not on COC ☐ 5b Samples not received-on COC	
6. Were all of the sample containers received intact?	✓			☐ 6a Leaking ☐ 6b Broken	
7. Were VOA samples received without headspace?			✓	☐ 7a Headspace (VOA only)	
8. Were samples received in appropriate containers?	✓			☐ 8a Improper container	
9. Did you check for residual chlorine, if necessary?			✓	☐ 9a Could not be determined due to matrix interference	
10. Were samples received within holding time?	✓			☐ 10a Holding time expired	
11. For rad samples, was sample activity info. provided?			✓	☐ Incomplete information	
12. For SOG water samples (1613B, 1668A, 8290, LR PAHs), do samples have visible solids present?			✓	If yes & appears to be >1%, was SOG notified?	
13. Are the shipping containers intact?	✓			☐ 13a Leaking ☐ 13b Other:	
14. Was COC relinquished? (Signed/Dated/Timed)	✓			☐ 14a Not relinquished	
15. Are tests/parameters listed for each sample?	✓			☐ 15a Incomplete information	
16. Is the matrix of the samples noted?	✓			☐ 15a Incomplete information	
17. Is the date/time of sample collection noted?	✓			☐ 15a Incomplete information	
18. Is the client and project name/# identified?	✓			☐ 15a Incomplete information	
19. Was the sampler identified on the COC?	✓			☐ 15a Incomplete information	
Quote #: <u>7364</u> PM Instructions:					

Sample Receiving Associate: Matthew F. Peters Date: 12-22-06