

PROJECT STATUS MEMORANDUM

NO. 07-01

TO: Pamela Tames, USEPA

FROM: Mark M. Goldberg, P.E.

DATE: May 2, 2007

PROJECT: Ground Water Remedial Action
Focused Pump & Treat System
Rowe Industries Superfund Site
Sag Harbor, New York
January 1, 2007 through April 3, 2007 Status Report

LBG Engineering Services, P.C. (LBG) restarted the operation of the Focused Pump & Treat (FP&T) system on May 30, 2006. Prior to that time, the FP&T system was in operation from March 22, 2001 to December 23, 2003. This status report presents a summary of the operation, maintenance and monitoring activities for the FP&T system from January 1, 2007 through April 3, 2007. The system operation for the first quarter of 2007 is summarized below.

SUMMARY OF SYSTEM OPERATION

(January 1, 2007 through April 3, 2007)

<i>Reporting Period:</i>	93 days
<i>Total Flow During Period:</i>	419,242 gallons
<i>Cumulative Total Flow Since May 30, 2006:</i>	1,907,744 gallons
<i>Since March 22, 2001:</i>	7,702,364 gallons
<i>System Average Flow:</i>	6.0 gallons per minute (gpm)
<i>Mass of VOCs Recovered:</i>	
<i>Since January 1, 2007 to April 3, 2007:</i>	0.39 pounds (see Table 1)
<i>Cumulative VOCs Recovered Since May 30, 2006:</i>	3.46 pounds
<i>Since March 22, 2001:</i>	20.66 pounds
<i>Discharge Criteria:</i>	Effluent water quality criteria met Except on 3/22/07 (see Table 8)

The FP&T system was restarted with FRW-1 operating on January 3, 2007 because of a FRW-3 pump failure alarm that occurred sometime between December 27, 2006 and January 3, 2007. On January 10, 2007, the fitting on the discharge side of the transfer pump was leaking on arrival. The leak was contained in the FP&T trailer, therefore, there was no release to the environment. The system was temporarily shut down and the fitting was repaired. The system was restarted on January 10 with FRW-1 pumping. On January 18, 2007, the operating recovery well was switched from FRW-1 to FRW-2. On January 24, 2007, the system was shut down to conduct operation and maintenance (O&M) work that consisted of the following:

- cleaning the four recovery wells and sumps with a vacuum truck;
- cleaning the four recovery well pumps and pump motors;
- cleaning the bag filter housing and pipes from the holding tank to the first carbon unit using a vacuum truck and jet-washing equipment;
- cleaning the holding tank with a vacuum truck; and
- replacing pumps in FRW-3 and 4.

After the January 24, 2007 O&M activities, the system was restarted with FRW-1 operating until February 1, 2007. On February 1, 2007, the FP&T system was shut off because of a leak at the discharge side of the transfer pump. The leak was contained in the FP&T trailer, therefore, there was no release to the environment and the pressure sensor near the transfer pump will be investigated to determine if it's working properly. The system remained off until repairs could be completed.

On February 21, 2007, the fitting located on the discharge side of the transfer pump was repaired. However, the system could not be turned on because the end of the discharge pipe, which is positioned in the unnamed pond, was frozen and plugged with ice. The system remained off until March 14, 2007, when the ice in the discharge pipe thawed.

On February 22, 2007, two water samples from FRW-2 and 3 and one swab sample from the bag filter were collected and analyzed for bacteria identification. The purpose of this action is to characterize the material that is believed to be the principal cause of the clogging and pre-mature carbon breakthrough being experienced with the FP&T system. This bacteria identification information will be used to assess if physical and/or chemical treatment can be utilized to address the "clogging" problem.

On March 14, 2007, the FP&T system was turned on and ran continuously until April 3, 2007 with FRW-2 in operation. The post-carbon sample collected on March 22, 2007 contained PCE (14 ug/l) that exceeded the state pollutant discharge elimination system (SPDES) effluent criteria. The subsequent post-carbon samples collected on March 28 and April 3, 2007 did not exceed the SPDES effluent criteria. The laboratory analytical report for the March 22, 2007 post-carbon sample was not received until April 2, 2007. While the post-carbon (effluent) samples collected after the March 22nd event did not exceed the criteria, the system was shut down as soon as possible to address the detected exceedance. The operation of the FP&T system was discontinued on April 3, 2007 because of the breakthrough detected in the post-carbon sample collected on March 22.

Table 1 presents the pre-carbon VOC concentrations, the total volume of water pumped and the mass of VOCs removed and treated by the FP&T system during this reporting period. The total mass of VOCs removed during this reporting period is 0.39 pounds.

Graph 1 presents the pre-carbon VOC concentrations and total cumulative mass of VOCs removed since the system was restarted on May 30, 2006. The FP&T system continues to recover and treat VOCs effectively although only one recovery well was operating at any given time because of the clogging problems discussed in previous quarterly reports.

The laboratory results from the analysis of water samples from the recovery wells are found in Tables 2, 3, 4 and 5. Graph 2 illustrates the PCE trends in each recovery well and the pre-carbon (influent) sample. The concentration of tetrachloroethylene (PCE) from the FP&T recovery wells during this reporting period ranged from less than 1 ug/l (the laboratory reporting limit) in samples collected from FRW-4 to 240 ug/l in a sample collected from FRW-1. The PCE concentration in the sample from FRW-1 appears to be a bit higher than normal for this well although PCE concentrations from this well have been higher than 300 ug/l in prior reporting periods. The 51 ug/l concentration in the ground water on January 10, 2007 at FRW-4 appears to be an anomaly because prior measurements (from previous quarters) and subsequent measurements have been much lower than this value.

Graphs 3 through 6 illustrate the chlorinated VOC concentrations in the ground water for the reporting period at FRW-1 through 4, respectively. Elevated concentrations of 1,2 cis- dichloroethene (12 DCE) and vinyl chloride (VC) were detected in the ground water at FRW-1, 2 and 3 at various times during the reporting period, which indicates some degradation of PCE to its daughter products (trichloroethene (TCE), 12 DCE and VC) is occurring in the FDSA. The elevated 12 DCE and VC concentrations in the ground water coincide with times the FP&T system was not operating. This information suggests that it may be beneficial to leave the FP&T system off and begin monitored natural attenuation activities for the FDSA to determine if there is a relationship between FP&T operation and COC degradation.

Tables 6, 7 and 8 show the VOC concentrations at the pre-carbon, mid-carbon and post-carbon locations, respectively. Breakthrough of PCE was occurring in the mid-carbon sample location throughout the reporting period because of the presence of the slime bacteria discussed in the 4th quarter report of 2006. As mentioned previously, breakthrough at the post-carbon sample location occurred on March 22, 2007, but did not occur during the March 28 or April 3, 2007 sampling events.

Graph 7 shows the trends in toluene concentrations in the ground water for each well and the pre-carbon sample location. One high concentration of toluene (640 ug/l) was detected in the ground-water sample from FRW-2 on the March 7, 2007 sampling event. The remaining toluene concentrations from the FP&T recovery wells were below 100 ug/l during this reporting period. The high toluene concentrations that are sometimes detected in the ground water suggest the mobilization of this compound by the EHCTM injection (which was injected at higher volumes in the vicinity of FRW-2 and FRW-3).

Based on the water quality information from this quarter, LBG recommends leaving the FP&T system off for the present time and monitoring water quality from the recovery wells once a month. The reason for the COC degradation observed this quarter is not known with certainty; however, some contributing factors may be:

- low pH of the ground water may have affected the time for anaerobic (or cometabolic) bacteria to acclimate;
- intermittent operation of the FP&T system may have provided some distribution of EHCTM materials (and their byproducts).

cc: Jeffrey S. Srulovitz, Kraft Foods Global, Inc. – .pdf
 Lisa Krogman, Environ – .pdf
 Jeff Trad, NYSDEC – .pdf
 Chief-Operation Maintenance and Support Section, NYSDEC – .pdf
 William Spitz, RWM, R-1, NYSDEC
 Garrett W. Swensen Jr., Esq., Town of Southampton

TABLES

Table 1

**GROUND-WATER REMEDIAL ACTION
FOCUSED PUMP AND TREAT SYSTEM
ROWE INDUSTRIES SUPERFUND SITE
SAG HARBOR, NEW YORK**

**Mass of VOCs Removed from the FDSA
January 1, 2007 through April 3, 2007**

Date	Total Precarbon VOC Concentration (mg/L)	Total Volume of Water Pumped (gals) ^{2/}	Volume of Water Processed for Period (gallons)	Total Mass of VOCs Removed (lbs.)	Cumulative Mass of VOCs Removed (lbs.)
1/3/2007	139	7,307,841	24,719	0.03	0.03
1/10/2007	81	7,380,447	72,606	0.05	0.08
1/18/2007	212	7,460,464	80,017	0.14	0.22
1/23/2007	51	7,484,440	23,976	0.01	0.23
3/14/2007	39	7,567,568	83,128	0.03	0.26
3/22/2007	136	7,630,729	63,161	0.07	0.33
3/28/2007	104	7,678,099	47,370	0.04	0.37
4/3/2007	116	7,702,364	24,265	0.02	0.39

1. The total mass of VOCs removed was calculated by using the difference between the precarbon and post-carbon VOC concentrations.
2. Values for total volume pumped was not recorded for 03/22/2007 but was calculated based on the volume of water pumped between 03/14/2007 and 03/28/2007 and the hours of operation for the respective time periods.

Table 2

**GROUND-WATER REMEDIAL ACTION
FOCUSED PUMP AND TREAT SYSTEM
ROWE INDUSTRIES SUPERFUND SITE
SAG HARBOR, NEW YORK**

**Recovery Well FRW-1 VOC Concentrations, micrograms per liter
January 1, 2007 through April 3, 2007**

FRW-1											
Date	PCE	TCE	12DCE	TCA	IPB	NPB	124TMB	135TMB	TOLUENE	VC	MC
1/10/2007	240	5.5	28	9.7	ND<1	ND<1	ND<1	ND<1	3.1	1.6	ND<1
3/7/2007	41	ND<1	620	ND<1	ND<1	ND<1	ND<1	ND<1	5.6	170	ND<1
3/28/2007	170	3.1	2.4	ND<1	ND<1	ND<1	ND<1	ND<1	4.6	1.3	ND<1
4/3/2007	110	8.6	93	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	30	ND<1

PCE- TETRACHLOROETHYLENE

TCA - 1,1,1-TRICHLOROETHANE

11 2-TCA - 1,1,2-TRICHLOROETHANE

TCE - TRICHLOROETHENE

12DCE - cis1,2-DICHLOROETHENE

MTBE - METHYL TERTIARY-BUTYL ETHER

VC - VINYL CHLORIDE

NPB - n PROPYLBENZENE

124TMB - 1,2,4-TRIMETHYLBENZENE

135TMB - 1,3,5-TRIMETHYLBENZENE

IPB - ISOPROPYLBENZENE

4-IPT - 4-ISOPROPYLTOLUENE

-- - NOT ANALYZED

MC - METHYLENE CHLORIDE

Table 3

GROUND-WATER REMEDIAL ACTION
FOCUSED PUMP AND TREAT SYSTEM
ROWE INDUSTRIES SUPERFUND SITE
SAG HARBOR, NEW YORK

Recovery Well FRW-2 VOC Concentrations, micrograms per liter
January 1, 2007 through April 3, 2007

FRW-2											
Date	PCE	TCE	12DCE	TCA	IPB	NPB	124TMB	135TMB	TOLUENE	VC	MC
1/10/2007	4.8	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	33	59	ND<1
3/7/2007	5.7	ND<1	180	ND<1	ND<1	ND<1	ND<1	ND<1	640	15	ND<1
3/28/2007	72	3.5	17	ND<1	1.5	ND<1	ND<1	ND<1	19	6.0	ND<1
4/3/2007	98	2.7	19	ND<1	ND<1	ND<1	ND<1	ND<1	24	7.3	ND<1

PCE- TETRACHLOROETHYLENE

TCA - 1,1,1-TRICHLOROETHANE

11 2-TCA - 1,1,2-TRICHLOROETHANE

TCE - TRICHLOROETHENE

12DCE - cis1,2-DICHLOROETHENE

MTBE - METHYL TERTIARY-BUTYL ETHER

VC - VINYL CHLORIDE

NPB - n PROPYL BENZENE

124TMB - 1,2,4-TRIMETHYLBENZENE

135TMB - 1,3,5-TRIMETHYLBENZENE

IPB - ISOPROPYLBENZENE

4-IPT - 4-ISOPROPYLTOLUENE

-- - NOT ANALYZED

MC - METHYLENE CHLORIDE

Table 4

**GROUND-WATER REMEDIAL ACTION
FOCUSED PUMP AND TREAT SYSTEM
ROWE INDUSTRIES SUPERFUND SITE
SAG HARBOR, NEW YORK**

**Recovery Well FRW-3 VOC Concentrations, micrograms per liter
January 1, 2007 through April 3, 2007**

FRW-3											
Date	PCE	TCE	12DCE	TCA	IPB	NPB	124TMB	11DCA	TOLUENE	VC	SBB
1/10/2007	31	3.4	290	ND<1	2.5	1.6	ND<1	0.97	68	27	ND<1
3/7/2007	120	16	110	18	ND<1	ND<1	ND<1	ND<1	26	ND<1	ND<1
3/28/2007	12	1.3	ND<1	ND<1	0.97	ND<1	ND<1	ND<1	58	ND<1	ND<1
4/3/2007	11	ND	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	49	ND<1	ND<1

PCE- TETRACHLOROETHYLENE

TCA - 1,1,1-TRICHLOROETHANE

11 2-TCA - 1,1,2-TRICHLOROETHANE

TCE - TRICHLOROETHENE

12DCE - cis1,2-DICHLOROETHENE

MTBE - METHYL TERTIARY-BUTYL ETHER

VC - VINYL CHLORIDE

NPB - n PROPYLBENZENE

124TMB - 1,2,4-TRIMETHYLBENZENE

11DCA - 1,1 DICHLOROETHANE

IPB - ISOPROPYLBENZENE

4-IPT - 4-ISOPROPYLTOLUENE

-- - NOT ANALYZED

SSB - SEC-BUTYLBENZENE

Table 5

**GROUND-WATER REMEDIAL ACTION
FOCUSED PUMP AND TREAT SYSTEM
ROWE INDUSTRIES SUPERFUND SITE
SAG HARBOR, NEW YORK**

**Recovery Well FRW-4 VOC Concentrations, micrograms per liter
January 1, 2007 through April 3, 2007**

FRW-4											
Date	PCE	TCE	12DCE	TCA	IPB	NPB	124TMB	135TMB	TOLUENE	VC	MC
1/10/2007	51	1.7	12	0.97	ND<1	ND<1	ND<1	ND<1	1.4	2.2	ND<1
3/7/2007	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
3/28/2007	ND<1	0.90	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
4/3/2007	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1

PCE- TETRACHLOROETHYLENE

TCA - 1,1,1-TRICHLOROETHANE

11 2-TCA - 1,1,2-TRICHLOROETHANE

TCE - TRICHLOROETHENE

12DCE - cis1,2-DICHLOROETHENE

MTBE - METHYL TERTIARY-BUTYL ETHER

VC - VINYL CHLORIDE

NPB - n PROPYLBENZENE

124TMB - 1,2,4-TRIMETHYLBENZENE

135TMB - 1,3,5-TRIMETHYLBENZENE

IPB - ISOPROPYLBENZENE

4-IPT - 4-ISOPROPYLTOLUENE

-- - NOT ANALYZED

MC - METHYLENE CHLORIDE

Table 6

**GROUND-WATER REMEDIAL ACTION
FOCUSED FOCUSED PUMP AND TREAT SYSTEM
ROWE INDUSTRIES SUPERFUND SITE
SAG HARBOR, NEW YORK**

Pre-Carbon VOC Concentrations, micrograms per liter
January 1, 2007 through April 3, 2007

PRE-CARBON										
Date	PCE	TCA	12DCE	IPB	XYL	124TMB	135TMB	TCE	Toluene	VC
1/3/2007	83	ND<1	25	ND<1	ND<2	ND<1	ND<1	3.7	27	ND<1
1/10/2007	61	ND<1	16	ND<1	ND<2	ND<1	ND<1	1.6	1.2	0.96
1/18/2007	47	ND<1	13	ND<1	2.2	ND<1	ND<1	ND<1	150	ND<1
1/23/2007	38	ND<1	13	ND<1	ND<2	ND<1	ND<1	ND<1	ND<1	ND<1
3/14/2007	18	ND<1	21	ND<1	ND<2	ND<1	ND<1	ND<1	ND<1	ND<1
3/22/2007	110	ND<1	ND<1	1.5	ND<2	ND<1	ND<1	ND<1	24	ND<1
3/28/2007	60	ND<1	20	1.2	ND<2	ND<1	ND<1	3.7	14	5.2
4/3/2007	80	ND<1	14	ND<1	ND<2	ND<1	ND<1	ND<1	18	4.0

PCE- TETRACHLOROETHYLENE
TCA - 1,1,1-TRICHLOROETHANE
112-TCA - 1,1,2-TRICHLOROETHANE
TCE - TRICHLOROETHENE
EB - ETHYLBENZENE
IPB - ISOPROPYLBENZENE
CB - CHLOROBENZENE
MC - METHYLENE CHLORIDE

BF - BROMOFORM
124TMB - 1,2,4-TRIMETHYLBENZENE
135TMB - 1,3,5-TRIMETHYLBENZENE
CB - CHLOROBENZENE
12DCE - cis1,2-DICHLOROETHENE
4-IPT - 4-ISOPROPYLTOLUENE
-- - NOT ANALYZED
XYL - M,P XYLENE

Table 7

**GROUND-WATER REMEDIAL ACTION
FOCUSED PUMP AND TREAT SYSTEM
ROWE INDUSTRIES SUPERFUND SITE
SAG HARBOR, NEW YORK**

Mid-carbon VOC Concentrations, micrograms per liter
January 1, 2007 through April 3, 2007

MID-CARBON										
Date	PCE	TCA	12DCE	IPB	NPB	124TMB	135TMB	TCE	Toluene	VC
1/3/2007	27	ND<1	3.1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
1/10/2007	24	ND<1	5.6	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
1/18/2007	46	ND<1	7.6	ND<1	ND<1	ND<1	ND<1	ND<1	25.0	ND<1
1/23/2007	12	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
3/14/2007	4.4	ND<1	9.5	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
3/22/2007	7.7	5.2	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
3/28/2007	34	ND<1	5.3	ND<1	ND<1	ND<1	ND<1	1.8	ND<1	1.9
4/3/2007	39	ND<1	6	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1

PCE- TETRACHLOROETHYLENE
TCA - 1,1,1-TRICHLOROETHANE
112-TCA - 1,1,2-TRICHLOROETHANE
TCE - TRICHLOROETHENE
EB - ETHYLBENZENE
IPB - ISOPROPYLBENZENE
CB - CHLOROBENZENE
MC - METHYLENE CHLORIDE

BF - BROMOFORM
124TMB - 1,2,4-TRIMETHYLBENZENE
135TMB - 1,3,5-TRIMETHYLBENZENE
CB - CHLOROBENZENE
12DCE - cis1,2-DICHLOROETHENE
4-IPT - 4-ISOPROPYLTOLUENE
-- - NOT ANALYZED
NPB - N-PROPYLBENZENE

Table 8

**GROUND-WATER REMEDIAL ACTION
FOCUSED PUMP AND TREAT SYSTEM
ROWE INDUSTRIES SUPERFUND SITE
SAG HARBOR, NEW YORK**

Post-carbon VOC Concentrations, micrograms per liter
January 1, 2007 through April 3, 2007

POST-CARBON										
Date ^{3/}	PCE	TCA	12DCE	IPB	NPB	124TMB	135TMB	TCE	Toluene	MC
SPDES ^{1/}	5	5	5	5	5	5	5	5	5 ^{2/}	5 ^{2/}
1/3/2007	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
1/10/2007	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
1/18/2007	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
1/23/2007	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
3/14/2007	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
3/22/2007	14	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
3/28/2007	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
4/3/2007	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1

1. SPDES is the state pollutant discharge elimination system equivalent effluent criteria for ground water established for the Former Rowe Industries Superfund site.
2. Toluene and methylene chloride do not have SPDES criteria established for the site, therefore, the "New York State Ambient Water Quality Standards and Guidance Values" document was used to obtain these concentrations.
3. The FP&T system was not operating from 11/17/06 to 11/29/06 so system samples were not collected on the week of 11/22/06.


PCE- TETRACHLOROETHYLENE
TCA - 1,1,1-TRICHLOROETHANE
112-TCA - 1,1,2-TRICHLOROETHANE
TCE - TRICHLOROETHENE
EB - ETHYLBENZENE
IPB - ISOPROPYLBENZENE
CB - CHLOROBENZENE
MC - METHYLENE CHLORIDE

BF - BROMOFORM
124TMB - 1,2,4-TRIMETHYLBENZENE
135TMB - 1,3,5-TRIMETHYLBENZENE
CB - CHLOROBENZENE
12DCE - cis1,2-DICHLOROETHENE
4-IPT - 4-ISOPROPYLTOLUENE
-- - NOT ANALYZED
NPB - N-PROPYLBENZENE

GRAPHS

GRAPH 1
GROUND WATER REMEDIAL ACTION
FOCUSED PUMP AND TREAT SYSTEM
ROWE INDUSTRIES SUPERFUND SITE
SAG HARBOR, NEW YORK

INFLUENT VOC CONCENTRATION AND CUMULATIVE MASS REMOVED FROM FDSDA
 May 30, 2006 through April 3, 2007



5/4/2007


S:\Tech\JOBFILES\M-N\Nabsag\Ground Water\O&M\FP&T\Quarterly Reports\2007\1st quarter (through 4-3-07)\1st qtr 2007

Graph Cum. Mass Removed Graph 1

1 of 1

GRAPH 2
GROUND WATER REMEDIAL ACTION
FOCUSED PUMP AND TREAT SYSTEM
ROWE INDUSTRIES SUPERFUND SITE
SAG HARBOR, NEW YORK

PCE CONCENTRATIONS IN RECOVERED GROUND WATER
January 1, 2007 through April 3, 2007




5/4/2007

S:\Tech\JOBFILES\M-N\Nabsag\Ground Water\O&M\FP&T\Quarterly Reports\2007\1st quarter (through 4-3-07)\1st qtr 2007

PCE Graph 2

GRAPH 3
GROUND WATER REMEDIAL ACTION
FOCUSED PUMP AND TREAT SYSTEM
ROWE INDUSTRIES SUPERFUND SITE
SAG HARBOR, NEW YORK

CHLORINATED VOC CONCENTRATIONS IN RECOVERED GROUND WATER FROM FRW-1
January 1, 2007 to April 3, 2007




5/4/2007

Graph 3 FRW-1

S:\Tech\JOBFILES\M-N\Nabsag\Ground Water\O&M\FP&T\Quarterly Reports\2007\1st quarter (through 4-3-07)\1st qtr 2007


GRAPH 4
GROUND WATER REMEDIAL ACTION
FOCUSED PUMP AND TREAT SYSTEM
ROWE INDUSTRIES SUPERFUND SITE
SAG HARBOR, NEW YORK

CHLORINATED VOC CONCENTRATIONS IN RECOVERED GROUND WATER FROM FRW-2
January 1, 2007 to April 3, 2007




GRAPH 5
GROUND WATER REMEDIAL ACTION
FOCUSED PUMP AND TREAT SYSTEM
ROWE INDUSTRIES SUPERFUND SITE
SAG HARBOR, NEW YORK

CHLORINATED VOC CONCENTRATIONS IN RECOVERED GROUND WATER FROM FRW-3
January 1, 2007 to April 3, 2007




GRAPH 6
GROUND WATER REMEDIAL ACTION
FOCUSED PUMP AND TREAT SYSTEM
ROWE INDUSTRIES SUPERFUND SITE
SAG HARBOR, NEW YORK

CHLORINATED VOC CONCENTRATIONS IN RECOVERED GROUND WATER FROM FRW-4
January 1, 2007 to April 3, 2007



GRAPH 7
GROUND WATER REMEDIAL ACTION
FOCUSED PUMP AND TREAT SYSTEM
ROWE INDUSTRIES SUPERFUND SITE
SAG HARBOR, NEW YORK

TOLUENE CONCENTRATIONS IN RECOVERED GROUND WATER
January 1, 2007 through April 3, 2007



5/4/2007

S:\Tech\JOBFILES\M-N\Nabsag\Ground Water\O&M\FP&T\Quarterly Reports\2007\1st quarter (through 4-3-07)\1st qtr 2007

Toluene Graph 7

APPENDIX I

1ST QUARTER 2007 LABORATORY ANALYTICAL REPORTS



NYSDOH 11418
NJDEP NY050
CTDOH PH-0205
PADEP 68-00573

Friday, January 12, 2007

Mark Goldberg
Leggette Brashears & Graham Inc.
4 Research Drive
Suite 301
Shelton, CT 06484

TEL: (203) 929-8555
FAX (203) 926-9140

RE: Rowe Industries

Order No.: 0701037

Dear Mark Goldberg:

American Analytical Laboratories, LLC. received 3 sample(s) on 1/5/2007 for the analyses presented in the following report.


Samples were analyzed in accordance with the test procedures documented on the chain of custody and detailed throughout the text of this report.

The limits provided in the data package are analytical reporting limits and not Federal or Local mandated values to which the sample results should be compared.

There were no problems with the analyses and all data for associated QC met laboratory specifications. If there are any exceptions a Case Narrative is provided in the report.

If you have any questions regarding these tests results, please do not hesitate to call (631) 454-6100 or email me directly at lbeyer@american-analytical.com.

Sincerely,


Lori Beyer
Lab Director

American Analytical Laboratories, LLC.**Date:** 12-Jan-07**CLIENT:** Leggette Brashears & Graham Inc.**Project:** Rowe Industries**Lab Order:** 0701037**Work Order Sample Summary**

Lab Sample ID	Client Sample ID	Tag Number	Date Collected	Date Received
0701037-01A	PRE 010307:1000	10293	1/3/2007	1/5/2007
0701037-02A	MID 010307:1005	10293	1/3/2007	1/5/2007
0701037-03A	POST 010307:1010	10293	1/3/2007	1/5/2007

CHAIN OF CUSTODY / REQUEST FOR ANALYSIS DOCUMENT

[illegible]

WHITE-OFFICE / CANARY-LAB / PINK-SAMPLE CUSTODIAN / GOLDENROD-CLIENT

AMERICAN ANALYTICAL LABORATORIES, LLC

56 TOLEDO STREET

FARMINGDALE, NEW YORK 11735

TELEPHONE: (631) 454-6100 FAX: (631) 454-8027

DATA REPORTING QUALIFIERS

For reporting results, the following "Results Qualifiers" are used:

Value	If the result is greater than or equal to the detection limit, report the value
U	Indicates the compound was analyzed for but was not detected. Report the minimum detection limit for the sample with the U, i.e. "10U". This is not necessarily the instrument detection limit attainable for this particular sample based on any concentration or dilution that may have been required.
J	Indicates an estimated value. The flag is used: (1) When estimating a concentration for a tentatively identified compound (library search hits, where a 1:1 response is assumed.) (2) When the mass spectral data indicated the identification, however the result was less than the specified detection limit greater than zero. If the detection limit was 10ug/L and a concentration of 3ug/L was calculated report as 3J. This flag is used when similar situations arise on any organic parameter i.e. Pesticide, PCBs and others.
B	Indicates the analyte was found in the blank as well as the sample report "10B".
E	Indicates the analytes concentration exceeds the calibrated range of the instrument for that specific analysis.
D	This flag identifies all compounds identified in an analysis at a secondary dilution factor.
P	This flag is used for Pesticide / PCB target analyte when there is >25% difference for detected concentrations between the two GC Columns. The higher of the two values is reported on Form I and flagged with a "P".
N	This flag indicates presumptive evidence of a compound. This is only used for tentatively identified compounds (TICs), where the identification is based on a mass spectral library search. It applies to all TIC results. For generic characterization of a TIC, such as chlorinated hydrocarbon, the flag is not used.
H	Indicates sample was received and/or analyzed outside of The method allowable holding time

American Analytical Laboratories, LLC.

Date: 12-Jan-07

CLIENT: Leggette Brashears & Graham Inc.
Lab Order: 0701037
Project: Rowe Industries
Lab ID: 0701037-01A

Client Sample ID: PRE 010307:1000
Tag Number: 10293
Collection Date: 1/3/2007
Matrix: LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILE SW-846 8260 PLUS MTBE & FREON11		SW8260B		Analyst: KS		
1,1,1,2-Tetrachloroethane	U	1.0		µg/L	1	1/10/2007 10:17:00 AM
1,1,1-Trichloroethane	U	1.0		µg/L	1	1/10/2007 10:17:00 AM
1,1,2,2-Tetrachloroethane	U	1.0		µg/L	1	1/10/2007 10:17:00 AM
1,1,2-Trichloro-1,2,2-trifluoroethane	U	1.0		µg/L	1	1/10/2007 10:17:00 AM
1,1,2-Trichloroethane	U	1.0		µg/L	1	1/10/2007 10:17:00 AM
1,1-Dichloroethane	U	1.0		µg/L	1	1/10/2007 10:17:00 AM
1,1-Dichloroethene	U	1.0		µg/L	1	1/10/2007 10:17:00 AM
1,1-Dichloropropene	U	1.0		µg/L	1	1/10/2007 10:17:00 AM
1,2,3-Trichlorobenzene	U	1.0		µg/L	1	1/10/2007 10:17:00 AM
1,2,3-Trichloropropane	U	1.0		µg/L	1	1/10/2007 10:17:00 AM
1,2,4-Trichlorobenzene	U	1.0		µg/L	1	1/10/2007 10:17:00 AM
1,2,4-Trimethylbenzene	U	1.0		µg/L	1	1/10/2007 10:17:00 AM
1,2-Dibromo-3-chloropropane	U	1.0		µg/L	1	1/10/2007 10:17:00 AM
1,2-Dibromoethane	U	1.0		µg/L	1	1/10/2007 10:17:00 AM
1,2-Dichlorobenzene	U	1.0		µg/L	1	1/10/2007 10:17:00 AM
1,2-Dichloroethane	U	1.0		µg/L	1	1/10/2007 10:17:00 AM
1,2-Dichloropropane	U	1.0		µg/L	1	1/10/2007 10:17:00 AM
1,3,5-Trimethylbenzene	U	1.0		µg/L	1	1/10/2007 10:17:00 AM
1,3-Dichlorobenzene	U	1.0		µg/L	1	1/10/2007 10:17:00 AM
1,3-dichloropropane	U	1.0		µg/L	1	1/10/2007 10:17:00 AM
1,4-Dichlorobenzene	U	1.0		µg/L	1	1/10/2007 10:17:00 AM
2,2-Dichloropropane	U	1.0		µg/L	1	1/10/2007 10:17:00 AM
2-Butanone	U	3.0		µg/L	1	1/10/2007 10:17:00 AM
2-Chloroethyl vinyl ether	U	1.0		µg/L	1	1/10/2007 10:17:00 AM
2-Chlorotoluene	U	1.0		µg/L	1	1/10/2007 10:17:00 AM
2-Hexanone	U	2.0		µg/L	1	1/10/2007 10:17:00 AM
4-Chlorotoluene	U	1.0		µg/L	1	1/10/2007 10:17:00 AM
4-Isopropyltoluene	U	1.0		µg/L	1	1/10/2007 10:17:00 AM
4-Methyl-2-pentanone	U	2.0		µg/L	1	1/10/2007 10:17:00 AM
Acetone	U	2.0		µg/L	1	1/10/2007 10:17:00 AM
Benzene	U	1.0		µg/L	1	1/10/2007 10:17:00 AM
Bromobenzene	U	1.0		µg/L	1	1/10/2007 10:17:00 AM
Bromochloromethane	U	1.0		µg/L	1	1/10/2007 10:17:00 AM
Bromodichloromethane	U	1.0		µg/L	1	1/10/2007 10:17:00 AM
Bromoform	U	1.0		µg/L	1	1/10/2007 10:17:00 AM
Bromomethane	U	1.0		µg/L	1	1/10/2007 10:17:00 AM
Carbon disulfide	U	1.0		µg/L	1	1/10/2007 10:17:00 AM
Carbon tetrachloride	U	1.0		µg/L	1	1/10/2007 10:17:00 AM
Chlorobenzene	U	1.0		µg/L	1	1/10/2007 10:17:00 AM

Qualifiers:	B	Analyte detected in the associated Method Blank	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	S	Spike Recovery outside accepted recovery limits
	U	Indicates the compound was analyzed for but not detected	X	Value exceeds Maximum Contaminant Level

American Analytical Laboratories, LLC.

Date: 12-Jan-07

CLIENT: Leggette Brashears & Graham Inc.
Lab Order: 0701037
Project: Rowe Industries
Lab ID: 0701037-01A

Client Sample ID: PRE 010307:1000
Tag Number: 10293
Collection Date: 1/3/2007
Matrix: LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILE SW-846 8260 PLUS MTBE & FREON11		SW8260B		Analyst: KS		
Chloroethane	U	1.0		µg/L	1	1/10/2007 10:17:00 AM
Chloroform	U	1.0		µg/L	1	1/10/2007 10:17:00 AM
Chloromethane	U	1.0		µg/L	1	1/10/2007 10:17:00 AM
cis-1,2-Dichloroethene	25	1.0		µg/L	1	1/10/2007 10:17:00 AM
cis-1,3-Dichloropropene	U	1.0		µg/L	1	1/10/2007 10:17:00 AM
Dibromochloromethane	U	1.0		µg/L	1	1/10/2007 10:17:00 AM
Dibromomethane	U	1.0		µg/L	1	1/10/2007 10:17:00 AM
Dichlorodifluoromethane	U	1.0		µg/L	1	1/10/2007 10:17:00 AM
Ethylbenzene	U	1.0		µg/L	1	1/10/2007 10:17:00 AM
Hexachlorobutadiene	U	1.0		µg/L	1	1/10/2007 10:17:00 AM
Isopropylbenzene	U	1.0		µg/L	1	1/10/2007 10:17:00 AM
m,p-Xylene	U	2.0		µg/L	1	1/10/2007 10:17:00 AM
Methyl tert-butyl ether	U	1.0		µg/L	1	1/10/2007 10:17:00 AM
Methylene chloride	U	1.0		µg/L	1	1/10/2007 10:17:00 AM
Naphthalene	U	1.0		µg/L	1	1/10/2007 10:17:00 AM
n-Butylbenzene	U	1.0		µg/L	1	1/10/2007 10:17:00 AM
n-Propylbenzene	U	1.0		µg/L	1	1/10/2007 10:17:00 AM
o-Xylene	U	1.0		µg/L	1	1/10/2007 10:17:00 AM
sec-Butylbenzene	U	1.0		µg/L	1	1/10/2007 10:17:00 AM
Styrene	U	1.0		µg/L	1	1/10/2007 10:17:00 AM
tert-Butylbenzene	U	1.0		µg/L	1	1/10/2007 10:17:00 AM
Tetrachloroethene	83	1.0		µg/L	1	1/10/2007 10:17:00 AM
Toluene	27	1.0		µg/L	1	1/10/2007 10:17:00 AM
trans-1,2-Dichloroethene	U	1.0		µg/L	1	1/10/2007 10:17:00 AM
trans-1,3-Dichloropropene	U	1.0		µg/L	1	1/10/2007 10:17:00 AM
Trichloroethene	3.7	1.0		µg/L	1	1/10/2007 10:17:00 AM
Trichlorofluoromethane	U	1.0		µg/L	1	1/10/2007 10:17:00 AM
Vinyl acetate	U	1.0		µg/L	1	1/10/2007 10:17:00 AM
Vinyl chloride	U	1.0		µg/L	1	1/10/2007 10:17:00 AM
Surr: 4-Bromofluorobenzene	109	69-134		%REC	1	1/10/2007 10:17:00 AM
Surr: Dibromofluoromethane	117	70-135		%REC	1	1/10/2007 10:17:00 AM
Surr: Toluene-d8	102	71-123		%REC	1	1/10/2007 10:17:00 AM

Qualifiers:	B	Analyte detected in the associated Method Blank	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	S	Spike Recovery outside accepted recovery limits
	U	Indicates the compound was analyzed for but not detected	X	Value exceeds Maximum Contaminant Level

American Analytical Laboratories, LLC.

Date: 12-Jan-07

CLIENT: Leggette Brashears & Graham Inc.
Lab Order: 0701037
Project: Rowe Industries
Lab ID: 0701037-02A

Client Sample ID: MID 010307:1005
Tag Number: 10293
Collection Date: 1/3/2007
Matrix: LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILE SW-846 8260 PLUS MTBE & FREON11		SW8260B		Analyst: KS		
1,1,1,2-Tetrachloroethane	U	1.0		µg/L	1	1/10/2007 10:55:00 AM
1,1,1-Trichloroethane	U	1.0		µg/L	1	1/10/2007 10:55:00 AM
1,1,2,2-Tetrachloroethane	U	1.0		µg/L	1	1/10/2007 10:55:00 AM
1,1,2-Trichloro-1,2,2-trifluoroethane	U	1.0		µg/L	1	1/10/2007 10:55:00 AM
1,1,2-Trichloroethane	U	1.0		µg/L	1	1/10/2007 10:55:00 AM
1,1-Dichloroethane	U	1.0		µg/L	1	1/10/2007 10:55:00 AM
1,1-Dichloroethene	U	1.0		µg/L	1	1/10/2007 10:55:00 AM
1,1-Dichloropropene	U	1.0		µg/L	1	1/10/2007 10:55:00 AM
1,2,3-Trichlorobenzene	U	1.0		µg/L	1	1/10/2007 10:55:00 AM
1,2,3-Trichloropropane	U	1.0		µg/L	1	1/10/2007 10:55:00 AM
1,2,4-Trichlorobenzene	U	1.0		µg/L	1	1/10/2007 10:55:00 AM
1,2,4-Trimethylbenzene	U	1.0		µg/L	1	1/10/2007 10:55:00 AM
1,2-Dibromo-3-chloropropane	U	1.0		µg/L	1	1/10/2007 10:55:00 AM
1,2-Dibromoethane	U	1.0		µg/L	1	1/10/2007 10:55:00 AM
1,2-Dichlorobenzene	U	1.0		µg/L	1	1/10/2007 10:55:00 AM
1,2-Dichloroethane	U	1.0		µg/L	1	1/10/2007 10:55:00 AM
1,2-Dichloropropane	U	1.0		µg/L	1	1/10/2007 10:55:00 AM
1,3,5-Trimethylbenzene	U	1.0		µg/L	1	1/10/2007 10:55:00 AM
1,3-Dichlorobenzene	U	1.0		µg/L	1	1/10/2007 10:55:00 AM
1,3-dichloropropane	U	1.0		µg/L	1	1/10/2007 10:55:00 AM
1,4-Dichlorobenzene	U	1.0		µg/L	1	1/10/2007 10:55:00 AM
2,2-Dichloropropane	U	1.0		µg/L	1	1/10/2007 10:55:00 AM
2-Butanone	U	3.0		µg/L	1	1/10/2007 10:55:00 AM
2-Chloroethyl vinyl ether	U	1.0		µg/L	1	1/10/2007 10:55:00 AM
2-Chlorotoluene	U	1.0		µg/L	1	1/10/2007 10:55:00 AM
2-Hexanone	U	2.0		µg/L	1	1/10/2007 10:55:00 AM
4-Chlorotoluene	U	1.0		µg/L	1	1/10/2007 10:55:00 AM
4-Isopropyltoluene	U	1.0		µg/L	1	1/10/2007 10:55:00 AM
4-Methyl-2-pentanone	U	2.0		µg/L	1	1/10/2007 10:55:00 AM
Acetone	U	2.0		µg/L	1	1/10/2007 10:55:00 AM
Benzene	U	1.0		µg/L	1	1/10/2007 10:55:00 AM
Bromobenzene	U	1.0		µg/L	1	1/10/2007 10:55:00 AM
Bromochloromethane	U	1.0		µg/L	1	1/10/2007 10:55:00 AM
Bromodichloromethane	U	1.0		µg/L	1	1/10/2007 10:55:00 AM
Bromoform	U	1.0		µg/L	1	1/10/2007 10:55:00 AM
Bromomethane	U	1.0		µg/L	1	1/10/2007 10:55:00 AM
Carbon disulfide	U	1.0		µg/L	1	1/10/2007 10:55:00 AM
Carbon tetrachloride	U	1.0		µg/L	1	1/10/2007 10:55:00 AM
Chlorobenzene	U	1.0		µg/L	1	1/10/2007 10:55:00 AM

Qualifiers:	B	Analyte detected in the associated Method Blank	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	S	Spike Recovery outside accepted recovery limits
	U	Indicates the compound was analyzed for but not detected	X	Value exceeds Maximum Contaminant Level

American Analytical Laboratories, LLC.

Date: 12-Jan-07

CLIENT: Leggette Brashears & Graham Inc.
Lab Order: 0701037
Project: Rowe Industries
Lab ID: 0701037-02A

Client Sample ID: MID 010307:1005
Tag Number: 10293
Collection Date: 1/3/2007
Matrix: LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILE SW-846 8260 PLUS MTBE & FREON11		SW8260B		Analyst: KS		
Chloroethane	U	1.0		µg/L	1	1/10/2007 10:55:00 AM
Chloroform	U	1.0		µg/L	1	1/10/2007 10:55:00 AM
Chloromethane	U	1.0		µg/L	1	1/10/2007 10:55:00 AM
cis-1,2-Dichloroethene	3.1	1.0		µg/L	1	1/10/2007 10:55:00 AM
cis-1,3-Dichloropropene	U	1.0		µg/L	1	1/10/2007 10:55:00 AM
Dibromochloromethane	U	1.0		µg/L	1	1/10/2007 10:55:00 AM
Dibromomethane	U	1.0		µg/L	1	1/10/2007 10:55:00 AM
Dichlorodifluoromethane	U	1.0		µg/L	1	1/10/2007 10:55:00 AM
Ethylbenzene	U	1.0		µg/L	1	1/10/2007 10:55:00 AM
Hexachlorobutadiene	U	1.0		µg/L	1	1/10/2007 10:55:00 AM
Isopropylbenzene	U	1.0		µg/L	1	1/10/2007 10:55:00 AM
m,p-Xylene	U	2.0		µg/L	1	1/10/2007 10:55:00 AM
Methyl tert-butyl ether	U	1.0		µg/L	1	1/10/2007 10:55:00 AM
Methylene chloride	U	1.0		µg/L	1	1/10/2007 10:55:00 AM
Naphthalene	U	1.0		µg/L	1	1/10/2007 10:55:00 AM
n-Butylbenzene	U	1.0		µg/L	1	1/10/2007 10:55:00 AM
n-Propylbenzene	U	1.0		µg/L	1	1/10/2007 10:55:00 AM
o-Xylene	U	1.0		µg/L	1	1/10/2007 10:55:00 AM
sec-Butylbenzene	U	1.0		µg/L	1	1/10/2007 10:55:00 AM
Styrene	U	1.0		µg/L	1	1/10/2007 10:55:00 AM
tert-Butylbenzene	U	1.0		µg/L	1	1/10/2007 10:55:00 AM
Tetrachloroethene	27	1.0		µg/L	1	1/10/2007 10:55:00 AM
Toluene	U	1.0		µg/L	1	1/10/2007 10:55:00 AM
trans-1,2-Dichloroethene	U	1.0		µg/L	1	1/10/2007 10:55:00 AM
trans-1,3-Dichloropropene	U	1.0		µg/L	1	1/10/2007 10:55:00 AM
Trichloroethene	U	1.0		µg/L	1	1/10/2007 10:55:00 AM
Trichlorofluoromethane	U	1.0		µg/L	1	1/10/2007 10:55:00 AM
Vinyl acetate	U	1.0		µg/L	1	1/10/2007 10:55:00 AM
Vinyl chloride	U	1.0		µg/L	1	1/10/2007 10:55:00 AM
Surr: 4-Bromofluorobenzene	107	69-134		%REC	1	1/10/2007 10:55:00 AM
Surr: Dibromofluoromethane	120	70-135		%REC	1	1/10/2007 10:55:00 AM
Surr: Toluene-d8	107	71-123		%REC	1	1/10/2007 10:55:00 AM

Qualifiers:	B	Analyte detected in the associated Method Blank	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	S	Spike Recovery outside accepted recovery limits
	U	Indicates the compound was analyzed for but not detected	X	Value exceeds Maximum Contaminant Level

American Analytical Laboratories, LLC.

Date: 12-Jan-07

CLIENT: Leggette Brashears & Graham Inc.
Lab Order: 0701037
Project: Rowe Industries
Lab ID: 0701037-03A

Client Sample ID: POST 010307:1010
Tag Number: 10293
Collection Date: 1/3/2007
Matrix: LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILE SW-846 8260 PLUS MTBE & FREON11		SW8260B		Analyst: KS		
1,1,1,2-Tetrachloroethane	U	1.0		µg/L	1	1/10/2007 11:32:00 AM
1,1,1-Trichloroethane	U	1.0		µg/L	1	1/10/2007 11:32:00 AM
1,1,2,2-Tetrachloroethane	U	1.0		µg/L	1	1/10/2007 11:32:00 AM
1,1,2-Trichloro-1,2,2-trifluoroethane	U	1.0		µg/L	1	1/10/2007 11:32:00 AM
1,1,2-Trichloroethane	U	1.0		µg/L	1	1/10/2007 11:32:00 AM
1,1-Dichloroethane	U	1.0		µg/L	1	1/10/2007 11:32:00 AM
1,1-Dichloroethene	U	1.0		µg/L	1	1/10/2007 11:32:00 AM
1,1-Dichloropropene	U	1.0		µg/L	1	1/10/2007 11:32:00 AM
1,2,3-Trichlorobenzene	U	1.0		µg/L	1	1/10/2007 11:32:00 AM
1,2,3-Trichloropropane	U	1.0		µg/L	1	1/10/2007 11:32:00 AM
1,2,4-Trichlorobenzene	U	1.0		µg/L	1	1/10/2007 11:32:00 AM
1,2,4-Trimethylbenzene	U	1.0		µg/L	1	1/10/2007 11:32:00 AM
1,2-Dibromo-3-chloropropane	U	1.0		µg/L	1	1/10/2007 11:32:00 AM
1,2-Dibromoethane	U	1.0		µg/L	1	1/10/2007 11:32:00 AM
1,2-Dichlorobenzene	U	1.0		µg/L	1	1/10/2007 11:32:00 AM
1,2-Dichloroethane	U	1.0		µg/L	1	1/10/2007 11:32:00 AM
1,2-Dichloropropane	U	1.0		µg/L	1	1/10/2007 11:32:00 AM
1,3,5-Trimethylbenzene	U	1.0		µg/L	1	1/10/2007 11:32:00 AM
1,3-Dichlorobenzene	U	1.0		µg/L	1	1/10/2007 11:32:00 AM
1,3-dichloropropane	U	1.0		µg/L	1	1/10/2007 11:32:00 AM
1,4-Dichlorobenzene	U	1.0		µg/L	1	1/10/2007 11:32:00 AM
2,2-Dichloropropane	U	1.0		µg/L	1	1/10/2007 11:32:00 AM
2-Butanone	U	3.0		µg/L	1	1/10/2007 11:32:00 AM
2-Chloroethyl vinyl ether	U	1.0		µg/L	1	1/10/2007 11:32:00 AM
2-Chlorotoluene	U	1.0		µg/L	1	1/10/2007 11:32:00 AM
2-Hexanone	U	2.0		µg/L	1	1/10/2007 11:32:00 AM
4-Chlorotoluene	U	1.0		µg/L	1	1/10/2007 11:32:00 AM
4-Isopropyltoluene	U	1.0		µg/L	1	1/10/2007 11:32:00 AM
4-Methyl-2-pentanone	U	2.0		µg/L	1	1/10/2007 11:32:00 AM
Acetone	U	2.0		µg/L	1	1/10/2007 11:32:00 AM
Benzene	U	1.0		µg/L	1	1/10/2007 11:32:00 AM
Bromobenzene	U	1.0		µg/L	1	1/10/2007 11:32:00 AM
Bromochloromethane	U	1.0		µg/L	1	1/10/2007 11:32:00 AM
Bromodichloromethane	U	1.0		µg/L	1	1/10/2007 11:32:00 AM
Bromoform	U	1.0		µg/L	1	1/10/2007 11:32:00 AM
Bromomethane	U	1.0		µg/L	1	1/10/2007 11:32:00 AM
Carbon disulfide	U	1.0		µg/L	1	1/10/2007 11:32:00 AM
Carbon tetrachloride	U	1.0		µg/L	1	1/10/2007 11:32:00 AM
Chlorobenzene	U	1.0		µg/L	1	1/10/2007 11:32:00 AM

Qualifiers:	B	Analyte detected in the associated Method Blank	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	S	Spike Recovery outside accepted recovery limits
	U	Indicates the compound was analyzed for but not detected	X	Value exceeds Maximum Contaminant Level

American Analytical Laboratories, LLC.

Date: 12-Jan-07

CLIENT: Leggette Brashears & Graham Inc.
Lab Order: 0701037
Project: Rowe Industries
Lab ID: 0701037-03A

Client Sample ID: POST 010307:1010
Tag Number: 10293
Collection Date: 1/3/2007
Matrix: LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILE SW-846 8260 PLUS MTBE & FREON11		SW8260B		Analyst: KS		
Chloroethane	U	1.0		µg/L	1	1/10/2007 11:32:00 AM
Chloroform	U	1.0		µg/L	1	1/10/2007 11:32:00 AM
Chloromethane	U	1.0		µg/L	1	1/10/2007 11:32:00 AM
cis-1,2-Dichloroethene	U	1.0		µg/L	1	1/10/2007 11:32:00 AM
cis-1,3-Dichloropropene	U	1.0		µg/L	1	1/10/2007 11:32:00 AM
Dibromochloromethane	U	1.0		µg/L	1	1/10/2007 11:32:00 AM
Dibromomethane	U	1.0		µg/L	1	1/10/2007 11:32:00 AM
Dichlorodifluoromethane	U	1.0		µg/L	1	1/10/2007 11:32:00 AM
Ethylbenzene	U	1.0		µg/L	1	1/10/2007 11:32:00 AM
Hexachlorobutadiene	U	1.0		µg/L	1	1/10/2007 11:32:00 AM
Isopropylbenzene	U	1.0		µg/L	1	1/10/2007 11:32:00 AM
m,p-Xylene	U	2.0		µg/L	1	1/10/2007 11:32:00 AM
Methyl tert-butyl ether	U	1.0		µg/L	1	1/10/2007 11:32:00 AM
Methylene chloride	U	1.0		µg/L	1	1/10/2007 11:32:00 AM
Naphthalene	U	1.0		µg/L	1	1/10/2007 11:32:00 AM
n-Butylbenzene	U	1.0		µg/L	1	1/10/2007 11:32:00 AM
n-Propylbenzene	U	1.0		µg/L	1	1/10/2007 11:32:00 AM
o-Xylene	U	1.0		µg/L	1	1/10/2007 11:32:00 AM
sec-Butylbenzene	U	1.0		µg/L	1	1/10/2007 11:32:00 AM
Styrene	U	1.0		µg/L	1	1/10/2007 11:32:00 AM
tert-Butylbenzene	U	1.0		µg/L	1	1/10/2007 11:32:00 AM
Tetrachloroethene	U	1.0		µg/L	1	1/10/2007 11:32:00 AM
Toluene	U	1.0		µg/L	1	1/10/2007 11:32:00 AM
trans-1,2-Dichloroethene	U	1.0		µg/L	1	1/10/2007 11:32:00 AM
trans-1,3-Dichloropropene	U	1.0		µg/L	1	1/10/2007 11:32:00 AM
Trichloroethene	U	1.0		µg/L	1	1/10/2007 11:32:00 AM
Trichlorofluoromethane	U	1.0		µg/L	1	1/10/2007 11:32:00 AM
Vinyl acetate	U	1.0		µg/L	1	1/10/2007 11:32:00 AM
Vinyl chloride	U	1.0		µg/L	1	1/10/2007 11:32:00 AM
Surr: 4-Bromofluorobenzene	107	69-134		%REC	1	1/10/2007 11:32:00 AM
Surr: Dibromofluoromethane	114	70-135		%REC	1	1/10/2007 11:32:00 AM
Surr: Toluene-d8	106	71-123		%REC	1	1/10/2007 11:32:00 AM

Qualifiers:	B	Analyte detected in the associated Method Blank	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	S	Spike Recovery outside accepted recovery limits
	U	Indicates the compound was analyzed for but not detected	X	Value exceeds Maximum Contaminant Level



NYSDOH 11418
NJDEP NY050
CTDOH PH-0205
PADEP 68-00573

Tuesday, January 23, 2007

Mark Goldberg
Leggette Brashears & Graham Inc.
4 Research Drive
Suite 301
Shelton, CT 06484

TEL: (203) 929-8555
FAX (203) 926-9140

RE: Rowe Industries

Order No.: 0701092

Dear Mark Goldberg:

American Analytical Laboratories, LLC. received 6 sample(s) on 1/12/2007 for the analyses presented in the following report.


Samples were analyzed in accordance with the test procedures documented on the chain of custody and detailed throughout the text of this report.

The limits provided in the data package are analytical reporting limits and not Federal or Local mandated values to which the sample results should be compared.

There were no problems with the analyses and all data for associated QC met laboratory specifications. If there are any exceptions a Case Narrative is provided in the report.

If you have any questions regarding these tests results, please do not hesitate to call (631) 454-6100 or email me directly at lbeyer@american-analytical.com.

Sincerely,


Lori Beyer
Lab Director

American Analytical Laboratories, LLC.**Date:** 23-Jan-07**CLIENT:** Leggette Brashears & Graham Inc.**Project:** Rowe Industries**Lab Order:** 0701092**Work Order Sample Summary**

Lab Sample ID	Client Sample ID	Tag Number	Date Collected	Date Received
0701092-01A	PRE-011007	10295	1/10/2007	1/12/2007
0701092-02A	MID:011007	10295	1/10/2007	1/12/2007
0701092-03A	FRW1:011007	10295	1/10/2007	1/12/2007
0701092-04A	FRW2:011007	10295	1/10/2007	1/12/2007
0701092-05A	FRW3:011007	10295	1/10/2007	1/12/2007
0701092-06A	FRW4:011007	10295	1/10/2007	1/12/2007

AMERICAN ANALYTICAL LABORATORIES, LLC

56 TOLEDO STREET

FARMINGDALE, NEW YORK 11735

TELEPHONE: (631) 454-6100

FAX: (631) 454-8027

DATA REPORTING QUALIFIERS

For reporting results, the following "Results Qualifiers" are used:

Value	If the result is greater than or equal to the detection limit, report the value
U	Indicates the compound was analyzed for but was not detected. Report the minimum detection limit for the sample with the U, i.e. "10U". This is not necessarily the instrument detection limit attainable for this particular sample based on any concentration or dilution that may have been required.
J	Indicates an estimated value. The flag is used: (1) When estimating a concentration for a tentatively identified compound (library search hits, where a 1:1 response is assumed.) (2) When the mass spectral data indicated the identification, however the result was less than the specified detection limit greater than zero. If the detection limit was 10ug/L and a concentration of 3ug/L was calculated report as 3J. This flag is used when similar situations arise on any organic parameter i.e. Pesticide, PCBs and others.
B	Indicates the analyte was found in the blank as well as the sample report "10B".
E	Indicates the analytes concentration exceeds the calibrated range of the instrument for that specific analysis.
D	This flag identifies all compounds identified in an analysis at a secondary dilution factor.
P	This flag is used for Pesticide / PCB target analyte when there is >25% difference for detected concentrations between the two GC Columns. The higher of the two values is reported on Form I and flagged with a "P".
N	This flag indicates presumptive evidence of a compound. This is only used for tentatively identified compounds (TICs), where the identification is based on a mass spectral library search. It applies to all TIC results. For generic characterization of a TIC, such as chlorinated hydrocarbon, the flag is not used.
H	Indicates sample was received and/or analyzed outside of The method allowable holding time

American Analytical Laboratories, LLC.

Date: 23-Jan-07

CLIENT: Leggette Brashears & Graham Inc.
Lab Order: 0701092
Project: Rowe Industries
Lab ID: 0701092-01A

Client Sample ID: PRE-011007
Tag Number: 10295
Collection Date: 1/10/2007
Matrix: LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILE SW-846 8260 PLUS MTBE & FREON11		SW8260B		Analyst: LDS		
1,1,1,2-Tetrachloroethane	U	1.0		µg/L	1	1/13/2007 5:26:00 AM
1,1,1-Trichloroethane	U	1.0		µg/L	1	1/13/2007 5:26:00 AM
1,1,2,2-Tetrachloroethane	U	1.0		µg/L	1	1/13/2007 5:26:00 AM
1,1,2-Trichloro-1,2,2-trifluoroethane	U	1.0		µg/L	1	1/13/2007 5:26:00 AM
1,1,2-Trichloroethane	U	1.0		µg/L	1	1/13/2007 5:26:00 AM
1,1-Dichloroethane	U	1.0		µg/L	1	1/13/2007 5:26:00 AM
1,1-Dichloroethene	U	1.0		µg/L	1	1/13/2007 5:26:00 AM
1,1-Dichloropropene	U	1.0		µg/L	1	1/13/2007 5:26:00 AM
1,2,3-Trichlorobenzene	U	1.0		µg/L	1	1/13/2007 5:26:00 AM
1,2,3-Trichloropropane	U	1.0		µg/L	1	1/13/2007 5:26:00 AM
1,2,4-Trichlorobenzene	U	1.0		µg/L	1	1/13/2007 5:26:00 AM
1,2,4-Trimethylbenzene	U	1.0		µg/L	1	1/13/2007 5:26:00 AM
1,2-Dibromo-3-chloropropane	U	1.0		µg/L	1	1/13/2007 5:26:00 AM
1,2-Dibromoethane	U	1.0		µg/L	1	1/13/2007 5:26:00 AM
1,2-Dichlorobenzene	U	1.0		µg/L	1	1/13/2007 5:26:00 AM
1,2-Dichloroethane	U	1.0		µg/L	1	1/13/2007 5:26:00 AM
1,2-Dichloropropane	U	1.0		µg/L	1	1/13/2007 5:26:00 AM
1,3,5-Trimethylbenzene	U	1.0		µg/L	1	1/13/2007 5:26:00 AM
1,3-Dichlorobenzene	U	1.0		µg/L	1	1/13/2007 5:26:00 AM
1,3-dichloropropane	U	1.0		µg/L	1	1/13/2007 5:26:00 AM
1,4-Dichlorobenzene	U	1.0		µg/L	1	1/13/2007 5:26:00 AM
2,2-Dichloropropane	U	1.0		µg/L	1	1/13/2007 5:26:00 AM
2-Butanone	U	3.0		µg/L	1	1/13/2007 5:26:00 AM
2-Chloroethyl vinyl ether	U	1.0		µg/L	1	1/13/2007 5:26:00 AM
2-Chlorotoluene	U	1.0		µg/L	1	1/13/2007 5:26:00 AM
2-Hexanone	U	2.0		µg/L	1	1/13/2007 5:26:00 AM
4-Chlorotoluene	U	1.0		µg/L	1	1/13/2007 5:26:00 AM
4-Isopropyltoluene	U	1.0		µg/L	1	1/13/2007 5:26:00 AM
4-Methyl-2-pentanone	U	2.0		µg/L	1	1/13/2007 5:26:00 AM
Acetone	U	2.0		µg/L	1	1/13/2007 5:26:00 AM
Benzene	U	1.0		µg/L	1	1/13/2007 5:26:00 AM
Bromobenzene	U	1.0		µg/L	1	1/13/2007 5:26:00 AM
Bromochloromethane	U	1.0		µg/L	1	1/13/2007 5:26:00 AM
Bromodichloromethane	U	1.0		µg/L	1	1/13/2007 5:26:00 AM
Bromoform	U	1.0		µg/L	1	1/13/2007 5:26:00 AM
Bromomethane	U	1.0		µg/L	1	1/13/2007 5:26:00 AM
Carbon disulfide	U	1.0		µg/L	1	1/13/2007 5:26:00 AM
Carbon tetrachloride	U	1.0		µg/L	1	1/13/2007 5:26:00 AM
Chlorobenzene	U	1.0		µg/L	1	1/13/2007 5:26:00 AM

Qualifiers:	B	Analyte detected in the associated Method Blank	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	S	Spike Recovery outside accepted recovery limits
	U	Indicates the compound was analyzed for but not detected	X	Value exceeds Maximum Contaminant Level

American Analytical Laboratories, LLC.

Date: 23-Jan-07

CLIENT: Leggette Brashears & Graham Inc.
Lab Order: 0701092
Project: Rowe Industries
Lab ID: 0701092-01A

Client Sample ID: PRE-011007
Tag Number: 10295
Collection Date: 1/10/2007
Matrix: LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILE SW-846 8260 PLUS MTBE & FREON11		SW8260B		Analyst: LDS		
Chloroethane	U	1.0		µg/L	1	1/13/2007 5:26:00 AM
Chloroform	U	1.0		µg/L	1	1/13/2007 5:26:00 AM
Chloromethane	U	1.0		µg/L	1	1/13/2007 5:26:00 AM
cis-1,2-Dichloroethene	16	1.0		µg/L	1	1/13/2007 5:26:00 AM
cis-1,3-Dichloropropene	U	1.0		µg/L	1	1/13/2007 5:26:00 AM
Dibromochloromethane	U	1.0		µg/L	1	1/13/2007 5:26:00 AM
Dibromomethane	U	1.0		µg/L	1	1/13/2007 5:26:00 AM
Dichlorodifluoromethane	U	1.0		µg/L	1	1/13/2007 5:26:00 AM
Ethylbenzene	U	1.0		µg/L	1	1/13/2007 5:26:00 AM
Hexachlorobutadiene	U	1.0		µg/L	1	1/13/2007 5:26:00 AM
Isopropylbenzene	U	1.0		µg/L	1	1/13/2007 5:26:00 AM
m,p-Xylene	U	2.0		µg/L	1	1/13/2007 5:26:00 AM
Methyl tert-butyl ether	U	1.0		µg/L	1	1/13/2007 5:26:00 AM
Methylene chloride	U	1.0		µg/L	1	1/13/2007 5:26:00 AM
Naphthalene	U	1.0		µg/L	1	1/13/2007 5:26:00 AM
n-Butylbenzene	U	1.0		µg/L	1	1/13/2007 5:26:00 AM
n-Propylbenzene	U	1.0		µg/L	1	1/13/2007 5:26:00 AM
o-Xylene	U	1.0		µg/L	1	1/13/2007 5:26:00 AM
sec-Butylbenzene	U	1.0		µg/L	1	1/13/2007 5:26:00 AM
Styrene	U	1.0		µg/L	1	1/13/2007 5:26:00 AM
tert-Butylbenzene	U	1.0		µg/L	1	1/13/2007 5:26:00 AM
Tetrachloroethene	61	1.0		µg/L	1	1/13/2007 5:26:00 AM
Toluene	1.2	1.0		µg/L	1	1/13/2007 5:26:00 AM
trans-1,2-Dichloroethene	U	1.0		µg/L	1	1/13/2007 5:26:00 AM
trans-1,3-Dichloropropene	U	1.0		µg/L	1	1/13/2007 5:26:00 AM
Trichloroethene	1.6	1.0		µg/L	1	1/13/2007 5:26:00 AM
Trichlorofluoromethane	U	1.0		µg/L	1	1/13/2007 5:26:00 AM
Vinyl acetate	U	1.0		µg/L	1	1/13/2007 5:26:00 AM
Vinyl chloride	0.96	1.0	J	µg/L	1	1/13/2007 5:26:00 AM
Surr: 4-Bromofluorobenzene	90.7	54-134		%REC	1	1/13/2007 5:26:00 AM
Surr: Dibromofluoromethane	118	52-132		%REC	1	1/13/2007 5:26:00 AM
Surr: Toluene-d8	127	51-127		%REC	1	1/13/2007 5:26:00 AM

Qualifiers:	B	Analyte detected in the associated Method Blank	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	S	Spike Recovery outside accepted recovery limits
	U	Indicates the compound was analyzed for but not detected	X	Value exceeds Maximum Contaminant Level

American Analytical Laboratories, LLC.

Date: 23-Jan-07

CLIENT: Leggette Brashears & Graham Inc.
Lab Order: 0701092
Project: Rowe Industries
Lab ID: 0701092-02A

Client Sample ID: MID:011007
Tag Number: 10295
Collection Date: 1/10/2007
Matrix: LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILE SW-846 8260 PLUS MTBE & FREON11		SW8260B		Analyst: LDS		
1,1,1,2-Tetrachloroethane	U	1.0		µg/L	1	1/13/2007 6:26:00 AM
1,1,1-Trichloroethane	U	1.0		µg/L	1	1/13/2007 6:26:00 AM
1,1,2,2-Tetrachloroethane	U	1.0		µg/L	1	1/13/2007 6:26:00 AM
1,1,2-Trichloro-1,2,2-trifluoroethane	U	1.0		µg/L	1	1/13/2007 6:26:00 AM
1,1,2-Trichloroethane	U	1.0		µg/L	1	1/13/2007 6:26:00 AM
1,1-Dichloroethane	U	1.0		µg/L	1	1/13/2007 6:26:00 AM
1,1-Dichloroethene	U	1.0		µg/L	1	1/13/2007 6:26:00 AM
1,1-Dichloropropene	U	1.0		µg/L	1	1/13/2007 6:26:00 AM
1,2,3-Trichlorobenzene	U	1.0		µg/L	1	1/13/2007 6:26:00 AM
1,2,3-Trichloropropane	U	1.0		µg/L	1	1/13/2007 6:26:00 AM
1,2,4-Trichlorobenzene	U	1.0		µg/L	1	1/13/2007 6:26:00 AM
1,2,4-Trimethylbenzene	U	1.0		µg/L	1	1/13/2007 6:26:00 AM
1,2-Dibromo-3-chloropropane	U	1.0		µg/L	1	1/13/2007 6:26:00 AM
1,2-Dibromoethane	U	1.0		µg/L	1	1/13/2007 6:26:00 AM
1,2-Dichlorobenzene	U	1.0		µg/L	1	1/13/2007 6:26:00 AM
1,2-Dichloroethane	U	1.0		µg/L	1	1/13/2007 6:26:00 AM
1,2-Dichloropropane	U	1.0		µg/L	1	1/13/2007 6:26:00 AM
1,3,5-Trimethylbenzene	U	1.0		µg/L	1	1/13/2007 6:26:00 AM
1,3-Dichlorobenzene	U	1.0		µg/L	1	1/13/2007 6:26:00 AM
1,3-dichloropropane	U	1.0		µg/L	1	1/13/2007 6:26:00 AM
1,4-Dichlorobenzene	U	1.0		µg/L	1	1/13/2007 6:26:00 AM
2,2-Dichloropropane	U	1.0		µg/L	1	1/13/2007 6:26:00 AM
2-Butanone	U	3.0		µg/L	1	1/13/2007 6:26:00 AM
2-Chloroethyl vinyl ether	U	1.0		µg/L	1	1/13/2007 6:26:00 AM
2-Chlorotoluene	U	1.0		µg/L	1	1/13/2007 6:26:00 AM
2-Hexanone	U	2.0		µg/L	1	1/13/2007 6:26:00 AM
4-Chlorotoluene	U	1.0		µg/L	1	1/13/2007 6:26:00 AM
4-Isopropyltoluene	U	1.0		µg/L	1	1/13/2007 6:26:00 AM
4-Methyl-2-pentanone	U	2.0		µg/L	1	1/13/2007 6:26:00 AM
Acetone	U	2.0		µg/L	1	1/13/2007 6:26:00 AM
Benzene	U	1.0		µg/L	1	1/13/2007 6:26:00 AM
Bromobenzene	U	1.0		µg/L	1	1/13/2007 6:26:00 AM
Bromochloromethane	U	1.0		µg/L	1	1/13/2007 6:26:00 AM
Bromodichloromethane	U	1.0		µg/L	1	1/13/2007 6:26:00 AM
Bromoform	U	1.0		µg/L	1	1/13/2007 6:26:00 AM
Bromomethane	U	1.0		µg/L	1	1/13/2007 6:26:00 AM
Carbon disulfide	U	1.0		µg/L	1	1/13/2007 6:26:00 AM
Carbon tetrachloride	U	1.0		µg/L	1	1/13/2007 6:26:00 AM
Chlorobenzene	U	1.0		µg/L	1	1/13/2007 6:26:00 AM

Qualifiers:	B	Analyte detected in the associated Method Blank	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	S	Spike Recovery outside accepted recovery limits
	U	Indicates the compound was analyzed for but not detected	X	Value exceeds Maximum Contaminant Level

American Analytical Laboratories, LLC.

Date: 23-Jan-07

CLIENT: Leggette Brashears & Graham Inc.
Lab Order: 0701092
Project: Rowe Industries
Lab ID: 0701092-02A

Client Sample ID: MID:011007
Tag Number: 10295
Collection Date: 1/10/2007
Matrix: LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILE SW-846 8260 PLUS MTBE & FREON11		SW8260B		Analyst: LDS		
Chloroethane	U	1.0		µg/L	1	1/13/2007 6:26:00 AM
Chloroform	U	1.0		µg/L	1	1/13/2007 6:26:00 AM
Chloromethane	U	1.0		µg/L	1	1/13/2007 6:26:00 AM
cis-1,2-Dichloroethene	5.6	1.0		µg/L	1	1/13/2007 6:26:00 AM
cis-1,3-Dichloropropene	U	1.0		µg/L	1	1/13/2007 6:26:00 AM
Dibromochloromethane	U	1.0		µg/L	1	1/13/2007 6:26:00 AM
Dibromomethane	U	1.0		µg/L	1	1/13/2007 6:26:00 AM
Dichlorodifluoromethane	U	1.0		µg/L	1	1/13/2007 6:26:00 AM
Ethylbenzene	U	1.0		µg/L	1	1/13/2007 6:26:00 AM
Hexachlorobutadiene	U	1.0		µg/L	1	1/13/2007 6:26:00 AM
Isopropylbenzene	U	1.0		µg/L	1	1/13/2007 6:26:00 AM
m,p-Xylene	U	2.0		µg/L	1	1/13/2007 6:26:00 AM
Methyl tert-butyl ether	U	1.0		µg/L	1	1/13/2007 6:26:00 AM
Methylene chloride	U	1.0		µg/L	1	1/13/2007 6:26:00 AM
Naphthalene	U	1.0		µg/L	1	1/13/2007 6:26:00 AM
n-Butylbenzene	U	1.0		µg/L	1	1/13/2007 6:26:00 AM
n-Propylbenzene	U	1.0		µg/L	1	1/13/2007 6:26:00 AM
o-Xylene	U	1.0		µg/L	1	1/13/2007 6:26:00 AM
sec-Butylbenzene	U	1.0		µg/L	1	1/13/2007 6:26:00 AM
Styrene	U	1.0		µg/L	1	1/13/2007 6:26:00 AM
tert-Butylbenzene	U	1.0		µg/L	1	1/13/2007 6:26:00 AM
Tetrachloroethene	24	1.0		µg/L	1	1/13/2007 6:26:00 AM
Toluene	U	1.0		µg/L	1	1/13/2007 6:26:00 AM
trans-1,2-Dichloroethene	U	1.0		µg/L	1	1/13/2007 6:26:00 AM
trans-1,3-Dichloropropene	U	1.0		µg/L	1	1/13/2007 6:26:00 AM
Trichloroethene	U	1.0		µg/L	1	1/13/2007 6:26:00 AM
Trichlorofluoromethane	U	1.0		µg/L	1	1/13/2007 6:26:00 AM
Vinyl acetate	U	1.0		µg/L	1	1/13/2007 6:26:00 AM
Vinyl chloride	U	1.0		µg/L	1	1/13/2007 6:26:00 AM
Surr: 4-Bromofluorobenzene	81.3	54-134		%REC	1	1/13/2007 6:26:00 AM
Surr: Dibromofluoromethane	118	52-132		%REC	1	1/13/2007 6:26:00 AM
Surr: Toluene-d8	120	51-127		%REC	1	1/13/2007 6:26:00 AM

Qualifiers:	B	Analyte detected in the associated Method Blank	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	S	Spike Recovery outside accepted recovery limits
	U	Indicates the compound was analyzed for but not detected	X	Value exceeds Maximum Contaminant Level

American Analytical Laboratories, LLC.

Date: 23-Jan-07

CLIENT: Leggette Brashears & Graham Inc.
Lab Order: 0701092
Project: Rowe Industries
Lab ID: 0701092-03A

Client Sample ID: FRW1:011007
Tag Number: 10295
Collection Date: 1/10/2007
Matrix: LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILE SW-846 8260 PLUS MTBE & FREON11		SW8260B		Analyst: LDS		
1,1,1,2-Tetrachloroethane	U	1.0		µg/L	1	1/13/2007 7:28:00 AM
1,1,1-Trichloroethane	9.7	1.0		µg/L	1	1/13/2007 7:28:00 AM
1,1,2,2-Tetrachloroethane	U	1.0		µg/L	1	1/13/2007 7:28:00 AM
1,1,2-Trichloro-1,2,2-trifluoroethane	U	1.0		µg/L	1	1/13/2007 7:28:00 AM
1,1,2-Trichloroethane	U	1.0		µg/L	1	1/13/2007 7:28:00 AM
1,1-Dichloroethane	U	1.0		µg/L	1	1/13/2007 7:28:00 AM
1,1-Dichloroethene	U	1.0		µg/L	1	1/13/2007 7:28:00 AM
1,1-Dichloropropene	U	1.0		µg/L	1	1/13/2007 7:28:00 AM
1,2,3-Trichlorobenzene	U	1.0		µg/L	1	1/13/2007 7:28:00 AM
1,2,3-Trichloropropane	U	1.0		µg/L	1	1/13/2007 7:28:00 AM
1,2,4-Trichlorobenzene	U	1.0		µg/L	1	1/13/2007 7:28:00 AM
1,2,4-Trimethylbenzene	U	1.0		µg/L	1	1/13/2007 7:28:00 AM
1,2-Dibromo-3-chloropropane	U	1.0		µg/L	1	1/13/2007 7:28:00 AM
1,2-Dibromoethane	U	1.0		µg/L	1	1/13/2007 7:28:00 AM
1,2-Dichlorobenzene	U	1.0		µg/L	1	1/13/2007 7:28:00 AM
1,2-Dichloroethane	U	1.0		µg/L	1	1/13/2007 7:28:00 AM
1,2-Dichloropropane	U	1.0		µg/L	1	1/13/2007 7:28:00 AM
1,3,5-Trimethylbenzene	U	1.0		µg/L	1	1/13/2007 7:28:00 AM
1,3-Dichlorobenzene	U	1.0		µg/L	1	1/13/2007 7:28:00 AM
1,3-dichloropropane	U	1.0		µg/L	1	1/13/2007 7:28:00 AM
1,4-Dichlorobenzene	U	1.0		µg/L	1	1/13/2007 7:28:00 AM
2,2-Dichloropropane	U	1.0		µg/L	1	1/13/2007 7:28:00 AM
2-Butanone	U	3.0		µg/L	1	1/13/2007 7:28:00 AM
2-Chloroethyl vinyl ether	U	1.0		µg/L	1	1/13/2007 7:28:00 AM
2-Chlorotoluene	U	1.0		µg/L	1	1/13/2007 7:28:00 AM
2-Hexanone	U	2.0		µg/L	1	1/13/2007 7:28:00 AM
4-Chlorotoluene	U	1.0		µg/L	1	1/13/2007 7:28:00 AM
4-Isopropyltoluene	U	1.0		µg/L	1	1/13/2007 7:28:00 AM
4-Methyl-2-pentanone	U	2.0		µg/L	1	1/13/2007 7:28:00 AM
Acetone	U	2.0		µg/L	1	1/13/2007 7:28:00 AM
Benzene	U	1.0		µg/L	1	1/13/2007 7:28:00 AM
Bromobenzene	U	1.0		µg/L	1	1/13/2007 7:28:00 AM
Bromochloromethane	U	1.0		µg/L	1	1/13/2007 7:28:00 AM
Bromodichloromethane	U	1.0		µg/L	1	1/13/2007 7:28:00 AM
Bromoform	U	1.0		µg/L	1	1/13/2007 7:28:00 AM
Bromomethane	U	1.0		µg/L	1	1/13/2007 7:28:00 AM
Carbon disulfide	U	1.0		µg/L	1	1/13/2007 7:28:00 AM
Carbon tetrachloride	U	1.0		µg/L	1	1/13/2007 7:28:00 AM
Chlorobenzene	U	1.0		µg/L	1	1/13/2007 7:28:00 AM

Qualifiers:	B	Analyte detected in the associated Method Blank	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	S	Spike Recovery outside accepted recovery limits
	U	Indicates the compound was analyzed for but not detected	X	Value exceeds Maximum Contaminant Level

American Analytical Laboratories, LLC.

Date: 23-Jan-07

CLIENT: Leggette Brashears & Graham Inc.
Lab Order: 0701092
Project: Rowe Industries
Lab ID: 0701092-03A

Client Sample ID: FRW1:011007
Tag Number: 10295
Collection Date: 1/10/2007
Matrix: LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILE SW-846 8260 PLUS MTBE & FREON11		SW8260B		Analyst: LDS		
Chloroethane	U	1.0		µg/L	1	1/13/2007 7:28:00 AM
Chloroform	U	1.0		µg/L	1	1/13/2007 7:28:00 AM
Chloromethane	U	1.0		µg/L	1	1/13/2007 7:28:00 AM
cis-1,2-Dichloroethene	28	1.0		µg/L	1	1/13/2007 7:28:00 AM
cis-1,3-Dichloropropene	U	1.0		µg/L	1	1/13/2007 7:28:00 AM
Dibromochloromethane	U	1.0		µg/L	1	1/13/2007 7:28:00 AM
Dibromomethane	U	1.0		µg/L	1	1/13/2007 7:28:00 AM
Dichlorodifluoromethane	U	1.0		µg/L	1	1/13/2007 7:28:00 AM
Ethylbenzene	U	1.0		µg/L	1	1/13/2007 7:28:00 AM
Hexachlorobutadiene	U	1.0		µg/L	1	1/13/2007 7:28:00 AM
Isopropylbenzene	U	1.0		µg/L	1	1/13/2007 7:28:00 AM
m,p-Xylene	U	2.0		µg/L	1	1/13/2007 7:28:00 AM
Methyl tert-butyl ether	U	1.0		µg/L	1	1/13/2007 7:28:00 AM
Methylene chloride	U	1.0		µg/L	1	1/13/2007 7:28:00 AM
Naphthalene	U	1.0		µg/L	1	1/13/2007 7:28:00 AM
n-Butylbenzene	U	1.0		µg/L	1	1/13/2007 7:28:00 AM
n-Propylbenzene	U	1.0		µg/L	1	1/13/2007 7:28:00 AM
o-Xylene	U	1.0		µg/L	1	1/13/2007 7:28:00 AM
sec-Butylbenzene	U	1.0		µg/L	1	1/13/2007 7:28:00 AM
Styrene	U	1.0		µg/L	1	1/13/2007 7:28:00 AM
tert-Butylbenzene	U	1.0		µg/L	1	1/13/2007 7:28:00 AM
Tetrachloroethene	240	1.0		µg/L	1	1/13/2007 7:28:00 AM
Toluene	3.1	1.0		µg/L	1	1/13/2007 7:28:00 AM
trans-1,2-Dichloroethene	U	1.0		µg/L	1	1/13/2007 7:28:00 AM
trans-1,3-Dichloropropene	U	1.0		µg/L	1	1/13/2007 7:28:00 AM
Trichloroethene	5.5	1.0		µg/L	1	1/13/2007 7:28:00 AM
Trichlorofluoromethane	U	1.0		µg/L	1	1/13/2007 7:28:00 AM
Vinyl acetate	U	1.0		µg/L	1	1/13/2007 7:28:00 AM
Vinyl chloride	1.6	1.0		µg/L	1	1/13/2007 7:28:00 AM
Surr: 4-Bromofluorobenzene	81.4	54-134		%REC	1	1/13/2007 7:28:00 AM
Surr: Dibromofluoromethane	84.4	52-132		%REC	1	1/13/2007 7:28:00 AM
Surr: Toluene-d8	98.5	51-127		%REC	1	1/13/2007 7:28:00 AM

Qualifiers:	B	Analyte detected in the associated Method Blank	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	S	Spike Recovery outside accepted recovery limits
	U	Indicates the compound was analyzed for but not detected	X	Value exceeds Maximum Contaminant Level

American Analytical Laboratories, LLC.

Date: 23-Jan-07

CLIENT: Leggette Brashears & Graham Inc.
Lab Order: 0701092
Project: Rowe Industries
Lab ID: 0701092-04A

Client Sample ID: FRW2:011007
Tag Number: 10295
Collection Date: 1/10/2007
Matrix: LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILE SW-846 8260 PLUS MTBE & FREON11		SW8260B		Analyst: LDS		
1,1,1,2-Tetrachloroethane	U	1.0		µg/L	1	1/13/2007 8:27:00 AM
1,1,1-Trichloroethane	U	1.0		µg/L	1	1/13/2007 8:27:00 AM
1,1,2,2-Tetrachloroethane	U	1.0		µg/L	1	1/13/2007 8:27:00 AM
1,1,2-Trichloro-1,2,2-trifluoroethane	U	1.0		µg/L	1	1/13/2007 8:27:00 AM
1,1,2-Trichloroethane	U	1.0		µg/L	1	1/13/2007 8:27:00 AM
1,1-Dichloroethane	U	1.0		µg/L	1	1/13/2007 8:27:00 AM
1,1-Dichloroethene	U	1.0		µg/L	1	1/13/2007 8:27:00 AM
1,1-Dichloropropene	U	1.0		µg/L	1	1/13/2007 8:27:00 AM
1,2,3-Trichlorobenzene	U	1.0		µg/L	1	1/13/2007 8:27:00 AM
1,2,3-Trichloropropane	U	1.0		µg/L	1	1/13/2007 8:27:00 AM
1,2,4-Trichlorobenzene	U	1.0		µg/L	1	1/13/2007 8:27:00 AM
1,2,4-Trimethylbenzene	U	1.0		µg/L	1	1/13/2007 8:27:00 AM
1,2-Dibromo-3-chloropropane	U	1.0		µg/L	1	1/13/2007 8:27:00 AM
1,2-Dibromoethane	U	1.0		µg/L	1	1/13/2007 8:27:00 AM
1,2-Dichlorobenzene	U	1.0		µg/L	1	1/13/2007 8:27:00 AM
1,2-Dichloroethane	U	1.0		µg/L	1	1/13/2007 8:27:00 AM
1,2-Dichloropropane	U	1.0		µg/L	1	1/13/2007 8:27:00 AM
1,3,5-Trimethylbenzene	U	1.0		µg/L	1	1/13/2007 8:27:00 AM
1,3-Dichlorobenzene	U	1.0		µg/L	1	1/13/2007 8:27:00 AM
1,3-dichloropropane	U	1.0		µg/L	1	1/13/2007 8:27:00 AM
1,4-Dichlorobenzene	U	1.0		µg/L	1	1/13/2007 8:27:00 AM
2,2-Dichloropropane	U	1.0		µg/L	1	1/13/2007 8:27:00 AM
2-Butanone	U	3.0		µg/L	1	1/13/2007 8:27:00 AM
2-Chloroethyl vinyl ether	U	1.0		µg/L	1	1/13/2007 8:27:00 AM
2-Chlorotoluene	U	1.0		µg/L	1	1/13/2007 8:27:00 AM
2-Hexanone	U	2.0		µg/L	1	1/13/2007 8:27:00 AM
4-Chlorotoluene	U	1.0		µg/L	1	1/13/2007 8:27:00 AM
4-Isopropyltoluene	U	1.0		µg/L	1	1/13/2007 8:27:00 AM
4-Methyl-2-pentanone	U	2.0		µg/L	1	1/13/2007 8:27:00 AM
Acetone	U	2.0		µg/L	1	1/13/2007 8:27:00 AM
Benzene	U	1.0		µg/L	1	1/13/2007 8:27:00 AM
Bromobenzene	U	1.0		µg/L	1	1/13/2007 8:27:00 AM
Bromochloromethane	U	1.0		µg/L	1	1/13/2007 8:27:00 AM
Bromodichloromethane	U	1.0		µg/L	1	1/13/2007 8:27:00 AM
Bromoform	U	1.0		µg/L	1	1/13/2007 8:27:00 AM
Bromomethane	U	1.0		µg/L	1	1/13/2007 8:27:00 AM
Carbon disulfide	U	1.0		µg/L	1	1/13/2007 8:27:00 AM
Carbon tetrachloride	U	1.0		µg/L	1	1/13/2007 8:27:00 AM
Chlorobenzene	U	1.0		µg/L	1	1/13/2007 8:27:00 AM

Qualifiers:	B	Analyte detected in the associated Method Blank	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	S	Spike Recovery outside accepted recovery limits
	U	Indicates the compound was analyzed for but not detected	X	Value exceeds Maximum Contaminant Level

American Analytical Laboratories, LLC.

Date: 23-Jan-07

CLIENT: Leggette Brashears & Graham Inc.
Lab Order: 0701092
Project: Rowe Industries
Lab ID: 0701092-04A

Client Sample ID: FRW2:011007
Tag Number: 10295
Collection Date: 1/10/2007
Matrix: LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILE SW-846 8260 PLUS MTBE & FREON11		SW8260B		Analyst: LDS		
Chloroethane	U	1.0		µg/L	1	1/13/2007 8:27:00 AM
Chloroform	U	1.0		µg/L	1	1/13/2007 8:27:00 AM
Chloromethane	U	1.0		µg/L	1	1/13/2007 8:27:00 AM
cis-1,2-Dichloroethene	U	1.0		µg/L	1	1/13/2007 8:27:00 AM
cis-1,3-Dichloropropene	U	1.0		µg/L	1	1/13/2007 8:27:00 AM
Dibromochloromethane	U	1.0		µg/L	1	1/13/2007 8:27:00 AM
Dibromomethane	U	1.0		µg/L	1	1/13/2007 8:27:00 AM
Dichlorodifluoromethane	U	1.0		µg/L	1	1/13/2007 8:27:00 AM
Ethylbenzene	U	1.0		µg/L	1	1/13/2007 8:27:00 AM
Hexachlorobutadiene	U	1.0		µg/L	1	1/13/2007 8:27:00 AM
Isopropylbenzene	U	1.0		µg/L	1	1/13/2007 8:27:00 AM
m,p-Xylene	U	2.0		µg/L	1	1/13/2007 8:27:00 AM
Methyl tert-butyl ether	U	1.0		µg/L	1	1/13/2007 8:27:00 AM
Methylene chloride	U	1.0		µg/L	1	1/13/2007 8:27:00 AM
Naphthalene	U	1.0		µg/L	1	1/13/2007 8:27:00 AM
n-Butylbenzene	U	1.0		µg/L	1	1/13/2007 8:27:00 AM
n-Propylbenzene	U	1.0		µg/L	1	1/13/2007 8:27:00 AM
o-Xylene	U	1.0		µg/L	1	1/13/2007 8:27:00 AM
sec-Butylbenzene	U	1.0		µg/L	1	1/13/2007 8:27:00 AM
Styrene	U	1.0		µg/L	1	1/13/2007 8:27:00 AM
tert-Butylbenzene	U	1.0		µg/L	1	1/13/2007 8:27:00 AM
Tetrachloroethene	4.8	1.0		µg/L	1	1/13/2007 8:27:00 AM
Toluene	33	1.0		µg/L	1	1/13/2007 8:27:00 AM
trans-1,2-Dichloroethene	U	1.0		µg/L	1	1/13/2007 8:27:00 AM
trans-1,3-Dichloropropene	U	1.0		µg/L	1	1/13/2007 8:27:00 AM
Trichloroethene	U	1.0		µg/L	1	1/13/2007 8:27:00 AM
Trichlorofluoromethane	U	1.0		µg/L	1	1/13/2007 8:27:00 AM
Vinyl acetate	U	1.0		µg/L	1	1/13/2007 8:27:00 AM
Vinyl chloride	59	1.0		µg/L	1	1/13/2007 8:27:00 AM
Surr: 4-Bromofluorobenzene	87.9	54-134		%REC	1	1/13/2007 8:27:00 AM
Surr: Dibromofluoromethane	88.8	52-132		%REC	1	1/13/2007 8:27:00 AM
Surr: Toluene-d8	84.4	51-127		%REC	1	1/13/2007 8:27:00 AM

Qualifiers:	B	Analyte detected in the associated Method Blank	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	S	Spike Recovery outside accepted recovery limits
	U	Indicates the compound was analyzed for but not detected	X	Value exceeds Maximum Contaminant Level

American Analytical Laboratories, LLC.

Date: 23-Jan-07

CLIENT: Leggette Brashears & Graham Inc.
Lab Order: 0701092
Project: Rowe Industries
Lab ID: 0701092-05A

Client Sample ID: FRW3:011007
Tag Number: 10295
Collection Date: 1/10/2007
Matrix: LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILE SW-846 8260 PLUS MTBE & FREON11		SW8260B		Analyst: LDS		
1,1,1,2-Tetrachloroethane	U	1.0		µg/L	1	1/13/2007 9:26:00 AM
1,1,1-Trichloroethane	U	1.0		µg/L	1	1/13/2007 9:26:00 AM
1,1,2,2-Tetrachloroethane	U	1.0		µg/L	1	1/13/2007 9:26:00 AM
1,1,2-Trichloro-1,2,2-trifluoroethane	U	1.0		µg/L	1	1/13/2007 9:26:00 AM
1,1,2-Trichloroethane	U	1.0		µg/L	1	1/13/2007 9:26:00 AM
1,1-Dichloroethane	0.97	1.0	J	µg/L	1	1/13/2007 9:26:00 AM
1,1-Dichloroethene	U	1.0		µg/L	1	1/13/2007 9:26:00 AM
1,1-Dichloropropene	U	1.0		µg/L	1	1/13/2007 9:26:00 AM
1,2,3-Trichlorobenzene	U	1.0		µg/L	1	1/13/2007 9:26:00 AM
1,2,3-Trichloropropane	U	1.0		µg/L	1	1/13/2007 9:26:00 AM
1,2,4-Trichlorobenzene	U	1.0		µg/L	1	1/13/2007 9:26:00 AM
1,2,4-Trimethylbenzene	U	1.0		µg/L	1	1/13/2007 9:26:00 AM
1,2-Dibromo-3-chloropropane	U	1.0		µg/L	1	1/13/2007 9:26:00 AM
1,2-Dibromoethane	U	1.0		µg/L	1	1/13/2007 9:26:00 AM
1,2-Dichlorobenzene	U	1.0		µg/L	1	1/13/2007 9:26:00 AM
1,2-Dichloroethane	U	1.0		µg/L	1	1/13/2007 9:26:00 AM
1,2-Dichloropropane	U	1.0		µg/L	1	1/13/2007 9:26:00 AM
1,3,5-Trimethylbenzene	U	1.0		µg/L	1	1/13/2007 9:26:00 AM
1,3-Dichlorobenzene	U	1.0		µg/L	1	1/13/2007 9:26:00 AM
1,3-dichloropropane	U	1.0		µg/L	1	1/13/2007 9:26:00 AM
1,4-Dichlorobenzene	U	1.0		µg/L	1	1/13/2007 9:26:00 AM
2,2-Dichloropropane	U	1.0		µg/L	1	1/13/2007 9:26:00 AM
2-Butanone	U	3.0		µg/L	1	1/13/2007 9:26:00 AM
2-Chloroethyl vinyl ether	U	1.0		µg/L	1	1/13/2007 9:26:00 AM
2-Chlorotoluene	U	1.0		µg/L	1	1/13/2007 9:26:00 AM
2-Hexanone	U	2.0		µg/L	1	1/13/2007 9:26:00 AM
4-Chlorotoluene	U	1.0		µg/L	1	1/13/2007 9:26:00 AM
4-Isopropyltoluene	U	1.0		µg/L	1	1/13/2007 9:26:00 AM
4-Methyl-2-pentanone	U	2.0		µg/L	1	1/13/2007 9:26:00 AM
Acetone	U	2.0		µg/L	1	1/13/2007 9:26:00 AM
Benzene	U	1.0		µg/L	1	1/13/2007 9:26:00 AM
Bromobenzene	U	1.0		µg/L	1	1/13/2007 9:26:00 AM
Bromochloromethane	U	1.0		µg/L	1	1/13/2007 9:26:00 AM
Bromodichloromethane	U	1.0		µg/L	1	1/13/2007 9:26:00 AM
Bromoform	U	1.0		µg/L	1	1/13/2007 9:26:00 AM
Bromomethane	U	1.0		µg/L	1	1/13/2007 9:26:00 AM
Carbon disulfide	U	1.0		µg/L	1	1/13/2007 9:26:00 AM
Carbon tetrachloride	U	1.0		µg/L	1	1/13/2007 9:26:00 AM
Chlorobenzene	U	1.0		µg/L	1	1/13/2007 9:26:00 AM

Qualifiers:	B	Analyte detected in the associated Method Blank	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	S	Spike Recovery outside accepted recovery limits
	U	Indicates the compound was analyzed for but not detected	X	Value exceeds Maximum Contaminant Level

American Analytical Laboratories, LLC.

Date: 23-Jan-07

CLIENT: Leggette Brashears & Graham Inc.
Lab Order: 0701092
Project: Rowe Industries
Lab ID: 0701092-05A

Client Sample ID: FRW3:011007
Tag Number: 10295
Collection Date: 1/10/2007
Matrix: LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILE SW-846 8260 PLUS MTBE & FREON11		SW8260B		Analyst: LDS		
Chloroethane	U	1.0		µg/L	1	1/13/2007 9:26:00 AM
Chloroform	U	1.0		µg/L	1	1/13/2007 9:26:00 AM
Chloromethane	U	1.0		µg/L	1	1/13/2007 9:26:00 AM
cis-1,2-Dichloroethene	290	1.0		µg/L	1	1/13/2007 9:26:00 AM
cis-1,3-Dichloropropene	U	1.0		µg/L	1	1/13/2007 9:26:00 AM
Dibromochloromethane	U	1.0		µg/L	1	1/13/2007 9:26:00 AM
Dibromomethane	U	1.0		µg/L	1	1/13/2007 9:26:00 AM
Dichlorodifluoromethane	U	1.0		µg/L	1	1/13/2007 9:26:00 AM
Ethylbenzene	U	1.0		µg/L	1	1/13/2007 9:26:00 AM
Hexachlorobutadiene	U	1.0		µg/L	1	1/13/2007 9:26:00 AM
Isopropylbenzene	2.5	1.0		µg/L	1	1/13/2007 9:26:00 AM
m,p-Xylene	U	2.0		µg/L	1	1/13/2007 9:26:00 AM
Methyl tert-butyl ether	U	1.0		µg/L	1	1/13/2007 9:26:00 AM
Methylene chloride	U	1.0		µg/L	1	1/13/2007 9:26:00 AM
Naphthalene	U	1.0		µg/L	1	1/13/2007 9:26:00 AM
n-Butylbenzene	U	1.0		µg/L	1	1/13/2007 9:26:00 AM
n-Propylbenzene	1.6	1.0		µg/L	1	1/13/2007 9:26:00 AM
o-Xylene	U	1.0		µg/L	1	1/13/2007 9:26:00 AM
sec-Butylbenzene	U	1.0		µg/L	1	1/13/2007 9:26:00 AM
Styrene	U	1.0		µg/L	1	1/13/2007 9:26:00 AM
tert-Butylbenzene	U	1.0		µg/L	1	1/13/2007 9:26:00 AM
Tetrachloroethene	31	1.0		µg/L	1	1/13/2007 9:26:00 AM
Toluene	68	1.0		µg/L	1	1/13/2007 9:26:00 AM
trans-1,2-Dichloroethene	U	1.0		µg/L	1	1/13/2007 9:26:00 AM
trans-1,3-Dichloropropene	U	1.0		µg/L	1	1/13/2007 9:26:00 AM
Trichloroethene	3.4	1.0		µg/L	1	1/13/2007 9:26:00 AM
Trichlorofluoromethane	U	1.0		µg/L	1	1/13/2007 9:26:00 AM
Vinyl acetate	U	1.0		µg/L	1	1/13/2007 9:26:00 AM
Vinyl chloride	27	1.0		µg/L	1	1/13/2007 9:26:00 AM
Surr: 4-Bromofluorobenzene	83.1	54-134		%REC	1	1/13/2007 9:26:00 AM
Surr: Dibromofluoromethane	114	52-132		%REC	1	1/13/2007 9:26:00 AM
Surr: Toluene-d8	114	51-127		%REC	1	1/13/2007 9:26:00 AM

Qualifiers:	B	Analyte detected in the associated Method Blank	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	S	Spike Recovery outside accepted recovery limits
	U	Indicates the compound was analyzed for but not detected	X	Value exceeds Maximum Contaminant Level

American Analytical Laboratories, LLC.

Date: 23-Jan-07

CLIENT: Leggette Brashears & Graham Inc.
Lab Order: 0701092
Project: Rowe Industries
Lab ID: 0701092-06A

Client Sample ID: FRW4:011007
Tag Number: 10295
Collection Date: 1/10/2007
Matrix: LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILE SW-846 8260 PLUS MTBE & FREON11		SW8260B		Analyst: LDS		
1,1,1,2-Tetrachloroethane	U	1.0		µg/L	1	1/13/2007 10:27:00 AM
1,1,1-Trichloroethane	0.97	1.0	J	µg/L	1	1/13/2007 10:27:00 AM
1,1,2,2-Tetrachloroethane	U	1.0		µg/L	1	1/13/2007 10:27:00 AM
1,1,2-Trichloro-1,2,2-trifluoroethane	U	1.0		µg/L	1	1/13/2007 10:27:00 AM
1,1,2-Trichloroethane	U	1.0		µg/L	1	1/13/2007 10:27:00 AM
1,1-Dichloroethane	U	1.0		µg/L	1	1/13/2007 10:27:00 AM
1,1-Dichloroethene	U	1.0		µg/L	1	1/13/2007 10:27:00 AM
1,1-Dichloropropene	U	1.0		µg/L	1	1/13/2007 10:27:00 AM
1,2,3-Trichlorobenzene	U	1.0		µg/L	1	1/13/2007 10:27:00 AM
1,2,3-Trichloropropane	U	1.0		µg/L	1	1/13/2007 10:27:00 AM
1,2,4-Trichlorobenzene	U	1.0		µg/L	1	1/13/2007 10:27:00 AM
1,2,4-Trimethylbenzene	U	1.0		µg/L	1	1/13/2007 10:27:00 AM
1,2-Dibromo-3-chloropropane	U	1.0		µg/L	1	1/13/2007 10:27:00 AM
1,2-Dibromoethane	U	1.0		µg/L	1	1/13/2007 10:27:00 AM
1,2-Dichlorobenzene	U	1.0		µg/L	1	1/13/2007 10:27:00 AM
1,2-Dichloroethane	U	1.0		µg/L	1	1/13/2007 10:27:00 AM
1,2-Dichloropropane	U	1.0		µg/L	1	1/13/2007 10:27:00 AM
1,3,5-Trimethylbenzene	U	1.0		µg/L	1	1/13/2007 10:27:00 AM
1,3-Dichlorobenzene	U	1.0		µg/L	1	1/13/2007 10:27:00 AM
1,3-dichloropropane	U	1.0		µg/L	1	1/13/2007 10:27:00 AM
1,4-Dichlorobenzene	U	1.0		µg/L	1	1/13/2007 10:27:00 AM
2,2-Dichloropropane	U	1.0		µg/L	1	1/13/2007 10:27:00 AM
2-Butanone	U	3.0		µg/L	1	1/13/2007 10:27:00 AM
2-Chloroethyl vinyl ether	U	1.0		µg/L	1	1/13/2007 10:27:00 AM
2-Chlorotoluene	U	1.0		µg/L	1	1/13/2007 10:27:00 AM
2-Hexanone	U	2.0		µg/L	1	1/13/2007 10:27:00 AM
4-Chlorotoluene	U	1.0		µg/L	1	1/13/2007 10:27:00 AM
4-Isopropyltoluene	U	1.0		µg/L	1	1/13/2007 10:27:00 AM
4-Methyl-2-pentanone	U	2.0		µg/L	1	1/13/2007 10:27:00 AM
Acetone	U	2.0		µg/L	1	1/13/2007 10:27:00 AM
Benzene	U	1.0		µg/L	1	1/13/2007 10:27:00 AM
Bromobenzene	U	1.0		µg/L	1	1/13/2007 10:27:00 AM
Bromochloromethane	U	1.0		µg/L	1	1/13/2007 10:27:00 AM
Bromodichloromethane	U	1.0		µg/L	1	1/13/2007 10:27:00 AM
Bromoform	U	1.0		µg/L	1	1/13/2007 10:27:00 AM
Bromomethane	U	1.0		µg/L	1	1/13/2007 10:27:00 AM
Carbon disulfide	U	1.0		µg/L	1	1/13/2007 10:27:00 AM
Carbon tetrachloride	U	1.0		µg/L	1	1/13/2007 10:27:00 AM
Chlorobenzene	U	1.0		µg/L	1	1/13/2007 10:27:00 AM

Qualifiers:	B	Analyte detected in the associated Method Blank	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	S	Spike Recovery outside accepted recovery limits
	U	Indicates the compound was analyzed for but not detected	X	Value exceeds Maximum Contaminant Level

American Analytical Laboratories, LLC.

Date: 23-Jan-07

CLIENT: Leggette Brashears & Graham Inc.
Lab Order: 0701092
Project: Rowe Industries
Lab ID: 0701092-06A

Client Sample ID: FRW4:011007
Tag Number: 10295
Collection Date: 1/10/2007
Matrix: LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILE SW-846 8260 PLUS MTBE & FREON11		SW8260B		Analyst: LDS		
Chloroethane	U	1.0		µg/L	1	1/13/2007 10:27:00 AM
Chloroform	U	1.0		µg/L	1	1/13/2007 10:27:00 AM
Chloromethane	U	1.0		µg/L	1	1/13/2007 10:27:00 AM
cis-1,2-Dichloroethene	12	1.0		µg/L	1	1/13/2007 10:27:00 AM
cis-1,3-Dichloropropene	U	1.0		µg/L	1	1/13/2007 10:27:00 AM
Dibromochloromethane	U	1.0		µg/L	1	1/13/2007 10:27:00 AM
Dibromomethane	U	1.0		µg/L	1	1/13/2007 10:27:00 AM
Dichlorodifluoromethane	U	1.0		µg/L	1	1/13/2007 10:27:00 AM
Ethylbenzene	U	1.0		µg/L	1	1/13/2007 10:27:00 AM
Hexachlorobutadiene	U	1.0		µg/L	1	1/13/2007 10:27:00 AM
Isopropylbenzene	U	1.0		µg/L	1	1/13/2007 10:27:00 AM
m,p-Xylene	U	2.0		µg/L	1	1/13/2007 10:27:00 AM
Methyl tert-butyl ether	U	1.0		µg/L	1	1/13/2007 10:27:00 AM
Methylene chloride	U	1.0		µg/L	1	1/13/2007 10:27:00 AM
Naphthalene	U	1.0		µg/L	1	1/13/2007 10:27:00 AM
n-Butylbenzene	U	1.0		µg/L	1	1/13/2007 10:27:00 AM
n-Propylbenzene	U	1.0		µg/L	1	1/13/2007 10:27:00 AM
o-Xylene	U	1.0		µg/L	1	1/13/2007 10:27:00 AM
sec-Butylbenzene	U	1.0		µg/L	1	1/13/2007 10:27:00 AM
Styrene	U	1.0		µg/L	1	1/13/2007 10:27:00 AM
tert-Butylbenzene	U	1.0		µg/L	1	1/13/2007 10:27:00 AM
Tetrachloroethene	51	1.0		µg/L	1	1/13/2007 10:27:00 AM
Toluene	1.4	1.0		µg/L	1	1/13/2007 10:27:00 AM
trans-1,2-Dichloroethene	U	1.0		µg/L	1	1/13/2007 10:27:00 AM
trans-1,3-Dichloropropene	U	1.0		µg/L	1	1/13/2007 10:27:00 AM
Trichloroethene	1.7	1.0		µg/L	1	1/13/2007 10:27:00 AM
Trichlorofluoromethane	U	1.0		µg/L	1	1/13/2007 10:27:00 AM
Vinyl acetate	U	1.0		µg/L	1	1/13/2007 10:27:00 AM
Vinyl chloride	2.2	1.0		µg/L	1	1/13/2007 10:27:00 AM
Surr: 4-Bromofluorobenzene	82.7	54-134		%REC	1	1/13/2007 10:27:00 AM
Surr: Dibromofluoromethane	94.0	52-132		%REC	1	1/13/2007 10:27:00 AM
Surr: Toluene-d8	95.4	51-127		%REC	1	1/13/2007 10:27:00 AM

Qualifiers:	B	Analyte detected in the associated Method Blank	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	S	Spike Recovery outside accepted recovery limits
	U	Indicates the compound was analyzed for but not detected	X	Value exceeds Maximum Contaminant Level



NYSDOH 11418
NJDEP NY050
CTDOH PH-0205
PADEP 68-00573

Thursday, January 18, 2007

Mark Goldberg
Leggette Brashears & Graham Inc.
4 Research Drive
Suite 301
Shelton, CT 06484

TEL: (203) 929-8555
FAX (203) 926-9140

RE: Rowe Industries

Order No.: 0701093

Dear Mark Goldberg:

American Analytical Laboratories, LLC. received 1 sample(s) on 1/12/2007 for the analyses presented in the following report.


Samples were analyzed in accordance with the test procedures documented on the chain of custody and detailed throughout the text of this report.

The limits provided in the data package are analytical reporting limits and not Federal or Local mandated values to which the sample results should be compared.

There were no problems with the analyses and all data for associated QC met laboratory specifications. If there are any exceptions a Case Narrative is provided in the report.

If you have any questions regarding these tests results, please do not hesitate to call (631) 454-6100 or email me directly at lbeyer@american-analytical.com.

Sincerely,


Lori Beyer
Lab Director

American Analytical Laboratories, LLC.

Date: 18-Jan-07

CLIENT: Leggette Brashears & Graham Inc.
Project: Rowe Industries
Lab Order: 0701093

Work Order Sample Summary

Lab Sample ID	Client Sample ID	Tag Number	Date Collected	Date Received
0701093-01A	POST:011007	10295	1/10/2007	1/12/2007



56 TOLEDO STREET • FARMINGDALE, NEW YORK 11735
(631) 454-6100 • FAX (631) 454-8027

TAG # / COC

10295

NYSDC 11418
CTDOH PH-0205
NJDEP NY050
PADEP 68-573

CHAIN OF CUSTODY / REQUEST FOR ANALYSIS DOCUMENT

CLIENT NAME/ADDRESS <i>266 Research Dr. Shelton, CT</i>	CONTACT: <i>Mark Goldberg</i>	SAMPLER (SIGNATURE) <i>[Signature]</i>	SAMPLE(S) SEALED <i>YES NO</i>
		SAMPLER NAME (PRINT) <i>Rob Drew</i>	CORRECT CONTAINER(S) <i>YES NO</i>

PROJECT LOCATION:

ANALYSIS REQUIRED <i>8260 MTBE FRW 1, 2, 3, 4</i>	FOR METHANOL PRESERVED SAMPLES [VOLATILE VIAL #]
--	---

LABORATORY ID #	MATRIX	# CONTAINERS	SAMPLING DATE/TIME	SAMPLE # - LOCATION
		2	1-10-06	Pre: 011007
				Mid:
				Post:
				FRW1:
				FRW2:
				FRW3:
				FRW4:

RUSH

0701093-01A

MATRIX S=SOIL; L=LIQUID; SL=SLUDGE; A-AIR; W=WIFE; P=PAINT CHIPS; B=BULK MATERIAL TYPE G=GRAB; C=COMPOSITE, SS=SPLIT SPOON		TURNAROUND REQUIRED: NORMAL ☒ STAT ☐ BY / /		COOLER TEMPERATURE:	
RECEIVED BY (SIGNATURE) <i>[Signature]</i>		RECEIVED BY LAB (SIGNATURE) <i>[Signature]</i>		COMMENTS / INSTRUCTIONS <i>Rush Post</i>	
DATE TIME 1-11-06 1700		DATE TIME 1/12/07 1600hrs		PRINTED NAME <i>C. Mas...</i>	
DATE TIME		DATE TIME		PRINTED NAME	

AMERICAN ANALYTICAL LABORATORIES, LLC

56 TOLEDO STREET

FARMINGDALE, NEW YORK 11735

TELEPHONE: (631) 454-6100 FAX: (631) 454-8027

DATA REPORTING QUALIFIERS

For reporting results, the following "Results Qualifiers" are used:

Value	If the result is greater than or equal to the detection limit, report the value
U	Indicates the compound was analyzed for but was not detected. Report the minimum detection limit for the sample with the U, i.e. "10U". This is not necessarily the instrument detection limit attainable for this particular sample based on any concentration or dilution that may have been required.
J	Indicates an estimated value. The flag is used: (1) When estimating a concentration for a tentatively identified compound (library search hits, where a 1:1 response is assumed.) (2) When the mass spectral data indicated the identification, however the result was less than the specified detection limit greater than zero. If the detection limit was 10ug/L and a concentration of 3ug/L was calculated report as 3J. This flag is used when similar situations arise on any organic parameter i.e. Pesticide, PCBs and others.
B	Indicates the analyte was found in the blank as well as the sample report "10B".
E	Indicates the analytes concentration exceeds the calibrated range of the instrument for that specific analysis.
D	This flag identifies all compounds identified in an analysis at a secondary dilution factor.
P	This flag is used for Pesticide / PCB target analyte when there is >25% difference for detected concentrations between the two GC Columns. The higher of the two values is reported on Form I and flagged with a "P".
N	This flag indicates presumptive evidence of a compound. This is only used for tentatively identified compounds (TICs), where the identification is based on a mass spectral library search. It applies to all TIC results. For generic characterization of a TIC, such as chlorinated hydrocarbon, the flag is not used.
H	Indicates sample was received and/or analyzed outside of The method allowable holding time

American Analytical Laboratories, LLC.

Date: 18-Jan-07

CLIENT: Leggette Brashears & Graham Inc.
Lab Order: 0701093
Project: Rowe Industries
Lab ID: 0701093-01A

Client Sample ID: POST:011007
Tag Number: 10295
Collection Date: 1/10/2007
Matrix: LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILE SW-846 8260 PLUS MTBE & FREON11		SW8260B		Analyst: LDS		
1,1,1,2-Tetrachloroethane	U	1.0		µg/L	1	1/17/2007 1:56:00 AM
1,1,1-Trichloroethane	U	1.0		µg/L	1	1/17/2007 1:56:00 AM
1,1,2,2-Tetrachloroethane	U	1.0		µg/L	1	1/17/2007 1:56:00 AM
1,1,2-Trichloro-1,2,2-trifluoroethane	U	1.0		µg/L	1	1/17/2007 1:56:00 AM
1,1,2-Trichloroethane	U	1.0		µg/L	1	1/17/2007 1:56:00 AM
1,1-Dichloroethane	U	1.0		µg/L	1	1/17/2007 1:56:00 AM
1,1-Dichloroethene	U	1.0		µg/L	1	1/17/2007 1:56:00 AM
1,1-Dichloropropene	U	1.0		µg/L	1	1/17/2007 1:56:00 AM
1,2,3-Trichlorobenzene	U	1.0		µg/L	1	1/17/2007 1:56:00 AM
1,2,3-Trichloropropane	U	1.0		µg/L	1	1/17/2007 1:56:00 AM
1,2,4-Trichlorobenzene	U	1.0		µg/L	1	1/17/2007 1:56:00 AM
1,2,4-Trimethylbenzene	U	1.0		µg/L	1	1/17/2007 1:56:00 AM
1,2-Dibromo-3-chloropropane	U	1.0		µg/L	1	1/17/2007 1:56:00 AM
1,2-Dibromoethane	U	1.0		µg/L	1	1/17/2007 1:56:00 AM
1,2-Dichlorobenzene	U	1.0		µg/L	1	1/17/2007 1:56:00 AM
1,2-Dichloroethane	U	1.0		µg/L	1	1/17/2007 1:56:00 AM
1,2-Dichloropropane	U	1.0		µg/L	1	1/17/2007 1:56:00 AM
1,3,5-Trimethylbenzene	U	1.0		µg/L	1	1/17/2007 1:56:00 AM
1,3-Dichlorobenzene	U	1.0		µg/L	1	1/17/2007 1:56:00 AM
1,3-dichloropropane	U	1.0		µg/L	1	1/17/2007 1:56:00 AM
1,4-Dichlorobenzene	U	1.0		µg/L	1	1/17/2007 1:56:00 AM
2,2-Dichloropropane	U	1.0		µg/L	1	1/17/2007 1:56:00 AM
2-Butanone	U	3.0		µg/L	1	1/17/2007 1:56:00 AM
2-Chloroethyl vinyl ether	U	1.0		µg/L	1	1/17/2007 1:56:00 AM
2-Chlorotoluene	U	1.0		µg/L	1	1/17/2007 1:56:00 AM
2-Hexanone	U	2.0		µg/L	1	1/17/2007 1:56:00 AM
4-Chlorotoluene	U	1.0		µg/L	1	1/17/2007 1:56:00 AM
4-Isopropyltoluene	U	1.0		µg/L	1	1/17/2007 1:56:00 AM
4-Methyl-2-pentanone	U	2.0		µg/L	1	1/17/2007 1:56:00 AM
Acetone	U	2.0		µg/L	1	1/17/2007 1:56:00 AM
Benzene	U	1.0		µg/L	1	1/17/2007 1:56:00 AM
Bromobenzene	U	1.0		µg/L	1	1/17/2007 1:56:00 AM
Bromochloromethane	U	1.0		µg/L	1	1/17/2007 1:56:00 AM
Bromodichloromethane	U	1.0		µg/L	1	1/17/2007 1:56:00 AM
Bromoform	U	1.0		µg/L	1	1/17/2007 1:56:00 AM
Bromomethane	U	1.0		µg/L	1	1/17/2007 1:56:00 AM
Carbon disulfide	U	1.0		µg/L	1	1/17/2007 1:56:00 AM
Carbon tetrachloride	U	1.0		µg/L	1	1/17/2007 1:56:00 AM
Chlorobenzene	U	1.0		µg/L	1	1/17/2007 1:56:00 AM

Qualifiers:	B	Analyte detected in the associated Method Blank	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	S	Spike Recovery outside accepted recovery limits
	U	Indicates the compound was analyzed for but not detected	X	Value exceeds Maximum Contaminant Level

American Analytical Laboratories, LLC.

Date: 18-Jan-07

CLIENT: Leggette Brashears & Graham Inc.
Lab Order: 0701093
Project: Rowe Industries
Lab ID: 0701093-01A

Client Sample ID: POST:011007
Tag Number: 10295
Collection Date: 1/10/2007
Matrix: LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILE SW-846 8260 PLUS MTBE & FREON11		SW8260B		Analyst: LDS		
Chloroethane	U	1.0		µg/L	1	1/17/2007 1:56:00 AM
Chloroform	U	1.0		µg/L	1	1/17/2007 1:56:00 AM
Chloromethane	U	1.0		µg/L	1	1/17/2007 1:56:00 AM
cis-1,2-Dichloroethene	U	1.0		µg/L	1	1/17/2007 1:56:00 AM
cis-1,3-Dichloropropene	U	1.0		µg/L	1	1/17/2007 1:56:00 AM
Dibromochloromethane	U	1.0		µg/L	1	1/17/2007 1:56:00 AM
Dibromomethane	U	1.0		µg/L	1	1/17/2007 1:56:00 AM
Dichlorodifluoromethane	U	1.0		µg/L	1	1/17/2007 1:56:00 AM
Ethylbenzene	U	1.0		µg/L	1	1/17/2007 1:56:00 AM
Hexachlorobutadiene	U	1.0		µg/L	1	1/17/2007 1:56:00 AM
Isopropylbenzene	U	1.0		µg/L	1	1/17/2007 1:56:00 AM
m,p-Xylene	U	2.0		µg/L	1	1/17/2007 1:56:00 AM
Methyl tert-butyl ether	U	1.0		µg/L	1	1/17/2007 1:56:00 AM
Methylene chloride	U	1.0		µg/L	1	1/17/2007 1:56:00 AM
Naphthalene	U	1.0		µg/L	1	1/17/2007 1:56:00 AM
n-Butylbenzene	U	1.0		µg/L	1	1/17/2007 1:56:00 AM
n-Propylbenzene	U	1.0		µg/L	1	1/17/2007 1:56:00 AM
o-Xylene	U	1.0		µg/L	1	1/17/2007 1:56:00 AM
sec-Butylbenzene	U	1.0		µg/L	1	1/17/2007 1:56:00 AM
Styrene	U	1.0		µg/L	1	1/17/2007 1:56:00 AM
tert-Butylbenzene	U	1.0		µg/L	1	1/17/2007 1:56:00 AM
Tetrachloroethene	U	1.0		µg/L	1	1/17/2007 1:56:00 AM
Toluene	U	1.0		µg/L	1	1/17/2007 1:56:00 AM
trans-1,2-Dichloroethene	U	1.0		µg/L	1	1/17/2007 1:56:00 AM
trans-1,3-Dichloropropene	U	1.0		µg/L	1	1/17/2007 1:56:00 AM
Trichloroethene	U	1.0		µg/L	1	1/17/2007 1:56:00 AM
Trichlorofluoromethane	U	1.0		µg/L	1	1/17/2007 1:56:00 AM
Vinyl acetate	U	1.0		µg/L	1	1/17/2007 1:56:00 AM
Vinyl chloride	U	1.0		µg/L	1	1/17/2007 1:56:00 AM
Surr: 4-Bromofluorobenzene	81.7	54-134		%REC	1	1/17/2007 1:56:00 AM
Surr: Dibromofluoromethane	96.5	52-132		%REC	1	1/17/2007 1:56:00 AM
Surr: Toluene-d8	105	51-127		%REC	1	1/17/2007 1:56:00 AM

Qualifiers:	B	Analyte detected in the associated Method Blank	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	S	Spike Recovery outside accepted recovery limits
	U	Indicates the compound was analyzed for but not detected	X	Value exceeds Maximum Contaminant Level



NYSDOH 11418
NJDEP NY050
CTDOH PH-0205
PADEP 68-00573

Thursday, January 25, 2007

Mark Goldberg
Leggette Brashears & Graham Inc.
4 Research Drive
Suite 301
Shelton, CT 06484

TEL: (203) 929-8555
FAX (203) 926-9140

RE: Rowe Industries

Order No.: 0701172

Dear Mark Goldberg:

American Analytical Laboratories, LLC. received 2 sample(s) on 1/23/2007 for the analyses presented in the following report.


Samples were analyzed in accordance with the test procedures documented on the chain of custody and detailed throughout the text of this report.

The limits provided in the data package are analytical reporting limits and not Federal or Local mandated values to which the sample results should be compared.

There were no problems with the analyses and all data for associated QC met laboratory specifications. If there are any exceptions a Case Narrative is provided in the report.

If you have any questions regarding these tests results, please do not hesitate to call (631) 454-6100 or email me directly at lbeyer@american-analytical.com.

Sincerely,


Lori Beyer
Lab Director

American Analytical Laboratories, LLC.**Date:** 25-Jan-07

CLIENT: Leggette Brashears & Graham Inc.
Project: Rowe Industries
Lab Order: 0701172**Work Order Sample Summary**

Lab Sample ID	Client Sample ID	Tag Number	Date Collected	Date Received
0701172-01A	PRE 011807	12816	1/18/2007	1/23/2007
0701172-02A	MID 011807	12816	1/18/2007	1/23/2007

CHAIN OF CUSTODY / REQUEST FOR ANALYSIS DOCUMENT

[illegible]

WHITE-OFFICE / CANARY-LAB / PINK-SAMPLE CUSTODIAN / GOLDENROD-CLIENT

AMERICAN ANALYTICAL LABORATORIES, LLC

56 TOLEDO STREET

FARMINGDALE, NEW YORK 11735

TELEPHONE: (631) 454-6100 FAX: (631) 454-8027

DATA REPORTING QUALIFIERS

For reporting results, the following "Results Qualifiers" are used:

Value	If the result is greater than or equal to the detection limit, report the value
U	Indicates the compound was analyzed for but was not detected. Report the minimum detection limit for the sample with the U, i.e. "10U". This is not necessarily the instrument detection limit attainable for this particular sample based on any concentration or dilution that may have been required.
J	Indicates an estimated value. The flag is used: (1) When estimating a concentration for a tentatively identified compound (library search hits, where a 1:1 response is assumed.) (2) When the mass spectral data indicated the identification, however the result was less than the specified detection limit greater than zero. If the detection limit was 10ug/L and a concentration of 3ug/L was calculated report as 3J. This flag is used when similar situations arise on any organic parameter i.e. Pesticide, PCBs and others.
B	Indicates the analyte was found in the blank as well as the sample report "10B".
E	Indicates the analytes concentration exceeds the calibrated range of the instrument for that specific analysis.
D	This flag identifies all compounds identified in an analysis at a secondary dilution factor.
P	This flag is used for Pesticide / PCB target analyte when there is >25% difference for detected concentrations between the two GC Columns. The higher of the two values is reported on Form I and flagged with a "P".
N	This flag indicates presumptive evidence of a compound. This is only used for tentatively identified compounds (TICs), where the identification is based on a mass spectral library search. It applies to all TIC results. For generic characterization of a TIC, such as chlorinated hydrocarbon, the flag is not used.
H	Indicates sample was received and/or analyzed outside of The method allowable holding time

American Analytical Laboratories, LLC.

Date: 25-Jan-07

CLIENT: Leggette Brashears & Graham Inc.
Lab Order: 0701172
Project: Rowe Industries
Lab ID: 0701172-01A

Client Sample ID: PRE 011807
Tag Number: 12816
Collection Date: 1/18/2007
Matrix: LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILE SW-846 8260 PLUS MTBE & FREON11		SW8260B		Analyst: KS		
1,1,1,2-Tetrachloroethane	U	1.0		µg/L	1	1/24/2007 7:47:00 AM
1,1,1-Trichloroethane	U	1.0		µg/L	1	1/24/2007 7:47:00 AM
1,1,2,2-Tetrachloroethane	U	1.0		µg/L	1	1/24/2007 7:47:00 AM
1,1,2-Trichloro-1,2,2-trifluoroethane	U	1.0		µg/L	1	1/24/2007 7:47:00 AM
1,1,2-Trichloroethane	U	1.0		µg/L	1	1/24/2007 7:47:00 AM
1,1-Dichloroethane	U	1.0		µg/L	1	1/24/2007 7:47:00 AM
1,1-Dichloroethene	U	1.0		µg/L	1	1/24/2007 7:47:00 AM
1,1-Dichloropropene	U	1.0		µg/L	1	1/24/2007 7:47:00 AM
1,2,3-Trichlorobenzene	U	1.0		µg/L	1	1/24/2007 7:47:00 AM
1,2,3-Trichloropropane	U	1.0		µg/L	1	1/24/2007 7:47:00 AM
1,2,4-Trichlorobenzene	U	1.0		µg/L	1	1/24/2007 7:47:00 AM
1,2,4-Trimethylbenzene	U	1.0		µg/L	1	1/24/2007 7:47:00 AM
1,2-Dibromo-3-chloropropane	U	1.0		µg/L	1	1/24/2007 7:47:00 AM
1,2-Dibromoethane	U	1.0		µg/L	1	1/24/2007 7:47:00 AM
1,2-Dichlorobenzene	U	1.0		µg/L	1	1/24/2007 7:47:00 AM
1,2-Dichloroethane	U	1.0		µg/L	1	1/24/2007 7:47:00 AM
1,2-Dichloropropane	U	1.0		µg/L	1	1/24/2007 7:47:00 AM
1,3,5-Trimethylbenzene	U	1.0		µg/L	1	1/24/2007 7:47:00 AM
1,3-Dichlorobenzene	U	1.0		µg/L	1	1/24/2007 7:47:00 AM
1,3-dichloropropane	U	1.0		µg/L	1	1/24/2007 7:47:00 AM
1,4-Dichlorobenzene	U	1.0		µg/L	1	1/24/2007 7:47:00 AM
2,2-Dichloropropane	U	1.0		µg/L	1	1/24/2007 7:47:00 AM
2-Butanone	U	3.0		µg/L	1	1/24/2007 7:47:00 AM
2-Chloroethyl vinyl ether	U	1.0		µg/L	1	1/24/2007 7:47:00 AM
2-Chlorotoluene	U	1.0		µg/L	1	1/24/2007 7:47:00 AM
2-Hexanone	U	2.0		µg/L	1	1/24/2007 7:47:00 AM
4-Chlorotoluene	U	1.0		µg/L	1	1/24/2007 7:47:00 AM
4-Isopropyltoluene	U	1.0		µg/L	1	1/24/2007 7:47:00 AM
4-Methyl-2-pentanone	U	2.0		µg/L	1	1/24/2007 7:47:00 AM
Acetone	U	2.0		µg/L	1	1/24/2007 7:47:00 AM
Benzene	U	1.0		µg/L	1	1/24/2007 7:47:00 AM
Bromobenzene	U	1.0		µg/L	1	1/24/2007 7:47:00 AM
Bromochloromethane	U	1.0		µg/L	1	1/24/2007 7:47:00 AM
Bromodichloromethane	U	1.0		µg/L	1	1/24/2007 7:47:00 AM
Bromoform	U	1.0		µg/L	1	1/24/2007 7:47:00 AM
Bromomethane	U	1.0		µg/L	1	1/24/2007 7:47:00 AM
Carbon disulfide	U	1.0		µg/L	1	1/24/2007 7:47:00 AM
Carbon tetrachloride	U	1.0		µg/L	1	1/24/2007 7:47:00 AM
Chlorobenzene	U	1.0		µg/L	1	1/24/2007 7:47:00 AM

Qualifiers:	B	Analyte detected in the associated Method Blank	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	S	Spike Recovery outside accepted recovery limits
	U	Indicates the compound was analyzed for but not detecte	X	Value exceeds Maximum Contaminant Level

American Analytical Laboratories, LLC.

Date: 25-Jan-07

CLIENT: Leggette Brashears & Graham Inc.
Lab Order: 0701172
Project: Rowe Industries
Lab ID: 0701172-01A

Client Sample ID: PRE 011807
Tag Number: 12816
Collection Date: 1/18/2007
Matrix: LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILE SW-846 8260 PLUS MTBE & FREON11		SW8260B		Analyst: KS		
Chloroethane	U	1.0		µg/L	1	1/24/2007 7:47:00 AM
Chloroform	U	1.0		µg/L	1	1/24/2007 7:47:00 AM
Chloromethane	U	1.0		µg/L	1	1/24/2007 7:47:00 AM
cis-1,2-Dichloroethene	13	1.0		µg/L	1	1/24/2007 7:47:00 AM
cis-1,3-Dichloropropene	U	1.0		µg/L	1	1/24/2007 7:47:00 AM
Dibromochloromethane	U	1.0		µg/L	1	1/24/2007 7:47:00 AM
Dibromomethane	U	1.0		µg/L	1	1/24/2007 7:47:00 AM
Dichlorodifluoromethane	U	1.0		µg/L	1	1/24/2007 7:47:00 AM
Ethylbenzene	1.2	1.0		µg/L	1	1/24/2007 7:47:00 AM
Hexachlorobutadiene	U	1.0		µg/L	1	1/24/2007 7:47:00 AM
Isopropylbenzene	U	1.0		µg/L	1	1/24/2007 7:47:00 AM
m,p-Xylene	2.2	2.0		µg/L	1	1/24/2007 7:47:00 AM
Methyl tert-butyl ether	U	1.0		µg/L	1	1/24/2007 7:47:00 AM
Methylene chloride	U	1.0		µg/L	1	1/24/2007 7:47:00 AM
Naphthalene	U	1.0		µg/L	1	1/24/2007 7:47:00 AM
n-Butylbenzene	U	1.0		µg/L	1	1/24/2007 7:47:00 AM
n-Propylbenzene	U	1.0		µg/L	1	1/24/2007 7:47:00 AM
o-Xylene	U	1.0		µg/L	1	1/24/2007 7:47:00 AM
sec-Butylbenzene	U	1.0		µg/L	1	1/24/2007 7:47:00 AM
Styrene	U	1.0		µg/L	1	1/24/2007 7:47:00 AM
tert-Butylbenzene	U	1.0		µg/L	1	1/24/2007 7:47:00 AM
Tetrachloroethene	47	1.0		µg/L	1	1/24/2007 7:47:00 AM
Toluene	150	1.0		µg/L	1	1/24/2007 7:47:00 AM
trans-1,2-Dichloroethene	U	1.0		µg/L	1	1/24/2007 7:47:00 AM
trans-1,3-Dichloropropene	U	1.0		µg/L	1	1/24/2007 7:47:00 AM
Trichloroethene	U	1.0		µg/L	1	1/24/2007 7:47:00 AM
Trichlorofluoromethane	U	1.0		µg/L	1	1/24/2007 7:47:00 AM
Vinyl acetate	U	1.0		µg/L	1	1/24/2007 7:47:00 AM
Vinyl chloride	U	1.0		µg/L	1	1/24/2007 7:47:00 AM
Surr: 4-Bromofluorobenzene	90.0	54-134		%REC	1	1/24/2007 7:47:00 AM
Surr: Dibromofluoromethane	124	52-132		%REC	1	1/24/2007 7:47:00 AM
Surr: Toluene-d8	105	51-127		%REC	1	1/24/2007 7:47:00 AM

Qualifiers:	B	Analyte detected in the associated Method Blank	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	S	Spike Recovery outside accepted recovery limits
	U	Indicates the compound was analyzed for but not detected	X	Value exceeds Maximum Contaminant Level

American Analytical Laboratories, LLC.

Date: 25-Jan-07

CLIENT: Leggette Brashears & Graham Inc.
Lab Order: 0701172
Project: Rowe Industries
Lab ID: 0701172-02A

Client Sample ID: MID 011807
Tag Number: 12816
Collection Date: 1/18/2007
Matrix: LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILE SW-846 8260 PLUS MTBE & FREON11		SW8260B		Analyst: KS		
1,1,1,2-Tetrachloroethane	U	1.0		µg/L	1	1/24/2007 8:48:00 AM
1,1,1-Trichloroethane	U	1.0		µg/L	1	1/24/2007 8:48:00 AM
1,1,2,2-Tetrachloroethane	U	1.0		µg/L	1	1/24/2007 8:48:00 AM
1,1,2-Trichloro-1,2,2-trifluoroethane	U	1.0		µg/L	1	1/24/2007 8:48:00 AM
1,1,2-Trichloroethane	U	1.0		µg/L	1	1/24/2007 8:48:00 AM
1,1-Dichloroethane	U	1.0		µg/L	1	1/24/2007 8:48:00 AM
1,1-Dichloroethene	U	1.0		µg/L	1	1/24/2007 8:48:00 AM
1,1-Dichloropropene	U	1.0		µg/L	1	1/24/2007 8:48:00 AM
1,2,3-Trichlorobenzene	U	1.0		µg/L	1	1/24/2007 8:48:00 AM
1,2,3-Trichloropropane	U	1.0		µg/L	1	1/24/2007 8:48:00 AM
1,2,4-Trichlorobenzene	U	1.0		µg/L	1	1/24/2007 8:48:00 AM
1,2,4-Trimethylbenzene	U	1.0		µg/L	1	1/24/2007 8:48:00 AM
1,2-Dibromo-3-chloropropane	U	1.0		µg/L	1	1/24/2007 8:48:00 AM
1,2-Dibromoethane	U	1.0		µg/L	1	1/24/2007 8:48:00 AM
1,2-Dichlorobenzene	U	1.0		µg/L	1	1/24/2007 8:48:00 AM
1,2-Dichloroethane	U	1.0		µg/L	1	1/24/2007 8:48:00 AM
1,2-Dichloropropane	U	1.0		µg/L	1	1/24/2007 8:48:00 AM
1,3,5-Trimethylbenzene	U	1.0		µg/L	1	1/24/2007 8:48:00 AM
1,3-Dichlorobenzene	U	1.0		µg/L	1	1/24/2007 8:48:00 AM
1,3-dichloropropane	U	1.0		µg/L	1	1/24/2007 8:48:00 AM
1,4-Dichlorobenzene	U	1.0		µg/L	1	1/24/2007 8:48:00 AM
2,2-Dichloropropane	U	1.0		µg/L	1	1/24/2007 8:48:00 AM
2-Butanone	U	3.0		µg/L	1	1/24/2007 8:48:00 AM
2-Chloroethyl vinyl ether	U	1.0		µg/L	1	1/24/2007 8:48:00 AM
2-Chlorotoluene	U	1.0		µg/L	1	1/24/2007 8:48:00 AM
2-Hexanone	U	2.0		µg/L	1	1/24/2007 8:48:00 AM
4-Chlorotoluene	U	1.0		µg/L	1	1/24/2007 8:48:00 AM
4-Isopropyltoluene	U	1.0		µg/L	1	1/24/2007 8:48:00 AM
4-Methyl-2-pentanone	U	2.0		µg/L	1	1/24/2007 8:48:00 AM
Acetone	U	2.0		µg/L	1	1/24/2007 8:48:00 AM
Benzene	U	1.0		µg/L	1	1/24/2007 8:48:00 AM
Bromobenzene	U	1.0		µg/L	1	1/24/2007 8:48:00 AM
Bromochloromethane	U	1.0		µg/L	1	1/24/2007 8:48:00 AM
Bromodichloromethane	U	1.0		µg/L	1	1/24/2007 8:48:00 AM
Bromoform	U	1.0		µg/L	1	1/24/2007 8:48:00 AM
Bromomethane	U	1.0		µg/L	1	1/24/2007 8:48:00 AM
Carbon disulfide	U	1.0		µg/L	1	1/24/2007 8:48:00 AM
Carbon tetrachloride	U	1.0		µg/L	1	1/24/2007 8:48:00 AM
Chlorobenzene	U	1.0		µg/L	1	1/24/2007 8:48:00 AM

Qualifiers:	B	Analyte detected in the associated Method Blank	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	S	Spike Recovery outside accepted recovery limits
	U	Indicates the compound was analyzed for but not detected	X	Value exceeds Maximum Contaminant Level

American Analytical Laboratories, LLC.

Date: 25-Jan-07

CLIENT: Leggette Brashears & Graham Inc.
Lab Order: 0701172
Project: Rowe Industries
Lab ID: 0701172-02A

Client Sample ID: MID 011807
Tag Number: 12816
Collection Date: 1/18/2007
Matrix: LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILE SW-846 8260 PLUS MTBE & FREON11		SW8260B		Analyst: KS		
Chloroethane	U	1.0		µg/L	1	1/24/2007 8:48:00 AM
Chloroform	U	1.0		µg/L	1	1/24/2007 8:48:00 AM
Chloromethane	U	1.0		µg/L	1	1/24/2007 8:48:00 AM
cis-1,2-Dichloroethene	7.6	1.0		µg/L	1	1/24/2007 8:48:00 AM
cis-1,3-Dichloropropene	U	1.0		µg/L	1	1/24/2007 8:48:00 AM
Dibromochloromethane	U	1.0		µg/L	1	1/24/2007 8:48:00 AM
Dibromomethane	U	1.0		µg/L	1	1/24/2007 8:48:00 AM
Dichlorodifluoromethane	U	1.0		µg/L	1	1/24/2007 8:48:00 AM
Ethylbenzene	U	1.0		µg/L	1	1/24/2007 8:48:00 AM
Hexachlorobutadiene	U	1.0		µg/L	1	1/24/2007 8:48:00 AM
Isopropylbenzene	U	1.0		µg/L	1	1/24/2007 8:48:00 AM
m,p-Xylene	U	2.0		µg/L	1	1/24/2007 8:48:00 AM
Methyl tert-butyl ether	U	1.0		µg/L	1	1/24/2007 8:48:00 AM
Methylene chloride	U	1.0		µg/L	1	1/24/2007 8:48:00 AM
Naphthalene	U	1.0		µg/L	1	1/24/2007 8:48:00 AM
n-Butylbenzene	U	1.0		µg/L	1	1/24/2007 8:48:00 AM
n-Propylbenzene	U	1.0		µg/L	1	1/24/2007 8:48:00 AM
o-Xylene	U	1.0		µg/L	1	1/24/2007 8:48:00 AM
sec-Butylbenzene	U	1.0		µg/L	1	1/24/2007 8:48:00 AM
Styrene	U	1.0		µg/L	1	1/24/2007 8:48:00 AM
tert-Butylbenzene	U	1.0		µg/L	1	1/24/2007 8:48:00 AM
Tetrachloroethene	46	1.0		µg/L	1	1/24/2007 8:48:00 AM
Toluene	25	1.0		µg/L	1	1/24/2007 8:48:00 AM
trans-1,2-Dichloroethene	U	1.0		µg/L	1	1/24/2007 8:48:00 AM
trans-1,3-Dichloropropene	U	1.0		µg/L	1	1/24/2007 8:48:00 AM
Trichloroethene	U	1.0		µg/L	1	1/24/2007 8:48:00 AM
Trichlorofluoromethane	U	1.0		µg/L	1	1/24/2007 8:48:00 AM
Vinyl acetate	U	1.0		µg/L	1	1/24/2007 8:48:00 AM
Vinyl chloride	U	1.0		µg/L	1	1/24/2007 8:48:00 AM
Surr: 4-Bromofluorobenzene	89.1	54-134		%REC	1	1/24/2007 8:48:00 AM
Surr: Dibromofluoromethane	130	52-132		%REC	1	1/24/2007 8:48:00 AM
Surr: Toluene-d8	119	51-127		%REC	1	1/24/2007 8:48:00 AM

Qualifiers:	B	Analyte detected in the associated Method Blank	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	S	Spike Recovery outside accepted recovery limits
	U	Indicates the compound was analyzed for but not detected	X	Value exceeds Maximum Contaminant Level



NYSDOH 11418
NJDEP NY050
CTDOH PH-0205
PADEP 68-00573

Friday, January 26, 2007

Mark Goldberg
Leggette Brashears & Graham Inc.
4 Research Drive
Suite 301
Shelton, CT 06484
TEL: (203) 929-8555
FAX (203) 926-9140

RE: Rowe Industries

Order No.: 0701171

Dear Mark Goldberg:

American Analytical Laboratories, LLC. received 1 sample(s) on 1/23/2007 for the analyses presented in the following report.

Samples were analyzed in accordance with the test procedures documented on the chain of custody and detailed throughout the text of this report.

The limits provided in the data package are analytical reporting limits and not Federal or Local mandated values to which the sample results should be compared.

There were no problems with the analyses and all data for associated QC met laboratory specifications. If there are any exceptions a Case Narrative is provided in the report.

If you have any questions regarding these tests results, please do not hesitate to call (631) 454-6100 or email me directly at lbeyer@american-analytical.com.

Sincerely,


Lori Beyer
Lab Director

American Analytical Laboratories, LLC.**Date:** 26-Jan-07**CLIENT:** Leggette Brashears & Graham Inc.**Project:** Rowe Industries**Lab Order:** 0701171**Work Order Sample Summary**

Lab Sample ID	Client Sample ID	Tag Number	Date Collected	Date Received
0701171-01A	Post 011807	12816	1/18/2007	1/23/2007

AMERICAN ANALYTICAL LABORATORIES, LLC

56 TOLEDO STREET

FARMINGDALE, NEW YORK 11735

TELEPHONE: (631) 454-6100 FAX: (631) 454-8027

DATA REPORTING QUALIFIERS

For reporting results, the following "Results Qualifiers" are used:

Value	If the result is greater than or equal to the detection limit, report the value
U	Indicates the compound was analyzed for but was not detected. Report the minimum detection limit for the sample with the U, i.e. "10U". This is not necessarily the instrument detection limit attainable for this particular sample based on any concentration or dilution that may have been required.
J	Indicates an estimated value. The flag is used: (1) When estimating a concentration for a tentatively identified compound (library search hits, where a 1:1 response is assumed.) (2) When the mass spectral data indicated the identification, however the result was less than the specified detection limit greater than zero. If the detection limit was 10ug/L and a concentration of 3ug/L was calculated report as 3J. This flag is used when similar situations arise on any organic parameter i.e. Pesticide, PCBs and others.
B	Indicates the analyte was found in the blank as well as the sample report "10B".
E	Indicates the analytes concentration exceeds the calibrated range of the instrument for that specific analysis.
D	This flag identifies all compounds identified in an analysis at a secondary dilution factor.
P	This flag is used for Pesticide / PCB target analyte when there is >25% difference for detected concentrations between the two GC Columns. The higher of the two values is reported on Form I and flagged with a "P".
N	This flag indicates presumptive evidence of a compound. This is only used for tentatively identified compounds (TICs), where the identification is based on a mass spectral library search. It applies to all TIC results. For generic characterization of a TIC, such as chlorinated hydrocarbon, the flag is not used.
H	Indicates sample was received and/or analyzed outside of The method allowable holding time

American Analytical Laboratories, LLC.

Date: 26-Jan-07

CLIENT: Leggette Brashears & Graham Inc.
Lab Order: 0701171
Project: Rowe Industries
Lab ID: 0701171-01A

Client Sample ID: Post 011807
Tag Number: 12816
Collection Date: 1/18/2007
Matrix: LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILE SW-846 8260 PLUS MTBE & FREON11		SW8260B		Analyst: KS		
1,1,1,2-Tetrachloroethane	U	1.0		µg/L	1	1/24/2007 8:18:00 AM
1,1,1-Trichloroethane	U	1.0		µg/L	1	1/24/2007 8:18:00 AM
1,1,2,2-Tetrachloroethane	U	1.0		µg/L	1	1/24/2007 8:18:00 AM
1,1,2-Trichloro-1,2,2-trifluoroethane	U	1.0		µg/L	1	1/24/2007 8:18:00 AM
1,1,2-Trichloroethane	U	1.0		µg/L	1	1/24/2007 8:18:00 AM
1,1-Dichloroethane	U	1.0		µg/L	1	1/24/2007 8:18:00 AM
1,1-Dichloroethene	U	1.0		µg/L	1	1/24/2007 8:18:00 AM
1,1-Dichloropropene	U	1.0		µg/L	1	1/24/2007 8:18:00 AM
1,2,3-Trichlorobenzene	U	1.0		µg/L	1	1/24/2007 8:18:00 AM
1,2,3-Trichloropropane	U	1.0		µg/L	1	1/24/2007 8:18:00 AM
1,2,4-Trichlorobenzene	U	1.0		µg/L	1	1/24/2007 8:18:00 AM
1,2,4-Trimethylbenzene	U	1.0		µg/L	1	1/24/2007 8:18:00 AM
1,2-Dibromo-3-chloropropane	U	1.0		µg/L	1	1/24/2007 8:18:00 AM
1,2-Dibromoethane	U	1.0		µg/L	1	1/24/2007 8:18:00 AM
1,2-Dichlorobenzene	U	1.0		µg/L	1	1/24/2007 8:18:00 AM
1,2-Dichloroethane	U	1.0		µg/L	1	1/24/2007 8:18:00 AM
1,2-Dichloropropane	U	1.0		µg/L	1	1/24/2007 8:18:00 AM
1,3,5-Trimethylbenzene	U	1.0		µg/L	1	1/24/2007 8:18:00 AM
1,3-Dichlorobenzene	U	1.0		µg/L	1	1/24/2007 8:18:00 AM
1,3-dichloropropane	U	1.0		µg/L	1	1/24/2007 8:18:00 AM
1,4-Dichlorobenzene	U	1.0		µg/L	1	1/24/2007 8:18:00 AM
2,2-Dichloropropane	U	1.0		µg/L	1	1/24/2007 8:18:00 AM
2-Butanone	U	3.0		µg/L	1	1/24/2007 8:18:00 AM
2-Chloroethyl vinyl ether	U	1.0		µg/L	1	1/24/2007 8:18:00 AM
2-Chlorotoluene	U	1.0		µg/L	1	1/24/2007 8:18:00 AM
2-Hexanone	U	2.0		µg/L	1	1/24/2007 8:18:00 AM
4-Chlorotoluene	U	1.0		µg/L	1	1/24/2007 8:18:00 AM
4-Isopropyltoluene	U	1.0		µg/L	1	1/24/2007 8:18:00 AM
4-Methyl-2-pentanone	U	2.0		µg/L	1	1/24/2007 8:18:00 AM
Acetone	U	2.0		µg/L	1	1/24/2007 8:18:00 AM
Benzene	U	1.0		µg/L	1	1/24/2007 8:18:00 AM
Bromobenzene	U	1.0		µg/L	1	1/24/2007 8:18:00 AM
Bromochloromethane	U	1.0		µg/L	1	1/24/2007 8:18:00 AM
Bromodichloromethane	U	1.0		µg/L	1	1/24/2007 8:18:00 AM
Bromoform	U	1.0		µg/L	1	1/24/2007 8:18:00 AM
Bromomethane	U	1.0		µg/L	1	1/24/2007 8:18:00 AM
Carbon disulfide	U	1.0		µg/L	1	1/24/2007 8:18:00 AM
Carbon tetrachloride	U	1.0		µg/L	1	1/24/2007 8:18:00 AM
Chlorobenzene	U	1.0		µg/L	1	1/24/2007 8:18:00 AM

Qualifiers:	B	Analyte detected in the associated Method Blank	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	S	Spike Recovery outside accepted recovery limits
	U	Indicates the compound was analyzed for but not detected	X	Value exceeds Maximum Contaminant Level

American Analytical Laboratories, LLC.

Date: 26-Jan-07

CLIENT: Leggette Brashears & Graham Inc.
Lab Order: 0701171
Project: Rowe Industries
Lab ID: 0701171-01A

Client Sample ID: Post 011807
Tag Number: 12816
Collection Date: 1/18/2007
Matrix: LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILE SW-846 8260 PLUS MTBE & FREON11		SW8260B		Analyst: KS		
Chloroethane	U	1.0		µg/L	1	1/24/2007 8:18:00 AM
Chloroform	U	1.0		µg/L	1	1/24/2007 8:18:00 AM
Chloromethane	U	1.0		µg/L	1	1/24/2007 8:18:00 AM
cis-1,2-Dichloroethene	U	1.0		µg/L	1	1/24/2007 8:18:00 AM
cis-1,3-Dichloropropene	U	1.0		µg/L	1	1/24/2007 8:18:00 AM
Dibromochloromethane	U	1.0		µg/L	1	1/24/2007 8:18:00 AM
Dibromomethane	U	1.0		µg/L	1	1/24/2007 8:18:00 AM
Dichlorodifluoromethane	U	1.0		µg/L	1	1/24/2007 8:18:00 AM
Ethylbenzene	U	1.0		µg/L	1	1/24/2007 8:18:00 AM
Hexachlorobutadiene	U	1.0		µg/L	1	1/24/2007 8:18:00 AM
Isopropylbenzene	U	1.0		µg/L	1	1/24/2007 8:18:00 AM
m,p-Xylene	U	2.0		µg/L	1	1/24/2007 8:18:00 AM
Methyl tert-butyl ether	U	1.0		µg/L	1	1/24/2007 8:18:00 AM
Methylene chloride	U	1.0		µg/L	1	1/24/2007 8:18:00 AM
Naphthalene	U	1.0		µg/L	1	1/24/2007 8:18:00 AM
n-Butylbenzene	U	1.0		µg/L	1	1/24/2007 8:18:00 AM
n-Propylbenzene	U	1.0		µg/L	1	1/24/2007 8:18:00 AM
o-Xylene	U	1.0		µg/L	1	1/24/2007 8:18:00 AM
sec-Butylbenzene	U	1.0		µg/L	1	1/24/2007 8:18:00 AM
Styrene	U	1.0		µg/L	1	1/24/2007 8:18:00 AM
tert-Butylbenzene	U	1.0		µg/L	1	1/24/2007 8:18:00 AM
Tetrachloroethene	U	1.0		µg/L	1	1/24/2007 8:18:00 AM
Toluene	U	1.0		µg/L	1	1/24/2007 8:18:00 AM
trans-1,2-Dichloroethene	U	1.0		µg/L	1	1/24/2007 8:18:00 AM
trans-1,3-Dichloropropene	U	1.0		µg/L	1	1/24/2007 8:18:00 AM
Trichloroethene	U	1.0		µg/L	1	1/24/2007 8:18:00 AM
Trichlorofluoromethane	U	1.0		µg/L	1	1/24/2007 8:18:00 AM
Vinyl acetate	U	1.0		µg/L	1	1/24/2007 8:18:00 AM
Vinyl chloride	U	1.0		µg/L	1	1/24/2007 8:18:00 AM
Surr: 4-Bromofluorobenzene	81.3	54-134		%REC	1	1/24/2007 8:18:00 AM
Surr: Dibromofluoromethane	102	52-132		%REC	1	1/24/2007 8:18:00 AM
Surr: Toluene-d8	93.9	51-127		%REC	1	1/24/2007 8:18:00 AM

Qualifiers:	B	Analyte detected in the associated Method Blank	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	S	Spike Recovery outside accepted recovery limits
	U	Indicates the compound was analyzed for but not detected	X	Value exceeds Maximum Contaminant Level



NYSDOH 11418
NJDEP NY050
CTDOH PH-0205
PADEP 68-00573

Monday, January 29, 2007

Mark Goldberg
Leggette Brashears & Graham Inc.
4 Research Drive
Suite 301
Shelton, CT 06484

TEL: (203) 929-8555
FAX (203) 926-9140

RE: Rowe Industries

Order No.: 0701211

Dear Mark Goldberg:

American Analytical Laboratories, LLC. received 3 sample(s) on 1/26/2007 for the analyses presented in the following report.


Samples were analyzed in accordance with the test procedures documented on the chain of custody and detailed throughout the text of this report.

The limits provided in the data package are analytical reporting limits and not Federal or Local mandated values to which the sample results should be compared.

There were no problems with the analyses and all data for associated QC met laboratory specifications. If there are any exceptions a Case Narrative is provided in the report.

If you have any questions regarding these tests results, please do not hesitate to call (631) 454-6100 or email me directly at lbeyer@american-analytical.com.

Sincerely,


Lori Beyer
Lab Director

American Analytical Laboratories, LLC.

Date: 29-Jan-07

CLIENT: Leggette Brashears & Graham Inc.

Project: Rowe Industries

Lab Order: 0701211

Work Order Sample Summary

Lab Sample ID	Client Sample ID	Tag Number	Date Collected	Date Received
0701211-01A	Pre:012307	10297	1/23/2007	1/26/2007
0701211-02A	Mid:012307	10297	1/23/2007	1/26/2007
0701211-03A	Post:012307	10297	1/23/2007	1/26/2007

WHITE-OFFICE / CANARY-LAB / PINK-SAMPLE CUSTODIAN / GOLDENROD-CLIENT

AMERICAN ANALYTICAL LABORATORIES, LLC

56 TOLEDO STREET

FARMINGDALE, NEW YORK 11735

TELEPHONE: (631) 454-6100 FAX: (631) 454-8027

DATA REPORTING QUALIFIERS

For reporting results, the following "Results Qualifiers" are used:

Value	If the result is greater than or equal to the detection limit, report the value
U	Indicates the compound was analyzed for but was not detected. Report the minimum detection limit for the sample with the U, i.e. "10U". This is not necessarily the instrument detection limit attainable for this particular sample based on any concentration or dilution that may have been required.
J	Indicates an estimated value. The flag is used: (1) When estimating a concentration for a tentatively identified compound (library search hits, where a 1:1 response is assumed.) (2) When the mass spectral data indicated the identification, however the result was less than the specified detection limit greater than zero. If the detection limit was 10ug/L and a concentration of 3ug/L was calculated report as 3J. This flag is used when similar situations arise on any organic parameter i.e. Pesticide, PCBs and others.
B	Indicates the analyte was found in the blank as well as the sample report "10B".
E	Indicates the analytes concentration exceeds the calibrated range of the instrument for that specific analysis.
D	This flag identifies all compounds identified in an analysis at a secondary dilution factor.
P	This flag is used for Pesticide / PCB target analyte when there is >25% difference for detected concentrations between the two GC Columns. The higher of the two values is reported on Form I and flagged with a "P".
N	This flag indicates presumptive evidence of a compound. This is only used for tentatively identified compounds (TICs), where the identification is based on a mass spectral library search. It applies to all TIC results. For generic characterization of a TIC, such as chlorinated hydrocarbon, the flag is not used.
H	Indicates sample was received and/or analyzed outside of The method allowable holding time

American Analytical Laboratories, LLC.

Date: 29-Jan-07

CLIENT: Leggette Brashears & Graham Inc.
Lab Order: 0701211
Project: Rowe Industries
Lab ID: 0701211-01A

Client Sample ID: Pre:012307
Tag Number: 10297
Collection Date: 1/23/2007
Matrix: LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILE SW-846 8260 PLUS MTBE & FREON11		SW8260B		Analyst: KS		
1,1,1,2-Tetrachloroethane	U	1.0		µg/L	1	1/27/2007 7:41:00 PM
1,1,1-Trichloroethane	U	1.0		µg/L	1	1/27/2007 7:41:00 PM
1,1,2,2-Tetrachloroethane	U	1.0		µg/L	1	1/27/2007 7:41:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	U	1.0		µg/L	1	1/27/2007 7:41:00 PM
1,1,2-Trichloroethane	U	1.0		µg/L	1	1/27/2007 7:41:00 PM
1,1-Dichloroethane	U	1.0		µg/L	1	1/27/2007 7:41:00 PM
1,1-Dichloroethene	U	1.0		µg/L	1	1/27/2007 7:41:00 PM
1,1-Dichloropropene	U	1.0		µg/L	1	1/27/2007 7:41:00 PM
1,2,3-Trichlorobenzene	U	1.0		µg/L	1	1/27/2007 7:41:00 PM
1,2,3-Trichloropropane	U	1.0		µg/L	1	1/27/2007 7:41:00 PM
1,2,4-Trichlorobenzene	U	1.0		µg/L	1	1/27/2007 7:41:00 PM
1,2,4-Trimethylbenzene	U	1.0		µg/L	1	1/27/2007 7:41:00 PM
1,2-Dibromo-3-chloropropane	U	1.0		µg/L	1	1/27/2007 7:41:00 PM
1,2-Dibromoethane	U	1.0		µg/L	1	1/27/2007 7:41:00 PM
1,2-Dichlorobenzene	U	1.0		µg/L	1	1/27/2007 7:41:00 PM
1,2-Dichloroethane	U	1.0		µg/L	1	1/27/2007 7:41:00 PM
1,2-Dichloropropane	U	1.0		µg/L	1	1/27/2007 7:41:00 PM
1,3,5-Trimethylbenzene	U	1.0		µg/L	1	1/27/2007 7:41:00 PM
1,3-Dichlorobenzene	U	1.0		µg/L	1	1/27/2007 7:41:00 PM
1,3-dichloropropane	U	1.0		µg/L	1	1/27/2007 7:41:00 PM
1,4-Dichlorobenzene	U	1.0		µg/L	1	1/27/2007 7:41:00 PM
2,2-Dichloropropane	U	1.0		µg/L	1	1/27/2007 7:41:00 PM
2-Butanone	U	3.0		µg/L	1	1/27/2007 7:41:00 PM
2-Chloroethyl vinyl ether	U	1.0		µg/L	1	1/27/2007 7:41:00 PM
2-Chlorotoluene	U	1.0		µg/L	1	1/27/2007 7:41:00 PM
2-Hexanone	U	2.0		µg/L	1	1/27/2007 7:41:00 PM
4-Chlorotoluene	U	1.0		µg/L	1	1/27/2007 7:41:00 PM
4-Isopropyltoluene	U	1.0		µg/L	1	1/27/2007 7:41:00 PM
4-Methyl-2-pentanone	U	2.0		µg/L	1	1/27/2007 7:41:00 PM
Acetone	U	2.0		µg/L	1	1/27/2007 7:41:00 PM
Benzene	U	1.0		µg/L	1	1/27/2007 7:41:00 PM
Bromobenzene	U	1.0		µg/L	1	1/27/2007 7:41:00 PM
Bromochloromethane	U	1.0		µg/L	1	1/27/2007 7:41:00 PM
Bromodichloromethane	U	1.0		µg/L	1	1/27/2007 7:41:00 PM
Bromoform	U	1.0		µg/L	1	1/27/2007 7:41:00 PM
Bromomethane	U	1.0		µg/L	1	1/27/2007 7:41:00 PM
Carbon disulfide	U	1.0		µg/L	1	1/27/2007 7:41:00 PM
Carbon tetrachloride	U	1.0		µg/L	1	1/27/2007 7:41:00 PM
Chlorobenzene	U	1.0		µg/L	1	1/27/2007 7:41:00 PM

Qualifiers:	B	Analyte detected in the associated Method Blank	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	S	Spike Recovery outside accepted recovery limits
	U	Indicates the compound was analyzed for but not detected	X	Value exceeds Maximum Contaminant Level

American Analytical Laboratories, LLC.

Date: 29-Jan-07

CLIENT: Leggette Brashears & Graham Inc.
Lab Order: 0701211
Project: Rowe Industries
Lab ID: 0701211-01A

Client Sample ID: Pre:012307
Tag Number: 10297
Collection Date: 1/23/2007
Matrix: LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILE SW-846 8260 PLUS MTBE & FREON11		SW8260B		Analyst: KS		
Chloroethane	U	1.0		µg/L	1	1/27/2007 7:41:00 PM
Chloroform	U	1.0		µg/L	1	1/27/2007 7:41:00 PM
Chloromethane	U	1.0		µg/L	1	1/27/2007 7:41:00 PM
cis-1,2-Dichloroethene	13	1.0		µg/L	1	1/27/2007 7:41:00 PM
cis-1,3-Dichloropropene	U	1.0		µg/L	1	1/27/2007 7:41:00 PM
Dibromochloromethane	U	1.0		µg/L	1	1/27/2007 7:41:00 PM
Dibromomethane	U	1.0		µg/L	1	1/27/2007 7:41:00 PM
Dichlorodifluoromethane	U	1.0		µg/L	1	1/27/2007 7:41:00 PM
Ethylbenzene	U	1.0		µg/L	1	1/27/2007 7:41:00 PM
Hexachlorobutadiene	U	1.0		µg/L	1	1/27/2007 7:41:00 PM
Isopropylbenzene	U	1.0		µg/L	1	1/27/2007 7:41:00 PM
m,p-Xylene	U	2.0		µg/L	1	1/27/2007 7:41:00 PM
Methyl tert-butyl ether	U	1.0		µg/L	1	1/27/2007 7:41:00 PM
Methylene chloride	U	1.0		µg/L	1	1/27/2007 7:41:00 PM
Naphthalene	U	1.0		µg/L	1	1/27/2007 7:41:00 PM
n-Butylbenzene	U	1.0		µg/L	1	1/27/2007 7:41:00 PM
n-Propylbenzene	U	1.0		µg/L	1	1/27/2007 7:41:00 PM
o-Xylene	U	1.0		µg/L	1	1/27/2007 7:41:00 PM
sec-Butylbenzene	U	1.0		µg/L	1	1/27/2007 7:41:00 PM
Styrene	U	1.0		µg/L	1	1/27/2007 7:41:00 PM
tert-Butylbenzene	U	1.0		µg/L	1	1/27/2007 7:41:00 PM
Tetrachloroethene	38	1.0		µg/L	1	1/27/2007 7:41:00 PM
Toluene	U	1.0		µg/L	1	1/27/2007 7:41:00 PM
trans-1,2-Dichloroethene	U	1.0		µg/L	1	1/27/2007 7:41:00 PM
trans-1,3-Dichloropropene	U	1.0		µg/L	1	1/27/2007 7:41:00 PM
Trichloroethene	U	1.0		µg/L	1	1/27/2007 7:41:00 PM
Trichlorofluoromethane	U	1.0		µg/L	1	1/27/2007 7:41:00 PM
Vinyl acetate	U	1.0		µg/L	1	1/27/2007 7:41:00 PM
Vinyl chloride	U	1.0		µg/L	1	1/27/2007 7:41:00 PM
Surr: 4-Bromofluorobenzene	76.0	54-134		%REC	1	1/27/2007 7:41:00 PM
Surr: Dibromofluoromethane	102	52-132		%REC	1	1/27/2007 7:41:00 PM
Surr: Toluene-d8	85.6	51-127		%REC	1	1/27/2007 7:41:00 PM

Qualifiers:	B	Analyte detected in the associated Method Blank	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	S	Spike Recovery outside accepted recovery limits
	U	Indicates the compound was analyzed for but not detected	X	Value exceeds Maximum Contaminant Level

American Analytical Laboratories, LLC.

Date: 29-Jan-07

CLIENT: Leggette Brashears & Graham Inc.
Lab Order: 0701211
Project: Rowe Industries
Lab ID: 0701211-02A

Client Sample ID: Mid:012307
Tag Number: 10297
Collection Date: 1/23/2007
Matrix: LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILE SW-846 8260 PLUS MTBE & FREON11		SW8260B		Analyst: KS		
1,1,1,2-Tetrachloroethane	U	1.0		µg/L	1	1/27/2007 8:19:00 PM
1,1,1-Trichloroethane	U	1.0		µg/L	1	1/27/2007 8:19:00 PM
1,1,2,2-Tetrachloroethane	U	1.0		µg/L	1	1/27/2007 8:19:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	U	1.0		µg/L	1	1/27/2007 8:19:00 PM
1,1,2-Trichloroethane	U	1.0		µg/L	1	1/27/2007 8:19:00 PM
1,1-Dichloroethane	U	1.0		µg/L	1	1/27/2007 8:19:00 PM
1,1-Dichloroethene	U	1.0		µg/L	1	1/27/2007 8:19:00 PM
1,1-Dichloropropene	U	1.0		µg/L	1	1/27/2007 8:19:00 PM
1,2,3-Trichlorobenzene	U	1.0		µg/L	1	1/27/2007 8:19:00 PM
1,2,3-Trichloropropane	U	1.0		µg/L	1	1/27/2007 8:19:00 PM
1,2,4-Trichlorobenzene	U	1.0		µg/L	1	1/27/2007 8:19:00 PM
1,2,4-Trimethylbenzene	U	1.0		µg/L	1	1/27/2007 8:19:00 PM
1,2-Dibromo-3-chloropropane	U	1.0		µg/L	1	1/27/2007 8:19:00 PM
1,2-Dibromoethane	U	1.0		µg/L	1	1/27/2007 8:19:00 PM
1,2-Dichlorobenzene	U	1.0		µg/L	1	1/27/2007 8:19:00 PM
1,2-Dichloroethane	U	1.0		µg/L	1	1/27/2007 8:19:00 PM
1,2-Dichloropropane	U	1.0		µg/L	1	1/27/2007 8:19:00 PM
1,3,5-Trimethylbenzene	U	1.0		µg/L	1	1/27/2007 8:19:00 PM
1,3-Dichlorobenzene	U	1.0		µg/L	1	1/27/2007 8:19:00 PM
1,3-dichloropropane	U	1.0		µg/L	1	1/27/2007 8:19:00 PM
1,4-Dichlorobenzene	U	1.0		µg/L	1	1/27/2007 8:19:00 PM
2,2-Dichloropropane	U	1.0		µg/L	1	1/27/2007 8:19:00 PM
2-Butanone	U	3.0		µg/L	1	1/27/2007 8:19:00 PM
2-Chloroethyl vinyl ether	U	1.0		µg/L	1	1/27/2007 8:19:00 PM
2-Chlorotoluene	U	1.0		µg/L	1	1/27/2007 8:19:00 PM
2-Hexanone	U	2.0		µg/L	1	1/27/2007 8:19:00 PM
4-Chlorotoluene	U	1.0		µg/L	1	1/27/2007 8:19:00 PM
4-Isopropyltoluene	U	1.0		µg/L	1	1/27/2007 8:19:00 PM
4-Methyl-2-pentanone	U	2.0		µg/L	1	1/27/2007 8:19:00 PM
Acetone	U	2.0		µg/L	1	1/27/2007 8:19:00 PM
Benzene	U	1.0		µg/L	1	1/27/2007 8:19:00 PM
Bromobenzene	U	1.0		µg/L	1	1/27/2007 8:19:00 PM
Bromochloromethane	U	1.0		µg/L	1	1/27/2007 8:19:00 PM
Bromodichloromethane	U	1.0		µg/L	1	1/27/2007 8:19:00 PM
Bromoform	U	1.0		µg/L	1	1/27/2007 8:19:00 PM
Bromomethane	U	1.0		µg/L	1	1/27/2007 8:19:00 PM
Carbon disulfide	U	1.0		µg/L	1	1/27/2007 8:19:00 PM
Carbon tetrachloride	U	1.0		µg/L	1	1/27/2007 8:19:00 PM
Chlorobenzene	U	1.0		µg/L	1	1/27/2007 8:19:00 PM

Qualifiers:	B	Analyte detected in the associated Method Blank	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	S	Spike Recovery outside accepted recovery limits
	U	Indicates the compound was analyzed for but not detected	X	Value exceeds Maximum Contaminant Level

American Analytical Laboratories, LLC.

Date: 29-Jan-07

CLIENT: Leggette Brashears & Graham Inc.
Lab Order: 0701211
Project: Rowe Industries
Lab ID: 0701211-02A

Client Sample ID: Mid:012307
Tag Number: 10297
Collection Date: 1/23/2007
Matrix: LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILE SW-846 8260 PLUS MTBE & FREON11		SW8260B		Analyst: KS		
Chloroethane	U	1.0		µg/L	1	1/27/2007 8:19:00 PM
Chloroform	U	1.0		µg/L	1	1/27/2007 8:19:00 PM
Chloromethane	U	1.0		µg/L	1	1/27/2007 8:19:00 PM
cis-1,2-Dichloroethene	U	1.0		µg/L	1	1/27/2007 8:19:00 PM
cis-1,3-Dichloropropene	U	1.0		µg/L	1	1/27/2007 8:19:00 PM
Dibromochloromethane	U	1.0		µg/L	1	1/27/2007 8:19:00 PM
Dibromomethane	U	1.0		µg/L	1	1/27/2007 8:19:00 PM
Dichlorodifluoromethane	U	1.0		µg/L	1	1/27/2007 8:19:00 PM
Ethylbenzene	U	1.0		µg/L	1	1/27/2007 8:19:00 PM
Hexachlorobutadiene	U	1.0		µg/L	1	1/27/2007 8:19:00 PM
Isopropylbenzene	U	1.0		µg/L	1	1/27/2007 8:19:00 PM
m,p-Xylene	U	2.0		µg/L	1	1/27/2007 8:19:00 PM
Methyl tert-butyl ether	U	1.0		µg/L	1	1/27/2007 8:19:00 PM
Methylene chloride	U	1.0		µg/L	1	1/27/2007 8:19:00 PM
Naphthalene	U	1.0		µg/L	1	1/27/2007 8:19:00 PM
n-Butylbenzene	U	1.0		µg/L	1	1/27/2007 8:19:00 PM
n-Propylbenzene	U	1.0		µg/L	1	1/27/2007 8:19:00 PM
o-Xylene	U	1.0		µg/L	1	1/27/2007 8:19:00 PM
sec-Butylbenzene	U	1.0		µg/L	1	1/27/2007 8:19:00 PM
Styrene	U	1.0		µg/L	1	1/27/2007 8:19:00 PM
tert-Butylbenzene	U	1.0		µg/L	1	1/27/2007 8:19:00 PM
Tetrachloroethene	12	1.0		µg/L	1	1/27/2007 8:19:00 PM
Toluene	U	1.0		µg/L	1	1/27/2007 8:19:00 PM
trans-1,2-Dichloroethene	U	1.0		µg/L	1	1/27/2007 8:19:00 PM
trans-1,3-Dichloropropene	U	1.0		µg/L	1	1/27/2007 8:19:00 PM
Trichloroethene	U	1.0		µg/L	1	1/27/2007 8:19:00 PM
Trichlorofluoromethane	U	1.0		µg/L	1	1/27/2007 8:19:00 PM
Vinyl acetate	U	1.0		µg/L	1	1/27/2007 8:19:00 PM
Vinyl chloride	U	1.0		µg/L	1	1/27/2007 8:19:00 PM
Surr: 4-Bromofluorobenzene	80.8	54-134		%REC	1	1/27/2007 8:19:00 PM
Surr: Dibromofluoromethane	102	52-132		%REC	1	1/27/2007 8:19:00 PM
Surr: Toluene-d8	70.8	51-127		%REC	1	1/27/2007 8:19:00 PM

Qualifiers:	B	Analyte detected in the associated Method Blank	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	S	Spike Recovery outside accepted recovery limits
	U	Indicates the compound was analyzed for but not detected	X	Value exceeds Maximum Contaminant Level

American Analytical Laboratories, LLC.

Date: 29-Jan-07

CLIENT: Leggette Brashears & Graham Inc.
Lab Order: 0701211
Project: Rowe Industries
Lab ID: 0701211-03A

Client Sample ID: Post:012307
Tag Number: 10297
Collection Date: 1/23/2007
Matrix: LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILE SW-846 8260 PLUS MTBE & FREON11		SW8260B		Analyst: KS		
1,1,1,2-Tetrachloroethane	U	1.0		µg/L	1	1/27/2007 8:56:00 PM
1,1,1-Trichloroethane	U	1.0		µg/L	1	1/27/2007 8:56:00 PM
1,1,2,2-Tetrachloroethane	U	1.0		µg/L	1	1/27/2007 8:56:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	U	1.0		µg/L	1	1/27/2007 8:56:00 PM
1,1,2-Trichloroethane	U	1.0		µg/L	1	1/27/2007 8:56:00 PM
1,1-Dichloroethane	U	1.0		µg/L	1	1/27/2007 8:56:00 PM
1,1-Dichloroethene	U	1.0		µg/L	1	1/27/2007 8:56:00 PM
1,1-Dichloropropene	U	1.0		µg/L	1	1/27/2007 8:56:00 PM
1,2,3-Trichlorobenzene	U	1.0		µg/L	1	1/27/2007 8:56:00 PM
1,2,3-Trichloropropane	U	1.0		µg/L	1	1/27/2007 8:56:00 PM
1,2,4-Trichlorobenzene	U	1.0		µg/L	1	1/27/2007 8:56:00 PM
1,2,4-Trimethylbenzene	U	1.0		µg/L	1	1/27/2007 8:56:00 PM
1,2-Dibromo-3-chloropropane	U	1.0		µg/L	1	1/27/2007 8:56:00 PM
1,2-Dibromoethane	U	1.0		µg/L	1	1/27/2007 8:56:00 PM
1,2-Dichlorobenzene	U	1.0		µg/L	1	1/27/2007 8:56:00 PM
1,2-Dichloroethane	U	1.0		µg/L	1	1/27/2007 8:56:00 PM
1,2-Dichloropropane	U	1.0		µg/L	1	1/27/2007 8:56:00 PM
1,3,5-Trimethylbenzene	U	1.0		µg/L	1	1/27/2007 8:56:00 PM
1,3-Dichlorobenzene	U	1.0		µg/L	1	1/27/2007 8:56:00 PM
1,3-dichloropropane	U	1.0		µg/L	1	1/27/2007 8:56:00 PM
1,4-Dichlorobenzene	U	1.0		µg/L	1	1/27/2007 8:56:00 PM
2,2-Dichloropropane	U	1.0		µg/L	1	1/27/2007 8:56:00 PM
2-Butanone	U	3.0		µg/L	1	1/27/2007 8:56:00 PM
2-Chloroethyl vinyl ether	U	1.0		µg/L	1	1/27/2007 8:56:00 PM
2-Chlorotoluene	U	1.0		µg/L	1	1/27/2007 8:56:00 PM
2-Hexanone	U	2.0		µg/L	1	1/27/2007 8:56:00 PM
4-Chlorotoluene	U	1.0		µg/L	1	1/27/2007 8:56:00 PM
4-Isopropyltoluene	U	1.0		µg/L	1	1/27/2007 8:56:00 PM
4-Methyl-2-pentanone	U	2.0		µg/L	1	1/27/2007 8:56:00 PM
Acetone	U	2.0		µg/L	1	1/27/2007 8:56:00 PM
Benzene	U	1.0		µg/L	1	1/27/2007 8:56:00 PM
Bromobenzene	U	1.0		µg/L	1	1/27/2007 8:56:00 PM
Bromochloromethane	U	1.0		µg/L	1	1/27/2007 8:56:00 PM
Bromodichloromethane	U	1.0		µg/L	1	1/27/2007 8:56:00 PM
Bromoform	U	1.0		µg/L	1	1/27/2007 8:56:00 PM
Bromomethane	U	1.0		µg/L	1	1/27/2007 8:56:00 PM
Carbon disulfide	U	1.0		µg/L	1	1/27/2007 8:56:00 PM
Carbon tetrachloride	U	1.0		µg/L	1	1/27/2007 8:56:00 PM
Chlorobenzene	U	1.0		µg/L	1	1/27/2007 8:56:00 PM

Qualifiers:	B	Analyte detected in the associated Method Blank	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	S	Spike Recovery outside accepted recovery limits
	U	Indicates the compound was analyzed for but not detected	X	Value exceeds Maximum Contaminant Level

American Analytical Laboratories, LLC.

Date: 29-Jan-07

CLIENT: Leggette Brashears & Graham Inc.
Lab Order: 0701211
Project: Rowe Industries
Lab ID: 0701211-03A

Client Sample ID: Post:012307
Tag Number: 10297
Collection Date: 1/23/2007
Matrix: LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILE SW-846 8260 PLUS MTBE & FREON11		SW8260B		Analyst: KS		
Chloroethane	U	1.0		µg/L	1	1/27/2007 8:56:00 PM
Chloroform	U	1.0		µg/L	1	1/27/2007 8:56:00 PM
Chloromethane	U	1.0		µg/L	1	1/27/2007 8:56:00 PM
cis-1,2-Dichloroethene	U	1.0		µg/L	1	1/27/2007 8:56:00 PM
cis-1,3-Dichloropropene	U	1.0		µg/L	1	1/27/2007 8:56:00 PM
Dibromochloromethane	U	1.0		µg/L	1	1/27/2007 8:56:00 PM
Dibromomethane	U	1.0		µg/L	1	1/27/2007 8:56:00 PM
Dichlorodifluoromethane	U	1.0		µg/L	1	1/27/2007 8:56:00 PM
Ethylbenzene	U	1.0		µg/L	1	1/27/2007 8:56:00 PM
Hexachlorobutadiene	U	1.0		µg/L	1	1/27/2007 8:56:00 PM
Isopropylbenzene	U	1.0		µg/L	1	1/27/2007 8:56:00 PM
m,p-Xylene	U	2.0		µg/L	1	1/27/2007 8:56:00 PM
Methyl tert-butyl ether	U	1.0		µg/L	1	1/27/2007 8:56:00 PM
Methylene chloride	U	1.0		µg/L	1	1/27/2007 8:56:00 PM
Naphthalene	U	1.0		µg/L	1	1/27/2007 8:56:00 PM
n-Butylbenzene	U	1.0		µg/L	1	1/27/2007 8:56:00 PM
n-Propylbenzene	U	1.0		µg/L	1	1/27/2007 8:56:00 PM
o-Xylene	U	1.0		µg/L	1	1/27/2007 8:56:00 PM
sec-Butylbenzene	U	1.0		µg/L	1	1/27/2007 8:56:00 PM
Styrene	U	1.0		µg/L	1	1/27/2007 8:56:00 PM
tert-Butylbenzene	U	1.0		µg/L	1	1/27/2007 8:56:00 PM
Tetrachloroethene	U	1.0		µg/L	1	1/27/2007 8:56:00 PM
Toluene	U	1.0		µg/L	1	1/27/2007 8:56:00 PM
trans-1,2-Dichloroethene	U	1.0		µg/L	1	1/27/2007 8:56:00 PM
trans-1,3-Dichloropropene	U	1.0		µg/L	1	1/27/2007 8:56:00 PM
Trichloroethene	U	1.0		µg/L	1	1/27/2007 8:56:00 PM
Trichlorofluoromethane	U	1.0		µg/L	1	1/27/2007 8:56:00 PM
Vinyl acetate	U	1.0		µg/L	1	1/27/2007 8:56:00 PM
Vinyl chloride	U	1.0		µg/L	1	1/27/2007 8:56:00 PM
Surr: 4-Bromofluorobenzene	80.0	54-134		%REC	1	1/27/2007 8:56:00 PM
Surr: Dibromofluoromethane	102	52-132		%REC	1	1/27/2007 8:56:00 PM
Surr: Toluene-d8	70.8	51-127		%REC	1	1/27/2007 8:56:00 PM

Qualifiers:	B	Analyte detected in the associated Method Blank	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	S	Spike Recovery outside accepted recovery limits
	U	Indicates the compound was analyzed for but not detected	X	Value exceeds Maximum Contaminant Level

Tuesday, March 13, 2007

Mark Goldberg
Leggette Brashears & Graham Inc.
4 Research Drive
Suite 301
Shelton, CT 06484

TEL: (203) 929-8555
FAX (203) 926-9140

RE: Rowe Industries

Order No.: 0703078

Dear Mark Goldberg:

American Analytical Laboratories, LLC. received 4 sample(s) on 3/9/2007 for the analyses presented in the following report.


Samples were analyzed in accordance with the test procedures documented on the chain of custody and detailed throughout the text of this report.

The limits provided in the data package are analytical reporting limits and not Federal or Local mandated values to which the sample results should be compared.

There were no problems with the analyses and all data for associated QC met laboratory specifications. If there are any exceptions a Case Narrative is provided in the report.

If you have any questions regarding these tests results, please do not hesitate to call (631) 454-6100 or email me directly at lbeyer@american-analytical.com.

Sincerely,



Lori Beyer
Lab Director

American Analytical Laboratories, LLC.**Date:** 13-Mar-07**CLIENT:** Leggette Brashears & Graham Inc.**Project:** Rowe Industries**Lab Order:** 0703078**Work Order Sample Summary**

Lab Sample ID	Client Sample ID	Tag Number	Date Collected	Date Received
0703078-01A	FRW-1:030707	12827	3/7/2007	3/9/2007
0703078-02A	FRW-2:030707	12827	3/7/2007	3/9/2007
0703078-03A	FRW-3:030707	12827	3/7/2007	3/9/2007
0703078-04A	FRW-4:030707	12827	3/7/2007	3/9/2007



56 TOLEDO STREET • FARMINGDALE, NEW YORK 11735
(631) 454-6100 • FAX (631) 454-8027

NYSDOH	11418
CTDOH	PH-0205
NJDEP	NY050
PADEP	68-573

TAG # / COC

CHAIN OF CUSTODY / REQUEST FOR ANALYSIS DOCUMENT

[illegible]

WHITE OFFICE / CANARY LAB / DIKIK SAMBUT CUSTODIAN / COI PENBOD CLIENT

AMERICAN ANALYTICAL LABORATORIES, LLC

56 TOLEDO STREET

FARMINGDALE, NEW YORK 11735

TELEPHONE: (631) 454-6100

FAX: (631) 454-8027

DATA REPORTING QUALIFIERS

For reporting results, the following "Results Qualifiers" are used:

Value	If the result is greater than or equal to the detection limit, report the value
U	Indicates the compound was analyzed for but was not detected. Report the minimum detection limit for the sample with the U, i.e. "10U". This is not necessarily the instrument detection limit attainable for this particular sample based on any concentration or dilution that may have been required.
J	Indicates an estimated value. The flag is used: (1) When estimating a concentration for a tentatively identified compound (library search hits, where a 1:1 response is assumed.) (2) When the mass spectral data indicated the identification, however the result was less than the specified detection limit greater than zero. If the detection limit was 10ug/L and a concentration of 3ug/L was calculated report as 3J. This flag is used when similar situations arise on any organic parameter i.e. Pesticide, PCBs and others.
B	Indicates the analyte was found in the blank as well as the sample report "10B".
E	Indicates the analytes concentration exceeds the calibrated range of the instrument for that specific analysis.
D	This flag identifies all compounds identified in an analysis at a secondary dilution factor.
P	This flag is used for Pesticide / PCB target analyte when there is >25% difference for detected concentrations between the two GC Columns. The higher of the two values is reported on Form I and flagged with a "P".
N	This flag indicates presumptive evidence of a compound. This is only used for tentatively identified compounds (TICs), where the identification is based on a mass spectral library search. It applies to all TIC results. For generic characterization of a TIC, such as chlorinated hydrocarbon, the flag is not used.
H	Indicates sample was received and/or analyzed outside of The method allowable holding time

American Analytical Laboratories, LLC.

Date: 13-Mar-07

CLIENT: Leggette Brashears & Graham Inc.
Lab Order: 0703078
Project: Rowe Industries
Lab ID: 0703078-01A

Client Sample ID: FRW-1:030707
Tag Number: 12827
Collection Date: 3/7/2007
Matrix: LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILE SW-846 8260 PLUS MTBE & FREON11		SW8260B		Analyst: MB		
1,1,1,2-Tetrachloroethane	U	1.0		µg/L	1	3/12/2007 6:02:00 PM
1,1,1-Trichloroethane	U	1.0		µg/L	1	3/12/2007 6:02:00 PM
1,1,2,2-Tetrachloroethane	U	1.0		µg/L	1	3/12/2007 6:02:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	U	1.0		µg/L	1	3/12/2007 6:02:00 PM
1,1,2-Trichloroethane	U	1.0		µg/L	1	3/12/2007 6:02:00 PM
1,1-Dichloroethane	U	1.0		µg/L	1	3/12/2007 6:02:00 PM
1,1-Dichloroethene	U	1.0		µg/L	1	3/12/2007 6:02:00 PM
1,1-Dichloropropene	U	1.0		µg/L	1	3/12/2007 6:02:00 PM
1,2,3-Trichlorobenzene	U	1.0		µg/L	1	3/12/2007 6:02:00 PM
1,2,3-Trichloropropane	U	1.0		µg/L	1	3/12/2007 6:02:00 PM
1,2,4-Trichlorobenzene	U	1.0		µg/L	1	3/12/2007 6:02:00 PM
1,2,4-Trimethylbenzene	U	1.0		µg/L	1	3/12/2007 6:02:00 PM
1,2-Dibromo-3-chloropropane	U	1.0		µg/L	1	3/12/2007 6:02:00 PM
1,2-Dibromoethane	U	1.0		µg/L	1	3/12/2007 6:02:00 PM
1,2-Dichlorobenzene	U	1.0		µg/L	1	3/12/2007 6:02:00 PM
1,2-Dichloroethane	U	1.0		µg/L	1	3/12/2007 6:02:00 PM
1,2-Dichloropropane	U	1.0		µg/L	1	3/12/2007 6:02:00 PM
1,3,5-Trimethylbenzene	U	1.0		µg/L	1	3/12/2007 6:02:00 PM
1,3-Dichlorobenzene	U	1.0		µg/L	1	3/12/2007 6:02:00 PM
1,3-dichloropropane	U	1.0		µg/L	1	3/12/2007 6:02:00 PM
1,4-Dichlorobenzene	U	1.0		µg/L	1	3/12/2007 6:02:00 PM
2,2-Dichloropropane	U	1.0		µg/L	1	3/12/2007 6:02:00 PM
2-Butanone	U	3.0		µg/L	1	3/12/2007 6:02:00 PM
2-Chloroethyl vinyl ether	U	1.0		µg/L	1	3/12/2007 6:02:00 PM
2-Chlorotoluene	U	1.0		µg/L	1	3/12/2007 6:02:00 PM
2-Hexanone	U	2.0		µg/L	1	3/12/2007 6:02:00 PM
4-Chlorotoluene	U	1.0		µg/L	1	3/12/2007 6:02:00 PM
4-Isopropyltoluene	U	1.0		µg/L	1	3/12/2007 6:02:00 PM
4-Methyl-2-pentanone	U	2.0		µg/L	1	3/12/2007 6:02:00 PM
Acetone	U	2.0		µg/L	1	3/12/2007 6:02:00 PM
Benzene	U	1.0		µg/L	1	3/12/2007 6:02:00 PM
Bromobenzene	U	1.0		µg/L	1	3/12/2007 6:02:00 PM
Bromochloromethane	U	1.0		µg/L	1	3/12/2007 6:02:00 PM
Bromodichloromethane	U	1.0		µg/L	1	3/12/2007 6:02:00 PM
Bromoform	U	1.0		µg/L	1	3/12/2007 6:02:00 PM
Bromomethane	U	1.0		µg/L	1	3/12/2007 6:02:00 PM
Carbon disulfide	U	1.0		µg/L	1	3/12/2007 6:02:00 PM
Carbon tetrachloride	U	1.0		µg/L	1	3/12/2007 6:02:00 PM
Chlorobenzene	U	1.0		µg/L	1	3/12/2007 6:02:00 PM

Qualifiers:	B	Analyte detected in the associated Method Blank	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	S	Spike Recovery outside accepted recovery limits
	U	Indicates the compound was analyzed for but not detected	X	Value exceeds Maximum Contaminant Level

American Analytical Laboratories, LLC.

Date: 13-Mar-07

CLIENT: Leggette Brashears & Graham Inc.
Lab Order: 0703078
Project: Rowe Industries
Lab ID: 0703078-01A

Client Sample ID: FRW-1:030707
Tag Number: 12827
Collection Date: 3/7/2007
Matrix: LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILE SW-846 8260 PLUS MTBE & FREON11		SW8260B		Analyst: MB		
Chloroethane	U	1.0		µg/L	1	3/12/2007 6:02:00 PM
Chloroform	U	1.0		µg/L	1	3/12/2007 6:02:00 PM
Chloromethane	U	1.0		µg/L	1	3/12/2007 6:02:00 PM
cis-1,2-Dichloroethene	620	1.0		µg/L	1	3/12/2007 6:02:00 PM
cis-1,3-Dichloropropene	U	1.0		µg/L	1	3/12/2007 6:02:00 PM
Dibromochloromethane	U	1.0		µg/L	1	3/12/2007 6:02:00 PM
Dibromomethane	U	1.0		µg/L	1	3/12/2007 6:02:00 PM
Dichlorodifluoromethane	U	1.0		µg/L	1	3/12/2007 6:02:00 PM
Ethylbenzene	U	1.0		µg/L	1	3/12/2007 6:02:00 PM
Hexachlorobutadiene	U	1.0		µg/L	1	3/12/2007 6:02:00 PM
Isopropylbenzene	U	1.0		µg/L	1	3/12/2007 6:02:00 PM
m,p-Xylene	U	2.0		µg/L	1	3/12/2007 6:02:00 PM
Methyl tert-butyl ether	U	1.0		µg/L	1	3/12/2007 6:02:00 PM
Methylene chloride	U	1.0		µg/L	1	3/12/2007 6:02:00 PM
Naphthalene	U	1.0		µg/L	1	3/12/2007 6:02:00 PM
n-Butylbenzene	U	1.0		µg/L	1	3/12/2007 6:02:00 PM
n-Propylbenzene	U	1.0		µg/L	1	3/12/2007 6:02:00 PM
o-Xylene	U	1.0		µg/L	1	3/12/2007 6:02:00 PM
sec-Butylbenzene	U	1.0		µg/L	1	3/12/2007 6:02:00 PM
Styrene	U	1.0		µg/L	1	3/12/2007 6:02:00 PM
tert-Butylbenzene	U	1.0		µg/L	1	3/12/2007 6:02:00 PM
Tetrachloroethene	41	1.0		µg/L	1	3/12/2007 6:02:00 PM
Toluene	5.6	1.0		µg/L	1	3/12/2007 6:02:00 PM
trans-1,2-Dichloroethene	U	1.0		µg/L	1	3/12/2007 6:02:00 PM
trans-1,3-Dichloropropene	U	1.0		µg/L	1	3/12/2007 6:02:00 PM
Trichloroethene	U	1.0		µg/L	1	3/12/2007 6:02:00 PM
Trichlorofluoromethane	U	1.0		µg/L	1	3/12/2007 6:02:00 PM
Vinyl acetate	U	1.0		µg/L	1	3/12/2007 6:02:00 PM
Vinyl chloride	170	1.0		µg/L	1	3/12/2007 6:02:00 PM
Surr: 4-Bromofluorobenzene	95.6	54-134		%REC	1	3/12/2007 6:02:00 PM
Surr: Dibromofluoromethane	97.6	52-132		%REC	1	3/12/2007 6:02:00 PM
Surr: Toluene-d8	93.8	51-127		%REC	1	3/12/2007 6:02:00 PM

Qualifiers:	B	Analyte detected in the associated Method Blank	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	S	Spike Recovery outside accepted recovery limits
	U	Indicates the compound was analyzed for but not detected	X	Value exceeds Maximum Contaminant Level

American Analytical Laboratories, LLC.

Date: 13-Mar-07

CLIENT: Leggette Brashears & Graham Inc.
Lab Order: 0703078
Project: Rowe Industries
Lab ID: 0703078-02A

Client Sample ID: FRW-2:030707
Tag Number: 12827
Collection Date: 3/7/2007
Matrix: LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILE SW-846 8260 PLUS MTBE & FREON11		SW8260B		Analyst: MB		
1,1,1,2-Tetrachloroethane	U	1.0		µg/L	1	3/12/2007 6:50:00 PM
1,1,1-Trichloroethane	U	1.0		µg/L	1	3/12/2007 6:50:00 PM
1,1,2,2-Tetrachloroethane	U	1.0		µg/L	1	3/12/2007 6:50:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	U	1.0		µg/L	1	3/12/2007 6:50:00 PM
1,1,2-Trichloroethane	U	1.0		µg/L	1	3/12/2007 6:50:00 PM
1,1-Dichloroethane	U	1.0		µg/L	1	3/12/2007 6:50:00 PM
1,1-Dichloroethene	U	1.0		µg/L	1	3/12/2007 6:50:00 PM
1,1-Dichloropropene	U	1.0		µg/L	1	3/12/2007 6:50:00 PM
1,2,3-Trichlorobenzene	U	1.0		µg/L	1	3/12/2007 6:50:00 PM
1,2,3-Trichloropropane	U	1.0		µg/L	1	3/12/2007 6:50:00 PM
1,2,4-Trichlorobenzene	U	1.0		µg/L	1	3/12/2007 6:50:00 PM
1,2,4-Trimethylbenzene	U	1.0		µg/L	1	3/12/2007 6:50:00 PM
1,2-Dibromo-3-chloropropane	U	1.0		µg/L	1	3/12/2007 6:50:00 PM
1,2-Dibromoethane	U	1.0		µg/L	1	3/12/2007 6:50:00 PM
1,2-Dichlorobenzene	U	1.0		µg/L	1	3/12/2007 6:50:00 PM
1,2-Dichloroethane	U	1.0		µg/L	1	3/12/2007 6:50:00 PM
1,2-Dichloropropane	U	1.0		µg/L	1	3/12/2007 6:50:00 PM
1,3,5-Trimethylbenzene	U	1.0		µg/L	1	3/12/2007 6:50:00 PM
1,3-Dichlorobenzene	U	1.0		µg/L	1	3/12/2007 6:50:00 PM
1,3-dichloropropane	U	1.0		µg/L	1	3/12/2007 6:50:00 PM
1,4-Dichlorobenzene	U	1.0		µg/L	1	3/12/2007 6:50:00 PM
2,2-Dichloropropane	U	1.0		µg/L	1	3/12/2007 6:50:00 PM
2-Butanone	U	3.0		µg/L	1	3/12/2007 6:50:00 PM
2-Chloroethyl vinyl ether	U	1.0		µg/L	1	3/12/2007 6:50:00 PM
2-Chlorotoluene	U	1.0		µg/L	1	3/12/2007 6:50:00 PM
2-Hexanone	U	2.0		µg/L	1	3/12/2007 6:50:00 PM
4-Chlorotoluene	U	1.0		µg/L	1	3/12/2007 6:50:00 PM
4-Isopropyltoluene	U	1.0		µg/L	1	3/12/2007 6:50:00 PM
4-Methyl-2-pentanone	U	2.0		µg/L	1	3/12/2007 6:50:00 PM
Acetone	U	2.0		µg/L	1	3/12/2007 6:50:00 PM
Benzene	U	1.0		µg/L	1	3/12/2007 6:50:00 PM
Bromobenzene	U	1.0		µg/L	1	3/12/2007 6:50:00 PM
Bromochloromethane	U	1.0		µg/L	1	3/12/2007 6:50:00 PM
Bromodichloromethane	U	1.0		µg/L	1	3/12/2007 6:50:00 PM
Bromoform	U	1.0		µg/L	1	3/12/2007 6:50:00 PM
Bromomethane	U	1.0		µg/L	1	3/12/2007 6:50:00 PM
Carbon disulfide	U	1.0		µg/L	1	3/12/2007 6:50:00 PM
Carbon tetrachloride	U	1.0		µg/L	1	3/12/2007 6:50:00 PM
Chlorobenzene	U	1.0		µg/L	1	3/12/2007 6:50:00 PM

Qualifiers:	B	Analyte detected in the associated Method Blank	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	S	Spike Recovery outside accepted recovery limits
	U	Indicates the compound was analyzed for but not detected	X	Value exceeds Maximum Contaminant Level

American Analytical Laboratories, LLC.

Date: 13-Mar-07

CLIENT: Leggette Brashears & Graham Inc.
Lab Order: 0703078
Project: Rowe Industries
Lab ID: 0703078-02A

Client Sample ID: FRW-2:030707
Tag Number: 12827
Collection Date: 3/7/2007
Matrix: LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILE SW-846 8260 PLUS MTBE & FREON11		SW8260B		Analyst: MB		
Chloroethane	U	1.0		µg/L	1	3/12/2007 6:50:00 PM
Chloroform	U	1.0		µg/L	1	3/12/2007 6:50:00 PM
Chloromethane	U	1.0		µg/L	1	3/12/2007 6:50:00 PM
cis-1,2-Dichloroethene	180	1.0		µg/L	1	3/12/2007 6:50:00 PM
cis-1,3-Dichloropropene	U	1.0		µg/L	1	3/12/2007 6:50:00 PM
Dibromochloromethane	U	1.0		µg/L	1	3/12/2007 6:50:00 PM
Dibromomethane	U	1.0		µg/L	1	3/12/2007 6:50:00 PM
Dichlorodifluoromethane	U	1.0		µg/L	1	3/12/2007 6:50:00 PM
Ethylbenzene	U	1.0		µg/L	1	3/12/2007 6:50:00 PM
Hexachlorobutadiene	U	1.0		µg/L	1	3/12/2007 6:50:00 PM
Isopropylbenzene	U	1.0		µg/L	1	3/12/2007 6:50:00 PM
m,p-Xylene	U	2.0		µg/L	1	3/12/2007 6:50:00 PM
Methyl tert-butyl ether	U	1.0		µg/L	1	3/12/2007 6:50:00 PM
Methylene chloride	U	1.0		µg/L	1	3/12/2007 6:50:00 PM
Naphthalene	U	1.0		µg/L	1	3/12/2007 6:50:00 PM
n-Butylbenzene	U	1.0		µg/L	1	3/12/2007 6:50:00 PM
n-Propylbenzene	U	1.0		µg/L	1	3/12/2007 6:50:00 PM
o-Xylene	U	1.0		µg/L	1	3/12/2007 6:50:00 PM
sec-Butylbenzene	U	1.0		µg/L	1	3/12/2007 6:50:00 PM
Styrene	U	1.0		µg/L	1	3/12/2007 6:50:00 PM
tert-Butylbenzene	U	1.0		µg/L	1	3/12/2007 6:50:00 PM
Tetrachloroethene	5.7	1.0		µg/L	1	3/12/2007 6:50:00 PM
Toluene	640	1.0		µg/L	1	3/12/2007 6:50:00 PM
trans-1,2-Dichloroethene	U	1.0		µg/L	1	3/12/2007 6:50:00 PM
trans-1,3-Dichloropropene	U	1.0		µg/L	1	3/12/2007 6:50:00 PM
Trichloroethene	U	1.0		µg/L	1	3/12/2007 6:50:00 PM
Trichlorofluoromethane	U	1.0		µg/L	1	3/12/2007 6:50:00 PM
Vinyl acetate	U	1.0		µg/L	1	3/12/2007 6:50:00 PM
Vinyl chloride	15	1.0		µg/L	1	3/12/2007 6:50:00 PM
Surr: 4-Bromofluorobenzene	96.7	54-134		%REC	1	3/12/2007 6:50:00 PM
Surr: Dibromofluoromethane	99.4	52-132		%REC	1	3/12/2007 6:50:00 PM
Surr: Toluene-d8	94.9	51-127		%REC	1	3/12/2007 6:50:00 PM

Qualifiers:	B	Analyte detected in the associated Method Blank	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	S	Spike Recovery outside accepted recovery limits
	U	Indicates the compound was analyzed for but not detected	X	Value exceeds Maximum Contaminant Level

American Analytical Laboratories, LLC.

Date: 13-Mar-07

CLIENT: Leggette Brashears & Graham Inc.
Lab Order: 0703078
Project: Rowe Industries
Lab ID: 0703078-03A

Client Sample ID: FRW-3:030707
Tag Number: 12827
Collection Date: 3/7/2007
Matrix: LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILE SW-846 8260 PLUS MTBE & FREON11		SW8260B		Analyst: MB		
1,1,1,2-Tetrachloroethane	U	1.0		µg/L	1	3/12/2007 7:37:00 PM
1,1,1-Trichloroethane	18	1.0		µg/L	1	3/12/2007 7:37:00 PM
1,1,2,2-Tetrachloroethane	U	1.0		µg/L	1	3/12/2007 7:37:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	U	1.0		µg/L	1	3/12/2007 7:37:00 PM
1,1,2-Trichloroethane	U	1.0		µg/L	1	3/12/2007 7:37:00 PM
1,1-Dichloroethane	U	1.0		µg/L	1	3/12/2007 7:37:00 PM
1,1-Dichloroethene	U	1.0		µg/L	1	3/12/2007 7:37:00 PM
1,1-Dichloropropene	U	1.0		µg/L	1	3/12/2007 7:37:00 PM
1,2,3-Trichlorobenzene	U	1.0		µg/L	1	3/12/2007 7:37:00 PM
1,2,3-Trichloropropane	U	1.0		µg/L	1	3/12/2007 7:37:00 PM
1,2,4-Trichlorobenzene	U	1.0		µg/L	1	3/12/2007 7:37:00 PM
1,2,4-Trimethylbenzene	U	1.0		µg/L	1	3/12/2007 7:37:00 PM
1,2-Dibromo-3-chloropropane	U	1.0		µg/L	1	3/12/2007 7:37:00 PM
1,2-Dibromoethane	U	1.0		µg/L	1	3/12/2007 7:37:00 PM
1,2-Dichlorobenzene	U	1.0		µg/L	1	3/12/2007 7:37:00 PM
1,2-Dichloroethane	U	1.0		µg/L	1	3/12/2007 7:37:00 PM
1,2-Dichloropropane	U	1.0		µg/L	1	3/12/2007 7:37:00 PM
1,3,5-Trimethylbenzene	U	1.0		µg/L	1	3/12/2007 7:37:00 PM
1,3-Dichlorobenzene	U	1.0		µg/L	1	3/12/2007 7:37:00 PM
1,3-dichloropropane	U	1.0		µg/L	1	3/12/2007 7:37:00 PM
1,4-Dichlorobenzene	U	1.0		µg/L	1	3/12/2007 7:37:00 PM
2,2-Dichloropropane	U	1.0		µg/L	1	3/12/2007 7:37:00 PM
2-Butanone	U	3.0		µg/L	1	3/12/2007 7:37:00 PM
2-Chloroethyl vinyl ether	U	1.0		µg/L	1	3/12/2007 7:37:00 PM
2-Chlorotoluene	U	1.0		µg/L	1	3/12/2007 7:37:00 PM
2-Hexanone	U	2.0		µg/L	1	3/12/2007 7:37:00 PM
4-Chlorotoluene	U	1.0		µg/L	1	3/12/2007 7:37:00 PM
4-Isopropyltoluene	U	1.0		µg/L	1	3/12/2007 7:37:00 PM
4-Methyl-2-pentanone	U	2.0		µg/L	1	3/12/2007 7:37:00 PM
Acetone	U	2.0		µg/L	1	3/12/2007 7:37:00 PM
Benzene	U	1.0		µg/L	1	3/12/2007 7:37:00 PM
Bromobenzene	U	1.0		µg/L	1	3/12/2007 7:37:00 PM
Bromochloromethane	U	1.0		µg/L	1	3/12/2007 7:37:00 PM
Bromodichloromethane	U	1.0		µg/L	1	3/12/2007 7:37:00 PM
Bromoform	U	1.0		µg/L	1	3/12/2007 7:37:00 PM
Bromomethane	U	1.0		µg/L	1	3/12/2007 7:37:00 PM
Carbon disulfide	U	1.0		µg/L	1	3/12/2007 7:37:00 PM
Carbon tetrachloride	U	1.0		µg/L	1	3/12/2007 7:37:00 PM
Chlorobenzene	U	1.0		µg/L	1	3/12/2007 7:37:00 PM

Qualifiers:	B	Analyte detected in the associated Method Blank	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	S	Spike Recovery outside accepted recovery limits
	U	Indicates the compound was analyzed for but not detected	X	Value exceeds Maximum Contaminant Level

American Analytical Laboratories, LLC.

Date: 13-Mar-07

CLIENT: Leggette Brashears & Graham Inc.
Lab Order: 0703078
Project: Rowe Industries
Lab ID: 0703078-03A

Client Sample ID: FRW-3:030707
Tag Number: 12827
Collection Date: 3/7/2007
Matrix: LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILE SW-846 8260 PLUS MTBE & FREON11		SW8260B		Analyst: MB		
Chloroethane	U	1.0		µg/L	1	3/12/2007 7:37:00 PM
Chloroform	U	1.0		µg/L	1	3/12/2007 7:37:00 PM
Chloromethane	U	1.0		µg/L	1	3/12/2007 7:37:00 PM
cis-1,2-Dichloroethene	110	1.0		µg/L	1	3/12/2007 7:37:00 PM
cis-1,3-Dichloropropene	U	1.0		µg/L	1	3/12/2007 7:37:00 PM
Dibromochloromethane	U	1.0		µg/L	1	3/12/2007 7:37:00 PM
Dibromomethane	U	1.0		µg/L	1	3/12/2007 7:37:00 PM
Dichlorodifluoromethane	U	1.0		µg/L	1	3/12/2007 7:37:00 PM
Ethylbenzene	U	1.0		µg/L	1	3/12/2007 7:37:00 PM
Hexachlorobutadiene	U	1.0		µg/L	1	3/12/2007 7:37:00 PM
Isopropylbenzene	U	1.0		µg/L	1	3/12/2007 7:37:00 PM
m,p-Xylene	U	2.0		µg/L	1	3/12/2007 7:37:00 PM
Methyl tert-butyl ether	U	1.0		µg/L	1	3/12/2007 7:37:00 PM
Methylene chloride	U	1.0		µg/L	1	3/12/2007 7:37:00 PM
Naphthalene	U	1.0		µg/L	1	3/12/2007 7:37:00 PM
n-Butylbenzene	U	1.0		µg/L	1	3/12/2007 7:37:00 PM
n-Propylbenzene	U	1.0		µg/L	1	3/12/2007 7:37:00 PM
o-Xylene	U	1.0		µg/L	1	3/12/2007 7:37:00 PM
sec-Butylbenzene	U	1.0		µg/L	1	3/12/2007 7:37:00 PM
Styrene	U	1.0		µg/L	1	3/12/2007 7:37:00 PM
tert-Butylbenzene	U	1.0		µg/L	1	3/12/2007 7:37:00 PM
Tetrachloroethene	120	1.0		µg/L	1	3/12/2007 7:37:00 PM
Toluene	26	1.0		µg/L	1	3/12/2007 7:37:00 PM
trans-1,2-Dichloroethene	U	1.0		µg/L	1	3/12/2007 7:37:00 PM
trans-1,3-Dichloropropene	U	1.0		µg/L	1	3/12/2007 7:37:00 PM
Trichloroethene	16	1.0		µg/L	1	3/12/2007 7:37:00 PM
Trichlorofluoromethane	U	1.0		µg/L	1	3/12/2007 7:37:00 PM
Vinyl acetate	U	1.0		µg/L	1	3/12/2007 7:37:00 PM
Vinyl chloride	U	1.0		µg/L	1	3/12/2007 7:37:00 PM
Surr: 4-Bromofluorobenzene	104	54-134		%REC	1	3/12/2007 7:37:00 PM
Surr: Dibromofluoromethane	105	52-132		%REC	1	3/12/2007 7:37:00 PM
Surr: Toluene-d8	93.3	51-127		%REC	1	3/12/2007 7:37:00 PM

Qualifiers:	B	Analyte detected in the associated Method Blank	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	S	Spike Recovery outside accepted recovery limits
	U	Indicates the compound was analyzed for but not detected	X	Value exceeds Maximum Contaminant Level

American Analytical Laboratories, LLC.

Date: 13-Mar-07

CLIENT: Leggette Brashears & Graham Inc.
Lab Order: 0703078
Project: Rowe Industries
Lab ID: 0703078-04A

Client Sample ID: FRW-4:030707
Tag Number: 12827
Collection Date: 3/7/2007
Matrix: LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILE SW-846 8260 PLUS MTBE & FREON11		SW8260B		Analyst: MB		
1,1,1,2-Tetrachloroethane	U	1.0		µg/L	1	3/12/2007 8:25:00 PM
1,1,1-Trichloroethane	U	1.0		µg/L	1	3/12/2007 8:25:00 PM
1,1,2,2-Tetrachloroethane	U	1.0		µg/L	1	3/12/2007 8:25:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	U	1.0		µg/L	1	3/12/2007 8:25:00 PM
1,1,2-Trichloroethane	U	1.0		µg/L	1	3/12/2007 8:25:00 PM
1,1-Dichloroethane	U	1.0		µg/L	1	3/12/2007 8:25:00 PM
1,1-Dichloroethene	U	1.0		µg/L	1	3/12/2007 8:25:00 PM
1,1-Dichloropropene	U	1.0		µg/L	1	3/12/2007 8:25:00 PM
1,2,3-Trichlorobenzene	U	1.0		µg/L	1	3/12/2007 8:25:00 PM
1,2,3-Trichloropropane	U	1.0		µg/L	1	3/12/2007 8:25:00 PM
1,2,4-Trichlorobenzene	U	1.0		µg/L	1	3/12/2007 8:25:00 PM
1,2,4-Trimethylbenzene	U	1.0		µg/L	1	3/12/2007 8:25:00 PM
1,2-Dibromo-3-chloropropane	U	1.0		µg/L	1	3/12/2007 8:25:00 PM
1,2-Dibromoethane	U	1.0		µg/L	1	3/12/2007 8:25:00 PM
1,2-Dichlorobenzene	U	1.0		µg/L	1	3/12/2007 8:25:00 PM
1,2-Dichloroethane	U	1.0		µg/L	1	3/12/2007 8:25:00 PM
1,2-Dichloropropane	U	1.0		µg/L	1	3/12/2007 8:25:00 PM
1,3,5-Trimethylbenzene	U	1.0		µg/L	1	3/12/2007 8:25:00 PM
1,3-Dichlorobenzene	U	1.0		µg/L	1	3/12/2007 8:25:00 PM
1,3-dichloropropane	U	1.0		µg/L	1	3/12/2007 8:25:00 PM
1,4-Dichlorobenzene	U	1.0		µg/L	1	3/12/2007 8:25:00 PM
2,2-Dichloropropane	U	1.0		µg/L	1	3/12/2007 8:25:00 PM
2-Butanone	U	3.0		µg/L	1	3/12/2007 8:25:00 PM
2-Chloroethyl vinyl ether	U	1.0		µg/L	1	3/12/2007 8:25:00 PM
2-Chlorotoluene	U	1.0		µg/L	1	3/12/2007 8:25:00 PM
2-Hexanone	U	2.0		µg/L	1	3/12/2007 8:25:00 PM
4-Chlorotoluene	U	1.0		µg/L	1	3/12/2007 8:25:00 PM
4-Isopropyltoluene	U	1.0		µg/L	1	3/12/2007 8:25:00 PM
4-Methyl-2-pentanone	U	2.0		µg/L	1	3/12/2007 8:25:00 PM
Acetone	U	2.0		µg/L	1	3/12/2007 8:25:00 PM
Benzene	U	1.0		µg/L	1	3/12/2007 8:25:00 PM
Bromobenzene	U	1.0		µg/L	1	3/12/2007 8:25:00 PM
Bromochloromethane	U	1.0		µg/L	1	3/12/2007 8:25:00 PM
Bromodichloromethane	U	1.0		µg/L	1	3/12/2007 8:25:00 PM
Bromoform	U	1.0		µg/L	1	3/12/2007 8:25:00 PM
Bromomethane	U	1.0		µg/L	1	3/12/2007 8:25:00 PM
Carbon disulfide	U	1.0		µg/L	1	3/12/2007 8:25:00 PM
Carbon tetrachloride	U	1.0		µg/L	1	3/12/2007 8:25:00 PM
Chlorobenzene	U	1.0		µg/L	1	3/12/2007 8:25:00 PM

Qualifiers:	B	Analyte detected in the associated Method Blank	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	S	Spike Recovery outside accepted recovery limits
	U	Indicates the compound was analyzed for but not detected	X	Value exceeds Maximum Contaminant Level

American Analytical Laboratories, LLC.


Date: 13-Mar-07

CLIENT: Leggette Brashears & Graham Inc.
Lab Order: 0703078
Project: Rowe Industries
Lab ID: 0703078-04A

Client Sample ID: FRW-4:030707
Tag Number: 12827
Collection Date: 3/7/2007
Matrix: LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILE SW-846 8260 PLUS MTBE & FREON11		SW8260B		Analyst: MB		
Chloroethane	U	1.0		µg/L	1	3/12/2007 8:25:00 PM
Chloroform	U	1.0		µg/L	1	3/12/2007 8:25:00 PM
Chloromethane	U	1.0		µg/L	1	3/12/2007 8:25:00 PM
cis-1,2-Dichloroethene	U	1.0		µg/L	1	3/12/2007 8:25:00 PM
cis-1,3-Dichloropropene	U	1.0		µg/L	1	3/12/2007 8:25:00 PM
Dibromochloromethane	U	1.0		µg/L	1	3/12/2007 8:25:00 PM
Dibromomethane	U	1.0		µg/L	1	3/12/2007 8:25:00 PM
Dichlorodifluoromethane	U	1.0		µg/L	1	3/12/2007 8:25:00 PM
Ethylbenzene	U	1.0		µg/L	1	3/12/2007 8:25:00 PM
Hexachlorobutadiene	U	1.0		µg/L	1	3/12/2007 8:25:00 PM
Isopropylbenzene	U	1.0		µg/L	1	3/12/2007 8:25:00 PM
m,p-Xylene	U	2.0		µg/L	1	3/12/2007 8:25:00 PM
Methyl tert-butyl ether	U	1.0		µg/L	1	3/12/2007 8:25:00 PM
Methylene chloride	U	1.0		µg/L	1	3/12/2007 8:25:00 PM
Naphthalene	U	1.0		µg/L	1	3/12/2007 8:25:00 PM
n-Butylbenzene	U	1.0		µg/L	1	3/12/2007 8:25:00 PM
n-Propylbenzene	U	1.0		µg/L	1	3/12/2007 8:25:00 PM
o-Xylene	U	1.0		µg/L	1	3/12/2007 8:25:00 PM
sec-Butylbenzene	U	1.0		µg/L	1	3/12/2007 8:25:00 PM
Styrene	U	1.0		µg/L	1	3/12/2007 8:25:00 PM
tert-Butylbenzene	U	1.0		µg/L	1	3/12/2007 8:25:00 PM
Tetrachloroethene	U	1.0		µg/L	1	3/12/2007 8:25:00 PM
Toluene	U	1.0		µg/L	1	3/12/2007 8:25:00 PM
trans-1,2-Dichloroethene	U	1.0		µg/L	1	3/12/2007 8:25:00 PM
trans-1,3-Dichloropropene	U	1.0		µg/L	1	3/12/2007 8:25:00 PM
Trichloroethene	U	1.0		µg/L	1	3/12/2007 8:25:00 PM
Trichlorofluoromethane	U	1.0		µg/L	1	3/12/2007 8:25:00 PM
Vinyl acetate	U	1.0		µg/L	1	3/12/2007 8:25:00 PM
Vinyl chloride	U	1.0		µg/L	1	3/12/2007 8:25:00 PM
Surr: 4-Bromofluorobenzene	96.0	54-134		%REC	1	3/12/2007 8:25:00 PM
Surr: Dibromofluoromethane	101	52-132		%REC	1	3/12/2007 8:25:00 PM
Surr: Toluene-d8	99.4	51-127		%REC	1	3/12/2007 8:25:00 PM

Qualifiers:	B	Analyte detected in the associated Method Blank	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	S	Spike Recovery outside accepted recovery limits
	U	Indicates the compound was analyzed for but not detected	X	Value exceeds Maximum Contaminant Level



NYSDOH 11418
NJDEP NY050
CTDOH PH-0205
PADEP 68-00573

Wednesday, March 21, 2007

Mark Goldberg
Leggette Brashears & Graham Inc.
4 Research Drive
Suite 301
Shelton, CT 06484

TEL: (203) 929-8555
FAX (203) 926-9140

RE: Rowe Industries

Order No.: 0703160

Dear Mark Goldberg:

American Analytical Laboratories, LLC. received 3 sample(s) on 3/20/2007 for the analyses presented in the following report.


Samples were analyzed in accordance with the test procedures documented on the chain of custody and detailed throughout the text of this report.

The limits provided in the data package are analytical reporting limits and not Federal or Local mandated values to which the sample results should be compared.

There were no problems with the analyses and all data for associated QC met laboratory specifications. If there are any exceptions a Case Narrative is provided in the report.

If you have any questions regarding these tests results, please do not hesitate to call (631) 454-6100 or email me directly at lbeyer@american-analytical.com.

Sincerely,


Lori Beyer
Lab Director

American Analytical Laboratories, LLC.**Date:** 21-Mar-07

CLIENT: Leggette Brashears & Graham Inc.
Project: Rowe Industries
Lab Order: 0703160

Work Order Sample Summary

Lab Sample ID	Client Sample ID	Tag Number	Date Collected	Date Received
0703160-01A	PRE031407	12832	3/14/2007 12:00:00 PM	3/20/2007
0703160-02A	MID031407	12832	3/14/2007 12:05:00 PM	3/20/2007
0703160-03A	POST031407	12832	3/14/2007 12:10:00 PM	3/20/2007

TAG # / COC

CHAIN OF CUSTODY / REQUEST FOR ANALYSIS DOCUMENT

[illegible]

AMERICAN ANALYTICAL LABORATORIES, LLC

56 TOLEDO STREET

FARMINGDALE, NEW YORK 11735

TELEPHONE: (631) 454-6100 FAX: (631) 454-8027

DATA REPORTING QUALIFIERS

For reporting results, the following "Results Qualifiers" are used:

Value	If the result is greater than or equal to the detection limit, report the value
U	Indicates the compound was analyzed for but was not detected. Report the minimum detection limit for the sample with the U, i.e. "10U". This is not necessarily the instrument detection limit attainable for this particular sample based on any concentration or dilution that may have been required.
J	Indicates an estimated value. The flag is used: (1) When estimating a concentration for a tentatively identified compound (library search hits, where a 1:1 response is assumed.) (2) When the mass spectral data indicated the identification, however the result was less than the specified detection limit greater than zero. If the detection limit was 10ug/L and a concentration of 3ug/L was calculated report as 3J. This flag is used when similar situations arise on any organic parameter i.e. Pesticide, PCBs and others.
B	Indicates the analyte was found in the blank as well as the sample report "10B".
E	Indicates the analytes concentration exceeds the calibrated range of the instrument for that specific analysis.
D	This flag identifies all compounds identified in an analysis at a secondary dilution factor.
P	This flag is used for Pesticide / PCB target analyte when there is >25% difference for detected concentrations between the two GC Columns. The higher of the two values is reported on Form I and flagged with a "P".
N	This flag indicates presumptive evidence of a compound. This is only used for tentatively identified compounds (TICs), where the identification is based on a mass spectral library search. It applies to all TIC results. For generic characterization of a TIC, such as chlorinated hydrocarbon, the flag is not used.
H	Indicates sample was received and/or analyzed outside of The method allowable holding time

American Analytical Laboratories, LLC.

Date: 21-Mar-07

CLIENT: Leggette Brashears & Graham Inc.
Lab Order: 0703160
Project: Rowe Industries
Lab ID: 0703160-01A

Client Sample ID: PRE031407
Tag Number: 12832
Collection Date: 3/14/2007 12:00:00 PM
Matrix: LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILE SW-846 8260 + MTBE & FREON113		SW8260B		Analyst: MB		
1,1,1,2-Tetrachloroethane	U	1.0		µg/L	1	3/20/2007 9:14:00 PM
1,1,1-Trichloroethane	U	1.0		µg/L	1	3/20/2007 9:14:00 PM
1,1,2,2-Tetrachloroethane	U	1.0		µg/L	1	3/20/2007 9:14:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	U	1.0		µg/L	1	3/20/2007 9:14:00 PM
1,1,2-Trichloroethane	U	1.0		µg/L	1	3/20/2007 9:14:00 PM
1,1-Dichloroethane	U	1.0		µg/L	1	3/20/2007 9:14:00 PM
1,1-Dichloroethene	U	1.0		µg/L	1	3/20/2007 9:14:00 PM
1,1-Dichloropropene	U	1.0		µg/L	1	3/20/2007 9:14:00 PM
1,2,3-Trichlorobenzene	U	1.0		µg/L	1	3/20/2007 9:14:00 PM
1,2,3-Trichloropropane	U	1.0		µg/L	1	3/20/2007 9:14:00 PM
1,2,4-Trichlorobenzene	U	1.0		µg/L	1	3/20/2007 9:14:00 PM
1,2,4-Trimethylbenzene	U	1.0		µg/L	1	3/20/2007 9:14:00 PM
1,2-Dibromo-3-chloropropane	U	1.0		µg/L	1	3/20/2007 9:14:00 PM
1,2-Dibromoethane	U	1.0		µg/L	1	3/20/2007 9:14:00 PM
1,2-Dichlorobenzene	U	1.0		µg/L	1	3/20/2007 9:14:00 PM
1,2-Dichloroethane	U	1.0		µg/L	1	3/20/2007 9:14:00 PM
1,2-Dichloropropane	U	1.0		µg/L	1	3/20/2007 9:14:00 PM
1,3,5-Trimethylbenzene	U	1.0		µg/L	1	3/20/2007 9:14:00 PM
1,3-Dichlorobenzene	U	1.0		µg/L	1	3/20/2007 9:14:00 PM
1,3-dichloropropane	U	1.0		µg/L	1	3/20/2007 9:14:00 PM
1,4-Dichlorobenzene	U	1.0		µg/L	1	3/20/2007 9:14:00 PM
2,2-Dichloropropane	U	1.0		µg/L	1	3/20/2007 9:14:00 PM
2-Butanone	U	3.0		µg/L	1	3/20/2007 9:14:00 PM
2-Chloroethyl vinyl ether	U	1.0		µg/L	1	3/20/2007 9:14:00 PM
2-Chlorotoluene	U	1.0		µg/L	1	3/20/2007 9:14:00 PM
2-Hexanone	U	2.0		µg/L	1	3/20/2007 9:14:00 PM
4-Chlorotoluene	U	1.0		µg/L	1	3/20/2007 9:14:00 PM
4-Isopropyltoluene	U	1.0		µg/L	1	3/20/2007 9:14:00 PM
4-Methyl-2-pentanone	U	2.0		µg/L	1	3/20/2007 9:14:00 PM
Acetone	U	2.0		µg/L	1	3/20/2007 9:14:00 PM
Benzene	U	1.0		µg/L	1	3/20/2007 9:14:00 PM
Bromobenzene	U	1.0		µg/L	1	3/20/2007 9:14:00 PM
Bromochloromethane	U	1.0		µg/L	1	3/20/2007 9:14:00 PM
Bromodichloromethane	U	1.0		µg/L	1	3/20/2007 9:14:00 PM
Bromoform	U	1.0		µg/L	1	3/20/2007 9:14:00 PM
Bromomethane	U	1.0		µg/L	1	3/20/2007 9:14:00 PM
Carbon disulfide	U	1.0		µg/L	1	3/20/2007 9:14:00 PM
Carbon tetrachloride	U	1.0		µg/L	1	3/20/2007 9:14:00 PM
Chlorobenzene	U	1.0		µg/L	1	3/20/2007 9:14:00 PM

Qualifiers:	B	Analyte detected in the associated Method Blank	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	S	Spike Recovery outside accepted recovery limits
	U	Indicates the compound was analyzed for but not detected	X	Value exceeds Maximum Contaminant Level

American Analytical Laboratories, LLC.

Date: 21-Mar-07

CLIENT: Leggette Brashears & Graham Inc.
Lab Order: 0703160
Project: Rowe Industries
Lab ID: 0703160-01A

Client Sample ID: PRE031407
Tag Number: 12832
Collection Date: 3/14/2007 12:00:00 PM
Matrix: LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILE SW-846 8260 + MTBE & FREON113		SW8260B		Analyst: MB		
Chloroethane	U	1.0		µg/L	1	3/20/2007 9:14:00 PM
Chloroform	U	1.0		µg/L	1	3/20/2007 9:14:00 PM
Chloromethane	U	1.0		µg/L	1	3/20/2007 9:14:00 PM
cis-1,2-Dichloroethene	21	1.0		µg/L	1	3/20/2007 9:14:00 PM
cis-1,3-Dichloropropene	U	1.0		µg/L	1	3/20/2007 9:14:00 PM
Dibromochloromethane	U	1.0		µg/L	1	3/20/2007 9:14:00 PM
Dibromomethane	U	1.0		µg/L	1	3/20/2007 9:14:00 PM
Dichlorodifluoromethane	U	1.0		µg/L	1	3/20/2007 9:14:00 PM
Ethylbenzene	U	1.0		µg/L	1	3/20/2007 9:14:00 PM
Hexachlorobutadiene	U	1.0		µg/L	1	3/20/2007 9:14:00 PM
Isopropylbenzene	U	1.0		µg/L	1	3/20/2007 9:14:00 PM
m,p-Xylene	U	2.0		µg/L	1	3/20/2007 9:14:00 PM
Methyl tert-butyl ether	U	1.0		µg/L	1	3/20/2007 9:14:00 PM
Methylene chloride	U	1.0		µg/L	1	3/20/2007 9:14:00 PM
Naphthalene	U	1.0		µg/L	1	3/20/2007 9:14:00 PM
n-Butylbenzene	U	1.0		µg/L	1	3/20/2007 9:14:00 PM
n-Propylbenzene	U	1.0		µg/L	1	3/20/2007 9:14:00 PM
o-Xylene	U	1.0		µg/L	1	3/20/2007 9:14:00 PM
sec-Butylbenzene	U	1.0		µg/L	1	3/20/2007 9:14:00 PM
Styrene	U	1.0		µg/L	1	3/20/2007 9:14:00 PM
tert-Butylbenzene	U	1.0		µg/L	1	3/20/2007 9:14:00 PM
Tetrachloroethene	18	1.0		µg/L	1	3/20/2007 9:14:00 PM
Toluene	U	1.0		µg/L	1	3/20/2007 9:14:00 PM
trans-1,2-Dichloroethene	U	1.0		µg/L	1	3/20/2007 9:14:00 PM
trans-1,3-Dichloropropene	U	1.0		µg/L	1	3/20/2007 9:14:00 PM
Trichloroethene	U	1.0		µg/L	1	3/20/2007 9:14:00 PM
Trichlorofluoromethane	U	1.0		µg/L	1	3/20/2007 9:14:00 PM
Vinyl acetate	U	1.0		µg/L	1	3/20/2007 9:14:00 PM
Vinyl chloride	U	1.0		µg/L	1	3/20/2007 9:14:00 PM
Surr: 4-Bromofluorobenzene	96.0	54-134		%REC	1	3/20/2007 9:14:00 PM
Surr: Dibromofluoromethane	107	52-132		%REC	1	3/20/2007 9:14:00 PM
Surr: Toluene-d8	98.6	51-127		%REC	1	3/20/2007 9:14:00 PM

Qualifiers:	B	Analyte detected in the associated Method Blank	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	S	Spike Recovery outside accepted recovery limits
	U	Indicates the compound was analyzed for but not detected	X	Value exceeds Maximum Contaminant Level

American Analytical Laboratories, LLC.

Date: 21-Mar-07

CLIENT: Leggette Brashears & Graham Inc.
Lab Order: 0703160
Project: Rowe Industries
Lab ID: 0703160-02A

Client Sample ID: MID031407
Tag Number: 12832
Collection Date: 3/14/2007 12:05:00 PM
Matrix: LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILE SW-846 8260 + MTBE & FREON113		SW8260B		Analyst: MB		
1,1,1,2-Tetrachloroethane	U	1.0		µg/L	1	3/20/2007 10:01:00 PM
1,1,1-Trichloroethane	U	1.0		µg/L	1	3/20/2007 10:01:00 PM
1,1,2,2-Tetrachloroethane	U	1.0		µg/L	1	3/20/2007 10:01:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	U	1.0		µg/L	1	3/20/2007 10:01:00 PM
1,1,2-Trichloroethane	U	1.0		µg/L	1	3/20/2007 10:01:00 PM
1,1-Dichloroethane	U	1.0		µg/L	1	3/20/2007 10:01:00 PM
1,1-Dichloroethene	U	1.0		µg/L	1	3/20/2007 10:01:00 PM
1,1-Dichloropropene	U	1.0		µg/L	1	3/20/2007 10:01:00 PM
1,2,3-Trichlorobenzene	U	1.0		µg/L	1	3/20/2007 10:01:00 PM
1,2,3-Trichloropropane	U	1.0		µg/L	1	3/20/2007 10:01:00 PM
1,2,4-Trichlorobenzene	U	1.0		µg/L	1	3/20/2007 10:01:00 PM
1,2,4-Trimethylbenzene	U	1.0		µg/L	1	3/20/2007 10:01:00 PM
1,2-Dibromo-3-chloropropane	U	1.0		µg/L	1	3/20/2007 10:01:00 PM
1,2-Dibromoethane	U	1.0		µg/L	1	3/20/2007 10:01:00 PM
1,2-Dichlorobenzene	U	1.0		µg/L	1	3/20/2007 10:01:00 PM
1,2-Dichloroethane	U	1.0		µg/L	1	3/20/2007 10:01:00 PM
1,2-Dichloropropane	U	1.0		µg/L	1	3/20/2007 10:01:00 PM
1,3,5-Trimethylbenzene	U	1.0		µg/L	1	3/20/2007 10:01:00 PM
1,3-Dichlorobenzene	U	1.0		µg/L	1	3/20/2007 10:01:00 PM
1,3-dichloropropane	U	1.0		µg/L	1	3/20/2007 10:01:00 PM
1,4-Dichlorobenzene	U	1.0		µg/L	1	3/20/2007 10:01:00 PM
2,2-Dichloropropane	U	1.0		µg/L	1	3/20/2007 10:01:00 PM
2-Butanone	U	3.0		µg/L	1	3/20/2007 10:01:00 PM
2-Chloroethyl vinyl ether	U	1.0		µg/L	1	3/20/2007 10:01:00 PM
2-Chlorotoluene	U	1.0		µg/L	1	3/20/2007 10:01:00 PM
2-Hexanone	U	2.0		µg/L	1	3/20/2007 10:01:00 PM
4-Chlorotoluene	U	1.0		µg/L	1	3/20/2007 10:01:00 PM
4-Isopropyltoluene	U	1.0		µg/L	1	3/20/2007 10:01:00 PM
4-Methyl-2-pentanone	U	2.0		µg/L	1	3/20/2007 10:01:00 PM
Acetone	U	2.0		µg/L	1	3/20/2007 10:01:00 PM
Benzene	U	1.0		µg/L	1	3/20/2007 10:01:00 PM
Bromobenzene	U	1.0		µg/L	1	3/20/2007 10:01:00 PM
Bromochloromethane	U	1.0		µg/L	1	3/20/2007 10:01:00 PM
Bromodichloromethane	U	1.0		µg/L	1	3/20/2007 10:01:00 PM
Bromoform	U	1.0		µg/L	1	3/20/2007 10:01:00 PM
Bromomethane	U	1.0		µg/L	1	3/20/2007 10:01:00 PM
Carbon disulfide	U	1.0		µg/L	1	3/20/2007 10:01:00 PM
Carbon tetrachloride	U	1.0		µg/L	1	3/20/2007 10:01:00 PM
Chlorobenzene	U	1.0		µg/L	1	3/20/2007 10:01:00 PM

Qualifiers:	B	Analyte detected in the associated Method Blank	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	S	Spike Recovery outside accepted recovery limits
	U	Indicates the compound was analyzed for but not detected	X	Value exceeds Maximum Contaminant Level

American Analytical Laboratories, LLC.

Date: 21-Mar-07

CLIENT: Leggette Brashears & Graham Inc.
Lab Order: 0703160
Project: Rowe Industries
Lab ID: 0703160-02A

Client Sample ID: MID031407
Tag Number: 12832
Collection Date: 3/14/2007 12:05:00 PM
Matrix: LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILE SW-846 8260 + MTBE & FREON113		SW8260B		Analyst: MB		
Chloroethane	U	1.0		µg/L	1	3/20/2007 10:01:00 PM
Chloroform	U	1.0		µg/L	1	3/20/2007 10:01:00 PM
Chloromethane	U	1.0		µg/L	1	3/20/2007 10:01:00 PM
cis-1,2-Dichloroethene	9.5	1.0		µg/L	1	3/20/2007 10:01:00 PM
cis-1,3-Dichloropropene	U	1.0		µg/L	1	3/20/2007 10:01:00 PM
Dibromochloromethane	U	1.0		µg/L	1	3/20/2007 10:01:00 PM
Dibromomethane	U	1.0		µg/L	1	3/20/2007 10:01:00 PM
Dichlorodifluoromethane	U	1.0		µg/L	1	3/20/2007 10:01:00 PM
Ethylbenzene	U	1.0		µg/L	1	3/20/2007 10:01:00 PM
Hexachlorobutadiene	U	1.0		µg/L	1	3/20/2007 10:01:00 PM
Isopropylbenzene	U	1.0		µg/L	1	3/20/2007 10:01:00 PM
m,p-Xylene	U	2.0		µg/L	1	3/20/2007 10:01:00 PM
Methyl tert-butyl ether	U	1.0		µg/L	1	3/20/2007 10:01:00 PM
Methylene chloride	U	1.0		µg/L	1	3/20/2007 10:01:00 PM
Naphthalene	U	1.0		µg/L	1	3/20/2007 10:01:00 PM
n-Butylbenzene	U	1.0		µg/L	1	3/20/2007 10:01:00 PM
n-Propylbenzene	U	1.0		µg/L	1	3/20/2007 10:01:00 PM
o-Xylene	U	1.0		µg/L	1	3/20/2007 10:01:00 PM
sec-Butylbenzene	U	1.0		µg/L	1	3/20/2007 10:01:00 PM
Styrene	U	1.0		µg/L	1	3/20/2007 10:01:00 PM
tert-Butylbenzene	U	1.0		µg/L	1	3/20/2007 10:01:00 PM
Tetrachloroethene	4.4	1.0		µg/L	1	3/20/2007 10:01:00 PM
Toluene	U	1.0		µg/L	1	3/20/2007 10:01:00 PM
trans-1,2-Dichloroethene	U	1.0		µg/L	1	3/20/2007 10:01:00 PM
trans-1,3-Dichloropropene	U	1.0		µg/L	1	3/20/2007 10:01:00 PM
Trichloroethene	U	1.0		µg/L	1	3/20/2007 10:01:00 PM
Trichlorofluoromethane	U	1.0		µg/L	1	3/20/2007 10:01:00 PM
Vinyl acetate	U	1.0		µg/L	1	3/20/2007 10:01:00 PM
Vinyl chloride	U	1.0		µg/L	1	3/20/2007 10:01:00 PM
Surr: 4-Bromofluorobenzene	99.0	54-134		%REC	1	3/20/2007 10:01:00 PM
Surr: Dibromofluoromethane	103	52-132		%REC	1	3/20/2007 10:01:00 PM
Surr: Toluene-d8	96.6	51-127		%REC	1	3/20/2007 10:01:00 PM

Qualifiers:	B	Analyte detected in the associated Method Blank	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	S	Spike Recovery outside accepted recovery limits
	U	Indicates the compound was analyzed for but not detected	X	Value exceeds Maximum Contaminant Level

American Analytical Laboratories, LLC.

Date: 21-Mar-07

CLIENT: Leggette Brashears & Graham Inc.
Lab Order: 0703160
Project: Rowe Industries
Lab ID: 0703160-03A

Client Sample ID: POST031407
Tag Number: 12832
Collection Date: 3/14/2007 12:10:00 PM
Matrix: LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILE SW-846 8260 + MTBE & FREON113		SW8260B		Analyst: MB		
1,1,1,2-Tetrachloroethane	U	1.0		µg/L	1	3/20/2007 10:49:00 PM
1,1,1-Trichloroethane	U	1.0		µg/L	1	3/20/2007 10:49:00 PM
1,1,2,2-Tetrachloroethane	U	1.0		µg/L	1	3/20/2007 10:49:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	U	1.0		µg/L	1	3/20/2007 10:49:00 PM
1,1,2-Trichloroethane	U	1.0		µg/L	1	3/20/2007 10:49:00 PM
1,1-Dichloroethane	U	1.0		µg/L	1	3/20/2007 10:49:00 PM
1,1-Dichloroethene	U	1.0		µg/L	1	3/20/2007 10:49:00 PM
1,1-Dichloropropene	U	1.0		µg/L	1	3/20/2007 10:49:00 PM
1,2,3-Trichlorobenzene	U	1.0		µg/L	1	3/20/2007 10:49:00 PM
1,2,3-Trichloropropane	U	1.0		µg/L	1	3/20/2007 10:49:00 PM
1,2,4-Trichlorobenzene	U	1.0		µg/L	1	3/20/2007 10:49:00 PM
1,2,4-Trimethylbenzene	U	1.0		µg/L	1	3/20/2007 10:49:00 PM
1,2-Dibromo-3-chloropropane	U	1.0		µg/L	1	3/20/2007 10:49:00 PM
1,2-Dibromoethane	U	1.0		µg/L	1	3/20/2007 10:49:00 PM
1,2-Dichlorobenzene	U	1.0		µg/L	1	3/20/2007 10:49:00 PM
1,2-Dichloroethane	U	1.0		µg/L	1	3/20/2007 10:49:00 PM
1,2-Dichloropropane	U	1.0		µg/L	1	3/20/2007 10:49:00 PM
1,3,5-Trimethylbenzene	U	1.0		µg/L	1	3/20/2007 10:49:00 PM
1,3-Dichlorobenzene	U	1.0		µg/L	1	3/20/2007 10:49:00 PM
1,3-dichloropropane	U	1.0		µg/L	1	3/20/2007 10:49:00 PM
1,4-Dichlorobenzene	U	1.0		µg/L	1	3/20/2007 10:49:00 PM
2,2-Dichloropropane	U	1.0		µg/L	1	3/20/2007 10:49:00 PM
2-Butanone	U	3.0		µg/L	1	3/20/2007 10:49:00 PM
2-Chloroethyl vinyl ether	U	1.0		µg/L	1	3/20/2007 10:49:00 PM
2-Chlorotoluene	U	1.0		µg/L	1	3/20/2007 10:49:00 PM
2-Hexanone	U	2.0		µg/L	1	3/20/2007 10:49:00 PM
4-Chlorotoluene	U	1.0		µg/L	1	3/20/2007 10:49:00 PM
4-Isopropyltoluene	U	1.0		µg/L	1	3/20/2007 10:49:00 PM
4-Methyl-2-pentanone	U	2.0		µg/L	1	3/20/2007 10:49:00 PM
Acetone	U	2.0		µg/L	1	3/20/2007 10:49:00 PM
Benzene	U	1.0		µg/L	1	3/20/2007 10:49:00 PM
Bromobenzene	U	1.0		µg/L	1	3/20/2007 10:49:00 PM
Bromochloromethane	U	1.0		µg/L	1	3/20/2007 10:49:00 PM
Bromodichloromethane	U	1.0		µg/L	1	3/20/2007 10:49:00 PM
Bromoform	U	1.0		µg/L	1	3/20/2007 10:49:00 PM
Bromomethane	U	1.0		µg/L	1	3/20/2007 10:49:00 PM
Carbon disulfide	U	1.0		µg/L	1	3/20/2007 10:49:00 PM
Carbon tetrachloride	U	1.0		µg/L	1	3/20/2007 10:49:00 PM
Chlorobenzene	U	1.0		µg/L	1	3/20/2007 10:49:00 PM

Qualifiers:	B	Analyte detected in the associated Method Blank	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	S	Spike Recovery outside accepted recovery limits
	U	Indicates the compound was analyzed for but not detected	X	Value exceeds Maximum Contaminant Level

American Analytical Laboratories, LLC.

Date: 21-Mar-07

CLIENT: Leggette Brashears & Graham Inc.
Lab Order: 0703160
Project: Rowe Industries
Lab ID: 0703160-03A

Client Sample ID: POST031407
Tag Number: 12832
Collection Date: 3/14/2007 12:10:00 PM
Matrix: LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILE SW-846 8260 + MTBE & FREON113		SW8260B		Analyst: MB		
Chloroethane	U	1.0		µg/L	1	3/20/2007 10:49:00 PM
Chloroform	U	1.0		µg/L	1	3/20/2007 10:49:00 PM
Chloromethane	U	1.0		µg/L	1	3/20/2007 10:49:00 PM
cis-1,2-Dichloroethene	U	1.0		µg/L	1	3/20/2007 10:49:00 PM
cis-1,3-Dichloropropene	U	1.0		µg/L	1	3/20/2007 10:49:00 PM
Dibromochloromethane	U	1.0		µg/L	1	3/20/2007 10:49:00 PM
Dibromomethane	U	1.0		µg/L	1	3/20/2007 10:49:00 PM
Dichlorodifluoromethane	U	1.0		µg/L	1	3/20/2007 10:49:00 PM
Ethylbenzene	U	1.0		µg/L	1	3/20/2007 10:49:00 PM
Hexachlorobutadiene	U	1.0		µg/L	1	3/20/2007 10:49:00 PM
Isopropylbenzene	U	1.0		µg/L	1	3/20/2007 10:49:00 PM
m,p-Xylene	U	2.0		µg/L	1	3/20/2007 10:49:00 PM
Methyl tert-butyl ether	U	1.0		µg/L	1	3/20/2007 10:49:00 PM
Methylene chloride	U	1.0		µg/L	1	3/20/2007 10:49:00 PM
Naphthalene	U	1.0		µg/L	1	3/20/2007 10:49:00 PM
n-Butylbenzene	U	1.0		µg/L	1	3/20/2007 10:49:00 PM
n-Propylbenzene	U	1.0		µg/L	1	3/20/2007 10:49:00 PM
o-Xylene	U	1.0		µg/L	1	3/20/2007 10:49:00 PM
sec-Butylbenzene	U	1.0		µg/L	1	3/20/2007 10:49:00 PM
Styrene	U	1.0		µg/L	1	3/20/2007 10:49:00 PM
tert-Butylbenzene	U	1.0		µg/L	1	3/20/2007 10:49:00 PM
Tetrachloroethene	U	1.0		µg/L	1	3/20/2007 10:49:00 PM
Toluene	U	1.0		µg/L	1	3/20/2007 10:49:00 PM
trans-1,2-Dichloroethene	U	1.0		µg/L	1	3/20/2007 10:49:00 PM
trans-1,3-Dichloropropene	U	1.0		µg/L	1	3/20/2007 10:49:00 PM
Trichloroethene	U	1.0		µg/L	1	3/20/2007 10:49:00 PM
Trichlorofluoromethane	U	1.0		µg/L	1	3/20/2007 10:49:00 PM
Vinyl acetate	U	1.0		µg/L	1	3/20/2007 10:49:00 PM
Vinyl chloride	U	1.0		µg/L	1	3/20/2007 10:49:00 PM
Surr: 4-Bromofluorobenzene	102	54-134		%REC	1	3/20/2007 10:49:00 PM
Surr: Dibromofluoromethane	102	52-132		%REC	1	3/20/2007 10:49:00 PM
Surr: Toluene-d8	99.3	51-127		%REC	1	3/20/2007 10:49:00 PM

Qualifiers:	B	Analyte detected in the associated Method Blank	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	S	Spike Recovery outside accepted recovery limits
	U	Indicates the compound was analyzed for but not detected	X	Value exceeds Maximum Contaminant Level

Monday, April 02, 2007

Mark Goldberg
Leggette Brashears & Graham Inc.
4 Research Drive
Suite 301
Shelton, CT 06484
TEL: (203) 929-8555
FAX (203) 926-9140

RE: Kraft Sag Harbor, N.Y.

Order No.: 0703251

Dear Mark Goldberg:

American Analytical Laboratories, LLC. received 3 sample(s) on 3/30/2007 for the analyses presented in the following report.


Samples were analyzed in accordance with the test procedures documented on the chain of custody and detailed throughout the text of this report.

The limits provided in the data package are analytical reporting limits and not Federal or Local mandated values to which the sample results should be compared.

There were no problems with the analyses and all data for associated QC met laboratory specifications. If there are any exceptions a Case Narrative is provided in the report.

If you have any questions regarding these tests results, please do not hesitate to call (631) 454-6100 or email me directly at lbeyer@american-analytical.com.

Sincerely,



Lori Beyer
Lab Director

American Analytical Laboratories, LLC.

Date: 02-Apr-07

CLIENT: Leggette Brashears & Graham Inc.
Project: Kraft Sag Harbor, N.Y.
Lab Order: 0703251

Work Order Sample Summary

Lab Sample ID	Client Sample ID	Tag Number	Date Collected	Date Received
0703251-01A	PRE 032207		3/22/2007 10:00:00 AM	3/30/2007
0703251-02A	MID 032207		3/22/2007 10:05:00 AM	3/30/2007
0703251-03A	POST 032207		3/22/2007 10:10:00 AM	3/30/2007

56 TOLEDO STREET • FARMINGDALE, NEW YORK 11735
(631) 454-6100 • FAX (631) 454-8027

TAG # / COC

CHAIN OF CUSTODY / REQUEST FOR ANALYSIS DOCUMENT

[illegible]

WHITE-OFFICE / CANARY-LAB / PINK-SAMPLE CUSTODIAN / GOLDENROD-CLIENT

AMERICAN ANALYTICAL LABORATORIES, LLC

56 TOLEDO STREET

FARMINGDALE, NEW YORK 11735

TELEPHONE: (631) 454-6100 FAX: (631) 454-8027

DATA REPORTING QUALIFIERS

For reporting results, the following "Results Qualifiers" are used:

Value	If the result is greater than or equal to the detection limit, report the value
U	Indicates the compound was analyzed for but was not detected. Report the minimum detection limit for the sample with the U, i.e. "10U". This is not necessarily the instrument detection limit attainable for this particular sample based on any concentration or dilution that may have been required.
J	Indicates an estimated value. The flag is used: (1) When estimating a concentration for a tentatively identified compound (library search hits, where a 1:1 response is assumed.) (2) When the mass spectral data indicated the identification, however the result was less than the specified detection limit greater than zero. If the detection limit was 10ug/L and a concentration of 3ug/L was calculated report as 3J. This flag is used when similar situations arise on any organic parameter i.e. Pesticide, PCBs and others.
B	Indicates the analyte was found in the blank as well as the sample report "10B".
E	Indicates the analytes concentration exceeds the calibrated range of the instrument for that specific analysis.
D	This flag identifies all compounds identified in an analysis at a secondary dilution factor.
P	This flag is used for Pesticide / PCB target analyte when there is >25% difference for detected concentrations between the two GC Columns. The higher of the two values is reported on Form I and flagged with a "P".
N	This flag indicates presumptive evidence of a compound. This is only used for tentatively identified compounds (TICs), where the identification is based on a mass spectral library search. It applies to all TIC results. For generic characterization of a TIC, such as chlorinated hydrocarbon, the flag is not used.
H	Indicates sample was received and/or analyzed outside of The method allowable holding time

American Analytical Laboratories, LLC.

Date: 02-Apr-07

CLIENT: Leggette Brashears & Graham Inc.

Client Sample ID: PRE 032207

Lab Order: 0703251

Tag Number:

Project: Kraft Sag Harbor, N.Y.

Collection Date: 3/22/2007 10:00:00 AM

Lab ID: 0703251-01A

Matrix: LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILE SW-846 8260 + MTBE & FREON113		SW8260B		Analyst: MB		
1,1,1,2-Tetrachloroethane	U	1.0		µg/L	1	3/30/2007 6:38:00 PM
1,1,1-Trichloroethane	U	1.0		µg/L	1	3/30/2007 6:38:00 PM
1,1,2,2-Tetrachloroethane	U	1.0		µg/L	1	3/30/2007 6:38:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	U	1.0		µg/L	1	3/30/2007 6:38:00 PM
1,1,2-Trichloroethane	U	1.0		µg/L	1	3/30/2007 6:38:00 PM
1,1-Dichloroethane	U	1.0		µg/L	1	3/30/2007 6:38:00 PM
1,1-Dichloroethene	U	1.0		µg/L	1	3/30/2007 6:38:00 PM
1,1-Dichloropropene	U	1.0		µg/L	1	3/30/2007 6:38:00 PM
1,2,3-Trichlorobenzene	U	1.0		µg/L	1	3/30/2007 6:38:00 PM
1,2,3-Trichloropropane	U	1.0		µg/L	1	3/30/2007 6:38:00 PM
1,2,4-Trichlorobenzene	U	1.0		µg/L	1	3/30/2007 6:38:00 PM
1,2,4-Trimethylbenzene	U	1.0		µg/L	1	3/30/2007 6:38:00 PM
1,2-Dibromo-3-chloropropane	U	1.0		µg/L	1	3/30/2007 6:38:00 PM
1,2-Dibromoethane	U	1.0		µg/L	1	3/30/2007 6:38:00 PM
1,2-Dichlorobenzene	U	1.0		µg/L	1	3/30/2007 6:38:00 PM
1,2-Dichloroethane	U	1.0		µg/L	1	3/30/2007 6:38:00 PM
1,2-Dichloropropane	U	1.0		µg/L	1	3/30/2007 6:38:00 PM
1,3,5-Trimethylbenzene	U	1.0		µg/L	1	3/30/2007 6:38:00 PM
1,3-Dichlorobenzene	U	1.0		µg/L	1	3/30/2007 6:38:00 PM
1,3-dichloropropane	U	1.0		µg/L	1	3/30/2007 6:38:00 PM
1,4-Dichlorobenzene	U	1.0		µg/L	1	3/30/2007 6:38:00 PM
2,2-Dichloropropane	U	1.0		µg/L	1	3/30/2007 6:38:00 PM
2-Butanone	U	3.0		µg/L	1	3/30/2007 6:38:00 PM
2-Chloroethyl vinyl ether	U	1.0		µg/L	1	3/30/2007 6:38:00 PM
2-Chlorotoluene	U	1.0		µg/L	1	3/30/2007 6:38:00 PM
2-Hexanone	U	2.0		µg/L	1	3/30/2007 6:38:00 PM
4-Chlorotoluene	U	1.0		µg/L	1	3/30/2007 6:38:00 PM
4-Isopropyltoluene	U	1.0		µg/L	1	3/30/2007 6:38:00 PM
4-Methyl-2-pentanone	U	2.0		µg/L	1	3/30/2007 6:38:00 PM
Acetone	U	2.0		µg/L	1	3/30/2007 6:38:00 PM
Benzene	U	1.0		µg/L	1	3/30/2007 6:38:00 PM
Bromobenzene	U	1.0		µg/L	1	3/30/2007 6:38:00 PM
Bromochloromethane	U	1.0		µg/L	1	3/30/2007 6:38:00 PM
Bromodichloromethane	U	1.0		µg/L	1	3/30/2007 6:38:00 PM
Bromoform	U	1.0		µg/L	1	3/30/2007 6:38:00 PM
Bromomethane	U	1.0		µg/L	1	3/30/2007 6:38:00 PM
Carbon disulfide	U	1.0		µg/L	1	3/30/2007 6:38:00 PM
Carbon tetrachloride	U	1.0		µg/L	1	3/30/2007 6:38:00 PM
Chlorobenzene	U	1.0		µg/L	1	3/30/2007 6:38:00 PM

Qualifiers:	B	Analyte detected in the associated Method Blank	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	S	Spike Recovery outside accepted recovery limits
	U	Indicates the compound was analyzed for but not detected	X	Value exceeds Maximum Contaminant Level

American Analytical Laboratories, LLC.

Date: 02-Apr-07

CLIENT: Leggette Brashears & Graham Inc.
Lab Order: 0703251
Project: Kraft Sag Harbor, N.Y.
Lab ID: 0703251-01A

Client Sample ID: PRE 032207
Tag Number:
Collection Date: 3/22/2007 10:00:00 AM
Matrix: LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILE SW-846 8260 + MTBE & FREON113		SW8260B		Analyst: MB		
Chloroethane	U	1.0		µg/L	1	3/30/2007 6:38:00 PM
Chloroform	U	1.0		µg/L	1	3/30/2007 6:38:00 PM
Chloromethane	U	1.0		µg/L	1	3/30/2007 6:38:00 PM
cis-1,2-Dichloroethene	U	1.0		µg/L	1	3/30/2007 6:38:00 PM
cis-1,3-Dichloropropene	U	1.0		µg/L	1	3/30/2007 6:38:00 PM
Dibromochloromethane	U	1.0		µg/L	1	3/30/2007 6:38:00 PM
Dibromomethane	U	1.0		µg/L	1	3/30/2007 6:38:00 PM
Dichlorodifluoromethane	U	1.0		µg/L	1	3/30/2007 6:38:00 PM
Ethylbenzene	U	1.0		µg/L	1	3/30/2007 6:38:00 PM
Hexachlorobutadiene	U	1.0		µg/L	1	3/30/2007 6:38:00 PM
Isopropylbenzene	1.5	1.0		µg/L	1	3/30/2007 6:38:00 PM
m,p-Xylene	U	2.0		µg/L	1	3/30/2007 6:38:00 PM
Methyl tert-butyl ether	U	1.0		µg/L	1	3/30/2007 6:38:00 PM
Methylene chloride	U	1.0		µg/L	1	3/30/2007 6:38:00 PM
Naphthalene	U	1.0		µg/L	1	3/30/2007 6:38:00 PM
n-Butylbenzene	U	1.0		µg/L	1	3/30/2007 6:38:00 PM
n-Propylbenzene	U	1.0		µg/L	1	3/30/2007 6:38:00 PM
o-Xylene	U	1.0		µg/L	1	3/30/2007 6:38:00 PM
sec-Butylbenzene	U	1.0		µg/L	1	3/30/2007 6:38:00 PM
Styrene	U	1.0		µg/L	1	3/30/2007 6:38:00 PM
tert-Butylbenzene	U	1.0		µg/L	1	3/30/2007 6:38:00 PM
Tetrachloroethene	110	1.0		µg/L	1	3/30/2007 6:38:00 PM
Toluene	24	1.0		µg/L	1	3/30/2007 6:38:00 PM
trans-1,2-Dichloroethene	U	1.0		µg/L	1	3/30/2007 6:38:00 PM
trans-1,3-Dichloropropene	U	1.0		µg/L	1	3/30/2007 6:38:00 PM
Trichloroethene	U	1.0		µg/L	1	3/30/2007 6:38:00 PM
Trichlorofluoromethane	U	1.0		µg/L	1	3/30/2007 6:38:00 PM
Vinyl acetate	U	1.0		µg/L	1	3/30/2007 6:38:00 PM
Vinyl chloride	U	1.0		µg/L	1	3/30/2007 6:38:00 PM
Surr: 4-Bromofluorobenzene	87.6	54-134		%REC	1	3/30/2007 6:38:00 PM
Surr: Dibromofluoromethane	111	52-132		%REC	1	3/30/2007 6:38:00 PM
Surr: Toluene-d8	98.4	51-127		%REC	1	3/30/2007 6:38:00 PM

Qualifiers:	B	Analyte detected in the associated Method Blank	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	S	Spike Recovery outside accepted recovery limits
	U	Indicates the compound was analyzed for but not detected	X	Value exceeds Maximum Contaminant Level

American Analytical Laboratories, LLC.

Date: 02-Apr-07

CLIENT: Leggette Brashears & Graham Inc.

Client Sample ID: MID 032207

Lab Order: 0703251

Tag Number:

Project: Kraft Sag Harbor, N.Y.

Collection Date: 3/22/2007 10:05:00 AM

Lab ID: 0703251-02A

Matrix: LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILE SW-846 8260 + MTBE & FREON113		SW8260B		Analyst: MB		
1,1,1,2-Tetrachloroethane	U	1.0		µg/L	1	3/30/2007 7:13:00 PM
1,1,1-Trichloroethane	5.2	1.0		µg/L	1	3/30/2007 7:13:00 PM
1,1,2,2-Tetrachloroethane	U	1.0		µg/L	1	3/30/2007 7:13:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	U	1.0		µg/L	1	3/30/2007 7:13:00 PM
1,1,2-Trichloroethane	U	1.0		µg/L	1	3/30/2007 7:13:00 PM
1,1-Dichloroethane	U	1.0		µg/L	1	3/30/2007 7:13:00 PM
1,1-Dichloroethene	U	1.0		µg/L	1	3/30/2007 7:13:00 PM
1,1-Dichloropropene	U	1.0		µg/L	1	3/30/2007 7:13:00 PM
1,2,3-Trichlorobenzene	U	1.0		µg/L	1	3/30/2007 7:13:00 PM
1,2,3-Trichloropropane	U	1.0		µg/L	1	3/30/2007 7:13:00 PM
1,2,4-Trichlorobenzene	U	1.0		µg/L	1	3/30/2007 7:13:00 PM
1,2,4-Trimethylbenzene	U	1.0		µg/L	1	3/30/2007 7:13:00 PM
1,2-Dibromo-3-chloropropane	U	1.0		µg/L	1	3/30/2007 7:13:00 PM
1,2-Dibromoethane	U	1.0		µg/L	1	3/30/2007 7:13:00 PM
1,2-Dichlorobenzene	U	1.0		µg/L	1	3/30/2007 7:13:00 PM
1,2-Dichloroethane	U	1.0		µg/L	1	3/30/2007 7:13:00 PM
1,2-Dichloropropane	U	1.0		µg/L	1	3/30/2007 7:13:00 PM
1,3,5-Trimethylbenzene	U	1.0		µg/L	1	3/30/2007 7:13:00 PM
1,3-Dichlorobenzene	U	1.0		µg/L	1	3/30/2007 7:13:00 PM
1,3-dichloropropane	U	1.0		µg/L	1	3/30/2007 7:13:00 PM
1,4-Dichlorobenzene	U	1.0		µg/L	1	3/30/2007 7:13:00 PM
2,2-Dichloropropane	U	1.0		µg/L	1	3/30/2007 7:13:00 PM
2-Butanone	U	3.0		µg/L	1	3/30/2007 7:13:00 PM
2-Chloroethyl vinyl ether	U	1.0		µg/L	1	3/30/2007 7:13:00 PM
2-Chlorotoluene	U	1.0		µg/L	1	3/30/2007 7:13:00 PM
2-Hexanone	U	2.0		µg/L	1	3/30/2007 7:13:00 PM
4-Chlorotoluene	U	1.0		µg/L	1	3/30/2007 7:13:00 PM
4-Isopropyltoluene	U	1.0		µg/L	1	3/30/2007 7:13:00 PM
4-Methyl-2-pentanone	U	2.0		µg/L	1	3/30/2007 7:13:00 PM
Acetone	U	2.0		µg/L	1	3/30/2007 7:13:00 PM
Benzene	U	1.0		µg/L	1	3/30/2007 7:13:00 PM
Bromobenzene	U	1.0		µg/L	1	3/30/2007 7:13:00 PM
Bromochloromethane	U	1.0		µg/L	1	3/30/2007 7:13:00 PM
Bromodichloromethane	U	1.0		µg/L	1	3/30/2007 7:13:00 PM
Bromoform	U	1.0		µg/L	1	3/30/2007 7:13:00 PM
Bromomethane	U	1.0		µg/L	1	3/30/2007 7:13:00 PM
Carbon disulfide	U	1.0		µg/L	1	3/30/2007 7:13:00 PM
Carbon tetrachloride	U	1.0		µg/L	1	3/30/2007 7:13:00 PM
Chlorobenzene	U	1.0		µg/L	1	3/30/2007 7:13:00 PM

Qualifiers:	B	Analyte detected in the associated Method Blank	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	S	Spike Recovery outside accepted recovery limits
	U	Indicates the compound was analyzed for but not detected	X	Value exceeds Maximum Contaminant Level

American Analytical Laboratories, LLC.

Date: 02-Apr-07

CLIENT: Leggette Brashears & Graham Inc.
Lab Order: 0703251
Project: Kraft Sag Harbor, N.Y.
Lab ID: 0703251-02A

Client Sample ID: MID 032207
Tag Number:
Collection Date: 3/22/2007 10:05:00 AM
Matrix: LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILE SW-846 8260 + MTBE & FREON113		SW8260B		Analyst: MB		
Chloroethane	U	1.0		µg/L	1	3/30/2007 7:13:00 PM
Chloroform	U	1.0		µg/L	1	3/30/2007 7:13:00 PM
Chloromethane	U	1.0		µg/L	1	3/30/2007 7:13:00 PM
cis-1,2-Dichloroethene	U	1.0		µg/L	1	3/30/2007 7:13:00 PM
cis-1,3-Dichloropropene	U	1.0		µg/L	1	3/30/2007 7:13:00 PM
Dibromochloromethane	U	1.0		µg/L	1	3/30/2007 7:13:00 PM
Dibromomethane	U	1.0		µg/L	1	3/30/2007 7:13:00 PM
Dichlorodifluoromethane	U	1.0		µg/L	1	3/30/2007 7:13:00 PM
Ethylbenzene	U	1.0		µg/L	1	3/30/2007 7:13:00 PM
Hexachlorobutadiene	U	1.0		µg/L	1	3/30/2007 7:13:00 PM
Isopropylbenzene	U	1.0		µg/L	1	3/30/2007 7:13:00 PM
m,p-Xylene	U	2.0		µg/L	1	3/30/2007 7:13:00 PM
Methyl tert-butyl ether	U	1.0		µg/L	1	3/30/2007 7:13:00 PM
Methylene chloride	U	1.0		µg/L	1	3/30/2007 7:13:00 PM
Naphthalene	U	1.0		µg/L	1	3/30/2007 7:13:00 PM
n-Butylbenzene	U	1.0		µg/L	1	3/30/2007 7:13:00 PM
n-Propylbenzene	U	1.0		µg/L	1	3/30/2007 7:13:00 PM
o-Xylene	U	1.0		µg/L	1	3/30/2007 7:13:00 PM
sec-Butylbenzene	U	1.0		µg/L	1	3/30/2007 7:13:00 PM
Styrene	U	1.0		µg/L	1	3/30/2007 7:13:00 PM
tert-Butylbenzene	U	1.0		µg/L	1	3/30/2007 7:13:00 PM
Tetrachloroethene	7.7	1.0		µg/L	1	3/30/2007 7:13:00 PM
Toluene	U	1.0		µg/L	1	3/30/2007 7:13:00 PM
trans-1,2-Dichloroethene	U	1.0		µg/L	1	3/30/2007 7:13:00 PM
trans-1,3-Dichloropropene	U	1.0		µg/L	1	3/30/2007 7:13:00 PM
Trichloroethene	U	1.0		µg/L	1	3/30/2007 7:13:00 PM
Trichlorofluoromethane	U	1.0		µg/L	1	3/30/2007 7:13:00 PM
Vinyl acetate	U	1.0		µg/L	1	3/30/2007 7:13:00 PM
Vinyl chloride	U	1.0		µg/L	1	3/30/2007 7:13:00 PM
Surr: 4-Bromofluorobenzene	89.2	54-134		%REC	1	3/30/2007 7:13:00 PM
Surr: Dibromofluoromethane	110	52-132		%REC	1	3/30/2007 7:13:00 PM
Surr: Toluene-d8	95.0	51-127		%REC	1	3/30/2007 7:13:00 PM

Qualifiers:	B	Analyte detected in the associated Method Blank	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	S	Spike Recovery outside accepted recovery limits
	U	Indicates the compound was analyzed for but not detected	X	Value exceeds Maximum Contaminant Level

American Analytical Laboratories, LLC.

Date: 02-Apr-07

CLIENT: Leggett Brashears & Graham Inc.
Lab Order: 0703251
Project: Kraft Sag Harbor, N.Y.
Lab ID: 0703251-03A

Client Sample ID: POST 032207
Tag Number:
Collection Date: 3/22/2007 10:10:00 AM
Matrix: LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILE SW-846 8260 + MTBE & FREON113		SW8260B		Analyst: MB		
1,1,1,2-Tetrachloroethane	U	1.0		µg/L	1	3/30/2007 7:48:00 PM
1,1,1-Trichloroethane	U	1.0		µg/L	1	3/30/2007 7:48:00 PM
1,1,2,2-Tetrachloroethane	U	1.0		µg/L	1	3/30/2007 7:48:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	U	1.0		µg/L	1	3/30/2007 7:48:00 PM
1,1,2-Trichloroethane	U	1.0		µg/L	1	3/30/2007 7:48:00 PM
1,1-Dichloroethane	U	1.0		µg/L	1	3/30/2007 7:48:00 PM
1,1-Dichloroethene	U	1.0		µg/L	1	3/30/2007 7:48:00 PM
1,1-Dichloropropene	U	1.0		µg/L	1	3/30/2007 7:48:00 PM
1,2,3-Trichlorobenzene	U	1.0		µg/L	1	3/30/2007 7:48:00 PM
1,2,3-Trichloropropane	U	1.0		µg/L	1	3/30/2007 7:48:00 PM
1,2,4-Trichlorobenzene	U	1.0		µg/L	1	3/30/2007 7:48:00 PM
1,2,4-Trimethylbenzene	U	1.0		µg/L	1	3/30/2007 7:48:00 PM
1,2-Dibromo-3-chloropropane	U	1.0		µg/L	1	3/30/2007 7:48:00 PM
1,2-Dibromoethane	U	1.0		µg/L	1	3/30/2007 7:48:00 PM
1,2-Dichlorobenzene	U	1.0		µg/L	1	3/30/2007 7:48:00 PM
1,2-Dichloroethane	U	1.0		µg/L	1	3/30/2007 7:48:00 PM
1,2-Dichloropropane	U	1.0		µg/L	1	3/30/2007 7:48:00 PM
1,3,5-Trimethylbenzene	U	1.0		µg/L	1	3/30/2007 7:48:00 PM
1,3-Dichlorobenzene	U	1.0		µg/L	1	3/30/2007 7:48:00 PM
1,3-dichloropropane	U	1.0		µg/L	1	3/30/2007 7:48:00 PM
1,4-Dichlorobenzene	U	1.0		µg/L	1	3/30/2007 7:48:00 PM
2,2-Dichloropropane	U	1.0		µg/L	1	3/30/2007 7:48:00 PM
2-Butanone	U	3.0		µg/L	1	3/30/2007 7:48:00 PM
2-Chloroethyl vinyl ether	U	1.0		µg/L	1	3/30/2007 7:48:00 PM
2-Chlorotoluene	U	1.0		µg/L	1	3/30/2007 7:48:00 PM
2-Hexanone	U	2.0		µg/L	1	3/30/2007 7:48:00 PM
4-Chlorotoluene	U	1.0		µg/L	1	3/30/2007 7:48:00 PM
4-Isopropyltoluene	U	1.0		µg/L	1	3/30/2007 7:48:00 PM
4-Methyl-2-pentanone	U	2.0		µg/L	1	3/30/2007 7:48:00 PM
Acetone	U	2.0		µg/L	1	3/30/2007 7:48:00 PM
Benzene	U	1.0		µg/L	1	3/30/2007 7:48:00 PM
Bromobenzene	U	1.0		µg/L	1	3/30/2007 7:48:00 PM
Bromochloromethane	U	1.0		µg/L	1	3/30/2007 7:48:00 PM
Bromodichloromethane	U	1.0		µg/L	1	3/30/2007 7:48:00 PM
Bromoform	U	1.0		µg/L	1	3/30/2007 7:48:00 PM
Bromomethane	U	1.0		µg/L	1	3/30/2007 7:48:00 PM
Carbon disulfide	U	1.0		µg/L	1	3/30/2007 7:48:00 PM
Carbon tetrachloride	U	1.0		µg/L	1	3/30/2007 7:48:00 PM
Chlorobenzene	U	1.0		µg/L	1	3/30/2007 7:48:00 PM

Qualifiers:	B	Analyte detected in the associated Method Blank	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	S	Spike Recovery outside accepted recovery limits
	U	Indicates the compound was analyzed for but not detected	X	Value exceeds Maximum Contaminant Level

American Analytical Laboratories, LLC.


Date: 02-Apr-07

CLIENT: Leggette Brashears & Graham Inc.
Lab Order: 0703251
Project: Kraft Sag Harbor, N.Y.
Lab ID: 0703251-03A

Client Sample ID: POST 032207
Tag Number:
Collection Date: 3/22/2007 10:10:00 AM
Matrix: LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILE SW-846 8260 + MTBE & FREON113		SW8260B		Analyst: MB		
Chloroethane	U	1.0		µg/L	1	3/30/2007 7:48:00 PM
Chloroform	U	1.0		µg/L	1	3/30/2007 7:48:00 PM
Chloromethane	U	1.0		µg/L	1	3/30/2007 7:48:00 PM
cis-1,2-Dichloroethene	U	1.0		µg/L	1	3/30/2007 7:48:00 PM
cis-1,3-Dichloropropene	U	1.0		µg/L	1	3/30/2007 7:48:00 PM
Dibromochloromethane	U	1.0		µg/L	1	3/30/2007 7:48:00 PM
Dibromomethane	U	1.0		µg/L	1	3/30/2007 7:48:00 PM
Dichlorodifluoromethane	U	1.0		µg/L	1	3/30/2007 7:48:00 PM
Ethylbenzene	U	1.0		µg/L	1	3/30/2007 7:48:00 PM
Hexachlorobutadiene	U	1.0		µg/L	1	3/30/2007 7:48:00 PM
Isopropylbenzene	U	1.0		µg/L	1	3/30/2007 7:48:00 PM
m,p-Xylene	U	2.0		µg/L	1	3/30/2007 7:48:00 PM
Methyl tert-butyl ether	U	1.0		µg/L	1	3/30/2007 7:48:00 PM
Methylene chloride	U	1.0		µg/L	1	3/30/2007 7:48:00 PM
Naphthalene	U	1.0		µg/L	1	3/30/2007 7:48:00 PM
n-Butylbenzene	U	1.0		µg/L	1	3/30/2007 7:48:00 PM
n-Propylbenzene	U	1.0		µg/L	1	3/30/2007 7:48:00 PM
o-Xylene	U	1.0		µg/L	1	3/30/2007 7:48:00 PM
sec-Butylbenzene	U	1.0		µg/L	1	3/30/2007 7:48:00 PM
Styrene	U	1.0		µg/L	1	3/30/2007 7:48:00 PM
tert-Butylbenzene	U	1.0		µg/L	1	3/30/2007 7:48:00 PM
Tetrachloroethene	14	1.0		µg/L	1	3/30/2007 7:48:00 PM
Toluene	U	1.0		µg/L	1	3/30/2007 7:48:00 PM
trans-1,2-Dichloroethene	U	1.0		µg/L	1	3/30/2007 7:48:00 PM
trans-1,3-Dichloropropene	U	1.0		µg/L	1	3/30/2007 7:48:00 PM
Trichloroethene	U	1.0		µg/L	1	3/30/2007 7:48:00 PM
Trichlorofluoromethane	U	1.0		µg/L	1	3/30/2007 7:48:00 PM
Vinyl acetate	U	1.0		µg/L	1	3/30/2007 7:48:00 PM
Vinyl chloride	U	1.0		µg/L	1	3/30/2007 7:48:00 PM
Surr: 4-Bromofluorobenzene	87.5	54-134		%REC	1	3/30/2007 7:48:00 PM
Surr: Dibromofluoromethane	108	52-132		%REC	1	3/30/2007 7:48:00 PM
Surr: Toluene-d8	98.9	51-127		%REC	1	3/30/2007 7:48:00 PM

Qualifiers:	B	Analyte detected in the associated Method Blank	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	S	Spike Recovery outside accepted recovery limits
	U	Indicates the compound was analyzed for but not detected	X	Value exceeds Maximum Contaminant Level



NYSDOH	11418
NJDEP	NY050
CTDOH	PH-0205
PADEP	68-00573

Monday, April 02, 2007

Mark Goldberg
Leggette Brashears & Graham Inc.
4 Research Drive
Suite 301
Shelton, CT 06484

TEL: (203) 929-8555
FAX (203) 926-9140

RE: Rowe Industries

Order No.: 0703255

Dear Mark Goldberg:

American Analytical Laboratories, LLC. received 1 sample(s) on 3/30/2007 for the analyses presented in the following report.


Samples were analyzed in accordance with the test procedures documented on the chain of custody and detailed throughout the text of this report.

The limits provided in the data package are analytical reporting limits and not Federal or Local mandated values to which the sample results should be compared.

There were no problems with the analyses and all data for associated QC met laboratory specifications. If there are any exceptions a Case Narrative is provided in the report.

If you have any questions regarding these tests results, please do not hesitate to call (631) 454-6100 or email me directly at lbeyer@american-analytical.com.

Sincerely,


Lori Beyer
Lab Director

American Analytical Laboratories, LLC.

Date: 02-Apr-07

CLIENT: Leggette Brashears & Graham Inc.**Project:** Rowe Industries**Lab Order:** 0703255**Work Order Sample Summary**

Lab Sample ID	Client Sample ID	Tag Number	Date Collected	Date Received
0703255-01A	POST 032807	12829	3/28/2007	3/30/2007

AMERICAN ANALYTICAL LABORATORIES, LLC

56 TOLEDO STREET

FARMINGDALE, NEW YORK 11735

TELEPHONE: (631) 454-6100 FAX: (631) 454-8027

DATA REPORTING QUALIFIERS

For reporting results, the following "Results Qualifiers" are used:

Value	If the result is greater than or equal to the detection limit, report the value
U	Indicates the compound was analyzed for but was not detected. Report the minimum detection limit for the sample with the U, i.e. "10U". This is not necessarily the instrument detection limit attainable for this particular sample based on any concentration or dilution that may have been required.
J	Indicates an estimated value. The flag is used: (1) When estimating a concentration for a tentatively identified compound (library search hits, where a 1:1 response is assumed.) (2) When the mass spectral data indicated the identification, however the result was less than the specified detection limit greater than zero. If the detection limit was 10ug/L and a concentration of 3ug/L was calculated report as 3J. This flag is used when similar situations arise on any organic parameter i.e. Pesticide, PCBs and others.
B	Indicates the analyte was found in the blank as well as the sample report "10B".
E	Indicates the analytes concentration exceeds the calibrated range of the instrument for that specific analysis.
D	This flag identifies all compounds identified in an analysis at a secondary dilution factor.
P	This flag is used for Pesticide / PCB target analyte when there is >25% difference for detected concentrations between the two GC Columns. The higher of the two values is reported on Form I and flagged with a "P".
N	This flag indicates presumptive evidence of a compound. This is only used for tentatively identified compounds (TICs), where the identification is based on a mass spectral library search. It applies to all TIC results. For generic characterization of a TIC, such as chlorinated hydrocarbon, the flag is not used.
H	Indicates sample was received and/or analyzed outside of The method allowable holding time

American Analytical Laboratories, LLC.

Date: 02-Apr-07

CLIENT: Leggette Brashears & Graham Inc.
Lab Order: 0703255
Project: Rowe Industries
Lab ID: 0703255-01A

Client Sample ID: POST 032807
Tag Number: 12829
Collection Date: 3/28/2007
Matrix: LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILE SW-846 8260 + MTBE & FREON113		SW8260B		Analyst: MB		
1,1,1,2-Tetrachloroethane	U	1.0		µg/L	1	3/30/2007 8:47:00 PM
1,1,1-Trichloroethane	U	1.0		µg/L	1	3/30/2007 8:47:00 PM
1,1,2,2-Tetrachloroethane	U	1.0		µg/L	1	3/30/2007 8:47:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	U	1.0		µg/L	1	3/30/2007 8:47:00 PM
1,1,2-Trichloroethane	U	1.0		µg/L	1	3/30/2007 8:47:00 PM
1,1-Dichloroethane	U	1.0		µg/L	1	3/30/2007 8:47:00 PM
1,1-Dichloroethene	U	1.0		µg/L	1	3/30/2007 8:47:00 PM
1,1-Dichloropropene	U	1.0		µg/L	1	3/30/2007 8:47:00 PM
1,2,3-Trichlorobenzene	U	1.0		µg/L	1	3/30/2007 8:47:00 PM
1,2,3-Trichloropropane	U	1.0		µg/L	1	3/30/2007 8:47:00 PM
1,2,4-Trichlorobenzene	U	1.0		µg/L	1	3/30/2007 8:47:00 PM
1,2,4-Trimethylbenzene	U	1.0		µg/L	1	3/30/2007 8:47:00 PM
1,2-Dibromo-3-chloropropane	U	1.0		µg/L	1	3/30/2007 8:47:00 PM
1,2-Dibromoethane	U	1.0		µg/L	1	3/30/2007 8:47:00 PM
1,2-Dichlorobenzene	U	1.0		µg/L	1	3/30/2007 8:47:00 PM
1,2-Dichloroethane	U	1.0		µg/L	1	3/30/2007 8:47:00 PM
1,2-Dichloropropane	U	1.0		µg/L	1	3/30/2007 8:47:00 PM
1,3,5-Trimethylbenzene	U	1.0		µg/L	1	3/30/2007 8:47:00 PM
1,3-Dichlorobenzene	U	1.0		µg/L	1	3/30/2007 8:47:00 PM
1,3-dichloropropane	U	1.0		µg/L	1	3/30/2007 8:47:00 PM
1,4-Dichlorobenzene	U	1.0		µg/L	1	3/30/2007 8:47:00 PM
2,2-Dichloropropane	U	1.0		µg/L	1	3/30/2007 8:47:00 PM
2-Butanone	U	3.0		µg/L	1	3/30/2007 8:47:00 PM
2-Chloroethyl vinyl ether	U	1.0		µg/L	1	3/30/2007 8:47:00 PM
2-Chlorotoluene	U	1.0		µg/L	1	3/30/2007 8:47:00 PM
2-Hexanone	U	2.0		µg/L	1	3/30/2007 8:47:00 PM
4-Chlorotoluene	U	1.0		µg/L	1	3/30/2007 8:47:00 PM
4-Isopropyltoluene	U	1.0		µg/L	1	3/30/2007 8:47:00 PM
4-Methyl-2-pentanone	U	2.0		µg/L	1	3/30/2007 8:47:00 PM
Acetone	U	2.0		µg/L	1	3/30/2007 8:47:00 PM
Benzene	U	1.0		µg/L	1	3/30/2007 8:47:00 PM
Bromobenzene	U	1.0		µg/L	1	3/30/2007 8:47:00 PM
Bromochloromethane	U	1.0		µg/L	1	3/30/2007 8:47:00 PM
Bromodichloromethane	U	1.0		µg/L	1	3/30/2007 8:47:00 PM
Bromoform	U	1.0		µg/L	1	3/30/2007 8:47:00 PM
Bromomethane	U	1.0		µg/L	1	3/30/2007 8:47:00 PM
Carbon disulfide	U	1.0		µg/L	1	3/30/2007 8:47:00 PM
Carbon tetrachloride	U	1.0		µg/L	1	3/30/2007 8:47:00 PM
Chlorobenzene	U	1.0		µg/L	1	3/30/2007 8:47:00 PM

Qualifiers:	B	Analyte detected in the associated Method Blank	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	S	Spike Recovery outside accepted recovery limits
	U	Indicates the compound was analyzed for but not detected	X	Value exceeds Maximum Contaminant Level

American Analytical Laboratories, LLC.

Date: 02-Apr-07

CLIENT: Leggette Brashears & Graham Inc.
Lab Order: 0703255
Project: Rowe Industries
Lab ID: 0703255-01A

Client Sample ID: POST 032807
Tag Number: 12829
Collection Date: 3/28/2007
Matrix: LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILE SW-846 8260 + MTBE & FREON113		SW8260B		Analyst: MB		
Chloroethane	U	1.0		µg/L	1	3/30/2007 8:47:00 PM
Chloroform	U	1.0		µg/L	1	3/30/2007 8:47:00 PM
Chloromethane	U	1.0		µg/L	1	3/30/2007 8:47:00 PM
cis-1,2-Dichloroethene	U	1.0		µg/L	1	3/30/2007 8:47:00 PM
cis-1,3-Dichloropropene	U	1.0		µg/L	1	3/30/2007 8:47:00 PM
Dibromochloromethane	U	1.0		µg/L	1	3/30/2007 8:47:00 PM
Dibromomethane	U	1.0		µg/L	1	3/30/2007 8:47:00 PM
Dichlorodifluoromethane	U	1.0		µg/L	1	3/30/2007 8:47:00 PM
Ethylbenzene	U	1.0		µg/L	1	3/30/2007 8:47:00 PM
Hexachlorobutadiene	U	1.0		µg/L	1	3/30/2007 8:47:00 PM
Isopropylbenzene	U	1.0		µg/L	1	3/30/2007 8:47:00 PM
m,p-Xylene	U	2.0		µg/L	1	3/30/2007 8:47:00 PM
Methyl tert-butyl ether	U	1.0		µg/L	1	3/30/2007 8:47:00 PM
Methylene chloride	U	1.0		µg/L	1	3/30/2007 8:47:00 PM
Naphthalene	U	1.0		µg/L	1	3/30/2007 8:47:00 PM
n-Butylbenzene	U	1.0		µg/L	1	3/30/2007 8:47:00 PM
n-Propylbenzene	U	1.0		µg/L	1	3/30/2007 8:47:00 PM
o-Xylene	U	1.0		µg/L	1	3/30/2007 8:47:00 PM
sec-Butylbenzene	U	1.0		µg/L	1	3/30/2007 8:47:00 PM
Styrene	U	1.0		µg/L	1	3/30/2007 8:47:00 PM
tert-Butylbenzene	U	1.0		µg/L	1	3/30/2007 8:47:00 PM
Tetrachloroethene	U	1.0		µg/L	1	3/30/2007 8:47:00 PM
Toluene	U	1.0		µg/L	1	3/30/2007 8:47:00 PM
trans-1,2-Dichloroethene	U	1.0		µg/L	1	3/30/2007 8:47:00 PM
trans-1,3-Dichloropropene	U	1.0		µg/L	1	3/30/2007 8:47:00 PM
Trichloroethene	U	1.0		µg/L	1	3/30/2007 8:47:00 PM
Trichlorofluoromethane	U	1.0		µg/L	1	3/30/2007 8:47:00 PM
Vinyl acetate	U	1.0		µg/L	1	3/30/2007 8:47:00 PM
Vinyl chloride	U	1.0		µg/L	1	3/30/2007 8:47:00 PM
Surr: 4-Bromofluorobenzene	96.7	54-134		%REC	1	3/30/2007 8:47:00 PM
Surr: Dibromofluoromethane	114	52-132		%REC	1	3/30/2007 8:47:00 PM
Surr: Toluene-d8	99.0	51-127		%REC	1	3/30/2007 8:47:00 PM

Qualifiers:	B	Analyte detected in the associated Method Blank	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	S	Spike Recovery outside accepted recovery limits
	U	Indicates the compound was analyzed for but not detected	X	Value exceeds Maximum Contaminant Level

Monday, April 02, 2007

Mark Goldberg
Leggette Brashears & Graham Inc.
4 Research Drive
Suite 301
Shelton, CT 06484

TEL: (203) 929-8555
FAX (203) 926-9140

RE: Rowe Industries

Order No.: 0703256

Dear Mark Goldberg:

American Analytical Laboratories, LLC. received 6 sample(s) on 3/30/2007 for the analyses presented in the following report.


Samples were analyzed in accordance with the test procedures documented on the chain of custody and detailed throughout the text of this report.

The limits provided in the data package are analytical reporting limits and not Federal or Local mandated values to which the sample results should be compared.

There were no problems with the analyses and all data for associated QC met laboratory specifications. If there are any exceptions a Case Narrative is provided in the report.

If you have any questions regarding these tests results, please do not hesitate to call (631) 454-6100 or email me directly at lbeyer@american-analytical.com.

Sincerely,



Lori Beyer
Lab Director

American Analytical Laboratories, LLC.

Date: 02-Apr-07

CLIENT: Leggette Brashears & Graham Inc.**Project:** Rowe Industries**Lab Order:** 0703256**Work Order Sample Summary**

Lab Sample ID	Client Sample ID	Tag Number	Date Collected	Date Received
0703256-01A	PRE 032807	12829	3/28/2007	3/30/2007
0703256-02A	MID032807	12829	3/28/2007	3/30/2007
0703256-03A	FRW1 032807	12829	3/28/2007	3/30/2007
0703256-04A	FRW2 032807	12829	3/28/2007	3/30/2007
0703256-05A	FRW3 032807	12829	3/28/2007	3/30/2007
0703256-06A	FRW4 032807	12829	3/28/2007	3/30/2007

TAG # / COC

CHAIN OF CUSTODY / REQUEST FOR ANALYSIS DOCUMENT

[illegible]

AMERICAN ANALYTICAL LABORATORIES, LLC

56 TOLEDO STREET

FARMINGDALE, NEW YORK 11735

TELEPHONE: (631) 454-6100 FAX: (631) 454-8027

DATA REPORTING QUALIFIERS

For reporting results, the following "Results Qualifiers" are used:

Value	If the result is greater than or equal to the detection limit, report the value
U	Indicates the compound was analyzed for but was not detected. Report the minimum detection limit for the sample with the U, i.e. "10U". This is not necessarily the instrument detection limit attainable for this particular sample based on any concentration or dilution that may have been required.
J	Indicates an estimated value. The flag is used: (1) When estimating a concentration for a tentatively identified compound (library search hits, where a 1:1 response is assumed.) (2) When the mass spectral data indicated the identification, however the result was less than the specified detection limit greater than zero. If the detection limit was 10ug/L and a concentration of 3ug/L was calculated report as 3J. This flag is used when similar situations arise on any organic parameter i.e. Pesticide, PCBs and others.
B	Indicates the analyte was found in the blank as well as the sample report "10B".
E	Indicates the analytes concentration exceeds the calibrated range of the instrument for that specific analysis.
D	This flag identifies all compounds identified in an analysis at a secondary dilution factor.
P	This flag is used for Pesticide / PCB target analyte when there is >25% difference for detected concentrations between the two GC Columns. The higher of the two values is reported on Form I and flagged with a "P".
N	This flag indicates presumptive evidence of a compound. This is only used for tentatively identified compounds (TICs), where the identification is based on a mass spectral library search. It applies to all TIC results. For generic characterization of a TIC, such as chlorinated hydrocarbon, the flag is not used.
H	Indicates sample was received and/or analyzed outside of The method allowable holding time

American Analytical Laboratories, LLC.

Date: 02-Apr-07

CLIENT: Leggette Brashears & Graham Inc.
Lab Order: 0703256
Project: Rowe Industries
Lab ID: 0703256-01A

Client Sample ID: PRE 032807
Tag Number: 12829
Collection Date: 3/28/2007
Matrix: LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILE SW-846 8260 + MTBE & FREON113		SW8260B		Analyst: MB		
1,1,1,2-Tetrachloroethane	U	1.0		µg/L	1	3/31/2007 12:50:00 AM
1,1,1-Trichloroethane	U	1.0		µg/L	1	3/31/2007 12:50:00 AM
1,1,2,2-Tetrachloroethane	U	1.0		µg/L	1	3/31/2007 12:50:00 AM
1,1,2-Trichloro-1,2,2-trifluoroethane	U	1.0		µg/L	1	3/31/2007 12:50:00 AM
1,1,2-Trichloroethane	U	1.0		µg/L	1	3/31/2007 12:50:00 AM
1,1-Dichloroethane	U	1.0		µg/L	1	3/31/2007 12:50:00 AM
1,1-Dichloroethene	U	1.0		µg/L	1	3/31/2007 12:50:00 AM
1,1-Dichloropropene	U	1.0		µg/L	1	3/31/2007 12:50:00 AM
1,2,3-Trichlorobenzene	U	1.0		µg/L	1	3/31/2007 12:50:00 AM
1,2,3-Trichloropropane	U	1.0		µg/L	1	3/31/2007 12:50:00 AM
1,2,4-Trichlorobenzene	U	1.0		µg/L	1	3/31/2007 12:50:00 AM
1,2,4-Trimethylbenzene	U	1.0		µg/L	1	3/31/2007 12:50:00 AM
1,2-Dibromo-3-chloropropane	U	1.0		µg/L	1	3/31/2007 12:50:00 AM
1,2-Dibromoethane	U	1.0		µg/L	1	3/31/2007 12:50:00 AM
1,2-Dichlorobenzene	U	1.0		µg/L	1	3/31/2007 12:50:00 AM
1,2-Dichloroethane	U	1.0		µg/L	1	3/31/2007 12:50:00 AM
1,2-Dichloropropane	U	1.0		µg/L	1	3/31/2007 12:50:00 AM
1,3,5-Trimethylbenzene	U	1.0		µg/L	1	3/31/2007 12:50:00 AM
1,3-Dichlorobenzene	U	1.0		µg/L	1	3/31/2007 12:50:00 AM
1,3-dichloropropane	U	1.0		µg/L	1	3/31/2007 12:50:00 AM
1,4-Dichlorobenzene	U	1.0		µg/L	1	3/31/2007 12:50:00 AM
2,2-Dichloropropane	U	1.0		µg/L	1	3/31/2007 12:50:00 AM
2-Butanone	U	3.0		µg/L	1	3/31/2007 12:50:00 AM
2-Chloroethyl vinyl ether	U	1.0		µg/L	1	3/31/2007 12:50:00 AM
2-Chlorotoluene	U	1.0		µg/L	1	3/31/2007 12:50:00 AM
2-Hexanone	U	2.0		µg/L	1	3/31/2007 12:50:00 AM
4-Chlorotoluene	U	1.0		µg/L	1	3/31/2007 12:50:00 AM
4-Isopropyltoluene	U	1.0		µg/L	1	3/31/2007 12:50:00 AM
4-Methyl-2-pentanone	U	2.0		µg/L	1	3/31/2007 12:50:00 AM
Acetone	U	2.0		µg/L	1	3/31/2007 12:50:00 AM
Benzene	U	1.0		µg/L	1	3/31/2007 12:50:00 AM
Bromobenzene	U	1.0		µg/L	1	3/31/2007 12:50:00 AM
Bromochloromethane	U	1.0		µg/L	1	3/31/2007 12:50:00 AM
Bromodichloromethane	U	1.0		µg/L	1	3/31/2007 12:50:00 AM
Bromoform	U	1.0		µg/L	1	3/31/2007 12:50:00 AM
Bromomethane	U	1.0		µg/L	1	3/31/2007 12:50:00 AM
Carbon disulfide	U	1.0		µg/L	1	3/31/2007 12:50:00 AM
Carbon tetrachloride	U	1.0		µg/L	1	3/31/2007 12:50:00 AM
Chlorobenzene	U	1.0		µg/L	1	3/31/2007 12:50:00 AM

Qualifiers:	B	Analyte detected in the associated Method Blank	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	S	Spike Recovery outside accepted recovery limits
	U	Indicates the compound was analyzed for but not detected	X	Value exceeds Maximum Contaminant Level

American Analytical Laboratories, LLC.

Date: 02-Apr-07

CLIENT: Leggette Brashears & Graham Inc.
Lab Order: 0703256
Project: Rowe Industries
Lab ID: 0703256-01A

Client Sample ID: PRE 032807
Tag Number: 12829
Collection Date: 3/28/2007
Matrix: LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILE SW-846 8260 + MTBE & FREON113		SW8260B		Analyst: MB		
Chloroethane	U	1.0		µg/L	1	3/31/2007 12:50:00 AM
Chloroform	U	1.0		µg/L	1	3/31/2007 12:50:00 AM
Chloromethane	U	1.0		µg/L	1	3/31/2007 12:50:00 AM
cis-1,2-Dichloroethene	20	1.0		µg/L	1	3/31/2007 12:50:00 AM
cis-1,3-Dichloropropene	U	1.0		µg/L	1	3/31/2007 12:50:00 AM
Dibromochloromethane	U	1.0		µg/L	1	3/31/2007 12:50:00 AM
Dibromomethane	U	1.0		µg/L	1	3/31/2007 12:50:00 AM
Dichlorodifluoromethane	U	1.0		µg/L	1	3/31/2007 12:50:00 AM
Ethylbenzene	U	1.0		µg/L	1	3/31/2007 12:50:00 AM
Hexachlorobutadiene	U	1.0		µg/L	1	3/31/2007 12:50:00 AM
Isopropylbenzene	1.2	1.0		µg/L	1	3/31/2007 12:50:00 AM
m,p-Xylene	U	2.0		µg/L	1	3/31/2007 12:50:00 AM
Methyl tert-butyl ether	U	1.0		µg/L	1	3/31/2007 12:50:00 AM
Methylene chloride	U	1.0		µg/L	1	3/31/2007 12:50:00 AM
Naphthalene	U	1.0		µg/L	1	3/31/2007 12:50:00 AM
n-Butylbenzene	U	1.0		µg/L	1	3/31/2007 12:50:00 AM
n-Propylbenzene	U	1.0		µg/L	1	3/31/2007 12:50:00 AM
o-Xylene	U	1.0		µg/L	1	3/31/2007 12:50:00 AM
sec-Butylbenzene	U	1.0		µg/L	1	3/31/2007 12:50:00 AM
Styrene	U	1.0		µg/L	1	3/31/2007 12:50:00 AM
tert-Butylbenzene	U	1.0		µg/L	1	3/31/2007 12:50:00 AM
Tetrachloroethene	60	1.0		µg/L	1	3/31/2007 12:50:00 AM
Toluene	14	1.0		µg/L	1	3/31/2007 12:50:00 AM
trans-1,2-Dichloroethene	U	1.0		µg/L	1	3/31/2007 12:50:00 AM
trans-1,3-Dichloropropene	U	1.0		µg/L	1	3/31/2007 12:50:00 AM
Trichloroethene	3.7	1.0		µg/L	1	3/31/2007 12:50:00 AM
Trichlorofluoromethane	U	1.0		µg/L	1	3/31/2007 12:50:00 AM
Vinyl acetate	U	1.0		µg/L	1	3/31/2007 12:50:00 AM
Vinyl chloride	5.2	1.0		µg/L	1	3/31/2007 12:50:00 AM
Surr: 4-Bromofluorobenzene	95.6	54-134		%REC	1	3/31/2007 12:50:00 AM
Surr: Dibromofluoromethane	109	52-132		%REC	1	3/31/2007 12:50:00 AM
Surr: Toluene-d8	95.3	51-127		%REC	1	3/31/2007 12:50:00 AM

Qualifiers:	B	Analyte detected in the associated Method Blank	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	S	Spike Recovery outside accepted recovery limits
	U	Indicates the compound was analyzed for but not detected	X	Value exceeds Maximum Contaminant Level

American Analytical Laboratories, LLC.

Date: 02-Apr-07

CLIENT: Leggette Brashears & Graham Inc.
Lab Order: 0703256
Project: Rowe Industries
Lab ID: 0703256-02A

Client Sample ID: MID032807
Tag Number: 12829
Collection Date: 3/28/2007
Matrix: LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILE SW-846 8260 + MTBE & FREON113		SW8260B		Analyst: MB		
1,1,1,2-Tetrachloroethane	U	1.0		µg/L	1	3/31/2007 1:28:00 AM
1,1,1-Trichloroethane	U	1.0		µg/L	1	3/31/2007 1:28:00 AM
1,1,2,2-Tetrachloroethane	U	1.0		µg/L	1	3/31/2007 1:28:00 AM
1,1,2-Trichloro-1,2,2-trifluoroethane	U	1.0		µg/L	1	3/31/2007 1:28:00 AM
1,1,2-Trichloroethane	U	1.0		µg/L	1	3/31/2007 1:28:00 AM
1,1-Dichloroethane	U	1.0		µg/L	1	3/31/2007 1:28:00 AM
1,1-Dichloroethene	U	1.0		µg/L	1	3/31/2007 1:28:00 AM
1,1-Dichloropropene	U	1.0		µg/L	1	3/31/2007 1:28:00 AM
1,2,3-Trichlorobenzene	U	1.0		µg/L	1	3/31/2007 1:28:00 AM
1,2,3-Trichloropropane	U	1.0		µg/L	1	3/31/2007 1:28:00 AM
1,2,4-Trichlorobenzene	U	1.0		µg/L	1	3/31/2007 1:28:00 AM
1,2,4-Trimethylbenzene	U	1.0		µg/L	1	3/31/2007 1:28:00 AM
1,2-Dibromo-3-chloropropane	U	1.0		µg/L	1	3/31/2007 1:28:00 AM
1,2-Dibromoethane	U	1.0		µg/L	1	3/31/2007 1:28:00 AM
1,2-Dichlorobenzene	U	1.0		µg/L	1	3/31/2007 1:28:00 AM
1,2-Dichloroethane	U	1.0		µg/L	1	3/31/2007 1:28:00 AM
1,2-Dichloropropane	U	1.0		µg/L	1	3/31/2007 1:28:00 AM
1,3,5-Trimethylbenzene	U	1.0		µg/L	1	3/31/2007 1:28:00 AM
1,3-Dichlorobenzene	U	1.0		µg/L	1	3/31/2007 1:28:00 AM
1,3-dichloropropane	U	1.0		µg/L	1	3/31/2007 1:28:00 AM
1,4-Dichlorobenzene	U	1.0		µg/L	1	3/31/2007 1:28:00 AM
2,2-Dichloropropane	U	1.0		µg/L	1	3/31/2007 1:28:00 AM
2-Butanone	U	3.0		µg/L	1	3/31/2007 1:28:00 AM
2-Chloroethyl vinyl ether	U	1.0		µg/L	1	3/31/2007 1:28:00 AM
2-Chlorotoluene	U	1.0		µg/L	1	3/31/2007 1:28:00 AM
2-Hexanone	U	2.0		µg/L	1	3/31/2007 1:28:00 AM
4-Chlorotoluene	U	1.0		µg/L	1	3/31/2007 1:28:00 AM
4-Isopropyltoluene	U	1.0		µg/L	1	3/31/2007 1:28:00 AM
4-Methyl-2-pentanone	U	2.0		µg/L	1	3/31/2007 1:28:00 AM
Acetone	U	2.0		µg/L	1	3/31/2007 1:28:00 AM
Benzene	U	1.0		µg/L	1	3/31/2007 1:28:00 AM
Bromobenzene	U	1.0		µg/L	1	3/31/2007 1:28:00 AM
Bromochloromethane	U	1.0		µg/L	1	3/31/2007 1:28:00 AM
Bromodichloromethane	U	1.0		µg/L	1	3/31/2007 1:28:00 AM
Bromoform	U	1.0		µg/L	1	3/31/2007 1:28:00 AM
Bromomethane	U	1.0		µg/L	1	3/31/2007 1:28:00 AM
Carbon disulfide	U	1.0		µg/L	1	3/31/2007 1:28:00 AM
Carbon tetrachloride	U	1.0		µg/L	1	3/31/2007 1:28:00 AM
Chlorobenzene	U	1.0		µg/L	1	3/31/2007 1:28:00 AM

Qualifiers:	B	Analyte detected in the associated Method Blank	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	S	Spike Recovery outside accepted recovery limits
	U	Indicates the compound was analyzed for but not detected	X	Value exceeds Maximum Contaminant Level

American Analytical Laboratories, LLC.

Date: 02-Apr-07

CLIENT: Leggette Brashears & Graham Inc.
Lab Order: 0703256
Project: Rowe Industries
Lab ID: 0703256-02A

Client Sample ID: MID032807
Tag Number: 12829
Collection Date: 3/28/2007
Matrix: LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILE SW-846 8260 + MTBE & FREON113		SW8260B		Analyst: MB		
Chloroethane	U	1.0		µg/L	1	3/31/2007 1:28:00 AM
Chloroform	U	1.0		µg/L	1	3/31/2007 1:28:00 AM
Chloromethane	U	1.0		µg/L	1	3/31/2007 1:28:00 AM
cis-1,2-Dichloroethene	5.3	1.0		µg/L	1	3/31/2007 1:28:00 AM
cis-1,3-Dichloropropene	U	1.0		µg/L	1	3/31/2007 1:28:00 AM
Dibromochloromethane	U	1.0		µg/L	1	3/31/2007 1:28:00 AM
Dibromomethane	U	1.0		µg/L	1	3/31/2007 1:28:00 AM
Dichlorodifluoromethane	U	1.0		µg/L	1	3/31/2007 1:28:00 AM
Ethylbenzene	U	1.0		µg/L	1	3/31/2007 1:28:00 AM
Hexachlorobutadiene	U	1.0		µg/L	1	3/31/2007 1:28:00 AM
Isopropylbenzene	U	1.0		µg/L	1	3/31/2007 1:28:00 AM
m,p-Xylene	U	2.0		µg/L	1	3/31/2007 1:28:00 AM
Methyl tert-butyl ether	U	1.0		µg/L	1	3/31/2007 1:28:00 AM
Methylene chloride	U	1.0		µg/L	1	3/31/2007 1:28:00 AM
Naphthalene	U	1.0		µg/L	1	3/31/2007 1:28:00 AM
n-Butylbenzene	U	1.0		µg/L	1	3/31/2007 1:28:00 AM
n-Propylbenzene	U	1.0		µg/L	1	3/31/2007 1:28:00 AM
o-Xylene	U	1.0		µg/L	1	3/31/2007 1:28:00 AM
sec-Butylbenzene	U	1.0		µg/L	1	3/31/2007 1:28:00 AM
Styrene	U	1.0		µg/L	1	3/31/2007 1:28:00 AM
tert-Butylbenzene	U	1.0		µg/L	1	3/31/2007 1:28:00 AM
Tetrachloroethene	34	1.0		µg/L	1	3/31/2007 1:28:00 AM
Toluene	U	1.0		µg/L	1	3/31/2007 1:28:00 AM
trans-1,2-Dichloroethene	U	1.0		µg/L	1	3/31/2007 1:28:00 AM
trans-1,3-Dichloropropene	U	1.0		µg/L	1	3/31/2007 1:28:00 AM
Trichloroethene	1.8	1.0		µg/L	1	3/31/2007 1:28:00 AM
Trichlorofluoromethane	U	1.0		µg/L	1	3/31/2007 1:28:00 AM
Vinyl acetate	U	1.0		µg/L	1	3/31/2007 1:28:00 AM
Vinyl chloride	1.9	1.0		µg/L	1	3/31/2007 1:28:00 AM
Surr: 4-Bromofluorobenzene	95.1	54-134		%REC	1	3/31/2007 1:28:00 AM
Surr: Dibromofluoromethane	114	52-132		%REC	1	3/31/2007 1:28:00 AM
Surr: Toluene-d8	95.9	51-127		%REC	1	3/31/2007 1:28:00 AM

Qualifiers:	B	Analyte detected in the associated Method Blank	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	S	Spike Recovery outside accepted recovery limits
	U	Indicates the compound was analyzed for but not detected	X	Value exceeds Maximum Contaminant Level

American Analytical Laboratories, LLC.

Date: 02-Apr-07

CLIENT: Leggette Brashears & Graham Inc.

Client Sample ID: FRW1 032807

Lab Order: 0703256

Tag Number: 12829

Project: Rowe Industries

Collection Date: 3/28/2007

Lab ID: 0703256-03A

Matrix: LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILE SW-846 8260 + MTBE & FREON113		SW8260B		Analyst: MB		
1,1,1,2-Tetrachloroethane	U	1.0		µg/L	1	3/31/2007 2:06:00 AM
1,1,1-Trichloroethane	U	1.0		µg/L	1	3/31/2007 2:06:00 AM
1,1,2,2-Tetrachloroethane	U	1.0		µg/L	1	3/31/2007 2:06:00 AM
1,1,2-Trichloro-1,2,2-trifluoroethane	U	1.0		µg/L	1	3/31/2007 2:06:00 AM
1,1,2-Trichloroethane	U	1.0		µg/L	1	3/31/2007 2:06:00 AM
1,1-Dichloroethane	U	1.0		µg/L	1	3/31/2007 2:06:00 AM
1,1-Dichloroethene	U	1.0		µg/L	1	3/31/2007 2:06:00 AM
1,1-Dichloropropene	U	1.0		µg/L	1	3/31/2007 2:06:00 AM
1,2,3-Trichlorobenzene	U	1.0		µg/L	1	3/31/2007 2:06:00 AM
1,2,3-Trichloropropane	U	1.0		µg/L	1	3/31/2007 2:06:00 AM
1,2,4-Trichlorobenzene	U	1.0		µg/L	1	3/31/2007 2:06:00 AM
1,2,4-Trimethylbenzene	U	1.0		µg/L	1	3/31/2007 2:06:00 AM
1,2-Dibromo-3-chloropropane	U	1.0		µg/L	1	3/31/2007 2:06:00 AM
1,2-Dibromoethane	U	1.0		µg/L	1	3/31/2007 2:06:00 AM
1,2-Dichlorobenzene	U	1.0		µg/L	1	3/31/2007 2:06:00 AM
1,2-Dichloroethane	U	1.0		µg/L	1	3/31/2007 2:06:00 AM
1,2-Dichloropropane	U	1.0		µg/L	1	3/31/2007 2:06:00 AM
1,3,5-Trimethylbenzene	U	1.0		µg/L	1	3/31/2007 2:06:00 AM
1,3-Dichlorobenzene	U	1.0		µg/L	1	3/31/2007 2:06:00 AM
1,3-dichloropropane	U	1.0		µg/L	1	3/31/2007 2:06:00 AM
1,4-Dichlorobenzene	U	1.0		µg/L	1	3/31/2007 2:06:00 AM
2,2-Dichloropropane	U	1.0		µg/L	1	3/31/2007 2:06:00 AM
2-Butanone	U	3.0		µg/L	1	3/31/2007 2:06:00 AM
2-Chloroethyl vinyl ether	U	1.0		µg/L	1	3/31/2007 2:06:00 AM
2-Chlorotoluene	U	1.0		µg/L	1	3/31/2007 2:06:00 AM
2-Hexanone	U	2.0		µg/L	1	3/31/2007 2:06:00 AM
4-Chlorotoluene	U	1.0		µg/L	1	3/31/2007 2:06:00 AM
4-Isopropyltoluene	U	1.0		µg/L	1	3/31/2007 2:06:00 AM
4-Methyl-2-pentanone	U	2.0		µg/L	1	3/31/2007 2:06:00 AM
Acetone	U	2.0		µg/L	1	3/31/2007 2:06:00 AM
Benzene	U	1.0		µg/L	1	3/31/2007 2:06:00 AM
Bromobenzene	U	1.0		µg/L	1	3/31/2007 2:06:00 AM
Bromochloromethane	U	1.0		µg/L	1	3/31/2007 2:06:00 AM
Bromodichloromethane	U	1.0		µg/L	1	3/31/2007 2:06:00 AM
Bromoform	U	1.0		µg/L	1	3/31/2007 2:06:00 AM
Bromomethane	U	1.0		µg/L	1	3/31/2007 2:06:00 AM
Carbon disulfide	U	1.0		µg/L	1	3/31/2007 2:06:00 AM
Carbon tetrachloride	U	1.0		µg/L	1	3/31/2007 2:06:00 AM
Chlorobenzene	U	1.0		µg/L	1	3/31/2007 2:06:00 AM

Qualifiers:	B	Analyte detected in the associated Method Blank	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	S	Spike Recovery outside accepted recovery limits
	U	Indicates the compound was analyzed for but not detected	X	Value exceeds Maximum Contaminant Level

American Analytical Laboratories, LLC.

Date: 02-Apr-07

CLIENT: Leggette Brashears & Graham Inc.
 Lab Order: 0703256
 Project: Rowe Industries
 Lab ID: 0703256-03A

Client Sample ID: FRW1 032807
 Tag Number: 12829
 Collection Date: 3/28/2007
 Matrix: LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILE SW-846 8260 + MTBE & FREON113		SW8260B		Analyst: MB		
Chloroethane	U	1.0		µg/L	1	3/31/2007 2:06:00 AM
Chloroform	U	1.0		µg/L	1	3/31/2007 2:06:00 AM
Chloromethane	U	1.0		µg/L	1	3/31/2007 2:06:00 AM
cis-1,2-Dichloroethene	2.4	1.0		µg/L	1	3/31/2007 2:06:00 AM
cis-1,3-Dichloropropene	U	1.0		µg/L	1	3/31/2007 2:06:00 AM
Dibromochloromethane	U	1.0		µg/L	1	3/31/2007 2:06:00 AM
Dibromomethane	U	1.0		µg/L	1	3/31/2007 2:06:00 AM
Dichlorodifluoromethane	U	1.0		µg/L	1	3/31/2007 2:06:00 AM
Ethylbenzene	U	1.0		µg/L	1	3/31/2007 2:06:00 AM
Hexachlorobutadiene	U	1.0		µg/L	1	3/31/2007 2:06:00 AM
Isopropylbenzene	U	1.0		µg/L	1	3/31/2007 2:06:00 AM
m,p-Xylene	U	2.0		µg/L	1	3/31/2007 2:06:00 AM
Methyl tert-butyl ether	U	1.0		µg/L	1	3/31/2007 2:06:00 AM
Methylene chloride	U	1.0		µg/L	1	3/31/2007 2:06:00 AM
Naphthalene	U	1.0		µg/L	1	3/31/2007 2:06:00 AM
n-Butylbenzene	U	1.0		µg/L	1	3/31/2007 2:06:00 AM
n-Propylbenzene	U	1.0		µg/L	1	3/31/2007 2:06:00 AM
o-Xylene	U	1.0		µg/L	1	3/31/2007 2:06:00 AM
sec-Butylbenzene	U	1.0		µg/L	1	3/31/2007 2:06:00 AM
Styrene	U	1.0		µg/L	1	3/31/2007 2:06:00 AM
tert-Butylbenzene	U	1.0		µg/L	1	3/31/2007 2:06:00 AM
Tetrachloroethene	170	1.0		µg/L	1	3/31/2007 2:06:00 AM
Toluene	4.6	1.0		µg/L	1	3/31/2007 2:06:00 AM
trans-1,2-Dichloroethene	U	1.0		µg/L	1	3/31/2007 2:06:00 AM
trans-1,3-Dichloropropene	U	1.0		µg/L	1	3/31/2007 2:06:00 AM
Trichloroethene	3.1	1.0		µg/L	1	3/31/2007 2:06:00 AM
Trichlorofluoromethane	U	1.0		µg/L	1	3/31/2007 2:06:00 AM
Vinyl acetate	U	1.0		µg/L	1	3/31/2007 2:06:00 AM
Vinyl chloride	1.3	1.0		µg/L	1	3/31/2007 2:06:00 AM
Surr: 4-Bromofluorobenzene	101	54-134		%REC	1	3/31/2007 2:06:00 AM
Surr: Dibromofluoromethane	111	52-132		%REC	1	3/31/2007 2:06:00 AM
Surr: Toluene-d8	95.0	51-127		%REC	1	3/31/2007 2:06:00 AM

Qualifiers:	B	Analyte detected in the associated Method Blank	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	S	Spike Recovery outside accepted recovery limits
	U	Indicates the compound was analyzed for but not detected	X	Value exceeds Maximum Contaminant Level

American Analytical Laboratories, LLC.

Date: 02-Apr-07

CLIENT: Leggette Brashears & Graham Inc.

Client Sample ID: FRW2 032807

Lab Order: 0703256

Tag Number: 12829

Project: Rowe Industries

Collection Date: 3/28/2007

Lab ID: 0703256-04A

Matrix: LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILE SW-846 8260 + MTBE & FREON113		SW8260B		Analyst: MB		
1,1,1,2-Tetrachloroethane	U	1.0		µg/L	1	3/31/2007 2:44:00 AM
1,1,1-Trichloroethane	U	1.0		µg/L	1	3/31/2007 2:44:00 AM
1,1,2,2-Tetrachloroethane	U	1.0		µg/L	1	3/31/2007 2:44:00 AM
1,1,2-Trichloro-1,2,2-trifluoroethane	U	1.0		µg/L	1	3/31/2007 2:44:00 AM
1,1,2-Trichloroethane	U	1.0		µg/L	1	3/31/2007 2:44:00 AM
1,1-Dichloroethane	U	1.0		µg/L	1	3/31/2007 2:44:00 AM
1,1-Dichloroethene	U	1.0		µg/L	1	3/31/2007 2:44:00 AM
1,1-Dichloropropene	U	1.0		µg/L	1	3/31/2007 2:44:00 AM
1,2,3-Trichlorobenzene	U	1.0		µg/L	1	3/31/2007 2:44:00 AM
1,2,3-Trichloropropane	U	1.0		µg/L	1	3/31/2007 2:44:00 AM
1,2,4-Trichlorobenzene	U	1.0		µg/L	1	3/31/2007 2:44:00 AM
1,2,4-Trimethylbenzene	U	1.0		µg/L	1	3/31/2007 2:44:00 AM
1,2-Dibromo-3-chloropropane	U	1.0		µg/L	1	3/31/2007 2:44:00 AM
1,2-Dibromoethane	U	1.0		µg/L	1	3/31/2007 2:44:00 AM
1,2-Dichlorobenzene	U	1.0		µg/L	1	3/31/2007 2:44:00 AM
1,2-Dichloroethane	U	1.0		µg/L	1	3/31/2007 2:44:00 AM
1,2-Dichloropropane	U	1.0		µg/L	1	3/31/2007 2:44:00 AM
1,3,5-Trimethylbenzene	U	1.0		µg/L	1	3/31/2007 2:44:00 AM
1,3-Dichlorobenzene	U	1.0		µg/L	1	3/31/2007 2:44:00 AM
1,3-dichloropropane	U	1.0		µg/L	1	3/31/2007 2:44:00 AM
1,4-Dichlorobenzene	U	1.0		µg/L	1	3/31/2007 2:44:00 AM
2,2-Dichloropropane	U	1.0		µg/L	1	3/31/2007 2:44:00 AM
2-Butanone	U	3.0		µg/L	1	3/31/2007 2:44:00 AM
2-Chloroethyl vinyl ether	U	1.0		µg/L	1	3/31/2007 2:44:00 AM
2-Chlorotoluene	U	1.0		µg/L	1	3/31/2007 2:44:00 AM
2-Hexanone	U	2.0		µg/L	1	3/31/2007 2:44:00 AM
4-Chlorotoluene	U	1.0		µg/L	1	3/31/2007 2:44:00 AM
4-Isopropyltoluene	U	1.0		µg/L	1	3/31/2007 2:44:00 AM
4-Methyl-2-pentanone	U	2.0		µg/L	1	3/31/2007 2:44:00 AM
Acetone	U	2.0		µg/L	1	3/31/2007 2:44:00 AM
Benzene	U	1.0		µg/L	1	3/31/2007 2:44:00 AM
Bromobenzene	U	1.0		µg/L	1	3/31/2007 2:44:00 AM
Bromochloromethane	U	1.0		µg/L	1	3/31/2007 2:44:00 AM
Bromodichloromethane	U	1.0		µg/L	1	3/31/2007 2:44:00 AM
Bromoform	U	1.0		µg/L	1	3/31/2007 2:44:00 AM
Bromomethane	U	1.0		µg/L	1	3/31/2007 2:44:00 AM
Carbon disulfide	U	1.0		µg/L	1	3/31/2007 2:44:00 AM
Carbon tetrachloride	U	1.0		µg/L	1	3/31/2007 2:44:00 AM
Chlorobenzene	U	1.0		µg/L	1	3/31/2007 2:44:00 AM

Qualifiers:	B	Analyte detected in the associated Method Blank	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	S	Spike Recovery outside accepted recovery limits
	U	Indicates the compound was analyzed for but not detected	X	Value exceeds Maximum Contaminant Level

American Analytical Laboratories, LLC.

Date: 02-Apr-07

CLIENT: Leggette Brashears & Graham Inc.
Lab Order: 0703256
Project: Rowe Industries
Lab ID: 0703256-04A

Client Sample ID: FRW2 032807
Tag Number: 12829
Collection Date: 3/28/2007
Matrix: LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILE SW-846 8260 + MTBE & FREON113		SW8260B		Analyst: MB		
Chloroethane	U	1.0		µg/L	1	3/31/2007 2:44:00 AM
Chloroform	U	1.0		µg/L	1	3/31/2007 2:44:00 AM
Chloromethane	U	1.0		µg/L	1	3/31/2007 2:44:00 AM
cis-1,2-Dichloroethene	17	1.0		µg/L	1	3/31/2007 2:44:00 AM
cis-1,3-Dichloropropene	U	1.0		µg/L	1	3/31/2007 2:44:00 AM
Dibromochloromethane	U	1.0		µg/L	1	3/31/2007 2:44:00 AM
Dibromomethane	U	1.0		µg/L	1	3/31/2007 2:44:00 AM
Dichlorodifluoromethane	U	1.0		µg/L	1	3/31/2007 2:44:00 AM
Ethylbenzene	U	1.0		µg/L	1	3/31/2007 2:44:00 AM
Hexachlorobutadiene	U	1.0		µg/L	1	3/31/2007 2:44:00 AM
Isopropylbenzene	1.5	1.0		µg/L	1	3/31/2007 2:44:00 AM
m,p-Xylene	U	2.0		µg/L	1	3/31/2007 2:44:00 AM
Methyl tert-butyl ether	U	1.0		µg/L	1	3/31/2007 2:44:00 AM
Methylene chloride	U	1.0		µg/L	1	3/31/2007 2:44:00 AM
Naphthalene	U	1.0		µg/L	1	3/31/2007 2:44:00 AM
n-Butylbenzene	U	1.0		µg/L	1	3/31/2007 2:44:00 AM
n-Propylbenzene	0.98	1.0	J	µg/L	1	3/31/2007 2:44:00 AM
o-Xylene	U	1.0		µg/L	1	3/31/2007 2:44:00 AM
sec-Butylbenzene	U	1.0		µg/L	1	3/31/2007 2:44:00 AM
Styrene	U	1.0		µg/L	1	3/31/2007 2:44:00 AM
tert-Butylbenzene	U	1.0		µg/L	1	3/31/2007 2:44:00 AM
Tetrachloroethene	72	1.0		µg/L	1	3/31/2007 2:44:00 AM
Toluene	19	1.0		µg/L	1	3/31/2007 2:44:00 AM
trans-1,2-Dichloroethene	U	1.0		µg/L	1	3/31/2007 2:44:00 AM
trans-1,3-Dichloropropene	U	1.0		µg/L	1	3/31/2007 2:44:00 AM
Trichloroethene	3.5	1.0		µg/L	1	3/31/2007 2:44:00 AM
Trichlorofluoromethane	U	1.0		µg/L	1	3/31/2007 2:44:00 AM
Vinyl acetate	U	1.0		µg/L	1	3/31/2007 2:44:00 AM
Vinyl chloride	6.0	1.0		µg/L	1	3/31/2007 2:44:00 AM
Surr: 4-Bromofluorobenzene	98.2	54-134		%REC	1	3/31/2007 2:44:00 AM
Surr: Dibromofluoromethane	112	52-132		%REC	1	3/31/2007 2:44:00 AM
Surr: Toluene-d8	96.4	51-127		%REC	1	3/31/2007 2:44:00 AM

Qualifiers:	B	Analyte detected in the associated Method Blank	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	S	Spike Recovery outside accepted recovery limits
	U	Indicates the compound was analyzed for but not detected	X	Value exceeds Maximum Contaminant Level

American Analytical Laboratories, LLC.

Date: 02-Apr-07

CLIENT: Leggette Brashears & Graham Inc.
Lab Order: 0703256
Project: Rowe Industries
Lab ID: 0703256-05A

Client Sample ID: FRW3 032807
Tag Number: 12829
Collection Date: 3/28/2007
Matrix: LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILE SW-846 8260 + MTBE & FREON113		SW8260B		Analyst: MB		
1,1,1,2-Tetrachloroethane	U	1.0		µg/L	1	3/31/2007 3:22:00 AM
1,1,1-Trichloroethane	U	1.0		µg/L	1	3/31/2007 3:22:00 AM
1,1,2,2-Tetrachloroethane	U	1.0		µg/L	1	3/31/2007 3:22:00 AM
1,1,2-Trichloro-1,2,2-trifluoroethane	U	1.0		µg/L	1	3/31/2007 3:22:00 AM
1,1,2-Trichloroethane	U	1.0		µg/L	1	3/31/2007 3:22:00 AM
1,1-Dichloroethane	U	1.0		µg/L	1	3/31/2007 3:22:00 AM
1,1-Dichloroethene	U	1.0		µg/L	1	3/31/2007 3:22:00 AM
1,1-Dichloropropene	U	1.0		µg/L	1	3/31/2007 3:22:00 AM
1,2,3-Trichlorobenzene	U	1.0		µg/L	1	3/31/2007 3:22:00 AM
1,2,3-Trichloropropane	U	1.0		µg/L	1	3/31/2007 3:22:00 AM
1,2,4-Trichlorobenzene	U	1.0		µg/L	1	3/31/2007 3:22:00 AM
1,2,4-Trimethylbenzene	U	1.0		µg/L	1	3/31/2007 3:22:00 AM
1,2-Dibromo-3-chloropropane	U	1.0		µg/L	1	3/31/2007 3:22:00 AM
1,2-Dibromoethane	U	1.0		µg/L	1	3/31/2007 3:22:00 AM
1,2-Dichlorobenzene	U	1.0		µg/L	1	3/31/2007 3:22:00 AM
1,2-Dichloroethane	U	1.0		µg/L	1	3/31/2007 3:22:00 AM
1,2-Dichloropropane	U	1.0		µg/L	1	3/31/2007 3:22:00 AM
1,3,5-Trimethylbenzene	U	1.0		µg/L	1	3/31/2007 3:22:00 AM
1,3-Dichlorobenzene	U	1.0		µg/L	1	3/31/2007 3:22:00 AM
1,3-dichloropropane	U	1.0		µg/L	1	3/31/2007 3:22:00 AM
1,4-Dichlorobenzene	U	1.0		µg/L	1	3/31/2007 3:22:00 AM
2,2-Dichloropropane	U	1.0		µg/L	1	3/31/2007 3:22:00 AM
2-Butanone	U	3.0		µg/L	1	3/31/2007 3:22:00 AM
2-Chloroethyl vinyl ether	U	1.0		µg/L	1	3/31/2007 3:22:00 AM
2-Chlorotoluene	U	1.0		µg/L	1	3/31/2007 3:22:00 AM
2-Hexanone	U	2.0		µg/L	1	3/31/2007 3:22:00 AM
4-Chlorotoluene	U	1.0		µg/L	1	3/31/2007 3:22:00 AM
4-isopropyltoluene	U	1.0		µg/L	1	3/31/2007 3:22:00 AM
4-Methyl-2-pentanone	U	2.0		µg/L	1	3/31/2007 3:22:00 AM
Acetone	U	2.0		µg/L	1	3/31/2007 3:22:00 AM
Benzene	U	1.0		µg/L	1	3/31/2007 3:22:00 AM
Bromobenzene	U	1.0		µg/L	1	3/31/2007 3:22:00 AM
Bromochloromethane	U	1.0		µg/L	1	3/31/2007 3:22:00 AM
Bromodichloromethane	U	1.0		µg/L	1	3/31/2007 3:22:00 AM
Bromoform	U	1.0		µg/L	1	3/31/2007 3:22:00 AM
Bromomethane	U	1.0		µg/L	1	3/31/2007 3:22:00 AM
Carbon disulfide	U	1.0		µg/L	1	3/31/2007 3:22:00 AM
Carbon tetrachloride	U	1.0		µg/L	1	3/31/2007 3:22:00 AM
Chlorobenzene	U	1.0		µg/L	1	3/31/2007 3:22:00 AM

Qualifiers:	B	Analyte detected in the associated Method Blank	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	S	Spike Recovery outside accepted recovery limits
	U	Indicates the compound was analyzed for but not detected	X	Value exceeds Maximum Contaminant Level

American Analytical Laboratories, LLC.

Date: 02-Apr-07

CLIENT: Leggette Brashears & Graham Inc.
Lab Order: 0703256
Project: Rowe Industries
Lab ID: 0703256-05A

Client Sample ID: FRW3 032807
Tag Number: 12829
Collection Date: 3/28/2007
Matrix: LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILE SW-846 8260 + MTBE & FREON113		SW8260B		Analyst: MB		
Chloroethane	U	1.0		µg/L	1	3/31/2007 3:22:00 AM
Chloroform	U	1.0		µg/L	1	3/31/2007 3:22:00 AM
Chloromethane	U	1.0		µg/L	1	3/31/2007 3:22:00 AM
cis-1,2-Dichloroethene	U	1.0		µg/L	1	3/31/2007 3:22:00 AM
cis-1,3-Dichloropropene	U	1.0		µg/L	1	3/31/2007 3:22:00 AM
Dibromochloromethane	U	1.0		µg/L	1	3/31/2007 3:22:00 AM
Dibromomethane	U	1.0		µg/L	1	3/31/2007 3:22:00 AM
Dichlorodifluoromethane	U	1.0		µg/L	1	3/31/2007 3:22:00 AM
Ethylbenzene	U	1.0		µg/L	1	3/31/2007 3:22:00 AM
Hexachlorobutadiene	U	1.0		µg/L	1	3/31/2007 3:22:00 AM
Isopropylbenzene	0.97	1.0	J	µg/L	1	3/31/2007 3:22:00 AM
m,p-Xylene	U	2.0		µg/L	1	3/31/2007 3:22:00 AM
Methyl tert-butyl ether	U	1.0		µg/L	1	3/31/2007 3:22:00 AM
Methylene chloride	U	1.0		µg/L	1	3/31/2007 3:22:00 AM
Naphthalene	U	1.0		µg/L	1	3/31/2007 3:22:00 AM
n-Butylbenzene	U	1.0		µg/L	1	3/31/2007 3:22:00 AM
n-Propylbenzene	U	1.0		µg/L	1	3/31/2007 3:22:00 AM
o-Xylene	U	1.0		µg/L	1	3/31/2007 3:22:00 AM
sec-Butylbenzene	U	1.0		µg/L	1	3/31/2007 3:22:00 AM
Styrene	U	1.0		µg/L	1	3/31/2007 3:22:00 AM
tert-Butylbenzene	U	1.0		µg/L	1	3/31/2007 3:22:00 AM
Tetrachloroethene	12	1.0		µg/L	1	3/31/2007 3:22:00 AM
Toluene	58	1.0		µg/L	1	3/31/2007 3:22:00 AM
trans-1,2-Dichloroethene	U	1.0		µg/L	1	3/31/2007 3:22:00 AM
trans-1,3-Dichloropropene	U	1.0		µg/L	1	3/31/2007 3:22:00 AM
Trichloroethene	1.3	1.0		µg/L	1	3/31/2007 3:22:00 AM
Trichlorofluoromethane	U	1.0		µg/L	1	3/31/2007 3:22:00 AM
Vinyl acetate	U	1.0		µg/L	1	3/31/2007 3:22:00 AM
Vinyl chloride	U	1.0		µg/L	1	3/31/2007 3:22:00 AM
Surr: 4-Bromofluorobenzene	102	54-134		%REC	1	3/31/2007 3:22:00 AM
Surr: Dibromofluoromethane	112	52-132		%REC	1	3/31/2007 3:22:00 AM
Surr: Toluene-d8	97.9	51-127		%REC	1	3/31/2007 3:22:00 AM

Qualifiers:	B	Analyte detected in the associated Method Blank	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	S	Spike Recovery outside accepted recovery limits
	U	Indicates the compound was analyzed for but not detected	X	Value exceeds Maximum Contaminant Level

American Analytical Laboratories, LLC.

Date: 02-Apr-07

CLIENT: Leggette Brashears & Graham Inc.
Lab Order: 0703256
Project: Rowe Industries
Lab ID: 0703256-06A

Client Sample ID: FRW4 032807
Tag Number: 12829
Collection Date: 3/28/2007
Matrix: LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILE SW-846 8260 + MTBE & FREON113		SW8260B		Analyst: MB		
1,1,1,2-Tetrachloroethane	U	1.0		µg/L	1	3/31/2007 4:03:00 AM
1,1,1-Trichloroethane	U	1.0		µg/L	1	3/31/2007 4:03:00 AM
1,1,2,2-Tetrachloroethane	U	1.0		µg/L	1	3/31/2007 4:03:00 AM
1,1,2-Trichloro-1,2,2-trifluoroethane	U	1.0		µg/L	1	3/31/2007 4:03:00 AM
1,1,2-Trichloroethane	U	1.0		µg/L	1	3/31/2007 4:03:00 AM
1,1-Dichloroethane	U	1.0		µg/L	1	3/31/2007 4:03:00 AM
1,1-Dichloroethene	U	1.0		µg/L	1	3/31/2007 4:03:00 AM
1,1-Dichloropropene	U	1.0		µg/L	1	3/31/2007 4:03:00 AM
1,2,3-Trichlorobenzene	U	1.0		µg/L	1	3/31/2007 4:03:00 AM
1,2,3-Trichloropropane	U	1.0		µg/L	1	3/31/2007 4:03:00 AM
1,2,4-Trichlorobenzene	U	1.0		µg/L	1	3/31/2007 4:03:00 AM
1,2,4-Trimethylbenzene	U	1.0		µg/L	1	3/31/2007 4:03:00 AM
1,2-Dibromo-3-chloropropane	U	1.0		µg/L	1	3/31/2007 4:03:00 AM
1,2-Dibromoethane	U	1.0		µg/L	1	3/31/2007 4:03:00 AM
1,2-Dichlorobenzene	U	1.0		µg/L	1	3/31/2007 4:03:00 AM
1,2-Dichloroethane	U	1.0		µg/L	1	3/31/2007 4:03:00 AM
1,2-Dichloropropane	U	1.0		µg/L	1	3/31/2007 4:03:00 AM
1,3,5-Trimethylbenzene	U	1.0		µg/L	1	3/31/2007 4:03:00 AM
1,3-Dichlorobenzene	U	1.0		µg/L	1	3/31/2007 4:03:00 AM
1,3-dichloropropane	U	1.0		µg/L	1	3/31/2007 4:03:00 AM
1,4-Dichlorobenzene	U	1.0		µg/L	1	3/31/2007 4:03:00 AM
2,2-Dichloropropane	U	1.0		µg/L	1	3/31/2007 4:03:00 AM
2-Butanone	U	3.0		µg/L	1	3/31/2007 4:03:00 AM
2-Chloroethyl vinyl ether	U	1.0		µg/L	1	3/31/2007 4:03:00 AM
2-Chlorotoluene	U	1.0		µg/L	1	3/31/2007 4:03:00 AM
2-Hexanone	U	2.0		µg/L	1	3/31/2007 4:03:00 AM
4-Chlorotoluene	U	1.0		µg/L	1	3/31/2007 4:03:00 AM
4-Isopropyltoluene	U	1.0		µg/L	1	3/31/2007 4:03:00 AM
4-Methyl-2-pentanone	U	2.0		µg/L	1	3/31/2007 4:03:00 AM
Acetone	U	2.0		µg/L	1	3/31/2007 4:03:00 AM
Benzene	U	1.0		µg/L	1	3/31/2007 4:03:00 AM
Bromobenzene	U	1.0		µg/L	1	3/31/2007 4:03:00 AM
Bromochloromethane	U	1.0		µg/L	1	3/31/2007 4:03:00 AM
Bromodichloromethane	U	1.0		µg/L	1	3/31/2007 4:03:00 AM
Bromoform	U	1.0		µg/L	1	3/31/2007 4:03:00 AM
Bromomethane	U	1.0		µg/L	1	3/31/2007 4:03:00 AM
Carbon disulfide	U	1.0		µg/L	1	3/31/2007 4:03:00 AM
Carbon tetrachloride	U	1.0		µg/L	1	3/31/2007 4:03:00 AM
Chlorobenzene	U	1.0		µg/L	1	3/31/2007 4:03:00 AM

Qualifiers:	B	Analyte detected in the associated Method Blank	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	S	Spike Recovery outside accepted recovery limits
	U	Indicates the compound was analyzed for but not detected	X	Value exceeds Maximum Contaminant Level

American Analytical Laboratories, LLC.


Date: 02-Apr-07

CLIENT: Leggette Brashears & Graham Inc.
Lab Order: 0703256
Project: Rowe Industries
Lab ID: 0703256-06A

Client Sample ID: FRW4 032807
Tag Number: 12829
Collection Date: 3/28/2007
Matrix: LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILE SW-846 8260 + MTBE & FREON113		SW8260B		Analyst: MB		
Chloroethane	U	1.0		µg/L	1	3/31/2007 4:03:00 AM
Chloroform	U	1.0		µg/L	1	3/31/2007 4:03:00 AM
Chloromethane	U	1.0		µg/L	1	3/31/2007 4:03:00 AM
cis-1,2-Dichloroethene	U	1.0		µg/L	1	3/31/2007 4:03:00 AM
cis-1,3-Dichloropropene	U	1.0		µg/L	1	3/31/2007 4:03:00 AM
Dibromochloromethane	U	1.0		µg/L	1	3/31/2007 4:03:00 AM
Dibromomethane	U	1.0		µg/L	1	3/31/2007 4:03:00 AM
Dichlorodifluoromethane	U	1.0		µg/L	1	3/31/2007 4:03:00 AM
Ethylbenzene	U	1.0		µg/L	1	3/31/2007 4:03:00 AM
Hexachlorobutadiene	U	1.0		µg/L	1	3/31/2007 4:03:00 AM
Isopropylbenzene	U	1.0		µg/L	1	3/31/2007 4:03:00 AM
m,p-Xylene	U	2.0		µg/L	1	3/31/2007 4:03:00 AM
Methyl tert-butyl ether	U	1.0		µg/L	1	3/31/2007 4:03:00 AM
Methylene chloride	U	1.0		µg/L	1	3/31/2007 4:03:00 AM
Naphthalene	U	1.0		µg/L	1	3/31/2007 4:03:00 AM
n-Butylbenzene	U	1.0		µg/L	1	3/31/2007 4:03:00 AM
n-Propylbenzene	U	1.0		µg/L	1	3/31/2007 4:03:00 AM
o-Xylene	U	1.0		µg/L	1	3/31/2007 4:03:00 AM
sec-Butylbenzene	U	1.0		µg/L	1	3/31/2007 4:03:00 AM
Styrene	U	1.0		µg/L	1	3/31/2007 4:03:00 AM
tert-Butylbenzene	U	1.0		µg/L	1	3/31/2007 4:03:00 AM
Tetrachloroethene	U	1.0		µg/L	1	3/31/2007 4:03:00 AM
Toluene	U	1.0		µg/L	1	3/31/2007 4:03:00 AM
trans-1,2-Dichloroethene	U	1.0		µg/L	1	3/31/2007 4:03:00 AM
trans-1,3-Dichloropropene	U	1.0		µg/L	1	3/31/2007 4:03:00 AM
Trichloroethene	0.90	1.0	J	µg/L	1	3/31/2007 4:03:00 AM
Trichlorofluoromethane	U	1.0		µg/L	1	3/31/2007 4:03:00 AM
Vinyl acetate	U	1.0		µg/L	1	3/31/2007 4:03:00 AM
Vinyl chloride	U	1.0		µg/L	1	3/31/2007 4:03:00 AM
Surr: 4-Bromofluorobenzene	96.4	54-134		%REC	1	3/31/2007 4:03:00 AM
Surr: Dibromofluoromethane	113	52-132		%REC	1	3/31/2007 4:03:00 AM
Surr: Toluene-d8	98.7	51-127		%REC	1	3/31/2007 4:03:00 AM

Qualifiers:	B	Analyte detected in the associated Method Blank	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	S	Spike Recovery outside accepted recovery limits
	U	Indicates the compound was analyzed for but not detected	X	Value exceeds Maximum Contaminant Level



NYSDOH 11418
NJDEP NY050
CTDOH PH-0205
PADEP 68-00573

Friday, April 06, 2007

Mark Goldberg
Leggette Brashears & Graham Inc.
4 Research Drive
Suite 301
Shelton, CT 06484

TEL: (203) 929-8555
FAX (203) 926-9140

RE: Rowe Industries

Dear Mark Goldberg:

Order No.: 0704044

American Analytical Laboratories, LLC. received 7 sample(s) on 4/5/2007 for the analyses presented in the following report.


Samples were analyzed in accordance with the test procedures documented on the chain of custody and detailed throughout the text of this report.

The limits provided in the data package are analytical reporting limits and not Federal or Local mandated values to which the sample results should be compared.

There were no problems with the analyses and all data for associated QC met laboratory specifications. If there are any exceptions a Case Narrative is provided in the report.

If you have any questions regarding these tests results, please do not hesitate to call (631) 454-6100 or email me directly at lbeyer@american-analytical.com.

Sincerely,


Lori Beyer
Lab Director

American Analytical Laboratories, LLC.**Date:** 06-Apr-07**CLIENT:** Leggette Brashears & Graham Inc.**Project:** Rowe Industries**Lab Order:** 0704044**Work Order Sample Summary**

Lab Sample ID	Client Sample ID	Tag Number	Date Collected	Date Received
0704044-01A	PRE:040307	12835	4/3/2007	4/5/2007
0704044-02A	MID: 040307	12835	4/3/2007	4/5/2007
0704044-03A	POST: 040307	12835	4/3/2007	4/5/2007
0704044-04A	FRW 1:040307	12835	4/3/2007	4/5/2007
0704044-05A	FRW 2:040307	12835	4/3/2007	4/5/2007
0704044-06A	FRW 3:040307	12835	4/3/2007	4/5/2007
0704044-07A	FRW 4:040307	12835	4/3/2007	4/5/2007



56 TOLEDO STREET • FARMINGDALE, NEW YORK 11735
(631) 454-6100 • FAX (631) 454-8027

NYS DOH 11418
CT DOH PH-0205
NJ DEP NY050
PA DEP 68-573

TAG # / COC

12835

CHAIN OF CUSTODY / REQUEST FOR ANALYSIS DOCUMENT

CLIENT NAME/ADDRESS 1356 40 Research Drive Suite 301 Shelton, CT 06484			CONTACT: Mark Goldberg		SAMPLER (SIGNATURE) Rob Drew		SAMPLE(S) SEALED YES / NO YES	
PROJECT LOCATION: Dove			ANALYSIS REQUIRED 860 MTBE TCE 113		SAMPLER NAME (PRINT) Rob Drew		CORRECT CONTAINER(S) YES / NO YES	
LABORATORY ID #	MATRIX	# CONTAINERS	SAMPLING DATE/TIME	SAMPLE # - LOCATION	FOR METHANOL PRESERVED SAMPLES (VOLATILE VIAL #)			
0704044-01A	L	2	04/03/07	Pre: 040307				
-02A				Mid: 040307				
-03A				Post: 040307				
-04A				FLW1: 040307				
-05A				FLW2: 040307				
-06A				FLW3: 040307				
-07A				FLW4: 040307				
COOLER TEMPERATURE:					COMMENTS / INSTRUCTIONS			
MATRIX S=SOIL; L=LIQUID; SL=SLUDGE; A-AIR; W=WIFE; P=PAINT CHIPS; B=BULK MATERIAL TYPE G=GRAB; C=COMPOSITE, SS=SPLIT SPOON					TURNAROUND REQUIRED: NORMAL ☒ STAT ☐ BY / /			
RELINQUISHED BY (SIGNATURE) Kithi Deak	DATE/TIME 04/04/07 17:00	PRINTED NAME Kithi Deak	RECEIVED BY LAB (SIGNATURE) Cary Mc	DATE/TIME 4/5/07 11/11	PRINTED NAME C. Mas!			
RELINQUISHED BY (SIGNATURE)	DATE/TIME	PRINTED NAME	RECEIVED BY LAB (SIGNATURE)	DATE/TIME	PRINTED NAME			

WHITE-OFFICE / CANARY-LAB / PINK-SAMPLE CUSTODIAN / GOLDENROD-CLIENT

AMERICAN ANALYTICAL LABORATORIES, LLC

56 TOLEDO STREET

FARMINGDALE, NEW YORK 11735

TELEPHONE: (631) 454-6100 FAX: (631) 454-8027

DATA REPORTING QUALIFIERS

For reporting results, the following "Results Qualifiers" are used:

Value	If the result is greater than or equal to the detection limit, report the value
U	Indicates the compound was analyzed for but was not detected. Report the minimum detection limit for the sample with the U, i.e. "10U". This is not necessarily the instrument detection limit attainable for this particular sample based on any concentration or dilution that may have been required.
J	Indicates an estimated value. The flag is used: (1) When estimating a concentration for a tentatively identified compound (library search hits, where a 1:1 response is assumed.) (2) When the mass spectral data indicated the identification, however the result was less than the specified detection limit greater than zero. If the detection limit was 10ug/L and a concentration of 3ug/L was calculated report as 3J. This flag is used when similar situations arise on any organic parameter i.e. Pesticide, PCBs and others.
B	Indicates the analyte was found in the blank as well as the sample report "10B".
E	Indicates the analytes concentration exceeds the calibrated range of the instrument for that specific analysis.
D	This flag identifies all compounds identified in an analysis at a secondary dilution factor.
P	This flag is used for Pesticide / PCB target analyte when there is >25% difference for detected concentrations between the two GC Columns. The higher of the two values is reported on Form I and flagged with a "P".
N	This flag indicates presumptive evidence of a compound. This is only used for tentatively identified compounds (TICs), where the identification is based on a mass spectral library search. It applies to all TIC results. For generic characterization of a TIC, such as chlorinated hydrocarbon, the flag is not used.
H	Indicates sample was received and/or analyzed outside of The method allowable holding time

American Analytical Laboratories, LLC.

Date: 06-Apr-07

CLIENT: Leggette Brashears & Graham Inc.
Lab Order: 0704044
Project: Rowe Industries
Lab ID: 0704044-01A

Client Sample ID: PRE:040307
Tag Number: 12835
Collection Date: 4/3/2007
Matrix: LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILE SW-846 8260 + MTBE & FREON113		SW8260B		Analyst: MB		
1,1,1,2-Tetrachloroethane	U	1.0		µg/L	1	4/5/2007 8:30:00 PM
1,1,1-Trichloroethane	U	1.0		µg/L	1	4/5/2007 8:30:00 PM
1,1,2,2-Tetrachloroethane	U	1.0		µg/L	1	4/5/2007 8:30:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	U	1.0		µg/L	1	4/5/2007 8:30:00 PM
1,1,2-Trichloroethane	U	1.0		µg/L	1	4/5/2007 8:30:00 PM
1,1-Dichloroethane	U	1.0		µg/L	1	4/5/2007 8:30:00 PM
1,1-Dichloroethene	U	1.0		µg/L	1	4/5/2007 8:30:00 PM
1,1-Dichloropropene	U	1.0		µg/L	1	4/5/2007 8:30:00 PM
1,2,3-Trichlorobenzene	U	1.0		µg/L	1	4/5/2007 8:30:00 PM
1,2,3-Trichloropropane	U	1.0		µg/L	1	4/5/2007 8:30:00 PM
1,2,4-Trichlorobenzene	U	1.0		µg/L	1	4/5/2007 8:30:00 PM
1,2,4-Trimethylbenzene	U	1.0		µg/L	1	4/5/2007 8:30:00 PM
1,2-Dibromo-3-chloropropane	U	1.0		µg/L	1	4/5/2007 8:30:00 PM
1,2-Dibromoethane	U	1.0		µg/L	1	4/5/2007 8:30:00 PM
1,2-Dichlorobenzene	U	1.0		µg/L	1	4/5/2007 8:30:00 PM
1,2-Dichloroethane	U	1.0		µg/L	1	4/5/2007 8:30:00 PM
1,2-Dichloropropane	U	1.0		µg/L	1	4/5/2007 8:30:00 PM
1,3,5-Trimethylbenzene	U	1.0		µg/L	1	4/5/2007 8:30:00 PM
1,3-Dichlorobenzene	U	1.0		µg/L	1	4/5/2007 8:30:00 PM
1,3-dichloropropane	U	1.0		µg/L	1	4/5/2007 8:30:00 PM
1,4-Dichlorobenzene	U	1.0		µg/L	1	4/5/2007 8:30:00 PM
2,2-Dichloropropane	U	1.0		µg/L	1	4/5/2007 8:30:00 PM
2-Butanone	U	3.0		µg/L	1	4/5/2007 8:30:00 PM
2-Chloroethyl vinyl ether	U	1.0		µg/L	1	4/5/2007 8:30:00 PM
2-Chlorotoluene	U	1.0		µg/L	1	4/5/2007 8:30:00 PM
2-Hexanone	U	2.0		µg/L	1	4/5/2007 8:30:00 PM
4-Chlorotoluene	U	1.0		µg/L	1	4/5/2007 8:30:00 PM
4-Isopropyltoluene	U	1.0		µg/L	1	4/5/2007 8:30:00 PM
4-Methyl-2-pentanone	U	2.0		µg/L	1	4/5/2007 8:30:00 PM
Acetone	U	2.0		µg/L	1	4/5/2007 8:30:00 PM
Benzene	U	1.0		µg/L	1	4/5/2007 8:30:00 PM
Bromobenzene	U	1.0		µg/L	1	4/5/2007 8:30:00 PM
Bromochloromethane	U	1.0		µg/L	1	4/5/2007 8:30:00 PM
Bromodichloromethane	U	1.0		µg/L	1	4/5/2007 8:30:00 PM
Bromoform	U	1.0		µg/L	1	4/5/2007 8:30:00 PM
Bromomethane	U	1.0		µg/L	1	4/5/2007 8:30:00 PM
Carbon disulfide	U	1.0		µg/L	1	4/5/2007 8:30:00 PM
Carbon tetrachloride	U	1.0		µg/L	1	4/5/2007 8:30:00 PM
Chlorobenzene	U	1.0		µg/L	1	4/5/2007 8:30:00 PM

Qualifiers:	B	Analyte detected in the associated Method Blank	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	S	Spike Recovery outside accepted recovery limits
	U	Indicates the compound was analyzed for but not detected	X	Value exceeds Maximum Contaminant Level

American Analytical Laboratories, LLC.

Date: 06-Apr-07

CLIENT: Leggette Brashears & Graham Inc.
Lab Order: 0704044
Project: Rowe Industries
Lab ID: 0704044-01A

Client Sample ID: PRE:040307
Tag Number: 12835
Collection Date: 4/3/2007
Matrix: LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILE SW-846 8260 + MTBE & FREON113		SW8260B		Analyst: MB		
Chloroethane	U	1.0		µg/L	1	4/5/2007 8:30:00 PM
Chloroform	U	1.0		µg/L	1	4/5/2007 8:30:00 PM
Chloromethane	U	1.0		µg/L	1	4/5/2007 8:30:00 PM
cis-1,2-Dichloroethene	14	1.0		µg/L	1	4/5/2007 8:30:00 PM
cis-1,3-Dichloropropene	U	1.0		µg/L	1	4/5/2007 8:30:00 PM
Dibromochloromethane	U	1.0		µg/L	1	4/5/2007 8:30:00 PM
Dibromomethane	U	1.0		µg/L	1	4/5/2007 8:30:00 PM
Dichlorodifluoromethane	U	1.0		µg/L	1	4/5/2007 8:30:00 PM
Ethylbenzene	U	1.0		µg/L	1	4/5/2007 8:30:00 PM
Hexachlorobutadiene	U	1.0		µg/L	1	4/5/2007 8:30:00 PM
Isopropylbenzene	U	1.0		µg/L	1	4/5/2007 8:30:00 PM
m,p-Xylene	U	2.0		µg/L	1	4/5/2007 8:30:00 PM
Methyl tert-butyl ether	U	1.0		µg/L	1	4/5/2007 8:30:00 PM
Methylene chloride	U	1.0		µg/L	1	4/5/2007 8:30:00 PM
Naphthalene	U	1.0		µg/L	1	4/5/2007 8:30:00 PM
n-Butylbenzene	U	1.0		µg/L	1	4/5/2007 8:30:00 PM
n-Propylbenzene	U	1.0		µg/L	1	4/5/2007 8:30:00 PM
o-Xylene	U	1.0		µg/L	1	4/5/2007 8:30:00 PM
sec-Butylbenzene	U	1.0		µg/L	1	4/5/2007 8:30:00 PM
Styrene	U	1.0		µg/L	1	4/5/2007 8:30:00 PM
tert-Butylbenzene	U	1.0		µg/L	1	4/5/2007 8:30:00 PM
Tetrachloroethene	80	1.0		µg/L	1	4/5/2007 8:30:00 PM
Toluene	18	1.0		µg/L	1	4/5/2007 8:30:00 PM
trans-1,2-Dichloroethene	U	1.0		µg/L	1	4/5/2007 8:30:00 PM
trans-1,3-Dichloropropene	U	1.0		µg/L	1	4/5/2007 8:30:00 PM
Trichloroethene	U	1.0		µg/L	1	4/5/2007 8:30:00 PM
Trichlorofluoromethane	U	1.0		µg/L	1	4/5/2007 8:30:00 PM
Vinyl acetate	U	1.0		µg/L	1	4/5/2007 8:30:00 PM
Vinyl chloride	4.0	1.0		µg/L	1	4/5/2007 8:30:00 PM
Surr: 4-Bromofluorobenzene	104	54-134		%REC	1	4/5/2007 8:30:00 PM
Surr: Dibromofluoromethane	99.6	52-132		%REC	1	4/5/2007 8:30:00 PM
Surr: Toluene-d8	101	51-127		%REC	1	4/5/2007 8:30:00 PM

Qualifiers:	B	Analyte detected in the associated Method Blank	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	S	Spike Recovery outside accepted recovery limits
	U	Indicates the compound was analyzed for but not detected	X	Value exceeds Maximum Contaminant Level

American Analytical Laboratories, LLC.

Date: 06-Apr-07

CLIENT: Leggette Brashears & Graham Inc.
Lab Order: 0704044
Project: Rowe Industries
Lab ID: 0704044-02A

Client Sample ID: MID: 040307
Tag Number: 12835
Collection Date: 4/3/2007
Matrix: LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILE SW-846 8260 + MTBE & FREON113		SW8260B		Analyst: MB		
1,1,1,2-Tetrachloroethane	U	1.0		µg/L	1	4/5/2007 10:55:00 PM
1,1,1-Trichloroethane	U	1.0		µg/L	1	4/5/2007 10:55:00 PM
1,1,2,2-Tetrachloroethane	U	1.0		µg/L	1	4/5/2007 10:55:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	U	1.0		µg/L	1	4/5/2007 10:55:00 PM
1,1,2-Trichloroethane	U	1.0		µg/L	1	4/5/2007 10:55:00 PM
1,1-Dichloroethane	U	1.0		µg/L	1	4/5/2007 10:55:00 PM
1,1-Dichloroethene	U	1.0		µg/L	1	4/5/2007 10:55:00 PM
1,1-Dichloropropene	U	1.0		µg/L	1	4/5/2007 10:55:00 PM
1,2,3-Trichlorobenzene	U	1.0		µg/L	1	4/5/2007 10:55:00 PM
1,2,3-Trichloropropane	U	1.0		µg/L	1	4/5/2007 10:55:00 PM
1,2,4-Trichlorobenzene	U	1.0		µg/L	1	4/5/2007 10:55:00 PM
1,2,4-Trimethylbenzene	U	1.0		µg/L	1	4/5/2007 10:55:00 PM
1,2-Dibromo-3-chloropropane	U	1.0		µg/L	1	4/5/2007 10:55:00 PM
1,2-Dibromoethane	U	1.0		µg/L	1	4/5/2007 10:55:00 PM
1,2-Dichlorobenzene	U	1.0		µg/L	1	4/5/2007 10:55:00 PM
1,2-Dichloroethane	U	1.0		µg/L	1	4/5/2007 10:55:00 PM
1,2-Dichloropropane	U	1.0		µg/L	1	4/5/2007 10:55:00 PM
1,3,5-Trimethylbenzene	U	1.0		µg/L	1	4/5/2007 10:55:00 PM
1,3-Dichlorobenzene	U	1.0		µg/L	1	4/5/2007 10:55:00 PM
1,3-dichloropropane	U	1.0		µg/L	1	4/5/2007 10:55:00 PM
1,4-Dichlorobenzene	U	1.0		µg/L	1	4/5/2007 10:55:00 PM
2,2-Dichloropropane	U	1.0		µg/L	1	4/5/2007 10:55:00 PM
2-Butanone	U	3.0		µg/L	1	4/5/2007 10:55:00 PM
2-Chloroethyl vinyl ether	U	1.0		µg/L	1	4/5/2007 10:55:00 PM
2-Chlorotoluene	U	1.0		µg/L	1	4/5/2007 10:55:00 PM
2-Hexanone	U	2.0		µg/L	1	4/5/2007 10:55:00 PM
4-Chlorotoluene	U	1.0		µg/L	1	4/5/2007 10:55:00 PM
4-Isopropyltoluene	U	1.0		µg/L	1	4/5/2007 10:55:00 PM
4-Methyl-2-pentanone	U	2.0		µg/L	1	4/5/2007 10:55:00 PM
Acetone	U	2.0		µg/L	1	4/5/2007 10:55:00 PM
Benzene	U	1.0		µg/L	1	4/5/2007 10:55:00 PM
Bromobenzene	U	1.0		µg/L	1	4/5/2007 10:55:00 PM
Bromochloromethane	U	1.0		µg/L	1	4/5/2007 10:55:00 PM
Bromodichloromethane	U	1.0		µg/L	1	4/5/2007 10:55:00 PM
Bromoform	U	1.0		µg/L	1	4/5/2007 10:55:00 PM
Bromomethane	U	1.0		µg/L	1	4/5/2007 10:55:00 PM
Carbon disulfide	U	1.0		µg/L	1	4/5/2007 10:55:00 PM
Carbon tetrachloride	U	1.0		µg/L	1	4/5/2007 10:55:00 PM
Chlorobenzene	U	1.0		µg/L	1	4/5/2007 10:55:00 PM

Qualifiers:	B	Analyte detected in the associated Method Blank	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	S	Spike Recovery outside accepted recovery limits
	U	Indicates the compound was analyzed for but not detected	X	Value exceeds Maximum Contaminant Level

American Analytical Laboratories, LLC.

Date: 06-Apr-07

CLIENT: Leggette Brashears & Graham Inc.
Lab Order: 0704044
Project: Rowe Industries
Lab ID: 0704044-02A

Client Sample ID: MID: 040307
Tag Number: 12835
Collection Date: 4/3/2007
Matrix: LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILE SW-846 8260 + MTBE & FREON113		SW8260B		Analyst: MB		
Chloroethane	U	1.0		µg/L	1	4/5/2007 10:55:00 PM
Chloroform	U	1.0		µg/L	1	4/5/2007 10:55:00 PM
Chloromethane	U	1.0		µg/L	1	4/5/2007 10:55:00 PM
cis-1,2-Dichloroethene	5.6	1.0		µg/L	1	4/5/2007 10:55:00 PM
cis-1,3-Dichloropropene	U	1.0		µg/L	1	4/5/2007 10:55:00 PM
Dibromochloromethane	U	1.0		µg/L	1	4/5/2007 10:55:00 PM
Dibromomethane	U	1.0		µg/L	1	4/5/2007 10:55:00 PM
Dichlorodifluoromethane	U	1.0		µg/L	1	4/5/2007 10:55:00 PM
Ethylbenzene	U	1.0		µg/L	1	4/5/2007 10:55:00 PM
Hexachlorobutadiene	U	1.0		µg/L	1	4/5/2007 10:55:00 PM
Isopropylbenzene	U	1.0		µg/L	1	4/5/2007 10:55:00 PM
m,p-Xylene	U	2.0		µg/L	1	4/5/2007 10:55:00 PM
Methyl tert-butyl ether	U	1.0		µg/L	1	4/5/2007 10:55:00 PM
Methylene chloride	U	1.0		µg/L	1	4/5/2007 10:55:00 PM
Naphthalene	U	1.0		µg/L	1	4/5/2007 10:55:00 PM
n-Butylbenzene	U	1.0		µg/L	1	4/5/2007 10:55:00 PM
n-Propylbenzene	U	1.0		µg/L	1	4/5/2007 10:55:00 PM
o-Xylene	U	1.0		µg/L	1	4/5/2007 10:55:00 PM
sec-Butylbenzene	U	1.0		µg/L	1	4/5/2007 10:55:00 PM
Styrene	U	1.0		µg/L	1	4/5/2007 10:55:00 PM
tert-Butylbenzene	U	1.0		µg/L	1	4/5/2007 10:55:00 PM
Tetrachloroethene	39	1.0		µg/L	1	4/5/2007 10:55:00 PM
Toluene	U	1.0		µg/L	1	4/5/2007 10:55:00 PM
trans-1,2-Dichloroethene	U	1.0		µg/L	1	4/5/2007 10:55:00 PM
trans-1,3-Dichloropropene	U	1.0		µg/L	1	4/5/2007 10:55:00 PM
Trichloroethene	U	1.0		µg/L	1	4/5/2007 10:55:00 PM
Trichlorofluoromethane	U	1.0		µg/L	1	4/5/2007 10:55:00 PM
Vinyl acetate	U	1.0		µg/L	1	4/5/2007 10:55:00 PM
Vinyl chloride	U	1.0		µg/L	1	4/5/2007 10:55:00 PM
Surr: 4-Bromofluorobenzene	102	54-134		%REC	1	4/5/2007 10:55:00 PM
Surr: Dibromofluoromethane	98.1	52-132		%REC	1	4/5/2007 10:55:00 PM
Surr: Toluene-d8	98.4	51-127		%REC	1	4/5/2007 10:55:00 PM

Qualifiers:	B	Analyte detected in the associated Method Blank	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	S	Spike Recovery outside accepted recovery limits
	U	Indicates the compound was analyzed for but not detected	X	Value exceeds Maximum Contaminant Level

American Analytical Laboratories, LLC.

Date: 06-Apr-07

CLIENT: Leggette Brashears & Graham Inc.
Lab Order: 0704044
Project: Rowe Industries
Lab ID: 0704044-03A

Client Sample ID: POST: 040307
Tag Number: 12835
Collection Date: 4/3/2007
Matrix: LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILE SW-846 8260 + MTBE & FREON113		SW8260B		Analyst: MB		
1,1,1,2-Tetrachloroethane	U	1.0		µg/L	1	4/5/2007 11:43:00 PM
1,1,1-Trichloroethane	U	1.0		µg/L	1	4/5/2007 11:43:00 PM
1,1,2-Tetrachloroethane	U	1.0		µg/L	1	4/5/2007 11:43:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	U	1.0		µg/L	1	4/5/2007 11:43:00 PM
1,1,2-Trichloroethane	U	1.0		µg/L	1	4/5/2007 11:43:00 PM
1,1-Dichloroethane	U	1.0		µg/L	1	4/5/2007 11:43:00 PM
1,1-Dichloroethene	U	1.0		µg/L	1	4/5/2007 11:43:00 PM
1,1-Dichloropropene	U	1.0		µg/L	1	4/5/2007 11:43:00 PM
1,2,3-Trichlorobenzene	U	1.0		µg/L	1	4/5/2007 11:43:00 PM
1,2,3-Trichloropropane	U	1.0		µg/L	1	4/5/2007 11:43:00 PM
1,2,4-Trichlorobenzene	U	1.0		µg/L	1	4/5/2007 11:43:00 PM
1,2,4-Trimethylbenzene	U	1.0		µg/L	1	4/5/2007 11:43:00 PM
1,2-Dibromo-3-chloropropane	U	1.0		µg/L	1	4/5/2007 11:43:00 PM
1,2-Dibromoethane	U	1.0		µg/L	1	4/5/2007 11:43:00 PM
1,2-Dichlorobenzene	U	1.0		µg/L	1	4/5/2007 11:43:00 PM
1,2-Dichloroethane	U	1.0		µg/L	1	4/5/2007 11:43:00 PM
1,2-Dichloropropane	U	1.0		µg/L	1	4/5/2007 11:43:00 PM
1,3,5-Trimethylbenzene	U	1.0		µg/L	1	4/5/2007 11:43:00 PM
1,3-Dichlorobenzene	U	1.0		µg/L	1	4/5/2007 11:43:00 PM
1,3-dichloropropane	U	1.0		µg/L	1	4/5/2007 11:43:00 PM
1,4-Dichlorobenzene	U	1.0		µg/L	1	4/5/2007 11:43:00 PM
2,2-Dichloropropane	U	1.0		µg/L	1	4/5/2007 11:43:00 PM
2-Butanone	U	3.0		µg/L	1	4/5/2007 11:43:00 PM
2-Chloroethyl vinyl ether	U	1.0		µg/L	1	4/5/2007 11:43:00 PM
2-Chlorotoluene	U	1.0		µg/L	1	4/5/2007 11:43:00 PM
2-Hexanone	U	2.0		µg/L	1	4/5/2007 11:43:00 PM
4-Chlorotoluene	U	1.0		µg/L	1	4/5/2007 11:43:00 PM
4-Isopropyltoluene	U	1.0		µg/L	1	4/5/2007 11:43:00 PM
4-Methyl-2-pentanone	U	2.0		µg/L	1	4/5/2007 11:43:00 PM
Acetone	U	2.0		µg/L	1	4/5/2007 11:43:00 PM
Benzene	U	1.0		µg/L	1	4/5/2007 11:43:00 PM
Bromobenzene	U	1.0		µg/L	1	4/5/2007 11:43:00 PM
Bromochloromethane	U	1.0		µg/L	1	4/5/2007 11:43:00 PM
Bromodichloromethane	U	1.0		µg/L	1	4/5/2007 11:43:00 PM
Bromoform	U	1.0		µg/L	1	4/5/2007 11:43:00 PM
Bromomethane	U	1.0		µg/L	1	4/5/2007 11:43:00 PM
Carbon disulfide	U	1.0		µg/L	1	4/5/2007 11:43:00 PM
Carbon tetrachloride	U	1.0		µg/L	1	4/5/2007 11:43:00 PM
Chlorobenzene	U	1.0		µg/L	1	4/5/2007 11:43:00 PM

Qualifiers:	B	Analyte detected in the associated Method Blank	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	S	Spike Recovery outside accepted recovery limits
	U	Indicates the compound was analyzed for but not detected	X	Value exceeds Maximum Contaminant Level

American Analytical Laboratories, LLC.

Date: 06-Apr-07

CLIENT: Leggette Brashears & Graham Inc.
Lab Order: 0704044
Project: Rowe Industries
Lab ID: 0704044-03A

Client Sample ID: POST: 040307
Tag Number: 12835
Collection Date: 4/3/2007
Matrix: LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILE SW-846 8260 + MTBE & FREON113		SW8260B		Analyst: MB		
Chloroethane	U	1.0		µg/L	1	4/5/2007 11:43:00 PM
Chloroform	U	1.0		µg/L	1	4/5/2007 11:43:00 PM
Chloromethane	U	1.0		µg/L	1	4/5/2007 11:43:00 PM
cis-1,2-Dichloroethene	U	1.0		µg/L	1	4/5/2007 11:43:00 PM
cis-1,3-Dichloropropene	U	1.0		µg/L	1	4/5/2007 11:43:00 PM
Dibromochloromethane	U	1.0		µg/L	1	4/5/2007 11:43:00 PM
Dibromomethane	U	1.0		µg/L	1	4/5/2007 11:43:00 PM
Dichlorodifluoromethane	U	1.0		µg/L	1	4/5/2007 11:43:00 PM
Ethylbenzene	U	1.0		µg/L	1	4/5/2007 11:43:00 PM
Hexachlorobutadiene	U	1.0		µg/L	1	4/5/2007 11:43:00 PM
Isopropylbenzene	U	1.0		µg/L	1	4/5/2007 11:43:00 PM
m,p-Xylene	U	2.0		µg/L	1	4/5/2007 11:43:00 PM
Methyl tert-butyl ether	U	1.0		µg/L	1	4/5/2007 11:43:00 PM
Methylene chloride	U	1.0		µg/L	1	4/5/2007 11:43:00 PM
Naphthalene	U	1.0		µg/L	1	4/5/2007 11:43:00 PM
n-Butylbenzene	U	1.0		µg/L	1	4/5/2007 11:43:00 PM
n-Propylbenzene	U	1.0		µg/L	1	4/5/2007 11:43:00 PM
o-Xylene	U	1.0		µg/L	1	4/5/2007 11:43:00 PM
sec-Butylbenzene	U	1.0		µg/L	1	4/5/2007 11:43:00 PM
Styrene	U	1.0		µg/L	1	4/5/2007 11:43:00 PM
tert-Butylbenzene	U	1.0		µg/L	1	4/5/2007 11:43:00 PM
Tetrachloroethene	U	1.0		µg/L	1	4/5/2007 11:43:00 PM
Toluene	U	1.0		µg/L	1	4/5/2007 11:43:00 PM
trans-1,2-Dichloroethene	U	1.0		µg/L	1	4/5/2007 11:43:00 PM
trans-1,3-Dichloropropene	U	1.0		µg/L	1	4/5/2007 11:43:00 PM
Trichloroethene	U	1.0		µg/L	1	4/5/2007 11:43:00 PM
Trichlorofluoromethane	U	1.0		µg/L	1	4/5/2007 11:43:00 PM
Vinyl acetate	U	1.0		µg/L	1	4/5/2007 11:43:00 PM
Vinyl chloride	U	1.0		µg/L	1	4/5/2007 11:43:00 PM
Surr: 4-Bromofluorobenzene	104	54-134		%REC	1	4/5/2007 11:43:00 PM
Surr: Dibromofluoromethane	99.2	52-132		%REC	1	4/5/2007 11:43:00 PM
Surr: Toluene-d8	94.7	51-127		%REC	1	4/5/2007 11:43:00 PM

Qualifiers:	B	Analyte detected in the associated Method Blank	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	S	Spike Recovery outside accepted recovery limits
	U	Indicates the compound was analyzed for but not detected	X	Value exceeds Maximum Contaminant Level

American Analytical Laboratories, LLC.

Date: 06-Apr-07

CLIENT: Leggette Brashears & Graham Inc.
Lab Order: 0704044
Project: Rowe Industries
Lab ID: 0704044-04A

Client Sample ID: FRW 1:040307
Tag Number: 12835
Collection Date: 4/3/2007
Matrix: LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILE SW-846 8260 + MTBE & FREON113		SW8260B		Analyst: MB		
1,1,1,2-Tetrachloroethane	U	1.0		µg/L	1	4/6/2007 12:30:00 AM
1,1,1-Trichloroethane	U	1.0		µg/L	1	4/6/2007 12:30:00 AM
1,1,2,2-Tetrachloroethane	U	1.0		µg/L	1	4/6/2007 12:30:00 AM
1,1,2-Trichloro-1,2,2-trifluoroethane	U	1.0		µg/L	1	4/6/2007 12:30:00 AM
1,1,2-Trichloroethane	U	1.0		µg/L	1	4/6/2007 12:30:00 AM
1,1-Dichloroethane	U	1.0		µg/L	1	4/6/2007 12:30:00 AM
1,1-Dichloroethene	U	1.0		µg/L	1	4/6/2007 12:30:00 AM
1,1-Dichloropropene	U	1.0		µg/L	1	4/6/2007 12:30:00 AM
1,2,3-Trichlorobenzene	U	1.0		µg/L	1	4/6/2007 12:30:00 AM
1,2,3-Trichloropropane	U	1.0		µg/L	1	4/6/2007 12:30:00 AM
1,2,4-Trichlorobenzene	U	1.0		µg/L	1	4/6/2007 12:30:00 AM
1,2,4-Trimethylbenzene	U	1.0		µg/L	1	4/6/2007 12:30:00 AM
1,2-Dibromo-3-chloropropane	U	1.0		µg/L	1	4/6/2007 12:30:00 AM
1,2-Dibromoethane	U	1.0		µg/L	1	4/6/2007 12:30:00 AM
1,2-Dichlorobenzene	U	1.0		µg/L	1	4/6/2007 12:30:00 AM
1,2-Dichloroethane	U	1.0		µg/L	1	4/6/2007 12:30:00 AM
1,2-Dichloropropane	U	1.0		µg/L	1	4/6/2007 12:30:00 AM
1,3,5-Trimethylbenzene	U	1.0		µg/L	1	4/6/2007 12:30:00 AM
1,3-Dichlorobenzene	U	1.0		µg/L	1	4/6/2007 12:30:00 AM
1,3-dichloropropane	U	1.0		µg/L	1	4/6/2007 12:30:00 AM
1,4-Dichlorobenzene	U	1.0		µg/L	1	4/6/2007 12:30:00 AM
2,2-Dichloropropane	U	1.0		µg/L	1	4/6/2007 12:30:00 AM
2-Butanone	U	3.0		µg/L	1	4/6/2007 12:30:00 AM
2-Chloroethyl vinyl ether	U	1.0		µg/L	1	4/6/2007 12:30:00 AM
2-Chlorotoluene	U	1.0		µg/L	1	4/6/2007 12:30:00 AM
2-Hexanone	U	2.0		µg/L	1	4/6/2007 12:30:00 AM
4-Chlorotoluene	U	1.0		µg/L	1	4/6/2007 12:30:00 AM
4-Isopropyltoluene	U	1.0		µg/L	1	4/6/2007 12:30:00 AM
4-Methyl-2-pentanone	U	2.0		µg/L	1	4/6/2007 12:30:00 AM
Acetone	U	2.0		µg/L	1	4/6/2007 12:30:00 AM
Benzene	U	1.0		µg/L	1	4/6/2007 12:30:00 AM
Bromobenzene	U	1.0		µg/L	1	4/6/2007 12:30:00 AM
Bromochloromethane	U	1.0		µg/L	1	4/6/2007 12:30:00 AM
Bromodichloromethane	U	1.0		µg/L	1	4/6/2007 12:30:00 AM
Bromoform	U	1.0		µg/L	1	4/6/2007 12:30:00 AM
Bromomethane	U	1.0		µg/L	1	4/6/2007 12:30:00 AM
Carbon disulfide	U	1.0		µg/L	1	4/6/2007 12:30:00 AM
Carbon tetrachloride	U	1.0		µg/L	1	4/6/2007 12:30:00 AM
Chlorobenzene	U	1.0		µg/L	1	4/6/2007 12:30:00 AM

Qualifiers:	B	Analyte detected in the associated Method Blank	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	S	Spike Recovery outside accepted recovery limits
	U	Indicates the compound was analyzed for but not detected	X	Value exceeds Maximum Contaminant Level

American Analytical Laboratories, LLC.

Date: 06-Apr-07

CLIENT: Leggette Brashears & Graham Inc.
Lab Order: 0704044
Project: Rowe Industries
Lab ID: 0704044-04A

Client Sample ID: FRW 1:040307
Tag Number: 12835
Collection Date: 4/3/2007
Matrix: LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILE SW-846 8260 + MTBE & FREON113		SW8260B		Analyst: MB		
Chloroethane	U	1.0		µg/L	1	4/6/2007 12:30:00 AM
Chloroform	U	1.0		µg/L	1	4/6/2007 12:30:00 AM
Chloromethane	U	1.0		µg/L	1	4/6/2007 12:30:00 AM
cis-1,2-Dichloroethene	93	1.0		µg/L	1	4/6/2007 12:30:00 AM
cis-1,3-Dichloropropene	U	1.0		µg/L	1	4/6/2007 12:30:00 AM
Dibromochloromethane	U	1.0		µg/L	1	4/6/2007 12:30:00 AM
Dibromomethane	U	1.0		µg/L	1	4/6/2007 12:30:00 AM
Dichlorodifluoromethane	U	1.0		µg/L	1	4/6/2007 12:30:00 AM
Ethylbenzene	U	1.0		µg/L	1	4/6/2007 12:30:00 AM
Hexachlorobutadiene	U	1.0		µg/L	1	4/6/2007 12:30:00 AM
Isopropylbenzene	U	1.0		µg/L	1	4/6/2007 12:30:00 AM
m,p-Xylene	U	2.0		µg/L	1	4/6/2007 12:30:00 AM
Methyl tert-butyl ether	U	1.0		µg/L	1	4/6/2007 12:30:00 AM
Methylene chloride	U	1.0		µg/L	1	4/6/2007 12:30:00 AM
Naphthalene	U	1.0		µg/L	1	4/6/2007 12:30:00 AM
n-Butylbenzene	U	1.0		µg/L	1	4/6/2007 12:30:00 AM
n-Propylbenzene	U	1.0		µg/L	1	4/6/2007 12:30:00 AM
o-Xylene	U	1.0		µg/L	1	4/6/2007 12:30:00 AM
sec-Butylbenzene	U	1.0		µg/L	1	4/6/2007 12:30:00 AM
Styrene	U	1.0		µg/L	1	4/6/2007 12:30:00 AM
tert-Butylbenzene	U	1.0		µg/L	1	4/6/2007 12:30:00 AM
Tetrachloroethene	110	1.0		µg/L	1	4/6/2007 12:30:00 AM
Toluene	U	1.0		µg/L	1	4/6/2007 12:30:00 AM
trans-1,2-Dichloroethene	U	1.0		µg/L	1	4/6/2007 12:30:00 AM
trans-1,3-Dichloropropene	U	1.0		µg/L	1	4/6/2007 12:30:00 AM
Trichloroethene	8.6	1.0		µg/L	1	4/6/2007 12:30:00 AM
Trichlorofluoromethane	U	1.0		µg/L	1	4/6/2007 12:30:00 AM
Vinyl acetate	U	1.0		µg/L	1	4/6/2007 12:30:00 AM
Vinyl chloride	30	1.0		µg/L	1	4/6/2007 12:30:00 AM
Surr: 4-Bromofluorobenzene	105	54-134		%REC	1	4/6/2007 12:30:00 AM
Surr: Dibromofluoromethane	99.9	52-132		%REC	1	4/6/2007 12:30:00 AM
Surr: Toluene-d8	101	51-127		%REC	1	4/6/2007 12:30:00 AM

Qualifiers:	B	Analyte detected in the associated Method Blank	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	S	Spike Recovery outside accepted recovery limits
	U	Indicates the compound was analyzed for but not detected	X	Value exceeds Maximum Contaminant Level

American Analytical Laboratories, LLC.

Date: 06-Apr-07

CLIENT: Leggette Brashears & Graham Inc.
Lab Order: 0704044
Project: Rowe Industries
Lab ID: 0704044-05A

Client Sample ID: FRW 2:040307
Tag Number: 12835
Collection Date: 4/3/2007
Matrix: LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILE SW-846 8260 + MTBE & FREON113		SW8260B		Analyst: MB		
1,1,1,2-Tetrachloroethane	U	1.0		µg/L	1	4/6/2007 1:19:00 AM
1,1,1-Trichloroethane	U	1.0		µg/L	1	4/6/2007 1:19:00 AM
1,1,2,2-Tetrachloroethane	U	1.0		µg/L	1	4/6/2007 1:19:00 AM
1,1,2-Trichloro-1,2,2-trifluoroethane	U	1.0		µg/L	1	4/6/2007 1:19:00 AM
1,1,2-Trichloroethane	U	1.0		µg/L	1	4/6/2007 1:19:00 AM
1,1-Dichloroethane	U	1.0		µg/L	1	4/6/2007 1:19:00 AM
1,1-Dichloroethene	U	1.0		µg/L	1	4/6/2007 1:19:00 AM
1,1-Dichloropropene	U	1.0		µg/L	1	4/6/2007 1:19:00 AM
1,2,3-Trichlorobenzene	U	1.0		µg/L	1	4/6/2007 1:19:00 AM
1,2,3-Trichloropropane	U	1.0		µg/L	1	4/6/2007 1:19:00 AM
1,2,4-Trichlorobenzene	U	1.0		µg/L	1	4/6/2007 1:19:00 AM
1,2,4-Trimethylbenzene	U	1.0		µg/L	1	4/6/2007 1:19:00 AM
1,2-Dibromo-3-chloropropane	U	1.0		µg/L	1	4/6/2007 1:19:00 AM
1,2-Dibromoethane	U	1.0		µg/L	1	4/6/2007 1:19:00 AM
1,2-Dichlorobenzene	U	1.0		µg/L	1	4/6/2007 1:19:00 AM
1,2-Dichloroethane	U	1.0		µg/L	1	4/6/2007 1:19:00 AM
1,2-Dichloropropane	U	1.0		µg/L	1	4/6/2007 1:19:00 AM
1,3,5-Trimethylbenzene	U	1.0		µg/L	1	4/6/2007 1:19:00 AM
1,3-Dichlorobenzene	U	1.0		µg/L	1	4/6/2007 1:19:00 AM
1,3-dichloropropane	U	1.0		µg/L	1	4/6/2007 1:19:00 AM
1,4-Dichlorobenzene	U	1.0		µg/L	1	4/6/2007 1:19:00 AM
2,2-Dichloropropane	U	1.0		µg/L	1	4/6/2007 1:19:00 AM
2-Butanone	U	3.0		µg/L	1	4/6/2007 1:19:00 AM
2-Chloroethyl vinyl ether	U	1.0		µg/L	1	4/6/2007 1:19:00 AM
2-Chlorotoluene	U	1.0		µg/L	1	4/6/2007 1:19:00 AM
2-Hexanone	U	2.0		µg/L	1	4/6/2007 1:19:00 AM
4-Chlorotoluene	U	1.0		µg/L	1	4/6/2007 1:19:00 AM
4-Isopropyltoluene	U	1.0		µg/L	1	4/6/2007 1:19:00 AM
4-Methyl-2-pentanone	U	2.0		µg/L	1	4/6/2007 1:19:00 AM
Acetone	U	2.0		µg/L	1	4/6/2007 1:19:00 AM
Benzene	U	1.0		µg/L	1	4/6/2007 1:19:00 AM
Bromobenzene	U	1.0		µg/L	1	4/6/2007 1:19:00 AM
Bromochloromethane	U	1.0		µg/L	1	4/6/2007 1:19:00 AM
Bromodichloromethane	U	1.0		µg/L	1	4/6/2007 1:19:00 AM
Bromoform	U	1.0		µg/L	1	4/6/2007 1:19:00 AM
Bromomethane	U	1.0		µg/L	1	4/6/2007 1:19:00 AM
Carbon disulfide	U	1.0		µg/L	1	4/6/2007 1:19:00 AM
Carbon tetrachloride	U	1.0		µg/L	1	4/6/2007 1:19:00 AM
Chlorobenzene	U	1.0		µg/L	1	4/6/2007 1:19:00 AM

Qualifiers:	B	Analyte detected in the associated Method Blank	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	S	Spike Recovery outside accepted recovery limits
	U	Indicates the compound was analyzed for but not detected	X	Value exceeds Maximum Contaminant Level

American Analytical Laboratories, LLC.

Date: 06-Apr-07

CLIENT: Leggette Brashears & Graham Inc.
Lab Order: 0704044
Project: Rowe Industries
Lab ID: 0704044-05A

Client Sample ID: FRW 2:040307
Tag Number: 12835
Collection Date: 4/3/2007
Matrix: LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILE SW-846 8260 + MTBE & FREON113		SW8260B		Analyst: MB		
Chloroethane	U	1.0		µg/L	1	4/6/2007 1:19:00 AM
Chloroform	U	1.0		µg/L	1	4/6/2007 1:19:00 AM
Chloromethane	U	1.0		µg/L	1	4/6/2007 1:19:00 AM
cis-1,2-Dichloroethene	19	1.0		µg/L	1	4/6/2007 1:19:00 AM
cis-1,3-Dichloropropene	U	1.0		µg/L	1	4/6/2007 1:19:00 AM
Dibromochloromethane	U	1.0		µg/L	1	4/6/2007 1:19:00 AM
Dibromomethane	U	1.0		µg/L	1	4/6/2007 1:19:00 AM
Dichlorodifluoromethane	U	1.0		µg/L	1	4/6/2007 1:19:00 AM
Ethylbenzene	U	1.0		µg/L	1	4/6/2007 1:19:00 AM
Hexachlorobutadiene	U	1.0		µg/L	1	4/6/2007 1:19:00 AM
Isopropylbenzene	U	1.0		µg/L	1	4/6/2007 1:19:00 AM
m,p-Xylene	U	2.0		µg/L	1	4/6/2007 1:19:00 AM
Methyl tert-butyl ether	U	1.0		µg/L	1	4/6/2007 1:19:00 AM
Methylene chloride	U	1.0		µg/L	1	4/6/2007 1:19:00 AM
Naphthalene	U	1.0		µg/L	1	4/6/2007 1:19:00 AM
n-Butylbenzene	U	1.0		µg/L	1	4/6/2007 1:19:00 AM
n-Propylbenzene	U	1.0		µg/L	1	4/6/2007 1:19:00 AM
o-Xylene	U	1.0		µg/L	1	4/6/2007 1:19:00 AM
sec-Butylbenzene	U	1.0		µg/L	1	4/6/2007 1:19:00 AM
Styrene	U	1.0		µg/L	1	4/6/2007 1:19:00 AM
tert-Butylbenzene	U	1.0		µg/L	1	4/6/2007 1:19:00 AM
Tetrachloroethene	98	1.0		µg/L	1	4/6/2007 1:19:00 AM
Toluene	24	1.0		µg/L	1	4/6/2007 1:19:00 AM
trans-1,2-Dichloroethene	U	1.0		µg/L	1	4/6/2007 1:19:00 AM
trans-1,3-Dichloropropene	U	1.0		µg/L	1	4/6/2007 1:19:00 AM
Trichloroethene	2.7	1.0		µg/L	1	4/6/2007 1:19:00 AM
Trichlorofluoromethane	U	1.0		µg/L	1	4/6/2007 1:19:00 AM
Vinyl acetate	U	1.0		µg/L	1	4/6/2007 1:19:00 AM
Vinyl chloride	7.3	1.0		µg/L	1	4/6/2007 1:19:00 AM
Surr: 4-Bromofluorobenzene	106	54-134		%REC	1	4/6/2007 1:19:00 AM
Surr: Dibromofluoromethane	100	52-132		%REC	1	4/6/2007 1:19:00 AM
Surr: Toluene-d8	93.9	51-127		%REC	1	4/6/2007 1:19:00 AM

Qualifiers:	B	Analyte detected in the associated Method Blank	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	S	Spike Recovery outside accepted recovery limits
	U	Indicates the compound was analyzed for but not detected	X	Value exceeds Maximum Contaminant Level

American Analytical Laboratories, LLC.

Date: 06-Apr-07

CLIENT: Leggette Brashears & Graham Inc.
Lab Order: 0704044
Project: Rowe Industries
Lab ID: 0704044-06A

Client Sample ID: FRW 3:040307
Tag Number: 12835
Collection Date: 4/3/2007
Matrix: LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILE SW-846 8260 + MTBE & FREON113		SW8260B		Analyst: MB		
1,1,1,2-Tetrachloroethane	U	1.0		µg/L	1	4/6/2007 2:09:00 AM
1,1,1-Trichloroethane	U	1.0		µg/L	1	4/6/2007 2:09:00 AM
1,1,2,2-Tetrachloroethane	U	1.0		µg/L	1	4/6/2007 2:09:00 AM
1,1,2-Trichloro-1,2,2-trifluoroethane	U	1.0		µg/L	1	4/6/2007 2:09:00 AM
1,1,2-Trichloroethane	U	1.0		µg/L	1	4/6/2007 2:09:00 AM
1,1-Dichloroethane	U	1.0		µg/L	1	4/6/2007 2:09:00 AM
1,1-Dichloroethene	U	1.0		µg/L	1	4/6/2007 2:09:00 AM
1,1-Dichloropropene	U	1.0		µg/L	1	4/6/2007 2:09:00 AM
1,2,3-Trichlorobenzene	U	1.0		µg/L	1	4/6/2007 2:09:00 AM
1,2,3-Trichloropropane	U	1.0		µg/L	1	4/6/2007 2:09:00 AM
1,2,4-Trichlorobenzene	U	1.0		µg/L	1	4/6/2007 2:09:00 AM
1,2,4-Trimethylbenzene	U	1.0		µg/L	1	4/6/2007 2:09:00 AM
1,2-Dibromo-3-chloropropane	U	1.0		µg/L	1	4/6/2007 2:09:00 AM
1,2-Dibromoethane	U	1.0		µg/L	1	4/6/2007 2:09:00 AM
1,2-Dichlorobenzene	U	1.0		µg/L	1	4/6/2007 2:09:00 AM
1,2-Dichloroethane	U	1.0		µg/L	1	4/6/2007 2:09:00 AM
1,2-Dichloropropane	U	1.0		µg/L	1	4/6/2007 2:09:00 AM
1,3,5-Trimethylbenzene	U	1.0		µg/L	1	4/6/2007 2:09:00 AM
1,3-Dichlorobenzene	U	1.0		µg/L	1	4/6/2007 2:09:00 AM
1,3-dichloropropane	U	1.0		µg/L	1	4/6/2007 2:09:00 AM
1,4-Dichlorobenzene	U	1.0		µg/L	1	4/6/2007 2:09:00 AM
2,2-Dichloropropane	U	1.0		µg/L	1	4/6/2007 2:09:00 AM
2-Butanone	U	3.0		µg/L	1	4/6/2007 2:09:00 AM
2-Chloroethyl vinyl ether	U	1.0		µg/L	1	4/6/2007 2:09:00 AM
2-Chlorotoluene	U	1.0		µg/L	1	4/6/2007 2:09:00 AM
2-Hexanone	U	2.0		µg/L	1	4/6/2007 2:09:00 AM
4-Chlorotoluene	U	1.0		µg/L	1	4/6/2007 2:09:00 AM
4-Isopropyltoluene	U	1.0		µg/L	1	4/6/2007 2:09:00 AM
4-Methyl-2-pentanone	U	2.0		µg/L	1	4/6/2007 2:09:00 AM
Acetone	U	2.0		µg/L	1	4/6/2007 2:09:00 AM
Benzene	U	1.0		µg/L	1	4/6/2007 2:09:00 AM
Bromobenzene	U	1.0		µg/L	1	4/6/2007 2:09:00 AM
Bromochloromethane	U	1.0		µg/L	1	4/6/2007 2:09:00 AM
Bromodichloromethane	U	1.0		µg/L	1	4/6/2007 2:09:00 AM
Bromoform	U	1.0		µg/L	1	4/6/2007 2:09:00 AM
Bromomethane	U	1.0		µg/L	1	4/6/2007 2:09:00 AM
Carbon disulfide	U	1.0		µg/L	1	4/6/2007 2:09:00 AM
Carbon tetrachloride	U	1.0		µg/L	1	4/6/2007 2:09:00 AM
Chlorobenzene	U	1.0		µg/L	1	4/6/2007 2:09:00 AM

Qualifiers:
 B Analyte detected in the associated Method Blank
 H Holding times for preparation or analysis exceeded
 ND Not Detected at the Reporting Limit
 U Indicates the compound was analyzed for but not detected

E Value above quantitation range
 J Analyte detected below quantitation limits
 S Spike Recovery outside accepted recovery limits
 X Value exceeds Maximum Contaminant Level

American Analytical Laboratories, LLC.

Date: 06-Apr-07

CLIENT: Leggette Brashears & Graham Inc.
Lab Order: 0704044
Project: Rowe Industries
Lab ID: 0704044-06A

Client Sample ID: FRW 3:040307
Tag Number: 12835
Collection Date: 4/3/2007
Matrix: LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILE SW-846 8260 + MTBE & FREON113		SW8260B		Analyst: MB		
Chloroethane	U	1.0		µg/L	1	4/6/2007 2:09:00 AM
Chloroform	U	1.0		µg/L	1	4/6/2007 2:09:00 AM
Chloromethane	U	1.0		µg/L	1	4/6/2007 2:09:00 AM
cis-1,2-Dichloroethene	U	1.0		µg/L	1	4/6/2007 2:09:00 AM
cis-1,3-Dichloropropene	U	1.0		µg/L	1	4/6/2007 2:09:00 AM
Dibromochloromethane	U	1.0		µg/L	1	4/6/2007 2:09:00 AM
Dibromomethane	U	1.0		µg/L	1	4/6/2007 2:09:00 AM
Dichlorodifluoromethane	U	1.0		µg/L	1	4/6/2007 2:09:00 AM
Ethylbenzene	U	1.0		µg/L	1	4/6/2007 2:09:00 AM
Hexachlorobutadiene	U	1.0		µg/L	1	4/6/2007 2:09:00 AM
Isopropylbenzene	U	1.0		µg/L	1	4/6/2007 2:09:00 AM
m,p-Xylene	U	2.0		µg/L	1	4/6/2007 2:09:00 AM
Methyl tert-butyl ether	U	1.0		µg/L	1	4/6/2007 2:09:00 AM
Methylene chloride	U	1.0		µg/L	1	4/6/2007 2:09:00 AM
Naphthalene	U	1.0		µg/L	1	4/6/2007 2:09:00 AM
n-Butylbenzene	U	1.0		µg/L	1	4/6/2007 2:09:00 AM
n-Propylbenzene	U	1.0		µg/L	1	4/6/2007 2:09:00 AM
o-Xylene	U	1.0		µg/L	1	4/6/2007 2:09:00 AM
sec-Butylbenzene	U	1.0		µg/L	1	4/6/2007 2:09:00 AM
Styrene	U	1.0		µg/L	1	4/6/2007 2:09:00 AM
tert-Butylbenzene	U	1.0		µg/L	1	4/6/2007 2:09:00 AM
Tetrachloroethene	11	1.0		µg/L	1	4/6/2007 2:09:00 AM
Toluene	49	1.0		µg/L	1	4/6/2007 2:09:00 AM
trans-1,2-Dichloroethene	U	1.0		µg/L	1	4/6/2007 2:09:00 AM
trans-1,3-Dichloropropene	U	1.0		µg/L	1	4/6/2007 2:09:00 AM
Trichloroethene	U	1.0		µg/L	1	4/6/2007 2:09:00 AM
Trichlorofluoromethane	U	1.0		µg/L	1	4/6/2007 2:09:00 AM
Vinyl acetate	U	1.0		µg/L	1	4/6/2007 2:09:00 AM
Vinyl chloride	U	1.0		µg/L	1	4/6/2007 2:09:00 AM
Surr: 4-Bromofluorobenzene	104	54-134		%REC	1	4/6/2007 2:09:00 AM
Surr: Dibromofluoromethane	105	52-132		%REC	1	4/6/2007 2:09:00 AM
Surr: Toluene-d8	101	51-127		%REC	1	4/6/2007 2:09:00 AM

Qualifiers:	B	Analyte detected in the associated Method Blank	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	S	Spike Recovery outside accepted recovery limits
	U	Indicates the compound was analyzed for but not detected	X	Value exceeds Maximum Contaminant Level

American Analytical Laboratories, LLC.

Date: 06-Apr-07

CLIENT: Leggette Brashears & Graham Inc.
Lab Order: 0704044
Project: Rowe Industries
Lab ID: 0704044-07A

Client Sample ID: FRW 4:040307
Tag Number: 12835
Collection Date: 4/3/2007
Matrix: LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILE SW-846 8260 + MTBE & FREON113		SW8260B		Analyst: MB		
1,1,1,2-Tetrachloroethane	U	1.0		µg/L	1	4/6/2007 2:57:00 AM
1,1,1-Trichloroethane	U	1.0		µg/L	1	4/6/2007 2:57:00 AM
1,1,2,2-Tetrachloroethane	U	1.0		µg/L	1	4/6/2007 2:57:00 AM
1,1,2-Trichloro-1,2,2-trifluoroethane	U	1.0		µg/L	1	4/6/2007 2:57:00 AM
1,1,2-Trichloroethane	U	1.0		µg/L	1	4/6/2007 2:57:00 AM
1,1-Dichloroethane	U	1.0		µg/L	1	4/6/2007 2:57:00 AM
1,1-Dichloroethene	U	1.0		µg/L	1	4/6/2007 2:57:00 AM
1,1-Dichloropropene	U	1.0		µg/L	1	4/6/2007 2:57:00 AM
1,2,3-Trichlorobenzene	U	1.0		µg/L	1	4/6/2007 2:57:00 AM
1,2,3-Trichloropropane	U	1.0		µg/L	1	4/6/2007 2:57:00 AM
1,2,4-Trichlorobenzene	U	1.0		µg/L	1	4/6/2007 2:57:00 AM
1,2,4-Trimethylbenzene	U	1.0		µg/L	1	4/6/2007 2:57:00 AM
1,2-Dibromo-3-chloropropane	U	1.0		µg/L	1	4/6/2007 2:57:00 AM
1,2-Dibromoethane	U	1.0		µg/L	1	4/6/2007 2:57:00 AM
1,2-Dichlorobenzene	U	1.0		µg/L	1	4/6/2007 2:57:00 AM
1,2-Dichloroethane	U	1.0		µg/L	1	4/6/2007 2:57:00 AM
1,2-Dichloropropane	U	1.0		µg/L	1	4/6/2007 2:57:00 AM
1,3,5-Trimethylbenzene	U	1.0		µg/L	1	4/6/2007 2:57:00 AM
1,3-Dichlorobenzene	U	1.0		µg/L	1	4/6/2007 2:57:00 AM
1,3-dichloropropane	U	1.0		µg/L	1	4/6/2007 2:57:00 AM
1,4-Dichlorobenzene	U	1.0		µg/L	1	4/6/2007 2:57:00 AM
2,2-Dichloropropane	U	1.0		µg/L	1	4/6/2007 2:57:00 AM
2-Butanone	U	3.0		µg/L	1	4/6/2007 2:57:00 AM
2-Chloroethyl vinyl ether	U	1.0		µg/L	1	4/6/2007 2:57:00 AM
2-Chlorotoluene	U	1.0		µg/L	1	4/6/2007 2:57:00 AM
2-Hexanone	U	2.0		µg/L	1	4/6/2007 2:57:00 AM
4-Chlorotoluene	U	1.0		µg/L	1	4/6/2007 2:57:00 AM
4-Isopropyltoluene	U	1.0		µg/L	1	4/6/2007 2:57:00 AM
4-Methyl-2-pentanone	U	2.0		µg/L	1	4/6/2007 2:57:00 AM
Acetone	U	2.0		µg/L	1	4/6/2007 2:57:00 AM
Benzene	U	1.0		µg/L	1	4/6/2007 2:57:00 AM
Bromobenzene	U	1.0		µg/L	1	4/6/2007 2:57:00 AM
Bromochloromethane	U	1.0		µg/L	1	4/6/2007 2:57:00 AM
Bromodichloromethane	U	1.0		µg/L	1	4/6/2007 2:57:00 AM
Bromoform	U	1.0		µg/L	1	4/6/2007 2:57:00 AM
Bromomethane	U	1.0		µg/L	1	4/6/2007 2:57:00 AM
Carbon disulfide	U	1.0		µg/L	1	4/6/2007 2:57:00 AM
Carbon tetrachloride	U	1.0		µg/L	1	4/6/2007 2:57:00 AM
Chlorobenzene	U	1.0		µg/L	1	4/6/2007 2:57:00 AM

Qualifiers:	B	Analyte detected in the associated Method Blank	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	S	Spike Recovery outside accepted recovery limits
	U	Indicates the compound was analyzed for but not detected	X	Value exceeds Maximum Contaminant Level

American Analytical Laboratories, LLC.

Date: 06-Apr-07

CLIENT: Leggette Brashears & Graham Inc.
Lab Order: 0704044
Project: Rowe Industries
Lab ID: 0704044-07A

Client Sample ID: FRW 4:040307
Tag Number: 12835
Collection Date: 4/3/2007
Matrix: LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILE SW-846 8260 + MTBE & FREON113		SW8260B		Analyst: MB		
Chloroethane	U	1.0		µg/L	1	4/6/2007 2:57:00 AM
Chloroform	U	1.0		µg/L	1	4/6/2007 2:57:00 AM
Chloromethane	U	1.0		µg/L	1	4/6/2007 2:57:00 AM
cis-1,2-Dichloroethene	U	1.0		µg/L	1	4/6/2007 2:57:00 AM
cis-1,3-Dichloropropene	U	1.0		µg/L	1	4/6/2007 2:57:00 AM
Dibromochloromethane	U	1.0		µg/L	1	4/6/2007 2:57:00 AM
Dibromomethane	U	1.0		µg/L	1	4/6/2007 2:57:00 AM
Dichlorodifluoromethane	U	1.0		µg/L	1	4/6/2007 2:57:00 AM
Ethylbenzene	U	1.0		µg/L	1	4/6/2007 2:57:00 AM
Hexachlorobutadiene	U	1.0		µg/L	1	4/6/2007 2:57:00 AM
Isopropylbenzene	U	1.0		µg/L	1	4/6/2007 2:57:00 AM
m,p-Xylene	U	2.0		µg/L	1	4/6/2007 2:57:00 AM
Methyl tert-butyl ether	U	1.0		µg/L	1	4/6/2007 2:57:00 AM
Methylene chloride	U	1.0		µg/L	1	4/6/2007 2:57:00 AM
Naphthalene	U	1.0		µg/L	1	4/6/2007 2:57:00 AM
n-Butylbenzene	U	1.0		µg/L	1	4/6/2007 2:57:00 AM
n-Propylbenzene	U	1.0		µg/L	1	4/6/2007 2:57:00 AM
o-Xylene	U	1.0		µg/L	1	4/6/2007 2:57:00 AM
sec-Butylbenzene	U	1.0		µg/L	1	4/6/2007 2:57:00 AM
Styrene	U	1.0		µg/L	1	4/6/2007 2:57:00 AM
tert-Butylbenzene	U	1.0		µg/L	1	4/6/2007 2:57:00 AM
Tetrachloroethene	U	1.0		µg/L	1	4/6/2007 2:57:00 AM
Toluene	U	1.0		µg/L	1	4/6/2007 2:57:00 AM
trans-1,2-Dichloroethene	U	1.0		µg/L	1	4/6/2007 2:57:00 AM
trans-1,3-Dichloropropene	U	1.0		µg/L	1	4/6/2007 2:57:00 AM
Trichloroethene	U	1.0		µg/L	1	4/6/2007 2:57:00 AM
Trichlorofluoromethane	U	1.0		µg/L	1	4/6/2007 2:57:00 AM
Vinyl acetate	U	1.0		µg/L	1	4/6/2007 2:57:00 AM
Vinyl chloride	U	1.0		µg/L	1	4/6/2007 2:57:00 AM
Surr: 4-Bromofluorobenzene	106	54-134		%REC	1	4/6/2007 2:57:00 AM
Surr: Dibromofluoromethane	99.0	52-132		%REC	1	4/6/2007 2:57:00 AM
Surr: Toluene-d8	96.6	51-127		%REC	1	4/6/2007 2:57:00 AM

Qualifiers:	B	Analyte detected in the associated Method Blank	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	S	Spike Recovery outside accepted recovery limits
	U	Indicates the compound was analyzed for but not detected	X	Value exceeds Maximum Contaminant Level