

-DRAFT-

PROJECT STATUS MEMORANDUM

NO. 05-07

TO: Pamela Tames, USEPA

FROM: Mark M. Goldberg, P.E.
Tunde H. Komuves-Sandor

DATE: July 24, 2007

PROJECT: Rowe Industries Superfund Site
Ground-Water Recovery and Treatment System
May 2007 Status Report
Sag Harbor, New York

LBG Engineering Services, P.C. (LBG) commenced operation of the ground-water remediation system at the above-referenced site on December 17, 2002. This status report presents a summary of system performance, operation and maintenance, and monitoring activities for the site from May 1, 2007 through May 31, 2007. The report includes a summary of system performance parameters, system operation parameters, analytical results for ground water, system effluent samples, and air quality results.

SUMMARY OF SYSTEM PERFORMANCE AND OPERATION

(May 1, 2007 through May 31, 2007)

- | | |
|---|----------------------------------|
| 1. Hours of operation during the reporting period: | 650 hours (87%) |
| 2. Alarm conditions during the reporting period: | See Table 1 |
| 3. Was the SPDES VOC discharge permit criteria achieved: | yes, (Table 2) |
| 4. Total volume of water pumped during the reporting period: | 17,476,220 gal. |
| 5. Was the system effluent flow below the SPDES limit of 1,023,000 gpd: yes, (Graph 1) | |
| 6. Mass of VOCs recovered during the reporting period: | 1.1 pounds |
| 7. Cumulative mass of VOCs recovered since startup on 12/17/02:
(calculations can be provided upon request) | 203.5 pounds |
| 8. Effluent VOC vapor concentration for the reporting period: | 0.15 mg/m ³ (Table 3) |
| 9. Was the effluent VOC vapor emission rate below 0.022 lbs/hr.:
(calculations can be provided upon request) | yes (0.00144 lbs/hr) |

GROUND-WATER RECOVERY SYSTEM STATUS SUMMARY

The following table summarizes select recovery well parameters for the reporting period. Table 4 presents a summary of the quality results for water samples collected from recovery wells. Graph 2 presents PCE concentrations for each recovery well. For wells with water quality that meets or is approaching remedial criteria, Graph 3 presents PCE concentrations at an expanded scale in order to compare them to the PCE aquifer restoration concentration of 5 ug/L. Laboratory analytical reports are included as Appendix I.

Well	Volume pumped (gal)	Average Flow (gpm)	Lowest Measured Flow (gpm)*	Total VOC Concentration (µg/L)	VOC Recovery (lbs)
RW-2	974,850	27	13	26.0	0.21
RW-3**	359,567	8	10	0	0
RW-4**	802,518	21	10	11	0.07
RW-5	2,272,779	50	50	0	0
RW-6	568,201	15	15	38.7	0.18
RW-7**	3,257,107	70	69	24.3	0.66
RW-8	1,891,434	55	41	0	0
RW-9	2,842,716	72	16	0	0

*Lowest measured flows are based on the lowest average 24-hour pumping rates for each well recorded to date.

** The RW-3, RW-4 and RW-7 flow meters were not functioning properly for part of the month so the total volume pumped was calculated using the flow totalizer when it was working and using the product of the average flow and the hours of operation when the flow totalizer was malfunctioning.

Based on the results of the updated ground-water model for the site, the plume is not migrating beyond the influence of the FSP&T system if the recovery well pumps operate at or above the “Lowest Measured Flows”. The average monthly pumping rates for all recovery wells except RW-3 are at or above the “Lowest Measured Flows”. Recovery well RW-3 had an average monthly flow below its “Lowest Measured Flow”; however, recent ground-water modeling suggests that the plume does not migrate beyond the influence of the FSP&T system when RW-3 is not operating. The updated ground-water model is discussed in the 2006 Annual Report for the site.

Recovery Well rehabilitation was initiated on May 21, 2007, RW-2 was rehabilitated from May 21st through May 25th, RW-8 rehabilitation began on May 29th. Details of the 2007 recovery well rehabilitation will be discussed in an appendix of the 2007 Annual Report.

The effluent pH of the treated water from the FSP&T system is within the acceptable State Pollutant Discharge Elimination System (SPDES) criteria for the site as shown in Table 2.

BAG FILTER STATUS

The following table presents an operational summary of the bag filter usage and configuration for the reporting period.

Dates	Bank 1	Bank 2	Bank 3
May 1 to 31	7 of 8 housings used with 400 micron bag filters	7 of 8 housings used with 400 micron bag filters	Not active

No modifications were made to the filter bank configuration or operation during this reporting period.

OTHER O&M ACTIVITIES AND FUTURE O&M ACTIVITIES

Other O&M activities conducted in May 2007 include:

- On May 1, 2007, unusual (grinding) noises were heard from the TP1B transfer pump, the pump was lubricated, which reduced the noise. A service call was placed to a pump technician.
- On May 10, 2007, water was evacuated from the drip trays beneath the bag filters, and the transmitter board for the malfunctioning onsite combined flow meter located in the FSP&T system was replaced.
- On May 15, 2007, switched lead influent transfer pump from TP1B to TP1A after the grinding noise resumed.
- On May 16, 2007, the RW-4 flow meter was not recording a flow and initial troubleshooting indicated potential clogging of the flow meter; a full flow meter inspection and cleaning will be completed during upcoming well rehabilitation activities.
- On May 21, 2007, RW-2 was turned off for recovery well rehabilitation.
- On May 25, 2007, RW-2 well rehabilitation completed, RW-2 was restarted.
- On May 29, 2007, RW-8 was turned off for recovery well rehabilitation.
- On May 30, 2007, transfer pumps TP-1A, 1B, 2A and 2B were diagnosed by a pump technician and follow-up repairs are required.

Future O&M activities scheduled for the summer of 2007 include:

- Troubleshoot the air stripper blower flow meter;
- Troubleshoot the onsite combined flow meter;
- Replace pump motors for TP-1A and TP1B and conduct follow-up evaluation to determine if transfer pump TP-2B can be repaired or requires replacement;
- Conduct cove and piezometer monitoring;
- Clean the RW-4 flow meter during next scheduled well rehabilitation;

- Continue recovery well rehabilitation and below grade/building pipe cleaning; clean equalization tank, transfer tank and the air stripper tower sump following well rehabilitation activities.

MMG:nv

Attachments

cc: Jeff Srulovitz - Kraft Foods Global, Inc. - .pdf
Lisa Krogman, Environ – .pdf
Jeff Trad, NYSDEC – .pdf
Chief-Operation Maintenance and Support Section, NYSDEC – .pdf
William Spitz, RWM, R-1, NYSDEC
Garrett W. Swensen Jr., Esq., Town of Southampton

TABLES

TABLE 1
GROUND-WATER REMEDIAL ACTION
ROWE INDUSTRIES SUPERFUND SITE
SAG HARBOR, NEW YORK

MAINTENANCE LOG
(May 1, 2007 through May 31, 2007)

Date	Time	System Changes/Modifications	Personnel
5/1/2007		Changed multi-bag filter bags (400 µm) in banks 1 and 2 seven of eight housings used. Banks 1 and 2 left open. Bank 3 closed.	EF
	12:08 PM	Bag Filter 2 High Pressure Warning, system remains on. Bag filters will be cleaned following well rehabilitation activities.	
		Transfer pump TP1B making grinding noises. Lubricating pump reduced noise and scheduled a service call with a pump technician to inspect TP-1B.	EF/MG
	12:32 PM	Communication failure alarm; system shut down	
5/4/2007	7:36 PM	Bag Filter 2 High Pressure Warning, system remains on. Bag filters will be cleaned following well rehabilitation activities.	
5/10/2007		Changed multi-bag filter bags (400 µm) in banks 1 and 2 seven of eight housings used. Banks 1 and 2 left open. Bank 3 closed.	EF
		Evacuated water from drip trays beneath bag filter housings.	EF
		Replaced on site combined flow meter transmitter board.	EF
		Reset bag filter 2 high pressure warning.	EF
5/15/2007		Changed multi-bag filter bags (400 µm) in banks 1 and 2 seven of eight housings used. Banks 1 and 2 left open. Bank 3 closed.	EF
		TP-1B continues to make grinding noises, switched lead pump from TP1B to TP1A until TP-1B can be addressed. Scheduled pump technician to inspect pumps at the end of the month.	EF
5/16/2007	6:26 AM	Communication failure; system shutdown.	
		No flow recorded from RW-4 flow meter; initial troubleshooting of flow meter indicates a potential obstruction in the flow meter. Follow-up investigation to dismantle RW-4 flow meter is planned to see if there is an obstruction.	MG
	3:12 PM	Reset alarms and restart system.	MG
5/21/2007	10:17 AM	RW-2 Turned off for well rehabilitation.	TS
5/23/2007		Changed multi-bag filter bags (400 µm) in banks 1 and 2 seven of eight housings used. Banks 1 and 2 left open. Bank 3 closed.	EF
5/24/2007	10:58 AM	Control room temperature alarm and RW-3, RW-4, RW-5, RW-6 and RW-8 pump fault alarms caused by a temporary power surge. Alarms were reset, computer rebooted and system restarted.	PW
5/25/2007	8:42 AM	RW-2 Rehabilitation complete, RW-2 restarted	PW
5/26/2007	10:00 AM	High pH alarm, which may be caused by a malfunctioning pH sensor. Troubleshooting of the pH meter will be conducted.	
5/29/2007	8:45 AM	Reset alarm, restarted system.	TS
	8:50 AM	RW-8 Turned off for recovery well rehabilitaiton.	TS

TABLE 1
GROUND-WATER REMEDIAL ACTION
ROWE INDUSTRIES SUPERFUND SITE
SAG HARBOR, NEW YORK

MAINTENANCE LOG
(May 1, 2007 through May 31, 2007)

Date	Time	System Changes/Modifications	Personnel
5/30/2007		Changed multi-bag filter bags (400 µm) in banks 1 and 2 seven of eight housings used. Banks 1 and 2 left open. Bank 3 closed.	EF
	10:18 AM	Inspection by pump technician concluded that bearings for TP-1A and TP-1B are damaged on the motor side and should be replaced. Because of the age of the motors, he recommends replacing the pump motors for TP-1A and TP-1B. TP-1A is functioning adequately enough to continue operating until a new motor can be installed. New motors for TP-1A and TP-1B will be ordered. The shaft on the pump end of TP-2B siezed and will need to be dismantled and taken back to the vendor's shop for evaluation to determine if it can be repaired or a new pump needs to be ordered. TP-2A is functioning adequately. Preparations to remove the TP-2B pump will require blind flanging the influent pipe to TP-2B because valves are not present in the piping between the transfer tank and transfer pumps TP-2A/2B.	Barish Pump technician/EF
5/31/2007	1:26 AM	High pH alarm; system shut down.	
	9:26 AM	Reset alarm and checked pH reading with handheld pH meter and it appeared OK. Cleared alarm and restarted the system	PW
	11:23 AM	High pH alarm; system shut down.	
	3:36 PM	Reset alarm and checked pH reading with handheld pH meter and it appeared OK. Cleared alarm and restarted the system	PW

TABLE 2

**GROUND-WATER REMEDIAL ACTION
ROWE INDUSTRIES SUPERFUND SITE
SAG HARBOR, NEW YORK**

EFFLUENT WATER QUALITY RESULTS

Date Sampled ^{2/}	pH ^{1/}	TDS (mg/l)	PCE (ug/l)	1,1,1-TCA (ug/l)	TCE (ug/l)	1,1-DCA (ug/l)	1,1-DCE (ug/l)	1,2-DCE (ug/l)	Xylene (ug/l)	Bromoform (ug/l)	Dibromo-chloromethane (ug/l)	Methylene Chloride (ug/l)	Freon 113 (ug/l)	Acetone (ug/l)	Chloroform (ug/l)	MTBE (ug/l)	Total Iron (mg/l)	Dissolved Iron (mg/l)
SPDES Limits	5.0 to 8.5	---	5	5	5	5	5	5	5	---	---	5	---	50	7	---	---	---
1-May-07	5.81	86	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	0.94	0.084
10-May-07	5.30	100	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	3.920	0.0675
15-May-07	5.87	100	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	1.93	0.107
23-May-07	5.86	94	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	5.96	0.0565
30-May-07	5.91	86	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	3.01	0.0369

SPDES: State Pollutant Discharge Elimination System

mg/l: Milligrams per liter

ug/l: Micrograms per liter

---: Not established

J: Analyte detected below quantitation limits

NM: Not Measured

TDS: Total dissolved solids

PCE: Tetrachloroethylene

TCE: Trichloroethene

1,1-DCA: 1,1-Dichloroethane

1,1-DCE: 1,1-Dichloroethene

1,2-DCE: 1,2-Dichloroethene

MTBE: Methyl tert-butyl ether

Notes:

- Based on the new SPDES criteria from an NY SDEC letter dated on May 11, 2006, the new allowable pH range for the Rowe Site is between 5.0 and 8.5. The pH was measured with a new calibrated electronic pH meter. Influent pH values from recovery wells typically range between 5 and 6.
- "Effluent" samples were collected from sample port labeled NP2-10 unless otherwise noted.

**GROUND-WATER REMEDIAL ACTION
ROWE INDUSTRIES SUPERFUND SITE
SAG HARBOR, NEW YORK**

Precarbon				Parameters (mg/m3)												TOTAL VOCs							
Sample Name	Date	Time	PCE	TCE	TC4	DCE	DCA	cis-DCE	Toluene	Benzene	m&p-Xylenes	o-Xylene	Styrene	CF	CM		CD	BM	CB	EB	VC	CE	
AQ051706:1000NP4-1	5/17/2006	10:00	0.28	0.017	0.048	0.0035	0.013	0.014	0.0093	0.0026	0.0032	ND	ND	0.0037	0.0019	0.0026	0.0097	ND	ND	0.0016	0.0011	ND	0.41
AQ062108:800NP4-1	6/21/2006	8:00	0.15	0.009	0.074	0.0037	0.014	0.0062	0.0048	0.00092	0.0022	ND	ND	0.0029	0.002	0.0019	0.014	ND	ND	ND	0.00091	ND	0.29
AQ072006:900NP4-1	7/20/2006	9:00	0.095	0.008	0.091	ND	0.0074	0.005	0.0057	ND	0.0069	0.0062	ND	ND	0.0067	0.0022	0.013	ND	ND	ND	ND	ND	0.25
AQ082406:900NP4-1	8/24/2006	9:00	0.28	0.012	0.055	0.0034	0.0083	0.013	0.0043	0.0021	0.0022	ND	ND	0.003	0.0043	0.009	0.009	ND	ND	ND	0.0014	ND	0.40
AQ091906:910NP4-1	9/19/2006	9:10	0.21	0.01	0.26	0.006	0.016	0.0046	0.0029	0.001	0.0017	ND	ND	0.0053	0.0012	0.0023	0.013	ND	ND	ND	0.00039	0.0007	0.54
AQ102506:930NP4-1	10/24/2006	9:30	0.14	0.0063	0.2	0.0045	0.013	0.0035	0.0023	0.0018	0.0016	ND	ND	0.0043	0.001	ND	0.0091	ND	ND	ND	0.0097	ND	0.27
AQ112906:1000NP4-1	11/29/2006	10:00	0.21	0.0094	0.087	0.003	0.0094	0.0053	0.0028	0.0016	0.0016	ND	ND	0.0045	0.011	0.002	0.0052	ND	ND	ND	0.001	ND	0.35
AQ122006:815NP4-1	12/20/2006	8:15	0.065	0.013	0.13	0.0028	0.0081	0.0037	0.0052	0.0038	0.0021	ND	ND	0.0041	0.0021	0.0026	0.0071	ND	0.0013	ND	ND	ND	0.25
AQ0111007:1000NP4-1	1/10/2007	10:00	0.06	0.0082	0.08	0.0031	0.0084	ND	0.0016	0.0011	0.0011	ND	ND	0.0051	0.0038	0.003	0.0059	ND	ND	ND	0.0016	ND	0.18
AQ020807:1000NP4-1	2/8/2007	10:00	0.22	0.012	0.13	0.0041	0.011	0.0027	0.003	0.002	0.0018	ND	ND	0.0059	0.0038	0.0047	0.0059	ND	ND	ND	ND	ND	0.41
AQ030707:900NP4-1	3/7/2007	9:00	0.11	0.0049	0.05	0.002	0.0066	ND	0.0022	0.0011	ND	ND	ND	0.0031	0.0016	0.0019	0.0019	ND	ND	ND	ND	ND	0.18
AQ040307:800NP4-1	4/3/2007	8:00	0.19	0.0085	0.047	0.0025	0.0096	0.0026	0.0013	ND	ND	ND	ND	0.0045	0.0014	0.0025	0.0031	ND	ND	ND	ND	ND	0.27
AQ050107:1100NP4-1	5/1/2007	11:00	0.13	0.0065	0.082	0.0033	0.017	0.0023	0.002	0.00088	ND	ND	ND	0.0055	0.0021	0.0030	0.0046	ND	ND	ND	ND	ND	0.25

Midcarbon	Time		Parameters (mg/m3)													TOTAL VOCs						
	Date	Time	PCE	TCE	TC4	DCE	DCA	cis-DCE	Toluene	Benzene	m&p-Xylenes	Styrene	CF	MC	CM		CD	BM	CB	EB	VC	CE
AAQ051706:1005NP4-2	5/17/2006	10:05	0.0028	0.001	0.065	0.0039	0.014	0.0074	0.0045	ND	0.0032	ND	ND	0.0036	0.003	0.0019	0.0088	ND	ND	ND	ND	ND
AQ062106:805NP4-2	6/21/2006	8:05	ND	ND	0.025	0.0028	0.0081	0.0045	0.0036	ND	0.0014	ND	ND	0.0023	0.0019	0.0026	0.014	ND	ND	0.001	ND	ND
AQ072006:905NP4-2	7/20/2006	9:05	ND	ND	0.022	0.0017	0.0078	0.0044	0.0035	ND	0.0018	ND	ND	0.0019	0.0025	ND	0.013	ND	ND	ND	ND	ND
AQ082006:902NP4-2	8/24/2006	9:02	ND	ND	0.023	0.0017	0.0054	0.0045	0.0035	ND	0.0018	ND	ND	0.0019	0.0025	ND	0.013	ND	ND	ND	ND	ND
AQ091906:915NP4-2	9/19/2006	9:15	0.0014	ND	0.045	0.0031	0.006	0.0058	0.0031	ND	0.0016	ND	ND	0.0025	0.0012	ND	0.02	ND	ND	0.00092	0.0065	0.10
AQ102506:935NP4-2	9/35/2006	9:35	0.0021	ND	0.062	0.0039	0.011	0.0044	0.0018	ND	0.0014	ND	ND	0.0026	0.001	0.0077	0.012	ND	ND	0.0009	0.00065	0.10
AQ112906:1006NP4-2	11/29/2006	10:06	0.0034	ND	0.24	0.0065	0.022	0.0067	0.0017	ND	0.0012	ND	ND	0.0061	0.0012	0.0033	0.012	ND	ND	0.00085	0.00085	0.30
AQ122006:820NP4-2	12/20/2006	8:20	0.0054	0.002	0.3	0.0037	0.014	0.0048	0.0017	0.0012	ND	ND	ND	0.0051	0.0015	0.0037	0.012	ND	ND	ND	ND	0.34
AQ011007:1001NP4-2	1/10/2007	10:01	0.0034	0.001	0.32	0.0047	0.012	0.005	0.0013	ND	ND	ND	ND	0.0056	0.0014	0.0032	0.071	ND	ND	ND	ND	0.36
AQ020807:1002NP4-2	2/8/2007	10:02	0.0092	0.004	0.32	0.0042	0.011	0.0063	0.0019	0.0011	ND	ND	ND	0.0067	0.0032	0.0043	0.071	ND	ND	ND	ND	0.37
AQ030707:902NP4-2	3/7/2007	9:02	0.0058	0.002	0.17	0.0031	0.0081	0.0037	0.0013	ND	ND	ND	ND	0.0048	0.001	0.0026	0.038	ND	ND	ND	ND	0.21
AQ040307:802NP4-2	4/3/2007	8:02	0.003	0.001	0.091	0.002	0.0063	0.0025	0.0013	ND	ND	ND	ND	0.0012	0.001	0.0029	0.038	ND	ND	ND	ND	0.11
AQ050107:105NP4-2	5/1/2007	11:05	0.0036	0.0013	0.083	0.003	0.003	0.0030	0.0017	ND	ND	ND	ND	0.0047	0.002 ^a	0.0027	0.036	ND	ND	ND	ND	0.12

[illegible]

PCE - Tetrachloroethane	DCE - 1,1-Dichloroethene	CF - Chloroform	BM - Bromomethane
TCE - Trichloroethene	DCA - 1,1-Dichloroethane	MC - Methylene Chloride	CB - Chlorobenzene
TCA - 1,1,1-Trichloroethane	st-DCE - cis-1,2-Dichloroethene	CM - Chloromethane	EB - Ethylbenzene
CE - Chloroethane	CT - Carbon Tetrachloride	CD - Carbon Disulfide	VB - Vinyl Chloride

LBG ENGINEERING SERVICES, P.C.

TABLE 4

**GROUND-WATER REMEDIAL ACTION
ROWE INDUSTRIES SUPERFUND SITE
SAG HARBOR, NEW YORK**

RECOVERY WELL WATER QUALITY RESULTS

Recovery Well	Date Sampled	PCE (ug/L)	TCE (ug/L)	TCA (ug/L)	Vinyl Acetate (ug/L)	Chloroform (ug/L)	MTBE (ug/L)	Total Iron (mg/L)	Dissolved Iron (mg/L)	1,1-Dichloro-ethane (ug/L)	cis-1,2-Dichloro-ethene (ug/L)	1,1-Dichloro-ethene (ug/L)	Methylene Chloride (ug/L)	Toluene (ug/L)	Dibromochloromethane (ug/L)	m,p-Xylene (ug/L)	o-Xylene (ug/L)	Ethylbenzene (ug/L)	Acetone (ug/L)	
RW-1	ARAR's	5	5	5	NE	7	NE	300	300	5	5	5	5	NE	NE	ND-2	ND-1	ND-1	NE	
	15-Sep-04	ND<1	ND<1	ND<1	ND<1	2.8	ND<1	0.0865	ND<0.02	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	
	7-Oct-04	ND<1	ND<1	ND<1	ND<1	ND<1	2.2	0.0332	ND<0.02	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<2	ND<1	ND<1	ND<1	
	3-Nov-04	ND<1	ND<1	ND<1	ND<1	1.9	2.0	0.0133	ND<0.02	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<2	ND<1	ND<1	ND<1	
	15-Dec-04	ND<1	ND<1	ND<1	ND<1	9.8	ND<1	0.0475	0.0229	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<2	ND<1	ND<1	ND<1	
	13-Jan-05	ND<1	ND<1	ND<1	ND<1	1.5	2.1	0.0703	0.0326	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<2	ND<1	ND<1	ND<1	
	8-Feb-05	ND<1	ND<1	ND<1	ND<1	4.6	ND<1	ND<0.02	ND<0.02	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<2	ND<1	ND<1	ND<1	
	15-Mar-05	ND<1	ND<1	ND<1	ND<1	2.5	ND<1	0.0285	ND<0.02	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<2	ND<1	ND<1	ND<1	
	19-Apr-05	ND<1	ND<1	ND<1	ND<1	1.5	ND<1	0.0357	0.0217	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<2	ND<1	ND<1	ND<1	
	2-May-05	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<0.02	ND<0.02	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<2	ND<1	ND<1	ND<1	
	16-Jun-05	ND<1	ND<1	ND<1	ND<1	4.0	ND<1	ND<0.02	ND<0.02	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<2	ND<1	ND<1	ND<1	
	14-Jul-05	ND<1	ND<1	ND<1	ND<1	2.1	ND<1	0.0289	ND<0.02	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<2	ND<1	ND<1	8.9	
	7-Mar-06	ND<1	ND<1	ND<1	ND<1	5.2	ND<1	0.1650	ND<0.02	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<2	ND<1	ND<1	ND<1	
	19-Sep-06	ND<1	ND<1	ND<1	ND<1	1.7	ND<1	NA	NA	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<2	ND<1	ND<1	ND<1	
	7-Mar-07	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	NA	NA	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<2	ND<1	ND<1	ND<1	
	4-Jan-05	25	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	4.81	1.5	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<2	ND<1	ND<1	ND<1
	8-Feb-05	16	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	5.01	ND<0.02	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<2	ND<1	ND<1	ND<1
RW-2	15-Mar-05	20	1.1	ND<1	ND<1	ND<1	ND<1	5.28	0.0816	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	
	19-Apr-05	9.0	ND<1	ND<1	ND<1	ND<1	ND<1	4.51	0.128	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	
	2-May-05	8.2	ND<1	ND<1	ND<1	ND<1	ND<1	3.69	0.17	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	
	16-Jun-05	12.0	ND<1	1.0	ND<1	ND<1	ND<1	3.5	0.0511	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	
	14-Jul-05	7.7	1.1	ND<1	ND<1	ND<1	ND<1	0.28	0.0298	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	5.6 *	
	9-Aug-05	5.4	ND<1	ND<1	ND<1	ND<1	ND<1	3.74	0.107	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	
	8-Sep-05	16	1.8	ND<1	ND<1	ND<1	ND<1	3.57	0.0704	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	
	19-Oct-05	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	
	21-Nov-05	15	2.1	ND<1	ND<1	ND<1	ND<1	6.1	0.0289	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	
	8-Dec-05	34	2.1	ND<1	ND<1	ND<1	ND<1	4.25	ND<0.02	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	
	12-Jan-06	5.2	2.0	ND<1	ND<1	ND<1	ND<1	9.15	0.0696	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	
	14-Feb-06	6.5	4.3	1.2	ND<1	ND<1	ND<1	3.99	ND<0.02	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	
	7-Mar-06	6.5	3.5	ND<1	ND<1	ND<1	ND<1	4.76	0.0395	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	
	12-Apr-06	12.0	3.9	1.2	ND<1	ND<1	ND<1	4.24	0.0522	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	
	17-May-06	19.0	5.1	ND<1	ND<1	ND<1	ND<1	5.95	0.063	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	
	21-Jun-06	13.0	3.0	25	ND<1	ND<1	ND<1	3.57	0.093	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	
	20-Jul-06	8.0	3.4	60	ND<1	ND<1	ND<1	4.49	0.177	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	
24-Aug-06	11.0	1.1	25	ND<1	ND<1	ND<1	4.14	0.0722	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1		
19-Sep-06	2.8	ND<1	200	ND<1	ND<1	ND<1	13.7	0.0184	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1		
24-Oct-06	5.0	1.6	160	ND<1	ND<1	ND<1	3.6	0.00756	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1		
29-Nov-06	6.0	1.8	36	ND<1	ND<1	ND<1	14.1	0.0148	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1		
20-Dec-06	2.2	ND<1	110	ND<1	ND<1	ND<1	11.8	0.0197	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1		
10-Jan-07	4.2	2.7	68	ND<1	ND<1	ND<1	2.77	0.458	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1		
8-Feb-07	3.4	2.4	62	ND<1	ND<1	ND<1	8.72	0.00829	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1		
7-Mar-07	31	ND<1	ND<1	ND<1	ND<1	ND<1	4.28	0.107	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1		
18-Apr-07	3	1.7	23	ND<1	ND<1	ND<1	3.81	0.32	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1		
10-May-07	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	0.00589	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1		

TABLE 4

**GROUND-WATER REMEDIAL ACTION
ROWE INDUSTRIES SUPERFUND SITE
SAG HARBOR, NEW YORK**

RECOVERY WELL WATER QUALITY RESULTS

Recovery Well	Date Sampled	PCE (ug/L)	TCE (ug/L)	TCA (ug/L)	Vinyl Acetate (ug/L)	Chloroform (ug/L)	MTBE (ug/L)	Total Iron (ug/L)	Dissolved Iron (ug/L)	1,1-Dichloro-ethane (ug/L)	cis-1,2-Dichloro-ethene (ug/L)	1,1-Dichloro-ethene (ug/L)	Methylene Chloride (ug/L)	Toluene (ug/L)	Dibromochloromethane (ug/L)	m,p-Xylene (ug/L)	o-Xylene (ug/L)	Ethylbenzene (ug/L)	Acetone (ug/L)
RW-3	4-Jan-05	5	5	5	NE	7	NE	300	300	5	5	5	5	NE	NE	ND-2	ND-1	ND-1	NE
	8-Feb-05	1.6	1.3	ND-1	ND-1	ND-1	ND-1	2.60	2.24	ND-1	ND-1	ND-1	ND-1	ND-1	ND-1	ND-1	ND-1	ND-1	ND-1
	15-Mar-05	3	13	ND-1	ND-1	ND-1	ND-1	2.10	1.15	ND-1	ND-1	ND-1	ND-1	ND-1	ND-1	ND-1	ND-1	ND-1	ND-1
	19-Apr-05	2.0	ND-1	5.0	ND-1	ND-1	ND-1	1.89	1.36	ND-1	ND-1	ND-1	ND-1	ND-1	ND-1	ND-2	ND-1	ND-1	ND-1
	2-May-05	2.2	7.7	2.8	ND-1	ND-1	ND-1	46.1	0.539	ND-1	ND-1	ND-1	ND-1	ND-1	ND-1	ND-2	ND-1	ND-1	ND-1
	16-Jun-05	ND-1	ND-1	ND-1	ND-1	ND-1	ND-1	1.85	0.82	ND-1	ND-1	ND-1	ND-1	ND-1	ND-1	ND-2	ND-1	ND-1	ND-1
	14-Jul-05	1.6	ND-1	ND-1	ND-1	ND-1	ND-1	9.91	10	ND-1	ND-1	ND-1	ND-1	ND-1	ND-1	ND-2	ND-1	ND-1	ND-1
	9-Aug-05	ND-1	ND-1	ND-1	ND-1	ND-1	ND-1	2.01	0.649	ND-1	ND-1	ND-1	9.1	ND-1	ND-1	ND-2	ND-1	ND-1	6.9
	8-Sep-05	1	3.6	1.2	ND-1	ND-1	ND-1	2.50	0.973	ND-1	ND-1	ND-1	ND-1	ND-1	ND-1	ND-2	ND-1	ND-1	ND-1
	19-Oct-05	NM	NM	NM	NM	NM	NM	2.03	0.71	ND-1	2.6	ND-1	ND-1	ND-1	NM	ND-2	ND-1	ND-1	ND-1
	21-Nov-05	1.3	ND-1	ND-1	ND-1	ND-1	ND-1	1.83	0.708	ND-1	ND-1	ND-1	ND-1	ND-1	NM	ND-2	ND-1	ND-1	ND-1
	8-Dec-05	ND-1	ND-1	ND-1	ND-1	ND-1	ND-1	2.11	0.556	ND-1	ND-1	ND-1	ND-1	ND-1	ND-1	ND-2	ND-1	ND-1	ND-1
	12-Jan-06	1.7	17	7.9	ND-1	ND-1	ND-1	1.93	0.455	ND-1	ND-1	ND-1	4.6	ND-1	ND-1	ND-2	ND-1	ND-1	ND-1
	14-Feb-06	1.4	8.9	2.5	ND-1	ND-1	ND-1	3.80	0.157	ND-1	ND-1	ND-1	ND-1	ND-1	ND-1	ND-2	ND-1	ND-1	ND-1
	7-Mar-06	1.1	3.4	ND-1	ND-1	ND-1	ND-1	1.87	0.297	ND-1	ND-1	ND-1	ND-1	ND-1	ND-1	ND-2	ND-1	ND-1	ND-1
	12-Apr-06	0.95	ND-1	ND-1	ND-1	ND-1	ND-1	1.99	0.649	ND-1	ND-1	ND-1	ND-1	ND-1	ND-1	ND-2	ND-1	ND-1	ND-1
	17-May-06	ND-1	ND-1	ND-1	ND-1	ND-1	ND-1	1.06	0.353	ND-1	ND-1	ND-1	ND-1	ND-1	ND-1	ND-2	ND-1	ND-1	ND-1
	21-Jun-06	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM
	20-Jul-06	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM
	24-Aug-06	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM
	19-Sep-06	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM
	24-Oct-06	NM	NM	ND-1	ND-1	ND-1	ND-1	2.36	0.053	ND-1	ND-1	ND-1	ND-1	ND-1	ND-1	ND-2	ND-1	ND-1	ND-1
	29-Nov-06	6.4	ND-1	4.4	ND-1	ND-1	ND-1	17.3	0.0112	ND-1	ND-1	ND-1	ND-1	ND-1	ND-1	ND-2	ND-1	ND-1	ND-1
RW-4	20-Dec-06	8	8	3.5	ND-1	ND-1	ND-1	1.87	1.63	ND-1	ND-1	ND-1	ND-1	ND-1	ND-1	ND-2	ND-1	ND-1	ND-1
	10-Jan-07	1.2	8	ND-1	ND-1	ND-1	ND-1	ND<0.02	2.16	ND-1	ND-1	ND-1	ND-1	ND-1	ND-1	2.1	ND-1	ND-1	ND-1
	8-Feb-07	ND-1	3.2	ND-1	ND-1	ND-1	ND-1	2.09	1.65	ND-1	ND-1	ND-1	ND-1	ND-1	ND-1	ND-2	ND-1	ND-1	ND-1
	7-Mar-07	ND-1	ND-1	ND-1	ND-1	ND-1	ND-1	2.09	1.65	ND-1	ND-1	ND-1	ND-1	ND-1	ND-1	ND-2	ND-1	ND-1	ND-1
	18-Apr-07	ND-1	ND-1	ND-1	ND-1	ND-1	ND-1	2.24	0.761	ND-1	ND-1	ND-1	6.1	ND-1	ND-1	ND-2	ND-1	ND-1	ND-1
	10-May-07	ND-1	ND-1	ND-1	ND-1	ND-1	ND-1	1.89	1.02	ND-1	ND-1	ND-1	ND-1	ND-1	ND-1	ND-2	ND-1	ND-1	ND-1
	4-Jan-05	160	4.1	7.3	ND-1	ND-1	ND-1	6.11	3.28	ND-1	ND-1	ND-1	ND-1	ND-1	ND-1	ND-2	ND-1	ND-1	ND-1
	8-Feb-05	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM
	15-Mar-05	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM
	19-Apr-05	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM
	2-May-05	80	2.4	9.8	ND-1	ND-1	ND-1	3.77	0.0687	ND-1	ND-1	ND-1	ND-1	ND-1	ND-1	ND-2	ND-1	ND-1	ND-1
	30-Jun-05	74	2.6	ND-1	ND-1	ND-1	ND-1	9.95	9.28	ND-1	ND-1	ND-1	4.5	ND-1	ND-1	ND-2	ND-1	ND-1	ND-1
	14-Jul-05	37	ND-1	8.9	ND-1	ND-1	ND-1	3.22	0.0185	ND-1	ND-1	ND-1	9.4	ND-1	ND-1	ND-2	ND-1	ND-1	7.4
	9-Aug-05	31	ND-1	ND-1	ND-1	ND-1	ND-1	2.49	0.111	ND-1	ND-1	ND-1	ND-1	ND-1	ND-1	ND-2	ND-1	ND-1	ND-1
	8-Sep-05	45	ND-1	6.0	ND-1	ND-1	ND-1	3.47	0.173	ND-1	ND-1	ND-1	ND-1	ND-1	ND-1	ND-2	ND-1	ND-1	ND-1
	19-Oct-05	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM
	21-Nov-05	30	ND-1	ND-1	ND-1	ND-1	ND-1	3.69	0.0777	ND-1	ND-1	ND-1	ND-1	ND-1	ND-1	ND-2	ND-1	ND-1	ND-1
	12-Dec-05	64	2.0	1.5	ND-1	ND-1	ND-1	2.82	0.0302	ND-1	ND-1	ND-1	ND-1	ND-1	ND-1	ND-2	ND-1	ND-1	ND-1
	12-Jan-06	15	ND-1	9.5	ND-1	ND-1	ND-1	7.78	0.0412	ND-1	ND-1	ND-1	5.2	ND-1	ND-1	ND-2	ND-1	ND-1	ND-1
	14-Feb-06	22	ND-1	8.7	ND-1	ND-1	ND-1	6.05	0.0627	ND-1	ND-1	ND-1	ND-1	ND-1	ND-1	ND-2	ND-1	ND-1	ND-1
	7-Mar-06	24	ND-1	7.0	ND-1	ND-1	ND-1	3.50	0.0476	ND-1	ND-1	ND-1	ND-1	ND-1	ND-1	ND-2	ND-1	ND-1	ND-1
	12-Apr-06	26	1.5	6.2	ND-1	ND-1	2	4.17	0.0863	ND-1	ND-1	ND-1	ND-1	ND-1	ND-1	ND-2	ND-1	ND-1	ND-1
	17-May-06	26	ND-1	ND-1	ND-1	ND-1	ND-1	3.15	0.109	ND-1	ND-1	ND-1	ND-1	ND-1	ND-1	ND-2	ND-1	ND-1	ND-1
	21-Jun-06	23	ND-1	8.4	ND-1	ND-1	ND-1	9.23	0.086	ND-1	ND-1	ND-1	ND-1	ND-1	ND-1	ND-2	ND-1	ND-1	ND-1
	20-Jul-06	14	ND-1	9.4	ND-1	ND-1	ND-1	4.10	0.155	ND-1	ND-1	ND-1	ND-1	ND-1	ND-1	ND-2	ND-1	ND-1	ND-1
	24-Aug-06	23	ND-1	ND-1	ND-1	ND-1	ND-1	6.00	ND-1	ND-1	ND-1	ND-1	ND-1	ND-1	ND-1	ND-2	ND-1	ND-1	ND-1
	19-Sep-06	9	ND-1	7.5	ND-1	ND-1	ND-1	5.95	ND-1	ND-1	ND-1	ND-1	ND-1	ND-1	ND-1	ND-2	ND-1	ND-1	ND-1
	24-Oct-06	11	ND-1	5.6	ND-1	ND-1	ND-1	7.17	0.0178	ND-1	ND-1	ND-1	ND-1	ND-1	ND-1	ND-2	ND-1	ND-1	ND-1
	29-Nov-06	14	0.9	ND-1	ND-1	ND-1	ND-1	2.82	0.00708	ND-1	ND-1	ND-1	ND-1	ND-1	ND-1	ND-2	ND-1	ND-1	ND-1
	10-Jan-07	12	ND-1	4.4	ND-1	ND-1	ND-1	17.30	0.0112	ND-1	ND-1	ND-1	ND-1	ND-1	ND-1	ND-2	ND-1	ND-1	ND-1
	8-Feb-07	13	ND-1	4.6	ND-1	ND-1	ND-1	3.17	0.0794	ND-1	ND-1	ND-1	ND-1	ND-1	ND-1	15	ND-1	4.2	ND-1
	7-Mar-07	7.3	ND-1	2.1	ND-1	ND-1	ND-1	3.64	0.0767	ND-1	ND-1	ND-1	ND-1	ND-1	ND-1	ND-2	ND-1	ND-1	ND-1
	18-Apr-07	10	ND-1	ND-1	ND-1	ND-1	ND-1	4.46	0.251	ND-1	ND-1	ND-1	7.2	ND-1	ND-1	ND-2	ND-1	ND-1	ND-1
	10-May-07	11	ND-1	ND-1	ND-1	ND-1	ND-1	3.67	0.0422	ND-1	ND-1	ND-1	ND-1	ND-1	ND-1	ND-2	ND-1	ND-1	ND-1

TABLE 4

**GROUND-WATER REMEDIAL ACTION
ROWE INDUSTRIES SUPERFUND SITE
SAG HARBOR, NEW YORK**

RECOVERY WELL WATER QUALITY RESULTS

Recovery Well	Date Sampled	PCE (ug/L)	TCE (ug/L)	TCA (ug/L)	Vinyl Acetate (ug/L)	Chloroform (ug/L)	MTBE (ug/L)	Total Iron (ug/L)	Dissolved Iron (ug/L)	1,1-Dichloro-ethane (ug/L)	cis-1,2-Dichloro-ethene (ug/L)	1,1-Dichloro-ethene (ug/L)	Methylene Chloride (ug/L)	Toluene (ug/L)	Dibromochloromethane (ug/L)	m,p-Xylene (ug/L)	o-Xylene (ug/L)	Ethylbenzene (ug/L)	Acetone (ug/L)
RW-5	4-Jan-05	12	5	5.6	NE	7	2.0	300	300	5	5	5	5	NE	NE	ND<1	ND<1	ND<1	NE
	8-Feb-05	11	ND<1	ND<1	ND<1	ND<1	2.0	0.0269	0.0172	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
	15-Mar-05	14	ND<1	ND<1	ND<1	ND<1	2.6	0.318	ND<0.02	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
	19-Apr-05	9	ND<1	4.3	ND<1	ND<1	2.6	0.0887	ND<0.02	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
	2-May-05	13	ND<1	4.1	ND<1	ND<1	ND<1	0.0223	0.0187	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
	18-Jun-05	4.7	ND<1	ND<1	ND<1	ND<1	ND<1	0.0177	ND<0.02	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
	14-Jul-05	8.2	ND<1	1.6	ND<1	ND<1	ND<1	0.0358	ND<0.02	ND<1	ND<1	ND<1	9.5 *	0.96	ND<1	ND<1	ND<1	ND<1	ND<1
	9-Aug-05	2.6	ND<1	ND<1	ND<1	ND<1	ND<1	0.0227	0.0303	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	5.6 *
	8-Sep-05	8	ND<1	3.8	ND<1	ND<1	ND<1	0.0185	ND<0.02	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
	19-Oct-05	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM
	21-Nov-05	2.6	ND<1	ND<1	ND<1	ND<1	ND<1	0.0482	ND<0.02	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
	8-Dec-05	2.4	ND<1	ND<1	ND<1	ND<1	ND<1	0.0468	ND<0.02	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
	12-Jan-06	2.3	ND<1	2.0	ND<1	ND<1	ND<1	0.0558	0.0119	ND<1	ND<1	ND<1	4.6 *	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
	14-Feb-06	2.9	ND<1	3.8	ND<1	ND<1	ND<1	ND<0.02	ND<0.02	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
	7-Mar-06	2.6	ND<1	3.0	ND<1	ND<1	ND<1	ND<0.02	ND<0.02	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
	12-Apr-06	1.4	ND<1	ND<1	ND<1	1.5	2.4	0.0786	ND<0.02	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
	17-May-06	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	0.016	ND<0.02	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
	21-Jun-06	2.4	ND<1	2.6	ND<1	ND<1	ND<1	0.195	0.012	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
	23-Jul-06	1.3	ND<1	3.1	ND<1	ND<1	ND<1	0.184	ND<0.02	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
	24-Aug-06	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	2.09	0.0116	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
	19-Sep-06	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	0.194	ND<0.02	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
	24-Oct-06	1.1	ND<1	1.3	ND<1	ND<1	ND<1	0.0683	0.00884	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
RW-6	29-Nov-06	6	ND<1	1.3	ND<1	ND<1	ND<1	0.136	0.0195	ND<1	ND<1	ND<1	ND<1	0.96	ND<1	ND<1	ND<1	ND<1	ND<1
	20-Dec-06	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	0.508	0.0113	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
	10-Jan-07	1.2	ND<1	ND<1	ND<1	ND<1	1.2	0.0608	0.0128	ND<1	ND<1	ND<1	ND<1	2.8	ND<1	ND<1	ND<1	ND<1	ND<1
	8-Feb-07	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	0.327	ND<0.02	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
	7-Mar-07	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	0.0655	0.00722	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
	18-Apr-07	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	0.973	0.0106	ND<1	ND<1	ND<1	8.1 *	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
	10-May-07	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	0.0763	0.0469	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
	4-Jun-05	85	2.1	3.7	ND<1	ND<1	2.4	0.0279	ND<0.02	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
	8-Feb-05	110	2.4	7.6	ND<1	ND<1	ND<1	ND<0.02	ND<0.02	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
	15-Mar-05	120	2.3	6.6	ND<1	ND<1	2.7	0.0294	ND<0.02	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
	19-Apr-05	74	ND<1	7.0	ND<1	ND<1	ND<1	0.0509	ND<0.02	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
	2-May-05	96	2.8	8.5	ND<1	ND<1	ND<1	ND<0.02	ND<0.02	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
	18-Jun-05	69	1.8	13	ND<1	ND<1	ND<1	0.067	0.0195	ND<1	ND<1	ND<1	ND<1	2.1	ND<1	ND<1	ND<1	ND<1	ND<1
	14-Jul-05	64	1.6	9.5	ND<1	ND<1	ND<1	0.0406	ND<0.02	ND<1	ND<1	ND<1	7.2 *	ND<1	ND<1	ND<1	ND<1	ND<1	7 *
	9-Aug-05	49	ND<1	12	ND<1	ND<1	ND<1	0.088	0.0366	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
	8-Sep-05	100	1.6	12	ND<1	ND<1	ND<1	1.33	0.0143	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
	19-Oct-05	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM
	21-Nov-05	68	ND<1	ND<1	ND<1	ND<1	ND<1	0.144	ND<0.02	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
	8-Dec-05	100	2.1	20	ND<1	ND<1	ND<1	0.139	ND<0.02	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
	12-Jan-06	41	1.1	16	ND<1	ND<1	ND<1	0.189	ND<0.02	ND<1	ND<1	ND<1	4.6 *	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
	22-Feb-06	63	1.6	15	ND<1	ND<1	ND<1	0.116	0.0155	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
	7-Mar-06	65	1.2	17	ND<1	ND<1	ND<1	0.0429	ND<0.02	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
	12-Apr-06	62	2.1	22	ND<1	ND<1	2	0.24	0.0137	0.97	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
	17-May-06	68	ND<1	18	ND<1	ND<1	ND<1	0.075	0.025	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
	21-Jun-06	83	ND<1	20	ND<1	ND<1	ND<1	1.01	0.0169	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
	20-Jul-06	45	1.5	24	ND<1	ND<1	ND<1	5.36	0.0563	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
	24-Aug-06	30	ND<1	22	ND<1	ND<1	ND<1	0.916	0.0078	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
	19-Sep-06	46	ND<1	27	ND<1	ND<1	ND<1	1.84	0.007	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
	24-Oct-06	45	1.2	15	ND<1	ND<1	ND<1	0.399	0.0137	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
	29-Nov-06	36	ND<1	14	ND<1	ND<1	ND<1	2.43	0.0677	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
	20-Dec-06	31	ND<1	13	ND<1	ND<1	ND<1	0.0348	ND<0.02	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
	10-Jan-07	46	0.96	16	ND<1	ND<1	2.1	0.0928	0.00453	ND<1	ND<1	ND<1	ND<1	2.2	ND<1	ND<1	ND<1	ND<1	ND<1
	8-Feb-07	42	ND<1	13	ND<1	ND<1	ND<1	0.153	0.0108	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
	7-Mar-07	29	ND<1	8.4	ND<1	ND<1	ND<1	0.163	0.0316	ND<1	ND<1	ND<1	7.2 *	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
	18-Apr-07	28	ND<1	8.3	ND<1	ND<1	ND<1	0.554	0.00708	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
	10-May-07	31	ND<1	7.7	ND<1	ND<1	ND<1	0.206	0.00708	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1

TABLE 4

**GROUND-WATER REMEDIAL ACTION
ROWE INDUSTRIES SUPERFUND SITE
SAG HARBOR, NEW YORK**

RECOVERY WELL WATER QUALITY RESULTS

Recovery Well	Date Sampled	PCE (ug/L)	TCE (ug/L)	TCA (ug/L)	Vinyl Acetate (ug/L)	Chloroform (ug/L)	MTBE (ug/L)	Total Iron (mg/L)	Dissolved Iron (mg/L)	1,1-Dichloro-ethane (ug/L)	cis-1,2-Dichloro-ethene (ug/L)	1,1-Dichloro-ethene (ug/L)	Methylene Chloride (ug/L)	Toluene (ug/L)	Dibromochloromethane (ug/L)	m,p-Xylene (ug/L)	o-Xylene (ug/L)	Ethylbenzene (ug/L)	Acetone (ug/L)
RW-7	4-Jan-05	37	1.1	5	NE	7	NE	300	300	5	5	5	5	NE	NE	ND<2	ND<1	ND<1	NE
	8-Feb-05	45	ND<1	ND<1	ND<1	ND<1	ND<1	0.0343	ND<0.02	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
	15-Mar-05	42	1.5	1.7	ND<1	ND<1	ND<1	0.0356	ND<0.02	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<2	ND<1	ND<1	ND<1
	19-Apr-05	22	ND<1	ND<1	ND<1	ND<1	ND<1	0.107	0.0152	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<2	ND<1	ND<1	ND<1
	2-May-05	30	ND<1	ND<1	ND<1	ND<1	ND<1	0.02	ND<0.02	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<2	ND<1	ND<1	ND<1
	16-Jun-05	32	1.0	4.7	ND<1	ND<1	ND<1	0.0753	0.02	1.5	ND<1	ND<1	ND<1	ND<1	ND<1	ND<2	ND<1	ND<1	ND<1
	14-Jul-05	32	ND<1	2.2	ND<1	ND<1	ND<1	0.0155	ND<0.02	ND<1	ND<1	ND<1	8.7 *	ND<1	ND<1	ND<2	ND<1	ND<1	7.2 *
	9-Aug-05	31	ND<1	6.2	ND<1	ND<1	ND<1	0.0603	0.0409	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<2	ND<1	ND<1	ND<1
	19-Oct-05	39	ND<1	3.4	ND<1	ND<1	ND<1	0.0452	ND<0.02	1.7	ND<1	ND<1	ND<1	ND<1	ND<1	ND<2	ND<1	ND<1	ND<1
	21-Nov-05	36	ND<1	ND<1	ND<1	ND<1	ND<1	0.536	ND<0.02	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<2	ND<1	ND<1	ND<1
	8-Dec-05	70	ND<1	12.0	ND<1	ND<1	ND<1	0.253	ND<0.02	4.2	ND<1	ND<1	ND<1	ND<1	ND<1	ND<2	ND<1	ND<1	ND<1
	12-Jan-06	26	ND<1	5.0	ND<1	ND<1	ND<1	0.343	ND<0.02	2.2	ND<1	ND<1	5.0 *	ND<1	ND<1	ND<2	ND<1	ND<1	ND<1
	14-Feb-06	36	ND<1	4.1	ND<1	ND<1	ND<1	0.0332	ND<0.02	2.0	ND<1	ND<1	ND<1	ND<1	ND<1	ND<2	ND<1	ND<1	ND<1
	7-Mar-06	38	ND<1	4.1	ND<1	ND<1	ND<1	0.143	ND<0.02	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<2	ND<1	ND<1	ND<1
	12-Apr-06	49	1.6	7.4	ND<1	ND<1	ND<1	0.0912	0.0175	3.4	ND<1	ND<1	ND<1	ND<1	ND<1	ND<2	ND<1	ND<1	ND<1
	17-May-06	59	ND<1	ND<1	ND<1	ND<1	ND<1	0.126	0.026	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<2	ND<1	ND<1	ND<1
	21-Jun-06	44	ND<1	4.6	ND<1	ND<1	ND<1	0.081	0.013	1.6	ND<1	ND<1	ND<1	ND<1	ND<1	ND<2	ND<1	ND<1	ND<1
	20-Jul-06	NM	ND<1	ND<1	ND<1	ND<1	ND<1	0.307	0.1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<2	ND<1	ND<1	ND<1
	24-Aug-06	39	ND<1	7.9	ND<1	ND<1	ND<1	0.116	ND<0.02	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<2	ND<1	ND<1	ND<1
	19-Sep-06	36	ND<1	7.5	ND<1	ND<1	ND<1	0.0692	0.0046	2.4	ND<1	ND<1	ND<1	ND<1	ND<1	ND<2	ND<1	ND<1	ND<1
	24-Oct-06	3.5	ND<1	4.1	ND<1	ND<1	ND<1	0.0992	0.0490	1.0	ND<1	ND<1	ND<1	ND<1	ND<1	ND<2	ND<1	ND<1	ND<1
	9-Nov-06	33	ND<1	ND<1	ND<1	ND<1	ND<1	NM	NM	NM	NM	NM	NM	NM	NM	ND<2	ND<1	ND<1	ND<1
	20-Dec-06	NM	ND<1	ND<1	ND<1	ND<1	ND<1	NM	NM	NM	NM	NM	NM	NM	NM	ND<2	ND<1	ND<1	ND<1
	10-Jan-07	NM	ND<1	ND<1	ND<1	ND<1	ND<1	NM	NM	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<2	ND<1	ND<1	ND<1
	8-Feb-07	43	ND<1	4.4	ND<1	ND<1	ND<1	0.131	ND<0.02	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<2	ND<1	ND<1	ND<1
	7-Mar-07	23	ND<1	2.7	ND<1	ND<1	ND<1	0.0492	0.0221	ND<1	ND<1	ND<1	6.5 *	ND<1	ND<1	ND<2	ND<1	ND<1	ND<1
	18-Apr-07	34	ND<1	ND<1	ND<1	ND<1	ND<1	0.138	0.0438	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<2	ND<1	ND<1	ND<1
	10-May-07	22	ND<1	2.3	ND<1	ND<1	ND<1	0.111	0.0271	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<2	ND<1	ND<1	ND<1
RW-8	4-Jan-05	6.9	1.3	3.9	ND<1	ND<1	ND<1	8.92	2.85	2.7	ND<1	ND<1	ND<1	ND<1	ND<1	ND<2	ND<1	ND<1	ND<1
	8-Feb-05	7.4	ND<1	7.2	ND<1	ND<1	ND<1	8.24	ND<0.02	4.7	ND<1	ND<1	ND<1	ND<1	ND<1	ND<2	ND<1	ND<1	ND<1
	15-Mar-05	9.0	1.3	4.2	ND<1	ND<1	ND<1	7.54	0.075	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<2	ND<1	ND<1	ND<1
	19-Apr-05	3.5	ND<1	3.5	ND<1	ND<1	ND<1	8.89	0.321	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<2	ND<1	ND<1	ND<1
	2-May-05	5.6	ND<1	5.2	ND<1	ND<1	ND<1	7.33	0.073	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<2	ND<1	ND<1	ND<1
	16-Jun-05	2.7	ND<1	5.8	ND<1	ND<1	ND<1	7.06	0.325	2.1	ND<1	ND<1	8.5 *	ND<1	ND<1	ND<2	ND<1	ND<1	8.2 *
	14-Jul-05	2.6	ND<1	3.4	ND<1	ND<1	ND<1	8.33	0.017	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<2	ND<1	ND<1	ND<1
	9-Aug-05	1.8	ND<1	2.9	ND<1	ND<1	ND<1	0.24	0.065	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<2	ND<1	ND<1	ND<1
	8-Sep-05	2.9	ND<1	4.2	ND<1	ND<1	ND<1	7.53	0.255	2.5	ND<1	ND<1	ND<1	ND<1	ND<1	ND<2	ND<1	ND<1	ND<1
	19-Oct-05	NM	ND<1	ND<1	ND<1	ND<1	ND<1	NM	NM	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<2	ND<1	ND<1	ND<1
	21-Nov-05	1.5	ND<1	ND<1	ND<1	ND<1	ND<1	7.65	0.106	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<2	ND<1	ND<1	ND<1
	8-Dec-05	2.4	ND<1	5.0	ND<1	ND<1	ND<1	5.19	0.021	3.2	ND<1	ND<1	ND<1	ND<1	ND<1	ND<2	ND<1	ND<1	ND<1
	12-Jan-06	1.3	ND<1	3.7	ND<1	ND<1	ND<1	7.25	0.097	2.0	ND<1	ND<1	4.9 *	ND<1	ND<1	ND<2	ND<1	ND<1	ND<1
	14-Feb-06	1.5	ND<1	3.0	ND<1	ND<1	ND<1	8.06	ND<0.02	1.5	ND<1	ND<1	ND<1	ND<1	ND<1	ND<2	ND<1	ND<1	ND<1
	7-Mar-06	1.3	ND<1	2.8	ND<1	ND<1	ND<1	8.33	0.064	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<2	ND<1	ND<1	ND<1
	12-Apr-06	2.1	0.9	4.5	ND<1	ND<1	ND<1	7.27	0.823	3.3	ND<1	ND<1	ND<1	ND<1	ND<1	ND<2	ND<1	ND<1	ND<1
	17-May-06	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	2.03	0.056	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<2	ND<1	ND<1	ND<1
	21-Jun-06	ND<1	ND<1	2.8	ND<1	ND<1	ND<1	8.40	0.897	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<2	ND<1	ND<1	ND<1
	20-Jul-06	1.0	ND<1	4.0	ND<1	ND<1	ND<1	10.80	0.175	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<2	ND<1	ND<1	ND<1
	24-Aug-06	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	5.98	1.860	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<2	ND<1	ND<1	ND<1
	19-Sep-06	ND<1	ND<1	3.0	ND<1	ND<1	ND<1	7.44	0.009	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<2	ND<1	ND<1	ND<1
	24-Oct-06	0.9	ND<1	3.1	ND<1	ND<1	ND<1	8.32	0.0605	2.0	ND<1	ND<1	ND<1	ND<1	ND<1	ND<2	ND<1	ND<1	ND<1
	29-Nov-06	1.0	ND<1	3.4	ND<1	ND<1	ND<1	3.87	0.0091	1.6	ND<1	ND<1	ND<1	ND<1	ND<1	ND<2	ND<1	ND<1	ND<1
	20-Dec-06	ND<1	ND<1	3.5	ND<1	ND<1	ND<1	62.80	0.0346	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<2	ND<1	ND<1	ND<1
	10-Jan-07	1.3	ND<1	3.5	ND<1	ND<1	ND<1	6.57	0.8100	ND<1	ND<1	ND<1	ND<1	1.9	ND<1	9.3	2.8	2.7	ND<1
	8-Feb-07	NM	ND<1	ND<1	ND<1	ND<1	ND<1	NM	NM	ND<1	ND<1	ND<1	ND<1	NM	NM	ND<1	ND<1	ND<1	ND<1
	7-Mar-07	NM	ND<1	ND<1	ND<1	ND<1	ND<1	NM	NM	ND<1	ND<1	ND<1	ND<1	NM	NM	ND<1	ND<1	ND<1	ND<1
	18-Apr-07	ND<1	ND<1	2.2	ND<1	ND<1	ND<1	9.13	0.3820	ND<1	ND<1	ND<1	6.7 *	ND<1	ND<1	ND<2	ND<1	ND<1	ND<1
	10-May-07	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	24.70	0.0129	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<2	ND<1	ND<1	ND<1

TABLE 4

**GROUND-WATER REMEDIAL ACTION
ROWE INDUSTRIES SUPERFUND SITE
SAG HARBOR, NEW YORK**

RECOVERY WELL WATER QUALITY RESULTS

Recovery Well	Date Sampled	PCE (ug/L)	TCE (ug/L)	TCA (ug/L)	Vinyl Acetate (ug/L)	Chloroform (ug/L)	MTBE (ug/L)	Total Iron (mg/L)	Dissolved Iron (mg/L)	1,1-Dichloro-ethane (ug/L)	cis-1,2-Dichloro-ethene (ug/L)	1,1-Dichloro-ethene (ug/L)	Methylene Chloride (ug/L)	Toluene (ug/L)	Dibromochloromethane (ug/L)	m,p-Xylene (ug/L)	o-Xylene (ug/L)	Ethylbenzene (ug/L)	Acetone (ug/L)
	ARAR's	5	5	6.4	NE	7	NE	300	300	5	5	5	5	NE	NE	NE	NE	NE	NE
	4-Jan-05	ND<1	10	5	ND<1	ND<1	ND<1	2.35	1.72	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
	8-Feb-05	ND<1	ND<1	10	ND<1	ND<1	ND<1	0.0974	ND<0.02	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
	15-Mar-05	ND<1	1.4	5.9	ND<1	ND<1	ND<1	1.55	0.507	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
	19-Apr-05	ND<1	ND<1	4.5	ND<1	ND<1	ND<1	1.59	0.091	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
	2-May-05	ND<1	2.9	9.0	ND<1	ND<1	ND<1	2.89	0.0566	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
	16-Jun-05	ND<1	ND<1	9.8	ND<1	ND<1	ND<1	1.38	0.149	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
	14-Jul-05	3.4	ND<1	3.1	ND<1	ND<1	ND<1	2.95	0.238	ND<1	ND<1	ND<1	6.9 *	ND<1	ND<1	ND<1	ND<1	ND<1	7.3 *
	9-Aug-05	ND<1	ND<1	1.4	ND<1	ND<1	ND<1	0.994	0.0734	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
	8-Sep-05	1.2	ND<1	2.0	ND<1	ND<1	ND<1	3.64	0.161	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
	19-Oct-05	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM
	21-Nov-05	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	1.31	0.108	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
	8-Dec-05	ND<1	ND<1	2.9	ND<1	ND<1	ND<1	2.01	0.024	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
	12-Jan-06	ND<1	ND<1	1.4	ND<1	ND<1	ND<1	2.36	0.0905	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
	14-Feb-06	2.1	ND<1	1.8	ND<1	ND<1	ND<1	5.23	ND<0.02	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
	7-Mar-06	1.3	ND<1	ND<1	ND<1	ND<1	ND<1	3.41	0.333	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
	12-Apr-06	ND<1	ND<1	2.2	ND<1	ND<1	ND<1	1.93	0.108	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
	17-May-06	ND<1	NM	ND<1	ND<1	ND<1	ND<1	1.64	0.054	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
	21-June-06 ^{2/}	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM
	20-Jul-06	ND<1	ND<1	2.2	ND<1	ND<1	ND<1	3.5	0.695	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
	24-Aug-06	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	0.97	0.0165	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
	19-Sep-06	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	5.16	ND<0.02	ND<1	ND<1	ND<1	18 *	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
	24-Oct-06	ND<1	ND<1	1.5	ND<1	ND<1	ND<1	6.96	0.00719	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
	28-Nov-06	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	3.99	ND<0.02	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
	20-Dec-06	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	6.54	0.0119	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
	10-Jan-07	ND<1	ND<1	1.4	ND<1	ND<1	ND<1	5.08	0.0855	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
	8-Feb-07	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	2.96	0.0076	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
	7-Mar-07	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	8.03	0.399	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
	18-Apr-07	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	2.77	0.232	ND<1	ND<1	ND<1	6.2 *	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
	10-May-07	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	2.60	0.0356	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1

NE indicates that the ARAR goal was not established for this compound by the EPA

*Concentrations with an asterisk following them are due to laboratory contamination.

^{1/} RW-3 is currently non operational weighting for the reprogramming of the drive for the new 4 amp pump;

^{2/} RW-9 was being rehabilitated during this sampling event, thus no water sample was collected.

ND: Not detected
 <#> Less than method detection limit
 ug/L: Micrograms per liter
 -: Not analyzed
 ARAR's are chemical specific aquifer restoration goals for ground water at the Former Rowe Industries Superfund Site
 Bold values indicate an exceedance of the ARAR standard established for the site

PCE: Tetrachloroethylene
 TCE: Trichloroethene
 TCA: 1,1,1-Trichloroethane
 1,1-DCA: 1,1-Dichloroethane

1,1-DCE: 1,1-Dichloroethene
 1,2-DCE: 1,2-Dichloroethene
 MTBE: Methyl Tertiary Butyl Ether
 NM: Not Measured


GRAPHS

GRAPH 1

GROUND-WATER REMEDIAL ACTION
ROWE INDUSTRIES SUPERFUND SITE
SAG HARBOR, NEW YORK


EFFLUENT FLOW DATA

(May 1, 2007 through May 31, 2007)




—◆— Daily Flow Total — Max Allowable (1,023,000 gpd)

GRAPH 2 GROUND-WATER REMEDIAL ACTION ROWE INDUSTRIES SUPERFUND SITE SAG HARBOR, NEW YORK



GRAPH 3
GROUND-WATER REMEDIAL ACTION
ROWE INDUSTRIES SUPERFUND SITE
SAG HARBOR, NEW YORK



APPENDIX I
MAY 2007 LABORATORY ANALYTICAL REPORTS

Thursday, May 10, 2007

Mark Goldberg
Leggette Brashears & Graham Inc.
4 Research Drive
Suite 301
Shelton, CT 06484

TEL: (203) 929-8555
FAX (203) 926-9140

RE: Rowe Industries

Order No.: 0705030

Dear Mark Goldberg:

American Analytical Laboratories, LLC. received 3 sample(s) on 5/3/2007 for the analyses presented in the following report.


Samples were analyzed in accordance with the test procedures documented on the chain of custody and detailed throughout the text of this report.

The limits provided in the data package are analytical reporting limits and not Federal or Local mandated values to which the sample results should be compared.

There were no problems with the analyses and all data for associated QC met laboratory specifications. If there are any exceptions a Case Narrative is provided in the report.

If you have any questions regarding these tests results, please do not hesitate to call (631) 454-6100 or email me directly at lbeyer@american-analytical.com.

Sincerely,



Lori Beyer
Lab Director

American Analytical Laboratories, LLC.**Date:** 10-May-07

CLIENT: Leggette Brashears & Graham Inc.
Project: Rowe Industries
Lab Order: 0705030

Work Order Sample Summary

Lab Sample ID	Client Sample ID	Tag Number	Date Collected	Date Received
0705030-01A	WQ050107: 1000 NP2-6	6157	5/1/2007 10:00:00 AM	5/3/2007
0705030-01B	WQ050107: 1000 NP2-6	6157	5/1/2007 10:00:00 AM	5/3/2007
0705030-01C	WQ050107: 1000 NP2-6	6157	5/1/2007 10:00:00 AM	5/3/2007
0705030-02A	WQ050107: 1005 NP2-7	6157	5/1/2007 10:05:00 AM	5/3/2007
0705030-02B	WQ050107: 1005 NP2-7	6157	5/1/2007 10:05:00 AM	5/3/2007
0705030-02C	WQ050107: 1005 NP2-7	6157	5/1/2007 10:05:00 AM	5/3/2007
0705030-03A	WQ050107: 10:10 NP2-10	6157	5/1/2007 10:10:00 AM	5/3/2007
0705030-03B	WQ050107: 10:10 NP2-10	6157	5/1/2007 10:10:00 AM	5/3/2007
0705030-03C	WQ050107: 10:10 NP2-10	6157	5/1/2007 10:10:00 AM	5/3/2007

CHAIN OF CUSTODY / REQUEST FOR ANALYSIS DOCUMENT

[illegible]

WHITE-OFFICE / CANARY-LAB / PINK-SAMPLE CUSTODIAN / GOLDENROD-CLIENT

AMERICAN ANALYTICAL LABORATORIES, LLC

56 TOLEDO STREET

FARMINGDALE, NEW YORK 11735

TELEPHONE: (631) 454-6100 FAX: (631) 454-8027

DATA REPORTING QUALIFIERS

For reporting results, the following "Results Qualifiers" are used:

Value	If the result is greater than or equal to the detection limit, report the value
U	Indicates the compound was analyzed for but was not detected. Report the minimum detection limit for the sample with the U, i.e. "10U". This is not necessarily the instrument detection limit attainable for this particular sample based on any concentration or dilution that may have been required.
J	Indicates an estimated value. The flag is used: (1) When estimating a concentration for a tentatively identified compound (library search hits, where a 1:1 response is assumed.) (2) When the mass spectral data indicated the identification, however the result was less than the specified detection limit greater than zero. If the detection limit was 10ug/L and a concentration of 3ug/L was calculated report as 3J. This flag is used when similar situations arise on any organic parameter i.e. Pesticide, PCBs and others.
B	Indicates the analyte was found in the blank as well as the sample report "10B".
E	Indicates the analytes concentration exceeds the calibrated range of the instrument for that specific analysis.
D	This flag identifies all compounds identified in an analysis at a secondary dilution factor.
P	This flag is used for Pesticide / PCB target analyte when there is >25% difference for detected concentrations between the two GC Columns. The higher of the two values is reported on Form I and flagged with a "P".
N	This flag indicates presumptive evidence of a compound. This is only used for tentatively identified compounds (TICs), where the identification is based on a mass spectral library search. It applies to all TIC results. For generic characterization of a TIC, such as chlorinated hydrocarbon, the flag is not used.
H	Indicates sample was received and/or analyzed outside of The method allowable holding time

American Analytical Laboratories, LLC.

Date: 10-May-07

CLIENT: Leggette Brashears & Graham Inc.
Lab Order: 0705030
Project: Rowe Industries
Lab ID: 0705030-01A

Client Sample ID: WQ050107: 1000 NP2-6
Tag Number: 6157
Collection Date: 5/1/2007 10:00:00 AM
Matrix: LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILE SW-846 8260 + MTBE & FREON113		SW8260B		Analyst: LDS		
1,1,1,2-Tetrachloroethane	U	1.0		µg/L	1	5/3/2007 8:02:00 PM
1,1,1-Trichloroethane	U	1.0		µg/L	1	5/3/2007 8:02:00 PM
1,1,2,2-Tetrachloroethane	U	1.0		µg/L	1	5/3/2007 8:02:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	U	1.0		µg/L	1	5/3/2007 8:02:00 PM
1,1,2-Trichloroethane	U	1.0		µg/L	1	5/3/2007 8:02:00 PM
1,1-Dichloroethane	U	1.0		µg/L	1	5/3/2007 8:02:00 PM
1,1-Dichloroethene	U	1.0		µg/L	1	5/3/2007 8:02:00 PM
1,1-Dichloropropene	U	1.0		µg/L	1	5/3/2007 8:02:00 PM
1,2,3-Trichlorobenzene	U	1.0		µg/L	1	5/3/2007 8:02:00 PM
1,2,3-Trichloropropane	U	1.0		µg/L	1	5/3/2007 8:02:00 PM
1,2,4-Trichlorobenzene	U	1.0		µg/L	1	5/3/2007 8:02:00 PM
1,2,4-Trimethylbenzene	U	1.0		µg/L	1	5/3/2007 8:02:00 PM
1,2-Dibromo-3-chloropropane	U	1.0		µg/L	1	5/3/2007 8:02:00 PM
1,2-Dibromoethane	U	1.0		µg/L	1	5/3/2007 8:02:00 PM
1,2-Dichlorobenzene	U	1.0		µg/L	1	5/3/2007 8:02:00 PM
1,2-Dichloroethane	U	1.0		µg/L	1	5/3/2007 8:02:00 PM
1,2-Dichloropropane	U	1.0		µg/L	1	5/3/2007 8:02:00 PM
1,3,5-Trimethylbenzene	U	1.0		µg/L	1	5/3/2007 8:02:00 PM
1,3-Dichlorobenzene	U	1.0		µg/L	1	5/3/2007 8:02:00 PM
1,3-dichloropropane	U	1.0		µg/L	1	5/3/2007 8:02:00 PM
1,4-Dichlorobenzene	U	1.0		µg/L	1	5/3/2007 8:02:00 PM
2,2-Dichloropropane	U	1.0		µg/L	1	5/3/2007 8:02:00 PM
2-Butanone	U	3.0		µg/L	1	5/3/2007 8:02:00 PM
2-Chloroethyl vinyl ether	U	1.0		µg/L	1	5/3/2007 8:02:00 PM
2-Chlorotoluene	U	1.0		µg/L	1	5/3/2007 8:02:00 PM
2-Hexanone	U	2.0		µg/L	1	5/3/2007 8:02:00 PM
4-Chlorotoluene	U	1.0		µg/L	1	5/3/2007 8:02:00 PM
4-Isopropyltoluene	U	1.0		µg/L	1	5/3/2007 8:02:00 PM
4-Methyl-2-pentanone	U	2.0		µg/L	1	5/3/2007 8:02:00 PM
Acetone	U	2.0		µg/L	1	5/3/2007 8:02:00 PM
Benzene	U	1.0		µg/L	1	5/3/2007 8:02:00 PM
Bromobenzene	U	1.0		µg/L	1	5/3/2007 8:02:00 PM
Bromochloromethane	U	1.0		µg/L	1	5/3/2007 8:02:00 PM
Bromodichloromethane	U	1.0		µg/L	1	5/3/2007 8:02:00 PM
Bromoform	U	1.0		µg/L	1	5/3/2007 8:02:00 PM
Bromomethane	U	1.0		µg/L	1	5/3/2007 8:02:00 PM
Carbon disulfide	U	1.0		µg/L	1	5/3/2007 8:02:00 PM
Carbon tetrachloride	U	1.0		µg/L	1	5/3/2007 8:02:00 PM
Chlorobenzene	U	1.0		µg/L	1	5/3/2007 8:02:00 PM

Qualifiers:	B	Analyte detected in the associated Method Blank	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	S	Spike Recovery outside accepted recovery limits
	U	Indicates the compound was analyzed for but not detected	X	Value exceeds Maximum Contaminant Level

American Analytical Laboratories, LLC.

Date: 10-May-07

CLIENT: Leggette Brashears & Graham Inc.
Lab Order: 0705030
Project: Rowe Industries
Lab ID: 0705030-01A

Client Sample ID: WQ050107: 1000 NP2-6
Tag Number: 6157
Collection Date: 5/1/2007 10:00:00 AM
Matrix: LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILE SW-846 8260 + MTBE & FREON113		SW8260B		Analyst: LDS		
Chloroethane	U	1.0		µg/L	1	5/3/2007 8:02:00 PM
Chloroform	U	1.0		µg/L	1	5/3/2007 8:02:00 PM
Chloromethane	U	1.0		µg/L	1	5/3/2007 8:02:00 PM
cis-1,2-Dichloroethene	U	1.0		µg/L	1	5/3/2007 8:02:00 PM
cis-1,3-Dichloropropene	U	1.0		µg/L	1	5/3/2007 8:02:00 PM
Dibromochloromethane	U	1.0		µg/L	1	5/3/2007 8:02:00 PM
Dibromomethane	U	1.0		µg/L	1	5/3/2007 8:02:00 PM
Dichlorodifluoromethane	U	1.0		µg/L	1	5/3/2007 8:02:00 PM
Ethylbenzene	U	1.0		µg/L	1	5/3/2007 8:02:00 PM
Hexachlorobutadiene	U	1.0		µg/L	1	5/3/2007 8:02:00 PM
Isopropylbenzene	U	1.0		µg/L	1	5/3/2007 8:02:00 PM
m,p-Xylene	U	2.0		µg/L	1	5/3/2007 8:02:00 PM
Methyl tert-butyl ether	U	1.0		µg/L	1	5/3/2007 8:02:00 PM
Methylene chloride	U	1.0		µg/L	1	5/3/2007 8:02:00 PM
Naphthalene	U	1.0		µg/L	1	5/3/2007 8:02:00 PM
n-Butylbenzene	U	1.0		µg/L	1	5/3/2007 8:02:00 PM
n-Propylbenzene	U	1.0		µg/L	1	5/3/2007 8:02:00 PM
o-Xylene	U	1.0		µg/L	1	5/3/2007 8:02:00 PM
sec-Butylbenzene	U	1.0		µg/L	1	5/3/2007 8:02:00 PM
Styrene	U	1.0		µg/L	1	5/3/2007 8:02:00 PM
tert-Butylbenzene	U	1.0		µg/L	1	5/3/2007 8:02:00 PM
Tetrachloroethene	U	1.0		µg/L	1	5/3/2007 8:02:00 PM
Toluene	U	1.0		µg/L	1	5/3/2007 8:02:00 PM
trans-1,2-Dichloroethene	U	1.0		µg/L	1	5/3/2007 8:02:00 PM
trans-1,3-Dichloropropene	U	1.0		µg/L	1	5/3/2007 8:02:00 PM
Trichloroethene	U	1.0		µg/L	1	5/3/2007 8:02:00 PM
Trichlorofluoromethane	U	1.0		µg/L	1	5/3/2007 8:02:00 PM
Vinyl acetate	U	1.0		µg/L	1	5/3/2007 8:02:00 PM
Vinyl chloride	U	1.0		µg/L	1	5/3/2007 8:02:00 PM
Surr: 4-Bromofluorobenzene	98.1	54-134		%REC	1	5/3/2007 8:02:00 PM
Surr: Dibromofluoromethane	108	52-132		%REC	1	5/3/2007 8:02:00 PM
Surr: Toluene-d8	95.4	51-127		%REC	1	5/3/2007 8:02:00 PM

Qualifiers:
 B Analyte detected in the associated Method Blank
 H Holding times for preparation or analysis exceeded
 ND Not Detected at the Reporting Limit
 U Indicates the compound was analyzed for but not detected

E Value above quantitation range
 J Analyte detected below quantitation limits
 S Spike Recovery outside accepted recovery limits
 X Value exceeds Maximum Contaminant Level

American Analytical Laboratories, LLC.

Date: 10-May-07

CLIENT: Leggette Brashears & Graham Inc.**Client Sample ID:** WQ050107: 1000 NP2-6**Lab Order:** 0705030**Tag Number:** 6157**Project:** Rowe Industries**Collection Date:** 5/1/2007 10:00:00 AM**Lab ID:** 0705030-01B**Matrix:** LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
TOTAL IRON		E200.7		SW3010A		Analyst: JP
Iron	2.67	0.0200		mg/L	1	5/9/2007 10:31:08 AM

Qualifiers:

B Analyte detected in the associated Method Blank
H Holding times for preparation or analysis exceeded
ND Not Detected at the Reporting Limit
U Indicates the compound was analyzed for but not detected

E Value above quantitation range
J Analyte detected below quantitation limits
S Spike Recovery outside accepted recovery limits
X Value exceeds Maximum Contaminant Level

American Analytical Laboratories, LLC.

Date: 10-May-07

CLIENT: Leggette Brashears & Graham Inc.
Lab Order: 0705030
Project: Rowe Industries
Lab ID: 0705030-01C

Client Sample ID: WQ050107: 1000 NP2-6
Tag Number: 6157
Collection Date: 5/1/2007 10:00:00 AM
Matrix: LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
DISSOLVED IRON		E200.7		SW3005A		Analyst: JP
Iron	0.0453	0.0200		mg/L	1	5/9/2007 10:27:59 AM

Qualifiers:

B	Analyte detected in the associated Method Blank	E	Value above quantitation range
H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
ND	Not Detected at the Reporting Limit	S	Spike Recovery outside accepted recovery limits
U	Indicates the compound was analyzed for but not detected	X	Value exceeds Maximum Contaminant Level

American Analytical Laboratories, LLC.

Date: 10-May-07

CLIENT: Leggette Brashears & Graham Inc.
Lab Order: 0705030
Project: Rowe Industries
Lab ID: 0705030-02A

Client Sample ID: WQ050107: 1005 NP2-7
Tag Number: 6157
Collection Date: 5/1/2007 10:05:00 AM
Matrix: LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILE SW-846 8260 + MTBE & FREON113		SW8260B		Analyst: LDS		
1,1,1,2-Tetrachloroethane	U	1.0		µg/L	1	5/3/2007 8:27:00 PM
1,1,1-Trichloroethane	3.9	1.0		µg/L	1	5/3/2007 8:27:00 PM
1,1,2,2-Tetrachloroethane	U	1.0		µg/L	1	5/3/2007 8:27:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	U	1.0		µg/L	1	5/3/2007 8:27:00 PM
1,1,2-Trichloroethane	U	1.0		µg/L	1	5/3/2007 8:27:00 PM
1,1-Dichloroethane	U	1.0		µg/L	1	5/3/2007 8:27:00 PM
1,1-Dichloroethene	U	1.0		µg/L	1	5/3/2007 8:27:00 PM
1,1-Dichloropropene	U	1.0		µg/L	1	5/3/2007 8:27:00 PM
1,2,3-Trichlorobenzene	U	1.0		µg/L	1	5/3/2007 8:27:00 PM
1,2,3-Trichloropropane	U	1.0		µg/L	1	5/3/2007 8:27:00 PM
1,2,4-Trichlorobenzene	U	1.0		µg/L	1	5/3/2007 8:27:00 PM
1,2,4-Trimethylbenzene	U	1.0		µg/L	1	5/3/2007 8:27:00 PM
1,2-Dibromo-3-chloropropane	U	1.0		µg/L	1	5/3/2007 8:27:00 PM
1,2-Dibromoethane	U	1.0		µg/L	1	5/3/2007 8:27:00 PM
1,2-Dichlorobenzene	U	1.0		µg/L	1	5/3/2007 8:27:00 PM
1,2-Dichloroethane	U	1.0		µg/L	1	5/3/2007 8:27:00 PM
1,2-Dichloropropane	U	1.0		µg/L	1	5/3/2007 8:27:00 PM
1,3,5-Trimethylbenzene	U	1.0		µg/L	1	5/3/2007 8:27:00 PM
1,3-Dichlorobenzene	U	1.0		µg/L	1	5/3/2007 8:27:00 PM
1,3-dichloropropane	U	1.0		µg/L	1	5/3/2007 8:27:00 PM
1,4-Dichlorobenzene	U	1.0		µg/L	1	5/3/2007 8:27:00 PM
2,2-Dichloropropane	U	1.0		µg/L	1	5/3/2007 8:27:00 PM
2-Butanone	U	3.0		µg/L	1	5/3/2007 8:27:00 PM
2-Chloroethyl vinyl ether	U	1.0		µg/L	1	5/3/2007 8:27:00 PM
2-Chlorotoluene	U	1.0		µg/L	1	5/3/2007 8:27:00 PM
2-Hexanone	U	2.0		µg/L	1	5/3/2007 8:27:00 PM
4-Chlorotoluene	U	1.0		µg/L	1	5/3/2007 8:27:00 PM
4-Isopropyltoluene	U	1.0		µg/L	1	5/3/2007 8:27:00 PM
4-Methyl-2-pentanone	U	2.0		µg/L	1	5/3/2007 8:27:00 PM
Acetone	U	2.0		µg/L	1	5/3/2007 8:27:00 PM
Benzene	U	1.0		µg/L	1	5/3/2007 8:27:00 PM
Bromobenzene	U	1.0		µg/L	1	5/3/2007 8:27:00 PM
Bromochloromethane	U	1.0		µg/L	1	5/3/2007 8:27:00 PM
Bromodichloromethane	U	1.0		µg/L	1	5/3/2007 8:27:00 PM
Bromoform	U	1.0		µg/L	1	5/3/2007 8:27:00 PM
Bromomethane	U	1.0		µg/L	1	5/3/2007 8:27:00 PM
Carbon disulfide	U	1.0		µg/L	1	5/3/2007 8:27:00 PM
Carbon tetrachloride	U	1.0		µg/L	1	5/3/2007 8:27:00 PM
Chlorobenzene	U	1.0		µg/L	1	5/3/2007 8:27:00 PM

Qualifiers:	B	Analyte detected in the associated Method Blank	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	S	Spike Recovery outside accepted recovery limits
	U	Indicates the compound was analyzed for but not detected	X	Value exceeds Maximum Contaminant Level

American Analytical Laboratories, LLC.

Date: 10-May-07

CLIENT: Leggette Brashears & Graham Inc.
Lab Order: 0705030
Project: Rowe Industries
Lab ID: 0705030-02A

Client Sample ID: WQ050107: 1005 NP2-7
Tag Number: 6157
Collection Date: 5/1/2007 10:05:00 AM
Matrix: LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILE SW-846 8260 + MTBE & FREON113		SW8260B		Analyst: LDS		
Chloroethane	U	1.0		µg/L	1	5/3/2007 8:27:00 PM
Chloroform	U	1.0		µg/L	1	5/3/2007 8:27:00 PM
Chloromethane	U	1.0		µg/L	1	5/3/2007 8:27:00 PM
cis-1,2-Dichloroethene	U	1.0		µg/L	1	5/3/2007 8:27:00 PM
cis-1,3-Dichloropropene	U	1.0		µg/L	1	5/3/2007 8:27:00 PM
Dibromochloromethane	U	1.0		µg/L	1	5/3/2007 8:27:00 PM
Dibromomethane	U	1.0		µg/L	1	5/3/2007 8:27:00 PM
Dichlorodifluoromethane	U	1.0		µg/L	1	5/3/2007 8:27:00 PM
Ethylbenzene	U	1.0		µg/L	1	5/3/2007 8:27:00 PM
Hexachlorobutadiene	U	1.0		µg/L	1	5/3/2007 8:27:00 PM
Isopropylbenzene	U	1.0		µg/L	1	5/3/2007 8:27:00 PM
m,p-Xylene	U	2.0		µg/L	1	5/3/2007 8:27:00 PM
Methyl tert-butyl ether	U	1.0		µg/L	1	5/3/2007 8:27:00 PM
Methylene chloride	U	1.0		µg/L	1	5/3/2007 8:27:00 PM
Naphthalene	U	1.0		µg/L	1	5/3/2007 8:27:00 PM
n-Butylbenzene	U	1.0		µg/L	1	5/3/2007 8:27:00 PM
n-Propylbenzene	U	1.0		µg/L	1	5/3/2007 8:27:00 PM
o-Xylene	U	1.0		µg/L	1	5/3/2007 8:27:00 PM
sec-Butylbenzene	U	1.0		µg/L	1	5/3/2007 8:27:00 PM
Styrene	U	1.0		µg/L	1	5/3/2007 8:27:00 PM
tert-Butylbenzene	U	1.0		µg/L	1	5/3/2007 8:27:00 PM
Tetrachloroethene	7.0	1.0		µg/L	1	5/3/2007 8:27:00 PM
Toluene	U	1.0		µg/L	1	5/3/2007 8:27:00 PM
trans-1,2-Dichloroethene	U	1.0		µg/L	1	5/3/2007 8:27:00 PM
trans-1,3-Dichloropropene	U	1.0		µg/L	1	5/3/2007 8:27:00 PM
Trichloroethene	U	1.0		µg/L	1	5/3/2007 8:27:00 PM
Trichlorofluoromethane	U	1.0		µg/L	1	5/3/2007 8:27:00 PM
Vinyl acetate	U	1.0		µg/L	1	5/3/2007 8:27:00 PM
Vinyl chloride	U	1.0		µg/L	1	5/3/2007 8:27:00 PM
Surr: 4-Bromofluorobenzene	90.9	54-134		%REC	1	5/3/2007 8:27:00 PM
Surr: Dibromofluoromethane	109	52-132		%REC	1	5/3/2007 8:27:00 PM
Surr: Toluene-d8	100	51-127		%REC	1	5/3/2007 8:27:00 PM

Qualifiers:	B	Analyte detected in the associated Method Blank	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	S	Spike Recovery outside accepted recovery limits
	U	Indicates the compound was analyzed for but not detected	X	Value exceeds Maximum Contaminant Level

American Analytical Laboratories, LLC.

Date: 10-May-07

CLIENT: Leggette Brashears & Graham Inc.**Client Sample ID:** WQ050107: 1005 NP2-7**Lab Order:** 0705030**Tag Number:** 6157**Project:** Rowe Industries**Collection Date:** 5/1/2007 10:05:00 AM**Lab ID:** 0705030-02B**Matrix:** LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
TOTAL IRON		E200.7		SW3010A		Analyst: JP
Iron	1.87	0.0200		mg/L	1	5/9/2007 10:38:15 AM

Qualifiers:	B	Analyte detected in the associated Method Blank	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	S	Spike Recovery outside accepted recovery limits
	U	Indicates the compound was analyzed for but not detected	X	Value exceeds Maximum Contaminant Level

American Analytical Laboratories, LLC.**Date:** 10-May-07**CLIENT:** Leggette Brashears & Graham Inc.**Client Sample ID:** WQ050107: 1005 NP2-7**Lab Order:** 0705030**Tag Number:** 6157**Project:** Rowe Industries**Collection Date:** 5/1/2007 10:05:00 AM**Lab ID:** 0705030-02C**Matrix:** LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
DISSOLVED IRON		E200.7		SW3005A		Analyst: JP
Iron	0.113	0.0200		mg/L	1	5/9/2007 10:35:41 AM

Qualifiers:	B	Analyte detected in the associated Method Blank	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	S	Spike Recovery outside accepted recovery limits
	U	Indicates the compound was analyzed for but not detected	X	Value exceeds Maximum Contaminant Level

American Analytical Laboratories, LLC.

Date: 10-May-07

CLIENT: Leggette Brashears & Graham Inc.
Lab Order: 0705030
Project: Rowe Industries
Lab ID: 0705030-03A

Client Sample ID: WQ050107: 10:10 NP2-10
Tag Number: 6157
Collection Date: 5/1/2007 10:10:00 AM
Matrix: LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILE SW-846 8260 + MTBE & FREON113		SW8260B		Analyst: LDS		
1,1,1,2-Tetrachloroethane	U	1.0		µg/L	1	5/3/2007 8:51:00 PM
1,1,1-Trichloroethane	U	1.0		µg/L	1	5/3/2007 8:51:00 PM
1,1,2,2-Tetrachloroethane	U	1.0		µg/L	1	5/3/2007 8:51:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	U	1.0		µg/L	1	5/3/2007 8:51:00 PM
1,1,2-Trichloroethane	U	1.0		µg/L	1	5/3/2007 8:51:00 PM
1,1-Dichloroethane	U	1.0		µg/L	1	5/3/2007 8:51:00 PM
1,1-Dichloroethene	U	1.0		µg/L	1	5/3/2007 8:51:00 PM
1,1-Dichloropropene	U	1.0		µg/L	1	5/3/2007 8:51:00 PM
1,2,3-Trichlorobenzene	U	1.0		µg/L	1	5/3/2007 8:51:00 PM
1,2,3-Trichloropropane	U	1.0		µg/L	1	5/3/2007 8:51:00 PM
1,2,4-Trichlorobenzene	U	1.0		µg/L	1	5/3/2007 8:51:00 PM
1,2,4-Trimethylbenzene	U	1.0		µg/L	1	5/3/2007 8:51:00 PM
1,2-Dibromo-3-chloropropane	U	1.0		µg/L	1	5/3/2007 8:51:00 PM
1,2-Dibromoethane	U	1.0		µg/L	1	5/3/2007 8:51:00 PM
1,2-Dichlorobenzene	U	1.0		µg/L	1	5/3/2007 8:51:00 PM
1,2-Dichloroethane	U	1.0		µg/L	1	5/3/2007 8:51:00 PM
1,2-Dichloropropane	U	1.0		µg/L	1	5/3/2007 8:51:00 PM
1,3,5-Trimethylbenzene	U	1.0		µg/L	1	5/3/2007 8:51:00 PM
1,3-Dichlorobenzene	U	1.0		µg/L	1	5/3/2007 8:51:00 PM
1,3-dichloropropane	U	1.0		µg/L	1	5/3/2007 8:51:00 PM
1,4-Dichlorobenzene	U	1.0		µg/L	1	5/3/2007 8:51:00 PM
2,2-Dichloropropane	U	1.0		µg/L	1	5/3/2007 8:51:00 PM
2-Butanone	U	3.0		µg/L	1	5/3/2007 8:51:00 PM
2-Chloroethyl vinyl ether	U	1.0		µg/L	1	5/3/2007 8:51:00 PM
2-Chlorotoluene	U	1.0		µg/L	1	5/3/2007 8:51:00 PM
2-Hexanone	U	2.0		µg/L	1	5/3/2007 8:51:00 PM
4-Chlorotoluene	U	1.0		µg/L	1	5/3/2007 8:51:00 PM
4-Isopropyltoluene	U	1.0		µg/L	1	5/3/2007 8:51:00 PM
4-Methyl-2-pentanone	U	2.0		µg/L	1	5/3/2007 8:51:00 PM
Acetone	U	2.0		µg/L	1	5/3/2007 8:51:00 PM
Benzene	U	1.0		µg/L	1	5/3/2007 8:51:00 PM
Bromobenzene	U	1.0		µg/L	1	5/3/2007 8:51:00 PM
Bromochloromethane	U	1.0		µg/L	1	5/3/2007 8:51:00 PM
Bromodichloromethane	U	1.0		µg/L	1	5/3/2007 8:51:00 PM
Bromoform	U	1.0		µg/L	1	5/3/2007 8:51:00 PM
Bromomethane	U	1.0		µg/L	1	5/3/2007 8:51:00 PM
Carbon disulfide	U	1.0		µg/L	1	5/3/2007 8:51:00 PM
Carbon tetrachloride	U	1.0		µg/L	1	5/3/2007 8:51:00 PM
Chlorobenzene	U	1.0		µg/L	1	5/3/2007 8:51:00 PM

Qualifiers:	B	Analyte detected in the associated Method Blank	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	S	Spike Recovery outside accepted recovery limits
	U	Indicates the compound was analyzed for but not detected	X	Value exceeds Maximum Contaminant Level

American Analytical Laboratories, LLC.

Date: 10-May-07

CLIENT: Leggette Brashears & Graham Inc.
Lab Order: 0705030
Project: Rowe Industries
Lab ID: 0705030-03A

Client Sample ID: WQ050107: 10:10 NP2-10
Tag Number: 6157
Collection Date: 5/1/2007 10:10:00 AM
Matrix: LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILE SW-846 8260 + MTBE & FREON113		SW8260B		Analyst: LDS		
Chloroethane	U	1.0		µg/L	1	5/3/2007 8:51:00 PM
Chloroform	U	1.0		µg/L	1	5/3/2007 8:51:00 PM
Chloromethane	U	1.0		µg/L	1	5/3/2007 8:51:00 PM
cis-1,2-Dichloroethene	U	1.0		µg/L	1	5/3/2007 8:51:00 PM
cis-1,3-Dichloropropene	U	1.0		µg/L	1	5/3/2007 8:51:00 PM
Dibromochloromethane	U	1.0		µg/L	1	5/3/2007 8:51:00 PM
Dibromomethane	U	1.0		µg/L	1	5/3/2007 8:51:00 PM
Dichlorodifluoromethane	U	1.0		µg/L	1	5/3/2007 8:51:00 PM
Ethylbenzene	U	1.0		µg/L	1	5/3/2007 8:51:00 PM
Hexachlorobutadiene	U	1.0		µg/L	1	5/3/2007 8:51:00 PM
Isopropylbenzene	U	1.0		µg/L	1	5/3/2007 8:51:00 PM
m,p-Xylene	U	2.0		µg/L	1	5/3/2007 8:51:00 PM
Methyl tert-butyl ether	U	1.0		µg/L	1	5/3/2007 8:51:00 PM
Methylene chloride	U	1.0		µg/L	1	5/3/2007 8:51:00 PM
Naphthalene	U	1.0		µg/L	1	5/3/2007 8:51:00 PM
n-Butylbenzene	U	1.0		µg/L	1	5/3/2007 8:51:00 PM
n-Propylbenzene	U	1.0		µg/L	1	5/3/2007 8:51:00 PM
o-Xylene	U	1.0		µg/L	1	5/3/2007 8:51:00 PM
sec-Butylbenzene	U	1.0		µg/L	1	5/3/2007 8:51:00 PM
Styrene	U	1.0		µg/L	1	5/3/2007 8:51:00 PM
tert-Butylbenzene	U	1.0		µg/L	1	5/3/2007 8:51:00 PM
Tetrachloroethene	U	1.0		µg/L	1	5/3/2007 8:51:00 PM
Toluene	U	1.0		µg/L	1	5/3/2007 8:51:00 PM
trans-1,2-Dichloroethene	U	1.0		µg/L	1	5/3/2007 8:51:00 PM
trans-1,3-Dichloropropene	U	1.0		µg/L	1	5/3/2007 8:51:00 PM
Trichloroethene	U	1.0		µg/L	1	5/3/2007 8:51:00 PM
Trichlorofluoromethane	U	1.0		µg/L	1	5/3/2007 8:51:00 PM
Vinyl acetate	U	1.0		µg/L	1	5/3/2007 8:51:00 PM
Vinyl chloride	U	1.0		µg/L	1	5/3/2007 8:51:00 PM
Surr: 4-Bromofluorobenzene	91.5	54-134		%REC	1	5/3/2007 8:51:00 PM
Surr: Dibromofluoromethane	108	52-132		%REC	1	5/3/2007 8:51:00 PM
Surr: Toluene-d8	94.3	51-127		%REC	1	5/3/2007 8:51:00 PM

Qualifiers:	B	Analyte detected in the associated Method Blank	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	S	Spike Recovery outside accepted recovery limits
	U	Indicates the compound was analyzed for but not detected	X	Value exceeds Maximum Contaminant Level

American Analytical Laboratories, LLC.

Date: 10-May-07

CLIENT: Leggette Brashears & Graham Inc.**Client Sample ID:** WQ050107: 10:10 NP2-10**Lab Order:** 0705030**Tag Number:** 6157**Project:** Rowe Industries**Collection Date:** 5/1/2007 10:10:00 AM**Lab ID:** 0705030-03B**Matrix:** LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
TOTAL IRON		E200.7		SW3010A		Analyst: JP
Iron	0.944	0.0200		mg/L	1	5/9/2007 10:44:10 AM

Qualifiers:

B	Analyte detected in the associated Method Blank	E	Value above quantitation range
H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
ND	Not Detected at the Reporting Limit	S	Spike Recovery outside accepted recovery limits
U	Indicates the compound was analyzed for but not detected	X	Value exceeds Maximum Contaminant Level

American Analytical Laboratories, LLC.**Date:** 10-May-07**CLIENT:** Leggette Brashears & Graham Inc.**Client Sample ID:** WQ050107: 10:10 NP2-10**Lab Order:** 0705030**Tag Number:** 6157**Project:** Rowe Industries**Collection Date:** 5/1/2007 10:10:00 AM**Lab ID:** 0705030-03C**Matrix:** LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
DISSOLVED IRON		E200.7		SW3005A		Analyst: JP
Iron	0.0824	0.0200		mg/L	1	5/9/2007 10:40:39 AM
CORROSIVITY		E150.1				Analyst: JC
pH	6.95	0	H	pH Units	1	5/3/2007
TOTAL DISSOLVED SOLIDS		E160.1				Analyst: JC
Total Dissolved Solids (Residue, Filterable)	86.0	1.00		mg/L	1	5/7/2007

Qualifiers:

B Analyte detected in the associated Method Blank

H Holding times for preparation or analysis exceeded

ND Not Detected at the Reporting Limit

U Indicates the compound was analyzed for but not detected

E Value above quantitation range

J Analyte detected below quantitation limits

S Spike Recovery outside accepted recovery limits

X Value exceeds Maximum Contaminant Level

Monday, May 21, 2007

Mark Goldberg
Leggette Brashears & Graham Inc.
4 Research Drive
Suite 301
Shelton, CT 06484

TEL: (203) 929-8555
FAX (203) 926-9140

RE: Rowe Industries

Dear Mark Goldberg:

Order No.: 0705143

American Analytical Laboratories, LLC. received 3 sample(s) on 5/15/2007 for the analyses presented in the following report.


Samples were analyzed in accordance with the test procedures documented on the chain of custody and detailed throughout the text of this report.

The limits provided in the data package are analytical reporting limits and not Federal or Local mandated values to which the sample results should be compared.

There were no problems with the analyses and all data for associated QC met laboratory specifications. If there are any exceptions a Case Narrative is provided in the report.

If you have any questions regarding these tests results, please do not hesitate to call (631) 454-6100 or email me directly at lbeyer@american-analytical.com.

Sincerely,


Lori Beyer
Lab Director

American Analytical Laboratories, LLC.

Date: 21-May-07

CLIENT: Leggette Brashears & Graham Inc.**Project:** Rowe Industries**Lab Order:** 0705143**Work Order Sample Summary**

Lab Sample ID	Client Sample ID	Tag Number	Date Collected	Date Received
0705143-01A	WQ051007:900 NP2-6	11792	5/10/2007 9:00:00 AM	5/15/2007
0705143-01B	WQ051007:900 NP2-6	11792	5/10/2007 9:00:00 AM	5/15/2007
0705143-01C	WQ051007:900 NP2-6	11792	5/10/2007 9:00:00 AM	5/15/2007
0705143-02A	WQ051007:905 NP2-7	11792	5/10/2007 9:05:00 AM	5/15/2007
0705143-02B	WQ051007:905 NP2-7	11792	5/10/2007 9:05:00 AM	5/15/2007
0705143-02C	WQ051007:905 NP2-7	11792	5/10/2007 9:05:00 AM	5/15/2007
0705143-03A	WQ051007:910 NP2-10	11792	5/10/2007 9:10:00 AM	5/15/2007
0705143-03B	WQ051007:910 NP2-10	11792	5/10/2007 9:10:00 AM	5/15/2007
0705143-03C	WQ051007:910 NP2-10	11792	5/10/2007 9:10:00 AM	5/15/2007

WHITE-OFFICE / CANARY-LAB / PINK-SAMPLE CUSTODIAN / GOLDENROD-CLIENT

AMERICAN ANALYTICAL LABORATORIES, LLC

56 TOLEDO STREET

FARMINGDALE, NEW YORK 11735

TELEPHONE: (631) 454-6100 FAX: (631) 454-8027

DATA REPORTING QUALIFIERS

For reporting results, the following "Results Qualifiers" are used:

Value	If the result is greater than or equal to the detection limit, report the value
U	Indicates the compound was analyzed for but was not detected. Report the minimum detection limit for the sample with the U, i.e. "10U". This is not necessarily the instrument detection limit attainable for this particular sample based on any concentration or dilution that may have been required.
J	Indicates an estimated value. The flag is used: (1) When estimating a concentration for a tentatively identified compound (library search hits, where a 1:1 response is assumed.) (2) When the mass spectral data indicated the identification, however the result was less than the specified detection limit greater than zero. If the detection limit was 10ug/L and a concentration of 3ug/L was calculated report as 3J. This flag is used when similar situations arise on any organic parameter i.e. Pesticide, PCBs and others.
B	Indicates the analyte was found in the blank as well as the sample report "10B".
E	Indicates the analytes concentration exceeds the calibrated range of the instrument for that specific analysis.
D	This flag identifies all compounds identified in an analysis at a secondary dilution factor.
P	This flag is used for Pesticide / PCB target analyte when there is >25% difference for detected concentrations between the two GC Columns. The higher of the two values is reported on Form I and flagged with a "P".
N	This flag indicates presumptive evidence of a compound. This is only used for tentatively identified compounds (TICs), where the identification is based on a mass spectral library search. It applies to all TIC results. For generic characterization of a TIC, such as chlorinated hydrocarbon, the flag is not used.
H	Indicates sample was received and/or analyzed outside of The method allowable holding time

American Analytical Laboratories, LLC.

Date: 21-May-07

CLIENT: Leggette Brashears & Graham Inc.
Lab Order: 0705143
Project: Rowe Industries
Lab ID: 0705143-01A

Client Sample ID: WQ051007:900 NP2-6
Tag Number: 11792
Collection Date: 5/10/2007 9:00:00 AM
Matrix: LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILE SW-846 8260 + MTBE & FREON113		SW8260B		Analyst: MB		
1,1,1,2-Tetrachloroethane	U	1.0		µg/L	1	5/15/2007 4:58:00 PM
1,1,1-Trichloroethane	3.4	1.0		µg/L	1	5/15/2007 4:58:00 PM
1,1,2,2-Tetrachloroethane	U	1.0		µg/L	1	5/15/2007 4:58:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	U	1.0		µg/L	1	5/15/2007 4:58:00 PM
1,1,2-Trichloroethane	U	1.0		µg/L	1	5/15/2007 4:58:00 PM
1,1-Dichloroethane	U	1.0		µg/L	1	5/15/2007 4:58:00 PM
1,1-Dichloroethene	U	1.0		µg/L	1	5/15/2007 4:58:00 PM
1,1-Dichloropropene	U	1.0		µg/L	1	5/15/2007 4:58:00 PM
1,2,3-Trichlorobenzene	U	1.0		µg/L	1	5/15/2007 4:58:00 PM
1,2,3-Trichloropropane	U	1.0		µg/L	1	5/15/2007 4:58:00 PM
1,2,4-Trichlorobenzene	U	1.0		µg/L	1	5/15/2007 4:58:00 PM
1,2,4-Trimethylbenzene	U	1.0		µg/L	1	5/15/2007 4:58:00 PM
1,2-Dibromo-3-chloropropane	U	1.0		µg/L	1	5/15/2007 4:58:00 PM
1,2-Dibromoethane	U	1.0		µg/L	1	5/15/2007 4:58:00 PM
1,2-Dichlorobenzene	U	1.0		µg/L	1	5/15/2007 4:58:00 PM
1,2-Dichloroethane	U	1.0		µg/L	1	5/15/2007 4:58:00 PM
1,2-Dichloropropane	U	1.0		µg/L	1	5/15/2007 4:58:00 PM
1,3,5-Trimethylbenzene	U	1.0		µg/L	1	5/15/2007 4:58:00 PM
1,3-Dichlorobenzene	U	1.0		µg/L	1	5/15/2007 4:58:00 PM
1,3-dichloropropane	U	1.0		µg/L	1	5/15/2007 4:58:00 PM
1,4-Dichlorobenzene	U	1.0		µg/L	1	5/15/2007 4:58:00 PM
2,2-Dichloropropane	U	1.0		µg/L	1	5/15/2007 4:58:00 PM
2-Butanone	U	3.0		µg/L	1	5/15/2007 4:58:00 PM
2-Chloroethyl vinyl ether	U	1.0		µg/L	1	5/15/2007 4:58:00 PM
2-Chlorotoluene	U	1.0		µg/L	1	5/15/2007 4:58:00 PM
2-Hexanone	U	2.0		µg/L	1	5/15/2007 4:58:00 PM
4-Chlorotoluene	U	1.0		µg/L	1	5/15/2007 4:58:00 PM
4-Isopropyltoluene	U	1.0		µg/L	1	5/15/2007 4:58:00 PM
4-Methyl-2-pentanone	U	2.0		µg/L	1	5/15/2007 4:58:00 PM
Acetone	U	2.0		µg/L	1	5/15/2007 4:58:00 PM
Benzene	U	1.0		µg/L	1	5/15/2007 4:58:00 PM
Bromobenzene	U	1.0		µg/L	1	5/15/2007 4:58:00 PM
Bromochloromethane	U	1.0		µg/L	1	5/15/2007 4:58:00 PM
Bromodichloromethane	U	1.0		µg/L	1	5/15/2007 4:58:00 PM
Bromoform	U	1.0		µg/L	1	5/15/2007 4:58:00 PM
Bromomethane	U	1.0		µg/L	1	5/15/2007 4:58:00 PM
Carbon disulfide	U	1.0		µg/L	1	5/15/2007 4:58:00 PM
Carbon tetrachloride	U	1.0		µg/L	1	5/15/2007 4:58:00 PM
Chlorobenzene	U	1.0		µg/L	1	5/15/2007 4:58:00 PM

Qualifiers: B Analyte detected in the associated Method Blank
H Holding times for preparation or analysis exceeded
ND Not Detected at the Reporting Limit
U Indicates the compound was analyzed for but not detected

E Value above quantitation range
J Analyte detected below quantitation limits
S Spike Recovery outside accepted recovery limits
X Value exceeds Maximum Contaminant Level

American Analytical Laboratories, LLC.

Date: 21-May-07

CLIENT: Leggette Brashears & Graham Inc.
Lab Order: 0705143
Project: Rowe Industries
Lab ID: 0705143-01A

Client Sample ID: WQ051007:900 NP2-6
Tag Number: 11792
Collection Date: 5/10/2007 9:00:00 AM
Matrix: LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILE SW-846 8260 + MTBE & FREON113		SW8260B		Analyst: MB		
Chloroethane	U	1.0		µg/L	1	5/15/2007 4:58:00 PM
Chloroform	U	1.0		µg/L	1	5/15/2007 4:58:00 PM
Chloromethane	U	1.0		µg/L	1	5/15/2007 4:58:00 PM
cis-1,2-Dichloroethene	U	1.0		µg/L	1	5/15/2007 4:58:00 PM
cis-1,3-Dichloropropene	U	1.0		µg/L	1	5/15/2007 4:58:00 PM
Dibromochloromethane	U	1.0		µg/L	1	5/15/2007 4:58:00 PM
Dibromomethane	U	1.0		µg/L	1	5/15/2007 4:58:00 PM
Dichlorodifluoromethane	U	1.0		µg/L	1	5/15/2007 4:58:00 PM
Ethylbenzene	U	1.0		µg/L	1	5/15/2007 4:58:00 PM
Hexachlorobutadiene	U	1.0		µg/L	1	5/15/2007 4:58:00 PM
Isopropylbenzene	U	1.0		µg/L	1	5/15/2007 4:58:00 PM
m,p-Xylene	U	2.0		µg/L	1	5/15/2007 4:58:00 PM
Methyl tert-butyl ether	U	1.0		µg/L	1	5/15/2007 4:58:00 PM
Methylene chloride	U	1.0		µg/L	1	5/15/2007 4:58:00 PM
Naphthalene	U	1.0		µg/L	1	5/15/2007 4:58:00 PM
n-Butylbenzene	U	1.0		µg/L	1	5/15/2007 4:58:00 PM
n-Propylbenzene	U	1.0		µg/L	1	5/15/2007 4:58:00 PM
o-Xylene	U	1.0		µg/L	1	5/15/2007 4:58:00 PM
sec-Butylbenzene	U	1.0		µg/L	1	5/15/2007 4:58:00 PM
Styrene	U	1.0		µg/L	1	5/15/2007 4:58:00 PM
tert-Butylbenzene	U	1.0		µg/L	1	5/15/2007 4:58:00 PM
Tetrachloroethene	5.8	1.0		µg/L	1	5/15/2007 4:58:00 PM
Toluene	U	1.0		µg/L	1	5/15/2007 4:58:00 PM
trans-1,2-Dichloroethene	U	1.0		µg/L	1	5/15/2007 4:58:00 PM
trans-1,3-Dichloropropene	U	1.0		µg/L	1	5/15/2007 4:58:00 PM
Trichloroethene	U	1.0		µg/L	1	5/15/2007 4:58:00 PM
Trichlorofluoromethane	U	1.0		µg/L	1	5/15/2007 4:58:00 PM
Vinyl acetate	U	1.0		µg/L	1	5/15/2007 4:58:00 PM
Vinyl chloride	U	1.0		µg/L	1	5/15/2007 4:58:00 PM
Surr: 4-Bromofluorobenzene	88.1	54-134		%REC	1	5/15/2007 4:58:00 PM
Surr: Dibromofluoromethane	97.5	52-132		%REC	1	5/15/2007 4:58:00 PM
Surr: Toluene-d8	99.7	51-127		%REC	1	5/15/2007 4:58:00 PM

Qualifiers: B Analyte detected in the associated Method Blank
H Holding times for preparation or analysis exceeded
ND Not Detected at the Reporting Limit
U Indicates the compound was analyzed for but not detected

E Value above quantitation range
J Analyte detected below quantitation limits
S Spike Recovery outside accepted recovery limits
X Value exceeds Maximum Contaminant Level

American Analytical Laboratories, LLC.

Date: 21-May-07

CLIENT: Leggette Brashears & Graham Inc.

Client Sample ID: WQ051007:900 NP2-6

Lab Order: 0705143

Tag Number: 11792

Project: Rowe Industries

Collection Date: 5/10/2007 9:00:00 AM

Lab ID: 0705143-01B

Matrix: LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
TOTAL IRON		E200.7		SW3010A		Analyst: KK
Iron	3.05	0.0200		mg/L	1	5/21/2007 1:11:37 PM

Qualifiers:	B	Analyte detected in the associated Method Blank	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	S	Spike Recovery outside accepted recovery limits
	U	Indicates the compound was analyzed for but not detected	X	Value exceeds Maximum Contaminant Level

American Analytical Laboratories, LLC.

Date: 21-May-07

CLIENT: Leggette Brashears & Graham Inc.
Lab Order: 0705143
Project: Rowe Industries
Lab ID: 0705143-01C

Client Sample ID: WQ051007:900 NP2-6
Tag Number: 11792
Collection Date: 5/10/2007 9:00:00 AM
Matrix: LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
DISSOLVED IRON		E200.7		SW3005A		Analyst: KK
Iron	0.0237	0.0200		mg/L	1	5/21/2007 1:08:33 PM

Qualifiers:

B Analyte detected in the associated Method Blank
H Holding times for preparation or analysis exceeded
ND Not Detected at the Reporting Limit
U Indicates the compound was analyzed for but not detected

E Value above quantitation range
J Analyte detected below quantitation limits
S Spike Recovery outside accepted recovery limits
X Value exceeds Maximum Contaminant Level

American Analytical Laboratories, LLC.

Date: 21-May-07

CLIENT: Leggette Brashears & Graham Inc.

Client Sample ID: WQ051007:905 NP2-7

Lab Order: 0705143

Tag Number: 11792

Project: Rowe Industries

Collection Date: 5/10/2007 9:05:00 AM

Lab ID: 0705143-02A

Matrix: LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILE SW-846 8260 + MTBE & FREON113		SW8260B		Analyst: MB		
1,1,1,2-Tetrachloroethane	U	1.0		µg/L	1	5/15/2007 5:35:00 PM
1,1,1-Trichloroethane	U	1.0		µg/L	1	5/15/2007 5:35:00 PM
1,1,2,2-Tetrachloroethane	U	1.0		µg/L	1	5/15/2007 5:35:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	U	1.0		µg/L	1	5/15/2007 5:35:00 PM
1,1,2-Trichloroethane	U	1.0		µg/L	1	5/15/2007 5:35:00 PM
1,1-Dichloroethane	U	1.0		µg/L	1	5/15/2007 5:35:00 PM
1,1-Dichloroethene	U	1.0		µg/L	1	5/15/2007 5:35:00 PM
1,1-Dichloropropene	U	1.0		µg/L	1	5/15/2007 5:35:00 PM
1,2,3-Trichlorobenzene	U	1.0		µg/L	1	5/15/2007 5:35:00 PM
1,2,3-Trichloropropane	U	1.0		µg/L	1	5/15/2007 5:35:00 PM
1,2,4-Trichlorobenzene	U	1.0		µg/L	1	5/15/2007 5:35:00 PM
1,2,4-Trimethylbenzene	U	1.0		µg/L	1	5/15/2007 5:35:00 PM
1,2-Dibromo-3-chloropropane	U	1.0		µg/L	1	5/15/2007 5:35:00 PM
1,2-Dibromoethane	U	1.0		µg/L	1	5/15/2007 5:35:00 PM
1,2-Dichlorobenzene	U	1.0		µg/L	1	5/15/2007 5:35:00 PM
1,2-Dichloroethane	U	1.0		µg/L	1	5/15/2007 5:35:00 PM
1,2-Dichloropropane	U	1.0		µg/L	1	5/15/2007 5:35:00 PM
1,3,5-Trimethylbenzene	U	1.0		µg/L	1	5/15/2007 5:35:00 PM
1,3-Dichlorobenzene	U	1.0		µg/L	1	5/15/2007 5:35:00 PM
1,3-dichloropropane	U	1.0		µg/L	1	5/15/2007 5:35:00 PM
1,4-Dichlorobenzene	U	1.0		µg/L	1	5/15/2007 5:35:00 PM
2,2-Dichloropropane	U	1.0		µg/L	1	5/15/2007 5:35:00 PM
2-Butanone	U	3.0		µg/L	1	5/15/2007 5:35:00 PM
2-Chloroethyl vinyl ether	U	1.0		µg/L	1	5/15/2007 5:35:00 PM
2-Chlorotoluene	U	1.0		µg/L	1	5/15/2007 5:35:00 PM
2-Hexanone	U	2.0		µg/L	1	5/15/2007 5:35:00 PM
4-Chlorotoluene	U	1.0		µg/L	1	5/15/2007 5:35:00 PM
4-Isopropyltoluene	U	1.0		µg/L	1	5/15/2007 5:35:00 PM
4-Methyl-2-pentanone	U	2.0		µg/L	1	5/15/2007 5:35:00 PM
Acetone	U	2.0		µg/L	1	5/15/2007 5:35:00 PM
Benzene	U	1.0		µg/L	1	5/15/2007 5:35:00 PM
Bromobenzene	U	1.0		µg/L	1	5/15/2007 5:35:00 PM
Bromochloromethane	U	1.0		µg/L	1	5/15/2007 5:35:00 PM
Bromodichloromethane	U	1.0		µg/L	1	5/15/2007 5:35:00 PM
Bromoform	U	1.0		µg/L	1	5/15/2007 5:35:00 PM
Bromomethane	U	1.0		µg/L	1	5/15/2007 5:35:00 PM
Carbon disulfide	U	1.0		µg/L	1	5/15/2007 5:35:00 PM
Carbon tetrachloride	U	1.0		µg/L	1	5/15/2007 5:35:00 PM
Chlorobenzene	U	1.0		µg/L	1	5/15/2007 5:35:00 PM

Qualifiers:	B	Analyte detected in the associated Method Blank	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	S	Spike Recovery outside accepted recovery limits
	U	Indicates the compound was analyzed for but not detected	X	Value exceeds Maximum Contaminant Level

American Analytical Laboratories, LLC.

Date: 21-May-07

CLIENT: Leggette Brashears & Graham Inc.
Lab Order: 0705143
Project: Rowe Industries
Lab ID: 0705143-02A

Client Sample ID: WQ051007:905 NP2-7
Tag Number: 11792
Collection Date: 5/10/2007 9:05:00 AM
Matrix: LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
----------	--------	-------	------	-------	----	---------------

VOLATILE SW-846 8260 + MTBE & FREON113

SW8260B

Analyst: MB

Chloroethane	U	1.0		µg/L	1	5/15/2007 5:35:00 PM
Chloroform	U	1.0		µg/L	1	5/15/2007 5:35:00 PM
Chloromethane	U	1.0		µg/L	1	5/15/2007 5:35:00 PM
cis-1,2-Dichloroethene	U	1.0		µg/L	1	5/15/2007 5:35:00 PM
cis-1,3-Dichloropropene	U	1.0		µg/L	1	5/15/2007 5:35:00 PM
Dibromochloromethane	U	1.0		µg/L	1	5/15/2007 5:35:00 PM
Dibromomethane	U	1.0		µg/L	1	5/15/2007 5:35:00 PM
Dichlorodifluoromethane	U	1.0		µg/L	1	5/15/2007 5:35:00 PM
Ethylbenzene	U	1.0		µg/L	1	5/15/2007 5:35:00 PM
Hexachlorobutadiene	U	1.0		µg/L	1	5/15/2007 5:35:00 PM
Isopropylbenzene	U	1.0		µg/L	1	5/15/2007 5:35:00 PM
m,p-Xylene	U	2.0		µg/L	1	5/15/2007 5:35:00 PM
Methyl tert-butyl ether	U	1.0		µg/L	1	5/15/2007 5:35:00 PM
Methylene chloride	U	1.0		µg/L	1	5/15/2007 5:35:00 PM
Naphthalene	U	1.0		µg/L	1	5/15/2007 5:35:00 PM
n-Butylbenzene	U	1.0		µg/L	1	5/15/2007 5:35:00 PM
n-Propylbenzene	U	1.0		µg/L	1	5/15/2007 5:35:00 PM
o-Xylene	U	1.0		µg/L	1	5/15/2007 5:35:00 PM
sec-Butylbenzene	U	1.0		µg/L	1	5/15/2007 5:35:00 PM
Styrene	U	1.0		µg/L	1	5/15/2007 5:35:00 PM
tert-Butylbenzene	U	1.0		µg/L	1	5/15/2007 5:35:00 PM
Tetrachloroethene	U	1.0		µg/L	1	5/15/2007 5:35:00 PM
Toluene	U	1.0		µg/L	1	5/15/2007 5:35:00 PM
trans-1,2-Dichloroethene	U	1.0		µg/L	1	5/15/2007 5:35:00 PM
trans-1,3-Dichloropropene	U	1.0		µg/L	1	5/15/2007 5:35:00 PM
Trichloroethene	U	1.0		µg/L	1	5/15/2007 5:35:00 PM
Trichlorofluoromethane	U	1.0		µg/L	1	5/15/2007 5:35:00 PM
Vinyl acetate	U	1.0		µg/L	1	5/15/2007 5:35:00 PM
Vinyl chloride	U	1.0		µg/L	1	5/15/2007 5:35:00 PM
Surr: 4-Bromofluorobenzene	90.2	54-134		%REC	1	5/15/2007 5:35:00 PM
Surr: Dibromofluoromethane	101	52-132		%REC	1	5/15/2007 5:35:00 PM
Surr: Toluene-d8	100	51-127		%REC	1	5/15/2007 5:35:00 PM

Qualifiers:

B Analyte detected in the associated Method Blank
H Holding times for preparation or analysis exceeded
ND Not Detected at the Reporting Limit
U Indicates the compound was analyzed for but not detected

E Value above quantitation range
J Analyte detected below quantitation limits
S Spike Recovery outside accepted recovery limits
X Value exceeds Maximum Contaminant Level

American Analytical Laboratories, LLC.

Date: 21-May-07

CLIENT: Leggette Brashears & Graham Inc.

Client Sample ID: WQ051007:905 NP2-7

Lab Order: 0705143

Tag Number: 11792

Project: Rowe Industries

Collection Date: 5/10/2007 9:05:00 AM

Lab ID: 0705143-02B

Matrix: LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
TOTAL IRON		E200.7		SW3010A		Analyst: KK
Iron	3.87	0.0200		mg/L	1	5/21/2007 1:22:12 PM

Qualifiers:	B	Analyte detected in the associated Method Blank	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	S	Spike Recovery outside accepted recovery limits
	U	Indicates the compound was analyzed for but not detected	X	Value exceeds Maximum Contaminant Level

American Analytical Laboratories, LLC.

Date: 21-May-07

CLIENT: Leggette Brashears & Graham Inc.
Lab Order: 0705143
Project: Rowe Industries
Lab ID: 0705143-02C

Client Sample ID: WQ051007:905 NP2-7
Tag Number: 11792
Collection Date: 5/10/2007 9:05:00 AM
Matrix: LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
DISSOLVED IRON		E200.7		SW3005A		Analyst: KK
Iron	0.192	0.0200		mg/L	1	5/21/2007 1:18:59 PM

Qualifiers:

B Analyte detected in the associated Method Blank
H Holding times for preparation or analysis exceeded
ND Not Detected at the Reporting Limit
U Indicates the compound was analyzed for but not detected

E Value above quantitation range
J Analyte detected below quantitation limits
S Spike Recovery outside accepted recovery limits
X Value exceeds Maximum Contaminant Level

American Analytical Laboratories, LLC.

Date: 21-May-07

CLIENT: Leggette Brashears & Graham Inc.
Lab Order: 0705143
Project: Rowe Industries
Lab ID: 0705143-03A

Client Sample ID: WQ051007:910 NP2-10
Tag Number: 11792
Collection Date: 5/10/2007 9:10:00 AM
Matrix: LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILE SW-846 8260 + MTBE & FREON113		SW8260B		Analyst: MB		
1,1,1,2-Tetrachloroethane	U	1.0		µg/L	1	5/16/2007 7:05:00 AM
1,1,1-Trichloroethane	U	1.0		µg/L	1	5/16/2007 7:05:00 AM
1,1,2,2-Tetrachloroethane	U	1.0		µg/L	1	5/16/2007 7:05:00 AM
1,1,2-Trichloro-1,2,2-trifluoroethane	U	1.0		µg/L	1	5/16/2007 7:05:00 AM
1,1,2-Trichloroethane	U	1.0		µg/L	1	5/16/2007 7:05:00 AM
1,1-Dichloroethane	U	1.0		µg/L	1	5/16/2007 7:05:00 AM
1,1-Dichloroethene	U	1.0		µg/L	1	5/16/2007 7:05:00 AM
1,1-Dichloropropene	U	1.0		µg/L	1	5/16/2007 7:05:00 AM
1,2,3-Trichlorobenzene	U	1.0		µg/L	1	5/16/2007 7:05:00 AM
1,2,3-Trichloropropane	U	1.0		µg/L	1	5/16/2007 7:05:00 AM
1,2,4-Trichlorobenzene	U	1.0		µg/L	1	5/16/2007 7:05:00 AM
1,2,4-Trimethylbenzene	U	1.0		µg/L	1	5/16/2007 7:05:00 AM
1,2-Dibromo-3-chloropropane	U	1.0		µg/L	1	5/16/2007 7:05:00 AM
1,2-Dibromoethane	U	1.0		µg/L	1	5/16/2007 7:05:00 AM
1,2-Dichlorobenzene	U	1.0		µg/L	1	5/16/2007 7:05:00 AM
1,2-Dichloroethane	U	1.0		µg/L	1	5/16/2007 7:05:00 AM
1,2-Dichloropropane	U	1.0		µg/L	1	5/16/2007 7:05:00 AM
1,3,5-Trimethylbenzene	U	1.0		µg/L	1	5/16/2007 7:05:00 AM
1,3-Dichlorobenzene	U	1.0		µg/L	1	5/16/2007 7:05:00 AM
1,3-dichloropropane	U	1.0		µg/L	1	5/16/2007 7:05:00 AM
1,4-Dichlorobenzene	U	1.0		µg/L	1	5/16/2007 7:05:00 AM
2,2-Dichloropropane	U	1.0		µg/L	1	5/16/2007 7:05:00 AM
2-Butanone	U	3.0		µg/L	1	5/16/2007 7:05:00 AM
2-Chloroethyl vinyl ether	U	1.0		µg/L	1	5/16/2007 7:05:00 AM
2-Chlorotoluene	U	1.0		µg/L	1	5/16/2007 7:05:00 AM
2-Hexanone	U	2.0		µg/L	1	5/16/2007 7:05:00 AM
4-Chlorotoluene	U	1.0		µg/L	1	5/16/2007 7:05:00 AM
4-Isopropyltoluene	U	1.0		µg/L	1	5/16/2007 7:05:00 AM
4-Methyl-2-pentanone	U	2.0		µg/L	1	5/16/2007 7:05:00 AM
Acetone	U	2.0		µg/L	1	5/16/2007 7:05:00 AM
Benzene	U	1.0		µg/L	1	5/16/2007 7:05:00 AM
Bromobenzene	U	1.0		µg/L	1	5/16/2007 7:05:00 AM
Bromochloromethane	U	1.0		µg/L	1	5/16/2007 7:05:00 AM
Bromodichloromethane	U	1.0		µg/L	1	5/16/2007 7:05:00 AM
Bromoform	U	1.0		µg/L	1	5/16/2007 7:05:00 AM
Bromomethane	U	1.0		µg/L	1	5/16/2007 7:05:00 AM
Carbon disulfide	U	1.0		µg/L	1	5/16/2007 7:05:00 AM
Carbon tetrachloride	U	1.0		µg/L	1	5/16/2007 7:05:00 AM
Chlorobenzene	U	1.0		µg/L	1	5/16/2007 7:05:00 AM

Qualifiers:	B	Analyte detected in the associated Method Blank	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	S	Spike Recovery outside accepted recovery limits
	U	Indicates the compound was analyzed for but not detected	X	Value exceeds Maximum Contaminant Level

American Analytical Laboratories, LLC.

Date: 21-May-07

CLIENT: Leggette Brashears & Graham Inc.
Lab Order: 0705143
Project: Rowe Industries
Lab ID: 0705143-03A

Client Sample ID: WQ051007:910 NP2-10
Tag Number: 11792
Collection Date: 5/10/2007 9:10:00 AM
Matrix: LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILE SW-846 8260 + MTBE & FREON113		SW8260B		Analyst: MB		
Chloroethane	U	1.0		µg/L	1	5/16/2007 7:05:00 AM
Chloroform	U	1.0		µg/L	1	5/16/2007 7:05:00 AM
Chloromethane	U	1.0		µg/L	1	5/16/2007 7:05:00 AM
cis-1,2-Dichloroethene	U	1.0		µg/L	1	5/16/2007 7:05:00 AM
cis-1,3-Dichloropropene	U	1.0		µg/L	1	5/16/2007 7:05:00 AM
Dibromochloromethane	U	1.0		µg/L	1	5/16/2007 7:05:00 AM
Dibromomethane	U	1.0		µg/L	1	5/16/2007 7:05:00 AM
Dichlorodifluoromethane	U	1.0		µg/L	1	5/16/2007 7:05:00 AM
Ethylbenzene	U	1.0		µg/L	1	5/16/2007 7:05:00 AM
Hexachlorobutadiene	U	1.0		µg/L	1	5/16/2007 7:05:00 AM
Isopropylbenzene	U	1.0		µg/L	1	5/16/2007 7:05:00 AM
m,p-Xylene	U	2.0		µg/L	1	5/16/2007 7:05:00 AM
Methyl tert-butyl ether	U	1.0		µg/L	1	5/16/2007 7:05:00 AM
Methylene chloride	U	1.0		µg/L	1	5/16/2007 7:05:00 AM
Naphthalene	U	1.0		µg/L	1	5/16/2007 7:05:00 AM
n-Butylbenzene	U	1.0		µg/L	1	5/16/2007 7:05:00 AM
n-Propylbenzene	U	1.0		µg/L	1	5/16/2007 7:05:00 AM
o-Xylene	U	1.0		µg/L	1	5/16/2007 7:05:00 AM
sec-Butylbenzene	U	1.0		µg/L	1	5/16/2007 7:05:00 AM
Styrene	U	1.0		µg/L	1	5/16/2007 7:05:00 AM
tert-Butylbenzene	U	1.0		µg/L	1	5/16/2007 7:05:00 AM
Tetrachloroethene	U	1.0		µg/L	1	5/16/2007 7:05:00 AM
Toluene	U	1.0		µg/L	1	5/16/2007 7:05:00 AM
trans-1,2-Dichloroethene	U	1.0		µg/L	1	5/16/2007 7:05:00 AM
trans-1,3-Dichloropropene	U	1.0		µg/L	1	5/16/2007 7:05:00 AM
Trichloroethene	U	1.0		µg/L	1	5/16/2007 7:05:00 AM
Trichlorofluoromethane	U	1.0		µg/L	1	5/16/2007 7:05:00 AM
Vinyl acetate	U	1.0		µg/L	1	5/16/2007 7:05:00 AM
Vinyl chloride	U	1.0		µg/L	1	5/16/2007 7:05:00 AM
Surr: 4-Bromofluorobenzene	95.3	54-134		%REC	1	5/16/2007 7:05:00 AM
Surr: Dibromofluoromethane	91.5	52-132		%REC	1	5/16/2007 7:05:00 AM
Surr: Toluene-d8	100	51-127		%REC	1	5/16/2007 7:05:00 AM

Qualifiers:	B	Analyte detected in the associated Method Blank	E	Value above quantitation range
	II	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	S	Spike Recovery outside accepted recovery limits
	U	Indicates the compound was analyzed for but not detected	X	Value exceeds Maximum Contaminant Level

American Analytical Laboratories, LLC.

Date: 21-May-07

CLIENT: Leggette Brashears & Graham Inc.
Lab Order: 0705143
Project: Rowe Industries
Lab ID: 0705143-03B

Client Sample ID: WQ051007:910 NP2-10
Tag Number: 11792
Collection Date: 5/10/2007 9:10:00 AM
Matrix: LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
TOTAL IRON		E200.7		SW3010A		Analyst: KK
Iron	3.92	0.0200		mg/L	1	5/21/2007 1:29:41 PM

Qualifiers:

B Analyte detected in the associated Method Blank
H Holding times for preparation or analysis exceeded
ND Not Detected at the Reporting Limit
U Indicates the compound was analyzed for but not detected

E Value above quantitation range
J Analyte detected below quantitation limits
S Spike Recovery outside accepted recovery limits
X Value exceeds Maximum Contaminant Level

American Analytical Laboratories, LLC.

Date: 21-May-07

CLIENT: Leggette Brashears & Graham Inc.

Client Sample ID: WQ051007;910 NP2-10

Lab Order: 0705143

Tag Number: 11792

Project: Rowe Industries

Collection Date: 5/10/2007 9:10:00 AM

Lab ID: 0705143-03C

Matrix: LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
DISSOLVED IRON		E200.7		SW3005A		Analyst: KK
Iron	0.0675	0.0200		mg/L	1	5/21/2007 1:27:43 PM
TOTAL DISSOLVED SOLIDS		E160.1				Analyst: JB
Total Dissolved Solids (Residue, Filterable)	100	1.00		mg/L	1	5/16/2007

Qualifiers:

B Analyte detected in the associated Method Blank
H Holding times for preparation or analysis exceeded
ND Not Detected at the Reporting Limit
U Indicates the compound was analyzed for but not detected

E Value above quantitation range
J Analyte detected below quantitation limits
S Spike Recovery outside accepted recovery limits
X Value exceeds Maximum Contaminant Level

Tuesday, May 22, 2007

Mark Goldberg
Leggette Brashears & Graham Inc.
4 Research Drive
Suite 301
Shelton, CT 06484

TEL: (203) 929-8555

FAX (203) 926-9140

RE: Rowe Industries Sag Harbor, N.Y.

Order No.: 0705179

Dear Mark Goldberg:

American Analytical Laboratories, LLC. received 3 sample(s) on 5/18/2007 for the analyses presented in the following report.


Samples were analyzed in accordance with the test procedures documented on the chain of custody and detailed throughout the text of this report.

The limits provided in the data package are analytical reporting limits and not Federal or Local mandated values to which the sample results should be compared.

There were no problems with the analyses and all data for associated QC met laboratory specifications. If there are any exceptions a Case Narrative is provided in the report.

If you have any questions regarding these tests results, please do not hesitate to call (631) 454-6100 or email me directly at lbeyer@american-analytical.com.

Sincerely,


Lori Beyer
Lab Director

American Analytical Laboratories, LLC.**Date:** 22-May-07**CLIENT:** Leggette Brashears & Graham Inc.**Project:** Rowe Industries Sag Harbor, N.Y.**Lab Order:** 0705179**Work Order Sample Summary**

Lab Sample ID	Client Sample ID	Tag Number	Date Collected	Date Received
0705179-01A	WQ051507:1000 NP2-6	11794	5/15/2007 10:00:00 AM	5/18/2007
0705179-01B	WQ051507:1000 NP2-6	11794	5/15/2007 10:00:00 AM	5/18/2007
0705179-01C	WQ051507:1000 NP2-6	11794	5/15/2007 10:00:00 AM	5/18/2007
0705179-02A	WQ051507:1005 NP2-7	11794	5/15/2007 10:05:00 AM	5/18/2007
0705179-02B	WQ051507:1005 NP2-7	11794	5/15/2007 10:05:00 AM	5/18/2007
0705179-02C	WQ051507:1005 NP2-7	11794	5/15/2007 10:05:00 AM	5/18/2007
0705179-03A	WQ051507:1010 NP2-10	11794	5/15/2007 10:10:00 AM	5/18/2007
0705179-03B	WQ051507:1010 NP2-10	11794	5/15/2007 10:10:00 AM	5/18/2007
0705179-03C	WQ051507:1010 NP2-10	11794	5/15/2007 10:10:00 AM	5/18/2007

CHAIN OF CUSTODY / REQUEST FOR ANALYSIS DOCUMENT

[illegible]

WHITE-OFFICE / CANARY-LAB / PINK-SAMPLE CUSTODIAN / GOLDENROD-CLIENT

AMERICAN ANALYTICAL LABORATORIES, LLC

56 TOLEDO STREET

FARMINGDALE, NEW YORK 11735

TELEPHONE: (631) 454-6100 FAX: (631) 454-8027

DATA REPORTING QUALIFIERS

For reporting results, the following "Results Qualifiers" are used:

Value	If the result is greater than or equal to the detection limit, report the value
U	Indicates the compound was analyzed for but was not detected. Report the minimum detection limit for the sample with the U, i.e. "10U". This is not necessarily the instrument detection limit attainable for this particular sample based on any concentration or dilution that may have been required.
J	Indicates an estimated value. The flag is used: (1) When estimating a concentration for a tentatively identified compound (library search hits, where a 1:1 response is assumed.) (2) When the mass spectral data indicated the identification, however the result was less than the specified detection limit greater than zero. If the detection limit was 10ug/L and a concentration of 3ug/L was calculated report as 3J. This flag is used when similar situations arise on any organic parameter i.e. Pesticide, PCBs and others.
B	Indicates the analyte was found in the blank as well as the sample report "10B".
E	Indicates the analytes concentration exceeds the calibrated range of the instrument for that specific analysis.
D	This flag identifies all compounds identified in an analysis at a secondary dilution factor.
P	This flag is used for Pesticide / PCB target analyte when there is >25% difference for detected concentrations between the two GC Columns. The higher of the two values is reported on Form I and flagged with a "P".
N	This flag indicates presumptive evidence of a compound. This is only used for tentatively identified compounds (TICs), where the identification is based on a mass spectral library search. It applies to all TIC results. For generic characterization of a TIC, such as chlorinated hydrocarbon, the flag is not used.
H	Indicates sample was received and/or analyzed outside of The method allowable holding time

American Analytical Laboratories, LLC.

Date: 22-May-07

CLIENT: Leggette Brashears & Graham Inc.
Lab Order: 0705179
Project: Rowe Industries Sag Harbor, N.Y.
Lab ID: 0705179-01A

Client Sample ID: WQ051507:1000 NP2-6
Tag Number: 11794
Collection Date: 5/15/2007 10:00:00 AM
Matrix: LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILE SW-846 8260 + MTBE & FREON113		SW8260B		Analyst: MB		
1,1,1,2-Tetrachloroethane	U	1.0		µg/L	1	5/18/2007 12:37:00 PM
1,1,1-Trichloroethane	3.1	1.0		µg/L	1	5/18/2007 12:37:00 PM
1,1,2,2-Tetrachloroethane	U	1.0		µg/L	1	5/18/2007 12:37:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	U	1.0		µg/L	1	5/18/2007 12:37:00 PM
1,1,2-Trichloroethane	U	1.0		µg/L	1	5/18/2007 12:37:00 PM
1,1-Dichloroethane	U	1.0		µg/L	1	5/18/2007 12:37:00 PM
1,1-Dichloroethene	U	1.0		µg/L	1	5/18/2007 12:37:00 PM
1,1-Dichloropropene	U	1.0		µg/L	1	5/18/2007 12:37:00 PM
1,2,3-Trichlorobenzene	U	1.0		µg/L	1	5/18/2007 12:37:00 PM
1,2,3-Trichloropropane	U	1.0		µg/L	1	5/18/2007 12:37:00 PM
1,2,4-Trichlorobenzene	U	1.0		µg/L	1	5/18/2007 12:37:00 PM
1,2,4-Trimethylbenzene	U	1.0		µg/L	1	5/18/2007 12:37:00 PM
1,2-Dibromo-3-chloropropane	U	1.0		µg/L	1	5/18/2007 12:37:00 PM
1,2-Dibromoethane	U	1.0		µg/L	1	5/18/2007 12:37:00 PM
1,2-Dichlorobenzene	U	1.0		µg/L	1	5/18/2007 12:37:00 PM
1,2-Dichloroethane	U	1.0		µg/L	1	5/18/2007 12:37:00 PM
1,2-Dichloropropane	U	1.0		µg/L	1	5/18/2007 12:37:00 PM
1,3,5-Trimethylbenzene	U	1.0		µg/L	1	5/18/2007 12:37:00 PM
1,3-Dichlorobenzene	U	1.0		µg/L	1	5/18/2007 12:37:00 PM
1,3-dichloropropane	U	1.0		µg/L	1	5/18/2007 12:37:00 PM
1,4-Dichlorobenzene	U	1.0		µg/L	1	5/18/2007 12:37:00 PM
2,2-Dichloropropane	U	1.0		µg/L	1	5/18/2007 12:37:00 PM
2-Butanone	U	3.0		µg/L	1	5/18/2007 12:37:00 PM
2-Chloroethyl vinyl ether	U	1.0		µg/L	1	5/18/2007 12:37:00 PM
2-Chlorotoluene	U	1.0		µg/L	1	5/18/2007 12:37:00 PM
2-Hexanone	U	2.0		µg/L	1	5/18/2007 12:37:00 PM
4-Chlorotoluene	U	1.0		µg/L	1	5/18/2007 12:37:00 PM
4-Isopropyltoluene	U	1.0		µg/L	1	5/18/2007 12:37:00 PM
4-Methyl-2-pentanone	U	2.0		µg/L	1	5/18/2007 12:37:00 PM
Acetone	U	2.0		µg/L	1	5/18/2007 12:37:00 PM
Benzene	U	1.0		µg/L	1	5/18/2007 12:37:00 PM
Bromobenzene	U	1.0		µg/L	1	5/18/2007 12:37:00 PM
Bromochloromethane	U	1.0		µg/L	1	5/18/2007 12:37:00 PM
Bromodichloromethane	U	1.0		µg/L	1	5/18/2007 12:37:00 PM
Bromoform	U	1.0		µg/L	1	5/18/2007 12:37:00 PM
Bromomethane	U	1.0		µg/L	1	5/18/2007 12:37:00 PM
Carbon disulfide	U	1.0		µg/L	1	5/18/2007 12:37:00 PM
Carbon tetrachloride	U	1.0		µg/L	1	5/18/2007 12:37:00 PM
Chlorobenzene	U	1.0		µg/L	1	5/18/2007 12:37:00 PM

Qualifiers:	B	Analyte detected in the associated Method Blank	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	S	Spike Recovery outside accepted recovery limits
	U	Indicates the compound was analyzed for but not detected	X	Value exceeds Maximum Contaminant Level

American Analytical Laboratories, LLC.

Date: 22-May-07

CLIENT: Leggette Brashears & Graham Inc.
Lab Order: 0705179
Project: Rowe Industries Sag Harbor, N.Y.
Lab ID: 0705179-01A

Client Sample ID: WQ051507:1000 NP2-6
Tag Number: 11794
Collection Date: 5/15/2007 10:00:00 AM
Matrix: LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILE SW-846 8260 + MTBE & FREON113		SW8260B		Analyst: MB		
Chloroethane	U	1.0		µg/L	1	5/18/2007 12:37:00 PM
Chloroform	U	1.0		µg/L	1	5/18/2007 12:37:00 PM
Chloromethane	U	1.0		µg/L	1	5/18/2007 12:37:00 PM
cis-1,2-Dichloroethene	U	1.0		µg/L	1	5/18/2007 12:37:00 PM
cis-1,3-Dichloropropene	U	1.0		µg/L	1	5/18/2007 12:37:00 PM
Dibromochloromethane	U	1.0		µg/L	1	5/18/2007 12:37:00 PM
Dibromomethane	U	1.0		µg/L	1	5/18/2007 12:37:00 PM
Dichlorodifluoromethane	U	1.0		µg/L	1	5/18/2007 12:37:00 PM
Ethylbenzene	U	1.0		µg/L	1	5/18/2007 12:37:00 PM
Hexachlorobutadiene	U	1.0		µg/L	1	5/18/2007 12:37:00 PM
Isopropylbenzene	U	1.0		µg/L	1	5/18/2007 12:37:00 PM
m,p-Xylene	U	2.0		µg/L	1	5/18/2007 12:37:00 PM
Methyl tert-butyl ether	U	1.0		µg/L	1	5/18/2007 12:37:00 PM
Methylene chloride	U	1.0		µg/L	1	5/18/2007 12:37:00 PM
Naphthalene	U	1.0		µg/L	1	5/18/2007 12:37:00 PM
n-Butylbenzene	U	1.0		µg/L	1	5/18/2007 12:37:00 PM
n-Propylbenzene	U	1.0		µg/L	1	5/18/2007 12:37:00 PM
o-Xylene	U	1.0		µg/L	1	5/18/2007 12:37:00 PM
sec-Butylbenzene	U	1.0		µg/L	1	5/18/2007 12:37:00 PM
Styrene	U	1.0		µg/L	1	5/18/2007 12:37:00 PM
tert-Butylbenzene	U	1.0		µg/L	1	5/18/2007 12:37:00 PM
Tetrachloroethene	5.9	1.0		µg/L	1	5/18/2007 12:37:00 PM
Toluene	U	1.0		µg/L	1	5/18/2007 12:37:00 PM
trans-1,2-Dichloroethene	U	1.0		µg/L	1	5/18/2007 12:37:00 PM
trans-1,3-Dichloropropene	U	1.0		µg/L	1	5/18/2007 12:37:00 PM
Trichloroethene	U	1.0		µg/L	1	5/18/2007 12:37:00 PM
Trichlorofluoromethane	U	1.0		µg/L	1	5/18/2007 12:37:00 PM
Vinyl acetate	U	1.0		µg/L	1	5/18/2007 12:37:00 PM
Vinyl chloride	U	1.0		µg/L	1	5/18/2007 12:37:00 PM
Surr: 4-Bromofluorobenzene	89.0	54-134		%REC	1	5/18/2007 12:37:00 PM
Surr: Dibromofluoromethane	101	52-132		%REC	1	5/18/2007 12:37:00 PM
Surr: Toluene-d8	101	51-127		%REC	1	5/18/2007 12:37:00 PM

Qualifiers:	B	Analyte detected in the associated Method Blank	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	S	Spike Recovery outside accepted recovery limits
	U	Indicates the compound was analyzed for but not detected	X	Value exceeds Maximum Contaminant Level

American Analytical Laboratories, LLC.

Date: 22-May-07

CLIENT: Leggette Brashears & Graham Inc.**Client Sample ID:** WQ051507:1000 NP2-6**Lab Order:** 0705179**Tag Number:** 11794**Project:** Rowe Industries Sag Harbor, N.Y.**Collection Date:** 5/15/2007 10:00:00 AM**Lab ID:** 0705179-01B**Matrix:** LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
TOTAL IRON		E200.7		SW3010A		Analyst: KK
Iron	2.48	0.0200		mg/L	1	5/21/2007 1:36:43 PM

Qualifiers:	B	Analyte detected in the associated Method Blank	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	S	Spike Recovery outside accepted recovery limits
	U	Indicates the compound was analyzed for but not detected	X	Value exceeds Maximum Contaminant Level

American Analytical Laboratories, LLC.

Date: 22-May-07

CLIENT: Leggette Brashears & Graham Inc.**Client Sample ID:** WQ051507:1000 NP2-6**Lab Order:** 0705179**Tag Number:** 11794**Project:** Rowe Industries Sag Harbor, N.Y.**Collection Date:** 5/15/2007 10:00:00 AM**Lab ID:** 0705179-01C**Matrix:** LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
DISSOLVED IRON		E200.7		SW3005A		Analyst: KK
Iron	0.0697	0.0200		mg/L	1	5/21/2007 1:34:28 PM

Qualifiers:	B	Analyte detected in the associated Method Blank	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	S	Spike Recovery outside accepted recovery limits
	U	Indicates the compound was analyzed for but not detected	X	Value exceeds Maximum Contaminant Level

American Analytical Laboratories, LLC.

Date: 22-May-07

CLIENT: Leggette Brashears & Graham Inc.
Lab Order: 0705179
Project: Rowe Industries Sag Harbor, N.Y.
Lab ID: 0705179-02A

Client Sample ID: WQ051507:1005 NP2-7
Tag Number: 11794
Collection Date: 5/15/2007 10:05:00 AM
Matrix: LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILE SW-846 8260 + MTBE & FREON113		SW8260B		Analyst: MB		
1,1,1,2-Tetrachloroethane	U	1.0		µg/L	1	5/18/2007 1:15:00 PM
1,1,1-Trichloroethane	U	1.0		µg/L	1	5/18/2007 1:15:00 PM
1,1,2,2-Tetrachloroethane	U	1.0		µg/L	1	5/18/2007 1:15:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	U	1.0		µg/L	1	5/18/2007 1:15:00 PM
1,1,2-Trichloroethane	U	1.0		µg/L	1	5/18/2007 1:15:00 PM
1,1-Dichloroethane	U	1.0		µg/L	1	5/18/2007 1:15:00 PM
1,1-Dichloroethene	U	1.0		µg/L	1	5/18/2007 1:15:00 PM
1,1-Dichloropropene	U	1.0		µg/L	1	5/18/2007 1:15:00 PM
1,2,3-Trichlorobenzene	U	1.0		µg/L	1	5/18/2007 1:15:00 PM
1,2,3-Trichloropropane	U	1.0		µg/L	1	5/18/2007 1:15:00 PM
1,2,4-Trichlorobenzene	U	1.0		µg/L	1	5/18/2007 1:15:00 PM
1,2,4-Trimethylbenzene	U	1.0		µg/L	1	5/18/2007 1:15:00 PM
1,2-Dibromo-3-chloropropane	U	1.0		µg/L	1	5/18/2007 1:15:00 PM
1,2-Dibromoethane	U	1.0		µg/L	1	5/18/2007 1:15:00 PM
1,2-Dichlorobenzene	U	1.0		µg/L	1	5/18/2007 1:15:00 PM
1,2-Dichloroethane	U	1.0		µg/L	1	5/18/2007 1:15:00 PM
1,2-Dichloropropane	U	1.0		µg/L	1	5/18/2007 1:15:00 PM
1,3,5-Trimethylbenzene	U	1.0		µg/L	1	5/18/2007 1:15:00 PM
1,3-Dichlorobenzene	U	1.0		µg/L	1	5/18/2007 1:15:00 PM
1,3-dichloropropane	U	1.0		µg/L	1	5/18/2007 1:15:00 PM
1,4-Dichlorobenzene	U	1.0		µg/L	1	5/18/2007 1:15:00 PM
2,2-Dichloropropane	U	1.0		µg/L	1	5/18/2007 1:15:00 PM
2-Butanone	U	3.0		µg/L	1	5/18/2007 1:15:00 PM
2-Chloroethyl vinyl ether	U	1.0		µg/L	1	5/18/2007 1:15:00 PM
2-Chlorotoluene	U	1.0		µg/L	1	5/18/2007 1:15:00 PM
2-Hexanone	U	2.0		µg/L	1	5/18/2007 1:15:00 PM
4-Chlorotoluene	U	1.0		µg/L	1	5/18/2007 1:15:00 PM
4-Isopropyltoluene	U	1.0		µg/L	1	5/18/2007 1:15:00 PM
4-Methyl-2-pentanone	U	2.0		µg/L	1	5/18/2007 1:15:00 PM
Acetone	U	2.0		µg/L	1	5/18/2007 1:15:00 PM
Benzene	U	1.0		µg/L	1	5/18/2007 1:15:00 PM
Bromobenzene	U	1.0		µg/L	1	5/18/2007 1:15:00 PM
Bromochloromethane	U	1.0		µg/L	1	5/18/2007 1:15:00 PM
Bromodichloromethane	U	1.0		µg/L	1	5/18/2007 1:15:00 PM
Bromoform	U	1.0		µg/L	1	5/18/2007 1:15:00 PM
Bromomethane	U	1.0		µg/L	1	5/18/2007 1:15:00 PM
Carbon disulfide	U	1.0		µg/L	1	5/18/2007 1:15:00 PM
Carbon tetrachloride	U	1.0		µg/L	1	5/18/2007 1:15:00 PM
Chlorobenzene	U	1.0		µg/L	1	5/18/2007 1:15:00 PM

Qualifiers:	B	Analyte detected in the associated Method Blank	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	S	Spike Recovery outside accepted recovery limits
	U	Indicates the compound was analyzed for but not detected	X	Value exceeds Maximum Contaminant Level

American Analytical Laboratories, LLC.

Date: 22-May-07

CLIENT: Leggette Brashears & Graham Inc.
Lab Order: 0705179
Project: Rowe Industries Sag Harbor, N.Y.
Lab ID: 0705179-02A

Client Sample ID: WQ051507:1005 NP2-7
Tag Number: 11794
Collection Date: 5/15/2007 10:05:00 AM
Matrix: LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILE SW-846 8260 + MTBE & FREON113		SW8260B		Analyst: MB		
Chloroethane	U	1.0		µg/L	1	5/18/2007 1:15:00 PM
Chloroform	U	1.0		µg/L	1	5/18/2007 1:15:00 PM
Chloromethane	U	1.0		µg/L	1	5/18/2007 1:15:00 PM
cis-1,2-Dichloroethene	U	1.0		µg/L	1	5/18/2007 1:15:00 PM
cis-1,3-Dichloropropene	U	1.0		µg/L	1	5/18/2007 1:15:00 PM
Dibromochloromethane	U	1.0		µg/L	1	5/18/2007 1:15:00 PM
Dibromomethane	U	1.0		µg/L	1	5/18/2007 1:15:00 PM
Dichlorodifluoromethane	U	1.0		µg/L	1	5/18/2007 1:15:00 PM
Ethylbenzene	U	1.0		µg/L	1	5/18/2007 1:15:00 PM
Hexachlorobutadiene	U	1.0		µg/L	1	5/18/2007 1:15:00 PM
Isopropylbenzene	U	1.0		µg/L	1	5/18/2007 1:15:00 PM
m,p-Xylene	U	2.0		µg/L	1	5/18/2007 1:15:00 PM
Methyl tert-butyl ether	U	1.0		µg/L	1	5/18/2007 1:15:00 PM
Methylene chloride	U	1.0		µg/L	1	5/18/2007 1:15:00 PM
Naphthalene	U	1.0		µg/L	1	5/18/2007 1:15:00 PM
n-Butylbenzene	U	1.0		µg/L	1	5/18/2007 1:15:00 PM
n-Propylbenzene	U	1.0		µg/L	1	5/18/2007 1:15:00 PM
o-Xylene	U	1.0		µg/L	1	5/18/2007 1:15:00 PM
sec-Butylbenzene	U	1.0		µg/L	1	5/18/2007 1:15:00 PM
Styrene	U	1.0		µg/L	1	5/18/2007 1:15:00 PM
tert-Butylbenzene	U	1.0		µg/L	1	5/18/2007 1:15:00 PM
Tetrachloroethene	U	1.0		µg/L	1	5/18/2007 1:15:00 PM
Toluene	U	1.0		µg/L	1	5/18/2007 1:15:00 PM
trans-1,2-Dichloroethene	U	1.0		µg/L	1	5/18/2007 1:15:00 PM
trans-1,3-Dichloropropene	U	1.0		µg/L	1	5/18/2007 1:15:00 PM
Trichloroethene	U	1.0		µg/L	1	5/18/2007 1:15:00 PM
Trichlorofluoromethane	U	1.0		µg/L	1	5/18/2007 1:15:00 PM
Vinyl acetate	U	1.0		µg/L	1	5/18/2007 1:15:00 PM
Vinyl chloride	U	1.0		µg/L	1	5/18/2007 1:15:00 PM
Surr: 4-Bromofluorobenzene	88.5	54-134		%REC	1	5/18/2007 1:15:00 PM
Surr: Dibromofluoromethane	101	52-132		%REC	1	5/18/2007 1:15:00 PM
Surr: Toluene-d8	98.6	51-127		%REC	1	5/18/2007 1:15:00 PM

Qualifiers:	B	Analyte detected in the associated Method Blank	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	S	Spike Recovery outside accepted recovery limits
	U	Indicates the compound was analyzed for but not detected	X	Value exceeds Maximum Contaminant Level

American Analytical Laboratories, LLC.

Date: 22-May-07

CLIENT: Leggette Brashears & Graham Inc.
Lab Order: 0705179
Project: Rowe Industries Sag Harbor, N.Y.
Lab ID: 0705179-02B

Client Sample ID: WQ051507:1005 NP2-7
Tag Number: 11794
Collection Date: 5/15/2007 10:05:00 AM
Matrix: LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
TOTAL IRON		E200.7		SW3010A		Analyst: KK
Iron	2.07	0.0200		mg/L	1	5/21/2007 1:41:19 PM

Qualifiers:	B	Analyte detected in the associated Method Blank	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	S	Spike Recovery outside accepted recovery limits
	U	Indicates the compound was analyzed for but not detected	X	Value exceeds Maximum Contaminant Level

American Analytical Laboratories, LLC.

Date: 22-May-07

CLIENT: Leggette Brashears & Graham Inc.
Lab Order: 0705179
Project: Rowe Industries Sag Harbor, N.Y.
Lab ID: 0705179-02C

Client Sample ID: WQ051507:1005 NP2-7
Tag Number: 11794
Collection Date: 5/15/2007 10:05:00 AM
Matrix: LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
DISSOLVED IRON		E200.7		SW3005A		Analyst: KK
Iron	0.0875	0.0200		mg/L	1	5/21/2007 1:38:54 PM

Qualifiers:	B	Analyte detected in the associated Method Blank	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	S	Spike Recovery outside accepted recovery limits
	U	Indicates the compound was analyzed for but not detected	X	Value exceeds Maximum Contaminant Level

American Analytical Laboratories, LLC.

Date: 22-May-07

CLIENT: Leggette Brashears & Graham Inc.
Lab Order: 0705179
Project: Rowe Industries Sag Harbor, N.Y.
Lab ID: 0705179-03A

Client Sample ID: WQ051507:1010 NP2-10
Tag Number: 11794
Collection Date: 5/15/2007 10:10:00 AM
Matrix: LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILE SW-846 8260 + MTBE & FREON113		SW8260B		Analyst: MB		
1,1,1,2-Tetrachloroethane	U	1.0		µg/L	1	5/18/2007 1:51:00 PM
1,1,1-Trichloroethane	U	1.0		µg/L	1	5/18/2007 1:51:00 PM
1,1,2,2-Tetrachloroethane	U	1.0		µg/L	1	5/18/2007 1:51:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	U	1.0		µg/L	1	5/18/2007 1:51:00 PM
1,1,2-Trichloroethane	U	1.0		µg/L	1	5/18/2007 1:51:00 PM
1,1-Dichloroethane	U	1.0		µg/L	1	5/18/2007 1:51:00 PM
1,1-Dichloroethene	U	1.0		µg/L	1	5/18/2007 1:51:00 PM
1,1-Dichloropropene	U	1.0		µg/L	1	5/18/2007 1:51:00 PM
1,2,3-Trichlorobenzene	U	1.0		µg/L	1	5/18/2007 1:51:00 PM
1,2,3-Trichloropropane	U	1.0		µg/L	1	5/18/2007 1:51:00 PM
1,2,4-Trichlorobenzene	U	1.0		µg/L	1	5/18/2007 1:51:00 PM
1,2,4-Trimethylbenzene	U	1.0		µg/L	1	5/18/2007 1:51:00 PM
1,2-Dibromo-3-chloropropane	U	1.0		µg/L	1	5/18/2007 1:51:00 PM
1,2-Dibromoethane	U	1.0		µg/L	1	5/18/2007 1:51:00 PM
1,2-Dichlorobenzene	U	1.0		µg/L	1	5/18/2007 1:51:00 PM
1,2-Dichloroethane	U	1.0		µg/L	1	5/18/2007 1:51:00 PM
1,2-Dichloropropane	U	1.0		µg/L	1	5/18/2007 1:51:00 PM
1,3,5-Trimethylbenzene	U	1.0		µg/L	1	5/18/2007 1:51:00 PM
1,3-Dichlorobenzene	U	1.0		µg/L	1	5/18/2007 1:51:00 PM
1,3-dichloropropane	U	1.0		µg/L	1	5/18/2007 1:51:00 PM
1,4-Dichlorobenzene	U	1.0		µg/L	1	5/18/2007 1:51:00 PM
2,2-Dichloropropane	U	1.0		µg/L	1	5/18/2007 1:51:00 PM
2-Butanone	U	3.0		µg/L	1	5/18/2007 1:51:00 PM
2-Chloroethyl vinyl ether	U	1.0		µg/L	1	5/18/2007 1:51:00 PM
2-Chlorotoluene	U	1.0		µg/L	1	5/18/2007 1:51:00 PM
2-Hexanone	U	2.0		µg/L	1	5/18/2007 1:51:00 PM
4-Chlorotoluene	U	1.0		µg/L	1	5/18/2007 1:51:00 PM
4-Isopropyltoluene	U	1.0		µg/L	1	5/18/2007 1:51:00 PM
4-Methyl-2-pentanone	U	2.0		µg/L	1	5/18/2007 1:51:00 PM
Acetone	U	2.0		µg/L	1	5/18/2007 1:51:00 PM
Benzene	U	1.0		µg/L	1	5/18/2007 1:51:00 PM
Bromobenzene	U	1.0		µg/L	1	5/18/2007 1:51:00 PM
Bromochloromethane	U	1.0		µg/L	1	5/18/2007 1:51:00 PM
Bromodichloromethane	U	1.0		µg/L	1	5/18/2007 1:51:00 PM
Bromoform	U	1.0		µg/L	1	5/18/2007 1:51:00 PM
Bromomethane	U	1.0		µg/L	1	5/18/2007 1:51:00 PM
Carbon disulfide	U	1.0		µg/L	1	5/18/2007 1:51:00 PM
Carbon tetrachloride	U	1.0		µg/L	1	5/18/2007 1:51:00 PM
Chlorobenzene	U	1.0		µg/L	1	5/18/2007 1:51:00 PM

Qualifiers:	B	Analyte detected in the associated Method Blank	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	S	Spike Recovery outside accepted recovery limits
	U	Indicates the compound was analyzed for but not detected	X	Value exceeds Maximum Contaminant Level

American Analytical Laboratories, LLC.

Date: 22-May-07

CLIENT: Leggette Brashears & Graham Inc.
Lab Order: 0705179
Project: Rowe Industries Sag Harbor, N.Y.
Lab ID: 0705179-03A

Client Sample ID: WQ051507:1010 NP2-10
Tag Number: 11794
Collection Date: 5/15/2007 10:10:00 AM
Matrix: LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILE SW-846 8260 + MTBE & FREON113		SW8260B		Analyst: MB		
Chloroethane	U	1.0		µg/L	1	5/18/2007 1:51:00 PM
Chloroform	U	1.0		µg/L	1	5/18/2007 1:51:00 PM
Chloromethane	U	1.0		µg/L	1	5/18/2007 1:51:00 PM
cis-1,2-Dichloroethene	U	1.0		µg/L	1	5/18/2007 1:51:00 PM
cis-1,3-Dichloropropene	U	1.0		µg/L	1	5/18/2007 1:51:00 PM
Dibromochloromethane	U	1.0		µg/L	1	5/18/2007 1:51:00 PM
Dibromomethane	U	1.0		µg/L	1	5/18/2007 1:51:00 PM
Dichlorodifluoromethane	U	1.0		µg/L	1	5/18/2007 1:51:00 PM
Ethylbenzene	U	1.0		µg/L	1	5/18/2007 1:51:00 PM
Hexachlorobutadiene	U	1.0		µg/L	1	5/18/2007 1:51:00 PM
Isopropylbenzene	U	1.0		µg/L	1	5/18/2007 1:51:00 PM
m,p-Xylene	U	2.0		µg/L	1	5/18/2007 1:51:00 PM
Methyl tert-butyl ether	U	1.0		µg/L	1	5/18/2007 1:51:00 PM
Methylene chloride	U	1.0		µg/L	1	5/18/2007 1:51:00 PM
Naphthalene	U	1.0		µg/L	1	5/18/2007 1:51:00 PM
n-Butylbenzene	U	1.0		µg/L	1	5/18/2007 1:51:00 PM
n-Propylbenzene	U	1.0		µg/L	1	5/18/2007 1:51:00 PM
o-Xylene	U	1.0		µg/L	1	5/18/2007 1:51:00 PM
sec-Butylbenzene	U	1.0		µg/L	1	5/18/2007 1:51:00 PM
Styrene	U	1.0		µg/L	1	5/18/2007 1:51:00 PM
tert-Butylbenzene	U	1.0		µg/L	1	5/18/2007 1:51:00 PM
Tetrachloroethene	U	1.0		µg/L	1	5/18/2007 1:51:00 PM
Toluene	U	1.0		µg/L	1	5/18/2007 1:51:00 PM
trans-1,2-Dichloroethene	U	1.0		µg/L	1	5/18/2007 1:51:00 PM
trans-1,3-Dichloropropene	U	1.0		µg/L	1	5/18/2007 1:51:00 PM
Trichloroethene	U	1.0		µg/L	1	5/18/2007 1:51:00 PM
Trichlorofluoromethane	U	1.0		µg/L	1	5/18/2007 1:51:00 PM
Vinyl acetate	U	1.0		µg/L	1	5/18/2007 1:51:00 PM
Vinyl chloride	U	1.0		µg/L	1	5/18/2007 1:51:00 PM
Surr: 4-Bromofluorobenzene	91.4	54-134		%REC	1	5/18/2007 1:51:00 PM
Surr: Dibromofluoromethane	101	52-132		%REC	1	5/18/2007 1:51:00 PM
Surr: Toluene-d8	101	51-127		%REC	1	5/18/2007 1:51:00 PM

Qualifiers:	B	Analyte detected in the associated Method Blank	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	S	Spike Recovery outside accepted recovery limits
	U	Indicates the compound was analyzed for but not detected	X	Value exceeds Maximum Contaminant Level

American Analytical Laboratories, LLC.

Date: 22-May-07

CLIENT: Leggette Brashears & Graham Inc.
Lab Order: 0705179
Project: Rowe Industries Sag Harbor, N.Y.
Lab ID: 0705179-03B

Client Sample ID: WQ051507:1010 NP2-10
Tag Number: 11794
Collection Date: 5/15/2007 10:10:00 AM
Matrix: LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
TOTAL IRON		E200.7		SW3010A		Analyst: KK
Iron	1.93	0.0200		mg/L	1	5/21/2007 1:53:03 PM

Qualifiers:	B	Analyte detected in the associated Method Blank	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	S	Spike Recovery outside accepted recovery limits
	U	Indicates the compound was analyzed for but not detected	X	Value exceeds Maximum Contaminant Level

American Analytical Laboratories, LLC.

Date: 22-May-07

CLIENT: Leggette Brashears & Graham Inc.
Lab Order: 0705179
Project: Rowe Industries Sag Harbor, N.Y.
Lab ID: 0705179-03C

Client Sample ID: WQ051507:1010 NP2-10
Tag Number: 11794
Collection Date: 5/15/2007 10:10:00 AM
Matrix: LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
DISSOLVED IRON		E200.7		SW3005A		Analyst: KK
Iron	0.107	0.0200		mg/L	1	5/21/2007 1:50:54 PM
CORROSIVITY		E150.1				Analyst: JB
pH	7.20	0	H	pH Units	1	5/18/2007
TOTAL DISSOLVED SOLIDS		E160.1				Analyst: JB
Total Dissolved Solids (Residue, Filterable)	100	1.00		mg/L	1	5/21/2007

Qualifiers:	B	Analyte detected in the associated Method Blank	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	S	Spike Recovery outside accepted recovery limits
	U	Indicates the compound was analyzed for but not detected	X	Value exceeds Maximum Contaminant Level

Monday, June 04, 2007

Mark Goldberg
Leggette Brashears & Graham Inc.
4 Research Drive
Suite 301
Shelton, CT 06484

TEL: (203) 929-8555
FAX (203) 926-9140

RE: Rowe Industries

Order No.: 0705283

Dear Mark Goldberg:

American Analytical Laboratories, LLC. received 3 sample(s) on 5/25/2007 for the analyses presented in the following report.


Samples were analyzed in accordance with the test procedures documented on the chain of custody and detailed throughout the text of this report.

The limits provided in the data package are analytical reporting limits and not Federal or Local mandated values to which the sample results should be compared.

There were no problems with the analyses and all data for associated QC met laboratory specifications. If there are any exceptions a Case Narrative is provided in the report.

If you have any questions regarding these tests results, please do not hesitate to call (631) 454-6100 or email me directly at lbeyer@american-analytical.com.

Sincerely,



Lori Beyer
Lab Director

American Analytical Laboratories, LLC.

Date: 04-Jun-07

CLIENT: Leggette Brashears & Graham Inc.

Project: Rowe Industries

Lab Order: 0705283

Work Order Sample Summary

Lab Sample ID	Client Sample ID	Tag Number	Date Collected	Date Received
0705283-01A	WQ052307:1000 NP2-6	2550	5/23/2007 10:00:00 AM	5/25/2007
0705283-01B	WQ052307:1000 NP2-6	2550	5/23/2007 10:00:00 AM	5/25/2007
0705283-01C	WQ052307:1000 NP2-6	2550	5/23/2007 10:00:00 AM	5/25/2007
0705283-02A	WQ052307:1005 NP2-7	2550	5/23/2007 10:05:00 AM	5/25/2007
0705283-02B	WQ052307:1005 NP2-7	2550	5/23/2007 10:05:00 AM	5/25/2007
0705283-02C	WQ052307:1005 NP2-7	2550	5/23/2007 10:05:00 AM	5/25/2007
0705283-03A	WQ052307:1010 NP2-10	2550	5/23/2007 10:10:00 AM	5/25/2007
0705283-03B	WQ052307:1010 NP2-10	2550	5/23/2007 10:10:00 AM	5/25/2007
0705283-03C	WQ052307:1010 NP2-10	2550	5/23/2007 10:10:00 AM	5/25/2007

AMERICAN ANALYTICAL LABORATORIES, LLC

56 TOLEDO STREET

FARMINGDALE, NEW YORK 11735

TELEPHONE: (631) 454-6100

FAX: (631) 454-8027

DATA REPORTING QUALIFIERS

For reporting results, the following "Results Qualifiers" are used:

Value	If the result is greater than or equal to the detection limit, report the value
U	Indicates the compound was analyzed for but was not detected. Report the minimum detection limit for the sample with the U, i.e. "10U". This is not necessarily the instrument detection limit attainable for this particular sample based on any concentration or dilution that may have been required.
J	Indicates an estimated value. The flag is used: (1) When estimating a concentration for a tentatively identified compound (library search hits, where a 1:1 response is assumed.) (2) When the mass spectral data indicated the identification, however the result was less than the specified detection limit greater than zero. If the detection limit was 10ug/L and a concentration of 3ug/L was calculated report as 3J. This flag is used when similar situations arise on any organic parameter i.e. Pesticide, PCBs and others.
B	Indicates the analyte was found in the blank as well as the sample report "10B".
E	Indicates the analytes concentration exceeds the calibrated range of the instrument for that specific analysis.
D	This flag identifies all compounds identified in an analysis at a secondary dilution factor.
P	This flag is used for Pesticide / PCB target analyte when there is >25% difference for detected concentrations between the two GC Columns. The higher of the two values is reported on Form I and flagged with a "P".
N	This flag indicates presumptive evidence of a compound. This is only used for tentatively identified compounds (TICs), where the identification is based on a mass spectral library search. It applies to all TIC results. For generic characterization of a TIC, such as chlorinated hydrocarbon, the flag is not used.
H	Indicates sample was received and/or analyzed outside of The method allowable holding time

American Analytical Laboratories, LLC.

Date: 04-Jun-07

CLIENT: Leggette Brashears & Graham Inc.
Lab Order: 0705283
Project: Rowe Industries
Lab ID: 0705283-01A

Client Sample ID: WQ052307:1000 NP2-6
Tag Number: 2550
Collection Date: 5/23/2007 10:00:00 AM
Matrix: LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILE SW-846 8260 + MTBE & FREON113		SW8260B		Analyst: MB		
1,1,1,2-Tetrachloroethane	U	1.0		µg/L	1	5/26/2007 12:08:00 PM
1,1,1-Trichloroethane	U	1.0		µg/L	1	5/26/2007 12:08:00 PM
1,1,2,2-Tetrachloroethane	U	1.0		µg/L	1	5/26/2007 12:08:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	U	1.0		µg/L	1	5/26/2007 12:08:00 PM
1,1,2-Trichloroethane	U	1.0		µg/L	1	5/26/2007 12:08:00 PM
1,1-Dichloroethane	U	1.0		µg/L	1	5/26/2007 12:08:00 PM
1,1-Dichloroethene	U	1.0		µg/L	1	5/26/2007 12:08:00 PM
1,1-Dichloropropene	U	1.0		µg/L	1	5/26/2007 12:08:00 PM
1,2,3-Trichlorobenzene	U	1.0		µg/L	1	5/26/2007 12:08:00 PM
1,2,3-Trichloropropane	U	1.0		µg/L	1	5/26/2007 12:08:00 PM
1,2,4-Trichlorobenzene	U	1.0		µg/L	1	5/26/2007 12:08:00 PM
1,2,4-Trimethylbenzene	U	1.0		µg/L	1	5/26/2007 12:08:00 PM
1,2-Dibromo-3-chloropropane	U	1.0		µg/L	1	5/26/2007 12:08:00 PM
1,2-Dibromoethane	U	1.0		µg/L	1	5/26/2007 12:08:00 PM
1,2-Dichlorobenzene	U	1.0		µg/L	1	5/26/2007 12:08:00 PM
1,2-Dichloroethane	U	1.0		µg/L	1	5/26/2007 12:08:00 PM
1,2-Dichloropropane	U	1.0		µg/L	1	5/26/2007 12:08:00 PM
1,3,5-Trimethylbenzene	U	1.0		µg/L	1	5/26/2007 12:08:00 PM
1,3-Dichlorobenzene	U	1.0		µg/L	1	5/26/2007 12:08:00 PM
1,3-dichloropropane	U	1.0		µg/L	1	5/26/2007 12:08:00 PM
1,4-Dichlorobenzene	U	1.0		µg/L	1	5/26/2007 12:08:00 PM
2,2-Dichloropropane	U	1.0		µg/L	1	5/26/2007 12:08:00 PM
2-Butanone	U	3.0		µg/L	1	5/26/2007 12:08:00 PM
2-Chloroethyl vinyl ether	U	1.0		µg/L	1	5/26/2007 12:08:00 PM
2-Chlorotoluene	U	1.0		µg/L	1	5/26/2007 12:08:00 PM
2-Hexanone	U	2.0		µg/L	1	5/26/2007 12:08:00 PM
4-Chlorotoluene	U	1.0		µg/L	1	5/26/2007 12:08:00 PM
4-Isopropyltoluene	U	1.0		µg/L	1	5/26/2007 12:08:00 PM
4-Methyl-2-pentanone	U	2.0		µg/L	1	5/26/2007 12:08:00 PM
Acetone	U	2.0		µg/L	1	5/26/2007 12:08:00 PM
Benzene	U	1.0		µg/L	1	5/26/2007 12:08:00 PM
Bromobenzene	U	1.0		µg/L	1	5/26/2007 12:08:00 PM
Bromochloromethane	U	1.0		µg/L	1	5/26/2007 12:08:00 PM
Bromodichloromethane	U	1.0		µg/L	1	5/26/2007 12:08:00 PM
Bromoform	U	1.0		µg/L	1	5/26/2007 12:08:00 PM
Bromomethane	U	1.0		µg/L	1	5/26/2007 12:08:00 PM
Carbon disulfide	U	1.0		µg/L	1	5/26/2007 12:08:00 PM
Carbon tetrachloride	U	1.0		µg/L	1	5/26/2007 12:08:00 PM
Chlorobenzene	U	1.0		µg/L	1	5/26/2007 12:08:00 PM

Qualifiers:	B	Analyte detected in the associated Method Blank	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	S	Spike Recovery outside accepted recovery limits
	U	Indicates the compound was analyzed for but not detected	X	Value exceeds Maximum Contaminant Level

American Analytical Laboratories, LLC.

Date: 04-Jun-07

CLIENT: Leggette Brashears & Graham Inc.
Lab Order: 0705283
Project: Rowe Industries
Lab ID: 0705283-01A

Client Sample ID: WQ052307:1000 NP2-6
Tag Number: 2550
Collection Date: 5/23/2007 10:00:00 AM
Matrix: LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILE SW-846 8260 + MTBE & FREON113		SW8260B		Analyst: MB		
Chloroethane	U	1.0		µg/L	1	5/26/2007 12:08:00 PM
Chloroform	U	1.0		µg/L	1	5/26/2007 12:08:00 PM
Chloromethane	U	1.0		µg/L	1	5/26/2007 12:08:00 PM
cis-1,2-Dichloroethene	U	1.0		µg/L	1	5/26/2007 12:08:00 PM
cis-1,3-Dichloropropene	U	1.0		µg/L	1	5/26/2007 12:08:00 PM
Dibromochloromethane	U	1.0		µg/L	1	5/26/2007 12:08:00 PM
Dibromomethane	U	1.0		µg/L	1	5/26/2007 12:08:00 PM
Dichlorodifluoromethane	U	1.0		µg/L	1	5/26/2007 12:08:00 PM
Ethylbenzene	U	1.0		µg/L	1	5/26/2007 12:08:00 PM
Hexachlorobutadiene	U	1.0		µg/L	1	5/26/2007 12:08:00 PM
Isopropylbenzene	U	1.0		µg/L	1	5/26/2007 12:08:00 PM
m,p-Xylene	U	2.0		µg/L	1	5/26/2007 12:08:00 PM
Methyl tert-butyl ether	U	1.0		µg/L	1	5/26/2007 12:08:00 PM
Methylene chloride	U	1.0		µg/L	1	5/26/2007 12:08:00 PM
Naphthalene	U	1.0		µg/L	1	5/26/2007 12:08:00 PM
n-Butylbenzene	U	1.0		µg/L	1	5/26/2007 12:08:00 PM
n-Propylbenzene	U	1.0		µg/L	1	5/26/2007 12:08:00 PM
o-Xylene	U	1.0		µg/L	1	5/26/2007 12:08:00 PM
sec-Butylbenzene	U	1.0		µg/L	1	5/26/2007 12:08:00 PM
Styrene	U	1.0		µg/L	1	5/26/2007 12:08:00 PM
tert-Butylbenzene	U	1.0		µg/L	1	5/26/2007 12:08:00 PM
Tetrachloroethene	5.3	1.0		µg/L	1	5/26/2007 12:08:00 PM
Toluene	U	1.0		µg/L	1	5/26/2007 12:08:00 PM
trans-1,2-Dichloroethene	U	1.0		µg/L	1	5/26/2007 12:08:00 PM
trans-1,3-Dichloropropene	U	1.0		µg/L	1	5/26/2007 12:08:00 PM
Trichloroethene	U	1.0		µg/L	1	5/26/2007 12:08:00 PM
Trichlorofluoromethane	U	1.0		µg/L	1	5/26/2007 12:08:00 PM
Vinyl acetate	U	1.0		µg/L	1	5/26/2007 12:08:00 PM
Vinyl chloride	U	1.0		µg/L	1	5/26/2007 12:08:00 PM
Surr: 4-Bromofluorobenzene	101	54-134		%REC	1	5/26/2007 12:08:00 PM
Surr: Dibromofluoromethane	99.9	52-132		%REC	1	5/26/2007 12:08:00 PM
Surr: Toluene-d8	99.7	51-127		%REC	1	5/26/2007 12:08:00 PM

Qualifiers:	B	Analyte detected in the associated Method Blank	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	S	Spike Recovery outside accepted recovery limits
	U	Indicates the compound was analyzed for but not detected	X	Value exceeds Maximum Contaminant Level

American Analytical Laboratories, LLC.

Date: 04-Jun-07

CLIENT: Leggette Brashears & Graham Inc.**Client Sample ID:** WQ052307:1000 NP2-6**Lab Order:** 0705283**Tag Number:** 2550**Project:** Rowe Industries**Collection Date:** 5/23/2007 10:00:00 AM**Lab ID:** 0705283-01B**Matrix:** LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
TOTAL IRON		E200.7		SW3010A		Analyst: JP
Iron	1.89	0.0200		mg/L	1	6/4/2007 12:26:41 PM

Qualifiers:	B	Analyte detected in the associated Method Blank	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	S	Spike Recovery outside accepted recovery limits
	U	Indicates the compound was analyzed for but not detected	X	Value exceeds Maximum Contaminant Level

American Analytical Laboratories, LLC.

Date: 04-Jun-07

CLIENT: Leggette Brashears & Graham Inc.
Lab Order: 0705283
Project: Rowe Industries
Lab ID: 0705283-01C

Client Sample ID: WQ052307:1000 NP2-6
Tag Number: 2550
Collection Date: 5/23/2007 10:00:00 AM
Matrix: LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
DISSOLVED IRON		E200.7		SW3005A		Analyst: JP
Iron	0.0207	0.0200		mg/L	1	6/4/2007 12:24:24 PM

Qualifiers:	B	Analyte detected in the associated Method Blank	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	S	Spike Recovery outside accepted recovery limits
	U	Indicates the compound was analyzed for but not detected	X	Value exceeds Maximum Contaminant Level

American Analytical Laboratories, LLC.

Date: 04-Jun-07

CLIENT: Leggette Brashears & Graham Inc.
Lab Order: 0705283
Project: Rowe Industries
Lab ID: 0705283-02A

Client Sample ID: WQ052307:1005 NP2-7
Tag Number:
Collection Date: 5/23/2007 10:05:00 AM
Matrix: LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILE SW-846 8260 + MTBE & FREON113		SW8260B		Analyst: MB		
1,1,1,2-Tetrachloroethane	U	1.0		µg/L	1	5/26/2007 12:45:00 PM
1,1,1-Trichloroethane	U	1.0		µg/L	1	5/26/2007 12:45:00 PM
1,1,2,2-Tetrachloroethane	U	1.0		µg/L	1	5/26/2007 12:45:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	U	1.0		µg/L	1	5/26/2007 12:45:00 PM
1,1,2-Trichloroethane	U	1.0		µg/L	1	5/26/2007 12:45:00 PM
1,1-Dichloroethane	U	1.0		µg/L	1	5/26/2007 12:45:00 PM
1,1-Dichloroethene	U	1.0		µg/L	1	5/26/2007 12:45:00 PM
1,1-Dichloropropene	U	1.0		µg/L	1	5/26/2007 12:45:00 PM
1,2,3-Trichlorobenzene	U	1.0		µg/L	1	5/26/2007 12:45:00 PM
1,2,3-Trichloropropane	U	1.0		µg/L	1	5/26/2007 12:45:00 PM
1,2,4-Trichlorobenzene	U	1.0		µg/L	1	5/26/2007 12:45:00 PM
1,2,4-Trimethylbenzene	U	1.0		µg/L	1	5/26/2007 12:45:00 PM
1,2-Dibromo-3-chloropropane	U	1.0		µg/L	1	5/26/2007 12:45:00 PM
1,2-Dibromoethane	U	1.0		µg/L	1	5/26/2007 12:45:00 PM
1,2-Dichlorobenzene	U	1.0		µg/L	1	5/26/2007 12:45:00 PM
1,2-Dichloroethane	U	1.0		µg/L	1	5/26/2007 12:45:00 PM
1,2-Dichloropropane	U	1.0		µg/L	1	5/26/2007 12:45:00 PM
1,3,5-Trimethylbenzene	U	1.0		µg/L	1	5/26/2007 12:45:00 PM
1,3-Dichlorobenzene	U	1.0		µg/L	1	5/26/2007 12:45:00 PM
1,3-dichloropropane	U	1.0		µg/L	1	5/26/2007 12:45:00 PM
1,4-Dichlorobenzene	U	1.0		µg/L	1	5/26/2007 12:45:00 PM
2,2-Dichloropropane	U	1.0		µg/L	1	5/26/2007 12:45:00 PM
2-Butanone	U	3.0		µg/L	1	5/26/2007 12:45:00 PM
2-Chloroethyl vinyl ether	U	1.0		µg/L	1	5/26/2007 12:45:00 PM
2-Chlorotoluene	U	1.0		µg/L	1	5/26/2007 12:45:00 PM
2-Hexanone	U	2.0		µg/L	1	5/26/2007 12:45:00 PM
4-Chlorotoluene	U	1.0		µg/L	1	5/26/2007 12:45:00 PM
4-Isopropyltoluene	U	1.0		µg/L	1	5/26/2007 12:45:00 PM
4-Methyl-2-pentanone	U	2.0		µg/L	1	5/26/2007 12:45:00 PM
Acetone	U	2.0		µg/L	1	5/26/2007 12:45:00 PM
Benzene	U	1.0		µg/L	1	5/26/2007 12:45:00 PM
Bromobenzene	U	1.0		µg/L	1	5/26/2007 12:45:00 PM
Bromochloromethane	U	1.0		µg/L	1	5/26/2007 12:45:00 PM
Bromodichloromethane	U	1.0		µg/L	1	5/26/2007 12:45:00 PM
Bromoform	U	1.0		µg/L	1	5/26/2007 12:45:00 PM
Bromomethane	U	1.0		µg/L	1	5/26/2007 12:45:00 PM
Carbon disulfide	U	1.0		µg/L	1	5/26/2007 12:45:00 PM
Carbon tetrachloride	U	1.0		µg/L	1	5/26/2007 12:45:00 PM
Chlorobenzene	U	1.0		µg/L	1	5/26/2007 12:45:00 PM

Qualifiers:	B	Analyte detected in the associated Method Blank	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	S	Spike Recovery outside accepted recovery limits
	U	Indicates the compound was analyzed for but not detected	X	Value exceeds Maximum Contaminant Level

American Analytical Laboratories, LLC.

Date: 04-Jun-07

CLIENT: Leggette Brashears & Graham Inc.
Lab Order: 0705283
Project: Rowe Industries
Lab ID: 0705283-02A

Client Sample ID: WQ052307:1005 NP2-7
Tag Number:
Collection Date: 5/23/2007 10:05:00 AM
Matrix: LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILE SW-846 8260 + MTBE & FREON113		SW8260B		Analyst: MB		
Chloroethane	U	1.0		µg/L	1	5/26/2007 12:45:00 PM
Chloroform	U	1.0		µg/L	1	5/26/2007 12:45:00 PM
Chloromethane	U	1.0		µg/L	1	5/26/2007 12:45:00 PM
cis-1,2-Dichloroethene	U	1.0		µg/L	1	5/26/2007 12:45:00 PM
cis-1,3-Dichloropropene	U	1.0		µg/L	1	5/26/2007 12:45:00 PM
Dibromochloromethane	U	1.0		µg/L	1	5/26/2007 12:45:00 PM
Dibromomethane	U	1.0		µg/L	1	5/26/2007 12:45:00 PM
Dichlorodifluoromethane	U	1.0		µg/L	1	5/26/2007 12:45:00 PM
Ethylbenzene	U	1.0		µg/L	1	5/26/2007 12:45:00 PM
Hexachlorobutadiene	U	1.0		µg/L	1	5/26/2007 12:45:00 PM
Isopropylbenzene	U	1.0		µg/L	1	5/26/2007 12:45:00 PM
m,p-Xylene	U	2.0		µg/L	1	5/26/2007 12:45:00 PM
Methyl tert-butyl ether	U	1.0		µg/L	1	5/26/2007 12:45:00 PM
Methylene chloride	U	1.0		µg/L	1	5/26/2007 12:45:00 PM
Naphthalene	U	1.0		µg/L	1	5/26/2007 12:45:00 PM
n-Butylbenzene	U	1.0		µg/L	1	5/26/2007 12:45:00 PM
n-Propylbenzene	U	1.0		µg/L	1	5/26/2007 12:45:00 PM
o-Xylene	U	1.0		µg/L	1	5/26/2007 12:45:00 PM
sec-Butylbenzene	U	1.0		µg/L	1	5/26/2007 12:45:00 PM
Styrene	U	1.0		µg/L	1	5/26/2007 12:45:00 PM
tert-Butylbenzene	U	1.0		µg/L	1	5/26/2007 12:45:00 PM
Tetrachloroethene	U	1.0		µg/L	1	5/26/2007 12:45:00 PM
Toluene	U	1.0		µg/L	1	5/26/2007 12:45:00 PM
trans-1,2-Dichloroethene	U	1.0		µg/L	1	5/26/2007 12:45:00 PM
trans-1,3-Dichloropropene	U	1.0		µg/L	1	5/26/2007 12:45:00 PM
Trichloroethene	U	1.0		µg/L	1	5/26/2007 12:45:00 PM
Trichlorofluoromethane	U	1.0		µg/L	1	5/26/2007 12:45:00 PM
Vinyl acetate	U	1.0		µg/L	1	5/26/2007 12:45:00 PM
Vinyl chloride	U	1.0		µg/L	1	5/26/2007 12:45:00 PM
Surr: 4-Bromofluorobenzene	100	54-134		%REC	1	5/26/2007 12:45:00 PM
Surr: Dibromofluoromethane	99.4	52-132		%REC	1	5/26/2007 12:45:00 PM
Surr: Toluene-d8	99.8	51-127		%REC	1	5/26/2007 12:45:00 PM

Qualifiers:	B	Analyte detected in the associated Method Blank	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	S	Spike Recovery outside accepted recovery limits
	U	Indicates the compound was analyzed for but not detected	X	Value exceeds Maximum Contaminant Level

American Analytical Laboratories, LLC.

Date: 04-Jun-07

CLIENT: Leggette Brashears & Graham Inc.
Lab Order: 0705283
Project: Rowe Industries
Lab ID: 0705283-02B

Client Sample ID: WQ052307:1005 NP2-7
Tag Number:
Collection Date: 5/23/2007 10:05:00 AM
Matrix: LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
TOTAL IRON		E200.7		SW3010A		Analyst: JP
Iron	2.32	0.0200		mg/L	1	6/4/2007 12:33:06 PM

Qualifiers:	B	Analyte detected in the associated Method Blank	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	S	Spike Recovery outside accepted recovery limits
	U	Indicates the compound was analyzed for but not detected	X	Value exceeds Maximum Contaminant Level

American Analytical Laboratories, LLC.

Date: 04-Jun-07

CLIENT: Leggette Brashears & Graham Inc.**Client Sample ID:** WQ052307:1005 NP2-7**Lab Order:** 0705283**Tag Number:****Project:** Rowe Industries**Collection Date:** 5/23/2007 10:05:00 AM**Lab ID:** 0705283-02C**Matrix:** LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
DISSOLVED IRON		E200.7		SW3005A		Analyst: JP
Iron	0.111	0.0200		mg/L	1	6/4/2007 12:31:07 PM

Qualifiers:	B	Analyte detected in the associated Method Blank	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	S	Spike Recovery outside accepted recovery limits
	U	Indicates the compound was analyzed for but not detected	X	Value exceeds Maximum Contaminant Level

American Analytical Laboratories, LLC.

Date: 04-Jun-07

CLIENT: Leggette Brashears & Graham Inc.
Lab Order: 0705283
Project: Rowe Industries
Lab ID: 0705283-03A

Client Sample ID: WQ052307:1010 NP2-10
Tag Number:
Collection Date: 5/23/2007 10:10:00 AM
Matrix: LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILE SW-846 8260 + MTBE & FREON113		SW8260B		Analyst: MB		
1,1,1,2-Tetrachloroethane	U	1.0		µg/L	1	5/26/2007 1:22:00 PM
1,1,1-Trichloroethane	U	1.0		µg/L	1	5/26/2007 1:22:00 PM
1,1,2,2-Tetrachloroethane	U	1.0		µg/L	1	5/26/2007 1:22:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	U	1.0		µg/L	1	5/26/2007 1:22:00 PM
1,1,2-Trichloroethane	U	1.0		µg/L	1	5/26/2007 1:22:00 PM
1,1-Dichloroethane	U	1.0		µg/L	1	5/26/2007 1:22:00 PM
1,1-Dichloroethene	U	1.0		µg/L	1	5/26/2007 1:22:00 PM
1,1-Dichloropropene	U	1.0		µg/L	1	5/26/2007 1:22:00 PM
1,2,3-Trichlorobenzene	U	1.0		µg/L	1	5/26/2007 1:22:00 PM
1,2,3-Trichloropropane	U	1.0		µg/L	1	5/26/2007 1:22:00 PM
1,2,4-Trichlorobenzene	U	1.0		µg/L	1	5/26/2007 1:22:00 PM
1,2,4-Trimethylbenzene	U	1.0		µg/L	1	5/26/2007 1:22:00 PM
1,2-Dibromo-3-chloropropane	U	1.0		µg/L	1	5/26/2007 1:22:00 PM
1,2-Dibromoethane	U	1.0		µg/L	1	5/26/2007 1:22:00 PM
1,2-Dichlorobenzene	U	1.0		µg/L	1	5/26/2007 1:22:00 PM
1,2-Dichloroethane	U	1.0		µg/L	1	5/26/2007 1:22:00 PM
1,2-Dichloropropane	U	1.0		µg/L	1	5/26/2007 1:22:00 PM
1,3,5-Trimethylbenzene	U	1.0		µg/L	1	5/26/2007 1:22:00 PM
1,3-Dichlorobenzene	U	1.0		µg/L	1	5/26/2007 1:22:00 PM
1,3-dichloropropane	U	1.0		µg/L	1	5/26/2007 1:22:00 PM
1,4-Dichlorobenzene	U	1.0		µg/L	1	5/26/2007 1:22:00 PM
2,2-Dichloropropane	U	1.0		µg/L	1	5/26/2007 1:22:00 PM
2-Butanone	U	3.0		µg/L	1	5/26/2007 1:22:00 PM
2-Chloroethyl vinyl ether	U	1.0		µg/L	1	5/26/2007 1:22:00 PM
2-Chlorotoluene	U	1.0		µg/L	1	5/26/2007 1:22:00 PM
2-Hexanone	U	2.0		µg/L	1	5/26/2007 1:22:00 PM
4-Chlorotoluene	U	1.0		µg/L	1	5/26/2007 1:22:00 PM
4-Isopropyltoluene	U	1.0		µg/L	1	5/26/2007 1:22:00 PM
4-Methyl-2-pentanone	U	2.0		µg/L	1	5/26/2007 1:22:00 PM
Acetone	U	2.0		µg/L	1	5/26/2007 1:22:00 PM
Benzene	U	1.0		µg/L	1	5/26/2007 1:22:00 PM
Bromobenzene	U	1.0		µg/L	1	5/26/2007 1:22:00 PM
Bromochloromethane	U	1.0		µg/L	1	5/26/2007 1:22:00 PM
Bromodichloromethane	U	1.0		µg/L	1	5/26/2007 1:22:00 PM
Bromoform	U	1.0		µg/L	1	5/26/2007 1:22:00 PM
Bromomethane	U	1.0		µg/L	1	5/26/2007 1:22:00 PM
Carbon disulfide	U	1.0		µg/L	1	5/26/2007 1:22:00 PM
Carbon tetrachloride	U	1.0		µg/L	1	5/26/2007 1:22:00 PM
Chlorobenzene	U	1.0		µg/L	1	5/26/2007 1:22:00 PM

Qualifiers:	B	Analyte detected in the associated Method Blank	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	S	Spike Recovery outside accepted recovery limits
	U	Indicates the compound was analyzed for but not detected	X	Value exceeds Maximum Contaminant Level

American Analytical Laboratories, LLC.

Date: 04-Jun-07

CLIENT: Leggette Brashears & Graham Inc.
Lab Order: 0705283
Project: Rowe Industries
Lab ID: 0705283-03A

Client Sample ID: WQ052307:1010 NP2-10
Tag Number:
Collection Date: 5/23/2007 10:10:00 AM
Matrix: LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILE SW-846 8260 + MTBE & FREON113		SW8260B		Analyst: MB		
Chloroethane	U	1.0		µg/L	1	5/26/2007 1:22:00 PM
Chloroform	U	1.0		µg/L	1	5/26/2007 1:22:00 PM
Chloromethane	U	1.0		µg/L	1	5/26/2007 1:22:00 PM
cis-1,2-Dichloroethene	U	1.0		µg/L	1	5/26/2007 1:22:00 PM
cis-1,3-Dichloropropene	U	1.0		µg/L	1	5/26/2007 1:22:00 PM
Dibromochloromethane	U	1.0		µg/L	1	5/26/2007 1:22:00 PM
Dibromomethane	U	1.0		µg/L	1	5/26/2007 1:22:00 PM
Dichlorodifluoromethane	U	1.0		µg/L	1	5/26/2007 1:22:00 PM
Ethylbenzene	U	1.0		µg/L	1	5/26/2007 1:22:00 PM
Hexachlorobutadiene	U	1.0		µg/L	1	5/26/2007 1:22:00 PM
Isopropylbenzene	U	1.0		µg/L	1	5/26/2007 1:22:00 PM
m,p-Xylene	U	2.0		µg/L	1	5/26/2007 1:22:00 PM
Methyl tert-butyl ether	U	1.0		µg/L	1	5/26/2007 1:22:00 PM
Methylene chloride	U	1.0		µg/L	1	5/26/2007 1:22:00 PM
Naphthalene	U	1.0		µg/L	1	5/26/2007 1:22:00 PM
n-Butylbenzene	U	1.0		µg/L	1	5/26/2007 1:22:00 PM
n-Propylbenzene	U	1.0		µg/L	1	5/26/2007 1:22:00 PM
o-Xylene	U	1.0		µg/L	1	5/26/2007 1:22:00 PM
sec-Butylbenzene	U	1.0		µg/L	1	5/26/2007 1:22:00 PM
Styrene	U	1.0		µg/L	1	5/26/2007 1:22:00 PM
tert-Butylbenzene	U	1.0		µg/L	1	5/26/2007 1:22:00 PM
Tetrachloroethene	U	1.0		µg/L	1	5/26/2007 1:22:00 PM
Toluene	U	1.0		µg/L	1	5/26/2007 1:22:00 PM
trans-1,2-Dichloroethene	U	1.0		µg/L	1	5/26/2007 1:22:00 PM
trans-1,3-Dichloropropene	U	1.0		µg/L	1	5/26/2007 1:22:00 PM
Trichloroethene	U	1.0		µg/L	1	5/26/2007 1:22:00 PM
Trichlorofluoromethane	U	1.0		µg/L	1	5/26/2007 1:22:00 PM
Vinyl acetate	U	1.0		µg/L	1	5/26/2007 1:22:00 PM
Vinyl chloride	U	1.0		µg/L	1	5/26/2007 1:22:00 PM
Surr: 4-Bromofluorobenzene	102	54-134		%REC	1	5/26/2007 1:22:00 PM
Surr: Dibromofluoromethane	99.2	52-132		%REC	1	5/26/2007 1:22:00 PM
Surr: Toluene-d8	99.1	51-127		%REC	1	5/26/2007 1:22:00 PM

Qualifiers:	B	Analyte detected in the associated Method Blank	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	S	Spike Recovery outside accepted recovery limits
	U	Indicates the compound was analyzed for but not detected	X	Value exceeds Maximum Contaminant Level

American Analytical Laboratories, LLC.

Date: 04-Jun-07

CLIENT: Leggette Brashears & Graham Inc.
Lab Order: 0705283
Project: Rowe Industries
Lab ID: 0705283-03B

Client Sample ID: WQ052307:1010 NP2-10
Tag Number:
Collection Date: 5/23/2007 10:10:00 AM
Matrix: LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
TOTAL IRON		E200.7		SW3010A		Analyst: JP
Iron	5.96	0.0200		mg/L	1	6/4/2007 12:47:30 PM

Qualifiers:	B	Analyte detected in the associated Method Blank	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	S	Spike Recovery outside accepted recovery limits
	U	Indicates the compound was analyzed for but not detected	X	Value exceeds Maximum Contaminant Level

American Analytical Laboratories, LLC.

Date: 04-Jun-07

CLIENT: Leggette Brashears & Graham Inc.
Lab Order: 0705283
Project: Rowe Industries
Lab ID: 0705283-03C

Client Sample ID: WQ052307:1010 NP2-10
Tag Number:
Collection Date: 5/23/2007 10:10:00 AM
Matrix: LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
DISSOLVED IRON		E200.7		SW3005A		Analyst: JP
Iron	0.0565	0.0200		mg/L	1	6/4/2007 12:45:24 PM
TOTAL DISSOLVED SOLIDS		E160.1				Analyst: JC
Total Dissolved Solids (Residue, Filterable)	94.0	1.00		mg/L	1	5/30/2007

Qualifiers:	B	Analyte detected in the associated Method Blank	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	S	Spike Recovery outside accepted recovery limits
	U	Indicates the compound was analyzed for but not detected	X	Value exceeds Maximum Contaminant Level

Thursday, June 14, 2007

Mark Goldberg
Leggette Brashears & Graham Inc.
4 Research Drive
Suite 301
Shelton, CT 06484

TEL: (203) 929-8555

FAX (203) 926-9140

RE: Rowe Industries, Sag Harbor, N.Y.

Order No.: 0706022

Dear Mark Goldberg:

American Analytical Laboratories, LLC. received 3 sample(s) on 6/1/2007 for the analyses presented in the following report.

Samples were analyzed in accordance with the test procedures documented on the chain of custody and detailed throughout the text of this report.


The limits provided in the data package are analytical reporting limits and not Federal or Local mandated values to which the sample results should be compared.

There were no problems with the analyses and all data for associated QC met laboratory specifications. If there are any exceptions a Case Narrative is provided in the report.

If you have any questions regarding these tests results, please do not hesitate to call (631) 454-6100 or email me directly at lbeyer@american-analytical.com.

Sincerely,

Lori Beyer
Lab Director



American Analytical Laboratories, LLC.

Date: 14-Jun-07

CLIENT: Leggette Brashears & Graham Inc.

Project: Rowe Industries, Sag Harbor, N.Y.

Lab Order: 0706022

Work Order Sample Summary

Lab Sample ID	Client Sample ID	Tag Number	Date Collected	Date Received
0706022-01A	WQ053007: 1000 NP2-6	11797	5/30/2007 10:00:00 AM	6/1/2007
0706022-01B	WQ053007: 1000 NP2-6	11797	5/30/2007 10:00:00 AM	6/1/2007
0706022-01C	WQ053007: 1000 NP2-6	11797	5/30/2007 10:00:00 AM	6/1/2007
0706022-02A	WQ053007:1005 NP2-7	11797	5/30/2007 10:05:00 AM	6/1/2007
0706022-02B	WQ053007:1005 NP2-7	11797	5/30/2007 10:05:00 AM	6/1/2007
0706022-02C	WQ053007:1005 NP2-7	11797	5/30/2007 10:05:00 AM	6/1/2007
0706022-03A	WQ053007:1010 NP2-10	11797	5/30/2007 10:10:00 AM	6/1/2007
0706022-03B	WQ053007:1010 NP2-10	11797	5/30/2007 10:10:00 AM	6/1/2007
0706022-03C	WQ053007:1010 NP2-10	11797	5/30/2007 10:10:00 AM	6/1/2007

56 TOLEDO STREET • FARMINGDALE, NEW YORK 11735
(631) 454-6100 • FAX (631) 454-8027

TAG # / COC 11797

CHAIN OF CUSTODY / REQUEST FOR ANALYSIS DOCUMENT

[illegible]

WHITE-OFFICE / CANARY-LAB / PINK-SAMPLE CUSTODIAN / GOLDENROD-CLIENT

AMERICAN ANALYTICAL LABORATORIES, LLC

56 TOLEDO STREET

FARMINGDALE, NEW YORK 11735

TELEPHONE: (631) 454-6100

FAX: (631) 454-8027

DATA REPORTING QUALIFIERS

For reporting results, the following "Results Qualifiers" are used:

Value	If the result is greater than or equal to the detection limit, report the value
U	Indicates the compound was analyzed for but was not detected. Report the minimum detection limit for the sample with the U, i.e. "10U". This is not necessarily the instrument detection limit attainable for this particular sample based on any concentration or dilution that may have been required.
J	Indicates an estimated value. The flag is used: (1) When estimating a concentration for a tentatively identified compound (library search hits, where a 1:1 response is assumed.) (2) When the mass spectral data indicated the identification, however the result was less than the specified detection limit greater than zero. If the detection limit was 10ug/L and a concentration of 3ug/L was calculated report as 3J. This flag is used when similar situations arise on any organic parameter i.e. Pesticide, PCBs and others.
B	Indicates the analyte was found in the blank as well as the sample report "10B".
E	Indicates the analytes concentration exceeds the calibrated range of the instrument for that specific analysis.
D	This flag identifies all compounds identified in an analysis at a secondary dilution factor.
P	This flag is used for Pesticide / PCB target analyte when there is >25% difference for detected concentrations between the two GC Columns. The higher of the two values is reported on Form I and flagged with a "P".
N	This flag indicates presumptive evidence of a compound. This is only used for tentatively identified compounds (TICs), where the identification is based on a mass spectral library search. It applies to all TIC results. For generic characterization of a TIC, such as chlorinated hydrocarbon, the flag is not used.
H	Indicates sample was received and/or analyzed outside of The method allowable holding time

American Analytical Laboratories, LLC.

Date: 14-Jun-07

CLIENT: Leggette Brashears & Graham Inc.
Lab Order: 0706022
Project: Rowe Industries, Sag Harbor, N.Y.
Lab ID: 0706022-01A

Client Sample ID: WQ053007: 1000 NP2-6
Tag Number: 11797
Collection Date: 5/30/2007 10:00:00 AM
Matrix: LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILE SW-846 8260 + MTBE & FREON113		SW8260B		Analyst: MB		
1,1,1,2-Tetrachloroethane	U	1.0		µg/L	1	6/5/2007 12:14:00 PM
1,1,1-Trichloroethane	3.1	1.0		µg/L	1	6/5/2007 12:14:00 PM
1,1,2,2-Tetrachloroethane	U	1.0		µg/L	1	6/5/2007 12:14:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	U	1.0		µg/L	1	6/5/2007 12:14:00 PM
1,1,2-Trichloroethane	U	1.0		µg/L	1	6/5/2007 12:14:00 PM
1,1-Dichloroethane	U	1.0		µg/L	1	6/5/2007 12:14:00 PM
1,1-Dichloroethene	U	1.0		µg/L	1	6/5/2007 12:14:00 PM
1,1-Dichloropropene	U	1.0		µg/L	1	6/5/2007 12:14:00 PM
1,2,3-Trichlorobenzene	U	1.0		µg/L	1	6/5/2007 12:14:00 PM
1,2,3-Trichloropropane	U	1.0		µg/L	1	6/5/2007 12:14:00 PM
1,2,4-Trichlorobenzene	U	1.0		µg/L	1	6/5/2007 12:14:00 PM
1,2,4-Trimethylbenzene	U	1.0		µg/L	1	6/5/2007 12:14:00 PM
1,2-Dibromo-3-chloropropane	U	1.0		µg/L	1	6/5/2007 12:14:00 PM
1,2-Dibromoethane	U	1.0		µg/L	1	6/5/2007 12:14:00 PM
1,2-Dichlorobenzene	U	1.0		µg/L	1	6/5/2007 12:14:00 PM
1,2-Dichloroethane	U	1.0		µg/L	1	6/5/2007 12:14:00 PM
1,2-Dichloropropane	U	1.0		µg/L	1	6/5/2007 12:14:00 PM
1,3,5-Trimethylbenzene	U	1.0		µg/L	1	6/5/2007 12:14:00 PM
1,3-Dichlorobenzene	U	1.0		µg/L	1	6/5/2007 12:14:00 PM
1,3-dichloropropane	U	1.0		µg/L	1	6/5/2007 12:14:00 PM
1,4-Dichlorobenzene	U	1.0		µg/L	1	6/5/2007 12:14:00 PM
2,2-Dichloropropane	U	1.0		µg/L	1	6/5/2007 12:14:00 PM
2-Butanone	U	3.0		µg/L	1	6/5/2007 12:14:00 PM
2-Chloroethyl vinyl ether	U	1.0		µg/L	1	6/5/2007 12:14:00 PM
2-Chlorotoluene	U	1.0		µg/L	1	6/5/2007 12:14:00 PM
2-Hexanone	U	2.0		µg/L	1	6/5/2007 12:14:00 PM
4-Chlorotoluene	U	1.0		µg/L	1	6/5/2007 12:14:00 PM
4-Isopropyltoluene	U	1.0		µg/L	1	6/5/2007 12:14:00 PM
4-Methyl-2-pentanone	U	2.0		µg/L	1	6/5/2007 12:14:00 PM
Acetone	U	2.0		µg/L	1	6/5/2007 12:14:00 PM
Benzene	U	1.0		µg/L	1	6/5/2007 12:14:00 PM
Bromobenzene	U	1.0		µg/L	1	6/5/2007 12:14:00 PM
Bromochloromethane	U	1.0		µg/L	1	6/5/2007 12:14:00 PM
Bromodichloromethane	U	1.0		µg/L	1	6/5/2007 12:14:00 PM
Bromoform	U	1.0		µg/L	1	6/5/2007 12:14:00 PM
Bromomethane	U	1.0		µg/L	1	6/5/2007 12:14:00 PM
Carbon disulfide	U	1.0		µg/L	1	6/5/2007 12:14:00 PM
Carbon tetrachloride	U	1.0		µg/L	1	6/5/2007 12:14:00 PM
Chlorobenzene	U	1.0		µg/L	1	6/5/2007 12:14:00 PM

Qualifiers:
 B Analyte detected in the associated Method Blank
 H Holding times for preparation or analysis exceeded
 ND Not Detected at the Reporting Limit
 U Indicates the compound was analyzed for but not detected

E Value above quantitation range
 J Analyte detected below quantitation limits
 S Spike Recovery outside accepted recovery limits
 X Value exceeds Maximum Contaminant Level

American Analytical Laboratories, LLC.

Date: 14-Jun-07

CLIENT: Leggette Brashears & Graham Inc.
Lab Order: 0706022
Project: Rowe Industries, Sag Harbor, N.Y.
Lab ID: 0706022-01A

Client Sample ID: WQ053007: 1000 NP2-6
Tag Number: 11797
Collection Date: 5/30/2007 10:00:00 AM
Matrix: LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILE SW-846 8260 + MTBE & FREON113		SW8260B		Analyst: MB		
Chloroethane	U	1.0		µg/L	1	6/5/2007 12:14:00 PM
Chloroform	U	1.0		µg/L	1	6/5/2007 12:14:00 PM
Chloromethane	U	1.0		µg/L	1	6/5/2007 12:14:00 PM
cis-1,2-Dichloroethene	U	1.0		µg/L	1	6/5/2007 12:14:00 PM
cis-1,3-Dichloropropene	U	1.0		µg/L	1	6/5/2007 12:14:00 PM
Dibromochloromethane	U	1.0		µg/L	1	6/5/2007 12:14:00 PM
Dibromomethane	U	1.0		µg/L	1	6/5/2007 12:14:00 PM
Dichlorodifluoromethane	U	1.0		µg/L	1	6/5/2007 12:14:00 PM
Ethylbenzene	U	1.0		µg/L	1	6/5/2007 12:14:00 PM
Hexachlorobutadiene	U	1.0		µg/L	1	6/5/2007 12:14:00 PM
Isopropylbenzene	U	1.0		µg/L	1	6/5/2007 12:14:00 PM
m,p-Xylene	U	2.0		µg/L	1	6/5/2007 12:14:00 PM
Methyl tert-butyl ether	U	1.0		µg/L	1	6/5/2007 12:14:00 PM
Methylene chloride	U	1.0		µg/L	1	6/5/2007 12:14:00 PM
Naphthalene	U	1.0		µg/L	1	6/5/2007 12:14:00 PM
n-Butylbenzene	U	1.0		µg/L	1	6/5/2007 12:14:00 PM
n-Propylbenzene	U	1.0		µg/L	1	6/5/2007 12:14:00 PM
o-Xylene	U	1.0		µg/L	1	6/5/2007 12:14:00 PM
sec-Butylbenzene	U	1.0		µg/L	1	6/5/2007 12:14:00 PM
Styrene	U	1.0		µg/L	1	6/5/2007 12:14:00 PM
tert-Butylbenzene	U	1.0		µg/L	1	6/5/2007 12:14:00 PM
Tetrachloroethene	6.1	1.0		µg/L	1	6/5/2007 12:14:00 PM
Toluene	U	1.0		µg/L	1	6/5/2007 12:14:00 PM
trans-1,2-Dichloroethene	U	1.0		µg/L	1	6/5/2007 12:14:00 PM
trans-1,3-Dichloropropene	U	1.0		µg/L	1	6/5/2007 12:14:00 PM
Trichloroethene	U	1.0		µg/L	1	6/5/2007 12:14:00 PM
Trichlorofluoromethane	U	1.0		µg/L	1	6/5/2007 12:14:00 PM
Vinyl acetate	U	1.0		µg/L	1	6/5/2007 12:14:00 PM
Vinyl chloride	U	1.0		µg/L	1	6/5/2007 12:14:00 PM
Surr: 4-Bromofluorobenzene	82.2	54-134		%REC	1	6/5/2007 12:14:00 PM
Surr: Dibromofluoromethane	104	52-132		%REC	1	6/5/2007 12:14:00 PM
Surr: Toluene-d8	98.6	51-127		%REC	1	6/5/2007 12:14:00 PM

Qualifiers:	B	Analyte detected in the associated Method Blank	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	S	Spike Recovery outside accepted recovery limits
	U	Indicates the compound was analyzed for but not detected	X	Value exceeds Maximum Contaminant Level

American Analytical Laboratories, LLC.

Date: 14-Jun-07

CLIENT: Leggette Brashears & Graham Inc.

Client Sample ID: WQ053007: 1000 NP2-6

Lab Order: 0706022

Tag Number: 11797

Project: Rowe Industries, Sag Harbor, N.Y.

Collection Date: 5/30/2007 10:00:00 AM

Lab ID: 0706022-01B

Matrix: LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
TOTAL IRON		E200.7		SW3010A		Analyst: JP
Iron	1.01	0.0200		mg/L	1	6/14/2007 10:33:59 AM

Qualifiers:	B	Analyte detected in the associated Method Blank	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	S	Spike Recovery outside accepted recovery limits
	U	Indicates the compound was analyzed for but not detected	X	Value exceeds Maximum Contaminant Level

American Analytical Laboratories, LLC.

Date: 14-Jun-07

CLIENT: Leggette Brashears & Graham Inc.
Lab Order: 0706022
Project: Rowe Industries, Sag Harbor, N.Y.
Lab ID: 0706022-01C

Client Sample ID: WQ053007: 1000 NP2-6
Tag Number: 11797
Collection Date: 5/30/2007 10:00:00 AM
Matrix: LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
DISSOLVED IRON		E200.7		SW3005A		Analyst: JP
Iron	0.0157	0.0200	J	mg/L	1	6/14/2007 10:31:59 AM

Qualifiers:	B	Analyte detected in the associated Method Blank	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	S	Spike Recovery outside accepted recovery limits
	U	Indicates the compound was analyzed for but not detected	X	Value exceeds Maximum Contaminant Level

American Analytical Laboratories, LLC.

Date: 14-Jun-07

CLIENT: Leggette Brashears & Graham Inc.
Lab Order: 0706022
Project: Rowe Industries, Sag Harbor, N.Y.
Lab ID: 0706022-02A

Client Sample ID: WQ053007:1005 NP2-7
Tag Number: 11797
Collection Date: 5/30/2007 10:00:00 AM
Matrix: LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILE SW-846 8260 + MTBE & FREON113		SW8260B		Analyst: MB		
1,1,1,2-Tetrachloroethane	U	1.0		µg/L	1	6/5/2007 12:39:00 PM
1,1,1-Trichloroethane	U	1.0		µg/L	1	6/5/2007 12:39:00 PM
1,1,2,2-Tetrachloroethane	U	1.0		µg/L	1	6/5/2007 12:39:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	U	1.0		µg/L	1	6/5/2007 12:39:00 PM
1,1,2-Trichloroethane	U	1.0		µg/L	1	6/5/2007 12:39:00 PM
1,1-Dichloroethane	U	1.0		µg/L	1	6/5/2007 12:39:00 PM
1,1-Dichloroethene	U	1.0		µg/L	1	6/5/2007 12:39:00 PM
1,1-Dichloropropene	U	1.0		µg/L	1	6/5/2007 12:39:00 PM
1,2,3-Trichlorobenzene	U	1.0		µg/L	1	6/5/2007 12:39:00 PM
1,2,3-Trichloropropane	U	1.0		µg/L	1	6/5/2007 12:39:00 PM
1,2,4-Trichlorobenzene	U	1.0		µg/L	1	6/5/2007 12:39:00 PM
1,2,4-Trimethylbenzene	U	1.0		µg/L	1	6/5/2007 12:39:00 PM
1,2-Dibromo-3-chloropropane	U	1.0		µg/L	1	6/5/2007 12:39:00 PM
1,2-Dibromoethane	U	1.0		µg/L	1	6/5/2007 12:39:00 PM
1,2-Dichlorobenzene	U	1.0		µg/L	1	6/5/2007 12:39:00 PM
1,2-Dichloroethane	U	1.0		µg/L	1	6/5/2007 12:39:00 PM
1,2-Dichloropropane	U	1.0		µg/L	1	6/5/2007 12:39:00 PM
1,3,5-Trimethylbenzene	U	1.0		µg/L	1	6/5/2007 12:39:00 PM
1,3-Dichlorobenzene	U	1.0		µg/L	1	6/5/2007 12:39:00 PM
1,3-dichloropropane	U	1.0		µg/L	1	6/5/2007 12:39:00 PM
1,4-Dichlorobenzene	U	1.0		µg/L	1	6/5/2007 12:39:00 PM
2,2-Dichloropropane	U	1.0		µg/L	1	6/5/2007 12:39:00 PM
2-Butanone	U	3.0		µg/L	1	6/5/2007 12:39:00 PM
2-Chloroethyl vinyl ether	U	1.0		µg/L	1	6/5/2007 12:39:00 PM
2-Chlorotoluene	U	1.0		µg/L	1	6/5/2007 12:39:00 PM
2-Hexanone	U	2.0		µg/L	1	6/5/2007 12:39:00 PM
4-Chlorotoluene	U	1.0		µg/L	1	6/5/2007 12:39:00 PM
4-Isopropyltoluene	U	1.0		µg/L	1	6/5/2007 12:39:00 PM
4-Methyl-2-pentanone	U	2.0		µg/L	1	6/5/2007 12:39:00 PM
Acetone	U	2.0		µg/L	1	6/5/2007 12:39:00 PM
Benzene	U	1.0		µg/L	1	6/5/2007 12:39:00 PM
Bromobenzene	U	1.0		µg/L	1	6/5/2007 12:39:00 PM
Bromochloromethane	U	1.0		µg/L	1	6/5/2007 12:39:00 PM
Bromodichloromethane	U	1.0		µg/L	1	6/5/2007 12:39:00 PM
Bromoform	U	1.0		µg/L	1	6/5/2007 12:39:00 PM
Bromomethane	U	1.0		µg/L	1	6/5/2007 12:39:00 PM
Carbon disulfide	U	1.0		µg/L	1	6/5/2007 12:39:00 PM
Carbon tetrachloride	U	1.0		µg/L	1	6/5/2007 12:39:00 PM
Chlorobenzene	U	1.0		µg/L	1	6/5/2007 12:39:00 PM

Qualifiers:	B	Analyte detected in the associated Method Blank	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	S	Spike Recovery outside accepted recovery limits
	U	Indicates the compound was analyzed for but not detected	X	Value exceeds Maximum Contaminant Level

American Analytical Laboratories, LLC.

Date: 14-Jun-07

CLIENT: Leggette Brashears & Graham Inc.
Lab Order: 0706022
Project: Rowe Industries, Sag Harbor, N.Y.
Lab ID: 0706022-02A

Client Sample ID: WQ053007:1005 NP2-7
Tag Number: 11797
Collection Date: 5/30/2007 10:00:00 AM
Matrix: LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILE SW-846 8260 + MTBE & FREON113		SW8260B		Analyst: MB		
Chloroethane	U	1.0		µg/L	1	6/5/2007 12:39:00 PM
Chloroform	U	1.0		µg/L	1	6/5/2007 12:39:00 PM
Chloromethane	U	1.0		µg/L	1	6/5/2007 12:39:00 PM
cis-1,2-Dichloroethene	U	1.0		µg/L	1	6/5/2007 12:39:00 PM
cis-1,3-Dichloropropene	U	1.0		µg/L	1	6/5/2007 12:39:00 PM
Dibromochloromethane	U	1.0		µg/L	1	6/5/2007 12:39:00 PM
Dibromomethane	U	1.0		µg/L	1	6/5/2007 12:39:00 PM
Dichlorodifluoromethane	U	1.0		µg/L	1	6/5/2007 12:39:00 PM
Ethylbenzene	U	1.0		µg/L	1	6/5/2007 12:39:00 PM
Hexachlorobutadiene	U	1.0		µg/L	1	6/5/2007 12:39:00 PM
Isopropylbenzene	U	1.0		µg/L	1	6/5/2007 12:39:00 PM
m,p-Xylene	U	2.0		µg/L	1	6/5/2007 12:39:00 PM
Methyl tert-butyl ether	U	1.0		µg/L	1	6/5/2007 12:39:00 PM
Methylene chloride	U	1.0		µg/L	1	6/5/2007 12:39:00 PM
Naphthalene	U	1.0		µg/L	1	6/5/2007 12:39:00 PM
n-Butylbenzene	U	1.0		µg/L	1	6/5/2007 12:39:00 PM
n-Propylbenzene	U	1.0		µg/L	1	6/5/2007 12:39:00 PM
o-Xylene	U	1.0		µg/L	1	6/5/2007 12:39:00 PM
sec-Butylbenzene	U	1.0		µg/L	1	6/5/2007 12:39:00 PM
Styrene	U	1.0		µg/L	1	6/5/2007 12:39:00 PM
tert-Butylbenzene	U	1.0		µg/L	1	6/5/2007 12:39:00 PM
Tetrachloroethene	U	1.0		µg/L	1	6/5/2007 12:39:00 PM
Toluene	U	1.0		µg/L	1	6/5/2007 12:39:00 PM
trans-1,2-Dichloroethene	U	1.0		µg/L	1	6/5/2007 12:39:00 PM
trans-1,3-Dichloropropene	U	1.0		µg/L	1	6/5/2007 12:39:00 PM
Trichloroethene	U	1.0		µg/L	1	6/5/2007 12:39:00 PM
Trichlorofluoromethane	U	1.0		µg/L	1	6/5/2007 12:39:00 PM
Vinyl acetate	U	1.0		µg/L	1	6/5/2007 12:39:00 PM
Vinyl chloride	U	1.0		µg/L	1	6/5/2007 12:39:00 PM
Surr: 4-Bromofluorobenzene	78.5	54-134		%REC	1	6/5/2007 12:39:00 PM
Surr: Dibromofluoromethane	95.0	52-132		%REC	1	6/5/2007 12:39:00 PM
Surr: Toluene-d8	96.8	51-127		%REC	1	6/5/2007 12:39:00 PM

Qualifiers:	B	Analyte detected in the associated Method Blank	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	S	Spike Recovery outside accepted recovery limits
	U	Indicates the compound was analyzed for but not detected	X	Value exceeds Maximum Contaminant Level

American Analytical Laboratories, LLC.

Date: 14-Jun-07

CLIENT: Leggette Brashears & Graham Inc.
Lab Order: 0706022
Project: Rowe Industries, Sag Harbor, N.Y.
Lab ID: 0706022-02B

Client Sample ID: WQ053007:1005 NP2-7
Tag Number: 11797
Collection Date: 5/30/2007 10:00:00 AM
Matrix: LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
TOTAL IRON		E200.7		SW3010A		Analyst: JP
Iron	0.814	0.0200		mg/L	1	6/14/2007 10:48:13 AM

Qualifiers:	B	Analyte detected in the associated Method Blank	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	S	Spike Recovery outside accepted recovery limits
	U	Indicates the compound was analyzed for but not detected	X	Value exceeds Maximum Contaminant Level

American Analytical Laboratories, LLC.

Date: 14-Jun-07

CLIENT: Leggette Brashears & Graham Inc.
Lab Order: 0706022
Project: Rowe Industries, Sag Harbor, N.Y.
Lab ID: 0706022-02C

Client Sample ID: WQ053007:1005 NP2-7
Tag Number: 11797
Collection Date: 5/30/2007 10:00:00 AM
Matrix: LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
DISSOLVED IRON		E200.7		SW3005A		Analyst: JP
Iron	0.0406	0.0200		mg/L	1	6/14/2007 10:45:46 AM

Qualifiers:	B	Analyte detected in the associated Method Blank	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	S	Spike Recovery outside accepted recovery limits
	U	Indicates the compound was analyzed for but not detected	X	Value exceeds Maximum Contaminant Level

American Analytical Laboratories, LLC.

Date: 14-Jun-07

CLIENT: Leggette Brashears & Graham Inc.
Lab Order: 0706022
Project: Rowe Industries, Sag Harbor, N.Y.
Lab ID: 0706022-03A

Client Sample ID: WQ053007:1010 NP2-10
Tag Number: 11797
Collection Date: 5/30/2007 10:00:00 AM
Matrix: LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILE SW-846 8260 + MTBE & FREON113		SW8260B		Analyst: MB		
1,1,1,2-Tetrachloroethane	U	1.0		µg/L	1	6/5/2007 1:27:00 PM
1,1,1-Trichloroethane	U	1.0		µg/L	1	6/5/2007 1:27:00 PM
1,1,2,2-Tetrachloroethane	U	1.0		µg/L	1	6/5/2007 1:27:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	U	1.0		µg/L	1	6/5/2007 1:27:00 PM
1,1,2-Trichloroethane	U	1.0		µg/L	1	6/5/2007 1:27:00 PM
1,1-Dichloroethane	U	1.0		µg/L	1	6/5/2007 1:27:00 PM
1,1-Dichloroethene	U	1.0		µg/L	1	6/5/2007 1:27:00 PM
1,1-Dichloropropene	U	1.0		µg/L	1	6/5/2007 1:27:00 PM
1,2,3-Trichlorobenzene	U	1.0		µg/L	1	6/5/2007 1:27:00 PM
1,2,3-Trichloropropane	U	1.0		µg/L	1	6/5/2007 1:27:00 PM
1,2,4-Trichlorobenzene	U	1.0		µg/L	1	6/5/2007 1:27:00 PM
1,2,4-Trimethylbenzene	U	1.0		µg/L	1	6/5/2007 1:27:00 PM
1,2-Dibromo-3-chloropropane	U	1.0		µg/L	1	6/5/2007 1:27:00 PM
1,2-Dibromoethane	U	1.0		µg/L	1	6/5/2007 1:27:00 PM
1,2-Dichlorobenzene	U	1.0		µg/L	1	6/5/2007 1:27:00 PM
1,2-Dichloroethane	U	1.0		µg/L	1	6/5/2007 1:27:00 PM
1,2-Dichloropropane	U	1.0		µg/L	1	6/5/2007 1:27:00 PM
1,3,5-Trimethylbenzene	U	1.0		µg/L	1	6/5/2007 1:27:00 PM
1,3-Dichlorobenzene	U	1.0		µg/L	1	6/5/2007 1:27:00 PM
1,3-dichloropropane	U	1.0		µg/L	1	6/5/2007 1:27:00 PM
1,4-Dichlorobenzene	U	1.0		µg/L	1	6/5/2007 1:27:00 PM
2,2-Dichloropropane	U	1.0		µg/L	1	6/5/2007 1:27:00 PM
2-Butanone	U	3.0		µg/L	1	6/5/2007 1:27:00 PM
2-Chloroethyl vinyl ether	U	1.0		µg/L	1	6/5/2007 1:27:00 PM
2-Chlorotoluene	U	1.0		µg/L	1	6/5/2007 1:27:00 PM
2-Hexanone	U	2.0		µg/L	1	6/5/2007 1:27:00 PM
4-Chlorotoluene	U	1.0		µg/L	1	6/5/2007 1:27:00 PM
4-Isopropyltoluene	U	1.0		µg/L	1	6/5/2007 1:27:00 PM
4-Methyl-2-pentanone	U	2.0		µg/L	1	6/5/2007 1:27:00 PM
Acetone	U	2.0		µg/L	1	6/5/2007 1:27:00 PM
Benzene	U	1.0		µg/L	1	6/5/2007 1:27:00 PM
Bromobenzene	U	1.0		µg/L	1	6/5/2007 1:27:00 PM
Bromochloromethane	U	1.0		µg/L	1	6/5/2007 1:27:00 PM
Bromodichloromethane	U	1.0		µg/L	1	6/5/2007 1:27:00 PM
Bromoform	U	1.0		µg/L	1	6/5/2007 1:27:00 PM
Bromomethane	U	1.0		µg/L	1	6/5/2007 1:27:00 PM
Carbon disulfide	U	1.0		µg/L	1	6/5/2007 1:27:00 PM
Carbon tetrachloride	U	1.0		µg/L	1	6/5/2007 1:27:00 PM
Chlorobenzene	U	1.0		µg/L	1	6/5/2007 1:27:00 PM

Qualifiers:	B	Analyte detected in the associated Method Blank	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	S	Spike Recovery outside accepted recovery limits
	U	Indicates the compound was analyzed for but not detected	X	Value exceeds Maximum Contaminant Level

American Analytical Laboratories, LLC.

Date: 14-Jun-07

CLIENT: Leggette Brashears & Graham Inc.
Lab Order: 0706022
Project: Rowe Industries, Sag Harbor, N.Y.
Lab ID: 0706022-03A

Client Sample ID: WQ053007:1010 NP2-10
Tag Number: 11797
Collection Date: 5/30/2007 10:00:00 AM
Matrix: LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILE SW-846 8260 + MTBE & FREON113		SW8260B		Analyst: MB		
Chloroethane	U	1.0		µg/L	1	6/5/2007 1:27:00 PM
Chloroform	U	1.0		µg/L	1	6/5/2007 1:27:00 PM
Chloromethane	U	1.0		µg/L	1	6/5/2007 1:27:00 PM
cis-1,2-Dichloroethene	U	1.0		µg/L	1	6/5/2007 1:27:00 PM
cis-1,3-Dichloropropene	U	1.0		µg/L	1	6/5/2007 1:27:00 PM
Dibromochloromethane	U	1.0		µg/L	1	6/5/2007 1:27:00 PM
Dibromomethane	U	1.0		µg/L	1	6/5/2007 1:27:00 PM
Dichlorodifluoromethane	U	1.0		µg/L	1	6/5/2007 1:27:00 PM
Ethylbenzene	U	1.0		µg/L	1	6/5/2007 1:27:00 PM
Hexachlorobutadiene	U	1.0		µg/L	1	6/5/2007 1:27:00 PM
Isopropylbenzene	U	1.0		µg/L	1	6/5/2007 1:27:00 PM
m,p-Xylene	U	2.0		µg/L	1	6/5/2007 1:27:00 PM
Methyl tert-butyl ether	U	1.0		µg/L	1	6/5/2007 1:27:00 PM
Methylene chloride	U	1.0		µg/L	1	6/5/2007 1:27:00 PM
Naphthalene	U	1.0		µg/L	1	6/5/2007 1:27:00 PM
n-Butylbenzene	U	1.0		µg/L	1	6/5/2007 1:27:00 PM
n-Propylbenzene	U	1.0		µg/L	1	6/5/2007 1:27:00 PM
o-Xylene	U	1.0		µg/L	1	6/5/2007 1:27:00 PM
sec-Butylbenzene	U	1.0		µg/L	1	6/5/2007 1:27:00 PM
Styrene	U	1.0		µg/L	1	6/5/2007 1:27:00 PM
tert-Butylbenzene	U	1.0		µg/L	1	6/5/2007 1:27:00 PM
Tetrachloroethene	U	1.0		µg/L	1	6/5/2007 1:27:00 PM
Toluene	U	1.0		µg/L	1	6/5/2007 1:27:00 PM
trans-1,2-Dichloroethene	U	1.0		µg/L	1	6/5/2007 1:27:00 PM
trans-1,3-Dichloropropene	U	1.0		µg/L	1	6/5/2007 1:27:00 PM
Trichloroethene	U	1.0		µg/L	1	6/5/2007 1:27:00 PM
Trichlorofluoromethane	U	1.0		µg/L	1	6/5/2007 1:27:00 PM
Vinyl acetate	U	1.0		µg/L	1	6/5/2007 1:27:00 PM
Vinyl chloride	U	1.0		µg/L	1	6/5/2007 1:27:00 PM
Surr: 4-Bromofluorobenzene	79.9	54-134		%REC	1	6/5/2007 1:27:00 PM
Surr: Dibromofluoromethane	96.7	52-132		%REC	1	6/5/2007 1:27:00 PM
Surr: Toluene-d8	98.6	51-127		%REC	1	6/5/2007 1:27:00 PM

Qualifiers:	B	Analyte detected in the associated Method Blank	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	S	Spike Recovery outside accepted recovery limits
	U	Indicates the compound was analyzed for but not detected	X	Value exceeds Maximum Contaminant Level

American Analytical Laboratories, LLC.

Date: 14-Jun-07

CLIENT: Leggette Brashears & Graham Inc.**Client Sample ID:** WQ053007:1010 NP2-10**Lab Order:** 0706022**Tag Number:** 11797**Project:** Rowe Industries, Sag Harbor, N.Y.**Collection Date:** 5/30/2007 10:00:00 AM**Lab ID:** 0706022-03B**Matrix:** LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
TOTAL IRON		E200.7		SW3010A		Analyst: JP
Iron	3.01	0.0200		mg/L	1	6/14/2007 10:52:56 AM

Qualifiers:	B	Analyte detected in the associated Method Blank	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	S	Spike Recovery outside accepted recovery limits
	U	Indicates the compound was analyzed for but not detected	X	Value exceeds Maximum Contaminant Level

American Analytical Laboratories, LLC.

Date: 14-Jun-07

CLIENT: Leggette Brashears & Graham Inc.
Lab Order: 0706022
Project: Rowe Industries, Sag Harbor, N.Y.
Lab ID: 0706022-03C

Client Sample ID: WQ053007:1010 NP2-10
Tag Number: 11797
Collection Date: 5/30/2007 10:00:00 AM
Matrix: LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
DISSOLVED IRON		E200.7		SW3005A		Analyst: JP
Iron	0.0369	0.0200		mg/L	1	6/14/2007 10:50:17 AM
TOTAL DISSOLVED SOLIDS		E160.1				Analyst: JC
Total Dissolved Solids (Residue, Filterable)	86.0	1.00		mg/L	1	6/6/2007

Qualifiers:	B	Analyte detected in the associated Method Blank	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	S	Spike Recovery outside accepted recovery limits
	U	Indicates the compound was analyzed for but not detected	X	Value exceeds Maximum Contaminant Level

Tuesday, May 22, 2007

Mark Goldberg
Leggette Brashears & Graham Inc.
4 Research Drive
Suite 301
Shelton, CT 06484

TEL: (203) 929-8555

FAX (203) 926-9140

RE: Rowe: Sag Harbor, N.Y.

Order No.: 0705140

Dear Mark Goldberg:

American Analytical Laboratories, LLC. received 8 sample(s) on 5/15/2007 for the analyses presented in the following report.


Samples were analyzed in accordance with the test procedures documented on the chain of custody and detailed throughout the text of this report.

The limits provided in the data package are analytical reporting limits and not Federal or Local mandated values to which the sample results should be compared.

There were no problems with the analyses and all data for associated QC met laboratory specifications. If there are any exceptions a Case Narrative is provided in the report.

If you have any questions regarding these tests results, please do not hesitate to call (631) 454-6100 or email me directly at lbeyer@american-analytical.com.

Sincerely,


Lori Beyer
Lab Director

American Analytical Laboratories, LLC.

Date: 22-May-07

CLIENT: Leggette Brashears & Graham Inc.
Project: Rowe: Sag Harbor, N.Y.
Lab Order: 0705140

Work Order Sample Summary

Lab Sample ID	Client Sample ID	Tag Number	Date Collected	Date Received
0705140-01A	GWQ051007:1000 NP1-1-2	11793	5/10/2007 10:00:00 AM	5/15/2007
0705140-01B	GWQ051007:1000 NP1-1-2	11793	5/10/2007 10:00:00 AM	5/15/2007
0705140-01C	GWQ051007:1000 NP1-1-2	11793	5/10/2007 10:00:00 AM	5/15/2007
0705140-02A	GWQ051007:1005 NP1-1-3	11793	5/10/2007 10:05:00 AM	5/15/2007
0705140-02B	GWQ051007:1005 NP1-1-3	11793	5/10/2007 10:05:00 AM	5/15/2007
0705140-02C	GWQ051007:1005 NP1-1-3	11793	5/10/2007 10:05:00 AM	5/15/2007
0705140-03A	GWQ051007:1010 NP1-1-4	11793	5/10/2007 10:10:00 AM	5/15/2007
0705140-03B	GWQ051007:1010 NP1-1-4	11793	5/10/2007 10:10:00 AM	5/15/2007
0705140-03C	GWQ051007:1010 NP1-1-4	11793	5/10/2007 10:10:00 AM	5/15/2007
0705140-04A	GWQ051007:1015 NP1-1-5	11793	5/10/2007 10:15:00 AM	5/15/2007
0705140-04B	GWQ051007:1015 NP1-1-5	11793	5/10/2007 10:15:00 AM	5/15/2007
0705140-04C	GWQ051007:1015 NP1-1-5	11793	5/10/2007 10:15:00 AM	5/15/2007
0705140-05A	GWQ051007:1020 NP1-1-6	11793	5/10/2007 10:20:00 AM	5/15/2007
0705140-05B	GWQ051007:1020 NP1-1-6	11793	5/10/2007 10:20:00 AM	5/15/2007
0705140-05C	GWQ051007:1020 NP1-1-6	11793	5/10/2007 10:20:00 AM	5/15/2007
0705140-06A	GWQ051007:1025 NP1-1-7	11793	5/10/2007 10:25:00 AM	5/15/2007
0705140-06B	GWQ051007:1025 NP1-1-7	11793	5/10/2007 10:25:00 AM	5/15/2007
0705140-06C	GWQ051007:1025 NP1-1-7	11793	5/10/2007 10:25:00 AM	5/15/2007
0705140-07A	GWQ051007:1030 NP1-1-8	11793	5/10/2007 10:30:00 AM	5/15/2007
0705140-07B	GWQ051007:1030 NP1-1-8	11793	5/10/2007 10:30:00 AM	5/15/2007
0705140-07C	GWQ051007:1030 NP1-1-8	11793	5/10/2007 10:30:00 AM	5/15/2007
0705140-08A	GWQ051007:1035 NP1-1-9	11793	5/10/2007 10:35:00 AM	5/15/2007
0705140-08B	GWQ051007:1035 NP1-1-9	11793	5/10/2007 10:35:00 AM	5/15/2007
0705140-08C	GWQ051007:1035 NP1-1-9	11793	5/10/2007 10:35:00 AM	5/15/2007

CHAIN OF CUSTODY / REQUEST FOR ANALYSIS DOCUMENT

[illegible]

WHITE-OFFICE / CANARY-1 AB / PINK-SAMPLE CUSTODIAN / GOVERNMENT

AMERICAN ANALYTICAL LABORATORIES, LLC

56 TOLEDO STREET

FARMINGDALE, NEW YORK 11735

TELEPHONE: (631) 454-6100

FAX: (631) 454-8027

DATA REPORTING QUALIFIERS

For reporting results, the following "Results Qualifiers" are used:

Value	If the result is greater than or equal to the detection limit, report the value
U	Indicates the compound was analyzed for but was not detected. Report the minimum detection limit for the sample with the U, i.e. "10U". This is not necessarily the instrument detection limit attainable for this particular sample based on any concentration or dilution that may have been required.
J	Indicates an estimated value. The flag is used: (1) When estimating a concentration for a tentatively identified compound (library search hits, where a 1:1 response is assumed.) (2) When the mass spectral data indicated the identification, however the result was less than the specified detection limit greater than zero. If the detection limit was 10ug/L and a concentration of 3ug/L was calculated report as 3J. This flag is used when similar situations arise on any organic parameter i.e. Pesticide, PCBs and others.
B	Indicates the analyte was found in the blank as well as the sample report "10B".
E	Indicates the analytes concentration exceeds the calibrated range of the instrument for that specific analysis.
D	This flag identifies all compounds identified in an analysis at a secondary dilution factor.
P	This flag is used for Pesticide / PCB target analyte when there is >25% difference for detected concentrations between the two GC Columns. The higher of the two values is reported on Form I and flagged with a "P".
N	This flag indicates presumptive evidence of a compound. This is only used for tentatively identified compounds (TICs), where the identification is based on a mass spectral library search. It applies to all TIC results. For generic characterization of a TIC, such as chlorinated hydrocarbon, the flag is not used.
H	Indicates sample was received and/or analyzed outside of The method allowable holding time

American Analytical Laboratories, LLC.

Date: 22-May-07

CLIENT: Leggette Brashears & Graham Inc.

Client Sample ID: GWQ051007:1000 NP1-1-2

Lab Order: 0705140

Tag Number: 11793

Project: Rowe: Sag Harbor, N.Y.

Collection Date: 5/10/2007 10:00:00 AM

Lab ID: 0705140-01A

Matrix: LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
TOTAL IRON, MANGANESE		E200.7		SW3010A		Analyst: JP
Iron	3.04	0.0200		mg/L	1	5/22/2007 12:13:25 PM
Manganese	0.588	0.0200		mg/L	1	5/22/2007 12:13:25 PM
VOLATILE SW-846 8260 + MTBE & FREON113		SW8260B				Analyst: MB
1,1,1,2-Tetrachloroethane	U	1.0		µg/L	1	5/15/2007 3:37:00 PM
1,1,1-Trichloroethane	26	1.0		µg/L	1	5/15/2007 3:37:00 PM
1,1,2,2-Tetrachloroethane	U	1.0		µg/L	1	5/15/2007 3:37:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	U	1.0		µg/L	1	5/15/2007 3:37:00 PM
1,1,2-Trichloroethane	U	1.0		µg/L	1	5/15/2007 3:37:00 PM
1,1-Dichloroethane	U	1.0		µg/L	1	5/15/2007 3:37:00 PM
1,1-Dichloroethene	U	1.0		µg/L	1	5/15/2007 3:37:00 PM
1,1-Dichloropropene	U	1.0		µg/L	1	5/15/2007 3:37:00 PM
1,2,3-Trichlorobenzene	U	1.0		µg/L	1	5/15/2007 3:37:00 PM
1,2,3-Trichloropropane	U	1.0		µg/L	1	5/15/2007 3:37:00 PM
1,2,4-Trichlorobenzene	U	1.0		µg/L	1	5/15/2007 3:37:00 PM
1,2,4-Trimethylbenzene	U	1.0		µg/L	1	5/15/2007 3:37:00 PM
1,2-Dibromo-3-chloropropane	U	1.0		µg/L	1	5/15/2007 3:37:00 PM
1,2-Dibromoethane	U	1.0		µg/L	1	5/15/2007 3:37:00 PM
1,2-Dichlorobenzene	U	1.0		µg/L	1	5/15/2007 3:37:00 PM
1,2-Dichloroethane	U	1.0		µg/L	1	5/15/2007 3:37:00 PM
1,2-Dichloropropane	U	1.0		µg/L	1	5/15/2007 3:37:00 PM
1,3,5-Trimethylbenzene	U	1.0		µg/L	1	5/15/2007 3:37:00 PM
1,3-Dichlorobenzene	U	1.0		µg/L	1	5/15/2007 3:37:00 PM
1,3-dichloropropane	U	1.0		µg/L	1	5/15/2007 3:37:00 PM
1,4-Dichlorobenzene	U	1.0		µg/L	1	5/15/2007 3:37:00 PM
2,2-Dichloropropane	U	1.0		µg/L	1	5/15/2007 3:37:00 PM
2-Butanone	U	3.0		µg/L	1	5/15/2007 3:37:00 PM
2-Chloroethyl vinyl ether	U	1.0		µg/L	1	5/15/2007 3:37:00 PM
2-Chlorotoluene	U	1.0		µg/L	1	5/15/2007 3:37:00 PM
2-Hexanone	U	2.0		µg/L	1	5/15/2007 3:37:00 PM
4-Chlorotoluene	U	1.0		µg/L	1	5/15/2007 3:37:00 PM
4-Isopropyltoluene	U	1.0		µg/L	1	5/15/2007 3:37:00 PM
4-Methyl-2-pentanone	U	2.0		µg/L	1	5/15/2007 3:37:00 PM
Acetone	U	2.0		µg/L	1	5/15/2007 3:37:00 PM
Benzene	U	1.0		µg/L	1	5/15/2007 3:37:00 PM
Bromobenzene	U	1.0		µg/L	1	5/15/2007 3:37:00 PM
Bromochloromethane	U	1.0		µg/L	1	5/15/2007 3:37:00 PM
Bromodichloromethane	U	1.0		µg/L	1	5/15/2007 3:37:00 PM
Bromoform	U	1.0		µg/L	1	5/15/2007 3:37:00 PM
Bromomethane	U	1.0		µg/L	1	5/15/2007 3:37:00 PM

Qualifiers:	B	Analyte detected in the associated Method Blank	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	S	Spike Recovery outside accepted recovery limits
	U	Indicates the compound was analyzed for but not detected	X	Value exceeds Maximum Contaminant Level

American Analytical Laboratories, LLC.

Date: 22-May-07

CLIENT: Leggette Brashears & Graham Inc.

Client Sample ID: GWQ051007:1000 NP1-1-2

Lab Order: 0705140

Tag Number: 11793

Project: Rowe: Sag Harbor, N.Y.

Collection Date: 5/10/2007 10:00:00 AM

Lab ID: 0705140-01A

Matrix: LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILE SW-846 8260 + MTBE & FREON113		SW8260B		Analyst: MB		
Carbon disulfide	U	1.0		µg/L	1	5/15/2007 3:37:00 PM
Carbon tetrachloride	U	1.0		µg/L	1	5/15/2007 3:37:00 PM
Chlorobenzene	U	1.0		µg/L	1	5/15/2007 3:37:00 PM
Chloroethane	U	1.0		µg/L	1	5/15/2007 3:37:00 PM
Chloroform	U	1.0		µg/L	1	5/15/2007 3:37:00 PM
Chloromethane	U	1.0		µg/L	1	5/15/2007 3:37:00 PM
cis-1,2-Dichloroethene	U	1.0		µg/L	1	5/15/2007 3:37:00 PM
cis-1,3-Dichloropropene	U	1.0		µg/L	1	5/15/2007 3:37:00 PM
Dibromochloromethane	U	1.0		µg/L	1	5/15/2007 3:37:00 PM
Dibromomethane	U	1.0		µg/L	1	5/15/2007 3:37:00 PM
Dichlorodifluoromethane	U	1.0		µg/L	1	5/15/2007 3:37:00 PM
Ethylbenzene	U	1.0		µg/L	1	5/15/2007 3:37:00 PM
Hexachlorobutadiene	U	1.0		µg/L	1	5/15/2007 3:37:00 PM
Isopropylbenzene	U	1.0		µg/L	1	5/15/2007 3:37:00 PM
m,p-Xylene	U	2.0		µg/L	1	5/15/2007 3:37:00 PM
Methyl tert-butyl ether	U	1.0		µg/L	1	5/15/2007 3:37:00 PM
Methylene chloride	U	1.0		µg/L	1	5/15/2007 3:37:00 PM
Naphthalene	U	1.0		µg/L	1	5/15/2007 3:37:00 PM
n-Butylbenzene	U	1.0		µg/L	1	5/15/2007 3:37:00 PM
n-Propylbenzene	U	1.0		µg/L	1	5/15/2007 3:37:00 PM
o-Xylene	U	1.0		µg/L	1	5/15/2007 3:37:00 PM
sec-Butylbenzene	U	1.0		µg/L	1	5/15/2007 3:37:00 PM
Styrene	U	1.0		µg/L	1	5/15/2007 3:37:00 PM
tert-Butylbenzene	U	1.0		µg/L	1	5/15/2007 3:37:00 PM
Tetrachloroethene	U	1.0		µg/L	1	5/15/2007 3:37:00 PM
Toluene	U	1.0		µg/L	1	5/15/2007 3:37:00 PM
trans-1,2-Dichloroethene	U	1.0		µg/L	1	5/15/2007 3:37:00 PM
trans-1,3-Dichloropropene	U	1.0		µg/L	1	5/15/2007 3:37:00 PM
Trichloroethene	U	1.0		µg/L	1	5/15/2007 3:37:00 PM
Trichlorofluoromethane	U	1.0		µg/L	1	5/15/2007 3:37:00 PM
Vinyl acetate	U	1.0		µg/L	1	5/15/2007 3:37:00 PM
Vinyl chloride	U	1.0		µg/L	1	5/15/2007 3:37:00 PM
Surr: 4-Bromofluorobenzene	101	54-134		%REC	1	5/15/2007 3:37:00 PM
Surr: Dibromofluoromethane	103	52-132		%REC	1	5/15/2007 3:37:00 PM
Surr: Toluene-d8	88.0	51-127		%REC	1	5/15/2007 3:37:00 PM
TURBIDITY		E180.1		Analyst: JB		
Turbidity	4.40	1.00	H	NTU	1	5/15/2007
TOTAL DISSOLVED SOLIDS		E160.1		Analyst: JB		

Qualifiers:	B	Analyte detected in the associated Method Blank	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	S	Spike Recovery outside accepted recovery limits
	U	Indicates the compound was analyzed for but not detected	X	Value exceeds Maximum Contaminant Level

American Analytical Laboratories, LLC.

Date: 22-May-07

CLIENT: Leggette Brashears & Graham Inc.
Lab Order: 0705140
Project: Rowe: Sag Harbor, N.Y.
Lab ID: 0705140-01A

Client Sample ID: GWQ051007:1000 NP1-1-2
Tag Number: 11793
Collection Date: 5/10/2007 10:00:00 AM
Matrix: LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
TOTAL DISSOLVED SOLIDS		E160.1				Analyst: JB
Total Dissolved Solids (Residue, Filterable)	144	1.00		mg/L	1	5/16/2007

Qualifiers:	B	Analyte detected in the associated Method Blank	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	S	Spike Recovery outside accepted recovery limits
	U	Indicates the compound was analyzed for but not detected	X	Value exceeds Maximum Contaminant Level

American Analytical Laboratories, LLC.

Date: 22-May-07

CLIENT: Leggette Brashears & Graham Inc.
Lab Order: 0705140
Project: Rowe: Sag Harbor, N.Y.
Lab ID: 0705140-01B

Client Sample ID: GWQ051007:1000 NP1-1-2
Tag Number: 11793
Collection Date: 5/10/2007 10:00:00 AM
Matrix: LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
DISSOLVED IRON, MANGANESE		E200.7		SW3005A		Analyst: JP
Iron	0.00589	0.0200	J	mg/L	1	5/22/2007 12:11:22 PM
Manganese	0.553	0.0200		mg/L	1	5/22/2007 12:11:22 PM

Qualifiers:	B	Analyte detected in the associated Method Blank	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	S	Spike Recovery outside accepted recovery limits
	U	Indicates the compound was analyzed for but not detected	X	Value exceeds Maximum Contaminant Level

American Analytical Laboratories, LLC.

Date: 22-May-07

CLIENT: Leggette Brashears & Graham Inc.**Client Sample ID:** GWQ051007:1000 NP1-1-2**Lab Order:** 0705140**Tag Number:** 11793**Project:** Rowe: Sag Harbor, N.Y.**Collection Date:** 5/10/2007 10:00:00 AM**Lab ID:** 0705140-01C**Matrix:** LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
HARDNESS						Analyst: JP
Hardness, Calcium/Magnesium (As CaCO ₃)	39.2	M2340 B 1.00		mg/L	1	5/22/2007

Qualifiers:	B	Analyte detected in the associated Method Blank	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	S	Spike Recovery outside accepted recovery limits
	U	Indicates the compound was analyzed for but not detected	X	Value exceeds Maximum Contaminant Level

American Analytical Laboratories, LLC.

Date: 22-May-07

CLIENT: Leggette Brashears & Graham Inc.
Lab Order: 0705140
Project: Rowe: Sag Harbor, N.Y.
Lab ID: 0705140-02A

Client Sample ID: GWQ051007:1005 NP1-1-3
Tag Number: 11793
Collection Date: 5/10/2007 10:05:00 AM
Matrix: LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
TOTAL IRON, MANGANESE		E200.7		SW3010A		Analyst: JP
Iron	1.89	0.0200		mg/L	1	5/22/2007 12:19:49 PM
Manganese	0.108	0.0200		mg/L	1	5/22/2007 12:19:49 PM
VOLATILE SW-846 8260 + MTBE & FREON113		SW8260B				Analyst: MB
1,1,1,2-Tetrachloroethane	U	1.0		µg/L	1	5/15/2007 4:01:00 PM
1,1,1-Trichloroethane	U	1.0		µg/L	1	5/15/2007 4:01:00 PM
1,1,2,2-Tetrachloroethane	U	1.0		µg/L	1	5/15/2007 4:01:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	U	1.0		µg/L	1	5/15/2007 4:01:00 PM
1,1,2-Trichloroethane	U	1.0		µg/L	1	5/15/2007 4:01:00 PM
1,1-Dichloroethane	U	1.0		µg/L	1	5/15/2007 4:01:00 PM
1,1-Dichloroethene	U	1.0		µg/L	1	5/15/2007 4:01:00 PM
1,1-Dichloropropene	U	1.0		µg/L	1	5/15/2007 4:01:00 PM
1,2,3-Trichlorobenzene	U	1.0		µg/L	1	5/15/2007 4:01:00 PM
1,2,3-Trichloropropane	U	1.0		µg/L	1	5/15/2007 4:01:00 PM
1,2,4-Trichlorobenzene	U	1.0		µg/L	1	5/15/2007 4:01:00 PM
1,2,4-Trimethylbenzene	U	1.0		µg/L	1	5/15/2007 4:01:00 PM
1,2-Dibromo-3-chloropropane	U	1.0		µg/L	1	5/15/2007 4:01:00 PM
1,2-Dibromoethane	U	1.0		µg/L	1	5/15/2007 4:01:00 PM
1,2-Dichlorobenzene	U	1.0		µg/L	1	5/15/2007 4:01:00 PM
1,2-Dichloroethane	U	1.0		µg/L	1	5/15/2007 4:01:00 PM
1,2-Dichloropropane	U	1.0		µg/L	1	5/15/2007 4:01:00 PM
1,3,5-Trimethylbenzene	U	1.0		µg/L	1	5/15/2007 4:01:00 PM
1,3-Dichlorobenzene	U	1.0		µg/L	1	5/15/2007 4:01:00 PM
1,3-dichloropropane	U	1.0		µg/L	1	5/15/2007 4:01:00 PM
1,4-Dichlorobenzene	U	1.0		µg/L	1	5/15/2007 4:01:00 PM
2,2-Dichloropropane	U	1.0		µg/L	1	5/15/2007 4:01:00 PM
2-Butanone	U	3.0		µg/L	1	5/15/2007 4:01:00 PM
2-Chloroethyl vinyl ether	U	1.0		µg/L	1	5/15/2007 4:01:00 PM
2-Chlorotoluene	U	1.0		µg/L	1	5/15/2007 4:01:00 PM
2-Hexanone	U	2.0		µg/L	1	5/15/2007 4:01:00 PM
4-Chlorotoluene	U	1.0		µg/L	1	5/15/2007 4:01:00 PM
4-Isopropyltoluene	U	1.0		µg/L	1	5/15/2007 4:01:00 PM
4-Methyl-2-pentanone	U	2.0		µg/L	1	5/15/2007 4:01:00 PM
Acetone	U	2.0		µg/L	1	5/15/2007 4:01:00 PM
Benzene	U	1.0		µg/L	1	5/15/2007 4:01:00 PM
Bromobenzene	U	1.0		µg/L	1	5/15/2007 4:01:00 PM
Bromochloromethane	U	1.0		µg/L	1	5/15/2007 4:01:00 PM
Bromodichloromethane	U	1.0		µg/L	1	5/15/2007 4:01:00 PM
Bromoform	U	1.0		µg/L	1	5/15/2007 4:01:00 PM
Bromomethane	U	1.0		µg/L	1	5/15/2007 4:01:00 PM

Qualifiers:	B	Analyte detected in the associated Method Blank	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	S	Spike Recovery outside accepted recovery limits
	U	Indicates the compound was analyzed for but not detected	X	Value exceeds Maximum Contaminant Level

American Analytical Laboratories, LLC.

Date: 22-May-07

CLIENT: Leggette Brashears & Graham Inc.
Lab Order: 0705140
Project: Rowe: Sag Harbor, N.Y.
Lab ID: 0705140-02A

Client Sample ID: GWQ051007:1005 NP1-1-3
Tag Number: 11793
Collection Date: 5/10/2007 10:05:00 AM
Matrix: LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILE SW-846 8260 + MTBE & FREON113		SW8260B		Analyst: MB		
Carbon disulfide	U	1.0		µg/L	1	5/15/2007 4:01:00 PM
Carbon tetrachloride	U	1.0		µg/L	1	5/15/2007 4:01:00 PM
Chlorobenzene	U	1.0		µg/L	1	5/15/2007 4:01:00 PM
Chloroethane	U	1.0		µg/L	1	5/15/2007 4:01:00 PM
Chloroform	U	1.0		µg/L	1	5/15/2007 4:01:00 PM
Chloromethane	U	1.0		µg/L	1	5/15/2007 4:01:00 PM
cis-1,2-Dichloroethene	U	1.0		µg/L	1	5/15/2007 4:01:00 PM
cis-1,3-Dichloropropene	U	1.0		µg/L	1	5/15/2007 4:01:00 PM
Dibromochloromethane	U	1.0		µg/L	1	5/15/2007 4:01:00 PM
Dibromomethane	U	1.0		µg/L	1	5/15/2007 4:01:00 PM
Dichlorodifluoromethane	U	1.0		µg/L	1	5/15/2007 4:01:00 PM
Ethylbenzene	U	1.0		µg/L	1	5/15/2007 4:01:00 PM
Hexachlorobutadiene	U	1.0		µg/L	1	5/15/2007 4:01:00 PM
Isopropylbenzene	U	1.0		µg/L	1	5/15/2007 4:01:00 PM
m,p-Xylene	U	2.0		µg/L	1	5/15/2007 4:01:00 PM
Methyl tert-butyl ether	U	1.0		µg/L	1	5/15/2007 4:01:00 PM
Methylene chloride	U	1.0		µg/L	1	5/15/2007 4:01:00 PM
Naphthalene	U	1.0		µg/L	1	5/15/2007 4:01:00 PM
n-Butylbenzene	U	1.0		µg/L	1	5/15/2007 4:01:00 PM
n-Propylbenzene	U	1.0		µg/L	1	5/15/2007 4:01:00 PM
o-Xylene	U	1.0		µg/L	1	5/15/2007 4:01:00 PM
sec-Butylbenzene	U	1.0		µg/L	1	5/15/2007 4:01:00 PM
Styrene	U	1.0		µg/L	1	5/15/2007 4:01:00 PM
tert-Butylbenzene	U	1.0		µg/L	1	5/15/2007 4:01:00 PM
Tetrachloroethene	U	1.0		µg/L	1	5/15/2007 4:01:00 PM
Toluene	U	1.0		µg/L	1	5/15/2007 4:01:00 PM
trans-1,2-Dichloroethene	U	1.0		µg/L	1	5/15/2007 4:01:00 PM
trans-1,3-Dichloropropene	U	1.0		µg/L	1	5/15/2007 4:01:00 PM
Trichloroethene	U	1.0		µg/L	1	5/15/2007 4:01:00 PM
Trichlorofluoromethane	U	1.0		µg/L	1	5/15/2007 4:01:00 PM
Vinyl acetate	U	1.0		µg/L	1	5/15/2007 4:01:00 PM
Vinyl chloride	U	1.0		µg/L	1	5/15/2007 4:01:00 PM
Surr: 4-Bromofluorobenzene	106	54-134		%REC	1	5/15/2007 4:01:00 PM
Surr: Dibromofluoromethane	102	52-132		%REC	1	5/15/2007 4:01:00 PM
Surr: Toluene-d8	88.0	51-127		%REC	1	5/15/2007 4:01:00 PM
TURBIDITY		E180.1		Analyst: JB		
Turbidity	1.50	1.00	H	NTU	1	5/15/2007
TOTAL DISSOLVED SOLIDS		E160.1		Analyst: JB		

Qualifiers:	B	Analyte detected in the associated Method Blank	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	S	Spike Recovery outside accepted recovery limits
	U	Indicates the compound was analyzed for but not detecte	X	Value exceeds Maximum Contaminant Level

American Analytical Laboratories, LLC.

Date: 22-May-07

CLIENT:	Leggette Brashears & Graham Inc.	Client Sample ID:	GWQ051007:1005 NP1-1-3
Lab Order:	0705140	Tag Number:	11793
Project:	Rowe: Sag Harbor, N.Y.	Collection Date:	5/10/2007 10:05:00 AM
Lab ID:	0705140-02A	Matrix:	LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
TOTAL DISSOLVED SOLIDS		E160.1				Analyst: JB
Total Dissolved Solids (Residue, Filterable)	84.0	1.00		mg/L	1	5/16/2007

Qualifiers:	B	Analyte detected in the associated Method Blank	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	S	Spike Recovery outside accepted recovery limits
	U	Indicates the compound was analyzed for but not detected	X	Value exceeds Maximum Contaminant Level

American Analytical Laboratories, LLC.

Date: 22-May-07

CLIENT: Leggette Brashears & Graham Inc.
Lab Order: 0705140
Project: Rowe: Sag Harbor, N.Y.
Lab ID: 0705140-02B

Client Sample ID: GWQ051007:1005 NP1-1-3
Tag Number: 11793
Collection Date: 5/10/2007 10:05:00 AM
Matrix: LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
DISSOLVED IRON, MANGANESE		E200.7		SW3005A		Analyst: JP
Iron	1.02	0.0200		mg/L	1	5/22/2007 12:17:23 PM
Manganese	0.0809	0.0200		mg/L	1	5/22/2007 12:17:23 PM

Qualifiers:	B	Analyte detected in the associated Method Blank	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	S	Spike Recovery outside accepted recovery limits
	U	Indicates the compound was analyzed for but not detected	X	Value exceeds Maximum Contaminant Level

American Analytical Laboratories, LLC.

Date: 22-May-07

CLIENT: Leggette Brashears & Graham Inc.**Client Sample ID:** GWQ051007:1005 NP1-1-3**Lab Order:** 0705140**Tag Number:** 11793**Project:** Rowe: Sag Harbor, N.Y.**Collection Date:** 5/10/2007 10:05:00 AM**Lab ID:** 0705140-02C**Matrix:** LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
HARDNESS						Analyst: JP
Hardness, Calcium/Magnesium (As CaCO ₃)	36.6	M2340 B 1.00		mg/L	1	5/22/2007

Qualifiers:	B	Analyte detected in the associated Method Blank	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	S	Spike Recovery outside accepted recovery limits
	U	Indicates the compound was analyzed for but not detected	X	Value exceeds Maximum Contaminant Level

American Analytical Laboratories, LLC.

Date: 22-May-07

CLIENT: Leggette Brashears & Graham Inc.

Client Sample ID: GWQ051007:1010 NP1-1-4

Lab Order: 0705140

Tag Number: 11793

Project: Rowe: Sag Harbor, N.Y.

Collection Date: 5/10/2007 10:10:00 AM

Lab ID: 0705140-03A

Matrix: LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
TOTAL IRON, MANGANESE		E200.7		SW3010A		Analyst: JP
Iron	3.67	0.0200		mg/L	1	5/22/2007 12:24:48 PM
Manganese	1.13	0.0200		mg/L	1	5/22/2007 12:24:48 PM
VOLATILE SW-846 8260 + MTBE & FREON113		SW8260B				Analyst: MB
1,1,1,2-Tetrachloroethane	U	1.0		µg/L	1	5/15/2007 4:25:00 PM
1,1,1-Trichloroethane	U	1.0		µg/L	1	5/15/2007 4:25:00 PM
1,1,2,2-Tetrachloroethane	U	1.0		µg/L	1	5/15/2007 4:25:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	U	1.0		µg/L	1	5/15/2007 4:25:00 PM
1,1,2-Trichloroethane	U	1.0		µg/L	1	5/15/2007 4:25:00 PM
1,1-Dichloroethane	U	1.0		µg/L	1	5/15/2007 4:25:00 PM
1,1-Dichloroethene	U	1.0		µg/L	1	5/15/2007 4:25:00 PM
1,1-Dichloropropene	U	1.0		µg/L	1	5/15/2007 4:25:00 PM
1,2,3-Trichlorobenzene	U	1.0		µg/L	1	5/15/2007 4:25:00 PM
1,2,3-Trichloropropane	U	1.0		µg/L	1	5/15/2007 4:25:00 PM
1,2,4-Trichlorobenzene	U	1.0		µg/L	1	5/15/2007 4:25:00 PM
1,2,4-Trimethylbenzene	U	1.0		µg/L	1	5/15/2007 4:25:00 PM
1,2-Dibromo-3-chloropropane	U	1.0		µg/L	1	5/15/2007 4:25:00 PM
1,2-Dibromoethane	U	1.0		µg/L	1	5/15/2007 4:25:00 PM
1,2-Dichlorobenzene	U	1.0		µg/L	1	5/15/2007 4:25:00 PM
1,2-Dichloroethane	U	1.0		µg/L	1	5/15/2007 4:25:00 PM
1,2-Dichloropropane	U	1.0		µg/L	1	5/15/2007 4:25:00 PM
1,3,5-Trimethylbenzene	U	1.0		µg/L	1	5/15/2007 4:25:00 PM
1,3-Dichlorobenzene	U	1.0		µg/L	1	5/15/2007 4:25:00 PM
1,3-dichloropropane	U	1.0		µg/L	1	5/15/2007 4:25:00 PM
1,4-Dichlorobenzene	U	1.0		µg/L	1	5/15/2007 4:25:00 PM
2,2-Dichloropropane	U	1.0		µg/L	1	5/15/2007 4:25:00 PM
2-Butanone	U	3.0		µg/L	1	5/15/2007 4:25:00 PM
2-Chloroethyl vinyl ether	U	1.0		µg/L	1	5/15/2007 4:25:00 PM
2-Chlorotoluene	U	1.0		µg/L	1	5/15/2007 4:25:00 PM
2-Hexanone	U	2.0		µg/L	1	5/15/2007 4:25:00 PM
4-Chlorotoluene	U	1.0		µg/L	1	5/15/2007 4:25:00 PM
4-Isopropyltoluene	U	1.0		µg/L	1	5/15/2007 4:25:00 PM
4-Methyl-2-pentanone	U	2.0		µg/L	1	5/15/2007 4:25:00 PM
Acetone	U	2.0		µg/L	1	5/15/2007 4:25:00 PM
Benzene	U	1.0		µg/L	1	5/15/2007 4:25:00 PM
Bromobenzene	U	1.0		µg/L	1	5/15/2007 4:25:00 PM
Bromochloromethane	U	1.0		µg/L	1	5/15/2007 4:25:00 PM
Bromodichloromethane	U	1.0		µg/L	1	5/15/2007 4:25:00 PM
Bromoform	U	1.0		µg/L	1	5/15/2007 4:25:00 PM
Bromomethane	U	1.0		µg/L	1	5/15/2007 4:25:00 PM

Qualifiers:	B	Analyte detected in the associated Method Blank	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	S	Spike Recovery outside accepted recovery limits
	U	Indicates the compound was analyzed for but not detected	X	Value exceeds Maximum Contaminant Level

American Analytical Laboratories, LLC.

Date: 22-May-07

CLIENT: Leggette Brashears & Graham Inc.
Lab Order: 0705140
Project: Rowe: Sag Harbor, N.Y.
Lab ID: 0705140-03A

Client Sample ID: GWQ051007:1010 NP1-1-4
Tag Number: 11793
Collection Date: 5/10/2007 10:10:00 AM
Matrix: LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILE SW-846 8260 + MTBE & FREON113		SW8260B		Analyst: MB		
Carbon disulfide	U	1.0		µg/L	1	5/15/2007 4:25:00 PM
Carbon tetrachloride	U	1.0		µg/L	1	5/15/2007 4:25:00 PM
Chlorobenzene	U	1.0		µg/L	1	5/15/2007 4:25:00 PM
Chloroethane	U	1.0		µg/L	1	5/15/2007 4:25:00 PM
Chloroform	U	1.0		µg/L	1	5/15/2007 4:25:00 PM
Chloromethane	U	1.0		µg/L	1	5/15/2007 4:25:00 PM
cis-1,2-Dichloroethene	U	1.0		µg/L	1	5/15/2007 4:25:00 PM
cis-1,3-Dichloropropene	U	1.0		µg/L	1	5/15/2007 4:25:00 PM
Dibromochloromethane	U	1.0		µg/L	1	5/15/2007 4:25:00 PM
Dibromomethane	U	1.0		µg/L	1	5/15/2007 4:25:00 PM
Dichlorodifluoromethane	U	1.0		µg/L	1	5/15/2007 4:25:00 PM
Ethylbenzene	U	1.0		µg/L	1	5/15/2007 4:25:00 PM
Hexachlorobutadiene	U	1.0		µg/L	1	5/15/2007 4:25:00 PM
Isopropylbenzene	U	1.0		µg/L	1	5/15/2007 4:25:00 PM
m,p-Xylene	U	2.0		µg/L	1	5/15/2007 4:25:00 PM
Methyl tert-butyl ether	U	1.0		µg/L	1	5/15/2007 4:25:00 PM
Methylene chloride	U	1.0		µg/L	1	5/15/2007 4:25:00 PM
Naphthalene	U	1.0		µg/L	1	5/15/2007 4:25:00 PM
n-Butylbenzene	U	1.0		µg/L	1	5/15/2007 4:25:00 PM
n-Propylbenzene	U	1.0		µg/L	1	5/15/2007 4:25:00 PM
o-Xylene	U	1.0		µg/L	1	5/15/2007 4:25:00 PM
sec-Butylbenzene	U	1.0		µg/L	1	5/15/2007 4:25:00 PM
Styrene	U	1.0		µg/L	1	5/15/2007 4:25:00 PM
tert-Butylbenzene	U	1.0		µg/L	1	5/15/2007 4:25:00 PM
Tetrachloroethene	11	1.0		µg/L	1	5/15/2007 4:25:00 PM
Toluene	U	1.0		µg/L	1	5/15/2007 4:25:00 PM
trans-1,2-Dichloroethene	U	1.0		µg/L	1	5/15/2007 4:25:00 PM
trans-1,3-Dichloropropene	U	1.0		µg/L	1	5/15/2007 4:25:00 PM
Trichloroethene	U	1.0		µg/L	1	5/15/2007 4:25:00 PM
Trichlorofluoromethane	U	1.0		µg/L	1	5/15/2007 4:25:00 PM
Vinyl acetate	U	1.0		µg/L	1	5/15/2007 4:25:00 PM
Vinyl chloride	U	1.0		µg/L	1	5/15/2007 4:25:00 PM
Surr: 4-Bromofluorobenzene	99.7	54-134		%REC	1	5/15/2007 4:25:00 PM
Surr: Dibromofluoromethane	102	52-132		%REC	1	5/15/2007 4:25:00 PM
Surr: Toluene-d8	90.6	51-127		%REC	1	5/15/2007 4:25:00 PM
TURBIDITY		E180.1		Analyst: JB		
Turbidity	3.40	1.00	H	NTU	1	5/15/2007
TOTAL DISSOLVED SOLIDS		E160.1		Analyst: JB		

Qualifiers:	B	Analyte detected in the associated Method Blank	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	S	Spike Recovery outside accepted recovery limits
	U	Indicates the compound was analyzed for but not detected	X	Value exceeds Maximum Contaminant Level

American Analytical Laboratories, LLC.**Date:** 22-May-07**CLIENT:** Leggette Brashears & Graham Inc.**Client Sample ID:** GWQ051007:1010 NP1-1-4**Lab Order:** 0705140**Tag Number:** 11793**Project:** Rowe: Sag Harbor, N.Y.**Collection Date:** 5/10/2007 10:10:00 AM**Lab ID:** 0705140-03A**Matrix:** LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
TOTAL DISSOLVED SOLIDS		E160.1				Analyst: JB
Total Dissolved Solids (Residue, Filterable)	142	1.00		mg/L	1	5/16/2007

Qualifiers:

B	Analyte detected in the associated Method Blank	E	Value above quantitation range
H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
ND	Not Detected at the Reporting Limit	S	Spike Recovery outside accepted recovery limits
U	Indicates the compound was analyzed for but not detected	X	Value exceeds Maximum Contaminant Level

American Analytical Laboratories, LLC.

Date: 22-May-07

CLIENT: Leggette Brashears & Graham Inc.**Client Sample ID:** GWQ051007:1010 NP1-1-4**Lab Order:** 0705140**Tag Number:** 11793**Project:** Rowe: Sag Harbor, N.Y.**Collection Date:** 5/10/2007 10:10:00 AM**Lab ID:** 0705140-03B**Matrix:** LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
DISSOLVED IRON, MANGANESE		E200.7		SW3005A		Analyst: JP
Iron	0.0422	0.0200		mg/L	1	5/22/2007 12:22:23 PM
Manganese	U	0.0200		mg/L	1	5/22/2007 12:22:23 PM

Qualifiers:	B	Analyte detected in the associated Method Blank	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	S	Spike Recovery outside accepted recovery limits
	U	Indicates the compound was analyzed for but not detected	X	Value exceeds Maximum Contaminant Level

American Analytical Laboratories, LLC.

Date: 22-May-07

CLIENT: Leggette Brashears & Graham Inc.
Lab Order: 0705140
Project: Rowe: Sag Harbor, N.Y.
Lab ID: 0705140-03C

Client Sample ID: GWQ051007:1010 NP1-1-4
Tag Number: 11793
Collection Date: 5/10/2007 10:10:00 AM
Matrix: LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
HARDNESS			M2340 B			Analyst: JP
Hardness, Calcium/Magnesium (As CaCO ₃)	30.0	1.00		mg/L	1	5/22/2007

Qualifiers:	B	Analyte detected in the associated Method Blank	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	S	Spike Recovery outside accepted recovery limits
	U	Indicates the compound was analyzed for but not detected	X	Value exceeds Maximum Contaminant Level

American Analytical Laboratories, LLC.

Date: 22-May-07

CLIENT: Leggette Brashears & Graham Inc.

Client Sample ID: GWQ051007:1015 NP1-1-5

Lab Order: 0705140

Tag Number: 11793

Project: Rowe: Sag Harbor, N.Y.

Collection Date: 5/10/2007 10:15:00 AM

Lab ID: 0705140-04A

Matrix: LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
TOTAL IRON, MANGANESE		E200.7	SW3010A	Analyst: JP		
Iron	0.0763	0.0200		mg/L	1	5/22/2007 12:29:57 PM
Manganese	0.00769	0.0200	J	mg/L	1	5/22/2007 12:29:57 PM
VOLATILE SW-846 8260 + MTBE & FREON113		SW8260B	Analyst: MB			
1,1,1,2-Tetrachloroethane	U	1.0		µg/L	1	5/15/2007 4:48:00 PM
1,1,1-Trichloroethane	U	1.0		µg/L	1	5/15/2007 4:48:00 PM
1,1,2,2-Tetrachloroethane	U	1.0		µg/L	1	5/15/2007 4:48:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	U	1.0		µg/L	1	5/15/2007 4:48:00 PM
1,1,2-Trichloroethane	U	1.0		µg/L	1	5/15/2007 4:48:00 PM
1,1-Dichloroethane	U	1.0		µg/L	1	5/15/2007 4:48:00 PM
1,1-Dichloroethene	U	1.0		µg/L	1	5/15/2007 4:48:00 PM
1,1-Dichloropropene	U	1.0		µg/L	1	5/15/2007 4:48:00 PM
1,2,3-Trichlorobenzene	U	1.0		µg/L	1	5/15/2007 4:48:00 PM
1,2,3-Trichloropropane	U	1.0		µg/L	1	5/15/2007 4:48:00 PM
1,2,4-Trichlorobenzene	U	1.0		µg/L	1	5/15/2007 4:48:00 PM
1,2,4-Trimethylbenzene	U	1.0		µg/L	1	5/15/2007 4:48:00 PM
1,2-Dibromo-3-chloropropane	U	1.0		µg/L	1	5/15/2007 4:48:00 PM
1,2-Dibromoethane	U	1.0		µg/L	1	5/15/2007 4:48:00 PM
1,2-Dichlorobenzene	U	1.0		µg/L	1	5/15/2007 4:48:00 PM
1,2-Dichloroethane	U	1.0		µg/L	1	5/15/2007 4:48:00 PM
1,2-Dichloropropane	U	1.0		µg/L	1	5/15/2007 4:48:00 PM
1,3,5-Trimethylbenzene	U	1.0		µg/L	1	5/15/2007 4:48:00 PM
1,3-Dichlorobenzene	U	1.0		µg/L	1	5/15/2007 4:48:00 PM
1,3-dichloropropane	U	1.0		µg/L	1	5/15/2007 4:48:00 PM
1,4-Dichlorobenzene	U	1.0		µg/L	1	5/15/2007 4:48:00 PM
2,2-Dichloropropane	U	1.0		µg/L	1	5/15/2007 4:48:00 PM
2-Butanone	U	3.0		µg/L	1	5/15/2007 4:48:00 PM
2-Chloroethyl vinyl ether	U	1.0		µg/L	1	5/15/2007 4:48:00 PM
2-Chlorotoluene	U	1.0		µg/L	1	5/15/2007 4:48:00 PM
2-Hexanone	U	2.0		µg/L	1	5/15/2007 4:48:00 PM
4-Chlorotoluene	U	1.0		µg/L	1	5/15/2007 4:48:00 PM
4-Isopropyltoluene	U	1.0		µg/L	1	5/15/2007 4:48:00 PM
4-Methyl-2-pentanone	U	2.0		µg/L	1	5/15/2007 4:48:00 PM
Acetone	U	2.0		µg/L	1	5/15/2007 4:48:00 PM
Benzene	U	1.0		µg/L	1	5/15/2007 4:48:00 PM
Bromobenzene	U	1.0		µg/L	1	5/15/2007 4:48:00 PM
Bromochloromethane	U	1.0		µg/L	1	5/15/2007 4:48:00 PM
Bromodichloromethane	U	1.0		µg/L	1	5/15/2007 4:48:00 PM
Bromoform	U	1.0		µg/L	1	5/15/2007 4:48:00 PM
Bromomethane	U	1.0		µg/L	1	5/15/2007 4:48:00 PM

Qualifiers:	B	Analyte detected in the associated Method Blank	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	S	Spike Recovery outside accepted recovery limits
	U	Indicates the compound was analyzed for but not detected	X	Value exceeds Maximum Contaminant Level

American Analytical Laboratories, LLC.

Date: 22-May-07

CLIENT: Leggette Brashears & Graham Inc.
Lab Order: 0705140
Project: Rowe: Sag Harbor, N.Y.
Lab ID: 0705140-04A

Client Sample ID: GWQ051007:1015 NP1-1-5
Tag Number: 11793
Collection Date: 5/10/2007 10:15:00 AM
Matrix: LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILE SW-846 8260 + MTBE & FREON113		SW8260B		Analyst: MB		
Carbon disulfide	U	1.0		µg/L	1	5/15/2007 4:48:00 PM
Carbon tetrachloride	U	1.0		µg/L	1	5/15/2007 4:48:00 PM
Chlorobenzene	U	1.0		µg/L	1	5/15/2007 4:48:00 PM
Chloroethane	U	1.0		µg/L	1	5/15/2007 4:48:00 PM
Chloroform	U	1.0		µg/L	1	5/15/2007 4:48:00 PM
Chloromethane	U	1.0		µg/L	1	5/15/2007 4:48:00 PM
cis-1,2-Dichloroethene	U	1.0		µg/L	1	5/15/2007 4:48:00 PM
cis-1,3-Dichloropropene	U	1.0		µg/L	1	5/15/2007 4:48:00 PM
Dibromochloromethane	U	1.0		µg/L	1	5/15/2007 4:48:00 PM
Dibromomethane	U	1.0		µg/L	1	5/15/2007 4:48:00 PM
Dichlorodifluoromethane	U	1.0		µg/L	1	5/15/2007 4:48:00 PM
Ethylbenzene	U	1.0		µg/L	1	5/15/2007 4:48:00 PM
Hexachlorobutadiene	U	1.0		µg/L	1	5/15/2007 4:48:00 PM
Isopropylbenzene	U	1.0		µg/L	1	5/15/2007 4:48:00 PM
m,p-Xylene	U	2.0		µg/L	1	5/15/2007 4:48:00 PM
Methyl tert-butyl ether	U	1.0		µg/L	1	5/15/2007 4:48:00 PM
Methylene chloride	U	1.0		µg/L	1	5/15/2007 4:48:00 PM
Naphthalene	U	1.0		µg/L	1	5/15/2007 4:48:00 PM
n-Butylbenzene	U	1.0		µg/L	1	5/15/2007 4:48:00 PM
n-Propylbenzene	U	1.0		µg/L	1	5/15/2007 4:48:00 PM
o-Xylene	U	1.0		µg/L	1	5/15/2007 4:48:00 PM
sec-Butylbenzene	U	1.0		µg/L	1	5/15/2007 4:48:00 PM
Styrene	U	1.0		µg/L	1	5/15/2007 4:48:00 PM
tert-Butylbenzene	U	1.0		µg/L	1	5/15/2007 4:48:00 PM
Tetrachloroethene	U	1.0		µg/L	1	5/15/2007 4:48:00 PM
Toluene	U	1.0		µg/L	1	5/15/2007 4:48:00 PM
trans-1,2-Dichloroethene	U	1.0		µg/L	1	5/15/2007 4:48:00 PM
trans-1,3-Dichloropropene	U	1.0		µg/L	1	5/15/2007 4:48:00 PM
Trichloroethene	U	1.0		µg/L	1	5/15/2007 4:48:00 PM
Trichlorofluoromethane	U	1.0		µg/L	1	5/15/2007 4:48:00 PM
Vinyl acetate	U	1.0		µg/L	1	5/15/2007 4:48:00 PM
Vinyl chloride	U	1.0		µg/L	1	5/15/2007 4:48:00 PM
Surr: 4-Bromofluorobenzene	102	54-134		%REC	1	5/15/2007 4:48:00 PM
Surr: Dibromofluoromethane	106	52-132		%REC	1	5/15/2007 4:48:00 PM
Surr: Toluene-d8	91.8	51-127		%REC	1	5/15/2007 4:48:00 PM
TURBIDITY		E180.1		Analyst: JB		
Turbidity	U	1.00	H	NTU	1	5/15/2007
TOTAL DISSOLVED SOLIDS		E160.1		Analyst: JB		

Qualifiers:	B	Analyte detected in the associated Method Blank	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	S	Spike Recovery outside accepted recovery limits
	U	Indicates the compound was analyzed for but not detect	X	Value exceeds Maximum Contaminant Level

American Analytical Laboratories, LLC.

Date: 22-May-07

CLIENT: Leggette Brashears & Graham Inc.**Client Sample ID:** GWQ051007:1015 NP1-1-5**Lab Order:** 0705140**Tag Number:** 11793**Project:** Rowe: Sag Harbor, N.Y.**Collection Date:** 5/10/2007 10:15:00 AM**Lab ID:** 0705140-04A**Matrix:** LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
TOTAL DISSOLVED SOLIDS		E160.1				Analyst: JB
Total Dissolved Solids (Residue, Filterable)	138	1.00		mg/L	1	5/16/2007

Qualifiers:	B	Analyte detected in the associated Method Blank	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	S	Spike Recovery outside accepted recovery limits
	U	Indicates the compound was analyzed for but not detected	X	Value exceeds Maximum Contaminant Level

American Analytical Laboratories, LLC.

Date: 22-May-07

CLIENT: Leggette Brashears & Graham Inc.**Client Sample ID:** GWQ051007:1015 NP1-1-5**Lab Order:** 0705140**Tag Number:** 11793**Project:** Rowe: Sag Harbor, N.Y.**Collection Date:** 5/10/2007 10:15:00 AM**Lab ID:** 0705140-04B**Matrix:** LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
DISSOLVED IRON, MANGANESE		E200.7		SW3005A		Analyst: JP
Iron	0.00469	0.0200	J	mg/L	1	5/22/2007 12:27:06 PM
Manganese	0.00739	0.0200	J	mg/L	1	5/22/2007 12:27:06 PM

Qualifiers:	B	Analyte detected in the associated Method Blank	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	S	Spike Recovery outside accepted recovery limits
	U	Indicates the compound was analyzed for but not detected	X	Value exceeds Maximum Contaminant Level

American Analytical Laboratories, LLC.

Date: 22-May-07

CLIENT: Leggette Brashears & Graham Inc.**Client Sample ID:** GWQ051007:1015 NP1-1-5**Lab Order:** 0705140**Tag Number:** 11793**Project:** Rowe: Sag Harbor, N.Y.**Collection Date:** 5/10/2007 10:15:00 AM**Lab ID:** 0705140-04C**Matrix:** LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
HARDNESS						Analyst: JP
Hardness, Calcium/Magnesium (As CaCO ₃)	33.8	1.00		mg/L	1	5/22/2007

Qualifiers:	B	Analyte detected in the associated Method Blank	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	S	Spike Recovery outside accepted recovery limits
	U	Indicates the compound was analyzed for but not detected	X	Value exceeds Maximum Contaminant Level

American Analytical Laboratories, LLC.

Date: 22-May-07

CLIENT: Leggette Brashears & Graham Inc.
Lab Order: 0705140
Project: Rowe: Sag Harbor, N.Y.
Lab ID: 0705140-05A

Client Sample ID: GWQ051007:1020 NP1-1-6
Tag Number: 11793
Collection Date: 5/10/2007 10:20:00 AM
Matrix: LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
TOTAL IRON, MANGANESE		E200.7		SW3010A		Analyst: JP
Iron	0.206	0.0200		mg/L	1	5/22/2007 12:37:45 PM
Manganese	0.151	0.0200		mg/L	1	5/22/2007 12:37:45 PM
VOLATILE SW-846 8260 + MTBE & FREON113		SW8260B				Analyst: MB
1,1,1,2-Tetrachloroethane	U	1.0		µg/L	1	5/15/2007 5:12:00 PM
1,1,1-Trichloroethane	7.7	1.0		µg/L	1	5/15/2007 5:12:00 PM
1,1,2,2-Tetrachloroethane	U	1.0		µg/L	1	5/15/2007 5:12:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	U	1.0		µg/L	1	5/15/2007 5:12:00 PM
1,1,2-Trichloroethane	U	1.0		µg/L	1	5/15/2007 5:12:00 PM
1,1-Dichloroethane	U	1.0		µg/L	1	5/15/2007 5:12:00 PM
1,1-Dichloroethene	U	1.0		µg/L	1	5/15/2007 5:12:00 PM
1,1-Dichloropropene	U	1.0		µg/L	1	5/15/2007 5:12:00 PM
1,2,3-Trichlorobenzene	U	1.0		µg/L	1	5/15/2007 5:12:00 PM
1,2,3-Trichloropropane	U	1.0		µg/L	1	5/15/2007 5:12:00 PM
1,2,4-Trichlorobenzene	U	1.0		µg/L	1	5/15/2007 5:12:00 PM
1,2,4-Trimethylbenzene	U	1.0		µg/L	1	5/15/2007 5:12:00 PM
1,2-Dibromo-3-chloropropane	U	1.0		µg/L	1	5/15/2007 5:12:00 PM
1,2-Dibromoethane	U	1.0		µg/L	1	5/15/2007 5:12:00 PM
1,2-Dichlorobenzene	U	1.0		µg/L	1	5/15/2007 5:12:00 PM
1,2-Dichloroethane	U	1.0		µg/L	1	5/15/2007 5:12:00 PM
1,2-Dichloropropane	U	1.0		µg/L	1	5/15/2007 5:12:00 PM
1,3,5-Trimethylbenzene	U	1.0		µg/L	1	5/15/2007 5:12:00 PM
1,3-Dichlorobenzene	U	1.0		µg/L	1	5/15/2007 5:12:00 PM
1,3-dichloropropane	U	1.0		µg/L	1	5/15/2007 5:12:00 PM
1,4-Dichlorobenzene	U	1.0		µg/L	1	5/15/2007 5:12:00 PM
2,2-Dichloropropane	U	1.0		µg/L	1	5/15/2007 5:12:00 PM
2-Butanone	U	3.0		µg/L	1	5/15/2007 5:12:00 PM
2-Chloroethyl vinyl ether	U	1.0		µg/L	1	5/15/2007 5:12:00 PM
2-Chlorotoluene	U	1.0		µg/L	1	5/15/2007 5:12:00 PM
2-Hexanone	U	2.0		µg/L	1	5/15/2007 5:12:00 PM
4-Chlorotoluene	U	1.0		µg/L	1	5/15/2007 5:12:00 PM
4-Isopropyltoluene	U	1.0		µg/L	1	5/15/2007 5:12:00 PM
4-Methyl-2-pentanone	U	2.0		µg/L	1	5/15/2007 5:12:00 PM
Acetone	U	2.0		µg/L	1	5/15/2007 5:12:00 PM
Benzene	U	1.0		µg/L	1	5/15/2007 5:12:00 PM
Bromobenzene	U	1.0		µg/L	1	5/15/2007 5:12:00 PM
Bromochloromethane	U	1.0		µg/L	1	5/15/2007 5:12:00 PM
Bromodichloromethane	U	1.0		µg/L	1	5/15/2007 5:12:00 PM
Bromoform	U	1.0		µg/L	1	5/15/2007 5:12:00 PM
Bromomethane	U	1.0		µg/L	1	5/15/2007 5:12:00 PM

Qualifiers:	B	Analyte detected in the associated Method Blank	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	S	Spike Recovery outside accepted recovery limits
	U	Indicates the compound was analyzed for but not detected	X	Value exceeds Maximum Contaminant Level

American Analytical Laboratories, LLC.

Date: 22-May-07

CLIENT: Leggette Brashears & Graham Inc.

Client Sample ID: GWQ051007:1020 NP1-1-6

Lab Order: 0705140

Tag Number: 11793

Project: Rowe: Sag Harbor, N.Y.

Collection Date: 5/10/2007 10:20:00 AM

Lab ID: 0705140-05A

Matrix: LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILE SW-846 8260 + MTBE & FREON113		SW8260B		Analyst: MB		
Carbon disulfide	U	1.0		µg/L	1	5/15/2007 5:12:00 PM
Carbon tetrachloride	U	1.0		µg/L	1	5/15/2007 5:12:00 PM
Chlorobenzene	U	1.0		µg/L	1	5/15/2007 5:12:00 PM
Chloroethane	U	1.0		µg/L	1	5/15/2007 5:12:00 PM
Chloroform	U	1.0		µg/L	1	5/15/2007 5:12:00 PM
Chloromethane	U	1.0		µg/L	1	5/15/2007 5:12:00 PM
cis-1,2-Dichloroethene	U	1.0		µg/L	1	5/15/2007 5:12:00 PM
cis-1,3-Dichloropropene	U	1.0		µg/L	1	5/15/2007 5:12:00 PM
Dibromochloromethane	U	1.0		µg/L	1	5/15/2007 5:12:00 PM
Dibromomethane	U	1.0		µg/L	1	5/15/2007 5:12:00 PM
Dichlorodifluoromethane	U	1.0		µg/L	1	5/15/2007 5:12:00 PM
Ethylbenzene	U	1.0		µg/L	1	5/15/2007 5:12:00 PM
Hexachlorobutadiene	U	1.0		µg/L	1	5/15/2007 5:12:00 PM
Isopropylbenzene	U	1.0		µg/L	1	5/15/2007 5:12:00 PM
m,p-Xylene	U	2.0		µg/L	1	5/15/2007 5:12:00 PM
Methyl tert-butyl ether	U	1.0		µg/L	1	5/15/2007 5:12:00 PM
Methylene chloride	U	1.0		µg/L	1	5/15/2007 5:12:00 PM
Naphthalene	U	1.0		µg/L	1	5/15/2007 5:12:00 PM
n-Butylbenzene	U	1.0		µg/L	1	5/15/2007 5:12:00 PM
n-Propylbenzene	U	1.0		µg/L	1	5/15/2007 5:12:00 PM
o-Xylene	U	1.0		µg/L	1	5/15/2007 5:12:00 PM
sec-Butylbenzene	U	1.0		µg/L	1	5/15/2007 5:12:00 PM
Styrene	U	1.0		µg/L	1	5/15/2007 5:12:00 PM
tert-Butylbenzene	U	1.0		µg/L	1	5/15/2007 5:12:00 PM
Tetrachloroethene	31	1.0		µg/L	1	5/15/2007 5:12:00 PM
Toluene	U	1.0		µg/L	1	5/15/2007 5:12:00 PM
trans-1,2-Dichloroethene	U	1.0		µg/L	1	5/15/2007 5:12:00 PM
trans-1,3-Dichloropropene	U	1.0		µg/L	1	5/15/2007 5:12:00 PM
Trichloroethene	U	1.0		µg/L	1	5/15/2007 5:12:00 PM
Trichlorofluoromethane	U	1.0		µg/L	1	5/15/2007 5:12:00 PM
Vinyl acetate	U	1.0		µg/L	1	5/15/2007 5:12:00 PM
Vinyl chloride	U	1.0		µg/L	1	5/15/2007 5:12:00 PM
Surr: 4-Bromofluorobenzene	97.6	54-134		%REC	1	5/15/2007 5:12:00 PM
Surr: Dibromofluoromethane	101	52-132		%REC	1	5/15/2007 5:12:00 PM
Surr: Toluene-d8	93.5	51-127		%REC	1	5/15/2007 5:12:00 PM

TURBIDITY

E180.1

Analyst: JB

Turbidity

U

1.00 H

NTU

1

5/15/2007

TOTAL DISSOLVED SOLIDS

E160.1

Analyst: JB

Qualifiers:	B	Analyte detected in the associated Method Blank	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	S	Spike Recovery outside accepted recovery limits
	U	Indicates the compound was analyzed for but not detected	X	Value exceeds Maximum Contaminant Level

American Analytical Laboratories, LLC.

Date: 22-May-07

CLIENT: Leggette Brashears & Graham Inc.**Client Sample ID:** GWQ051007:1020 NP1-1-6**Lab Order:** 0705140**Tag Number:** 11793**Project:** Rowe: Sag Harbor, N.Y.**Collection Date:** 5/10/2007 10:20:00 AM**Lab ID:** 0705140-05A**Matrix:** LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
TOTAL DISSOLVED SOLIDS		E160.1				Analyst: JB
Total Dissolved Solids (Residue, Filterable)	118	1.00		mg/L	1	5/16/2007

Qualifiers:	B	Analyte detected in the associated Method Blank	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	S	Spike Recovery outside accepted recovery limits
	U	Indicates the compound was analyzed for but not detected	X	Value exceeds Maximum Contaminant Level

American Analytical Laboratories, LLC.**Date:** 22-May-07**CLIENT:** Leggette Brashears & Graham Inc.**Client Sample ID:** GWQ051007:1020 NP1-1-6**Lab Order:** 0705140**Tag Number:** 11793**Project:** Rowe: Sag Harbor, N.Y.**Collection Date:** 5/10/2007 10:20:00 AM**Lab ID:** 0705140-05B**Matrix:** LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
DISSOLVED IRON, MANGANESE		E200.7		SW3005A		Analyst: JP
Iron	0.00708	0.0200	J	mg/L	1	5/22/2007 12:35:46 PM
Manganese	0.158	0.0200		mg/L	1	5/22/2007 12:35:46 PM

Qualifiers:	B	Analyte detected in the associated Method Blank	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	S	Spike Recovery outside accepted recovery limits
	U	Indicates the compound was analyzed for but not detected	X	Value exceeds Maximum Contaminant Level

American Analytical Laboratories, LLC.

Date: 22-May-07

CLIENT: Leggette Brashears & Graham Inc.**Client Sample ID:** GWQ051007:1020 NP1-1-6**Lab Order:** 0705140**Tag Number:** 11793**Project:** Rowe: Sag Harbor, N.Y.**Collection Date:** 5/10/2007 10:20:00 AM**Lab ID:** 0705140-05C**Matrix:** LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
HARDNESS						Analyst: JP
Hardness, Calcium/Magnesium (As CaCO ₃)	31.4	1.00	M2340 B	mg/L	1	5/22/2007

Qualifiers:	B	Analyte detected in the associated Method Blank	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	S	Spike Recovery outside accepted recovery limits
	U	Indicates the compound was analyzed for but not detected	X	Value exceeds Maximum Contaminant Level

American Analytical Laboratories, LLC.

Date: 22-May-07

CLIENT: Leggette Brashears & Graham Inc.

Client Sample ID: GWQ051007:1025 NP1-1-7

Lab Order: 0705140

Tag Number: 11793

Project: Rowe: Sag Harbor, N.Y.

Collection Date: 5/10/2007 10:25:00 AM

Lab ID: 0705140-06A

Matrix: LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
TOTAL IRON, MANGANESE		E200.7	SW3010A	Analyst: JP		
Iron	0.111	0.0200		mg/L	1	5/22/2007 12:55:50 PM
Manganese	0.0519	0.0200		mg/L	1	5/22/2007 12:55:50 PM

VOLATILE SW-846 8260 + MTBE & FREON113		SW8260B	Analyst: MB			
1,1,1,2-Tetrachloroethane	U	1.0		µg/L	1	5/15/2007 5:36:00 PM
1,1,1-Trichloroethane	2.3	1.0		µg/L	1	5/15/2007 5:36:00 PM
1,1,2,2-Tetrachloroethane	U	1.0		µg/L	1	5/15/2007 5:36:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	U	1.0		µg/L	1	5/15/2007 5:36:00 PM
1,1,2-Trichloroethane	U	1.0		µg/L	1	5/15/2007 5:36:00 PM
1,1-Dichloroethane	U	1.0		µg/L	1	5/15/2007 5:36:00 PM
1,1-Dichloroethene	U	1.0		µg/L	1	5/15/2007 5:36:00 PM
1,1-Dichloropropene	U	1.0		µg/L	1	5/15/2007 5:36:00 PM
1,2,3-Trichlorobenzene	U	1.0		µg/L	1	5/15/2007 5:36:00 PM
1,2,3-Trichloropropane	U	1.0		µg/L	1	5/15/2007 5:36:00 PM
1,2,4-Trichlorobenzene	U	1.0		µg/L	1	5/15/2007 5:36:00 PM
1,2,4-Trimethylbenzene	U	1.0		µg/L	1	5/15/2007 5:36:00 PM
1,2-Dibromo-3-chloropropane	U	1.0		µg/L	1	5/15/2007 5:36:00 PM
1,2-Dibromoethane	U	1.0		µg/L	1	5/15/2007 5:36:00 PM
1,2-Dichlorobenzene	U	1.0		µg/L	1	5/15/2007 5:36:00 PM
1,2-Dichloroethane	U	1.0		µg/L	1	5/15/2007 5:36:00 PM
1,2-Dichloropropane	U	1.0		µg/L	1	5/15/2007 5:36:00 PM
1,3,5-Trimethylbenzene	U	1.0		µg/L	1	5/15/2007 5:36:00 PM
1,3-Dichlorobenzene	U	1.0		µg/L	1	5/15/2007 5:36:00 PM
1,3-dichloropropane	U	1.0		µg/L	1	5/15/2007 5:36:00 PM
1,4-Dichlorobenzene	U	1.0		µg/L	1	5/15/2007 5:36:00 PM
2,2-Dichloropropane	U	1.0		µg/L	1	5/15/2007 5:36:00 PM
2-Butanone	U	3.0		µg/L	1	5/15/2007 5:36:00 PM
2-Chloroethyl vinyl ether	U	1.0		µg/L	1	5/15/2007 5:36:00 PM
2-Chlorotoluene	U	1.0		µg/L	1	5/15/2007 5:36:00 PM
2-Hexanone	U	2.0		µg/L	1	5/15/2007 5:36:00 PM
4-Chlorotoluene	U	1.0		µg/L	1	5/15/2007 5:36:00 PM
4-Isopropyltoluene	U	1.0		µg/L	1	5/15/2007 5:36:00 PM
4-Methyl-2-pentanone	U	2.0		µg/L	1	5/15/2007 5:36:00 PM
Acetone	U	2.0		µg/L	1	5/15/2007 5:36:00 PM
Benzene	U	1.0		µg/L	1	5/15/2007 5:36:00 PM
Bromobenzene	U	1.0		µg/L	1	5/15/2007 5:36:00 PM
Bromochloromethane	U	1.0		µg/L	1	5/15/2007 5:36:00 PM
Bromodichloromethane	U	1.0		µg/L	1	5/15/2007 5:36:00 PM
Bromoform	U	1.0		µg/L	1	5/15/2007 5:36:00 PM
Bromomethane	U	1.0		µg/L	1	5/15/2007 5:36:00 PM

Qualifiers:	B	Analyte detected in the associated Method Blank	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	S	Spike Recovery outside accepted recovery limits
	U	Indicates the compound was analyzed for but not detected	X	Value exceeds Maximum Contaminant Level

American Analytical Laboratories, LLC.

Date: 22-May-07

CLIENT: Leggette Brashears & Graham Inc.
Lab Order: 0705140
Project: Rowe: Sag Harbor, N.Y.
Lab ID: 0705140-06A

Client Sample ID: GWQ051007:1025 NP1-1-7
Tag Number: 11793
Collection Date: 5/10/2007 10:25:00 AM
Matrix: LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILE SW-846 8260 + MTBE & FREON113		SW8260B		Analyst: MB		
Carbon disulfide	U	1.0		µg/L	1	5/15/2007 5:36:00 PM
Carbon tetrachloride	U	1.0		µg/L	1	5/15/2007 5:36:00 PM
Chlorobenzene	U	1.0		µg/L	1	5/15/2007 5:36:00 PM
Chloroethane	U	1.0		µg/L	1	5/15/2007 5:36:00 PM
Chloroform	U	1.0		µg/L	1	5/15/2007 5:36:00 PM
Chloromethane	U	1.0		µg/L	1	5/15/2007 5:36:00 PM
cis-1,2-Dichloroethene	U	1.0		µg/L	1	5/15/2007 5:36:00 PM
cis-1,3-Dichloropropene	U	1.0		µg/L	1	5/15/2007 5:36:00 PM
Dibromochloromethane	U	1.0		µg/L	1	5/15/2007 5:36:00 PM
Dibromomethane	U	1.0		µg/L	1	5/15/2007 5:36:00 PM
Dichlorodifluoromethane	U	1.0		µg/L	1	5/15/2007 5:36:00 PM
Ethylbenzene	U	1.0		µg/L	1	5/15/2007 5:36:00 PM
Hexachlorobutadiene	U	1.0		µg/L	1	5/15/2007 5:36:00 PM
Isopropylbenzene	U	1.0		µg/L	1	5/15/2007 5:36:00 PM
m,p-Xylene	U	2.0		µg/L	1	5/15/2007 5:36:00 PM
Methyl tert-butyl ether	U	1.0		µg/L	1	5/15/2007 5:36:00 PM
Methylene chloride	U	1.0		µg/L	1	5/15/2007 5:36:00 PM
Naphthalene	U	1.0		µg/L	1	5/15/2007 5:36:00 PM
n-Butylbenzene	U	1.0		µg/L	1	5/15/2007 5:36:00 PM
n-Propylbenzene	U	1.0		µg/L	1	5/15/2007 5:36:00 PM
o-Xylene	U	1.0		µg/L	1	5/15/2007 5:36:00 PM
sec-Butylbenzene	U	1.0		µg/L	1	5/15/2007 5:36:00 PM
Styrene	U	1.0		µg/L	1	5/15/2007 5:36:00 PM
tert-Butylbenzene	U	1.0		µg/L	1	5/15/2007 5:36:00 PM
Tetrachloroethene	22	1.0		µg/L	1	5/15/2007 5:36:00 PM
Toluene	U	1.0		µg/L	1	5/15/2007 5:36:00 PM
trans-1,2-Dichloroethene	U	1.0		µg/L	1	5/15/2007 5:36:00 PM
trans-1,3-Dichloropropene	U	1.0		µg/L	1	5/15/2007 5:36:00 PM
Trichloroethene	U	1.0		µg/L	1	5/15/2007 5:36:00 PM
Trichlorofluoromethane	U	1.0		µg/L	1	5/15/2007 5:36:00 PM
Vinyl acetate	U	1.0		µg/L	1	5/15/2007 5:36:00 PM
Vinyl chloride	U	1.0		µg/L	1	5/15/2007 5:36:00 PM
Surr: 4-Bromofluorobenzene	104	54-134		%REC	1	5/15/2007 5:36:00 PM
Surr: Dibromofluoromethane	105	52-132		%REC	1	5/15/2007 5:36:00 PM
Surr: Toluene-d8	88.7	51-127		%REC	1	5/15/2007 5:36:00 PM
TURBIDITY		E180.1		Analyst: JB		
Turbidity	U	1.00	H	NTU	1	5/15/2007
TOTAL DISSOLVED SOLIDS		E160.1		Analyst: JB		

Qualifiers:	B	Analyte detected in the associated Method Blank	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	S	Spike Recovery outside accepted recovery limits
	U	Indicates the compound was analyzed for but not detected	X	Value exceeds Maximum Contaminant Level

American Analytical Laboratories, LLC.

Date: 22-May-07

CLIENT: Leggette Brashears & Graham Inc.
Lab Order: 0705140
Project: Rowe: Sag Harbor, N.Y.
Lab ID: 0705140-06A

Client Sample ID: GWQ051007:1025 NP1-1-7
Tag Number: 11793
Collection Date: 5/10/2007 10:25:00 AM
Matrix: LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
TOTAL DISSOLVED SOLIDS		E160.1				Analyst: JB
Total Dissolved Solids (Residue, Filterable)	76.0	1.00		mg/L	1	5/16/2007

Qualifiers:	B	Analyte detected in the associated Method Blank	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	S	Spike Recovery outside accepted recovery limits
	U	Indicates the compound was analyzed for but not detected	X	Value exceeds Maximum Contaminant Level

American Analytical Laboratories, LLC.**Date:** 22-May-07**CLIENT:** Leggette Brashears & Graham Inc.**Client Sample ID:** GWQ051007:1025 NP1-1-7**Lab Order:** 0705140**Tag Number:** 11793**Project:** Rowe: Sag Harbor, N.Y.**Collection Date:** 5/10/2007 10:25:00 AM**Lab ID:** 0705140-06B**Matrix:** LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
DISSOLVED IRON, MANGANESE		E200.7		SW3005A		Analyst: JP
Iron	0.0271	0.0200		mg/L	1	5/22/2007 12:52:56 PM
Manganese	0.0500	0.0200		mg/L	1	5/22/2007 12:52:56 PM

Qualifiers:	B	Analyte detected in the associated Method Blank	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	S	Spike Recovery outside accepted recovery limits
	U	Indicates the compound was analyzed for but not detected	X	Value exceeds Maximum Contaminant Level

American Analytical Laboratories, LLC.

Date: 22-May-07

CLIENT: Leggette Brashears & Graham Inc.**Client Sample ID:** GWQ051007:1025 NP1-1-7**Lab Order:** 0705140**Tag Number:** 11793**Project:** Rowe: Sag Harbor, N.Y.**Collection Date:** 5/10/2007 10:25:00 AM**Lab ID:** 0705140-06C**Matrix:** LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
HARDNESS						Analyst: JP
Hardness, Calcium/Magnesium (As CaCO ₃)	27.9	1.00	M2340 B	mg/L	1	5/22/2007

Qualifiers:	B	Analyte detected in the associated Method Blank	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	S	Spike Recovery outside accepted recovery limits
	U	Indicates the compound was analyzed for but not detected	X	Value exceeds Maximum Contaminant Level

American Analytical Laboratories, LLC.

Date: 22-May-07

CLIENT: Leggette Brashears & Graham Inc.
Lab Order: 0705140
Project: Rowe: Sag Harbor, N.Y.
Lab ID: 0705140-07A

Client Sample ID: GWQ051007:1030 NP1-1-8
Tag Number: 11793
Collection Date: 5/10/2007 10:30:00 AM
Matrix: LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
TOTAL IRON, MANGANESE		E200.7		SW3010A		Analyst: JP
Iron	24.7	0.0200		mg/L	1	5/22/2007 1:06:07 PM
Manganese	0.682	0.0200		mg/L	1	5/22/2007 1:06:07 PM
VOLATILE SW-846 8260 + MTBE & FREON113		SW8260B				Analyst: MB
1,1,1,2-Tetrachloroethane	U	1.0		µg/L	1	5/15/2007 6:00:00 PM
1,1,1-Trichloroethane	U	1.0		µg/L	1	5/15/2007 6:00:00 PM
1,1,2,2-Tetrachloroethane	U	1.0		µg/L	1	5/15/2007 6:00:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	U	1.0		µg/L	1	5/15/2007 6:00:00 PM
1,1,2-Trichloroethane	U	1.0		µg/L	1	5/15/2007 6:00:00 PM
1,1-Dichloroethane	U	1.0		µg/L	1	5/15/2007 6:00:00 PM
1,1-Dichloroethene	U	1.0		µg/L	1	5/15/2007 6:00:00 PM
1,1-Dichloropropene	U	1.0		µg/L	1	5/15/2007 6:00:00 PM
1,2,3-Trichlorobenzene	U	1.0		µg/L	1	5/15/2007 6:00:00 PM
1,2,3-Trichloropropane	U	1.0		µg/L	1	5/15/2007 6:00:00 PM
1,2,4-Trichlorobenzene	U	1.0		µg/L	1	5/15/2007 6:00:00 PM
1,2,4-Trimethylbenzene	U	1.0		µg/L	1	5/15/2007 6:00:00 PM
1,2-Dibromo-3-chloropropane	U	1.0		µg/L	1	5/15/2007 6:00:00 PM
1,2-Dibromoethane	U	1.0		µg/L	1	5/15/2007 6:00:00 PM
1,2-Dichlorobenzene	U	1.0		µg/L	1	5/15/2007 6:00:00 PM
1,2-Dichloroethane	U	1.0		µg/L	1	5/15/2007 6:00:00 PM
1,2-Dichloropropane	U	1.0		µg/L	1	5/15/2007 6:00:00 PM
1,3,5-Trimethylbenzene	U	1.0		µg/L	1	5/15/2007 6:00:00 PM
1,3-Dichlorobenzene	U	1.0		µg/L	1	5/15/2007 6:00:00 PM
1,3-dichloropropane	U	1.0		µg/L	1	5/15/2007 6:00:00 PM
1,4-Dichlorobenzene	U	1.0		µg/L	1	5/15/2007 6:00:00 PM
2,2-Dichloropropane	U	1.0		µg/L	1	5/15/2007 6:00:00 PM
2-Butanone	U	3.0		µg/L	1	5/15/2007 6:00:00 PM
2-Chloroethyl vinyl ether	U	1.0		µg/L	1	5/15/2007 6:00:00 PM
2-Chlorotoluene	U	1.0		µg/L	1	5/15/2007 6:00:00 PM
2-Hexanone	U	2.0		µg/L	1	5/15/2007 6:00:00 PM
4-Chlorotoluene	U	1.0		µg/L	1	5/15/2007 6:00:00 PM
4-Isopropyltoluene	U	1.0		µg/L	1	5/15/2007 6:00:00 PM
4-Methyl-2-pentanone	U	2.0		µg/L	1	5/15/2007 6:00:00 PM
Acetone	U	2.0		µg/L	1	5/15/2007 6:00:00 PM
Benzene	U	1.0		µg/L	1	5/15/2007 6:00:00 PM
Bromobenzene	U	1.0		µg/L	1	5/15/2007 6:00:00 PM
Bromochloromethane	U	1.0		µg/L	1	5/15/2007 6:00:00 PM
Bromodichloromethane	U	1.0		µg/L	1	5/15/2007 6:00:00 PM
Bromoform	U	1.0		µg/L	1	5/15/2007 6:00:00 PM
Bromomethane	U	1.0		µg/L	1	5/15/2007 6:00:00 PM

Qualifiers:	B	Analyte detected in the associated Method Blank	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	S	Spike Recovery outside accepted recovery limits
	U	Indicates the compound was analyzed for but not detected	X	Value exceeds Maximum Contaminant Level

American Analytical Laboratories, LLC.

Date: 22-May-07

CLIENT: Leggette Brashears & Graham Inc.
Lab Order: 0705140
Project: Rowe: Sag Harbor, N.Y.
Lab ID: 0705140-07A

Client Sample ID: GWQ051007:1030 NP1-1-8
Tag Number: 11793
Collection Date: 5/10/2007 10:30:00 AM
Matrix: LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILE SW-846 8260 + MTBE & FREON113		SW8260B		Analyst: MB		
Carbon disulfide	U	1.0		µg/L	1	5/15/2007 6:00:00 PM
Carbon tetrachloride	U	1.0		µg/L	1	5/15/2007 6:00:00 PM
Chlorobenzene	U	1.0		µg/L	1	5/15/2007 6:00:00 PM
Chloroethane	U	1.0		µg/L	1	5/15/2007 6:00:00 PM
Chloroform	U	1.0		µg/L	1	5/15/2007 6:00:00 PM
Chloromethane	U	1.0		µg/L	1	5/15/2007 6:00:00 PM
cis-1,2-Dichloroethene	U	1.0		µg/L	1	5/15/2007 6:00:00 PM
cis-1,3-Dichloropropene	U	1.0		µg/L	1	5/15/2007 6:00:00 PM
Dibromochloromethane	U	1.0		µg/L	1	5/15/2007 6:00:00 PM
Dibromomethane	U	1.0		µg/L	1	5/15/2007 6:00:00 PM
Dichlorodifluoromethane	U	1.0		µg/L	1	5/15/2007 6:00:00 PM
Ethylbenzene	U	1.0		µg/L	1	5/15/2007 6:00:00 PM
Hexachlorobutadiene	U	1.0		µg/L	1	5/15/2007 6:00:00 PM
Isopropylbenzene	U	1.0		µg/L	1	5/15/2007 6:00:00 PM
m,p-Xylene	U	2.0		µg/L	1	5/15/2007 6:00:00 PM
Methyl tert-butyl ether	U	1.0		µg/L	1	5/15/2007 6:00:00 PM
Methylene chloride	U	1.0		µg/L	1	5/15/2007 6:00:00 PM
Naphthalene	U	1.0		µg/L	1	5/15/2007 6:00:00 PM
n-Butylbenzene	U	1.0		µg/L	1	5/15/2007 6:00:00 PM
n-Propylbenzene	U	1.0		µg/L	1	5/15/2007 6:00:00 PM
o-Xylene	U	1.0		µg/L	1	5/15/2007 6:00:00 PM
sec-Butylbenzene	U	1.0		µg/L	1	5/15/2007 6:00:00 PM
Styrene	U	1.0		µg/L	1	5/15/2007 6:00:00 PM
tert-Butylbenzene	U	1.0		µg/L	1	5/15/2007 6:00:00 PM
Tetrachloroethene	U	1.0		µg/L	1	5/15/2007 6:00:00 PM
Toluene	U	1.0		µg/L	1	5/15/2007 6:00:00 PM
trans-1,2-Dichloroethene	U	1.0		µg/L	1	5/15/2007 6:00:00 PM
trans-1,3-Dichloropropene	U	1.0		µg/L	1	5/15/2007 6:00:00 PM
Trichloroethene	U	1.0		µg/L	1	5/15/2007 6:00:00 PM
Trichlorofluoromethane	U	1.0		µg/L	1	5/15/2007 6:00:00 PM
Vinyl acetate	U	1.0		µg/L	1	5/15/2007 6:00:00 PM
Vinyl chloride	U	1.0		µg/L	1	5/15/2007 6:00:00 PM
Surr: 4-Bromofluorobenzene	97.8	54-134		%REC	1	5/15/2007 6:00:00 PM
Surr: Dibromofluoromethane	106	52-132		%REC	1	5/15/2007 6:00:00 PM
Surr: Toluene-d8	95.2	51-127		%REC	1	5/15/2007 6:00:00 PM
TURBIDITY		E180.1		Analyst: JB		
Turbidity	20.0	1.00	H	NTU	1	5/15/2007
TOTAL DISSOLVED SOLIDS		E160.1		Analyst: JB		

Qualifiers:	B	Analyte detected in the associated Method Blank	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	S	Spike Recovery outside accepted recovery limits
	U	Indicates the compound was analyzed for but not detected	X	Value exceeds Maximum Contaminant Level

American Analytical Laboratories, LLC.

Date: 22-May-07

CLIENT: Leggette Brashears & Graham Inc.**Client Sample ID:** GWQ051007:1030 NP1-1-8**Lab Order:** 0705140**Tag Number:** 11793**Project:** Rowe: Sag Harbor, N.Y.**Collection Date:** 5/10/2007 10:30:00 AM**Lab ID:** 0705140-07A**Matrix:** LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
TOTAL DISSOLVED SOLIDS		E160.1				Analyst: JB
Total Dissolved Solids (Residue, Filterable)	68.0	1.00		mg/L	1	5/16/2007

Qualifiers:	B	Analyte detected in the associated Method Blank	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	S	Spike Recovery outside accepted recovery limits
	U	Indicates the compound was analyzed for but not detected	X	Value exceeds Maximum Contaminant Level

American Analytical Laboratories, LLC.

Date: 22-May-07

CLIENT: Leggette Brashears & Graham Inc.**Client Sample ID:** GWQ051007:1030 NP1-1-8**Lab Order:** 0705140**Tag Number:** 11793**Project:** Rowe: Sag Harbor, N.Y.**Collection Date:** 5/10/2007 10:30:00 AM**Lab ID:** 0705140-07B**Matrix:** LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
DISSOLVED IRON, MANGANESE		E200.7		SW3005A		Analyst: JP
Iron	0.0129	0.0200	J	mg/L	1	5/22/2007 1:01:31 PM
Manganese	0.632	0.0200		mg/L	1	5/22/2007 1:01:31 PM

Qualifiers:	B	Analyte detected in the associated Method Blank	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	S	Spike Recovery outside accepted recovery limits
	U	Indicates the compound was analyzed for but not detected	X	Value exceeds Maximum Contaminant Level

American Analytical Laboratories, LLC.

Date: 22-May-07

CLIENT: Leggette Brashears & Graham Inc.**Client Sample ID:** GWQ051007:1030 NP1-1-8**Lab Order:** 0705140**Tag Number:** 11793**Project:** Rowe: Sag Harbor, N.Y.**Collection Date:** 5/10/2007 10:30:00 AM**Lab ID:** 0705140-07C**Matrix:** LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
HARDNESS			M2340 B			Analyst: JP
Hardness, Calcium/Magnesium (As CaCO ₃)	20.0	1.00		mg/L	1	5/22/2007

Qualifiers:	B	Analyte detected in the associated Method Blank	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	S	Spike Recovery outside accepted recovery limits
	U	Indicates the compound was analyzed for but not detected	X	Value exceeds Maximum Contaminant Level

American Analytical Laboratories, LLC.

Date: 22-May-07

CLIENT: Leggette Brashears & Graham Inc.
Lab Order: 0705140
Project: Rowe: Sag Harbor, N.Y.
Lab ID: 0705140-08A

Client Sample ID: GWQ051007:1035 NPI-1-9
Tag Number: 11793
Collection Date: 5/10/2007 10:35:00 AM
Matrix: LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
TOTAL IRON, MANGANESE		E200.7		SW3010A		Analyst: JP
Iron	2.60	0.0200		mg/L	1	5/22/2007 1:11:17 PM
Manganese	0.570	0.0200		mg/L	1	5/22/2007 1:11:17 PM
VOLATILE SW-846 8260 + MTBE & FREON113		SW8260B				Analyst: MB
1,1,1,2-Tetrachloroethane	U	1.0		µg/L	1	5/15/2007 6:24:00 PM
1,1,1-Trichloroethane	U	1.0		µg/L	1	5/15/2007 6:24:00 PM
1,1,2,2-Tetrachloroethane	U	1.0		µg/L	1	5/15/2007 6:24:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	U	1.0		µg/L	1	5/15/2007 6:24:00 PM
1,1,2-Trichloroethane	U	1.0		µg/L	1	5/15/2007 6:24:00 PM
1,1-Dichloroethane	U	1.0		µg/L	1	5/15/2007 6:24:00 PM
1,1-Dichloroethene	U	1.0		µg/L	1	5/15/2007 6:24:00 PM
1,1-Dichloropropene	U	1.0		µg/L	1	5/15/2007 6:24:00 PM
1,2,3-Trichlorobenzene	U	1.0		µg/L	1	5/15/2007 6:24:00 PM
1,2,3-Trichloropropane	U	1.0		µg/L	1	5/15/2007 6:24:00 PM
1,2,4-Trichlorobenzene	U	1.0		µg/L	1	5/15/2007 6:24:00 PM
1,2,4-Trimethylbenzene	U	1.0		µg/L	1	5/15/2007 6:24:00 PM
1,2-Dibromo-3-chloropropane	U	1.0		µg/L	1	5/15/2007 6:24:00 PM
1,2-Dibromoethane	U	1.0		µg/L	1	5/15/2007 6:24:00 PM
1,2-Dichlorobenzene	U	1.0		µg/L	1	5/15/2007 6:24:00 PM
1,2-Dichloroethane	U	1.0		µg/L	1	5/15/2007 6:24:00 PM
1,2-Dichloropropane	U	1.0		µg/L	1	5/15/2007 6:24:00 PM
1,3,5-Trimethylbenzene	U	1.0		µg/L	1	5/15/2007 6:24:00 PM
1,3-Dichlorobenzene	U	1.0		µg/L	1	5/15/2007 6:24:00 PM
1,3-dichloropropane	U	1.0		µg/L	1	5/15/2007 6:24:00 PM
1,4-Dichlorobenzene	U	1.0		µg/L	1	5/15/2007 6:24:00 PM
2,2-Dichloropropane	U	1.0		µg/L	1	5/15/2007 6:24:00 PM
2-Butanone	U	3.0		µg/L	1	5/15/2007 6:24:00 PM
2-Chloroethyl vinyl ether	U	1.0		µg/L	1	5/15/2007 6:24:00 PM
2-Chlorotoluene	U	1.0		µg/L	1	5/15/2007 6:24:00 PM
2-Hexanone	U	2.0		µg/L	1	5/15/2007 6:24:00 PM
4-Chlorotoluene	U	1.0		µg/L	1	5/15/2007 6:24:00 PM
4-Isopropyltoluene	U	1.0		µg/L	1	5/15/2007 6:24:00 PM
4-Methyl-2-pentanone	U	2.0		µg/L	1	5/15/2007 6:24:00 PM
Acetone	U	2.0		µg/L	1	5/15/2007 6:24:00 PM
Benzene	U	1.0		µg/L	1	5/15/2007 6:24:00 PM
Bromobenzene	U	1.0		µg/L	1	5/15/2007 6:24:00 PM
Bromochloromethane	U	1.0		µg/L	1	5/15/2007 6:24:00 PM
Bromodichloromethane	U	1.0		µg/L	1	5/15/2007 6:24:00 PM
Bromoform	U	1.0		µg/L	1	5/15/2007 6:24:00 PM
Bromomethane	U	1.0		µg/L	1	5/15/2007 6:24:00 PM

Qualifiers:	B	Analyte detected in the associated Method Blank	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	S	Spike Recovery outside accepted recovery limits
	U	Indicates the compound was analyzed for but not detected	X	Value exceeds Maximum Contaminant Level

American Analytical Laboratories, LLC.

Date: 22-May-07

CLIENT: Leggette Brashears & Graham Inc.
Lab Order: 0705140
Project: Rowe: Sag Harbor, N.Y.
Lab ID: 0705140-08A

Client Sample ID: GWQ051007:1035 NP1-1-9
Tag Number: 11793
Collection Date: 5/10/2007 10:35:00 AM
Matrix: LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILE SW-846 8260 + MTBE & FREON113		SW8260B		Analyst: MB		
Carbon disulfide	U	1.0		µg/L	1	5/15/2007 6:24:00 PM
Carbon tetrachloride	U	1.0		µg/L	1	5/15/2007 6:24:00 PM
Chlorobenzene	U	1.0		µg/L	1	5/15/2007 6:24:00 PM
Chloroethane	U	1.0		µg/L	1	5/15/2007 6:24:00 PM
Chloroform	U	1.0		µg/L	1	5/15/2007 6:24:00 PM
Chloromethane	U	1.0		µg/L	1	5/15/2007 6:24:00 PM
cis-1,2-Dichloroethene	U	1.0		µg/L	1	5/15/2007 6:24:00 PM
cis-1,3-Dichloropropene	U	1.0		µg/L	1	5/15/2007 6:24:00 PM
Dibromochloromethane	U	1.0		µg/L	1	5/15/2007 6:24:00 PM
Dibromomethane	U	1.0		µg/L	1	5/15/2007 6:24:00 PM
Dichlorodifluoromethane	U	1.0		µg/L	1	5/15/2007 6:24:00 PM
Ethylbenzene	U	1.0		µg/L	1	5/15/2007 6:24:00 PM
Hexachlorobutadiene	U	1.0		µg/L	1	5/15/2007 6:24:00 PM
Isopropylbenzene	U	1.0		µg/L	1	5/15/2007 6:24:00 PM
m,p-Xylene	U	2.0		µg/L	1	5/15/2007 6:24:00 PM
Methyl tert-butyl ether	U	1.0		µg/L	1	5/15/2007 6:24:00 PM
Methylene chloride	U	1.0		µg/L	1	5/15/2007 6:24:00 PM
Naphthalene	U	1.0		µg/L	1	5/15/2007 6:24:00 PM
n-Butylbenzene	U	1.0		µg/L	1	5/15/2007 6:24:00 PM
n-Propylbenzene	U	1.0		µg/L	1	5/15/2007 6:24:00 PM
o-Xylene	U	1.0		µg/L	1	5/15/2007 6:24:00 PM
sec-Butylbenzene	U	1.0		µg/L	1	5/15/2007 6:24:00 PM
Styrene	U	1.0		µg/L	1	5/15/2007 6:24:00 PM
tert-Butylbenzene	U	1.0		µg/L	1	5/15/2007 6:24:00 PM
Tetrachloroethene	U	1.0		µg/L	1	5/15/2007 6:24:00 PM
Toluene	U	1.0		µg/L	1	5/15/2007 6:24:00 PM
trans-1,2-Dichloroethene	U	1.0		µg/L	1	5/15/2007 6:24:00 PM
trans-1,3-Dichloropropene	U	1.0		µg/L	1	5/15/2007 6:24:00 PM
Trichloroethene	U	1.0		µg/L	1	5/15/2007 6:24:00 PM
Trichlorofluoromethane	U	1.0		µg/L	1	5/15/2007 6:24:00 PM
Vinyl acetate	U	1.0		µg/L	1	5/15/2007 6:24:00 PM
Vinyl chloride	U	1.0		µg/L	1	5/15/2007 6:24:00 PM
Surr: 4-Bromofluorobenzene	101	54-134		%REC	1	5/15/2007 6:24:00 PM
Surr: Dibromofluoromethane	108	52-132		%REC	1	5/15/2007 6:24:00 PM
Surr: Toluene-d8	97.0	51-127		%REC	1	5/15/2007 6:24:00 PM
TURBIDITY		E180.1		Analyst: JB		
Turbidity	2.90	1.00	H	NTU	1	5/15/2007
TOTAL DISSOLVED SOLIDS		E160.1		Analyst: JB		

Qualifiers:	B	Analyte detected in the associated Method Blank	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	S	Spike Recovery outside accepted recovery limits
	U	Indicates the compound was analyzed for but not detected	X	Value exceeds Maximum Contaminant Level

American Analytical Laboratories, LLC.

Date: 22-May-07

CLIENT: Leggette Brashears & Graham Inc.**Client Sample ID:** GWQ051007:1035 NP1-1-9**Lab Order:** 0705140**Tag Number:** 11793**Project:** Rowe: Sag Harbor, N.Y.**Collection Date:** 5/10/2007 10:35:00 AM**Lab ID:** 0705140-08A**Matrix:** LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
TOTAL DISSOLVED SOLIDS		E160.1				Analyst: JB
Total Dissolved Solids (Residue, Filterable)	74.0	1.00		mg/L	1	5/16/2007

Qualifiers:	B	Analyte detected in the associated Method Blank	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	S	Spike Recovery outside accepted recovery limits
	U	Indicates the compound was analyzed for but not detected	X	Value exceeds Maximum Contaminant Level

American Analytical Laboratories, LLC.

Date: 22-May-07

CLIENT: Leggette Brashears & Graham Inc.
Lab Order: 0705140
Project: Rowe: Sag Harbor, N.Y.
Lab ID: 0705140-08B

Client Sample ID: GWQ051007:1035 NP1-1-9
Tag Number: 11793
Collection Date: 5/10/2007 10:35:00 AM
Matrix: LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
DISSOLVED IRON, MANGANESE		E200.7		SW3005A		Analyst: JP
Iron	0.0356	0.0200		mg/L	1	5/22/2007 1:09:00 PM
Manganese	0.415	0.0200		mg/L	1	5/22/2007 1:09:00 PM

Qualifiers:	B	Analyte detected in the associated Method Blank	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	S	Spike Recovery outside accepted recovery limits
	U	Indicates the compound was analyzed for but not detected	X	Value exceeds Maximum Contaminant Level

American Analytical Laboratories, LLC.

Date: 22-May-07

CLIENT: Leggette Brashears & Graham Inc.
Lab Order: 0705140
Project: Rowe: Sag Harbor, N.Y.
Lab ID: 0705140-08C

Client Sample ID: GWQ051007:1035 NP1-1-9
Tag Number: 11793
Collection Date: 5/10/2007 10:35:00 AM
Matrix: LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
HARDNESS						Analyst: JP
Hardness, Calcium/Magnesium (As CaCO3)	21.4	1.00	M2340 B	mg/L	1	5/22/2007

Qualifiers:	B	Analyte detected in the associated Method Blank	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	S	Spike Recovery outside accepted recovery limits
	U	Indicates the compound was analyzed for but not detected	X	Value exceeds Maximum Contaminant Level

H7E020129 Analytical Report	1
Sample Receipt Documentation	15
Total Number of Pages	17



STL

STL Knoxville
5815 Middlebrook Pike
Knoxville, TN 37921

Tel: 865 291 3000 Fax: 865 584 4315
www.stl-inc.com

ANALYTICAL REPORT

Rowe-NABSAG 0401

Lot #: H7E020129

Mark Goldberg

Leggette, Brashears & Graham,
4 Research Drive
Suite #301
Shelton, CT 06484

SEVERN TRENT LABORATORIES, INC.

A handwritten signature in black ink, appearing to read "J. A. McKinney".

Jamie A. McKinney
Project Manager

May 15, 2007

ANALYTICAL METHODS SUMMARY

H7E020129

<u>PARAMETER</u>	<u>ANALYTICAL METHOD</u>
Volatile Organics by TO15	EPA-2 TO-15

References:

EPA-2 "Compendium of Methods for the Determination of Toxic
Organic Compounds in Ambient Air", EPA-625/R-96/010b,
January 1999.

SAMPLE SUMMARY

H7E020129

WO #	SAMPLE#	CLIENT SAMPLE ID	SAMPLED DATE	SAMP TIME
JV329	001	AQ050107:1100NP4-1	05/01/07	
JV33C	002	AQ050107:1105NP4-2	05/01/07	
JV33F	003	AQ050107:1110NP4-3	05/01/07	

NOTE(S) :

- The analytical results of the samples listed above are presented on the following pages.
- All calculations are performed before rounding to avoid round-off errors in calculated results.
- Results noted as "ND" were not detected at or above the stated limit.
- This report must not be reproduced, except in full, without the written approval of the laboratory.
- Results for the following parameters are never reported on a dry weight basis: color, corrosivity, density, flashpoint, ignitability, layers, odor, paint filter test, pH, porosity pressure, reactivity, redox potential, specific gravity, spot tests, solids, solubility, temperature, viscosity, and weight.

PROJECT NARRATIVE

H7E020129

The results reported herein are applicable to the samples submitted for analysis only.

This report shall not be reproduced except in full, without the written approval of the laboratory.

The original chain of custody documentation is included with this report.

Sample Receipt

The date/time of collection was not listed on the chain of custody documentation.

Quality Control and Data Interpretation

Unless otherwise noted, all holding times and QC criteria were met and the test results shown in this report meet all applicable NELAC requirements.

The EPA method requires that all target analytes in the continuing calibration verification standard be within 30% difference from the initial calibration. The laboratory standard operating procedure allows up to four analytes in the calibration verification to be $\leq 40\%$ difference from the initial calibration. The calibration verification analyzed on 05/02/07 exhibited a %difference of $>30\%$ but $\leq 40\%$ for chloromethane.

The samples were received on 05/02/07 in Tedlar bags and analyzed within 72 hours of sampling.

STL Knoxville maintains the following certifications, approvals and accreditations: Arkansas DEQ Cert. #05-043-0, California DHS ELAP Cert. #2423, Colorado DPHE, Connecticut DPH Cert. #PH-0223, Florida DOH Cert. #E87177, Georgia DNR Cert. #906, Hawaii DOH, Illinois EPA Cert. #000687, Indiana DOH Cert. #C-TN-02, Iowa DNR Cert. #375, Kansas DHE Cert. #E-10349, Kentucky DEP Lab ID #90101, Louisiana DEQ Cert. #03079, Louisiana DOHH Cert. #LA030024, Maryland DHMH Cert. #277, Massachusetts DEP Cert. #M-TN009, Michigan DEQ Lab ID #9933, New Jersey DEP Cert. #TN001, New York DOH Lab #10781, North Carolina DPH Lab ID #21705, North Carolina DEHNR Cert. #64, Ohio EPA VAP Cert. #CL0059, Oklahoma DEQ ID #9415, Pennsylvania DEP Cert. #68-00576, South Carolina DHEC Lab ID #84001001, Tennessee DOH Lab ID #02014, Utah DOH Cert. # QUAN3, Virginia DGS Lab ID #00165, Washington DOE Lab #C120, West Virginia DEP Cert. #345, Wisconsin DNR Lab ID #998044300, Naval Facilities Engineering Service Center and USDA Soil Permit #S-46424. This list of approvals is subject to change and does not imply that laboratory certification is available for all parameters reported in this environmental sample data report.

Sample Data Summary

Leggette, Brashears & Graham, Inc.
Client Sample ID: AQ050107:1100NP4-1
GC/MS Volatiles

Lot-Sample # H7E020129 - 001 Work Order # JV3291AA Matrix.....: AIR

Date Sampled...: 5/1/07 Date Received...: 5/2/07
Prep Date.....: 5/2/07 Analysis Date..: 5/2/07
Prep Batch #....: 7123095
Dilution Factor.: 5 Method.....: TO-15

PARAMETER	RESULTS (ppb(v/v))	REPORTING LIMIT (ppb(v/v))	RESULTS (ug/m3)		REPORTING LIMIT (ug/m3)
Benzene	0.28	1.0	0.88	J	3.2
Bromodichloromethane	ND	1.0	ND		6.7
Bromoform	ND	1.0	ND		10
Bromomethane	ND	1.0	ND		3.9
Carbon disulfide	1.5	2.5	4.6	J	7.8
Carbon tetrachloride	ND	1.0	ND		6.3
Chlorobenzene	ND	1.0	ND		4.6
Dibromochloromethane	ND	1.0	ND		8.5
Chloroethane	ND	1.0	ND		2.6
Chloroform	1.1	1.0	5.5		4.9
Chloromethane	1.4	2.5	3.0	J	5.2
1,1-Dichloroethane	4.2	1.0	17		4.0
1,2-Dichloroethane	ND	1.0	ND		4.0
cis-1,2-Dichloroethene	ND	1.0	ND		4.0
trans-1,2-Dichloroethene	ND	1.0	ND		4.0
1,1-Dichloroethene	0.82	1.0	3.3	J	4.0
1,2-Dichloropropane	ND	1.0	ND		4.6
cis-1,3-Dichloropropene	ND	1.0	ND		4.5
trans-1,3-Dichloropropene	ND	1.0	ND		4.5
Ethylbenzene	ND	1.0	ND		4.3
Methylene chloride	0.60	2.5	2.1	J B	8.7
Styrene	ND	1.0	ND		4.3
1,1,2,2-Tetrachloroethane	ND	1.0	ND		6.9
Tetrachloroethene	19	1.0	130		6.8
Toluene	0.54	1.0	2.0	J	3.8
1,1,1-Trichloroethane	15	1.0	82		5.5
1,1,2-Trichloroethane	ND	1.0	ND		5.5
Trichloroethene	1.2	1.0	6.5		5.4
Vinyl chloride	ND	1.0	ND		2.6
m-Xylene & p-Xylene	ND	1.0	ND		4.3
o-Xylene	ND	1.0	ND		4.3

SURROGATE	PERCENT RECOVERY	LABORATORY CONTROL LIMITS (%)
1,2-Dichloroethane-d4	103	70 - 130
Toluene-d8	99	70 - 130
4-Bromofluorobenzene	93	70 - 130

Leggette, Brashears & Graham, Inc.
Client Sample ID: AQ050107:1100NP4-1
GC/MS Volatiles

Lot-Sample # H7E020129 - 001

Work Order # JV3291AA

Matrix.....: AIR

Qualifiers

B Method blank contamination. The associated method blank contains the target analyte at a reportable level.
J Estimated result. Result is less than RL.

The 'Result' in ug/m3 is calculated using the following equation: Amount Found(before rounding)*(Molecular Weight/24.45)

The 'Reporting Limit' in ug/m3 is calculated using the following equation: (Reporting
Limit(before rounding) * Dilution Factor) * (Molecular Weight/24.45)

Leggette, Brashears & Graham, Inc.
Client Sample ID: AQ050107:1105NP4-2
GC/MS Volatiles

Lot-Sample # H7E020129 - 002

Work Order # JV33C1AA

Matrix.....: AIR

Date Sampled...: 5/1/07

Date Received..: 5/2/07

Prep Date.....: 5/2/07

Analysis Date..: 5/2/07

Prep Batch #.....: 7123095

Dilution Factor.: 5

Method.....: TO-15

PARAMETER	RESULTS (ppb(v/v))	REPORTING LIMIT (ppb(v/v))	RESULTS (ug/m3)	REPORTING LIMIT (ug/m3)
Benzene	ND	1.0	ND	3.2
Bromodichloromethane	ND	1.0	ND	6.7
Bromoform	ND	1.0	ND	10
Bromomethane	ND	1.0	ND	3.9
Carbon disulfide	1.1	2.5	3.6 J	7.8
Carbon tetrachloride	ND	1.0	ND	6.3
Chlorobenzene	ND	1.0	ND	4.6
Dibromochloromethane	ND	1.0	ND	8.5
Chloroethane	ND	1.0	ND	2.6
Chloroform	0.97	1.0	4.7 J	4.9
Chloromethane	1.3	2.5	2.7 J	5.2
1,1-Dichloroethane	3.1	1.0	13	4.0
1,2-Dichloroethane	ND	1.0	ND	4.0
cis-1,2-Dichloroethene	0.76	1.0	3.0 J	4.0
trans-1,2-Dichloroethene	ND	1.0	ND	4.0
1,1-Dichloroethene	0.75	1.0	3.0 J	4.0
1,2-Dichloropropane	ND	1.0	ND	4.6
cis-1,3-Dichloropropene	ND	1.0	ND	4.5
trans-1,3-Dichloropropene	ND	1.0	ND	4.5
Ethylbenzene	ND	1.0	ND	4.3
Methylene chloride	0.59	2.5	2.0 J B	8.7
Styrene	ND	1.0	ND	4.3
1,1,2,2-Tetrachloroethane	ND	1.0	ND	6.9
Tetrachloroethene	0.54	1.0	3.6 J	6.8
Toluene	0.44	1.0	1.7 J	3.8
1,1,1-Trichloroethane	15	1.0	83	5.5
1,1,2-Trichloroethane	ND	1.0	ND	5.5
Trichloroethene	0.25	1.0	1.3 J	5.4
Vinyl chloride	ND	1.0	ND	2.6
m-Xylene & p-Xylene	ND	1.0	ND	4.3
o-Xylene	ND	1.0	ND	4.3

SURROGATE	PERCENT RECOVERY	LABORATORY CONTROL LIMITS (%)
1,2-Dichloroethane-d4	105	70 - 130
Toluene-d8	100	70 - 130
4-Bromofluorobenzene	93	70 - 130

Leggette, Brashears & Graham, Inc.
Client Sample ID: AQ050107:1105NP4-2
GC/MS Volatiles

Lot-Sample # H7E020129 - 002

Work Order # JV33C1AA

Matrix.....: AIR

Qualifiers

B Method blank contamination. The associated method blank contains the target analyte at a reportable level.
J Estimated result. Result is less than RL.

The 'Result' in ug/m3 is calculated using the following equation: Amount Found(before rounding)*(Molecular Weight/24.45)

The 'Reporting Limit' in ug/m3 is calculated using the following equation: (Reporting
Limit(before rounding) * Dilution Factor) * (Molecular Weight/24.45)

Leggette, Brashears & Graham, Inc.

Client Sample ID: AQ050107:1110NP4-3

GC/MS Volatiles

Lot-Sample # H7E020129 - 003

Work Order # JV33F1AA

Matrix.....: AIR

Date Sampled...: 5/1/07

Date Received..: 5/2/07

Prep Date.....: 5/2/07

Analysis Date..: 5/2/07

Prep Batch #.....: 7123095

Dilution Factor.: 5

Method.....: TO-15

PARAMETER	RESULTS (ppb(v/v))	REPORTING LIMIT (ppb(v/v))	RESULTS (ug/m3)	REPORTING LIMIT (ug/m3)
Benzene	ND	1.0	ND	3.2
Bromodichloromethane	ND	1.0	ND	6.7
Bromoform	ND	1.0	ND	10
Bromomethane	ND	1.0	ND	3.9
Carbon disulfide	1.2	2.5	3.8	J 7.8
Carbon tetrachloride	ND	1.0	ND	6.3
Chlorobenzene	ND	1.0	ND	4.6
Dibromochloromethane	ND	1.0	ND	8.5
Chloroethane	ND	1.0	ND	2.6
Chloroform	0.96	1.0	4.7	J 4.9
Chloromethane	1.5	2.5	3.0	J 5.2
1,1-Dichloroethane	1.9	1.0	7.8	4.0
1,2-Dichloroethane	ND	1.0	ND	4.0
cis-1,2-Dichloroethene	1.8	1.0	7.0	4.0
trans-1,2-Dichloroethene	ND	1.0	ND	4.0
1,1-Dichloroethene	0.65	1.0	2.6	J 4.0
1,2-Dichloropropane	ND	1.0	ND	4.6
cis-1,3-Dichloropropene	ND	1.0	ND	4.5
trans-1,3-Dichloropropene	ND	1.0	ND	4.5
Ethylbenzene	ND	1.0	ND	4.3
Methylene chloride	1.4	2.5	5.0	J B 8.7
Styrene	ND	1.0	ND	4.3
1,1,2,2-Tetrachloroethane	ND	1.0	ND	6.9
Tetrachloroethene	ND	1.0	ND	6.8
Toluene	2.4	1.0	8.9	3.8
1,1,1-Trichloroethane	21	1.0	120	5.5
1,1,2-Trichloroethane	ND	1.0	ND	5.5
Trichloroethene	ND	1.0	ND	5.4
Vinyl chloride	ND	1.0	ND	2.6
m-Xylene & p-Xylene	ND	1.0	ND	4.3
o-Xylene	ND	1.0	ND	4.3

SURROGATE	PERCENT RECOVERY	LABORATORY CONTROL LIMITS (%)
1,2-Dichloroethane-d4	97	70 - 130
Toluene-d8	108	70 - 130
4-Bromofluorobenzene	99	70 - 130

Leggette, Brashears & Graham, Inc.
Client Sample ID: AQ050107:1110NP4-3
GC/MS Volatiles

Lot-Sample # H7E020129 - 003

Work Order # JV33F1AA

Matrix.....: AIR

Qualifiers

B Method blank contamination. The associated method blank contains the target analyte at a reportable level.
J Estimated result. Result is less than RL.

The 'Result' in ug/m3 is calculated using the following equation: Amount Found(before rounding)*(Molecular Weight/24.45)

The 'Reporting Limit' in ug/m3 is calculated using the following equation: (Reporting
Limit(before rounding) * Dilution Factor) * (Molecular Weight/24.45)

Leggette, Brashears & Graham, Inc.
Client Sample ID: INTRA-LAB BLANK
GC/MS Volatiles

Lot-Sample # H7E030000 - 095B

Work Order # JV6EW1AA

Matrix.....: AIR

Prep Date.....: 5/2/07

Date Received..: 4/27/07

Prep Batch #.....: 7123095

Analysis Date.. 5/2/07

Dilution Factor.: 1

Method..... TO-15

PARAMETER	RESULTS (ppb(v/v))	REPORTING LIMIT (ppb(v/v))	RESULTS (ug/m3)	REPORTING LIMIT (ug/m3)
Benzene	ND	0.20	ND	0.64
Bromodichloromethane	ND	0.20	ND	1.3
Bromoform	ND	0.20	ND	2.1
Bromomethane	ND	0.20	ND	0.78
Carbon disulfide	ND	0.50	ND	1.6
Carbon tetrachloride	ND	0.20	ND	1.3
Chlorobenzene	ND	0.20	ND	0.92
Dibromochloromethane	ND	0.20	ND	1.7
Chloroethane	ND	0.20	ND	0.53
Chloroform	ND	0.20	ND	0.98
Chloromethane	ND	0.50	ND	1.0
1,1-Dichloroethane	ND	0.20	ND	0.81
1,2-Dichloroethane	ND	0.20	ND	0.81
cis-1,2-Dichloroethene	ND	0.20	ND	0.79
trans-1,2-Dichloroethene	ND	0.20	ND	0.79
1,1-Dichloroethene	ND	0.20	ND	0.79
1,2-Dichloropropane	ND	0.20	ND	0.92
cis-1,3-Dichloropropene	ND	0.20	ND	0.91
trans-1,3-Dichloropropene	ND	0.20	ND	0.91
Ethylbenzene	ND	0.20	ND	0.87
Methylene chloride	0.12	0.50	0.41	J 1.7
Styrene	ND	0.20	ND	0.85
1,1,2,2-Tetrachloroethane	ND	0.20	ND	1.4
Tetrachloroethene	ND	0.20	ND	1.4
Toluene	ND	0.20	ND	0.75
1,1,1-Trichloroethane	ND	0.20	ND	1.1
1,1,2-Trichloroethane	ND	0.20	ND	1.1
Trichloroethene	ND	0.20	ND	1.1
Vinyl chloride	ND	0.20	ND	0.51
m-Xylene & p-Xylene	ND	0.20	ND	0.87
o-Xylene	ND	0.20	ND	0.87

SURROGATE	PERCENT RECOVERY	LABORATORY CONTROL LIMITS (%)
1,2-Dichloroethane-d4	95	70 - 130
Toluene-d8	109	70 - 130
4-Bromofluorobenzene	97	70 - 130

Leggette, Brashears & Graham, Inc.
Client Sample ID: INTRA-LAB BLANK
GC/MS Volatiles

Lot-Sample # H7E030000 - 095B

Work Order # JV6EW1AA

Matrix.....: AIR

Qualifiers

J Estimated result. Result is less than RL.

The 'Result' in ug/m3 is calculated using the following equation: Amount Found(before rounding)*(Molecular Weight/24.45)

The 'Reporting Limit' in ug/m3 is calculated using the following equation: (Reporting
Limit(before rounding) * Dilution Factor) * (Molecular Weight/24.45)

Leggette, Brashears & Graham, Inc.
Client Sample ID: CHECK SAMPLE
GC/MS Volatiles

Lot-Sample # H7E030000 - 095C

Work Order # JV6EW1AC

Matrix.....: AIR

Prep Date.....: 5/2/07

Date Received..: 4/27/07

Prep Batch #.....: 7123095

Analysis Date.. 5/2/07

Dilution Factor.: 1

Method..... TO-15

PARAMETER	SPIKE AMOUNT (ppb(v/v))	MEASURED AMOUNT (ppb(v/v))	SPIKE AMOUNT (ug/m3)	MEASURED AMOUNT (ug/m3)	PERCENT RECOVERY	RECOVERY LIMITS
Benzene	10.0	7.97	32	25	80	70 - 130
Chlorobenzene	10.0	8.04	46	37	80	70 - 130
1,1-Dichloroethene	10.0	12.3	40	49	123	70 - 130
Toluene	10.0	7.82	38	29	78	70 - 130
Trichloroethene	10.0	8.15	54	44	81	70 - 130

SURROGATE	PERCENT RECOVERY	LABORATORY CONTROL LIMITS (%)
1,2-Dichloroethane-d4	94	70 - 130
Toluene-d8	106	70 - 130
4-Bromofluorobenzene	100	70 - 130

The 'Result' in ug/m3 is calculated using the following equation: Amount Found(before rounding)*(Molecular Weight/24.45)

The 'Reporting Limit' in ug/m3 is calculated using the following equation: (Reporting Limit(before rounding) * Dilution Factor) * (Molecular Weight/24.45)

Sample Receipt Documentation

STL Knoxville

5815 Middlebrook Pike • Knoxville, TN 37921-5947
Phone: (865) 291-3000 • Fax: (865) 584-4315
Receiving: (865) 291-3031

ANALYSIS REQUEST AND CHAIN OF CUSTODY RECORD*

Reference Document No.
Page 1 of 1

Project Name/No. 1 Love Samples Shipment Date 05/01/07
Sample Team Members 2 Evan Foster Lab Destination 8
Profit Center No. 3 Lab Contact 9 Jamie McKinney
Project Manager 4 Mark Goldberg Project Contact / Phone 12 203-929-8555 Report to: 10
Purchase Order No. 6 NABSA 0461 Carrier / Waybill No. 13

Bill to: 5 UBG
4 Research Drive
Avick 301
Shelton, CT 06484
Mark Goldberg

Required Report Date 11 **ONE CONTAINER PER LINE**

Sample Number	Sample Type	Date/Time Collected	Container Type	Sample Volume	Pre- ¹⁹ servative	Requested Testing Program	Condition on Receipt Lab use only
AQ 050107:1100NP4-1	Air		Tedlar bag	1L	-	TO-15	Custody seals intact <u>Y</u> N NA
AQ 050107:1105NP4-2	↓		↓	↓	-	↓	Temperature received at Ambient
AQ 050107:1110NP4-3	↓		↓	↓	-		Received by <u>NF</u> Date <u>5-2-07</u>
							Number of packages <u>1</u>
							Tracking # <u>791289511233</u>

Special Instructions: ²³

Possible Hazard Identification: ²⁴

Non-Hazard ☒ Flammable ☐ Skin Irritant ☐ Poison B ☐ Unknown ☐ Sample Disposal: ²⁵ Return to Client ☐ Disposal by Lab ☒ Archive (mos.)

Turnaround Time Required: ²⁶ Normal ☒ Rush ☐ QC Level: ²⁷ I. ☐ II. ☐ III. ☐ Project Specific (specify): Full QA/QC

1. Relinquished by ²⁸ Kethi Sal Date: 07/01/07 Time: 17:30

1. Received by ²⁸ Matthew J. [Signature] Date: 5-2-07 Time: 09:45

1. Relinquished by (Signature / Affiliation) Date: Time:

1. Received by (Signature / Affiliation)

Comments: ²⁹

White: To accompany samples

Yellow: Field copy

STL KNOXVILLE SAMPLE RECEIPT/CONDITION UPON RECEIPT ANOMALY CHECKLIST

Client: UB

Project: _____

Lot Number: 127
17E02088
MT#5-2-07

Review Items	Yes	No	NA	If No, what was the problem?	Comments/Actions Taken
1. Do sample container labels match COC? (IDs, Dates, Times)	☒			☐ 1a Do not match COC ☐ 1b Incomplete information ☐ 1c Marking smeared ☐ 1d Label torn ☐ 1e No label ☐ 1f COC not received ☐ 1g Other: _____	<u>15a The date/time of collection is</u> <u>not listed on COC. will log per label</u> <u>for all samples.</u>
2. Is the cooler temperature within limits? (> freezing temp. of water to 6°C; NC, 1668, 1613B: 0-4°C; VOST: 10°C; MA: 2-6°C)	☒		☒	☐ 2a Temp Blank = _____ ☐ 2b Cooler Temp = _____	
3. Were samples received with correct chemical preservative (excluding Encore)?			☒	☐ 3a Sample preservative = _____	
4. Were custody seals present/intact on cooler and/or containers?				☐ 4a Not present ☐ 4b Not intact ☐ 4c Other: _____	
5. Were all of the samples listed on the COC received?	☒			☐ 5a Samples received-not on COC ☐ 5b Samples not received-on COC	
6. Were all of the sample containers received intact?	☒			☐ 6a Leaking ☐ 6b Broken	
7. Were VOA samples received without headspace?	☒		☒	☐ 7a Headspace (VOA only)	
8. Were samples received in appropriate containers?	☒			☐ 8a Improper container	
9. Did you check for residual chlorine, if necessary?			☒	☐ 9a Could not be determined due to matrix interference	
10. Were samples received within holding time?	☒			☐ 10a Holding time expired	
11. For rad samples, was sample activity info. provided?			☒	☐ Incomplete information	
12. For SOG water samples (1613B, 1668A, 8290, LR PAHs), do samples have visible solids present?			☒	If yes & appears to be >1%, was SOG notified? _____	
13. Are the shipping containers intact?	☒			☐ 13a Leaking ☐ 13b Other: _____	
14. Was COC relinquished? (Signed/Dated/Timed)	☒			☐ 14a Not relinquished	
15. Are tests/parameters listed for each sample? <u>W-H</u>	☒			☒ 15a Incomplete information	
16. Is the matrix of the samples noted? <u>5-2-07</u>	☒			☐ 15a Incomplete information	
17. Is the date/time of sample collection noted?	☒			☐ 15a Incomplete information	
18. Is the client and project name/# identified?	☒			☐ 15a Incomplete information	
19. Was the sampler identified on the COC?	☒				

Quote #: _____ PM Instructions: _____

Sample Receiving Associate: [Signature]Date: 5-2-07

QA026R18.doc, 1/30/06