

-DRAFT-

PROJECT STATUS MEMORANDUM

NO. 07-03

TO: Pamela Tames, USEPA

FROM: Mark M. Goldberg, P.E.

DATE: November 16, 2007

PROJECT: Ground Water Remedial Action
Focused Pump & Treat System
Former Rowe Industries Superfund Site
Sag Harbor, New York
Third Quarter (July 13, 2007 through October 3, 2007) Status Report

LBG Engineering Services, P.C. (LBG) discontinued operation of the Focused Pump and Treat (FP&T) system on April 3, 2007 because water quality data from the recovery wells in the Former Drum Storage Area (FDSA) indicated that degradation of tetrachloroethylene (PCE) was occurring, as discussed in the First Quarter 2007 Status Report for the FP&T system. The reasoning behind discontinuing the operation of the FP&T system was that leaving the system shutdown will promote more anaerobic conditions and, therefore, more degradation. LBG has been monitoring the water quality at the four FP&T recovery wells (FRW-1, 2, 3 and 4) on a monthly basis while the system has been inactive to determine if the trend in degradation of PCE to daughter products (i.e. 1,2 cis-dichloroethylene (12DCE) and vinyl chloride (VC)) is continuing in the FDSA. The locations of the FP&T recovery wells are shown on Figure 1.

Tables 1, 2, 3 and 4 and Graphs 1, 2, 3 and 4 present the water quality data for FRW-1, 2, 3 and 4, respectively, since the beginning of 2007. The water quality data for the latest quarter indicate that some degradation of PCE is continuing because 12DCE and VC are present in the water samples collected from FRW-1, 2 and 3. Based on the trends in the water quality data, the most degradation appears to be occurring at FRW-2 followed by FRW-3 and then FRW-1.

FRW-2 exhibits the best improvement with decreasing PCE concentrations and a high ratio of daughter products to PCE. The concentrations of PCE in the ground water at FRW-3 shows a significant decrease in PCE concentration for the October 3, 2007 sampling event compared to previous sampling events. The concentrations of the contaminants of concern (COCs) from the ground water at FRW-4 continue to be low compared to the other three recovery wells.

The lower degree of degradation observed at FRW-1 is believed to be because less EHCTM was injected in this area compared to the areas around FRW-2 and FRW-3. The concentration of PCE in the ground water at FRW-1 continues to be 300 ug/l or above while the

concentrations of daughter products continue to be relatively low. If the trend for PCE concentrations in the ground water at FRW-1 continues, then re-starting the FP&T system using only FRW-1 will be considered.

Table 5 presents ground-water quality field measurements that were collected with a calibrated U-22 Horiba water quality meter (Horiba) on September 12 and October 3, 2007 for pH, dissolved oxygen (DO), oxidation-reduction potential (ORP), temperature, conductivity and turbidity. The first four parameters (pH, DO, ORP and temperature) are the most important factors that are measured to determine if the aquifer conditions are favorable for degradation of the COCs. The measurements indicate that conditions in the aquifer at FRW-1, 2 and 3 are somewhat favorable for anaerobic degradation of COCs to continue; however, the DO concentrations detected during the October 3, 2007 sampling event are high. The high DO concentrations can either be an anomaly or the DO sensor on the water quality meter was not functioning properly during that sampling event. DO concentrations will continue to be monitored monthly to determine if the DO concentration has truly increased or if it is just an aberration. The pH in the ground water was in the preferred range for degradation and temperature of the ground water was relatively high for the northeastern United States. Higher ground water temperatures are favorable for increased microbial activity.

Based on the water quality data collected in the third quarter of 2007, there is sufficient evidence to indicate that degradation of the COCs is continuing at FRW-2 and FRW-3 and less so at FRW-1. Therefore, LBG recommends leaving the FP&T system inactive for the fourth quarter and continuing to monitor the water quality trends at the four wells (particularly in FRW-1).

cc: Jeffrey S. Srulovitz, Kraft Foods Global, Inc. – .pdf
Lisa Krogman, Environ – .pdf
Jeff Trad, NYSDEC – .pdf
Chief-Operation Maintenance and Support Section, NYSDEC – .pdf
William Spitz, RWM, R-1, NYSDEC

TABLES

Table 1

**GROUND-WATER REMEDIAL ACTION
FOCUSED PUMP AND TREAT SYSTEM
ROWE INDUSTRIES SUPERFUND SITE
SAG HARBOR, NEW YORK**

**Recovery Well FRW-1 VOC Concentrations, micrograms per liter
January 1, 2007 through October 3, 2007**

FRW-1											
Date	PCE	TCE	12DCE	TCA	11DCA	NPB	124TMB	135TMB	TOLUENE	VC	MC
1/10/2007	240	5.5	28	9.7	ND<1	ND<1	ND<1	ND<1	3.1	1.6	ND<1
3/7/2007	41	ND<1	620	ND<1	ND<1	ND<1	ND<1	ND<1	5.6	170	ND<1
3/28/2007	170	3.1	2.4	ND<1	ND<1	ND<1	ND<1	ND<1	4.6	1.3	ND<1
4/3/2007	110	8.6	93	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	30	ND<1
5/1/2007	400	6.5	34	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	37	ND<1
6/7/2007	200	6.8	43	ND<1	ND<1	ND<1	ND<1	ND<1	0.98	88	ND<1
7/12/2007	53	3.0	9.0	1.8	ND<1	ND<1	ND<1	ND<1	1.4	13	ND<1
8/8/2007	300	7.2	8.2	21	2.1	ND<1	ND<1	ND<1	ND<1	6.9	ND<1
9/12/2007	430	8.1	9.0	22	1.6	ND<1	ND<1	ND<1	ND<1	2.6	ND<1
10/3/2007	380	7.8	10.0	14	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1

PCE- TETRACHLOROETHYLENE

TCA - 1,1,1-TRICHLOROETHANE

11DCA - 1,1-DICHLOROETHANE

TCE - TRICHLOROETHENE

12DCE - cis1,2-DICHLOROETHENE

MTBE - METHYL TERTIARY-BUTYL ETHER

VC - VINYL CHLORIDE

NPB - n PROPYL BENZENE

124TMB - 1,2,4-TRIMETHYLBENZENE

135TMB - 1,3,5-TRIMETHYLBENZENE

IPB - ISOPROPYLBENZENE

4-IPT - 4-ISOPROPYLTOLUENE

-- - NOT ANALYZED

MC - METHYLENE CHLORIDE

Table 2

**GROUND-WATER REMEDIAL ACTION
FOCUSED PUMP AND TREAT SYSTEM
ROWE INDUSTRIES SUPERFUND SITE
SAG HARBOR, NEW YORK**

**Recovery Well FRW-2 VOC Concentrations, micrograms per liter
January 1, 2007 through October 3, 2007**

FRW-2											
Date	PCE	TCE	12DCE	TCA	IPB	NPB	124TMB	11DCA	TOLUENE	VC	EB
1/10/2007	4.8	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	33	59	ND<1
3/7/2007	5.7	ND<1	180	ND<1	ND<1	ND<1	ND<1	ND<1	640	15	ND<1
3/28/2007	72	3.5	17	ND<1	1.5	ND<1	ND<1	ND<1	19	6.0	ND<1
4/3/2007	98	2.7	19	ND<1	ND<1	ND<1	ND<1	ND<1	24	7.3	ND<1
5/1/2007	23	6.1	280	ND<1	ND<1	ND<1	ND<1	ND<1	440	17	ND<1
6/7/2007	28	14	180	ND<1	ND<1	ND<1	ND<1	ND<1	130	6.6	ND<1
7/12/2007	16	15	82	ND<1	2.8	1.1	ND<1	ND<1	120	5.7	0.60
8/8/2007	1.3	ND<1	40	ND<1	1.9	ND<1	ND<1	ND<1	44	10	ND<1
9/12/2007	11	22	260	ND<1	ND<1	ND<1	ND<1	1.6	64	19	ND<1
10/3/2007	ND<1	ND<1	12	ND<1	ND<1	ND<1	ND<1	ND<1	2.9	14	ND<1

PCE- TETRACHLOROETHYLENE

TCA - 1,1,1-TRICHLOROETHANE

11DCA - 1,1-DICHLOROETHANE

TCE - TRICHLOROETHENE

12DCE - cis1,2-DICHLOROETHENE

MTBE - METHYL TERTIARY-BUTYL ETHER

VC - VINYL CHLORIDE

NPB - n PROPYL BENZENE

124TMB - 1,2,4-TRIMETHYLBENZENE

135TMB - 1,3,5-TRIMETHYLBENZENE

IPB - ISOPROPYLBENZENE

4-IPT - 4-ISOPROPYLTOLUENE

-- - NOT ANALYZED

EB - ETHYLBENZENE

Table 3

**GROUND-WATER REMEDIAL ACTION
FOCUSED PUMP AND TREAT SYSTEM
ROWE INDUSTRIES SUPERFUND SITE
SAG HARBOR, NEW YORK**

**Recovery Well FRW-3 VOC Concentrations, micrograms per liter
January 1, 2007 through October 3, 2007**

FRW-3											
Date	PCE	TCE	12DCE	TCA	IPB	NPB	O-XYL	11DCA	TOLUENE	VC	SBB
1/10/2007	31	3.4	290	ND<1	2.5	1.6	ND<1	0.97	68	27	ND<1
3/7/2007	120	16	110	18	ND<1	ND<1	ND<1	ND<1	26	ND<1	ND<1
3/28/2007	12	1.3	ND<1	ND<1	0.97	ND<1	ND<1	ND<1	58	ND<1	ND<1
4/3/2007	11	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	49	ND<1	ND<1
5/1/2007	190	28	280	10	ND<1	ND<1	ND<1	3.1	160	10	ND<1
6/7/2007	340	19	180	17	ND<1	ND<1	ND<1	13	35	110	ND<1
7/12/2007	620	33	44	33	2.4	0.91	ND<1	11	5.6	11	ND<1
8/8/2007	610	44	170	33	1.5	ND<1	ND<1	9.3	3	6.9	ND<1
9/12/2007	220	19	170	6.1	1.9	ND<1	ND<1	8.1	14	8.2	0.84
10/3/2007	1.9	20	11	ND<1	2.1	1	0.61	ND<1	4.7	9.9	ND<1

PCE- TETRACHLOROETHYLENE

TCA - 1,1,1-TRICHLOROETHANE

11 2-TCA - 1,1,2-TRICHLOROETHANE

TCE - TRICHLOROETHENE

12DCE - cis1,2-DICHLOROETHENE

MTBE - METHYL TERTIARY-BUTYL ETHER

VC - VINYL CHLORIDE

NPB - n PROPYLBENZENE

O-XYL - O-XYLENE

11DCA - 1,1 DICHLOROETHANE

IPB - ISOPROPYLBENZENE

4-IPT - 4-ISOPROPYLTOLUENE

-- - NOT ANALYZED

SSB - SEC-BUTYLBENZENE

Table 4

**GROUND-WATER REMEDIAL ACTION
FOCUSED PUMP AND TREAT SYSTEM
ROWE INDUSTRIES SUPERFUND SITE
SAG HARBOR, NEW YORK**

**Recovery Well FRW-4 VOC Concentrations, micrograms per liter
January 1, 2007 through October 3, 2007**

FRW-4											
Date	PCE	TCE	12DCE	TCA	IPB	NPB	124TMB	135TMB	TOLUENE	VC	BUTAN
1/10/2007	51	1.7	12	0.97	ND<1	ND<1	ND<1	ND<1	1.4	2.2	ND<1
3/7/2007	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
3/28/2007	ND<1	0.90	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
4/3/2007	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
5/1/2007	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
6/7/2007	8.0	ND<1	2.4	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	120
7/12/2007	2.1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
8/8/2007	4.8	2.5	5.4	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
9/12/2007	6.9	ND<1	9	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	1.3	ND<1
10/3/2007	4.5	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1

PCE- TETRACHLOROETHYLENE

TCA - 1,1,1-TRICHLOROETHANE

11 2-TCA - 1,1,2-TRICHLOROETHANE

TCE - TRICHLOROETHENE

12DCE - cis1,2-DICHLOROETHENE

MTBE - METHYL TERTIARY-BUTYL ETHER

VC - VINYL CHLORIDE

NPB - n PROPYL BENZENE

124TMB - 1,2,4-TRIMETHYLBENZENE

135TMB - 1,3,5-TRIMETHYLBENZENE

IPB - ISOPROPYLBENZENE

4-IPT - 4-ISOPROPYLTOLUENE

-- - NOT ANALYZED

BUTAN - 2-BUTANONE

11/16/2007

Influent (C)

H:\JOBFILES...\FOCUSPT\QUARTERLY REPORTS\3rd qtr 2007

Table 5

**GROUND-WATER REMEDIAL ACTION
FOCUSED PUMP AND TREAT SYSTEM
ROWE INDUSTRIES SUPERFUND SITE
SAG HARBOR, NEW YORK**


Summary of Recovery Well Field Parameters

Well ID	Date	Field Parameters					
		pH	DO (mg/l)	ORP (mV)	Temp. (°C)	Cond. (mS/cm)	Turbidity (NTU)
FRW-1	9/12/2007	7.0	0.65	-129	21.5	0.46	20
	10/3/2007	6.1	7.13	22	16.2	0.29	37
FRW-2	9/12/2007	6.6	1.20	-65	22.0	0.33	59
	10/3/2007	6.3	6.59	-46	19.4	0.38	33
FRW-3	9/12/2007	6.0	0.50	-23	15.8	0.28	44
	10/3/2007	6.3	6.85	-31	17.8	0.35	24
FRW-4	9/12/2007	5.9	0.70	28	15.0	0.28	71
	10/3/2007	6.5	6.61	-58	17.6	0.23	10
Preferred Parameter Range for Degradation of COCs		6 to 8	< 1 (lower is better)	< -50 (lower is better)	25 to 35	---	---

GRAPHS


GRAPH 1
GROUND WATER REMEDIAL ACTION
FOCUSED PUMP AND TREAT SYSTEM
FORMER ROWE INDUSTRIES SUPERFUND SITE
SAG HARBOR, NEW YORK

CHLORINATED VOC CONCENTRATIONS IN RECOVERED GROUND WATER FROM FRW-1
January 1, 2007 to October 3, 2007



GRAPH 2
GROUND WATER REMEDIAL ACTION
FOCUSED PUMP AND TREAT SYSTEM
FORMER ROWE INDUSTRIES SUPERFUND SITE
SAG HARBOR, NEW YORK


CHLORINATED VOC CONCENTRATIONS IN RECOVERED GROUND WATER FROM FRW-2
January 1, 2007 to October 3, 2007



GRAPH 3
GROUND WATER REMEDIAL ACTION
FOCUSED PUMP AND TREAT SYSTEM
FORMER ROWE INDUSTRIES SUPERFUND SITE
SAG HARBOR, NEW YORK

CHLORINATED VOC CONCENTRATIONS IN RECOVERED GROUND WATER FROM FRW-3


January 1, 2007 to October 3, 2007





GRAPH 4
GROUND WATER REMEDIAL ACTION
FOCUSED PUMP AND TREAT SYSTEM
FORMER ROWE INDUSTRIES SUPERFUND SITE
SAG HARBOR, NEW YORK

CHLORINATED VOC CONCENTRATIONS IN RECOVERED GROUND WATER FROM FRW-4

January 1, 2007 to October 3, 2007



FIGURE



LEGEND	
	PROPERTY BOUNDARY
	CHAIN LINK FENCE
	APPROXIMATE LOCATION OF BELOW GRADE SVE PIPING
	APPROXIMATE LOCATION OF BELOW GRADE AIR SPARGE PIPING
	APPROXIMATE LOCATION OF FOCUSED REMEDIATION GROUND-WATER RECOVERY PIPING
	MONITOR WELL LOCATION
	SHALLOW AIR SPARGE WELL LOCATION
	DEEP AIR SPARGE WELL LOCATION
	SVE WELL LOCATION
	FOCUSED REMEDIATION RECOVERY WELL LOCATION



GROUND-WATER REMEDIATION DESIGN FORMER ROWE INDUSTRIES SITE SAG HARBOR, NEW YORK				
FORMER DRUM STORAGE AREA SITE MAP				
DATE	REVISED	PREPARED BY: LEGGETTE, BRASHEARS & GRAHAM, INC.		
		Professional Ground-Water and Environmental Engineering Services		
		4 Research Drive		
		Suite 301		
		Shelton, Connecticut 06484		
		(203) 929-8555		
DRAWN:	RAC	CHECKED:	MG	DATE: 10/17/07
				FIGURE: 1

APPENDIX I
THIRD QUARTER 2007 LABORATORY ANALYTICAL REPORTS

Monday, August 13, 2007

Mark Goldberg
Leggette Brashears & Graham Inc.
4 Research Drive
Suite 301
Shelton, CT 06484

TEL: (203) 929-8555
FAX (203) 926-9140

RE: Rowe Sag Harbor, NY

Order No.: 0708103

Dear Mark Goldberg:

American Analytical Laboratories, LLC. received 4 sample(s) on 8/10/2007 for the analyses presented in the following report.


Samples were analyzed in accordance with the test procedures documented on the chain of custody and detailed throughout the text of this report.

The limits provided in the data package are analytical reporting limits and not Federal or Local mandated values to which the sample results should be compared.

There were no problems with the analyses and all data for associated QC met laboratory specifications. If there are any exceptions a Case Narrative is provided in the report.

If you have any questions regarding these tests results, please do not hesitate to call (631) 454-6100 or email me directly at lbeyer@american-analytical.com.

Sincerely,



Lori Beyer
Lab Director

American Analytical Laboratories, LLC.**Date:** 13-Aug-07**CLIENT:** Leggette Brashears & Graham Inc.**Project:** Rowe Sag Harbor, NY**Lab Order:** 0708103**Work Order Sample Summary**

Lab Sample ID	Client Sample ID	Tag Number	Date Collected	Date Received
0708103-01A	080807:1000 FRW-1		8/8/2007 10:00:00 AM	8/10/2007
0708103-02A	080807:1005 FRW-2		8/8/2007 10:05:00 AM	8/10/2007
0708103-03A	080807:1010 FRW-3		8/8/2007 10:10:00 AM	8/10/2007
0708103-04A	080807:1015 FRW-4		8/8/2007 10:15:00 AM	8/10/2007

TAG # / COC

CHAIN OF CUSTODY / REQUEST FOR ANALYSIS DOCUMENT

CLIENT NAME/ADDRESS	CONTACT:		
LBG Inc. 4 Research dr. suite 301 Shelton, Ct 06484	Mark Goldberg		
		SAMPLER (SIGNATURE)	SAMPLE(S) SEALED
		SAMPLER NAME (PRINT)	CORRECT CONTAINER(S)
			YES/NO
			YES/NO

[illegible]

MATRIX S=SOIL; L=LIQUID; SL=SLUDGE; A-AIR; W=WIFE; P=PAINT CHIPS; B=BULK MATERIAL TYPE G=GRAB; C=COMPOSITE, SS=SPLIT SPOON		TURNAROUND REQUIRED: NORMAL ☒ STAT ☐ BY / /		COOLER TEMPERATURE:	
RELINQUISHED BY (SIGNATURE) <i>Kitti Deak</i>	DATE 8/26/07 TIME 15:00	PRINTED NAME <i>Kitt Deak</i>	RECEIVED BY LAB (SIGNATURE) <i>Jan By</i>	DATE 8/10/07 TIME 10:50	COMMENTS / INSTRUCTIONS * only 2 was rec'd VHS only, left Kitt Deak
RELINQUISHED BY (SIGNATURE)	DATE TIME	PRINTED NAME	RECEIVED BY LAB (SIGNATURE)	DATE TIME	PRINTED NAME

WHITE-OFFICE / CANARY-LAB / PINK-SAMPLE CUSTODIAN / GOI DENBROD-CIENT

AMERICAN ANALYTICAL LABORATORIES, LLC

56 TOLEDO STREET

FARMINGDALE, NEW YORK 11735

TELEPHONE: (631) 454-6100

FAX: (631) 454-8027

DATA REPORTING QUALIFIERS

For reporting results, the following "Results Qualifiers" are used:

Value	If the result is greater than or equal to the detection limit, report the value
U	Indicates the compound was analyzed for but was not detected. Report the minimum detection limit for the sample with the U, i.e. "10U". This is not necessarily the instrument detection limit attainable for this particular sample based on any concentration or dilution that may have been required.
J	Indicates an estimated value. The flag is used: (1) When estimating a concentration for a tentatively identified compound (library search hits, where a 1:1 response is assumed.) (2) When the mass spectral data indicated the identification, however the result was less than the specified detection limit greater than zero. If the detection limit was 10ug/L and a concentration of 3ug/L was calculated report as 3J. This flag is used when similar situations arise on any organic parameter i.e. Pesticide, PCBs and others.
B	Indicates the analyte was found in the blank as well as the sample report "10B".
E	Indicates the analytes concentration exceeds the calibrated range of the instrument for that specific analysis.
D	This flag identifies all compounds identified in an analysis at a secondary dilution factor.
P	This flag is used for Pesticide / PCB target analyte when there is >25% difference for detected concentrations between the two GC Columns. The higher of the two values is reported on Form I and flagged with a "P".
N	This flag indicates presumptive evidence of a compound. This is only used for tentatively identified compounds (TICs), where the identification is based on a mass spectral library search. It applies to all TIC results. For generic characterization of a TIC, such as chlorinated hydrocarbon, the flag is not used.
H	Indicates sample was received and/or analyzed outside of The method allowable holding time

American Analytical Laboratories, LLC.

Date: 13-Aug-07

CLIENT: Leggette Brashears & Graham Inc.
Lab Order: 0708103
Project: Rowe Sag Harbor, NY
Lab ID: 0708103-01A

Client Sample ID: 080807:1000 FRW-1
Tag Number:
Collection Date: 8/8/2007 10:00:00 AM
Matrix: LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILE SW-846 8260 + MTBE & FREON113		SW8260B		Analyst: MB		
1,1,1,2-Tetrachloroethane	U	1.0		µg/L	1	8/10/2007 2:54:00 PM
1,1,1-Trichloroethane	21	1.0		µg/L	1	8/10/2007 2:54:00 PM
1,1,2,2-Tetrachloroethane	U	1.0		µg/L	1	8/10/2007 2:54:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	U	1.0		µg/L	1	8/10/2007 2:54:00 PM
1,1,2-Trichloroethane	U	1.0		µg/L	1	8/10/2007 2:54:00 PM
1,1-Dichloroethane	2.1	1.0		µg/L	1	8/10/2007 2:54:00 PM
1,1-Dichloroethene	U	1.0		µg/L	1	8/10/2007 2:54:00 PM
1,1-Dichloropropene	U	1.0		µg/L	1	8/10/2007 2:54:00 PM
1,2,3-Trichlorobenzene	U	1.0		µg/L	1	8/10/2007 2:54:00 PM
1,2,3-Trichloropropane	U	1.0		µg/L	1	8/10/2007 2:54:00 PM
1,2,4-Trichlorobenzene	U	1.0		µg/L	1	8/10/2007 2:54:00 PM
1,2,4-Trimethylbenzene	U	1.0		µg/L	1	8/10/2007 2:54:00 PM
1,2-Dibromo-3-chloropropane	U	1.0		µg/L	1	8/10/2007 2:54:00 PM
1,2-Dibromoethane	U	1.0		µg/L	1	8/10/2007 2:54:00 PM
1,2-Dichlorobenzene	U	1.0		µg/L	1	8/10/2007 2:54:00 PM
1,2-Dichloroethane	U	1.0		µg/L	1	8/10/2007 2:54:00 PM
1,2-Dichloropropane	U	1.0		µg/L	1	8/10/2007 2:54:00 PM
1,3,5-Trimethylbenzene	U	1.0		µg/L	1	8/10/2007 2:54:00 PM
1,3-Dichlorobenzene	U	1.0		µg/L	1	8/10/2007 2:54:00 PM
1,3-dichloropropane	U	1.0		µg/L	1	8/10/2007 2:54:00 PM
1,4-Dichlorobenzene	U	1.0		µg/L	1	8/10/2007 2:54:00 PM
2,2-Dichloropropane	U	1.0		µg/L	1	8/10/2007 2:54:00 PM
2-Butanone	U	3.0		µg/L	1	8/10/2007 2:54:00 PM
2-Chloroethyl vinyl ether	U	1.0		µg/L	1	8/10/2007 2:54:00 PM
2-Chlorotoluene	U	1.0		µg/L	1	8/10/2007 2:54:00 PM
2-Hexanone	U	2.0		µg/L	1	8/10/2007 2:54:00 PM
4-Chlorotoluene	U	1.0		µg/L	1	8/10/2007 2:54:00 PM
4-Isopropyltoluene	U	1.0		µg/L	1	8/10/2007 2:54:00 PM
4-Methyl-2-pentanone	U	2.0		µg/L	1	8/10/2007 2:54:00 PM
Acetone	U	2.0		µg/L	1	8/10/2007 2:54:00 PM
Benzene	U	1.0		µg/L	1	8/10/2007 2:54:00 PM
Bromobenzene	U	1.0		µg/L	1	8/10/2007 2:54:00 PM
Bromochloromethane	U	1.0		µg/L	1	8/10/2007 2:54:00 PM
Bromodichloromethane	U	1.0		µg/L	1	8/10/2007 2:54:00 PM
Bromoform	U	1.0		µg/L	1	8/10/2007 2:54:00 PM
Bromomethane	U	1.0		µg/L	1	8/10/2007 2:54:00 PM
Carbon disulfide	U	1.0		µg/L	1	8/10/2007 2:54:00 PM
Carbon tetrachloride	U	1.0		µg/L	1	8/10/2007 2:54:00 PM
Chlorobenzene	U	1.0		µg/L	1	8/10/2007 2:54:00 PM

Qualifiers:	B	Analyte detected in the associated Method Blank	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	S	Spike Recovery outside accepted recovery limits
	U	Indicates the compound was analyzed for but not detected	X	Value exceeds Maximum Contaminant Level

American Analytical Laboratories, LLC.

Date: 13-Aug-07

CLIENT: Leggette Brashears & Graham Inc.
 Lab Order: 0708103
 Project: Rowe Sag Harbor, NY
 Lab ID: 0708103-01A

Client Sample ID: 080807:1000 FRW-1
 Tag Number:
 Collection Date: 8/8/2007 10:00:00 AM
 Matrix: LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILE SW-846 8260 + MTBE & FREON113		SW8260B		Analyst: MB		
Chloroethane	U	1.0		µg/L	1	8/10/2007 2:54:00 PM
Chloroform	U	1.0		µg/L	1	8/10/2007 2:54:00 PM
Chloromethane	U	1.0		µg/L	1	8/10/2007 2:54:00 PM
cis-1,2-Dichloroethene	8.2	1.0		µg/L	1	8/10/2007 2:54:00 PM
cis-1,3-Dichloropropene	U	1.0		µg/L	1	8/10/2007 2:54:00 PM
Dibromochloromethane	U	1.0		µg/L	1	8/10/2007 2:54:00 PM
Dibromomethane	U	1.0		µg/L	1	8/10/2007 2:54:00 PM
Dichlorodifluoromethane	U	1.0		µg/L	1	8/10/2007 2:54:00 PM
Ethylbenzene	U	1.0		µg/L	1	8/10/2007 2:54:00 PM
Hexachlorobutadiene	U	1.0		µg/L	1	8/10/2007 2:54:00 PM
Isopropylbenzene	U	1.0		µg/L	1	8/10/2007 2:54:00 PM
m,p-Xylene	U	2.0		µg/L	1	8/10/2007 2:54:00 PM
Methyl tert-butyl ether	U	1.0		µg/L	1	8/10/2007 2:54:00 PM
Methylene chloride	U	1.0		µg/L	1	8/10/2007 2:54:00 PM
Naphthalene	U	1.0		µg/L	1	8/10/2007 2:54:00 PM
n-Butylbenzene	U	1.0		µg/L	1	8/10/2007 2:54:00 PM
n-Propylbenzene	U	1.0		µg/L	1	8/10/2007 2:54:00 PM
o-Xylene	U	1.0		µg/L	1	8/10/2007 2:54:00 PM
sec-Butylbenzene	U	1.0		µg/L	1	8/10/2007 2:54:00 PM
Styrene	U	1.0		µg/L	1	8/10/2007 2:54:00 PM
tert-Butylbenzene	U	1.0		µg/L	1	8/10/2007 2:54:00 PM
Tetrachloroethene	300	1.0		µg/L	1	8/10/2007 2:54:00 PM
Toluene	U	1.0		µg/L	1	8/10/2007 2:54:00 PM
trans-1,2-Dichloroethene	U	1.0		µg/L	1	8/10/2007 2:54:00 PM
trans-1,3-Dichloropropene	U	1.0		µg/L	1	8/10/2007 2:54:00 PM
Trichloroethene	7.2	1.0		µg/L	1	8/10/2007 2:54:00 PM
Trichlorofluoromethane	U	1.0		µg/L	1	8/10/2007 2:54:00 PM
Vinyl acetate	U	1.0		µg/L	1	8/10/2007 2:54:00 PM
Vinyl chloride	6.9	1.0		µg/L	1	8/10/2007 2:54:00 PM
Surr: 4-Bromofluorobenzene	99.8	54-134		%REC	1	8/10/2007 2:54:00 PM
Surr: Dibromofluoromethane	102	52-132		%REC	1	8/10/2007 2:54:00 PM
Surr: Toluene-d8	95.8	51-127		%REC	1	8/10/2007 2:54:00 PM

Qualifiers:	B	Analyte detected in the associated Method Blank	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	S	Spike Recovery outside accepted recovery limits
	U	Indicates the compound was analyzed for but not detected	X	Value exceeds Maximum Contaminant Level

American Analytical Laboratories, LLC.

Date: 13-Aug-07

CLIENT: Leggette Brashears & Graham Inc.
Lab Order: 0708103
Project: Rowe Sag Harbor, NY
Lab ID: 0708103-02A

Client Sample ID: 080807:1005 FRW-2
Tag Number:
Collection Date: 8/8/2007 10:05:00 AM
Matrix: LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILE SW-846 8260 + MTBE & FREON113		SW8260B		Analyst: MB		
1,1,1,2-Tetrachloroethane	U	1.0		µg/L	1	8/10/2007 3:32:00 PM
1,1,1-Trichloroethane	U	1.0		µg/L	1	8/10/2007 3:32:00 PM
1,1,2,2-Tetrachloroethane	U	1.0		µg/L	1	8/10/2007 3:32:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	U	1.0		µg/L	1	8/10/2007 3:32:00 PM
1,1,2-Trichloroethane	U	1.0		µg/L	1	8/10/2007 3:32:00 PM
1,1-Dichloroethane	U	1.0		µg/L	1	8/10/2007 3:32:00 PM
1,1-Dichloroethene	U	1.0		µg/L	1	8/10/2007 3:32:00 PM
1,1-Dichloropropene	U	1.0		µg/L	1	8/10/2007 3:32:00 PM
1,2,3-Trichlorobenzene	U	1.0		µg/L	1	8/10/2007 3:32:00 PM
1,2,3-Trichloropropane	U	1.0		µg/L	1	8/10/2007 3:32:00 PM
1,2,4-Trichlorobenzene	U	1.0		µg/L	1	8/10/2007 3:32:00 PM
1,2,4-Trimethylbenzene	U	1.0		µg/L	1	8/10/2007 3:32:00 PM
1,2-Dibromo-3-chloropropane	U	1.0		µg/L	1	8/10/2007 3:32:00 PM
1,2-Dibromoethane	U	1.0		µg/L	1	8/10/2007 3:32:00 PM
1,2-Dichlorobenzene	U	1.0		µg/L	1	8/10/2007 3:32:00 PM
1,2-Dichloroethane	U	1.0		µg/L	1	8/10/2007 3:32:00 PM
1,2-Dichloropropane	U	1.0		µg/L	1	8/10/2007 3:32:00 PM
1,3,5-Trimethylbenzene	U	1.0		µg/L	1	8/10/2007 3:32:00 PM
1,3-Dichlorobenzene	U	1.0		µg/L	1	8/10/2007 3:32:00 PM
1,3-dichloropropane	U	1.0		µg/L	1	8/10/2007 3:32:00 PM
1,4-Dichlorobenzene	U	1.0		µg/L	1	8/10/2007 3:32:00 PM
2,2-Dichloropropane	U	1.0		µg/L	1	8/10/2007 3:32:00 PM
2-Butanone	U	3.0		µg/L	1	8/10/2007 3:32:00 PM
2-Chloroethyl vinyl ether	U	1.0		µg/L	1	8/10/2007 3:32:00 PM
2-Chlorotoluene	U	1.0		µg/L	1	8/10/2007 3:32:00 PM
2-Hexanone	U	2.0		µg/L	1	8/10/2007 3:32:00 PM
4-Chlorotoluene	U	1.0		µg/L	1	8/10/2007 3:32:00 PM
4-Isopropyltoluene	U	1.0		µg/L	1	8/10/2007 3:32:00 PM
4-Methyl-2-pentanone	U	2.0		µg/L	1	8/10/2007 3:32:00 PM
Acetone	U	2.0		µg/L	1	8/10/2007 3:32:00 PM
Benzene	U	1.0		µg/L	1	8/10/2007 3:32:00 PM
Bromobenzene	U	1.0		µg/L	1	8/10/2007 3:32:00 PM
Bromochloromethane	U	1.0		µg/L	1	8/10/2007 3:32:00 PM
Bromodichloromethane	U	1.0		µg/L	1	8/10/2007 3:32:00 PM
Bromoform	U	1.0		µg/L	1	8/10/2007 3:32:00 PM
Bromomethane	U	1.0		µg/L	1	8/10/2007 3:32:00 PM
Carbon disulfide	U	1.0		µg/L	1	8/10/2007 3:32:00 PM
Carbon tetrachloride	U	1.0		µg/L	1	8/10/2007 3:32:00 PM
Chlorobenzene	U	1.0		µg/L	1	8/10/2007 3:32:00 PM

Qualifiers:	B	Analyte detected in the associated Method Blank	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	S	Spike Recovery outside accepted recovery limits
	U	Indicates the compound was analyzed for but not detected	X	Value exceeds Maximum Contaminant Level

American Analytical Laboratories, LLC.

Date: 13-Aug-07

CLIENT: Leggette Brashears & Graham Inc.
Lab Order: 0708103
Project: Rowe Sag Harbor, NY
Lab ID: 0708103-02A

Client Sample ID: 080807:1005 FRW-2
Tag Number:
Collection Date: 8/8/2007 10:05:00 AM
Matrix: LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILE SW-846 8260 + MTBE & FREON113		SW8260B		Analyst: MB		
Chloroethane	U	1.0		µg/L	1	8/10/2007 3:32:00 PM
Chloroform	U	1.0		µg/L	1	8/10/2007 3:32:00 PM
Chloromethane	U	1.0		µg/L	1	8/10/2007 3:32:00 PM
cis-1,2-Dichloroethene	40	1.0		µg/L	1	8/10/2007 3:32:00 PM
cis-1,3-Dichloropropene	U	1.0		µg/L	1	8/10/2007 3:32:00 PM
Dibromochloromethane	U	1.0		µg/L	1	8/10/2007 3:32:00 PM
Dibromomethane	U	1.0		µg/L	1	8/10/2007 3:32:00 PM
Dichlorodifluoromethane	U	1.0		µg/L	1	8/10/2007 3:32:00 PM
Ethylbenzene	U	1.0		µg/L	1	8/10/2007 3:32:00 PM
Hexachlorobutadiene	U	1.0		µg/L	1	8/10/2007 3:32:00 PM
Isopropylbenzene	1.9	1.0		µg/L	1	8/10/2007 3:32:00 PM
m,p-Xylene	U	2.0		µg/L	1	8/10/2007 3:32:00 PM
Methyl tert-butyl ether	U	1.0		µg/L	1	8/10/2007 3:32:00 PM
Methylene chloride	U	1.0		µg/L	1	8/10/2007 3:32:00 PM
Naphthalene	U	1.0		µg/L	1	8/10/2007 3:32:00 PM
n-Butylbenzene	U	1.0		µg/L	1	8/10/2007 3:32:00 PM
n-Propylbenzene	U	1.0		µg/L	1	8/10/2007 3:32:00 PM
o-Xylene	U	1.0		µg/L	1	8/10/2007 3:32:00 PM
sec-Butylbenzene	U	1.0		µg/L	1	8/10/2007 3:32:00 PM
Styrene	U	1.0		µg/L	1	8/10/2007 3:32:00 PM
tert-Butylbenzene	U	1.0		µg/L	1	8/10/2007 3:32:00 PM
Tetrachloroethene	1.3	1.0		µg/L	1	8/10/2007 3:32:00 PM
Toluene	44	1.0		µg/L	1	8/10/2007 3:32:00 PM
trans-1,2-Dichloroethene	U	1.0		µg/L	1	8/10/2007 3:32:00 PM
trans-1,3-Dichloropropene	U	1.0		µg/L	1	8/10/2007 3:32:00 PM
Trichloroethene	U	1.0		µg/L	1	8/10/2007 3:32:00 PM
Trichlorofluoromethane	U	1.0		µg/L	1	8/10/2007 3:32:00 PM
Vinyl acetate	U	1.0		µg/L	1	8/10/2007 3:32:00 PM
Vinyl chloride	10	1.0		µg/L	1	8/10/2007 3:32:00 PM
Surr: 4-Bromofluorobenzene	99.1	54-134		%REC	1	8/10/2007 3:32:00 PM
Surr: Dibromofluoromethane	102	52-132		%REC	1	8/10/2007 3:32:00 PM
Surr: Toluene-d8	96.1	51-127		%REC	1	8/10/2007 3:32:00 PM

Qualifiers:	B	Analyte detected in the associated Method Blank	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	S	Spike Recovery outside accepted recovery limits
	U	Indicates the compound was analyzed for but not detected	X	Value exceeds Maximum Contaminant Level

American Analytical Laboratories, LLC.

Date: 13-Aug-07

CLIENT: Leggette Brashears & Graham Inc.
Lab Order: 0708103
Project: Rowe Sag Harbor, NY
Lab ID: 0708103-03A

Client Sample ID: 080807:1010 FRW-3
Tag Number:
Collection Date: 8/8/2007 10:10:00 AM
Matrix: LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILE SW-846 8260 + MTBE & FREON113		SW8260B		Analyst: MB		
1,1,1,2-Tetrachloroethane	U	1.0		µg/L	1	8/10/2007 4:10:00 PM
1,1,1-Trichloroethane	33	1.0		µg/L	1	8/10/2007 4:10:00 PM
1,1,2,2-Tetrachloroethane	U	1.0		µg/L	1	8/10/2007 4:10:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	U	1.0		µg/L	1	8/10/2007 4:10:00 PM
1,1,2-Trichloroethane	U	1.0		µg/L	1	8/10/2007 4:10:00 PM
1,1-Dichloroethane	9.3	1.0		µg/L	1	8/10/2007 4:10:00 PM
1,1-Dichloroethene	U	1.0		µg/L	1	8/10/2007 4:10:00 PM
1,1-Dichloropropene	U	1.0		µg/L	1	8/10/2007 4:10:00 PM
1,2,3-Trichlorobenzene	U	1.0		µg/L	1	8/10/2007 4:10:00 PM
1,2,3-Trichloropropane	U	1.0		µg/L	1	8/10/2007 4:10:00 PM
1,2,4-Trichlorobenzene	U	1.0		µg/L	1	8/10/2007 4:10:00 PM
1,2,4-Trimethylbenzene	U	1.0		µg/L	1	8/10/2007 4:10:00 PM
1,2-Dibromo-3-chloropropane	U	1.0		µg/L	1	8/10/2007 4:10:00 PM
1,2-Dibromoethane	U	1.0		µg/L	1	8/10/2007 4:10:00 PM
1,2-Dichlorobenzene	U	1.0		µg/L	1	8/10/2007 4:10:00 PM
1,2-Dichloroethane	U	1.0		µg/L	1	8/10/2007 4:10:00 PM
1,2-Dichloropropane	U	1.0		µg/L	1	8/10/2007 4:10:00 PM
1,3,5-Trimethylbenzene	U	1.0		µg/L	1	8/10/2007 4:10:00 PM
1,3-Dichlorobenzene	U	1.0		µg/L	1	8/10/2007 4:10:00 PM
1,3-dichloropropane	U	1.0		µg/L	1	8/10/2007 4:10:00 PM
1,4-Dichlorobenzene	U	1.0		µg/L	1	8/10/2007 4:10:00 PM
2,2-Dichloropropane	U	1.0		µg/L	1	8/10/2007 4:10:00 PM
2-Butanone	U	3.0		µg/L	1	8/10/2007 4:10:00 PM
2-Chloroethyl vinyl ether	U	1.0		µg/L	1	8/10/2007 4:10:00 PM
2-Chlorotoluene	U	1.0		µg/L	1	8/10/2007 4:10:00 PM
2-Hexanone	U	2.0		µg/L	1	8/10/2007 4:10:00 PM
4-Chlorotoluene	U	1.0		µg/L	1	8/10/2007 4:10:00 PM
4-Isopropyltoluene	U	1.0		µg/L	1	8/10/2007 4:10:00 PM
4-Methyl-2-pentanone	U	2.0		µg/L	1	8/10/2007 4:10:00 PM
Acetone	U	2.0		µg/L	1	8/10/2007 4:10:00 PM
Benzene	U	1.0		µg/L	1	8/10/2007 4:10:00 PM
Bromobenzene	U	1.0		µg/L	1	8/10/2007 4:10:00 PM
Bromochloromethane	U	1.0		µg/L	1	8/10/2007 4:10:00 PM
Bromodichloromethane	U	1.0		µg/L	1	8/10/2007 4:10:00 PM
Bromoform	U	1.0		µg/L	1	8/10/2007 4:10:00 PM
Bromomethane	U	1.0		µg/L	1	8/10/2007 4:10:00 PM
Carbon disulfide	U	1.0		µg/L	1	8/10/2007 4:10:00 PM
Carbon tetrachloride	U	1.0		µg/L	1	8/10/2007 4:10:00 PM
Chlorobenzene	U	1.0		µg/L	1	8/10/2007 4:10:00 PM

Qualifiers:	B	Analyte detected in the associated Method Blank	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	S	Spike Recovery outside accepted recovery limits
	U	Indicates the compound was analyzed for but not detected	X	Value exceeds Maximum Contaminant Level

American Analytical Laboratories, LLC.

Date: 13-Aug-07

CLIENT: Leggette Brashears & Graham Inc.
Lab Order: 0708103
Project: Rowe Sag Harbor, NY
Lab ID: 0708103-03A

Client Sample ID: 080807:1010 FRW-3
Tag Number:
Collection Date: 8/8/2007 10:10:00 AM
Matrix: LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILE SW-846 8260 + MTBE & FREON113		SW8260B		Analyst: MB		
Chloroethane	U	1.0		µg/L	1	8/10/2007 4:10:00 PM
Chloroform	U	1.0		µg/L	1	8/10/2007 4:10:00 PM
Chloromethane	U	1.0		µg/L	1	8/10/2007 4:10:00 PM
cis-1,2-Dichloroethene	170	1.0		µg/L	1	8/10/2007 4:10:00 PM
cis-1,3-Dichloropropene	U	1.0		µg/L	1	8/10/2007 4:10:00 PM
Dibromochloromethane	U	1.0		µg/L	1	8/10/2007 4:10:00 PM
Dibromomethane	U	1.0		µg/L	1	8/10/2007 4:10:00 PM
Dichlorodifluoromethane	U	1.0		µg/L	1	8/10/2007 4:10:00 PM
Ethylbenzene	U	1.0		µg/L	1	8/10/2007 4:10:00 PM
Hexachlorobutadiene	U	1.0		µg/L	1	8/10/2007 4:10:00 PM
Isopropylbenzene	1.5	1.0		µg/L	1	8/10/2007 4:10:00 PM
m,p-Xylene	U	2.0		µg/L	1	8/10/2007 4:10:00 PM
Methyl tert-butyl ether	U	1.0		µg/L	1	8/10/2007 4:10:00 PM
Methylene chloride	U	1.0		µg/L	1	8/10/2007 4:10:00 PM
Naphthalene	U	1.0		µg/L	1	8/10/2007 4:10:00 PM
n-Butylbenzene	U	1.0		µg/L	1	8/10/2007 4:10:00 PM
n-Propylbenzene	U	1.0		µg/L	1	8/10/2007 4:10:00 PM
o-Xylene	U	1.0		µg/L	1	8/10/2007 4:10:00 PM
sec-Butylbenzene	U	1.0		µg/L	1	8/10/2007 4:10:00 PM
Styrene	U	1.0		µg/L	1	8/10/2007 4:10:00 PM
tert-Butylbenzene	U	1.0		µg/L	1	8/10/2007 4:10:00 PM
Tetrachloroethene	610	1.0		µg/L	1	8/10/2007 4:10:00 PM
Toluene	3.0	1.0		µg/L	1	8/10/2007 4:10:00 PM
trans-1,2-Dichloroethene	U	1.0		µg/L	1	8/10/2007 4:10:00 PM
trans-1,3-Dichloropropene	U	1.0		µg/L	1	8/10/2007 4:10:00 PM
Trichloroethene	44	1.0		µg/L	1	8/10/2007 4:10:00 PM
Trichlorofluoromethane	U	1.0		µg/L	1	8/10/2007 4:10:00 PM
Vinyl acetate	U	1.0		µg/L	1	8/10/2007 4:10:00 PM
Vinyl chloride	6.9	1.0		µg/L	1	8/10/2007 4:10:00 PM
Surr: 4-Bromofluorobenzene	101	54-134		%REC	1	8/10/2007 4:10:00 PM
Surr: Dibromofluoromethane	102	52-132		%REC	1	8/10/2007 4:10:00 PM
Surr: Toluene-d8	96.6	51-127		%REC	1	8/10/2007 4:10:00 PM

Qualifiers:	B	Analyte detected in the associated Method Blank	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	S	Spike Recovery outside accepted recovery limits
	U	Indicates the compound was analyzed for but not detected	X	Value exceeds Maximum Contaminant Level

American Analytical Laboratories, LLC.

Date: 13-Aug-07

CLIENT: Leggette Brashears & Graham Inc.
Lab Order: 0708103
Project: Rowe Sag Harbor, NY
Lab ID: 0708103-04A

Client Sample ID: 080807:1015 FRW-4
Tag Number:
Collection Date: 8/8/2007 10:15:00 AM
Matrix: LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILE SW-846 8260 + MTBE & FREON113		SW8260B		Analyst: MB		
1,1,1,2-Tetrachloroethane	U	1.0		µg/L	1	8/10/2007 4:48:00 PM
1,1,1-Trichloroethane	U	1.0		µg/L	1	8/10/2007 4:48:00 PM
1,1,2,2-Tetrachloroethane	U	1.0		µg/L	1	8/10/2007 4:48:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	U	1.0		µg/L	1	8/10/2007 4:48:00 PM
1,1,2-Trichloroethane	U	1.0		µg/L	1	8/10/2007 4:48:00 PM
1,1-Dichloroethane	U	1.0		µg/L	1	8/10/2007 4:48:00 PM
1,1-Dichloroethene	U	1.0		µg/L	1	8/10/2007 4:48:00 PM
1,1-Dichloropropene	U	1.0		µg/L	1	8/10/2007 4:48:00 PM
1,2,3-Trichlorobenzene	U	1.0		µg/L	1	8/10/2007 4:48:00 PM
1,2,3-Trichloropropane	U	1.0		µg/L	1	8/10/2007 4:48:00 PM
1,2,4-Trichlorobenzene	U	1.0		µg/L	1	8/10/2007 4:48:00 PM
1,2,4-Trimethylbenzene	U	1.0		µg/L	1	8/10/2007 4:48:00 PM
1,2-Dibromo-3-chloropropane	U	1.0		µg/L	1	8/10/2007 4:48:00 PM
1,2-Dibromoethane	U	1.0		µg/L	1	8/10/2007 4:48:00 PM
1,2-Dichlorobenzene	U	1.0		µg/L	1	8/10/2007 4:48:00 PM
1,2-Dichloroethane	U	1.0		µg/L	1	8/10/2007 4:48:00 PM
1,2-Dichloropropane	U	1.0		µg/L	1	8/10/2007 4:48:00 PM
1,3,5-Trimethylbenzene	U	1.0		µg/L	1	8/10/2007 4:48:00 PM
1,3-Dichlorobenzene	U	1.0		µg/L	1	8/10/2007 4:48:00 PM
1,3-dichloropropane	U	1.0		µg/L	1	8/10/2007 4:48:00 PM
1,4-Dichlorobenzene	U	1.0		µg/L	1	8/10/2007 4:48:00 PM
2,2-Dichloropropane	U	1.0		µg/L	1	8/10/2007 4:48:00 PM
2-Butanone	U	3.0		µg/L	1	8/10/2007 4:48:00 PM
2-Chloroethyl vinyl ether	U	1.0		µg/L	1	8/10/2007 4:48:00 PM
2-Chlorotoluene	U	1.0		µg/L	1	8/10/2007 4:48:00 PM
2-Hexanone	U	2.0		µg/L	1	8/10/2007 4:48:00 PM
4-Chlorotoluene	U	1.0		µg/L	1	8/10/2007 4:48:00 PM
4-Isopropyltoluene	U	1.0		µg/L	1	8/10/2007 4:48:00 PM
4-Methyl-2-pentanone	U	2.0		µg/L	1	8/10/2007 4:48:00 PM
Acetone	U	2.0		µg/L	1	8/10/2007 4:48:00 PM
Benzene	U	1.0		µg/L	1	8/10/2007 4:48:00 PM
Bromobenzene	U	1.0		µg/L	1	8/10/2007 4:48:00 PM
Bromochloromethane	U	1.0		µg/L	1	8/10/2007 4:48:00 PM
Bromodichloromethane	U	1.0		µg/L	1	8/10/2007 4:48:00 PM
Bromoform	U	1.0		µg/L	1	8/10/2007 4:48:00 PM
Bromomethane	U	1.0		µg/L	1	8/10/2007 4:48:00 PM
Carbon disulfide	U	1.0		µg/L	1	8/10/2007 4:48:00 PM
Carbon tetrachloride	U	1.0		µg/L	1	8/10/2007 4:48:00 PM
Chlorobenzene	U	1.0		µg/L	1	8/10/2007 4:48:00 PM

Qualifiers:	B	Analyte detected in the associated Method Blank	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	S	Spike Recovery outside accepted recovery limits
	U	Indicates the compound was analyzed for but not detected	X	Value exceeds Maximum Contaminant Level

American Analytical Laboratories, LLC.

Date: 13-Aug-07

CLIENT: Leggette Brashears & Graham Inc.
Lab Order: 0708103
Project: Rowe Sag Harbor, NY
Lab ID: 0708103-04A

Client Sample ID: 080807:1015 FRW-4
Tag Number:
Collection Date: 8/8/2007 10:15:00 AM
Matrix: LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILE SW-846 8260 + MTBE & FREON113		SW8260B		Analyst: MB		
Chloroethane	U	1.0		µg/L	1	8/10/2007 4:48:00 PM
Chloroform	U	1.0		µg/L	1	8/10/2007 4:48:00 PM
Chloromethane	U	1.0		µg/L	1	8/10/2007 4:48:00 PM
cis-1,2-Dichloroethene	5.4	1.0		µg/L	1	8/10/2007 4:48:00 PM
cis-1,3-Dichloropropene	U	1.0		µg/L	1	8/10/2007 4:48:00 PM
Dibromochloromethane	U	1.0		µg/L	1	8/10/2007 4:48:00 PM
Dibromomethane	U	1.0		µg/L	1	8/10/2007 4:48:00 PM
Dichlorodifluoromethane	U	1.0		µg/L	1	8/10/2007 4:48:00 PM
Ethylbenzene	U	1.0		µg/L	1	8/10/2007 4:48:00 PM
Hexachlorobutadiene	U	1.0		µg/L	1	8/10/2007 4:48:00 PM
Isopropylbenzene	U	1.0		µg/L	1	8/10/2007 4:48:00 PM
m,p-Xylene	U	2.0		µg/L	1	8/10/2007 4:48:00 PM
Methyl tert-butyl ether	U	1.0		µg/L	1	8/10/2007 4:48:00 PM
Methylene chloride	U	1.0		µg/L	1	8/10/2007 4:48:00 PM
Naphthalene	U	1.0		µg/L	1	8/10/2007 4:48:00 PM
n-Butylbenzene	U	1.0		µg/L	1	8/10/2007 4:48:00 PM
n-Propylbenzene	U	1.0		µg/L	1	8/10/2007 4:48:00 PM
o-Xylene	U	1.0		µg/L	1	8/10/2007 4:48:00 PM
sec-Butylbenzene	U	1.0		µg/L	1	8/10/2007 4:48:00 PM
Styrene	U	1.0		µg/L	1	8/10/2007 4:48:00 PM
tert-Butylbenzene	U	1.0		µg/L	1	8/10/2007 4:48:00 PM
Tetrachloroethene	4.8	1.0		µg/L	1	8/10/2007 4:48:00 PM
Toluene	U	1.0		µg/L	1	8/10/2007 4:48:00 PM
trans-1,2-Dichloroethene	U	1.0		µg/L	1	8/10/2007 4:48:00 PM
trans-1,3-Dichloropropene	U	1.0		µg/L	1	8/10/2007 4:48:00 PM
Trichloroethene	2.5	1.0		µg/L	1	8/10/2007 4:48:00 PM
Trichlorofluoromethane	U	1.0		µg/L	1	8/10/2007 4:48:00 PM
Vinyl acetate	U	1.0		µg/L	1	8/10/2007 4:48:00 PM
Vinyl chloride	U	1.0		µg/L	1	8/10/2007 4:48:00 PM
Surr: 4-Bromofluorobenzene	102	54-134		%REC	1	8/10/2007 4:48:00 PM
Surr: Dibromofluoromethane	103	52-132		%REC	1	8/10/2007 4:48:00 PM
Surr: Toluene-d8	95.8	51-127		%REC	1	8/10/2007 4:48:00 PM

Qualifiers:	B	Analyte detected in the associated Method Blank	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	S	Spike Recovery outside accepted recovery limits
	U	Indicates the compound was analyzed for but not detected	X	Value exceeds Maximum Contaminant Level



NYSDOH 11418
NJDEP NY050
CTDOH PH-0205
PADEP 68-00573

Tuesday, September 18, 2007

Mark Goldberg
Leggette Brashears & Graham Inc.
4 Research Drive
Suite 301
Shelton, CT 06484
TEL: (203) 929-8555
FAX (203) 926-9140

RE: Rowe

Order No.: 0709113

Dear Mark Goldberg:

American Analytical Laboratories, LLC. received 4 sample(s) on 9/14/2007 for the analyses presented in the following report.


Samples were analyzed in accordance with the test procedures documented on the chain of custody and detailed throughout the text of this report.

The limits provided in the data package are analytical reporting limits and not Federal or Local mandated values to which the sample results should be compared.

There were no problems with the analyses and all data for associated QC met laboratory specifications. If there are any exceptions a Case Narrative is provided in the report.

If you have any questions regarding these tests results, please do not hesitate to call (631) 454-6100 or email me directly at lbeyer@american-analytical.com.

Sincerely,


Lori Beyer
Lab Director


American Analytical Laboratories, LLC.

Date: 18-Sep-07

CLIENT: Leggette Brashears & Graham Inc.
Project: Rowe
Lab Order: 0709113

Work Order Sample Summary

Lab Sample ID	Client Sample ID	Tag Number	Date Collected	Date Received
0709113-01A	ROWE091207:1100FRW-1		9/12/2007 11:00:00 AM	9/14/2007
0709113-02A	ROWE091207:1105FRW-2		9/12/2007 11:05:00 AM	9/14/2007
0709113-03A	ROWE091207:1110FRW-3		9/12/2007 11:10:00 AM	9/14/2007
0709113-04A	ROWE091207:1115FRW-4		9/12/2007 11:15:00 AM	9/14/2007



WHITE-OFFICE / CANARY-1 AB / PINK-SAMPLE CUSTODIAN / GOI DENROD-CIENT

AMERICAN ANALYTICAL LABORATORIES, LLC

56 TOLEDO STREET

FARMINGDALE, NEW YORK 11735

TELEPHONE: (631) 454-6100 FAX: (631) 454-8027

DATA REPORTING QUALIFIERS

For reporting results, the following "Results Qualifiers" are used:

Value	If the result is greater than or equal to the detection limit, report the value
U	Indicates the compound was analyzed for but was not detected. Report the minimum detection limit for the sample with the U, i.e. "10U". This is not necessarily the instrument detection limit attainable for this particular sample based on any concentration or dilution that may have been required.
J	Indicates an estimated value. The flag is used: (1) When estimating a concentration for a tentatively identified compound (library search hits, where a 1:1 response is assumed.) (2) When the mass spectral data indicated the identification, however the result was less than the specified detection limit greater than zero. If the detection limit was 10ug/L and a concentration of 3ug/L was calculated report as 3J. This flag is used when similar situations arise on any organic parameter i.e. Pesticide, PCBs and others.
B	Indicates the analyte was found in the blank as well as the sample report "10B".
E	Indicates the analytes concentration exceeds the calibrated range of the instrument for that specific analysis.
D	This flag identifies all compounds identified in an analysis at a secondary dilution factor.
P	This flag is used for Pesticide / PCB target analyte when there is >25% difference for detected concentrations between the two GC Columns. The higher of the two values is reported on Form I and flagged with a "P".
N	This flag indicates presumptive evidence of a compound. This is only used for tentatively identified compounds (TICs), where the identification is based on a mass spectral library search. It applies to all TIC results. For generic characterization of a TIC, such as chlorinated hydrocarbon, the flag is not used.
H	Indicates sample was received and/or analyzed outside of The method allowable holding time

American Analytical Laboratories, LLC.

Date: 18-Sep-07

CLIENT: Leggette Brashears & Graham Inc.

Client Sample ID: ROWE091207:1100FRW-1

Lab Order: 0709113

Tag Number:

Project: Rowe

Collection Date: 9/12/2007 11:00:00 AM

Lab ID: 0709113-01A

Matrix: LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILE SW-846 8260 + MTBE & FREON113		SW8260B		Analyst: LDS		
1,1,1,2-Tetrachloroethane	U	1.0		µg/L	1	9/15/2007 2:44:00 AM
1,1,1-Trichloroethane	22	1.0		µg/L	1	9/15/2007 2:44:00 AM
1,1,2,2-Tetrachloroethane	U	1.0		µg/L	1	9/15/2007 2:44:00 AM
1,1,2-Trichloro-1,2,2-trifluoroethane	U	1.0		µg/L	1	9/15/2007 2:44:00 AM
1,1,2-Trichloroethane	U	1.0		µg/L	1	9/15/2007 2:44:00 AM
1,1-Dichloroethane	1.6	1.0		µg/L	1	9/15/2007 2:44:00 AM
1,1-Dichloroethene	U	1.0		µg/L	1	9/15/2007 2:44:00 AM
1,1-Dichloropropene	U	1.0		µg/L	1	9/15/2007 2:44:00 AM
1,2,3-Trichlorobenzene	U	1.0		µg/L	1	9/15/2007 2:44:00 AM
1,2,3-Trichloropropane	U	1.0		µg/L	1	9/15/2007 2:44:00 AM
1,2,4-Trichlorobenzene	U	1.0		µg/L	1	9/15/2007 2:44:00 AM
1,2,4-Trimethylbenzene	U	1.0		µg/L	1	9/15/2007 2:44:00 AM
1,2-Dibromo-3-chloropropane	U	1.0		µg/L	1	9/15/2007 2:44:00 AM
1,2-Dibromoethane	U	1.0		µg/L	1	9/15/2007 2:44:00 AM
1,2-Dichlorobenzene	U	1.0		µg/L	1	9/15/2007 2:44:00 AM
1,2-Dichloroethane	U	1.0		µg/L	1	9/15/2007 2:44:00 AM
1,2-Dichloropropane	U	1.0		µg/L	1	9/15/2007 2:44:00 AM
1,3,5-Trimethylbenzene	U	1.0		µg/L	1	9/15/2007 2:44:00 AM
1,3-Dichlorobenzene	U	1.0		µg/L	1	9/15/2007 2:44:00 AM
1,3-dichloropropane	U	1.0		µg/L	1	9/15/2007 2:44:00 AM
1,4-Dichlorobenzene	U	1.0		µg/L	1	9/15/2007 2:44:00 AM
2,2-Dichloropropane	U	1.0		µg/L	1	9/15/2007 2:44:00 AM
2-Butanone	U	3.0		µg/L	1	9/15/2007 2:44:00 AM
2-Chloroethyl vinyl ether	U	1.0		µg/L	1	9/15/2007 2:44:00 AM
2-Chlorotoluene	U	1.0		µg/L	1	9/15/2007 2:44:00 AM
2-Hexanone	U	2.0		µg/L	1	9/15/2007 2:44:00 AM
4-Chlorotoluene	U	1.0		µg/L	1	9/15/2007 2:44:00 AM
4-Isopropyltoluene	U	1.0		µg/L	1	9/15/2007 2:44:00 AM
4-Methyl-2-pentanone	U	2.0		µg/L	1	9/15/2007 2:44:00 AM
Acetone	U	2.0		µg/L	1	9/15/2007 2:44:00 AM
Benzene	U	1.0		µg/L	1	9/15/2007 2:44:00 AM
Bromobenzene	U	1.0		µg/L	1	9/15/2007 2:44:00 AM
Bromochloromethane	U	1.0		µg/L	1	9/15/2007 2:44:00 AM
Bromodichloromethane	U	1.0		µg/L	1	9/15/2007 2:44:00 AM
Bromoform	U	1.0		µg/L	1	9/15/2007 2:44:00 AM
Bromomethane	U	1.0		µg/L	1	9/15/2007 2:44:00 AM
Carbon disulfide	U	1.0		µg/L	1	9/15/2007 2:44:00 AM
Carbon tetrachloride	U	1.0		µg/L	1	9/15/2007 2:44:00 AM
Chlorobenzene	U	1.0		µg/L	1	9/15/2007 2:44:00 AM

Qualifiers:	B	Analyte detected in the associated Method Blank	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	S	Spike Recovery outside accepted recovery limits
	U	Indicates the compound was analyzed for but not detected	X	Value exceeds Maximum Contaminant Level

American Analytical Laboratories, LLC.

Date: 18-Sep-07

CLIENT: Leggette Brashears & Graham Inc.
Lab Order: 0709113
Project: Rowe
Lab ID: 0709113-01A

Client Sample ID: ROWE091207:1100FRW-1
Tag Number:
Collection Date: 9/12/2007 11:00:00 AM
Matrix: LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILE SW-846 8260 + MTBE & FREON113		SW8260B		Analyst: LDS		
Chloroethane	U	1.0		µg/L	1	9/15/2007 2:44:00 AM
Chloroform	U	1.0		µg/L	1	9/15/2007 2:44:00 AM
Chloromethane	U	1.0		µg/L	1	9/15/2007 2:44:00 AM
cis-1,2-Dichloroethene	9.0	1.0		µg/L	1	9/15/2007 2:44:00 AM
cis-1,3-Dichloropropene	U	1.0		µg/L	1	9/15/2007 2:44:00 AM
Dibromochloromethane	U	1.0		µg/L	1	9/15/2007 2:44:00 AM
Dibromomethane	U	1.0		µg/L	1	9/15/2007 2:44:00 AM
Dichlorodifluoromethane	U	1.0		µg/L	1	9/15/2007 2:44:00 AM
Ethylbenzene	U	1.0		µg/L	1	9/15/2007 2:44:00 AM
Hexachlorobutadiene	U	1.0		µg/L	1	9/15/2007 2:44:00 AM
Isopropylbenzene	U	1.0		µg/L	1	9/15/2007 2:44:00 AM
m,p-Xylene	U	2.0		µg/L	1	9/15/2007 2:44:00 AM
Methyl tert-butyl ether	U	1.0		µg/L	1	9/15/2007 2:44:00 AM
Methylene chloride	U	1.0		µg/L	1	9/15/2007 2:44:00 AM
Naphthalene	U	1.0		µg/L	1	9/15/2007 2:44:00 AM
n-Butylbenzene	U	1.0		µg/L	1	9/15/2007 2:44:00 AM
n-Propylbenzene	U	1.0		µg/L	1	9/15/2007 2:44:00 AM
o-Xylene	U	1.0		µg/L	1	9/15/2007 2:44:00 AM
sec-Butylbenzene	U	1.0		µg/L	1	9/15/2007 2:44:00 AM
Styrene	U	1.0		µg/L	1	9/15/2007 2:44:00 AM
tert-Butylbenzene	U	1.0		µg/L	1	9/15/2007 2:44:00 AM
Tetrachloroethene	430	1.0		µg/L	1	9/15/2007 2:44:00 AM
Toluene	U	1.0		µg/L	1	9/15/2007 2:44:00 AM
trans-1,2-Dichloroethene	U	1.0		µg/L	1	9/15/2007 2:44:00 AM
trans-1,3-Dichloropropene	U	1.0		µg/L	1	9/15/2007 2:44:00 AM
Trichloroethene	8.1	1.0		µg/L	1	9/15/2007 2:44:00 AM
Trichlorofluoromethane	U	1.0		µg/L	1	9/15/2007 2:44:00 AM
Vinyl acetate	U	1.0		µg/L	1	9/15/2007 2:44:00 AM
Vinyl chloride	2.6	1.0		µg/L	1	9/15/2007 2:44:00 AM
Surr: 4-Bromofluorobenzene	96.7	54-134		%REC	1	9/15/2007 2:44:00 AM
Surr: Dibromofluoromethane	98.4	52-132		%REC	1	9/15/2007 2:44:00 AM
Surr: Toluene-d8	95.2	51-127		%REC	1	9/15/2007 2:44:00 AM

Qualifiers:	B	Analyte detected in the associated Method Blank	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	S	Spike Recovery outside accepted recovery limits
	U	Indicates the compound was analyzed for but not detected	X	Value exceeds Maximum Contaminant Level

American Analytical Laboratories, LLC.

Date: 18-Sep-07

CLIENT: Leggette Brashears & Graham Inc.
Lab Order: 0709113
Project: Rowe
Lab ID: 0709113-02A

Client Sample ID: ROWE091207:1105FRW-2
Tag Number:
Collection Date: 9/12/2007 11:05:00 AM
Matrix: LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILE SW-846 8260 + MTBE & FREON113		SW8260B		Analyst: LDS		
1,1,1,2-Tetrachloroethane	U	1.0		µg/L	1	9/15/2007 3:09:00 AM
1,1,1-Trichloroethane	U	1.0		µg/L	1	9/15/2007 3:09:00 AM
1,1,2,2-Tetrachloroethane	U	1.0		µg/L	1	9/15/2007 3:09:00 AM
1,1,2-Trichloro-1,2,2-trifluoroethane	U	1.0		µg/L	1	9/15/2007 3:09:00 AM
1,1,2-Trichloroethane	U	1.0		µg/L	1	9/15/2007 3:09:00 AM
1,1-Dichloroethane	1.6	1.0		µg/L	1	9/15/2007 3:09:00 AM
1,1-Dichloroethene	U	1.0		µg/L	1	9/15/2007 3:09:00 AM
1,1-Dichloropropene	U	1.0		µg/L	1	9/15/2007 3:09:00 AM
1,2,3-Trichlorobenzene	U	1.0		µg/L	1	9/15/2007 3:09:00 AM
1,2,3-Trichloropropane	U	1.0		µg/L	1	9/15/2007 3:09:00 AM
1,2,4-Trichlorobenzene	U	1.0		µg/L	1	9/15/2007 3:09:00 AM
1,2,4-Trimethylbenzene	U	1.0		µg/L	1	9/15/2007 3:09:00 AM
1,2-Dibromo-3-chloropropane	U	1.0		µg/L	1	9/15/2007 3:09:00 AM
1,2-Dibromoethane	U	1.0		µg/L	1	9/15/2007 3:09:00 AM
1,2-Dichlorobenzene	U	1.0		µg/L	1	9/15/2007 3:09:00 AM
1,2-Dichloroethane	U	1.0		µg/L	1	9/15/2007 3:09:00 AM
1,2-Dichloropropane	U	1.0		µg/L	1	9/15/2007 3:09:00 AM
1,3,5-Trimethylbenzene	U	1.0		µg/L	1	9/15/2007 3:09:00 AM
1,3-Dichlorobenzene	U	1.0		µg/L	1	9/15/2007 3:09:00 AM
1,3-dichloropropane	U	1.0		µg/L	1	9/15/2007 3:09:00 AM
1,4-Dichlorobenzene	U	1.0		µg/L	1	9/15/2007 3:09:00 AM
2,2-Dichloropropane	U	1.0		µg/L	1	9/15/2007 3:09:00 AM
2-Butanone	U	3.0		µg/L	1	9/15/2007 3:09:00 AM
2-Chloroethyl vinyl ether	U	1.0		µg/L	1	9/15/2007 3:09:00 AM
2-Chlorotoluene	U	1.0		µg/L	1	9/15/2007 3:09:00 AM
2-Hexanone	U	2.0		µg/L	1	9/15/2007 3:09:00 AM
4-Chlorotoluene	U	1.0		µg/L	1	9/15/2007 3:09:00 AM
4-Isopropyltoluene	U	1.0		µg/L	1	9/15/2007 3:09:00 AM
4-Methyl-2-pentanone	U	2.0		µg/L	1	9/15/2007 3:09:00 AM
Acetone	U	2.0		µg/L	1	9/15/2007 3:09:00 AM
Benzene	U	1.0		µg/L	1	9/15/2007 3:09:00 AM
Bromobenzene	U	1.0		µg/L	1	9/15/2007 3:09:00 AM
Bromochloromethane	U	1.0		µg/L	1	9/15/2007 3:09:00 AM
Bromodichloromethane	U	1.0		µg/L	1	9/15/2007 3:09:00 AM
Bromoform	U	1.0		µg/L	1	9/15/2007 3:09:00 AM
Bromomethane	U	1.0		µg/L	1	9/15/2007 3:09:00 AM
Carbon disulfide	U	1.0		µg/L	1	9/15/2007 3:09:00 AM
Carbon tetrachloride	U	1.0		µg/L	1	9/15/2007 3:09:00 AM
Chlorobenzene	U	1.0		µg/L	1	9/15/2007 3:09:00 AM

Qualifiers:	B	Analyte detected in the associated Method Blank	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	S	Spike Recovery outside accepted recovery limits
	U	Indicates the compound was analyzed for but not detected	X	Value exceeds Maximum Contaminant Level

American Analytical Laboratories, LLC.

Date: 18-Sep-07

CLIENT: Leggette Brashears & Graham Inc.
Lab Order: 0709113
Project: Rowe
Lab ID: 0709113-02A

Client Sample ID: ROWE091207:1105FRW-2
Tag Number:
Collection Date: 9/12/2007 11:05:00 AM
Matrix: LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILE SW-846 8260 + MTBE & FREON113		SW8260B		Analyst: LDS		
Chloroethane	U	1.0		µg/L	1	9/15/2007 3:09:00 AM
Chloroform	U	1.0		µg/L	1	9/15/2007 3:09:00 AM
Chloromethane	U	1.0		µg/L	1	9/15/2007 3:09:00 AM
cis-1,2-Dichloroethene	260	1.0		µg/L	1	9/15/2007 3:09:00 AM
cis-1,3-Dichloropropene	U	1.0		µg/L	1	9/15/2007 3:09:00 AM
Dibromochloromethane	U	1.0		µg/L	1	9/15/2007 3:09:00 AM
Dibromomethane	U	1.0		µg/L	1	9/15/2007 3:09:00 AM
Dichlorodifluoromethane	U	1.0		µg/L	1	9/15/2007 3:09:00 AM
Ethylbenzene	U	1.0		µg/L	1	9/15/2007 3:09:00 AM
Hexachlorobutadiene	U	1.0		µg/L	1	9/15/2007 3:09:00 AM
Isopropylbenzene	U	1.0		µg/L	1	9/15/2007 3:09:00 AM
m,p-Xylene	U	2.0		µg/L	1	9/15/2007 3:09:00 AM
Methyl tert-butyl ether	U	1.0		µg/L	1	9/15/2007 3:09:00 AM
Methylene chloride	U	1.0		µg/L	1	9/15/2007 3:09:00 AM
Naphthalene	U	1.0		µg/L	1	9/15/2007 3:09:00 AM
n-Butylbenzene	U	1.0		µg/L	1	9/15/2007 3:09:00 AM
n-Propylbenzene	U	1.0		µg/L	1	9/15/2007 3:09:00 AM
o-Xylene	U	1.0		µg/L	1	9/15/2007 3:09:00 AM
sec-Butylbenzene	U	1.0		µg/L	1	9/15/2007 3:09:00 AM
Styrene	U	1.0		µg/L	1	9/15/2007 3:09:00 AM
tert-Butylbenzene	U	1.0		µg/L	1	9/15/2007 3:09:00 AM
Tetrachloroethene	11	1.0		µg/L	1	9/15/2007 3:09:00 AM
Toluene	64	1.0		µg/L	1	9/15/2007 3:09:00 AM
trans-1,2-Dichloroethene	U	1.0		µg/L	1	9/15/2007 3:09:00 AM
trans-1,3-Dichloropropene	U	1.0		µg/L	1	9/15/2007 3:09:00 AM
Trichloroethene	22	1.0		µg/L	1	9/15/2007 3:09:00 AM
Trichlorofluoromethane	U	1.0		µg/L	1	9/15/2007 3:09:00 AM
Vinyl acetate	U	1.0		µg/L	1	9/15/2007 3:09:00 AM
Vinyl chloride	19	1.0		µg/L	1	9/15/2007 3:09:00 AM
Surr: 4-Bromofluorobenzene	96.8	54-134		%REC	1	9/15/2007 3:09:00 AM
Surr: Dibromofluoromethane	90.9	52-132		%REC	1	9/15/2007 3:09:00 AM
Surr: Toluene-d8	98.8	51-127		%REC	1	9/15/2007 3:09:00 AM

Qualifiers:	B	Analyte detected in the associated Method Blank	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	S	Spike Recovery outside accepted recovery limits
	U	Indicates the compound was analyzed for but not detected	X	Value exceeds Maximum Contaminant Level

American Analytical Laboratories, LLC.

Date: 18-Sep-07

CLIENT: Leggette Brashears & Graham Inc.
Lab Order: 0709113
Project: Rowe
Lab ID: 0709113-03A

Client Sample ID: ROWE091207:1110FRW-3
Tag Number:
Collection Date: 9/12/2007 11:10:00 AM
Matrix: LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILE SW-846 8260 + MTBE & FREON113		SW8260B		Analyst: LDS		
1,1,1,2-Tetrachloroethane	U	1.0		µg/L	1	9/15/2007 3:33:00 AM
1,1,1-Trichloroethane	6.1	1.0		µg/L	1	9/15/2007 3:33:00 AM
1,1,2,2-Tetrachloroethane	U	1.0		µg/L	1	9/15/2007 3:33:00 AM
1,1,2-Trichloro-1,2,2-trifluoroethane	U	1.0		µg/L	1	9/15/2007 3:33:00 AM
1,1,2-Trichloroethane	U	1.0		µg/L	1	9/15/2007 3:33:00 AM
1,1-Dichloroethane	8.1	1.0		µg/L	1	9/15/2007 3:33:00 AM
1,1-Dichloroethene	U	1.0		µg/L	1	9/15/2007 3:33:00 AM
1,1-Dichloropropene	U	1.0		µg/L	1	9/15/2007 3:33:00 AM
1,2,3-Trichlorobenzene	U	1.0		µg/L	1	9/15/2007 3:33:00 AM
1,2,3-Trichloropropane	U	1.0		µg/L	1	9/15/2007 3:33:00 AM
1,2,4-Trichlorobenzene	U	1.0		µg/L	1	9/15/2007 3:33:00 AM
1,2,4-Trimethylbenzene	U	1.0		µg/L	1	9/15/2007 3:33:00 AM
1,2-Dibromo-3-chloropropane	U	1.0		µg/L	1	9/15/2007 3:33:00 AM
1,2-Dibromoethane	U	1.0		µg/L	1	9/15/2007 3:33:00 AM
1,2-Dichlorobenzene	U	1.0		µg/L	1	9/15/2007 3:33:00 AM
1,2-Dichloroethane	U	1.0		µg/L	1	9/15/2007 3:33:00 AM
1,2-Dichloropropane	U	1.0		µg/L	1	9/15/2007 3:33:00 AM
1,3,5-Trimethylbenzene	U	1.0		µg/L	1	9/15/2007 3:33:00 AM
1,3-Dichlorobenzene	U	1.0		µg/L	1	9/15/2007 3:33:00 AM
1,3-dichloropropane	U	1.0		µg/L	1	9/15/2007 3:33:00 AM
1,4-Dichlorobenzene	U	1.0		µg/L	1	9/15/2007 3:33:00 AM
2,2-Dichloropropane	U	1.0		µg/L	1	9/15/2007 3:33:00 AM
2-Butanone	U	3.0		µg/L	1	9/15/2007 3:33:00 AM
2-Chloroethyl vinyl ether	U	1.0		µg/L	1	9/15/2007 3:33:00 AM
2-Chlorotoluene	U	1.0		µg/L	1	9/15/2007 3:33:00 AM
2-Hexanone	U	2.0		µg/L	1	9/15/2007 3:33:00 AM
4-Chlorotoluene	U	1.0		µg/L	1	9/15/2007 3:33:00 AM
4-Isopropyltoluene	U	1.0		µg/L	1	9/15/2007 3:33:00 AM
4-Methyl-2-pentanone	U	2.0		µg/L	1	9/15/2007 3:33:00 AM
Acetone	U	2.0		µg/L	1	9/15/2007 3:33:00 AM
Benzene	U	1.0		µg/L	1	9/15/2007 3:33:00 AM
Bromobenzene	U	1.0		µg/L	1	9/15/2007 3:33:00 AM
Bromochloromethane	U	1.0		µg/L	1	9/15/2007 3:33:00 AM
Bromodichloromethane	U	1.0		µg/L	1	9/15/2007 3:33:00 AM
Bromoform	U	1.0		µg/L	1	9/15/2007 3:33:00 AM
Bromomethane	U	1.0		µg/L	1	9/15/2007 3:33:00 AM
Carbon disulfide	U	1.0		µg/L	1	9/15/2007 3:33:00 AM
Carbon tetrachloride	U	1.0		µg/L	1	9/15/2007 3:33:00 AM
Chlorobenzene	U	1.0		µg/L	1	9/15/2007 3:33:00 AM

Qualifiers:	B	Analyte detected in the associated Method Blank	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	S	Spike Recovery outside accepted recovery limits
	U	Indicates the compound was analyzed for but not detecte	X	Value exceeds Maximum Contaminant Level

American Analytical Laboratories, LLC.

Date: 18-Sep-07

CLIENT: Leggette Brashears & Graham Inc.
Lab Order: 0709113
Project: Rowe
Lab ID: 0709113-03A

Client Sample ID: ROWE091207:1110FRW-3
Tag Number:
Collection Date: 9/12/2007 11:10:00 AM
Matrix: LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILE SW-846 8260 + MTBE & FREON113		SW8260B		Analyst: LDS		
Chloroethane	U	1.0		µg/L	1	9/15/2007 3:33:00 AM
Chloroform	U	1.0		µg/L	1	9/15/2007 3:33:00 AM
Chloromethane	U	1.0		µg/L	1	9/15/2007 3:33:00 AM
cis-1,2-Dichloroethene	170	1.0		µg/L	1	9/15/2007 3:33:00 AM
cis-1,3-Dichloropropene	U	1.0		µg/L	1	9/15/2007 3:33:00 AM
Dibromochloromethane	U	1.0		µg/L	1	9/15/2007 3:33:00 AM
Dibromomethane	U	1.0		µg/L	1	9/15/2007 3:33:00 AM
Dichlorodifluoromethane	U	1.0		µg/L	1	9/15/2007 3:33:00 AM
Ethylbenzene	U	1.0		µg/L	1	9/15/2007 3:33:00 AM
Hexachlorobutadiene	U	1.0		µg/L	1	9/15/2007 3:33:00 AM
Isopropylbenzene	1.9	1.0		µg/L	1	9/15/2007 3:33:00 AM
m,p-Xylene	U	2.0		µg/L	1	9/15/2007 3:33:00 AM
Methyl tert-butyl ether	U	1.0		µg/L	1	9/15/2007 3:33:00 AM
Methylene chloride	U	1.0		µg/L	1	9/15/2007 3:33:00 AM
Naphthalene	U	1.0		µg/L	1	9/15/2007 3:33:00 AM
n-Butylbenzene	U	1.0		µg/L	1	9/15/2007 3:33:00 AM
n-Propylbenzene	U	1.0		µg/L	1	9/15/2007 3:33:00 AM
o-Xylene	U	1.0		µg/L	1	9/15/2007 3:33:00 AM
sec-Butylbenzene	0.84	1.0	J	µg/L	1	9/15/2007 3:33:00 AM
Styrene	U	1.0		µg/L	1	9/15/2007 3:33:00 AM
tert-Butylbenzene	U	1.0		µg/L	1	9/15/2007 3:33:00 AM
Tetrachloroethene	220	1.0		µg/L	1	9/15/2007 3:33:00 AM
Toluene	14	1.0		µg/L	1	9/15/2007 3:33:00 AM
trans-1,2-Dichloroethene	U	1.0		µg/L	1	9/15/2007 3:33:00 AM
trans-1,3-Dichloropropene	U	1.0		µg/L	1	9/15/2007 3:33:00 AM
Trichloroethene	19	1.0		µg/L	1	9/15/2007 3:33:00 AM
Trichlorofluoromethane	U	1.0		µg/L	1	9/15/2007 3:33:00 AM
Vinyl acetate	U	1.0		µg/L	1	9/15/2007 3:33:00 AM
Vinyl chloride	8.2	1.0		µg/L	1	9/15/2007 3:33:00 AM
Surr: 4-Bromofluorobenzene	96.2	54-134		%REC	1	9/15/2007 3:33:00 AM
Surr: Dibromofluoromethane	94.9	52-132		%REC	1	9/15/2007 3:33:00 AM
Surr: Toluene-d8	95.9	51-127		%REC	1	9/15/2007 3:33:00 AM

Qualifiers:	B	Analyte detected in the associated Method Blank	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	S	Spike Recovery outside accepted recovery limits
	U	Indicates the compound was analyzed for but not detected	X	Value exceeds Maximum Contaminant Level

American Analytical Laboratories, LLC.

Date: 18-Sep-07

CLIENT: Leggette Brashears & Graham Inc.
Lab Order: 0709113
Project: Rowe
Lab ID: 0709113-04A

Client Sample ID: ROWE091207:1115FRW-4
Tag Number:
Collection Date: 9/12/2007 11:15:00 AM
Matrix: LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILE SW-846 8260 + MTBE & FREON113		SW8260B		Analyst: LDS		
1,1,1,2-Tetrachloroethane	U	1.0		µg/L	1	9/15/2007 3:58:00 AM
1,1,1-Trichloroethane	U	1.0		µg/L	1	9/15/2007 3:58:00 AM
1,1,2,2-Tetrachloroethane	U	1.0		µg/L	1	9/15/2007 3:58:00 AM
1,1,2-Trichloro-1,2,2-trifluoroethane	U	1.0		µg/L	1	9/15/2007 3:58:00 AM
1,1,2-Trichloroethane	U	1.0		µg/L	1	9/15/2007 3:58:00 AM
1,1-Dichloroethane	U	1.0		µg/L	1	9/15/2007 3:58:00 AM
1,1-Dichloroethene	U	1.0		µg/L	1	9/15/2007 3:58:00 AM
1,1-Dichloropropene	U	1.0		µg/L	1	9/15/2007 3:58:00 AM
1,2,3-Trichlorobenzene	U	1.0		µg/L	1	9/15/2007 3:58:00 AM
1,2,3-Trichloropropane	U	1.0		µg/L	1	9/15/2007 3:58:00 AM
1,2,4-Trichlorobenzene	U	1.0		µg/L	1	9/15/2007 3:58:00 AM
1,2,4-Trimethylbenzene	U	1.0		µg/L	1	9/15/2007 3:58:00 AM
1,2-Dibromo-3-chloropropane	U	1.0		µg/L	1	9/15/2007 3:58:00 AM
1,2-Dibromoethane	U	1.0		µg/L	1	9/15/2007 3:58:00 AM
1,2-Dichlorobenzene	U	1.0		µg/L	1	9/15/2007 3:58:00 AM
1,2-Dichloroethane	U	1.0		µg/L	1	9/15/2007 3:58:00 AM
1,2-Dichloropropane	U	1.0		µg/L	1	9/15/2007 3:58:00 AM
1,3,5-Trimethylbenzene	U	1.0		µg/L	1	9/15/2007 3:58:00 AM
1,3-Dichlorobenzene	U	1.0		µg/L	1	9/15/2007 3:58:00 AM
1,3-dichloropropane	U	1.0		µg/L	1	9/15/2007 3:58:00 AM
1,4-Dichlorobenzene	U	1.0		µg/L	1	9/15/2007 3:58:00 AM
2,2-Dichloropropane	U	1.0		µg/L	1	9/15/2007 3:58:00 AM
2-Butanone	U	3.0		µg/L	1	9/15/2007 3:58:00 AM
2-Chloroethyl vinyl ether	U	1.0		µg/L	1	9/15/2007 3:58:00 AM
2-Chlorotoluene	U	1.0		µg/L	1	9/15/2007 3:58:00 AM
2-Hexanone	U	2.0		µg/L	1	9/15/2007 3:58:00 AM
4-Chlorotoluene	U	1.0		µg/L	1	9/15/2007 3:58:00 AM
4-Isopropyltoluene	U	1.0		µg/L	1	9/15/2007 3:58:00 AM
4-Methyl-2-pentanone	U	2.0		µg/L	1	9/15/2007 3:58:00 AM
Acetone	U	2.0		µg/L	1	9/15/2007 3:58:00 AM
Benzene	U	1.0		µg/L	1	9/15/2007 3:58:00 AM
Bromobenzene	U	1.0		µg/L	1	9/15/2007 3:58:00 AM
Bromochloromethane	U	1.0		µg/L	1	9/15/2007 3:58:00 AM
Bromodichloromethane	U	1.0		µg/L	1	9/15/2007 3:58:00 AM
Bromoform	U	1.0		µg/L	1	9/15/2007 3:58:00 AM
Bromomethane	U	1.0		µg/L	1	9/15/2007 3:58:00 AM
Carbon disulfide	U	1.0		µg/L	1	9/15/2007 3:58:00 AM
Carbon tetrachloride	U	1.0		µg/L	1	9/15/2007 3:58:00 AM
Chlorobenzene	U	1.0		µg/L	1	9/15/2007 3:58:00 AM

Qualifiers:	B	Analyte detected in the associated Method Blank	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	S	Spike Recovery outside accepted recovery limits
	U	Indicates the compound was analyzed for but not detected	X	Value exceeds Maximum Contaminant Level

American Analytical Laboratories, LLC.

Date: 18-Sep-07

CLIENT: Leggette Brashears & Graham Inc.
Lab Order: 0709113
Project: Rowe
Lab ID: 0709113-04A

Client Sample ID: ROWE091207:1115FRW-4
Tag Number:
Collection Date: 9/12/2007 11:15:00 AM
Matrix: LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILE SW-846 8260 + MTBE & FREON113		SW8260B		Analyst: LDS		
Chloroethane	U	1.0		µg/L	1	9/15/2007 3:58:00 AM
Chloroform	U	1.0		µg/L	1	9/15/2007 3:58:00 AM
Chloromethane	U	1.0		µg/L	1	9/15/2007 3:58:00 AM
cis-1,2-Dichloroethene	9.0	1.0		µg/L	1	9/15/2007 3:58:00 AM
cis-1,3-Dichloropropene	U	1.0		µg/L	1	9/15/2007 3:58:00 AM
Dibromochloromethane	U	1.0		µg/L	1	9/15/2007 3:58:00 AM
Dibromomethane	U	1.0		µg/L	1	9/15/2007 3:58:00 AM
Dichlorodifluoromethane	U	1.0		µg/L	1	9/15/2007 3:58:00 AM
Ethylbenzene	U	1.0		µg/L	1	9/15/2007 3:58:00 AM
Hexachlorobutadiene	U	1.0		µg/L	1	9/15/2007 3:58:00 AM
Isopropylbenzene	U	1.0		µg/L	1	9/15/2007 3:58:00 AM
m,p-Xylene	U	2.0		µg/L	1	9/15/2007 3:58:00 AM
Methyl tert-butyl ether	U	1.0		µg/L	1	9/15/2007 3:58:00 AM
Methylene chloride	U	1.0		µg/L	1	9/15/2007 3:58:00 AM
Naphthalene	U	1.0		µg/L	1	9/15/2007 3:58:00 AM
n-Butylbenzene	U	1.0		µg/L	1	9/15/2007 3:58:00 AM
n-Propylbenzene	U	1.0		µg/L	1	9/15/2007 3:58:00 AM
o-Xylene	U	1.0		µg/L	1	9/15/2007 3:58:00 AM
sec-Butylbenzene	U	1.0		µg/L	1	9/15/2007 3:58:00 AM
Styrene	U	1.0		µg/L	1	9/15/2007 3:58:00 AM
tert-Butylbenzene	U	1.0		µg/L	1	9/15/2007 3:58:00 AM
Tetrachloroethene	6.9	1.0		µg/L	1	9/15/2007 3:58:00 AM
Toluene	U	1.0		µg/L	1	9/15/2007 3:58:00 AM
trans-1,2-Dichloroethene	U	1.0		µg/L	1	9/15/2007 3:58:00 AM
trans-1,3-Dichloropropene	U	1.0		µg/L	1	9/15/2007 3:58:00 AM
Trichloroethene	U	1.0		µg/L	1	9/15/2007 3:58:00 AM
Trichlorofluoromethane	U	1.0		µg/L	1	9/15/2007 3:58:00 AM
Vinyl acetate	U	1.0		µg/L	1	9/15/2007 3:58:00 AM
Vinyl chloride	1.3	1.0		µg/L	1	9/15/2007 3:58:00 AM
Surr: 4-Bromofluorobenzene	105	54-134		%REC	1	9/15/2007 3:58:00 AM
Surr: Dibromofluoromethane	88.2	52-132		%REC	1	9/15/2007 3:58:00 AM
Surr: Toluene-d8	96.7	51-127		%REC	1	9/15/2007 3:58:00 AM

Qualifiers:	B	Analyte detected in the associated Method Blank	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	S	Spike Recovery outside accepted recovery limits
	U	Indicates the compound was analyzed for but not detected	X	Value exceeds Maximum Contaminant Level

Friday, October 05, 2007

Mark Goldberg
Leggette Brashears & Graham Inc.
4 Research Drive
Suite 301
Shelton, CT 06484

TEL: (203) 929-8555

FAX (203) 926-9140

RE: Rowe (Sag Harbor)

Order No.: 0710044

Dear Mark Goldberg:

American Analytical Laboratories, LLC. received 4 sample(s) on 10/3/2007 for the analyses presented in the following report.


Samples were analyzed in accordance with the test procedures documented on the chain of custody and detailed throughout the text of this report.

The limits provided in the data package are analytical reporting limits and not Federal or Local mandated values to which the sample results should be compared.

There were no problems with the analyses and all data for associated QC met laboratory specifications. If there are any exceptions a Case Narrative is provided in the report.

If you have any questions regarding these tests results, please do not hesitate to call (631) 454-6100 or email me directly at lbeyer@american-analytical.com.

Sincerely,



Lori Beyer
Lab Director

American Analytical Laboratories, LLC.

Date: 05-Oct-07

CLIENT: Leggette Brashears & Graham Inc.**Project:** Rowe (Sag Harbor)**Lab Order:** 0710044**Work Order Sample Summary**

Lab Sample ID	Client Sample ID	Tag Number	Date Collected	Date Received
0710044-01A	100307:1000 FRW-1		10/3/2007 10:00:00 AM	10/3/2007
0710044-02A	100307:1005 FRW-2		10/3/2007 10:05:00 AM	10/3/2007
0710044-03A	100307:1010 FRW-3		10/3/2007 10:10:00 AM	10/3/2007
0710044-04A	100307:1015 FRW-4		10/3/2007 10:15:00 AM	10/3/2007

CLIENT NAME/ADDRESS	CONTACT:		
635 4 Research Dr. Shelton, CT	M. Goldberg		
		SAMPLER (SIGNATURE)	SAMPLE(S) SEALED
		SAMPLER NAME (PRINT)	YES/NO
		Ever Foster	YES/NO

PROJECT LOCATION:

Rowe (Sag Harbor)

ANALYSIS
REQUIRED
Q760
17BE
113

FOR
METHANOL PRESERVED
SAMPLES
[VOLATILE VIAL #]

[illegible]

COOLER TEMPERATURE:

COMMENTS / INSTRUCTIONS

TURNAROUND REQUIRED:

MATRIX S=SOIL; L=LIQUID; SL=SLUDGE; A-AIR; W=WIPE; P=PAINT CHIPS; B=BULK MATERIAL

TYPE G=GRAB: C=COMPOSITE: SS=SPLIT SPOON

RELINQUISHED BY (SIGNATURE)

PRINTED NAME

RECEIVED BY

SIGNATURE)

DATE _____

PRINTED NAME _____

RELINQUISHED BY (SIGNATURE)

PRINTED NAME

RECEIVED BY I

SIGNATURE)

DATE _____

PRINTED NAME _____

WHITE-OFFICE / CANARY-LAB / PINK-SAMPLE CUSTODIAN / GOLDENROD-CLIENT

AMERICAN ANALYTICAL LABORATORIES, LLC

56 TOLEDO STREET

FARMINGDALE, NEW YORK 11735

TELEPHONE: (631) 454-6100 FAX: (631) 454-8027

DATA REPORTING QUALIFIERS

For reporting results, the following "Results Qualifiers" are used:

Value	If the result is greater than or equal to the detection limit, report the value
U	Indicates the compound was analyzed for but was not detected. Report the minimum detection limit for the sample with the U, i.e. "10U". This is not necessarily the instrument detection limit attainable for this particular sample based on any concentration or dilution that may have been required.
J	Indicates an estimated value. The flag is used: (1) When estimating a concentration for a tentatively identified compound (library search hits, where a 1:1 response is assumed.) (2) When the mass spectral data indicated the identification, however the result was less than the specified detection limit greater than zero. If the detection limit was 10ug/L and a concentration of 3ug/L was calculated report as 3J. This flag is used when similar situations arise on any organic parameter i.e. Pesticide, PCBs and others.
B	Indicates the analyte was found in the blank as well as the sample report "10B".
E	Indicates the analytes concentration exceeds the calibrated range of the instrument for that specific analysis.
D	This flag identifies all compounds identified in an analysis at a secondary dilution factor.
P	This flag is used for Pesticide / PCB target analyte when there is >25% difference for detected concentrations between the two GC Columns. The higher of the two values is reported on Form I and flagged with a "P".
N	This flag indicates presumptive evidence of a compound. This is only used for tentatively identified compounds (TICs), where the identification is based on a mass spectral library search. It applies to all TIC results. For generic characterization of a TIC, such as chlorinated hydrocarbon, the flag is not used.
H	Indicates sample was received and/or analyzed outside of The method allowable holding time

American Analytical Laboratories, LLC.

Date: 05-Oct-07

CLIENT: Leggette Brashears & Graham Inc.
Lab Order: 0710044
Project: Rowe (Sag Harbor)
Lab ID: 0710044-01A

Client Sample ID: 100307:1000 FRW-1
Tag Number:
Collection Date: 10/3/2007 10:00:00 AM
Matrix: LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILE SW-846 8260 + MTBE & FREON113		SW8260B		Analyst: LC		
1,1,1,2-Tetrachloroethane	U	1.0		µg/L	1	10/4/2007 3:07:00 PM
1,1,1-Trichloroethane	14	1.0		µg/L	1	10/4/2007 3:07:00 PM
1,1,2,2-Tetrachloroethane	U	1.0		µg/L	1	10/4/2007 3:07:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	U	1.0		µg/L	1	10/4/2007 3:07:00 PM
1,1,2-Trichloroethane	U	1.0		µg/L	1	10/4/2007 3:07:00 PM
1,1-Dichloroethane	U	1.0		µg/L	1	10/4/2007 3:07:00 PM
1,1-Dichloroethene	U	1.0		µg/L	1	10/4/2007 3:07:00 PM
1,1-Dichloropropene	U	1.0		µg/L	1	10/4/2007 3:07:00 PM
1,2,3-Trichlorobenzene	U	1.0		µg/L	1	10/4/2007 3:07:00 PM
1,2,3-Trichloropropane	U	1.0		µg/L	1	10/4/2007 3:07:00 PM
1,2,4-Trichlorobenzene	U	1.0		µg/L	1	10/4/2007 3:07:00 PM
1,2,4-Trimethylbenzene	U	1.0		µg/L	1	10/4/2007 3:07:00 PM
1,2-Dibromo-3-chloropropane	U	1.0		µg/L	1	10/4/2007 3:07:00 PM
1,2-Dibromoethane	U	1.0		µg/L	1	10/4/2007 3:07:00 PM
1,2-Dichlorobenzene	U	1.0		µg/L	1	10/4/2007 3:07:00 PM
1,2-Dichloroethane	U	1.0		µg/L	1	10/4/2007 3:07:00 PM
1,2-Dichloropropane	U	1.0		µg/L	1	10/4/2007 3:07:00 PM
1,3,5-Trimethylbenzene	U	1.0		µg/L	1	10/4/2007 3:07:00 PM
1,3-Dichlorobenzene	U	1.0		µg/L	1	10/4/2007 3:07:00 PM
1,3-dichloropropane	U	1.0		µg/L	1	10/4/2007 3:07:00 PM
1,4-Dichlorobenzene	U	1.0		µg/L	1	10/4/2007 3:07:00 PM
2,2-Dichloropropane	U	1.0		µg/L	1	10/4/2007 3:07:00 PM
2-Butanone	U	3.0		µg/L	1	10/4/2007 3:07:00 PM
2-Chloroethyl vinyl ether	U	1.0		µg/L	1	10/4/2007 3:07:00 PM
2-Chlorotoluene	U	1.0		µg/L	1	10/4/2007 3:07:00 PM
2-Hexanone	U	2.0		µg/L	1	10/4/2007 3:07:00 PM
4-Chlorotoluene	U	1.0		µg/L	1	10/4/2007 3:07:00 PM
4-Isopropyltoluene	U	1.0		µg/L	1	10/4/2007 3:07:00 PM
4-Methyl-2-pentanone	U	2.0		µg/L	1	10/4/2007 3:07:00 PM
Acetone	U	2.0		µg/L	1	10/4/2007 3:07:00 PM
Benzene	U	1.0		µg/L	1	10/4/2007 3:07:00 PM
Bromobenzene	U	1.0		µg/L	1	10/4/2007 3:07:00 PM
Bromochloromethane	U	1.0		µg/L	1	10/4/2007 3:07:00 PM
Bromodichloromethane	U	1.0		µg/L	1	10/4/2007 3:07:00 PM
Bromoform	U	1.0		µg/L	1	10/4/2007 3:07:00 PM
Bromomethane	U	1.0		µg/L	1	10/4/2007 3:07:00 PM
Carbon disulfide	U	1.0		µg/L	1	10/4/2007 3:07:00 PM
Carbon tetrachloride	U	1.0		µg/L	1	10/4/2007 3:07:00 PM
Chlorobenzene	U	1.0		µg/L	1	10/4/2007 3:07:00 PM

Qualifiers:	B	Analyte detected in the associated Method Blank	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	S	Spike Recovery outside accepted recovery limits
	U	Indicates the compound was analyzed for but not detected	X	Value exceeds Maximum Contaminant Level

American Analytical Laboratories, LLC.

Date: 05-Oct-07

CLIENT: Leggette Brashears & Graham Inc.
Lab Order: 0710044
Project: Rowe (Sag Harbor)
Lab ID: 0710044-01A

Client Sample ID: 100307:1000 FRW-1
Tag Number:
Collection Date: 10/3/2007 10:00:00 AM
Matrix: LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILE SW-846 8260 + MTBE & FREON113		SW8260B		Analyst: LC		
Chloroethane	U	1.0		µg/L	1	10/4/2007 3:07:00 PM
Chloroform	U	1.0		µg/L	1	10/4/2007 3:07:00 PM
Chloromethane	U	1.0		µg/L	1	10/4/2007 3:07:00 PM
cis-1,2-Dichloroethene	10	1.0		µg/L	1	10/4/2007 3:07:00 PM
cis-1,3-Dichloropropene	U	1.0		µg/L	1	10/4/2007 3:07:00 PM
Dibromochloromethane	U	1.0		µg/L	1	10/4/2007 3:07:00 PM
Dibromomethane	U	1.0		µg/L	1	10/4/2007 3:07:00 PM
Dichlorodifluoromethane	U	1.0		µg/L	1	10/4/2007 3:07:00 PM
Ethylbenzene	U	1.0		µg/L	1	10/4/2007 3:07:00 PM
Hexachlorobutadiene	U	1.0		µg/L	1	10/4/2007 3:07:00 PM
Isopropylbenzene	U	1.0		µg/L	1	10/4/2007 3:07:00 PM
m,p-Xylene	U	2.0		µg/L	1	10/4/2007 3:07:00 PM
Methyl tert-butyl ether	U	1.0		µg/L	1	10/4/2007 3:07:00 PM
Methylene chloride	U	1.0		µg/L	1	10/4/2007 3:07:00 PM
Naphthalene	U	1.0		µg/L	1	10/4/2007 3:07:00 PM
n-Butylbenzene	U	1.0		µg/L	1	10/4/2007 3:07:00 PM
n-Propylbenzene	U	1.0		µg/L	1	10/4/2007 3:07:00 PM
o-Xylene	U	1.0		µg/L	1	10/4/2007 3:07:00 PM
sec-Butylbenzene	U	1.0		µg/L	1	10/4/2007 3:07:00 PM
Styrene	U	1.0		µg/L	1	10/4/2007 3:07:00 PM
tert-Butylbenzene	U	1.0		µg/L	1	10/4/2007 3:07:00 PM
Tetrachloroethene	380	1.0		µg/L	1	10/4/2007 3:07:00 PM
Toluene	U	1.0		µg/L	1	10/4/2007 3:07:00 PM
trans-1,2-Dichloroethene	U	1.0		µg/L	1	10/4/2007 3:07:00 PM
trans-1,3-Dichloropropene	U	1.0		µg/L	1	10/4/2007 3:07:00 PM
Trichloroethene	7.8	1.0		µg/L	1	10/4/2007 3:07:00 PM
Trichlorofluoromethane	U	1.0		µg/L	1	10/4/2007 3:07:00 PM
Vinyl acetate	U	1.0		µg/L	1	10/4/2007 3:07:00 PM
Vinyl chloride	U	1.0		µg/L	1	10/4/2007 3:07:00 PM
Surr: 4-Bromofluorobenzene	98.9	54-134		%REC	1	10/4/2007 3:07:00 PM
Surr: Dibromofluoromethane	104	52-132		%REC	1	10/4/2007 3:07:00 PM
Surr: Toluene-d8	96.1	51-127		%REC	1	10/4/2007 3:07:00 PM

Qualifiers:	B	Analyte detected in the associated Method Blank	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	S	Spike Recovery outside accepted recovery limits
	U	Indicates the compound was analyzed for but not detected	X	Value exceeds Maximum Contaminant Level

American Analytical Laboratories, LLC.

Date: 05-Oct-07

CLIENT: Leggette Brashears & Graham Inc.
Lab Order: 0710044
Project: Rowe (Sag Harbor)
Lab ID: 0710044-02A

Client Sample ID: 100307:1005 FRW-2
Tag Number:
Collection Date: 10/3/2007 10:05:00 AM
Matrix: LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILE SW-846 8260 + MTBE & FREON113		SW8260B		Analyst: LC		
1,1,1,2-Tetrachloroethane	U	1.0		µg/L	1	10/4/2007 3:43:00 PM
1,1,1-Trichloroethane	U	1.0		µg/L	1	10/4/2007 3:43:00 PM
1,1,2,2-Tetrachloroethane	U	1.0		µg/L	1	10/4/2007 3:43:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	U	1.0		µg/L	1	10/4/2007 3:43:00 PM
1,1,2-Trichloroethane	U	1.0		µg/L	1	10/4/2007 3:43:00 PM
1,1-Dichloroethane	U	1.0		µg/L	1	10/4/2007 3:43:00 PM
1,1-Dichloroethene	U	1.0		µg/L	1	10/4/2007 3:43:00 PM
1,1-Dichloropropene	U	1.0		µg/L	1	10/4/2007 3:43:00 PM
1,2,3-Trichlorobenzene	U	1.0		µg/L	1	10/4/2007 3:43:00 PM
1,2,3-Trichloropropane	U	1.0		µg/L	1	10/4/2007 3:43:00 PM
1,2,4-Trichlorobenzene	U	1.0		µg/L	1	10/4/2007 3:43:00 PM
1,2,4-Trimethylbenzene	U	1.0		µg/L	1	10/4/2007 3:43:00 PM
1,2-Dibromo-3-chloropropane	U	1.0		µg/L	1	10/4/2007 3:43:00 PM
1,2-Dibromoethane	U	1.0		µg/L	1	10/4/2007 3:43:00 PM
1,2-Dichlorobenzene	U	1.0		µg/L	1	10/4/2007 3:43:00 PM
1,2-Dichloroethane	U	1.0		µg/L	1	10/4/2007 3:43:00 PM
1,2-Dichloropropane	U	1.0		µg/L	1	10/4/2007 3:43:00 PM
1,3,5-Trimethylbenzene	U	1.0		µg/L	1	10/4/2007 3:43:00 PM
1,3-Dichlorobenzene	U	1.0		µg/L	1	10/4/2007 3:43:00 PM
1,3-dichloropropane	U	1.0		µg/L	1	10/4/2007 3:43:00 PM
1,4-Dichlorobenzene	U	1.0		µg/L	1	10/4/2007 3:43:00 PM
2,2-Dichloropropane	U	1.0		µg/L	1	10/4/2007 3:43:00 PM
2-Butanone	U	3.0		µg/L	1	10/4/2007 3:43:00 PM
2-Chloroethyl vinyl ether	U	1.0		µg/L	1	10/4/2007 3:43:00 PM
2-Chlorotoluene	U	1.0		µg/L	1	10/4/2007 3:43:00 PM
2-Hexanone	U	2.0		µg/L	1	10/4/2007 3:43:00 PM
4-Chlorotoluene	U	1.0		µg/L	1	10/4/2007 3:43:00 PM
4-Isopropyltoluene	U	1.0		µg/L	1	10/4/2007 3:43:00 PM
4-Methyl-2-pentanone	U	2.0		µg/L	1	10/4/2007 3:43:00 PM
Acetone	U	2.0		µg/L	1	10/4/2007 3:43:00 PM
Benzene	U	1.0		µg/L	1	10/4/2007 3:43:00 PM
Bromobenzene	U	1.0		µg/L	1	10/4/2007 3:43:00 PM
Bromochloromethane	U	1.0		µg/L	1	10/4/2007 3:43:00 PM
Bromodichloromethane	U	1.0		µg/L	1	10/4/2007 3:43:00 PM
Bromoform	U	1.0		µg/L	1	10/4/2007 3:43:00 PM
Bromomethane	U	1.0		µg/L	1	10/4/2007 3:43:00 PM
Carbon disulfide	U	1.0		µg/L	1	10/4/2007 3:43:00 PM
Carbon tetrachloride	U	1.0		µg/L	1	10/4/2007 3:43:00 PM
Chlorobenzene	U	1.0		µg/L	1	10/4/2007 3:43:00 PM

Qualifiers:	B	Analyte detected in the associated Method Blank	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	S	Spike Recovery outside accepted recovery limits
	U	Indicates the compound was analyzed for but not detected	X	Value exceeds Maximum Contaminant Level

American Analytical Laboratories, LLC.

Date: 05-Oct-07

CLIENT: Leggette Brashears & Graham Inc.
Lab Order: 0710044
Project: Rowe (Sag Harbor)
Lab ID: 0710044-02A

Client Sample ID: 100307:1005 FRW-2
Tag Number:
Collection Date: 10/3/2007 10:05:00 AM
Matrix: LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILE SW-846 8260 + MTBE & FREON113		SW8260B		Analyst: LC		
Chloroethane	U	1.0		µg/L	1	10/4/2007 3:43:00 PM
Chloroform	U	1.0		µg/L	1	10/4/2007 3:43:00 PM
Chloromethane	U	1.0		µg/L	1	10/4/2007 3:43:00 PM
cis-1,2-Dichloroethene	12	1.0		µg/L	1	10/4/2007 3:43:00 PM
cis-1,3-Dichloropropene	U	1.0		µg/L	1	10/4/2007 3:43:00 PM
Dibromochloromethane	U	1.0		µg/L	1	10/4/2007 3:43:00 PM
Dibromomethane	U	1.0		µg/L	1	10/4/2007 3:43:00 PM
Dichlorodifluoromethane	U	1.0		µg/L	1	10/4/2007 3:43:00 PM
Ethylbenzene	U	1.0		µg/L	1	10/4/2007 3:43:00 PM
Hexachlorobutadiene	U	1.0		µg/L	1	10/4/2007 3:43:00 PM
Isopropylbenzene	U	1.0		µg/L	1	10/4/2007 3:43:00 PM
m,p-Xylene	U	2.0		µg/L	1	10/4/2007 3:43:00 PM
Methyl tert-butyl ether	U	1.0		µg/L	1	10/4/2007 3:43:00 PM
Methylene chloride	U	1.0		µg/L	1	10/4/2007 3:43:00 PM
Naphthalene	U	1.0		µg/L	1	10/4/2007 3:43:00 PM
n-Butylbenzene	U	1.0		µg/L	1	10/4/2007 3:43:00 PM
n-Propylbenzene	U	1.0		µg/L	1	10/4/2007 3:43:00 PM
o-Xylene	U	1.0		µg/L	1	10/4/2007 3:43:00 PM
sec-Butylbenzene	U	1.0		µg/L	1	10/4/2007 3:43:00 PM
Styrene	U	1.0		µg/L	1	10/4/2007 3:43:00 PM
tert-Butylbenzene	U	1.0		µg/L	1	10/4/2007 3:43:00 PM
Tetrachloroethene	U	1.0		µg/L	1	10/4/2007 3:43:00 PM
Toluene	2.9	1.0		µg/L	1	10/4/2007 3:43:00 PM
trans-1,2-Dichloroethene	U	1.0		µg/L	1	10/4/2007 3:43:00 PM
trans-1,3-Dichloropropene	U	1.0		µg/L	1	10/4/2007 3:43:00 PM
Trichloroethene	U	1.0		µg/L	1	10/4/2007 3:43:00 PM
Trichlorofluoromethane	U	1.0		µg/L	1	10/4/2007 3:43:00 PM
Vinyl acetate	U	1.0		µg/L	1	10/4/2007 3:43:00 PM
Vinyl chloride	14	1.0		µg/L	1	10/4/2007 3:43:00 PM
Surr: 4-Bromofluorobenzene	96.8	54-134		%REC	1	10/4/2007 3:43:00 PM
Surr: Dibromofluoromethane	105	52-132		%REC	1	10/4/2007 3:43:00 PM
Surr: Toluene-d8	100	51-127		%REC	1	10/4/2007 3:43:00 PM

Qualifiers:	B	Analyte detected in the associated Method Blank	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	S	Spike Recovery outside accepted recovery limits
	U	Indicates the compound was analyzed for but not detected	X	Value exceeds Maximum Contaminant Level

American Analytical Laboratories, LLC.

Date: 05-Oct-07

CLIENT: Leggette Brashears & Graham Inc.
Lab Order: 0710044
Project: Rowe (Sag Harbor)
Lab ID: 0710044-03A

Client Sample ID: 100307:1010 FRW-3
Tag Number:
Collection Date: 10/3/2007 10:10:00 AM
Matrix: LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILE SW-846 8260 + MTBE & FREON113		SW8260B		Analyst: LC		
1,1,1,2-Tetrachloroethane	U	1.0		µg/L	1	10/4/2007 4:20:00 PM
1,1,1-Trichloroethane	U	1.0		µg/L	1	10/4/2007 4:20:00 PM
1,1,2,2-Tetrachloroethane	U	1.0		µg/L	1	10/4/2007 4:20:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	U	1.0		µg/L	1	10/4/2007 4:20:00 PM
1,1,2-Trichloroethane	U	1.0		µg/L	1	10/4/2007 4:20:00 PM
1,1-Dichloroethane	U	1.0		µg/L	1	10/4/2007 4:20:00 PM
1,1-Dichloroethene	U	1.0		µg/L	1	10/4/2007 4:20:00 PM
1,1-Dichloropropene	U	1.0		µg/L	1	10/4/2007 4:20:00 PM
1,2,3-Trichlorobenzene	U	1.0		µg/L	1	10/4/2007 4:20:00 PM
1,2,3-Trichloropropane	U	1.0		µg/L	1	10/4/2007 4:20:00 PM
1,2,4-Trichlorobenzene	U	1.0		µg/L	1	10/4/2007 4:20:00 PM
1,2,4-Trimethylbenzene	U	1.0		µg/L	1	10/4/2007 4:20:00 PM
1,2-Dibromo-3-chloropropane	U	1.0		µg/L	1	10/4/2007 4:20:00 PM
1,2-Dibromoethane	U	1.0		µg/L	1	10/4/2007 4:20:00 PM
1,2-Dichlorobenzene	U	1.0		µg/L	1	10/4/2007 4:20:00 PM
1,2-Dichloroethane	U	1.0		µg/L	1	10/4/2007 4:20:00 PM
1,2-Dichloropropane	U	1.0		µg/L	1	10/4/2007 4:20:00 PM
1,3,5-Trimethylbenzene	U	1.0		µg/L	1	10/4/2007 4:20:00 PM
1,3-Dichlorobenzene	U	1.0		µg/L	1	10/4/2007 4:20:00 PM
1,3-dichloropropane	U	1.0		µg/L	1	10/4/2007 4:20:00 PM
1,4-Dichlorobenzene	U	1.0		µg/L	1	10/4/2007 4:20:00 PM
2,2-Dichloropropane	U	1.0		µg/L	1	10/4/2007 4:20:00 PM
2-Butanone	U	3.0		µg/L	1	10/4/2007 4:20:00 PM
2-Chloroethyl vinyl ether	U	1.0		µg/L	1	10/4/2007 4:20:00 PM
2-Chlorotoluene	U	1.0		µg/L	1	10/4/2007 4:20:00 PM
2-Hexanone	U	2.0		µg/L	1	10/4/2007 4:20:00 PM
4-Chlorotoluene	U	1.0		µg/L	1	10/4/2007 4:20:00 PM
4-Isopropyltoluene	U	1.0		µg/L	1	10/4/2007 4:20:00 PM
4-Methyl-2-pentanone	U	2.0		µg/L	1	10/4/2007 4:20:00 PM
Acetone	U	2.0		µg/L	1	10/4/2007 4:20:00 PM
Benzene	U	1.0		µg/L	1	10/4/2007 4:20:00 PM
Bromobenzene	U	1.0		µg/L	1	10/4/2007 4:20:00 PM
Bromochloromethane	U	1.0		µg/L	1	10/4/2007 4:20:00 PM
Bromodichloromethane	U	1.0		µg/L	1	10/4/2007 4:20:00 PM
Bromoform	U	1.0		µg/L	1	10/4/2007 4:20:00 PM
Bromomethane	U	1.0		µg/L	1	10/4/2007 4:20:00 PM
Carbon disulfide	U	1.0		µg/L	1	10/4/2007 4:20:00 PM
Carbon tetrachloride	U	1.0		µg/L	1	10/4/2007 4:20:00 PM
Chlorobenzene	U	1.0		µg/L	1	10/4/2007 4:20:00 PM

Qualifiers:	B	Analyte detected in the associated Method Blank	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	S	Spike Recovery outside accepted recovery limits
	U	Indicates the compound was analyzed for but not detected	X	Value exceeds Maximum Contaminant Level

American Analytical Laboratories, LLC.

Date: 05-Oct-07

CLIENT: Leggette Brashears & Graham Inc.
Lab Order: 0710044
Project: Rowe (Sag Harbor)
Lab ID: 0710044-03A

Client Sample ID: 100307:1010 FRW-3
Tag Number:
Collection Date: 10/3/2007 10:10:00 AM
Matrix: LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILE SW-846 8260 + MTBE & FREON113		SW8260B		Analyst: LC		
Chloroethane	U	1.0		µg/L	1	10/4/2007 4:20:00 PM
Chloroform	U	1.0		µg/L	1	10/4/2007 4:20:00 PM
Chloromethane	U	1.0		µg/L	1	10/4/2007 4:20:00 PM
cis-1,2-Dichloroethene	11	1.0		µg/L	1	10/4/2007 4:20:00 PM
cis-1,3-Dichloropropene	U	1.0		µg/L	1	10/4/2007 4:20:00 PM
Dibromochloromethane	U	1.0		µg/L	1	10/4/2007 4:20:00 PM
Dibromomethane	U	1.0		µg/L	1	10/4/2007 4:20:00 PM
Dichlorodifluoromethane	U	1.0		µg/L	1	10/4/2007 4:20:00 PM
Ethylbenzene	U	1.0		µg/L	1	10/4/2007 4:20:00 PM
Hexachlorobutadiene	U	1.0		µg/L	1	10/4/2007 4:20:00 PM
Isopropylbenzene	2.1	1.0		µg/L	1	10/4/2007 4:20:00 PM
m,p-Xylene	U	2.0		µg/L	1	10/4/2007 4:20:00 PM
Methyl tert-butyl ether	U	1.0		µg/L	1	10/4/2007 4:20:00 PM
Methylene chloride	U	1.0		µg/L	1	10/4/2007 4:20:00 PM
Naphthalene	U	1.0		µg/L	1	10/4/2007 4:20:00 PM
n-Butylbenzene	U	1.0		µg/L	1	10/4/2007 4:20:00 PM
n-Propylbenzene	1.0	1.0		µg/L	1	10/4/2007 4:20:00 PM
o-Xylene	0.61	1.0	J	µg/L	1	10/4/2007 4:20:00 PM
sec-Butylbenzene	U	1.0		µg/L	1	10/4/2007 4:20:00 PM
Styrene	U	1.0		µg/L	1	10/4/2007 4:20:00 PM
tert-Butylbenzene	U	1.0		µg/L	1	10/4/2007 4:20:00 PM
Tetrachloroethene	1.9	1.0		µg/L	1	10/4/2007 4:20:00 PM
Toluene	4.7	1.0		µg/L	1	10/4/2007 4:20:00 PM
trans-1,2-Dichloroethene	U	1.0		µg/L	1	10/4/2007 4:20:00 PM
trans-1,3-Dichloropropene	U	1.0		µg/L	1	10/4/2007 4:20:00 PM
Trichloroethene	20	1.0		µg/L	1	10/4/2007 4:20:00 PM
Trichlorofluoromethane	U	1.0		µg/L	1	10/4/2007 4:20:00 PM
Vinyl acetate	U	1.0		µg/L	1	10/4/2007 4:20:00 PM
Vinyl chloride	9.9	1.0		µg/L	1	10/4/2007 4:20:00 PM
Surr: 4-Bromofluorobenzene	98.0	54-134		%REC	1	10/4/2007 4:20:00 PM
Surr: Dibromofluoromethane	98.5	52-132		%REC	1	10/4/2007 4:20:00 PM
Surr: Toluene-d8	105	51-127		%REC	1	10/4/2007 4:20:00 PM

Qualifiers:	B	Analyte detected in the associated Method Blank	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	S	Spike Recovery outside accepted recovery limits
	U	Indicates the compound was analyzed for but not detected	X	Value exceeds Maximum Contaminant Level

American Analytical Laboratories, LLC.

Date: 05-Oct-07

CLIENT: Leggette Brashears & Graham Inc.
Lab Order: 0710044
Project: Rowe (Sag Harbor)
Lab ID: 0710044-04A

Client Sample ID: 100307:1015 FRW-4
Tag Number:
Collection Date: 10/3/2007 10:15:00 AM
Matrix: LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILE SW-846 8260 + MTBE & FREON113		SW8260B		Analyst: LC		
1,1,1,2-Tetrachloroethane	U	1.0		µg/L	1	10/4/2007 4:56:00 PM
1,1,1-Trichloroethane	U	1.0		µg/L	1	10/4/2007 4:56:00 PM
1,1,2,2-Tetrachloroethane	U	1.0		µg/L	1	10/4/2007 4:56:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	U	1.0		µg/L	1	10/4/2007 4:56:00 PM
1,1,2-Trichloroethane	U	1.0		µg/L	1	10/4/2007 4:56:00 PM
1,1-Dichloroethane	U	1.0		µg/L	1	10/4/2007 4:56:00 PM
1,1-Dichloroethene	U	1.0		µg/L	1	10/4/2007 4:56:00 PM
1,1-Dichloropropene	U	1.0		µg/L	1	10/4/2007 4:56:00 PM
1,2,3-Trichlorobenzene	U	1.0		µg/L	1	10/4/2007 4:56:00 PM
1,2,3-Trichloropropane	U	1.0		µg/L	1	10/4/2007 4:56:00 PM
1,2,4-Trichlorobenzene	U	1.0		µg/L	1	10/4/2007 4:56:00 PM
1,2,4-Trimethylbenzene	U	1.0		µg/L	1	10/4/2007 4:56:00 PM
1,2-Dibromo-3-chloropropane	U	1.0		µg/L	1	10/4/2007 4:56:00 PM
1,2-Dibromoethane	U	1.0		µg/L	1	10/4/2007 4:56:00 PM
1,2-Dichlorobenzene	U	1.0		µg/L	1	10/4/2007 4:56:00 PM
1,2-Dichloroethane	U	1.0		µg/L	1	10/4/2007 4:56:00 PM
1,2-Dichloropropane	U	1.0		µg/L	1	10/4/2007 4:56:00 PM
1,3,5-Trimethylbenzene	U	1.0		µg/L	1	10/4/2007 4:56:00 PM
1,3-Dichlorobenzene	U	1.0		µg/L	1	10/4/2007 4:56:00 PM
1,3-dichloropropane	U	1.0		µg/L	1	10/4/2007 4:56:00 PM
1,4-Dichlorobenzene	U	1.0		µg/L	1	10/4/2007 4:56:00 PM
2,2-Dichloropropane	U	1.0		µg/L	1	10/4/2007 4:56:00 PM
2-Butanone	U	3.0		µg/L	1	10/4/2007 4:56:00 PM
2-Chloroethyl vinyl ether	U	1.0		µg/L	1	10/4/2007 4:56:00 PM
2-Chlorotoluene	U	1.0		µg/L	1	10/4/2007 4:56:00 PM
2-Hexanone	U	2.0		µg/L	1	10/4/2007 4:56:00 PM
4-Chlorotoluene	U	1.0		µg/L	1	10/4/2007 4:56:00 PM
4-Isopropyltoluene	U	1.0		µg/L	1	10/4/2007 4:56:00 PM
4-Methyl-2-pentanone	U	2.0		µg/L	1	10/4/2007 4:56:00 PM
Acetone	U	2.0		µg/L	1	10/4/2007 4:56:00 PM
Benzene	U	1.0		µg/L	1	10/4/2007 4:56:00 PM
Bromobenzene	U	1.0		µg/L	1	10/4/2007 4:56:00 PM
Bromochloromethane	U	1.0		µg/L	1	10/4/2007 4:56:00 PM
Bromodichloromethane	U	1.0		µg/L	1	10/4/2007 4:56:00 PM
Bromoform	U	1.0		µg/L	1	10/4/2007 4:56:00 PM
Bromomethane	U	1.0		µg/L	1	10/4/2007 4:56:00 PM
Carbon disulfide	U	1.0		µg/L	1	10/4/2007 4:56:00 PM
Carbon tetrachloride	U	1.0		µg/L	1	10/4/2007 4:56:00 PM
Chlorobenzene	U	1.0		µg/L	1	10/4/2007 4:56:00 PM

Qualifiers:	B	Analyte detected in the associated Method Blank	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	S	Spike Recovery outside accepted recovery limits
	U	Indicates the compound was analyzed for but not detected	X	Value exceeds Maximum Contaminant Level

American Analytical Laboratories, LLC.

Date: 05-Oct-07

CLIENT: Leggette Brashears & Graham Inc.
Lab Order: 0710044
Project: Rowe (Sag Harbor)
Lab ID: 0710044-04A

Client Sample ID: 100307:1015 FRW-4
Tag Number:
Collection Date: 10/3/2007 10:15:00 AM
Matrix: LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILE SW-846 8260 + MTBE & FREON113		SW8260B		Analyst: LC		
Chloroethane	U	1.0		µg/L	1	10/4/2007 4:56:00 PM
Chloroform	U	1.0		µg/L	1	10/4/2007 4:56:00 PM
Chloromethane	U	1.0		µg/L	1	10/4/2007 4:56:00 PM
cis-1,2-Dichloroethene	U	1.0		µg/L	1	10/4/2007 4:56:00 PM
cis-1,3-Dichloropropene	U	1.0		µg/L	1	10/4/2007 4:56:00 PM
Dibromochloromethane	U	1.0		µg/L	1	10/4/2007 4:56:00 PM
Dibromomethane	U	1.0		µg/L	1	10/4/2007 4:56:00 PM
Dichlorodifluoromethane	U	1.0		µg/L	1	10/4/2007 4:56:00 PM
Ethylbenzene	U	1.0		µg/L	1	10/4/2007 4:56:00 PM
Hexachlorobutadiene	U	1.0		µg/L	1	10/4/2007 4:56:00 PM
Isopropylbenzene	U	1.0		µg/L	1	10/4/2007 4:56:00 PM
m,p-Xylene	U	2.0		µg/L	1	10/4/2007 4:56:00 PM
Methyl tert-butyl ether	U	1.0		µg/L	1	10/4/2007 4:56:00 PM
Methylene chloride	U	1.0		µg/L	1	10/4/2007 4:56:00 PM
Naphthalene	U	1.0		µg/L	1	10/4/2007 4:56:00 PM
n-Butylbenzene	U	1.0		µg/L	1	10/4/2007 4:56:00 PM
n-Propylbenzene	U	1.0		µg/L	1	10/4/2007 4:56:00 PM
o-Xylene	U	1.0		µg/L	1	10/4/2007 4:56:00 PM
sec-Butylbenzene	U	1.0		µg/L	1	10/4/2007 4:56:00 PM
Styrene	U	1.0		µg/L	1	10/4/2007 4:56:00 PM
tert-Butylbenzene	U	1.0		µg/L	1	10/4/2007 4:56:00 PM
Tetrachloroethene	4.5	1.0		µg/L	1	10/4/2007 4:56:00 PM
Toluene	U	1.0		µg/L	1	10/4/2007 4:56:00 PM
trans-1,2-Dichloroethene	U	1.0		µg/L	1	10/4/2007 4:56:00 PM
trans-1,3-Dichloropropene	U	1.0		µg/L	1	10/4/2007 4:56:00 PM
Trichloroethene	U	1.0		µg/L	1	10/4/2007 4:56:00 PM
Trichlorofluoromethane	U	1.0		µg/L	1	10/4/2007 4:56:00 PM
Vinyl acetate	U	1.0		µg/L	1	10/4/2007 4:56:00 PM
Vinyl chloride	U	1.0		µg/L	1	10/4/2007 4:56:00 PM
Surr: 4-Bromofluorobenzene	100	54-134		%REC	1	10/4/2007 4:56:00 PM
Surr: Dibromofluoromethane	91.6	52-132		%REC	1	10/4/2007 4:56:00 PM
Surr: Toluene-d8	107	51-127		%REC	1	10/4/2007 4:56:00 PM

Qualifiers:	B	Analyte detected in the associated Method Blank	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	S	Spike Recovery outside accepted recovery limits
	U	Indicates the compound was analyzed for but not detected	X	Value exceeds Maximum Contaminant Level