

-DRAFT-

PROJECT STATUS MEMORANDUM

NO. 06-08

TO: Pamela Tames, USEPA

FROM: Mark M. Goldberg, P.E.
Tunde H. Komuves-Sandor

DATE: August 4, 2008

PROJECT: Rowe Industries Superfund Site
Ground-Water Recovery and Treatment System
June 2008 Status Report
Sag Harbor, New York

LBG Engineering Services, P.C. (LBG) commenced operation of the ground-water remediation system at the above-referenced site on December 17, 2002. This status report presents a summary of system performance, operation and maintenance, and monitoring activities for the site from June 1, 2008 through June 30, 2008. The report includes a summary of system performance parameters, system operation parameters, and analytical results for ground water, system effluent samples, and air quality results.

SUMMARY OF SYSTEM PERFORMANCE AND OPERATION

(June 1, 2008 through June 30, 2008)

- | | |
|---|----------------------------------|
| 1. Hours of operation during the reporting period: | 618 hours (86%) |
| 2. Alarm conditions during the reporting period: | See Table 1 |
| 3. Was the SPDES VOC discharge permit criteria achieved: | yes, (Table 2) |
| 4. Total volume of water pumped during the reporting period: | 12,308,760 gal. |
| 5. Was the system effluent flow below the SPDES limit of 1,023,000 gpd: yes, (Graph 1) | |
| 6. Mass of VOCs recovered during the reporting period: | 0.4 pounds |
| 7. Cumulative mass of VOCs recovered since startup on 12/17/02:
(calculations can be provided upon request) | 211.1 pounds |
| 8. Effluent VOC vapor concentration for the reporting period: | 0.08 mg/m ³ (Table 3) |
| 9. Was the effluent VOC vapor emission rate below 0.022 lbs/hr.:
(calculations can be provided upon request) | yes (0.00054 lbs/hr) |

GROUND-WATER RECOVERY SYSTEM STATUS SUMMARY

The following table summarizes select recovery well parameters for the reporting period. Table 4 presents a summary of the quality results for water samples collected from recovery wells. Graph 2 presents PCE concentrations for each recovery well. For wells with water quality that meets or is approaching remedial criteria, Graph 3 presents PCE concentrations at an expanded scale in order to compare them to the PCE aquifer restoration concentration of 5 ug/L. Laboratory analytical reports are included as Appendix I.

Well	Volume pumped (gal)	Average Flow (gpm)	Lowest Measured Flow (gpm) ¹	Total VOC Concentration (µg/L)	VOC Recovery (lbs)
RW-2	916,517	27	13	1.8	0.01
RW-3 ³	5,034	35	10	0	0
RW-4 ⁴	732,464	40	10	13.0	0.08
RW-5	2,021,398	50	50	0	0
RW-6	484,753	15	15	23.7	0.1
RW-7	3,844,760	70	69	11.0	0.35
RW-8	2,013,372	52	41	0	0
RW-9 ²	2,504,385	75	16	0	0

¹Lowest measured flows are based on the lowest average 24 - hour pumping rates for each well recorded to date.

²On May 24, 2008 the RW-9 flow meter totalizer malfunctioned and was repaired on June 24, 2008, the average flow and the hours of operation were used to calculate the volume pumped.

³ RW-3 was restarted on June 17, 2008 at 9:56 AM for sampling purposes and was shut down on June 17, 2008 at 1:00 PM.

⁴ RW-4 was temporarily shut down on May 1, 2008 due to very low and variable flow believed to be caused by iron fouling. The pump was restarted after well rehabilitation on June 17, 2008. Volume pumped and the average flow was calculated from June 17 through June 30, 2008.

Based on the results of the updated ground-water model for the site, the plume is not migrating beyond the influence of the FSP&T system if the recovery well pumps operate at or above the "Lowest Measured Flows". Although RW-4 was not operating until June 17, 2008, it is anticipated that contaminants in the ground water near RW-4 would be in the area of capture of the downgradient recovery wells, based on the updated ground-water model discussed in the 2006 Annual Report for the site. All other wells were at or above their lowest measured flow when they were operating.

Recovery well rehabilitation was initiated on June 2, 2008; the recovery wells were rehabilitated in the following order:

- RW-6 was rehabilitated from June 2nd through June 3rd;
- RW-5 was rehabilitated from June 3rd through June 5th;
- RW-4 was rehabilitated from June 5th through June 12th;
- RW-3 was rehabilitated June 10th through June 13th;
- RW-9 was rehabilitated from June 16th through June 20th;
- RW-2 was rehabilitated from June 23rd through June 27th; and
- RW-7 rehabilitation began June 30th.

A 24-foot decrease in drawdown was observed at RW-6 following mechanical redevelopment; therefore, chemical well rehabilitation (which has resulted in limited improvements of specific capacity in this well) will not be necessary at the current time. However the drawdown at RW-6 will continue to be monitored. Improvements in specific capacity and pumping performance were observed following well rehabilitation activities at RW-2, RW-3, RW-4, RW-6 and RW-9. The specific capacity at RW-5 decreased slightly following mechanical redevelopment. Details of the 2008 recovery well rehabilitation will be discussed in a separate report.

BAG FILTER STATUS

The following table presents an operational summary of the bag filter usage and configuration for the reporting period.

Dates	Bank 1	Bank 2	Bank 3
June 1 to 30	7 of 8 housings used with 400 micron bag filters	7 of 8 housings used with 400 micron bag filters	Not active

No modifications were made to the filter bank configuration or operation during this reporting period.

OTHER O&M ACTIVITIES AND FUTURE O&M ACTIVITIES

Other O&M activities conducted in June 2008 include:

- On June 11, 2008, a Verizon technician serviced the phone line for the DSL service.
- On June 24, 2008, the malfunctioning reed switch in the RW-9 flow meter was replaced.

Future O&M activities scheduled for the summer of 2008 include:

- Continue to evaluate the effect on contaminant concentrations in RW-2 when RW-3 is turned back on in July; and
- Continue recovery well rehabilitation and conduct FSP&T system maintenance following the completion of recovery well rehabilitation.

MMG:nv

Attachments

cc: Jeff Srulovitz - Kraft Foods Global, Inc. - .pdf
 Lisa Krogman, Environ – .pdf
 Angela DeDolph, Environ – .pdf
 Jeff Trad, NYSDEC – .pdf
 Chief-Operation Maintenance and Support Section, NYSDEC – .pdf
 William Spitz, RWM, R-1, NYSDEC
 Garrett W. Swensen Jr., Esq., Town of Southampton

TABLES

TABLE 1
GROUND-WATER REMEDIAL ACTION
ROWE INDUSTRIES SUPERFUND SITE
SAG HARBOR, NEW YORK

MAINTENANCE LOG
(June 1, 2008 through June 30, 2008)

Date	Time	System Changes/Modifications	Personnel
6/2/2008		Start Recovery Well rehabilitation.	TS/DP/Alpine
	9:94 AM	Shutdown RW-6 for redevelopment.	TS/DP
6/3/2008	2:25 PM	Shutdown RW-5 for redevelopment.	DP
	2:45 PM	Restart RW-6 after redevelopment.	DP
6/5/2008	8:54 AM	Restart RW-5, start rehabilitation of RW-4. RW-4 already off prior to rehabilitation.	DP
		Changed multi-bag filter bags (400 mm) in banks 1 and 2 seven of eight housings used. Banks 1 and 2 left open. Bank 3 closed.	SH
6/8/2008	5:30 PM	Power failure, system shut down.	
6/9/2008	10:22 AM	Reset alarms and restarted system.	TS/KM
6/10/2008		Changed multi-bag filter bags (400 mm) in Banks 1 and 2 seven of eight housings used. Banks 1 and 2 left open. Bank 3 closed.	SH
6/14/2008	9:26 AM	Power failure/System Communication Failure, system shut down.	
6/17/2008	9:50 AM	Power down system, reboot computer, reset alarms, restart system, with the exception of RW-9 which will remain turned off for well rehabilitation.	SH
		Changed multi-bag filter bags (400 mm) in Banks 1 and 2 seven of eight housings used. Banks 1 and 2 left open. Bank 3 closed.	SH
		Restart RW-4 after well rehabilitation	SH
6/18/2008	9:26 PM	Power Failure, system shutdown.	
6/19/2008	7:20 AM	Reboot computer, restart system.	DP/Alpine
6/20/2008	10:24 AM	Restart RW-9 after well rehabilitation, flow meter not functioning correctly.	DP
6/23/2008	7:52 AM	Shutdown RW-2 for well rehabilitation.	SH
6/24/2008		Changed multi-bag filter bags (400 mm) in Banks 1 and 2 seven of eight housings used. Banks 1 and 2 left open. Bank 3 closed.	SH
		Troubleshoot RW-9 flow meter, replace malfunctioning reed switch.	SH
6/27/2008	8:54 AM	Restart RW-2 after well rehabilitation.	KM
6/30/2008	9:15 AM	Shutdown RW-7 for well redevelopment.	DP

TABLE 2

**GROUND-WATER REMEDIAL ACTION
 ROWE INDUSTRIES SUPERFUND SITE
 SAG HARBOR, NEW YORK**

EFFLUENT WATER QUALITY RESULTS

Date Sampled ^{2/}	pH ^{1/}	TDS (mg/l)	PCE (ug/l)	1,1,1-TCA (ug/l)	TCE (ug/l)	1,1-DCA (ug/l)	1,1-DCE (ug/l)	1,2-DCE (ug/l)	Xylene (ug/l)	Bromoform (ug/l)	Dibromo-chloromethane (ug/l)	Methylene Chloride (ug/l)	Freon 113 (ug/l)	Acetone (ug/l)	Chloroform (ug/l)	MTBE (ug/l)	Total Iron (mg/l)	Dissolved Iron (mg/l)
SPDES Limits	5.0 to 8.5	---	5	5	5	5	5	5	5	---	---	5	---	50	7	---	---	---
5-Jun-08	6.64	98	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	1.32	1.09
10-Jun-08	6.55	114	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	1.51	0.232
17-Jun-08	3/	116	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	1.89	0.448
25-Jun-08	3/	92	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	1.18	0.043

SPDES: State Pollutant Discharge Elimination System

mg/l: Milligrams per liter

ug/l: Micrograms per liter

---: Not established

J: Analyte detected below quantitation limits

NM: Not Measured

TDS: Total dissolved solids

PCE: Tetrachloroethylene

TCE: Trichloroethylene

1,1-DCA: 1,1-Dichloroethane

1,1-DCE: 1,1-Dichloroethene

1,2-DCE: 1,2-Dichloroethene

MTBE: Methyl tert-butyl ether

Notes:

- Based on the new SPDES criteria from an NY SDEC letter dated on May 11, 2006, the new allowable pH range for the Rowe Site is between 5.0 and 8.5. The pH was measured with a new calibrated electronic pH meter. Influent pH values from recovery wells typically range between 5 and 6.
- "Effluent" samples were collected from sample port labeled NP2-10 unless otherwise noted.
- The pH was not measured at this time.

TABLE 3

**GROUND-WATER REMEDIAL ACTION
ROWE INDUSTRIES SUPERFUND SITE
SAG HARBOR, NEW YORK**

CARBON UNIT SYSTEM AIR QUALITY RESULTS

Precarbon			Parameters (mg/m3)																				TOTAL VOCs			
Sample Name	Date	Time	PCE	TCE	TCA	DCE	DCA	cis-DCE	Toluene	Benzene	m&p-Xylenes	o-Xylene	Styrene	CF	MC	CM	CD	BM	CB	EB	VC	CE	CT	DCP	TOTAL VOCs	
AQ060707:1030NP4-1	6/7/2007	10:30	0.1	0.0048	0.046	ND	0.0075	ND	0.0023	ND	ND	ND	ND	0.0045	0.0012	0.0018	0.0054	ND	ND	ND	ND	ND	ND	ND	ND	0.17
AQ070507:1100NP4-1	7/5/2007	11:00	0.18	0.0067	0.044	0.0021	0.0094	ND	0.0027	ND	ND	ND	ND	0.0046	0.0019	0.0064	0.0064	ND	ND	ND	ND	ND	ND	ND	ND	0.26
AQ080807:1100NP4-1	8/8/2007	11:00	0.0028 ^B	0.0072	ND	ND	ND	ND	0.0029	0.0029	ND	ND	ND	ND	0.0028 ^B	0.0025	0.021	ND	ND	ND	ND	ND	ND	ND	ND	0.04
AQ091207:1100NP4-1	9/12/2007	11:00	0.370	0.0031	0.027	ND	0.0077	ND	0.11	ND	ND	ND	ND	0.0047	0.0031	0.002	0.11	ND	ND	ND	ND	ND	ND	ND	ND	0.64
AQ100307:900NP4-1	10/3/2007	9:00	0.200	0.0080	0.05	0.004	0.016	ND	0.0026	0.0012	ND	ND	ND	0.0061	ND	0.0074	0.0015 ^B	ND	ND	ND	0.0015 ^B	ND	ND	ND	ND	0.30
AQ112807:900NP4-1	11/28/2007	9:00	0.110	0.0046	0.034	0.0037	0.013	0.0023	0.0022	0.001	ND	ND	ND	0.0062	0.0018 ^B	0.002	0.0061	ND	ND	ND	ND	ND	ND	ND	ND	0.19
AQ121207:900NP4-1	12/12/2007	9:00	0.090	0.0047	0.040	0.0021	0.015	ND	0.0023	ND	ND	ND	ND	0.0058	0.0011	0.0022	0.0022	ND	ND	ND	ND	ND	ND	ND	ND	0.16
AQ11608:900NP4-1	1/16/2008	9:00	0.032	ND	0.022	ND	0.0079	ND	ND	ND	ND	ND	ND	0.0025	0.04	0.0013	0.0013	ND	ND	ND	ND	ND	ND	ND	ND	0.11
AQ021308:1100NP4-1	2/13/2008	11:00	0.063	0.0037	0.025	0.0022	0.012	ND	0.0027	ND	ND	ND	ND	0.0047	0.0021 ^B	0.0025	0.0034	ND	ND	ND	ND	ND	ND	ND	ND	0.12
AQ032708:1220NP4-1	3/27/2008	12:20	0.069	0.0039	0.042	0.0031	0.018	ND	0.0022	ND	ND	ND	ND	0.0073	0.0032	ND	0.0028	ND	ND	ND	ND	ND	ND	ND	ND	0.15
AQ042208:1030NP4-1	4/22/2008	10:30	0.110	0.0055	0.027	0.0024	0.012	0.0023	0.0034	0.0013	ND	ND	ND	0.0053	0.0052 ^B	0.0031	0.0028	ND	ND	ND	ND	ND	ND	ND	ND	0.18
AQ052708:1700NP4-1	5/27/2008	17:00	0.077	0.0045	0.028	0.0027	0.010	ND	0.0012	ND	ND	ND	ND	0.0062	0.0030 ^B	0.0034	0.0079	ND	ND	ND	ND	ND	ND	ND	ND	0.14
AQ062508:800NP4-1	6/25/2008	8:00	0.062	0.0041	0.030	0.0022	0.010	ND	0.0038	0.0014	ND	ND	ND	0.005	0.0038 ^B	0.002	0.013	ND	ND	ND	ND	ND	ND	ND	ND	0.13

Midcarbon			Parameters (mg/m3)																				TOTAL VOCs			
Sample Name	Date	Time	PCE	TCE	TCA	DCE	DCA	cis-DCE	Toluene	Benzene	m&p-Xylenes	o-Xylene	Styrene	CF	MC	CM	CD	BM	CB	EB	VC	CE	CT	DCP	TOTAL VOCs	
AQ060707:1055NP4-2	6/7/2007	10:55	0.0052	0.002	0.058	ND	0.0096	ND	0.0023	ND	0.0013	ND	ND	0.004	0.0014	ND	0.006	ND	ND	ND	ND	ND	ND	ND	ND	0.09
AQ070507:1105NP4-2	7/5/2007	11:05	0.0018	0.001	0.066	ND	0.0084	ND	0.0018	ND	ND	ND	ND	0.0038	0.0019 ^B	0.0071	0.02	ND	ND	ND	ND	ND	ND	ND	ND	0.09
AQ080807:1105NP4-2	8/8/2007	11:05	1.3 ^B	0.120	0.33	0.0053	0.035	0.0068	0.0092	0.0049	0.0028	ND	ND	0.016	0.0026 ^B	0.0018	0.02	ND	ND	ND	ND	ND	0.0028	0.0012	0.56	
AQ091207:1105NP4-2	9/12/2007	11:05	1.8	0.051	0.100	0.0040	0.020	0.029	0.035	0.0035	ND	ND	ND	0.0075	0.0042	0.0029	0.025	ND	ND	ND	0.0011	ND	ND	ND	2.05	
AQ100307:905NP4-2	10/3/2007	9:05	0.220	0.018	0.054	0.0017	0.015	ND	0.0014	ND	ND	ND	ND	0.0053	0.0014	0.01	0.01	ND	ND	ND	0.0012 ^B	ND	ND	ND	0.33	
AQ112807:905NP4-2	11/28/2007	9:05	0.086	0.011	0.072	0.0038	0.015	ND	0.0014	ND	ND	ND	ND	0.0056	0.0019 ^B	0.0051	0.0051	ND	ND	ND	ND	ND	ND	ND	0.20	
AQ121207:905NP4-2	12/12/2007	9:05	0.250	0.025	0.086	0.0023	0.017	ND	0.010	0.00095	ND	ND	ND	0.0064	0.0014	0.0024	0.0024	ND	ND	ND	ND	ND	ND	ND	0.40	
AQ11608:905NP4-2	1/16/2008	9:05	0.210	0.007	0.079	ND	0.015	ND	ND	ND	ND	ND	ND	0.0066	ND	ND	0.0024	ND	ND	ND	ND	ND	ND	ND	0.32	
AQ021308:1105NP4-2	2/13/2008	11:05	0.029	0.004	0.066	0.0026	0.017	0.0014	0.002	ND	ND	ND	ND	0.0059	0.0032 ^B	0.0044	0.0035	ND	ND	ND	ND	ND	ND	ND	0.14	
AQ032708:1225NP4-2	3/27/2008	12:25	0.240	0.007	0.039	0.0032	0.014	ND	0.0033	ND	ND	ND	ND	0.006	0.0046	0.0034	0.0021	ND	ND	ND	ND	ND	ND	ND	0.32	
AQ042208:1035NP4-2	4/22/2008	10:35	0.025	0.052	0.040	0.0033	0.015	ND	0.0036	0.0012	0.0042	ND	ND	0.0057	0.0061 ^B	0.0030	0.0047	ND	ND	ND	ND	ND	ND	ND	0.16	
AQ052707:1705NP4-2	5/27/2008	17:05	0.044	0.008	0.081	0.0042	0.021	ND	0.0010	ND	ND	ND	ND	0.0098	0.0054 ^B	0.0024	0.0081	ND	ND	ND	ND	ND	ND	ND	0.18	
AQ062508:805NP4-2	6/25/2008	8:05	0.420	0.040	0.083	0.0037	0.022	0.0046	0.0046	0.0026	ND	ND	ND	0.011	0.0061 ^B	0.0066	0.021	ND	ND	ND	ND	ND	ND	ND	0.62	

Postcarbon			Parameters (mg/m3)																				TOTAL VOCs			
Sample Name	Date	Time	PCE	TCE	TCA	DCE	DCA	cis-DCE	Toluene	Benzene	m&p-Xylenes	o-Xylene	Styrene	CF	MC	CM	CD	BM	CB	EB	VC	CE	CT	DCP	TOTAL VOCs	
AQ060707:1100NP4-3	6/7/2007	11:00	ND	ND	0.067	0.0020	0.0092	0.0045	0.002	ND	0.0023	ND	ND	0.0035	0.0011	ND	0.0052	ND	ND	ND	ND	ND	ND	ND	ND	0.10
AQ070507:1110NP4-3	7/5/2007	11:10	ND	ND	0.110	0.0033	0.015	0.0064	0.0016	ND	ND	ND	ND	0.006	0.0019 ^B	0.0062	0.019	ND	ND	ND	ND	ND	ND	ND	ND	0.15
AQ080807:1110NP4-3	8/8/2007	11:10	0.013 ^B	0.0015	0.190	0.0063	0.029	0.011	0.41	0.0018	ND	ND	ND	0.011	0.0047 ^B	0.0037	0.0099	ND	ND	ND	0.00092	ND	ND	ND	ND	0.68
AQ091207:1110NP4-3	9/12/2007	11:10	ND	ND	0.033	ND	0.0061	ND	0.0028	ND	ND	ND	ND	0.0028	0.0013	ND	0.008	ND	ND	ND	0.00092	ND	ND	ND	ND	0.06
AQ100307:910NP4-3	10/3/2007	9:10	ND	ND	0.044	ND	0.0076	0.0021	0.0033	ND	ND	ND	ND	0.003	0.0012	ND	0.008	ND	ND	ND	ND	ND	ND	ND	ND	0.07
AQ112807:910NP4-3	11/28/2007	9:10	ND	ND	0.11	0.0030	0.014	0.0022	0.0015	ND	ND	ND	ND	0.0045	0.0018 ^B	0.0061	0.0061	ND	ND	ND	ND	ND	ND	ND	ND	0.14
AQ121207:910NP4-3	12/12/2007	9:10	ND	ND	0.16	0.0033	0.025	0.003	0.0012	ND	ND	ND	ND	0.007	ND	ND	0.0028	ND	ND	ND	ND	ND	ND	ND	ND	0.20
AQ11608:910NP4-3	1/16/2008	9:10	ND	ND	0.14	0.0025	0.022	0.0019	0.0032	ND	ND	ND	ND	0.0082	ND	0.0034	0.0011	ND	ND	ND	0.0011	ND	ND	ND	ND	0.18
AQ021308:1110NP4-3	2/13/2008	11:10	ND	ND	0.12	0.0029	0.018	0.0019	0.0022	ND	ND	ND	ND	0.007	0.0023	0.0025	0.0038	ND	ND	ND	ND	ND	ND	ND	ND	0.16
AQ032708:1230NP4-3	3/27/2008	12:30	ND	ND	0.063	0.0036	0.014	ND	0.0019	ND	ND	ND	ND	0.006	0.0029	0.0026	0.0023	ND	ND	ND	ND	ND	ND	ND	ND	0.10
AQ042208:1040NP4-3	4/22/2008	10:40	ND	ND	0.030	0.0020	0.0073	0.0035	0.00099	0.00099	ND	ND	ND	0.0034	0.0055 ^B	0.0024	0.0036	ND	ND	ND	ND	ND	ND	ND	ND	0.05
AQ052707:1708NP4-3	5/27/2008	17:08	ND	ND	0.045	0.0039	0.013	0.0014	0.0025	ND	ND	ND	ND	0.0057	0.0088 ^B	0.0027	0.0046	ND	ND	ND	ND	ND	ND	ND	ND	0.08
AQ062508:810NP4-3	6/25/2008	8:10	ND	0.001	0.024	0.0025	0.011	0.0022	0.0034	0.0012	ND	ND	ND	0.0044	0.0064 ^B	0.0069	0.019	ND	ND	ND	ND	ND	ND	ND	ND	0.08

Note: B Method blank contamination. The associated method blank contains the target analyte at a reportable level.

BM - Bromomethane
CB - Chlorobenzene
EB - Ethylbenzene
VC - Vinyl Chloride

DCP - 1,2-Dichloropropane

CF - Chloroform
MC - Methylene Chloride
CM - Chloromethane
CD - Carbon Disulfide

DCE - 1,1-Dichloroethane
DCA - 1,1-Dichloroethane
dis-DCE - cis-1,2-Dichloroethane
CT - Carbon Tetrachloride

PCE - Tetrachloroethane
TCE - Trichloroethane
TCA - 1,1,1-Trichloroethane
CE - Chloroethane

TABLE 4

**GROUND-WATER REMEDIAL ACTION
ROWE INDUSTRIES SUPERFUND SITE
SAG HARBOR, NEW YORK**

RECOVERY WELL WATER QUALITY RESULTS

Recovery Well	Date Sampled	PCE (ug/L)	TCE (ug/L)	TCA (ug/L)	Vinyl Acetate (ug/L)	Chloroform (ug/L)	MTBE (ug/L)	Total Iron (mg/L)	Dissolved Iron (mg/L)	1,1-Dichloroethane (ug/L)	cis-1,2-Dichloroethene (ug/L)	1,1-Dichloroethene (ug/L)	Methylene Chloride (ug/L) ^{1/}	Toluene (ug/L)	Dibromochloromethane	m,p-Xylene (ug/L)	o-Xylene (ug/L)	Ethylbenzene (ug/L)	Acetone (ug/L) ^{1/}	
RW-1	15-Sep-04 ARAR's	5	5	5	NE	7	NE	300	300	5	5	5	5	NE	NE	ND-2	ND-1	ND-1	NE	
	7-Oct-04	ND<1	ND<1	ND<1	ND<1	2.8	ND<1	0.0865	ND<0.02	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	
	3-Nov-04	ND<1	ND<1	ND<1	ND<1	ND<1	2.2	0.0332	ND<0.02	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	
	15-Dec-04	ND<1	ND<1	ND<1	ND<1	9.8	2.0	0.0133	ND<0.02	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	
	13-Jan-05	ND<1	ND<1	ND<1	ND<1	ND<1	2.1	0.0475	0.0229	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	
	8-Feb-05	ND<1	ND<1	ND<1	ND<1	1.5	2.1	0.0703	0.0326	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	
	15-Mar-05	ND<1	ND<1	ND<1	ND<1	4.6	ND<1	ND<0.02	ND<0.02	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	
	19-Apr-05	ND<1	ND<1	ND<1	ND<1	2.5	ND<1	0.0285	ND<0.02	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	
	2-May-05	ND<1	ND<1	ND<1	ND<1	1.5	ND<1	0.0357	0.0217	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	
	16-Jun-05	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<0.02	ND<0.02	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	
	14-Jul-05	ND<1	ND<1	ND<1	ND<1	4.0	ND<1	ND<0.02	ND<0.02	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	
	7-Mar-06	ND<1	ND<1	ND<1	ND<1	2.1	ND<1	0.0289	ND<0.02	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	
	19-Sep-06	ND<1	ND<1	ND<1	ND<1	5.2	ND<1	0.1650	ND<0.02	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	
	7-Mar-07	ND<1	ND<1	ND<1	ND<1	1.7	ND<1	NA	NA	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	
	3-Oct-07	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	NA	NA	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	
	13-Mar-08	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	NA	NA	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	
	RW-2	21-Jun-06	13.0	3.0	25	ND<1	ND<1	ND<1	3.57	0.093	ND<1	5.0	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
20-Jul-06		8.0	3.4	60	ND<1	ND<1	ND<1	4.49	0.177	ND<1	7.5	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	
24-Aug-06		11.0	1.1	25	ND<1	ND<1	ND<1	4.14	0.0172	ND<1	5.7	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	
19-Sep-06		2.8	ND<1	200	ND<1	ND<1	ND<1	13.7	0.0184	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	
24-Oct-06		5.0	1.6	160	ND<1	ND<1	ND<1	3.6	0.00756	ND<1	3.6	0.91	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	
29-Nov-06		6.0	1.8	36	ND<1	ND<1	ND<1	14.1	0.0148	ND<1	3	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	
20-Dec-06		2.2	ND<1	110	ND<1	ND<1	ND<1	11.8	0.0197	ND<1	2.8	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	
10-Jan-07		4.2	2.7	68	ND<1	ND<1	ND<1	2.77	0.458	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	
8-Feb-07		3.4	2.4	62	ND<1	ND<1	ND<1	8.72	0.00829	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	
7-Mar-07		ND<1	ND<1	31	ND<1	ND<1	ND<1	4.28	0.107	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	
18-Apr-07		3	1.7	23	ND<1	ND<1	ND<1	3.81	0.32	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	
10-May-07		ND<1	ND<1	26	ND<1	ND<1	ND<1	3.04	0.00589	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	
15-Jun-07		1.1	1.2	ND<1	ND<1	ND<1	ND<1	2.7	0.0392	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	
18-Jul-07		1.2	0.78	17	ND<1	ND<1	ND<1	2.26	0.198	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	
16-Aug-07		0.75	ND<1	10	ND<1	ND<1	ND<1	3.92	0.157	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	
12-Sep-07		1.6	ND<1	1.2	ND<1	ND<1	ND<1	1.76	0.232	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	
3-Oct-07		1.4	ND<1	1.2	ND<1	ND<1	ND<1	1.9	1.28	ND<1	0.65	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	
19-Nov-07		5.6	ND<1	ND<1	ND<1	ND<1	ND<1	2.18	0.0132	ND<1	1.6	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	
12-Dec-07		2.2	0.86	8.3	ND<1	ND<1	ND<1	5.55	0.0186	ND<1	0.61	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	
16-Jan-08		2	ND<1	5.9	ND<1	ND<1	ND<1	3.09	0.185	0.6	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	
13-Feb-08		NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM
10-Mar-08		1.9	ND<1	5.6	ND<1	ND<1	ND<1	2.74	0.0592	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	
17-Apr-08		1.6	ND<1	4.1	ND<1	ND<1	ND<1	2.83	0.252	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	
27-May-08		1.8	ND<1	2.9	ND<1	ND<1	ND<1	3.00	0.838	ND<1	3.00	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
17-Jun-08		ND<1	ND<1	1.8	ND<1	ND<1	ND<1	2.65	0.143	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1

TABLE 4

**GROUND-WATER REMEDIAL ACTION
ROWE INDUSTRIES SUPERFUND SITE
SAG HARBOR, NEW YORK**

RECOVERY WELL WATER QUALITY RESULTS

Recovery Well	Date Sampled	PCE (ug/L)	TCE (ug/L)	TCA (ug/L)	Vinyl Acetate (ug/L)	Chloroform (ug/L)	MTBE (ug/L)	Total Iron (mg/L)	Dissolved Iron (mg/L)	1,1-Dichloro-ethane (ug/L)	cis-1,2-Dichloro-ethane (ug/L)	1,1-Dichloro-ethene (ug/L)	Methylene Chloride (ug/L) ^{1/}	Toluene (ug/L)	Dibromochloromethane (ug/L)	m,p-Xylene (ug/L)	o-Xylene (ug/L)	Ethylbenzene (ug/L)	Acetone (ug/L) ^{1/}
RW-3	21-Jun-06 ARAR's	5	5	5	NE	7	NE	300	300	5	5	5	5	NE	NE	NM	NM	NM	NE
	20-Jul-06	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM
	24-Aug-06	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM
	19-Sep-06	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM
	24-Oct-06	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM
	29-Nov-06	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	2.36	0.053	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<2	ND<1	ND<1	ND<1
	20-Dec-06	4.4	ND<1	ND<1	ND<1	ND<1	ND<1	17.3	0.0112	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<2	ND<1	ND<1	ND<1
	10-Jan-07	1.2	8	3.5	ND<1	ND<1	ND<1	1.87	1.63	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	2.1	ND<1	ND<1	ND<1
	8-Feb-07	ND<1	3.2	ND<1	ND<1	ND<1	ND<1	ND<0.02	2.16	0.954	ND<1	ND<1	ND<1	ND<1	ND<1	ND<2	ND<1	ND<1	ND<1
	7-Mar-07	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	2.09	1.65	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<2	ND<1	ND<1	ND<1
	18-Apr-07	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	2.24	0.761	ND<1	ND<1	ND<1	6.1*	ND<1	ND<1	ND<2	ND<1	ND<1	ND<1
	10-May-07	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	1.89	1.02	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<2	ND<1	ND<1	ND<1
	25-Jun-07	0.91	8.5	ND<1	ND<1	ND<1	ND<1	2.48	0.19	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<2	ND<1	ND<1	ND<1
	18-Jul-07	ND<1	2.8	1.2	ND<1	ND<1	ND<1	2.36	0.0414	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<2	ND<1	ND<1	ND<1
	16-Aug-07	ND<1	1.2	0.72	ND<1	ND<1	ND<1	2.95	1.16	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<2	ND<1	ND<1	ND<1
	12-Sep-07	ND<1	1.6	ND<1	ND<1	ND<1	ND<1	2.20	1.49	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<2	ND<1	ND<1	ND<1
	3-Oct-07	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	2.46	2.16	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<2	ND<1	ND<1	ND<1
	19-Nov-07	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	2.70	0.971	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<2	ND<1	ND<1	ND<1
	12-Dec-07	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM
	16-Jan-08	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	3.73	0.229	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<2	ND<1	ND<1	ND<1
	13-Feb-08	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	1.88	1.09	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<2	ND<1	ND<1	ND<1
	10-Mar-08	ND<1	2.2	0.8	ND<1	ND<1	ND<1	2.23	2.08	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<2	ND<1	ND<1	ND<1
	17-Apr-08	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	4.27	1.94	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<2	ND<1	ND<1	ND<1
	13-May-08	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	2.08	1.61	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<2	ND<1	ND<1	ND<1
	27-Jun-08	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	1.87	1.56	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<2	ND<1	ND<1	ND<1
RW-4	21-Jun-06	23	ND<1	8.4	ND<1	ND<1	ND<1	9.23	0.086	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<2	ND<1	ND<1	ND<1
	20-Jul-06	14	ND<1	9.4	ND<1	ND<1	ND<1	4.10	0.155	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<2	ND<1	ND<1	ND<1
	24-Aug-06	23	ND<1	ND<1	ND<1	ND<1	ND<1	8.60	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<2	ND<1	ND<1	ND<1
	19-Sep-06	9	ND<1	7.5	ND<1	ND<1	ND<1	5.95	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<2	ND<1	ND<1	ND<1
	24-Oct-06	11	ND<1	5.6	ND<1	ND<1	ND<1	7.17	0.0178	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<2	ND<1	ND<1	ND<1
	29-Nov-06	14	0.9	ND<1	ND<1	ND<1	ND<1	2.82	0.00708	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<2	ND<1	ND<1	ND<1
	20-Dec-06	6.4	ND<1	4.4	ND<1	ND<1	ND<1	17.30	0.0112	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<2	ND<1	ND<1	ND<1
	10-Jan-07	12	ND<1	4.6	ND<1	ND<1	ND<1	3.17	0.0794	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	15	ND<1	4.2	ND<1
	8-Feb-07	13	ND<1	3.3	ND<1	ND<1	ND<1	3.64	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<2	ND<1	ND<1	ND<1
	7-Mar-07	7.3	ND<1	2.1	ND<1	ND<1	ND<1	3.85	0.0767	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<2	ND<1	ND<1	ND<1
	18-Apr-07	11	ND<1	ND<1	ND<1	ND<1	ND<1	4.46	0.251	ND<1	ND<1	ND<1	7.2*	ND<1	ND<1	ND<2	ND<1	ND<1	ND<1
	10-May-07	11	ND<1	ND<1	ND<1	ND<1	ND<1	3.67	0.0422	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<2	ND<1	ND<1	ND<1
	20-Jun-07	5.3	ND<1	0.89	ND<1	ND<1	ND<1	3.73	0.048	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<2	ND<1	ND<1	ND<1
	25-Jul-07	6.9	ND<1	3.3	ND<1	ND<1	ND<1	6.58	3.37	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<2	ND<1	ND<1	ND<1
	16-Aug-07	5.8	ND<1	5.0	ND<1	ND<1	ND<1	4.44	0.213	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<2	ND<1	ND<1	ND<1
	12-Sep-07	7	ND<1	6.3	ND<1	ND<1	ND<1	4.02	1.73	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<2	ND<1	ND<1	ND<1
	3-Oct-07	9.4	1.1	10.0	ND<1	ND<1	ND<1	5.04	3.1	0.68	ND<1	ND<1	ND<1	ND<1	ND<1	ND<2	ND<1	ND<1	ND<1
	19-Nov-07	15	1.3	8.2	ND<1	ND<1	ND<1	3.73	0.0317	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<2	ND<1	ND<1	ND<1
	12-Dec-07	7.7	ND<1	4.6	ND<1	ND<1	ND<1	4.47	2.34	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<2	ND<1	ND<1	ND<1
	16-Jan-08	7.9	ND<1	4.2	ND<1	ND<1	ND<1	4.67	0.954	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<2	ND<1	ND<1	ND<1
	13-Feb-08	2.1	ND<1	ND<1	ND<1	ND<1	ND<1	8.28	0.371	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<2	ND<1	ND<1	ND<1
	10-Mar-08	6.5	0.57	3.0	ND<1	ND<1	ND<1	4.96	1.94	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<2	ND<1	ND<1	ND<1
	17-Apr-08	6.1	ND<1	2.6	ND<1	ND<1	ND<1	5.86	0.96	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<2	ND<1	ND<1	ND<1
	27-May-08	9.9	1.3	ND<1	ND<1	ND<1	ND<1	6.13	4.14	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<2	ND<1	ND<1	ND<1
	17-Jun-08	13	ND<1	ND<1	ND<1	ND<1	ND<1	6.47	3.85	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<2	ND<1	ND<1	ND<1

TABLE 4

**GROUND-WATER REMEDIAL ACTION
ROWE INDUSTRIES SUPERFUND SITE
SAG HARBOR, NEW YORK**

RECOVERY WELL WATER QUALITY RESULTS

Recovery Well	Date Sampled	PCE (ug/L)	TCE (ug/L)	TCA (ug/L)	Vinyl Acetate (ug/L)	Chloroform (ug/L)	MTBE (ug/L)	Total Iron (mg/L)	Dissolved Iron (mg/L)	1,1-Dichloro-ethane (ug/L)	cis-1,2-Dichloro-ethene (ug/L)	1,1-Dichloro-ethene (ug/L)	Methylene Chloride (ug/L) ^{1/}	Toluene (ug/L)	Dibromochloromethane (ug/L)	m,p-Xylene (ug/L)	o-Xylene (ug/L)	Ethylbenzene (ug/L)	Acetone (ug/L) ^{1/}
	ARAR's	5	5	5	NE	7	NE	300	300	5	5	5	5	NE	NE	NE	NE	NE	NE
RW5	21-Jun-06	2.4	ND<1	2.6	ND<1	ND<1	ND<1	0.195	0.012	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<2	ND<1	ND<1	ND<1
	20-Jul-06	1.3	ND<1	3.1	ND<1	ND<1	ND<1	0.184	ND<0.02	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<2	ND<1	ND<1	ND<1
	24-Aug-06	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	2.09	0.0116	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<2	ND<1	ND<1	ND<1
	19-Sep-06	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	0.194	ND<0.02	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<2	ND<1	ND<1	ND<1
	24-Oct-06	1.1	ND<1	1.3	ND<1	ND<1	ND<1	0.0683	0.00684	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<2	ND<1	ND<1	ND<1
	29-Nov-06	6	ND<1	1.3	ND<1	ND<1	ND<1	0.136	0.0195	ND<1	ND<1	ND<1	ND<1	0.96	ND<1	ND<2	ND<1	ND<1	ND<1
	20-Dec-06	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	0.508	0.0113	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<2	ND<1	ND<1	ND<1
	10-Jan-07	1.2	ND<1	ND<1	ND<1	ND<1	1.2	0.0606	0.0128	ND<1	ND<1	ND<1	ND<1	2.8	ND<1	12	ND<1	3.9	ND<1
	8-Feb-07	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	0.327	ND<0.02	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<2	ND<1	ND<1	ND<1
	7-Mar-07	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	0.0655	0.00722	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<2	ND<1	ND<1	ND<1
	18-Apr-07	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	0.973	0.0106	ND<1	ND<1	ND<1	8.1*	ND<1	ND<1	ND<2	ND<1	ND<1	ND<1
	10-May-07	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	0.0763	0.00469	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<2	ND<1	ND<1	ND<1
	20-Jun-07	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	0.118	0.00747	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<2	ND<1	ND<1	ND<1
	18-Jul-07	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	0.395	0.0889	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<2	ND<1	ND<1	ND<1
	16-Aug-07	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	0.0450	0.008	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<2	ND<1	ND<1	ND<1
	12-Sep-07	ND<1	ND<1	ND<1	ND<1	0.6	ND<1	0.0460	0.008	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<2	ND<1	ND<1	ND<1
	3-Oct-07	ND<1	ND<1	ND<1	ND<1	0.81	ND<1	0.0600	0.350	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<2	ND<1	ND<1	ND<1
	19-Nov-07	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	0.1330	0.022	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<2	ND<1	ND<1	ND<1
	12-Dec-07	ND<1	ND<1	0.61	ND<1	0.65	ND<1	0.0368	0.014	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<2	ND<1	ND<1	ND<1
	16-Jan-08	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	0.0732	0.0441	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<2	ND<1	ND<1	ND<1
	13-Feb-08	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	0.3680	0.0121	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<2	ND<1	ND<1	ND<1
	10-Mar-08	ND<1	ND<1	ND<1	ND<1	0.67	ND<1	0.0491	0.0236	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<2	ND<1	ND<1	ND<1
	17-Apr-08	ND<1	ND<1	3.1	ND<1	ND<1	ND<1	0.1090	0.0735	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<2	ND<1	ND<1	ND<1
	27-May-08	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	0.0522	0.0113	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<2	ND<1	ND<1	ND<1
	17-Jun-08	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	0.0404	0.0259	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<2	ND<1	ND<1	ND<1
RW6	21-Jun-06	83	ND<1	20	ND<1	ND<1	ND<1	0.075	0.025	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<2	ND<1	ND<1	ND<1
	20-Jul-06	45	1.5	24	ND<1	ND<1	ND<1	1.01	0.0169	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<2	ND<1	ND<1	ND<1
	24-Aug-06	30	ND<1	22	ND<1	ND<1	ND<1	5.36	0.0563	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<2	ND<1	ND<1	ND<1
	19-Sep-06	46	ND<1	27	ND<1	ND<1	ND<1	0.916	0.0078	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<2	ND<1	ND<1	ND<1
	24-Oct-06	45	1.2	15	ND<1	ND<1	ND<1	1.84	0.007	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<2	ND<1	ND<1	ND<1
	29-Nov-06	36	1.0	14	ND<1	ND<1	ND<1	0.399	0.137	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<2	ND<1	ND<1	ND<1
	20-Dec-06	31	ND<1	13	ND<1	ND<1	ND<1	2.43	0.00877	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<2	ND<1	ND<1	ND<1
	10-Jan-07	46	0.96	16	ND<1	ND<1	ND<1	0.0348	ND<0.02	ND<1	ND<1	ND<1	ND<1	2.2	ND<1	11	3.3	3.2	ND<1
	8-Feb-07	42	ND<1	13	ND<1	ND<1	ND<1	0.0928	0.00453	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<2	ND<1	ND<1	ND<1
	7-Mar-07	29	ND<1	8.4	ND<1	ND<1	ND<1	0.153	0.0108	ND<1	ND<1	ND<1	7.2*	ND<1	ND<1	ND<2	ND<1	ND<1	ND<1
	18-Apr-07	28	ND<1	8.3	ND<1	ND<1	ND<1	0.554	0.0316	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<2	ND<1	ND<1	ND<1
	10-May-07	31	ND<1	7.7	ND<1	ND<1	ND<1	0.206	0.00708	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<2	ND<1	ND<1	ND<1
	20-Jun-07	19	ND<1	6.6	ND<1	ND<1	ND<1	0.127	0.0139	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<2	ND<1	ND<1	ND<1
	18-Jul-07	20	ND<1	6.8	ND<1	ND<1	ND<1	0.595	0.597	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<2	ND<1	ND<1	ND<1
	16-Aug-07	19	ND<1	6.7	ND<1	ND<1	ND<1	0.0610	0.0200	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<2	ND<1	ND<1	ND<1
	12-Sep-07	21	ND<1	7.0	ND<1	ND<1	ND<1	0.1990	0.0330	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<2	ND<1	ND<1	ND<1
	3-Oct-07	14	ND<1	11.0	ND<1	ND<1	ND<1	0.1650	0.0860	0.92	ND<1	ND<1	ND<1	ND<1	ND<1	ND<2	ND<1	ND<1	ND<1
	19-Nov-07	20	ND<1	12.0	ND<1	ND<1	ND<1	0.2620	0.0317	1.1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<2	ND<1	ND<1	ND<1
	12-Dec-07	25	ND<1	7.5	ND<1	ND<1	ND<1	0.0567	0.0282	0.68	ND<1	ND<1	ND<1	ND<1	ND<1	ND<2	ND<1	ND<1	ND<1
	16-Jan-08	22	ND<1	6.9	ND<1	ND<1	ND<1	0.0815	0.0453	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<2	ND<1	ND<1	ND<1
	13-Feb-08	19	ND<1	6.4	ND<1	ND<1	ND<1	0.1710	0.0188	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<2	ND<1	ND<1	ND<1
	10-Mar-08	19	ND<1	6.1	ND<1	ND<1	ND<1	0.1520	0.0282	0.61	ND<1	ND<1	ND<1	ND<1	ND<1	ND<2	ND<1	ND<1	ND<1
	17-Apr-08	17	ND<1	5.2	ND<1	ND<1	ND<1	1.3200	0.0465	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<2	ND<1	ND<1	ND<1
	27-May-08	17	ND<1	6.5	ND<1	ND<1	ND<1	0.1240	0.0646	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<2	ND<1	ND<1	ND<1
	17-Jun-08	16	ND<1	7.7	ND<1	ND<1	ND<1	0.1090	0.0331	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<2	ND<1	ND<1	ND<1

TABLE 4

**GROUND-WATER REMEDIAL ACTION
ROWE INDUSTRIES SUPERFUND SITE
SAG HARBOR, NEW YORK**

RECOVERY WELL WATER QUALITY RESULTS

Recovery Well	Date Sampled	PCE (ug/L)	TCE (ug/L)	TCA (ug/L)	Vinyl Acetate (ug/L)	Chloroform (ug/L)	MTBE (ug/L)	Total Iron (mg/L)	Dissolved Iron (mg/L)	1,1-Dichloro-ethane (ug/L)	cis-1,2-Dichloro-ethene (ug/L)	1,1-Dichloro-ethene (ug/L)	Methylene Chloride (ug/L) ^{1/}	Toluene (ug/L)	Dibromochloromethane (ug/L)	m,p-Xylene (ug/L)	o-Xylene (ug/L)	Ethylbenzene (ug/L)	Acetone (ug/L) ^{1/}
RW-7	21-Jun-06	44	ND<1	4.6	ND<1	ND<1	NE	0.061	0.013	1.6	ND<1	ND<1	ND<1	ND<1	NE	ND<2	ND<1	ND<1	NE
	20-Jul-06	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	ND<1	NM	NM	NM	NM	NM
	24-Aug-06	39	ND<1	7.9	ND<1	ND<1	ND<1	0.307	0.1	ND<1	ND<1	ND<1	ND<1	ND<1	NM	ND<2	ND<1	ND<1	ND<1
	19-Sep-06	36	ND<1	7.5	ND<1	ND<1	ND<1	0.116	ND<0.02	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<2	ND<1	ND<1	ND<1
	24-Oct-06	26	ND<1	3.5	ND<1	ND<1	ND<1	0.0692	0.00846	2.4	ND<1	ND<1	ND<1	ND<1	ND<1	ND<2	ND<1	ND<1	ND<1
	9-Nov-06	33	ND<1	4.1	ND<1	ND<1	ND<1	0.1910	0.04990	2.0	ND<1	ND<1	ND<1	ND<1	ND<1	ND<2	ND<1	ND<1	ND<1
	20-Dec-06	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM
	10-Jan-07	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM
	8-Feb-07	43	ND<1	4.4	ND<1	ND<1	ND<1	0.131	ND<0.02	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<2	ND<1	ND<1	ND<1
	7-Mar-07	23	ND<1	2.7	ND<1	ND<1	ND<1	0.0492	0.0221	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<2	ND<1	ND<1	ND<1
	18-Apr-07	34	ND<1	ND<1	ND<1	ND<1	ND<1	0.138	0.0438	ND<1	ND<1	ND<1	6.5	ND<1	ND<1	ND<2	ND<1	ND<1	ND<1
	10-May-07	22	ND<1	2.3	ND<1	ND<1	ND<1	0.111	0.0271	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<2	ND<1	ND<1	ND<1
	20-Jun-07	14	ND<1	1.7	ND<1	ND<1	ND<1	0.136	0.0165	1.6	ND<1	ND<1	ND<1	ND<1	ND<1	ND<2	ND<1	ND<1	ND<1
	18-Jul-07	17	ND<1	2	ND<1	ND<1	ND<1	0.434	0.0548	1.2	ND<1	ND<1	ND<1	ND<1	ND<1	ND<2	ND<1	ND<1	ND<1
	16-Aug-07	14	ND<1	1.6	ND<1	ND<1	ND<1	0.239	0.0250	1.1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<2	ND<1	ND<1	ND<1
	12-Sep-07	24	ND<1	2	ND<1	ND<1	ND<1	0.17	0.0800	0.68	ND<1	ND<1	ND<1	ND<1	ND<1	ND<2	ND<1	ND<1	ND<1
	3-Oct-07	25	0.73	2.8	ND<1	ND<1	ND<1	0.194	0.2090	0.95	ND<1	ND<1	ND<1	ND<1	ND<1	ND<2	ND<1	ND<1	ND<1
	19-Nov-07	11	ND<1	1.1	ND<1	ND<1	ND<1	0.163	0.0259	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<2	ND<1	ND<1	ND<1
	12-Dec-07	12	ND<1	1.4	ND<1	ND<1	ND<1	0.172	0.0538	1.3	ND<1	ND<1	ND<1	ND<1	ND<1	ND<2	ND<1	ND<1	ND<1
	16-Jan-08	8.4	ND<1	0.73	ND<1	ND<1	ND<1	0.125	0.0499	0.82	ND<1	ND<1	ND<1	ND<1	ND<1	ND<2	ND<1	ND<1	ND<1
	13-Feb-08	11	ND<1	ND<1	ND<1	ND<1	ND<1	0.0982	0.0381	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<2	ND<1	ND<1	ND<1
	10-Mar-08	11	ND<1	1.1	ND<1	ND<1	ND<1	0.0793	0.0488	0.97	ND<1	ND<1	ND<1	ND<1	ND<1	ND<2	ND<1	ND<1	ND<1
	17-Apr-08	11	ND<1	ND<1	ND<1	ND<1	ND<1	0.488	0.0711	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<2	ND<1	ND<1	ND<1
	27-May-08	10	ND<1	1.2	ND<1	ND<1	ND<1	0.127	0.0399	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<2	ND<1	ND<1	ND<1
	17-Jun-08	11	ND<1	ND<1	ND<1	ND<1	ND<1	0.0584	0.0302	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<2	ND<1	ND<1	ND<1
RW-8	21-Jun-06	ND<1	ND<1	2.8	ND<1	ND<1	ND<1	8.40	0.897	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<2	ND<1	ND<1	ND<1
	20-Jul-06	1.0	ND<1	4.0	ND<1	ND<1	ND<1	10.80	0.175	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<2	ND<1	ND<1	ND<1
	24-Aug-06	ND<1	ND<1	3.2	ND<1	ND<1	ND<1	5.98	1.860	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<2	ND<1	ND<1	ND<1
	19-Sep-06	ND<1	ND<1	3.0	ND<1	ND<1	ND<1	7.44	0.009	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<2	ND<1	ND<1	ND<1
	24-Oct-06	0.9	ND<1	3.1	ND<1	ND<1	ND<1	8.32	0.0605	2.0	ND<1	ND<1	ND<1	ND<1	ND<1	ND<2	ND<1	ND<1	ND<1
	29-Nov-06	1.0	ND<1	3.4	ND<1	ND<1	ND<1	3.87	0.0091	1.6	ND<1	ND<1	ND<1	ND<1	ND<1	ND<2	ND<1	ND<1	ND<1
	20-Dec-06	ND<1	ND<1	3.5	ND<1	ND<1	ND<1	62.80	0.0346	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<2	ND<1	ND<1	ND<1
	10-Jan-07	1.3	ND<1	3.5	ND<1	ND<1	ND<1	6.57	0.8100	ND<1	ND<1	ND<1	ND<1	1.9	ND<1	9.3	2.8	2.7	ND<1
	8-Feb-07	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM
	7-Mar-07	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM
	18-Apr-07	ND<1	ND<1	2.2	ND<1	ND<1	ND<1	9.13	0.3820	ND<1	ND<1	ND<1	6.7	ND<1	ND<1	ND<2	ND<1	ND<1	ND<1
	10-May-07	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	24.70	0.0129	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<2	ND<1	ND<1	ND<1
	20-Jun-07	ND<1	ND<1	1.7	ND<1	ND<1	ND<1	6.67	0.0341	1.6	ND<1	ND<1	ND<1	ND<1	ND<1	ND<2	ND<1	ND<1	ND<1
	18-Jul-07	ND<1	ND<1	1.5	ND<1	ND<1	ND<1	8.16	0.0505	1.3	ND<1	ND<1	ND<1	ND<1	ND<1	ND<2	ND<1	ND<1	ND<1
	16-Aug-07	ND<1	ND<1	1.2	ND<1	ND<1	ND<1	26.7	0.4350	1.1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<2	ND<1	ND<1	ND<1
	12-Sep-07	ND<1	ND<1	1.5	ND<1	ND<1	ND<1	8.7	0.3860	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<2	ND<1	ND<1	ND<1
	3-Oct-07	ND<1	ND<1	2.0	ND<1	ND<1	ND<1	7.5	5.43	1.2	ND<1	ND<1	ND<1	ND<1	ND<1	ND<2	ND<1	ND<1	ND<1
	19-Nov-07	0.6	ND<1	ND<1	ND<1	ND<1	ND<1	11.2	0.0442	1.3	ND<1	ND<1	ND<1	ND<1	ND<1	ND<2	ND<1	ND<1	ND<1
	12-Dec-07	ND<1	ND<1	1.3	ND<1	ND<1	ND<1	7.87	3.02	1.3	ND<1	ND<1	ND<1	ND<1	ND<1	ND<2	ND<1	ND<1	ND<1
	16-Jan-08	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	7.19	1.00	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<2	ND<1	ND<1	ND<1
	13-Feb-08	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	7.14	0.0771	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<2	ND<1	ND<1	ND<1
	10-Mar-08	ND<1	ND<1	1.2	ND<1	ND<1	ND<1	6.08	1.81	1.0	ND<1	ND<1	ND<1	ND<1	ND<1	ND<2	ND<1	ND<1	ND<1
	17-Apr-08	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	10.20	0.08	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<2	ND<1	ND<1	ND<1
	27-May-08	1.4	ND<1	1.1	ND<1	ND<1	ND<1	5.26	2.24	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<2	ND<1	ND<1	ND<1
	17-Jun-08	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	6.73	1.16	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<2	ND<1	ND<1	ND<1

TABLE 4

**GROUND-WATER REMEDIAL ACTION
ROWE INDUSTRIES SUPERFUND SITE
SAG HARBOR, NEW YORK**

RECOVERY WELL WATER QUALITY RESULTS

Recovery Well	Date Sampled	PCE (ug/L)	TCE (ug/L)	TCA (ug/L)	Vinyl Acetate (ug/L)	Chloroform (ug/L)	MTBE (ug/L)	Total Iron (mg/L)	Dissolved Iron (mg/L)	1,1-Dichloro-ethane (ug/L)	cis-1,2-Dichloro-ethane (ug/L)	1,1-Dichloro-ethene (ug/L)	Methylene Chloride (ug/L)	Toluene (ug/L)	Dibromochloromethane (ug/L)	m,p-Xylene (ug/L)	o-Xylene (ug/L)	Ethylbenzene (ug/L)	Acetone (ug/L)
	ARAR's	5	5	5	NE	7	NE	300	300	5	5	5	5	NE	NE	NE	NE	NE	NE
	21-June-06	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM
	20-Jul-06	ND<1	ND<1	2.2	ND<1	ND<1	NM	3.5	0.696	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<2	ND<1	ND<1	ND<1
	24-Aug-06	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	0.97	0.0165	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<2	ND<1	ND<1	ND<1
	19-Sep-06	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	5.16	ND<0.02	ND<1	ND<1	ND<1	18*	ND<1	ND<1	ND<2	ND<1	ND<1	ND<1
	24-Oct-06	ND<1	ND<1	1.5	ND<1	ND<1	ND<1	6.96	0.00719	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<2	ND<1	ND<1	ND<1
	29-Nov-06	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	3.99	ND<0.02	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<2	ND<1	ND<1	ND<1
	20-Dec-06	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	6.54	0.0119	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<2	ND<1	ND<1	ND<1
	10-Jan-07	ND<1	ND<1	1.4	ND<1	ND<1	ND<1	5.08	0.0855	ND<1	ND<1	ND<1	ND<1	1.4	ND<1	7	2	2.1	ND<1
	8-Feb-07	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	2.96	0.0076	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<2	ND<1	ND<1	ND<1
	7-Mar-07	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	8.03	0.399	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<2	ND<1	ND<1	ND<1
	18-Apr-07	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	2.77	0.232	ND<1	ND<1	ND<1	6.2*	ND<1	ND<1	ND<2	ND<1	ND<1	ND<1
	10-May-07	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	2.6	0.0356	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<2	ND<1	ND<1	ND<1
	25-Jun-07	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	0.888	0.04	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<2	ND<1	ND<1	ND<1
	18-Jul-07	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	2.59	0.0227	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<2	ND<1	ND<1	ND<1
	16-Aug-07	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	4.39	0.0250	ND<1	ND<1	ND<1	13*	ND<1	ND<1	ND<2	ND<1	ND<1	ND<1
	12-Sep-07	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	4.33	0.4040	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<2	ND<1	ND<1	ND<1
	3-Oct-07	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	1.18	0.180	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<2	ND<1	ND<1	ND<1
	19-Nov-07	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	0.704	0.065	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<2	ND<1	ND<1	ND<1
	12-Dec-07	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	3.2	1.92	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<2	ND<1	ND<1	ND<1
	16-Jan-08	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	3.85	1.46	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<2	ND<1	ND<1	ND<1
	13-Feb-08	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	2.94	0.176	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<2	ND<1	ND<1	ND<1
	10-Mar-08	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	2.01	0.363	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<2	ND<1	ND<1	ND<1
	17-Apr-08	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	3.99	1.330	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<2	ND<1	ND<1	ND<1
	27-May-08	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	9.68	0.579	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<2	ND<1	ND<1	ND<1
	1-Jul-08	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	3.49	0.770	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<2	ND<1	ND<1	ND<1

ND: Not detected

<4%: Less than method detection limit

ug/L: Micrograms per liter

-: Not analyzed

ARAR's are chemical specific aquifer restoration goals for ground water at the Former Rowe Industries Superfund Site. Bold values indicate an exceedance of the ARAR standard established for the site.

PCE: Tetrachloroethylene

TCE: Trichloroethylene

TCA: 1,1,1-Trichloroethane

1,1-DCA: 1,1-Dichloroethane

1,2-DCE: 1,2-Dichloroethene

MTBE: Methyl Tertiary Butyl Ether

NM: Not Measured

NE indicates that the ARAR goal was not established for this compound by the EP.

*Concentrations with an asterisk following them are due to laboratory contamination.

† RW-3 is currently non operational waiting for the reprogramming of the drive for the new 4 amp pump.

‡ RW-9 was being rehabilitated during this sampling event, thus no water sample was collected.


GRAPHS

GRAPH 1

GROUND-WATER REMEDIAL ACTION
ROWE INDUSTRIES SUPERFUND SITE
SAG HARBOR, NEW YORK


EFFLUENT FLOW DATA

(June 1, 2008 through June 30, 2008)




—◆— Daily Flow Total — Max Allowable (1,023,000 gpd)

GRAPH 2 GROUND-WATER REMEDIAL ACTION ROWE INDUSTRIES SUPERFUND SITE SAG HARBOR, NEW YORK



GRAPH 3 GROUND-WATER REMEDIAL ACTION ROWE INDUSTRIES SUPERFUND SITE SAG HARBOR, NEW YORK



APPENDIX I
JUNE 2008 LABORATORY ANALYTICAL REPORTS

Thursday, June 19, 2008

Mark Goldberg
Leggette Brashears & Graham Inc.
4 Research Drive
Suite 301
Shelton, CT 06484
TEL: (203) 929-8555
FAX (203) 926-9140

RE: Rowe

Order No.: 0806087

Dear Mark Goldberg:

American Analytical Laboratories, LLC. received 3 sample(s) on 6/10/2008 for the analyses presented in the following report.

Samples were analyzed in accordance with the test procedures documented on the chain of custody and detailed throughout the text of this report.

The results reported herein relate only to the items tested or to the samples as received by the laboratory. This report may not be reproduced, except in full, without the approval of American Analytical Laboratories, LLC and is not considered complete without a cover page and chain of custody documentation. The limits (LOQ) provided in the data package are analytical reporting limits and not Federal or Local mandated values to which the sample results should be compared.

There were no problems with the analyses and all data for associated QC met laboratory specifications. If there are any exceptions a Case Narrative is provided in the report. This package has been reviewed by American Analytical Laboratories' QA Department/Laboratory Director to comply with NELAC standards prior to report submittal.

If you have any questions regarding these tests results, please do not hesitate to call (631) 454-6100 or email me directly at lbeyer@american-analytical.com.

Sincerely,



Lori Beyer
Lab Director

American Analytical Laboratories, LLC.

Date: 19-Jun-08

CLIENT: Leggette Brashears & Graham Inc.
Project: Rowe
Lab Order: 0806087

Work Order Sample Summary

Lab Sample ID	Client Sample ID	Date Collected	Date Received
0806087-01A	WQ060508:1200NP2-6	6/5/2008 12:00:00 PM	6/10/2008
0806087-01B	WQ060508:1200NP2-6	6/5/2008 12:00:00 PM	6/10/2008
0806087-01C	WQ060508:1200NP2-6	6/5/2008 12:00:00 PM	6/10/2008
0806087-02A	WQ060508:1205NP2-7	6/5/2008 12:05:00 PM	6/10/2008
0806087-02B	WQ060508:1205NP2-7	6/5/2008 12:05:00 PM	6/10/2008
0806087-02C	WQ060508:1205NP2-7	6/5/2008 12:05:00 PM	6/10/2008
0806087-03A	WQ060508:1210NP2-10	6/5/2008 12:10:00 PM	6/10/2008
0806087-03B	WQ060508:1210NP2-10	6/5/2008 12:10:00 PM	6/10/2008
0806087-03C	WQ060508:1210NP2-10	6/5/2008 12:10:00 PM	6/10/2008
0806087-03D	WQ060508:1210NP2-10	6/5/2008 12:10:00 PM	6/10/2008

TAG # / COC _____

CHAIN OF CUSTODY / REQUEST FOR ANALYSIS DOCUMENT

CLIENT NAME/ADDRESS				CONTACT:	
LABORATORY ID #				PROJECT LOCATION:	
0806087-01ABC				Rowe	
0806087-02ABC				Rowe	
0806087-03ABC				Rowe	
0806087-04ABC				Rowe	
0806087-05ABC				Rowe	
0806087-06ABC				Rowe	
0806087-07ABC				Rowe	
0806087-08ABC				Rowe	
0806087-09ABC				Rowe	
0806087-10ABC				Rowe	
0806087-11ABC				Rowe	
0806087-12ABC				Rowe	
0806087-13ABC				Rowe	
0806087-14ABC				Rowe	
0806087-15ABC				Rowe	
0806087-16ABC				Rowe	
0806087-17ABC				Rowe	
0806087-18ABC				Rowe	
0806087-19ABC				Rowe	
0806087-20ABC				Rowe	
0806087-21ABC				Rowe	
0806087-22ABC				Rowe	
0806087-23ABC				Rowe	
0806087-24ABC				Rowe	
0806087-25ABC				Rowe	
0806087-26ABC				Rowe	
0806087-27ABC				Rowe	
0806087-28ABC				Rowe	
0806087-29ABC				Rowe	
0806087-30ABC				Rowe	
0806087-31ABC				Rowe	
0806087-32ABC				Rowe	
0806087-33ABC				Rowe	
0806087-34ABC				Rowe	
0806087-35ABC				Rowe	
0806087-36ABC				Rowe	
0806087-37ABC				Rowe	
0806087-38ABC				Rowe	
0806087-39ABC				Rowe	
0806087-40ABC				Rowe	
0806087-41ABC				Rowe	
0806087-42ABC				Rowe	
0806087-43ABC				Rowe	
0806087-44ABC				Rowe	
0806087-45ABC				Rowe	
0806087-46ABC				Rowe	
0806087-47ABC				Rowe	
0806087-48ABC				Rowe	
0806087-49ABC				Rowe	
0806087-50ABC				Rowe	
0806087-51ABC				Rowe	
0806087-52ABC				Rowe	
0806087-53ABC				Rowe	
0806087-54ABC				Rowe	
0806087-55ABC				Rowe	
0806087-56ABC				Rowe	
0806087-57ABC				Rowe	
0806087-58ABC				Rowe	
0806087-59ABC				Rowe	
0806087-60ABC				Rowe	
0806087-61ABC				Rowe	
0806087-62ABC				Rowe	
0806087-63ABC				Rowe	
0806087-64ABC				Rowe	
0806087-65ABC				Rowe	
0806087-66ABC				Rowe	
0806087-67ABC				Rowe	
0806087-68ABC				Rowe	
0806087-69ABC				Rowe	
0806087-70ABC				Rowe	
0806087-71ABC				Rowe	
0806087-72ABC				Rowe	
0806087-73ABC				Rowe	
0806087-74ABC				Rowe	
0806087-75ABC				Rowe	
0806087-76ABC				Rowe	
0806087-77ABC				Rowe	
0806087-78ABC				Rowe	
0806087-79ABC				Rowe	
0806087-80ABC				Rowe	
0806087-81ABC				Rowe	
0806087-82ABC				Rowe	
0806087-83ABC				Rowe	
0806087-84ABC				Rowe	
0806087-85ABC				Rowe	
0806087-86ABC				Rowe	
0806087-87ABC				Rowe	
0806087-88ABC				Rowe	
0806087-89ABC				Rowe	
0806087-90ABC				Rowe	
0806087-91ABC				Rowe	
0806087-92ABC				Rowe	
0806087-93ABC				Rowe	
0806087-94ABC				Rowe	
0806087-95ABC				Rowe	
0806087-96ABC				Rowe	
0806087-97ABC				Rowe	
0806087-98ABC				Rowe	
0806087-99ABC				Rowe	
0806087-100ABC				Rowe	

AMERICAN ANALYTICAL LABORATORIES, LLC

56 TOLEDO STREET

FARMINGDALE, NEW YORK 11735

TELEPHONE: (631) 454-6100 FAX: (631) 454-8027

DATA REPORTING QUALIFIERS

For reporting results, the following "Results Qualifiers" are used:

Value	If the result is greater than or equal to the detection limit, report the value.
U	Indicates the compound was analyzed for but was not detected. Report the minimum detection limit for the sample with the U, i.e. "10U". This is not necessarily the instrument detection limit attainable for this particular sample based on any concentration or dilution that may have been required.
J	Indicates an estimated value. The flag is used: (1) When estimating a concentration for a tentatively identified compound (library search hits, where a 1:1 response is assumed.) (2) When the mass spectral data indicated the identification, however the result was less than the specified detection limit greater than zero. If the detection limit was 10ug/L and a concentration of 3ug/L was calculated report as 3J. This flag is used when similar situations arise on any organic parameter i.e. Pesticide, PCBs and others.
B	Indicates the analyte was found in the blank as well as the sample report "10B".
E	Indicates the analytes concentration exceeds the calibrated range of the instrument for that specific analysis.
D	This flag identifies all compounds identified in an analysis at a secondary dilution factor.
P	This flag is used for Pesticide / PCB target analyte when there is >25% difference for detected concentrations between the two GC Columns. The higher of the two values is reported on Form I and flagged with a "P".
N	This flag indicates presumptive evidence of a compound. This is only used for tentatively identified compounds (TICs), where the identification is based on a mass spectral library search. It applies to all TIC results. For generic characterization of a TIC, such as chlorinated hydrocarbon, the flag is not used.
H	Indicates sample was received and/or analyzed outside of the method allowable holding time.

American Analytical Laboratories, LLC.

Date: 19-Jun-08

ELAP ID : 11418

CLIENT: Leggette Brashears & Graham Inc.

Client Sample ID: WQ060508:1200NP2-6

Lab Order: 0806087

Collection Date: 6/5/2008 12:00:00 PM

Project: Rowe

Matrix: LIQUID

Lab ID: 0806087-01A

Certificate of Results

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
VOLATILE SW-846 8260 + MTBE & FREON113			SW8260B			Analyst: LA	
1,1,1,2-Tetrachloroethane	U	0.09	1.0		µg/L	1	6/14/2008 5:07:00 AM
1,1,1-Trichloroethane	1.4	0.17	1.0		µg/L	1	6/14/2008 5:07:00 AM
1,1,2,2-Tetrachloroethane	U	0.06	1.0		µg/L	1	6/14/2008 5:07:00 AM
1,1,2-Trichloro-1,2,2-trifluoroethane	U	0.13	1.0		µg/L	1	6/14/2008 5:07:00 AM
1,1,2-Trichloroethane	U	0.07	1.0		µg/L	1	6/14/2008 5:07:00 AM
1,1-Dichloroethane	U	0.11	1.0		µg/L	1	6/14/2008 5:07:00 AM
1,1-Dichloroethene	U	0.15	1.0		µg/L	1	6/14/2008 5:07:00 AM
1,1-Dichloropropene	U	0.12	1.0		µg/L	1	6/14/2008 5:07:00 AM
1,2,3-Trichlorobenzene	U	0.07	1.0		µg/L	1	6/14/2008 5:07:00 AM
1,2,3-Trichloropropane	U	0.08	1.0		µg/L	1	6/14/2008 5:07:00 AM
1,2,4-Trichlorobenzene	U	0.07	1.0		µg/L	1	6/14/2008 5:07:00 AM
1,2,4-Trimethylbenzene	U	0.09	1.0		µg/L	1	6/14/2008 5:07:00 AM
1,2-Dibromo-3-chloropropane	U	0.09	1.0		µg/L	1	6/14/2008 5:07:00 AM
1,2-Dibromoethane	U	0.06	1.0		µg/L	1	6/14/2008 5:07:00 AM
1,2-Dichlorobenzene	U	0.08	1.0		µg/L	1	6/14/2008 5:07:00 AM
1,2-Dichloroethane	U	0.08	1.0		µg/L	1	6/14/2008 5:07:00 AM
1,2-Dichloropropane	U	0.1	1.0		µg/L	1	6/14/2008 5:07:00 AM
1,3,5-Trimethylbenzene	U	0.11	1.0		µg/L	1	6/14/2008 5:07:00 AM
1,3-Dichlorobenzene	U	0.08	1.0		µg/L	1	6/14/2008 5:07:00 AM
1,3-dichloropropane	U	0.08	1.0		µg/L	1	6/14/2008 5:07:00 AM
1,4-Dichlorobenzene	U	0.08	1.0		µg/L	1	6/14/2008 5:07:00 AM
2,2-Dichloropropane	U	0.11	1.0		µg/L	1	6/14/2008 5:07:00 AM
2-Butanone	U	1.28	3.0		µg/L	1	6/14/2008 5:07:00 AM
2-Chloroethyl vinyl ether	U	0.08	1.0		µg/L	1	6/14/2008 5:07:00 AM
2-Chlorotoluene	U	0.09	1.0		µg/L	1	6/14/2008 5:07:00 AM
2-Hexanone	U	0.22	2.0		µg/L	1	6/14/2008 5:07:00 AM
4-Chlorotoluene	U	0.09	1.0		µg/L	1	6/14/2008 5:07:00 AM
4-Isopropyltoluene	U	0.1	1.0		µg/L	1	6/14/2008 5:07:00 AM
4-Methyl-2-pentanone	U	0.21	2.0		µg/L	1	6/14/2008 5:07:00 AM
Acetone	U	0.19	2.0		µg/L	1	6/14/2008 5:07:00 AM
Benzene	U	0.11	1.0		µg/L	1	6/14/2008 5:07:00 AM
Bromobenzene	U	0.07	1.0		µg/L	1	6/14/2008 5:07:00 AM
Bromochloromethane	U	0.4	1.0		µg/L	1	6/14/2008 5:07:00 AM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735

Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



Qualifiers: * Value exceeds Maximum Contaminant Level
 E Value above quantitation range
 J Analyte detected below quantitation limits
 LOQ Limit of Quantitation
 S Spike Recovery outside accepted recovery limits

B Analyte detected in the associated Method Blank
 H Holding times for preparation or analysis exceeded
 LOD Limit of Detection
 ND Not Detected at the Reporting Limit
 U Indicates the compound was analyzed but not detected.

American Analytical Laboratories, LLC.

Date: 19-Jun-08

ELAP ID : 11418

CLIENT: Leggette Brashears & Graham Inc.
Lab Order: 0806087
Project: Rowe
Lab ID: 0806087-01A

Client Sample ID: WQ060508:1200NP2-6
Collection Date: 6/5/2008 12:00:00 PM
Matrix: LIQUID

Certificate of Results

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
VOLATILE SW-846 8260 + MTBE & FREON113			SW8260B			Analyst: LA	
Bromodichloromethane	U	0.08	1.0		µg/L	1	6/14/2008 5:07:00 AM
Bromoform	U	0.06	1.0		µg/L	1	6/14/2008 5:07:00 AM
Bromomethane	U	0.17	1.0		µg/L	1	6/14/2008 5:07:00 AM
Carbon disulfide	U	0.14	1.0		µg/L	1	6/14/2008 5:07:00 AM
Carbon tetrachloride	U	0.16	1.0		µg/L	1	6/14/2008 5:07:00 AM
Chlorobenzene	U	0.09	1.0		µg/L	1	6/14/2008 5:07:00 AM
Chloroethane	U	0.16	1.0		µg/L	1	6/14/2008 5:07:00 AM
Chloroform	U	0.1	1.0		µg/L	1	6/14/2008 5:07:00 AM
Chloromethane	U	0.18	1.0		µg/L	1	6/14/2008 5:07:00 AM
cis-1,2-Dichloroethene	U	0.11	1.0		µg/L	1	6/14/2008 5:07:00 AM
cis-1,3-Dichloropropene	U	0.08	1.0		µg/L	1	6/14/2008 5:07:00 AM
Dibromochloromethane	U	0.07	1.0		µg/L	1	6/14/2008 5:07:00 AM
Dibromomethane	U	0.07	1.0		µg/L	1	6/14/2008 5:07:00 AM
Dichlorodifluoromethane	U	0.15	1.0		µg/L	1	6/14/2008 5:07:00 AM
Ethylbenzene	U	0.1	1.0		µg/L	1	6/14/2008 5:07:00 AM
Hexachlorobutadiene	U	0.12	1.0		µg/L	1	6/14/2008 5:07:00 AM
Isopropylbenzene	U	0.11	1.0		µg/L	1	6/14/2008 5:07:00 AM
m,p-Xylene	U	0.2	2.0		µg/L	1	6/14/2008 5:07:00 AM
Methyl tert-butyl ether	U	0.08	1.0		µg/L	1	6/14/2008 5:07:00 AM
Methylene chloride	U	0.08	1.0		µg/L	1	6/14/2008 5:07:00 AM
Naphthalene	U	0.08	1.0		µg/L	1	6/14/2008 5:07:00 AM
n-Butylbenzene	U	0.11	1.0		µg/L	1	6/14/2008 5:07:00 AM
n-Propylbenzene	U	0.11	1.0		µg/L	1	6/14/2008 5:07:00 AM
o-Xylene	U	0.1	1.0		µg/L	1	6/14/2008 5:07:00 AM
sec-Butylbenzene	U	0.1	1.0		µg/L	1	6/14/2008 5:07:00 AM
Styrene	U	0.08	1.0		µg/L	1	6/14/2008 5:07:00 AM
tert-Butylbenzene	U	0.1	1.0		µg/L	1	6/14/2008 5:07:00 AM
Tetrachloroethene	2.5	0.12	1.0		µg/L	1	6/14/2008 5:07:00 AM
Toluene	U	0.12	1.0		µg/L	1	6/14/2008 5:07:00 AM
trans-1,2-Dichloroethene	U	0.12	1.0		µg/L	1	6/14/2008 5:07:00 AM
trans-1,3-Dichloropropene	U	0.07	1.0		µg/L	1	6/14/2008 5:07:00 AM
Trichloroethene	U	0.13	1.0		µg/L	1	6/14/2008 5:07:00 AM
Trichlorofluoromethane	U	0.15	1.0		µg/L	1	6/14/2008 5:07:00 AM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735
Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



Qualifiers:	*	Value exceeds Maximum Contaminant Level	B	Analyte detected in the associated Method Blank
	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded
	J	Analyte detected below quantitation limits	LOD	Limit of Detection
	LOQ	Limit of Quantitation	ND	Not Detected at the Reporting Limit
	S	Spike Recovery outside accepted recovery limits	U	Indicates the compound was analyzed but not detected.

American Analytical Laboratories, LLC.

Date: 19-Jun-08

ELAP ID : 11418

CLIENT: Leggette Brashears & Graham Inc.

Client Sample ID: WQ060508:1200NP2-6

Lab Order: 0806087

Collection Date: 6/5/2008 12:00:00 PM

Project: Rowe

Matrix: LIQUID

Lab ID: 0806087-01A

Certificate of Results

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
VOLATILE SW-846 8260 + MTBE & FREON113			SW8260B		Analyst: LA		
Vinyl acetate	U	0.06	1.0		µg/L	1	6/14/2008 5:07:00 AM
Vinyl chloride	U	0.14	1.0		µg/L	1	6/14/2008 5:07:00 AM
Surr: 4-Bromofluorobenzene	104	0	54-134		%REC	1	6/14/2008 5:07:00 AM
Surr: Dibromofluoromethane	98.8	0	52-132		%REC	1	6/14/2008 5:07:00 AM
Surr: Toluene-d8	101	0	51-127		%REC	1	6/14/2008 5:07:00 AM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735

Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



Qualifiers: * Value exceeds Maximum Contaminant Level
E Value above quantitation range
J Analyte detected below quantitation limits
LOQ Limit of Quantitation
S Spike Recovery outside accepted recovery limits

B Analyte detected in the associated Method Blank
H Holding times for preparation or analysis exceeded
LOD Limit of Detection
ND Not Detected at the Reporting Limit
U Indicates the compound was analyzed but not detected.

American Analytical Laboratories, LLC.

Date: 19-Jun-08

ELAP ID : 11418

CLIENT: Leggette Brashears & Graham Inc.

Client Sample ID: WQ060508:1200NP2-6

Lab Order: 0806087

Collection Date: 6/5/2008 12:00:00 PM

Project: Rowe

Matrix: LIQUID

Lab ID: 0806087-01B

Certificate of Results

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
TOTAL IRON			E200.7		SW3010A		Analyst: JP
Iron	1.58	0.005	0.0200		mg/L	1	6/12/2008 1:12:41 PM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735

Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



Qualifiers:	*	Value exceeds Maximum Contaminant Level	B	Analyte detected in the associated Method Blank
	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded
	J	Analyte detected below quantitation limits	LOD	Limit of Detection
	LOQ	Limit of Quantitation	ND	Not Detected at the Reporting Limit
	S	Spike Recovery outside accepted recovery limits	U	Indicates the compound was analyzed but not detected.

American Analytical Laboratories, LLC.

Date: 19-Jun-08

ELAP ID : 11418

CLIENT: Leggette Brashears & Graham Inc.

Client Sample ID: WQ060508:1200NP2-6

Lab Order: 0806087

Collection Date: 6/5/2008 12:00:00 PM

Project: Rowe

Matrix: LIQUID

Lab ID: 0806087-01C

Certificate of Results

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
DISSOLVED IRON				E200.7	SW3005A		Analyst: JP
Iron	0.904	0.005	0.0200		mg/L	1	6/12/2008 1:10:37 PM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735

Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



Qualifiers:	*	Value exceeds Maximum Contaminant Level	B	Analyte detected in the associated Method Blank
	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded
	J	Analyte detected below quantitation limits	LOD	Limit of Detection
	LOQ	Limit of Quantitation	ND	Not Detected at the Reporting Limit
	S	Spike Recovery outside accepted recovery limits	U	Indicates the compound was analyzed but not detected.

American Analytical Laboratories, LLC.

Date: 19-Jun-08

ELAP ID : 11418

CLIENT: Leggette Brashears & Graham Inc.

Client Sample ID: WQ060508:1205NP2-7

Lab Order: 0806087

Collection Date: 6/5/2008 12:05:00 PM

Project: Rowe

Matrix: LIQUID

Lab ID: 0806087-02A

Certificate of Results

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
VOLATILE SW-846 8260 + MTBE & FREON113			SW8260B			Analyst: LA	
1,1,1,2-Tetrachloroethane	U	0.09	1.0		µg/L	1	6/14/2008 5:37:00 AM
1,1,1-Trichloroethane	U	0.17	1.0		µg/L	1	6/14/2008 5:37:00 AM
1,1,2,2-Tetrachloroethane	U	0.06	1.0		µg/L	1	6/14/2008 5:37:00 AM
1,1,2-Trichloro-1,2,2-trifluoroethane	U	0.13	1.0		µg/L	1	6/14/2008 5:37:00 AM
1,1,2-Trichloroethane	U	0.07	1.0		µg/L	1	6/14/2008 5:37:00 AM
1,1-Dichloroethane	U	0.11	1.0		µg/L	1	6/14/2008 5:37:00 AM
1,1-Dichloroethene	U	0.15	1.0		µg/L	1	6/14/2008 5:37:00 AM
1,1-Dichloropropene	U	0.12	1.0		µg/L	1	6/14/2008 5:37:00 AM
1,2,3-Trichlorobenzene	U	0.07	1.0		µg/L	1	6/14/2008 5:37:00 AM
1,2,3-Trichloropropane	U	0.08	1.0		µg/L	1	6/14/2008 5:37:00 AM
1,2,4-Trichlorobenzene	U	0.07	1.0		µg/L	1	6/14/2008 5:37:00 AM
1,2,4-Trimethylbenzene	U	0.09	1.0		µg/L	1	6/14/2008 5:37:00 AM
1,2-Dibromo-3-chloropropane	U	0.09	1.0		µg/L	1	6/14/2008 5:37:00 AM
1,2-Dibromoethane	U	0.06	1.0		µg/L	1	6/14/2008 5:37:00 AM
1,2-Dichlorobenzene	U	0.08	1.0		µg/L	1	6/14/2008 5:37:00 AM
1,2-Dichloroethane	U	0.08	1.0		µg/L	1	6/14/2008 5:37:00 AM
1,2-Dichloropropane	U	0.1	1.0		µg/L	1	6/14/2008 5:37:00 AM
1,3,5-Trimethylbenzene	U	0.11	1.0		µg/L	1	6/14/2008 5:37:00 AM
1,3-Dichlorobenzene	U	0.08	1.0		µg/L	1	6/14/2008 5:37:00 AM
1,3-dichloropropane	U	0.08	1.0		µg/L	1	6/14/2008 5:37:00 AM
1,4-Dichlorobenzene	U	0.08	1.0		µg/L	1	6/14/2008 5:37:00 AM
2,2-Dichloropropane	U	0.11	1.0		µg/L	1	6/14/2008 5:37:00 AM
2-Butanone	U	1.28	3.0		µg/L	1	6/14/2008 5:37:00 AM
2-Chloroethyl vinyl ether	U	0.08	1.0		µg/L	1	6/14/2008 5:37:00 AM
2-Chlorotoluene	U	0.09	1.0		µg/L	1	6/14/2008 5:37:00 AM
2-Hexanone	U	0.22	2.0		µg/L	1	6/14/2008 5:37:00 AM
4-Chlorotoluene	U	0.09	1.0		µg/L	1	6/14/2008 5:37:00 AM
4-Isopropyltoluene	U	0.1	1.0		µg/L	1	6/14/2008 5:37:00 AM
4-Methyl-2-pentanone	U	0.21	2.0		µg/L	1	6/14/2008 5:37:00 AM
Acetone	U	0.19	2.0		µg/L	1	6/14/2008 5:37:00 AM
Benzene	U	0.11	1.0		µg/L	1	6/14/2008 5:37:00 AM
Bromobenzene	U	0.07	1.0		µg/L	1	6/14/2008 5:37:00 AM
Bromochloromethane	U	0.4	1.0		µg/L	1	6/14/2008 5:37:00 AM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735

Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



Qualifiers:	*	Value exceeds Maximum Contaminant Level	B	Analyte detected in the associated Method Blank
	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded
	J	Analyte detected below quantitation limits	LOD	Limit of Detection
	LOQ	Limit of Quantitation	ND	Not Detected at the Reporting Limit
	S	Spike Recovery outside accepted recovery limits	U	Indicates the compound was analyzed but not detected.

American Analytical Laboratories, LLC.

Date: 19-Jun-08

ELAP ID : 11418

CLIENT: Leggette Brashears & Graham Inc.
Lab Order: 0806087
Project: Rowe
Lab ID: 0806087-02A

Client Sample ID: WQ060508:1205NP2-7
Collection Date: 6/5/2008 12:05:00 PM
Matrix: LIQUID

Certificate of Results

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
VOLATILE SW-846 8260 + MTBE & FREON113			SW8260B			Analyst: LA	
Bromodichloromethane	U	0.08	1.0		µg/L	1	6/14/2008 5:37:00 AM
Bromoform	U	0.06	1.0		µg/L	1	6/14/2008 5:37:00 AM
Bromomethane	U	0.17	1.0		µg/L	1	6/14/2008 5:37:00 AM
Carbon disulfide	U	0.14	1.0		µg/L	1	6/14/2008 5:37:00 AM
Carbon tetrachloride	U	0.16	1.0		µg/L	1	6/14/2008 5:37:00 AM
Chlorobenzene	U	0.09	1.0		µg/L	1	6/14/2008 5:37:00 AM
Chloroethane	U	0.16	1.0		µg/L	1	6/14/2008 5:37:00 AM
Chloroform	U	0.1	1.0		µg/L	1	6/14/2008 5:37:00 AM
Chloromethane	U	0.18	1.0		µg/L	1	6/14/2008 5:37:00 AM
cis-1,2-Dichloroethene	U	0.11	1.0		µg/L	1	6/14/2008 5:37:00 AM
cis-1,3-Dichloropropene	U	0.08	1.0		µg/L	1	6/14/2008 5:37:00 AM
Dibromochloromethane	U	0.07	1.0		µg/L	1	6/14/2008 5:37:00 AM
Dibromomethane	U	0.07	1.0		µg/L	1	6/14/2008 5:37:00 AM
Dichlorodifluoromethane	U	0.15	1.0		µg/L	1	6/14/2008 5:37:00 AM
Ethylbenzene	U	0.1	1.0		µg/L	1	6/14/2008 5:37:00 AM
Hexachlorobutadiene	U	0.12	1.0		µg/L	1	6/14/2008 5:37:00 AM
Isopropylbenzene	U	0.11	1.0		µg/L	1	6/14/2008 5:37:00 AM
m,p-Xylene	U	0.2	2.0		µg/L	1	6/14/2008 5:37:00 AM
Methyl tert-butyl ether	U	0.08	1.0		µg/L	1	6/14/2008 5:37:00 AM
Methylene chloride	U	0.08	1.0		µg/L	1	6/14/2008 5:37:00 AM
Naphthalene	U	0.08	1.0		µg/L	1	6/14/2008 5:37:00 AM
n-Butylbenzene	U	0.11	1.0		µg/L	1	6/14/2008 5:37:00 AM
n-Propylbenzene	U	0.11	1.0		µg/L	1	6/14/2008 5:37:00 AM
o-Xylene	U	0.1	1.0		µg/L	1	6/14/2008 5:37:00 AM
sec-Butylbenzene	U	0.1	1.0		µg/L	1	6/14/2008 5:37:00 AM
Styrene	U	0.08	1.0		µg/L	1	6/14/2008 5:37:00 AM
tert-Butylbenzene	U	0.1	1.0		µg/L	1	6/14/2008 5:37:00 AM
Tetrachloroethene	U	0.12	1.0		µg/L	1	6/14/2008 5:37:00 AM
Toluene	U	0.12	1.0		µg/L	1	6/14/2008 5:37:00 AM
trans-1,2-Dichloroethene	U	0.12	1.0		µg/L	1	6/14/2008 5:37:00 AM
trans-1,3-Dichloropropene	U	0.07	1.0		µg/L	1	6/14/2008 5:37:00 AM
Trichloroethene	U	0.13	1.0		µg/L	1	6/14/2008 5:37:00 AM
Trichlorofluoromethane	U	0.15	1.0		µg/L	1	6/14/2008 5:37:00 AM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735
Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



Qualifiers:	*	Value exceeds Maximum Contaminant Level	B	Analyte detected in the associated Method Blank
	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded
	J	Analyte detected below quantitation limits	LOD	Limit of Detection
	LOQ	Limit of Quantitation	ND	Not Detected at the Reporting Limit
	S	Spike Recovery outside accepted recovery limits	U	Indicates the compound was analyzed but not detected.

American Analytical Laboratories, LLC.

Date: 19-Jun-08

ELAP ID : 11418

CLIENT: Leggette Brashears & Graham Inc.

Client Sample ID: WQ060508:1205NP2-7

Lab Order: 0806087

Collection Date: 6/5/2008 12:05:00 PM

Project: Rowe

Matrix: LIQUID

Lab ID: 0806087-02A

Certificate of Results

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
VOLATILE SW-846 8260 + MTBE & FREON113			SW8260B			Analyst: LA	
Vinyl acetate	U	0.06	1.0		µg/L	1	6/14/2008 5:37:00 AM
Vinyl chloride	U	0.14	1.0		µg/L	1	6/14/2008 5:37:00 AM
Surr: 4-Bromofluorobenzene	101	0	54-134		%REC	1	6/14/2008 5:37:00 AM
Surr: Dibromofluoromethane	102	0	52-132		%REC	1	6/14/2008 5:37:00 AM
Surr: Toluene-d8	99.0	0	51-127		%REC	1	6/14/2008 5:37:00 AM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735

Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



Qualifiers:	*	Value exceeds Maximum Contaminant Level	B	Analyte detected in the associated Method Blank
	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded
	J	Analyte detected below quantitation limits	LOD	Limit of Detection
	LOQ	Limit of Quantitation	ND	Not Detected at the Reporting Limit
	S	Spike Recovery outside accepted recovery limits	U	Indicates the compound was analyzed but not detected.

American Analytical Laboratories, LLC.

Date: 19-Jun-08

ELAP ID : 11418

CLIENT: Leggette Brashears & Graham Inc.

Client Sample ID: WQ060508:1205NP2-7

Lab Order: 0806087

Collection Date: 6/5/2008 12:05:00 PM

Project: Rowe

Matrix: LIQUID

Lab ID: 0806087-02B

Certificate of Results

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
TOTAL IRON				E200.7	SW3010A		Analyst: JP
Iron	1.36	0.005	0.0200		mg/L	1	6/12/2008 1:18:50 PM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735

Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



Qualifiers:	*	Value exceeds Maximum Contaminant Level	B	Analyte detected in the associated Method Blank
	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded
	J	Analyte detected below quantitation limits	LOD	Limit of Detection
	LOQ	Limit of Quantitation	ND	Not Detected at the Reporting Limit
	S	Spike Recovery outside accepted recovery limits	U	Indicates the compound was analyzed but not detected.

American Analytical Laboratories, LLC.

Date: 19-Jun-08

ELAP ID : 11418

CLIENT: Leggette Brashears & Graham Inc.

Client Sample ID: WQ060508:1205NP2-7

Lab Order: 0806087

Collection Date: 6/5/2008 12:05:00 PM

Project: Rowe

Matrix: LIQUID

Lab ID: 0806087-02C

Certificate of Results

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
DISSOLVED IRON				E200.7	SW3005A		Analyst: JP
Iron	1.09	0.005	0.0200		mg/L	1	6/12/2008 1:14:44 PM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735

Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



Qualifiers:	*	Value exceeds Maximum Contaminant Level	B	Analyte detected in the associated Method Blank
	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded
	J	Analyte detected below quantitation limits	LOD	Limit of Detection
	LOQ	Limit of Quantitation	ND	Not Detected at the Reporting Limit
	S	Spike Recovery outside accepted recovery limits	U	Indicates the compound was analyzed but not detected.

American Analytical Laboratories, LLC.

Date: 19-Jun-08

ELAP ID : 11418

CLIENT: Leggette Brashears & Graham Inc.
Lab Order: 0806087
Project: Rowe
Lab ID: 0806087-03A

Client Sample ID: WQ060508:1210NP2-10
Collection Date: 6/5/2008 12:10:00 PM
Matrix: LIQUID

Certificate of Results

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
VOLATILE SW-846 8260 + MTBE & FREON113			SW8260B			Analyst: LA	
1,1,1,2-Tetrachloroethane	U	0.09	1.0		µg/L	1	6/14/2008 6:08:00 AM
1,1,1-Trichloroethane	U	0.17	1.0		µg/L	1	6/14/2008 6:08:00 AM
1,1,2,2-Tetrachloroethane	U	0.06	1.0		µg/L	1	6/14/2008 6:08:00 AM
1,1,2-Trichloro-1,2,2-trifluoroethane	U	0.13	1.0		µg/L	1	6/14/2008 6:08:00 AM
1,1,2-Trichloroethane	U	0.07	1.0		µg/L	1	6/14/2008 6:08:00 AM
1,1-Dichloroethane	U	0.11	1.0		µg/L	1	6/14/2008 6:08:00 AM
1,1-Dichloroethene	U	0.15	1.0		µg/L	1	6/14/2008 6:08:00 AM
1,1-Dichloropropene	U	0.12	1.0		µg/L	1	6/14/2008 6:08:00 AM
1,2,3-Trichlorobenzene	U	0.07	1.0		µg/L	1	6/14/2008 6:08:00 AM
1,2,3-Trichloropropane	U	0.08	1.0		µg/L	1	6/14/2008 6:08:00 AM
1,2,4-Trichlorobenzene	U	0.07	1.0		µg/L	1	6/14/2008 6:08:00 AM
1,2,4-Trimethylbenzene	U	0.09	1.0		µg/L	1	6/14/2008 6:08:00 AM
1,2-Dibromo-3-chloropropane	U	0.09	1.0		µg/L	1	6/14/2008 6:08:00 AM
1,2-Dibromoethane	U	0.06	1.0		µg/L	1	6/14/2008 6:08:00 AM
1,2-Dichlorobenzene	U	0.08	1.0		µg/L	1	6/14/2008 6:08:00 AM
1,2-Dichloroethane	U	0.08	1.0		µg/L	1	6/14/2008 6:08:00 AM
1,2-Dichloropropane	U	0.1	1.0		µg/L	1	6/14/2008 6:08:00 AM
1,3,5-Trimethylbenzene	U	0.11	1.0		µg/L	1	6/14/2008 6:08:00 AM
1,3-Dichlorobenzene	U	0.08	1.0		µg/L	1	6/14/2008 6:08:00 AM
1,3-dichloropropane	U	0.08	1.0		µg/L	1	6/14/2008 6:08:00 AM
1,4-Dichlorobenzene	U	0.08	1.0		µg/L	1	6/14/2008 6:08:00 AM
2,2-Dichloropropane	U	0.11	1.0		µg/L	1	6/14/2008 6:08:00 AM
2-Butanone	U	1.28	3.0		µg/L	1	6/14/2008 6:08:00 AM
2-Chloroethyl vinyl ether	U	0.08	1.0		µg/L	1	6/14/2008 6:08:00 AM
2-Chlorotoluene	U	0.09	1.0		µg/L	1	6/14/2008 6:08:00 AM
2-Hexanone	U	0.22	2.0		µg/L	1	6/14/2008 6:08:00 AM
4-Chlorotoluene	U	0.09	1.0		µg/L	1	6/14/2008 6:08:00 AM
4-Isopropyltoluene	U	0.1	1.0		µg/L	1	6/14/2008 6:08:00 AM
4-Methyl-2-pentanone	U	0.21	2.0		µg/L	1	6/14/2008 6:08:00 AM
Acetone	U	0.19	2.0		µg/L	1	6/14/2008 6:08:00 AM
Benzene	U	0.11	1.0		µg/L	1	6/14/2008 6:08:00 AM
Bromobenzene	U	0.07	1.0		µg/L	1	6/14/2008 6:08:00 AM
Bromochloromethane	U	0.4	1.0		µg/L	1	6/14/2008 6:08:00 AM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735
Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



Qualifiers:	*	Value exceeds Maximum Contaminant Level	B	Analyte detected in the associated Method Blank
	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded
	J	Analyte detected below quantitation limits	LOD	Limit of Detection
	LOQ	Limit of Quantitation	ND	Not Detected at the Reporting Limit
	S	Spike Recovery outside accepted recovery limits	U	Indicates the compound was analyzed but not detected.

American Analytical Laboratories, LLC.

Date: 19-Jun-08

ELAP ID : 11418

CLIENT: Leggette Brashears & Graham Inc.
Lab Order: 0806087
Project: Rowe
Lab ID: 0806087-03A

Client Sample ID: WQ060508:1210NP2-10
Collection Date: 6/5/2008 12:10:00 PM
Matrix: LIQUID

Certificate of Results

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
VOLATILE SW-846 8260 + MTBE & FREON113			SW8260B			Analyst: LA	
Bromodichloromethane	U	0.08	1.0		µg/L	1	6/14/2008 6:08:00 AM
Bromoform	U	0.06	1.0		µg/L	1	6/14/2008 6:08:00 AM
Bromomethane	U	0.17	1.0		µg/L	1	6/14/2008 6:08:00 AM
Carbon disulfide	U	0.14	1.0		µg/L	1	6/14/2008 6:08:00 AM
Carbon tetrachloride	U	0.16	1.0		µg/L	1	6/14/2008 6:08:00 AM
Chlorobenzene	U	0.09	1.0		µg/L	1	6/14/2008 6:08:00 AM
Chloroethane	U	0.16	1.0		µg/L	1	6/14/2008 6:08:00 AM
Chloroform	U	0.1	1.0		µg/L	1	6/14/2008 6:08:00 AM
Chloromethane	U	0.18	1.0		µg/L	1	6/14/2008 6:08:00 AM
cis-1,2-Dichloroethene	U	0.11	1.0		µg/L	1	6/14/2008 6:08:00 AM
cis-1,3-Dichloropropene	U	0.08	1.0		µg/L	1	6/14/2008 6:08:00 AM
Dibromochloromethane	U	0.07	1.0		µg/L	1	6/14/2008 6:08:00 AM
Dibromomethane	U	0.07	1.0		µg/L	1	6/14/2008 6:08:00 AM
Dichlorodifluoromethane	U	0.15	1.0		µg/L	1	6/14/2008 6:08:00 AM
Ethylbenzene	U	0.1	1.0		µg/L	1	6/14/2008 6:08:00 AM
Hexachlorobutadiene	U	0.12	1.0		µg/L	1	6/14/2008 6:08:00 AM
Isopropylbenzene	U	0.11	1.0		µg/L	1	6/14/2008 6:08:00 AM
m,p-Xylene	U	0.2	2.0		µg/L	1	6/14/2008 6:08:00 AM
Methyl tert-butyl ether	U	0.08	1.0		µg/L	1	6/14/2008 6:08:00 AM
Methylene chloride	U	0.08	1.0		µg/L	1	6/14/2008 6:08:00 AM
Naphthalene	U	0.08	1.0		µg/L	1	6/14/2008 6:08:00 AM
n-Butylbenzene	U	0.11	1.0		µg/L	1	6/14/2008 6:08:00 AM
n-Propylbenzene	U	0.11	1.0		µg/L	1	6/14/2008 6:08:00 AM
o-Xylene	U	0.1	1.0		µg/L	1	6/14/2008 6:08:00 AM
sec-Butylbenzene	U	0.1	1.0		µg/L	1	6/14/2008 6:08:00 AM
Styrene	U	0.08	1.0		µg/L	1	6/14/2008 6:08:00 AM
tert-Butylbenzene	U	0.1	1.0		µg/L	1	6/14/2008 6:08:00 AM
Tetrachloroethene	U	0.12	1.0		µg/L	1	6/14/2008 6:08:00 AM
Toluene	U	0.12	1.0		µg/L	1	6/14/2008 6:08:00 AM
trans-1,2-Dichloroethene	U	0.12	1.0		µg/L	1	6/14/2008 6:08:00 AM
trans-1,3-Dichloropropene	U	0.07	1.0		µg/L	1	6/14/2008 6:08:00 AM
Trichloroethene	U	0.13	1.0		µg/L	1	6/14/2008 6:08:00 AM
Trichlorofluoromethane	U	0.15	1.0		µg/L	1	6/14/2008 6:08:00 AM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735
Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



Qualifiers:	*	Value exceeds Maximum Contaminant Level	B	Analyte detected in the associated Method Blank
	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded
	J	Analyte detected below quantitation limits	LOD	Limit of Detection
	LOQ	Limit of Quantitation	ND	Not Detected at the Reporting Limit
	S	Spike Recovery outside accepted recovery limits	U	Indicates the compound was analyzed but not detected.

American Analytical Laboratories, LLC.

Date: 19-Jun-08

ELAP ID : 11418

CLIENT: Leggette Brashears & Graham Inc.

Client Sample ID: WQ060508:1210NP2-10

Lab Order: 0806087

Collection Date: 6/5/2008 12:10:00 PM

Project: Rowe

Matrix: LIQUID

Lab ID: 0806087-03A

Certificate of Results

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
VOLATILE SW-846 8260 + MTBE & FREON113			SW8260B		Analyst: LA		
Vinyl acetate	U	0.06	1.0		µg/L	1	6/14/2008 6:08:00 AM
Vinyl chloride	U	0.14	1.0		µg/L	1	6/14/2008 6:08:00 AM
Surr: 4-Bromofluorobenzene	100	0	54-134		%REC	1	6/14/2008 6:08:00 AM
Surr: Dibromofluoromethane	97.7	0	52-132		%REC	1	6/14/2008 6:08:00 AM
Surr: Toluene-d8	101	0	51-127		%REC	1	6/14/2008 6:08:00 AM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735

Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



Qualifiers:

- * Value exceeds Maximum Contaminant Level
- E Value above quantitation range
- J Analyte detected below quantitation limits
- LOQ Limit of Quantitation
- S Spike Recovery outside accepted recovery limits

- B Analyte detected in the associated Method Blank
- H Holding times for preparation or analysis exceeded
- LOD Limit of Detection
- ND Not Detected at the Reporting Limit
- U Indicates the compound was analyzed but not detected.

American Analytical Laboratories, LLC.

Date: 19-Jun-08

ELAP ID : 11418

CLIENT: Leggette Brashears & Graham Inc.

Client Sample ID: WQ060508:1210NP2-10

Lab Order: 0806087

Collection Date: 6/5/2008 12:10:00 PM

Project: Rowe

Matrix: LIQUID

Lab ID: 0806087-03B

Certificate of Results

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
TOTAL IRON				E200.7	SW3010A		Analyst: JP
Iron	1.32	0.005	0.0200		mg/L	1	6/12/2008 1:22:56 PM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735

Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



Qualifiers:	*	Value exceeds Maximum Contaminant Level	B	Analyte detected in the associated Method Blank
	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded
	J	Analyte detected below quantitation limits	LOD	Limit of Detection
	LOQ	Limit of Quantitation	ND	Not Detected at the Reporting Limit
	S	Spike Recovery outside accepted recovery limits	U	Indicates the compound was analyzed but not detected.

American Analytical Laboratories, LLC.

Date: 19-Jun-08

ELAP ID : 11418

CLIENT: Leggette Brashears & Graham Inc.

Client Sample ID: WQ060508:1210NP2-10

Lab Order: 0806087

Collection Date: 6/5/2008 12:10:00 PM

Project: Rowe

Matrix: LIQUID

Lab ID: 0806087-03C

Certificate of Results

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
DISSOLVED IRON				E200.7	SW3005A		Analyst: JP
Iron	1.09	0.005	0.0200		mg/L	1	6/12/2008 1:20:53 PM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735

Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



Qualifiers:	*	Value exceeds Maximum Contaminant Level	B	Analyte detected in the associated Method Blank
	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded
	J	Analyte detected below quantitation limits	LOD	Limit of Detection
	LOQ	Limit of Quantitation	ND	Not Detected at the Reporting Limit
	S	Spike Recovery outside accepted recovery limits	U	Indicates the compound was analyzed but not detected.

American Analytical Laboratories, LLC.

Date: 19-Jun-08

ELAP ID : 11418

CLIENT: Leggette Brashears & Graham Inc.

Client Sample ID: WQ060508:1210NP2-10

Lab Order: 0806087

Collection Date: 6/5/2008 12:10:00 PM

Project: Rowe

Matrix: LIQUID

Lab ID: 0806087-03D

Certificate of Results

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
TOTAL DISSOLVED SOLIDS				M2540C			Analyst: AS
Total Dissolved Solids (Residue, Filterable)	98.0	0	1.00		mg/L	1	6/11/2008

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735
Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



Qualifiers:	*	Value exceeds Maximum Contaminant Level	B	Analyte detected in the associated Method Blank
	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded
	J	Analyte detected below quantitation limits	LOD	Limit of Detection
	LOQ	Limit of Quantitation	ND	Not Detected at the Reporting Limit
	S	Spike Recovery outside accepted recovery limits	U	Indicates the compound was analyzed but not detected.

CLIENT: Leggette Brashears & Graham Inc.

Work Order: 0806087

Project: Rowe

ANALYTICAL QC SUMMARY REPORT

TestCode: 8260MTBE113_W

Sample ID: V624LCS-061308aL		SampType: LCS	TestCode: 8260MTBE11		Units: µg/L	Prep Date:		RunNo: 36204			
Client ID: LCSW	Batch ID: R36204		TestNo: SW8260B			Analysis Date: 6/13/2008		SeqNo: 468980			
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
1,1,1-Trichloroethane	54	1.0	50.00	0	109	52	137				
1,1,2,2-Tetrachloroethane	55	1.0	50.00	0	111	53	133				
1,1,2-Trichloroethane	52	1.0	50.00	0	104	51	130				
1,1-Dichloroethane	62	1.0	50.00	0	124	51	133				
1,1-Dichloroethene	62	1.0	50.00	0	124	42	133				
1,2-Dichlorobenzene	54	1.0	50.00	0	108	48	129				
1,2-Dichloroethane	51	1.0	50.00	0	102	51	130				
1,2-Dichloropropane	63	1.0	50.00	0	126	52	136				
1,3-Dichlorobenzene	54	1.0	50.00	0	108	53	132				
1,4-Dichlorobenzene	52	1.0	50.00	0	105	53	135				
2-Chloroethyl vinyl ether	57	1.0	50.00	0	114	43	125				
Benzene	63	1.0	50.00	0	125	44	133				
Bromodichloromethane	55	1.0	50.00	0	111	52	137				
Bromoform	52	1.0	50.00	0	103	43	123				
Bromomethane	50	1.0	50.00	0	100	36	126				
Carbon tetrachloride	54	1.0	50.00	0	107	48	128				
Chlorobenzene	58	1.0	50.00	0	116	57	135				
Chloroethane	58	1.0	50.00	0	115	53	147				
Chloroform	58	1.0	50.00	0	116	42	122				
Chloromethane	50	1.0	50.00	0	101	52	144				
cis-1,3-Dichloropropene	58	1.0	50.00	0	116	48	127				
Dibromochloromethane	51	1.0	50.00	0	102	47	125				
Ethylbenzene	63	1.0	50.00	0	125	53	136				
Tetrachloroethene	56	1.0	50.00	0	112	44	137				
Toluene	56	1.0	50.00	0	113	43	134				
trans-1,2-Dichloroethene	54	1.0	50.00	0	108	53	130				
trans-1,3-Dichloropropene	42	1.0	50.00	0	84.8	46	129				
Trichloroethene	56	1.0	50.00	0	111	43	138				
Trichlorofluoromethane	54	1.0	50.00	0	109	55	135				
Vinyl chloride	61	1.0	50.00	0	122	46	146				

Qualifiers: E Value above quantitation range

LOD Limit of Detection

R RPD outside accepted recovery limits

H Holding times for preparation or analysis exceeded

LOQ Limit of Quantitation

S Spike Recovery outside accepted recovery limits

J Analyte detected below quantitation li

ND Not Detected at the Reporting Limit

U Indicates the compound was analyzed

CLIENT: Leggett Brashears & Graham Inc.
Work Order: 0806087
Project: Rowe

ANALYTICAL QC SUMMARY REPORT

TestCode: 8260MTBE113_W

Sample ID: V624LCS-061308aL	SampType: LCS	TestCode: 8260MTBE11	Units: µg/L	Prep Date:	RunNo: 36204						
Client ID: LCSW	Batch ID: R36204	TestNo: SW8260B		Analysis Date: 6/13/2008	SeqNo: 468980						
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual

Surr: 4-Bromofluorobenzene	50		50.00		99.0	54	134				
Surr: Dibromofluoromethane	48		50.00		95.9	52	132				
Surr: Toluene-d8	50		50.00		99.9	51	127				

Sample ID: VBLK-061308aL	SampType: MBLK	TestCode: 8260MTBE11	Units: µg/L	Prep Date:	RunNo: 36204						
Client ID: PBW	Batch ID: R36204	TestNo: SW8260B		Analysis Date: 6/13/2008	SeqNo: 468981						
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual

1,1,1,2-Tetrachloroethane	U	1.0									
1,1,1-Trichloroethane	U	1.0									
1,1,2,2-Tetrachloroethane	U	1.0									
1,1,2-Trichloro-1,2,2-trifluoroethane	U	1.0									
1,1,2-Trichloroethane	U	1.0									
1,1-Dichloroethane	U	1.0									
1,1-Dichloroethene	U	1.0									
1,1-Dichloropropene	U	1.0									
1,2,3-Trichlorobenzene	U	1.0									
1,2,3-Trichloropropane	U	1.0									
1,2,4-Trichlorobenzene	U	1.0									
1,2,4-Trimethylbenzene	U	1.0									
1,2-Dibromo-3-chloropropane	U	1.0									
1,2-Dibromoethane	U	1.0									
1,2-Dichlorobenzene	U	1.0									
1,2-Dichloroethane	U	1.0									
1,2-Dichloropropane	U	1.0									
1,3,5-Trimethylbenzene	U	1.0									
1,3-Dichlorobenzene	U	1.0									
1,3-dichloropropane	U	1.0									
1,4-Dichlorobenzene	U	1.0									
2,2-Dichloropropane	U	1.0									
2-Butanone	U	3.0									

Qualifiers: E Value above quantitation range
LOD Limit of Detection
R RPD outside accepted recovery limits

H Holding times for preparation or analysis exceeded
LOQ Limit of Quantitation
S Spike Recovery outside accepted recovery limits

J Analyte detected below quantitation li
ND Not Detected at the Reporting Limit
U Indicates the compound was analyzed

CLIENT: Leggette Brashears & Graham Inc.
Work Order: 0806087
Project: Rowe

ANALYTICAL QC SUMMARY REPORT

TestCode: 8260MTBE113_W

Sample ID: VBLK-061308aL	SampType: MBLK	TestCode: 8260MTBE11	Units: µg/L	Prep Date:	RunNo: 36204						
Client ID: PBW	Batch ID: R36204	TestNo: SW8260B		Analysis Date: 6/13/2008	SeqNo: 468981						
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
2-Chloroethyl vinyl ether	U	1.0									
2-Chlorotoluene	U	1.0									
2-Hexanone	U	2.0									
4-Chlorotoluene	U	1.0									
4-Isopropyltoluene	U	1.0									
4-Methyl-2-pentanone	U	2.0									
Acetone	U	2.0									
Benzene	U	1.0									
Bromobenzene	U	1.0									
Bromochloromethane	U	1.0									
Bromodichloromethane	U	1.0									
Bromoform	U	1.0									
Bromomethane	U	1.0									
Carbon disulfide	U	1.0									
Carbon tetrachloride	U	1.0									
Chlorobenzene	U	1.0									
Chloroethane	U	1.0									
Chloroform	U	1.0									
Chloromethane	U	1.0									
cis-1,2-Dichloroethene	U	1.0									
cis-1,3-Dichloropropene	U	1.0									
Dibromochloromethane	U	1.0									
Dibromomethane	U	1.0									
Dichlorodifluoromethane	U	1.0									
Ethylbenzene	U	1.0									
Hexachlorobutadiene	U	1.0									
Isopropylbenzene	U	1.0									
m,p-Xylene	U	2.0									
Methyl tert-butyl ether	U	1.0									
Methylene chloride	U	1.0									
Naphthalene	U	1.0									

Qualifiers: E Value above quantitation range
LOD Limit of Detection
R RPD outside accepted recovery limits

H Holding times for preparation or analysis exceeded
LOQ Limit of Quantitation
S Spike Recovery outside accepted recovery limits

J Analyte detected below quantitation li
ND Not Detected at the Reporting Limit
U Indicates the compound was analyzed

CLIENT: Leggett Brashears & Graham Inc.
 Work Order: 0806087
 Project: Rowe

ANALYTICAL QC SUMMARY REPORT

TestCode: 8260MTBE113_W

Sample ID: VBLK-061308aL	SampType: MBLK	TestCode: 8260MTBE11	Units: µg/L	Prep Date:	RunNo: 36204						
Client ID: PBW	Batch ID: R36204	TestNo: SW8260B		Analysis Date: 6/13/2008	SeqNo: 468981						
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
n-Butylbenzene	U	1.0									
n-Propylbenzene	U	1.0									
o-Xylene	U	1.0									
sec-Butylbenzene	U	1.0									
Styrene	U	1.0									
tert-Butylbenzene	U	1.0									
Tetrachloroethene	U	1.0									
Toluene	U	1.0									
trans-1,2-Dichloroethene	U	1.0									
trans-1,3-Dichloropropene	U	1.0									
Trichloroethene	U	1.0									
Trichlorofluoromethane	U	1.0									
Vinyl acetate	U	1.0									
Vinyl chloride	U	1.0									
Surr: 4-Bromofluorobenzene	49		50.00		98.8	54		134			
Surr: Dibromofluoromethane	47		50.00		94.6	52		132			
Surr: Toluene-d8	51		50.00		102	51		127			

Qualifiers:	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation li
LOD		Limit of Detection	LOQ	Limit of Quantitation	ND	Not Detected at the Reporting Limit
R		RPD outside accepted recovery limits	S	Spike Recovery outside accepted recovery limits	U	Indicates the compound was analyzed

CLIENT: Leggett Brashears & Graham Inc.
Work Order: 0806087
Project: Rowe

ANALYTICAL QC SUMMARY REPORT

TestCode: FE_T

Sample ID: PBW-061108A	SampType: MBLK	TestCode: FE_T	Units: mg/L	Prep Date: 6/11/2008	RunNo: 36042						
Client ID: PBW	Batch ID: 21707	TestNo: E200.7	SW3010A	Analysis Date: 6/12/2008	SeqNo: 466243						
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Iron	U	0.0200									

Sample ID: LCSW-061108A	SampType: LCS	TestCode: FE_T	Units: mg/L	Prep Date: 6/11/2008	RunNo: 36042						
Client ID: LCSW	Batch ID: 21707	TestNo: E200.7	SW3010A	Analysis Date: 6/12/2008	SeqNo: 466244						
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Iron	1.96	0.0200	2.000	0	97.9	68	122				

Sample ID: 0806087-03B-MS	SampType: MS	TestCode: FE_T	Units: mg/L	Prep Date: 6/11/2008	RunNo: 36042						
Client ID: WQ060508:1210NP2	Batch ID: 21707	TestNo: E200.7	SW3010A	Analysis Date: 6/12/2008	SeqNo: 466266						
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Iron	2.23	0.0200	1.000	1.316	91.7	68	122				

Sample ID: 0806087-03B-MSD		SampType: MSD	TestCode: FE_T	Units: mg/L	Prep Date: 6/11/2008	RunNo: 36042					
Client ID: WQ060508:1210NP2		Batch ID: 21707	TestNo: E200.7	SW3010A	Analysis Date: 6/12/2008	SeqNo: 466267					
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Iron	2.23	0.0200	1.000	1.316	91.4	68	122	2.233	0.134	20	

Qualifiers: E Value above quantitation range
LOD Limit of Detection
R RPD outside accepted recovery limits

H Holding times for preparation or analysis exceeded
LOQ Limit of Quantitation
S Spike Recovery outside accepted recovery limits

J Analyte detected below quantitation li
ND Not Detected at the Reporting Limit
U Indicates the compound was analyzed

CLIENT: Leggette Brashears & Graham Inc.
Work Order: 0806087
Project: Rowe

ANALYTICAL QC SUMMARY REPORT

TestCode: TDS_W

Sample ID: MB-R36050	SampType: MBLK	TestCode: TDS_W	Units: mg/L	Prep Date:	RunNo: 36050						
Client ID: PBW	Batch ID: R36050	TestNo: M2540C		Analysis Date: 6/11/2008	SeqNo: 466395						
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Total Dissolved Solids (Residue, Filtera		U	1.00								

Qualifiers:	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation li
	LOD	Limit of Detection	LOQ	Limit of Quantitation	ND	Not Detected at the Reporting Limit
	R	RPD outside accepted recovery limits	S	Spike Recovery outside accepted recovery limits	U	Indicates the compound was analyzed



NYSDOH 11418
NJDEP NY050
CTDOH PH-0205
PADEP 68-00573

Thursday, June 19, 2008

Mark Goldberg
Leggette Brashears & Graham Inc.
4 Research Drive
Suite 301
Shelton, CT 06484

TEL: (203) 929-8555
FAX (203) 926-9140

RE: Rowe

Order No.: 0806121

Dear Mark Goldberg:

American Analytical Laboratories, LLC. received 3 sample(s) on 6/12/2008 for the analyses presented in the following report.

Samples were analyzed in accordance with the test procedures documented on the chain of custody and detailed throughout the text of this report.

The results reported herein relate only to the items tested or to the samples as received by the laboratory. This report may not be reproduced, except in full, without the approval of American Analytical Laboratories, LLC and is not considered complete without a cover page and chain of custody documentation. The limits (LOQ) provided in the data package are analytical reporting limits and not Federal or Local mandated values to which the sample results should be compared.

There were no problems with the analyses and all data for associated QC met laboratory specifications. If there are any exceptions a Case Narrative is provided in the report. This package has been reviewed by American Analytical Laboratories' QA Department/Laboratory Director to comply with NELAC standards prior to report submittal.

If you have any questions regarding these tests results, please do not hesitate to call (631) 454-6100 or email me directly at lbeyer@american-analytical.com.

Sincerely,

Lori Beyer
Lab Director

American Analytical Laboratories, LLC.

Date: 19-Jun-08

CLIENT: Leggette Brashears & Graham Inc.
Project: Rowe
Lab Order: 0806121

Work Order Sample Summary

Lab Sample ID	Client Sample ID	Date Collected	Date Received
0806121-01A	WQ061008:1000NP2-6	6/10/2008 10:00:00 AM	6/12/2008
0806121-01B	WQ061008:1000NP2-6	6/10/2008 10:00:00 AM	6/12/2008
0806121-01C	WQ061008:1000NP2-6	6/10/2008 10:00:00 AM	6/12/2008
0806121-02A	WQ061008:1005NP2-7	6/10/2008 10:05:00 AM	6/12/2008
0806121-02B	WQ061008:1005NP2-7	6/10/2008 10:05:00 AM	6/12/2008
0806121-02C	WQ061008:1005NP2-7	6/10/2008 10:05:00 AM	6/12/2008
0806121-03A	WQ061008:1010NP2-10	6/10/2008 10:10:00 AM	6/12/2008
0806121-03B	WQ061008:1010NP2-10	6/10/2008 10:10:00 AM	6/12/2008
0806121-03C	WQ061008:1010NP2-10	6/10/2008 10:10:00 AM	6/12/2008
0806121-03D	WQ061008:1010NP2-10	6/10/2008 10:10:00 AM	6/12/2008

TAG # / COC

CHAIN OF CUSTODY / REQUEST FOR ANALYSIS DOCUMENT

CLIENT NAME/ADDRESS		CONTACT:		SAMPLER (SIGNATURE)		SAMPLE(S) SEALED		YES/NO	
LABORATORY ID #		MATRIX		# CON-TAINERS		SAMPLING DATE/TIME		SAMPLE # - LOCATION	
0306121-01ABC	L	4	6/10/08	1000	WQ061008:1000NP2-6	X	X	X	
0306121-02ABC	L	4	1005	1005	WQ061008:1005NP2-7	X	X	X	
0306121-03ABC	L	5	1010	1010	WQ061008:1010NP2-10	X	X	X	
0306121-04ABC	L								
0306121-05ABC	L								
0306121-06ABC	L								
0306121-07ABC	L								
0306121-08ABC	L								
0306121-09ABC	L								
0306121-10ABC	L								
0306121-11ABC	L								
0306121-12ABC	L								
0306121-13ABC	L								
0306121-14ABC	L								
0306121-15ABC	L								
0306121-16ABC	L								
0306121-17ABC	L								
0306121-18ABC	L								
0306121-19ABC	L								
0306121-20ABC	L								
0306121-21ABC	L								
0306121-22ABC	L								
0306121-23ABC	L								
0306121-24ABC	L								
0306121-25ABC	L								
0306121-26ABC	L								
0306121-27ABC	L								
0306121-28ABC	L								
0306121-29ABC	L								
0306121-30ABC	L								
0306121-31ABC	L								
0306121-32ABC	L								
0306121-33ABC	L								
0306121-34ABC	L								
0306121-35ABC	L								
0306121-36ABC	L								
0306121-37ABC	L								
0306121-38ABC	L								
0306121-39ABC	L								
0306121-40ABC	L								
0306121-41ABC	L								
0306121-42ABC	L								
0306121-43ABC	L								
0306121-44ABC	L								
0306121-45ABC	L								
0306121-46ABC	L								
0306121-47ABC	L								
0306121-48ABC	L								
0306121-49ABC	L								
0306121-50ABC	L								
0306121-51ABC	L								
0306121-52ABC	L								
0306121-53ABC	L								
0306121-54ABC	L								
0306121-55ABC	L								
0306121-56ABC	L								
0306121-57ABC	L								
0306121-58ABC	L								
0306121-59ABC	L								
0306121-60ABC	L								
0306121-61ABC	L								
0306121-62ABC	L								
0306121-63ABC	L								
0306121-64ABC	L								
0306121-65ABC	L								
0306121-66ABC	L								
0306121-67ABC	L								
0306121-68ABC	L								

WHITE-OFFICE / CANARY-LAB / PINK-SAMPLE CUSTODIAN / GOLDENROD-CLIENT

AMERICAN ANALYTICAL LABORATORIES, LLC

56 TOLEDO STREET

FARMINGDALE, NEW YORK 11735

TELEPHONE: (631) 454-6100 FAX: (631) 454-8027

DATA REPORTING QUALIFIERS

For reporting results, the following "Results Qualifiers" are used:

Value	If the result is greater than or equal to the detection limit, report the value.
U	Indicates the compound was analyzed for but was not detected. Report the minimum detection limit for the sample with the U, i.e. "10U". This is not necessarily the instrument detection limit attainable for this particular sample based on any concentration or dilution that may have been required.
J	Indicates an estimated value. The flag is used: (1) When estimating a concentration for a tentatively identified compound (library search hits, where a 1:1 response is assumed.) (2) When the mass spectral data indicated the identification, however the result was less than the specified detection limit greater than zero. If the detection limit was 10ug/L and a concentration of 3ug/L was calculated report as 3J. This flag is used when similar situations arise on any organic parameter i.e. Pesticide, PCBs and others.
B	Indicates the analyte was found in the blank as well as the sample report "10B".
E	Indicates the analytes concentration exceeds the calibrated range of the instrument for that specific analysis.
D	This flag identifies all compounds identified in an analysis at a secondary dilution factor.
P	This flag is used for Pesticide / PCB target analyte when there is >25% difference for detected concentrations between the two GC Columns. The higher of the two values is reported on Form I and flagged with a "P".
N	This flag indicates presumptive evidence of a compound. This is only used for tentatively identified compounds (TICs), where the identification is based on a mass spectral library search. It applies to all TIC results. For generic characterization of a TIC, such as chlorinated hydrocarbon, the flag is not used.
H	Indicates sample was received and/or analyzed outside of the method allowable holding time.

American Analytical Laboratories, LLC.

Date: 19-Jun-08

ELAP ID : 11418

CLIENT: Leggette Brashears & Graham Inc.

Client Sample ID: WQ061008:1000NP2-6

Lab Order: 0806121

Collection Date: 6/10/2008 10:00:00 AM

Project: Rowe

Matrix: LIQUID

Lab ID: 0806121-01A

Certificate of Results

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
VOLATILE SW-846 8260 + MTBE & FREON113			SW8260B			Analyst: LA	
1,1,1,2-Tetrachloroethane	U	0.09	1.0		µg/L	1	6/14/2008 3:35:00 AM
1,1,1-Trichloroethane	U	0.17	1.0		µg/L	1	6/14/2008 3:35:00 AM
1,1,2,2-Tetrachloroethane	U	0.06	1.0		µg/L	1	6/14/2008 3:35:00 AM
1,1,2-Trichloro-1,2,2-trifluoroethane	U	0.13	1.0		µg/L	1	6/14/2008 3:35:00 AM
1,1,2-Trichloroethane	1.9	0.07	1.0		µg/L	1	6/14/2008 3:35:00 AM
1,1-Dichloroethane	U	0.11	1.0		µg/L	1	6/14/2008 3:35:00 AM
1,1-Dichloroethene	U	0.15	1.0		µg/L	1	6/14/2008 3:35:00 AM
1,1-Dichloropropene	U	0.12	1.0		µg/L	1	6/14/2008 3:35:00 AM
1,2,3-Trichlorobenzene	U	0.07	1.0		µg/L	1	6/14/2008 3:35:00 AM
1,2,3-Trichloropropane	U	0.08	1.0		µg/L	1	6/14/2008 3:35:00 AM
1,2,4-Trichlorobenzene	U	0.07	1.0		µg/L	1	6/14/2008 3:35:00 AM
1,2,4-Trimethylbenzene	U	0.09	1.0		µg/L	1	6/14/2008 3:35:00 AM
1,2-Dibromo-3-chloropropane	U	0.09	1.0		µg/L	1	6/14/2008 3:35:00 AM
1,2-Dibromoethane	U	0.06	1.0		µg/L	1	6/14/2008 3:35:00 AM
1,2-Dichlorobenzene	U	0.08	1.0		µg/L	1	6/14/2008 3:35:00 AM
1,2-Dichloroethane	U	0.08	1.0		µg/L	1	6/14/2008 3:35:00 AM
1,2-Dichloropropane	U	0.1	1.0		µg/L	1	6/14/2008 3:35:00 AM
1,3,5-Trimethylbenzene	U	0.11	1.0		µg/L	1	6/14/2008 3:35:00 AM
1,3-Dichlorobenzene	U	0.08	1.0		µg/L	1	6/14/2008 3:35:00 AM
1,3-dichloropropane	U	0.08	1.0		µg/L	1	6/14/2008 3:35:00 AM
1,4-Dichlorobenzene	U	0.08	1.0		µg/L	1	6/14/2008 3:35:00 AM
2,2-Dichloropropane	U	0.11	1.0		µg/L	1	6/14/2008 3:35:00 AM
2-Butanone	U	1.28	3.0		µg/L	1	6/14/2008 3:35:00 AM
2-Chloroethyl vinyl ether	U	0.08	1.0		µg/L	1	6/14/2008 3:35:00 AM
2-Chlorotoluene	U	0.09	1.0		µg/L	1	6/14/2008 3:35:00 AM
2-Hexanone	U	0.22	2.0		µg/L	1	6/14/2008 3:35:00 AM
4-Chlorotoluene	U	0.09	1.0		µg/L	1	6/14/2008 3:35:00 AM
4-Isopropyltoluene	U	0.1	1.0		µg/L	1	6/14/2008 3:35:00 AM
4-Methyl-2-pentanone	U	0.21	2.0		µg/L	1	6/14/2008 3:35:00 AM
Acetone	U	0.19	2.0		µg/L	1	6/14/2008 3:35:00 AM
Benzene	U	0.11	1.0		µg/L	1	6/14/2008 3:35:00 AM
Bromobenzene	U	0.07	1.0		µg/L	1	6/14/2008 3:35:00 AM
Bromochloromethane	U	0.4	1.0		µg/L	1	6/14/2008 3:35:00 AM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735

Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



Qualifiers: * Value exceeds Maximum Contaminant Level
 E Value above quantitation range
 J Analyte detected below quantitation limits
 LOQ Limit of Quantitation
 S Spike Recovery outside accepted recovery limits

B Analyte detected in the associated Method Blank
 H Holding times for preparation or analysis exceeded
 LOD Limit of Detection
 ND Not Detected at the Reporting Limit
 U Indicates the compound was analyzed but not detected.

American Analytical Laboratories, LLC.

Date: 19-Jun-08

ELAP ID : 11418

CLIENT: Leggette Brashears & Graham Inc.
Lab Order: 0806121
Project: Rowe
Lab ID: 0806121-01A

Client Sample ID: WQ061008:1000NP2-6
Collection Date: 6/10/2008 10:00:00 AM
Matrix: LIQUID

Certificate of Results

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
VOLATILE SW-846 8260 + MTBE & FREON113			SW8260B			Analyst: LA	
Bromodichloromethane	U	0.08	1.0		µg/L	1	6/14/2008 3:35:00 AM
Bromoform	U	0.06	1.0		µg/L	1	6/14/2008 3:35:00 AM
Bromomethane	U	0.17	1.0		µg/L	1	6/14/2008 3:35:00 AM
Carbon disulfide	U	0.14	1.0		µg/L	1	6/14/2008 3:35:00 AM
Carbon tetrachloride	U	0.16	1.0		µg/L	1	6/14/2008 3:35:00 AM
Chlorobenzene	U	0.09	1.0		µg/L	1	6/14/2008 3:35:00 AM
Chloroethane	U	0.16	1.0		µg/L	1	6/14/2008 3:35:00 AM
Chloroform	U	0.1	1.0		µg/L	1	6/14/2008 3:35:00 AM
Chloromethane	U	0.18	1.0		µg/L	1	6/14/2008 3:35:00 AM
cis-1,2-Dichloroethene	U	0.11	1.0		µg/L	1	6/14/2008 3:35:00 AM
cis-1,3-Dichloropropene	U	0.08	1.0		µg/L	1	6/14/2008 3:35:00 AM
Dibromochloromethane	U	0.07	1.0		µg/L	1	6/14/2008 3:35:00 AM
Dibromomethane	U	0.07	1.0		µg/L	1	6/14/2008 3:35:00 AM
Dichlorodifluoromethane	U	0.15	1.0		µg/L	1	6/14/2008 3:35:00 AM
Ethylbenzene	U	0.1	1.0		µg/L	1	6/14/2008 3:35:00 AM
Hexachlorobutadiene	U	0.12	1.0		µg/L	1	6/14/2008 3:35:00 AM
Isopropylbenzene	U	0.11	1.0		µg/L	1	6/14/2008 3:35:00 AM
m,p-Xylene	U	0.2	2.0		µg/L	1	6/14/2008 3:35:00 AM
Methyl tert-butyl ether	U	0.08	1.0		µg/L	1	6/14/2008 3:35:00 AM
Methylene chloride	U	0.08	1.0		µg/L	1	6/14/2008 3:35:00 AM
Naphthalene	U	0.08	1.0		µg/L	1	6/14/2008 3:35:00 AM
n-Butylbenzene	U	0.11	1.0		µg/L	1	6/14/2008 3:35:00 AM
n-Propylbenzene	U	0.11	1.0		µg/L	1	6/14/2008 3:35:00 AM
o-Xylene	U	0.1	1.0		µg/L	1	6/14/2008 3:35:00 AM
sec-Butylbenzene	U	0.1	1.0		µg/L	1	6/14/2008 3:35:00 AM
Styrene	U	0.08	1.0		µg/L	1	6/14/2008 3:35:00 AM
tert-Butylbenzene	U	0.1	1.0		µg/L	1	6/14/2008 3:35:00 AM
Tetrachloroethene	2.7	0.12	1.0		µg/L	1	6/14/2008 3:35:00 AM
Toluene	U	0.12	1.0		µg/L	1	6/14/2008 3:35:00 AM
trans-1,2-Dichloroethene	U	0.12	1.0		µg/L	1	6/14/2008 3:35:00 AM
trans-1,3-Dichloropropene	U	0.07	1.0		µg/L	1	6/14/2008 3:35:00 AM
Trichloroethene	U	0.13	1.0		µg/L	1	6/14/2008 3:35:00 AM
Trichlorofluoromethane	U	0.15	1.0		µg/L	1	6/14/2008 3:35:00 AM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735
Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



Qualifiers:	*	Value exceeds Maximum Contaminant Level	B	Analyte detected in the associated Method Blank
	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded
	J	Analyte detected below quantitation limits	LOD	Limit of Detection
	LOQ	Limit of Quantitation	ND	Not Detected at the Reporting Limit
	S	Spike Recovery outside accepted recovery limits	U	Indicates the compound was analyzed but not detected.

American Analytical Laboratories, LLC.

Date: 19-Jun-08

ELAP ID : 11418

CLIENT: Leggette Brashears & Graham Inc.

Client Sample ID: WQ061008:1000NP2-6

Lab Order: 0806121

Collection Date: 6/10/2008 10:00:00 AM

Project: Rowe

Matrix: LIQUID

Lab ID: 0806121-01A

Certificate of Results

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
VOLATILE SW-846 8260 + MTBE & FREON113			SW8260B			Analyst: LA	
Vinyl acetate	U	0.06	1.0		µg/L	1	6/14/2008 3:35:00 AM
Vinyl chloride	U	0.14	1.0		µg/L	1	6/14/2008 3:35:00 AM
Surr: 4-Bromofluorobenzene	99.8	0	54-134		%REC	1	6/14/2008 3:35:00 AM
Surr: Dibromofluoromethane	96.4	0	52-132		%REC	1	6/14/2008 3:35:00 AM
Surr: Toluene-d8	102	0	51-127		%REC	1	6/14/2008 3:35:00 AM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735

Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



Qualifiers: * Value exceeds Maximum Contaminant Level
E Value above quantitation range
J Analyte detected below quantitation limits
LOQ Limit of Quantitation
S Spike Recovery outside accepted recovery limits

B Analyte detected in the associated Method Blank
H Holding times for preparation or analysis exceeded
LOD Limit of Detection
ND Not Detected at the Reporting Limit
U Indicates the compound was analyzed but not detected.

American Analytical Laboratories, LLC.

Date: 19-Jun-08

ELAP ID : 11418

CLIENT: Leggette Brashears & Graham Inc.

Client Sample ID: WQ061008:1000NP2-6

Lab Order: 0806121

Collection Date: 6/10/2008 10:00:00 AM

Project: Rowe

Matrix: LIQUID

Lab ID: 0806121-01B

Certificate of Results

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
TOTAL IRON			E200.7		SW3010A		Analyst: AH
Iron	1.21	0.005	0.0200		mg/L	1	6/16/2008 11:34:38 AM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735

Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



Qualifiers:	*	Value exceeds Maximum Contaminant Level	B	Analyte detected in the associated Method Blank
	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded
	J	Analyte detected below quantitation limits	LOD	Limit of Detection
	LOQ	Limit of Quantitation	ND	Not Detected at the Reporting Limit
	S	Spike Recovery outside accepted recovery limits	U	Indicates the compound was analyzed but not detected.

American Analytical Laboratories, LLC.

Date: 19-Jun-08

ELAP ID : 11418

CLIENT: Leggette Brashears & Graham Inc.

Client Sample ID: WQ061008:1000NP2-6

Lab Order: 0806121

Collection Date: 6/10/2008 10:00:00 AM

Project: Rowe

Matrix: LIQUID

Lab ID: 0806121-01C

Certificate of Results

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
DISSOLVED IRON			E200.7		SW3005A		Analyst: AH
Iron	0.110	0.005	0.0200		mg/L	1	6/16/2008 11:32:35 AM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735
Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



Qualifiers:	*	Value exceeds Maximum Contaminant Level	B	Analyte detected in the associated Method Blank
	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded
	J	Analyte detected below quantitation limits	LOD	Limit of Detection
	LOQ	Limit of Quantitation	ND	Not Detected at the Reporting Limit
	S	Spike Recovery outside accepted recovery limits	U	Indicates the compound was analyzed but not detected.

American Analytical Laboratories, LLC.

Date: 19-Jun-08

ELAP ID : 11418

CLIENT: Leggette Brashears & Graham Inc.
Lab Order: 0806121
Project: Rowe
Lab ID: 0806121-02A

Client Sample ID: WQ061008:1005NP2-7
Collection Date: 6/10/2008 10:05:00 AM
Matrix: LIQUID

Certificate of Results

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
VOLATILE SW-846 8260 + MTBE & FREON113			SW8260B			Analyst: LA	
1,1,1,2-Tetrachloroethane	U	0.09	1.0		µg/L	1	6/14/2008 4:06:00 AM
1,1,1-Trichloroethane	U	0.17	1.0		µg/L	1	6/14/2008 4:06:00 AM
1,1,2,2-Tetrachloroethane	U	0.06	1.0		µg/L	1	6/14/2008 4:06:00 AM
1,1,2-Trichloro-1,2,2-trifluoroethane	U	0.13	1.0		µg/L	1	6/14/2008 4:06:00 AM
1,1,2-Trichloroethane	U	0.07	1.0		µg/L	1	6/14/2008 4:06:00 AM
1,1-Dichloroethane	U	0.11	1.0		µg/L	1	6/14/2008 4:06:00 AM
1,1-Dichloroethene	U	0.15	1.0		µg/L	1	6/14/2008 4:06:00 AM
1,1-Dichloropropene	U	0.12	1.0		µg/L	1	6/14/2008 4:06:00 AM
1,2,3-Trichlorobenzene	U	0.07	1.0		µg/L	1	6/14/2008 4:06:00 AM
1,2,3-Trichloropropane	U	0.08	1.0		µg/L	1	6/14/2008 4:06:00 AM
1,2,4-Trichlorobenzene	U	0.07	1.0		µg/L	1	6/14/2008 4:06:00 AM
1,2,4-Trimethylbenzene	U	0.09	1.0		µg/L	1	6/14/2008 4:06:00 AM
1,2-Dibromo-3-chloropropane	U	0.09	1.0		µg/L	1	6/14/2008 4:06:00 AM
1,2-Dibromoethane	U	0.06	1.0		µg/L	1	6/14/2008 4:06:00 AM
1,2-Dichlorobenzene	U	0.08	1.0		µg/L	1	6/14/2008 4:06:00 AM
1,2-Dichloroethane	U	0.08	1.0		µg/L	1	6/14/2008 4:06:00 AM
1,2-Dichloropropane	U	0.1	1.0		µg/L	1	6/14/2008 4:06:00 AM
1,3,5-Trimethylbenzene	U	0.11	1.0		µg/L	1	6/14/2008 4:06:00 AM
1,3-Dichlorobenzene	U	0.08	1.0		µg/L	1	6/14/2008 4:06:00 AM
1,3-dichloropropane	U	0.08	1.0		µg/L	1	6/14/2008 4:06:00 AM
1,4-Dichlorobenzene	U	0.08	1.0		µg/L	1	6/14/2008 4:06:00 AM
2,2-Dichloropropane	U	0.11	1.0		µg/L	1	6/14/2008 4:06:00 AM
2-Butanone	U	1.28	3.0		µg/L	1	6/14/2008 4:06:00 AM
2-Chloroethyl vinyl ether	U	0.08	1.0		µg/L	1	6/14/2008 4:06:00 AM
2-Chlorotoluene	U	0.09	1.0		µg/L	1	6/14/2008 4:06:00 AM
2-Hexanone	U	0.22	2.0		µg/L	1	6/14/2008 4:06:00 AM
4-Chlorotoluene	U	0.09	1.0		µg/L	1	6/14/2008 4:06:00 AM
4-Isopropyltoluene	U	0.1	1.0		µg/L	1	6/14/2008 4:06:00 AM
4-Methyl-2-pentanone	U	0.21	2.0		µg/L	1	6/14/2008 4:06:00 AM
Acetone	U	0.19	2.0		µg/L	1	6/14/2008 4:06:00 AM
Benzene	U	0.11	1.0		µg/L	1	6/14/2008 4:06:00 AM
Bromobenzene	U	0.07	1.0		µg/L	1	6/14/2008 4:06:00 AM
Bromochloromethane	U	0.4	1.0		µg/L	1	6/14/2008 4:06:00 AM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735
Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



Qualifiers:	*	Value exceeds Maximum Contaminant Level	B	Analyte detected in the associated Method Blank
	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded
	J	Analyte detected below quantitation limits	LOD	Limit of Detection
	LOQ	Limit of Quantitation	ND	Not Detected at the Reporting Limit
	S	Spike Recovery outside accepted recovery limits	U	Indicates the compound was analyzed but not detected.

American Analytical Laboratories, LLC.

Date: 19-Jun-08

ELAP ID : 11418

CLIENT: Leggette Brashears & Graham Inc.
Lab Order: 0806121
Project: Rowe
Lab ID: 0806121-02A

Client Sample ID: WQ061008:1005NP2-7
Collection Date: 6/10/2008 10:05:00 AM
Matrix: LIQUID

Certificate of Results

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
VOLATILE SW-846 8260 + MTBE & FREON113			SW8260B			Analyst: LA	
Bromodichloromethane	U	0.08	1.0		µg/L	1	6/14/2008 4:06:00 AM
Bromoform	U	0.06	1.0		µg/L	1	6/14/2008 4:06:00 AM
Bromomethane	U	0.17	1.0		µg/L	1	6/14/2008 4:06:00 AM
Carbon disulfide	U	0.14	1.0		µg/L	1	6/14/2008 4:06:00 AM
Carbon tetrachloride	U	0.16	1.0		µg/L	1	6/14/2008 4:06:00 AM
Chlorobenzene	U	0.09	1.0		µg/L	1	6/14/2008 4:06:00 AM
Chloroethane	U	0.16	1.0		µg/L	1	6/14/2008 4:06:00 AM
Chloroform	U	0.1	1.0		µg/L	1	6/14/2008 4:06:00 AM
Chloromethane	U	0.18	1.0		µg/L	1	6/14/2008 4:06:00 AM
cis-1,2-Dichloroethene	U	0.11	1.0		µg/L	1	6/14/2008 4:06:00 AM
cis-1,3-Dichloropropene	U	0.08	1.0		µg/L	1	6/14/2008 4:06:00 AM
Dibromochloromethane	U	0.07	1.0		µg/L	1	6/14/2008 4:06:00 AM
Dibromomethane	U	0.07	1.0		µg/L	1	6/14/2008 4:06:00 AM
Dichlorodifluoromethane	U	0.15	1.0		µg/L	1	6/14/2008 4:06:00 AM
Ethylbenzene	U	0.1	1.0		µg/L	1	6/14/2008 4:06:00 AM
Hexachlorobutadiene	U	0.12	1.0		µg/L	1	6/14/2008 4:06:00 AM
Isopropylbenzene	U	0.11	1.0		µg/L	1	6/14/2008 4:06:00 AM
m,p-Xylene	U	0.2	2.0		µg/L	1	6/14/2008 4:06:00 AM
Methyl tert-butyl ether	U	0.08	1.0		µg/L	1	6/14/2008 4:06:00 AM
Methylene chloride	U	0.08	1.0		µg/L	1	6/14/2008 4:06:00 AM
Naphthalene	U	0.08	1.0		µg/L	1	6/14/2008 4:06:00 AM
n-Butylbenzene	U	0.11	1.0		µg/L	1	6/14/2008 4:06:00 AM
n-Propylbenzene	U	0.11	1.0		µg/L	1	6/14/2008 4:06:00 AM
o-Xylene	U	0.1	1.0		µg/L	1	6/14/2008 4:06:00 AM
sec-Butylbenzene	U	0.1	1.0		µg/L	1	6/14/2008 4:06:00 AM
Styrene	U	0.08	1.0		µg/L	1	6/14/2008 4:06:00 AM
tert-Butylbenzene	U	0.1	1.0		µg/L	1	6/14/2008 4:06:00 AM
Tetrachloroethene	U	0.12	1.0		µg/L	1	6/14/2008 4:06:00 AM
Toluene	U	0.12	1.0		µg/L	1	6/14/2008 4:06:00 AM
trans-1,2-Dichloroethene	U	0.12	1.0		µg/L	1	6/14/2008 4:06:00 AM
trans-1,3-Dichloropropene	U	0.07	1.0		µg/L	1	6/14/2008 4:06:00 AM
Trichloroethene	U	0.13	1.0		µg/L	1	6/14/2008 4:06:00 AM
Trichlorofluoromethane	U	0.15	1.0		µg/L	1	6/14/2008 4:06:00 AM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735
Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



Qualifiers:	*	Value exceeds Maximum Contaminant Level	B	Analyte detected in the associated Method Blank
	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded
	J	Analyte detected below quantitation limits	LOD	Limit of Detection
	LOQ	Limit of Quantitation	ND	Not Detected at the Reporting Limit
	S	Spike Recovery outside accepted recovery limits	U	Indicates the compound was analyzed but not detected.

American Analytical Laboratories, LLC.

Date: 19-Jun-08

ELAP ID : 11418

CLIENT: Leggette Brashears & Graham Inc.
Lab Order: 0806121
Project: Rowe
Lab ID: 0806121-02A

Client Sample ID: WQ061008:1005NP2-7
Collection Date: 6/10/2008 10:05:00 AM
Matrix: LIQUID

Certificate of Results

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
VOLATILE SW-846 8260 + MTBE & FREON113			SW8260B			Analyst: LA	
Vinyl acetate	U	0.06	1.0		µg/L	1	6/14/2008 4:06:00 AM
Vinyl chloride	U	0.14	1.0		µg/L	1	6/14/2008 4:06:00 AM
Surr: 4-Bromofluorobenzene	102	0	54-134		%REC	1	6/14/2008 4:06:00 AM
Surr: Dibromofluoromethane	101	0	52-132		%REC	1	6/14/2008 4:06:00 AM
Surr: Toluene-d8	102	0	51-127		%REC	1	6/14/2008 4:06:00 AM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735
Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



Qualifiers:	*	Value exceeds Maximum Contaminant Level	B	Analyte detected in the associated Method Blank
	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded
	J	Analyte detected below quantitation limits	LOD	Limit of Detection
	LOQ	Limit of Quantitation	ND	Not Detected at the Reporting Limit
	S	Spike Recovery outside accepted recovery limits	U	Indicates the compound was analyzed but not detected.

American Analytical Laboratories, LLC.

Date: 19-Jun-08

ELAP ID : 11418

CLIENT: Leggette Brashears & Graham Inc.

Client Sample ID: WQ061008:1005NP2-7

Lab Order: 0806121

Collection Date: 6/10/2008 10:05:00 AM

Project: Rowe

Matrix: LIQUID

Lab ID: 0806121-02B

Certificate of Results

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
TOTAL IRON				E200.7	SW3010A		Analyst: AH
Iron	1.01	0.005	0.0200		mg/L	1	6/16/2008 11:38:44 AM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735

Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



Qualifiers: * Value exceeds Maximum Contaminant Level

E Value above quantitation range

J Analyte detected below quantitation limits

LOQ Limit of Quantitation

S Spike Recovery outside accepted recovery limits

B Analyte detected in the associated Method Blank

H Holding times for preparation or analysis exceeded

LOD Limit of Detection

ND Not Detected at the Reporting Limit

U Indicates the compound was analyzed but not detected.

American Analytical Laboratories, LLC.

Date: 19-Jun-08

ELAP ID : 11418

CLIENT: Leggette Brashears & Graham Inc.

Client Sample ID: WQ061008:1005NP2-7

Lab Order: 0806121

Collection Date: 6/10/2008 10:05:00 AM

Project: Rowe

Matrix: LIQUID

Lab ID: 0806121-02C

Certificate of Results

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
DISSOLVED IRON			E200.7		SW3005A		Analyst: AH
Iron	0.111	0.005	0.0200		mg/L	1	6/16/2008 11:36:41 AM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735
Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



Qualifiers:	*	Value exceeds Maximum Contaminant Level	B	Analyte detected in the associated Method Blank
	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded
	J	Analyte detected below quantitation limits	LOD	Limit of Detection
	LOQ	Limit of Quantitation	ND	Not Detected at the Reporting Limit
	S	Spike Recovery outside accepted recovery limits	U	Indicates the compound was analyzed but not detected.

American Analytical Laboratories, LLC.

Date: 19-Jun-08

ELAP ID : 11418

CLIENT: Leggette Brashears & Graham Inc.
Lab Order: 0806121
Project: Rowe
Lab ID: 0806121-03A

Client Sample ID: WQ061008:1010NP2-10
Collection Date: 6/10/2008 10:10:00 AM
Matrix: LIQUID

Certificate of Results

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
VOLATILE SW-846 8260 + MTBE & FREON113			SW8260B			Analyst: LA	
1,1,1,2-Tetrachloroethane	U	0.09	1.0		µg/L	1	6/14/2008 4:36:00 AM
1,1,1-Trichloroethane	U	0.17	1.0		µg/L	1	6/14/2008 4:36:00 AM
1,1,2,2-Tetrachloroethane	U	0.06	1.0		µg/L	1	6/14/2008 4:36:00 AM
1,1,2-Trichloro-1,2,2-trifluoroethane	U	0.13	1.0		µg/L	1	6/14/2008 4:36:00 AM
1,1,2-Trichloroethane	U	0.07	1.0		µg/L	1	6/14/2008 4:36:00 AM
1,1-Dichloroethane	U	0.11	1.0		µg/L	1	6/14/2008 4:36:00 AM
1,1-Dichloroethene	U	0.15	1.0		µg/L	1	6/14/2008 4:36:00 AM
1,1-Dichloropropene	U	0.12	1.0		µg/L	1	6/14/2008 4:36:00 AM
1,2,3-Trichlorobenzene	U	0.07	1.0		µg/L	1	6/14/2008 4:36:00 AM
1,2,3-Trichloropropane	U	0.08	1.0		µg/L	1	6/14/2008 4:36:00 AM
1,2,4-Trichlorobenzene	U	0.07	1.0		µg/L	1	6/14/2008 4:36:00 AM
1,2,4-Trimethylbenzene	U	0.09	1.0		µg/L	1	6/14/2008 4:36:00 AM
1,2-Dibromo-3-chloropropane	U	0.09	1.0		µg/L	1	6/14/2008 4:36:00 AM
1,2-Dibromoethane	U	0.06	1.0		µg/L	1	6/14/2008 4:36:00 AM
1,2-Dichlorobenzene	U	0.08	1.0		µg/L	1	6/14/2008 4:36:00 AM
1,2-Dichloroethane	U	0.08	1.0		µg/L	1	6/14/2008 4:36:00 AM
1,2-Dichloropropane	U	0.1	1.0		µg/L	1	6/14/2008 4:36:00 AM
1,3,5-Trimethylbenzene	U	0.11	1.0		µg/L	1	6/14/2008 4:36:00 AM
1,3-Dichlorobenzene	U	0.08	1.0		µg/L	1	6/14/2008 4:36:00 AM
1,3-dichloropropane	U	0.08	1.0		µg/L	1	6/14/2008 4:36:00 AM
1,4-Dichlorobenzene	U	0.08	1.0		µg/L	1	6/14/2008 4:36:00 AM
2,2-Dichloropropane	U	0.11	1.0		µg/L	1	6/14/2008 4:36:00 AM
2-Butanone	U	1.28	3.0		µg/L	1	6/14/2008 4:36:00 AM
2-Chloroethyl vinyl ether	U	0.08	1.0		µg/L	1	6/14/2008 4:36:00 AM
2-Chlorotoluene	U	0.09	1.0		µg/L	1	6/14/2008 4:36:00 AM
2-Hexanone	U	0.22	2.0		µg/L	1	6/14/2008 4:36:00 AM
4-Chlorotoluene	U	0.09	1.0		µg/L	1	6/14/2008 4:36:00 AM
4-Isopropyltoluene	U	0.1	1.0		µg/L	1	6/14/2008 4:36:00 AM
4-Methyl-2-pentanone	U	0.21	2.0		µg/L	1	6/14/2008 4:36:00 AM
Acetone	U	0.19	2.0		µg/L	1	6/14/2008 4:36:00 AM
Benzene	U	0.11	1.0		µg/L	1	6/14/2008 4:36:00 AM
Bromobenzene	U	0.07	1.0		µg/L	1	6/14/2008 4:36:00 AM
Bromochloromethane	U	0.4	1.0		µg/L	1	6/14/2008 4:36:00 AM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735
Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



Qualifiers:	* Value exceeds Maximum Contaminant Level	B Analyte detected in the associated Method Blank
	E Value above quantitation range	H Holding times for preparation or analysis exceeded
	J Analyte detected below quantitation limits	LOD Limit of Detection
	LOQ Limit of Quantitation	ND Not Detected at the Reporting Limit
	S Spike Recovery outside accepted recovery limits	U Indicates the compound was analyzed but not detected.

American Analytical Laboratories, LLC.

Date: 19-Jun-08

ELAP ID : 11418

CLIENT: Leggette Brashears & Graham Inc.
Lab Order: 0806121
Project: Rowe
Lab ID: 0806121-03A

Client Sample ID: WQ061008:1010NP2-10
Collection Date: 6/10/2008 10:10:00 AM
Matrix: LIQUID

Certificate of Results

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
VOLATILE SW-846 8260 + MTBE & FREON113			SW8260B			Analyst: LA	
Bromodichloromethane	U	0.08	1.0		µg/L	1	6/14/2008 4:36:00 AM
Bromoform	U	0.06	1.0		µg/L	1	6/14/2008 4:36:00 AM
Bromomethane	U	0.17	1.0		µg/L	1	6/14/2008 4:36:00 AM
Carbon disulfide	U	0.14	1.0		µg/L	1	6/14/2008 4:36:00 AM
Carbon tetrachloride	U	0.16	1.0		µg/L	1	6/14/2008 4:36:00 AM
Chlorobenzene	U	0.09	1.0		µg/L	1	6/14/2008 4:36:00 AM
Chloroethane	U	0.16	1.0		µg/L	1	6/14/2008 4:36:00 AM
Chloroform	U	0.1	1.0		µg/L	1	6/14/2008 4:36:00 AM
Chloromethane	U	0.18	1.0		µg/L	1	6/14/2008 4:36:00 AM
cis-1,2-Dichloroethene	U	0.11	1.0		µg/L	1	6/14/2008 4:36:00 AM
cis-1,3-Dichloropropene	U	0.08	1.0		µg/L	1	6/14/2008 4:36:00 AM
Dibromochloromethane	U	0.07	1.0		µg/L	1	6/14/2008 4:36:00 AM
Dibromomethane	U	0.07	1.0		µg/L	1	6/14/2008 4:36:00 AM
Dichlorodifluoromethane	U	0.15	1.0		µg/L	1	6/14/2008 4:36:00 AM
Ethylbenzene	U	0.1	1.0		µg/L	1	6/14/2008 4:36:00 AM
Hexachlorobutadiene	U	0.12	1.0		µg/L	1	6/14/2008 4:36:00 AM
Isopropylbenzene	U	0.11	1.0		µg/L	1	6/14/2008 4:36:00 AM
m,p-Xylene	U	0.2	2.0		µg/L	1	6/14/2008 4:36:00 AM
Methyl tert-butyl ether	U	0.08	1.0		µg/L	1	6/14/2008 4:36:00 AM
Methylene chloride	U	0.08	1.0		µg/L	1	6/14/2008 4:36:00 AM
Naphthalene	U	0.08	1.0		µg/L	1	6/14/2008 4:36:00 AM
n-Butylbenzene	U	0.11	1.0		µg/L	1	6/14/2008 4:36:00 AM
n-Propylbenzene	U	0.11	1.0		µg/L	1	6/14/2008 4:36:00 AM
o-Xylene	U	0.1	1.0		µg/L	1	6/14/2008 4:36:00 AM
sec-Butylbenzene	U	0.1	1.0		µg/L	1	6/14/2008 4:36:00 AM
Styrene	U	0.08	1.0		µg/L	1	6/14/2008 4:36:00 AM
tert-Butylbenzene	U	0.1	1.0		µg/L	1	6/14/2008 4:36:00 AM
Tetrachloroethene	U	0.12	1.0		µg/L	1	6/14/2008 4:36:00 AM
Toluene	U	0.12	1.0		µg/L	1	6/14/2008 4:36:00 AM
trans-1,2-Dichloroethene	U	0.12	1.0		µg/L	1	6/14/2008 4:36:00 AM
trans-1,3-Dichloropropene	U	0.07	1.0		µg/L	1	6/14/2008 4:36:00 AM
Trichloroethene	U	0.13	1.0		µg/L	1	6/14/2008 4:36:00 AM
Trichlorofluoromethane	U	0.15	1.0		µg/L	1	6/14/2008 4:36:00 AM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735
Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



Qualifiers:	*	Value exceeds Maximum Contaminant Level	B	Analyte detected in the associated Method Blank
	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded
	J	Analyte detected below quantitation limits	LOD	Limit of Detection
	LOQ	Limit of Quantitation	ND	Not Detected at the Reporting Limit
	S	Spike Recovery outside accepted recovery limits	U	Indicates the compound was analyzed but not detected.

American Analytical Laboratories, LLC.

Date: 19-Jun-08

ELAP ID : 11418

CLIENT: Leggette Brashears & Graham Inc.

Client Sample ID: WQ061008:1010NP2-10

Lab Order: 0806121

Collection Date: 6/10/2008 10:10:00 AM

Project: Rowe

Matrix: LIQUID

Lab ID: 0806121-03A

Certificate of Results

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
VOLATILE SW-846 8260 + MTBE & FREON113			SW8260B			Analyst: LA	
Vinyl acetate	U	0.06	1.0		µg/L	1	6/14/2008 4:36:00 AM
Vinyl chloride	U	0.14	1.0		µg/L	1	6/14/2008 4:36:00 AM
Surr: 4-Bromofluorobenzene	96.2	0	54-134		%REC	1	6/14/2008 4:36:00 AM
Surr: Dibromofluoromethane	98.3	0	52-132		%REC	1	6/14/2008 4:36:00 AM
Surr: Toluene-d8	99.8	0	51-127		%REC	1	6/14/2008 4:36:00 AM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735

Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



Qualifiers:	*	Value exceeds Maximum Contaminant Level	B	Analyte detected in the associated Method Blank
	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded
	J	Analyte detected below quantitation limits	LOD	Limit of Detection
	LOQ	Limit of Quantitation	ND	Not Detected at the Reporting Limit
	S	Spike Recovery outside accepted recovery limits	U	Indicates the compound was analyzed but not detected.

American Analytical Laboratories, LLC.

Date: 19-Jun-08

ELAP ID : 11418

CLIENT: Leggette Brashears & Graham Inc.
Lab Order: 0806121
Project: Rowe
Lab ID: 0806121-03B

Client Sample ID: WQ061008:1010NP2-10
Collection Date: 6/10/2008 10:10:00 AM
Matrix: LIQUID

Certificate of Results

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
TOTAL IRON				E200.7	SW3010A		Analyst: AH
Iron	1.51	0.005	0.0200		mg/L	1	6/16/2008 11:42:48 AM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735
Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



Qualifiers:	*	Value exceeds Maximum Contaminant Level	B	Analyte detected in the associated Method Blank
	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded
	J	Analyte detected below quantitation limits	LOD	Limit of Detection
	LOQ	Limit of Quantitation	ND	Not Detected at the Reporting Limit
	S	Spike Recovery outside accepted recovery limits	U	Indicates the compound was analyzed but not detected.

American Analytical Laboratories, LLC.

Date: 19-Jun-08

ELAP ID : 11418

CLIENT: Leggette Brashears & Graham Inc.

Client Sample ID: WQ061008:1010NP2-10

Lab Order: 0806121

Collection Date: 6/10/2008 10:10:00 AM

Project: Rowe

Matrix: LIQUID

Lab ID: 0806121-03C

Certificate of Results

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
DISSOLVED IRON				E200.7	SW3005A		Analyst: AH
Iron	0.232	0.005	0.0200		mg/L	1	6/16/2008 11:40:45 AM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735

Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



Qualifiers: * Value exceeds Maximum Contaminant Level

B Analyte detected in the associated Method Blank

E Value above quantitation range

H Holding times for preparation or analysis exceeded

J Analyte detected below quantitation limits

LOD Limit of Detection

LOQ Limit of Quantitation

ND Not Detected at the Reporting Limit

S Spike Recovery outside accepted recovery limits

U Indicates the compound was analyzed but not detected.

American Analytical Laboratories, LLC.

Date: 19-Jun-08

ELAP ID : 11418

CLIENT: Leggette Brashears & Graham Inc.
Lab Order: 0806121
Project: Rowe
Lab ID: 0806121-03D

Client Sample ID: WQ061008:1010NP2-10
Collection Date: 6/10/2008 10:10:00 AM
Matrix: LIQUID

Certificate of Results

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
TOTAL DISSOLVED SOLIDS				M2540C			Analyst: AS
Total Dissolved Solids (Residue, Filterable)	114	0	1.00		mg/L	1	6/13/2008

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735
Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



Qualifiers:	*	Value exceeds Maximum Contaminant Level	B	Analyte detected in the associated Method Blank
	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded
	J	Analyte detected below quantitation limits	LOD	Limit of Detection
	LOQ	Limit of Quantitation	ND	Not Detected at the Reporting Limit
	S	Spike Recovery outside accepted recovery limits	U	Indicates the compound was analyzed but not detected.

CLIENT: Leggett Brashears & Graham Inc.
 Work Order: 0806121
 Project: Rowe

ANALYTICAL QC SUMMARY REPORT

TestCode: 8260MTBE113 W

Sample ID	V624LCS-061308aL	SampType: LCS	TestCode: 8260MTBE11	Units: µg/L	Prep Date:	RunNo: 36204					
Client ID:	LCSW	Batch ID: R36204	TestNo: SW8260B		Analysis Date: 6/13/2008	SeqNo: 468980					
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
1,1,1-Trichloroethane	54	1.0	50.00	0	109	52	137				
1,1,2,2-Tetrachloroethane	55	1.0	50.00	0	111	53	133				
1,1,2-Trichloroethane	52	1.0	50.00	0	104	51	130				
1,1-Dichloroethane	62	1.0	50.00	0	124	51	133				
1,1-Dichloroethene	62	1.0	50.00	0	124	42	133				
1,2-Dichlorobenzene	54	1.0	50.00	0	108	48	129				
1,2-Dichloroethane	51	1.0	50.00	0	102	51	130				
1,2-Dichloropropane	63	1.0	50.00	0	126	52	136				
1,3-Dichlorobenzene	54	1.0	50.00	0	108	53	132				
1,4-Dichlorobenzene	52	1.0	50.00	0	105	53	135				
2-Chloroethyl vinyl ether	57	1.0	50.00	0	114	43	125				
Benzene	63	1.0	50.00	0	125	44	133				
Bromodichloromethane	55	1.0	50.00	0	111	52	137				
Bromoform	52	1.0	50.00	0	103	43	123				
Bromomethane	50	1.0	50.00	0	100	36	126				
Carbon tetrachloride	54	1.0	50.00	0	107	48	128				
Chlorobenzene	58	1.0	50.00	0	116	57	135				
Chloroethane	58	1.0	50.00	0	115	53	147				
Chloroform	58	1.0	50.00	0	116	42	122				
Chloromethane	50	1.0	50.00	0	101	52	144				
cis-1,3-Dichloropropene	58	1.0	50.00	0	116	48	127				
Dibromochloromethane	51	1.0	50.00	0	102	47	125				
Ethylbenzene	63	1.0	50.00	0	125	53	136				
Tetrachloroethene	56	1.0	50.00	0	112	44	137				
Toluene	56	1.0	50.00	0	113	43	134				
trans-1,2-Dichloroethene	54	1.0	50.00	0	108	53	130				
trans-1,3-Dichloropropene	42	1.0	50.00	0	84.8	46	129				
Trichloroethene	56	1.0	50.00	0	111	43	138				
Trichlorofluoromethane	54	1.0	50.00	0	109	55	135				
Vinyl chloride	61	1.0	50.00	0	122	46	146				

Qualifiers: E Value above quantitation range

ND Not Detected at the Reporting Limit

U Indicates the compound was analyzed for but not detected

H Holding times for preparation or analysis exceeded

R RPD outside accepted recovery limits

J Analyte detected below quantitation li

S Spike Recovery outside accepted reco

CLIENT: Leggett Brashears & Graham Inc.
Work Order: 0806121
Project: Rowe

ANALYTICAL QC SUMMARY REPORT

TestCode: 8260MTBE113_W

Sample ID	V624LCS-061308aL	SampleType: LCS	TestCode: 8260MTBE11	Units: µg/L	Prep Date:	RunNo: 36204					
Client ID:	LCSW	Batch ID: R36204	TestNo: SW8260B		Analysis Date: 6/13/2008	SeqNo: 468980					
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual

Surr: 4-Bromofluorobenzene	50		50.00		99.0	54	134				
Surr: Dibromofluoromethane	48		50.00		95.9	52	132				
Surr: Toluene-d8	50		50.00		99.9	51	127				

Sample ID	VBLK-061308aL	SampleType: MBLK	TestCode: 8260MTBE11	Units: µg/L	Prep Date:	RunNo: 36204					
Client ID:	PBW	Batch ID: R36204	TestNo: SW8260B		Analysis Date: 6/13/2008	SeqNo: 468981					
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual

1,1,1,2-Tetrachloroethane	U	1.0									
1,1,1-Trichloroethane	U	1.0									
1,1,2,2-Tetrachloroethane	U	1.0									
1,1,2-Trichloro-1,2,2-trifluoroethane	U	1.0									
1,1,2-Trichloroethane	U	1.0									
1,1-Dichloroethane	U	1.0									
1,1-Dichloroethene	U	1.0									
1,1-Dichloropropene	U	1.0									
1,2,3-Trichlorobenzene	U	1.0									
1,2,3-Trichloropropane	U	1.0									
1,2,4-Trichlorobenzene	U	1.0									
1,2,4-Trimethylbenzene	U	1.0									
1,2-Dibromo-3-chloropropane	U	1.0									
1,2-Dibromoethane	U	1.0									
1,2-Dichlorobenzene	U	1.0									
1,2-Dichloroethane	U	1.0									
1,2-Dichloropropane	U	1.0									
1,3,5-Trimethylbenzene	U	1.0									
1,3-Dichlorobenzene	U	1.0									
1,3-dichloropropane	U	1.0									
1,4-Dichlorobenzene	U	1.0									
2,2-Dichloropropane	U	1.0									
2-Butanone	U	3.0									

Qualifiers:	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation li
	ND	Not Detected at the Reporting Limit	R	RPD outside accepted recovery limits	S	Spike Recovery outside accepted reco
	U	Indicates the compound was analyzed for but not detected				

CLIENT: Leggett Brashears & Graham Inc.
Work Order: 0806121
Project: Rowe

ANALYTICAL QC SUMMARY REPORT

TestCode: 8260MTBE113_W

Sample ID	VBLK-061308aL	SampType: MBLK	TestCode: 8260MTBE11	Units: µg/L	Prep Date:	RunNo: 36204					
Client ID:	PBW	Batch ID: R36204	TestNo: SW8260B		Analysis Date: 6/13/2008	SeqNo: 468981					
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
2-Chloroethyl vinyl ether	U	1.0									
2-Chlorotoluene	U	1.0									
2-Hexanone	U	2.0									
4-Chlorotoluene	U	1.0									
4-Isopropyltoluene	U	1.0									
4-Methyl-2-pentanone	U	2.0									
Acetone	U	2.0									
Benzene	U	1.0									
Bromobenzene	U	1.0									
Bromochloromethane	U	1.0									
Bromodichloromethane	U	1.0									
Bromoform	U	1.0									
Bromomethane	U	1.0									
Carbon disulfide	U	1.0									
Carbon tetrachloride	U	1.0									
Chlorobenzene	U	1.0									
Chloroethane	U	1.0									
Chloroform	U	1.0									
Chloromethane	U	1.0									
cis-1,2-Dichloroethene	U	1.0									
cis-1,3-Dichloropropene	U	1.0									
Dibromochloromethane	U	1.0									
Dibromomethane	U	1.0									
Dichlorodifluoromethane	U	1.0									
Ethylbenzene	U	1.0									
Hexachlorobutadiene	U	1.0									
Isopropylbenzene	U	1.0									
m,p-Xylene	U	2.0									
Methyl tert-butyl ether	U	1.0									
Methylene chloride	U	1.0									
Naphthalene	U	1.0									

Qualifiers: E Value above quantitation range
ND Not Detected at the Reporting Limit
U Indicates the compound was analyzed for but not detected

H Holding times for preparation or analysis exceeded
R RPD outside accepted recovery limits

J Analyte detected below quantitation li
S Spike Recovery outside accepted reco

CLIENT: Leggettie Brashears & Graham Inc.
Work Order: 0806121
Project: Rowe

ANALYTICAL QC SUMMARY REPORT

TestCode: 8260MTBE113_W

Sample ID	VBLK-061308aL	Sample Type:	MBLK	TestCode:	8260MTBE11	Units:	µg/L	Prep Date:	RunNo:	36204			
Client ID:	PBW	Batch ID:	R36204	TestNo:	SW8260B			Analysis Date:	SeqNo:	468981			
Analyte		Result		PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
n-Butylbenzene		U		1.0									
n-Propylbenzene		U		1.0									
o-Xylene		U		1.0									
sec-Butylbenzene		U		1.0									
Styrene		U		1.0									
tert-Butylbenzene		U		1.0									
Tetrachloroethene		U		1.0									
Toluene		U		1.0									
trans-1,2-Dichloroethene		U		1.0									
trans-1,3-Dichloropropene		U		1.0									
Trichloroethene		U		1.0									
Trichlorofluoromethane		U		1.0									
Vinyl acetate		U		1.0									
Vinyl chloride		U		1.0									
Surr: 4-Bromofluorobenzene		49			50.00		98.8	54	134				
Surr: Dibromofluoromethane		47			50.00		94.6	52	132				
Surr: Toluene-d8		51			50.00		102	51	127				

Qualifiers: E Value above quantitation range
ND Not Detected at the Reporting Limit
U Indicates the compound was analyzed for but not detected

H Holding times for preparation or analysis exceeded
R RPD outside accepted recovery limits
J Analyte detected below quantitation li
S Spike Recovery outside accepted reco

CLIENT: Leggett Brashers & Graham Inc.
Work Order: 0806121
Project: Rowe

ANALYTICAL QC SUMMARY REPORT

TestCode: FE_D

Sample ID	PBW-061208A	Sample Type: MBLK	TestCode: FE_D	Units: mg/L	Prep Date:	RunNo: 36095						
Client ID:	PBW	Batch ID: 21728	TestNo: E200.7	SW3005A	Analysis Date: 6/16/2008	SeqNo: 466833						
Analyte		Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Iron		U	0.0200									

Sample ID	LCSW-061208A	SampleType: LCS	TestCode: FE_D	Units: mg/L	Prep Date:	RunNo: 36095						
Client ID:	LCSW	Batch ID: 21728	TestNo: E200.7	SW3005A	Analysis Date: 6/16/2008	SeqNo: 466834						
Analyte		Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Iron		1.94	0.0200	2.000	0	96.9	68	122				

Qualifiers: E Value above quantitation range
ND Not Detected at the Reporting Limit
U Indicates the compound was analyzed for but not detected

H Holding times for preparation or analysis exceeded
R RPD outside accepted recovery limits
J Analyte detected below quantitation li
S Spike Recovery outside accepted reco

CLIENT: Leggette Brashears & Graham Inc.
Work Order: 0806121
Project: Rowe

ANALYTICAL QC SUMMARY REPORT

TestCode: FE_T

Sample ID	PBW-061208A	SampType:	MBLK	TestCode: FE_T	Units: mg/L	Prep Date:	RunNo: 36095
Client ID:	PBW	Batch ID:	21730	TestNo: E200.7	SW3010A	Analysis Date: 6/16/2008	SeqNo: 466850
Analyte		Result	PQL	SPK value	SPK Ref Val	%REC LowLimit HighLimit RPD Ref Val	%RPD RPDLimit Qual
Iron		U	0.0200				

Sample ID	LCSW-061208A	SampType:	LCS	TestCode: FE_T	Units: mg/L	Prep Date:	RunNo: 36095
Client ID:	LCSW	Batch ID:	21730	TestNo: E200.7	SW3010A	Analysis Date: 6/16/2008	SeqNo: 466851
Analyte		Result	PQL	SPK value	SPK Ref Val	%REC LowLimit HighLimit RPD Ref Val	%RPD RPDLimit Qual
Iron		1.94	0.0200	2.000	0	96.9 68 122	

Sample ID	0806121-03B-MS	SampType:	MS	TestCode: FE_T	Units: mg/L	Prep Date:	RunNo: 36095
Client ID:	WQ061008:1010NP2	Batch ID:	21730	TestNo: E200.7	SW3010A	Analysis Date: 6/16/2008	SeqNo: 466860
Analyte		Result	PQL	SPK value	SPK Ref Val	%REC LowLimit HighLimit RPD Ref Val	%RPD RPDLimit Qual
Iron		2.43	0.0200	1.000	1.508	92.5 68 122	

Sample ID	0806121-03B-MSD	SampType:	MSD	TestCode: FE_T	Units: mg/L	Prep Date:	RunNo: 36095
Client ID:	WQ061008:1010NP2	Batch ID:	21730	TestNo: E200.7	SW3010A	Analysis Date: 6/16/2008	SeqNo: 466861
Analyte		Result	PQL	SPK value	SPK Ref Val	%REC LowLimit HighLimit RPD Ref Val	%RPD RPDLimit Qual
Iron		2.43	0.0200	1.000	1.508	92.5 68 122 2.433 0.0189 20	

Qualifiers: E Value above quantitation range H Holding times for preparation or analysis exceeded J Analyte detected below quantitation li
ND Not Detected at the Reporting Limit R RPD outside accepted recovery limits S Spike Recovery outside accepted reco
U Indicates the compound was analyzed for but not detected

CLIENT: Leggette Brashears & Graham Inc.
Work Order: 0806121
Project: Rowe

ANALYTICAL QC SUMMARY REPORT

TestCode: TDS_W

Sample ID	MB-R36124	SampType:	MBLK	TestCode:	TDS_W	Units:	mg/L	Prep Date:	RunNo:	36124			
Client ID:	PBW	Batch ID:	R36124	TestNo:	M2540C			Analysis Date:	SeqNo:	467142			
Analyte		Result		PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual

Total Dissolved Solids (Residue, Filtra) U 1.00

Qualifiers: E Value above quantitation range H Holding times for preparation or analysis exceeded J Analyte detected below quantitation li
ND Not Detected at the Reporting Limit R RPD outside accepted recovery limits S Spike Recovery outside accepted reco
U Indicates the compound was analyzed for but not detecte

Wednesday, June 25, 2008

Mark Goldberg
Leggette Brashears & Graham Inc.
4 Research Drive
Suite 301
Shelton, CT 06484
TEL: (203) 929-8555
FAX (203) 926-9140

RE: Rowe

Order No.: 0806218

Dear Mark Goldberg:

American Analytical Laboratories, LLC. received 3 sample(s) on 6/19/2008 for the analyses presented in the following report.


Samples were analyzed in accordance with the test procedures documented on the chain of custody and detailed throughout the text of this report.

The results reported herein relate only to the items tested or to the samples as received by the laboratory. This report may not be reproduced, except in full, without the approval of American Analytical Laboratories, LLC and is not considered complete without a cover page and chain of custody documentation. The limits (LOQ) provided in the data package are analytical reporting limits and not Federal or Local mandated values to which the sample results should be compared.

There were no problems with the analyses and all data for associated QC met laboratory specifications. If there are any exceptions a Case Narrative is provided in the report. This package has been reviewed by American Analytical Laboratories' QA Department/Laboratory Director to comply with NELAC standards prior to report submittal.

If you have any questions regarding these tests results, please do not hesitate to call (631) 454-6100 or email me directly at lbeyer@american-analytical.com.

Sincerely,


Lori Beyer
Lab Director

American Analytical Laboratories, LLC.

Date: 25-Jun-08

CLIENT: Leggette Brashears & Graham Inc.**Project:** Rowe**Lab Order:** 0806218**Work Order Sample Summary**

Lab Sample ID	Client Sample ID	Date Collected	Date Received
0806218-01A	WQ061708:1210NP2-6	6/17/2008 12:10:00 PM	6/19/2008
0806218-01B	WQ061708:1210NP2-6	6/17/2008 12:10:00 PM	6/19/2008
0806218-01C	WQ061708:1210NP2-6	6/17/2008 12:10:00 PM	6/19/2008
0806218-02A	WQ061708:1215NP2-7	6/17/2008 12:15:00 PM	6/19/2008
0806218-02B	WQ061708:1215NP2-7	6/17/2008 12:15:00 PM	6/19/2008
0806218-02C	WQ061708:1215NP2-7	6/17/2008 12:15:00 PM	6/19/2008
0806218-03A	WQ061708:1220NP2-10	6/17/2008 12:20:00 PM	6/19/2008
0806218-03B	WQ061708:1220NP2-10	6/17/2008 12:20:00 PM	6/19/2008
0806218-03C	WQ061708:1220NP2-10	6/17/2008 12:20:00 PM	6/19/2008
0806218-03D	WQ061708:1220NP2-10	6/17/2008 12:20:00 PM	6/19/2008

56 TOLEDO STREET • FARMINGDALE, NEW YORK 11735
(631) 454-6100 • FAX (631) 454-8027

TAG # / COC

CHAIN OF CUSTODY / REQUEST FOR ANALYSIS DOCUMENT

[illegible]

WHITE-OFFICE / CANARY-LAB / PINK-SAMPLE CUSTODIAN / GOLDENROD-CLIENT

AMERICAN ANALYTICAL LABORATORIES, LLC

56 TOLEDO STREET

FARMINGDALE, NEW YORK 11735

TELEPHONE: (631) 454-6100 FAX: (631) 454-8027

DATA REPORTING QUALIFIERS

For reporting results, the following "Results Qualifiers" are used:

Value	If the result is greater than or equal to the detection limit, report the value.
U	Indicates the compound was analyzed for but was not detected. Report the minimum detection limit for the sample with the U, i.e. "10U". This is not necessarily the instrument detection limit attainable for this particular sample based on any concentration or dilution that may have been required.
J	Indicates an estimated value. The flag is used: (1) When estimating a concentration for a tentatively identified compound (library search hits, where a 1:1 response is assumed.) (2) When the mass spectral data indicated the identification, however the result was less than the specified detection limit greater than zero. If the detection limit was 10ug/L and a concentration of 3ug/L was calculated report as 3J. This flag is used when similar situations arise on any organic parameter i.e. Pesticide, PCBs and others.
B	Indicates the analyte was found in the blank as well as the sample report "10B".
E	Indicates the analytes concentration exceeds the calibrated range of the instrument for that specific analysis.
D	This flag identifies all compounds identified in an analysis at a secondary dilution factor.
P	This flag is used for Pesticide / PCB target analyte when there is >25% difference for detected concentrations between the two GC Columns. The higher of the two values is reported on Form I and flagged with a "P".
N	This flag indicates presumptive evidence of a compound. This is only used for tentatively identified compounds (TICs), where the identification is based on a mass spectral library search. It applies to all TIC results. For generic characterization of a TIC, such as chlorinated hydrocarbon, the flag is not used.
H	Indicates sample was received and/or analyzed outside of the method allowable holding time.

American Analytical Laboratories, LLC.

Date: 25-Jun-08

ELAP ID : 11418

CLIENT: Leggette Brashears & Graham Inc.
Lab Order: 0806218
Project: Rowe
Lab ID: 0806218-01A

Client Sample ID: WQ061708:1210NP2-6
Collection Date: 6/17/2008 12:10:00 PM
Matrix: LIQUID

Certificate of Results

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
VOLATILE SW-846 8260 + MTBE & FREON113			SW8260B			Analyst: LA	
1,1,1,2-Tetrachloroethane	U	0.09	1.0		µg/L	1	6/23/2008 2:51:00 PM
1,1,1-Trichloroethane	U	0.17	1.0		µg/L	1	6/23/2008 2:51:00 PM
1,1,2,2-Tetrachloroethane	U	0.06	1.0		µg/L	1	6/23/2008 2:51:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	U	0.13	1.0		µg/L	1	6/23/2008 2:51:00 PM
1,1,2-Trichloroethane	U	0.07	1.0		µg/L	1	6/23/2008 2:51:00 PM
1,1-Dichloroethane	U	0.11	1.0		µg/L	1	6/23/2008 2:51:00 PM
1,1-Dichloroethene	U	0.15	1.0		µg/L	1	6/23/2008 2:51:00 PM
1,1-Dichloropropene	U	0.12	1.0		µg/L	1	6/23/2008 2:51:00 PM
1,2,3-Trichlorobenzene	U	0.07	1.0		µg/L	1	6/23/2008 2:51:00 PM
1,2,3-Trichloropropane	U	0.08	1.0		µg/L	1	6/23/2008 2:51:00 PM
1,2,4-Trichlorobenzene	U	0.07	1.0		µg/L	1	6/23/2008 2:51:00 PM
1,2,4-Trimethylbenzene	U	0.09	1.0		µg/L	1	6/23/2008 2:51:00 PM
1,2-Dibromo-3-chloropropane	U	0.09	1.0		µg/L	1	6/23/2008 2:51:00 PM
1,2-Dibromoethane	U	0.06	1.0		µg/L	1	6/23/2008 2:51:00 PM
1,2-Dichlorobenzene	U	0.08	1.0		µg/L	1	6/23/2008 2:51:00 PM
1,2-Dichloroethane	U	0.08	1.0		µg/L	1	6/23/2008 2:51:00 PM
1,2-Dichloropropane	U	0.1	1.0		µg/L	1	6/23/2008 2:51:00 PM
1,3,5-Trimethylbenzene	U	0.11	1.0		µg/L	1	6/23/2008 2:51:00 PM
1,3-Dichlorobenzene	U	0.08	1.0		µg/L	1	6/23/2008 2:51:00 PM
1,3-dichloropropane	U	0.08	1.0		µg/L	1	6/23/2008 2:51:00 PM
1,4-Dichlorobenzene	U	0.08	1.0		µg/L	1	6/23/2008 2:51:00 PM
2,2-Dichloropropane	U	0.11	1.0		µg/L	1	6/23/2008 2:51:00 PM
2-Butanone	U	1.28	3.0		µg/L	1	6/23/2008 2:51:00 PM
2-Chloroethyl vinyl ether	U	0.08	1.0		µg/L	1	6/23/2008 2:51:00 PM
2-Chlorotoluene	U	0.09	1.0		µg/L	1	6/23/2008 2:51:00 PM
2-Hexanone	U	0.22	2.0		µg/L	1	6/23/2008 2:51:00 PM
4-Chlorotoluene	U	0.09	1.0		µg/L	1	6/23/2008 2:51:00 PM
4-Isopropyltoluene	U	0.1	1.0		µg/L	1	6/23/2008 2:51:00 PM
4-Methyl-2-pentanone	U	0.21	2.0		µg/L	1	6/23/2008 2:51:00 PM
Acetone	U	0.19	2.0		µg/L	1	6/23/2008 2:51:00 PM
Benzene	U	0.11	1.0		µg/L	1	6/23/2008 2:51:00 PM
Bromobenzene	U	0.07	1.0		µg/L	1	6/23/2008 2:51:00 PM
Bromochloromethane	U	0.4	1.0		µg/L	1	6/23/2008 2:51:00 PM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735
Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



Qualifiers:	*	Value exceeds Maximum Contaminant Level	B	Analyte detected in the associated Method Blank
	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded
	J	Analyte detected below quantitation limits	LOD	Limit of Detection
	LOQ	Limit of Quantitation	ND	Not Detected at the Reporting Limit
	S	Spike Recovery outside accepted recovery limits	U	Indicates the compound was analyzed but not detected.

American Analytical Laboratories, LLC.

Date: 25-Jun-08

ELAP ID : 11418

CLIENT: Leggette Brashears & Graham Inc.

Client Sample ID: WQ061708:1210NP2-6

Lab Order: 0806218

Collection Date: 6/17/2008 12:10:00 PM

Project: Rowe

Matrix: LIQUID

Lab ID: 0806218-01A

Certificate of Results

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
VOLATILE SW-846 8260 + MTBE & FREON113			SW8260B			Analyst: LA	
Bromodichloromethane	U	0.08	1.0		µg/L	1	6/23/2008 2:51:00 PM
Bromoform	U	0.06	1.0		µg/L	1	6/23/2008 2:51:00 PM
Bromomethane	U	0.17	1.0		µg/L	1	6/23/2008 2:51:00 PM
Carbon disulfide	U	0.14	1.0		µg/L	1	6/23/2008 2:51:00 PM
Carbon tetrachloride	U	0.16	1.0		µg/L	1	6/23/2008 2:51:00 PM
Chlorobenzene	U	0.09	1.0		µg/L	1	6/23/2008 2:51:00 PM
Chloroethane	U	0.16	1.0		µg/L	1	6/23/2008 2:51:00 PM
Chloroform	U	0.1	1.0		µg/L	1	6/23/2008 2:51:00 PM
Chloromethane	U	0.18	1.0		µg/L	1	6/23/2008 2:51:00 PM
cis-1,2-Dichloroethene	U	0.11	1.0		µg/L	1	6/23/2008 2:51:00 PM
cis-1,3-Dichloropropene	U	0.08	1.0		µg/L	1	6/23/2008 2:51:00 PM
Dibromochloromethane	U	0.07	1.0		µg/L	1	6/23/2008 2:51:00 PM
Dibromomethane	U	0.07	1.0		µg/L	1	6/23/2008 2:51:00 PM
Dichlorodifluoromethane	U	0.15	1.0		µg/L	1	6/23/2008 2:51:00 PM
Ethylbenzene	U	0.1	1.0		µg/L	1	6/23/2008 2:51:00 PM
Hexachlorobutadiene	U	0.12	1.0		µg/L	1	6/23/2008 2:51:00 PM
Isopropylbenzene	U	0.11	1.0		µg/L	1	6/23/2008 2:51:00 PM
m,p-Xylene	U	0.2	2.0		µg/L	1	6/23/2008 2:51:00 PM
Methyl tert-butyl ether	U	0.08	1.0		µg/L	1	6/23/2008 2:51:00 PM
Methylene chloride	U	0.08	1.0		µg/L	1	6/23/2008 2:51:00 PM
Naphthalene	U	0.08	1.0		µg/L	1	6/23/2008 2:51:00 PM
n-Butylbenzene	U	0.11	1.0		µg/L	1	6/23/2008 2:51:00 PM
n-Propylbenzene	U	0.11	1.0		µg/L	1	6/23/2008 2:51:00 PM
o-Xylene	U	0.1	1.0		µg/L	1	6/23/2008 2:51:00 PM
sec-Butylbenzene	U	0.1	1.0		µg/L	1	6/23/2008 2:51:00 PM
Styrene	U	0.08	1.0		µg/L	1	6/23/2008 2:51:00 PM
tert-Butylbenzene	U	0.1	1.0		µg/L	1	6/23/2008 2:51:00 PM
Tetrachloroethene	4.8	0.12	1.0		µg/L	1	6/23/2008 2:51:00 PM
Toluene	U	0.12	1.0		µg/L	1	6/23/2008 2:51:00 PM
trans-1,2-Dichloroethene	U	0.12	1.0		µg/L	1	6/23/2008 2:51:00 PM
trans-1,3-Dichloropropene	U	0.07	1.0		µg/L	1	6/23/2008 2:51:00 PM
Trichloroethene	U	0.13	1.0		µg/L	1	6/23/2008 2:51:00 PM
Trichlorofluoromethane	U	0.15	1.0		µg/L	1	6/23/2008 2:51:00 PM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735

Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



Qualifiers: * Value exceeds Maximum Contaminant Level
 E Value above quantitation range
 J Analyte detected below quantitation limits
 LOQ Limit of Quantitation
 S Spike Recovery outside accepted recovery limits

B Analyte detected in the associated Method Blank
 H Holding times for preparation or analysis exceeded
 LOD Limit of Detection
 ND Not Detected at the Reporting Limit
 U Indicates the compound was analyzed but not detected.

American Analytical Laboratories, LLC.

Date: 25-Jun-08

ELAP ID : 11418

CLIENT: Leggette Brashears & Graham Inc.

Client Sample ID: WQ061708:1210NP2-6

Lab Order: 0806218

Collection Date: 6/17/2008 12:10:00 PM

Project: Rowe

Matrix: LIQUID

Lab ID: 0806218-01A

Certificate of Results

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
VOLATILE SW-846 8260 + MTBE & FREON113			SW8260B			Analyst: LA	
Vinyl acetate	U	0.06	1.0		µg/L	1	6/23/2008 2:51:00 PM
Vinyl chloride	U	0.14	1.0		µg/L	1	6/23/2008 2:51:00 PM
Surr: 4-Bromofluorobenzene	83.4	0	54-134		%REC	1	6/23/2008 2:51:00 PM
Surr: Dibromofluoromethane	110	0	52-132		%REC	1	6/23/2008 2:51:00 PM
Surr: Toluene-d8	106	0	51-127		%REC	1	6/23/2008 2:51:00 PM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735

Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



Qualifiers:

- * Value exceeds Maximum Contaminant Level
- E Value above quantitation range
- J Analyte detected below quantitation limits
- LOQ Limit of Quantitation
- S Spike Recovery outside accepted recovery limits

- B Analyte detected in the associated Method Blank
- H Holding times for preparation or analysis exceeded
- LOD Limit of Detection
- ND Not Detected at the Reporting Limit
- U Indicates the compound was analyzed but not detected.

American Analytical Laboratories, LLC.

Date: 25-Jun-08

ELAP ID : 11418

CLIENT: Leggette Brashears & Graham Inc.

Client Sample ID: WQ061708:1210NP2-6

Lab Order: 0806218

Collection Date: 6/17/2008 12:10:00 PM

Project: Rowe

Matrix: LIQUID

Lab ID: 0806218-01B

Certificate of Results

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
TOTAL IRON				E200.7	SW3005A		Analyst: AH
Iron	3.37	0.005	0.0200		mg/L	1	6/20/2008 8:51:02 AM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735

Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



Qualifiers:

- * Value exceeds Maximum Contaminant Level
- E Value above quantitation range
- J Analyte detected below quantitation limits
- LOQ Limit of Quantitation
- S Spike Recovery outside accepted recovery limits

- B Analyte detected in the associated Method Blank
- H Holding times for preparation or analysis exceeded
- LOD Limit of Detection
- ND Not Detected at the Reporting Limit
- U Indicates the compound was analyzed but not detected.

American Analytical Laboratories, LLC.

Date: 25-Jun-08

ELAP ID : 11418

CLIENT: Leggette Brashears & Graham Inc.

Client Sample ID: WQ061708:1210NP2-6

Lab Order: 0806218

Collection Date: 6/17/2008 12:10:00 PM

Project: Rowe

Matrix: LIQUID

Lab ID: 0806218-01C

Certificate of Results

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
DISSOLVED IRON				E200.7	SW3005A		Analyst: AH
Iron	0.460	0.005	0.0200		mg/L	1	6/20/2008 8:48:59 AM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735

Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



Qualifiers:

- * Value exceeds Maximum Contaminant Level
- E Value above quantitation range
- J Analyte detected below quantitation limits
- LOQ Limit of Quantitation
- S Spike Recovery outside accepted recovery limits

- B Analyte detected in the associated Method Blank
- H Holding times for preparation or analysis exceeded
- LOD Limit of Detection
- ND Not Detected at the Reporting Limit
- U Indicates the compound was analyzed but not detected.

American Analytical Laboratories, LLC.

Date: 25-Jun-08

ELAP ID : 11418

CLIENT: Leggette Brashears & Graham Inc.
Lab Order: 0806218
Project: Rowe
Lab ID: 0806218-02A

Client Sample ID: WQ061708:1215NP2-7
Collection Date: 6/17/2008 12:15:00 PM
Matrix: LIQUID

Certificate of Results

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
VOLATILE SW-846 8260 + MTBE & FREON113			SW8260B			Analyst: LA	
1,1,1,2-Tetrachloroethane	U	0.09	1.0		µg/L	1	6/23/2008 3:15:00 PM
1,1,1-Trichloroethane	U	0.17	1.0		µg/L	1	6/23/2008 3:15:00 PM
1,1,2,2-Tetrachloroethane	U	0.06	1.0		µg/L	1	6/23/2008 3:15:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	U	0.13	1.0		µg/L	1	6/23/2008 3:15:00 PM
1,1,2-Trichloroethane	U	0.07	1.0		µg/L	1	6/23/2008 3:15:00 PM
1,1-Dichloroethane	U	0.11	1.0		µg/L	1	6/23/2008 3:15:00 PM
1,1-Dichloroethene	U	0.15	1.0		µg/L	1	6/23/2008 3:15:00 PM
1,1-Dichloropropene	U	0.12	1.0		µg/L	1	6/23/2008 3:15:00 PM
1,2,3-Trichlorobenzene	U	0.07	1.0		µg/L	1	6/23/2008 3:15:00 PM
1,2,3-Trichloropropane	U	0.08	1.0		µg/L	1	6/23/2008 3:15:00 PM
1,2,4-Trichlorobenzene	U	0.07	1.0		µg/L	1	6/23/2008 3:15:00 PM
1,2,4-Trimethylbenzene	U	0.09	1.0		µg/L	1	6/23/2008 3:15:00 PM
1,2-Dibromo-3-chloropropane	U	0.09	1.0		µg/L	1	6/23/2008 3:15:00 PM
1,2-Dibromoethane	U	0.06	1.0		µg/L	1	6/23/2008 3:15:00 PM
1,2-Dichlorobenzene	U	0.08	1.0		µg/L	1	6/23/2008 3:15:00 PM
1,2-Dichloroethane	U	0.08	1.0		µg/L	1	6/23/2008 3:15:00 PM
1,2-Dichloropropane	U	0.1	1.0		µg/L	1	6/23/2008 3:15:00 PM
1,3,5-Trimethylbenzene	U	0.11	1.0		µg/L	1	6/23/2008 3:15:00 PM
1,3-Dichlorobenzene	U	0.08	1.0		µg/L	1	6/23/2008 3:15:00 PM
1,3-dichloropropane	U	0.08	1.0		µg/L	1	6/23/2008 3:15:00 PM
1,4-Dichlorobenzene	U	0.08	1.0		µg/L	1	6/23/2008 3:15:00 PM
2,2-Dichloropropane	U	0.11	1.0		µg/L	1	6/23/2008 3:15:00 PM
2-Butanone	U	1.28	3.0		µg/L	1	6/23/2008 3:15:00 PM
2-Chloroethyl vinyl ether	U	0.08	1.0		µg/L	1	6/23/2008 3:15:00 PM
2-Chlorotoluene	U	0.09	1.0		µg/L	1	6/23/2008 3:15:00 PM
2-Hexanone	U	0.22	2.0		µg/L	1	6/23/2008 3:15:00 PM
4-Chlorotoluene	U	0.09	1.0		µg/L	1	6/23/2008 3:15:00 PM
4-Isopropyltoluene	U	0.1	1.0		µg/L	1	6/23/2008 3:15:00 PM
4-Methyl-2-pentanone	U	0.21	2.0		µg/L	1	6/23/2008 3:15:00 PM
Acetone	U	0.19	2.0		µg/L	1	6/23/2008 3:15:00 PM
Benzene	U	0.11	1.0		µg/L	1	6/23/2008 3:15:00 PM
Bromobenzene	U	0.07	1.0		µg/L	1	6/23/2008 3:15:00 PM
Bromochloromethane	U	0.4	1.0		µg/L	1	6/23/2008 3:15:00 PM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735
Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



Qualifiers:	*	Value exceeds Maximum Contaminant Level	B	Analyte detected in the associated Method Blank
	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded
	J	Analyte detected below quantitation limits	LOD	Limit of Detection
	LOQ	Limit of Quantitation	ND	Not Detected at the Reporting Limit
	S	Spike Recovery outside accepted recovery limits	U	Indicates the compound was analyzed but not detected.

American Analytical Laboratories, LLC.

Date: 25-Jun-08

ELAP ID : 11418

CLIENT: Leggette Brashears & Graham Inc.
Lab Order: 0806218
Project: Rowe
Lab ID: 0806218-02A

Client Sample ID: WQ061708:1215NP2-7
Collection Date: 6/17/2008 12:15:00 PM
Matrix: LIQUID

Certificate of Results

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
VOLATILE SW-846 8260 + MTBE & FREON113			SW8260B			Analyst: LA	
Bromodichloromethane	U	0.08	1.0		µg/L	1	6/23/2008 3:15:00 PM
Bromoform	U	0.06	1.0		µg/L	1	6/23/2008 3:15:00 PM
Bromomethane	U	0.17	1.0		µg/L	1	6/23/2008 3:15:00 PM
Carbon disulfide	U	0.14	1.0		µg/L	1	6/23/2008 3:15:00 PM
Carbon tetrachloride	U	0.16	1.0		µg/L	1	6/23/2008 3:15:00 PM
Chlorobenzene	U	0.09	1.0		µg/L	1	6/23/2008 3:15:00 PM
Chloroethane	U	0.16	1.0		µg/L	1	6/23/2008 3:15:00 PM
Chloroform	U	0.1	1.0		µg/L	1	6/23/2008 3:15:00 PM
Chloromethane	U	0.18	1.0		µg/L	1	6/23/2008 3:15:00 PM
cis-1,2-Dichloroethene	U	0.11	1.0		µg/L	1	6/23/2008 3:15:00 PM
cis-1,3-Dichloropropene	U	0.08	1.0		µg/L	1	6/23/2008 3:15:00 PM
Dibromochloromethane	U	0.07	1.0		µg/L	1	6/23/2008 3:15:00 PM
Dibromomethane	U	0.07	1.0		µg/L	1	6/23/2008 3:15:00 PM
Dichlorodifluoromethane	U	0.15	1.0		µg/L	1	6/23/2008 3:15:00 PM
Ethylbenzene	U	0.1	1.0		µg/L	1	6/23/2008 3:15:00 PM
Hexachlorobutadiene	U	0.12	1.0		µg/L	1	6/23/2008 3:15:00 PM
Isopropylbenzene	U	0.11	1.0		µg/L	1	6/23/2008 3:15:00 PM
m,p-Xylene	U	0.2	2.0		µg/L	1	6/23/2008 3:15:00 PM
Methyl tert-butyl ether	U	0.08	1.0		µg/L	1	6/23/2008 3:15:00 PM
Methylene chloride	U	0.08	1.0		µg/L	1	6/23/2008 3:15:00 PM
Naphthalene	U	0.08	1.0		µg/L	1	6/23/2008 3:15:00 PM
n-Butylbenzene	U	0.11	1.0		µg/L	1	6/23/2008 3:15:00 PM
n-Propylbenzene	U	0.11	1.0		µg/L	1	6/23/2008 3:15:00 PM
o-Xylene	U	0.1	1.0		µg/L	1	6/23/2008 3:15:00 PM
sec-Butylbenzene	U	0.1	1.0		µg/L	1	6/23/2008 3:15:00 PM
Styrene	U	0.08	1.0		µg/L	1	6/23/2008 3:15:00 PM
tert-Butylbenzene	U	0.1	1.0		µg/L	1	6/23/2008 3:15:00 PM
Tetrachloroethene	U	0.12	1.0		µg/L	1	6/23/2008 3:15:00 PM
Toluene	U	0.12	1.0		µg/L	1	6/23/2008 3:15:00 PM
trans-1,2-Dichloroethene	U	0.12	1.0		µg/L	1	6/23/2008 3:15:00 PM
trans-1,3-Dichloropropene	U	0.07	1.0		µg/L	1	6/23/2008 3:15:00 PM
Trichloroethene	U	0.13	1.0		µg/L	1	6/23/2008 3:15:00 PM
Trichlorofluoromethane	U	0.15	1.0		µg/L	1	6/23/2008 3:15:00 PM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735
Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



Qualifiers:	*	Value exceeds Maximum Contaminant Level	B	Analyte detected in the associated Method Blank
	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded
	J	Analyte detected below quantitation limits	LOD	Limit of Detection
	LOQ	Limit of Quantitation	ND	Not Detected at the Reporting Limit
	S	Spike Recovery outside accepted recovery limits	U	Indicates the compound was analyzed but not detected.

American Analytical Laboratories, LLC.

Date: 25-Jun-08

ELAP ID : 11418

CLIENT: Leggette Brashears & Graham Inc.

Client Sample ID: WQ061708:1215NP2-7

Lab Order: 0806218

Collection Date: 6/17/2008 12:15:00 PM

Project: Rowe

Matrix: LIQUID

Lab ID: 0806218-02A

Certificate of Results

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
VOLATILE SW-846 8260 + MTBE & FREON113			SW8260B			Analyst: LA	
Vinyl acetate	U	0.06	1.0		µg/L	1	6/23/2008 3:15:00 PM
Vinyl chloride	U	0.14	1.0		µg/L	1	6/23/2008 3:15:00 PM
Surr: 4-Bromofluorobenzene	89.2	0	54-134		%REC	1	6/23/2008 3:15:00 PM
Surr: Dibromofluoromethane	103	0	52-132		%REC	1	6/23/2008 3:15:00 PM
Surr: Toluene-d8	103	0	51-127		%REC	1	6/23/2008 3:15:00 PM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735

Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



Qualifiers:

- * Value exceeds Maximum Contaminant Level
- E Value above quantitation range
- J Analyte detected below quantitation limits
- LOQ Limit of Quantitation
- S Spike Recovery outside accepted recovery limits

- B Analyte detected in the associated Method Blank
- H Holding times for preparation or analysis exceeded
- LOD Limit of Detection
- ND Not Detected at the Reporting Limit
- U Indicates the compound was analyzed but not detected.

American Analytical Laboratories, LLC.

Date: 25-Jun-08

ELAP ID : 11418

CLIENT: Leggette Brashears & Graham Inc.

Client Sample ID: WQ061708:1215NP2-7

Lab Order: 0806218

Collection Date: 6/17/2008 12:15:00 PM

Project: Rowe

Matrix: LIQUID

Lab ID: 0806218-02B

Certificate of Results

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
TOTAL IRON				E200.7	SW3005A		Analyst: AH
Iron	1.51	0.005	0.0200		mg/L	1	6/20/2008 8:55:09 AM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735

Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



Qualifiers:

- * Value exceeds Maximum Contaminant Level
- E Value above quantitation range
- J Analyte detected below quantitation limits
- LOQ Limit of Quantitation
- S Spike Recovery outside accepted recovery limits

- B Analyte detected in the associated Method Blank
- H Holding times for preparation or analysis exceeded
- LOD Limit of Detection
- ND Not Detected at the Reporting Limit
- U Indicates the compound was analyzed but not detected.

American Analytical Laboratories, LLC.

Date: 25-Jun-08

ELAP ID : 11418**CLIENT:** Leggette Brashears & Graham Inc.**Client Sample ID:** WQ061708:1215NP2-7**Lab Order:** 0806218**Collection Date:** 6/17/2008 12:15:00 PM**Project:** Rowe**Matrix:** LIQUID**Lab ID:** 0806218-02C**Certificate of Results**

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
DISSOLVED IRON				E200.7	SW3005A		Analyst: AH
Iron	0.327	0.005	0.0200		mg/L	1	6/20/2008 8:53:06 AM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735

Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



Qualifiers:	*	Value exceeds Maximum Contaminant Level	B	Analyte detected in the associated Method Blank
	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded
	J	Analyte detected below quantitation limits	LOD	Limit of Detection
	LOQ	Limit of Quantitation	ND	Not Detected at the Reporting Limit
	S	Spike Recovery outside accepted recovery limits	U	Indicates the compound was analyzed but not detected.

American Analytical Laboratories, LLC.

Date: 25-Jun-08

ELAP ID : 11418

CLIENT: Leggette Brashears & Graham Inc.

Client Sample ID: WQ061708:1220NP2-10

Lab Order: 0806218

Collection Date: 6/17/2008 12:20:00 PM

Project: Rowe

Matrix: LIQUID

Lab ID: 0806218-03A

Certificate of Results

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
VOLATILE SW-846 8260 + MTBE & FREON113			SW8260B			Analyst: LA	
1,1,1,2-Tetrachloroethane	U	0.09	1.0		µg/L	1	6/23/2008 3:41:00 PM
1,1,1-Trichloroethane	U	0.17	1.0		µg/L	1	6/23/2008 3:41:00 PM
1,1,2,2-Tetrachloroethane	U	0.06	1.0		µg/L	1	6/23/2008 3:41:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	U	0.13	1.0		µg/L	1	6/23/2008 3:41:00 PM
1,1,2-Trichloroethane	U	0.07	1.0		µg/L	1	6/23/2008 3:41:00 PM
1,1-Dichloroethane	U	0.11	1.0		µg/L	1	6/23/2008 3:41:00 PM
1,1-Dichloroethene	U	0.15	1.0		µg/L	1	6/23/2008 3:41:00 PM
1,1-Dichloropropene	U	0.12	1.0		µg/L	1	6/23/2008 3:41:00 PM
1,2,3-Trichlorobenzene	U	0.07	1.0		µg/L	1	6/23/2008 3:41:00 PM
1,2,3-Trichloropropane	U	0.08	1.0		µg/L	1	6/23/2008 3:41:00 PM
1,2,4-Trichlorobenzene	U	0.07	1.0		µg/L	1	6/23/2008 3:41:00 PM
1,2,4-Trimethylbenzene	U	0.09	1.0		µg/L	1	6/23/2008 3:41:00 PM
1,2-Dibromo-3-chloropropane	U	0.09	1.0		µg/L	1	6/23/2008 3:41:00 PM
1,2-Dibromoethane	U	0.06	1.0		µg/L	1	6/23/2008 3:41:00 PM
1,2-Dichlorobenzene	U	0.08	1.0		µg/L	1	6/23/2008 3:41:00 PM
1,2-Dichloroethane	U	0.08	1.0		µg/L	1	6/23/2008 3:41:00 PM
1,2-Dichloropropane	U	0.1	1.0		µg/L	1	6/23/2008 3:41:00 PM
1,3,5-Trimethylbenzene	U	0.11	1.0		µg/L	1	6/23/2008 3:41:00 PM
1,3-Dichlorobenzene	U	0.08	1.0		µg/L	1	6/23/2008 3:41:00 PM
1,3-dichloropropane	U	0.08	1.0		µg/L	1	6/23/2008 3:41:00 PM
1,4-Dichlorobenzene	U	0.08	1.0		µg/L	1	6/23/2008 3:41:00 PM
2,2-Dichloropropane	U	0.11	1.0		µg/L	1	6/23/2008 3:41:00 PM
2-Butanone	U	1.28	3.0		µg/L	1	6/23/2008 3:41:00 PM
2-Chloroethyl vinyl ether	U	0.08	1.0		µg/L	1	6/23/2008 3:41:00 PM
2-Chlorotoluene	U	0.09	1.0		µg/L	1	6/23/2008 3:41:00 PM
2-Hexanone	U	0.22	2.0		µg/L	1	6/23/2008 3:41:00 PM
4-Chlorotoluene	U	0.09	1.0		µg/L	1	6/23/2008 3:41:00 PM
4-Isopropyltoluene	U	0.1	1.0		µg/L	1	6/23/2008 3:41:00 PM
4-Methyl-2-pentanone	U	0.21	2.0		µg/L	1	6/23/2008 3:41:00 PM
Acetone	U	0.19	2.0		µg/L	1	6/23/2008 3:41:00 PM
Benzene	U	0.11	1.0		µg/L	1	6/23/2008 3:41:00 PM
Bromobenzene	U	0.07	1.0		µg/L	1	6/23/2008 3:41:00 PM
Bromochloromethane	U	0.4	1.0		µg/L	1	6/23/2008 3:41:00 PM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735

Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



Qualifiers:	* Value exceeds Maximum Contaminant Level	B Analyte detected in the associated Method Blank
	E Value above quantitation range	H Holding times for preparation or analysis exceeded
	J Analyte detected below quantitation limits	LOD Limit of Detection
	LOQ Limit of Quantitation	ND Not Detected at the Reporting Limit
	S Spike Recovery outside accepted recovery limits	U Indicates the compound was analyzed but not detected.

American Analytical Laboratories, LLC.

Date: 25-Jun-08

ELAP ID : 11418

CLIENT: Leggette Brashears & Graham Inc.
Lab Order: 0806218
Project: Rowe
Lab ID: 0806218-03A

Client Sample ID: WQ061708:1220NP2-10
Collection Date: 6/17/2008 12:20:00 PM
Matrix: LIQUID

Certificate of Results

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
VOLATILE SW-846 8260 + MTBE & FREON113			SW8260B			Analyst: LA	
Bromodichloromethane	U	0.08	1.0		µg/L	1	6/23/2008 3:41:00 PM
Bromoform	U	0.06	1.0		µg/L	1	6/23/2008 3:41:00 PM
Bromomethane	U	0.17	1.0		µg/L	1	6/23/2008 3:41:00 PM
Carbon disulfide	U	0.14	1.0		µg/L	1	6/23/2008 3:41:00 PM
Carbon tetrachloride	U	0.16	1.0		µg/L	1	6/23/2008 3:41:00 PM
Chlorobenzene	U	0.09	1.0		µg/L	1	6/23/2008 3:41:00 PM
Chloroethane	U	0.16	1.0		µg/L	1	6/23/2008 3:41:00 PM
Chloroform	U	0.1	1.0		µg/L	1	6/23/2008 3:41:00 PM
Chloromethane	U	0.18	1.0		µg/L	1	6/23/2008 3:41:00 PM
cis-1,2-Dichloroethene	U	0.11	1.0		µg/L	1	6/23/2008 3:41:00 PM
cis-1,3-Dichloropropene	U	0.08	1.0		µg/L	1	6/23/2008 3:41:00 PM
Dibromochloromethane	U	0.07	1.0		µg/L	1	6/23/2008 3:41:00 PM
Dibromomethane	U	0.07	1.0		µg/L	1	6/23/2008 3:41:00 PM
Dichlorodifluoromethane	U	0.15	1.0		µg/L	1	6/23/2008 3:41:00 PM
Ethylbenzene	U	0.1	1.0		µg/L	1	6/23/2008 3:41:00 PM
Hexachlorobutadiene	U	0.12	1.0		µg/L	1	6/23/2008 3:41:00 PM
Isopropylbenzene	U	0.11	1.0		µg/L	1	6/23/2008 3:41:00 PM
m,p-Xylene	U	0.2	2.0		µg/L	1	6/23/2008 3:41:00 PM
Methyl tert-butyl ether	U	0.08	1.0		µg/L	1	6/23/2008 3:41:00 PM
Methylene chloride	U	0.08	1.0		µg/L	1	6/23/2008 3:41:00 PM
Naphthalene	U	0.08	1.0		µg/L	1	6/23/2008 3:41:00 PM
n-Butylbenzene	U	0.11	1.0		µg/L	1	6/23/2008 3:41:00 PM
n-Propylbenzene	U	0.11	1.0		µg/L	1	6/23/2008 3:41:00 PM
o-Xylene	U	0.1	1.0		µg/L	1	6/23/2008 3:41:00 PM
sec-Butylbenzene	U	0.1	1.0		µg/L	1	6/23/2008 3:41:00 PM
Styrene	U	0.08	1.0		µg/L	1	6/23/2008 3:41:00 PM
tert-Butylbenzene	U	0.1	1.0		µg/L	1	6/23/2008 3:41:00 PM
Tetrachloroethene	U	0.12	1.0		µg/L	1	6/23/2008 3:41:00 PM
Toluene	U	0.12	1.0		µg/L	1	6/23/2008 3:41:00 PM
trans-1,2-Dichloroethene	U	0.12	1.0		µg/L	1	6/23/2008 3:41:00 PM
trans-1,3-Dichloropropene	U	0.07	1.0		µg/L	1	6/23/2008 3:41:00 PM
Trichloroethene	U	0.13	1.0		µg/L	1	6/23/2008 3:41:00 PM
Trichlorofluoromethane	U	0.15	1.0		µg/L	1	6/23/2008 3:41:00 PM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735
Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



Qualifiers:	* Value exceeds Maximum Contaminant Level	B Analyte detected in the associated Method Blank
	E Value above quantitation range	H Holding times for preparation or analysis exceeded
	J Analyte detected below quantitation limits	LOD Limit of Detection
	LOQ Limit of Quantitation	ND Not Detected at the Reporting Limit
	S Spike Recovery outside accepted recovery limits	U Indicates the compound was analyzed but not detected.

American Analytical Laboratories, LLC.

Date: 25-Jun-08

ELAP ID : 11418

CLIENT: Leggette Brashears & Graham Inc.

Client Sample ID: WQ061708:1220NP2-10

Lab Order: 0806218

Collection Date: 6/17/2008 12:20:00 PM

Project: Rowe

Matrix: LIQUID

Lab ID: 0806218-03A

Certificate of Results

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
VOLATILE SW-846 8260 + MTBE & FREON113			SW8260B			Analyst: LA	
Vinyl acetate	U	0.06	1.0		µg/L	1	6/23/2008 3:41:00 PM
Vinyl chloride	U	0.14	1.0		µg/L	1	6/23/2008 3:41:00 PM
Surr: 4-Bromofluorobenzene	93.8	0	54-134		%REC	1	6/23/2008 3:41:00 PM
Surr: Dibromofluoromethane	107	0	52-132		%REC	1	6/23/2008 3:41:00 PM
Surr: Toluene-d8	112	0	51-127		%REC	1	6/23/2008 3:41:00 PM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735

Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



Qualifiers:	*	Value exceeds Maximum Contaminant Level	B	Analyte detected in the associated Method Blank
	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded
	J	Analyte detected below quantitation limits	LOD	Limit of Detection
	LOQ	Limit of Quantitation	ND	Not Detected at the Reporting Limit
	S	Spike Recovery outside accepted recovery limits	U	Indicates the compound was analyzed but not detected.

American Analytical Laboratories, LLC.

Date: 25-Jun-08

ELAP ID : 11418

CLIENT: Leggette Brashears & Graham Inc.

Client Sample ID: WQ061708:1220NP2-10

Lab Order: 0806218

Collection Date: 6/17/2008 12:20:00 PM

Project: Rowe

Matrix: LIQUID

Lab ID: 0806218-03B

Certificate of Results

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
TOTAL IRON				E200.7	SW3005A		Analyst: AH
Iron	1.89	0.005	0.0200		mg/L	1	6/20/2008 8:59:14 AM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735

Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



Qualifiers:	*	Value exceeds Maximum Contaminant Level	B	Analyte detected in the associated Method Blank
	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded
	J	Analyte detected below quantitation limits	LOD	Limit of Detection
	LOQ	Limit of Quantitation	ND	Not Detected at the Reporting Limit
	S	Spike Recovery outside accepted recovery limits	U	Indicates the compound was analyzed but not detected.

American Analytical Laboratories, LLC.

Date: 25-Jun-08

ELAP ID : 11418

CLIENT: Leggette Brashears & Graham Inc.

Client Sample ID: WQ061708:1220NP2-10

Lab Order: 0806218

Collection Date: 6/17/2008 12:20:00 PM

Project: Rowe

Matrix: LIQUID

Lab ID: 0806218-03C

Certificate of Results

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
DISSOLVED IRON			E200.7		SW3005A		Analyst: AH
Iron	0.448	0.005	0.0200		mg/L	1	6/20/2008 8:57:11 AM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735

Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



Qualifiers:

- * Value exceeds Maximum Contaminant Level
- E Value above quantitation range
- J Analyte detected below quantitation limits
- LOQ Limit of Quantitation
- S Spike Recovery outside accepted recovery limits

- B Analyte detected in the associated Method Blank
- H Holding times for preparation or analysis exceeded
- LOD Limit of Detection
- ND Not Detected at the Reporting Limit
- U Indicates the compound was analyzed but not detected.

American Analytical Laboratories, LLC.**Date:** 25-Jun-08**ELAP ID :** 11418**CLIENT:** Leggette Brashears & Graham Inc.**Client Sample ID:** WQ061708:1220NP2-10**Lab Order:** 0806218**Collection Date:** 6/17/2008 12:20:00 PM**Project:** Rowe**Matrix:** LIQUID**Lab ID:** 0806218-03D**Certificate of Results**

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
TOTAL DISSOLVED SOLIDS				M2540C			Analyst: AS
Total Dissolved Solids (Residue, Filterable)	116	0	1.00		mg/L	1	6/19/2008

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735

Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



Qualifiers:

- * Value exceeds Maximum Contaminant Level
- E Value above quantitation range
- J Analyte detected below quantitation limits
- LOQ Limit of Quantitation
- S Spike Recovery outside accepted recovery limits

- B Analyte detected in the associated Method Blank
- H Holding times for preparation or analysis exceeded
- LOD Limit of Detection
- ND Not Detected at the Reporting Limit
- U Indicates the compound was analyzed but not detected.

CLIENT: Leggett Brashears & Graham Inc.
Work Order: 0806218
Project: Rowe

ANALYTICAL QC SUMMARY REPORT

TestCode: 8260MTBE113_W

Sample ID: V624LCS-062308Y	SampType: LCS	TestCode: 8260MTBE11	Units: µg/L	Prep Date:	RunNo: 36379						
Client ID: LCSW	Batch ID: R36379	TestNo: SW8260B		Analysis Date: 6/23/2008	SeqNo: 471296						
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
1,1,1-Trichloroethane	43	1.0	50.00	0	85.5	52	137				
1,1,2,2-Tetrachloroethane	45	1.0	50.00	0	90.2	53	133				
1,1,2-Trichloroethane	47	1.0	50.00	0	94.9	51	130				
1,1-Dichloroethane	43	1.0	50.00	0	86.9	51	133				
1,1-Dichloroethene	49	1.0	50.00	0	97.8	42	133				
1,2-Dichlorobenzene	38	1.0	50.00	0	75.1	48	129				
1,2-Dichloroethane	42	1.0	50.00	0	83.3	51	130				
1,2-Dichloropropane	42	1.0	50.00	0	83.3	52	136				
1,3-Dichlorobenzene	37	1.0	50.00	0	74.8	53	132				
1,4-Dichlorobenzene	42	1.0	50.00	0	83.7	53	135				
2-Chloroethyl vinyl ether	33	1.0	50.00	0	65.8	43	125				
Benzene	46	1.0	50.00	0	92.4	44	133				
Bromodichloromethane	46	1.0	50.00	0	92.3	52	137				
Bromoform	38	1.0	50.00	0	75.2	43	123				
Bromomethane	37	1.0	50.00	0	73.8	36	126				
Carbon tetrachloride	39	1.0	50.00	0	78.2	48	128				
Chlorobenzene	46	1.0	50.00	0	92.6	57	135				
Chloroethane	48	1.0	50.00	0	96.7	53	147				
Chloroform	43	1.0	50.00	0	86.4	42	122				
Chloromethane	38	1.0	50.00	0	76.3	52	144				
cis-1,3-Dichloropropene	43	1.0	50.00	0	86.6	48	127				
Dibromochloromethane	41	1.0	50.00	0	82.8	47	125				
Ethylbenzene	49	1.0	50.00	0	97.3	53	136				
Tetrachloroethene	49	1.0	50.00	0	98.4	44	137				
Toluene	51	1.0	50.00	0	102	43	134				
trans-1,2-Dichloroethene	41	1.0	50.00	0	82.9	53	130				
trans-1,3-Dichloropropene	47	1.0	50.00	0	94.1	46	129				
Trichloroethene	41	1.0	50.00	0	81.9	43	138				
Trichlorofluoromethane	47	1.0	50.00	0	94.6	55	135				
Vinyl chloride	41	1.0	50.00	0	82.6	46	146				

Qualifiers:	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation li
	LOD	Limit of Detection	LOQ	Limit of Quantitation	ND	Not Detected at the Reporting Limit
	R	RPD outside accepted recovery limits	S	Spike Recovery outside accepted recovery limits	U	Indicates the compound was analyzed

CLIENT: Leggett Brashears & Graham Inc.
Work Order: 0806218
Project: Rowe

ANALYTICAL QC SUMMARY REPORT

TestCode: 8260MTBE113_W

Sample ID: V624LCS-062308Y	SampType: LCS	TestCode: 8260MTBE11	Units: µg/L	Prep Date:	RunNo: 36379						
Client ID: LCSW	Batch ID: R36379	TestNo: SW8260B		Analysis Date: 6/23/2008	SeqNo: 471296						
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual

Surr: 4-Bromofluorobenzene	43		50.00		86.7	54	134				
Surr: Dibromofluoromethane	53		50.00		106	52	132				
Surr: Toluene-d8	55		50.00		109	51	127				

Sample ID: VBLK-062308Y	SampType: MBLK	TestCode: 8260MTBE11	Units: µg/L	Prep Date:	RunNo: 36379						
Client ID: PBW	Batch ID: R36379	TestNo: SW8260B		Analysis Date: 6/23/2008	SeqNo: 471297						
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual

1,1,1,2-Tetrachloroethane	U	1.0									
1,1,1-Trichloroethane	U	1.0									
1,1,2,2-Tetrachloroethane	U	1.0									
1,1,2-Trichloro-1,2,2-trifluoroethane	U	1.0									
1,1,2-Trichloroethane	U	1.0									
1,1-Dichloroethane	U	1.0									
1,1-Dichloroethene	U	1.0									
1,1-Dichloropropene	U	1.0									
1,2,3-Trichlorobenzene	U	1.0									
1,2,3-Trichloropropane	U	1.0									
1,2,4-Trichlorobenzene	U	1.0									
1,2,4-Trimethylbenzene	U	1.0									
1,2-Dibromo-3-chloropropane	U	1.0									
1,2-Dibromoethane	U	1.0									
1,2-Dichlorobenzene	U	1.0									
1,2-Dichloroethane	U	1.0									
1,2-Dichloropropane	U	1.0									
1,3,5-Trimethylbenzene	U	1.0									
1,3-Dichlorobenzene	U	1.0									
1,3-dichloropropane	U	1.0									
1,4-Dichlorobenzene	U	1.0									
2,2-Dichloropropane	U	1.0									
2-Butanone	U	3.0									

Qualifiers:	E	Value above quantitation range		H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation li
	LOD	Limit of Detection		LOQ	Limit of Quantitation	ND	Not Detected at the Reporting Limit
	R	RPD outside accepted recovery limits		S	Spike Recovery outside accepted recovery limits	U	Indicates the compound was analyzed

CLIENT: Leggett Brashears & Graham Inc.
Work Order: 0806218
Project: Rowe

ANALYTICAL QC SUMMARY REPORT

TestCode: 8260MTBE113_W

Sample ID: VBLK-062308Y	SampType: MBLK	TestCode: 8260MTBE11	Units: µg/L	Prep Date:	RunNo: 36379						
Client ID: PBW	Batch ID: R36379	TestNo: SW8260B		Analysis Date: 6/23/2008	SeqNo: 471297						
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
2-Chloroethyl vinyl ether	U	1.0									
2-Chlorotoluene	U	1.0									
2-Hexanone	U	2.0									
4-Chlorotoluene	U	1.0									
4-Isopropyltoluene	U	1.0									
4-Methyl-2-pentanone	U	2.0									
Acetone	U	2.0									
Benzene	U	1.0									
Bromobenzene	U	1.0									
Bromochloromethane	U	1.0									
Bromodichloromethane	U	1.0									
Bromoform	U	1.0									
Bromomethane	U	1.0									
Carbon disulfide	U	1.0									
Carbon tetrachloride	U	1.0									
Chlorobenzene	U	1.0									
Chloroethane	U	1.0									
Chloroform	U	1.0									
Chloromethane	U	1.0									
cis-1,2-Dichloroethene	U	1.0									
cis-1,3-Dichloropropene	U	1.0									
Dibromochloromethane	U	1.0									
Dibromomethane	U	1.0									
Dichlorodifluoromethane	U	1.0									
Ethylbenzene	U	1.0									
Hexachlorobutadiene	U	1.0									
Isopropylbenzene	U	1.0									
m,p-Xylene	U	2.0									
Methyl tert-butyl ether	U	1.0									
Methylene chloride	U	1.0									
Naphthalene	U	1.0									

Qualifiers:	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation li
	LOD	Limit of Detection	LOQ	Limit of Quantitation	ND	Not Detected at the Reporting Limit
	R	RPD outside accepted recovery limits	S	Spike Recovery outside accepted recovery limits	U	Indicates the compound was analyzed

CLIENT: Leggette Brashears & Graham Inc.
Work Order: 0806218
Project: Rowe

ANALYTICAL QC SUMMARY REPORT

TestCode: 8260MTBE113_W

Sample ID: VBLK-062308Y	SampType: MBLK	TestCode: 8260MTBE11	Units: µg/L	Prep Date:	RunNo: 36379						
Client ID: PBW	Batch ID: R36379	TestNo: SW8260B		Analysis Date: 6/23/2008	SeqNo: 471297						
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual

n-Butylbenzene	U	1.0									
n-Propylbenzene	U	1.0									
o-Xylene	U	1.0									
sec-Butylbenzene	U	1.0									
Styrene	U	1.0									
tert-Butylbenzene	U	1.0									
Tetrachloroethene	U	1.0									
Toluene	U	1.0									
trans-1,2-Dichloroethene	U	1.0									
trans-1,3-Dichloropropene	U	1.0									
Trichloroethene	U	1.0									
Trichlorofluoromethane	U	1.0									
Vinyl acetate	U	1.0									
Vinyl chloride	U	1.0									
Surr: 4-Bromofluorobenzene	46		50.00		92.6	54	134				
Surr: Dibromofluoromethane	49		50.00		98.0	52	132				
Surr: Toluene-d8	53		50.00		106	51	127				

Sample ID: 0806218-03AMS	SampType: MS	TestCode: 8260MTBE11	Units: µg/L	Prep Date:	RunNo: 36379						
Client ID: WQ061708:1220NP2	Batch ID: R36379	TestNo: SW8260B		Analysis Date: 6/23/2008	SeqNo: 471299						
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual

1,1,1-Trichloroethane	46	1.0	50.00	0	92.7	52	137				
1,1,2,2-Tetrachloroethane	46	1.0	50.00	0	91.9	53	133				
1,1,2-Trichloroethane	48	1.0	50.00	0	95.1	51	130				
1,1-Dichloroethane	49	1.0	50.00	0	97.9	51	133				
1,1-Dichloroethene	44	1.0	50.00	0	88.1	42	133				
1,2-Dichlorobenzene	40	1.0	50.00	0	80.3	48	129				
1,2-Dichloroethane	45	1.0	50.00	0	89.2	51	130				
1,2-Dichloropropane	46	1.0	50.00	0	92.5	52	136				
1,3-Dichlorobenzene	42	1.0	50.00	0	85.0	53	132				

Qualifiers: E Value above quantitation range
LOD Limit of Detection
R RPD outside accepted recovery limits

H Holding times for preparation or analysis exceeded
LOQ Limit of Quantitation
S Spike Recovery outside accepted recovery limits

J Analyte detected below quantitation li
ND Not Detected at the Reporting Limit
U Indicates the compound was analyzed

CLIENT: Leggette Brashears & Graham Inc.
Work Order: 0806218
Project: Rowe

ANALYTICAL QC SUMMARY REPORT

TestCode: 8260MTBE113_W

Sample ID: 0806218-03AMS		SampType: MS	TestCode: 8260MTBE11		Units: µg/L	Prep Date:		RunNo: 36379			
Client ID: WQ061708:1220NP2		Batch ID: R36379	TestNo: SW8260B			Analysis Date: 6/23/2008		SeqNo: 471299			
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
1,4-Dichlorobenzene	45	1.0	50.00	0	90.2	53	135				
2-Chloroethyl vinyl ether	36	1.0	50.00	0	72.5	43	125				
Benzene	43	1.0	50.00	0	86.3	44	133				
Bromodichloromethane	47	1.0	50.00	0	93.4	52	137				
Bromoform	47	1.0	50.00	0	94.8	43	123				
Bromomethane	31	1.0	50.00	0	62.0	36	126				
Carbon tetrachloride	47	1.0	50.00	0	94.1	48	128				
Chlorobenzene	49	1.0	50.00	0	97.6	57	135				
Chloroethane	47	1.0	50.00	0	93.1	53	147				
Chloroform	44	1.0	50.00	0	88.4	42	122				
Chloromethane	40	1.0	50.00	0	81.0	52	144				
cis-1,3-Dichloropropene	45	1.0	50.00	0	89.9	48	127				
Dibromochloromethane	43	1.0	50.00	0	85.7	47	125				
Ethylbenzene	54	1.0	50.00	0	108	53	136				
Tetrachloroethene	47	1.0	50.00	0	93.5	44	137				
Toluene	51	1.0	50.00	0	103	43	134				
trans-1,2-Dichloroethene	44	1.0	50.00	0	87.3	53	130				
trans-1,3-Dichloropropene	49	1.0	50.00	0	98.6	46	129				
Trichloroethene	38	1.0	50.00	0	75.5	43	138				
Trichlorofluoromethane	49	1.0	50.00	0	97.2	55	135				
Vinyl chloride	45	1.0	50.00	0	89.3	46	146				
Surr: 4-Bromofluorobenzene	56		50.00		112	54	134				
Surr: Dibromofluoromethane	56		50.00		112	52	132				
Surr: Toluene-d8	51		50.00		102	51	127				

Sample ID: V624LCS-062308Y	SampType: LCS	TestCode: 8260MTBE11	Units: µg/L	Prep Date:	RunNo: 36379						
Client ID: LCSW	Batch ID: R36379a	TestNo: SW8260B		Analysis Date: 6/23/2008	SeqNo: 471300						
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
1,1,1-Trichloroethane	42	1.0	50.00	0	84.7	52	137				
1,1,2,2-Tetrachloroethane	49	1.0	50.00	0	97.1	53	133				

Qualifiers: E Value above quantitation range
LOD Limit of Detection
R RPD outside accepted recovery limits

H Holding times for preparation or analysis exceeded
LOQ Limit of Quantitation
S Spike Recovery outside accepted recovery limits

J Analyte detected below quantitation li
ND Not Detected at the Reporting Limit
U Indicates the compound was analyzed

CLIENT: Leggette Brashears & Graham Inc.
Work Order: 0806218
Project: Rowe

ANALYTICAL QC SUMMARY REPORT

TestCode: 8260MTBE113_W

Sample ID: V624LCS-062308Y		SampType: LCS		TestCode: 8260MTBE11		Units: µg/L		Prep Date:		RunNo: 36379	
Client ID: LCSW		Batch ID: R36379a		TestNo: SW8260B				Analysis Date: 6/23/2008		SeqNo: 471300	
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
1,1,2-Trichloroethane	47	1.0	50.00	0	94.8	51	130				
1,1-Dichloroethane	44	1.0	50.00	0	88.7	51	133				
1,1-Dichloroethene	41	1.0	50.00	0	82.4	42	133				
1,2-Dichlorobenzene	46	1.0	50.00	0	91.8	48	129				
1,2-Dichloroethane	39	1.0	50.00	0	77.2	51	130				
1,2-Dichloropropane	53	1.0	50.00	0	107	52	136				
1,3-Dichlorobenzene	54	1.0	50.00	0	107	53	132				
1,4-Dichlorobenzene	49	1.0	50.00	0	97.9	53	135				
2-Chloroethyl vinyl ether	37	1.0	50.00	0	73.6	43	125				
Benzene	44	1.0	50.00	0	87.9	44	133				
Bromodichloromethane	48	1.0	50.00	0	95.4	52	137				
Bromoform	38	1.0	50.00	0	76.6	43	123				
Bromomethane	39	1.0	50.00	0	77.9	36	126				
Carbon tetrachloride	41	1.0	50.00	0	81.8	48	128				
Chlorobenzene	47	1.0	50.00	0	93.2	57	135				
Chloroethane	44	1.0	50.00	0	88.9	53	147				
Chloroform	42	1.0	50.00	0	84.8	42	122				
Chloromethane	32	1.0	50.00	0	64.5	52	144				
cis-1,3-Dichloropropene	52	1.0	50.00	0	105	48	127				
Dibromochloromethane	44	1.0	50.00	0	87.8	47	125				
Ethylbenzene	48	1.0	50.00	0	96.9	53	136				
Tetrachloroethene	48	1.0	50.00	0	95.2	44	137				
Toluene	51	1.0	50.00	0	102	43	134				
trans-1,2-Dichloroethene	40	1.0	50.00	0	79.4	53	130				
trans-1,3-Dichloropropene	54	1.0	50.00	0	108	46	129				
Trichloroethene	49	1.0	50.00	0	97.7	43	138				
Trichlorofluoromethane	48	1.0	50.00	0	95.8	55	135				
Vinyl chloride	42	1.0	50.00	0	84.0	46	146				
Surr: 4-Bromofluorobenzene	47		50.00		93.7	54	134				
Surr: Dibromofluoromethane	48		50.00		96.8	52	132				
Surr: Toluene-d8	56		50.00		112	51	127				

Qualifiers: E Value above quantitation range
LOD Limit of Detection
R RPD outside accepted recovery limits

H Holding times for preparation or analysis exceeded
LOQ Limit of Quantitation
S Spike Recovery outside accepted recovery limits

J Analyte detected below quantitation li
ND Not Detected at the Reporting Limit
U Indicates the compound was analyzed

CLIENT: Leggett Brashears & Graham Inc.
Work Order: 0806218
Project: Rowe

ANALYTICAL QC SUMMARY REPORT

TestCode: 8260MTBE113_W

Sample ID: VBLK-062308Y	SampType: MBLK	TestCode: 8260MTBE11	Units: µg/L	Prep Date:	RunNo: 36379						
Client ID: PBW	Batch ID: R36379a	TestNo: SW8260B		Analysis Date: 6/23/2008	SeqNo: 471301						
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
1,1,1,2-Tetrachloroethane	U	1.0									
1,1,1-Trichloroethane	U	1.0									
1,1,2,2-Tetrachloroethane	U	1.0									
1,1,2-Trichloro-1,2,2-trifluoroethane	U	1.0									
1,1,2-Trichloroethane	U	1.0									
1,1-Dichloroethane	U	1.0									
1,1-Dichloroethene	U	1.0									
1,1-Dichloropropene	U	1.0									
1,2,3-Trichlorobenzene	U	1.0									
1,2,3-Trichloropropane	U	1.0									
1,2,4-Trichlorobenzene	U	1.0									
1,2,4-Trimethylbenzene	U	1.0									
1,2-Dibromo-3-chloropropane	U	1.0									
1,2-Dibromoethane	U	1.0									
1,2-Dichlorobenzene	U	1.0									
1,2-Dichloroethane	U	1.0									
1,2-Dichloropropane	U	1.0									
1,3,5-Trimethylbenzene	U	1.0									
1,3-Dichlorobenzene	U	1.0									
1,3-dichloropropane	U	1.0									
1,4-Dichlorobenzene	U	1.0									
2,2-Dichloropropane	U	1.0									
2-Butanone	U	3.0									
2-Chloroethyl vinyl ether	U	1.0									
2-Chlorotoluene	U	1.0									
2-Hexanone	U	2.0									
4-Chlorotoluene	U	1.0									
4-Isopropyltoluene	U	1.0									
4-Methyl-2-pentanone	U	2.0									
Acetone	U	2.0									
Benzene	U	1.0									

Qualifiers:	E Value above quantitation range		H Holding times for preparation or analysis exceeded		J Analyte detected below quantitation li	
	LOD	Limit of Detection	LOQ	Limit of Quantitation	ND	Not Detected at the Reporting Limit
	R	RPD outside accepted recovery limits	S	Spike Recovery outside accepted recovery limits	U	Indicates the compound was analyzed

CLIENT: Leggett Brashears & Graham Inc.
Work Order: 0806218
Project: Rowe

ANALYTICAL QC SUMMARY REPORT

TestCode: 8260MTBE113_W

Sample ID: VBLK-062308Y		SampType: MBLK		TestCode: 8260MTBE11		Units: µg/L		Prep Date:		RunNo: 36379		
Client ID:	PBW	Batch ID: R36379a		TestNo: SW8260B				Analysis Date: 6/23/2008		SeqNo: 471301		
Analyte		Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Bromobenzene		U	1.0									
Bromochloromethane		U	1.0									
Bromodichloromethane		U	1.0									
Bromoform		U	1.0									
Bromomethane		U	1.0									
Carbon disulfide		U	1.0									
Carbon tetrachloride		U	1.0									
Chlorobenzene		U	1.0									
Chloroethane		U	1.0									
Chloroform		U	1.0									
Chloromethane		U	1.0									
cis-1,2-Dichloroethene		U	1.0									
cis-1,3-Dichloropropene		U	1.0									
Dibromochloromethane		U	1.0									
Dibromomethane		U	1.0									
Dichlorodifluoromethane		U	1.0									
Ethylbenzene		U	1.0									
Hexachlorobutadiene		U	1.0									
Isopropylbenzene		U	1.0									
m,p-Xylene		U	2.0									
Methyl tert-butyl ether		U	1.0									
Methylene chloride		U	1.0									
Naphthalene		U	1.0									
n-Butylbenzene		U	1.0									
n-Propylbenzene		U	1.0									
o-Xylene		U	1.0									
sec-Butylbenzene		U	1.0									
Styrene		U	1.0									
tert-Butylbenzene		U	1.0									
Tetrachloroethene		U	1.0									
Toluene		U	1.0									

Qualifiers: E Value above quantitation range
LOD Limit of Detection
R RPD outside accepted recovery limits

H Holding times for preparation or analysis exceeded
LOQ Limit of Quantitation
S Spike Recovery outside accepted recovery limits

J Analyte detected below quantitation li
ND Not Detected at the Reporting Limit
U Indicates the compound was analyzed

CLIENT: Leggette Brashears & Graham Inc.
Work Order: 0806218
Project: Rowe

ANALYTICAL QC SUMMARY REPORT

TestCode: 8260MTBE113_W

Sample ID: VBLK-062308Y	SampType: MBLK	TestCode: 8260MTBE11	Units: µg/L	Prep Date:	RunNo: 36379						
Client ID: PBW	Batch ID: R36379a	TestNo: SW8260B		Analysis Date: 6/23/2008	SeqNo: 471301						
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual

trans-1,2-Dichloroethene	U	1.0									
trans-1,3-Dichloropropene	U	1.0									
Trichloroethene	U	1.0									
Trichlorofluoromethane	U	1.0									
Vinyl acetate	U	1.0									
Vinyl chloride	U	1.0									
Surr: 4-Bromofluorobenzene	49		50.00		97.4	54	134				
Surr: Dibromofluoromethane	49		50.00		98.5	52	132				
Surr: Toluene-d8	51		50.00		103	51	127				

Sample ID: 0806218-03AMSD	SampType: MSD	TestCode: 8260MTBE11	Units: µg/L	Prep Date:	RunNo: 36379						
Client ID: WQ061708:1220NP2	Batch ID: R36379a	TestNo: SW8260B		Analysis Date: 6/23/2008	SeqNo: 471304						
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual

1,1,1-Trichloroethane	44	1.0	50.00	0	87.0	52	137	46.33	6.25	20	
1,1,2,2-Tetrachloroethane	47	1.0	50.00	0	93.7	53	133	45.95	1.90	20	
1,1,2-Trichloroethane	37	1.0	50.00	0	73.2	51	130	47.54	26.1	20	R
1,1-Dichloroethane	43	1.0	50.00	0	86.8	51	133	48.96	12.0	20	
1,1-Dichloroethene	44	1.0	50.00	0	87.9	42	133	44.04	0.182	20	
1,2-Dichlorobenzene	37	1.0	50.00	0	73.1	48	129	40.17	9.44	20	
1,2-Dichloroethane	39	1.0	50.00	0	78.0	51	130	44.62	13.5	20	
1,2-Dichloropropane	41	1.0	50.00	0	81.4	52	136	46.24	12.7	20	
1,3-Dichlorobenzene	43	1.0	50.00	0	86.2	53	132	42.48	1.45	20	
1,4-Dichlorobenzene	43	1.0	50.00	0	85.6	53	135	45.11	5.21	20	
2-Chloroethyl vinyl ether	41	1.0	50.00	0	82.9	43	125	36.25	13.4	20	
Benzene	44	1.0	50.00	0	87.4	44	133	43.15	1.24	20	
Bromodichloromethane	42	1.0	50.00	0	84.7	52	137	46.68	9.75	20	
Bromoform	41	1.0	50.00	0	82.0	43	123	47.38	14.5	20	
Bromomethane	36	1.0	50.00	0	71.5	36	126	30.99	14.2	20	
Carbon tetrachloride	44	1.0	50.00	0	87.7	48	128	47.07	7.08	20	
Chlorobenzene	47	1.0	50.00	0	94.8	57	135	48.78	2.87	20	

Qualifiers: E Value above quantitation range
LOD Limit of Detection
R RPD outside accepted recovery limits

H Holding times for preparation or analysis exceeded
LOQ Limit of Quantitation
S Spike Recovery outside accepted recovery limits

J Analyte detected below quantitation li
ND Not Detected at the Reporting Limit
U Indicates the compound was analyzed

CLIENT: Leggett Brashears & Graham Inc.
Work Order: 0806218
Project: Rowe

ANALYTICAL QC SUMMARY REPORT

TestCode: 8260MTBE113_W

Sample ID: 0806218-03AMSD		SampType: MSD		TestCode: 8260MTBE11		Units: µg/L		Prep Date:		RunNo: 36379	
Client ID: WQ061708:1220NP2		Batch ID: R36379a		TestNo: SW8260B				Analysis Date: 6/23/2008		SeqNo: 471304	
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Chloroethane	47	1.0	50.00	0	94.6	53	147	46.53	1.62	20	
Chloroform	43	1.0	50.00	0	86.2	42	122	44.22	2.52	20	
Chloromethane	31	1.0	50.00	0	62.6	52	144	40.48	25.6	20	R
cis-1,3-Dichloropropene	40	1.0	50.00	0	79.8	48	127	44.95	11.9	20	
Dibromochloromethane	35	1.0	50.00	0	70.0	47	125	42.84	20.1	20	R
Ethylbenzene	51	1.0	50.00	0	102	53	136	53.95	5.41	20	
Tetrachloroethene	40	1.0	50.00	0	80.5	44	137	46.76	15.0	20	
Toluene	44	1.0	50.00	0	88.4	43	134	51.43	15.1	20	
trans-1,2-Dichloroethene	42	1.0	50.00	0	84.6	53	130	43.64	3.12	20	
trans-1,3-Dichloropropene	41	1.0	50.00	0	82.7	46	129	49.32	17.6	20	
Trichloroethene	38	1.0	50.00	0	76.3	43	138	37.74	1.08	20	
Trichlorofluoromethane	46	1.0	50.00	0	92.0	55	135	48.58	5.46	20	
Vinyl chloride	40	1.0	50.00	0	79.5	46	146	44.67	11.6	20	
Surr: 4-Bromofluorobenzene	54		50.00		108	54	134		0	0	
Surr: Dibromofluoromethane	49		50.00		98.0	52	132		0	0	
Surr: Toluene-d8	49		50.00		98.6	51	127		0	0	

Qualifiers:	E	Value above quantitation range		H	Holding times for preparation or analysis exceeded		J	Analyte detected below quantitation li	
		LOD	Limit of Detection		LOQ	Limit of Quantitation		ND	Not Detected at the Reporting Limit
		R	RPD outside accepted recovery limits		S	Spike Recovery outside accepted recovery limits		U	Indicates the compound was analyzed

CLIENT: Leggette Brashears & Graham Inc.
Work Order: 0806218
Project: Rowe

ANALYTICAL QC SUMMARY REPORT

TestCode: FE_D

Sample ID: 0806219-07C-MS	SampType: MS	TestCode: FE_D	Units: mg/L	Prep Date: 6/19/2008	RunNo: 36238						
Client ID: ZZZZZZ	Batch ID: 21811	TestNo: E200.7	SW3005A	Analysis Date: 6/20/2008	SeqNo: 469336						
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Iron	2.12	0.0200	1.000	1.164	95.4	68	122				

Sample ID: 0806219-07C-MSD		SampType: MSD	TestCode: FE_D	Units: mg/L	Prep Date: 6/19/2008	RunNo: 36238					
Client ID: ZZZZZZ		Batch ID: 21811	TestNo: E200.7	SW3005A	Analysis Date: 6/20/2008	SeqNo: 469337					
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Iron	2.12	0.0200	1.000	1.164	95.3	68	122	2.118	0.0359	20	

Sample ID: LCSW-061908B	SampType: LCS	TestCode: FE_D	Units: mg/L	Prep Date: 6/19/2008	RunNo: 36238						
Client ID: LCSW	Batch ID: 21811	TestNo: E200.7	SW3005A	Analysis Date: 6/20/2008	SeqNo: 469437						
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Iron	2.02	0.0200	2.000	0	101	68	122				

Qualifiers: E Value above quantitation range
LOD Limit of Detection
R RPD outside accepted recovery limits

H Holding times for preparation or analysis exceeded
LOQ Limit of Quantitation
S Spike Recovery outside accepted recovery limits

J Analyte detected below quantitation li
ND Not Detected at the Reporting Limit
U Indicates the compound was analyzed

CLIENT: Leggett Brashears & Graham Inc.
Work Order: 0806218
Project: Rowe

ANALYTICAL QC SUMMARY REPORT

TestCode: FE_T

Sample ID: PBW-061908A	SampType: MBLK	TestCode: FE_T	Units: mg/L	Prep Date: 6/19/2008	RunNo: 36238
Client ID: PBW	Batch ID: 21811	TestNo: E200.7	SW3005A	Analysis Date: 6/20/2008	SeqNo: 469354
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC LowLimit HighLimit RPD Ref Val %RPD RPDLimit Qual
Iron	U	0.0200			

Sample ID: LCSW-061908A	SampType: LCS	TestCode: FE_T	Units: mg/L	Prep Date: 6/19/2008	RunNo: 36238
Client ID: LCSW	Batch ID: 21811	TestNo: E200.7	SW3005A	Analysis Date: 6/20/2008	SeqNo: 469355
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC LowLimit HighLimit RPD Ref Val %RPD RPDLimit Qual
Iron	1.95	0.0200	2.000	0	97.6 68 122

Sample ID: 0806219-07B-MS	SampType: MS	TestCode: FE_T	Units: mg/L	Prep Date: 6/19/2008	RunNo: 36238
Client ID: ZZZZZZ	Batch ID: 21811	TestNo: E200.7	SW3005A	Analysis Date: 6/20/2008	SeqNo: 469725
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC LowLimit HighLimit RPD Ref Val %RPD RPDLimit Qual
Iron	7.47	0.0200	1.000	6.729	74.1 68 122

Sample ID: 0806219-07B-MSD	SampType: MSD	TestCode: FE_T	Units: mg/L	Prep Date: 6/19/2008	RunNo: 36238
Client ID: ZZZZZZ	Batch ID: 21811	TestNo: E200.7	SW3005A	Analysis Date: 6/20/2008	SeqNo: 469726
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC LowLimit HighLimit RPD Ref Val %RPD RPDLimit Qual
Iron	7.47	0.0200	1.000	6.729	73.7 68 122 7.470 0.0538 20

Qualifiers: E Value above quantitation range
LOD Limit of Detection
R RPD outside accepted recovery limits

H Holding times for preparation or analysis exceeded
LOQ Limit of Quantitation
S Spike Recovery outside accepted recovery limits

J Analyte detected below quantitation li
ND Not Detected at the Reporting Limit
U Indicates the compound was analyzed

CLIENT: Leggette Brashears & Graham Inc.
Work Order: 0806218
Project: Rowe

ANALYTICAL QC SUMMARY REPORT

TestCode: TDS_W

Sample ID: MB-R36241	SampType: MBLK	TestCode: TDS_W	Units: mg/L	Prep Date:	RunNo: 36241						
Client ID: PBW	Batch ID: R36241	TestNo: M2540C		Analysis Date: 6/19/2008	SeqNo: 469680						
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual

Total Dissolved Solids (Residue, Filtra U 1.00

Qualifiers:	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation li
	LOD	Limit of Detection	LOQ	Limit of Quantitation	ND	Not Detected at the Reporting Limit
	R	RPD outside accepted recovery limits	S	Spike Recovery outside accepted recovery limits	U	Indicates the compound was analyzed



NYSDOH 11418
NJDEP NY050
CTDOH PH-0205
PADEP 68-00573

Thursday, June 26, 2008

Mark Goldberg
Leggette Brashears & Graham Inc.
4 Research Drive
Suite 301
Shelton, CT 06484

TEL: (203) 929-8555

FAX (203) 926-9140

RE: Rowe

Order No.: 0806219

Dear Mark Goldberg:

American Analytical Laboratories, LLC. received 7 sample(s) on 6/19/2008 for the analyses presented in the following report.


Samples were analyzed in accordance with the test procedures documented on the chain of custody and detailed throughout the text of this report.

The results reported herein relate only to the items tested or to the samples as received by the laboratory. This report may not be reproduced, except in full, without the approval of American Analytical Laboratories, LLC and is not considered complete without a cover page and chain of custody documentation. The limits (LOQ) provided in the data package are analytical reporting limits and not Federal or Local mandated values to which the sample results should be compared.

There were no problems with the analyses and all data for associated QC met laboratory specifications. If there are any exceptions a Case Narrative is provided in the report. This package has been reviewed by American Analytical Laboratories' QA Department/Laboratory Director to comply with NELAC standards prior to report submittal.

If you have any questions regarding these tests results, please do not hesitate to call (631) 454-6100 or email me directly at lbeyer@american-analytical.com.

Sincerely,


Lori Beyer
Lab Director

American Analytical Laboratories, LLC.

Date: 26-Jun-08

CLIENT: Leggette Brashears & Graham Inc.**Project:** Rowe**Lab Order:** 0806219**Work Order Sample Summary**

Lab Sample ID	Client Sample ID	Date Collected	Date Received
0806219-01A	GWQ061708:1100NP1-1-2	6/17/2008 11:00:00 AM	6/19/2008
0806219-01B	GWQ061708:1100NP1-1-2	6/17/2008 11:00:00 AM	6/19/2008
0806219-01C	GWQ061708:1100NP1-1-2	6/17/2008 11:00:00 AM	6/19/2008
0806219-02A	GWQ061708:1105NP1-1-3	6/17/2008 11:05:00 AM	6/19/2008
0806219-02B	GWQ061708:1105NP1-1-3	6/17/2008 11:05:00 AM	6/19/2008
0806219-02C	GWQ061708:1105NP1-1-3	6/17/2008 11:05:00 AM	6/19/2008
0806219-03A	GWQ061708:1110NP1-1-4	6/17/2008 11:10:00 AM	6/19/2008
0806219-03B	GWQ061708:1110NP1-1-4	6/17/2008 11:10:00 AM	6/19/2008
0806219-03C	GWQ061708:1110NP1-1-4	6/17/2008 11:10:00 AM	6/19/2008
0806219-04A	GWQ061708:1115NP1-1-5	6/17/2008 11:15:00 AM	6/19/2008
0806219-04B	GWQ061708:1115NP1-1-5	6/17/2008 11:15:00 AM	6/19/2008
0806219-04C	GWQ061708:1115NP1-1-5	6/17/2008 11:15:00 AM	6/19/2008
0806219-05A	GWQ061708:1120NP1-1-6	6/17/2008 11:20:00 AM	6/19/2008
0806219-05B	GWQ061708:1120NP1-1-6	6/17/2008 11:20:00 AM	6/19/2008
0806219-05C	GWQ061708:1120NP1-1-6	6/17/2008 11:20:00 AM	6/19/2008
0806219-06A	GWQ061708:1125NP1-1-7	6/17/2008 11:25:00 AM	6/19/2008
0806219-06B	GWQ061708:1125NP1-1-7	6/17/2008 11:25:00 AM	6/19/2008
0806219-06C	GWQ061708:1125NP1-1-7	6/17/2008 11:25:00 AM	6/19/2008
0806219-07A	GWQ061708:1130NP1-1-8	6/17/2008 11:30:00 AM	6/19/2008
0806219-07B	GWQ061708:1130NP1-1-8	6/17/2008 11:30:00 AM	6/19/2008
0806219-07C	GWQ061708:1130NP1-1-8	6/17/2008 11:30:00 AM	6/19/2008

TAG # / COC

CHAIN OF CUSTODY / REQUEST FOR ANALYSIS DOCUMENT

[illegible]

WHITE-OFFICE / CANARY-LAB / PINK-SAMPLE CUSTODIAN / GOLDENROD-CLIENT

AMERICAN ANALYTICAL LABORATORIES, LLC

56 TOLEDO STREET

FARMINGDALE, NEW YORK 11735

TELEPHONE: (631) 454-6100

FAX: (631) 454-8027

DATA REPORTING QUALIFIERS

For reporting results, the following "Results Qualifiers" are used:

Value	If the result is greater than or equal to the detection limit, report the value
U	Indicates the compound was analyzed for but was not detected. Report the minimum detection limit for the sample with the U, i.e. "10U". This is not necessarily the instrument detection limit attainable for this particular sample based on any concentration or dilution that may have been required.
J	Indicates an estimated value. The flag is used: (1) When estimating a concentration for a tentatively identified compound (library search hits, where a 1:1 response is assumed.) (2) When the mass spectral data indicated the identification, however the result was less than the specified detection limit greater than zero. If the detection limit was 10ug/L and a concentration of 3ug/L was calculated report as 3J. This flag is used when similar situations arise on any organic parameter i.e. Pesticide, PCBs and others.
B	Indicates the analyte was found in the blank as well as the sample report "10B".
E	Indicates the analytes concentration exceeds the calibrated range of the instrument for that specific analysis.
D	This flag identifies all compounds identified in an analysis at a secondary dilution factor.
P	This flag is used for Pesticide / PCB target analyte when there is >25% difference for detected concentrations between the two GC Columns. The higher of the two values is reported on Form I and flagged with a "P".
N	This flag indicates presumptive evidence of a compound. This is only used for tentatively identified compounds (TICs), where the identification is based on a mass spectral library search. It applies to all TIC results. For generic characterization of a TIC, such as chlorinated hydrocarbon, the flag is not used.
H	Indicates sample was received and/or analyzed outside of The method allowable holding time

American Analytical Laboratories, LLC.

Date: 26-Jun-08

ELAP ID : 11418

CLIENT: Leggette Brashears & Graham Inc.
Lab Order: 0806219
Project: Rowe
Lab ID: 0806219-01A

Client Sample ID: GWQ061708:1100NP1-1-2
Collection Date: 6/17/2008 11:00:00 AM
Matrix: LIQUID

Certificate of Results

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
VOLATILE SW-846 8260 + MTBE & FREON113			SW8260B			Analyst: LA	
1,1,1,2-Tetrachloroethane	U	0.09	1.0		µg/L	1	6/23/2008 4:53:00 PM
1,1,1-Trichloroethane	1.8	0.17	1.0		µg/L	1	6/23/2008 4:53:00 PM
1,1,2,2-Tetrachloroethane	U	0.06	1.0		µg/L	1	6/23/2008 4:53:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	U	0.13	1.0		µg/L	1	6/23/2008 4:53:00 PM
1,1,2-Trichloroethane	U	0.07	1.0		µg/L	1	6/23/2008 4:53:00 PM
1,1-Dichloroethane	U	0.11	1.0		µg/L	1	6/23/2008 4:53:00 PM
1,1-Dichloroethene	U	0.15	1.0		µg/L	1	6/23/2008 4:53:00 PM
1,1-Dichloropropene	U	0.12	1.0		µg/L	1	6/23/2008 4:53:00 PM
1,2,3-Trichlorobenzene	U	0.07	1.0		µg/L	1	6/23/2008 4:53:00 PM
1,2,3-Trichloropropane	U	0.08	1.0		µg/L	1	6/23/2008 4:53:00 PM
1,2,4-Trichlorobenzene	U	0.07	1.0		µg/L	1	6/23/2008 4:53:00 PM
1,2,4-Trimethylbenzene	U	0.09	1.0		µg/L	1	6/23/2008 4:53:00 PM
1,2-Dibromo-3-chloropropane	U	0.09	1.0		µg/L	1	6/23/2008 4:53:00 PM
1,2-Dibromoethane	U	0.06	1.0		µg/L	1	6/23/2008 4:53:00 PM
1,2-Dichlorobenzene	U	0.08	1.0		µg/L	1	6/23/2008 4:53:00 PM
1,2-Dichloroethane	U	0.08	1.0		µg/L	1	6/23/2008 4:53:00 PM
1,2-Dichloropropane	U	0.1	1.0		µg/L	1	6/23/2008 4:53:00 PM
1,3,5-Trimethylbenzene	U	0.11	1.0		µg/L	1	6/23/2008 4:53:00 PM
1,3-Dichlorobenzene	U	0.08	1.0		µg/L	1	6/23/2008 4:53:00 PM
1,3-dichloropropane	U	0.08	1.0		µg/L	1	6/23/2008 4:53:00 PM
1,4-Dichlorobenzene	U	0.08	1.0		µg/L	1	6/23/2008 4:53:00 PM
2,2-Dichloropropane	U	0.11	1.0		µg/L	1	6/23/2008 4:53:00 PM
2-Butanone	U	1.28	3.0		µg/L	1	6/23/2008 4:53:00 PM
2-Chloroethyl vinyl ether	U	0.08	1.0		µg/L	1	6/23/2008 4:53:00 PM
2-Chlorotoluene	U	0.09	1.0		µg/L	1	6/23/2008 4:53:00 PM
2-Hexanone	U	0.22	2.0		µg/L	1	6/23/2008 4:53:00 PM
4-Chlorotoluene	U	0.09	1.0		µg/L	1	6/23/2008 4:53:00 PM
4-Isopropyltoluene	U	0.1	1.0		µg/L	1	6/23/2008 4:53:00 PM
4-Methyl-2-pentanone	U	0.21	2.0		µg/L	1	6/23/2008 4:53:00 PM
Acetone	U	0.19	2.0		µg/L	1	6/23/2008 4:53:00 PM
Benzene	U	0.11	1.0		µg/L	1	6/23/2008 4:53:00 PM
Bromobenzene	U	0.07	1.0		µg/L	1	6/23/2008 4:53:00 PM
Bromochloromethane	U	0.4	1.0		µg/L	1	6/23/2008 4:53:00 PM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735

Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



Qualifiers: * Value exceeds Maximum Contaminant Level
E Value above quantitation range
J Analyte detected below quantitation limits
LOQ Limit of Quantitation
S Spike Recovery outside accepted recovery limits

B Analyte detected in the associated Method Blank
H Holding times for preparation or analysis exceeded
LOD Limit of Detection
ND Not Detected at the Reporting Limit
U Indicates the compound was analyzed but not detected.

American Analytical Laboratories, LLC.

Date: 26-Jun-08

ELAP ID : 11418

CLIENT: Leggette Brashears & Graham Inc.
Lab Order: 0806219
Project: Rowe
Lab ID: 0806219-01A

Client Sample ID: GWQ061708:1100NP1-1-2
Collection Date: 6/17/2008 11:00:00 AM
Matrix: LIQUID

Certificate of Results

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
VOLATILE SW-846 8260 + MTBE & FREON113			SW8260B			Analyst: LA	
Bromodichloromethane	U	0.08	1.0		µg/L	1	6/23/2008 4:53:00 PM
Bromoform	U	0.06	1.0		µg/L	1	6/23/2008 4:53:00 PM
Bromomethane	U	0.17	1.0		µg/L	1	6/23/2008 4:53:00 PM
Carbon disulfide	U	0.14	1.0		µg/L	1	6/23/2008 4:53:00 PM
Carbon tetrachloride	U	0.16	1.0		µg/L	1	6/23/2008 4:53:00 PM
Chlorobenzene	U	0.09	1.0		µg/L	1	6/23/2008 4:53:00 PM
Chloroethane	U	0.16	1.0		µg/L	1	6/23/2008 4:53:00 PM
Chloroform	U	0.1	1.0		µg/L	1	6/23/2008 4:53:00 PM
Chloromethane	U	0.18	1.0		µg/L	1	6/23/2008 4:53:00 PM
cis-1,2-Dichloroethene	U	0.11	1.0		µg/L	1	6/23/2008 4:53:00 PM
cis-1,3-Dichloropropene	U	0.08	1.0		µg/L	1	6/23/2008 4:53:00 PM
Dibromochloromethane	U	0.07	1.0		µg/L	1	6/23/2008 4:53:00 PM
Dibromomethane	U	0.07	1.0		µg/L	1	6/23/2008 4:53:00 PM
Dichlorodifluoromethane	U	0.15	1.0		µg/L	1	6/23/2008 4:53:00 PM
Ethylbenzene	U	0.1	1.0		µg/L	1	6/23/2008 4:53:00 PM
Hexachlorobutadiene	U	0.12	1.0		µg/L	1	6/23/2008 4:53:00 PM
Isopropylbenzene	U	0.11	1.0		µg/L	1	6/23/2008 4:53:00 PM
m,p-Xylene	U	0.2	2.0		µg/L	1	6/23/2008 4:53:00 PM
Methyl tert-butyl ether	U	0.08	1.0		µg/L	1	6/23/2008 4:53:00 PM
Methylene chloride	U	0.08	1.0		µg/L	1	6/23/2008 4:53:00 PM
Naphthalene	U	0.08	1.0		µg/L	1	6/23/2008 4:53:00 PM
n-Butylbenzene	U	0.11	1.0		µg/L	1	6/23/2008 4:53:00 PM
n-Propylbenzene	U	0.11	1.0		µg/L	1	6/23/2008 4:53:00 PM
o-Xylene	U	0.1	1.0		µg/L	1	6/23/2008 4:53:00 PM
sec-Butylbenzene	U	0.1	1.0		µg/L	1	6/23/2008 4:53:00 PM
Styrene	U	0.08	1.0		µg/L	1	6/23/2008 4:53:00 PM
tert-Butylbenzene	U	0.1	1.0		µg/L	1	6/23/2008 4:53:00 PM
Tetrachloroethene	U	0.12	1.0		µg/L	1	6/23/2008 4:53:00 PM
Toluene	U	0.12	1.0		µg/L	1	6/23/2008 4:53:00 PM
trans-1,2-Dichloroethene	U	0.12	1.0		µg/L	1	6/23/2008 4:53:00 PM
trans-1,3-Dichloropropene	U	0.07	1.0		µg/L	1	6/23/2008 4:53:00 PM
Trichloroethene	U	0.13	1.0		µg/L	1	6/23/2008 4:53:00 PM
Trichlorofluoromethane	U	0.15	1.0		µg/L	1	6/23/2008 4:53:00 PM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735

Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



Qualifiers:	*	Value exceeds Maximum Contaminant Level	B	Analyte detected in the associated Method Blank
	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded
	J	Analyte detected below quantitation limits	LOD	Limit of Detection
	LOQ	Limit of Quantitation	ND	Not Detected at the Reporting Limit
	S	Spike Recovery outside accepted recovery limits	U	Indicates the compound was analyzed but not detected.

American Analytical Laboratories, LLC.

Date: 26-Jun-08

ELAP ID : 11418

CLIENT: Leggette Brashears & Graham Inc.

Client Sample ID: GWQ061708:1100NPI-1-2

Lab Order: 0806219

Collection Date: 6/17/2008 11:00:00 AM

Project: Rowe

Matrix: LIQUID

Lab ID: 0806219-01A

Certificate of Results

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
VOLATILE SW-846 8260 + MTBE & FREON113			SW8260B			Analyst: LA	
Vinyl acetate	U	0.06	1.0		µg/L	1	6/23/2008 4:53:00 PM
Vinyl chloride	U	0.14	1.0		µg/L	1	6/23/2008 4:53:00 PM
Surr: 4-Bromofluorobenzene	102	0	54-134		%REC	1	6/23/2008 4:53:00 PM
Surr: Dibromofluoromethane	96.3	0	52-132		%REC	1	6/23/2008 4:53:00 PM
Surr: Toluene-d8	91.0	0	51-127		%REC	1	6/23/2008 4:53:00 PM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735

Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



Qualifiers:

- * Value exceeds Maximum Contaminant Level
- E Value above quantitation range
- J Analyte detected below quantitation limits
- LOQ Limit of Quantitation
- S Spike Recovery outside accepted recovery limits

- B Analyte detected in the associated Method Blank
- H Holding times for preparation or analysis exceeded
- LOD Limit of Detection
- ND Not Detected at the Reporting Limit
- U Indicates the compound was analyzed but not detected.

American Analytical Laboratories, LLC.

Date: 26-Jun-08

ELAP ID : 11418

CLIENT: Leggette Brashears & Graham Inc.
Lab Order: 0806219
Project: Rowe
Lab ID: 0806219-01B

Client Sample ID: GWQ061708:1100NP1-1-2
Collection Date: 6/17/2008 11:00:00 AM
Matrix: LIQUID

Certificate of Results

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
TOTAL IRON			E200.7		SW3005A		Analyst: AH
Iron	2.65	0.005	0.0200		mg/L	1	6/20/2008 9:14:17 AM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735
Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



Qualifiers:	*	Value exceeds Maximum Contaminant Level	B	Analyte detected in the associated Method Blank
	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded
	J	Analyte detected below quantitation limits	LOD	Limit of Detection
	LOQ	Limit of Quantitation	ND	Not Detected at the Reporting Limit
	S	Spike Recovery outside accepted recovery limits	U	Indicates the compound was analyzed but not detected.

American Analytical Laboratories, LLC.

Date: 26-Jun-08

ELAP ID : 11418

CLIENT: Leggette Brashears & Graham Inc.
Lab Order: 0806219
Project: Rowe
Lab ID: 0806219-01C

Client Sample ID: GWQ061708:1100NP1-1-2
Collection Date: 6/17/2008 11:00:00 AM
Matrix: LIQUID

Certificate of Results

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
DISSOLVED IRON			E200.7		SW3005A		Analyst: AH
Iron	0.143	0.005	0.0200		mg/L	1	6/20/2008 9:12:14 AM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735
Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



Qualifiers:	*	Value exceeds Maximum Contaminant Level	B	Analyte detected in the associated Method Blank
	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded
	J	Analyte detected below quantitation limits	LOD	Limit of Detection
	LOQ	Limit of Quantitation	ND	Not Detected at the Reporting Limit
	S	Spike Recovery outside accepted recovery limits	U	Indicates the compound was analyzed but not detected.

American Analytical Laboratories, LLC.

Date: 26-Jun-08

ELAP ID : 11418

CLIENT: Leggett Brashears & Graham Inc.
Lab Order: 0806219
Project: Rowe
Lab ID: 0806219-02A

Client Sample ID: GWQ061708:1105NP1-1-3
Collection Date: 6/17/2008 11:05:00 AM
Matrix: LIQUID

Certificate of Results

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
VOLATILE SW-846 8260 + MTBE & FREON113			SW8260B			Analyst: LA	
1,1,1,2-Tetrachloroethane	U	0.09	1.0		µg/L	1	6/23/2008 5:17:00 PM
1,1,1-Trichloroethane	U	0.17	1.0		µg/L	1	6/23/2008 5:17:00 PM
1,1,2,2-Tetrachloroethane	U	0.06	1.0		µg/L	1	6/23/2008 5:17:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	U	0.13	1.0		µg/L	1	6/23/2008 5:17:00 PM
1,1,2-Trichloroethane	U	0.07	1.0		µg/L	1	6/23/2008 5:17:00 PM
1,1-Dichloroethane	U	0.11	1.0		µg/L	1	6/23/2008 5:17:00 PM
1,1-Dichloroethene	U	0.15	1.0		µg/L	1	6/23/2008 5:17:00 PM
1,1-Dichloropropene	U	0.12	1.0		µg/L	1	6/23/2008 5:17:00 PM
1,2,3-Trichlorobenzene	U	0.07	1.0		µg/L	1	6/23/2008 5:17:00 PM
1,2,3-Trichloropropane	U	0.08	1.0		µg/L	1	6/23/2008 5:17:00 PM
1,2,4-Trichlorobenzene	U	0.07	1.0		µg/L	1	6/23/2008 5:17:00 PM
1,2,4-Trimethylbenzene	U	0.09	1.0		µg/L	1	6/23/2008 5:17:00 PM
1,2-Dibromo-3-chloropropane	U	0.09	1.0		µg/L	1	6/23/2008 5:17:00 PM
1,2-Dibromoethane	U	0.06	1.0		µg/L	1	6/23/2008 5:17:00 PM
1,2-Dichlorobenzene	U	0.08	1.0		µg/L	1	6/23/2008 5:17:00 PM
1,2-Dichloroethane	U	0.08	1.0		µg/L	1	6/23/2008 5:17:00 PM
1,2-Dichloropropane	U	0.1	1.0		µg/L	1	6/23/2008 5:17:00 PM
1,3,5-Trimethylbenzene	U	0.11	1.0		µg/L	1	6/23/2008 5:17:00 PM
1,3-Dichlorobenzene	U	0.08	1.0		µg/L	1	6/23/2008 5:17:00 PM
1,3-dichloropropane	U	0.08	1.0		µg/L	1	6/23/2008 5:17:00 PM
1,4-Dichlorobenzene	U	0.08	1.0		µg/L	1	6/23/2008 5:17:00 PM
2,2-Dichloropropane	U	0.11	1.0		µg/L	1	6/23/2008 5:17:00 PM
2-Butanone	U	1.28	3.0		µg/L	1	6/23/2008 5:17:00 PM
2-Chloroethyl vinyl ether	U	0.08	1.0		µg/L	1	6/23/2008 5:17:00 PM
2-Chlorotoluene	U	0.09	1.0		µg/L	1	6/23/2008 5:17:00 PM
2-Hexanone	U	0.22	2.0		µg/L	1	6/23/2008 5:17:00 PM
4-Chlorotoluene	U	0.09	1.0		µg/L	1	6/23/2008 5:17:00 PM
4-Isopropyltoluene	U	0.1	1.0		µg/L	1	6/23/2008 5:17:00 PM
4-Methyl-2-pentanone	U	0.21	2.0		µg/L	1	6/23/2008 5:17:00 PM
Acetone	U	0.19	2.0		µg/L	1	6/23/2008 5:17:00 PM
Benzene	U	0.11	1.0		µg/L	1	6/23/2008 5:17:00 PM
Bromobenzene	U	0.07	1.0		µg/L	1	6/23/2008 5:17:00 PM
Bromochloromethane	U	0.4	1.0		µg/L	1	6/23/2008 5:17:00 PM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735

Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



Qualifiers:	*	Value exceeds Maximum Contaminant Level	B	Analyte detected in the associated Method Blank
	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded
	J	Analyte detected below quantitation limits	LOD	Limit of Detection
	LOQ	Limit of Quantitation	ND	Not Detected at the Reporting Limit
	S	Spike Recovery outside accepted recovery limits	U	Indicates the compound was analyzed but not detected.

American Analytical Laboratories, LLC.

Date: 26-Jun-08

ELAP ID : 11418

CLIENT: Leggette Brashears & Graham Inc.
Lab Order: 0806219
Project: Rowe
Lab ID: 0806219-02A

Client Sample ID: GWQ061708:1105NP1-1-3
Collection Date: 6/17/2008 11:05:00 AM
Matrix: LIQUID

Certificate of Results

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
VOLATILE SW-846 8260 + MTBE & FREON113			SW8260B			Analyst: LA	
Bromodichloromethane	U	0.08	1.0		µg/L	1	6/23/2008 5:17:00 PM
Bromoform	U	0.06	1.0		µg/L	1	6/23/2008 5:17:00 PM
Bromomethane	U	0.17	1.0		µg/L	1	6/23/2008 5:17:00 PM
Carbon disulfide	U	0.14	1.0		µg/L	1	6/23/2008 5:17:00 PM
Carbon tetrachloride	U	0.16	1.0		µg/L	1	6/23/2008 5:17:00 PM
Chlorobenzene	U	0.09	1.0		µg/L	1	6/23/2008 5:17:00 PM
Chloroethane	U	0.16	1.0		µg/L	1	6/23/2008 5:17:00 PM
Chloroform	U	0.1	1.0		µg/L	1	6/23/2008 5:17:00 PM
Chloromethane	U	0.18	1.0		µg/L	1	6/23/2008 5:17:00 PM
cis-1,2-Dichloroethene	U	0.11	1.0		µg/L	1	6/23/2008 5:17:00 PM
cis-1,3-Dichloropropene	U	0.08	1.0		µg/L	1	6/23/2008 5:17:00 PM
Dibromochloromethane	U	0.07	1.0		µg/L	1	6/23/2008 5:17:00 PM
Dibromomethane	U	0.07	1.0		µg/L	1	6/23/2008 5:17:00 PM
Dichlorodifluoromethane	U	0.15	1.0		µg/L	1	6/23/2008 5:17:00 PM
Ethylbenzene	U	0.1	1.0		µg/L	1	6/23/2008 5:17:00 PM
Hexachlorobutadiene	U	0.12	1.0		µg/L	1	6/23/2008 5:17:00 PM
Isopropylbenzene	U	0.11	1.0		µg/L	1	6/23/2008 5:17:00 PM
m,p-Xylene	U	0.2	2.0		µg/L	1	6/23/2008 5:17:00 PM
Methyl tert-butyl ether	U	0.08	1.0		µg/L	1	6/23/2008 5:17:00 PM
Methylene chloride	U	0.08	1.0		µg/L	1	6/23/2008 5:17:00 PM
Naphthalene	U	0.08	1.0		µg/L	1	6/23/2008 5:17:00 PM
n-Butylbenzene	U	0.11	1.0		µg/L	1	6/23/2008 5:17:00 PM
n-Propylbenzene	U	0.11	1.0		µg/L	1	6/23/2008 5:17:00 PM
o-Xylene	U	0.1	1.0		µg/L	1	6/23/2008 5:17:00 PM
sec-Butylbenzene	U	0.1	1.0		µg/L	1	6/23/2008 5:17:00 PM
Styrene	U	0.08	1.0		µg/L	1	6/23/2008 5:17:00 PM
tert-Butylbenzene	U	0.1	1.0		µg/L	1	6/23/2008 5:17:00 PM
Tetrachloroethene	U	0.12	1.0		µg/L	1	6/23/2008 5:17:00 PM
Toluene	U	0.12	1.0		µg/L	1	6/23/2008 5:17:00 PM
trans-1,2-Dichloroethene	U	0.12	1.0		µg/L	1	6/23/2008 5:17:00 PM
trans-1,3-Dichloropropene	U	0.07	1.0		µg/L	1	6/23/2008 5:17:00 PM
Trichloroethene	U	0.13	1.0		µg/L	1	6/23/2008 5:17:00 PM
Trichlorofluoromethane	U	0.15	1.0		µg/L	1	6/23/2008 5:17:00 PM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735

Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



Qualifiers:	* Value exceeds Maximum Contaminant Level	B Analyte detected in the associated Method Blank
	E Value above quantitation range	H Holding times for preparation or analysis exceeded
	J Analyte detected below quantitation limits	LOD Limit of Detection
	LOQ Limit of Quantitation	ND Not Detected at the Reporting Limit
	S Spike Recovery outside accepted recovery limits	U Indicates the compound was analyzed but not detected.

American Analytical Laboratories, LLC.

Date: 26-Jun-08

ELAP ID : 11418

CLIENT: Leggette Brashears & Graham Inc.
Lab Order: 0806219
Project: Rowe
Lab ID: 0806219-02A

Client Sample ID: GWQ061708:1105NP1-1-3
Collection Date: 6/17/2008 11:05:00 AM
Matrix: LIQUID

Certificate of Results

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
VOLATILE SW-846 8260 + MTBE & FREON113			SW8260B			Analyst: LA	
Vinyl acetate	U	0.06	1.0		µg/L	1	6/23/2008 5:17:00 PM
Vinyl chloride	U	0.14	1.0		µg/L	1	6/23/2008 5:17:00 PM
Surr: 4-Bromofluorobenzene	90.4	0	54-134		%REC	1	6/23/2008 5:17:00 PM
Surr: Dibromofluoromethane	101	0	52-132		%REC	1	6/23/2008 5:17:00 PM
Surr: Toluene-d8	91.0	0	51-127		%REC	1	6/23/2008 5:17:00 PM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735
Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



Qualifiers:	*	Value exceeds Maximum Contaminant Level	B	Analyte detected in the associated Method Blank
	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded
	J	Analyte detected below quantitation limits	LOD	Limit of Detection
	LOQ	Limit of Quantitation	ND	Not Detected at the Reporting Limit
	S	Spike Recovery outside accepted recovery limits	U	Indicates the compound was analyzed but not detected.

American Analytical Laboratories, LLC.

Date: 26-Jun-08

ELAP ID : 11418

CLIENT: Leggette Brashears & Graham Inc.
Lab Order: 0806219
Project: Rowe
Lab ID: 0806219-02B

Client Sample ID: GWQ061708:1105NP1-1-3
Collection Date: 6/17/2008 11:05:00 AM
Matrix: LIQUID

Certificate of Results

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
TOTAL IRON				E200.7	SW3005A		Analyst: AH
Iron	1.87	0.005	0.0200		mg/L	1	6/20/2008 9:18:25 AM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735
Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



Qualifiers:	*	Value exceeds Maximum Contaminant Level	B	Analyte detected in the associated Method Blank
	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded
	J	Analyte detected below quantitation limits	LOD	Limit of Detection
	LOQ	Limit of Quantitation	ND	Not Detected at the Reporting Limit
	S	Spike Recovery outside accepted recovery limits	U	Indicates the compound was analyzed but not detected.

American Analytical Laboratories, LLC.

Date: 26-Jun-08

ELAP ID : 11418

CLIENT: Leggette Brashears & Graham Inc.
Lab Order: 0806219
Project: Rowe
Lab ID: 0806219-02C

Client Sample ID: GWQ061708:1105NP1-1-3
Collection Date: 6/17/2008 11:05:00 AM
Matrix: LIQUID

Certificate of Results

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
DISSOLVED IRON				E200.7	SW3005A		Analyst: AH
Iron	1.56	0.005	0.0200		mg/L	1	6/20/2008 9:16:21 AM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735
Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



Qualifiers: * Value exceeds Maximum Contaminant Level
E Value above quantitation range
J Analyte detected below quantitation limits
LOQ Limit of Quantitation
S Spike Recovery outside accepted recovery limits

B Analyte detected in the associated Method Blank
H Holding times for preparation or analysis exceeded
LOD Limit of Detection
ND Not Detected at the Reporting Limit
U Indicates the compound was analyzed but not detected.

American Analytical Laboratories, LLC.

Date: 26-Jun-08

ELAP ID : 11418

CLIENT: Leggette Brashears & Graham Inc.
Lab Order: 0806219
Project: Rowe
Lab ID: 0806219-03A

Client Sample ID: GWQ061708:1110NP1-1-4
Collection Date: 6/17/2008 11:10:00 AM
Matrix: LIQUID

Certificate of Results

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
VOLATILE SW-846 8260 + MTBE & FREON113			SW8260B			Analyst: LA	
1,1,1,2-Tetrachloroethane	U	0.09	1.0		µg/L	1	6/23/2008 5:42:00 PM
1,1,1-Trichloroethane	U	0.17	1.0		µg/L	1	6/23/2008 5:42:00 PM
1,1,2,2-Tetrachloroethane	U	0.06	1.0		µg/L	1	6/23/2008 5:42:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	U	0.13	1.0		µg/L	1	6/23/2008 5:42:00 PM
1,1,2-Trichloroethane	U	0.07	1.0		µg/L	1	6/23/2008 5:42:00 PM
1,1-Dichloroethane	U	0.11	1.0		µg/L	1	6/23/2008 5:42:00 PM
1,1-Dichloroethene	U	0.15	1.0		µg/L	1	6/23/2008 5:42:00 PM
1,1-Dichloropropene	U	0.12	1.0		µg/L	1	6/23/2008 5:42:00 PM
1,2,3-Trichlorobenzene	U	0.07	1.0		µg/L	1	6/23/2008 5:42:00 PM
1,2,3-Trichloropropane	U	0.08	1.0		µg/L	1	6/23/2008 5:42:00 PM
1,2,4-Trichlorobenzene	U	0.07	1.0		µg/L	1	6/23/2008 5:42:00 PM
1,2,4-Trimethylbenzene	U	0.09	1.0		µg/L	1	6/23/2008 5:42:00 PM
1,2-Dibromo-3-chloropropane	U	0.09	1.0		µg/L	1	6/23/2008 5:42:00 PM
1,2-Dibromoethane	U	0.06	1.0		µg/L	1	6/23/2008 5:42:00 PM
1,2-Dichlorobenzene	U	0.08	1.0		µg/L	1	6/23/2008 5:42:00 PM
1,2-Dichloroethane	U	0.08	1.0		µg/L	1	6/23/2008 5:42:00 PM
1,2-Dichloropropane	U	0.1	1.0		µg/L	1	6/23/2008 5:42:00 PM
1,3,5-Trimethylbenzene	U	0.11	1.0		µg/L	1	6/23/2008 5:42:00 PM
1,3-Dichlorobenzene	U	0.08	1.0		µg/L	1	6/23/2008 5:42:00 PM
1,3-dichloropropane	U	0.08	1.0		µg/L	1	6/23/2008 5:42:00 PM
1,4-Dichlorobenzene	U	0.08	1.0		µg/L	1	6/23/2008 5:42:00 PM
2,2-Dichloropropane	U	0.11	1.0		µg/L	1	6/23/2008 5:42:00 PM
2-Butanone	U	1.28	3.0		µg/L	1	6/23/2008 5:42:00 PM
2-Chloroethyl vinyl ether	U	0.08	1.0		µg/L	1	6/23/2008 5:42:00 PM
2-Chlorotoluene	U	0.09	1.0		µg/L	1	6/23/2008 5:42:00 PM
2-Hexanone	U	0.22	2.0		µg/L	1	6/23/2008 5:42:00 PM
4-Chlorotoluene	U	0.09	1.0		µg/L	1	6/23/2008 5:42:00 PM
4-Isopropyltoluene	U	0.1	1.0		µg/L	1	6/23/2008 5:42:00 PM
4-Methyl-2-pentanone	U	0.21	2.0		µg/L	1	6/23/2008 5:42:00 PM
Acetone	U	0.19	2.0		µg/L	1	6/23/2008 5:42:00 PM
Benzene	U	0.11	1.0		µg/L	1	6/23/2008 5:42:00 PM
Bromobenzene	U	0.07	1.0		µg/L	1	6/23/2008 5:42:00 PM
Bromochloromethane	U	0.4	1.0		µg/L	1	6/23/2008 5:42:00 PM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735
Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



Qualifiers:	*	Value exceeds Maximum Contaminant Level	B	Analyte detected in the associated Method Blank
	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded
	J	Analyte detected below quantitation limits	LOD	Limit of Detection
	LOQ	Limit of Quantitation	ND	Not Detected at the Reporting Limit
	S	Spike Recovery outside accepted recovery limits	U	Indicates the compound was analyzed but not detected.

American Analytical Laboratories, LLC.

Date: 26-Jun-08

ELAP ID : 11418

CLIENT: Leggette Brashears & Graham Inc.
Lab Order: 0806219
Project: Rowe
Lab ID: 0806219-03A

Client Sample ID: GWQ061708:1110NP1-1-4
Collection Date: 6/17/2008 11:10:00 AM
Matrix: LIQUID

Certificate of Results

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
VOLATILE SW-846 8260 + MTBE & FREON113			SW8260B			Analyst: LA	
Bromodichloromethane	U	0.08	1.0		µg/L	1	6/23/2008 5:42:00 PM
Bromoform	U	0.06	1.0		µg/L	1	6/23/2008 5:42:00 PM
Bromomethane	U	0.17	1.0		µg/L	1	6/23/2008 5:42:00 PM
Carbon disulfide	U	0.14	1.0		µg/L	1	6/23/2008 5:42:00 PM
Carbon tetrachloride	U	0.16	1.0		µg/L	1	6/23/2008 5:42:00 PM
Chlorobenzene	U	0.09	1.0		µg/L	1	6/23/2008 5:42:00 PM
Chloroethane	U	0.16	1.0		µg/L	1	6/23/2008 5:42:00 PM
Chloroform	U	0.1	1.0		µg/L	1	6/23/2008 5:42:00 PM
Chloromethane	U	0.18	1.0		µg/L	1	6/23/2008 5:42:00 PM
cis-1,2-Dichloroethene	U	0.11	1.0		µg/L	1	6/23/2008 5:42:00 PM
cis-1,3-Dichloropropene	U	0.08	1.0		µg/L	1	6/23/2008 5:42:00 PM
Dibromochloromethane	U	0.07	1.0		µg/L	1	6/23/2008 5:42:00 PM
Dibromomethane	U	0.07	1.0		µg/L	1	6/23/2008 5:42:00 PM
Dichlorodifluoromethane	U	0.15	1.0		µg/L	1	6/23/2008 5:42:00 PM
Ethylbenzene	U	0.1	1.0		µg/L	1	6/23/2008 5:42:00 PM
Hexachlorobutadiene	U	0.12	1.0		µg/L	1	6/23/2008 5:42:00 PM
Isopropylbenzene	U	0.11	1.0		µg/L	1	6/23/2008 5:42:00 PM
m,p-Xylene	U	0.2	2.0		µg/L	1	6/23/2008 5:42:00 PM
Methyl tert-butyl ether	U	0.08	1.0		µg/L	1	6/23/2008 5:42:00 PM
Methylene chloride	U	0.08	1.0		µg/L	1	6/23/2008 5:42:00 PM
Naphthalene	U	0.08	1.0		µg/L	1	6/23/2008 5:42:00 PM
n-Butylbenzene	U	0.11	1.0		µg/L	1	6/23/2008 5:42:00 PM
n-Propylbenzene	U	0.11	1.0		µg/L	1	6/23/2008 5:42:00 PM
o-Xylene	U	0.1	1.0		µg/L	1	6/23/2008 5:42:00 PM
sec-Butylbenzene	U	0.1	1.0		µg/L	1	6/23/2008 5:42:00 PM
Styrene	U	0.08	1.0		µg/L	1	6/23/2008 5:42:00 PM
tert-Butylbenzene	U	0.1	1.0		µg/L	1	6/23/2008 5:42:00 PM
Tetrachloroethene	13	0.12	1.0		µg/L	1	6/23/2008 5:42:00 PM
Toluene	U	0.12	1.0		µg/L	1	6/23/2008 5:42:00 PM
trans-1,2-Dichloroethene	U	0.12	1.0		µg/L	1	6/23/2008 5:42:00 PM
trans-1,3-Dichloropropene	U	0.07	1.0		µg/L	1	6/23/2008 5:42:00 PM
Trichloroethene	U	0.13	1.0		µg/L	1	6/23/2008 5:42:00 PM
Trichlorofluoromethane	U	0.15	1.0		µg/L	1	6/23/2008 5:42:00 PM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735

Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com

nel-c

Qualifiers:	*	Value exceeds Maximum Contaminant Level	B	Analyte detected in the associated Method Blank
	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded
	J	Analyte detected below quantitation limits	LOD	Limit of Detection
	LOQ	Limit of Quantitation	ND	Not Detected at the Reporting Limit
	S	Spike Recovery outside accepted recovery limits	U	Indicates the compound was analyzed but not detected.

American Analytical Laboratories, LLC.

Date: 26-Jun-08

ELAP ID : 11418

CLIENT: Leggette Brashears & Graham Inc.
Lab Order: 0806219
Project: Rowe
Lab ID: 0806219-03A

Client Sample ID: GWQ061708:1110NP1-1-4
Collection Date: 6/17/2008 11:10:00 AM
Matrix: LIQUID

Certificate of Results

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
VOLATILE SW-846 8260 + MTBE & FREON113			SW8260B			Analyst: LA	
Vinyl acetate	U	0.06	1.0		µg/L	1	6/23/2008 5:42:00 PM
Vinyl chloride	U	0.14	1.0		µg/L	1	6/23/2008 5:42:00 PM
Surr: 4-Bromofluorobenzene	89.8	0	54-134		%REC	1	6/23/2008 5:42:00 PM
Surr: Dibromofluoromethane	128	0	52-132		%REC	1	6/23/2008 5:42:00 PM
Surr: Toluene-d8	108	0	51-127		%REC	1	6/23/2008 5:42:00 PM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735
Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



Qualifiers:	*	Value exceeds Maximum Contaminant Level	B	Analyte detected in the associated Method Blank
	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded
	J	Analyte detected below quantitation limits	LOD	Limit of Detection
	LOQ	Limit of Quantitation	ND	Not Detected at the Reporting Limit
	S	Spike Recovery outside accepted recovery limits	U	Indicates the compound was analyzed but not detected.

American Analytical Laboratories, LLC.

Date: 26-Jun-08

ELAP ID : 11418

CLIENT: Leggette Brashears & Graham Inc.

Client Sample ID: GWQ061708:1110NP1-1-4

Lab Order: 0806219

Collection Date: 6/17/2008 11:10:00 AM

Project: Rowe

Matrix: LIQUID

Lab ID: 0806219-03B

Certificate of Results

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
TOTAL IRON				E200.7	SW3005A		Analyst: AH
Iron	6.47	0.005	0.0200		mg/L	1	6/20/2008 9:22:32 AM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735

Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



Qualifiers:	*	Value exceeds Maximum Contaminant Level	B	Analyte detected in the associated Method Blank
	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded
	J	Analyte detected below quantitation limits	LOD	Limit of Detection
	LOQ	Limit of Quantitation	ND	Not Detected at the Reporting Limit
	S	Spike Recovery outside accepted recovery limits	U	Indicates the compound was analyzed but not detected.

American Analytical Laboratories, LLC.

Date: 26-Jun-08

ELAP ID : 11418

CLIENT: Leggette Brashears & Graham Inc.
Lab Order: 0806219
Project: Rowe
Lab ID: 0806219-03C

Client Sample ID: GWQ061708:1110NP1-I-4
Collection Date: 6/17/2008 11:10:00 AM
Matrix: LIQUID

Certificate of Results

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
DISSOLVED IRON				E200.7	SW3005A		Analyst: AH
Iron	3.85	0.005	0.0200		mg/L	1	6/20/2008 9:20:28 AM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735
Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



Qualifiers:	*	Value exceeds Maximum Contaminant Level	B	Analyte detected in the associated Method Blank
	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded
	J	Analyte detected below quantitation limits	LOD	Limit of Detection
	LOQ	Limit of Quantitation	ND	Not Detected at the Reporting Limit
	S	Spike Recovery outside accepted recovery limits	U	Indicates the compound was analyzed but not detected.

American Analytical Laboratories, LLC.

Date: 26-Jun-08

ELAP ID : 11418

CLIENT: Leggette Brashears & Graham Inc.
Lab Order: 0806219
Project: Rowe
Lab ID: 0806219-04A

Client Sample ID: GWQ061708:1115NP1-1-5
Collection Date: 6/17/2008 11:15:00 AM
Matrix: LIQUID

Certificate of Results

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
VOLATILE SW-846 8260 + MTBE & FREON113			SW8260B			Analyst: LA	
1,1,1,2-Tetrachloroethane	U	0.09	1.0		µg/L	1	6/23/2008 6:06:00 PM
1,1,1-Trichloroethane	U	0.17	1.0		µg/L	1	6/23/2008 6:06:00 PM
1,1,2,2-Tetrachloroethane	U	0.06	1.0		µg/L	1	6/23/2008 6:06:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	U	0.13	1.0		µg/L	1	6/23/2008 6:06:00 PM
1,1,2-Trichloroethane	U	0.07	1.0		µg/L	1	6/23/2008 6:06:00 PM
1,1-Dichloroethane	U	0.11	1.0		µg/L	1	6/23/2008 6:06:00 PM
1,1-Dichloroethene	U	0.15	1.0		µg/L	1	6/23/2008 6:06:00 PM
1,1-Dichloropropene	U	0.12	1.0		µg/L	1	6/23/2008 6:06:00 PM
1,2,3-Trichlorobenzene	U	0.07	1.0		µg/L	1	6/23/2008 6:06:00 PM
1,2,3-Trichloropropane	U	0.08	1.0		µg/L	1	6/23/2008 6:06:00 PM
1,2,4-Trichlorobenzene	U	0.07	1.0		µg/L	1	6/23/2008 6:06:00 PM
1,2,4-Trimethylbenzene	U	0.09	1.0		µg/L	1	6/23/2008 6:06:00 PM
1,2-Dibromo-3-chloropropane	U	0.09	1.0		µg/L	1	6/23/2008 6:06:00 PM
1,2-Dibromoethane	U	0.06	1.0		µg/L	1	6/23/2008 6:06:00 PM
1,2-Dichlorobenzene	U	0.08	1.0		µg/L	1	6/23/2008 6:06:00 PM
1,2-Dichloroethane	U	0.08	1.0		µg/L	1	6/23/2008 6:06:00 PM
1,2-Dichloropropane	U	0.1	1.0		µg/L	1	6/23/2008 6:06:00 PM
1,3,5-Trimethylbenzene	U	0.11	1.0		µg/L	1	6/23/2008 6:06:00 PM
1,3-Dichlorobenzene	U	0.08	1.0		µg/L	1	6/23/2008 6:06:00 PM
1,3-dichloropropane	U	0.08	1.0		µg/L	1	6/23/2008 6:06:00 PM
1,4-Dichlorobenzene	U	0.08	1.0		µg/L	1	6/23/2008 6:06:00 PM
2,2-Dichloropropane	U	0.11	1.0		µg/L	1	6/23/2008 6:06:00 PM
2-Butanone	U	1.28	3.0		µg/L	1	6/23/2008 6:06:00 PM
2-Chloroethyl vinyl ether	U	0.08	1.0		µg/L	1	6/23/2008 6:06:00 PM
2-Chlorotoluene	U	0.09	1.0		µg/L	1	6/23/2008 6:06:00 PM
2-Hexanone	U	0.22	2.0		µg/L	1	6/23/2008 6:06:00 PM
4-Chlorotoluene	U	0.09	1.0		µg/L	1	6/23/2008 6:06:00 PM
4-Isopropyltoluene	U	0.1	1.0		µg/L	1	6/23/2008 6:06:00 PM
4-Methyl-2-pentanone	U	0.21	2.0		µg/L	1	6/23/2008 6:06:00 PM
Acetone	U	0.19	2.0		µg/L	1	6/23/2008 6:06:00 PM
Benzene	U	0.11	1.0		µg/L	1	6/23/2008 6:06:00 PM
Bromobenzene	U	0.07	1.0		µg/L	1	6/23/2008 6:06:00 PM
Bromochloromethane	U	0.4	1.0		µg/L	1	6/23/2008 6:06:00 PM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735
Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



Qualifiers:	* Value exceeds Maximum Contaminant Level	B Analyte detected in the associated Method Blank
	E Value above quantitation range	H Holding times for preparation or analysis exceeded
	J Analyte detected below quantitation limits	LOD Limit of Detection
	LOQ Limit of Quantitation	ND Not Detected at the Reporting Limit
	S Spike Recovery outside accepted recovery limits	U Indicates the compound was analyzed but not detected.

American Analytical Laboratories, LLC.

Date: 26-Jun-08

ELAP ID : 11418

CLIENT: Leggette Brashears & Graham Inc.

Client Sample ID: GWQ061708:1115NP1-1-5

Lab Order: 0806219

Collection Date: 6/17/2008 11:15:00 AM

Project: Rowe

Matrix: LIQUID

Lab ID: 0806219-04A

Certificate of Results

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
VOLATILE SW-846 8260 + MTBE & FREON113			SW8260B			Analyst: LA	
Bromodichloromethane	U	0.08	1.0		µg/L	1	6/23/2008 6:06:00 PM
Bromoform	U	0.06	1.0		µg/L	1	6/23/2008 6:06:00 PM
Bromomethane	U	0.17	1.0		µg/L	1	6/23/2008 6:06:00 PM
Carbon disulfide	U	0.14	1.0		µg/L	1	6/23/2008 6:06:00 PM
Carbon tetrachloride	U	0.16	1.0		µg/L	1	6/23/2008 6:06:00 PM
Chlorobenzene	U	0.09	1.0		µg/L	1	6/23/2008 6:06:00 PM
Chloroethane	U	0.16	1.0		µg/L	1	6/23/2008 6:06:00 PM
Chloroform	U	0.1	1.0		µg/L	1	6/23/2008 6:06:00 PM
Chloromethane	U	0.18	1.0		µg/L	1	6/23/2008 6:06:00 PM
cis-1,2-Dichloroethene	U	0.11	1.0		µg/L	1	6/23/2008 6:06:00 PM
cis-1,3-Dichloropropene	U	0.08	1.0		µg/L	1	6/23/2008 6:06:00 PM
Dibromochloromethane	U	0.07	1.0		µg/L	1	6/23/2008 6:06:00 PM
Dibromomethane	U	0.07	1.0		µg/L	1	6/23/2008 6:06:00 PM
Dichlorodifluoromethane	U	0.15	1.0		µg/L	1	6/23/2008 6:06:00 PM
Ethylbenzene	U	0.1	1.0		µg/L	1	6/23/2008 6:06:00 PM
Hexachlorobutadiene	U	0.12	1.0		µg/L	1	6/23/2008 6:06:00 PM
Isopropylbenzene	U	0.11	1.0		µg/L	1	6/23/2008 6:06:00 PM
m,p-Xylene	U	0.2	2.0		µg/L	1	6/23/2008 6:06:00 PM
Methyl tert-butyl ether	U	0.08	1.0		µg/L	1	6/23/2008 6:06:00 PM
Methylene chloride	U	0.08	1.0		µg/L	1	6/23/2008 6:06:00 PM
Naphthalene	U	0.08	1.0		µg/L	1	6/23/2008 6:06:00 PM
n-Butylbenzene	U	0.11	1.0		µg/L	1	6/23/2008 6:06:00 PM
n-Propylbenzene	U	0.11	1.0		µg/L	1	6/23/2008 6:06:00 PM
o-Xylene	U	0.1	1.0		µg/L	1	6/23/2008 6:06:00 PM
sec-Butylbenzene	U	0.1	1.0		µg/L	1	6/23/2008 6:06:00 PM
Styrene	U	0.08	1.0		µg/L	1	6/23/2008 6:06:00 PM
tert-Butylbenzene	U	0.1	1.0		µg/L	1	6/23/2008 6:06:00 PM
Tetrachloroethene	U	0.12	1.0		µg/L	1	6/23/2008 6:06:00 PM
Toluene	U	0.12	1.0		µg/L	1	6/23/2008 6:06:00 PM
trans-1,2-Dichloroethene	U	0.12	1.0		µg/L	1	6/23/2008 6:06:00 PM
trans-1,3-Dichloropropene	U	0.07	1.0		µg/L	1	6/23/2008 6:06:00 PM
Trichloroethene	U	0.13	1.0		µg/L	1	6/23/2008 6:06:00 PM
Trichlorofluoromethane	U	0.15	1.0		µg/L	1	6/23/2008 6:06:00 PM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735

Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



Qualifiers: * Value exceeds Maximum Contaminant Level
 E Value above quantitation range
 J Analyte detected below quantitation limits
 LOQ Limit of Quantitation
 S Spike Recovery outside accepted recovery limits

B Analyte detected in the associated Method Blank
 H Holding times for preparation or analysis exceeded
 LOD Limit of Detection
 ND Not Detected at the Reporting Limit
 U Indicates the compound was analyzed but not detected.

American Analytical Laboratories, LLC.

Date: 26-Jun-08

ELAP ID : 11418

CLIENT: Leggette Brashears & Graham Inc.
Lab Order: 0806219
Project: Rowe
Lab ID: 0806219-04A

Client Sample ID: GWQ061708:1115NP1-1-5
Collection Date: 6/17/2008 11:15:00 AM
Matrix: LIQUID

Certificate of Results

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
VOLATILE SW-846 8260 + MTBE & FREON113			SW8260B			Analyst: LA	
Vinyl acetate	U	0.06	1.0		µg/L	1	6/23/2008 6:06:00 PM
Vinyl chloride	U	0.14	1.0		µg/L	1	6/23/2008 6:06:00 PM
Surr: 4-Bromofluorobenzene	93.8	0	54-134		%REC	1	6/23/2008 6:06:00 PM
Surr: Dibromofluoromethane	113	0	52-132		%REC	1	6/23/2008 6:06:00 PM
Surr: Toluene-d8	95.2	0	51-127		%REC	1	6/23/2008 6:06:00 PM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735
Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



Qualifiers:	* Value exceeds Maximum Contaminant Level	B Analyte detected in the associated Method Blank
	E Value above quantitation range	H Holding times for preparation or analysis exceeded
	J Analyte detected below quantitation limits	LOD Limit of Detection
	LOQ Limit of Quantitation	ND Not Detected at the Reporting Limit
	S Spike Recovery outside accepted recovery limits	U Indicates the compound was analyzed but not detected.

American Analytical Laboratories, LLC.

Date: 26-Jun-08

ELAP ID : 11418

CLIENT: Leggette Brashears & Graham Inc.
Lab Order: 0806219
Project: Rowe
Lab ID: 0806219-04B

Client Sample ID: GWQ061708:1115NP1-1-5
Collection Date: 6/17/2008 11:15:00 AM
Matrix: LIQUID

Certificate of Results

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
TOTAL IRON				E200.7	SW3005A		Analyst: AH
Iron	0.0404	0.005	0.0200		mg/L	1	6/20/2008 9:26:39 AM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735
Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



Qualifiers:	* Value exceeds Maximum Contaminant Level	B Analyte detected in the associated Method Blank
	E Value above quantitation range	H Holding times for preparation or analysis exceeded
	J Analyte detected below quantitation limits	LOD Limit of Detection
LOQ	Limit of Quantitation	ND Not Detected at the Reporting Limit
S	Spike Recovery outside accepted recovery limits	U Indicates the compound was analyzed but not detected.

American Analytical Laboratories, LLC.

Date: 26-Jun-08

ELAP ID : 11418

CLIENT: Leggette Brashears & Graham Inc.
Lab Order: 0806219
Project: Rowe
Lab ID: 0806219-04C

Client Sample ID: GWQ061708:1115NP1-1-5
Collection Date: 6/17/2008 11:15:00 AM
Matrix: LIQUID

Certificate of Results

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
DISSOLVED IRON				E200.7	SW3005A		Analyst: AH
Iron	0.0259	0.005	0.0200		mg/L	1	6/20/2008 9:24:35 AM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735
Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



Qualifiers:	*	Value exceeds Maximum Contaminant Level	B	Analyte detected in the associated Method Blank
	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded
	J	Analyte detected below quantitation limits	LOD	Limit of Detection
	LOQ	Limit of Quantitation	ND	Not Detected at the Reporting Limit
	S	Spike Recovery outside accepted recovery limits	U	Indicates the compound was analyzed but not detected.

American Analytical Laboratories, LLC.

Date: 26-Jun-08

ELAP ID : 11418

CLIENT: Leggette Brashears & Graham Inc.
Lab Order: 0806219
Project: Rowe
Lab ID: 0806219-05A

Client Sample ID: GWQ061708:1120NP1-1-6
Collection Date: 6/17/2008 11:20:00 AM
Matrix: LIQUID

Certificate of Results

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
VOLATILE SW-846 8260 + MTBE & FREON113			SW8260B			Analyst: LA	
1,1,1,2-Tetrachloroethane	U	0.09	1.0		µg/L	1	6/23/2008 6:31:00 PM
1,1,1-Trichloroethane	7.7	0.17	1.0		µg/L	1	6/23/2008 6:31:00 PM
1,1,2,2-Tetrachloroethane	U	0.06	1.0		µg/L	1	6/23/2008 6:31:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	U	0.13	1.0		µg/L	1	6/23/2008 6:31:00 PM
1,1,2-Trichloroethane	U	0.07	1.0		µg/L	1	6/23/2008 6:31:00 PM
1,1-Dichloroethane	U	0.11	1.0		µg/L	1	6/23/2008 6:31:00 PM
1,1-Dichloroethene	U	0.15	1.0		µg/L	1	6/23/2008 6:31:00 PM
1,1-Dichloropropene	U	0.12	1.0		µg/L	1	6/23/2008 6:31:00 PM
1,2,3-Trichlorobenzene	U	0.07	1.0		µg/L	1	6/23/2008 6:31:00 PM
1,2,3-Trichloropropane	U	0.08	1.0		µg/L	1	6/23/2008 6:31:00 PM
1,2,4-Trichlorobenzene	U	0.07	1.0		µg/L	1	6/23/2008 6:31:00 PM
1,2,4-Trimethylbenzene	U	0.09	1.0		µg/L	1	6/23/2008 6:31:00 PM
1,2-Dibromo-3-chloropropane	U	0.09	1.0		µg/L	1	6/23/2008 6:31:00 PM
1,2-Dibromoethane	U	0.06	1.0		µg/L	1	6/23/2008 6:31:00 PM
1,2-Dichlorobenzene	U	0.08	1.0		µg/L	1	6/23/2008 6:31:00 PM
1,2-Dichloroethane	U	0.08	1.0		µg/L	1	6/23/2008 6:31:00 PM
1,2-Dichloropropane	U	0.1	1.0		µg/L	1	6/23/2008 6:31:00 PM
1,3,5-Trimethylbenzene	U	0.11	1.0		µg/L	1	6/23/2008 6:31:00 PM
1,3-Dichlorobenzene	U	0.08	1.0		µg/L	1	6/23/2008 6:31:00 PM
1,3-dichloropropane	U	0.08	1.0		µg/L	1	6/23/2008 6:31:00 PM
1,4-Dichlorobenzene	U	0.08	1.0		µg/L	1	6/23/2008 6:31:00 PM
2,2-Dichloropropane	U	0.11	1.0		µg/L	1	6/23/2008 6:31:00 PM
2-Butanone	U	1.28	3.0		µg/L	1	6/23/2008 6:31:00 PM
2-Chloroethyl vinyl ether	U	0.08	1.0		µg/L	1	6/23/2008 6:31:00 PM
2-Chlorotoluene	U	0.09	1.0		µg/L	1	6/23/2008 6:31:00 PM
2-Hexanone	U	0.22	2.0		µg/L	1	6/23/2008 6:31:00 PM
4-Chlorotoluene	U	0.09	1.0		µg/L	1	6/23/2008 6:31:00 PM
4-Isopropyltoluene	U	0.1	1.0		µg/L	1	6/23/2008 6:31:00 PM
4-Methyl-2-pentanone	U	0.21	2.0		µg/L	1	6/23/2008 6:31:00 PM
Acetone	U	0.19	2.0		µg/L	1	6/23/2008 6:31:00 PM
Benzene	U	0.11	1.0		µg/L	1	6/23/2008 6:31:00 PM
Bromobenzene	U	0.07	1.0		µg/L	1	6/23/2008 6:31:00 PM
Bromochloromethane	U	0.4	1.0		µg/L	1	6/23/2008 6:31:00 PM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735
Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



Qualifiers:	* Value exceeds Maximum Contaminant Level	B Analyte detected in the associated Method Blank
	E Value above quantitation range	H Holding times for preparation or analysis exceeded
	J Analyte detected below quantitation limits	LOD Limit of Detection
	LOQ Limit of Quantitation	ND Not Detected at the Reporting Limit
	S Spike Recovery outside accepted recovery limits	U Indicates the compound was analyzed but not detected.

American Analytical Laboratories, LLC.

Date: 26-Jun-08

ELAP ID : 11418

CLIENT: Leggette Brashears & Graham Inc.
Lab Order: 0806219
Project: Rowe
Lab ID: 0806219-05A

Client Sample ID: GWQ061708:1120NP1-1-6
Collection Date: 6/17/2008 11:20:00 AM
Matrix: LIQUID

Certificate of Results

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
VOLATILE SW-846 8260 + MTBE & FREON113			SW8260B			Analyst: LA	
Bromodichloromethane	U	0.08	1.0		µg/L	1	6/23/2008 6:31:00 PM
Bromoform	U	0.06	1.0		µg/L	1	6/23/2008 6:31:00 PM
Bromomethane	U	0.17	1.0		µg/L	1	6/23/2008 6:31:00 PM
Carbon disulfide	U	0.14	1.0		µg/L	1	6/23/2008 6:31:00 PM
Carbon tetrachloride	U	0.16	1.0		µg/L	1	6/23/2008 6:31:00 PM
Chlorobenzene	U	0.09	1.0		µg/L	1	6/23/2008 6:31:00 PM
Chloroethane	U	0.16	1.0		µg/L	1	6/23/2008 6:31:00 PM
Chloroform	U	0.1	1.0		µg/L	1	6/23/2008 6:31:00 PM
Chloromethane	U	0.18	1.0		µg/L	1	6/23/2008 6:31:00 PM
cis-1,2-Dichloroethene	U	0.11	1.0		µg/L	1	6/23/2008 6:31:00 PM
cis-1,3-Dichloropropene	U	0.08	1.0		µg/L	1	6/23/2008 6:31:00 PM
Dibromochloromethane	U	0.07	1.0		µg/L	1	6/23/2008 6:31:00 PM
Dibromomethane	U	0.07	1.0		µg/L	1	6/23/2008 6:31:00 PM
Dichlorodifluoromethane	U	0.15	1.0		µg/L	1	6/23/2008 6:31:00 PM
Ethylbenzene	U	0.1	1.0		µg/L	1	6/23/2008 6:31:00 PM
Hexachlorobutadiene	U	0.12	1.0		µg/L	1	6/23/2008 6:31:00 PM
Isopropylbenzene	U	0.11	1.0		µg/L	1	6/23/2008 6:31:00 PM
m,p-Xylene	U	0.2	2.0		µg/L	1	6/23/2008 6:31:00 PM
Methyl tert-butyl ether	U	0.08	1.0		µg/L	1	6/23/2008 6:31:00 PM
Methylene chloride	U	0.08	1.0		µg/L	1	6/23/2008 6:31:00 PM
Naphthalene	U	0.08	1.0		µg/L	1	6/23/2008 6:31:00 PM
n-Butylbenzene	U	0.11	1.0		µg/L	1	6/23/2008 6:31:00 PM
n-Propylbenzene	U	0.11	1.0		µg/L	1	6/23/2008 6:31:00 PM
o-Xylene	U	0.1	1.0		µg/L	1	6/23/2008 6:31:00 PM
sec-Butylbenzene	U	0.1	1.0		µg/L	1	6/23/2008 6:31:00 PM
Styrene	U	0.08	1.0		µg/L	1	6/23/2008 6:31:00 PM
tert-Butylbenzene	U	0.1	1.0		µg/L	1	6/23/2008 6:31:00 PM
Tetrachloroethene	16	0.12	1.0		µg/L	1	6/23/2008 6:31:00 PM
Toluene	U	0.12	1.0		µg/L	1	6/23/2008 6:31:00 PM
trans-1,2-Dichloroethene	U	0.12	1.0		µg/L	1	6/23/2008 6:31:00 PM
trans-1,3-Dichloropropene	U	0.07	1.0		µg/L	1	6/23/2008 6:31:00 PM
Trichloroethene	U	0.13	1.0		µg/L	1	6/23/2008 6:31:00 PM
Trichlorofluoromethane	U	0.15	1.0		µg/L	1	6/23/2008 6:31:00 PM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735
Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



Qualifiers:	*	Value exceeds Maximum Contaminant Level	B	Analyte detected in the associated Method Blank
	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded
	J	Analyte detected below quantitation limits	LOD	Limit of Detection
	LOQ	Limit of Quantitation	ND	Not Detected at the Reporting Limit
	S	Spike Recovery outside accepted recovery limits	U	Indicates the compound was analyzed but not detected.

American Analytical Laboratories, LLC.

Date: 26-Jun-08

ELAP ID : 11418

CLIENT: Leggette Brashears & Graham Inc.
Lab Order: 0806219
Project: Rowe
Lab ID: 0806219-05A

Client Sample ID: GWQ061708:1120NP1-1-6
Collection Date: 6/17/2008 11:20:00 AM
Matrix: LIQUID

Certificate of Results

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
VOLATILE SW-846 8260 + MTBE & FREON113			SW8260B		Analyst: LA		
Vinyl acetate	U	0.06	1.0		µg/L	1	6/23/2008 6:31:00 PM
Vinyl chloride	U	0.14	1.0		µg/L	1	6/23/2008 6:31:00 PM
Surr: 4-Bromofluorobenzene	106	0	54-134		%REC	1	6/23/2008 6:31:00 PM
Surr: Dibromofluoromethane	104	0	52-132		%REC	1	6/23/2008 6:31:00 PM
Surr: Toluene-d8	91.5	0	51-127		%REC	1	6/23/2008 6:31:00 PM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735
Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



Qualifiers:	*	Value exceeds Maximum Contaminant Level	B	Analyte detected in the associated Method Blank
	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded
	J	Analyte detected below quantitation limits	LOD	Limit of Detection
	LOQ	Limit of Quantitation	ND	Not Detected at the Reporting Limit
	S	Spike Recovery outside accepted recovery limits	U	Indicates the compound was analyzed but not detected.

American Analytical Laboratories, LLC.

Date: 26-Jun-08

ELAP ID : 11418

CLIENT: Leggette Brashears & Graham Inc.
Lab Order: 0806219
Project: Rowe
Lab ID: 0806219-05B

Client Sample ID: GWQ061708:1120NP1-1-6
Collection Date: 6/17/2008 11:20:00 AM
Matrix: LIQUID

Certificate of Results

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
TOTAL IRON				E200.7		SW3005A	Analyst: AH
Iron	0.109	0.005	0.0200		mg/L	1	6/20/2008 9:30:44 AM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735
Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



Qualifiers:	*	Value exceeds Maximum Contaminant Level	B	Analyte detected in the associated Method Blank
	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded
	J	Analyte detected below quantitation limits	LOD	Limit of Detection
	LOQ	Limit of Quantitation	ND	Not Detected at the Reporting Limit
	S	Spike Recovery outside accepted recovery limits	U	Indicates the compound was analyzed but not detected.

American Analytical Laboratories, LLC.

Date: 26-Jun-08

ELAP ID : 11418

CLIENT: Leggette Brashears & Graham Inc.
Lab Order: 0806219
Project: Rowe
Lab ID: 0806219-05C

Client Sample ID: GWQ061708:1120NP1-1-6
Collection Date: 6/17/2008 11:20:00 AM
Matrix: LIQUID

Certificate of Results

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
DISSOLVED IRON				E200.7	SW3005A		Analyst: AH
Iron	0.0331	0.005	0.0200		mg/L	1	6/20/2008 9:28:41 AM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735
Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



Qualifiers:	*	Value exceeds Maximum Contaminant Level	B	Analyte detected in the associated Method Blank
	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded
	J	Analyte detected below quantitation limits	LOD	Limit of Detection
	LOQ	Limit of Quantitation	ND	Not Detected at the Reporting Limit
	S	Spike Recovery outside accepted recovery limits	U	Indicates the compound was analyzed but not detected.

American Analytical Laboratories, LLC.

Date: 26-Jun-08

ELAP ID : 11418

CLIENT: Leggette Brashears & Graham Inc.
Lab Order: 0806219
Project: Rowe
Lab ID: 0806219-06A

Client Sample ID: GWQ061708:1125NP1-1-7
Collection Date: 6/17/2008 11:25:00 AM
Matrix: LIQUID

Certificate of Results

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
VOLATILE SW-846 8260 + MTBE & FREON113			SW8260B			Analyst: LA	
1,1,1,2-Tetrachloroethane	U	0.09	1.0		µg/L	1	6/23/2008 6:56:00 PM
1,1,1-Trichloroethane	U	0.17	1.0		µg/L	1	6/23/2008 6:56:00 PM
1,1,2,2-Tetrachloroethane	U	0.06	1.0		µg/L	1	6/23/2008 6:56:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	U	0.13	1.0		µg/L	1	6/23/2008 6:56:00 PM
1,1,2-Trichloroethane	U	0.07	1.0		µg/L	1	6/23/2008 6:56:00 PM
1,1-Dichloroethane	U	0.11	1.0		µg/L	1	6/23/2008 6:56:00 PM
1,1-Dichloroethene	U	0.15	1.0		µg/L	1	6/23/2008 6:56:00 PM
1,1-Dichloropropene	U	0.12	1.0		µg/L	1	6/23/2008 6:56:00 PM
1,2,3-Trichlorobenzene	U	0.07	1.0		µg/L	1	6/23/2008 6:56:00 PM
1,2,3-Trichloropropane	U	0.08	1.0		µg/L	1	6/23/2008 6:56:00 PM
1,2,4-Trichlorobenzene	U	0.07	1.0		µg/L	1	6/23/2008 6:56:00 PM
1,2,4-Trimethylbenzene	U	0.09	1.0		µg/L	1	6/23/2008 6:56:00 PM
1,2-Dibromo-3-chloropropane	U	0.09	1.0		µg/L	1	6/23/2008 6:56:00 PM
1,2-Dibromoethane	U	0.06	1.0		µg/L	1	6/23/2008 6:56:00 PM
1,2-Dichlorobenzene	U	0.08	1.0		µg/L	1	6/23/2008 6:56:00 PM
1,2-Dichloroethane	U	0.08	1.0		µg/L	1	6/23/2008 6:56:00 PM
1,2-Dichloropropane	U	0.1	1.0		µg/L	1	6/23/2008 6:56:00 PM
1,3,5-Trimethylbenzene	U	0.11	1.0		µg/L	1	6/23/2008 6:56:00 PM
1,3-Dichlorobenzene	U	0.08	1.0		µg/L	1	6/23/2008 6:56:00 PM
1,3-dichloropropane	U	0.08	1.0		µg/L	1	6/23/2008 6:56:00 PM
1,4-Dichlorobenzene	U	0.08	1.0		µg/L	1	6/23/2008 6:56:00 PM
2,2-Dichloropropane	U	0.11	1.0		µg/L	1	6/23/2008 6:56:00 PM
2-Butanone	U	1.28	3.0		µg/L	1	6/23/2008 6:56:00 PM
2-Chloroethyl vinyl ether	U	0.08	1.0		µg/L	1	6/23/2008 6:56:00 PM
2-Chlorotoluene	U	0.09	1.0		µg/L	1	6/23/2008 6:56:00 PM
2-Hexanone	U	0.22	2.0		µg/L	1	6/23/2008 6:56:00 PM
4-Chlorotoluene	U	0.09	1.0		µg/L	1	6/23/2008 6:56:00 PM
4-Isopropyltoluene	U	0.1	1.0		µg/L	1	6/23/2008 6:56:00 PM
4-Methyl-2-pentanone	U	0.21	2.0		µg/L	1	6/23/2008 6:56:00 PM
Acetone	U	0.19	2.0		µg/L	1	6/23/2008 6:56:00 PM
Benzene	U	0.11	1.0		µg/L	1	6/23/2008 6:56:00 PM
Bromobenzene	U	0.07	1.0		µg/L	1	6/23/2008 6:56:00 PM
Bromochloromethane	U	0.4	1.0		µg/L	1	6/23/2008 6:56:00 PM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735

Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



Qualifiers: * Value exceeds Maximum Contaminant Level
E Value above quantitation range
J Analyte detected below quantitation limits
LOQ Limit of Quantitation
S Spike Recovery outside accepted recovery limits

B Analyte detected in the associated Method Blank
H Holding times for preparation or analysis exceeded
LOD Limit of Detection
ND Not Detected at the Reporting Limit
U Indicates the compound was analyzed but not detected.

American Analytical Laboratories, LLC.

Date: 26-Jun-08

ELAP ID : 11418

CLIENT: Leggette Brashears & Graham Inc.
Lab Order: 0806219
Project: Rowe
Lab ID: 0806219-06A

Client Sample ID: GWQ061708:1125NP1-1-7
Collection Date: 6/17/2008 11:25:00 AM
Matrix: LIQUID

Certificate of Results

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
VOLATILE SW-846 8260 + MTBE & FREON113			SW8260B			Analyst: LA	
Bromodichloromethane	U	0.08	1.0		µg/L	1	6/23/2008 6:56:00 PM
Bromoform	U	0.06	1.0		µg/L	1	6/23/2008 6:56:00 PM
Bromomethane	U	0.17	1.0		µg/L	1	6/23/2008 6:56:00 PM
Carbon disulfide	U	0.14	1.0		µg/L	1	6/23/2008 6:56:00 PM
Carbon tetrachloride	U	0.16	1.0		µg/L	1	6/23/2008 6:56:00 PM
Chlorobenzene	U	0.09	1.0		µg/L	1	6/23/2008 6:56:00 PM
Chloroethane	U	0.16	1.0		µg/L	1	6/23/2008 6:56:00 PM
Chloroform	U	0.1	1.0		µg/L	1	6/23/2008 6:56:00 PM
Chloromethane	U	0.18	1.0		µg/L	1	6/23/2008 6:56:00 PM
cis-1,2-Dichloroethene	U	0.11	1.0		µg/L	1	6/23/2008 6:56:00 PM
cis-1,3-Dichloropropene	U	0.08	1.0		µg/L	1	6/23/2008 6:56:00 PM
Dibromochloromethane	U	0.07	1.0		µg/L	1	6/23/2008 6:56:00 PM
Dibromomethane	U	0.07	1.0		µg/L	1	6/23/2008 6:56:00 PM
Dichlorodifluoromethane	U	0.15	1.0		µg/L	1	6/23/2008 6:56:00 PM
Ethylbenzene	U	0.1	1.0		µg/L	1	6/23/2008 6:56:00 PM
Hexachlorobutadiene	U	0.12	1.0		µg/L	1	6/23/2008 6:56:00 PM
Isopropylbenzene	U	0.11	1.0		µg/L	1	6/23/2008 6:56:00 PM
m,p-Xylene	U	0.2	2.0		µg/L	1	6/23/2008 6:56:00 PM
Methyl tert-butyl ether	U	0.08	1.0		µg/L	1	6/23/2008 6:56:00 PM
Methylene chloride	U	0.08	1.0		µg/L	1	6/23/2008 6:56:00 PM
Naphthalene	U	0.08	1.0		µg/L	1	6/23/2008 6:56:00 PM
n-Butylbenzene	U	0.11	1.0		µg/L	1	6/23/2008 6:56:00 PM
n-Propylbenzene	U	0.11	1.0		µg/L	1	6/23/2008 6:56:00 PM
o-Xylene	U	0.1	1.0		µg/L	1	6/23/2008 6:56:00 PM
sec-Butylbenzene	U	0.1	1.0		µg/L	1	6/23/2008 6:56:00 PM
Styrene	U	0.08	1.0		µg/L	1	6/23/2008 6:56:00 PM
tert-Butylbenzene	U	0.1	1.0		µg/L	1	6/23/2008 6:56:00 PM
Tetrachloroethene	11	0.12	1.0		µg/L	1	6/23/2008 6:56:00 PM
Toluene	U	0.12	1.0		µg/L	1	6/23/2008 6:56:00 PM
trans-1,2-Dichloroethene	U	0.12	1.0		µg/L	1	6/23/2008 6:56:00 PM
trans-1,3-Dichloropropene	U	0.07	1.0		µg/L	1	6/23/2008 6:56:00 PM
Trichloroethene	U	0.13	1.0		µg/L	1	6/23/2008 6:56:00 PM
Trichlorofluoromethane	U	0.15	1.0		µg/L	1	6/23/2008 6:56:00 PM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735
Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



Qualifiers:	*	Value exceeds Maximum Contaminant Level	B	Analyte detected in the associated Method Blank
	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded
	J	Analyte detected below quantitation limits	LOD	Limit of Detection
	LOQ	Limit of Quantitation	ND	Not Detected at the Reporting Limit
	S	Spike Recovery outside accepted recovery limits	U	Indicates the compound was analyzed but not detected.

American Analytical Laboratories, LLC.

Date: 26-Jun-08

ELAP ID : 11418

CLIENT: Leggette Brashears & Graham Inc.
Lab Order: 0806219
Project: Rowe
Lab ID: 0806219-06A

Client Sample ID: GWQ061708:1125NP1-1-7
Collection Date: 6/17/2008 11:25:00 AM
Matrix: LIQUID

Certificate of Results

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
VOLATILE SW-846 8260 + MTBE & FREON113			SW8260B			Analyst: LA	
Vinyl acetate	U	0.06	1.0		µg/L	1	6/23/2008 6:56:00 PM
Vinyl chloride	U	0.14	1.0		µg/L	1	6/23/2008 6:56:00 PM
Surr: 4-Bromofluorobenzene	104	0	54-134		%REC	1	6/23/2008 6:56:00 PM
Surr: Dibromofluoromethane	112	0	52-132		%REC	1	6/23/2008 6:56:00 PM
Surr: Toluene-d8	103	0	51-127		%REC	1	6/23/2008 6:56:00 PM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735
Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



Qualifiers:

- * Value exceeds Maximum Contaminant Level
- E Value above quantitation range
- J Analyte detected below quantitation limits
- LOQ Limit of Quantitation
- S Spike Recovery outside accepted recovery limits

- B Analyte detected in the associated Method Blank
- H Holding times for preparation or analysis exceeded
- LOD Limit of Detection
- ND Not Detected at the Reporting Limit
- U Indicates the compound was analyzed but not detected.

American Analytical Laboratories, LLC.

Date: 26-Jun-08

ELAP ID : 11418

CLIENT: Leggette Brashears & Graham Inc.
Lab Order: 0806219
Project: Rowe
Lab ID: 0806219-06B

Client Sample ID: GWQ061708:1125NP1-1-7
Collection Date: 6/17/2008 11:25:00 AM
Matrix: LIQUID

Certificate of Results

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
TOTAL IRON				E200.7	SW3005A		Analyst: AH
Iron	0.0584	0.005	0.0200		mg/L	1	6/20/2008 9:43:14 AM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735
Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



Qualifiers:	*	Value exceeds Maximum Contaminant Level	B	Analyte detected in the associated Method Blank
	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded
	J	Analyte detected below quantitation limits	LOD	Limit of Detection
	LOQ	Limit of Quantitation	ND	Not Detected at the Reporting Limit
	S	Spike Recovery outside accepted recovery limits	U	Indicates the compound was analyzed but not detected.

American Analytical Laboratories, LLC.

Date: 26-Jun-08

ELAP ID : 11418

CLIENT: Leggette Brashears & Graham Inc.
Lab Order: 0806219
Project: Rowe
Lab ID: 0806219-06C

Client Sample ID: GWQ061708:1125NP1-1-7
Collection Date: 6/17/2008 11:25:00 AM
Matrix: LIQUID

Certificate of Results

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
DISSOLVED IRON				E200.7	SW3005A		Analyst: AH
Iron	0.0302	0.005	0.0200		mg/L	1	6/20/2008 9:41:11 AM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735
Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



Qualifiers:	*	Value exceeds Maximum Contaminant Level	B	Analyte detected in the associated Method Blank
	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded
	J	Analyte detected below quantitation limits	LOD	Limit of Detection
	LOQ	Limit of Quantitation	ND	Not Detected at the Reporting Limit
	S	Spike Recovery outside accepted recovery limits	U	Indicates the compound was analyzed but not detected.

American Analytical Laboratories, LLC.

Date: 26-Jun-08

ELAP ID : 11418

CLIENT: Leggette Brashears & Graham Inc.
Lab Order: 0806219
Project: Rowe
Lab ID: 0806219-07A

Client Sample ID: GWQ061708:1130NP1-1-8
Collection Date: 6/17/2008 11:30:00 AM
Matrix: LIQUID

Certificate of Results

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
VOLATILE SW-846 8260 + MTBE & FREON113			SW8260B			Analyst: LA	
1,1,1,2-Tetrachloroethane	U	0.09	1.0		µg/L	1	6/23/2008 7:21:00 PM
1,1,1-Trichloroethane	U	0.17	1.0		µg/L	1	6/23/2008 7:21:00 PM
1,1,2,2-Tetrachloroethane	U	0.06	1.0		µg/L	1	6/23/2008 7:21:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	U	0.13	1.0		µg/L	1	6/23/2008 7:21:00 PM
1,1,2-Trichloroethane	U	0.07	1.0		µg/L	1	6/23/2008 7:21:00 PM
1,1-Dichloroethane	U	0.11	1.0		µg/L	1	6/23/2008 7:21:00 PM
1,1-Dichloroethene	U	0.15	1.0		µg/L	1	6/23/2008 7:21:00 PM
1,1-Dichloropropene	U	0.12	1.0		µg/L	1	6/23/2008 7:21:00 PM
1,2,3-Trichlorobenzene	U	0.07	1.0		µg/L	1	6/23/2008 7:21:00 PM
1,2,3-Trichloropropane	U	0.08	1.0		µg/L	1	6/23/2008 7:21:00 PM
1,2,4-Trichlorobenzene	U	0.07	1.0		µg/L	1	6/23/2008 7:21:00 PM
1,2,4-Trimethylbenzene	U	0.09	1.0		µg/L	1	6/23/2008 7:21:00 PM
1,2-Dibromo-3-chloropropane	U	0.09	1.0		µg/L	1	6/23/2008 7:21:00 PM
1,2-Dibromoethane	U	0.06	1.0		µg/L	1	6/23/2008 7:21:00 PM
1,2-Dichlorobenzene	U	0.08	1.0		µg/L	1	6/23/2008 7:21:00 PM
1,2-Dichloroethane	U	0.08	1.0		µg/L	1	6/23/2008 7:21:00 PM
1,2-Dichloropropane	U	0.1	1.0		µg/L	1	6/23/2008 7:21:00 PM
1,3,5-Trimethylbenzene	U	0.11	1.0		µg/L	1	6/23/2008 7:21:00 PM
1,3-Dichlorobenzene	U	0.08	1.0		µg/L	1	6/23/2008 7:21:00 PM
1,3-dichloropropane	U	0.08	1.0		µg/L	1	6/23/2008 7:21:00 PM
1,4-Dichlorobenzene	U	0.08	1.0		µg/L	1	6/23/2008 7:21:00 PM
2,2-Dichloropropane	U	0.11	1.0		µg/L	1	6/23/2008 7:21:00 PM
2-Butanone	U	1.28	3.0		µg/L	1	6/23/2008 7:21:00 PM
2-Chloroethyl vinyl ether	U	0.08	1.0		µg/L	1	6/23/2008 7:21:00 PM
2-Chlorotoluene	U	0.09	1.0		µg/L	1	6/23/2008 7:21:00 PM
2-Hexanone	U	0.22	2.0		µg/L	1	6/23/2008 7:21:00 PM
4-Chlorotoluene	U	0.09	1.0		µg/L	1	6/23/2008 7:21:00 PM
4-Isopropyltoluene	U	0.1	1.0		µg/L	1	6/23/2008 7:21:00 PM
4-Methyl-2-pentanone	U	0.21	2.0		µg/L	1	6/23/2008 7:21:00 PM
Acetone	U	0.19	2.0		µg/L	1	6/23/2008 7:21:00 PM
Benzene	U	0.11	1.0		µg/L	1	6/23/2008 7:21:00 PM
Bromobenzene	U	0.07	1.0		µg/L	1	6/23/2008 7:21:00 PM
Bromochloromethane	U	0.4	1.0		µg/L	1	6/23/2008 7:21:00 PM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735
Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



Qualifiers:	*	Value exceeds Maximum Contaminant Level	B	Analyte detected in the associated Method Blank
	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded
	J	Analyte detected below quantitation limits	LOD	Limit of Detection
	LOQ	Limit of Quantitation	ND	Not Detected at the Reporting Limit
	S	Spike Recovery outside accepted recovery limits	U	Indicates the compound was analyzed but not detected.

American Analytical Laboratories, LLC.

Date: 26-Jun-08

ELAP ID : 11418

CLIENT: Leggette Brashears & Graham Inc.
Lab Order: 0806219
Project: Rowe
Lab ID: 0806219-07A

Client Sample ID: GWQ061708:1130NP1-1-8
Collection Date: 6/17/2008 11:30:00 AM
Matrix: LIQUID

Certificate of Results

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
VOLATILE SW-846 8260 + MTBE & FREON113			SW8260B			Analyst: LA	
Bromodichloromethane	U	0.08	1.0		µg/L	1	6/23/2008 7:21:00 PM
Bromoform	U	0.06	1.0		µg/L	1	6/23/2008 7:21:00 PM
Bromomethane	U	0.17	1.0		µg/L	1	6/23/2008 7:21:00 PM
Carbon disulfide	U	0.14	1.0		µg/L	1	6/23/2008 7:21:00 PM
Carbon tetrachloride	U	0.16	1.0		µg/L	1	6/23/2008 7:21:00 PM
Chlorobenzene	U	0.09	1.0		µg/L	1	6/23/2008 7:21:00 PM
Chloroethane	U	0.16	1.0		µg/L	1	6/23/2008 7:21:00 PM
Chloroform	U	0.1	1.0		µg/L	1	6/23/2008 7:21:00 PM
Chloromethane	U	0.18	1.0		µg/L	1	6/23/2008 7:21:00 PM
cis-1,2-Dichloroethene	U	0.11	1.0		µg/L	1	6/23/2008 7:21:00 PM
cis-1,3-Dichloropropene	U	0.08	1.0		µg/L	1	6/23/2008 7:21:00 PM
Dibromochloromethane	U	0.07	1.0		µg/L	1	6/23/2008 7:21:00 PM
Dibromomethane	U	0.07	1.0		µg/L	1	6/23/2008 7:21:00 PM
Dichlorodifluoromethane	U	0.15	1.0		µg/L	1	6/23/2008 7:21:00 PM
Ethylbenzene	U	0.1	1.0		µg/L	1	6/23/2008 7:21:00 PM
Hexachlorobutadiene	U	0.12	1.0		µg/L	1	6/23/2008 7:21:00 PM
Isopropylbenzene	U	0.11	1.0		µg/L	1	6/23/2008 7:21:00 PM
m,p-Xylene	U	0.2	2.0		µg/L	1	6/23/2008 7:21:00 PM
Methyl tert-butyl ether	U	0.08	1.0		µg/L	1	6/23/2008 7:21:00 PM
Methylene chloride	U	0.08	1.0		µg/L	1	6/23/2008 7:21:00 PM
Naphthalene	U	0.08	1.0		µg/L	1	6/23/2008 7:21:00 PM
n-Butylbenzene	U	0.11	1.0		µg/L	1	6/23/2008 7:21:00 PM
n-Propylbenzene	U	0.11	1.0		µg/L	1	6/23/2008 7:21:00 PM
o-Xylene	U	0.1	1.0		µg/L	1	6/23/2008 7:21:00 PM
sec-Butylbenzene	U	0.1	1.0		µg/L	1	6/23/2008 7:21:00 PM
Styrene	U	0.08	1.0		µg/L	1	6/23/2008 7:21:00 PM
tert-Butylbenzene	U	0.1	1.0		µg/L	1	6/23/2008 7:21:00 PM
Tetrachloroethene	U	0.12	1.0		µg/L	1	6/23/2008 7:21:00 PM
Toluene	U	0.12	1.0		µg/L	1	6/23/2008 7:21:00 PM
trans-1,2-Dichloroethene	U	0.12	1.0		µg/L	1	6/23/2008 7:21:00 PM
trans-1,3-Dichloropropene	U	0.07	1.0		µg/L	1	6/23/2008 7:21:00 PM
Trichloroethene	U	0.13	1.0		µg/L	1	6/23/2008 7:21:00 PM
Trichlorofluoromethane	U	0.15	1.0		µg/L	1	6/23/2008 7:21:00 PM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735
Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



Qualifiers:	*	Value exceeds Maximum Contaminant Level	B	Analyte detected in the associated Method Blank
	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded
	J	Analyte detected below quantitation limits	LOD	Limit of Detection
	LOQ	Limit of Quantitation	ND	Not Detected at the Reporting Limit
	S	Spike Recovery outside accepted recovery limits	U	Indicates the compound was analyzed but not detected.

American Analytical Laboratories, LLC.

Date: 26-Jun-08

ELAP ID : 11418

CLIENT: Leggette Brashears & Graham Inc.
Lab Order: 0806219
Project: Rowe
Lab ID: 0806219-07A

Client Sample ID: GWQ061708:1130NP1-1-8
Collection Date: 6/17/2008 11:30:00 AM
Matrix: LIQUID

Certificate of Results

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
VOLATILE SW-846 8260 + MTBE & FREON113			SW8260B			Analyst: LA	
Vinyl acetate	U	0.06	1.0		µg/L	1	6/23/2008 7:21:00 PM
Vinyl chloride	U	0.14	1.0		µg/L	1	6/23/2008 7:21:00 PM
Surr: 4-Bromofluorobenzene	103	0	54-134		%REC	1	6/23/2008 7:21:00 PM
Surr: Dibromofluoromethane	105	0	52-132		%REC	1	6/23/2008 7:21:00 PM
Surr: Toluene-d8	87.9	0	51-127		%REC	1	6/23/2008 7:21:00 PM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735
Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



Qualifiers:	*	Value exceeds Maximum Contaminant Level	B	Analyte detected in the associated Method Blank
	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded
	J	Analyte detected below quantitation limits	LOD	Limit of Detection
	LOQ	Limit of Quantitation	ND	Not Detected at the Reporting Limit
	S	Spike Recovery outside accepted recovery limits	U	Indicates the compound was analyzed but not detected.

American Analytical Laboratories, LLC.

Date: 26-Jun-08

ELAP ID : 11418

CLIENT: Leggette Brashears & Graham Inc.
Lab Order: 0806219
Project: Rowe
Lab ID: 0806219-07B

Client Sample ID: GWQ061708:1130NP1-1-8
Collection Date: 6/17/2008 11:30:00 AM
Matrix: LIQUID

Certificate of Results

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
TOTAL IRON				E200.7	SW3005A		Analyst: AH
Iron	6.73	0.005	0.0200		mg/L	1	6/20/2008 9:47:22 AM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735
Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



Qualifiers:	*	Value exceeds Maximum Contaminant Level	B	Analyte detected in the associated Method Blank
	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded
	J	Analyte detected below quantitation limits	LOD	Limit of Detection
	LOQ	Limit of Quantitation	ND	Not Detected at the Reporting Limit
	S	Spike Recovery outside accepted recovery limits	U	Indicates the compound was analyzed but not detected.

American Analytical Laboratories, LLC.

Date: 26-Jun-08

ELAP ID : 11418

CLIENT: Leggette Brashears & Graham Inc.
Lab Order: 0806219
Project: Rowe
Lab ID: 0806219-07C

Client Sample ID: GWQ061708:1130NP1-1-8
Collection Date: 6/17/2008 11:30:00 AM
Matrix: LIQUID

Certificate of Results

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
DISSOLVED IRON				E200.7	SW3005A		Analyst: AH
Iron	1.16	0.005	0.0200		mg/L	1	6/20/2008 9:45:18 AM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735
Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



Qualifiers: * Value exceeds Maximum Contaminant Level
E Value above quantitation range
J Analyte detected below quantitation limits
LOQ Limit of Quantitation
S Spike Recovery outside accepted recovery limits

B Analyte detected in the associated Method Blank
H Holding times for preparation or analysis exceeded
LOD Limit of Detection
ND Not Detected at the Reporting Limit
U Indicates the compound was analyzed but not detected.

CLIENT: Leggette Brashears & Graham Inc.

Work Order: 0806219

Project: Rowe

ANALYTICAL QC SUMMARY REPORT

TestCode: 8260MTBE113_W

Sample ID: V624LCS-062308Y		SampType: LCS		TestCode: 8260MTBE11		Units: µg/L		Prep Date:		RunNo: 36408	
Client ID: LCSW		Batch ID: R36408		TestNo: SW8260B				Analysis Date: 6/23/2008		SeqNo: 471538	
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
1,1,1-Trichloroethane	43	1.0	50.00	0	85.5	52	137				
1,1,2,2-Tetrachloroethane	45	1.0	50.00	0	90.2	53	133				
1,1,2-Trichloroethane	47	1.0	50.00	0	94.9	51	130				
1,1-Dichloroethane	43	1.0	50.00	0	86.9	51	133				
1,1-Dichloroethene	49	1.0	50.00	0	97.8	42	133				
1,2-Dichlorobenzene	38	1.0	50.00	0	75.1	48	129				
1,2-Dichloroethane	42	1.0	50.00	0	83.3	51	130				
1,2-Dichloropropane	42	1.0	50.00	0	83.3	52	136				
1,3-Dichlorobenzene	37	1.0	50.00	0	74.8	53	132				
1,4-Dichlorobenzene	42	1.0	50.00	0	83.7	53	135				
2-Chloroethyl vinyl ether	33	1.0	50.00	0	65.8	43	125				
Benzene	46	1.0	50.00	0	92.4	44	133				
Bromodichloromethane	46	1.0	50.00	0	92.3	52	137				
Bromoform	38	1.0	50.00	0	75.2	43	123				
Bromomethane	37	1.0	50.00	0	73.8	36	126				
Carbon tetrachloride	39	1.0	50.00	0	78.2	48	128				
Chlorobenzene	46	1.0	50.00	0	92.6	57	135				
Chloroethane	48	1.0	50.00	0	96.7	53	147				
Chloroform	43	1.0	50.00	0	86.4	42	122				
Chloromethane	38	1.0	50.00	0	76.3	52	144				
cis-1,3-Dichloropropene	43	1.0	50.00	0	86.6	48	127				
Dibromochloromethane	41	1.0	50.00	0	82.8	47	125				
Ethylbenzene	49	1.0	50.00	0	97.3	53	136				
Tetrachloroethene	49	1.0	50.00	0	98.4	44	137				
Toluene	51	1.0	50.00	0	102	43	134				
trans-1,2-Dichloroethene	41	1.0	50.00	0	82.9	53	130				
trans-1,3-Dichloropropene	47	1.0	50.00	0	94.1	46	129				
Trichloroethene	41	1.0	50.00	0	81.9	43	138				
Trichlorofluoromethane	47	1.0	50.00	0	94.6	55	135				
Vinyl chloride	41	1.0	50.00	0	82.6	46	146				

Qualifiers: E Value above quantitation range
LOD Limit of Detection

R RPD outside accepted recovery limits

H Holding times for preparation or analysis exceeded
LOQ Limit of Quantitation

S Spike Recovery outside accepted recovery limits

J Analyte detected below quantitation li
ND Not Detected at the Reporting Limit

U Indicates the compound was analyzed

CLIENT: Leggette Brashears & Graham Inc.
Work Order: 0806219
Project: Rowe

ANALYTICAL QC SUMMARY REPORT

TestCode: 8260MTBE113_W

Sample ID: V624LCS-062308Y	SampleType: LCS	TestCode: 8260MTBE11	Units: µg/L	Prep Date:	RunNo: 36408						
Client ID: LCSW	Batch ID: R36408	TestNo: SW8260B		Analysis Date: 6/23/2008	SeqNo: 471538						
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual

Surr: 4-Bromofluorobenzene	43		50.00		86.7	54	134				
Surr: Dibromofluoromethane	53		50.00		106	52	132				
Surr: Toluene-d8	55		50.00		109	51	127				

Sample ID: VBLK-062308Y	SampleType: MBLK	TestCode: 8260MTBE11	Units: µg/L	Prep Date:	RunNo: 36408						
Client ID: PBW	Batch ID: R36408	TestNo: SW8260B		Analysis Date: 6/23/2008	SeqNo: 471539						
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual

1,1,1,2-Tetrachloroethane	U	1.0									
1,1,1-Trichloroethane	U	1.0									
1,1,2,2-Tetrachloroethane	U	1.0									
1,1,2-Trichloro-1,2,2-trifluoroethane	U	1.0									
1,1,2-Trichloroethane	U	1.0									
1,1-Dichloroethane	U	1.0									
1,1-Dichloroethene	U	1.0									
1,1-Dichloropropene	U	1.0									
1,2,3-Trichlorobenzene	U	1.0									
1,2,3-Trichloropropane	U	1.0									
1,2,4-Trichlorobenzene	U	1.0									
1,2,4-Trimethylbenzene	U	1.0									
1,2-Dibromo-3-chloropropane	U	1.0									
1,2-Dibromoethane	U	1.0									
1,2-Dichlorobenzene	U	1.0									
1,2-Dichloroethane	U	1.0									
1,2-Dichloropropane	U	1.0									
1,3,5-Trimethylbenzene	U	1.0									
1,3-Dichlorobenzene	U	1.0									
1,3-dichloropropane	U	1.0									
1,4-Dichlorobenzene	U	1.0									
2,2-Dichloropropane	U	1.0									
2-Butanone	U	3.0									

Qualifiers:	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation li
LOD	R	Limit of Detection	LOQ	Limit of Quantitation	ND	Not Detected at the Reporting Limit
	R	RPD outside accepted recovery limits	S	Spike Recovery outside accepted recovery limits	U	Indicates the compound was analyzed

CLIENT: Leggette Brashears & Graham Inc.
Work Order: 0806219
Project: Rowe

ANALYTICAL QC SUMMARY REPORT

TestCode: 8260MTBE113_W

Sample ID: VBLK-062308Y	SampType: MBLK	TestCode: 8260MTBE11	Units: µg/L	Prep Date:	RunNo: 36408						
Client ID: PBW	Batch ID: R36408	TestNo: SW8260B		Analysis Date: 6/23/2008	SeqNo: 471539						
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
2-Chloroethyl vinyl ether	U	1.0									
2-Chlorotoluene	U	1.0									
2-Hexanone	U	2.0									
4-Chlorotoluene	U	1.0									
4-Isopropyltoluene	U	1.0									
4-Methyl-2-pentanone	U	2.0									
Acetone	U	2.0									
Benzene	U	1.0									
Bromobenzene	U	1.0									
Bromochloromethane	U	1.0									
Bromodichloromethane	U	1.0									
Bromoform	U	1.0									
Bromomethane	U	1.0									
Carbon disulfide	U	1.0									
Carbon tetrachloride	U	1.0									
Chlorobenzene	U	1.0									
Chloroethane	U	1.0									
Chloroform	U	1.0									
Chloromethane	U	1.0									
cis-1,2-Dichloroethene	U	1.0									
cis-1,3-Dichloropropene	U	1.0									
Dibromochloromethane	U	1.0									
Dibromomethane	U	1.0									
Dichlorodifluoromethane	U	1.0									
Ethylbenzene	U	1.0									
Hexachlorobutadiene	U	1.0									
Isopropylbenzene	U	1.0									
m,p-Xylene	U	2.0									
Methyl tert-butyl ether	U	1.0									
Methylene chloride	U	1.0									
Naphthalene	U	1.0									

Qualifiers: E Value above quantitation range
LOD Limit of Detection
R RPD outside accepted recovery limits

H Holding times for preparation or analysis exceeded
LOQ Limit of Quantitation
S Spike Recovery outside accepted recovery limits

J Analyte detected below quantitation li
ND Not Detected at the Reporting Limit
U Indicates the compound was analyzed

CLIENT: Leggett Brashears & Graham Inc.
Work Order: 0806219
Project: Rowe

ANALYTICAL QC SUMMARY REPORT

TestCode: 8260MTBE113_W

Sample ID: VBLK-062308Y	SampType: MBLK	TestCode: 8260MTBE11	Units: µg/L	Prep Date:	RunNo: 36408						
Client ID: PBW	Batch ID: R36408	TestNo: SW8260B		Analysis Date: 6/23/2008	SeqNo: 471539						
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual

n-Butylbenzene	U	1.0									
n-Propylbenzene	U	1.0									
o-Xylene	U	1.0									
sec-Butylbenzene	U	1.0									
Styrene	U	1.0									
tert-Butylbenzene	U	1.0									
Tetrachloroethene	U	1.0									
Toluene	U	1.0									
trans-1,2-Dichloroethene	U	1.0									
trans-1,3-Dichloropropene	U	1.0									
Trichloroethene	U	1.0									
Trichlorofluoromethane	U	1.0									
Vinyl acetate	U	1.0									
Vinyl chloride	U	1.0									
Surr: 4-Bromofluorobenzene	46		50.00		92.6	54	134				
Surr: Dibromofluoromethane	49		50.00		98.0	52	132				
Surr: Toluene-d8	53		50.00		106	51	127				

Sample ID: V624LCS-062308Y	SampType: LCS	TestCode: 8260MTBE11	Units: µg/L	Prep Date:	RunNo: 36408						
Client ID: LCSW	Batch ID: R36408a	TestNo: SW8260B		Analysis Date: 6/23/2008	SeqNo: 471544						
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual

1,1,1-Trichloroethane	42	1.0	50.00	0	84.7	52	137				
1,1,2,2-Tetrachloroethane	49	1.0	50.00	0	97.1	53	133				
1,1,2-Trichloroethane	47	1.0	50.00	0	94.8	51	130				
1,1-Dichloroethane	44	1.0	50.00	0	88.7	51	133				
1,1-Dichloroethene	41	1.0	50.00	0	82.4	42	133				
1,2-Dichlorobenzene	46	1.0	50.00	0	91.8	48	129				
1,2-Dichloroethane	39	1.0	50.00	0	77.2	51	130				
1,2-Dichloropropane	53	1.0	50.00	0	107	52	136				
1,3-Dichlorobenzene	54	1.0	50.00	0	107	53	132				

Qualifiers: E Value above quantitation range
LOD Limit of Detection
R RPD outside accepted recovery limits

H Holding times for preparation or analysis exceeded
LOQ Limit of Quantitation
S Spike Recovery outside accepted recovery limits

J Analyte detected below quantitation li
ND Not Detected at the Reporting Limit
U Indicates the compound was analyzed

CLIENT: Leggett Brashears & Graham Inc.
Work Order: 0806219
Project: Rowe

ANALYTICAL QC SUMMARY REPORT

TestCode: 8260MTBE113_W

Sample ID: V624LCS-062308Y	SampType: LCS	TestCode: 8260MTBE11	Units: µg/L	Prep Date:	RunNo: 36408						
Client ID: LCSW	Batch ID: R36408a	TestNo: SW8260B		Analysis Date: 6/23/2008	SeqNo: 471544						
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual

1,4-Dichlorobenzene	49	1.0	50.00	0	97.9	53	135				
2-Chloroethyl vinyl ether	37	1.0	50.00	0	73.6	43	125				
Benzene	44	1.0	50.00	0	87.9	44	133				
Bromodichloromethane	48	1.0	50.00	0	95.4	52	137				
Bromoform	38	1.0	50.00	0	76.6	43	123				
Bromomethane	39	1.0	50.00	0	77.9	36	126				
Carbon tetrachloride	41	1.0	50.00	0	81.8	48	128				
Chlorobenzene	47	1.0	50.00	0	93.2	57	135				
Chloroethane	44	1.0	50.00	0	88.9	53	147				
Chloroform	42	1.0	50.00	0	84.8	42	122				
Chloromethane	32	1.0	50.00	0	64.5	52	144				
cis-1,3-Dichloropropene	52	1.0	50.00	0	105	48	127				
Dibromochloromethane	44	1.0	50.00	0	87.8	47	125				
Ethylbenzene	48	1.0	50.00	0	96.9	53	136				
Tetrachloroethene	48	1.0	50.00	0	95.2	44	137				
Toluene	51	1.0	50.00	0	102	43	134				
trans-1,2-Dichloroethene	40	1.0	50.00	0	79.4	53	130				
trans-1,3-Dichloropropene	54	1.0	50.00	0	108	46	129				
Trichloroethene	49	1.0	50.00	0	97.7	43	138				
Trichlorofluoromethane	48	1.0	50.00	0	95.8	55	135				
Vinyl chloride	42	1.0	50.00	0	84.0	46	146				
Surr: 4-Bromofluorobenzene	47		50.00		93.7	54	134				
Surr: Dibromofluoromethane	48		50.00		96.8	52	132				
Surr: Toluene-d8	56		50.00		112	51	127				

Sample ID: VBLK-062308Y	SampType: MBLK	TestCode: 8260MTBE11	Units: µg/L	Prep Date:	RunNo: 36408						
Client ID: PBW	Batch ID: R36408a	TestNo: SW8260B		Analysis Date: 6/23/2008	SeqNo: 471545						
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual

1,1,1,2-Tetrachloroethane	U	1.0									
1,1,1-Trichloroethane	U	1.0									

Qualifiers: E Value above quantitation range
LOD Limit of Detection
R RPD outside accepted recovery limits
H Holding times for preparation or analysis exceeded
LOQ Limit of Quantitation
S Spike Recovery outside accepted recovery limits
J Analyte detected below quantitation li
ND Not Detected at the Reporting Limit
U Indicates the compound was analyzed

CLIENT: Leggett Brashears & Graham Inc.
Work Order: 0806219
Project: Rowe

ANALYTICAL QC SUMMARY REPORT
TestCode: 8260MTBE113_W

Sample ID: VBLK-062308Y	SampType: MBLK	TestCode: 8260MTBE11	Units: µg/L	Prep Date:	RunNo: 36408						
Client ID: PBW	Batch ID: R36408a	TestNo: SW8260B		Analysis Date: 6/23/2008	SeqNo: 471545						
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
1,1,2,2-Tetrachloroethane	U	1.0									
1,1,2-Trichloro-1,2,2-trifluoroethane	U	1.0									
1,1,2-Trichloroethane	U	1.0									
1,1-Dichloroethane	U	1.0									
1,1-Dichloroethene	U	1.0									
1,1-Dichloropropene	U	1.0									
1,2,3-Trichlorobenzene	U	1.0									
1,2,3-Trichloropropane	U	1.0									
1,2,4-Trichlorobenzene	U	1.0									
1,2,4-Trimethylbenzene	U	1.0									
1,2-Dibromo-3-chloropropane	U	1.0									
1,2-Dibromoethane	U	1.0									
1,2-Dichlorobenzene	U	1.0									
1,2-Dichloroethane	U	1.0									
1,2-Dichloropropane	U	1.0									
1,3,5-Trimethylbenzene	U	1.0									
1,3-Dichlorobenzene	U	1.0									
1,3-dichloropropane	U	1.0									
1,4-Dichlorobenzene	U	1.0									
2,2-Dichloropropane	U	1.0									
2-Butanone	U	3.0									
2-Chloroethyl vinyl ether	U	1.0									
2-Chlorotoluene	U	1.0									
2-Hexanone	U	2.0									
4-Chlorotoluene	U	1.0									
4-Isopropyltoluene	U	1.0									
4-Methyl-2-pentanone	U	2.0									
Acetone	U	2.0									
Benzene	U	1.0									
Bromobenzene	U	1.0									
Bromochloromethane	U	1.0									

Qualifiers: E Value above quantitation range
LOD Limit of Detection
R RPD outside accepted recovery limits

H Holding times for preparation or analysis exceeded
LOQ Limit of Quantitation
S Spike Recovery outside accepted recovery limits

J Analyte detected below quantitation li
ND Not Detected at the Reporting Limit
U Indicates the compound was analyzed

CLIENT: Leggette Brashears & Graham Inc.
Work Order: 0806219
Project: Rowe

ANALYTICAL QC SUMMARY REPORT

TestCode: 8260MTBE113_W

Sample ID: VBLK-062308Y	SampType: MBLK	TestCode: 8260MTBE11	Units: µg/L	Prep Date:	RunNo: 36408						
Client ID: PBW	Batch ID: R36408a	TestNo: SW8260B		Analysis Date: 6/23/2008	SeqNo: 471545						
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Bromodichloromethane	U	1.0									
Bromoform	U	1.0									
Bromomethane	U	1.0									
Carbon disulfide	U	1.0									
Carbon tetrachloride	U	1.0									
Chlorobenzene	U	1.0									
Chloroethane	U	1.0									
Chloroform	U	1.0									
Chloromethane	U	1.0									
cis-1,2-Dichloroethene	U	1.0									
cis-1,3-Dichloropropene	U	1.0									
Dibromochloromethane	U	1.0									
Dibromomethane	U	1.0									
Dichlorodifluoromethane	U	1.0									
Ethylbenzene	U	1.0									
Hexachlorobutadiene	U	1.0									
Isopropylbenzene	U	1.0									
m,p-Xylene	U	2.0									
Methyl tert-butyl ether	U	1.0									
Methylene chloride	U	1.0									
Naphthalene	U	1.0									
n-Butylbenzene	U	1.0									
n-Propylbenzene	U	1.0									
o-Xylene	U	1.0									
sec-Butylbenzene	U	1.0									
Styrene	U	1.0									
tert-Butylbenzene	U	1.0									
Tetrachloroethene	U	1.0									
Toluene	U	1.0									
trans-1,2-Dichloroethene	U	1.0									
trans-1,3-Dichloropropene	U	1.0									

Qualifiers:	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation li
LOD	Limit of Detection	LOQ	Limit of Quantitation	ND	Not Detected at the Reporting Limit	
R	RPD outside accepted recovery limits	S	Spike Recovery outside accepted recovery limits	U	Indicates the compound was analyzed	

CLIENT: Leggette Brashears & Graham Inc.
Work Order: 0806219
Project: Rowe

ANALYTICAL QC SUMMARY REPORT

TestCode: 8260MTBE113_W

Sample ID: VBLK-062308Y	SampType: MBLK	TestCode: 8260MTBE11	Units: µg/L	Prep Date:	RunNo: 36408						
Client ID: PBW	Batch ID: R36408a	TestNo: SW8260B		Analysis Date: 6/23/2008	SeqNo: 471545						
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Trichloroethene	U	1.0									
Trichlorofluoromethane	U	1.0									
Vinyl acetate	U	1.0									
Vinyl chloride	U	1.0									
Surr: 4-Bromofluorobenzene	49		50.00		97.4	54	134				
Surr: Dibromofluoromethane	49		50.00		98.5	52	132				
Surr: Toluene-d8	51		50.00		103	51	127				

Qualifiers:	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation li
	LOD	Limit of Detection	LOQ	Limit of Quantitation	ND	Not Detected at the Reporting Limit
	R	RPD outside accepted recovery limits	S	Spike Recovery outside accepted recovery limits	U	Indicates the compound was analyzed

CLIENT: Leggett Brashears & Graham Inc.
Work Order: 0806219
Project: Rowe

ANALYTICAL QC SUMMARY REPORT

TestCode: FE_D

Sample ID: 0806219-07C-MS	SampType: MS	TestCode: FE_D	Units: mg/L	Prep Date: 6/19/2008	RunNo: 36238						
Client ID: GWQ061708:1130N	Batch ID: 21811	TestNo: E200.7	SW3005A	Analysis Date: 6/20/2008	SeqNo: 469336						
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Iron	2.12	0.0200	1.000	1.164	95.4	68	122				

Sample ID: 0806219-07C-MSD	SampType: MSD	TestCode: FE_D	Units: mg/L	Prep Date: 6/19/2008	RunNo: 36238						
Client ID: GWQ061708:1130N	Batch ID: 21811	TestNo: E200.7	SW3005A	Analysis Date: 6/20/2008	SeqNo: 469337						
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Iron	2.12	0.0200	1.000	1.164	95.3	68	122	2.118	0.0359	20	

Sample ID: LCSW-061908B	SampType: LCS	TestCode: FE_D	Units: mg/L	Prep Date: 6/19/2008	RunNo: 36238						
Client ID: LCSW	Batch ID: 21811	TestNo: E200.7	SW3005A	Analysis Date: 6/20/2008	SeqNo: 469437						
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Iron	2.02	0.0200	2.000	0	101	68	122				

Qualifiers: E Value above quantitation range
LOD Limit of Detection
R RPD outside accepted recovery limits

H Holding times for preparation or analysis exceeded
LOQ Limit of Quantitation
S Spike Recovery outside accepted recovery limits

J Analyte detected below quantitation fi
ND Not Detected at the Reporting Limit
U Indicates the compound was analyzed

CLIENT: Leggett Brashears & Graham Inc.
Work Order: 0806219
Project: Rowe

ANALYTICAL QC SUMMARY REPORT

TestCode: FE_T

Sample ID: PBW-061908A	SampType: MBLK	TestCode: FE_T	Units: mg/L	Prep Date: 6/19/2008	RunNo: 36238					
Client ID: PBW	Batch ID: 21811	TestNo: E200.7	SW3005A	Analysis Date: 6/20/2008	SeqNo: 469354					
Analyte	Result	PQL	SPK value	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Iron	U	0.0200								

Sample ID: LCSW-061908A	SampType: LCS	TestCode: FE_T	Units: mg/L	Prep Date: 6/19/2008	RunNo: 36238					
Client ID: LCSW	Batch ID: 21811	TestNo: E200.7	SW3005A	Analysis Date: 6/20/2008	SeqNo: 469355					
Analyte	Result	PQL	SPK value	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Iron	1.95	0.0200	2.000	0	97.6	68	122			

Sample ID: 0806219-07B-MS	SampType: MS	TestCode: FE_T	Units: mg/L	Prep Date: 6/19/2008	RunNo: 36238					
Client ID: GWQ061708:1130N	Batch ID: 21811	TestNo: E200.7	SW3005A	Analysis Date: 6/20/2008	SeqNo: 469725					
Analyte	Result	PQL	SPK value	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Iron	7.47	0.0200	1.000	74.1	68	122				

Sample ID: 0806219-07B-MSD	SampType: MSD	TestCode: FE_T	Units: mg/L	Prep Date: 6/19/2008	RunNo: 36238					
Client ID: GWQ061708:1130N	Batch ID: 21811	TestNo: E200.7	SW3005A	Analysis Date: 6/20/2008	SeqNo: 469726					
Analyte	Result	PQL	SPK value	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Iron	7.47	0.0200	1.000	6.729	73.7	68	122	7.470	0.0538	20

Qualifiers: E Value above quantitation range
LOD Limit of Detection
R RPD outside accepted recovery limits

H Holding times for preparation or analysis exceeded
LOQ Limit of Quantitation
S Spike Recovery outside accepted recovery limits

J Analyte detected below quantitation li
ND Not Detected at the Reporting Limit
U Indicates the compound was analyzed

Monday, June 30, 2008

Mark Goldberg
Leggette Brashears & Graham Inc.
4 Research Drive
Suite 301
Shelton, CT 06484

TEL: (203) 929-8555
FAX (203) 926-9140

RE: Rowe

Order No.: 0806344

Dear Mark Goldberg:

American Analytical Laboratories, LLC. received 3 sample(s) on 6/26/2008 for the analyses presented in the following report.

Samples were analyzed in accordance with the test procedures documented on the chain of custody and detailed throughout the text of this report.

The results reported herein relate only to the items tested or to the samples as received by the laboratory. This report may not be reproduced, except in full, without the approval of American Analytical Laboratories, LLC and is not considered complete without a cover page and chain of custody documentation. The limits (LOQ) provided in the data package are analytical reporting limits and not Federal or Local mandated values to which the sample results should be compared.

There were no problems with the analyses and all data for associated QC met laboratory specifications. If there are any exceptions a Case Narrative is provided in the report. This package has been reviewed by American Analytical Laboratories' QA Department/Laboratory Director to comply with NELAC standards prior to report submittal.

If you have any questions regarding these tests results, please do not hesitate to call (631) 454-6100 or email me directly at lbeyer@american-analytical.com.

Sincerely,



Lori Beyer
Lab Director

American Analytical Laboratories, LLC.

Date: 30-Jun-08

CLIENT: Leggette Brashears & Graham Inc.
Project: Rowe
Lab Order: 0806344

Work Order Sample Summary

Lab Sample ID	Client Sample ID	Date Collected	Date Received
0806344-01A	WQ062508:730NP2-6	6/25/2008 7:30:00 AM	6/26/2008
0806344-01B	WQ062508:730NP2-6	6/25/2008 7:30:00 AM	6/26/2008
0806344-01C	WQ062508:730NP2-6	6/25/2008 7:30:00 AM	6/26/2008
0806344-02A	WQ062508:735NP2-7	6/25/2008 7:35:00 AM	6/26/2008
0806344-02B	WQ062508:735NP2-7	6/25/2008 7:35:00 AM	6/26/2008
0806344-02C	WQ062508:735NP2-7	6/25/2008 7:35:00 AM	6/26/2008
0806344-03A	WQ062508:740NP2-10	6/25/2008 7:40:00 AM	6/26/2008
0806344-03B	WQ062508:740NP2-10	6/25/2008 7:40:00 AM	6/26/2008
0806344-03C	WQ062508:740NP2-10	6/25/2008 7:40:00 AM	6/26/2008
0806344-03D	WQ062508:740NP2-10	6/25/2008 7:40:00 AM	6/26/2008

[illegible]

WHITE-OFFICE / CANARY-LAB / PINK-SAMPLE CUSTODIAN / GOLDENROD-CLIENT

AMERICAN ANALYTICAL LABORATORIES, LLC

56 TOLEDO STREET

FARMINGDALE, NEW YORK 11735

TELEPHONE: (631) 454-6100 FAX: (631) 454-8027

DATA REPORTING QUALIFIERS

For reporting results, the following "Results Qualifiers" are used:

Value	If the result is greater than or equal to the detection limit, report the value
U	Indicates the compound was analyzed for but was not detected. Report the minimum detection limit for the sample with the U, i.e. "10U". This is not necessarily the instrument detection limit attainable for this particular sample based on any concentration or dilution that may have been required.
J	Indicates an estimated value. The flag is used: (1) When estimating a concentration for a tentatively identified compound (library search hits, where a 1:1 response is assumed.) (2) When the mass spectral data indicated the identification, however the result was less than the specified detection limit greater than zero. If the detection limit was 10ug/L and a concentration of 3ug/L was calculated report as 3J. This flag is used when similar situations arise on any organic parameter i.e. Pesticide, PCBs and others.
B	Indicates the analyte was found in the blank as well as the sample report "10B".
E	Indicates the analytes concentration exceeds the calibrated range of the instrument for that specific analysis.
D	This flag identifies all compounds identified in an analysis at a secondary dilution factor.
P	This flag is used for Pesticide / PCB target analyte when there is >25% difference for detected concentrations between the two GC Columns. The higher of the two values is reported on Form I and flagged with a "P".
N	This flag indicates presumptive evidence of a compound. This is only used for tentatively identified compounds (TICs), where the identification is based on a mass spectral library search. It applies to all TIC results. For generic characterization of a TIC, such as chlorinated hydrocarbon, the flag is not used.
H	Indicates sample was received and/or analyzed outside of The method allowable holding time

American Analytical Laboratories, LLC.

Date: 30-Jun-08

ELAP ID : 11418

CLIENT: Leggette Brashears & Graham Inc.
Lab Order: 0806344
Project: Rowe
Lab ID: 0806344-01A

Client Sample ID: WQ062508:730NP2-6
Collection Date: 6/25/2008 7:30:00 AM
Matrix: LIQUID

Certificate of Results

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
VOLATILE SW-846 8260 + MTBE & FREON113			SW8260B			Analyst: LA	
1,1,1,2-Tetrachloroethane	U	0.09	1.0		µg/L	1	6/27/2008 2:09:00 PM
1,1,1-Trichloroethane	1.3	0.17	1.0		µg/L	1	6/27/2008 2:09:00 PM
1,1,2,2-Tetrachloroethane	U	0.06	1.0		µg/L	1	6/27/2008 2:09:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	U	0.13	1.0		µg/L	1	6/27/2008 2:09:00 PM
1,1,2-Trichloroethane	U	0.07	1.0		µg/L	1	6/27/2008 2:09:00 PM
1,1-Dichloroethane	U	0.11	1.0		µg/L	1	6/27/2008 2:09:00 PM
1,1-Dichloroethene	U	0.15	1.0		µg/L	1	6/27/2008 2:09:00 PM
1,1-Dichloropropene	U	0.12	1.0		µg/L	1	6/27/2008 2:09:00 PM
1,2,3-Trichlorobenzene	U	0.07	1.0		µg/L	1	6/27/2008 2:09:00 PM
1,2,3-Trichloropropane	U	0.08	1.0		µg/L	1	6/27/2008 2:09:00 PM
1,2,4-Trichlorobenzene	U	0.07	1.0		µg/L	1	6/27/2008 2:09:00 PM
1,2,4-Trimethylbenzene	U	0.09	1.0		µg/L	1	6/27/2008 2:09:00 PM
1,2-Dibromo-3-chloropropane	U	0.09	1.0		µg/L	1	6/27/2008 2:09:00 PM
1,2-Dibromoethane	U	0.06	1.0		µg/L	1	6/27/2008 2:09:00 PM
1,2-Dichlorobenzene	U	0.08	1.0		µg/L	1	6/27/2008 2:09:00 PM
1,2-Dichloroethane	U	0.08	1.0		µg/L	1	6/27/2008 2:09:00 PM
1,2-Dichloropropane	U	0.1	1.0		µg/L	1	6/27/2008 2:09:00 PM
1,3,5-Trimethylbenzene	U	0.11	1.0		µg/L	1	6/27/2008 2:09:00 PM
1,3-Dichlorobenzene	U	0.08	1.0		µg/L	1	6/27/2008 2:09:00 PM
1,3-dichloropropane	U	0.08	1.0		µg/L	1	6/27/2008 2:09:00 PM
1,4-Dichlorobenzene	U	0.08	1.0		µg/L	1	6/27/2008 2:09:00 PM
2,2-Dichloropropane	U	0.11	1.0		µg/L	1	6/27/2008 2:09:00 PM
2-Butanone	U	1.28	3.0		µg/L	1	6/27/2008 2:09:00 PM
2-Chloroethyl vinyl ether	U	0.08	1.0		µg/L	1	6/27/2008 2:09:00 PM
2-Chlorotoluene	U	0.09	1.0		µg/L	1	6/27/2008 2:09:00 PM
2-Hexanone	U	0.22	2.0		µg/L	1	6/27/2008 2:09:00 PM
4-Chlorotoluene	U	0.09	1.0		µg/L	1	6/27/2008 2:09:00 PM
4-Isopropyltoluene	U	0.1	1.0		µg/L	1	6/27/2008 2:09:00 PM
4-Methyl-2-pentanone	U	0.21	2.0		µg/L	1	6/27/2008 2:09:00 PM
Acetone	U	0.19	2.0		µg/L	1	6/27/2008 2:09:00 PM
Benzene	U	0.11	1.0		µg/L	1	6/27/2008 2:09:00 PM
Bromobenzene	U	0.07	1.0		µg/L	1	6/27/2008 2:09:00 PM
Bromochloromethane	U	0.4	1.0		µg/L	1	6/27/2008 2:09:00 PM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735

Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



Qualifiers:	*	Value exceeds Maximum Contaminant Level	B	Analyte detected in the associated Method Blank
	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded
	J	Analyte detected below quantitation limits	LOD	Limit of Detection
	LOQ	Limit of Quantitation	ND	Not Detected at the Reporting Limit
	S	Spike Recovery outside accepted recovery limits	U	Indicates the compound was analyzed but not detected.

American Analytical Laboratories, LLC.

Date: 30-Jun-08

ELAP ID : 11418

CLIENT: Leggette Brashears & Graham Inc.
Lab Order: 0806344
Project: Rowe
Lab ID: 0806344-01A

Client Sample ID: WQ062508:730NP2-6
Collection Date: 6/25/2008 7:30:00 AM
Matrix: LIQUID

Certificate of Results

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
VOLATILE SW-846 8260 + MTBE & FREON113			SW8260B			Analyst: LA	
Bromodichloromethane	U	0.08	1.0		µg/L	1	6/27/2008 2:09:00 PM
Bromoform	U	0.06	1.0		µg/L	1	6/27/2008 2:09:00 PM
Bromomethane	U	0.17	1.0		µg/L	1	6/27/2008 2:09:00 PM
Carbon disulfide	U	0.14	1.0		µg/L	1	6/27/2008 2:09:00 PM
Carbon tetrachloride	U	0.16	1.0		µg/L	1	6/27/2008 2:09:00 PM
Chlorobenzene	U	0.09	1.0		µg/L	1	6/27/2008 2:09:00 PM
Chloroethane	U	0.16	1.0		µg/L	1	6/27/2008 2:09:00 PM
Chloroform	U	0.1	1.0		µg/L	1	6/27/2008 2:09:00 PM
Chloromethane	U	0.18	1.0		µg/L	1	6/27/2008 2:09:00 PM
cis-1,2-Dichloroethene	U	0.11	1.0		µg/L	1	6/27/2008 2:09:00 PM
cis-1,3-Dichloropropene	U	0.08	1.0		µg/L	1	6/27/2008 2:09:00 PM
Dibromochloromethane	U	0.07	1.0		µg/L	1	6/27/2008 2:09:00 PM
Dibromomethane	U	0.07	1.0		µg/L	1	6/27/2008 2:09:00 PM
Dichlorodifluoromethane	U	0.15	1.0		µg/L	1	6/27/2008 2:09:00 PM
Ethylbenzene	U	0.1	1.0		µg/L	1	6/27/2008 2:09:00 PM
Hexachlorobutadiene	U	0.12	1.0		µg/L	1	6/27/2008 2:09:00 PM
Isopropylbenzene	U	0.11	1.0		µg/L	1	6/27/2008 2:09:00 PM
m,p-Xylene	U	0.2	2.0		µg/L	1	6/27/2008 2:09:00 PM
Methyl tert-butyl ether	U	0.08	1.0		µg/L	1	6/27/2008 2:09:00 PM
Methylene chloride	U	0.08	1.0		µg/L	1	6/27/2008 2:09:00 PM
Naphthalene	U	0.08	1.0		µg/L	1	6/27/2008 2:09:00 PM
n-Butylbenzene	U	0.11	1.0		µg/L	1	6/27/2008 2:09:00 PM
n-Propylbenzene	U	0.11	1.0		µg/L	1	6/27/2008 2:09:00 PM
o-Xylene	U	0.1	1.0		µg/L	1	6/27/2008 2:09:00 PM
sec-Butylbenzene	U	0.1	1.0		µg/L	1	6/27/2008 2:09:00 PM
Styrene	U	0.08	1.0		µg/L	1	6/27/2008 2:09:00 PM
tert-Butylbenzene	U	0.1	1.0		µg/L	1	6/27/2008 2:09:00 PM
Tetrachloroethene	3.0	0.12	1.0		µg/L	1	6/27/2008 2:09:00 PM
Toluene	U	0.12	1.0		µg/L	1	6/27/2008 2:09:00 PM
trans-1,2-Dichloroethene	U	0.12	1.0		µg/L	1	6/27/2008 2:09:00 PM
trans-1,3-Dichloropropene	U	0.07	1.0		µg/L	1	6/27/2008 2:09:00 PM
Trichloroethene	U	0.13	1.0		µg/L	1	6/27/2008 2:09:00 PM
Trichlorofluoromethane	U	0.15	1.0		µg/L	1	6/27/2008 2:09:00 PM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735

Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



Qualifiers:	*	Value exceeds Maximum Contaminant Level	B	Analyte detected in the associated Method Blank
	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded
	J	Analyte detected below quantitation limits	LOD	Limit of Detection
	LOQ	Limit of Quantitation	ND	Not Detected at the Reporting Limit
	S	Spike Recovery outside accepted recovery limits	U	Indicates the compound was analyzed but not detected.

American Analytical Laboratories, LLC.

Date: 30-Jun-08

ELAP ID : 11418**CLIENT:** Leggette Brashears & Graham Inc.**Client Sample ID:** WQ062508:730NP2-6**Lab Order:** 0806344**Collection Date:** 6/25/2008 7:30:00 AM**Project:** Rowe**Matrix:** LIQUID**Lab ID:** 0806344-01A**Certificate of Results**

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
VOLATILE SW-846 8260 + MTBE & FREON113			SW8260B			Analyst: LA	
Vinyl acetate	U	0.06	1.0		µg/L	1	6/27/2008 2:09:00 PM
Vinyl chloride	U	0.14	1.0		µg/L	1	6/27/2008 2:09:00 PM
Surr: 4-Bromofluorobenzene	83.1	0	54-134		%REC	1	6/27/2008 2:09:00 PM
Surr: Dibromofluoromethane	101	0	52-132		%REC	1	6/27/2008 2:09:00 PM
Surr: Toluene-d8	104	0	51-127		%REC	1	6/27/2008 2:09:00 PM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735

Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



Qualifiers:

- * Value exceeds Maximum Contaminant Level
- E Value above quantitation range
- J Analyte detected below quantitation limits
- LOQ Limit of Quantitation
- S Spike Recovery outside accepted recovery limits

- B Analyte detected in the associated Method Blank
- H Holding times for preparation or analysis exceeded
- LOD Limit of Detection
- ND Not Detected at the Reporting Limit
- U Indicates the compound was analyzed but not detected.

American Analytical Laboratories, LLC.

Date: 30-Jun-08

ELAP ID : 11418

CLIENT: Leggette Brashears & Graham Inc.

Client Sample ID: WQ062508:730NP2-6

Lab Order: 0806344

Collection Date: 6/25/2008 7:30:00 AM

Project: Rowe

Matrix: LIQUID

Lab ID: 0806344-01B

Certificate of Results

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
TOTAL IRON				E200.7	SW3010A		Analyst: AH
Iron	1.55	0.005	0.0200		mg/L	1	6/27/2008 10:36:51 AM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735

Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



Qualifiers:	*	Value exceeds Maximum Contaminant Level	B	Analyte detected in the associated Method Blank
	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded
	J	Analyte detected below quantitation limits	LOD	Limit of Detection
	LOQ	Limit of Quantitation	ND	Not Detected at the Reporting Limit
	S	Spike Recovery outside accepted recovery limits	U	Indicates the compound was analyzed but not detected.

American Analytical Laboratories, LLC.

Date: 30-Jun-08

ELAP ID : 11418

CLIENT: Leggette Brashears & Graham Inc.

Client Sample ID: WQ062508:730NP2-6

Lab Order: 0806344

Collection Date: 6/25/2008 7:30:00 AM

Project: Rowe

Matrix: LIQUID

Lab ID: 0806344-01C

Certificate of Results

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
DISSOLVED IRON				E200.7	SW3010A		Analyst: AH
Iron	0.186	0.005	0.0200		mg/L	1	6/27/2008 10:34:48 AM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735

Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



Qualifiers:

- * Value exceeds Maximum Contaminant Level
- E Value above quantitation range
- J Analyte detected below quantitation limits
- LOQ Limit of Quantitation
- S Spike Recovery outside accepted recovery limits

- B Analyte detected in the associated Method Blank
- H Holding times for preparation or analysis exceeded
- LOD Limit of Detection
- ND Not Detected at the Reporting Limit
- U Indicates the compound was analyzed but not detected.

American Analytical Laboratories, LLC.

Date: 30-Jun-08

ELAP ID : 11418

CLIENT: Leggette Brashears & Graham Inc.
Lab Order: 0806344
Project: Rowe
Lab ID: 0806344-02A

Client Sample ID: WQ062508:735NP2-7
Collection Date: 6/25/2008 7:35:00 AM
Matrix: LIQUID

Certificate of Results

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
VOLATILE SW-846 8260 + MTBE & FREON113			SW8260B			Analyst: LA	
1,1,1,2-Tetrachloroethane	U	0.09	1.0		µg/L	1	6/27/2008 2:42:00 PM
1,1,1-Trichloroethane	U	0.17	1.0		µg/L	1	6/27/2008 2:42:00 PM
1,1,2,2-Tetrachloroethane	U	0.06	1.0		µg/L	1	6/27/2008 2:42:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	U	0.13	1.0		µg/L	1	6/27/2008 2:42:00 PM
1,1,2-Trichloroethane	U	0.07	1.0		µg/L	1	6/27/2008 2:42:00 PM
1,1-Dichloroethane	U	0.11	1.0		µg/L	1	6/27/2008 2:42:00 PM
1,1-Dichloroethene	U	0.15	1.0		µg/L	1	6/27/2008 2:42:00 PM
1,1-Dichloropropene	U	0.12	1.0		µg/L	1	6/27/2008 2:42:00 PM
1,2,3-Trichlorobenzene	U	0.07	1.0		µg/L	1	6/27/2008 2:42:00 PM
1,2,3-Trichloropropane	U	0.08	1.0		µg/L	1	6/27/2008 2:42:00 PM
1,2,4-Trichlorobenzene	U	0.07	1.0		µg/L	1	6/27/2008 2:42:00 PM
1,2,4-Trimethylbenzene	U	0.09	1.0		µg/L	1	6/27/2008 2:42:00 PM
1,2-Dibromo-3-chloropropane	U	0.09	1.0		µg/L	1	6/27/2008 2:42:00 PM
1,2-Dibromoethane	U	0.06	1.0		µg/L	1	6/27/2008 2:42:00 PM
1,2-Dichlorobenzene	U	0.08	1.0		µg/L	1	6/27/2008 2:42:00 PM
1,2-Dichloroethane	U	0.08	1.0		µg/L	1	6/27/2008 2:42:00 PM
1,2-Dichloropropane	U	0.1	1.0		µg/L	1	6/27/2008 2:42:00 PM
1,3,5-Trimethylbenzene	U	0.11	1.0		µg/L	1	6/27/2008 2:42:00 PM
1,3-Dichlorobenzene	U	0.08	1.0		µg/L	1	6/27/2008 2:42:00 PM
1,3-dichloropropane	U	0.08	1.0		µg/L	1	6/27/2008 2:42:00 PM
1,4-Dichlorobenzene	U	0.08	1.0		µg/L	1	6/27/2008 2:42:00 PM
2,2-Dichloropropane	U	0.11	1.0		µg/L	1	6/27/2008 2:42:00 PM
2-Butanone	U	1.28	3.0		µg/L	1	6/27/2008 2:42:00 PM
2-Chloroethyl vinyl ether	U	0.08	1.0		µg/L	1	6/27/2008 2:42:00 PM
2-Chlorotoluene	U	0.09	1.0		µg/L	1	6/27/2008 2:42:00 PM
2-Hexanone	U	0.22	2.0		µg/L	1	6/27/2008 2:42:00 PM
4-Chlorotoluene	U	0.09	1.0		µg/L	1	6/27/2008 2:42:00 PM
4-Isopropyltoluene	U	0.1	1.0		µg/L	1	6/27/2008 2:42:00 PM
4-Methyl-2-pentanone	U	0.21	2.0		µg/L	1	6/27/2008 2:42:00 PM
Acetone	U	0.19	2.0		µg/L	1	6/27/2008 2:42:00 PM
Benzene	U	0.11	1.0		µg/L	1	6/27/2008 2:42:00 PM
Bromobenzene	U	0.07	1.0		µg/L	1	6/27/2008 2:42:00 PM
Bromochloromethane	U	0.4	1.0		µg/L	1	6/27/2008 2:42:00 PM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735
Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



Qualifiers:	*	Value exceeds Maximum Contaminant Level	B	Analyte detected in the associated Method Blank
	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded
	J	Analyte detected below quantitation limits	LOD	Limit of Detection
	LOQ	Limit of Quantitation	ND	Not Detected at the Reporting Limit
	S	Spike Recovery outside accepted recovery limits	U	Indicates the compound was analyzed but not detected.

American Analytical Laboratories, LLC.

Date: 30-Jun-08

ELAP ID : 11418

CLIENT: Leggette Brashears & Graham Inc.
Lab Order: 0806344
Project: Rowe
Lab ID: 0806344-02A

Client Sample ID: WQ062508:735NP2-7
Collection Date: 6/25/2008 7:35:00 AM
Matrix: LIQUID

Certificate of Results

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
VOLATILE SW-846 8260 + MTBE & FREON113			SW8260B			Analyst: LA	
Bromodichloromethane	U	0.08	1.0		µg/L	1	6/27/2008 2:42:00 PM
Bromoform	U	0.06	1.0		µg/L	1	6/27/2008 2:42:00 PM
Bromomethane	U	0.17	1.0		µg/L	1	6/27/2008 2:42:00 PM
Carbon disulfide	U	0.14	1.0		µg/L	1	6/27/2008 2:42:00 PM
Carbon tetrachloride	U	0.16	1.0		µg/L	1	6/27/2008 2:42:00 PM
Chlorobenzene	U	0.09	1.0		µg/L	1	6/27/2008 2:42:00 PM
Chloroethane	U	0.16	1.0		µg/L	1	6/27/2008 2:42:00 PM
Chloroform	U	0.1	1.0		µg/L	1	6/27/2008 2:42:00 PM
Chloromethane	U	0.18	1.0		µg/L	1	6/27/2008 2:42:00 PM
cis-1,2-Dichloroethene	U	0.11	1.0		µg/L	1	6/27/2008 2:42:00 PM
cis-1,3-Dichloropropene	U	0.08	1.0		µg/L	1	6/27/2008 2:42:00 PM
Dibromochloromethane	U	0.07	1.0		µg/L	1	6/27/2008 2:42:00 PM
Dibromomethane	U	0.07	1.0		µg/L	1	6/27/2008 2:42:00 PM
Dichlorodifluoromethane	U	0.15	1.0		µg/L	1	6/27/2008 2:42:00 PM
Ethylbenzene	U	0.1	1.0		µg/L	1	6/27/2008 2:42:00 PM
Hexachlorobutadiene	U	0.12	1.0		µg/L	1	6/27/2008 2:42:00 PM
Isopropylbenzene	U	0.11	1.0		µg/L	1	6/27/2008 2:42:00 PM
m,p-Xylene	U	0.2	2.0		µg/L	1	6/27/2008 2:42:00 PM
Methyl tert-butyl ether	U	0.08	1.0		µg/L	1	6/27/2008 2:42:00 PM
Methylene chloride	U	0.08	1.0		µg/L	1	6/27/2008 2:42:00 PM
Naphthalene	U	0.08	1.0		µg/L	1	6/27/2008 2:42:00 PM
n-Butylbenzene	U	0.11	1.0		µg/L	1	6/27/2008 2:42:00 PM
n-Propylbenzene	U	0.11	1.0		µg/L	1	6/27/2008 2:42:00 PM
o-Xylene	U	0.1	1.0		µg/L	1	6/27/2008 2:42:00 PM
sec-Butylbenzene	U	0.1	1.0		µg/L	1	6/27/2008 2:42:00 PM
Styrene	U	0.08	1.0		µg/L	1	6/27/2008 2:42:00 PM
tert-Butylbenzene	U	0.1	1.0		µg/L	1	6/27/2008 2:42:00 PM
Tetrachloroethene	U	0.12	1.0		µg/L	1	6/27/2008 2:42:00 PM
Toluene	U	0.12	1.0		µg/L	1	6/27/2008 2:42:00 PM
trans-1,2-Dichloroethene	U	0.12	1.0		µg/L	1	6/27/2008 2:42:00 PM
trans-1,3-Dichloropropene	U	0.07	1.0		µg/L	1	6/27/2008 2:42:00 PM
Trichloroethene	U	0.13	1.0		µg/L	1	6/27/2008 2:42:00 PM
Trichlorofluoromethane	U	0.15	1.0		µg/L	1	6/27/2008 2:42:00 PM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735

Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



Qualifiers: * Value exceeds Maximum Contaminant Level
E Value above quantitation range
J Analyte detected below quantitation limits
LOQ Limit of Quantitation
S Spike Recovery outside accepted recovery limits

B Analyte detected in the associated Method Blank
H Holding times for preparation or analysis exceeded
LOD Limit of Detection
ND Not Detected at the Reporting Limit
U Indicates the compound was analyzed but not detected.

American Analytical Laboratories, LLC.

Date: 30-Jun-08

ELAP ID : 11418**CLIENT:** Leggette Brashears & Graham Inc.**Client Sample ID:** WQ062508:735NP2-7**Lab Order:** 0806344**Collection Date:** 6/25/2008 7:35:00 AM**Project:** Rowe**Matrix:** LIQUID**Lab ID:** 0806344-02A**Certificate of Results**

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
VOLATILE SW-846 8260 + MTBE & FREON113			SW8260B			Analyst: LA	
Vinyl acetate	U	0.06	1.0		µg/L	1	6/27/2008 2:42:00 PM
Vinyl chloride	U	0.14	1.0		µg/L	1	6/27/2008 2:42:00 PM
Surr: 4-Bromofluorobenzene	83.3	0	54-134		%REC	1	6/27/2008 2:42:00 PM
Surr: Dibromofluoromethane	110	0	52-132		%REC	1	6/27/2008 2:42:00 PM
Surr: Toluene-d8	101	0	51-127		%REC	1	6/27/2008 2:42:00 PM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735

Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



Qualifiers:

- * Value exceeds Maximum Contaminant Level
- E Value above quantitation range
- J Analyte detected below quantitation limits
- LOQ Limit of Quantitation
- S Spike Recovery outside accepted recovery limits

- B Analyte detected in the associated Method Blank
- H Holding times for preparation or analysis exceeded
- LOD Limit of Detection
- ND Not Detected at the Reporting Limit
- U Indicates the compound was analyzed but not detected.

American Analytical Laboratories, LLC.

Date: 30-Jun-08

ELAP ID : 11418

CLIENT: Leggette Brashears & Graham Inc.

Client Sample ID: WQ062508:735NP2-7

Lab Order: 0806344

Collection Date: 6/25/2008 7:35:00 AM

Project: Rowe

Matrix: LIQUID

Lab ID: 0806344-02B

Certificate of Results

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
TOTAL IRON			E200.7		SW3010A		Analyst: AH
Iron	1.58	0.005	0.0200		mg/L	1	6/27/2008 10:40:58 AM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735

Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



Qualifiers:	*	Value exceeds Maximum Contaminant Level	B	Analyte detected in the associated Method Blank
	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded
	J	Analyte detected below quantitation limits	LOD	Limit of Detection
LOQ		Limit of Quantitation	ND	Not Detected at the Reporting Limit
	S	Spike Recovery outside accepted recovery limits	U	Indicates the compound was analyzed but not detected.

American Analytical Laboratories, LLC.

Date: 30-Jun-08

ELAP ID : 11418

CLIENT: Leggette Brashears & Graham Inc.

Client Sample ID: WQ062508:735NP2-7

Lab Order: 0806344

Collection Date: 6/25/2008 7:35:00 AM

Project: Rowe

Matrix: LIQUID

Lab ID: 0806344-02C

Certificate of Results

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
DISSOLVED IRON			E200.7		SW3010A		Analyst: AH
Iron	0.148	0.005	0.0200		mg/L	1	6/27/2008 10:38:54 AM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735

Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



Qualifiers: * Value exceeds Maximum Contaminant Level
E Value above quantitation range
J Analyte detected below quantitation limits
LOQ Limit of Quantitation
S Spike Recovery outside accepted recovery limits

B Analyte detected in the associated Method Blank
H Holding times for preparation or analysis exceeded
LOD Limit of Detection
ND Not Detected at the Reporting Limit
U Indicates the compound was analyzed but not detected.

American Analytical Laboratories, LLC.

Date: 30-Jun-08

ELAP ID : 11418

CLIENT: Leggette Brashears & Graham Inc.
Lab Order: 0806344
Project: Rowe
Lab ID: 0806344-03A

Client Sample ID: WQ062508:740NP2-10
Collection Date: 6/25/2008 7:40:00 AM
Matrix: LIQUID

Certificate of Results

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
VOLATILE SW-846 8260 + MTBE & FREON113			SW8260B			Analyst: LA	
1,1,1,2-Tetrachloroethane	U	0.09	1.0		µg/L	1	6/27/2008 3:15:00 PM
1,1,1-Trichloroethane	U	0.17	1.0		µg/L	1	6/27/2008 3:15:00 PM
1,1,2,2-Tetrachloroethane	U	0.06	1.0		µg/L	1	6/27/2008 3:15:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	U	0.13	1.0		µg/L	1	6/27/2008 3:15:00 PM
1,1,2-Trichloroethane	U	0.07	1.0		µg/L	1	6/27/2008 3:15:00 PM
1,1-Dichloroethane	U	0.11	1.0		µg/L	1	6/27/2008 3:15:00 PM
1,1-Dichloroethene	U	0.15	1.0		µg/L	1	6/27/2008 3:15:00 PM
1,1-Dichloropropene	U	0.12	1.0		µg/L	1	6/27/2008 3:15:00 PM
1,2,3-Trichlorobenzene	U	0.07	1.0		µg/L	1	6/27/2008 3:15:00 PM
1,2,3-Trichloropropane	U	0.08	1.0		µg/L	1	6/27/2008 3:15:00 PM
1,2,4-Trichlorobenzene	U	0.07	1.0		µg/L	1	6/27/2008 3:15:00 PM
1,2,4-Trimethylbenzene	U	0.09	1.0		µg/L	1	6/27/2008 3:15:00 PM
1,2-Dibromo-3-chloropropane	U	0.09	1.0		µg/L	1	6/27/2008 3:15:00 PM
1,2-Dibromoethane	U	0.06	1.0		µg/L	1	6/27/2008 3:15:00 PM
1,2-Dichlorobenzene	U	0.08	1.0		µg/L	1	6/27/2008 3:15:00 PM
1,2-Dichloroethane	U	0.08	1.0		µg/L	1	6/27/2008 3:15:00 PM
1,2-Dichloropropane	U	0.1	1.0		µg/L	1	6/27/2008 3:15:00 PM
1,3,5-Trimethylbenzene	U	0.11	1.0		µg/L	1	6/27/2008 3:15:00 PM
1,3-Dichlorobenzene	U	0.08	1.0		µg/L	1	6/27/2008 3:15:00 PM
1,3-dichloropropane	U	0.08	1.0		µg/L	1	6/27/2008 3:15:00 PM
1,4-Dichlorobenzene	U	0.08	1.0		µg/L	1	6/27/2008 3:15:00 PM
2,2-Dichloropropane	U	0.11	1.0		µg/L	1	6/27/2008 3:15:00 PM
2-Butanone	U	1.28	3.0		µg/L	1	6/27/2008 3:15:00 PM
2-Chloroethyl vinyl ether	U	0.08	1.0		µg/L	1	6/27/2008 3:15:00 PM
2-Chlorotoluene	U	0.09	1.0		µg/L	1	6/27/2008 3:15:00 PM
2-Hexanone	U	0.22	2.0		µg/L	1	6/27/2008 3:15:00 PM
4-Chlorotoluene	U	0.09	1.0		µg/L	1	6/27/2008 3:15:00 PM
4-Isopropyltoluene	U	0.1	1.0		µg/L	1	6/27/2008 3:15:00 PM
4-Methyl-2-pentanone	U	0.21	2.0		µg/L	1	6/27/2008 3:15:00 PM
Acetone	U	0.19	2.0		µg/L	1	6/27/2008 3:15:00 PM
Benzene	U	0.11	1.0		µg/L	1	6/27/2008 3:15:00 PM
Bromobenzene	U	0.07	1.0		µg/L	1	6/27/2008 3:15:00 PM
Bromochloromethane	U	0.4	1.0		µg/L	1	6/27/2008 3:15:00 PM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735

Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



Qualifiers: * Value exceeds Maximum Contaminant Level
E Value above quantitation range
J Analyte detected below quantitation limits
LOQ Limit of Quantitation
S Spike Recovery outside accepted recovery limits

B Analyte detected in the associated Method Blank
H Holding times for preparation or analysis exceeded
LOD Limit of Detection
ND Not Detected at the Reporting Limit
U Indicates the compound was analyzed but not detected.

American Analytical Laboratories, LLC.

Date: 30-Jun-08

ELAP ID : 11418

CLIENT: Leggette Brashears & Graham Inc.
Lab Order: 0806344
Project: Rowe
Lab ID: 0806344-03A

Client Sample ID: WQ062508:740NP2-10
Collection Date: 6/25/2008 7:40:00 AM
Matrix: LIQUID

Certificate of Results

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
VOLATILE SW-846 8260 + MTBE & FREON113			SW8260B			Analyst: LA	
Bromodichloromethane	U	0.08	1.0		µg/L	1	6/27/2008 3:15:00 PM
Bromoform	U	0.06	1.0		µg/L	1	6/27/2008 3:15:00 PM
Bromomethane	U	0.17	1.0		µg/L	1	6/27/2008 3:15:00 PM
Carbon disulfide	U	0.14	1.0		µg/L	1	6/27/2008 3:15:00 PM
Carbon tetrachloride	U	0.16	1.0		µg/L	1	6/27/2008 3:15:00 PM
Chlorobenzene	U	0.09	1.0		µg/L	1	6/27/2008 3:15:00 PM
Chloroethane	U	0.16	1.0		µg/L	1	6/27/2008 3:15:00 PM
Chloroform	U	0.1	1.0		µg/L	1	6/27/2008 3:15:00 PM
Chloromethane	U	0.18	1.0		µg/L	1	6/27/2008 3:15:00 PM
cis-1,2-Dichloroethene	U	0.11	1.0		µg/L	1	6/27/2008 3:15:00 PM
cis-1,3-Dichloropropene	U	0.08	1.0		µg/L	1	6/27/2008 3:15:00 PM
Dibromochloromethane	U	0.07	1.0		µg/L	1	6/27/2008 3:15:00 PM
Dibromomethane	U	0.07	1.0		µg/L	1	6/27/2008 3:15:00 PM
Dichlorodifluoromethane	U	0.15	1.0		µg/L	1	6/27/2008 3:15:00 PM
Ethylbenzene	U	0.1	1.0		µg/L	1	6/27/2008 3:15:00 PM
Hexachlorobutadiene	U	0.12	1.0		µg/L	1	6/27/2008 3:15:00 PM
Isopropylbenzene	U	0.11	1.0		µg/L	1	6/27/2008 3:15:00 PM
m,p-Xylene	U	0.2	2.0		µg/L	1	6/27/2008 3:15:00 PM
Methyl tert-butyl ether	U	0.08	1.0		µg/L	1	6/27/2008 3:15:00 PM
Methylene chloride	U	0.08	1.0		µg/L	1	6/27/2008 3:15:00 PM
Naphthalene	U	0.08	1.0		µg/L	1	6/27/2008 3:15:00 PM
n-Butylbenzene	U	0.11	1.0		µg/L	1	6/27/2008 3:15:00 PM
n-Propylbenzene	U	0.11	1.0		µg/L	1	6/27/2008 3:15:00 PM
o-Xylene	U	0.1	1.0		µg/L	1	6/27/2008 3:15:00 PM
sec-Butylbenzene	U	0.1	1.0		µg/L	1	6/27/2008 3:15:00 PM
Styrene	U	0.08	1.0		µg/L	1	6/27/2008 3:15:00 PM
tert-Butylbenzene	U	0.1	1.0		µg/L	1	6/27/2008 3:15:00 PM
Tetrachloroethene	U	0.12	1.0		µg/L	1	6/27/2008 3:15:00 PM
Toluene	U	0.12	1.0		µg/L	1	6/27/2008 3:15:00 PM
trans-1,2-Dichloroethene	U	0.12	1.0		µg/L	1	6/27/2008 3:15:00 PM
trans-1,3-Dichloropropene	U	0.07	1.0		µg/L	1	6/27/2008 3:15:00 PM
Trichloroethene	U	0.13	1.0		µg/L	1	6/27/2008 3:15:00 PM
Trichlorofluoromethane	U	0.15	1.0		µg/L	1	6/27/2008 3:15:00 PM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735

Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



Qualifiers:	*	Value exceeds Maximum Contaminant Level	B	Analyte detected in the associated Method Blank
	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded
	J	Analyte detected below quantitation limits	LOD	Limit of Detection
	LOQ	Limit of Quantitation	ND	Not Detected at the Reporting Limit
	S	Spike Recovery outside accepted recovery limits	U	Indicates the compound was analyzed but not detected.

American Analytical Laboratories, LLC.

Date: 30-Jun-08

ELAP ID : 11418**CLIENT:** Leggette Brashears & Graham Inc.**Client Sample ID:** WQ062508:740NP2-10**Lab Order:** 0806344**Collection Date:** 6/25/2008 7:40:00 AM**Project:** Rowe**Matrix:** LIQUID**Lab ID:** 0806344-03A**Certificate of Results**

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
VOLATILE SW-846 8260 + MTBE & FREON113			SW8260B			Analyst: LA	
Vinyl acetate	U	0.06	1.0		µg/L	1	6/27/2008 3:15:00 PM
Vinyl chloride	U	0.14	1.0		µg/L	1	6/27/2008 3:15:00 PM
Surr: 4-Bromofluorobenzene	81.0	0	54-134		%REC	1	6/27/2008 3:15:00 PM
Surr: Dibromofluoromethane	98.2	0	52-132		%REC	1	6/27/2008 3:15:00 PM
Surr: Toluene-d8	102	0	51-127		%REC	1	6/27/2008 3:15:00 PM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735

Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



Qualifiers:

- * Value exceeds Maximum Contaminant Level
- E Value above quantitation range
- J Analyte detected below quantitation limits
- LOQ Limit of Quantitation
- S Spike Recovery outside accepted recovery limits

- B Analyte detected in the associated Method Blank
- H Holding times for preparation or analysis exceeded
- LOD Limit of Detection
- ND Not Detected at the Reporting Limit
- U Indicates the compound was analyzed but not detected.

American Analytical Laboratories, LLC.

Date: 30-Jun-08

ELAP ID : 11418

CLIENT: Leggette Brashears & Graham Inc.
Lab Order: 0806344
Project: Rowe
Lab ID: 0806344-03B

Client Sample ID: WQ062508:740NP2-10
Collection Date: 6/25/2008 7:40:00 AM
Matrix: LIQUID

Certificate of Results

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
TOTAL IRON				E200.7	SW3010A		Analyst: AH
Iron	1.18	0.005	0.0200		mg/L	1	6/27/2008 10:45:03 AM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735
Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



Qualifiers:

- * Value exceeds Maximum Contaminant Level
- E Value above quantitation range
- J Analyte detected below quantitation limits
- LOQ Limit of Quantitation
- S Spike Recovery outside accepted recovery limits

- B Analyte detected in the associated Method Blank
- H Holding times for preparation or analysis exceeded
- LOD Limit of Detection
- ND Not Detected at the Reporting Limit
- U Indicates the compound was analyzed but not detected.

American Analytical Laboratories, LLC.

Date: 30-Jun-08

ELAP ID : 11418

CLIENT: Leggette Brashears & Graham Inc.
Lab Order: 0806344
Project: Rowe
Lab ID: 0806344-03C

Client Sample ID: WQ062508:740NP2-10
Collection Date: 6/25/2008 7:40:00 AM
Matrix: LIQUID

Certificate of Results

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
DISSOLVED IRON				E200.7	SW3010A		Analyst: AH
Iron	0.0433	0.005	0.0200		mg/L	1	6/27/2008 10:43:01 AM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735

Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



Qualifiers:	*	Value exceeds Maximum Contaminant Level	B	Analyte detected in the associated Method Blank
	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded
	J	Analyte detected below quantitation limits	LOD	Limit of Detection
	LOQ	Limit of Quantitation	ND	Not Detected at the Reporting Limit
	S	Spike Recovery outside accepted recovery limits	U	Indicates the compound was analyzed but not detected.

American Analytical Laboratories, LLC.

Date: 30-Jun-08

ELAP ID : 11418

CLIENT: Leggette Brashears & Graham Inc.

Client Sample ID: WQ062508:740NP2-10

Lab Order: 0806344

Collection Date: 6/25/2008 7:40:00 AM

Project: Rowe

Matrix: LIQUID

Lab ID: 0806344-03D

Certificate of Results

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
TOTAL DISSOLVED SOLIDS							Analyst: AS
Total Dissolved Solids (Residue, Filterable)	92.0	0	1.00		mg/L	1	6/27/2008

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735

Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



Qualifiers:	*	Value exceeds Maximum Contaminant Level	B	Analyte detected in the associated Method Blank
	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded
	J	Analyte detected below quantitation limits	LOD	Limit of Detection
	LOQ	Limit of Quantitation	ND	Not Detected at the Reporting Limit
	S	Spike Recovery outside accepted recovery limits	U	Indicates the compound was analyzed but not detected.

Wednesday, July 09, 2008

Mark Goldberg
Leggette Brashears & Graham Inc.
4 Research Drive
Suite 301
Shelton, CT 06484

TEL: (203) 929-8555

FAX (203) 926-9140

RE: Rowe

Order No.: 0807038

Dear Mark Goldberg:

American Analytical Laboratories, LLC. received 1 sample(s) on 7/3/2008 for the analyses presented in the following report.

Samples were analyzed in accordance with the test procedures documented on the chain of custody and detailed throughout the text of this report.

The results reported herein relate only to the items tested or to the samples as received by the laboratory. This report may not be reproduced, except in full, without the approval of American Analytical Laboratories, LLC and is not considered complete without a cover page and chain of custody documentation. The limits (LOQ) provided in the data package are analytical reporting limits and not Federal or Local mandated values to which the sample results should be compared.

There were no problems with the analyses and all data for associated QC met laboratory specifications. If there are any exceptions a Case Narrative is provided in the report. This package has been reviewed by American Analytical Laboratories' QA Department/Laboratory Director to comply with NELAC standards prior to report submittal.

If you have any questions regarding these tests results, please do not hesitate to call (631) 454-6100 or email me directly at lbeyer@american-analytical.com.

Sincerely,



Lori Beyer
Lab Director

American Analytical Laboratories, LLC.

Date: 09-Jul-08

CLIENT: Leggette Brashears & Graham Inc.
Project: Rowe
Lab Order: 0807038

Work Order Sample Summary

Lab Sample ID	Client Sample ID	Tag Number	Date Collected	Date Received
0807038-01A	GWQ070108:1200NPI-1-9		7/1/2008 12:00:00 PM	7/3/2008
0807038-01B	GWQ070108:1200NPI-1-9		7/1/2008 12:00:00 PM	7/3/2008
0807038-01C	GWQ070108:1200NPI-1-9		7/1/2008 12:00:00 PM	7/3/2008

CHAIN OF CUSTODY / REQUEST FOR ANALYSIS DOCUMENT

[illegible]

WHITE-OFFICE / CANARY-LAB / PINK-SAMPLE CUSTODIAN / GOLDENROD-CLIENT

AMERICAN ANALYTICAL LABORATORIES, LLC

56 TOLEDO STREET

FARMINGDALE, NEW YORK 11735

TELEPHONE: (631) 454-6100 FAX: (631) 454-8027

DATA REPORTING QUALIFIERS

For reporting results, the following "Results Qualifiers" are used:

Value	If the result is greater than or equal to the detection limit, report the value.
U	Indicates the compound was analyzed for but was not detected. Report the minimum detection limit for the sample with the U, i.e. "10U". This is not necessarily the instrument detection limit attainable for this particular sample based on any concentration or dilution that may have been required.
J	Indicates an estimated value. The flag is used: (1) When estimating a concentration for a tentatively identified compound (library search hits, where a 1:1 response is assumed.) (2) When the mass spectral data indicated the identification, however the result was less than the specified detection limit greater than zero. If the detection limit was 10ug/L and a concentration of 3ug/L was calculated report as 3J. This flag is used when similar situations arise on any organic parameter i.e. Pesticide, PCBs and others.
B	Indicates the analyte was found in the blank as well as the sample report "10B".
E	Indicates the analytes concentration exceeds the calibrated range of the instrument for that specific analysis.
D	This flag identifies all compounds identified in an analysis at a secondary dilution factor.
P	This flag is used for Pesticide / PCB target analyte when there is >25% difference for detected concentrations between the two GC Columns. The higher of the two values is reported on Form I and flagged with a "P".
N	This flag indicates presumptive evidence of a compound. This is only used for tentatively identified compounds (TICs), where the identification is based on a mass spectral library search. It applies to all TIC results. For generic characterization of a TIC, such as chlorinated hydrocarbon, the flag is not used.
H	Indicates sample was received and/or analyzed outside of the method allowable holding time.

American Analytical Laboratories, LLC.

Date: 09-Jul-08

CLIENT: Leggette Brashears & Graham Inc.
Lab Order: 0807038
Project: Rowe
Lab ID: 0807038-01A

Client Sample ID: GWQ070108:1200NPI-1-9
Tag Number:
Collection Date: 7/1/2008 12:00:00 PM
Matrix: LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILE SW-846 8260 + MTBE & FREON113						Analyst: LA
1,1,1,2-Tetrachloroethane	U	1.0		µg/L	1	7/7/2008 5:19:00 PM
1,1,1-Trichloroethane	U	1.0		µg/L	1	7/7/2008 5:19:00 PM
1,1,2,2-Tetrachloroethane	U	1.0		µg/L	1	7/7/2008 5:19:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	U	1.0		µg/L	1	7/7/2008 5:19:00 PM
1,1,2-Trichloroethane	U	1.0		µg/L	1	7/7/2008 5:19:00 PM
1,1-Dichloroethane	U	1.0		µg/L	1	7/7/2008 5:19:00 PM
1,1-Dichloroethene	U	1.0		µg/L	1	7/7/2008 5:19:00 PM
1,1-Dichloropropene	U	1.0		µg/L	1	7/7/2008 5:19:00 PM
1,2,3-Trichlorobenzene	U	1.0		µg/L	1	7/7/2008 5:19:00 PM
1,2,3-Trichloropropane	U	1.0		µg/L	1	7/7/2008 5:19:00 PM
1,2,4-Trichlorobenzene	U	1.0		µg/L	1	7/7/2008 5:19:00 PM
1,2,4-Trimethylbenzene	U	1.0		µg/L	1	7/7/2008 5:19:00 PM
1,2-Dibromo-3-chloropropane	U	1.0		µg/L	1	7/7/2008 5:19:00 PM
1,2-Dibromoethane	U	1.0		µg/L	1	7/7/2008 5:19:00 PM
1,2-Dichlorobenzene	U	1.0		µg/L	1	7/7/2008 5:19:00 PM
1,2-Dichloroethane	U	1.0		µg/L	1	7/7/2008 5:19:00 PM
1,2-Dichloropropane	U	1.0		µg/L	1	7/7/2008 5:19:00 PM
1,3,5-Trimethylbenzene	U	1.0		µg/L	1	7/7/2008 5:19:00 PM
1,3-Dichlorobenzene	U	1.0		µg/L	1	7/7/2008 5:19:00 PM
1,3-dichloropropane	U	1.0		µg/L	1	7/7/2008 5:19:00 PM
1,4-Dichlorobenzene	U	1.0		µg/L	1	7/7/2008 5:19:00 PM
2,2-Dichloropropane	U	1.0		µg/L	1	7/7/2008 5:19:00 PM
2-Butanone	U	3.0		µg/L	1	7/7/2008 5:19:00 PM
2-Chloroethyl vinyl ether	U	1.0		µg/L	1	7/7/2008 5:19:00 PM
2-Chlorotoluene	U	1.0		µg/L	1	7/7/2008 5:19:00 PM
2-Hexanone	U	2.0		µg/L	1	7/7/2008 5:19:00 PM
4-Chlorotoluene	U	1.0		µg/L	1	7/7/2008 5:19:00 PM
4-Isopropyltoluene	U	1.0		µg/L	1	7/7/2008 5:19:00 PM
4-Methyl-2-pentanone	U	2.0		µg/L	1	7/7/2008 5:19:00 PM
Acetone	U	2.0		µg/L	1	7/7/2008 5:19:00 PM
Benzene	U	1.0		µg/L	1	7/7/2008 5:19:00 PM
Bromobenzene	U	1.0		µg/L	1	7/7/2008 5:19:00 PM
Bromochloromethane	U	1.0		µg/L	1	7/7/2008 5:19:00 PM
Bromodichloromethane	U	1.0		µg/L	1	7/7/2008 5:19:00 PM
Bromoform	U	1.0		µg/L	1	7/7/2008 5:19:00 PM
Bromomethane	U	1.0		µg/L	1	7/7/2008 5:19:00 PM
Carbon disulfide	U	1.0		µg/L	1	7/7/2008 5:19:00 PM
Carbon tetrachloride	U	1.0		µg/L	1	7/7/2008 5:19:00 PM
Chlorobenzene	U	1.0		µg/L	1	7/7/2008 5:19:00 PM

Qualifiers:	B	Analyte detected in the associated Method Blank	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	S	Spike Recovery outside accepted recovery limits
	U	Indicates the compound was analyzed for but not detected	X	Value exceeds Maximum Contaminant Level

American Analytical Laboratories, LLC.

Date: 09-Jul-08

CLIENT: Leggette Brashears & Graham Inc.
Lab Order: 0807038
Project: Rowe
Lab ID: 0807038-01A

Client Sample ID: GWQ070108:1200NPI-1-9
Tag Number:
Collection Date: 7/1/2008 12:00:00 PM
Matrix: LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILE SW-846 8260 + MTBE & FREON113		SW8260B		Analyst: LA		
Chloroethane	U	1.0		µg/L	1	7/7/2008 5:19:00 PM
Chloroform	U	1.0		µg/L	1	7/7/2008 5:19:00 PM
Chloromethane	U	1.0		µg/L	1	7/7/2008 5:19:00 PM
cis-1,2-Dichloroethene	U	1.0		µg/L	1	7/7/2008 5:19:00 PM
cis-1,3-Dichloropropene	U	1.0		µg/L	1	7/7/2008 5:19:00 PM
Dibromochloromethane	U	1.0		µg/L	1	7/7/2008 5:19:00 PM
Dibromomethane	U	1.0		µg/L	1	7/7/2008 5:19:00 PM
Dichlorodifluoromethane	U	1.0		µg/L	1	7/7/2008 5:19:00 PM
Ethylbenzene	U	1.0		µg/L	1	7/7/2008 5:19:00 PM
Hexachlorobutadiene	U	1.0		µg/L	1	7/7/2008 5:19:00 PM
Isopropylbenzene	U	1.0		µg/L	1	7/7/2008 5:19:00 PM
m,p-Xylene	U	2.0		µg/L	1	7/7/2008 5:19:00 PM
Methyl tert-butyl ether	U	1.0		µg/L	1	7/7/2008 5:19:00 PM
Methylene chloride	U	1.0		µg/L	1	7/7/2008 5:19:00 PM
Naphthalene	U	1.0		µg/L	1	7/7/2008 5:19:00 PM
n-Butylbenzene	U	1.0		µg/L	1	7/7/2008 5:19:00 PM
n-Propylbenzene	U	1.0		µg/L	1	7/7/2008 5:19:00 PM
o-Xylene	U	1.0		µg/L	1	7/7/2008 5:19:00 PM
sec-Butylbenzene	U	1.0		µg/L	1	7/7/2008 5:19:00 PM
Styrene	U	1.0		µg/L	1	7/7/2008 5:19:00 PM
tert-Butylbenzene	U	1.0		µg/L	1	7/7/2008 5:19:00 PM
Tetrachloroethene	U	1.0		µg/L	1	7/7/2008 5:19:00 PM
Toluene	U	1.0		µg/L	1	7/7/2008 5:19:00 PM
trans-1,2-Dichloroethene	U	1.0		µg/L	1	7/7/2008 5:19:00 PM
trans-1,3-Dichloropropene	U	1.0		µg/L	1	7/7/2008 5:19:00 PM
Trichloroethene	U	1.0		µg/L	1	7/7/2008 5:19:00 PM
Trichlorofluoromethane	U	1.0		µg/L	1	7/7/2008 5:19:00 PM
Vinyl acetate	U	1.0		µg/L	1	7/7/2008 5:19:00 PM
Vinyl chloride	U	1.0		µg/L	1	7/7/2008 5:19:00 PM
Surr: 4-Bromofluorobenzene	92.9	54-134		%REC	1	7/7/2008 5:19:00 PM
Surr: Dibromofluoromethane	105	52-132		%REC	1	7/7/2008 5:19:00 PM
Surr: Toluene-d8	96.5	51-127		%REC	1	7/7/2008 5:19:00 PM

Qualifiers:	B	Analyte detected in the associated Method Blank	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	S	Spike Recovery outside accepted recovery limits
	U	Indicates the compound was analyzed for but not detected	X	Value exceeds Maximum Contaminant Level

American Analytical Laboratories, LLC.

Date: 09-Jul-08

CLIENT: Leggette Brashears & Graham Inc.**Client Sample ID:** GWQ070108:1200NPI-1-9**Lab Order:** 0807038**Tag Number:****Project:** Rowe**Collection Date:** 7/1/2008 12:00:00 PM**Lab ID:** 0807038-01B**Matrix:** LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
TOTAL IRON		E200.7		SW3010A		Analyst: JP
Iron	3.49	0.0200		mg/L	1	7/8/2008 10:54:25 AM

Qualifiers:	B	Analyte detected in the associated Method Blank	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	S	Spike Recovery outside accepted recovery limits
	U	Indicates the compound was analyzed for but not detected	X	Value exceeds Maximum Contaminant Level

American Analytical Laboratories, LLC.

Date: 09-Jul-08

CLIENT: Leggette Brashears & Graham Inc.

Client Sample ID: GWQ070108:1200NPI-1-9

Lab Order: 0807038

Tag Number:

Project: Rowe

Collection Date: 7/1/2008 12:00:00 PM

Lab ID: 0807038-01C

Matrix: LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
DISSOLVED IRON		E200.7		SW1311		Analyst: JP
Iron	0.770	0.0200		mg/L	1	7/8/2008 11:25:31 AM

Qualifiers:	B	Analyte detected in the associated Method Blank	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	S	Spike Recovery outside accepted recovery limits
	U	Indicates the compound was analyzed for but not detected	X	Value exceeds Maximum Contaminant Level

H8F260114 Analytical Report.....	1
Sample Receipt Documentation	18
Total Number of Pages	20



TestAmerica Laboratories, Inc.

ANALYTICAL REPORT

Rowe-NABSAG 0401

Lot #: H8F260114

Mark Goldberg

Leggette, Brashears & Graham,
4 Research Drive
Suite #301
Shelton, CT 06484

TESTAMERICA LABORATORIES, INC.

A handwritten signature in black ink, appearing to read "J A McKinney", with a large, stylized loop at the end.

Jamie A. McKinney
Project Manager

July 11, 2008

ANALYTICAL METHODS SUMMARY

H8F260114

<u>PARAMETER</u>	<u>ANALYTICAL METHOD</u>
Volatile Organics by TO15	EPA-2 TO-15

References:

EPA-2 "Compendium of Methods for the Determination of Toxic
Organic Compounds in Ambient Air", EPA-625/R-96/010b,
January 1999.

SAMPLE SUMMARY

H8F260114

<u>WO #</u>	<u>SAMPLE#</u>	<u>CLIENT SAMPLE ID</u>	<u>SAMPLED DATE</u>	<u>SAMP TIME</u>
KQLN4	001	AQ062508:800NP4-1	06/25/08	08:00
KQLPH	002	AQ062508:805NP4-2	06/25/08	08:05
KQLPL	003	AQ062508:810NP4-3	06/25/08	08:10

NOTE (S) :

- The analytical results of the samples listed above are presented on the following pages.
- All calculations are performed before rounding to avoid round-off errors in calculated results.
- Results noted as "ND" were not detected at or above the stated limit.
- This report must not be reproduced, except in full, without the written approval of the laboratory.
- Results for the following parameters are never reported on a dry weight basis: color, corrosivity, density, flashpoint, ignitability, layers, odor, paint filter test, pH, porosity pressure, reactivity, redox potential, specific gravity, spot tests, solids, solubility, temperature, viscosity, and weight.

PROJECT NARRATIVE

H8F260114

The results reported herein are applicable to the samples submitted for analysis only.

This report shall not be reproduced except in full, without the written approval of the laboratory.

The original chain of custody documentation is included with this report.

Sample Receipt

There were no problems with the condition of the samples received.

Quality Control and Data Interpretation

Unless otherwise noted, all holding times and QC criteria were met and the test results shown in this report meet all applicable NELAC requirements.

The EPA method requires that all target analytes in the continuing calibration verification standard be within 30% difference from the initial calibration. The laboratory standard operating procedure allows up to four analytes in the calibration verification to be $\leq 40\%$ difference from the initial calibration. The calibration verification analyzed on 7/07/08 exhibited a %difference of $>40\%$ chloroethane. Since the recovery was high and chloroethane was not detected above the reporting limit in the samples there is no impact on the data.

The samples were received on 6/26/08 in Tedlar bags and transferred into Summa Canisters within 72 hours of sampling.

The surrogate recoveries for the samples in batch 8190092 were quantitated against the daily calibration verification standard.

TestAmerica Knoxville maintains the following certifications, approvals and accreditations: Arkansas DEQ Cert. #05-043-0, California DHS ELAP Cert. #2423, Colorado DPHE, Connecticut DPH Cert. #PH-0223, Florida DOH Cert. #E87177, Georgia DNR Cert. #906, Hawaii DOH, Illinois EPA Cert. #000687, Indiana DOH Cert. #C-TN-02, Iowa DNR Cert. #375, Kansas DHE Cert. #E-10349, Kentucky DEP Lab ID #90101, Louisiana DEQ Cert. #03079, Louisiana DOHH Cert. #LA030024, Maryland DHMH Cert. #277, Massachusetts DEP Cert. #M-TN009, Michigan DEQ Lab ID #9933, New Jersey DEP Cert. #TN001, New York DOH Lab #10781, North Carolina DPH Lab ID #21705, North Carolina DEHNR Cert. #64, Ohio EPA VAP Cert. #CL0059, Oklahoma DEQ ID #9415, Pennsylvania DEP Cert. #68-00576, South Carolina DHEC Lab ID #84001001, Tennessee DOH Lab ID #02014, Utah DOH Cert. #QUAN3, Virginia DGS Lab ID #00165, Washington DOE Lab #C120, West Virginia DEP Cert. #345, Wisconsin DNR Lab ID #998044300, Naval Facilities Engineering Service Center and USDA Soil Permit #S-46424. This list of approvals is subject to change and does not imply that laboratory certification is available for all parameters reported in this environmental sample data report.

Sample Data Summary

Leggett, Brashears & Graham, Inc.
 Client Sample ID: AQ062508:800NP4-1
 GC/MS Volatiles

Lot-Sample # H8F260114 - 001 Work Order # KQLN41AA Matrix.....: AIR

Date Sampled...: 06/25/2008 Date Received...: 06/26/2008
 Prep Date.....: 07/08/2008 Analysis Date...: 07/08/2008
 Prep Batch #.....: 8191068
 Dilution Factor.: 5 Method.....: TO-15

PARAMETER	RESULTS (ppb(v/v))	REPORTING LIMIT (ppb(v/v))	RESULTS (ug/m3)		REPORTING LIMIT (ug/m3)
Benzene	0.42	1.0	1.4	J	3.2
Bromodichloromethane	ND	1.0	ND		6.7
Bromoform	ND	1.0	ND		10
Bromomethane	ND	1.0	ND		3.9
Carbon disulfide	4.1	2.5	13		7.8
Carbon tetrachloride	ND	1.0	ND		6.3
Chlorobenzene	ND	1.0	ND		4.6
Dibromochloromethane	ND	1.0	ND		8.5
Chloroethane	ND	1.0	ND		2.6
Chloroform	1.0	1.0	5.0		4.9
Chloromethane	0.99	2.5	2.0	J	5.2
1,1-Dichloroethane	2.6	1.0	10		4.0
1,2-Dichloroethane	ND	1.0	ND		4.0
cis-1,2-Dichloroethene	ND	1.0	ND		4.0
trans-1,2-Dichloroethene	ND	1.0	ND		4.0
1,1-Dichloroethene	0.55	1.0	2.2	J	4.0
1,2-Dichloropropane	ND	1.0	ND		4.6
cis-1,3-Dichloropropene	ND	1.0	ND		4.5
trans-1,3-Dichloropropene	ND	1.0	ND		4.5
Ethylbenzene	ND	1.0	ND		4.3
Methylene chloride	1.1	2.5	3.8	J B	8.7
Styrene	ND	1.0	ND		4.3
1,1,2,2-Tetrachloroethane	ND	1.0	ND		6.9
Tetrachloroethene	9.2	1.0	62		6.8
Toluene	1.0	1.0	3.8		3.8
1,1,1-Trichloroethane	5.5	1.0	30		5.5
1,1,2-Trichloroethane	ND	1.0	ND		5.5
Trichloroethene	0.76	1.0	4.1	J	5.4
Vinyl chloride	ND	1.0	ND		2.6
m-Xylene & p-Xylene	ND	1.0	ND		4.3
o-Xylene	ND	1.0	ND		4.3

SURROGATE	PERCENT RECOVERY	LABORATORY CONTROL LIMITS (%)
1,2-Dichloroethane-d4	108	70 - 130
Toluene-d8	102	70 - 130
4-Bromofluorobenzene	95	70 - 130

Leggette, Brashears & Graham, Inc.
Client Sample ID: AQ062508:800NP4-1
GC/MS Volatiles

Lot-Sample # H8F260114 - 001 Work Order # KQLN41AA Matrix.....: AIR

Qualifiers

B Method blank contamination. The associated method blank contains the target analyte at a reportable level.
J Estimated result. Result is less than RL.

The 'Result' in ug/m3 is calculated using the following equation: Amount Found(before rounding)*(Molecular Weight/24.45)

The 'Reporting Limit' in ug/m3 is calculated using the following equation: (Reporting
Limit(before rounding) * Dilution Factor) * (Molecular Weight/24.45)

Leggette, Brashears & Graham, Inc.
 Client Sample ID: AQ062508:805NP4-2
 GC/MS Volatiles

Lot-Sample # H8F260114 - 002 Work Order # KQLPH1AA Matrix.....: AIR

Date Sampled...: 06/25/2008 Date Received...: 06/26/2008
 Prep Date.....: 07/07/2008 Analysis Date...: 07/08/2008
 Prep Batch #.....: 8190092
 Dilution Factor.: 5 Method.....: TO-15

PARAMETER	RESULTS (ppb(v/v))	REPORTING LIMIT (ppb(v/v))	RESULTS (ug/m3)	REPORTING LIMIT (ug/m3)
Benzene	0.81	1.0	2.6 J	3.2
Bromodichloromethane	ND	1.0	ND	6.7
Bromoform	ND	1.0	ND	10
Bromomethane	ND	1.0	ND	3.9
Carbon disulfide	6.8	2.5	21	7.8
Carbon tetrachloride	ND	1.0	ND	6.3
Chlorobenzene	ND	1.0	ND	4.6
Dibromochloromethane	ND	1.0	ND	8.5
Chloroethane	ND	1.0	ND	2.6
Chloroform	2.2	1.0	11	4.9
Chloromethane	3.2	2.5	6.6	5.2
1,1-Dichloroethane	5.5	1.0	22	4.0
1,2-Dichloroethane	ND	1.0	ND	4.0
cis-1,2-Dichloroethene	1.2	1.0	4.6	4.0
trans-1,2-Dichloroethene	ND	1.0	ND	4.0
1,1-Dichloroethene	0.94	1.0	3.7 J	4.0
1,2-Dichloropropane	ND	1.0	ND	4.6
cis-1,3-Dichloropropene	ND	1.0	ND	4.5
trans-1,3-Dichloropropene	ND	1.0	ND	4.5
Ethylbenzene	ND	1.0	ND	4.3
Methylene chloride	1.7	2.5	6.1 J B	8.7
Styrene	0.31	1.0	1.3 J	4.3
1,1,2,2-Tetrachloroethane	ND	1.0	ND	6.9
Tetrachloroethene	63	1.0	420	6.8
Toluene	1.2	1.0	4.6	3.8
1,1,1-Trichloroethane	15	1.0	83	5.5
1,1,2-Trichloroethane	ND	1.0	ND	5.5
Trichloroethene	7.4	1.0	40	5.4
Vinyl chloride	ND	1.0	ND	2.6
m-Xylene & p-Xylene	ND	1.0	ND	4.3
o-Xylene	ND	1.0	ND	4.3

SURROGATE	PERCENT RECOVERY	LABORATORY CONTROL LIMITS (%)
1,2-Dichloroethane-d4	121	70 - 130
Toluene-d8	104	70 - 130
4-Bromofluorobenzene	106	70 - 130

Leggette, Brashears & Graham, Inc.
Client Sample ID: AQ062508:805NP4-2
GC/MS Volatiles

Lot-Sample # H8F260114 - 002 Work Order # KQLPH1AA Matrix.....: AIR

Qualifiers

B Method blank contamination. The associated method blank contains the target analyte at a reportable level.
J Estimated result. Result is less than RL.

The 'Result' in ug/m3 is calculated using the following equation: Amount Found(before rounding)*(Molecular Weight/24.45)

The 'Reporting Limit' in ug/m3 is calculated using the following equation: (Reporting
Limit(before rounding) * Dilution Factor) * (Molecular Weight/24.45)

Leggette, Brashears & Graham, Inc.

Client Sample ID: AQ062508:810NP4-3

GC/MS Volatiles

Lot-Sample # H8F260114 - 003

Work Order # KQLPL1AA

Matrix.....: AIR

Date Sampled...: 06/25/2008

Date Received...: 06/26/2008

Prep Date.....: 07/07/2008

Analysis Date...: 07/08/2008

Prep Batch #.....: 8190092

Dilution Factor.: 5

Method.....: TO-15

PARAMETER	RESULTS (ppb(v/v))	REPORTING LIMIT (ppb(v/v))	RESULTS (ug/m3)		REPORTING LIMIT (ug/m3)
Benzene	0.38	1.0	1.2	J	3.2
Bromodichloromethane	ND	1.0	ND		6.7
Bromoform	ND	1.0	ND		10
Bromomethane	ND	1.0	ND		3.9
Carbon disulfide	6.2	2.5	19		7.8
Carbon tetrachloride	ND	1.0	ND		6.3
Chlorobenzene	ND	1.0	ND		4.6
Dibromochloromethane	ND	1.0	ND		8.5
Chloroethane	ND	1.0	ND		2.6
Chloroform	0.90	1.0	4.4	J	4.9
Chloromethane	3.3	2.5	6.9		5.2
1,1-Dichloroethane	2.7	1.0	11		4.0
1,2-Dichloroethane	ND	1.0	ND		4.0
cis-1,2-Dichloroethene	0.55	1.0	2.2	J	4.0
trans-1,2-Dichloroethene	ND	1.0	ND		4.0
1,1-Dichloroethene	0.62	1.0	2.5	J	4.0
1,2-Dichloropropane	ND	1.0	ND		4.6
cis-1,3-Dichloropropene	ND	1.0	ND		4.5
trans-1,3-Dichloropropene	ND	1.0	ND		4.5
Ethylbenzene	ND	1.0	ND		4.3
Methylene chloride	1.8	2.5	6.4	J B	8.7
Styrene	ND	1.0	ND		4.3
1,1,2,2-Tetrachloroethane	ND	1.0	ND		6.9
Tetrachloroethene	ND	1.0	ND		6.8
Toluene	0.91	1.0	3.4	J	3.8
1,1,1-Trichloroethane	4.4	1.0	24		5.5
1,1,2-Trichloroethane	ND	1.0	ND		5.5
Trichloroethene	0.19	1.0	1.0	J	5.4
Vinyl chloride	ND	1.0	ND		2.6
m-Xylene & p-Xylene	ND	1.0	ND		4.3
o-Xylene	ND	1.0	ND		4.3

SURROGATE	PERCENT RECOVERY	LABORATORY CONTROL LIMITS (%)
1,2-Dichloroethane-d4	125	70 - 130
Toluene-d8	105	70 - 130
4-Bromofluorobenzene	106	70 - 130

Leggette, Brashears & Graham, Inc.

Client Sample ID: AQ062508:810NP4-3

GC/MS Volatiles

Lot-Sample # H8F260114 - 003

Work Order # KQLPL1AA

Matrix.....: AIR

Qualifiers

B Method blank contamination. The associated method blank contains the target analyte at a reportable level.

J Estimated result. Result is less than RL.

The 'Result' in ug/m3 is calculated using the following equation: Amount Found(before rounding)*(Molecular Weight/24.45)

The 'Reporting Limit' in ug/m3 is calculated using the following equation: (Reporting Limit(before rounding) * Dilution Factor) * (Molecular Weight/24.45)

Leggette, Brashears & Graham, Inc.

Client Sample ID: INTRA-LAB BLANK

GC/MS Volatiles

Lot-Sample # H8G080000 - 092B Work Order # KQ5231AA Matrix.....: AIR

Prep Date.....: 06/25/2008 Date Received...: 06/26/2008
 Prep Date.....: 07/07/2008 Analysis Date...: 07/07/2008
 Prep Batch #.....: 8190092
 Dilution Factor.: 1 Method.....: TO-15

PARAMETER	RESULTS (ppb(v/v))	REPORTING LIMIT (ppb(v/v))	RESULTS (ug/m3)	REPORTING LIMIT (ug/m3)
Benzene	ND	0.20	ND	0.64
Bromodichloromethane	ND	0.20	ND	1.3
Bromoform	ND	0.20	ND	2.1
Bromomethane	ND	0.20	ND	0.78
Carbon disulfide	ND	0.50	ND	1.6
Carbon tetrachloride	ND	0.20	ND	1.3
Chlorobenzene	ND	0.20	ND	0.92
Dibromochloromethane	ND	0.20	ND	1.7
Chloroethane	ND	0.20	ND	0.53
Chloroform	ND	0.20	ND	0.98
Chloromethane	ND	0.50	ND	1.0
1,1-Dichloroethane	ND	0.20	ND	0.81
1,2-Dichloroethane	ND	0.20	ND	0.81
cis-1,2-Dichloroethene	ND	0.20	ND	0.79
trans-1,2-Dichloroethene	ND	0.20	ND	0.79
1,1-Dichloroethene	ND	0.20	ND	0.79
1,2-Dichloropropane	ND	0.20	ND	0.92
cis-1,3-Dichloropropene	ND	0.20	ND	0.91
trans-1,3-Dichloropropene	ND	0.20	ND	0.91
Ethylbenzene	ND	0.20	ND	0.87
Methylene chloride	0.10	0.50	0.35 J	1.7
Styrene	ND	0.20	ND	0.85
1,1,2,2-Tetrachloroethane	ND	0.20	ND	1.4
Tetrachloroethene	ND	0.20	ND	1.4
Toluene	ND	0.20	ND	0.75
1,1,1-Trichloroethane	ND	0.20	ND	1.1
1,1,2-Trichloroethane	ND	0.20	ND	1.1
Trichloroethene	ND	0.20	ND	1.1
Vinyl chloride	ND	0.20	ND	0.51
m-Xylene & p-Xylene	ND	0.20	ND	0.87
o-Xylene	ND	0.20	ND	0.87

SURROGATE	PERCENT RECOVERY	LABORATORY CONTROL LIMITS (%)
1,2-Dichloroethane-d4	101	70 - 130
Toluene-d8	104	70 - 130
4-Bromofluorobenzene	98	70 - 130

Leggette, Brashears & Graham, Inc.
Client Sample ID: INTRA-LAB BLANK
GC/MS Volatiles

Lot-Sample # H8G080000 - 092B Work Order # KQ5231AA Matrix.....: AIR

Qualifiers

J Estimated result. Result is less than RL.

The 'Result' in ug/m3 is calculated using the following equation: Amount Found(before rounding)*(Molecular Weight/24.45)

The 'Reporting Limit' in ug/m3 is calculated using the following equation: (Reporting Limit(before rounding) * Dilution Factor) * (Molecular Weight/24.45)

Leggette, Brashears & Graham, Inc.
 Client Sample ID: CHECK SAMPLE
 GC/MS Volatiles

Lot-Sample # H8G080000 - 092C Work Order # KQ5231AC Matrix.....: AIR

Prep Date.....: 06/25/2008 Date Received..: 06/26/2008
 Prep Batch #.....: 07/07/2008 Analysis Date... 07/07/2008
 Prep Batch #.....: 8190092
 Dilution Factor.: 1 Method.....: TO-15

PARAMETER	SPIKE AMOUNT (ppb(v/v))	MEASURED AMOUNT (ppb(v/v))	SPIKE AMOUNT (ug/m3)	MEASURED AMOUNT (ug/m3)	PERCENT RECOVERY	RECOVERY LIMITS
Benzene	2.50	2.74	8.0	8.8	110	70 - 130
Chlorobenzene	2.50	2.26	12	10	90	70 - 130
1,1-Dichloroethene	2.50	2.08	9.9	8.2	83	70 - 130
Toluene	2.50	2.54	9.4	9.6	102	70 - 130
Trichloroethene	2.50	2.20	13	12	88	70 - 130

SURROGATE	PERCENT RECOVERY	LABORATORY CONTROL LIMITS (%)
1,2-Dichloroethane-d4	100	70 - 130
Toluene-d8	100	70 - 130
4-Bromofluorobenzene	100	70 - 130

The 'Result' in ug/m3 is calculated using the following equation: Amount Found(before rounding)*(Molecular Weight/24.45)

The 'Reporting Limit' in ug/m3 is calculated using the following equation: (Reporting
 Limit(before rounding) * Dilution Factor) * (Molecular Weight/24.45)

Leggette, Brashears & Graham, Inc.

Client Sample ID: INTRA-LAB BLANK

GC/MS Volatiles

Lot-Sample # H8G090000 - 068B Work Order # KQ7WD1AA Matrix.....: AIR

Prep Date.....: 06/25/2008 Date Received...: 06/26/2008
 Prep Date.....: 07/08/2008 Analysis Date...: 07/08/2008
 Prep Batch #.....: 8191068
 Dilution Factor.: 1 Method.....: TO-15

PARAMETER	RESULTS (ppb(v/v))	REPORTING LIMIT (ppb(v/v))	RESULTS (ug/m3)	REPORTING LIMIT (ug/m3)
Benzene	ND	0.20	ND	0.64
Bromodichloromethane	ND	0.20	ND	1.3
Bromoform	ND	0.20	ND	2.1
Bromomethane	ND	0.20	ND	0.78
Carbon disulfide	ND	0.50	ND	1.6
Carbon tetrachloride	ND	0.20	ND	1.3
Chlorobenzene	ND	0.20	ND	0.92
Dibromochloromethane	ND	0.20	ND	1.7
Chloroethane	ND	0.20	ND	0.53
Chloroform	ND	0.20	ND	0.98
Chloromethane	ND	0.50	ND	1.0
1,1-Dichloroethane	ND	0.20	ND	0.81
1,2-Dichloroethane	ND	0.20	ND	0.81
cis-1,2-Dichloroethene	ND	0.20	ND	0.79
trans-1,2-Dichloroethene	ND	0.20	ND	0.79
1,1-Dichloroethene	ND	0.20	ND	0.79
1,2-Dichloropropane	ND	0.20	ND	0.92
cis-1,3-Dichloropropene	ND	0.20	ND	0.91
trans-1,3-Dichloropropene	ND	0.20	ND	0.91
Ethylbenzene	ND	0.20	ND	0.87
Methylene chloride	0.079	0.50	0.27 J	1.7
Styrene	ND	0.20	ND	0.85
1,1,2,2-Tetrachloroethane	ND	0.20	ND	1.4
Tetrachloroethene	ND	0.20	ND	1.4
Toluene	ND	0.20	ND	0.75
1,1,1-Trichloroethane	ND	0.20	ND	1.1
1,1,2-Trichloroethane	ND	0.20	ND	1.1
Trichloroethene	ND	0.20	ND	1.1
Vinyl chloride	ND	0.20	ND	0.51
m-Xylene & p-Xylene	ND	0.20	ND	0.87
o-Xylene	ND	0.20	ND	0.87

SURROGATE	PERCENT RECOVERY	LABORATORY CONTROL LIMITS (%)
1,2-Dichloroethane-d4	107	70 - 130
Toluene-d8	102	70 - 130
4-Bromofluorobenzene	94	70 - 130

Leggette, Brashears & Graham, Inc.

Client Sample ID: INTRA-LAB BLANK

GC/MS Volatiles

Lot-Sample # H8G090000 - 068B Work Order # KQ7WD1AA Matrix.....: AIR

Qualifiers

J Estimated result. Result is less than RL.

The 'Result' in ug/m3 is calculated using the following equation: Amount Found(before rounding)*(Molecular Weight/24.45)

The 'Reporting Limit' in ug/m3 is calculated using the following equation: (Reporting Limit(before rounding) * Dilution Factor) * (Molecular Weight/24.45)

Leggette, Brashears & Graham, Inc.
 Client Sample ID: CHECK SAMPLE
 GC/MS Volatiles

Lot-Sample # H8G090000 - 068C Work Order # KQ7WD1AC Matrix.....: AIR

Prep Date.....: 06/25/2008 Date Received..: 06/26/2008
 Prep Date.....: 07/08/2008 Analysis Date...: 07/08/2008
 Prep Batch #.....: 8191068
 Dilution Factor.: 1 Method.....: TO-15

PARAMETER	SPIKE AMOUNT (ppb(v/v))	MEASURED AMOUNT (ppb(v/v))	SPIKE AMOUNT (ug/m3)	MEASURED AMOUNT (ug/m3)	PERCENT RECOVERY	RECOVERY LIMITS
Benzene	10.0	10.1	32	32	101	70 - 130
Chlorobenzene	10.0	8.24	46	38	82	70 - 130
1,1-Dichloroethene	10.0	12.6	40	50	126	70 - 130
Toluene	10.0	8.83	38	33	88	70 - 130
Trichloroethene	10.0	9.60	54	52	96	70 - 130

SURROGATE	PERCENT RECOVERY	LABORATORY CONTROL LIMITS (%)
1,2-Dichloroethane-d4	104	70 - 130
Toluene-d8	101	70 - 130
4-Bromofluorobenzene	103	70 - 130

The 'Result' in ug/m3 is calculated using the following equation: Amount Found(before rounding)*(Molecular Weight/24.45)

The 'Reporting Limit' in ug/m3 is calculated using the following equation: (Reporting Limit(before rounding) * Dilution Factor) * (Molecular Weight/24.45)

Sample Receipt Documentation

48F260114

STL Knoxville

5815 Middlebrook Pike • Knoxville, TN 37921-5947
Phone: (865) 291-3000 • Fax: (865) 584-4315
Receiving: (865) 291-3031

ANALYSIS REQUEST AND CHAIN OF CUSTODY RECORD*

Reference Document No.
Page 1 of 1

Project Name/No. 1 Rowe
Sample Team Members 2 SH
Profit Center No. 3
Project Manager 4 M. Goldberg
Purchase Order No. 5 66549
Required Report Date 11

Samples Shipment Date 7 6/25/08
Lab Destination 8
Lab Contact 9 5 McKelvey
Project Contact / Phone 12 203-994-5000
Carrier / Waybill No. 13

Bill to: 5
Report to: 10 M. Goldberg
LBH
4 Research Dr. Suite 301
Shelton, CT 06484

ONE CONTAINER PER LINE

Sample 14 Number	Sample 15 Type	Date/Time 16 Collected	Container 17 Type	Sample 18 Volume	Pre- 19 servative	Requested Testing 20 Program	Condition on Receipt 21 Lab use only
A0062508: 805NP4-1	Air	6/25/08 800	Teller Bag	1 liter	NONE	TO 15	Custody seals intact <u>Y</u> N NA
A0062508: 805NP4-2	Air	6/25/08 805					Temperature received at <u>AMB/ENT</u>
A0062508: 810NP4-3	Air	6/25/08 810					Received by <u>RH</u> Date <u>6/26/08</u>
							Number of packages <u>1</u>
							Tracking # <u>791921244332</u>
							<u>Fed Ex</u>

Special Instructions: 23

Possible Hazard Identification: 24
Non-Hazard ☒ Flammable ☐ Skin Irritant ☐ Poison B ☐ Unknown ☐
Turnaround Time Required: 26
Normal ☒ Rush ☐
1. Relinquished by 28
(Signature / Affiliation)
1. Relinquished by 28
(Signature / Affiliation)
Comments: 29

Sample Disposal: 25

Return to Client ☐ Disposal by Lab ☒ Archive (mos.)
QC Level: 27
I. ☐ II. ☐ III. ☐ Project Specific (specify):
1. Received by 28
(Signature / Affiliation) Ryan Henry Date: 6/26/08
Time: 0900
1. Received by
(Signature / Affiliation) Date: _____
Time: _____

TESTAMERICA KNOXVILLE SAMPLE RECEIPT/CONDITION UPON RECEIPT ANOMALY CHECKLIST

Client: _____

Project: _____

Lot Number: HFF260114

Review Items	Yes	No	NA	If No, what was the problem?	Comments/Actions Taken
1. Do sample container labels match COC? (IDs, Dates, Times)	☒			☐ 1a Do not match COC ☐ 1b Incomplete information ☐ 1c Marking smeared ☐ 1d Label torn ☐ 1e No label ☐ 1f COC not received ☐ 1g Other: _____	
2. Is the cooler temperature within limits? (> freezing temp. of water to 6 °C; NC, 1668, 1613B: 0-4 °C; VOST: 10 °C; MA: 2-6 °C)	☒		☒	☐ 2a Temp Blank = _____ ☐ 2b Cooler Temp = _____	
3. Were samples received with correct chemical preservative (excluding Encore)?	☒		☒	☐ 3a Sample preservative = _____	
4. Were custody seals present/intact on cooler and/or containers?	☒			☐ 4a Not present ☐ 4b Not intact ☐ 4c Other: _____	
5. Were all of the samples listed on the COC received?	☒			☐ 5a Samples received-not on COC ☐ 5b Samples not received-on COC	
6. Were all of the sample containers received intact?	☒			☐ 6a Leaking ☐ 6b Broken	
7. Were VOA samples received without headspace?	☒		☒	☐ 7a Headspace (VOA only)	
8. Were samples received in appropriate containers?	☒			☐ 8a Improper container	
9. Did you check for residual chlorine, if necessary?	☒		☒	☐ 9a Could not be determined due to matrix interference	
10. Were samples received within holding time?	☒			☐ 10a Holding time expired	
11. For rad samples, was sample activity info. provided?	☒		☒	☐ Incomplete information	
12. For SOG water samples (1613B, 1668A, 8290, LR PAHs), do samples have visible solids present?	☒		☒	If yes & appears to be > 1%, was SOG notified? _____	
13. Are the shipping containers intact?	☒			☐ 13a Leaking ☐ 13b Other: _____	
14. Was COC relinquished? (Signed/Dated/Timed)	☒			☐ 14a Not relinquished	
15. Are tests/parameters listed for each sample?	☒			☐ 15a Incomplete information	
16. Is the matrix of the samples noted?	☒			☐ 15a Incomplete information	
17. Is the date/time of sample collection noted?	☒			☐ 15a Incomplete information	
18. Is the client and project name/# identified?	☒			☐ 15a Incomplete information	
19. Was the sampler identified on the COC?	☒			☐ 15a Incomplete information	
Quote #:	PM Instructions: _____				

Sample Receiving Associate: Lynn Henry

Date: 6/26/08

QA026R19.doc, 080707