

-DRAFT-

PROJECT STATUS MEMORANDUM

NO. 07-08

TO: Pamela Tames, USEPA

FROM: Mark M. Goldberg, P.E.
Tunde H. Komuves-Sandor

DATE: September 5, 2008

PROJECT: Rowe Industries Superfund Site
Ground-Water Recovery and Treatment System
July 2008 Status Report
Sag Harbor, New York

LBG Engineering Services, P.C. (LBG) commenced operation of the ground-water remediation system at the above-referenced site on December 17, 2002. This status report presents a summary of system performance, operation and maintenance, and monitoring activities for the site from July 1, 2008 through July 31, 2008. The report includes a summary of system performance parameters, system operation parameters, and analytical results for ground water, system effluent samples, and air quality results.

SUMMARY OF SYSTEM PERFORMANCE AND OPERATION

(July 1, 2008 through July 31, 2008)

- | | |
|---|----------------------------------|
| 1. Hours of operation during the reporting period: | 436 hours (59 %) |
| 2. Alarm conditions during the reporting period: | See Table 1 |
| 3. Was the SPDES VOC discharge permit criteria achieved: | yes, (Table 2) |
| 4. Total volume of water pumped during the reporting period: | 9,246,170 gal. |
| 5. Was the system effluent flow below the SPDES limit of 1,023,000 gpd: yes, (Graph 1) | |
| 6. Mass of VOCs recovered during the reporting period: | 0.4 pounds |
| 7. Cumulative mass of VOCs recovered since startup on 12/17/02:
(calculations can be provided upon request) | 211.4 pounds |
| 8. Effluent VOC vapor concentration for the reporting period: | 0.08 mg/m ³ (Table 3) |
| 9. Was the effluent VOC vapor emission rate below 0.022 lbs/hr.:
(calculations can be provided upon request) | yes (0.00059 lbs/hr) |

GROUND-WATER RECOVERY SYSTEM STATUS SUMMARY

The following table summarizes select recovery well parameters for the reporting period. Table 4 presents a summary of the quality results for water samples collected from recovery wells. Graph 2 presents PCE concentrations for each recovery well. For wells with water quality that meets or is approaching remedial criteria, Graph 3 presents PCE concentrations at an expanded scale in order to compare them to the PCE aquifer restoration concentration of 5 ug/L. Laboratory analytical reports are included as Appendix I.

Well	Volume pumped ³ (gal)	Average Flow (gpm)	Lowest Measured Flow (gpm) ¹	Total VOC Concentration (µg/L)	VOC Recovery (lbs)
RW-2	688,016	27	13	2.9	0.02
RW-3 ²	195,234	29	10	0	0
RW-4	1,008,493	40	10	7.6	0.06
RW-5	1,276,598	50	50	0	0
RW-6	383,484	15	15	23.3	0.07
RW-7	1,624,944	69	69	11.2	0.15
RW-8	762,877	51	41	0	0
RW-9	1,990,172	79	16	0	0

¹Lowest measured flows are based on the lowest average 24 - hour pumping rates for each well recorded to date.

² RW-3 was restarted on July 24, 2008 at 10:35 AM, the volume pumped and average flow numbers reflect the period of July 24 through July 31, 2008.

³ The RW and system influent flow meters were not functioning properly for part of the month so the total volume pumped was calculated using the average flow and the hours of operation.

Based on the results of the updated ground-water model for the site, the plume is not migrating beyond the influence of the FSP&T system if the recovery well pumps operate at or above the “Lowest Measured Flows”. All wells were at or above their lowest measured flow when they were operating.

Recovery well rehabilitation continued during July 2008 and was completed on July 14, 2008; the recovery wells were rehabilitated in the following order:

- RW-7 rehabilitation concluded on July 2nd; and
- RW-8 was rehabilitated from July 2nd through July 11th.

Details of the 2008 recovery well rehabilitation will be discussed in a separate report.

Between July 14 and 18, 2008 annual FSP&T system maintenance was completed. Maintenance activities consisted of pressure washing the below grade piping from RW-9 to the treatment system from cleanout ports and recovery well vaults, evacuating the iron deposits, cleaning and inspecting the Equalization (EQ) and Transfer tanks, the air stripper tower sump and the bag-filter housings, cleaning and inspection of system influent and effluent piping and associated flow meters.

BAG FILTER STATUS

The following table presents an operational summary of the bag filter usage and configuration for the reporting period.

Dates	Bank 1	Bank 2	Bank 3
July 1 to 31	7 of 8 housings used with 400 micron bag filters	7 of 8 housings used with 400 micron bag filters	Not active

No modifications were made to the filter bank configuration or operation during this reporting period.

OTHER O&M ACTIVITIES AND FUTURE O&M ACTIVITIES

Other O&M activities conducted in July 2008 include:

- On July 8, 2008, the PLC battery was replaced, the system control program was reinstalled and the RW, offsite combined, onsite combined and system influent (EQTP101) flow meter totalizers were reset.
- On July 24, 2008, the malfunctioning flow meters were repaired and RW-3 was restarted as part of the evaluation process of RW-3 operation on contaminant concentrations in RW-2.

Future O&M activities scheduled for the summer and fall of 2008 include:

- Conduct semi-annual monitor well sampling and measure ground-water elevation during pumping and static conditions;
- Connect the water discharge line of the Focus Pump and Treat (FP&T) recovery system to the FSP&T system;
- Recharge basin maintenance; and
- Vapor-phase carbon change out.

MMG:nv

Attachments

cc: Jeff Srulovitz - Kraft Foods Global, Inc. - .pdf
Lisa Krogman, Environ – .pdf
Angela DeDolph, Environ – .pdf
Jeff Trad, NYSDEC – .pdf
Chief-Operation Maintenance and Support Section, NYSDEC – .pdf
William Spitz, RWM, R-1, NYSDEC
Garrett W. Swensen Jr., Esq., Town of Southampton

TABLES

TABLE 1
GROUND-WATER REMEDIAL ACTION
ROWE INDUSTRIES SUPERFUND SITE
SAG HARBOR, NEW YORK

MAINTENANCE LOG
(July 1, 2008 through July 31, 2008)

Date	Time	System Changes/Modifications	Personnel
7/1/2008		Changed multi-bag filter bags (400 mm) in Banks 1 and 2, seven of eight housings used. Banks 1 and 2 left open. Bank 3 closed.	SH
7/2/2008	11:28 AM	Restart RW-7 after redevelopment.	DP
	1:00 PM	Shutdown RW-8 for well rehabilitation.	DP
7/4/2008		System shutdown due to a System Communication Failure that occurred between 1:58 AM and 2:58 AM.	
7/8/2008	12:30 PM	Replaced PLC battery, reloaded system control program and restarted the system.	SH
	1:12 PM	Reset RW-2 through RW-9, system combined, offsite combined, onsite combined and recharge basin flow totalizers.	SH
		Changed multi-bag filter bags (400 mm) in Banks 1 and 2, seven of eight housings used. Banks 1 and 2 left open. Bank 3 closed.	SH
7/14/2008	10:30 PM	RW-8 rehabilitation completed. System shutdown for subsurface pipe cleanout.	DP
7/15/2008	3:30 PM	System restart following subsurface pipe cleanout.	DP
7/16/2008	7:00 AM	System shutdown for equalization tank, transfer tank, bag filter housing and air stripper tower sump cleanout.	DP
7/17/2008		Changed multi-bag filter bags (400 mm) in Banks 1 and 2, seven of eight housings used. Banks 1 and 2 left open. Bank 3 closed.	SH
	3:45 PM	System restart.	SH
7/18/2008	9:20 AM	System shutdown for bag filter change out.	SH
		Changed multi-bag filter bags (400 mm) in Banks 1 and 2, seven of eight housings used. Banks 1 and 2 left open. Bank 3 closed.	SH
	10:30 AM	System restarted. Flow meters not functioning properly. Troubleshooting flow meters.	SH
7/21/2008	1:07 PM	Bagfilter Bank 2 high pressure alarm, system shutdown.	
7/24/2008		Changed multi-bag filter bags (400 mm) in Banks 1 and 2, seven of eight housings used. Banks 1 and 2 left open. Bank 3 closed.	PJ/SH
	10:35 AM	Repaired flow meters, restarted system including RW-3.	PJ/SH
7/27/2008	12:57 PM	Booster Blower failure alarm, system shutdown.	
7/28/2008	3:19 PM	Reset alarms, however system remains off for troubleshooting alarms.	JF
7/30/2008	10:30 AM	Reset alarms, restarted system.	SH

TABLE 2

**GROUND-WATER REMEDIAL ACTION
ROWE INDUSTRIES SUPERFUND SITE
SAG HARBOR, NEW YORK**

EFFLUENT WATER QUALITY RESULTS

Date Sampled ^{2/}	pH ^{1/}	TDS (mg/l)	PCE (ug/l)	1,1,1-TCA (ug/l)	TCE (ug/l)	1,1-DCA (ug/l)	1,1-DCE (ug/l)	1,2-DCE (ug/l)	Xylene (ug/l)	Bromoform (ug/l)	Dibromo- chloromethane (ug/l)	Methylene Chloride (ug/l)	Freon 113 (ug/l)	Acetone (ug/l)	Chloroform (ug/l)	MTBE (ug/l)	Total Iron (mg/l)	Dissolved Iron (mg/l)
SPDES Limits	5.0 to 8.5	---	5	5	5	5	5	5	5	---	---	5	---	50	7	---	---	---
1-Jul-08	5.80	130	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	1.18	0.136
8-Jul-08	5.50	116	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	1.39	0.133
18-Jul-08	5.30	88	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	5.53	0.259
24-Jul-08	5.30	116	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	2.04	0.173
30-Jul-08	5.40	120	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	1.36	0.141

SPDES: State Pollutant Discharge Elimination System

mg/l: Milligrams per liter

ug/l: Micrograms per liter

---: Not established

J: Analyte detected below quantitation limits

NM: Not Measured

TDS: Total dissolved solids

PCE: Tetrachloroethylene

TCE: Trichloroethene

1,1-DCA: 1,1-Dichloroethane

1,1-DCE: 1,1-Dichloroethene

1,2-DCE: 1,2-Dichloroethene

MTBE: Methyl tert-butyl ether

Notes:

- Based on the new SPDES criteria from an NYSDEC letter dated on May 11, 2006, the new allowable pH range for the Rowe Site is between 5.0 and 8.5. The pH was measured with a new calibrated electronic pH meter. Influent pH values from recovery wells typically range between 5 and 6.
- "Effluent" samples were collected from sample port labeled NP2-10 unless otherwise noted.

TABLE 4

**GROUND-WATER REMEDIAL ACTION
ROWE INDUSTRIES SUPERFUND SITE
SAG HARBOR, NEW YORK**

RECOVERY WELL WATER QUALITY RESULTS

Recovery Well	Date Sampled	PCE (ug/L)	TCE (ug/L)	TCA (ug/L)	Vinyl Acetate (ug/L)	Chloroform (ug/L)	MTBE (ug/L)	Total Iron (mg/L)	Dissolved Iron (mg/L)	1,1-Dichloro-ethane (ug/L)	cis-1,2-Dichloro-ethene (ug/L)	1,1-Dichloro-ethene (ug/L)	Methylene Chloride (ug/L) ¹	Toluene (ug/L)	Dibromochloromethane (ug/L)	m,p-Xylene (ug/L)	o-Xylene (ug/L)	Ethylbenzene (ug/L)	Acetone (ug/L)	
RW-1	15-Sep-04 ARAR's	5	5	5	NE	7	NE	300	300	5	5	5	5	NE	NE	ND-2	ND-1	ND-1	NE	
	7-Oct-04	ND<1	ND<1	ND<1	ND<1	2.8	ND<1	0.0865	ND<0.02	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	
	3-Nov-04	ND<1	ND<1	ND<1	ND<1	ND<1	2.2	0.0332	ND<0.02	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	
	15-Dec-04	ND<1	ND<1	ND<1	ND<1	1.9	2.0	0.0135	ND<0.02	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	
	13-Jan-05	ND<1	ND<1	ND<1	ND<1	9.8	2.1	0.0478	0.0229	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	
	8-Feb-05	ND<1	ND<1	ND<1	ND<1	1.5	2.1	0.0703	0.0326	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	
	15-Mar-05	ND<1	ND<1	ND<1	ND<1	4.6	ND<1	ND<0.02	ND<0.02	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	
	19-Apr-05	ND<1	ND<1	ND<1	ND<1	2.5	ND<1	0.0285	ND<0.02	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	
	2-May-05	ND<1	ND<1	ND<1	ND<1	1.5	ND<1	0.0357	0.0217	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	
	16-Jun-05	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<0.02	ND<0.02	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	
	2-Jul-05	ND<1	ND<1	ND<1	ND<1	4.0	ND<1	ND<0.02	ND<0.02	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	
	14-Jul-05	ND<1	ND<1	ND<1	ND<1	2.1	ND<1	0.0288	ND<0.02	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	3.3	1.3	1	6.9	
	7-Aug-05	ND<1	ND<1	ND<1	ND<1	5.2	ND<1	0.1650	ND<0.02	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	
	19-Sep-06	ND<1	ND<1	ND<1	ND<1	1.7	ND<1	NA	NA	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	
	7-Mar-07	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	NA	NA	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	
	3-Oct-07	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	NA	NA	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	
	13-Mar-08	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	NA	NA	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	
RW-2	20-Jul-06	8.0	3.4	60	ND<1	ND<1	ND<1	4.49	0.177	ND<1	7.5	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	
	24-Aug-06	11.0	1.1	25	ND<1	ND<1	ND<1	4.14	0.0172	ND<1	5.7	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	
	19-Sep-06	2.8	ND<1	200	ND<1	ND<1	ND<1	13.7	0.0184	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	
	24-Oct-06	5.0	1.6	160	ND<1	ND<1	ND<1	3.6	0.00756	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	
	29-Nov-06	6.0	1.8	36	ND<1	ND<1	ND<1	14.1	0.0148	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	
	20-Dec-06	2.2	ND<1	110	ND<1	ND<1	ND<1	11.8	0.0197	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	
	10-Jan-07	4.2	2.7	68	ND<1	ND<1	ND<1	2.77	0.458	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	
	8-Feb-07	3.4	2.4	62	ND<1	ND<1	ND<1	8.72	0.00829	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	
	7-Mar-07	ND<1	ND<1	31	ND<1	ND<1	ND<1	4.28	0.107	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	
	18-Apr-07	3	1.7	23	ND<1	ND<1	ND<1	3.81	0.32	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	
	10-May-07	ND<1	ND<1	26	ND<1	ND<1	ND<1	3.04	0.00589	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	
	15-Jun-07	1.1	1.2	ND<1	ND<1	ND<1	ND<1	2.7	0.0392	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	
	18-Jul-07	1.2	0.78	17	ND<1	ND<1	ND<1	2.26	0.198	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	
	16-Aug-07	0.75	ND<1	10	ND<1	ND<1	ND<1	3.92	0.157	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	
	12-Sep-07	1.6	ND<1	1.2	ND<1	ND<1	ND<1	1.76	0.232	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	
	3-Oct-07	1.4	ND<1	1.2	ND<1	ND<1	ND<1	1.9	1.28	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	
	19-Nov-07	5.6	ND<1	ND<1	ND<1	ND<1	ND<1	2.18	0.0132	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	
	12-Dec-07	2.2	0.86	8.3	ND<1	ND<1	ND<1	5.55	0.0186	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	
	16-Jan-08	2	ND<1	5.9	ND<1	ND<1	ND<1	3.09	0.185	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	
	13-Feb-08	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM
	10-Mar-08	1.9	ND<1	5.6	ND<1	ND<1	ND<1	2.74	0.0592	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	
	17-Apr-08	4.1	ND<1	4.1	ND<1	ND<1	ND<1	2.83	0.252	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	
	27-May-08	1.8	ND<1	2.9	ND<1	ND<1	ND<1	3.00	0.838	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	
	17-Jun-08	ND<1	ND<1	1.8	ND<1	ND<1	ND<1	2.65	0.143	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	
	30-Jul-08	1.4	ND<1	1.5	ND<1	ND<1	ND<1	2.47	0.318	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	

TABLE 4

**GROUND-WATER REMEDIAL ACTION
ROWE INDUSTRIES SUPERFUND SITE
SAG HARBOR, NEW YORK**

RECOVERY WELL WATER QUALITY RESULTS

Recovery Well	Date Sampled	PCE (ug/L)	TCE (ug/L)	TCA (ug/L)	Vinyl Acetate (ug/L)	Chloroform (ug/L)	MTBE (ug/L)	Total Iron (mg/L)	Dissolved Iron (mg/L)	1,1-Dichloro-ethane (ug/L)	cis-1,2-Dichloro-ethene (ug/L)	1,1-Dichloro-ethene (ug/L)	Methylene Chloride (ug/L) ¹	Toluene (ug/L)	Dibromochloromethane (ug/L)	m,p-Xylene (ug/L)	o-Xylene (ug/L)	Ethylbenzene (ug/L)	Acetone (ug/L)
	ARAR's	5	5	5	NE	7	NE	300	300	5	5	5	5	NE	NE				NE
	20-Jul-06	ND<1	ND<1	2.2	ND<1	ND<1	ND<1	0.9	0.695	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<2	ND<1	ND<1	ND<1
	24-Aug-06	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	0.97	0.0165	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<2	ND<1	ND<1	ND<1
	19-Sep-06	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	5.16	ND<0.02	ND<1	ND<1	ND<1	18*	ND<1	ND<1	ND<2	ND<1	ND<1	ND<1
	24-Oct-06	ND<1	ND<1	1.5	ND<1	ND<1	ND<1	6.96	0.00719	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<2	ND<1	ND<1	ND<1
	29-Nov-06	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	3.99	ND<0.02	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<2	ND<1	ND<1	ND<1
	20-Dec-06	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	6.54	0.0119	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<2	ND<1	ND<1	ND<1
	10-Jan-07	ND<1	ND<1	1.4	ND<1	ND<1	ND<1	5.08	0.0855	ND<1	ND<1	ND<1	ND<1	1.4	ND<1	7	2	2.1	ND<1
	8-Feb-07	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	2.96	0.0076	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<2	ND<1	ND<1	ND<1
	7-Mar-07	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	8.03	0.399	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<2	ND<1	ND<1	ND<1
	18-Apr-07	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	2.77	0.232	ND<1	ND<1	ND<1	6.2*	ND<1	ND<1	ND<2	ND<1	ND<1	ND<1
	10-May-07	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	2.6	0.0356	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<2	ND<1	ND<1	ND<1
	25-Jun-07	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	0.888	0.04	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<2	ND<1	ND<1	ND<1
	18-Jul-07	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	2.59	0.0227	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<2	ND<1	ND<1	ND<1
	16-Aug-07	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	4.39	0.0250	ND<1	ND<1	ND<1	13*	ND<1	ND<1	ND<2	ND<1	ND<1	ND<1
	12-Sep-07	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	4.33	0.4040	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<2	ND<1	ND<1	ND<1
	3-Oct-07	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	1.18	0.180	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<2	ND<1	ND<1	ND<1
	19-Nov-07	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	0.704	0.065	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<2	ND<1	ND<1	ND<1
	12-Dec-07	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	3.2	1.92	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<2	ND<1	ND<1	ND<1
	16-Jan-08	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	3.85	1.46	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<2	ND<1	ND<1	ND<1
	13-Feb-08	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	2.94	0.176	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<2	ND<1	ND<1	ND<1
	10-Mar-08	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	2.01	0.363	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<2	ND<1	ND<1	ND<1
	17-Apr-08	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	3.99	1.330	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<2	ND<1	ND<1	ND<1
	27-May-08	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	9.68	0.579	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<2	ND<1	ND<1	ND<1
	1-Jul-08	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	3.49	0.770	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<2	ND<1	ND<1	ND<1
	30-Jul-08	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	2.14	0.152	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<2	ND<1	ND<1	ND<1

ND: Not detected
 <4: Less than method detection limit
 ug/L: Micrograms per liter
 -: Not analyzed
 ARAR's are chemical specific aquifer restoration goals for ground water at the Former Rowe Industries Superfund Site.
 Bold values indicate an exceedance of the ARAR standard established for the site

PCE: Tetrachloroethylene
 TCE: Trichloroethylene
 TCA: 1,1,1-Trichloroethane
 1,1-DCE: 1,1-Dichloroethene
 1,2-DCE: 1,2-Dichloroethene
 MTBE: Methyl Tertiary Butyl Ether
 NM: Not Measured


NE indicates that the ARAR goal was not established for this compound by the EP.
 *Concentrations with an asterisk following them are due to laboratory contamination.

GRAPHS


GRAPH 1

GROUND-WATER REMEDIAL ACTION
ROWE INDUSTRIES SUPERFUND SITE
SAG HARBOR, NEW YORK


EFFLUENT FLOW DATA
(July 1, 2008 through July 31, 2008)



GRAPH 2
GROUND-WATER REMEDIAL ACTION
ROWE INDUSTRIES SUPERFUND SITE
SAG HARBOR, NEW YORK



GRAPH 3
GROUND-WATER REMEDIAL ACTION
ROWE INDUSTRIES SUPERFUND SITE
SAG HARBOR, NEW YORK



APPENDIX I
JULY 2008 LABORATORY ANALYTICAL REPORTS

Wednesday, July 09, 2008

Mark Goldberg
Leggette Brashears & Graham Inc.
4 Research Drive
Suite 301
Shelton, CT 06484

TEL: (203) 929-8555

FAX (203) 926-9140

RE: Rowe

Order No.: 0807037

Dear Mark Goldberg:

American Analytical Laboratories, LLC. received 3 sample(s) on 7/3/2008 for the analyses presented in the following report.


Samples were analyzed in accordance with the test procedures documented on the chain of custody and detailed throughout the text of this report.

The results reported herein relate only to the items tested or to the samples as received by the laboratory. This report may not be reproduced, except in full, without the approval of American Analytical Laboratories, LLC and is not considered complete without a cover page and chain of custody documentation. The limits (LOQ) provided in the data package are analytical reporting limits and not Federal or Local mandated values to which the sample results should be compared.

There were no problems with the analyses and all data for associated QC met laboratory specifications. If there are any exceptions a Case Narrative is provided in the report. This package has been reviewed by American Analytical Laboratories' QA Department/Laboratory Director to comply with NELAC standards prior to report submittal.

If you have any questions regarding these tests results, please do not hesitate to call (631) 454-6100 or email me directly at lbeyer@american-analytical.com.

Sincerely,



Lori Beyer
Lab Director

CLIENT: Leggette Brashears & Graham Inc.
Project: Rowe
Lab Order: 0807037

Work Order Sample Summary

Lab Sample ID	Client Sample ID	Tag Number	Date Collected	Date Received
0807037-01A	WQ070108:1230NP2-6		7/1/2008 12:30:00 PM	7/3/2008
0807037-01B	WQ070108:1230NP2-6		7/1/2008 12:30:00 PM	7/3/2008
0807037-01C	WQ070108:1230NP2-6		7/1/2008 12:30:00 PM	7/3/2008
0807037-02A	WQ070108:1235NP2-7		7/1/2008 12:35:00 PM	7/3/2008
0807037-02B	WQ070108:1235NP2-7		7/1/2008 12:35:00 PM	7/3/2008
0807037-02C	WQ070108:1235NP2-7		7/1/2008 12:35:00 PM	7/3/2008
0807037-03A	WQ070108:1240NP2-10		7/1/2008 12:40:00 PM	7/3/2008
0807037-03B	WQ070108:1240NP2-10		7/1/2008 12:40:00 PM	7/3/2008
0807037-03C	WQ070108:1240NP2-10		7/1/2008 12:40:00 PM	7/3/2008
0807037-03D	WQ070108:1240NP2-10		7/1/2008 12:40:00 PM	7/3/2008



56 TOLEDO STREET • FARMINGDALE, NEW YORK 11735
(631) 454-6100 • FAX (631) 454-8027

NYSDOH 11418
CTDOH PH-0205
NJDEP NY050
PADEP 68-573

TAG # / COC _____

CHAIN OF CUSTODY / REQUEST FOR ANALYSIS DOCUMENT

CLIENT NAME/ADDRESS LBG 4 Research Dr Shelton, CT 06484				CONTACT: M. Goldberg		SAMPLER (SIGNATURE) 		SAMPLE(S) SEALED	YES / NO ☒ YES / ☐ NO
PROJECT LOCATION: Rowe				ANALYSIS REQUIRED BIO-ATB6 TOX-DTS TDS		SAMPLER NAME (PRINT) Stephen Hinet		CORRECT CONTAINER(S)	YES / NO ☒ YES / ☐ NO
LABORATORY ID #	MATRIX	# CON- TAINERS	SAMPLING DATE/ TIME	SAMPLE # - LOCATION		FOR METHANOL PRESERVED SAMPLES [VOLATILE VIAL #]			
0807037-01AC	L	4	7/1/08 1230	W00070108: 1230NPZ-6					
0807037-02AC	L	4	1235	W00070108: 1235NPZ-7					
0807037-03AD	L	5	1240	W00070108: 1240NPZ-10					
MATRIX S=SOIL; L=LIQUID; SL=SLUDGE; A=AIR; W=WIFE; P=PAINT CHIPS; B=BULK MATERIAL						COOLER TEMPERATURE:			
TYPE G=GRAB; C=COMPOSITE; SS=SPLIT SPOON						COMMENTS / INSTRUCTIONS			
RELINQUISHED BY (SIGNATURE) 	DATE 07/01/08 TIME 17:00	PRINTED NAME Kithi Deak	RECEIVED BY LAB (SIGNATURE) 			DATE 7-3-08 TIME 10:30	PRINTED NAME Cate Barr		
RELINQUISHED BY (SIGNATURE)	DATE TIME	PRINTED NAME	RECEIVED BY LAB (SIGNATURE)			DATE TIME	PRINTED NAME		

AMERICAN ANALYTICAL LABORATORIES, LLC

56 TOLEDO STREET

FARMINGDALE, NEW YORK 11735

TELEPHONE: (631) 454-6100 FAX: (631) 454-8027

DATA REPORTING QUALIFIERS

For reporting results, the following "Results Qualifiers" are used:

Value	If the result is greater than or equal to the detection limit, report the value.
U	Indicates the compound was analyzed for but was not detected. Report the minimum detection limit for the sample with the U, i.e. "10U". This is not necessarily the instrument detection limit attainable for this particular sample based on any concentration or dilution that may have been required.
J	Indicates an estimated value. The flag is used: (1) When estimating a concentration for a tentatively identified compound (library search hits, where a 1:1 response is assumed.) (2) When the mass spectral data indicated the identification, however the result was less than the specified detection limit greater than zero. If the detection limit was 10ug/L and a concentration of 3ug/L was calculated report as 3J. This flag is used when similar situations arise on any organic parameter i.e. Pesticide, PCBs and others.
B	Indicates the analyte was found in the blank as well as the sample report "10B".
E	Indicates the analytes concentration exceeds the calibrated range of the instrument for that specific analysis.
D	This flag identifies all compounds identified in an analysis at a secondary dilution factor.
P	This flag is used for Pesticide / PCB target analyte when there is >25% difference for detected concentrations between the two GC Columns. The higher of the two values is reported on Form I and flagged with a "P".
N	This flag indicates presumptive evidence of a compound. This is only used for tentatively identified compounds (TICs), where the identification is based on a mass spectral library search. It applies to all TIC results. For generic characterization of a TIC, such as chlorinated hydrocarbon, the flag is not used.
H	Indicates sample was received and/or analyzed outside of the method allowable holding time.

American Analytical Laboratories, LLC.

Date: 09-Jul-08

CLIENT: Leggette Brashears & Graham Inc.
Lab Order: 0807037
Project: Rowe
Lab ID: 0807037-01A

Client Sample ID: WQ070108:1230NP2-6
Tag Number:
Collection Date: 7/1/2008 12:30:00 PM
Matrix: LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILE SW-846 8260 + MTBE & FREON113		SW8260B		Analyst: LA		
1,1,1,2-Tetrachloroethane	U	1.0		µg/L	1	7/7/2008 3:46:00 PM
1,1,1-Trichloroethane	1.6	1.0		µg/L	1	7/7/2008 3:46:00 PM
1,1,2,2-Tetrachloroethane	U	1.0		µg/L	1	7/7/2008 3:46:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	U	1.0		µg/L	1	7/7/2008 3:46:00 PM
1,1,2-Trichloroethane	U	1.0		µg/L	1	7/7/2008 3:46:00 PM
1,1-Dichloroethane	U	1.0		µg/L	1	7/7/2008 3:46:00 PM
1,1-Dichloroethene	U	1.0		µg/L	1	7/7/2008 3:46:00 PM
1,1-Dichloropropene	U	1.0		µg/L	1	7/7/2008 3:46:00 PM
1,2,3-Trichlorobenzene	U	1.0		µg/L	1	7/7/2008 3:46:00 PM
1,2,3-Trichloropropane	U	1.0		µg/L	1	7/7/2008 3:46:00 PM
1,2,4-Trichlorobenzene	U	1.0		µg/L	1	7/7/2008 3:46:00 PM
1,2,4-Trimethylbenzene	U	1.0		µg/L	1	7/7/2008 3:46:00 PM
1,2-Dibromo-3-chloropropane	U	1.0		µg/L	1	7/7/2008 3:46:00 PM
1,2-Dibromoethane	U	1.0		µg/L	1	7/7/2008 3:46:00 PM
1,2-Dichlorobenzene	U	1.0		µg/L	1	7/7/2008 3:46:00 PM
1,2-Dichloroethane	U	1.0		µg/L	1	7/7/2008 3:46:00 PM
1,2-Dichloropropane	U	1.0		µg/L	1	7/7/2008 3:46:00 PM
1,3,5-Trimethylbenzene	U	1.0		µg/L	1	7/7/2008 3:46:00 PM
1,3-Dichlorobenzene	U	1.0		µg/L	1	7/7/2008 3:46:00 PM
1,3-dichloropropane	U	1.0		µg/L	1	7/7/2008 3:46:00 PM
1,4-Dichlorobenzene	U	1.0		µg/L	1	7/7/2008 3:46:00 PM
2,2-Dichloropropane	U	1.0		µg/L	1	7/7/2008 3:46:00 PM
2-Butanone	U	3.0		µg/L	1	7/7/2008 3:46:00 PM
2-Chloroethyl vinyl ether	U	1.0		µg/L	1	7/7/2008 3:46:00 PM
2-Chlorotoluene	U	1.0		µg/L	1	7/7/2008 3:46:00 PM
2-Hexanone	U	2.0		µg/L	1	7/7/2008 3:46:00 PM
4-Chlorotoluene	U	1.0		µg/L	1	7/7/2008 3:46:00 PM
4-Isopropyltoluene	U	1.0		µg/L	1	7/7/2008 3:46:00 PM
4-Methyl-2-pentanone	U	2.0		µg/L	1	7/7/2008 3:46:00 PM
Acetone	U	2.0		µg/L	1	7/7/2008 3:46:00 PM
Benzene	U	1.0		µg/L	1	7/7/2008 3:46:00 PM
Bromobenzene	U	1.0		µg/L	1	7/7/2008 3:46:00 PM
Bromochloromethane	U	1.0		µg/L	1	7/7/2008 3:46:00 PM
Bromodichloromethane	U	1.0		µg/L	1	7/7/2008 3:46:00 PM
Bromoform	U	1.0		µg/L	1	7/7/2008 3:46:00 PM
Bromomethane	U	1.0		µg/L	1	7/7/2008 3:46:00 PM
Carbon disulfide	U	1.0		µg/L	1	7/7/2008 3:46:00 PM
Carbon tetrachloride	U	1.0		µg/L	1	7/7/2008 3:46:00 PM
Chlorobenzene	U	1.0		µg/L	1	7/7/2008 3:46:00 PM

Qualifiers:	B	Analyte detected in the associated Method Blank	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	S	Spike Recovery outside accepted recovery limits
	U	Indicates the compound was analyzed for but not detected	X	Value exceeds Maximum Contaminant Level

American Analytical Laboratories, LLC.

Date: 09-Jul-08

CLIENT: Leggette Brashears & Graham Inc.
Lab Order: 0807037
Project: Rowe
Lab ID: 0807037-01A

Client Sample ID: WQ070108:1230NP2-6
Tag Number:
Collection Date: 7/1/2008 12:30:00 PM
Matrix: LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILE SW-846 8260 + MTBE & FREON113		SW8260B		Analyst: LA		
Chloroethane	U	1.0		µg/L	1	7/7/2008 3:46:00 PM
Chloroform	U	1.0		µg/L	1	7/7/2008 3:46:00 PM
Chloromethane	U	1.0		µg/L	1	7/7/2008 3:46:00 PM
cis-1,2-Dichloroethene	U	1.0		µg/L	1	7/7/2008 3:46:00 PM
cis-1,3-Dichloropropene	U	1.0		µg/L	1	7/7/2008 3:46:00 PM
Dibromochloromethane	U	1.0		µg/L	1	7/7/2008 3:46:00 PM
Dibromomethane	U	1.0		µg/L	1	7/7/2008 3:46:00 PM
Dichlorodifluoromethane	U	1.0		µg/L	1	7/7/2008 3:46:00 PM
Ethylbenzene	U	1.0		µg/L	1	7/7/2008 3:46:00 PM
Hexachlorobutadiene	U	1.0		µg/L	1	7/7/2008 3:46:00 PM
Isopropylbenzene	U	1.0		µg/L	1	7/7/2008 3:46:00 PM
m,p-Xylene	U	2.0		µg/L	1	7/7/2008 3:46:00 PM
Methyl tert-butyl ether	U	1.0		µg/L	1	7/7/2008 3:46:00 PM
Methylene chloride	U	1.0		µg/L	1	7/7/2008 3:46:00 PM
Naphthalene	U	1.0		µg/L	1	7/7/2008 3:46:00 PM
n-Butylbenzene	U	1.0		µg/L	1	7/7/2008 3:46:00 PM
n-Propylbenzene	U	1.0		µg/L	1	7/7/2008 3:46:00 PM
o-Xylene	U	1.0		µg/L	1	7/7/2008 3:46:00 PM
sec-Butylbenzene	U	1.0		µg/L	1	7/7/2008 3:46:00 PM
Styrene	U	1.0		µg/L	1	7/7/2008 3:46:00 PM
tert-Butylbenzene	U	1.0		µg/L	1	7/7/2008 3:46:00 PM
Tetrachloroethene	1.5	1.0		µg/L	1	7/7/2008 3:46:00 PM
Toluene	U	1.0		µg/L	1	7/7/2008 3:46:00 PM
trans-1,2-Dichloroethene	U	1.0		µg/L	1	7/7/2008 3:46:00 PM
trans-1,3-Dichloropropene	U	1.0		µg/L	1	7/7/2008 3:46:00 PM
Trichloroethene	U	1.0		µg/L	1	7/7/2008 3:46:00 PM
Trichlorofluoromethane	U	1.0		µg/L	1	7/7/2008 3:46:00 PM
Vinyl acetate	U	1.0		µg/L	1	7/7/2008 3:46:00 PM
Vinyl chloride	U	1.0		µg/L	1	7/7/2008 3:46:00 PM
Surr: 4-Bromofluorobenzene	93.5	54-134		%REC	1	7/7/2008 3:46:00 PM
Surr: Dibromofluoromethane	107	52-132		%REC	1	7/7/2008 3:46:00 PM
Surr: Toluene-d8	96.2	51-127		%REC	1	7/7/2008 3:46:00 PM

Qualifiers:	B	Analyte detected in the associated Method Blank	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	S	Spike Recovery outside accepted recovery limits
	U	Indicates the compound was analyzed for but not detecte	X	Value exceeds Maximum Contaminant Level

American Analytical Laboratories, LLC.

Date: 09-Jul-08

CLIENT: Leggette Brashears & Graham Inc.
Lab Order: 0807037
Project: Rowe
Lab ID: 0807037-01B

Client Sample ID: WQ070108:1230NP2-6
Tag Number:
Collection Date: 7/1/2008 12:30:00 PM
Matrix: LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
TOTAL IRON		E200.7		SW3010A		Analyst: JP
Iron	1.89	0.0200		mg/L	1	7/8/2008 10:47:31 AM

Qualifiers:	B	Analyte detected in the associated Method Blank	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	S	Spike Recovery outside accepted recovery limits
	U	Indicates the compound was analyzed for but not detected	X	Value exceeds Maximum Contaminant Level

American Analytical Laboratories, LLC.

Date: 09-Jul-08

CLIENT: Leggette Brashears & Graham Inc.
Lab Order: 0807037
Project: Rowe
Lab ID: 0807037-01C

Client Sample ID: WQ070108:1230NP2-6
Tag Number:
Collection Date: 7/1/2008 12:30:00 PM
Matrix: LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
DISSOLVED IRON		E200.7		SW1311		Analyst: JP
Iron	0.0384	0.0200		mg/L	1	7/8/2008 11:19:23 AM

Qualifiers:	B	Analyte detected in the associated Method Blank	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	S	Spike Recovery outside accepted recovery limits
	U	Indicates the compound was analyzed for but not detected	X	Value exceeds Maximum Contaminant Level

American Analytical Laboratories, LLC.

Date: 09-Jul-08

CLIENT: Leggette Brashears & Graham Inc.
Lab Order: 0807037
Project: Rowe
Lab ID: 0807037-02A

Client Sample ID: WQ070108:1235NP2-7
Tag Number:
Collection Date: 7/1/2008 12:35:00 PM
Matrix: LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILE SW-846 8260 + MTBE & FREON113		SW8260B		Analyst: LA		
1,1,1,2-Tetrachloroethane	U	1.0		µg/L	1	7/7/2008 4:17:00 PM
1,1,1-Trichloroethane	U	1.0		µg/L	1	7/7/2008 4:17:00 PM
1,1,2,2-Tetrachloroethane	U	1.0		µg/L	1	7/7/2008 4:17:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	U	1.0		µg/L	1	7/7/2008 4:17:00 PM
1,1,2-Trichloroethane	U	1.0		µg/L	1	7/7/2008 4:17:00 PM
1,1-Dichloroethane	U	1.0		µg/L	1	7/7/2008 4:17:00 PM
1,1-Dichloroethene	U	1.0		µg/L	1	7/7/2008 4:17:00 PM
1,1-Dichloropropene	U	1.0		µg/L	1	7/7/2008 4:17:00 PM
1,2,3-Trichlorobenzene	U	1.0		µg/L	1	7/7/2008 4:17:00 PM
1,2,3-Trichloropropane	U	1.0		µg/L	1	7/7/2008 4:17:00 PM
1,2,4-Trichlorobenzene	U	1.0		µg/L	1	7/7/2008 4:17:00 PM
1,2,4-Trimethylbenzene	U	1.0		µg/L	1	7/7/2008 4:17:00 PM
1,2-Dibromo-3-chloropropane	U	1.0		µg/L	1	7/7/2008 4:17:00 PM
1,2-Dibromoethane	U	1.0		µg/L	1	7/7/2008 4:17:00 PM
1,2-Dichlorobenzene	U	1.0		µg/L	1	7/7/2008 4:17:00 PM
1,2-Dichloroethane	U	1.0		µg/L	1	7/7/2008 4:17:00 PM
1,2-Dichloropropane	U	1.0		µg/L	1	7/7/2008 4:17:00 PM
1,3,5-Trimethylbenzene	U	1.0		µg/L	1	7/7/2008 4:17:00 PM
1,3-Dichlorobenzene	U	1.0		µg/L	1	7/7/2008 4:17:00 PM
1,3-dichloropropane	U	1.0		µg/L	1	7/7/2008 4:17:00 PM
1,4-Dichlorobenzene	U	1.0		µg/L	1	7/7/2008 4:17:00 PM
2,2-Dichloropropane	U	1.0		µg/L	1	7/7/2008 4:17:00 PM
2-Butanone	U	3.0		µg/L	1	7/7/2008 4:17:00 PM
2-Chloroethyl vinyl ether	U	1.0		µg/L	1	7/7/2008 4:17:00 PM
2-Chlorotoluene	U	1.0		µg/L	1	7/7/2008 4:17:00 PM
2-Hexanone	U	2.0		µg/L	1	7/7/2008 4:17:00 PM
4-Chlorotoluene	U	1.0		µg/L	1	7/7/2008 4:17:00 PM
4-Isopropyltoluene	U	1.0		µg/L	1	7/7/2008 4:17:00 PM
4-Methyl-2-pentanone	U	2.0		µg/L	1	7/7/2008 4:17:00 PM
Acetone	U	2.0		µg/L	1	7/7/2008 4:17:00 PM
Benzene	U	1.0		µg/L	1	7/7/2008 4:17:00 PM
Bromobenzene	U	1.0		µg/L	1	7/7/2008 4:17:00 PM
Bromochloromethane	U	1.0		µg/L	1	7/7/2008 4:17:00 PM
Bromodichloromethane	U	1.0		µg/L	1	7/7/2008 4:17:00 PM
Bromoform	U	1.0		µg/L	1	7/7/2008 4:17:00 PM
Bromomethane	U	1.0		µg/L	1	7/7/2008 4:17:00 PM
Carbon disulfide	U	1.0		µg/L	1	7/7/2008 4:17:00 PM
Carbon tetrachloride	U	1.0		µg/L	1	7/7/2008 4:17:00 PM
Chlorobenzene	U	1.0		µg/L	1	7/7/2008 4:17:00 PM

Qualifiers:	B	Analyte detected in the associated Method Blank	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	S	Spike Recovery outside accepted recovery limits
	U	Indicates the compound was analyzed for but not detected	X	Value exceeds Maximum Contaminant Level

American Analytical Laboratories, LLC.

Date: 09-Jul-08

CLIENT: Leggette Brashears & Graham Inc.
Lab Order: 0807037
Project: Rowe
Lab ID: 0807037-02A

Client Sample ID: WQ070108:1235NP2-7
Tag Number:
Collection Date: 7/1/2008 12:35:00 PM
Matrix: LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILE SW-846 8260 + MTBE & FREON113		SW8260B		Analyst: LA		
Chloroethane	U	1.0		µg/L	1	7/7/2008 4:17:00 PM
Chloroform	U	1.0		µg/L	1	7/7/2008 4:17:00 PM
Chloromethane	U	1.0		µg/L	1	7/7/2008 4:17:00 PM
cis-1,2-Dichloroethene	U	1.0		µg/L	1	7/7/2008 4:17:00 PM
cis-1,3-Dichloropropene	U	1.0		µg/L	1	7/7/2008 4:17:00 PM
Dibromochloromethane	U	1.0		µg/L	1	7/7/2008 4:17:00 PM
Dibromomethane	U	1.0		µg/L	1	7/7/2008 4:17:00 PM
Dichlorodifluoromethane	U	1.0		µg/L	1	7/7/2008 4:17:00 PM
Ethylbenzene	U	1.0		µg/L	1	7/7/2008 4:17:00 PM
Hexachlorobutadiene	U	1.0		µg/L	1	7/7/2008 4:17:00 PM
Isopropylbenzene	U	1.0		µg/L	1	7/7/2008 4:17:00 PM
m,p-Xylene	U	2.0		µg/L	1	7/7/2008 4:17:00 PM
Methyl tert-butyl ether	U	1.0		µg/L	1	7/7/2008 4:17:00 PM
Methylene chloride	U	1.0		µg/L	1	7/7/2008 4:17:00 PM
Naphthalene	U	1.0		µg/L	1	7/7/2008 4:17:00 PM
n-Butylbenzene	U	1.0		µg/L	1	7/7/2008 4:17:00 PM
n-Propylbenzene	U	1.0		µg/L	1	7/7/2008 4:17:00 PM
o-Xylene	U	1.0		µg/L	1	7/7/2008 4:17:00 PM
sec-Butylbenzene	U	1.0		µg/L	1	7/7/2008 4:17:00 PM
Styrene	U	1.0		µg/L	1	7/7/2008 4:17:00 PM
tert-Butylbenzene	U	1.0		µg/L	1	7/7/2008 4:17:00 PM
Tetrachloroethene	U	1.0		µg/L	1	7/7/2008 4:17:00 PM
Toluene	U	1.0		µg/L	1	7/7/2008 4:17:00 PM
trans-1,2-Dichloroethene	U	1.0		µg/L	1	7/7/2008 4:17:00 PM
trans-1,3-Dichloropropene	U	1.0		µg/L	1	7/7/2008 4:17:00 PM
Trichloroethene	U	1.0		µg/L	1	7/7/2008 4:17:00 PM
Trichlorofluoromethane	U	1.0		µg/L	1	7/7/2008 4:17:00 PM
Vinyl acetate	U	1.0		µg/L	1	7/7/2008 4:17:00 PM
Vinyl chloride	U	1.0		µg/L	1	7/7/2008 4:17:00 PM
Surr: 4-Bromofluorobenzene	92.0	54-134		%REC	1	7/7/2008 4:17:00 PM
Surr: Dibromofluoromethane	106	52-132		%REC	1	7/7/2008 4:17:00 PM
Surr: Toluene-d8	101	51-127		%REC	1	7/7/2008 4:17:00 PM

Qualifiers:	B	Analyte detected in the associated Method Blank	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	S	Spike Recovery outside accepted recovery limits
	U	Indicates the compound was analyzed for but not detected	X	Value exceeds Maximum Contaminant Level

American Analytical Laboratories, LLC.

Date: 09-Jul-08

CLIENT: Leggette Brashears & Graham Inc.**Client Sample ID:** WQ070108:1235NP2-7**Lab Order:** 0807037**Tag Number:****Project:** Rowe**Collection Date:** 7/1/2008 12:35:00 PM**Lab ID:** 0807037-02B**Matrix:** LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
TOTAL IRON		E200.7		SW3010A		Analyst: JP
Iron	1.70	0.0200		mg/L	1	7/8/2008 10:49:33 AM

Qualifiers:	B	Analyte detected in the associated Method Blank	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	S	Spike Recovery outside accepted recovery limits
	U	Indicates the compound was analyzed for but not detected	X	Value exceeds Maximum Contaminant Level

American Analytical Laboratories, LLC.

Date: 09-Jul-08

CLIENT: Leggette Brashears & Graham Inc.**Client Sample ID:** WQ070108:1235NP2-7**Lab Order:** 0807037**Tag Number:****Project:** Rowe**Collection Date:** 7/1/2008 12:35:00 PM**Lab ID:** 0807037-02C**Matrix:** LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
DISSOLVED IRON		E200.7		SW1311		Analyst: JP
Iron	0.0957	0.0200		mg/L	1	7/8/2008 11:21:26 AM

Qualifiers:	B	Analyte detected in the associated Method Blank	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	S	Spike Recovery outside accepted recovery limits
	U	Indicates the compound was analyzed for but not detected	X	Value exceeds Maximum Contaminant Level

American Analytical Laboratories, LLC.

Date: 09-Jul-08

CLIENT: Leggette Brashears & Graham Inc.
Lab Order: 0807037
Project: Rowe
Lab ID: 0807037-03A

Client Sample ID: WQ070108:1240NP2-10
Tag Number:
Collection Date: 7/1/2008 12:40:00 PM
Matrix: LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILE SW-846 8260 + MTBE & FREON113		SW8260B		Analyst: LA		
1,1,1,2-Tetrachloroethane	U	1.0		µg/L	1	7/7/2008 4:50:00 PM
1,1,1-Trichloroethane	U	1.0		µg/L	1	7/7/2008 4:50:00 PM
1,1,2,2-Tetrachloroethane	U	1.0		µg/L	1	7/7/2008 4:50:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	U	1.0		µg/L	1	7/7/2008 4:50:00 PM
1,1,2-Trichloroethane	U	1.0		µg/L	1	7/7/2008 4:50:00 PM
1,1-Dichloroethane	U	1.0		µg/L	1	7/7/2008 4:50:00 PM
1,1-Dichloroethene	U	1.0		µg/L	1	7/7/2008 4:50:00 PM
1,1-Dichloropropene	U	1.0		µg/L	1	7/7/2008 4:50:00 PM
1,2,3-Trichlorobenzene	U	1.0		µg/L	1	7/7/2008 4:50:00 PM
1,2,3-Trichloropropane	U	1.0		µg/L	1	7/7/2008 4:50:00 PM
1,2,4-Trichlorobenzene	U	1.0		µg/L	1	7/7/2008 4:50:00 PM
1,2,4-Trimethylbenzene	U	1.0		µg/L	1	7/7/2008 4:50:00 PM
1,2-Dibromo-3-chloropropane	U	1.0		µg/L	1	7/7/2008 4:50:00 PM
1,2-Dibromoethane	U	1.0		µg/L	1	7/7/2008 4:50:00 PM
1,2-Dichlorobenzene	U	1.0		µg/L	1	7/7/2008 4:50:00 PM
1,2-Dichloroethane	U	1.0		µg/L	1	7/7/2008 4:50:00 PM
1,2-Dichloropropane	U	1.0		µg/L	1	7/7/2008 4:50:00 PM
1,3,5-Trimethylbenzene	U	1.0		µg/L	1	7/7/2008 4:50:00 PM
1,3-Dichlorobenzene	U	1.0		µg/L	1	7/7/2008 4:50:00 PM
1,3-dichloropropane	U	1.0		µg/L	1	7/7/2008 4:50:00 PM
1,4-Dichlorobenzene	U	1.0		µg/L	1	7/7/2008 4:50:00 PM
2,2-Dichloropropane	U	1.0		µg/L	1	7/7/2008 4:50:00 PM
2-Butanone	U	3.0		µg/L	1	7/7/2008 4:50:00 PM
2-Chloroethyl vinyl ether	U	1.0		µg/L	1	7/7/2008 4:50:00 PM
2-Chlorotoluene	U	1.0		µg/L	1	7/7/2008 4:50:00 PM
2-Hexanone	U	2.0		µg/L	1	7/7/2008 4:50:00 PM
4-Chlorotoluene	U	1.0		µg/L	1	7/7/2008 4:50:00 PM
4-Isopropyltoluene	U	1.0		µg/L	1	7/7/2008 4:50:00 PM
4-Methyl-2-pentanone	U	2.0		µg/L	1	7/7/2008 4:50:00 PM
Acetone	U	2.0		µg/L	1	7/7/2008 4:50:00 PM
Benzene	U	1.0		µg/L	1	7/7/2008 4:50:00 PM
Bromobenzene	U	1.0		µg/L	1	7/7/2008 4:50:00 PM
Bromochloromethane	U	1.0		µg/L	1	7/7/2008 4:50:00 PM
Bromodichloromethane	U	1.0		µg/L	1	7/7/2008 4:50:00 PM
Bromoform	U	1.0		µg/L	1	7/7/2008 4:50:00 PM
Bromomethane	U	1.0		µg/L	1	7/7/2008 4:50:00 PM
Carbon disulfide	U	1.0		µg/L	1	7/7/2008 4:50:00 PM
Carbon tetrachloride	U	1.0		µg/L	1	7/7/2008 4:50:00 PM
Chlorobenzene	U	1.0		µg/L	1	7/7/2008 4:50:00 PM

Qualifiers:	B	Analyte detected in the associated Method Blank	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	S	Spike Recovery outside accepted recovery limits
	U	Indicates the compound was analyzed for but not detected	X	Value exceeds Maximum Contaminant Level

American Analytical Laboratories, LLC.

Date: 09-Jul-08

CLIENT: Leggette Brashears & Graham Inc.
Lab Order: 0807037
Project: Rowe
Lab ID: 0807037-03A

Client Sample ID: WQ070108:1240NP2-10
Tag Number:
Collection Date: 7/1/2008 12:40:00 PM
Matrix: LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILE SW-846 8260 + MTBE & FREON113		SW8260B		Analyst: LA		
Chloroethane	U	1.0		µg/L	1	7/7/2008 4:50:00 PM
Chloroform	U	1.0		µg/L	1	7/7/2008 4:50:00 PM
Chloromethane	U	1.0		µg/L	1	7/7/2008 4:50:00 PM
cis-1,2-Dichloroethene	U	1.0		µg/L	1	7/7/2008 4:50:00 PM
cis-1,3-Dichloropropene	U	1.0		µg/L	1	7/7/2008 4:50:00 PM
Dibromochloromethane	U	1.0		µg/L	1	7/7/2008 4:50:00 PM
Dibromomethane	U	1.0		µg/L	1	7/7/2008 4:50:00 PM
Dichlorodifluoromethane	U	1.0		µg/L	1	7/7/2008 4:50:00 PM
Ethylbenzene	U	1.0		µg/L	1	7/7/2008 4:50:00 PM
Hexachlorobutadiene	U	1.0		µg/L	1	7/7/2008 4:50:00 PM
Isopropylbenzene	U	1.0		µg/L	1	7/7/2008 4:50:00 PM
m,p-Xylene	U	2.0		µg/L	1	7/7/2008 4:50:00 PM
Methyl tert-butyl ether	U	1.0		µg/L	1	7/7/2008 4:50:00 PM
Methylene chloride	U	1.0		µg/L	1	7/7/2008 4:50:00 PM
Naphthalene	U	1.0		µg/L	1	7/7/2008 4:50:00 PM
n-Butylbenzene	U	1.0		µg/L	1	7/7/2008 4:50:00 PM
n-Propylbenzene	U	1.0		µg/L	1	7/7/2008 4:50:00 PM
o-Xylene	U	1.0		µg/L	1	7/7/2008 4:50:00 PM
sec-Butylbenzene	U	1.0		µg/L	1	7/7/2008 4:50:00 PM
Styrene	U	1.0		µg/L	1	7/7/2008 4:50:00 PM
tert-Butylbenzene	U	1.0		µg/L	1	7/7/2008 4:50:00 PM
Tetrachloroethene	U	1.0		µg/L	1	7/7/2008 4:50:00 PM
Toluene	U	1.0		µg/L	1	7/7/2008 4:50:00 PM
trans-1,2-Dichloroethene	U	1.0		µg/L	1	7/7/2008 4:50:00 PM
trans-1,3-Dichloropropene	U	1.0		µg/L	1	7/7/2008 4:50:00 PM
Trichloroethene	U	1.0		µg/L	1	7/7/2008 4:50:00 PM
Trichlorofluoromethane	U	1.0		µg/L	1	7/7/2008 4:50:00 PM
Vinyl acetate	U	1.0		µg/L	1	7/7/2008 4:50:00 PM
Vinyl chloride	U	1.0		µg/L	1	7/7/2008 4:50:00 PM
Surr: 4-Bromofluorobenzene	94.2	54-134		%REC	1	7/7/2008 4:50:00 PM
Surr: Dibromofluoromethane	110	52-132		%REC	1	7/7/2008 4:50:00 PM
Surr: Toluene-d8	105	51-127		%REC	1	7/7/2008 4:50:00 PM

Qualifiers:	B	Analyte detected in the associated Method Blank	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	S	Spike Recovery outside accepted recovery limits
	U	Indicates the compound was analyzed for but not detected	X	Value exceeds Maximum Contaminant Level

American Analytical Laboratories, LLC.

Date: 09-Jul-08

CLIENT: Leggette Brashears & Graham Inc.**Client Sample ID:** WQ070108:1240NP2-10**Lab Order:** 0807037**Tag Number:****Project:** Rowe**Collection Date:** 7/1/2008 12:40:00 PM**Lab ID:** 0807037-03B**Matrix:** LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
TOTAL IRON		E200.7		SW3010A		Analyst: JP
Iron	1.18	0.0200		mg/L	1	7/8/2008 10:51:35 AM

Qualifiers:	B	Analyte detected in the associated Method Blank	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	S	Spike Recovery outside accepted recovery limits
	U	Indicates the compound was analyzed for but not detected	X	Value exceeds Maximum Contaminant Level

American Analytical Laboratories, LLC.

Date: 09-Jul-08

CLIENT: Leggette Brashears & Graham Inc.**Client Sample ID:** WQ070108:1240NP2-10**Lab Order:** 0807037**Tag Number:****Project:** Rowe**Collection Date:** 7/1/2008 12:40:00 PM**Lab ID:** 0807037-03C**Matrix:** LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
DISSOLVED IRON		E200.7		SW1311		Analyst: JP
Iron	0.136	0.0200		mg/L	1	7/8/2008 11:23:29 AM

Qualifiers:	B	Analyte detected in the associated Method Blank	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	S	Spike Recovery outside accepted recovery limits
	U	Indicates the compound was analyzed for but not detected	X	Value exceeds Maximum Contaminant Level

American Analytical Laboratories, LLC.

Date: 09-Jul-08

CLIENT: Leggette Brashears & Graham Inc.**Client Sample ID:** WQ070108:1240NP2-10**Lab Order:** 0807037**Tag Number:****Project:** Rowe**Collection Date:** 7/1/2008 12:40:00 PM**Lab ID:** 0807037-03D**Matrix:** LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
TOTAL DISSOLVED SOLIDS		M2540C				Analyst: AS
Total Dissolved Solids (Residue, Filterable)	130	1.00		mg/L	1	7/3/2008

Qualifiers:	B	Analyte detected in the associated Method Blank	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	S	Spike Recovery outside accepted recovery limits
	U	Indicates the compound was analyzed for but not detected	X	Value exceeds Maximum Contaminant Level

Tuesday, July 22, 2008

Mark Goldberg
Leggette Brashears & Graham Inc.
4 Research Drive
Suite 301
Shelton, CT 06484

TEL: (203) 929-8555
FAX (203) 926-9140

RE: Rowe

Dear Mark Goldberg:

Replacement Workorder

Lori Beyer 07/22/08
Signature Date

Order No.: 0807146

American Analytical Laboratories, LLC. received 3 sample(s) on 7/10/2008 for the analyses presented in the following report.


Samples were analyzed in accordance with the test procedures documented on the chain of custody and detailed throughout the text of this report.

The results reported herein relate only to the items tested or to the samples as received by the laboratory. This report may not be reproduced, except in full, without the approval of American Analytical Laboratories, LLC and is not considered complete without a cover page and chain of custody documentation. The limits (LOQ) provided in the data package are analytical reporting limits and not Federal or Local mandated values to which the sample results should be compared.

There were no problems with the analyses and all data for associated QC met laboratory specifications. If there are any exceptions a Case Narrative is provided in the report. This package has been reviewed by American Analytical Laboratories' QA Department/Laboratory Director to comply with NELAC standards prior to report submittal.

If you have any questions regarding these tests results, please do not hesitate to call (631) 454-6100 or email me directly at lbeyer@american-analytical.com.

Sincerely,


Lori Beyer
Lab Director

American Analytical Laboratories, LLC.

Date: 22-Jul-08


CLIENT: Leggette Brashears & Graham Inc.
Project: Rowe
Lab Order: 0807146

Work Order Sample Summary

Lab Sample ID	Client Sample ID	Date Collected	Date Received
0807146-01A	WQ070808:1300NP2-6	7/8/2008 1:00:00 PM	7/10/2008
0807146-01B	WQ070808:1300NP2-6	7/8/2008 1:00:00 PM	7/10/2008
0807146-01C	WQ070808:1300NP2-6	7/8/2008 1:00:00 PM	7/10/2008
0807146-02A	WQ070808:1305NP2-7	7/8/2008 1:05:00 PM	7/10/2008
0807146-02B	WQ070808:1305NP2-7	7/8/2008 1:05:00 PM	7/10/2008
0807146-02C	WQ070808:1305NP2-7	7/8/2008 1:05:00 PM	7/10/2008
0807146-03A	WQ070808:1310NP2-10	7/8/2008 1:10:00 PM	7/10/2008
0807146-03B	WQ070808:1310NP2-10	7/8/2008 1:10:00 PM	7/10/2008
0807146-03C	WQ070808:1310NP2-10	7/8/2008 1:10:00 PM	7/10/2008
0807146-03D	WQ070808:1310NP2-10	7/8/2008 1:10:00 PM	7/10/2008



CHAIN OF CUSTODY / REQUEST FOR ANALYSIS DOCUMENT

CLIENT NAME/ADDRESS L36- 4 Research Dr Suite 301 Shelton, CT 06484				CONTACT: M. Goldberg		SAMPLER (SIGNATURE) 	SAMPLE(S) SEALED ☒ YES / ☐ NO
PROJECT LOCATION: Rowe				ANALYSIS REQUIRED 8260 + MTBC Teflon 113 Teflon 113 Teflon 113		SAMPLER NAME (PRINT) STEPHEN HNAT	CORRECT CONTAINER(S) ☒ YES / ☐ NO
LABORATORY ID #	MATRIX	# CON-TAINERS	SAMPLING DATE/ TIME	SAMPLE # - LOCATION	FOR METHANOL PRESERVED SAMPLES (VOLATILE VIAL #)		
0807146-01AFC	L	4	7/8/08 1300	W0070808:1300 NP2-6			
0807146-02ABC	L	4	1305	W0070808:1305 NP2-7			
0807146-03ABC	L	5	1310	W0070808:1310 NP2-10			
MATRIX S=SOIL; L=LIQUID; SL=SLUDGE; A=AIR; W=WIFE; P=PAINT CHIPS; B=BULK MATERIAL					COOLER TEMPERATURE:		
TYPE G=GRAB; C=COMPOSITE, SS=SPLIT SPOON					COMMENTS / INSTRUCTIONS		
RELINQUISHED BY (SIGNATURE) 	DATE 7/10/08	TIME 1700	PRINTED NAME Abbey Duncan	RECEIVED BY LAB (SIGNATURE) 	DATE 7/10/08	TIME 1700	PRINTED NAME Gary Zpp
RELINQUISHED BY (SIGNATURE)	DATE	TIME	PRINTED NAME	RECEIVED BY LAB (SIGNATURE)	DATE	TIME	PRINTED NAME

AMERICAN ANALYTICAL LABORATORIES, LLC

56 TOLEDO STREET

FARMINGDALE, NEW YORK 11735

TELEPHONE: (631) 454-6100 FAX: (631) 454-8027

DATA REPORTING QUALIFIERS

For reporting results, the following "Results Qualifiers" are used:

Value	If the result is greater than or equal to the detection limit, report the value.
U	Indicates the compound was analyzed for but was not detected. Report the minimum detection limit for the sample with the U, i.e. "10U". This is not necessarily the instrument detection limit attainable for this particular sample based on any concentration or dilution that may have been required.
J	Indicates an estimated value. The flag is used: (1) When estimating a concentration for a tentatively identified compound (library search hits, where a 1:1 response is assumed.) (2) When the mass spectral data indicated the identification, however the result was less than the specified detection limit greater than zero. If the detection limit was 10ug/L and a concentration of 3ug/L was calculated report as 3J. This flag is used when similar situations arise on any organic parameter i.e. Pesticide, PCBs and others.
B	Indicates the analyte was found in the blank as well as the sample report "10B".
E	Indicates the analytes concentration exceeds the calibrated range of the instrument for that specific analysis.
D	This flag identifies all compounds identified in an analysis at a secondary dilution factor.
P	This flag is used for Pesticide / PCB target analyte when there is >25% difference for detected concentrations between the two GC Columns. The higher of the two values is reported on Form I and flagged with a "P".
N	This flag indicates presumptive evidence of a compound. This is only used for tentatively identified compounds (TICs), where the identification is based on a mass spectral library search. It applies to all TIC results. For generic characterization of a TIC, such as chlorinated hydrocarbon, the flag is not used.
H	Indicates sample was received and/or analyzed outside of the method allowable holding time.

American Analytical Laboratories, LLC.

Date: 22-Jul-08

ELAP ID : 11418

CLIENT: Leggette Brashears & Graham Inc.
Lab Order: 0807146
Project: Rowe
Lab ID: 0807146-01A

Client Sample ID: WQ070808:1300NP2-6
Collection Date: 7/8/2008 1:00:00 PM
Matrix: LIQUID

Certificate of Results

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
VOLATILE SW-846 8260 + MTBE & FREON113			SW8260B			Analyst: LA	
1,1,1,2-Tetrachloroethane	U	0.09	1.0		µg/L	1	7/19/2008 2:45:00 AM
1,1,1-Trichloroethane	U	0.17	1.0		µg/L	1	7/19/2008 2:45:00 AM
1,1,2,2-Tetrachloroethane	U	0.06	1.0		µg/L	1	7/19/2008 2:45:00 AM
1,1,2-Trichloro-1,2,2-trifluoroethane	U	0.13	1.0		µg/L	1	7/19/2008 2:45:00 AM
1,1,2-Trichloroethane	U	0.07	1.0		µg/L	1	7/19/2008 2:45:00 AM
1,1-Dichloroethane	U	0.11	1.0		µg/L	1	7/19/2008 2:45:00 AM
1,1-Dichloroethene	U	0.15	1.0		µg/L	1	7/19/2008 2:45:00 AM
1,1-Dichloropropene	U	0.12	1.0		µg/L	1	7/19/2008 2:45:00 AM
1,2,3-Trichlorobenzene	U	0.07	1.0		µg/L	1	7/19/2008 2:45:00 AM
1,2,3-Trichloropropane	U	0.08	1.0		µg/L	1	7/19/2008 2:45:00 AM
1,2,4-Trichlorobenzene	U	0.07	1.0		µg/L	1	7/19/2008 2:45:00 AM
1,2,4-Trimethylbenzene	U	0.09	1.0		µg/L	1	7/19/2008 2:45:00 AM
1,2-Dibromo-3-chloropropane	U	0.09	1.0		µg/L	1	7/19/2008 2:45:00 AM
1,2-Dibromoethane	U	0.06	1.0		µg/L	1	7/19/2008 2:45:00 AM
1,2-Dichlorobenzene	U	0.08	1.0		µg/L	1	7/19/2008 2:45:00 AM
1,2-Dichloroethane	U	0.08	1.0		µg/L	1	7/19/2008 2:45:00 AM
1,2-Dichloropropane	U	0.1	1.0		µg/L	1	7/19/2008 2:45:00 AM
1,3,5-Trimethylbenzene	U	0.11	1.0		µg/L	1	7/19/2008 2:45:00 AM
1,3-Dichlorobenzene	U	0.08	1.0		µg/L	1	7/19/2008 2:45:00 AM
1,3-dichloropropane	U	0.08	1.0		µg/L	1	7/19/2008 2:45:00 AM
1,4-Dichlorobenzene	U	0.08	1.0		µg/L	1	7/19/2008 2:45:00 AM
2,2-Dichloropropane	U	0.11	1.0		µg/L	1	7/19/2008 2:45:00 AM
2-Butanone	U	1.28	3.0		µg/L	1	7/19/2008 2:45:00 AM
2-Chloroethyl vinyl ether	U	0.08	1.0		µg/L	1	7/19/2008 2:45:00 AM
2-Chlorotoluene	U	0.09	1.0		µg/L	1	7/19/2008 2:45:00 AM
2-Hexanone	U	0.22	2.0		µg/L	1	7/19/2008 2:45:00 AM
4-Chlorotoluene	U	0.09	1.0		µg/L	1	7/19/2008 2:45:00 AM
4-Isopropyltoluene	U	0.1	1.0		µg/L	1	7/19/2008 2:45:00 AM
4-Methyl-2-pentanone	U	0.21	2.0		µg/L	1	7/19/2008 2:45:00 AM
Acetone	U	0.19	2.0		µg/L	1	7/19/2008 2:45:00 AM
Benzene	U	0.11	1.0		µg/L	1	7/19/2008 2:45:00 AM
Bromobenzene	U	0.07	1.0		µg/L	1	7/19/2008 2:45:00 AM
Bromochloromethane	U	0.4	1.0		µg/L	1	7/19/2008 2:45:00 AM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735
Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



Qualifiers:	*	Value exceeds Maximum Contaminant Level	B	Analyte detected in the associated Method Blank
	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded
	J	Analyte detected below quantitation limits	LOD	Limit of Detection
	LOQ	Limit of Quantitation	ND	Not Detected at the Reporting Limit
	S	Spike Recovery outside accepted recovery limits	U	Indicates the compound was analyzed but not detected.

American Analytical Laboratories, LLC.

Date: 22-Jul-08

ELAP ID : 11418

CLIENT: Leggette Brashears & Graham Inc.
Lab Order: 0807146
Project: Rowe
Lab ID: 0807146-01A

Client Sample ID: WQ070808:1300NP2-6

Collection Date: 7/8/2008 1:00:00 PM

Matrix: LIQUID

Certificate of Results

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
VOLATILE SW-846 8260 + MTBE & FREON113			SW8260B			Analyst: LA	
Bromodichloromethane	U	0.08	1.0		µg/L	1	7/19/2008 2:45:00 AM
Bromoform	U	0.06	1.0		µg/L	1	7/19/2008 2:45:00 AM
Bromomethane	U	0.17	1.0		µg/L	1	7/19/2008 2:45:00 AM
Carbon disulfide	U	0.14	1.0		µg/L	1	7/19/2008 2:45:00 AM
Carbon tetrachloride	U	0.16	1.0		µg/L	1	7/19/2008 2:45:00 AM
Chlorobenzene	U	0.09	1.0		µg/L	1	7/19/2008 2:45:00 AM
Chloroethane	U	0.16	1.0		µg/L	1	7/19/2008 2:45:00 AM
Chloroform	U	0.1	1.0		µg/L	1	7/19/2008 2:45:00 AM
Chloromethane	U	0.18	1.0		µg/L	1	7/19/2008 2:45:00 AM
cis-1,2-Dichloroethene	U	0.11	1.0		µg/L	1	7/19/2008 2:45:00 AM
cis-1,3-Dichloropropene	U	0.08	1.0		µg/L	1	7/19/2008 2:45:00 AM
Dibromochloromethane	U	0.07	1.0		µg/L	1	7/19/2008 2:45:00 AM
Dibromomethane	U	0.07	1.0		µg/L	1	7/19/2008 2:45:00 AM
Dichlorodifluoromethane	U	0.15	1.0		µg/L	1	7/19/2008 2:45:00 AM
Ethylbenzene	U	0.1	1.0		µg/L	1	7/19/2008 2:45:00 AM
Hexachlorobutadiene	U	0.12	1.0		µg/L	1	7/19/2008 2:45:00 AM
Isopropylbenzene	U	0.11	1.0		µg/L	1	7/19/2008 2:45:00 AM
m,p-Xylene	U	0.2	2.0		µg/L	1	7/19/2008 2:45:00 AM
Methyl tert-butyl ether	U	0.08	1.0		µg/L	1	7/19/2008 2:45:00 AM
Methylene chloride	U	0.08	1.0		µg/L	1	7/19/2008 2:45:00 AM
Naphthalene	U	0.08	1.0		µg/L	1	7/19/2008 2:45:00 AM
n-Butylbenzene	U	0.11	1.0		µg/L	1	7/19/2008 2:45:00 AM
n-Propylbenzene	U	0.11	1.0		µg/L	1	7/19/2008 2:45:00 AM
o-Xylene	U	0.1	1.0		µg/L	1	7/19/2008 2:45:00 AM
sec-Butylbenzene	U	0.1	1.0		µg/L	1	7/19/2008 2:45:00 AM
Styrene	U	0.08	1.0		µg/L	1	7/19/2008 2:45:00 AM
tert-Butylbenzene	U	0.1	1.0		µg/L	1	7/19/2008 2:45:00 AM
Tetrachloroethene	4.8	0.12	1.0		µg/L	1	7/19/2008 2:45:00 AM
Toluene	U	0.12	1.0		µg/L	1	7/19/2008 2:45:00 AM
trans-1,2-Dichloroethene	U	0.12	1.0		µg/L	1	7/19/2008 2:45:00 AM
trans-1,3-Dichloropropene	U	0.07	1.0		µg/L	1	7/19/2008 2:45:00 AM
Trichloroethene	U	0.13	1.0		µg/L	1	7/19/2008 2:45:00 AM
Trichlorofluoromethane	U	0.15	1.0		µg/L	1	7/19/2008 2:45:00 AM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735

Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



Qualifiers:	*	Value exceeds Maximum Contaminant Level	B	Analyte detected in the associated Method Blank
	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded
	J	Analyte detected below quantitation limits	LOD	Limit of Detection
	LOQ	Limit of Quantitation	ND	Not Detected at the Reporting Limit
	S	Spike Recovery outside accepted recovery limits	U	Indicates the compound was analyzed but not detected.

American Analytical Laboratories, LLC.

Date: 22-Jul-08

ELAP ID : 11418

CLIENT: Leggette Brashears & Graham Inc.

Client Sample ID: WQ070808:1300NP2-6

Lab Order: 0807146

Collection Date: 7/8/2008 1:00:00 PM

Project: Rowe

Matrix: LIQUID

Lab ID: 0807146-01A

Certificate of Results

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
VOLATILE SW-846 8260 + MTBE & FREON113			SW8260B			Analyst: LA	
Vinyl acetate	U	0.06	1.0		µg/L	1	7/19/2008 2:45:00 AM
Vinyl chloride	U	0.14	1.0		µg/L	1	7/19/2008 2:45:00 AM
Surr: 4-Bromofluorobenzene	107	0	54-134		%REC	1	7/19/2008 2:45:00 AM
Surr: Dibromofluoromethane	100	0	52-132		%REC	1	7/19/2008 2:45:00 AM
Surr: Toluene-d8	96.5	0	51-127		%REC	1	7/19/2008 2:45:00 AM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735

Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



Qualifiers:	*	Value exceeds Maximum Contaminant Level	B	Analyte detected in the associated Method Blank
	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded
	J	Analyte detected below quantitation limits	LOD	Limit of Detection
	LOQ	Limit of Quantitation	ND	Not Detected at the Reporting Limit
	S	Spike Recovery outside accepted recovery limits	U	Indicates the compound was analyzed but not detected.

American Analytical Laboratories, LLC.

Date: 22-Jul-08

ELAP ID : 11418**CLIENT:** Leggette Brashears & Graham Inc.**Client Sample ID:** WQ070808:1300NP2-6**Lab Order:** 0807146**Collection Date:** 7/8/2008 1:00:00 PM**Project:** Rowe**Matrix:** LIQUID**Lab ID:** 0807146-01B**Certificate of Results**

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
TOTAL IRON				E200.7	SW3010A		Analyst: JP
Iron	1.53	0.005	0.0200		mg/L	1	7/14/2008 1:56:41 PM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735

Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



Qualifiers:	*	Value exceeds Maximum Contaminant Level	B	Analyte detected in the associated Method Blank
	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded
	J	Analyte detected below quantitation limits	LOD	Limit of Detection
	LOQ	Limit of Quantitation	ND	Not Detected at the Reporting Limit
	S	Spike Recovery outside accepted recovery limits	U	Indicates the compound was analyzed but not detected.

American Analytical Laboratories, LLC.

Date: 22-Jul-08

ELAP ID : 11418

CLIENT: Leggette Brashears & Graham Inc.

Client Sample ID: WQ070808:1300NP2-6

Lab Order: 0807146

Collection Date: 7/8/2008 1:00:00 PM

Project: Rowe

Matrix: LIQUID

Lab ID: 0807146-01C

Certificate of Results

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
DISSOLVED IRON			E200.7		SW3005A		Analyst: JP
Iron	0.231	0.005	0.0200		mg/L	1	7/14/2008 1:54:37 PM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735

Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



Qualifiers:	*	Value exceeds Maximum Contaminant Level	B	Analyte detected in the associated Method Blank
	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded
	J	Analyte detected below quantitation limits	LOD	Limit of Detection
	LOQ	Limit of Quantitation	ND	Not Detected at the Reporting Limit
	S	Spike Recovery outside accepted recovery limits	U	Indicates the compound was analyzed but not detected.

American Analytical Laboratories, LLC.

Date: 22-Jul-08

ELAP ID : 11418

CLIENT: Leggette Brashears & Graham Inc.
Lab Order: 0807146
Project: Rowe
Lab ID: 0807146-02A

Client Sample ID: WQ070808:1305NP2-7
Collection Date: 7/8/2008 1:05:00 PM
Matrix: LIQUID

Certificate of Results

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
VOLATILE SW-846 8260 + MTBE & FREON113			SW8260B			Analyst: LA	
1,1,1,2-Tetrachloroethane	U	0.09	1.0		µg/L	1	7/19/2008 3:10:00 AM
1,1,1-Trichloroethane	U	0.17	1.0		µg/L	1	7/19/2008 3:10:00 AM
1,1,2,2-Tetrachloroethane	U	0.06	1.0		µg/L	1	7/19/2008 3:10:00 AM
1,1,2-Trichloro-1,2,2-trifluoroethane	U	0.13	1.0		µg/L	1	7/19/2008 3:10:00 AM
1,1,2-Trichloroethane	U	0.07	1.0		µg/L	1	7/19/2008 3:10:00 AM
1,1-Dichloroethane	U	0.11	1.0		µg/L	1	7/19/2008 3:10:00 AM
1,1-Dichloroethene	U	0.15	1.0		µg/L	1	7/19/2008 3:10:00 AM
1,1-Dichloropropene	U	0.12	1.0		µg/L	1	7/19/2008 3:10:00 AM
1,2,3-Trichlorobenzene	U	0.07	1.0		µg/L	1	7/19/2008 3:10:00 AM
1,2,3-Trichloropropane	U	0.08	1.0		µg/L	1	7/19/2008 3:10:00 AM
1,2,4-Trichlorobenzene	U	0.07	1.0		µg/L	1	7/19/2008 3:10:00 AM
1,2,4-Trimethylbenzene	U	0.09	1.0		µg/L	1	7/19/2008 3:10:00 AM
1,2-Dibromo-3-chloropropane	U	0.09	1.0		µg/L	1	7/19/2008 3:10:00 AM
1,2-Dibromoethane	U	0.06	1.0		µg/L	1	7/19/2008 3:10:00 AM
1,2-Dichlorobenzene	U	0.08	1.0		µg/L	1	7/19/2008 3:10:00 AM
1,2-Dichloroethane	U	0.08	1.0		µg/L	1	7/19/2008 3:10:00 AM
1,2-Dichloropropane	U	0.1	1.0		µg/L	1	7/19/2008 3:10:00 AM
1,3,5-Trimethylbenzene	U	0.11	1.0		µg/L	1	7/19/2008 3:10:00 AM
1,3-Dichlorobenzene	U	0.08	1.0		µg/L	1	7/19/2008 3:10:00 AM
1,3-dichloropropane	U	0.08	1.0		µg/L	1	7/19/2008 3:10:00 AM
1,4-Dichlorobenzene	U	0.08	1.0		µg/L	1	7/19/2008 3:10:00 AM
2,2-Dichloropropane	U	0.11	1.0		µg/L	1	7/19/2008 3:10:00 AM
2-Butanone	U	1.28	3.0		µg/L	1	7/19/2008 3:10:00 AM
2-Chloroethyl vinyl ether	U	0.08	1.0		µg/L	1	7/19/2008 3:10:00 AM
2-Chlorotoluene	U	0.09	1.0		µg/L	1	7/19/2008 3:10:00 AM
2-Hexanone	U	0.22	2.0		µg/L	1	7/19/2008 3:10:00 AM
4-Chlorotoluene	U	0.09	1.0		µg/L	1	7/19/2008 3:10:00 AM
4-Isopropyltoluene	U	0.1	1.0		µg/L	1	7/19/2008 3:10:00 AM
4-Methyl-2-pentanone	U	0.21	2.0		µg/L	1	7/19/2008 3:10:00 AM
Acetone	U	0.19	2.0		µg/L	1	7/19/2008 3:10:00 AM
Benzene	U	0.11	1.0		µg/L	1	7/19/2008 3:10:00 AM
Bromobenzene	U	0.07	1.0		µg/L	1	7/19/2008 3:10:00 AM
Bromochloromethane	U	0.4	1.0		µg/L	1	7/19/2008 3:10:00 AM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735
Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



Qualifiers:	*	Value exceeds Maximum Contaminant Level	B	Analyte detected in the associated Method Blank
	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded
	J	Analyte detected below quantitation limits	LOD	Limit of Detection
	LOQ	Limit of Quantitation	ND	Not Detected at the Reporting Limit
	S	Spike Recovery outside accepted recovery limits	U	Indicates the compound was analyzed but not detected.

American Analytical Laboratories, LLC.

Date: 22-Jul-08

ELAP ID : 11418

CLIENT: Leggette Brashears & Graham Inc.
Lab Order: 0807146
Project: Rowe
Lab ID: 0807146-02A

Client Sample ID: WQ070808:1305NP2-7
Collection Date: 7/8/2008 1:05:00 PM
Matrix: LIQUID

Certificate of Results

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
VOLATILE SW-846 8260 + MTBE & FREON113			SW8260B			Analyst: LA	
Bromodichloromethane	U	0.08	1.0		µg/L	1	7/19/2008 3:10:00 AM
Bromoform	U	0.06	1.0		µg/L	1	7/19/2008 3:10:00 AM
Bromomethane	U	0.17	1.0		µg/L	1	7/19/2008 3:10:00 AM
Carbon disulfide	U	0.14	1.0		µg/L	1	7/19/2008 3:10:00 AM
Carbon tetrachloride	U	0.16	1.0		µg/L	1	7/19/2008 3:10:00 AM
Chlorobenzene	U	0.09	1.0		µg/L	1	7/19/2008 3:10:00 AM
Chloroethane	U	0.16	1.0		µg/L	1	7/19/2008 3:10:00 AM
Chloroform	U	0.1	1.0		µg/L	1	7/19/2008 3:10:00 AM
Chloromethane	U	0.18	1.0		µg/L	1	7/19/2008 3:10:00 AM
cis-1,2-Dichloroethene	U	0.11	1.0		µg/L	1	7/19/2008 3:10:00 AM
cis-1,3-Dichloropropene	U	0.08	1.0		µg/L	1	7/19/2008 3:10:00 AM
Dibromochloromethane	U	0.07	1.0		µg/L	1	7/19/2008 3:10:00 AM
Dibromomethane	U	0.07	1.0		µg/L	1	7/19/2008 3:10:00 AM
Dichlorodifluoromethane	U	0.15	1.0		µg/L	1	7/19/2008 3:10:00 AM
Ethylbenzene	U	0.1	1.0		µg/L	1	7/19/2008 3:10:00 AM
Hexachlorobutadiene	U	0.12	1.0		µg/L	1	7/19/2008 3:10:00 AM
Isopropylbenzene	U	0.11	1.0		µg/L	1	7/19/2008 3:10:00 AM
m,p-Xylene	U	0.2	2.0		µg/L	1	7/19/2008 3:10:00 AM
Methyl tert-butyl ether	U	0.08	1.0		µg/L	1	7/19/2008 3:10:00 AM
Methylene chloride	U	0.08	1.0		µg/L	1	7/19/2008 3:10:00 AM
Naphthalene	U	0.08	1.0		µg/L	1	7/19/2008 3:10:00 AM
n-Butylbenzene	U	0.11	1.0		µg/L	1	7/19/2008 3:10:00 AM
n-Propylbenzene	U	0.11	1.0		µg/L	1	7/19/2008 3:10:00 AM
o-Xylene	U	0.1	1.0		µg/L	1	7/19/2008 3:10:00 AM
sec-Butylbenzene	U	0.1	1.0		µg/L	1	7/19/2008 3:10:00 AM
Styrene	U	0.08	1.0		µg/L	1	7/19/2008 3:10:00 AM
tert-Butylbenzene	U	0.1	1.0		µg/L	1	7/19/2008 3:10:00 AM
Tetrachloroethene	U	0.12	1.0		µg/L	1	7/19/2008 3:10:00 AM
Toluene	U	0.12	1.0		µg/L	1	7/19/2008 3:10:00 AM
trans-1,2-Dichloroethene	U	0.12	1.0		µg/L	1	7/19/2008 3:10:00 AM
trans-1,3-Dichloropropene	U	0.07	1.0		µg/L	1	7/19/2008 3:10:00 AM
Trichloroethene	U	0.13	1.0		µg/L	1	7/19/2008 3:10:00 AM
Trichlorofluoromethane	U	0.15	1.0		µg/L	1	7/19/2008 3:10:00 AM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735
Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



Qualifiers:	*	Value exceeds Maximum Contaminant Level	B	Analyte detected in the associated Method Blank
	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded
	J	Analyte detected below quantitation limits	LOD	Limit of Detection
	LOQ	Limit of Quantitation	ND	Not Detected at the Reporting Limit
	S	Spike Recovery outside accepted recovery limits	U	Indicates the compound was analyzed but not detected.

American Analytical Laboratories, LLC.

Date: 22-Jul-08

ELAP ID : 11418

CLIENT: Leggette Brashears & Graham Inc.

Client Sample ID: WQ070808:1305NP2-7

Lab Order: 0807146

Collection Date: 7/8/2008 1:05:00 PM

Project: Rowe

Matrix: LIQUID

Lab ID: 0807146-02A

Certificate of Results

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
VOLATILE SW-846 8260 + MTBE & FREON113			SW8260B		Analyst: LA		
Vinyl acetate	U	0.06	1.0		µg/L	1	7/19/2008 3:10:00 AM
Vinyl chloride	U	0.14	1.0		µg/L	1	7/19/2008 3:10:00 AM
Surr: 4-Bromofluorobenzene	109	0	54-134		%REC	1	7/19/2008 3:10:00 AM
Surr: Dibromofluoromethane	104	0	52-132		%REC	1	7/19/2008 3:10:00 AM
Surr: Toluene-d8	104	0	51-127		%REC	1	7/19/2008 3:10:00 AM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735
Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



Qualifiers:	*	Value exceeds Maximum Contaminant Level	B	Analyte detected in the associated Method Blank
	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded
	J	Analyte detected below quantitation limits	LOD	Limit of Detection
	LOQ	Limit of Quantitation	ND	Not Detected at the Reporting Limit
	S	Spike Recovery outside accepted recovery limits	U	Indicates the compound was analyzed but not detected.

American Analytical Laboratories, LLC.

Date: 22-Jul-08

ELAP ID : 11418

CLIENT: Leggette Brashears & Graham Inc.

Client Sample ID: WQ070808:1305NP2-7

Lab Order: 0807146

Collection Date: 7/8/2008 1:05:00 PM

Project: Rowe

Matrix: LIQUID

Lab ID: 0807146-02B

Certificate of Results

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
TOTAL IRON				E200.7	SW3010A		Analyst: JP
Iron	1.63	0.005	0.0200		mg/L	1	7/14/2008 2:00:46 PM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735

Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



Qualifiers:

- * Value exceeds Maximum Contaminant Level
- E Value above quantitation range
- J Analyte detected below quantitation limits
- LOQ Limit of Quantitation
- S Spike Recovery outside accepted recovery limits

- B Analyte detected in the associated Method Blank
- H Holding times for preparation or analysis exceeded
- LOD Limit of Detection
- ND Not Detected at the Reporting Limit
- U Indicates the compound was analyzed but not detected.

American Analytical Laboratories, LLC.

Date: 22-Jul-08

ELAP ID : 11418

CLIENT: Leggette Brashears & Graham Inc.

Client Sample ID: WQ070808:1305NP2-7

Lab Order: 0807146

Collection Date: 7/8/2008 1:05:00 PM

Project: Rowe

Matrix: LIQUID

Lab ID: 0807146-02C

Certificate of Results

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
DISSOLVED IRON				E200.7	SW3005A		Analyst: JP
Iron	0.191	0.005	0.0200		mg/L	1	7/14/2008 1:58:43 PM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735

Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



Qualifiers:

- * Value exceeds Maximum Contaminant Level
- E Value above quantitation range
- J Analyte detected below quantitation limits
- LOQ Limit of Quantitation
- S Spike Recovery outside accepted recovery limits

- B Analyte detected in the associated Method Blank
- H Holding times for preparation or analysis exceeded
- LOD Limit of Detection
- ND Not Detected at the Reporting Limit
- U Indicates the compound was analyzed but not detected.

American Analytical Laboratories, LLC.

Date: 22-Jul-08

ELAP ID : 11418

CLIENT: Leggette Brashears & Graham Inc.
Lab Order: 0807146
Project: Rowe
Lab ID: 0807146-03A

Client Sample ID: WQ070808:1310NP2-10
Collection Date: 7/8/2008 1:10:00 PM
Matrix: LIQUID

Certificate of Results

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
VOLATILE SW-846 8260 + MTBE & FREON113			SW8260B			Analyst: LA	
1,1,1,2-Tetrachloroethane	U	0.09	1.0		µg/L	1	7/19/2008 3:38:00 AM
1,1,1-Trichloroethane	U	0.17	1.0		µg/L	1	7/19/2008 3:38:00 AM
1,1,2,2-Tetrachloroethane	U	0.06	1.0		µg/L	1	7/19/2008 3:38:00 AM
1,1,2-Trichloro-1,2,2-trifluoroethane	U	0.13	1.0		µg/L	1	7/19/2008 3:38:00 AM
1,1,2-Trichloroethane	U	0.07	1.0		µg/L	1	7/19/2008 3:38:00 AM
1,1-Dichloroethane	U	0.11	1.0		µg/L	1	7/19/2008 3:38:00 AM
1,1-Dichloroethene	U	0.15	1.0		µg/L	1	7/19/2008 3:38:00 AM
1,1-Dichloropropene	U	0.12	1.0		µg/L	1	7/19/2008 3:38:00 AM
1,2,3-Trichlorobenzene	U	0.07	1.0		µg/L	1	7/19/2008 3:38:00 AM
1,2,3-Trichloropropane	U	0.08	1.0		µg/L	1	7/19/2008 3:38:00 AM
1,2,4-Trichlorobenzene	U	0.07	1.0		µg/L	1	7/19/2008 3:38:00 AM
1,2,4-Trimethylbenzene	U	0.09	1.0		µg/L	1	7/19/2008 3:38:00 AM
1,2-Dibromo-3-chloropropane	U	0.09	1.0		µg/L	1	7/19/2008 3:38:00 AM
1,2-Dibromoethane	U	0.06	1.0		µg/L	1	7/19/2008 3:38:00 AM
1,2-Dichlorobenzene	U	0.08	1.0		µg/L	1	7/19/2008 3:38:00 AM
1,2-Dichloroethane	U	0.08	1.0		µg/L	1	7/19/2008 3:38:00 AM
1,2-Dichloropropane	U	0.1	1.0		µg/L	1	7/19/2008 3:38:00 AM
1,3,5-Trimethylbenzene	U	0.11	1.0		µg/L	1	7/19/2008 3:38:00 AM
1,3-Dichlorobenzene	U	0.08	1.0		µg/L	1	7/19/2008 3:38:00 AM
1,3-dichloropropane	U	0.08	1.0		µg/L	1	7/19/2008 3:38:00 AM
1,4-Dichlorobenzene	U	0.08	1.0		µg/L	1	7/19/2008 3:38:00 AM
2,2-Dichloropropane	U	0.11	1.0		µg/L	1	7/19/2008 3:38:00 AM
2-Butanone	U	1.28	3.0		µg/L	1	7/19/2008 3:38:00 AM
2-Chloroethyl vinyl ether	U	0.08	1.0		µg/L	1	7/19/2008 3:38:00 AM
2-Chlorotoluene	U	0.09	1.0		µg/L	1	7/19/2008 3:38:00 AM
2-Hexanone	U	0.22	2.0		µg/L	1	7/19/2008 3:38:00 AM
4-Chlorotoluene	U	0.09	1.0		µg/L	1	7/19/2008 3:38:00 AM
4-Isopropyltoluene	U	0.1	1.0		µg/L	1	7/19/2008 3:38:00 AM
4-Methyl-2-pentanone	U	0.21	2.0		µg/L	1	7/19/2008 3:38:00 AM
Acetone	U	0.19	2.0		µg/L	1	7/19/2008 3:38:00 AM
Benzene	U	0.11	1.0		µg/L	1	7/19/2008 3:38:00 AM
Bromobenzene	U	0.07	1.0		µg/L	1	7/19/2008 3:38:00 AM
Bromochloromethane	U	0.4	1.0		µg/L	1	7/19/2008 3:38:00 AM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735
Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



Qualifiers:	*	Value exceeds Maximum Contaminant Level	B	Analyte detected in the associated Method Blank
	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded
	J	Analyte detected below quantitation limits	LOD	Limit of Detection
	LOQ	Limit of Quantitation	ND	Not Detected at the Reporting Limit
	S	Spike Recovery outside accepted recovery limits	U	Indicates the compound was analyzed but not detected.

American Analytical Laboratories, LLC.

Date: 22-Jul-08

ELAP ID : 11418

CLIENT: Leggette Brashears & Graham Inc.
Lab Order: 0807146
Project: Rowe
Lab ID: 0807146-03A

Client Sample ID: WQ070808:1310NP2-10
Collection Date: 7/8/2008 1:10:00 PM
Matrix: LIQUID

Certificate of Results

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
VOLATILE SW-846 8260 + MTBE & FREON113			SW8260B			Analyst: LA	
Bromodichloromethane	U	0.08	1.0		µg/L	1	7/19/2008 3:38:00 AM
Bromoform	U	0.06	1.0		µg/L	1	7/19/2008 3:38:00 AM
Bromomethane	U	0.17	1.0		µg/L	1	7/19/2008 3:38:00 AM
Carbon disulfide	U	0.14	1.0		µg/L	1	7/19/2008 3:38:00 AM
Carbon tetrachloride	U	0.16	1.0		µg/L	1	7/19/2008 3:38:00 AM
Chlorobenzene	U	0.09	1.0		µg/L	1	7/19/2008 3:38:00 AM
Chloroethane	U	0.16	1.0		µg/L	1	7/19/2008 3:38:00 AM
Chloroform	U	0.1	1.0		µg/L	1	7/19/2008 3:38:00 AM
Chloromethane	U	0.18	1.0		µg/L	1	7/19/2008 3:38:00 AM
cis-1,2-Dichloroethene	U	0.11	1.0		µg/L	1	7/19/2008 3:38:00 AM
cis-1,3-Dichloropropene	U	0.08	1.0		µg/L	1	7/19/2008 3:38:00 AM
Dibromochloromethane	U	0.07	1.0		µg/L	1	7/19/2008 3:38:00 AM
Dibromomethane	U	0.07	1.0		µg/L	1	7/19/2008 3:38:00 AM
Dichlorodifluoromethane	U	0.15	1.0		µg/L	1	7/19/2008 3:38:00 AM
Ethylbenzene	U	0.1	1.0		µg/L	1	7/19/2008 3:38:00 AM
Hexachlorobutadiene	U	0.12	1.0		µg/L	1	7/19/2008 3:38:00 AM
Isopropylbenzene	U	0.11	1.0		µg/L	1	7/19/2008 3:38:00 AM
m,p-Xylene	U	0.2	2.0		µg/L	1	7/19/2008 3:38:00 AM
Methyl tert-butyl ether	U	0.08	1.0		µg/L	1	7/19/2008 3:38:00 AM
Methylene chloride	U	0.08	1.0		µg/L	1	7/19/2008 3:38:00 AM
Naphthalene	U	0.08	1.0		µg/L	1	7/19/2008 3:38:00 AM
n-Butylbenzene	U	0.11	1.0		µg/L	1	7/19/2008 3:38:00 AM
n-Propylbenzene	U	0.11	1.0		µg/L	1	7/19/2008 3:38:00 AM
o-Xylene	U	0.1	1.0		µg/L	1	7/19/2008 3:38:00 AM
sec-Butylbenzene	U	0.1	1.0		µg/L	1	7/19/2008 3:38:00 AM
Styrene	U	0.08	1.0		µg/L	1	7/19/2008 3:38:00 AM
tert-Butylbenzene	U	0.1	1.0		µg/L	1	7/19/2008 3:38:00 AM
Tetrachloroethene	U	0.12	1.0		µg/L	1	7/19/2008 3:38:00 AM
Toluene	U	0.12	1.0		µg/L	1	7/19/2008 3:38:00 AM
trans-1,2-Dichloroethene	U	0.12	1.0		µg/L	1	7/19/2008 3:38:00 AM
trans-1,3-Dichloropropene	U	0.07	1.0		µg/L	1	7/19/2008 3:38:00 AM
Trichloroethene	U	0.13	1.0		µg/L	1	7/19/2008 3:38:00 AM
Trichlorofluoromethane	U	0.15	1.0		µg/L	1	7/19/2008 3:38:00 AM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735
Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



Qualifiers:	*	Value exceeds Maximum Contaminant Level	B	Analyte detected in the associated Method Blank
	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded
	J	Analyte detected below quantitation limits	LOD	Limit of Detection
	LOQ	Limit of Quantitation	ND	Not Detected at the Reporting Limit
	S	Spike Recovery outside accepted recovery limits	U	Indicates the compound was analyzed but not detected.

American Analytical Laboratories, LLC.

Date: 22-Jul-08

ELAP ID : 11418

CLIENT: Leggette Brashears & Graham Inc.

Client Sample ID: WQ070808:1310NP2-10

Lab Order: 0807146

Collection Date: 7/8/2008 1:10:00 PM

Project: Rowe

Matrix: LIQUID

Lab ID: 0807146-03A

Certificate of Results

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
VOLATILE SW-846 8260 + MTBE & FREON113			SW8260B		Analyst: LA		
Vinyl acetate	U	0.06	1.0		µg/L	1	7/19/2008 3:38:00 AM
Vinyl chloride	U	0.14	1.0		µg/L	1	7/19/2008 3:38:00 AM
Surr: 4-Bromofluorobenzene	101	0	54-134		%REC	1	7/19/2008 3:38:00 AM
Surr: Dibromofluoromethane	107	0	52-132		%REC	1	7/19/2008 3:38:00 AM
Surr: Toluene-d8	95.8	0	51-127		%REC	1	7/19/2008 3:38:00 AM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735

Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



Qualifiers: * Value exceeds Maximum Contaminant Level
E Value above quantitation range
J Analyte detected below quantitation limits
LOQ Limit of Quantitation
S Spike Recovery outside accepted recovery limits

B Analyte detected in the associated Method Blank
H Holding times for preparation or analysis exceeded
LOD Limit of Detection
ND Not Detected at the Reporting Limit
U Indicates the compound was analyzed but not detected.

American Analytical Laboratories, LLC.

Date: 22-Jul-08

ELAP ID : 11418

CLIENT: Leggette Brashears & Graham Inc.

Client Sample ID: WQ070808:1310NP2-10

Lab Order: 0807146

Collection Date: 7/8/2008 1:10:00 PM

Project: Rowe

Matrix: LIQUID

Lab ID: 0807146-03B

Certificate of Results

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
TOTAL IRON				E200.7	SW3010A		Analyst: JP
Iron	1.39	0.005	0.0200		mg/L	1	7/14/2008 2:17:16 PM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735

Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



Qualifiers:	*	Value exceeds Maximum Contaminant Level	B	Analyte detected in the associated Method Blank
	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded
	J	Analyte detected below quantitation limits	LOD	Limit of Detection
	LOQ	Limit of Quantitation	ND	Not Detected at the Reporting Limit
	S	Spike Recovery outside accepted recovery limits	U	Indicates the compound was analyzed but not detected.

American Analytical Laboratories, LLC.

Date: 22-Jul-08

ELAP ID : 11418

CLIENT: Leggette Brashears & Graham Inc.

Client Sample ID: WQ070808:1310NP2-10

Lab Order: 0807146

Collection Date: 7/8/2008 1:10:00 PM

Project: Rowe

Matrix: LIQUID

Lab ID: 0807146-03C

Certificate of Results

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
DISSOLVED IRON				E200.7	SW3005A		Analyst: JP
Iron	0.133	0.005	0.0200		mg/L	1	7/14/2008 2:02:49 PM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735

Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



Qualifiers:	*	Value exceeds Maximum Contaminant Level	B	Analyte detected in the associated Method Blank
	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded
	J	Analyte detected below quantitation limits	LOD	Limit of Detection
	LOQ	Limit of Quantitation	ND	Not Detected at the Reporting Limit
	S	Spike Recovery outside accepted recovery limits	U	Indicates the compound was analyzed but not detected.

American Analytical Laboratories, LLC.

Date: 22-Jul-08

ELAP ID : 11418

CLIENT: Leggette Brashears & Graham Inc.

Client Sample ID: WQ070808:1310NP2-10

Lab Order: 0807146

Collection Date: 7/8/2008 1:10:00 PM

Project: Rowe

Matrix: LIQUID

Lab ID: 0807146-03D

Certificate of Results

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
TOTAL DISSOLVED SOLIDS				M2540C			Analyst: AS
Total Dissolved Solids (Residue, Filterable)	116	0	1.00		mg/L	1	7/14/2008

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735

Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



Qualifiers:	*	Value exceeds Maximum Contaminant Level	B	Analyte detected in the associated Method Blank
	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded
	J	Analyte detected below quantitation limits	LOD	Limit of Detection
	LOQ	Limit of Quantitation	ND	Not Detected at the Reporting Limit
	S	Spike Recovery outside accepted recovery limits	U	Indicates the compound was analyzed but not detected.

CLIENT: Leggett Brashears & Graham Inc.

Work Order: 0807146

Project: Rowe

ANALYTICAL QC SUMMARY REPORT

TestCode: 8260MTBE113_W

Sample ID: V624LCS-071808aY		SampType: LCS		TestCode: 8260MTBE11			Units: µg/L		Prep Date:		RunNo: 37034	
Client ID: LCSW		Batch ID: R37034		TestNo: SW8260B					Analysis Date: 7/18/2008		SeqNo: 482383	
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	
1,1,1-Trichloroethane	39	1.0	50.00	0	78.4	52	137					
1,1,2,2-Tetrachloroethane	42	1.0	50.00	0	84.5	53	133					
1,1,2-Trichloroethane	39	1.0	50.00	0	77.7	51	130					
1,1-Dichloroethane	41	1.0	50.00	0	82.4	51	133					
1,1-Dichloroethene	51	1.0	50.00	0	102	42	133					
1,2-Dichlorobenzene	40	1.0	50.00	0	79.6	48	129					
1,2-Dichloroethane	41	1.0	50.00	0	82.2	51	130					
1,2-Dichloropropane	41	1.0	50.00	0	82.7	52	136					
1,3-Dichlorobenzene	41	1.0	50.00	0	81.5	53	132					
1,4-Dichlorobenzene	42	1.0	50.00	0	83.7	53	135					
2-Chloroethyl vinyl ether	28	1.0	50.00	0	55.8	43	125					
Benzene	41	1.0	50.00	0	82.2	44	133					
Bromodichloromethane	41	1.0	50.00	0	81.9	52	137					
Bromoform	43	1.0	50.00	0	85.1	43	123					
Bromomethane	45	1.0	50.00	0	89.8	36	126					
Carbon tetrachloride	43	1.0	50.00	0	86.1	48	128					
Chlorobenzene	42	1.0	50.00	0	84.4	57	135					
Chloroethane	65	1.0	50.00	0	130	53	147					
Chloroform	42	1.0	50.00	0	83.6	42	122					
Chloromethane	57	1.0	50.00	0	114	52	144					
cis-1,3-Dichloropropene	38	1.0	50.00	0	75.3	48	127					
Dibromochloromethane	39	1.0	50.00	0	77.0	47	125					
Ethylbenzene	45	1.0	50.00	0	89.6	53	136					
Tetrachloroethene	35	1.0	50.00	0	70.4	44	137					
Toluene	42	1.0	50.00	0	83.7	43	134					
trans-1,2-Dichloroethene	35	1.0	50.00	0	70.5	53	130					
trans-1,3-Dichloropropene	39	1.0	50.00	0	77.6	46	129					
Trichloroethene	37	1.0	50.00	0	74.8	43	138					
Trichlorofluoromethane	63	1.0	50.00	0	125	55	135					
Vinyl chloride	50	1.0	50.00	0	101	46	146					

Qualifiers: E Value above quantitation range

LOD Limit of Detection

R RPD outside accepted recovery limits

H Holding times for preparation or analysis exceeded

LOQ Limit of Quantitation

S Spike Recovery outside accepted recovery limits

J Analyte detected below quantitation li

ND Not Detected at the Reporting Limit

U Indicates the compound was analyzed

CLIENT: Leggett Brashears & Graham Inc.
Work Order: 0807146
Project: Rowe

ANALYTICAL QC SUMMARY REPORT

TestCode: 8260MTBE113_W

Sample ID: V624LCS-071808aY	Sample Type: LCS	TestCode: 8260MTBE11	Units: µg/L	Prep Date:	RunNo: 37034						
Client ID: LCSW	Batch ID: R37034	TestNo: SW8260B		Analysis Date: 7/18/2008	SeqNo: 482383						
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual

Surr: 4-Bromofluorobenzene	55		50.00		110	54	134				
Surr: Dibromofluoromethane	50		50.00		99.2	52	132				
Surr: Toluene-d8	52		50.00		104	51	127				

Sample ID: VBLK-071808aY	Sample Type: MBLK	TestCode: 8260MTBE11	Units: µg/L	Prep Date:	RunNo: 37034						
Client ID: PBW	Batch ID: R37034	TestNo: SW8260B		Analysis Date: 7/19/2008	SeqNo: 482384						
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual

1,1,1,2-Tetrachloroethane	U	1.0									
1,1,1-Trichloroethane	U	1.0									
1,1,2,2-Tetrachloroethane	U	1.0									
1,1,2-Trichloro-1,2,2-trifluoroethane	U	1.0									
1,1,2-Trichloroethane	U	1.0									
1,1-Dichloroethane	U	1.0									
1,1-Dichloroethene	U	1.0									
1,1-Dichloropropene	U	1.0									
1,2,3-Trichlorobenzene	U	1.0									
1,2,3-Trichloropropane	U	1.0									
1,2,4-Trichlorobenzene	U	1.0									
1,2,4-Trimethylbenzene	U	1.0									
1,2-Dibromo-3-chloropropane	U	1.0									
1,2-Dibromoethane	U	1.0									
1,2-Dichlorobenzene	U	1.0									
1,2-Dichloroethane	U	1.0									
1,2-Dichloropropane	U	1.0									
1,3,5-Trimethylbenzene	U	1.0									
1,3-Dichlorobenzene	U	1.0									
1,3-dichloropropane	U	1.0									
1,4-Dichlorobenzene	U	1.0									
2,2-Dichloropropane	U	1.0									
2-Butanone	U	3.0									

Qualifiers:	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation li
LOD		Limit of Detection	LOQ	Limit of Quantitation	ND	Not Detected at the Reporting Limit
R		RPD outside accepted recovery limits	S	Spike Recovery outside accepted recovery limits	U	Indicates the compound was analyzed

CLIENT: Leggette Brashears & Graham Inc.
Work Order: 0807146
Project: Rowe

ANALYTICAL QC SUMMARY REPORT

TestCode: 8260MTBE113 W

Sample ID: VBLK-071808aY		SampType: MBLK		TestCode: 8260MTBE11		Units: µg/L		Prep Date:		RunNo: 37034		
Client ID: PBW		Batch ID: R37034		TestNo: SW8260B				Analysis Date: 7/19/2008		SeqNo: 482384		
Analyte		Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
2-Chloroethyl vinyl ether		U	1.0									
2-Chlorotoluene		U	1.0									
2-Hexanone		U	2.0									
4-Chlorotoluene		U	1.0									
4-Isopropyltoluene		U	1.0									
4-Methyl-2-pentanone		U	2.0									
Acetone		U	2.0									
Benzene		U	1.0									
Bromobenzene		U	1.0									
Bromochloromethane		U	1.0									
Bromodichloromethane		U	1.0									
Bromoform		U	1.0									
Bromomethane		U	1.0									
Carbon disulfide		U	1.0									
Carbon tetrachloride		U	1.0									
Chlorobenzene		U	1.0									
Chloroethane		U	1.0									
Chloroform		U	1.0									
Chloromethane		U	1.0									
cis-1,2-Dichloroethene		U	1.0									
cis-1,3-Dichloropropene		U	1.0									
Dibromochloromethane		U	1.0									
Dibromomethane		U	1.0									
Dichlorodifluoromethane		U	1.0									
Ethylbenzene		U	1.0									
Hexachlorobutadiene		U	1.0									
Isopropylbenzene		U	1.0									
m,p-Xylene		U	2.0									
Methyl tert-butyl ether		U	1.0									
Methylene chloride		U	1.0									
Napthalene		U	1.0									

Qualifiers:	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation li
	LOD	Limit of Detection	LOQ	Limit of Quantitation	ND	Not Detected at the Reporting Limit
	R	RPD outside accepted recovery limits	S	Spike Recovery outside accepted recovery limits	U	Indicates the compound was analyzed

CLIENT: Leggette Brashears & Graham Inc.
Work Order: 0807146
Project: Rowe

ANALYTICAL QC SUMMARY REPORT

TestCode: 8260MTBE113_W

Sample ID: VBLK-071808aY	SampType: MBLK	TestCode: 8260MTBE11	Units: µg/L	Prep Date:	RunNo: 37034						
Client ID: PBW	Batch ID: R37034	TestNo: SW8260B		Analysis Date: 7/19/2008	SeqNo: 482384						
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual

n-Butylbenzene	U	1.0									
n-Propylbenzene	U	1.0									
o-Xylene	U	1.0									
sec-Butylbenzene	U	1.0									
Styrene	U	1.0									
tert-Butylbenzene	U	1.0									
Tetrachloroethene	U	1.0									
Toluene	U	1.0									
trans-1,2-Dichloroethene	U	1.0									
trans-1,3-Dichloropropene	U	1.0									
Trichloroethene	U	1.0									
Trichlorofluoromethane	U	1.0									
Vinyl acetate	U	1.0									
Vinyl chloride	U	1.0									
Surr: 4-Bromofluorobenzene	52		50.00		104	54	134				
Surr: Dibromofluoromethane	53		50.00		106	52	132				
Surr: Toluene-d8	51		50.00		101	51	127				

Sample ID: 0807146-03AMSD	SampType: MSD	TestCode: 8260MTBE11	Units: µg/L	Prep Date:	RunNo: 37034						
Client ID: WQ070808:1310NP2	Batch ID: R37034	TestNo: SW8260B		Analysis Date: 7/19/2008	SeqNo: 482387						
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual

1,1,1-Trichloroethane	44	1.0	50.00	0	87.9	52	137	0	200	20	R
1,1,2,2-Tetrachloroethane	44	1.0	50.00	0	88.0	53	133	0	200	20	R
1,1,2-Trichloroethane	41	1.0	50.00	0	82.7	51	130	0	200	20	R
1,1-Dichloroethane	43	1.0	50.00	0	86.6	51	133	0	200	20	R
1,1-Dichloroethene	64	1.0	50.00	0	128	42	133	0	200	20	R
1,2-Dichlorobenzene	39	1.0	50.00	0	77.7	48	129	0	200	20	R
1,2-Dichloroethane	45	1.0	50.00	0	89.2	51	130	0	200	20	R
1,2-Dichloropropane	42	1.0	50.00	0	84.7	52	136	0	200	20	R
1,3-Dichlorobenzene	38	1.0	50.00	0	76.8	53	132	0	200	20	R

Qualifiers: E Value above quantitation range
LOD Limit of Detection
R RPD outside accepted recovery limits

H Holding times for preparation or analysis exceeded
LOQ Limit of Quantitation
S Spike Recovery outside accepted recovery limits

J Analyte detected below quantitation li
ND Not Detected at the Reporting Limit
U Indicates the compound was analyzed

CLIENT: Leggett Brashears & Graham Inc.
Work Order: 0807146
Project: Rowe

ANALYTICAL QC SUMMARY REPORT

TestCode: 8260MTBE113_W

Sample ID: 0807146-03AMSD		SampType: MSD	TestCode: 8260MTBE11		Units: µg/L	Prep Date:		RunNo: 37034			
Client ID: WQ070808:1310NP2		Batch ID: R37034	TestNo: SW8260B		Analysis Date: 7/19/2008					SeqNo: 482387	
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
1,4-Dichlorobenzene	38	1.0	50.00	0	75.8	53	135	0	200	20	R
2-Chloroethyl vinyl ether	32	1.0	50.00	0	63.5	43	125	0	200	20	R
Benzene	41	1.0	50.00	0	82.1	44	133	0	200	20	R
Bromodichloromethane	44	1.0	50.00	0	87.8	52	137	0	200	20	R
Bromoform	45	1.0	50.00	0	89.5	43	123	0	200	20	R
Bromomethane	49	1.0	50.00	0	98.9	36	126	0	200	20	R
Carbon tetrachloride	46	1.0	50.00	0	91.1	48	128	0	200	20	R
Chlorobenzene	42	1.0	50.00	0	83.7	57	135	0	200	20	R
Chloroethane	73	1.0	50.00	0	146	53	147	0	200	20	R
Chloroform	44	1.0	50.00	0	88.0	42	122	0	200	20	R
Chloromethane	63	1.0	50.00	0	125	52	144	0	200	20	R
cis-1,3-Dichloropropene	37	1.0	50.00	0	74.9	48	127	0	200	20	R
Dibromochloromethane	40	1.0	50.00	0	79.8	47	125	0	200	20	R
Ethylbenzene	46	1.0	50.00	0	91.0	53	136	0	200	20	R
Tetrachloroethene	36	1.0	50.00	0	71.0	44	137	0	200	20	R
Toluene	43	1.0	50.00	0	85.2	43	134	0	200	20	R
trans-1,2-Dichloroethene	38	1.0	50.00	0	75.9	53	130	0	200	20	R
trans-1,3-Dichloropropene	41	1.0	50.00	0	81.2	46	129	0	200	20	R
Trichloroethene	37	1.0	50.00	0	73.1	43	138	0	200	20	R
Trichlorofluoromethane	71	1.0	50.00	0	143	55	135	0	200	20	SR
Vinyl chloride	56	1.0	50.00	0	112	46	146	0	200	20	R
Surr: 4-Bromofluorobenzene	53		50.00		106	54	134		0	0	
Surr: Dibromofluoromethane	56		50.00		111	52	132		0	0	
Surr: Toluene-d8	51		50.00		102	51	127		0	0	

Sample ID: V624LCS-071808aY	SampType: LCS	TestCode: 8260MTBE11	Units: µg/L	Prep Date:	RunNo: 37034						
Client ID: LCSW	Batch ID: R37034a	TestNo: SW8260B		Analysis Date: 7/18/2008	SeqNo: 482388						
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual

Qualifiers: E Value above quantitation range
LOD Limit of Detection
R RPD outside accepted recovery limits

H Holding times for preparation or analysis exceeded
LOQ Limit of Quantitation
S Spike Recovery outside accepted recovery limits

J Analyte detected below quantitation li
ND Not Detected at the Reporting Limit
U Indicates the compound was analyzed

CLIENT: Leggett Brashears & Graham Inc.
Work Order: 0807146
Project: Rowe

ANALYTICAL QC SUMMARY REPORT

TestCode: 8260MTBE113_W

Sample ID: V624LCS-071808aY		SampType: LCS	TestCode: 8260MTBE11		Units: µg/L	Prep Date:		RunNo: 37034			
Client ID: LCSW	Batch ID: R37034a	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	SeqNo: 482388		
Analyte								RPD Ref Val	%RPD	RPDLimit	Qual
1,1,2-Trichloroethane		34	1.0	50.00	0	67.7	51	130			
1,1-Dichloroethane		38	1.0	50.00	0	76.2	51	133			
1,1-Dichloroethene		54	1.0	50.00	0	108	42	133			
1,2-Dichlorobenzene		37	1.0	50.00	0	73.5	48	129			
1,2-Dichloroethane		36	1.0	50.00	0	71.3	51	130			
1,2-Dichloropropane		35	1.0	50.00	0	70.6	52	136			
1,3-Dichlorobenzene		37	1.0	50.00	0	73.8	53	132			
2-Chloroethyl vinyl ether		30	1.0	50.00	0	59.7	43	125			
Benzene		35	1.0	50.00	0	70.0	44	133			
Bromodichloromethane		35	1.0	50.00	0	70.4	52	137			
Bromoform		36	1.0	50.00	0	71.9	43	123			
Bromomethane		46	1.0	50.00	0	92.0	36	126			
Carbon tetrachloride		43	1.0	50.00	0	86.5	48	128			
Chlorobenzene		36	1.0	50.00	0	71.6	57	135			
Chloroethane		55	1.0	50.00	0	110	53	147			
Chloroform		36	1.0	50.00	0	72.0	42	122			
Chloromethane		46	1.0	50.00	0	91.8	52	144			
cis-1,3-Dichloropropene		35	1.0	50.00	0	70.6	48	127			
Dibromochloromethane		36	1.0	50.00	0	71.0	47	125			
Ethylbenzene		39	1.0	50.00	0	77.9	53	136			
Tetrachloroethene		35	1.0	50.00	0	69.2	44	137			
Toluene		37	1.0	50.00	0	73.2	43	134			
trans-1,2-Dichloroethene		39	1.0	50.00	0	78.1	53	130			
trans-1,3-Dichloropropene		33	1.0	50.00	0	65.2	46	129			
Trichloroethene		38	1.0	50.00	0	76.0	43	138			
Trichlorofluoromethane		56	1.0	50.00	0	113	55	135			
Vinyl chloride		51	1.0	50.00	0	103	46	146			
Surr: 4-Bromofluorobenzene		51		50.00		103	54	134			
Surr: Dibromofluoromethane		51		50.00		103	52	132			
Surr: Toluene-d8		49		50.00		97.2	51	127			

Qualifiers:	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation li
	LOD	Limit of Detection	LOQ	Limit of Quantitation	ND	Not Detected at the Reporting Limit
	R	RPD outside accepted recovery limits	S	Spike Recovery outside accepted recovery limits	U	Indicates the compound was analyzed

CLIENT: Leggett Brashears & Graham Inc.
Work Order: 0807146
Project: Rowe

ANALYTICAL QC SUMMARY REPORT

TestCode: 8260MTBE113_W

Sample ID: VBLK-071808aY	SampType: MBLK	TestCode: 8260MTBE11	Units: µg/L	Prep Date:	RunNo: 37034						
Client ID: PBW	Batch ID: R37034a	TestNo: SW8260B		Analysis Date: 7/18/2008	SeqNo: 482389						
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
1,1,1,2-Tetrachloroethane	U	1.0									
1,1,1-Trichloroethane	U	1.0									
1,1,2,2-Tetrachloroethane	U	1.0									
1,1,2-Trichloro-1,2,2-trifluoroethane	U	1.0									
1,1,2-Trichloroethane	U	1.0									
1,1-Dichloroethane	U	1.0									
1,1-Dichloroethene	U	1.0									
1,1-Dichloropropene	U	1.0									
1,2,3-Trichlorobenzene	U	1.0									
1,2,3-Trichloropropane	U	1.0									
1,2,4-Trichlorobenzene	U	1.0									
1,2,4-Trimethylbenzene	U	1.0									
1,2-Dibromo-3-chloropropane	U	1.0									
1,2-Dibromoethane	U	1.0									
1,2-Dichlorobenzene	U	1.0									
1,2-Dichloroethane	U	1.0									
1,2-Dichloropropane	U	1.0									
1,3,5-Trimethylbenzene	U	1.0									
1,3-Dichlorobenzene	U	1.0									
1,3-dichloropropane	U	1.0									
1,4-Dichlorobenzene	U	1.0									
2,2-Dichloropropane	U	1.0									
2-Butanone	U	3.0									
2-Chloroethyl vinyl ether	U	1.0									
2-Chlorotoluene	U	1.0									
2-Hexanone	U	2.0									
4-Chlorotoluene	U	1.0									
4-Isopropyltoluene	U	1.0									
4-Methyl-2-pentanone	U	2.0									
Acetone	U	2.0									
Benzene	U	1.0									

Qualifiers:	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation li
	LOD	Limit of Detection	LOQ	Limit of Quantitation	ND	Not Detected at the Reporting Limit
	R	RPD outside accepted recovery limits	S	Spike Recovery outside accepted recovery limits	U	Indicates the compound was analyzed

CLIENT: Leggett Brashears & Graham Inc.
Work Order: 0807146
Project: Rowe

ANALYTICAL QC SUMMARY REPORT

TestCode: 8260MTBE113_W

Sample ID: VBLK-071808aY		SampType: MBLK		TestCode: 8260MTBE11		Units: µg/L		Prep Date:		RunNo: 37034		
Client ID: PBW		Batch ID: R37034a		TestNo: SW8260B				Analysis Date: 7/18/2008		SeqNo: 482389		
Analyte		Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Bromobenzene		U	1.0									
Bromochloromethane		U	1.0									
Bromodichloromethane		U	1.0									
Bromoform		U	1.0									
Bromomethane		U	1.0									
Carbon disulfide		U	1.0									
Carbon tetrachloride		U	1.0									
Chlorobenzene		U	1.0									
Chloroethane		U	1.0									
Chloroform		U	1.0									
Chloromethane		U	1.0									
cis-1,2-Dichloroethene		U	1.0									
cis-1,3-Dichloropropene		U	1.0									
Dibromochloromethane		U	1.0									
Dibromomethane		U	1.0									
Dichlorodifluoromethane		U	1.0									
Ethylbenzene		U	1.0									
Hexachlorobutadiene		U	1.0									
Isopropylbenzene		U	1.0									
m,p-Xylene		U	2.0									
Methyl tert-butyl ether		U	1.0									
Methylene chloride		U	1.0									
Naphthalene		U	1.0									
n-Butylbenzene		U	1.0									
n-Propylbenzene		U	1.0									
o-Xylene		U	1.0									
sec-Butylbenzene		U	1.0									
Styrene		U	1.0									
tert-Butylbenzene		U	1.0									
Tetrachloroethene		U	1.0									
Toluene		U	1.0									

Qualifiers:	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation li
	LOD	Limit of Detection	LOQ	Limit of Quantitation	ND	Not Detected at the Reporting Limit
	R	RPD outside accepted recovery limits	S	Spike Recovery outside accepted recovery limits	U	Indicates the compound was analyzed

CLIENT: Leggett Brashears & Graham Inc.
Work Order: 0807146
Project: Rowe

ANALYTICAL QC SUMMARY REPORT

TestCode: 8260MTBE113 W

Sample ID: VBLK-071808aY	SampType: MBLK	TestCode: 8260MTBE11	Units: µg/L	Prep Date:	RunNo: 37034						
Client ID: PBW	Batch ID: R37034a	TestNo: SW8260B		Analysis Date: 7/18/2008	SeqNo: 482389						
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual

trans-1,2-Dichloroethene	U	1.0									
trans-1,3-Dichloropropene	U	1.0									
Trichloroethene	U	1.0									
Trichlorofluoromethane	U	1.0									
Vinyl acetate	U	1.0									
Vinyl chloride	U	1.0									
Surr: 4-Bromofluorobenzene	49		50.00		97.6	54	134				
Surr: Dibromofluoromethane	53		50.00		106	52	132				
Surr: Toluene-d8	50		50.00		101	51	127				

Sample ID: 0807146-03AMS	SampType: MS	TestCode: 8260MTBE11	Units: µg/L	Prep Date:	RunNo: 37034						
Client ID: WQ070808:1310NP2	Batch ID: R37034a	TestNo: SW8260B		Analysis Date: 7/19/2008	SeqNo: 482391						
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual

1,1,1-Trichloroethane	36	1.0	50.00	0	72.7	52	137				
1,1,2,2-Tetrachloroethane	37	1.0	50.00	0	74.6	53	133				
1,1,2-Trichloroethane	29	1.0	50.00	0	58.9	51	130				
1,1-Dichloroethane	32	1.0	50.00	0	64.4	51	133				
1,1-Dichloroethene	43	1.0	50.00	0	86.7	42	133				
1,2-Dichlorobenzene	31	1.0	50.00	0	62.0	48	129				
1,2-Dichloroethane	31	1.0	50.00	0	62.0	51	130				
1,2-Dichloropropane	31	1.0	50.00	0	61.9	52	136				
1,3-Dichlorobenzene	32	1.0	50.00	0	63.5	53	132				
1,4-Dichlorobenzene	32	1.0	50.00	0	63.8	53	135				
2-Chloroethyl vinyl ether	29	1.0	50.00	0	57.5	43	125				
Benzene	30	1.0	50.00	0	60.1	44	133				
Bromodichloromethane	31	1.0	50.00	0	62.9	52	137				
Bromoform	32	1.0	50.00	0	64.5	43	123				
Bromomethane	35	1.0	50.00	0	70.1	36	126				
Carbon tetrachloride	38	1.0	50.00	0	75.6	48	128				
Chlorobenzene	31	1.0	50.00	0	61.8	57	135				

Qualifiers:	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation li
LOD	Limit of Detection	LOQ	Limit of Quantitation	ND	Not Detected at the Reporting Limit	
R	RPD outside accepted recovery limits	S	Spike Recovery outside accepted recovery limits	U	Indicates the compound was analyzed	

CLIENT: Leggette Brashears & Graham Inc.
Work Order: 0807146
Project: Rowe

ANALYTICAL QC SUMMARY REPORT

TestCode: 8260MTBE113_W

Sample ID: 0807146-03AMS		SampType: MS		TestCode: 8260MTBE11		Units: µg/L		Prep Date:		RunNo: 37034			
Client ID: WQ070808:1310NP2		Batch ID: R37034a		TestNo: SW8260B		Analysis Date: 7/19/2008						SeqNo: 482391	
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual		
Chloroethane	47	1.0	50.00	0	93.1	53	147						
Chloroform	32	1.0	50.00	0	64.0	42	122						
Chloromethane	37	1.0	50.00	0	73.3	52	144						
cis-1,3-Dichloropropene	29	1.0	50.00	0	58.5	48	127						
Dibromochloromethane	31	1.0	50.00	0	62.4	47	125						
Ethylbenzene	34	1.0	50.00	0	68.0	53	136						
Tetrachloroethene	32	1.0	50.00	0	63.9	44	137						
Toluene	33	1.0	50.00	0	65.2	43	134						
trans-1,2-Dichloroethene	32	1.0	50.00	0	64.8	53	130						
trans-1,3-Dichloropropene	29	1.0	50.00	0	57.5	46	129						
Trichloroethene	31	1.0	50.00	0	62.3	43	138						
Trichlorofluoromethane	48	1.0	50.00	0	95.9	55	135						
Vinyl chloride	43	1.0	50.00	0	85.1	46	146						
Surr: 4-Bromofluorobenzene	49		50.00		97.8	54	134						
Surr: Dibromofluoromethane	51		50.00		102	52	132						
Surr: Toluene-d8	51		50.00		103	51	127						

Qualifiers: E Value above quantitation range
LOD Limit of Detection
R RPD outside accepted recovery limits

H Holding times for preparation or analysis exceeded
LOQ Limit of Quantitation
S Spike Recovery outside accepted recovery limits

J Analyte detected below quantitation li
ND Not Detected at the Reporting Limit
U Indicates the compound was analyzed

CLIENT: Leggett Brashears & Graham Inc.
Work Order: 0807146
Project: Rowe

ANALYTICAL QC SUMMARY REPORT

TestCode: FE_T

Sample ID: PBW-071008A	SampType: MBLK	TestCode: FE_T	Units: mg/L	Prep Date: 7/10/2008	RunNo: 36855
Client ID: PBW	Batch ID: 22119	TestNo: E200.7	SW3010A	Analysis Date: 7/14/2008	SeqNo: 477113
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC LowLimit HighLimit RPD Ref Val %RPD RPDLimit Qual
Iron	U	0.0200			

Sample ID: LCSW-071008A	SampType: LCS	TestCode: FE_T	Units: mg/L	Prep Date: 7/10/2008	RunNo: 36855
Client ID: LCSW	Batch ID: 22119	TestNo: E200.7	SW3010A	Analysis Date: 7/14/2008	SeqNo: 477114
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC LowLimit HighLimit RPD Ref Val %RPD RPDLimit Qual
Iron	1.99	0.0200	2.000	0	99.5 68 122

Sample ID: 0807146-03B-MS	SampType: MS	TestCode: FE_T	Units: mg/L	Prep Date: 7/10/2008	RunNo: 36855
Client ID: WQ070808:1310NP2	Batch ID: 22119	TestNo: E200.7	SW3010A	Analysis Date: 7/14/2008	SeqNo: 477124
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC LowLimit HighLimit RPD Ref Val %RPD RPDLimit Qual
Iron	2.39	0.0200	1.000	1.387	99.9 68 122

Sample ID: 0807146-03B-MSD	SampType: MSD	TestCode: FE_T	Units: mg/L	Prep Date: 7/10/2008	RunNo: 36855
Client ID: WQ070808:1310NP2	Batch ID: 22119	TestNo: E200.7	SW3010A	Analysis Date: 7/14/2008	SeqNo: 477125
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC LowLimit HighLimit RPD Ref Val %RPD RPDLimit Qual
Iron	2.37	0.0200	1.000	1.387	98.3 68 122 2.386 0.690 20

Qualifiers:	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation li
	LOD	Limit of Detection	LOQ	Limit of Quantitation	ND	Not Detected at the Reporting Limit
	R	RPD outside accepted recovery limits	S	Spike Recovery outside accepted recovery limits	U	Indicates the compound was analyzed

CLIENT: Leggette Brashears & Graham Inc.
Work Order: 0807146
Project: Rowe

ANALYTICAL QC SUMMARY REPORT

TestCode: TDS_W

Sample ID: MB-R36887	SampleType: MBLK	TestCode: TDS_W	Units: mg/L	Prep Date:	RunNo: 36887						
Client ID: PBW	Batch ID: R36887	TestNo: M2540C		Analysis Date: 7/14/2008	SeqNo: 477830						
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Total Dissolved Solids (Residue, Filtera		U	1.00								

Qualifiers:	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation li
	LOD	Limit of Detection	LOQ	Limit of Quantitation	ND	Not Detected at the Reporting Limit
	R	RPD outside accepted recovery limits	S	Spike Recovery outside accepted recovery limits	U	Indicates the compound was analyzed

Wednesday, July 30, 2008

Mark Goldberg
Leggette Brashears & Graham Inc.
4 Research Drive
Suite 301
Shelton, CT 06484

TEL: (203) 929-8555
FAX (203) 926-9140

RE: Rowe

Order No.: 0807395

Dear Mark Goldberg:

American Analytical Laboratories, LLC. received 3 sample(s) on 7/24/2008 for the analyses presented in the following report.


Samples were analyzed in accordance with the test procedures documented on the chain of custody and detailed throughout the text of this report.

The results reported herein relate only to the items tested or to the samples as received by the laboratory. This report may not be reproduced, except in full, without the approval of American Analytical Laboratories, LLC and is not considered complete without a cover page and chain of custody documentation. The limits (LOQ) provided in the data package are analytical reporting limits and not Federal or Local mandated values to which the sample results should be compared.

There were no problems with the analyses and all data for associated QC met laboratory specifications. If there are any exceptions a Case Narrative is provided in the report. This package has been reviewed by American Analytical Laboratories' QA Department/Laboratory Director to comply with NELAC standards prior to report submittal.

If you have any questions regarding these tests results, please do not hesitate to call (631) 454-6100 or email me directly at lbeyer@american-analytical.com.

Sincerely,



Lori Beyer
Lab Director

American Analytical Laboratories, LLC.

Date: 30-Jul-08

CLIENT: Leggette Brashears & Graham Inc.**Project:** Rowe**Lab Order:** 0807395**Work Order Sample Summary**

Lab Sample ID	Client Sample ID	Date Collected	Date Received
0807395-01A	WQ071808:1000NP2-6	7/18/2008 10:00:00 AM	7/24/2008
0807395-01B	WQ071808:1000NP2-6	7/18/2008 10:00:00 AM	7/24/2008
0807395-01C	WQ071808:1000NP2-6	7/18/2008 10:00:00 AM	7/24/2008
0807395-02A	WQ071808:1005NP2-7	7/18/2008 10:05:00 AM	7/24/2008
0807395-02B	WQ071808:1005NP2-7	7/18/2008 10:05:00 AM	7/24/2008
0807395-02C	WQ071808:1005NP2-7	7/18/2008 10:05:00 AM	7/24/2008
0807395-03A	WQ071808:1010NP2-10	7/18/2008 10:10:00 AM	7/24/2008
0807395-03B	WQ071808:1010NP2-10	7/18/2008 10:10:00 AM	7/24/2008
0807395-03C	WQ071808:1010NP2-10	7/18/2008 10:10:00 AM	7/24/2008
0807395-03D	WQ071808:1010NP2-10	7/18/2008 10:10:00 AM	7/24/2008

AMERICAN ANALYTICAL LABORATORIES, LLC

56 TOLEDO STREET

FARMINGDALE, NEW YORK 11735

TELEPHONE: (631) 454-6100 FAX: (631) 454-8027

DATA REPORTING QUALIFIERS

For reporting results, the following "Results Qualifiers" are used:

Value	If the result is greater than or equal to the detection limit, report the value
U	Indicates the compound was analyzed for but was not detected. Report the minimum detection limit for the sample with the U, i.e. "10U". This is not necessarily the instrument detection limit attainable for this particular sample based on any concentration or dilution that may have been required.
J	Indicates an estimated value. The flag is used: (1) When estimating a concentration for a tentatively identified compound (library search hits, where a 1:1 response is assumed.) (2) When the mass spectral data indicated the identification, however the result was less than the specified detection limit greater than zero. If the detection limit was 10ug/L and a concentration of 3ug/L was calculated report as 3J. This flag is used when similar situations arise on any organic parameter i.e. Pesticide, PCBs and others.
B	Indicates the analyte was found in the blank as well as the sample report "10B".
E	Indicates the analytes concentration exceeds the calibrated range of the instrument for that specific analysis.
D	This flag identifies all compounds identified in an analysis at a secondary dilution factor.
P	This flag is used for Pesticide / PCB target analyte when there is >25% difference for detected concentrations between the two GC Columns. The higher of the two values is reported on Form I and flagged with a "P".
N	This flag indicates presumptive evidence of a compound. This is only used for tentatively identified compounds (TICs), where the identification is based on a mass spectral library search. It applies to all TIC results. For generic characterization of a TIC, such as chlorinated hydrocarbon, the flag is not used.
H	Indicates sample was received and/or analyzed outside of The method allowable holding time

American Analytical Laboratories, LLC.

Date: 30-Jul-08

ELAP ID : 11418

CLIENT: Leggette Brashears & Graham Inc.
Lab Order: 0807395
Project: Rowe
Lab ID: 0807395-01A

Client Sample ID: WQ071808:1000NP2-6
Collection Date: 7/18/2008 10:00:00 AM
Matrix: LIQUID

Certificate of Results

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
VOLATILE SW-846 8260 + MTBE & FREON113			SW8260B			Analyst: LA	
1,1,1,2-Tetrachloroethane	U	0.09	1.0		µg/L	1	7/28/2008 5:31:00 PM
1,1,1-Trichloroethane	1.5	0.17	1.0		µg/L	1	7/28/2008 5:31:00 PM
1,1,2,2-Tetrachloroethane	U	0.06	1.0		µg/L	1	7/28/2008 5:31:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	U	0.13	1.0		µg/L	1	7/28/2008 5:31:00 PM
1,1,2-Trichloroethane	U	0.07	1.0		µg/L	1	7/28/2008 5:31:00 PM
1,1-Dichloroethane	U	0.11	1.0		µg/L	1	7/28/2008 5:31:00 PM
1,1-Dichloroethene	U	0.15	1.0		µg/L	1	7/28/2008 5:31:00 PM
1,1-Dichloropropene	U	0.12	1.0		µg/L	1	7/28/2008 5:31:00 PM
1,2,3-Trichlorobenzene	U	0.07	1.0		µg/L	1	7/28/2008 5:31:00 PM
1,2,3-Trichloropropane	U	0.08	1.0		µg/L	1	7/28/2008 5:31:00 PM
1,2,4-Trichlorobenzene	U	0.07	1.0		µg/L	1	7/28/2008 5:31:00 PM
1,2,4-Trimethylbenzene	U	0.09	1.0		µg/L	1	7/28/2008 5:31:00 PM
1,2-Dibromo-3-chloropropane	U	0.09	1.0		µg/L	1	7/28/2008 5:31:00 PM
1,2-Dibromoethane	U	0.06	1.0		µg/L	1	7/28/2008 5:31:00 PM
1,2-Dichlorobenzene	U	0.08	1.0		µg/L	1	7/28/2008 5:31:00 PM
1,2-Dichloroethane	U	0.08	1.0		µg/L	1	7/28/2008 5:31:00 PM
1,2-Dichloropropane	U	0.1	1.0		µg/L	1	7/28/2008 5:31:00 PM
1,3,5-Trimethylbenzene	U	0.11	1.0		µg/L	1	7/28/2008 5:31:00 PM
1,3-Dichlorobenzene	U	0.08	1.0		µg/L	1	7/28/2008 5:31:00 PM
1,3-dichloropropane	U	0.08	1.0		µg/L	1	7/28/2008 5:31:00 PM
1,4-Dichlorobenzene	U	0.08	1.0		µg/L	1	7/28/2008 5:31:00 PM
2,2-Dichloropropane	U	0.11	1.0		µg/L	1	7/28/2008 5:31:00 PM
2-Butanone	U	1.28	3.0		µg/L	1	7/28/2008 5:31:00 PM
2-Chloroethyl vinyl ether	U	0.08	1.0		µg/L	1	7/28/2008 5:31:00 PM
2-Chlorotoluene	U	0.09	1.0		µg/L	1	7/28/2008 5:31:00 PM
2-Hexanone	U	0.22	2.0		µg/L	1	7/28/2008 5:31:00 PM
4-Chlorotoluene	U	0.09	1.0		µg/L	1	7/28/2008 5:31:00 PM
4-Isopropyltoluene	U	0.1	1.0		µg/L	1	7/28/2008 5:31:00 PM
4-Methyl-2-pentanone	U	0.21	2.0		µg/L	1	7/28/2008 5:31:00 PM
Acetone	U	0.19	2.0		µg/L	1	7/28/2008 5:31:00 PM
Benzene	U	0.11	1.0		µg/L	1	7/28/2008 5:31:00 PM
Bromobenzene	U	0.07	1.0		µg/L	1	7/28/2008 5:31:00 PM
Bromochloromethane	U	0.4	1.0		µg/L	1	7/28/2008 5:31:00 PM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735

Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



Qualifiers:	*	Value exceeds Maximum Contaminant Level	B	Analyte detected in the associated Method Blank
	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded
	J	Analyte detected below quantitation limits	LOD	Limit of Detection
	LOQ	Limit of Quantitation	ND	Not Detected at the Reporting Limit
	S	Spike Recovery outside accepted recovery limits	U	Indicates the compound was analyzed but not detected.

American Analytical Laboratories, LLC.

Date: 30-Jul-08

ELAP ID : 11418

CLIENT: Leggette Brashears & Graham Inc.
Lab Order: 0807395
Project: Rowe
Lab ID: 0807395-01A

Client Sample ID: WQ071808:1000NP2-6
Collection Date: 7/18/2008 10:00:00 AM
Matrix: LIQUID

Certificate of Results

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
VOLATILE SW-846 8260 + MTBE & FREON113			SW8260B			Analyst: LA	
Bromodichloromethane	U	0.08	1.0		µg/L	1	7/28/2008 5:31:00 PM
Bromoform	U	0.06	1.0		µg/L	1	7/28/2008 5:31:00 PM
Bromomethane	U	0.17	1.0		µg/L	1	7/28/2008 5:31:00 PM
Carbon disulfide	U	0.14	1.0		µg/L	1	7/28/2008 5:31:00 PM
Carbon tetrachloride	U	0.16	1.0		µg/L	1	7/28/2008 5:31:00 PM
Chlorobenzene	U	0.09	1.0		µg/L	1	7/28/2008 5:31:00 PM
Chloroethane	U	0.16	1.0		µg/L	1	7/28/2008 5:31:00 PM
Chloroform	U	0.1	1.0		µg/L	1	7/28/2008 5:31:00 PM
Chloromethane	U	0.18	1.0		µg/L	1	7/28/2008 5:31:00 PM
cis-1,2-Dichloroethene	U	0.11	1.0		µg/L	1	7/28/2008 5:31:00 PM
cis-1,3-Dichloropropene	U	0.08	1.0		µg/L	1	7/28/2008 5:31:00 PM
Dibromochloromethane	U	0.07	1.0		µg/L	1	7/28/2008 5:31:00 PM
Dibromomethane	U	0.07	1.0		µg/L	1	7/28/2008 5:31:00 PM
Dichlorodifluoromethane	U	0.15	1.0		µg/L	1	7/28/2008 5:31:00 PM
Ethylbenzene	U	0.1	1.0		µg/L	1	7/28/2008 5:31:00 PM
Hexachlorobutadiene	U	0.12	1.0		µg/L	1	7/28/2008 5:31:00 PM
Isopropylbenzene	U	0.11	1.0		µg/L	1	7/28/2008 5:31:00 PM
m,p-Xylene	U	0.2	2.0		µg/L	1	7/28/2008 5:31:00 PM
Methyl tert-butyl ether	U	0.08	1.0		µg/L	1	7/28/2008 5:31:00 PM
Methylene chloride	U	0.08	1.0		µg/L	1	7/28/2008 5:31:00 PM
Naphthalene	U	0.08	1.0		µg/L	1	7/28/2008 5:31:00 PM
n-Butylbenzene	U	0.11	1.0		µg/L	1	7/28/2008 5:31:00 PM
n-Propylbenzene	U	0.11	1.0		µg/L	1	7/28/2008 5:31:00 PM
o-Xylene	U	0.1	1.0		µg/L	1	7/28/2008 5:31:00 PM
sec-Butylbenzene	U	0.1	1.0		µg/L	1	7/28/2008 5:31:00 PM
Styrene	U	0.08	1.0		µg/L	1	7/28/2008 5:31:00 PM
tert-Butylbenzene	U	0.1	1.0		µg/L	1	7/28/2008 5:31:00 PM
Tetrachloroethene	5.2	0.12	1.0		µg/L	1	7/28/2008 5:31:00 PM
Toluene	U	0.12	1.0		µg/L	1	7/28/2008 5:31:00 PM
trans-1,2-Dichloroethene	U	0.12	1.0		µg/L	1	7/28/2008 5:31:00 PM
trans-1,3-Dichloropropene	U	0.07	1.0		µg/L	1	7/28/2008 5:31:00 PM
Trichloroethene	U	0.13	1.0		µg/L	1	7/28/2008 5:31:00 PM
Trichlorofluoromethane	U	0.15	1.0		µg/L	1	7/28/2008 5:31:00 PM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735
Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



Qualifiers:	*	Value exceeds Maximum Contaminant Level	B	Analyte detected in the associated Method Blank
	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded
	J	Analyte detected below quantitation limits	LOD	Limit of Detection
	LOQ	Limit of Quantitation	ND	Not Detected at the Reporting Limit
	S	Spike Recovery outside accepted recovery limits	U	Indicates the compound was analyzed but not detected.

American Analytical Laboratories, LLC.

Date: 30-Jul-08

ELAP ID : 11418

CLIENT: Leggette Brashears & Graham Inc.

Client Sample ID: WQ071808:1000NP2-6

Lab Order: 0807395

Collection Date: 7/18/2008 10:00:00 AM

Project: Rowe

Matrix: LIQUID

Lab ID: 0807395-01A

Certificate of Results

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
VOLATILE SW-846 8260 + MTBE & FREON113			SW8260B		Analyst: LA		
Vinyl acetate	U	0.06	1.0		µg/L	1	7/28/2008 5:31:00 PM
Vinyl chloride	U	0.14	1.0		µg/L	1	7/28/2008 5:31:00 PM
Surr: 4-Bromofluorobenzene	107	0	54-134		%REC	1	7/28/2008 5:31:00 PM
Surr: Dibromofluoromethane	111	0	52-132		%REC	1	7/28/2008 5:31:00 PM
Surr: Toluene-d8	99.1	0	51-127		%REC	1	7/28/2008 5:31:00 PM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735
Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



Qualifiers:	*	Value exceeds Maximum Contaminant Level	B	Analyte detected in the associated Method Blank
	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded
	J	Analyte detected below quantitation limits	LOD	Limit of Detection
	LOQ	Limit of Quantitation	ND	Not Detected at the Reporting Limit
	S	Spike Recovery outside accepted recovery limits	U	Indicates the compound was analyzed but not detected.

American Analytical Laboratories, LLC.

Date: 30-Jul-08

ELAP ID : 11418

CLIENT: Leggette Brashears & Graham Inc.
Lab Order: 0807395
Project: Rowe
Lab ID: 0807395-01B

Client Sample ID: WQ071808:1000NP2-6
Collection Date: 7/18/2008 10:00:00 AM
Matrix: LIQUID

Certificate of Results

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
TOTAL IRON				E200.7	SW3010A		Analyst: JP
Iron	1.77	0.005	0.0200		mg/L	1	7/25/2008 8:54:03 AM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735
Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



Qualifiers:	*	Value exceeds Maximum Contaminant Level	B	Analyte detected in the associated Method Blank
	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded
	J	Analyte detected below quantitation limits	LOD	Limit of Detection
	LOQ	Limit of Quantitation	ND	Not Detected at the Reporting Limit
	S	Spike Recovery outside accepted recovery limits	U	Indicates the compound was analyzed but not detected.

American Analytical Laboratories, LLC.

Date: 30-Jul-08

ELAP ID : 11418

CLIENT: Leggette Brashears & Graham Inc.
Lab Order: 0807395
Project: Rowe
Lab ID: 0807395-01C

Client Sample ID: WQ071808:1000NP2-6**Collection Date:** 7/18/2008 10:00:00 AM**Matrix:** LIQUID**Certificate of Results**

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
DISSOLVED IRON				E200.7			Analyst: JP
Iron	0.224	0.005	0.0200		mg/L	1	7/25/2008 8:52:00 AM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735

Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



Qualifiers:	*	Value exceeds Maximum Contaminant Level	B	Analyte detected in the associated Method Blank
	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded
	J	Analyte detected below quantitation limits	LOD	Limit of Detection
	LOQ	Limit of Quantitation	ND	Not Detected at the Reporting Limit
	S	Spike Recovery outside accepted recovery limits	U	Indicates the compound was analyzed but not detected.

American Analytical Laboratories, LLC.

Date: 30-Jul-08

ELAP ID : 11418

CLIENT: Leggette Brashears & Graham Inc.
Lab Order: 0807395
Project: Rowe
Lab ID: 0807395-02A

Client Sample ID: WQ071808:1005NP2-7
Collection Date: 7/18/2008 10:05:00 AM
Matrix: LIQUID

Certificate of Results

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
VOLATILE SW-846 8260 + MTBE & FREON113			SW8260B			Analyst: LA	
1,1,1,2-Tetrachloroethane	U	0.09	1.0		µg/L	1	7/28/2008 6:38:00 PM
1,1,1-Trichloroethane	U	0.17	1.0		µg/L	1	7/28/2008 6:38:00 PM
1,1,2,2-Tetrachloroethane	U	0.06	1.0		µg/L	1	7/28/2008 6:38:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	U	0.13	1.0		µg/L	1	7/28/2008 6:38:00 PM
1,1,2-Trichloroethane	U	0.07	1.0		µg/L	1	7/28/2008 6:38:00 PM
1,1-Dichloroethane	U	0.11	1.0		µg/L	1	7/28/2008 6:38:00 PM
1,1-Dichloroethene	U	0.15	1.0		µg/L	1	7/28/2008 6:38:00 PM
1,1-Dichloropropene	U	0.12	1.0		µg/L	1	7/28/2008 6:38:00 PM
1,2,3-Trichlorobenzene	U	0.07	1.0		µg/L	1	7/28/2008 6:38:00 PM
1,2,3-Trichloropropane	U	0.08	1.0		µg/L	1	7/28/2008 6:38:00 PM
1,2,4-Trichlorobenzene	U	0.07	1.0		µg/L	1	7/28/2008 6:38:00 PM
1,2,4-Trimethylbenzene	U	0.09	1.0		µg/L	1	7/28/2008 6:38:00 PM
1,2-Dibromo-3-chloropropane	U	0.09	1.0		µg/L	1	7/28/2008 6:38:00 PM
1,2-Dibromoethane	U	0.06	1.0		µg/L	1	7/28/2008 6:38:00 PM
1,2-Dichlorobenzene	U	0.08	1.0		µg/L	1	7/28/2008 6:38:00 PM
1,2-Dichloroethane	U	0.08	1.0		µg/L	1	7/28/2008 6:38:00 PM
1,2-Dichloropropane	U	0.1	1.0		µg/L	1	7/28/2008 6:38:00 PM
1,3,5-Trimethylbenzene	U	0.11	1.0		µg/L	1	7/28/2008 6:38:00 PM
1,3-Dichlorobenzene	U	0.08	1.0		µg/L	1	7/28/2008 6:38:00 PM
1,3-dichloropropane	U	0.08	1.0		µg/L	1	7/28/2008 6:38:00 PM
1,4-Dichlorobenzene	U	0.08	1.0		µg/L	1	7/28/2008 6:38:00 PM
2,2-Dichloropropane	U	0.11	1.0		µg/L	1	7/28/2008 6:38:00 PM
2-Butanone	U	1.28	3.0		µg/L	1	7/28/2008 6:38:00 PM
2-Chloroethyl vinyl ether	U	0.08	1.0		µg/L	1	7/28/2008 6:38:00 PM
2-Chlorotoluene	U	0.09	1.0		µg/L	1	7/28/2008 6:38:00 PM
2-Hexanone	U	0.22	2.0		µg/L	1	7/28/2008 6:38:00 PM
4-Chlorotoluene	U	0.09	1.0		µg/L	1	7/28/2008 6:38:00 PM
4-Isopropyltoluene	U	0.1	1.0		µg/L	1	7/28/2008 6:38:00 PM
4-Methyl-2-pentanone	U	0.21	2.0		µg/L	1	7/28/2008 6:38:00 PM
Acetone	U	0.19	2.0		µg/L	1	7/28/2008 6:38:00 PM
Benzene	U	0.11	1.0		µg/L	1	7/28/2008 6:38:00 PM
Bromobenzene	U	0.07	1.0		µg/L	1	7/28/2008 6:38:00 PM
Bromochloromethane	U	0.4	1.0		µg/L	1	7/28/2008 6:38:00 PM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735
Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



Qualifiers:	*	Value exceeds Maximum Contaminant Level	B	Analyte detected in the associated Method Blank
	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded
	J	Analyte detected below quantitation limits	LOD	Limit of Detection
	LOQ	Limit of Quantitation	ND	Not Detected at the Reporting Limit
	S	Spike Recovery outside accepted recovery limits	U	Indicates the compound was analyzed but not detected.

American Analytical Laboratories, LLC.

Date: 30-Jul-08

ELAP ID : 11418

CLIENT: Leggette Brashears & Graham Inc.
Lab Order: 0807395
Project: Rowe
Lab ID: 0807395-02A

Client Sample ID: WQ071808:1005NP2-7
Collection Date: 7/18/2008 10:05:00 AM
Matrix: LIQUID

Certificate of Results

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
VOLATILE SW-846 8260 + MTBE & FREON113			SW8260B			Analyst: LA	
Bromodichloromethane	U	0.08	1.0		µg/L	1	7/28/2008 6:38:00 PM
Bromoform	U	0.06	1.0		µg/L	1	7/28/2008 6:38:00 PM
Bromomethane	U	0.17	1.0		µg/L	1	7/28/2008 6:38:00 PM
Carbon disulfide	U	0.14	1.0		µg/L	1	7/28/2008 6:38:00 PM
Carbon tetrachloride	U	0.16	1.0		µg/L	1	7/28/2008 6:38:00 PM
Chlorobenzene	U	0.09	1.0		µg/L	1	7/28/2008 6:38:00 PM
Chloroethane	U	0.16	1.0		µg/L	1	7/28/2008 6:38:00 PM
Chloroform	U	0.1	1.0		µg/L	1	7/28/2008 6:38:00 PM
Chloromethane	U	0.18	1.0		µg/L	1	7/28/2008 6:38:00 PM
cis-1,2-Dichloroethene	U	0.11	1.0		µg/L	1	7/28/2008 6:38:00 PM
cis-1,3-Dichloropropene	U	0.08	1.0		µg/L	1	7/28/2008 6:38:00 PM
Dibromochloromethane	U	0.07	1.0		µg/L	1	7/28/2008 6:38:00 PM
Dibromomethane	U	0.07	1.0		µg/L	1	7/28/2008 6:38:00 PM
Dichlorodifluoromethane	U	0.15	1.0		µg/L	1	7/28/2008 6:38:00 PM
Ethylbenzene	U	0.1	1.0		µg/L	1	7/28/2008 6:38:00 PM
Hexachlorobutadiene	U	0.12	1.0		µg/L	1	7/28/2008 6:38:00 PM
Isopropylbenzene	U	0.11	1.0		µg/L	1	7/28/2008 6:38:00 PM
m,p-Xylene	U	0.2	2.0		µg/L	1	7/28/2008 6:38:00 PM
Methyl tert-butyl ether	U	0.08	1.0		µg/L	1	7/28/2008 6:38:00 PM
Methylene chloride	U	0.08	1.0		µg/L	1	7/28/2008 6:38:00 PM
Naphthalene	U	0.08	1.0		µg/L	1	7/28/2008 6:38:00 PM
n-Butylbenzene	U	0.11	1.0		µg/L	1	7/28/2008 6:38:00 PM
n-Propylbenzene	U	0.11	1.0		µg/L	1	7/28/2008 6:38:00 PM
o-Xylene	U	0.1	1.0		µg/L	1	7/28/2008 6:38:00 PM
sec-Butylbenzene	U	0.1	1.0		µg/L	1	7/28/2008 6:38:00 PM
Styrene	U	0.08	1.0		µg/L	1	7/28/2008 6:38:00 PM
tert-Butylbenzene	U	0.1	1.0		µg/L	1	7/28/2008 6:38:00 PM
Tetrachloroethene	U	0.12	1.0		µg/L	1	7/28/2008 6:38:00 PM
Toluene	U	0.12	1.0		µg/L	1	7/28/2008 6:38:00 PM
trans-1,2-Dichloroethene	U	0.12	1.0		µg/L	1	7/28/2008 6:38:00 PM
trans-1,3-Dichloropropene	U	0.07	1.0		µg/L	1	7/28/2008 6:38:00 PM
Trichloroethene	U	0.13	1.0		µg/L	1	7/28/2008 6:38:00 PM
Trichlorofluoromethane	U	0.15	1.0		µg/L	1	7/28/2008 6:38:00 PM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735
Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



Qualifiers:	*	Value exceeds Maximum Contaminant Level	B	Analyte detected in the associated Method Blank
	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded
	J	Analyte detected below quantitation limits	LOD	Limit of Detection
	LOQ	Limit of Quantitation	ND	Not Detected at the Reporting Limit
	S	Spike Recovery outside accepted recovery limits	U	Indicates the compound was analyzed but not detected.

American Analytical Laboratories, LLC.

Date: 30-Jul-08

ELAP ID : 11418

CLIENT: Leggette Brashears & Graham Inc.
Lab Order: 0807395
Project: Rowe
Lab ID: 0807395-02A

Client Sample ID: WQ071808:1005NP2-7
Collection Date: 7/18/2008 10:05:00 AM
Matrix: LIQUID

Certificate of Results

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
VOLATILE SW-846 8260 + MTBE & FREON113			SW8260B		Analyst: LA		
Vinyl acetate	U	0.06	1.0		µg/L	1	7/28/2008 6:38:00 PM
Vinyl chloride	U	0.14	1.0		µg/L	1	7/28/2008 6:38:00 PM
Surr: 4-Bromofluorobenzene	114	0	54-134		%REC	1	7/28/2008 6:38:00 PM
Surr: Dibromofluoromethane	112	0	52-132		%REC	1	7/28/2008 6:38:00 PM
Surr: Toluene-d8	96.8	0	51-127		%REC	1	7/28/2008 6:38:00 PM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735
Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



Qualifiers:	*	Value exceeds Maximum Contaminant Level	B	Analyte detected in the associated Method Blank
	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded
	J	Analyte detected below quantitation limits	LOD	Limit of Detection
	LOQ	Limit of Quantitation	ND	Not Detected at the Reporting Limit
	S	Spike Recovery outside accepted recovery limits	U	Indicates the compound was analyzed but not detected.

American Analytical Laboratories, LLC.

Date: 30-Jul-08

ELAP ID : 11418

CLIENT: Leggette Brashears & Graham Inc.

Client Sample ID: WQ071808:1005NP2-7

Lab Order: 0807395

Collection Date: 7/18/2008 10:05:00 AM

Project: Rowe

Matrix: LIQUID

Lab ID: 0807395-02B

Certificate of Results

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
TOTAL IRON				E200.7	SW3010A		Analyst: JP
Iron	4.83	0.005	0.0200		mg/L	1	7/25/2008 8:58:09 AM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735

Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



Qualifiers:	*	Value exceeds Maximum Contaminant Level	B	Analyte detected in the associated Method Blank
	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded
	J	Analyte detected below quantitation limits	LOD	Limit of Detection
	LOQ	Limit of Quantitation	ND	Not Detected at the Reporting Limit
	S	Spike Recovery outside accepted recovery limits	U	Indicates the compound was analyzed but not detected.

American Analytical Laboratories, LLC.

Date: 30-Jul-08

ELAP ID : 11418

CLIENT: Leggette Brashears & Graham Inc.
Lab Order: 0807395
Project: Rowe
Lab ID: 0807395-02C

Client Sample ID: WQ071808:1005NP2-7

Collection Date: 7/18/2008 10:05:00 AM

Matrix: LIQUID

Certificate of Results

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
DISSOLVED IRON				E200.7	SW3005A		Analyst: JP
Iron	0.0507	0.005	0.0200		mg/L	1	7/25/2008 8:56:06 AM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735

Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



Qualifiers:	*	Value exceeds Maximum Contaminant Level	B	Analyte detected in the associated Method Blank
	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded
	J	Analyte detected below quantitation limits	LOD	Limit of Detection
	LOQ	Limit of Quantitation	ND	Not Detected at the Reporting Limit
	S	Spike Recovery outside accepted recovery limits	U	Indicates the compound was analyzed but not detected.

American Analytical Laboratories, LLC.

Date: 30-Jul-08

ELAP ID : 11418

CLIENT: Leggette Brashears & Graham Inc.
Lab Order: 0807395
Project: Rowe
Lab ID: 0807395-03A

Client Sample ID: WQ071808:1010NP2-10
Collection Date: 7/18/2008 10:10:00 AM
Matrix: LIQUID

Certificate of Results

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
VOLATILE SW-846 8260 + MTBE & FREON113			SW8260B		Analyst: LA		
1,1,1,2-Tetrachloroethane	U	0.09	1.0		µg/L	1	7/28/2008 7:07:00 PM
1,1,1-Trichloroethane	U	0.17	1.0		µg/L	1	7/28/2008 7:07:00 PM
1,1,2,2-Tetrachloroethane	U	0.06	1.0		µg/L	1	7/28/2008 7:07:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	U	0.13	1.0		µg/L	1	7/28/2008 7:07:00 PM
1,1,2-Trichloroethane	U	0.07	1.0		µg/L	1	7/28/2008 7:07:00 PM
1,1-Dichloroethane	U	0.11	1.0		µg/L	1	7/28/2008 7:07:00 PM
1,1-Dichloroethene	U	0.15	1.0		µg/L	1	7/28/2008 7:07:00 PM
1,1-Dichloropropene	U	0.12	1.0		µg/L	1	7/28/2008 7:07:00 PM
1,2,3-Trichlorobenzene	U	0.07	1.0		µg/L	1	7/28/2008 7:07:00 PM
1,2,3-Trichloropropane	U	0.08	1.0		µg/L	1	7/28/2008 7:07:00 PM
1,2,4-Trichlorobenzene	U	0.07	1.0		µg/L	1	7/28/2008 7:07:00 PM
1,2,4-Trimethylbenzene	U	0.09	1.0		µg/L	1	7/28/2008 7:07:00 PM
1,2-Dibromo-3-chloropropane	U	0.09	1.0		µg/L	1	7/28/2008 7:07:00 PM
1,2-Dibromoethane	U	0.06	1.0		µg/L	1	7/28/2008 7:07:00 PM
1,2-Dichlorobenzene	U	0.08	1.0		µg/L	1	7/28/2008 7:07:00 PM
1,2-Dichloroethane	U	0.08	1.0		µg/L	1	7/28/2008 7:07:00 PM
1,2-Dichloropropane	U	0.1	1.0		µg/L	1	7/28/2008 7:07:00 PM
1,3,5-Trimethylbenzene	U	0.11	1.0		µg/L	1	7/28/2008 7:07:00 PM
1,3-Dichlorobenzene	U	0.08	1.0		µg/L	1	7/28/2008 7:07:00 PM
1,3-dichloropropane	U	0.08	1.0		µg/L	1	7/28/2008 7:07:00 PM
1,4-Dichlorobenzene	U	0.08	1.0		µg/L	1	7/28/2008 7:07:00 PM
2,2-Dichloropropane	U	0.11	1.0		µg/L	1	7/28/2008 7:07:00 PM
2-Butanone	U	1.28	3.0		µg/L	1	7/28/2008 7:07:00 PM
2-Chloroethyl vinyl ether	U	0.08	1.0		µg/L	1	7/28/2008 7:07:00 PM
2-Chlorotoluene	U	0.09	1.0		µg/L	1	7/28/2008 7:07:00 PM
2-Hexanone	U	0.22	2.0		µg/L	1	7/28/2008 7:07:00 PM
4-Chlorotoluene	U	0.09	1.0		µg/L	1	7/28/2008 7:07:00 PM
4-Isopropyltoluene	U	0.1	1.0		µg/L	1	7/28/2008 7:07:00 PM
4-Methyl-2-pentanone	U	0.21	2.0		µg/L	1	7/28/2008 7:07:00 PM
Acetone	U	0.19	2.0		µg/L	1	7/28/2008 7:07:00 PM
Benzene	U	0.11	1.0		µg/L	1	7/28/2008 7:07:00 PM
Bromobenzene	U	0.07	1.0		µg/L	1	7/28/2008 7:07:00 PM
Bromochloromethane	U	0.4	1.0		µg/L	1	7/28/2008 7:07:00 PM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735
Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



Qualifiers:	*	Value exceeds Maximum Contaminant Level	B	Analyte detected in the associated Method Blank
	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded
	J	Analyte detected below quantitation limits	LOD	Limit of Detection
	LOQ	Limit of Quantitation	ND	Not Detected at the Reporting Limit
	S	Spike Recovery outside accepted recovery limits	U	Indicates the compound was analyzed but not detected.

American Analytical Laboratories, LLC.

Date: 30-Jul-08

ELAP ID : 11418

CLIENT: Leggette Brashears & Graham Inc.
Lab Order: 0807395
Project: Rowe
Lab ID: 0807395-03A

Client Sample ID: WQ071808:1010NP2-10
Collection Date: 7/18/2008 10:10:00 AM
Matrix: LIQUID

Certificate of Results

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
VOLATILE SW-846 8260 + MTBE & FREON113			SW8260B			Analyst: LA	
Bromodichloromethane	U	0.08	1.0		µg/L	1	7/28/2008 7:07:00 PM
Bromoform	U	0.06	1.0		µg/L	1	7/28/2008 7:07:00 PM
Bromomethane	U	0.17	1.0		µg/L	1	7/28/2008 7:07:00 PM
Carbon disulfide	U	0.14	1.0		µg/L	1	7/28/2008 7:07:00 PM
Carbon tetrachloride	U	0.16	1.0		µg/L	1	7/28/2008 7:07:00 PM
Chlorobenzene	U	0.09	1.0		µg/L	1	7/28/2008 7:07:00 PM
Chloroethane	U	0.16	1.0		µg/L	1	7/28/2008 7:07:00 PM
Chloroform	U	0.1	1.0		µg/L	1	7/28/2008 7:07:00 PM
Chloromethane	U	0.18	1.0		µg/L	1	7/28/2008 7:07:00 PM
cis-1,2-Dichloroethene	U	0.11	1.0		µg/L	1	7/28/2008 7:07:00 PM
cis-1,3-Dichloropropene	U	0.08	1.0		µg/L	1	7/28/2008 7:07:00 PM
Dibromochloromethane	U	0.07	1.0		µg/L	1	7/28/2008 7:07:00 PM
Dibromomethane	U	0.07	1.0		µg/L	1	7/28/2008 7:07:00 PM
Dichlorodifluoromethane	U	0.15	1.0		µg/L	1	7/28/2008 7:07:00 PM
Ethylbenzene	U	0.1	1.0		µg/L	1	7/28/2008 7:07:00 PM
Hexachlorobutadiene	U	0.12	1.0		µg/L	1	7/28/2008 7:07:00 PM
Isopropylbenzene	U	0.11	1.0		µg/L	1	7/28/2008 7:07:00 PM
m,p-Xylene	U	0.2	2.0		µg/L	1	7/28/2008 7:07:00 PM
Methyl tert-butyl ether	U	0.08	1.0		µg/L	1	7/28/2008 7:07:00 PM
Methylene chloride	U	0.08	1.0		µg/L	1	7/28/2008 7:07:00 PM
Naphthalene	U	0.08	1.0		µg/L	1	7/28/2008 7:07:00 PM
n-Butylbenzene	U	0.11	1.0		µg/L	1	7/28/2008 7:07:00 PM
n-Propylbenzene	U	0.11	1.0		µg/L	1	7/28/2008 7:07:00 PM
o-Xylene	U	0.1	1.0		µg/L	1	7/28/2008 7:07:00 PM
sec-Butylbenzene	U	0.1	1.0		µg/L	1	7/28/2008 7:07:00 PM
Styrene	U	0.08	1.0		µg/L	1	7/28/2008 7:07:00 PM
tert-Butylbenzene	U	0.1	1.0		µg/L	1	7/28/2008 7:07:00 PM
Tetrachloroethene	U	0.12	1.0		µg/L	1	7/28/2008 7:07:00 PM
Toluene	U	0.12	1.0		µg/L	1	7/28/2008 7:07:00 PM
trans-1,2-Dichloroethene	U	0.12	1.0		µg/L	1	7/28/2008 7:07:00 PM
trans-1,3-Dichloropropene	U	0.07	1.0		µg/L	1	7/28/2008 7:07:00 PM
Trichloroethene	U	0.13	1.0		µg/L	1	7/28/2008 7:07:00 PM
Trichlorofluoromethane	U	0.15	1.0		µg/L	1	7/28/2008 7:07:00 PM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735

Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



Qualifiers:	*	Value exceeds Maximum Contaminant Level	B	Analyte detected in the associated Method Blank
	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded
	J	Analyte detected below quantitation limits	LOD	Limit of Detection
	LOQ	Limit of Quantitation	ND	Not Detected at the Reporting Limit
	S	Spike Recovery outside accepted recovery limits	U	Indicates the compound was analyzed but not detected.

American Analytical Laboratories, LLC.

Date: 30-Jul-08

ELAP ID : 11418

CLIENT: Leggette Brashears & Graham Inc.
Lab Order: 0807395
Project: Rowe
Lab ID: 0807395-03A

Client Sample ID: WQ071808:1010NP2-10
Collection Date: 7/18/2008 10:10:00 AM
Matrix: LIQUID

Certificate of Results

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
VOLATILE SW-846 8260 + MTBE & FREON113			SW8260B		Analyst: LA		
Vinyl acetate	U	0.06	1.0		µg/L	1	7/28/2008 7:07:00 PM
Vinyl chloride	U	0.14	1.0		µg/L	1	7/28/2008 7:07:00 PM
Surr: 4-Bromofluorobenzene	112	0	54-134		%REC	1	7/28/2008 7:07:00 PM
Surr: Dibromofluoromethane	112	0	52-132		%REC	1	7/28/2008 7:07:00 PM
Surr: Toluene-d8	98.9	0	51-127		%REC	1	7/28/2008 7:07:00 PM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735
Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



Qualifiers:	* Value exceeds Maximum Contaminant Level	B Analyte detected in the associated Method Blank
	E Value above quantitation range	H Holding times for preparation or analysis exceeded
	J Analyte detected below quantitation limits	LOD Limit of Detection
	LOQ Limit of Quantitation	ND Not Detected at the Reporting Limit
	S Spike Recovery outside accepted recovery limits	U Indicates the compound was analyzed but not detected.

American Analytical Laboratories, LLC.

Date: 30-Jul-08

ELAP ID : 11418

CLIENT: Leggette Brashears & Graham Inc.

Client Sample ID: WQ071808:1010NP2-10

Lab Order: 0807395

Collection Date: 7/18/2008 10:10:00 AM

Project: Rowe

Matrix: LIQUID

Lab ID: 0807395-03B

Certificate of Results

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
TOTAL IRON				E200.7	SW3010A		Analyst: JP
Iron	5.53	0.005	0.0200		mg/L	1	7/30/2008 1:35:58 PM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735

Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



Qualifiers:	*	Value exceeds Maximum Contaminant Level	B	Analyte detected in the associated Method Blank
	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded
	J	Analyte detected below quantitation limits	LOD	Limit of Detection
	LOQ	Limit of Quantitation	ND	Not Detected at the Reporting Limit
	S	Spike Recovery outside accepted recovery limits	U	Indicates the compound was analyzed but not detected.

American Analytical Laboratories, LLC.

Date: 30-Jul-08

ELAP ID : 11418

CLIENT: Leggette Brashears & Graham Inc.

Client Sample ID: WQ071808:1010NP2-10

Lab Order: 0807395

Collection Date: 7/18/2008 10:10:00 AM

Project: Rowe

Matrix: LIQUID

Lab ID: 0807395-03C

Certificate of Results

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
DISSOLVED IRON				E200.7	SW3005A		Analyst: JP
Iron	0.259	0.005	0.0200		mg/L	1	7/25/2008 9:00:10 AM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735

Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



Qualifiers:

- * Value exceeds Maximum Contaminant Level
- E Value above quantitation range
- J Analyte detected below quantitation limits
- LOQ Limit of Quantitation
- S Spike Recovery outside accepted recovery limits

- B Analyte detected in the associated Method Blank
- H Holding times for preparation or analysis exceeded
- LOD Limit of Detection
- ND Not Detected at the Reporting Limit
- U Indicates the compound was analyzed but not detected.

American Analytical Laboratories, LLC.

Date: 30-Jul-08

ELAP ID : 11418

CLIENT: Leggette Brashears & Graham Inc.

Client Sample ID: WQ071808:1010NP2-10

Lab Order: 0807395

Collection Date: 7/18/2008 10:10:00 AM

Project: Rowe

Matrix: LIQUID

Lab ID: 0807395-03D

Certificate of Results

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
TOTAL DISSOLVED SOLIDS				M2540C			Analyst: AS
Total Dissolved Solids (Residue, Filterable)	88.0	0	1.00		mg/L	1	7/25/2008

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735

Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



Qualifiers:

- * Value exceeds Maximum Contaminant Level
- E Value above quantitation range
- J Analyte detected below quantitation limits
- LOQ Limit of Quantitation
- S Spike Recovery outside accepted recovery limits

- B Analyte detected in the associated Method Blank
- H Holding times for preparation or analysis exceeded
- LOD Limit of Detection
- ND Not Detected at the Reporting Limit
- U Indicates the compound was analyzed but not detected.

CLIENT: Leggett Brashears & Graham Inc.

Work Order: 0807395

Project: Rowe

ANALYTICAL QC SUMMARY REPORT

TestCode: 8260MTBE113_W

Sample ID	V624LCS-072808Y	SampleType: LCS	TestCode: 8260MTBE11	Units: µg/L	Prep Date:	RunNo: 37242					
Client ID:	LCSW	Batch ID: R37242	TestNo: SW8260B		Analysis Date: 7/28/2008	SeqNo: 485875					
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
1,1,1-Trichloroethane	44	1.0	50.00	0	87.0	43	148				
1,1,2,2-Tetrachloroethane	43	1.0	50.00	0	85.4	32	148				
1,1,2-Trichloroethane	39	1.0	50.00	0	78.7	42	136				
1,1-Dichloroethane	42	1.0	50.00	0	83.1	40	150				
1,1-Dichloroethene	57	1.0	50.00	0	114	30	154				
1,2-Dichlorobenzene	41	1.0	50.00	0	81.2	40	129				
1,2-Dichloroethane	44	1.0	50.00	0	87.1	36	141				
1,2-Dichloropropane	43	1.0	50.00	0	85.9	44	138				
1,3-Dichlorobenzene	43	1.0	50.00	0	87.0	40	133				
1,4-Dichlorobenzene	39	1.0	50.00	0	77.7	40	135				
2-Chloroethyl vinyl ether	29	1.0	50.00	0	58.7	21	139				
Benzene	38	1.0	50.00	0	75.3	45	144				
Bromodichloromethane	45	1.0	50.00	0	89.1	35	136				
Bromoform	48	1.0	50.00	0	95.1	28	138				
Bromomethane	47	1.0	50.00	0	93.2	26	148				
Carbon tetrachloride	52	1.0	50.00	0	103	45	141				
Chlorobenzene	41	1.0	50.00	0	81.2	41	142				
Chloroethane	59	1.0	50.00	0	118	36	143				
Chloroform	42	1.0	50.00	0	83.3	42	137				
Chloromethane	54	1.0	50.00	0	108	35	151				
cis-1,3-Dichloropropene	40	1.0	50.00	0	79.9	42	130				
Dibromochloromethane	41	1.0	50.00	0	82.1	21	134				
Ethylbenzene	43	1.0	50.00	0	85.2	45	146				
Tetrachloroethene	38	1.0	50.00	0	76.1	45	136				
Toluene	41	1.0	50.00	0	82.0	43	134				
trans-1,2-Dichloroethene	37	1.0	50.00	0	73.7	42	135				
trans-1,3-Dichloropropene	45	1.0	50.00	0	89.8	37	133				
Trichloroethene	36	1.0	50.00	0	71.8	43	140				
Trichlorofluoromethane	56	1.0	50.00	0	112	50	148				
Vinyl chloride	53	1.0	50.00	0	107	35	142				

Qualifiers: E Value above quantitation range
LOD Limit of Detection
R RPD outside accepted recovery limits

H Holding times for preparation or analysis exceeded
LOQ Limit of Quantitation
S Spike Recovery outside accepted recovery limits

J Analyte detected below quantitation limit
ND Not Detected at the Reporting Limit
U Indicates the compound was analyzed

CLIENT: Leggett Brashears & Graham Inc.
Work Order: 0807395
Project: Rowe

ANALYTICAL QC SUMMARY REPORT

TestCode: 8260MTBE113_W

Sample ID	V624LCS-072808Y	SampleType:	LCS	TestCode:	8260MTBE11	Units:	µg/L	Prep Date:		RunNo:	37242		
Client ID:	LCSW	Batch ID:	R37242	TestNo:	SW8260B			Analysis Date:	7/28/2008	SeqNo:	485875		
Analyte		Result		PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual

Sample ID	VBLK-072808Y	SampType:	MBLK	TestCode:	8260MTBE11	Units:	µg/L	Prep Date:		RunNo:	37242		
Client ID:	PBW	Batch ID:	R37242	TestNo:	SW8260B			Analysis Date:	7/28/2008	SeqNo:	485876		
Analyte		Result		PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual

1,1,1,2-Tetrachloroethane	U	1.0											
1,1,1-Trichloroethane	U	1.0											
1,1,2,2-Tetrachloroethane	U	1.0											
1,1,2-Trichloro-1,2,2-trifluoroethane	U	1.0											
1,1,2-Trichloroethane	U	1.0											
1,1-Dichloroethane	U	1.0											
1,1-Dichloroethene	U	1.0											
1,1-Dichloropropene	U	1.0											
1,2,3-Trichlorobenzene	U	1.0											
1,2,3-Trichloropropene	U	1.0											
1,2,4-Trichlorobenzene	U	1.0											
1,2,4-Trimethylbenzene	U	1.0											
1,2-Dibromo-3-chloropropene	U	1.0											
1,2-Dibromoethane	U	1.0											
1,2-Dichlorobenzene	U	1.0											
1,2-Dichloroethane	U	1.0											
1,2-Dichloropropene	U	1.0											
1,3,5-Trimethylbenzene	U	1.0											
1,3-Dichlorobenzene	U	1.0											
1,3-dichloropropene	U	1.0											
1,4-Dichlorobenzene	U	1.0											
2,2-Dichloropropene	U	1.0											
2-Butanone	U	3.0											

Qualifiers:	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limit
	LOD	Limit of Detection	LOQ	Limit of Quantitation	ND	Not Detected at the Reporting Limit
	R	RPD outside accepted recovery limits	S	Spike Recovery outside accepted recovery limits	U	Indicates the compound was analyzed

CLIENT: Leggett Brashears & Graham Inc.
Work Order: 0807395
Project: Rowe

ANALYTICAL QC SUMMARY REPORT

TestCode: 8260MTBE113_W

Sample ID	VBLK-072808Y	SampType:	MBLK	TestCode: 8260MTBE11	Units: µg/L	Prep Date:	RunNo: 37242					
Client ID:	PBW	Batch ID:	R37242	TestNo: SW8260B		Analysis Date: 7/28/2008	SeqNo: 485876					
Analyte		Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
2-Chloroethyl vinyl ether		U	1.0									
2-Chlorotoluene		U	1.0									
2-Hexanone		U	2.0									
4-Chlorotoluene		U	1.0									
4-Isopropyltoluene		U	1.0									
4-Methyl-2-pentanone		U	2.0									
Acetone		U	2.0									
Benzene		U	1.0									
Bromobenzene		U	1.0									
Bromochloromethane		U	1.0									
Bromodichloromethane		U	1.0									
Bromoform		U	1.0									
Bromomethane		U	1.0									
Carbon disulfide		U	1.0									
Carbon tetrachloride		U	1.0									
Chlorobenzene		U	1.0									
Chloroethane		U	1.0									
Chloroform		U	1.0									
Chloromethane		U	1.0									
cis-1,2-Dichloroethene		U	1.0									
cis-1,3-Dichloropropene		U	1.0									
Dibromochloromethane		U	1.0									
Dibromomethane		U	1.0									
Dichlorodifluoromethane		U	1.0									
Ethylbenzene		U	1.0									
Hexachlorobutadiene		U	1.0									
Isopropylbenzene		U	1.0									
m,p-Xylene		U	2.0									
Methyl tert-butyl ether		U	1.0									
Methylene chloride		U	1.0									
Naphthalene		U	1.0									

Qualifiers:	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limit
	LOD	Limit of Detection	LOQ	Limit of Quantitation	ND	Not Detected at the Reporting Limit
	R	RPD outside accepted recovery limits	S	Spike Recovery outside accepted recovery limits	U	Indicates the compound was analyzed

CLIENT: Leggett Brashears & Graham Inc.
Work Order: 0807395
Project: Rowe

ANALYTICAL QC SUMMARY REPORT

TestCode: 8260MTBE113_W

Sample ID	VBLK-072808Y	SampType: MBLK	TestCode: 8260MTBE11	Units: µg/L	Prep Date:	RunNo: 37242					
Client ID:	PBW	Batch ID: R37242	TestNo: SW8260B		Analysis Date: 7/28/2008	SeqNo: 485876					
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual

n-Butylbenzene	U	1.0									
n-Propylbenzene	U	1.0									
o-Xylene	U	1.0									
sec-Butylbenzene	U	1.0									
Styrene	U	1.0									
tert-Butylbenzene	U	1.0									
Tetrachloroethene	U	1.0									
Toluene	U	1.0									
trans-1,2-Dichloroethene	U	1.0									
trans-1,3-Dichloropropene	U	1.0									
Trichloroethene	U	1.0									
Trichlorofluoromethane	U	1.0									
Vinyl acetate	U	1.0									
Vinyl chloride	U	1.0									
Surr: 4-Bromofluorobenzene	58		50.00		115	54	134				
Surr: Dibromofluoromethane	49		50.00		97.9	52	132				
Surr: Toluene-d8	50		50.00		101	51	127				

Sample ID	V624LCS-072808Y	SampType: LCS	TestCode: 8260MTBE11	Units: µg/L	Prep Date:	RunNo: 37242					
Client ID:	LCSW	Batch ID: R37242a	TestNo: SW8260B		Analysis Date: 7/28/2008	SeqNo: 485878					
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual

1,1,1-Trichloroethane	51	1.0	50.00	0	101	43	148				
1,1,2,2-Tetrachloroethane	45	1.0	50.00	0	90.7	32	148				
1,1,2-Trichloroethane	44	1.0	50.00	0	88.0	42	136				
1,1-Dichloroethane	41	1.0	50.00	0	82.1	40	150				
1,1-Dichloroethene	61	1.0	50.00	0	122	30	154				
1,2-Dichlorobenzene	37	1.0	50.00	0	74.6	40	129				
1,2-Dichloroethane	42	1.0	50.00	0	84.3	36	141				
1,2-Dichloropropane	42	1.0	50.00	0	84.7	44	138				
1,3-Dichlorobenzene	36	1.0	50.00	0	72.8	40	133				

Qualifiers: E Value above quantitation range
LOD Limit of Detection
R RPD outside accepted recovery limits

H Holding times for preparation or analysis exceeded
LOQ Limit of Quantitation
S Spike Recovery outside accepted recovery limits

J Analyte detected below quantitation limit
ND Not Detected at the Reporting Limit
U Indicates the compound was analyzed

CLIENT: Leggett Brashears & Graham Inc.
Work Order: 0807395
Project: Rowe

ANALYTICAL QC SUMMARY REPORT

TestCode: 8260MTBE113 W

Sample ID	V624LCS-072808Y	Sample Type:	LCS	TestCode:	8260MTBE11	Units:	µg/L	Prep Date:	RunNo:	37242	
Client ID:	LCSW	Batch ID:	R37242a	TestNo:	SW8260B	Analysis Date:	7/28/2008	SeqNo:	485878		
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual

1,4-Dichlorobenzene	38	1.0	50.00	0	76.1	40	135				
2-Chloroethyl vinyl ether	36	1.0	50.00	0	71.8	21	139				
Benzene	37	1.0	50.00	0	73.5	45	144				
Bromodichloromethane	45	1.0	50.00	0	90.2	35	136				
Bromoform	48	1.0	50.00	0	96.6	28	138				
Bromomethane	56	1.0	50.00	0	113	26	148				
Carbon tetrachloride	54	1.0	50.00	0	108	45	141				
Chlorobenzene	34	1.0	50.00	0	67.8	41	142				
Chloroethane	61	1.0	50.00	0	122	36	143				
Chloroform	40	1.0	50.00	0	79.8	42	137				
Chloromethane	49	1.0	50.00	0	98.4	35	151				
cis-1,3-Dichloropropene	40	1.0	50.00	0	79.8	42	130				
Dibromochloromethane	44	1.0	50.00	0	88.1	21	134				
Ethylbenzene	36	1.0	50.00	0	72.4	45	146				
Tetrachloroethene	41	1.0	50.00	0	81.4	45	136				
Toluene	39	1.0	50.00	0	78.5	43	134				
trans-1,2-Dichloroethene	40	1.0	50.00	0	79.6	42	135				
trans-1,3-Dichloropropene	45	1.0	50.00	0	90.1	37	133				
Trichloroethene	38	1.0	50.00	0	76.3	43	140				
Trichlorofluoromethane	59	1.0	50.00	0	117	50	148				
Vinyl chloride	58	1.0	50.00	0	116	35	142				
Surr: 4-Bromofluorobenzene	58		50.00		116	54	134				
Surr: Dibromofluoromethane	59		50.00		119	52	132				
Surr: Toluene-d8	53		50.00		106	51	127				

Sample ID	VBLK-072808Y	Sample Type: MBLK	TestCode: 8260MTBE11	Units: µg/L	Prep Date:	RunNo: 37242					
Client ID:	PBW	Batch ID: R37242a	TestNo: SW8260B		Analysis Date: 7/28/2008	SeqNo: 485879					
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual

1,1,1,2-Tetrachloroethane	U	1.0									
1,1,1-Trichloroethane	U	1.0									

Qualifiers: E Value above quantitation range
LOD Limit of Detection
R RPD outside accepted recovery limits

H Holding times for preparation or analysis exceeded
LOQ Limit of Quantitation
S Spike Recovery outside accepted recovery limits

J Analyte detected below quantitation limit
ND Not Detected at the Reporting Limit
U Indicates the compound was analyzed

CLIENT: Leggett Brashears & Graham Inc.
Work Order: 0807395
Project: Rowe

ANALYTICAL QC SUMMARY REPORT

TestCode: 8260MTBE113_W

Sample ID	VBLK-072808Y	SampType: MBLK	TestCode: 8260MTBE11	Units: µg/L	Prep Date:	RunNo: 37242						
Client ID:	PBW	Batch ID: R37242a	TestNo: SW8260B		Analysis Date: 7/28/2008	SeqNo: 485879						
Analyte		Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
1,1,2,2-Tetrachloroethane		U	1.0									
1,1,2-Trichloro-1,2,2-trifluoroethane		U	1.0									
1,1,2-Trichloroethane		U	1.0									
1,1-Dichloroethane		U	1.0									
1,1-Dichloroethene		U	1.0									
1,1-Dichloropropene		U	1.0									
1,2,3-Trichlorobenzene		U	1.0									
1,2,3-Trichloropropane		U	1.0									
1,2,4-Trichlorobenzene		U	1.0									
1,2,4-Trimethylbenzene		U	1.0									
1,2-Dibromo-3-chloropropane		U	1.0									
1,2-Dibromoethane		U	1.0									
1,2-Dichlorobenzene		U	1.0									
1,2-Dichloroethane		U	1.0									
1,2-Dichloropropane		U	1.0									
1,3,5-Trimethylbenzene		U	1.0									
1,3-Dichlorobenzene		U	1.0									
1,3-dichloropropane		U	1.0									
1,4-Dichlorobenzene		U	1.0									
2,2-Dichloropropane		U	1.0									
2-Butanone		U	3.0									
2-Chloroethyl vinyl ether		U	1.0									
2-Chlorotoluene		U	1.0									
2-Hexanone		U	2.0									
4-Chlorotoluene		U	1.0									
4-Isopropyltoluene		U	1.0									
4-Methyl-2-pentanone		U	2.0									
Acetone		U	2.0									
Benzene		U	1.0									
Bromobenzene		U	1.0									
Bromochloromethane		U	1.0									

Qualifiers:	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limit
	LOD	Limit of Detection	LOQ	Limit of Quantitation	ND	Not Detected at the Reporting Limit
	R	RPD outside accepted recovery limits	S	Spike Recovery outside accepted recovery limits	U	Indicates the compound was analyzed

CLIENT: Leggett Brashears & Graham Inc.
 Work Order: 0807395
 Project: Rowe

ANALYTICAL QC SUMMARY REPORT

TestCode: 8260MTBE113_W

Sample ID	VBLK-072808Y	SampType: MBLK	TestCode: 8260MTBE11	Units: µg/L	Prep Date:	RunNo: 37242						
Client ID:	PBW	Batch ID: R37242a	TestNo: SW8260B		Analysis Date: 7/28/2008	SeqNo: 485879						
Analyte		Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Bromodichloromethane		U	1.0									
Bromoform		U	1.0									
Bromomethane		U	1.0									
Carbon disulfide		U	1.0									
Carbon tetrachloride		U	1.0									
Chlorobenzene		U	1.0									
Chloroethane		U	1.0									
Chloroform		U	1.0									
Chloromethane		U	1.0									
cis-1,2-Dichloroethene		U	1.0									
cis-1,3-Dichloropropene		U	1.0									
Dibromochloromethane		U	1.0									
Dibromomethane		U	1.0									
Dichlorodifluoromethane		U	1.0									
Ethylbenzene		U	1.0									
Hexachlorobutadiene		U	1.0									
Isopropylbenzene		U	1.0									
m,p-Xylene		U	2.0									
Methyl tert-butyl ether		U	1.0									
Methylene chloride		U	1.0									
Naphthalene		U	1.0									
n-Butylbenzene		U	1.0									
n-Propylbenzene		U	1.0									
o-Xylene		U	1.0									
sec-Butylbenzene		U	1.0									
Styrene		U	1.0									
tert-Butylbenzene		U	1.0									
Tetrachloroethene		U	1.0									
Toluene		U	1.0									
trans-1,2-Dichloroethene		U	1.0									
trans-1,3-Dichloropropene		U	1.0									

Qualifiers:	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation i
LOD	Limit of Detection		LOQ	Limit of Quantitation	ND	Not Detected at the Reporting Limit
R	RPD outside accepted recovery limits		S	Spike Recovery outside accepted recovery limits	U	Indicates the compound was analyzed

CLIENT: Leggett Brashears & Graham Inc.
Work Order: 0807395
Project: Rowe

ANALYTICAL QC SUMMARY REPORT

TestCode: 8260MTBE113_W

Sample ID	VBLK-072808Y	SampType: MBLK	TestCode: 8260MTBE11	Units: µg/L	Prep Date:	RunNo: 37242					
Client ID:	PBW	Batch ID: R37242a	TestNo: SW8260B		Analysis Date: 7/28/2008	SeqNo: 485879					
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Trichloroethene	U	1.0									
Trichlorofluoromethane	U	1.0									
Vinyl acetate	U	1.0									
Vinyl chloride	U	1.0									
Surr: 4-Bromofluorobenzene	56		50.00		112	54	134				
Surr: Dibromofluoromethane	58		50.00		116	52	132				
Surr: Toluene-d8	47		50.00		94.1	51	127				

Qualifiers:	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation l
	LOD	Limit of Detection	LOQ	Limit of Quantitation	ND	Not Detected at the Reporting Limit
	R	RPD outside accepted recovery limits	S	Spike Recovery outside accepted recovery limits	U	Indicates the compound was analyzed

CLIENT: Leggette Brashears & Graham Inc.
Work Order: 0807395
Project: Rowe

ANALYTICAL QC SUMMARY REPORT

TestCode: FE_T

Sample ID	0807395-03B-MS	SampType: MS	TestCode: FE_T	Units: mg/L	Prep Date: 7/24/2008	RunNo: 37169					
Client ID:	WQ071808:1010NP2	Batch ID: 22314	TestNo: E200.7	SW3010A	Analysis Date: 7/25/2008	SeqNo: 484738					
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Iron	1.28	0.0200	1.000	0.1805	110	68	122				

Sample ID	0807395-03B-MSD	SampType: MSD	TestCode: FE_T	Units: mg/L	Prep Date: 7/24/2008	RunNo: 37169					
Client ID:	WQ071808:1010NP2	Batch ID: 22314	TestNo: E200.7	SW3010A	Analysis Date: 7/25/2008	SeqNo: 484739					
Analyte	Result	PQL	SPK value	SPK RefVal	%REC	LowLimit	HighLimit	RPD RefVal	%RPD	RPDLimit	Qual
Iron	1.28	0.0200	1.000	0.1805	110	68	122	1.280	0.100	20	

Qualifiers:	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limit
LOD		Limit of Detection	LOQ	Limit of Quantitation	ND	Not Detected at the Reporting Limit
R		RPD outside accepted recovery limits	S	Spike Recovery outside accepted recovery limits	U	Indicates the compound was analyzed

CLIENT: Leggette Brashears & Graham Inc.
Work Order: 0807395
Project: Rowe

ANALYTICAL QC SUMMARY REPORT

TestCode: TDS_W

Sample ID	MB-R37234	SampType: MBLK	TestCode: TDS_W	Units: mg/L	Prep Date:	RunNo: 37234						
Client ID:	PBW	Batch ID: R37234	TestNo: M2540C		Analysis Date: 7/25/2008	SeqNo: 485792						
Analyte		Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual

Total Dissolved Solids (Residue, Filtra) U 1.00

Qualifiers:	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation li
	LOD	Limit of Detection	LOQ	Limit of Quantitation	ND	Not Detected at the Reporting Limit
	R	RPD outside accepted recovery limits	S	Spike Recovery outside accepted recovery limits	U	Indicates the compound was analyzed

Monday, August 04, 2008

Mark Goldberg
Leggette Brashears & Graham Inc.
4 Research Drive
Suite 301
Shelton, CT 06484

TEL: (203) 929-8555
FAX (203) 926-9140

RE: Rowe

Order No.: 0807460

Dear Mark Goldberg:

American Analytical Laboratories, LLC. received 3 sample(s) on 7/30/2008 for the analyses presented in the following report.


Samples were analyzed in accordance with the test procedures documented on the chain of custody and detailed throughout the text of this report.

The results reported herein relate only to the items tested or to the samples as received by the laboratory. This report may not be reproduced, except in full, without the approval of American Analytical Laboratories, LLC and is not considered complete without a cover page and chain of custody documentation. The limits (LOQ) provided in the data package are analytical reporting limits and not Federal or Local mandated values to which the sample results should be compared.

There were no problems with the analyses and all data for associated QC met laboratory specifications. If there are any exceptions a Case Narrative is provided in the report. This package has been reviewed by American Analytical Laboratories' QA Department/Laboratory Director to comply with NELAC standards prior to report submittal.

If you have any questions regarding these tests results, please do not hesitate to call (631) 454-6100 or email me directly at lbeyer@american-analytical.com.

Sincerely,


Lori Beyer
Lab Director

American Analytical Laboratories, LLC.

Date: 04-Aug-08

CLIENT: Leggette Brashears & Graham Inc.

Project: Rowe

Lab Order: 0807460

Work Order Sample Summary

Lab Sample ID	Client Sample ID	Date Collected	Date Received
0807460-01A	WQ072408:1100NP2-6	7/24/2008 11:00:00 AM	7/30/2008
0807460-01B	WQ072408:1100NP2-6	7/24/2008 11:00:00 AM	7/30/2008
0807460-01C	WQ072408:1100NP2-6	7/24/2008 11:00:00 AM	7/30/2008
0807460-02A	WQ072408:1105NP2-7	7/24/2008 11:05:00 AM	7/30/2008
0807460-02B	WQ072408:1105NP2-7	7/24/2008 11:05:00 AM	7/30/2008
0807460-02C	WQ072408:1105NP2-7	7/24/2008 11:05:00 AM	7/30/2008
0807460-03A	WQ072408:1110NP2-10	7/24/2008 11:10:00 AM	7/30/2008
0807460-03B	WQ072408:1110NP2-10	7/24/2008 11:10:00 AM	7/30/2008
0807460-03C	WQ072408:1110NP2-10	7/24/2008 11:10:00 AM	7/30/2008
0807460-03D	WQ072408:1110NP2-10	7/24/2008 11:10:00 AM	7/30/2008

CHAIN OF CUSTODY / REQUEST FOR ANALYSIS DOCUMENT

[illegible]

AMERICAN ANALYTICAL LABORATORIES, LLC
56 TOLEDO STREET
FARMINGDALE, NEW YORK 11735
TELEPHONE: (631) 454-6100 FAX: (631) 454-8027

DATA REPORTING QUALIFIERS

For reporting results, the following "Results Qualifiers" are used:

Value	If the result is greater than or equal to the detection limit, report the value
U	Indicates the compound was analyzed for but was not detected. Report the minimum detection limit for the sample with the U, i.e. "10U". This is not necessarily the instrument detection limit attainable for this particular sample based on any concentration or dilution that may have been required.
J	Indicates an estimated value. The flag is used: (1) When estimating a concentration for a tentatively identified compound (library search hits, where a 1:1 response is assumed.) (2) When the mass spectral data indicated the identification, however the result was less than the specified detection limit greater than zero. If the detection limit was 10ug/L and a concentration of 3ug/L was calculated report as 3J. This flag is used when similar situations arise on any organic parameter i.e. Pesticide, PCBs and others.
B	Indicates the analyte was found in the blank as well as the sample report "10B".
E	Indicates the analytes concentration exceeds the calibrated range of the instrument for that specific analysis.
D	This flag identifies all compounds identified in an analysis at a secondary dilution factor.
P	This flag is used for Pesticide / PCB target analyte when there is >25% difference for detected concentrations between the two GC Columns. The higher of the two values is reported on Form I and flagged with a "P".
N	This flag indicates presumptive evidence of a compound. This is only used for tentatively identified compounds (TICs), where the identification is based on a mass spectral library search. It applies to all TIC results. For generic characterization of a TIC, such as chlorinated hydrocarbon, the flag is not used.
H	Indicates sample was received and/or analyzed outside of The method allowable holding time

American Analytical Laboratories, LLC.

Date: 04-Aug-08

ELAP ID : 11418

CLIENT: Leggette Brashears & Graham Inc.
Lab Order: 0807460
Project: Rowe
Lab ID: 0807460-01A

Client Sample ID: WQ072408:1100NP2-6
Collection Date: 7/24/2008 11:00:00 AM
Matrix: LIQUID

Certificate of Results

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
VOLATILE SW-846 8260 + MTBE & FREON113			SW8260B			Analyst: DM	
1,1,1,2-Tetrachloroethane	U	0.09	1.0		µg/L	1	7/31/2008 7:04:00 PM
1,1,1-Trichloroethane	1.1	0.17	1.0		µg/L	1	7/31/2008 7:04:00 PM
1,1,2,2-Tetrachloroethane	U	0.06	1.0		µg/L	1	7/31/2008 7:04:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	U	0.13	1.0		µg/L	1	7/31/2008 7:04:00 PM
1,1,2-Trichloroethane	U	0.07	1.0		µg/L	1	7/31/2008 7:04:00 PM
1,1-Dichloroethane	U	0.11	1.0		µg/L	1	7/31/2008 7:04:00 PM
1,1-Dichloroethene	U	0.15	1.0		µg/L	1	7/31/2008 7:04:00 PM
1,1-Dichloropropene	U	0.12	1.0		µg/L	1	7/31/2008 7:04:00 PM
1,2,3-Trichlorobenzene	U	0.07	1.0		µg/L	1	7/31/2008 7:04:00 PM
1,2,3-Trichloropropane	U	0.08	1.0		µg/L	1	7/31/2008 7:04:00 PM
1,2,4-Trichlorobenzene	U	0.07	1.0		µg/L	1	7/31/2008 7:04:00 PM
1,2,4-Trimethylbenzene	U	0.09	1.0		µg/L	1	7/31/2008 7:04:00 PM
1,2-Dibromo-3-chloropropane	U	0.09	1.0		µg/L	1	7/31/2008 7:04:00 PM
1,2-Dibromoethane	U	0.06	1.0		µg/L	1	7/31/2008 7:04:00 PM
1,2-Dichlorobenzene	U	0.08	1.0		µg/L	1	7/31/2008 7:04:00 PM
1,2-Dichloroethane	U	0.08	1.0		µg/L	1	7/31/2008 7:04:00 PM
1,2-Dichloropropane	U	0.1	1.0		µg/L	1	7/31/2008 7:04:00 PM
1,3,5-Trimethylbenzene	U	0.11	1.0		µg/L	1	7/31/2008 7:04:00 PM
1,3-Dichlorobenzene	U	0.08	1.0		µg/L	1	7/31/2008 7:04:00 PM
1,3-dichloropropane	U	0.08	1.0		µg/L	1	7/31/2008 7:04:00 PM
1,4-Dichlorobenzene	U	0.08	1.0		µg/L	1	7/31/2008 7:04:00 PM
2,2-Dichloropropane	U	0.11	1.0		µg/L	1	7/31/2008 7:04:00 PM
2-Butanone	U	1.28	3.0		µg/L	1	7/31/2008 7:04:00 PM
2-Chloroethyl vinyl ether	U	0.08	1.0		µg/L	1	7/31/2008 7:04:00 PM
2-Chlorotoluene	U	0.09	1.0		µg/L	1	7/31/2008 7:04:00 PM
2-Hexanone	U	0.22	2.0		µg/L	1	7/31/2008 7:04:00 PM
4-Chlorotoluene	U	0.09	1.0		µg/L	1	7/31/2008 7:04:00 PM
4-Isopropyltoluene	U	0.1	1.0		µg/L	1	7/31/2008 7:04:00 PM
4-Methyl-2-pentanone	U	0.21	2.0		µg/L	1	7/31/2008 7:04:00 PM
Acetone	U	0.19	2.0		µg/L	1	7/31/2008 7:04:00 PM
Benzene	U	0.11	1.0		µg/L	1	7/31/2008 7:04:00 PM
Bromobenzene	U	0.07	1.0		µg/L	1	7/31/2008 7:04:00 PM
Bromochloromethane	U	0.4	1.0		µg/L	1	7/31/2008 7:04:00 PM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735
Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



Qualifiers:	* Value exceeds Maximum Contaminant Level	B Analyte detected in the associated Method Blank
	E Value above quantitation range	H Holding times for preparation or analysis exceeded
	J Analyte detected below quantitation limits	LOD Limit of Detection
	LOQ Limit of Quantitation	ND Not Detected at the Reporting Limit
	S Spike Recovery outside accepted recovery limits	U Indicates the compound was analyzed but not detected.

American Analytical Laboratories, LLC.

Date: 04-Aug-08

ELAP ID : 11418

CLIENT: Leggette Brashears & Graham Inc.

Client Sample ID: WQ072408:1100NP2-6

Lab Order: 0807460

Collection Date: 7/24/2008 11:00:00 AM

Project: Rowe

Matrix: LIQUID

Lab ID: 0807460-01A

Certificate of Results

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
VOLATILE SW-846 8260 + MTBE & FREON113			SW8260B		Analyst: DM		
Bromodichloromethane	U	0.08	1.0		µg/L	1	7/31/2008 7:04:00 PM
Bromoform	U	0.06	1.0		µg/L	1	7/31/2008 7:04:00 PM
Bromomethane	U	0.17	1.0		µg/L	1	7/31/2008 7:04:00 PM
Carbon disulfide	U	0.14	1.0		µg/L	1	7/31/2008 7:04:00 PM
Carbon tetrachloride	U	0.16	1.0		µg/L	1	7/31/2008 7:04:00 PM
Chlorobenzene	U	0.09	1.0		µg/L	1	7/31/2008 7:04:00 PM
Chloroethane	U	0.16	1.0		µg/L	1	7/31/2008 7:04:00 PM
Chloroform	U	0.1	1.0		µg/L	1	7/31/2008 7:04:00 PM
Chloromethane	U	0.18	1.0		µg/L	1	7/31/2008 7:04:00 PM
cis-1,2-Dichloroethene	U	0.11	1.0		µg/L	1	7/31/2008 7:04:00 PM
cis-1,3-Dichloropropene	U	0.08	1.0		µg/L	1	7/31/2008 7:04:00 PM
Dibromochloromethane	U	0.07	1.0		µg/L	1	7/31/2008 7:04:00 PM
Dibromomethane	U	0.07	1.0		µg/L	1	7/31/2008 7:04:00 PM
Dichlorodifluoromethane	U	0.15	1.0		µg/L	1	7/31/2008 7:04:00 PM
Ethylbenzene	U	0.1	1.0		µg/L	1	7/31/2008 7:04:00 PM
Hexachlorobutadiene	U	0.12	1.0		µg/L	1	7/31/2008 7:04:00 PM
Isopropylbenzene	U	0.11	1.0		µg/L	1	7/31/2008 7:04:00 PM
m,p-Xylene	U	0.2	2.0		µg/L	1	7/31/2008 7:04:00 PM
Methyl tert-butyl ether	U	0.08	1.0		µg/L	1	7/31/2008 7:04:00 PM
Methylene chloride	U	0.08	1.0		µg/L	1	7/31/2008 7:04:00 PM
Naphthalene	U	0.08	1.0		µg/L	1	7/31/2008 7:04:00 PM
n-Butylbenzene	U	0.11	1.0		µg/L	1	7/31/2008 7:04:00 PM
n-Propylbenzene	U	0.11	1.0		µg/L	1	7/31/2008 7:04:00 PM
o-Xylene	U	0.1	1.0		µg/L	1	7/31/2008 7:04:00 PM
sec-Butylbenzene	U	0.1	1.0		µg/L	1	7/31/2008 7:04:00 PM
Styrene	U	0.08	1.0		µg/L	1	7/31/2008 7:04:00 PM
tert-Butylbenzene	U	0.1	1.0		µg/L	1	7/31/2008 7:04:00 PM
Tetrachloroethene	3.8	0.12	1.0		µg/L	1	7/31/2008 7:04:00 PM
Toluene	U	0.12	1.0		µg/L	1	7/31/2008 7:04:00 PM
trans-1,2-Dichloroethene	U	0.12	1.0		µg/L	1	7/31/2008 7:04:00 PM
trans-1,3-Dichloropropene	U	0.07	1.0		µg/L	1	7/31/2008 7:04:00 PM
Trichloroethene	U	0.13	1.0		µg/L	1	7/31/2008 7:04:00 PM
Trichlorofluoromethane	U	0.15	1.0		µg/L	1	7/31/2008 7:04:00 PM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735

Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



Qualifiers: * Value exceeds Maximum Contaminant Level
 E Value above quantitation range
 J Analyte detected below quantitation limits
 LOQ Limit of Quantitation
 S Spike Recovery outside accepted recovery limits

B Analyte detected in the associated Method Blank
 H Holding times for preparation or analysis exceeded
 LOD Limit of Detection
 ND Not Detected at the Reporting Limit
 U Indicates the compound was analyzed but not detected.

American Analytical Laboratories, LLC.

Date: 04-Aug-08

ELAP ID : 11418

CLIENT: Leggette Brashears & Graham Inc.

Client Sample ID: WQ072408:1100NP2-6

Lab Order: 0807460

Collection Date: 7/24/2008 11:00:00 AM

Project: Rowe

Matrix: LIQUID

Lab ID: 0807460-01A

Certificate of Results

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
VOLATILE SW-846 8260 + MTBE & FREON113			SW8260B		Analyst: DM		
Vinyl acetate	U	0.06	1.0		µg/L	1	7/31/2008 7:04:00 PM
Vinyl chloride	U	0.14	1.0		µg/L	1	7/31/2008 7:04:00 PM
Surr: 4-Bromofluorobenzene	113	0	54-134		%REC	1	7/31/2008 7:04:00 PM
Surr: Dibromofluoromethane	110	0	52-132		%REC	1	7/31/2008 7:04:00 PM
Surr: Toluene-d8	95.2	0	51-127		%REC	1	7/31/2008 7:04:00 PM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735
Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



Qualifiers:

- * Value exceeds Maximum Contaminant Level
- E Value above quantitation range
- J Analyte detected below quantitation limits
- LOQ Limit of Quantitation
- S Spike Recovery outside accepted recovery limits

- B Analyte detected in the associated Method Blank
- H Holding times for preparation or analysis exceeded
- LOD Limit of Detection
- ND Not Detected at the Reporting Limit
- U Indicates the compound was analyzed but not detected.

American Analytical Laboratories, LLC.

Date: 04-Aug-08

ELAP ID : 11418**CLIENT:** Leggette Brashears & Graham Inc.**Client Sample ID:** WQ072408:1100NP2-6**Lab Order:** 0807460**Collection Date:** 7/24/2008 11:00:00 AM**Project:** Rowe**Matrix:** LIQUID**Lab ID:** 0807460-01B**Certificate of Results**

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
TOTAL IRON				E200.7	SW3010A		Analyst: JP
Iron	2.15	0.005	0.0200		mg/L	1	7/30/2008 2:29:19 PM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735

Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



Qualifiers:

- * Value exceeds Maximum Contaminant Level
- E Value above quantitation range
- J Analyte detected below quantitation limits
- LOQ Limit of Quantitation
- S Spike Recovery outside accepted recovery limits

- B Analyte detected in the associated Method Blank
- H Holding times for preparation or analysis exceeded
- LOD Limit of Detection
- ND Not Detected at the Reporting Limit
- U Indicates the compound was analyzed but not detected.

American Analytical Laboratories, LLC.

Date: 04-Aug-08

ELAP ID : 11418

CLIENT: Leggette Brashears & Graham Inc.

Client Sample ID: WQ072408:1100NP2-6

Lab Order: 0807460

Collection Date: 7/24/2008 11:00:00 AM

Project: Rowe

Matrix: LIQUID

Lab ID: 0807460-01C

Certificate of Results

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
DISSOLVED IRON				E200.7	SW3005A		Analyst: JP
Iron	0.0272	0.005	0.0200		mg/L	1	7/30/2008 2:27:16 PM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735

Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



Qualifiers:

- * Value exceeds Maximum Contaminant Level
- E Value above quantitation range
- J Analyte detected below quantitation limits
- LOQ Limit of Quantitation
- S Spike Recovery outside accepted recovery limits

- B Analyte detected in the associated Method Blank
- H Holding times for preparation or analysis exceeded
- LOD Limit of Detection
- ND Not Detected at the Reporting Limit
- U Indicates the compound was analyzed but not detected.

American Analytical Laboratories, LLC.

Date: 04-Aug-08

ELAP ID : 11418

CLIENT: Leggette Brashears & Graham Inc.
Lab Order: 0807460
Project: Rowe
Lab ID: 0807460-02A

Client Sample ID: WQ072408:1105NP2-7
Collection Date: 7/24/2008 11:05:00 AM
Matrix: LIQUID

Certificate of Results

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
VOLATILE SW-846 8260 + MTBE & FREON113			SW8260B			Analyst: DM	
1,1,1,2-Tetrachloroethane	U	0.09	1.0		µg/L	1	7/31/2008 7:34:00 PM
1,1,1-Trichloroethane	U	0.17	1.0		µg/L	1	7/31/2008 7:34:00 PM
1,1,2,2-Tetrachloroethane	U	0.06	1.0		µg/L	1	7/31/2008 7:34:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	U	0.13	1.0		µg/L	1	7/31/2008 7:34:00 PM
1,1,2-Trichloroethane	U	0.07	1.0		µg/L	1	7/31/2008 7:34:00 PM
1,1-Dichloroethane	U	0.11	1.0		µg/L	1	7/31/2008 7:34:00 PM
1,1-Dichloroethene	U	0.15	1.0		µg/L	1	7/31/2008 7:34:00 PM
1,1-Dichloropropene	U	0.12	1.0		µg/L	1	7/31/2008 7:34:00 PM
1,2,3-Trichlorobenzene	U	0.07	1.0		µg/L	1	7/31/2008 7:34:00 PM
1,2,3-Trichloropropane	U	0.08	1.0		µg/L	1	7/31/2008 7:34:00 PM
1,2,4-Trichlorobenzene	U	0.07	1.0		µg/L	1	7/31/2008 7:34:00 PM
1,2,4-Trimethylbenzene	U	0.09	1.0		µg/L	1	7/31/2008 7:34:00 PM
1,2-Dibromo-3-chloropropane	U	0.09	1.0		µg/L	1	7/31/2008 7:34:00 PM
1,2-Dibromoethane	U	0.06	1.0		µg/L	1	7/31/2008 7:34:00 PM
1,2-Dichlorobenzene	U	0.08	1.0		µg/L	1	7/31/2008 7:34:00 PM
1,2-Dichloroethane	U	0.08	1.0		µg/L	1	7/31/2008 7:34:00 PM
1,2-Dichloropropane	U	0.1	1.0		µg/L	1	7/31/2008 7:34:00 PM
1,3,5-Trimethylbenzene	U	0.11	1.0		µg/L	1	7/31/2008 7:34:00 PM
1,3-Dichlorobenzene	U	0.08	1.0		µg/L	1	7/31/2008 7:34:00 PM
1,3-dichloropropane	U	0.08	1.0		µg/L	1	7/31/2008 7:34:00 PM
1,4-Dichlorobenzene	U	0.08	1.0		µg/L	1	7/31/2008 7:34:00 PM
2,2-Dichloropropane	U	0.11	1.0		µg/L	1	7/31/2008 7:34:00 PM
2-Butanone	U	1.28	3.0		µg/L	1	7/31/2008 7:34:00 PM
2-Chloroethyl vinyl ether	U	0.08	1.0		µg/L	1	7/31/2008 7:34:00 PM
2-Chlorotoluene	U	0.09	1.0		µg/L	1	7/31/2008 7:34:00 PM
2-Hexanone	U	0.22	2.0		µg/L	1	7/31/2008 7:34:00 PM
4-Chlorotoluene	U	0.09	1.0		µg/L	1	7/31/2008 7:34:00 PM
4-Isopropyltoluene	U	0.1	1.0		µg/L	1	7/31/2008 7:34:00 PM
4-Methyl-2-pentanone	U	0.21	2.0		µg/L	1	7/31/2008 7:34:00 PM
Acetone	U	0.19	2.0		µg/L	1	7/31/2008 7:34:00 PM
Benzene	U	0.11	1.0		µg/L	1	7/31/2008 7:34:00 PM
Bromobenzene	U	0.07	1.0		µg/L	1	7/31/2008 7:34:00 PM
Bromochloromethane	U	0.4	1.0		µg/L	1	7/31/2008 7:34:00 PM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735

Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



Qualifiers:	* Value exceeds Maximum Contaminant Level	B Analyte detected in the associated Method Blank
	E Value above quantitation range	H Holding times for preparation or analysis exceeded
	J Analyte detected below quantitation limits	LOD Limit of Detection
	LOQ Limit of Quantitation	ND Not Detected at the Reporting Limit
	S Spike Recovery outside accepted recovery limits	U Indicates the compound was analyzed but not detected.

American Analytical Laboratories, LLC.

Date: 04-Aug-08

ELAP ID : 11418

CLIENT: Leggette Brashears & Graham Inc.
Lab Order: 0807460
Project: Rowe
Lab ID: 0807460-02A

Client Sample ID: WQ072408:1105NP2-7
Collection Date: 7/24/2008 11:05:00 AM
Matrix: LIQUID

Certificate of Results

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
VOLATILE SW-846 8260 + MTBE & FREON113			SW8260B			Analyst: DM	
Bromodichloromethane	U	0.08	1.0		µg/L	1	7/31/2008 7:34:00 PM
Bromoform	U	0.06	1.0		µg/L	1	7/31/2008 7:34:00 PM
Bromomethane	U	0.17	1.0		µg/L	1	7/31/2008 7:34:00 PM
Carbon disulfide	U	0.14	1.0		µg/L	1	7/31/2008 7:34:00 PM
Carbon tetrachloride	U	0.16	1.0		µg/L	1	7/31/2008 7:34:00 PM
Chlorobenzene	U	0.09	1.0		µg/L	1	7/31/2008 7:34:00 PM
Chloroethane	U	0.16	1.0		µg/L	1	7/31/2008 7:34:00 PM
Chloroform	U	0.1	1.0		µg/L	1	7/31/2008 7:34:00 PM
Chloromethane	U	0.18	1.0		µg/L	1	7/31/2008 7:34:00 PM
cis-1,2-Dichloroethene	U	0.11	1.0		µg/L	1	7/31/2008 7:34:00 PM
cis-1,3-Dichloropropene	U	0.08	1.0		µg/L	1	7/31/2008 7:34:00 PM
Dibromochloromethane	U	0.07	1.0		µg/L	1	7/31/2008 7:34:00 PM
Dibromomethane	U	0.07	1.0		µg/L	1	7/31/2008 7:34:00 PM
Dichlorodifluoromethane	U	0.15	1.0		µg/L	1	7/31/2008 7:34:00 PM
Ethylbenzene	U	0.1	1.0		µg/L	1	7/31/2008 7:34:00 PM
Hexachlorobutadiene	U	0.12	1.0		µg/L	1	7/31/2008 7:34:00 PM
Isopropylbenzene	U	0.11	1.0		µg/L	1	7/31/2008 7:34:00 PM
m,p-Xylene	U	0.2	2.0		µg/L	1	7/31/2008 7:34:00 PM
Methyl tert-butyl ether	U	0.08	1.0		µg/L	1	7/31/2008 7:34:00 PM
Methylene chloride	U	0.08	1.0		µg/L	1	7/31/2008 7:34:00 PM
Naphthalene	U	0.08	1.0		µg/L	1	7/31/2008 7:34:00 PM
n-Butylbenzene	U	0.11	1.0		µg/L	1	7/31/2008 7:34:00 PM
n-Propylbenzene	U	0.11	1.0		µg/L	1	7/31/2008 7:34:00 PM
o-Xylene	U	0.1	1.0		µg/L	1	7/31/2008 7:34:00 PM
sec-Butylbenzene	U	0.1	1.0		µg/L	1	7/31/2008 7:34:00 PM
Styrene	U	0.08	1.0		µg/L	1	7/31/2008 7:34:00 PM
tert-Butylbenzene	U	0.1	1.0		µg/L	1	7/31/2008 7:34:00 PM
Tetrachloroethene	U	0.12	1.0		µg/L	1	7/31/2008 7:34:00 PM
Toluene	U	0.12	1.0		µg/L	1	7/31/2008 7:34:00 PM
trans-1,2-Dichloroethene	U	0.12	1.0		µg/L	1	7/31/2008 7:34:00 PM
trans-1,3-Dichloropropene	U	0.07	1.0		µg/L	1	7/31/2008 7:34:00 PM
Trichloroethene	U	0.13	1.0		µg/L	1	7/31/2008 7:34:00 PM
Trichlorofluoromethane	U	0.15	1.0		µg/L	1	7/31/2008 7:34:00 PM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735

Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



Qualifiers: * Value exceeds Maximum Contaminant Level
E Value above quantitation range
J Analyte detected below quantitation limits
LOQ Limit of Quantitation
S Spike Recovery outside accepted recovery limits

B Analyte detected in the associated Method Blank
H Holding times for preparation or analysis exceeded
LOD Limit of Detection
ND Not Detected at the Reporting Limit
U Indicates the compound was analyzed but not detected.

American Analytical Laboratories, LLC.

Date: 04-Aug-08

ELAP ID : 11418

CLIENT: Leggette Brashears & Graham Inc.

Client Sample ID: WQ072408:1105NP2-7

Lab Order: 0807460

Collection Date: 7/24/2008 11:05:00 AM

Project: Rowe

Matrix: LIQUID

Lab ID: 0807460-02A

Certificate of Results

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
VOLATILE SW-846 8260 + MTBE & FREON113			SW8260B			Analyst: DM	
Vinyl acetate	U	0.06	1.0		µg/L	1	7/31/2008 7:34:00 PM
Vinyl chloride	U	0.14	1.0		µg/L	1	7/31/2008 7:34:00 PM
Surr: 4-Bromofluorobenzene	109	0	54-134		%REC	1	7/31/2008 7:34:00 PM
Surr: Dibromofluoromethane	117	0	52-132		%REC	1	7/31/2008 7:34:00 PM
Surr: Toluene-d8	96.4	0	51-127		%REC	1	7/31/2008 7:34:00 PM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735

Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



Qualifiers:

- * Value exceeds Maximum Contaminant Level
- E Value above quantitation range
- J Analyte detected below quantitation limits
- LOQ Limit of Quantitation
- S Spike Recovery outside accepted recovery limits

- B Analyte detected in the associated Method Blank
- H Holding times for preparation or analysis exceeded
- LOD Limit of Detection
- ND Not Detected at the Reporting Limit
- U Indicates the compound was analyzed but not detected.

American Analytical Laboratories, LLC.

Date: 04-Aug-08

ELAP ID : 11418

CLIENT: Leggette Brashears & Graham Inc.

Client Sample ID: WQ072408:1105NP2-7

Lab Order: 0807460

Collection Date: 7/24/2008 11:05:00 AM

Project: Rowe

Matrix: LIQUID

Lab ID: 0807460-02B

Certificate of Results

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
TOTAL IRON				E200.7	SW3010A		Analyst: JP
Iron	1.71	0.005	0.0200		mg/L	1	7/30/2008 2:33:25 PM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735
Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



Qualifiers: * Value exceeds Maximum Contaminant Level
E Value above quantitation range
J Analyte detected below quantitation limits
LOQ Limit of Quantitation
S Spike Recovery outside accepted recovery limits

B Analyte detected in the associated Method Blank
H Holding times for preparation or analysis exceeded
LOD Limit of Detection
ND Not Detected at the Reporting Limit
U Indicates the compound was analyzed but not detected.

American Analytical Laboratories, LLC.

Date: 04-Aug-08

ELAP ID : 11418

CLIENT: Leggette Brashears & Graham Inc.

Client Sample ID: WQ072408:1105NP2-7

Lab Order: 0807460

Collection Date: 7/24/2008 11:05:00 AM

Project: Rowe

Matrix: LIQUID

Lab ID: 0807460-02C

Certificate of Results

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
DISSOLVED IRON				E200.7		SW3005A	Analyst: JP
Iron	0.0365	0.005	0.0200		mg/L	1	7/30/2008 2:31:22 PM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735

Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



Qualifiers: * Value exceeds Maximum Contaminant Level
E Value above quantitation range
J Analyte detected below quantitation limits
LOQ Limit of Quantitation
S Spike Recovery outside accepted recovery limits

B Analyte detected in the associated Method Blank
H Holding times for preparation or analysis exceeded
LOD Limit of Detection
ND Not Detected at the Reporting Limit
U Indicates the compound was analyzed but not detected.

American Analytical Laboratories, LLC.

Date: 04-Aug-08

ELAP ID : 11418

CLIENT: Leggette Brashears & Graham Inc.
Lab Order: 0807460
Project: Rowe
Lab ID: 0807460-03A

Client Sample ID: WQ072408:1110NP2-10
Collection Date: 7/24/2008 11:10:00 AM
Matrix: LIQUID

Certificate of Results

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
VOLATILE SW-846 8260 + MTBE & FREON113			SW8260B			Analyst: DM	
1,1,1,2-Tetrachloroethane	U	0.09	1.0		µg/L	1	7/31/2008 8:07:00 PM
1,1,1-Trichloroethane	U	0.17	1.0		µg/L	1	7/31/2008 8:07:00 PM
1,1,2,2-Tetrachloroethane	U	0.06	1.0		µg/L	1	7/31/2008 8:07:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	U	0.13	1.0		µg/L	1	7/31/2008 8:07:00 PM
1,1,2-Trichloroethane	U	0.07	1.0		µg/L	1	7/31/2008 8:07:00 PM
1,1-Dichloroethane	U	0.11	1.0		µg/L	1	7/31/2008 8:07:00 PM
1,1-Dichloroethene	U	0.15	1.0		µg/L	1	7/31/2008 8:07:00 PM
1,1-Dichloropropene	U	0.12	1.0		µg/L	1	7/31/2008 8:07:00 PM
1,2,3-Trichlorobenzene	U	0.07	1.0		µg/L	1	7/31/2008 8:07:00 PM
1,2,3-Trichloropropane	U	0.08	1.0		µg/L	1	7/31/2008 8:07:00 PM
1,2,4-Trichlorobenzene	U	0.07	1.0		µg/L	1	7/31/2008 8:07:00 PM
1,2,4-Trimethylbenzene	U	0.09	1.0		µg/L	1	7/31/2008 8:07:00 PM
1,2-Dibromo-3-chloropropane	U	0.09	1.0		µg/L	1	7/31/2008 8:07:00 PM
1,2-Dibromoethane	U	0.06	1.0		µg/L	1	7/31/2008 8:07:00 PM
1,2-Dichlorobenzene	U	0.08	1.0		µg/L	1	7/31/2008 8:07:00 PM
1,2-Dichloroethane	U	0.08	1.0		µg/L	1	7/31/2008 8:07:00 PM
1,2-Dichloropropane	U	0.1	1.0		µg/L	1	7/31/2008 8:07:00 PM
1,3,5-Trimethylbenzene	U	0.11	1.0		µg/L	1	7/31/2008 8:07:00 PM
1,3-Dichlorobenzene	U	0.08	1.0		µg/L	1	7/31/2008 8:07:00 PM
1,3-dichloropropane	U	0.08	1.0		µg/L	1	7/31/2008 8:07:00 PM
1,4-Dichlorobenzene	U	0.08	1.0		µg/L	1	7/31/2008 8:07:00 PM
2,2-Dichloropropane	U	0.11	1.0		µg/L	1	7/31/2008 8:07:00 PM
2-Butanone	U	1.28	3.0		µg/L	1	7/31/2008 8:07:00 PM
2-Chloroethyl vinyl ether	U	0.08	1.0		µg/L	1	7/31/2008 8:07:00 PM
2-Chlorotoluene	U	0.09	1.0		µg/L	1	7/31/2008 8:07:00 PM
2-Hexanone	U	0.22	2.0		µg/L	1	7/31/2008 8:07:00 PM
4-Chlorotoluene	U	0.09	1.0		µg/L	1	7/31/2008 8:07:00 PM
4-Isopropyltoluene	U	0.1	1.0		µg/L	1	7/31/2008 8:07:00 PM
4-Methyl-2-pentanone	U	0.21	2.0		µg/L	1	7/31/2008 8:07:00 PM
Acetone	U	0.19	2.0		µg/L	1	7/31/2008 8:07:00 PM
Benzene	U	0.11	1.0		µg/L	1	7/31/2008 8:07:00 PM
Bromobenzene	U	0.07	1.0		µg/L	1	7/31/2008 8:07:00 PM
Bromochloromethane	U	0.4	1.0		µg/L	1	7/31/2008 8:07:00 PM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735
Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



Qualifiers:	*	Value exceeds Maximum Contaminant Level	B	Analyte detected in the associated Method Blank
	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded
	J	Analyte detected below quantitation limits	LOD	Limit of Detection
	LOQ	Limit of Quantitation	ND	Not Detected at the Reporting Limit
	S	Spike Recovery outside accepted recovery limits	U	Indicates the compound was analyzed but not detected.

American Analytical Laboratories, LLC.

Date: 04-Aug-08

ELAP ID : 11418

CLIENT: Leggette Brashears & Graham Inc.
Lab Order: 0807460
Project: Rowe
Lab ID: 0807460-03A

Client Sample ID: WQ072408:1110NP2-10
Collection Date: 7/24/2008 11:10:00 AM
Matrix: LIQUID

Certificate of Results

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
VOLATILE SW-846 8260 + MTBE & FREON113			SW8260B			Analyst: DM	
Bromodichloromethane	U	0.08	1.0		µg/L	1	7/31/2008 8:07:00 PM
Bromoform	U	0.06	1.0		µg/L	1	7/31/2008 8:07:00 PM
Bromomethane	U	0.17	1.0		µg/L	1	7/31/2008 8:07:00 PM
Carbon disulfide	U	0.14	1.0		µg/L	1	7/31/2008 8:07:00 PM
Carbon tetrachloride	U	0.16	1.0		µg/L	1	7/31/2008 8:07:00 PM
Chlorobenzene	U	0.09	1.0		µg/L	1	7/31/2008 8:07:00 PM
Chloroethane	U	0.16	1.0		µg/L	1	7/31/2008 8:07:00 PM
Chloroform	U	0.1	1.0		µg/L	1	7/31/2008 8:07:00 PM
Chloromethane	U	0.18	1.0		µg/L	1	7/31/2008 8:07:00 PM
cis-1,2-Dichloroethene	U	0.11	1.0		µg/L	1	7/31/2008 8:07:00 PM
cis-1,3-Dichloropropene	U	0.08	1.0		µg/L	1	7/31/2008 8:07:00 PM
Dibromochloromethane	U	0.07	1.0		µg/L	1	7/31/2008 8:07:00 PM
Dibromomethane	U	0.07	1.0		µg/L	1	7/31/2008 8:07:00 PM
Dichlorodifluoromethane	U	0.15	1.0		µg/L	1	7/31/2008 8:07:00 PM
Ethylbenzene	U	0.1	1.0		µg/L	1	7/31/2008 8:07:00 PM
Hexachlorobutadiene	U	0.12	1.0		µg/L	1	7/31/2008 8:07:00 PM
Isopropylbenzene	U	0.11	1.0		µg/L	1	7/31/2008 8:07:00 PM
m,p-Xylene	U	0.2	2.0		µg/L	1	7/31/2008 8:07:00 PM
Methyl tert-butyl ether	U	0.08	1.0		µg/L	1	7/31/2008 8:07:00 PM
Methylene chloride	U	0.08	1.0		µg/L	1	7/31/2008 8:07:00 PM
Naphthalene	U	0.08	1.0		µg/L	1	7/31/2008 8:07:00 PM
n-Butylbenzene	U	0.11	1.0		µg/L	1	7/31/2008 8:07:00 PM
n-Propylbenzene	U	0.11	1.0		µg/L	1	7/31/2008 8:07:00 PM
o-Xylene	U	0.1	1.0		µg/L	1	7/31/2008 8:07:00 PM
sec-Butylbenzene	U	0.1	1.0		µg/L	1	7/31/2008 8:07:00 PM
Styrene	U	0.08	1.0		µg/L	1	7/31/2008 8:07:00 PM
tert-Butylbenzene	U	0.1	1.0		µg/L	1	7/31/2008 8:07:00 PM
Tetrachloroethene	U	0.12	1.0		µg/L	1	7/31/2008 8:07:00 PM
Toluene	U	0.12	1.0		µg/L	1	7/31/2008 8:07:00 PM
trans-1,2-Dichloroethene	U	0.12	1.0		µg/L	1	7/31/2008 8:07:00 PM
trans-1,3-Dichloropropene	U	0.07	1.0		µg/L	1	7/31/2008 8:07:00 PM
Trichloroethene	U	0.13	1.0		µg/L	1	7/31/2008 8:07:00 PM
Trichlorofluoromethane	U	0.15	1.0		µg/L	1	7/31/2008 8:07:00 PM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735

Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



Qualifiers:	*	Value exceeds Maximum Contaminant Level	B	Analyte detected in the associated Method Blank
	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded
	J	Analyte detected below quantitation limits	LOD	Limit of Detection
	LOQ	Limit of Quantitation	ND	Not Detected at the Reporting Limit
	S	Spike Recovery outside accepted recovery limits	U	Indicates the compound was analyzed but not detected.

American Analytical Laboratories, LLC.

Date: 04-Aug-08

ELAP ID : 11418

CLIENT: Leggette Brashears & Graham Inc.

Client Sample ID: WQ072408:1110NP2-10

Lab Order: 0807460

Collection Date: 7/24/2008 11:10:00 AM

Project: Rowe

Matrix: LIQUID

Lab ID: 0807460-03A

Certificate of Results

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
VOLATILE SW-846 8260 + MTBE & FREON113			SW8260B			Analyst: DM	
Vinyl acetate	U	0.06	1.0		µg/L	1	7/31/2008 8:07:00 PM
Vinyl chloride	U	0.14	1.0		µg/L	1	7/31/2008 8:07:00 PM
Surr: 4-Bromofluorobenzene	106	0	54-134		%REC	1	7/31/2008 8:07:00 PM
Surr: Dibromofluoromethane	110	0	52-132		%REC	1	7/31/2008 8:07:00 PM
Surr: Toluene-d8	104	0	51-127		%REC	1	7/31/2008 8:07:00 PM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735

Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



Qualifiers:

- * Value exceeds Maximum Contaminant Level
- E Value above quantitation range
- J Analyte detected below quantitation limits
- LOQ Limit of Quantitation
- S Spike Recovery outside accepted recovery limits

- B Analyte detected in the associated Method Blank
- H Holding times for preparation or analysis exceeded
- LOD Limit of Detection
- ND Not Detected at the Reporting Limit
- U Indicates the compound was analyzed but not detected.

American Analytical Laboratories, LLC.

Date: 04-Aug-08

ELAP ID : 11418

CLIENT: Leggette Brashears & Graham Inc.

Client Sample ID: WQ072408:1110NP2-10

Lab Order: 0807460

Collection Date: 7/24/2008 11:10:00 AM

Project: Rowe

Matrix: LIQUID

Lab ID: 0807460-03B

Certificate of Results

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
TOTAL IRON				E200.7	SW3010A		Analyst: JP
Iron	2.04	0.005	0.0200		mg/L	1	7/30/2008 2:43:40 PM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735

Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



Qualifiers:

- * Value exceeds Maximum Contaminant Level
- E Value above quantitation range
- J Analyte detected below quantitation limits
- LOQ Limit of Quantitation
- S Spike Recovery outside accepted recovery limits

- B Analyte detected in the associated Method Blank
- H Holding times for preparation or analysis exceeded
- LOD Limit of Detection
- ND Not Detected at the Reporting Limit
- U Indicates the compound was analyzed but not detected.

American Analytical Laboratories, LLC.

Date: 04-Aug-08

ELAP ID : 11418

CLIENT: Leggette Brashears & Graham Inc.

Client Sample ID: WQ072408:1110NP2-10

Lab Order: 0807460

Collection Date: 7/24/2008 11:10:00 AM

Project: Rowe

Matrix: LIQUID

Lab ID: 0807460-03C

Certificate of Results

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
DISSOLVED IRON				E200.7	SW3005A		Analyst: JP
Iron	0.173	0.005	0.0200		mg/L	1	7/30/2008 2:35:27 PM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735

Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



Qualifiers: * Value exceeds Maximum Contaminant Level

B Analyte detected in the associated Method Blank

E Value above quantitation range

H Holding times for preparation or analysis exceeded

J Analyte detected below quantitation limits

LOD Limit of Detection

LOQ Limit of Quantitation

ND Not Detected at the Reporting Limit

S Spike Recovery outside accepted recovery limits

U Indicates the compound was analyzed but not detected.

American Analytical Laboratories, LLC.

Date: 04-Aug-08

ELAP ID : 11418

CLIENT: Leggette Brashears & Graham Inc.

Client Sample ID: WQ072408:1110NP2-10

Lab Order: 0807460

Collection Date: 7/24/2008 11:10:00 AM

Project: Rowe

Matrix: LIQUID

Lab ID: 0807460-03D

Certificate of Results

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
TOTAL DISSOLVED SOLIDS				M2540C			Analyst: AS
Total Dissolved Solids (Residue, Filterable)	116	0	1.00		mg/L	1	7/30/2008

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735

Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



Qualifiers:

- * Value exceeds Maximum Contaminant Level
- E Value above quantitation range
- J Analyte detected below quantitation limits
- LOQ Limit of Quantitation
- S Spike Recovery outside accepted recovery limits

- B Analyte detected in the associated Method Blank
- H Holding times for preparation or analysis exceeded
- LOD Limit of Detection
- ND Not Detected at the Reporting Limit
- U Indicates the compound was analyzed but not detected.

CLIENT: Leggett Brashers & Graham Inc.

Work Order: 0807460

Project: Rowe

ANALYTICAL QC SUMMARY REPORT

TestCode: 8260MTBE113_W

Sample ID: V624LCS-073108Y		SampType: LCS		TestCode: 8260MTBE11		Units: µg/L		Prep Date:		RunNo: 37318	
Client ID: LCSW		Batch ID: R37318		TestNo: SW8260B				Analysis Date: 7/31/2008		SeqNo: 486688	
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
1,1,1-Trichloroethane	47	1.0	50.00	0	93.4	43	148				
1,1,2,2-Tetrachloroethane	53	1.0	50.00	0	106	32	148				
1,1,2-Trichloroethane	37	1.0	50.00	0	74.7	42	136				
1,1-Dichloroethane	42	1.0	50.00	0	83.4	40	150				
1,1-Dichloroethene	68	1.0	50.00	0	136	30	154				
1,2-Dichlorobenzene	50	1.0	50.00	0	99.2	40	129				
1,2-Dichloroethane	40	1.0	50.00	0	79.8	36	141				
1,2-Dichloropropane	39	1.0	50.00	0	77.1	44	138				
1,3-Dichlorobenzene	47	1.0	50.00	0	93.4	40	133				
1,4-Dichlorobenzene	45	1.0	50.00	0	90.1	40	135				
2-Chloroethyl vinyl ether	31	1.0	50.00	0	61.3	21	139				
Benzene	41	1.0	50.00	0	82.3	45	144				
Bromodichloromethane	40	1.0	50.00	0	81.0	35	136				
Bromoform	53	1.0	50.00	0	107	28	138				
Bromomethane	42	1.0	50.00	0	84.9	26	148				
Carbon tetrachloride	51	1.0	50.00	0	102	45	141				
Chlorobenzene	43	1.0	50.00	0	86.9	41	142				
Chloroethane	59	1.0	50.00	0	119	36	143				
Chloroform	42	1.0	50.00	0	84.9	42	137				
Chloromethane	49	1.0	50.00	0	97.1	35	151				
cis-1,3-Dichloropropene	42	1.0	50.00	0	83.7	42	130				
Dibromochloromethane	43	1.0	50.00	0	85.4	21	134				
Ethylbenzene	47	1.0	50.00	0	94.1	45	146				
Tetrachloroethene	42	1.0	50.00	0	84.7	45	136				
Toluene	46	1.0	50.00	0	91.4	43	134				
trans-1,2-Dichloroethene	33	1.0	50.00	0	65.1	42	135				
trans-1,3-Dichloropropene	48	1.0	50.00	0	96.5	37	133				
Trichloroethene	34	1.0	50.00	0	68.6	43	140				
Trichlorofluoromethane	60	1.0	50.00	0	120	50	148				
Vinyl chloride	54	1.0	50.00	0	108	35	142				

Qualifiers: E Value above quantitation range

LOD Limit of Detection

R RPD outside accepted recovery limits

H Holding times for preparation or analysis exceeded

LOQ Limit of Quantitation

S Spike Recovery outside accepted recovery limits

J Analyte detected below quantitation li

ND Not Detected at the Reporting Limit

U Indicates the compound was analyzed

CLIENT: Leggett Brashears & Graham Inc.
Work Order: 0807460
Project: Rowe

ANALYTICAL QC SUMMARY REPORT

TestCode: 8260MTBE113_W

Sample ID: V624LCS-073108Y	SampType: LCS	TestCode: 8260MTBE11	Units: µg/L	Prep Date:	RunNo: 37318						
Client ID: LCSW	Batch ID: R37318	TestNo: SW8260B		Analysis Date: 7/31/2008	SeqNo: 486688						
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual

Surr: 4-Bromofluorobenzene	54		50.00		107	54	134			
Surr: Dibromofluoromethane	41		50.00		82.3	52	132			
Surr: Toluene-d8	54		50.00		108	51	127			

Sample ID: VBLK-073108Y	SampType: MBLK	TestCode: 8260MTBE11	Units: µg/L	Prep Date:	RunNo: 37318						
Client ID: PBW	Batch ID: R37318	TestNo: SW8260B		Analysis Date: 7/31/2008	SeqNo: 486689						
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual

1,1,1,2-Tetrachloroethane	U	1.0								
1,1,1-Trichloroethane	U	1.0								
1,1,2,2-Tetrachloroethane	U	1.0								
1,1,2-Trichloro-1,2,2-trifluoroethane	U	1.0								
1,1,2-Trichloroethane	U	1.0								
1,1-Dichloroethane	U	1.0								
1,1-Dichloroethene	U	1.0								
1,1-Dichloropropene	U	1.0								
1,2,3-Trichlorobenzene	U	1.0								
1,2,3-Trichloropropane	U	1.0								
1,2,4-Trichlorobenzene	U	1.0								
1,2,4-Trimethylbenzene	U	1.0								
1,2-Dibromo-3-chloropropane	U	1.0								
1,2-Dibromoethane	U	1.0								
1,2-Dichlorobenzene	U	1.0								
1,2-Dichloroethane	U	1.0								
1,2-Dichloropropane	U	1.0								
1,3,5-Trimethylbenzene	U	1.0								
1,3-Dichlorobenzene	U	1.0								
1,3-dichloropropane	U	1.0								
1,4-Dichlorobenzene	U	1.0								
2,2-Dichloropropane	U	1.0								
2-Butanone	U	3.0								

Qualifiers:	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation li
	LOD	Limit of Detection	LOQ	Limit of Quantitation	ND	Not Detected at the Reporting Limit
	R	RPD outside accepted recovery limits	S	Spike Recovery outside accepted recovery limits	U	Indicates the compound was analyzed

CLIENT: Leggette Brashears & Graham Inc.
Work Order: 0807460
Project: Rowe

ANALYTICAL QC SUMMARY REPORT

TestCode: 8260MTBE113_W

Sample ID: VBLK-073108Y	SampType: MBLK	TestCode: 8260MTBE11	Units: µg/L	Prep Date:	RunNo: 37318						
Client ID: PBW	Batch ID: R37318	TestNo: SW8260B		Analysis Date: 7/31/2008	SeqNo: 486689						
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
2-Chloroethyl vinyl ether	U	1.0									
2-Chlorotoluene	U	1.0									
2-Hexanone	U	2.0									
4-Chlorotoluene	U	1.0									
4-Isopropyltoluene	U	1.0									
4-Methyl-2-pentanone	U	2.0									
Acetone	U	2.0									
Benzene	U	1.0									
Bromobenzene	U	1.0									
Bromochloromethane	U	1.0									
Bromodichloromethane	U	1.0									
Bromoform	U	1.0									
Bromomethane	U	1.0									
Carbon disulfide	U	1.0									
Carbon tetrachloride	U	1.0									
Chlorobenzene	U	1.0									
Chloroethane	U	1.0									
Chloroform	U	1.0									
Chloromethane	U	1.0									
cis-1,2-Dichloroethene	U	1.0									
cis-1,3-Dichloropropene	U	1.0									
Dibromochloromethane	U	1.0									
Dibromomethane	U	1.0									
Dichlorodifluoromethane	U	1.0									
Ethylbenzene	U	1.0									
Hexachlorobutadiene	U	1.0									
Isopropylbenzene	U	1.0									
m,p-Xylene	U	2.0									
Methyl tert-butyl ether	U	1.0									
Methylene chloride	U	1.0									
Naphthalene	U	1.0									

Qualifiers:	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation li
	LOD	Limit of Detection	LOQ	Limit of Quantitation	ND	Not Detected at the Reporting Limit
	R	RPD outside accepted recovery limits	S	Spike Recovery outside accepted recovery limits	U	Indicates the compound was analyzed

CLIENT: Leggett Brashears & Graham Inc.
Work Order: 0807460
Project: Rowe

ANALYTICAL QC SUMMARY REPORT

TestCode: 8260MTBE113_W

Sample ID: VBLK-073108Y	SampType: MBLK	TestCode: 8260MTBE11	Units: µg/L	Prep Date:	RunNo: 37318						
Client ID: PBW	Batch ID: R37318	TestNo: SW8260B		Analysis Date: 7/31/2008	SeqNo: 486589						
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual

n-Butylbenzene	U	1.0									
n-Propylbenzene	U	1.0									
o-Xylene	U	1.0									
sec-Butylbenzene	U	1.0									
Styrene	U	1.0									
tert-Butylbenzene	U	1.0									
Tetrachloroethene	U	1.0									
Toluene	U	1.0									
trans-1,2-Dichloroethene	U	1.0									
trans-1,3-Dichloropropene	U	1.0									
Trichloroethene	U	1.0									
Trichlorofluoromethane	U	1.0									
Vinyl acetate	U	1.0									
Vinyl chloride	U	1.0									
Surr: 4-Bromofluorobenzene	56		50.00		113	54	134				
Surr: Dibromofluoromethane	53		50.00		106	52	132				
Surr: Toluene-d8	48		50.00		95.7	51	127				

Sample ID: V624LCS-073108Y	SampType: LCS	TestCode: 8260MTBE11	Units: µg/L	Prep Date:	RunNo: 37318						
Client ID: LCSW	Batch ID: R37318a	TestNo: SW8260B		Analysis Date: 7/31/2008	SeqNo: 486692						
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual

1,1,1-Trichloroethane	55	1.0	50.00	0	109	43	148				
1,1,2,2-Tetrachloroethane	44	1.0	50.00	0	87.6	32	148				
1,1,2-Trichloroethane	42	1.0	50.00	0	84.4	42	136				
1,1-Dichloroethane	44	1.0	50.00	0	87.1	40	150				
1,1-Dichloroethene	60	1.0	50.00	0	121	30	154				
1,2-Dichlorobenzene	38	1.0	50.00	0	75.4	40	129				
1,2-Dichloroethane	48	1.0	50.00	0	95.6	36	141				
1,2-Dichloropropane	40	1.0	50.00	0	80.6	44	138				
1,3-Dichlorobenzene	35	1.0	50.00	0	69.4	40	133				

Qualifiers: E Value above quantitation range
LOD Limit of Detection
R RPD outside accepted recovery limits

H Holding times for preparation or analysis exceeded
LOQ Limit of Quantitation
S Spike Recovery outside accepted recovery limits

J Analyte detected below quantitation li
ND Not Detected at the Reporting Limit
U Indicates the compound was analyzed

CLIENT: Leggett Brashears & Graham Inc.
Work Order: 0807460
Project: Rowe

ANALYTICAL QC SUMMARY REPORT

TestCode: 8260MTBE113_W

Sample ID: V624LCS-073108Y	SampType: LCS	TestCode: 8260MTBE11	Units: µg/L	Prep Date:	RunNo: 37318						
Client ID: LCSW	Batch ID: R37318a	TestNo: SW8260B		Analysis Date: 7/31/2008	SeqNo: 486692						
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual

1,4-Dichlorobenzene	35	1.0	50.00	0	70.8	40	135				
2-Chloroethyl vinyl ether	38	1.0	50.00	0	75.5	21	139				
Benzene	37	1.0	50.00	0	74.1	45	144				
Bromodichloromethane	45	1.0	50.00	0	89.8	35	136				
Bromoform	54	1.0	50.00	0	108	28	138				
Bromomethane	62	1.0	50.00	0	124	26	148				
Carbon tetrachloride	65	1.0	50.00	0	129	45	141				
Chlorobenzene	38	1.0	50.00	0	75.7	41	142				
Chloroethane	60	1.0	50.00	0	120	36	143				
Chloroform	45	1.0	50.00	0	90.6	42	137				
Chloromethane	49	1.0	50.00	0	98.9	35	151				
cis-1,3-Dichloropropene	43	1.0	50.00	0	86.2	42	130				
Dibromochloromethane	44	1.0	50.00	0	88.3	21	134				
Ethylbenzene	41	1.0	50.00	0	82.4	45	146				
Tetrachloroethene	43	1.0	50.00	0	85.4	45	136				
Toluene	36	1.0	50.00	0	72.6	43	134				
trans-1,2-Dichloroethene	42	1.0	50.00	0	84.4	42	135				
trans-1,3-Dichloropropene	47	1.0	50.00	0	94.2	37	133				
Trichloroethene	39	1.0	50.00	0	77.9	43	140				
Trichlorofluoromethane	55	1.0	50.00	0	109	50	148				
Vinyl chloride	59	1.0	50.00	0	119	35	142				
Surr: 4-Bromofluorobenzene	64		50.00		127	54	134				
Surr: Dibromofluoromethane	58		50.00		115	52	132				
Surr: Toluene-d8	46		50.00		91.7	51	127				

Sample ID: VBLK-073108Y	SampType: MBLK	TestCode: 8260MTBE11	Units: µg/L	Prep Date:	RunNo: 37318						
Client ID: PBW	Batch ID: R37318a	TestNo: SW8260B		Analysis Date: 7/31/2008	SeqNo: 486693						
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual

1,1,1,2-Tetrachloroethane	U	1.0									
1,1,1-Trichloroethane	U	1.0									

Qualifiers: E Value above quantitation range
LOD Limit of Detection
R RPD outside accepted recovery limits

H Holding times for preparation or analysis exceeded
LOQ Limit of Quantitation
S Spike Recovery outside accepted recovery limits

J Analyte detected below quantitation li
ND Not Detected at the Reporting Limit
U Indicates the compound was analyzed

CLIENT: Leggett Brashears & Graham Inc.
Work Order: 0807460
Project: Rowe

ANALYTICAL QC SUMMARY REPORT

TestCode: 8260MTBE113_W

Sample ID: VBLK-073108Y	SampType: MBLK	TestCode: 8260MTBE11	Units: µg/L	Prep Date:	RunNo: 37318						
Client ID: PBW	Batch ID: R37318a	TestNo: SW8260B		Analysis Date: 7/31/2008	SeqNo: 486693						
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
1,1,2,2-Tetrachloroethane	U	1.0									
1,1,2-Trichloro-1,2,2-trifluoroethane	U	1.0									
1,1,2-Trichloroethane	U	1.0									
1,1-Dichloroethane	U	1.0									
1,1-Dichloroethene	U	1.0									
1,1-Dichloropropene	U	1.0									
1,2,3-Trichlorobenzene	U	1.0									
1,2,3-Trichloropropane	U	1.0									
1,2,4-Trichlorobenzene	U	1.0									
1,2,4-Trimethylbenzene	U	1.0									
1,2-Dibromo-3-chloropropane	U	1.0									
1,2-Dibromoethane	U	1.0									
1,2-Dichlorobenzene	U	1.0									
1,2-Dichloroethane	U	1.0									
1,2-Dichloropropane	U	1.0									
1,3,5-Trimethylbenzene	U	1.0									
1,3-Dichlorobenzene	U	1.0									
1,3-dichloropropane	U	1.0									
1,4-Dichlorobenzene	U	1.0									
2,2-Dichloropropane	U	1.0									
2-Butanone	U	3.0									
2-Chloroethyl vinyl ether	U	1.0									
2-Chlorotoluene	U	1.0									
2-Hexanone	U	2.0									
4-Chlorotoluene	U	1.0									
4-Isopropyltoluene	U	1.0									
4-Methyl-2-pentanone	U	2.0									
Acetone	U	2.0									
Benzene	U	1.0									
Bromobenzene	U	1.0									
Bromochloromethane	U	1.0									

Qualifiers: E Value above quantitation range
LOD Limit of Detection
R RPD outside accepted recovery limits

H Holding times for preparation or analysis exceeded
LOQ Limit of Quantitation
S Spike Recovery outside accepted recovery limits

J Analyte detected below quantitation li
ND Not Detected at the Reporting Limit
U Indicates the compound was analyzed

CLIENT: Leggette Brashears & Graham Inc.
Work Order: 0807460
Project: Rowe

ANALYTICAL QC SUMMARY REPORT

TestCode: 8260MTBE113_W

Sample ID: VBLK-073108Y		SampType: MBLK		TestCode: 8260MTBE11		Units: µg/L		Prep Date:		RunNo: 37318		
Client ID: PBW		Batch ID: R37318a		TestNo: SW8260B				Analysis Date: 7/31/2008		SeqNo: 486693		
Analyte		Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Bromodichloromethane		U	1.0									
Bromoform		U	1.0									
Bromomethane		U	1.0									
Carbon disulfide		U	1.0									
Carbon tetrachloride		U	1.0									
Chlorobenzene		U	1.0									
Chloroethane		U	1.0									
Chloroform		U	1.0									
Chloromethane		U	1.0									
cis-1,2-Dichloroethene		U	1.0									
cis-1,3-Dichloropropene		U	1.0									
Dibromochloromethane		U	1.0									
Dibromomethane		U	1.0									
Dichlorodifluoromethane		U	1.0									
Ethylbenzene		U	1.0									
Hexachlorobutadiene		U	1.0									
Isopropylbenzene		U	1.0									
m,p-Xylene		U	2.0									
Methyl tert-butyl ether		U	1.0									
Methylene chloride		U	1.0									
Naphthalene		U	1.0									
n-Butylbenzene		U	1.0									
n-Propylbenzene		U	1.0									
o-Xylene		U	1.0									
sec-Butylbenzene		U	1.0									
Styrene		U	1.0									
tert-Butylbenzene		U	1.0									
Tetrachloroethene		U	1.0									
Toluene		U	1.0									
trans-1,2-Dichloroethene		U	1.0									
trans-1,3-Dichloropropene		U	1.0									

Qualifiers:	E	Value above quantitation range		H	Holding times for preparation or analysis exceeded		J	Analyte detected below quantitation li	
		LOD	Limit of Detection		LOQ	Limit of Quantitation		ND	Not Detected at the Reporting Limit
	R		RPD outside accepted recovery limits		S	Spike Recovery outside accepted recovery limits		U	Indicates the compound was analyzed

CLIENT: Leggett Brashears & Graham Inc.
Work Order: 0807460
Project: Rowe

ANALYTICAL QC SUMMARY REPORT

TestCode: 8260MTBE113_W

Sample ID: VBLK-073108Y		SampType: MBLK		TestCode: 8260MTBE11		Units: µg/L		Prep Date:		RunNo: 37318			
Client ID: PBW		Batch ID: R37318a		TestNo: SW8260B				Analysis Date: 7/31/2008		SeqNo: 486693			
Analyte		Result		PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Trichloroethene		U		1.0									
Trichlorofluoromethane		U		1.0									
Vinyl acetate		U		1.0									
Vinyl chloride		U		1.0									
Surr: 4-Bromofluorobenzene		61			50.00		122	54	134				
Surr: Dibromofluoromethane		53			50.00		106	52	132				
Surr: Toluene-d8		47			50.00		94.7	51	127				

Qualifiers:	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation li
LOD		Limit of Detection	LOQ	Limit of Quantitation	ND	Not Detected at the Reporting Limit
R		RPD outside accepted recovery limits	S	Spike Recovery outside accepted recovery limits	U	Indicates the compound was analyzed

CLIENT: Leggett Brashears & Graham Inc.
Work Order: 0807460
Project: Rowe

ANALYTICAL QC SUMMARY REPORT

TestCode: FE_T

Sample ID: PBW-073008A	SampType: MBLK	TestCode: FE_T	Units: mg/L	Prep Date: 7/30/2008	RunNo: 37262
Client ID: PBW	Batch ID: 22371	TestNo: E200.7	SW3005A	Analysis Date: 7/30/2008	SeqNo: 486081
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC LowLimit HighLimit RPD Ref Val %RPD RPDLimit Qual
Iron	U	0.0200			

Sample ID: LCSW-083008A	SampType: LCS	TestCode: FE_T	Units: mg/L	Prep Date:	RunNo: 37262
Client ID: LCSW	Batch ID: 22371	TestNo: E200.7	SW3005A	Analysis Date: 7/30/2008	SeqNo: 486082
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC LowLimit HighLimit RPD Ref Val %RPD RPDLimit Qual
Iron	2.02	0.0200	2.000	0	101 68 122

Sample ID: 0807460-03B-MS	SampType: MS	TestCode: FE_T	Units: mg/L	Prep Date: 7/30/2008	RunNo: 37262
Client ID: WQ072408:1110NP2	Batch ID: 22371	TestNo: E200.7	SW3005A	Analysis Date: 7/30/2008	SeqNo: 486100
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC LowLimit HighLimit RPD Ref Val %RPD RPDLimit Qual
Iron	3.00	0.0200	1.000	2.039	95.7 68 122

Sample ID: 0807460-03B-MSD	SampType: MSD	TestCode: FE_T	Units: mg/L	Prep Date: 7/30/2008	RunNo: 37262
Client ID: WQ072408:1110NP2	Batch ID: 22371	TestNo: E200.7	SW3005A	Analysis Date: 7/30/2008	SeqNo: 486103
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC LowLimit HighLimit RPD Ref Val %RPD RPDLimit Qual
Iron	2.99	0.0200	1.000	2.039	95.4 68 122 2.996 0.109 20

Qualifiers: E Value above quantitation range
LOD Limit of Detection
R RPD outside accepted recovery limits

H Holding times for preparation or analysis exceeded
LOQ Limit of Quantitation
S Spike Recovery outside accepted recovery limits

J Analyte detected below quantitation limit
ND Not Detected at the Reporting Limit
U Indicates the compound was analyzed

CLIENT: Leggette Brashears & Graham Inc.
Work Order: 0807460
Project: Rowe

ANALYTICAL QC SUMMARY REPORT

TestCode: TDS_W

Sample ID: MB-R37286	SampType: MBLK	TestCode: TDS_W	Units: mg/L	Prep Date:	RunNo: 37286						
Client ID: PBW	Batch ID: R37286	TestNo: M2540C		Analysis Date: 7/30/2008	SeqNo: 486409						
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual

Total Dissolved Solids (Residue, Filtra) U 1.00

Qualifiers:	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation li
	LOD	Limit of Detection	LOQ	Limit of Quantitation	ND	Not Detected at the Reporting Limit
	R	RPD outside accepted recovery limits	S	Spike Recovery outside accepted recovery limits	U	Indicates the compound was analyzed



NYSDOH 11418
NJDEP NY050
CTDOH PH-0205
PADEP 68-00573

Thursday, August 14, 2008

Mark Goldberg
Leggette Brashears & Graham Inc.
4 Research Drive
Suite 301
Shelton, CT 06484

TEL: (203) 929-8555
FAX (203) 926-9140

RE: Rowe

Dear Mark Goldberg:

Replacement Workorder
Lori Beyer 08/14/08
Signature Date

Order No.: 0808058

American Analytical Laboratories, LLC. received 3 sample(s) on 8/5/2008 for the analyses presented in the following report.

Samples were analyzed in accordance with the test procedures documented on the chain of custody and detailed throughout the text of this report.

The results reported herein relate only to the items tested or to the samples as received by the laboratory. This report may not be reproduced, except in full, without the approval of American Analytical Laboratories, LLC and is not considered complete without a cover page and chain of custody documentation. The limits (LOQ) provided in the data package are analytical reporting limits and not Federal or Local mandated values to which the sample results should be compared.

There were no problems with the analyses and all data for associated QC met laboratory specifications. If there are any exceptions a Case Narrative is provided in the report. This package has been reviewed by American Analytical Laboratories' QA Department/Laboratory Director to comply with NELAC standards prior to report submittal.

If you have any questions regarding these tests results, please do not hesitate to call (631) 454-6100 or email me directly at lbeyer@american-analytical.com.

Sincerely,

Lori Beyer
Lori Beyer
Lab Director

American Analytical Laboratories, LLC.

Date: 14-Aug-08

CLIENT: Leggette Brashears & Graham Inc.
Project: Rowe
Lab Order: 0808058

Work Order Sample Summary

Lab Sample ID	Client Sample ID	Date Collected	Date Received
0808058-01A	WQ073008:1240NP2-6	7/30/2008 12:40:00 PM	8/5/2008
0808058-01B	WQ073008:1240NP2-6	7/30/2008 12:40:00 PM	8/5/2008
0808058-01C	WQ073008:1240NP2-6	7/30/2008 12:40:00 PM	8/5/2008
0808058-02A	WQ073008:1245NP2-7	7/30/2008 12:45:00 PM	8/5/2008
0808058-02B	WQ073008:1245NP2-7	7/30/2008 12:45:00 PM	8/5/2008
0808058-02C	WQ073008:1245NP2-7	7/30/2008 12:45:00 PM	8/5/2008
0808058-03A	WQ073008:1250NP2-10	7/30/2008 12:50:00 PM	8/5/2008
0808058-03B	WQ073008:1250NP2-10	7/30/2008 12:50:00 PM	8/5/2008
0808058-03C	WQ073008:1250NP2-10	7/30/2008 12:50:00 PM	8/5/2008
0808058-03D	WQ073008:1250NP2-10	7/30/2008 12:50:00 PM	8/5/2008

56 TOLEDO STREET • FARMINGDALE, NEW YORK 11735
(631) 454-6100 • FAX (631) 454-8027

TAG # / COC _____

CHAIN OF CUSTODY / REQUEST FOR ANALYSIS DOCUMENT

[illegible]

AMERICAN ANALYTICAL LABORATORIES, LLC

56 TOLEDO STREET

FARMINGDALE, NEW YORK 11735

TELEPHONE: (631) 454-6100

FAX: (631) 454-8027

DATA REPORTING QUALIFIERS

For reporting results, the following "Results Qualifiers" are used:

Value	If the result is greater than or equal to the detection limit, report the value.
U	Indicates the compound was analyzed for but was not detected. Report the minimum detection limit for the sample with the U, i.e. "10U". This is not necessarily the instrument detection limit attainable for this particular sample based on any concentration or dilution that may have been required.
J	Indicates an estimated value. The flag is used: (1) When estimating a concentration for a tentatively identified compound (library search hits, where a 1:1 response is assumed.) (2) When the mass spectral data indicated the identification, however the result was less than the specified detection limit greater than zero. If the detection limit was 10ug/L and a concentration of 3ug/L was calculated report as 3J. This flag is used when similar situations arise on any organic parameter i.e. Pesticide, PCBs and others.
B	Indicates the analyte was found in the blank as well as the sample report "10B".
E	Indicates the analytes concentration exceeds the calibrated range of the instrument for that specific analysis.
D	This flag identifies all compounds identified in an analysis at a secondary dilution factor.
P	This flag is used for Pesticide / PCB target analyte when there is >25% difference for detected concentrations between the two GC Columns. The higher of the two values is reported on Form I and flagged with a "P".
N	This flag indicates presumptive evidence of a compound. This is only used for tentatively identified compounds (TICs), where the identification is based on a mass spectral library search. It applies to all TIC results. For generic characterization of a TIC, such as chlorinated hydrocarbon, the flag is not used.
H	Indicates sample was received and/or analyzed outside of the method allowable holding time.

American Analytical Laboratories, LLC.

Date: 14-Aug-08

ELAP ID : 11418

CLIENT: Leggette Brashears & Graham Inc.

Client Sample ID: WQ073008:1240NP2-6

Lab Order: 0808058

Collection Date: 7/30/2008 12:40:00 PM

Project: Rowe

Matrix: LIQUID

Lab ID: 0808058-01A

Certificate of Results

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
VOLATILE SW-846 8260 + MTBE & FREON113			SW8260B			Analyst: LA	
1,1,1,2-Tetrachloroethane	U	0.09	1.0		µg/L	1	8/8/2008 1:52:00 AM
1,1,1-Trichloroethane	1.3	0.17	1.0		µg/L	1	8/8/2008 1:52:00 AM
1,1,2,2-Tetrachloroethane	U	0.06	1.0		µg/L	1	8/8/2008 1:52:00 AM
1,1,2-Trichloro-1,2,2-trifluoroethane	U	0.13	1.0		µg/L	1	8/8/2008 1:52:00 AM
1,1,2-Trichloroethane	U	0.07	1.0		µg/L	1	8/8/2008 1:52:00 AM
1,1-Dichloroethane	U	0.11	1.0		µg/L	1	8/8/2008 1:52:00 AM
1,1-Dichloroethene	U	0.15	1.0		µg/L	1	8/8/2008 1:52:00 AM
1,1-Dichloropropene	U	0.12	1.0		µg/L	1	8/8/2008 1:52:00 AM
1,2,3-Trichlorobenzene	U	0.07	1.0		µg/L	1	8/8/2008 1:52:00 AM
1,2,3-Trichloropropane	U	0.08	1.0		µg/L	1	8/8/2008 1:52:00 AM
1,2,4-Trichlorobenzene	U	0.07	1.0		µg/L	1	8/8/2008 1:52:00 AM
1,2,4-Trimethylbenzene	U	0.09	1.0		µg/L	1	8/8/2008 1:52:00 AM
1,2-Dibromo-3-chloropropane	U	0.09	1.0		µg/L	1	8/8/2008 1:52:00 AM
1,2-Dibromoethane	U	0.06	1.0		µg/L	1	8/8/2008 1:52:00 AM
1,2-Dichlorobenzene	U	0.08	1.0		µg/L	1	8/8/2008 1:52:00 AM
1,2-Dichloroethane	U	0.08	1.0		µg/L	1	8/8/2008 1:52:00 AM
1,2-Dichloropropane	U	0.1	1.0		µg/L	1	8/8/2008 1:52:00 AM
1,3,5-Trimethylbenzene	U	0.11	1.0		µg/L	1	8/8/2008 1:52:00 AM
1,3-Dichlorobenzene	U	0.08	1.0		µg/L	1	8/8/2008 1:52:00 AM
1,3-dichloropropane	U	0.08	1.0		µg/L	1	8/8/2008 1:52:00 AM
1,4-Dichlorobenzene	U	0.08	1.0		µg/L	1	8/8/2008 1:52:00 AM
2,2-Dichloropropane	U	0.11	1.0		µg/L	1	8/8/2008 1:52:00 AM
2-Butanone	U	1.28	3.0		µg/L	1	8/8/2008 1:52:00 AM
2-Chloroethyl vinyl ether	U	0.08	1.0		µg/L	1	8/8/2008 1:52:00 AM
2-Chlorotoluene	U	0.09	1.0		µg/L	1	8/8/2008 1:52:00 AM
2-Hexanone	U	0.22	2.0		µg/L	1	8/8/2008 1:52:00 AM
4-Chlorotoluene	U	0.09	1.0		µg/L	1	8/8/2008 1:52:00 AM
4-Isopropyltoluene	U	0.1	1.0		µg/L	1	8/8/2008 1:52:00 AM
4-Methyl-2-pentanone	U	0.21	2.0		µg/L	1	8/8/2008 1:52:00 AM
Acetone	U	0.19	2.0	C	µg/L	1	8/8/2008 1:52:00 AM
Benzene	U	0.11	1.0		µg/L	1	8/8/2008 1:52:00 AM
Bromobenzene	U	0.07	1.0		µg/L	1	8/8/2008 1:52:00 AM
Bromochloromethane	U	0.4	1.0		µg/L	1	8/8/2008 1:52:00 AM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735

Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



Qualifiers:	*	Value exceeds Maximum Contaminant Level	B	Analyte detected in the associated Method Blank
	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded
	J	Analyte detected below quantitation limits	LOD	Limit of Detection
	LOQ	Limit of Quantitation	ND	Not Detected at the Reporting Limit
	S	Spike Recovery outside accepted recovery limits	U	Indicates the compound was analyzed but not detected.
	C	Calibration %RSD/%D exceeded for non-CCC analytes		

American Analytical Laboratories, LLC.

Date: 14-Aug-08

ELAP ID : 11418

CLIENT: Leggette Brashears & Graham Inc.
Lab Order: 0808058
Project: Rowe
Lab ID: 0808058-01A

Client Sample ID: WQ073008:1240NP2-6
Collection Date: 7/30/2008 12:40:00 PM
Matrix: LIQUID

Certificate of Results

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
VOLATILE SW-846 8260 + MTBE & FREON113			SW8260B			Analyst: LA	
Bromodichloromethane	U	0.08	1.0		µg/L	1	8/8/2008 1:52:00 AM
Bromoform	U	0.06	1.0		µg/L	1	8/8/2008 1:52:00 AM
Bromomethane	U	0.17	1.0		µg/L	1	8/8/2008 1:52:00 AM
Carbon disulfide	U	0.14	1.0		µg/L	1	8/8/2008 1:52:00 AM
Carbon tetrachloride	U	0.16	1.0		µg/L	1	8/8/2008 1:52:00 AM
Chlorobenzene	U	0.09	1.0		µg/L	1	8/8/2008 1:52:00 AM
Chloroethane	U	0.16	1.0		µg/L	1	8/8/2008 1:52:00 AM
Chloroform	U	0.1	1.0		µg/L	1	8/8/2008 1:52:00 AM
Chloromethane	U	0.18	1.0		µg/L	1	8/8/2008 1:52:00 AM
cis-1,2-Dichloroethene	U	0.11	1.0		µg/L	1	8/8/2008 1:52:00 AM
cis-1,3-Dichloropropene	U	0.08	1.0		µg/L	1	8/8/2008 1:52:00 AM
Dibromochloromethane	U	0.07	1.0		µg/L	1	8/8/2008 1:52:00 AM
Dibromomethane	U	0.07	1.0		µg/L	1	8/8/2008 1:52:00 AM
Dichlorodifluoromethane	U	0.15	1.0		µg/L	1	8/8/2008 1:52:00 AM
Ethylbenzene	U	0.1	1.0		µg/L	1	8/8/2008 1:52:00 AM
Hexachlorobutadiene	U	0.12	1.0		µg/L	1	8/8/2008 1:52:00 AM
Isopropylbenzene	U	0.11	1.0		µg/L	1	8/8/2008 1:52:00 AM
m,p-Xylene	U	0.2	2.0		µg/L	1	8/8/2008 1:52:00 AM
Methyl tert-butyl ether	U	0.08	1.0		µg/L	1	8/8/2008 1:52:00 AM
Methylene chloride	U	0.08	1.0	C	µg/L	1	8/8/2008 1:52:00 AM
Naphthalene	U	0.08	1.0		µg/L	1	8/8/2008 1:52:00 AM
n-Butylbenzene	U	0.11	1.0		µg/L	1	8/8/2008 1:52:00 AM
n-Propylbenzene	U	0.11	1.0		µg/L	1	8/8/2008 1:52:00 AM
o-Xylene	U	0.1	1.0		µg/L	1	8/8/2008 1:52:00 AM
sec-Butylbenzene	U	0.1	1.0		µg/L	1	8/8/2008 1:52:00 AM
Styrene	U	0.08	1.0		µg/L	1	8/8/2008 1:52:00 AM
tert-Butylbenzene	U	0.1	1.0		µg/L	1	8/8/2008 1:52:00 AM
Tetrachloroethene	3.1	0.12	1.0		µg/L	1	8/8/2008 1:52:00 AM
Toluene	U	0.12	1.0		µg/L	1	8/8/2008 1:52:00 AM
trans-1,2-Dichloroethene	U	0.12	1.0		µg/L	1	8/8/2008 1:52:00 AM
trans-1,3-Dichloropropene	U	0.07	1.0		µg/L	1	8/8/2008 1:52:00 AM
Trichloroethene	U	0.13	1.0		µg/L	1	8/8/2008 1:52:00 AM
Trichlorofluoromethane	U	0.15	1.0		µg/L	1	8/8/2008 1:52:00 AM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735

Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



Qualifiers:	*	Value exceeds Maximum Contaminant Level	B	Analyte detected in the associated Method Blank
	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded
	J	Analyte detected below quantitation limits	LOD	Limit of Detection
	LOQ	Limit of Quantitation	ND	Not Detected at the Reporting Limit
	S	Spike Recovery outside accepted recovery limits	U	Indicates the compound was analyzed but not detected.
	C	Calibration %RSD/%D exceeded for non-CCC analytes		

American Analytical Laboratories, LLC.

Date: 14-Aug-08

ELAP ID : 11418**CLIENT:** Leggette Brashears & Graham Inc.**Client Sample ID:** WQ073008:1240NP2-6**Lab Order:** 0808058**Collection Date:** 7/30/2008 12:40:00 PM**Project:** Rowe**Matrix:** LIQUID**Lab ID:** 0808058-01A**Certificate of Results**

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
VOLATILE SW-846 8260 + MTBE & FREON113			SW8260B		Analyst: LA		
Vinyl acetate	U	0.06	1.0		µg/L	1	8/8/2008 1:52:00 AM
Vinyl chloride	U	0.14	1.0		µg/L	1	8/8/2008 1:52:00 AM
Surr: 4-Bromofluorobenzene	97.2	0	54-134		%REC	1	8/8/2008 1:52:00 AM
Surr: Dibromofluoromethane	98.8	0	52-132		%REC	1	8/8/2008 1:52:00 AM
Surr: Toluene-d8	95.5	0	51-127		%REC	1	8/8/2008 1:52:00 AM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735

Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



Qualifiers:	*	Value exceeds Maximum Contaminant Level	B	Analyte detected in the associated Method Blank
	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded
	J	Analyte detected below quantitation limits	LOD	Limit of Detection
	LOQ	Limit of Quantitation	ND	Not Detected at the Reporting Limit
	S	Spike Recovery outside accepted recovery limits	U	Indicates the compound was analyzed but not detected.
	C	Calibration %RSD/%D exceeded for non-CCC analytes		

American Analytical Laboratories, LLC.

Date: 14-Aug-08

ELAP ID : 11418

CLIENT: Leggette Brashears & Graham Inc.
Lab Order: 0808058
Project: Rowe
Lab ID: 0808058-01B

Client Sample ID: WQ073008:1240NP2-6
Collection Date: 7/30/2008 12:40:00 PM
Matrix: LIQUID

Certificate of Results

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
TOTAL IRON			E200.7		SW3005A		Analyst: JP
Iron	2.64	0.005	0.0200		mg/L	1	8/7/2008 11:01:06 AM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735
Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



Qualifiers:	*	Value exceeds Maximum Contaminant Level	B	Analyte detected in the associated Method Blank
	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded
	J	Analyte detected below quantitation limits	LOD	Limit of Detection
	LOQ	Limit of Quantitation	ND	Not Detected at the Reporting Limit
	S	Spike Recovery outside accepted recovery limits	U	Indicates the compound was analyzed but not detected.
	C	Calibration %RSD/%D exceeded for non-CCC analytes		

American Analytical Laboratories, LLC.

Date: 14-Aug-08

ELAP ID : 11418

CLIENT: Leggette Brashears & Graham Inc.

Client Sample ID: WQ073008:1240NP2-6

Lab Order: 0808058

Collection Date: 7/30/2008 12:40:00 PM

Project: Rowe

Matrix: LIQUID

Lab ID: 0808058-01C

Certificate of Results

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
DISSOLVED IRON			E200.7		SW3005A		Analyst: JP
Iron	0.0233	0.005	0.0200		mg/L	1	8/7/2008 10:59:03 AM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735

Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



Qualifiers: * Value exceeds Maximum Contaminant Level

E Value above quantitation range

J Analyte detected below quantitation limits

LOQ Limit of Quantitation

S Spike Recovery outside accepted recovery limits

C Calibration %RSD/%D exceeded for non-CCC analytes

B Analyte detected in the associated Method Blank

H Holding times for preparation or analysis exceeded

LOD Limit of Detection

ND Not Detected at the Reporting Limit

U Indicates the compound was analyzed but not detected.

American Analytical Laboratories, LLC.

Date: 14-Aug-08

ELAP ID : 11418

CLIENT: Leggette Brashears & Graham Inc.

Client Sample ID: WQ073008:1245NP2-7

Lab Order: 0808058

Collection Date: 7/30/2008 12:45:00 PM

Project: Rowe

Matrix: LIQUID

Lab ID: 0808058-02A

Certificate of Results

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
VOLATILE SW-846 8260 + MTBE & FREON113			SW8260B			Analyst: LA	
1,1,1,2-Tetrachloroethane	U	0.09	1.0		µg/L	1	8/8/2008 2:23:00 AM
1,1,1-Trichloroethane	U	0.17	1.0		µg/L	1	8/8/2008 2:23:00 AM
1,1,2,2-Tetrachloroethane	U	0.06	1.0		µg/L	1	8/8/2008 2:23:00 AM
1,1,2-Trichloro-1,2,2-trifluoroethane	U	0.13	1.0		µg/L	1	8/8/2008 2:23:00 AM
1,1,2-Trichloroethane	U	0.07	1.0		µg/L	1	8/8/2008 2:23:00 AM
1,1-Dichloroethane	U	0.11	1.0		µg/L	1	8/8/2008 2:23:00 AM
1,1-Dichloroethene	U	0.15	1.0		µg/L	1	8/8/2008 2:23:00 AM
1,1-Dichloropropene	U	0.12	1.0		µg/L	1	8/8/2008 2:23:00 AM
1,2,3-Trichlorobenzene	U	0.07	1.0		µg/L	1	8/8/2008 2:23:00 AM
1,2,3-Trichloropropane	U	0.08	1.0		µg/L	1	8/8/2008 2:23:00 AM
1,2,4-Trichlorobenzene	U	0.07	1.0		µg/L	1	8/8/2008 2:23:00 AM
1,2,4-Trimethylbenzene	U	0.09	1.0		µg/L	1	8/8/2008 2:23:00 AM
1,2-Dibromo-3-chloropropane	U	0.09	1.0		µg/L	1	8/8/2008 2:23:00 AM
1,2-Dibromoethane	U	0.06	1.0		µg/L	1	8/8/2008 2:23:00 AM
1,2-Dichlorobenzene	U	0.08	1.0		µg/L	1	8/8/2008 2:23:00 AM
1,2-Dichloroethane	U	0.08	1.0		µg/L	1	8/8/2008 2:23:00 AM
1,2-Dichloropropane	U	0.1	1.0		µg/L	1	8/8/2008 2:23:00 AM
1,3,5-Trimethylbenzene	U	0.11	1.0		µg/L	1	8/8/2008 2:23:00 AM
1,3-Dichlorobenzene	U	0.08	1.0		µg/L	1	8/8/2008 2:23:00 AM
1,3-dichloropropane	U	0.08	1.0		µg/L	1	8/8/2008 2:23:00 AM
1,4-Dichlorobenzene	U	0.08	1.0		µg/L	1	8/8/2008 2:23:00 AM
2,2-Dichloropropane	U	0.11	1.0		µg/L	1	8/8/2008 2:23:00 AM
2-Butanone	U	1.28	3.0		µg/L	1	8/8/2008 2:23:00 AM
2-Chloroethyl vinyl ether	U	0.08	1.0		µg/L	1	8/8/2008 2:23:00 AM
2-Chlorotoluene	U	0.09	1.0		µg/L	1	8/8/2008 2:23:00 AM
2-Hexanone	U	0.22	2.0		µg/L	1	8/8/2008 2:23:00 AM
4-Chlorotoluene	U	0.09	1.0		µg/L	1	8/8/2008 2:23:00 AM
4-Isopropyltoluene	U	0.1	1.0		µg/L	1	8/8/2008 2:23:00 AM
4-Methyl-2-pentanone	U	0.21	2.0		µg/L	1	8/8/2008 2:23:00 AM
Acetone	U	0.19	2.0	C	µg/L	1	8/8/2008 2:23:00 AM
Benzene	U	0.11	1.0		µg/L	1	8/8/2008 2:23:00 AM
Bromobenzene	U	0.07	1.0		µg/L	1	8/8/2008 2:23:00 AM
Bromochloromethane	U	0.4	1.0		µg/L	1	8/8/2008 2:23:00 AM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735

Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



Qualifiers:	*	Value exceeds Maximum Contaminant Level	B	Analyte detected in the associated Method Blank
	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded
	J	Analyte detected below quantitation limits	LOD	Limit of Detection
	LOQ	Limit of Quantitation	ND	Not Detected at the Reporting Limit
	S	Spike Recovery outside accepted recovery limits	U	Indicates the compound was analyzed but not detected.
	C	Calibration %RSD/%D exceeded for non-CCC analytes		

American Analytical Laboratories, LLC.

Date: 14-Aug-08

ELAP ID : 11418

CLIENT: Leggette Brashears & Graham Inc.
Lab Order: 0808058
Project: Rowe
Lab ID: 0808058-02A

Client Sample ID: WQ073008:1245NP2-7
Collection Date: 7/30/2008 12:45:00 PM
Matrix: LIQUID

Certificate of Results

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
VOLATILE SW-846 8260 + MTBE & FREON113			SW8260B			Analyst: LA	
Bromodichloromethane	U	0.08	1.0		µg/L	1	8/8/2008 2:23:00 AM
Bromoform	U	0.06	1.0		µg/L	1	8/8/2008 2:23:00 AM
Bromomethane	U	0.17	1.0		µg/L	1	8/8/2008 2:23:00 AM
Carbon disulfide	U	0.14	1.0		µg/L	1	8/8/2008 2:23:00 AM
Carbon tetrachloride	U	0.16	1.0		µg/L	1	8/8/2008 2:23:00 AM
Chlorobenzene	U	0.09	1.0		µg/L	1	8/8/2008 2:23:00 AM
Chloroethane	U	0.16	1.0		µg/L	1	8/8/2008 2:23:00 AM
Chloroform	U	0.1	1.0		µg/L	1	8/8/2008 2:23:00 AM
Chloromethane	U	0.18	1.0		µg/L	1	8/8/2008 2:23:00 AM
cis-1,2-Dichloroethene	U	0.11	1.0		µg/L	1	8/8/2008 2:23:00 AM
cis-1,3-Dichloropropene	U	0.08	1.0		µg/L	1	8/8/2008 2:23:00 AM
Dibromochloromethane	U	0.07	1.0		µg/L	1	8/8/2008 2:23:00 AM
Dibromomethane	U	0.07	1.0		µg/L	1	8/8/2008 2:23:00 AM
Dichlorodifluoromethane	U	0.15	1.0		µg/L	1	8/8/2008 2:23:00 AM
Ethylbenzene	U	0.1	1.0		µg/L	1	8/8/2008 2:23:00 AM
Hexachlorobutadiene	U	0.12	1.0		µg/L	1	8/8/2008 2:23:00 AM
Isopropylbenzene	U	0.11	1.0		µg/L	1	8/8/2008 2:23:00 AM
m,p-Xylene	U	0.2	2.0		µg/L	1	8/8/2008 2:23:00 AM
Methyl tert-butyl ether	U	0.08	1.0		µg/L	1	8/8/2008 2:23:00 AM
Methylene chloride	U	0.08	1.0	C	µg/L	1	8/8/2008 2:23:00 AM
Naphthalene	U	0.08	1.0		µg/L	1	8/8/2008 2:23:00 AM
n-Butylbenzene	U	0.11	1.0		µg/L	1	8/8/2008 2:23:00 AM
n-Propylbenzene	U	0.11	1.0		µg/L	1	8/8/2008 2:23:00 AM
o-Xylene	U	0.1	1.0		µg/L	1	8/8/2008 2:23:00 AM
sec-Butylbenzene	U	0.1	1.0		µg/L	1	8/8/2008 2:23:00 AM
Styrene	U	0.08	1.0		µg/L	1	8/8/2008 2:23:00 AM
tert-Butylbenzene	U	0.1	1.0		µg/L	1	8/8/2008 2:23:00 AM
Tetrachloroethene	U	0.12	1.0		µg/L	1	8/8/2008 2:23:00 AM
Toluene	U	0.12	1.0		µg/L	1	8/8/2008 2:23:00 AM
trans-1,2-Dichloroethene	U	0.12	1.0		µg/L	1	8/8/2008 2:23:00 AM
trans-1,3-Dichloropropene	U	0.07	1.0		µg/L	1	8/8/2008 2:23:00 AM
Trichloroethene	U	0.13	1.0		µg/L	1	8/8/2008 2:23:00 AM
Trichlorofluoromethane	U	0.15	1.0		µg/L	1	8/8/2008 2:23:00 AM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735

Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



Qualifiers:	*	Value exceeds Maximum Contaminant Level	B	Analyte detected in the associated Method Blank
	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded
	J	Analyte detected below quantitation limits	LOD	Limit of Detection
	LOQ	Limit of Quantitation	ND	Not Detected at the Reporting Limit
	S	Spike Recovery outside accepted recovery limits	U	Indicates the compound was analyzed but not detected.
	C	Calibration %RSD/%D exceeded for non-CCC analytes		

American Analytical Laboratories, LLC.

Date: 14-Aug-08

ELAP ID : 11418

CLIENT: Leggette Brashears & Graham Inc.

Client Sample ID: WQ073008:1245NP2-7

Lab Order: 0808058

Collection Date: 7/30/2008 12:45:00 PM

Project: Rowe

Matrix: LIQUID

Lab ID: 0808058-02A

Certificate of Results

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
VOLATILE SW-846 8260 + MTBE & FREON113			SW8260B		Analyst: LA		
Vinyl acetate	U	0.06	1.0		µg/L	1	8/8/2008 2:23:00 AM
Vinyl chloride	U	0.14	1.0		µg/L	1	8/8/2008 2:23:00 AM
Surr: 4-Bromofluorobenzene	95.3	0	54-134		%REC	1	8/8/2008 2:23:00 AM
Surr: Dibromofluoromethane	99.9	0	52-132		%REC	1	8/8/2008 2:23:00 AM
Surr: Toluene-d8	96.6	0	51-127		%REC	1	8/8/2008 2:23:00 AM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735

Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



Qualifiers:	*	Value exceeds Maximum Contaminant Level	B	Analyte detected in the associated Method Blank
	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded
	J	Analyte detected below quantitation limits	LOD	Limit of Detection
	LOQ	Limit of Quantitation	ND	Not Detected at the Reporting Limit
	S	Spike Recovery outside accepted recovery limits	U	Indicates the compound was analyzed but not detected.
	C	Calibration %RSD/%D exceeded for non-CCC analytes		

American Analytical Laboratories, LLC.

Date: 14-Aug-08

ELAP ID : 11418

CLIENT: Leggette Brashears & Graham Inc.

Client Sample ID: WQ073008:1245NP2-7

Lab Order: 0808058

Collection Date: 7/30/2008 12:45:00 PM

Project: Rowe

Matrix: LIQUID

Lab ID: 0808058-02B

Certificate of Results

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
TOTAL IRON				E200.7	SW3005A		Analyst: JP
Iron	1.73	0.005	0.0200		mg/L	1	8/7/2008 11:05:12 AM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735

Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



Qualifiers:	*	Value exceeds Maximum Contaminant Level	B	Analyte detected in the associated Method Blank
	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded
	J	Analyte detected below quantitation limits	LOD	Limit of Detection
	LOQ	Limit of Quantitation	ND	Not Detected at the Reporting Limit
	S	Spike Recovery outside accepted recovery limits	U	Indicates the compound was analyzed but not detected.
	C	Calibration %RSD/%D exceeded for non-CCC analytes		

American Analytical Laboratories, LLC.

Date: 14-Aug-08

ELAP ID : 11418**CLIENT:** Leggette Brashears & Graham Inc.**Client Sample ID:** WQ073008:1245NP2-7**Lab Order:** 0808058**Collection Date:** 7/30/2008 12:45:00 PM**Project:** Rowe**Matrix:** LIQUID**Lab ID:** 0808058-02C**Certificate of Results**

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
DISSOLVED IRON			E200.7		SW3005A		Analyst: JP
Iron	0.0546	0.005	0.0200		mg/L	1	8/7/2008 11:03:09 AM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735

Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



Qualifiers:	*	Value exceeds Maximum Contaminant Level	B	Analyte detected in the associated Method Blank
	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded
	J	Analyte detected below quantitation limits	LOD	Limit of Detection
	LOQ	Limit of Quantitation	ND	Not Detected at the Reporting Limit
	S	Spike Recovery outside accepted recovery limits	U	Indicates the compound was analyzed but not detected.
	C	Calibration %RSD/%D exceeded for non-CCC analytes		

American Analytical Laboratories, LLC.

Date: 14-Aug-08

ELAP ID : 11418

CLIENT: Leggette Brashears & Graham Inc.
Lab Order: 0808058
Project: Rowe
Lab ID: 0808058-03A

Client Sample ID: WQ073008:1250NP2-10
Collection Date: 7/30/2008 12:50:00 PM
Matrix: LIQUID

Certificate of Results

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
VOLATILE SW-846 8260 + MTBE & FREON113			SW8260B			Analyst: LA	
1,1,1,2-Tetrachloroethane	U	0.09	1.0		µg/L	1	8/8/2008 2:53:00 AM
1,1,1-Trichloroethane	U	0.17	1.0		µg/L	1	8/8/2008 2:53:00 AM
1,1,2,2-Tetrachloroethane	U	0.06	1.0		µg/L	1	8/8/2008 2:53:00 AM
1,1,2-Trichloro-1,2,2-trifluoroethane	U	0.13	1.0		µg/L	1	8/8/2008 2:53:00 AM
1,1,2-Trichloroethane	U	0.07	1.0		µg/L	1	8/8/2008 2:53:00 AM
1,1-Dichloroethane	U	0.11	1.0		µg/L	1	8/8/2008 2:53:00 AM
1,1-Dichloroethene	U	0.15	1.0		µg/L	1	8/8/2008 2:53:00 AM
1,1-Dichloropropene	U	0.12	1.0		µg/L	1	8/8/2008 2:53:00 AM
1,2,3-Trichlorobenzene	U	0.07	1.0		µg/L	1	8/8/2008 2:53:00 AM
1,2,3-Trichloropropane	U	0.08	1.0		µg/L	1	8/8/2008 2:53:00 AM
1,2,4-Trichlorobenzene	U	0.07	1.0		µg/L	1	8/8/2008 2:53:00 AM
1,2,4-Trimethylbenzene	U	0.09	1.0		µg/L	1	8/8/2008 2:53:00 AM
1,2-Dibromo-3-chloropropane	U	0.09	1.0		µg/L	1	8/8/2008 2:53:00 AM
1,2-Dibromoethane	U	0.06	1.0		µg/L	1	8/8/2008 2:53:00 AM
1,2-Dichlorobenzene	U	0.08	1.0		µg/L	1	8/8/2008 2:53:00 AM
1,2-Dichloroethane	U	0.08	1.0		µg/L	1	8/8/2008 2:53:00 AM
1,2-Dichloropropane	U	0.1	1.0		µg/L	1	8/8/2008 2:53:00 AM
1,3,5-Trimethylbenzene	U	0.11	1.0		µg/L	1	8/8/2008 2:53:00 AM
1,3-Dichlorobenzene	U	0.08	1.0		µg/L	1	8/8/2008 2:53:00 AM
1,3-dichloropropane	U	0.08	1.0		µg/L	1	8/8/2008 2:53:00 AM
1,4-Dichlorobenzene	U	0.08	1.0		µg/L	1	8/8/2008 2:53:00 AM
2,2-Dichloropropane	U	0.11	1.0		µg/L	1	8/8/2008 2:53:00 AM
2-Butanone	U	1.28	3.0		µg/L	1	8/8/2008 2:53:00 AM
2-Chloroethyl vinyl ether	U	0.08	1.0		µg/L	1	8/8/2008 2:53:00 AM
2-Chlorotoluene	U	0.09	1.0		µg/L	1	8/8/2008 2:53:00 AM
2-Hexanone	U	0.22	2.0		µg/L	1	8/8/2008 2:53:00 AM
4-Chlorotoluene	U	0.09	1.0		µg/L	1	8/8/2008 2:53:00 AM
4-Isopropyltoluene	U	0.1	1.0		µg/L	1	8/8/2008 2:53:00 AM
4-Methyl-2-pentanone	U	0.21	2.0		µg/L	1	8/8/2008 2:53:00 AM
Acetone	U	0.19	2.0	C	µg/L	1	8/8/2008 2:53:00 AM
Benzene	U	0.11	1.0		µg/L	1	8/8/2008 2:53:00 AM
Bromobenzene	U	0.07	1.0		µg/L	1	8/8/2008 2:53:00 AM
Bromochloromethane	U	0.4	1.0		µg/L	1	8/8/2008 2:53:00 AM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735

Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



Qualifiers:	*	Value exceeds Maximum Contaminant Level	B	Analyte detected in the associated Method Blank
	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded
	J	Analyte detected below quantitation limits	LOD	Limit of Detection
	LOQ	Limit of Quantitation	ND	Not Detected at the Reporting Limit
	S	Spike Recovery outside accepted recovery limits	U	Indicates the compound was analyzed but not detected.
	C	Calibration %RSD/%D exceeded for non-CCC analytes		

American Analytical Laboratories, LLC.

Date: 14-Aug-08

ELAP ID : 11418

CLIENT: Leggette Brashears & Graham Inc.

Client Sample ID: WQ073008:1250NP2-10

Lab Order: 0808058

Collection Date: 7/30/2008 12:50:00 PM

Project: Rowe

Matrix: LIQUID

Lab ID: 0808058-03A

Certificate of Results

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
VOLATILE SW-846 8260 + MTBE & FREON113			SW8260B		Analyst: LA		
Bromodichloromethane	U	0.08	1.0		µg/L	1	8/8/2008 2:53:00 AM
Bromoform	U	0.06	1.0		µg/L	1	8/8/2008 2:53:00 AM
Bromomethane	U	0.17	1.0		µg/L	1	8/8/2008 2:53:00 AM
Carbon disulfide	U	0.14	1.0		µg/L	1	8/8/2008 2:53:00 AM
Carbon tetrachloride	U	0.16	1.0		µg/L	1	8/8/2008 2:53:00 AM
Chlorobenzene	U	0.09	1.0		µg/L	1	8/8/2008 2:53:00 AM
Chloroethane	U	0.16	1.0		µg/L	1	8/8/2008 2:53:00 AM
Chloroform	U	0.1	1.0		µg/L	1	8/8/2008 2:53:00 AM
Chloromethane	U	0.18	1.0		µg/L	1	8/8/2008 2:53:00 AM
cis-1,2-Dichloroethene	U	0.11	1.0		µg/L	1	8/8/2008 2:53:00 AM
cis-1,3-Dichloropropene	U	0.08	1.0		µg/L	1	8/8/2008 2:53:00 AM
Dibromochloromethane	U	0.07	1.0		µg/L	1	8/8/2008 2:53:00 AM
Dibromomethane	U	0.07	1.0		µg/L	1	8/8/2008 2:53:00 AM
Dichlorodifluoromethane	U	0.15	1.0		µg/L	1	8/8/2008 2:53:00 AM
Ethylbenzene	U	0.1	1.0		µg/L	1	8/8/2008 2:53:00 AM
Hexachlorobutadiene	U	0.12	1.0		µg/L	1	8/8/2008 2:53:00 AM
Isopropylbenzene	U	0.11	1.0		µg/L	1	8/8/2008 2:53:00 AM
m,p-Xylene	U	0.2	2.0		µg/L	1	8/8/2008 2:53:00 AM
Methyl tert-butyl ether	U	0.08	1.0		µg/L	1	8/8/2008 2:53:00 AM
Methylene chloride	U	0.08	1.0	C	µg/L	1	8/8/2008 2:53:00 AM
Naphthalene	U	0.08	1.0		µg/L	1	8/8/2008 2:53:00 AM
n-Butylbenzene	U	0.11	1.0		µg/L	1	8/8/2008 2:53:00 AM
n-Propylbenzene	U	0.11	1.0		µg/L	1	8/8/2008 2:53:00 AM
o-Xylene	U	0.1	1.0		µg/L	1	8/8/2008 2:53:00 AM
sec-Butylbenzene	U	0.1	1.0		µg/L	1	8/8/2008 2:53:00 AM
Styrene	U	0.08	1.0		µg/L	1	8/8/2008 2:53:00 AM
tert-Butylbenzene	U	0.1	1.0		µg/L	1	8/8/2008 2:53:00 AM
Tetrachloroethene	U	0.12	1.0		µg/L	1	8/8/2008 2:53:00 AM
Toluene	U	0.12	1.0		µg/L	1	8/8/2008 2:53:00 AM
trans-1,2-Dichloroethene	U	0.12	1.0		µg/L	1	8/8/2008 2:53:00 AM
trans-1,3-Dichloropropene	U	0.07	1.0		µg/L	1	8/8/2008 2:53:00 AM
Trichloroethene	U	0.13	1.0		µg/L	1	8/8/2008 2:53:00 AM
Trichlorofluoromethane	U	0.15	1.0		µg/L	1	8/8/2008 2:53:00 AM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735

Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



Qualifiers:	*	Value exceeds Maximum Contaminant Level	B	Analyte detected in the associated Method Blank
	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded
	J	Analyte detected below quantitation limits	LOD	Limit of Detection
	LOQ	Limit of Quantitation	ND	Not Detected at the Reporting Limit
	S	Spike Recovery outside accepted recovery limits	U	Indicates the compound was analyzed but not detected.
	C	Calibration %RSD/%D exceeded for non-CCC analytes		

American Analytical Laboratories, LLC.

Date: 14-Aug-08

ELAP ID : 11418

CLIENT: Leggette Brashears & Graham Inc.

Client Sample ID: WQ073008:1250NP2-10

Lab Order: 0808058

Collection Date: 7/30/2008 12:50:00 PM

Project: Rowe

Matrix: LIQUID

Lab ID: 0808058-03A

Certificate of Results

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
VOLATILE SW-846 8260 + MTBE & FREON113			SW8260B		Analyst: LA		
Vinyl acetate	U	0.06	1.0		µg/L	1	8/8/2008 2:53:00 AM
Vinyl chloride	U	0.14	1.0		µg/L	1	8/8/2008 2:53:00 AM
Surr: 4-Bromofluorobenzene	97.8	0	54-134		%REC	1	8/8/2008 2:53:00 AM
Surr: Dibromofluoromethane	101	0	52-132		%REC	1	8/8/2008 2:53:00 AM
Surr: Toluene-d8	97.8	0	51-127		%REC	1	8/8/2008 2:53:00 AM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735

Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



Qualifiers:	*	Value exceeds Maximum Contaminant Level	B	Analyte detected in the associated Method Blank
	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded
	J	Analyte detected below quantitation limits	LOD	Limit of Detection
	LOQ	Limit of Quantitation	ND	Not Detected at the Reporting Limit
	S	Spike Recovery outside accepted recovery limits	U	Indicates the compound was analyzed but not detected.
	C	Calibration %RSD/%D exceeded for non-CCC analytes		

American Analytical Laboratories, LLC.

Date: 14-Aug-08

ELAP ID : 11418

CLIENT: Leggette Brashears & Graham Inc.

Client Sample ID: WQ073008:1250NP2-10

Lab Order: 0808058

Collection Date: 7/30/2008 12:50:00 PM

Project: Rowe

Matrix: LIQUID

Lab ID: 0808058-03B

Certificate of Results

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
TOTAL IRON				E200.7	SW3005A		Analyst: JP
Iron	1.36	0.005	0.0200		mg/L	1	8/7/2008 11:09:17 AM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735

Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



Qualifiers:	*	Value exceeds Maximum Contaminant Level	B	Analyte detected in the associated Method Blank
	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded
	J	Analyte detected below quantitation limits	LOD	Limit of Detection
	LOQ	Limit of Quantitation	ND	Not Detected at the Reporting Limit
	S	Spike Recovery outside accepted recovery limits	U	Indicates the compound was analyzed but not detected.
	C	Calibration %RSD/%D exceeded for non-CCC analytes		

American Analytical Laboratories, LLC.

Date: 14-Aug-08

ELAP ID : 11418

CLIENT: Leggette Brashears & Graham Inc.

Client Sample ID: WQ073008:1250NP2-10

Lab Order: 0808058

Collection Date: 7/30/2008 12:50:00 PM

Project: Rowe

Matrix: LIQUID

Lab ID: 0808058-03C

Certificate of Results

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
DISSOLVED IRON			E200.7		SW3005A		Analyst: JP
Iron	0.141	0.005	0.0200		mg/L	1	8/7/2008 11:07:15 AM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735

Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



Qualifiers:	*	Value exceeds Maximum Contaminant Level	B	Analyte detected in the associated Method Blank
	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded
	J	Analyte detected below quantitation limits	LOD	Limit of Detection
LOQ		Limit of Quantitation	ND	Not Detected at the Reporting Limit
S		Spike Recovery outside accepted recovery limits	U	Indicates the compound was analyzed but not detected.
C		Calibration %RSD/%D exceeded for non-CCC analytes		

American Analytical Laboratories, LLC.

Date: 14-Aug-08

ELAP ID : 11418

CLIENT: Leggette Brashears & Graham Inc.

Client Sample ID: WQ073008:1250NP2-10

Lab Order: 0808058

Collection Date: 7/30/2008 12:50:00 PM

Project: Rowe

Matrix: LIQUID

Lab ID: 0808058-03D

Certificate of Results

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
TOTAL DISSOLVED SOLIDS				M2540C			Analyst: AS
Total Dissolved Solids (Residue, Filterable)	120	0	1.00		mg/L	1	8/5/2008

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735

Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



Qualifiers: * Value exceeds Maximum Contaminant Level

E Value above quantitation range

J Analyte detected below quantitation limits

LOQ Limit of Quantitation

S Spike Recovery outside accepted recovery limits

C Calibration %RSD/%D exceeded for non-CCC analytes

B Analyte detected in the associated Method Blank

H Holding times for preparation or analysis exceeded

LOD Limit of Detection

ND Not Detected at the Reporting Limit

U Indicates the compound was analyzed but not detected.

CLIENT: Leggette Brashears & Graham Inc.
 Work Order: 0808058
 Project: Rowe

ANALYTICAL QC SUMMARY REPORT

TestCode: 8260MTBE113_W

Sample ID: V624LCS-080708L		SampType: LCS		TestCode: 8260MTBE11		Units: µg/L		Prep Date:		RunNo: 37439	
Client ID: LCSW		Batch ID: R37439		TestNo: SW8260B				Analysis Date: 8/7/2008		SeqNo: 489839	
Analyte	Result	PQL	SPK value	SPK RefVal	%REC	LowLimit	HighLimit	RPD RefVal	%RPD	RPDLimit	Qual
1,1,1-Trichloroethane	39	1.0	50.00	0	77.7	43	148				
1,1,2,2-Tetrachloroethane	36	1.0	50.00	0	71.8	32	148				
1,1,2-Trichloroethane	35	1.0	50.00	0	70.5	42	136				
1,1-Dichloroethane	36	1.0	50.00	0	72.1	40	150				
1,1-Dichloroethene	48	1.0	50.00	0	95.2	30	154				
1,2-Dichlorobenzene	36	1.0	50.00	0	71.6	40	129				
1,2-Dichloroethane	33	1.0	50.00	0	65.8	36	141				
1,2-Dichloropropane	33	1.0	50.00	0	66.3	44	138				
1,3-Dichlorobenzene	36	1.0	50.00	0	72.5	40	133				
1,4-Dichlorobenzene	36	1.0	50.00	0	72.3	40	135				
2-Chloroethyl vinyl ether	40	1.0	50.00	0	80.1	21	139				
2-Hexanone	80	2.0	125.0	0	64.0	35	135				
4-Methyl-2-pentanone	79	2.0	125.0	0	63.1	35	135				
Acetone	91	2.0	125.0	0	72.8	35	135				
Benzene	36	1.0	50.00	0	71.6	45	144				
Bromodichloromethane	33	1.0	50.00	0	66.2	35	136				
Bromoform	43	1.0	50.00	0	86.0	28	138				
Bromomethane	43	1.0	50.00	0	85.4	26	148				
Carbon tetrachloride	42	1.0	50.00	0	84.4	45	141				
Chlorobenzene	38	1.0	50.00	0	75.1	41	142				
Chloroethane	47	1.0	50.00	0	93.6	36	143				
Chloroform	35	1.0	50.00	0	69.6	42	137				
Chloromethane	40	1.0	50.00	0	80.9	35	151				
cis-1,3-Dichloropropene	33	1.0	50.00	0	65.9	42	130				
Dibromochloromethane	35	1.0	50.00	0	69.3	21	134				
Ethylbenzene	38	1.0	50.00	0	75.4	45	146				
Tetrachloroethene	38	1.0	50.00	0	76.9	45	136				
Toluene	35	1.0	50.00	0	71.0	43	134				
trans-1,2-Dichloroethene	41	1.0	50.00	0	82.0	42	135				
trans-1,3-Dichloropropene	31	1.0	50.00	0	62.4	37	133				

Qualifiers: E Value above quantitation range
 LOD Limit of Detection

R RPD outside accepted recovery limits

H Holding times for preparation or analysis exceeded
 LOQ Limit of Quantitation

S Spike Recovery outside accepted recovery limits

J Analyte detected below quantitation li
 ND Not Detected at the Reporting Limit

U Indicates the compound was analyzed

CLIENT: Leggette Brashears & Graham Inc.
Work Order: 0808058
Project: Rowe

ANALYTICAL QC SUMMARY REPORT

TestCode: 8260MTBE113_W

Sample ID: V624LCS-080708L	Sample Type: LCS	TestCode: 8260MTBE11	Units: µg/L	Prep Date:	RunNo: 37439
Client ID: LCSW	Batch ID: R37439	TestNo: SW8260B		Analysis Date: 8/7/2008	SeqNo: 489839

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Trichloroethene	39	1.0	50.00	0	77.8	43	140				
Trichlorofluoromethane	50	1.0	50.00	0	101	50	148				
Vinyl chloride	45	1.0	50.00	0	90.3	35	142				
Surr: 4-Bromofluorobenzene	51		50.00		102	54	134				
Surr: Dibromofluoromethane	50		50.00		99.8	52	132				
Surr: Toluene-d8	49		50.00		98.0	51	127				

Sample ID: VBLK-080708L	Sample Type: MBLK	TestCode: 8260MTBE11	Units: µg/L	Prep Date:	RunNo: 37439
Client ID: PBW	Batch ID: R37439	TestNo: SW8260B		Analysis Date: 8/7/2008	SeqNo: 489840

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
1,1,1,2-Tetrachloroethane	U	1.0									
1,1,1-Trichloroethane	U	1.0									
1,1,2,2-Tetrachloroethane	U	1.0									
1,1,2-Trichloro-1,2,2-trifluoroethane	U	1.0									
1,1,2-Trichloroethane	U	1.0									
1,1-Dichloroethane	U	1.0									
1,1-Dichloroethene	U	1.0									
1,1-Dichloropropene	U	1.0									
1,2,3-Trichlorobenzene	U	1.0									
1,2,3-Trichloropropane	U	1.0									
1,2,4-Trichlorobenzene	U	1.0									
1,2,4-Trimethylbenzene	U	1.0									
1,2-Dibromo-3-chloropropane	U	1.0									
1,2-Dibromoethane	U	1.0									
1,2-Dichlorobenzene	U	1.0									
1,2-Dichloroethane	U	1.0									
1,2-Dichloropropane	U	1.0									
1,3,5-Trimethylbenzene	U	1.0									
1,3-Dichlorobenzene	U	1.0									
1,3-dichloropropane	U	1.0									

Qualifiers:	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation li
LOD	Limit of Detection		LOQ	Limit of Quantitation	ND	Not Detected at the Reporting Limit
R	RPD outside accepted recovery limits		S	Spike Recovery outside accepted recovery limits	U	Indicates the compound was analyzed

CLIENT: Leggette Brashears & Graham Inc.
Work Order: 0808058
Project: Rowe

ANALYTICAL QC SUMMARY REPORT

TestCode: 8260MTBE113_W

Sample ID: VBLK-080708L		SampType: MBLK		TestCode: 8260MTBE11		Units: µg/L		Prep Date:		RunNo: 37439		
Client ID: PBW		Batch ID: R37439		TestNo: SW8260B				Analysis Date: 8/7/2008		SeqNo: 489840		
Analyte		Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
1,4-Dichlorobenzene		U	1.0									
2,2-Dichloropropane		U	1.0									
2-Butanone		U	3.0									
2-Chloroethyl vinyl ether		U	1.0									
2-Chlorotoluene		U	1.0									
2-Hexanone		U	2.0									
4-Chlorotoluene		U	1.0									
4-Isopropyltoluene		U	1.0									
4-Methyl-2-pentanone		U	2.0									
Acetone		U	2.0									C
Benzene		U	1.0									
Bromobenzene		U	1.0									
Bromochloromethane		U	1.0									
Bromodichloromethane		U	1.0									
Bromoform		U	1.0									
Bromomethane		U	1.0									
Carbon disulfide		U	1.0									
Carbon tetrachloride		U	1.0									
Chlorobenzene		U	1.0									
Chloroethane		U	1.0									
Chloroform		U	1.0									
Chloromethane		U	1.0									
cis-1,2-Dichloroethene		U	1.0									
cis-1,3-Dichloropropene		U	1.0									
Dibromochloromethane		U	1.0									
Dibromomethane		U	1.0									
Dichlorodifluoromethane		U	1.0									
Ethylbenzene		U	1.0									
Hexachlorobutadiene		U	1.0									
Isopropylbenzene		U	1.0									
m,p-Xylene		U	2.0									

Qualifiers: E Value above quantitation range
LOD Limit of Detection
R RPD outside accepted recovery limits

H Holding times for preparation or analysis exceeded
LOQ Limit of Quantitation
S Spike Recovery outside accepted recovery limits

J Analyte detected below quantitation li
ND Not Detected at the Reporting Limit
U Indicates the compound was analyzed

CLIENT: Leggett Brashears & Graham Inc.
Work Order: 0808058
Project: Rowe

ANALYTICAL QC SUMMARY REPORT

TestCode: 8260MTBE113_W

Sample ID: VBLK-080708L	SampType: MBLK	TestCode: 8260MTBE11	Units: µg/L	Prep Date:	RunNo: 37439						
Client ID: PBW	Batch ID: R37439	TestNo: SW8260B		Analysis Date: 8/7/2008	SeqNo: 489840						
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual

Methyl tert-butyl ether	U	1.0									C
Methylene chloride	U	1.0									
Naphthalene	U	1.0									
n-Butylbenzene	U	1.0									
n-Propylbenzene	U	1.0									
o-Xylene	U	1.0									
sec-Butylbenzene	U	1.0									
Styrene	U	1.0									
tert-Butylbenzene	U	1.0									
Tetrachloroethene	U	1.0									
Toluene	U	1.0									
trans-1,2-Dichloroethene	U	1.0									
trans-1,3-Dichloropropene	U	1.0									
Trichloroethene	U	1.0									
Trichlorofluoromethane	U	1.0									
Vinyl acetate	U	1.0									
Vinyl chloride	U	1.0									
Surr: 4-Bromofluorobenzene	50		50.00		100		54		134		
Surr: Dibromofluoromethane	48		50.00		96.0		52		132		
Surr: Toluene-d8	50		50.00		99.8		51		127		

Qualifiers:	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation li
LOD	Limit of Detection	LOQ	Limit of Quantitation		ND	Not Detected at the Reporting Limit
R	RPD outside accepted recovery limits	S	Spike Recovery outside accepted recovery limits		U	Indicates the compound was analyzed

CLIENT: Leggett Brashears & Graham Inc.
Work Order: 0808058
Project: Rowe

ANALYTICAL QC SUMMARY REPORT

TestCode: FE_D

Sample ID: 0808058-03C-MS	SampType: MS	TestCode: FE_D	Units: mg/L	Prep Date: 8/5/2008	RunNo: 37422
Client ID: WQ073008:1250NP2	Batch ID: 22470	TestNo: E200.7	SW3005A	Analysis Date: 8/7/2008	SeqNo: 488231
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC LowLimit HighLimit RPD Ref Val %RPD RPDLimit Qual
Iron	1.19	0.0200	1.000	0.1415	105 68 122

Sample ID: 0808058-03C-MSD	SampType: MSD	TestCode: FE_D	Units: mg/L	Prep Date: 8/5/2008	RunNo: 37422
Client ID: WQ073008:1250NP2	Batch ID: 22470	TestNo: E200.7	SW3005A	Analysis Date: 8/7/2008	SeqNo: 488232
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC LowLimit HighLimit RPD Ref Val %RPD RPDLimit Qual
Iron	1.18	0.0200	1.000	0.1415	104 68 122 1.189 0.513 20

Sample ID: PBW-080508B	SampType: MBLK	TestCode: FE_D	Units: mg/L	Prep Date: 8/5/2008	RunNo: 37422
Client ID: PBW	Batch ID: 22470	TestNo: E200.7	SW3005A	Analysis Date: 8/7/2008	SeqNo: 488237
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC LowLimit HighLimit RPD Ref Val %RPD RPDLimit Qual
Iron	U	0.0200			

Sample ID: LCSW-080508B	SampType: LCS	TestCode: FE_D	Units: mg/L	Prep Date: 8/5/2008	RunNo: 37422
Client ID: LCSW	Batch ID: 22470	TestNo: E200.7	SW3005A	Analysis Date: 8/7/2008	SeqNo: 488238
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC LowLimit HighLimit RPD Ref Val %RPD RPDLimit Qual
Iron	1.95	0.0200	2.000	0	97.5 68 122

Qualifiers: E Value above quantitation range
LOD Limit of Detection
R RPD outside accepted recovery limits

H Holding times for preparation or analysis exceeded
LOQ Limit of Quantitation
S Spike Recovery outside accepted recovery limits

J Analyte detected below quantitation li
ND Not Detected at the Reporting Limit
U Indicates the compound was analyzed

CLIENT: Leggette Brashears & Graham Inc.
Work Order: 0808058
Project: Rowe

ANALYTICAL QC SUMMARY REPORT

TestCode: FE_T

Sample ID: 0808058-03B-MS	SampType: MS	TestCode: FE_T	Units: mg/L	Prep Date: 8/5/2008	RunNo: 37422						
Client ID: WQ073008:1250NP2	Batch ID: 22470	TestNo: E200.7	SW3005A	Analysis Date: 8/7/2008	SeqNo: 488349						
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Iron	2.31	0.0200	1.000	1.359	95.0	68	122				

Sample ID: 0808058-03B-MSD	SampType: MSD	TestCode: FE_T	Units: mg/L	Prep Date: 8/5/2008	RunNo: 37422						
Client ID: WQ073008:1250NP2	Batch ID: 22470	TestNo: E200.7	SW3005A	Analysis Date: 8/7/2008	SeqNo: 488350						
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Iron	2.32	0.0200	1.000	1.359	95.7	68	122	2.309	0.340	20	

Sample ID: PBW-080508C	SampType: MBLK	TestCode: FE_T	Units: mg/L	Prep Date: 8/5/2008	RunNo: 37422						
Client ID: PBW	Batch ID: 22470	TestNo: E200.7	SW3005A	Analysis Date: 8/7/2008	SeqNo: 488355						
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Iron	U	0.0200									

Sample ID: LCSW-080508C	SampType: LCS	TestCode: FE_T	Units: mg/L	Prep Date: 8/5/2008	RunNo: 37422						
Client ID: LCSW	Batch ID: 22470	TestNo: E200.7	SW3005A	Analysis Date: 8/7/2008	SeqNo: 488357						
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Iron	1.97	0.0200	2.000	0	98.5	68	122				

Qualifiers:	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation li
	LOD	Limit of Detection	LOQ	Limit of Quantitation	ND	Not Detected at the Reporting Limit
	R	RPD outside accepted recovery limits	S	Spike Recovery outside accepted recovery limits	U	Indicates the compound was analyzed

CLIENT: Leggette Brashers & Graham Inc.
Work Order: 0808058
Project: Rowe

ANALYTICAL QC SUMMARY REPORT

TestCode: TDS_W

Sample ID: MB-R37380	SampleType: MBLK	TestCode: TDS_W	Units: mg/L	Prep Date:	RunNo: 37380						
Client ID: PBW	Batch ID: R37380	TestNo: M2540C		Analysis Date: 8/5/2008	SeqNo: 487375						
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual

Total Dissolved Solids (Residue, Filtera U 1.00

Qualifiers: E Value above quantitation range
LOD Limit of Detection
R RPD outside accepted recovery limits

H Holding times for preparation or analysis exceeded
LOQ Limit of Quantitation
S Spike Recovery outside accepted recovery limits

J Analyte detected below quantitation li
ND Not Detected at the Reporting Limit
U Indicates the compound was analyzed

Friday, August 08, 2008

Mark Goldberg
Leggette Brashears & Graham Inc.
4 Research Drive
Suite 301
Shelton, CT 06484

TEL: (203) 929-8555

FAX (203) 926-9140

RE: Rowe

Order No.: 0808056

Dear Mark Goldberg:

American Analytical Laboratories, LLC. received 8 sample(s) on 8/5/2008 for the analyses presented in the following report.


Samples were analyzed in accordance with the test procedures documented on the chain of custody and detailed throughout the text of this report.

The results reported herein relate only to the items tested or to the samples as received by the laboratory. This report may not be reproduced, except in full, without the approval of American Analytical Laboratories, LLC and is not considered complete without a cover page and chain of custody documentation. The limits (LOQ) provided in the data package are analytical reporting limits and not Federal or Local mandated values to which the sample results should be compared.

There were no problems with the analyses and all data for associated QC met laboratory specifications. If there are any exceptions a Case Narrative is provided in the report. This package has been reviewed by American Analytical Laboratories' QA Department/Laboratory Director to comply with NELAC standards prior to report submittal.

If you have any questions regarding these tests results, please do not hesitate to call (631) 454-6100 or email me directly at lbeyer@american-analytical.com.

Sincerely,



Lori Beyer
Lab Director

American Analytical Laboratories, LLC.

Date: 08-Aug-08

CLIENT: Leggette Brashears & Graham Inc.
Project: Rowe
Lab Order: 0808056

Work Order Sample Summary

Lab Sample ID	Client Sample ID	Date Collected	Date Received
0808056-01A	GWQ073008:1030NP1-1-2	7/30/2008 10:30:00 AM	8/5/2008
0808056-01B	GWQ073008:1030NP1-1-2	7/30/2008 10:30:00 AM	8/5/2008
0808056-01C	GWQ073008:1030NP1-1-2	7/30/2008 10:30:00 AM	8/5/2008
0808056-02A	GWQ073008:1040NP1-1-3	7/30/2008 10:40:00 AM	8/5/2008
0808056-02B	GWQ073008:1040NP1-1-3	7/30/2008 10:40:00 AM	8/5/2008
0808056-02C	GWQ073008:1040NP1-1-3	7/30/2008 10:40:00 AM	8/5/2008
0808056-03A	GWQ073008:1050NP1-1-4	7/30/2008 10:50:00 AM	8/5/2008
0808056-03B	GWQ073008:1050NP1-1-4	7/30/2008 10:50:00 AM	8/5/2008
0808056-03C	GWQ073008:1050NP1-1-4	7/30/2008 10:50:00 AM	8/5/2008
0808056-04A	GWQ073008:1100NP1-1-5	7/30/2008 11:00:00 AM	8/5/2008
0808056-04B	GWQ073008:1100NP1-1-5	7/30/2008 11:00:00 AM	8/5/2008
0808056-04C	GWQ073008:1100NP1-1-5	7/30/2008 11:00:00 AM	8/5/2008
0808056-05A	GWQ073008:1110NP1-1-6	7/30/2008 11:10:00 AM	8/5/2008
0808056-05B	GWQ073008:1110NP1-1-6	7/30/2008 11:10:00 AM	8/5/2008
0808056-05C	GWQ073008:1110NP1-1-6	7/30/2008 11:10:00 AM	8/5/2008
0808056-06A	GWQ073008:1120NP1-1-7	7/30/2008 11:20:00 AM	8/5/2008
0808056-06B	GWQ073008:1120NP1-1-7	7/30/2008 11:20:00 AM	8/5/2008
0808056-06C	GWQ073008:1120NP1-1-7	7/30/2008 11:20:00 AM	8/5/2008
0808056-07A	GWQ073008:1130NP1-1-8	7/30/2008 11:30:00 AM	8/5/2008
0808056-07B	GWQ073008:1130NP1-1-8	7/30/2008 11:30:00 AM	8/5/2008
0808056-07C	GWQ073008:1130NP1-1-8	7/30/2008 11:30:00 AM	8/5/2008
0808056-08A	GWQ073008:1140NP1-1-9	7/30/2008 11:40:00 AM	8/5/2008
0808056-08B	GWQ073008:1140NP1-1-9	7/30/2008 11:40:00 AM	8/5/2008
0808056-08C	GWQ073008:1140NP1-1-9	7/30/2008 11:40:00 AM	8/5/2008

CONTACT:	SAMPLER (SIGNATURE)
----------	---------------------

WHITE-OFFICE / CANARY-LAB / PINK-SAMPLE CUSTODIAN / GOLDENROD-CLIENT

AMERICAN ANALYTICAL LABORATORIES, LLC

56 TOLEDO STREET

FARMINGDALE, NEW YORK 11735

TELEPHONE: (631) 454-6100 FAX: (631) 454-8027

DATA REPORTING QUALIFIERS

For reporting results, the following "Results Qualifiers" are used:

Value	If the result is greater than or equal to the detection limit, report the value.
U	Indicates the compound was analyzed for but was not detected. Report the minimum detection limit for the sample with the U, i.e. "10U". This is not necessarily the instrument detection limit attainable for this particular sample based on any concentration or dilution that may have been required.
J	Indicates an estimated value. The flag is used: (1) When estimating a concentration for a tentatively identified compound (library search hits, where a 1:1 response is assumed.) (2) When the mass spectral data indicated the identification, however the result was less than the specified detection limit greater than zero. If the detection limit was 10ug/L and a concentration of 3ug/L was calculated report as 3J. This flag is used when similar situations arise on any organic parameter i.e. Pesticide, PCBs and others.
B	Indicates the analyte was found in the blank as well as the sample report "10B".
E	Indicates the analytes concentration exceeds the calibrated range of the instrument for that specific analysis.
D	This flag identifies all compounds identified in an analysis at a secondary dilution factor.
P	This flag is used for Pesticide / PCB target analyte when there is >25% difference for detected concentrations between the two GC Columns. The higher of the two values is reported on Form I and flagged with a "P".
N	This flag indicates presumptive evidence of a compound. This is only used for tentatively identified compounds (TICs), where the identification is based on a mass spectral library search. It applies to all TIC results. For generic characterization of a TIC, such as chlorinated hydrocarbon, the flag is not used.
H	Indicates sample was received and/or analyzed outside of the method allowable holding time.

American Analytical Laboratories, LLC.

Date: 08-Aug-08

ELAP ID : 11418

CLIENT: Leggette Brashears & Graham Inc.

Client Sample ID: GWQ073008:1030NP1-1-2

Lab Order: 0808056

Collection Date: 7/30/2008 10:30:00 AM

Project: Rowe

Matrix: LIQUID

Lab ID: 0808056-01A

Certificate of Results

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
VOLATILE SW-846 8260 + MTBE & FREON113			SW8260B			Analyst: LA	
1,1,1,2-Tetrachloroethane	U	0.09	1.0		µg/L	1	8/7/2008 5:57:00 PM
1,1,1-Trichloroethane	1.5	0.17	1.0		µg/L	1	8/7/2008 5:57:00 PM
1,1,2,2-Tetrachloroethane	U	0.06	1.0		µg/L	1	8/7/2008 5:57:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	U	0.13	1.0		µg/L	1	8/7/2008 5:57:00 PM
1,1,2-Trichloroethane	U	0.07	1.0		µg/L	1	8/7/2008 5:57:00 PM
1,1-Dichloroethane	U	0.11	1.0		µg/L	1	8/7/2008 5:57:00 PM
1,1-Dichloroethene	U	0.15	1.0		µg/L	1	8/7/2008 5:57:00 PM
1,1-Dichloropropene	U	0.12	1.0		µg/L	1	8/7/2008 5:57:00 PM
1,2,3-Trichlorobenzene	U	0.07	1.0		µg/L	1	8/7/2008 5:57:00 PM
1,2,3-Trichloropropane	U	0.08	1.0		µg/L	1	8/7/2008 5:57:00 PM
1,2,4-Trichlorobenzene	U	0.07	1.0		µg/L	1	8/7/2008 5:57:00 PM
1,2,4-Trimethylbenzene	U	0.09	1.0		µg/L	1	8/7/2008 5:57:00 PM
1,2-Dibromo-3-chloropropane	U	0.09	1.0	C	µg/L	1	8/7/2008 5:57:00 PM
1,2-Dibromoethane	U	0.06	1.0		µg/L	1	8/7/2008 5:57:00 PM
1,2-Dichlorobenzene	U	0.08	1.0		µg/L	1	8/7/2008 5:57:00 PM
1,2-Dichloroethane	U	0.08	1.0		µg/L	1	8/7/2008 5:57:00 PM
1,2-Dichloropropane	U	0.1	1.0		µg/L	1	8/7/2008 5:57:00 PM
1,3,5-Trimethylbenzene	U	0.11	1.0		µg/L	1	8/7/2008 5:57:00 PM
1,3-Dichlorobenzene	U	0.08	1.0		µg/L	1	8/7/2008 5:57:00 PM
1,3-dichloropropane	U	0.08	1.0		µg/L	1	8/7/2008 5:57:00 PM
1,4-Dichlorobenzene	U	0.08	1.0		µg/L	1	8/7/2008 5:57:00 PM
2,2-Dichloropropane	U	0.11	1.0		µg/L	1	8/7/2008 5:57:00 PM
2-Butanone	U	1.28	3.0		µg/L	1	8/7/2008 5:57:00 PM
2-Chloroethyl vinyl ether	U	0.08	1.0	C	µg/L	1	8/7/2008 5:57:00 PM
2-Chlorotoluene	U	0.09	1.0		µg/L	1	8/7/2008 5:57:00 PM
2-Hexanone	U	0.22	2.0		µg/L	1	8/7/2008 5:57:00 PM
4-Chlorotoluene	U	0.09	1.0		µg/L	1	8/7/2008 5:57:00 PM
4-Isopropyltoluene	U	0.1	1.0		µg/L	1	8/7/2008 5:57:00 PM
4-Methyl-2-pentanone	U	0.21	2.0		µg/L	1	8/7/2008 5:57:00 PM
Acetone	U	0.19	2.0		µg/L	1	8/7/2008 5:57:00 PM
Benzene	U	0.11	1.0		µg/L	1	8/7/2008 5:57:00 PM
Bromobenzene	U	0.07	1.0		µg/L	1	8/7/2008 5:57:00 PM
Bromochloromethane	U	0.4	1.0		µg/L	1	8/7/2008 5:57:00 PM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735

Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



Qualifiers:	*	Value exceeds Maximum Contaminant Level	B	Analyte detected in the associated Method Blank
	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded
	J	Analyte detected below quantitation limits	LOD	Limit of Detection
	LOQ	Limit of Quantitation	ND	Not Detected at the Reporting Limit
	S	Spike Recovery outside accepted recovery limits	U	Indicates the compound was analyzed but not detected.
	C	Calibration %RSD/%D exceeded for non-CCC analytes		

American Analytical Laboratories, LLC.

Date: 08-Aug-08

ELAP ID : 11418

CLIENT: Leggette Brashears & Graham Inc.
Lab Order: 0808056
Project: Rowe
Lab ID: 0808056-01A

Client Sample ID: GWQ073008:1030NP1-1-2
Collection Date: 7/30/2008 10:30:00 AM
Matrix: LIQUID

Certificate of Results

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
VOLATILE SW-846 8260 + MTBE & FREON113			SW8260B			Analyst: LA	
Bromodichloromethane	U	0.08	1.0		µg/L	1	8/7/2008 5:57:00 PM
Bromoform	U	0.06	1.0		µg/L	1	8/7/2008 5:57:00 PM
Bromomethane	U	0.17	1.0	C	µg/L	1	8/7/2008 5:57:00 PM
Carbon disulfide	U	0.14	1.0		µg/L	1	8/7/2008 5:57:00 PM
Carbon tetrachloride	U	0.16	1.0		µg/L	1	8/7/2008 5:57:00 PM
Chlorobenzene	U	0.09	1.0		µg/L	1	8/7/2008 5:57:00 PM
Chloroethane	U	0.16	1.0		µg/L	1	8/7/2008 5:57:00 PM
Chloroform	U	0.1	1.0		µg/L	1	8/7/2008 5:57:00 PM
Chloromethane	U	0.18	1.0	C	µg/L	1	8/7/2008 5:57:00 PM
cis-1,2-Dichloroethene	U	0.11	1.0		µg/L	1	8/7/2008 5:57:00 PM
cis-1,3-Dichloropropene	U	0.08	1.0		µg/L	1	8/7/2008 5:57:00 PM
Dibromochloromethane	U	0.07	1.0		µg/L	1	8/7/2008 5:57:00 PM
Dibromomethane	U	0.07	1.0		µg/L	1	8/7/2008 5:57:00 PM
Dichlorodifluoromethane	U	0.15	1.0	C	µg/L	1	8/7/2008 5:57:00 PM
Ethylbenzene	U	0.1	1.0		µg/L	1	8/7/2008 5:57:00 PM
Hexachlorobutadiene	U	0.12	1.0		µg/L	1	8/7/2008 5:57:00 PM
Isopropylbenzene	U	0.11	1.0		µg/L	1	8/7/2008 5:57:00 PM
m,p-Xylene	U	0.2	2.0		µg/L	1	8/7/2008 5:57:00 PM
Methyl tert-butyl ether	U	0.08	1.0	C	µg/L	1	8/7/2008 5:57:00 PM
Methylene chloride	U	0.08	1.0	C	µg/L	1	8/7/2008 5:57:00 PM
Naphthalene	U	0.08	1.0		µg/L	1	8/7/2008 5:57:00 PM
n-Butylbenzene	U	0.11	1.0		µg/L	1	8/7/2008 5:57:00 PM
n-Propylbenzene	U	0.11	1.0		µg/L	1	8/7/2008 5:57:00 PM
o-Xylene	U	0.1	1.0		µg/L	1	8/7/2008 5:57:00 PM
sec-Butylbenzene	U	0.1	1.0		µg/L	1	8/7/2008 5:57:00 PM
Styrene	U	0.08	1.0		µg/L	1	8/7/2008 5:57:00 PM
tert-Butylbenzene	U	0.1	1.0		µg/L	1	8/7/2008 5:57:00 PM
Tetrachloroethene	1.4	0.12	1.0		µg/L	1	8/7/2008 5:57:00 PM
Toluene	U	0.12	1.0		µg/L	1	8/7/2008 5:57:00 PM
trans-1,2-Dichloroethene	U	0.12	1.0		µg/L	1	8/7/2008 5:57:00 PM
trans-1,3-Dichloropropene	U	0.07	1.0		µg/L	1	8/7/2008 5:57:00 PM
Trichloroethene	U	0.13	1.0		µg/L	1	8/7/2008 5:57:00 PM
Trichlorofluoromethane	U	0.15	1.0		µg/L	1	8/7/2008 5:57:00 PM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735
Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



Qualifiers:	*	Value exceeds Maximum Contaminant Level	B	Analyte detected in the associated Method Blank
	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded
	J	Analyte detected below quantitation limits	LOD	Limit of Detection
	LOQ	Limit of Quantitation	ND	Not Detected at the Reporting Limit
	S	Spike Recovery outside accepted recovery limits	U	Indicates the compound was analyzed but not detected.
	C	Calibration %RSD/%D exceeded for non-CCC analytes		

American Analytical Laboratories, LLC.

Date: 08-Aug-08

ELAP ID : 11418

CLIENT: Leggette Brashears & Graham Inc.

Client Sample ID: GWQ073008:1030NP1-1-2

Lab Order: 0808056

Collection Date: 7/30/2008 10:30:00 AM

Project: Rowe

Matrix: LIQUID

Lab ID: 0808056-01A

Certificate of Results

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
VOLATILE SW-846 8260 + MTBE & FREON113			SW8260B		Analyst: LA		
Vinyl acetate	U	0.06	1.0		µg/L	1	8/7/2008 5:57:00 PM
Vinyl chloride	U	0.14	1.0		µg/L	1	8/7/2008 5:57:00 PM
Surr: 4-Bromofluorobenzene	100	0	54-134		%REC	1	8/7/2008 5:57:00 PM
Surr: Dibromofluoromethane	104	0	52-132		%REC	1	8/7/2008 5:57:00 PM
Surr: Toluene-d8	92.0	0	51-127		%REC	1	8/7/2008 5:57:00 PM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735

Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



Qualifiers:	*	Value exceeds Maximum Contaminant Level	B	Analyte detected in the associated Method Blank
	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded
	J	Analyte detected below quantitation limits	LOD	Limit of Detection
	LOQ	Limit of Quantitation	ND	Not Detected at the Reporting Limit
	S	Spike Recovery outside accepted recovery limits	U	Indicates the compound was analyzed but not detected.
	C	Calibration %RSD/%D exceeded for non-CCC analytes		

American Analytical Laboratories, LLC.

Date: 08-Aug-08

ELAP ID : 11418

CLIENT: Leggette Brashears & Graham Inc.

Client Sample ID: GWQ073008:1030NP1-1-2

Lab Order: 0808056

Collection Date: 7/30/2008 10:30:00 AM

Project: Rowe

Matrix: LIQUID

Lab ID: 0808056-01B

Certificate of Results

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
TOTAL IRON			E200.7		SW3005A		Analyst: JP
Iron	2.47	0.005	0.0200		mg/L	1	8/7/2008 10:08:12 AM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735

Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



Qualifiers:	*	Value exceeds Maximum Contaminant Level	B	Analyte detected in the associated Method Blank
	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded
	J	Analyte detected below quantitation limits	LOD	Limit of Detection
	LOQ	Limit of Quantitation	ND	Not Detected at the Reporting Limit
	S	Spike Recovery outside accepted recovery limits	U	Indicates the compound was analyzed but not detected.
	C	Calibration %RSD/%D exceeded for non-CCC analytes		

American Analytical Laboratories, LLC.

Date: 08-Aug-08

ELAP ID : 11418

CLIENT: Leggette Brashears & Graham Inc.

Client Sample ID: GWQ073008:1030NP1-1-2

Lab Order: 0808056

Collection Date: 7/30/2008 10:30:00 AM

Project: Rowe

Matrix: LIQUID

Lab ID: 0808056-01C

Certificate of Results

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
DISSOLVED IRON				E200.7	SW3005A		Analyst: JP
Iron	0.318	0.005	0.0200		mg/L	1	8/7/2008 10:06:09 AM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735

Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



Qualifiers:	*	Value exceeds Maximum Contaminant Level	B	Analyte detected in the associated Method Blank
	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded
	J	Analyte detected below quantitation limits	LOD	Limit of Detection
	LOQ	Limit of Quantitation	ND	Not Detected at the Reporting Limit
	S	Spike Recovery outside accepted recovery limits	U	Indicates the compound was analyzed but not detected.
	C	Calibration %RSD/%D exceeded for non-CCC analytes		

American Analytical Laboratories, LLC.

Date: 08-Aug-08

ELAP ID : 11418

CLIENT: Leggette Brashears & Graham Inc.

Client Sample ID: GWQ073008:1040NP1-1-3

Lab Order: 0808056

Collection Date: 7/30/2008 10:40:00 AM

Project: Rowe

Matrix: LIQUID

Lab ID: 0808056-02A

Certificate of Results

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
VOLATILE SW-846 8260 + MTBE & FREON113			SW8260B			Analyst: LA	
1,1,1,2-Tetrachloroethane	U	0.09	1.0		µg/L	1	8/7/2008 6:31:00 PM
1,1,1-Trichloroethane	U	0.17	1.0		µg/L	1	8/7/2008 6:31:00 PM
1,1,2,2-Tetrachloroethane	U	0.06	1.0		µg/L	1	8/7/2008 6:31:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	U	0.13	1.0		µg/L	1	8/7/2008 6:31:00 PM
1,1,2-Trichloroethane	U	0.07	1.0		µg/L	1	8/7/2008 6:31:00 PM
1,1-Dichloroethane	U	0.11	1.0		µg/L	1	8/7/2008 6:31:00 PM
1,1-Dichloroethene	U	0.15	1.0		µg/L	1	8/7/2008 6:31:00 PM
1,1-Dichloropropene	U	0.12	1.0		µg/L	1	8/7/2008 6:31:00 PM
1,2,3-Trichlorobenzene	U	0.07	1.0		µg/L	1	8/7/2008 6:31:00 PM
1,2,3-Trichloropropane	U	0.08	1.0		µg/L	1	8/7/2008 6:31:00 PM
1,2,4-Trichlorobenzene	U	0.07	1.0		µg/L	1	8/7/2008 6:31:00 PM
1,2,4-Trimethylbenzene	U	0.09	1.0	C	µg/L	1	8/7/2008 6:31:00 PM
1,2-Dibromo-3-chloropropane	U	0.09	1.0		µg/L	1	8/7/2008 6:31:00 PM
1,2-Dibromoethane	U	0.06	1.0		µg/L	1	8/7/2008 6:31:00 PM
1,2-Dichlorobenzene	U	0.08	1.0		µg/L	1	8/7/2008 6:31:00 PM
1,2-Dichloroethane	U	0.08	1.0		µg/L	1	8/7/2008 6:31:00 PM
1,2-Dichloropropane	U	0.1	1.0		µg/L	1	8/7/2008 6:31:00 PM
1,3,5-Trimethylbenzene	U	0.11	1.0		µg/L	1	8/7/2008 6:31:00 PM
1,3-Dichlorobenzene	U	0.08	1.0		µg/L	1	8/7/2008 6:31:00 PM
1,3-dichloropropane	U	0.08	1.0		µg/L	1	8/7/2008 6:31:00 PM
1,4-Dichlorobenzene	U	0.08	1.0		µg/L	1	8/7/2008 6:31:00 PM
2,2-Dichloropropane	U	0.11	1.0	C	µg/L	1	8/7/2008 6:31:00 PM
2-Butanone	U	1.28	3.0		µg/L	1	8/7/2008 6:31:00 PM
2-Chloroethyl vinyl ether	U	0.08	1.0		µg/L	1	8/7/2008 6:31:00 PM
2-Chlorotoluene	U	0.09	1.0		µg/L	1	8/7/2008 6:31:00 PM
2-Hexanone	U	0.22	2.0		µg/L	1	8/7/2008 6:31:00 PM
4-Chlorotoluene	U	0.09	1.0		µg/L	1	8/7/2008 6:31:00 PM
4-Isopropyltoluene	U	0.1	1.0		µg/L	1	8/7/2008 6:31:00 PM
4-Methyl-2-pentanone	U	0.21	2.0		µg/L	1	8/7/2008 6:31:00 PM
Acetone	U	0.19	2.0		µg/L	1	8/7/2008 6:31:00 PM
Benzene	U	0.11	1.0		µg/L	1	8/7/2008 6:31:00 PM
Bromobenzene	U	0.07	1.0		µg/L	1	8/7/2008 6:31:00 PM
Bromochloromethane	U	0.4	1.0		µg/L	1	8/7/2008 6:31:00 PM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735

Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



Qualifiers:	* Value exceeds Maximum Contaminant Level	B Analyte detected in the associated Method Blank
	E Value above quantitation range	H Holding times for preparation or analysis exceeded
	J Analyte detected below quantitation limits	LOD Limit of Detection
	LOQ Limit of Quantitation	ND Not Detected at the Reporting Limit
	S Spike Recovery outside accepted recovery limits	U Indicates the compound was analyzed but not detected.
	C Calibration %RSD/%D exceeded for non-CCC analytes	

American Analytical Laboratories, LLC.

Date: 08-Aug-08

ELAP ID : 11418

CLIENT: Leggette Brashears & Graham Inc.

Client Sample ID: GWQ073008:1040NP1-1-3

Lab Order: 0808056

Collection Date: 7/30/2008 10:40:00 AM

Project: Rowe

Matrix: LIQUID

Lab ID: 0808056-02A

Certificate of Results

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
VOLATILE SW-846 8260 + MTBE & FREON113			SW8260B			Analyst: LA	
Bromodichloromethane	U	0.08	1.0		µg/L	1	8/7/2008 6:31:00 PM
Bromoform	U	0.06	1.0		µg/L	1	8/7/2008 6:31:00 PM
Bromomethane	U	0.17	1.0		µg/L	1	8/7/2008 6:31:00 PM
Carbon disulfide	U	0.14	1.0	C	µg/L	1	8/7/2008 6:31:00 PM
Carbon tetrachloride	U	0.16	1.0		µg/L	1	8/7/2008 6:31:00 PM
Chlorobenzene	U	0.09	1.0		µg/L	1	8/7/2008 6:31:00 PM
Chloroethane	U	0.16	1.0		µg/L	1	8/7/2008 6:31:00 PM
Chloroform	U	0.1	1.0		µg/L	1	8/7/2008 6:31:00 PM
Chloromethane	U	0.18	1.0		µg/L	1	8/7/2008 6:31:00 PM
cis-1,2-Dichloroethene	U	0.11	1.0		µg/L	1	8/7/2008 6:31:00 PM
cis-1,3-Dichloropropene	U	0.08	1.0		µg/L	1	8/7/2008 6:31:00 PM
Dibromochloromethane	U	0.07	1.0		µg/L	1	8/7/2008 6:31:00 PM
Dibromomethane	U	0.07	1.0		µg/L	1	8/7/2008 6:31:00 PM
Dichlorodifluoromethane	U	0.15	1.0	C	µg/L	1	8/7/2008 6:31:00 PM
Ethylbenzene	U	0.1	1.0		µg/L	1	8/7/2008 6:31:00 PM
Hexachlorobutadiene	U	0.12	1.0		µg/L	1	8/7/2008 6:31:00 PM
Isopropylbenzene	U	0.11	1.0		µg/L	1	8/7/2008 6:31:00 PM
m,p-Xylene	U	0.2	2.0		µg/L	1	8/7/2008 6:31:00 PM
Methyl tert-butyl ether	U	0.08	1.0		µg/L	1	8/7/2008 6:31:00 PM
Methylene chloride	U	0.08	1.0		µg/L	1	8/7/2008 6:31:00 PM
Naphthalene	U	0.08	1.0		µg/L	1	8/7/2008 6:31:00 PM
n-Butylbenzene	U	0.11	1.0		µg/L	1	8/7/2008 6:31:00 PM
n-Propylbenzene	U	0.11	1.0	C	µg/L	1	8/7/2008 6:31:00 PM
o-Xylene	U	0.1	1.0		µg/L	1	8/7/2008 6:31:00 PM
sec-Butylbenzene	U	0.1	1.0	C	µg/L	1	8/7/2008 6:31:00 PM
Styrene	U	0.08	1.0		µg/L	1	8/7/2008 6:31:00 PM
tert-Butylbenzene	U	0.1	1.0	C	µg/L	1	8/7/2008 6:31:00 PM
Tetrachloroethene	U	0.12	1.0		µg/L	1	8/7/2008 6:31:00 PM
Toluene	U	0.12	1.0		µg/L	1	8/7/2008 6:31:00 PM
trans-1,2-Dichloroethene	U	0.12	1.0		µg/L	1	8/7/2008 6:31:00 PM
trans-1,3-Dichloropropene	U	0.07	1.0		µg/L	1	8/7/2008 6:31:00 PM
Trichloroethene	U	0.13	1.0		µg/L	1	8/7/2008 6:31:00 PM
Trichlorofluoromethane	U	0.15	1.0		µg/L	1	8/7/2008 6:31:00 PM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735

Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



Qualifiers:	* Value exceeds Maximum Contaminant Level	B Analyte detected in the associated Method Blank
	E Value above quantitation range	H Holding times for preparation or analysis exceeded
	J Analyte detected below quantitation limits	LOD Limit of Detection
	LOQ Limit of Quantitation	ND Not Detected at the Reporting Limit
	S Spike Recovery outside accepted recovery limits	U Indicates the compound was analyzed but not detected.
	C Calibration %RSD/%D exceeded for non-CCC analytes	

American Analytical Laboratories, LLC.

Date: 08-Aug-08

ELAP ID : 11418

CLIENT: Leggette Brashears & Graham Inc.
Lab Order: 0808056
Project: Rowe
Lab ID: 0808056-02A

Client Sample ID: GWQ073008:1040NP1-1-3
Collection Date: 7/30/2008 10:40:00 AM
Matrix: LIQUID

Certificate of Results

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
VOLATILE SW-846 8260 + MTBE & FREON113			SW8260B			Analyst: LA	
Vinyl acetate	U	0.06	1.0		µg/L	1	8/7/2008 6:31:00 PM
Vinyl chloride	U	0.14	1.0		µg/L	1	8/7/2008 6:31:00 PM
Surr: 4-Bromofluorobenzene	97.6	0	54-134		%REC	1	8/7/2008 6:31:00 PM
Surr: Dibromofluoromethane	97.6	0	52-132		%REC	1	8/7/2008 6:31:00 PM
Surr: Toluene-d8	93.0	0	51-127		%REC	1	8/7/2008 6:31:00 PM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735
Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



Qualifiers:	*	Value exceeds Maximum Contaminant Level	B	Analyte detected in the associated Method Blank
	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded
	J	Analyte detected below quantitation limits	LOD	Limit of Detection
	LOQ	Limit of Quantitation	ND	Not Detected at the Reporting Limit
	S	Spike Recovery outside accepted recovery limits	U	Indicates the compound was analyzed but not detected.
	C	Calibration %RSD/%D exceeded for non-CCC analytes		

American Analytical Laboratories, LLC.

Date: 08-Aug-08

ELAP ID : 11418

CLIENT: Leggette Brashears & Graham Inc.

Client Sample ID: GWQ073008:1040NP1-1-3

Lab Order: 0808056

Collection Date: 7/30/2008 10:40:00 AM

Project: Rowe

Matrix: LIQUID

Lab ID: 0808056-02B

Certificate of Results

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
TOTAL IRON				E200.7	SW3005A		Analyst: JP
Iron	1.92	0.005	0.0200		mg/L	1	8/7/2008 10:22:08 AM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735

Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



Qualifiers: * Value exceeds Maximum Contaminant Level

B Analyte detected in the associated Method Blank

E Value above quantitation range

H Holding times for preparation or analysis exceeded

J Analyte detected below quantitation limits

LOD Limit of Detection

LOQ Limit of Quantitation

ND Not Detected at the Reporting Limit

S Spike Recovery outside accepted recovery limits

U Indicates the compound was analyzed but not detected.

C Calibration %RSD/%D exceeded for non-CCC analytes

American Analytical Laboratories, LLC.

Date: 08-Aug-08

ELAP ID : 11418

CLIENT: Leggette Brashears & Graham Inc.

Client Sample ID: GWQ073008:1040NP1-1-3

Lab Order: 0808056

Collection Date: 7/30/2008 10:40:00 AM

Project: Rowe

Matrix: LIQUID

Lab ID: 0808056-02C

Certificate of Results

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
DISSOLVED IRON				E200.7	SW3005A		Analyst: JP
Iron	1.63	0.005	0.0200		mg/L	1	8/7/2008 10:20:04 AM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735

Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



Qualifiers:	*	Value exceeds Maximum Contaminant Level	B	Analyte detected in the associated Method Blank
	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded
	J	Analyte detected below quantitation limits	LOD	Limit of Detection
	LOQ	Limit of Quantitation	ND	Not Detected at the Reporting Limit
	S	Spike Recovery outside accepted recovery limits	U	Indicates the compound was analyzed but not detected.
	C	Calibration %RSD/%D exceeded for non-CCC analytes		

American Analytical Laboratories, LLC.

Date: 08-Aug-08

ELAP ID : 11418

CLIENT: Leggette Brashears & Graham Inc.

Client Sample ID: GWQ073008:1050NP1-1-4

Lab Order: 0808056

Collection Date: 7/30/2008 10:50:00 AM

Project: Rowe

Matrix: LIQUID

Lab ID: 0808056-03A

Certificate of Results

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
VOLATILE SW-846 8260 + MTBE & FREON113			SW8260B			Analyst: LA	
1,1,1,2-Tetrachloroethane	U	0.09	1.0		µg/L	1	8/7/2008 7:00:00 PM
1,1,1-Trichloroethane	3.0	0.17	1.0		µg/L	1	8/7/2008 7:00:00 PM
1,1,2,2-Tetrachloroethane	U	0.06	1.0		µg/L	1	8/7/2008 7:00:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	U	0.13	1.0		µg/L	1	8/7/2008 7:00:00 PM
1,1,2-Trichloroethane	U	0.07	1.0		µg/L	1	8/7/2008 7:00:00 PM
1,1-Dichloroethane	U	0.11	1.0		µg/L	1	8/7/2008 7:00:00 PM
1,1-Dichloroethene	U	0.15	1.0		µg/L	1	8/7/2008 7:00:00 PM
1,1-Dichloropropene	U	0.12	1.0		µg/L	1	8/7/2008 7:00:00 PM
1,2,3-Trichlorobenzene	U	0.07	1.0		µg/L	1	8/7/2008 7:00:00 PM
1,2,3-Trichloropropane	U	0.08	1.0		µg/L	1	8/7/2008 7:00:00 PM
1,2,4-Trichlorobenzene	U	0.07	1.0		µg/L	1	8/7/2008 7:00:00 PM
1,2,4-Trimethylbenzene	U	0.09	1.0		µg/L	1	8/7/2008 7:00:00 PM
1,2-Dibromo-3-chloropropane	U	0.09	1.0	C	µg/L	1	8/7/2008 7:00:00 PM
1,2-Dibromoethane	U	0.06	1.0		µg/L	1	8/7/2008 7:00:00 PM
1,2-Dichlorobenzene	U	0.08	1.0		µg/L	1	8/7/2008 7:00:00 PM
1,2-Dichloroethane	U	0.08	1.0		µg/L	1	8/7/2008 7:00:00 PM
1,2-Dichloropropane	U	0.1	1.0		µg/L	1	8/7/2008 7:00:00 PM
1,3,5-Trimethylbenzene	U	0.11	1.0		µg/L	1	8/7/2008 7:00:00 PM
1,3-Dichlorobenzene	U	0.08	1.0		µg/L	1	8/7/2008 7:00:00 PM
1,3-dichloropropane	U	0.08	1.0		µg/L	1	8/7/2008 7:00:00 PM
1,4-Dichlorobenzene	U	0.08	1.0		µg/L	1	8/7/2008 7:00:00 PM
2,2-Dichloropropane	U	0.11	1.0		µg/L	1	8/7/2008 7:00:00 PM
2-Butanone	U	1.28	3.0		µg/L	1	8/7/2008 7:00:00 PM
2-Chloroethyl vinyl ether	U	0.08	1.0	C	µg/L	1	8/7/2008 7:00:00 PM
2-Chlorotoluene	U	0.09	1.0		µg/L	1	8/7/2008 7:00:00 PM
2-Hexanone	U	0.22	2.0		µg/L	1	8/7/2008 7:00:00 PM
4-Chlorotoluene	U	0.09	1.0		µg/L	1	8/7/2008 7:00:00 PM
4-Isopropyltoluene	U	0.1	1.0		µg/L	1	8/7/2008 7:00:00 PM
4-Methyl-2-pentanone	U	0.21	2.0		µg/L	1	8/7/2008 7:00:00 PM
Acetone	U	0.19	2.0		µg/L	1	8/7/2008 7:00:00 PM
Benzene	U	0.11	1.0		µg/L	1	8/7/2008 7:00:00 PM
Bromobenzene	U	0.07	1.0		µg/L	1	8/7/2008 7:00:00 PM
Bromochloromethane	U	0.4	1.0		µg/L	1	8/7/2008 7:00:00 PM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735

Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



Qualifiers:	* Value exceeds Maximum Contaminant Level	B Analyte detected in the associated Method Blank
	E Value above quantitation range	H Holding times for preparation or analysis exceeded
	J Analyte detected below quantitation limits	LOD Limit of Detection
	LOQ Limit of Quantitation	ND Not Detected at the Reporting Limit
	S Spike Recovery outside accepted recovery limits	U Indicates the compound was analyzed but not detected.
	C Calibration %RSD/%D exceeded for non-CCC analytes	

American Analytical Laboratories, LLC.

Date: 08-Aug-08

ELAP ID : 11418

CLIENT: Leggette Brashears & Graham Inc.

Client Sample ID: GWQ073008:1050NP1-1-4

Lab Order: 0808056

Collection Date: 7/30/2008 10:50:00 AM

Project: Rowe

Matrix: LIQUID

Lab ID: 0808056-03A

Certificate of Results

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
VOLATILE SW-846 8260 + MTBE & FREON113			SW8260B			Analyst: LA	
Bromodichloromethane	U	0.08	1.0		µg/L	1	8/7/2008 7:00:00 PM
Bromoform	U	0.06	1.0		µg/L	1	8/7/2008 7:00:00 PM
Bromomethane	U	0.17	1.0	C	µg/L	1	8/7/2008 7:00:00 PM
Carbon disulfide	U	0.14	1.0		µg/L	1	8/7/2008 7:00:00 PM
Carbon tetrachloride	U	0.16	1.0		µg/L	1	8/7/2008 7:00:00 PM
Chlorobenzene	U	0.09	1.0		µg/L	1	8/7/2008 7:00:00 PM
Chloroethane	U	0.16	1.0		µg/L	1	8/7/2008 7:00:00 PM
Chloroform	U	0.1	1.0		µg/L	1	8/7/2008 7:00:00 PM
Chloromethane	U	0.18	1.0	C	µg/L	1	8/7/2008 7:00:00 PM
cis-1,2-Dichloroethene	U	0.11	1.0		µg/L	1	8/7/2008 7:00:00 PM
cis-1,3-Dichloropropene	U	0.08	1.0		µg/L	1	8/7/2008 7:00:00 PM
Dibromochloromethane	U	0.07	1.0		µg/L	1	8/7/2008 7:00:00 PM
Dibromomethane	U	0.07	1.0		µg/L	1	8/7/2008 7:00:00 PM
Dichlorodifluoromethane	U	0.15	1.0	C	µg/L	1	8/7/2008 7:00:00 PM
Ethylbenzene	U	0.1	1.0		µg/L	1	8/7/2008 7:00:00 PM
Hexachlorobutadiene	U	0.12	1.0		µg/L	1	8/7/2008 7:00:00 PM
Isopropylbenzene	U	0.11	1.0		µg/L	1	8/7/2008 7:00:00 PM
m,p-Xylene	U	0.2	2.0		µg/L	1	8/7/2008 7:00:00 PM
Methyl tert-butyl ether	U	0.08	1.0	C	µg/L	1	8/7/2008 7:00:00 PM
Methylene chloride	U	0.08	1.0	C	µg/L	1	8/7/2008 7:00:00 PM
Naphthalene	U	0.08	1.0		µg/L	1	8/7/2008 7:00:00 PM
n-Butylbenzene	U	0.11	1.0		µg/L	1	8/7/2008 7:00:00 PM
n-Propylbenzene	U	0.11	1.0		µg/L	1	8/7/2008 7:00:00 PM
o-Xylene	U	0.1	1.0		µg/L	1	8/7/2008 7:00:00 PM
sec-Butylbenzene	U	0.1	1.0		µg/L	1	8/7/2008 7:00:00 PM
Styrene	U	0.08	1.0		µg/L	1	8/7/2008 7:00:00 PM
tert-Butylbenzene	U	0.1	1.0		µg/L	1	8/7/2008 7:00:00 PM
Tetrachloroethene	4.6	0.12	1.0		µg/L	1	8/7/2008 7:00:00 PM
Toluene	U	0.12	1.0		µg/L	1	8/7/2008 7:00:00 PM
trans-1,2-Dichloroethene	U	0.12	1.0		µg/L	1	8/7/2008 7:00:00 PM
trans-1,3-Dichloropropene	U	0.07	1.0		µg/L	1	8/7/2008 7:00:00 PM
Trichloroethene	U	0.13	1.0		µg/L	1	8/7/2008 7:00:00 PM
Trichlorofluoromethane	U	0.15	1.0		µg/L	1	8/7/2008 7:00:00 PM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735

Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



Qualifiers:	*	Value exceeds Maximum Contaminant Level	B	Analyte detected in the associated Method Blank
	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded
	J	Analyte detected below quantitation limits	LOD	Limit of Detection
	LOQ	Limit of Quantitation	ND	Not Detected at the Reporting Limit
	S	Spike Recovery outside accepted recovery limits	U	Indicates the compound was analyzed but not detected.
	C	Calibration %RSD/%D exceeded for non-CCC analytes		

American Analytical Laboratories, LLC.

Date: 08-Aug-08

ELAP ID : 11418

CLIENT: Leggette Brashears & Graham Inc.

Client Sample ID: GWQ073008:1050NP1-1-4

Lab Order: 0808056

Collection Date: 7/30/2008 10:50:00 AM

Project: Rowe

Matrix: LIQUID

Lab ID: 0808056-03A

Certificate of Results

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
VOLATILE SW-846 8260 + MTBE & FREON113			SW8260B			Analyst: LA	
Vinyl acetate	U	0.06	1.0		µg/L	1	8/7/2008 7:00:00 PM
Vinyl chloride	U	0.14	1.0		µg/L	1	8/7/2008 7:00:00 PM
Surr: 4-Bromofluorobenzene	96.8	0	54-134		%REC	1	8/7/2008 7:00:00 PM
Surr: Dibromofluoromethane	98.1	0	52-132		%REC	1	8/7/2008 7:00:00 PM
Surr: Toluene-d8	96.8	0	51-127		%REC	1	8/7/2008 7:00:00 PM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735

Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



Qualifiers:	*	Value exceeds Maximum Contaminant Level	B	Analyte detected in the associated Method Blank
	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded
	J	Analyte detected below quantitation limits	LOD	Limit of Detection
	LOQ	Limit of Quantitation	ND	Not Detected at the Reporting Limit
	S	Spike Recovery outside accepted recovery limits	U	Indicates the compound was analyzed but not detected.
	C	Calibration %RSD/%D exceeded for non-CCC analytes		

American Analytical Laboratories, LLC.

Date: 08-Aug-08

ELAP ID : 11418

CLIENT: Leggette Brashears & Graham Inc.

Client Sample ID: GWQ073008:1050NP1-1-4

Lab Order: 0808056

Collection Date: 7/30/2008 10:50:00 AM

Project: Rowe

Matrix: LIQUID

Lab ID: 0808056-03B

Certificate of Results

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
TOTAL IRON				E200.7	SW3005A		Analyst: JP
Iron	5.73	0.005	0.0200		mg/L	1	8/7/2008 10:26:15 AM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735

Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



Qualifiers:	*	Value exceeds Maximum Contaminant Level	B	Analyte detected in the associated Method Blank
	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded
	J	Analyte detected below quantitation limits	LOD	Limit of Detection
	LOQ	Limit of Quantitation	ND	Not Detected at the Reporting Limit
	S	Spike Recovery outside accepted recovery limits	U	Indicates the compound was analyzed but not detected.
	C	Calibration %RSD/%D exceeded for non-CCC analytes		

American Analytical Laboratories, LLC.**Date:** 08-Aug-08**ELAP ID :** 11418**CLIENT:** Leggette Brashears & Graham Inc.**Client Sample ID:** GWQ073008:1050NP1-1-4**Lab Order:** 0808056**Collection Date:** 7/30/2008 10:50:00 AM**Project:** Rowe**Matrix:** LIQUID**Lab ID:** 0808056-03C**Certificate of Results**

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
DISSOLVED IRON				E200.7	SW3005A		Analyst: JP
Iron	0.215	0.005	0.0200		mg/L	1	8/7/2008 10:24:11 AM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735

Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



Qualifiers:	*	Value exceeds Maximum Contaminant Level	B	Analyte detected in the associated Method Blank
	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded
	J	Analyte detected below quantitation limits	LOD	Limit of Detection
	LOQ	Limit of Quantitation	ND	Not Detected at the Reporting Limit
	S	Spike Recovery outside accepted recovery limits	U	Indicates the compound was analyzed but not detected.
	C	Calibration %RSD/%D exceeded for non-CCC analytes		

American Analytical Laboratories, LLC.

Date: 08-Aug-08

ELAP ID : 11418

CLIENT: Leggette Brashears & Graham Inc.

Client Sample ID: GWQ073008:1100NP1-1-5

Lab Order: 0808056

Collection Date: 7/30/2008 11:00:00 AM

Project: Rowe

Matrix: LIQUID

Lab ID: 0808056-04A

Certificate of Results

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
VOLATILE SW-846 8260 + MTBE & FREON113				SW8260B		Analyst: LA	
1,1,1,2-Tetrachloroethane	U	0.09	1.0		µg/L	1	8/7/2008 7:33:00 PM
1,1,1-Trichloroethane	U	0.17	1.0		µg/L	1	8/7/2008 7:33:00 PM
1,1,2,2-Tetrachloroethane	U	0.06	1.0		µg/L	1	8/7/2008 7:33:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	U	0.13	1.0		µg/L	1	8/7/2008 7:33:00 PM
1,1,2-Trichloroethane	U	0.07	1.0		µg/L	1	8/7/2008 7:33:00 PM
1,1-Dichloroethane	U	0.11	1.0		µg/L	1	8/7/2008 7:33:00 PM
1,1-Dichloroethene	U	0.15	1.0		µg/L	1	8/7/2008 7:33:00 PM
1,1-Dichloropropene	U	0.12	1.0		µg/L	1	8/7/2008 7:33:00 PM
1,2,3-Trichlorobenzene	U	0.07	1.0		µg/L	1	8/7/2008 7:33:00 PM
1,2,3-Trichloropropane	U	0.08	1.0		µg/L	1	8/7/2008 7:33:00 PM
1,2,4-Trichlorobenzene	U	0.07	1.0		µg/L	1	8/7/2008 7:33:00 PM
1,2,4-Trimethylbenzene	U	0.09	1.0	C	µg/L	1	8/7/2008 7:33:00 PM
1,2-Dibromo-3-chloropropane	U	0.09	1.0		µg/L	1	8/7/2008 7:33:00 PM
1,2-Dibromoethane	U	0.06	1.0		µg/L	1	8/7/2008 7:33:00 PM
1,2-Dichlorobenzene	U	0.08	1.0		µg/L	1	8/7/2008 7:33:00 PM
1,2-Dichloroethane	U	0.08	1.0		µg/L	1	8/7/2008 7:33:00 PM
1,2-Dichloropropane	U	0.1	1.0		µg/L	1	8/7/2008 7:33:00 PM
1,3,5-Trimethylbenzene	U	0.11	1.0		µg/L	1	8/7/2008 7:33:00 PM
1,3-Dichlorobenzene	U	0.08	1.0		µg/L	1	8/7/2008 7:33:00 PM
1,3-dichloropropane	U	0.08	1.0		µg/L	1	8/7/2008 7:33:00 PM
1,4-Dichlorobenzene	U	0.08	1.0		µg/L	1	8/7/2008 7:33:00 PM
2,2-Dichloropropane	U	0.11	1.0	C	µg/L	1	8/7/2008 7:33:00 PM
2-Butanone	U	1.28	3.0		µg/L	1	8/7/2008 7:33:00 PM
2-Chloroethyl vinyl ether	U	0.08	1.0		µg/L	1	8/7/2008 7:33:00 PM
2-Chlorotoluene	U	0.09	1.0		µg/L	1	8/7/2008 7:33:00 PM
2-Hexanone	U	0.22	2.0		µg/L	1	8/7/2008 7:33:00 PM
4-Chlorotoluene	U	0.09	1.0		µg/L	1	8/7/2008 7:33:00 PM
4-Isopropyltoluene	U	0.1	1.0		µg/L	1	8/7/2008 7:33:00 PM
4-Methyl-2-pentanone	U	0.21	2.0		µg/L	1	8/7/2008 7:33:00 PM
Acetone	U	0.19	2.0		µg/L	1	8/7/2008 7:33:00 PM
Benzene	U	0.11	1.0		µg/L	1	8/7/2008 7:33:00 PM
Bromobenzene	U	0.07	1.0		µg/L	1	8/7/2008 7:33:00 PM
Bromochloromethane	U	0.4	1.0		µg/L	1	8/7/2008 7:33:00 PM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735

Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



Qualifiers:	*	Value exceeds Maximum Contaminant Level	B	Analyte detected in the associated Method Blank
	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded
	J	Analyte detected below quantitation limits	LOD	Limit of Detection
	LOQ	Limit of Quantitation	ND	Not Detected at the Reporting Limit
	S	Spike Recovery outside accepted recovery limits	U	Indicates the compound was analyzed but not detected.
	C	Calibration %RSD/%D exceeded for non-CCC analytes		

American Analytical Laboratories, LLC.

Date: 08-Aug-08

ELAP ID : 11418

CLIENT: Leggette Brashears & Graham Inc.

Client Sample ID: GWQ073008:1100NP1-1-5

Lab Order: 0808056

Collection Date: 7/30/2008 11:00:00 AM

Project: Rowe

Matrix: LIQUID

Lab ID: 0808056-04A

Certificate of Results

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
VOLATILE SW-846 8260 + MTBE & FREON113			SW8260B			Analyst: LA	
Bromodichloromethane	U	0.08	1.0		µg/L	1	8/7/2008 7:33:00 PM
Bromoform	U	0.06	1.0		µg/L	1	8/7/2008 7:33:00 PM
Bromomethane	U	0.17	1.0		µg/L	1	8/7/2008 7:33:00 PM
Carbon disulfide	U	0.14	1.0	C	µg/L	1	8/7/2008 7:33:00 PM
Carbon tetrachloride	U	0.16	1.0		µg/L	1	8/7/2008 7:33:00 PM
Chlorobenzene	U	0.09	1.0		µg/L	1	8/7/2008 7:33:00 PM
Chloroethane	U	0.16	1.0		µg/L	1	8/7/2008 7:33:00 PM
Chloroform	U	0.1	1.0		µg/L	1	8/7/2008 7:33:00 PM
Chloromethane	U	0.18	1.0		µg/L	1	8/7/2008 7:33:00 PM
cis-1,2-Dichloroethene	U	0.11	1.0		µg/L	1	8/7/2008 7:33:00 PM
cis-1,3-Dichloropropene	U	0.08	1.0		µg/L	1	8/7/2008 7:33:00 PM
Dibromochloromethane	U	0.07	1.0		µg/L	1	8/7/2008 7:33:00 PM
Dibromomethane	U	0.07	1.0		µg/L	1	8/7/2008 7:33:00 PM
Dichlorodifluoromethane	U	0.15	1.0	C	µg/L	1	8/7/2008 7:33:00 PM
Ethylbenzene	U	0.1	1.0		µg/L	1	8/7/2008 7:33:00 PM
Hexachlorobutadiene	U	0.12	1.0		µg/L	1	8/7/2008 7:33:00 PM
Isopropylbenzene	U	0.11	1.0		µg/L	1	8/7/2008 7:33:00 PM
m,p-Xylene	U	0.2	2.0		µg/L	1	8/7/2008 7:33:00 PM
Methyl tert-butyl ether	U	0.08	1.0		µg/L	1	8/7/2008 7:33:00 PM
Methylene chloride	U	0.08	1.0		µg/L	1	8/7/2008 7:33:00 PM
Naphthalene	U	0.08	1.0		µg/L	1	8/7/2008 7:33:00 PM
n-Butylbenzene	U	0.11	1.0		µg/L	1	8/7/2008 7:33:00 PM
n-Propylbenzene	U	0.11	1.0	C	µg/L	1	8/7/2008 7:33:00 PM
o-Xylene	U	0.1	1.0		µg/L	1	8/7/2008 7:33:00 PM
sec-Butylbenzene	U	0.1	1.0	C	µg/L	1	8/7/2008 7:33:00 PM
Styrene	U	0.08	1.0		µg/L	1	8/7/2008 7:33:00 PM
tert-Butylbenzene	U	0.1	1.0	C	µg/L	1	8/7/2008 7:33:00 PM
Tetrachloroethene	U	0.12	1.0		µg/L	1	8/7/2008 7:33:00 PM
Toluene	U	0.12	1.0		µg/L	1	8/7/2008 7:33:00 PM
trans-1,2-Dichloroethene	U	0.12	1.0		µg/L	1	8/7/2008 7:33:00 PM
trans-1,3-Dichloropropene	U	0.07	1.0		µg/L	1	8/7/2008 7:33:00 PM
Trichloroethene	U	0.13	1.0		µg/L	1	8/7/2008 7:33:00 PM
Trichlorofluoromethane	U	0.15	1.0		µg/L	1	8/7/2008 7:33:00 PM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735

Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



Qualifiers:	*	Value exceeds Maximum Contaminant Level	B	Analyte detected in the associated Method Blank
	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded
	J	Analyte detected below quantitation limits	LOD	Limit of Detection
	LOQ	Limit of Quantitation	ND	Not Detected at the Reporting Limit
	S	Spike Recovery outside accepted recovery limits	U	Indicates the compound was analyzed but not detected.
	C	Calibration %RSD/%D exceeded for non-CCC analytes		

American Analytical Laboratories, LLC.

Date: 08-Aug-08

ELAP ID : 11418

CLIENT: Leggette Brashears & Graham Inc.

Client Sample ID: GWQ073008:1100NP1-1-5

Lab Order: 0808056

Collection Date: 7/30/2008 11:00:00 AM

Project: Rowe

Matrix: LIQUID

Lab ID: 0808056-04A

Certificate of Results

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
VOLATILE SW-846 8260 + MTBE & FREON113			SW8260B		Analyst: LA		
Vinyl acetate	U	0.06	1.0		µg/L	1	8/7/2008 7:33:00 PM
Vinyl chloride	U	0.14	1.0		µg/L	1	8/7/2008 7:33:00 PM
Surr: 4-Bromofluorobenzene	105	0	54-134		%REC	1	8/7/2008 7:33:00 PM
Surr: Dibromofluoromethane	100	0	52-132		%REC	1	8/7/2008 7:33:00 PM
Surr: Toluene-d8	102	0	51-127		%REC	1	8/7/2008 7:33:00 PM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735

Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



Qualifiers:	*	Value exceeds Maximum Contaminant Level	B	Analyte detected in the associated Method Blank
	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded
	J	Analyte detected below quantitation limits	LOD	Limit of Detection
	LOQ	Limit of Quantitation	ND	Not Detected at the Reporting Limit
	S	Spike Recovery outside accepted recovery limits	U	Indicates the compound was analyzed but not detected.
	C	Calibration %RSD/%D exceeded for non-CCC analytes		

American Analytical Laboratories, LLC.

Date: 08-Aug-08

ELAP ID : 11418

CLIENT: Leggette Brashears & Graham Inc.

Client Sample ID: GWQ073008:1100NP1-1-5

Lab Order: 0808056

Collection Date: 7/30/2008 11:00:00 AM

Project: Rowe

Matrix: LIQUID

Lab ID: 0808056-04B

Certificate of Results

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
TOTAL IRON				E200.7	SW3005A		Analyst: JP
Iron	0.267	0.005	0.0200		mg/L	1	8/7/2008 10:30:21 AM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735

Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



Qualifiers:	*	Value exceeds Maximum Contaminant Level	B	Analyte detected in the associated Method Blank
	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded
	J	Analyte detected below quantitation limits	LOD	Limit of Detection
	LOQ	Limit of Quantitation	ND	Not Detected at the Reporting Limit
	S	Spike Recovery outside accepted recovery limits	U	Indicates the compound was analyzed but not detected.
	C	Calibration %RSD/%D exceeded for non-CCC analytes		

American Analytical Laboratories, LLC.

Date: 08-Aug-08

ELAP ID : 11418

CLIENT: Leggette Brashears & Graham Inc.

Client Sample ID: GWQ073008:1100NP1-1-5

Lab Order: 0808056

Collection Date: 7/30/2008 11:00:00 AM

Project: Rowe

Matrix: LIQUID

Lab ID: 0808056-04C

Certificate of Results

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
DISSOLVED IRON				E200.7	SW3005A		Analyst: JP
Iron	0.0229	0.005	0.0200		mg/L	1	8/7/2008 10:28:18 AM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735

Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



Qualifiers:	*	Value exceeds Maximum Contaminant Level	B	Analyte detected in the associated Method Blank
	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded
	J	Analyte detected below quantitation limits	LOD	Limit of Detection
	LOQ	Limit of Quantitation	ND	Not Detected at the Reporting Limit
	S	Spike Recovery outside accepted recovery limits	U	Indicates the compound was analyzed but not detected.
	C	Calibration %RSD/%D exceeded for non-CCC analytes		

American Analytical Laboratories, LLC.

Date: 08-Aug-08

ELAP ID : 11418

CLIENT: Leggette Brashears & Graham Inc.
Lab Order: 0808056
Project: Rowe
Lab ID: 0808056-05A

Client Sample ID: GWQ073008:1110NP1-1-6
Collection Date: 7/30/2008 11:10:00 AM
Matrix: LIQUID

Certificate of Results

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
VOLATILE SW-846 8260 + MTBE & FREON113				SW8260B		Analyst: LA	
1,1,1,2-Tetrachloroethane	U	0.09	1.0		µg/L	1	8/7/2008 8:04:00 PM
1,1,1-Trichloroethane	8.3	0.17	1.0		µg/L	1	8/7/2008 8:04:00 PM
1,1,2,2-Tetrachloroethane	U	0.06	1.0		µg/L	1	8/7/2008 8:04:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	U	0.13	1.0		µg/L	1	8/7/2008 8:04:00 PM
1,1,2-Trichloroethane	U	0.07	1.0		µg/L	1	8/7/2008 8:04:00 PM
1,1-Dichloroethane	U	0.11	1.0		µg/L	1	8/7/2008 8:04:00 PM
1,1-Dichloroethene	U	0.15	1.0		µg/L	1	8/7/2008 8:04:00 PM
1,1-Dichloropropene	U	0.12	1.0		µg/L	1	8/7/2008 8:04:00 PM
1,2,3-Trichlorobenzene	U	0.07	1.0		µg/L	1	8/7/2008 8:04:00 PM
1,2,3-Trichloropropane	U	0.08	1.0		µg/L	1	8/7/2008 8:04:00 PM
1,2,4-Trichlorobenzene	U	0.07	1.0		µg/L	1	8/7/2008 8:04:00 PM
1,2,4-Trimethylbenzene	U	0.09	1.0		µg/L	1	8/7/2008 8:04:00 PM
1,2-Dibromo-3-chloropropane	U	0.09	1.0	C	µg/L	1	8/7/2008 8:04:00 PM
1,2-Dibromoethane	U	0.06	1.0		µg/L	1	8/7/2008 8:04:00 PM
1,2-Dichlorobenzene	U	0.08	1.0		µg/L	1	8/7/2008 8:04:00 PM
1,2-Dichloroethane	U	0.08	1.0		µg/L	1	8/7/2008 8:04:00 PM
1,2-Dichloropropane	U	0.1	1.0		µg/L	1	8/7/2008 8:04:00 PM
1,3,5-Trimethylbenzene	U	0.11	1.0		µg/L	1	8/7/2008 8:04:00 PM
1,3-Dichlorobenzene	U	0.08	1.0		µg/L	1	8/7/2008 8:04:00 PM
1,3-dichloropropane	U	0.08	1.0		µg/L	1	8/7/2008 8:04:00 PM
1,4-Dichlorobenzene	U	0.08	1.0		µg/L	1	8/7/2008 8:04:00 PM
2,2-Dichloropropane	U	0.11	1.0		µg/L	1	8/7/2008 8:04:00 PM
2-Butanone	U	1.28	3.0		µg/L	1	8/7/2008 8:04:00 PM
2-Chloroethyl vinyl ether	U	0.08	1.0	C	µg/L	1	8/7/2008 8:04:00 PM
2-Chlorotoluene	U	0.09	1.0		µg/L	1	8/7/2008 8:04:00 PM
2-Hexanone	U	0.22	2.0		µg/L	1	8/7/2008 8:04:00 PM
4-Chlorotoluene	U	0.09	1.0		µg/L	1	8/7/2008 8:04:00 PM
4-Isopropyltoluene	U	0.1	1.0		µg/L	1	8/7/2008 8:04:00 PM
4-Methyl-2-pentanone	U	0.21	2.0		µg/L	1	8/7/2008 8:04:00 PM
Acetone	U	0.19	2.0		µg/L	1	8/7/2008 8:04:00 PM
Benzene	U	0.11	1.0		µg/L	1	8/7/2008 8:04:00 PM
Bromobenzene	U	0.07	1.0		µg/L	1	8/7/2008 8:04:00 PM
Bromochloromethane	U	0.4	1.0		µg/L	1	8/7/2008 8:04:00 PM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735

Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



Qualifiers:	*	Value exceeds Maximum Contaminant Level	B	Analyte detected in the associated Method Blank
	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded
	J	Analyte detected below quantitation limits	LOD	Limit of Detection
	LOQ	Limit of Quantitation	ND	Not Detected at the Reporting Limit
	S	Spike Recovery outside accepted recovery limits	U	Indicates the compound was analyzed but not detected.
	C	Calibration %RSD/%D exceeded for non-CCC analytes		

American Analytical Laboratories, LLC.

Date: 08-Aug-08

ELAP ID : 11418

CLIENT: Leggette Brashears & Graham Inc.
Lab Order: 0808056
Project: Rowe
Lab ID: 0808056-05A

Client Sample ID: GWQ073008:1110NP1-1-6
Collection Date: 7/30/2008 11:10:00 AM
Matrix: LIQUID

Certificate of Results

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
VOLATILE SW-846 8260 + MTBE & FREON113			SW8260B			Analyst: LA	
Bromodichloromethane	U	0.08	1.0		µg/L	1	8/7/2008 8:04:00 PM
Bromoform	U	0.06	1.0		µg/L	1	8/7/2008 8:04:00 PM
Bromomethane	U	0.17	1.0	C	µg/L	1	8/7/2008 8:04:00 PM
Carbon disulfide	U	0.14	1.0		µg/L	1	8/7/2008 8:04:00 PM
Carbon tetrachloride	U	0.16	1.0		µg/L	1	8/7/2008 8:04:00 PM
Chlorobenzene	U	0.09	1.0		µg/L	1	8/7/2008 8:04:00 PM
Chloroethane	U	0.16	1.0		µg/L	1	8/7/2008 8:04:00 PM
Chloroform	U	0.1	1.0		µg/L	1	8/7/2008 8:04:00 PM
Chloromethane	U	0.18	1.0	C	µg/L	1	8/7/2008 8:04:00 PM
cis-1,2-Dichloroethene	U	0.11	1.0		µg/L	1	8/7/2008 8:04:00 PM
cis-1,3-Dichloropropene	U	0.08	1.0		µg/L	1	8/7/2008 8:04:00 PM
Dibromochloromethane	U	0.07	1.0		µg/L	1	8/7/2008 8:04:00 PM
Dibromomethane	U	0.07	1.0		µg/L	1	8/7/2008 8:04:00 PM
Dichlorodifluoromethane	U	0.15	1.0	C	µg/L	1	8/7/2008 8:04:00 PM
Ethylbenzene	U	0.1	1.0		µg/L	1	8/7/2008 8:04:00 PM
Hexachlorobutadiene	U	0.12	1.0		µg/L	1	8/7/2008 8:04:00 PM
Isopropylbenzene	U	0.11	1.0		µg/L	1	8/7/2008 8:04:00 PM
m,p-Xylene	U	0.2	2.0		µg/L	1	8/7/2008 8:04:00 PM
Methyl tert-butyl ether	U	0.08	1.0	C	µg/L	1	8/7/2008 8:04:00 PM
Methylene chloride	U	0.08	1.0	C	µg/L	1	8/7/2008 8:04:00 PM
Naphthalene	U	0.08	1.0		µg/L	1	8/7/2008 8:04:00 PM
n-Butylbenzene	U	0.11	1.0		µg/L	1	8/7/2008 8:04:00 PM
n-Propylbenzene	U	0.11	1.0		µg/L	1	8/7/2008 8:04:00 PM
o-Xylene	U	0.1	1.0		µg/L	1	8/7/2008 8:04:00 PM
sec-Butylbenzene	U	0.1	1.0		µg/L	1	8/7/2008 8:04:00 PM
Styrene	U	0.08	1.0		µg/L	1	8/7/2008 8:04:00 PM
tert-Butylbenzene	U	0.1	1.0		µg/L	1	8/7/2008 8:04:00 PM
Tetrachloroethene	15	0.12	1.0		µg/L	1	8/7/2008 8:04:00 PM
Toluene	U	0.12	1.0		µg/L	1	8/7/2008 8:04:00 PM
trans-1,2-Dichloroethene	U	0.12	1.0		µg/L	1	8/7/2008 8:04:00 PM
trans-1,3-Dichloropropene	U	0.07	1.0		µg/L	1	8/7/2008 8:04:00 PM
Trichloroethene	U	0.13	1.0		µg/L	1	8/7/2008 8:04:00 PM
Trichlorofluoromethane	U	0.15	1.0		µg/L	1	8/7/2008 8:04:00 PM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735
Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



Qualifiers:	*	Value exceeds Maximum Contaminant Level	B	Analyte detected in the associated Method Blank
	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded
	J	Analyte detected below quantitation limits	LOD	Limit of Detection
	LOQ	Limit of Quantitation	ND	Not Detected at the Reporting Limit
	S	Spike Recovery outside accepted recovery limits	U	Indicates the compound was analyzed but not detected.
	C	Calibration %RSD/%D exceeded for non-CCC analytes		

American Analytical Laboratories, LLC.

Date: 08-Aug-08

ELAP ID : 11418

CLIENT: Leggette Brashears & Graham Inc.

Client Sample ID: GWQ073008:1110NP1-1-6

Lab Order: 0808056

Collection Date: 7/30/2008 11:10:00 AM

Project: Rowe

Matrix: LIQUID

Lab ID: 0808056-05A

Certificate of Results

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
VOLATILE SW-846 8260 + MTBE & FREON113			SW8260B			Analyst: LA	
Vinyl acetate	U	0.06	1.0		µg/L	1	8/7/2008 8:04:00 PM
Vinyl chloride	U	0.14	1.0		µg/L	1	8/7/2008 8:04:00 PM
Surr: 4-Bromofluorobenzene	97.9	0	54-134		%REC	1	8/7/2008 8:04:00 PM
Surr: Dibromofluoromethane	103	0	52-132		%REC	1	8/7/2008 8:04:00 PM
Surr: Toluene-d8	98.3	0	51-127		%REC	1	8/7/2008 8:04:00 PM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735

Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



Qualifiers: * Value exceeds Maximum Contaminant Level

E Value above quantitation range

J Analyte detected below quantitation limits

LOQ Limit of Quantitation

S Spike Recovery outside accepted recovery limits

C Calibration %RSD/%D exceeded for non-CCC analytes

B Analyte detected in the associated Method Blank

H Holding times for preparation or analysis exceeded

LOD Limit of Detection

ND Not Detected at the Reporting Limit

U Indicates the compound was analyzed but not detected.

American Analytical Laboratories, LLC.

Date: 08-Aug-08

ELAP ID : 11418

CLIENT: Leggette Brashears & Graham Inc.

Client Sample ID: GWQ073008:1110NP1-1-6

Lab Order: 0808056

Collection Date: 7/30/2008 11:10:00 AM

Project: Rowe

Matrix: LIQUID

Lab ID: 0808056-05B

Certificate of Results

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
TOTAL IRON				E200.7	SW3005A		Analyst: JP
Iron	0.102	0.005	0.0200		mg/L	1	8/7/2008 10:34:26 AM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735

Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



Qualifiers: * Value exceeds Maximum Contaminant Level

E Value above quantitation range

J Analyte detected below quantitation limits

LOQ Limit of Quantitation

S Spike Recovery outside accepted recovery limits

C Calibration %RSD/%D exceeded for non-CCC analytes

B Analyte detected in the associated Method Blank

H Holding times for preparation or analysis exceeded

LOD Limit of Detection

ND Not Detected at the Reporting Limit

U Indicates the compound was analyzed but not detected.

American Analytical Laboratories, LLC.**Date:** 08-Aug-08**ELAP ID :** 11418**CLIENT:** Leggette Brashears & Graham Inc.**Client Sample ID:** GWQ073008:1110NP1-1-6**Lab Order:** 0808056**Collection Date:** 7/30/2008 11:10:00 AM**Project:** Rowe**Matrix:** LIQUID**Lab ID:** 0808056-05C**Certificate of Results**

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
DISSOLVED IRON				E200.7	SW3005A		Analyst: JP
Iron	0.0320	0.005	0.0200		mg/L	1	8/7/2008 10:32:24 AM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735

Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com

**Qualifiers:** * Value exceeds Maximum Contaminant Level

E Value above quantitation range

J Analyte detected below quantitation limits

LOQ Limit of Quantitation

S Spike Recovery outside accepted recovery limits

C Calibration %RSD/%D exceeded for non-CCC analytes

B Analyte detected in the associated Method Blank

H Holding times for preparation or analysis exceeded

LOD Limit of Detection

ND Not Detected at the Reporting Limit

U Indicates the compound was analyzed but not detected.

American Analytical Laboratories, LLC.

Date: 08-Aug-08

ELAP ID : 11418

CLIENT: Leggette Brashears & Graham Inc.
Lab Order: 0808056
Project: Rowe
Lab ID: 0808056-06A

Client Sample ID: GWQ073008:1120NP1-1-7
Collection Date: 7/30/2008 11:20:00 AM
Matrix: LIQUID

Certificate of Results

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
VOLATILE SW-846 8260 + MTBE & FREON113			SW8260B			Analyst: LA	
1,1,1,2-Tetrachloroethane	U	0.09	1.0		µg/L	1	8/7/2008 8:35:00 PM
1,1,1-Trichloroethane	1.2	0.17	1.0		µg/L	1	8/7/2008 8:35:00 PM
1,1,2,2-Tetrachloroethane	U	0.06	1.0		µg/L	1	8/7/2008 8:35:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	U	0.13	1.0		µg/L	1	8/7/2008 8:35:00 PM
1,1,2-Trichloroethane	U	0.07	1.0		µg/L	1	8/7/2008 8:35:00 PM
1,1-Dichloroethane	U	0.11	1.0		µg/L	1	8/7/2008 8:35:00 PM
1,1-Dichloroethene	U	0.15	1.0		µg/L	1	8/7/2008 8:35:00 PM
1,1-Dichloropropene	U	0.12	1.0		µg/L	1	8/7/2008 8:35:00 PM
1,2,3-Trichlorobenzene	U	0.07	1.0		µg/L	1	8/7/2008 8:35:00 PM
1,2,3-Trichloropropane	U	0.08	1.0		µg/L	1	8/7/2008 8:35:00 PM
1,2,4-Trichlorobenzene	U	0.07	1.0		µg/L	1	8/7/2008 8:35:00 PM
1,2,4-Trimethylbenzene	U	0.09	1.0	C	µg/L	1	8/7/2008 8:35:00 PM
1,2-Dibromo-3-chloropropane	U	0.09	1.0		µg/L	1	8/7/2008 8:35:00 PM
1,2-Dibromoethane	U	0.06	1.0		µg/L	1	8/7/2008 8:35:00 PM
1,2-Dichlorobenzene	U	0.08	1.0		µg/L	1	8/7/2008 8:35:00 PM
1,2-Dichloroethane	U	0.08	1.0		µg/L	1	8/7/2008 8:35:00 PM
1,2-Dichloropropane	U	0.1	1.0		µg/L	1	8/7/2008 8:35:00 PM
1,3,5-Trimethylbenzene	U	0.11	1.0		µg/L	1	8/7/2008 8:35:00 PM
1,3-Dichlorobenzene	U	0.08	1.0		µg/L	1	8/7/2008 8:35:00 PM
1,3-dichloropropane	U	0.08	1.0		µg/L	1	8/7/2008 8:35:00 PM
1,4-Dichlorobenzene	U	0.08	1.0		µg/L	1	8/7/2008 8:35:00 PM
2,2-Dichloropropane	U	0.11	1.0	C	µg/L	1	8/7/2008 8:35:00 PM
2-Butanone	U	1.28	3.0		µg/L	1	8/7/2008 8:35:00 PM
2-Chloroethyl vinyl ether	U	0.08	1.0		µg/L	1	8/7/2008 8:35:00 PM
2-Chlorotoluene	U	0.09	1.0		µg/L	1	8/7/2008 8:35:00 PM
2-Hexanone	U	0.22	2.0		µg/L	1	8/7/2008 8:35:00 PM
4-Chlorotoluene	U	0.09	1.0		µg/L	1	8/7/2008 8:35:00 PM
4-Isopropyltoluene	U	0.1	1.0		µg/L	1	8/7/2008 8:35:00 PM
4-Methyl-2-pentanone	U	0.21	2.0		µg/L	1	8/7/2008 8:35:00 PM
Acetone	U	0.19	2.0		µg/L	1	8/7/2008 8:35:00 PM
Benzene	U	0.11	1.0		µg/L	1	8/7/2008 8:35:00 PM
Bromobenzene	U	0.07	1.0		µg/L	1	8/7/2008 8:35:00 PM
Bromochloromethane	U	0.4	1.0		µg/L	1	8/7/2008 8:35:00 PM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735
Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



Qualifiers:	* Value exceeds Maximum Contaminant Level	B Analyte detected in the associated Method Blank
	E Value above quantitation range	H Holding times for preparation or analysis exceeded
	J Analyte detected below quantitation limits	LOD Limit of Detection
	LOQ Limit of Quantitation	ND Not Detected at the Reporting Limit
	S Spike Recovery outside accepted recovery limits	U Indicates the compound was analyzed but not detected.
	C Calibration %RSD/%D exceeded for non-CCC analytes	

American Analytical Laboratories, LLC.

Date: 08-Aug-08

ELAP ID : 11418

CLIENT: Leggette Brashears & Graham Inc.
Lab Order: 0808056
Project: Rowe
Lab ID: 0808056-06A

Client Sample ID: GWQ073008:1120NP1-1-7
Collection Date: 7/30/2008 11:20:00 AM
Matrix: LIQUID

Certificate of Results

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
VOLATILE SW-846 8260 + MTBE & FREON113			SW8260B			Analyst: LA	
Bromodichloromethane	U	0.08	1.0		µg/L	1	8/7/2008 8:35:00 PM
Bromoform	U	0.06	1.0		µg/L	1	8/7/2008 8:35:00 PM
Bromomethane	U	0.17	1.0		µg/L	1	8/7/2008 8:35:00 PM
Carbon disulfide	U	0.14	1.0	C	µg/L	1	8/7/2008 8:35:00 PM
Carbon tetrachloride	U	0.16	1.0		µg/L	1	8/7/2008 8:35:00 PM
Chlorobenzene	U	0.09	1.0		µg/L	1	8/7/2008 8:35:00 PM
Chloroethane	U	0.16	1.0		µg/L	1	8/7/2008 8:35:00 PM
Chloroform	U	0.1	1.0		µg/L	1	8/7/2008 8:35:00 PM
Chloromethane	U	0.18	1.0		µg/L	1	8/7/2008 8:35:00 PM
cis-1,2-Dichloroethene	U	0.11	1.0		µg/L	1	8/7/2008 8:35:00 PM
cis-1,3-Dichloropropene	U	0.08	1.0		µg/L	1	8/7/2008 8:35:00 PM
Dibromochloromethane	U	0.07	1.0		µg/L	1	8/7/2008 8:35:00 PM
Dibromomethane	U	0.07	1.0		µg/L	1	8/7/2008 8:35:00 PM
Dichlorodifluoromethane	U	0.15	1.0	C	µg/L	1	8/7/2008 8:35:00 PM
Ethylbenzene	U	0.1	1.0		µg/L	1	8/7/2008 8:35:00 PM
Hexachlorobutadiene	U	0.12	1.0		µg/L	1	8/7/2008 8:35:00 PM
Isopropylbenzene	U	0.11	1.0		µg/L	1	8/7/2008 8:35:00 PM
m,p-Xylene	U	0.2	2.0		µg/L	1	8/7/2008 8:35:00 PM
Methyl tert-butyl ether	U	0.08	1.0		µg/L	1	8/7/2008 8:35:00 PM
Methylene chloride	U	0.08	1.0		µg/L	1	8/7/2008 8:35:00 PM
Naphthalene	U	0.08	1.0		µg/L	1	8/7/2008 8:35:00 PM
n-Butylbenzene	U	0.11	1.0		µg/L	1	8/7/2008 8:35:00 PM
n-Propylbenzene	U	0.11	1.0	C	µg/L	1	8/7/2008 8:35:00 PM
o-Xylene	U	0.1	1.0		µg/L	1	8/7/2008 8:35:00 PM
sec-Butylbenzene	U	0.1	1.0	C	µg/L	1	8/7/2008 8:35:00 PM
Styrene	U	0.08	1.0		µg/L	1	8/7/2008 8:35:00 PM
tert-Butylbenzene	U	0.1	1.0	C	µg/L	1	8/7/2008 8:35:00 PM
Tetrachloroethene	10	0.12	1.0		µg/L	1	8/7/2008 8:35:00 PM
Toluene	U	0.12	1.0		µg/L	1	8/7/2008 8:35:00 PM
trans-1,2-Dichloroethene	U	0.12	1.0		µg/L	1	8/7/2008 8:35:00 PM
trans-1,3-Dichloropropene	U	0.07	1.0		µg/L	1	8/7/2008 8:35:00 PM
Trichloroethene	U	0.13	1.0		µg/L	1	8/7/2008 8:35:00 PM
Trichlorofluoromethane	U	0.15	1.0		µg/L	1	8/7/2008 8:35:00 PM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735

Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



Qualifiers:	*	Value exceeds Maximum Contaminant Level	B	Analyte detected in the associated Method Blank
	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded
	J	Analyte detected below quantitation limits	LOD	Limit of Detection
	LOQ	Limit of Quantitation	ND	Not Detected at the Reporting Limit
	S	Spike Recovery outside accepted recovery limits	U	Indicates the compound was analyzed but not detected.
	C	Calibration %RSD/%D exceeded for non-CCC analytes		

American Analytical Laboratories, LLC.

Date: 08-Aug-08

ELAP ID : 11418

CLIENT: Leggette Brashears & Graham Inc.

Client Sample ID: GWQ073008:1120NP1-1-7

Lab Order: 0808056

Collection Date: 7/30/2008 11:20:00 AM

Project: Rowe

Matrix: LIQUID

Lab ID: 0808056-06A

Certificate of Results

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
VOLATILE SW-846 8260 + MTBE & FREON113			SW8260B			Analyst: LA	
Vinyl acetate	U	0.06	1.0		µg/L	1	8/7/2008 8:35:00 PM
Vinyl chloride	U	0.14	1.0		µg/L	1	8/7/2008 8:35:00 PM
Surr: 4-Bromofluorobenzene	99.5	0	54-134		%REC	1	8/7/2008 8:35:00 PM
Surr: Dibromofluoromethane	94.3	0	52-132		%REC	1	8/7/2008 8:35:00 PM
Surr: Toluene-d8	96.5	0	51-127		%REC	1	8/7/2008 8:35:00 PM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735

Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



Qualifiers: * Value exceeds Maximum Contaminant Level

B Analyte detected in the associated Method Blank

E Value above quantitation range

H Holding times for preparation or analysis exceeded

J Analyte detected below quantitation limits

LOD Limit of Detection

LOQ Limit of Quantitation

ND Not Detected at the Reporting Limit

S Spike Recovery outside accepted recovery limits

U Indicates the compound was analyzed but not detected.

C Calibration %RSD/%D exceeded for non-CCC analytes

American Analytical Laboratories, LLC.

Date: 08-Aug-08

ELAP ID : 11418

CLIENT: Leggette Brashears & Graham Inc.

Client Sample ID: GWQ073008:1120NP1-1-7

Lab Order: 0808056

Collection Date: 7/30/2008 11:20:00 AM

Project: Rowe

Matrix: LIQUID

Lab ID: 0808056-06B

Certificate of Results

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
TOTAL IRON				E200.7	SW3005A		Analyst: JP
Iron	0.0728	0.005	0.0200		mg/L	1	8/7/2008 10:38:31 AM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735

Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



Qualifiers:	*	Value exceeds Maximum Contaminant Level	B	Analyte detected in the associated Method Blank
	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded
	J	Analyte detected below quantitation limits	LOD	Limit of Detection
	LOQ	Limit of Quantitation	ND	Not Detected at the Reporting Limit
	S	Spike Recovery outside accepted recovery limits	U	Indicates the compound was analyzed but not detected.
	C	Calibration %RSD/%D exceeded for non-CCC analytes		

American Analytical Laboratories, LLC.

Date: 08-Aug-08

ELAP ID : 11418

CLIENT: Leggette Brashears & Graham Inc.

Client Sample ID: GWQ073008:1120NP1-1-7

Lab Order: 0808056

Collection Date: 7/30/2008 11:20:00 AM

Project: Rowe

Matrix: LIQUID

Lab ID: 0808056-06C

Certificate of Results

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
DISSOLVED IRON			E200.7		SW3005A		Analyst: JP
Iron	0.0379	0.005	0.0200		mg/L	1	8/7/2008 10:36:28 AM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735

Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



Qualifiers: * Value exceeds Maximum Contaminant Level

E Value above quantitation range

J Analyte detected below quantitation limits

LOQ Limit of Quantitation

S Spike Recovery outside accepted recovery limits

C Calibration %RSD/%D exceeded for non-CCC analytes

B Analyte detected in the associated Method Blank

H Holding times for preparation or analysis exceeded

LOD Limit of Detection

ND Not Detected at the Reporting Limit

U Indicates the compound was analyzed but not detected.

American Analytical Laboratories, LLC.

Date: 08-Aug-08

ELAP ID : 11418

CLIENT: Leggette Brashears & Graham Inc.
Lab Order: 0808056
Project: Rowe
Lab ID: 0808056-07A

Client Sample ID: GWQ073008:1130NP1-1-8
Collection Date: 7/30/2008 11:30:00 AM
Matrix: LIQUID

Certificate of Results

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
VOLATILE SW-846 8260 + MTBE & FREON113			SW8260B			Analyst: LA	
1,1,1,2-Tetrachloroethane	U	0.09	1.0		µg/L	1	8/7/2008 9:07:00 PM
1,1,1-Trichloroethane	U	0.17	1.0		µg/L	1	8/7/2008 9:07:00 PM
1,1,2,2-Tetrachloroethane	U	0.06	1.0		µg/L	1	8/7/2008 9:07:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	U	0.13	1.0		µg/L	1	8/7/2008 9:07:00 PM
1,1,2-Trichloroethane	U	0.07	1.0		µg/L	1	8/7/2008 9:07:00 PM
1,1-Dichloroethane	U	0.11	1.0		µg/L	1	8/7/2008 9:07:00 PM
1,1-Dichloroethene	U	0.15	1.0		µg/L	1	8/7/2008 9:07:00 PM
1,1-Dichloropropene	U	0.12	1.0		µg/L	1	8/7/2008 9:07:00 PM
1,2,3-Trichlorobenzene	U	0.07	1.0		µg/L	1	8/7/2008 9:07:00 PM
1,2,3-Trichloropropane	U	0.08	1.0		µg/L	1	8/7/2008 9:07:00 PM
1,2,4-Trichlorobenzene	U	0.07	1.0		µg/L	1	8/7/2008 9:07:00 PM
1,2,4-Trimethylbenzene	U	0.09	1.0		µg/L	1	8/7/2008 9:07:00 PM
1,2-Dibromo-3-chloropropane	U	0.09	1.0	C	µg/L	1	8/7/2008 9:07:00 PM
1,2-Dibromoethane	U	0.06	1.0		µg/L	1	8/7/2008 9:07:00 PM
1,2-Dichlorobenzene	U	0.08	1.0		µg/L	1	8/7/2008 9:07:00 PM
1,2-Dichloroethane	U	0.08	1.0		µg/L	1	8/7/2008 9:07:00 PM
1,2-Dichloropropane	U	0.1	1.0		µg/L	1	8/7/2008 9:07:00 PM
1,3,5-Trimethylbenzene	U	0.11	1.0		µg/L	1	8/7/2008 9:07:00 PM
1,3-Dichlorobenzene	U	0.08	1.0		µg/L	1	8/7/2008 9:07:00 PM
1,3-dichloropropane	U	0.08	1.0		µg/L	1	8/7/2008 9:07:00 PM
1,4-Dichlorobenzene	U	0.08	1.0		µg/L	1	8/7/2008 9:07:00 PM
2,2-Dichloropropane	U	0.11	1.0		µg/L	1	8/7/2008 9:07:00 PM
2-Butanone	U	1.28	3.0		µg/L	1	8/7/2008 9:07:00 PM
2-Chloroethyl vinyl ether	U	0.08	1.0	C	µg/L	1	8/7/2008 9:07:00 PM
2-Chlorotoluene	U	0.09	1.0		µg/L	1	8/7/2008 9:07:00 PM
2-Hexanone	U	0.22	2.0		µg/L	1	8/7/2008 9:07:00 PM
4-Chlorotoluene	U	0.09	1.0		µg/L	1	8/7/2008 9:07:00 PM
4-Isopropyltoluene	U	0.1	1.0		µg/L	1	8/7/2008 9:07:00 PM
4-Methyl-2-pentanone	U	0.21	2.0		µg/L	1	8/7/2008 9:07:00 PM
Acetone	U	0.19	2.0		µg/L	1	8/7/2008 9:07:00 PM
Benzene	U	0.11	1.0		µg/L	1	8/7/2008 9:07:00 PM
Bromobenzene	U	0.07	1.0		µg/L	1	8/7/2008 9:07:00 PM
Bromochloromethane	U	0.4	1.0		µg/L	1	8/7/2008 9:07:00 PM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735
Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



Qualifiers:	* Value exceeds Maximum Contaminant Level	B Analyte detected in the associated Method Blank
	E Value above quantitation range	H Holding times for preparation or analysis exceeded
	J Analyte detected below quantitation limits	LOD Limit of Detection
LOQ	Limit of Quantitation	ND Not Detected at the Reporting Limit
S	Spike Recovery outside accepted recovery limits	U Indicates the compound was analyzed but not detected.
C	Calibration %RSD/%D exceeded for non-CCC analytes	

American Analytical Laboratories, LLC.

Date: 08-Aug-08

ELAP ID : 11418

CLIENT: Leggette Brashears & Graham Inc.

Client Sample ID: GWQ073008:1130NP1-1-8

Lab Order: 0808056

Collection Date: 7/30/2008 11:30:00 AM

Project: Rowe

Matrix: LIQUID

Lab ID: 0808056-07A

Certificate of Results

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
VOLATILE SW-846 8260 + MTBE & FREON113			SW8260B			Analyst: LA	
Bromodichloromethane	U	0.08	1.0		µg/L	1	8/7/2008 9:07:00 PM
Bromoform	U	0.06	1.0		µg/L	1	8/7/2008 9:07:00 PM
Bromomethane	U	0.17	1.0	C	µg/L	1	8/7/2008 9:07:00 PM
Carbon disulfide	U	0.14	1.0		µg/L	1	8/7/2008 9:07:00 PM
Carbon tetrachloride	U	0.16	1.0		µg/L	1	8/7/2008 9:07:00 PM
Chlorobenzene	U	0.09	1.0		µg/L	1	8/7/2008 9:07:00 PM
Chloroethane	U	0.16	1.0		µg/L	1	8/7/2008 9:07:00 PM
Chloroform	U	0.1	1.0		µg/L	1	8/7/2008 9:07:00 PM
Chloromethane	U	0.18	1.0	C	µg/L	1	8/7/2008 9:07:00 PM
cis-1,2-Dichloroethene	U	0.11	1.0		µg/L	1	8/7/2008 9:07:00 PM
cis-1,3-Dichloropropene	U	0.08	1.0		µg/L	1	8/7/2008 9:07:00 PM
Dibromochloromethane	U	0.07	1.0		µg/L	1	8/7/2008 9:07:00 PM
Dibromomethane	U	0.07	1.0		µg/L	1	8/7/2008 9:07:00 PM
Dichlorodifluoromethane	U	0.15	1.0	C	µg/L	1	8/7/2008 9:07:00 PM
Ethylbenzene	U	0.1	1.0		µg/L	1	8/7/2008 9:07:00 PM
Hexachlorobutadiene	U	0.12	1.0		µg/L	1	8/7/2008 9:07:00 PM
Isopropylbenzene	U	0.11	1.0		µg/L	1	8/7/2008 9:07:00 PM
m,p-Xylene	U	0.2	2.0		µg/L	1	8/7/2008 9:07:00 PM
Methyl tert-butyl ether	U	0.08	1.0	C	µg/L	1	8/7/2008 9:07:00 PM
Methylene chloride	U	0.08	1.0	C	µg/L	1	8/7/2008 9:07:00 PM
Naphthalene	U	0.08	1.0		µg/L	1	8/7/2008 9:07:00 PM
n-Butylbenzene	U	0.11	1.0		µg/L	1	8/7/2008 9:07:00 PM
n-Propylbenzene	U	0.11	1.0		µg/L	1	8/7/2008 9:07:00 PM
o-Xylene	U	0.1	1.0		µg/L	1	8/7/2008 9:07:00 PM
sec-Butylbenzene	U	0.1	1.0		µg/L	1	8/7/2008 9:07:00 PM
Styrene	U	0.08	1.0		µg/L	1	8/7/2008 9:07:00 PM
tert-Butylbenzene	U	0.1	1.0		µg/L	1	8/7/2008 9:07:00 PM
Tetrachloroethene	U	0.12	1.0		µg/L	1	8/7/2008 9:07:00 PM
Toluene	U	0.12	1.0		µg/L	1	8/7/2008 9:07:00 PM
trans-1,2-Dichloroethene	U	0.12	1.0		µg/L	1	8/7/2008 9:07:00 PM
trans-1,3-Dichloropropene	U	0.07	1.0		µg/L	1	8/7/2008 9:07:00 PM
Trichloroethene	U	0.13	1.0		µg/L	1	8/7/2008 9:07:00 PM
Trichlorofluoromethane	U	0.15	1.0		µg/L	1	8/7/2008 9:07:00 PM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735

Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



Qualifiers: * Value exceeds Maximum Contaminant Level

E Value above quantitation range

J Analyte detected below quantitation limits

LOQ Limit of Quantitation

S Spike Recovery outside accepted recovery limits

C Calibration %RSD/%D exceeded for non-CCC analytes

B Analyte detected in the associated Method Blank

H Holding times for preparation or analysis exceeded

LOD Limit of Detection

ND Not Detected at the Reporting Limit

U Indicates the compound was analyzed but not detected.

American Analytical Laboratories, LLC.

Date: 08-Aug-08

ELAP ID : 11418

CLIENT: Leggette Brashears & Graham Inc.

Client Sample ID: GWQ073008:1130NP1-1-8

Lab Order: 0808056

Collection Date: 7/30/2008 11:30:00 AM

Project: Rowe

Matrix: LIQUID

Lab ID: 0808056-07A

Certificate of Results

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
VOLATILE SW-846 8260 + MTBE & FREON113			SW8260B			Analyst: LA	
Vinyl acetate	U	0.06	1.0		µg/L	1	8/7/2008 9:07:00 PM
Vinyl chloride	U	0.14	1.0		µg/L	1	8/7/2008 9:07:00 PM
Surr: 4-Bromofluorobenzene	106	0	54-134		%REC	1	8/7/2008 9:07:00 PM
Surr: Dibromofluoromethane	107	0	52-132		%REC	1	8/7/2008 9:07:00 PM
Surr: Toluene-d8	97.6	0	51-127		%REC	1	8/7/2008 9:07:00 PM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735

Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



Qualifiers:	*	Value exceeds Maximum Contaminant Level	B	Analyte detected in the associated Method Blank
	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded
	J	Analyte detected below quantitation limits	LOD	Limit of Detection
	LOQ	Limit of Quantitation	ND	Not Detected at the Reporting Limit
	S	Spike Recovery outside accepted recovery limits	U	Indicates the compound was analyzed but not detected.
	C	Calibration %RSD/%D exceeded for non-CCC analytes		

American Analytical Laboratories, LLC.

Date: 08-Aug-08

ELAP ID : 11418

CLIENT: Leggette Brashears & Graham Inc.

Client Sample ID: GWQ073008:1130NP1-1-8

Lab Order: 0808056

Collection Date: 7/30/2008 11:30:00 AM

Project: Rowe

Matrix: LIQUID

Lab ID: 0808056-07B

Certificate of Results

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
TOTAL IRON				E200.7	SW3005A		Analyst: JP
Iron	8.44	0.005	0.0200		mg/L	1	8/7/2008 10:52:53 AM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735

Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



Qualifiers:	*	Value exceeds Maximum Contaminant Level	B	Analyte detected in the associated Method Blank
	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded
	J	Analyte detected below quantitation limits	LOD	Limit of Detection
	LOQ	Limit of Quantitation	ND	Not Detected at the Reporting Limit
	S	Spike Recovery outside accepted recovery limits	U	Indicates the compound was analyzed but not detected.
	C	Calibration %RSD/%D exceeded for non-CCC analytes		

American Analytical Laboratories, LLC.

Date: 08-Aug-08

ELAP ID : 11418

CLIENT: Leggette Brashears & Graham Inc.

Client Sample ID: GWQ073008:1130NP1-1-8

Lab Order: 0808056

Collection Date: 7/30/2008 11:30:00 AM

Project: Rowe

Matrix: LIQUID

Lab ID: 0808056-07C

Certificate of Results

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
DISSOLVED IRON			E200.7		SW3005A		Analyst: JP
Iron	0.0768	0.005	0.0200		mg/L	1	8/7/2008 10:50:49 AM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735

Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



Qualifiers:	*	Value exceeds Maximum Contaminant Level	B	Analyte detected in the associated Method Blank
	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded
	J	Analyte detected below quantitation limits	LOD	Limit of Detection
	LOQ	Limit of Quantitation	ND	Not Detected at the Reporting Limit
	S	Spike Recovery outside accepted recovery limits	U	Indicates the compound was analyzed but not detected.
	C	Calibration %RSD/%D exceeded for non-CCC analytes		

American Analytical Laboratories, LLC.

Date: 08-Aug-08

ELAP ID : 11418

CLIENT: Leggette Brashears & Graham Inc.
Lab Order: 0808056
Project: Rowe
Lab ID: 0808056-08A

Client Sample ID: GWQ073008:1140NP1-1-9
Collection Date: 7/30/2008 11:40:00 AM
Matrix: LIQUID

Certificate of Results

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
VOLATILE SW-846 8260 + MTBE & FREON113			SW8260B			Analyst: LA	
1,1,1,2-Tetrachloroethane	U	0.09	1.0		µg/L	1	8/7/2008 9:35:00 PM
1,1,1-Trichloroethane	U	0.17	1.0		µg/L	1	8/7/2008 9:35:00 PM
1,1,2,2-Tetrachloroethane	U	0.06	1.0		µg/L	1	8/7/2008 9:35:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	U	0.13	1.0		µg/L	1	8/7/2008 9:35:00 PM
1,1,2-Trichloroethane	U	0.07	1.0		µg/L	1	8/7/2008 9:35:00 PM
1,1-Dichloroethane	U	0.11	1.0		µg/L	1	8/7/2008 9:35:00 PM
1,1-Dichloroethene	U	0.15	1.0		µg/L	1	8/7/2008 9:35:00 PM
1,1-Dichloropropene	U	0.12	1.0		µg/L	1	8/7/2008 9:35:00 PM
1,2,3-Trichlorobenzene	U	0.07	1.0		µg/L	1	8/7/2008 9:35:00 PM
1,2,3-Trichloropropane	U	0.08	1.0		µg/L	1	8/7/2008 9:35:00 PM
1,2,4-Trichlorobenzene	U	0.07	1.0		µg/L	1	8/7/2008 9:35:00 PM
1,2,4-Trimethylbenzene	U	0.09	1.0	C	µg/L	1	8/7/2008 9:35:00 PM
1,2-Dibromo-3-chloropropane	U	0.09	1.0		µg/L	1	8/7/2008 9:35:00 PM
1,2-Dibromoethane	U	0.06	1.0		µg/L	1	8/7/2008 9:35:00 PM
1,2-Dichlorobenzene	U	0.08	1.0		µg/L	1	8/7/2008 9:35:00 PM
1,2-Dichloroethane	U	0.08	1.0		µg/L	1	8/7/2008 9:35:00 PM
1,2-Dichloropropane	U	0.1	1.0		µg/L	1	8/7/2008 9:35:00 PM
1,3,5-Trimethylbenzene	U	0.11	1.0		µg/L	1	8/7/2008 9:35:00 PM
1,3-Dichlorobenzene	U	0.08	1.0		µg/L	1	8/7/2008 9:35:00 PM
1,3-dichloropropane	U	0.08	1.0		µg/L	1	8/7/2008 9:35:00 PM
1,4-Dichlorobenzene	U	0.08	1.0		µg/L	1	8/7/2008 9:35:00 PM
2,2-Dichloropropane	U	0.11	1.0	C	µg/L	1	8/7/2008 9:35:00 PM
2-Butanone	U	1.28	3.0		µg/L	1	8/7/2008 9:35:00 PM
2-Chloroethyl vinyl ether	U	0.08	1.0		µg/L	1	8/7/2008 9:35:00 PM
2-Chlorotoluene	U	0.09	1.0		µg/L	1	8/7/2008 9:35:00 PM
2-Hexanone	U	0.22	2.0		µg/L	1	8/7/2008 9:35:00 PM
4-Chlorotoluene	U	0.09	1.0		µg/L	1	8/7/2008 9:35:00 PM
4-Isopropyltoluene	U	0.1	1.0		µg/L	1	8/7/2008 9:35:00 PM
4-Methyl-2-pentanone	U	0.21	2.0		µg/L	1	8/7/2008 9:35:00 PM
Acetone	U	0.19	2.0		µg/L	1	8/7/2008 9:35:00 PM
Benzene	U	0.11	1.0		µg/L	1	8/7/2008 9:35:00 PM
Bromobenzene	U	0.07	1.0		µg/L	1	8/7/2008 9:35:00 PM
Bromochloromethane	U	0.4	1.0		µg/L	1	8/7/2008 9:35:00 PM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735

Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



Qualifiers:	*	Value exceeds Maximum Contaminant Level	B	Analyte detected in the associated Method Blank
	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded
	J	Analyte detected below quantitation limits	LOD	Limit of Detection
	LOQ	Limit of Quantitation	ND	Not Detected at the Reporting Limit
	S	Spike Recovery outside accepted recovery limits	U	Indicates the compound was analyzed but not detected.
	C	Calibration %RSD/%D exceeded for non-CCC analytes		

American Analytical Laboratories, LLC.

Date: 08-Aug-08

ELAP ID : 11418

CLIENT: Leggette Brashears & Graham Inc.
Lab Order: 0808056
Project: Rowe
Lab ID: 0808056-08A

Client Sample ID: GWQ073008:1140NP1-1-9
Collection Date: 7/30/2008 11:40:00 AM
Matrix: LIQUID

Certificate of Results

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
VOLATILE SW-846 8260 + MTBE & FREON113			SW8260B			Analyst: LA	
Bromodichloromethane	U	0.08	1.0		µg/L	1	8/7/2008 9:35:00 PM
Bromoform	U	0.06	1.0		µg/L	1	8/7/2008 9:35:00 PM
Bromomethane	U	0.17	1.0		µg/L	1	8/7/2008 9:35:00 PM
Carbon disulfide	U	0.14	1.0	C	µg/L	1	8/7/2008 9:35:00 PM
Carbon tetrachloride	U	0.16	1.0		µg/L	1	8/7/2008 9:35:00 PM
Chlorobenzene	U	0.09	1.0		µg/L	1	8/7/2008 9:35:00 PM
Chloroethane	U	0.16	1.0		µg/L	1	8/7/2008 9:35:00 PM
Chloroform	U	0.1	1.0		µg/L	1	8/7/2008 9:35:00 PM
Chloromethane	U	0.18	1.0		µg/L	1	8/7/2008 9:35:00 PM
cis-1,2-Dichloroethene	U	0.11	1.0		µg/L	1	8/7/2008 9:35:00 PM
cis-1,3-Dichloropropene	U	0.08	1.0		µg/L	1	8/7/2008 9:35:00 PM
Dibromochloromethane	U	0.07	1.0		µg/L	1	8/7/2008 9:35:00 PM
Dibromomethane	U	0.07	1.0		µg/L	1	8/7/2008 9:35:00 PM
Dichlorodifluoromethane	U	0.15	1.0	C	µg/L	1	8/7/2008 9:35:00 PM
Ethylbenzene	U	0.1	1.0		µg/L	1	8/7/2008 9:35:00 PM
Hexachlorobutadiene	U	0.12	1.0		µg/L	1	8/7/2008 9:35:00 PM
Isopropylbenzene	U	0.11	1.0		µg/L	1	8/7/2008 9:35:00 PM
m,p-Xylene	U	0.2	2.0		µg/L	1	8/7/2008 9:35:00 PM
Methyl tert-butyl ether	U	0.08	1.0		µg/L	1	8/7/2008 9:35:00 PM
Methylene chloride	U	0.08	1.0		µg/L	1	8/7/2008 9:35:00 PM
Naphthalene	U	0.08	1.0		µg/L	1	8/7/2008 9:35:00 PM
n-Butylbenzene	U	0.11	1.0		µg/L	1	8/7/2008 9:35:00 PM
n-Propylbenzene	U	0.11	1.0	C	µg/L	1	8/7/2008 9:35:00 PM
o-Xylene	U	0.1	1.0		µg/L	1	8/7/2008 9:35:00 PM
sec-Butylbenzene	U	0.1	1.0	C	µg/L	1	8/7/2008 9:35:00 PM
Styrene	U	0.08	1.0		µg/L	1	8/7/2008 9:35:00 PM
tert-Butylbenzene	U	0.1	1.0	C	µg/L	1	8/7/2008 9:35:00 PM
Tetrachloroethene	U	0.12	1.0		µg/L	1	8/7/2008 9:35:00 PM
Toluene	U	0.12	1.0		µg/L	1	8/7/2008 9:35:00 PM
trans-1,2-Dichloroethene	U	0.12	1.0		µg/L	1	8/7/2008 9:35:00 PM
trans-1,3-Dichloropropene	U	0.07	1.0		µg/L	1	8/7/2008 9:35:00 PM
Trichloroethene	U	0.13	1.0		µg/L	1	8/7/2008 9:35:00 PM
Trichlorofluoromethane	U	0.15	1.0		µg/L	1	8/7/2008 9:35:00 PM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735

Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



Qualifiers:	*	Value exceeds Maximum Contaminant Level	B	Analyte detected in the associated Method Blank
	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded
	J	Analyte detected below quantitation limits	LOD	Limit of Detection
	LOQ	Limit of Quantitation	ND	Not Detected at the Reporting Limit
	S	Spike Recovery outside accepted recovery limits	U	Indicates the compound was analyzed but not detected.
	C	Calibration %RSD/%D exceeded for non-CCC analytes		

American Analytical Laboratories, LLC.

Date: 08-Aug-08

ELAP ID : 11418

CLIENT: Leggette Brashears & Graham Inc.

Client Sample ID: GWQ073008:1140NP1-1-9

Lab Order: 0808056

Collection Date: 7/30/2008 11:40:00 AM

Project: Rowe

Matrix: LIQUID

Lab ID: 0808056-08A

Certificate of Results

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
VOLATILE SW-846 8260 + MTBE & FREON113			SW8260B		Analyst: LA		
Vinyl acetate	U	0.06	1.0		µg/L	1	8/7/2008 9:35:00 PM
Vinyl chloride	U	0.14	1.0		µg/L	1	8/7/2008 9:35:00 PM
Surr: 4-Bromofluorobenzene	105	0	54-134		%REC	1	8/7/2008 9:35:00 PM
Surr: Dibromofluoromethane	104	0	52-132		%REC	1	8/7/2008 9:35:00 PM
Surr: Toluene-d8	96.2	0	51-127		%REC	1	8/7/2008 9:35:00 PM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735

Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



Qualifiers:	*	Value exceeds Maximum Contaminant Level	B	Analyte detected in the associated Method Blank
	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded
	J	Analyte detected below quantitation limits	LOD	Limit of Detection
	LOQ	Limit of Quantitation	ND	Not Detected at the Reporting Limit
	S	Spike Recovery outside accepted recovery limits	U	Indicates the compound was analyzed but not detected.
	C	Calibration %RSD/%D exceeded for non-CCC analytes		

American Analytical Laboratories, LLC.

Date: 08-Aug-08

ELAP ID : 11418

CLIENT: Leggette Brashears & Graham Inc.

Client Sample ID: GWQ073008:1140NP1-1-9

Lab Order: 0808056

Collection Date: 7/30/2008 11:40:00 AM

Project: Rowe

Matrix: LIQUID

Lab ID: 0808056-08B

Certificate of Results

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
TOTAL IRON				E200.7	SW3005A		Analyst: JP
Iron	2.14	0.005	0.0200		mg/L	1	8/7/2008 10:57:00 AM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735

Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



Qualifiers: * Value exceeds Maximum Contaminant Level

E Value above quantitation range

J Analyte detected below quantitation limits

LOQ Limit of Quantitation

S Spike Recovery outside accepted recovery limits

C Calibration %RSD/%D exceeded for non-CCC analytes

B Analyte detected in the associated Method Blank

H Holding times for preparation or analysis exceeded

LOD Limit of Detection

ND Not Detected at the Reporting Limit

U Indicates the compound was analyzed but not detected.

American Analytical Laboratories, LLC.

Date: 08-Aug-08

ELAP ID : 11418

CLIENT: Leggette Brashears & Graham Inc.

Client Sample ID: GWQ073008:1140NP1-1-9

Lab Order: 0808056

Collection Date: 7/30/2008 11:40:00 AM

Project: Rowe

Matrix: LIQUID

Lab ID: 0808056-08C

Certificate of Results

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
DISSOLVED IRON				E200.7	SW3005A		Analyst: JP
Iron	0.152	0.005	0.0200		mg/L	1	8/7/2008 10:54:56 AM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735

Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



Qualifiers: * Value exceeds Maximum Contaminant Level

E Value above quantitation range

J Analyte detected below quantitation limits

LOQ Limit of Quantitation

S Spike Recovery outside accepted recovery limits

C Calibration %RSD/%D exceeded for non-CCC analytes

B Analyte detected in the associated Method Blank

H Holding times for preparation or analysis exceeded

LOD Limit of Detection

ND Not Detected at the Reporting Limit

U Indicates the compound was analyzed but not detected.

CLIENT: Leggett Brashears & Graham Inc.

Work Order: 0808056

Project: Rowe

ANALYTICAL QC SUMMARY REPORT

TestCode: 8260MTBE113_W

Sample ID: V624LCS-080708Y		SampType: LCS		TestCode: 8260MTBE11		Units: µg/L		Prep Date:		RunNo: 37427	
Client ID: LCSW		Batch ID: R37427		TestNo: SW8260B				Analysis Date: 8/7/2008		SeqNo: 489608	
Analyte	Result	PQL	SPK value	SPK RefVal	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
1,1,1-Trichloroethane	45	1.0	50.00	0	89.3	43	148				
1,1,2,2-Tetrachloroethane	45	1.0	50.00	0	90.3	32	148				
1,1,2-Trichloroethane	43	1.0	50.00	0	85.2	42	136				
1,1-Dichloroethane	44	1.0	50.00	0	87.9	40	150				
1,1-Dichloroethene	58	1.0	50.00	0	117	30	154				
1,2-Dichlorobenzene	44	1.0	50.00	0	87.5	40	129				
1,2-Dichloroethane	42	1.0	50.00	0	83.2	36	141				
1,2-Dichloropropane	43	1.0	50.00	0	86.3	44	138				
1,3-Dichlorobenzene	45	1.0	50.00	0	90.7	40	133				
1,4-Dichlorobenzene	43	1.0	50.00	0	86.9	40	135				
2-Butanone	94	3.0	125.0	0	75.2	35	135				
2-Chloroethyl vinyl ether	34	1.0	50.00	0	67.1	21	139				C
2-Hexanone	87	2.0	125.0	0	69.3	35	135				
4-Methyl-2-pentanone	98	2.0	125.0	0	78.6	35	135				
Acetone	91	2.0	125.0	0	72.5	35	135				
Benzene	44	1.0	50.00	0	88.1	45	144				
Bromodichloromethane	39	1.0	50.00	0	78.4	35	136				
Bromoform	48	1.0	50.00	0	96.5	28	138				
Bromomethane	55	1.0	50.00	0	110	26	148				C
Carbon tetrachloride	47	1.0	50.00	0	93.4	45	141				
Chlorobenzene	46	1.0	50.00	0	92.1	41	142				
Chloroethane	46	1.0	50.00	0	91.7	36	143				
Chloroform	43	1.0	50.00	0	85.7	42	137				
Chloromethane	45	1.0	50.00	0	90.5	35	151				
cis-1,3-Dichloropropene	46	1.0	50.00	0	91.0	42	130				C
Dibromochloromethane	43	1.0	50.00	0	85.6	21	134				
Ethylbenzene	46	1.0	50.00	0	91.1	45	146				
Tetrachloroethene	42	1.0	50.00	0	83.3	45	136				
Toluene	42	1.0	50.00	0	83.0	43	134				
trans-1,2-Dichloroethene	46	1.0	50.00	0	91.1	42	135				

Qualifiers: E Value above quantitation range

LOD Limit of Detection

R RPD outside accepted recovery limits

H Holding times for preparation or analysis exceeded

LOQ Limit of Quantitation

S Spike Recovery outside accepted recovery limits

J Analyte detected below quantitation li

ND Not Detected at the Reporting Limit

U Indicates the compound was analyzed

CLIENT: Leggett Brashears & Graham Inc.
Work Order: 0808056
Project: Rowe

ANALYTICAL QC SUMMARY REPORT
TestCode: 8260MTBE113_W

Sample ID: V624LCS-080708Y	SampType: LCS	TestCode: 8260MTBE11	Units: µg/L	Prep Date:	RunNo: 37427						
Client ID: LCSW	Batch ID: R37427	TestNo: SW8260B		Analysis Date: 8/7/2008	SeqNo: 489608						
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
trans-1,3-Dichloropropene	45	1.0	50.00	0	89.6	37	133				
Trichloroethene	45	1.0	50.00	0	89.3	43	140				
Trichlorofluoromethane	47	1.0	50.00	0	95.0	50	148				
Vinyl chloride	49	1.0	50.00	0	98.1	35	142				
Surr: 4-Bromofluorobenzene	52		50.00		105	54	134				
Surr: Dibromofluoromethane	51		50.00		103	52	132				
Surr: Toluene-d8	46		50.00		91.5	51	127				

Sample ID: VBLK-080708Y		SampType: MBLK		TestCode: 8260MTBE11		Units: µg/L		Prep Date:		RunNo: 37427		
Client ID: PBW		Batch ID: R37427		TestNo: SW8260B				Analysis Date: 8/7/2008		SeqNo: 489609		
Analyte		Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
1,1,1,2-Tetrachloroethane		U	1.0									
1,1,1-Trichloroethane		U	1.0									
1,1,2,2-Tetrachloroethane		U	1.0									
1,1,2-Trichloro-1,2,2-trifluoroethane		U	1.0									
1,1,2-Trichloroethane		U	1.0									
1,1-Dichloroethane		U	1.0									
1,1-Dichloroethene		U	1.0									
1,1-Dichloropropene		U	1.0									
1,2,3-Trichlorobenzene		U	1.0									
1,2,3-Trichloropropane		U	1.0									
1,2,4-Trichlorobenzene		U	1.0									
1,2,4-Trimethylbenzene		U	1.0									
1,2-Dibromo-3-chloropropane		U	1.0									C
1,2-Dibromoethane		U	1.0									
1,2-Dichlorobenzene		U	1.0									
1,2-Dichloroethane		U	1.0									
1,2-Dichloropropane		U	1.0									
1,3,5-Trimethylbenzene		U	1.0									
1,3-Dichlorobenzene		U	1.0									

Qualifiers:	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation li
LOD		Limit of Detection	LOQ	Limit of Quantitation	ND	Not Detected at the Reporting Limit
R		RPD outside accepted recovery limits	S	Spike Recovery outside accepted recovery limits	U	Indicates the compound was analyzed

CLIENT: Leggette Brashears & Graham Inc.
Work Order: 0808056
Project: Rowe

ANALYTICAL QC SUMMARY REPORT

TestCode: 8260MTBE113_W

Sample ID: VBLK-080708Y		SampType: MBLK		TestCode: 8260MTBE11		Units: µg/L		Prep Date:		RunNo: 37427		
Client ID: PBW		Batch ID: R37427		TestNo: SW8260B				Analysis Date: 8/7/2008		SeqNo: 489609		
Analyte		Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
1,3-dichloropropane		U	1.0									
1,4-Dichlorobenzene		U	1.0									
2,2-Dichloropropane		U	1.0									
2-Butanone		U	3.0									
2-Chloroethyl vinyl ether		U	1.0									C
2-Chlorotoluene		U	1.0									
2-Hexanone		U	2.0									
4-Chlorotoluene		U	1.0									
4-Isopropyltoluene		U	1.0									
4-Methyl-2-pentanone		U	2.0									
Acetone		U	2.0									
Benzene		U	1.0									
Bromobenzene		U	1.0									
Bromochloromethane		U	1.0									
Bromodichloromethane		U	1.0									
Bromoform		U	1.0									C
Bromomethane		U	1.0									
Carbon disulfide		U	1.0									
Carbon tetrachloride		U	1.0									
Chlorobenzene		U	1.0									
Chloroethane		U	1.0									
Chloroform		U	1.0									
Chloromethane		U	1.0									C
cis-1,2-Dichloroethene		U	1.0									
cis-1,3-Dichloropropene		U	1.0									
Dibromochloromethane		U	1.0									
Dibromomethane		U	1.0									
Dichlorodifluoromethane		U	1.0									C
Ethylbenzene		U	1.0									
Hexachlorobutadiene		U	1.0									
Isopropylbenzene		U	1.0									

Qualifiers: E Value above quantitation range
LOD Limit of Detection
R RPD outside accepted recovery limits

H Holding times for preparation or analysis exceeded
LOQ Limit of Quantitation
S Spike Recovery outside accepted recovery limits

J Analyte detected below quantitation li
ND Not Detected at the Reporting Limit
U Indicates the compound was analyzed

CLIENT: Leggett Brashears & Graham Inc.
Work Order: 0808056
Project: Rowe

ANALYTICAL QC SUMMARY REPORT

TestCode: 8260MTBE113_W

Sample ID: VBLK-080708Y	SampType: MBLK	TestCode: 8260MTBE11	Units: µg/L	Prep Date:	RunNo: 37427						
Client ID: PBW	Batch ID: R37427	TestNo: SW8260B		Analysis Date: 8/7/2008	SeqNo: 489609						
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual

m,p-Xylene	U	2.0									
Methyl tert-butyl ether	U	1.0									C
Methylene chloride	U	1.0									C
Naphthalene	U	1.0									
n-Butylbenzene	U	1.0									
n-Propylbenzene	U	1.0									
o-Xylene	U	1.0									
sec-Butylbenzene	U	1.0									
Styrene	U	1.0									
tert-Butylbenzene	U	1.0									
Tetrachloroethene	U	1.0									
Toluene	U	1.0									
trans-1,2-Dichloroethene	U	1.0									
trans-1,3-Dichloropropene	U	1.0									
Trichloroethene	U	1.0									
Trichlorofluoromethane	U	1.0									
Vinyl acetate	U	1.0									
Vinyl chloride	U	1.0									
Surr: 4-Bromofluorobenzene	49		50.00		98.5	54	134				
Surr: Dibromofluoromethane	51		50.00		103	52	132				
Surr: Toluene-d8	41		50.00		82.7	51	127				

Sample ID: 0808056-08AMS	SampType: MS	TestCode: 8260MTBE11	Units: µg/L	Prep Date:	RunNo: 37427						
Client ID: GWQ073008-1140N	Batch ID: R37427	TestNo: SW8260B		Analysis Date: 8/7/2008	SeqNo: 489614						
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual

1,1,1-Trichloroethane	39	1.0	50.00	0	78.9	43	148				
1,1,2,2-Tetrachloroethane	35	1.0	50.00	0	70.0	32	148				
1,1,2-Trichloroethane	33	1.0	50.00	0	66.0	42	136				
1,1-Dichloroethane	39	1.0	50.00	0	77.1	40	150				
1,1-Dichloroethene	47	1.0	50.00	0	94.7	30	154				

Qualifiers: E Value above quantitation range
LOD Limit of Detection
R RPD outside accepted recovery limits

H Holding times for preparation or analysis exceeded
LOQ Limit of Quantitation
S Spike Recovery outside accepted recovery limits

J Analyte detected below quantitation li
ND Not Detected at the Reporting Limit
U Indicates the compound was analyzed

CLIENT: Leggett Brashears & Graham Inc.
Work Order: 0808056
Project: Rowe

ANALYTICAL QC SUMMARY REPORT

TestCode: 8260MTBE113_W

Sample ID: 0808056-08AMS		SampType: MS		TestCode: 8260MTBE11		Units: µg/L		Prep Date:		RunNo: 37427	
Client ID: GWQ073008:114DN		Batch ID: R37427		TestNo: SW8260B				Analysis Date: 8/7/2008		SeqNo: 489614	
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
1,2-Dichlorobenzene	35	1.0	50.00	0	70.5	40	129				
1,2-Dichloroethane	34	1.0	50.00	0	68.7	36	141				
1,2-Dichloropropane	36	1.0	50.00	0	72.3	44	138				
1,3-Dichlorobenzene	38	1.0	50.00	0	76.1	40	133				
1,4-Dichlorobenzene	37	1.0	50.00	0	74.3	40	135				
2-Butanone	67	3.0	50.00	0	135	35	135				
2-Chloroethyl vinyl ether	82	1.0	50.00	0	165	21	139				
2-Hexanone	72	2.0	125.0	0	57.6	35	135				
4-Methyl-2-pentanone	75	2.0	125.0	0	60.1	35	135				
Acetone	67	2.0	50.00	0	135	35	135				
Benzene	38	1.0	50.00	0	76.6	45	144				
Bromodichloromethane	35	1.0	50.00	0	69.6	35	136				
Bromoform	37	1.0	50.00	0	73.6	28	138				
Bromomethane	47	1.0	50.00	0	95.0	26	148				
Carbon tetrachloride	39	1.0	50.00	0	77.6	45	141				
Chlorobenzene	39	1.0	50.00	0	77.2	41	142				
Chloroethane	39	1.0	50.00	0	78.6	36	143				
Chloroform	39	1.0	50.00	0	78.6	42	137				
Chloromethane	38	1.0	50.00	0	75.2	35	151				
cis-1,3-Dichloropropene	35	1.0	50.00	0	69.2	42	130				
Dibromochloromethane	35	1.0	50.00	0	69.9	21	134				
Ethylbenzene	38	1.0	50.00	0	76.8	45	146				
Tetrachloroethene	29	1.0	50.00	0	58.0	45	136				
Toluene	37	1.0	50.00	0	74.7	43	134				
trans-1,2-Dichloroethene	38	1.0	50.00	0	76.7	42	135				
trans-1,3-Dichloropropene	35	1.0	50.00	0	70.1	37	133				
Trichloroethene	37	1.0	50.00	0	74.9	43	140				
Trichlorofluoromethane	44	1.0	50.00	0	87.2	50	148				
Vinyl chloride	40	1.0	50.00	0	80.7	35	142				
Surr: 4-Bromofluorobenzene	50		50.00		99.1	54	134				
Surr: Dibromofluoromethane	50		50.00		99.3	52	132				

Qualifiers:	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation li
	LOD	Limit of Detection	LOQ	Limit of Quantitation	ND	Not Detected at the Reporting Limit
	R	RPD outside accepted recovery limits	S	Spike Recovery outside accepted recovery limits	U	Indicates the compound was analyzed

CLIENT: Leggett Brashears & Graham Inc.
Work Order: 0808056
Project: Rowe

ANALYTICAL QC SUMMARY REPORT

TestCode: 8260MTBE113_W

Sample ID: 0808056-08AMS	SampType: MS	TestCode: 8260MTBE11	Units: µg/L	Prep Date:	RunNo: 37427						
Client ID: GWQ073008-1140N	Batch ID: R37427	TestNo: SW8260B		Analysis Date: 8/7/2008	SeqNo: 489614						
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Surr: Toluene-d8	47		50.00		94.5	51	127				

Sample ID: V624LCS-080708Y	SampType: LCS	TestCode: 8260MTBE11	Units: µg/L	Prep Date:	RunNo: 37427						
Client ID: LCSW	Batch ID: R37427a	TestNo: SW8260B		Analysis Date: 8/7/2008	SeqNo: 489622						
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual

1,1,1-Trichloroethane	47	1.0	50.00	0	93.1	43	148				
1,1,2,2-Tetrachloroethane	53	1.0	50.00	0	106	32	148				
1,1,2-Trichloroethane	47	1.0	50.00	0	94.6	42	136				
1,1-Dichloroethane	47	1.0	50.00	0	94.8	40	150				
1,1-Dichloroethene	61	1.0	50.00	0	122	30	154				
1,2-Dichlorobenzene	46	1.0	50.00	0	91.2	40	129				
1,2-Dichloroethane	40	1.0	50.00	0	79.8	36	141				
1,2-Dichloropropane	49	1.0	50.00	0	97.3	44	138				
1,3-Dichlorobenzene	47	1.0	50.00	0	93.9	40	133				
1,4-Dichlorobenzene	51	1.0	50.00	0	102	40	135				
2-Butanone	90	3.0	125.0	0	71.8	35	135				
2-Chloroethyl vinyl ether	30	1.0	50.00	0	59.1	21	139				
2-Hexanone	110	2.0	125.0	0	87.8	35	135				
4-Methyl-2-pentanone	110	2.0	125.0	0	86.9	35	135				
Acetone	81	2.0	125.0	0	65.2	35	135				
Benzene	45	1.0	50.00	0	90.9	45	144				
Bromodichloromethane	45	1.0	50.00	0	90.9	35	136				
Bromoform	54	1.0	50.00	0	108	28	138				
Bromomethane	36	1.0	50.00	0	72.4	26	148				
Carbon tetrachloride	46	1.0	50.00	0	91.3	45	141				
Chlorobenzene	51	1.0	50.00	0	101	41	142				
Chloroethane	47	1.0	50.00	0	94.5	36	143				
Chloroform	42	1.0	50.00	0	84.1	42	137				
Chloromethane	47	1.0	50.00	0	93.6	35	151				
cis-1,3-Dichloropropene	46	1.0	50.00	0	91.7	42	130				

Qualifiers:	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation li
	LOD	Limit of Detection	LOQ	Limit of Quantitation	ND	Not Detected at the Reporting Limit
	R	RPD outside accepted recovery limits	S	Spike Recovery outside accepted recovery limits	U	Indicates the compound was analyzed

CLIENT: Leggett Brashears & Graham Inc.
Work Order: 0808056
Project: Rowe

ANALYTICAL QC SUMMARY REPORT

TestCode: 8260MTBE113_W

Sample ID: V624LCS-080708Y		SampType: LCS		TestCode: 8260MTBE11		Units: µg/L		Prep Date:		RunNo: 37427		
Client ID: LCSW		Batch ID: R37427a		TestNo: SW8260B				Analysis Date: 8/7/2008		SeqNo: 489622		
Analyte		Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Dibromochloromethane		45	1.0	50.00	0	90.4	21	134				
Ethylbenzene		50	1.0	50.00	0	99.9	45	146				
Tetrachloroethene		45	1.0	50.00	0	90.9	45	136				
Toluene		52	1.0	50.00	0	104	43	134				
trans-1,2-Dichloroethene		46	1.0	50.00	0	91.5	42	135				
trans-1,3-Dichloropropene		46	1.0	50.00	0	92.9	37	133				
Trichloroethene		49	1.0	50.00	0	97.1	43	140				
Trichlorofluoromethane		51	1.0	50.00	0	102	50	148				
Vinyl chloride		54	1.0	50.00	0	108	35	142				
Surr: 4-Bromofluorobenzene		55		50.00		109	54	134				
Surr: Dibromofluoromethane		41		50.00		81.3	52	132				
Surr: Toluene-d8		49		50.00		97.7	51	127				

Sample ID: VBLK-080708Y	SampType: MBLK	TestCode: 8260MTBE11	Units: µg/L	Prep Date:	RunNo: 37427						
Client ID: PBW	Batch ID: R37427a	TestNo: SW8260B		Analysis Date: 8/7/2008	SeqNo: 489623						
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
1,1,1,2-Tetrachloroethane	U	1.0									
1,1,1-Trichloroethane	U	1.0									
1,1,2,2-Tetrachloroethane	U	1.0									
1,1,2-Trichloro-1,2,2-trifluoroethane	U	1.0									
1,1,2-Trichloroethane	U	1.0									
1,1-Dichloroethane	U	1.0									
1,1-Dichloroethene	U	1.0									
1,1-Dichloropropene	U	1.0									
1,2,3-Trichlorobenzene	U	1.0									
1,2,3-Trichloropropane	U	1.0									
1,2,4-Trichlorobenzene	U	1.0									
1,2,4-Trimethylbenzene	U	1.0									
1,2-Dibromo-3-chloropropane	U	1.0									
1,2-Dibromoethane	U	1.0									

C

Qualifiers:	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation li
	LOD	Limit of Detection	LOQ	Limit of Quantitation	ND	Not Detected at the Reporting Limit
	R	RPD outside accepted recovery limits	S	Spike Recovery outside accepted recovery limits	U	Indicates the compound was analyzed

CLIENT: Leggett Brashears & Graham Inc.
Work Order: 0808056
Project: Rowe

ANALYTICAL QC SUMMARY REPORT
TestCode: 8260MTBE113_W

Sample ID: VBLK-080708Y		SampType: MBLK		TestCode: 8260MTBE11		Units: µg/L		Prep Date:		RunNo: 37427		
Client ID: PBW		Batch ID: R37427a		TestNo: SW8260B				Analysis Date: 8/7/2008		SeqNo: 489623		
Analyte		Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
1,2-Dichlorobenzene		U	1.0									
1,2-Dichloroethane		U	1.0									
1,2-Dichloropropane		U	1.0									
1,3,5-Trimethylbenzene		U	1.0									
1,3-Dichlorobenzene		U	1.0									
1,3-dichloropropane		U	1.0									
1,4-Dichlorobenzene		U	1.0									
2,2-Dichloropropane		U	1.0									
2-Butanone		U	3.0									C
2-Chloroethyl vinyl ether		U	1.0									
2-Chlorotoluene		U	1.0									
2-Hexanone		U	2.0									
4-Chlorotoluene		U	1.0									
4-Isopropyltoluene		U	1.0									
4-Methyl-2-pentanone		U	2.0									
Acetone		U	2.0									
Benzene		U	1.0									
Bromobenzene		U	1.0									
Bromochloromethane		U	1.0									
Bromodichloromethane		U	1.0									
Bromoform		U	1.0									
Bromomethane		U	1.0									
Carbon disulfide		U	1.0									
Carbon tetrachloride		U	1.0									
Chlorobenzene		U	1.0									
Chloroethane		U	1.0									
Chloroform		U	1.0									
Chloromethane		U	1.0									
cis-1,2-Dichloroethene		U	1.0									
cis-1,3-Dichloropropene		U	1.0									
Dibromochloromethane		U	1.0									

Qualifiers: E Value above quantitation range
LOD Limit of Detection
R RPD outside accepted recovery limits

H Holding times for preparation or analysis exceeded
LOQ Limit of Quantitation
S Spike Recovery outside accepted recovery limits

J Analyte detected below quantitation li
ND Not Detected at the Reporting Limit
U Indicates the compound was analyzed

CLIENT: Leggette Brashears & Graham Inc.
 Work Order: 0808056
 Project: Rowe

ANALYTICAL QC SUMMARY REPORT

TestCode: 8260MTBE113_W

Sample ID: VBLK-080708Y		SampType: MBLK		TestCode: 8260MTBE11		Units: µg/L		Prep Date:		RunNo: 37427		
Client ID: PBW		Batch ID: R37427a		TestNo: SW8260B				Analysis Date: 8/7/2008		SeqNo: 489623		
Analyte		Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Dibromomethane		U	1.0									
Dichlorodifluoromethane		U	1.0									C
Ethylbenzene		U	1.0									
Hexachlorobutadiene		U	1.0									
Isopropylbenzene		U	1.0									
m,p-Xylene		U	2.0									
Methyl tert-butyl ether		U	1.0									
Methylene chloride		U	1.0									
Naphthalene		U	1.0									
n-Butylbenzene		U	1.0									C
n-Propylbenzene		U	1.0									
o-Xylene		U	1.0									C
sec-Butylbenzene		U	1.0									
Styrene		U	1.0									C
tert-Butylbenzene		U	1.0									
Tetrachloroethene		U	1.0									
Toluene		U	1.0									
trans-1,2-Dichloroethene		U	1.0									
trans-1,3-Dichloropropene		U	1.0									
Trichloroethene		U	1.0									
Trichlorofluoromethane		U	1.0									
Vinyl acetate		U	1.0									
Vinyl chloride		U	1.0									
Surr: 4-Bromofluorobenzene		49		50.00		97.5	54	134				
Surr: Dibromofluoromethane		45		50.00		90.4	52	132				
Surr: Toluene-d8		45		50.00		90.4	51	127				

Sample ID: 0808056-08AMSD		SampType: MSD		TestCode: 8260MTBE11		Units: µg/L		Prep Date:		RunNo: 37427		
Client ID: GWQ073008:1140N		Batch ID: R37427a		TestNo: SW8260B				Analysis Date: 8/7/2008		SeqNo: 489628		
Analyte		Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual

Sample ID: 0808056-08AMSD	SampType: MSD	TestCode: 8260MTBE11	Units: µg/L	Prep Date:	RunNo: 37427						
Client ID: GWQ073008:1140N	Batch ID: R37427a	TestNo: SW8260B		Analysis Date: 8/7/2008	SeqNo: 489628						
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual

Qualifiers: E Value above quantitation range
 LOD Limit of Detection
 R RPD outside accepted recovery limits

H Holding times for preparation or analysis exceeded
 LOQ Limit of Quantitation
 S Spike Recovery outside accepted recovery limits

J Analyte detected below quantitation li
 ND Not Detected at the Reporting Limit
 U Indicates the compound was analyzed

CLIENT: Leggett Brashears & Graham Inc.
Work Order: 0808056
Project: Rowe

ANALYTICAL QC SUMMARY REPORT

TestCode: 8260MTBE113_W

Sample ID: 0808056-08A		MSD	SampType: MSD		TestCode: 8260MTBE11		Units: µg/L	Prep Date:		RunNo: 37427		
Client ID: GWQ073008:114DN			Batch ID: R37427a		TestNo: SW8260B			Analysis Date: 8/7/2008		SeqNo: 489628		
Analyte		Result	PQL	SPK value	SPK RefVal	%REC	LowLimit	HighLimit	RPD RefVal	%RPD	RPDLimit	Qual
1,1,1-Trichloroethane		48	1.0	50.00	0	95.9	43	148	39.46	19.4	20	
1,1,2,2-Tetrachloroethane		44	1.0	50.00	0	87.6	32	148	34.98	22.4	20	R
1,1,2-Trichloroethane		45	1.0	50.00	0	89.2	42	136	33.00	29.9	20	R
1,1-Dichloroethane		46	1.0	50.00	0	91.6	40	150	38.56	17.2	20	
1,1-Dichloroethene		55	1.0	50.00	0	109	30	154	47.33	14.3	20	
1,2-Dichlorobenzene		42	1.0	50.00	0	83.3	40	129	35.27	16.6	20	
1,2-Dichloroethane		46	1.0	50.00	0	92.4	36	141	34.37	29.4	20	R
1,2-Dichloropropane		44	1.0	50.00	0	87.2	44	138	36.13	18.7	20	
1,3-Dichlorobenzene		41	1.0	50.00	0	82.8	40	133	38.03	8.53	20	
1,4-Dichlorobenzene		43	1.0	50.00	0	85.3	40	135	37.16	13.8	20	
2-Butanone		100	3.0	125.0	0	82.2	35	135	67.35	41.7	20	R
2-Chloroethyl vinyl ether		44	1.0	50.00	0	88.1	21	139	82.29	60.6	20	R
2-Hexanone		97	2.0	125.0	0	77.4	35	135	72.05	29.2	20	R
4-Methyl-2-pentanone		94	2.0	125.0	0	75.3	35	135	75.16	22.4	20	R
Acetone		90	2.0	125.0	0	72.0	35	135	67.38	28.7	20	R
Benzene		45	1.0	50.00	0	89.0	45	144	38.32	15.0	20	
Bromodichloromethane		43	1.0	50.00	0	86.0	35	136	34.81	21.0	20	R
Bromoform		42	1.0	50.00	0	84.9	28	138	36.81	14.2	20	
Bromomethane		46	1.0	50.00	0	91.5	26	148	47.49	3.78	20	
Carbon tetrachloride		47	1.0	50.00	0	93.3	45	141	38.82	18.3	20	
Chlorobenzene		41	1.0	50.00	0	81.1	41	142	38.62	4.88	20	
Chloroethane		45	1.0	50.00	0	89.2	36	143	39.30	12.6	20	
Chloroform		46	1.0	50.00	0	91.2	42	137	39.29	14.8	20	
Chloromethane		48	1.0	50.00	0	96.8	35	151	37.62	25.0	20	R
cis-1,3-Dichloropropene		43	1.0	50.00	0	86.7	42	130	34.62	22.4	20	R
Dibromochloromethane		42	1.0	50.00	0	84.0	21	134	34.93	18.4	20	
Ethylbenzene		39	1.0	50.00	0	77.5	45	146	38.40	0.856	20	
Tetrachloroethene		39	1.0	50.00	0	78.8	45	136	28.98	30.5	20	R
Toluene		44	1.0	50.00	0	88.4	43	134	37.35	16.8	20	
trans-1,2-Dichloroethene		44	1.0	50.00	0	88.3	42	135	38.34	14.0	20	
trans-1,3-Dichloropropene		44	1.0	50.00	0	89.0	37	133	35.04	23.7	20	R

Qualifiers: E Value above quantitation range
LOD Limit of Detection
R RPD outside accepted recovery limits

H Holding times for preparation or analysis exceeded
LOQ Limit of Quantitation
S Spike Recovery outside accepted recovery limits

J Analyte detected below quantitation li
ND Not Detected at the Reporting Limit
U Indicates the compound was analyzed

CLIENT: Leggette Brashears & Graham Inc.
Work Order: 0808056
Project: Rowe

ANALYTICAL QC SUMMARY REPORT

TestCode: 8260MTBE113_W

Sample ID: 0808056-08AMSD		SampleType: MSD	TestCode: 8260MTBE11		Units: µg/L	Prep Date:		RunNo: 37427			
Client ID: GWQ073008-1140N		Batch ID: R37427a	TestNo: SW8260B		Analysis Date: 8/7/2008		SeqNo: 489628				
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Trichloroethene	44	1.0	50.00	0	87.9	43	140	37.44	16.0	20	
Trichlorofluoromethane	49	1.0	50.00	0	97.6	50	148	43.60	11.3	20	
Vinyl chloride	48	1.0	50.00	0	95.1	35	142	40.35	16.3	20	
Surr: 4-Bromofluorobenzene	52		50.00		105	54	134		0	0	
Surr: Dibromofluoromethane	54		50.00		109	52	132		0	0	
Surr: Toluene-d8	50		50.00		101	51	127		0	0	

Qualifiers: E Value above quantitation range
LOD Limit of Detection
R RPD outside accepted recovery limits

H Holding times for preparation or analysis exceeded
LOQ Limit of Quantitation
S Spike Recovery outside accepted recovery limits

J Analyte detected below quantitation li
ND Not Detected at the Reporting Limit
U Indicates the compound was analyzed

CLIENT: Leggette Brashears & Graham Inc.
Work Order: 0808056
Project: Rowe

ANALYTICAL QC SUMMARY REPORT

TestCode: FE_D

Sample ID: 0808058-03C-MS	SampType: MS	TestCode: FE_D	Units: mg/L	Prep Date: 8/5/2008	RunNo: 37422						
Client ID: ZZZZZZ	Batch ID: 22470	TestNo: E200.7	SW3005A	Analysis Date: 8/7/2008	SeqNo: 488231						
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Iron	1.19	0.0200	1.000	0.1415	105	68	122				

Sample ID: 0808058-03C-MSD	SampType: MSD	TestCode: FE_D	Units: mg/L	Prep Date: 8/5/2008	RunNo: 37422						
Client ID: ZZZZZZ	Batch ID: 22470	TestNo: E200.7	SW3005A	Analysis Date: 8/7/2008	SeqNo: 488232						
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Iron	1.18	0.0200	1.000	0.1415	104	68	122	1.189	0.513	20	

Sample ID: PBW-080508B	SampType: MBLK	TestCode: FE_D	Units: mg/L	Prep Date: 8/5/2008	RunNo: 37422						
Client ID: PBW	Batch ID: 22470	TestNo: E200.7	SW3005A	Analysis Date: 8/7/2008	SeqNo: 488237						
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Iron	U	0.0200									

Sample ID: LCSW-080508B	SampType: LCS	TestCode: FE_D	Units: mg/L	Prep Date: 8/5/2008	RunNo: 37422						
Client ID: LCSW	Batch ID: 22470	TestNo: E200.7	SW3005A	Analysis Date: 8/7/2008	SeqNo: 488238						
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Iron	1.95	0.0200	2.000	0	97.5	68	122				

Qualifiers: E Value above quantitation range
LOD Limit of Detection
R RPD outside accepted recovery limits

II Holding times for preparation or analysis exceeded
LOQ Limit of Quantitation
S Spike Recovery outside accepted recovery limits

J Analyte detected below quantitation li
ND Not Detected at the Reporting Limit
U Indicates the compound was analyzed

CLIENT: Leggett Brashears & Graham Inc.
Work Order: 0808056
Project: Rowe

ANALYTICAL QC SUMMARY REPORT

TestCode: FE_T

Sample ID: 0808058-03B-MS	SampleType: MS	TestCode: FE_T	Units: mg/L	Prep Date: 8/5/2008	RunNo: 37422						
Client ID: ZZZZZZ	Batch ID: 22470	TestNo: E200.7	SW3005A	Analysis Date: 8/7/2008	SeqNo: 488349						
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Iron	2.31	0.0200	1.000	1.359	95.0	68	122				

Sample ID: 0808058-03B-MSD	SampleType: MSD	TestCode: FE_T	Units: mg/L	Prep Date: 8/5/2008	RunNo: 37422						
Client ID: ZZZZZZ	Batch ID: 22470	TestNo: E200.7	SW3005A	Analysis Date: 8/7/2008	SeqNo: 488350						
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Iron	2.32	0.0200	1.000	1.359	95.7	68	122	2.309	0.340	20	

Sample ID: PBW-080508C	SampleType: MBLK	TestCode: FE_T	Units: mg/L	Prep Date: 8/5/2008	RunNo: 37422						
Client ID: PBW	Batch ID: 22470	TestNo: E200.7	SW3005A	Analysis Date: 8/7/2008	SeqNo: 488355						
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Iron	U	0.0200									

Sample ID: LCSW-080508C	SampleType: LCS	TestCode: FE_T	Units: mg/L	Prep Date: 8/5/2008	RunNo: 37422						
Client ID: LCSW	Batch ID: 22470	TestNo: E200.7	SW3005A	Analysis Date: 8/7/2008	SeqNo: 488357						
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Iron	1.97	0.0200	2.000	0	98.5	68	122				

Qualifiers: E Value above quantitation range
LOD Limit of Detection
R RPD outside accepted recovery limits
H Holding times for preparation or analysis exceeded
LOQ Limit of Quantitation
S Spike Recovery outside accepted recovery limits
J Analyte detected below quantitation li
ND Not Detected at the Reporting Limit
U Indicates the compound was analyzed

H8G310107 Analytical Report	1
Sample Receipt Documentation	15
Total Number of Pages	17



TestAmerica Laboratories, Inc.

ANALYTICAL REPORT

Rowe-NABSAG 0401

Lot #: H8G310107

Mark Goldberg

Leggette, Brashears & Graham,
4 Research Drive
Suite #301
Shelton, CT 06484

TESTAMERICA LABORATORIES, INC.

A handwritten signature in black ink, appearing to read "J A McKinney", is written over the printed name.

Jamie A. McKinney
Project Manager

August 4, 2008

ANALYTICAL METHODS SUMMARY

H8G310107

<u>PARAMETER</u>	<u>ANALYTICAL METHOD</u>
Volatile Organics by TO15	EPA-2 TO-15

References:

EPA-2 "Compendium of Methods for the Determination of Toxic
Organic Compounds in Ambient Air", EPA-625/R-96/010b,
January 1999.

SAMPLE SUMMARY

H8G310107

WO #	SAMPLE#	CLIENT SAMPLE ID	SAMPLED DATE	SAMP TIME
KTE3C	001	AQ073008:1310NP4-1	07/30/08	13:10
KTE3D	002	AQ073008:1315NP4-2	07/30/08	13:15
KTE3E	003	AQ073008:1320NP4-3	07/30/08	13:20

NOTE (S) :

- The analytical results of the samples listed above are presented on the following pages.
- All calculations are performed before rounding to avoid round-off errors in calculated results.
- Results noted as "ND" were not detected at or above the stated limit.
- This report must not be reproduced, except in full, without the written approval of the laboratory.
- Results for the following parameters are never reported on a dry weight basis: color, corrosivity, density, flashpoint, ignitability, layers, odor, paint filter test, pH, porosity pressure, reactivity, redox potential, specific gravity, spot tests, solids, solubility, temperature, viscosity, and weight.

PROJECT NARRATIVE

H8G310107

The results reported herein are applicable to the samples submitted for analysis only.

This report shall not be reproduced except in full, without the written approval of the laboratory.

The original chain of custody documentation is included with this report.

Sample Receipt

Custody seals were not present.

Quality Control and Data Interpretation

Unless otherwise noted, all holding times and QC criteria were met and the test results shown in this report meet all applicable NELAC requirements.

The samples were received on 7/31/08 in Tedlar bags and analyzed within 72 hours of sampling.

The EPA method requires that all target analytes in the continuing calibration verification standard be within 30% difference from the initial calibration. The laboratory standard operating procedure allows up to four analytes in the calibration verification to be $\leq 40\%$ difference from the initial calibration. The calibration verification analyzed on 07/31/08 (LCS for batch 8214137) exhibited a %difference of $>30\%$ but $\leq 40\%$ for chloromethane, vinyl chloride, chloroethane, and 1,1-dichloroethene. In addition, this calibration verification exhibited a %difference of $>40\%$ for bromomethane. However, since the recovery was high and bromomethane was not detected above the reporting limits in the associated samples, there is no impact on the data.

TestAmerica Knoxville maintains the following certifications, approvals and accreditations: Arkansas DEQ Cert. #05-043-0, California DHS ELAP Cert. #2423, Colorado DPHE, Connecticut DPH Cert. #PH-0223, Florida DOH Cert. #E87177, Georgia DNR Cert. #906, Hawaii DOH, Illinois EPA Cert. #000687, Indiana DOH Cert. #C-TN-02, Iowa DNR Cert. #375, Kansas DHE Cert. #E-10349, Kentucky DEP Lab ID #90101, Louisiana DEQ Cert. #03079, Louisiana DOHH Cert. #LA030024, Maryland DHMH Cert. #277, Massachusetts DEP Cert. #M-TN009, Michigan DEQ Lab ID #9933, New Jersey DEP Cert. #TN001, New York DOH Lab #10781, North Carolina DPH Lab ID #21705, North Carolina DEHNR Cert. #64, Ohio EPA VAP Cert. #CL0059, Oklahoma DEQ ID #9415, Pennsylvania DEP Cert. #68-00576, South Carolina DHEC Lab ID #84001001, Tennessee DOH Lab ID #02014, Utah DOH Cert. #QUAN3, Virginia DGS Lab ID #00165, Washington DOE Lab #C120, West Virginia DEP Cert. #345, Wisconsin DNR Lab ID #998044300, Naval Facilities Engineering Service Center and USDA Soil Permit #S-46424. This list of approvals is subject to change and does not imply that laboratory certification is available for all parameters reported in this environmental sample data report.

Sample Data Summary

Leggette, Brashcars & Graham, Inc.

Client Sample ID: AQ073008:1310NP4-1

GC/MS Volatiles

Lot-Sample # H8G310107 - 001 Work Order # KTE3C1AA Matrix.....: AIR

Date Sampled...: 07/30/2008 Date Received...: 07/31/2008
 Prep Date.....: 07/31/2008 Analysis Date...: 07/31/2008
 Prep Batch #....: 8214137
 Dilution Factor.: 5 Method.....: TO-15

PARAMETER	RESULTS (ppb(v/v))	REPORTING LIMIT (ppb(v/v))	RESULTS (ug/m3)	REPORTING LIMIT (ug/m3)
Benzene	0.42	1.0	1.4 J	3.2
Bromodichloromethane	ND	1.0	ND	6.7
Bromoform	ND	1.0	ND	10
Bromomethane	ND	1.0	ND	3.9
Carbon disulfide	3.6	2.5	11	7.8
Carbon tetrachloride	ND	1.0	ND	6.3
Chlorobenzene	ND	1.0	ND	4.6
Dibromochloromethane	ND	1.0	ND	8.5
Chloroethane	ND	1.0	ND	2.6
Chloroform	0.86	1.0	4.2 J	4.9
Chloromethane	ND	2.5	ND	5.2
1,1-Dichloroethane	2.2	1.0	8.8	4.0
1,2-Dichloroethane	ND	1.0	ND	4.0
cis-1,2-Dichloroethene	ND	1.0	ND	4.0
trans-1,2-Dichloroethene	ND	1.0	ND	4.0
1,1-Dichloroethene	0.55	1.0	2.2 J	4.0
1,2-Dichloropropane	ND	1.0	ND	4.6
cis-1,3-Dichloropropene	ND	1.0	ND	4.5
trans-1,3-Dichloropropene	ND	1.0	ND	4.5
Ethylbenzene	ND	1.0	ND	4.3
Methylene chloride	0.67	2.5	2.3 J B	8.7
Styrene	ND	1.0	ND	4.3
1,1,2,2-Tetrachloroethane	ND	1.0	ND	6.9
Tetrachloroethene	12	1.0	80	6.8
Toluene	0.92	1.0	3.5 J	3.8
1,1,1-Trichloroethane	6.3	1.0	34	5.5
1,1,2-Trichloroethane	ND	1.0	ND	5.5
Trichloroethene	1.0	1.0	5.5	5.4
Vinyl chloride	ND	1.0	ND	2.6
m-Xylene & p-Xylene	ND	1.0	ND	4.3
o-Xylene	ND	1.0	ND	4.3

SURROGATE	PERCENT RECOVERY	LABORATORY CONTROL LIMITS (%)
1,2-Dichloroethane-d4	110	70 - 130
Toluene-d8	100	70 - 130
4-Bromofluorobenzene	95	70 - 130

Leggette, Brashears & Graham, Inc.

Client Sample ID: AQ073008:1310NP4-1

GC/MS Volatiles

Lot-Sample # H8G310107 - 001 Work Order # KTE3C1AA Matrix.....: AIR

Qualifiers

B Method blank contamination. The associated method blank contains the target analyte at a reportable level.
J Estimated result. Result is less than RL.

The 'Result' in ug/m3 is calculated using the following equation: $\text{Amount Found (before rounding)} \times (\text{Molecular Weight} / 24.45)$

The 'Reporting Limit' in ug/m3 is calculated using the following equation: $(\text{Reporting Limit (before rounding)} \times \text{Dilution Factor}) \times (\text{Molecular Weight} / 24.45)$

Leggette, Brashears & Graham, Inc.
 Client Sample ID: AQ073008:1315NP4-2
 GC/MS Volatiles

Lot-Sample # H8G310107 - 002 Work Order # KTE3D1AA Matrix.....: AIR

Date Sampled...: 07/30/2008 Date Received...: 07/31/2008
 Prep Date.....: 07/31/2008 Analysis Date...: 07/31/2008
 Prep Batch #....: 8214137
 Dilution Factor.: 5 Method.....: TO-15

PARAMETER	RESULTS (ppb(v/v))	REPORTING LIMIT (ppb(v/v))	RESULTS (ug/m3)	REPORTING LIMIT (ug/m3)
Benzene	0.58	1.0	1.8 J	3.2
Bromodichloromethane	ND	1.0	ND	6.7
Bromoform	ND	1.0	ND	10
Bromomethane	ND	1.0	ND	3.9
Carbon disulfide	4.7	2.5	15	7.8
Carbon tetrachloride	0.35	1.0	2.2 J	6.3
Chlorobenzene	ND	1.0	ND	4.6
Dibromochloromethane	ND	1.0	ND	8.5
Chloroethane	ND	1.0	ND	2.6
Chloroform	1.6	1.0	7.8	4.9
Chloromethane	ND	2.5	ND	5.2
1,1-Dichloroethane	3.5	1.0	14	4.0
1,2-Dichloroethane	ND	1.0	ND	4.0
cis-1,2-Dichloroethene	0.55	1.0	2.2 J	4.0
trans-1,2-Dichloroethene	ND	1.0	ND	4.0
1,1-Dichloroethene	0.74	1.0	2.9 J	4.0
1,2-Dichloropropane	ND	1.0	ND	4.6
cis-1,3-Dichloropropene	ND	1.0	ND	4.5
trans-1,3-Dichloropropene	ND	1.0	ND	4.5
Ethylbenzene	ND	1.0	ND	4.3
Methylene chloride	0.67	2.5	2.3 J B	8.7
Styrene	ND	1.0	ND	4.3
1,1,2,2-Tetrachloroethane	ND	1.0	ND	6.9
Tetrachloroethene	71	1.0	480	6.8
Toluene	0.79	1.0	3.0 J	3.8
1,1,1-Trichloroethane	24	1.0	130	5.5
1,1,2-Trichloroethane	ND	1.0	ND	5.5
Trichloroethene	8.6	1.0	46	5.4
Vinyl chloride	ND	1.0	ND	2.6
m-Xylene & p-Xylene	ND	1.0	ND	4.3
o-Xylene	ND	1.0	ND	4.3

SURROGATE	PERCENT RECOVERY	LABORATORY CONTROL LIMITS (%)
1,2-Dichloroethane-d4	114	70 - 130
Toluene-d8	99	70 - 130
4-Bromofluorobenzene	92	70 - 130

Leggette, Brashears & Graham, Inc.
Client Sample ID: AQ073008:1315NP4-2
GC/MS Volatiles

Lot-Sample # H8G310107 - 002 Work Order # KTE3D1AA Matrix.....: AIR

Qualifiers

B Method blank contamination. The associated method blank contains the target analyte at a reportable level.
J Estimated result. Result is less than RL.

The 'Result' in ug/m3 is calculated using the following equation: Amount Found(before rounding)*(Molecular Weight/24.45)

The 'Reporting Limit' in ug/m3 is calculated using the following equation: (Reporting Limit(before rounding) * Dilution Factor) * (Molecular Weight/24.45)

Leggette, Brashears & Graham, Inc.
 Client Sample ID: AQ073008:1320NP4-3
 GC/MS Volatiles

Lot-Sample # H8G310107 - 003 Work Order # KTE3E1AA Matrix.....: AIR

Date Sampled...: 07/30/2008 Date Received...: 07/31/2008
 Prep Date.....: 07/31/2008 Analysis Date...: 08/01/2008
 Prep Batch #.....: 8214137
 Dilution Factor.: 5 Method.....: TO-15

PARAMETER	RESULTS (ppb(v/v))	REPORTING LIMIT (ppb(v/v))	RESULTS (ug/m3)	REPORTING LIMIT (ug/m3)
Benzene	0.88	1.0	2.8 J	3.2
Bromodichloromethane	ND	1.0	ND	6.7
Bromoform	ND	1.0	ND	10
Bromomethane	ND	1.0	ND	3.9
Carbon disulfide	4.6	2.5	14	7.8
Carbon tetrachloride	ND	1.0	ND	6.3
Chlorobenzene	1.4	1.0	6.4	4.6
Dibromochloromethane	ND	1.0	ND	8.5
Chloroethane	ND	1.0	ND	2.6
Chloroform	0.74	1.0	3.6 J	4.9
Chloromethane	0.93	2.5	1.9 J	5.2
1,1-Dichloroethane	2.2	1.0	8.9	4.0
1,2-Dichloroethane	ND	1.0	ND	4.0
cis-1,2-Dichloroethene	0.39	1.0	1.5 J	4.0
trans-1,2-Dichloroethene	ND	1.0	ND	4.0
1,1-Dichloroethene	0.68	1.0	2.7 J	4.0
1,2-Dichloropropane	ND	1.0	ND	4.6
cis-1,3-Dichloropropene	ND	1.0	ND	4.5
trans-1,3-Dichloropropene	ND	1.0	ND	4.5
Ethylbenzene	ND	1.0	ND	4.3
Methylene chloride	0.63	2.5	2.2 J B	8.7
Styrene	ND	1.0	ND	4.3
1,1,2,2-Tetrachloroethane	ND	1.0	ND	6.9
Tetrachloroethene	ND	1.0	ND	6.8
Toluene	1.9	1.0	7.0	3.8
1,1,1-Trichloroethane	4.1	1.0	22	5.5
1,1,2-Trichloroethane	ND	1.0	ND	5.5
Trichloroethene	ND	1.0	ND	5.4
Vinyl chloride	ND	1.0	ND	2.6
m-Xylene & p-Xylene	2.3	1.0	9.9	4.3
o-Xylene	0.71	1.0	3.1 J	4.3

SURROGATE	PERCENT RECOVERY	LABORATORY CONTROL LIMITS (%)
1,2-Dichloroethane-d4	109	70 - 130
Toluene-d8	102	70 - 130
4-Bromofluorobenzene	91	70 - 130

Leggette, Brashears & Graham, Inc.
Client Sample ID: AQ073008:1320NP4-3
GC/MS Volatiles

Lot-Sample # H8G310107 - 003 Work Order # KTE3E1AA Matrix.....: AIR

Qualifiers

B Method blank contamination. The associated method blank contains the target analyte at a reportable level.
J Estimated result. Result is less than RL.

The 'Result' in ug/m3 is calculated using the following equation: Amount Found(before rounding)*(Molecular Weight/24.45)

The 'Reporting Limit' in ug/m3 is calculated using the following equation: (Reporting
Limit(before rounding) * Dilution Factor) * (Molecular Weight/24.45)

Leggette, Brashears & Graham, Inc.
 Client Sample ID: INTRA-LAB BLANK
 GC/MS Volatiles

Lot-Sample # H8H010000 - 137B Work Order # KTGTL1AA Matrix.....: AIR

Prep Date.....: 07/30/2008 Date Received..: 07/31/2008
 Prep Date.....: 07/31/2008 Analysis Date...: 07/31/2008
 Prep Batch #.....: 8214137
 Dilution Factor.: 1 Method.....: TO-15

PARAMETER	RESULTS (ppb(v/v))	REPORTING LIMIT (ppb(v/v))	RESULTS (ug/m3)	REPORTING LIMIT (ug/m3)
Benzene	ND	0.20	ND	0.64
Bromodichloromethane	ND	0.20	ND	1.3
Bromoform	ND	0.20	ND	2.1
Bromomethane	ND	0.20	ND	0.78
Carbon disulfide	ND	0.50	ND	1.6
Carbon tetrachloride	ND	0.20	ND	1.3
Chlorobenzene	ND	0.20	ND	0.92
Dibromochloromethane	ND	0.20	ND	1.7
Chloroethane	ND	0.20	ND	0.53
Chloroform	ND	0.20	ND	0.98
Chloromethane	ND	0.50	ND	1.0
1,1-Dichloroethane	ND	0.20	ND	0.81
1,2-Dichloroethane	ND	0.20	ND	0.81
cis-1,2-Dichloroethene	ND	0.20	ND	0.79
trans-1,2-Dichloroethene	ND	0.20	ND	0.79
1,1-Dichloroethene	ND	0.20	ND	0.79
1,2-Dichloropropane	ND	0.20	ND	0.92
cis-1,3-Dichloropropene	ND	0.20	ND	0.91
trans-1,3-Dichloropropene	ND	0.20	ND	0.91
Ethylbenzene	ND	0.20	ND	0.87
Methylene chloride	0.051	0.50	0.18 J	1.7
Styrene	ND	0.20	ND	0.85
1,1,2,2-Tetrachloroethane	ND	0.20	ND	1.4
Tetrachloroethene	ND	0.20	ND	1.4
Toluene	ND	0.20	ND	0.75
1,1,1-Trichloroethane	ND	0.20	ND	1.1
1,1,2-Trichloroethane	ND	0.20	ND	1.1
Trichloroethene	ND	0.20	ND	1.1
Vinyl chloride	ND	0.20	ND	0.51
m-Xylene & p-Xylene	ND	0.20	ND	0.87
o-Xylene	ND	0.20	ND	0.87

SURROGATE	PERCENT RECOVERY	LABORATORY CONTROL LIMITS (%)
1,2-Dichloroethane-d4	107	70 - 130
Toluene-d8	98	70 - 130
4-Bromofluorobenzene	90	70 - 130

Leggette, Brashears & Graham, Inc.
Client Sample ID: INTRA-LAB BLANK
GC/MS Volatiles

Lot-Sample # H8H010000 - 137B Work Order # KTGTL1AA Matrix.....: AIR

Qualifiers

J Estimated result. Result is less than RL.

The 'Result' in ug/m3 is calculated using the following equation: Amount Found(before rounding)*(Molecular Weight/24.45)

The 'Reporting Limit' in ug/m3 is calculated using the following equation: (Reporting Limit(before rounding) * Dilution Factor) * (Molecular Weight/24.45)

Leggette, Brashears & Graham, Inc.
 Client Sample ID: CHECK SAMPLE
 GC/MS Volatiles

Lot-Sample # H8H010000 - 137C Work Order # KTGT11AC Matrix.....: AIR

Prep Date.....: 07/30/2008 Date Received...: 07/31/2008
 Prep Date.....: 07/31/2008 Analysis Date...: 07/31/2008
 Prep Batch #.....: 8214137
 Dilution Factor.: 1 Method.....: TO-15

PARAMETER	SPIKE AMOUNT (ppb(v/v))	MEASURED AMOUNT (ppb(v/v))	SPIKE AMOUNT (ug/m3)	MEASURED AMOUNT (ug/m3)	PERCENT RECOVERY	RECOVERY LIMITS
Benzene	10.0	8.26	32	26	83	70 - 130
Chlorobenzene	10.0	8.79	46	40	88	70 - 130
1,1-Dichloroethene	10.0	13.2	40	52	132 a	70 - 130
Toluene	10.0	9.38	38	35	94	70 - 130
Trichloroethene	10.0	8.84	54	48	88	70 - 130

SURROGATE	PERCENT RECOVERY	LABORATORY CONTROL LIMITS (%)
1,2-Dichloroethane-d4	99	70 - 130
Toluene-d8	101	70 - 130
4-Bromofluorobenzene	96	70 - 130

Qualifiers

a Spiked analyte recovery is outside stated control limits.

The 'Result' in ug/m3 is calculated using the following equation: Amount Found(before rounding)*(Molecular Weight/24.45)

The 'Reporting Limit' in ug/m3 is calculated using the following equation: (Reporting Limit(before rounding) * Dilution Factor) * (Molecular Weight/24.45)

Sample Receipt Documentation

STL Knoxville

5815 Middlebrook Pike • Knoxville, TN 37921-5947
Phone: (865) 291-3000 • Fax: (865) 584-4315
Receiving: (865) 291-3031

ANALYSIS REQUEST AND CHAIN OF CUSTODY RECORD*

1486 310107

Reference Document No.
Page 1 of

Bill to: 5

Project Name/No. 1 Rowl
Sample Team Members 2 St
Profit Center No. 3
Project Manager 4 M. Goldberg
Purchase Order No. 6 Nabsey
Required Report Date 11

Samples Shipment Date 7 7/30/08
Lab Destination 8
Lab Contact 9 S. McKinney
Project Contact / Phone 12 803-544-5000
Carrier / Waybill No. 13

Report to: 10 M. Goldberg
Lib
4 Research Dr. Suite 301
Shelton, CT 06484

ONE CONTAINER PER LINE

Sample 14 Number	Sample 15 Type	Date/Time 16 Collected	Container 17 Type	Sample 18 Volume	Pre- 19 servative	Requested Testing 20 Program	Condition on Receipt 21 Lab use only
A6073008:1310NP4-1	Air	7/30/08 1310	Tedlar Bag	1 liter	None	TO 15	Custody seals intact Y (N) NA
A6073008:1315NP4-2	I	1315	I	I	I	I	Temperature received at <u>AMM</u>
A6073008:1320NP4-3	I	1320	I	I	I	I	Received by <u>6/5</u> Date <u>7/31/08</u>
							Number of packages <u>100</u>
							Tracking # <u>7911 1270 5230</u>

Special Instructions: 23

Possible Hazard Identification: 24

Non-Hazard ☒ Flammable ☐ Skin Irritant ☐ Poison B ☐ Unknown ☐ Sample Disposal: 25

Turnaround Time Required: 26

Normal ☒ Rush ☐ QC Level: 27

1. Relinquished by 28 (Signature / Affiliation) St Date: 7/30/08 1. Received by 28 (Signature / Affiliation) St Date: 7-31-08

1. Relinquished by (Signature / Affiliation) Date: Time: 1. Received by (Signature / Affiliation) Date: Time:

Comments: 29

TESTAMERICA KNOXVILLE SAMPLE RECEIPT/CONDITION UPON RECEIPT ANOMALY CHECKLIST

Client: LBCProject: R0WFeLot Number: H86310107

Review Items	Yes	No	NA	If No, what was the problem?	Comments/Actions Taken
1. Do sample container labels match COC? (IDs, Dates, Times)	☒			☐ 1a Do not match COC ☐ 1b Incomplete information ☐ 1c Marking smeared ☐ 1d Label torn ☐ 1e No label ☐ 1f COC not received ☐ 1g Other:	<u>NA</u>
2. Is the cooler temperature within limits? (> freezing temp. of water to 6 °C; NC, 1668, 1613B: 0-4°C; VOST: 10°C; MA: 2-6 °C)	☒			☐ 2a Temp Blank = _____ ☐ 2b Cooler Temp = _____	
3. Were samples received with correct chemical preservative (excluding Encore)?	☒			☐ 3a Sample preservative = _____	
4. Were custody seals present/intact on cooler and/or containers?	☒			☒ 4a Not present ☐ 4b Not intact ☐ 4c Other:	
5. Were all of the samples listed on the COC received?	☒			☐ 5a Samples received-not on COC ☐ 5b Samples not received-on COC	
6. Were all of the sample containers received intact?	☒			☐ 6a Leaking ☐ 6b Broken	
7. Were VOA samples received without headspace?	☒			☐ 7a Headspace (VOA only)	
8. Were samples received in appropriate containers?	☒			☐ 8a Improper container	
9. Did you check for residual chlorine, if necessary?	☒			☐ 9a Could not be determined due to matrix interference	
10. Were samples received within holding time?	☒			☐ 10a Holding time expired	
11. For rad samples, was sample activity info. provided?	☒			☐ Incomplete information	
12. For SOG water samples (1613B, 1668A, 8290, LR PAHs), do samples have visible solids present?	☒			If yes & appears to be > 1%, was SOG notified?	
13. Are the shipping containers intact?	☒			☐ 13a Leaking ☐ 13b Other:	
14. Was COC relinquished? (Signed/Dated/Timed)	☒			☐ 14a Not relinquished	
15. Are tests/parameters listed for each sample?	☒			☐ 15a Incomplete information	
16. Is the matrix of the samples noted?	☒			☐ 15a Incomplete information	
17. Is the date/time of sample collection noted?	☒			☐ 15a Incomplete information	
18. Is the client and project name/# identified?	☒			☐ 15a Incomplete information	
19. Was the sampler identified on the COC?	☒			☐ 15a Incomplete information	
Quote #: <u>69616</u> PM Instructions: _____					

Sample Receiving Associate: Bryan DannerDate: 7-31-08

QA026R19.doc, 080707