

-DRAFT-

PROJECT STATUS MEMORANDUM

NO. 11-08

TO: Pamela Tames, USEPA

FROM: Mark M. Goldberg, P.E.
Tunde H. Komuves-Sandor

DATE: January 6, 2009

PROJECT: Rowe Industries Superfund Site
Ground-Water Recovery and Treatment System
November 2008 Status Report
Sag Harbor, New York

LBG Engineering Services, P.C. (LBG) commenced operation of the ground-water remediation system at the above-referenced site on December 17, 2002. This status report presents a summary of system performance, operation and maintenance, and monitoring activities for the site from November 1, 2008 through November 30, 2008. The report includes a summary of system performance parameters, system operation parameters, and analytical results for ground water, system effluent samples, and air quality results.

SUMMARY OF SYSTEM PERFORMANCE AND OPERATION

(November 1, 2008 through November 30, 2008)

- | | |
|---|-----------------------------------|
| 1. Hours of operation during the reporting period: | 635 hours (88 %) |
| 2. Alarm conditions during the reporting period: | See Table 1 |
| 3. Was the SPDES VOC discharge permit criteria achieved: | yes, (Table 2) |
| 4. Total volume of water pumped during the reporting period: | 13,025,894 gal. |
| 5. Was the system effluent flow below the SPDES limit of 1,023,000 gpd: | yes, (Graph 1) |
| 6. Mass of VOCs recovered during the reporting period: | 0.4 pounds |
| 7. Cumulative mass of VOCs recovered since startup on 12/17/02:
(calculations can be provided upon request) | 213.3 pounds |
| 8. Effluent VOC vapor concentration for the reporting period: | <0.01 mg/m ³ (Table 3) |
| 9. Was the effluent VOC vapor emission rate below 0.022 lbs/hr.:
(calculations can be provided upon request) | yes (0.00002 lbs/hr) |

FULL SCALE PUMP AND TREAT SYSTEM STATUS SUMMARY

The following table summarizes select recovery well parameters for the reporting period. Table 4 presents a summary of the quality results for water samples collected from recovery wells. Graph 2 presents PCE concentrations for each recovery well. For wells with water quality that meets or is approaching remedial criteria, Graph 3 presents PCE concentrations at an expanded scale in order to compare them to the PCE aquifer restoration concentration of 5 ug/L. Laboratory analytical reports are included as Appendix I.

Well	Volume pumped (gal)	Average Flow (gpm)	Lowest Measured Flow (gpm) ¹	Total VOC Concentration (µg/L)	VOC Recovery (lbs)
RW-2	1,063,963	27	13	8.4	0.07
RW-3	1,113,243	30	10	0	0
RW-4	1,089,127	31	10	3.0	0.03
RW-5	1,624,075	50	50	0	0
RW-6	536,443	15	15	13.8	0.06
RW-7	2,364,620	70	69	6.0	0.12
RW-8	1,624,151	50	41	0	0
RW-9	3,067,269	80	16	0	0

¹Lowest measured flows are based on the lowest average 24 - hour pumping rates for each well recorded to date.

Based on the results of the updated ground-water model for the site, the plume is not migrating beyond the influence of the full scale pump and treat (FSP&T) system if the recovery well pumps operate at or above the “Lowest Measured Flows”. All wells were at or above their lowest measured flow when they were operating.

FOCUS PUMP AND TREAT SYSTEM STATUS SUMMARY

Water-quality data from the recovery wells in the Former Drum Storage Area (FDSA) indicated that degradation of tetrachloroethylene (PCE) was occurring naturally. Therefore, LBG discontinued operation of the FP&T system on April 3, 2007. The system remained off and natural attenuation monitoring was conducted to monitor the progress of the remedial action in the FDSA.

Based on the water-quality data collected in the first and second quarter of 2008, there was sufficient evidence to indicate that degradation of the VOCs was not proceeding at a sufficient rate and active remediation of the ground water was warranted to achieve compliance with the Aquifer Restoration Criteria in a timely manner. Therefore, between September 8 and 17, 2008, subsurface piping was installed to connect the discharge of the FP&T system to the Equalization (EQ) tank of the FSP&T. The ground water recovered from the FDSA is treated by the FSP&T system air stripping tower. The FP&T recovery wells were restarted on September 22, 2008.

LBG continually monitors the FSP&T system for indications of any fouling that had been problematic with the FP&T system. During this reporting period, no indications of such fouling were observed. As a result of routing the discharge from the FP&T system to the FSP&T system for treatment, the operation of the FP&T system has become more consistent and the total volume of water pumped from the FDSA per reporting period has increased.

The following table summarizes the FRW parameters for the reporting period of October 30, 2008 through November 25, 2008. Tables 5 through 8 present a summary of the quality results for water samples collected from the FRWs. Graphs 4 through 7 present VOC concentrations for each FRW. Laboratory analytical reports are included in Appendix II.

Well	Volume pumped (gal)	Total VOC Concentration (µg/L)	VOC Recovery (lbs)
FRW-1	125,778	63.0	0.0661
FRW-2	2,967	27.0	0.0007
FRW-3	6,300	187.6	0.0099
FRW-4	235,080	14.0	0.0275
Total FP&T Water to EQ tank	370,125	--	0.1042

OTHER O&M ACTIVITIES AND FUTURE O&M ACTIVITIES

Other O&M activities conducted in November 2008 include:

- On November 17, 2008, start vapor-phase carbon change out in the FSP&T system;
- On November 18, 2008, finish vapor-phase carbon change out and begin recharge basin maintenance;
- On November 19, 2008, finish recharge basin maintenance. Clean flow meters and well head piping at RW-9. Clean flow meters in FP&T system and installed a butterfly valve in the effluent pipe leading to the FSP&T system. Restart the FP&T system;
- On November 20, 2008, conduct vault and flow meter pipe cleaning for RW-2, 4 and 8; begin below-grade pipe cleaning along Sag Harbor Turnpike and Carroll Street, restart RW-2 and RW-3; and
- On November 21, 2008, finish below-grade pipe cleaning and restart RW-4 through RW-9.

Future O&M activities scheduled for the winter of 2008/2009 include:

- Normal weekly/monthly O&M activities;

MMG:nv

Attachments

cc: Jeff Srulovitz - Kraft Foods Global, Inc. - .pdf
Lisa Krogman, Environ – .pdf
Jeff Trad, NYSDEC – .pdf
Chief-Operation Maintenance and Support Section, NYSDEC – .pdf
William Spitz, RWM, R-1, NYSDEC
Garrett W. Swensen Jr., Esq., Town of Southampton

TABLES

TABLE 1
GROUND-WATER REMEDIAL ACTION
ROWE INDUSTRIES SUPERFUND SITE
SAG HARBOR, NEW YORK

MAINTENANCE LOG
(November 1, 2008 through November 30, 2008)

Date	Time	System Changes/Modifications	Personnel
11/12/2008	3:26 AM	System communication failure, system shut down.	
	2:18 PM	Rebooted system, reset alarm and restarted system.	JF
11/17/2008	8:33 AM	Shut down FSP&T system for scheduled system maintenance.	PW
	10:13 AM	Shut down FP&T system for scheduled system maintenance.	PW
		Vapor-phase carbon change out in FSP&T system.	PW/Alpine
11/18/2008		Continue vapor-phase carbon change out in FSP&T system, start recharge basin maintenance.	PW/Alpine
11/19/2008		Continue recharge basin, FSP&T and FP&T system maintenance.	SH/Alpine
		Changed multi-bag filter bags (400 mm) in Banks 1 and 2 seven of eight housings used. Banks 1 and 2 left open. Bank 3 closed.	SH
	2:14 PM	Restart FSP&T system with FP&T running only.	SH
11/20/2008	9:59 AM	Restart RW-2 and RW-3.	SH
		Flowmeter and below grade pipe cleaning of off site recovery wells.	SH/Alpine
11/21/2008		Changed multi-bag filter bags (400 mm) in Banks 1 and 2 seven of eight housings used. Banks 1 and 2 left open. Bank 3 closed.	SH
	9:06 AM	Restart RW-4 through RW-9.	SH
11/25/2008		Changed multi-bag filter bags (400 mm) in Banks 1 and 2 seven of eight housings used. Banks 1 and 2 left open. Bank 3 closed.	SH

TABLE 2

**GROUND-WATER REMEDIAL ACTION
ROWE INDUSTRIES SUPERFUND SITE
SAG HARBOR, NEW YORK**

EFFLUENT WATER QUALITY RESULTS

Date Sampled ^{2/}	pH ^{1/}	TDS (mg/l)	PCE (ug/l)	1,1,1-TCA (ug/l)	TCE (ug/l)	1,1-DCA (ug/l)	1,1-DCE (ug/l)	1,2-DCE (ug/l)	Xylene (ug/l)	Bromoform (ug/l)	Dibromo- chloromethane (ug/l)	Methylene Chloride (ug/l)	Freon 113 (ug/l)	Acetone (ug/l)	Chloroform (ug/l)	MTBE (ug/l)	Total Iron (mg/l)	Dissolved Iron (mg/l)
SPDES Limits	5.0 to 8.5	---	5	5	5	5	5	5	5	---	---	5	---	50	7	---	---	---
6-Nov-08	5.40	109	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	1.48	0.083
11-Nov-08	5.00	111	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	1.55	0.114
20-Nov-08	5.30	94	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	7.62	0.247
25-Nov-08	^{3/}	103	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	1.36	0.121

SPDES: State Pollutant Discharge Elimination System

mg/l: Milligrams per liter

ug/l: Micrograms per liter

---: Not established

J: Analyte detected below quantitation limits

NM: Not Measured

TDS: Total dissolved solids

PCE: Tetrachloroethylene

TCE: Trichloroethene

1,1-DCA: 1,1-Dichloroethane

1,1-DCE: 1,1-Dichloroethene

1,2-DCE: 1,2-Dichloroethene

MTBE: Methyl tert-butyl ether

Notes:

1. Based on the new SPDES criteria from an NYSDEC letter dated on May 11, 2006, the new allowable pH range for the Rowe Site is between 5.0 and 8.5. The pH was measured with a new calibrated electronic pH meter. Influent pH values from recovery wells typically range between 5 and 6.
2. "Effluent" samples were collected from sample port labeled NP2-10 unless otherwise noted.
3. The pH was not measured at this time.

TABLE 3

**GROUND-WATER REMEDIAL ACTION
ROWE INDUSTRIES SUPERFUND SITE
SAG HARBOR, NEW YORK**

CARBON UNIT SYSTEM AIR QUALITY RESULTS

Precarbon			Parameters (mg/m3)																							TOTAL VOCs
Sample Name	Date	Time	PCE	TCE	TCA	DCE	DCA	cis-DCE	Toluene	Benzene	m&p-Xylenes	o-Xylene	Styrene	CF	MC	CM	CD	BM	CB	EB	VC	CE	CT	DCP	VOCs	
AQ112807:900NP4-1	11/28/2007	9:00	0.110	0.0046	0.034	0.0037	0.013	0.0023	0.0022	0.001	ND	ND	ND	0.0062	0.0018 ^B	0.002	0.0061	ND	ND	ND	ND	ND	ND	ND	ND	0.19
AQ121207:900NP4-1	12/12/2007	9:00	0.090	0.0047	0.040	0.0021	0.015	ND	0.0023	ND	ND	ND	ND	0.0058	0.0011	ND	0.0022	ND	ND	ND	ND	ND	ND	ND	ND	0.16
AQ11608:900NP4-1	1/16/2008	9:00	0.032	ND	0.022	ND	0.0079	ND	ND	ND	ND	ND	ND	0.0025	0.04	ND	0.0013	ND	ND	ND	ND	ND	ND	ND	ND	0.11
AQ021308:1100NP4-1	2/13/2008	11:00	0.063	0.0037	0.025	0.0022	0.012	ND	0.0027	ND	ND	ND	ND	0.0047	0.0021 ^B	0.0025	0.0034	ND	ND	ND	ND	ND	ND	ND	ND	0.12
AQ032708:1220NP4-1	3/27/2008	12:20	0.069	0.0039	0.042	0.0031	0.018	ND	0.0022	ND	ND	ND	ND	0.0073	0.0032	ND	0.002	ND	ND	ND	ND	ND	ND	ND	ND	0.15
AQ042208:1030NP4-1	4/22/2008	10:30	0.110	0.0055	0.027	0.0024	0.012	0.0023	0.0034	0.0013	ND	ND	ND	0.0053	0.0052 ^B	0.0031	0.0028	ND	ND	ND	ND	ND	ND	ND	ND	0.18
AQ052708:1700NP4-1	5/27/2008	17:00	0.077	0.0045	0.028	0.0027	0.010	ND	0.0012	ND	ND	ND	ND	0.0062	0.0030 ^B	0.0034	0.0079	ND	ND	ND	ND	ND	ND	ND	ND	0.14
AQ062508:800NP4-1	6/25/2008	8:00	0.062	0.0041	0.030	0.0022	0.010	ND	0.0038	0.0014	ND	ND	ND	0.005	0.0038 ^B	0.002	0.013	ND	ND	ND	ND	ND	ND	ND	ND	0.13
AQ073008:1310NP4-1	7/30/2008	13:00	0.080	0.0055	0.034	0.0022	0.0088	ND	0.0035	0.0014	ND	ND	ND	0.0042	0.0023 ^B	0.011	0.011	ND	ND	ND	ND	ND	ND	ND	ND	0.15
AQ081908:1200NP4-1	8/19/2008	12:00	0.055	0.0095	0.052	0.0025	0.012	ND	0.0049	0.00091	ND	ND	ND	0.005	0.0036 ^B	0.0028	0.015	ND	ND	ND	ND	ND	ND	ND	ND	0.16
AQ090908:1115NP4-1	9/9/2008	11:15	0.073	0.0017	0.012	ND	0.003	ND	0.140	0.0016	0.0032	ND	ND	0.0014	0.39 ^B	0.0053	0.0039	ND	ND	ND	ND	ND	ND	ND	ND	0.24
AQ102308:1200NP4-1	10/23/2008	12:00	0.071	0.0100	0.031	0.0043	0.010	0.013	0.002	0.006	ND	ND	ND	0.0043	0.12 ^B	0.0098	0.0034	0.0052	0.0026	ND	0.0014	0.0098	ND	ND	ND	0.18
AQ112008:1030NP4-1	11/20/2008	10:30	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.018 ^B	ND	0.0018 ^B	ND	ND	ND	ND	ND	ND	ND	ND	0.00

Midcarbon			Parameters (mg/m3)																							TOTAL VOCs
Sample Name	Date	Time	PCE	TCE	TCA	DCE	DCA	cis-DCE	Toluene	Benzene	m&p-Xylenes	o-Xylene	Styrene	CF	MC	CM	CD	BM	CB	EB	VC	CE	CT	DCP	VOCs	
AQ112807:905NP4-2	11/28/2007	9:05	0.086	0.011	0.072	0.0038	0.015	ND	0.0014	ND	ND	ND	ND	0.0056	0.0019 ^B	ND	0.0051	ND	ND	ND	ND	ND	ND	ND	ND	0.20
AQ121207:905NP4-2	12/12/2007	9:05	0.250	0.025	0.086	0.0023	0.017	ND	0.010	0.00095	ND	ND	ND	0.0064	0.0014	ND	0.0024	ND	ND	ND	ND	ND	ND	ND	ND	0.40
AQ11608:905NP4-2	1/16/2008	9:05	0.210	0.007	0.079	ND	0.015	ND	ND	ND	ND	ND	ND	0.0066	ND	ND	0.0024	ND	ND	ND	ND	ND	ND	ND	ND	0.32
AQ021308:1105NP4-2	2/13/2008	11:05	0.029	0.004	0.066	0.0026	0.017	0.0014	0.002	ND	ND	ND	ND	0.0059	0.0032 ^B	0.0044	0.0035	ND	ND	ND	ND	ND	ND	ND	ND	0.14
AQ032708:1225NP4-2	3/27/2008	12:25	0.240	0.007	0.039	0.0032	0.014	ND	0.0033	ND	ND	ND	ND	0.006	0.0046	0.0034	0.0021	ND	ND	ND	ND	ND	ND	ND	ND	0.32
AQ042208:1035NP4-2	4/22/2008	10:35	0.025	0.052	0.040	0.0033	0.015	ND	0.0036	0.0012	0.0042	ND	ND	0.006	0.0061 ^B	0.0030	0.0047	ND	ND	ND	ND	ND	ND	ND	ND	0.16
AQ052707:1705NP4-2	5/27/2008	17:05	0.044	0.008	0.081	0.0042	0.021	ND	0.0010	ND	ND	ND	ND	0.0098	0.0054 ^B	0.0024	0.0081	ND	ND	ND	ND	ND	ND	ND	ND	0.18
AQ062508:805NP4-2	6/25/2008	8:05	0.420	0.040	0.083	0.0037	0.022	0.0046	0.0046	0.0026	ND	ND	0.0013	0.011	0.0061 ^B	0.0066	0.021	ND	ND	ND	ND	ND	ND	ND	ND	0.62
AQ073008:1315NP4-2	7/30/2008	13:05	0.480	0.046	0.130	0.0029	0.014	0.0022	0.0030	0.0018	ND	ND	ND	0.0078	0.0023 ^B	0.015	0.016	ND	ND	ND	ND	ND	0.0022	ND	ND	0.70
AQ081908:1205NP4-2	8/19/2008	12:05	0.260	0.041	0.090	0.0021	0.010	0.0015	0.0022	ND	ND	ND	ND	0.0059	0.0044 ^B	0.0029	0.016	ND	ND	ND	ND	ND	ND	ND	ND	0.43
AQ090908:1120NP4-2	9/9/2008	11:20	0.150	0.015	0.045	0.0021	0.008	ND	0.0023	ND	ND	ND	ND	0.0041	0.009 ^B	0.0021	0.0092	ND	ND	ND	ND	ND	ND	ND	ND	0.24
AQ102308:1205NP4-2	10/23/2008	12:05	0.160	0.016	0.049	0.0028	0.013	0.0034	0.0020	0.0041	ND	ND	ND	0.0056	0.0078 ^B	0.0064	0.0025	0.0033	0.0016	ND	0.0064	ND	ND	ND	ND	0.28
AQ112008:1035NP4-2	11/20/2008	10:35	0.130	0.014	0.027	ND	0.003	0.0015	0.0021	ND	0.0046	ND	ND	0.0022	0.0047 ^B	ND	0.0021 ^B	ND	ND	0.0016	ND	ND	ND	ND	ND	0.18

Postcarbon			Parameters (mg/m3)																							TOTAL VOCs
Sample Name	Date	Time	PCE	TCE	TCA	DCE	DCA	cis-DCE	Toluene	Benzene	m&p-Xylenes	o-Xylene	Styrene	CF	MC	CM	CD	BM	CB	EB	VC	CE	CT	DCP	VOCs	
AQ112807:910NP4-3	11/28/2007	9:10	ND	ND	0.11	0.0030	0.014	0.0022	0.0015	ND	ND	ND	ND	0.0045	0.0018 ^B	ND	0.0061	ND	ND	ND	ND	ND	ND	ND	ND	0.14
AQ121207:910NP4-3	12/12/2007	9:10	ND	ND	0.16	0.0033	0.025	0.003	0.0012	ND	ND	ND	ND	0.007	ND	ND	0.0028	ND	ND	ND	ND	ND	ND	ND	ND	0.20
AQ11608:910NP4-3	1/16/2008	9:10	ND	ND	0.14	0.0025	0.022	ND	0.0032	ND	ND	ND	ND	0.0082	ND	ND	0.0034	ND	ND	ND	0.0011	ND	ND	ND	ND	0.18
AQ021308:1110NP4-3	2/13/2008	11:10	ND	ND	0.12	0.0029	0.018	0.0019	0.0022	ND	ND	ND	ND	0.007	0.0023	0.0025	0.0038	ND	ND	ND	ND	ND	ND	ND	ND	0.16
AQ032708:1230NP4-3	3/27/2008	12:30	ND	ND	0.063	0.0036	0.014	ND	0.0019	ND	ND	ND	ND	0.006	0.0029	0.0026	0.0023	ND	ND	ND	ND	ND	ND	ND	ND	0.10
AQ042208:1040NP4-3	4/22/2008	10:40	ND	ND	0.030	0.0020	0.0073	ND	0.0035	0.00099	ND	ND	ND	0.0034	0.0055 ^B	0.0024	0.0036	ND	ND	ND	ND	ND	ND	ND	ND	0.05
AQ052707:1708NP4-3	5/27/2008	17:08	ND	ND	0.045	0.0039	0.013	0.0014	0.0025	ND	ND	ND	ND	0.0057	0.0088 ^B	0.0027	0.0046	ND	ND	ND	ND	ND	ND	ND	ND	0.05
AQ062508:810NP4-3	6/25/2008	8:10	ND	0.001	0.024	0.0025	0.011	0.0022	0.0034	0.0012	ND	ND	ND	0.0044	0.0064 ^B	0.0069	0.019	ND	ND	ND	ND	ND	ND	ND	ND	0.08
AQ073008:13120NP4-3	7/30/2008	13:20	ND	ND	0.022	0.0027	0.0089	0.0015	0.0070	0.0028	0.0099	0.0031	ND	0.0036	0.0022 ^B	0.0019	0.014	ND	0.0064	ND	ND	ND	ND	ND	ND	0.08
AQ081908:1210NP4-3	8/19/2008	12:10	ND	ND	0.018	0.0024	0.0084	ND	0.0028	ND	ND	ND	ND	0.0033	0.0051 ^B	0.0037	0.016	ND	ND	ND	ND	ND	ND	ND	ND	0.05
AQ090908:1125NP4-3	9/9/2008	11:25	0.0033	ND	0.017	0.0016	0.0076	ND	0.0073	ND	ND	ND	ND	0.0033	0.014 ^B	0.0029	0.0088	ND	ND	ND	ND	ND	ND	ND	ND	0.07
AQ102308:1210NP4-2	10/23/2008	12:10	ND	ND	0.026	0.0028	0.016	0.0015	0.0030	0.0018	0.0051	ND	ND	0.0058	0.055 ^B	0.0028	0.0024	0.0024	ND	0.0018	ND	0.0026	ND	ND	ND	0.07
AQ112008:1040NP4-3	11/20/2008	10:40	ND	ND	0.002	0.0027	0.003	ND	ND	ND	ND	ND	ND	ND	0.0044 ^B	ND	0.0022 ^B	ND	ND	ND	ND	ND	ND	ND	ND	0.00

Note: B Method blank contamination. The associated method blank contains the target analyte at a reportable level.

PCE - Tetrachloroethane
TCE - Trichloroethane
TCA - 1,1,1-Trichloroethane
DCE - Chloroethane
DCA - 1,1-Dichloroethane
dis-DCE - cis-1,2-Dichloroethane
Toluene - Benzene
Benzene - m&p-Xylenes
m&p-Xylenes - o-Xylene
Styrene - CF - Chloroform
CF - Methylene Chloride
MC - Chloromethane
CM - Carbon Disulfide
CD - Carbon Disulfide
BM - Bromomethane
CB - Chlorobenzene
EB - Ethylbenzene
VC - Vinyl Chloride
DCE - 1,2-Dichloropropane

TABLE 4

**GROUND-WATER REMEDIAL ACTION
ROWE INDUSTRIES SUPERFUND SITE
SAG HARBOR, NEW YORK**

RECOVERY WELL WATER QUALITY RESULTS

Recovery Well	Date Sampled ARAR's	PCE (ug/L)	TCE (ug/L)	TCA (ug/L)	Vinyl Acetate (ug/L)	Chloroform (ug/L)	MTBE (ug/L)	Total Iron (mg/L)	Dissolved Iron (mg/L)	1,1-Dichloroethene (ug/L)	cis-1,2-Dichloroethene (ug/L)	1,1-Dichloroethene (ug/L)	Methylene Chloride (ug/L)	Toluene (ug/L)	Dibromochloroethene (ug/L)	m,p-Xylene (ug/L)	o-Xylene (ug/L)	Ethylbenzene (ug/L)	Acetone (ug/L)
RW-1	15-Sep-04	ND<1	ND<1	ND<1	NE	2.8	ND<1	0.0865	ND<0.02	ND<1	ND<1	ND<1	ND<1	ND<1	NE	ND<1	ND<1	ND<1	NE
	7-Oct-04	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	0.0332	ND<0.02	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
	3-Nov-04	ND<1	ND<1	ND<1	ND<1	1.9	ND<1	0.0133	ND<0.02	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
	15-Dec-04	ND<1	ND<1	ND<1	ND<1	9.8	ND<1	0.0475	0.0229	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
	13-Jan-05	ND<1	ND<1	ND<1	ND<1	1.5	2.1	0.0703	0.0326	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
	8-Feb-05	ND<1	ND<1	ND<1	ND<1	4.6	ND<1	ND<0.02	ND<0.02	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
	15-Mar-05	ND<1	ND<1	ND<1	ND<1	2.5	ND<1	0.0285	ND<0.02	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
	2-May-05	ND<1	ND<1	ND<1	ND<1	1.5	ND<1	0.0357	0.0217	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
	19-Apr-05	ND<1	ND<1	ND<1	ND<1	4.0	ND<1	ND<0.02	ND<0.02	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
	14-Jul-05	ND<1	ND<1	ND<1	ND<1	2.1	ND<1	0.0289	ND<0.02	ND<1	ND<1	ND<1	8.4*	ND<1	ND<1	3.3	1.3	1	6.9*
	7-Mar-06	ND<1	ND<1	ND<1	ND<1	5.2	ND<1	0.1650	ND<0.02	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
	19-Sep-06	ND<1	ND<1	ND<1	ND<1	1.7	ND<1	NA	NA	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
	7-Mar-07	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	NA	NA	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
	3-Oct-07	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	NA	NA	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
	13-Mar-08	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	NA	NA	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
	17-Sep-08	ND<1	ND<1	ND<1	ND<1	1.1	ND<1	NA	NA	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
	29-Nov-06	6.0	1.8	36	ND<1	ND<1	ND<1	14.1	0.0148	ND<1	3	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
	20-Dec-06	2.2	ND<1	110	ND<1	ND<1	ND<1	11.8	0.0197	ND<1	2.8	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
RW-2	10-Jan-07	4.2	2.7	68	ND<1	ND<1	ND<1	2.77	0.458	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
	8-Feb-07	3.4	2.4	62	ND<1	ND<1	ND<1	8.72	0.00829	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
	7-Mar-07	ND<1	ND<1	31	ND<1	ND<1	ND<1	4.28	0.107	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
	18-Apr-07	3	1.7	23	ND<1	ND<1	ND<1	3.81	0.32	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
	10-May-07	ND<1	ND<1	26	ND<1	ND<1	ND<1	3.04	0.00589	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
	15-Jun-07	1.1	1.2	ND<1	ND<1	ND<1	ND<1	2.7	0.0392	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
	18-Jul-07	1.2	0.78	17	ND<1	ND<1	ND<1	2.26	0.198	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
	16-Aug-07	0.75	ND<1	10	ND<1	ND<1	ND<1	3.92	0.157	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
	12-Sep-07	1.6	ND<1	12	ND<1	ND<1	ND<1	1.76	0.232	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
	3-Oct-07	1.4	ND<1	1.2	ND<1	ND<1	ND<1	1.9	1.28	ND<1	0.65	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
	19-Nov-07	5.6	ND<1	ND<1	ND<1	ND<1	ND<1	2.18	0.0132	ND<1	1.6	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
	12-Dec-07	2.2	0.86	8.3	ND<1	ND<1	ND<1	5.55	0.0186	ND<1	0.61	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
	16-Jan-08	2	ND<1	5.9	ND<1	ND<1	ND<1	3.09	0.185	0.6	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
	13-Feb-08	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM
	10-Mar-08	1.9	ND<1	5.6	ND<1	ND<1	ND<1	2.74	0.0592	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
	17-Apr-08	1.6	ND<1	4.1	ND<1	ND<1	ND<1	2.83	0.252	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
	27-May-08	1.8	ND<1	2.9	ND<1	ND<1	ND<1	3.00	0.838	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
	17-Jun-08	ND<1	ND<1	1.8	ND<1	ND<1	ND<1	2.65	0.143	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
	30-Jul-08	1.4	ND<1	1.5	ND<1	ND<1	ND<1	2.47	0.318	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
	12-Aug-08	2.5	ND<1	1.3	ND<1	ND<1	ND<1	4.40	0.0279	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
	16-Sep-08	3.4	ND<1	2.4	ND<1	ND<1	ND<1	2.41	0.152	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
	23-Oct-08	8.5	ND<1	5.0	ND<1	ND<1	ND<1	6.98	0.152	ND<1	1.4	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
	20-Nov-08	8.4	ND<1	ND<1	ND<1	ND<1	ND<1	2.05	0.028	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1

TABLE 4

**GROUND-WATER REMEDIAL ACTION
ROWE INDUSTRIES SUPERFUND SITE
SAG HARBOR, NEW YORK**

RECOVERY WELL WATER QUALITY RESULTS

Recovery Well	Date Sampled	PCE (ug/L)	TCE (ug/L)	TCA (ug/L)	Vinyl Acetate (ug/L)	Chloroform (ug/L)	MTBE (ug/L)	Total Iron (mg/L)	Dissolved Iron (mg/L)	1,1-Dichloroethane (ug/L)	cis-1,2-Dichloroethene (ug/L)	1,1-Dichloroethene (ug/L)	Methylene Chloride (ug/L)	Toluene (ug/L)	Dibromochloroethene (ug/L)	m,p-Xylene (ug/L)	o-Xylene (ug/L)	Ethylbenzene (ug/L)	Acetone (ug/L)	
RW-3	ARAR's	5	5	5	NE	7	NE	300	300	5	5	5	5	NE	NE					NE
	29-Nov-06	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	2.36	0.053	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	
	20-Dec-06	6.4	ND<1	4.4	ND<1	ND<1	ND<1	17.3	0.0112	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<2	ND<1	ND<1	ND<1	
	10-Jan-07	1.2	8	3.5	ND<1	ND<1	ND<1	1.87	1.63	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	2.1	ND<1	ND<1	ND<1	
	8-Feb-07	ND<1	3.2	ND<1	ND<1	ND<1	ND<1	ND<0.02	2.16	0.954	ND<1	ND<1	ND<1	ND<1	ND<1	ND<2	ND<1	ND<1	ND<1	
	7-Mar-07	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	2.09	1.65	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<2	ND<1	ND<1	ND<1	
	18-Apr-07	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	2.24	0.761	ND<1	ND<1	ND<1	6.1*	ND<1	ND<1	ND<2	ND<1	ND<1	ND<1	
	10-May-07	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	1.89	1.02	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<2	ND<1	ND<1	ND<1	
	25-Jun-07	0.91	8.5	ND<1	ND<1	ND<1	ND<1	2.48	0.19	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<2	ND<1	ND<1	ND<1	
	18-Jul-07	ND<1	2.8	1.2	ND<1	ND<1	ND<1	2.36	0.0414	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<2	ND<1	ND<1	ND<1	
	16-Aug-07	ND<1	1.2	0.72	ND<1	ND<1	ND<1	2.95	1.16	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<2	ND<1	ND<1	ND<1	
	12-Sep-07	ND<1	1.6	ND<1	ND<1	ND<1	ND<1	2.20	1.49	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<2	ND<1	ND<1	ND<1	
	3-Oct-07	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	2.46	2.16	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<2	ND<1	ND<1	ND<1	
	19-Nov-07	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	2.70	0.971	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<2	ND<1	ND<1	ND<1	
	12-Dec-07	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM
	16-Jan-08	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	3.73	0.229	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<2	ND<1	ND<1	ND<1	
	13-Feb-08	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	1.88	1.09	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<2	ND<1	ND<1	ND<1	
	10-Mar-08	ND<1	2.2	0.8	ND<1	ND<1	ND<1	2.23	2.08	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<2	ND<1	ND<1	ND<1	
17-Apr-08	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	4.27	1.94	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<2	ND<1	ND<1	ND<1		
27-May-08	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	2.08	1.61	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<2	ND<1	ND<1	ND<1		
17-Jun-08	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	1.87	1.56	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<2	ND<1	ND<1	ND<1		
30-Jul-08	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	1.92	1.63	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<2	ND<1	ND<1	ND<1		
12-Aug-08	ND<1	3.7	1.1	ND<1	ND<1	ND<1	2.17	0.152	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<2	ND<1	ND<1	ND<1		
16-Sep-08	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	2.60	0.157	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<2	ND<1	ND<1	ND<1		
23-Oct-08	ND<1	2.5	ND<1	ND<1	ND<1	ND<1	1.94	1.03	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<2	ND<1	ND<1	ND<1		
20-Nov-08	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	1.98	0.0352	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<2	ND<1	ND<1	ND<1	
RW-4	29-Nov-06	14	0.9	ND<1	ND<1	ND<1	ND<1	2.82	0.00708	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<2	ND<1	ND<1	ND<1	
	20-Dec-06	6.4	ND<1	4.4	ND<1	ND<1	ND<1	17.30	0.0112	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<2	ND<1	ND<1	ND<1	
	10-Jan-07	12	ND<1	4.6	ND<1	ND<1	0.91	3.17	0.0794	ND<1	ND<1	ND<1	ND<1	3	ND<1	15	ND<1	4.2	ND<1	
	8-Feb-07	13	ND<1	3.3	ND<1	ND<1	ND<1	3.64	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<2	ND<1	ND<1	ND<1	
	7-Mar-07	7.3	ND<1	2.1	ND<1	ND<1	ND<1	3.85	0.0767	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<2	ND<1	ND<1	ND<1	
	18-Apr-07	10	ND<1	ND<1	ND<1	ND<1	ND<1	4.46	0.251	ND<1	ND<1	ND<1	7.2*	ND<1	ND<1	ND<2	ND<1	ND<1	ND<1	
	10-May-07	11	ND<1	ND<1	ND<1	ND<1	ND<1	3.67	0.0422	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<2	ND<1	ND<1	ND<1	
	20-Jun-07	5.3	ND<1	0.89	ND<1	ND<1	ND<1	3.73	0.048	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<2	ND<1	ND<1	ND<1	
	25-Jul-07	6.9	ND<1	3.3	ND<1	ND<1	ND<1	6.58	3.37	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<2	ND<1	ND<1	ND<1	
	16-Aug-07	5.8	ND<1	5.0	ND<1	ND<1	ND<1	4.44	0.213	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<2	ND<1	ND<1	ND<1	
	12-Sep-07	7	ND<1	6.3	ND<1	ND<1	ND<1	4.02	1.73	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<2	ND<1	ND<1	ND<1	
	3-Oct-07	9.4	1.1	10.0	ND<1	ND<1	0.51	5.04	3.1	0.68	ND<1	ND<1	ND<1	ND<1	ND<1	ND<2	ND<1	ND<1	ND<1	
	19-Nov-07	15	1.3	8.2	ND<1	ND<1	ND<1	3.73	0.0317	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<2	ND<1	ND<1	ND<1	
	12-Dec-07	7.7	ND<1	4.6	ND<1	ND<1	ND<1	4.47	2.34	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<2	ND<1	ND<1	ND<1	
	16-Jan-08	7.9	ND<1	4.2	ND<1	ND<1	ND<1	4.67	0.954	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<2	ND<1	ND<1	ND<1	
	13-Feb-08	2.1	ND<1	ND<1	ND<1	ND<1	ND<1	8.28	0.371	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<2	ND<1	ND<1	ND<1	
	10-Mar-08	6.5	0.57	3.0	ND<1	ND<1	ND<1	4.96	1.94	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<2	ND<1	ND<1	ND<1	
	17-Apr-08	6.1	ND<1	2.6	ND<1	ND<1	ND<1	5.86	0.96	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<2	ND<1	ND<1	ND<1	
27-May-08	9.9	1.3	ND<1	ND<1	ND<1	ND<1	6.13	4.14	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<2	ND<1	ND<1	ND<1		
17-Jun-08	13	ND<1	ND<1	ND<1	ND<1	ND<1	6.47	3.85	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<2	ND<1	ND<1	ND<1		
30-Jul-08	4.6	ND<1	3.0	ND<1	ND<1	ND<1	5.73	0.215	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<2	ND<1	ND<1	ND<1		
12-Aug-08	4.7	ND<1	3.5	ND<1	ND<1	ND<1	4.89	1.37	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<2	ND<1	ND<1	ND<1		
16-Sep-08	3.8	ND<1	6.0	ND<1	ND<1	ND<1	5.28	1.72	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<2	ND<1	ND<1	ND<1		
23-Oct-08	3.9	ND<1	8.6	ND<1	ND<1	ND<1	4.53	1.66	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<2	ND<1	ND<1	ND<1		
20-Nov-08	3	ND<1	ND<1	ND<1	ND<1	ND<1	4.67	0.0194	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<2	ND<1	ND<1	ND<1		

TABLE 4

**GROUND-WATER REMEDIAL ACTION
ROWE INDUSTRIES SUPERFUND SITE
SAG HARBOR, NEW YORK**

RECOVERY WELL WATER QUALITY RESULTS

Recovery Well	Date Sampled ARAR's	PCE (ug/L)	TCE (ug/L)	TCA (ug/L)	Vinyl Acetate (ug/L)	Chloroform (ug/L)	MTBE (ug/L)	Total Iron (mg/L)	Dissolved Iron (mg/L)	1,1-Dichloroethene (ug/L)	cis-1,2-Dichloroethene (ug/L)	1,1-Dichloroethene (ug/L)	Methylene Chloride (ug/L)	Toluene (ug/L)	Dibromochloroethene (ug/L)	m,p-Xylene (ug/L)	o-Xylene (ug/L)	Ethylbenzene (ug/L)	Acetone (ug/L)
RW-5	29-Nov-06	6	ND<1	1.3	ND<1	ND<1	ND<1	0.136	0.0195	ND<1	ND<1	ND<1	ND<1	0.96	NE	ND<1	ND<1	ND<1	NE
	20-Dec-06	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	0.508	0.0113	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
	10-Jan-07	1.2	ND<1	ND<1	ND<1	ND<1	1.2	0.0608	0.0128	ND<1	ND<1	ND<1	ND<1	2.8	ND<1	12	ND<1	3.9	ND<1
	8-Feb-07	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	0.327	ND<0.02	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<2	ND<1	ND<1	ND<1
	7-Mar-07	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	0.0655	0.00722	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<2	ND<1	ND<1	ND<1
	18-Apr-07	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	0.973	0.0106	ND<1	ND<1	ND<1	8.1*	ND<1	ND<1	ND<2	ND<1	ND<1	ND<1
	10-May-07	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	0.0763	0.00469	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<2	ND<1	ND<1	ND<1
	20-Jun-07	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	0.118	0.00747	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<2	ND<1	ND<1	ND<1
	18-Jul-07	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	0.395	0.0889	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<2	ND<1	ND<1	ND<1
	16-Aug-07	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	0.0450	0.008	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<2	ND<1	ND<1	ND<1
	12-Sep-07	ND<1	ND<1	ND<1	ND<1	0.6	ND<1	0.0460	0.008	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<2	ND<1	ND<1	ND<1
	3-Oct-07	ND<1	ND<1	ND<1	ND<1	0.81	0.7	0.0600	0.350	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<2	ND<1	ND<1	ND<1
	19-Nov-07	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	0.1330	0.022	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<2	ND<1	ND<1	ND<1
	12-Dec-07	ND<1	ND<1	0.61	ND<1	0.65	ND<1	0.0368	0.014	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<2	ND<1	ND<1	ND<1
	16-Jan-08	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	0.0732	0.0441	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<2	ND<1	ND<1	ND<1
	13-Feb-08	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	0.3680	0.0121	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<2	ND<1	ND<1	ND<1
	10-Mar-08	ND<1	ND<1	ND<1	ND<1	0.67	ND<1	0.0491	0.0236	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<2	ND<1	ND<1	ND<1
	17-Apr-08	ND<1	ND<1	3.1	ND<1	ND<1	ND<1	0.1090	0.0735	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<2	ND<1	ND<1	ND<1
	27-May-08	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	0.0522	0.0113	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<2	ND<1	ND<1	ND<1
	17-Jun-08	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	0.0404	0.0259	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<2	ND<1	ND<1	ND<1
	30-Jul-08	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	0.267	0.0229	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<2	ND<1	ND<1	ND<1
	12-Aug-08	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	0.450	0.0187	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<2	ND<1	ND<1	ND<1
	16-Sep-08	ND<1	ND<1	2.6	ND<1	ND<1	ND<1	0.0361	0.0226	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<2	ND<1	ND<1	ND<1
	23-Oct-08	ND<1	ND<1	3.3	ND<1	ND<1	ND<1	0.0639	0.0368	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<2	ND<1	ND<1	ND<1
	20-Nov-08	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	0.0674	ND<0.02	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<2	ND<1	ND<1	ND<1
RW-6	29-Nov-06	36	1.0	14	ND<1	ND<1	ND<1	0.399	0.137	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<2	ND<1	ND<1	ND<1
	20-Dec-06	31	ND<1	13	ND<1	ND<1	ND<1	2.43	0.00877	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<2	ND<1	ND<1	ND<1
	10-Jan-07	46	0.96	16	ND<1	ND<1	2.1	0.0348	ND<0.02	ND<1	ND<1	ND<1	ND<1	2.2	ND<1	11	3.3	3.2	ND<1
	8-Feb-07	42	ND<1	13	ND<1	ND<1	ND<1	0.0928	0.00453	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<2	ND<1	ND<1	ND<1
	7-Mar-07	29	ND<1	8.4	ND<1	ND<1	ND<1	0.153	0.0108	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<2	ND<1	ND<1	ND<1
	18-Apr-07	28	ND<1	8.3	ND<1	ND<1	ND<1	0.554	0.0316	ND<1	ND<1	ND<1	7.2*	ND<1	ND<1	ND<2	ND<1	ND<1	ND<1
	10-May-07	31	ND<1	7.7	ND<1	ND<1	ND<1	0.206	0.00708	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<2	ND<1	ND<1	ND<1
	20-Jun-07	19	ND<1	6.6	ND<1	ND<1	ND<1	0.127	0.0139	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<2	ND<1	ND<1	ND<1
	18-Jul-07	20	ND<1	6.8	ND<1	ND<1	ND<1	0.595	0.597	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<2	ND<1	ND<1	ND<1
	16-Aug-07	19	ND<1	6.7	ND<1	ND<1	ND<1	0.0610	0.0200	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<2	ND<1	ND<1	ND<1
	12-Sep-07	21	ND<1	7.0	ND<1	ND<1	ND<1	0.1990	0.0330	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<2	ND<1	ND<1	ND<1
	3-Oct-07	14	ND<1	11.0	ND<1	ND<1	0.94	0.1650	0.0860	0.92	ND<1	ND<1	ND<1	ND<1	ND<1	ND<2	ND<1	ND<1	ND<1
	19-Nov-07	20	ND<1	12.0	ND<1	ND<1	ND<1	0.2620	0.0317	1.1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<2	ND<1	ND<1	ND<1
	12-Dec-07	25	ND<1	7.5	ND<1	ND<1	ND<1	0.0567	0.0282	0.68	ND<1	ND<1	ND<1	ND<1	ND<1	ND<2	ND<1	ND<1	ND<1
	16-Jan-08	22	ND<1	6.9	ND<1	ND<1	ND<1	0.0815	0.0453	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<2	ND<1	ND<1	ND<1
	13-Feb-08	19	ND<1	6.4	ND<1	ND<1	ND<1	0.1710	0.0188	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<2	ND<1	ND<1	ND<1
	10-Mar-08	19	ND<1	6.1	ND<1	ND<1	ND<1	0.1520	0.0282	0.61	ND<1	ND<1	ND<1	ND<1	ND<1	ND<2	ND<1	ND<1	ND<1
	17-Apr-08	17	ND<1	5.2	ND<1	ND<1	ND<1	1.3200	0.0465	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<2	ND<1	ND<1	ND<1
	27-May-08	17	ND<1	6.5	ND<1	ND<1	ND<1	0.1240	0.0646	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<2	ND<1	ND<1	ND<1
	17-Jun-08	16	ND<1	7.7	ND<1	ND<1	ND<1	0.1090	0.0331	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<2	ND<1	ND<1	ND<1
	30-Jul-08	15	ND<1	8.3	ND<1	ND<1	ND<1	0.1020	0.0320	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<2	ND<1	ND<1	ND<1
	12-Aug-08	16	ND<1	9.0	ND<1	ND<1	ND<1	0.1570	0.0143	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<2	ND<1	ND<1	ND<1
	16-Sep-08	13	ND<1	6.5	ND<1	ND<1	ND<1	0.1370	0.0286	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<2	ND<1	ND<1	ND<1
	23-Oct-08	14	ND<1	7.9	ND<1	ND<1	ND<1	0.0440	0.0190	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<2	ND<1	ND<1	ND<1
	20-Nov-08	8.8	ND<1	5.0	ND<1	ND<1	ND<1	0.0858	0.0264	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<2	ND<1	ND<1	ND<1

TABLE 4

**GROUND-WATER REMEDIAL ACTION
ROWE INDUSTRIES SUPERFUND SITE
SAG HARBOR, NEW YORK**

RECOVERY WELL WATER QUALITY RESULTS

Recovery Well	Date Sampled	PCE (ug/L)	TCE (ug/L)	TCA (ug/L)	Vinyl Acetate (ug/L)	Chloroform (ug/L)	MTBE (ug/L)	Total Iron (mg/L)	Dissolved Iron (mg/L)	1,1-Dichloroethene (ug/L)	cis-1,2-Dichloroethene (ug/L)	1,1-Dichloroethene (ug/L)	Methylene Chloride (ug/L)	Toluene (ug/L)	Dibromochloroethene (ug/L)	m,p-Xylene (ug/L)	o-Xylene (ug/L)	Ethylbenzene (ug/L)	Acetone (ug/L)
RW-7	9-Nov-06	33	ND<1	4.1	ND<1	ND<1	NE	0.1910	0.04990	1.0	ND<1	ND<1	ND<1	NE	NE	ND<1	ND<1	ND<1	ND<1
	20-Dec-06	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM
	10-Jan-07	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM
	8-Feb-07	43	ND<1	4.4	ND<1	ND<1	ND<1	0.131	ND<0.02	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
	7-Mar-07	23	ND<1	2.7	ND<1	ND<1	ND<1	0.0492	0.0221	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
	18-Apr-07	34	ND<1	ND<1	ND<1	ND<1	ND<1	0.138	0.0438	ND<1	ND<1	ND<1	6.5*	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
	10-May-07	22	ND<1	2.3	ND<1	ND<1	ND<1	0.111	0.0271	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
	20-Jun-07	14	ND<1	1.7	ND<1	ND<1	ND<1	0.136	0.0165	1.6	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
	18-Jul-07	17	ND<1	2	ND<1	ND<1	ND<1	0.434	0.0548	1.2	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
	16-Aug-07	14	ND<1	1.6	ND<1	ND<1	ND<1	0.239	0.0250	1.1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
	12-Sep-07	24	ND<1	2	ND<1	ND<1	ND<1	0.17	0.0800	0.68	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
	3-Oct-07	25	0.73	2.8	ND<1	ND<1	ND<1	0.194	0.2090	0.95	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
	19-Nov-07	11	ND<1	1.1	ND<1	ND<1	ND<1	0.163	0.0259	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
	12-Dec-07	12	ND<1	1.4	ND<1	ND<1	ND<1	0.172	0.0538	1.3	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
	16-Jan-08	8.4	ND<1	0.73	ND<1	ND<1	ND<1	0.125	0.0499	0.82	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
	13-Feb-08	11	ND<1	ND<1	ND<1	ND<1	ND<1	0.0982	0.0381	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
	10-Mar-08	11	ND<1	1.1	ND<1	ND<1	ND<1	0.0793	0.0488	0.97	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
	17-Apr-08	11	ND<1	ND<1	ND<1	ND<1	ND<1	0.488	0.0711	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
	27-May-08	10	ND<1	1.2	ND<1	ND<1	ND<1	0.127	0.0399	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
	17-Jun-08	11	ND<1	ND<1	ND<1	ND<1	ND<1	0.0584	0.0302	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
RW-8	30-Jul-08	10	ND<1	1.2	ND<1	ND<1	ND<1	0.0728	0.0379	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
	12-Aug-08	11	ND<1	1.5	ND<1	ND<1	ND<1	0.0287	0.0079	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
	16-Sep-08	5.4	ND<1	ND<1	ND<1	ND<1	ND<1	0.0983	0.0331	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
	23-Oct-08	5.4	ND<1	1.2	ND<1	ND<1	ND<1	0.0387	0.0211	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
	20-Nov-08	6	ND<1	ND<1	ND<1	ND<1	ND<1	0.0397	0.0082	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
	29-Nov-06	1.0	ND<1	3.4	ND<1	ND<1	ND<1	3.87	0.0091	1.6	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
	20-Dec-06	ND<1	ND<1	3.5	ND<1	ND<1	ND<1	62.80	0.0346	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
	10-Jan-07	1.3	ND<1	3.5	ND<1	ND<1	ND<1	6.57	0.8100	ND<1	ND<1	ND<1	ND<1	1.9	ND<1	9.3	2.8	2.7	ND<1
	8-Feb-07	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM
	7-Mar-07	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM
	18-Apr-07	ND<1	ND<1	2.2	ND<1	ND<1	ND<1	9.13	0.3820	ND<1	ND<1	ND<1	6.7*	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
	10-May-07	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	24.70	0.0129	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
	20-Jun-07	ND<1	ND<1	1.7	ND<1	ND<1	ND<1	6.67	0.0341	1.6	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
	18-Jul-07	ND<1	ND<1	1.5	ND<1	ND<1	ND<1	8.16	0.0505	1.3	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
	16-Aug-07	ND<1	ND<1	1.2	ND<1	ND<1	ND<1	26.7	0.4350	1.1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
	12-Sep-07	ND<1	ND<1	1.5	ND<1	ND<1	ND<1	8.7	0.3860	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
	3-Oct-07	ND<1	ND<1	2.0	ND<1	ND<1	ND<1	7.5	5.43	1.2	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
	19-Nov-07	0.6	ND<1	ND<1	ND<1	ND<1	ND<1	11.2	0.0442	1.3	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
	12-Dec-07	ND<1	ND<1	1.3	ND<1	ND<1	ND<1	7.87	3.02	1.3	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
	16-Jan-08	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	7.19	1.00	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
	13-Feb-08	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	7.14	0.0771	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
	10-Mar-08	ND<1	ND<1	1.2	ND<1	ND<1	ND<1	6.08	1.81	1.0	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
	17-Apr-08	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	10.20	0.08	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
	27-May-08	1.4	ND<1	1.1	ND<1	ND<1	ND<1	5.26	2.24	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
	17-Jun-08	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	6.73	1.16	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
	30-Jul-08	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	8.44	0.0768	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
	12-Aug-08	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	6.92	0.6310	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
	16-Sep-08	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	7.52	1.11	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
	23-Oct-08	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	6.48	1.02	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
	20-Nov-08	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	6.21	0.428	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1

TABLE 4

**GROUND-WATER REMEDIAL ACTION
ROWE INDUSTRIES SUPERFUND SITE
SAG HARBOR, NEW YORK**

RECOVERY WELL WATER QUALITY RESULTS

Recovery Well	Date Sampled	PCE (ug/L)	TCE (ug/L)	TCA (ug/L)	Vinyl Acetate (ug/L)	Chloroform (ug/L)	MTBE (ug/L)	Total Iron (mg/L)	Dissolved Iron (mg/L)	1,1-Dichloroethane (ug/L)	cis-1,2-Dichloroethane (ug/L)	1,1-Dichloroethene (ug/L)	Methylene Chloride (ug/L)	Toluene (ug/L)	Dibromochloroethane (ug/L)	m,p-Xylene (ug/L)	o-Xylene (ug/L)	Ethylbenzene (ug/L)	Acetone (ug/L)
	29-Nov-06	ND<1	ND<1	ND<1	NE	7	NE	300	ND<0.02	5	5	5	5	NE	NE	ND<1	ND<1	ND<1	NE
	20-Dec-06	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	3.99	0.0119	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
	10-Jan-07	ND<1	ND<1	1.4	ND<1	ND<1	ND<1	5.08	0.0855	ND<1	ND<1	ND<1	ND<1	1.4	ND<1	7	2	2.1	ND<1
	8-Feb-07	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	2.96	0.0076	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<2	ND<1	ND<1	ND<1
	7-Mar-07	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	8.03	0.399	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<2	ND<1	ND<1	ND<1
	18-Apr-07	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	2.77	0.232	ND<1	ND<1	ND<1	6.2*	ND<1	ND<1	ND<2	ND<1	ND<1	ND<1
	10-May-07	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	2.6	0.0356	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<2	ND<1	ND<1	ND<1
	25-Jun-07	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	0.888	0.04	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<2	ND<1	ND<1	ND<1
	18-Jul-07	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	2.59	0.0227	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<2	ND<1	ND<1	ND<1
	16-Aug-07	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	4.39	0.0250	ND<1	ND<1	ND<1	13*	ND<1	ND<1	ND<2	ND<1	ND<1	ND<1
	12-Sep-07	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	4.33	0.4040	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<2	ND<1	ND<1	ND<1
	3-Oct-07	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	1.18	0.180	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<2	ND<1	ND<1	ND<1
	19-Nov-07	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	0.704	0.065	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<2	ND<1	ND<1	ND<1
	12-Dec-07	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	3.2	1.92	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<2	ND<1	ND<1	ND<1
	16-Jan-08	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	3.85	1.46	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<2	ND<1	ND<1	ND<1
	13-Feb-08	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	2.94	0.176	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<2	ND<1	ND<1	ND<1
	10-Mar-08	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	2.01	0.363	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<2	ND<1	ND<1	ND<1
	17-Apr-08	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	3.99	1.330	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<2	ND<1	ND<1	ND<1
	27-May-08	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	9.68	0.579	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<2	ND<1	ND<1	ND<1
	1-Jul-08	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	3.49	0.770	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<2	ND<1	ND<1	ND<1
	30-Jul-08	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	2.14	0.152	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<2	ND<1	ND<1	ND<1
	12-Aug-08	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	1.57	0.067	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<2	ND<1	ND<1	ND<1
	16-Sep-08	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	4.12	0.639	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<2	ND<1	ND<1	ND<1
	23-Oct-08	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	3.18	1.460	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<2	ND<1	ND<1	ND<1
	20-Nov-08	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	1.83	0.033	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<2	ND<1	ND<1	ND<1

ND: Not detected

<#: Less than method detection limit

ug/L: Micrograms per liter

-: Not analyzed

ARAR's are chemical specific aquifer restoration goals for ground water at the Former Rowe Industries Superfund Site.
Bold values indicate an exceedance of the ARAR standard established for the site

PCE: Tetrachloroethylene

TCE: Trichloroethylene

TCA: 1,1,1-Trichloroethane

1,1-DCA: 1,1-Dichloroethane

NM: Not Measured

1,1-DCE: 1,1-Dichloroethene

1,2-DCE: 1,2-Dichloroethene

MTBE: Methyl Tertiary Butyl Ether

NM: Not Measured

NE indicates that the ARAR goal was not established for this compound by the EPA.

*Concentrations with an asterisk following them are due to laboratory contamination.

Table 5

**GROUND-WATER REMEDIAL ACTION
ROWE INDUSTRIES SUPERFUND SITE
SAG HARBOR, NEW YORK**

Recovery Well FRW-1 VOC Concentrations, micrograms per liter

FRW-1											
Date	PCE	TCE	12DCE	TCA	11DCA	11DCE	T12DCE	135TMB	TOLUENE	VC	MC
ARARs	5	5	5	5	5	5	5	5^{1/}	5	1^{1/}	5
1/10/2007	240	5.5	28	9.7	ND<1	ND<1	ND<1	ND<1	3.1	1.6	ND<1
3/7/2007	41	ND<1	620	ND<1	ND<1	ND<1	ND<1	ND<1	5.6	170	ND<1
3/28/2007	170	3.1	2.4	ND<1	ND<1	ND<1	ND<1	ND<1	4.6	1.3	ND<1
4/3/2007	110	8.6	93	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	30	ND<1
5/1/2007	400	6.5	34	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	37	ND<1
6/7/2007	200	6.8	43	ND<1	ND<1	ND<1	ND<1	ND<1	0.98	88	ND<1
7/12/2007	53	3.0	9.0	1.8	ND<1	ND<1	ND<1	ND<1	1.4	13	ND<1
8/8/2007	300	7.2	8.2	21	2.1	ND<1	ND<1	ND<1	ND<1	6.9	ND<1
9/12/2007	430	8.1	9.0	22	1.6	ND<1	ND<1	ND<1	ND<1	2.6	ND<1
10/3/2007	380	7.8	10	14	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
11/28/2007	3.9	25	15	ND<1	ND<1	4.3	ND<1	ND<1	ND<1	83	ND<1
12/12/2007	710	32	12	23	2.2	ND<1	ND<1	ND<1	0.72	6.2	ND<1
1/16/2008	410	17	24	8	0.95	ND<1	ND<1	ND<1	2	5.9	ND<1
2/5/2008	160	25	15	1.8	ND<1	ND<1	ND<1	ND<1	ND<1	4.8	ND<1
3/10/2008	600	110	43	13	5.1	10	2.4	ND<1	ND<1	68	ND<1
4/17/2008	1600	93	9.7	14	3	2.4	ND<1	ND<1	1.6	15	ND<1
5/6/2008	490	63	15	12	1.8	3.8	ND<1	ND<1	ND<1	21	ND<1
5/27/2008	200	92	23	1.5	2.8	1.2	ND<1	ND<1	ND<1	17	ND<1
6/17/2008	450	130	47	5	ND<1	9.8	ND<1	ND<1	ND<1	67	ND<1
7/30/2008	570	38	20	20	ND<1	ND<1	ND<1	ND<1	ND<1	8.3	ND<1
8/12/2008	170	55	22	13	ND<1	ND<1	ND<1	ND<1	ND<1	12	ND<1
9/17/2008	6.5	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
10/23/2008	56	ND<1	10	ND<1	ND<1	ND<1	10	ND<1	1.7	ND<1	ND<1
11/20/2008	50	ND<1	13	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1

ARARs - Applicable Relevant and Appropriate Requirements for aquifer restoration established for the Site.

1. NYSDEC ambient water quality standards for these compounds are presented because site-specific ARARs for these compounds were not established.

PCE- TETRACHLOROETHYLENE

TCA - 1,1,1-TRICHLOROETHANE

11DCA - 1,1-DICHLOROETHANE

TCE - TRICHLOROETHENE

12DCE - cis1,2-DICHLOROETHENE

MTBE - METHYL TERTIARY-BUTYL ETHER

VC - VINYL CHLORIDE

11DCE - 1,1 DICHLOROETHYLENE

T12DCE - trans 1,2 DICHLOROETHENE

135TMB - 1,3,5-TRIMETHYLBENZENE

IPB - ISOPROPYLBENZENE

4-IPT - 4-ISOPROPYLTOLUENE

-- - NOT ANALYZED

MC - METHYLENE CHLORIDE

Table 6

**GROUND-WATER REMEDIAL ACTION
ROWE INDUSTRIES SUPERFUND SITE
SAG HARBOR, NEW YORK**

Recovery Well FRW-2 VOC Concentrations, micrograms per liter

FRW-2											
Date	PCE	TCE	12DCE	TCA	IPB	NPB	124TMB	11DCA	TOLUENE	VC	EB
ARARs	5	5	5	5	5 ^{1/}	5 ^{1/}	5 ^{1/}	5	5	1 ^{1/}	5
1/10/2007	4.8	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	33	59	ND<1
3/7/2007	5.7	ND<1	180	ND<1	ND<1	ND<1	ND<1	ND<1	640	15	ND<1
3/28/2007	72	3.5	17	ND<1	1.5	ND<1	ND<1	ND<1	19	6.0	ND<1
4/3/2007	98	2.7	19	ND<1	ND<1	ND<1	ND<1	ND<1	24	7.3	ND<1
5/1/2007	23	6.1	280	ND<1	ND<1	ND<1	ND<1	ND<1	440	17	ND<1
6/7/2007	28	14	180	ND<1	ND<1	ND<1	ND<1	ND<1	130	6.6	ND<1
7/12/2007	16	15	82	ND<1	2.8	1.1	ND<1	ND<1	120	5.7	0.60
8/8/2007	1.3	ND<1	40	ND<1	1.9	ND<1	ND<1	ND<1	44	10	ND<1
9/12/2007	11	22	260	ND<1	ND<1	ND<1	ND<1	1.6	64	19	ND<1
10/3/2007	ND<1	ND<1	12	ND<1	ND<1	ND<1	ND<1	ND<1	2.9	14	ND<1
11/28/2007	10	19	150	ND<1	1.1	ND<1	1.0	ND<1	8.5	8.7	ND<1
12/12/2007	92	9.1	12	0.85	2	1.2	ND<1	ND<1	6.7	2.4	ND<1
1/16/2008	110	17	37	ND<1	2.7	1.1	ND<1	ND<1	3	4.6	ND<1
2/5/2008	22	12	44	ND<1	ND<1	ND<1	ND<1	ND<1	8.1	34	ND<1
3/10/2008	27	10	73	ND<1	1.5	ND<1	ND<1	ND<1	1.1	2	ND<1
4/17/2008	ND<1	ND<1	100	ND<1	1.2	ND<1	ND<1	ND<1	1.0	8.8	ND<1
5/6/2008	14	5.9	180	8.8	ND<1	ND<1	ND<1	5.4	ND<1	2.8	ND<1
5/27/2008	2.9	2	110	ND<1	1.5	ND<1	ND<1	3.6	ND<1	3.2	ND<1
6/17/2008	28	9.1	250	2.6	ND<1	ND<1	ND<1	5.2	ND<1	3.7	ND<1
7/30/2008	3	ND<1	190	1.1	2.4	1.5	ND<1	ND<1	ND<1	3.5	ND<1
8/12/2008	ND<1	ND<1	240	ND<1	ND<1	ND<1	ND<1	ND<1	7.3	ND<1	ND<1
9/17/2008	72	19	110	1.1	4.4	3.5	ND<1	ND<1	ND<1	ND<1	ND<1
10/23/2008	16	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	2.2	ND<1	ND<1
11/20/2008	27	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1

ARARs - Applicable Relevant and Appropriate Requirements for aquifer restoration established for the Site.

1. NYSDEC ambient water quality standards for these compounds are presented because site-specific ARARs for these compounds were not established.

PCE- TETRACHLOROETHYLENE

TCA - 1,1,1-TRICHLOROETHANE

11DCA - 1,1-DICHLOROETHANE

TCE - TRICHLOROETHENE

12DCE - cis1,2-DICHLOROETHENE

MTBE - METHYL TERTIARY-BUTYL ETHER

VC - VINYL CHLORIDE

NPB - n PROPYLBENZENE

124TMB - 1,2,4-TRIMETHYLBENZENE

135TMB - 1,3,5-TRIMETHYLBENZENE

IPB - ISOPROPYLBENZENE

4-IPT - 4-ISOPROPYLTOLUENE

-- - NOT ANALYZED

EB - ETHYLBENZENE

Table 7

**GROUND-WATER REMEDIAL ACTION
ROWE INDUSTRIES SUPERFUND SITE
SAG HARBOR, NEW YORK**

Recovery Well FRW-3 VOC Concentrations, micrograms per liter

FRW-3												
Date	PCE	TCE	12DCE	TCA	IPB	NPB	O-XYL	11DCA	TOLUENE	VC	T12DCE	SBB
ARARs	5	5	5	5	5 ^{1/}	5 ^{1/}	5	5	5	1 ^{1/}	5	5 ^{1/}
1/10/2007	31	3.4	290	ND<1	2.5	1.6	ND<1	0.97	68	27	ND<1	ND<1
3/7/2007	120	16	110	18	ND<1	ND<1	ND<1	ND<1	26	ND<1	ND<1	ND<1
3/28/2007	12	1.3	ND<1	ND<1	0.97	ND<1	ND<1	ND<1	58	ND<1	ND<1	ND<1
4/3/2007	11	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	49	ND<1	ND<1	ND<1
5/1/2007	190	28	280	10	ND<1	ND<1	ND<1	3.1	160	10	ND<1	ND<1
6/7/2007	340	19	180	17	ND<1	ND<1	ND<1	13	35	110	ND<1	ND<1
7/12/2007	620	33	44	33	2.4	0.91	ND<1	11	5.6	11	ND<1	ND<1
8/8/2007	610	44	170	33	1.5	ND<1	ND<1	9.3	3	6.9	ND<1	ND<1
9/12/2007	220	19	170	6.1	1.9	ND<1	ND<1	8.1	14	8.2	ND<1	0.84
10/3/2007	1.9	20	11	ND<1	2.1	1	0.61	ND<1	4.7	9.9	ND<1	ND<1
11/28/2007	8.2	2.6	3.7	ND<1	0.83	ND<1	ND<1	2.5	2.1	ND<1	ND<1	ND<1
12/12/2007	160	88	26	1.3	ND<1	ND<1	ND<1	0.55	2.4	6.6	ND<1	ND<1
1/16/2008	ND<1	13	4.5	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	3.1	ND<1	ND<1
2/5/2008	6.6	130	30	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	11	ND<1	ND<1
3/10/2008	62	23	160	1.3	0.91	0.53	ND<1	1.1	1.4	11	ND<1	ND<1
4/17/2008	6	190	83	ND<1	1.7	ND<1	ND<1	1.4	1.1	45	ND<1	ND<1
5/6/2008	12	120	140	4.4	ND<1	ND<1	ND<1	2.9	ND<1	26	ND<1	ND<1
5/27/2008	ND<1	1.6	1.2	ND<1	ND<1	ND<1	ND<1	4	1.1	1.2	ND<1	ND<1
6/17/2008	410	59	80	9.5	ND<1	ND<1	ND<1	3.1	ND<1	5.8	ND<1	ND<1
7/30/2008	42	88	24	ND<1	1.5	ND<1	ND<1	ND<1	ND<1	5.1	ND<1	ND<1
8/12/2008	170	86	17	2.1	ND<1	ND<1	ND<1	ND<1	ND<1	2.8	ND<1	ND<1
9/17/2008	16	6.6	8.4	ND<1	2.1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
10/23/2008	140	12	9.4	ND<1	4.1	2.7	ND<1	ND<1	15	ND<1	9.2	ND<1
11/20/2008	110	10	14	ND<1	6	3.6	ND<1	ND<1	44	ND<1	ND<1	ND<1

ARARs - Applicable Relevant and Appropriate Requirements for aquifer restoration established for the Site.

1. NYSDEC ambient water quality standards for these compounds are presented because site-specific ARARs for these compounds were not established.

PCE- TETRACHLOROETHYLENE

TCA - 1,1,1-TRICHLOROETHANE

11 2-TCA - 1,1,2-TRICHLOROETHANE

TCE - TRICHLOROETHENE

12DCE - cis1,2-DICHLOROETHENE

MTBE - METHYL TERTIARY-BUTYL ETHER

VC - VINYL CHLORIDE

T12DCE - trans 1,2 DICHLOROETHENE

NPB - n PROPYLBENZENE

O-XYL - O-XYLENE

11DCA - 1,1 DICHLOROETHANE

IPB - ISOPROPYLBENZENE

4-IPT - 4-ISOPROPYLTOLUENE

-- - NOT ANALYZED

SSB - SEC-BUTYLBENZENE

Table 8

**GROUND-WATER REMEDIAL ACTION
ROWE INDUSTRIES SUPERFUND SITE
SAG HARBOR, NEW YORK**

Recovery Well FRW-4 VOC Concentrations, micrograms per liter

FRW-4											
Date	PCE	TCE	12DCE	TCA	IPB	NPB	124TMB	135TMB	TOLUENE	VC	BUTAN
ARARs	5	5	5	5	5^{1/}	5^{1/}	5^{1/}	5^{1/}	5	1^{1/}	50^{2/}
1/10/2007	51	1.7	12	0.97	ND<1	ND<1	ND<1	ND<1	1.4	2.2	ND<1
3/7/2007	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
3/28/2007	ND<1	0.90	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
4/3/2007	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
5/1/2007	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
6/7/2007	8.0	ND<1	2.4	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	120
7/12/2007	2.1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
8/8/2007	4.8	2.5	5.4	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
9/12/2007	6.9	ND<1	9	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	1.3	ND<1
10/3/2007	4.5	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
11/28/2007	0.78	ND<1	1.5	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
12/12/2007	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
1/16/2008	3.3	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
2/5/2008	13	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
3/10/2008	2.3	0.99	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
4/17/2008	3.8	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
5/27/2008	ND<1	4.3	5.5	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
6/17/2008	6.4	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
7/30/2008	5	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
8/12/2008	14	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
9/17/2008	18	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
10/23/2008	24	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
11/20/2008	14	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1

ARARs - Applicable Relevant and Appropriate Requirements for aquifer restoration established for the Site.

1. NYSDEC ambient water quality standards for these compounds are presented because site-specific ARARs for these compounds were not established.
2. An NYSDEC ambient water quality standard is not established for this compound so the NYSDEC guidance value is presented.

PCE- TETRACHLOROETHYLENE

TCA - 1,1,1-TRICHLOROETHANE

11 2-TCA - 1,1,2-TRICHLOROETHANE

TCE - TRICHLOROETHENE

12DCE - cis1,2-DICHLOROETHENE

MTBE - METHYL TERTIARY-BUTYL ETHER

VC - VINYL CHLORIDE

NPB - n PROPYL BENZENE

124TMB - 1,2,4-TRIMETHYLBENZENE

135TMB - 1,3,5-TRIMETHYLBENZENE

IPB - ISOPROPYLBENZENE

4-IPT - 4-ISOPROPYLTOLUENE

-- - NOT ANALYZED

BUTAN - 2-BUTANONE (METHYL ETHYL KETONE)


GRAPHS

GRAPH 1


GROUND-WATER REMEDIAL ACTION
ROWE INDUSTRIES SUPERFUND SITE
SAG HARBOR, NEW YORK

EFFLUENT FLOW DATA


(November 1, 2008 through November 30, 2008)



GRAPH 2 GROUND-WATER REMEDIAL ACTION ROWE INDUSTRIES SUPERFUND SITE SAG HARBOR, NEW YORK




GRAPH 3
GROUND-WATER REMEDIAL ACTION
ROWE INDUSTRIES SUPERFUND SITE
SAG HARBOR, NEW YORK




GRAPH 4
GROUND WATER REMEDIAL ACTION
ROWE INDUSTRIES SUPERFUND SITE
SAG HARBOR, NEW YORK

FP&T RECOVERY WELL VOC CONCENTRATIONS FOR FRW-1




GRAPH 5
GROUND WATER REMEDIAL ACTION
ROWE INDUSTRIES SUPERFUND SITE
SAG HARBOR, NEW YORK

FP&T RECOVERY WELL VOC CONCENTRATIONS FOR FRW-2




GRAPH 6
GROUND WATER REMEDIAL ACTION
ROWE INDUSTRIES SUPERFUND SITE
SAG HARBOR, NEW YORK

FP&T RECOVERY WELL VOC CONCENTRATIONS FOR FRW-3



GRAPH 7
GROUND WATER REMEDIAL ACTION
ROWE INDUSTRIES SUPERFUND SITE
SAG HARBOR, NEW YORK

FP&T RECOVERY WELL VOC CONCENTRATIONS FOR FRW-4



APPENDIX I
NOVEMBER 2008 LABORATORY ANALYTICAL REPORTS
FOR FSP&T SYSTEM AND RECOVERY WELLS

Tuesday, November 18, 2008

Mark Goldberg
Leggette Brashears & Graham Inc.
4 Research Drive
Suite 301
Shelton, CT 06484

TEL: (203) 929-8555

FAX (203) 926-9140

RE: Rowe

Order No.: 0811148

Dear Mark Goldberg:

American Analytical Laboratories, LLC. received 3 sample(s) on 11/12/2008 for the analyses presented in the following report.


Samples were analyzed in accordance with the test procedures documented on the chain of custody and detailed throughout the text of this report.

The results reported herein relate only to the items tested or to the samples as received by the laboratory. This report may not be reproduced, except in full, without the approval of American Analytical Laboratories, LLC and is not considered complete without a cover page and chain of custody documentation. The limits (LOQ) provided in the data package are analytical reporting limits and not Federal or Local mandated values to which the sample results should be compared.

There were no problems with the analyses and all data for associated QC met laboratory specifications. If there are any exceptions a Case Narrative is provided in the report or the data is qualified. This package has been reviewed by American Analytical Laboratories' QA Department/Laboratory Director to comply with NELAC standards prior to report submittal. This report consists of 29 pages.

If you have any questions regarding these tests results, please do not hesitate to call (631) 454-6100 or email me directly at lbeyer@american-analytical.com.

Sincerely,



Lori Beyer
Lab Director

American Analytical Laboratories, LLC.**Date:** 18-Nov-08**CLIENT:** Leggette Brashears & Graham Inc.**Project:** Rowe**Lab Order:** 0811148**Work Order Sample Summary**

Lab Sample ID	Client Sample ID	Date Collected	Date Received
0811148-01A	WQ110608:1115NP2-6	11/6/2008 11:15:00 AM	11/12/2008
0811148-01B	WQ110608:1115NP2-6	11/6/2008 11:15:00 AM	11/12/2008
0811148-01C	WQ110608:1115NP2-6	11/6/2008 11:15:00 AM	11/12/2008
0811148-02A	WQ110608:1120NP2-7	11/6/2008 11:20:00 AM	11/12/2008
0811148-02B	WQ110608:1120NP2-7	11/6/2008 11:20:00 AM	11/12/2008
0811148-02C	WQ110608:1120NP2-7	11/6/2008 11:20:00 AM	11/12/2008
0811148-03A	WQ110608:1125NP2-10	11/6/2008 11:25:00 AM	11/12/2008
0811148-03B	WQ110608:1125NP2-10	11/6/2008 11:25:00 AM	11/12/2008
0811148-03C	WQ110608:1125NP2-10	11/6/2008 11:25:00 AM	11/12/2008
0811148-03D	WQ110608:1125NP2-10	11/6/2008 11:25:00 AM	11/12/2008

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735

Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com

CHAIN OF CUSTODY / REQUEST FOR ANALYSIS DOCUMENT

[illegible]

WHITE-OFFICE / CANARY-LAB / PINK-SAMPLE CUSTODIAN / GOLDENROD-CLIENT

American Analytical Laboratories, LLC.**Date:** 18-Nov-08**ELAP ID : 11418**

CLIENT: Leggette Brashears & Graham Inc.
Lab Order: 0811148
Project: Rowe
Lab ID: 0811148-01A

Client Sample ID: WQ110608:1115NP2-6
Collection Date: 11/6/2008 11:15:00 AM
Matrix: LIQUID

Certificate of Results

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
VOLATILE SW-846 8260 + MTBE & FREON113			SW8260B			Analyst: LA	
1,1,1,2-Tetrachloroethane	U	0.3	1.0		µg/L	1	11/17/2008 6:03:00 PM
1,1,1-Trichloroethane	U	0.3	1.0		µg/L	1	11/17/2008 6:03:00 PM
1,1,2,2-Tetrachloroethane	U	0.3	1.0		µg/L	1	11/17/2008 6:03:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	U	0.3	1.0		µg/L	1	11/17/2008 6:03:00 PM
1,1,2-Trichloroethane	U	0.3	1.0		µg/L	1	11/17/2008 6:03:00 PM
1,1-Dichloroethane	U	0.3	1.0		µg/L	1	11/17/2008 6:03:00 PM
1,1-Dichloroethene	U	0.3	1.0		µg/L	1	11/17/2008 6:03:00 PM
1,1-Dichloropropene	U	0.3	1.0		µg/L	1	11/17/2008 6:03:00 PM
1,2,3-Trichlorobenzene	U	0.3	1.0		µg/L	1	11/17/2008 6:03:00 PM
1,2,3-Trichloropropane	U	0.4	1.0	C	µg/L	1	11/17/2008 6:03:00 PM
1,2,4-Trichlorobenzene	U	0.3	1.0		µg/L	1	11/17/2008 6:03:00 PM
1,2,4-Trimethylbenzene	U	0.3	1.0		µg/L	1	11/17/2008 6:03:00 PM
1,2-Dibromo-3-chloropropane	U	0.4	1.0		µg/L	1	11/17/2008 6:03:00 PM
1,2-Dibromoethane	U	0.3	1.0		µg/L	1	11/17/2008 6:03:00 PM
1,2-Dichlorobenzene	U	0.3	1.0		µg/L	1	11/17/2008 6:03:00 PM
1,2-Dichloroethane	U	0.3	1.0		µg/L	1	11/17/2008 6:03:00 PM
1,2-Dichloropropane	U	0.3	1.0		µg/L	1	11/17/2008 6:03:00 PM
1,3,5-Trimethylbenzene	U	0.3	1.0	C	µg/L	1	11/17/2008 6:03:00 PM
1,3-Dichlorobenzene	U	0.3	1.0		µg/L	1	11/17/2008 6:03:00 PM
1,3-dichloropropane	U	0.3	1.0		µg/L	1	11/17/2008 6:03:00 PM
1,4-Dichlorobenzene	U	0.3	1.0		µg/L	1	11/17/2008 6:03:00 PM
2,2-Dichloropropane	U	0.3	1.0		µg/L	1	11/17/2008 6:03:00 PM
2-Butanone	U	0.3	3.0		µg/L	1	11/17/2008 6:03:00 PM
2-Chloroethyl vinyl ether	U	0.3	1.0		µg/L	1	11/17/2008 6:03:00 PM
2-Chlorotoluene	U	0.3	1.0		µg/L	1	11/17/2008 6:03:00 PM
2-Hexanone	U	0.3	2.0		µg/L	1	11/17/2008 6:03:00 PM
4-Chlorotoluene	U	0.3	1.0		µg/L	1	11/17/2008 6:03:00 PM
4-Isopropyltoluene	U	0.3	1.0		µg/L	1	11/17/2008 6:03:00 PM
4-Methyl-2-pentanone	U	0.3	2.0		µg/L	1	11/17/2008 6:03:00 PM
Acetone	U	0.3	2.0		µg/L	1	11/17/2008 6:03:00 PM
Benzene	U	0.3	1.0		µg/L	1	11/17/2008 6:03:00 PM
Bromobenzene	U	0.3	1.0		µg/L	1	11/17/2008 6:03:00 PM
Bromochloromethane	U	0.4	1.0		µg/L	1	11/17/2008 6:03:00 PM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735

Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



Qualifiers:	* Value exceeds Maximum Contaminant Level	B Analyte detected in the associated Method Blank
	E Value above quantitation range	H Holding times for preparation or analysis exceeded
	J Analyte detected below quantitation limits	LOD Limit of Detection
	LOQ Limit of Quantitation	ND Not Detected at the Reporting Limit
	S Spike Recovery outside accepted recovery limits	U Indicates the compound was analyzed but not detected.
	C Calibration %RSD/%D exceeded for non-CCC analytes	

American Analytical Laboratories, LLC.

Date: 18-Nov-08

ELAP ID : 11418

CLIENT: Leggette Brashears & Graham Inc.

Client Sample ID: WQ110608:1115NP2-6

Lab Order: 0811148

Collection Date: 11/6/2008 11:15:00 AM

Project: Rowe

Matrix: LIQUID

Lab ID: 0811148-01A

Certificate of Results

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
VOLATILE SW-846 8260 + MTBE & FREON113			SW8260B			Analyst: LA	
Bromodichloromethane	U	0.3	1.0		µg/L	1	11/17/2008 6:03:00 PM
Bromoform	U	0.3	1.0		µg/L	1	11/17/2008 6:03:00 PM
Bromomethane	U	0.3	1.0		µg/L	1	11/17/2008 6:03:00 PM
Carbon disulfide	U	0.3	1.0		µg/L	1	11/17/2008 6:03:00 PM
Carbon tetrachloride	U	0.3	1.0		µg/L	1	11/17/2008 6:03:00 PM
Chlorobenzene	U	0.3	1.0		µg/L	1	11/17/2008 6:03:00 PM
Chloroethane	U	0.4	1.0	C	µg/L	1	11/17/2008 6:03:00 PM
Chloroform	U	0.3	1.0		µg/L	1	11/17/2008 6:03:00 PM
Chloromethane	U	0.3	1.0		µg/L	1	11/17/2008 6:03:00 PM
cis-1,2-Dichloroethene	U	0.3	1.0		µg/L	1	11/17/2008 6:03:00 PM
cis-1,3-Dichloropropene	U	0.3	1.0		µg/L	1	11/17/2008 6:03:00 PM
Dibromochloromethane	U	0.3	1.0		µg/L	1	11/17/2008 6:03:00 PM
Dibromomethane	U	0.3	1.0		µg/L	1	11/17/2008 6:03:00 PM
Dichlorodifluoromethane	U	0.3	1.0	C	µg/L	1	11/17/2008 6:03:00 PM
Ethylbenzene	U	0.3	1.0		µg/L	1	11/17/2008 6:03:00 PM
Hexachlorobutadiene	U	0.3	1.0		µg/L	1	11/17/2008 6:03:00 PM
Isopropylbenzene	U	0.3	1.0		µg/L	1	11/17/2008 6:03:00 PM
m,p-Xylene	U	0.3	2.0		µg/L	1	11/17/2008 6:03:00 PM
Methyl tert-butyl ether	U	0.3	1.0		µg/L	1	11/17/2008 6:03:00 PM
Methylene chloride	U	0.3	1.0		µg/L	1	11/17/2008 6:03:00 PM
Naphthalene	U	0.3	1.0		µg/L	1	11/17/2008 6:03:00 PM
n-Butylbenzene	U	0.3	1.0		µg/L	1	11/17/2008 6:03:00 PM
n-Propylbenzene	U	0.3	1.0		µg/L	1	11/17/2008 6:03:00 PM
o-Xylene	U	0.3	1.0		µg/L	1	11/17/2008 6:03:00 PM
sec-Butylbenzene	U	0.3	1.0		µg/L	1	11/17/2008 6:03:00 PM
Styrene	U	0.3	1.0		µg/L	1	11/17/2008 6:03:00 PM
tert-Butylbenzene	U	0.3	1.0		µg/L	1	11/17/2008 6:03:00 PM
Tetrachloroethene	2.4	0.3	1.0		µg/L	1	11/17/2008 6:03:00 PM
Toluene	U	0.3	1.0		µg/L	1	11/17/2008 6:03:00 PM
trans-1,2-Dichloroethene	U	0.3	1.0		µg/L	1	11/17/2008 6:03:00 PM
trans-1,3-Dichloropropene	U	0.3	1.0		µg/L	1	11/17/2008 6:03:00 PM
Trichloroethene	U	0.3	1.0		µg/L	1	11/17/2008 6:03:00 PM
Trichlorofluoromethane	U	0.3	1.0		µg/L	1	11/17/2008 6:03:00 PM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735

Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



Qualifiers:	*	Value exceeds Maximum Contaminant Level	B	Analyte detected in the associated Method Blank
	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded
	J	Analyte detected below quantitation limits	LOD	Limit of Detection
	LOQ	Limit of Quantitation	ND	Not Detected at the Reporting Limit
	S	Spike Recovery outside accepted recovery limits	U	Indicates the compound was analyzed but not detected.
	C	Calibration %RSD/%D exceeded for non-CCC analytes		

American Analytical Laboratories, LLC.**Date:** 18-Nov-08**ELAP ID :** 11418**CLIENT:** Leggette Brashears & Graham Inc.**Client Sample ID:** WQ110608:1115NP2-6**Lab Order:** 0811148**Collection Date:** 11/6/2008 11:15:00 AM**Project:** Rowe**Matrix:** LIQUID**Lab ID:** 0811148-01A**Certificate of Results**

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
VOLATILE SW-846 8260 + MTBE & FREON113			SW8260B		Analyst: LA		
Vinyl acetate	U	0.3	1.0		µg/L	1	11/17/2008 6:03:00 PM
Vinyl chloride	U	0.3	1.0		µg/L	1	11/17/2008 6:03:00 PM
Surr: 4-Bromofluorobenzene	108	0	60-130		%REC	1	11/17/2008 6:03:00 PM
Surr: Dibromofluoromethane	106	0	63-127		%REC	1	11/17/2008 6:03:00 PM
Surr: Toluene-d8	115	0	61-128		%REC	1	11/17/2008 6:03:00 PM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735
Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



Qualifiers:	*	Value exceeds Maximum Contaminant Level	B	Analyte detected in the associated Method Blank
	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded
	J	Analyte detected below quantitation limits	LOD	Limit of Detection
	LOQ	Limit of Quantitation	ND	Not Detected at the Reporting Limit
	S	Spike Recovery outside accepted recovery limits	U	Indicates the compound was analyzed but not detected.
	C	Calibration %RSD/%D exceeded for non-CCC analytes		

American Analytical Laboratories, LLC.**Date:** 18-Nov-08**ELAP ID : 11418****CLIENT:** Leggette Brashears & Graham Inc.**Client Sample ID:** WQ110608:1115NP2-6**Lab Order:** 0811148**Collection Date:** 11/6/2008 11:15:00 AM**Project:** Rowe**Matrix:** LIQUID**Lab ID:** 0811148-01B**Certificate of Results**

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
TOTAL IRON				E200.7	SW3010A		Analyst: JP
Iron	1.88	0.005	0.0200		mg/L	1	11/13/2008 9:51:26 AM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735

Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



Qualifiers:	*	Value exceeds Maximum Contaminant Level	B	Analyte detected in the associated Method Blank
	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded
	J	Analyte detected below quantitation limits	LOD	Limit of Detection
	LOQ	Limit of Quantitation	ND	Not Detected at the Reporting Limit
	S	Spike Recovery outside accepted recovery limits	U	Indicates the compound was analyzed but not detected.
	C	Calibration %RSD/%D exceeded for non-CCC analytes		

American Analytical Laboratories, LLC.**Date:** 18-Nov-08**ELAP ID : 11418**

CLIENT: Leggette Brashears & Graham Inc.
Lab Order: 0811148
Project: Rowe
Lab ID: 0811148-01C

Client Sample ID: WQ110608:1115NP2-6
Collection Date: 11/6/2008 11:15:00 AM
Matrix: LIQUID

Certificate of Results

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
DISSOLVED IRON				E200.7	SW3005A		Analyst: JP
Iron	0.0208	0.005	0.0200		mg/L	1	11/13/2008 9:49:22 AM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735
Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



Qualifiers:	*	Value exceeds Maximum Contaminant Level	B	Analyte detected in the associated Method Blank
	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded
	J	Analyte detected below quantitation limits	LOD	Limit of Detection
	LOQ	Limit of Quantitation	ND	Not Detected at the Reporting Limit
	S	Spike Recovery outside accepted recovery limits	U	Indicates the compound was analyzed but not detected.
	C	Calibration %RSD/%D exceeded for non-CCC analytes		

American Analytical Laboratories, LLC.**Date:** 18-Nov-08**ELAP ID : 11418****CLIENT:** Leggette Brashears & Graham Inc.**Client Sample ID:** WQ110608:1120NP2-7**Lab Order:** 0811148**Collection Date:** 11/6/2008 11:20:00 AM**Project:** Rowe**Matrix:** LIQUID**Lab ID:** 0811148-02A**Certificate of Results**

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
VOLATILE SW-846 8260 + MTBE & FREON113			SW8260B			Analyst: LA	
1,1,1,2-Tetrachloroethane	U	0.3	1.0		µg/L	1	11/17/2008 6:31:00 PM
1,1,1-Trichloroethane	U	0.3	1.0		µg/L	1	11/17/2008 6:31:00 PM
1,1,2,2-Tetrachloroethane	U	0.3	1.0		µg/L	1	11/17/2008 6:31:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	U	0.3	1.0		µg/L	1	11/17/2008 6:31:00 PM
1,1,2-Trichloroethane	U	0.3	1.0		µg/L	1	11/17/2008 6:31:00 PM
1,1-Dichloroethane	U	0.3	1.0		µg/L	1	11/17/2008 6:31:00 PM
1,1-Dichloroethene	U	0.3	1.0		µg/L	1	11/17/2008 6:31:00 PM
1,1-Dichloropropene	U	0.3	1.0		µg/L	1	11/17/2008 6:31:00 PM
1,2,3-Trichlorobenzene	U	0.3	1.0		µg/L	1	11/17/2008 6:31:00 PM
1,2,3-Trichloropropane	U	0.4	1.0		µg/L	1	11/17/2008 6:31:00 PM
1,2,4-Trichlorobenzene	U	0.3	1.0		µg/L	1	11/17/2008 6:31:00 PM
1,2,4-Trimethylbenzene	U	0.3	1.0		µg/L	1	11/17/2008 6:31:00 PM
1,2-Dibromo-3-chloropropane	U	0.4	1.0		µg/L	1	11/17/2008 6:31:00 PM
1,2-Dibromoethane	U	0.3	1.0		µg/L	1	11/17/2008 6:31:00 PM
1,2-Dichlorobenzene	U	0.3	1.0		µg/L	1	11/17/2008 6:31:00 PM
1,2-Dichloroethane	U	0.3	1.0		µg/L	1	11/17/2008 6:31:00 PM
1,2-Dichloropropane	U	0.3	1.0		µg/L	1	11/17/2008 6:31:00 PM
1,3,5-Trimethylbenzene	U	0.3	1.0		µg/L	1	11/17/2008 6:31:00 PM
1,3-Dichlorobenzene	U	0.3	1.0		µg/L	1	11/17/2008 6:31:00 PM
1,3-dichloropropane	U	0.3	1.0		µg/L	1	11/17/2008 6:31:00 PM
1,4-Dichlorobenzene	U	0.3	1.0		µg/L	1	11/17/2008 6:31:00 PM
2,2-Dichloropropane	U	0.3	1.0		µg/L	1	11/17/2008 6:31:00 PM
2-Butanone	U	0.3	3.0		µg/L	1	11/17/2008 6:31:00 PM
2-Chloroethyl vinyl ether	U	0.3	1.0		µg/L	1	11/17/2008 6:31:00 PM
2-Chlorotoluene	U	0.3	1.0		µg/L	1	11/17/2008 6:31:00 PM
2-Hexanone	U	0.3	2.0		µg/L	1	11/17/2008 6:31:00 PM
4-Chlorotoluene	U	0.3	1.0		µg/L	1	11/17/2008 6:31:00 PM
4-Isopropyltoluene	U	0.3	1.0		µg/L	1	11/17/2008 6:31:00 PM
4-Methyl-2-pentanone	U	0.3	2.0		µg/L	1	11/17/2008 6:31:00 PM
Acetone	U	0.3	2.0		µg/L	1	11/17/2008 6:31:00 PM
Benzene	U	0.3	1.0		µg/L	1	11/17/2008 6:31:00 PM
Bromobenzene	U	0.3	1.0		µg/L	1	11/17/2008 6:31:00 PM
Bromochloromethane	U	0.4	1.0		µg/L	1	11/17/2008 6:31:00 PM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735

Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



Qualifiers:	*	Value exceeds Maximum Contaminant Level	B	Analyte detected in the associated Method Blank
	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded
	J	Analyte detected below quantitation limits	LOD	Limit of Detection
	LOQ	Limit of Quantitation	ND	Not Detected at the Reporting Limit
	S	Spike Recovery outside accepted recovery limits	U	Indicates the compound was analyzed but not detected.
	C	Calibration %RSD/%D exceeded for non-CCC analytes		

American Analytical Laboratories, LLC.

Date: 18-Nov-08

ELAP ID : 11418

CLIENT: Leggette Brashears & Graham Inc.
Lab Order: 0811148
Project: Rowe
Lab ID: 0811148-02A

Client Sample ID: WQ110608:1120NP2-7
Collection Date: 11/6/2008 11:20:00 AM
Matrix: LIQUID

Certificate of Results

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
VOLATILE SW-846 8260 + MTBE & FREON113			SW8260B			Analyst: LA	
Bromodichloromethane	U	0.3	1.0		µg/L	1	11/17/2008 6:31:00 PM
Bromoform	U	0.3	1.0		µg/L	1	11/17/2008 6:31:00 PM
Bromomethane	U	0.3	1.0		µg/L	1	11/17/2008 6:31:00 PM
Carbon disulfide	U	0.3	1.0		µg/L	1	11/17/2008 6:31:00 PM
Carbon tetrachloride	U	0.3	1.0		µg/L	1	11/17/2008 6:31:00 PM
Chlorobenzene	U	0.3	1.0		µg/L	1	11/17/2008 6:31:00 PM
Chloroethane	U	0.4	1.0		µg/L	1	11/17/2008 6:31:00 PM
Chloroform	U	0.3	1.0		µg/L	1	11/17/2008 6:31:00 PM
Chloromethane	U	0.3	1.0		µg/L	1	11/17/2008 6:31:00 PM
cis-1,2-Dichloroethene	U	0.3	1.0		µg/L	1	11/17/2008 6:31:00 PM
cis-1,3-Dichloropropene	U	0.3	1.0		µg/L	1	11/17/2008 6:31:00 PM
Dibromochloromethane	U	0.3	1.0		µg/L	1	11/17/2008 6:31:00 PM
Dibromomethane	U	0.3	1.0		µg/L	1	11/17/2008 6:31:00 PM
Dichlorodifluoromethane	U	0.3	1.0		µg/L	1	11/17/2008 6:31:00 PM
Ethylbenzene	U	0.3	1.0		µg/L	1	11/17/2008 6:31:00 PM
Hexachlorobutadiene	U	0.3	1.0		µg/L	1	11/17/2008 6:31:00 PM
Isopropylbenzene	U	0.3	1.0		µg/L	1	11/17/2008 6:31:00 PM
m,p-Xylene	U	0.3	2.0		µg/L	1	11/17/2008 6:31:00 PM
Methyl tert-butyl ether	U	0.3	1.0	C	µg/L	1	11/17/2008 6:31:00 PM
Methylene chloride	U	0.3	1.0		µg/L	1	11/17/2008 6:31:00 PM
Naphthalene	U	0.3	1.0		µg/L	1	11/17/2008 6:31:00 PM
n-Butylbenzene	U	0.3	1.0		µg/L	1	11/17/2008 6:31:00 PM
n-Propylbenzene	U	0.3	1.0		µg/L	1	11/17/2008 6:31:00 PM
o-Xylene	U	0.3	1.0		µg/L	1	11/17/2008 6:31:00 PM
sec-Butylbenzene	U	0.3	1.0		µg/L	1	11/17/2008 6:31:00 PM
Styrene	U	0.3	1.0		µg/L	1	11/17/2008 6:31:00 PM
tert-Butylbenzene	U	0.3	1.0		µg/L	1	11/17/2008 6:31:00 PM
Tetrachloroethene	U	0.3	1.0		µg/L	1	11/17/2008 6:31:00 PM
Toluene	U	0.3	1.0		µg/L	1	11/17/2008 6:31:00 PM
trans-1,2-Dichloroethene	U	0.3	1.0		µg/L	1	11/17/2008 6:31:00 PM
trans-1,3-Dichloropropene	U	0.3	1.0		µg/L	1	11/17/2008 6:31:00 PM
Trichloroethene	U	0.3	1.0		µg/L	1	11/17/2008 6:31:00 PM
Trichlorofluoromethane	U	0.3	1.0		µg/L	1	11/17/2008 6:31:00 PM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735
Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



Qualifiers:	*	Value exceeds Maximum Contaminant Level	B	Analyte detected in the associated Method Blank
	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded
	J	Analyte detected below quantitation limits	LOD	Limit of Detection
	LOQ	Limit of Quantitation	ND	Not Detected at the Reporting Limit
	S	Spike Recovery outside accepted recovery limits	U	Indicates the compound was analyzed but not detected.
	C	Calibration %RSD/%D exceeded for non-CCC analytes		

American Analytical Laboratories, LLC.**Date:** 18-Nov-08**ELAP ID :** 11418**CLIENT:** Leggette Brashears & Graham Inc.**Client Sample ID:** WQ110608:1120NP2-7**Lab Order:** 0811148**Collection Date:** 11/6/2008 11:20:00 AM**Project:** Rowe**Matrix:** LIQUID**Lab ID:** 0811148-02A**Certificate of Results**

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
VOLATILE SW-846 8260 + MTBE & FREON113			SW8260B			Analyst: LA	
Vinyl acetate	U	0.3	1.0		µg/L	1	11/17/2008 6:31:00 PM
Vinyl chloride	U	0.3	1.0		µg/L	1	11/17/2008 6:31:00 PM
Surr: 4-Bromofluorobenzene	100	0	60-130		%REC	1	11/17/2008 6:31:00 PM
Surr: Dibromofluoromethane	103	0	63-127		%REC	1	11/17/2008 6:31:00 PM
Surr: Toluene-d8	94.5	0	61-128		%REC	1	11/17/2008 6:31:00 PM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735

Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



Qualifiers:	*	Value exceeds Maximum Contaminant Level	B	Analyte detected in the associated Method Blank
	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded
	J	Analyte detected below quantitation limits	LOD	Limit of Detection
	LOQ	Limit of Quantitation	ND	Not Detected at the Reporting Limit
	S	Spike Recovery outside accepted recovery limits	U	Indicates the compound was analyzed but not detected.
	C	Calibration %RSD/%D exceeded for non-CCC analytes		

American Analytical Laboratories, LLC.**Date:** 18-Nov-08**ELAP ID : 11418****CLIENT:** Leggette Brashears & Graham Inc.**Client Sample ID:** WQ110608:1120NP2-7**Lab Order:** 0811148**Collection Date:** 11/6/2008 11:20:00 AM**Project:** Rowe**Matrix:** LIQUID**Lab ID:** 0811148-02B**Certificate of Results**

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
TOTAL IRON				E200.7	SW3010A		Analyst: JP
Iron	1.42	0.005	0.0200		mg/L	1	11/13/2008 10:10:16 AM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735

Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com

Qualifiers:	* Value exceeds Maximum Contaminant Level	B Analyte detected in the associated Method Blank
E Value above quantitation range	H Holding times for preparation or analysis exceeded	
J Analyte detected below quantitation limits	LOD Limit of Detection	
LOQ Limit of Quantitation	ND Not Detected at the Reporting Limit	
S Spike Recovery outside accepted recovery limits	U Indicates the compound was analyzed but not detected.	
C Calibration %RSD/%D exceeded for non-CCC analytes		

American Analytical Laboratories, LLC.**Date:** 18-Nov-08**ELAP ID : 11418****CLIENT:** Leggette Brashears & Graham Inc.**Client Sample ID:** WQ110608:1120NP2-7**Lab Order:** 0811148**Collection Date:** 11/6/2008 11:20:00 AM**Project:** Rowe**Matrix:** LIQUID**Lab ID:** 0811148-02C**Certificate of Results**

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
DISSOLVED IRON				E200.7	SW3005A		Analyst: JP
Iron	0.0731	0.005	0.0200		mg/L	1	11/13/2008 10:08:12 AM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735

Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



Qualifiers:	*	Value exceeds Maximum Contaminant Level	B	Analyte detected in the associated Method Blank
	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded
	J	Analyte detected below quantitation limits	LOD	Limit of Detection
	LOQ	Limit of Quantitation	ND	Not Detected at the Reporting Limit
	S	Spike Recovery outside accepted recovery limits	U	Indicates the compound was analyzed but not detected.
	C	Calibration %RSD/%D exceeded for non-CCC analytes		

American Analytical Laboratories, LLC.

Date: 18-Nov-08

ELAP ID : 11418

CLIENT: Leggette Brashears & Graham Inc.

Client Sample ID: WQ110608:1125NP2-10

Lab Order: 0811148

Collection Date: 11/6/2008 11:25:00 AM

Project: Rowe

Matrix: LIQUID

Lab ID: 0811148-03A

Certificate of Results

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
VOLATILE SW-846 8260 + MTBE & FREON113			SW8260B			Analyst: LA	
1,1,1,2-Tetrachloroethane	U	0.3	1.0		µg/L	1	11/17/2008 6:57:00 PM
1,1,1-Trichloroethane	U	0.3	1.0		µg/L	1	11/17/2008 6:57:00 PM
1,1,2,2-Tetrachloroethane	U	0.3	1.0		µg/L	1	11/17/2008 6:57:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	U	0.3	1.0		µg/L	1	11/17/2008 6:57:00 PM
1,1,2-Trichloroethane	U	0.3	1.0		µg/L	1	11/17/2008 6:57:00 PM
1,1-Dichloroethane	U	0.3	1.0		µg/L	1	11/17/2008 6:57:00 PM
1,1-Dichloroethene	U	0.3	1.0		µg/L	1	11/17/2008 6:57:00 PM
1,1-Dichloropropene	U	0.3	1.0		µg/L	1	11/17/2008 6:57:00 PM
1,2,3-Trichlorobenzene	U	0.3	1.0		µg/L	1	11/17/2008 6:57:00 PM
1,2,3-Trichloropropane	U	0.4	1.0	C	µg/L	1	11/17/2008 6:57:00 PM
1,2,4-Trichlorobenzene	U	0.3	1.0		µg/L	1	11/17/2008 6:57:00 PM
1,2,4-Trimethylbenzene	U	0.3	1.0		µg/L	1	11/17/2008 6:57:00 PM
1,2-Dibromo-3-chloropropane	U	0.4	1.0		µg/L	1	11/17/2008 6:57:00 PM
1,2-Dibromoethane	U	0.3	1.0		µg/L	1	11/17/2008 6:57:00 PM
1,2-Dichlorobenzene	U	0.3	1.0		µg/L	1	11/17/2008 6:57:00 PM
1,2-Dichloroethane	U	0.3	1.0		µg/L	1	11/17/2008 6:57:00 PM
1,2-Dichloropropane	U	0.3	1.0		µg/L	1	11/17/2008 6:57:00 PM
1,3,5-Trimethylbenzene	U	0.3	1.0	C	µg/L	1	11/17/2008 6:57:00 PM
1,3-Dichlorobenzene	U	0.3	1.0		µg/L	1	11/17/2008 6:57:00 PM
1,3-dichloropropane	U	0.3	1.0		µg/L	1	11/17/2008 6:57:00 PM
1,4-Dichlorobenzene	U	0.3	1.0		µg/L	1	11/17/2008 6:57:00 PM
2,2-Dichloropropane	U	0.3	1.0		µg/L	1	11/17/2008 6:57:00 PM
2-Butanone	U	0.3	3.0		µg/L	1	11/17/2008 6:57:00 PM
2-Chloroethyl vinyl ether	U	0.3	1.0		µg/L	1	11/17/2008 6:57:00 PM
2-Chlorotoluene	U	0.3	1.0		µg/L	1	11/17/2008 6:57:00 PM
2-Hexanone	U	0.3	2.0		µg/L	1	11/17/2008 6:57:00 PM
4-Chlorotoluene	U	0.3	1.0		µg/L	1	11/17/2008 6:57:00 PM
4-Isopropyltoluene	U	0.3	1.0		µg/L	1	11/17/2008 6:57:00 PM
4-Methyl-2-pentanone	U	0.3	2.0		µg/L	1	11/17/2008 6:57:00 PM
Acetone	U	0.3	2.0		µg/L	1	11/17/2008 6:57:00 PM
Benzene	U	0.3	1.0		µg/L	1	11/17/2008 6:57:00 PM
Bromobenzene	U	0.3	1.0		µg/L	1	11/17/2008 6:57:00 PM
Bromochloromethane	U	0.4	1.0		µg/L	1	11/17/2008 6:57:00 PM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735

Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



Qualifiers:	*	Value exceeds Maximum Contaminant Level	B	Analyte detected in the associated Method Blank
	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded
	J	Analyte detected below quantitation limits	LOD	Limit of Detection
	LOQ	Limit of Quantitation	ND	Not Detected at the Reporting Limit
	S	Spike Recovery outside accepted recovery limits	U	Indicates the compound was analyzed but not detected.
	C	Calibration %RSD/%D exceeded for non-CCC analytes		

American Analytical Laboratories, LLC.

Date: 18-Nov-08

ELAP ID : 11418

CLIENT: Leggette Brashears & Graham Inc.
Lab Order: 0811148
Project: Rowe
Lab ID: 0811148-03A

Client Sample ID: WQ110608:1125NP2-10
Collection Date: 11/6/2008 11:25:00 AM
Matrix: LIQUID

Certificate of Results

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
VOLATILE SW-846 8260 + MTBE & FREON113			SW8260B			Analyst: LA	
Bromodichloromethane	U	0.3	1.0		µg/L	1	11/17/2008 6:57:00 PM
Bromoform	U	0.3	1.0		µg/L	1	11/17/2008 6:57:00 PM
Bromomethane	U	0.3	1.0		µg/L	1	11/17/2008 6:57:00 PM
Carbon disulfide	U	0.3	1.0		µg/L	1	11/17/2008 6:57:00 PM
Carbon tetrachloride	U	0.3	1.0		µg/L	1	11/17/2008 6:57:00 PM
Chlorobenzene	U	0.3	1.0		µg/L	1	11/17/2008 6:57:00 PM
Chloroethane	U	0.4	1.0	C	µg/L	1	11/17/2008 6:57:00 PM
Chloroform	U	0.3	1.0		µg/L	1	11/17/2008 6:57:00 PM
Chloromethane	U	0.3	1.0		µg/L	1	11/17/2008 6:57:00 PM
cis-1,2-Dichloroethene	U	0.3	1.0		µg/L	1	11/17/2008 6:57:00 PM
cis-1,3-Dichloropropene	U	0.3	1.0		µg/L	1	11/17/2008 6:57:00 PM
Dibromochloromethane	U	0.3	1.0		µg/L	1	11/17/2008 6:57:00 PM
Dibromomethane	U	0.3	1.0		µg/L	1	11/17/2008 6:57:00 PM
Dichlorodifluoromethane	U	0.3	1.0	C	µg/L	1	11/17/2008 6:57:00 PM
Ethylbenzene	U	0.3	1.0		µg/L	1	11/17/2008 6:57:00 PM
Hexachlorobutadiene	U	0.3	1.0		µg/L	1	11/17/2008 6:57:00 PM
Isopropylbenzene	U	0.3	1.0		µg/L	1	11/17/2008 6:57:00 PM
m,p-Xylene	U	0.3	2.0		µg/L	1	11/17/2008 6:57:00 PM
Methyl tert-butyl ether	U	0.3	1.0		µg/L	1	11/17/2008 6:57:00 PM
Methylene chloride	U	0.3	1.0		µg/L	1	11/17/2008 6:57:00 PM
Naphthalene	U	0.3	1.0		µg/L	1	11/17/2008 6:57:00 PM
n-Butylbenzene	U	0.3	1.0		µg/L	1	11/17/2008 6:57:00 PM
n-Propylbenzene	U	0.3	1.0		µg/L	1	11/17/2008 6:57:00 PM
o-Xylene	U	0.3	1.0		µg/L	1	11/17/2008 6:57:00 PM
sec-Butylbenzene	U	0.3	1.0		µg/L	1	11/17/2008 6:57:00 PM
Styrene	U	0.3	1.0		µg/L	1	11/17/2008 6:57:00 PM
tert-Butylbenzene	U	0.3	1.0		µg/L	1	11/17/2008 6:57:00 PM
Tetrachloroethene	U	0.3	1.0		µg/L	1	11/17/2008 6:57:00 PM
Toluene	U	0.3	1.0		µg/L	1	11/17/2008 6:57:00 PM
trans-1,2-Dichloroethene	U	0.3	1.0		µg/L	1	11/17/2008 6:57:00 PM
trans-1,3-Dichloropropene	U	0.3	1.0		µg/L	1	11/17/2008 6:57:00 PM
Trichloroethene	U	0.3	1.0		µg/L	1	11/17/2008 6:57:00 PM
Trichlorofluoromethane	U	0.3	1.0		µg/L	1	11/17/2008 6:57:00 PM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735
Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



Qualifiers:	* Value exceeds Maximum Contaminant Level	B Analyte detected in the associated Method Blank
	E Value above quantitation range	H Holding times for preparation or analysis exceeded
	J Analyte detected below quantitation limits	LOD Limit of Detection
	LOQ Limit of Quantitation	ND Not Detected at the Reporting Limit
	S Spike Recovery outside accepted recovery limits	U Indicates the compound was analyzed but not detected.
	C Calibration %RSD/%D exceeded for non-CCC analytes	

American Analytical Laboratories, LLC.

Date: 18-Nov-08

ELAP ID : 11418

CLIENT: Leggette Brashears & Graham Inc.

Client Sample ID: WQ110608:1125NP2-10

Lab Order: 0811148

Collection Date: 11/6/2008 11:25:00 AM

Project: Rowe

Matrix: LIQUID

Lab ID: 0811148-03A

Certificate of Results

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
VOLATILE SW-846 8260 + MTBE & FREON113			SW8260B		Analyst: LA		
Vinyl acetate	U	0.3	1.0		µg/L	1	11/17/2008 6:57:00 PM
Vinyl chloride	U	0.3	1.0		µg/L	1	11/17/2008 6:57:00 PM
Surr: 4-Bromofluorobenzene	105	0	60-130		%REC	1	11/17/2008 6:57:00 PM
Surr: Dibromofluoromethane	108	0	63-127		%REC	1	11/17/2008 6:57:00 PM
Surr: Toluene-d8	105	0	61-128		%REC	1	11/17/2008 6:57:00 PM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735

Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



Qualifiers:	*	Value exceeds Maximum Contaminant Level	B	Analyte detected in the associated Method Blank
	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded
	J	Analyte detected below quantitation limits	LOD	Limit of Detection
	LOQ	Limit of Quantitation	ND	Not Detected at the Reporting Limit
	S	Spike Recovery outside accepted recovery limits	U	Indicates the compound was analyzed but not detected.
	C	Calibration %RSD/%D exceeded for non-CCC analytes		

American Analytical Laboratories, LLC.**Date:** 18-Nov-08**ELAP ID : 11418****CLIENT:** Leggette Brashears & Graham Inc.**Client Sample ID:** WQ110608:1125NP2-10**Lab Order:** 0811148**Collection Date:** 11/6/2008 11:25:00 AM**Project:** Rowe**Matrix:** LIQUID**Lab ID:** 0811148-03B**Certificate of Results**

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
TOTAL IRON				E200.7	SW3010A		Analyst: JP
Iron	1.48	0.005	0.0200		mg/L	1	11/13/2008 10:14:23 AM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735

Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



Qualifiers:	*	Value exceeds Maximum Contaminant Level	B	Analyte detected in the associated Method Blank
	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded
	J	Analyte detected below quantitation limits	LOD	Limit of Detection
	LOQ	Limit of Quantitation	ND	Not Detected at the Reporting Limit
	S	Spike Recovery outside accepted recovery limits	U	Indicates the compound was analyzed but not detected.
	C	Calibration %RSD/%D exceeded for non-CCC analytes		

American Analytical Laboratories, LLC.

Date: 18-Nov-08

ELAP ID : 11418

CLIENT: Leggette Brashears & Graham Inc.

Client Sample ID: WQ110608:1125NP2-10

Lab Order: 0811148

Collection Date: 11/6/2008 11:25:00 AM

Project: Rowe

Matrix: LIQUID

Lab ID: 0811148-03C

Certificate of Results

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
DISSOLVED IRON				E200.7	SW3005A		Analyst: JP
Iron	0.0828	0.005	0.0200		mg/L	1	11/13/2008 10:12:19 AM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735

Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



Qualifiers:	* Value exceeds Maximum Contaminant Level	B Analyte detected in the associated Method Blank
	E Value above quantitation range	H Holding times for preparation or analysis exceeded
	J Analyte detected below quantitation limits	LOD Limit of Detection
LOQ	Limit of Quantitation	ND Not Detected at the Reporting Limit
S	Spike Recovery outside accepted recovery limits	U Indicates the compound was analyzed but not detected.
C	Calibration %RSD/%D exceeded for non-CCC analytes	

American Analytical Laboratories, LLC.**Date:** 18-Nov-08**ELAP ID : 11418****CLIENT:** Leggette Brashears & Graham Inc.**Client Sample ID:** WQ110608:1125NP2-10**Lab Order:** 0811148**Collection Date:** 11/6/2008 11:25:00 AM**Project:** Rowe**Matrix:** LIQUID**Lab ID:** 0811148-03D**Certificate of Results**

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
TOTAL DISSOLVED SOLIDS				M2540C			Analyst: AS
Total Dissolved Solids (Residue, Filterable)	109	0	1.00		mg/L	1	11/13/2008

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735

Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



Qualifiers:	*	Value exceeds Maximum Contaminant Level	B	Analyte detected in the associated Method Blank
	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded
	J	Analyte detected below quantitation limits	LOD	Limit of Detection
	LOQ	Limit of Quantitation	ND	Not Detected at the Reporting Limit
	S	Spike Recovery outside accepted recovery limits	U	Indicates the compound was analyzed but not detected.
	C	Calibration %RSD/%D exceeded for non-CCC analytes		

American Analytical Laboratories, LLC.

Sample Receipt Checklist

Client Name **LBG CT**

Date and Time Receive **11/12/2008 10:47:49 AM**

Work Order Number **0811148**

RcptNo: **1**

Received by **NM**

COC_ID:

CoolerID:

Checklist completed by

Signature *NM* Date 11/12/08

Reviewed by

Initials *CB* Date 11/12/08

Matrix:

Carrier name FedEx

Shipping container/cooler in good condition?	Yes ☒	No ☐	Not Presen ☐
Custody seals intact on shipping container/cooler?	Yes ☐	No ☐	Not Presen ☒
Custody seals intact on sample bottles?	Yes ☐	No ☐	Not Presen ☒
Chain of custody present?	Yes ☒	No ☐	
Chain of custody signed when relinquished and received?	Yes ☒	No ☐	
Chain of custody agrees with sample labels?	Yes ☒	No ☐	
Samples in proper container/bottle?	Yes ☒	No ☐	
Sample containers intact?	Yes ☒	No ☐	
Sufficient sample volume for indicated test?	Yes ☒	No ☐	
All samples received within holding time?	Yes ☒	No ☐	
Container/Temp Blank temperature in compliance?	Yes ☒	No ☐	
Water - VOA vials have zero headspace?	No VOA vials submitted ☐	Yes ☒	No ☐
Water - pH acceptable upon receipt?	Yes ☒	No ☐	N/A ☐

Adjusted? _____ Checked b _____

Any No and/or NA (not applicable) response must be detailed in the comments section be

Client contacted _____ Date contacted: _____ Person contacted _____

Contacted by: _____ Regarding: _____

Comments: Cooler: Yes; Ice: Yes; T = 2.5 C.

Corrective Action _____

CLIENT: Leggett Brashears & Graham Inc.

Work Order: 0811148

Project: Rowe

ANALYTICAL QC SUMMARY REPORT

TestCode: 8260MTBE113_W

Sample ID: V624LCS-111708Y		SampType: LCS		TestCode: 8260MTBE11		Units: µg/L		Prep Date:		RunNo: 39605	
Client ID: LCSW		Batch ID: R39605		TestNo: SW8260B				Analysis Date: 11/17/2008		SeqNo: 524686	
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
1,1,1-Trichloroethane	57	1.0	50.00	0	114	43	148				
1,1,2,2-Tetrachloroethane	40	1.0	50.00	0	80.2	32	148				
1,1,2-Trichloro-1,2,2-trifluoroethane	29	1.0	50.00	0	58.2	35	135				
1,1,2-Trichloroethane	44	1.0	50.00	0	88.0	42	136				
1,1-Dichloroethane	44	1.0	50.00	0	88.2	40	150				
1,1-Dichloroethene	60	1.0	50.00	0	120	30	154				
1,2-Dichlorobenzene	44	1.0	50.00	0	88.6	40	129				
1,2-Dichloroethane	51	1.0	50.00	0	103	36	141				
1,2-Dichloropropane	44	1.0	50.00	0	87.7	44	138				
1,3-Dichlorobenzene	44	1.0	50.00	0	88.9	40	133				
1,4-Dichlorobenzene	43	1.0	50.00	0	86.4	40	135				
2-Chloroethyl vinyl ether	46	1.0	50.00	0	92.6	21	139				
Benzene	43	1.0	50.00	0	85.3	45	144				
Bromodichloromethane	44	1.0	50.00	0	87.2	35	136				
Bromoform	51	1.0	50.00	0	103	28	138				
Bromomethane	48	1.0	50.00	0	95.3	26	148				
Carbon tetrachloride	59	1.0	50.00	0	118	45	141				
Chlorobenzene	47	1.0	50.00	0	94.8	41	142				
Chloroethane	60	1.0	50.00	0	120	36	143				
Chloroform	46	1.0	50.00	0	91.4	42	137				
Chloromethane	56	1.0	50.00	0	111	35	151				
cis-1,3-Dichloropropene	43	1.0	50.00	0	86.8	42	130				
Dibromochloromethane	49	1.0	50.00	0	97.1	21	134				
Ethylbenzene	50	1.0	50.00	0	99.3	45	146				
Tetrachloroethene	46	1.0	50.00	0	92.8	45	136				
Toluene	48	1.0	50.00	0	95.5	43	134				
trans-1,2-Dichloroethene	52	1.0	50.00	0	104	42	135				
trans-1,3-Dichloropropene	46	1.0	50.00	0	91.7	37	133				
Trichloroethene	52	1.0	50.00	0	103	43	140				
Trichlorofluoromethane	60	1.0	50.00	0	120	50	148				

C

Qualifiers: E Value above quantitation range
 LOD Limit of Detection
 R RPD outside accepted recovery limits
 H Holding times for preparation or analysis exceeded
 LOQ Limit of Quantitation
 S Spike Recovery outside accepted recovery limits
 J Analyte detected below quantitation limit
 ND Not Detected at the Reporting Limit
 U Indicates the compound was analyzed

CLIENT: Leggett Brashears & Graham Inc.
Work Order: 0811148
Project: Rowe

ANALYTICAL QC SUMMARY REPORT

TestCode: 8260MTBE113 W

Sample ID: V624LCS-111708Y	SampType: LCS	TestCode: 8260MTBE11	Units: µg/L	Prep Date:	RunNo: 39605						
Client ID: LCSW	Batch ID: R39605	TestNo: SW8260B		Analysis Date: 11/17/2008	SeqNo: 524686						
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual

Vinyl chloride	61	1.0	50.00	0	122	35	142				
Surr: 4-Bromofluorobenzene	58		50.00		116	60	130				
Surr: Dibromofluoromethane	53		50.00		106	63	127				
Surr: Toluene-d8	52		50.00		104	61	128				

Sample ID: VBLK-111708Y	SampType: MBLK	TestCode: 8260MTBE11	Units: µg/L	Prep Date:	RunNo: 39605						
Client ID: PBW	Batch ID: R39605	TestNo: SW8260B		Analysis Date: 11/17/2008	SeqNo: 524587						
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual

1,1,1,2-Tetrachloroethane	U	1.0									
1,1,1-Trichloroethane	U	1.0									
1,1,2,2-Tetrachloroethane	U	1.0									
1,1,2-Trichloro-1,2,2-trifluoroethane	U	1.0									
1,1,2-Trichloroethane	U	1.0									
1,1-Dichloroethane	U	1.0									
1,1-Dichloroethene	U	1.0									
1,1-Dichloropropene	U	1.0									
1,2,3-Trichlorobenzene	U	1.0									
1,2,3-Trichloropropane	U	1.0									
1,2,4-Trichlorobenzene	U	1.0									
1,2,4-Trimethylbenzene	U	1.0									
1,2-Dibromo-3-chloropropane	U	1.0									
1,2-Dibromoethane	U	1.0									
1,2-Dichlorobenzene	U	1.0									
1,2-Dichloroethane	U	1.0									
1,2-Dichloropropane	U	1.0									
1,3,5-Trimethylbenzene	U	1.0									
1,3-Dichlorobenzene	U	1.0									
1,3-dichloropropane	U	1.0									
1,4-Dichlorobenzene	U	1.0									
2,2-Dichloropropane	U	1.0									

Qualifiers:	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation li
	LOD	Limit of Detection	LOQ	Limit of Quantitation	ND	Not Detected at the Reporting Limit
	R	RPD outside accepted recovery limits	S	Spike Recovery outside accepted recovery limits	U	Indicates the compound was analyzed

CLIENT: Leggette Brashears & Graham Inc.
Work Order: 0811148
Project: Rowe

ANALYTICAL QC SUMMARY REPORT

TestCode: 8260MTBE113_W

Sample ID: VBLK-111708Y	Sample Type: MBLK	TestCode: 8260MTBE11	Units: µg/L	Prep Date:	RunNo: 39605						
Client ID: PBW	Batch ID: R39605	TestNo: SW8260B		Analysis Date: 11/17/2008	SeqNo: 524687						
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
2-Butanone	U	3.0									
2-Chloroethyl vinyl ether	U	1.0									
2-Chlorotoluene	U	1.0									
2-Hexanone	U	2.0									
4-Chlorotoluene	U	1.0									
4-Isopropyltoluene	U	1.0									
4-Methyl-2-pentanone	U	2.0									
Acetone	U	2.0									
Benzene	U	1.0									
Bromobenzene	U	1.0									
Bromochloromethane	U	1.0									
Bromodichloromethane	U	1.0									
Bromoform	U	1.0									
Bromomethane	U	1.0									
Carbon disulfide	U	1.0									
Carbon tetrachloride	U	1.0									
Chlorobenzene	U	1.0									
Chloroethane	U	1.0									
Chloroform	U	1.0									C
Chloromethane	U	1.0									
cis-1,2-Dichloroethene	U	1.0									
cis-1,3-Dichloropropene	U	1.0									
Dibromochloromethane	U	1.0									
Dibromomethane	U	1.0									
Dichlorodifluoromethane	U	1.0									
Ethylbenzene	U	1.0									C
Hexachlorobutadiene	U	1.0									
Isopropylbenzene	U	1.0									
m,p-Xylene	U	2.0									
Methyl tert-butyl ether	U	1.0									
Methylene chloride	U	1.0									

Qualifiers: E Value above quantitation range
LOD Limit of Detection
R RPD outside accepted recovery limits
H Holding times for preparation or analysis exceeded
LOQ Limit of Quantitation
S Spike Recovery outside accepted recovery limits
J Analyte detected below quantitation li
ND Not Detected at the Reporting Limit
U Indicates the compound was analyzed

CLIENT: Leggett Brashears & Graham Inc.
Work Order: 0811148
Project: Rowe

ANALYTICAL QC SUMMARY REPORT

TestCode: 8260MTBE113_W

Sample ID: VBLK-111708Y	SampType: MBLK	TestCode: 8260MTBE11	Units: µg/L	Prep Date:	RunNo: 39605						
Client ID: PBW	Batch ID: R39605	TestNo: SW8260B		Analysis Date: 11/17/2008	SeqNo: 524687						
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual

Naphthalene	U	1.0									
n-Butylbenzene	U	1.0									
n-Propylbenzene	U	1.0									
o-Xylene	U	1.0									
sec-Butylbenzene	U	1.0									
Styrene	U	1.0									
tert-Butylbenzene	U	1.0									
Tetrachloroethene	U	1.0									
Toluene	U	1.0									
trans-1,2-Dichloroethene	U	1.0									
trans-1,3-Dichloropropene	U	1.0									
Trichloroethene	U	1.0									
Trichlorofluoromethane	U	1.0									
Vinyl acetate	U	1.0									
Vinyl chloride	U	1.0									
Surr: 4-Bromofluorobenzene	59		50.00		117	60	130				
Surr: Dibromofluoromethane	52		50.00		104	63	127				
Surr: Toluene-d8	55		50.00		110	61	128				

Sample ID: V624LCS-111708Y	SampType: LCS	TestCode: 8260MTBE11	Units: µg/L	Prep Date:	RunNo: 39605						
Client ID: LCSW	Batch ID: R39605a	TestNo: SW8260B		Analysis Date: 11/17/2008	SeqNo: 524690						
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual

1,1,1-Trichloroethane	52	1.0	50.00	0	104	43	148				
1,1,2,2-Tetrachloroethane	36	1.0	50.00	0	72.1	32	148				
1,1,2-Trichloro-1,2,2-trifluoroethane	25	1.0	50.00	0	50.2	35	135				
1,1,2-Trichloroethane	43	1.0	50.00	0	86.6	42	136				
1,1-Dichloroethane	42	1.0	50.00	0	84.8	40	150				
1,1-Dichloroethene	62	1.0	50.00	0	124	30	154				
1,2-Dichlorobenzene	38	1.0	50.00	0	76.1	40	129				
1,2-Dichloroethane	46	1.0	50.00	0	91.1	36	141				

Qualifiers: E Value above quantitation range H Holding times for preparation or analysis exceeded J Analyte detected below quantitation li
LOD Limit of Detection LOQ Limit of Quantitation ND Not Detected at the Reporting Limit
R RPD outside accepted recovery limits S Spike Recovery outside accepted recovery limits U Indicates the compound was analyzed

CLIENT: Leggett Brashears & Graham Inc.
Work Order: 0811148
Project: Rowe

ANALYTICAL QC SUMMARY REPORT

TestCode: 8260MTBE113_W

Sample ID: V624LCS-111708Y	SampType: LCS	TestCode: 8260MTBE11	Units: µg/L	Prep Date:	RunNo: 39605						
Client ID: LCSW	Batch ID: R39605a	TestNo: SW8260B		Analysis Date: 11/17/2008	SeqNo: 524690						
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual

1,2-Dichloropropane	34	1.0	50.00	0	67.9	44	138				
1,3-Dichlorobenzene	38	1.0	50.00	0	77.0	40	133				
1,4-Dichlorobenzene	38	1.0	50.00	0	75.3	40	135				
2-Chloroethyl vinyl ether	39	1.0	50.00	0	77.9	21	139				
Benzene	42	1.0	50.00	0	84.4	45	144				
Bromodichloromethane	40	1.0	50.00	0	79.0	35	136				
Bromoform	42	1.0	50.00	0	84.0	28	138				
Bromomethane	54	1.0	50.00	0	108	26	148				
Carbon tetrachloride	53	1.0	50.00	0	106	45	141				
Chlorobenzene	39	1.0	50.00	0	77.7	41	142				
Chloroethane	48	1.0	50.00	0	95.4	36	143				
Chloroform	44	1.0	50.00	0	88.9	42	137				
Chloromethane	53	1.0	50.00	0	106	35	151				
cis-1,3-Dichloropropene	37	1.0	50.00	0	74.8	42	130				
Dibromochloromethane	42	1.0	50.00	0	84.7	21	134				
Ethylbenzene	39	1.0	50.00	0	78.6	45	146				
Tetrachloroethene	41	1.0	50.00	0	82.3	45	136				
Toluene	39	1.0	50.00	0	78.8	43	134				
trans-1,2-Dichloroethene	51	1.0	50.00	0	102	42	135				
trans-1,3-Dichloropropene	40	1.0	50.00	0	80.4	37	133				
Trichloroethene	42	1.0	50.00	0	84.5	43	140				
Trichlorofluoromethane	57	1.0	50.00	0	114	50	148				
Vinyl chloride	55	1.0	50.00	0	110	35	142				
Surr: 4-Bromofluorobenzene	49		50.00		98.8	60	130				
Surr: Dibromofluoromethane	53		50.00		106	63	127				
Surr: Toluene-d8	48		50.00		95.6	61	128				

Sample ID: VBLK-111708Y	SampType: MBLK	TestCode: 8260MTBE11	Units: µg/L	Prep Date:	RunNo: 39605						
Client ID: PBW	Batch ID: R39605a	TestNo: SW8260B		Analysis Date: 11/17/2008	SeqNo: 524691						
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual

Qualifiers: E Value above quantitation range
LOD Limit of Detection
R RPD outside accepted recovery limits
H Holding times for preparation or analysis exceeded
LOQ Limit of Quantitation
S Spike Recovery outside accepted recovery limits
J Analyte detected below quantitation li
ND Not Detected at the Reporting Limit
U Indicates the compound was analyzed

CLIENT: Leggett Brashears & Graham Inc.
Work Order: 0811148
Project: Rowe

ANALYTICAL QC SUMMARY REPORT

TestCode: 8260MTBE113_W

Sample ID: VBLK-111708Y		SampType: MBLK		TestCode: 8260MTBE11		Units: µg/L		Prep Date:		RunNo: 39605	
Client ID: PBW		Batch ID: R39605a		TestNo: SW8260B				Analysis Date: 11/17/2008		SeqNo: 524691	
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
1,1,1,2-Tetrachloroethane	U	1.0									
1,1,1-Trichloroethane	U	1.0									
1,1,2,2-Tetrachloroethane	U	1.0									
1,1,2-Trichloro-1,2,2-trifluoroethane	U	1.0									
1,1,2-Trichloroethane	U	1.0									
1,1-Dichloroethane	U	1.0									
1,1-Dichloroethene	U	1.0									
1,1-Dichloropropene	U	1.0									
1,2,3-Trichlorobenzene	U	1.0									
1,2,3-Trichloropropane	U	1.0									
1,2,4-Trichlorobenzene	U	1.0									
1,2,4-Trimethylbenzene	U	1.0									
1,2-Dibromo-3-chloropropane	U	1.0									
1,2-Dibromoethane	U	1.0									
1,2-Dichlorobenzene	U	1.0									
1,2-Dichloroethane	U	1.0									
1,2-Dichloropropane	U	1.0									
1,3,5-Trimethylbenzene	U	1.0									
1,3-Dichlorobenzene	U	1.0									
1,3-dichloropropane	U	1.0									
1,4-Dichlorobenzene	U	1.0									
2,2-Dichloropropane	U	1.0									
2-Butanone	U	3.0									
2-Chloroethyl vinyl ether	U	1.0									
2-Chlorotoluene	U	1.0									
2-Hexanone	U	2.0									
4-Chlorotoluene	U	1.0									
4-Isopropyltoluene	U	1.0									
4-Methyl-2-pentanone	U	2.0									
Acetone	U	2.0									
Benzene	U	1.0									

Qualifiers:	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation li
	LOD	Limit of Detection	LOQ	Limit of Quantitation	ND	Not Detected at the Reporting Limit
	R	RPD outside accepted recovery limits	S	Spike Recovery outside accepted recovery limits	U	Indicates the compound was analyzed

CLIENT: Leggett Brashears & Graham Inc.
Work Order: 0811148
Project: Rowe

ANALYTICAL QC SUMMARY REPORT

TestCode: 8260MTBE113_W

Sample ID: VBLK-111708Y	SampType: MBLK	TestCode: 8260MTBE11	Units: µg/L	Prep Date:	RunNo: 39605						
Client ID: PBW	Batch ID: R39605a	TestNo: SW8260B		Analysis Date: 11/17/2008	SeqNo: 524691						
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Bromobenzene	U	1.0									
Bromochloromethane	U	1.0									
Bromodichloromethane	U	1.0									
Bromoform	U	1.0									
Bromomethane	U	1.0									
Carbon disulfide	U	1.0									
Carbon tetrachloride	U	1.0									
Chlorobenzene	U	1.0									
Chloroethane	U	1.0									
Chloroform	U	1.0									
Chloromethane	U	1.0									
cis-1,2-Dichloroethene	U	1.0									
cis-1,3-Dichloropropene	U	1.0									
Dibromochloromethane	U	1.0									
Dibromomethane	U	1.0									
Dichlorodifluoromethane	U	1.0									
Ethylbenzene	U	1.0									
Hexachlorobutadiene	U	1.0									
Isopropylbenzene	U	1.0									
m,p-Xylene	U	2.0									
Methyl tert-butyl ether	U	1.0									C
Methylene chloride	U	1.0									
Naphthalene	U	1.0									
n-Butylbenzene	U	1.0									
n-Propylbenzene	U	1.0									
o-Xylene	U	1.0									
sec-Butylbenzene	U	1.0									
Styrene	U	1.0									
tert-Butylbenzene	U	1.0									
Tetrachloroethene	U	1.0									
Toluene	U	1.0									

Qualifiers: E Value above quantitation range
LOD Limit of Detection
R RPD outside accepted recovery limits
H Holding times for preparation or analysis exceeded
LOQ Limit of Quantitation
S Spike Recovery outside accepted recovery limits
J Analyte detected below quantitation li
ND Not Detected at the Reporting Limit
U Indicates the compound was analyzed

CLIENT: Leggette Brashears & Graham Inc.
Work Order: 0811148
Project: Rowe

ANALYTICAL QC SUMMARY REPORT

TestCode: 8260MTBE113_W

Sample ID: VBK-111708Y	SampType: MBLK	TestCode: 8260MTBE11	Units: µg/L	Prep Date:	RunNo: 39605						
Client ID: PBW	Batch ID: R39605a	TestNo: SW8260B		Analysis Date: 11/17/2008	SeqNo: 524691						
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
trans-1,2-Dichloroethene	U	1.0									
trans-1,3-Dichloropropene	U	1.0									
Trichloroethene	U	1.0									
Trichlorofluoromethane	U	1.0									
Vinyl acetate	U	1.0									
Vinyl chloride	U	1.0									
Surr: 4-Bromofluorobenzene	53		50.00		106	60	130				
Surr: Dibromofluoromethane	50		50.00		99.7	63	127				
Surr: Toluene-d8	47		50.00		94.8	61	128				

Qualifiers:	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation li
LOD	Limit of Detection	LOQ	Limit of Quantitation		ND	Not Detected at the Reporting Limit
R	RPD outside accepted recovery limits	S	Spike Recovery outside accepted recovery limits		U	Indicates the compound was analyzed

Friday, November 21, 2008

Mark Goldberg
Leggette Brashears & Graham Inc.
4 Research Drive
Suite 301
Shelton, CT 06484

TEL: (203) 929-8555
FAX (203) 926-9140

RE: Rowe

Order No.: 0811199

Dear Mark Goldberg:

American Analytical Laboratories, LLC. received 3 sample(s) on 11/14/2008 for the analyses presented in the following report.

Samples were analyzed in accordance with the test procedures documented on the chain of custody and detailed throughout the text of this report.

The results reported herein relate only to the items tested or to the samples as received by the laboratory. This report may not be reproduced, except in full, without the approval of American Analytical Laboratories, LLC and is not considered complete without a cover page and chain of custody documentation. The limits (LOQ) provided in the data package are analytical reporting limits and not Federal or Local mandated values to which the sample results should be compared.

There were no problems with the analyses and all data for associated QC met laboratory specifications. If there are any exceptions a Case Narrative is provided in the report or the data is qualified. This package has been reviewed by American Analytical Laboratories' QA Department/Laboratory Director to comply with NELAC standards prior to report submittal. This report consists of 27 pages.

If you have any questions regarding these tests results, please do not hesitate to call (631) 454-6100 or email me directly at lbeyer@american-analytical.com.

Sincerely,


Lori Beyer
Lab Director

American Analytical Laboratories, LLC.**Date:** 21-Nov-08**CLIENT:** Leggette Brashears & Graham Inc.**Project:** Rowe**Lab Order:** 0811199**Work Order Sample Summary**

Lab Sample ID	Client Sample ID	Date Collected	Date Received
0811199-01A	WQ111108:1425NP2-6	11/11/2008 2:25:00 PM	11/14/2008
0811199-01B	WQ111108:1425NP2-6	11/11/2008 2:25:00 PM	11/14/2008
0811199-01C	WQ111108:1425NP2-6	11/11/2008 2:25:00 PM	11/14/2008
0811199-02A	WQ111108:1430NP2-7	11/11/2008 2:30:00 PM	11/14/2008
0811199-02B	WQ111108:1430NP2-7	11/11/2008 2:30:00 PM	11/14/2008
0811199-02C	WQ111108:1430NP2-7	11/11/2008 2:30:00 PM	11/14/2008
0811199-03A	WQ111108:1435NP2-10	11/11/2008 2:35:00 PM	11/14/2008
0811199-03B	WQ111108:1435NP2-10	11/11/2008 2:35:00 PM	11/14/2008
0811199-03C	WQ111108:1435NP2-10	11/11/2008 2:35:00 PM	11/14/2008
0811199-03D	WQ111108:1435NP2-10	11/11/2008 2:35:00 PM	11/14/2008

CHAIN OF CUSTODY / REQUEST FOR ANALYSIS DOCUMENT

[illegible]

WHITE-OFFICE / CANARY-LAB / PINK-SAMPLE CUSTODIAN / GOLDENROD-CLIENT

American Analytical Laboratories, LLC.

Date: 21-Nov-08

ELAP ID : 11418

CLIENT: Leggette Brashears & Graham Inc.
Lab Order: 0811199
Project: Rowe
Lab ID: 0811199-01A

Client Sample ID: WQ111108:1425NP2-6
Collection Date: 11/11/2008 2:25:00 PM
Matrix: LIQUID

Certificate of Results

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
VOLATILE SW-846 8260 + MTBE & FREON113			SW8260B			Analyst: LA	
1,1,1,2-Tetrachloroethane	U	0.3	1.0		µg/L	1	11/20/2008 5:28:00 AM
1,1,1-Trichloroethane	1.2	0.3	1.0		µg/L	1	11/20/2008 5:28:00 AM
1,1,2,2-Tetrachloroethane	U	0.3	1.0	C	µg/L	1	11/20/2008 5:28:00 AM
1,1,2-Trichloro-1,2,2-trifluoroethane	U	0.3	1.0		µg/L	1	11/20/2008 5:28:00 AM
1,1,2-Trichloroethane	U	0.3	1.0		µg/L	1	11/20/2008 5:28:00 AM
1,1-Dichloroethane	U	0.3	1.0		µg/L	1	11/20/2008 5:28:00 AM
1,1-Dichloroethene	U	0.3	1.0		µg/L	1	11/20/2008 5:28:00 AM
1,1-Dichloropropene	U	0.3	1.0		µg/L	1	11/20/2008 5:28:00 AM
1,2,3-Trichlorobenzene	U	0.3	1.0		µg/L	1	11/20/2008 5:28:00 AM
1,2,3-Trichloropropane	U	0.4	1.0	C	µg/L	1	11/20/2008 5:28:00 AM
1,2,4-Trichlorobenzene	U	0.3	1.0		µg/L	1	11/20/2008 5:28:00 AM
1,2,4-Trimethylbenzene	U	0.3	1.0		µg/L	1	11/20/2008 5:28:00 AM
1,2-Dibromo-3-chloropropane	U	0.4	1.0	C	µg/L	1	11/20/2008 5:28:00 AM
1,2-Dibromoethane	U	0.3	1.0		µg/L	1	11/20/2008 5:28:00 AM
1,2-Dichlorobenzene	U	0.3	1.0		µg/L	1	11/20/2008 5:28:00 AM
1,2-Dichloroethane	U	0.3	1.0		µg/L	1	11/20/2008 5:28:00 AM
1,2-Dichloropropane	U	0.3	1.0		µg/L	1	11/20/2008 5:28:00 AM
1,3,5-Trimethylbenzene	U	0.3	1.0		µg/L	1	11/20/2008 5:28:00 AM
1,3-Dichlorobenzene	U	0.3	1.0		µg/L	1	11/20/2008 5:28:00 AM
1,3-dichloropropane	U	0.3	1.0		µg/L	1	11/20/2008 5:28:00 AM
1,4-Dichlorobenzene	U	0.3	1.0		µg/L	1	11/20/2008 5:28:00 AM
2,2-Dichloropropane	U	0.3	1.0		µg/L	1	11/20/2008 5:28:00 AM
2-Butanone	U	0.3	3.0		µg/L	1	11/20/2008 5:28:00 AM
2-Chloroethyl vinyl ether	U	0.3	1.0	C	µg/L	1	11/20/2008 5:28:00 AM
2-Chlorotoluene	U	0.3	1.0		µg/L	1	11/20/2008 5:28:00 AM
2-Hexanone	U	0.3	2.0		µg/L	1	11/20/2008 5:28:00 AM
4-Chlorotoluene	U	0.3	1.0		µg/L	1	11/20/2008 5:28:00 AM
4-Isopropyltoluene	U	0.3	1.0		µg/L	1	11/20/2008 5:28:00 AM
4-Methyl-2-pentanone	U	0.3	2.0	C	µg/L	1	11/20/2008 5:28:00 AM
Acetone	U	0.3	2.0		µg/L	1	11/20/2008 5:28:00 AM
Benzene	U	0.3	1.0		µg/L	1	11/20/2008 5:28:00 AM
Bromobenzene	U	0.3	1.0		µg/L	1	11/20/2008 5:28:00 AM
Bromochloromethane	U	0.4	1.0		µg/L	1	11/20/2008 5:28:00 AM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735

Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



Qualifiers:	*	Value exceeds Maximum Contaminant Level	B	Analyte detected in the associated Method Blank
	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded
	J	Analyte detected below quantitation limits	LOD	Limit of Detection
	LOQ	Limit of Quantitation	ND	Not Detected at the Reporting Limit
	S	Spike Recovery outside accepted recovery limits	U	Indicates the compound was analyzed but not detected.
	C	Calibration %RSD/%D exceeded for non-CCC analytes		

American Analytical Laboratories, LLC.

Date: 21-Nov-08

ELAP ID : 11418

CLIENT: Leggette Brashears & Graham Inc.

Client Sample ID: WQ111108:1425NP2-6

Lab Order: 0811199

Collection Date: 11/11/2008 2:25:00 PM

Project: Rowe

Matrix: LIQUID

Lab ID: 0811199-01A

Certificate of Results

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
VOLATILE SW-846 8260 + MTBE & FREON113			SW8260B			Analyst: LA	
Bromodichloromethane	U	0.3	1.0		µg/L	1	11/20/2008 5:28:00 AM
Bromoform	U	0.3	1.0		µg/L	1	11/20/2008 5:28:00 AM
Bromomethane	U	0.3	1.0	C	µg/L	1	11/20/2008 5:28:00 AM
Carbon disulfide	U	0.3	1.0		µg/L	1	11/20/2008 5:28:00 AM
Carbon tetrachloride	U	0.3	1.0		µg/L	1	11/20/2008 5:28:00 AM
Chlorobenzene	U	0.3	1.0		µg/L	1	11/20/2008 5:28:00 AM
Chloroethane	U	0.4	1.0	C	µg/L	1	11/20/2008 5:28:00 AM
Chloroform	U	0.3	1.0		µg/L	1	11/20/2008 5:28:00 AM
Chloromethane	U	0.3	1.0	C	µg/L	1	11/20/2008 5:28:00 AM
cis-1,2-Dichloroethene	U	0.3	1.0		µg/L	1	11/20/2008 5:28:00 AM
cis-1,3-Dichloropropene	U	0.3	1.0		µg/L	1	11/20/2008 5:28:00 AM
Dibromochloromethane	U	0.3	1.0		µg/L	1	11/20/2008 5:28:00 AM
Dibromomethane	U	0.3	1.0		µg/L	1	11/20/2008 5:28:00 AM
Dichlorodifluoromethane	U	0.3	1.0		µg/L	1	11/20/2008 5:28:00 AM
Ethylbenzene	U	0.3	1.0		µg/L	1	11/20/2008 5:28:00 AM
Hexachlorobutadiene	U	0.3	1.0		µg/L	1	11/20/2008 5:28:00 AM
Isopropylbenzene	U	0.3	1.0		µg/L	1	11/20/2008 5:28:00 AM
m,p-Xylene	U	0.3	2.0		µg/L	1	11/20/2008 5:28:00 AM
Methyl tert-butyl ether	U	0.3	1.0		µg/L	1	11/20/2008 5:28:00 AM
Methylene chloride	U	0.3	1.0		µg/L	1	11/20/2008 5:28:00 AM
Naphthalene	U	0.3	1.0		µg/L	1	11/20/2008 5:28:00 AM
n-Butylbenzene	U	0.3	1.0		µg/L	1	11/20/2008 5:28:00 AM
n-Propylbenzene	U	0.3	1.0		µg/L	1	11/20/2008 5:28:00 AM
o-Xylene	U	0.3	1.0		µg/L	1	11/20/2008 5:28:00 AM
sec-Butylbenzene	U	0.3	1.0		µg/L	1	11/20/2008 5:28:00 AM
Styrene	U	0.3	1.0		µg/L	1	11/20/2008 5:28:00 AM
tert-Butylbenzene	U	0.3	1.0		µg/L	1	11/20/2008 5:28:00 AM
Tetrachloroethene	3.0	0.3	1.0		µg/L	1	11/20/2008 5:28:00 AM
Toluene	U	0.3	1.0		µg/L	1	11/20/2008 5:28:00 AM
trans-1,2-Dichloroethene	U	0.3	1.0		µg/L	1	11/20/2008 5:28:00 AM
trans-1,3-Dichloropropene	U	0.3	1.0		µg/L	1	11/20/2008 5:28:00 AM
Trichloroethene	U	0.3	1.0		µg/L	1	11/20/2008 5:28:00 AM
Trichlorofluoromethane	U	0.3	1.0		µg/L	1	11/20/2008 5:28:00 AM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735

Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



Qualifiers:	*	Value exceeds Maximum Contaminant Level	B	Analyte detected in the associated Method Blank
	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded
	J	Analyte detected below quantitation limits	LOD	Limit of Detection
	LOQ	Limit of Quantitation	ND	Not Detected at the Reporting Limit
	S	Spike Recovery outside accepted recovery limits	U	Indicates the compound was analyzed but not detected.
	C	Calibration %RSD/%D exceeded for non-CCC analytes		

American Analytical Laboratories, LLC.

Date: 21-Nov-08

ELAP ID : 11418

CLIENT: Leggette Brashears & Graham Inc.
Lab Order: 0811199
Project: Rowe
Lab ID: 0811199-01A

Client Sample ID: WQ111108:1425NP2-6**Collection Date:** 11/11/2008 2:25:00 PM**Matrix:** LIQUID**Certificate of Results**

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
VOLATILE SW-846 8260 + MTBE & FREON113			SW8260B		Analyst: LA		
Vinyl acetate	U	0.3	1.0		µg/L	1	11/20/2008 5:28:00 AM
Vinyl chloride	U	0.3	1.0		µg/L	1	11/20/2008 5:28:00 AM
Surr: 4-Bromofluorobenzene	101	0	60-130		%REC	1	11/20/2008 5:28:00 AM
Surr: Dibromofluoromethane	110	0	63-127		%REC	1	11/20/2008 5:28:00 AM
Surr: Toluene-d8	97.6	0	61-128		%REC	1	11/20/2008 5:28:00 AM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735
Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



Qualifiers:	* Value exceeds Maximum Contaminant Level	B Analyte detected in the associated Method Blank
	E Value above quantitation range	H Holding times for preparation or analysis exceeded
	J Analyte detected below quantitation limits	LOD Limit of Detection
LOQ	Limit of Quantitation	ND Not Detected at the Reporting Limit
S	Spike Recovery outside accepted recovery limits	U Indicates the compound was analyzed but not detected.
C	Calibration %RSD/%D exceeded for non-CCC analytes	

American Analytical Laboratories, LLC.

Date: 21-Nov-08

ELAP ID : 11418

CLIENT: Leggette Brashears & Graham Inc.

Client Sample ID: WQ111108:1425NP2-6

Lab Order: 0811199

Collection Date: 11/11/2008 2:25:00 PM

Project: Rowe

Matrix: LIQUID

Lab ID: 0811199-01B

Certificate of Results

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
TOTAL IRON				E200.7	SW3010A		Analyst: JP
Iron	1.70	0.007	0.0200		mg/L	1	11/18/2008 10:05:14 AM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735

Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



Qualifiers:	*	Value exceeds Maximum Contaminant Level	B	Analyte detected in the associated Method Blank
	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded
	J	Analyte detected below quantitation limits	LOD	Limit of Detection
	LOQ	Limit of Quantitation	ND	Not Detected at the Reporting Limit
	S	Spike Recovery outside accepted recovery limits	U	Indicates the compound was analyzed but not detected.
	C	Calibration %RSD/%D exceeded for non-CCC analytes		

American Analytical Laboratories, LLC.

Date: 21-Nov-08

ELAP ID : 11418

CLIENT: Leggette Brashears & Graham Inc.

Client Sample ID: WQ111108:1425NP2-6

Lab Order: 0811199

Collection Date: 11/11/2008 2:25:00 PM

Project: Rowe

Matrix: LIQUID

Lab ID: 0811199-01C

Certificate of Results

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
DISSOLVED IRON			E200.7		SW3005A		Analyst: JP
Iron	0.0226	0.007	0.0200		mg/L	1	11/18/2008 10:03:12 AM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735
Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



Qualifiers:	* Value exceeds Maximum Contaminant Level	B Analyte detected in the associated Method Blank
	E Value above quantitation range	H Holding times for preparation or analysis exceeded
	J Analyte detected below quantitation limits	LOD Limit of Detection
LOQ	Limit of Quantitation	ND Not Detected at the Reporting Limit
S	Spike Recovery outside accepted recovery limits	U Indicates the compound was analyzed but not detected.
C	Calibration %RSD/%D exceeded for non-CCC analytes	

American Analytical Laboratories, LLC.

Date: 21-Nov-08

ELAP ID : 11418

CLIENT: Leggette Brashears & Graham Inc.
Lab Order: 0811199
Project: Rowe
Lab ID: 0811199-02A

Client Sample ID: WQ111108:1430NP2-7
Collection Date: 11/11/2008 2:30:00 PM
Matrix: LIQUID

Certificate of Results

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
VOLATILE SW-846 8260 + MTBE & FREON113			SW8260B		Analyst: LA		
1,1,1,2-Tetrachloroethane	U	0.3	1.0		µg/L	1	11/20/2008 5:58:00 AM
1,1,1-Trichloroethane	U	0.3	1.0		µg/L	1	11/20/2008 5:58:00 AM
1,1,2,2-Tetrachloroethane	U	0.3	1.0	C	µg/L	1	11/20/2008 5:58:00 AM
1,1,2-Trichloro-1,2,2-trifluoroethane	U	0.3	1.0		µg/L	1	11/20/2008 5:58:00 AM
1,1,2-Trichloroethane	U	0.3	1.0		µg/L	1	11/20/2008 5:58:00 AM
1,1-Dichloroethane	U	0.3	1.0		µg/L	1	11/20/2008 5:58:00 AM
1,1-Dichloroethene	U	0.3	1.0		µg/L	1	11/20/2008 5:58:00 AM
1,1-Dichloropropene	U	0.3	1.0		µg/L	1	11/20/2008 5:58:00 AM
1,2,3-Trichlorobenzene	U	0.3	1.0		µg/L	1	11/20/2008 5:58:00 AM
1,2,3-Trichloropropane	U	0.4	1.0	C	µg/L	1	11/20/2008 5:58:00 AM
1,2,4-Trichlorobenzene	U	0.3	1.0		µg/L	1	11/20/2008 5:58:00 AM
1,2,4-Trimethylbenzene	U	0.3	1.0		µg/L	1	11/20/2008 5:58:00 AM
1,2-Dibromo-3-chloropropane	U	0.4	1.0	C	µg/L	1	11/20/2008 5:58:00 AM
1,2-Dibromoethane	U	0.3	1.0		µg/L	1	11/20/2008 5:58:00 AM
1,2-Dichlorobenzene	U	0.3	1.0		µg/L	1	11/20/2008 5:58:00 AM
1,2-Dichloroethane	U	0.3	1.0		µg/L	1	11/20/2008 5:58:00 AM
1,2-Dichloropropane	U	0.3	1.0		µg/L	1	11/20/2008 5:58:00 AM
1,3,5-Trimethylbenzene	U	0.3	1.0		µg/L	1	11/20/2008 5:58:00 AM
1,3-Dichlorobenzene	U	0.3	1.0		µg/L	1	11/20/2008 5:58:00 AM
1,3-dichloropropane	U	0.3	1.0		µg/L	1	11/20/2008 5:58:00 AM
1,4-Dichlorobenzene	U	0.3	1.0		µg/L	1	11/20/2008 5:58:00 AM
2,2-Dichloropropane	U	0.3	1.0		µg/L	1	11/20/2008 5:58:00 AM
2-Butanone	U	0.3	3.0		µg/L	1	11/20/2008 5:58:00 AM
2-Chloroethyl vinyl ether	U	0.3	1.0	C	µg/L	1	11/20/2008 5:58:00 AM
2-Chlorotoluene	U	0.3	1.0		µg/L	1	11/20/2008 5:58:00 AM
2-Hexanone	U	0.3	2.0		µg/L	1	11/20/2008 5:58:00 AM
4-Chlorotoluene	U	0.3	1.0		µg/L	1	11/20/2008 5:58:00 AM
4-Isopropyltoluene	U	0.3	1.0		µg/L	1	11/20/2008 5:58:00 AM
4-Methyl-2-pentanone	U	0.3	2.0	C	µg/L	1	11/20/2008 5:58:00 AM
Acetone	U	0.3	2.0		µg/L	1	11/20/2008 5:58:00 AM
Benzene	U	0.3	1.0		µg/L	1	11/20/2008 5:58:00 AM
Bromobenzene	U	0.3	1.0		µg/L	1	11/20/2008 5:58:00 AM
Bromochloromethane	U	0.4	1.0		µg/L	1	11/20/2008 5:58:00 AM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735
Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



Qualifiers:	* Value exceeds Maximum Contaminant Level	B Analyte detected in the associated Method Blank
	E Value above quantitation range	H Holding times for preparation or analysis exceeded
	J Analyte detected below quantitation limits	LOD Limit of Detection
	LOQ Limit of Quantitation	ND Not Detected at the Reporting Limit
	S Spike Recovery outside accepted recovery limits	U Indicates the compound was analyzed but not detected.
	C Calibration %RSD/%D exceeded for non-CCC analytes	

American Analytical Laboratories, LLC.

Date: 21-Nov-08

ELAP ID : 11418

CLIENT: Leggette Brashears & Graham Inc.
Lab Order: 0811199
Project: Rowe
Lab ID: 0811199-02A

Client Sample ID: WQ111108:1430NP2-7
Collection Date: 11/11/2008 2:30:00 PM
Matrix: LIQUID

Certificate of Results

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
VOLATILE SW-846 8260 + MTBE & FREON113			SW8260B			Analyst: LA	
Bromodichloromethane	U	0.3	1.0		µg/L	1	11/20/2008 5:58:00 AM
Bromoform	U	0.3	1.0		µg/L	1	11/20/2008 5:58:00 AM
Bromomethane	U	0.3	1.0	C	µg/L	1	11/20/2008 5:58:00 AM
Carbon disulfide	U	0.3	1.0		µg/L	1	11/20/2008 5:58:00 AM
Carbon tetrachloride	U	0.3	1.0		µg/L	1	11/20/2008 5:58:00 AM
Chlorobenzene	U	0.3	1.0		µg/L	1	11/20/2008 5:58:00 AM
Chloroethane	U	0.4	1.0	C	µg/L	1	11/20/2008 5:58:00 AM
Chloroform	U	0.3	1.0		µg/L	1	11/20/2008 5:58:00 AM
Chloromethane	U	0.3	1.0	C	µg/L	1	11/20/2008 5:58:00 AM
cis-1,2-Dichloroethene	U	0.3	1.0		µg/L	1	11/20/2008 5:58:00 AM
cis-1,3-Dichloropropene	U	0.3	1.0		µg/L	1	11/20/2008 5:58:00 AM
Dibromochloromethane	U	0.3	1.0		µg/L	1	11/20/2008 5:58:00 AM
Dibromomethane	U	0.3	1.0		µg/L	1	11/20/2008 5:58:00 AM
Dichlorodifluoromethane	U	0.3	1.0		µg/L	1	11/20/2008 5:58:00 AM
Ethylbenzene	U	0.3	1.0		µg/L	1	11/20/2008 5:58:00 AM
Hexachlorobutadiene	U	0.3	1.0		µg/L	1	11/20/2008 5:58:00 AM
Isopropylbenzene	U	0.3	1.0		µg/L	1	11/20/2008 5:58:00 AM
m,p-Xylene	U	0.3	2.0		µg/L	1	11/20/2008 5:58:00 AM
Methyl tert-butyl ether	U	0.3	1.0		µg/L	1	11/20/2008 5:58:00 AM
Methylene chloride	U	0.3	1.0		µg/L	1	11/20/2008 5:58:00 AM
Naphthalene	U	0.3	1.0		µg/L	1	11/20/2008 5:58:00 AM
n-Butylbenzene	U	0.3	1.0		µg/L	1	11/20/2008 5:58:00 AM
n-Propylbenzene	U	0.3	1.0		µg/L	1	11/20/2008 5:58:00 AM
o-Xylene	U	0.3	1.0		µg/L	1	11/20/2008 5:58:00 AM
sec-Butylbenzene	U	0.3	1.0		µg/L	1	11/20/2008 5:58:00 AM
Styrene	U	0.3	1.0		µg/L	1	11/20/2008 5:58:00 AM
tert-Butylbenzene	U	0.3	1.0		µg/L	1	11/20/2008 5:58:00 AM
Tetrachloroethene	U	0.3	1.0		µg/L	1	11/20/2008 5:58:00 AM
Toluene	U	0.3	1.0		µg/L	1	11/20/2008 5:58:00 AM
trans-1,2-Dichloroethene	U	0.3	1.0		µg/L	1	11/20/2008 5:58:00 AM
trans-1,3-Dichloropropene	U	0.3	1.0		µg/L	1	11/20/2008 5:58:00 AM
Trichloroethene	U	0.3	1.0		µg/L	1	11/20/2008 5:58:00 AM
Trichlorofluoromethane	U	0.3	1.0		µg/L	1	11/20/2008 5:58:00 AM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735
Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



Qualifiers:	*	Value exceeds Maximum Contaminant Level	B	Analyte detected in the associated Method Blank
	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded
	J	Analyte detected below quantitation limits	LOD	Limit of Detection
	LOQ	Limit of Quantitation	ND	Not Detected at the Reporting Limit
	S	Spike Recovery outside accepted recovery limits	U	Indicates the compound was analyzed but not detected.
	C	Calibration %RSD/%D exceeded for non-CCC analytes		

American Analytical Laboratories, LLC.**Date:** 21-Nov-08**ELAP ID : 11418**

CLIENT: Leggette Brashears & Graham Inc.
Lab Order: 0811199
Project: Rowe
Lab ID: 0811199-02A

Client Sample ID: WQ111108:1430NP2-7**Collection Date:** 11/11/2008 2:30:00 PM**Matrix:** LIQUID**Certificate of Results**

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
VOLATILE SW-846 8260 + MTBE & FREON113			SW8260B		Analyst: LA		
Vinyl acetate	U	0.3	1.0		µg/L	1	11/20/2008 5:58:00 AM
Vinyl chloride	U	0.3	1.0		µg/L	1	11/20/2008 5:58:00 AM
Surr: 4-Bromofluorobenzene	98.3	0	60-130		%REC	1	11/20/2008 5:58:00 AM
Surr: Dibromofluoromethane	117	0	63-127		%REC	1	11/20/2008 5:58:00 AM
Surr: Toluene-d8	97.0	0	61-128		%REC	1	11/20/2008 5:58:00 AM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735
Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



Qualifiers:	* Value exceeds Maximum Contaminant Level	B Analyte detected in the associated Method Blank
	E Value above quantitation range	H Holding times for preparation or analysis exceeded
	J Analyte detected below quantitation limits	LOD Limit of Detection
LOQ	Limit of Quantitation	ND Not Detected at the Reporting Limit
S	Spike Recovery outside accepted recovery limits	U Indicates the compound was analyzed but not detected.
C	Calibration %RSD/%D exceeded for non-CCC analytes	

American Analytical Laboratories, LLC.

Date: 21-Nov-08

ELAP ID : 11418

CLIENT: Leggette Brashears & Graham Inc.**Client Sample ID:** WQ111108:1430NP2-7**Lab Order:** 0811199**Collection Date:** 11/11/2008 2:30:00 PM**Project:** Rowe**Matrix:** LIQUID**Lab ID:** 0811199-02B**Certificate of Results**

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
TOTAL IRON			E200.7		SW3010A		Analyst: JP
Iron	1.13	0.007	0.0200		mg/L	1	11/18/2008 10:09:20 AM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735

Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



Qualifiers:	*	Value exceeds Maximum Contaminant Level	B	Analyte detected in the associated Method Blank
	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded
	J	Analyte detected below quantitation limits	LOD	Limit of Detection
	LOQ	Limit of Quantitation	ND	Not Detected at the Reporting Limit
	S	Spike Recovery outside accepted recovery limits	U	Indicates the compound was analyzed but not detected.
	C	Calibration %RSD/%D exceeded for non-CCC analytes		

American Analytical Laboratories, LLC.

Date: 21-Nov-08

ELAP ID : 11418

CLIENT: Leggette Brashears & Graham Inc.

Client Sample ID: WQ111108:1430NP2-7

Lab Order: 0811199

Collection Date: 11/11/2008 2:30:00 PM

Project: Rowe

Matrix: LIQUID

Lab ID: 0811199-02C

Certificate of Results

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
DISSOLVED IRON				E200.7	SW3005A		Analyst: JP
Iron	0.0967	0.007	0.0200		mg/L	1	11/18/2008 10:07:16 AM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735

Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



Qualifiers:	*	Value exceeds Maximum Contaminant Level	B	Analyte detected in the associated Method Blank
	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded
	J	Analyte detected below quantitation limits	LOD	Limit of Detection
	LOQ	Limit of Quantitation	ND	Not Detected at the Reporting Limit
	S	Spike Recovery outside accepted recovery limits	U	Indicates the compound was analyzed but not detected.
	C	Calibration %RSD/%D exceeded for non-CCC analytes		

American Analytical Laboratories, LLC.

Date: 21-Nov-08

ELAP ID : 11418

CLIENT: Leggette Brashears & Graham Inc.

Client Sample ID: WQ111108:1435NP2-10

Lab Order: 0811199

Collection Date: 11/11/2008 2:35:00 PM

Project: Rowe

Matrix: LIQUID

Lab ID: 0811199-03A

Certificate of Results

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
VOLATILE SW-846 8260 + MTBE & FREON113			SW8260B			Analyst: LA	
1,1,1,2-Tetrachloroethane	U	0.3	1.0		µg/L	1	11/20/2008 6:29:00 AM
1,1,1-Trichloroethane	U	0.3	1.0		µg/L	1	11/20/2008 6:29:00 AM
1,1,2,2-Tetrachloroethane	U	0.3	1.0	C	µg/L	1	11/20/2008 6:29:00 AM
1,1,2-Trichloro-1,2,2-trifluoroethane	U	0.3	1.0		µg/L	1	11/20/2008 6:29:00 AM
1,1,2-Trichloroethane	U	0.3	1.0		µg/L	1	11/20/2008 6:29:00 AM
1,1-Dichloroethane	U	0.3	1.0		µg/L	1	11/20/2008 6:29:00 AM
1,1-Dichloroethene	U	0.3	1.0		µg/L	1	11/20/2008 6:29:00 AM
1,1-Dichloropropene	U	0.3	1.0		µg/L	1	11/20/2008 6:29:00 AM
1,2,3-Trichlorobenzene	U	0.3	1.0		µg/L	1	11/20/2008 6:29:00 AM
1,2,3-Trichloropropane	U	0.4	1.0	C	µg/L	1	11/20/2008 6:29:00 AM
1,2,4-Trichlorobenzene	U	0.3	1.0		µg/L	1	11/20/2008 6:29:00 AM
1,2,4-Trimethylbenzene	U	0.3	1.0		µg/L	1	11/20/2008 6:29:00 AM
1,2-Dibromo-3-chloropropane	U	0.4	1.0	C	µg/L	1	11/20/2008 6:29:00 AM
1,2-Dibromoethane	U	0.3	1.0		µg/L	1	11/20/2008 6:29:00 AM
1,2-Dichlorobenzene	U	0.3	1.0		µg/L	1	11/20/2008 6:29:00 AM
1,2-Dichloroethane	U	0.3	1.0		µg/L	1	11/20/2008 6:29:00 AM
1,2-Dichloropropane	U	0.3	1.0		µg/L	1	11/20/2008 6:29:00 AM
1,3,5-Trimethylbenzene	U	0.3	1.0		µg/L	1	11/20/2008 6:29:00 AM
1,3-Dichlorobenzene	U	0.3	1.0		µg/L	1	11/20/2008 6:29:00 AM
1,3-dichloropropane	U	0.3	1.0		µg/L	1	11/20/2008 6:29:00 AM
1,4-Dichlorobenzene	U	0.3	1.0		µg/L	1	11/20/2008 6:29:00 AM
2,2-Dichloropropane	U	0.3	1.0		µg/L	1	11/20/2008 6:29:00 AM
2-Butanone	U	0.3	3.0		µg/L	1	11/20/2008 6:29:00 AM
2-Chloroethyl vinyl ether	U	0.3	1.0	C	µg/L	1	11/20/2008 6:29:00 AM
2-Chlorotoluene	U	0.3	1.0		µg/L	1	11/20/2008 6:29:00 AM
2-Hexanone	U	0.3	2.0		µg/L	1	11/20/2008 6:29:00 AM
4-Chlorotoluene	U	0.3	1.0		µg/L	1	11/20/2008 6:29:00 AM
4-Isopropyltoluene	U	0.3	1.0		µg/L	1	11/20/2008 6:29:00 AM
4-Methyl-2-pentanone	U	0.3	2.0	C	µg/L	1	11/20/2008 6:29:00 AM
Acetone	U	0.3	2.0		µg/L	1	11/20/2008 6:29:00 AM
Benzene	U	0.3	1.0		µg/L	1	11/20/2008 6:29:00 AM
Bromobenzene	U	0.3	1.0		µg/L	1	11/20/2008 6:29:00 AM
Bromochloromethane	U	0.4	1.0		µg/L	1	11/20/2008 6:29:00 AM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735

Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



Qualifiers:	* Value exceeds Maximum Contaminant Level	B Analyte detected in the associated Method Blank
	E Value above quantitation range	H Holding times for preparation or analysis exceeded
	J Analyte detected below quantitation limits	LOD Limit of Detection
LOQ	Limit of Quantitation	ND Not Detected at the Reporting Limit
S	Spike Recovery outside accepted recovery limits	U Indicates the compound was analyzed but not detected.
C	Calibration %RSD/%D exceeded for non-CCC analytes	

American Analytical Laboratories, LLC.

Date: 21-Nov-08

ELAP ID : 11418

CLIENT: Leggette Brashears & Graham Inc.
Lab Order: 0811199
Project: Rowe
Lab ID: 0811199-03A

Client Sample ID: WQ111108:1435NP2-10
Collection Date: 11/11/2008 2:35:00 PM
Matrix: LIQUID

Certificate of Results

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
VOLATILE SW-846 8260 + MTBE & FREON113			SW8260B			Analyst: LA	
Bromodichloromethane	U	0.3	1.0		µg/L	1	11/20/2008 6:29:00 AM
Bromoform	U	0.3	1.0		µg/L	1	11/20/2008 6:29:00 AM
Bromomethane	U	0.3	1.0	C	µg/L	1	11/20/2008 6:29:00 AM
Carbon disulfide	U	0.3	1.0		µg/L	1	11/20/2008 6:29:00 AM
Carbon tetrachloride	U	0.3	1.0		µg/L	1	11/20/2008 6:29:00 AM
Chlorobenzene	U	0.3	1.0		µg/L	1	11/20/2008 6:29:00 AM
Chloroethane	U	0.4	1.0	C	µg/L	1	11/20/2008 6:29:00 AM
Chloroform	U	0.3	1.0		µg/L	1	11/20/2008 6:29:00 AM
Chloromethane	U	0.3	1.0	C	µg/L	1	11/20/2008 6:29:00 AM
cis-1,2-Dichloroethene	U	0.3	1.0		µg/L	1	11/20/2008 6:29:00 AM
cis-1,3-Dichloropropene	U	0.3	1.0		µg/L	1	11/20/2008 6:29:00 AM
Dibromochloromethane	U	0.3	1.0		µg/L	1	11/20/2008 6:29:00 AM
Dibromomethane	U	0.3	1.0		µg/L	1	11/20/2008 6:29:00 AM
Dichlorodifluoromethane	U	0.3	1.0		µg/L	1	11/20/2008 6:29:00 AM
Ethylbenzene	U	0.3	1.0		µg/L	1	11/20/2008 6:29:00 AM
Hexachlorobutadiene	U	0.3	1.0		µg/L	1	11/20/2008 6:29:00 AM
Isopropylbenzene	U	0.3	1.0		µg/L	1	11/20/2008 6:29:00 AM
m,p-Xylene	U	0.3	2.0		µg/L	1	11/20/2008 6:29:00 AM
Methyl tert-butyl ether	U	0.3	1.0		µg/L	1	11/20/2008 6:29:00 AM
Methylene chloride	U	0.3	1.0		µg/L	1	11/20/2008 6:29:00 AM
Naphthalene	U	0.3	1.0		µg/L	1	11/20/2008 6:29:00 AM
n-Butylbenzene	U	0.3	1.0		µg/L	1	11/20/2008 6:29:00 AM
n-Propylbenzene	U	0.3	1.0		µg/L	1	11/20/2008 6:29:00 AM
o-Xylene	U	0.3	1.0		µg/L	1	11/20/2008 6:29:00 AM
sec-Butylbenzene	U	0.3	1.0		µg/L	1	11/20/2008 6:29:00 AM
Styrene	U	0.3	1.0		µg/L	1	11/20/2008 6:29:00 AM
tert-Butylbenzene	U	0.3	1.0		µg/L	1	11/20/2008 6:29:00 AM
Tetrachloroethene	U	0.3	1.0		µg/L	1	11/20/2008 6:29:00 AM
Toluene	U	0.3	1.0		µg/L	1	11/20/2008 6:29:00 AM
trans-1,2-Dichloroethene	U	0.3	1.0		µg/L	1	11/20/2008 6:29:00 AM
trans-1,3-Dichloropropene	U	0.3	1.0		µg/L	1	11/20/2008 6:29:00 AM
Trichloroethene	U	0.3	1.0		µg/L	1	11/20/2008 6:29:00 AM
Trichlorofluoromethane	U	0.3	1.0		µg/L	1	11/20/2008 6:29:00 AM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735

Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



Qualifiers:	*	Value exceeds Maximum Contaminant Level	B	Analyte detected in the associated Method Blank
	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded
	J	Analyte detected below quantitation limits	LOD	Limit of Detection
	LOQ	Limit of Quantitation	ND	Not Detected at the Reporting Limit
	S	Spike Recovery outside accepted recovery limits	U	Indicates the compound was analyzed but not detected.
	C	Calibration %RSD/%D exceeded for non-CCC analytes		

American Analytical Laboratories, LLC.

Date: 21-Nov-08

ELAP ID : 11418

CLIENT: Leggette Brashears & Graham Inc.

Client Sample ID: WQ111108:1435NP2-10

Lab Order: 0811199

Collection Date: 11/11/2008 2:35:00 PM

Project: Rowe

Matrix: LIQUID

Lab ID: 0811199-03A

Certificate of Results

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
VOLATILE SW-846 8260 + MTBE & FREON113			SW8260B		Analyst: LA		
Vinyl acetate	U	0.3	1.0		µg/L	1	11/20/2008 6:29:00 AM
Vinyl chloride	U	0.3	1.0		µg/L	1	11/20/2008 6:29:00 AM
Surr: 4-Bromofluorobenzene	99.0	0	60-130		%REC	1	11/20/2008 6:29:00 AM
Surr: Dibromofluoromethane	118	0	63-127		%REC	1	11/20/2008 6:29:00 AM
Surr: Toluene-d8	100	0	61-128		%REC	1	11/20/2008 6:29:00 AM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735

Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



Qualifiers:	*	Value exceeds Maximum Contaminant Level	B	Analyte detected in the associated Method Blank
	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded
	J	Analyte detected below quantitation limits	LOD	Limit of Detection
	LOQ	Limit of Quantitation	ND	Not Detected at the Reporting Limit
	S	Spike Recovery outside accepted recovery limits	U	Indicates the compound was analyzed but not detected.
	C	Calibration %RSD/%D exceeded for non-CCC analytes		

American Analytical Laboratories, LLC.**Date:** 21-Nov-08**ELAP ID :** 11418**CLIENT:** Leggette Brashears & Graham Inc.**Client Sample ID:** WQ111108:1435NP2-10**Lab Order:** 0811199**Collection Date:** 11/11/2008 2:35:00 PM**Project:** Rowe**Matrix:** LIQUID**Lab ID:** 0811199-03B**Certificate of Results**

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
TOTAL IRON				E200.7	SW3010A		Analyst: JP
Iron	1.55	0.007	0.0200		mg/L	1	11/18/2008 10:22:04 AM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735

Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



Qualifiers:	*	Value exceeds Maximum Contaminant Level	B	Analyte detected in the associated Method Blank
	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded
	J	Analyte detected below quantitation limits	LOD	Limit of Detection
	LOQ	Limit of Quantitation	ND	Not Detected at the Reporting Limit
	S	Spike Recovery outside accepted recovery limits	U	Indicates the compound was analyzed but not detected.
	C	Calibration %RSD/%D exceeded for non-CCC analytes		

American Analytical Laboratories, LLC.

Date: 21-Nov-08

ELAP ID : 11418

CLIENT: Leggette Brashears & Graham Inc.

Client Sample ID: WQ111108:1435NP2-10

Lab Order: 0811199

Collection Date: 11/11/2008 2:35:00 PM

Project: Rowe

Matrix: LIQUID

Lab ID: 0811199-03C

Certificate of Results

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
DISSOLVED IRON				E200.7	SW3005A		Analyst: JP
Iron	0.114	0.007	0.0200		mg/L	1	11/18/2008 10:11:23 AM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735

Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



Qualifiers:	*	Value exceeds Maximum Contaminant Level	B	Analyte detected in the associated Method Blank
	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded
	J	Analyte detected below quantitation limits	LOD	Limit of Detection
	LOQ	Limit of Quantitation	ND	Not Detected at the Reporting Limit
	S	Spike Recovery outside accepted recovery limits	U	Indicates the compound was analyzed but not detected.
	C	Calibration %RSD/%D exceeded for non-CCC analytes		

American Analytical Laboratories, LLC.

Date: 21-Nov-08

ELAP ID : 11418

CLIENT: Leggette Brashears & Graham Inc.

Client Sample ID: WQ111108:1435NP2-10

Lab Order: 0811199

Collection Date: 11/11/2008 2:35:00 PM

Project: Rowe

Matrix: LIQUID

Lab ID: 0811199-03D

Certificate of Results

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
TOTAL DISSOLVED SOLIDS				M2540C			Analyst: AS
Total Dissolved Solids (Residue, Filterable)	111	0	1.00		mg/L	1	11/18/2008

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735

Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



Qualifiers:	*	Value exceeds Maximum Contaminant Level	B	Analyte detected in the associated Method Blank
	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded
	J	Analyte detected below quantitation limits	LOD	Limit of Detection
	LOQ	Limit of Quantitation	ND	Not Detected at the Reporting Limit
	S	Spike Recovery outside accepted recovery limits	U	Indicates the compound was analyzed but not detected.
	C	Calibration %RSD/%D exceeded for non-CCC analytes		

American Analytical Laboratories, LLC.

Sample Receipt Checklist

Client Name **LBG CT**

Date and Time Receive **11/14/2008 1:13:31 PM**

Work Order Number **0811199**

RcptNo: **1**

Received by **NM**

COC_ID:

CoolerID:

Checklist completed by

Signature

Date

Reviewed by

Initials

Date

Matrix:

Carrier name Courier

Shipping container/cooler in good condition?	Yes ☒	No ☐	Not Presen ☐
Custody seals intact on shipping container/cooler?	Yes ☐	No ☐	Not Presen ☒
Custody seals intact on sample bottles?	Yes ☐	No ☐	Not Presen ☒
Chain of custody present?	Yes ☒	No ☐	
Chain of custody signed when relinquished and received?	Yes ☒	No ☐	
Chain of custody agrees with sample labels?	Yes ☒	No ☐	
Samples in proper container/bottle?	Yes ☒	No ☐	
Sample containers intact?	Yes ☒	No ☐	
Sufficient sample volume for indicated test?	Yes ☒	No ☐	
All samples received within holding time?	Yes ☒	No ☐	
Container/Temp Blank temperature in compliance?	Yes ☒	No ☐	
Water - VOA vials have zero headspace?	No VOA vials submitted ☐	Yes ☒	No ☐
Water - pH acceptable upon receipt?	Yes ☒	No ☐	N/A ☐

Adjusted? _____ Checked b _____

Any No and/or NA (not applicable) response must be detailed in the comments section be

Client contacted _____ Date contacted: _____ Person contacted _____

Contacted by: _____ Regarding: _____

Comments: Cooler: Yes; Ice: Yes; T = 5.8 C.

Corrective Action _____

CLIENT: Leggette Brashears & Graham Inc.

Work Order: 0811199

Project: Rowe

ANALYTICAL QC SUMMARY REPORT

TestCode: 8260MTBE113 W

Sample ID: V624LCS-111908aL	SampType: LCS	TestCode: 8260MTBE11	Units: µg/L	Prep Date:	RunNo: 39693						
Client ID: LCSW	Batch ID: R39693	TestNo: SW8260B	Analysis Date: 11/19/2008	SeqNo: 526558							
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
1,1,1-Trichloroethane	57	1.0	50.00	0	114	43	148				
1,1,2,2-Tetrachloroethane	55	1.0	50.00	0	109	32	148				C
1,1,2-Trichloro-1,2,2-trifluoroethane	26	1.0	50.00	0	52.4	35	135				
1,1,2-Trichloroethane	55	1.0	50.00	0	110	42	136				
1,1-Dichloroethane	52	1.0	50.00	0	104	40	150				
1,1-Dichloroethene	61	1.0	50.00	0	122	30	154				
1,2-Dichlorobenzene	50	1.0	50.00	0	99.5	40	129				
1,2-Dichloroethane	60	1.0	50.00	0	121	36	141				
1,2-Dichloropropane	55	1.0	50.00	0	111	44	138				
1,3-Dichlorobenzene	48	1.0	50.00	0	95.4	40	133				
1,4-Dichlorobenzene	50	1.0	50.00	0	99.8	40	135				
2-Chloroethyl vinyl ether	51	1.0	50.00	0	103	21	139				C
Benzene	51	1.0	50.00	0	103	45	144				
Bromodichloromethane	59	1.0	50.00	0	119	35	136				
Bromoform	60	1.0	50.00	0	120	28	138				
Bromomethane	47	1.0	50.00	0	93.9	26	148				C
Carbon tetrachloride	61	1.0	50.00	0	121	45	141				
Chlorobenzene	52	1.0	50.00	0	103	41	142				
Chloroethane	48	1.0	50.00	0	96.6	36	143				C
Chloroform	56	1.0	50.00	0	111	42	137				
Chloromethane	44	1.0	50.00	0	88.4	35	151				C
cis-1,3-Dichloropropene	54	1.0	50.00	0	109	42	130				
Dibromochloromethane	61	1.0	50.00	0	122	21	134				
Ethylbenzene	50	1.0	50.00	0	101	45	146				
Tetrachloroethene	56	1.0	50.00	0	112	45	136				
Toluene	49	1.0	50.00	0	97.7	43	134				
trans-1,2-Dichloroethene	51	1.0	50.00	0	102	42	135				
trans-1,3-Dichloropropene	54	1.0	50.00	0	108	37	133				
Trichloroethene	56	1.0	50.00	0	112	43	140				
Trichlorofluoromethane	55	1.0	50.00	0	110	50	148				

Qualifiers: E Value above quantitation range
 LOD Limit of Detection
 R RPD outside accepted recovery limits
 H Holding times for preparation or analysis exceeded
 LOQ Limit of Quantitation
 S Spike Recovery outside accepted recovery limits
 J Analyte detected below quantitation li
 ND Not Detected at the Reporting Limit
 U Indicates the compound was analyzed

CLIENT: Leggette Brashears & Graham Inc.
Work Order: 0811199
Project: Rowe

ANALYTICAL QC SUMMARY REPORT

TestCode: 8260MTBE113_W

Sample ID: V624LCS-111908aL	SampType: LCS	TestCode: 8260MTBE11	Units: µg/L	Prep Date:	RunNo: 39693						
Client ID: LCSW	Batch ID: R39693	TestNo: SW8260B		Analysis Date: 11/19/2008	SeqNo: 526558						
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual

Vinyl chloride	47	1.0	50.00	0	94.6	35	142				
Surr: 4-Bromofluorobenzene	51		50.00		101	60	130				
Surr: Dibromofluoromethane	56		50.00		111	63	127				
Surr: Toluene-d8	52		50.00		103	61	128				

Sample ID: VBLK-111908aL	SampType: MBLK	TestCode: 8260MTBE11	Units: µg/L	Prep Date:	RunNo: 39693						
Client ID: PBW	Batch ID: R39693	TestNo: SW8260B		Analysis Date: 11/19/2008	SeqNo: 526559						
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual

1,1,1,2-Tetrachloroethane	U	1.0									
1,1,1-Trichloroethane	U	1.0									
1,1,2,2-Tetrachloroethane	U	1.0									
1,1,2-Trichloro-1,2,2-trifluoroethane	U	1.0									C
1,1,2-Trichloroethane	U	1.0									
1,1-Dichloroethane	U	1.0									
1,1-Dichloroethene	U	1.0									
1,1-Dichloropropene	U	1.0									
1,2,3-Trichlorobenzene	U	1.0									
1,2,3-Trichloropropane	U	1.0									
1,2,4-Trichlorobenzene	U	1.0									C
1,2,4-Trimethylbenzene	U	1.0									
1,2-Dibromo-3-chloropropane	U	1.0									C
1,2-Dibromoethane	U	1.0									
1,2-Dichlorobenzene	U	1.0									
1,2-Dichloroethane	U	1.0									
1,2-Dichloropropane	U	1.0									
1,3,5-Trimethylbenzene	U	1.0									
1,3-Dichlorobenzene	U	1.0									
1,3-dichloropropane	U	1.0									
1,4-Dichlorobenzene	U	1.0									
2,2-Dichloropropane	U	1.0									

Qualifiers:	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation li
LOD	R	Limit of Detection	LOQ	Limit of Quantitation	ND	Not Detected at the Reporting Limit
	R	RPD outside accepted recovery limits	S	Spike Recovery outside accepted recovery limits	U	Indicates the compound was analyzed

CLIENT: Leggett Brashears & Graham Inc.
Work Order: 0811199
Project: Rowe

ANALYTICAL QC SUMMARY REPORT

TestCode: 8260MTBE113_W

Sample ID: VBLK-111908aL		SampType: MBLK		TestCode: 8260MTBE11		Units: µg/L		Prep Date:		RunNo: 39693			
Client ID: PBW		Batch ID: R39693		TestNo: SW8260B				Analysis Date: 11/19/2008		SeqNo: 526559			
Analyte		Result		PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
2-Butanone		U		3.0									
2-Chloroethyl vinyl ether		U		1.0									C
2-Chlorotoluene		U		1.0									
2-Hexanone		U		2.0									
4-Chlorotoluene		U		1.0									
4-Isopropyltoluene		U		1.0									
4-Methyl-2-pentanone		U		2.0									C
Acetone		U		2.0									
Benzene		U		1.0									
Bromobenzene		U		1.0									
Bromochloromethane		U		1.0									
Bromodichloromethane		U		1.0									
Bromoform		U		1.0									C
Bromomethane		U		1.0									
Carbon disulfide		U		1.0									
Carbon tetrachloride		U		1.0									
Chlorobenzene		U		1.0									C
Chloroethane		U		1.0									
Chloroform		U		1.0									C
Chloromethane		U		1.0									
cis-1,2-Dichloroethene		U		1.0									
cis-1,3-Dichloropropene		U		1.0									
Dibromochloromethane		U		1.0									
Dibromomethane		U		1.0									
Dichlorodifluoromethane		U		1.0									
Ethylbenzene		U		1.0									
Hexachlorobutadiene		U		1.0									
Isopropylbenzene		U		1.0									
m,p-Xylene		U		2.0									
Methyl tert-butyl ether		U		1.0									
Methylene chloride		U		1.0									

Qualifiers:

E	Value above quantitation range	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation li
LOD	Limit of Detection	LOQ	Limit of Quantitation	ND	Not Detected at the Reporting Limit
R	RPD outside accepted recovery limits	S	Spike Recovery outside accepted recovery limits	U	Indicates the compound was analyzed

CLIENT: Leggett Brashears & Graham Inc.
Work Order: 0811199
Project: Rowe

ANALYTICAL QC SUMMARY REPORT

TestCode: 8260MTBE113_W

Sample ID: VBLK-111908aL	SampType: MBLK	TestCode: 8260MTBE11	Units: µg/L	Prep Date:	RunNo: 39693						
Client ID: PBW	Batch ID: R39693	TestNo: SW8260B		Analysis Date: 11/19/2008	SeqNo: 526559						
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual

Naphthalene	U	1.0									
n-Butylbenzene	U	1.0									
n-Propylbenzene	U	1.0									
o-Xylene	U	1.0									
sec-Butylbenzene	U	1.0									
Styrene	U	1.0									
tert-Butylbenzene	U	1.0									
Tetrachloroethene	U	1.0									
Toluene	U	1.0									
trans-1,2-Dichloroethene	U	1.0									
trans-1,3-Dichloropropene	U	1.0									
Trichloroethene	U	1.0									
Trichlorofluoromethane	U	1.0									
Vinyl acetate	U	1.0									
Vinyl chloride	U	1.0									
Surr: 4-Bromofluorobenzene	50		50.00		99.2	60		130			
Surr: Dibromofluoromethane	57		50.00		113	63		127			
Surr: Toluene-d8	49		50.00		98.0	61		128			

Qualifiers:	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation li
LOD		Limit of Detection	LOQ	Limit of Quantitation	ND	Not Detected at the Reporting Limit
R		RPD outside accepted recovery limits	S	Spike Recovery outside accepted recovery limits	U	Indicates the compound was analyzed

CLIENT: Leggette Brashears & Graham Inc.
Work Order: 0811199
Project: Rowe

ANALYTICAL QC SUMMARY REPORT

TestCode: FE_D

Sample ID: PBW-111408A	SampType: MBLK	TestCode: FE_D	Units: mg/L	Prep Date: 11/14/2008	RunNo: 39606						
Client ID: PBW	Batch ID: 23623	TestNo: E200.7	SW3005A	Analysis Date: 11/18/2008	SeqNo: 524821						
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Iron	U	0.0200									

Sample ID: LCSW-111408A		SampType: LCS	TestCode: FE_D		Units: mg/L	Prep Date: 11/14/2008		RunNo: 39606			
Client ID: LCSW		Batch ID: 23623	TestNo: E200.7		SW3005A	Analysis Date: 11/18/2008		SeqNo: 524822			
Analyte		Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Iron		1.97	0.0200	2.000	0	98.5	68	122			

Qualifiers:	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation li
LOD		Limit of Detection	LOQ	Limit of Quantitation	ND	Not Detected at the Reporting Limit
R		RPD outside accepted recovery limits	S	Spike Recovery outside accepted recovery limits	U	Indicates the compound was analyzed

CLIENT: Leggette Brashears & Graham Inc.
Work Order: 08111199
Project: Rowe

ANALYTICAL QC SUMMARY REPORT

TestCode: FE_T

Sample ID: PBW-111408A	SampType: MBLK	TestCode: FE_T	Units: mg/L	Prep Date:	RunNo: 39606					
Client ID: PBW	Batch ID: 23624	TestNo: E200.7	SW3010A	Analysis Date: 11/18/2008	SeqNo: 524858					
Analyte	Result	PQL	SPK value	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Iron	U	0.0200								

Sample ID: LCSW-111408A	SampType: LCS	TestCode: FE_T	Units: mg/L	Prep Date:	RunNo: 39606					
Client ID: LCSW	Batch ID: 23624	TestNo: E200.7	SW3010A	Analysis Date: 11/18/2008	SeqNo: 524859					
Analyte	Result	PQL	SPK value	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Iron	1.97	0.0200	2.000	0	98.6	68	122			

Qualifiers:	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation li
LOD	Limit of Detection	LOQ	Limit of Quantitation	ND	Not Detected at the Reporting Limit	
R	RPD outside accepted recovery limits	S	Spike Recovery outside accepted recovery limits	U	Indicates the compound was analyzed	

CLIENT: Leggette Brashears & Graham Inc.
Work Order: 0811199
Project: Rowe

ANALYTICAL QC SUMMARY REPORT

TestCode: TDS_W

Sample ID: MB-R39675	SampType: MBLK	TestCode: TDS_W	Units: mg/L	Prep Date:	RunNo: 39675						
Client ID: PBW	Batch ID: R39675	TestNo: M2540C		Analysis Date: 11/18/2008	SeqNo: 526372						
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual

Total Dissolved Solids (Residue, Filtera U 1.00

Qualifiers:	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation li
	LOD	Limit of Detection	LOQ	Limit of Quantitation	ND	Not Detected at the Reporting Limit
	R	RPD outside accepted recovery limits	S	Spike Recovery outside accepted recovery limits	U	Indicates the compound was analyzed

Wednesday, December 03, 2008

Mark Goldberg
Leggette Brashears & Graham Inc.
4 Research Drive
Suite 301
Shelton, CT 06484

TEL: (203) 929-8555
FAX (203) 926-9140

RE: Rowe

Order No.: 0811353

Dear Mark Goldberg:

American Analytical Laboratories, LLC. received 3 sample(s) on 11/25/2008 for the analyses presented in the following report.


Samples were analyzed in accordance with the test procedures documented on the chain of custody and detailed throughout the text of this report.

The results reported herein relate only to the items tested or to the samples as received by the laboratory. This report may not be reproduced, except in full, without the approval of American Analytical Laboratories, LLC and is not considered complete without a cover page and chain of custody documentation. The limits (LOQ) provided in the data package are analytical reporting limits and not Federal or Local mandated values to which the sample results should be compared.

There were no problems with the analyses and all data for associated QC met laboratory specifications. If there are any exceptions a Case Narrative is provided in the report or the data is qualified. This package has been reviewed by American Analytical Laboratories' QA Department/Laboratory Director to comply with NELAC standards prior to report submittal. This report consists of 32 pages.

If you have any questions regarding these tests results, please do not hesitate to call (631) 454-6100 or email me directly at lbeyer@american-analytical.com.

Sincerely,



Lori Beyer
Lab Director

American Analytical Laboratories, LLC.**Date:** 03-Dec-08**CLIENT:** Leggette Brashears & Graham Inc.**Project:** Rowe**Lab Order:** 0811353**Work Order Sample Summary**

Lab Sample ID	Client Sample ID	Date Collected	Date Received
0811353-01A	WQ112008:1050NP2-6	11/20/2008 10:50:00 AM	11/25/2008
0811353-01B	WQ112008:1050NP2-6	11/20/2008 10:50:00 AM	11/25/2008
0811353-01C	WQ112008:1050NP2-6	11/20/2008 10:50:00 AM	11/25/2008
0811353-02A	WQ112008:1055NP2-7	11/20/2008 10:55:00 AM	11/25/2008
0811353-02B	WQ112008:1055NP2-7	11/20/2008 10:55:00 AM	11/25/2008
0811353-02C	WQ112008:1055NP2-7	11/20/2008 10:55:00 AM	11/25/2008
0811353-03A	WQ112008:1100NP2-10	11/20/2008 11:00:00 AM	11/25/2008
0811353-03B	WQ112008:1100NP2-10	11/20/2008 11:00:00 AM	11/25/2008
0811353-03C	WQ112008:1100NP2-10	11/20/2008 11:00:00 AM	11/25/2008
0811353-03D	WQ112008:1100NP2-10	11/20/2008 11:00:00 AM	11/25/2008

TAG # / COC

CHAIN OF CUSTODY / REQUEST FOR ANALYSIS DOCUMENT

[illegible]

WHITE-OFFICE / CANARY-LAB / PINK-SAMPLE CUSTODIAN / GOLDENROD-CLIENT

American Analytical Laboratories, LLC.

Sample Receipt Checklist

Client Name **LBG CT**

Date and Time Receive **11/25/2008 11:48:24 AM**

Work Order Number **0811353**

RcptNo: **1**

Received by **NM**

COC_ID:

CoolerID:

Checklist completed by

[Signature]
Signature

11/25/08
Date

Reviewed by

CB
Initials

11/25/08
Date

Matrix:

Carrier name FedEx

Shipping container/cooler in good condition?

Yes ☒

No ☐

Not Presen ☐

Custody seals intact on shipping container/cooler?

Yes ☐

No ☐

Not Presen ☒

Custody seals intact on sample bottles?

Yes ☐

No ☐

Not Presen ☒

Chain of custody present?

Yes ☒

No ☐

Chain of custody signed when relinquished and received?

Yes ☒

No ☐

Chain of custody agrees with sample labels?

Yes ☒

No ☐

Samples in proper container/bottle?

Yes ☒

No ☐

Sample containers intact?

Yes ☒

No ☐

Sufficient sample volume for indicated test?

Yes ☒

No ☐

All samples received within holding time?

Yes ☒

No ☐

Container/Temp Blank temperature in compliance?

Yes ☒

No ☐

Water - VOA vials have zero headspace?

No VOA vials submitted ☐

Yes ☒

No ☐

Water - pH acceptable upon receipt?

Yes ☒

No ☐

N/A ☐

Adjusted? _____

Checked b _____

Any No and/or NA (not applicable) response must be detailed in the comments section be

Client contacted _____

Date contacted: _____

Person contacted _____

Contacted by: _____

Regarding: _____

Comments:

Cooler: Yes; Ice: Yes; T = 3.3 C.

Corrective Action _____

American Analytical Laboratories, LLC.

Date: 03-Dec-08

ELAP ID : 11418

CLIENT: Leggette Brashears & Graham Inc.
Lab Order: 0811353
Project: Rowe
Lab ID: 0811353-01A

Client Sample ID: WQ112008:1050NP2-6
Collection Date: 11/20/2008 10:50:00 AM
Matrix: LIQUID

Certificate of Results

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
VOLATILE SW-846 8260 + MTBE & FREON113			SW8260B		Analyst: LA		
1,1,1,2-Tetrachloroethane	U	0.3	1.0		µg/L	1	12/1/2008 3:00:00 PM
1,1,1-Trichloroethane	U	0.3	1.0		µg/L	1	12/1/2008 3:00:00 PM
1,1,2,2-Tetrachloroethane	U	0.3	1.0		µg/L	1	12/1/2008 3:00:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	U	0.3	1.0		µg/L	1	12/1/2008 3:00:00 PM
1,1,2-Trichloroethane	U	0.3	1.0		µg/L	1	12/1/2008 3:00:00 PM
1,1-Dichloroethane	U	0.3	1.0		µg/L	1	12/1/2008 3:00:00 PM
1,1-Dichloroethene	U	0.3	1.0		µg/L	1	12/1/2008 3:00:00 PM
1,1-Dichloropropene	U	0.3	1.0		µg/L	1	12/1/2008 3:00:00 PM
1,2,3-Trichlorobenzene	U	0.3	1.0		µg/L	1	12/1/2008 3:00:00 PM
1,2,3-Trichloropropane	U	0.4	1.0		µg/L	1	12/1/2008 3:00:00 PM
1,2,4-Trichlorobenzene	U	0.3	1.0		µg/L	1	12/1/2008 3:00:00 PM
1,2,4-Trimethylbenzene	U	0.3	1.0		µg/L	1	12/1/2008 3:00:00 PM
1,2-Dibromo-3-chloropropane	U	0.4	1.0		µg/L	1	12/1/2008 3:00:00 PM
1,2-Dibromoethane	U	0.3	1.0		µg/L	1	12/1/2008 3:00:00 PM
1,2-Dichlorobenzene	U	0.3	1.0		µg/L	1	12/1/2008 3:00:00 PM
1,2-Dichloroethane	U	0.3	1.0		µg/L	1	12/1/2008 3:00:00 PM
1,2-Dichloropropane	U	0.3	1.0		µg/L	1	12/1/2008 3:00:00 PM
1,3,5-Trimethylbenzene	U	0.3	1.0		µg/L	1	12/1/2008 3:00:00 PM
1,3-Dichlorobenzene	U	0.3	1.0		µg/L	1	12/1/2008 3:00:00 PM
1,3-dichloropropane	U	0.3	1.0		µg/L	1	12/1/2008 3:00:00 PM
1,4-Dichlorobenzene	U	0.3	1.0		µg/L	1	12/1/2008 3:00:00 PM
2,2-Dichloropropane	U	0.3	1.0		µg/L	1	12/1/2008 3:00:00 PM
2-Butanone	U	0.3	3.0	C	µg/L	1	12/1/2008 3:00:00 PM
2-Chloroethyl vinyl ether	U	0.3	1.0	C	µg/L	1	12/1/2008 3:00:00 PM
2-Chlorotoluene	U	0.3	1.0		µg/L	1	12/1/2008 3:00:00 PM
2-Hexanone	U	0.3	2.0		µg/L	1	12/1/2008 3:00:00 PM
4-Chlorotoluene	U	0.3	1.0		µg/L	1	12/1/2008 3:00:00 PM
4-Isopropyltoluene	U	0.3	1.0		µg/L	1	12/1/2008 3:00:00 PM
4-Methyl-2-pentanone	U	0.3	2.0		µg/L	1	12/1/2008 3:00:00 PM
Acetone	U	0.3	2.0		µg/L	1	12/1/2008 3:00:00 PM
Benzene	U	0.3	1.0		µg/L	1	12/1/2008 3:00:00 PM
Bromobenzene	U	0.3	1.0		µg/L	1	12/1/2008 3:00:00 PM
Bromochloromethane	U	0.4	1.0		µg/L	1	12/1/2008 3:00:00 PM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735

Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



Qualifiers:	* Value exceeds Maximum Contaminant Level	B Analyte detected in the associated Method Blank
	E Value above quantitation range	H Holding times for preparation or analysis exceeded
	J Analyte detected below quantitation limits	LOD Limit of Detection
	LOQ Limit of Quantitation	ND Not Detected at the Reporting Limit
	S Spike Recovery outside accepted recovery limits	U Indicates the compound was analyzed but not detected.
	C Calibration %RSD/%D exceeded for non-CCC analytes	

American Analytical Laboratories, LLC.

Date: 03-Dec-08

ELAP ID : 11418

CLIENT: Leggette Brashears & Graham Inc.

Client Sample ID: WQ112008:1050NP2-6

Lab Order: 0811353

Collection Date: 11/20/2008 10:50:00 AM

Project: Rowe

Matrix: LIQUID

Lab ID: 0811353-01A

Certificate of Results

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
VOLATILE SW-846 8260 + MTBE & FREON113			SW8260B			Analyst: LA	
Bromodichloromethane	U	0.3	1.0		µg/L	1	12/1/2008 3:00:00 PM
Bromoform	U	0.3	1.0		µg/L	1	12/1/2008 3:00:00 PM
Bromomethane	U	0.3	1.0		µg/L	1	12/1/2008 3:00:00 PM
Carbon disulfide	U	0.3	1.0		µg/L	1	12/1/2008 3:00:00 PM
Carbon tetrachloride	U	0.3	1.0		µg/L	1	12/1/2008 3:00:00 PM
Chlorobenzene	U	0.3	1.0		µg/L	1	12/1/2008 3:00:00 PM
Chloroethane	U	0.4	1.0	C	µg/L	1	12/1/2008 3:00:00 PM
Chloroform	U	0.3	1.0		µg/L	1	12/1/2008 3:00:00 PM
Chloromethane	U	0.3	1.0		µg/L	1	12/1/2008 3:00:00 PM
cis-1,2-Dichloroethene	U	0.3	1.0		µg/L	1	12/1/2008 3:00:00 PM
cis-1,3-Dichloropropene	U	0.3	1.0		µg/L	1	12/1/2008 3:00:00 PM
Dibromochloromethane	U	0.3	1.0		µg/L	1	12/1/2008 3:00:00 PM
Dibromomethane	U	0.3	1.0		µg/L	1	12/1/2008 3:00:00 PM
Dichlorodifluoromethane	U	0.3	1.0		µg/L	1	12/1/2008 3:00:00 PM
Ethylbenzene	U	0.3	1.0		µg/L	1	12/1/2008 3:00:00 PM
Hexachlorobutadiene	U	0.3	1.0		µg/L	1	12/1/2008 3:00:00 PM
Isopropylbenzene	U	0.3	1.0		µg/L	1	12/1/2008 3:00:00 PM
m,p-Xylene	U	0.3	2.0		µg/L	1	12/1/2008 3:00:00 PM
Methyl tert-butyl ether	U	0.3	1.0		µg/L	1	12/1/2008 3:00:00 PM
Methylene chloride	U	0.3	1.0		µg/L	1	12/1/2008 3:00:00 PM
Naphthalene	U	0.3	1.0		µg/L	1	12/1/2008 3:00:00 PM
n-Butylbenzene	U	0.3	1.0		µg/L	1	12/1/2008 3:00:00 PM
n-Propylbenzene	U	0.3	1.0		µg/L	1	12/1/2008 3:00:00 PM
o-Xylene	U	0.3	1.0		µg/L	1	12/1/2008 3:00:00 PM
sec-Butylbenzene	U	0.3	1.0		µg/L	1	12/1/2008 3:00:00 PM
Styrene	U	0.3	1.0		µg/L	1	12/1/2008 3:00:00 PM
tert-Butylbenzene	U	0.3	1.0		µg/L	1	12/1/2008 3:00:00 PM
Tetrachloroethene	7.9	0.3	1.0	C	µg/L	1	12/1/2008 3:00:00 PM
Toluene	U	0.3	1.0		µg/L	1	12/1/2008 3:00:00 PM
trans-1,2-Dichloroethene	U	0.3	1.0		µg/L	1	12/1/2008 3:00:00 PM
trans-1,3-Dichloropropene	U	0.3	1.0		µg/L	1	12/1/2008 3:00:00 PM
Trichloroethene	U	0.3	1.0		µg/L	1	12/1/2008 3:00:00 PM
Trichlorofluoromethane	U	0.3	1.0	C	µg/L	1	12/1/2008 3:00:00 PM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735

Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



Qualifiers:	*	Value exceeds Maximum Contaminant Level	B	Analyte detected in the associated Method Blank
	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded
	J	Analyte detected below quantitation limits	LOD	Limit of Detection
	LOQ	Limit of Quantitation	ND	Not Detected at the Reporting Limit
	S	Spike Recovery outside accepted recovery limits	U	Indicates the compound was analyzed but not detected.
	C	Calibration %RSD/%D exceeded for non-CCC analytes		

American Analytical Laboratories, LLC.

Date: 03-Dec-08

ELAP ID : 11418

CLIENT: Leggette Brashears & Graham Inc.

Client Sample ID: WQ112008:1050NP2-6

Lab Order: 0811353

Collection Date: 11/20/2008 10:50:00 AM

Project: Rowe

Matrix: LIQUID

Lab ID: 0811353-01A

Certificate of Results

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
VOLATILE SW-846 8260 + MTBE & FREON113			SW8260B			Analyst: LA	
Vinyl acetate	U	0.3	1.0		µg/L	1	12/1/2008 3:00:00 PM
Vinyl chloride	U	0.3	1.0		µg/L	1	12/1/2008 3:00:00 PM
Surr: 4-Bromofluorobenzene	94.6	0	60-130		%REC	1	12/1/2008 3:00:00 PM
Surr: Dibromofluoromethane	95.5	0	63-127		%REC	1	12/1/2008 3:00:00 PM
Surr: Toluene-d8	101	0	61-128		%REC	1	12/1/2008 3:00:00 PM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735

Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



Qualifiers:	*	Value exceeds Maximum Contaminant Level	B	Analyte detected in the associated Method Blank
	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded
	J	Analyte detected below quantitation limits	LOD	Limit of Detection
	LOQ	Limit of Quantitation	ND	Not Detected at the Reporting Limit
	S	Spike Recovery outside accepted recovery limits	U	Indicates the compound was analyzed but not detected.
	C	Calibration %RSD/%D exceeded for non-CCC analytes		

American Analytical Laboratories, LLC.**Date:** 03-Dec-08**ELAP ID :** 11418**CLIENT:** Leggette Brashears & Graham Inc.**Client Sample ID:** WQ112008:1050NP2-6**Lab Order:** 0811353**Collection Date:** 11/20/2008 10:50:00 AM**Project:** Rowe**Matrix:** LIQUID**Lab ID:** 0811353-01B**Certificate of Results**

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
TOTAL IRON				E200.7	SW3010A		Analyst: JP
Iron	8.93	0.007	0.0200		mg/L	1	11/26/2008 11:19:01 AM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735

Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



Qualifiers:	*	Value exceeds Maximum Contaminant Level	B	Analyte detected in the associated Method Blank
	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded
	J	Analyte detected below quantitation limits	LOD	Limit of Detection
	LOQ	Limit of Quantitation	ND	Not Detected at the Reporting Limit
	S	Spike Recovery outside accepted recovery limits	U	Indicates the compound was analyzed but not detected.
	C	Calibration %RSD/%D exceeded for non-CCC analytes		

American Analytical Laboratories, LLC.**Date:** 03-Dec-08**ELAP ID :** 11418

CLIENT: Leggette Brashears & Graham Inc.
Lab Order: 0811353
Project: Rowe
Lab ID: 0811353-01C

Client Sample ID: WQ112008:1050NP2-6
Collection Date: 11/20/2008 10:50:00 AM
Matrix: LIQUID

Certificate of Results

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
DISSOLVED IRON			E200.7		SW3005A		Analyst: JP
Iron	0.0295	0.007	0.0200		mg/L	1	11/26/2008 11:17:44 AM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735
Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



Qualifiers:	*	Value exceeds Maximum Contaminant Level	B	Analyte detected in the associated Method Blank
	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded
	J	Analyte detected below quantitation limits	LOD	Limit of Detection
LOQ		Limit of Quantitation	ND	Not Detected at the Reporting Limit
	S	Spike Recovery outside accepted recovery limits	U	Indicates the compound was analyzed but not detected.
	C	Calibration %RSD/%D exceeded for non-CCC analytes		

American Analytical Laboratories, LLC.

Date: 03-Dec-08

ELAP ID : 11418

CLIENT: Leggette Brashears & Graham Inc.
Lab Order: 0811353
Project: Rowe
Lab ID: 0811353-02A

Client Sample ID: WQ112008:1055NP2-7
Collection Date: 11/20/2008 10:55:00 AM
Matrix: LIQUID

Certificate of Results

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
VOLATILE SW-846 8260 + MTBE & FREON113			SW8260B		Analyst: LA		
1,1,1,2-Tetrachloroethane	U	0.3	1.0		µg/L	1	12/1/2008 3:26:00 PM
1,1,1-Trichloroethane	U	0.3	1.0		µg/L	1	12/1/2008 3:26:00 PM
1,1,2,2-Tetrachloroethane	U	0.3	1.0	C	µg/L	1	12/1/2008 3:26:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	U	0.3	1.0		µg/L	1	12/1/2008 3:26:00 PM
1,1,2-Trichloroethane	U	0.3	1.0		µg/L	1	12/1/2008 3:26:00 PM
1,1-Dichloroethane	U	0.3	1.0		µg/L	1	12/1/2008 3:26:00 PM
1,1-Dichloroethene	U	0.3	1.0		µg/L	1	12/1/2008 3:26:00 PM
1,1-Dichloropropene	U	0.3	1.0		µg/L	1	12/1/2008 3:26:00 PM
1,2,3-Trichlorobenzene	U	0.3	1.0		µg/L	1	12/1/2008 3:26:00 PM
1,2,3-Trichloropropane	U	0.4	1.0		µg/L	1	12/1/2008 3:26:00 PM
1,2,4-Trichlorobenzene	U	0.3	1.0		µg/L	1	12/1/2008 3:26:00 PM
1,2,4-Trimethylbenzene	U	0.3	1.0		µg/L	1	12/1/2008 3:26:00 PM
1,2-Dibromo-3-chloropropane	U	0.4	1.0		µg/L	1	12/1/2008 3:26:00 PM
1,2-Dibromoethane	U	0.3	1.0		µg/L	1	12/1/2008 3:26:00 PM
1,2-Dichlorobenzene	U	0.3	1.0		µg/L	1	12/1/2008 3:26:00 PM
1,2-Dichloroethane	U	0.3	1.0		µg/L	1	12/1/2008 3:26:00 PM
1,2-Dichloropropane	U	0.3	1.0		µg/L	1	12/1/2008 3:26:00 PM
1,3,5-Trimethylbenzene	U	0.3	1.0		µg/L	1	12/1/2008 3:26:00 PM
1,3-Dichlorobenzene	U	0.3	1.0		µg/L	1	12/1/2008 3:26:00 PM
1,3-dichloropropane	U	0.3	1.0		µg/L	1	12/1/2008 3:26:00 PM
1,4-Dichlorobenzene	U	0.3	1.0		µg/L	1	12/1/2008 3:26:00 PM
2,2-Dichloropropane	U	0.3	1.0		µg/L	1	12/1/2008 3:26:00 PM
2-Butanone	U	0.3	3.0	C	µg/L	1	12/1/2008 3:26:00 PM
2-Chloroethyl vinyl ether	U	0.3	1.0		µg/L	1	12/1/2008 3:26:00 PM
2-Chlorotoluene	U	0.3	1.0		µg/L	1	12/1/2008 3:26:00 PM
2-Hexanone	U	0.3	2.0		µg/L	1	12/1/2008 3:26:00 PM
4-Chlorotoluene	U	0.3	1.0		µg/L	1	12/1/2008 3:26:00 PM
4-Isopropyltoluene	U	0.3	1.0		µg/L	1	12/1/2008 3:26:00 PM
4-Methyl-2-pentanone	U	0.3	2.0		µg/L	1	12/1/2008 3:26:00 PM
Acetone	U	0.3	2.0		µg/L	1	12/1/2008 3:26:00 PM
Benzene	U	0.3	1.0		µg/L	1	12/1/2008 3:26:00 PM
Bromobenzene	U	0.3	1.0		µg/L	1	12/1/2008 3:26:00 PM
Bromochloromethane	U	0.4	1.0		µg/L	1	12/1/2008 3:26:00 PM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735
Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



Qualifiers:	*	Value exceeds Maximum Contaminant Level	B	Analyte detected in the associated Method Blank
	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded
	J	Analyte detected below quantitation limits	LOD	Limit of Detection
	LOQ	Limit of Quantitation	ND	Not Detected at the Reporting Limit
	S	Spike Recovery outside accepted recovery limits	U	Indicates the compound was analyzed but not detected.
	C	Calibration %RSD/%D exceeded for non-CCC analytes		

American Analytical Laboratories, LLC.

Date: 03-Dec-08

ELAP ID : 11418

CLIENT: Leggette Brashears & Graham Inc.

Client Sample ID: WQ112008:1055NP2-7

Lab Order: 0811353

Collection Date: 11/20/2008 10:55:00 AM

Project: Rowe

Matrix: LIQUID

Lab ID: 0811353-02A

Certificate of Results

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
VOLATILE SW-846 8260 + MTBE & FREON113				SW8260B		Analyst: LA	
Bromodichloromethane	U	0.3	1.0		µg/L	1	12/1/2008 3:26:00 PM
Bromoform	U	0.3	1.0		µg/L	1	12/1/2008 3:26:00 PM
Bromomethane	U	0.3	1.0		µg/L	1	12/1/2008 3:26:00 PM
Carbon disulfide	U	0.3	1.0		µg/L	1	12/1/2008 3:26:00 PM
Carbon tetrachloride	U	0.3	1.0		µg/L	1	12/1/2008 3:26:00 PM
Chlorobenzene	U	0.3	1.0		µg/L	1	12/1/2008 3:26:00 PM
Chloroethane	U	0.4	1.0		µg/L	1	12/1/2008 3:26:00 PM
Chloroform	U	0.3	1.0		µg/L	1	12/1/2008 3:26:00 PM
Chloromethane	U	0.3	1.0		µg/L	1	12/1/2008 3:26:00 PM
cis-1,2-Dichloroethene	U	0.3	1.0		µg/L	1	12/1/2008 3:26:00 PM
cis-1,3-Dichloropropene	U	0.3	1.0		µg/L	1	12/1/2008 3:26:00 PM
Dibromochloromethane	U	0.3	1.0		µg/L	1	12/1/2008 3:26:00 PM
Dibromomethane	U	0.3	1.0		µg/L	1	12/1/2008 3:26:00 PM
Dichlorodifluoromethane	U	0.3	1.0		µg/L	1	12/1/2008 3:26:00 PM
Ethylbenzene	U	0.3	1.0		µg/L	1	12/1/2008 3:26:00 PM
Hexachlorobutadiene	U	0.3	1.0		µg/L	1	12/1/2008 3:26:00 PM
Isopropylbenzene	U	0.3	1.0		µg/L	1	12/1/2008 3:26:00 PM
m,p-Xylene	U	0.3	2.0		µg/L	1	12/1/2008 3:26:00 PM
Methyl tert-butyl ether	U	0.3	1.0	C	µg/L	1	12/1/2008 3:26:00 PM
Methylene chloride	U	0.3	1.0		µg/L	1	12/1/2008 3:26:00 PM
Naphthalene	U	0.3	1.0		µg/L	1	12/1/2008 3:26:00 PM
n-Butylbenzene	U	0.3	1.0		µg/L	1	12/1/2008 3:26:00 PM
n-Propylbenzene	U	0.3	1.0		µg/L	1	12/1/2008 3:26:00 PM
o-Xylene	U	0.3	1.0		µg/L	1	12/1/2008 3:26:00 PM
sec-Butylbenzene	U	0.3	1.0		µg/L	1	12/1/2008 3:26:00 PM
Styrene	U	0.3	1.0		µg/L	1	12/1/2008 3:26:00 PM
tert-Butylbenzene	U	0.3	1.0		µg/L	1	12/1/2008 3:26:00 PM
Tetrachloroethene	U	0.3	1.0	C	µg/L	1	12/1/2008 3:26:00 PM
Toluene	U	0.3	1.0		µg/L	1	12/1/2008 3:26:00 PM
trans-1,2-Dichloroethene	U	0.3	1.0		µg/L	1	12/1/2008 3:26:00 PM
trans-1,3-Dichloropropene	U	0.3	1.0		µg/L	1	12/1/2008 3:26:00 PM
Trichloroethene	U	0.3	1.0		µg/L	1	12/1/2008 3:26:00 PM
Trichlorofluoromethane	U	0.3	1.0		µg/L	1	12/1/2008 3:26:00 PM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735

Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



Qualifiers:	* Value exceeds Maximum Contaminant Level	B Analyte detected in the associated Method Blank
	E Value above quantitation range	H Holding times for preparation or analysis exceeded
	J Analyte detected below quantitation limits	LOD Limit of Detection
	LOQ Limit of Quantitation	ND Not Detected at the Reporting Limit
	S Spike Recovery outside accepted recovery limits	U Indicates the compound was analyzed but not detected.
	C Calibration %RSD/%D exceeded for non-CCC analytes	

American Analytical Laboratories, LLC.

Date: 03-Dec-08

ELAP ID : 11418

CLIENT: Leggette Brashears & Graham Inc.
Lab Order: 0811353
Project: Rowe
Lab ID: 0811353-02A

Client Sample ID: WQ112008:1055NP2-7
Collection Date: 11/20/2008 10:55:00 AM
Matrix: LIQUID

Certificate of Results

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
VOLATILE SW-846 8260 + MTBE & FREON113			SW8260B		Analyst: LA		
Vinyl acetate	U	0.3	1.0		µg/L	1	12/1/2008 3:26:00 PM
Vinyl chloride	U	0.3	1.0		µg/L	1	12/1/2008 3:26:00 PM
Surr: 4-Bromofluorobenzene	99.9	0	60-130		%REC	1	12/1/2008 3:26:00 PM
Surr: Dibromofluoromethane	90.4	0	63-127		%REC	1	12/1/2008 3:26:00 PM
Surr: Toluene-d8	90.9	0	61-128		%REC	1	12/1/2008 3:26:00 PM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735
Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



Qualifiers:	* Value exceeds Maximum Contaminant Level	B Analyte detected in the associated Method Blank
	E Value above quantitation range	H Holding times for preparation or analysis exceeded
	J Analyte detected below quantitation limits	LOD Limit of Detection
	LOQ Limit of Quantitation	ND Not Detected at the Reporting Limit
	S Spike Recovery outside accepted recovery limits	U Indicates the compound was analyzed but not detected.
	C Calibration %RSD/%D exceeded for non-CCC analytes	

American Analytical Laboratories, LLC.

Date: 03-Dec-08

ELAP ID : 11418

CLIENT: Leggette Brashears & Graham Inc.**Client Sample ID:** WQ112008:1055NP2-7**Lab Order:** 0811353**Collection Date:** 11/20/2008 10:55:00 AM**Project:** Rowe**Matrix:** LIQUID**Lab ID:** 0811353-02B**Certificate of Results**

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
TOTAL IRON				E200.7	SW3010A		Analyst: JP
Iron	10.1	0.007	0.0200		mg/L	1	11/26/2008 11:21:33 AM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735

Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



Qualifiers:	*	Value exceeds Maximum Contaminant Level	B	Analyte detected in the associated Method Blank
	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded
	J	Analyte detected below quantitation limits	LOD	Limit of Detection
	LOQ	Limit of Quantitation	ND	Not Detected at the Reporting Limit
	S	Spike Recovery outside accepted recovery limits	U	Indicates the compound was analyzed but not detected.
	C	Calibration %RSD/%D exceeded for non-CCC analytes		

American Analytical Laboratories, LLC.**Date:** 03-Dec-08**ELAP ID : 11418**

CLIENT: Leggette Brashears & Graham Inc.
Lab Order: 0811353
Project: Rowe
Lab ID: 0811353-02C

Client Sample ID: WQ112008:1055NP2-7
Collection Date: 11/20/2008 10:55:00 AM
Matrix: LIQUID

Certificate of Results

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
DISSOLVED IRON				E200.7	SW3005A		Analyst: JP
Iron	0.190	0.007	0.0200		mg/L	1	11/26/2008 11:20:16 AM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735
Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



Qualifiers:	*	Value exceeds Maximum Contaminant Level	B	Analyte detected in the associated Method Blank
	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded
	J	Analyte detected below quantitation limits	LOD	Limit of Detection
	LOQ	Limit of Quantitation	ND	Not Detected at the Reporting Limit
	S	Spike Recovery outside accepted recovery limits	U	Indicates the compound was analyzed but not detected.
	C	Calibration %RSD/%D exceeded for non-CCC analytes		

American Analytical Laboratories, LLC.

Date: 03-Dec-08

ELAP ID : 11418

CLIENT: Leggette Brashears & Graham Inc.
Lab Order: 0811353
Project: Rowe
Lab ID: 0811353-03A

Client Sample ID: WQ112008:1100NP2-10
Collection Date: 11/20/2008 11:00:00 AM
Matrix: LIQUID

Certificate of Results

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
VOLATILE SW-846 8260 + MTBE & FREON113			SW8260B		Analyst: LA		
1,1,1,2-Tetrachloroethane	U	0.3	1.0		µg/L	1	12/1/2008 4:21:00 PM
1,1,1-Trichloroethane	U	0.3	1.0		µg/L	1	12/1/2008 4:21:00 PM
1,1,2,2-Tetrachloroethane	U	0.3	1.0	C	µg/L	1	12/1/2008 4:21:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	U	0.3	1.0		µg/L	1	12/1/2008 4:21:00 PM
1,1,2-Trichloroethane	U	0.3	1.0		µg/L	1	12/1/2008 4:21:00 PM
1,1-Dichloroethane	U	0.3	1.0		µg/L	1	12/1/2008 4:21:00 PM
1,1-Dichloroethene	U	0.3	1.0		µg/L	1	12/1/2008 4:21:00 PM
1,1-Dichloropropene	U	0.3	1.0		µg/L	1	12/1/2008 4:21:00 PM
1,2,3-Trichlorobenzene	U	0.3	1.0		µg/L	1	12/1/2008 4:21:00 PM
1,2,3-Trichloropropane	U	0.4	1.0		µg/L	1	12/1/2008 4:21:00 PM
1,2,4-Trichlorobenzene	U	0.3	1.0		µg/L	1	12/1/2008 4:21:00 PM
1,2,4-Trimethylbenzene	U	0.3	1.0		µg/L	1	12/1/2008 4:21:00 PM
1,2-Dibromo-3-chloropropane	U	0.4	1.0		µg/L	1	12/1/2008 4:21:00 PM
1,2-Dibromoethane	U	0.3	1.0		µg/L	1	12/1/2008 4:21:00 PM
1,2-Dichlorobenzene	U	0.3	1.0		µg/L	1	12/1/2008 4:21:00 PM
1,2-Dichloroethane	U	0.3	1.0		µg/L	1	12/1/2008 4:21:00 PM
1,2-Dichloropropane	U	0.3	1.0		µg/L	1	12/1/2008 4:21:00 PM
1,3,5-Trimethylbenzene	U	0.3	1.0		µg/L	1	12/1/2008 4:21:00 PM
1,3-Dichlorobenzene	U	0.3	1.0		µg/L	1	12/1/2008 4:21:00 PM
1,3-dichloropropane	U	0.3	1.0		µg/L	1	12/1/2008 4:21:00 PM
1,4-Dichlorobenzene	U	0.3	1.0		µg/L	1	12/1/2008 4:21:00 PM
2,2-Dichloropropane	U	0.3	1.0		µg/L	1	12/1/2008 4:21:00 PM
2-Butanone	U	0.3	3.0	C	µg/L	1	12/1/2008 4:21:00 PM
2-Chloroethyl vinyl ether	U	0.3	1.0		µg/L	1	12/1/2008 4:21:00 PM
2-Chlorotoluene	U	0.3	1.0		µg/L	1	12/1/2008 4:21:00 PM
2-Hexanone	U	0.3	2.0		µg/L	1	12/1/2008 4:21:00 PM
4-Chlorotoluene	U	0.3	1.0		µg/L	1	12/1/2008 4:21:00 PM
4-Isopropyltoluene	U	0.3	1.0		µg/L	1	12/1/2008 4:21:00 PM
4-Methyl-2-pentanone	U	0.3	2.0		µg/L	1	12/1/2008 4:21:00 PM
Acetone	U	0.3	2.0		µg/L	1	12/1/2008 4:21:00 PM
Benzene	U	0.3	1.0		µg/L	1	12/1/2008 4:21:00 PM
Bromobenzene	U	0.3	1.0		µg/L	1	12/1/2008 4:21:00 PM
Bromochloromethane	U	0.4	1.0		µg/L	1	12/1/2008 4:21:00 PM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735

Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



Qualifiers:	* Value exceeds Maximum Contaminant Level	B Analyte detected in the associated Method Blank
	E Value above quantitation range	H Holding times for preparation or analysis exceeded
	J Analyte detected below quantitation limits	LOD Limit of Detection
	LOQ Limit of Quantitation	ND Not Detected at the Reporting Limit
	S Spike Recovery outside accepted recovery limits	U Indicates the compound was analyzed but not detected.
	C Calibration %RSD/%D exceeded for non-CCC analytes	

American Analytical Laboratories, LLC.

Date: 03-Dec-08

ELAP ID : 11418

CLIENT: Leggette Brashears & Graham Inc.
Lab Order: 0811353
Project: Rowe
Lab ID: 0811353-03A

Client Sample ID: WQ112008:1100NP2-10
Collection Date: 11/20/2008 11:00:00 AM
Matrix: LIQUID

Certificate of Results

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
VOLATILE SW-846 8260 + MTBE & FREON113			SW8260B			Analyst: LA	
Bromodichloromethane	U	0.3	1.0		µg/L	1	12/1/2008 4:21:00 PM
Bromoform	U	0.3	1.0		µg/L	1	12/1/2008 4:21:00 PM
Bromomethane	U	0.3	1.0		µg/L	1	12/1/2008 4:21:00 PM
Carbon disulfide	U	0.3	1.0		µg/L	1	12/1/2008 4:21:00 PM
Carbon tetrachloride	U	0.3	1.0		µg/L	1	12/1/2008 4:21:00 PM
Chlorobenzene	U	0.3	1.0		µg/L	1	12/1/2008 4:21:00 PM
Chloroethane	U	0.4	1.0		µg/L	1	12/1/2008 4:21:00 PM
Chloroform	U	0.3	1.0		µg/L	1	12/1/2008 4:21:00 PM
Chloromethane	U	0.3	1.0		µg/L	1	12/1/2008 4:21:00 PM
cis-1,2-Dichloroethene	U	0.3	1.0		µg/L	1	12/1/2008 4:21:00 PM
cis-1,3-Dichloropropene	U	0.3	1.0		µg/L	1	12/1/2008 4:21:00 PM
Dibromochloromethane	U	0.3	1.0		µg/L	1	12/1/2008 4:21:00 PM
Dibromomethane	U	0.3	1.0		µg/L	1	12/1/2008 4:21:00 PM
Dichlorodifluoromethane	U	0.3	1.0		µg/L	1	12/1/2008 4:21:00 PM
Ethylbenzene	U	0.3	1.0		µg/L	1	12/1/2008 4:21:00 PM
Hexachlorobutadiene	U	0.3	1.0		µg/L	1	12/1/2008 4:21:00 PM
Isopropylbenzene	U	0.3	1.0		µg/L	1	12/1/2008 4:21:00 PM
m,p-Xylene	U	0.3	2.0		µg/L	1	12/1/2008 4:21:00 PM
Methyl tert-butyl ether	U	0.3	1.0	C	µg/L	1	12/1/2008 4:21:00 PM
Methylene chloride	U	0.3	1.0		µg/L	1	12/1/2008 4:21:00 PM
Naphthalene	U	0.3	1.0		µg/L	1	12/1/2008 4:21:00 PM
n-Butylbenzene	U	0.3	1.0		µg/L	1	12/1/2008 4:21:00 PM
n-Propylbenzene	U	0.3	1.0		µg/L	1	12/1/2008 4:21:00 PM
o-Xylene	U	0.3	1.0		µg/L	1	12/1/2008 4:21:00 PM
sec-Butylbenzene	U	0.3	1.0		µg/L	1	12/1/2008 4:21:00 PM
Styrene	U	0.3	1.0		µg/L	1	12/1/2008 4:21:00 PM
tert-Butylbenzene	U	0.3	1.0		µg/L	1	12/1/2008 4:21:00 PM
Tetrachloroethene	U	0.3	1.0	C	µg/L	1	12/1/2008 4:21:00 PM
Toluene	U	0.3	1.0		µg/L	1	12/1/2008 4:21:00 PM
trans-1,2-Dichloroethene	U	0.3	1.0		µg/L	1	12/1/2008 4:21:00 PM
trans-1,3-Dichloropropene	U	0.3	1.0		µg/L	1	12/1/2008 4:21:00 PM
Trichloroethene	U	0.3	1.0		µg/L	1	12/1/2008 4:21:00 PM
Trichlorofluoromethane	U	0.3	1.0		µg/L	1	12/1/2008 4:21:00 PM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735

Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



Qualifiers:	* Value exceeds Maximum Contaminant Level	B Analyte detected in the associated Method Blank
	E Value above quantitation range	H Holding times for preparation or analysis exceeded
	J Analyte detected below quantitation limits	LOD Limit of Detection
	LOQ Limit of Quantitation	ND Not Detected at the Reporting Limit
	S Spike Recovery outside accepted recovery limits	U Indicates the compound was analyzed but not detected.
	C Calibration %RSD/%D exceeded for non-CCC analytes	

American Analytical Laboratories, LLC.

Date: 03-Dec-08

ELAP ID : 11418

CLIENT: Leggette Brashears & Graham Inc.

Client Sample ID: WQ112008:1100NP2-10

Lab Order: 0811353

Collection Date: 11/20/2008 11:00:00 AM

Project: Rowe

Matrix: LIQUID

Lab ID: 0811353-03A

Certificate of Results

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
VOLATILE SW-846 8260 + MTBE & FREON113			SW8260B			Analyst: LA	
Vinyl acetate	U	0.3	1.0		µg/L	1	12/1/2008 4:21:00 PM
Vinyl chloride	U	0.3	1.0		µg/L	1	12/1/2008 4:21:00 PM
Surr: 4-Bromofluorobenzene	99.7	0	60-130		%REC	1	12/1/2008 4:21:00 PM
Surr: Dibromofluoromethane	96.6	0	63-127		%REC	1	12/1/2008 4:21:00 PM
Surr: Toluene-d8	95.3	0	61-128		%REC	1	12/1/2008 4:21:00 PM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735

Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



Qualifiers:	*	Value exceeds Maximum Contaminant Level	B	Analyte detected in the associated Method Blank
	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded
	J	Analyte detected below quantitation limits	LOD	Limit of Detection
	LOQ	Limit of Quantitation	ND	Not Detected at the Reporting Limit
	S	Spike Recovery outside accepted recovery limits	U	Indicates the compound was analyzed but not detected.
	C	Calibration %RSD/%D exceeded for non-CCC analytes		

American Analytical Laboratories, LLC.**Date:** 03-Dec-08**ELAP ID :** 11418**CLIENT:** Leggette Brashears & Graham Inc.**Client Sample ID:** WQ112008:1100NP2-10**Lab Order:** 0811353**Collection Date:** 11/20/2008 11:00:00 AM**Project:** Rowe**Matrix:** LIQUID**Lab ID:** 0811353-03B**Certificate of Results**

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
TOTAL IRON				E200.7	SW3010A		Analyst: JP
Iron	7.62	0.007	0.0200		mg/L	1	11/26/2008 11:24:05 AM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735

Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com

Qualifiers:	*	Value exceeds Maximum Contaminant Level	B	Analyte detected in the associated Method Blank
	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded
	J	Analyte detected below quantitation limits	LOD	Limit of Detection
	LOQ	Limit of Quantitation	ND	Not Detected at the Reporting Limit
	S	Spike Recovery outside accepted recovery limits	U	Indicates the compound was analyzed but not detected.
	C	Calibration %RSD/%D exceeded for non-CCC analytes		

American Analytical Laboratories, LLC.

Date: 03-Dec-08

ELAP ID : 11418

CLIENT: Leggette Brashears & Graham Inc.

Client Sample ID: WQ112008:1100NP2-10

Lab Order: 0811353

Collection Date: 11/20/2008 11:00:00 AM

Project: Rowe

Matrix: LIQUID

Lab ID: 0811353-03C

Certificate of Results

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
DISSOLVED IRON			E200.7		SW3005A		Analyst: JP
Iron	0.247	0.007	0.0200		mg/L	1	11/26/2008 11:22:49 AM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735

Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



Qualifiers:	*	Value exceeds Maximum Contaminant Level	B	Analyte detected in the associated Method Blank
	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded
	J	Analyte detected below quantitation limits	LOD	Limit of Detection
	LOQ	Limit of Quantitation	ND	Not Detected at the Reporting Limit
	S	Spike Recovery outside accepted recovery limits	U	Indicates the compound was analyzed but not detected.
	C	Calibration %RSD/%D exceeded for non-CCC analytes		

American Analytical Laboratories, LLC.**Date:** 03-Dec-08**ELAP ID : 11418****CLIENT:** Leggette Brashears & Graham Inc.**Client Sample ID:** WQ112008:1100NP2-10**Lab Order:** 0811353**Collection Date:** 11/20/2008 11:00:00 AM**Project:** Rowe**Matrix:** LIQUID**Lab ID:** 0811353-03D**Certificate of Results**

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
TOTAL DISSOLVED SOLIDS				M2540C			Analyst: AS
Total Dissolved Solids (Residue, Filterable)	94.0	0	1.00		mg/L	1	11/25/2008

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735
Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



Qualifiers:	*	Value exceeds Maximum Contaminant Level	B	Analyte detected in the associated Method Blank
	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded
	J	Analyte detected below quantitation limits	LOD	Limit of Detection
	LOQ	Limit of Quantitation	ND	Not Detected at the Reporting Limit
	S	Spike Recovery outside accepted recovery limits	U	Indicates the compound was analyzed but not detected.
	C	Calibration %RSD/%D exceeded for non-CCC analytes		

CLIENT: Leggett Brashears & Graham Inc.
Work Order: 0811353
Project: Rowe

ANALYTICAL QC SUMMARY REPORT**TestCode: 8260MTBE113_W**

Sample ID: V624LCS-120108Y		SampType: LCS		TestCode: 8260MTBE11		Units: µg/L		Prep Date:		RunNo: 39884	
Client ID: LCSW		Batch ID: R39884		TestNo: SW8260B				Analysis Date: 12/1/2008		SeqNo: 529600	
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
1,1,1-Trichloroethane	42	1.0	50.00	0	84.2	43	148				
1,1,2,2-Tetrachloroethane	35	1.0	50.00	0	70.6	32	148				
1,1,2-Trichloro-1,2,2-Trifluoroethane	24	1.0	50.00	0	48.9	35	135				
1,1,2-Trichloroethane	39	1.0	50.00	0	77.3	42	136				
1,1-Dichloroethane	31	1.0	50.00	0	61.3	40	150				
1,1-Dichloroethene	49	1.0	50.00	0	98.8	30	154				
1,2-Dichlorobenzene	36	1.0	50.00	0	72.5	40	129				
1,2-Dichloroethane	40	1.0	50.00	0	80.3	36	141				
1,2-Dichloropropane	37	1.0	50.00	0	73.6	44	138				
1,3-Dichlorobenzene	37	1.0	50.00	0	74.7	40	133				
1,4-Dichlorobenzene	36	1.0	50.00	0	72.2	40	135				
2-Chloroethyl vinyl ether	31	1.0	50.00	0	62.2	21	139				C
Benzene	32	1.0	50.00	0	63.3	45	144				
Bromodichloromethane	35	1.0	50.00	0	70.2	35	136				
Bromoform	41	1.0	50.00	0	81.8	28	138				
Bromomethane	44	1.0	50.00	0	88.3	26	148				
Carbon tetrachloride	43	1.0	50.00	0	85.1	45	141				
Chlorobenzene	38	1.0	50.00	0	75.8	41	142				
Chloroethane	45	1.0	50.00	0	90.7	36	143				C
Chloroform	34	1.0	50.00	0	67.5	42	137				
Chloromethane	41	1.0	50.00	0	81.7	35	151				
cis-1,3-Dichloropropene	34	1.0	50.00	0	68.2	42	130				
Dibromochloromethane	39	1.0	50.00	0	77.2	21	134				
Ethylbenzene	36	1.0	50.00	0	72.4	45	146				
Tetrachloroethene	31	1.0	50.00	0	62.3	45	136				C
Toluene	37	1.0	50.00	0	74.3	43	134				
trans-1,2-Dichloroethene	38	1.0	50.00	0	76.9	42	135				
trans-1,3-Dichloropropene	37	1.0	50.00	0	74.9	37	133				
Trichloroethene	43	1.0	50.00	0	86.4	43	140				
Trichlorofluoromethane	58	1.0	50.00	0	116	50	148				C

Qualifiers: E Value above quantitation range
LOD Limit of Detection
R RPD outside accepted recovery limits
H Holding times for preparation or analysis exceeded
LOQ Limit of Quantitation
S Spike Recovery outside accepted recovery limits
J Analyte detected below quantitation li
ND Not Detected at the Reporting Limit
U Indicates the compound was analyzed

CLIENT: Leggett Brashears & Graham Inc.
Work Order: 0811353
Project: Rowe

ANALYTICAL QC SUMMARY REPORT

TestCode: 8260MTBE113_W

Sample ID: V624LCS-120108Y	SampType: LCS	TestCode: 8260MTBE11	Units: µg/L	Prep Date:	RunNo: 39884						
Client ID: LCSW	Batch ID: R39884	TestNo: SW8260B		Analysis Date: 12/1/2008	SeqNo: 529600						
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual

Vinyl chloride	47	1.0	50.00	0	94.3	35	142				
Surr: 4-Bromofluorobenzene	51		50.00		103	60	130				
Surr: Dibromofluoromethane	44		50.00		88.6	63	127				
Surr: Toluene-d8	52		50.00		105	61	128				

Sample ID: VBLK-120108Y	SampType: MBLK	TestCode: 8260MTBE11	Units: µg/L	Prep Date:	RunNo: 39884						
Client ID: PBW	Batch ID: R39884	TestNo: SW8260B		Analysis Date: 12/1/2008	SeqNo: 529601						
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual

1,1,1,2-Tetrachloroethane	U	1.0									
1,1,1-Trichloroethane	U	1.0									
1,1,2,2-Tetrachloroethane	U	1.0									
1,1,2-Trichloro-1,2,2-trifluoroethane	U	1.0									
1,1,2-Trichloroethane	U	1.0									
1,1-Dichloroethane	U	1.0									
1,1-Dichloroethene	U	1.0									
1,1-Dichloropropene	U	1.0									
1,2,3-Trichlorobenzene	U	1.0									
1,2,3-Trichloropropane	U	1.0									
1,2,4-Trichlorobenzene	U	1.0									
1,2,4-Trimethylbenzene	U	1.0									
1,2-Dibromo-3-chloropropane	U	1.0									
1,2-Dibromoethane	U	1.0									
1,2-Dichlorobenzene	U	1.0									
1,2-Dichloroethane	U	1.0									
1,2-Dichloropropane	U	1.0									
1,3,5-Trimethylbenzene	U	1.0									
1,3-Dichlorobenzene	U	1.0									
1,3-dichloropropane	U	1.0									
1,4-Dichlorobenzene	U	1.0									
2,2-Dichloropropane	U	1.0									

Qualifiers:	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation li
	LOD	Limit of Detection	LOQ	Limit of Quantitation	ND	Not Detected at the Reporting Limit
	R	RPD outside accepted recovery limits	S	Spike Recovery outside accepted recovery limits	U	Indicates the compound was analyzed

CLIENT: Leggettie Brashears & Graham Inc.
Work Order: 0811353
Project: Rowe

ANALYTICAL QC SUMMARY REPORT

TestCode: 8260MTBE113_W

Sample ID: VBLK-120108Y		SampType: MBLK		TestCode: 8260MTBE11		Units: µg/L		Prep Date:		RunNo: 39884			
Client ID: PBW		Batch ID: R39884		TestNo: SW8260B		Analysis Date: 12/1/2008						SeqNo: 529601	
Analyte		Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	
2-Butanone		U	3.0									C	
2-Chloroethyl vinyl ether		U	1.0									C	
2-Chlorotoluene		U	1.0										
2-Hexanone		U	2.0										
4-Chlorotoluene		U	1.0										
4-Isopropyltoluene		U	1.0										
4-Methyl-2-pentanone		U	2.0										
Acetone		U	2.0										
Benzene		U	1.0										
Bromobenzene		U	1.0										
Bromochloromethane		U	1.0										
Bromodichloromethane		U	1.0										
Bromoform		U	1.0										
Bromomethane		U	1.0										
Carbon disulfide		U	1.0										
Carbon tetrachloride		U	1.0										
Chlorobenzene		U	1.0										
Chloroethane		U	1.0										
Chloroform		U	1.0										
Chloromethane		U	1.0										
cis-1,2-Dichloroethene		U	1.0										
cis-1,3-Dichloropropene		U	1.0										
Dibromochloromethane		U	1.0										
Dibromomethane		U	1.0										
Dichlorodifluoromethane		U	1.0										
Ethylbenzene		U	1.0										
Hexachlorobutadiene		U	1.0										
Isopropylbenzene		U	1.0										
m,p-Xylene		U	2.0										
Methyl tert-butyl ether		U	1.0										
Methylene chloride		U	1.0										

Qualifiers:	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation li
LOD	Limit of Detection	LOQ	Limit of Quantitation		ND	Not Detected at the Reporting Limit
R	RPD outside accepted recovery limits	S	Spike Recovery outside accepted recovery limits		U	Indicates the compound was analyzed

CLIENT: Leggett Brashears & Graham Inc.
Work Order: 0811353
Project: Rowe

ANALYTICAL QC SUMMARY REPORT

TestCode: 8260MTBE113_W

Sample ID: VBLK-120108Y	Sample Type: MBLK	TestCode: 8260MTBE11	Units: µg/L	Prep Date:	RunNo: 39884						
Client ID: PBW	Batch ID: R39884	TestNo: SW8260B		Analysis Date: 12/1/2008	SeqNo: 529601						
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual

Naphthalene	U	1.0									
n-Butylbenzene	U	1.0									
n-Propylbenzene	U	1.0									
o-Xylene	U	1.0									
sec-Butylbenzene	U	1.0									
Styrene	U	1.0									
tert-Butylbenzene	U	1.0									
Tetrachloroethene	U	1.0									
Toluene	U	1.0									
trans-1,2-Dichloroethene	U	1.0									
trans-1,3-Dichloropropene	U	1.0									
Trichloroethene	U	1.0									
Trichlorofluoromethane	U	1.0									
Vinyl acetate	U	1.0									
Vinyl chloride	U	1.0									
Surr: 4-Bromofluorobenzene	51		50.00		103	60	130				
Surr: Dibromofluoromethane	46		50.00		91.6	63	127				
Surr: Toluene-d8	51		50.00		101	61	128				

C

C

Sample ID: 0811353-01AMS	SampleType: MS	TestCode: 8260MTBE11	Units: µg/L	Prep Date:	RunNo: 39884						
Client ID: WQ112008:1050NP2	Batch ID: R39884	TestNo: SW8260B		Analysis Date: 12/1/2008	SeqNo: 529603						
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual

1,1,1-Trichloroethane	48	1.0	50.00	0	95.7	43	148				
1,1,2,2-Tetrachloroethane	40	1.0	50.00	0	80.6	32	148				
1,1,2-Trichloro-1,2,2-trifluoroethane	26	1.0	50.00	0	51.5	35	135				
1,1,2-Trichloroethane	49	1.0	50.00	0	98.9	42	136				
1,1-Dichloroethane	37	1.0	50.00	0	73.0	40	150				
1,1-Dichloroethene	57	1.0	50.00	0	114	30	154				
1,2-Dichlorobenzene	40	1.0	50.00	0	79.9	40	129				
1,2-Dichloroethane	45	1.0	50.00	0	89.3	36	141				

Qualifiers: E Value above quantitation range
LOD Limit of Detection
R RPD outside accepted recovery limits
H Holding times for preparation or analysis exceeded
LOQ Limit of Quantitation
S Spike Recovery outside accepted recovery limits
J Analyte detected below quantitation li
ND Not Detected at the Reporting Limit
U Indicates the compound was analyzed

CLIENT: Leggette Brashears & Graham Inc.
Work Order: 0811353
Project: Rowe

ANALYTICAL QC SUMMARY REPORT

TestCode: 8260MTBE113_W

Sample ID: 0811353-01AMS	SampType: MS	TestCode: 8260MTBE11	Units: µg/L	Prep Date:	RunNo: 39884						
Client ID: WQ112008:1050NP2	Batch ID: R39884	TestNo: SW8260B		Analysis Date: 12/1/2008	SeqNo: 529603						
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual

1,2-Dichloropropane	37	1.0	50.00	0	73.2	44	138				
1,3-Dichlorobenzene	39	1.0	50.00	0	78.8	40	133				
1,4-Dichlorobenzene	38	1.0	50.00	0	76.5	40	135				
2-Chloroethyl vinyl ether	50	1.0	50.00	0	100	21	139				C
Benzene	36	1.0	50.00	0	72.6	45	144				
Bromodichloromethane	38	1.0	50.00	0	76.9	35	136				
Bromoform	44	1.0	50.00	0	87.5	28	138				
Bromomethane	45	1.0	50.00	0	89.2	26	148				
Carbon tetrachloride	50	1.0	50.00	0	99.2	45	141				
Chlorobenzene	40	1.0	50.00	0	80.4	41	142				C
Chloroethane	50	1.0	50.00	0	100	36	143				
Chloroform	39	1.0	50.00	0	78.4	42	137				
Chloromethane	40	1.0	50.00	0	80.3	35	151				
cis-1,3-Dichloropropene	31	1.0	50.00	0	62.4	42	130				
Dibromochloromethane	39	1.0	50.00	0	78.2	21	134				
Ethylbenzene	39	1.0	50.00	0	78.6	45	146				
Tetrachloroethene	47	1.0	50.00	7.890	77.6	45	136				C
Toluene	40	1.0	50.00	0	79.9	43	134				
trans-1,2-Dichloroethene	41	1.0	50.00	0	81.4	42	135				
trans-1,3-Dichloropropene	35	1.0	50.00	0	69.8	37	133				
Trichloroethene	47	1.0	50.00	0	93.5	43	140				
Trichlorofluoromethane	65	1.0	50.00	0	130	50	148				C
Vinyl chloride	49	1.0	50.00	0	98.1	35	142				
Surr: 4-Bromofluorobenzene	51		50.00		101	60	130				
Surr: Dibromofluoromethane	48		50.00		95.9	63	127				
Surr: Toluene-d8	52		50.00		104	61	128				

Sample ID: 0811353-01AMSD	SampType: MSD	TestCode: 8260MTBE11	Units: µg/L	Prep Date:	RunNo: 39884						
Client ID: WQ112008:1050NP2	Batch ID: R39884	TestNo: SW8260B		Analysis Date: 12/1/2008	SeqNo: 529604						
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual

Qualifiers: E Value above quantitation range
LOD Limit of Detection
R RPD outside accepted recovery limits
H Holding times for preparation or analysis exceeded
LOQ Limit of Quantitation
S Spike Recovery outside accepted recovery limits
J Analyte detected below quantitation li
ND Not Detected at the Reporting Limit
U Indicates the compound was analyzed

CLIENT: Leggett Brashears & Graham Inc.
Work Order: 0811353
Project: Rowe

ANALYTICAL QC SUMMARY REPORT

TestCode: 8260MTBE113_W

Sample ID: 0811353-01AMSD		SampType: MSD		TestCode: 8260MTBE11		Units: µg/L		Prep Date:		RunNo: 39884	
Client ID: WQ112008:1050NP2		Batch ID: R39884		TestNo: SW8260B				Analysis Date: 12/1/2008		SeqNo: 529604	
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
1,1,1-Trichloroethane	45	1.0	50.00	0	89.4	43	148	47.86	6.83	20	
1,1,2,2-Tetrachloroethane	37	1.0	50.00	0	73.6	32	148	40.28	9.00	20	
1,1,2-Trichloro-1,2,2-trifluoroethane	22	1.0	50.00	0	45.0	35	135	25.75	13.5	20	
1,1,2-Trichloroethane	46	1.0	50.00	0	91.4	42	136	49.46	7.90	20	
1,1-Dichloroethane	33	1.0	50.00	0	66.1	40	150	36.51	10.0	20	
1,1-Dichloroethene	53	1.0	50.00	0	106	30	154	57.20	7.62	20	
1,2-Dichlorobenzene	37	1.0	50.00	0	74.4	40	129	39.93	7.05	20	
1,2-Dichloroethane	42	1.0	50.00	0	83.4	36	141	44.63	6.79	20	
1,2-Dichloropropane	34	1.0	50.00	0	68.4	44	138	36.58	6.67	20	
1,3-Dichlorobenzene	36	1.0	50.00	0	72.0	40	133	39.39	9.05	20	
1,4-Dichlorobenzene	35	1.0	50.00	0	69.4	40	135	38.26	9.82	20	
2-Chloroethyl vinyl ether	48	1.0	50.00	0	96.7	21	139	50.13	3.66	20	C
Benzene	36	1.0	50.00	0	71.2	45	144	36.28	1.89	20	
Bromodichloromethane	38	1.0	50.00	0	76.1	35	136	38.47	1.07	20	
Bromoform	40	1.0	50.00	0	80.3	28	138	43.76	8.65	20	
Bromomethane	43	1.0	50.00	0	85.5	26	148	44.60	4.24	20	
Carbon tetrachloride	47	1.0	50.00	0	94.8	45	141	49.58	4.54	20	
Chlorobenzene	38	1.0	50.00	0	76.2	41	142	40.22	5.36	20	
Chloroethane	45	1.0	50.00	0	89.1	36	143	50.06	11.6	20	C
Chloroform	36	1.0	50.00	0	73.0	42	137	39.21	7.19	20	
Chloromethane	38	1.0	50.00	0	76.9	35	151	40.13	4.25	20	
cis-1,3-Dichloropropene	30	1.0	50.00	0	59.5	42	130	31.19	4.73	20	
Dibromochloromethane	40	1.0	50.00	0	79.6	21	134	39.12	1.72	20	
Ethylbenzene	37	1.0	50.00	0	74.9	45	146	39.30	4.85	20	
Tetrachloroethene	38	1.0	50.00	7.890	60.6	45	136	46.67	20.0	20	RC
Toluene	34	1.0	50.00	0	68.6	43	134	39.97	15.3	20	
trans-1,2-Dichloroethene	39	1.0	50.00	0	78.2	42	135	40.72	4.06	20	
trans-1,3-Dichloropropene	29	1.0	50.00	0	57.8	37	133	34.90	18.8	20	
Trichloroethene	43	1.0	50.00	0	85.6	43	140	46.73	8.76	20	
Trichlorofluoromethane	61	1.0	50.00	0	123	50	148	64.77	5.36	20	C
Vinyl chloride	45	1.0	50.00	0	90.3	35	142	49.06	8.28	20	

Qualifiers: E Value above quantitation range
LOD Limit of Detection
R RPD outside accepted recovery limits
H Holding times for preparation or analysis exceeded
LOQ Limit of Quantitation
S Spike Recovery outside accepted recovery limits
J Analyte detected below quantitation li
ND Not Detected at the Reporting Limit
U Indicates the compound was analyzed

CLIENT: Leggett Brashears & Graham Inc.
Work Order: 0811353
Project: Rowe

ANALYTICAL QC SUMMARY REPORT
TestCode: 8260MTBE113 W

Sample ID: 0811353-01AMSD	SampleType: MSD	TestCode: 8260MTBE11	Units: µg/L	Prep Date:	RunNo: 39884						
Client ID: WQ112008:1050NP2	Batch ID: R39884	TestNo: SW8260B		Analysis Date: 12/1/2008	SeqNo: 529604						
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual

Surr: 4-Bromofluorobenzene	48		50.00		95.6	60	130		0	0	
Surr: Dibromofluoromethane	45		50.00		90.8	63	127		0	0	
Surr: Toluene-d8	46		50.00		92.4	61	128		0	0	

Sample ID: V624LCS-120108Y	SampleType: LCS	TestCode: 8260MTBE11	Units: µg/L	Prep Date:	RunNo: 39884						
Client ID: LCSW	Batch ID: R39884a	TestNo: SW8260B		Analysis Date: 12/1/2008	SeqNo: 529605						
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual

1,1,1-Trichloroethane	39	1.0	50.00	0	77.7	43	148				
1,1,2,2-Tetrachloroethane	30	1.0	50.00	0	61.0	32	148				
1,1,2-Trichloro-1,2,2-trifluoroethane	21	1.0	50.00	0	41.3	35	135				
1,1,2-Trichloroethane	33	1.0	50.00	0	65.2	42	136				
1,1-Dichloroethane	30	1.0	50.00	0	60.4	40	150				
1,1-Dichloroethene	44	1.0	50.00	0	88.2	30	154				
1,2-Dichlorobenzene	39	1.0	50.00	0	77.4	40	129				
1,2-Dichloroethane	37	1.0	50.00	0	74.2	36	141				
1,2-Dichloropropane	31	1.0	50.00	0	61.7	44	138				
1,3-Dichlorobenzene	40	1.0	50.00	0	80.2	40	133				
1,4-Dichlorobenzene	40	1.0	50.00	0	80.2	40	135				
2-Chloroethyl vinyl ether	26	1.0	50.00	0	51.2	21	139				
Benzene	31	1.0	50.00	0	62.3	45	144				
Bromodichloromethane	31	1.0	50.00	0	61.9	35	136				
Bromoform	38	1.0	50.00	0	76.9	28	138				
Bromomethane	41	1.0	50.00	0	82.7	26	148				
Carbon tetrachloride	42	1.0	50.00	0	84.2	45	141				
Chlorobenzene	38	1.0	50.00	0	75.5	41	142				
Chloroethane	46	1.0	50.00	0	91.7	36	143				
Chloroform	31	1.0	50.00	0	62.5	42	137				
Chloromethane	38	1.0	50.00	0	76.8	35	151				
cis-1,3-Dichloropropene	31	1.0	50.00	0	61.1	42	130				
Dibromochloromethane	34	1.0	50.00	0	68.2	21	134				

Qualifiers: E Value above quantitation range H Holding times for preparation or analysis exceeded J Analyte detected below quantitation limit
LOD Limit of Detection LOQ Limit of Quantitation ND Not Detected at the Reporting Limit
R RPD outside accepted recovery limits S Spike Recovery outside accepted recovery limits U Indicates the compound was analyzed

CLIENT: Leggett Brashears & Graham Inc.
Work Order: 0811353
Project: Rowe

ANALYTICAL QC SUMMARY REPORT

TestCode: 8260MTBE113 W

Sample ID: V624LCS-120108Y		SampType: LCS		TestCode: 8260MTBE11		Units: µg/L		Prep Date:		RunNo: 39884			
Client ID: LCSW		Batch ID: R39884a		TestNo: SW8260B				Analysis Date: 12/1/2008		SeqNo: 529605			
Analyte		Result		PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Ethylbenzene		33		1.0	50.00	0	66.1	45	146				C
Tetrachloroethene		28		1.0	50.00	0	55.4	45	136				
Toluene		35		1.0	50.00	0	70.5	43	134				
trans-1,2-Dichloroethene		41		1.0	50.00	0	81.6	42	135				
trans-1,3-Dichloropropene		31		1.0	50.00	0	61.8	37	133				
Trichloroethene		37		1.0	50.00	0	74.1	43	140				
Trichlorofluoromethane		60		1.0	50.00	0	119	50	148				
Vinyl chloride		43		1.0	50.00	0	87.0	35	142				
Surr: 4-Bromofluorobenzene		54			50.00		108	60	130				
Surr: Dibromofluoromethane		46			50.00		92.2	63	127				
Surr: Toluene-d8		47			50.00		93.6	61	128				

Sample ID: VBLK-120108Y		SampType: MBLK	TestCode: 8260MTBE11		Units: µg/L	Prep Date:		RunNo: 39884				
Client ID: PBW		Batch ID: R39884a	TestNo: SW8260B			Analysis Date: 12/1/2008		SeqNo: 529606				
Analyte		Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
1,1,1,2-Tetrachloroethane		U	1.0									C
1,1,1-Trichloroethane		U	1.0									
1,1,2,2-Tetrachloroethane		U	1.0									
1,1,2-Trichloro-1,2,2-trifluoroethane		U	1.0									
1,1,2-Trichloroethane		U	1.0									
1,1-Dichloroethane		U	1.0									
1,1-Dichloroethene		U	1.0									
1,1-Dichloropropene		U	1.0									
1,2,3-Trichlorobenzene		U	1.0									
1,2,3-Trichloropropane		U	1.0									
1,2,4-Trichlorobenzene		U	1.0									
1,2,4-Trimethylbenzene		U	1.0									
1,2-Dibromo-3-chloropropane		U	1.0									
1,2-Dibromoethane		U	1.0									
1,2-Dichlorobenzene		U	1.0									

Qualifiers: E Value above quantitation range
LOD Limit of Detection
R RPD outside accepted recovery limits
H Holding times for preparation or analysis exceeded
LOQ Limit of Quantitation
S Spike Recovery outside accepted recovery limits
J Analyte detected below quantitation li
ND Not Detected at the Reporting Limit
U Indicates the compound was analyzed

CLIENT: Leggett Brashears & Graham Inc.
Work Order: 0811353
Project: Rowe

ANALYTICAL QC SUMMARY REPORT

TestCode: 8260MTBE113_W

Sample ID: VBLK-120108Y		SampType: MBLK	TestCode: 8260MTBE11	Units: µg/L	Prep Date:	RunNo: 39884					
Client ID: PBW		Batch ID: R39884a	TestNo: SW8260B		Analysis Date: 12/1/2008	SeqNo: 529606					
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
1,2-Dichloroethane	U	1.0									C
1,2-Dichloropropane	U	1.0									
1,3,5-Trimethylbenzene	U	1.0									
1,3-Dichlorobenzene	U	1.0									
1,3-dichloropropane	U	1.0									
1,4-Dichlorobenzene	U	1.0									
2,2-Dichloropropane	U	1.0									
2-Butanone	U	3.0									
2-Chloroethyl vinyl ether	U	1.0									
2-Chlorotoluene	U	1.0									
2-Hexanone	U	2.0									
4-Chlorotoluene	U	1.0									
4-Isopropyltoluene	U	1.0									
4-Methyl-2-pentanone	U	2.0									
Acetone	U	2.0									
Benzene	U	1.0									
Bromobenzene	U	1.0									
Bromochloromethane	U	1.0									
Bromodichloromethane	U	1.0									
Bromoform	U	1.0									
Bromomethane	U	1.0									
Carbon disulfide	U	1.0									
Carbon tetrachloride	U	1.0									
Chlorobenzene	U	1.0									
Chloroethane	U	1.0									
Chloroform	U	1.0									
Chloromethane	U	1.0									
cis-1,2-Dichloroethene	U	1.0									
cis-1,3-Dichloropropene	U	1.0									
Dibromochloromethane	U	1.0									
Dibromomethane	U	1.0									

Qualifiers:	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation li
LOD	Limit of Detection	LOQ	Limit of Quantitation		ND	Not Detected at the Reporting Limit
R	RPD outside accepted recovery limits	S	Spike Recovery outside accepted recovery limits		U	Indicates the compound was analyzed

CLIENT: Leggette Brashears & Graham Inc.
Work Order: 0811353
Project: Rowe

ANALYTICAL QC SUMMARY REPORT

TestCode: 8260MTBE113_W

Sample ID: VBLK-120108Y	SampType: MBLK	TestCode: 8260MTBE11	Units: µg/L	Prep Date:	RunNo: 39884						
Client ID: PBW	Batch ID: R39884a	TestNo: SW8260B		Analysis Date: 12/1/2008	SeqNo: 529606						
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual

Dichlorodifluoromethane	U	1.0									
Ethylbenzene	U	1.0									
Hexachlorobutadiene	U	1.0									
Isopropylbenzene	U	1.0									
m,p-Xylene	U	2.0									
Methyl tert-butyl ether	U	1.0									
Methylene chloride	U	1.0									
Naphthalene	U	1.0									
n-Butylbenzene	U	1.0									
n-Propylbenzene	U	1.0									
o-Xylene	U	1.0									
sec-Butylbenzene	U	1.0									
Styrene	U	1.0									
tert-Butylbenzene	U	1.0									
Tetrachloroethene	U	1.0									
Toluene	U	1.0									
trans-1,2-Dichloroethene	U	1.0									
trans-1,3-Dichloropropene	U	1.0									
Trichloroethene	U	1.0									
Trichlorofluoromethane	U	1.0									
Vinyl acetate	U	1.0									
Vinyl chloride	U	1.0									
Surr: 4-Bromofluorobenzene	49		50.00		98.4	60	130				
Surr: Dibromofluoromethane	46		50.00		92.5	63	127				
Surr: Toluene-d8	44		50.00		88.5	61	128				

Qualifiers:	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation li
LOD	R	Limit of Detection	LOQ	Limit of Quantitation	ND	Not Detected at the Reporting Limit
R	R	RPD outside accepted recovery limits	S	Spike Recovery outside accepted recovery limits	U	Indicates the compound was analyzed

CLIENT: Leggette Brashears & Graham Inc.
Work Order: 0811353
Project: Rowe

ANALYTICAL QC SUMMARY REPORT

TestCode: FE_T

Sample ID: LCSW-112508C	SampType: LCS	TestCode: FE_T	Units: mg/L	Prep Date: 11/25/2008	RunNo: 39820					
Client ID: LCSW	Batch ID: 23756	TestNo: E200.7	SW3010A	Analysis Date: 11/26/2008	SeqNo: 528913					
Analyte	Result	PQL	SPK value	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Iron	1.93	0.0200	2.000	96.6	68	122				

Sample ID: 0811353-03B-MS	SampType: MS	TestCode: FE_T	Units: mg/L	Prep Date: 11/25/2008	RunNo: 39820					
Client ID: WQ112008:1100NP2	Batch ID: 23756	TestNo: E200.7	SW3010A	Analysis Date: 11/26/2008	SeqNo: 528940					
Analyte	Result	PQL	SPK value	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Iron	8.20	0.0200	1.000	58.7	68	122				S

Sample ID: 0811353-03B-MSD	SampType: MSD	TestCode: FE_T	Units: mg/L	Prep Date: 11/25/2008	RunNo: 39820					
Client ID: WQ112008:1100NP2	Batch ID: 23756	TestNo: E200.7	SW3010A	Analysis Date: 11/26/2008	SeqNo: 528941					
Analyte	Result	PQL	SPK value	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Iron	8.16	0.0200	1.000	54.2	68	122	8.203	0.548	20	S

Qualifiers: E Value above quantitation range
LOD Limit of Detection
R RPD outside accepted recovery limits
H Holding times for preparation or analysis exceeded
LOQ Limit of Quantitation
S Spike Recovery outside accepted recovery limits
J Analyte detected below quantitation li
ND Not Detected at the Reporting Limit
U Indicates the compound was analyzed

CLIENT: Leggette Brashears & Graham Inc.
Work Order: 0811353
Project: Rowe

ANALYTICAL QC SUMMARY REPORT

TestCode: TDS_W

Sample ID: MB-R39814	SampType: MBLK	TestCode: TDS_W	Units: mg/L	Prep Date:	RunNo: 39814						
Client ID: PBW	Batch ID: R39814	TestNo: M2540C		Analysis Date: 11/25/2008	SeqNo: 528746						
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual

Total Dissolved Solids (Residue, Filtra) U 1.00

Qualifiers:	Value above quantitation range		Holding times for preparation or analysis exceeded		Analyte detected below quantitation li	
	LOD	Limit of Detection	LOQ	Limit of Quantitation	ND	Not Detected at the Reporting Limit
R	RPD outside accepted recovery limits	S	Spike Recovery outside accepted recovery limits	U	Indicates the compound was analyzed	

Monday, December 08, 2008

Mark Goldberg
Leggette Brashears & Graham Inc.
4 Research Drive
Suite 301
Shelton, CT 06484
TEL: (203) 929-8555
FAX (203) 926-9140

RE: Rowe

Order No.: 0812065

Dear Mark Goldberg:

American Analytical Laboratories, LLC. received 3 sample(s) on 12/3/2008 for the analyses presented in the following report.


Samples were analyzed in accordance with the test procedures documented on the chain of custody and detailed throughout the text of this report.

The results reported herein relate only to the items tested or to the samples as received by the laboratory. This report may not be reproduced, except in full, without the approval of American Analytical Laboratories, LLC and is not considered complete without a cover page and chain of custody documentation. The limits (LOQ) provided in the data package are analytical reporting limits and not Federal or Local mandated values to which the sample results should be compared.

There were no problems with the analyses and all data for associated QC met laboratory specifications. If there are any exceptions a Case Narrative is provided in the report or the data is qualified. This package has been reviewed by American Analytical Laboratories' QA Department/Laboratory Director to comply with NELAC standards prior to report submittal. This report consists of 29 pages.

If you have any questions regarding these tests results, please do not hesitate to call (631) 454-6100 or email me directly at lbeyer@american-analytical.com.

Sincerely,


Lori Beyer
Lab Director

American Analytical Laboratories, LLC.**Date:** 08-Dec-08**CLIENT:** Leggette Brashears & Graham Inc.**Project:** Rowe**Lab Order:** 0812065**Work Order Sample Summary**

Lab Sample ID	Client Sample ID	Date Collected	Date Received
0812065-01A	WQ112508:1100NP2-6	11/25/2008 11:00:00 AM	12/3/2008
0812065-01B	WQ112508:1100NP2-6	11/25/2008 11:00:00 AM	12/3/2008
0812065-01C	WQ112508:1100NP2-6	11/25/2008 11:00:00 AM	12/3/2008
0812065-02A	WQ112508:1105NP2-7	11/25/2008 11:05:00 AM	12/3/2008
0812065-02B	WQ112508:1105NP2-7	11/25/2008 11:05:00 AM	12/3/2008
0812065-02C	WQ112508:1105NP2-7	11/25/2008 11:05:00 AM	12/3/2008
0812065-03A	WQ112508:1110NP2-10	11/25/2008 11:10:00 AM	12/3/2008
0812065-03B	WQ112508:1110NP2-10	11/25/2008 11:10:00 AM	12/3/2008
0812065-03C	WQ112508:1110NP2-10	11/25/2008 11:10:00 AM	12/3/2008
0812065-03D	WQ112508:1110NP2-10	11/25/2008 11:10:00 AM	12/3/2008

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735

Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



CHAIN OF CUSTODY / REQUEST FOR ANALYSIS DOCUMENT

CLIENT NAME/ADDRESS LB6 4 Research Dr. Suite 301 Shelton, CT 06484				CONTACT: M. Galdberg		SAMPLER (SIGNATURE) <i>[Signature]</i>		SAMPLE(S) SEALED ☒ YES / NO	
PROJECT LOCATION: Rowe				SAMPLER NAME (PRINT) STEPHEN HWAT		CORRECT CONTAINER(S) ☒ YES / NO			
ANALYSIS REQUIRED 8260 + MTB6 FRIGEN 113 TOS + DES. F6 TOS									
LABORATORY ID# LAB USE ONLY	MATRIX/ TYPE	NO. OF CONTAINERS	SAMPLING DATE	SAMPLING TIME	SAMPLE # - LOCATION				
0812065-01AB2	W	4	11/25/08	1100	WQ112508:1100NP2-6	X	X	X	
-02AB3	L	4	I	1105	WQ112508:1105NP2-7	X	X	X	
-03AB4	L	5	I	1110	WQ112508:1106NP2-10	X	X	X	
COMMENTS / INSTRUCTIONS									
MATRIX S=SOIL; W=WATER; SL=SLUDGE; A=AIR; M=MISCELLANEOUS TYPE G=GRAB; C=COMPOSITE					TURNAROUND REQUIRED NORMAL ☒ STAT ☐ BY / /		E-MAIL ADDRESS FOR RESULTS: M661066@liberty.com		
RELINQUISHED BY (SIGNATURE) <i>[Signature]</i>	DATE 12/04/08 TIME 17:00	PRINTED NAME Kitti Denk	RECEIVED BY LAB (SIGNATURE) <i>[Signature]</i>	DATE 12/3/08 TIME 11:22	PRINTED NAME Cate Barr				
RELINQUISHED BY (SIGNATURE)	DATE	PRINTED NAME	RECEIVED BY LAB (SIGNATURE)	DATE	PRINTED NAME				

American Analytical Laboratories, LLC.

Sample Receipt Checklist

Client Name **LBG CT**

Date and Time Receive **12/3/2008 11:17:36 AM**

Work Order Number **0812065**

RcptNo: **1**

Received by **CB**

COC_ID:

CoolerID:

Checklist completed by

CB
Signature

12/3/08
Date

Reviewed by

JS
Initials

12/3/08
Date

Matrix:

Carrier name FedEx

Shipping container/cooler in good condition?	Yes ☒	No ☐	Not Presen ☐
Custody seals intact on shipping container/cooler?	Yes ☐	No ☐	Not Presen ☒
Custody seals intact on sample bottles?	Yes ☐	No ☐	Not Presen ☒
Chain of custody present?	Yes ☒	No ☐	
Chain of custody signed when relinquished and received?	Yes ☒	No ☐	
Chain of custody agrees with sample labels?	Yes ☒	No ☐	
Samples in proper container/bottle?	Yes ☒	No ☐	
Sample containers intact?	Yes ☒	No ☐	
Sufficient sample volume for indicated test?	Yes ☒	No ☐	
All samples received within holding time?	Yes ☒	No ☐	
Container/Temp Blank temperature in compliance?	Yes ☒	No ☐	
Water - VOA vials have zero headspace?	No VOA vials submitted ☐	Yes ☒	No ☐
Water - pH acceptable upon receipt?	Yes ☒	No ☐	N/A ☐

Adjusted? _____ Checked b _____

Any No and/or NA (not applicable) response must be detailed in the comments section be

Client contacted _____ Date contacted: _____ Person contacted _____

Contacted by: _____ Regarding: _____

Comments: Cooler: Yes Ice: Yes Temp: 2.8C

Corrective Action _____

American Analytical Laboratories, LLC.

Date: 08-Dec-08

ELAP ID : 11418

CLIENT: Leggette Brashears & Graham Inc.

Client Sample ID: WQ112508:1100NP2-6

Lab Order: 0812065

Collection Date: 11/25/2008 11:00:00 AM

Project: Rowe

Matrix: LIQUID

Lab ID: 0812065-01A

Certificate of Results

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
VOLATILE SW-846 8260 + MTBE & FREON113			SW8260B		Analyst: LA		
1,1,1,2-Tetrachloroethane	U	0.3	1.0		µg/L	1	12/5/2008 2:10:00 AM
1,1,1-Trichloroethane	1.6	0.3	1.0		µg/L	1	12/5/2008 2:10:00 AM
1,1,2,2-Tetrachloroethane	U	0.3	1.0		µg/L	1	12/5/2008 2:10:00 AM
1,1,2-Trichloro-1,2,2-trifluoroethane	U	0.3	1.0		µg/L	1	12/5/2008 2:10:00 AM
1,1,2-Trichloroethane	U	0.3	1.0		µg/L	1	12/5/2008 2:10:00 AM
1,1-Dichloroethane	U	0.3	1.0		µg/L	1	12/5/2008 2:10:00 AM
1,1-Dichloroethene	U	0.3	1.0		µg/L	1	12/5/2008 2:10:00 AM
1,1-Dichloropropene	U	0.3	1.0		µg/L	1	12/5/2008 2:10:00 AM
1,2,3-Trichlorobenzene	U	0.3	1.0		µg/L	1	12/5/2008 2:10:00 AM
1,2,3-Trichloropropane	U	0.4	1.0		µg/L	1	12/5/2008 2:10:00 AM
1,2,4-Trichlorobenzene	U	0.3	1.0		µg/L	1	12/5/2008 2:10:00 AM
1,2,4-Trimethylbenzene	U	0.3	1.0		µg/L	1	12/5/2008 2:10:00 AM
1,2-Dibromo-3-chloropropane	U	0.4	1.0		µg/L	1	12/5/2008 2:10:00 AM
1,2-Dibromoethane	U	0.3	1.0		µg/L	1	12/5/2008 2:10:00 AM
1,2-Dichlorobenzene	U	0.3	1.0		µg/L	1	12/5/2008 2:10:00 AM
1,2-Dichloroethane	U	0.3	1.0		µg/L	1	12/5/2008 2:10:00 AM
1,2-Dichloropropane	U	0.3	1.0		µg/L	1	12/5/2008 2:10:00 AM
1,3,5-Trimethylbenzene	U	0.3	1.0		µg/L	1	12/5/2008 2:10:00 AM
1,3-Dichlorobenzene	U	0.3	1.0		µg/L	1	12/5/2008 2:10:00 AM
1,3-dichloropropane	U	0.3	1.0		µg/L	1	12/5/2008 2:10:00 AM
1,4-Dichlorobenzene	U	0.3	1.0		µg/L	1	12/5/2008 2:10:00 AM
2,2-Dichloropropane	U	0.3	1.0		µg/L	1	12/5/2008 2:10:00 AM
2-Butanone	U	0.3	3.0		µg/L	1	12/5/2008 2:10:00 AM
2-Chloroethyl vinyl ether	U	0.3	1.0		µg/L	1	12/5/2008 2:10:00 AM
2-Chlorotoluene	U	0.3	1.0		µg/L	1	12/5/2008 2:10:00 AM
2-Hexanone	U	0.3	2.0		µg/L	1	12/5/2008 2:10:00 AM
4-Chlorotoluene	U	0.3	1.0		µg/L	1	12/5/2008 2:10:00 AM
4-Isopropyltoluene	U	0.3	1.0		µg/L	1	12/5/2008 2:10:00 AM
4-Methyl-2-pentanone	U	0.3	2.0		µg/L	1	12/5/2008 2:10:00 AM
Acetone	U	0.3	2.0	C	µg/L	1	12/5/2008 2:10:00 AM
Benzene	U	0.3	1.0		µg/L	1	12/5/2008 2:10:00 AM
Bromobenzene	U	0.3	1.0		µg/L	1	12/5/2008 2:10:00 AM
Bromochloromethane	U	0.4	1.0		µg/L	1	12/5/2008 2:10:00 AM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735

Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



Qualifiers:	*	Value exceeds Maximum Contaminant Level	B	Analyte detected in the associated Method Blank
	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded
	J	Analyte detected below quantitation limits	LOD	Limit of Detection
	LOQ	Limit of Quantitation	ND	Not Detected at the Reporting Limit
	S	Spike Recovery outside accepted recovery limits	U	Indicates the compound was analyzed but not detected.
	C	Calibration %RSD/%D exceeded for non-CCC analytes		

American Analytical Laboratories, LLC.

Date: 08-Dec-08

ELAP ID : 11418

CLIENT: Leggette Brashears & Graham Inc.
Lab Order: 0812065
Project: Rowe
Lab ID: 0812065-01A

Client Sample ID: WQ112508:1100NP2-6
Collection Date: 11/25/2008 11:00:00 AM
Matrix: LIQUID

Certificate of Results

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
VOLATILE SW-846 8260 + MTBE & FREON113			SW8260B			Analyst: LA	
Bromodichloromethane	U	0.3	1.0		µg/L	1	12/5/2008 2:10:00 AM
Bromoform	U	0.3	1.0		µg/L	1	12/5/2008 2:10:00 AM
Bromomethane	U	0.3	1.0		µg/L	1	12/5/2008 2:10:00 AM
Carbon disulfide	U	0.3	1.0		µg/L	1	12/5/2008 2:10:00 AM
Carbon tetrachloride	U	0.3	1.0		µg/L	1	12/5/2008 2:10:00 AM
Chlorobenzene	U	0.3	1.0		µg/L	1	12/5/2008 2:10:00 AM
Chloroethane	U	0.4	1.0		µg/L	1	12/5/2008 2:10:00 AM
Chloroform	U	0.3	1.0		µg/L	1	12/5/2008 2:10:00 AM
Chloromethane	U	0.3	1.0		µg/L	1	12/5/2008 2:10:00 AM
cis-1,2-Dichloroethene	U	0.3	1.0		µg/L	1	12/5/2008 2:10:00 AM
cis-1,3-Dichloropropene	U	0.3	1.0		µg/L	1	12/5/2008 2:10:00 AM
Dibromochloromethane	U	0.3	1.0		µg/L	1	12/5/2008 2:10:00 AM
Dibromomethane	U	0.3	1.0		µg/L	1	12/5/2008 2:10:00 AM
Dichlorodifluoromethane	U	0.3	1.0	C	µg/L	1	12/5/2008 2:10:00 AM
Ethylbenzene	U	0.3	1.0		µg/L	1	12/5/2008 2:10:00 AM
Hexachlorobutadiene	U	0.3	1.0		µg/L	1	12/5/2008 2:10:00 AM
Isopropylbenzene	U	0.3	1.0		µg/L	1	12/5/2008 2:10:00 AM
m,p-Xylene	U	0.3	2.0		µg/L	1	12/5/2008 2:10:00 AM
Methyl tert-butyl ether	U	0.3	1.0		µg/L	1	12/5/2008 2:10:00 AM
Methylene chloride	U	0.3	1.0	C	µg/L	1	12/5/2008 2:10:00 AM
Naphthalene	U	0.3	1.0		µg/L	1	12/5/2008 2:10:00 AM
n-Butylbenzene	U	0.3	1.0		µg/L	1	12/5/2008 2:10:00 AM
n-Propylbenzene	U	0.3	1.0		µg/L	1	12/5/2008 2:10:00 AM
o-Xylene	U	0.3	1.0		µg/L	1	12/5/2008 2:10:00 AM
sec-Butylbenzene	U	0.3	1.0		µg/L	1	12/5/2008 2:10:00 AM
Styrene	U	0.3	1.0		µg/L	1	12/5/2008 2:10:00 AM
tert-Butylbenzene	U	0.3	1.0		µg/L	1	12/5/2008 2:10:00 AM
Tetrachloroethene	2.8	0.3	1.0		µg/L	1	12/5/2008 2:10:00 AM
Toluene	U	0.3	1.0		µg/L	1	12/5/2008 2:10:00 AM
trans-1,2-Dichloroethene	U	0.3	1.0		µg/L	1	12/5/2008 2:10:00 AM
trans-1,3-Dichloropropene	U	0.3	1.0		µg/L	1	12/5/2008 2:10:00 AM
Trichloroethene	U	0.3	1.0		µg/L	1	12/5/2008 2:10:00 AM
Trichlorofluoromethane	U	0.3	1.0		µg/L	1	12/5/2008 2:10:00 AM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735
Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



Qualifiers:	* Value exceeds Maximum Contaminant Level	B Analyte detected in the associated Method Blank
	E Value above quantitation range	H Holding times for preparation or analysis exceeded
	J Analyte detected below quantitation limits	LOD Limit of Detection
LOQ	Limit of Quantitation	ND Not Detected at the Reporting Limit
S	Spike Recovery outside accepted recovery limits	U Indicates the compound was analyzed but not detected.
C	Calibration %RSD/%D exceeded for non-CCC analytes	

American Analytical Laboratories, LLC.

Date: 08-Dec-08

ELAP ID : 11418

CLIENT: Leggette Brashears & Graham Inc.**Client Sample ID:** WQ112508:1100NP2-6**Lab Order:** 0812065**Collection Date:** 11/25/2008 11:00:00 AM**Project:** Rowe**Matrix:** LIQUID**Lab ID:** 0812065-01A**Certificate of Results**

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
VOLATILE SW-846 8260 + MTBE & FREON113			SW8260B		Analyst: LA		
Vinyl acetate	U	0.3	1.0		µg/L	1	12/5/2008 2:10:00 AM
Vinyl chloride	U	0.3	1.0		µg/L	1	12/5/2008 2:10:00 AM
Surr: 4-Bromofluorobenzene	94.4	0	60-130		%REC	1	12/5/2008 2:10:00 AM
Surr: Dibromofluoromethane	106	0	63-127		%REC	1	12/5/2008 2:10:00 AM
Surr: Toluene-d8	97.6	0	61-128		%REC	1	12/5/2008 2:10:00 AM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735

Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



Qualifiers:	*	Value exceeds Maximum Contaminant Level	B	Analyte detected in the associated Method Blank
	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded
	J	Analyte detected below quantitation limits	LOD	Limit of Detection
	LOQ	Limit of Quantitation	ND	Not Detected at the Reporting Limit
	S	Spike Recovery outside accepted recovery limits	U	Indicates the compound was analyzed but not detected.
	C	Calibration %RSD/%D exceeded for non-CCC analytes		

American Analytical Laboratories, LLC.**Date:** 08-Dec-08**ELAP ID :** 11418**CLIENT:** Leggette Brashears & Graham Inc.**Client Sample ID:** WQ112508:1100NP2-6**Lab Order:** 0812065**Collection Date:** 11/25/2008 11:00:00 AM**Project:** Rowe**Matrix:** LIQUID**Lab ID:** 0812065-01B**Certificate of Results**

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
TOTAL IRON				E200.7	SW3010A		Analyst: JP
Iron	1.66	0.005	0.0200		mg/L	1	12/4/2008 10:17:53 AM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735

Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



Qualifiers:	*	Value exceeds Maximum Contaminant Level	B	Analyte detected in the associated Method Blank
	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded
	J	Analyte detected below quantitation limits	LOD	Limit of Detection
	LOQ	Limit of Quantitation	ND	Not Detected at the Reporting Limit
	S	Spike Recovery outside accepted recovery limits	U	Indicates the compound was analyzed but not detected.
	C	Calibration %RSD/%D exceeded for non-CCC analytes		

American Analytical Laboratories, LLC.**Date:** 08-Dec-08**ELAP ID :** 11418

CLIENT: Leggette Brashears & Graham Inc.
Lab Order: 0812065
Project: Rowe
Lab ID: 0812065-01C

Client Sample ID: WQ112508:1100NP2-6
Collection Date: 11/25/2008 11:00:00 AM
Matrix: LIQUID

Certificate of Results

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
DISSOLVED IRON				E200.7	SW3010A		Analyst: JP
Iron	0.0286	0.005	0.0200		mg/L	1	12/4/2008 10:15:50 AM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735
Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



Qualifiers:	*	Value exceeds Maximum Contaminant Level	B	Analyte detected in the associated Method Blank
	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded
	J	Analyte detected below quantitation limits	LOD	Limit of Detection
	LOQ	Limit of Quantitation	ND	Not Detected at the Reporting Limit
	S	Spike Recovery outside accepted recovery limits	U	Indicates the compound was analyzed but not detected.
	C	Calibration %RSD/%D exceeded for non-CCC analytes		

American Analytical Laboratories, LLC.

Date: 08-Dec-08

ELAP ID : 11418

CLIENT: Leggette Brashears & Graham Inc.
Lab Order: 0812065
Project: Rowe
Lab ID: 0812065-02A

Client Sample ID: WQ112508:1105NP2-7
Collection Date: 11/25/2008 11:05:00 AM
Matrix: LIQUID

Certificate of Results

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
VOLATILE SW-846 8260 + MTBE & FREON113			SW8260B			Analyst: LA	
1,1,1,2-Tetrachloroethane	U	0.3	1.0		µg/L	1	12/5/2008 3:42:00 AM
1,1,1-Trichloroethane	U	0.3	1.0		µg/L	1	12/5/2008 3:42:00 AM
1,1,2,2-Tetrachloroethane	U	0.3	1.0		µg/L	1	12/5/2008 3:42:00 AM
1,1,2-Trichloro-1,2,2-trifluoroethane	U	0.3	1.0		µg/L	1	12/5/2008 3:42:00 AM
1,1,2-Trichloroethane	U	0.3	1.0		µg/L	1	12/5/2008 3:42:00 AM
1,1-Dichloroethane	U	0.3	1.0		µg/L	1	12/5/2008 3:42:00 AM
1,1-Dichloroethene	U	0.3	1.0		µg/L	1	12/5/2008 3:42:00 AM
1,1-Dichloropropene	U	0.3	1.0		µg/L	1	12/5/2008 3:42:00 AM
1,2,3-Trichlorobenzene	U	0.3	1.0		µg/L	1	12/5/2008 3:42:00 AM
1,2,3-Trichloropropane	U	0.4	1.0		µg/L	1	12/5/2008 3:42:00 AM
1,2,4-Trichlorobenzene	U	0.3	1.0		µg/L	1	12/5/2008 3:42:00 AM
1,2,4-Trimethylbenzene	U	0.3	1.0		µg/L	1	12/5/2008 3:42:00 AM
1,2-Dibromo-3-chloropropane	U	0.4	1.0		µg/L	1	12/5/2008 3:42:00 AM
1,2-Dibromoethane	U	0.3	1.0		µg/L	1	12/5/2008 3:42:00 AM
1,2-Dichlorobenzene	U	0.3	1.0		µg/L	1	12/5/2008 3:42:00 AM
1,2-Dichloroethane	U	0.3	1.0		µg/L	1	12/5/2008 3:42:00 AM
1,2-Dichloropropane	U	0.3	1.0		µg/L	1	12/5/2008 3:42:00 AM
1,3,5-Trimethylbenzene	U	0.3	1.0		µg/L	1	12/5/2008 3:42:00 AM
1,3-Dichlorobenzene	U	0.3	1.0		µg/L	1	12/5/2008 3:42:00 AM
1,3-dichloropropane	U	0.3	1.0		µg/L	1	12/5/2008 3:42:00 AM
1,4-Dichlorobenzene	U	0.3	1.0		µg/L	1	12/5/2008 3:42:00 AM
2,2-Dichloropropane	U	0.3	1.0		µg/L	1	12/5/2008 3:42:00 AM
2-Butanone	U	0.3	3.0		µg/L	1	12/5/2008 3:42:00 AM
2-Chloroethyl vinyl ether	U	0.3	1.0		µg/L	1	12/5/2008 3:42:00 AM
2-Chlorotoluene	U	0.3	1.0		µg/L	1	12/5/2008 3:42:00 AM
2-Hexanone	U	0.3	2.0		µg/L	1	12/5/2008 3:42:00 AM
4-Chlorotoluene	U	0.3	1.0		µg/L	1	12/5/2008 3:42:00 AM
4-Isopropyltoluene	U	0.3	1.0		µg/L	1	12/5/2008 3:42:00 AM
4-Methyl-2-pentanone	U	0.3	2.0		µg/L	1	12/5/2008 3:42:00 AM
Acetone	U	0.3	2.0	C	µg/L	1	12/5/2008 3:42:00 AM
Benzene	U	0.3	1.0		µg/L	1	12/5/2008 3:42:00 AM
Bromobenzene	U	0.3	1.0		µg/L	1	12/5/2008 3:42:00 AM
Bromochloromethane	U	0.4	1.0		µg/L	1	12/5/2008 3:42:00 AM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735

Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



Qualifiers:	*	Value exceeds Maximum Contaminant Level	B	Analyte detected in the associated Method Blank
	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded
	J	Analyte detected below quantitation limits	LOD	Limit of Detection
	LOQ	Limit of Quantitation	ND	Not Detected at the Reporting Limit
	S	Spike Recovery outside accepted recovery limits	U	Indicates the compound was analyzed but not detected.
	C	Calibration %RSD/%D exceeded for non-CCC analytes		

American Analytical Laboratories, LLC.

Date: 08-Dec-08

ELAP ID : 11418

CLIENT: Leggette Brashears & Graham Inc.

Client Sample ID: WQ112508:1105NP2-7

Lab Order: 0812065

Collection Date: 11/25/2008 11:05:00 AM

Project: Rowe

Matrix: LIQUID

Lab ID: 0812065-02A

Certificate of Results

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
VOLATILE SW-846 8260 + MTBE & FREON113			SW8260B		Analyst: LA		
Bromodichloromethane	U	0.3	1.0		µg/L	1	12/5/2008 3:42:00 AM
Bromoform	U	0.3	1.0		µg/L	1	12/5/2008 3:42:00 AM
Bromomethane	U	0.3	1.0		µg/L	1	12/5/2008 3:42:00 AM
Carbon disulfide	U	0.3	1.0		µg/L	1	12/5/2008 3:42:00 AM
Carbon tetrachloride	U	0.3	1.0		µg/L	1	12/5/2008 3:42:00 AM
Chlorobenzene	U	0.3	1.0		µg/L	1	12/5/2008 3:42:00 AM
Chloroethane	U	0.4	1.0		µg/L	1	12/5/2008 3:42:00 AM
Chloroform	U	0.3	1.0		µg/L	1	12/5/2008 3:42:00 AM
Chloromethane	U	0.3	1.0		µg/L	1	12/5/2008 3:42:00 AM
cis-1,2-Dichloroethene	U	0.3	1.0		µg/L	1	12/5/2008 3:42:00 AM
cis-1,3-Dichloropropene	U	0.3	1.0		µg/L	1	12/5/2008 3:42:00 AM
Dibromochloromethane	U	0.3	1.0		µg/L	1	12/5/2008 3:42:00 AM
Dibromomethane	U	0.3	1.0		µg/L	1	12/5/2008 3:42:00 AM
Dichlorodifluoromethane	U	0.3	1.0	C	µg/L	1	12/5/2008 3:42:00 AM
Ethylbenzene	U	0.3	1.0		µg/L	1	12/5/2008 3:42:00 AM
Hexachlorobutadiene	U	0.3	1.0		µg/L	1	12/5/2008 3:42:00 AM
Isopropylbenzene	U	0.3	1.0		µg/L	1	12/5/2008 3:42:00 AM
m,p-Xylene	U	0.3	2.0		µg/L	1	12/5/2008 3:42:00 AM
Methyl tert-butyl ether	U	0.3	1.0		µg/L	1	12/5/2008 3:42:00 AM
Methylene chloride	U	0.3	1.0	C	µg/L	1	12/5/2008 3:42:00 AM
Naphthalene	U	0.3	1.0		µg/L	1	12/5/2008 3:42:00 AM
n-Butylbenzene	U	0.3	1.0		µg/L	1	12/5/2008 3:42:00 AM
n-Propylbenzene	U	0.3	1.0		µg/L	1	12/5/2008 3:42:00 AM
o-Xylene	U	0.3	1.0		µg/L	1	12/5/2008 3:42:00 AM
sec-Butylbenzene	U	0.3	1.0		µg/L	1	12/5/2008 3:42:00 AM
Styrene	U	0.3	1.0		µg/L	1	12/5/2008 3:42:00 AM
tert-Butylbenzene	U	0.3	1.0		µg/L	1	12/5/2008 3:42:00 AM
Tetrachloroethene	U	0.3	1.0		µg/L	1	12/5/2008 3:42:00 AM
Toluene	U	0.3	1.0		µg/L	1	12/5/2008 3:42:00 AM
trans-1,2-Dichloroethene	U	0.3	1.0		µg/L	1	12/5/2008 3:42:00 AM
trans-1,3-Dichloropropene	U	0.3	1.0		µg/L	1	12/5/2008 3:42:00 AM
Trichloroethene	U	0.3	1.0		µg/L	1	12/5/2008 3:42:00 AM
Trichlorofluoromethane	U	0.3	1.0		µg/L	1	12/5/2008 3:42:00 AM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735

Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



Qualifiers:	*	Value exceeds Maximum Contaminant Level	B	Analyte detected in the associated Method Blank
	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded
	J	Analyte detected below quantitation limits	LOD	Limit of Detection
	LOQ	Limit of Quantitation	ND	Not Detected at the Reporting Limit
	S	Spike Recovery outside accepted recovery limits	U	Indicates the compound was analyzed but not detected.
	C	Calibration %RSD/%D exceeded for non-CCC analytes		

American Analytical Laboratories, LLC.

Date: 08-Dec-08

ELAP ID : 11418

CLIENT: Leggette Brashears & Graham Inc.
Lab Order: 0812065
Project: Rowe
Lab ID: 0812065-02A

Client Sample ID: WQ112508:1105NP2-7
Collection Date: 11/25/2008 11:05:00 AM
Matrix: LIQUID

Certificate of Results

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
VOLATILE SW-846 8260 + MTBE & FREON113			SW8260B			Analyst: LA	
Vinyl acetate	U	0.3	1.0		µg/L	1	12/5/2008 3:42:00 AM
Vinyl chloride	U	0.3	1.0		µg/L	1	12/5/2008 3:42:00 AM
Surr: 4-Bromofluorobenzene	93.1	0	60-130		%REC	1	12/5/2008 3:42:00 AM
Surr: Dibromofluoromethane	106	0	63-127		%REC	1	12/5/2008 3:42:00 AM
Surr: Toluene-d8	97.8	0	61-128		%REC	1	12/5/2008 3:42:00 AM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735
Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



Qualifiers:	*	Value exceeds Maximum Contaminant Level	B	Analyte detected in the associated Method Blank
	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded
	J	Analyte detected below quantitation limits	LOD	Limit of Detection
	LOQ	Limit of Quantitation	ND	Not Detected at the Reporting Limit
	S	Spike Recovery outside accepted recovery limits	U	Indicates the compound was analyzed but not detected.
	C	Calibration %RSD/%D exceeded for non-CCC analytes		

American Analytical Laboratories, LLC.

Date: 08-Dec-08

ELAP ID : 11418

CLIENT: Leggette Brashears & Graham Inc.

Client Sample ID: WQ112508:1105NP2-7

Lab Order: 0812065

Collection Date: 11/25/2008 11:05:00 AM

Project: Rowe

Matrix: LIQUID

Lab ID: 0812065-02B

Certificate of Results

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
TOTAL IRON				E200.7	SW3010A		Analyst: JP
Iron	1.12	0.005	0.0200		mg/L	1	12/4/2008 10:21:58 AM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735

Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



Qualifiers:	*	Value exceeds Maximum Contaminant Level	B	Analyte detected in the associated Method Blank
	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded
	J	Analyte detected below quantitation limits	LOD	Limit of Detection
	LOQ	Limit of Quantitation	ND	Not Detected at the Reporting Limit
	S	Spike Recovery outside accepted recovery limits	U	Indicates the compound was analyzed but not detected.
	C	Calibration %RSD/%D exceeded for non-CCC analytes		

American Analytical Laboratories, LLC.**Date:** 08-Dec-08**ELAP ID : 11418****CLIENT:** Leggette Brashears & Graham Inc.**Client Sample ID:** WQ112508:1105NP2-7**Lab Order:** 0812065**Collection Date:** 11/25/2008 11:05:00 AM**Project:** Rowe**Matrix:** LIQUID**Lab ID:** 0812065-02C**Certificate of Results**

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
DISSOLVED IRON				E200.7	SW3010A		Analyst: JP
Iron	0.105	0.005	0.0200		mg/L	1	12/4/2008 10:19:55 AM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735

Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



Qualifiers:	*	Value exceeds Maximum Contaminant Level	B	Analyte detected in the associated Method Blank
	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded
	J	Analyte detected below quantitation limits	LOD	Limit of Detection
	LOQ	Limit of Quantitation	ND	Not Detected at the Reporting Limit
	S	Spike Recovery outside accepted recovery limits	U	Indicates the compound was analyzed but not detected.
	C	Calibration %RSD/%D exceeded for non-CCC analytes		

American Analytical Laboratories, LLC.

Date: 08-Dec-08

ELAP ID : 11418

CLIENT: Leggette Brashears & Graham Inc.
Lab Order: 0812065
Project: Rowe
Lab ID: 0812065-03A

Client Sample ID: WQ112508:1110NP2-10
Collection Date: 11/25/2008 11:10:00 AM
Matrix: LIQUID

Certificate of Results

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
VOLATILE SW-846 8260 + MTBE & FREON113			SW8260B			Analyst: LA	
1,1,1,2-Tetrachloroethane	U	0.3	1.0		µg/L	1	12/5/2008 4:12:00 AM
1,1,1-Trichloroethane	U	0.3	1.0		µg/L	1	12/5/2008 4:12:00 AM
1,1,2,2-Tetrachloroethane	U	0.3	1.0		µg/L	1	12/5/2008 4:12:00 AM
1,1,2-Trichloro-1,2,2-trifluoroethane	U	0.3	1.0		µg/L	1	12/5/2008 4:12:00 AM
1,1,2-Trichloroethane	U	0.3	1.0		µg/L	1	12/5/2008 4:12:00 AM
1,1-Dichloroethane	U	0.3	1.0		µg/L	1	12/5/2008 4:12:00 AM
1,1-Dichloroethene	U	0.3	1.0		µg/L	1	12/5/2008 4:12:00 AM
1,1-Dichloropropene	U	0.3	1.0		µg/L	1	12/5/2008 4:12:00 AM
1,2,3-Trichlorobenzene	U	0.3	1.0		µg/L	1	12/5/2008 4:12:00 AM
1,2,3-Trichloropropane	U	0.4	1.0		µg/L	1	12/5/2008 4:12:00 AM
1,2,4-Trichlorobenzene	U	0.3	1.0		µg/L	1	12/5/2008 4:12:00 AM
1,2,4-Trimethylbenzene	U	0.3	1.0		µg/L	1	12/5/2008 4:12:00 AM
1,2-Dibromo-3-chloropropane	U	0.4	1.0		µg/L	1	12/5/2008 4:12:00 AM
1,2-Dibromoethane	U	0.3	1.0		µg/L	1	12/5/2008 4:12:00 AM
1,2-Dichlorobenzene	U	0.3	1.0		µg/L	1	12/5/2008 4:12:00 AM
1,2-Dichloroethane	U	0.3	1.0		µg/L	1	12/5/2008 4:12:00 AM
1,2-Dichloropropane	U	0.3	1.0		µg/L	1	12/5/2008 4:12:00 AM
1,3,5-Trimethylbenzene	U	0.3	1.0		µg/L	1	12/5/2008 4:12:00 AM
1,3-Dichlorobenzene	U	0.3	1.0		µg/L	1	12/5/2008 4:12:00 AM
1,3-dichloropropane	U	0.3	1.0		µg/L	1	12/5/2008 4:12:00 AM
1,4-Dichlorobenzene	U	0.3	1.0		µg/L	1	12/5/2008 4:12:00 AM
2,2-Dichloropropane	U	0.3	1.0		µg/L	1	12/5/2008 4:12:00 AM
2-Butanone	U	0.3	3.0		µg/L	1	12/5/2008 4:12:00 AM
2-Chloroethyl vinyl ether	U	0.3	1.0		µg/L	1	12/5/2008 4:12:00 AM
2-Chlorotoluene	U	0.3	1.0		µg/L	1	12/5/2008 4:12:00 AM
2-Hexanone	U	0.3	2.0		µg/L	1	12/5/2008 4:12:00 AM
4-Chlorotoluene	U	0.3	1.0		µg/L	1	12/5/2008 4:12:00 AM
4-Isopropyltoluene	U	0.3	1.0		µg/L	1	12/5/2008 4:12:00 AM
4-Methyl-2-pentanone	U	0.3	2.0		µg/L	1	12/5/2008 4:12:00 AM
Acetone	U	0.3	2.0	C	µg/L	1	12/5/2008 4:12:00 AM
Benzene	U	0.3	1.0		µg/L	1	12/5/2008 4:12:00 AM
Bromobenzene	U	0.3	1.0		µg/L	1	12/5/2008 4:12:00 AM
Bromochloromethane	U	0.4	1.0		µg/L	1	12/5/2008 4:12:00 AM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735
Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



Qualifiers:	*	Value exceeds Maximum Contaminant Level	B	Analyte detected in the associated Method Blank
	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded
	J	Analyte detected below quantitation limits	LOD	Limit of Detection
	LOQ	Limit of Quantitation	ND	Not Detected at the Reporting Limit
	S	Spike Recovery outside accepted recovery limits	U	Indicates the compound was analyzed but not detected.
	C	Calibration %RSD/%D exceeded for non-CCC analytes		

American Analytical Laboratories, LLC.

Date: 08-Dec-08

ELAP ID : 11418

CLIENT: Leggette Brashears & Graham Inc.
Lab Order: 0812065
Project: Rowe
Lab ID: 0812065-03A

Client Sample ID: WQ112508:1110NP2-10
Collection Date: 11/25/2008 11:10:00 AM
Matrix: LIQUID

Certificate of Results

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
VOLATILE SW-846 8260 + MTBE & FREON113			SW8260B			Analyst: LA	
Bromodichloromethane	U	0.3	1.0		µg/L	1	12/5/2008 4:12:00 AM
Bromoform	U	0.3	1.0		µg/L	1	12/5/2008 4:12:00 AM
Bromomethane	U	0.3	1.0		µg/L	1	12/5/2008 4:12:00 AM
Carbon disulfide	U	0.3	1.0		µg/L	1	12/5/2008 4:12:00 AM
Carbon tetrachloride	U	0.3	1.0		µg/L	1	12/5/2008 4:12:00 AM
Chlorobenzene	U	0.3	1.0		µg/L	1	12/5/2008 4:12:00 AM
Chloroethane	U	0.4	1.0		µg/L	1	12/5/2008 4:12:00 AM
Chloroform	U	0.3	1.0		µg/L	1	12/5/2008 4:12:00 AM
Chloromethane	U	0.3	1.0		µg/L	1	12/5/2008 4:12:00 AM
cis-1,2-Dichloroethene	U	0.3	1.0		µg/L	1	12/5/2008 4:12:00 AM
cis-1,3-Dichloropropene	U	0.3	1.0		µg/L	1	12/5/2008 4:12:00 AM
Dibromochloromethane	U	0.3	1.0		µg/L	1	12/5/2008 4:12:00 AM
Dibromomethane	U	0.3	1.0		µg/L	1	12/5/2008 4:12:00 AM
Dichlorodifluoromethane	U	0.3	1.0	C	µg/L	1	12/5/2008 4:12:00 AM
Ethylbenzene	U	0.3	1.0		µg/L	1	12/5/2008 4:12:00 AM
Hexachlorobutadiene	U	0.3	1.0		µg/L	1	12/5/2008 4:12:00 AM
Isopropylbenzene	U	0.3	1.0		µg/L	1	12/5/2008 4:12:00 AM
m,p-Xylene	U	0.3	2.0		µg/L	1	12/5/2008 4:12:00 AM
Methyl tert-butyl ether	U	0.3	1.0		µg/L	1	12/5/2008 4:12:00 AM
Methylene chloride	U	0.3	1.0	C	µg/L	1	12/5/2008 4:12:00 AM
Naphthalene	U	0.3	1.0		µg/L	1	12/5/2008 4:12:00 AM
n-Butylbenzene	U	0.3	1.0		µg/L	1	12/5/2008 4:12:00 AM
n-Propylbenzene	U	0.3	1.0		µg/L	1	12/5/2008 4:12:00 AM
o-Xylene	U	0.3	1.0		µg/L	1	12/5/2008 4:12:00 AM
sec-Butylbenzene	U	0.3	1.0		µg/L	1	12/5/2008 4:12:00 AM
Styrene	U	0.3	1.0		µg/L	1	12/5/2008 4:12:00 AM
tert-Butylbenzene	U	0.3	1.0		µg/L	1	12/5/2008 4:12:00 AM
Tetrachloroethene	U	0.3	1.0		µg/L	1	12/5/2008 4:12:00 AM
Toluene	U	0.3	1.0		µg/L	1	12/5/2008 4:12:00 AM
trans-1,2-Dichloroethene	U	0.3	1.0		µg/L	1	12/5/2008 4:12:00 AM
trans-1,3-Dichloropropene	U	0.3	1.0		µg/L	1	12/5/2008 4:12:00 AM
Trichloroethene	U	0.3	1.0		µg/L	1	12/5/2008 4:12:00 AM
Trichlorofluoromethane	U	0.3	1.0		µg/L	1	12/5/2008 4:12:00 AM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735
Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



Qualifiers:	* Value exceeds Maximum Contaminant Level	B Analyte detected in the associated Method Blank
	E Value above quantitation range	H Holding times for preparation or analysis exceeded
	J Analyte detected below quantitation limits	LOD Limit of Detection
	LOQ Limit of Quantitation	ND Not Detected at the Reporting Limit
	S Spike Recovery outside accepted recovery limits	U Indicates the compound was analyzed but not detected.
	C Calibration %RSD/%D exceeded for non-CCC analytes	

American Analytical Laboratories, LLC.**Date:** 08-Dec-08**ELAP ID :** 11418**CLIENT:** Leggette Brashears & Graham Inc.**Client Sample ID:** WQ112508:1110NP2-10**Lab Order:** 0812065**Collection Date:** 11/25/2008 11:10:00 AM**Project:** Rowe**Matrix:** LIQUID**Lab ID:** 0812065-03A**Certificate of Results**

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
VOLATILE SW-846 8260 + MTBE & FREON113			SW8260B		Analyst: LA		
Vinyl acetate	U	0.3	1.0		µg/L	1	12/5/2008 4:12:00 AM
Vinyl chloride	U	0.3	1.0		µg/L	1	12/5/2008 4:12:00 AM
Surr: 4-Bromofluorobenzene	94.1	0	60-130		%REC	1	12/5/2008 4:12:00 AM
Surr: Dibromofluoromethane	108	0	63-127		%REC	1	12/5/2008 4:12:00 AM
Surr: Toluene-d8	98.5	0	61-128		%REC	1	12/5/2008 4:12:00 AM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735

Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



Qualifiers:	*	Value exceeds Maximum Contaminant Level	B	Analyte detected in the associated Method Blank
	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded
	J	Analyte detected below quantitation limits	LOD	Limit of Detection
	LOQ	Limit of Quantitation	ND	Not Detected at the Reporting Limit
	S	Spike Recovery outside accepted recovery limits	U	Indicates the compound was analyzed but not detected.
	C	Calibration %RSD/%D exceeded for non-CCC analytes		

American Analytical Laboratories, LLC.

Date: 08-Dec-08

ELAP ID : 11418

CLIENT: Leggette Brashears & Graham Inc.

Client Sample ID: WQ112508:1110NP2-10

Lab Order: 0812065

Collection Date: 11/25/2008 11:10:00 AM

Project: Rowe

Matrix: LIQUID

Lab ID: 0812065-03B

Certificate of Results

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
TOTAL IRON			E200.7		SW3010A		Analyst: JP
Iron	1.36	0.005	0.0200		mg/L	1	12/4/2008 10:26:01 AM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735

Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



Qualifiers:	*	Value exceeds Maximum Contaminant Level	B	Analyte detected in the associated Method Blank
	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded
	J	Analyte detected below quantitation limits	LOD	Limit of Detection
	LOQ	Limit of Quantitation	ND	Not Detected at the Reporting Limit
	S	Spike Recovery outside accepted recovery limits	U	Indicates the compound was analyzed but not detected.
	C	Calibration %RSD/%D exceeded for non-CCC analytes		

American Analytical Laboratories, LLC.

Date: 08-Dec-08

ELAP ID : 11418

CLIENT: Leggette Brashears & Graham Inc.

Client Sample ID: WQ112508:1110NP2-10

Lab Order: 0812065

Collection Date: 11/25/2008 11:10:00 AM

Project: Rowe

Matrix: LIQUID

Lab ID: 0812065-03C

Certificate of Results

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
DISSOLVED IRON				E200.7	SW3010A		Analyst: JP
Iron	0.121	0.005	0.0200		mg/L	1	12/4/2008 10:23:59 AM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735

Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



Qualifiers:	*	Value exceeds Maximum Contaminant Level	B	Analyte detected in the associated Method Blank
	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded
	J	Analyte detected below quantitation limits	LOD	Limit of Detection
LOQ		Limit of Quantitation	ND	Not Detected at the Reporting Limit
S		Spike Recovery outside accepted recovery limits	U	Indicates the compound was analyzed but not detected.
C		Calibration %RSD/%D exceeded for non-CCC analytes		

American Analytical Laboratories, LLC.**Date:** 08-Dec-08**ELAP ID :** 11418**CLIENT:** Leggette Brashears & Graham Inc.**Client Sample ID:** WQ112508:1110NP2-10**Lab Order:** 0812065**Collection Date:** 11/25/2008 11:10:00 AM**Project:** Rowe**Matrix:** LIQUID**Lab ID:** 0812065-03D**Certificate of Results**

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
TOTAL DISSOLVED SOLIDS							
Total Dissolved Solids (Residue, Filterable)	103	0	1.00	H	mg/L	1	Analyst: AS 12/4/2008

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735

Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



Qualifiers:	*	Value exceeds Maximum Contaminant Level	B	Analyte detected in the associated Method Blank
	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded
	J	Analyte detected below quantitation limits	LOD	Limit of Detection
	LOQ	Limit of Quantitation	ND	Not Detected at the Reporting Limit
	S	Spike Recovery outside accepted recovery limits	U	Indicates the compound was analyzed but not detected.
	C	Calibration %RSD/%D exceeded for non-CCC analytes		

CLIENT: Leggett Brashears & Graham Inc.

Work Order: 0812065

Project: Rowe

ANALYTICAL QC SUMMARY REPORT

TestCode: 8260MTBE113_W

Sample ID: V624LCS-120408aL		SampType: LCS		TestCode: 8260MTBE11		Units: µg/L		Prep Date:		RunNo: 40023	
Client ID: LCSW		Batch ID: R40023		TestNo: SW8260B				Analysis Date: 12/4/2008		SeqNo: 531667	
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
1,1,1-Trichloroethane	46	1.0	50.00	0	91.1	43	148				
1,1,2,2-Tetrachloroethane	41	1.0	50.00	0	82.2	32	148				
1,1,2-Trichloro-1,2,2-trifluoroethane	30	1.0	50.00	0	59.2	35	135				
1,1,2-Trichloroethane	40	1.0	50.00	0	80.2	42	136				
1,1-Dichloroethane	44	1.0	50.00	0	88.5	40	150				
1,1-Dichloroethene	59	1.0	50.00	0	118	30	154				
1,2-Dichlorobenzene	42	1.0	50.00	0	84.4	40	129				
1,2-Dichloroethane	44	1.0	50.00	0	87.5	36	141				
1,2-Dichloropropane	42	1.0	50.00	0	83.8	44	138				
1,3-Dichlorobenzene	41	1.0	50.00	0	82.4	40	133				
1,4-Dichlorobenzene	42	1.0	50.00	0	83.3	40	135				
2-Chloroethyl vinyl ether	46	1.0	50.00	0	91.4	21	139				
Benzene	42	1.0	50.00	0	84.3	45	144				
Bromodichloromethane	39	1.0	50.00	0	77.5	35	136				
Bromoform	37	1.0	50.00	0	74.7	28	138				
Bromomethane	59	1.0	50.00	0	118	26	148				
Carbon tetrachloride	47	1.0	50.00	0	94.5	45	141				
Chlorobenzene	41	1.0	50.00	0	81.4	41	142				
Chloroethane	53	1.0	50.00	0	106	36	143				
Chloroform	43	1.0	50.00	0	85.8	42	137				
Chloromethane	59	1.0	50.00	0	118	35	151				
cis-1,3-Dichloropropene	38	1.0	50.00	0	76.6	42	130				
Ethylbenzene	39	1.0	50.00	0	78.1	45	146				
Tetrachloroethene	40	1.0	50.00	0	79.3	45	136				
Toluene	40	1.0	50.00	0	80.8	43	134				
trans-1,2-Dichloroethene	45	1.0	50.00	0	90.1	42	135				
trans-1,3-Dichloropropene	38	1.0	50.00	0	75.9	37	133				
Trichloroethene	42	1.0	50.00	0	83.3	43	140				
Trichlorofluoromethane	65	1.0	50.00	0	130	50	148				
Vinyl chloride	60	1.0	50.00	0	120	35	142				

Qualifiers: E Value above quantitation range

LOD Limit of Detection

R RPD outside accepted recovery limits

H Holding times for preparation or analysis exceeded

LOQ Limit of Quantitation

S Spike Recovery outside accepted recovery limits

J Analyte detected below quantitation li

ND Not Detected at the Reporting Limit

U Indicates the compound was analyzed

CLIENT: Leggett Brashears & Graham Inc.
Work Order: 0812065
Project: Rowe

ANALYTICAL QC SUMMARY REPORT
TestCode: 8260MTBE113 W

Sample ID: V624LCS-120408aL	Sample Type: LCS	TestCode: 8260MTBE11	Units: µg/L	Prep Date:	RunNo: 40023						
Client ID: LCSW	Batch ID: R40023	TestNo: SW8260B		Analysis Date: 12/4/2008	SeqNo: 531667						
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual

Surr: 4-Bromofluorobenzene 47
Surr: Dibromofluoromethane 56
Surr: Toluene-d8 50

Sample ID: VBLK-120408aL	Sample Type: MBLK	TestCode: 8260MTBE11	Units: µg/L	Prep Date:	RunNo: 40023						
Client ID: PBW	Batch ID: R40023	TestNo: SW8260B		Analysis Date: 12/4/2008	SeqNo: 531668						
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual

1,1,1,2-Tetrachloroethane U 1.0
1,1,1-Trichloroethane U 1.0
1,1,2,2-Tetrachloroethane U 1.0
1,1,2-Trichloro-1,2,2-trifluoroethane U 1.0
1,1,2-Trichloroethane U 1.0
1,1-Dichloroethane U 1.0
1,1-Dichloroethene U 1.0
1,1-Dichloropropene U 1.0
1,2,3-Trichlorobenzene U 1.0
1,2,3-Trichloropropane U 1.0
1,2,4-Trichlorobenzene U 1.0
1,2,4-Trimethylbenzene U 1.0
1,2-Dibromo-3-chloropropane U 1.0
1,2-Dibromoethane U 1.0
1,2-Dichlorobenzene U 1.0
1,2-Dichloroethane U 1.0
1,2-Dichloropropane U 1.0
1,3,5-Trimethylbenzene U 1.0
1,3-Dichlorobenzene U 1.0
1,3-dichloropropane U 1.0
1,4-Dichlorobenzene U 1.0
2,2-Dichloropropane U 1.0
2-Butanone U 3.0

Qualifiers:	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation li
	LOD	Limit of Detection	LOQ	Limit of Quantitation	ND	Not Detected at the Reporting Limit
	R	RPD outside accepted recovery limits	S	Spike Recovery outside accepted recovery limits	U	Indicates the compound was analyzed

CLIENT: Leggette Brashears & Graham Inc.
Work Order: 0812065
Project: Rowe

ANALYTICAL QC SUMMARY REPORT
TestCode: 8260MTBE113_W

Sample ID: VBLK-120408aL		SampType: MBLK		TestCode: 8260MTBE11		Units: µg/L		Prep Date:		RunNo: 40023		
Client ID: PBW		Batch ID: R40023		TestNo: SW8260B				Analysis Date: 12/4/2008		SeqNo: 531668		
Analyte		Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
2-Chloroethyl vinyl ether		U	1.0									
2-Chlorotoluene		U	1.0									
2-Hexanone		U	2.0									
4-Chlorotoluene		U	1.0									
4-Isopropyltoluene		U	1.0									
4-Methyl-2-pentanone		U	2.0									
Acetone		U	2.0									C
Benzene		U	1.0									
Bromobenzene		U	1.0									
Bromochloromethane		U	1.0									
Bromodichloromethane		U	1.0									
Bromoform		U	1.0									
Bromomethane		U	1.0									
Carbon disulfide		U	1.0									
Carbon tetrachloride		U	1.0									
Chlorobenzene		U	1.0									
Chloroethane		U	1.0									
Chloroform		U	1.0									
Chloromethane		U	1.0									
cis-1,2-Dichloroethene		U	1.0									
cis-1,3-Dichloropropene		U	1.0									
Dibromochloromethane		U	1.0									
Dibromomethane		U	1.0									
Dichlorodifluoromethane		U	1.0									C
Ethylbenzene		U	1.0									
Hexachlorobutadiene		U	1.0									
Isopropylbenzene		U	1.0									
m,p-Xylene		U	2.0									
Methyl tert-butyl ether		U	1.0									
Methylene chloride		U	1.0									C
Naphthalene		U	1.0									

Qualifiers: E Value above quantitation range
LOD Limit of Detection
R RPD outside accepted recovery limits

H Holding times for preparation or analysis exceeded
LOQ Limit of Quantitation
S Spike Recovery outside accepted recovery limits

J Analyte detected below quantitation li
ND Not Detected at the Reporting Limit
U Indicates the compound was analyzed

CLIENT: Leggette Brashears & Graham Inc.
Work Order: 0812065
Project: Rowe

ANALYTICAL QC SUMMARY REPORT

TestCode: 8260MTBE113_W

Sample ID: VBLK-120408aL	SampType: MBLK	TestCode: 8260MTBE11	Units: µg/L	Prep Date:	RunNo: 40023						
Client ID: PBW	Batch ID: R40023	TestNo: SW8260B		Analysis Date: 12/4/2008	SeqNo: 531668						
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual

n-Butylbenzene	U	1.0									
n-Propylbenzene	U	1.0									
o-Xylene	U	1.0									
sec-Butylbenzene	U	1.0									
Styrene	U	1.0									
tert-Butylbenzene	U	1.0									
Tetrachloroethene	U	1.0									
Toluene	U	1.0									
trans-1,2-Dichloroethene	U	1.0									
trans-1,3-Dichloropropene	U	1.0									
Trichloroethene	U	1.0									
Trichlorofluoromethane	U	1.0									
Vinyl acetate	U	1.0									
Vinyl chloride	U	1.0									
Surr: 4-Bromofluorobenzene	47		50.00		93.2	60	130				
Surr: Dibromofluoromethane	56		50.00		111	63	127				
Surr: Toluene-d8	50		50.00		99.3	61	128				

Sample ID: 0812065-01AMS	SampType: MS	TestCode: 8260MTBE11	Units: µg/L	Prep Date:	RunNo: 40023						
Client ID: WQ112508:1100NP2	Batch ID: R40023	TestNo: SW8260B		Analysis Date: 12/5/2008	SeqNo: 531670						
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual

1,1,1-Trichloroethane	44	1.0	50.00	1,590	83.9	43	148				
1,1,2,2-Tetrachloroethane	37	1.0	50.00	0	74.1	32	148				
1,1,2-Trichloro-1,2,2-trifluoroethane	26	1.0	50.00	0	52.8	35	135				
1,1,2-Trichloroethane	37	1.0	50.00	0	74.7	42	136				
1,1-Dichloroethane	41	1.0	50.00	0	81.9	40	150				
1,1-Dichloroethene	51	1.0	50.00	0	103	30	154				
1,2-Dichlorobenzene	39	1.0	50.00	0	77.7	40	129				
1,2-Dichloroethane	39	1.0	50.00	0	77.4	36	141				
1,2-Dichloropropane	38	1.0	50.00	0	75.4	44	138				

Qualifiers: E Value above quantitation range H Holding times for preparation or analysis exceeded J Analyte detected below quantitation li
LOD Limit of Detection LOQ Limit of Quantitation ND Not Detected at the Reporting Limit
R RPD outside accepted recovery limits S Spike Recovery outside accepted recovery limits U Indicates the compound was analyzed

CLIENT: Leggett Brashears & Graham Inc.
Work Order: 0812065
Project: Rowe

ANALYTICAL QC SUMMARY REPORT

TestCode: 8260MTBE113_W

Sample ID: 0812065-01AMS	SampType: MS	TestCode: 8260MTBE11	Units: µg/L	Prep Date:	RunNo: 40023						
Client ID: WQ112508:1100NP2	Batch ID: R40023	TestNo: SW8260B		Analysis Date: 12/5/2008	SeqNo: 531670						
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual

1,3-Dichlorobenzene	38	1.0	50.00	0	75.7	40	133				
1,4-Dichlorobenzene	38	1.0	50.00	0	75.7	40	135				
2-Chloroethyl vinyl ether	42	1.0	50.00	0	84.6	21	139				
Benzene	39	1.0	50.00	0	78.4	45	144				
Bromodichloromethane	35	1.0	50.00	0	69.2	35	136				
Bromoform	34	1.0	50.00	0	68.0	28	138				
Bromomethane	51	1.0	50.00	0	103	26	148				
Carbon tetrachloride	42	1.0	50.00	0	84.3	45	141				
Chlorobenzene	38	1.0	50.00	0	75.5	41	142				
Chloroethane	61	1.0	50.00	0	123	36	143				
Chloroform	39	1.0	50.00	0	78.8	42	137				
Chloromethane	51	1.0	50.00	0	103	35	151				
cis-1,3-Dichloropropene	34	1.0	50.00	0	69.0	42	130				
Ethylbenzene	36	1.0	50.00	0	72.9	45	146				
Tetrachloroethene	39	1.0	50.00	2.850	72.7	45	136				
Toluene	37	1.0	50.00	0	74.6	43	134				
trans-1,2-Dichloroethene	41	1.0	50.00	0	82.1	42	135				
trans-1,3-Dichloropropene	34	1.0	50.00	0	67.7	37	133				
Trichloroethene	39	1.0	50.00	0	77.7	43	140				
Trichlorofluoromethane	57	1.0	50.00	0	114	50	148				
Vinyl chloride	53	1.0	50.00	0	105	35	142				
Surr: 4-Bromofluorobenzene	46		50.00		93.0	60	130				
Surr: Dibromofluoromethane	53		50.00		106	63	127				
Surr: Toluene-d8	48		50.00		95.7	61	128				

Sample ID: 0812065-01AMSD	SampType: MSD	TestCode: 8260MTBE11	Units: µg/L	Prep Date:	RunNo: 40023						
Client ID: WQ112508:1100NP2	Batch ID: R40023	TestNo: SW8260B		Analysis Date: 12/5/2008	SeqNo: 531671						
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual

1,1,1-Trichloroethane	41	1.0	50.00	1.590	79.4	43	148	43.54	5.28	20	
1,1,2,2-Tetrachloroethane	35	1.0	50.00	0	70.9	32	148	37.04	4.42	20	

Qualifiers: E Value above quantitation range
LOD Limit of Detection
R RPD outside accepted recovery limits
H Holding times for preparation or analysis exceeded
LOQ Limit of Quantitation
S Spike Recovery outside accepted recovery limits
J Analyte detected below quantification li
ND Not Detected at the Reporting Limit
U Indicates the compound was analyzed

CLIENT: Leggett Brashears & Graham Inc.
Work Order: 0812065
Project: Rowe

ANALYTICAL QC SUMMARY REPORT

TestCode: 8260MTBE113 W

Sample ID: 0812065-01AMSD		SampType: MSD	TestCode: 8260MTBE11		Units: µg/L	Prep Date:		RunNo: 40023			
Client ID: WQ112508:1100NP2		Batch ID: R40023	TestNo: SW8260B			Analysis Date: 12/5/2008		SeqNo: 531671			
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
1,1,2-Trichloro-1,2,2-trifluoroethane	25	1.0	50.00	0	50.5	35	135	26.40	4.41	20	
1,1,2-Trichloroethane	34	1.0	50.00	0	68.3	42	136	37.36	9.01	20	
1,1-Dichloroethane	38	1.0	50.00	0	76.0	40	150	40.96	7.52	20	
1,1-Dichloroethene	50	1.0	50.00	0	101	30	154	51.41	1.92	20	
1,2-Dichlorobenzene	37	1.0	50.00	0	74.7	40	129	38.86	3.94	20	
1,2-Dichloroethane	38	1.0	50.00	0	75.6	36	141	38.70	2.41	20	
1,2-Dichloropropane	36	1.0	50.00	0	71.7	44	138	37.71	5.06	20	
1,3-Dichlorobenzene	36	1.0	50.00	0	72.5	40	133	37.87	4.43	20	
1,4-Dichlorobenzene	36	1.0	50.00	0	71.6	40	135	37.85	5.57	20	
2-Chloroethyl vinyl ether	40	1.0	50.00	0	81.0	21	139	42.30	4.37	20	
Benzene	38	1.0	50.00	0	75.6	45	144	39.18	3.64	20	
Bromodichloromethane	33	1.0	50.00	0	65.9	35	136	34.61	4.94	20	
Bromoform	32	1.0	50.00	0	63.7	28	138	33.98	6.41	20	
Bromomethane	50	1.0	50.00	0	99.7	26	148	51.41	3.06	20	
Carbon tetrachloride	40	1.0	50.00	0	80.9	45	141	42.15	4.17	20	
Chlorobenzene	36	1.0	50.00	0	72.8	41	142	37.74	3.56	20	
Chloroethane	59	1.0	50.00	0	119	36	143	61.39	3.31	20	
Chloroform	37	1.0	50.00	0	73.8	42	137	39.40	6.50	20	
Chloromethane	49	1.0	50.00	0	98.9	35	151	51.33	3.69	20	
cis-1,3-Dichloropropene	33	1.0	50.00	0	65.2	42	130	34.48	5.64	20	
Ethylbenzene	35	1.0	50.00	0	70.0	45	146	36.46	4.14	20	
Tetrachloroethene	37	1.0	50.00	2.850	68.8	45	136	39.18	5.10	20	
Toluene	35	1.0	50.00	0	70.2	43	134	37.32	6.16	20	
trans-1,2-Dichloroethene	39	1.0	50.00	0	78.9	42	135	41.05	4.00	20	
trans-1,3-Dichloropropene	33	1.0	50.00	0	65.3	37	133	33.83	3.49	20	
Trichloroethene	38	1.0	50.00	0	75.1	43	140	38.86	3.38	20	
Trichlorofluoromethane	55	1.0	50.00	0	110	50	148	57.19	3.98	20	
Vinyl chloride	50	1.0	50.00	0	101	35	142	52.60	4.49	20	
Surr: 4-Bromofluorobenzene	46		50.00		92.8	60	130		0	0	
Surr: Dibromofluoromethane	54		50.00		108	63	127		0	0	
Surr: Toluene-d8	48		50.00		95.8	61	128		0	0	

Qualifiers: E Value above quantitation range
LOD Limit of Detection
R RPD outside accepted recovery limits
H Holding times for preparation or analysis exceeded
LOQ Limit of Quantitation
S Spike Recovery outside accepted recovery limits
J Analyte detected below quantitation li
ND Not Detected at the Reporting Limit
U Indicates the compound was analyzed

CLIENT: Leggette Brashears & Graham Inc.
Work Order: 0812065
Project: Rowe

ANALYTICAL QC SUMMARY REPORT

TestCode: FE_D

Sample ID: PBW-120308A	SampType: MBLK	TestCode: FE_D	Units: mg/L	Prep Date: 12/3/2008	RunNo: 39961						
Client ID: PBW	Batch ID: 23813	TestNo: E200.7	SW3010A	Analysis Date: 12/4/2008	SeqNo: 530706						
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Iron	U	0.0200									

Sample ID: LCSW-120308A	SampType: LCS	TestCode: FE_D	Units: mg/L	Prep Date: 12/3/2008	RunNo: 39961						
Client ID: LCSW	Batch ID: 23813	TestNo: E200.7	SW3010A	Analysis Date: 12/4/2008	SeqNo: 530707						
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Iron	1.97	0.0200	2.000	0	98.4	68	122				

Qualifiers:	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation li
LOD	Limit of Detection	LOQ	Limit of Quantitation		ND	Not Detected at the Reporting Limit
R	RPD outside accepted recovery limits	S	Spike Recovery outside accepted recovery limits		U	Indicates the compound was analyzed

CLIENT: Leggette Brashears & Graham Inc.
Work Order: 0812065
Project: Rowe

ANALYTICAL QC SUMMARY REPORT

TestCode: FE_T

Sample ID: PBW-120308A	SampType: MBLK	TestCode: FE_T	Units: mg/L	Prep Date: 12/3/2008	RunNo: 39961					
Client ID: PBW	Batch ID: 23813	TestNo: E200.7	SW3010A	Analysis Date: 12/4/2008	SeqNo: 530725					
Analyte	Result	PQL	SPK value	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Iron		U	0.0200							

Sample ID: LCSW-120308A	SampType: LCS	TestCode: FE_T	Units: mg/L	Prep Date: 12/3/2008	RunNo: 39961					
Client ID: LCSW	Batch ID: 23813	TestNo: E200.7	SW3010A	Analysis Date: 12/4/2008	SeqNo: 530726					
Analyte	Result	PQL	SPK value	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Iron	1.97	0.0200	2.000	98.4	68	122				

Sample ID: 0812065-03B-MS	SampType: MS	TestCode: FE_T	Units: mg/L	Prep Date: 12/3/2008	RunNo: 39961					
Client ID: WQ112508:1110NP2	Batch ID: 23813	TestNo: E200.7	SW3010A	Analysis Date: 12/4/2008	SeqNo: 530733					
Analyte	Result	PQL	SPK value	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Iron	2.30	0.0200	1.000	94.3	68	122				

Sample ID: 0812065-03B-MSD	SampType: MSD	TestCode: FE_T	Units: mg/L	Prep Date: 12/3/2008	RunNo: 39961					
Client ID: WQ112508:1110NP2	Batch ID: 23813	TestNo: E200.7	SW3010A	Analysis Date: 12/4/2008	SeqNo: 530734					
Analyte	Result	PQL	SPK value	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Iron	2.29	0.0200	1.000	93.0	68	122	2.300	0.562	20	

Qualifiers: E Value above quantitation range
LOD Limit of Detection
R RPD outside accepted recovery limits
H Holding times for preparation or analysis exceeded
LOQ Limit of Quantitation
S Spike Recovery outside accepted recovery limits
J Analyte detected below quantitation li
ND Not Detected at the Reporting Limit
U Indicates the compound was analyzed

CLIENT: Leggette Brashears & Graham Inc.
Work Order: 0812065
Project: Rowe

ANALYTICAL QC SUMMARY REPORT

TestCode: TDS_W

Sample ID: MB-R40001	Sample Type: MBLK	TestCode: TDS_W	Units: mg/L	Prep Date:	RunNo: 40001						
Client ID: PBW	Batch ID: R40001	TestNo: M2540C		Analysis Date: 12/4/2008	SeqNo: 531410						
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual

Total Dissolved Solids (Residue, Filtra) U 1.00

Qualifiers:	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation li
	LOD	Limit of Detection	LOQ	Limit of Quantitation	ND	Not Detected at the Reporting Limit
	R	RPD outside accepted recovery limits	S	Spike Recovery outside accepted recovery limits	U	Indicates the compound was analyzed

H8K210161 Analytical Report	1
Sample Receipt Documentation	15
Total Number of Pages	17



TestAmerica Laboratories, Inc.

ANALYTICAL REPORT

Rowe-NABSAG 0401

Lot #: H8K210161

Mark Goldberg

Leggette, Brashears & Graham,
4 Research Drive
Suite #301
Shelton, CT 06484

TESTAMERICA LABORATORIES, INC.

A handwritten signature in black ink, appearing to read "J A McKinney", is written over a large, faint, circular watermark or background mark.

Jamie A. McKinney
Project Manager

November 28, 2008

ANALYTICAL METHODS SUMMARY

H8K210161

<u>PARAMETER</u>	<u>ANALYTICAL METHOD</u>
Volatile Organics by TO15	EPA-2 TO-15

References:

EPA-2 "Compendium of Methods for the Determination of Toxic
Organic Compounds in Ambient Air", EPA-625/R-96/010b,
January 1999.

SAMPLE SUMMARY

H8K210161

WO #	SAMPLE#	CLIENT SAMPLE ID	SAMPLED DATE	SAMP TIME
K3EV3	001	AQ112008:1030NP4-1	11/20/08	10:30
K3EV7	002	AQ112008:1035NP4-2	11/20/08	10:35
K3EWA	003	AQ112008:1040NP4-3	11/20/08	10:40

NOTE (S) :

- The analytical results of the samples listed above are presented on the following pages.
- All calculations are performed before rounding to avoid round-off errors in calculated results.
- Results noted as "ND" were not detected at or above the stated limit.
- This report must not be reproduced, except in full, without the written approval of the laboratory.
- Results for the following parameters are never reported on a dry weight basis: color, corrosivity, density, flashpoint, ignitability, layers, odor, paint filter test, pH, porosity pressure, reactivity, redox potential, specific gravity, spot tests, solids, solubility, temperature, viscosity, and weight.

PROJECT NARRATIVE

H8K210161

The results reported herein are applicable to the samples submitted for analysis only.

This report shall not be reproduced except in full, without the written approval of the laboratory.

The original chain of custody documentation is included with this report.

Sample Receipt

There were no problems with the condition of the samples received.

Quality Control and Data Interpretation

Unless otherwise noted, all holding times and QC criteria were met and the test results shown in this report meet all applicable NELAC requirements.

EPA methods TO-14A and TO-15 specify the use of humidified “zero air” as the blank reagent for canister cleaning, instrument calibration and sample analysis. Ultra-high purity humidified nitrogen from a cryogenic reservoir is used in place of “zero air” by TestAmerica Knoxville.

Due to an update to the laboratory procedure, batch 8330385 contains only one surrogate, bromofluorobenzene. Note that the reference method does not require the use of surrogates for this analysis.

The samples were received on 11/21/08 in Tedlar bags and transferred into Summa Canisters within 72 hours of sampling.

TestAmerica Knoxville maintains the following certifications, approvals and accreditations: Arkansas DEQ Lab #88-0688, California DHS ELAP Cert. #2423, Colorado DPHE, Connecticut DPH Lab #PH-0223, Florida DOH Lab #E87177, Georgia DNR Lab #906, Hawaii DOH, Illinois EPA Lab #200012, Indiana DOH Lab #C-TN-02, Iowa DNR Lab #375, Kansas DHE Cert. #E-10349, Kentucky DEP Lab #90101, Louisiana DEQ Cert. #03079, Louisiana DOHH, Maryland DOE Cert. #277, Michigan DEQ Lab #9933, Nevada DEP, New Jersey DEP Lab #TN001, New York DOH Lab #10781, North Carolina DPH Lab #21705, North Carolina DEHNR Cert. #64, Ohio EPA VAP Lab #CL0059, Oklahoma DEQ Lab #9415, Pennsylvania DEP Lab #68-00576, South Carolina DHEC Cert #84001001, Tennessee DOH Lab #02014, Texas CEQ, Utah DOH Lab # QUAN3, Virginia DGS Lab #00165, Washington DOE Lab #C1314, West Virginia DEP Cert. #345, West Virginia DHHR Cert #9955C, Wisconsin DNR Lab #998044300, Naval Facilities Engineering Service Center and USDA Soil Permit #S-46424. This list of approvals is subject to change and does not imply that laboratory certification is available for all parameters reported in this environmental sample data report.

Sample Data Summary

Leggette, Brashears & Graham, Inc.
 Client Sample ID: AQ112008:1030NP4-1
 GC/MS Volatiles

Lot-Sample # H8K210161 - 001 Work Order # K3EV31AA Matrix.....: AIR

Date Sampled...: 11/20/2008 Date Received...: 11/21/2008
 Prep Date.....: 11/25/2008 Analysis Date...: 11/25/2008
 Prep Batch #....: 8330385
 Dilution Factor.: 5 Method.....: TO-15

PARAMETER	RESULTS (ppb(v/v))	REPORTING LIMIT (ppb(v/v))	RESULTS (ug/m3)		REPORTING LIMIT (ug/m3)
Benzene	ND	1.0	ND		3.2
Bromodichloromethane	ND	1.0	ND		6.7
Bromoform	ND	1.0	ND		10
Bromomethane	ND	1.0	ND		3.9
Carbon disulfide	0.57	2.5	1.8	J B	7.8
Carbon tetrachloride	ND	1.0	ND		6.3
Chlorobenzene	ND	1.0	ND		4.6
Dibromochloromethane	ND	1.0	ND		8.5
Chloroethane	ND	1.0	ND		2.6
Chloroform	ND	1.0	ND		4.9
Chloromethane	ND	2.5	ND		5.2
1,1-Dichloroethane	ND	1.0	ND		4.0
1,2-Dichloroethane	ND	1.0	ND		4.0
cis-1,2-Dichloroethene	ND	1.0	ND		4.0
trans-1,2-Dichloroethene	ND	1.0	ND		4.0
1,1-Dichloroethene	ND	1.0	ND		4.0
1,2-Dichloropropane	ND	1.0	ND		4.6
cis-1,3-Dichloropropene	ND	1.0	ND		4.5
trans-1,3-Dichloropropene	ND	1.0	ND		4.5
Ethylbenzene	ND	1.0	ND		4.3
Methylene chloride	5.1	2.5	18	B	8.7
Styrene	ND	1.0	ND		4.3
1,1,2,2-Tetrachloroethane	ND	1.0	ND		6.9
Tetrachloroethene	ND	1.0	ND		6.8
Toluene	ND	1.0	ND		3.8
1,1,1-Trichloroethane	ND	1.0	ND		5.5
1,1,2-Trichloroethane	ND	1.0	ND		5.5
Trichloroethene	ND	1.0	ND		5.4
Vinyl chloride	ND	1.0	ND		2.6
m-Xylene & p-Xylene	ND	1.0	ND		4.3
o-Xylene	ND	1.0	ND		4.3

SURROGATE	PERCENT RECOVERY	LABORATORY CONTROL LIMITS (%)
4-Bromofluorobenzene	98	70 - 130

Leggette, Brashears & Graham, Inc.
Client Sample ID: AQ112008:1030NP4-1
GC/MS Volatiles

Lot-Sample # H8K210161 - 001 Work Order # K3EV31AA Matrix.....: AIR

Qualifiers

B Method blank contamination. The associated method blank contains the target analyte at a reportable level.
J Estimated result. Result is less than RL.

The 'Result' in ug/m3 is calculated using the following equation: Amount Found(before rounding)*(Molecular Weight/24.45)

The 'Reporting Limit' in ug/m3 is calculated using the following equation: (Reporting
Limit(before rounding) * Dilution Factor) * (Molecular Weight/24.45)

Leggette, Brashears & Graham, Inc.

Client Sample ID: AQ112008:1035NP4-2

GC/MS Volatiles

Lot-Sample # H8K210161 - 002 Work Order # K3EV71AA Matrix.....: AIR

Date Sampled...: 11/20/2008 Date Received...: 11/21/2008
 Prep Date.....: 11/25/2008 Analysis Date...: 11/25/2008
 Prep Batch #....: 8330385
 Dilution Factor.: 5 Method.....: TO-15

PARAMETER	RESULTS (ppb(v/v))	REPORTING LIMIT (ppb(v/v))	RESULTS (ug/m3)	REPORTING LIMIT (ug/m3)
Benzene	ND	1.0	ND	3.2
Bromodichloromethane	ND	1.0	ND	6.7
Bromoform	ND	1.0	ND	10
Bromomethane	ND	1.0	ND	3.9
Carbon disulfide	0.68	2.5	2.1	7.8
Carbon tetrachloride	ND	1.0	ND	6.3
Chlorobenzene	ND	1.0	ND	4.6
Dibromochloromethane	ND	1.0	ND	8.5
Chloroethane	ND	1.0	ND	2.6
Chloroform	0.45	1.0	2.2	4.9
Chloromethane	ND	2.5	ND	5.2
1,1-Dichloroethane	0.69	1.0	2.8	4.0
1,2-Dichloroethane	ND	1.0	ND	4.0
cis-1,2-Dichloroethene	0.37	1.0	1.5	4.0
trans-1,2-Dichloroethene	ND	1.0	ND	4.0
1,1-Dichloroethene	ND	1.0	ND	4.0
1,2-Dichloropropane	ND	1.0	ND	4.6
cis-1,3-Dichloropropene	ND	1.0	ND	4.5
trans-1,3-Dichloropropene	ND	1.0	ND	4.5
Ethylbenzene	0.37	1.0	1.6	4.3
Methylene chloride	1.4	2.5	4.7	8.7
Styrene	ND	1.0	ND	4.3
1,1,2,2-Tetrachloroethane	ND	1.0	ND	6.9
Tetrachloroethene	20	1.0	130	6.8
Toluene	0.56	1.0	2.1	3.8
1,1,1-Trichloroethane	4.9	1.0	27	5.5
1,1,2-Trichloroethane	ND	1.0	ND	5.5
Trichloroethene	2.7	1.0	14	5.4
Vinyl chloride	ND	1.0	ND	2.6
m-Xylene & p-Xylene	1.1	1.0	4.6	4.3
o-Xylene	ND	1.0	ND	4.3

SURROGATE

PERCENT
RECOVERYLABORATORY
CONTROL
LIMITS (%)

4-Bromofluorobenzene

98

70 - 130

Leggette, Brashears & Graham, Inc.

Client Sample ID: AQ112008:1035NP4-2

GC/MS Volatiles

Lot-Sample # H8K210161 - 002 Work Order # K3EV71AA Matrix.....: AIR

Qualifiers

B Method blank contamination. The associated method blank contains the target analyte at a reportable level.
J Estimated result. Result is less than RL.

The 'Result' in ug/m3 is calculated using the following equation: Amount Found(before rounding)*(Molecular Weight/24.45)

The 'Reporting Limit' in ug/m3 is calculated using the following equation: (Reporting Limit(before rounding) * Dilution Factor) * (Molecular Weight/24.45)

Leggette, Brashears & Graham, Inc.
 Client Sample ID: AQ112008:1040NP4-3
 GC/MS Volatiles

Lot-Sample # H8K210161 - 003 Work Order # K3EWA1AA Matrix.....: AIR

Date Sampled...: 11/20/2008 Date Received...: 11/21/2008
 Prep Date.....: 11/25/2008 Analysis Date...: 11/25/2008
 Prep Batch #....: 8330385
 Dilution Factor.: 5 Method.....: TO-15

PARAMETER	RESULTS (ppb(v/v))	REPORTING LIMIT (ppb(v/v))	RESULTS (ug/m3)		REPORTING LIMIT (ug/m3)
Benzene	ND	1.0	ND		3.2
Bromodichloromethane	ND	1.0	ND		6.7
Bromoform	ND	1.0	ND		10
Bromomethane	ND	1.0	ND		3.9
Carbon disulfide	0.70	2.5	2.2	J B	7.8
Carbon tetrachloride	ND	1.0	ND		6.3
Chlorobenzene	ND	1.0	ND		4.6
Dibromochloromethane	ND	1.0	ND		8.5
Chloroethane	ND	1.0	ND		2.6
Chloroform	ND	1.0	ND		4.9
Chloromethane	ND	2.5	ND		5.2
1,1-Dichloroethane	ND	1.0	ND		4.0
1,2-Dichloroethane	ND	1.0	ND		4.0
cis-1,2-Dichloroethene	ND	1.0	ND		4.0
trans-1,2-Dichloroethene	ND	1.0	ND		4.0
1,1-Dichloroethene	ND	1.0	ND		4.0
1,2-Dichloropropane	ND	1.0	ND		4.6
cis-1,3-Dichloropropene	ND	1.0	ND		4.5
trans-1,3-Dichloropropene	ND	1.0	ND		4.5
Ethylbenzene	ND	1.0	ND		4.3
Methylene chloride	1.3	2.5	4.4	J B	8.7
Styrene	ND	1.0	ND		4.3
1,1,2,2-Tetrachloroethane	ND	1.0	ND		6.9
Tetrachloroethene	ND	1.0	ND		6.8
Toluene	ND	1.0	ND		3.8
1,1,1-Trichloroethane	0.35	1.0	1.9	J	5.5
1,1,2-Trichloroethane	ND	1.0	ND		5.5
Trichloroethene	ND	1.0	ND		5.4
Vinyl chloride	ND	1.0	ND		2.6
m-Xylene & p-Xylene	ND	1.0	ND		4.3
o-Xylene	ND	1.0	ND		4.3

SURROGATE	PERCENT RECOVERY	LABORATORY CONTROL LIMITS (%)
4-Bromofluorobenzene	96	70 - 130

Leggette, Brashears & Graham, Inc.
Client Sample ID: AQ112008:1040NP4-3
GC/MS Volatiles

Lot-Sample # H8K210161 - 003 Work Order # K3EWA1AA Matrix.....: AIR

Qualifiers

B Method blank contamination. The associated method blank contains the target analyte at a reportable level.
J Estimated result. Result is less than RL.

The 'Result' in ug/m3 is calculated using the following equation: Amount Found(before rounding)*(Molecular Weight/24.45)

The 'Reporting Limit' in ug/m3 is calculated using the following equation: (Reporting
Limit(before rounding) * Dilution Factor) * (Molecular Weight/24.45)

Leggette, Brashears & Graham, Inc.
 Client Sample ID: INTRA-LAB BLANK
 GC/MS Volatiles

Lot-Sample # H8K250000 - 385B Work Order # K3MCX1AA Matrix.....: AIR

Prep Date.....: 11/18/2008 Date Received...: 11/19/2008
 Prep Date.....: 11/25/2008 Analysis Date...: 11/25/2008
 Prep Batch #.....: 8330385
 Dilution Factor.: 1 Method.....: TO-15

PARAMETER	RESULTS (ppb(v/v))	REPORTING LIMIT (ppb(v/v))	RESULTS (ug/m3)	REPORTING LIMIT (ug/m3)
Benzene	ND	0.20	ND	0.64
Bromodichloromethane	ND	0.20	ND	1.3
Bromoform	ND	0.20	ND	2.1
Bromomethane	ND	0.20	ND	0.78
Carbon disulfide	0.056	0.50	0.18 J	1.6
Carbon tetrachloride	ND	0.20	ND	1.3
Chlorobenzene	ND	0.20	ND	0.92
Dibromochloromethane	ND	0.20	ND	1.7
Chloroethane	ND	0.20	ND	0.53
Chloroform	ND	0.20	ND	0.98
Chloromethane	ND	0.50	ND	1.0
1,1-Dichloroethane	ND	0.20	ND	0.81
1,2-Dichloroethane	ND	0.20	ND	0.81
cis-1,2-Dichloroethene	ND	0.20	ND	0.79
trans-1,2-Dichloroethene	ND	0.20	ND	0.79
1,1-Dichloroethene	ND	0.20	ND	0.79
1,2-Dichloropropane	ND	0.20	ND	0.92
cis-1,3-Dichloropropene	ND	0.20	ND	0.91
trans-1,3-Dichloropropene	ND	0.20	ND	0.91
Ethylbenzene	ND	0.20	ND	0.87
Methylene chloride	0.34	0.50	1.2 J	1.7
Styrene	ND	0.20	ND	0.85
1,1,2,2-Tetrachloroethane	ND	0.20	ND	1.4
Tetrachloroethene	ND	0.20	ND	1.4
Toluene	ND	0.20	ND	0.75
1,1,1-Trichloroethane	ND	0.20	ND	1.1
1,1,2-Trichloroethane	ND	0.20	ND	1.1
Trichloroethene	ND	0.20	ND	1.1
Vinyl chloride	ND	0.20	ND	0.51
m-Xylene & p-Xylene	ND	0.20	ND	0.87
o-Xylene	ND	0.20	ND	0.87

SURROGATE	PERCENT RECOVERY	LABORATORY CONTROL LIMITS (%)
4-Bromofluorobenzene	99	70 - 130

Leggette, Brashears & Graham, Inc.
Client Sample ID: INTRA-LAB BLANK
GC/MS Volatiles

Lot-Sample # H8K250000 - 385B Work Order # K3MCX1AA Matrix.....: AIR

Qualifiers

J Estimated result. Result is less than RL.

The 'Result' in ug/m3 is calculated using the following equation: Amount Found(before rounding)*(Molecular Weight/24.45)

The 'Reporting Limit' in ug/m3 is calculated using the following equation: (Reporting Limit(before rounding) * Dilution Factor) * (Molecular Weight/24.45)

Leggette, Brashears & Graham, Inc.
 Client Sample ID: CHECK SAMPLE
 GC/MS Volatiles

Lot-Sample # H8K250000 - 385C Work Order # K3MCX1AC Matrix.....: AIR

Prep Date.....: 11/18/2008 Date Received..: 11/19/2008
 Prep Date.....: 11/25/2008 Analysis Date... 11/25/2008
 Prep Batch #.....: 8330385
 Dilution Factor.: 1 Method.....: TO-15

PARAMETER	SPIKE AMOUNT (ppb(v/v))	MEASURED AMOUNT (ppb(v/v))	SPIKE AMOUNT (ug/m3)	MEASURED AMOUNT (ug/m3)	PERCENT RECOVERY	RECOVERY LIMITS
Benzene	2.50	2.44	8.0	7.8	98	70 - 130
Chlorobenzene	2.50	2.43	12	11	97	70 - 130
1,1-Dichloroethene	2.50	2.06	9.9	8.2	82	70 - 130
Toluene	2.50	2.27	9.4	8.6	91	70 - 130
Trichloroethene	2.50	2.24	13	12	89	70 - 130

SURROGATE	PERCENT RECOVERY	LABORATORY CONTROL LIMITS (%)
4-Bromofluorobenzene	99	70 - 130

The 'Result' in ug/m3 is calculated using the following equation: Amount Found(before rounding)*(Molecular Weight/24.45)

The 'Reporting Limit' in ug/m3 is calculated using the following equation: (Reporting Limit(before rounding) * Dilution Factor) * (Molecular Weight/24.45)

Sample Receipt Documentation

TestAmerica Knoxville
5815 Middlebrook Pike
Knoxville, TN 37921
Phone 865-291-3000 (Main)
Phone 865-291-3031 (Receiving)

Chain of Custody Record

1-816-2101161

TestAmerica

THE LEADER IN ENVIRONMENTAL TESTING

Client Contact		Project Manager: M. Giddings		Site Contact: S. Hines		COC Record _____ of _____	
Company Name: LBT		Tel/Mobile: 203-444-5600		Lab Contact: S. McKinney		COC No: 00508	
Address: 4 Research Dr. Scituate		Analysis Turnaround Time		Analysis (Attach list if more space is needed)		Lab Use Only:	
City/State/Zip: Shelton, CT 06484		Calendar (C) or Work Days (W)		Field Filtered Sample 70-15		Custody Seals Intact? ☒ N ☐ NA	
Phone: 203-444-5000		TAT if different from Below <u>Standard</u>				Number of Packages: <u>100</u>	
Project Name/Number: Rowc		☐ 2 weeks				Temperature: <u>AMBIENT</u> deg C	
Site: Scituate Harbor, NY		☐ 1 week				Shipper: <u>FedEx</u> UPS Other:	
PO #: _____		☐ 2 days				Tracking Number: <u>86846891657</u>	
Sampled by: SH		☐ 1 day		Recorded by: <u>SH</u> Date: <u>11-20-08</u>		Sample Specific Notes:	
Sample Identification		Sample Date	Sample Time	Sample Type	Matrix	# of Cont.	
AQ112008-1030N14-1	11/20/08	1030	1030	A	A	2	
AQ112008-1035N14-2	11/20/08	1035	1035	B	A	2	
AQ112008-1040N14-3	11/20/08	1040	1040	C	A	2	
Preservation Used: 1= Ice, 2= HCl; 3= H ₂ SO ₄ ; 4=HNO ₃ ; 5=NaOH; 6= Na ₂ S ₂ O ₃ Other: <u>None</u>							
Possible Hazard Identification							
☒ Non-Hazard ☐ Flammable ☐ Skin Irritant ☐ Poison B ☐ Unknown							
Special Instructions/QC Requirements & Comments:							
Sample Disposal (A fee may be assessed if samples are retained longer than 1 month)							
☐ Return To Client ☒ Disposal By Lab ☐ Archive For _____ Months							

Relinquished by: <u>[Signature]</u>	Company: <u>LBT</u>	Date/Time: <u>11/20/08 1200</u>	Received by: <u>[Signature]</u>	Date/Time: <u>11-20-08 10:15</u>
Relinquished by:	Company:	Date/Time:	Received by:	Date/Time:
Relinquished by:	Company:	Date/Time:	Received by:	Date/Time:

RETURN WHITE COPY TO LAB WITH SAMPLES
KEEP YELLOW COPY FOR YOUR RECORDS

TAL-0046-140 (0208)

TEST AMERICA KNOXVILLE SAMPLE RECEIPT/CONDITION UPON RECEIPT ANOMALY CHECKLIST

Client: _____ Project: _____ Lot Number: 18K210161

Review Items	Yes	No	NA	If No, what was the problem?	Comments/Actions Taken
1. Do sample container labels match COC? (IDs, Dates, Times)				☐ 1a Do not match COC ☐ 1b Incomplete information ☐ 1c Marking smeared ☐ 1d Label torn ☐ 1e No label ☐ 1f COC not received ☐ 1g Other: _____	
2. Is the cooler temperature within limits? (> freezing temp. of water to 6°C; NC, 1668, 1613B: 0-4°C; VOST: 10°C; MA: 2-6 °C)				☐ 2a Temp Blank = _____ ☐ 2b Cooler Temp = _____	
3. Were samples received with correct chemical preservative (excluding Encore)?				☐ 3a Sample preservative = _____	
4. Were custody seals present/intact on cooler and/or containers?				☐ 4a Not present ☐ 4b Not intact ☐ 4c Other: _____	
5. Were all of the samples listed on the COC received?				☐ 5a Samples received-not on COC ☐ 5b Samples not received-on COC	
6. Were all of the sample containers received intact?				☐ 6a Leaking ☐ 6b Broken	
7. Were VOA samples received without headspace?				☐ 7a Headspace (VOA only)	
8. Were samples received in appropriate containers?				☐ 8a Improper container	
9. Did you check for residual chlorine, if necessary?				☐ 9a Could not be determined due to matrix interference	
10. Were samples received within holding time?				☐ 10a Holding time expired	
11. For rad samples, was sample activity info. provided?				☐ Incomplete information	
12. For SOG water samples (1613B, 1668A, 8290, LR PAHs), do samples have visible solids present?				If yes & appears to be >1%, was SOG notified? _____	
13. Are the shipping containers intact?				☐ 13a Leaking ☐ 13b Other: _____	
14. Was COC relinquished? (Signed/Dated/Timed)				☐ 14a Not relinquished	
15. Are tests/parameters listed for each sample?				☐ 15a Incomplete information	
16. Is the matrix of the samples noted?				☐ 15a Incomplete information	
17. Is the date/time of sample collection noted?				☐ 15a Incomplete information	
18. Is the client and project name/# identified?				☐ 15a Incomplete information	
19. Was the sampler identified on the COC?					

Quote #: 05610 PM Instructions: _____

Sample Receiving Associate: _____

Date: _____

QA026R19.doc, 080707

Wednesday, December 03, 2008

Mark Goldberg
Leggette Brashears & Graham Inc.
4 Research Drive
Suite 301
Shelton, CT 06484

TEL: (203) 929-8555

FAX (203) 926-9140

RE: Rowe

Order No.: 0811352

Dear Mark Goldberg:

American Analytical Laboratories, LLC. received 8 sample(s) on 11/25/2008 for the analyses presented in the following report.

Samples were analyzed in accordance with the test procedures documented on the chain of custody and detailed throughout the text of this report.


The results reported herein relate only to the items tested or to the samples as received by the laboratory. This report may not be reproduced, except in full, without the approval of American Analytical Laboratories, LLC and is not considered complete without a cover page and chain of custody documentation. The limits (LOQ) provided in the data package are analytical reporting limits and not Federal or Local mandated values to which the sample results should be compared.

There were no problems with the analyses and all data for associated QC met laboratory specifications. If there are any exceptions a Case Narrative is provided in the report or the data is qualified. This package has been reviewed by American Analytical Laboratories' QA Department/Laboratory Director to comply with NELAC standards prior to report submittal. This report consists of 55 pages.

If you have any questions regarding these tests results, please do not hesitate to call (631) 454-6100 or email me directly at lbeyer@american-analytical.com.

Sincerely,

Lori Beyer
Lab Director



American Analytical Laboratories, LLC.**Date:** 03-Dec-08**CLIENT:** Leggette Brashears & Graham Inc.**Project:** Rowe**Lab Order:** 0811352**Work Order Sample Summary**

Lab Sample ID	Client Sample ID	Date Collected	Date Received
0811352-01A	GW112008:1110NP1-1-2	11/20/2008 11:10:00 AM	11/25/2008
0811352-01B	GW112008:1110NP1-1-2	11/20/2008 11:10:00 AM	11/25/2008
0811352-01C	GW112008:1110NP1-1-2	11/20/2008 11:10:00 AM	11/25/2008
0811352-02A	GW112008:1115NP1-1-3	11/20/2008 11:15:00 AM	11/25/2008
0811352-02B	GW112008:1115NP1-1-3	11/20/2008 11:15:00 AM	11/25/2008
0811352-02C	GW112008:1115NP1-1-3	11/20/2008 11:15:00 AM	11/25/2008
0811352-03A	GW112008:1120NP1-1-4	11/20/2008 11:20:00 AM	11/25/2008
0811352-03B	GW112008:1120NP1-1-4	11/20/2008 11:20:00 AM	11/25/2008
0811352-03C	GW112008:1120NP1-1-4	11/20/2008 11:20:00 AM	11/25/2008
0811352-04A	GW112008:1125NP1-1-5	11/20/2008 11:25:00 AM	11/25/2008
0811352-04B	GW112008:1125NP1-1-5	11/20/2008 11:25:00 AM	11/25/2008
0811352-04C	GW112008:1125NP1-1-5	11/20/2008 11:25:00 AM	11/25/2008
0811352-05A	GW112008:1130NP1-1-6	11/20/2008 11:30:00 AM	11/25/2008
0811352-05B	GW112008:1130NP1-1-6	11/20/2008 11:30:00 AM	11/25/2008
0811352-05C	GW112008:1130NP1-1-6	11/20/2008 11:30:00 AM	11/25/2008
0811352-06A	GW112008:1135NP1-1-7	11/20/2008 11:35:00 AM	11/25/2008
0811352-06B	GW112008:1135NP1-1-7	11/20/2008 11:35:00 AM	11/25/2008
0811352-06C	GW112008:1135NP1-1-7	11/20/2008 11:35:00 AM	11/25/2008
0811352-07A	GW112008:1140NP1-1-8	11/20/2008 11:40:00 AM	11/25/2008
0811352-07B	GW112008:1140NP1-1-8	11/20/2008 11:40:00 AM	11/25/2008
0811352-07C	GW112008:1140NP1-1-8	11/20/2008 11:40:00 AM	11/25/2008
0811352-08A	GW112008:1145NP1-1-9	11/20/2008 11:45:00 AM	11/25/2008
0811352-08B	GW112008:1145NP1-1-9	11/20/2008 11:45:00 AM	11/25/2008
0811352-08C	GW112008:1145NP1-1-9	11/20/2008 11:45:00 AM	11/25/2008

TAG # / COC

10304

CHAIN OF CUSTODY / REQUEST FOR ANALYSIS DOCUMENT

CLIENT NAME/ADDRESS 686 4 Research Drive Shelton, CT				CONTACT: Mark Goldberg				SAMPLER (SIGNATURE) Stephen Hnat		SAMPLE(S) SEALED YES/NO	
PROJECT LOCATION: Rove								SAMPLER NAME (PRINT) Stephen Hnat		CORRECT CONTAINER(S) YES/NO	
LABORATORY ID #	MATRIX	# CON-TAINERS	SAMPLING DATE/ TIME	SAMPLE # - LOCATION		FOR METHANOL PRESERVED SAMPLES [VOLATILE VIAL #]					
0811352-01AC	W	4	11/20/08 11:10	6W 112008:1110 NP1-1-2		X	X	X			
-02AC			11:15	6W 112008:1115 NP1-1-3							
-03AC			11:20	6W 112008:1120 NP1-1-4							
-04AC			11:25	6W 112008:1125 NP1-1-5							
-05AC			11:30	6W 112008:1130 NP1-1-6							
-06AC			11:35	6W 112008:1135 NP1-1-7							
-07AC			11:40	6W 112008:1140 NP1-1-8							
-08AC			11:45	6W 112008:1145 NP1-1-9							
(AP) -09AC											
11/25/08											
COOLER TEMPERATURE:											
COMMENTS / INSTRUCTIONS											
TURNAROUND REQUIRED: NORMAL ☒ STAT ☐ BY 1/1				RECEIVED BY LAB (SIGNATURE) Mark Jan							
REINQUISHED BY (SIGNATURE) Kitti Dear				PRINTED NAME Kitti Dear				DATE/TIME 11/24/08 17:00			
REINQUISHED BY (SIGNATURE)				PRINTED NAME				DATE/TIME			

American Analytical Laboratories, LLC.

Sample Receipt Checklist

Client Name **LBG CT**

Date and Time Receive **11/25/2008 11:40:13 AM**

Work Order Numbe **0811352**

RcptNo: **1**

Received by **NM**

COC_ID:

CoolerID:

Checklist completed by

Signature

Date

Reviewed by

Initials

Date

Matrix:

Carrier name **FedEx**

Shipping container/cooler in good condition?

Yes ☒

No ☐

Not Presen

Custody seals intact on shipping container/cooler?

Yes ☐

No ☐

Not Presen ☒

Custody seals intact on sample bottles?

Yes ☐

No ☐

Not Presen ☒

Chain of custody present?

Yes ☒

No ☐

Chain of custody signed when relinquished and received?

Yes ☒

No ☐

Chain of custody agrees with sample labels?

Yes ☒

No ☐

Samples in proper container/bottle?

Yes ☒

No ☐

Sample containers intact?

Yes ☒

No ☐

Sufficient sample volume for indicated test?

Yes ☒

No ☐

All samples received within holding time?

Yes ☒

No ☐

Container/Temp Blank temperature in compliance?

Yes ☒

No ☐

Water - VOA vials have zero headspace?

No VOA vials submitted ☐

Yes ☒

No ☐

Water - pH acceptable upon receipt?

Yes ☒

No ☐

N/A ☐

Adjusted?

Checked b

Any No and/or NA (not applicable) response must be detailed in the comments section be

Client contacted

Date contacted:

Person contacted

Contacted by:

Regarding:

Comments:

Cooler: Yes; Ice: Yes; T = 3.3 C.

Corrective Action

American Analytical Laboratories, LLC.

Date: 03-Dec-08

ELAP ID : 11418

CLIENT: Leggette Brashears & Graham Inc.

Client Sample ID: GW112008:1110NP1-1-2

Lab Order: 0811352

Collection Date: 11/20/2008 11:10:00 AM

Project: Rowe

Matrix: LIQUID

Lab ID: 0811352-01A

Certificate of Results

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
VOLATILE SW-846 8260 + MTBE & FREON113			SW8260B		Analyst: LA		
1,1,1,2-Tetrachloroethane	U	0.3	1.0		µg/L	1	12/1/2008 8:49:00 PM
1,1,1-Trichloroethane	U	0.3	1.0		µg/L	1	12/1/2008 8:49:00 PM
1,1,2,2-Tetrachloroethane	U	0.3	1.0		µg/L	1	12/1/2008 8:49:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	U	0.3	1.0		µg/L	1	12/1/2008 8:49:00 PM
1,1,2-Trichloroethane	U	0.3	1.0		µg/L	1	12/1/2008 8:49:00 PM
1,1-Dichloroethane	U	0.3	1.0		µg/L	1	12/1/2008 8:49:00 PM
1,1-Dichloroethene	U	0.3	1.0		µg/L	1	12/1/2008 8:49:00 PM
1,1-Dichloropropene	U	0.3	1.0		µg/L	1	12/1/2008 8:49:00 PM
1,2,3-Trichlorobenzene	U	0.3	1.0		µg/L	1	12/1/2008 8:49:00 PM
1,2,3-Trichloropropane	U	0.4	1.0		µg/L	1	12/1/2008 8:49:00 PM
1,2,4-Trichlorobenzene	U	0.3	1.0		µg/L	1	12/1/2008 8:49:00 PM
1,2,4-Trimethylbenzene	U	0.3	1.0		µg/L	1	12/1/2008 8:49:00 PM
1,2-Dibromo-3-chloropropane	U	0.4	1.0		µg/L	1	12/1/2008 8:49:00 PM
1,2-Dibromoethane	U	0.3	1.0		µg/L	1	12/1/2008 8:49:00 PM
1,2-Dichlorobenzene	U	0.3	1.0		µg/L	1	12/1/2008 8:49:00 PM
1,2-Dichloroethane	U	0.3	1.0		µg/L	1	12/1/2008 8:49:00 PM
1,2-Dichloropropane	U	0.3	1.0		µg/L	1	12/1/2008 8:49:00 PM
1,3,5-Trimethylbenzene	U	0.3	1.0		µg/L	1	12/1/2008 8:49:00 PM
1,3-Dichlorobenzene	U	0.3	1.0		µg/L	1	12/1/2008 8:49:00 PM
1,3-dichloropropane	U	0.3	1.0		µg/L	1	12/1/2008 8:49:00 PM
1,4-Dichlorobenzene	U	0.3	1.0		µg/L	1	12/1/2008 8:49:00 PM
2,2-Dichloropropane	U	0.3	1.0		µg/L	1	12/1/2008 8:49:00 PM
2-Butanone	U	0.3	3.0	C	µg/L	1	12/1/2008 8:49:00 PM
2-Chloroethyl vinyl ether	U	0.3	1.0		µg/L	1	12/1/2008 8:49:00 PM
2-Chlorotoluene	U	0.3	1.0		µg/L	1	12/1/2008 8:49:00 PM
2-Hexanone	U	0.3	2.0		µg/L	1	12/1/2008 8:49:00 PM
4-Chlorotoluene	U	0.3	1.0		µg/L	1	12/1/2008 8:49:00 PM
4-Isopropyltoluene	U	0.3	1.0		µg/L	1	12/1/2008 8:49:00 PM
4-Methyl-2-pentanone	U	0.3	2.0		µg/L	1	12/1/2008 8:49:00 PM
Acetone	U	0.3	2.0		µg/L	1	12/1/2008 8:49:00 PM
Benzene	U	0.3	1.0		µg/L	1	12/1/2008 8:49:00 PM
Bromobenzene	U	0.3	1.0		µg/L	1	12/1/2008 8:49:00 PM
Bromochloromethane	U	0.4	1.0		µg/L	1	12/1/2008 8:49:00 PM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735

Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



Qualifiers:	*	Value exceeds Maximum Contaminant Level	B	Analyte detected in the associated Method Blank
	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded
	J	Analyte detected below quantitation limits	LOD	Limit of Detection
	LOQ	Limit of Quantitation	ND	Not Detected at the Reporting Limit
	S	Spike Recovery outside accepted recovery limits	U	Indicates the compound was analyzed but not detected.
	C	Calibration %RSD/%D exceeded for non-CCC analytes		

American Analytical Laboratories, LLC.

Date: 03-Dec-08

ELAP ID : 11418

CLIENT: Leggette Brashears & Graham Inc.
Lab Order: 0811352
Project: Rowe
Lab ID: 0811352-01A

Client Sample ID: GW112008:1110NP1-1-2
Collection Date: 11/20/2008 11:10:00 AM
Matrix: LIQUID

Certificate of Results

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
VOLATILE SW-846 8260 + MTBE & FREON113			SW8260B			Analyst: LA	
Bromodichloromethane	U	0.3	1.0		µg/L	1	12/1/2008 8:49:00 PM
Bromoform	U	0.3	1.0		µg/L	1	12/1/2008 8:49:00 PM
Bromomethane	U	0.3	1.0		µg/L	1	12/1/2008 8:49:00 PM
Carbon disulfide	U	0.3	1.0		µg/L	1	12/1/2008 8:49:00 PM
Carbon tetrachloride	U	0.3	1.0		µg/L	1	12/1/2008 8:49:00 PM
Chlorobenzene	U	0.3	1.0		µg/L	1	12/1/2008 8:49:00 PM
Chloroethane	U	0.4	1.0		µg/L	1	12/1/2008 8:49:00 PM
Chloroform	U	0.3	1.0		µg/L	1	12/1/2008 8:49:00 PM
Chloromethane	U	0.3	1.0		µg/L	1	12/1/2008 8:49:00 PM
cis-1,2-Dichloroethene	U	0.3	1.0		µg/L	1	12/1/2008 8:49:00 PM
cis-1,3-Dichloropropene	U	0.3	1.0		µg/L	1	12/1/2008 8:49:00 PM
Dibromochloromethane	U	0.3	1.0		µg/L	1	12/1/2008 8:49:00 PM
Dibromomethane	U	0.3	1.0		µg/L	1	12/1/2008 8:49:00 PM
Dichlorodifluoromethane	U	0.3	1.0		µg/L	1	12/1/2008 8:49:00 PM
Ethylbenzene	U	0.3	1.0		µg/L	1	12/1/2008 8:49:00 PM
Hexachlorobutadiene	U	0.3	1.0		µg/L	1	12/1/2008 8:49:00 PM
Isopropylbenzene	U	0.3	1.0		µg/L	1	12/1/2008 8:49:00 PM
m,p-Xylene	U	0.3	2.0		µg/L	1	12/1/2008 8:49:00 PM
Methyl tert-butyl ether	U	0.3	1.0		µg/L	1	12/1/2008 8:49:00 PM
Methylene chloride	U	0.3	1.0	C	µg/L	1	12/1/2008 8:49:00 PM
Naphthalene	U	0.3	1.0	C	µg/L	1	12/1/2008 8:49:00 PM
n-Butylbenzene	U	0.3	1.0		µg/L	1	12/1/2008 8:49:00 PM
n-Propylbenzene	U	0.3	1.0		µg/L	1	12/1/2008 8:49:00 PM
o-Xylene	U	0.3	1.0		µg/L	1	12/1/2008 8:49:00 PM
sec-Butylbenzene	U	0.3	1.0		µg/L	1	12/1/2008 8:49:00 PM
Styrene	U	0.3	1.0		µg/L	1	12/1/2008 8:49:00 PM
tert-Butylbenzene	U	0.3	1.0		µg/L	1	12/1/2008 8:49:00 PM
Tetrachloroethene	8.4	0.3	1.0		µg/L	1	12/1/2008 8:49:00 PM
Toluene	U	0.3	1.0		µg/L	1	12/1/2008 8:49:00 PM
trans-1,2-Dichloroethene	U	0.3	1.0		µg/L	1	12/1/2008 8:49:00 PM
trans-1,3-Dichloropropene	U	0.3	1.0		µg/L	1	12/1/2008 8:49:00 PM
Trichloroethene	U	0.3	1.0		µg/L	1	12/1/2008 8:49:00 PM
Trichlorofluoromethane	U	0.3	1.0		µg/L	1	12/1/2008 8:49:00 PM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735
Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



Qualifiers:	*	Value exceeds Maximum Contaminant Level	B	Analyte detected in the associated Method Blank
	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded
	J	Analyte detected below quantitation limits	LOD	Limit of Detection
	LOQ	Limit of Quantitation	ND	Not Detected at the Reporting Limit
	S	Spike Recovery outside accepted recovery limits	U	Indicates the compound was analyzed but not detected.
	C	Calibration %RSD/%D exceeded for non-CCC analytes		

American Analytical Laboratories, LLC.

Date: 03-Dec-08

ELAP ID : 11418

CLIENT: Leggette Brashears & Graham Inc.**Client Sample ID:** GW112008:1110NP1-1-2**Lab Order:** 0811352**Collection Date:** 11/20/2008 11:10:00 AM**Project:** Rowe**Matrix:** LIQUID**Lab ID:** 0811352-01A**Certificate of Results**

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
VOLATILE SW-846 8260 + MTBE & FREON113			SW8260B		Analyst: LA		
Vinyl acetate	U	0.3	1.0		µg/L	1	12/1/2008 8:49:00 PM
Vinyl chloride	U	0.3	1.0		µg/L	1	12/1/2008 8:49:00 PM
Surr: 4-Bromofluorobenzene	97.4	0	60-130		%REC	1	12/1/2008 8:49:00 PM
Surr: Dibromofluoromethane	91.6	0	63-127		%REC	1	12/1/2008 8:49:00 PM
Surr: Toluene-d8	89.5	0	61-128		%REC	1	12/1/2008 8:49:00 PM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735

Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



Qualifiers:	* Value exceeds Maximum Contaminant Level	B Analyte detected in the associated Method Blank
	E Value above quantitation range	H Holding times for preparation or analysis exceeded
	J Analyte detected below quantitation limits	LOD Limit of Detection
	LOQ Limit of Quantitation	ND Not Detected at the Reporting Limit
	S Spike Recovery outside accepted recovery limits	U Indicates the compound was analyzed but not detected.
	C Calibration %RSD/%D exceeded for non-CCC analytes	

American Analytical Laboratories, LLC.

Date: 03-Dec-08

ELAP ID : 11418

CLIENT: Leggette Brashears & Graham Inc.

Client Sample ID: GW112008:1110NP1-1-2

Lab Order: 0811352

Collection Date: 11/20/2008 11:10:00 AM

Project: Rowe

Matrix: LIQUID

Lab ID: 0811352-01B

Certificate of Results

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
TOTAL IRON				E200.7	SW3010A		Analyst: JP
Iron	2.05	0.007	0.0200		mg/L	1	11/26/2008 10:32:43 AM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735

Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



Qualifiers:	*	Value exceeds Maximum Contaminant Level	B	Analyte detected in the associated Method Blank
	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded
	J	Analyte detected below quantitation limits	LOD	Limit of Detection
	LOQ	Limit of Quantitation	ND	Not Detected at the Reporting Limit
	S	Spike Recovery outside accepted recovery limits	U	Indicates the compound was analyzed but not detected.
	C	Calibration %RSD/%D exceeded for non-CCC analytes		

American Analytical Laboratories, LLC.**Date:** 03-Dec-08**ELAP ID : 11418****CLIENT:** Leggette Brashears & Graham Inc.**Client Sample ID:** GW112008:1110NP1-1-2**Lab Order:** 0811352**Collection Date:** 11/20/2008 11:10:00 AM**Project:** Rowe**Matrix:** LIQUID**Lab ID:** 0811352-01C**Certificate of Results**

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
DISSOLVED IRON				E200.7	SW3005A		Analyst: JP
Iron	0.0280	0.007	0.0200		mg/L	1	11/26/2008 10:31:28 AM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735

Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com

Qualifiers:	*	Value exceeds Maximum Contaminant Level	B	Analyte detected in the associated Method Blank
	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded
	J	Analyte detected below quantitation limits	LOD	Limit of Detection
	LOQ	Limit of Quantitation	ND	Not Detected at the Reporting Limit
	S	Spike Recovery outside accepted recovery limits	U	Indicates the compound was analyzed but not detected.
	C	Calibration %RSD/%D exceeded for non-CCC analytes		

American Analytical Laboratories, LLC.

Date: 03-Dec-08

ELAP ID : 11418

CLIENT: Leggette Brashears & Graham Inc.
Lab Order: 0811352
Project: Rowe
Lab ID: 0811352-02A

Client Sample ID: GW112008:1115NP1-1-3
Collection Date: 11/20/2008 11:15:00 AM
Matrix: LIQUID

Certificate of Results

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
VOLATILE SW-846 8260 + MTBE & FREON113			SW8260B			Analyst: LA	
1,1,1,2-Tetrachloroethane	U	0.3	1.0		µg/L	1	12/1/2008 9:16:00 PM
1,1,1-Trichloroethane	U	0.3	1.0		µg/L	1	12/1/2008 9:16:00 PM
1,1,1,2-Tetrachloroethane	U	0.3	1.0		µg/L	1	12/1/2008 9:16:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	U	0.3	1.0		µg/L	1	12/1/2008 9:16:00 PM
1,1,2-Trichloroethane	U	0.3	1.0		µg/L	1	12/1/2008 9:16:00 PM
1,1-Dichloroethane	U	0.3	1.0		µg/L	1	12/1/2008 9:16:00 PM
1,1-Dichloroethene	U	0.3	1.0		µg/L	1	12/1/2008 9:16:00 PM
1,1-Dichloropropene	U	0.3	1.0		µg/L	1	12/1/2008 9:16:00 PM
1,2,3-Trichlorobenzene	U	0.3	1.0		µg/L	1	12/1/2008 9:16:00 PM
1,2,3-Trichloropropane	U	0.4	1.0		µg/L	1	12/1/2008 9:16:00 PM
1,2,4-Trichlorobenzene	U	0.3	1.0		µg/L	1	12/1/2008 9:16:00 PM
1,2,4-Trimethylbenzene	U	0.3	1.0		µg/L	1	12/1/2008 9:16:00 PM
1,2-Dibromo-3-chloropropane	U	0.4	1.0		µg/L	1	12/1/2008 9:16:00 PM
1,2-Dibromoethane	U	0.3	1.0		µg/L	1	12/1/2008 9:16:00 PM
1,2-Dichlorobenzene	U	0.3	1.0		µg/L	1	12/1/2008 9:16:00 PM
1,2-Dichloroethane	U	0.3	1.0		µg/L	1	12/1/2008 9:16:00 PM
1,2-Dichloropropane	U	0.3	1.0		µg/L	1	12/1/2008 9:16:00 PM
1,3,5-Trimethylbenzene	U	0.3	1.0		µg/L	1	12/1/2008 9:16:00 PM
1,3-Dichlorobenzene	U	0.3	1.0		µg/L	1	12/1/2008 9:16:00 PM
1,3-dichloropropane	U	0.3	1.0		µg/L	1	12/1/2008 9:16:00 PM
1,4-Dichlorobenzene	U	0.3	1.0		µg/L	1	12/1/2008 9:16:00 PM
2,2-Dichloropropane	U	0.3	1.0		µg/L	1	12/1/2008 9:16:00 PM
2-Butanone	U	0.3	3.0	C	µg/L	1	12/1/2008 9:16:00 PM
2-Chloroethyl vinyl ether	U	0.3	1.0	C	µg/L	1	12/1/2008 9:16:00 PM
2-Chlorotoluene	U	0.3	1.0		µg/L	1	12/1/2008 9:16:00 PM
2-Hexanone	U	0.3	2.0		µg/L	1	12/1/2008 9:16:00 PM
4-Chlorotoluene	U	0.3	1.0		µg/L	1	12/1/2008 9:16:00 PM
4-Isopropyltoluene	U	0.3	1.0		µg/L	1	12/1/2008 9:16:00 PM
4-Methyl-2-pentanone	U	0.3	2.0		µg/L	1	12/1/2008 9:16:00 PM
Acetone	U	0.3	2.0		µg/L	1	12/1/2008 9:16:00 PM
Benzene	U	0.3	1.0		µg/L	1	12/1/2008 9:16:00 PM
Bromobenzene	U	0.3	1.0		µg/L	1	12/1/2008 9:16:00 PM
Bromochloromethane	U	0.4	1.0		µg/L	1	12/1/2008 9:16:00 PM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735

Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



Qualifiers:	*	Value exceeds Maximum Contaminant Level	B	Analyte detected in the associated Method Blank
	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded
	J	Analyte detected below quantitation limits	LOD	Limit of Detection
	LOQ	Limit of Quantitation	ND	Not Detected at the Reporting Limit
	S	Spike Recovery outside accepted recovery limits	U	Indicates the compound was analyzed but not detected.
	C	Calibration %RSD/%D exceeded for non-CCC analytes		

American Analytical Laboratories, LLC.

Date: 03-Dec-08

ELAP ID : 11418

CLIENT: Leggette Brashears & Graham Inc.
Lab Order: 0811352
Project: Rowe
Lab ID: 0811352-02A


Client Sample ID: GW112008:1115NPI-1-3
Collection Date: 11/20/2008 11:15:00 AM
Matrix: LIQUID

Certificate of Results

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
VOLATILE SW-846 8260 + MTBE & FREON113			SW8260B			Analyst: LA	
Bromodichloromethane	U	0.3	1.0		µg/L	1	12/1/2008 9:16:00 PM
Bromoform	U	0.3	1.0		µg/L	1	12/1/2008 9:16:00 PM
Bromomethane	U	0.3	1.0		µg/L	1	12/1/2008 9:16:00 PM
Carbon disulfide	U	0.3	1.0		µg/L	1	12/1/2008 9:16:00 PM
Carbon tetrachloride	U	0.3	1.0		µg/L	1	12/1/2008 9:16:00 PM
Chlorobenzene	U	0.3	1.0		µg/L	1	12/1/2008 9:16:00 PM
Chloroethane	U	0.4	1.0		µg/L	1	12/1/2008 9:16:00 PM
Chloroform	U	0.3	1.0		µg/L	1	12/1/2008 9:16:00 PM
Chloromethane	U	0.3	1.0		µg/L	1	12/1/2008 9:16:00 PM
cis-1,2-Dichloroethene	U	0.3	1.0		µg/L	1	12/1/2008 9:16:00 PM
cis-1,3-Dichloropropene	U	0.3	1.0		µg/L	1	12/1/2008 9:16:00 PM
Dibromochloromethane	U	0.3	1.0		µg/L	1	12/1/2008 9:16:00 PM
Dibromomethane	U	0.3	1.0		µg/L	1	12/1/2008 9:16:00 PM
Dichlorodifluoromethane	U	0.3	1.0		µg/L	1	12/1/2008 9:16:00 PM
Ethylbenzene	U	0.3	1.0		µg/L	1	12/1/2008 9:16:00 PM
Hexachlorobutadiene	U	0.3	1.0		µg/L	1	12/1/2008 9:16:00 PM
Isopropylbenzene	U	0.3	1.0		µg/L	1	12/1/2008 9:16:00 PM
m,p-Xylene	U	0.3	2.0		µg/L	1	12/1/2008 9:16:00 PM
Methyl tert-butyl ether	U	0.3	1.0	C	µg/L	1	12/1/2008 9:16:00 PM
Methylene chloride	U	0.3	1.0	C	µg/L	1	12/1/2008 9:16:00 PM
Naphthalene	U	0.3	1.0		µg/L	1	12/1/2008 9:16:00 PM
n-Butylbenzene	U	0.3	1.0		µg/L	1	12/1/2008 9:16:00 PM
n-Propylbenzene	U	0.3	1.0		µg/L	1	12/1/2008 9:16:00 PM
o-Xylene	U	0.3	1.0		µg/L	1	12/1/2008 9:16:00 PM
sec-Butylbenzene	U	0.3	1.0		µg/L	1	12/1/2008 9:16:00 PM
Styrene	U	0.3	1.0		µg/L	1	12/1/2008 9:16:00 PM
tert-Butylbenzene	U	0.3	1.0		µg/L	1	12/1/2008 9:16:00 PM
Tetrachloroethene	U	0.3	1.0		µg/L	1	12/1/2008 9:16:00 PM
Toluene	U	0.3	1.0		µg/L	1	12/1/2008 9:16:00 PM
trans-1,2-Dichloroethene	U	0.3	1.0		µg/L	1	12/1/2008 9:16:00 PM
trans-1,3-Dichloropropene	U	0.3	1.0		µg/L	1	12/1/2008 9:16:00 PM
Trichloroethene	U	0.3	1.0		µg/L	1	12/1/2008 9:16:00 PM
Trichlorofluoromethane	U	0.3	1.0		µg/L	1	12/1/2008 9:16:00 PM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735

Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



Qualifiers:	* Value exceeds Maximum Contaminant Level	B Analyte detected in the associated Method Blank
	E Value above quantitation range	H Holding times for preparation or analysis exceeded
	J Analyte detected below quantitation limits	LOD Limit of Detection
	LOQ Limit of Quantitation	ND Not Detected at the Reporting Limit
	S Spike Recovery outside accepted recovery limits	U Indicates the compound was analyzed but not detected.
	C Calibration %RSD/%D exceeded for non-CCC analytes	

American Analytical Laboratories, LLC.

Date: 03-Dec-08

ELAP ID : 11418

CLIENT: Leggette Brashears & Graham Inc.

Client Sample ID: GW112008:1115NP1-1-3

Lab Order: 0811352

Collection Date: 11/20/2008 11:15:00 AM

Project: Rowe

Matrix: LIQUID

Lab ID: 0811352-02A

Certificate of Results

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
VOLATILE SW-846 8260 + MTBE & FREON113			SW8260B		Analyst: LA		
Vinyl acetate	U	0.3	1.0		µg/L	1	12/1/2008 9:16:00 PM
Vinyl chloride	U	0.3	1.0		µg/L	1	12/1/2008 9:16:00 PM
Surr: 4-Bromofluorobenzene	102	0	60-130		%REC	1	12/1/2008 9:16:00 PM
Surr: Dibromofluoromethane	98.7	0	63-127		%REC	1	12/1/2008 9:16:00 PM
Surr: Toluene-d8	102	0	61-128		%REC	1	12/1/2008 9:16:00 PM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735

Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



Qualifiers:	*	Value exceeds Maximum Contaminant Level	B	Analyte detected in the associated Method Blank
	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded
	J	Analyte detected below quantitation limits	LOD	Limit of Detection
	LOQ	Limit of Quantitation	ND	Not Detected at the Reporting Limit
	S	Spike Recovery outside accepted recovery limits	U	Indicates the compound was analyzed but not detected.
	C	Calibration %RSD/%D exceeded for non-CCC analytes		

American Analytical Laboratories, LLC.**Date:** 03-Dec-08**ELAP ID :** 11418**CLIENT:** Leggette Brashears & Graham Inc.**Client Sample ID:** GW112008:1115NP1-1-3**Lab Order:** 0811352**Collection Date:** 11/20/2008 11:15:00 AM**Project:** Rowe**Matrix:** LIQUID**Lab ID:** 0811352-02B**Certificate of Results**

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
TOTAL IRON				E200.7	SW3010A		Analyst: JP
Iron	1.98	0.007	0.0200		mg/L	1	11/26/2008 10:35:14 AM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735

Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



Qualifiers:	*	Value exceeds Maximum Contaminant Level	B	Analyte detected in the associated Method Blank
	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded
	J	Analyte detected below quantitation limits	LOD	Limit of Detection
	LOQ	Limit of Quantitation	ND	Not Detected at the Reporting Limit
	S	Spike Recovery outside accepted recovery limits	U	Indicates the compound was analyzed but not detected.
	C	Calibration %RSD/%D exceeded for non-CCC analytes		

American Analytical Laboratories, LLC.**Date:** 03-Dec-08**ELAP ID : 11418****CLIENT:** Leggette Brashears & Graham Inc.**Client Sample ID:** GW112008:1115NP1-1-3**Lab Order:** 0811352**Collection Date:** 11/20/2008 11:15:00 AM**Project:** Rowe**Matrix:** LIQUID**Lab ID:** 0811352-02C**Certificate of Results**

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
DISSOLVED IRON				E200.7	SW3005A		Analyst: JP
Iron	0.0352	0.007	0.0200		mg/L	1	11/26/2008 10:33:58 AM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735

Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



Qualifiers:	*	Value exceeds Maximum Contaminant Level	B	Analyte detected in the associated Method Blank
	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded
	J	Analyte detected below quantitation limits	LOD	Limit of Detection
	LOQ	Limit of Quantitation	ND	Not Detected at the Reporting Limit
	S	Spike Recovery outside accepted recovery limits	U	Indicates the compound was analyzed but not detected.
	C	Calibration %RSD/%D exceeded for non-CCC analytes		

American Analytical Laboratories, LLC.

Date: 03-Dec-08

ELAP ID : 11418

CLIENT: Leggette Brashears & Graham Inc.

Client Sample ID: GW112008:1120NP1-1-4

Lab Order: 0811352

Collection Date: 11/20/2008 11:20:00 AM

Project: Rowe

Matrix: LIQUID

Lab ID: 0811352-03A

Certificate of Results

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
VOLATILE SW-846 8260 + MTBE & FREON113			SW8260B		Analyst: LA		
1,1,1,2-Tetrachloroethane	U	0.3	1.0		µg/L	1	12/1/2008 9:40:00 PM
1,1,1-Trichloroethane	U	0.3	1.0		µg/L	1	12/1/2008 9:40:00 PM
1,1,2,2-Tetrachloroethane	U	0.3	1.0		µg/L	1	12/1/2008 9:40:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	U	0.3	1.0		µg/L	1	12/1/2008 9:40:00 PM
1,1,2-Trichloroethane	U	0.3	1.0		µg/L	1	12/1/2008 9:40:00 PM
1,1-Dichloroethane	U	0.3	1.0		µg/L	1	12/1/2008 9:40:00 PM
1,1-Dichloroethene	U	0.3	1.0		µg/L	1	12/1/2008 9:40:00 PM
1,1-Dichloropropene	U	0.3	1.0		µg/L	1	12/1/2008 9:40:00 PM
1,2,3-Trichlorobenzene	U	0.3	1.0		µg/L	1	12/1/2008 9:40:00 PM
1,2,3-Trichloropropane	U	0.4	1.0		µg/L	1	12/1/2008 9:40:00 PM
1,2,4-Trichlorobenzene	U	0.3	1.0		µg/L	1	12/1/2008 9:40:00 PM
1,2,4-Trimethylbenzene	U	0.3	1.0		µg/L	1	12/1/2008 9:40:00 PM
1,2-Dibromo-3-chloropropane	U	0.4	1.0		µg/L	1	12/1/2008 9:40:00 PM
1,2-Dibromoethane	U	0.3	1.0		µg/L	1	12/1/2008 9:40:00 PM
1,2-Dichlorobenzene	U	0.3	1.0		µg/L	1	12/1/2008 9:40:00 PM
1,2-Dichloroethane	U	0.3	1.0		µg/L	1	12/1/2008 9:40:00 PM
1,2-Dichloropropane	U	0.3	1.0		µg/L	1	12/1/2008 9:40:00 PM
1,3,5-Trimethylbenzene	U	0.3	1.0		µg/L	1	12/1/2008 9:40:00 PM
1,3-Dichlorobenzene	U	0.3	1.0		µg/L	1	12/1/2008 9:40:00 PM
1,3-dichloropropane	U	0.3	1.0		µg/L	1	12/1/2008 9:40:00 PM
1,4-Dichlorobenzene	U	0.3	1.0		µg/L	1	12/1/2008 9:40:00 PM
2,2-Dichloropropane	U	0.3	1.0		µg/L	1	12/1/2008 9:40:00 PM
2-Butanone	U	0.3	3.0	C	µg/L	1	12/1/2008 9:40:00 PM
2-Chloroethyl vinyl ether	U	0.3	1.0		µg/L	1	12/1/2008 9:40:00 PM
2-Chlorotoluene	U	0.3	1.0		µg/L	1	12/1/2008 9:40:00 PM
2-Hexanone	U	0.3	2.0		µg/L	1	12/1/2008 9:40:00 PM
4-Chlorotoluene	U	0.3	1.0		µg/L	1	12/1/2008 9:40:00 PM
4-Isopropyltoluene	U	0.3	1.0		µg/L	1	12/1/2008 9:40:00 PM
4-Methyl-2-pentanone	U	0.3	2.0		µg/L	1	12/1/2008 9:40:00 PM
Acetone	U	0.3	2.0		µg/L	1	12/1/2008 9:40:00 PM
Benzene	U	0.3	1.0		µg/L	1	12/1/2008 9:40:00 PM
Bromobenzene	U	0.3	1.0		µg/L	1	12/1/2008 9:40:00 PM
Bromochloromethane	U	0.4	1.0		µg/L	1	12/1/2008 9:40:00 PM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735

Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



Qualifiers:	* Value exceeds Maximum Contaminant Level	B Analyte detected in the associated Method Blank
	E Value above quantitation range	H Holding times for preparation or analysis exceeded
	J Analyte detected below quantitation limits	LOD Limit of Detection
	LOQ Limit of Quantitation	ND Not Detected at the Reporting Limit
	S Spike Recovery outside accepted recovery limits	U Indicates the compound was analyzed but not detected.
	C Calibration %RSD/%D exceeded for non-CCC analytes	

American Analytical Laboratories, LLC.

Date: 03-Dec-08

ELAP ID : 11418

CLIENT: Leggette Brashears & Graham Inc.
Lab Order: 0811352
Project: Rowe
Lab ID: 0811352-03A

Client Sample ID: GW112008:1120NP1-1-4
Collection Date: 11/20/2008 11:20:00 AM
Matrix: LIQUID

Certificate of Results

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
VOLATILE SW-846 8260 + MTBE & FREON113			SW8260B		Analyst: LA		
Bromodichloromethane	U	0.3	1.0		µg/L	1	12/1/2008 9:40:00 PM
Bromoform	U	0.3	1.0		µg/L	1	12/1/2008 9:40:00 PM
Bromomethane	U	0.3	1.0		µg/L	1	12/1/2008 9:40:00 PM
Carbon disulfide	U	0.3	1.0		µg/L	1	12/1/2008 9:40:00 PM
Carbon tetrachloride	U	0.3	1.0		µg/L	1	12/1/2008 9:40:00 PM
Chlorobenzene	U	0.3	1.0		µg/L	1	12/1/2008 9:40:00 PM
Chloroethane	U	0.4	1.0		µg/L	1	12/1/2008 9:40:00 PM
Chloroform	U	0.3	1.0		µg/L	1	12/1/2008 9:40:00 PM
Chloromethane	U	0.3	1.0		µg/L	1	12/1/2008 9:40:00 PM
cis-1,2-Dichloroethene	U	0.3	1.0		µg/L	1	12/1/2008 9:40:00 PM
cis-1,3-Dichloropropene	U	0.3	1.0		µg/L	1	12/1/2008 9:40:00 PM
Dibromochloromethane	U	0.3	1.0		µg/L	1	12/1/2008 9:40:00 PM
Dibromomethane	U	0.3	1.0		µg/L	1	12/1/2008 9:40:00 PM
Dichlorodifluoromethane	U	0.3	1.0		µg/L	1	12/1/2008 9:40:00 PM
Ethylbenzene	U	0.3	1.0		µg/L	1	12/1/2008 9:40:00 PM
Hexachlorobutadiene	U	0.3	1.0		µg/L	1	12/1/2008 9:40:00 PM
Isopropylbenzene	U	0.3	1.0		µg/L	1	12/1/2008 9:40:00 PM
m,p-Xylene	U	0.3	2.0		µg/L	1	12/1/2008 9:40:00 PM
Methyl tert-butyl ether	U	0.3	1.0		µg/L	1	12/1/2008 9:40:00 PM
Methylene chloride	U	0.3	1.0	C	µg/L	1	12/1/2008 9:40:00 PM
Naphthalene	U	0.3	1.0	C	µg/L	1	12/1/2008 9:40:00 PM
n-Butylbenzene	U	0.3	1.0		µg/L	1	12/1/2008 9:40:00 PM
n-Propylbenzene	U	0.3	1.0		µg/L	1	12/1/2008 9:40:00 PM
o-Xylene	U	0.3	1.0		µg/L	1	12/1/2008 9:40:00 PM
sec-Butylbenzene	U	0.3	1.0		µg/L	1	12/1/2008 9:40:00 PM
Styrene	U	0.3	1.0		µg/L	1	12/1/2008 9:40:00 PM
tert-Butylbenzene	U	0.3	1.0		µg/L	1	12/1/2008 9:40:00 PM
Tetrachloroethene	3.0	0.3	1.0		µg/L	1	12/1/2008 9:40:00 PM
Toluene	U	0.3	1.0		µg/L	1	12/1/2008 9:40:00 PM
trans-1,2-Dichloroethene	U	0.3	1.0		µg/L	1	12/1/2008 9:40:00 PM
trans-1,3-Dichloropropene	U	0.3	1.0		µg/L	1	12/1/2008 9:40:00 PM
Trichloroethene	U	0.3	1.0		µg/L	1	12/1/2008 9:40:00 PM
Trichlorofluoromethane	U	0.3	1.0		µg/L	1	12/1/2008 9:40:00 PM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735

Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



Qualifiers:	* Value exceeds Maximum Contaminant Level	B Analyte detected in the associated Method Blank
	E Value above quantitation range	H Holding times for preparation or analysis exceeded
	J Analyte detected below quantitation limits	LOD Limit of Detection
	LOQ Limit of Quantitation	ND Not Detected at the Reporting Limit
	S Spike Recovery outside accepted recovery limits	U Indicates the compound was analyzed but not detected.
	C Calibration %RSD/%D exceeded for non-CCC analytes	

American Analytical Laboratories, LLC.

Date: 03-Dec-08

ELAP ID : 11418

CLIENT: Leggette Brashears & Graham Inc.

Client Sample ID: GW112008:1120NP1-1-4

Lab Order: 0811352

Collection Date: 11/20/2008 11:20:00 AM

Project: Rowe

Matrix: LIQUID

Lab ID: 0811352-03A

Certificate of Results

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
VOLATILE SW-846 8260 + MTBE & FREON113			SW8260B		Analyst: LA		
Vinyl acetate	U	0.3	1.0		µg/L	1	12/1/2008 9:40:00 PM
Vinyl chloride	U	0.3	1.0		µg/L	1	12/1/2008 9:40:00 PM
Surr: 4-Bromofluorobenzene	102	0	60-130		%REC	1	12/1/2008 9:40:00 PM
Surr: Dibromofluoromethane	97.0	0	63-127		%REC	1	12/1/2008 9:40:00 PM
Surr: Toluene-d8	95.5	0	61-128		%REC	1	12/1/2008 9:40:00 PM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735

Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



Qualifiers:	*	Value exceeds Maximum Contaminant Level	B	Analyte detected in the associated Method Blank
	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded
	J	Analyte detected below quantitation limits	LOD	Limit of Detection
	LOQ	Limit of Quantitation	ND	Not Detected at the Reporting Limit
	S	Spike Recovery outside accepted recovery limits	U	Indicates the compound was analyzed but not detected.
	C	Calibration %RSD/%D exceeded for non-CCC analytes		

American Analytical Laboratories, LLC.**Date:** 03-Dec-08**ELAP ID : 11418****CLIENT:** Leggette Brashears & Graham Inc.**Client Sample ID:** GW112008:1120NP1-1-4**Lab Order:** 0811352**Collection Date:** 11/20/2008 11:20:00 AM**Project:** Rowe**Matrix:** LIQUID**Lab ID:** 0811352-03B**Certificate of Results**

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
TOTAL IRON				E200.7	SW3010A		Analyst: JP
Iron	4.67	0.007	0.0200		mg/L	1	11/26/2008 10:37:46 AM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735

Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



Qualifiers:	*	Value exceeds Maximum Contaminant Level	B	Analyte detected in the associated Method Blank
	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded
	J	Analyte detected below quantitation limits	LOD	Limit of Detection
	LOQ	Limit of Quantitation	ND	Not Detected at the Reporting Limit
	S	Spike Recovery outside accepted recovery limits	U	Indicates the compound was analyzed but not detected.
	C	Calibration %RSD/%D exceeded for non-CCC analytes		

American Analytical Laboratories, LLC.**Date:** 03-Dec-08**ELAP ID :** 11418**CLIENT:** Leggette Brashears & Graham Inc.**Client Sample ID:** GW112008:1120NP1-1-4**Lab Order:** 0811352**Collection Date:** 11/20/2008 11:20:00 AM**Project:** Rowe**Matrix:** LIQUID**Lab ID:** 0811352-03C**Certificate of Results**

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
DISSOLVED IRON			E200.7		SW3005A		Analyst: JP
Iron	0.0194	0.007	0.0200	J	mg/L	1	11/26/2008 10:36:30 AM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735

Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com

Qualifiers:	* Value exceeds Maximum Contaminant Level	B Analyte detected in the associated Method Blank
	E Value above quantitation range	H Holding times for preparation or analysis exceeded
	J Analyte detected below quantitation limits	LOD Limit of Detection
	LOQ Limit of Quantitation	ND Not Detected at the Reporting Limit
	S Spike Recovery outside accepted recovery limits	U Indicates the compound was analyzed but not detected.
	C Calibration %RSD/%D exceeded for non-CCC analytes	

American Analytical Laboratories, LLC.

Date: 03-Dec-08

ELAP ID : 11418

CLIENT: Leggette Brashears & Graham Inc.

Client Sample ID: GW112008:1125NP1-1-5

Lab Order: 0811352

Collection Date: 11/20/2008 11:25:00 AM

Project: Rowe

Matrix: LIQUID

Lab ID: 0811352-04A

Certificate of Results

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
VOLATILE SW-846 8260 + MTBE & FREON113			SW8260B			Analyst: LA	
1,1,1,2-Tetrachloroethane	U	0.3	1.0		µg/L	1	12/1/2008 10:06:00 PM
1,1,1-Trichloroethane	U	0.3	1.0		µg/L	1	12/1/2008 10:06:00 PM
1,1,2,2-Tetrachloroethane	U	0.3	1.0		µg/L	1	12/1/2008 10:06:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	U	0.3	1.0		µg/L	1	12/1/2008 10:06:00 PM
1,1,2-Trichloroethane	U	0.3	1.0		µg/L	1	12/1/2008 10:06:00 PM
1,1-Dichloroethane	U	0.3	1.0		µg/L	1	12/1/2008 10:06:00 PM
1,1-Dichloroethene	U	0.3	1.0		µg/L	1	12/1/2008 10:06:00 PM
1,1-Dichloropropene	U	0.3	1.0		µg/L	1	12/1/2008 10:06:00 PM
1,2,3-Trichlorobenzene	U	0.3	1.0		µg/L	1	12/1/2008 10:06:00 PM
1,2,3-Trichloropropane	U	0.4	1.0		µg/L	1	12/1/2008 10:06:00 PM
1,2,4-Trichlorobenzene	U	0.3	1.0		µg/L	1	12/1/2008 10:06:00 PM
1,2,4-Trimethylbenzene	U	0.3	1.0		µg/L	1	12/1/2008 10:06:00 PM
1,2-Dibromo-3-chloropropane	U	0.4	1.0		µg/L	1	12/1/2008 10:06:00 PM
1,2-Dibromoethane	U	0.3	1.0		µg/L	1	12/1/2008 10:06:00 PM
1,2-Dichlorobenzene	U	0.3	1.0		µg/L	1	12/1/2008 10:06:00 PM
1,2-Dichloroethane	U	0.3	1.0		µg/L	1	12/1/2008 10:06:00 PM
1,2-Dichloropropane	U	0.3	1.0		µg/L	1	12/1/2008 10:06:00 PM
1,3,5-Trimethylbenzene	U	0.3	1.0		µg/L	1	12/1/2008 10:06:00 PM
1,3-Dichlorobenzene	U	0.3	1.0		µg/L	1	12/1/2008 10:06:00 PM
1,3-dichloropropane	U	0.3	1.0		µg/L	1	12/1/2008 10:06:00 PM
1,4-Dichlorobenzene	U	0.3	1.0		µg/L	1	12/1/2008 10:06:00 PM
2,2-Dichloropropane	U	0.3	1.0		µg/L	1	12/1/2008 10:06:00 PM
2-Butanone	U	0.3	3.0	C	µg/L	1	12/1/2008 10:06:00 PM
2-Chloroethyl vinyl ether	U	0.3	1.0	C	µg/L	1	12/1/2008 10:06:00 PM
2-Chlorotoluene	U	0.3	1.0		µg/L	1	12/1/2008 10:06:00 PM
2-Hexanone	U	0.3	2.0		µg/L	1	12/1/2008 10:06:00 PM
4-Chlorotoluene	U	0.3	1.0		µg/L	1	12/1/2008 10:06:00 PM
4-Isopropyltoluene	U	0.3	1.0		µg/L	1	12/1/2008 10:06:00 PM
4-Methyl-2-pentanone	U	0.3	2.0		µg/L	1	12/1/2008 10:06:00 PM
Acetone	U	0.3	2.0		µg/L	1	12/1/2008 10:06:00 PM
Benzene	U	0.3	1.0		µg/L	1	12/1/2008 10:06:00 PM
Bromobenzene	U	0.3	1.0		µg/L	1	12/1/2008 10:06:00 PM
Bromochloromethane	U	0.4	1.0		µg/L	1	12/1/2008 10:06:00 PM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735

Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



Qualifiers:	*	Value exceeds Maximum Contaminant Level	B	Analyte detected in the associated Method Blank
	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded
	J	Analyte detected below quantitation limits	LOD	Limit of Detection
	LOQ	Limit of Quantitation	ND	Not Detected at the Reporting Limit
	S	Spike Recovery outside accepted recovery limits	U	Indicates the compound was analyzed but not detected.
	C	Calibration %RSD/%D exceeded for non-CCC analytes		

American Analytical Laboratories, LLC.

Date: 03-Dec-08

ELAP ID : 11418

CLIENT: Leggette Brashears & Graham Inc.

Client Sample ID: GW112008:1125NP1-1-5

Lab Order: 0811352

Collection Date: 11/20/2008 11:25:00 AM

Project: Rowe

Matrix: LIQUID

Lab ID: 0811352-04A

Certificate of Results

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
VOLATILE SW-846 8260 + MTBE & FREON113			SW8260B		Analyst: LA		
Bromodichloromethane	U	0.3	1.0		µg/L	1	12/1/2008 10:06:00 PM
Bromoform	U	0.3	1.0		µg/L	1	12/1/2008 10:06:00 PM
Bromomethane	U	0.3	1.0		µg/L	1	12/1/2008 10:06:00 PM
Carbon disulfide	U	0.3	1.0		µg/L	1	12/1/2008 10:06:00 PM
Carbon tetrachloride	U	0.3	1.0		µg/L	1	12/1/2008 10:06:00 PM
Chlorobenzene	U	0.3	1.0		µg/L	1	12/1/2008 10:06:00 PM
Chloroethane	U	0.4	1.0		µg/L	1	12/1/2008 10:06:00 PM
Chloroform	U	0.3	1.0		µg/L	1	12/1/2008 10:06:00 PM
Chloromethane	U	0.3	1.0		µg/L	1	12/1/2008 10:06:00 PM
cis-1,2-Dichloroethene	U	0.3	1.0		µg/L	1	12/1/2008 10:06:00 PM
cis-1,3-Dichloropropene	U	0.3	1.0		µg/L	1	12/1/2008 10:06:00 PM
Dibromochloromethane	U	0.3	1.0		µg/L	1	12/1/2008 10:06:00 PM
Dibromomethane	U	0.3	1.0		µg/L	1	12/1/2008 10:06:00 PM
Dichlorodifluoromethane	U	0.3	1.0		µg/L	1	12/1/2008 10:06:00 PM
Ethylbenzene	U	0.3	1.0		µg/L	1	12/1/2008 10:06:00 PM
Hexachlorobutadiene	U	0.3	1.0		µg/L	1	12/1/2008 10:06:00 PM
Isopropylbenzene	U	0.3	1.0		µg/L	1	12/1/2008 10:06:00 PM
m,p-Xylene	U	0.3	2.0		µg/L	1	12/1/2008 10:06:00 PM
Methyl tert-butyl ether	U	0.3	1.0	C	µg/L	1	12/1/2008 10:06:00 PM
Methylene chloride	U	0.3	1.0	C	µg/L	1	12/1/2008 10:06:00 PM
Naphthalene	U	0.3	1.0		µg/L	1	12/1/2008 10:06:00 PM
n-Butylbenzene	U	0.3	1.0		µg/L	1	12/1/2008 10:06:00 PM
n-Propylbenzene	U	0.3	1.0		µg/L	1	12/1/2008 10:06:00 PM
o-Xylene	U	0.3	1.0		µg/L	1	12/1/2008 10:06:00 PM
sec-Butylbenzene	U	0.3	1.0		µg/L	1	12/1/2008 10:06:00 PM
Styrene	U	0.3	1.0		µg/L	1	12/1/2008 10:06:00 PM
tert-Butylbenzene	U	0.3	1.0		µg/L	1	12/1/2008 10:06:00 PM
Tetrachloroethene	U	0.3	1.0		µg/L	1	12/1/2008 10:06:00 PM
Toluene	U	0.3	1.0		µg/L	1	12/1/2008 10:06:00 PM
trans-1,2-Dichloroethene	U	0.3	1.0		µg/L	1	12/1/2008 10:06:00 PM
trans-1,3-Dichloropropene	U	0.3	1.0		µg/L	1	12/1/2008 10:06:00 PM
Trichloroethene	U	0.3	1.0		µg/L	1	12/1/2008 10:06:00 PM
Trichlorofluoromethane	U	0.3	1.0		µg/L	1	12/1/2008 10:06:00 PM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735

Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



Qualifiers:	*	Value exceeds Maximum Contaminant Level	B	Analyte detected in the associated Method Blank
	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded
	J	Analyte detected below quantitation limits	LOD	Limit of Detection
	LOQ	Limit of Quantitation	ND	Not Detected at the Reporting Limit
	S	Spike Recovery outside accepted recovery limits	U	Indicates the compound was analyzed but not detected.
	C	Calibration %RSD/%D exceeded for non-CCC analytes		

American Analytical Laboratories, LLC.

Date: 03-Dec-08

ELAP ID : 11418

CLIENT: Leggette Brashears & Graham Inc.

Client Sample ID: GW112008:1125NP1-1-5

Lab Order: 0811352

Collection Date: 11/20/2008 11:25:00 AM

Project: Rowe

Matrix: LIQUID

Lab ID: 0811352-04A

Certificate of Results

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
VOLATILE SW-846 8260 + MTBE & FREON113			SW8260B		Analyst: LA		
Vinyl acetate	U	0.3	1.0		µg/L	1	12/1/2008 10:06:00 PM
Vinyl chloride	U	0.3	1.0		µg/L	1	12/1/2008 10:06:00 PM
Surr: 4-Bromofluorobenzene	90.9	0	60-130		%REC	1	12/1/2008 10:06:00 PM
Surr: Dibromofluoromethane	98.6	0	63-127		%REC	1	12/1/2008 10:06:00 PM
Surr: Toluene-d8	98.4	0	61-128		%REC	1	12/1/2008 10:06:00 PM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735

Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



Qualifiers:	*	Value exceeds Maximum Contaminant Level	B	Analyte detected in the associated Method Blank
	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded
	J	Analyte detected below quantitation limits	LOD	Limit of Detection
	LOQ	Limit of Quantitation	ND	Not Detected at the Reporting Limit
	S	Spike Recovery outside accepted recovery limits	U	Indicates the compound was analyzed but not detected.
	C	Calibration %RSD/%D exceeded for non-CCC analytes		

American Analytical Laboratories, LLC.**Date:** 03-Dec-08**ELAP ID :** 11418**CLIENT:** Leggette Brashears & Graham Inc.**Client Sample ID:** GW112008:1125NP1-1-5**Lab Order:** 0811352**Collection Date:** 11/20/2008 11:25:00 AM**Project:** Rowe**Matrix:** LIQUID**Lab ID:** 0811352-04B**Certificate of Results**

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
TOTAL IRON				E200.7	SW3010A		Analyst: JP
Iron	0.0674	0.007	0.0200		mg/L	1	11/26/2008 10:52:05 AM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735

Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



Qualifiers:	* Value exceeds Maximum Contaminant Level	B Analyte detected in the associated Method Blank
	E Value above quantitation range	H Holding times for preparation or analysis exceeded
	J Analyte detected below quantitation limits	LOD Limit of Detection
LOQ	Limit of Quantitation	ND Not Detected at the Reporting Limit
S	Spike Recovery outside accepted recovery limits	U Indicates the compound was analyzed but not detected.
C	Calibration %RSD/%D exceeded for non-CCC analytes	

American Analytical Laboratories, LLC.

Date: 03-Dec-08

ELAP ID : 11418

CLIENT: Leggette Brashears & Graham Inc.

Client Sample ID: GW112008:1125NP1-1-5

Lab Order: 0811352

Collection Date: 11/20/2008 11:25:00 AM

Project: Rowe

Matrix: LIQUID

Lab ID: 0811352-04C

Certificate of Results

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
DISSOLVED IRON				E200.7	SW3005A		Analyst: JP
Iron	U	0.007	0.0200		mg/L	1	11/26/2008 10:50:48 AM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735

Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



Qualifiers:	*	Value exceeds Maximum Contaminant Level	B	Analyte detected in the associated Method Blank
	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded
	J	Analyte detected below quantitation limits	LOD	Limit of Detection
	LOQ	Limit of Quantitation	ND	Not Detected at the Reporting Limit
	S	Spike Recovery outside accepted recovery limits	U	Indicates the compound was analyzed but not detected.
	C	Calibration %RSD/%D exceeded for non-CCC analytes		

American Analytical Laboratories, LLC.

Date: 03-Dec-08

ELAP ID : 11418

CLIENT: Leggette Brashears & Graham Inc.

Client Sample ID: GW112008:1130NP1-1-6

Lab Order: 0811352

Collection Date: 11/20/2008 11:30:00 AM

Project: Rowe

Matrix: LIQUID

Lab ID: 0811352-05A

Certificate of Results

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
VOLATILE SW-846 8260 + MTBE & FREON113			SW8260B			Analyst: LA	
1,1,1,2-Tetrachloroethane	U	0.3	1.0		µg/L	1	12/1/2008 10:33:00 PM
1,1,1-Trichloroethane	5.0	0.3	1.0		µg/L	1	12/1/2008 10:33:00 PM
1,1,2,2-Tetrachloroethane	U	0.3	1.0		µg/L	1	12/1/2008 10:33:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	U	0.3	1.0		µg/L	1	12/1/2008 10:33:00 PM
1,1,2-Trichloroethane	U	0.3	1.0		µg/L	1	12/1/2008 10:33:00 PM
1,1-Dichloroethane	U	0.3	1.0		µg/L	1	12/1/2008 10:33:00 PM
1,1-Dichloroethene	U	0.3	1.0		µg/L	1	12/1/2008 10:33:00 PM
1,1-Dichloropropene	U	0.3	1.0		µg/L	1	12/1/2008 10:33:00 PM
1,2,3-Trichlorobenzene	U	0.3	1.0		µg/L	1	12/1/2008 10:33:00 PM
1,2,3-Trichloropropane	U	0.4	1.0		µg/L	1	12/1/2008 10:33:00 PM
1,2,4-Trichlorobenzene	U	0.3	1.0		µg/L	1	12/1/2008 10:33:00 PM
1,2,4-Trimethylbenzene	U	0.3	1.0		µg/L	1	12/1/2008 10:33:00 PM
1,2-Dibromo-3-chloropropane	U	0.4	1.0		µg/L	1	12/1/2008 10:33:00 PM
1,2-Dibromoethane	U	0.3	1.0		µg/L	1	12/1/2008 10:33:00 PM
1,2-Dichlorobenzene	U	0.3	1.0		µg/L	1	12/1/2008 10:33:00 PM
1,2-Dichloroethane	U	0.3	1.0		µg/L	1	12/1/2008 10:33:00 PM
1,2-Dichloropropane	U	0.3	1.0		µg/L	1	12/1/2008 10:33:00 PM
1,3,5-Trimethylbenzene	U	0.3	1.0		µg/L	1	12/1/2008 10:33:00 PM
1,3-Dichlorobenzene	U	0.3	1.0		µg/L	1	12/1/2008 10:33:00 PM
1,3-dichloropropane	U	0.3	1.0		µg/L	1	12/1/2008 10:33:00 PM
1,4-Dichlorobenzene	U	0.3	1.0		µg/L	1	12/1/2008 10:33:00 PM
2,2-Dichloropropane	U	0.3	1.0		µg/L	1	12/1/2008 10:33:00 PM
2-Butanone	U	0.3	3.0	C	µg/L	1	12/1/2008 10:33:00 PM
2-Chloroethyl vinyl ether	U	0.3	1.0		µg/L	1	12/1/2008 10:33:00 PM
2-Chlorotoluene	U	0.3	1.0		µg/L	1	12/1/2008 10:33:00 PM
2-Hexanone	U	0.3	2.0		µg/L	1	12/1/2008 10:33:00 PM
4-Chlorotoluene	U	0.3	1.0		µg/L	1	12/1/2008 10:33:00 PM
4-Isopropyltoluene	U	0.3	1.0		µg/L	1	12/1/2008 10:33:00 PM
4-Methyl-2-pentanone	U	0.3	2.0		µg/L	1	12/1/2008 10:33:00 PM
Acetone	U	0.3	2.0		µg/L	1	12/1/2008 10:33:00 PM
Benzene	U	0.3	1.0		µg/L	1	12/1/2008 10:33:00 PM
Bromobenzene	U	0.3	1.0		µg/L	1	12/1/2008 10:33:00 PM
Bromochloromethane	U	0.4	1.0		µg/L	1	12/1/2008 10:33:00 PM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735

Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



Qualifiers:	*	Value exceeds Maximum Contaminant Level	B	Analyte detected in the associated Method Blank
	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded
	J	Analyte detected below quantitation limits	LOD	Limit of Detection
	LOQ	Limit of Quantitation	ND	Not Detected at the Reporting Limit
	S	Spike Recovery outside accepted recovery limits	U	Indicates the compound was analyzed but not detected.
	C	Calibration %RSD/%D exceeded for non-CCC analytes		

American Analytical Laboratories, LLC.

Date: 03-Dec-08

ELAP ID : 11418

CLIENT: Leggette Brashears & Graham Inc.

Client Sample ID: GW112008:1130NP1-1-6

Lab Order: 0811352

Collection Date: 11/20/2008 11:30:00 AM

Project: Rowe

Matrix: LIQUID

Lab ID: 0811352-05A

Certificate of Results

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
VOLATILE SW-846 8260 + MTBE & FREON113			SW8260B		Analyst: LA		
Bromodichloromethane	U	0.3	1.0		µg/L	1	12/1/2008 10:33:00 PM
Bromoform	U	0.3	1.0		µg/L	1	12/1/2008 10:33:00 PM
Bromomethane	U	0.3	1.0		µg/L	1	12/1/2008 10:33:00 PM
Carbon disulfide	U	0.3	1.0		µg/L	1	12/1/2008 10:33:00 PM
Carbon tetrachloride	U	0.3	1.0		µg/L	1	12/1/2008 10:33:00 PM
Chlorobenzene	U	0.3	1.0		µg/L	1	12/1/2008 10:33:00 PM
Chloroethane	U	0.4	1.0		µg/L	1	12/1/2008 10:33:00 PM
Chloroform	U	0.3	1.0		µg/L	1	12/1/2008 10:33:00 PM
Chloromethane	U	0.3	1.0		µg/L	1	12/1/2008 10:33:00 PM
cis-1,2-Dichloroethene	U	0.3	1.0		µg/L	1	12/1/2008 10:33:00 PM
cis-1,3-Dichloropropene	U	0.3	1.0		µg/L	1	12/1/2008 10:33:00 PM
Dibromochloromethane	U	0.3	1.0		µg/L	1	12/1/2008 10:33:00 PM
Dibromomethane	U	0.3	1.0		µg/L	1	12/1/2008 10:33:00 PM
Dichlorodifluoromethane	U	0.3	1.0		µg/L	1	12/1/2008 10:33:00 PM
Ethylbenzene	U	0.3	1.0		µg/L	1	12/1/2008 10:33:00 PM
Hexachlorobutadiene	U	0.3	1.0		µg/L	1	12/1/2008 10:33:00 PM
Isopropylbenzene	U	0.3	1.0		µg/L	1	12/1/2008 10:33:00 PM
m,p-Xylene	U	0.3	2.0		µg/L	1	12/1/2008 10:33:00 PM
Methyl tert-butyl ether	U	0.3	1.0		µg/L	1	12/1/2008 10:33:00 PM
Methylene chloride	U	0.3	1.0	C	µg/L	1	12/1/2008 10:33:00 PM
Naphthalene	U	0.3	1.0	C	µg/L	1	12/1/2008 10:33:00 PM
n-Butylbenzene	U	0.3	1.0		µg/L	1	12/1/2008 10:33:00 PM
n-Propylbenzene	U	0.3	1.0		µg/L	1	12/1/2008 10:33:00 PM
o-Xylene	U	0.3	1.0		µg/L	1	12/1/2008 10:33:00 PM
sec-Butylbenzene	U	0.3	1.0		µg/L	1	12/1/2008 10:33:00 PM
Styrene	U	0.3	1.0		µg/L	1	12/1/2008 10:33:00 PM
tert-Butylbenzene	U	0.3	1.0		µg/L	1	12/1/2008 10:33:00 PM
Tetrachloroethene	8.8	0.3	1.0		µg/L	1	12/1/2008 10:33:00 PM
Toluene	U	0.3	1.0		µg/L	1	12/1/2008 10:33:00 PM
trans-1,2-Dichloroethene	U	0.3	1.0		µg/L	1	12/1/2008 10:33:00 PM
trans-1,3-Dichloropropene	U	0.3	1.0		µg/L	1	12/1/2008 10:33:00 PM
Trichloroethene	U	0.3	1.0		µg/L	1	12/1/2008 10:33:00 PM
Trichlorofluoromethane	U	0.3	1.0		µg/L	1	12/1/2008 10:33:00 PM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735

Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



Qualifiers:	* Value exceeds Maximum Contaminant Level	B Analyte detected in the associated Method Blank
	E Value above quantitation range	H Holding times for preparation or analysis exceeded
	J Analyte detected below quantitation limits	LOD Limit of Detection
	LOQ Limit of Quantitation	ND Not Detected at the Reporting Limit
	S Spike Recovery outside accepted recovery limits	U Indicates the compound was analyzed but not detected.
	C Calibration %RSD/%D exceeded for non-CCC analytes	

American Analytical Laboratories, LLC.**Date:** 03-Dec-08**ELAP ID :** 11418

CLIENT: Leggette Brashears & Graham Inc.
Lab Order: 0811352
Project: Rowe
Lab ID: 0811352-05A

Client Sample ID: GW112008:1130NP1-1-6
Collection Date: 11/20/2008 11:30:00 AM
Matrix: LIQUID

Certificate of Results

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
VOLATILE SW-846 8260 + MTBE & FREON113			SW8260B			Analyst: LA	
Vinyl acetate	U	0.3	1.0		µg/L	1	12/1/2008 10:33:00 PM
Vinyl chloride	U	0.3	1.0		µg/L	1	12/1/2008 10:33:00 PM
Surr: 4-Bromofluorobenzene	98.1	0	60-130		%REC	1	12/1/2008 10:33:00 PM
Surr: Dibromofluoromethane	98.3	0	63-127		%REC	1	12/1/2008 10:33:00 PM
Surr: Toluene-d8	94.2	0	61-128		%REC	1	12/1/2008 10:33:00 PM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735
Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



Qualifiers:	*	Value exceeds Maximum Contaminant Level	B	Analyte detected in the associated Method Blank
	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded
	J	Analyte detected below quantitation limits	LOD	Limit of Detection
	LOQ	Limit of Quantitation	ND	Not Detected at the Reporting Limit
	S	Spike Recovery outside accepted recovery limits	U	Indicates the compound was analyzed but not detected.
	C	Calibration %RSD/%D exceeded for non-CCC analytes		

American Analytical Laboratories, LLC.

Date: 03-Dec-08

ELAP ID : 11418

CLIENT: Leggette Brashears & Graham Inc.

Client Sample ID: GW112008:1130NP1-1-6

Lab Order: 0811352

Collection Date: 11/20/2008 11:30:00 AM

Project: Rowe

Matrix: LIQUID

Lab ID: 0811352-05B

Certificate of Results

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
TOTAL IRON				E200.7	SW3010A		Analyst: JP
Iron	0.0858	0.007	0.0200		mg/L	1	11/26/2008 10:54:38 AM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735

Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



Qualifiers:	* Value exceeds Maximum Contaminant Level	B Analyte detected in the associated Method Blank
	E Value above quantitation range	H Holding times for preparation or analysis exceeded
	J Analyte detected below quantitation limits	LOD Limit of Detection
LOQ	Limit of Quantitation	ND Not Detected at the Reporting Limit
S	Spike Recovery outside accepted recovery limits	U Indicates the compound was analyzed but not detected.
C	Calibration %RSD/%D exceeded for non-CCC analytes	

American Analytical Laboratories, LLC.

Date: 03-Dec-08

ELAP ID : 11418

CLIENT: Leggette Brashears & Graham Inc.

Client Sample ID: GW112008:1130NP1-1-6

Lab Order: 0811352

Collection Date: 11/20/2008 11:30:00 AM

Project: Rowe

Matrix: LIQUID

Lab ID: 0811352-05C

Certificate of Results

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
DISSOLVED IRON				E200.7	SW3005A		Analyst: JP
Iron	0.0264	0.007	0.0200		mg/L	1	11/26/2008 10:53:22 AM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735

Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



Qualifiers:	*	Value exceeds Maximum Contaminant Level	B	Analyte detected in the associated Method Blank
	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded
	J	Analyte detected below quantitation limits	LOD	Limit of Detection
	LOQ	Limit of Quantitation	ND	Not Detected at the Reporting Limit
	S	Spike Recovery outside accepted recovery limits	U	Indicates the compound was analyzed but not detected.
	C	Calibration %RSD/%D exceeded for non-CCC analytes		

American Analytical Laboratories, LLC.

Date: 03-Dec-08

ELAP ID : 11418

CLIENT: Leggette Brashears & Graham Inc.
Lab Order: 0811352
Project: Rowe
Lab ID: 0811352-06A

Client Sample ID: GW112008:1135NP1-1-7
Collection Date: 11/20/2008 11:35:00 AM
Matrix: LIQUID

Certificate of Results

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
VOLATILE SW-846 8260 + MTBE & FREON113			SW8260B			Analyst: LA	
1,1,1,2-Tetrachloroethane	U	0.3	1.0		µg/L	1	12/1/2008 11:01:00 PM
1,1,1-Trichloroethane	U	0.3	1.0		µg/L	1	12/1/2008 11:01:00 PM
1,1,2,2-Tetrachloroethane	U	0.3	1.0		µg/L	1	12/1/2008 11:01:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	U	0.3	1.0		µg/L	1	12/1/2008 11:01:00 PM
1,1,2-Trichloroethane	U	0.3	1.0		µg/L	1	12/1/2008 11:01:00 PM
1,1-Dichloroethane	U	0.3	1.0		µg/L	1	12/1/2008 11:01:00 PM
1,1-Dichloroethene	U	0.3	1.0		µg/L	1	12/1/2008 11:01:00 PM
1,1-Dichloropropene	U	0.3	1.0		µg/L	1	12/1/2008 11:01:00 PM
1,2,3-Trichlorobenzene	U	0.3	1.0		µg/L	1	12/1/2008 11:01:00 PM
1,2,3-Trichloropropane	U	0.4	1.0		µg/L	1	12/1/2008 11:01:00 PM
1,2,4-Trichlorobenzene	U	0.3	1.0		µg/L	1	12/1/2008 11:01:00 PM
1,2,4-Trimethylbenzene	U	0.3	1.0		µg/L	1	12/1/2008 11:01:00 PM
1,2-Dibromo-3-chloropropane	U	0.4	1.0		µg/L	1	12/1/2008 11:01:00 PM
1,2-Dibromoethane	U	0.3	1.0		µg/L	1	12/1/2008 11:01:00 PM
1,2-Dichlorobenzene	U	0.3	1.0		µg/L	1	12/1/2008 11:01:00 PM
1,2-Dichloroethane	U	0.3	1.0		µg/L	1	12/1/2008 11:01:00 PM
1,2-Dichloropropane	U	0.3	1.0		µg/L	1	12/1/2008 11:01:00 PM
1,3,5-Trimethylbenzene	U	0.3	1.0		µg/L	1	12/1/2008 11:01:00 PM
1,3-Dichlorobenzene	U	0.3	1.0		µg/L	1	12/1/2008 11:01:00 PM
1,3-dichloropropane	U	0.3	1.0		µg/L	1	12/1/2008 11:01:00 PM
1,4-Dichlorobenzene	U	0.3	1.0		µg/L	1	12/1/2008 11:01:00 PM
2,2-Dichloropropane	U	0.3	1.0		µg/L	1	12/1/2008 11:01:00 PM
2-Butanone	U	0.3	3.0	C	µg/L	1	12/1/2008 11:01:00 PM
2-Chloroethyl vinyl ether	U	0.3	1.0	C	µg/L	1	12/1/2008 11:01:00 PM
2-Chlorotoluene	U	0.3	1.0		µg/L	1	12/1/2008 11:01:00 PM
2-Hexanone	U	0.3	2.0		µg/L	1	12/1/2008 11:01:00 PM
4-Chlorotoluene	U	0.3	1.0		µg/L	1	12/1/2008 11:01:00 PM
4-Isopropyltoluene	U	0.3	1.0		µg/L	1	12/1/2008 11:01:00 PM
4-Methyl-2-pentanone	U	0.3	2.0		µg/L	1	12/1/2008 11:01:00 PM
Acetone	U	0.3	2.0		µg/L	1	12/1/2008 11:01:00 PM
Benzene	U	0.3	1.0		µg/L	1	12/1/2008 11:01:00 PM
Bromobenzene	U	0.3	1.0		µg/L	1	12/1/2008 11:01:00 PM
Bromochloromethane	U	0.4	1.0		µg/L	1	12/1/2008 11:01:00 PM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735
Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



Qualifiers:	* Value exceeds Maximum Contaminant Level	B Analyte detected in the associated Method Blank
	E Value above quantitation range	H Holding times for preparation or analysis exceeded
	J Analyte detected below quantitation limits	LOD Limit of Detection
	LOQ Limit of Quantitation	ND Not Detected at the Reporting Limit
	S Spike Recovery outside accepted recovery limits	U Indicates the compound was analyzed but not detected.
	C Calibration %RSD/%D exceeded for non-CCC analytes	

American Analytical Laboratories, LLC.

Date: 03-Dec-08

ELAP ID : 11418

CLIENT: Leggette Brashears & Graham Inc.

Client Sample ID: GW112008:1135NP1-1-7

Lab Order: 0811352

Collection Date: 11/20/2008 11:35:00 AM

Project: Rowe

Matrix: LIQUID

Lab ID: 0811352-06A

Certificate of Results

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
VOLATILE SW-846 8260 + MTBE & FREON113			SW8260B		Analyst: LA		
Bromodichloromethane	U	0.3	1.0		µg/L	1	12/1/2008 11:01:00 PM
Bromoform	U	0.3	1.0		µg/L	1	12/1/2008 11:01:00 PM
Bromomethane	U	0.3	1.0		µg/L	1	12/1/2008 11:01:00 PM
Carbon disulfide	U	0.3	1.0		µg/L	1	12/1/2008 11:01:00 PM
Carbon tetrachloride	U	0.3	1.0		µg/L	1	12/1/2008 11:01:00 PM
Chlorobenzene	U	0.3	1.0		µg/L	1	12/1/2008 11:01:00 PM
Chloroethane	U	0.4	1.0		µg/L	1	12/1/2008 11:01:00 PM
Chloroform	U	0.3	1.0		µg/L	1	12/1/2008 11:01:00 PM
Chloromethane	U	0.3	1.0		µg/L	1	12/1/2008 11:01:00 PM
cis-1,2-Dichloroethene	U	0.3	1.0		µg/L	1	12/1/2008 11:01:00 PM
cis-1,3-Dichloropropene	U	0.3	1.0		µg/L	1	12/1/2008 11:01:00 PM
Dibromochloromethane	U	0.3	1.0		µg/L	1	12/1/2008 11:01:00 PM
Dibromomethane	U	0.3	1.0		µg/L	1	12/1/2008 11:01:00 PM
Dichlorodifluoromethane	U	0.3	1.0		µg/L	1	12/1/2008 11:01:00 PM
Ethylbenzene	U	0.3	1.0		µg/L	1	12/1/2008 11:01:00 PM
Hexachlorobutadiene	U	0.3	1.0		µg/L	1	12/1/2008 11:01:00 PM
Isopropylbenzene	U	0.3	1.0		µg/L	1	12/1/2008 11:01:00 PM
m,p-Xylene	U	0.3	2.0		µg/L	1	12/1/2008 11:01:00 PM
Methyl tert-butyl ether	U	0.3	1.0	C	µg/L	1	12/1/2008 11:01:00 PM
Methylene chloride	U	0.3	1.0	C	µg/L	1	12/1/2008 11:01:00 PM
Naphthalene	U	0.3	1.0		µg/L	1	12/1/2008 11:01:00 PM
n-Butylbenzene	U	0.3	1.0		µg/L	1	12/1/2008 11:01:00 PM
n-Propylbenzene	U	0.3	1.0		µg/L	1	12/1/2008 11:01:00 PM
o-Xylene	U	0.3	1.0		µg/L	1	12/1/2008 11:01:00 PM
sec-Butylbenzene	U	0.3	1.0		µg/L	1	12/1/2008 11:01:00 PM
Styrene	U	0.3	1.0		µg/L	1	12/1/2008 11:01:00 PM
tert-Butylbenzene	U	0.3	1.0		µg/L	1	12/1/2008 11:01:00 PM
Tetrachloroethene	6.0	0.3	1.0		µg/L	1	12/1/2008 11:01:00 PM
Toluene	U	0.3	1.0		µg/L	1	12/1/2008 11:01:00 PM
trans-1,2-Dichloroethene	U	0.3	1.0		µg/L	1	12/1/2008 11:01:00 PM
trans-1,3-Dichloropropene	U	0.3	1.0		µg/L	1	12/1/2008 11:01:00 PM
Trichloroethene	U	0.3	1.0		µg/L	1	12/1/2008 11:01:00 PM
Trichlorofluoromethane	U	0.3	1.0		µg/L	1	12/1/2008 11:01:00 PM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735

Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



Qualifiers:	* Value exceeds Maximum Contaminant Level	B Analyte detected in the associated Method Blank
	E Value above quantitation range	H Holding times for preparation or analysis exceeded
	J Analyte detected below quantitation limits	LOD Limit of Detection
	LOQ Limit of Quantitation	ND Not Detected at the Reporting Limit
	S Spike Recovery outside accepted recovery limits	U Indicates the compound was analyzed but not detected.
	C Calibration %RSD/%D exceeded for non-CCC analytes	

American Analytical Laboratories, LLC.

Date: 03-Dec-08

ELAP ID : 11418

CLIENT: Leggette Brashears & Graham Inc.**Client Sample ID:** GW112008:1135NP1-1-7**Lab Order:** 0811352**Collection Date:** 11/20/2008 11:35:00 AM**Project:** Rowe**Matrix:** LIQUID**Lab ID:** 0811352-06A**Certificate of Results**

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
VOLATILE SW-846 8260 + MTBE & FREON113			SW8260B		Analyst: LA		
Vinyl acetate	U	0.3	1.0		µg/L	1	12/1/2008 11:01:00 PM
Vinyl chloride	U	0.3	1.0		µg/L	1	12/1/2008 11:01:00 PM
Surr: 4-Bromofluorobenzene	97.2	0	60-130		%REC	1	12/1/2008 11:01:00 PM
Surr: Dibromofluoromethane	98.1	0	63-127		%REC	1	12/1/2008 11:01:00 PM
Surr: Toluene-d8	105	0	61-128		%REC	1	12/1/2008 11:01:00 PM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735

Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



Qualifiers:	* Value exceeds Maximum Contaminant Level	B Analyte detected in the associated Method Blank
	E Value above quantitation range	H Holding times for preparation or analysis exceeded
	J Analyte detected below quantitation limits	LOD Limit of Detection
	LOQ Limit of Quantitation	ND Not Detected at the Reporting Limit
	S Spike Recovery outside accepted recovery limits	U Indicates the compound was analyzed but not detected.
	C Calibration %RSD/%D exceeded for non-CCC analytes	

American Analytical Laboratories, LLC.

Date: 03-Dec-08

ELAP ID : 11418

CLIENT: Leggette Brashears & Graham Inc.

Client Sample ID: GW112008:1135NP1-1-7

Lab Order: 0811352

Collection Date: 11/20/2008 11:35:00 AM

Project: Rowe

Matrix: LIQUID

Lab ID: 0811352-06B

Certificate of Results

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
TOTAL IRON			E200.7		SW3010A		Analyst: JP
Iron	0.0397	0.007	0.0200		mg/L	1	11/26/2008 10:57:10 AM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735

Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



Qualifiers:	*	Value exceeds Maximum Contaminant Level	B	Analyte detected in the associated Method Blank
	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded
	J	Analyte detected below quantitation limits	LOD	Limit of Detection
	LOQ	Limit of Quantitation	ND	Not Detected at the Reporting Limit
	S	Spike Recovery outside accepted recovery limits	U	Indicates the compound was analyzed but not detected.
	C	Calibration %RSD/%D exceeded for non-CCC analytes		

American Analytical Laboratories, LLC.**Date:** 03-Dec-08**ELAP ID :** 11418**CLIENT:** Leggette Brashears & Graham Inc.**Client Sample ID:** GW112008:1135NP1-1-7**Lab Order:** 0811352**Collection Date:** 11/20/2008 11:35:00 AM**Project:** Rowe**Matrix:** LIQUID**Lab ID:** 0811352-06C**Certificate of Results**

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
DISSOLVED IRON			E200.7		SW3005A		Analyst: JP
Iron	0.00820	0.007	0.0200	J	mg/L	1	11/26/2008 10:55:54 AM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735

Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com

Qualifiers:	*	Value exceeds Maximum Contaminant Level	B	Analyte detected in the associated Method Blank
	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded
	J	Analyte detected below quantitation limits	LOD	Limit of Detection
	LOQ	Limit of Quantitation	ND	Not Detected at the Reporting Limit
	S	Spike Recovery outside accepted recovery limits	U	Indicates the compound was analyzed but not detected.
	C	Calibration %RSD/%D exceeded for non-CCC analytes		

American Analytical Laboratories, LLC.

Date: 03-Dec-08

ELAP ID : 11418

CLIENT: Leggette Brashears & Graham Inc.

Client Sample ID: GW112008:1140NP1-1-8

Lab Order: 0811352

Collection Date: 11/20/2008 11:40:00 AM

Project: Rowe

Matrix: LIQUID

Lab ID: 0811352-07A

Certificate of Results

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
VOLATILE SW-846 8260 + MTBE & FREON113			SW8260B		Analyst: LA		
1,1,1,2-Tetrachloroethane	U	0.3	1.0		µg/L	1	12/1/2008 11:28:00 PM
1,1,1-Trichloroethane	U	0.3	1.0		µg/L	1	12/1/2008 11:28:00 PM
1,1,2,2-Tetrachloroethane	U	0.3	1.0		µg/L	1	12/1/2008 11:28:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	U	0.3	1.0		µg/L	1	12/1/2008 11:28:00 PM
1,1,2-Trichloroethane	U	0.3	1.0		µg/L	1	12/1/2008 11:28:00 PM
1,1-Dichloroethane	U	0.3	1.0		µg/L	1	12/1/2008 11:28:00 PM
1,1-Dichloroethene	U	0.3	1.0		µg/L	1	12/1/2008 11:28:00 PM
1,1-Dichloropropene	U	0.3	1.0		µg/L	1	12/1/2008 11:28:00 PM
1,2,3-Trichlorobenzene	U	0.3	1.0		µg/L	1	12/1/2008 11:28:00 PM
1,2,3-Trichloropropane	U	0.4	1.0		µg/L	1	12/1/2008 11:28:00 PM
1,2,4-Trichlorobenzene	U	0.3	1.0		µg/L	1	12/1/2008 11:28:00 PM
1,2,4-Trimethylbenzene	U	0.3	1.0		µg/L	1	12/1/2008 11:28:00 PM
1,2-Dibromo-3-chloropropane	U	0.4	1.0		µg/L	1	12/1/2008 11:28:00 PM
1,2-Dibromoethane	U	0.3	1.0		µg/L	1	12/1/2008 11:28:00 PM
1,2-Dichlorobenzene	U	0.3	1.0		µg/L	1	12/1/2008 11:28:00 PM
1,2-Dichloroethane	U	0.3	1.0		µg/L	1	12/1/2008 11:28:00 PM
1,2-Dichloropropane	U	0.3	1.0		µg/L	1	12/1/2008 11:28:00 PM
1,3,5-Trimethylbenzene	U	0.3	1.0		µg/L	1	12/1/2008 11:28:00 PM
1,3-Dichlorobenzene	U	0.3	1.0		µg/L	1	12/1/2008 11:28:00 PM
1,3-dichloropropane	U	0.3	1.0		µg/L	1	12/1/2008 11:28:00 PM
1,4-Dichlorobenzene	U	0.3	1.0		µg/L	1	12/1/2008 11:28:00 PM
2,2-Dichloropropane	U	0.3	1.0		µg/L	1	12/1/2008 11:28:00 PM
2-Butanone	U	0.3	3.0	C	µg/L	1	12/1/2008 11:28:00 PM
2-Chloroethyl vinyl ether	U	0.3	1.0		µg/L	1	12/1/2008 11:28:00 PM
2-Chlorotoluene	U	0.3	1.0		µg/L	1	12/1/2008 11:28:00 PM
2-Hexanone	U	0.3	2.0		µg/L	1	12/1/2008 11:28:00 PM
4-Chlorotoluene	U	0.3	1.0		µg/L	1	12/1/2008 11:28:00 PM
4-Isopropyltoluene	U	0.3	1.0		µg/L	1	12/1/2008 11:28:00 PM
4-Methyl-2-pentanone	U	0.3	2.0		µg/L	1	12/1/2008 11:28:00 PM
Acetone	U	0.3	2.0		µg/L	1	12/1/2008 11:28:00 PM
Benzene	U	0.3	1.0		µg/L	1	12/1/2008 11:28:00 PM
Bromobenzene	U	0.3	1.0		µg/L	1	12/1/2008 11:28:00 PM
Bromochloromethane	U	0.4	1.0		µg/L	1	12/1/2008 11:28:00 PM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735

Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



Qualifiers:	*	Value exceeds Maximum Contaminant Level	B	Analyte detected in the associated Method Blank
	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded
	J	Analyte detected below quantitation limits	LOD	Limit of Detection
	LOQ	Limit of Quantitation	ND	Not Detected at the Reporting Limit
	S	Spike Recovery outside accepted recovery limits	U	Indicates the compound was analyzed but not detected.
	C	Calibration %RSD/%D exceeded for non-CCC analytes		

American Analytical Laboratories, LLC.

Date: 03-Dec-08

ELAP ID : 11418

CLIENT: Leggette Brashears & Graham Inc.

Client Sample ID: GW112008:1140NP1-1-8

Lab Order: 0811352

Collection Date: 11/20/2008 11:40:00 AM

Project: Rowe

Matrix: LIQUID

Lab ID: 0811352-07A

Certificate of Results

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
VOLATILE SW-846 8260 + MTBE & FREON113			SW8260B			Analyst: LA	
Bromodichloromethane	U	0.3	1.0		µg/L	1	12/1/2008 11:28:00 PM
Bromoform	U	0.3	1.0		µg/L	1	12/1/2008 11:28:00 PM
Bromomethane	U	0.3	1.0		µg/L	1	12/1/2008 11:28:00 PM
Carbon disulfide	U	0.3	1.0		µg/L	1	12/1/2008 11:28:00 PM
Carbon tetrachloride	U	0.3	1.0		µg/L	1	12/1/2008 11:28:00 PM
Chlorobenzene	U	0.3	1.0		µg/L	1	12/1/2008 11:28:00 PM
Chloroethane	U	0.4	1.0		µg/L	1	12/1/2008 11:28:00 PM
Chloroform	U	0.3	1.0		µg/L	1	12/1/2008 11:28:00 PM
Chloromethane	U	0.3	1.0		µg/L	1	12/1/2008 11:28:00 PM
cis-1,2-Dichloroethene	U	0.3	1.0		µg/L	1	12/1/2008 11:28:00 PM
cis-1,3-Dichloropropene	U	0.3	1.0		µg/L	1	12/1/2008 11:28:00 PM
Dibromochloromethane	U	0.3	1.0		µg/L	1	12/1/2008 11:28:00 PM
Dibromomethane	U	0.3	1.0		µg/L	1	12/1/2008 11:28:00 PM
Dichlorodifluoromethane	U	0.3	1.0		µg/L	1	12/1/2008 11:28:00 PM
Ethylbenzene	U	0.3	1.0		µg/L	1	12/1/2008 11:28:00 PM
Hexachlorobutadiene	U	0.3	1.0		µg/L	1	12/1/2008 11:28:00 PM
Isopropylbenzene	U	0.3	1.0		µg/L	1	12/1/2008 11:28:00 PM
m,p-Xylene	U	0.3	2.0		µg/L	1	12/1/2008 11:28:00 PM
Methyl tert-butyl ether	U	0.3	1.0		µg/L	1	12/1/2008 11:28:00 PM
Methylene chloride	U	0.3	1.0	C	µg/L	1	12/1/2008 11:28:00 PM
Naphthalene	U	0.3	1.0	C	µg/L	1	12/1/2008 11:28:00 PM
n-Butylbenzene	U	0.3	1.0		µg/L	1	12/1/2008 11:28:00 PM
n-Propylbenzene	U	0.3	1.0		µg/L	1	12/1/2008 11:28:00 PM
o-Xylene	U	0.3	1.0		µg/L	1	12/1/2008 11:28:00 PM
sec-Butylbenzene	U	0.3	1.0		µg/L	1	12/1/2008 11:28:00 PM
Styrene	U	0.3	1.0		µg/L	1	12/1/2008 11:28:00 PM
tert-Butylbenzene	U	0.3	1.0		µg/L	1	12/1/2008 11:28:00 PM
Tetrachloroethene	U	0.3	1.0		µg/L	1	12/1/2008 11:28:00 PM
Toluene	U	0.3	1.0		µg/L	1	12/1/2008 11:28:00 PM
trans-1,2-Dichloroethene	U	0.3	1.0		µg/L	1	12/1/2008 11:28:00 PM
trans-1,3-Dichloropropene	U	0.3	1.0		µg/L	1	12/1/2008 11:28:00 PM
Trichloroethene	U	0.3	1.0		µg/L	1	12/1/2008 11:28:00 PM
Trichlorofluoromethane	U	0.3	1.0		µg/L	1	12/1/2008 11:28:00 PM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735

Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



Qualifiers:	* Value exceeds Maximum Contaminant Level	B Analyte detected in the associated Method Blank
	E Value above quantitation range	H Holding times for preparation or analysis exceeded
	J Analyte detected below quantitation limits	LOD Limit of Detection
	LOQ Limit of Quantitation	ND Not Detected at the Reporting Limit
	S Spike Recovery outside accepted recovery limits	U Indicates the compound was analyzed but not detected.
	C Calibration %RSD/%D exceeded for non-CCC analytes	

American Analytical Laboratories, LLC.

Date: 03-Dec-08

ELAP ID : 11418

CLIENT: Leggette Brashears & Graham Inc.

Client Sample ID: GW112008:1140NP1-1-8

Lab Order: 0811352

Collection Date: 11/20/2008 11:40:00 AM

Project: Rowe

Matrix: LIQUID

Lab ID: 0811352-07A

Certificate of Results

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
VOLATILE SW-846 8260 + MTBE & FREON113			SW8260B		Analyst: LA		
Vinyl acetate	U	0.3	1.0		µg/L	1	12/1/2008 11:28:00 PM
Vinyl chloride	U	0.3	1.0		µg/L	1	12/1/2008 11:28:00 PM
Surr: 4-Bromofluorobenzene	103	0	60-130		%REC	1	12/1/2008 11:28:00 PM
Surr: Dibromofluoromethane	93.5	0	63-127		%REC	1	12/1/2008 11:28:00 PM
Surr: Toluene-d8	86.9	0	61-128		%REC	1	12/1/2008 11:28:00 PM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735

Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



Qualifiers:	*	Value exceeds Maximum Contaminant Level	B	Analyte detected in the associated Method Blank
	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded
	J	Analyte detected below quantitation limits	LOD	Limit of Detection
	LOQ	Limit of Quantitation	ND	Not Detected at the Reporting Limit
	S	Spike Recovery outside accepted recovery limits	U	Indicates the compound was analyzed but not detected.
	C	Calibration %RSD/%D exceeded for non-CCC analytes		

American Analytical Laboratories, LLC.**Date:** 03-Dec-08**ELAP ID : 11418**

CLIENT: Leggette Brashears & Graham Inc.
Lab Order: 0811352
Project: Rowe
Lab ID: 0811352-07B

Client Sample ID: GW112008:1140NP1-1-8
Collection Date: 11/20/2008 11:40:00 AM
Matrix: LIQUID

Certificate of Results

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
TOTAL IRON			E200.7		SW3010A		Analyst: JP
Iron	6.21	0.007	0.0200		mg/L	1	11/26/2008 10:59:41 AM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735
Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



Qualifiers:	* Value exceeds Maximum Contaminant Level	B Analyte detected in the associated Method Blank
	E Value above quantitation range	H Holding times for preparation or analysis exceeded
	J Analyte detected below quantitation limits	LOD Limit of Detection
	LOQ Limit of Quantitation	ND Not Detected at the Reporting Limit
	S Spike Recovery outside accepted recovery limits	U Indicates the compound was analyzed but not detected.
	C Calibration %RSD/%D exceeded for non-CCC analytes	

American Analytical Laboratories, LLC.**Date:** 03-Dec-08**ELAP ID :** 11418**CLIENT:** Leggette Brashears & Graham Inc.**Client Sample ID:** GW112008:1140NP1-1-8**Lab Order:** 0811352**Collection Date:** 11/20/2008 11:40:00 AM**Project:** Rowe**Matrix:** LIQUID**Lab ID:** 0811352-07C**Certificate of Results**

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
DISSOLVED IRON				E200.7	SW3005A		Analyst: JP
Iron	0.428	0.007	0.0200		mg/L	1	11/26/2008 10:58:25 AM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735

Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



Qualifiers:	*	Value exceeds Maximum Contaminant Level	B	Analyte detected in the associated Method Blank
	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded
	J	Analyte detected below quantitation limits	LOD	Limit of Detection
	LOQ	Limit of Quantitation	ND	Not Detected at the Reporting Limit
	S	Spike Recovery outside accepted recovery limits	U	Indicates the compound was analyzed but not detected.
	C	Calibration %RSD/%D exceeded for non-CCC analytes		

American Analytical Laboratories, LLC.

Date: 03-Dec-08

ELAP ID : 11418

CLIENT: Leggette Brashears & Graham Inc.
Lab Order: 0811352
Project: Rowe
Lab ID: 0811352-08A

Client Sample ID: GW112008:1145NP1-1-9
Collection Date: 11/20/2008 11:45:00 AM
Matrix: LIQUID

Certificate of Results

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
VOLATILE SW-846 8260 + MTBE & FREON113			SW8260B		Analyst: LA		
1,1,1,2-Tetrachloroethane	U	0.3	1.0		µg/L	1	12/1/2008 11:53:00 PM
1,1,1-Trichloroethane	U	0.3	1.0		µg/L	1	12/1/2008 11:53:00 PM
1,1,2,2-Tetrachloroethane	U	0.3	1.0		µg/L	1	12/1/2008 11:53:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	U	0.3	1.0		µg/L	1	12/1/2008 11:53:00 PM
1,1,2-Trichloroethane	U	0.3	1.0		µg/L	1	12/1/2008 11:53:00 PM
1,1-Dichloroethane	U	0.3	1.0		µg/L	1	12/1/2008 11:53:00 PM
1,1-Dichloroethene	U	0.3	1.0		µg/L	1	12/1/2008 11:53:00 PM
1,1-Dichloropropene	U	0.3	1.0		µg/L	1	12/1/2008 11:53:00 PM
1,2,3-Trichlorobenzene	U	0.3	1.0		µg/L	1	12/1/2008 11:53:00 PM
1,2,3-Trichloropropane	U	0.4	1.0		µg/L	1	12/1/2008 11:53:00 PM
1,2,4-Trichlorobenzene	U	0.3	1.0		µg/L	1	12/1/2008 11:53:00 PM
1,2,4-Trimethylbenzene	U	0.3	1.0		µg/L	1	12/1/2008 11:53:00 PM
1,2-Dibromo-3-chloropropane	U	0.4	1.0		µg/L	1	12/1/2008 11:53:00 PM
1,2-Dibromoethane	U	0.3	1.0		µg/L	1	12/1/2008 11:53:00 PM
1,2-Dichlorobenzene	U	0.3	1.0		µg/L	1	12/1/2008 11:53:00 PM
1,2-Dichloroethane	U	0.3	1.0		µg/L	1	12/1/2008 11:53:00 PM
1,2-Dichloropropane	U	0.3	1.0		µg/L	1	12/1/2008 11:53:00 PM
1,3,5-Trimethylbenzene	U	0.3	1.0		µg/L	1	12/1/2008 11:53:00 PM
1,3-Dichlorobenzene	U	0.3	1.0		µg/L	1	12/1/2008 11:53:00 PM
1,3-dichloropropane	U	0.3	1.0		µg/L	1	12/1/2008 11:53:00 PM
1,4-Dichlorobenzene	U	0.3	1.0		µg/L	1	12/1/2008 11:53:00 PM
2,2-Dichloropropane	U	0.3	1.0		µg/L	1	12/1/2008 11:53:00 PM
2-Butanone	U	0.3	3.0	C	µg/L	1	12/1/2008 11:53:00 PM
2-Chloroethyl vinyl ether	U	0.3	1.0	C	µg/L	1	12/1/2008 11:53:00 PM
2-Chlorotoluene	U	0.3	1.0		µg/L	1	12/1/2008 11:53:00 PM
2-Hexanone	U	0.3	2.0		µg/L	1	12/1/2008 11:53:00 PM
4-Chlorotoluene	U	0.3	1.0		µg/L	1	12/1/2008 11:53:00 PM
4-Isopropyltoluene	U	0.3	1.0		µg/L	1	12/1/2008 11:53:00 PM
4-Methyl-2-pentanone	U	0.3	2.0		µg/L	1	12/1/2008 11:53:00 PM
Acetone	U	0.3	2.0		µg/L	1	12/1/2008 11:53:00 PM
Benzene	U	0.3	1.0		µg/L	1	12/1/2008 11:53:00 PM
Bromobenzene	U	0.3	1.0		µg/L	1	12/1/2008 11:53:00 PM
Bromochloromethane	U	0.4	1.0		µg/L	1	12/1/2008 11:53:00 PM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735

Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



Qualifiers:	* Value exceeds Maximum Contaminant Level	B Analyte detected in the associated Method Blank
	E Value above quantitation range	H Holding times for preparation or analysis exceeded
	J Analyte detected below quantitation limits	LOD Limit of Detection
	LOQ Limit of Quantitation	ND Not Detected at the Reporting Limit
	S Spike Recovery outside accepted recovery limits	U Indicates the compound was analyzed but not detected.
	C Calibration %RSD/%D exceeded for non-CCC analytes	

American Analytical Laboratories, LLC.

Date: 03-Dec-08

ELAP ID : 11418

CLIENT: Leggette Brashears & Graham Inc.
Lab Order: 0811352
Project: Rowe
Lab ID: 0811352-08A

Client Sample ID: GW112008:1145NP1-1-9
Collection Date: 11/20/2008 11:45:00 AM
Matrix: LIQUID

Certificate of Results

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
VOLATILE SW-846 8260 + MTBE & FREON113			SW8260B			Analyst: LA	
Bromodichloromethane	U	0.3	1.0		µg/L	1	12/1/2008 11:53:00 PM
Bromoform	U	0.3	1.0		µg/L	1	12/1/2008 11:53:00 PM
Bromomethane	U	0.3	1.0		µg/L	1	12/1/2008 11:53:00 PM
Carbon disulfide	U	0.3	1.0		µg/L	1	12/1/2008 11:53:00 PM
Carbon tetrachloride	U	0.3	1.0		µg/L	1	12/1/2008 11:53:00 PM
Chlorobenzene	U	0.3	1.0		µg/L	1	12/1/2008 11:53:00 PM
Chloroethane	U	0.4	1.0		µg/L	1	12/1/2008 11:53:00 PM
Chloroform	U	0.3	1.0		µg/L	1	12/1/2008 11:53:00 PM
Chloromethane	U	0.3	1.0		µg/L	1	12/1/2008 11:53:00 PM
cis-1,2-Dichloroethene	U	0.3	1.0		µg/L	1	12/1/2008 11:53:00 PM
cis-1,3-Dichloropropene	U	0.3	1.0		µg/L	1	12/1/2008 11:53:00 PM
Dibromochloromethane	U	0.3	1.0		µg/L	1	12/1/2008 11:53:00 PM
Dibromomethane	U	0.3	1.0		µg/L	1	12/1/2008 11:53:00 PM
Dichlorodifluoromethane	U	0.3	1.0		µg/L	1	12/1/2008 11:53:00 PM
Ethylbenzene	U	0.3	1.0		µg/L	1	12/1/2008 11:53:00 PM
Hexachlorobutadiene	U	0.3	1.0		µg/L	1	12/1/2008 11:53:00 PM
Isopropylbenzene	U	0.3	1.0		µg/L	1	12/1/2008 11:53:00 PM
m,p-Xylene	U	0.3	2.0		µg/L	1	12/1/2008 11:53:00 PM
Methyl tert-butyl ether	U	0.3	1.0	C	µg/L	1	12/1/2008 11:53:00 PM
Methylene chloride	U	0.3	1.0	C	µg/L	1	12/1/2008 11:53:00 PM
Naphthalene	U	0.3	1.0		µg/L	1	12/1/2008 11:53:00 PM
n-Butylbenzene	U	0.3	1.0		µg/L	1	12/1/2008 11:53:00 PM
n-Propylbenzene	U	0.3	1.0		µg/L	1	12/1/2008 11:53:00 PM
o-Xylene	U	0.3	1.0		µg/L	1	12/1/2008 11:53:00 PM
sec-Butylbenzene	U	0.3	1.0		µg/L	1	12/1/2008 11:53:00 PM
Styrene	U	0.3	1.0		µg/L	1	12/1/2008 11:53:00 PM
tert-Butylbenzene	U	0.3	1.0		µg/L	1	12/1/2008 11:53:00 PM
Tetrachloroethene	U	0.3	1.0		µg/L	1	12/1/2008 11:53:00 PM
Toluene	U	0.3	1.0		µg/L	1	12/1/2008 11:53:00 PM
trans-1,2-Dichloroethene	U	0.3	1.0		µg/L	1	12/1/2008 11:53:00 PM
trans-1,3-Dichloropropene	U	0.3	1.0		µg/L	1	12/1/2008 11:53:00 PM
Trichloroethene	U	0.3	1.0		µg/L	1	12/1/2008 11:53:00 PM
Trichlorofluoromethane	U	0.3	1.0		µg/L	1	12/1/2008 11:53:00 PM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735
Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



Qualifiers:	* Value exceeds Maximum Contaminant Level	B Analyte detected in the associated Method Blank
	E Value above quantitation range	H Holding times for preparation or analysis exceeded
	J Analyte detected below quantitation limits	LOD Limit of Detection
	LOQ Limit of Quantitation	ND Not Detected at the Reporting Limit
	S Spike Recovery outside accepted recovery limits	U Indicates the compound was analyzed but not detected.
	C Calibration %RSD/%D exceeded for non-CCC analytes	

American Analytical Laboratories, LLC.

Date: 03-Dec-08

ELAP ID : 11418

CLIENT: Leggette Brashears & Graham Inc.
Lab Order: 0811352
Project: Rowe
Lab ID: 0811352-08A

Client Sample ID: GW112008:1145NP1-1-9
Collection Date: 11/20/2008 11:45:00 AM
Matrix: LIQUID

Certificate of Results

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
VOLATILE SW-846 8260 + MTBE & FREON113			SW8260B			Analyst: LA	
Vinyl acetate	U	0.3	1.0		µg/L	1	12/1/2008 11:53:00 PM
Vinyl chloride	U	0.3	1.0		µg/L	1	12/1/2008 11:53:00 PM
Surr: 4-Bromofluorobenzene	97.0	0	60-130		%REC	1	12/1/2008 11:53:00 PM
Surr: Dibromofluoromethane	92.6	0	63-127		%REC	1	12/1/2008 11:53:00 PM
Surr: Toluene-d8	95.7	0	61-128		%REC	1	12/1/2008 11:53:00 PM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735
Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



Qualifiers:	* Value exceeds Maximum Contaminant Level	B Analyte detected in the associated Method Blank
	E Value above quantitation range	H Holding times for preparation or analysis exceeded
	J Analyte detected below quantitation limits	LOD Limit of Detection
LOQ	Limit of Quantitation	ND Not Detected at the Reporting Limit
S	Spike Recovery outside accepted recovery limits	U Indicates the compound was analyzed but not detected.
C	Calibration %RSD/%D exceeded for non-CCC analytes	

American Analytical Laboratories, LLC.

Date: 03-Dec-08

ELAP ID : 11418

CLIENT: Leggette Brashears & Graham Inc.

Client Sample ID: GW112008:1145NP1-1-9

Lab Order: 0811352

Collection Date: 11/20/2008 11:45:00 AM

Project: Rowe

Matrix: LIQUID

Lab ID: 0811352-08B

Certificate of Results

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
TOTAL IRON			E200.7		SW3010A		Analyst: JP
Iron	1.83	0.007	0.0200		mg/L	1	11/26/2008 11:02:14 AM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735

Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



Qualifiers:	*	Value exceeds Maximum Contaminant Level	B	Analyte detected in the associated Method Blank
	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded
	J	Analyte detected below quantitation limits	LOD	Limit of Detection
	LOQ	Limit of Quantitation	ND	Not Detected at the Reporting Limit
	S	Spike Recovery outside accepted recovery limits	U	Indicates the compound was analyzed but not detected.
	C	Calibration %RSD/%D exceeded for non-CCC analytes		

American Analytical Laboratories, LLC.**Date:** 03-Dec-08**ELAP ID :** 11418**CLIENT:** Leggette Brashears & Graham Inc.**Client Sample ID:** GW112008:1145NP1-1-9**Lab Order:** 0811352**Collection Date:** 11/20/2008 11:45:00 AM**Project:** Rowe**Matrix:** LIQUID**Lab ID:** 0811352-08C**Certificate of Results**

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
DISSOLVED IRON				E200.7	SW3005A		Analyst: JP
Iron	0.0326	0.007	0.0200		mg/L	1	11/26/2008 11:00:58 AM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735

Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com

Qualifiers:	*	Value exceeds Maximum Contaminant Level	B	Analyte detected in the associated Method Blank
	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded
	J	Analyte detected below quantitation limits	LOD	Limit of Detection
	LOQ	Limit of Quantitation	ND	Not Detected at the Reporting Limit
	S	Spike Recovery outside accepted recovery limits	U	Indicates the compound was analyzed but not detected.
	C	Calibration %RSD/%D exceeded for non-CCC analytes		

CLIENT: Leggett Brashears & Graham Inc.

Work Order: 0811352

Project: Rowe

ANALYTICAL QC SUMMARY REPORT

TestCode: 8260MTBE113_W

Sample ID: V624LCS-120108aY		SampType: LCS		TestCode: 8260MTBE11			Units: µg/L		Prep Date:		RunNo: 39885	
Client ID: LCSW		Batch ID: R39885		TestNo: SW8260B				Analysis Date: 12/1/2008		SeqNo: 529609		
Analyte	Result	PQL	SPK value	SPK RefVal	%REC	LowLimit	HighLimit	RPD RefVal	%RPD	RPDLimit	Qual	
1,1,1-Trichloroethane	38	1.0	50.00	0	75.7	43	148					
1,1,2,2-Tetrachloroethane	31	1.0	50.00	0	62.1	32	148					
1,1,2-Trichloro-1,2,2-trifluoroethane	22	1.0	50.00	0	44.4	35	135					
1,1,2-Trichloroethane	31	1.0	50.00	0	61.1	42	136					
1,1-Dichloroethane	32	1.0	50.00	0	63.6	40	150					
1,1-Dichloroethene	45	1.0	50.00	0	89.7	30	154					
1,2-Dichlorobenzene	38	1.0	50.00	0	75.9	40	129					
1,2-Dichloroethane	39	1.0	50.00	0	77.9	36	141					
1,2-Dichloropropane	32	1.0	50.00	0	64.0	44	138					
1,3-Dichlorobenzene	41	1.0	50.00	0	81.7	40	133					
1,4-Dichlorobenzene	41	1.0	50.00	0	82.0	40	135					
2-Chloroethyl vinyl ether	25	1.0	50.00	0	49.7	21	139					
Benzene	33	1.0	50.00	0	66.1	45	144					
Bromodichloromethane	31	1.0	50.00	0	62.1	35	136					
Bromoform	40	1.0	50.00	0	80.2	28	138					
Bromomethane	42	1.0	50.00	0	84.0	26	148					
Carbon tetrachloride	44	1.0	50.00	0	88.2	45	141					
Chlorobenzene	39	1.0	50.00	0	78.0	41	142					
Chloroethane	56	1.0	50.00	0	111	36	143					
Chloroform	34	1.0	50.00	0	67.3	42	137					
Chloromethane	39	1.0	50.00	0	78.2	35	151					
cis-1,3-Dichloropropene	30	1.0	50.00	0	59.9	42	130					
Dibromochloromethane	33	1.0	50.00	0	65.8	21	134					
Ethylbenzene	33	1.0	50.00	0	65.8	45	146					
Tetrachloroethene	26	1.0	50.00	0	52.7	45	136					
Toluene	37	1.0	50.00	0	74.0	43	134					
trans-1,2-Dichloroethene	42	1.0	50.00	0	84.8	42	135					
trans-1,3-Dichloropropene	32	1.0	50.00	0	64.6	37	133					
Trichloroethene	35	1.0	50.00	0	70.1	43	140					
Trichlorofluoromethane	59	1.0	50.00	0	118	50	148					

Qualifiers: E Value above quantitation range

LOD Limit of Detection

R RPD outside accepted recovery limits

H Holding times for preparation or analysis exceeded

LOQ Limit of Quantitation

S Spike Recovery outside accepted recovery limits

J Analyte detected below quantitation li

ND Not Detected at the Reporting Limit

U Indicates the compound was analyzed

CLIENT: Leggett Brashears & Graham Inc.
Work Order: 0811352
Project: Rowe

ANALYTICAL QC SUMMARY REPORT

TestCode: 8260MTBE113_W

Sample ID: V624LCS-120108aY	SampType: LCS	TestCode: 8260MTBE11	Units: µg/L	Prep Date:	RunNo: 39885						
Client ID: LCSW	Batch ID: R39885	TestNo: SW8260B		Analysis Date: 12/1/2008	SeqNo: 529609						
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual

Vinyl chloride	44	1.0	50.00	0	88.2	35	142				
Surr: 4-Bromofluorobenzene	51		50.00		103	60	130				
Surr: Dibromofluoromethane	45		50.00		90.0	63	127				
Surr: Toluene-d8	48		50.00		95.7	61	128				

Sample ID: VBLK-120108aY	SampType: MBLK	TestCode: 8260MTBE11	Units: µg/L	Prep Date:	RunNo: 39885						
Client ID: PBW	Batch ID: R39885	TestNo: SW8260B		Analysis Date: 12/1/2008	SeqNo: 529610						
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual

1,1,1,2-Tetrachloroethane	U	1.0									
1,1,1-Trichloroethane	U	1.0									
1,1,2,2-Tetrachloroethane	U	1.0									
1,1,2-Trichloro-1,2,2-trifluoroethane	U	1.0									
1,1,2-Trichloroethane	U	1.0									
1,1-Dichloroethane	U	1.0									
1,1-Dichloroethene	U	1.0									
1,1-Dichloropropene	U	1.0									
1,2,3-Trichlorobenzene	U	1.0									
1,2,3-Trichloropropane	U	1.0									
1,2,4-Trichlorobenzene	U	1.0									
1,2,4-Trimethylbenzene	U	1.0									
1,2-Dibromo-3-chloropropane	U	1.0									
1,2-Dibromoethane	U	1.0									
1,2-Dichlorobenzene	U	1.0									
1,2-Dichloroethane	U	1.0									
1,2-Dichloropropane	U	1.0									
1,3,5-Trimethylbenzene	U	1.0									
1,3-Dichlorobenzene	U	1.0									
1,3-dichloropropane	U	1.0									
1,4-Dichlorobenzene	U	1.0									
2,2-Dichloropropane	U	1.0									

Qualifiers:	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation li
	LOD	Limit of Detection	LOQ	Limit of Quantitation	ND	Not Detected at the Reporting Limit
	R	RPD outside accepted recovery limits	S	Spike Recovery outside accepted recovery limits	U	Indicates the compound was analyzed

CLIENT: Leggett Brashears & Graham Inc.
Work Order: 0811352
Project: Rowe

ANALYTICAL QC SUMMARY REPORT

TestCode: 8260MTBE113_W

Sample ID: VBLK-120108aY	SampType: MBLK	TestCode: 8260MTBE11	Units: µg/L	Prep Date:	RunNo: 39885						
Client ID: PBW	Batch ID: R39885	TestNo: SW8260B		Analysis Date: 12/1/2008	SeqNo: 529610						
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
2-Butanone	U	3.0									C
2-Chloroethyl vinyl ether	U	1.0									
2-Chlorotoluene	U	1.0									
2-Hexanone	U	2.0									
4-Chlorotoluene	U	1.0									
4-Isopropyltoluene	U	1.0									
4-Methyl-2-pentanone	U	2.0									
Acetone	U	2.0									
Benzene	U	1.0									
Bromobenzene	U	1.0									
Bromochloromethane	U	1.0									
Bromodichloromethane	U	1.0									
Bromoform	U	1.0									
Bromomethane	U	1.0									
Carbon disulfide	U	1.0									
Carbon tetrachloride	U	1.0									
Chlorobenzene	U	1.0									
Chloroethane	U	1.0									
Chloroform	U	1.0									
Chloromethane	U	1.0									
cis-1,2-Dichloroethene	U	1.0									
cis-1,3-Dichloropropene	U	1.0									
Dibromochloromethane	U	1.0									
Dibromomethane	U	1.0									
Dichlorodifluoromethane	U	1.0									
Ethylbenzene	U	1.0									
Hexachlorobutadiene	U	1.0									
Isopropylbenzene	U	1.0									
m,p-Xylene	U	2.0									
Methyl tert-butyl ether	U	1.0									
Methylene chloride	U	1.0									C

Qualifiers: E Value above quantitation range
LOD Limit of Detection
R RPD outside accepted recovery limits
H Holding times for preparation or analysis exceeded
LOQ Limit of Quantitation
S Spike Recovery outside accepted recovery limits
J Analyte detected below quantitation li
ND Not Detected at the Reporting Limit
U Indicates the compound was analyzed

CLIENT: Leggett Brashears & Graham Inc.
Work Order: 0811352
Project: Rowe

ANALYTICAL QC SUMMARY REPORT

TestCode: 8260MTBE113_W

Sample ID: VBLK-120108aY	SampType: MBLK	TestCode: 8260MTBE11	Units: µg/L	Prep Date:	RunNo: 39885
Client ID: PBW	Batch ID: R39885	TestNo: SW8260B		Analysis Date: 12/1/2008	SeqNo: 529610

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Naphthalene	U	1.0									C
n-Butylbenzene	U	1.0									
n-Propylbenzene	U	1.0									
o-Xylene	U	1.0									
sec-Butylbenzene	U	1.0									
Styrene	U	1.0									
tert-Butylbenzene	U	1.0									
Tetrachloroethene	U	1.0									
Toluene	U	1.0									
trans-1,2-Dichloroethene	U	1.0									
trans-1,3-Dichloropropene	U	1.0									
Trichloroethene	U	1.0									
Trichlorofluoromethane	U	1.0									
Vinyl acetate	U	1.0									
Vinyl chloride	U	1.0									
Surr: 4-Bromofluorobenzene	53		50.00		106	60	130				
Surr: Dibromofluoromethane	49		50.00		97.7	63	127				
Surr: Toluene-d8	49		50.00		97.1	61	128				

Sample ID: 0811352-07AMS	SampType: MS	TestCode: 8260MTBE11	Units: µg/L	Prep Date:	RunNo: 39885
Client ID: GW112008:1140NP1	Batch ID: R39885	TestNo: SW8260B		Analysis Date: 12/2/2008	SeqNo: 529615

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
1,1,1-Trichloroethane	34	1.0	50.00	0	68.9	43	148				
1,1,2,2-Tetrachloroethane	25	1.0	50.00	0	49.9	32	148				
1,1,2-Trichloro-1,2,2-trifluoroethane	18	1.0	50.00	0	35.5	35	135				
1,1,2-Trichloroethane	28	1.0	50.00	0	55.8	42	136				
1,1-Dichloroethane	28	1.0	50.00	0	55.0	40	150				
1,1-Dichloroethene	41	1.0	50.00	0	82.0	30	154				
1,2-Dichlorobenzene	30	1.0	50.00	0	60.5	40	129				
1,2-Dichloroethane	33	1.0	50.00	0	66.3	36	141				

Qualifiers: E Value above quantitation range
LOD Limit of Detection
R RPD outside accepted recovery limits
H Holding times for preparation or analysis exceeded
LOQ Limit of Quantitation
S Spike Recovery outside accepted recovery limits
J Analyte detected below quantitation li
ND Not Detected at the Reporting Limit
U Indicates the compound was analyzed

CLIENT: Leggett Brashears & Graham Inc.
Work Order: 0811352
Project: Rowe

ANALYTICAL QC SUMMARY REPORT
TestCode: 8260MTBE113_W

Sample ID: 0811352-07AMS		SampType: MS		TestCode: 8260MTBE11		Units: µg/L		Prep Date:		RunNo: 39885	
Client ID: GW112008:1140NP1		Batch ID: R39885		TestNo: SW8260B				Analysis Date: 12/2/2008		SeqNo: 529615	
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
1,2-Dichloropropane	28	1.0	50.00	0	55.8	44	138				
1,3-Dichlorobenzene	34	1.0	50.00	0	68.4	40	133				
1,4-Dichlorobenzene	35	1.0	50.00	0	70.6	40	135				
2-Chloroethyl vinyl ether	51	1.0	50.00	0	101	21	139				
Benzene	27	1.0	50.00	0	54.7	45	144				
Bromodichloromethane	27	1.0	50.00	0	53.8	35	136				
Bromoform	31	1.0	50.00	0	62.9	28	138				
Bromomethane	38	1.0	50.00	0	76.1	26	148				
Carbon tetrachloride	38	1.0	50.00	0	75.5	45	141				
Chlorobenzene	32	1.0	50.00	0	64.1	41	142				
Chloroethane	45	1.0	50.00	0	90.7	36	143				
Chloroform	31	1.0	50.00	0	61.1	42	137				
Chloromethane	33	1.0	50.00	0	65.5	35	151				
cis-1,3-Dichloropropene	25	1.0	50.00	0	49.1	42	130				
Dibromochloromethane	29	1.0	50.00	0	57.1	21	134				
Ethylbenzene	28	1.0	50.00	0	56.5	45	146				
Tetrachloroethene	24	1.0	50.00	0	48.8	45	136				
Toluene	32	1.0	50.00	0	63.0	43	134				
trans-1,2-Dichloroethene	36	1.0	50.00	0	72.0	42	135				
trans-1,3-Dichloropropene	30	1.0	50.00	0	59.0	37	133				
Trichloroethene	33	1.0	50.00	0	65.7	43	140				
Trichlorofluoromethane	58	1.0	50.00	0	116	50	148				
Vinyl chloride	39	1.0	50.00	0	77.5	35	142				
Surr: 4-Bromofluorobenzene	49		50.00		97.7	60	130				
Surr: Dibromofluoromethane	48		50.00		96.4	63	127				
Surr: Toluene-d8	47		50.00		94.3	61	128				

Sample ID: 0811352-07AMS		SampType: MSD		TestCode: 8260MTBE11		Units: µg/L		Prep Date:		RunNo: 39885	
Client ID: GW112008:1140NP1		Batch ID: R39885		TestNo: SW8260B				Analysis Date: 12/2/2008		SeqNo: 529616	
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual

Qualifiers: E Value above quantitation range
LOD Limit of Detection
R RPD outside accepted recovery limits
H Holding times for preparation or analysis exceeded
LOQ Limit of Quantitation
S Spike Recovery outside accepted recovery limits
J Analyte detected below quantitation li
ND Not Detected at the Reporting Limit
U Indicates the compound was analyzed

CLIENT: Leggett Brashears & Graham Inc.
Work Order: 0811352
Project: Rowe

ANALYTICAL QC SUMMARY REPORT
TestCode: 8260MTBE113_W

Sample ID: 0811352-07AMSD		SampType: MSD		TestCode: 8260MTBE11		Units: µg/L		Prep Date:		RunNo: 39885	
Client ID: GW112008:1140NP1		Batch ID: R39885		TestNo: SW8260B				Analysis Date: 12/2/2008		SeqNo: 529616	
Analyte	Result	PQL	SPK value	SPK RefVal	%REC	LowLimit	HighLimit	RPD RefVal	%RPD	RPDLimit	Qual
1,1,1-Trichloroethane	38	1.0	50.00	0	75.3	43	148	34.45	8.82	20	
1,1,2,2-Tetrachloroethane	27	1.0	50.00	0	54.5	32	148	24.96	8.85	20	
1,1,2-Trichloro-1,2,2-trifluoroethane	20	1.0	50.00	0	40.1	35	135	17.73	12.2	20	
1,1,2-Trichloroethane	30	1.0	50.00	0	60.7	42	136	27.91	8.31	20	
1,1-Dichloroethane	31	1.0	50.00	0	62.1	40	150	27.51	12.0	20	
1,1-Dichloroethene	46	1.0	50.00	0	91.5	30	154	41.01	10.9	20	
1,2-Dichlorobenzene	34	1.0	50.00	0	68.2	40	129	30.26	12.0	20	
1,2-Dichloroethane	38	1.0	50.00	0	76.0	36	141	33.14	13.7	20	
1,2-Dichloropropane	28	1.0	50.00	0	56.4	44	138	27.89	1.14	20	
1,3-Dichlorobenzene	35	1.0	50.00	0	70.7	40	133	34.19	3.36	20	
1,4-Dichlorobenzene	34	1.0	50.00	0	67.9	40	135	35.30	3.84	20	
2-Chloroethyl vinyl ether	49	1.0	50.00	0	98.3	21	139	50.55	2.77	20	
Benzene	30	1.0	50.00	0	60.1	45	144	27.33	9.45	20	
Bromodichloromethane	29	1.0	50.00	0	57.5	35	136	26.88	6.69	20	
Bromoform	37	1.0	50.00	0	74.0	28	138	31.44	16.2	20	
Bromomethane	45	1.0	50.00	0	90.1	26	148	38.07	16.8	20	
Carbon tetrachloride	39	1.0	50.00	0	78.6	45	141	37.76	3.95	20	
Chlorobenzene	38	1.0	50.00	0	76.0	41	142	32.06	16.9	20	
Chloroethane	54	1.0	50.00	0	108	36	143	45.34	17.9	20	
Chloroform	33	1.0	50.00	0	65.1	42	137	30.56	6.28	20	
Chloromethane	40	1.0	50.00	0	80.3	35	151	32.76	20.3	20	R
cis-1,3-Dichloropropene	29	1.0	50.00	0	57.1	42	130	24.55	15.1	20	
Dibromochloromethane	30	1.0	50.00	0	60.1	21	134	28.53	5.16	20	
Ethylbenzene	33	1.0	50.00	0	66.4	45	146	28.25	16.1	20	
Tetrachloroethene	25	1.0	50.00	0	49.4	45	136	24.38	1.30	20	
Toluene	33	1.0	50.00	0	65.2	43	134	31.50	3.49	20	
trans-1,2-Dichloroethene	43	1.0	50.00	0	85.3	42	135	36.00	17.0	20	
trans-1,3-Dichloropropene	28	1.0	50.00	0	55.2	37	133	29.51	6.69	20	
Trichloroethene	33	1.0	50.00	0	65.6	43	140	32.85	0.152	20	
Trichlorofluoromethane	62	1.0	50.00	0	123	50	148	57.95	6.20	20	
Vinyl chloride	48	1.0	50.00	0	95.3	35	142	38.77	20.5	20	R

Qualifiers: E Value above quantitation range
LOD Limit of Detection
R RPD outside accepted recovery limits
H Holding times for preparation or analysis exceeded
LOQ Limit of Quantitation
S Spike Recovery outside accepted recovery limits
J Analyte detected below quantitation li
ND Not Detected at the Reporting Limit
U Indicates the compound was analyzed

CLIENT: Leggett Brashears & Graham Inc.
Work Order: 0811352
Project: Rowe

ANALYTICAL QC SUMMARY REPORT
TestCode: 8260MTBE113_W

Sample ID: 0811352-07AMSD	SampType: MSD	TestCode: 8260MTBE11	Units: µg/L	Prep Date:	RunNo: 39885						
Client ID: GW112008:1140NP1	Batch ID: R39885	TestNo: SW8260B		Analysis Date: 12/2/2008	SeqNo: 529616						
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Surr: 4-Bromofluorobenzene	53		50.00		105	60	130		0	0	0
Surr: Dibromofluoromethane	51		50.00		102	63	127		0	0	0
Surr: Toluene-d8	48		50.00		95.9	61	128		0	0	0

Sample ID: V624LCS-120108aY		SampType: LCS		TestCode: 8260MTBE11		Units: µg/L		Prep Date:		RunNo: 39885	
Client ID: LCSW		Batch ID: R39885a		TestNo: SW8260B				Analysis Date: 12/1/2008		SeqNo: 529617	
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
1,1,1-Trichloroethane	46	1.0	50.00	0	91.5	43	148				
1,1,2,2-Tetrachloroethane	39	1.0	50.00	0	78.9	32	148				
1,1,2-Trichloro-1,2,2-trifluoroethane	28	1.0	50.00	0	56.9	35	135				
1,1,2-Trichloroethane	39	1.0	50.00	0	78.2	42	136				
1,1-Dichloroethane	35	1.0	50.00	0	70.5	40	150				
1,1-Dichloroethene	53	1.0	50.00	0	107	30	154				
1,2-Dichlorobenzene	42	1.0	50.00	0	83.8	40	129				
1,2-Dichloroethane	43	1.0	50.00	0	85.6	36	141				
1,2-Dichloropropane	33	1.0	50.00	0	66.9	44	138				
1,3-Dichlorobenzene	43	1.0	50.00	0	85.2	40	133				
1,4-Dichlorobenzene	41	1.0	50.00	0	82.0	40	135				
2-Chloroethyl vinyl ether	32	1.0	50.00	0	64.9	21	139				C
Benzene	34	1.0	50.00	0	68.9	45	144				
Bromodichloromethane	36	1.0	50.00	0	71.1	35	136				
Bromoform	42	1.0	50.00	0	84.5	28	138				
Bromomethane	48	1.0	50.00	0	95.0	26	148				
Carbon tetrachloride	53	1.0	50.00	0	105	45	141				
Chlorobenzene	40	1.0	50.00	0	80.6	41	142				
Chloroethane	50	1.0	50.00	0	100	36	143				
Chloroform	36	1.0	50.00	0	72.5	42	137				
Chloromethane	43	1.0	50.00	0	86.3	35	151				
cis-1,3-Dichloropropene	37	1.0	50.00	0	73.3	42	130				
Dibromochloromethane	40	1.0	50.00	0	80.5	21	134				

Qualifiers:	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation li
	LOD	Limit of Detection	LOQ	Limit of Quantitation	ND	Not Detected at the Reporting Limit
	R	RPD outside accepted recovery limits	S	Spike Recovery outside accepted recovery limits	U	Indicates the compound was analyzed

CLIENT: Leggett Brashears & Graham Inc.
Work Order: 0811352
Project: Rowe

ANALYTICAL QC SUMMARY REPORT

TestCode: 8260MTBE113_W

Sample ID: V624LCS-120108aY		SampType: LCS		TestCode: 8260MTBE11		Units: µg/L		Prep Date:		RunNo: 39885	
Client ID: LCSW		Batch ID: R39885a		TestNo: SW8260B				Analysis Date: 12/1/2008		SeqNo: 529617	
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Ethylbenzene	39	1.0	50.00	0	77.6	45	146				
Tetrachloroethene	32	1.0	50.00	0	64.1	45	136				
Toluene	37	1.0	50.00	0	74.3	43	134				
trans-1,2-Dichloroethene	40	1.0	50.00	0	79.4	42	135				
trans-1,3-Dichloropropene	38	1.0	50.00	0	75.3	37	133				
Trichloroethene	43	1.0	50.00	0	86.8	43	140				
Trichlorofluoromethane	64	1.0	50.00	0	128	50	148				
Vinyl chloride	53	1.0	50.00	0	105	35	142				
Surr: 4-Bromofluorobenzene	44		50.00		87.8	60	130				
Surr: Dibromofluoromethane	45		50.00		90.7	63	127				
Surr: Toluene-d8	47		50.00		94.5	61	128				

Sample ID: VBLK-120108aY		SampType: MBLK		TestCode: 8260MTBE11		Units: µg/L		Prep Date:		RunNo: 39885		
Client ID: PBW		Batch ID: R39885a		TestNo: SW8260B				Analysis Date: 12/1/2008		SeqNo: 529618		
Analyte		Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
1,1,1,2-Tetrachloroethane		U	1.0									
1,1,1-Trichloroethane		U	1.0									
1,1,2,2-Tetrachloroethane		U	1.0									
1,1,2-Trichloro-1,2,2-trifluoroethane		U	1.0									
1,1,2-Trichloroethane		U	1.0									
1,1-Dichloroethane		U	1.0									
1,1-Dichloroethene		U	1.0									
1,1-Dichloropropene		U	1.0									
1,2,3-Trichlorobenzene		U	1.0									
1,2,3-Trichloropropane		U	1.0									
1,2,4-Trichlorobenzene		U	1.0									
1,2,4-Trimethylbenzene		U	1.0									
1,2-Dibromo-3-chloropropane		U	1.0									
1,2-Dibromoethane		U	1.0									
1,2-Dichlorobenzene		U	1.0									

Qualifiers: E Value above quantitation range
LOD Limit of Detection
R RPD outside accepted recovery limits
H Holding times for preparation or analysis exceeded
LOQ Limit of Quantitation
S Spike Recovery outside accepted recovery limits
J Analyte detected below quantitation limit
ND Not Detected at the Reporting Limit
U Indicates the compound was analyzed

CLIENT: Leggett Brashears & Graham Inc.
Work Order: 0811352
Project: Rowe

ANALYTICAL QC SUMMARY REPORT

TestCode: 8260MTBE113_W

Sample ID: VBLK-120108aY		SampType: MBLK		TestCode: 8260MTBE11		Units: µg/L		Prep Date:		RunNo: 39885		
Client ID: PBW		Batch ID: R39885a		TestNo: SW8260B				Analysis Date: 12/1/2008		SeqNo: 529618		
Analyte		Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
1,2-Dichloroethane		U	1.0									
1,2-Dichloropropane		U	1.0									
1,3,5-Trimethylbenzene		U	1.0									
1,3-Dichlorobenzene		U	1.0									
1,3-dichloropropane		U	1.0									
1,4-Dichlorobenzene		U	1.0									
2,2-Dichloropropane		U	1.0									
2-Butanone		U	3.0									C
2-Chloroethyl vinyl ether		U	1.0									C
2-Chlorotoluene		U	1.0									
2-Hexanone		U	2.0									
4-Chlorotoluene		U	1.0									
4-Isopropyltoluene		U	1.0									
4-Methyl-2-pentanone		U	2.0									
Acetone		U	2.0									
Benzene		U	1.0									
Bromobenzene		U	1.0									
Bromochloromethane		U	1.0									
Bromodichloromethane		U	1.0									
Bromoform		U	1.0									
Bromomethane		U	1.0									
Carbon disulfide		U	1.0									
Carbon tetrachloride		U	1.0									
Chlorobenzene		U	1.0									
Chloroethane		U	1.0									
Chloroform		U	1.0									
Chloromethane		U	1.0									
cis-1,2-Dichloroethene		U	1.0									
cis-1,3-Dichloropropene		U	1.0									
Dibromochloromethane		U	1.0									
Dibromomethane		U	1.0									

Qualifiers: E Value above quantitation range
LOD Limit of Detection
R RPD outside accepted recovery limits

H Holding times for preparation or analysis exceeded
LOQ Limit of Quantitation
S Spike Recovery outside accepted recovery limits

J Analyte detected below quantitation li
ND Not Detected at the Reporting Limit
U Indicates the compound was analyzed

CLIENT: Leggett Brashears & Graham Inc.
Work Order: 0811352
Project: Rowe

ANALYTICAL QC SUMMARY REPORT

TestCode: 8260MTBE113_W

Sample ID: VBLK-120108aY	SampType: MBLK	TestCode: 8260MTBE11	Units: µg/L	Prep Date:	RunNo: 39885						
Client ID: PBW	Batch ID: R39885a	TestNo: SW8260B		Analysis Date: 12/1/2008	SeqNo: 529618						
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual

Dichlorodifluoromethane	U	1.0									
Ethylbenzene	U	1.0									
Hexachlorobutadiene	U	1.0									
Isopropylbenzene	U	1.0									
m,p-Xylene	U	2.0									
Methyl tert-butyl ether	U	1.0									C
Methylene chloride	U	1.0									C
Naphthalene	U	1.0									
n-Butylbenzene	U	1.0									
n-Propylbenzene	U	1.0									
o-Xylene	U	1.0									
sec-Butylbenzene	U	1.0									
Styrene	U	1.0									
tert-Butylbenzene	U	1.0									
Tetrachloroethene	U	1.0									
Toluene	U	1.0									
trans-1,2-Dichloroethene	U	1.0									
trans-1,3-Dichloropropene	U	1.0									
Trichloroethene	U	1.0									
Trichlorofluoromethane	U	1.0									
Vinyl acetate	U	1.0									
Vinyl chloride	U	1.0									
Surr: 4-Bromofluorobenzene	50		50.00		100	60		130			
Surr: Dibromofluoromethane	47		50.00		94.1	63		127			
Surr: Toluene-d8	54		50.00		108	61		128			

Qualifiers: E Value above quantitation range
LOD Limit of Detection
R RPD outside accepted recovery limits

H Holding times for preparation or analysis exceeded
LOQ Limit of Quantitation
S Spike Recovery outside accepted recovery limits

J Analyte detected below quantitation li
ND Not Detected at the Reporting Limit
U Indicates the compound was analyzed

CLIENT: Leggette Brashears & Graham Inc.
Work Order: 0811352
Project: Rowe

ANALYTICAL QC SUMMARY REPORT

TestCode: FE_T

Sample ID: LCSW-112508C	SampleType: LCS	TestCode: FE_T	Units: mg/L	Prep Date: 11/25/2008	RunNo: 39820						
Client ID: LCSW	Batch ID: 23756	TestNo: E200.7	SW3010A	Analysis Date: 11/26/2008	SeqNo: 528913						
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Iron	1.93	0.0200	2.000	0	96.6	68	122				

Sample ID: 0811353-03B-MS	SampleType: MS	TestCode: FE_T	Units: mg/L	Prep Date: 11/25/2008	RunNo: 39820						
Client ID: ZZZZZZ	Batch ID: 23756	TestNo: E200.7	SW3010A	Analysis Date: 11/26/2008	SeqNo: 528940						
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Iron	8.20	0.0200	1.000	7.616	58.7	68	122				S

Sample ID: 0811353-03B-MSD		SampleType: MSD	TestCode: FE_T	Units: mg/L	Prep Date: 11/25/2008	RunNo: 39820					
Client ID: ZZZZZZ		Batch ID: 23756	TestNo: E200.7	SW3010A	Analysis Date: 11/26/2008	SeqNo: 528941					
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Iron	8.16	0.0200	1.000	7.616	54.2	68	122	8.203	0.548	20	S

Qualifiers: E Value above quantitation range
LOD Limit of Detection
R RPD outside accepted recovery limits
H Holding times for preparation or analysis exceeded
LOQ Limit of Quantitation
S Spike Recovery outside accepted recovery limits
J Analyte detected below quantitation li
ND Not Detected at the Reporting Limit
U Indicates the compound was analyzed

APPENDIX II
NOVEMBER 2008 LABORATORY ANALYTICAL REPORTS
FOR FP&T RECOVERY WELLS

Tuesday, December 02, 2008

Mark Goldberg
Leggette Brashears & Graham Inc.
4 Research Drive
Suite 301
Shelton, CT 06484

TEL: (203) 929-8555
FAX (203) 926-9140

RE: Rowe

Order No.: 0811351

Dear Mark Goldberg:

American Analytical Laboratories, LLC. received 4 sample(s) on 11/25/2008 for the analyses presented in the following report.

Samples were analyzed in accordance with the test procedures documented on the chain of custody and detailed throughout the text of this report.


The results reported herein relate only to the items tested or to the samples as received by the laboratory. This report may not be reproduced, except in full, without the approval of American Analytical Laboratories, LLC and is not considered complete without a cover page and chain of custody documentation. The limits (LOQ) provided in the data package are analytical reporting limits and not Federal or Local mandated values to which the sample results should be compared.

There were no problems with the analyses and all data for associated QC met laboratory specifications. If there are any exceptions a Case Narrative is provided in the report or the data is qualified. This package has been reviewed by American Analytical Laboratories' QA Department/Laboratory Director to comply with NELAC standards prior to report submittal. This report consists of 24 pages.

If you have any questions regarding these tests results, please do not hesitate to call (631) 454-6100 or email me directly at lbeyer@american-analytical.com.

Sincerely,

Lori Beyer
Lab Director



American Analytical Laboratories, LLC.**Date:** 02-Dec-08**CLIENT:** Leggette Brashears & Graham Inc.**Project:** Rowe**Lab Order:** 0811351**Work Order Sample Summary**

Lab Sample ID	Client Sample ID	Date Collected	Date Received
0811351-01A	WQ112008:1000FRW-1	11/20/2008 10:00:00 AM	11/25/2008
0811351-02A	WQ112008:1005FRW-2	11/20/2008 10:05:00 AM	11/25/2008
0811351-03A	WQ112008:1010FRW-3	11/20/2008 10:10:00 AM	11/25/2008
0811351-04A	WQ112008:1015FRW-4	11/20/2008 10:15:00 AM	11/25/2008

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735

Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com

MATRIX		S-SOIL; L-LIQUID; SL-SLUDGE; A-AIR; W-WIPE; P-PAINT CHIPS; B-BULK MATERIAL		TURNAROUND REQUIRED:		COMMENTS / INSTRUCTIONS	
TYPE		G=GRAB; C=COMPOSITE, SS=SPLIT SPOON		NORMAL ☒ STAT ☐		BY / /	
RELINQUISHED BY (SIGNATURE)	DATE 9/24/08 TIME 17:00	PRINTED NAME Kithi Deak	RECEIVED BY LAB (SIGNATURE) 	DATE 11/15/05 TIME 10:00	PRINTED NAME Nick Marjo		
RELINQUISHED BY (SIGNATURE)	DATE TIME	PRINTED NAME	RECEIVED BY LAB (SIGNATURE)	DATE TIME	PRINTED NAME		

American Analytical Laboratories, LLC.

Sample Receipt Checklist

Client Name **LBG CT**

Date and Time Receive **11/25/2008 11:33:37 AM**

Work Order Numbe **0811351**

RcptNo: **1**

Received by **NM**

COC_ID:

CoolerID:

Checklist completed by

Signature [Signature] Date 11/25/08

Reviewed by

Initials CB Date 11/25/08

Matrix:

Carrier name FedEx

Shipping container/cooler in good condition?

Yes ☒

No ☐

Not Presen ☐

Custody seals intact on shipping container/cooler?

Yes ☐

No ☐

Not Presen ☒

Custody seals intact on sample bottles?

Yes ☐

No ☐

Not Presen ☒

Chain of custody present?

Yes ☒

No ☐

Chain of custody signed when relinquished and received?

Yes ☒

No ☐

Chain of custody agrees with sample labels?

Yes ☒

No ☐

Samples in proper container/bottle?

Yes ☒

No ☐

Sample containers intact?

Yes ☒

No ☐

Sufficient sample volume for indicated test?

Yes ☒

No ☐

All samples received within holding time?

Yes ☒

No ☐

Container/Temp Blank temperature in compliance?

Yes ☒

No ☐

Water - VOA vials have zero headspace?

No VOA vials submitted ☐

Yes ☒

No ☐

Water - pH acceptable upon receipt?

Yes ☒

No ☐

N/A ☐

Adjusted? _____ Checked b _____

Any No and/or NA (not applicable) response must be detailed in the comments section be

Client contacted _____ Date contacted: _____ Person contacted _____

Contacted by: _____ Regarding: _____

Comments: Cooler: Yes; Ice: Yes; T = 3.3 C.

Corrective Action _____

American Analytical Laboratories, LLC.

Date: 02-Dec-08

ELAP ID : 11418

CLIENT: Leggette Brashears & Graham Inc.
Lab Order: 0811351
Project: Rowe
Lab ID: 0811351-01A

Client Sample ID: WQ112008:1000FRW-1
Collection Date: 11/20/2008 10:00:00 AM
Matrix: LIQUID

Certificate of Results

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
VOLATILE SW-846 8260 + MTBE & FREON113			SW8260B		Analyst: LA		
1,1,1,2-Tetrachloroethane	U	0.3	1.0		µg/L	1	11/28/2008 7:14:00 PM
1,1,1-Trichloroethane	U	0.3	1.0		µg/L	1	11/28/2008 7:14:00 PM
1,1,2,2-Tetrachloroethane	U	0.3	1.0		µg/L	1	11/28/2008 7:14:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	U	0.3	1.0		µg/L	1	11/28/2008 7:14:00 PM
1,1,2-Trichloroethane	U	0.3	1.0		µg/L	1	11/28/2008 7:14:00 PM
1,1-Dichloroethane	U	0.3	1.0		µg/L	1	11/28/2008 7:14:00 PM
1,1-Dichloroethene	U	0.3	1.0		µg/L	1	11/28/2008 7:14:00 PM
1,1-Dichloropropene	U	0.3	1.0		µg/L	1	11/28/2008 7:14:00 PM
1,2,3-Trichlorobenzene	U	0.3	1.0		µg/L	1	11/28/2008 7:14:00 PM
1,2,3-Trichloropropane	U	0.4	1.0		µg/L	1	11/28/2008 7:14:00 PM
1,2,4-Trichlorobenzene	U	0.3	1.0		µg/L	1	11/28/2008 7:14:00 PM
1,2,4-Trimethylbenzene	U	0.3	1.0		µg/L	1	11/28/2008 7:14:00 PM
1,2-Dibromo-3-chloropropane	U	0.4	1.0		µg/L	1	11/28/2008 7:14:00 PM
1,2-Dibromoethane	U	0.3	1.0		µg/L	1	11/28/2008 7:14:00 PM
1,2-Dichlorobenzene	U	0.3	1.0		µg/L	1	11/28/2008 7:14:00 PM
1,2-Dichloroethane	U	0.3	1.0		µg/L	1	11/28/2008 7:14:00 PM
1,2-Dichloropropane	U	0.3	1.0		µg/L	1	11/28/2008 7:14:00 PM
1,3,5-Trimethylbenzene	U	0.3	1.0		µg/L	1	11/28/2008 7:14:00 PM
1,3-Dichlorobenzene	U	0.3	1.0		µg/L	1	11/28/2008 7:14:00 PM
1,3-dichloropropane	U	0.3	1.0		µg/L	1	11/28/2008 7:14:00 PM
1,4-Dichlorobenzene	U	0.3	1.0		µg/L	1	11/28/2008 7:14:00 PM
2,2-Dichloropropane	U	0.3	1.0		µg/L	1	11/28/2008 7:14:00 PM
2-Butanone	U	0.3	3.0	C	µg/L	1	11/28/2008 7:14:00 PM
2-Chloroethyl vinyl ether	U	0.3	1.0		µg/L	1	11/28/2008 7:14:00 PM
2-Chlorotoluene	U	0.3	1.0		µg/L	1	11/28/2008 7:14:00 PM
2-Hexanone	U	0.3	2.0		µg/L	1	11/28/2008 7:14:00 PM
4-Chlorotoluene	U	0.3	1.0		µg/L	1	11/28/2008 7:14:00 PM
4-Isopropyltoluene	U	0.3	1.0		µg/L	1	11/28/2008 7:14:00 PM
4-Methyl-2-pentanone	U	0.3	2.0		µg/L	1	11/28/2008 7:14:00 PM
Acetone	U	0.3	2.0		µg/L	1	11/28/2008 7:14:00 PM
Benzene	U	0.3	1.0		µg/L	1	11/28/2008 7:14:00 PM
Bromobenzene	U	0.3	1.0		µg/L	1	11/28/2008 7:14:00 PM
Bromochloromethane	U	0.4	1.0		µg/L	1	11/28/2008 7:14:00 PM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735

Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



Qualifiers:	* Value exceeds Maximum Contaminant Level	B Analyte detected in the associated Method Blank
	E Value above quantitation range	H Holding times for preparation or analysis exceeded
	J Analyte detected below quantitation limits	LOD Limit of Detection
	LOQ Limit of Quantitation	ND Not Detected at the Reporting Limit
	S Spike Recovery outside accepted recovery limits	U Indicates the compound was analyzed but not detected.
	C Calibration %RSD/%D exceeded for non-CCC analytes	

American Analytical Laboratories, LLC.

Date: 02-Dec-08

ELAP ID : 11418

CLIENT: Leggette Brashears & Graham Inc.
Lab Order: 0811351
Project: Rowe
Lab ID: 0811351-01A

Client Sample ID: WQ112008:1000FRW-1
Collection Date: 11/20/2008 10:00:00 AM
Matrix: LIQUID

Certificate of Results

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
VOLATILE SW-846 8260 + MTBE & FREON113			SW8260B			Analyst: LA	
Bromodichloromethane	U	0.3	1.0		µg/L	1	11/28/2008 7:14:00 PM
Bromoform	U	0.3	1.0		µg/L	1	11/28/2008 7:14:00 PM
Bromomethane	U	0.3	1.0		µg/L	1	11/28/2008 7:14:00 PM
Carbon disulfide	U	0.3	1.0		µg/L	1	11/28/2008 7:14:00 PM
Carbon tetrachloride	U	0.3	1.0		µg/L	1	11/28/2008 7:14:00 PM
Chlorobenzene	U	0.3	1.0		µg/L	1	11/28/2008 7:14:00 PM
Chloroethane	U	0.4	1.0	C	µg/L	1	11/28/2008 7:14:00 PM
Chloroform	U	0.3	1.0		µg/L	1	11/28/2008 7:14:00 PM
Chloromethane	U	0.3	1.0		µg/L	1	11/28/2008 7:14:00 PM
cis-1,2-Dichloroethene	13	0.3	1.0		µg/L	1	11/28/2008 7:14:00 PM
cis-1,3-Dichloropropene	U	0.3	1.0		µg/L	1	11/28/2008 7:14:00 PM
Dibromochloromethane	U	0.3	1.0		µg/L	1	11/28/2008 7:14:00 PM
Dibromomethane	U	0.3	1.0		µg/L	1	11/28/2008 7:14:00 PM
Dichlorodifluoromethane	U	0.3	1.0		µg/L	1	11/28/2008 7:14:00 PM
Ethylbenzene	U	0.3	1.0		µg/L	1	11/28/2008 7:14:00 PM
Hexachlorobutadiene	U	0.3	1.0		µg/L	1	11/28/2008 7:14:00 PM
Isopropylbenzene	U	0.3	1.0		µg/L	1	11/28/2008 7:14:00 PM
m,p-Xylene	U	0.3	2.0		µg/L	1	11/28/2008 7:14:00 PM
Methyl tert-butyl ether	U	0.3	1.0		µg/L	1	11/28/2008 7:14:00 PM
Methylene chloride	U	0.3	1.0		µg/L	1	11/28/2008 7:14:00 PM
Naphthalene	U	0.3	1.0		µg/L	1	11/28/2008 7:14:00 PM
n-Butylbenzene	U	0.3	1.0		µg/L	1	11/28/2008 7:14:00 PM
n-Propylbenzene	U	0.3	1.0		µg/L	1	11/28/2008 7:14:00 PM
o-Xylene	U	0.3	1.0		µg/L	1	11/28/2008 7:14:00 PM
sec-Butylbenzene	U	0.3	1.0		µg/L	1	11/28/2008 7:14:00 PM
Styrene	U	0.3	1.0		µg/L	1	11/28/2008 7:14:00 PM
tert-Butylbenzene	U	0.3	1.0		µg/L	1	11/28/2008 7:14:00 PM
Tetrachloroethene	50	0.3	1.0		µg/L	1	11/28/2008 7:14:00 PM
Toluene	U	0.3	1.0		µg/L	1	11/28/2008 7:14:00 PM
trans-1,2-Dichloroethene	U	0.3	1.0		µg/L	1	11/28/2008 7:14:00 PM
trans-1,3-Dichloropropene	U	0.3	1.0		µg/L	1	11/28/2008 7:14:00 PM
Trichloroethene	U	0.3	1.0		µg/L	1	11/28/2008 7:14:00 PM
Trichlorofluoromethane	U	0.3	1.0		µg/L	1	11/28/2008 7:14:00 PM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735

Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



Qualifiers:	*	Value exceeds Maximum Contaminant Level	B	Analyte detected in the associated Method Blank
	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded
	J	Analyte detected below quantitation limits	LOD	Limit of Detection
	LOQ	Limit of Quantitation	ND	Not Detected at the Reporting Limit
	S	Spike Recovery outside accepted recovery limits	U	Indicates the compound was analyzed but not detected.
	C	Calibration %RSD/%D exceeded for non-CCC analytes		

American Analytical Laboratories, LLC.

Date: 02-Dec-08

ELAP ID : 11418

CLIENT: Leggette Brashears & Graham Inc.

Client Sample ID: WQ112008:1000FRW-1

Lab Order: 0811351

Collection Date: 11/20/2008 10:00:00 AM

Project: Rowe

Matrix: LIQUID

Lab ID: 0811351-01A

Certificate of Results

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
VOLATILE SW-846 8260 + MTBE & FREON113			SW8260B			Analyst: LA	
Vinyl acetate	U	0.3	1.0		µg/L	1	11/28/2008 7:14:00 PM
Vinyl chloride	U	0.3	1.0		µg/L	1	11/28/2008 7:14:00 PM
Surr: 4-Bromofluorobenzene	98.6	0	60-130		%REC	1	11/28/2008 7:14:00 PM
Surr: Dibromofluoromethane	110	0	63-127		%REC	1	11/28/2008 7:14:00 PM
Surr: Toluene-d8	88.9	0	61-128		%REC	1	11/28/2008 7:14:00 PM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735

Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



Qualifiers:	*	Value exceeds Maximum Contaminant Level	B	Analyte detected in the associated Method Blank
	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded
	J	Analyte detected below quantitation limits	LOD	Limit of Detection
	LOQ	Limit of Quantitation	ND	Not Detected at the Reporting Limit
	S	Spike Recovery outside accepted recovery limits	U	Indicates the compound was analyzed but not detected.
	C	Calibration %RSD/%D exceeded for non-CCC analytes		

American Analytical Laboratories, LLC.

Date: 02-Dec-08

ELAP ID : 11418

CLIENT: Leggette Brashears & Graham Inc.
Lab Order: 0811351
Project: Rowe
Lab ID: 0811351-02A

Client Sample ID: WQ112008:1005FRW-2
Collection Date: 11/20/2008 10:05:00 AM
Matrix: LIQUID

Certificate of Results

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
VOLATILE SW-846 8260 + MTBE & FREON113			SW8260B			Analyst: LA	
1,1,1,2-Tetrachloroethane	U	0.3	1.0		µg/L	1	11/28/2008 7:39:00 PM
1,1,1-Trichloroethane	U	0.3	1.0		µg/L	1	11/28/2008 7:39:00 PM
1,1,2,2-Tetrachloroethane	U	0.3	1.0		µg/L	1	11/28/2008 7:39:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	U	0.3	1.0		µg/L	1	11/28/2008 7:39:00 PM
1,1,2-Trichloroethane	U	0.3	1.0		µg/L	1	11/28/2008 7:39:00 PM
1,1-Dichloroethane	U	0.3	1.0		µg/L	1	11/28/2008 7:39:00 PM
1,1-Dichloroethene	U	0.3	1.0		µg/L	1	11/28/2008 7:39:00 PM
1,1-Dichloropropene	U	0.3	1.0		µg/L	1	11/28/2008 7:39:00 PM
1,2,3-Trichlorobenzene	U	0.3	1.0		µg/L	1	11/28/2008 7:39:00 PM
1,2,3-Trichloropropane	U	0.4	1.0		µg/L	1	11/28/2008 7:39:00 PM
1,2,4-Trichlorobenzene	U	0.3	1.0		µg/L	1	11/28/2008 7:39:00 PM
1,2,4-Trimethylbenzene	U	0.3	1.0		µg/L	1	11/28/2008 7:39:00 PM
1,2-Dibromo-3-chloropropane	U	0.4	1.0		µg/L	1	11/28/2008 7:39:00 PM
1,2-Dibromoethane	U	0.3	1.0		µg/L	1	11/28/2008 7:39:00 PM
1,2-Dichlorobenzene	U	0.3	1.0		µg/L	1	11/28/2008 7:39:00 PM
1,2-Dichloroethane	U	0.3	1.0		µg/L	1	11/28/2008 7:39:00 PM
1,2-Dichloropropane	U	0.3	1.0		µg/L	1	11/28/2008 7:39:00 PM
1,3,5-Trimethylbenzene	U	0.3	1.0		µg/L	1	11/28/2008 7:39:00 PM
1,3-Dichlorobenzene	U	0.3	1.0		µg/L	1	11/28/2008 7:39:00 PM
1,3-dichloropropane	U	0.3	1.0		µg/L	1	11/28/2008 7:39:00 PM
1,4-Dichlorobenzene	U	0.3	1.0		µg/L	1	11/28/2008 7:39:00 PM
2,2-Dichloropropane	U	0.3	1.0		µg/L	1	11/28/2008 7:39:00 PM
2-Butanone	U	0.3	3.0	C	µg/L	1	11/28/2008 7:39:00 PM
2-Chloroethyl vinyl ether	U	0.3	1.0	C	µg/L	1	11/28/2008 7:39:00 PM
2-Chlorotoluene	U	0.3	1.0		µg/L	1	11/28/2008 7:39:00 PM
2-Hexanone	U	0.3	2.0		µg/L	1	11/28/2008 7:39:00 PM
4-Chlorotoluene	U	0.3	1.0		µg/L	1	11/28/2008 7:39:00 PM
4-Isopropyltoluene	U	0.3	1.0		µg/L	1	11/28/2008 7:39:00 PM
4-Methyl-2-pentanone	U	0.3	2.0		µg/L	1	11/28/2008 7:39:00 PM
Acetone	U	0.3	2.0		µg/L	1	11/28/2008 7:39:00 PM
Benzene	U	0.3	1.0		µg/L	1	11/28/2008 7:39:00 PM
Bromobenzene	U	0.3	1.0		µg/L	1	11/28/2008 7:39:00 PM
Bromochloromethane	U	0.4	1.0		µg/L	1	11/28/2008 7:39:00 PM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735

Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



Qualifiers:	* Value exceeds Maximum Contaminant Level	B Analyte detected in the associated Method Blank
	E Value above quantitation range	H Holding times for preparation or analysis exceeded
	J Analyte detected below quantitation limits	LOD Limit of Detection
	LOQ Limit of Quantitation	ND Not Detected at the Reporting Limit
	S Spike Recovery outside accepted recovery limits	U Indicates the compound was analyzed but not detected.
	C Calibration %RSD/%D exceeded for non-CCC analytes	

American Analytical Laboratories, LLC.

Date: 02-Dec-08

ELAP ID : 11418

CLIENT: Leggette Brashears & Graham Inc.

Client Sample ID: WQ112008:1005FRW-2

Lab Order: 0811351

Collection Date: 11/20/2008 10:05:00 AM

Project: Rowe

Matrix: LIQUID

Lab ID: 0811351-02A

Certificate of Results

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
VOLATILE SW-846 8260 + MTBE & FREON113			SW8260B		Analyst: LA		
Bromodichloromethane	U	0.3	1.0		µg/L	1	11/28/2008 7:39:00 PM
Bromoform	U	0.3	1.0		µg/L	1	11/28/2008 7:39:00 PM
Bromomethane	U	0.3	1.0		µg/L	1	11/28/2008 7:39:00 PM
Carbon disulfide	U	0.3	1.0		µg/L	1	11/28/2008 7:39:00 PM
Carbon tetrachloride	U	0.3	1.0		µg/L	1	11/28/2008 7:39:00 PM
Chlorobenzene	U	0.3	1.0		µg/L	1	11/28/2008 7:39:00 PM
Chloroethane	U	0.4	1.0		µg/L	1	11/28/2008 7:39:00 PM
Chloroform	U	0.3	1.0		µg/L	1	11/28/2008 7:39:00 PM
Chloromethane	U	0.3	1.0		µg/L	1	11/28/2008 7:39:00 PM
cis-1,2-Dichloroethene	U	0.3	1.0		µg/L	1	11/28/2008 7:39:00 PM
cis-1,3-Dichloropropene	U	0.3	1.0		µg/L	1	11/28/2008 7:39:00 PM
Dibromochloromethane	U	0.3	1.0		µg/L	1	11/28/2008 7:39:00 PM
Dibromomethane	U	0.3	1.0		µg/L	1	11/28/2008 7:39:00 PM
Dichlorodifluoromethane	U	0.3	1.0		µg/L	1	11/28/2008 7:39:00 PM
Ethylbenzene	U	0.3	1.0		µg/L	1	11/28/2008 7:39:00 PM
Hexachlorobutadiene	U	0.3	1.0		µg/L	1	11/28/2008 7:39:00 PM
Isopropylbenzene	U	0.3	1.0		µg/L	1	11/28/2008 7:39:00 PM
m,p-Xylene	U	0.3	2.0		µg/L	1	11/28/2008 7:39:00 PM
Methyl tert-butyl ether	U	0.3	1.0		µg/L	1	11/28/2008 7:39:00 PM
Methylene chloride	U	0.3	1.0	C	µg/L	1	11/28/2008 7:39:00 PM
Naphthalene	U	0.3	1.0		µg/L	1	11/28/2008 7:39:00 PM
n-Butylbenzene	U	0.3	1.0		µg/L	1	11/28/2008 7:39:00 PM
n-Propylbenzene	U	0.3	1.0		µg/L	1	11/28/2008 7:39:00 PM
o-Xylene	U	0.3	1.0		µg/L	1	11/28/2008 7:39:00 PM
sec-Butylbenzene	U	0.3	1.0		µg/L	1	11/28/2008 7:39:00 PM
Styrene	U	0.3	1.0		µg/L	1	11/28/2008 7:39:00 PM
tert-Butylbenzene	U	0.3	1.0		µg/L	1	11/28/2008 7:39:00 PM
Tetrachloroethene	27	0.3	1.0		µg/L	1	11/28/2008 7:39:00 PM
Toluene	U	0.3	1.0		µg/L	1	11/28/2008 7:39:00 PM
trans-1,2-Dichloroethene	U	0.3	1.0		µg/L	1	11/28/2008 7:39:00 PM
trans-1,3-Dichloropropene	U	0.3	1.0		µg/L	1	11/28/2008 7:39:00 PM
Trichloroethene	U	0.3	1.0		µg/L	1	11/28/2008 7:39:00 PM
Trichlorofluoromethane	U	0.3	1.0		µg/L	1	11/28/2008 7:39:00 PM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735

Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



Qualifiers:	*	Value exceeds Maximum Contaminant Level	B	Analyte detected in the associated Method Blank
	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded
	J	Analyte detected below quantitation limits	LOD	Limit of Detection
	LOQ	Limit of Quantitation	ND	Not Detected at the Reporting Limit
	S	Spike Recovery outside accepted recovery limits	U	Indicates the compound was analyzed but not detected.
	C	Calibration %RSD/%D exceeded for non-CCC analytes		

American Analytical Laboratories, LLC.

Date: 02-Dec-08

ELAP ID : 11418

CLIENT: Leggette Brashears & Graham Inc.

Client Sample ID: WQ112008:1005FRW-2

Lab Order: 0811351

Collection Date: 11/20/2008 10:05:00 AM

Project: Rowe

Matrix: LIQUID

Lab ID: 0811351-02A

Certificate of Results

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
VOLATILE SW-846 8260 + MTBE & FREON113			SW8260B		Analyst: LA		
Vinyl acetate	U	0.3	1.0		µg/L	1	11/28/2008 7:39:00 PM
Vinyl chloride	U	0.3	1.0		µg/L	1	11/28/2008 7:39:00 PM
Surr: 4-Bromofluorobenzene	102	0	60-130		%REC	1	11/28/2008 7:39:00 PM
Surr: Dibromofluoromethane	107	0	63-127		%REC	1	11/28/2008 7:39:00 PM
Surr: Toluene-d8	105	0	61-128		%REC	1	11/28/2008 7:39:00 PM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735

Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



Qualifiers:	*	Value exceeds Maximum Contaminant Level	B	Analyte detected in the associated Method Blank
	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded
	J	Analyte detected below quantitation limits	LOD	Limit of Detection
	LOQ	Limit of Quantitation	ND	Not Detected at the Reporting Limit
	S	Spike Recovery outside accepted recovery limits	U	Indicates the compound was analyzed but not detected.
	C	Calibration %RSD/%D exceeded for non-CCC analytes		

American Analytical Laboratories, LLC.

Date: 02-Dec-08

ELAP ID : 11418

CLIENT: Leggette Brashears & Graham Inc.
Lab Order: 0811351
Project: Rowe
Lab ID: 0811351-03A

Client Sample ID: WQ112008:1010FRW-3
Collection Date: 11/20/2008 10:10:00 AM
Matrix: LIQUID

Certificate of Results

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
VOLATILE SW-846 8260 + MTBE & FREON113			SW8260B			Analyst: LA	
1,1,1,2-Tetrachloroethane	U	0.3	1.0		µg/L	1	11/28/2008 8:04:00 PM
1,1,1-Trichloroethane	U	0.3	1.0		µg/L	1	11/28/2008 8:04:00 PM
1,1,2,2-Tetrachloroethane	U	0.3	1.0		µg/L	1	11/28/2008 8:04:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	U	0.3	1.0		µg/L	1	11/28/2008 8:04:00 PM
1,1,2-Trichloroethane	U	0.3	1.0		µg/L	1	11/28/2008 8:04:00 PM
1,1-Dichloroethane	U	0.3	1.0		µg/L	1	11/28/2008 8:04:00 PM
1,1-Dichloroethene	U	0.3	1.0		µg/L	1	11/28/2008 8:04:00 PM
1,1-Dichloropropene	U	0.3	1.0		µg/L	1	11/28/2008 8:04:00 PM
1,2,3-Trichlorobenzene	U	0.3	1.0		µg/L	1	11/28/2008 8:04:00 PM
1,2,3-Trichloropropane	U	0.4	1.0		µg/L	1	11/28/2008 8:04:00 PM
1,2,4-Trichlorobenzene	U	0.3	1.0		µg/L	1	11/28/2008 8:04:00 PM
1,2,4-Trimethylbenzene	U	0.3	1.0		µg/L	1	11/28/2008 8:04:00 PM
1,2-Dibromo-3-chloropropane	U	0.4	1.0		µg/L	1	11/28/2008 8:04:00 PM
1,2-Dibromoethane	U	0.3	1.0		µg/L	1	11/28/2008 8:04:00 PM
1,2-Dichlorobenzene	U	0.3	1.0		µg/L	1	11/28/2008 8:04:00 PM
1,2-Dichloroethane	U	0.3	1.0		µg/L	1	11/28/2008 8:04:00 PM
1,2-Dichloropropane	U	0.3	1.0		µg/L	1	11/28/2008 8:04:00 PM
1,3,5-Trimethylbenzene	U	0.3	1.0		µg/L	1	11/28/2008 8:04:00 PM
1,3-Dichlorobenzene	U	0.3	1.0		µg/L	1	11/28/2008 8:04:00 PM
1,3-dichloropropane	U	0.3	1.0		µg/L	1	11/28/2008 8:04:00 PM
1,4-Dichlorobenzene	U	0.3	1.0		µg/L	1	11/28/2008 8:04:00 PM
2,2-Dichloropropane	U	0.3	1.0		µg/L	1	11/28/2008 8:04:00 PM
2-Butanone	U	0.3	3.0	C	µg/L	1	11/28/2008 8:04:00 PM
2-Chloroethyl vinyl ether	U	0.3	1.0		µg/L	1	11/28/2008 8:04:00 PM
2-Chlorotoluene	U	0.3	1.0		µg/L	1	11/28/2008 8:04:00 PM
2-Hexanone	U	0.3	2.0		µg/L	1	11/28/2008 8:04:00 PM
4-Chlorotoluene	U	0.3	1.0		µg/L	1	11/28/2008 8:04:00 PM
4-Isopropyltoluene	U	0.3	1.0		µg/L	1	11/28/2008 8:04:00 PM
4-Methyl-2-pentanone	U	0.3	2.0		µg/L	1	11/28/2008 8:04:00 PM
Acetone	U	0.3	2.0		µg/L	1	11/28/2008 8:04:00 PM
Benzene	U	0.3	1.0		µg/L	1	11/28/2008 8:04:00 PM
Bromobenzene	U	0.3	1.0		µg/L	1	11/28/2008 8:04:00 PM
Bromochloromethane	U	0.4	1.0		µg/L	1	11/28/2008 8:04:00 PM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735

Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



Qualifiers:	*	Value exceeds Maximum Contaminant Level	B	Analyte detected in the associated Method Blank
	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded
	J	Analyte detected below quantitation limits	LOD	Limit of Detection
	LOQ	Limit of Quantitation	ND	Not Detected at the Reporting Limit
	S	Spike Recovery outside accepted recovery limits	U	Indicates the compound was analyzed but not detected.
	C	Calibration %RSD/%D exceeded for non-CCC analytes		

American Analytical Laboratories, LLC.

Date: 02-Dec-08

ELAP ID : 11418

CLIENT: Leggette Brashears & Graham Inc.
Lab Order: 0811351
Project: Rowe
Lab ID: 0811351-03A

Client Sample ID: WQ112008:1010FRW-3
Collection Date: 11/20/2008 10:10:00 AM
Matrix: LIQUID

Certificate of Results

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
VOLATILE SW-846 8260 + MTBE & FREON113			SW8260B		Analyst: LA		
Bromodichloromethane	U	0.3	1.0		µg/L	1	11/28/2008 8:04:00 PM
Bromoform	U	0.3	1.0		µg/L	1	11/28/2008 8:04:00 PM
Bromomethane	U	0.3	1.0		µg/L	1	11/28/2008 8:04:00 PM
Carbon disulfide	U	0.3	1.0		µg/L	1	11/28/2008 8:04:00 PM
Carbon tetrachloride	U	0.3	1.0		µg/L	1	11/28/2008 8:04:00 PM
Chlorobenzene	U	0.3	1.0		µg/L	1	11/28/2008 8:04:00 PM
Chloroethane	U	0.4	1.0	C	µg/L	1	11/28/2008 8:04:00 PM
Chloroform	U	0.3	1.0		µg/L	1	11/28/2008 8:04:00 PM
Chloromethane	U	0.3	1.0		µg/L	1	11/28/2008 8:04:00 PM
cis-1,2-Dichloroethene	14	0.3	1.0		µg/L	1	11/28/2008 8:04:00 PM
cis-1,3-Dichloropropene	U	0.3	1.0		µg/L	1	11/28/2008 8:04:00 PM
Dibromochloromethane	U	0.3	1.0		µg/L	1	11/28/2008 8:04:00 PM
Dibromomethane	U	0.3	1.0		µg/L	1	11/28/2008 8:04:00 PM
Dichlorodifluoromethane	U	0.3	1.0		µg/L	1	11/28/2008 8:04:00 PM
Ethylbenzene	U	0.3	1.0		µg/L	1	11/28/2008 8:04:00 PM
Hexachlorobutadiene	U	0.3	1.0		µg/L	1	11/28/2008 8:04:00 PM
Isopropylbenzene	6.0	0.3	1.0		µg/L	1	11/28/2008 8:04:00 PM
m,p-Xylene	U	0.3	2.0		µg/L	1	11/28/2008 8:04:00 PM
Methyl tert-butyl ether	U	0.3	1.0		µg/L	1	11/28/2008 8:04:00 PM
Methylene chloride	U	0.3	1.0		µg/L	1	11/28/2008 8:04:00 PM
Naphthalene	U	0.3	1.0		µg/L	1	11/28/2008 8:04:00 PM
n-Butylbenzene	U	0.3	1.0		µg/L	1	11/28/2008 8:04:00 PM
n-Propylbenzene	3.6	0.3	1.0		µg/L	1	11/28/2008 8:04:00 PM
o-Xylene	U	0.3	1.0		µg/L	1	11/28/2008 8:04:00 PM
sec-Butylbenzene	U	0.3	1.0		µg/L	1	11/28/2008 8:04:00 PM
Styrene	U	0.3	1.0		µg/L	1	11/28/2008 8:04:00 PM
tert-Butylbenzene	U	0.3	1.0		µg/L	1	11/28/2008 8:04:00 PM
Tetrachloroethene	110	0.3	1.0		µg/L	1	11/28/2008 8:04:00 PM
Toluene	44	0.3	1.0		µg/L	1	11/28/2008 8:04:00 PM
trans-1,2-Dichloroethene	U	0.3	1.0		µg/L	1	11/28/2008 8:04:00 PM
trans-1,3-Dichloropropene	U	0.3	1.0		µg/L	1	11/28/2008 8:04:00 PM
Trichloroethene	10	0.3	1.0		µg/L	1	11/28/2008 8:04:00 PM
Trichlorofluoromethane	U	0.3	1.0		µg/L	1	11/28/2008 8:04:00 PM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735

Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



Qualifiers:	*	Value exceeds Maximum Contaminant Level	B	Analyte detected in the associated Method Blank
	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded
	J	Analyte detected below quantitation limits	LOD	Limit of Detection
	LOQ	Limit of Quantitation	ND	Not Detected at the Reporting Limit
	S	Spike Recovery outside accepted recovery limits	U	Indicates the compound was analyzed but not detected.
	C	Calibration %RSD/%D exceeded for non-CCC analytes		

American Analytical Laboratories, LLC.

Date: 02-Dec-08

ELAP ID : 11418

CLIENT: Leggette Brashears & Graham Inc.**Client Sample ID:** WQ112008:1010FRW-3**Lab Order:** 0811351**Collection Date:** 11/20/2008 10:10:00 AM**Project:** Rowe**Matrix:** LIQUID**Lab ID:** 0811351-03A**Certificate of Results**

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
VOLATILE SW-846 8260 + MTBE & FREON113			SW8260B		Analyst: LA		
Vinyl acetate	U	0.3	1.0		µg/L	1	11/28/2008 8:04:00 PM
Vinyl chloride	U	0.3	1.0		µg/L	1	11/28/2008 8:04:00 PM
Surr: 4-Bromofluorobenzene	101	0	60-130		%REC	1	11/28/2008 8:04:00 PM
Surr: Dibromofluoromethane	102	0	63-127		%REC	1	11/28/2008 8:04:00 PM
Surr: Toluene-d8	97.7	0	61-128		%REC	1	11/28/2008 8:04:00 PM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735

Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



Qualifiers:	*	Value exceeds Maximum Contaminant Level	B	Analyte detected in the associated Method Blank
	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded
	J	Analyte detected below quantitation limits	LOD	Limit of Detection
	LOQ	Limit of Quantitation	ND	Not Detected at the Reporting Limit
	S	Spike Recovery outside accepted recovery limits	U	Indicates the compound was analyzed but not detected.
	C	Calibration %RSD/%D exceeded for non-CCC analytes		

American Analytical Laboratories, LLC.

Date: 02-Dec-08

ELAP ID : 11418

CLIENT: Leggette Brashears & Graham Inc.

Client Sample ID: WQ112008:1015FRW-4

Lab Order: 0811351

Collection Date: 11/20/2008 10:15:00 AM

Project: Rowe

Matrix: LIQUID

Lab ID: 0811351-04A

Certificate of Results

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
VOLATILE SW-846 8260 + MTBE & FREON113			SW8260B			Analyst: LA	
1,1,1,2-Tetrachloroethane	U	0.3	1.0		µg/L	1	11/28/2008 8:30:00 PM
1,1,1-Trichloroethane	U	0.3	1.0		µg/L	1	11/28/2008 8:30:00 PM
1,1,2,2-Tetrachloroethane	U	0.3	1.0		µg/L	1	11/28/2008 8:30:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	U	0.3	1.0		µg/L	1	11/28/2008 8:30:00 PM
1,1,2-Trichloroethane	U	0.3	1.0		µg/L	1	11/28/2008 8:30:00 PM
1,1-Dichloroethane	U	0.3	1.0		µg/L	1	11/28/2008 8:30:00 PM
1,1-Dichloroethene	U	0.3	1.0		µg/L	1	11/28/2008 8:30:00 PM
1,1-Dichloropropene	U	0.3	1.0		µg/L	1	11/28/2008 8:30:00 PM
1,2,3-Trichlorobenzene	U	0.3	1.0		µg/L	1	11/28/2008 8:30:00 PM
1,2,3-Trichloropropane	U	0.4	1.0		µg/L	1	11/28/2008 8:30:00 PM
1,2,4-Trichlorobenzene	U	0.3	1.0		µg/L	1	11/28/2008 8:30:00 PM
1,2,4-Trimethylbenzene	U	0.3	1.0		µg/L	1	11/28/2008 8:30:00 PM
1,2-Dibromo-3-chloropropane	U	0.4	1.0		µg/L	1	11/28/2008 8:30:00 PM
1,2-Dibromoethane	U	0.3	1.0		µg/L	1	11/28/2008 8:30:00 PM
1,2-Dichlorobenzene	U	0.3	1.0		µg/L	1	11/28/2008 8:30:00 PM
1,2-Dichloroethane	U	0.3	1.0		µg/L	1	11/28/2008 8:30:00 PM
1,2-Dichloropropane	U	0.3	1.0		µg/L	1	11/28/2008 8:30:00 PM
1,3,5-Trimethylbenzene	U	0.3	1.0		µg/L	1	11/28/2008 8:30:00 PM
1,3-Dichlorobenzene	U	0.3	1.0		µg/L	1	11/28/2008 8:30:00 PM
1,3-dichloropropane	U	0.3	1.0		µg/L	1	11/28/2008 8:30:00 PM
1,4-Dichlorobenzene	U	0.3	1.0		µg/L	1	11/28/2008 8:30:00 PM
2,2-Dichloropropane	U	0.3	1.0		µg/L	1	11/28/2008 8:30:00 PM
2-Butanone	U	0.3	3.0	C	µg/L	1	11/28/2008 8:30:00 PM
2-Chloroethyl vinyl ether	U	0.3	1.0	C	µg/L	1	11/28/2008 8:30:00 PM
2-Chlorotoluene	U	0.3	1.0		µg/L	1	11/28/2008 8:30:00 PM
2-Hexanone	U	0.3	2.0		µg/L	1	11/28/2008 8:30:00 PM
4-Chlorotoluene	U	0.3	1.0		µg/L	1	11/28/2008 8:30:00 PM
4-Isopropyltoluene	U	0.3	1.0		µg/L	1	11/28/2008 8:30:00 PM
4-Methyl-2-pentanone	U	0.3	2.0		µg/L	1	11/28/2008 8:30:00 PM
Acetone	U	0.3	2.0		µg/L	1	11/28/2008 8:30:00 PM
Benzene	U	0.3	1.0		µg/L	1	11/28/2008 8:30:00 PM
Bromobenzene	U	0.3	1.0		µg/L	1	11/28/2008 8:30:00 PM
Bromochloromethane	U	0.4	1.0		µg/L	1	11/28/2008 8:30:00 PM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735

Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



Qualifiers:	*	Value exceeds Maximum Contaminant Level	B	Analyte detected in the associated Method Blank
	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded
	J	Analyte detected below quantitation limits	LOD	Limit of Detection
	LOQ	Limit of Quantitation	ND	Not Detected at the Reporting Limit
	S	Spike Recovery outside accepted recovery limits	U	Indicates the compound was analyzed but not detected.
	C	Calibration %RSD/%D exceeded for non-CCC analytes		

American Analytical Laboratories, LLC.

Date: 02-Dec-08

ELAP ID : 11418

CLIENT: Leggette Brashears & Graham Inc.
Lab Order: 0811351
Project: Rowe
Lab ID: 0811351-04A

Client Sample ID: WQ112008:1015FRW-4
Collection Date: 11/20/2008 10:15:00 AM
Matrix: LIQUID

Certificate of Results

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
VOLATILE SW-846 8260 + MTBE & FREON113			SW8260B			Analyst: LA	
Bromodichloromethane	U	0.3	1.0		µg/L	1	11/28/2008 8:30:00 PM
Bromoform	U	0.3	1.0		µg/L	1	11/28/2008 8:30:00 PM
Bromomethane	U	0.3	1.0		µg/L	1	11/28/2008 8:30:00 PM
Carbon disulfide	U	0.3	1.0		µg/L	1	11/28/2008 8:30:00 PM
Carbon tetrachloride	U	0.3	1.0		µg/L	1	11/28/2008 8:30:00 PM
Chlorobenzene	U	0.3	1.0		µg/L	1	11/28/2008 8:30:00 PM
Chloroethane	U	0.4	1.0		µg/L	1	11/28/2008 8:30:00 PM
Chloroform	U	0.3	1.0		µg/L	1	11/28/2008 8:30:00 PM
Chloromethane	U	0.3	1.0		µg/L	1	11/28/2008 8:30:00 PM
cis-1,2-Dichloroethene	U	0.3	1.0		µg/L	1	11/28/2008 8:30:00 PM
cis-1,3-Dichloropropene	U	0.3	1.0		µg/L	1	11/28/2008 8:30:00 PM
Dibromochloromethane	U	0.3	1.0		µg/L	1	11/28/2008 8:30:00 PM
Dibromomethane	U	0.3	1.0		µg/L	1	11/28/2008 8:30:00 PM
Dichlorodifluoromethane	U	0.3	1.0		µg/L	1	11/28/2008 8:30:00 PM
Ethylbenzene	U	0.3	1.0		µg/L	1	11/28/2008 8:30:00 PM
Hexachlorobutadiene	U	0.3	1.0		µg/L	1	11/28/2008 8:30:00 PM
Isopropylbenzene	U	0.3	1.0		µg/L	1	11/28/2008 8:30:00 PM
m,p-Xylene	U	0.3	2.0		µg/L	1	11/28/2008 8:30:00 PM
Methyl tert-butyl ether	U	0.3	1.0		µg/L	1	11/28/2008 8:30:00 PM
Methylene chloride	U	0.3	1.0	C	µg/L	1	11/28/2008 8:30:00 PM
Naphthalene	U	0.3	1.0		µg/L	1	11/28/2008 8:30:00 PM
n-Butylbenzene	U	0.3	1.0		µg/L	1	11/28/2008 8:30:00 PM
n-Propylbenzene	U	0.3	1.0		µg/L	1	11/28/2008 8:30:00 PM
o-Xylene	U	0.3	1.0		µg/L	1	11/28/2008 8:30:00 PM
sec-Butylbenzene	U	0.3	1.0		µg/L	1	11/28/2008 8:30:00 PM
Styrene	U	0.3	1.0		µg/L	1	11/28/2008 8:30:00 PM
tert-Butylbenzene	U	0.3	1.0		µg/L	1	11/28/2008 8:30:00 PM
Tetrachloroethene	14	0.3	1.0		µg/L	1	11/28/2008 8:30:00 PM
Toluene	U	0.3	1.0		µg/L	1	11/28/2008 8:30:00 PM
trans-1,2-Dichloroethene	U	0.3	1.0		µg/L	1	11/28/2008 8:30:00 PM
trans-1,3-Dichloropropene	U	0.3	1.0		µg/L	1	11/28/2008 8:30:00 PM
Trichloroethene	U	0.3	1.0		µg/L	1	11/28/2008 8:30:00 PM
Trichlorofluoromethane	U	0.3	1.0		µg/L	1	11/28/2008 8:30:00 PM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735

Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



Qualifiers:	*	Value exceeds Maximum Contaminant Level	B	Analyte detected in the associated Method Blank
	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded
	J	Analyte detected below quantitation limits	LOD	Limit of Detection
	LOQ	Limit of Quantitation	ND	Not Detected at the Reporting Limit
	S	Spike Recovery outside accepted recovery limits	U	Indicates the compound was analyzed but not detected.
	C	Calibration %RSD/%D exceeded for non-CCC analytes		

American Analytical Laboratories, LLC.

Date: 02-Dec-08

ELAP ID : 11418

CLIENT: Leggette Brashears & Graham Inc.

Client Sample ID: WQ112008:1015FRW-4

Lab Order: 0811351

Collection Date: 11/20/2008 10:15:00 AM

Project: Rowe

Matrix: LIQUID

Lab ID: 0811351-04A

Certificate of Results

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
VOLATILE SW-846 8260 + MTBE & FREON113			SW8260B		Analyst: LA		
Vinyl acetate	U	0.3	1.0		µg/L	1	11/28/2008 8:30:00 PM
Vinyl chloride	U	0.3	1.0		µg/L	1	11/28/2008 8:30:00 PM
Surr: 4-Bromofluorobenzene	96.9	0	60-130		%REC	1	11/28/2008 8:30:00 PM
Surr: Dibromofluoromethane	109	0	63-127		%REC	1	11/28/2008 8:30:00 PM
Surr: Toluene-d8	108	0	61-128		%REC	1	11/28/2008 8:30:00 PM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735

Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



Qualifiers:	*	Value exceeds Maximum Contaminant Level	B	Analyte detected in the associated Method Blank
	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded
	J	Analyte detected below quantitation limits	LOD	Limit of Detection
	LOQ	Limit of Quantitation	ND	Not Detected at the Reporting Limit
	S	Spike Recovery outside accepted recovery limits	U	Indicates the compound was analyzed but not detected.
	C	Calibration %RSD/%D exceeded for non-CCC analytes		

CLIENT: Leggett Brashears & Graham Inc.

Work Order: 0811351

Project: Rowe

ANALYTICAL QC SUMMARY REPORT

TestCode: 8260MTBE113_W

Sample ID: V624LCS-112808Y		SampType: LCS		TestCode: 8260MTBE11			Units: µg/L		Prep Date:		RunNo: 39844	
Client ID: LCSW		Batch ID: R39844		TestNo: SW8260B				Analysis Date: 11/28/2008		SeqNo: 529219		
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	
1,1,1-Trichloroethane	45	1.0	50.00	0	89.9	43	148					
1,1,2,2-Tetrachloroethane	47	1.0	50.00	0	93.3	32	148					
1,1,2-Trichloro-1,2,2-trifluoroethane	25	1.0	50.00	0	50.2	35	135					
1,1,2-Trichloroethane	47	1.0	50.00	0	93.8	42	136					
1,1-Dichloroethane	44	1.0	50.00	0	88.8	40	150					
1,1-Dichloroethene	64	1.0	50.00	0	129	30	154					
1,2-Dichlorobenzene	49	1.0	50.00	0	97.2	40	129					
1,2-Dichloroethane	49	1.0	50.00	0	97.1	36	141					
1,2-Dichloropropane	48	1.0	50.00	0	96.1	44	138					
1,3-Dichlorobenzene	55	1.0	50.00	0	110	40	133					
1,4-Dichlorobenzene	50	1.0	50.00	0	99.7	40	135					
2-Chloroethyl vinyl ether	35	1.0	50.00	0	70.9	21	139					
Benzene	43	1.0	50.00	0	86.5	45	144					
Bromodichloromethane	43	1.0	50.00	0	85.3	35	136					
Bromoform	49	1.0	50.00	0	97.8	28	138					
Bromomethane	45	1.0	50.00	0	90.0	26	148					
Carbon tetrachloride	51	1.0	50.00	0	102	45	141					
Chlorobenzene	48	1.0	50.00	0	95.1	41	142					
Chloroethane	48	1.0	50.00	0	95.1	36	143				C	
Chloroform	43	1.0	50.00	0	85.7	42	137					
Chloromethane	58	1.0	50.00	0	116	35	151					
cis-1,3-Dichloropropene	46	1.0	50.00	0	91.9	42	130					
Dibromochloromethane	44	1.0	50.00	0	88.3	21	134					
Ethylbenzene	43	1.0	50.00	0	85.5	45	146					
Tetrachloroethene	35	1.0	50.00	0	70.7	45	136					
Toluene	45	1.0	50.00	0	89.1	43	134					
trans-1,2-Dichloroethene	54	1.0	50.00	0	109	42	135					
trans-1,3-Dichloropropene	44	1.0	50.00	0	88.1	37	133					
Trichloroethene	44	1.0	50.00	0	88.0	43	140					
Trichlorofluoromethane	58	1.0	50.00	0	116	50	148					

Qualifiers: E Value above quantitation range
 LOD Limit of Detection

R RPD outside accepted recovery limits

H Holding times for preparation or analysis exceeded
 LOQ Limit of Quantitation
 S Spike Recovery outside accepted recovery limits

J Analyte detected below quantitation li
 ND Not Detected at the Reporting Limit
 U Indicates the compound was analyzed

CLIENT: Leggett Brashears & Graham Inc.
Work Order: 0811351
Project: Rowe

ANALYTICAL QC SUMMARY REPORT

TestCode: 8260MTBE113_W

Sample ID: V624LCS-112808Y	Sample Type: LCS	TestCode: 8260MTBE11	Units: µg/L	Prep Date:	RunNo: 39844						
Client ID: LCSW	Batch ID: R39844	TestNo: SW8260B		Analysis Date: 11/28/2008	SeqNo: 529219						
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual

Vinyl chloride	63	1.0	50.00	0	126	35	142				
Surr: 4-Bromofluorobenzene	51		50.00		102	60	130				
Surr: Dibromofluoromethane	48		50.00		95.9	63	127				
Surr: Toluene-d8	46		50.00		92.9	61	128				

Sample ID: VBLK-112808Y	Sample Type: MBLK	TestCode: 8260MTBE11	Units: µg/L	Prep Date:	RunNo: 39844						
Client ID: PBW	Batch ID: R39844	TestNo: SW8260B		Analysis Date: 11/28/2008	SeqNo: 529220						
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual

1,1,1,2-Tetrachloroethane	U	1.0									
1,1,1-Trichloroethane	U	1.0									
1,1,2,2-Tetrachloroethane	U	1.0									
1,1,2-Trichloro-1,2,2-trifluoroethane	U	1.0									
1,1,2-Trichloroethane	U	1.0									
1,1-Dichloroethane	U	1.0									
1,1-Dichloroethene	U	1.0									
1,1-Dichloropropene	U	1.0									
1,2,3-Trichlorobenzene	U	1.0									
1,2,3-Trichloropropane	U	1.0									
1,2,4-Trichlorobenzene	U	1.0									
1,2,4-Trimethylbenzene	U	1.0									
1,2-Dibromo-3-chloropropane	U	1.0									
1,2-Dibromoethane	U	1.0									
1,2-Dichlorobenzene	U	1.0									
1,2-Dichloroethane	U	1.0									
1,2-Dichloropropane	U	1.0									
1,3,5-Trimethylbenzene	U	1.0									
1,3-Dichlorobenzene	U	1.0									
1,3-dichloropropane	U	1.0									
1,4-Dichlorobenzene	U	1.0									
2,2-Dichloropropane	U	1.0									

Qualifiers: E Value above quantitation range
LOD Limit of Detection
R RPD outside accepted recovery limits

H Holding times for preparation or analysis exceeded
LOQ Limit of Quantitation
S Spike Recovery outside accepted recovery limits

J Analyte detected below quantitation li
ND Not Detected at the Reporting Limit
U Indicates the compound was analyzed

CLIENT: Leggett Brashears & Graham Inc.
Work Order: 0811351
Project: Rowe

ANALYTICAL QC SUMMARY REPORT
TestCode: 8260MTBE113_W

Sample ID: VBLK-112808Y		SampType: MBLK		TestCode: 8260MTBE11		Units: µg/L		Prep Date:		RunNo: 39844		
Client ID: PBW		Batch ID: R39844		TestNo: SW8260B				Analysis Date: 11/28/2008		SeqNo: 529220		
Analyte		Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
2-Butanone		U	3.0									C
2-Chloroethyl vinyl ether		U	1.0									
2-Chlorotoluene		U	1.0									
2-Hexanone		U	2.0									
4-Chlorotoluene		U	1.0									
4-Isopropyltoluene		U	1.0									
4-Methyl-2-pentanone		U	2.0									
Acetone		U	2.0									
Benzene		U	1.0									
Bromobenzene		U	1.0									
Bromochloromethane		U	1.0									
Bromodichloromethane		U	1.0									
Bromoform		U	1.0									
Bromomethane		U	1.0									
Carbon disulfide		U	1.0									
Carbon tetrachloride		U	1.0									
Chlorobenzene		U	1.0									
Chloroethane		U	1.0									
Chloroform		U	1.0									
Chloromethane		U	1.0									
cis-1,2-Dichloroethene		U	1.0									
cis-1,3-Dichloropropene		U	1.0									
Dibromochloromethane		U	1.0									
Dibromomethane		U	1.0									
Dichlorodifluoromethane		U	1.0									
Ethylbenzene		U	1.0									
Hexachlorobutadiene		U	1.0									
Isopropylbenzene		U	1.0									
m,p-Xylene		U	2.0									
Methyl tert-butyl ether		U	1.0									
Methylene chloride		U	1.0									

Qualifiers:	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation li
	LOD	Limit of Detection	LOQ	Limit of Quantitation	ND	Not Detected at the Reporting Limit
	R	RPD outside accepted recovery limits	S	Spike Recovery outside accepted recovery limits	U	Indicates the compound was analyzed

CLIENT: Leggett Brashears & Graham Inc.
Work Order: 0811351
Project: Rowe

ANALYTICAL QC SUMMARY REPORT
TestCode: 8260MTBE113 W

Sample ID: VBLK-112808Y	SampType: MBLK	TestCode: 8260MTBE11	Units: µg/L	Prep Date:	RunNo: 39844						
Client ID: PBW	Batch ID: R39844	TestNo: SW8260B		Analysis Date: 11/28/2008	SeqNo: 529220						
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual

Naphthalene	U	1.0									
n-Butylbenzene	U	1.0									
n-Propylbenzene	U	1.0									
o-Xylene	U	1.0									
sec-Butylbenzene	U	1.0									
Styrene	U	1.0									
tert-Butylbenzene	U	1.0									
Tetrachloroethene	U	1.0									
Toluene	U	1.0									
trans-1,2-Dichloroethene	U	1.0									
trans-1,3-Dichloropropene	U	1.0									
Trichloroethene	U	1.0									
Trichlorofluoromethane	U	1.0									
Vinyl acetate	U	1.0									
Vinyl chloride	U	1.0									
Surr: 4-Bromofluorobenzene	52		50.00		104	60	130				
Surr: Dibromofluoromethane	51		50.00		101	63	127				
Surr: Toluene-d8	45		50.00		89.9	61	128				

Sample ID: V624LCS-112808Y	Sample Type: LCS	TestCode: 8260MTBE11	Units: µg/L	Prep Date:	RunNo: 39844						
Client ID: LCSW	Batch ID: R39844a	TestNo: SW8260B		Analysis Date: 11/28/2008	SeqNo: 529223						
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual

1,1,1-Trichloroethane	47	1.0	50.00	0	94.6	43	148				
1,1,2,2-Tetrachloroethane	40	1.0	50.00	0	80.8	32	148				
1,1,2-Trichloro-1,2,2-trifluoroethane	23	1.0	50.00	0	46.7	35	135				
1,1,2-Trichloroethane	47	1.0	50.00	0	94.8	42	136				
1,1-Dichloroethane	42	1.0	50.00	0	84.0	40	150				
1,1-Dichloroethene	59	1.0	50.00	0	118	30	154				
1,2-Dichlorobenzene	41	1.0	50.00	0	82.4	40	129				
1,2-Dichloroethane	45	1.0	50.00	0	90.1	36	141				

Qualifiers: E Value above quantitation range
LOD Limit of Detection
R RPD outside accepted recovery limits
H Holding times for preparation or analysis exceeded
LOQ Limit of Quantitation
S Spike Recovery outside accepted recovery limits
J Analyte detected below quantitation limit
ND Not Detected at the Reporting Limit
U Indicates the compound was analyzed

CLIENT: Leggette Brashears & Graham Inc.
Work Order: 0811351
Project: Rowe

ANALYTICAL QC SUMMARY REPORT

TestCode: 8260MTBE113 W

Sample ID: V624LCS-112808Y		SampType: LCS		TestCode: 8260MTBE11		Units: µg/L		Prep Date:		RunNo: 39844	
Client ID: LCSW		Batch ID: R39844a		TestNo: SW8260B				Analysis Date: 11/28/2008		SeqNo: 529223	
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
1,2-Dichloropropane	47	1.0	50.00	0	93.6	44	138				
1,3-Dichlorobenzene	42	1.0	50.00	0	84.0	40	133				
1,4-Dichlorobenzene	42	1.0	50.00	0	83.5	40	135				
2-Chloroethyl vinyl ether	38	1.0	50.00	0	75.5	21	139				
Benzene	40	1.0	50.00	0	79.8	45	144				C
Bromodichloromethane	40	1.0	50.00	0	80.3	35	136				
Bromoform	43	1.0	50.00	0	85.3	28	138				
Bromomethane	50	1.0	50.00	0	101	26	148				
Carbon tetrachloride	44	1.0	50.00	0	88.3	45	141				
Chlorobenzene	43	1.0	50.00	0	86.6	41	142				
Chloroethane	51	1.0	50.00	0	101	36	143				
Chloroform	41	1.0	50.00	0	82.1	42	137				
Chloromethane	52	1.0	50.00	0	104	35	151				
cis-1,3-Dichloropropene	44	1.0	50.00	0	87.0	42	130				
Dibromochloromethane	42	1.0	50.00	0	83.6	21	134				
Ethylbenzene	42	1.0	50.00	0	84.0	45	146				
Tetrachloroethene	35	1.0	50.00	0	69.4	45	136				
Toluene	42	1.0	50.00	0	84.3	43	134				
trans-1,2-Dichloroethene	46	1.0	50.00	0	91.8	42	135				
trans-1,3-Dichloropropene	44	1.0	50.00	0	88.5	37	133				
Trichloroethene	47	1.0	50.00	0	94.2	43	140				
Trichlorofluoromethane	59	1.0	50.00	0	119	50	148				
Vinyl chloride	56	1.0	50.00	0	113	35	142				
Surr: 4-Bromofluorobenzene	48		50.00		97.0	60	130				
Surr: Dibromofluoromethane	50		50.00		101	63	127				
Surr: Toluene-d8	54		50.00		108	61	128				
Sample ID: VBLK-112808Y		SampType: MBLK		TestCode: 8260MTBE11		Units: µg/L		Prep Date:		RunNo: 39844	
Client ID: PBW		Batch ID: R39844a		TestNo: SW8260B				Analysis Date: 11/28/2008		SeqNo: 529224	
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual

Qualifiers:		E	Value above quantitation range	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limit
LOD	Limit of Detection	LOQ	Limit of Quantitation	ND	Not Detected at the Reporting Limit		
R	RPD outside accepted recovery limits	S	Spike Recovery outside accepted recovery limits	U	Indicates the compound was analyzed		

CLIENT: Leggette Brashears & Graham Inc.
Work Order: 0811351
Project: Rowe

ANALYTICAL QC SUMMARY REPORT

TestCode: 8260MTBE113_W

Sample ID: VBLK-112808Y	SampType: MBLK	TestCode: 8260MTBE11	Units: µg/L	Prep Date:	RunNo: 39844						
Client ID: PBW	Batch ID: R39844a	TestNo: SW8260B		Analysis Date: 11/28/2008	SeqNo: 529224						
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
1,1,1,2-Tetrachloroethane	U	1.0									
1,1,1-Trichloroethane	U	1.0									
1,1,2,2-Tetrachloroethane	U	1.0									
1,1,2-Trichloro-1,2,2-trifluoroethane	U	1.0									
1,1,2-Trichloroethane	U	1.0									
1,1-Dichloroethane	U	1.0									
1,1-Dichloroethene	U	1.0									
1,1-Dichloropropene	U	1.0									
1,2,3-Trichlorobenzene	U	1.0									
1,2,3-Trichloropropane	U	1.0									
1,2,4-Trichlorobenzene	U	1.0									
1,2,4-Trimethylbenzene	U	1.0									
1,2-Dibromo-3-chloropropane	U	1.0									
1,2-Dibromoethane	U	1.0									
1,2-Dichlorobenzene	U	1.0									
1,2-Dichloroethane	U	1.0									
1,2-Dichloropropane	U	1.0									
1,3,5-Trimethylbenzene	U	1.0									
1,3-Dichlorobenzene	U	1.0									
1,3-dichloropropane	U	1.0									
1,4-Dichlorobenzene	U	1.0									
2,2-Dichloropropane	U	1.0									
2-Butanone	U	3.0									C
2-Chloroethyl vinyl ether	U	1.0									C
2-Chlorotoluene	U	1.0									
2-Hexanone	U	2.0									
4-Chlorotoluene	U	1.0									
4-Isopropyltoluene	U	1.0									
4-Methyl-2-pentanone	U	2.0									
Acetone	U	2.0									
Benzene	U	1.0									

Qualifiers:	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation li
	LOD	Limit of Detection	LOQ	Limit of Quantitation	ND	Not Detected at the Reporting Limit
	R	RPD outside accepted recovery limits	S	Spike Recovery outside accepted recovery limits	U	Indicates the compound was analyzed

CLIENT: Leggett Brashears & Graham Inc.
Work Order: 0811351
Project: Rowe

ANALYTICAL QC SUMMARY REPORT

TestCode: 8260MTBE113_W

Sample ID: VBLK-112808Y	SampType: MBLK	TestCode: 8260MTBE11	Units: µg/L	Prep Date:	RunNo: 39844						
Client ID: PBW	Batch ID: R39844a	TestNo: SW8260B		Analysis Date: 11/28/2008	SeqNo: 529224						
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Bromobenzene	U	1.0									
Bromochloromethane	U	1.0									
Bromodichloromethane	U	1.0									
Bromoform	U	1.0									
Bromomethane	U	1.0									
Carbon disulfide	U	1.0									
Carbon tetrachloride	U	1.0									
Chlorobenzene	U	1.0									
Chloroethane	U	1.0									
Chloroform	U	1.0									
Chloromethane	U	1.0									
cis-1,2-Dichloroethene	U	1.0									
cis-1,3-Dichloropropene	U	1.0									
Dibromochloromethane	U	1.0									
Dibromomethane	U	1.0									
Dichlorodifluoromethane	U	1.0									
Ethylbenzene	U	1.0									
Hexachlorobutadiene	U	1.0									
Isopropylbenzene	U	1.0									
m,p-Xylene	U	2.0									
Methyl tert-butyl ether	U	1.0									
Methylene chloride	U	1.0									
Naphthalene	U	1.0									
n-Butylbenzene	U	1.0									
n-Propylbenzene	U	1.0									
o-Xylene	U	1.0									
sec-Butylbenzene	U	1.0									
Styrene	U	1.0									
tert-Butylbenzene	U	1.0									
Tetrachloroethene	U	1.0									
Toluene	U	1.0									

Qualifiers:	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation li
	LOD	Limit of Detection	LOQ	Limit of Quantitation	ND	Not Detected at the Reporting Limit
	R	RPD outside accepted recovery limits	S	Spike Recovery outside accepted recovery limits	U	Indicates the compound was analyzed

CLIENT: Leggette Brashears & Graham Inc.
Work Order: 0811351
Project: Rowe

ANALYTICAL QC SUMMARY REPORT

TestCode: 8260MTBE113_W

Sample ID: VBLK-112808Y	SampType: MBLK	TestCode: 8260MTBE11	Units: µg/L	Prep Date:	RunNo: 39844						
Client ID: PBW	Batch ID: R39844a	TestNo: SW8260B		Analysis Date: 11/28/2008	SeqNo: 529224						
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
trans-1,2-Dichloroethene	U	1.0									
trans-1,3-Dichloropropene	U	1.0									
Trichloroethene	U	1.0									
Trichlorofluoromethane	U	1.0									
Vinyl acetate	U	1.0									
Vinyl chloride	U	1.0									
Surr: 4-Bromofluorobenzene	48		50.00		96.2	60		130			
Surr: Dibromofluoromethane	47		50.00		94.2	63		127			
Surr: Toluene-d8	51		50.00		101	61		128			

Qualifiers:	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation li
LOD	Limit of Detection	LOQ	Limit of Quantitation		ND	Not Detected at the Reporting Limit
R	RPD outside accepted recovery limits	S	Spike Recovery outside accepted recovery limits		U	Indicates the compound was analyzed