

TABLE 4
SUMMARY REPORT FOR SEPTEMBER 2016 SEMI-ANNUAL GROUNDWATER SAMPLING
FORMER ROWE INDUSTRIES SUPERFUND SITE
1668 SAG HARBOR TURNPIKE
SAG HARBOR, NEW YORK

CURRENT AND HISTORIC CONCENTRATIONS OF PCE DETECTED IN GROUNDWATER FROM MONITOR AND RECOVERY WELLS, ug/l

Monitor or Recovery Wells	Sample Dates																																						
	Mar-07	Oct-07	Mar-08	Sep-08	Mar-09	Sep-09	Mar-10	Sep-10	Mar-11	Sep-11	Mar-12	Jun-12	Aug-12	Sep 4, 2012	Sep-12	Oct-12	Dec-12	Feb-13	Mar-13	Apr-13	June-13 (6-12-2013)	Jun-13	Jul-13	Sep-13	Nov-13	Mar-14	Jun-14	Sept-14	Dec-14	Mar-15	Jun-15	Sep-15	Feb-16	Mar-16	Sep-16	Mar-17			
N-1A						ND		ND		ND					ND				ND																				
N-1B		ND		ND		ND		ND		ND					ND				ND					ND		ND		ND			ND		ND						
N-2A						ND		ND		ND					ND				ND						ND		ND		ND			ND							
N-2B		ND		ND		ND		ND		ND					ND				ND						ND		ND		ND			ND							
N-9								ND		ND					ND				ND						ND		ND		ND			ND							
N-16	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND				ND				ND						ND		ND		ND			ND							
N-17		ND		ND		ND		ND		ND					ND				ND						ND		ND		ND			ND		ND	ND	ND	ND	ND	
N-32					ND	ND	ND	ND	ND	ND	ND				ND				ND						ND		ND		ND			ND		ND	ND	ND	ND	ND	
N-32B																																							
N-37	ND	ND	ND	ND	ND	ND	ND		ND		ND				ND				ND						ND		ND		ND			ND		ND					
N-38	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND				ND				ND						ND		ND		ND			ND		ND					
N-39	ND	ND	1.9	ND	ND	ND	ND	ND	ND	ND	ND				ND				ND						ND		ND		ND			ND							

TABLE 5

SUMMARY REPORT FOR SEPTEMBER 2016 SEMI-ANNUAL GROUNDWATER SAMPLING
 FORMER ROWE INDUSTRIES SUPERFUND SITE
 1668 SAG HARBOR TURNPIKE
 SAG HARBOR, NEW YORK

CURRENT AND HISTORIC CONCENTRATIONS OF TCA DETECTED IN GROUNDWATER FROM MONITOR WELLS AND RECOVERY WELL, ug/l

Monitor or Recovery Well	Sample Dates																																									
	Mar-07	Oct-07	Mar-08	Sep-08	Mar-09	Sep-09	Mar-10	Sep-10	Mar-11	Sep-11	Mar-12	Jun-12	Aug-12	Sep 4, 2012	Sep-12	Oct-12	Dec-12	Feb-13	Mar-13	Apr-13	June-13 (6-12-2013)	Jun-13	Jul-13	Sept-13	Nov-13	Mar-14	Jun-14	Sept-14	Dec-14	Mar-15	Jun-15	Sep-15	Feb-16	Mar-16	Sep-16	Mar-17						
N-1A						ND		ND		ND						ND				ND																						
N-1B		ND		ND		ND		ND		ND						ND				ND					ND		ND		ND		ND		ND									
N-2A						ND		ND		ND						ND				ND																						
N-2B		ND		ND		ND		ND		ND						ND				ND					ND		ND		ND		ND											
N-9																ND																										
N-16	ND	ND	2.8	ND	ND	ND	2.8	4.1	ND	ND	ND					ND				ND					ND		0.33 J		0.51		ND				0.26 J							
N-17		ND		ND		ND		ND		ND						ND				ND																						
N-32					ND	ND	ND	ND	ND	ND	ND					ND				ND						ND		ND		ND		ND		ND	ND	ND	ND	ND	ND	ND	ND	
N-32B																																										
N-37	ND	ND	ND	ND	ND	ND	ND			ND						ND				ND					ND		ND		ND		ND		ND		ND							
N-38	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND					ND				ND					ND		ND		ND		ND		ND		ND							
N-39	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND					ND				ND					ND		ND		ND		ND		ND		ND							

*
 **DBS – Sample collected using diffusive bag sample method
 *** Collected after 4 hours of pumping during execution of Initial Testing Plan

TABLE 6

SUMMARY REPORT FOR SEPTEMBER 2016 SEMI-ANNUAL GROUNDWATER SAMPLING
FORMER ROWE INDUSTRIES SUPERFUND SITE
1668 SAG HARBOR TURNPIKE
SAG HARBOR, NEW YORK

CURRENT AND HISTORIC CONCENTRATIONS OF TCE DETECTED IN GROUNDWATER FROM MONITOR WELLS AND RECOVERY WELLS, ug/l

Monitor or Recovery Wells	Sample Dates																																										
	Mar-07	Oct-07	Mar-08	Sep-08	Mar-09	Sep-09	Mar-10	Sep-10	Mar-11	Sep-11	Mar-12	Jun-12	Aug-12	Sep-4, 2012	Sep-12	Oct-12	Dec-12	Feb-13	Mar-13	Apr-13	Jun-13 (6-12-2013)	Jun-13	Jul-13	Sep-13	Nov-13	Mar-14	Jun-14	Sep-14	Dec-14	Mar-15	Jun-15	Sep-15	Feb-16	Mar-16	Sep-16	Mar-17							
	N-1A						ND		ND		ND					ND					ND																						
N-1B		ND		ND		ND		ND		ND					ND					ND					ND		ND		ND		ND		ND		ND								
N-2A						ND		ND		ND					ND					ND																							
N-2B		ND		ND		ND		ND		ND					ND					ND					ND		ND		ND		ND		ND		ND								
N-9								ND		ND					ND																												
N-16	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND				ND					ND					ND		ND		ND		ND		ND		ND								
N-17		ND		ND		ND		ND		ND					ND					ND																							
N-32					ND	ND	ND	ND	ND	ND	ND				ND					ND						ND		ND		ND		ND		ND	ND	ND	ND	ND	ND	ND			
N-32B																																											
N-37	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND				ND					ND					ND		ND		ND		ND		ND		ND		ND						
N-38	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND				ND					ND					ND		ND		ND		ND		ND		ND		ND						
N-39	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND				ND					0.12 J						ND		ND		ND		0.49 J		0.47 J		0.77							

TABLE 7

SUMMARY REPORT FOR SEPTEMBER 2016 SEMI-ANNUAL GROUNDWATER SAMPLING
 FORMER ROWE INDUSTRIES SUPERFUND SITE
 1668 SAG HARBOR TURNPIKE
 SAG HARBOR, NEW YORK

CURRENT AND HISTORIC CONCENTRATIONS OF cisDCE DETECTED IN GROUNDWATER FROM MONITOR AND RECOVERY WELLS, ug/l

Monitor or Recovery Wells	Sample Dates																																							
	Mar-07	Oct-07	Mar-08	Sep-08	Sep-09	Mar-10	Sep-10	Mar-11	Sep-11	Mar-12	Jun-12	Aug-12	Sep 4, 2012	Sep-12	Oct-12	Dec-12	Feb-13	Mar-13	Apr-13	June-13 (6-12-2013)	Jun-13	Jul-13	Sep-13	Nov-13	Mar-14	Jun-14	Sept-14	Dec-14	Mar-15	Jun-15	Sep-15	Feb-16	Mar-16	Sep-16	Mar-17					
MW-98-01A	ND	1.7	ND	ND	ND	ND	ND	ND	ND	ND				ND		0.11 J		0.57				0.79		ND		ND		ND		ND		ND		ND	ND	ND	ND			
MW-98-04	ND	ND	ND	3.2	ND	ND	ND	ND	ND	ND				ND				68	7.0			1.1	ND	ND	ND	ND		ND		ND		ND		ND	ND	ND	ND			
MW-98-04B																																								
MW-98-05A	72	140	59	63	3.8	9.8	41	4.8	1.0	0.4 J			ND	5.0	4.8	0.15 J	11	56	59	160																				
MW-98-05AR																																								
MW-98-05B			ND		ND	ND	ND	ND	ND	0.19 J				0.13 J			0.42 J	0.59	0.49 J				0.43 J		ND		ND		ND				1.1	ND	ND	ND	ND			
MW-98-05BR																																								
N-1A					ND		ND		ND					ND				ND																						
N-1B		ND		ND	ND	ND	ND	ND	ND					ND				ND					ND		ND		ND		ND											
N-2A					ND		ND		ND					ND				ND																						
N-2B		ND		ND	ND		ND		ND					ND				ND					ND		ND		ND		ND											
N-9																																								
N-16	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND				ND				ND						ND		ND		ND												
N-17		ND		ND	ND		ND		ND					ND				ND																						
N-32					ND	ND	ND	ND	ND	ND				ND				ND						ND		ND		ND												
N-32B																																								
N-37	ND	ND	ND		ND	ND		ND		ND				ND				ND						ND		ND		ND												
N-38	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND				ND				ND						ND		ND		ND												
N-39	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND				0.13 J				ND						ND		ND		ND												