


# ENGINEERING INVESTIGATIONS AT INACTIVE HAZARDOUS WASTE SITES

## PHASE II INVESTIGATION

Hazardous Waste Disposal  
Site No. 152113  
Town of Babylon, Suffolk County  
Final - December, 1991



Prepared for:  
New York State  
Department of  
Environmental Conservation

50 Wolf Road, Albany, New York 12233-7010  
Thomas C. Jorling, Commissioner

Division of Hazardous Waste Remediation  
Michael J. O'Toole Jr, P.E., Director

Prepared by:  
Gibbs & Hill, Inc.  
New York, New York



ENGINEERING INVESTIGATIONS AT  
INACTIVE HAZARDOUS WASTE SITES  
IN THE STATE OF NEW YORK  
PHASE II INVESTIGATION

HAZARDOUS WASTE DISPOSAL SITE

SITE NO. 152113

TOWN OF BABYLON, SUFFOLK COUNTY, NEW YORK

FINAL - DECEMBER 1991



PREPARED FOR:

NYS DEPARTMENT OF ENVIRONMENTAL CONSERVATION  
DIVISION OF HAZARDOUS WASTE REMEDIATION  
50 WOLF ROAD  
ALBANY, NEW YORK 12233-7010

PREPARED BY:

GIBBS & HILL, INC.  
11 PENN PLAZA  
NEW YORK, NEW YORK 10001-2059



## CONTENTS

	<u>PAGE</u>
I. Executive Summary	I-1
II. Purpose	II-1
III. Scope of Work	III-1
A. Introduction	III-1
B. Geophysical Survey	III-2
C. Monitoring Well Installation	III-2
D. Sampling and Analysis	III-4
E. Air Survey	III-5
F. Sources of Information	III-5
IV. Site Assessment	IV-1
A. Site Description and History	IV-1
B. Topography	IV-4
C. Hydrogeology	IV-5
D. Site Contamination Assessment	IV-7
1. Waste Characteristics	IV-8
2. Groundwater	IV-9
3. Surface Water and Sediment	IV-12
4. Soil	IV-14
5. Air Survey	IV-15
E. Conclusions	IV-16

CONTENTS (Continued)

	<u>PAGE</u>
V. Final Application of Hazard Ranking System	V-1
A. Narrative Summary	V-1
B. Site Location Map	V-2
C. Updated HRS Worksheets	V-4
D. Updated HRS Documentation Records	V-12
E. EPA Site Inspection Form	V-66

APPENDICES

A. Work Plan Update	A-1
B. Test Borings and Monitoring Wells	B-1
1. Procedures	B-2
2. Results	B-8
C. Sampling and Analysis	C-1
1. Procedures	C-2
2. Results	C-15
D. Historic Literature	D-1
E. Updated Registry Form	E-1



## LIST OF FIGURES

I-1	Site Location Map	I-4
I-2	Site Sketch	I-5
I-3	Site Sketch (Early 1980's)	I-6
IV-1	Groundwater Flow Diagram	IV-18
IV-2	Geologic Cross-Section	IV-20
V-1	Site Location Map	V-3

## LIST OF TABLES

III-1	Scope of Work	III-8
IV-1	Analytical Results of Groundwater Samples for Volatile Organic Compounds	IV-21
IV-2	Analytical Results of Groundwater Samples for Semi-Volatile Organic Compounds	IV-22
IV-3	Analytical Results of Groundwater Samples for Inorganic Compounds	IV-23
IV-4	Analytical Results of Surface Water and Sediment Samples for Organic Compounds	IV-24
IV-5	Analytical Results of Surface Water and Sediment Samples for Inorganic Compounds	IV-25
IV-6	Analytical Results of Soil Samples for Organic Compounds	IV-26
IV-7	Analytical Results of Soil Samples for Inorganic Compounds	IV-27
IV-8	Federal and State Water and Soil Standards	IV-28

## I. EXECUTIVE SUMMARY

Gibbs & Hill, Inc. (G&H) has entered into a consulting services agreement with the New York State Department of Environmental Conservation (NYSDEC) Division of Hazardous Waste Remediation to conduct preliminary investigations (Phase I) and field investigations (Phase II) at inactive hazardous waste disposal sites in New York State. This report presents the results of the Phase II investigation of the Hazardous Waste Disposal (HWD) site (NYSDEC Site ID No. 152113) performed by G&H. A Phase I investigation of this site was completed in July 1988 by Roux Associates, Inc.

The HWD site is located in the Town of Babylon, Suffolk County, New York. The site is owned by Little Joseph Realty, Farmingdale, New York. The property was rented by the realty company to George Lawrence, who operated his company, HWD, Inc., from 1979 to 1982. The site was used to store, treat, and dispose of hazardous waste during this period. A large number of drums containing liquid waste were stored at the site.

During the inspection conducted by the EPA in 1981, approximately 1,900, 55-gallon drums of spent solvents and a

2,500-gallon acid tank were observed at the site. The majority of the drums were leaking. During the site visit conducted by the Suffolk County Department of Health Services in 1982, approximately 840 55-gallon drums containing waste and 420 empty 55-gallon drums were observed at the site. Spills were noted in the storage area.

A Phase II investigation of the site was conducted to gather information to classify the site and to calculate the final Hazard Ranking System (HRS) scores. Field investigations included a site reconnaissance; geophysical survey with a magnetometer; installation of four groundwater monitoring wells; and the collection of five groundwater samples, three surface water/sediment sample pairs, and six soil samples.

The results of the groundwater analysis show evidence of migration of seven chlorinated hydrocarbon contaminants from the site. Results of soil samples show the presence of three of these compound on site.


The final scores for the site based on the results of this Phase II investigation have been calculated as follows:

$$\begin{aligned} S_M &= 37.82 \\ S_{gw} &= 65.38 \\ S_{sw} &= 2.38 \\ S_a &= 0.00 \\ S_{FE} &= \text{Not applicable} \\ S_{DC} &= 25.00 \end{aligned}$$



The  $S_M$  score reflects the potential for harm due to migration of hazardous substances away from the facility. It is the composite of a score for groundwater ( $S_{gw}$ ), surface water ( $S_{sw}$ ), and air ( $S_a$ ) transport routes. The  $S_{FE}$  score reflects the potential for harm from substances that can explode or cause fires, and the  $S_{DC}$  score reflects the potential for harm from direct contact with hazardous substances.

# SITE LOCATION MAP



**SITE: HAZARDOUS WASTE DISPOSAL**  
**MAP SOURCE: USGS MAP**

**FIGURE: I-1**

AMITYVILLE QUAD. (1979)  
 HUNTINGTON QUAD. (1979)  
 SUFFOLK COUNTY, NEW YORK  
 7.5 MINUTE SERIES (TOPOGRAPHIC)


**SCALE 1" = 2000'**

**COORDINATES:**

**LATITUDE: 40° 44' 32"**  
**LONGITUDE: 73° 25' 13"**

**GIBBS & HILL, INC.**

# SITE SKETCH



Not To Scale

Site: Hazardous Waste Disposal

Figure I-2


## LEGEND

- ⊕ Storm Drain
- ⊗ Monitoring well
- Soil Sample
- ▼ Surface Water and/or Sediment Samples

**GIBBS & HILL, INC.**



**SITE SKETCH (Early 1980's)**



Not To Scale

Site: Hazardous Waste Disposal

Figure I-3

**LEGEND**

☉ Storm Drain

**GIBBS & HILL, INC.**

## II. PURPOSE

The objective of a New York State Superfund Phase II investigation is to determine if contaminants are present at an inactive hazardous waste site with a resulting adverse impact on human population and/or the environment.

The goal of this investigation was to collect the information required to classify the site and to develop final HRS scores. This included collecting necessary field data to identify the occurrence and characteristics of contamination and to determine if a release of contaminants from the site has occurred. This information will be used by the NYSDEC to determine if any imminent and/or significant environmental or health hazards exist. These objectives were accomplished through the installation of groundwater monitoring wells and the sampling and analysis of groundwater, surface water, sediment, and soil in accordance with NYSDEC protocols and guidelines.

### III. SCOPE OF WORK

#### A. INTRODUCTION

Gibbs & Hill, Inc. (G&H) entered into a consulting services agreement on October 16, 1986 with the New York State Department of Environmental Conservation (NYSDEC) Division of Hazardous Waste Remediation to conduct preliminary investigations (Phase I) and field investigations (Phase II) at inactive hazardous waste disposal sites in New York State. G&H and its subcontractors completed Phase I investigations of 30 sites and Phase II investigations of 25 sites under the provisions of this agreement.

The original agreement was amended March 20, 1990 to include an additional 20 sites to receive Phase II investigations. This report presents the results of the Phase II investigation of the Hazardous Waste Disposal (HWD) site (NYSDEC Site ID No. 152113) performed by G&H. A Phase I investigation of this site was completed in July 1988 by Roux Associates, Inc.

The Phase II field investigations at the HWD site began in May 1990 and were completed in December 1990. An updated work plan (Appendix A), approved by the NYSDEC, was prepared by G&H to define the scope of drilling and sampling activities at the site. The Phase II investigation consisted of a review of



relevant literature, field investigations, and the preparation of final HRS scores. Field activities included an initial site reconnaissance; a geophysical investigation; the installation of groundwater monitoring wells; groundwater, soil, surface water, and sediment sampling and analysis; and air quality monitoring. The scope of work of the investigation is summarized in Table III-1.

#### B. GEOPHYSICAL SURVEY

A geophysical survey was conducted at the site during site reconnaissance. A magnetometer was used at proposed monitoring well locations to detect ferromagnetic objects which might be encountered during drilling. Results of the magnetometer survey indicated that there were no buried ferromagnetic objects in the vicinity of the proposed monitoring wells. In order to verify that there are no non-ferromagnetic utility lines buried at the proposed monitoring well locations, the Underground Facilities Protection Organization (UFPO) was also notified about our drilling activities at the site. The UFPO responded that there were no buried lines in the vicinity of the drilling locations.

#### C. MONITORING WELL INSTALLATION

Four monitoring wells (MW-1 through MW-4) were installed to establish the groundwater quality, stratigraphy, and flow direction of the aquifer beneath the site. The locations of

these wells are shown in Figure I-2. Local flow direction places well MW-1 in the upgradient position; wells MW-2 and MW-3 in the downgradient positions; and well MW-4 in a sidegradient position. Upgradient well samples are designed to provide background water quality, and downgradient water samples to detect contaminants discharged from the landfill into the aquifer.

Monitoring well locations and specifications are shown in the table below.

#### MONITORING WELL LOCATIONS AND SPECIFICATIONS

<u>Well No.</u>	<u>Location</u>	<u>Boring Depth, ft.</u>	<u>Well Type</u>
MW-1	Upgradient	28.5	Overburden
MW-2	Downgradient	22.5	Overburden
MW-3	Downgradient	22.5	Overburden
MW-4	Sidegradient	22.3	Overburden

The four monitoring wells were installed by drilling with 6¼-inch internal diameter hollow-stem augers. Each well was logged during the drilling activities, and split spoon samples were taken at 5-foot intervals during drilling. Soil samples from the last split spoon sample and one other split spoon from each well were also analyzed for grain size distribution.

Aquifer hydraulic conductivity characteristics were evaluated by means of slug permeability tests. To determine flow direction

of the aquifer, all monitoring wells were surveyed for locations and elevations, and the depths to groundwater relative to an arbitrary datum were measured.

All field procedures, boring logs, well schematics, and grain size analyses are included in Appendix B.

D. SAMPLING AND ANALYSIS

G&H collected four groundwater samples and one duplicate, two surface water/sediment sample pairs, and six soil samples in September 1990. These samples were analyzed for Target Compound List (TCL) inorganics, volatiles, semi-volatiles, and pesticides/PCBs.

H2M Labs (Melville, New York) performed the analyses in accordance with NYSDEC September 1989 Analytical Services Protocols (ASP). Aquatec (South Burlington, Vermont) performed an independent data validation.

The chemical analytical results of the samples are discussed in Section IV and included in their entirety in Appendix C.2, Results. Gibbs & Hill's relevant procedures are outlined in Appendix C.1.



E. AIR SURVEY

In accordance with appropriate health and safety procedures, a photoionization detector (PID), organic vapor analyzer (OVA), and explosimeter were used to monitor the air in the working zone during site activities. In addition, split spoon samples were scanned with a PID immediately upon opening of the split spoon and the results recorded in the drilling log sheets (Appendix B.2).

F. SOURCES OF INFORMATION

Contact

Information Received

Lawrence Alden  
NYSDEC  
50 Wolf Road, Room 220  
Albany, NY 12233  
518/457-0639

NYSDEC files

Map Information Unit  
New York State  
Department of Transportation  
State Campus, Bldg. 4, Room 105  
Albany, NY 12232  
518/457-3555

NYSDOT map

Hagstrom  
57 West 43rd Street  
New York, NY 10036  
212/398-1222

Updated USGS maps

Gary Litwin  
New York State Department of Health  
2 University Place  
Albany, NY 12203  
518/458-6306

NYSDOH files

Contact

Burrell Buffington  
Community Ecologist  
NYSDEC Wildlife Resources Center  
700 Troy-Schenectady Road  
Latham, NY 12210

Debbie Kraybill  
National Park Register  
of Historic Places  
P. O. Box 37127  
Washington, DC 20013-7127  
202/343-9559

James R. Covey, P.E.  
Assoc. Sanitary Engineer  
NYSDOH  
Empire State Plaza  
Corning Tower Building  
Albany, NY 12237  
518/458-6731

Dian Goetke  
NYSDEC  
Bureau of Environmental Protection  
SUNY - Building #40  
Stony Brook, NY 11790-2356  
516/751-7900

Otto Reneberg  
Public Health Engineer  
Suffolk County  
Department of Health Services  
225 Rabro Drive East  
Hauppauge, NY 11788  
516/451-4647

George Schilpp  
NYSDEC, Region 1  
SUNY - Building #40  
Stony Brook, NY 11790-2356  
516/751-7900

Victor Emanuelo, Attorney  
Little Joseph Realty  
1637 Broad Hollow Road  
Farmingdale, NY 11735  
516/249-3400

Information Received

Critical habitat of an  
endangered species or  
national wildlife refuge  
location

Historic landmarks

NYS safe water inventory  
printouts

Wetland information

Site files

No information received

Site access

Contact

John Ferrara  
East Farmingdale Water District  
72 Gazza Boulevard  
East Farmingdale, NY 11735  
516/249-4211

Paul Tenyenhuis  
Suffolk County  
Soil and Conservation District  
516/727-2315

Information Received

Potable water for site

Agricultural land info.

TABLE III-1  
SCOPE OF WORK

Task	Description
Record search and data compilation	Collect and review available information.
Site reconnaissance	Note site changes since NYSDEC initial reconnaissance, assess access to monitoring well and sampling locations, and become familiar with the site.
Geophysical study	Conduct geophysical survey with a magnetometer. Based on the survey results, revise the location of monitoring wells if needed.
Updated work plan	Revise preliminary NYSDEC work plan based on results of record search, site reconnaissance, and geophysical study. Prepare health and safety plan and define drilling and sampling protocols and procedures.
Monitoring wells	Install four monitoring wells to depths ranging between 22.3 and 28.5 feet. Collect split spoon samples at 5-foot intervals. Perform grain size analysis on deepest split spoon samples for each well. Develop wells to at least a turbidity of 50 NTU or lowest possible, and perform permeability tests. Survey all monitoring wells for locations and elevations. Determine the relative depths to groundwater.
Sampling and analysis Groundwater	Collect groundwater samples from each well and one duplicate groundwater sample from a downgradient well. Analyze these samples for TCL inorganics, volatiles, semi-volatiles, and pesticides/PCBs.

TABLE III-1 (Continued)

Surface water/sediment	Collect two surface water/sediment pair samples from the recharge basin and two surface water/sediment pair samples from parking lot storm drains. Analyze these samples for TCL inorganics, volatiles, semi-volatiles, and pesticides/PCBs.
Soil	Collect six soil samples from the site. Analyze these samples for TCL inorganics, volatiles, semi-volatiles, and pesticides/PCBs.
Investigation Report	Prepare a report containing analytical results from groundwater, surface water, sediment, and soil samples; additional field data, final HRS scores; HRS documentation records; historic literature; and site assessments.

#### IV. SITE ASSESSMENT

##### A. SITE DESCRIPTION AND HISTORY

The Hazardous Waste Disposal site is located at 11-A Picone Boulevard, Town of Babylon, Suffolk County, New York. The site is owned by Little Joseph Realty, Farmingdale, New York. The property was rented by the realty company to George Lawrence (Glenwood Landing, New York) who operated his company, Hazardous Waste Disposal (HWD), Inc., from 1979 to 1982. The site was used to store, treat, and dispose of hazardous waste during this period [D.12 and 16].

HWD was in the industrial waste scavenger business which included the transportation and storage of hazardous wastes. These wastes were contained in 55-gallon drums and large holding tanks. HWD was operating an ammonium-hydroxide scrubbing process without a permit and most likely an acid/caustic neutralization process [D.3, D.18].

In March 1981, HWD, Inc. reported a vapor discharge accident to the Suffolk County Department of Health Services (SCDHS). Immediately after the accident, the representatives of SCDHS, accompanied by a representative of the Toxic Waste Handling Group, conducted an investigation of the HWD facilities. At the time of their inspection, there were no visible emissions. However, the East Farmingdale Fire District told them that the accident produced a visible plume 150 to 200 feet high. The

Pront Printing Company, located at 11-D Picone Boulevard, indicated that accidents had been occurring sporadically since September 1980 [D.8 and 9].

In 1981, it was determined by the NYSDEC that HWD, Inc. was operating without the required Part 360 permit and a Siting Board Permit. HWD, Inc. was therefore operating illegally and should have been closed until the permit was received. At the meeting held on April 23, 1981 between the NYSDEC and HWD, Inc., the owner of HWD, Inc. offered to correct any deficiencies of the process as soon as possible [D.11 and 14].

In September 1981, the U.S. Environmental Protection Agency (EPA) conducted a site inspection. During the inspection, HWD, Inc. admitted that the stored waste was hazardous; the waste material was listed in the regulations as a hazardous waste from a nonspecific source; and the facility generated, transported, and treated hazardous waste [D.7].

The inspector identified 1,900 55-gallon drums of spent solvents and a 2,500-gallon acid tank. The majority of the drums were leaking. Management of these stored drums was extremely poor. The whole area was contaminated with spent solvents due to leaks. The storage area was inadequately diked by a two-inch berm on top of which woodchips were placed. At least an inch of liquid wastes were contained by the berm. Liquid wastes were visible and leaving the bermed area. The drums were densely crowded together without aisle space. The storage area was a

potential fire hazard and the wastes were improperly stored [D.20].

In June 1982, the SCDHS revisited the site. A site visit report sketch shows a diked storage area, a neutralization tank and associated pump, and a waste sludge pit covered with plastic [D.18].

In September 1982, the SCDHS visited the site again. The inspector identified 840 55-gallon drums containing waste and 420 empty 55-gallon drums outside the diked area.

Spills were noted in the drum storage area. Neither one of the reports contained a description of the solvent recovery process or a list of stored chemicals [D.17].

HWD removed all wastes from the site and ceased operations in 1984. Waste from on-site drums were emptied into waste sludge pit and after the wastes solidified, they were removed from the pit and transported off-site. This was confirmed during a DEC site inspection, conducted in July 1985. However, during that inspection, several old battered drums were observed on the site and a strong, pungent odor of solvents was present. During the inspection conducted by Roux Associates in July 1987 in association with the Phase I investigation, the site did not show any signs of hazardous materials or conditions [D.19].

In May 1990, G&H conducted a site reconnaissance. At that time,



the site was being rented to J. S. Trucking Company and used as a parking lot. During the site visit, several trucks were parked at the site. The site was approximately 0.5 acre in size and paved by concrete. There was no sign of the previous waste treatment business. All waste storage and waste recovery equipment had been removed and the site was visually clean. In the middle of the parking lot there was a storm drain covered with grating. Drains were connected to a drainage system which was used to discharge water into the recharge basin located northeast of the site [D.10].

#### B. TOPOGRAPHY

The site is located at latitude 40°44'32"N, longitude 73°25'13"W, amid a commercial and industrial region. The investigated area is on a glacially deposited outwash plain which gently dips south to southeast at a slope of 20 feet per mile, or less than 1 percent.

To the north of the site, up an embankment, there is an unpaved parking area where several drums were observed. During site reconnaissance, the air in these drums was scanned with an OVA instrument, and in most cases, the readings ranged from 20 to 50 ppm. A recharge basin is northeast of the site. A fenced, paved parking lot is east of the site. An abandoned gas station is in the northeast corner of this lot and a building is located in the middle of this lot. To the south of the site across Picone Boulevard is the J. S. Trucking Company office and truck

maintenance facilities. To the west of the site is a fenced, paved parking lot.

### C. HYDROGEOLOGY

The stratigraphy and waterbearing characteristics of the geologic units underlying the region of investigation are characterized as highly permeable outwash deposits (sand and gravel). These Pleistocene deposits lie unconformably on the unconsolidated seaward-dipping deposits of Cretaceous age, which in turn lie unconformably on the southeasterly-sloping bedrock. The combined thickness of the unconsolidated deposits is approximately 1,300 to 1,700 feet. Hence, the hydrostratigraphic units in the unconsolidated deposits overlying the bedrock consist of the Cretaceous and Pleistocene series. The Upper Cretaceous series is divided into the Raritan formation and overlying Magothy formation, both of which are composed of non-marine beds of sand, gravel, silt, and clay. The Raritan formation is divided into two members, the Lloyd sand member below (resting on the bedrock) and an overlying clay member. The Magothy formation is the uppermost of the Cretaceous formations on Long Island. It is in part doubtless the equivalent of the Magothy formation in New Jersey, but it may also contain correlatives of other formations. The Magothy overlies the Raritan formation and is in turn overlain by the outwash deposits of Pleistocene age [D.1].

The principal subdivisions of the Pleistocene series from oldest to youngest are the Jameco gravel, the Gardiner's clay, and the Upper Pleistocene outwash deposits. The outwash deposits immediately underlie the land surface of the study site. Based on the four wells installed, the material consists of mainly beds of brown, well-sorted, fine to coarse sand and gravel (Figure. IV-2).

The uppermost zone of the groundwater regime is the Upper Glacial aquifer in the Pleistocene deposits. This unconfined unit lies unconformably on the Magothy and consists of highly permeable upper Pleistocene deposits of sand and gravel. The lower boundary of the Upper Glacial aquifer is defined by the presence of low permeability lenses of silt and clay in the Magothy formation. The Upper Glacial aquifer and the underlying Magothy aquifer are considered hydraulically connected [D.1].

These two aquifers have been considered by this investigation to be the aquifers of concern [D.1].

The Upper Glacial aquifer has been known to yield as much as 1,500 gallons per minute (gpm) with specific capacities commonly 40 to 75 gpm per foot of drawdown. Wells screened in the impermeable to highly permeable Magothy aquifer yield as much as 1,500 gpm with specific capacities ranging from 1 to 49 gpm per foot of drawdown.

Located within a 3-mile radius of the site are over 20 public

supply wells and numerous observation wells. These wells are screened both in the Upper Glacial and Magothy aquifers. A pumping well (S66556) is located hydraulically downgradient, about 1 $\frac{3}{4}$  miles southeast of the site. Two public supply wells (NYSDEC Nos. 20041 and 20042) are located approximately 1,400 feet to the northwest (upgradient) of the site. In 1961, the depth to water recorded in both wells was 25 feet below land surface. Regional groundwater flow is south to southeast, away from the topographic and water table high to the north [D.2].

Based on the four wells installed, localized groundwater is flowing towards the south. This flow pattern places well MW-1 upgradient, wells MW-2 and MW-3 downgradient and well MW-4 sidegradient of the site.

#### D. SITE CONTAMINATION ASSESSMENT

Potential contamination of the environment was assessed by a review of the character of wastes suspected at the site and chemical analyses of the samples. The character of wastes suspected at the site was evaluated by a review of information from historic literature collected in Appendix D.

Tables IV-1 through IV-7 summarize the results of analyses performed at the site for every analyte in the samples if that analyte was detected in concentrations above the Contract Required Quantitation Limit (CRQL). However, an analyte detected below the CRQL in one sample is reported when it is

detected above the CRQL in another sample or is a contaminant of concern at the site.

Groundwater, surface water, and soil assessment, the process by which the analytical data was evaluated, was based on the criteria presented in Appendix C.1.

### 1. Waste Characteristics

There is no detailed information available for the stored wastes and HWD, Inc. waste recovery process. Historic literature shows that the wastes contained spent solvents, and acids. It is known that an "ammonium hydroxide scrubber" was utilized on site. However, it is not known whether this scrubber employed ammonium hydroxide to neutralize acidic off-gases or was used to remove ammonia vapors released from some wastes (water would have been used in the scrubber to form ammonium hydroxide). In either case the resultant products from the scrubbing process would not have been hazardous. In addition, HWD, Inc. admitted releasing  $\text{NO}_x$  and HCl vapors suggesting the presence of hydrochloric and nitric acids at the site.

Based on this information, the monitoring of the site would be expected to reveal the presence of methylene chloride (and other chlorinated hydrocarbons), toluene, benzene, methanol, ethanol, and acetone (D.3 and D.7).

If there was a leak from the underground gasoline tank located east of the site, samples collected downgradient in well MW-3 could reveal the presence of benzene, toluene, ethylbenzene, xylene, branch-chain paraffins, cycloparaffins, and aromatics.

## 2. Groundwater Contamination

Four groundwater samples (GW-1 through GW-4) and one duplicate sample (GW-5) were collected and analyzed for organic and inorganic compounds.

Twelve volatile organic compounds were detected in the samples collected. Of these compounds, the results of analysis indicate that ten compounds were present in significantly high concentrations in downgradient samples.

Toluene (2,300 ug/l), xylene (total)(200 ug/l), and ethylbenzene (440 ug/l) were detected in downgradient sample GW-3 at concentrations more than 80 times the concentrations in upgradient sample GW-1.

Seven chlorinated hydrocarbons were detected in significant concentrations downgradient. Tetrachloroethene (790 ug/l) was detected in downgradient samples GW-2 and GW-3 but not in the upgradient sample. 1,1,1-trichloroethane (150 ug/l), chloroethane (48 ug/l), 1,1-dichloroethane (32 ug/l), chlorobenzene (30 ug/l), methylene chloride

(55 ug/l), and 1,2-dichloroethene (200 ug/l) were detected in downgradient samples at concentrations more than three times the analytical detection limit. These compounds were not detected in upgradient sample GW-1 and are not constituents of gasoline. Therefore, the site can be considered the source of these contaminants migrating into the groundwater. One chlorinated hydrocarbon, vinyl chloride, was also present in downgradient samples, but at a concentration only slightly above the detection limit.

Concentrations of all these contaminants in the downgradient samples, excluding 1,1,1-trichloroethane, exceeded federal and New York State water standards (Table IV-8). Tetrachloroethene and 1,1,1-trichloroethane concentrations exceeded only New York State water quality standards. Trichloroethene, detected at approximately the same concentrations in downgradient and upgradient samples, also exceeded federal and New York State water standards (Table IV-8).

Semi-volatile organic compounds phenol (32 ug/l), naphthalene (65 ug/l), and 2-methylnaphthalene (32 ug/l) were detected in downgradient sample GW-3 at concentrations three or more times the analytical detection limit, but were not detected in the upgradient water sample. However, these contaminants are likely attributable to gasoline. Therefore, the site cannot be considered the sole source of these contaminants migrating into the groundwater

(Table IV-2). The naphthalene level in GW-3 exceeded New York State water quality standards (Table IV-8).

Between three and nineteen definable identified organic compounds (TIC's) were detected in the groundwater samples. Of the TIC's detected, almost all were gasoline constituents which could be attributed to the abandoned gas tank located east of the site. Three chlorinated compounds were detected in GW-3 only.

Inorganic compounds arsenic (125 ug/l) and lead (139.5 ug/l) were detected in downgradient sample GW-4 at concentrations more than 20 times the concentrations found in upgradient sample GW-1 (Table IV-3). Neither of these analytes are contaminants which were suspected of being disposed at the site. The presence of lead in this well could be the result of leaks in the nearby gas tank. Arsenic concentrations may be reflecting natural conditions and the high levels of suspended solids in the sample.

Concentrations of arsenic and lead in downgradient sample GW-4 and aluminum and manganese in the upgradient and downgradient samples exceeded federal and New York State water quality standards (Tables IV-3 and IV-8).

No pesticides or PCB's were detected in any groundwater samples analyzed.



### 3. Surface Water and Sediment

#### Surface Water

Three surface water samples (SW-1 and SW-2 from recharge basin and SW-4 from the storm drain located south of the site) were collected and analyzed for organic and inorganic compounds. Sample SW-3 was not collected because there was no water in the proposed sample location during sampling.

Tetrachloroethene (19 ug/l) at concentrations more than three times the detection limit and 1,2-dichloroethene (total)(8 ug/l) at concentrations less than three times the detection limit were detected in sample SW-4 only. Although both were found in sample GW-3, migration of these contaminants from the site appears not to be occurring because neither was detected in the recharge basin at the outfall of the storm drain systems (samples SW-1 and SW-2). No other volatile organic compound was detected in any surface water sample (Table IV-4). Concentrations of these contaminants did not exceed New York State water quality standards (Table IV-8).

No semi-volatile organic compounds, pesticides, or PCBs were detected in any surface water sample.

Inorganic compounds were detected in all surface water samples at the same relative concentrations (Table IV-5). Therefore the presence of these inorganic compounds in

surface water was not a result of activities at this site. Concentrations of iron in all the samples exceeded New York State surface water standards for human and aquatic life, while aluminum and zinc in all samples exceeded New York State surface water standards for aquatic life only (Table IV-8).

### Sediment

Three sediment samples (SD-1 and SD-2 from the discharge basin, and SD-3 from the storm drain located on the parking area) were collected and analyzed for organic and inorganic compounds. Sample SD-4 was not collected because there was no access to the proposed sampling location.

Tetrachloroethene (94 ug/l) was detected in sample SD-3 only. No other volatile organic compound was detected in any sediment sample.

Semi-volatile organic compounds phenanthrene (6,000 ug/l), anthracene (1,200 ug/l), fluoranthene (7,900 ug/l), pyrene (6,600 ug/l), benzo(a)anthracene (3,400 ug/l), chrysene (3,800 ug/l), benzo(a)pyrene (2,600 ug/l), indeno(1,2,3-cd)pyrene (1,800 ug/l), and benzo(g,h,i)pyrene (1800 ug/l) were detected in sample SD-3 only (Table IV-4). In addition, six TIC's were detected in SD-3. However, these contaminants are commonly associated with paved parking areas.

Aldrin (67 ug/l) was detected in sample SD-3 only. However, the source of this contaminant in SD-3 is unknown. No other pesticides or PCBs were detected in any other sample.

Metals found in sediment samples did not exceed the typical ranges of concentrations of these metals in non-contaminated soil (Table IV-8).

#### 4. Soil Contamination

Five soil samples and one background soil sample were collected and analyzed for organic and inorganic compounds. Samples B-1, B-2, B-3, and B-5 were collected from depths of two to ten feet beneath the concrete parking area, because hazardous waste was stored and treated in this area by HWD. Sample B-4 was collected at a depth of four to ten feet from adjacent to well MW-3 due to a strong smell present in this well during drilling activities. Sample B-6 was collected from a depth of 2-4 feet, and was the background soil sample.

Chemical analysis detected trichloroethene in two samples (B-1 and B-3), tetrachloroethene in four samples (B-1, B-2, B-3, and B-5), xylene in one sample (B-1), 1,2-dichloroethene in one sample (B-3), and acetone in one sample (B-4)(Table IV-6). None of these contaminants was detected in the background sample. With the exception of

acetone, all of the volatile organics present in the soil samples were also present in groundwater samples at significant levels [Tables IV-1 and IV-6].

Twenty organic TICs were detected in B-1 located on the western portion of the site. However, all the TICs are constituents of gasoline indicating a possible historic spill or former tank location.

Bis(2-ethylhexyl)phthalate, a common laboratory contaminant, was detected in all soil samples and the method blank (Table IV-6) at levels indicating that the laboratory was the source of the contaminant.

Metals found in soil samples were detected in the same range as in the background sample and did not exceed the typical ranges of concentrations of these metals in non-contaminated soil (Tables IV-7 and IV-8).

##### 5. Air Survey

Air quality surveys were conducted with PID, OVA, and explosimeter air monitoring instruments during site reconnaissance and drilling activities. During site reconnaissance, the air in several drums located north of the site was scanned with an OVA instrument, and in most cases, the readings ranged from 20 to 50 ppm.

Diesel fuel smell was detected from wells MW-3 and MW-4 cuttings and holes during drilling events. Lower explosive limit level was 20 percent at well MW-4 and 30-50 percent at well MW-3. OVA and PID instruments indicated no readings above background in the breathing zone.

During soil sampling, PID readings above background were recorded at B-1, B-4 and B-5 holes in the range of 0.5 to 15 ppm. No readings above background were recorded in the breathing zone.


#### E. CONCLUSIONS

All tasks of the Phase II investigation for the Hazardous Waste Disposal site have been completed. Enough data has been collected to prepare a final HRS score.

The Phase II investigation shows evidence of soil contamination by three organic chlorinated hydrocarbon compounds (trichloroethene, tetrachloroethene and 1,2-dichloroethene) on site and migration of two of these contaminants, tetrachloroethene and 1,2-dichloroethene from the site into groundwater. Five other chlorinated hydrocarbons, although not detected in soil samples, were detected in the downgradient groundwater samples at concentrations suggesting migration from the site. There is no evidence of migration of contaminants from the site into the surface water.

Sample analysis results also showed a pervasive presence of gasoline related compounds in soil and groundwater. These results could be attributed to the abandoned gas station located east of the site. However, this does not mean that several of the compounds (toluene, ethylbenzene and xylene) did not also originate from the site itself.


# GROUNDWATER FLOW DIAGRAM



Site: Hazardous Waste Disposal

Figure: IV-1

GIBBS & HILL, INC.



RECHARGE  
BASIN  
WATER  
SURFACE 94.3'

TP  
113.59  
TP  
113.59  
GR  
113.2

186'

248'

TP  
100.76

TP  
104.90  
TP  
104.81

227'

278'

BUILDING

TP  
100.00  
WATER SURFACE  
94.3'

NOTE  
1. ALL ELEVATIONS ARE IN ARBITRARY SYSTEM  
2. TP= TOP OF PIPE  
3. GR=GROUND  
4. TR: TOP OF RIM

NOT TO SCALE


DATE: JAN.10,91

HAZARDOUS WASTE DISPOSAL SITE




A SOUTH

A' NORTH




IV-20

VERTICAL EXAGGERATION= 5X  
HORIZONTAL SCALE IN FEET



LEGEND



POORLY SORTED SAND AND GRAVEL

DES. BY: JS DWN. BY: REF	SCALE: AS SHOWN	<b>CIBBS &amp; HILL, INC.</b> ENGINEERS, DESIGNERS, CONSTRUCTORS NEW YORK	HAZARDOUS WASTE DISPOSAL SITE #152113	GEOLOGIC CROSS SECTION FIGURE IV-2	DATE: 9/18/91 SHEET 1 OF 1
-----------------------------	-----------------	---	--	---------------------------------------	-------------------------------

HAZARDOUS WASTE DISPOSAL SITE

TABLE IV-1 - ANALYTICAL RESULTS OF GROUNDWATER SAMPLES FOR VOLATILE ORGANIC COMPOUNDS

(All data in micrograms/liter)

Analyte	GW-1	GW-2	GW-3	GW-4	(Duplicate of GW-2)	Method	Method
	9/26	9/26 9/27 DL	9/26	9/26	GW-5 9/26 9/27 DL	Blank 9/26	Blank 9/27
Trichloroethene	91	130	18	ND	89	ND	ND
Toluene	6	ND	2,300	ND	ND	ND	ND
Ethylbenzene	5	ND	440	ND	ND	ND	ND
Xylene (total)	10	ND	2,000	ND	ND	ND	ND
1,2-Dichloroethene (total)	ND	59	200	ND	30	ND	ND
1,1,1-Trichloroethane	ND	6	150	ND	6	ND	ND
Tetrachloroethene	ND	790 BD	29	ND	440 BD	ND	2 J
Vinyl chloride	ND	ND	11	ND	ND	ND	ND
Chloroethane	ND	ND	48	ND	ND	ND	ND
1,1-Dichloroethane	ND	ND	32	ND	2 J	ND	ND
Chlorobenzene	ND	ND	30	ND	ND	ND	ND
Methylene chloride	ND	ND	ND	55	ND	ND	3 J
<u>TIC's*</u>							
Methoxy methyl propane isomer	80	ND	ND	ND	ND		
Ethyl dimethyl benzene isomer	9	ND	ND	ND	5		
Tetramethyl benzene isomer	10	ND	ND	ND	20		
Chlorotrifluoro ethene	ND	ND	19	ND	ND		
1,2-dichloro-1,1,2-trifluoroethane	ND	ND	11	ND	ND		
1,1,2-trichloro-1,2,2-trifluoroethane	ND	ND	44	ND	ND		
Hexane	ND	ND	6	ND	ND		
Methyl cyclopentane	ND	ND	9	ND	ND		
Heptane	ND	ND	11	ND	ND		
Methyl cyclohexane	ND	ND	11	ND	ND		
Ethyl methyl cyclohexane isomer(s)	ND	ND	ND	18 (2)	ND		
Dimethyl octane isomer	ND	ND	ND	9	ND		

ND - Not detected

B - Contaminant also detected in Method Blank

J - Estimated value detected below Contract Required Quantitation Limit

D - Diluted sample analysis

DL - Date diluted sample was analyzed

\* - Estimated value with a 1:1 response; or total estimated value of all detected isomers (number of isomers detected shown in parentheses).

HAZARDOUS WASTE DISPOSAL SITE

TABLE IV-2 - ANALYTICAL RESULTS OF GROUNDWATER SAMPLES FOR SEMI-VOLATILE ORGANIC COMPOUNDS

(All data in micrograms/liter)

Analyte	GW-1	GW-2	GW-3	GW-4	(Duplicate of GW-2) d GW-5
Phenol	ND	ND	32	ND	ND
Naphthalene	ND	ND	65	ND	ND
2-Methylnaphthalene	ND	ND	32	ND	ND
<u>TIC's*</u>					
Ethyl-dimethylbenzene isomer(s)	ND	65 (4)	16	ND	39 (3)
Tetramethylbenzene isomer(s)	ND	62 (2)	ND	ND	46 (2)
Dihydro-methyl-1H-Indene isomer	ND	24	22	ND	18
Propyl-benzene	ND	ND	36	ND	ND
Ethylmethylbenzene isomer(s)	ND	ND	408 (5)	ND	ND
2,6-dimethyl-4-Heptanone	ND	ND	69	ND	ND
Methyl-methylethylbenzene isomer(s)	ND	ND	34 (2)	ND	ND
1-methyl-naphthalene	ND	ND	20	ND	ND
Unk. aliphatic hydrocarbon(s)	ND	ND	ND	67 (4)	ND
1-methylpropyl-cyclohexane	ND	ND	ND	15	ND
Trans-decohydro-naphthalene	ND	ND	ND	15	ND

ND - Not detected

\* - Estimated value with a 1:1 response; or total estimated value of all detected isomers (number of isomers detected shown in parentheses).

IV-22

HAZARDOUS WASTE DISPOSAL SITE

TABLE IV-3 - ANALYTICAL RESULTS OF GROUNDWATER SAMPLES FOR INORGANIC COMPOUNDS

(All data in micrograms/liter)

<u>Analyte</u>	<u>GW-1</u>	<u>GW-2</u>	<u>GW-3</u>	<u>GW-4</u>	(Duplicate
					of GW-2)
					<u>GW-5</u>
Aluminum	3,450	438	2,740	13,900	4,230
Cadmium	ND	9.4	ND	5.4	9.1
Calcium	12,800	16,200	174,000	128,000	15,400
Chromium	ND	ND	ND	29.9 J	ND
Copper	17.3 B	77.6	25.0	58.2	17.7 B
Iron	5,720	1,030	1,050	49,500	6,740
Lead	6.0 U	5.9 U	8.1	139.5	18.6
Magnesium	2,610 B	2,240 B	1,290 B	9,530	2,560 B
Manganese	323	71.7	15.1	1,200	182
Mercury	0.3	ND	ND	ND	ND
Nickel	29.2 B	43.6	8.8 B	27.6 B	14.4 B
Potassium	1,980	5,710	32,600	6,780	4,380
Sodium	5,410	7,940	60,200	6,170	7,360
Zinc	40.0	130.0	70.0	210	90.0
Total Suspended Solids (mg/l)	330	40	108	660	53
Total Dissolved Solids (mg/l)	102	88	549	378	72

ND - Not detected

B - Detected below Contract Required Detection Limit

J - Estimated value due to deviation in Quality Control Limits

U - Not detected; qualified through the Method Blank

11-23

HAZARDOUS WASTE DISPOSAL SITE

TABLE IV-4 - ANALYTICAL RESULTS OF SURFACE WATER AND SEDIMENT SAMPLES FOR ORGANIC COMPOUNDS

(All surface water data in micrograms/liter)  
(All sediment data in micrograms/kilogram)

Analyte	Surface Water				Sediment	
	SW-1	SW-2	SW-4	SD-1	SD-2	SD-3
Volatile Organics						
1,2-Dichloroethene (total)	ND	ND	8	ND	ND	ND
Tetrachloroethene	ND	ND	19	ND	ND	94
TICs*						
Ethyl Dimethyl Benzene isomer	ND	30	ND	ND	ND	ND
Tetramethyl Benzene isomer(s)	ND	50 (2)	ND	ND	ND	ND
Dihydro Methyl Indene isomer	ND	70	ND	ND	ND	ND
Semi-Volatile Organics						
Phenanthrene	ND	ND	ND	ND	ND	6,000
Anthracene	ND	ND	ND	ND	ND	1,200
Fluoranthene	ND	ND	ND	ND	ND	7,900
Pyrene	ND	ND	ND	ND	ND	6,600
Benzo (a) anthracene	ND	ND	ND	ND	ND	3,400
Chrysene	ND	ND	ND	ND	ND	3,800
Benzo (a) pyrene	ND	ND	ND	ND	ND	2,600
Indeno (1,2,3-cd) pyrene	ND	ND	ND	ND	ND	1,800
Benzo (g,h,i) pyrene	ND	ND	ND	ND	ND	1,800
Benzo (9,h,i) pyrene	ND	ND	ND	ND	ND	1,800
bis (2-ethylhexyl) phthalate	ND	ND	53	70 U	140 U	13,000
TICs*						
9H-Carbazole	ND	ND	ND	ND	ND	290
Hexadecanoic acid	ND	ND	ND	ND	ND	290
11H-Benzo [b] fluorene	ND	ND	ND	ND	ND	360
Benzo [ghi] fluoranthene	ND	ND	ND	ND	ND	360
Benzo [j] fluoranthene	ND	ND	ND	ND	ND	2200
Benzo [e] pyrene	ND	ND	ND	ND	ND	1700

ND - Not detected  
 U - Estimated value detected below the Contract Required Quantitation Limit  
 \* - Not detected; quantified through the Method Blank.  
 - Estimated value with a 1:1 response; or total estimated value of all detected isomers number of isomers detected shown in parentheses).

W-24

**HAZARDOUS WASTE DISPOSAL SITE**

**TABLE IV-5 - ANALYTICAL RESULTS OF SURFACE WATER AND SEDIMENT SAMPLES FOR INORGANIC COMPOUNDS**

(All surface water concentrations in micrograms/liter)  
 (All sediment concentrations in milligrams/kilogram)

Analyte	<u>Surface Water</u>			<u>Sediment</u>		
	<u>SW-1</u>	<u>SW-2</u>	<u>SW-4</u>	<u>SD-1</u>	<u>SD-2</u>	<u>SD-3</u>
Aluminum	261	345	326	1,150	3,580	2,670
Arsenic	UJ	UJ	UJ	6.6	0.98 B	2.0 B
Barium	26.8 B	29.6 B	33.0 B	4.1 B	16.4 B	49.8
Cadmium	ND	ND	ND	ND	ND	6.2
Calcium	14,200	15,300	18,900	140 U	451 B	6,420
Chromium	ND	ND	ND	5.6	5.0	38.2
Copper	14.3 B	12.7 B	23.1 B	3.2 J	4.9 J	198 J
Iron	1,210	1,530	3,330	4,230	3,700	23,400
Lead	4.0 U	4.9 U	5.9 U	9.7	11.7	80.87
Magnesium	1,970 B	2,140 B	1,930 B	177 U	391 B	3,140
Manganese	92.9	104	110	26.7 J	42.6 J	195 J
Nickel	9.7 B	ND	77.3	6.0 J	4.5 J	68.9 J
Potassium	1,300 B	1,360 B	1,700 B	82.1	195	256
Sodium	37,700	3,960	3,450	ND	ND	ND
Silver	ND	ND	ND	2.4 UJ	ND	ND
Zinc	50.0	30.0	170.0	11.5 J	33.9 J	339 J
Total Suspended Solids (mg/l)	<5	<5	<5			
Total Dissolved Solids (mg/l)	72	65	69			

ND - Not detected  
 B - Detected below Contract Required Detection Limit  
 U - Not detected; quantified through the Method Blank  
 J - Estimated due to deviation in Quality Control Limit  
 UJ - Not detected; estimated value due to deviation in Quality Control Limits

HAZARDOUS WASTE DISPOSAL SITE

TABLE IV-6 - ANALYTICAL RESULTS OF SOIL SAMPLES FOR ORGANIC COMPOUNDS

(All data in micrograms/kilogram)

Volatile Organics						
Analyte	B-1	B-2	B-3	B-4	B-5	B-6
Trichloroethene	15	ND	7	ND	ND	ND
Tetrachloroethene	580	64	240	5 J	16	ND
Xylene (total)	14	ND	6	ND	ND	ND
1,2-Dichloroethene (total)	ND	ND	6	ND	ND	ND
Acetone	5 J	ND	8 J	32	ND	ND
TICS*						
Ethyl Methyl Benzene isomer(s)	80 (3)	ND	ND	ND	ND	ND
Ethyl Methyl Octane isomer	10	ND	ND	ND	ND	ND
Trimethyl Benzene isomer(s)	90 (2)	ND	ND	ND	ND	ND
Methyl Propyl Benzene isomer	200	ND	ND	ND	ND	ND
Ethyl Dimethyl Benzene isomer(s)	206 (2)	ND	ND	7	ND	ND
Ethyl Trimethyl Benzene isomer	ND	10	40	ND	ND	ND
Tetramethyl Benzene isomer	ND	ND	100	ND	ND	ND
3,6,6-Trimethyl-Bicyclo[3.1.1]hept-2-ene	ND	ND	ND	40	ND	ND
Dimethyl Methylene Bicyclo[2.1]beta-pinene	ND	ND	ND	20	ND	ND
Semi-Volatile Organics						
Analyte	B-1	B-2	B-3	B-4	B-5	B-6
Bis(2-ethylhexyl)phthalate	560 JB	110 JB	480 JB	1,200 B	450 B	700 JB
TICS*						
Trimethyldecane isomer	4200	ND	ND	ND	ND	ND
Ethyl-methylbenzene isomer(s)	5000 (2)	ND	ND	ND	ND	ND
Unk. Aliphatic Hydrocarbon(s)	10600 (3)	ND	ND	1250 (3)	ND	ND
Methyl-propylbenzene isomer	3400	ND	ND	ND	ND	ND
Tetramethylbenzene isomer	6600	ND	ND	ND	ND	ND
Dihydromethyl-1H-indene isomer	2000	ND	ND	ND	ND	ND
Ethyl-1,2,4-trimethyl-benzene	3600	ND	ND	ND	ND	ND
2,3-dihydro-4,7-dimethyl-1H-indene	1900	ND	ND	ND	ND	ND
2-Cyclohexen-1-one	ND	ND	960	740	ND	ND
Benzaldehyde	ND	ND	ND	ND	ND	980

ND - Not detected  
 B - Contaminant also detected in Method Blank  
 J - Estimated value, detected below Contract Required Quantification Limit  
 \* - Estimated value with a 1:1 response; or total estimated value of all detected isomers (number of isomers detected shown in parentheses).

1V-26

HAZARDOUS WASTE DISPOSAL SITE

TABLE IV-7 - ANALYTICAL RESULTS OF SOIL SAMPLES FOR INORGANIC COMPOUNDS

(All data in milligrams/kilogram)

Analyte	B-1	B-2	B-3	B-4	B-5	B-6
Aluminum	658	4,890	722	5,360	573	1,660
Arsenic	0.97 B	3.6	ND	5.2	0.76 B	1.4 B
Calcium	96.5 B	1,760	646 B	2,900	ND	103 B
Chromium	3.3 J	9.6 J	UJ	11.3 J	1.8 J	6.4 J
Cobalt	10.0 U	12.9 U	10.4 U	11.8 U	9.8 U	11.5 U
Copper	3.0 U	5.7 J	2.3 U	7.6 U	2.3 U	4.0 U
Iron	1,520	4,670	1,290	7,420	1,310	4,660
Lead	2.5 R	5.5 R	2.3 R	32.3 R	1.2 R	2.6 R
Magnesium	89.3 B	577 B	165 B	1,380	66.8 B	434 B
Manganese	12.6 J	87.8 J	14.4 J	83.6 J	13.3 J	40.6 J
Silver	4.1	2.3	ND	4.3	2.1	2.1
Vanadium	ND	7.1 B	ND	13.4	ND	3.2 B
Zinc	7.1 U	13.2 U	5.9 U	31.9	4.6 U	11.1 U

ND - Not detected

B - Detected below Contract Required Detection Limit

U - Not detected; quantified through the Method Blank

R - Unusable value due to deviation in Quality Control Limits

J - Estimated value; due to deviation in Quality Control Limits

IV-27



Table IV-8

FEDERAL AND STATE STANDARDS AND GOALS

NOTES TO REGULATIONS

- [A] Environmental Protection Agency National Primary Drinking Water Regulations (as of 7/17/89)

Applied to results of all water sample analyses.

- [B] Chapter 1 of Title 10 of the Official Compilation of Codes, Rules and Regulations of the State of New York, Part 5, Drinking Water Supplies, Subpart 5-1, Public Water Supplies (as of 11/28/88)

Applied to results of drinking water sample analyses.

- [C] Chapter 10 of Title 6 of the Official Compilation of Codes, Rules and Regulations of the State of New York, Division of Water Resources, Article 2, Part 702, Appendix 31, Ambient Water Quality Standards - "The standards adopted herein relate to the condition of waters as affected by the discharge of sewage, industrial wastes or other wastes." (as of 7/5/85)

For sources of water for drinking, culinary or food processing purposes and human life protection, unless otherwise noted.

Applied to results of surface water sample analyses for surface water that is not a source of drinking water.

- [D] Chapter 10 of Title 6 of the Official Compilation of Codes, Rules and Regulations of the State of New York, Division of Water Resources, Article 2, Part 703.5(a)(2) and (3), Classes and quality standards for groundwaters - "The purpose of these classes, quality standards, and effluent standards and/or limitations is to prevent pollution of groundwaters and to protect the groundwaters for use as a potable water." (as of 7/5/85)

Applied to results of all groundwater sample analyses regardless of groundwater use.

- [E] Environmental Protection Agency National Secondary Drinking Water Regulations (as of 9/26/88)

Applied to results of all water sample analyses.

- [F] Source: "Review of In-Place Treatment Techniques for Contaminated Surface Soils," Volume 2, EPA-540/2-84-0036, November 1984, except as noted.

Applied to results of soil sample analyses.

- [G] Chapter 360 of Title 6 of the Official Compilation of Codes, Rules and Regulations of the State of New York, Solid Waste Management Facilities, Section 360-4.4(a), "Sewage sludge and septage destined for land application" (as of 12/31/88)

Applied to results of soil and sediment sample analyses.

Table IV-8 cont.

## FEDERAL AND STATE WATER STANDARDS AND GOALS

CAS Number	Compound	Contract Detection Limit [ug/l]	[A]	[A]	[B]	[C]	[D]
			EPA 40CFR141 MCL* [ug/l]	EPA 40CFR141 MCLG** [ug/l]	10 NYCRR Subpart 5.1 MCL* [ug/l]	6 NYCRR 702 Standard [ug/l]	6 NYCRR 703 Standard [ug/l]
74-87-3	Chloromethane	10			5	50	5
74-83-9	Bromomethane	10			5	50	5
75-01-4	Vinyl Chloride	10	2	0	2	50	2
75-00-3	Chloroethane	10			5	50	5
75-09-2	Methylene Chloride	5			5	50	5
67-64-1	Acetone	10			50	50	50
75-15-0	Carbon Disulfide	5			50	50	50
75-35-4	1,1-Dichloroethene	5	7	7	5	50	5
75-34-3	1,1-Dichloroethane	5			5	50	5
540-59-0	1,2-Dichloroethene (total)	5			5	50	5
67-66-3	Chloroform	5	[1]		[2]	0.2	[2]
107-06-2	1,2-Dichloroethane	5	5	0	5	0.8	5
78-93-3	2-Butanone	10			50	50	50
71-55-6	1,1,1-Trichloroethane	5	200	200	5	50	5
56-23-5	Carbon Tetrachloride	5	5	0	5	50	5
108-05-4	Vinyl Acetate	10			50	50	50
75-27-4	Bromodichloromethane	5	[1]		[2]	50	[2]
78-87-5	1,2-Dichloropropane	5			5	0.6	5
10061-01-5	cis-1,3-Dichloropropene	5			5	50	5
79-01-6	Trichloroethene	5	5	0	5	50	5
124-48-1	Dibromochloromethane	5	[1]		[2]	50	[2]
79-00-5	1,1,2-Trichloroethane	5			5	50	5
71-43-2	Benzene	5	5	0	5	50	ND[4]
10061-02-6	trans-1,3-Dichloropropene	5			5	50	5
75-25-2	Bromoform	5	[1]		[2]	50	[2]
108-10-1	4-Methyl-2-pentanone	10			5	50	5
591-78-6	2-Hexanone	10			5	50	5
127-18-4	Tetrachloroethene	5			5	50	5
79-34-5	1,1,2,2-Tetrachloroethane	5			5	50	5
108-88-3	Toluene	5			5	50	5
108-90-7	Chlorobenzene	5			5	20[3]	5
100-41-4	Ethylbenzene	5			5	50	5
100-42-5	Styrene	5			5	50	5
1330-20-7	Xylene (total)	5			5	50	5

[1] 100 ug/l for the total of these four compounds for community water systems serving greater than 10,000 persons and which add a disinfectant (oxidant) to the water.

[2] 100 ug/l for the total of these four compounds for community water systems.

[3] Sources of water for drinking, culinary or food processing purposes - aquatic life protection: 5 ug/l. Primary contact recreation: 5 ug/l.

[4] Not detectable by tests or analytical determinations referenced in 6 NYCRR 703.4.

\* Maximum Contaminant Level - "maximum permissible level of a contaminant in water which is delivered to the free flowing outlet of the ultimate user of a public water system."

\*\* Maximum Contaminant Level Goal - "nonenforceable health goal."

Table IV-8 cont.

## FEDERAL AND STATE WATER STANDARDS AND GOALS

## TCL SEMI-VOLATILE ORGANICS

CAS Number	Compound	Contract	[A]	[A]	[B]	[C]	[D]
		Detection Limit [ug/l]	EPA 40CFR141 MCL* [ug/l]	EPA 40CFR141 MCLG** [ug/l]	10 NYCRR Subpart 5.1 MCL* [ug/l]	6 NYCRR 702 Standard [ug/l]	6 NYCRR 703 Standard [ug/l]
108-95-2	Phenol	10			50	1	50
111-44-4	bis(2-Chloroethyl)ether	10			50	50	1
95-57-8	2-Chlorophenol	10			50	50	50
541-73-1	1,3-Dichlorobenzene	10			5	20[1]	5
106-46-7	1,4-Dichlorobenzene	10	75	75	5	30[1]	4.7
100-51-6	Benzyl alcohol	10			50	50	50
95-50-1	1,2-Dichlorobenzene	10			5	50[1]	4.7
95-48-7	2-Methylphenol	10			50	50	50
39638-32-9	bis(2-Chloroisopropyl)ether	10			50	50	50
106-44-5	4-Methylphenol	10			50	50	50
621-64-7	N-Nitroso-di-n-propylamine	10			50	50	50
67-72-1	Hexachloroethane	10			50	50	50
98-95-3	Nitrobenzene	10			50	30	50
78-59-1	Isophorone	10			50	50	50
88-75-5	2-Nitrophenol	10			50	50	50
105-67-9	2,4-Dimethylphenol	10			50	50	50
65-85-0	Benzoic acid	50			50	50	50
111-91-1	bis(2-Chloroethoxy)methane	10			50	50	50
120-83-2	2,4-Dichlorophenol	10			50	0.3	50
120-82-1	1,2,4-Trichlorobenzene	10			5	10[1]	5
91-20-3	Naphthalene	10			50	10	50
106-47-8	4-Chloroaniline	10			50	50	50
87-68-3	Hexachlorobutadiene	10			5	0.5	5
59-50-7	4-Chloro-3-methylphenol	10			50	50	50
91-57-6	2-Methylnaphthalene	10			50	50	50
77-47-4	Hexachlorocyclopentadiene	10			50	1[2]	50
88-06-2	2,4,6-Trichlorophenol	10			50	50	50
95-95-4	2,4,5-Trichlorophenol	50			50	50	50
91-58-7	2-Chloronaphthalene	10			50	10	50
88-74-4	2-Nitroaniline	50			50	50	50
131-11-3	Dimethylphthalate	10			50	50	50
208-96-8	Acenaphthylene	10			50	50	50
606-20-2	2,6-Dinitrotoluene	10			50	50	50

- [1] Sources of water for drinking, culinary or food processing purposes  
- aquatic life protection: 5 ug/l; primary contact recreation: 5 ug/l
- [2] Sources of water for drinking, culinary or food processing purposes  
- aquatic life protection: 0.45 ug/l; primary contact recreation: 0.45 ug/l
- [3] Sources of water for drinking, culinary or food processing purposes  
- aquatic life protection: 0.4 ug/l; primary contact recreation: 0.4 ug/l

\* Maximum Contaminant Level - "maximum permissible level of a contaminant in water which is delivered to the free flowing outlet of the ultimate user of a public water system."

\*\* Maximum Contaminant Level Goal - "nonenforceable health goal."

Table IV-8 cont.

## FEDERAL AND STATE WATER STANDARDS AND GOALS

TCL SEMI-VOLATILE ORGANICS		[A]	[A]	[B]	[C]	[D]	
CAS Number	Compound	Contract	EPA	EPA	10 NYCRR	6 NYCRR	6 NYCRR
		Detection	40CFR141	40CFR141	Subpart	702	703
		Limit	MCL*	MCLG**	5.1 MCL*	Standard	Standard
		[ug/l]	[ug/l]	[ug/l]	[ug/l]	[ug/l]	[ug/l]
99-09-2	3-Nitroaniline	50			50	50	50
83-32-9	Acenaphthene	10			50	20	50
51-28-5	2,4-Dinitrophenol	50			50	50	50
100-02-7	4-Nitrophenol	50			50	50	50
132-64-9	Dibenzofuran	10			50	50	50
121-14-2	2,4-Dinitrotoluene	10			50	50	50
84-66-2	Diethylphthalate	10			50	50	50
7005-72-3	4-Chlorophenyl-phenylether	10			50	50	50
86-73-7	Fluorene	10			50	50	50
100-01-6	4-Nitroaniline	50			50	50	50
534-52-1	4,6-Dinitro-2-methylphenol	50			50	50	50
86-30-6	N-Nitroso-diphenylamine	10			50	50	50
101-55-3	4-Bromophenyl-phenylether	10			50	50	50
118-74-1	Hexachlorobenzene	10			50	50	0.35
87-86-5	Pentachlorophenol	50			50	1[3]	21
85-01-8	Phenanthrene	10			50	50	50
120-12-7	Anthracene	10			50	50	50
84-74-2	Di-n-butylphthalate	10			50	50	50
206-44-0	Fluoranthene	10			50	50	50
129-00-0	Pyrene	10			50	50	50
85-68-7	Butylbenzylphthalate	10			50	50	50
91-94-1	3,3'-Dichlorobenzidine	20			50	50	50
56-55-3	Benzo(a)anthracene	10			50	50	50
218-01-9	Chrysene	10			50	50	50
117-81-7	bis(2-Ethylhexyl)phthalate	10			50	0.6	4.2
117-84-0	Di-n-octylphthalate	10			50	50	50
205-99-2	Benzo(b)fluoranthene	10			50	50	50
207-08-9	Benzo(k)fluoranthene	10			50	50	50
50-32-8	Benzo(a)pyrene	10			50	50	50
193-39-5	Indeno(1,2,3-cd)pyrene	10			50	50	50
53-70-3	Dibenzo(a,h)anthracene	10			50	50	50
191-24-2	Benzo(g,h,i)perylene	10			50	50	50

- [1] Sources of water for drinking, culinary or food processing purposes  
- aquatic life protection: 5 ug/l; primary contact recreation: 5 ug/l
- [2] Sources of water for drinking, culinary or food processing purposes  
- aquatic life protection: 0.45 ug/l; primary contact recreation: 0.45 ug/l
- [3] Sources of water for drinking, culinary or food processing purposes  
- aquatic life protection: 0.4 ug/l; primary contact recreation: 0.4 ug/l

\* Maximum Contaminant Level - "maximum permissible level of a contaminant in water which is delivered to the free flowing outlet of the ultimate user of a public water system."

\*\* Maximum Contaminant Level Goal - "nonenforceable health goal."

Table IV-8 cont.

## FEDERAL AND STATE WATER STANDARDS

TCL INORGANICS		[A]	[E]	[B]	[C]	[C]	[C]	[D]	
CAS Number	Analyte	Contract	EPA	EPA	10 NYCRR	6 NYCRR	6 NYCRR	6 NYCRR	
		Detection	40CFR141	40CFR143	Subpart	702	702	702	703
		Limit	MCL*	SMCL**	5.1 MCL*	Human	Aquatic	PCR***	Standard
		[ug/l]	[ug/l]	[ug/l]	[ug/l]	[ug/l]	[ug/l]	[ug/l]	[ug/l]
7429-90-5	Aluminum	200					100	100	
7440-36-0	Antimony	60							
7440-38-2	Arsenic	10	50		50	50	190	190	25
7440-39-3	Barium	200	1000		1000	1000			1000
7440-41-7	Beryllium	5					1100[2]	1100[2]	
7440-43-9	Cadmium	5	10		10	10	0.9[3]	0.9[3]	10
7440-70-2	Calcium	5000							
7440-47-3	Chromium	10	50		50	50	163[3]	163[3]	50
7440-48-4	Cobalt	50					5	5	
7440-50-8	Copper	25		1000	1000	200	9.2[3]	9.2[3]	1000
7439-89-6	Iron	100		300	300[1]	300	300	300	300[1]
7439-92-1	Lead	5	50		50	50	2.2[3]	2.2[3]	25
7439-95-4	Magnesium	5000				35000			
7439-96-5	Manganese	15		50	300[1]	300			300[1]
7439-97-6	Mercury	0.2	2		2	2			2
7440-02-0	Nickel	40					76.8[3]	76.8[3]	
7440-09-7	Potassium	5000							
7782-49-2	Selenium	5	10		10	10	1	1	10
7440-22-4	Silver	10	50		50	50	0.1	0.1	50
7440-23-5	Sodium	5000							
7440-28-0	Thallium	10					8	8	
7440-62-2	Vanadium	50					14	14	
7440-66-6	Zinc	20		5000	5000	300	30	30	5000
	Cyanide	10				100	5.2	5.2	

[1] If both are present, the total of both concentrations may not exceed 500 ug/l.

[2] For water with hardness greater than 75 ppm. Standard is 11 ug/l for water with hardness less than or equal to 75 ppm.

[3] For water with hardness of 75 ppm. See 6 NYCRR 702 for determination of standard for other hardnesses.

\* Maximum Contaminant Level - "maximum permissible level of a contaminant in water which is delivered to the free flowing outlet of the ultimate user of a public water system."

\*\* Secondary Maximum Contaminant Level - same definition as MCL except "not Federally enforceable but intended as guidelines for the States."

\*\*\* Primary contact recreation and any other uses except as a source of water supply for drinking, culinary or food processing purposes.

Table IV-8 cont.

## FEDERAL AND STATE WATER STANDARDS

CAS Number	Compound	Contract Detection Limit [ug/l]	[A]	[B]	[C]	[C]	[C]	[D]
			EPA 10 MCL* [ug/l]	NYCRR Subpart 5.1 MCL* [ug/l]	6 NYCRR 702 Human [ug/l]	6 NYCRR 702 Aquatic [ug/l]	6 NYCRR 702 PCR** [ug/l]	6 NYCRR 703 Standard [ug/l]
319-84-6	alpha-BHC	0.05			50	0.01	0.01	ND[2]
319-85-7	beta-BHC	0.05			50	0.01	0.01	ND[2]
319-86-8	delta-BHC	0.05			50	0.01	0.01	ND[2]
58-89-9	gamma-BHC (Lindane)	0.05	4	4	50	0.01	0.01	ND[2]
76-44-8	Heptachlor	0.05			0.009	0.001	0.001	ND[2]
309-00-2	Aldrin	0.05			0.001[1]	0.001[1]	0.001[1]	ND[2]
1024-57-3	Heptachlor epoxide	0.05			0.009	0.001	0.001	ND[2]
959-98-8	Endosulphan I	0.05			50	50	50	
60-57-1	Dieldrin	0.10			0.001[1]	0.001[1]	0.001[1]	ND[2]
72-55-9	4,4'-DDE	0.10			0.01	0.001	0.001	ND[2]
72-20-8	Endrin	0.10	0.2	0.2	0.2	0.002	0.002	ND[2]
33213-65-9	Endosulphan II	0.10			50	50	50	
72-54-8	4,4'-DDD	0.10			0.01	0.001	0.001	
1031-07-8	Endosulphan sulfate	0.10			50	50	50	
50-29-3	4,4'-DDT	0.10			0.01	0.001	0.001	ND[2]
53494-70-5	Endrin ketone	0.10			50	50	50	
72-43-5	Methoxychlor	0.5	100	50	35	0.03	0.03	35
5103-71-9	alpha-Chlordane	0.5			50	50	50	0.1
5103-74-2	gamma-Chlordane	0.5			50	50	50	0.1
8001-35-2	Toxaphene	1.0		5	50	50	50	ND[2]
12674-11-2	AROCLOR-1016	0.5			0.01	0.001	0.001	0.1
11104-28-2	AROCLOR-1221	0.5			0.01	0.001	0.001	0.1
11141-16-5	AROCLOR-1232	0.5			0.01	0.001	0.001	0.1
53469-21-9	AROCLOR-1242	0.5			0.01	0.001	0.001	0.1
12672-29-6	AROCLOR-1248	0.5			0.01	0.001	0.001	0.1
11097-69-1	AROCLOR-1254	1.0			0.01	0.001	0.001	0.1
11096-82-5	AROCLOR-1260	1.0			0.01	0.001	0.001	0.1

[1] 0.001 ug/l for the total of these two compounds.

[2] Not detectable by tests or analytical determinations referenced in 6 NYCRR 703.4.

\* Maximum Contaminant Level - "maximum permissible level of a contaminant in water which is delivered to the free flowing outlet of the ultimate user of a public water system."

\*\* Primary contact recreation and any other uses except as a source of water supply for drinking, culinary or food processing purposes.

Table IV-8 cont.

FEDERAL AND STATE WATER STANDARDS

TCL INORGANICS

CAS Number	Analyte	Contract	[A]	[E]	[B]	[C]	[C]	[C]	[D]
		Detection Limit	40CFR141 EPA MCL*	40CFR143 EPA SMCL**	10 NYCRR Subpart 5.1 MCL*	6 NYCRR 702 Human	6 NYCRR 702 Aquatic	6 NYCRR 702 PCR***	6 NYCRR 703 Standard
		[ug/l]	[ug/l]	[ug/l]	[ug/l]	[ug/l]	[ug/l]	[ug/l]	[ug/l]
7429-90-5	Aluminum	200					100	100	
7440-36-0	Antimony	60							
7440-38-2	Arsenic	10	50		50	50	190	190	25
7440-39-3	Barium	200	1000		1000	1000			1000
7440-41-7	Beryllium	5					1100[2]	1100[2]	
7440-43-9	Cadmium	5	10		10	10	0.9[3]	0.9[3]	10
7440-70-2	Calcium	5000							
7440-47-3	Chromium	10	50		50	50	163[3]	163[3]	50
7440-48-4	Cobalt	50					5	5	
7440-50-8	Copper	25		1000	1000	200	9.2[3]	9.2[3]	1000
7439-89-6	Iron	100		300	300[1]	300	300	300	300[1]
7439-92-1	Lead	5	50		50	50	2.2[3]	2.2[3]	25
7439-95-4	Magnesium	5000				35000			
7439-96-5	Manganese	15		50	300[1]	300			300[1]
7439-97-6	Mercury	0.2	2		2	2			2
7440-02-0	Nickel	40					76.8[3]	76.8[3]	
7440-09-7	Potassium	5000							
7782-49-2	Selenium	5	10		10	10	1	1	10
7440-22-4	Silver	10	50		50	50	0.1	0.1	50
7440-23-5	Sodium	5000							
7440-28-0	Thallium	10					8	8	
7440-62-2	Vanadium	50					14	14	
7440-66-6	Zinc	20		5000	5000	300	30	30	5000
	Cyanide	10				100	5.2	5.2	

[1] If both are present, the total of both concentrations may not exceed 500 ug/l.

[2] For water with hardness greater than 75 ppm. Standard is 11 ug/l for water with hardness less than or equal to 75 ppm.

[3] For water with hardness of 75 ppm. See 6 NYCRR 702 for determination of standard for other hardnesses.

\* Maximum Contaminant Level - "maximum permissible level of a contaminant in water which is delivered to the free flowing outlet of the ultimate user of a public water system."

\*\* Secondary Maximum Contaminant Level - same definition as MCL except "not Federally enforceable but intended as guidelines for the States."

\*\*\* Primary contact recreation and any other uses except as a source of water supply for drinking, culinary or food processing purposes.

Table IV-8 cont.

## LAND APPLICATION OF SEWAGE SLUDGE AND SEPTAGE

TCL PESTICIDES AND PCB's		Contract Detection Limit [mg/kg]	[G] 6 NYCRR Part 360 4.4 MC* [mg/kg]
CAS Number	Compound		
319-84-6	alpha-BHC	0.008	
319-85-7	beta-BHC	0.008	
319-86-8	delta-BHC	0.008	
58-89-9	gamma-BHC (Lindane)	0.008	
76-44-8	Heptachlor	0.008	
309-00-2	Aldrin	0.008	
1024-57-3	Heptachlor epoxide	0.008	
959-98-8	Endosulphan I	0.008	
60-57-1	Dieldrin	0.016	
72-55-9	4,4'-DDE	0.016	
72-20-8	Endrin	0.016	
33213-65-9	Endosulphan II	0.016	
72-54-8	4,4'-DDD	0.016	
1031-07-8	Endosulphan sulfate	0.016	
50-29-3	4,4'-DDT	0.016	
53494-70-5	Endrin ketone	0.016	
72-43-5	Methoxychlor	0.08	
5103-71-9	alpha-Chlordane	0.08	
5103-74-2	gamma-Chlordane	0.08	
8001-35-2	Toxaphene	0.16	
12674-11-2	AROCLOR-1016	0.08	10[1]
11104-28-2	AROCLOR-1221	0.08	10[1]
11141-16-5	AROCLOR-1232	0.08	10[1]
53469-21-9	AROCLOR-1242	0.08	10[1]
12672-29-6	AROCLOR-1248	0.08	10[1]
11097-69-1	AROCLOR-1254	0.16	10[1]
11096-82-5	AROCLOR-1260	0.16	10[1]

[1] 10 mg/kg for "Total PCBs"

\* "Maximum Concentration, ppm, dry weight basis."



Table IV-8 cont.

## LAND APPLICATION OF SEWAGE SLUDGE AND SEPTAGE

CAS Number	Analyte	[F]	[G]
		Common Range in Soil [mg/kg]	6 NYCRR Part 360 4.4 MC* [mg/kg]
7429-90-5	Aluminum		
7440-36-0	Antimony	2 - 10	
7440-38-2	Arsenic	1 - 50	
7440-39-3	Barium	100 - 3000	
7440-41-7	Beryllium	0.1 - 40	
7440-43-9	Cadmium	0.01 - 7	25
7440-70-2	Calcium	700 - 36000[1]	
7440-47-3	Chromium	1 - 1000	1000
7440-48-4	Cobalt	1 - 40	
7440-50-8	Copper	2 - 100	1000
7439-89-6	Iron	5000 - 50000[1]	
7439-92-1	Lead	2 - 200	1000
7439-95-4	Magnesium	1200 - 15000[1]	
7439-96-5	Manganese	200 - 10000[1]	
7439-97-6	Mercury	0.01 - 0.3	10
7440-02-0	Nickel	5 - 500	200
7440-09-7	Potassium	1700 - 33000[1]	
7782-49-2	Selenium	0.1 - 2	
7440-22-4	Silver	0.01 - 5	
7440-23-5	Sodium		
7440-28-0	Thallium		
7440-62-2	Vanadium	20 - 500	
7440-66-6	Zinc	10 - 300	2500
	Cyanide		

[1] Source: "The Nature and Properties of Soils," Buckman, H., Brady, N., Macmillan Co., New York, New York, 1969.

\* "Maximum Concentration, ppm, dry weight basis."

## V. FINAL APPLICATION OF HAZARD RANKING SYSTEM

### A. NARRATIVE SUMMARY


The Hazardous Waste Disposal site is located on 11-A Picone Boulevard, Town of Babylon, Suffolk County, New York. The site is owned by Little Joseph Realty, Farmingdale, New York. The property was rented by the realty company, to George Lawrence (Glenwood Landing, New York) who operated his company, Hazardous Waste Disposal, Inc., from 1979 to 1982.

The site was used to store, treat, and dispose of hazardous waste during this period. A large number of drums containing liquid wastes were stored at the site. Many drums were observed to be leaking.

The site is located in a mixed residential/industrial/commercial area. The nearest building is the office of the J. S. Trucking Co. located across Picone Boulevard. The nearest residence is approximately 1,300 feet west of the site. Village of Farmingdale wells are the nearest community wells, located within a 1/2-mile north of the site. All residences use the community water system. Nearest surface water other than recharge basin on the site is Massapequa Creek, located about 2 1/4 miles from the site.

**B. SITE LOCATION MAP**

# SITE LOCATION MAP



**SITE: HAZARDOUS WASTE DISPOSAL**  
**MAP SOURCE: USGS MAP**

**FIGURE V-1**

AMITYVILLE QUAD. (1979)  
 HUNTINGTON QUAD. (1979)  
 SUFFOLK COUNTY, NEW YORK  
 7.5 MINUTE SERIES (TOPOGRAPHIC)

**SCALE 1" = 2000'**

**COORDINATES:**

LATITUDE: 40° 44' 32"  
 LONGITUDE: 73° 25' 13"

**GIBBS & HILL, INC.**

Facility name: Hazardous Waste Disposal Site

Location: 11-A Picone Boulevard, Farmingdale, New York 11735

EPA Region: II

Person(s) in charge of the facility: Little Joseph Realty  
Vic Emanuelo, Attorney

Name of Reviewer: Alex Kostic Date: March 20, 1991

General description of the facility:  
 (For example: landfill, surface impoundment, pile, container; types of hazardous substances; location of the facility; contamination route of major concern; types of information needed for rating; agency action, etc.)

The site is owned by Little Joseph Realty, Farmingdale, New York.

The site was used to store, treat, and dispose of hazardous waste during 1979 to 1982. During the EPA inspection conducted in 1981, about 1,900 drums of spent solvents and a 2,500-gallon acid tank were observed at the site. The majority of the drums were leaking. During SCDOH inspection in 1982, 840 drums containing liquid waste and 420 empty 55-gallons drums were observed at the site.

Scores:  $S_M = 37.82$  ( $S_{GW} = 65.38$   $S_{SW} = 2.38$   $S_A = 0.00$ )  
 $S_{FE} =$  Not applicable  
 $S_{DC} = 25.00$

**FIGURE 1  
HRS COVER SHEET**

Ground Water Route Work Sheet						
Rating Factor	Assigned Value (Circle One)	Multi-plier	Score	Max. Score	Ref. (Section)	
<b>1</b> Observed Release	0 <b>45</b>	1	45	45	3.1	
If observed release is given a score of 45, proceed to line <b>4</b> . If observed release is given a score of 0, proceed to line <b>2</b> .						
<b>2</b> Route Characteristics					3.2	
Depth to Aquifer of Concern	0 1 2 <b>3</b>	2	6	6		
Net Precipitation	0 1 2 <b>3</b>	1	3	3		
Permeability of the Unsaturated Zone	0 1 2 <b>3</b>	1	3	3		
Physical State	0 1 2 <b>3</b>	1	3	3		
Total Route Characteristics Score			15	15		
<b>3</b> Containment	0 1 2 <b>3</b>	1	3	3	3.3	
<b>4</b> Waste Characteristics					3.4	
Toxicity/Persistence	0 3 6 9 <b>12</b> 15 18	1	12	18		
Hazardous Waste Quantity	0 1 2 3 4 <b>5</b> 6 7 8	1	5	8		
Total Waste Characteristics Score			17	26		
<b>5</b> Targets					3.5	
Ground Water Use	0 1 2 <b>3</b>	3	9	9		
Distance to Nearest Well/Population Served	0 4 6 8 10 12 16 18 20 24 30 32 35 <b>40</b>	1	40	40		
Total Targets Score			49	48		
<b>6</b> If line <b>1</b> is 45, multiply <b>1</b> x <b>4</b> x <b>5</b> If line <b>1</b> is 0, multiply <b>2</b> x <b>3</b> x <b>4</b> x <b>5</b>			37485	57,330		
<b>7</b> Divide line <b>6</b> by 57,330 and multiply by 100			$S_{gw} = 65.38$			

**FIGURE 2  
GROUND WATER ROUTE WORK SHEET**

Surface Water Route Work Sheet						
Rating Factor	Assigned Value (Circle One)	Multi-plier	Score	Max. Score	Ref. (Section)	
<b>1</b> Observed Release	(0) 45	1	0	45	4.1	
If observed release is given a value of 45, proceed to line <b>4</b> . If observed release is given a value of 0, proceed to line <b>2</b> .						
<b>2</b> Route Characteristics					4.2	
Facility Slope and Intervening Terrain	(0) 1 2 3	1	0	3		
1-yr. 24-hr. Rainfall	0 1 (2) 3	1	2	3		
Distance to Nearest Surface Water	(0) 1 2 3	2	0	6		
Physical State	0 1 2 (3)	1	3	3		
Total Route Characteristics Score			5	15		
<b>3</b> Containment	0 1 2 (3)	1	3	3	4.3	
<b>4</b> Waste Characteristics					4.4	
Toxicity/Persistence	0 3 6 9 (12) 15 18	1	12	18		
Hazardous Waste Quantity	0 1 2 3 4 (5) 6 7 8	1	5	8		
Total Waste Characteristics Score			17	26		
<b>5</b> Targets					4.5	
Surface Water Use	0 1 (2) 3	3	6	9		
Distance to a Sensitive Environment	(0) 1 2 3	2	0	6		
Population Served/Distance to Water Intake Downstream	(0) 4 6 8 10 12 16 18 20 24 30 32 35 40	1	0	40		
Total Targets Score			6	55		
<b>6</b> If line <b>1</b> is 45, multiply <b>1</b> x <b>4</b> x <b>5</b>						
If line <b>1</b> is 0, multiply <b>2</b> x <b>3</b> x <b>4</b> x <b>5</b>			1530	64,350		
<b>7</b> Divide line <b>8</b> by 64,350 and multiply by 100			$S_{sw} = 2.38$			

**FIGURE 7  
SURFACE WATER ROUTE WORK SHEET**

Air Route Work Sheet						
Rating Factor	Assigned Value (Circle One)	Multi-plier	Score	Max. Score	Ref. (Section)	
<b>1</b> Observed Release	(0) 45	1	0	45	5.1	
Date and Location:						
Sampling Protocol:						
If line <b>1</b> is 0, the $S_a = 0$ . Enter on line <b>5</b> .						
If line <b>1</b> is 45, then proceed to line <b>2</b> .						
<b>2</b> Waste Characteristics					5.2	
Reactivity and Incompatibility	(0) 1 2 3	1	0	3		
Toxicity	0 1 2 (3)	3	9	9		
Hazardous Waste Quantity	0 1 2 3 4 (5) 6 7 8	1	9	8		
Total Waste Characteristics Score				20		
<b>3</b> Targets					5.3	
Population Within 4-Mile Radius	} 0 9 12 15 18 21 (24) 27 30	1	24	30		
Distance to Sensitive Environment	(0) 1 2 3	2	0	6		
Land Use	0 1 2 (3)	1	3	3		
Total Targets Score				27	39	
<b>4</b> Multiply <b>1</b> x <b>2</b> x <b>3</b>			0.00	35,100		
<b>5</b> Divide line <b>4</b> by 35,100 and multiply by 100			$S_a = 0.00$			

**FIGURE 9  
AIR ROUTE WORK SHEET**



	s	s <sup>2</sup>
Groundwater Route Score (S <sub>gw</sub> )	65.38	4274.54
Surface Water Route Score (S <sub>sw</sub> )	2.38	5.66
Air Route Score (S <sub>a</sub> )	0.00	0.00
$S_{gw}^2 + S_{sw}^2 + S_a^2$		4280.21
$\sqrt{S_{gw}^2 + S_{sw}^2 + S_a^2}$		65.42
$\sqrt{S_{gw}^2 + S_{sw}^2 + S_a^2} / 1.73 = S_M =$		37.82

FIGURE 10  
WORKSHEET FOR COMPUTING S<sub>M</sub>

Fire and Explosion Work Sheet *						
Rating Factor	Assigned Value (Circle One)		Multi-plier	Score	Max. Score	Ref. (Section)
<b>1</b> Containment	1	3	1		3	7.1
<b>2</b> Waste Characteristics						7.2
Direct Evidence	0	3	1		3	
Ignitability	0	1 2 3	1		3	
Reactivity	0	1 2 3	1		3	
Incompatibility	0	1 2 3	1		3	
Hazardous Waste Quantity	0	1 2 3 4 5 6 7 8	1		8	
Total Waste Characteristics Score					20	
<b>3</b> Targets						7.3
Distance to Nearest Population	0	1 2 3 4 5	1		5	
Distance to Nearest Building	0	1 2 3	1		3	
Distance to Sensitive Environment	0	1 2 3	1		3	
Land Use	0	1 2 3	1		3	
Population Within 2-Mile Radius	0	1 2 3 4 5	1		5	
Buildings Within 2-Mile Radius	0	1 2 3 4 5	1		5	
Total Targets Score					24	
<b>4</b> Multiply <b>1</b> x <b>2</b> x <b>3</b>					1,440	
<b>5</b> Divide line <b>4</b> by 1,440 and multiply by 100					$S_{FE} =$	

**FIGURE 11  
FIRE AND EXPLOSION WORK SHEET**

\* $S_{FE}$  is scored only if a Fire Marshal has certified that the site is a fire and explosion threat or field observation documented a fire and explosion threat. Since neither of these is true,  $S_{FE}$  is not scored

Direct Contact Work Sheet						
Rating Factor	Assigned Value (Circle One)		Multi-plier	Score	Max. Score	Ref. (Section)
<b>1</b> Observed Incident	0	45	1	0	45	8.1
If line <b>1</b> is 45, proceed to line <b>4</b> If line <b>1</b> is 0, proceed to line <b>2</b>						
<b>2</b> Accessibility	0	1 2 <b>3</b>	1	3	3	8.2
<b>3</b> Containment	0	<b>15</b>	1	15	15	8.3
<b>4</b> Waste Characteristics Toxicity	0	1 2 <b>3</b>	5	15	15	8.4
<b>5</b> Targets						8.5
Population Within a 1-Mile Radius	0	1 <b>2</b> 3 4 5	4	8	20	
Distance to a Critical Habitat	<b>0</b>	1 2 3	4	0	12	
Total Targets Score				8	32	
<b>6</b> If line <b>1</b> is 45, multiply <b>1</b> x <b>4</b> x <b>5</b> If line <b>1</b> is 0, multiply <b>2</b> x <b>3</b> x <b>4</b> x <b>5</b>				5,400	21,600	
<b>7</b> Divide line <b>6</b> by 21,600 and multiply by 100			SDC = 25.00			

**FIGURE 12  
DIRECT CONTACT WORK SHEET**

**D. UPDATED HRS DOCUMENTATION RECORDS**

DOCUMENTATION RECORDS  
FOR  
HAZARD RANKING SYSTEM

INSTRUCTIONS: As briefly as possible summarize the information you used to assign the score for each factor (e.g., "Waste quantity = 4,230 drums plus 800 cubic yards of sludges"). The source of information should be provided for each entry and should be a bibliographic-type reference. Include the location of the document.

FACILITY NAME: Hazardous Waste Disposal

LOCATION: 11-A Picone Boulevard, Village of Farmingdale,  
Town of Babylon, Suffolk County, New York

DATE SCORED: March 15, 1991

PERSON SCORING: Jayesh Sanghvi

PRIMARY SOURCE(S) OF INFORMATION (e.g., EPA Region, FIT, etc.):

Analytical data, site visit, NYSDEC file, Phase I investigation report

FACTORS NOT SCORED DUE TO INSUFFICIENT INFORMATION:

Sa - No air sampling data available.

COMMENTS OR QUALIFICATIONS:

None

## GROUNDWATER ROUTE

### 1 OBSERVED RELEASE

Contaminants detected (5 maximum):

1,2-Dichloroethene (total), Tetrachloroethene, Chloroethene,  
1,1-Dichloroethane, 1,1,1-Trichloroethene [1]

Rationale for attributing the contaminants to the facility:

Concentrations of these contaminants in downgradient water samples are either ten times or greater than concentrations in upgradient water sample, or greater than three times the detection limit and not detected in upgradient sample. Therefore, there is an observed release.

Score = 45 [2]

\* \* \*

### 2 ROUTE CHARACTERISTICS

#### Depth to Aquifer of Concern

Name/description of aquifer(s) of concern:

Upper glacial aquifer consisting of fine to coarse sand and gravel [B.2] overlying the Magothy aquifer consisting mainly of fine and medium sand. Both aquifers are considered hydraulically connected. [D.1].

Depth(s) from the ground surface to the highest seasonal level of the saturated zone [water table(s)] of the aquifer of concern:

Depth to water ranging from 5.9 to 18.2 feet was measured in four monitoring wells installed at the site [B.2].

Depth from the ground surface to the lowest point of waste disposal/storage:

5.9 feet. Wastes were allegedly stored at or above land surface [D.16].

Score = 3

Net Precipitation

Mean annual or seasonal precipitation (list months for seasonal):

46 inches [2]

Mean annual lake or seasonal evaporation (list months for seasonal):

30 inches [2]

Net precipitation (subtract the above figures):

16 inches

Score = 3

Permeability of Unsaturated Zone

Soil type in unsaturated zone:

Outwash-plain deposits consisting of stratified sand and gravel [B.2][D.1].

Permeability associated with soil type:

Greater than  $1 \times 10^{-3}$  cm/sec [B.2][D.1]

Score = 3

Physical State

Physical state of substances at time of disposal (or at present time for generated gases):

Liquid [D.7]

Score = 3

3 CONTAINMENT

Containment

Method(s) of waste or leachate containment evaluated:

A large number of drums containing liquid waste were stored at the site. Many drums were observed to be leaking and spills were observed heading in the direction of dry well. Drainage system was connected to a nearby recharge basin.

Method with highest score:

Containers leaking and no liner [2].

Score = 3

#### 4 WASTE CHARACTERISTICS

##### Toxicity and Persistence

Compound(s) evaluated:

1,1,1-trichloroethane, tetrachloroethene, ethylbenzene,  
chloroethane, 1,1-dichloroethane, chlorobenzene [1].

Compound with highest score:

1,1,1-trichloroethane (12), 1,1-dichloroethane (12).

Score = 12

##### Hazardous Waste Quantity

Total quantity of hazardous substances at the facility, excluding those with a containment score of 0 (give a reasonable estimate even if quantity is above maximum):

1045 drums

Score = 5

Basis of estimating and/or computing waste quantity:

During site inspection conducted by the EPA in 1981, approximately 1,900 55-gallon drums of waste material (spent solvents and acids) were observed at the site. A majority drums were observed to be leaking. However, the exact quantity of leaking material is unknown. Assuming 55 percent of the drums leaked and that each leaking drum released all its contents, 1045 drums of material could have been released. [D.7, D.20]

#### 5 TARGETS

##### Groundwater Use

Use(s) of aquifer(s) of concern within a 3-mile radius of the facility:

Drinking water [D.1]

Score = 3



Distance to Nearest Well

Location of nearest well drawing from aquifer of concern or occupied building not served by a public water supply:

Two public supply wells are located north of the site [D.2].

Distance to above well or building:

Approximately 1,400 feet [4]

Score = 4

Population Served by Groundwater Wells Within a 3-Mile Radius

Identified water-supply well(s) drawing from aquifer(s) of concern within a 3-mile radius and populations served by each:

<u>Water District</u>	<u>Serving Population</u>	
Suffolk County		
E. Farmingdale	5,700	
Bethpage	8,300	
Suffolk County Water District	208,593	[4]
Nassau County		
Farmingdale Village	8,446	
Plainview Water District	35,000	
South Farmingdale Water District	<u>44,700</u>	[4]
	Total	310,739
Population served by domestic wells	0	[11]

Computation of land area irrigated by supply well(s) drawing from aquifer(s) of concern within a 3-mile radius and conversion to population (1.5 people per acre):

None

Total population served by groundwater within a 3-mile radius:

310,739 people [4]

Score = 5

Matrix Score = 40

SURFACE WATER ROUTE

1 OBSERVED RELEASE

Contaminants detected in surface water at the facility or downhill from it (5 maximum):

Tetrachloroethene [1]

Rationale for attributing the contaminants to the facility:

The above contaminant was detected in one surface water sample. However, migration of this contaminant from the site does not appear to be occurring because it was not detected in the recharge basin, the outfall of the storm drain systems.

Score = 0

\* \* \*

2 ROUTE CHARACTERISTICS

Facility Slope and Intervening Terrain

Average slope of facility in percent:

Average slope = 0 [10]

Name/description of nearest downslope surface water:

Massapequa Creek, located 2 1/4 miles southwest of the site [10].

Score = 0

Average slope of terrain between facility and above-cited surface water body in percent:

Average slope = 0 [10]

Is the facility located either totally or partially in surface water?

No [10]

Score = 0

Is the facility completely surrounded by areas of higher elevation?

No [10]

1-Year, 24-Hour Rainfall in Inches

2.5 inches [2]

Score = 2

Distance to Nearest Downslope Surface Water

2 1/4 miles [10]

Score = 0

Physical State of Waste

Liquid [D.7]

Score = 3

\* \* \*

3 CONTAINMENT

Containment

Method(s) of waste or leachate containment evaluated:

A large number of drums containing liquid waste were stored at the site. Many drums were observed to be leaking and spills were observed heading in the direction of dry well. Drainage system was connected to nearby recharge basin. [D.15, D.20]

Method with highest score:

Containers leaking and containment structure potentially unsound.

Score = 3

4 WASTE CHARACTERISTICS

Toxicity and Persistence

Compound(s) evaluated

Tetrachloroethene

-

Compound with highest score:

Tetrachloroethene (12)[3]

Score = 12 [2]

Hazardous Waste Quantity

Total quantity of hazardous substances at the facility, excluding those with a containment score of 0 (give a reasonable estimate even if quantity is above maximum):

1045 drums

Score = 5

Basis of estimating and/or computing waste quantity:

During site inspection conducted by the EPA in 1981, approximately 1,900 55-gallon drums of waste material (spent solvents and acids) were observed at the site. A majority drums were observed to be leaking. However, the exact quantity of leaking material is unknown. Assuming 55 percent of the drums leaked and that each leaking drum released all of its contents, 1045 drums of material could have been released. [D.7, D,20]

\* \* \*

5 TARGETS

Surface Water Use

Use(s) of surface water within 3 miles downstream of the hazardous substance:

Recreational

Score = 2

Is there tidal influence?

N/A

Distance to a Sensitive Environment

Distance to 5-acre (minimum) coastal wetland if 2 miles or less:

None [5]

Score = 0

Distance to 5-acre (minimum) freshwater wetland if 1 mile or less:

None [5]

Score = 0

Distance to critical habitat of an endangered species or national wildlife refuge if 1 mile or less:

None, although an endangered taxon, sandplain gerardia, was last observed in 1921 in the vicinity of Babylon [7].

Score = 0

Population Served by Surface Water

Location(s) of water supply intake(s) within 3 miles (free-flowing bodies) or 1 mile (static water bodies) downstream of the hazardous substances and population served by each intake:

None [4]

Score = 0

Computation of land area irrigated by above cited intake(s) and conversion of population (1.5 people per acre):

None [12].

Score = 0

Total population served:

None

Score = 0

Name/description of nearest of above water bodies:

N/A

Distance to above cited intakes measured in stream miles:

None

Score = 0

AIR ROUTE

1 OBSERVED RELEASE

Contaminants detected:

HWD, Inc. reported vapor release accident to SCDOH in March 1981. However, no vapor sample was collected for analysis.

Date and location of detection of contaminants:

N/A

Methods used to detect the contaminants:

N/A

Rationale for attributing the contaminants to the site:

N/A

Score = 0

\* \* \*

2 WASTE CHARACTERISTICS

Reactivity and Incompatibility

Most reactive compound:

N/A

Most incompatible pair of compounds:

N/A

Score = 0

Toxicity

Most toxic compound:

Tetrachloroethene

Score = 3

Hazardous Waste Quantity

Total quantity of hazardous substances at the facility, excluding those with a containment score of 0 (give a reasonable estimate even if quantity is above maximum):

1045 drums

Score = 5

Basis of estimating and/or computing waste quantity:

During site inspection conducted by the EPA in 1981, approximately 1,900 55-gallon drums of waste material (spent solvents and acids) were observed at the site. A majority drums were observed to be leaking. However, the exact quantity of leaking material is unknown. Assuming 55 percent of the drums leaked and that each leaking drum released all of its contents, 1045 drums of material could have been released. [D.7, D.20]

\* \* \*

3 TARGETS

Population Within 4-Mile Radius

Circle radius used, give population, and indicate how determined:

0 to 4 mi.    0 to 1 mi.    0 to 1/2 mi.    0 to 1/4 mi.  
10182 [9 and 10]

Score = 24

Distance to a Sensitive Environment

Distance to 5-acre (minimum) coastal wetland if 2 miles or less:

None [5]

Distance to 5-acre (minimal) freshwater wetland if 1 mile or less:

None [5]

Distance to critical habitat of an endangered species if 1 mile or less:

None, although an endangered taxon, sandplain gerardia, was last observed in 1921 in the vicinity of Babylon [7].

Score = 0

Land Use

Distance to commercial/industrial area if 1 mile or less:

Across the street from the site [10].

Score = 3

Distance to national or state park, forest, or wildlife reserve if 2 miles or less:

Bethpage State Park is about 3/4 mile west of the site.

Score = 2

Distance to a residential area if 2 miles or less:

Approximately 1,400 feet [10].

Score = 3

Distance to agricultural land in production within past 5 years if 1 mile or less:

None [8]

Score = 0

Distance to prime agricultural land in production within past 5 years if 2 miles or less:

None [8]

Score = 0

Is a historic or landmark site (National Register of Historic Places and National Natural Landmarks) within view of the site?

None [6]

Score = 0



FIRE AND EXPLOSION\*

1 CONTAINMENT

Hazardous substances present:

Type of containment if applicable:

\* \* \*

2 WASTE CHARACTERISTICS

Direct Evidence

Type of instrument and measurements:

Ignitability

Compound used:

Reactivity

Most reactive compound:

---

\*To score Fire and Explosion, either a State or local Marshal must have certified that the facility presents a significant fire or explosion threat to the public or to a sensitive environment, or there must be a demonstrated threat based on field observations. If neither one of these is true, the score cannot be completed.

Incompatibility

Most incompatible pair of compounds:

Hazardous Waste Quantity

Total quantity of hazardous substances at the facility:

Basis of estimating and/or computing waste quantity:

\* \* \*

3 TARGETS

Distance to Nearest Population

Distance to Nearest Building

Distance to Sensitive Environment

Distance to wetlands:

Distance to critical habitat:

Land Use

Distance to commercial/industrial area if 1 mile or less:

Distance to national or state park, forest, or wildlife reserve  
if 2 miles or less:

Distance to residential area if 2 miles or less:

Distance to agricultural land in production within past 5 years if 1 mile or less:

Distance to prime agricultural land in production within past 5 years if 2 miles or less:

Is a historic or landmark site (National Register of Historic Places and National Natural Landmarks) within view of the site?

Population Within 2-Mile Radius

Buildings Within 2-Mile Radius

DIRECT CONTACT

1 OBSERVED INCIDENT

Date, location, and pertinent details of incident:

No observed incident on record.

Score = 0

2 ACCESSIBILITY

Describe type of barrier(s):

None

Score = 3

\* \* \*

3 CONTAINMENT

Type of containment if applicable:

A large number of drums containing liquid waste were stored at the site. Many drums were observed to be leaking and spills were conveyed to dry wells.

Score = 15

\* \* \*

4 WASTE CHARACTERISTICS

Toxicity

Compounds evaluated:

Tetrachloroethene

Compound with highest score:

Tetrachloroethene

Score = 3

5 TARGETS

Population Within One-Mile Radius

742 people [9 and 10]

Score = 2

Distance to Critical Habitat (of endangered species)

None, although an endangered taxon, sandplain gerardia, was last observed in 1921 in the vicinity of Babylon [7].

Score = 0

## HRS DOCUMENTATION REFERENCES

<u>Ref. No.</u>	<u>Description of Reference</u>	<u>Page No.</u>
[1]	Tabulated Lab Results for Groundwater, Surface Water, Sediment, and Soil Sampling Analysis	V-31
[2]	Uncontrolled Hazardous Waste Site Ranking System: A Users Manual, USEPA 1984	V-38
[3]	Listing of EPA Hazard Ranking System Waste Characteristics Values (toxicity/persistence, toxicity, and reactivity)	V-39
[4]	NYS Atlas of Community Water System Sources 1982	V-41
[5]	National Wetlands Inventory - U.S. Department of the Interior	V-47
[6]	Dept. of Interior, National Park Service/ National Registry of Natural Landmarks	V-48
[7]	NYSDEC Significant Habitat Report	V-56
[8]	Phone conversation between J. Sanghvi (G&H) and Suffolk County Soil and Conservation District	V-58
[9]	Population count within 4-mile radius of the site	V-59
[10]	USGS Map	V-63
[11]	Nassau/Suffolk County Aquifer Information by John Malleck, EPA	V-64
[12]	Phone conversation between J. Sanghvi (G&H) and Mr. Bill Sanok (Suffolk County Cooperative Extension).	V-65

HAZARDOUS WASTE DISPOSAL SITE

TABLE IV-1 - ANALYTICAL RESULTS OF GROUNDWATER SAMPLES FOR VOLATILE ORGANIC COMPOUNDS

(All data in micrograms/liter)

Analyte	GW-1	GW-2	GW-3	GW-4	(Duplicate of GW-2) GW-5	Method	Method
	9/26	9/26 9/27 DL	9/26	9/26	9/26 9/27 DL	Blank 9/26	Blank 9/27
Trichloroethene	91	130	18	ND	89	ND	ND
Toluene	6	ND	2,300	ND	ND	ND	ND
Ethylbenzene	5	ND	440	ND	ND	ND	ND
Xylene (total)	10	ND	2,000	ND	ND	ND	ND
1,2-Dichloroethene (total)	ND	59	200	ND	30	ND	ND
1,1,1-Trichloroethane	ND	6	150	ND	6	ND	ND
Tetrachloroethene	ND	790 BD	29	ND	440 BD	ND	2 J
Vinyl chloride	ND	ND	11	ND	ND	ND	ND
Chloroethane	ND	ND	48	ND	ND	ND	ND
1,1-Dichloroethane	ND	ND	32	ND	2 J	ND	ND
Chlorobenzene	ND	ND	30	ND	ND	ND	ND
Methylene chloride	ND	ND	ND	55	ND	ND	3 J
<u>TIC's*</u>							
Methoxy methyl propane isomer	80	ND	ND	ND	ND		
Ethyl dimethyl benzene isomer	9	ND	ND	ND	5		
Tetramethyl benzene isomer	10	ND	ND	ND	20		
Chlorotrifluoro ethene	ND	ND	19	ND	ND		
1,2-dichloro-1,1,2-triflouroethane	ND	ND	11	ND	ND		
1,1,2-trichloro-1,2,2-triflouroethane	ND	ND	44	ND	ND		
Hexane	ND	ND	6	ND	ND		
Methyl cyclopentane	ND	ND	9	ND	ND		
Heptane	ND	ND	11	ND	ND		
Methyl cyclohexane	ND	ND	11	ND	ND		
Ethyl methyl cyclohexane isomer(s)	ND	ND	ND	18 (2)	ND		
Dimethyl octane isomer	ND	ND	ND	9	ND		

ND - Not detected

B - Contaminant also detected in Method Blank

J - Estimated value detected below Contract Required Quantitation Limit

D - Diluted sample analysis

DL - Date diluted sample was analyzed

\* - Estimated value with a 1:1 response; or total estimated value of all detected isomers (number of isomers detected shown in parentheses).

V-31

17

HAZARDOUS WASTE DISPOSAL SITE

TABLE IV-2 - ANALYTICAL RESULTS OF GROUNDWATER SAMPLES FOR SEMI-VOLATILE ORGANIC COMPOUNDS

(All data in micrograms/liter)

Analyte	GW-1	GW-2	GW-3	GW-4	(Duplicate of GW-2) d GW-5
Phenol	ND	ND	32	ND	ND
Naphthalene	ND	ND	65	ND	ND
2-Methylnaphthalene	ND	ND	32	ND	ND
<u>TIC's*</u>					
Ethyl-dimethylbenzene isomer(s)	ND	65 (4)	16	ND	39 (3)
Tetramethylbenzene isomer(s)	ND	62 (2)	ND	ND	46 (2)
Dihydro-methyl-1H-Indene isomer	ND	24	22	ND	18
Propyl-benzene	ND	ND	36	ND	ND
Ethylmethylbenzene isomer(s)	ND	ND	408 (5)	ND	ND
2,6-dimethyl-4-Heptanone	ND	ND	69	ND	ND
Methyl-methylethylbenzene isomer(s)	ND	ND	34 (2)	ND	ND
1-methyl-naphthalene	ND	ND	20	ND	ND
Unk. aliphatic hydrocarbon(s)	ND	ND	ND	67 (4)	ND
1-methylpropyl-cyclohexane	ND	ND	ND	15	ND
Trans-decohydro-naphthalene	ND	ND	ND	15	ND

ND - Not detected

\* - Estimated value with a 1:1 response; or total estimated value of all detected isomers (number of isomers detected shown in parentheses).



HAZARDOUS WASTE DISPOSAL SITE

TABLE IV-3 - ANALYTICAL RESULTS OF GROUNDWATER SAMPLES FOR INORGANIC COMPOUNDS

(All data in micrograms/liter)

Analyte	GW-1	GW-2	GW-3	GW-4	(Duplicate of GW-2) GW-5
Aluminum	3,450	438	2,740	13,900	4,230
Cadmium	ND	9.4	ND	5.4	9.1
Calcium	12,800	16,200	174,000	128,000	15,400
Chromium	ND	ND	ND	29.9 J	ND
Copper	17.3 B	77.6	25.0	58.2	17.7 B
Iron	5,720	1,030	1,050	49,500	6,740
Lead	6.0 U	5.9 U	8.1	139.5	18.6
Magnesium	2,610 B	2,240 B	1,290 B	9,530	2,560 B
Manganese	323	71.7	15.1	1,200	182
Mercury	0.3	ND	ND	ND	ND
Nickel	29.2 B	43.6	8.8 B	27.6 B	14.4 B
Potassium	1,980	5,710	32,600	6,780	4,380
Sodium	5,410	7,940	60,200	6,170	7,360
Zinc	40.0	130.0	70.0	210	90.0
Total Suspended Solids (mg/l)	330	40	108	660	53
Total Dissolved Solids (mg/l)	102	88	549	378	72

ND - Not detected

B - Detected below Contract Required Detection Limit

J - Estimated value due to deviation in Quality Control Limits

U - Not detected; qualified through the Method Blank

1-33

HAZARDOUS WASTE DISPOSAL SITE

TABLE IV-4 - ANALYTICAL RESULTS OF SURFACE WATER AND SEDIMENT SAMPLES FOR ORGANIC COMPOUNDS

(All surface water data in micrograms/liter)  
(All sediment data in micrograms/kilogram)

<u>Analyte</u>	<u>Surface Water</u>			<u>Sediment</u>		
	<u>SW-1</u>	<u>SW-2</u>	<u>SW-4</u>	<u>SD-1</u>	<u>SD-2</u>	<u>SD-3</u>
1,2-Dichloroethene (total)	ND	ND	8	ND	ND	ND
Tetrachloroethene	ND	ND	19	ND	ND	94
<u>TICs*</u>						
Ethyl Dimethyl Benzene isomer	ND	30	ND	ND	ND	ND
Tetramethyl Benzene isomer(s)	ND	50 (2)	ND	ND	ND	ND
Dihydro Methyl Indene isomer	ND	70	ND	ND	ND	ND
<u>Semi-Volatile Organics</u>						
Phenanthrene	ND	ND	ND	ND	ND	6,000
Anthracene	ND	ND	ND	ND	ND	1,200
Fluoranthene	ND	ND	ND	ND	ND	7,900
Pyrene	ND	ND	ND	ND	ND	6,600
Benzo (a) anthracene	ND	ND	ND	ND	ND	3,400
Chrysene	ND	ND	ND	ND	ND	3,800
Benzo (a) pyrene	ND	ND	ND	ND	ND	2,600
Indeno (1, 2, 3-cd) pyrene	ND	ND	ND	ND	ND	1,800
Benzo (g, h, i) pyrene	ND	ND	ND	ND	ND	1,800
bis (2-ethylhexyl) phthalate	ND	ND	53	70 U	140 U	13,000
<u>TICs*</u>						
9H-Carbazole	ND	ND	ND	ND	ND	290
Hexadecanoic acid	ND	ND	ND	ND	ND	290
11H-Benzo [b] fluorene	ND	ND	ND	ND	ND	360
Benzo [ghi] fluoranthene	ND	ND	ND	ND	ND	360
Benzo [j] fluoranthene	ND	ND	ND	ND	ND	2200
Benzo [e] pyrene	ND	ND	ND	ND	ND	1700

ND - Not detected

J - Estimated value detected below the Contract Required Quantitation Limit

U - Not detected; quantified through the Method Blank.

\* - Estimated value with a 1:1 response; or total estimated value of all detected isomers number of isomers detected shown in parentheses).

HAZARDOUS WASTE DISPOSAL SITE

TABLE IV-5 - ANALYTICAL RESULTS OF SURFACE WATER AND SEDIMENT SAMPLES FOR INORGANIC COMPOUNDS

(All surface water concentrations in micrograms/liter)  
 (All sediment concentrations in milligrams/kilogram)

Analyte	Surface Water			Sediment		
	SW-1	SW-2	SW-4	SD-1	SD-2	SD-3
Aluminum	261	345	326	1,150	3,580	2,670
Arsenic	UJ	UJ	UJ	6.6	0.98 B	2.0 B
Barium	26.8 B	29.6 B	33.0 B	4.1 B	16.4 B	49.8
Cadmium	ND	ND	ND	ND	ND	6.2
Calcium	14,200	15,300	18,900	140 U	451 B	6,420
Chromium	ND	ND	ND	5.6	5.0	38.2
Copper	14.3 B	12.7 B	23.1 B	3.2 J	4.9 J	198 J
Iron	1,210	1,530	3,330	4,230	3,700	23,400
Lead	4.0 U	4.9 U	5.9 U	9.7	11.7	80.87
Magnesium	1,970 B	2,140 B	1,930 B	177 U	391 B	3,140
Manganese	92.9	104	110	26.7 J	42.6 J	195 J
Nickel	9.7 B	ND	77.3	6.0 J	4.5 J	68.9 J
Potassium	1,300 B	1,360 B	1,700 B	82.1	195	256
Sodium	37,700	3,960	3,450	ND	ND	ND
Silver	ND	ND	ND	2.4 UJ	ND	ND
Zinc	50.0	30.0	170.0	11.5 J	33.9 J	339 J
Total Suspended Solids (mg/l)	<5	<5	<5			
Total Dissolved Solids (mg/l)	72	65	69			

- ND - Not detected
- B - Detected below Contract Required Detection Limit
- U - Not detected; quantified through the Method Blank
- J - Estimated due to deviation in Quality Control Limit
- UJ - Not detected; estimated value due to deviation in Quality Control Limits

HAZARDOUS WASTE DISPOSAL SITE

TABLE IV-6 - ANALYTICAL RESULTS OF SOIL SAMPLES FOR ORGANIC COMPOUNDS

(All data in micrograms/kilogram)

Volatile Organics

Analyte	B-1	B-2	B-3	B-4	B-5	B-6
Trichloroethene	15	ND	7	ND	ND	ND
Tetrachloroethene	580	64	240	5 J	16	ND
Xylene (total)	14	ND	ND	ND	ND	ND
1,2-Dichloroethene (total)	ND	ND	6	ND	ND	ND
Acetone	5 J	ND	8 J	32	ND	ND
<u>TICs*</u>						
Ethyl Methyl Benzene isomer(s)	80 (3)	ND	ND	ND	ND	ND
Ethyl Methyl Octane isomer	10	ND	ND	ND	ND	ND
Trimethyl Benzene isomer(s)	90 (2)	ND	ND	ND	ND	ND
Methyl Propyl Benzene isomer	200	ND	ND	ND	ND	ND
Ethyl Dimethyl Benzene isomer(s)	206 (2)	ND	ND	7	ND	ND
Ethyl Trimethyl Benzene isomer	ND	10	40	ND	ND	ND
Tetramethyl Benzene isomer	ND	ND	100	ND	ND	ND
3,6,6-Trimethyl-Bicyclo[3.1.1]hept-2-ene	ND	ND	ND	40	ND	ND
Dimethyl Methylene Bicyclo[2.]beta.-Pinene	ND	ND	ND	20	ND	ND

Semi-Volatile Organics

Analyte	B-1	B-2	B-3	B-4	B-5	B-6	Method Blank
bis(2-ethylhexyl)phthalate	560 JB	110 JB	480 JB	1,200 B	450 B	940 B	700 JB
<u>TICs*</u>							
Trimethyldecane isomer	4200	ND	ND	ND	ND	ND	ND
Ethyl-methylbenzene isomer(s)	5000 (2)	ND	ND	ND	ND	ND	ND
Unk. Aliphatic Hydrocarbon(s)	10600 (3)	ND	ND	1250 (3)	ND	ND	ND
Methyl-propylbenzene isomer	3400	ND	ND	ND	ND	ND	ND
Tetramethylbenzene isomer	6600	ND	ND	ND	ND	ND	ND
Dihydromethyl-1H-indene isomer	2000	ND	ND	ND	ND	ND	ND
Ethyl-1,2,4-trimethyl-benzene	3600	ND	ND	ND	ND	ND	ND
2,3-dihydro-4,7-dimethyl-1H-indene	1900	ND	ND	ND	ND	ND	ND
2-Cyclohexen-1-one	ND	ND	960	740	ND	ND	ND
Benzaldehyde	ND	ND	ND	ND	ND	980	ND

ND - Not detected

B - Contaminant also detected in Method Blank

J - Estimated value, detected below Contract Required Quantification Limit

\* - Estimated value with a 1:1 response; or total estimated value of all detected isomers (number of isomers detected shown in parentheses).

V-36

HAZARDOUS WASTE DISPOSAL SITE

TABLE IV-7 - ANALYTICAL RESULTS OF SOIL SAMPLES FOR INORGANIC COMPOUNDS

(All data in milligrams/kilogram)

Analyte	B-1	B-2	B-3	B-4	B-5	B-6
Aluminum	658	4,890	722	5,360	573	1,660
Arsenic	0.97 B	3.6	ND	5.2	0.76 B	1.4 B
Calcium	96.5 B	1,760	646 B	2,900	ND	103 B
Chromium	3.3 J	9.6 J	UJ	11.3 J	1.8 J	6.4 J
Cobalt	10.0 U	12.9 U	10.4 U	11.8 U	9.8 U	11.5 U
Copper	3.0 U	5.7 J	2.3 U	7.6 U	2.3 U	4.0 U
Iron	1,520	4,670	1,290	7,420	1,310	4,660
Lead	2.5 R	5.5 R	2.3 R	32.3 R	1.2 R	2.6 R
Magnesium	89.3 B	577 B	165 B	1,380	66.8 B	434 B
Manganese	12.6 J	87.8 J	14.4 J	83.6 J	13.3 J	40.6 J
Silver	4.1	2.3	ND	4.3	2.1	2.1
Vanadium	ND	7.1 B	ND	13.4	ND	3.2 B
Zinc	7.1 U	13.2 U	5.9 U	31.9	4.6 U	11.1 U

ND - Not detected

B - Detected below Contract Required Detection Limit

U - Not detected; quantified through the Method Blank

R - Unusable value due to deviation in Quality Control Limits

J - Estimated value; due to deviation in Quality Control Limits

V-37

---

# Uncontrolled Hazardous Waste Site Ranking System

## A Users Manual (HW-10)

Originally Published in  
the July 16, 1982, *Federal Register*

United States  
Environmental Protection  
Agency

1984

DRAFT  
MAR 4 1985

Table I is the listing of EPA Hazard Ranking System (HRS) Waste Characteristics Values (Toxicity/Persistence matrix) used by the NPL quality assurance team. These rating factor values are based on the criteria specified in the HRS (toxicity rating assigned to each substance in Sax, Dangerous Properties of Industrial Chemicals, 4th, 5th and 6th editions). The listing shows the matrix values for ground water and surface water and the toxicity value for air. The values shown are "post multiplier" for use on the HRS worksheets. Changes to this list are made, albeit infrequently, as a result of response to public comment and changes in the reference material. Questions should be directed to the NPL quality assurance team via Mr. Steve Caldwell, EPA Headquarters, (202) 475-8103.

Note: As stated in Mitre Course on Apr. 2 & 3, 1986

Zn = 12

Mn = 12

Ni ≠ 18 (undecided at this time)

Se ≠ 18 ( " " " " )

} Try to use other constituents

Di-n-butyl phthalate ≠ 18 (undecided)

will be 12

Table I (cont.)

Chemical/Compound	Ground Water and Surface Water Pathway Values	Air Pathway Values
Naphthalene	9	
Nickel & Compounds, NOS	<del>18</del>	6
Nitric Acid	9	9
Nitroaniline, NOS	18	9
Nitrogen Compounds, NOS	12	0
Nitroguanidine	12	9
Nitrophenol, NOS	15	9
m-Nitrophenol	15	
o-Nitrophenol	12	
p-Nitrophenol	15	
Nitrosodiphenylamine	12	6
Parathion	9	9
Pentachlorophenol (PCP)	18	9
Pesticides, NOS	18	9
Phenanthrene	15	9
Phenol	12	9
Phosgene	9	9
Polybrominated Biphenyl (PBB), NOS	18	9
Polychlorinated Biphenyls (PCB), NOS	18	9
Potassium Chromate	18	9
Radium & Compounds, NOS	18	9
Radon & Compounds, NOS	15	9
RDX (Cyclonite)	15	
2, 4-D, Salts & Esters	18	9
Selenium	15?	9
Sevin (Carbaryl)	18	9
Sodium Cyanide	12	9
Styrene	9	6
Sulfate	9	0
Sulfuric Acid	9	9
2, 4, 5-T	18	9
1, 1, 2, 2-Tetrachloro- ethane	18	9
Tetrachloroethane, NOS	18	9
1, 1, 2, 2-Tetrachloro- ethene	12	6




# LOCATION OF COMMUNITY WATER SYSTEM SOURCES-1982 (SUFFOLK)



NEW YORK STATE DEPARTMENT OF HEALTH  
 DIVISION OF ENVIRONMENTAL PROTECTION  
 BUREAU OF PUBLIC WATER SUPPLY PROTECTION

SCALE 1:250,000




NORTH

# Suffolk County

ID NO	COMMUNITY WATER SYSTEM	POPULATION	SOURCE
<b>Municipal Community</b>			
1	Bevon Water Corporation.	1150	Wells
2	Brentwood Water District.	25812	Wells
3	Bridgehampton Water Company.	1916	Wells
4	Captain Kidd Water Company.	580	Wells
5	Crab Meadow Beach.	50	Wells
6	Culross Corporation (Culross Beach).	104	Wells
7	Dering Harbor Village.	130	Wells
8	Dix Hills Water District.	30000	Wells
9	East Farmingdale Water District.	7850	Wells - 5700
10	Fishers Island Water Works Corporation.	250	Barlow, Wells
11	Greenlawn Water District.	40000	Wells
12	Greenport Village.	6851	Wells
13	Hampton Bays Water District.	9500	Wells
14	Hawthorne - Maple Civic Association.	50	Wells
15	Herod Point Association.	80	Wells
16	North Shores Water Company.	5000	Wells
17	Ocean Beach Village.	155	Wells
18	Reeves Beach Water Company.	650	Wells
19	Riverhead Water District.	9300	Wells
20	Roanoke Water Corporation.	201	Wells
21	Saltaire Village.	35	Wells
22	Scott's Beach Water Company.	342	Wells
23	Shelter Island Heights Association.	498	Wells
24	Shirley Water Works.	3400	Wells
25	Shorewood Water Corporation.	10000	Wells
26	Soundview Association.	236	Wells
27	South Huntington Water District.	51260	Wells
28	Suffolk County Water Authority.	900000	Wells - 441000
29	Sunhill Water Corporation.	3959	Wells
30	Swan Lake Water Corporation.	1485	Wells
31	Terrace-on-the-Sound.	400	Wells
32	Woodbury Triangle Corporation.	800	Wells
<b>Non-Municipal Community</b>			
33	Aquebogue Mobile Home Court.	120	Wells
34	Brookhaven National Labs.	3373	Wells
35	Calverton Hills Owners Association.	897	Wells
36	Cedar Lodge Nursing Home.	100	Wells
37	Central Islip Psychiatric Center.	4525	Wells
38	Crest Hall Health Related Facility.	120	Wells
39	East Quogue Mobile Estates.	160	Wells
40	Good Samaritan Hospital.	NA	Wells
41	Greis Mobile Park.	70	Wells
42	Hampton Gateway Apartments.	304	Wells
43	Kings Park Psychiatric Center.	3100	Wells
44	Knox School.	NA	Wells
45	Lake Hurst Lodge Adult Home.	57	Wells
46	Leier's Mobile Park.	350	Wells
47	Little Flower Children's Services.	150	Wells
48	Montauk Air Force Station.	10	Wells
49	Napeague Trailer Park.	78	Wells
50	Northport VA Hospital.	3000	Wells
51	Oak Park Trailer Park.	50	Wells
52	Oakland Ridge Mobile Park.	74	Wells
53	Park Lake Rest Home.	46	Wells
54	Peacock Alley.	35	Wells
55	Peconic River Trailer Park.	90	Wells
56	Peconic View Adult Mobile Home Park.	70	Wells
57	Pinecrest Garden Apartments.	392	Wells
58	Ramblewood Mobile Homes.	210	Wells
59	Ridge Rest Home.	58	Wells
60	Rocky Point Family Housing.	55	Wells
61	Rollin Mobile Homes.	220	Wells
62	St Joseph Convent - Long Island University.	1177	Wells
63	Sam A Lewison Start Center.	40	Wells
64	South Bay Adult Home.	40	Wells
65	Southampton College.	1000	Wells
66	Speonk Mobile Home Park.	50	Wells
67	Suffolk Developmental Center.	3500	Wells
68	Three Mile Harbor Trailer Park.	40	Wells
69	Thurm's Mobile Estates.	450	Wells
70	USCG Station - Moriches.	23	Wells
71	Wes Dubicki Apartments.	NA	Wells

Per NY State Dept. of Health, Public Water System Inventory



# LOCATION OF COMMUNITY WATER SYSTEM SOURCES-1982 (NASSAU)



NEW YORK STATE DEPARTMENT OF HEALTH  
 DIVISION OF ENVIRONMENTAL PROTECTION  
 BUREAU OF PUBLIC WATER SUPPLY PROTECTION

SCALE 1:250,000  
 5 0 5 MILES

NORTH

# NASSAU COUNTY

ID NO	COMMUNITY WATER SYSTEM	POPULATION	SOURCE
<b>Municipal Community</b>			
1	Albertson Water District. . . . .	13500.	.Wells
2	Bayville Village. . . . .	.7500.	.Wells
3	Bethpage Water District. . . . .	.32000.	.Wells
4	Bowling Green Water District. . . . .	12000.	.Wells
5	Carle Place Water District. . . . .	11000.	.Wells
6	Citizens Water Supply Company. . . . .	.30000.	.Wells
7	Deforest Drive Association. . . . .	.25.	.Wells
8	East Meadow Water District. . . . .	52000.	.Wells
9	Farmingdale Village. . . . .	7946.	.Wells
10	Franklin Square Water District. . . . .	20000.	.Wells
11	Freeport Village. . . . .	38272.	.Wells
12	Garden City Park Water District. . . . .	.22596.	.Wells
13	Garden City Village. . . . .	.22927.	.Wells
14	Glen Cove City. . . . .	24618.	.Wells
15	Hempstead Village. . . . .	40404.	.Wells
16	Hicksville Water District. . . . .	.58000.	.Wells
17	Jamaica Water Supply Company. . . . .	128448.	.Wells
18	Jericho Water District. . . . .	64000.	.Wells
19	Levittown Water District. . . . .	50000.	.Wells
20	Lido-Point Lookout Water District. . . . .	.10000.	.Wells
21	Locust Valley Water District. . . . .	.8500.	.Wells
22	Long Beach City. . . . .	.34073.	.Wells
23	Long Island Water Corporation. . . . .	258936.	.Wells
24	Manhasset-Lakeville Water District. . . . .	44730.	.Wells
25	Massapequa Water District. . . . .	.52000.	.Wells
26	Mill Neck Estates Water Supply. . . . .	.240.	.Wells
27	Mineola Village. . . . .	20600.	.Wells
28	New York Water Service. . . . .	172180.	.Wells
29	Old Westbury Village. . . . .	.3100.	.Wells
30	Oyster Bay Water District. . . . .	10225.	.Wells
31	Plainview Water District. . . . .	40000.	.Wells
32	Plandome Village. . . . .	.2616.	.Wells
33	Port Washington Water District. . . . .	35000.	.Wells
34	Rockville Centre Village. . . . .	25405.	.Wells
35	Roosevelt Field Water District. . . . .	.1640.	.Wells
36	Roslyn Water District. . . . .	.27500.	.Wells
37	Sands Point Village. . . . .	3002.	.Wells
38	Sea Cliff Water Company. . . . .	.17850.	.Wells
39	Sel-Bra Acres Water Supply. . . . .	.80.	.Wells
40	South Farmingdale Water District. . . . .	49900.	.Wells
41	Split Rock Water Supply. . . . .	.25.	.Wells
42	Uniondale Water District. . . . .	25000.	.Wells
43	West Hempstead-Hempstead Garden Water District. . . . .	32000.	.Wells
44	Westbury Water District. . . . .	.20050.	.Wells
45	Williston Park Village. . . . .	.8216.	.Wells
<b>Non-Municipal Community</b>			
46	Community Hospital at Glen Cove. . . . .	1350.	.Wells
47	Planting Fields Arboretum. . . . .	.90.	.Wells
48	Stuart, Walker, Zimmer Water Supply. . . . .	41.	.Wells

Per NY state Dept. of  
Health, Public water  
System Inventory

- 8446

- 35,000

- 44,700

Public Water Supply

Community Water System District

Serving Population

Suffolk County:

1. E. Farmingdale	5,700	
2. Bethpage	8,300	
3. Suffolk County	208,593	[1]

Nassau County:

1. Farmingdale Village	8,446
2. Plainview Water District	35,000
3. South Farmingdale Water District	<u>44,700</u>

Total: 310,739

[1] Suffolk County Water Authority serves 54,893 customers in Babylon District.

Therefore Population Served by SCWA = 54,893 x 3.8  
= 208,593

Suffolk County Water Authority  
(1986 Annual Report.)

# Plant Facilities




AS OF MAY 31, 1985

AS OF MAY 31, 1986

Service Areas or Plants	Wells				Pumping Plants				Storage Facilities				Active Services	
	Active		Inactive		No.	Capacity 1000 Gals.	Daily*	No.	Capacity in 1000 Gallons					
BABYLON	48	48	8	8	19	19	82,102	82,102	9	8	7,815	7,515	54,311	54,893
BAY SHORE	47	49	14	13	20	20	81,274	83,722	7	7	6,012	6,012	47,485	48,024
EAST HAMPTON	33	32	1	2	18	18	23,652	22,860	4	5	3,720	5,720	10,675	10,948
HUNTINGTON	52	53	3	3	21	21	63,878	64,886	11	11	11,842	11,842	28,676	28,880
PATCHOGUE	65	66	8	7	27	27	108,792	110,592	11	11	11,465	11,465	53,377	52,131
PORT JEFFERSON	67	69	2	1	28	28	107,741	109,901	7	7	7,404	7,404	33,885	34,880
SMITHTOWN	48	48	3	3	21	21	83,578	83,578	6	6	6,100	6,100	23,398	23,772
WESTHAMPTON	23	23	—	—	7	7	16,524	16,524	3	4	2,350	3,350	4,724	9,301
TOTALS	383	388	39	37	161	161	567,541	574,165	58	59	56,708	59,408	256,531	262,829

\*Based on 24-hour operation and on actual capacity of pumping equipment for active wells.

# NATIONAL WETLANDS INVENTORY



Source:  
United State Department of Interior

Site: Hazardous Waste Disposal



GIBBS & HILL, INC.

WASO-34  
(May 1987)

[6]  
DEPARTMENT OF THE INTERIOR  
NATIONAL PARK SERVICE  
TRANSMITTAL STATEMENT


<b>From:</b> (In reply refer to) <b>413</b>	National Register of Historic Places National Park Service, P.O. Box 37127 Department of the Interior Washington, D.C. 20013-7127	<b>Date</b> 31 March 1989
---	--	---------------------------

<b>To:</b> <input type="checkbox"/> Amin Kazemi, Environmental Dept. Gibbs and Hill 11 Penn Plaza, 5th floor New York, NY 10001 L	<input type="checkbox"/> We are enclosing:  <input type="checkbox"/> We are sending under separate cover:
--	---

NUMBER	ITEM	DESCRIPTION
2	Print-outs, Properties listed and determined eligible for listing in New York	

COMMENTS

If we can be of further assistance, please call us at 202-343-9559.

NAME AND TITLE Debbie Kraybill	SIGNATURE 
-----------------------------------	---



NEW YORK		Schenectady County
Barney's Department Store	217-229 State St.	
	Schenectady	
	Determined Eligible/Doe Process	7/02/82
Franklin School		
	Schenectady	
	Determined Eligible/Doe Process	5/21/82
State Theater		
	238-244 Liberty St.	
	Schenectady	
	Determined Eligible/Doe Process	11/12/82
Schoharie County		
Valley between the villages of Breakabeen and North Blenheim	Breakabeen Pumped Storage Project FPC No. 2729	
	City unavailable	
	Determined Eligible/Doe Process	4/23/75
Steuben County		
Veterans Administration Medical Center	Bath	
	Determined Eligible/Doe Process	5/23/80
Suffolk County		
Cold Spring Harbor Historic District	Contains properties on HARBOR-MAIN-HILL between Saw Mill Rd. and Huntington Rd. and along Shore Rd.-Spring St.	
	Huntington	
	Determined Eligible/Certified District	9/05/84
East End Site	Address Restricted	
	Jamesport	
	Determined Eligible/Doe Process	10/09/75
East Moriches Schoolhouse	East Moriches, L.I. 11940	
	Brookhaven	
	Determined Eligible/Doe Process	5/28/82
Hallock's Pond Site	Address Restricted	
	Jamesport	
	Determined Eligible/Doe Process	10/09/75
Hubbs-Burr House	303 Burr Rd.	
	City unavailable	
	Determined Eligible/Doe Process	2/05/87
Lloyd Harbor Lighthouse	City unavailable	
	Determined Eligible/Doe Process	9/05/85

NEW YORK		Suffolk County
Northville Historic District		
Houses along Sound Ave.		
Jamesport		
Determined Eligible/Doe Process		10/09/75
Old Babylon Town Hall		
47 W. Main St.		
Babylon		
Determined Eligible/Doe Process		4/06/79
Old Bethel A.M.E. Church		
Albany Ave.		
North Amityville		
Determined Eligible/Doe Process		4/06/79
Presbyterian Church of the Moriches		
263 Main St.		
Brookhaven		
Determined Eligible/Doe Process		4/16/82
Smith Estate		
Brookhaven		
Determined Eligible/Doe Process		8/26/81
Southold Library		
Main Rd.		
Southold		
Determined Eligible/Doe Process		12/16/80
The Church Site		
City unavailable		
Determined Eligible/Doe Process		11/16/81
Veteran's Administration Medical Center		
Middleville Rd.		
Northport		
Determined Eligible/Doe Process		6/25/81
WW I Training Trenches		
Upton		
Determined Eligible/Doe Process		5/23/79
Sullivan County		
Stirna Site (Narrowsburg-North)		
Located w. of Narrowsburg		
Project No. C-36-1191-02		
Narrowsburg		
Determined Eligible/Doe Process		6/18/82
Van Schoick Site (Narrowsburg-South)		
Located W. of Narrowsburg		
Project No. C-36-1191-02		
Narrowsburg		
Determined Eligible/Doe Process		6/18/82
Tioga County		
SUBI 672 Site		
Oswego		
Determined Eligible/Doe Process		1/17/78

---

Tuesday  
March 1, 1983

**Special Report**

---

**Part III**

**Department of the  
Interior**

---

**National Park Service**

---

**National Registry of Natural Landmarks**

Great Plains natural region. A variety of successional stages from active dunes to a climax shinnery oak-sand prairie community is represented. (May 1982) Owner: Federal, State, Private

*Dona Ana County*

**KILBOURNE HOLE**—26 miles southwest of Las Cruces. An uncommon volcanic feature known as a maar, which is a depression caused by volcanic explosion that emits little volcanic material except gas. (May 1975) Owner: Federal, Private

*Harding County*

**\*BUEYEROS SHORTGRASS PLAINS**—17 miles east of Bueyeros. An example of the blue grama-buffalograss prairie of the Great Plains considered to be typical of the pre-cattle-grazing era. Two of the three dominant natural grazing animals (antelope and prairie dogs) are still in the area. (February 1980) Owner: Private

*Lincoln County*

**BORDER HILLS STRUCTURAL ZONE**—24 miles west of Roswell. One of the several buckles on the Pecos slope located in otherwise gently dipping Permian strata. (February 1980) Owner: Federal, Private

**\*FORT STANTON CAVE**—Seven miles west of Lincoln. The cave is characterized by very long and large open passages containing distinctive examples of selenite needles, starbursts, and velvet flowstone. (May 1974) Owner: Federal

**\*TORCAC CAVE**—20 miles southeast of Corona. Significant because of its abundant and intricate gypsum speleothems. The branching stalactite and helictite are so distinctive that the cave lends its name to the type: Torcac stalactites. (May 1974) Owner: Federal

*Rio Arriba County*

**\*GHOST RANCH**—South of Canjilon. The tract is predominantly shale and sandstone, and has yielded fossils, including many well-preserved skeletons of *Coelophysis*, the oldest and most primitive carnivorous dinosaur. (January 1976) Owner: Private

**VALLES CALDERA** (extends into Sandoval County)—30 miles northwest of Santa Fe. A large circular depression, 12 to 15 miles in diameter, with scalloped walls rising from a few hundred, to more than 2,000, feet above the present floor. It is one of the largest calderas in the world. (May 1975) Owner: Private

*Sandoval County*

**VALLES CALDERA** (see *Rio Arriba County*)

*San Juan County*

**\*SHIP ROCK**—35 miles west of Farmington. Ship Rock is an outstanding example of an exposed volcanic neck accompanied by radiating dikes; it towers 1400 feet above the surrounding plain. (May 1975) Owner: Indian trust (Navajo Tribe)

*Valencia County*

**GRANTS LAVA FLOW**—Extends 25 miles south from Grants—A classic example of recent extrusive volcanism. It contains lava flows that appear very fresh and

unweathered. Its gigantic pressure ridges, collapse depressions and lava tubes are outstanding. (July 1969) Owner: Federal, State, Private

**NEW YORK (26)**

*Albany County*

**\*BEAR SWAMP**—Three miles south of Westerlo. A low, swampy woodland consisting of red maple, yellow birch, black ash, white elm, white pine, and hemlock. Its most outstanding feature is the great laurel covering 60 acres of the swamp. (May 1973) Owner: Private

*Allegany County*

**\*MOSS LAKE BOG**—Two miles southwest of Houghton. The site is a classic example of a postglacial sphagnum bog invading and filling a small kettle lake, with the various stages of bog succession well illustrated. (May 1973) Owner: Private

*Cattaraugus County*

**\*DEER LICK NATURE SANCTUARY**—Four miles southeast of Gowanda. The area includes a gorge that clearly illustrates exposed stratifications of the Onondaga Escarpment, and supports a mature northern hardwood forest. (November 1967) Owner: Private

*Dutchess County*

**\*THOMPSON POND**—20 miles east of Kingston. The 75-acre, glacially created pond is not more than four feet deep, fringed by cattail marshes, with reeds and water lilies in deeper water. Well-developed ecosystems from the open pond to the mountain cliffs illustrate great ecological diversity. (May 1973) Owner: Private

*Genesee County*

**\*BERGEN-BYRON SWAMP**—Between Bergen and Byron, 25 miles west of Rochester. This landmark consists of an area of some 2,000 acres that is unusually rich in plant and animal life. (March 1964) Owner: Private

**\*FOSSIL CORAL REEF**—Four miles northwest of Le Roy. An exposed fossil site in an abandoned limestone quarry surrounded by woodland. It is extremely rich in fossil coral specimens. (November 1967) Owner: Private

**\*OAK ORCHARD CREEK MARSH** (extends into Orleans County)—Iroquois National Wildlife Refuge, seven miles southeast of Medina. The area is a relatively undisturbed marsh that is rare for this part of New York State. (May 1973) Owner: Federal

*Herkimer County*

**MOSS ISLAND**—Within the city limits of Little Falls. The island is part of an uplifted fault block of ancient crystalline rock. It contains the best exposure of glacial age potholes eroded by meltwater floods in the eastern United States. (May 1976) Owner: State

*Jefferson County*

**\*DEXTER MARSH**—Two miles southwest of Dexter. The site is a relatively undisturbed,

extensive example of a large bay-head marsh complex at the eastern end of Lake Ontario. (May 1973) Owner: State

**\*IRONSIDES ISLAND** (extends into St. Lawrence County)—In the St. Lawrence River, eight miles northeast of Alexandria Bay. A glacier-scoured granite knoll; the most significant feature is the breeding colony of great blue herons. (April 1967) Owner: Private

**LAKEVIEW MARSH AND BARRIER**

**BEACH**—20 miles southwest of Watertown. One of the best and most extensive marshlands that lie in protected bays and behind barrier beaches along eastern Lake Ontario. The marsh-swamp-pond complex demonstrates great wetlands diversity. (May 1973) Owner: State

*Livingston County*

**\*FALL BROOK GORGE**—One and one-half miles south of Genesee. One of America's finest exposures of Upper and Middle Devonian age strata. Significant fossil remains are found at this site. (January 1970) Owner: Private

*Monroe County*

**\*HARTS WOODS**—Ten miles southeast of Rochester. A rare remnant of the original beech-maple forest that once occupied a large glaciated area extending from southeastern Wisconsin to north-central New York. (June 1972) Owner: Municipal

**\*MENDON PONDS PARK**—11 miles south of Rochester. A unique complex of glacial features including kames, eskers, esker fans, kettle holes, erratics, bogs, and ponds. (November 1967) Owner: County

*Onondaga County*

**\*ROUND LAKE**—Green Lakes State Park, two miles northeast of Fayetteville. The site contains one of 11 meromictic lakes reported in the United States, and about 20 acres of outstanding virgin mesophytic forest that adjoin the lake. (May 1973) Owner: State

*Orleans County*

**\*OAK ORCHARD CREEK MARSH** (see *Genesee County*)

*Rockland County*

**\*HOOK MOUNTAIN AND NYACK BEACH STATE PARK**—One mile north of Nyack. The area contains a portion of the Palisade Sill. The geological features are deposits characteristic of the filling of basins that developed during rifting and opening of the North Atlantic Basin 180-200 million years ago. (April 1980) Owner: State

**\*IONA ISLAND MARSH**—Two miles south of Fort Montgomery. A brackish estuarine marsh in a near natural state that fringes the Hudson River. Many rare plants are found here. (May 1974) Owner: State

*St. Lawrence County*

**\*IRONSIDES ISLAND** (see *Jefferson County*)

*Saratoga County*

**\*PETRIFIED GARDENS**—Four miles west of Saratoga Springs. The area includes the best exposure of fossil reefs made up of calcareous algae, known as cryp'ozoon,

which constitute a milestone in the evolution of plant life. (April 1967) Owner: Private

#### Seneca County

\***MONTEZUMA MARSHES**—Montezuma National Wildlife Refuge, four miles northeast of Seneca Falls. A marsh dominated by broadleaved cattail. A small 100-acre area within the site is one of the best examples of undisturbed swamp woodlands in New York or New England. (May 1973) Owner: Federal

#### Suffolk County

\***BIG REED POND**—Three miles west of Montauk Point. The freshwater pond supports a herd of whitetail deer and other wildlife, and has no extensive man-made development along its shoreline. (May 1973) Owner: County

**GARDINER'S ISLAND**—100 miles east of New York City, in Block Island Sound off Long Island. The island is a breeding ground for osprey and is an important habitat of other fauna, particularly waterfowl and shore birds. (April 1967) Owner: Private

\***LONG BEACH, ORIENT STATE PARK**—One mile south of Orient. One of the finest remaining examples in New York of a sandgravel spit illustrating succession from salt marsh to maritime forest. The area contains a breeding colony of common and roseate terns, species which are becoming scarce in other North Atlantic breeding grounds. (April 1980) Owner: State

#### Tompkins County

\***McLEAN BOGS**—One and one-half miles east-southeast of McLean. The bogs contain rare plant species and one of the best examples of a northern deciduous forest in New York. (May 1973) Owner: Private

#### Ulster County

\***ELLENVILLE FAULT-ICE CAVES**—Five miles southeast of Ellenville. The largest known exposed fault system in the United States, along with a series of ice caves formed from fault debris. (November 1967) Owner: Municipal

#### Wayne County

\***ZURICH BOG**—Nine miles north of Newark. A good example of northern bog and bog forest vegetation that is uncommon in north-central New York State. (May 1973) Owner: Private

#### Westchester County

\***MIANUS RIVER GORGE**—Two miles south of Bedford. An exceptional illustration of piedmont physiography and geomorphology. It contains an excellent climax hemlock forest. (March 1964) Owner: Private

#### NORTH CAROLINA (11)

##### Alleghany County

\***STONE MOUNTAIN** (extends into Wilkes County)—Stone Mountain State Park, nine miles southeast of Sparta. The best example of a monadnock in massive granite in North Carolina. Unique, endemic

plants persist on the granite outcrops. (May 1974) Owner: State

##### Ashe County

**LONG HOPE CREEK SPRUCE BOG** (extends into Watauga County)—Ten miles north-northeast of Boone. One of the rarest plant communities of North Carolina and the Southeast, including American yew and buckbean. (May 1974) Owner: Private

\***MOUNT JEFFERSON STATE PARK**—One mile east of West Jefferson. The mountain's uppermost forest is virtually undisturbed northern red oak and represents one of the finest remaining examples of oak-chestnut forest in the Southeast. (May 1974) Owner: State

##### Beaufort County

**GOOSE CREEK STATE PARK NATURAL AREA**—Ten miles east of Washington. An excellent example of a gently sloping mainland undergoing rapid ocean transgression. Contains the following diverse ecological units: brackish creeks and marshes, marsh transition areas, river swamp forest, and low pine forests. (April 1980) Owner: State

##### Brunswick County

**GREEN SWAMP**—Nine miles north of Supply. The largest and most unique mosaic of wetland communities in the Carolinas. The site is also a refuge for rare animal species. (May 1974) Owner: Private

##### Dare County

**NAGS HEAD WOODS AND JOCKEY RIDGE**—One and one-half miles northwest of Nags Head on Bodie Island. The site illustrates the entire series of dune development and plant succession from shifting open dunes to forested stabilized dunes. (May 1974) Owner: State, County, Municipal, Private

##### Davie County

\***ORBICULAR DIORITE**—An unusual plutonic igneous rock consisting of hornblende, pyroxene, and feldspars. (August 1980) Owner: Private

##### Onslow County

**BEAR ISLAND**—Hammocks Beach State Park, 4 miles south-southeast of Swansboro. The area contains one of the largest and best examples of coastal aeolian landforms in the Atlantic Coastal Plain. Dune movement has created a dynamic landscape of outstanding scenic beauty. (April 1980) Owner: State

##### Surry County

\***PILOT MOUNTAIN**—Pilot Mountain State Park, 3 miles south of Pilot Mountain. A classic monadnock that harbors disjunct Blue Ridge Mountain vegetation. (May 1974) Owner: State

##### Wake County

\***PIEDMONT BEECH NATURAL AREA**—William B. Umstead State Park, 7 miles northwest of Raleigh. Perhaps the finest example of mixed mesophytic forest in the eastern Piedmont of North Carolina, with unusually fine climax stands of beech in portions of the site. (May 1974) Owner: State

##### Watauga County

**LONG HOPE CREEK SPRUCE BOG** (see Ashe County)

##### Wilkes County

\***STONE MOUNTAIN** (see Alleghany County)

##### Yancey County

\***MOUNT MITCHELL STATE PARK**—20 miles northeast of Asheville. Mount Mitchell (6,884 feet above sea level) is the highest mountain in the eastern half of the United States. The park has the most extensive stand of Fraser's fir remaining in America. (May 1974) Owner: State

#### NORTH DAKOTA (4)

##### Billings County

\***TWO-TOP MESA AND BIG TOP MESA**—14 miles northwest of Fairfield. Both mesas, one mile apart, are in a badlands terrain of sandstones, siltstones and clay. The mesas are characterized by an unbroken cover of grass on flat relief. (October 1965) Owner: Federal

##### Cavalier County

\***RUSH LAKE**—Five miles south of Hannah. A large, shallow, essentially undisturbed prairie pothole lake that is an important staging area for waterfowl. (May 1975) Owner: Private

##### Kidder County

**SIBLEY LAKE**—five miles north of Dawson. A large, permanent alkaline lake, it provides a breeding and resting area for one of the largest and most diverse waterbird populations found in pothole lakes in the State. (May 1975) Owner: State, Private

##### Stutsman County

**FISCHER LAKE**—25 miles northwest of Jamestown. Highly representative of the glacial moraine and pitted outwash plain surface of North Dakota. The area contains relatively undisturbed grasslands and lush prairie woodlands. (April 1980) Owner: State, Private

#### OHIO (23)

##### Adams County

\***BUZZARDROOST ROCK-LYNX PRAIRIE-THE WILDERNESS**—25 miles west of Portsmouth. The site contains a number of different plant associations, including many rare or uncommon species. Has an almost 50-year history of scientific observations. (April 1967, December 1974, February 1980) Owner: Private

**SERPENT MOUND CRYPTOEXPLOSIVE STRUCTURE** (extends into Highland and Pike Counties)—31 miles southwest of Chillicothe. A structure of underdetermined origin exposed by differential erosion. It is the smaller of two such outstanding cryptoexplosive structures in the Interior Low Plateaus and is the classic American example. (February 1980) Owner: Private

##### Ashland County

\***CLEAR FORK GORGE**—Mohican State Park, four miles south of Loudenville. A

# Department of the Interior

Tuesday  
February 7, 1984

## Part III

# Department of the Interior

## National Park Service

### National Registry of Natural Landmarks; Annual Supplemental Listing of Natural Landmarks; Notice

## DEPARTMENT OF THE INTERIOR

## National Park Service

## National Registry of Natural Landmarks

AGENCY: National Park Service, Interior.

ACTION: Public notice.

**SUMMARY:** This notice lists all natural landmarks designated by the Secretary of the Interior between March 1, 1983 and September 30, 1983, and included on the National Registry of Natural Landmarks. The listing published in the Federal Register on March 1, 1983 (48 FR 8682) contains all natural landmarks designated prior to that date and should be retained for reference purposes. Both listings provide information on each landmark's location, natural values, designation date, ownership, and owner agreement status. Federal agencies should consider the existence and location of natural landmarks when assessing the impact of their actions on the environment under Section 102(2)(c) of the National Environmental Policy Act of 1969 (83 Stat. 852; 42 U.S.C. 4321).

**FOR FURTHER INFORMATION CONTACT:** Mr. Arthur L. Stewart, Acting Chief, Natural Landmarks Branch, Interagency Resources Division, National Park Service, Washington, D.C. 20240, (202) 343-9525.

**SUPPLEMENTARY INFORMATION:** The Secretary of the Interior established the National Natural Landmarks Program in 1962 to identify and encourage the preservation of the full range of ecological and geological features that are nationally significant examples of the Nation's natural heritage. Potential natural landmarks are identified through studies conducted by the National Park Service (NPS), evaluated by expert natural scientists, and, if judged nationally significant, designated as natural landmarks by the Secretary of the Interior. Once a natural landmark is designated, it is included on the National Registry of Natural Landmarks, which currently lists 548 natural landmarks.

The National Natural Landmarks Program has been administered by NPS since May 18, 1962 with the exception of the period from January 25, 1978 to May 31, 1981 when it was administered by the former Heritage Conservation and Recreation Service.

The act designating an area as a natural landmark is not a land withdrawal and in no way affects the ownership of the site. It does not dictate the type or intensity of activity that may be undertaken in a natural landmark. Natural landmark preservation is often made possible only through the long-term commitment of public and private

owners to protect an area's outstanding natural values. The Department of the Interior encourages owners and managers to protect the nationally significant values of their natural landmarks. This cooperation is voluntary and does not restrict the uses to which the land may be put. An owner who enters into a voluntary nonbinding agreement with NPS to protect a natural landmark is eligible to receive a certificate which recognizes the special status of the area. A bronze plaque may also be presented for appropriate display on the site.

Federal agencies should consider the existence and location of natural landmarks when they assess the effects of their actions on the environment under Section 102(2)(c) of the National Environmental Policy Act of 1969 (83 Stat. 852; 42 U.S.C. 4321).

NPS prepares an annual report for the Secretary of the Interior to transmit to the Congress which identifies all natural landmarks with known or anticipated damage or threats to the integrity of their resources (90 Stat. 1940; 16 U.S.C. 1a-5).

## National Registry of Natural Landmarks

The National Registry of Natural Landmarks recognizes nationally significant ecological and geological features in 48 States, American Samoa, Guam, Puerto Rico, and the Virgin Islands. Of the 548 landmarks listed on the National Registry of Natural Landmarks, over one-half are administered solely by public agencies, e.g., Federal, State, county, or municipal governments. Almost one-third are owned entirely by private parties. The remaining natural landmarks are owned or administered by a mixture of public and private owners.

The following list contains all natural landmarks added to the National Registry of Natural Landmarks between March 1, 1983 and September 30, 1983. The natural landmarks are arranged alphabetically by State and county. A description of each landmark's location, natural values, designation date and ownership is provided. Each natural landmark's designation date is enclosed in parentheses. Ownership data are arranged in the following arbitrary order and do not reflect the relative amount of land owned by any party: Federal, State, County, Municipal, Private. An asterisk (\*) indicates that the owner(s) of a landmark have entered into a voluntary agreement to protect the area's natural values.

Because many natural landmarks are privately owned and/or not managed for public access, landowner permission must be obtained before visits are made to these landmarks. The specific locations of some landmarks are not

provided because of owner requests for minimum publicity and/or because of the fragility of the landmark's natural features.

Dated: November 22, 1983.

Russell E. Dickenson,  
Director, National Park Service.

## CALIFORNIA

## Inyo County

\*Eureka Dunes—Southern part of Eureka Valley, northwest of Death Valley National Monument. Excellent example of aeolian geological processes. Tallest dune complex in the Great Basin Natural Region of the United States. Contains grass genus listed as an endangered species and the only species capable of surviving on and stabilizing the steep dune slopes. (June 1983) Owner: Federal

## NEW JERSEY

## Bergen County

\*Palisades of the Hudson (see New York)

## NEW YORK

## Rockland County

\*Palisades of the Hudson—Along western bank of Hudson River from Sparkill, New York south 13 miles to below the George Washington Bridge in New Jersey. This is the best example of a thick diabase sill formation known in the United States. Columnar jointing, an olivine zone and thermal metamorphic effects are attributes found in rare combination at this site. The glaciated crest provides impressive evidence of the Pleistocene glacier. (June 1983) Owner: State

## NORTH CAROLINA

## Hyde County

Salyer's Ridge Natural Area—On western end of Mattamuskeet National Wildlife Refuge, 5 miles north of Swanquarter. Rare example of mature loblolly pine forest in process of succeeding to a deciduous forest. (June 1983) Owner: Federal

## OKLAHOMA

## Alfalfa County

\*Salt Plains National Wildlife Refuge—Four miles east of Cherokee. Largest inland saline basin in the Central Lowlands Natural Region of the United States. Area is used as natural habitat by 75 percent of Nation's whooping cranes. Also one of few remaining habitats for inland least tern, snowy plover, Canadian geese and avocets in southern Central Lowlands. Important area for study of selenite crystal formation. (June 1983) Owner: Federal

## TEXAS

## Anderson County

Catfish Creek—20 miles northwest of Palestine. Best example of the few remaining undisturbed riparian habitats in the Western Gulf Coastal Plains. The site supports several wildlife species rarely found elsewhere in Texas. (June 1983) Owner: State

[FR Doc. 84-3135 Filed 2-6-84; 8:45 am]

BILLING CODE 4310-70-M



December 12, 1990

Gibbs & Hill, Inc.

11 Penn Plaza  
New York, NY 10001  
Tel: (212) 219-6000  
FAX: (212) 219-6476  
Telex: 177199  
a subsidiary of GCH&H

Mr. Burrell Buffington  
Information Services  
Wildlife Resources Center  
700 Troy-Schenectady Road  
Latham, N.Y. 12110

Dear Mr. Buffington:

Gibbs & Hill, Inc. has been contracted by the New York State Department of Environmental Conservation to do Phase II Investigations of the following inactive hazardous waste disposal sites:

1. Constantine site, ID #546016 - Troy North, NY Quad.
2. Quaker Road, Mt. Ivy Swamp, ID #344024 - Thellis, NY Quad.
3. Schodack Landfill, ID #442023 - East Greenbush, NY Quad.
4. Ron Lyn, Inc. ID #152112 - Bay Shore West, Amityville, Greenlawn & Huntington, NY Quads.
5. Jack The Stripper, ID #401035 - Niskayuna, NY, Quad.
6. Route 146A Barrel site, ID #546024 - Plattsburgh, NY Quad.
7. Plattsburgh Municipal Lighting Dept., ID #510002 - Plattsburgh, NY, Quad.
8. Rotterdam Town Landfill, ID #447010 - Rotterdam, NY Quad.
9. Durham-Greenville Landfill, ID #420001 - Durham, NY & Greenville, NY Quads.
10. Mattituck Airbase, ID #152038 - Mattituck, NY Quad.
11. NTU Circuits, ID #152086 - Amityville, NY Quad.
12. Hazardous Waste Disposal, ID #152113 - Amityville, NY Quad.

Part of our investigations concern the potentially effected critical habitats and endangered species within a three mile radius of the sites. We need this information in order to rank the sites in the hazardous ranking system.

Included are copies of USGS Quad maps showing the exact locations of the 12 sites we are working on. For our purposes we need to know of any state or federally listed critical habitats, and any endangered species located within a three mile radius of the sites.

It would be appreciated greatly if you could send the information as soon as possible.

Thank you.

Very truly yours,


Dori Davidson  
Hydrogeologist

Offices Worldwide



New York State Department of Environmental Conservation

Information Services  
Wildlife Resources Center  
700 Troy-Schenectady Road  
Latham, New York 12110-2400



Thomas C. Jorling  
Commissioner

January 11, 1991

Dori Davidson  
Gibbs & Hill, Inc.  
11 Penn Plaza  
New York, New York 10001

Dear Ms. Davidson:

We have reviewed the Significant Habitat Unit and the NY Natural Heritage Program files with respect to your request for biological information concerning several Phase II investigations of inactive hazardous waste disposal sites throughout New York State.


Enclosed you will find a computer printout covering the area you requested to be reviewed by our staff. The information contained in this report is confidential and may not be released to the public without permission from the Significant Habitat Unit.

Our files are continually growing as new habitats and occurrences of rare species and communities are discovered. In most cases, site-specific or comprehensive surveys for plant and animal occurrences have not been conducted. For these reasons, we can only provide data which have been assembled from our files. We cannot provide a definitive statement on the presence or absence of species, habitats or natural communities. This information should not be substituted for on-site surveys that may be required for environmental assessment.

This response applies only to known occurrences of rare animals, plants and natural communities and/or significant wildlife habitats. You should contact our regional office(s), Division of Regulatory Affairs, at the address(es) enclosed for information regarding any regulated areas or permits that may be required (e.g., regulated wetlands) under State law.

If this project is still active one year from now we recommend that you contact us again so that we may update this response.

Sincerely,

  
Burrell Buffington  
Significant Habitat Unit

Encs.

cc: Regions 1, 3, 4, & 5, Regional Wildlife Mgrs.

V-57

Telephone Conversation Record

Date: 3/13/91

Time: 10:40 AM

Call by: J. Sanghvi of Gibbs & Hill  
(Name) (Company)

Answer by: Paul Tenynhuis of Suffolk Cty Soil & Conservation  
(Name) District (Company)

Contract No: 5066-112

Subject discussed: Agricultural & Prime Agricultural Land in  
Production within the site.

SUMMARY OF DISCUSSION, DECISIONS AND COMMITMENTS.

Received the following information

- (1) There is no agriculture land in production within one mile radius of the site.
- (2) There is no prime agriculture land in production within two mile radius of the site.

Population Within a 4-Mile Radius

<u>Place</u>	<u>Population</u>	<u>Mile<sup>2</sup></u>	<u>Population Mile<sup>2</sup></u>
Bethpage	16,840	3.6	4,678
E. Farmingdale	5,522	5.8	952
S. Farmingdale	16,439	2.2	7,472
Huntington	21,727	8.4	2,587
Babylon	<u>12,388</u>	<u>2.5</u>	4,955
	72,916	22.5	

<u>Radius, mi</u>	<u>Area, mi<sup>2</sup></u>	<u>Population<sup>(1)</sup></u>	<u>Note</u>
0.25	0.196	187	2 (score = 21)
0.5	0.785	748	2 (score = 18)
1.0	3.140	10,182	3 (score = 24)
2.0	12.570	40,728	3
3.0	28.274	91,637	3
4.0	50.265	162,910	3 (score = 21)

Note

1. Population = Area x Density
2. Density of E. Farmingdale applied
3. Average density applied  
(Total Population/Total Area = 72,916/22.5 = 3,241)
4. Data for Babylon Village used in calculation

# 1980 Census of Population

VOLUME 1  
CHARACTERISTICS OF THE POPULATION

CHAPTER A

## Number of Inhabitants

PART 34

**NEW YORK**

PC80-1-A34

Issued February 1982



U.S. Department of Commerce  
Malcolm Baldrige, Secretary  
Joseph R. Wright, Jr.,  
Deputy Secretary  
Robert G. Dederick,  
Assistant Secretary for  
Economic Affairs

BUREAU OF THE CENSUS  
Bruce Chapman,  
Director

### Data Index

This index provides a summary listing of the tables in which the particular data are presented. For a listing of the individual tables and their page numbers, see page 1.

The State	Table
Earliest Census to 1980 . . . . .	1
Size of Place . . . . .	7
Urban and Rural: 1930 to 1980 . . . . .	8
<b>Counties</b>	
Land Area and Population . . . . .	2
Urban and Rural . . . . .	3
County Subdivisions . . . . .	4
<b>Places</b>	
All Places . . . . .	5
Incorporated Places of 5,000 or More . . . . .	6
<b>Towns</b>	
Towns . . . . .	5a
<b>Inside and Outside SMSA's</b>	
Urban and Rural . . . . .	9
Size of Place . . . . .	10
<b>SMSA's</b>	
Component Parts . . . . .	11
Type of Residence . . . . .	12
<b>SCSA's</b>	
Component Parts . . . . .	11a
<b>Urbanized Areas</b>	
Component Parts . . . . .	13

Table 25. Population, 1960 to 1980, and Land Area and Population Density for Places of 2,500 or More—  
 Cont.

Places	Population			1980 land area		Population per—	
	1980	1970	1960	Square miles	Square kilometers	Square miles	Square kilometers
<b>NEW JERSEY—Con.</b>							
River Edge borough.....	11 111	12 850	13 264	1.9	4.9	5 848	2 268
Riverside (CDP).....	7 941	3 412	3 324	0.5	3.9	5 294	2 036
Riverton borough.....	3 068	3 412	3 324	1.7	4.3	4 383	1 704
River Vale (CDP).....	9 489	.....	.....	4.3	11.2	2 207	847
Robertsville (CDP).....	8 461	.....	.....	5.9	15.3	1 434	553
Rockaway borough.....	5 603	6 383	5 413	1.1	2.8	5 094	2 001
Roseland borough.....	5 330	4 453	2 804	2.1	5.4	3 263	1 269
Roseland Park borough.....	20 641	22 585	21 032	3.6	9.6	1 441	555
Roselle Park borough.....	13 377	14 277	12 546	1.2	3.1	11 148	4 315
Rumson borough.....	7 673	7 421	6 405	5.2	13.5	1 466	545
Rumsonville borough.....	9 461	10 475	8 396	2.1	5.4	4 505	1 752
Rutherford borough.....	20 068	20 802	20 473	2.8	7.3	6 810	2 612
Saddle Brook (CDP).....	14 084	2 437	1 776	2.8	7.2	5 030	1 956
Saddle River borough.....	2 763	2 437	1 776	1.1	3.1	2 009	763
Salem city.....	6 959	32 508	22 553	2.6	6.6	2 677	1 023
Somerville borough.....	29 769	2 207	1 798	15.2	39.3	1 972	763
South Plains (CDP).....	20 774	2 650	1 993	9.2	23.9	2 258	869
Sea Girt borough.....	2 644	.....	.....	2.5	6.5	2 409	946
Sea Isle City city.....	.....	.....	.....	2.5	6.5	1 058	407
Secaucus town.....	13 719	13 228	12 154	6.1	15.8	2 249	868
Shrewsbury borough.....	2 962	3 315	3 222	2.0	5.2	1 481	570
Silverton (CDP).....	7 236	6 510	4 839	4.4	11.3	1 645	640
Somerville borough.....	5 900	.....	.....	1.4	3.5	4 214	1 686
Somers Point (CDP).....	21 731	7 919	4 504	5.2	13.5	4 179	1 610
Somers Point city.....	10 330	13 652	12 458	4.1	10.6	6 520	2 506
Somerville borough.....	11 973	9 338	8 422	2.3	6.0	4 895	1 849
South Amboy city.....	8 327	4 525	3 676	1.7	4.5	6 187	2 406
South Bound Brook borough.....	4 331	.....	.....	2.8	7.3	5 666	2 173
South Orange (CDP).....	15 864	.....	.....	2.8	7.3	5 666	2 173
South Plainfield borough.....	20 521	15 142	17 879	8.2	21.2	2 503	968
South River borough.....	14 261	15 428	13 397	8.8	22.8	1 627	627
South Toms River borough.....	3 954	7 840	5 788	3.1	7.9	3 295	1 275
Spotswood borough.....	7 840	7 981	5 788	2.3	6.0	3 409	1 307
Springfield (CDP).....	13 955	3 896	2 922	1.1	2.8	6 884	2 634
Spring Lake borough.....	4 215	3 309	2 922	1.1	2.8	3 616	1 391
Spring Lake Heights borough.....	5 424	3 040	1 814	1.8	4.7	2 021	774
Stanhope borough.....	3 638	9 801	4 308	1.5	3.8	5 337	2 107
Stamford borough.....	10 931	6 472	5 865	1.8	4.7	3 530	1 352
Successwauka-Kemil (CDP).....	.....	.....	.....	6.7	17.3	1 631	632
Summit city.....	21 071	23 620	23 677	6.1	15.8	3 454	1 334
Tenafly (CDP).....	39 007	14 827	14 264	6.1	15.7	2 946	1 139
Tenafly borough.....	7 740	8 395	7 313	4.6	11.9	1 796	685
Toms River (CDP).....	7 465	7 303	6 062	3.0	7.7	2 488	949
Totowa borough.....	11 448	10 897	11 817	4.0	10.4	2 862	1 101
Trenton city.....	92 124	104 786	114 167	20.1	52.1	13 161	5 090
Twin Rivers (CDP).....	7 742	.....	.....	1.3	3.4	5 955	2 245
Union (CDP).....	50 184	.....	.....	9.0	23.4	5 576	2 147
Union Beach borough.....	6 354	6 472	5 865	1.8	4.7	3 530	1 352
Union City city.....	55 593	57 305	52 180	1.4	3.6	39 709	15 443
Upper Greenwood Lake (CDP).....	2 734	7 958	3 570	5.0	13.0	1 592	612
Upper Saddle River borough.....	11 704	10 385	8 688	2.0	5.2	5 852	2 251
Vernon City city.....	14 166	15 067	13 782	2.9	7.5	4 885	1 889
Vernon borough.....	5 909	3 155	2 085	3.3	8.6	1 791	687
Village (CDP).....	53 753	47 399	37 685	67.8	175.6	793	306
Vineland city.....	10 802	12 313	10 495	2.0	5.3	5 401	2 038
Washington borough.....	10 741	10 284	9 261	1.0	2.5	10 741	4 296
Washington Township (CDP).....	10 025	8 436	7 126	8.3	21.5	1 208	466
Washington borough.....	6 429	5 943	5 723	1.8	4.7	3 572	1 368
Washington Township (CDP).....	9 550	4 750	3 312	3.2	8.3	2 984	1 151
Wayne (CDP).....	46 474	.....	.....	23.4	60.5	1 986	768
Weehawken (CDP).....	13 168	.....	.....	0.9	2.4	14 831	5 487
West Caldwell borough.....	11 407	11 913	8 314	5.3	13.7	2 152	833
Westfield town.....	9 999	33 770	31 447	6.4	16.6	4 757	1 845
Westfield (CDP).....	7 380	6 845	5 337	2.8	7.3	2 636	1 011
West Long Branch borough.....	39 194	40 627	35 547	1.0	2.7	39 194	14 516
West New York town.....	.....	.....	.....	.....	.....	.....	.....
West Orange town.....	39 510	43 715	39 895	11.1	28.7	3 559	1 377
West Paterson borough.....	11 293	11 692	7 607	2.9	7.6	3 894	1 486
Westfield borough.....	4 786	5 170	4 951	1.1	2.8	4 351	1 709
Westwood borough.....	10 714	11 105	9 046	2.4	6.2	4 464	1 728
Wharton borough.....	10 098	5 535	5 006	1.9	5.0	2 887	1 079
White Horse (CDP).....	8 429	8 499	5 006	2.9	7.6	3 482	1 329
White Meadow Lake (CDP).....	4 913	4 110	4 690	4.6	12.0	1 832	705
Wildwood city.....	4 149	3 483	3 011	1.1	2.8	4 466	1 752
Willamsted Crest borough.....	5 768	4 075	2 722	1.2	3.1	3 458	1 338
Willamstown (CDP).....	.....	.....	.....	1.7	4.5	3 393	1 282
Willingboro (CDP).....	39 912	2 625	2 823	7.5	19.5	5 322	2 047
Woodbridge borough.....	2 809	90 074	.....	8.0	20.7	351	136
Woodbridge Township (CDP).....	3 363	12 408	17 453	2.0	5.2	3 801	1 469
Woodbury city.....	3 460	1 723	1 723	1.2	3.2	2 883	1 081
Woodcliff Lake borough.....	5 644	3 506	2 742	3.2	8.3	1 764	680
Woodville borough.....	7 578	3 311	3 128	0.7	1.8	12 890	4 297
Wood-Ridge borough.....	7 999	8 311	7 964	1.1	2.8	7 208	2 833
Wrightstown borough.....	3 250	3 137	2 942	1.4	3.6	2 321	902
Wrightstown borough.....	3 031	2 719	2 846	1.9	4.9	1 595	619
Wyteff (CDP).....	15 500—	.....	.....	6.9	17.9	2 246	866

NUMBER OF INHABITANTS


UNITED STATES SUMMARY 1-141

Table 25. Population, 1960 to 1980, and Land Area and Population Density for 1980 for Places of 2,500 or More.  
Con.

(For meaning of symbols, see Introduction)

Places	Population			1980 land area		Population per--		Places	Population			1980 land area		Population per--	
	1980	1970	1960	Square miles	Square kilometers	Square mile	Square kilometer		1980	1970	1960	Square miles	Square kilometers	Square mile	Square kilometer
<b>NEW YORK--Con.</b>								<b>NEW YORK--Con.</b>							
Big Flats (CDP) .....	2 892	2 509	...	3.7	9.6	782	301	Farmingville (CDP) .....	13 398	...	...	4.5	11.6	2 977	1 152
Binghamton city .....	55 860	64 123	75 941	10.4	26.9	5 371	2 077	Fayetteville village .....	4 709	4 996	...	1.7	4.4	2 770	1 074
Blasdell village .....	3 288	3 910	3 909	1.0	2.6	3 288	1 265	Farmwood (CDP) .....	3 640	3 639	4 311	4.0	10.4	910	350
Borhama (CDP) .....	9 308	8 926	...	8.6	22.2	1 082	419	Ferhtickle (CDP) .....	4 430	4 025	2 108	2.9	7.6	1 528	583
Brenwood (CDP) .....	44 321	28 327	15 387	9.8	25.5	4 523	1 738	Floral Park village .....	16 805	18 466	17 499	1.4	3.6	12 004	4 411
Bronxville village .....	7 115	6 521	5 105	5.8	15.0	1 227	474	Flower Hill village .....	4 558	4 466	...	3.5	9.1	3 803	1 411
Brighton (CDP) .....	35 776	...	...	15.1	39.2	2 369	913	Fort Edward village .....	3 561	3 233	3 737	1.8	4.7	1 978	717
Brightwaters village .....	3 286	3 808	3 193	1.0	2.6	3 286	1 264	Fort Plain village .....	2 555	2 809	2 809	1.4	3.6	1 825	717
Brickton (CDP) .....	3 030	2 094	...	1.2	3.1	2 525	977	Fort Salonga (CDP) .....	9 550	...	...	8.6	22.2	1 110	430
Brookport village .....	9 776	7 878	5 256	2.0	5.3	4 888	1 845	Frankfort village .....	2 995	3 305	3 872	1.0	2.6	2 995	1 152
Bronxville village .....	6 267	6 874	6 744	1.0	2.6	6 267	2 410	Franklin Square (CDP) .....	29 051	32 156	32 483	2.9	7.5	10 018	3 811
Brookville village .....	3 290	3 212	1 468	4.2	10.8	783	305	Fredonia village .....	11 126	10 326	8 477	5.1	13.2	2 182	811
Buffalo city .....	357 870	462 768	532 759	41.8	108.3	8 561	3 304	Freeport village .....	38 272	40 374	34 419	4.6	11.9	8 320	3 211
Calverton-Rosetonka (CDP) .....	4 952	...	...	30.9	80.1	160	62	Fulton city .....	13 312	14 003	14 261	3.5	9.1	3 803	1 411
Camden village .....	2 667	2 936	2 694	2.3	6.0	1 160	445	Garden City village .....	22 927	25 373	23 948	3.5	9.1	3 803	1 411
Canadatego city .....	10 419	10 488	9 370	4.7	12.2	2 217	854	Garden City Park (CDP) .....	7 712	7 488	...	5.3	13.7	4 326	1 611
Canastota village .....	4 773	5 033	4 896	3.2	8.4	1 492	568	Gardnerston (CDP) .....	4 238	4 614	...	1.0	2.5	7 712	3 085
Canastota village .....	2 679	2 772	2 731	1.1	2.8	2 435	957	Gates-North Gates (CDP) .....	15 244	...	...	4.9	12.8	865	331
Canvan village .....	7 055	6 398	5 046	2.2	5.8	3 207	1 216	Genesee village .....	6 746	5 714	3 284	1.2	3.0	12 703	5 011
Carle Place (CDP) .....	5 470	6 326	...	0.9	2.3	6 078	2 378	Geneva city .....	15 133	16 793	17 286	2.4	6.2	2 811	1 074
Carthage village .....	3 600	3 889	4 216	1.9	4.9	1 917	743	Glen Cove city .....	24 616	25 770	23 817	6.4	16.7	3 847	1 474
Catskill village .....	4 716	5 317	5 825	2.9	7.4	1 627	638	Glenham (CDP) .....	2 832	2 720	2 317	1.2	3.1	2 360	914
Cayuga Heights village .....	3 170	3 130	2 788	1.8	4.7	1 761	674	Glens Falls city .....	15 897	17 222	18 580	3.8	9.9	4 183	1 604
Cazenovia village .....	2 599	3 031	2 584	2.2	5.7	1 181	456	Glens Falls North (CDP) .....	6 956	...	...	3.3	8.3	838	311
Cedarsburg village .....	6 162	6 941	6 954	1.0	2.6	6 162	2 370	Gloversville city .....	17 836	19 677	21 270	4.6	11.9	3 877	1 411
Centereach (CDP) .....	30 137	9 427	8 524	8.8	22.7	3 425	1 328	Goshen village .....	4 874	4 342	3 906	3.3	8.5	1 477	551
Central Islip (CDP) .....	5 703	3 802	2 521	5.6	14.5	1 018	393	Gouverneur village .....	4 285	4 574	4 946	1.9	4.9	2 255	861
Central Islip (CDP) .....	6 376	...	...	3.4	8.7	1 934	756	Gowanda village .....	2 713	3 110	3 352	1.5	3.9	1 809	696
Central Islip (CDP) .....	19 734	36 391	...	12.2	31.5	1 618	626	Granville village .....	2 696	2 784	2 715	1.5	3.9	1 797	691
Chicktown (CDP) .....	92 145	...	...	24.9	64.6	3 701	1 426	Great Neck village .....	9 168	10 798	10 171	1.4	3.6	6 549	2 547
Chittenango village .....	4 290	3 605	3 180	2.1	5.5	2 043	780	Great Neck Estates village .....	2 936	3 131	3 262	0.8	2.1	3 670	1 391
Clifton Knolls (CDP) .....	5 636	5 771	...	2.9	7.5	1 943	751	Great Neck Plaza village .....	5 604	6 043	4 945	0.3	0.8	18 680	7 061
Cobleskill village .....	5 272	4 368	3 471	2.9	7.4	1 818	712	Greene (CDP) .....	16 177	...	...	1.1	2.8	14 706	5 771
Cohoes city .....	18 144	18 653	20 129	3.8	9.8	4 775	1 851	Green Island village .....	2 696	3 297	3 523	0.9	2.4	2 996	1 123
Cold Spring Harbor (CDP) .....	5 336	5 450	1 705	3.7	9.7	1 442	550	Greenlawn (CDP) .....	13 869	16 493	5 422	3.8	9.9	3 650	1 401
Colonia village .....	8 869	8 701	6 992	3.5	9.1	2 534	975	Greenwich (CDP) .....	8 706	...	...	3.0	7.7	2 902	1 131
Conamack (CDP) .....	34 719	24 138	9 613	10.6	27.5	3 275	1 263	Greenwood Lake village .....	2 809	2 262	1 228	1.7	4.4	1 652	631
Congers (CDP) .....	7 123	5 928	...	3.2	8.3	2 226	858	Hamburg village .....	10 582	10 215	9 145	2.4	6.2	4 409	1 701
Copogue (CDP) .....	20 132	19 632	14 081	3.2	8.2	6 291	2 455	Hamilton village .....	3 725	3 636	3 345	1.9	4.9	1 961	761
Coram (CDP) .....	24 752	...	...	13.6	35.2	1 820	703	Hampton Bays (CDP) .....	7 256	1 862	1 431	10.6	27.5	685	261
Corinth village .....	2 702	3 267	3 193	2.8	7.3	965	370	Harris Hill (CDP) .....	5 087	...	...	4.9	12.6	1 038	404
Corning city .....	12 953	15 792	17 085	3.2	8.3	4 048	1 561	Harrison village .....	23 046	...	...	16.0	41.5	1 440	551
Corwall on Hudson village .....	3 164	3 131	2 785	2.3	6.0	1 376	527	Hartsdale (CDP) .....	10 216	12 222	...	2.5	6.5	4 086	1 571
Cortland city .....	20 136	19 621	19 181	4.1	10.6	4 912	1 900	Hastings-on-Hudson village .....	8 573	9 479	8 979	2.0	5.2	4 287	1 641
Crosshatch village .....	2 788	2 399	2 849	2.5	6.6	1 114	422	Hauspaug (CDP) .....	20 960	13 957	...	10.2	26.5	2 055	791
Croton-on-Hudson village .....	6 867	7 523	6 812	4.8	12.4	1 435	556	Haverstraw village .....	8 800	8 198	5 771	1.5	4.9	4 632	1 796
Crown Heights (CDP) .....	3 225	3 292	...	1.1	2.9	2 932	1 112	Haviland (CDP) .....	3 578	3 447	...	3.7	9.7	967	369
Croton-New Suffolk (CDP) .....	2 788	...	...	9.3	24.1	300	116	Hawthorne (CDP) .....	5 010	...	...	1.7	4.3	2 947	1 165
Danmore village .....	3 770	3 735	4 835	1.2	3.1	3 142	1 216	Hempstead village .....	40 404	39 411	34 641	3.8	9.8	10 633	4 123
Dansville village .....	4 979	5 436	5 460	2.5	6.5	1 992	766	Herkimer village .....	8 383	8 960	9 396	2.7	7.0	3 105	1 196
Deer Park (CDP) .....	30 394	32 274	16 726	6.1	15.9	4 983	1 912	Herricks (CDP) .....	8 123	9 112	...	1.2	3.0	6 769	2 708
Dellville village .....	3 374	3 017	2 307	1.5	3.9	2 249	865	Hewlett (CDP) .....	6 986	6 792	...	0.9	2.3	7 762	3 037
Delmar (CDP) .....	8 423	...	...	3.6	9.2	2 340	916	Hicksville (CDP) .....	43 245	...	...	6.6	17.2	6 552	2 514
Depew village .....	19 819	22 158	13 580	5.1	13.2	3 886	1 501	Highland (CDP) .....	3 967	2 184	50 405	4.6	11.9	862	332
De Witt (CDP) .....	9 024	10 032	...	3.2	8.2	2 820	1 100	Highland Falls village .....	4 187	4 638	4 469	1.1	2.8	3 806	1 495
Dia Hills (CDP) .....	26 693	10 050	...	15.8	40.8	1 689	654	Hillcrest (CDP) .....	5 733	5 357	...	1.5	3.9	3 822	1 470
Dobbs Ferry village .....	10 053	10 353	9 260	2.2	5.8	4 570	1 733	Hills (CDP) .....	2 591	2 750	...	1.6	4.2	1 619	617
Dolgeville village .....	2 602	2 872	3 058	1.8	4.7	1 446	554	Hilton village .....	4 151	2 440	1 334	1.0	2.7	4 151	1 537
Dunkirk city .....	15 310	16 855	18 205	4.6	11.9	3 328	1 287	Holbrook (CDP) .....	24 382	...	...	6.7	17.3	3 639	1 409
East Aurora village .....	6 803	7 033	6 791	2.5	6.5	2 721	1 047	Holtsville (CDP) .....	13 515	...	...	0.8	2.2	16 894	6 143
East Cayuga Heights (CDP) .....	2 630	2 611	...	1.1	2.9	2 391	907	Homer village .....	3 635	4 143	3 622	1.6	4.1	2 272	867
Eastchester (CDP) .....	20 305	23 750	...	3.3	8.5	6 153	2 389	Hosick Falls village .....	3 609	3 897	4 023	1.6	4.2	2 256	859
East Farmingdale (CDP) .....	5 222	...	...	5.8	15.0	952	368	Hornell city .....	10 234	12 144	13 907	10.3	26.6	994	385
East Glenville (CDP) .....	6 537	...	...	7.4	19.2	883	340	Horseheads village .....	7 348	7 989	7 207	3.7	9.6	1 966	765
East Hills village .....	7 160	8 624	7 184	2.1	5.4	3 410	1 326	Horseheads North (CDP) .....	3 081	2 753	...	10.2	26.4	3 072	1 117
East Islip (CDP) .....	13 852	6 861	...	4.0	10.4	3 463	1 332	Hudson city .....	7 986	8 940	11 075	2.3	6.0	3 472	1 331
East Massapequa (CDP) .....	13 987	15 926	...	2.4	6.1	5 828	2 293	Hudson Falls village .....	7 419	7 917	7 752	1.9	4.8	3 905	1 546
East Meadow (CDP) .....	39 317	46 290	46 036	6.6	17.2	5 957	2 286	Huntington (CDP) .....	21 727	12 601	11 255	8.4	21.7	2 567	1 001
East Middletown (CDP) .....	4 330	2 640	1 752	3.4	8.9	1 274	487	Huntington Station (CDP) .....	28 769	28 817	23 438	5.4	14.0	5 322	2 055
East Northport (CDP) .....	20 187	12 392	8 381	4.2	11.0	4 806	1 835	Hurley (							

### SITE LOCATION MAP



**SITE: HAZARDOUS WASTE DISPOSAL**  
**MAP SOURCE: USGS MAP**

**FIGURE: I-1**

AMITYVILLE QUAD. (1979)  
 HUNTINGTON QUAD. (1979)  
 SUFFOLK COUNTY, NEW YORK  
 7.5 MINUTE SERIES (TOPOGRAPHIC)

**SCALE 1" = 2000'**

**COORDINATES:**

LATITUDE: 40° 44' 32"  
 LONGITUDE: 73° 25' 13"

**GIBBS & HILL, INC.**

# FACT SHEET NASSAU/SUFFOLK AQUIFER SYSTEM

In response to a petition the Environmental Protection Agency (EPA) has designated the Nassau/Suffolk Aquifer System as a Sole Source Aquifer pursuant to Section 1424(e) of the Safe Drinking Water Act. As such, no commitment for Federal financial assistance may be entered into for any project which EPA determines may contaminate such aquifer through the recharge zone so as to create a significant hazard to public health.

- **Petition Date:** January 21, 1975
- **Petitioner:** James T.B. Tripp, Counsel  
Environmental Defense Fund, Inc.  
162 Old Town Road  
East Setauket, NY 11733
- **Location:** The aquifers that underlie the eastern end of Long Island, New York, to include all of Nassau and Suffolk Counties.
- **Aquifer Description:** Three aquifers composed of Pleistocene deposits of glaciofluvial origin (Upper Glacial) above cretaceous rocks (Magothy, and Lloyd).
- **Ground Water Depth:** Depending upon location the aquifer depth will vary.
- **Population:** Approximately 1.45 million persons.
- **Drinking Water:** 100% from Ground Water
- **Population Served:** 100% by PWS / 0% by Domestic Wells
- **Quality:** With the exception of the Lloyd aquifer, water quality has declined, Nitrate exceeds 10 mg/l for some wells of the upper glacial aquifer.
- **Vulnerability:** Vulnerability is high due to population density of the area, leaking sewer pipes, past farming practices and present lawn fertilization practices, and possible salt water encroachment.
- **Designation Date:** June 21, 1978
- **Citation:** 43 FR 26611

**FOR MORE INFORMATION CONTACT**

**U.S. ENVIRONMENTAL PROTECTION AGENCY  
JOHN MALLECK, CHIEF  
GROUND WATER MANAGEMENT SECTION  
ROOM 842 - 26 FEDERAL PLAZA  
NEW YORK, N.Y. 10278  
212-264-5635**



**Telephone Conversation Record**

Date: 10/28/91

Time: 3:05 PM

Call by: J. Sanghvi of Gibbs & Hill, Inc.  
(Name) (Company)

Answer by: Bill Sanok of Cooperative Extension  
(Name) of Suffolk County  
(Company)

Contract No: 5066-112

Subject discussed: The source of irrigated water  
\_\_\_\_\_  
\_\_\_\_\_

-----  
**SUMMARY OF DISCUSSION, DECISIONS AND COMMITMENTS**

I asked Mr. Sanok about the source of water for irrigation within 3 miles of the site.

Mr. Sanok informed me that surface water is not being used within 3 mile radius of the Hazardous Waste Disposal Site.

**E. EPA SITE INSPECTION REPORT**



# Site Inspection Report



**POTENTIAL HAZARDOUS WASTE SITE  
SITE INSPECTION REPORT  
PART 1 - SITE LOCATION AND INSPECTION INFORMATION**

I. IDENTIFICATION	
01 STATE NYD	02 SITE NUMBER 037056132

**II. SITE NAME AND LOCATION**

01 SITE NAME (Legal, common, or descriptive name of site) Hazardous Waste Disposal Site		02 STREET, ROUTE NO., OR SPECIFIC LOCATION IDENTIFIER 11-A Picone Boulevard			
03 CITY Farmingdale		04 STATE NY	05 ZIP CODE 11735	06 COUNTY Suffolk	07 COUNTY CODE
09 COORDINATES LATITUDE 40° 44' 32"      LONGITUDE 73° 25' 13"		10 TYPE OF OWNERSHIP (Check one) <input checked="" type="checkbox"/> A. PRIVATE <input type="checkbox"/> B. FEDERAL <input type="checkbox"/> C. STATE <input type="checkbox"/> D. COUNTY <input type="checkbox"/> E. MUNICIPAL <input type="checkbox"/> F. OTHER <input type="checkbox"/> G. UNKNOWN			

**III. INSPECTION INFORMATION**

01 DATE OF INSPECTION 5, 31, 90 <small>MONTH DAY YEAR</small>	02 SITE STATUS <input type="checkbox"/> ACTIVE <input checked="" type="checkbox"/> INACTIVE	03 YEARS OF OPERATION 1979      1982 <small>BEGINNING YEAR      ENDING YEAR</small>		UNKNOWN
04 AGENCY PERFORMING INSPECTION (Check all that apply) <input type="checkbox"/> A. EPA <input type="checkbox"/> B. EPA CONTRACTOR <input type="checkbox"/> C. MUNICIPAL <input type="checkbox"/> D. MUNICIPAL CONTRACTOR <input type="checkbox"/> E. STATE <input checked="" type="checkbox"/> F. STATE CONTRACTOR <u>Gibbs &amp; Hill, Inc.</u> <input type="checkbox"/> G. OTHER _____				

05 CHIEF INSPECTOR A. Kostic	06 TITLE Env. Engineer	07 ORGANIZATION Gibbs & Hill	08 TELEPHONE NO. (212) 216-6630
09 OTHER INSPECTORS C. Grande	10 TITLE Geologist	11 ORGANIZATION Gibbs & Hill	12 TELEPHONE NO. (212) 216-6366
			( )
			( )
			( )
			( )

13 SITE REPRESENTATIVES INTERVIEWED Mr. V. Emanuelo	14 TITLE Attorney	15 ADDRESS Farmingdale, New York	16 TELEPHONE NO. (516) 249-3400
			( )
			( )
			( )
			( )
			( )

17 ACCESS GAINED BY (Check one) <input checked="" type="checkbox"/> PERMISSION <input type="checkbox"/> WARRANT	18 TIME OF INSPECTION 10 AM	19 WEATHER CONDITIONS Clean, sunny, 75°F
---	--------------------------------	---

**IV. INFORMATION AVAILABLE FROM**

01 CONTACT N. Hinsey	02 OF (Agency/Organization) Gibbs & Hill		03 TELEPHONE NO. (212) 216-7839
04 PERSON RESPONSIBLE FOR SITE INSPECTION FORM N. Hinsey	05 AGENCY	06 ORGANIZATION Gibbs & Hill	07 TELEPHONE NO. 212/216-7839
			08 DATE 6, 1, 90 <small>MONTH DAY YEAR</small>



**POTENTIAL HAZARDOUS WASTE SITE  
SITE INSPECTION REPORT  
PART 2 - WASTE INFORMATION**

**I. IDENTIFICATION**  
 01 STATE: **NYD** 02 SITE NUMBER: **037056132**

**II. WASTE STATES, QUANTITIES, AND CHARACTERISTICS**

<b>01 PHYSICAL STATES</b> (Check all that apply) <input type="checkbox"/> A. SOLID <input type="checkbox"/> B. POWDER, FINES <input checked="" type="checkbox"/> C. SLUDGE <input type="checkbox"/> D. OTHER _____ (Specify) <input type="checkbox"/> E. SLURRY <input checked="" type="checkbox"/> F. LIQUID <input type="checkbox"/> G. GAS	<b>02 WASTE QUANTITY AT SITE</b> <small>(Measure of waste substance must be independent)</small> TONS <u>Unknown</u> CUBIC YARDS _____ NO. OF DRUMS _____	<b>03 WASTE CHARACTERISTICS</b> (Check all that apply) <input checked="" type="checkbox"/> A. TOXIC <input type="checkbox"/> B. CORROSIVE <input type="checkbox"/> C. RADIOACTIVE <input type="checkbox"/> D. PERSISTENT <input type="checkbox"/> E. SOLUBLE <input type="checkbox"/> F. INFECTIOUS <input checked="" type="checkbox"/> G. FLAMMABLE <input checked="" type="checkbox"/> H. IGNITABLE <input type="checkbox"/> I. HIGHLY VOLATILE <input type="checkbox"/> J. EXPLOSIVE <input type="checkbox"/> K. REACTIVE <input type="checkbox"/> L. INCOMPATIBLE <input type="checkbox"/> M. NOT APPLICABLE
--	---	---

**III. WASTE TYPE**

CATEGORY	SUBSTANCE NAME	01 GROSS AMOUNT	02 UNIT OF MEASURE	03 COMMENTS
SLU	SLUDGE	Unknown		
OLW	OILY WASTE	Unknown		
SOL	SOLVENTS	Unknown		
PSD	PESTICIDES			
OCC	OTHER ORGANIC CHEMICALS			
IOC	INORGANIC CHEMICALS			
ACD	ACIDS	Unknown		
BAS	BASES	Unknown		
MES	HEAVY METALS			

**IV. HAZARDOUS SUBSTANCES** (See Appendix for most frequently cited CAS numbers)

01 CATEGORY	02 SUBSTANCE NAME	03 CAS NUMBER	04 STORAGE/DISPOSAL METHOD	05 CONCENTRATION	06 MEASURE OF CONCENTRATION
	Unknown		Tanks, drums	Unknown	

**V. FEEDSTOCKS** (See Appendix for CAS numbers)

CATEGORY	01 FEEDSTOCK NAME	02 CAS NUMBER	CATEGORY	01 FEEDSTOCK NAME	02 CAS NUMBER
FDS			FDS		
FDS			FDS		
FDS			FDS		
FDS			FDS		

**VI. SOURCES OF INFORMATION** (Use specific references, e.g., State file, sample analysis reports)

NYSDEC site file  
 SCDHS site file



POTENTIAL HAZARDOUS WASTE SITE  
SITE INSPECTION REPORT  
PART 3 - DESCRIPTION OF HAZARDOUS CONDITIONS AND INCIDENTS

I IDENTIFICATION  
01 STATE 02 SITE NUMBER  
NYD 037056132

**E. HAZARDOUS CONDITIONS AND INCIDENTS**

01  A. GROUNDWATER CONTAMINATION 02  OBSERVED (DATE: \_\_\_\_\_)  POTENTIAL  ALLEGED  
03 POPULATION POTENTIALLY AFFECTED: 310739 04 NARRATIVE DESCRIPTION

Groundwater is source of water supply for an estimated 310739 people within the three mile radius.

01  B. SURFACE WATER CONTAMINATION 02  OBSERVED (DATE: \_\_\_\_\_)  POTENTIAL  ALLEGED  
03 POPULATION POTENTIALLY AFFECTED: 0 04 NARRATIVE DESCRIPTION

Massapequa creek is the nearest surface water which is used for the recreational purposes.

01  C. CONTAMINATION OF AIR 02  OBSERVED (DATE: \_\_\_\_\_)  POTENTIAL  ALLEGED  
03 POPULATION POTENTIALLY AFFECTED: None 04 NARRATIVE DESCRIPTION

Vapor discharge incident at the site producing a visible plume 150 to 200 feet high was reported to SCDHS.

01  D. FIRE/EXPLOSIVE CONDITIONS 02  OBSERVED (DATE: \_\_\_\_\_)  POTENTIAL  ALLEGED  
03 POPULATION POTENTIALLY AFFECTED: None 04 NARRATIVE DESCRIPTION

None noted during site reconnaissance.

01  E. DIRECT CONTACT 02  OBSERVED (DATE: \_\_\_\_\_)  POTENTIAL  ALLEGED  
03 POPULATION POTENTIALLY AFFECTED: None 04 NARRATIVE DESCRIPTION

None expected. Site is covered by concrete.

01  F. CONTAMINATION OF SOIL 02  OBSERVED (DATE: \_\_\_\_\_)  POTENTIAL  ALLEGED  
03 AREA POTENTIALLY AFFECTED: 0.5 04 NARRATIVE DESCRIPTION  
(Acres)

Some drums containing waste were reportedly leaking during operation of HWD facilities. In addition, analytical results showed evidence of soil contamination by organic compounds.

01  G. DRINKING WATER CONTAMINATION 02  OBSERVED (DATE: \_\_\_\_\_)  POTENTIAL  ALLEGED  
03 POPULATION POTENTIALLY AFFECTED: 310739 04 NARRATIVE DESCRIPTION

Population using groundwater within the 3-mile radius.

01  H. WORKER EXPOSURE/INJURY 02  OBSERVED (DATE: \_\_\_\_\_)  POTENTIAL  ALLEGED  
03 WORKERS POTENTIALLY AFFECTED: None 04 NARRATIVE DESCRIPTION

None known or reported.

01  I. POPULATION EXPOSURE/INJURY 02  OBSERVED (DATE: \_\_\_\_\_)  POTENTIAL  ALLEGED  
03 POPULATION POTENTIALLY AFFECTED: None 04 NARRATIVE DESCRIPTION

None known or reported.



POTENTIAL HAZARDOUS WASTE SITE  
SITE INSPECTION REPORT  
PART 3 - DESCRIPTION OF HAZARDOUS CONDITIONS AND INCIDENTS

L IDENTIFICATION	
01 STATE	02 SITE NUMBER
NYD	037056132

II. HAZARDOUS CONDITIONS AND INCIDENTS (Continued)

01  J. DAMAGE TO FLORA                                      02  OBSERVED (DATE: \_\_\_\_\_)                       POTENTIAL                       ALLEGED  
04 NARRATIVE DESCRIPTION

None noted or reported.

01  K. DAMAGE TO FAUNA                                      02  OBSERVED (DATE: \_\_\_\_\_)                       POTENTIAL                       ALLEGED  
04 NARRATIVE DESCRIPTION (include name(s) of species)

None noted or reported.

01  L. CONTAMINATION OF FOOD CHAIN                                      02  OBSERVED (DATE: \_\_\_\_\_)                       POTENTIAL                       ALLEGED  
04 NARRATIVE DESCRIPTION

None noted or reported.

01  M. UNSTABLE CONTAINMENT OF WASTES                                      02  OBSERVED (DATE: \_\_\_\_\_)                       POTENTIAL                       ALLEGED  
(Spills/Runoff/ Standing liquids, Leaking drums)  
03 POPULATION POTENTIALLY AFFECTED: \_\_\_\_\_                      04 NARRATIVE DESCRIPTION

Drums containing waste were reportedly leaking during operation of HWD facilities.

01  N. DAMAGE TO OFFSITE PROPERTY                                      02  OBSERVED (DATE: \_\_\_\_\_)                       POTENTIAL                       ALLEGED  
04 NARRATIVE DESCRIPTION

Note noted or reported.

01  O. CONTAMINATION OF SEWERS, STORM DRAINS, WWTPs                                      02  OBSERVED (DATE: \_\_\_\_\_)                       POTENTIAL                       ALLEGED  
04 NARRATIVE DESCRIPTION

There were two storm drains on-site when HWD was in operation. Drains were connected to a drainage system which discharged water into a nearby recharge basin.

01  P. ILLEGAL/UNAUTHORIZED DUMPING                                      02  OBSERVED (DATE: \_\_\_\_\_)                       POTENTIAL                       ALLEGED  
04 NARRATIVE DESCRIPTION

Facility operated without permit in 1981.

05 DESCRIPTION OF ANY OTHER KNOWN, POTENTIAL, OR ALLEGED HAZARDS

III. TOTAL POPULATION POTENTIALLY AFFECTED: 310739

IV. COMMENTS

V. SOURCES OF INFORMATION (Cite specific references, e.g., maps, files, sample analysis reports)

Gibbs & Hill site reconnaissance  
NYSDEC files  
New York State water atlas map



**POTENTIAL HAZARDOUS WASTE SITE  
SITE INSPECTION  
PART 4 - PERMIT AND DESCRIPTIVE INFORMATION**

I IDENTIFICATION	
01 STATE NYD	02 SITE NUMBER 037056132

**II. PERMIT INFORMATION**

01 TYPE OF PERMIT ISSUED <i>(Check all that apply)</i>	02 PERMIT NUMBER	03 DATE ISSUED	04 EXPIRATION DATE	05 COMMENTS
<input type="checkbox"/> A. NPDES				
<input type="checkbox"/> B. UIC				
<input type="checkbox"/> C. AIR				
<input type="checkbox"/> D. RCRA				
<input type="checkbox"/> E. RCRA INTERIM STATUS				
<input type="checkbox"/> F. SPCC PLAN				
<input type="checkbox"/> G. STATE <i>(Specify)</i>				
<input type="checkbox"/> H. LOCAL <i>(Specify)</i>				
<input type="checkbox"/> I. OTHER <i>(Specify)</i>				
<input checked="" type="checkbox"/> J. NONE				

**III. SITE DESCRIPTION**

01 STORAGE/DISPOSAL <i>(Check all that apply)</i>	02 AMOUNT	03 UNIT OF MEASURE	04 TREATMENT <i>(Check all that apply)</i>	05 OTHER
<input type="checkbox"/> A. SURFACE IMPOUNDMENT <input type="checkbox"/> B. PILES <input checked="" type="checkbox"/> C. DRUMS, ABOVE GROUND <input checked="" type="checkbox"/> D. TANK, ABOVE GROUND <input checked="" type="checkbox"/> E. TANK, BELOW GROUND <input type="checkbox"/> F. LANDFILL <input type="checkbox"/> G. LANDFARM <input type="checkbox"/> H. OPEN DUMP <input type="checkbox"/> I. OTHER <i>(Specify)</i>	_____	_____	<input type="checkbox"/> A. INCENERATION <input type="checkbox"/> B. UNDERGROUND INJECTION <input type="checkbox"/> C. CHEMICAL/PHYSICAL <input type="checkbox"/> D. BIOLOGICAL <input type="checkbox"/> E. WASTE OIL PROCESSING <input checked="" type="checkbox"/> F. SOLVENT RECOVERY <input type="checkbox"/> G. OTHER RECYCLING/RECOVERY <input type="checkbox"/> H. OTHER <i>(Specify)</i>	<input type="checkbox"/> A. BUILDINGS ON SITE  None <input type="checkbox"/> B. AREA OF SITE 0.5 _____ <i>(Acres)</i>

**07 COMMENTS**

- Drums containing waste were leaking.
- Wastes are no longer at the site.

**IV. CONTAINMENT**

01 CONTAINMENT OF WASTES *(Check one)*  
 A. ADEQUATE, SECURE       B. MODERATE       C. INADEQUATE, POOR       D. INSECURE, UNSOUND, DANGEROUS

**02 DESCRIPTION OF DRUMS, DIKING, LINERS, BARRIERS, ETC.**

Some drums containing waste were not contained at a diked area.

**V. ACCESSIBILITY**

01 WASTE EASILY ACCESSIBLE:  YES  NO  
02 COMMENTS

No security barrier but site has been paved over.

**VI. SOURCES OF INFORMATION *(Cite specific references, e.g. state files, laboratory reports)***

Gibbs & Hill site reconnaissance  
NYSDEC files





**POTENTIAL HAZARDOUS WASTE SITE  
SITE INSPECTION REPORT  
PART 5 - WATER, DEMOGRAPHIC, AND ENVIRONMENTAL DATA**

**L IDENTIFICATION**  
 01 STATE: NYD    02 SITE NUMBER: 037056132

**II. DRINKING WATER SUPPLY**

<b>01 TYPE OF DRINKING SUPPLY</b> <small>(Check as applicable)</small>		<b>02 STATUS</b>			<b>03 DISTANCE TO BTE</b>
COMMUNITY	SURFACE A. <input type="checkbox"/>	WELL B. <input checked="" type="checkbox"/>	ENDANGERED A. <input type="checkbox"/>	AFFECTED B. <input type="checkbox"/>	MONITORED C. <input type="checkbox"/>
NON-COMMUNITY	C. <input type="checkbox"/>	D. <input type="checkbox"/>	D. <input type="checkbox"/>	E. <input type="checkbox"/>	F. <input type="checkbox"/>
					A. 0.3 (mi) B. _____ (mi)

**III. GROUNDWATER**

**01 GROUNDWATER USE IN VICINITY** (Check one)

A. ONLY SOURCE FOR DRINKING     B. DRINKING (Other sources available)  
 C. COMMERCIAL INDUSTRIAL IRRIGATION (See other water sources available)     D. NOT USED, UNUSEABLE (Select other sources available)

**02 POPULATION SERVED BY GROUND WATER** 310739    **03 DISTANCE TO NEAREST DRINKING WATER WELL** \_\_\_\_\_ (mi)

<b>04 DEPTH TO GROUNDWATER</b> 6.5 (ft)	<b>05 DIRECTION OF GROUNDWATER FLOW</b> South	<b>06 DEPTH TO AQUIFER OF CONCERN</b> 6.5-14.5 (ft)	<b>07 POTENTIAL YIELD OF AQUIFER</b> _____ (gpd)	<b>08 SOLE SOURCE AQUIFER</b> <input checked="" type="checkbox"/> YES <input type="checkbox"/> NO
--	--	--	---	--

**09 DESCRIPTION OF WELLS** (including depth, depth, and location relative to population and buildings)

Wells are located in the upper glacial aquifer.

<b>10 RECHARGE AREA</b> <input checked="" type="checkbox"/> YES <input type="checkbox"/> NO	<b>COMMENTS</b> Recharge basin is located on the site.	<b>11 DISCHARGE AREA</b> <input checked="" type="checkbox"/> YES <input type="checkbox"/> NO	<b>COMMENTS</b>
--	---	---	-----------------

**IV. SURFACE WATER**

**01 SURFACE WATER USE** (Check one)

A. RESERVOIR, RECREATION DRINKING WATER SOURCE     B. IRRIGATION, ECONOMICALLY IMPORTANT RESOURCES     C. COMMERCIAL, INDUSTRIAL     D. NOT CURRENTLY USED

**02 AFFECTED/POTENTIALLY AFFECTED BODIES OF WATER**

NAME:	AFFECTED	DISTANCE TO SITE
Massapequa Creek	<input type="checkbox"/>	2.25 (mi)
_____	<input type="checkbox"/>	_____ (mi)
_____	<input type="checkbox"/>	_____ (mi)

**V. DEMOGRAPHIC AND PROPERTY INFORMATION**

<b>01 TOTAL POPULATION WITHIN</b>			<b>02 DISTANCE TO NEAREST POPULATION</b>
ONE (1) MILE OF SITE A. 10182 <small>NO. OF PERSONS</small>	TWO (2) MILES OF SITE B. 40728 <small>NO. OF PERSONS</small>	THREE (3) MILES OF SITE C. 91637 <small>NO. OF PERSONS</small>	Adjacent (mi)

<b>03 NUMBER OF BUILDINGS WITHIN TWO (2) MILES OF SITE</b>	<b>04 DISTANCE TO NEAREST OFF-SITE BUILDING</b> Adjacent (mi)
--	--

**05 POPULATION WITHIN VICINITY OF SITE** (Provide narrative description of nature of population within vicinity of site, e.g., rural, village, densely populated urban area)

- Site is located in a mixed industrial/commercial area.
- 310739 people are known to be using groundwater, drawing from wells located within a 3-mile radius.



POTENTIAL HAZARDOUS WASTE SITE  
 SITE INSPECTION REPORT  
 PART 5 - WATER, DEMOGRAPHIC, AND ENVIRONMENTAL DATA

I. IDENTIFICATION  
 D1 STATE NYD D2 SITE NUMBER 037056132

VI. ENVIRONMENTAL INFORMATION

D1 PERMEABILITY OF UNSATURATED ZONE (Check one)

A.  $10^{-8} - 10^{-6}$  cm/sec  B.  $10^{-4} - 10^{-6}$  cm/sec  C.  $10^{-4} - 10^{-3}$  cm/sec  D. GREATER THAN  $10^{-3}$  cm/sec

D2 PERMEABILITY OF BEDROCK (Check one)

A. IMPERMEABLE (Less than  $10^{-8}$  cm/sec)  B. RELATIVELY IMPERMEABLE ( $10^{-4} - 10^{-8}$  cm/sec)  C. RELATIVELY PERMEABLE ( $10^{-2} - 10^{-4}$  cm/sec)  D. VERY PERMEABLE (Greater than  $10^{-2}$  cm/sec)

D3 DEPTH TO BEDROCK

1,200 (ft)

D4 DEPTH OF CONTAMINATED SOIL ZONE

(ft)

D5 SOIL pH

D6 NET PRECIPITATION

4.6 (in)

D7 ONE YEAR 24 HOUR RAINFALL

3.0 (in)

D8 SLOPE  
 SITE SLOPE  
 0.0 %

DIRECTION OF SITE SLOPE

TERRAIN AVERAGE SLOPE  
 1.0 %

D9 FLOOD POTENTIAL

SITE IS IN --- YEAR FLOODPLAIN

10

SITE IS ON BARRIER ISLAND, COASTAL HIGH HAZARD AREA, RIVERINE FLOODWAY

E1 DISTANCE TO WETLANDS (5 acre minimum)

ESTUARINE

A. 3 (mi)

OTHER

B. 6 (mi)

E2 DISTANCE TO CRITICAL HABITAT (per endangered species)

None (mi)

ENDANGERED SPECIES:

F1 LAND USE IN VICINITY

DISTANCE TO:

COMMERCIAL/INDUSTRIAL

RESIDENTIAL AREAS NATIONAL/STATE PARKS,  
 FORESTS, OR WILDLIFE RESERVES

AGRICULTURAL LANDS  
 PRIME AG LAND AG LAND

A. Adjacent (mi)

B. 1300ft (mi)

C. >2.0 (mi)

D. >1.0 (mi)

F2 DESCRIPTION OF SITE IN RELATION TO SURROUNDING TOPOGRAPHY

Site is located on an outwash plain which slopes gently to the south.

VII. SOURCES OF INFORMATION (Cite specific references, e.g., State files, sample analysis, reports)

Gibbs & Hill site reconnaissance  
 USGS map, Amityville Quad  
 EPA, HWS Ranking System-Manual



POTENTIAL HAZARDOUS WASTE SITE  
SITE INSPECTION REPORT  
PART 6 - SAMPLE AND FIELD INFORMATION

I IDENTIFICATION

01 STATE 02 SITE NUMBER  
NYD . 37056132

II. SAMPLES TAKEN

SAMPLE TYPE	01 NUMBER OF SAMPLES TAKEN	02 SAMPLES SENT TO	03 ESTIMATED DATE RESULTS AVAILABLE
GROUNDWATER	5	H2M Lab	Available
SURFACE WATER	3	H2M Lab	Available
WASTE			
AIR			
RUNOFF			
SPILL			
SOIL	6	H2M Lab	Available
VEGETATION			
OTHER Sediment	3	H2M Lab	

III. FIELD MEASUREMENTS TAKEN

01 TYPE	02 COMMENTS
Temperature	Groundwater
pH	Groundwater
Conductivity	Groundwater
Air monitoring instruments	PID, OVA, and explosimeter used to monitor presence of OV in the ambient air. No readings above background in the breathing zone.

IV. PHOTOGRAPHS AND MAPS

01 TYPE <input type="checkbox"/> GROUND <input type="checkbox"/> AERIAL	02 IN CUSTODY OF _____ <small>(Name of organization or individual)</small>
03 MAPS <input checked="" type="checkbox"/> YES <input type="checkbox"/> NO	04 LOCATION OF MAPS Gibbs & Hill

V. OTHER FIELD DATA COLLECTED (Provide narrative description)

VI. SOURCES OF INFORMATION (Cite specific references, e.g., State Reg. Bureau analyses, reports)

Gibbs & Hill drilling and sampling logs



**POTENTIAL HAZARDOUS WASTE SITE  
SITE INSPECTION REPORT  
PART 7 - OWNER INFORMATION**

I. IDENTIFICATION	
01 STATE NYD	02 SITE NUMBER 037056132

<b>II. CURRENT OWNER(S)</b>					<b>PARENT COMPANY (if applicable)</b>				
01 NAME Little Joseph Realty			02 D+B NUMBER		08 NAME			09 D+B NUMBER	
03 STREET ADDRESS (P.O. Box, RFD #, etc.) 1637 Broad Hollow Road			04 SIC CODE		10 STREET ADDRESS (P.O. Box, RFD #, etc.)			11 SIC CODE	
05 CITY Farmingdale		06 STATE NY	07 ZIP CODE 11735		12 CITY		13 STATE	14 ZIP CODE	
01 NAME			02 D+B NUMBER		08 NAME			09 D+B NUMBER	
03 STREET ADDRESS (P.O. Box, RFD #, etc.)			04 SIC CODE		10 STREET ADDRESS (P.O. Box, RFD #, etc.)			11 SIC CODE	
05 CITY		06 STATE	07 ZIP CODE		12 CITY		13 STATE	14 ZIP CODE	
01 NAME			02 D+B NUMBER		08 NAME			09 D+B NUMBER	
03 STREET ADDRESS (P.O. Box, RFD #, etc.)			04 SIC CODE		10 STREET ADDRESS (P.O. Box, RFD #, etc.)			11 SIC CODE	
05 CITY		06 STATE	07 ZIP CODE		12 CITY		13 STATE	14 ZIP CODE	
01 NAME			02 D+B NUMBER		08 NAME			09 D+B NUMBER	
03 STREET ADDRESS (P.O. Box, RFD #, etc.)			04 SIC CODE		10 STREET ADDRESS (P.O. Box, RFD #, etc.)			11 SIC CODE	
05 CITY		06 STATE	07 ZIP CODE		12 CITY		13 STATE	14 ZIP CODE	
<b>III. PREVIOUS OWNER(S) (Last most recent first)</b>					<b>IV. REALTY OWNER(S) (if applicable, list most recent first)</b>				
01 NAME Joseph Picone			02 D+B NUMBER		01 NAME			02 D+B NUMBER	
03 STREET ADDRESS (P.O. Box, RFD #, etc.) 1637 Broad Hollow Road			04 SIC CODE		03 STREET ADDRESS (P.O. Box, RFD #, etc.)			04 SIC CODE	
05 CITY Farmingdale		06 STATE NY	07 ZIP CODE 11735		05 CITY		06 STATE	07 ZIP CODE	
01 NAME			02 D+B NUMBER		01 NAME			02 D+B NUMBER	
03 STREET ADDRESS (P.O. Box, RFD #, etc.)			04 SIC CODE		03 STREET ADDRESS (P.O. Box, RFD #, etc.)			04 SIC CODE	
05 CITY		06 STATE	07 ZIP CODE		05 CITY		06 STATE	07 ZIP CODE	
01 NAME			02 D+B NUMBER		01 NAME			02 D+B NUMBER	
03 STREET ADDRESS (P.O. Box, RFD #, etc.)			04 SIC CODE		03 STREET ADDRESS (P.O. Box, RFD #, etc.)			04 SIC CODE	
05 CITY		06 STATE	07 ZIP CODE		05 CITY		06 STATE	07 ZIP CODE	
<b>V. SOURCES OF INFORMATION (Cite specific references, e.g., state files, aerial photos, reports)</b>									
<p>NYSDEC files Gibbs &amp; Hill site reconnaissance</p>									



POTENTIAL HAZARDOUS WASTE SITE  
SITE INSPECTION REPORT  
PART 8 - OPERATOR INFORMATION

I. IDENTIFICATION  
01 STATE 02 SITE NUMBER  
NYD 037056132

II. CURRENT OPERATOR <small>(Provide if different from owner)</small>				OPERATOR'S PARENT COMPANY <small>(if applicable)</small>			
01 NAME None		02 D+B NUMBER		10 NAME		11 D+B NUMBER	
03 STREET ADDRESS <small>(P.O. Box, RFD #, etc.)</small>			04 SIC CODE	12 STREET ADDRESS <small>(P.O. Box, RFD #, etc.)</small>			13 SIC CODE
05 CITY		06 STATE	07 ZIP CODE	14 CITY		15 STATE	16 ZIP CODE
08 YEARS OF OPERATION		09 NAME OF OWNER					
III. PREVIOUS OPERATOR(S) <small>(List most recent first, provide only if different from owner)</small>				PREVIOUS OPERATORS' PARENT COMPANIES <small>(if applicable)</small>			
01 NAME George Lawrence		02 D+B NUMBER		10 NAME		11 D+B NUMBER	
03 STREET ADDRESS <small>(P.O. Box, RFD #, etc.)</small> 1 Shore Road			04 SIC CODE	12 STREET ADDRESS <small>(P.O. Box, RFD #, etc.)</small>			13 SIC CODE
05 CITY Glenwood Landing		06 STATE NY	07 ZIP CODE 11747	14 CITY		15 STATE	16 ZIP CODE
08 YEARS OF OPERATION 3		09 NAME OF OWNER DURING THIS PERIOD Joseph Picone					
01 NAME		02 D+B NUMBER		10 NAME		11 D+B NUMBER	
03 STREET ADDRESS <small>(P.O. Box, RFD #, etc.)</small>			04 SIC CODE	12 STREET ADDRESS <small>(P.O. Box, RFD #, etc.)</small>			13 SIC CODE
05 CITY		06 STATE	07 ZIP CODE	14 CITY		15 STATE	16 ZIP CODE
08 YEARS OF OPERATION		09 NAME OF OWNER DURING THIS PERIOD					
01 NAME		02 D+B NUMBER		10 NAME		11 D+B NUMBER	
03 STREET ADDRESS <small>(P.O. Box, RFD #, etc.)</small>			04 SIC CODE	12 STREET ADDRESS <small>(P.O. Box, RFD #, etc.)</small>			13 SIC CODE
05 CITY		06 STATE	07 ZIP CODE	14 CITY		15 STATE	16 ZIP CODE
08 YEARS OF OPERATION		09 NAME OF OWNER DURING THIS PERIOD					

IV. SOURCES OF INFORMATION (Cite specific references, e.g., state files, sample analysis, reports)

Gibbs & Hill site reconnaissance  
NYSDEC files



POTENTIAL HAZARDOUS WASTE SITE  
SITE INSPECTION REPORT  
PART 9 - GENERATOR/TRANSPORTER INFORMATION

L IDENTIFICATION

01 STATE 02 SITE NUMBER  
NYD 037056132

II. ON-SITE GENERATOR

01 NAME	02 D+B NUMBER		
03 STREET ADDRESS (P.O. Box, RFD #, etc.)	04 SIC CODE		
05 CITY	06 STATE	07 ZIP CODE	

III. OFF-SITE GENERATOR(S)

01 NAME	02 D+B NUMBER	01 NAME	02 D+B NUMBER		
03 STREET ADDRESS (P.O. Box, RFD #, etc.)	04 SIC CODE	03 STREET ADDRESS (P.O. Box, RFD #, etc.)	04 SIC CODE		
05 CITY	06 STATE	07 ZIP CODE	05 CITY	06 STATE	07 ZIP CODE
01 NAME	02 D+B NUMBER	01 NAME	02 D+B NUMBER		
03 STREET ADDRESS (P.O. Box, RFD #, etc.)	04 SIC CODE	03 STREET ADDRESS (P.O. Box, RFD #, etc.)	04 SIC CODE		
05 CITY	06 STATE	07 ZIP CODE	05 CITY	06 STATE	07 ZIP CODE

IV. TRANSPORTER(S)

01 NAME	02 D+B NUMBER	01 NAME	02 D+B NUMBER		
03 STREET ADDRESS (P.O. Box, RFD #, etc.)	04 SIC CODE	03 STREET ADDRESS (P.O. Box, RFD #, etc.)	04 SIC CODE		
05 CITY	06 STATE	07 ZIP CODE	05 CITY	06 STATE	07 ZIP CODE
01 NAME	02 D+B NUMBER	01 NAME	02 D+B NUMBER		
03 STREET ADDRESS (P.O. Box, RFD #, etc.)	04 SIC CODE	03 STREET ADDRESS (P.O. Box, RFD #, etc.)	04 SIC CODE		
05 CITY	06 STATE	07 ZIP CODE	05 CITY	06 STATE	07 ZIP CODE

V. SOURCES OF INFORMATION (Give specific references, e.g., State files, sample analysis, reports)



POTENTIAL HAZARDOUS WASTE SITE  
SITE INSPECTION REPORT  
PART 10 - PAST RESPONSE ACTIVITIES

I IDENTIFICATION  
01 STATE 02 SITE NUMBER  
NYD 037056132

E. PAST RESPONSE ACTIVITIES

01  A. WATER SUPPLY CLOSED  
04 DESCRIPTION

02 DATE \_\_\_\_\_

03 AGENCY \_\_\_\_\_

No documentation of any action found

01  B. TEMPORARY WATER SUPPLY PROVIDED  
04 DESCRIPTION

02 DATE \_\_\_\_\_

03 AGENCY \_\_\_\_\_

No documentation of any action found

01  C. PERMANENT WATER SUPPLY PROVIDED  
04 DESCRIPTION

02 DATE \_\_\_\_\_

03 AGENCY \_\_\_\_\_

No documentation of any action found

01  D. SPILLED MATERIAL REMOVED  
04 DESCRIPTION

02 DATE \_\_\_\_\_

03 AGENCY \_\_\_\_\_

HWD allegedly removed all wastes from the site in 1982

01  E. CONTAMINATED SOIL REMOVED  
04 DESCRIPTION

02 DATE \_\_\_\_\_

03 AGENCY \_\_\_\_\_

No documentation of any action found

01  F. WASTE REPACKAGED  
04 DESCRIPTION

02 DATE \_\_\_\_\_

03 AGENCY \_\_\_\_\_

No documentation of any action found

01  G. WASTE DISPOSED ELSEWHERE  
04 DESCRIPTION

02 DATE \_\_\_\_\_

03 AGENCY \_\_\_\_\_

HWD allegedly removed all wastes from the site and disposed of wastes elsewhere.

01  H. ON SITE BURIAL  
04 DESCRIPTION

02 DATE \_\_\_\_\_

03 AGENCY \_\_\_\_\_

No documentation of any action found

01  I. IN SITU CHEMICAL TREATMENT  
04 DESCRIPTION

02 DATE \_\_\_\_\_

03 AGENCY \_\_\_\_\_

No documentation of any action found

01  J. IN SITU BIOLOGICAL TREATMENT  
04 DESCRIPTION

02 DATE \_\_\_\_\_

03 AGENCY \_\_\_\_\_

No documentation of any action found

01  K. IN SITU PHYSICAL TREATMENT  
04 DESCRIPTION

02 DATE \_\_\_\_\_

03 AGENCY \_\_\_\_\_

No documentation of any action found

01  L. ENCAPSULATION  
04 DESCRIPTION

02 DATE \_\_\_\_\_

03 AGENCY \_\_\_\_\_

No documentation of any action found

01  M. EMERGENCY WASTE TREATMENT  
04 DESCRIPTION

02 DATE \_\_\_\_\_

03 AGENCY \_\_\_\_\_

No documentation of any action found

01  N. CUTOFF WALLS  
04 DESCRIPTION

02 DATE \_\_\_\_\_

03 AGENCY \_\_\_\_\_

No documentation of any action found

01  O. EMERGENCY DIKING/SURFACE WATER DIVERSION  
04 DESCRIPTION

02 DATE \_\_\_\_\_

03 AGENCY \_\_\_\_\_

No documentation of any action found

01  P. CUTOFF TRENCHES/SUMP  
04 DESCRIPTION

02 DATE \_\_\_\_\_

03 AGENCY \_\_\_\_\_

No documentation of any action found

01  Q. SUBSURFACE CUTOFF WALL  
04 DESCRIPTION

02 DATE \_\_\_\_\_

03 AGENCY \_\_\_\_\_

No documentation of any action found



POTENTIAL HAZARDOUS WASTE SITE  
SITE INSPECTION REPORT  
PART 10 - PAST RESPONSE ACTIVITIES

L IDENTIFICATION  
01 STATE 02 SITE NUMBER  
NYD 037056132

II PAST RESPONSE ACTIVITIES (Continued)

01  R. BARRIER WALLS CONSTRUCTED 02 DATE \_\_\_\_\_ 03 AGENCY \_\_\_\_\_  
04 DESCRIPTION  
No documentation of any action found

01  S. CAPPING/COVERING 02 DATE \_\_\_\_\_ 03 AGENCY \_\_\_\_\_  
04 DESCRIPTION  
No dovementation of any action found

01  T. BULK TANKAGE REPAIRED 02 DATE \_\_\_\_\_ 03 AGENCY \_\_\_\_\_  
04 DESCRIPTION  
No documentation of any action found

01  U. GROUT CURTAIN CONSTRUCTED 02 DATE \_\_\_\_\_ 03 AGENCY \_\_\_\_\_  
04 DESCRIPTION  
No documentation of any action found

01  V. BOTTOM SEALED 02 DATE \_\_\_\_\_ 03 AGENCY \_\_\_\_\_  
04 DESCRIPTION  
No documentation of any action found

01  W. GAS CONTROL 02 DATE \_\_\_\_\_ 03 AGENCY \_\_\_\_\_  
04 DESCRIPTION  
No documentation of any action found

01  X. FIRE CONTROL 02 DATE \_\_\_\_\_ 03 AGENCY \_\_\_\_\_  
04 DESCRIPTION  
No documentation of any action found

01  Y. LEACHATE TREATMENT 02 DATE \_\_\_\_\_ 03 AGENCY \_\_\_\_\_  
04 DESCRIPTION  
No documentation of any action found

01  Z. AREA EVACUATED 02 DATE \_\_\_\_\_ 03 AGENCY \_\_\_\_\_  
04 DESCRIPTION  
No documentation of any action found

01  1. ACCESS TO SITE RESTRICTED 02 DATE \_\_\_\_\_ 03 AGENCY \_\_\_\_\_  
04 DESCRIPTION  
No

01  2. POPULATION RELOCATED 02 DATE \_\_\_\_\_ 03 AGENCY \_\_\_\_\_  
04 DESCRIPTION  
No

01  3. OTHER REMEDIAL ACTIVITIES 02 DATE \_\_\_\_\_ 03 AGENCY \_\_\_\_\_  
04 DESCRIPTION

III SOURCES OF INFORMATION (Can specific references, e.g., State files, sample analyses, reports)

NYSDEC files





POTENTIAL HAZARDOUS WASTE SITE  
SITE INSPECTION REPORT  
PART 11 - ENFORCEMENT INFORMATION

L IDENTIFICATION

01 STATE	02 SITE NUMBER
NYD	037056132

II. ENFORCEMENT INFORMATION

01 PAST REGULATORY/ENFORCEMENT ACTION  YES  NO

02 DESCRIPTION OF FEDERAL, STATE, LOCAL REGULATORY/ENFORCEMENT ACTION

Facility was constructed and operated without a permit. No documentation of any federal, state, or local enforcement action found.

III. SOURCES OF INFORMATION (City specific references, e.g., memo files, records analysis, reports)

NYSDEC files

WORK PLAN UPDATE

APPENDIX A

---

Work Plan Update

Phase II Investigation

Hazardous Waste Disposal  
Site No. 152113

---

Submitted to

NYSDEC

July, 1990

---

Gibbs & Hill, Inc.

CONTENTS

	<u>PAGE</u>
I. DEC Work Plan	A-4
II. Site Reconnaissance Report	A-23
III. Site Sketch	A-27
IV. Drilling Protocols	A-29
V. Sampling Protocols	A-44
VI. Health & Safety Plan	A-49

RECEIVED JUN 16 1990

Phase II Work Plan

Hazardous Waste Disposal, I.D. No. 152113

Village of Farmingdale, Suffolk County

June, 1990

General:

Based on this work plan, a costing sheet is to be developed and attached by our consultant. The work plan and associated costs will be made part of this cost plus fixed fee contract with a limiting upset figure. Unless otherwise stated in this work plan, the work shall conform to the concepts of the Generic Work Plan -- State Superfund Program -- Phase II Investigations (Schedule 4, Exhibit 1) and Schedule 4, Exhibit 3, both of the contract document. As these latter documents are crucial to the proper field implementation of New York State Department of Environmental Conservation (NYSDEC) protocols, a copy of this work plan attached to Exhibits 1 and 3 of the contract must be taken to the field by the consultant's representative during the Phase II field activities. The representative must display, through his actions, thorough familiarity with the provisions of the work plan and exhibits. Failure by the consultant's representative to present these documents upon NYSDEC request or demonstration of inadequate knowledge of their contents are both sufficient ground for NYSDEC to halt the Phase II field operations.

Introduction:

The Hazardous Waste Disposal (HWD) site is a partly paved 1/2 acre lot located in the Village of Farmingdale, Suffolk County. The site is located in an industrial park, the site is surrounded by various commercial and industrial facilities. The site is owned by Little Joseph Realty, Farmingdale, New York. The previous tenant, Mr. George Lawrence of Glenwood Landing, New York, operated his company, HWD, at the site for a period of about three years. HWD was in the industrial waste scavenger business which included the transportation and storage of hazardous wastes. These wastes were contained in 55-gallon drums, large holding tanks and a sludge pit. A detailed industrial survey indicated that the HWD was operating an ammonium-hydroxide scrubbing process on an acid storage tank without a permit. The USEPA conducted a site inspection in September 1981 and identified 1900 55-gallon drums and a 2500-gallon acid tank on-site. Subsequently, HWD removed the above mentioned wastes. Two drywells/storm drains are located on the site. Since poor conditions (leaky drums and spills) has been reported, it is possible that runoff containing spilled wastes were collected by the onsite drywells and emptied into a nearby recharge basin or sump along with wastes from other areas of the industrial sites.

The site is characterized by a relatively flat topography. The HWD site is underlain by approximately 1300 feet of unconsolidated glacial deposits of Pleistocene age and coastal-plain deposits of continental and marine origin of late Cretaceous age. These deposits made up of gravel, sand, silt and clay are underlain by Paleozoic and/or Precambrian bedrock composed mostly of schist and gneiss. Bedrock, due to its low permeability, is considered the base of the ground-water reservoir on Long Island (Pluhowski, et.al 1964 and Jensen, et.al. 1974). The Lloyd aquifer, the Raritan clay, the Magothy aquifer and the Upper Glacial aquifer are the four hydrostratigraphic units which comprise the unconsolidated deposits overlying bedrock. The Lloyd aquifer lies directly on the bedrock surface and is the lowermost water-bearing zone in the ground-water reservoir. This deep artesian aquifer is composed of light-colored sand and gravel with lenses of clay and silty clay. The altitude of the top of the Lloyd in the area of study is approximately 900 feet below sea level (Jensen, 1974 and Pluhowski, et.al. 1964). The Raritan clay consists predominately of clay with varying amounts of silt and sand, and acts as an effective confining unit for the underlying Lloyd aquifer (Pluhowski, et.al. 1964). In the study area (within a 3-mile radius of the site) the Raritan is about 100 feet in thickness with the upper surface of the unit about 800 feet below sea level (Jensen, et.al. 1974). Situated above the Raritan clay is an upper Cretaceous unit composed of permeable lenticular deposits of sand, gravel and clay referred to as the Magothy aquifer. Below the site area the thickness of the Magothy is approximately 900 feet (Jensen, et.al. 1974). The uppermost zone of the ground-water reservoir is the Upper Glacial aquifer. This unconfined unit lies unconformably on the Magothy and consists of highly permeable upper Pleistocene deposits of sand and gravel. The lower boundary of the Upper Glacial aquifer depends on the presence of low permeable lenses of silt and clay in the Magothy aquifer. However, where the upper Magothy consists of permeable deposits, the Upper Glacial and the Magothy aquifers are considered hydraulically connected (Pluhowski, et.al. 1964).

Highly permeable outwash deposits of sand and gravel in the upper part of the principal aquifer (Upper Glacial deposits) yield as much as as 1,500 gallons per minute (gpm) with specific capacities commonly 40 to 75 gpm per foot of drawdown. Wells screened in the impermeable to highly permeable Magothy aquifer yield as much as 1,500 gpm with specific capacities ranging from 1 to 49 gpm per foot of drawdown (Pluhowski, et.al. 1964). Regional ground-water flow is south to southeast, away from the topographic and water-table high to the north. Lateral movement of groundwater within the principal aquifer in the study area will mimic the regional flow direction (Donaldson, et.al. 1979). Located within a 3-mile radius of the site are over 20 public-supply wells and numerous observation wells. These wells are screened both in the Upper Glacial and Magothy aquifers. Downgradient (direction of ground-water movement), about 1-3/4 miles southeast of the site, a pumping well (S66556) is located. Two public-supply wells (NYSDEC #20041 and 20042) are located approximately 1400 feet to the northwest (upgradient) of the site. In 1961, the depth to water recorded in both wells was 25 feet below land surface (Krulik, R.K. 1981).

Plukowski, J.J. "Hydrology of the Bablyon-Islip Area, Suffolk Co., LI, NY" USGS Water Supply Paper No. 1978 (1964)

Jensen, H.M. and Soren, J., "Hydrologic Investigations Atlas", USGS Atlas HA-501 (1974)

Krulik, R.K., "Hydrogeologic Data from selected wells & Test Holes in Suffolk Co, LI, NY, 1972-80", USGS Open-file report 81-500 (1981)

### Objectives:

The objective of this Phase II investigation is to collect essential field information required to adequately document the disposal of hazardous waste as defined by 6 NYCRR, Part 371 by direct and indirect evidence and determine whether a significant threat to human health or environment exists, to prepare final Hazard Ranking System (HRS) scores and make recommendations for future actions at the site. Specifically, this will be accomplished by a thorough geophysical investigation, drilling of test borings, installation of groundwater monitoring wells and sampling and analysis of groundwater, surface water, soil, wastes and sediments (where any or all of these media are applicable).

For the purpose of report preparation, the consultant is to compile all data available from the NY State Department of Environmental Conservation and various other agencies including the Phase I report data, which contains a record search of the data sources of various other agencies.

### Site Reconnaissance:

A site investigation was conducted by NYSDEC personnel on March 28, 1990. The purpose of the site inspection was to locate the proposed wells and sampling locations. Based on the inspection, a site sketch was prepared showing the proposed boring, wells and sampling locations (Figure 2). Careful examination of the site was made to identify possible access problems for the drilling, sampling activities, preliminary siting of groundwater monitoring wells, and tentative locations for surface water, soil, leachate or waste samples. No access problem for a drilling rig is anticipated. Exact location of all buried power lines, underground gaslines, water mains, sewer lines and storm water pipes, if any, must be obtained by the consultant from the appropriate utility and/or municipal department prior to the arrival of the drill rig and commencement of drilling.

### Field Investigation:

The project has been subdivided into specific tasks. Table 1 briefly summarizes each task. Field efforts required to complete this investigation are described as follows:

#### 1. Geophysical Survey:

The use of geophysical surveys has been established in the Bureau of Hazardous Site Control's Generic Phase II Workplan. The broad considerations are:

- a. location of buried materials
- b. determination of the presence of contaminant plumes
- c. characterization of subsurface conditions.

There are complexities involved in detecting contaminants at a given site and the Bureau's staff should determine if a geophysical survey is needed. Where a survey is needed, the consultant must determine the best geophysical method for meeting the goals of the investigation, and submit a workplan for the Bureau's review.

Generally, the goals of a geophysical survey are:

- to determine existence of contaminant plumes
- to optimize location and number of monitoring wells
- to reduce risks associated with drilling into unknown terrain and waste
- to reduce overall project time and cost, and to improve accuracy of and confidence in the project
- to determine the thickness of and depth to layers of soil and rock
- to determine the depth to water table
- to determine the existence of buried waste and its vertical and horizontal boundaries
- to determine of lateral and vertical anomalies
- to determine direction of groundwater flow

If geophysics is to be performed at the site, the exact method must be specified by the consultant and a workplan prepared by the consultant and submitted to NYSDEC for review. At this site, NYSDEC does not recommend a geophysical survey, but recommends that proposed well locations be screened with magnetometer.

2. Soil gas survey: Due to the size of the site, nature of operation and number of soil borings and monitoring wells planned, it is determined that soil gas survey is not needed for this site.
3. Test Boring and Well Installation:

Monitoring wells will be installed to provide data pertinent to both water chemistry and characterization of the stratigraphy and groundwater regime at the site. It is anticipated that four two-inch diameter monitoring wells will be installed at the approximate locations shown in Figure 2. In addition, five on-site test borings will be done up to a depth of 10 feet at the suspected disposal area and five soil samples will be collected for a chemical analysis at a depth of 10 feet or at a point of visible soil contamination, whichever is reached first.

Based on what is presently known, it appears that the test borings and wells will be completed in overburden. It is anticipated that a 6-1/4" I.D. hollow stem auger will be used in the unconsolidated material.

A PID (Photoionization detector, e.g. an HNu), an explosimeter to measure lower explosive level and oxygen level, and a dosimeter must be used during all boring activity. A magnetometer must be used to screen for metallic objects at each boring location.



Bolt-on centralizers, one per well, with stainless steel bolts must be used at the base of each screen. This should aid in obtaining plumb alignment for the wells and assure that the sand pack is of uniform radial thickness.

All drill cuttings should be drummed and disposed appropriately.

Installation of the bentonite seal above the groundwater table during monitoring well construction shall be done in accordance with the following. After installation of the filter pack, a slurry of bentonite powder and water mixed to the consistency of pudding (approximately 5 lbs. bentonite powder per 4 gallons of water) shall be pumped into the working space of the well with side discharge tremie pipe. The working space of the well is defined as the space between the outside diameter of the riser pipe and the inside diameter of the casing or augers. A quantity of slurry sufficient to fill the annular space of the boring to one foot above the filter pack is needed. Bentonite pellets should then be added to complete the seal to two feet above the filter pack with continuous measurements of the level. The bentonite pellets must be hydrated before adding grout. The amount of water added to hydrate the pellets and time allowed for hydration shall be determined from the manufacturers recommendations or a slow flowing stream of water should be introduced for one hour. In any event the water should be added continuously during the period of hydration. When the pellets have been given sufficient time to hydrate, a measurement of the thickness of bentonite seal should be taken. Then the grout may be pumped into the working space of the well using a side discharge tremie pipe. Periodic measurement of the grout level should be made during the addition of bentonite grout for every 10 feet rise in the grout level. Well construction should adhere to the NYSDEC protocols enumerated in Exhibit 3 of the consultant contract and also in the Phase II investigation Generic Work Plan. These protocols govern not only well installation and development, but also the proper procedures in regard to decontamination of drilling equipment, split spoon samples, and all downhole materials. The consultant will provide an experienced geologist, engineer or adequately experienced technical staff to be on-site at all times to ensure that these procedures are carried out. The well logs shall be completed by the consultant and submitted with the report. After the development of the well and during sampling, the turbidity of the water from the well shall not exceed 50 NTU's for entire water column in the well.

Each well will be developed as soon as its recovery is complete, but no sooner than 24 hours after construction is finished. The development method used should be powerful enough in pumping rate and pressure to dislodge and remove all fine particles from the

sandpack to achieve the desired low turbidity water. After the development of the well and during sampling, the turbidity of the water from the well shall not exceed 50 NTU's (Nephelometric Turbidity Units) for the entire water column in the well. If the above criteria is not met within two hours, well development must cease and the NYSDEC representative contacted to determine how to proceed. For costing purposes, allow four hours of development per well.

The consultant shall provide cost for additional work associated with performing a downhole geophysical analysis of one down gradient monitoring well location.

The goal is to screen the wells in an area of contamination (e.g. a plume) as evidenced by the downhole geophysical data. The consultant shall provide a contingency cost for additional work associated with performing this survey which will include the following. The drill rig will be set up a minimum of 5 ft. and a maximum of 10 ft. from one of the proposed downgradient monitoring well locations. A borehole will then be advanced to a maximum of 75 feet or a confining layer which ever comes first, with split spoon samples taken at 5 ft. intervals unless otherwise specified by the NYSDEC on-site representative. Two-inch threaded flush joint PVC will then be installed to the full depth of the hole, and the annular space will be pressure-grouted to the surface as the augers are removed. NYSDEC personnel will then log the hole through the PVC casing (approximately 1/2 hour). A steel protective casing with locking cap shall then be placed at the surface to secure the borehole for possible future use. Split spoon samples at the adjacent well site will not be necessary, and split spoon sampling intervals for the remaining well sites will be determined from the lithologies encountered in this trial hole. Well depth estimates given in Table 2 are in accordance with the maximum footage applied to the trial hole for downhole geophysics and thus may be overestimations. Should the downhole geophysical survey reveal nothing, the wells are to be screened so as to sample the upper 10 ft. of groundwater.

It will be the responsibility of the consultant to arrange for the appropriate drilling equipment to be present at the site. Standby time to arrange for additional equipment or a water supply will not be allowed unless caused by unexpected site conditions.

Prior to initiating drilling activities, the drilling rig, augers, split spoons, pertinent equipment, well pipe and screens will be steam cleaned. This cleaning procedure will also be used between each boring. These activities will be performed in a designated on-site decontamination area.

Throughout and after the cleaning processes, direct contact between the equipment and the ground surface will not be permitted. Clean support structures, such as wooden pallets or sawhorses, will be used for the staging of equipment. The drill rig and all equipment will be steam cleaned upon completion of the investigation and prior to leaving the site.

If the borings are not completed as wells the same day they are drilled a mechanism to safeguard their integrity must be devised. The consultant will provide NYSDEC with their plan for this contingency.

During the drilling, a photoionization detector (PID), e.g. HNu or Flame Ionization detector, e.g. OVA will be used to monitor the gases exiting the borehole. Cuttings will be contained if PID meter readings are greater than 5 ppm or the cuttings show visible evidence of contamination. The drilling operation must also be concurrently monitored with an explosimeter/oxygen meter. Soil samples will be collected using a two-inch outside diameter split-spoon sampler advanced in accordance with the standard penetration test procedure (ASTM D-1585). The split spoon sampler will be cleaned prior to each use by one of the following procedures:

- initially cleaned of all foreign matter
- sanitized with a steam cleaner
- rinsed with deionized water (if sample is to be collected for chemical analysis)

OR

- initially cleaned of all foreign matters
- washed with a detergent and water mixture
- rinsed with potable water
- rinsed with 10 percent nitric acid (only if the split spoon sampler is made of stainless steel)
- rinsed with methanol (pesticide grade)
- rinsed with hexane (pesticide grade)
- rinsed with distilled water
- allowed to air dry

A photoionization detector will be used to monitor the gases from each sample as the split spoon sampler is opened. Samples for chemical analysis will be secured should the PID read 5 ppm or greater for any sample. All samples will be placed in precleaned, teflon-lined screw cap glass jars. Samples will be delivered, under chain of custody control, to the designated NYSDEC technically acceptable laboratory.

The split spoon soil samples will normally be taken at five foot intervals. The sampling device will be decontaminated by the above described procedure prior to each sample. Additional samples will be collected where major changes in lithology occur or as deemed necessary by the supervising geologist or engineer. Additional samples can also be requested by the NYSDEC onsite representative at a pre-agreed upon cost per sample basis. A grainsize analysis for non-cohesive materials and an Atterberg limits analysis for cohesive materials will be conducted for each separate soil unit in each well and within the screen interval. If a mixture of cohesive and non-cohesive materials is encountered, only a grain size analysis will be performed. Hydrometer analysis will also be performed on soils if twenty (20) or more percent of the sample passes the No. 200 sieve size. For costing purposes, two grain size analyses should be assumed per boring, depending upon the lithology encountered.

All drilling operations shall be documented by the consultant's on-site representative in accordance with Schedule 4, Exhibit 3, Section II, C9.

Well development will be performed using air surge, a pump, or bottom discharge bailer at each well no sooner than twenty-four (24) hours after the well grouting has been completed or after its recovery is completed (whichever is later). Care must be taken that the device used does not cause cross-contamination of the wells. Where air is used, the compressor must have a recently installed and effective high efficiency carbon filter. Other methods of development will be allowed only if included in the consultant's QA/QC manual and approved by the DEC.

Prior to water and sediment evacuation, static water level and well bottom measurements will be recorded at each well using an electric level sounder or chalked fibreglass or steel tape. These tools will be cleaned prior to and after each use with a steam cleaner or wash procedure as outlined for the split spoons. The well water/sediment volume will also be calculated. Well evacuation will be supplemented by:

- Temperature, pH, and specific conductance measurements
- Evacuation volume measurements
- Measure of water clarity (goal of 50 NTU's) and visual observation of color
- Visual identification of the physical characteristics of removed sediments

The development process will continue until a stabilization of pH, specific conductance, temperature, and clarity of the discharge is achieved. Water levels will be recorded at the completion of development. If a Department representative is not present when the measurements are taken, a signed statement will be provided to the Department that the turbidity was equal to or less than 50 Nephelometric Turbidity Units (NTU) for each well immediately after development.

Permeability testing of the newly installed monitoring wells will be conducted following development. Initial static water level measurements will be made in each well followed by the introduction of a weighted slug of specific volume. An instantaneous head displacement associated with the slug volume will be created and the subsequent decline in water level will be measured with an electronic water level sounder. Once head conditions reach a static state, the slug will be removed and a negative head condition will result relative to the initial state water level. The subsequent rise in water level will be measured with an electronic water level sounder. Data analysis will involve the determination of the coefficient of permeability.

The testing will provide data to be used in the final HRS scoring. This data will be useful in estimating the rate of groundwater flow in the vicinity of the monitoring wells and in evaluating potential migration pathways, potential targets and conceptual remedial activities.

A temporary staff gauge or other surface water elevation measuring device will be established on any nearby surface water body, if any, which may significantly influence groundwater movement. The surface elevation of these water bodies will be checked whenever groundwater elevations are measured.

#### Surveying and Mapping:

To facilitate accurate water level measurements, a licensed professional land surveyor will be used to establish the locations and elevations of each of the monitoring wells as follows:

- Vertical Control: Elevation measurements will be made to the top of the well casing to the nearest 0.01 foot and the ground surface adjacent to the well to the nearest 0.01 foot. Preliminary measurements will also be made when necessary to assist in placement of downgradient wells. Elevation will be determined relative to a USGS benchmark, or to a permanent immovable site-specific datum if a bench mark is not available within 200 ft.

- Horizontal Control: Wells will be located by ties (location and distance) to at least two nearby permanent objects. The distance between wells will be measured to a foot accuracy. All superficial sampling points and significant site features must be shown on the final site map. USGS benchmarks will be used whenever available. All sampling points will be surveyed to determine relative location.

#### 4. Sampling and analysis:

Four groundwater samples, four surface water samples, four sediment samples and six soil samples should be collected at the locations and depths described in Table 2. Analysis should be performed as detailed in Table 3. If the total metals concentration in the onsite soil and sediment samples are higher than twenty times the maximum concentration for characteristic of EP Toxicity for that metal then it may be necessary to run EP Tox test for that sample. So the soil samples should be preserved for future EP Tox analysis. NYSDEC should be consulted to discuss the need for EP Tox analysis once the total metals results are known.

Sampling and chemical analyses will be performed by the consultant. Field QA/QC Protocol for sample collection and for sample integrity from the field to the laboratory shall be submitted by the consultant. This includes split spoon samples for chemical analysis when it is known or observed that soils are contaminated. When sampling is requested, the consultant must follow the QA/QC and chain-of-custody protocols as referred to in the Generic Work Plan and as described in the New York State Services Protocol (ASP) September 1989.

Where determined by NYSDEC or the consultant's field representative that chemical analysis are required for soil samples from well drilling activities, the consultant must be prepared to obtain such samples for shipment to a laboratory. Pricing for this activity must be included. For costing purposes, assume one sample per well for analysis.

All samples for chemical analyses shall be delivered to the laboratory within 24 hours of their collection. Express courier service shall be used to transport the samples, unless the laboratory is close enough to the site for the consultant to make direct delivery.

Where dilution of any Phase II sample is to be done by the chemical analytical laboratory prior to analysis, NYSDEC is to be advised immediately. The concern is that a component of low concentration, but of significant environmental impact, could become so diluted that its presence in the final extract will not be detected.

During this contract, the NYSDEC chemist will discuss alternatives with the laboratory's chemist on how best to conduct the analysis. NYSDEC's chemist is Mr. John Rankin, telephone (518) 457-3252.

Although a method or extra work may be agreed upon by both chemists, clearance for any extra cost must be obtained by the consultant from the NYSDEC contract manager. Such cost will be paid from the contingency amount in the contract, and clearance must be confirmed by NYSDEC in writing.

The consultant shall provide an estimate of the cost for sub-contracting the task of reviewing the CLP QA/QC documents by an independent laboratory not involved with the Phase II investigations under this contract.

Air monitoring, consisting of a perimeter survey with a photoionization instrument such as HNU or OVA shall occur upon arrival at the site. A survey within the boundary of the site shall follow the perimeter survey. The air samples should be taken in the ambient air and in the "breathing zone," normally 4-6 feet above the ground surface. Continuous readings or individual readings at nodal points on a grid pattern throughout the site will be made. This air monitoring is separate from monitoring that is part of the health and safety plan. If a source of air contamination is identified, the air should be sampled using the appropriate equipment to determine the nature and concentration of the contaminant. Upwind air samples must also be analyzed at the same time. Wind direction must be continuously monitored and documented during any sampling and on-site analysis of air samples.

#### Health and Safety Plan

A site-specific Health and Safety Plan must be developed and followed for each site. A copy of the Health and Safety Plan shall be submitted to NYSDEC.

Health and safety apparel and equipment are expected to be required during the major field activities - initial site investigation, geophysical study, drilling and monitoring well installation, and sampling. For the purpose of costing the investigation, Level D protection is assumed with Level C as back up. The health and safety precautions and procedures will conform to the consultant's generalized Health and Safety Plan. Should protective levels higher than Level D be required for any activity, the consultant shall prepare a site-specific health and safety plan appropriate for the level of protection required.

### Report Preparation

Report preparation will involve analysis of the data as well as preparation of the text. Included in this task are the compilation and organization of the data, editing of boring logs, reduction of hydrologic data, preparation of graphical representations, analysis, and calculations, and updating the HRS score for the site. The report shall follow the format detailed in the Generic Phase II Work Plan. Four copies of the draft report shall be submitted. A revised draft will be submitted to the NYSDEC within five weeks of the receipt of the Department's comments on the draft report. Fourteen copies of the final report will be submitted once the revised report is considered acceptable. Draft and final reports must bear the stamp of a professional engineer in accordance with Article 49.

### Quality Assurance/Quality Control

The QA requirements for the Phase II investigation must be addressed. Sample control forms attached to the contract amendment as Exhibit 1 must be supplied to the analytical laboratory for completion and inclusion with the data package. The Quality Assurance/Quality Control Plan will be submitted as a separate document.



Table 1  
Phase II Work Plan - Task Description  
Hazardous Waste Disposal, I.D. No. 152113

<u>Tasks</u>	<u>Description</u>
Task	
II-A Prepare and update work plan	Will be done by NYSDEC
II-B Conduct records search/data compilation	Review all available information.
II-C Site reconnaissance	Collaborate NYSDEC information regarding locations of proposed monitoring wells and test borings, terrain for accessibility by drill rigs, suitability for geophysical surveys and appropriate locations of sampling points.
II-D Conduct geophysical studies	Based on the study (where applicable) revise the location of monitoring wells, if needed which shall be approved by NYSDEC.
II-E Soil Gas Survey	Conduct soil gas analysis (when specified in the text). Based on the soil gas and geophysical studies, revise the location of monitoring wells and test borings, if needed, for approval by NYSDEC.
II-F 1. Install monitoring wells	Install four wells. Wells will be constructed of two-inch PVC pipe.
2. Soil samples during drilling	During drilling, soil samples collected at five-foot intervals, and at changes in lithologies. Perform grain size analysis and Atterberg limits. Where determined by NYSDEC or the consultant's field representative that chemical analyses are required for soil samples from well drilling activities, collect soil sample for chemical analyses. For costing purpose, assume one

analyses per well. In addition, five soil samples from five borings at the suspected disposal area should be collected at an approximate depth of 10 feet or at a point of visible soil contamination, whichever is reached first.

II-G Surveying

Surveying of the site including monitoring well locations will be done in accordance with Section C.10 of Exhibit 3.

II-H Perform sampling and analysis

Refer to Table 3 and "Sampling and Analysis".

ASP QA/QC documentation

To be reviewed by a sub-contracting laboratory not involved with this contract.

II-I Report preparation

A site contamination assessment will be conducted to complete the final HRS and HRS documentation records.

Prepare final reports containing significant Phase I information, additional field data, final HRS and HRS documentation records and site assessments.

II-J Project Management

Project coordination, administration and reporting.

Table 2

Phase II Work Plan - Sampling Summaries

Hazardous Waste Disposal, Site I.D. No. 152113

<u>Designation</u>	<u>Location</u>	<u>Aquifer Screened</u>	<u>Approximate Boring Depth (ft.)</u>
<u>Groundwater</u>			
MW-1	Upgradient	Overburden	75+ (or as determined by
MW-2	Downgradient	Overburden	75+ downhole geophysical
			survey)
MW-3	Downgradient	Overburden	75+
MW-4	Downgradient	Overburden	75+

Surface Water

SW-1	As shown on site map	(Figure 2.)
SW-2	As shown on site map	(Figure 2.)
SW-3	As shown on site map	(Figure 2.)
SW-4	As shown on site map	(Figure 2.)

Sediment

SD-1	Shown on site map	(Figure 2.)
SD-2	Shown on site map	(Figure 2.)
SD-3	Shown on site map	(Figure 2.)
SD-4	Shown on site map	(Figure 2.)

Well Borings

As determined by field conditions/PID screening.

On Site Borings

B1	As shown on site map	(Fig. 2) 10±
B2	As shown on site map	(Fig. 2) 10±
B3	As shown on site map	(Fig. 2) 10±
B4	As shown on site map	(Fig. 2) 10±
B5	As shown on site map	(Fig. 2) 10±
B6	Background sample	(Fig. 2) 2±

Air

As per section 4 of the Work Plan.

---

NOTE: Locations, aquifer screened, approximate boring depth listed are based on existing data. These criteria may change based on the results of the geophysical surveys and/or field conditions.

Table 3

Analyses - Hazardous Waste Disposal, I.D. #152113

	Type of Analysis <sup>(1)</sup>						
	TCL (2) Metals	TCL(2) Volatiles	TCL (4) Semi- Volatiles	TCL (5) Pesticides/ PCBs	EP TOX	REACT- IVITY	Mat/Spike Dup. <sup>(6)</sup>
Groundwater <sup>(7)</sup>	5	5	5	5	--	--	1/1
Surface Water	4	4	4	4	--	--	1/1
Sediment	4	4	4	4	--	--	1/1
Soil (well borings)	4	4	4	4	--	--	---
Soil (borings)	5	5	5	5	5*	5*	1/1
Field Blank	1	1	1	1	--	--	---
Trip Blank	---	1	---	---	--	--	---
Background Soil	1	1	1	1	--	--	---

- (1) Complete identification per NYSDEC Generic Work Plan, Section 3(b)(ii)(B). Field pH, conductivity temperature measurements will be conducted on all water samples. Also, pH, specific conductance, Chemical Oxygen Demand (COD), Total Dissolved Solids (TDS), and Total Suspended Solids (TSS) measurements will be made at the laboratory for all water samples.
- (2) TCL (Target Compound List, formerly known as Hazardous Substances List) Inorganics - preparation and analysis of the 15 Task 1 and 9 Task 2 inorganic compounds using the specified ASP methods.
- (3) TCL Volatiles - Preparation and analysis using the ASP specified GC/MS method for TCL purgeable organics plus a library search for and the quantification of any additional non-TCL compounds (the ASP requires the library search only for the 10 non-TCL compounds of largest apparent concentration).


- (4) TCL Semi-Volatiles - Preparation and Analysis using the ASP specified GC/MS method for TCL Extractable Base/Neutral and Acid Organic compounds plus a library search for and the quantification of any additional non-TCL compounds (the ASP requires the library search only for the 20 non-TCL compounds of largest apparent concentration).
- (5) TCL Pesticides/PCBs - Preparation and pre-extraction of the TCL organochloride pesticides and polychlorinated biphenyls using the ASP specified GC-ECD method.
- (6) Superfund and Analytical Services Protocol, September 1989, requires at least one spiked sample analysis and one duplicate sample analysis from each group of samples of a similar matrix type for each case of samples or for each 20 samples received, whichever is more frequent.
- (7) A duplicate groundwater sample must be obtained from a monitoring well chosen at random (or some other medium if wells are not available). That duplicate sample must not be identified as a duplicate to the laboratory, but must be assigned an identifier similar to other groundwater samples.

The Bureau requires the blind analysis of a duplicate sample for each site by the laboratory, to confirm the integrity of all sampling and analytical activities.

- (8) Where applicable samples will also be analyzed for EP (Toxicity), corrosivity (pH); ignitability and reactivity to determine whether they are characteristic hazardous waste.

--- Designates that samples are not to be analyzed for that parameter.

\* Analysis will be done for the soil sample collected from the on site borings.



**SITE**  
152113

Site Coordinates:  
Latitude: 73° 25' 13"  
Longitude: 40° 44' 43"

TITLE		
<b>LOCATION OF HAZARDOUS WASTE DISPOSAL SITE</b>		
PREPARED FOR		
N.Y.S.D.E.C.		
<b>ROUX</b>	Consulting Ground-water Geologists	SCALE
	<b>ROUX ASSOCIATES INC</b>	1" = 2000'
	DATE	FIGURE
	8/87	1

Reference: USGS 7.5 Minute Series  
Topographic Map Amityville  
Quad 1969 Huntington Quad. 1978

A-22




FIGURE-2  
 HAZARDOUS WASTE  
 DISPOSAL  
 FARMINGDALE, NY  
 SITE I.D.# 152113

LEGEND

BG - BACKGROUND

B1 - B5

SD - SW - DRY WELL

MW - MONITORING WELL

II. SITE RECONNAISSANCE REPORT



SITE RECONNAISSANCE REPORT: HAZARDOUS WASTE DISPOSAL

DATE: May 31, 1990

PRESENT: Christopher Grande Geologist (G&H)  
Alexsandar Kostic Engineer (G&H)

OWNER: Mr. Joseph Picone Jr.  
Little Joseph Realty  
1637 Broad Hollow Road  
Farmingdale, NY 11735  
516/249-3400

Contact Person(s):

Mr. Victor Emanuelo Attorney  
Little Joseph Realty  
1637 Broad Hollow Road  
Farmingdale, NY 11735  
(516) 249-3400

Mr. Joseph Picone Jr.  
Little Joseph Realty  
1637 Borad Hollow Road  
Farmingdale, NY 11735  
516/249-3400

Directions to Site

Take LIE to Exit 49S, Rt. 110 South  
Proceed to Hempstead Turnpike and make a U-turn.  
Head North 1 block and make a right at Picone  
Boulevard.  
Continue to the end of road, site is on left side.

Adjoining Site Owners

N/A

Site Changes Since DEC Site Reconnaissance

None.

Recommended Relocation of Monitoring Well(s)

MW-1            No Change  
MW-4            Recommended relocation of MW-4  
                 northward. See site sketch.

Based on a telephone conversation with Mr. Dave Obrig, SCDHS, the discharge basin north of the site is a suspected area of contamination. Well MW-4 has been located to intercept the groundwater exiting the discharge basin area. Based on the topography and regional groundwater flow patterns, local groundwater flow is expected to be south-southeast.

MW-2            No Change  
MW-3            No Change

Recommended Relocation of Soil Samples

B-1 through B-6: No Change

Note: Borings are located in a concrete paved area. Concrete must be broken in order to perform sampling.

Recommended Relocation of Sampling

SW-1/SD-1      No Change  
SW-2/SD-2      No Change  
SW-3/SD-3      No Change  
SW-4/SD-4      No Change

No water observed in dry wells. If water is present in wells during time of sampling, then samples SW-3 and SW-4 will be taken.

Drilling Rig Access to Well Locations

Drilling rig can access all well locations by Picone Boulevard and Sherwood Avenue.

Usable Potable Water Source

There is a hydrant located next to the site on Picone Boulevard. In order to use this hydrant, a permit must be acquired from East Farmingdale Water District.

On the day drilling commences, a \$25.00 check must be hand-delivered and made out to the aforementioned district. Other items which must be presented to the Water District are as follows:

A reduced pressure valve

A current test taken on a pressure valve.

The water district is located two blocks north of the site on Gazza Boulevard.

Contact            John Ferrari  
Person:            East Farmingdale Water District  
                     72 Gazza Boulevard  
                     East Farmingdale, NY 11735  
                     516/249-4211

#### Placement of Drilled Cuttings

It is not recommended that well cuttings and water from monitoring well installation and development be drummed.

#### Changes to Site Sketch

Addition of telephone and electrical lines and buildings.

#### Survey with H&S Monitoring Instruments

No meter readings above background level recorded.

#### Magnetometer Survey

Results of survey were inconclusive due to the presence of stored metal materials, trucks and presumed metal reinforced concrete pavement.

#### Other Relevant Information

Owner is not cooperative.

III. SITE SKETCH

To Rt 110 ←









SHARWOOD AVE

**LEGEND**

- B<sub>6</sub> - BACK GROUND
  - - BORING
  - ▽ - SURFACE WATER / SEDIMENT
  - ⊙ - MONITORING WELL
  - X-X - FENCE
  - ≡ - TELEPHONE POLES & WIRES
  - \* - HYDRANT
- HAZARDOUS WASTE DISPOSAL**

GELCO  
AUTO & EQUIPMENT  
LEASING

RECHARGE  
BASIN



To Rt 110 ←

PICONE BLVD

A-28

IV. DRILLING PROTOCOLS

DRILLING SUMMARIES

• Well Data

<u>Well No.</u>	<u>Aquifer Screened</u>	<u>Approximate Boring Depth, ft.</u>	<u>Notes</u>
MW-1	Overburden	75+	
MW-2	Overburden	75+	
MW-3	Overburden	75+	
MW-4	Overburden	75+	

Remarks: (1) Screen Length: ft. 10

See Attachment I

• Soil Samples During Drilling

Split Spoon Sample: At 5-foot intervals from each well.

Grain Size Analysis: Two per well (see attached).

Atterberg Limits: Two per well (see attached).

• Bedrock Core Sample: \_\_\_\_\_

Drilling Cutting Samples: See attached.

• Drumming of Cuttings and Fluids: Not recommended.

## ATTACHMENT

### DRILLING SAMPLES

#### SPLIT SPOON SAMPLES

A maximum of one split spoon sample will be taken from each monitoring well for chemical analysis. The selection of each sample will be determined as follows:

1. A PID reading shall be recorded for each split spoon sample from each well. Measurements will be taken as close as possible to the sample.
2. If the PID reading of the sample is less than 5.0 units, then the sample shall be discarded in the same manner as the drilling cuttings.

If the PID reading of the sample is greater than or equal to 5.0 units, then the sample shall be placed in an appropriate container for possible chemical analysis.

3. If all samples obtained from the installation of a well have PID readings less than 5.0 units, then no sample from that well shall be submitted to the laboratory for chemical analysis.

If one sample obtained from the installation of a well has a PID reading greater than or equal to 5.0 units, then that sample from that well shall be submitted to the laboratory for chemical analysis.

If more than one sample obtained from the installation of a well has a PID reading greater than or equal to 5.0 units, then that sample from that well that had the greatest reading shall be submitted to the laboratory for chemical analysis. All other samples shall be discarded in the same manner as the drilling cuttings.

Those samples sent to the laboratory for analysis shall not be accompanied by a trip or field blank. The laboratory analysis of these samples shall not include a matrix spike or duplicate.

#### GRAIN SIZE SAMPLES

Two soil samples shall be collected from each monitoring well to be analyzed for grain size distribution and Atterberg limits (if applicable). These samples shall be taken from the last split spoon sample of each well and from a depth representative of the lithology.



NEW YORK STATE DEPARTMENT OF ENVIRONMENTAL CONSERVATION  
ROUND 5 PHASE II SITE INVESTIGATIONS

GIBBS & HILL JOB NO. 5066

MINUTES OF MEETING

DATE: April 13, 1990  
PLACE: Gibbs & Hill, New York City Office  
PRESENT: NYSDEC - John Swartwout  
Larry Alden  
(518) 457-0639  
G&H - Norman Hinsey  
Chris Grande  
Alex Kostic  
Jayesh Sanghvi  
(212) 216-7839  
ROUX - Jim Worrall  
(203) 798-6969  
AAC - Doug Harm  
Perry Refolo  
(201) 290-7800  
YEC - Ed Chen  
(914) 268-3203  
ADC - George Carabetta, Jr.  
(203) 630-1073  
GRB - Rose Barbour  
(516) 754-5231  
EMPIRE - Rich Donnelly  
(518) 783-1555  
SUBJECT: Kickoff meeting to discuss project objectives and  
clarify project procedures.

---

Mr. Hinsey described the project organization as follows:

Prime Consultant: Gibbs & Hill  
Subconsultant/Team Member: Roux Associates  
Subconsultants (M/WBE): Aguilar Associates and Consultants  
GRB Environmental Services  
YEC, Inc.  
Subcontractors: Drilling  
Associated Drilling Co., Inc.  
Empire Soils Investigations, Inc.  
Soil Gas Survey  
Layne Geosciences, Inc.  
Surveyor  
Storch Associates  
Grain Size Analysis  
Empire Soils Investigations, Inc.  
Sample Analysis  
H2M Labs, Inc.  
Data Validation  
Aquatec  
Drilling Cuttings Disposal  
Chemical Management Inc.

The M/WBE Subconsultants are free to select their own subcontractors as long as NYSDEC procedures are followed (solicit three written quotes for work less than \$10,000 and five written quotes for work greater than \$10,000). NYSDEC permits subconsultants to utilize the prime consultant subcontractors as long as the same prices and scope are maintained. Gibbs & Hill will make available to each subconsultant the subcontractor agreements for reference.

Mr. Alden made the following points concerning what NYSDEC expects to accomplish with a Phase II Investigation:

identification of hazardous wastes (RCRA defined) present at the site,

identification of contravened standards for determination of the risk to human health and the environment.

Mr. Alden also clarified the following items:

The assessment of site contamination should be made utilizing the RCRA definition of hazardous waste (the definition recognized by NYSDEC). However, the HRS score should be prepared based on the CERCLA definition of a hazardous substance (the definition recognized by EPA for scoring purposes). In most instances, contaminants fall under both definitions but several metals, notably iron and manganese, are hazardous under CERCLA but not under RCRA.

Conclusions provided in the final report for each site should indicate:

whether enough data have been collected to prepare the final HRS score, and if not, what remains to be determined,

whether contaminants are determined to be present at the site and/or are found to be migrating into the groundwater, surface water and air, and if so

whether further investigations are recommended.

The NYSDEC is responsible for determining whether the site will be delisted or reclassified. The conclusions presented in the report should not be specific concerning methods or techniques or employ terms such as RI or FS which infer a decision concerning the status of the site.

Phase I reports should not be considered infallible and any errors should be corrected in the Phase II report. The Phase I report should not be used as a reference, the original reference cited in the Phase I report should be included in the Phase II report.

The most recent maps and data should be used when preparing the Phase II report. Sources of information identified in the Phase I report should be contacted to determine if any new information has become available since the Phase I investigation was completed.

Work plans prepared by NYSDEC, that formed the basis of the cost estimates prepared for each site, should be updated and/or corrected to reflect any site changes or new information.

The cost estimates for each individual task are considered firm unless extraordinary site conditions are encountered.

The most recent allowable maximum overnight travel rates issued by the NYS Comptroller are as listed in Exhibit F of the NYSDEC-G&H contract, Schedule B of Bulletin 137A.

Concerning drilling procedures and guidelines, the following items were agreed to by the attendees:

Water used for steam cleaning and drilling activities must be obtained from a public potable water source but need not be analyzed for contamination before use.

Drilling equipment decontamination with a steam cleaner should be preceded by mechanical cleaning and washing. The NYSDEC will reimburse the driller for the time required to perform both these operations provided this time is reasonable and effectively spent.

Time required to clean equipment contaminated by the driller (i.e. hydraulic oils spills, etc.) is not a reimbursable item.

If action levels are encountered that necessitate an increase in PPE from level D, work will stop and NYSDEC will be contacted to approve any further activities. Standby time in this instance will be reimbursable to the driller.

Riser and screens must be steam cleaned prior to use regardless of the manner in which they may have been packaged.

Split spoon samplers need only be rinsed with potable water between samples collected from each well. However, these items must be steam cleaned before being used on the next well.

As long as the driller can insure that a bentonite seal can be properly placed above the sand pack without being compromised by bridging, a slurry layer of bentonite need not be placed in the well.

The present decontamination procedure, when steam cleaning is not possible or practical, approved by NYSDEC is as follows:

1. detergent wash
2. potable water rinse
3. menthanol rinse
4. hexane rinse
5. deionized water rinse
6. air dry

The recipe for cement-bentonite grout is 94 lb cement (one bag), 5 lb bentonite powder, 6 1/2 gal water.

Equipment should be decontaminated above the ground, preferably on saw horses. Clean equipment should be placed apart from the cleaning area on clean pallets. Clean equipment should be moved in such a manner as to avoid contamination (e.g. handled with clean hands or wrapped in plastic and transported in a clean truck).

Submersible centrifugal pumps are permitted for downhole development provided it can be demonstrated that the decontamination of the pump will prohibit cross contamination between wells.

## ATTACHMENT 1

The installation of monitoring wells shall adhere to the procedures of this attachment. Deviation from these procedures shall be permitted only after prior approval has been granted by the New York State Department of Environmental Conservation (NYSDEC). The provisions of NYSDEC "Division Technical/Administrative Guidance Memorandum: Phase II Investigation Oversight Guidance," (TAGM), dated May 9, 1988 and NYSDEC "Exhibit 3; Guidelines for Exploratory Boring, Monitoring Wells Installation, and Documentation of these Activities," (Exhibit 3), shall also apply to the installation of monitoring wells. In cases of conflict, this Attachment shall have precedence over the TAGM and Exhibit 3, and the TAGM shall have precedence over Exhibit 3.

### ALL WELLS AND BORINGS

1. The Engineer, during the initial site reconnaissance, determines the the owner or owner's representative of the nearest source of potable water suitable for drilling activities. The driller is responsible for contacting the appropriate person to arrange for obtaining water required during drilling. The driller is responsible for obtaining all required permits and providing all required hoses, valves and connections. Charges for permits or for water are considered reimbursable costs.
2. The Engineer, during the initial site reconnaissance, evaluates drilling rig accessibility to each well and boring location. The driller is provided with this evaluation, however the driller is solely responsible for assessing and providing equipment suitable for each location. In cases where special equipment (bulldozers, etc.) is required to provide access to drilling locations, the driller shall be responsible for obtaining this equipment. Well locations will not be changed due to inappropriate drilling equipment. Charges for special equipment are considered reimbursable costs.
3. Prior to initiating drilling activities, and between each well, all drilling and sampling equipment must be properly steam cleaned and/or dedicated (see TAGM 9.b and 13 for specific cleaning procedures). These activities shall be performed in a designated on-site decontamination areas located apart from the area where cleaned equipment is stored. Throughout and after the cleaning processes, direct contact between the equipment and the ground surface shall not be permitted and persons handling equipment shall have clean hands or clean gloves. Clean support structures, such as wooden pallets or sawhorses, shall be used for the staging of equipment. The drill rig and all equipment shall

be cleaned upon completion of the investigation and prior to leaving the site.

4. If a well cannot be completed the same day that it is drilled, a mechanism to safeguard its integrity must be devised. The driller must provide their plan for this contingency for NYSDEC approval prior to starting drilling at the site.
5. Well development shall be performed for each well with air surge, a pump, or bottom discharge bailer no sooner than 24 hours after grouting or recovery has been completed (whichever is later). Submersible pumps are not permitted. Development of the well will continue until a stabilization of pH, specific conductance, temperature and clarity (goal of less than 50 NTU) of the discharge is achieved. If, after two hours, the above criteria are not met, a NYSDEC representative must be contacted to determine how to proceed.

#### OVERBURDEN WELLS

1. A surface split spoon sample shall be obtained (0-2 feet). This, and all subsequent split spoon samples, shall be obtained in accordance with ASTM D-1585 test procedures and placed in precleaned, teflon-lined screw cap, glass jars.
2. Augers or cable tools (minimum 6 1/4-in ID) are advanced to a depth up to 50 feet below the water table (depths greater than 10 feet below the water table are possible at sites where NYSDEC performs geophysical testing on an exploratory boring). Split spoon samples shall be taken every 5 feet and at every major change in lithology. Split spoon samples from wells adjacent to Exploratory borings (see below) need not be collected except from depths where possible contamination was detected.
3. Slotted screen (5 to 15 feet; usually 10 feet) and riser are placed in the hole. Screen and riser shall be 2-in ID flush-joint threaded PVC for wells shallower than 75 feet and 4-in ID for deeper wells. One PVC well casing centralizer with stainless steel bolts shall be used on each well at the bottom of the hole. The riser shall stick up 2 feet above the ground surface and be fitted with a vented cap.
4. Sand packing shall be placed to a depth two feet above the top of the screen. Sand shall be either tremied or packed in accordance with NYSDEC 11/9/88 L.J. Alden Memorandum. Sand pack and screen size shall be determined in accordance with NYSDEC 9/16/1988 M. Chen letter.
5. A slurry of pure bentonite powder and water, mixed to the

the procedures for the installation of overburden wells. The driller may employ any method to accomplish the following:

The drill rig shall be set up a minimum of five feet and a maximum of ten feet from one of the downgradient monitoring well locations. A borehole will then be advanced to a maximum depth 50 feet below the water table or to a confining layer, whichever is shallower. Split spoon samples shall be collected at five-foot intervals and changes in lithology, unless otherwise specified by the NYSDEC on-site representative or the work plan (cleaning of the split spoon sampler and downhole equipment, tools and materials is not required). Two-inch threaded flush joint PVC shall be installed to the full depth of the hole with at least 2 1/2 feet of stick up, and the annular space will be pressure-grouted to the surface as the augers are removed. NYSDEC personnel will log the hole through the PVC riser. After being logged, a steel protective casing with locking cap shall be cemented at the surface.

#### BEDROCK WELLS

Two varieties of bedrock wells will be encountered: wells completed in bedrock formations that are either overlain by an unconsolidated layer ("overburden/bedrock") or not ("bedrock outcrop").

#### Overburden/Bedrock

1. A surface split spoon sample shall be obtained (0-2 feet). This, and all subsequent split spoon samples, shall be obtained in accordance with ASTM D-1585 test procedures and placed in precleaned, teflon-lined screw cap, glass jars.
2. Augers or cable tools (minimum 6 1/4-in ID) are advanced to refusal. Split spoon samples shall be taken every 5 feet and at every major change in lithology.
3. Successive 5-foot NX-sized cores are taken until the NYSDEC on-site representative determines that the hole has been advanced at least five feet into competent bedrock.
4. The hole is reamed out with a 6-in. roller bit and all rock chips are removed. This shall be accomplished with water-rotary techniques. Air-rotary is acceptable only with oil-free compressed air.
5. Bentonite pellets (1/4-in.) are introduced into the bottom of the hole and water added. The amount of water added to the pellets and time allowed for hydration must follow the manufacturer's recommendations. If these are not available, water shall be introduced on the pellets in a manner to

insure proper hydration (e.g. a continuous stream) for at least one hour. A 4-in. threaded-joint PVC riser with a plug is set into the wet pellets to the bottom of the hole to form at least a two foot bentonite seal. The riser shall stick up 2 feet above the ground surface and be fitted with a vented cap.


6. Bentonite-cement grout (50 lb cement, 5 lb bentonite powder, 5 gal water) shall be pumped into the working space of the well with a side-discharge tremie pipe. The top of the grout layer shall be 2 1/2 feet from ground surface.
7. A cement-gravel (1/4-in.) mix shall be used to set a 5-foot protective casing (6-in. square) into the well so that it sits 2 1/2 feet below and above the ground surface. The protective casing shall be steel and equipped with a hinged, lockable top. The top, if not an integral part of the casing, shall be welded into place. Tops that are fastened with set screws only are not permitted.
8. After the grout has been given time to set (minimum of 24 hours), NX-sized coring is advanced through the bottom of the 4-in. riser to a depth that results in 10 feet of standing water in the well (at least 10 feet of NX-sized core hole). If water-rotary methods are employed, the hole must be pumped dry every ten feet, and sufficient time allowed to determine if the water table has been reached. (Pumping equipment requirements are the same as for well development.)
9. A cement-gravel pad shall be constructed around the wellhead at least 18 inches square and 4 inches thick. The material for the pad and the cement-gravel seal shall be Portland Cement concrete consisting of a mixture of two and one-half bage of Portland Cement per cubic yard, with gravel in equal proportions by volume. Water shall be added in the amount required to obtain a slump of seven to nine inches.

#### Bedrock Outcrop

1. NX-sized coring is advanced from the ground surface until the NYSDEC on-site representative or the Engineer determines that the hole has been advanced at least five feet into competent bedrock (minimum depth of seven feet).
2. The hole is reamed out with an 8-in. roller bit and all rock chips are removed. This shall be accomplished with water-rotary techniques. Air-rotary is acceptable only with oil-free compressed air.
3. Well completion follows the same procedures as Overburden/Bedrock wells as described in items 5. through 9.




# OVERBURDEN WELL CONSTRUCTION SCHEMATIC




*Gibbs & Hill, Inc.*

# OVERBURDEN/BEDROCK WELL CONSTRUCTION SCHEMATIC



Gibbs & Hill, Inc.

# BEDROCK WELL CONSTRUCTION SCHEMATIC



*Gibbs & Hill, Inc.*

V. SAMPLING PROTOCOLS

**SITE SPECIFIC SAMPLING ORDER  
FIELD DATA SHEET**

Site Name: Hazardous Waste Disposal

Sampling Team Members:

Date:

Weather:

Temperature:

Humidity:

Precipitation:

Sample Order	SS	Remarks	
B-1	X	If the total metal concentrations in the on-site soil samples are higher than 20 times the maximum concentrations for characteristics of EP Toxicity for that metal, then it may be necessary to run an EP Toxicity test for that sample. So the soil sample should be preserved for future EP Toxicity analysis.	
B-2	X		
B-3	X		
B-4	X		10± feet with drilling rig. Exact depth based on OVA and PID readings and visual observations.
B-5	X		
B-6 Background	X		
MS/MSD From B-5	X		

A-45

**Symbols**

TP - Trip Blank    GW - Groundwater    SS - Soil    SW - Surface Water    D - Duplicate    FB - Field Blank  
SD - Sediment    L - Leachate    MS - Matrix Spike    A - Air    SG - Soil Gas

**SITE SPECIFIC SAMPLING ORDER  
FIELD DATA SHEET**

Site Name: Hazardous Waste Disposal

Sampling Team Members:

Date:

Weather:

Temperature:

Humidity:

Precipitation:

Wind Speed/Direction:

Sample Order	Type of Sample								Remarks
	GW	SW	SD	L	SS	A	SG		
SW-1		X							
SD-1			X						
SW-2		X							
MS/MSD		X							From SW-2
SD-2			X						
MS/MSD			X						From SD-2
SW-3		X							
SD-3			X						
SW-4		X							
SD-4			X						

**Symbols**

TP - Trip Blank    GW - Groundwater    SS - Soil    SW - Surface Water    D - Duplicate    FB - Field Blank  
SD - Sediment    L - Leachate    MS - Matrix Spike    A - Air    SG - Soil Gas

A-46

**SITE SPECIFIC SAMPLING ORDER  
FIELD DATA SHEET**

Site Name: Hazardous Waste Disposal      Sampling Team Members:

Date:

Weather:

Temperature:      Humidity:      Precipitation:      Wind Speed/Direction:

Sample Order	Type of Sample								Remarks
	GW	SW	SD	L	SS	A	SG		
GW-1	X								
GW-2	X								
GW-3	X								
MS/MSD	X								From MW-3
GW-4	X								
GW-5	X								Duplicate of MW-4
FB									See revised sampling procedure
Trip Blank									For volatiles only

**Symbols**

TP - Trip Blank    GW - Groundwater    SS - Soil    SW - Surface Water    D - Duplicate    FB - Field Blank  
SD - Sediment    L - Leachate    MS - Matrix Spike    A - Air    SG - Soil Gas

A-117

## REVISED SAMPLING PROCEDURES

Analyses of unfiltered groundwater samples from previous site investigations indicated concentrations of metals which suggested that sediment material had a significant impact on reported results. In order to clarify this impact, an additional sample will be collected in the field to be filtered at the laboratory and in certain instances, analyzed for TCL inorganics. The specific procedure for groundwater sampling is as follows:

- Immediately upon arrival at the site for sampling, or, if possible, the day prior to sampling, all groundwater levels will be measured and wells will be purged. Each dedicated disposable bailer will be tied off in the well above the static water level and the well secured.
- All other samples (soil, leachate, waste, surface water and sediment), if any, will be collected, and any other required site activities performed, to allow time for groundwater in purged wells to recover and for any solids to settle into the bottom of the well.
- Sampling of wells will proceed in the order in which they were purged. The first several bailers of groundwater will be obtained from the uppermost portion of standing water in the well so as to obtain the least turbid groundwater possible for samples analyzed for volatiles and inorganics.
- Volatile sample bottles will be filled first. Sample bottles for unfiltered inorganics analysis will be filled second and sample bottles for filtered inorganic analysis will be filled third. The remaining sample bottles need not be filled in any particular order.
- Filled sample bottles will be either delivered to the lab the morning after sampling by overnight mail or dropped off the same day by the consultant performing the sampling.
- The lab will filter the appropriate samples and place them in storage. The unfiltered inorganic samples will be analyzed for TCL inorganics with full CLP deliverables.
- Upon receipt and review of the results summary for the site (including TSS and TDS), the consultant will request the lab to analyze the filtered samples if sediment material may have effected the results. The lab will perform the analyses per CLP but will report the results as "informational" without CLP deliverables. These results will be sent directly to the consultant be used to assess the unfiltered sample results and will not be validated.

Field blank samples for each groundwater matrix of each site will be replaced by one blank from a disposable bailer from each lot of bailers. This "bailer blank" analysis for each lot will be reported, with full deliverables, with each appropriate site package. G&H will provide the laboratory with one bailer from each lot and the lab will produce and analyze the blanks for full TCL. The consultant collecting samples will note on all chain-of-custody forms the lot number from which the bailers were obtained.



VI. HEALTH & SAFETY PLAN

SITE SPECIFIC HEALTH AND SAFETY PLAN

A. GENERAL INFORMATION

SITE NAME: Hazardous Waste Disposal NY ID. NO.: 152113  
LOCATION: Farminqdale, Suffolk County

CONTACT (name, address, phone no.):

Victor Emanuelo, Attorney  
1637 Broad Hollow Road, Farminqdale, NY 11735  
516/249-3400

G&H's PROJECT MANAGER:

Name: Norman Hinsey  
Phone No.: (212) 216-7839

NYSDEC CONTACT:

Name: Lawrence Alden  
Phone No. (518) 457-0639

B. SITE CHARACTERISTICS

FACILITY FUNCTION: Industrial waste scavenger business  
included transportation and storage  
of hazardous waste.

PHASE I COMPLETED: YES X NO \_\_\_\_\_

A-50

STATUS: Active \_\_\_\_\_ Inactive  X  Unknown: \_\_\_\_\_

POSSIBLE CONTAMINANTS/HAZARDS:

Ammonium hydroxide, hydrochloric  
acid and other unknown hazardous  
wastes.  
\_\_\_\_\_  
\_\_\_\_\_

RECOMMENDED LEVEL OF PROTECTION: Level A \_\_\_\_\_ Level B \_\_\_\_\_  
Level C \_\_\_\_\_ Level D  X

WORKING ZONE: 20 ft around monitoring wells  
Site Secured Yes  X  No \_\_\_\_\_

SITE SPECIFIC CONCERNS: (buried lines, radioactive waste, etc.)

Possibly buried lines.  
\_\_\_\_\_  
\_\_\_\_\_

## MONITORING EQUIPMENT REQUIRED

<u>Instrument</u>	<u>Model</u>	<u>Note</u>
Photoionization Detector (PID)	HNU-PI101	1
Flame Ionization Detector (FID)	OVA-128	1
Combustible Gas Indicator (CGI)	MSA-260	3
Radiation Detector	RM 750	2

### NOTES

- 1) In the event air monitoring results in the breathing zone indicate a steady state increase of 5 units for HNu and 20 ppm for OVA above background of total organic vapor, all work activities will cease, the NYSDEC will be notified, and a joint decision will be made on the altering of the SOP.
- 2) A walkover survey with a radiation instrument (to measure gamma and beta radiation) will be conducted in the vicinity (20-foot radius) of each boring and sampling location prior to activity. In the event steady state readings indicate greater than 1.5 millirem/hr, all work activities will cease, the NYSDEC will be notified, and a joint decision will be made on the altering of the SOP.
- 3) Continue on site monitoring with extreme caution if the measurement level is 10% to 25% LEL (lower explosive limit). Withdraw from the area immediately if the level is higher than 25% LEL. Withdraw from the area when the O<sub>2</sub> level falls below 19.5%. Withdraw from the area when the O<sub>2</sub> level is higher than 25% (fire hazard potential).

Note: Explosion hazard - the gas indicator alarms at 50% LEL.

### C. GIBBS & HILL STANDARD HEALTH AND SAFETY PLAN

G&H'S STANDARD HEALTH AND SAFETY PLAN IS A PART OF THE HEALTH AND SAFETY PLAN FOR THIS PHASE II INVESTIGATION. A COPY OF THE G&H'S STANDARD HSP IS REQUIRED DURING THE FIELD ACTIVITIES.

D. EMERGENCY INFORMATION

Emergency Response Agencies:

• Hospital: Brunswick Hospital

---

Has the hospital been contacted? Yes  X  No    
Do they handle chemical accidents? Yes  X  No    
Do they have an emergency room? Yes  X  No    
General telephone: 516/789-7000  
Emergency room telephone: 516/789-7258  
Location: Amityville, NY

---

Site to hospital route: From site head South on Rt. 110.  
Go half a block South of Sunrise Highway and hospital is on  
right side.

---

Is the route map attached: Yes  X  No    
Nearest Site Phone Location: J&S Trucking across  
the street from site.  
Phone Number: 516/249-6350  
Phone Direction/Map Attached: Yes   No  X


Phone No.

• Ambulance 264-0400  
• Police 264-0400  
• Fire Department 264-0400  
• Poison Control Center 1-800-535-0525  
• CHEMTREC 1-800-424-9300  
• USCG/DOT National Response Center: 1-800-424-8802

Emergency Contact

Phone No.

• NYCDEC Project Manager: Lawrence Alden 1-518-457-0639  
• NYCDEC Project Engineer: John Swartwout 1-518-457-0639  
• G&H Project Manager: Norman Hinsey 1-800-866-9191  
• G&H Corporate Health & Safety Officer: Jou Hwang 1-800-866-9191



SITE

PINELAWN

CEMETERY

LONG ISLAND

Pinelawn Station

ST CHARLES CEMETERY

WELLWOOD CEMETERY

NEW MONTEFIORE CEMETERY

REPUBLIC AIRPORT

Polytechnic Institute of New York  
Long Island Center

Maywood

South Farmingdale

North Amityville

Amityville Cemetery

Zahn Airport

U.S. MIL. RES.

North Linden

LINDENHURST

Cobogue

CAMPVILLE

A-54

## B.1 PROCEDURES

### 1. Drilling and Well Installation

Monitoring wells were drilled and installed to provide data pertinent to both water chemistry and characterization of the stratigraphy and groundwater regime at the site. Drilling was performed by Empire Soils Investigations. One upgradient well was drilled to provide representative samples of the groundwater flowing into the area. Three additional monitoring wells were drilled to monitor flow direction and water quality.

The overburden monitoring wells were installed by drilling with 6¼-inch I.D. hollow-stem augers. A 10-foot section of #10 slotted PVC well screen (2-inch I.D.) was installed at the bottom of wells MW-2 and MW-3, and a 15-foot section of #10 slotted PVC screen was installed at the bottom of wells MW-1 and MW-4 and were connected to the surface with a 2-inch, flush joint, Sch. 40 PVC riser. A sand pack was extended to approximately 2 feet above the screen. A 2-foot bentonite pellet seal was placed on top of the sand pack. The remaining annular space was filled with a cement/bentonite grout. Steel protective casings (with locking covers) were set over MW-1 and MW-4 monitoring well risers and secured into the ground with concrete. Wells MW-2 and MW-3 were installed flush with the ground (see Appendix B for schematic diagrams).

Split spoon samples were collected at 5-foot intervals for the purpose of soil characterization. Soil sample descriptions, sampler blow counts, and soil recovery records for all wells are shown in the boring logs (B.2).

### Well Development

Each well was developed by pumping water to remove the maximum practical quantity of sediment and other fine materials from the screen pack in order to produce a satisfactory amount of sediment-free water. Wells were developed for less than 1 hour each. A nephelometer was employed to measure the clarity of groundwater during development. The recommended turbidity of 50 NTU was reached for all wells.

### 2. Slug Test

A slug test was performed to measure in situ saturated hydraulic conductivity (K) characteristics of the aquifer in the vicinity of the screen or otherwise open portion of the well. A standard method of performing a slug test consists of quickly lowering the water level in the well and measuring its subsequent rate of rise over time as it approaches equilibrium. A dedicated polyethylene bailer with a polypropylene suspension cord was used to remove a bailer's volume of water from the well.



The rate of the groundwater level change was recorded by measuring the depth to the water below the top of the casing as a function of time after the start of the test until the original level of the water table was restored.

Groundwater elevation was measured and recorded prior to any testing. All water elevation measurements were obtained with an electronic water level indicator.

The Hvorslev method was used to calculate the permeability, K (cm/sec.):

$$K = [r^2 \ln L/R] / [2LTo]$$

Where:

r= radius of a PVC riser, cm

L= length of screen beneath static water level, cm

R= radius of sand pack, cm

To= elapsed time, t, at  $(H-h)/(H-H_0) = 0.37$ , sec.

H= reference datum, cm

H<sub>0</sub>= water level at instantaneous displacement, cm

H= water level at equilibrium, cm

h= water level at time, t, cm

t= elapsed time, sec.

(R. Allan Freeze and J.A. Cherry, Groundwater, Prentice Hall Inc., pg. 339)


### 3. Grain Size Analysis

Grain size distribution analyses were performed by Geo-Tech Associates (Fanwood, New Jersey). Analyses were conducted on the last split spoon samples collected from each overburden well. All analyses were performed in accordance with ASTM Method Number D422. The percentage of each grain size component was determined. Results of these analyses were plotted on a particle size distribution graph.


As the samples have less than 20 percent silts and clays (i.e., material passing through a No. 200 sieve), hydrometer analyses were not performed.

Because direct permeability data is sparse, the interrelationship between grain size and hydraulic conductivity can prove to be useful for the estimation of conductivity values. An empirical relation based upon Masch and Dennis (1966) "Determination of Saturated Hydraulic Conductivity from Grain Size Gradation Curves for Unconsolidated Sands" and Morris and Johnson's (1967) "Representative Values of Hydraulic Conductivity" was used to estimate conductivity values and correlate them to observed values in the field.

# HVORSLEV PIEZOMETER TEST GEOMETRY (RISING HEAD)



# HVORSLEV HYDRAULIC CONDUCTIVITY METHOD OF ANALYSIS



## B.2 RESULTS

### DRILLING SUMMARY REPORT

Site Name: Hazardous Waste Disposal Site  
Site No.: 152113  
Date: 9/5/90 to 9/14/90  
Site Personnel: A. Kostic (G&H)  
Driller: Empire Soils

#### WELL DATA

<u>Well No.</u>	<u>Boring Depth, ft</u>	<u>Depth to Water, ft</u>
MW-1	28.5	20.49*
MW-2	22.5	5.92*
MW-3	22.5	8.70*
MW-4	22.3	10.00*

Depth to water refers to feet from top of casing.

\*Measurements made 5/8/91 by J. Sanghvi and C. Grande.

#### WELL DEVELOPMENT

<u>Well No.</u>	<u>NTU Readings</u>
MW-1	3.33
MW-2	6.00
MW-3	10.50
MW-4	16.00

#### IN SITU CONDUCTIVITY TEST

Immediate recovery (less than 5 sec) recorded. Conductivity greater than  $1 \times 10^{-3}$  cm/sec.


#### Notes:

1. Diesel fuel smell was detected from wells MW-3 and MW-4 cuttings and holes during drilling events.
2. LEL (lower explosive limit) level was 20 percent at well MW-4 hole (depth of 8 ft) and 30-50 percent at well MW-3 hole (depth of 5-10 ft). No readings in the H<sub>2</sub>S instruments were recorded in the breathing zone.
3. OVA and HNU instruments indicated no readings above background in the breathing zone.

# OVERBURDEN WELL CONSTRUCTION SCHEMATIC

Site Hazardous Waste Disposal  
 Well No. MW-1  
 Date Installed Sept 4, 90

Water Level from  
 Top of Casing 20.49 (ft)  
 Date May 8, 91 Time 1:30 PM




**Gibbs & Hill, Inc.**

# FLUSH MOUNTED WELL CONSTRUCTION SCHEMATIC

Site Hazardous Waste Disposal  
 Well No. MW-2  
 Date Installed Sept 6, 90

Water Level from  
 Top of Casing 5.92 (ft)  
 Date May 8, 91 Time 11:45 PM

Elevations (ft)




**Gibbs & Hill, Inc.**

# FLUSH MOUNTED WELL CONSTRUCTION SCHEMATIC

Site Hazardous Waste Disposal  
 Well No. MW-3  
 Date Installed Sept 5, 90

Water Level from  
 Top of Casing 8.70 (ft)  
 Date May 8, 91 Time 2:00 P.M.

Elevations (ft)




**Gibbs & Hill, Inc.**



# OVERBURDEN WELL CONSTRUCTION SCHEMATIC

Site Hazardous Waste Disposal  
 Well No. MW-4  
 Date Installed Sept 5, 90

Water Level from  
 Top of Casing 10.00 (ft)  
 Date May 8, 91 Time 2:15 PM



**Gibbs & Hill, Inc.**

# BORING LOG

Sheet \_\_\_\_\_ of \_\_\_\_\_

PROJECT: Hazardous Waste PROJECT NO. \_\_\_\_\_ BORING NO. MW-1  
 Location: \_\_\_\_\_ Coord: \_\_\_\_\_ Ground Elev: \_\_\_\_\_  
 Contractor: \_\_\_\_\_ Date Started: 9/9/90 G.W.L. 18'-7" Hour: \_\_\_\_\_ Date: \_\_\_\_\_  
 Inspector: A. KOSTIC Date Completed: 9/14/90 G.W.L. \_\_\_\_\_ Hour: \_\_\_\_\_ Date: \_\_\_\_\_

Notes:

Depth Fl.	Elev. Fl.	Sample Type & No.	Test Type & No.	Blows			Recovery %	ROD %	Drilling Rate Min./Fl.	Graphic Symbol	Description and Remarks
				Casing	Sampler						
				Per Fl.	6"	6"					
0					5	5	12"			VERY COARSE - GRAVELLY SAND LIGHT BROWN	
				6	7						
5					5	4	10"			SAME AS ABOVE	
				6	6						
10					4	4	10"			SAME AS ABOVE	
				4	5						
15					4	4	8"			SAME AS ABOVE	
				5	7						
20					5	7	12"			SAME AS ABOVE	
				4	4						
25											
28.5											
29.0											
0											
5											
0											

I.D. Casing	Wgt. Hammer on Casing	Material Notations
I.D. Spoon	Wgt. Hammer on Spoon	
Type Core Drill	Drop Hammer on Casing	
Core Dia.	Drop Hammer on Spoon	
Sample & Test Notations		

Gibbs & Hill, Inc

# BORING LOG

Sheet \_\_\_\_\_ of \_\_\_\_\_

PROJECT: **HAZARDOUS WASTE** PROJECT NO. \_\_\_\_\_ BORING NO. **NW-2**

Location: \_\_\_\_\_ Coord: \_\_\_\_\_ Ground Elev: \_\_\_\_\_

Contractor: \_\_\_\_\_ Date Started: \_\_\_\_\_ G.W.L. \_\_\_\_\_ Hour: \_\_\_\_\_ Date: \_\_\_\_\_

Inspector: **A. LONGORIA** Date Completed: \_\_\_\_\_ G.W.L. \_\_\_\_\_ Hour: \_\_\_\_\_ Date: \_\_\_\_\_

Notes:

Depth Ft.	Elev. Ft.	Sample Type & No.	Test Type & No.	Blows			Recovery %	ROD %	Drilling Rate Min./Ft.	Graphic Symbol	Description and Remarks
				Casing	Sampler						
				Per Ft.	6"	6"					
0				4	5	15"					PAVEMENT AT THE TOP COARSE TO GRAVELLY SAND LIGHT BROWN
				7	8						
5				5	5	12"					SAME AS ABOVE
				7	7						
0				5	4	10"					SAME AS ABOVE
				6	7						
15				4	4	12					SAME AS ABOVE
				5	8						
20											
5											
0											
5											
0											

I.D. Casing	Wgt. Hammer on Casing	Material Notations
I.D. Spoon	Wgt. Hammer on Spoon	
Type Core Drill	Drop Hammer on Casing	
Core Dia.	Drop Hammer on Spoon	
Sample & Test Notations		

Gibbs & Hill, Inc.

# BORING LOG

Sheet of

PROJECT: HAZARDOUS WASTE

PROJECT NO.

BORING NO. MW-3

Location:

Coord:

Ground Elev:

Contractor:

Date Started: 9/5/91

G.W.L.

Hour:

Date:

Inspector: A. KOSTIC

Date Completed:

G.W.L.

Hour:

Date:

Notes:

Depth Ft.	Elev. FL	Sample Type & No.	Test Type & No.	Blows			Recovery %	ROD %	Drilling Rate Min./Fl.	Graphic Symbol	Description and Remarks
				Casing	Sampler						
				Per Ft.	6"	6"					
0											PAVEMENT AT THE TOP
					7	4	10"				- VERY COARSE / GRAVELLY SAND
					5	4					MIXED W/ ORGANICS -
											FROM 2.5 FT. VERY COARSE
											GRAVELLY SAND ONLY
5					4	8	12"				VERY COARSE / GRAVELLY SAND
					3	5					STRONG ODOR
											OVA - NO READINGS
											HNU - NO READINGS
											EYP - 30% LEL
											COLOR - DARK BROWN / BLACK
10					8	3	12"				VERY COARSE / GRAVELLY SAND
					4	3					NO READINGS
											DARK BROWN
15					3	5	8"				SAME AS ABOVE
					4	7					
0											
5											
0											
5											
0											

I.D. Casing	Wgt. Hammer on Casing	Material Notations
I.D. Spoon	Wgt. Hammer on Spoon	
Type Core Drill	Drop Hammer on Casing	
Core Dia.	Drop Hammer on Spoon	
Sample & Test Notations		

Gibbs & Hill, Inc

# BORING LOG

Sheet of

PROJECT: <b>HAZARDOUS WASTE</b>	PROJECT NO.	BORING NO. <b>MW 4</b>
Location:	Coord:	Ground Elev:
Contractor:	Date Started:	G.W.L. <b>8'-0"</b> Hour: Date:
Inspector: <b>A. KUSTIC</b>	Date Completed:	G.W.L. Hour: Date:

**Notes:**

Depth Fl.	Elev. Fl.	Sample Type & No.	Test Type & No.	Blows			Recovery %	RQD %	Drilling Rate Min./Fl.	Graphic Symbol	Description and Remarks
				Casing	Sampler						
				Per Ft.	6"	6"					
0					4	5	10 <sup>4</sup>				ORGANICS (top) VERY COARSE - GRAVELLY SAND
					5	8					
5					4	2	8"				VERY COARSE - GRAVELLY SAND COLOR: DARK BROWN / BLACK WOOD, ORGANICS BETWEEN 8 AND 10 FT. STRONG COLOR EXPL. READING: 20% LEZ
					4	3					
10					2	1	8"				VERY COARSE - GRAVELLY SAND - ORGANICS. COLOR: DARK BROWN EXPL. READING ~ 2.0% LEZ
					2	2					
15					8	4	6"				VERY COARSE/GRAVELLY SAND LIGHT BROWN
					4	5					
20											
22											
22.3											
5											
0											
5											
0											


NOTE:  
 • NO EXPL. READING AT BREATHING-ZONE  
 • ALL CUTTINGS WERE DRUMMED (2 DRUMS)

I.D. Casing	Wgt. Hammer on Casing	Material Notations
I.D. Spoon	Wgt. Hammer on Spoon	
Type Core Drill	Drop Hammer on Casing	
Core Dia.	Drop Hammer on Spoon	
Sample & Test Notations		

**Gibbs & Hill, Inc.**



# GRAIN SIZE DISTRIBUTION TEST REPORT










# GRAIN SIZE DISTRIBUTION TEST REPORT



Test	% +3"	% GRAVEL	% SAND	% SILT	% CLAY
● 5	0.0	2.6	93.5	3.9	

LL	PI	D <sub>85</sub>	D <sub>60</sub>	D <sub>50</sub>	D <sub>30</sub>	D <sub>15</sub>	D <sub>10</sub>	C <sub>c</sub>	U <sub>c</sub>
●		0.62	0.35	0.31	0.231	0.1696	0.1444	1.05	2.5

MATERIAL DESCRIPTION	USCS	AASHTO
● TAN SAND, Trace Fines and gravel		

Project No.: G035.001  
 Project: HAZ. WASTE DISPOSAL, TOWN OF BABYLON  
 ● Location: MW-3 / SS-2 / 4-6'  
 Date: NOVEMBER 19, 1990


Remarks:  
 CLIENT: GIBBS & HILL  
 LAB NO. 543.005

GRAIN SIZE DISTRIBUTION TEST REPORT  
**EMPIRE SOILS INVESTIGATIONS, INC**


Figure No. 1



# GRAIN SIZE DISTRIBUTION TEST REPORT



# GRAIN SIZE DISTRIBUTION TEST REPORT




Test	% +3"	% GRAVEL	% SAND	% SILT	% CLAY
● 8	0.0	0.3	99.4	0.3	

LL	PI	D <sub>85</sub>	D <sub>60</sub>	D <sub>50</sub>	D <sub>30</sub>	D <sub>15</sub>	D <sub>10</sub>	C <sub>c</sub>	C <sub>u</sub>
		0.76	0.46	0.41	0.327	0.2735	0.2523	0.92	1.8

MATERIAL DESCRIPTION	USCS	AASHTO
● TAN SAND, Trace Fines and gravel		

Project No.: G035.001 Project: HAZ. WASTE DISPOSAL, TOWN OF BABYLON ● Location: MW-4 / SS-4 / 14-16'  Date: NOVEMBER 19, 1990	Remarks: CLIENT: GIBBS & HILL  LAB NO. 561.001
---	---



- NOTE
1. ALL ELEVATIONS ARE IN ARBITRARY SYSTEM
  2. TP= TOP OF PIPE
  3. GR=GROUND
  4. TR= TOP OF RIM


NOT TO SCALE

DATE: JAN.10,91

B-26

HAZARDOUS WASTE DISPOSAL SITE

Hazardous Waste Disposal MW-2  
(Instantaneous Recovery)



HAZARDOUS WASTE DISPOSAL MW-2


TIME (seconds)	WATER LEVEL (feet)	DRAWDOWN (feet)	H/h <sub>o</sub>
0	8.08	1.60	1
60	6.49	0.01	6.249882E-03

UNCONFINED AQUIFER

$K = 0.2E-02$  cm/sec  
 $= 44.1$  gpd/ft<sup>2</sup>  
 $= 0.7E-04$  ft/sec  
 $= 5.9$  ft/day

REGRESSION COEFFICIENT = -1

**Hazardous Waste Disposal MW-4**  
(Instantaneous Recovery)



HAZARDOUS WASTE DISPOSAL MW-4

TIME (seconds)	WATER LEVEL (feets)	DRAWDOWN (feet)	H/h <sub>0</sub>
0	12.23	1.60	1
60	10.64	0.01	6.249887E-03


UNCONFINED AQUIFER

K = 0.2E-02 cm/sec  
 = 44.1 gpd/ft<sup>2</sup>  
 = 0.7E-04 ft/sec  
 = 5.9 ft/day

REGRESSION COEFFICIENT = -1



**Hazardous Waste Disposal MW-3**  
(Instantaneous Recovery)



HAZARDOUS WASTE DISPOSAL MW-3

TIME (seconds)	WATER LEVEL (feets)	DRAWDOWN (feet)	H/h <sub>0</sub>
0	10.34	1.60	1
60	8.75	0.01	6.25037E-03

UNCONFINED AQUIFER

K = 0.2E-02 cm/sec  
 = 44.1 gpd/ft<sup>2</sup>  
 = 0.7E-04 ft/sec  
 = 5.9 ft/day

REGRESSION COEFFICIENT = -1

**APPENDIX C**  
**SAMPLING AND ANALYSIS**

## C.1 PROCEDURES

### 1. Sampling Methodology

The sampling plan was prepared by G&H as a part of the updated work plan. It identifies the number of each sample type to be collected and describes collection methods to be utilized. The sampling plan specifies each sampling location and gives a sketch with roughly indicated sampling locations for illustrative purposes. The sampling locations were given code numbers for identification.

In order to ensure a smooth and proper sampling process in the field, the following preparations and steps were taken:

- Coordination with the laboratory to ensure an adequate number of laboratory cleaned containers were provided with the necessary preservatives according to appropriate protocols.
- All instruments to be used in the field were checked to ensure they were in working order. All instruments were calibrated before going to the site.
- Sampling equipment was cleaned in accordance with the cleaning procedure outlined at the end of this paragraph.

During the sampling events, the following elements were implemented:

- Chain of custody procedures were followed.
- An accurate sampling log was maintained.
- No sampling containers other than those provided by the laboratory were used.
- Disposable polyethylene bailers and polypropylene suspension cords were used to collect groundwater samples.
- A trip blank accompanied the samples.
- Well purging was performed. Three well volumes of water were evacuated or purged dry, whichever occurred first.
- Each groundwater sample was analyzed for temperature, specific conductance, and pH.
- Groundwater samples were collected from the well that had been purged first and had the longest time to settle out any suspended solids. Subsequent wells were sampled in decreasing order based on the time since purging.
- Volatile sample bottles were filled first. Care was taken to minimize the potential for volatilization during transfer of the sample from the bailer to the bottle. No headspace or air bubbles were allowed in the samples for VOA.

- Inorganic sample bottles (first the unfiltered samples if the well was not developed to less than 50 NTU) were filled next. Other sample bottles were filled in no particular order.
- Samples were capped, labeled (well no., site location, type of sample, collection date, and time), and placed in ice filled coolers.
- All samples were stored and maintained at a temperature less than 4°C and delivered to the laboratory within 24 hours.

#### Cleaning Procedure

When steam cleaning was not possible or practical, all sampling equipment was thoroughly cleaned before use in accordance with the following procedures:

1. Non-phosphate detergent and tap water wash
2. Potable water rinse
3. Methanol rinse
4. Deionized water rinse
5. Air dry

After this procedure was accomplished, the sampling equipment was wrapped in aluminum foil, placed in a plastic bag, and kept in its wrapping until use.

## 2. Chemical Analysis

A quality assurance program was developed in the Work Plan to ensure that the precision and accuracy of the groundwater sample analyses were not impacted by sampling, sample handling, and equipment decontamination procedures. This program was based on the collection of field blank samples for laboratory analysis and the maintenance of a trip blank.

A trip blank determines if sample bottles (empty or full) have been exposed to airborne contaminants in transit or on-site. A trip blank (an aliquot of deionized, analyte-free water which was placed in a container and sealed at the laboratory) accompanied the sampler to each sampling site and was transported in the same manner as the other groundwater samples. The trip blanks were handled as routine samples in the laboratory and analyzed for volatile organic parameters.

The field blank sample typically prepared for each groundwater matrix of each site was replaced by one blank from a disposable bailer from each lot of bailers. G&H provided the laboratory with one bailer from each lot, and the laboratory analyzed the blank for full TCL. The "bailer blank" analysis for each lot was reported with full deliverables with each appropriate site package.

All sample analyses were performed by H2M Laboratories following the procedures outlined in the NYSDEC Analytical Service Protocol (ASP) of September 1989. The analyses included are the following:

- TCL (Target Compound List) Inorganics - Preparation and analysis of inorganic compounds using the specified ASP methods.

In order to clarify the impact of sediment in the samples on reported results of inorganics, two samples for inorganic analysis were collected from each well that could not be developed to less than 50 NTU. The laboratory filtered and stored one of these samples and analyzed the unfiltered samples for TCL with full ASP deliverables. Results of the analyses were reported as total metals and were validated. Upon receipt and review of the results (including TSS and TDS), G&H did not request the laboratory to analyze the filtered samples.

- TCL Volatiles - Preparation and analysis using the ASP specified Gas Chromatograph/Mass Spectrometer (GC/MS) method for TCL purgeable organics plus a library search for and the quantification of any additional non-TCL compounds (the ASP requires the library search only for the ten non-TCL compounds of largest apparent concentration).

- TCL Semi-Volatiles - Preparation and analysis using the ASP specified GC/MS method for TCL extractable base/neutral and acid organic compounds plus a library search for the quantification of any additional non-TCL compounds (the ASP requires the library search only for the 20 non-TCL compounds of largest apparent concentration).
- TCL Pesticides/PCBs - Preparation and pre-extraction of the TCL organo-chloride pesticides and polychlorinated biphenyls using the ASP specified Gas Chromatograph/Electron Capture Detection (GC/ECD) method.

The following quality control measures were employed:

- A duplicate sample was obtained from a monitoring well chosen at random. That sample was not identified as a duplicate to the laboratory, but was assigned an identifier similar to other groundwater samples. The Bureau of Hazardous Site Control requires the blind analyses of a duplicate sample for each site by the laboratory to confirm the integrity of all sampling and analytical activities.
- ASP requires at least one spiked sample analysis and one spiked duplicate sample analysis from each group of



samples of a similar matrix type for each case of samples or for each 20 samples received, whichever is more frequent.

- A method blank for each matrix was used to assess the level of possible laboratory background contamination. A method blank must contain no greater than five times the CRQL of the following common pollutants: methylene chloride, acetone, toluene, and 2-butanone (for volatile analysis) and the phthalate esters (for semi-volatile analysis). For all other pollutants not listed above, the method blank must contain less than the CRQL of any single organic pollutant and less than the Instrument Detection Limit (IDL) of any single inorganic pollutant. If a method blank exceeds this criterion, the analytical system is "out-of-control." All samples processed with an "out-of-control" method blank were reanalyzed by the laboratory.
- Aquatec performed the validation of data submitted by H2M Laboratories. For validation of analytical data, the ASP guidelines for validation of laboratory data were followed. Data quality met the established validation criteria, and therefore they were accepted. Aquatec validated sample results with full ASP deliverables. Results of soil samples collected during drilling

("informational soil samples") were not reported with ASP and therefore were not validated by Aquatec.

### 3. Guidelines for Evaluating Chemical Analyses

The assessment of a chemical analysis is made to determine the existence and magnitude of contamination problems.

To determine whether or not quantitative evidence exists of an "observed release," a sample must indicate a significant increase in the hazardous substance concentration relative to the background concentration. The concentration of a hazardous substance is considered to be significantly above background levels under the conditions presented in the following table:

#### **CONDITIONS NECESSARY TO QUANTIFY AN OBSERVED RELEASE**

##### **(No Contamination in Trip and/or Field Blanks)**

<u>If Background Concentration is:</u>	<u>Observed Release Quantified If Detected Concentration is:</u>
Below CRQL	Greater than or equal to three times the CRQL
Greater than or equal to the CRQL	Greater than or equal to ten times the applicable background concentration

Trip and field blanks (disposal bailer blank) are evaluated as if they are "true" samples. If the field (bailer) or trip blank concentration is greater than the CRQL, the concentration of a

hazardous substance detected in a water sample is considered to be significantly above the blank or background sample if the detected concentration of a contaminant is:

- Greater than or equal to ten times the applicable blank or background concentration, whichever is greater. This criterion was employed for common laboratory contaminants: methylene chloride, acetone, toluene, and 2-butanone for volatile analysis and the phthalate esters for semi-volatile analysis. This criterion was also applied to a method blank containing acceptable levels of these contaminants.
- Greater than or equal to five times the applicable blank concentration or greater than or equal to ten times the background concentration, whichever is greater. This criterion is applied for all other contaminants not listed above.

To determine the relative impact on the environment and/or human population of groundwater or surface water contamination problem, sample results are compared to the following federal and New York State water quality standards or guidelines:

- Environmental Protection Agency National Primary Drinking Water Regulations (as of 7/17/89).

Applied to results of all water samples analyses.

- Chapter 1 of Title 10 of the Official Compilation of Codes, Rules, and Regulations of the State of New York, Part 5, Drinking Water Supplies, Subpart 5-1, Public Water Supplies (as of 11/28/88).

Applied to results of drinking water sample analyses.

- Chapter 10 of Title 6 of the Official Compilation of Codes, Rules, and Regulations of the State of New York, Division of Water Resources, Article 2, Part 702, Appendix 31, Ambient Water Quality Standards - "The standards adopted herein relate to the condition of waters as affected by the discharge of sewage, industrial wastes, or other wastes" (as of 7/5/85).

Applied to results of surface water sample analyses for surface water that is not a source of drinking water.

- Chapter 10 of Title 6 of the Official Compilation of Codes, Rules, and Regulations of the State of New York, Division of Water Resources, Article 2, Part 703.5(a)(2) and (3), Classes and Quality Standards for Groundwaters - "The purpose of these classes, quality standards, and effluent standards and/or limitations is to prevent

pollution of groundwaters and to protect the groundwaters for use as a potable water" (as of 7/5/85).

Applied to results of all groundwater sample analyses regardless of groundwater use.

To determine the relative impact of soil and sediment contamination, analysis results are compared to the common range of inorganics in uncontaminated soils as listed in the USEPA publication, Review of In-Place Treatment Techniques for Contaminated Surface Soils (EPA-5400/2-84-0036, November 1984, p. 79).

- Chapter 360 of Title 6 of the Official Compilation of Codes, Rules, and Regulations of the State of New York, Solid Waste Management Facilities, Section 360-4.4(a), "Sewage sludge and septage destined for land application" (as of 12/31/88).

Applied to results of soil and sediment sample analyses.

#### 4. Air Survey

Air monitoring instruments (PID, OVA, and explosimeter) were used to monitor the presence of volatile organic contaminants in the ambient air during field activities at the site. The

measurements were evaluated to determine the proper health and safety requirements to be implemented during site reconnaissance and drilling activities.

All split spoon samples were scanned with a PID to assess the potential for high levels of volatile organic contamination. The results of these readings are included in the boring log of each well. An explosimeter has been used during the installation of monitoring wells primarily to monitor the accumulation of explosive gases in the hole.

The air monitoring instruments were calibrated before each day in accordance with the manufacturer's procedures. Organic vapor emanating from the surface was determined by holding the probe 6 to 12 inches above the surface for 30 seconds. During the drilling procedure, each split spoon soil sample was tested by holding the probe at approximately 1 inch from the soil sample. Readings were registered when the instrument stabilized.

## C.2 RESULTS

### SAMPLING SUMMARY REPORT

Site Name: Hazardous Waste Disposal Site  
Site No.: 152113  
Samplers: N. Hinsey, A. Kostic (G&H)  
Paul (Eastern Chemical Disposal)  
Date: 9/24/90  
Weather: Partly cloudy, 60-70°F

#### Groundwater Field Test Data

<u>Sample No.</u>	<u>Spec. Cond., umho/cm</u>	<u>pH</u>	<u>Temp.°C</u>
GW-1	130	7.4	18.5
GW-2	130	5.6	20.0
GW-3	6,000	10.4	19.0
GW-4	2,000	6.3	19.0

Dedicated disposal bailers (Lot No. 3) were used to collect groundwater samples.

#### Designation Numbers of Samples

GW-1, GW-2, GW-3, GW-4, and GW-5 (duplicate of GW-2), SW-1, SW-2, SW-4, SD-1, SD-2, and SD-4

#### Notes:

1. Soil samples (B-1 through B-6) were collected during drilling activities.
2. See site sketch (Figure I-2) for sampling locations.
3. Diesel smell was detected from wells MW-3 and MW-4 during sampling events.
4. Representative of Eastern Chemical Disposal Co. collected groundwater and surface water (from the basin only) samples immediately after Gibbs & Hill, Inc. had finished collection of samples from each sampling point.

## SOIL SAMPLING

Six split spoon soil samples (including background sample, G-6) were taken during drilling activities from the depth of 2 to 10 ft. HNU readings above background were recorded at B-1, B-4, and B-5 holes in the range of 0.5 to 15 units. No readings above background were recorded in the breathing zones. See Figure I-2 for locations of samples.



rec'd 12/7


# Analytical Data Package For

## **GIBBS & HILL PROJECT GIBBS & HILL, INC. HAZARDOUS WASTE DISPOSAL SITE**

Groundwater, Surface Water, Sediments &  
Surficial Soil Samples  
Received September 24, 1990

### **SAMPLE DATA SUMMARY PACKAGE**

September 1990



# **H2M LABS, INC.**

Environmental Testing Laboratories  
575 Broad Hollow Road, Melville, N.Y. 11747

### 3. CASE NARRATIVES

**ENVIRONMENTAL and INDUSTRIAL ANALYTICAL LABORATORY**

**NARRATIVE FOR VOA  
GIB055**

**DATE REC'D: 12/03/90**

**FOR SAMPLES:** GW-1  
GW-2 (GW-2DL)  
GW-3 (GW-3DL)  
GW-4 (MS & MSD)  
GW-5 (GW-5DL)  
SW-1  
SW-2 (MS & MSD)  
SW-4  
SD-1 (MS & MSD)  
SD-2  
SD-3  
TRIP BLANK

All quality control and calibration criteria were met for this data package with the following exceptions:

Some compounds in the matrix spike blanks were outside the allowable percent recoveries however these same analytes were within for the MS/MSD's of the samples.

The matrix spike of sample GW-4 and SW-2 had high percent recoveries for several compounds. The RPD's for these samples were outside the limits for several compounds (All RPD's outside for GW-4).

The percent recoveries and RPD's were all within the allowable limits for SD-1.

Samples GW-2, GW-3 and GW-5 were re-analyzed at a dilution since one or more targeted compounds exceeded the highest calibration standard. Both sets of data are included for your review.

I certify that this data package is in compliance with the terms and conditions of the contract, both technically and for completeness, for other than the conditions detailed above. Release of the data contained in this hardcopy data package has been authorized by the Laboratory Manager or his designee, as verified by the following signature.

Date Reported: 12-03-90

\*\*\*\*\*

\*  
\*  \*  
\*\*\*\*\*

Joann Slavin  
Quality Assurance Manager

## ENVIRONMENTAL and INDUSTRIAL ANALYTICAL LABORATORY

### CASE NARRATIVE FOR BASE NEUTRAL ACID EXTRACTABLES

GIB055

DATE RECEIVED: 12/03/90

FOR SAMPLES:	GW-1	SW-1
	GW-2	SW-2 MS/MSD
	GW-3	SW-4
	GW-4 MS/MSD	SD-1 MS/MSD
	GW-5	SD-2
		SD-3

#### QC DATA

Surrogate recoveries were not in compliance for samples SW-1 and SW-2 and its spike duplicates. The samples were re-extracted but not enough sample material was available to repeat the matrix spike samples.

Recoveries for two compounds were under 75% for the MSB for water and ten compounds were under the limit for the MSB for soil.

Matrix spike accuracy and precision data were acceptable for the spiked soil samples. Six of eleven recoveries for the spiked water sample exceeded the advisory limits. It appears that one of the fractions had lost solvent before analysis.

#### CALIBRATION AND TUNING

All criteria for tuning and calibration were met with the following exceptions:

3-Nitroaniline on 9/27/90 slightly exceeded 35% RSD.

The continuous calibration on 10/6/90 and 10/30/90 did not meet the limit of 25% D for several polar compounds. None exceeded a % D of 50 and these compounds were also not found in the samples analyzed.

#### SAMPLE ANALYSIS

Holding times for all first extractions were within the specified limits. Two samples had to be re-extracted due to low phenol surrogate recoveries.

# H2M LABS, INC.

I certify that this data package is in compliance with the terms and conditions of the contract, both technically and for completeness, for other than the conditions detailed above. Release of the data contained in this hardcopy data package has been authorized by the Laboratory Manager or his designee, as verified by the following signature.

Date Reported: 12-03-90

\*\*\*\*\*

\* *Ursula Middel* \*

\* *Ursula Middel* \*

\*\*\*\*\*

Ursula Middel  
Technical Manager

---

ENVIRONMENTAL and INDUSTRIAL ANALYTICAL LABORATORY

---

CASE NARRATIVE FOR PESTICIDES/PCB's  
GIB055

For Samples: GW-1  
GW-2  
GW-3  
GW-4  
GW-5  
SW-1  
SW-2  
SW-2  
SW-4  
SD-1  
SD-2  
SD-3

QC DATA

Even though the recovery limits for DBC are not mandatory, sample GW-1, with a DBC recovery of zero, was re-extracted and re-analyzed. (It is suspected that the surrogate spike was not added for the original extract.) Both reports are submitted.

Acceptable accuracy and precision data were obtained for all spiked samples and blanks. Data met QC limits with the following exceptions: The recovery for the water spiked blank was low for two compounds.

An interference, coeluting with Aldrin, caused results to be above QC limits for Aldrin. The high recoveries for the soil spikes are suspected to be due to some solvent evaporation of the extracts.

CALIBRATION AND SYSTEM PERFORMANCE

All system performance and calibration criteria were met for the primary column sequence from 10/08/90 and 10/16/90 as well as for the secondary column sequences from 10/15/90.

A problem was encountered with the confirmatory sequence starting 10/17/90. Remedial action had to be taken on 10/19/90 for breakdown. A subsequent run of EVAL B satisfied the requirements but the following continuous calibration no longer met the limits for RPD. No data are submitted for the runs after the last compliant standard.

The re-extract of GW-1 was analyzed in the sequence of 11/06/90, which was not in compliance for the last continuous calibration of IND A for 4,4-DDT. The sample affected by this deviation (not from this group), was re-analyzed.

500125

# H2M LABS, INC.

## SAMPLE ANALYSIS

Sample GW-4 contained technical chlordane. The g and a-isomers were under CRQL. Some chlordane isomers were identified as single pesticides. The peak areas were corrected for the contribution of the chlordane, and then were under reporting limit.

The data system applies a 1 % window for tentative identification. The data are reviewed by the analyst and the following codes are used to indicate reasons for rejections of identifications:

- L1 smaller than the contract required reporting limit on primary column
- L2 smaller than the contract required reporting limit on the secondary column
- W1 outside the actual retention time window established on primary column
- W2 outside the actual retention time window on secondary column
- I PCB isomer interfering with pesticides.  
(Raise reporting limit for pesticide)
- Q2 Quantification on secondary column due to interference coeluting on primary column

I certify that this data package is in compliance with the terms and conditions of the contract, both technically and for completeness, for other than the conditions detailed above. Release of the data contained in this hardcopy data package has been authorized by the Laboratory Manager or his designee, as verified by the following signature.

Date Reported: 12-05-90

\*\*\*\*\*  
\*  
\* *Joann Slavin* \*  
\*  
\*\*\*\*\*

Joann Slavin  
Quality Assurance Manager

500036

# H2M LABS, INC.

575 Broad Hollow Road, Melville, N.Y. 11747  
(516) 694-3040 FAX: (516) 694-4122

- 4. SAMPLE REPORTS
  - 4.1 VOLATILES
  - 4.2 BASE/NEUTRAL/ACIDS
  - 4.3 PESTICIDE/PCBs
  - 4.4 METALS AND CYANIDE
  - 4.5 INORGANIC ANALYSIS

SC0033



## QUALIFIERS FOR REPORTING ORGANICS DATA

- Value - If the result is a value greater than or equal to the quantification limit, report the value.
- U - Indicates compound was analyzed for but not detected. Report the minimum quantification limit for the sample with the U (e.g., 10U) based on necessary concentration/dilution actions. (This is not necessarily the instrument detection limit). The footnote should read: U-Compound was analyzed for but not detected. The number is the minimum attainable quantification limit for the sample.
- J - Indicates as estimated value. This flag is used either when estimating a concentration for tentatively identified compounds where a 1:1 response is assumed or when the mass spectral data indicates the presence of a compound that meets the identification criteria but the result is less than the specified quantification limit but greater than zero (e.g.: If limit of quantification is 10 ug/l and a concentration of 3 ug/l is calculated, report as 3J).
- C - This flag applies to pesticide parameters where the identification has been confirmed by GC/MS. Single component pesticides  $\geq 10$  ng/ul in the final extract should be confirmed by GC/MS.
- B - This flag is used when the analyte is found in the blank as well as a sample. It indicates possible/probable blank contamination and warns the data user to take appropriate action.
- E - This flag identifies compounds whose concentrations are outside the calibration range of the analysis. If one or more compounds have a response greater than full scale, the extract must be diluted and reanalyzed, according to the specifications in Exhibit D. All compounds with a response greater than full scale should be flagged with an "E" on the original report of analysis. If the dilution of the extract causes any compounds identified in the first analysis to be below the calibration range in the second analysis, then the results of both analyses shall be reported on separate Forms I. The Form I for the diluted sample shall have the "DL" suffix appended to the sample number. NOTE: for total xylenes, where three isomers are quantified as two peaks, the calibration range of each peak should be considered separately.
- D - This flag identifies all compounds identified in an analysis at a secondary dilution factor. If a sample is re-analyzed at a higher dilution factor, as in the "E" flag above, the "DL" suffix is appended to the sample number on the Form I for the diluted sample, and all concentration values reported on that Form I are flagged with the "D" flag.
- X - This flag indicates compounds with spectra that do not meet identification criteria as detailed in Exhibit(E)E-61 section 6.1.3 but are believed to be present.
- Z - Indicates analyte was present at the reported concentration in the pre-screening analysis.

## QUALIFIERS FOR METALS ANALYSIS

- E - The reported value is estimated because of the presence of interference. An explanatory note is included in the case narrative.
- M - Duplicate injection precision not met.
- N - Matrix spiked sample recovery not within control limits.
- S - The reported value was determined by the Method of Standard Additions.
- + - Correlation coefficient for the MSA is less than 0.995.
- W - Post digestion spike for Furnace AA analysis is out of control limits (85-115%), while sample absorbance is less than 50% of spike absorbance.
- \* - Duplicate analysis not within control limits.

## Concentration Qualifiers

- B - Entered if the reported value is less than the Contract Required Detection Limit (CRDL) but greater than the Instrument Detection Limit (IDL).
- U - Entered if the analyte was analyzed for but not detected, less than the IDL.

# H2O LABS, INC.

575 Broad Hollow Road, Melville, N.Y. 11747  
(516) 694-3040 FAX: (516) 694-4122

1A  
VOLATILE ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

GW-1

Lab Name: H2M Contract: NYSDEC  
Lab Code: H2M Case No.: G&H SAS No.: SDG No.: 55  
Matrix: (soil/water) WATER Lab Sample ID: 9010268  
Sample wt/vol: 5.000 (g/mL) ML Lab File ID: P4184  
Level: (low/med) LOW Date Received: 9/24/90  
% Moisture: not dec. 100. Date Analyzed: 9/26/90  
Column: (pack/cap) CAP Dilution Factor: 1.00

CONCENTRATION UNITS:  
(ug/L or ug/Kg) UG/L

CAS NO. COMPOUND Q

74-87-3	-----Chloromethane	10.	U
74-83-9	-----Bromomethane	10.	U
75-01-4	-----Vinyl Chloride	10.	U
75-00-3	-----Chloroethane	10.	U
75-09-2	-----Methylene Chloride	5.	U
67-64-1	-----Acetone	10.	U
75-15-0	-----Carbon Disulfide	5.	U
75-35-4	-----1,1-Dichloroethene	5.	U
75-34-3	-----1,1-Dichloroethane	5.	U
540-59-0	-----1,2-Dichloroethene (total)	5.	U
67-66-3	-----Chloroform	5.	U
107-06-2	-----1,2-Dichloroethane	5.	U
78-93-3	-----2-Butanone	10.	U
71-55-6	-----1,1,1-Trichloroethane	5.	U
56-23-5	-----Carbon Tetrachloride	5.	U
108-05-4	-----Vinyl Acetate	10.	U
75-27-4	-----Bromodichloromethane	5.	U
78-87-5	-----1,2-Dichloropropane	5.	U
10061-01-5	-----cis-1,3-Dichloropropene	5.	U
79-01-6	-----Trichloroethene	91.	U
124-48-1	-----Dibromochloromethane	5.	U
79-00-5	-----1,1,2-Trichloroethane	5.	U
71-43-2	-----Benzene	5.	U
10061-02-6	-----trans-1,3-Dichloropropene	5.	U
75-25-2	-----Bromoform	5.	U
108-10-1	-----4-Methyl-2-Pentanone	10.	U
591-78-6	-----2-Hexanone	10.	U
127-18-4	-----Tetrachloroethene	5.	U
79-34-5	-----1,1,2,2-Tetrachloroethane	5.	U
108-88-3	-----Toluene	6.	U
108-90-7	-----Chlorobenzene	5.	U
100-41-4	-----Ethylbenzene	5.	U
100-42-5	-----Styrene	5.	U
1330-20-7	-----Xylene (total)	10.	U

John J. Molloy, P.E.  
Laboratory Director

DATE REPORTED: NOV 28 1990

500036

# H2M LABS, INC.

575 Broad Hollow Road, Melville, N.Y. 117  
 (516) 694-3040 FAX: (516) 694-4122  
 EPA SAMPLE NO.

## VOLATILE ORGANICS ANALYSIS DATA SHEET TENTATIVELY IDENTIFIED COMPOUNDS

GW-1

Lab Name: H2M Contract: NYSDEC  
 Lab Code: H2M Case No.: G&H SAS No.: SDG No.: 55  
 Matrix: (soil/water) WATER Lab Sample ID: 9010268  
 Sample wt/vol: 5.000 (g/mL) ML Lab File ID: P4184  
 Level: (low/med) LOW Date Received: 9/24/90  
 % Moisture: not dec. 100. Date Analyzed: 9/26/90  
 Column: (pack/cap) CAP Dilution Factor: 1.00

Number TICs found: 4 CONCENTRATION UNITS:  
 (ug/L or ug/Kg) UG/L

CAS NUMBER	COMPOUND NAME	RT	EST. CONC.	Q
1.	UNKNOWN	5.17	8.	J
2.	METHOXY METHYL PROPANE ISOME	5.89	80.	J
3.	ETHYL DIMETHYL BENZENE ISOME	10.46	9.	J
4.	TETRAMETHYL BENZENE ISOMER	10.78	10.	J
5.				
6.				
7.				
8.				
9.				
10.				
11.				
12.				
13.				
14.				
15.				
16.				
17.				
18.				
19.				
20.				
21.				
22.				
23.				
24.				
25.				
26.				
27.				
28.				
29.				
30.				

DATE REPORTED: NOV 28 1990

\*\*\*\*\*  
*John J. Moilan*  
 \*\*\*\*\*  
 John J. Moilan, P.E.  
 Laboratory Director

# H2M LABS, INC.

575 Broad Hollow Road, Melville, N.Y. 11747  
 (516) 694-3040 FAX: (516) 694-4122

1B  
 SEMI-VOLATILE ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

GW-1

Lab Name: H2M LABS INC.

Contract: GIBBS & HILL

Lab Code: -----

Case No.: -----

SAS No.: -----

SDG No.: G&H 55

Matrix: (soil/water) WATER

Lab Sample ID: 9010268

Sample wt/vol: 860 (g/mL) ML

Lab File ID: >E2936

Level: (low/med) LOW

Date Received: 9/24/90

% Moisture: not dec. --- dec. --

Date Extracted: 9/26/90

Extraction: (Sepf/Cont/Sonc) SEPF

Date Analyzed: 10/06/90

GPC Cleanup: (Y/N) N pH: --

Dilution Factor: 1.00000

CAS NO.	COMPOUND	CONCENTRATION UNITS: (ug/L or ug/Kg) ug/L	Q
108-95-2	Phenol	12.	103
111-44-4	bis(2-Chloroethyl)Ether	12.	10
95-57-8	2-Chlorophenol	12.	103
541-73-1	1,3-Dichlorobenzene	12.	10
106-46-7	1,4-Dichlorobenzene	12.	10
100-51-6	Benzyl alcohol	12.	10
95-50-1	1,2-Dichlorobenzene	12.	10
95-48-7	2-Methylphenol	12.	10
39638-32-9	bis(2-chloroisopropyl)ether	12.	10
106-44-5	4-Methylphenol	12.	10
621-64-7	N-Nitroso-Di-n-propylamine	12.	10
67-72-1	Hexachloroethane	12.	10
98-95-3	Nitrobenzene	12.	10
78-59-1	Isophorone	12.	10
88-75-5	2-Nitrophenol	12.	10
105-67-9	2,4-Dimethylphenol	12.	10
65-85-0	Benzoic acid	58.	10
111-91-1	bis(2-Chloroethoxy)methane	12.	10
120-83-2	2,4-Dichlorophenol	12.	10
120-82-1	1,2,4-Trichlorobenzene	12.	10
91-20-3	Naphthalene	12.	10
106-47-8	4-Chloroaniline	12.	10
87-68-3	Hexachlorobutadiene	12.	10
59-50-7	4-Chloro-3-methylphenol	12.	10
91-57-6	2-Methylnaphthalene	12.	10
77-47-4	Hexachlorocyclopentadiene	12.	10
88-06-2	2,4,6-Trichlorophenol	12.	10
95-95-4	2,4,5-Trichlorophenol	58.	10
91-58-7	2-Chloronaphthalene	12.	10
88-74-4	2-Nitroaniline	58.	10
131-11-3	Dimethylphthalate	12.	10
208-96-8	Acenaphthylene	12.	10
606-20-2	2,6-Dinitrotoluene	12.	10

500035

# H2M LABS, INC.

575 Broad Hollow Road, Melville, N.Y. 117  
(516) 694-3040 FAX: (516) 694-4122

1C  
SEMIVOLATILE ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

GW-1

Lab Name: H2M LABS INC.

Contract: GIBBS & HILL

Lab Code: ----- Case No.: ----- SAS No.: ----- SDG No.: G&H 55

Matrix: (soil/water) WATER Lab Sample ID: 9010268

Sample wt/vol: 860 (g/mL) ML Lab File ID: >E2936

Level: (low/med) LOW Date Received: 9/24/90

% Moisture: not dec.--- dec. -- Date Extracted: 9/26/90

Extraction: (Sepf/Cont/Sonc) SEPF Date Analyzed: 10/06/90

GPC Cleanup: (Y/N) N pH:-- Dilution Factor: 1.00000

CAS NO.	COMPOUND	CONCENTRATION UNITS: (ug/L or ug/Kg) ug/L	Q
99-09-2	3-Nitroaniline	58.	IU
83-32-9	Acenaphthene	12.	IU
51-28-5	2,4-Dinitrophenol	58.	IU
100-02-7	4-Nitrophenol	58.	IU
132-64-9	Dibenzofuran	12.	IU
121-14-2	2,4-Dinitrotoluene	12.	IU
84-66-2	Diethylphthalate	12.	IU
7005-72-3	4-Chlorophenyl-phenylether	12.	IU
86-73-7	Fluorene	12.	IU
100-01-6	4-Nitroaniline	58.	IU
534-52-1	4,6-Dinitro-2-methylphenol	58.	IU
86-30-6	N-Nitrosodiphenylamine (1)	12.	IU
101-55-3	4-Bromophenyl-phenylether	12.	IU
118-74-1	Hexachlorobenzene	12.	IU
87-86-5	Pentachlorophenol	58.	IU
85-01-8	Phenanthrene	12.	IU
120-12-7	Anthracene	12.	IU
84-74-2	Di-n-butylphthalate	12.	IU
206-44-0	Fluoranthene	12.	IU
129-00-0	Pyrene	12.	IU
85-68-7	Butylbenzylphthalate	12.	IU
91-94-1	3,3'-Dichlorobenzidine	23.	IU
56-55-3	Benzo(a)anthracene	12.	IU
218-01-9	Chrysene	12.	IU
117-81-7	bis(2-Ethylhexyl)phthalate	12.	IU
117-84-0	Di-n-octylphthalate	12.	IU
205-99-2	Benzo(b)fluoranthene	12.	IU
207-08-9	Benzo(k)fluoranthene	12.	IU
50-32-8	Benzo(a)pyrene	12.	IU
193-39-5	Indeno(1,2,3-cd)pyrene	12.	IU
53-70-3	Dibenz(a,h)anthracene	12.	IU
191-24-2	Benzo(g,h,i)perylene	12.	IU

(1) - Cannot be separated from Diphenylamine

5/11/90

# H2M LABS, INC.

575 Broad Hollow Road, Melville, N.Y. 11747  
 (516) 694-3040 FAX: (516) 694-4122

1F  
 SEMI-VOLATILE ORGANICS ANALYSIS DATA SHEET  
 TENTATIVELY IDENTIFIED COMPOUNDS

EPA SAMPLE NO.

GW-1

Lab Name: H2M LABS INC.

Contract: GIBBS & HILL

Lab Code: ----- Case No.: ----- SAS No.: ----- SDG No.: G&H 55

Matrix: (soil/water) WATER

Lab Sample ID: 9010268

Sample wt/vol: 860 (g/mL) ML

Lab File ID: >E2936

Level: (low/med) LOW

Date Received: 9/24/90

% Moisture: not dec. -- dec. --

Date Extracted: 9/26/90

Extraction: (Sepf/Cont/Sonc) SEPF

Date Analyzed: 10/06/90

GPC Cleanup: (Y/N) N pH: --

Dilution Factor: 1.00000

CONCENTRATION UNITS:  
 (ug/L or ug/Kg) ug/L

Number TICs found: 1

CAS NUMBER	COMPOUND NAME	RT	EST. CONC.	Q
1.	Unknown	40.08	23.	J
2.				
3.				
4.				
5.				
6.				
7.				
8.				
9.				
10.				
11.				
12.				
13.				
14.				
15.				
16.				
17.				
18.				
19.				
20.				
21.				
22.				
23.				
24.	DATE REPORTED: NOV 21 1990			
25.				
26.				
27.				
28.				
29.				
30.				

500040

:D  
PESTICIDE ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

GW-1

Lab Name: H2M LABS, INC. Contract: \_\_\_\_\_  
 Lab Code: \_\_\_\_\_ Case No.: GH55 SAS No.: \_\_\_\_\_ SDG No.: \_\_\_\_\_  
 Matrix: (soil/water) WATER Lab Sample ID: 9010268  
 Sample wt/vol: 990.0 (g/mL) ML Lab File ID: \_\_\_\_\_  
 Level: (low/med) LOW Date Received: 09/24/90  
 % Moisture: not dec. \_\_\_\_\_ dec. \_\_\_\_\_ Date Extracted: 09/25/90  
 Extraction: (SepF/Cont/Sonc) SEPF Date Analyzed: 10/17/90  
 GPC Cleanup: (Y/N) N pH: 7.0 Dilution Factor: 1.00

CONCENTRATION UNITS:

CAS NO.	COMPOUND	(ug/L or ug/Kg) <u>UG/L</u>	Q
319-84-6	alpha-BHC	0.050	U
319-85-7	beta-BHC	0.050	U
319-86-8	delta-BHC	0.050	U
58-89-9	Lindane	0.050	U
76-44-8	Heptachlor	0.050	U
309-00-2	Aldrin	0.050	U
1024-57-3	Heptachlor epoxide	0.050	U
959-98-8	Endosulfan I	0.050	U
60-57-1	Dieldrin	0.10	U
72-55-9	4,4'-DDE	0.10	U
72-20-8	Endrin	0.10	U
33213-65-9	Endosulfan II	0.10	U
72-54-8	4,4'-DDD	0.10	U
1031-07-8	Endosulfan sulfate	0.10	U
50-29-3	4,4'-DDT	0.10	U
72-43-5	Methoxychlor	0.50	U
53494-70-5	Endrin ketone	0.10	U
5103-71-9	alpha-Chlordane	0.50	U
5103-74-2	gamma-Chlordane	0.50	U
8001-35-2	Toxaphene	1.0	U
12674-11-2	Aroclor-1016	0.50	U
11104-28-2	Aroclor-1221	0.50	U
11141-16-5	Aroclor-1232	0.50	U
53469-21-9	Aroclor-1242	0.50	U
12672-29-6	Aroclor-1248	0.50	U
11097-69-1	Aroclor-1254	1.0	U
11096-82-5	Aroclor-1260	1.0	U

DATE REPORTED: NOV 15 1990

\*\*\*\*\*  
*J. J. [Signature]*  
 \*\*\*\*\*

J. J. [Signature]  
 Laboratory Director



1D  
PESTICIDE ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

GW-1RE

Lab Name: H2M LABS, INC. Contract: \_\_\_\_\_  
 Lab Code: \_\_\_\_\_ Case No.: GH55 SAS No.: \_\_\_\_\_ SDG No.: \_\_\_\_\_  
 Matrix: (soil/water) WATER Lab Sample ID: 9010248RE  
 Sample wt/vol: 820.0 (g/mL) ML Lab File ID: \_\_\_\_\_  
 Level: (low/med) LOW Date Received: 09/24/90  
 % Moisture: not dec: \_\_\_\_\_ dec: \_\_\_\_\_ Date Extracted: 11/01/90  
 Extraction: (SepF/Cont/Sonc) SEPF Date Analyzed: 11/07/90  
 GPC Cleanup: (Y/N) N pH: 7.0 Dilution Factor: 1.00

CAS NO.	COMPOUND	CONCENTRATION UNITS: (ug/L or ug/Kg) <u>UG/L</u>	Q
319-84-6	alpha-BHC	0.061	U
319-85-7	beta-BHC	0.061	U
319-86-8	delta-BHC	0.061	U
58-89-9	Lindane	0.061	U
76-44-8	Heptachlor	0.061	U
309-00-2	Aldrin	0.061	U
1024-57-3	Heptachlor epoxide	0.061	U
959-98-8	Endosulfan I	0.061	U
60-57-1	Dieldrin	0.12	U
72-55-9	4,4'-DDE	0.12	U
72-20-8	Endrin	0.12	U
33213-65-9	Endosulfan II	0.12	U
72-54-8	4,4'-DDD	0.12	U
1031-07-8	Endosulfan sulfate	0.12	U
50-29-3	4,4'-DDT	0.12	U
72-43-5	Methoxychlor	0.61	U
53494-70-5	Endrin ketone	0.12	U
5103-71-9	alpha-Chlordane	0.61	U
5103-74-2	gamma-Chlordane	0.61	U
8001-35-2	Toxaphene	1.2	U
12674-11-2	Aroclor-1016	0.61	U
11104-28-2	Aroclor-1221	0.61	U
11141-16-5	Aroclor-1232	0.61	U
53469-21-9	Aroclor-1242	0.61	U
12672-29-6	Aroclor-1248	0.61	U
11097-69-1	Aroclor-1254	1.2	U
11096-82-5	Aroclor-1260	1.2	U

DATE REPORTED: NOV 15 1990

\*\*\*\*\*  
*W. J. Malloy*  
 \*\*\*\*\*

John J. Malloy, P.E.  
 Laboratory Director

500042

U.S. EPA - CLP

EPA SAMPLE NO.

1  
 INORGANIC ANALYSIS DATA SHEET

XXXGW1

Lab Name: H2M LABS, INC.

Contract: GIBBS&HILL

Lab Code: H2MLAB

Case No.:

SAS No.:

SDG No.: GIB055

Matrix (soil/water): WATER

Lab Sample ID: 9010245

Level (low/med): LOW

Date Received: 09/24/90

% Solids: 0.0

Concentration Units (ug/L or mg/kg dry weight): UG/L

CAS No.	Analyte	Concentration	C	Q	M
7429-90-5	Aluminum	3450			P
7440-36-0	Antimony	43.9	U		P
7440-38-2	Arsenic	2.5	B	N	F
7440-39-3	Barium	52.8	B		P
7440-41-7	Beryllium	1.0	U		P
7440-43-9	Cadmium	3.6	U		P
7440-70-2	Calcium	12800			P
7440-47-3	Chromium	9.2	U		P
7440-48-4	Cobalt	12.4	B		P
7440-50-8	Copper	17.3	B		P
7439-89-6	Iron	5720			P
7439-92-1	Lead	6.0			F
7439-95-4	Magnesium	2610	B		P
7439-96-5	Manganese	323			P
7439-97-6	Mercury	0.3			CV
7440-02-0	Nickel	29.2	B		P
7440-09-7	Potassium	1980	B		P
7782-49-2	Selenium	1.2	U	N	F
7440-22-4	Silver	10.0	U		A
7440-23-5	Sodium	5410			P
7440-28-0	Thallium	1.1	U		F
7440-62-2	Vanadium	10.3	B		P
7440-66-6	Zinc	40.0			A
	Cyanide	10.0	U		C

Color Before: COLORLESS

Clarity Before: CLOUDY

Texture:

Color After: COLORLESS

Clarity After: CLEAR

Artifacts:

Comments:

DATE REPORTED: NOVEMBER 6, 1990

\*\*\*\*\*  
*John J. Molloy*  
 \*\*\*\*\*

SG0043

John J. Molloy, P.E.

# H2M LABS, INC.

575 Broad Hollow Road, Melville, N.Y. 11747  
(516)694-3040 FAX:(516)694-4122

LAB NO: 9010268

GIBBS & HILL, INC.  
NORM HINSEY  
11 PENN PLAZA  
NEW YORK, NY 10001

TYPE..... MISCELLANEOUS LIQUID  
SPECIAL

DATE COLLECTED. 09/24/90  
DATE RECEIVED.. 09/24/90  
COLLECTED BY... CL99  
PROJECT NO..... 5066

POINT NO:  
LOCATION: GW-1

REMARKS:  
HAZ. WASTE DIS. SITE

---

<u>PARAMETER (S)</u>	<u>RESULTS</u>	<u>UNITS</u>
COD	30	mg/l
SPECIFIC CONDUCTIVITY	125	umhos
PH	6.4	units
SUSPENDED SOLIDS	330	mg/l
TOTAL DISSOLVED SOLIDS	102	mg/l

---

COPIES TO:

DATE ISSUED 11/13/9

ORIGINAL

*Stanley Deane*  
LABORATORY DIRECTOR  
500044

# H2M LABS, INC.

575 Broad Hollow Road, Melville, N.Y. 117  
(516) 694-3040 FAX: (516) 694-4122

1A  
VOLATILE ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

GW-2

Lab Name: H2M

Contract: NYSDEC

Lab Code: H2M

Case No.: G&H

SAS No.:

SDG No.: 55

Matrix: (soil/water) WATER

Lab Sample ID: 9010269

Sample wt/vol: 5.000 (g/mL) ML

Lab File ID: P4185

Level: (low/med) LOW

Date Received: 9/24/90

% Moisture: not dec. 100.

Date Analyzed: 9/26/90

Column: (pack/cap) CAP

Dilution Factor: 1.00

CAS NO. COMPOUND CONCENTRATION UNITS:  
(ug/L or ug/Kg) UG/L Q

74-87-3	-----Chloromethane	10.	U
74-83-9	-----Bromomethane	10.	U
75-01-4	-----Vinyl Chloride	10.	U
75-00-3	-----Chloroethane	10.	U
75-09-2	-----Methylene Chloride	5.	U
67-64-1	-----Acetone	10.	U
75-15-0	-----Carbon Disulfide	5.	U
75-35-4	-----1,1-Dichloroethene	5.	U
75-34-3	-----1,1-Dichloroethane	5.	U
540-59-0	-----1,2-Dichloroethene (total)	59.	
67-66-3	-----Chloroform	5.	U
107-06-2	-----1,2-Dichloroethane	5.	U
78-93-3	-----2-Butanone	10.	U
71-55-6	-----1,1,1-Trichloroethane	6.	
56-23-5	-----Carbon Tetrachloride	5.	U
108-05-4	-----Vinyl Acetate	10.	U
75-27-4	-----Bromodichloromethane	5.	U
78-87-5	-----1,2-Dichloropropane	5.	U
10061-01-5	-----cis-1,3-Dichloropropene	5.	U
79-01-6	-----Trichloroethene	130.	
124-48-1	-----Dibromochloromethane	5.	U
79-00-5	-----1,1,2-Trichloroethane	5.	U
71-43-2	-----Benzene	5.	U
10061-02-6	-----trans-1,3-Dichloropropene	5.	U
75-25-2	-----Bromoform	5.	U
108-10-1	-----4-Methyl-2-Pentanone	10.	U
591-78-6	-----2-Hexanone	10.	U
127-18-4	-----Tetrachloroethene	900.	E
79-34-5	-----1,1,2,2-Tetrachloroethane	5.	U
108-88-3	-----Toluene	5.	U
108-90-7	-----Chlorobenzene	5.	U
100-41-4	-----Ethylbenzene	5.	U
100-42-5	-----Styrene	5.	U
1330-20-7	-----Xylene (total)	5.	U

John J. Molloy, P.E.

DATE REPORTED: Nov 2 1990

Laboratory Director

# HEALAB INC.

575 Broad Hollow Road, Melville, N.Y. 11747  
 (516) 694-3040 FAX (516) 694-4122  
 EPA SAMPLE NO.:

## VOLATILE ORGANICS ANALYSIS DATA SHEET TENTATIVELY IDENTIFIED COMPOUNDS

GW-2

Lab Name: H2M Contract: NYSDEC  
 Lab Code: H2M Case No.: G&H SAS No.: SDG No.: 55  
 Matrix: (soil/water) WATER Lab Sample ID: 9010269  
 Sample wt/vol: 5.000 (g/mL) ML Lab File ID: P4185  
 Level: (low/med) LOW Date Received: 9/24/90  
 % Moisture: not dec. 100. Date Analyzed: 9/26/90  
 Column: (pack/cap) CAP Dilution Factor: 1.00

Number TICs found: 0

CONCENTRATION UNITS:  
 (ug/L or ug/Kg) UG/L

CAS NUMBER	COMPOUND NAME	RT	EST. CONC.	Q
1.				
2.				
3.				
4.				
5.				
6.				
7.				
8.				
9.				
10.				
11.				
12.				
13.				
14.				
15.				
16.				
17.				
18.				
19.				
20.				
21.				
22.				
23.				
24.				
25.				
26.				
27.				
28.				
29.				
30.				

\*\*\*\*\*  
*[Signature]*  
 \*\*\*\*\*

DATE REPORTED: NOV 20 1997

John J. ...  
 Laboratory Director

500048

# H2M LABS, INC.

575 Broad Hollow Road, Melville, N.Y. 11747  
 (516) 694-3040 FAX: (516) 694-4122

1A  
 VOLATILE ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

GW-2 DL

Lab Name: H2M Contract: NYSDEC  
 Lab Code: H2M Case No.: G&H SAS No.: SDG No.: 55  
 Matrix: (soil/water) WATER Lab Sample ID: 9010269DL  
 Sample wt/vol: 5.000 (g/mL) ML Lab File ID: P4197  
 Level: (low/med) LOW Date Received: 9/24/90  
 % Moisture: not dec. 100. Date Analyzed: 9/27/90  
 Column: (pack/cap) CAP Dilution Factor: ~~10.00~~ 0.10 <sup>g/mL</sup> 11/27/90

CONCENTRATION UNITS:  
 (ug/L or ug/Kg) UG/L

CAS NO.	COMPOUND	CONCENTRATION UNITS: (ug/L or ug/Kg) UG/L	Q
74-87-3	-----Chloromethane	100.	U
74-83-9	-----Bromomethane	100.	U
75-01-4	-----Vinyl Chloride	100.	U
75-00-3	-----Chloroethane	100.	U
75-09-2	-----Methylene Chloride	50.	U
67-64-1	-----Acetone	100.	U
75-15-0	-----Carbon Disulfide	50.	U
75-35-4	-----1,1-Dichloroethene	50.	U
75-34-3	-----1,1-Dichloroethane	50.	U
540-59-0	-----1,2-Dichloroethene (total)	48.	J D
67-66-3	-----Chloroform	50.	U
107-06-2	-----1,2-Dichloroethane	50.	U
78-93-3	-----2-Butanone	100.	U
71-55-6	-----1,1,1-Trichloroethane	50.	U
56-23-5	-----Carbon Tetrachloride	50.	U
108-05-4	-----Vinyl Acetate	100.	U
75-27-4	-----Bromodichloromethane	50.	U
78-87-5	-----1,2-Dichloropropane	50.	U
10061-01-5	-----cis-1,3-Dichloropropene	50.	U
79-01-6	-----Trichloroethene	95.	D
124-48-1	-----Dibromochloromethane	50.	U
79-00-5	-----1,1,2-Trichloroethane	50.	U
71-43-2	-----Benzene	50.	U
10061-02-6	-----trans-1,3-Dichloropropene	50.	U
75-25-2	-----Bromoform	50.	U
108-10-1	-----4-Methyl-2-Pentanone	100.	U
591-78-6	-----2-Hexanone	100.	U
127-18-4	-----Tetrachloroethene	790.	B D
79-34-5	-----1,1,2,2-Tetrachloroethane	50.	U
108-88-3	-----Toluene	50.	U
108-90-7	-----Chlorobenzene	50.	U
100-41-4	-----Ethylbenzene	50.	U
100-42-5	-----Styrene	50.	U
1330-20-7	-----Xylene (total)	50.	U

Laboratory Director

DATE REPORTED

# H2M LABS, INC.

575 Broad Hollow Road, Melville, N.Y. 11747  
 (516) 694-3080 FAX (516) 694-4122

## VOLATILE ORGANICS ANALYSIS DATA SHEET TENTATIVELY IDENTIFIED COMPOUNDS

GW-2 DL

Lab Name: H2M Contract: NYSDEC  
 Lab Code: H2M Case No.: G&H SAS No.: SDG No.: 55  
 Matrix: (soil/water) WATER Lab Sample ID: 9010269DL  
 Sample wt/vol: 5.000 (g/mL) ML Lab File ID: P4197  
 Level: (low/med) LOW Date Received: 9/24/90  
 % Moisture: not dec. 100. Date Analyzed: 9/27/90  
 Column: (pack/cap) CAP Dilution Factor: ~~10.00~~ 0.10 *gms* 11/27/90

CONCENTRATION UNITS:  
 (ug/L or ug/Kg) UG/L

Number TICs found: 0

CAS NUMBER	COMPOUND NAME	RT	EST. CONC.	Q
1.				
2.				
3.				
4.				
5.				
6.				
7.				
8.				
9.				
10.				
11.				
12.				
13.				
14.				
15.				
16.				
17.				
18.				
19.				
20.				
21.				
22.				
23.				
24.				
25.				
26.				
27.				
28.				
29.				
30.				

DATE REPORTED: NOV 2 1990

\*\*\*\*\*  
*[Signature]*  
 \*\*\*  
 Labor: [unclear]

# H2M LABS, INC.

575 Broad Hollow Road, Melville, N.Y. 11747  
(516) 694-3040 FAX: (516) 694-4122

18  
SEMIVOLATILE ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

GW-2

Lab Name: H2M LABS INC.

Contract: GIBBS & HILL

Lab Code: -----

Case No.: -----

SAS No.: -----

SDG No.: G&H 55

Matrix: (soil/water) WATER

Lab Sample ID: 9010269

Sample wt/vol: 890 (g/mL) ML

Lab File ID: >E2957

Level: (low/med) LOW

Date Received: 9/24/90

% Moisture: not dec. -- dec. --

Date Extracted: 9/26/90

Extraction: (Sepf/Cont/Sonc) SEPF

Date Analyzed: 10/10/90

GPC Cleanup: (Y/N) N pH:--

Dilution Factor: 1.00000

CAS NO. COMPOUND CONCENTRATION UNITS: (ug/L or ug/Kg) ug/L Q

108-95-2	Phenol	11.	10
111-44-4	bis(2-Chloroethyl)Ether	11.	10
95-57-8	2-Chlorophenol	11.	10
541-73-1	1,3-Dichlorobenzene	11.	10
106-46-7	1,4-Dichlorobenzene	11.	10
100-51-6	Benzyl alcohol	11.	10
95-50-1	1,2-Dichlorobenzene	11.	10
95-48-7	2-Methylphenol	11.	10
39638-32-9	bis(2-chloroisopropyl)ether	11.	10
106-44-5	4-Methylphenol	11.	10
621-64-7	N-Nitroso-Di-n-propylamine	11.	10
67-72-1	Hexachloroethane	11.	10
98-95-3	Nitrobenzene	11.	10
78-59-1	Isophorone	11.	10
88-75-5	2-Nitrophenol	11.	10
105-67-9	2,4-Dimethylphenol	11.	10
65-85-0	Benzoic acid	56.	10
111-91-1	bis(2-Chloroethoxy)methane	11.	10
120-83-2	2,4-Dichlorophenol	11.	10
120-82-1	1,2,4-Trichlorobenzene	11.	10
91-20-3	Naphthalene	11.	10
106-47-8	4-Chloroaniline	11.	10
87-68-3	Hexachlorobutadiene	11.	10
59-50-7	4-Chloro-3-methylphenol	11.	10
91-57-6	2-Methylnaphthalene	11.	10
77-47-4	Hexachlorocyclopentadiene	11.	10
88-06-2	2,4,6-Trichlorophenol	11.	10
95-95-4	2,4,5-Trichlorophenol	56.	10
91-58-7	2-Chloronaphthalene	11.	10
88-74-4	2-Nitroaniline	56.	10
131-11-3	Dimethylphthalate	11.	10
208-96-8	Acenaphthylene	11.	10
606-20-2	2,6-Dinitrotoluene	11.	10

DATE RECEIVED: 10/10/90



# H2M LABS, INC.

575 Broad Hollow Road, Melville, N.Y. 11747  
 (516) 694-3040 FAX: (516) 694-4122

1C  
 SEMI-VOLATILE ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

GW-2

Lab Name: H2M LABS INC.

Contract: GIBBS & HILL

Lab Code: -----

Case No.: -----

SAS No.: -----

SDG No.: G&H 55

Matrix: (soil/water) WATER

Lab Sample ID: 9010269

Sample wt/vol: 890 (g/mL) ML

Lab File ID: >E2957

Level: (low/med) LOW

Date Received: 9/24/90

% Moisture: not dec. -- dec. --

Date Extracted: 9/26/90

Extraction: (Sepf/Cont/Sonc) SEPF

Date Analyzed: 10/10/90

GPC Cleanup: (Y/N) N pH: --

Dilution Factor: 1.00000

CAS NO.	COMPOUND	CONCENTRATION UNITS: (ug/L or ug/Kg) ug/L	Q
99-09-2	3-Nitroaniline	56.	IU
83-32-9	Acenaphthene	11.	IU
51-28-5	2,4-Dinitrophenol	56.	IU
100-02-7	4-Nitrophenol	56.	IU
132-64-9	Dibenzofuran	11.	IU
121-14-2	2,4-Dinitrotoluene	11.	IU
84-66-2	Diethylphthalate	11.	IU
7005-72-3	4-Chlorophenyl-phenylether	11.	IU
86-73-7	Fluorene	11.	IU
100-01-6	4-Nitroaniline	56.	IU
534-52-1	4,6-Dinitro-2-methylphenol	56.	IU
86-30-6	N-Nitrosodiphenylamine (1)	11.	IU
101-55-3	4-Bromophenyl-phenylether	11.	IU
118-74-1	Hexachlorobenzene	11.	IU
87-86-5	Pentachlorophenol	56.	IU
85-01-8	Phenanthrene	11.	IU
120-12-7	Anthracene	11.	IU
84-74-2	Di-n-butylphthalate	11.	IU
206-44-0	Fluoranthene	11.	IU
129-00-0	Pyrene	11.	IU
85-68-7	Butylbenzylphthalate	11.	IU
91-94-1	3,3'-Dichlorobenzidine	22.	IU
56-55-3	Benzo(a)anthracene	11.	IU
218-01-9	Chrysene	11.	IU
117-81-7	bis(2-Ethylhexyl)phthalate	11.	IU
117-84-0	Di-n-octylphthalate	11.	IU
205-99-2	Benzo(b)fluoranthene	11.	IU
207-08-9	Benzo(k)fluoranthene	11.	IU
50-32-8	Benzo(a)pyrene	11.	IU
193-39-5	Indeno(1,2,3-cd)pyrene	11.	IU
53-70-3	Dibenz(a,h)anthracene	11.	IU
191-24-2	Benzo(g,h,i)perylene	PE 11.	IU

(1) - Cannot be separated from Diphenylamine

DATE REPORTED: 10/10/90

500050

# H2M LABS, INC.

575 Broad Hollow Road, Melville, N.Y. 11747  
 (516) 694-3040 FAX: (516) 694-4122

1F  
 SEMI-VOLATILE ORGANICS ANALYSIS DATA SHEET  
 TENTATIVELY IDENTIFIED COMPOUNDS

EPA SAMPLE NO.

Lab Name: H2M LABS INC.

Contract: GIBBS & HILL

GW-2

Lab Code: ----- Case No.: -----

SAS No.: ----- SDG No.: G&H 55

Matrix: (soil/water) WATER

Lab Sample ID: 9010269

Sample wt/Vol: 890 (g/mL) ML

Lab File ID: >E2957

Level: (low/med) LOW

Date Received: 9/24/90

% Moisture: not dec. -- dec. --

Date Extracted: 9/26/90

Extraction: (Sepf/Cont/Sonc) SEPF

Date Analyzed: 10/10/90

GPC Cleanup: (Y/N) N pH: --

Dilution Factor: 1.00000

CONCENTRATION UNITS:  
 (ug/L or ug/Kg) ug/L

Number TICs found: 9

CAS NUMRER	COMPOUND NAME	RT	EST. CONC.	Q
1.	Ethyl-dimethylbenzene isomer	11.65	20.	J
2.	Ethyl-dimethylbenzene isomer	12.03	9.	J
3.	Ethyl-dimethylbenzene isomer	12.10	14.	J
4.	Ethyl-dimethylbenzene isomer	12.63	22.	J
5.	Tetramethylbenzene isomer	12.91	21.	J
6.	Tetramethylbenzene isomer	12.99	41.	J
7.	Dihydro-methyl-1H-Indene iso	13.56	24.	J
8.	Ethyl-dimethylbenzene isomer	13.63	18.	J
9.	Unknown	23.64	30.	J
10.				
11.				
12.				
13.				
14.				
15.				
16.				
17.				
18.				
19.				
20.				
21.				
22.				
23.				
24.	DATE REPORTED: Nov 2, 1991			
25.				
26.				
27.				
28.				
29.				
30.				

560051

1D  
PESTICIDE ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

GW-2

Lab Name: H2M LABS. INC. Contract: \_\_\_\_\_

Lab Code: \_\_\_\_\_ Case No.: GH55 SAS No.: \_\_\_\_\_ SDG No.: \_\_\_\_\_

Matrix: (soil/water) WATER Lab Sample ID: 9010269

Sample wt/vol: 990.0 (g/mL) ML Lab File ID: \_\_\_\_\_

Level: (low/med) LQW Date Received: 09/24/90

% Moisture: not dec. \_\_\_\_\_ dec. \_\_\_\_\_ Date Extracted: 09/25/90

Extraction: (SepF/Cont/Sonc) SEPF Date Analyzed: 10/17/90

GPC Cleanup: (Y/N) N pH: 7.0 Dilution Factor: 1.00

CONCENTRATION UNITS:  
(ug/L or ug/Kg) UG/L

CAS NO.	COMPOUND	UG/L	Q
319-84-6	alpha-BHC	0.050	U
319-85-7	beta-BHC	0.050	U
319-86-8	delta-BHC	0.050	U
58-89-9	Lindane	0.050	U
76-44-8	Heptachlor	0.050	U
309-00-2	Aldrin	0.050	U
1024-57-3	Heptachlor epoxide	0.050	U
959-98-8	Endosulfan I	0.050	U
60-57-1	Dieldrin	0.10	U
72-55-9	4,4'-DDE	0.10	U
72-20-8	Endrin	0.10	U
33213-65-9	Endosulfan II	0.10	U
72-54-8	4,4'-DDD	0.10	U
1031-07-8	Endosulfan sulfate	0.10	U
50-29-3	4,4'-DDT	0.10	U
72-43-5	Methoxychlor	0.50	U
53494-70-5	Endrin ketone	0.10	U
5103-71-9	alpha-Chlordane	0.50	U
5103-74-2	gamma-Chlordane	0.50	U
8001-35-2	Toxaphene	1.0	U
12674-11-2	Aroclor-1016	0.50	U
11104-28-2	Aroclor-1221	0.50	U
11141-16-5	Aroclor-1232	0.50	U
53469-21-9	Aroclor-1242	0.50	U
12672-29-6	Aroclor-1248	0.50	U
11097-69-1	Aroclor-1254	1.0	U
11096-82-5	Aroclor-1260	1.0	U

DATE REPORTED: NOV 15 1990

\*\*\*\*\*  
\* *John J. Miley* \*  
\*\*\*\*\*

John J. Miley, P.E.  
Laboratory Director

FORM I PEST

1/87 Rev.

SC0052

U.S. EPA - CLP

EPA SAMPLE NO.

1  
INORGANIC ANALYSIS DATA SHEET

XXXGW2

Lab Name: H2M LABS, INC.

Contract: GIBBS&HILL

Lab Code: H2MLAB

Case No.:

SAS No.:

SDG No.: GIB055

Matrix (soil/water): WATER

Lab Sample ID: 9010269

Level (low/med): LOW

Date Received: 09/24/90

% Solids: 0.0

Concentration Units (ug/L or mg/kg dry weight): UG/L

CAS No.	Analyte	Concentration	C	Q	M
7429-90-5	Aluminum	438			P
7440-36-0	Antimony	43.9	U		P
7440-38-2	Arsenic	1.8	B	N	F
7440-39-3	Barium	31.9	B		P
7440-41-7	Beryllium	1.0	U		P
7440-43-9	Cadmium	9.4			P
7440-70-2	Calcium	16200			P
7440-47-3	Chromium	9.2	U		P
7440-48-4	Cobalt	11.6	B		P
7440-50-8	Copper	77.6			P
7439-89-6	Iron	1030			P
7439-92-1	Lead	5.9			F
7439-95-4	Magnesium	2240	B		P
7439-96-5	Manganese	71.7			P
7439-97-6	Mercury	0.20	U		CV
7440-02-0	Nickel	43.6			P
7440-09-7	Potassium	5710			P
7782-49-2	Selenium	1.2	U	N	F
7440-22-4	Silver	10.0	U		A
7440-23-5	Sodium	7940			P
7440-28-0	Thallium	1.1	U		F
7440-62-2	Vanadium	5.1	B		P
7440-66-6	Zinc	130.0			A
	Cyanide	10.0	U		C

Color Before: COLORLESS

Clarity Before: CLEAR

Texture:

Color After: COLORLESS

Clarity After: CLEAR

Artifacts:

Comments:

\*\*\*\*\*  
\* *Shawco* \*  
\*\*\*\*\*

DATE REPORTED: NOVEMBER 6, 1990

500055

John J. Molloy, P.E.  
Laboratory Director

# H2M LABS, INC.

575 Broad Hollow Road, Melville, N.Y. 11747  
(516)694-3040 FAX:(516)694-4122

LAB NO: 9010269

GIBBS & HILL, INC.  
NORM HINSEY  
11 PENN PLAZA  
NEW YORK, NY 10001

TYPE..... MISCELLANEOUS LIQUID  
SPECIAL

DATE COLLECTED. 09/24/90  
DATE RECEIVED.. 09/24/90  
COLLECTED BY... CL99  
PROJECT NO..... 5066

POINT NO:  
LOCATION: GW-2

REMARKS:

HAZ. WASTE DIS. SITE

---

<u>PARAMETER (S)</u>	<u>RESULTS</u>	<u>UNITS</u>
COD	30	mg/l
SPECIFIC CONDUCTIVITY	128	umhos
PH	6.3	units
SUSPENDED SOLIDS	40	mg/l
TOTAL DISSOLVED SOLIDS	88	mg/l

---

COPIES TO:

DATE ISSUED 11/13/90

ORIGINAL

*Stanley Deacon*  
LABORATORY DIRECTOR  
506054

1A  
VOLATILE ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

GW-3

Lab Name: H2M LABS INC.

Contract: G&H

Lab Code: .

Case No.: .

SAS No.: .

SDG No.: 55

Matrix: (soil/water) WATER

Lab Sample ID: 9010267

Sample wt/vol: 5 (g/mL) ML

Lab File ID: >P4183

Level: (low/med) LOW

Date Received: 9/24/90


% Moisture: not dec..

Date Analyzed: 9/26/90

Column: (pack/cap) CAP

Dilution Factor: 1

CAS NO.	COMPOUND	CONCENTRATION UNITS: (ug/L or ug/Kg) UG/ML	Q
74-87-3	Chloromethane	10.	U
74-83-9	Bromomethane	10.	U
75-01-4	Vinyl Chloride	11.	
75-00-3	Chloroethane	48.	
75-09-2	Methylene Chloride	5.	U
67-64-1	Acetone	10.	U
75-15-0	Carbon Disulfide	5.	U
75-35-4	1,1-Dichloroethene	5.	U
75-34-3	1,1-Dichloroethane	32.	
540-59-0	1,2-Dichloroethene (total)	250.	E
67-66-3	Chloroform	5.	U
107-06-2	1,2-Dichloroethane	5.	U
78-93-3	2-Butanone	10.	U
71-55-6	1,1,1-Trichloroethane	150.	
56-23-5	Carbon Tetrachloride	5.	U
108-05-4	Vinyl Acetate	22.	
75-27-4	Bromodichloromethane	5.	U
78-87-5	1,2-Dichloropropane	5.	U
10061-01-5	cis-1,3-Dichloropropene	5.	U
79-01-6	Trichloroethene	18.	
124-48-1	Dibromochloromethane	5.	U
79-00-5	1,1,2-Trichloroethane	5.	U
71-43-2	Benzene	5.	U
10061-02-6	trans-1,3-Dichloropropene	5.	U
75-25-2	Bromoform	5.	U
108-10-1	4-Methyl-2-pentanone	10.	U
591-78-6	2-Hexanone	10.	U
127-18-4	Tetrachloroethene	29.	
79-34-5	1,1,2,2-Tetrachloroethane	5.	U
108-88-3	Toluene	1700.	E
108-90-7	Chlorobenzene	30.	
100-41-4	Ethylbenzene	460.	E
100-42-5	Styrene	5.	U
133-02-7	Xylene (total)	1700.	E

  
 John I. Moskov, Ph.D.  
 Laboratory Director

LINE REPORTED: May 9 1990

S00056

1E  
VOLATILE ORGANICS ANALYSIS DATA SHEET  
TENTATIVELY IDENTIFIED COMPOUNDS

EPA SAMPLE NO.

GW-3

Lab Name: H2M LABS INC.

Contract: G&H

Lab Code: .

Case No.: .

SAS No.: .

SDS No.: .

Matrix: (soil/water) WATER

Lab Sample ID: 9010267

Sample wt/vol: 5 (g/mL) ML

Lab File ID: >P4183

Level: (low/med) LOW

Date Received: 9/24/90

% Moisture: not dec. 0

Date Analyzed: 9-26/90

Column: CAP

Dilution Factor: 1.00000

Number TICs found: 8

CONCENTRATION UNITS:  
(ug/L or ug/Kg) US/L

CAS NUMBER	COMPOUND NAME	RT	EST. CONC.	Q
1. 79389	1E-hene, chlorotrifluoro-	2.77	19.	J
2. 354234	1Ethane, 1,2-dichloro-1,1,2-t	4.40	11.	J
3. 76131	1Ethane, 1,1,2-trichloro-1,2,	5.37	44.	J
4. 110543	1Hexane (DOT) (8C19C1)	6.40	6.	J
5. 96377	1Cyclopentane, methyl- (8C19C)	7.14	9.	J
6. 142825	1Heptane (DOT) (8C19C1)	8.39	11.	J
7. 103872	1Cyclohexane, methyl- (8C19C)	9.18	11.	J
8.	1Unknown	13.89	9.	J
9.				
10.				
11.				
12.				
13.				
14.				
15.				
16.				
17.				
18.				
19.				
20.				
21.				
22.				
23.				
24.				
25.				
26.				
27.				
28.				
29.	DATE REPORTED: NOV 20 1990			
30.				

\*\*\*\*\*

*John J. Molloy*

John J. Molloy, P.E.  
Laboratory Director

# H2M LABS, INC.

575 Broad Hollow Road, Melville, N.Y. 11767  
 (516) 694-3040 FAX: (516) 694-4122

1A  
 VOLATILE ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

GW-3	DL
------	----

Lab Name: H2M Contract: NYSDEC  
 Lab Code: H2M Case No.: G&H SAS No.: SDG No.: 55  
 Matrix: (soil/water) WATER Lab Sample ID: 9010267DL  
 Sample wt/vol: 5.000 (g/mL) ML Lab File ID: P4192  
 Level: (low/med) LOW Date Received: 9/24/90  
 % Moisture: not dec. 100. Date Analyzed: 9/26/90  
 Column: (pack/cap) CAP Dilution Factor: ~~25.00~~  
 0.25

CONCENTRATION UNITS:  
 (ug/L or ug/Kg) UG/L

CAS NO.	COMPOUND	CONCENTRATION UNITS: (ug/L or ug/Kg) UG/L	Q
74-87-3	-----Chloromethane	250.	U
74-83-9	-----Bromomethane	250.	U
75-01-4	-----Vinyl Chloride	250.	U
75-00-3	-----Chloroethane	250.	U
75-09-2	-----Methylene Chloride	120.	U J B
67-64-1	-----Acetone	250.	U
75-15-0	-----Carbon Disulfide	120.	U
75-35-4	-----1,1-Dichloroethene	120.	U
75-34-3	-----1,1-Dichloroethane	120.	U
540-59-0	-----1,2-Dichloroethene (total)	200.	D
67-66-3	-----Chloroform	120.	U
107-06-2	-----1,2-Dichloroethane	120.	U
78-93-3	-----2-Butanone	250.	U
71-55-6	-----1,1,1-Trichloroethane	120.	J D
56-23-5	-----Carbon Tetrachloride	120.	U
108-05-4	-----Vinyl Acetate	250.	U
75-27-4	-----Bromodichloromethane	120.	U
78-87-5	-----1,2-Dichloropropane	120.	U
10061-01-5	-----cis-1,3-Dichloropropene	120.	U
79-01-6	-----Trichloroethene	120.	U
124-48-1	-----Dibromochloromethane	120.	U
79-00-5	-----1,1,2-Trichloroethane	120.	U
71-43-2	-----Benzene	120.	U
10061-02-6	-----trans-1,3-Dichloropropene	120.	U
75-25-2	-----Bromoform	120.	U
108-10-1	-----4-Methyl-2-Pentanone	250.	U
591-78-6	-----2-Hexanone	250.	U
127-18-4	-----Tetrachloroethene	120.	U
79-34-5	-----1,1,2,2-Tetrachloroethane	120.	U
108-88-3	-----Toluene	2300.	D
108-90-7	-----Chlorobenzene	120.	U
100-41-4	-----Ethylbenzene	440.	D
100-42-5	-----Styrene	120.	U
1330-20-7	-----Xylene (total)	2000.	D

*John J. Malloy*  
 John J. Malloy, P.E.  
 Laboratory Director

LAB REPORTED: 9/26/90 500057



# H2A LABS, INC.

575 Broad Hollow Road, Melville, N.Y. 11747  
 (516) 694-3040 FAX: (516) 694-4122  
 EPA SAMPLE NO.

VOLATILE ORGANICS ANALYSIS DATA SHEET  
 TENTATIVELY IDENTIFIED COMPOUNDS

GW-3	DL
------	----

Lab Name: H2M Contract: NYSDEC  
 Lab Code: H2M Case No.: G&H SAS No.: SDG No.: 55  
 Matrix: (soil/water) WATER Lab Sample ID: 9010267DL  
 Sample wt/vol: 5.000 (g/mL) ML Lab File ID: P4192  
 Level: (low/med) LOW Date Received: 9/24/90  
 % Moisture: not dec. 100. Date Analyzed: 9/26/90  
 Column: (pack/cap) CAP Dilution Factor: ~~25.00~~  
 0.25

Number TICs found: 1 CONCENTRATION UNITS:  
 (ug/L or ug/Kg) UG/L

CAS NUMBER	COMPOUND NAME	RT	EST. CONC.	Q
1. 76-13-1	Ethane, 1,1,2-trichloro-1,2,	5.33	300.	J
2.				
3.				
4.				
5.				
6.				
7.				
8.				
9.				
10.				
11.				
12.				
13.				
14.				
15.				
16.				
17.				
18.				
19.				
20.				
21.				
22.				
23.				
24.				
25.				
26.				
27.				
28.				
29.				
30.				

DATE REPORTED: NOV 20 1990

\*\*\*\*\*  
*J. Molloy*  
 \*\*\*\*\*  
 John J. Molloy, P.E.  
 Laboratory Director

# H2M LABS, INC.

575 Broad Hollow Road, Melville, N.Y. 117  
 (516) 694-3040 FAX: (516) 694-4122

1B  
 SEMI-VOLATILE ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

Lab Name: H2M LABS INC.

Contract: GIBBS & HILL

GW-3

Lab Code: -----

Case No.: -----

SAS No.: -----

SDG No.: G&H 55

Matrix: (soil/water) WATER

Lab Sample ID: 9010267

Sample wt/vol: 900 (g/mL) ML

Lab File ID: >E2935

Level: (low/med) LOW

Date Received: 9/24/90

% Moisture: not dec. --- dec. --

Date Extracted: 9/26/90

Extraction: (Sepf/Cont/Sonc) SEPF

Date Analyzed: 10/06/90

GPC Cleanup: (Y/N) N pH: --

Dilution Factor: 1.00000

CAS NO.	COMPOUND	CONCENTRATION UNITS: (ug/L or ug/Kg) ug/L	Q
108-95-2	Phenol	32.	
111-44-4	bis(2-Chloroethyl)Ether	11.	IU
95-57-8	2-Chlorophenol	11.	IU
541-73-1	1,3-Dichlorobenzene	11.	IU
106-46-7	1,4-Dichlorobenzene	7.	IJ
100-51-6	Benzyl alcohol	11.	IU
95-50-1	1,2-Dichlorobenzene	5.	IJ
95-48-7	2-Methylphenol	11.	IU
39638-32-9	bis(2-chloroisopropyl)ether	11.	IU
106-44-5	4-Methylphenol	11.	IU
621-64-7	N-Nitroso-Di-n-propylamine	11.	IU
67-72-1	Hexachloroethane	11.	IU
98-95-3	Nitrobenzene	11.	IU
78-59-1	Isophorone	11.	IU
88-75-5	2-Nitrophenol	11.	IU
105-67-9	2,4-Dimethylphenol	7.	IJ
65-85-0	Benzoic acid	56.	IU
111-91-1	bis(2-Chloroethoxy)methane	11.	IU
120-83-2	2,4-Dichlorophenol	11.	IU
120-82-1	1,2,4-Trichlorobenzene	11.	IU
91-20-3	Naphthalene	65.	I
106-47-8	4-Chloroaniline	11.	IU
87-68-3	Hexachlorobutadiene	11.	IU
59-50-7	4-Chloro-3-methylphenol	11.	IU
91-57-6	2-Methylnaphthalene	32.	I
77-47-4	Hexachlorocyclopentadiene	11.	IU
88-06-2	2,4,6-Trichlorophenol	11.	IU
95-95-4	2,4,5-Trichlorophenol	56.	IU
91-58-7	2-Chloronaphthalene	11.	IU
88-74-4	2-Nitroaniline	56.	IU
131-11-3	Dimethylphthalate	11.	IU
208-96-8	Acenaphthylene	11.	IU
606-20-2	2,6-Dinitrotoluene	11.	IU

500059

# H2M LABS, INC.

575 Broad Hollow Road, Melville, N.Y. 11747  
 (516) 694-3040 FAX: (516) 694-4122

1C  
 SEMI-VOLATILE ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

GW-3

Lab Name: H2M LABS INC.

Contract: GIBBS & HILL

Lab Code: -----

Case No.: -----

SAS No.: -----

SDG No.: G&H 55

Matrix: (soil/water) WATER

Lab Sample ID: 9010267

Sample wt/vol: 900 (g/mL) ML

Lab File ID: >E2935

Level: (low/med) LOW

Date Received: 9/24/90

% Moisture: not dec. -- dec. --

Date Extracted: 9/26/90

Extraction: (Sepf/Cont/Sonc) SEPF

Date Analyzed: 10/06/90

GPC Cleanup: (Y/N) N pH: --

Dilution Factor: 1.00000

CONCENTRATION UNITS:  
 (ug/L or ug/Kg) ug/L

CAS NO.	COMPOUND	CONCENTRATION UNITS: (ug/L or ug/Kg) ug/L	Q
99-09-2	3-Nitroaniline	56.	IU
83-32-9	Acenaphthene	11.	IU
51-28-5	2,4-Dinitrophenol	56.	IU
100-02-7	4-Nitrophenol	56.	IU
132-64-9	Dibenzofuran	11.	IU
121-14-2	2,4-Dinitrotoluene	11.	IU
84-66-2	Diethylphthalate	11.	IU
7005-72-3	4-Chlorophenyl-phenylether	11.	IU
86-73-7	Fluorene	11.	IU
100-01-6	4-Nitroaniline	56.	IU
534-52-1	4,6-Dinitro-2-methylphenol	56.	IU
86-30-6	N-Nitrosodiphenylamine (1)	11.	IU
101-55-3	4-Bromophenyl-phenylether	11.	IU
118-74-1	Hexachlorobenzene	11.	IU
87-86-5	Pentachlorophenol	56.	IU
85-01-8	Phenanthrene	11.	IU
120-12-7	Anthracene	11.	IU
84-74-2	Di-n-butylphthalate	11.	IU
206-44-0	Fluoranthene	11.	IU
129-00-0	Pyrene	11.	IU
85-68-7	Butylbenzylphthalate	11.	IU
91-94-1	3,3'-Dichlorobenzidine	22.	IU
56-55-3	Benzo(a)anthracene	11.	IU
218-01-9	Chrysene	11.	IU
117-81-7	bis(2-Ethylhexyl)phthalate	11.	IU
117-84-0	Di-n-octylphthalate	11.	IU
205-99-2	Benzo(b)fluoranthene	11.	IU
207-08-9	Benzo(k)fluoranthene	11.	IU
50-32-8	Benzo(a)pyrene	11.	IU
193-39-5	Indeno(1,2,3-cd)pyrene	11.	IU
53-70-3	Dibenz(a,h)anthracene	11.	IU
191-24-2	Benzo(g,h,i)perylene	11.	IU

(1) - Cannot be separated from Diphenylamine

DATE RECORDED: 11/1/90

560000

# H2M LABS, INC.

575 Broad Hollow Road, Melville, N.Y. 117  
(516) 694-3040 FAX: (516) 694-4122

1F  
SEMIVOLATILE ORGANICS ANALYSIS DATA SHEET  
TENTATIVELY IDENTIFIED COMPOUNDS

EPA SAMPLE NO.

GW-3

Lab Name: H2M LABS INC.

Contract: GIBBS & HILL

Lab Code: ----- Case No.: -----

SAS No.: ----- SDG No.: G&H 55

Matrix: (soil/water) WATER

Lab Sample ID: 9010267

Sample wt/vol: 900 (g/mL) ML

Lab File ID: >E2935

Level: (low/med) LOW

Date Received: 9/24/90

% Moisture: not dec. -- dec. --

Date Extracted: 9/26/90

Extraction: (Sepf/Cont/Sonc) SEPF

Date Analyzed: 10/06/90

GPC Cleanup: (Y/N) N pH: --

Dilution Factor: 1.00000

CONCENTRATION UNITS:  
(ug/L or ug/Kg) ug/L

Number TICs found: 14

CAS NUMBER	COMPOUND NAME	RT	EST. CONC.	Q
1. 103651	Benzene, propyl- (8CI9CI)	9.29	36.	J
2.	Ethylmethylbenzene isomer	9.51	110.	J
3.	Ethylmethylbenzene isomer	9.58	58.	J
4.	Ethylmethylbenzene isomer	9.72	71.	J
5. 109838	4-Heptanone, 2,6-dimethyl-	9.83	69.	J
6.	Ethylmethylbenzene isomer	9.91	69.	J
7.	Ethylmethylbenzene isomer	10.95	100.	J
8.	Methyl-methylethylbenzene is	11.06	18.	J
9.	Unknown	11.24	29.	J
10.	Methyl-methylethylbenzene is	12.77	16.	J
11.	Dihydro-methyl-1H-indene iso	13.71	22.	J
12.	Ethyl dimethylbenzene isomer	13.77	16.	J
13. 90120	Naphthalene, 1-methyl- (8CI9	16.90	20.	J
14.	Unknown	25.62	100.	J
15.				
16.				
17.				
18.				
19.				
20.				
21.				
22.				
23.				
24.				
25.				
26.				
27.				
28.				
29.				
30.				

DATE REPORTED: NOV 21 1990

\*\*\*\*  
\* [Signature] \*  
\*\*\*\*

\*\*\*\*  
[Signature] DE  
\*\*\*\*

SC0061

10  
PESTICIDE ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

GW-3

Lab Name: H2M LABS, INC. Contract: \_\_\_\_\_

Lab Code: \_\_\_\_\_ Case No.: GH55 SAS No.: \_\_\_\_\_ SDG No.: \_\_\_\_\_

Matrix: (soil/water) WATER Lab Sample ID: 9010267

Sample wt/vol: 920.0 (g/mL) ML Lab File ID: \_\_\_\_\_

Level: (low/med) LOW Date Received: 09/24/90

% Moisture: not dec. \_\_\_ dec. \_\_\_ Date Extracted: 09/25/90

Extraction: (SepF/Cont/Sonc) SEPF Date Analyzed: 10/17/90

GPC Cleanup: (Y/N) N pH: 9.0 Dilution Factor: 1.00

CAS NO.	COMPOUND	CONCENTRATION UNITS: (ug/L or ug/Kg) <u>UG/L</u>	<u>g</u>
319-84-6	alpha-BHC	0.054	U
319-85-7	beta-BHC	0.054	U
319-86-8	delta-BHC	0.054	U
58-89-9	Lindane	0.054	U
74-44-8	Heptachlor	0.054	U
309-00-2	Aldrin	0.054	U
1024-57-3	Heptachlor epoxide	0.054	U
959-98-8	Endosulfan I	0.054	U
60-57-1	Dieldrin	0.11	U
72-55-9	4,4'-DDE	0.11	U
72-20-8	Endrin	0.11	U
33213-65-9	Endosulfan II	0.11	U
72-54-8	4,4'-DDD	0.11	U
1031-07-8	Endosulfan sulfate	0.11	U
50-29-3	4,4'-DDT	0.11	U
72-43-5	Methoxychlor	0.54	U
53494-70-5	Endrin ketone	0.11	U
5103-71-9	alpha-Chlordane	0.54	U
5103-74-2	gamma-Chlordane	0.54	U
8001-35-2	Toxaphene	1.1	U
12674-11-2	Aroclor-1016	0.54	U
11104-28-2	Aroclor-1221	0.54	U
11141-16-5	Aroclor-1232	0.54	U
53469-21-9	Aroclor-1242	0.54	U
12672-29-6	Aroclor-1248	0.54	U
11097-69-1	Aroclor-1254	1.1	U
11096-82-5	Aroclor-1260	1.1	U

DATE REPORTED: NOV 15 1990

\*\*\*\*\*  
\* *Middle* \*  
\*\*\*\*\*  
John ...  
Laboratory Director

SC0082

# H2M LABS, INC.

575 Broad Hollow Road, Melville, N.Y. 11767  
 (516) 694-3040 FAX: (516) 694-4122

U.S. EPA - CLP

EPA SAMPLE NO.

1  
 INORGANIC ANALYSIS DATA SHEET

XXXGW3

Lab Name: H2M LABS, INC.

Contract: GIBBS&HILL

Lab Code: H2MLAB

Case No.:

SAS No.:

SDG No.: GIB055

Matrix (soil/water): WATER

Lab Sample ID: 9010267

Level (low/med): LOW

Date Received: 09/24/90

% Solids: 0.0

Concentration Units (ug/L or mg/kg dry weight): UG/L

CAS No.	Analyte	Concentration	C	Q	M
7429-90-5	Aluminum	2740			P
7440-36-0	Antimony	43.9	U		P
7440-38-2	Arsenic	6.4	B	N	P
7440-39-3	Barium	99.4	B		P
7440-41-7	Beryllium	2.9	B		P
7440-43-9	Cadmium	3.6	U		P
7440-70-2	Calcium	174000			P
7440-47-3	Chromium	9.2	U		P
7440-48-4	Cobalt	8.6	B		P
7440-50-8	Copper	25.0			P
7439-89-6	Iron	1050			P
7439-92-1	Lead	8.1			P
7439-95-4	Magnesium	1290	B		P
7439-96-5	Manganese	15.1			P
7439-97-6	Mercury	0.20	U		P
7440-02-0	Nickel	8.8	B		P
7440-09-7	Potassium	32600			P
7782-49-2	Selenium	1.2	U	N	F
7440-22-4	Silver	10.0	U		A
7440-23-5	Sodium	60200			P
7440-28-0	Thallium	1.1	U		F
7440-62-2	Vanadium	9.9	B		P
7440-66-6	Zinc	70.0			A
	Cyanide	10.0	U		C

Color Before: COLORLESS

Clarity Before: CLEAR

Texture:

Color After: COLORLESS

Clarity After: CLEAR

Artifacts:

Comments:

\*\*\*\*\*  
 \*  
 \*  
 \*  
 \*\*\*\*\*

DATE REPORTED: NOVEMBER 6, 1990

S00083

John J. Molloy, P.E.  
 Laboratory Director

# H2M LABS, INC.

575 Broad Hollow Road, Melville, N.Y. 11747  
(516)694-3040 FAX:(516)694-4122

LAB NO: 9010267

GIBBS & HILL, INC.  
NORM HINSEY  
11 PENN PLAZA  
NEW YORK, NY 10001

TYPE..... MISCELLANEOUS LIQUID  
SPECIAL

DATE COLLECTED. 09/24/90  
DATE RECEIVED.. 09/24/90  
COLLECTED BY... CL99  
PROJECT NO..... 5066

POINT NO:  
LOCATION: GW-3

REMARKS:

HAZ. WASTE DIS. SITE

---

<u>PARAMETER (S)</u>	<u>RESULTS</u>	<u>UNITS</u>
COD	130	mg/l
SPECIFIC CONDUCTIVITY	1320	umhos
PH	11.8	units
SUSPENDED SOLIDS	108	mg/l
TOTAL DISSOLVED SOLIDS	549	mg/l

---

COPIES TO:

DATE ISSUED 11/13/90

ORIGINAL

  
LABORATORY DIRECTOR

# H2A LABS, INC.

575 Broad Hollow Road, Melville, N.Y. 11747  
 (516) 694-3040 FAX: (516) 694-4122

1A  
 VOLATILE ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

GW-4

Lab Name: H2M Contract: NYSDEC  
 Lab Code: H2M Case No.: G&H SAS No.: SDG No.: 55  
 Matrix: (soil/water) WATER Lab Sample ID: 9010266  
 Sample wt/vol: 5.000 (g/mL) ML Lab File ID: P4180  
 Level: (low/med) LOW Date Received: 9/24/90  
 % Moisture: not dec. 100. Date Analyzed: 9/26/90  
 Column: (pack/cap) CAP Dilution Factor: 1.00

CAS NO.	COMPOUND	CONCENTRATION UNITS: (ug/L or ug/Kg) UG/L	Q
74-87-3	-----Chloromethane	10.	U
74-83-9	-----Bromomethane	10.	U
75-01-4	-----Vinyl Chloride	10.	U
75-00-3	-----Chloroethane	10.	U
75-09-2	-----Methylene Chloride	55.	U
67-64-1	-----Acetone	10.	U
75-15-0	-----Carbon Disulfide	5.	U
75-35-4	-----1,1-Dichloroethene	5.	U
75-34-3	-----1,1-Dichloroethane	5.	U
540-59-0	-----1,2-Dichloroethene (total)	5.	U
67-66-3	-----Chloroform	5.	U
107-06-2	-----1,2-Dichloroethane	5.	U
78-93-3	-----2-Butanone	10.	U
71-55-6	-----1,1,1-Trichloroethane	5.	U
56-23-5	-----Carbon Tetrachloride	5.	U
108-05-4	-----Vinyl Acetate	10.	U
75-27-4	-----Bromodichloromethane	5.	U
78-87-5	-----1,2-Dichloropropane	5.	U
10061-01-5	-----cis-1,3-Dichloropropene	5.	U
79-01-6	-----Trichloroethene	5.	U
124-48-1	-----Dibromochloromethane	5.	U
79-00-5	-----1,1,2-Trichloroethane	5.	U
71-43-2	-----Benzene	5.	U
10061-02-6	-----trans-1,3-Dichloropropene	5.	U
75-25-2	-----Bromoform	5.	U
108-10-1	-----4-Methyl-2-Pentanone	10.	U
591-78-6	-----2-Hexanone	10.	U
127-18-4	-----Tetrachloroethene	5.	U
79-34-5	-----1,1,2,2-Tetrachloroethane	5.	U
108-88-3	-----Toluene	5.	U
108-90-7	-----Chlorobenzene	5.	U
100-41-4	-----Ethylbenzene	5.	U
100-42-5	-----Styrene	5.	U
1330-20-7	-----Xylene (total)	5.	U

*John Staxus*

DATE REPORTED: NOV 26 1990



# H2M LABS, INC.

575 Broad Hollow Road, Melville, N.Y. 11747  
 (516) 694-3040 FAX: (516) 694-4122  
 EPA SAMPLE NO.:

## VOLATILE ORGANICS ANALYSIS DATA SHEET TENTATIVELY IDENTIFIED COMPOUNDS

GW-4

Lab Name: H2M Contract: NYSDEC  
 Lab Code: H2M Case No.: G&H SAS No.: SDG No.: 55  
 Matrix: (soil/water) WATER Lab Sample ID: 9010266  
 Sample wt/vol: 5.000 (g/mL) ML Lab File ID: P4180  
 Level: (low/med) LOW Date Received: 9/24/90  
 % Moisture: not dec. 100. Date Analyzed: 9/26/90  
 Column: (pack/cap) CAP Dilution Factor: 1.00

Number TICs found: 4

CONCENTRATION UNITS:  
 (ug/L or ug/Kg) UG/L

CAS NUMBER	COMPOUND NAME	RT	EST. CONC.	Q
1.	ETHYL METHYL CYCLOHEXANE ISO	12.58	8.2	J
2.	ETHYL METHYL CYCLOHEXANE ISO	12.98	10.2	J
3.	DIMETHYL OCTANE ISOMER	13.09	9.2	J
4.	UNKNOWN	13.97	6.2	J
5.				
6.				
7.				
8.				
9.				
10.				
11.				
12.				
13.				
14.				
15.				
16.				
17.				
18.				
19.				
20.				
21.				
22.				
23.				
24.				
25.				
26.				
27.				
28.				
29.				
30.	DATE REPORTED: NOV 28 1990	***** <i>John J. M...</i> John J. M... Laboratory Director		

# H2M LABS, INC.

575 Broad Hollow Road, Melville, N.Y. 11747  
 (516) 694-3040 FAX: (516) 694-4122

1B  
 SEMI-VOLATILE ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

Lab Name: H2M LABS INC.

Contract: GIBBS & HILL

GW-4

Lab Code: -----

Case No.: -----

SAS No.: -----

SOG No.: G&H 55

Matrix: (soil/water) WATER

Lab Sample ID: 9010266

Sample wt/vol: 810 (g/mL) ML

Lab File ID: >E2932

Level: (low/med) LOW

Date Received: 9/24/90

% Moisture: not dec. --- dec. --

Date Extracted: 9/26/90

Extraction: (Sepf/Cont/Sonc) SEPF

Date Analyzed: 10/06/90

GPC Cleanup: (Y/N) N pH: --

Dilution Factor: 1.00000

CAS NO.	COMPOUND	CONCENTRATION UNITS: (ug/L or ug/Kg) ug/L	Q
108-95-2	Phenol	12.	IU
111-44-4	bis(2-Chloroethyl)Ether	12.	IU
95-57-8	2-Chlorophenol	12.	IU
541-73-1	1,3-Dichlorobenzene	12.	IU
106-46-7	1,4-Dichlorobenzene	12.	IU
100-51-6	Benzyl alcohol	12.	IU
95-50-1	1,2-Dichlorobenzene	12.	IU
95-48-7	2-Methylphenol	12.	IU
39638-32-9	bis(2-chloroisopropyl)ether	12.	IU
106-44-5	4-Methylphenol	12.	IU
621-64-7	N-Nitroso-Di-n-propylamine	12.	IU
67-72-1	Hexachloroethane	12.	IU
98-95-3	Nitrobenzene	12.	IU
78-59-1	Isophorone	12.	IU
88-75-5	2-Nitrophenol	12.	IU
105-67-9	2,4-Dimethylphenol	12.	IU
65-85-0	Benzoic acid	62.	IU
111-91-1	bis(2-Chloroethoxy)methane	12.	IU
120-83-2	2,4-Dichlorophenol	12.	IU
120-82-1	1,2,4-Trichlorobenzene	12.	IU
91-20-3	Naphthalene	12.	IU
106-47-8	4-Chloroaniline	12.	IU
87-68-3	Hexachlorobutadiene	12.	IU
59-50-7	4-Chloro-3-methylphenol	12.	IU
91-57-6	2-Methylnaphthalene	12.	IU
77-47-4	Hexachlorocyclopentadiene	12.	IU
88-06-2	2,4,6-Trichlorophenol	12.	IU
95-95-4	2,4,5-Trichlorophenol	62.	IU
91-58-7	2-Chloronaphthalene	12.	IU
88-74-4	2-Nitroaniline	62.	IU
131-11-3	Dimethylphthalate	12.	IU
208-96-8	Acenaphthylene	12.	IU
606-20-2	2,6-Dinitrotoluene	12.	IU

500088

# H2M LABS, INC.

575 Broad Hollow Road, Melville, N.Y. 11747  
(516) 694-3040 FAX: (516) 694-4122

1C  
SEMIVOLATILE ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

GW-4

Lab Name: H2M LABS INC.

Contract: GIBBS & HILL

Lab Code: -----

Case No.: -----

SAS No.: -----

SDG No.: G&H 55

Matrix: (soil/water) WATER

Lab Sample ID: 9010266

Sample wt/vol: 810 (g/mL) ML

Lab File ID: >E2932

Level: (low/med) LOW

Date Received: 9/24/90

% Moisture: not dec. -- dec. --

Date Extracted: 9/26/90

Extraction: (Sepf/Cont/Sonc) SEPF

Date Analyzed: 10/06/90

GPC Cleanup: (Y/N) N pH: --

Dilution Factor: 1.00000

CAS NO.	COMPOUND	CONCENTRATION UNITS: (ug/L or ug/Kg) ug/L	Q
99-09-2	3-Nitroaniline	62.	UI
83-32-9	Acenaphthene	12.	UI
51-28-5	2,4-Dinitrophenol	62.	UI
100-02-7	4-Nitrophenol	62.	UI
132-64-9	Dibenzofuran	12.	UI
121-14-2	2,4-Dinitrotoluene	12.	UI
84-66-2	Diethylphthalate	12.	UI
7005-72-3	4-Chlorophenyl-phenylether	12.	UI
86-73-7	Fluorene	12.	UI
100-01-6	4-Nitroaniline	62.	UI
534-52-1	4,6-Dinitro-2-methylphenol	62.	UI
86-30-6	N-Nitrosodiphenylamine (1)	12.	UI
101-55-3	4-Bromophenyl-phenylether	12.	UI
118-74-1	Hexachlorobenzene	12.	UI
87-86-5	Pentachlorophenol	62.	UI
85-01-8	Phenanthrene	12.	UI
120-12-7	Anthracene	12.	UI
84-74-2	Di-n-butylphthalate	12.	UI
206-44-0	Fluoranthene	12.	UI
129-00-0	Pyrene	12.	UI
85-68-7	Butylbenzylphthalate	12.	UI
91-94-1	3,3'-Dichlorobenzidine	25.	UI
56-55-3	Benzo(a)anthracene	12.	UI
218-01-9	Chrysene	12.	UI
117-81-7	bis(2-Ethylhexyl)phthalate	12.	UI
117-84-0	Di-n-octylphthalate	12.	UI
205-99-2	Benzo(b)fluoranthene	12.	UI
207-08-9	Benzo(k)fluoranthene	12.	UI
50-32-8	Benzo(a)pyrene	12.	UI
193-39-5	Indeno(1,2,3-cd)pyrene	12.	UI
53-70-3	Dibenz(a,h)anthracene	12.	UI
191-24-2	Benzo(g,h,i)perylene	12.	UI

(1) - Cannot be separated from Diphenylamine

DATE: NOV 21 1990  
FORM 1 5112

SCIENCE

1/87 Rev

# H2M LABS, INC.

575 Broad Hollow Road, Melville, N.Y. 11747  
 (516) 694-3040 FAX: (516) 694-4122

1F  
 SEMI-VOLATILE ORGANICS ANALYSIS DATA SHEET  
 TENTATIVELY IDENTIFIED COMPOUNDS

EPA SAMPLE NO.

GW-4.

Lab Name: H2M LABS INC.

Contract: GIBBS & HILL

Lab Code: ----- Case No.: -----

SAS No.: ----- SDG No.: G&H 55

Matrix: (soil/water) WATER

Lab Sample ID: 9010266

Sample wt/vol: 810 (g/mL) ML

Lab File ID: >E2932

Level: (low/med) LDW

Date Received: 9/24/90

% Moisture: not dec. -- dec. --

Date Extracted: 9/26/90

Extraction: (Sepf/Cont/Sonc) SEPF

Date Analyzed: 10/06/90

GPC Cleanup: (Y/N) N pH: --

Dilution Factor: 1.00000

CONCENTRATION UNITS:  
 (ug/L or ug/Kg) ug/L

Number TICs found: 6

CAS NUMBER	COMPOUND NAME	RT	EST. CONC.	Q
1.	Unk. Aliphatic Hydrocarbon	9.37	12.	J
2.	Unk. Aliphatic Hydrocarbon	11.03	35.	J
3. 7058017	Cyclohexane, (1-methylpropyl)	11.22	15.	J
4.	Unk. Aliphatic Hydrocarbon	11.32	10.	J
5.	Unk. Aliphatic Hydrocarbon	11.39	10.	J
6. 493027	Naphthalene, decahydro-, tra	11.76	15.	J
7.				
8.				
9.				
10.				
11.				
12.				
13.				
14.				
15.				
16.				
17.				
18.				
19.				
20.				
21.				
22.				
23.				
24.				
25.				
26.				
27.				
28.				
29.				
30.				

*Handwritten signature*

John J. McInnis, PE  
 Lab Director

1D  
PESTICIDE ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

GW-4

Lab Name: H2M LABS, INC. Contract: \_\_\_\_\_

Lab Code: \_\_\_\_\_ Case No.: GH55 SAS No.: \_\_\_\_\_ SDG No.: \_\_\_\_\_

Matrix: (soil/water) WATER Lab Sample ID: 9010266

Sample wt/vol: 960.0 (g/mL) ML Lab File ID: \_\_\_\_\_

Level: (low/med) LOW Date Received: 09/24/90

% Moisture: not dec. \_\_\_\_\_ dec. \_\_\_\_\_ Date Extracted: 09/25/90

Extraction: (SepF/Cont/Sonc) SEFF Date Analyzed: 10/17/90

GPC Cleanup: (Y/N) N pH: 7.0 Dilution Factor: 1.00

CAS NO.	COMPOUND	CONCENTRATION UNITS: (ug/L or ug/Kg) <u>UG/L</u>	Q
319-84-6	alpha-BHC	0.052	U
319-85-7	beta-BHC	0.052	U
319-86-8	delta-BHC	0.052	U
58-89-9	Lindane	0.052	U
76-44-8	Heptachlor	0.052	U
309-00-2	Aldrin	0.052	U
1024-57-3	Heptachlor epoxide	0.052	U
959-98-8	Endosulfan I	0.052	U
60-57-1	Dieldrin	0.10	U
72-55-9	4,4'-DDE	0.10	U
72-20-8	Endrin	0.10	U
33213-45-9	Endosulfan II	0.10	U
72-54-8	4,4'-DDD	0.10	U
1031-07-8	Endosulfan sulfate	0.10	U
50-29-3	4,4'-DDT	0.10	U
72-43-5	Methoxychlor	0.52	U
53494-70-5	Endrin ketone	0.10	U
5103-71-9	alpha-Chlordane	0.52	U
5103-74-2	gamma-Chlordane	0.52	U
8001-35-2	Toxaphene	1.0	U
12674-11-2	Aroclor-1016	0.52	U
11104-28-2	Aroclor-1221	0.52	U
11141-16-5	Aroclor-1232	0.52	U
53469-21-9	Aroclor-1242	0.52	U
12672-29-6	Aroclor-1248	0.52	U
11097-69-1	Aroclor-1254	1.0	U
11096-82-5	Aroclor-1260	1.0	U

DATE REPORTED: 11 15 1990

\*\*\*\*\*  
\* *Arnd del* \*  
\* \*  
\*\*\*

Jr. P.E.  
Laboratory Director

FORM I PEST

2/87 Rev

SC0069

U.S. EPA - CLP

EPA SAMPLE NO.

1  
INORGANIC ANALYSIS DATA SHEET

XXXGW4

Lab Name: H2M LABS, INC.

Contract: GIBBS&HILL

Lab Code: H2MLAB

Case No.:

SAS No.:

SDG No.: GIB055

Matrix (soil/water): WATER

Lab Sample ID: 9010266

Level (low/med): LOW

Date Received: 09/24/90

% Solids: 0.0

Concentration Units (ug/L or mg/kg dry weight): UG/L

CAS No.	Analyte	Concentration	C	Q	M
7429-90-5	Aluminum	13900			P
7440-36-0	Antimony	43.9	U		P
7440-38-2	Arsenic	125		N	F
7440-39-3	Barium	200	B		P
7440-41-7	Beryllium	3.2	B		P
7440-43-9	Cadmium	5.4			P
7440-70-2	Calcium	128000			P
7440-47-3	Chromium	29.9			P
7440-48-4	Cobalt	16.1	B		P
7440-50-8	Copper	58.2			P
7439-89-6	Iron	49500			P
7439-92-1	Lead	139.5			F
7439-95-4	Magnesium	9530			P
7439-96-5	Manganese	1200			P
7439-97-6	Mercury	0.20	U		CV
7440-02-0	Nickel	27.6	B		P
7440-09-7	Potassium	6780			P
7782-49-2	Selenium	1.3	B	WN	F
7440-22-4	Silver	10.0	U		A
7440-23-5	Sodium	6170			P
7440-28-0	Thallium	1.1	U		F
7440-62-2	Vanadium	37.1	B		P
7440-66-6	Zinc	210			A
	Cyanide	10.0	U		C

Color Before: BROWN

Clarity Before: CLOUDY

Texture:


Color After: COLORLESS

Clarity After: CLEAR

Artifacts:

Comments:

DATE REPORTED: NOVEMBER 6, 1990

\*\*\*\*\*  
  
 \*\*\*\*\*

500076

John J. Molloy, P.E.

# H2M LABS, INC.

575 Broad Hollow Road, Melville, N.Y. 11747  
(516)694-3040 FAX:(516)694-4122

LAB NO: 9010266

GIBBS & HILL, INC.  
NORM HINSEY  
11 PENN PLAZA  
NEW YORK, NY 10001

TYPE..... MISCELLANEOUS LIQUID  
SPECIAL

DATE COLLECTED. 09/24/90  
DATE RECEIVED.. 09/24/90  
COLLECTED BY... CL99  
PROJECT NO..... 5066

POINT NO:  
LOCATION: GW-4  
MS/MSD ALSO  
REMARKS:  
HAZ. WASTE DIS. SITE

<u>PARAMETER (S)</u>	<u>RESULTS</u>	<u>UNITS</u>
COD	90	mg/l
SPECIFIC CONDUCTIVITY	546	umhos
PH	7.0	units
SUSPENDED SOLIDS	660	mg/l
TOTAL DISSOLVED SOLIDS	378	mg/l

COPIES TO:

DATE ISSUED 11/13/90

ORIGINAL

*Stanley Deacon*  
LABORATORY DIRECTOR  
SG0071

# H2A LABS, INC.

575 Broad Hollow Road, Melville, N.Y. 11767  
 (516) 694-3040 FAX: (516) 694-4122

1A  
 VOLATILE ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

GW-5

Lab Name: H2M Contract: NYSDEC  
 Lab Code: H2M Case No.: G&H SAS No.: SDG No.: 55  
 Matrix: (soil/water) WATER Lab Sample ID: 9010270  
 Sample wt/vol: 5.000 (g/mL) ML Lab File ID: P4186  
 Level: (low/med) LOW Date Received: 9/24/90  
 % Moisture: not dec. 100. Date Analyzed: 9/26/90  
 Column: (pack/cap) CAP Dilution Factor: 1.00

CAS NO.	COMPOUND	CONCENTRATION UNITS: (ug/L or ug/Kg) UG/L	Q
74-87-3	-----Chloromethane	10.	U
74-83-9	-----Bromomethane	10.	U
75-01-4	-----Vinyl Chloride	10.	U
75-00-3	-----Chloroethane	10.	U
75-09-2	-----Methylene Chloride	5.	U
67-64-1	-----Acetone	10.	U
75-15-0	-----Carbon Disulfide	5.	U
75-35-4	-----1,1-Dichloroethene	5.	U
75-34-3	-----1,1-Dichloroethane	2.	J
540-59-0	-----1,2-Dichloroethene (total)	30.	
67-66-3	-----Chloroform	5.	U
107-06-2	-----1,2-Dichloroethane	5.	U
78-93-3	-----2-Butanone	10.	U
71-55-6	-----1,1,1-Trichloroethane	6.	
56-23-5	-----Carbon Tetrachloride	5.	U
108-05-4	-----Vinyl Acetate	10.	U
75-27-4	-----Bromodichloromethane	5.	U
78-87-5	-----1,2-Dichloropropane	5.	U
10061-01-5	-----cis-1,3-Dichloropropene	5.	U
79-01-6	-----Trichloroethene	89.	
124-48-1	-----Dibromochloromethane	5.	U
79-00-5	-----1,1,2-Trichloroethane	5.	U
71-43-2	-----Benzene	5.	U
10061-02-6	-----trans-1,3-Dichloropropene	5.	U
75-25-2	-----Bromoform	5.	U
108-10-1	-----4-Methyl-2-Pentanone	10.	U
591-78-6	-----2-Hexanone	10.	U
127-18-4	-----Tetrachloroethene	460.	E
79-34-5	-----1,1,2,2-Tetrachloroethane	5.	U
108-88-3	-----Toluene	5.	U
108-90-7	-----Chlorobenzene	5.	U
100-41-4	-----Ethylbenzene	5.	U
100-42-5	-----Styrene	5.	U
1330-20-7	-----Xylene (total)	5.	U

\*\*\*\*\*  
*John J. Murphy*  
 \*\*\*\*\*  
 John J. Murphy, P.E.  
 Laboratory Director

DATE REPORTED: 9/26/90

500072



# H2A LABS, INC.

575 Broad Hollow Road, Melville, N.Y. 11747  
 (516) 694-3040 FAX (516) 694-4122  
 EPA SAMPLE NO.

## VOLATILE ORGANICS ANALYSIS DATA SHEET TENTATIVELY IDENTIFIED COMPOUNDS

GW-5

Lab Name: H2M Contract: NYSDEC  
 Lab Code: H2M Case No.: G&H SAS No.: SDG No.: 55  
 Matrix: (soil/water) WATER Lab Sample ID: 9010270  
 Sample wt/vol: 5.000 (g/mL) ML Lab File ID: P4186  
 Level: (low/med) LOW Date Received: 9/24/90  
 % Moisture: not dec. 100. Date Analyzed: 9/26/90  
 Column: (pack/cap) CAP Dilution Factor: 1.00

CONCENTRATION UNITS:  
 (ug/L or ug/Kg) UG/L

Number TICs found: 4

CAS NUMBER	COMPOUND NAME	RT	EST. CONC.	Q
1.	ETHYL DIMETHYL BENZENE ISOME	9.18	5.	J
2.	TERAMETHYL BENZENE ISOMER	10.20	20.	J
3.	UNKNOWN	12.40	40.	J
4.	UNKNOWN	14.00	6.	J
5.				
6.				
7.				
8.				
9.				
10.				
11.				
12.				
13.				
14.				
15.				
16.				
17.				
18.				
19.				
20.				
21.				
22.				
23.				
24.				
25.				
26.				
27.				
28.	DATE REPORTED NOV 28 1990			
29.				
30.				

\*\*\*\*\*  
 \*  
 \* *John J. [Signature]* \*  
 \*\*\*\*\*  
 Laboratory Director

# H2M LABS, INC.

575 Broad Hollow Road, Melville, N.Y. 11747  
(516) 694-3040 FAX: (516) 694-4122

1A

EPA SAMPLE NO.

## VOLATILE ORGANICS ANALYSIS DATA SHEET

GW-5 DL

Lab Name: H2M

Contract: NYSDEC

Lab Code: H2M

Case No.: G&H

SAS No.:

SDG No.: 55

Matrix: (soil/water) WATER

Lab Sample ID: 9010270DL

Sample wt/vol: 5.000 (g/mL) ML

Lab File ID: P4198

Level: (low/med) LOW

Date Received: 9/24/90

% Moisture: not dec. 100.

Date Analyzed: 9/27/90

Column: (pack/cap) CAP

Dilution Factor: ~~5.00~~

CONCENTRATION UNITS:  
(ug/L or ug/Kg) UG/L

CAS NO.

COMPOUND

Q

CAS NO.	COMPOUND	CONCENTRATION UNITS: (ug/L or ug/Kg) UG/L	Q
74-87-3	-----Chloromethane	50.	U
74-83-9	-----Bromomethane	50.	U
75-01-4	-----Vinyl Chloride	50.	U
75-00-3	-----Chloroethane	50.	U
75-09-2	-----Methylene Chloride	25.	U
67-64-1	-----Acetone	50.	U
75-15-0	-----Carbon Disulfide	25.	U
75-35-4	-----1,1-Dichloroethene	25.	U
75-34-3	-----1,1-Dichloroethane	25.	U
540-59-0	-----1,2-Dichloroethene (total)	25.	D
67-66-3	-----Chloroform	25.	U
107-06-2	-----1,2-Dichloroethane	25.	U
78-93-3	-----2-Butanone	50.	U
71-55-6	-----1,1,1-Trichloroethane	25.	U
56-23-5	-----Carbon Tetrachloride	25.	U
108-05-4	-----Vinyl Acetate	50.	U
75-27-4	-----Bromodichloromethane	25.	U
78-87-5	-----1,2-Dichloropropane	25.	U
10061-01-5	-----cis-1,3-Dichloropropene	25.	U
79-01-6	-----Trichloroethene	74.	D
124-48-1	-----Dibromochloromethane	25.	U
79-00-5	-----1,1,2-Trichloroethane	25.	U
71-43-2	-----Benzene	5.	J D
10061-02-6	-----trans-1,3-Dichloropropene	25.	U
75-25-2	-----Bromoform	25.	U
108-10-1	-----4-Methyl-2-Pentanone	50.	U
591-78-6	-----2-Hexanone	50.	U
127-18-4	-----Tetrachloroethene	440.	B D
79-34-5	-----1,1,2,2-Tetrachloroethane	25.	U
108-88-3	-----Toluene	25.	U
108-90-7	-----Chlorobenzene	5.	J D
100-41-4	-----Ethylbenzene	25.	U
100-42-5	-----Styrene	25.	U
1330-20-7	-----Xylene (total)	25.	U

DATE REPORTED: NOV 20 1990.

John J. McInerney, P.E.  
Laboratory Director

800074

# H2A LABS, INC.

575 Broad Hollow Road, Melville, N.Y. 11747  
(516) 694-3040 FAX: (516) 694-4122

## VOLATILE ORGANICS ANALYSIS DATA SHEET TENTATIVELY IDENTIFIED COMPOUNDS

GW-5 DL

Lab Name: H2M

Contract: NYSDEC

Lab Code: H2M

Case No.: G&H

SAS No.:

SDG No.: 55

Matrix: (soil/water) WATER

Lab Sample ID: 9010270DL

Sample wt/vol: 5.000 (g/mL) ML

Lab File ID: P4198

Level: (low/med) LOW

Date Received: 9/24/90

% Moisture: not dec. 100.

Date Analyzed: 9/27/90

Column: (pack/cap) CAP

Dilution Factor: ~~5.00~~

Number TICs found: 0

CONCENTRATION UNITS:  
(ug/L or ug/Kg) UG/L

CAS NUMBER	COMPOUND NAME	RT	EST. CONC.	Q
1.				
2.				
3.				
4.				
5.				
6.				
7.				
8.				
9.				
10.				
11.				
12.				
13.				
14.				
15.				
16.				
17.				
18.				
19.				
20.				
21.				
22.				
23.				
24.				
25.				
26.				
27.				
28.				
29.				
30.				

DATE REPORTED: NOV 28 1990

\*\*\*\*\*  
*[Signature]*  
\*\*\*\*\*  
John J. ...  
Lab. ...

1B  
 SEMI-VOLATILE ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

Lab Name: H2M LABS INC.

Contract: GIBBS & HILL

GW-5

Lab Code: -----

Case No.: -----

SAS No.: -----

SDG No.: G&H 55

Matrix: (soil/water) WATER

Lab Sample ID: 9010270

Sample wt/vol: 940 (g/mL) ML

Lab File ID: >E2958

Level: (low/med) LOW

Date Received: 9/24/90

% Moisture: not dec. -- dec. --

Date Extracted: 9/26/90

Extraction: (Sepf/Cont/Sonc) SEPF

Date Analyzed: 10/10/90

GPC Cleanup: (Y/N) N pH: --

Dilution Factor: 1.00000

CAS NO. COMPOUND CONCENTRATION UNITS:  
 (ug/L or ug/Kg) ug/L Q

108-95-2	Phenol	11.	IU
111-44-4	bis(2-Chloroethyl)Ether	11.	IU
95-57-8	2-Chlorophenol	11.	IU
541-73-1	1,3-Dichlorobenzene	11.	IU
106-46-7	1,4-Dichlorobenzene	11.	IU
100-51-6	Benzyl alcohol	11.	IU
95-50-1	1,2-Dichlorobenzene	11.	IU
95-48-7	2-Methylphenol	11.	IU
39638-32-9	bis(2-chloroisopropyl)ether	11.	IU
106-44-5	4-Methylphenol	11.	IU
621-64-7	N-Nitroso-Di-n-propylamine	11.	IU
67-72-1	Hexachloroethane	11.	IU
98-95-3	Nitrobenzene	11.	IU
78-59-1	Isophorone	11.	IU
88-75-5	2-Nitrophenol	11.	IU
105-67-9	2,4-Dimethylphenol	11.	IU
65-85-0	Benzoic acid	53.	IU
111-91-1	bis(2-Chloroethoxy)methane	11.	IU
120-83-2	2,4-Dichlorophenol	11.	IU
120-82-1	1,2,4-Trichlorobenzene	11.	IU
91-20-3	Naphthalene	11.	IU
106-47-8	4-Chloroaniline	11.	IU
87-68-3	Hexachlorobutadiene	11.	IU
59-50-7	4-Chloro-3-methylphenol	11.	IU
91-57-6	2-Methylnaphthalene	11.	IU
77-47-4	Hexachlorocyclopentadiene	11.	IU
88-06-2	2,4,6-Trichlorophenol	11.	IU
95-95-4	2,4,5-Trichlorophenol	53.	IU
91-58-7	2-Chloronaphthalene	11.	IU
88-74-4	2-Nitroaniline	53.	IU
131-11-3	Dimethylphthalate	11.	IU
208-96-8	Acenaphthylene	11.	IU
606-20-2	2,6-Dinitrotoluene	11.	IU

# H2M LABS, INC.

575 Broad Hollow Road, Melville, N.Y. 11747  
 (516) 694-3040 FAX: (516) 694-4122

1C  
 SEMI-VOLATILE ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

Lab Name: H2M LABS INC.

Contract: GIBBS & HILL

GW-5

Lab Code: -----

Case No.: -----

SAS No.: -----

SDG No.: G&H 55

Matrix: (soil/water) WATER

Lab Sample ID: 9010270

Sample wt/Vol: 940 (g/mL) ML

Lab File ID: >E2958

Level: (low/med) LOW

Date Received: 9/24/90

% Moisture: not dec. -- dec. --

Date Extracted: 9/26/90

Extraction: (Sepf/Cont/Sonc) SEPF

Date Analyzed: 10/10/90

GPC Cleanup: (Y/N) N pH: --

Dilution Factor: 1.00000

CONCENTRATION UNITS:  
 (ug/L or ug/Kg) ug/L

CAS NO.	COMPOUND	CONCENTRATION UNITS: (ug/L or ug/Kg) ug/L	Q
99-09-2	3-Nitroaniline	53.	IU
83-32-9	Acenaphthene	11.	IU
51-28-5	2,4-Dinitrophenol	53.	IU
100-02-7	4-Nitrophenol	53.	IU
132-64-9	Dibenzofuran	11.	IU
121-14-2	2,4-Dinitrotoluene	11.	IU
84-66-2	Diethylphthalate	11.	IU
7005-72-3	4-Chlorophenyl-phenylether	11.	IU
86-73-7	Fluorene	11.	IU
100-01-6	4-Nitroaniline	53.	IU
534-52-1	4,6-Dinitro-2-methylphenol	53.	IU
86-30-6	N-Nitrosodiphenylamine (1)	11.	IU
101-55-3	4-Bromophenyl-phenylether	11.	IU
118-74-1	Hexachlorobenzene	11.	IU
87-86-5	Pentachlorophenol	53.	IU
85-01-8	Phenanthrene	11.	IU
120-12-7	Anthracene	11.	IU
84-74-2	Di-n-butylphthalate	11.	IU
206-44-0	Fluoranthene	11.	IU
129-00-0	Pyrene	11.	IU
85-68-7	Butylbenzylphthalate	11.	IU
91-94-1	3,3'-Dichlorobenzidine	21.	IU
56-55-3	Benzo(a)anthracene	11.	IU
218-01-9	Chrysene	11.	IU
117-81-7	bis(2-Ethylhexyl)phthalate	11.	IU
117-84-0	Di-n-octylphthalate	11.	IU
205-99-2	Benzo(b)fluoranthene	11.	IU
207-08-9	Benzo(k)fluoranthene	11.	IU
50-32-8	Benzo(a)pyrene	11.	IU
193-39-5	Indeno(1,2,3-cd)pyrene	11.	IU
53-70-3	Dibenz(a,h)anthracene	11.	IU
191-24-2	Benzo(g,h,i)perylene	11.	IU

(1) - Cannot be separated from Diphenylamine

SOLOTT

# H2M LABS, INC.

575 Broad Hollow Road, Melville, N.Y. 11747  
 (516) 694-3040 FAX: (516) 694-4122

1F  
 SEMI-VOLATILE ORGANICS ANALYSIS DATA SHEET  
 TENTATIVELY IDENTIFIED COMPOUNDS

EPA SAMPLE NO.

GW-5

Lab Name: H2M LABS INC.

Contract: GIBBS & HILL

Lab Code: ----- Case No.: ----- SAS No.: ----- SDG No.: G&H 55

Matrix: (soil/water) WATER Lab Sample ID: 9010270

Sample wt/vol: 940 (g/mL) ML Lab File ID: >E2958

Level: (low/med) LOW Date Received: 9/24/90

% Moisture: not dec. -- dec. -- Date Extracted: 9/26/90

Extraction: (Sepf/Cont/Sonc) SEPF Date Analyzed: 10/10/90

GPC Cleanup: (Y/N) N pH: -- Dilution Factor: 1.00000

CONCENTRATION UNITS:  
 (ug/L or ug/Kg) ug/L

Number TICs found: 9

CAS NUMBER	COMPOUND NAME	RT	EST. CONC.	Q
1.	Ethyl-dimethylbenzene isomer	11.64	14.	J
2.	Ethyl-dimethylbenzene isomer	12.10	9.	J
3.	Ethyl-dimethylbenzene isomer	12.63	16.	J
4.	Tetramethylbenzene isomer	12.91	15.	J
5.	Tetramethylbenzene isomer	12.99	31.	J
6.	Dihydro-methyl-1H-Indene iso	13.56	18.	J
7.	Tetramethylbenzene isomer	13.62	12.	J
8.	Unknown	23.63	27.	J
9.	Unknown	39.54	35.	J
10.				
11.				
12.				
13.				
14.				
15.				
16.				
17.				
18.				
19.				
20.				
21.				
22.				
23.				
24.				
25.				
26.				
27.				
28.				
29.				
30.				

DATE REPORTED: 10/21/90

John J. ...  
 Laboratory Director

500075

1D  
PESTICIDE ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

GW-5

Lab Name: H2M LABS, INC. Contract: \_\_\_\_\_  
 Lab Code: \_\_\_\_\_ Case No.: GH55 SAS No.: \_\_\_\_\_ SDG No.: \_\_\_\_\_  
 Matrix: (soil/water) WATER Lab Sample ID: 9010270  
 Sample wt/vol: 960.0 (g/mL) ML Lab File ID: \_\_\_\_\_  
 Level: (low/med) LOW Date Received: 09/24/90  
 % Moisture: not dec. \_\_\_ dec. \_\_\_ Date Extracted: 09/25/90  
 Extraction: (SepF/Cont/Sonc) SEPF Date Analyzed: 10/18/90  
 GPC Cleanup: (Y/N) N pH: 7.0 Dilution Factor: 1.00

GAS NO. COMPOUND CONCENTRATION UNITS:  
(ug/L or ug/Kg) UG/L 0

319-84-6	alpha-BHC	0.052	U
319-85-7	beta-BHC	0.052	U
319-86-8	delta-BHC	0.052	U
58-89-9	Lindane	0.052	U
76-44-8	Heptachlor	0.052	U
309-00-2	Aldrin	0.052	U
1024-57-3	Heptachlor epoxide	0.052	U
959-98-8	Endosulfan I	0.052	U
60-57-1	Dieldrin	0.10	U
72-55-9	4,4'-DDE	0.10	U
72-20-8	Endrin	0.10	U
33213-65-9	Endosulfan II	0.10	U
72-54-8	4,4'-DDD	0.10	U
1031-07-8	Endosulfan sulfate	0.10	U
50-29-3	4,4'-DDT	0.10	U
72-43-5	Methoxychlor	0.52	U
53494-70-5	Endrin ketone	0.10	U
5103-71-9	alpha-Chlordane	0.52	U
5103-74-2	gamma-Chlordane	0.52	U
8001-35-2	Toxaphene	1.0	U
12674-11-2	Aroclor-1016	0.52	U
11104-28-2	Aroclor-1221	0.52	U
11141-16-5	Aroclor-1232	0.52	U
53469-21-9	Aroclor-1242	0.52	U
12672-29-6	Aroclor-1248	0.52	U
11097-69-1	Aroclor-1254	1.0	U
11096-82-5	Aroclor-1260	1.0	U

DATE REPORTED: NOV 15 1990

\*\*\*\*\*  
*John J. Monoy*  
 \*\*\*\*\*

John J. Monoy, PE  
 Laboratory Director

FORM I PEST

1/87 Rev.

SC0079

# H2M LABS, INC.

575 Broad Hollow Road, Melville, N.Y. 117  
 (516) 694-3040 FAX: (516) 694-4122

U.S. EPA - CLP

EPA SAMPLE NO.

1  
 INORGANIC ANALYSIS DATA SHEET

XXXGW5

Lab Name: H2M LABS, INC.

Contract: GIBBS&HILL

Lab Code: H2MLAB

Case No.:

SAS No.:

SDG No.: GIB055

Matrix (soil/water): WATER

Lab Sample ID: 9010270

Level (low/med): LOW

Date Received: 09/24/90

% Solids: 0.0

Concentration Units (ug/L or mg/kg dry weight): UG/L

CAS No.	Analyte	Concentration	C	Q	M
7429-90-5	Aluminum	4230			P
7440-36-0	Antimony	43.9	U		P
7440-38-2	Arsenic	4.6	B	NW	F
7440-39-3	Barium	52.4	B		P
7440-41-7	Beryllium	1.0	U		P
7440-43-9	Cadmium	9.1			P
7440-70-2	Calcium	15400			P
7440-47-3	Chromium	9.2	U		P
7440-48-4	Cobalt	5.2	U		P
7440-50-8	Copper	17.7	B		P
7439-89-6	Iron	6740			P
7439-92-1	Lead	18.6			F
7439-95-4	Magnesium	2560	B		P
7439-96-5	Manganese	182			P
7439-97-6	Mercury	0.20	U		CV
7440-02-0	Nickel	14.4	B		P
7440-09-7	Potassium	4380	B		P
7782-49-2	Selenium	1.2	U	N	F
7440-22-4	Silver	10.0	U		A
7440-23-5	Sodium	7360			P
7440-28-0	Thallium	1.1	U		F
7440-62-2	Vanadium	7.3	B		P
7440-66-6	Zinc	90.0			A
	Cyanide	10.0	U		C

Color Before: COLORLESS

Clarity Before: CLOUDY

Texture:

Color After: COLORLESS

Clarity After: CLEAR

Artifacts:

Comments:

DATE REPORTED: NOVEMBER 6, 1990

SC0050

\*\*\*\*\*  
*John J. Molloy*  
 \*\*\*\*\*

John J. Molloy, P.E.  
 Laboratory



# H2M LABS, INC.

575 Broad Hollow Road, Melville, N.Y. 11747  
(516)694-3040 FAX: (516)694-4122

LAB NO: 9010270

GIBBS & HILL, INC.  
NORM HINSEY  
11 PENN PLAZA  
NEW YORK, NY 10001

TYPE..... MISCELLANEOUS LIQUID  
SPECIAL

DATE COLLECTED. 09/24/90  
DATE RECEIVED.. 09/24/90  
COLLECTED BY... CL99  
PROJECT NO..... 5066

POINT NO:  
LOCATION: GW-5

REMARKS:  
HAZ. WASTE DIS. SITE

<u>PARAMETER (S)</u>	<u>RESULTS</u>	<u>UNITS</u>
COD	<15	mg/l
SPECIFIC CONDUCTIVITY	116	umhos
PH	6.2	units
SUSPENDED SOLIDS	53	mg/l
TOTAL DISSOLVED SOLIDS	72	mg/l

COPIES TO:

DATE ISSUED 11/13/90

ORIGINAL

*Stanley Deacon*  
LABORATORY DIRECTOR  
50081

# H2M LABS, INC.

575 Broad Hollow Road, Melville, N.Y. 11747  
(516) 694-3040 FAX: (516) 694-4122

1A  
VOLATILE ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

SW-1

Lab Name: H2M

Contract: NYSDEC

Lab Code: H2M

Case No.: G&H

SAS No.:

SDG No.: 55

Matrix: (soil/water) WATER

Lab Sample ID: 9010272

Sample wt/vol: 5.000 (g/mL) ML

Lab File ID: P4190

Level: (low/med) LOW

Date Received: 9/24/90

% Moisture: not dec. 100.

Date Analyzed: 9/26/90

Column: (pack/cap) CAP

Dilution Factor: 1.00

CAS NO. COMPOUND CONCENTRATION UNITS:  
(ug/L or ug/Kg) UG/L Q

74-87-3	-----Chloromethane	10.	U
74-83-9	-----Bromomethane	10.	U
75-01-4	-----Vinyl Chloride	10.	U
75-00-3	-----Chloroethane	10.	U
75-09-2	-----Methylene Chloride	5.	U
67-64-1	-----Acetone	10.	U
75-15-0	-----Carbon Disulfide	5.	U
75-35-4	-----1,1-Dichloroethene	5.	U
75-34-3	-----1,1-Dichloroethane	5.	U
540-59-0	-----1,2-Dichloroethene (total)	5.	U
67-66-3	-----Chloroform	5.	U
107-06-2	-----1,2-Dichloroethane	5.	U
78-93-3	-----2-Butanone	10.	U
71-55-6	-----1,1,1-Trichloroethane	5.	U
56-23-5	-----Carbon Tetrachloride	5.	U
108-05-4	-----Vinyl Acetate	10.	U
75-27-4	-----Bromodichloromethane	5.	U
78-87-5	-----1,2-Dichloropropane	5.	U
10061-01-5	-----cis-1,3-Dichloropropene	5.	U
79-01-6	-----Trichloroethene	3.	J
124-48-1	-----Dibromochloromethane	5.	U
79-00-5	-----1,1,2-Trichloroethane	5.	U
71-43-2	-----Benzene	5.	U
10061-02-6	-----trans-1,3-Dichloropropene	5.	U
75-25-2	-----Bromoform	5.	U
108-10-1	-----4-Methyl-2-Pentanone	10.	U
591-78-6	-----2-Hexanone	10.	U
127-18-4	-----Tetrachloroethene	5.	U
79-34-5	-----1,1,2,2-Tetrachloroethane	5.	U
108-88-3	-----Toluene	5.	U
108-90-7	-----Chlorobenzene	5.	U
100-41-4	-----Ethylbenzene	5.	U
100-42-5	-----Styrene	5.	U
1330-20-7	-----Xylene (total)	5.	U

\*\*\*\*\*  
*John J. Mulvey*  
\*\*\*\*\*  
John J. Mulvey, PE  
Laboratory Director

DATE REPORTED: 10/1/90

50052

# H2A LABS, INC.

575 Broad Hollow Road, Melville, N.Y. 11747  
(516) 694-3040 FAX: (516) 694-4122  
EPA SAMPLE NO.

## VOLATILE ORGANICS ANALYSIS DATA SHEET TENTATIVELY IDENTIFIED COMPOUNDS

SW-1

Lab Name: H2M Contract: NYSDEC  
Lab Code: H2M Case No.: G&H SAS No.: SDG No.: 55  
Matrix: (soil/water) WATER Lab Sample ID: 9010272  
Sample wt/vol: 5.000 (g/mL) ML Lab File ID: P4190  
Level: (low/med) LOW Date Received: 9/24/90  
% Moisture: not dec. 100. Date Analyzed: 9/26/90  
Column: (pack/cap) CAP Dilution Factor: 1.00

CONCENTRATION UNITS:  
(ug/L or ug/Kg) UG/L

Number TICs found: 1

CAS NUMBER	COMPOUND NAME	RT	EST. CONC.	Q
1.	UNKNOWN	5.18	5.	J
2.				
3.				
4.				
5.				
6.				
7.				
8.				
9.				
10.				
11.				
12.				
13.				
14.				
15.				
16.				
17.				
18.				
19.				
20.				
21.				
22.				
23.				
24.				
25.				
26.				
27.				
28.				
29.				
30.				

\*\*\*\*\*  
\* *John J. Molloy* \*  
\* **John J. Molloy, P.E.** \*  
\*\*\*\*\*  
Laboratory Director

DATE REPORTED: NOV 2 1990

50003

# H2M LABS, INC.

575 Broad Hollow Road, Melville, N.Y. 11747  
(516) 694-3040 FAX: (516) 694-4122

1B  
SEMIVOLATILE ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

SW-1

Lab Name: H2M LABS INC.

Contract: GIBBS & HILL

Lab Code: -----

Case No.: -----

SAS No.: -----

SDG No.: G&H 55

Matrix: (soil/water) WATER

Lab Sample ID: 9010272

Sample wt/vol: 1000 (g/mL) ML

Lab File ID: >E3104

Level: (low/med) LOW

Date Received: 9/24/90

% Moisture: not dec.-- dec.--

Date Extracted: 10/18/90 <sup>(RE)</sup> / 9/26/90

Extraction: (Sepf/Cont/Sonc) SEPF

Date Analyzed: 11/01/90

GPC Cleanup: (Y/N) N pH:--

Dilution Factor: 1.00000

CAS NO. COMPOUND CONCENTRATION UNITS:  
(ug/L or ug/Kg) ug/L Q

108-95-2-----	Phenol	10.	IU
111-44-4-----	bis(2-Chloroethyl)Ether	10.	IU
95-57-8-----	2-Chlorophenol	10.	IU
541-73-1-----	1,3-Dichlorobenzene	10.	IU
106-46-7-----	1,4-Dichlorobenzene	10.	IU
100-51-6-----	Benzyl alcohol	10.	IU
95-50-1-----	1,2-Dichlorobenzene	10.	IU
95-48-7-----	2-Methylphenol	10.	IU
39638-32-9-----	bis(2-chloroisopropyl)ether	10.	IU
106-44-5-----	4-Methylphenol	10.	IU
621-64-7-----	N-Nitroso-Di-n-propylamine	10.	IU
67-72-1-----	Hexachloroethane	10.	IU
98-95-3-----	Nitrobenzene	10.	IU
78-59-1-----	Isophorone	10.	IU
88-75-5-----	2-Nitrophenol	10.	IU
105-67-9-----	2,4-Dimethylphenol	10.	IU
65-85-0-----	Benzoic acid	50.	IU
111-91-1-----	bis(2-Chloroethoxy)methane	10.	IU
120-83-2-----	2,4-Dichlorophenol	10.	IU
120-82-1-----	1,2,4-Trichlorobenzene	10.	IU
91-20-3-----	Naphthalene	10.	IU
106-47-8-----	4-Chloroaniline	10.	IU
87-68-3-----	Hexachlorobutadiene	10.	IU
59-50-7-----	4-Chloro-3-methylphenol	10.	IU
91-57-6-----	2-Methylnaphthalene	10.	IU
77-47-4-----	Hexachlorocyclopentadiene	10.	IU
88-06-2-----	2,4,6-Trichlorophenol	10.	IU
95-95-4-----	2,4,5-Trichlorophenol	50.	IU
91-58-7-----	2-Chloronaphthalene	10.	IU
88-74-4-----	2-Nitroaniline	50.	IU
131-11-3-----	Dimethylphthalate	10.	IU
208-96-8-----	Acenaphthylene	10.	IU
606-20-2-----	2,6-Dinitrotoluene	10.	IU

DATE REPORTED: NOV 21 1990

John J. Molloy, P.E.

Laboratory Director

SC0084

# H2M LABS, INC.

575 Broad Hollow Road, Melville, N.Y. 11747  
 (516) 694-3040 FAX: (516) 694-4122

1C  
 SEMI-VOLATILE ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

SW-1

Lab Name: H2M LABS INC.

Contract: GIBBS & HILL

Lab Code: -----

Case No.: -----

SAS No.: -----

SDG No.: G&H 55

Matrix: (soil/water) WATER

Lab Sample ID: 9010272

Sample wt/vol: 1000 (g/mL) ML

Lab File ID: >E3104

Level: (low/med) LOW

Date Received: 9/24/90

% Moisture: not dec. --- dec. --

Date Extracted: 10/18/90

Extraction: (Sepf/Cont/Sonc) SEPF

Date Analyzed: 11/01/90

GPC Cleanup: (Y/N) N pH: --

Dilution Factor: 1.00000

CAS NO.	COMPOUND	CONCENTRATION UNITS: (ug/L or ug/Kg) ug/L	Q
99-09-2	3-Nitroaniline	50.0	IU
83-32-9	Acenaphthene	10.0	IU
51-28-5	2,4-Dinitrophenol	50.0	IU
100-02-7	4-Nitrophenol	50.0	IU
132-64-9	Dibenzofuran	10.0	IU
121-14-2	2,4-Dinitrotoluene	10.0	IU
84-66-2	Diethylphthalate	10.0	IU
7005-72-3	4-Chlorophenyl-phenylether	10.0	IU
86-73-7	Fluorene	10.0	IU
100-01-6	4-Nitroaniline	50.0	IU
534-52-1	4,6-Dinitro-2-methylphenol	50.0	IU
86-30-6	N-Nitrosodiphenylamine (1)	10.0	IU
101-55-3	4-Bromophenyl-phenylether	10.0	IU
118-74-1	Hexachlorobenzene	10.0	IU
87-86-5	Pentachlorophenol	50.0	IU
85-01-8	Phenanthrene	10.0	IU
120-12-7	Anthracene	10.0	IU
84-74-2	Di-n-butylphthalate	10.0	IU
206-44-0	Fluoranthene	10.0	IU
129-00-0	Pyrene	10.0	IU
85-68-7	Butylbenzylphthalate	10.0	IU
91-94-1	3,3'-Dichlorobenzidine	20.0	IU
56-55-3	Benzo(a)anthracene	10.0	IU
218-01-9	Chrysene	10.0	IU
117-81-7	bis(2-Ethylhexyl)phthalate	10.0	IU
117-84-0	Di-n-octylphthalate	10.0	IU
205-99-2	Benzo(b)fluoranthene	10.0	IU
207-08-9	Benzo(k)fluoranthene	10.0	IU
50-32-8	Benzo(a)pyrene	10.0	IU
193-39-5	Indeno(1,2,3-cd)pyrene	10.0	IU
53-70-3	Dibenz(a,h)anthracene	10.0	IU
191-24-2	Benzo(g,h,i)perylene	10.0	IU

DATE REPORTED: NOV 21 1990

\*\*\*\* \*\*

860055

(1) - Cannot be separated from Diphenylamine John J. Molloy, P.E.

# H2M LABS, INC.

575 Broad Hollow Road, Melville, N.Y. 11767  
 (516) 694-3040 FAX: (516) 694-4122

1F  
 SEMI-VOLATILE ORGANICS ANALYSIS DATA SHEET  
 TENTATIVELY IDENTIFIED COMPOUNDS

EPA SAMPLE NO.

Lab Name: H2M LABS INC.

Contract: GIBBS & HILL

SW-1

Lab Code: ----- Case No.: -----

SAS No.: ----- SDG No.: G&H 55

Matrix: (soil/water) WATER

Lab Sample ID: 9010272

Sample wt/vol: 1000 (g/mL) ML

Lab File ID: >E3104

Level: (low/med) LOW

Date Received: 9/24/90

% Moisture: not dec. -- dec. --

Date Extracted: 10/18/90

Extraction: (Sepf/Cont/Sonc) SEPF

Date Analyzed: 11/01/90

GPC Cleanup: (Y/N) N pH: --

Dilution Factor: 1.00000

Number TICs found: 0

CONCENTRATION UNITS:  
 (ug/L or ug/Kg) ug/L

CAS NUMBER	COMPOUND NAME	RT	EST. CDNC.	Q
1.	No non-targeted compounds were found.			
2.				
3.				
4.				
5.				
6.				
7.				
8.				
9.				
10.				
11.				
12.				
13.				
14.				
15.				
16.				
17.				
18.				
19.				
20.				
21.				
22.				
23.				
24.				
25.				
26.				
27.				
28.				
29.				
30.				

\*\*\*\*\*  
*John J. Molloy*  
 \*\*\*\*\*

John J. Molloy, P.E.  
 Laboratory Director

DATE REPORTED: NOV 21 1990

1.D  
PESTICIDE ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

SW-1

Lab Name: H2M LABS, INC. Contract: \_\_\_\_\_

Lab Code: \_\_\_\_\_ Case No.: GH55 SAS No.: \_\_\_\_\_ SDG No.: \_\_\_\_\_

Matrix: (soil/water) WATER Lab Sample ID: 9010272

Sample wt/vol: 970.0 (g/mL) ML Lab File ID: \_\_\_\_\_

Level: (low/med) LOW Date Received: 09/24/90

% Moisture: not dec. \_\_\_ dec. \_\_\_ Date Extracted: 09/25/90

Extraction: (SepF/Cont/Sonc) SEFF Date Analyzed: 10/18/90

GPC Cleanup: (Y/N) N pH: 7.0 Dilution Factor: 1.00

CAS NO.	COMPOUND	CONCENTRATION UNITS: (ug/L or ug/Kg) <u>UG/L</u>	Q
319-84-6	alpha-BHC	0.052	U
319-85-7	beta-BHC	0.052	U
319-86-8	delta-BHC	0.052	U
58-89-9	Lindane	0.052	U
76-44-8	Heptachlor	0.052	U
309-00-2	Aldrin	0.052	U
1024-57-3	Heptachlor epoxide	0.052	U
959-98-8	Endosulfan I	0.052	U
60-57-1	Dieldrin	0.10	U
72-55-9	4,4'-DDE	0.10	U
72-20-8	Endrin	0.10	U
33213-65-9	Endosulfan II	0.10	U
72-54-8	4,4'-DDD	0.10	U
1031-07-8	Endosulfan sulfate	0.10	U
50-29-3	4,4'-DDT	0.10	U
72-43-5	Methoxychlor	0.52	U
53494-70-5	Endrin ketone	0.10	U
5103-71-9	alpha-Chlordane	0.52	U
5103-74-2	gamma-Chlordane	0.52	U
8001-35-2	Toxaphene	1.0	U
12674-11-2	Aroclor-1016	0.52	U
11104-28-2	Aroclor-1221	0.52	U
11141-16-5	Aroclor-1232	0.52	U
53469-21-9	Aroclor-1242	0.52	U
12672-29-6	Aroclor-1248	0.52	U
11097-69-1	Aroclor-1254	1.0	U
11096-82-5	Aroclor-1260	1.0	U

DATE REPORTED: NOV 15 1990

\*\*\*\*\*  
*John J. ...*  
 \*\*\*\*\*

John J. ..., P.E.  
Laboratory Director

FORM I PEST

1/87 Rev.

SECRET

# H2M LABS, INC.

575 Broad Hollow Road, Melville, N.Y. 11747  
 (516) 694-3040 FAX: (516) 694-4122

U.S. EPA - CLP

EPA SAMPLE NO.

1  
 INORGANIC ANALYSIS DATA SHEET

XXXXSW1

Lab Name: H2M LABS, INC.

Contract: GIBBS&HILL

Lab Code: H2MLAB

Case No.:

SAS No.:

SDG No.: GIB055

Matrix (soil/water): WATER

Lab Sample ID: 9010272

Level (low/med): LOW

Date Received: 09/24/90

% Solids: 0.0

Concentration Units (ug/L or mg/kg dry weight): UG/L

CAS No.	Analyte	Concentration	C	Q	M
7429-90-5	Aluminum	261			P
7440-36-0	Antimony	43.9	U		P
7440-38-2	Arsenic	3.4	U	W	P
7440-39-3	Barium	26.8	B		P
7440-41-7	Beryllium	1.0	U		P
7440-43-9	Cadmium	3.6	U		P
7440-70-2	Calcium	14200			P
7440-47-3	Chromium	9.2	U		P
7440-48-4	Cobalt	9.7	B		P
7440-50-8	Copper	14.3	B		P
7439-89-6	Iron	1210			P
7439-92-1	Lead	4.0	B		F
7439-95-4	Magnesium	1970	B		P
7439-96-5	Manganese	92.9			P
7439-97-6	Mercury	0.20	U		CV
7440-02-0	Nickel	9.7	B		P
7440-09-7	Potassium	1300	B		P
7782-49-2	Selenium	1.2	U	W	F
7440-22-4	Silver	10.0	U		A
7440-23-5	Sodium	3770	B		P
7440-28-0	Thallium	1.1	U		F
7440-62-2	Vanadium	4.8	U		P
7440-66-6	Zinc	50.0			A
	Cyanide	10.0	U		C

Color Before: COLORLESS

Clarity Before: CLEAR

Texture:

Color After: COLORLESS

Clarity After: CLEAR

Artifacts:

Comments:

DATE REPORTED:

6, 1990

SG0088

\*\*\*\*\*  
*John J. Molloy*  
 \*\*\*\*\*

John J. Molloy, P.E.



# H2M LABS, INC.

575 Broad Hollow Road, Melville, N.Y. 11747  
(516)694-3040 FAX:(516)694-4122

LAB NO: 9010272

GIBBS & HILL, INC.  
NORM HINSEY  
11 PENN PLAZA  
NEW YORK, NY 10001

TYPE..... MISCELLANEOUS LIQUID  
SPECIAL

DATE COLLECTED. 09/24/90  
DATE RECEIVED.. 09/24/90  
COLLECTED BY... CL99  
PROJECT NO..... 5066

POINT NO:  
LOCATION: SW-1

REMARKS:

HAZ. WASTE DIS. SITE

---

<u>PARAMETER (S)</u>	<u>RESULTS</u>	<u>UNITS</u>
COD	45	mg/l
SPECIFIC CONDUCTIVITY	101	umhos
PH	6.9	units
SUSPENDED SOLIDS	<5	mg/l
TOTAL DISSOLVED SOLIDS	72	mg/l


---

COPIES TO:

DATE ISSUED 11/13/90

ORIGINAL

SOLIDS

  
LABORATORY DIRECTOR

# H2M LABS, INC.

575 Broad Hollow Road, Melville, N.Y. 11747  
 (516) 694-3040 FAX: (516) 694-4122

1A  
 VOLATILE ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

SW-2

Lab Name: H2M Contract: NYSDEC  
 Lab Code: H2M Case No.: G&H SAS No.: SDG No.: 55  
 Matrix: (soil/water) WATER Lab Sample ID: 9010271  
 Sample wt/vol: 5.000 (g/mL) ML Lab File ID: P4187  
 Level: (low/med) LOW Date Received: 9/24/90  
 % Moisture: not dec. 100. Date Analyzed: 9/26/90  
 Column: (pack/cap) CAP Dilution Factor: 1.00

CAS NO. COMPOUND CONCENTRATION UNITS:  
 (ug/L or ug/Kg) UG/L Q

74-87-3	-----Chloromethane	10.	U
74-83-9	-----Bromomethane	10.	U
75-01-4	-----Vinyl Chloride	10.	U
75-00-3	-----Chloroethane	10.	U
75-09-2	-----Methylene Chloride	5.	U
67-64-1	-----Acetone	10.	U
75-15-0	-----Carbon Disulfide	5.	U
75-35-4	-----1,1-Dichloroethene	5.	U
75-34-3	-----1,1-Dichloroethane	5.	U
540-59-0	-----1,2-Dichloroethene (total)	5.	U
67-66-3	-----Chloroform	5.	U
107-06-2	-----1,2-Dichloroethane	5.	U
78-93-3	-----2-Butanone	10.	U
71-55-6	-----1,1,1-Trichloroethane	5.	U
56-23-5	-----Carbon Tetrachloride	5.	U
108-05-4	-----Vinyl Acetate	10.	U
75-27-4	-----Bromodichloromethane	5.	U
78-87-5	-----1,2-Dichloropropane	5.	U
10061-01-5	-----cis-1,3-Dichloropropene	5.	U
79-01-6	-----Trichloroethene	5.	U
124-48-1	-----Dibromochloromethane	5.	U
79-00-5	-----1,1,2-Trichloroethane	5.	U
71-43-2	-----Benzene	5.	U
10061-02-6	-----trans-1,3-Dichloropropene	5.	U
75-25-2	-----Bromoform	5.	U
108-10-1	-----4-Methyl-2-Pentanone	10.	U
591-78-6	-----2-Hexanone	10.	U
127-18-4	-----Tetrachloroethene	5.	U
79-34-5	-----1,1,2,2-Tetrachloroethane	5.	U
108-88-3	-----Toluene	5.	U
108-90-7	-----Chlorobenzene	5.	U
100-41-4	-----Ethylbenzene	5.	U
100-42-5	-----Styrene	5.	U
1330-20-7	-----Xylene (total)	5.	U

*John J. Molloy*  
 John J. Molloy, P.E.  
 Laboratory Director

DATE REPORTED: NOV 26 1990

# H2M LABS, INC.

575 Broad Hollow Road, Melville, N.Y. 11747  
 (516) 694-3040 FAX (516) 694-4122  
 EPA SAMPLE NO.

## VOLATILE ORGANICS ANALYSIS DATA SHEET TENTATIVELY IDENTIFIED COMPOUNDS

SW-2

Lab Name: H2M Contract: NYSDEC  
 Lab Code: H2M Case No.: G&H SAS No.: SDG No.: 55  
 Matrix: (soil/water) WATER Lab Sample ID: 9010271  
 Sample wt/vol: 5.000 (g/mL) ML Lab File ID: P4187  
 Level: (low/med) LOW Date Received: 9/24/90  
 % Moisture: not dec. 100. Date Analyzed: 9/26/90  
 Column: (pack/cap) CAP Dilution Factor: 1.00

Number TICs found: 5 CONCENTRATION UNITS:  
 (ug/L or ug/Kg) UG/L

CAS NUMBER	COMPOUND NAME	RT	EST. CONC.	Q
1.	UNKNOWN	5.15	27.	J
2.	ETHYL DIMETHYL BENZENE ISOME	9.69	30.	J
3.	TETRAMETHYL BENZENE ISOMER	10.28	20.	J
4.	TETRAMETHYL BENZENE ISOMER	10.60	30.	J
5.	DIHYDRO METHYL INDENEISOMER	12.64	70.	J
6.				
7.				
8.				
9.				
10.				
11.				
12.				
13.				
14.				
15.				
16.				
17.				
18.				
19.				
20.				
21.				
22.				
23.				
24.				
25.				
26.				
27.				
28.				
29.				
30.				

DATE REPORTED: NOV 28 1990

\*\*\*\*\*  
 \* *John J. Molloy* \*  
 \* \* \* \* \*  
 John J. Molloy, P.E.  
 Laboratory Director

# H2M LABS, INC.

575 Broad Hollow Road, Melville, N.Y. 11747  
(516) 694-3040 FAX: (516) 694-4122

1B  
SEMIVOLATILE ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

Lab Name: H2M LABS INC.

Contract: GIBBS & HILL

SW-2

Lab Code: -----

Case No.: -----

SAS No.: -----

SDG No.: G&H 55

Matrix: (soil/water) WATER.

Lab Sample ID: 9010271

Sample wt/vol: 1000 (g/mL) ML

Lab File ID: >E3103

Level: (low/med) LDW

Date Received: 9/24/90

% Moisture: not dec. --- dec. ---

Date Extracted: 10/18/90 <sup>(RE)</sup> / 9/26/90

Extraction: (Sepf/Cont/Sonc) SEPF

Date Analyzed: 11/01/90

GPC Cleanup: (Y/N) N

pH: --

Dilution Factor: 1.00000

CAS NO.	COMPOUND	CONCENTRATION UNITS: (ug/L or ug/Kg) ug/L	Q
108-95-2	Phenol	10.	1U
111-44-4	bis(2-Chloroethyl)Ether	10.	1U
95-57-8	2-Chlorophenol	10.	1U
541-73-1	1,3-Dichlorobenzene	10.	1U
106-46-7	1,4-Dichlorobenzene	10.	1U
100-51-6	Benzyl alcohol	10.	1U
95-50-1	1,2-Dichlorobenzene	10.	1U
95-48-7	2-Methylphenol	10.	1U
39638-32-9	bis(2-chloroisopropyl)ether	10.	1U
106-44-5	4-Methylphenol	10.	1U
621-64-7	N-Nitroso-Di-n-propylamine	10.	1U
67-72-1	Hexachloroethane	10.	1U
98-95-3	Nitrobenzene	10.	1U
78-59-1	Isophorone	10.	1U
88-75-5	2-Nitrophenol	10.	1U
105-67-9	2,4-Dimethylphenol	10.	1U
65-85-0	Benzoic acid	50.	1U
111-91-1	bis(2-Chloroethoxy)methane	10.	1U
120-83-2	2,4-Dichlorophenol	10.	1U
120-82-1	1,2,4-Trichlorobenzene	10.	1U
91-20-3	Naphthalene	10.	1U
106-47-8	4-Chloroaniline	10.	1U
87-68-3	Hexachlorobutadiene	10.	1U
59-50-7	4-Chloro-3-methylphenol	10.	1U
91-57-6	2-Methylnaphthalene	10.	1U
77-47-4	Hexachlorocyclopentadiene	10.	1U
88-06-2	2,4,6-Trichlorophenol	10.	1U
95-95-4	2,4,5-Trichlorophenol	50.	1U
91-58-7	2-Chloronaphthalene	10.	1U
88-74-4	2-Nitroaniline	50.	1U
131-11-3	Dimethylphthalate	10.	1U
208-96-8	Acenaphthylene	10.	1U
606-20-2	2,6-Dinitrotoluene	10.	1U

DATE REPORTED: NOV 21 1990

John J. Molloy, P.E.

FORM I SU-1 Laboratory Director

SC0092

1/87 Rev

# H2M LABS, INC.

575 Broad Hollow Road, Melville, N.Y. 11747  
 (516) 694-3040 FAX: (516) 694-4122

1C  
 SEMIVOLATILE ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

SW-2

Lab Name: H2M LABS INC.

Contract: GIBBS & HILL

Lab Code: -----

Case No.: -----

SAS No.: -----

SDG No.: G&H 55

Matrix: (soil/water) WATER

Lab Sample ID: 9010271

Sample wt/vol: 1000 (g/mL) ML

Lab File ID: >E3103

Level: (low/med) LOW

Date Received: 9/24/90

% Moisture: not dec. -- dec. --

Date Extracted: 10/18/90

Extraction: (Sepf/Cont/Sonc) SEPF

Date Analyzed: 11/01/90

GPC Cleanup: (Y/N) N pH: --

Dilution Factor: 1.00000

CAS NO. COMPOUND CONCENTRATION UNITS:  
 (ug/L or ug/Kg) ug/L Q

99-09-2	3-Nitroaniline	50.	IU
83-32-9	Acenaphthene	10.	IU
51-28-5	2,4-Dinitrophenol	50.	IU
100-02-7	4-Nitrophenol	50.	IU
132-64-9	Dibenzofuran	10.	IU
121-14-2	2,4-Dinitrotoluene	10.	IU
84-66-2	Diethylphthalate	10.	IU
7005-72-3	4-Chlorophenyl-phenylether	10.	IU
86-73-7	Fluorene	10.	IU
100-01-6	4-Nitroaniline	50.	IU
534-52-1	4,6-Dinitro-2-methylphenol	50.	IU
86-30-6	N-Nitrosodiphenylamine (1)	10.	IU
101-55-3	4-Bromophenyl-phenylether	10.	IU
118-74-1	Hexachlorobenzene	10.	IU
87-86-5	Pentachlorophenol	50.	IU
85-01-8	Phenanthrene	10.	IU
120-12-7	Anthracene	10.	IU
84-74-2	Di-n-butylphthalate	10.	IU
206-44-0	Fluoranthene	10.	IU
129-00-0	Pyrene	10.	IU
85-68-7	Butylbenzylphthalate	10.	IU
91-94-1	3,3'-Dichlorobenzidine	20.	IU
56-55-3	Benzo(a)anthracene	10.	IU
218-01-9	Chrysene	10.	IU
117-81-7	bis(2-Ethylhexyl)phthalate	10.	IU
117-84-0	Di-n-octylphthalate	10.	IU
205-99-2	Benzo(b)fluoranthene	10.	IU
207-08-9	Benzo(k)fluoranthene	10.	IU
50-32-8	Benzo(a)pyrene	10.	IU
193-39-5	Indeno(1,2,3-cd)pyrene	10.	IU
53-70-3	Dibenz(a,h)anthracene	10.	IU
191-24-2	Benzo(g,h,i)perylene	10.	IU

DATE REPORTED: NOV 21 1991

(1) - Cannot be separated from Diphenylamine  
 John J. Molloy, PE  
 Laboratory Director

# H2M LABS, INC.

575 Broad Hollow Road, Melville, N.Y. 11791  
 (516) 694-3040 FAX: (516) 694-4122

1F  
 SEMI-VOLATILE ORGANICS ANALYSIS DATA SHEET  
 TENTATIVELY IDENTIFIED COMPOUNDS

EPA SAMPLE NO.

Lab Name: H2M LABS INC.

Contract: GIBBS & HILL

SW-2

Lab Code: ----- Case No.: ----- SAS No.: ----- SDG No.: G&H 55

Matrix: (soil/water) WATER Lab Sample ID: 9010271

Sample wt/vol: 1000 (g/mL) ML Lab File ID: >E3103

Level: (low/med) LOW Date Received: 9/24/90

% Moisture: not dec. -- dec. -- Date Extracted: 10/18/90

Extraction: (Sepf/Cont/Sonc) SEPF Date Analyzed: 11/01/90

GPC Cleanup: (Y/N) N pH: -- Dilution Factor: 1.00000

Number TICs found: 0

CONCENTRATION UNITS:  
 (ug/L or ug/Kg) ug/L

CAS NUMBER	COMPOUND NAME	RT	EST. CONC.	Q
1.	No non-targeted compounds were found.			
2.				
3.				
4.				
5.				
6.				
7.				
8.				
9.				
10.				
11.				
12.				
13.				
14.				
15.				
16.				
17.				
18.				
19.				
20.				
21.				
22.				
23.				
24.				
25.				
26.				
27.				
28.				
29.				
30.				

\*\*\*\*\*  
*John J. Molloy*  
 \*\*\*\*\*  
 John J. Molloy, P.E.  
 Laboratory Director

DATE REPORTED: NOV 21 1990

1D  
PESTICIDE ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

SW-2

Lab Name: H2M LABS, INC. Contract: \_\_\_\_\_  
 Lab Code: \_\_\_\_\_ Case No.: BH55 SAS No.: \_\_\_\_\_ SDG No.: \_\_\_\_\_  
 Matrix: (soil/water) WATER Lab Sample ID: 9010271  
 Sample wt/vol: 970.0 (g/mL) ML Lab File ID: \_\_\_\_\_  
 Level: (low/med) LOW Date Received: 09/24/90  
 % Moisture: not dec. \_\_\_\_\_ dec. \_\_\_\_\_ Date Extracted: 09/25/90  
 Extraction: (SepF/Cont/Sonc) SEPF Date Analyzed: 10/18/90  
 GPC Cleanup: (Y/N) N pH: 7.0 Dilution Factor: 1.00

CAS NO.	COMPOUND	CONCENTRATION UNITS: (ug/L or ug/Kg) <u>UG/L</u>	Q
319-84-6	alpha-BHC	0.052	U
319-85-7	beta-BHC	0.052	U
319-86-8	delta-BHC	0.052	U
58-89-9	Lindane	0.052	U
76-44-8	Heptachlor	0.052	U
309-00-2	Aldrin	0.052	U
1024-57-3	Heptachlor epoxide	0.052	U
959-98-8	Endosulfan I	0.052	U
60-57-1	Dieldrin	0.10	U
72-55-9	4,4'-DDE	0.10	U
72-20-8	Endrin	0.10	U
33213-65-9	Endosulfan II	0.10	U
72-54-8	4,4'-DDD	0.10	U
1031-07-8	Endosulfan sulfate	0.10	U
50-29-3	4,4'-DDT	0.10	U
72-43-5	Methoxychlor	0.52	U
53494-70-5	Endrin ketone	0.10	U
5103-7-9	alpha-Chlordane	0.52	U
5103-74-2	gamma-Chlordane	0.52	U
8001-35-2	Toxaphene	1.0	U
12674-11-2	Aroclor-1016	0.52	U
11104-28-2	Aroclor-1221	0.52	U
11141-16-5	Aroclor-1232	0.52	U
53469-21-9	Aroclor-1242	0.52	U
12672-29-6	Aroclor-1248	0.52	U
11097-69-1	Aroclor-1254	1.0	U
11096-82-5	Aroclor-1260	1.0	U

DATE REPORTED NOV 15 1990

\*\*\*\*\*  
*John J. ...*  
 \*\*\*\*\*

John J. ..., P.E.  
 Laboratory Director

FORM I PEST

500095

# H2M LABS, INC.

FORM I - IN

7/83

575 Broad Hollow Road, Melville, N.Y. 11761  
(516) 694-3040 FAX: (516) 694-4122

U.S. EPA - CLP

EPA SAMPLE NO.

1  
INORGANIC ANALYSIS DATA SHEET

XXXXSW2

Lab Name: H2M LABS, INC.

Contract: GIBBS&HILL

Lab Code: H2MLAB

Case No.:

SAS No.:

SDG No.: GIB055

Matrix (soil/water): WATER

Lab Sample ID: 9010271

Level (low/med): LOW

Date Received: 09/24/90

% Solids: 0.0

Concentration Units (ug/L or mg/kg dry weight): UG/L

CAS No.	Analyte	Concentration	C	Q	M
7429-90-5	Aluminum	345			P
7440-36-0	Antimony	43.9	U		P
7440-38-2	Arsenic	3.4	U		F
7440-39-3	Barium	29.6	B		P
7440-41-7	Beryllium	1.0	U		P
7440-43-9	Cadmium	3.6	U		P
7440-70-2	Calcium	15300			P
7440-47-3	Chromium	9.2	U		P
7440-48-4	Cobalt	9.2	B		P
7440-50-8	Copper	12.7	B		P
7439-89-6	Iron	1530			P
7439-92-1	Lead	4.9	B		F
7439-95-4	Magnesium	2140	B		P
7439-96-5	Manganese	104			P
7439-97-6	Mercury	0.20	U		CV
7440-02-0	Nickel	8.7	U		P
7440-09-7	Potassium	1360	B		P
7782-49-2	Selenium	1.2	U		F
7440-22-4	Silver	10.0	U		A
7440-23-5	Sodium	3960	B		P
7440-28-0	Thallium	1.1	U		F
7440-62-2	Vanadium	4.8	U		P
7440-66-6	Zinc	30.8			A
	Cyanide	10.0	U		C

Color Before: COLORLESS

Clarity Before: CLEAR

Texture:

Color After: COLORLESS

Clarity After: CLEAR

Artifacts:

Comments:

DATE REPORTED: December 6, 1990

500096

*John J. Molloy*

John J. Molloy, P.L.



# H2M LABS, INC.

575 Broad Hollow Road, Melville, N.Y. 11747  
(516)694-3040 FAX:(516)694-4122

LAB NO: 9010271

GIBBS & HILL, INC.  
NORM HINSEY  
11 PENN PLAZA  
NEW YORK, NY 10001

TYPE..... MISCELLANEOUS LIQUID  
SPECIAL

DATE COLLECTED. 09/24/90  
DATE RECEIVED.. 09/24/90  
COLLECTED BY... CL99  
PROJECT NO..... 5066

POINT NO:  
LOCATION: SW-2  
MS/MSD ALSO  
REMARKS:  
HAZ. WASTE DIS. SITE

---

<u>PARAMETER (S)</u>	<u>RESULTS</u>	<u>UNITS</u>
COD	30	mg/l
SPECIFIC CONDUCTIVITY	97	umhos
PH	6.9	units
SUSPENDED SOLIDS	<5	mg/l
TOTAL DISSOLVED SOLIDS	65	mg/l


---

COPIES TO:

DATE ISSUED 11/13/9

ORIGINAL

500097

  
LABORATORY DIRECTOR

# H2M LABS, INC.

575 Broad Hollow Road, Melville, N.Y. 11747  
 (516) 694-3040 FAX: (516) 694-4122

1A  
 VOLATILE ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

SW-4

Lab Name: H2M Contract: NYSDEC  
 Lab Code: H2M Case No.: G&H SAS No.: SDG No.: 55  
 Matrix: (soil/water) WATER Lab Sample ID: 9010273  
 Sample wt/vol: 5.000 (g/mL) ML Lab File ID: P4191  
 Level: (low/med) LOW Date Received: 9/24/90  
 % Moisture: not dec. 100. Date Analyzed: 9/26/90  
 Column: (pack/cap) CAP Dilution Factor: 1.00

CAS NO. COMPOUND CONCENTRATION UNITS:  
 (ug/L or ug/Kg) UG/L Q

74-87-3	-----Chloromethane	10.	U
74-83-9	-----Bromomethane	10.	U
75-01-4	-----Vinyl Chloride	10.	U
75-00-3	-----Chloroethane	10.	U
75-09-2	-----Methylene Chloride	5.	U
67-64-1	-----Acetone	10.	U
75-15-0	-----Carbon Disulfide	5.	U
75-35-4	-----1,1-Dichloroethene	5.	U
75-34-3	-----1,1-Dichloroethane	5.	U
540-59-0	-----1,2-Dichloroethene (total)	8.	U
67-66-3	-----Chloroform	5.	U
107-06-2	-----1,2-Dichloroethane	5.	U
78-93-3	-----2-Butanone	10.	U
71-55-6	-----1,1,1-Trichloroethane	5.	U
56-23-5	-----Carbon Tetrachloride	5.	U
108-05-4	-----Vinyl Acetate	10.	U
75-27-4	-----Bromodichloromethane	5.	U
78-87-5	-----1,2-Dichloropropane	5.	U
10061-01-5	-----cis-1,3-Dichloropropene	5.	U
79-01-6	-----Trichloroethene	4.	J
124-48-1	-----Dibromochloromethane	5.	U
79-00-5	-----1,1,2-Trichloroethane	5.	U
71-43-2	-----Benzene	5.	U
10061-02-6	-----trans-1,3-Dichloropropene	5.	U
75-25-2	-----Bromoform	5.	U
108-10-1	-----4-Methyl-2-Pentanone	10.	U
591-78-6	-----2-Hexanone	10.	U
127-18-4	-----Tetrachloroethene	19.	U
79-34-5	-----1,1,2,2-Tetrachloroethane	5.	U
108-88-3	-----Toluene	5.	U
108-90-7	-----Chlorobenzene	5.	U
100-41-4	-----Ethylbenzene	5.	U
100-42-5	-----Styrene	5.	U
1330-20-7	-----Xylene (total)	5.	U

DATE REPORTED: NOV 20 1990

Lab Director

# H2M LABS, INC.

575 Broad Hollow Road, Melville, N.Y. 11747  
 (516) 694-3000 FAX: (516) 694-4122  
 EPA SAMPLE NO.

VOLATILE ORGANICS ANALYSIS DATA SHEET  
 TENTATIVELY IDENTIFIED COMPOUNDS

SW-4

Lab Name: H2M Contract: NYSDEC  
 Lab Code: H2M Case No.: G&H SAS No.: SDG No.: 55  
 Matrix: (soil/water) WATER Lab Sample ID: 9010273  
 Sample wt/vol: 5.000 (g/mL) ML Lab File ID: P4191  
 Level: (low/med) LOW Date Received: 9/24/90  
 % Moisture: not dec. 100. Date Analyzed: 9/26/90  
 Column: (pack/cap) CAP Dilution Factor: 1.00

Number TICs found: 0 CONCENTRATION UNITS:  
 (ug/L or ug/Kg) UG/L

CAS NUMBER	COMPOUND NAME	RT	EST. CONC.	Q
1.				
2.				
3.				
4.				
5.				
6.				
7.				
8.				
9.				
10.				
11.				
12.				
13.				
14.				
15.				
16.				
17.				
18.				
19.				
20.				
21.				
22.				
23.				
24.				
25.				
26.				
27.				
28.				
29.				
30.				

DATE REPORTED: NOV 28 1990

\*\*\*\*  
 \*  
 \*  
 \*\*\*\*

John J. Molloy, P.E.  
 Laboratory Director

# H2M LABS, INC.

575 Broad Hollow Road, Melville, N.Y. 11747  
 (516) 694-3040 FAX: (516) 694-4122

1B  
 SEMI-VOLATILE ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

Lab Name: H2M LABS INC.

Contract: GIBBS & HILL

SW-4

Lab Code: ----- Case No.: ----- SAS No.: ----- SDG No.: G&H 55

Matrix: (soil/water) WATER

Lab Sample ID: 9010273

Sample wt/vol: 1000 (g/mL) ML

Lab File ID: >E2963

Level: (low/med) LOW

Date Received: 9/24/90

% Moisture: not dec. -- dec. --

Date Extracted: 9/26/90

Extraction: (Sepf/Cont/Sonc) SEPF

Date Analyzed: 10/10/90

GPC Cleanup: (Y/N) N pH: --

Dilution Factor: 1.00000

CAS NO.	COMPOUND	CONCENTRATION UNITS: (ug/L or ug/Kg) ug/L	Q
108-95-2	Phenol	10.	IU
111-44-4	bis(2-Chloroethyl)Ether	10.	IU
95-57-8	2-Chlorophenol	10.	IU
541-73-1	1,3-Dichlorobenzene	10.	IU
106-46-7	1,4-Dichlorobenzene	10.	IU
100-51-6	Benzyl alcohol	10.	IU
95-50-1	1,2-Dichlorobenzene	10.	IU
95-48-7	2-Methylphenol	10.	IU
39638-32-9	bis(2-chloroisopropyl)ether	10.	IU
106-44-5	4-Methylphenol	10.	IU
621-64-7	N-Nitroso-Di-n-propylamine	10.	IU
67-72-1	Hexachloroethane	10.	IU
98-95-3	Nitrobenzene	10.	IU
78-59-1	Isophorone	10.	IU
88-75-5	2-Nitrophenol	10.	IU
105-67-9	2,4-Dimethylphenol	10.	IU
65-85-0	Benzoic acid	50.	IU
111-91-1	bis(2-Chloroethoxy)methane	10.	IU
120-83-2	2,4-Dichlorophenol	10.	IU
120-82-1	1,2,4-Trichlorobenzene	10.	IU
91-20-3	Naphthalene	10.	IU
106-47-8	4-Chloroaniline	10.	IU
87-68-3	Hexachlorobutadiene	10.	IU
59-50-7	4-Chloro-3-methylphenol	10.	IU
91-57-6	2-Methylnaphthalene	10.	IU
77-47-4	Hexachlorocyclopentadiene	10.	IU
88-06-2	2,4,6-Trichlorophenol	10.	IU
95-95-4	2,4,5-Trichlorophenol	50.	IU
91-58-7	2-Chloronaphthalene	10.	IU
88-74-4	2-Nitroaniline	50.	IU
131-11-3	Dimethylphthalate	10.	IU
208-96-8	Acenaphthylene	10.	IU
606-20-2	2,6-Dinitrotoluene	10.	IU

DATE REPORTED: NOV 21 1990

John J. Molloy PE

# H2M LABS, INC.

575 Broad Hollow Road, Melville, N.Y. 11747  
 (516) 694-3040 FAX: (516) 694-4122

1C  
 SEMI-VOLATILE ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

Sw-4

Lab Name: H2M LABS INC.

Contract: GIBBS & HILL

Lab Code: -----

Case No.: -----

SAS No.: -----

SDG No.: G&H 55

Matrix: (soil/water) WATER

Lab Sample ID: 9010273

Sample wt/vol: 1000 (g/mL) ML

Lab File ID: >E2963

Level: (low/med) LOW

Date Received: 9/24/90

% Moisture: not dec.-- dec.--

Date Extracted: 9/26/90

Extraction: (Sepf/Cont/Sonc) SEPF

Date Analyzed: 10/10/90

GPC Cleanup: (Y/N) N pH:--

Dilution Factor: 1.00000

CAS NO.	COMPOUND	CONCENTRATION UNITS: (ug/L or ug/Kg) ug/L	Q
99-09-2	3-Nitroaniline	50.	IU
83-32-9	Acenaphthene	10.	IU
51-28-5	2,4-Dinitrophenol	50.	IU
100-02-7	4-Nitrophenol	50.	IU
132-64-9	Dibenzofuran	10.	IU
121-14-2	2,4-Dinitrotoluene	10.	IU
84-66-2	Diethylphthalate	10.	IU
7005-72-3	4-Chlorophenyl-phenylether	10.	IU
86-73-7	Fluorene	10.	IU
100-01-6	4-Nitroaniline	50.	IU
534-52-1	4,6-Dinitro-2-methylphenol	50.	IU
86-30-6	N-Nitrosodiphenylamine (1)	10.	IU
101-55-3	4-Bromophenyl-phenylether	10.	IU
118-74-1	Hexachlorobenzene	10.	IU
87-86-5	Pentachlorophenol	50.	IU
85-01-8	Phenanthrene	10.	IU
120-12-7	Anthracene	10.	IU
84-74-2	Di-n-butylphthalate	10.	IU
206-44-0	Fluoranthene	10.	IU
129-00-0	Pyrene	10.	IU
85-68-7	Butylbenzylphthalate	10.	IU
91-94-1	3,3'-Dichlorobenzidine	20.	IU
56-55-3	Benzo(a)anthracene	10.	IU
218-01-9	Chrysene	10.	IU
117-81-7	bis(2-Ethylhexyl)phthalate	5.	IJ
117-84-0	Di-n-octylphthalate	10.	IU
205-99-2	Benzo(b)fluoranthene	10.	IU
207-08-9	Benzo(k)fluoranthene	10.	IU
50-32-8	Benzo(a)pyrene	10.	IU
193-39-5	Indeno(1,2,3-cd)pyrene	10.	IU
53-70-3	Dibenz(a,h)anthracene	10.	IU
191-24-2	Benzo(g,h,i)perylene	10.	IU

DATE REPORTED: NOV 1 1990

John J. M... PE  
 Laboratory Director

(1) - Cannot be separated from Diphenylamine

# H2M LABS, INC.

575 Broad Hollow Road, Melville, N.Y. 11747  
 (516) 694-3040 FAX: (516) 694-4122

1F  
 SEMI-VOLATILE ORGANICS ANALYSIS DATA SHEET  
 TENTATIVELY IDENTIFIED COMPOUNDS

EPA SAMPLE NO.

Lab Name: H2M LABS INC.

Contract: GIBBS & HILL

Sl-4

Lab Code: ----- Case No.: -----

SAS No.: ----- SDG No.: G&H 55

Matrix: (soil/water) WATER

Lab Sample ID: 9010273

Sample wt/vol: 1000 (g/mL) ML

Lab File ID: >E2963

Level: (low/med) LOW

Date Received: 9/24/90

% Moisture: not dec. -- dec. --

Date Extracted: 9/26/90

Extraction: (Sepf/Cont/Sonc) SEPF

Date Analyzed: 10/10/90

GPC Cleanup: (Y/N) N pH: --

Dilution Factor: 1.00000

Number TICs found: 0

CONCENTRATION UNITS:  
 (ug/L or ug/Kg) ug/L

CAS NUMBER	COMPOUND NAME	RT	EST. CONC.	Q
1.	No non-targeted compounds were found.			
2.				
3.				
4.				
5.				
6.				
7.				
8.				
9.				
10.				
11.				
12.				
13.				
14.				
15.				
16.				
17.				
18.				
19.				
20.				
21.				
22.				
23.				
24.				
25.				
26.				
27.				
28.				
29.				
30.				

\*\*\*\*\*  
*[Signature]*  
 \*\*\*\*\*

John J. McElroy, P.E.  
 Laboratory Director

DATE REPORTED: NOV 21 1990

1D  
PESTICIDE ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

SW-4

Lab Name: H2M LABS. INC. Contract: \_\_\_\_\_  
 Lab Codes: \_\_\_\_\_ Case No.: GH55 SAS No.: \_\_\_\_\_ SDG No.: \_\_\_\_\_  
 Matrix: (soil/water) WATER Lab Sample ID: 9010273  
 Sample wt/vol: 980.0 (g/mL) ML Lab File ID: \_\_\_\_\_  
 Level: (low/med) LOW Date Received: 09/24/90  
 % Moisture: not dec. \_\_\_\_\_ dec. \_\_\_\_\_ Date Extracted: 09/25/90  
 Extraction: (SepF/Cont/Sonc) SEPF Date Analyzed: 10/18/90  
 GPC Cleanup: (Y/N) N pH: 7.0 Dilution Factor: 1.00

CAS NO.	COMPOUND	CONCENTRATION UNITS: (ug/L or ug/Kg) <u>UG/L</u>	Q
319-84-6	alpha-BHC	0.051	U
319-85-7	beta-BHC	0.051	U
319-86-8	delta-BHC	0.051	U
58-89-9	Lindane	0.051	U
76-44-8	Heptachlor	0.051	U
309-00-2	Aldrin	0.051	U
1024-57-3	Heptachlor epoxide	0.051	U
959-98-8	Endosulfan I	0.051	U
60-57-1	Dieldrin	0.10	U
72-55-9	4,4'-DDE	0.10	U
72-20-8	Endrin	0.10	U
33213-65-9	Endosulfan II	0.10	U
72-54-8	4,4'-DDD	0.10	U
1031-07-8	Endosulfan sulfate	0.10	U
50-29-3	4,4'-DDT	0.10	U
72-43-5	Methoxychlor	0.51	U
53494-70-5	Endrin ketone	0.10	U
5103-71-9	alpha-Chlordane	0.51	U
5103-74-2	gamma-Chlordane	0.51	U
9001-35-2	Toxaphene	1.0	U
12674-11-2	Aroclor-1016	0.51	U
11104-28-2	Aroclor-1221	0.51	U
11141-16-5	Aroclor-1232	0.51	U
53469-21-9	Aroclor-1242	0.51	U
12672-29-6	Aroclor-1248	0.51	U
11097-69-1	Aroclor-1254	1.0	U
11096-82-5	Aroclor-1260	1.0	U

DATE REPORTED: NOV 15 1990

\*\*\*\*\*  
*John J. PE*  
 \*\*\*\*\*

John J. PE  
 Laboratory Director

# H2M LABS, INC.

575 Broad Hollow Road, Melville, N.Y. 11767  
 (516) 694-3040 FAX: (516) 694-4122

U.S. EPA - CLP

EPA SAMPLE NO.

1  
 INORGANIC ANALYSIS DATA SHEET

XXXXSW4

Lab Name: H2M LABS, INC.

Contract: GIBBS&HILL

Lab Code: H2MLAB

Case No.:

SAS No.:

SDG No.: GIB055

Matrix (soil/water): WATER

Lab Sample ID: 9010273

Level (low/med): LOW

Date Received: 09/24/90

% Solids: 0.0

Concentration Units (ug/L or mg/kg dry weight): UG/L

CAS No.	Analyte	Concentration	C	Q	M
7429-90-5	Aluminum	326			P
7440-36-0	Antimony	43.9	U		P
7440-38-2	Arsenic	3.4	U	W	F
7440-39-3	Barium	33.0	B		P
7440-41-7	Beryllium	1.0	U		P
7440-43-9	Cadmium	3.6	U		P
7440-70-2	Calcium	18900			P
7440-47-3	Chromium	9.2	U		P
7440-48-4	Cobalt	12.2	B		P
7440-50-8	Copper	23.1	B		P
7439-89-6	Iron	3330			P
7439-92-1	Lead	5.9			F
7439-95-4	Magnesium	1930	B		P
7439-96-5	Manganese	110			P
7439-97-6	Mercury	0.20	U		CV
7440-02-0	Nickel	77.3			P
7440-09-7	Potassium	1700	B		P
7782-49-2	Selenium	1.2	U	W	F
7440-22-4	Silver	10.0	U		A
7440-23-5	Sodium	3450	B		P
7440-28-0	Thallium	1.1	U		F
7440-62-2	Vanadium	4.8	U		P
7440-66-6	Zinc	170.0			A
	Cyanide	10.0	U		C

Color Before: COLORLESS

Clarity Before: CLEAR


Texture:

Color After: COLORLESS

Clarity After: CLEAR

Artifacts:

Comments:

\*\*\*\*\*  
  
 \*\*\*\*\*

DATE REPORTED: DECEMBER 6, 1990

SC0104

John J. Molloy, P.E.  
 Laboratory Director



# H2M LABS, INC.

575 Broad Hollow Road, Melville, N.Y. 11747  
(516)694-3040 FAX: (516)694-4122

LAB NO: 9010273

GIBBS & HILL, INC.  
NORM HINSEY  
11 PENN PLAZA  
NEW YORK, NY 10001

TYPE..... MISCELLANEOUS LIQUID  
SPECIAL

DATE COLLECTED. 09/24/90  
DATE RECEIVED.. 09/24/90  
COLLECTED BY... CL99  
PROJECT NO..... 5066

POINT NO:  
LOCATION: SW-4

REMARKS:  
HAZ. WASTE DIS. SITE

---

<u>PARAMETER (S)</u>	<u>RESULTS</u>	<u>UNITS</u>
COD	30	mg/l
SPECIFIC CONDUCTIVITY	105	umhos
PH	6.8	units
SUSPENDED SOLIDS	<5	mg/l
TOTAL DISSOLVED SOLIDS	69	mg/l

---

COPIES TO:

DATE ISSUED 11/13/90

ORIGINAL

500105

*Stanley Deacon*  
LABORATORY DIRECTOR

# H2M LABS, INC.

575 Broad Hollow Road, Melville, N.Y. 11747  
 (516) 694-3040 FAX: (516) 694-4122

1A  
 VOLATILE ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

SD-1

Lab Name: H2M Contract: NYSDEC  
 Lab Code: H2M Case No.: G&H SAS No.: SDG No.: 55  
 Matrix: (soil/water) SOIL Lab Sample ID: 9010274  
 Sample wt/vol: 5.450 (g/mL) G Lab File ID: P4219  
 Level: (low/med) LOW Date Received: 9/24/90  
 % Moisture: not dec. 15. Date Analyzed: 9/28/90  
 Column: (pack/cap) CAP Dilution Factor: 1.00

CAS NO.	COMPOUND	CONCENTRATION UNITS: (ug/L or ug/Kg) UG/KG	Q
74-87-3	-----Chloromethane	11.	U
74-83-9	-----Bromomethane	11.	U
75-01-4	-----Vinyl Chloride	11.	U
75-00-3	-----Chloroethane	11.	U
75-09-2	-----Methylene Chloride	5.	U
67-64-1	-----Acetone	11.	U
75-15-0	-----Carbon Disulfide	5.	U
75-35-4	-----1,1-Dichloroethene	5.	U
75-34-3	-----1,1-Dichloroethane	5.	U
540-59-0	-----1,2-Dichloroethene (total)	5.	U
67-66-3	-----Chloroform	5.	U
107-06-2	-----1,2-Dichloroethane	5.	U
78-93-3	-----2-Butanone	11.	U
71-55-6	-----1,1,1-Trichloroethane	5.	U
56-23-5	-----Carbon Tetrachloride	5.	U
108-05-4	-----Vinyl Acetate	11.	U
75-27-4	-----Bromodichloromethane	5.	U
78-87-5	-----1,2-Dichloropropane	5.	U
10061-01-5	-----cis-1,3-Dichloropropene	5.	U
79-01-6	-----Trichloroethene	5.	U
124-48-1	-----Dibromochloromethane	5.	U
79-00-5	-----1,1,2-Trichloroethane	5.	U
71-43-2	-----Benzene	5.	U
10061-02-6	-----trans-1,3-Dichloropropene	5.	U
75-25-2	-----Bromoform	5.	U
108-10-1	-----4-Methyl-2-Pentanone	11.	U
591-78-6	-----2-Hexanone	11.	U
127-18-4	-----Tetrachloroethene	5.	U
79-34-5	-----1,1,2,2-Tetrachloroethane	5.	U
108-88-3	-----Toluene	5.	U
108-90-7	-----Chlorobenzene	5.	U
100-41-4	-----Ethylbenzene	5.	U
100-42-5	-----Styrene	5.	U
1330-20-7	-----Xylene (total)	5.	U

DATE REPORTED: NOV 28 1990

John [Signature], P.E.  
 Laboratory Director

SC0108

# H2A LABS, INC.

575 Broad Hollow Road, Melville, N.Y. 11747  
(516) 694-3040 FAX: (516) 694-4122

1E

EPA SAMPLE NO.

## VOLATILE ORGANICS ANALYSIS DATA SHEET TENTATIVELY IDENTIFIED COMPOUNDS

SD-1

Lab Name: H2M

Contract: NYSDEC

Lab Code: H2M

Case No.: G&H

SAS No.:

SDG No.: 55

Matrix: (soil/water) SOIL

Lab Sample ID: 9010274

Sample wt/vol: 5.450 (g/mL) G

Lab File ID: P4219

Level: (low/med) LOW

Date Received: 9/24/90

% Moisture: not dec. 15.

Date Analyzed: 9/28/90

Column: (pack/cap) CAP

Dilution Factor: 1.00

Number TICs found: 0

CONCENTRATION UNITS:  
(ug/L or ug/Kg) UG/KG

CAS NUMBER	COMPOUND NAME	RT	EST. CONC.	Q
1.				
2.				
3.				
4.				
5.				
6.				
7.				
8.				
9.				
10.				
11.				
12.				
13.				
14.				
15.				
16.				
17.				
18.				
19.				
20.				
21.				
22.				
23.				
24.				
25.				
26.				
27.				
28.				
29.				
30.				

DATE REPORTED: NOV 23 1990

\*\*\*\*\*  
\*  
\*  
\*\*\*\*\*  
John J. Molloy, P.E.  
Laboratory Director

# H2M LABS, INC.

575 Broad Hollow Road, Melville, N.Y. 117  
(516) 694-3040 FAX: (516) 694-4122

18  
SEMIVOLATILE ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

Lab Name: H2M LABS INC.

Contract: GIBBS & HILL

SD-1

Lab Code: -----

Case No.: -----

SAS No.: -----

SDG No.: G&H 55

Matrix: (soil/water) SOIL

Lab Sample ID: 9010274

Sample wt/vol: 30.0 (g/mL) G

Lab File ID: >E2979

Level: (low/med) LDW

Date Received: 9/24/90

% Moisture: not dec. 15.1 dec. --

Date Extracted: 9/27/90

Extraction: (Sepf/Cont/Sonc) SONC

Date Analyzed: 10/11/90

GPC Cleanup: (Y/N) N pH: 6.5

Dilution Factor: 1.00000

CAS NO.	COMPOUND	CONCENTRATION UNITS: (ug/L or ug/Kg) ug/Kg	Q
108-95-2	Phenol	390.	IU
111-44-4	bis(2-Chloroethyl)Ether	390.	IU
95-57-8	2-Chlorophenol	390.	IU
541-73-1	1,3-Dichlorobenzene	390.	IU
106-46-7	1,4-Dichlorobenzene	390.	IU
100-51-6	Benzyl alcohol	390.	IU
95-50-1	1,2-Dichlorobenzene	390.	IU
95-48-7	2-Methylphenol	390.	IU
39638-32-9	bis(2-chloroisopropyl)ether	390.	IU
106-44-5	4-Methylphenol	390.	IU
621-64-7	N-Nitroso-Di-n-propylamine	390.	IU
67-72-1	Hexachloroethane	390.	IU
98-95-3	Nitrobenzene	390.	IU
78-59-1	Isophorone	390.	IU
88-75-5	2-Nitrophenol	390.	IU
105-67-9	2,4-Dimethylphenol	390.	IU
65-85-0	Benzoic acid	1900.	IU
111-91-1	bis(2-Chloroethoxy)methane	390.	IU
120-83-2	2,4-Dichlorophenol	390.	IU
120-82-1	1,2,4-Trichlorobenzene	390.	IU
91-20-3	Naphthalene	390.	IU
106-47-8	4-Chloroaniline	390.	IU
87-68-3	Hexachlorobutadiene	390.	IU
59-50-7	4-Chloro-3-methylphenol	390.	IU
91-57-6	2-Methylnaphthalene	390.	IU
77-47-4	Hexachlorocyclopentadiene	390.	IU
88-06-2	2,4,6-Trichlorophenol	390.	IU
95-95-4	2,4,5-Trichlorophenol	1900.	IU
91-58-7	2-Chloronaphthalene	390.	IU
88-74-4	2-Nitroaniline	1900.	IU
131-11-3	Dimethylphthalate	390.	IU
208-96-8	Acenaphthylene	390.	IU
606-20-2	2,6-Dinitrotoluene	390.	IU

DATE REPORTED: Nov. 21 1990 Laboratory Director

# H2M LABS, INC.

575 Broad Hollow Road, Melville, N.Y. 11747  
(516) 694-3040 FAX: (516) 694-4122

1C  
SEMIVOLATILE ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

Lab Name: H2M LABS INC.

Contract: GIBBS & HILL

SD-1

Lab Code: -----

Case No.: -----

SAS No.: -----

SDG No.: G&H 55

Matrix: (soil/water) SOIL

Lab Sample ID: 9010274

Sample wt/vol: 30.0 (g/mL) G

Lab File ID: >E2979

Level: (low/med) LOW

Date Received: 9/24/90

% Moisture: not dec. 15.1 dec. --

Date Extracted: 9/27/90

Extraction: (Sepf/Cont/Sonc) SONC

Date Analyzed: 10/11/90

GPC Cleanup: (Y/N) N pH: 6.5

Dilution Factor: 1.00000

CAS NO.	COMPOUND	CONCENTRATION UNITS: (ug/L or ug/Kg) ug/Kg	Q
99-09-2-----	3-Nitroaniline	1900.	IU
83-32-9-----	Acenaphthene	390.	IU
51-28-5-----	2,4-Dinitrophenol	1900.	IU
100-02-7-----	4-Nitrophenol	1900.	IU
132-64-9-----	Dibenzofuran	390.	IU
121-14-2-----	2,4-Dinitrotoluene	390.	IU
84-66-2-----	Diethylphthalate	390.	IU
7005-72-3-----	4-Chlorophenyl-phenylether	390.	IU
86-73-7-----	Fluorene	390.	IU
100-01-6-----	4-Nitroaniline	1900.	IU
534-52-1-----	4,6-Dinitro-2-methylphenol	1900.	IU
86-30-6-----	N-Nitrosodiphenylamine (1)	390.	IU
101-55-3-----	4-Bromophenyl-phenylether	390.	IU
118-74-1-----	Hexachlorobenzene	390.	IU
87-86-5-----	Pentachlorophenol	1900.	IU
85-01-8-----	Phenanthrene	390.	IU
120-12-7-----	Anthracene	390.	IU
84-74-2-----	Di-n-butylphthalate	390.	IU
206-44-0-----	Fluoranthene	390.	IU
129-00-0-----	Pyrene	390.	IU
85-68-7-----	Butylbenzylphthalate	390.	IU
91-94-1-----	3,3'-Dichlorobenzidine	780.	IU
56-55-3-----	Benzo(a)anthracene	390.	IU
218-01-9-----	Chrysene	390.	IU
117-81-7-----	bis(2-Ethylhexyl)phthalate	70.	IU
117-84-0-----	Di-n-octylphthalate	390.	IU
205-99-2-----	Benzo(b)fluoranthene	390.	IU
207-08-9-----	Benzo(k)fluoranthene	390.	IU
50-32-8-----	Benzo(a)pyrene	390.	IU
193-39-5-----	Indeno(1,2,3-cd)pyrene	390.	IU
53-70-3-----	Dibenz(a,h)anthracene	390.	IU
191-24-2-----	Benzo(g,h,i)perylene	390.	IU

DATA REPORTED: Nov 21 1990 Laboratory Director

(1) - Cannot be separated from Diphenylamine

# H2M LABS, INC.

575 Broad Hollow Road, Melville, N.Y. 117  
 (516) 694-3040 FAX: (516) 694-4122

1F  
 SEMI-VOLATILE ORGANICS ANALYSIS DATA SHEET  
 TENTATIVELY IDENTIFIED COMPOUNDS

EPA SAMPLE NO.

SD-1

Lab Name: H2M LABS INC.

Contract: GIBBS & HILL

Lab Code: ----- Case No.: -----

SAS No.: ----- SDG No.: G&H 55

Matrix: (soil/water) SOIL

Lab Sample ID: 9010274

Sample wt/vol: 30.0 (g/mL) G

Lab File ID: >E2979

Level: (low/med) LOW

Date Received: 9/24/90

% Moisture: not dec. 15.1 dec. --

Date Extracted: 9/27/90

Extraction: (Sepf/Cont/Sonc) SONC

Date Analyzed: 10/11/90

GPC Cleanup: (Y/N) N pH: 6.5

Dilution Factor: 1.00000

CONCENTRATION UNITS:

Number TICs found: 1

(ug/L or ug/Kg) ug/Kg

CAS NUMBER	COMPOUND NAME	RT	EST. CONC.	Q
1.	Unknown	32.11	350.	J
2.				
3.				
4.				
5.				
6.				
7.				
8.				
9.				
10.				
11.				
12.				
13.				
14.				
15.				
16.				
17.				
18.				
19.				
20.				
21.				
22.	DATE REPORTED: NOV 21 1990			
23.				
24.				
25.				
26.				
27.				
28.				
29.				
30.				

\*\*\*\*\*  
 \*  
 \*  
 \*\*\*\*\*

John I. Molloy, P.E.  
 Laboratory Director

SC0110

1D  
PESTICIDE ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

30-1

Lab Name: H2M LABS, INC. Contract: \_\_\_\_\_

Lab Code: \_\_\_\_\_ Case No.: GH55 SAS No.: \_\_\_\_\_ SDG No.: \_\_\_\_\_

Matrix: (soil/water) SOIL Lab Sample ID: 9010274

Sample wt/vol: 30.0 (g/mL) G Lab File ID: \_\_\_\_\_

Level: (low/med) LOW Date Received: 09/24/90

% Moisture: not dec. 15 dec. \_\_\_\_\_ Date Extracted: 09/27/90


Extraction: (SepF/Cont/Sonc) SONC Date Analyzed: 10/10/90

GPC Cleanup: (Y/N) N pH: 7.0 Dilution Factor: 1.00

CONCENTRATION UNITS:

CAS NO.	COMPOUND	(ug/L or ug/Kg) <u>UG/KG</u>	Q
319-84-6	alpha-BHC	9.4	U
319-85-7	beta-BHC	9.4	U
319-86-8	delta-BHC	9.4	U
58-89-9	Lindane	9.4	U
76-44-8	Heptachlor	9.4	U
309-00-2	Aldrin	9.4	U
1024-57-3	Heptachlor epoxide	9.4	U
959-98-8	Endosulfan I	9.4	U
60-57-1	Dieldrin	19	U
72-55-9	4,4'-DDE	19	U
72-20-8	Endrin	19	U
33213-65-9	Endosulfan II	19	U
72-54-8	4,4'-DDD	19	U
1031-07-8	Endosulfan sulfate	19	U
50-29-3	4,4'-DDT	19	U
72-43-5	Methoxychlor	94	U
53494-70-5	Endrin ketone	19	U
5103-71-9	alpha-Chlordane	94	U
5103-74-2	gamma-Chlordane	94	U
8001-35-2	Toxaphene	190	U
12674-11-2	Aroclor-1016	94	U
11104-28-2	Aroclor-1221	94	U
11141-16-5	Aroclor-1232	94	U
53469-21-9	Aroclor-1242	94	U
12672-29-6	Aroclor-1248	94	U
11097-69-1	Aroclor-1254	190	U
11096-82-5	Aroclor-1260	190	U

DATE REPORTED: NOV 15 1990

\*\*\*\*\*  
  
 \*\*\*\*\*

John J. Money, P.E.  
Laboratory Director

FORM I PEST

1/87 Rev.

S00111

# H2M LABS, INC.

575 Broad Hollow Road, Melville, N.Y. 117  
 (516) 694-3040 FAX: (516) 694-4122

U.S. EPA - CLP

EPA SAMPLE NO.

1  
 INORGANIC ANALYSIS DATA SHEET

XXXSD1

Lab Name: H2M LABS, INC.

Contract: GIBBS&HILL

Lab Code: H2MLAB

Case No.:

SAS No.:

SDG No.: GIB055

Matrix (soil/water): SOIL

Lab Sample ID: 9010274

Level (low/med): LOW

Date Received: 09/24/90

% Solids: 84.9

Concentration Units (ug/L or mg/kg dry weight): MG/KG

CAS No.	Analyte	Concentration	C	Q	M
7429-90-5	Aluminum	1150	*		P
7440-36-0	Antimony	10.3	U		P
7440-38-2	Arsenic	6.6			F
7440-39-3	Barium	4.1	B		P
7440-41-7	Beryllium	0.24	U		P
7440-43-9	Cadmium	0.85	U	*	P
7440-70-2	Calcium	140	B	E	P
7440-47-3	Chromium	5.6			P
7440-48-4	Cobalt	1.2	U		P
7440-50-8	Copper	3.2	B	*	P
7439-89-6	Iron	4230		*	P
7439-92-1	Lead	9.7		S	F
7439-95-4	Magnesium	177	B		P
7439-96-5	Manganese	26.7		*	P
7439-97-6	Mercury	0.06	U		C
7440-02-0	Nickel	6.0	B	*	P
7440-09-7	Potassium	82.1	B		P
7782-49-2	Selenium	0.28	U	N	F
7440-22-4	Silver	2.4			F
7440-23-5	Sodium	22.4	B		P
7440-28-0	Thallium	0.31	B		F
7440-62-2	Vanadium	1.8	B		P
7440-66-6	Zinc	11.5		*	P
	Cyanide	1.2	U		C

Color Before: BROWN

Clarity Before:

Texture: COARSE

Color After: ORANGE

Clarity After: CLEAR

Artifacts: YES

Comments:

ARTIFACTS: ROCKS

DATE REPORTED: DECEMBER 6, 1990

\*\*\*\*\*  
*Signature*  
 \*\*\*\*\*

SGU112

John J. Molloy, PE

Lab Director



# H2M LABS, INC.

575 Broad Hollow Road, Melville, N.Y. 11747  
 (516) 694-3040 FAX: (516) 694-4122

1A  
 VOLATILE ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

SD-2

Lab Name: H2M Contract: NYSDEC  
 Lab Code: H2M Case No.: G&H SAS No.: SDG No.: 55  
 Matrix: (soil/water) SOIL Lab Sample ID: 9010275  
 Sample wt/vol: 3.750 (g/mL) G Lab File ID: P4235  
 Level: (low/med) LOW Date Received: 9/24/90  
 % Moisture: not dec. 20. Date Analyzed: 9/28/90  
 Column: (pack/cap) CAP Dilution Factor: 1.00

CONCENTRATION UNITS:  
 (ug/L or ug/Kg) UG/KG

CAS NO. COMPOUND Q

74-87-3	-----Chloromethane	17.	U
74-83-9	-----Bromomethane	17.	U
75-01-4	-----Vinyl Chloride	17.	U
75-00-3	-----Chloroethane	17.	U
75-09-2	-----Methylene Chloride	8.	U
67-64-1	-----Acetone	17.	U
75-15-0	-----Carbon Disulfide	8.	U
75-35-4	-----1,1-Dichloroethene	8.	U
75-34-3	-----1,1-Dichloroethane	8.	U
540-59-0	-----1,2-Dichloroethene (total)	8.	U
67-66-3	-----Chloroform	8.	U
107-06-2	-----1,2-Dichloroethane	8.	U
78-93-3	-----2-Butanone	17.	U
71-55-6	-----1,1,1-Trichloroethane	8.	U
56-23-5	-----Carbon Tetrachloride	8.	U
108-05-4	-----Vinyl Acetate	17.	U
75-27-4	-----Bromodichloromethane	8.	U
78-87-5	-----1,2-Dichloropropane	8.	U
10061-01-5	-----cis-1,3-Dichloropropene	8.	U
79-01-6	-----Trichloroethene	8.	U
124-48-1	-----Dibromochloromethane	8.	U
79-00-5	-----1,1,2-Trichloroethane	8.	U
71-43-2	-----Benzene	8.	U
10061-02-6	-----trans-1,3-Dichloropropene	8.	U
75-25-2	-----Bromoform	8.	U
108-10-1	-----4-Methyl-2-Pentanone	17.	U
591-78-6	-----2-Hexanone	17.	U
127-18-4	-----Tetrachloroethene	8.	U
79-34-5	-----1,1,2,2-Tetrachloroethane	8.	U
108-88-3	-----Toluene	8.	U
108-90-7	-----Chlorobenzene	8.	U
100-41-4	-----Ethylbenzene	8.	U
100-42-5	-----Styrene	8.	U
1330-20-7	-----Xylene (total)	8.	U

DATE REPORTED: NOV 28 1990

Laboratory Director

SC0113

# H2M LABS, INC.

575 Broad Hollow Road, Melville, N.Y. 117  
(516) 694-3040 FAX: (516) 694-4122

1E

EPA SAMPLE NO.

## VOLATILE ORGANICS ANALYSIS DATA SHEET TENTATIVELY IDENTIFIED COMPOUNDS

SD-2

Lab Name: H2M

Contract: NYSDEC

Lab Code: H2M

Case No.: G&H

SAS No.:

SDG No.: 55

Matrix: (soil/water) SOIL

Lab Sample ID: 9010275

Sample wt/vol: 3.750 (g/mL) G

Lab File ID: P4235

Level: (low/med) LOW

Date Received: 9/24/90

% Moisture: not dec. 20.

Date Analyzed: 9/28/90

Column: (pack/cap) CAP

Dilution Factor: 1.00

Number TICs found: 0

CONCENTRATION UNITS:  
(ug/L or ug/Kg) UG/KG

CAS NUMBER	COMPOUND NAME	RT	EST. CONC.	Q
1.				
2.				
3.				
4.				
5.				
6.				
7.				
8.				
9.				
10.				
11.				
12.				
13.				
14.				
15.				
16.				
17.				
18.				
19.				
20.				
21.				
22.				
23.				
24.				
25.				
26.				
27.				
28.				
29.				
30.				

DATE REPORTED: NOV 28 1990

\*\*\*\*\*  
*John L. Olney*  
John L. Olney, P.E.  
Laboratory Director

18  
SEMIVOLATILE ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

SD-2

Lab Name: H2M LABS INC.

Contract: GIBBS & HILL

Lab Code: -----

Case No.: -----

SAS No.: -----

SDG No.: G&H 55

Matrix: (soil/water) SOIL

Lab Sample ID: 9010275

Sample wt/vol: 30.0 (g/mL) G

Lab File ID: >E2982

Level: (low/med) LOW

Date Received: 9/24/90

% Moisture: not dec. 20.1 dec. --

Date Extracted: 9/27/90

Extraction: (Sepf/Cont/Sonc) SONC

Date Analyzed: 10/11/90

GPC Cleanup: (Y/N) N pH: 6.7

Dilution Factor: 1.00000

CAS NO.	COMPOUND	CONCENTRATION UNITS: (ug/L or ug/Kg) ug/Kg	Q
108-95-2	Phenol	410.	IU
111-44-4	bis(2-Chloroethyl)Ether	410.	IU
95-57-8	2-Chlorophenol	410.	IU
541-73-1	1,3-Dichlorobenzene	410.	IU
106-46-7	1,4-Dichlorobenzene	410.	IU
100-51-6	Benzyl alcohol	410.	IU
95-50-1	1,2-Dichlorobenzene	410.	IU
95-48-7	2-Methylphenol	410.	IU
39638-32-9	bis(2-chloroisopropyl)ether	410.	IU
106-44-5	4-Methylphenol	410.	IU
621-64-7	N-Nitroso-Di-n-propylamine	410.	IU
67-72-1	Hexachloroethane	410.	IU
98-95-3	Nitrobenzene	410.	IU
78-59-1	Isophorone	410.	IU
88-75-5	2-Nitrophenol	410.	IU
105-67-9	2,4-Dimethylphenol	410.	IU
65-85-0	Benzoic acid	110.	IJ
111-91-1	bis(2-Chloroethoxy)methane	410.	IU
120-83-2	2,4-Dichlorophenol	410.	IU
120-82-1	1,2,4-Trichlorobenzene	410.	IU
91-20-3	Naphthalene	410.	IU
106-47-8	4-Chloroaniline	410.	IU
87-68-3	Hexachlorobutadiene	410.	IU
59-50-7	4-Chloro-3-methylphenol	410.	IU
91-57-6	2-Methylnaphthalene	410.	IU
77-47-4	Hexachlorocyclopentadiene	410.	IU
88-06-2	2,4,6-Trichlorophenol	410.	IU
95-95-4	2,4,5-Trichlorophenol	2100.	IU
91-58-7	2-Chloronaphthalene	410.	IU
88-74-4	2-Nitroaniline	2100.	IU
131-11-3	Dimethylphthalate	410.	IU
208-96-8	Acenaphthylene	410.	IU
606-20-2	2,6-Dinitrotoluene	410.	IU

DATE REPORTED: NOV 21 1990

560115

# H2M LABS, INC.

575 Broad Hollow Road, Melville, N.Y. 117  
(516) 694-3040 FAX: (516) 694-4122

1C  
SEMIVOLATILE ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

Lab Name: H2M LABS INC.

Contract: GIBBS & HILL

SD-2

Lab Code: -----

Case No.: -----

SAS No.: -----

SDG No.: G&H 55

Matrix: (soil/water) SOIL

Lab Sample ID: 9010275

Sample wt/vol: 30.0 (g/mL) G

Lab File ID: >E2982

Level: (low/med) LOW

Date Received: 9/24/90

% Moisture: not dec. 20.1 dec. --

Date Extracted: 9/27/90

Extraction: (Sepf/Cont/Sonc) SONC

Date Analyzed: 10/11/90

GPC Cleanup: (Y/N) N pH: 6.7

Dilution Factor: 1.00000

CONCENTRATION UNITS:

CAS NO.

COMPOUND

(ug/L or ug/Kg) ug/Kg

Q

99-09-2-----3-Nitroaniline	2100.	IU
83-32-9-----Acenaphthene	410.	IU
51-28-5-----2,4-Dinitrophenol	2100.	IU
100-02-7-----4-Nitrophenol	2100.	IU
132-64-9-----Dibenzofuran	410.	IU
121-14-2-----2,4-Dinitrotoluene	410.	IU
84-66-2-----Diethylphthalate	410.	IU
7005-72-3-----4-Chlorophenyl-phenylether	410.	IU
86-73-7-----Fluorene	410.	IU
100-01-6-----4-Nitroaniline	2100.	IU
534-52-1-----4,6-Dinitro-2-methylphenol	2100.	IU
86-30-6-----N-Nitrosodiphenylamine (1)	410.	IU
101-55-3-----4-Bromophenyl-phenylether	410.	IU
118-74-1-----Hexachlorobenzene	410.	IU
87-86-5-----Pentachlorophenol	2100.	IU
85-01-8-----Phenanthrene	410.	IU
120-12-7-----Anthracene	410.	IU
84-74-2-----Di-n-butylphthalate	410.	IU
206-44-0-----Fluoranthene	410.	IU
129-00-0-----Pyrene	410.	IU
85-68-7-----Butylbenzylphthalate	410.	IU
91-94-1-----3,3'-Dichlorobenzidine	830.	IU
56-55-3-----Benzo(a)anthracene	410.	IU
218-01-9-----Chrysene	410.	IU
117-81-7-----bis(2-Ethylhexyl)phthalate	140.	IJB
117-84-0-----Di-n-octylphthalate	410.	IU
205-99-2-----Benzo(b)fluoranthene	410.	IU
207-08-9-----Benzo(k)fluoranthene	410.	IU
50-32-8-----Benzo(a)pyrene	410.	IU
193-39-5-----Indeno(1,2,3-cd)pyrene	410.	IU
53-70-3-----Dibenz(a,h)anthracene	410.	IU
191-24-2-----Benzo(g,h,i)perylene	410.	IU

DATE REPORTED: NOV 21 1990

John J. Molloy, P.E.

Laboratory Director

(1) - Cannot be separated from Diphenylamine

SC0116

# H2M LABS, INC.

575 Broad Hollow Road, Melville, N.Y. 11747  
 (516) 694-3040 FAX: (516) 694-4122

1F  
 SEMI-VOLATILE ORGANICS ANALYSIS DATA SHEET  
 TENTATIVELY IDENTIFIED COMPOUNDS

EPA SAMPLE NO.

SD-2

Lab Name: H2M LABS INC.

Contract: GIBBS & HILL

Lab Code: ----- Case No.: -----

SAS No.: ----- SDG No.: G&H 55

Matrix: (soil/water) SOIL

Lab Sample ID: 9010275

Sample wt/vol: 30.0 (g/mL) G

Lab File ID: >E2982

Level: (low/med) LOW

Date Received: 9/24/90

% Moisture: not dec. 20.1 dec. --

Date Extracted: 9/27/90

Extraction: (Sepf/Cont/Sonc) SONC

Date Analyzed: 10/11/90

GPC Cleanup: (Y/N) N pH: 6.7

Dilution Factor: 1.00000

CONCENTRATION UNITS:  
 (ug/L or ug/Kg) ug/Kg

Number TICs found: 1

CAS NUMBER	COMPOUND NAME	RT	EST. CONC.	Q
1.	Unknown	35.06	380.	J
2.				
3.				
4.				
5.				
6.				
7.				
8.				
9.				
10.				
11.				
12.				
13.				
14.				
15.				
16.				
17.				
18.				
19.				
20.				
21.				
22.				
23.				
24.				
25.				
26.				
27.				
28.				
29.				
30.				

DATE REPORTED: NOV 21 1990

\*\*\*\*\*  
*John J. ...*  
 John J. ...  
 Laboratory Director

1D  
**PESTICIDE ORGANICS ANALYSIS DATA SHEET**

EPA SAMPLE NO.

SD-2

Lab Name: H2M LABS. INC. Contract: \_\_\_\_\_

Lab Code: \_\_\_\_\_ Case No.: GH55 SAS No.: \_\_\_\_\_ SDG No.: \_\_\_\_\_

Matrix: (soil/water) SOIL Lab Sample ID: 9010275

Sample wt/vol: 30.0 (g/mL) 0 Lab File ID: \_\_\_\_\_

Level: (low/med) LOW Date Received: 09/24/90

% Moisture: not dec. 20 dec. \_\_\_\_\_ Date Extracted: 09/27/90

Extraction: (SepF/Cont/Sonc) SONC Date Analyzed: 10/10/90

GPC Cleanup: (Y/N) N pH: 7.0 Dilution Factor: 1.00

CAS NO.	COMPOUND	CONCENTRATION UNITS: (ug/L or ug/Kg) <u>UG/KG</u>	0
319-84-6	alpha-BHC	10	U
319-85-7	beta-BHC	10	U
319-86-8	delta-BHC	10	U
58-89-9	Lindane	10	U
76-44-8	Heptachlor	10	U
309-00-2	Aldrin	10	U
1024-57-3	Heptachlor epoxide	10	U
959-98-8	Endosulfan I	10	U
60-57-1	Dieldrin	20	U
72-55-9	4,4'-DDE	20	U
72-20-8	Endrin	20	U
33213-65-9	Endosulfan II	20	U
72-54-8	4,4'-DDD	20	U
1031-07-8	Endosulfan sulfate	20	U
50-29-3	4,4'-DDT	20	U
72-43-5	Methoxychlor	100	U
53494-70-5	Endrin ketone	20	U
5103-71-9	alpha-Chlordane	100	U
5103-74-2	gamma-Chlordane	100	U
8001-35-2	Toxaphene	200	U
12674-11-2	Aroclor-1016	100	U
11104-28-2	Aroclor-1221	100	U
11141-16-5	Aroclor-1232	100	U
53469-21-9	Aroclor-1242	100	U
12672-29-6	Aroclor-1248	100	U
11097-69-1	Aroclor-1254	200	U
11096-82-5	Aroclor-1260	200	U

**DATE REPORTED: NOV 15 1990**

\*\*\*\*\*  
*John J. Meeley*  
 \*\*\*\*\*

John J. Meeley, PE  
 Laboratory Director

FORM I PEST

1/87 Rev.

SC0115

# H2M LABS, INC.

575 Broad Hollow Road, Melville, N.Y. 11747  
(516) 694-3040 FAX: (516) 694-4122

U.S. EPA - CLP

EPA SAMPLE NO.

1  
INORGANIC ANALYSIS DATA SHEET

XXXSD2

Lab Name: H2M LABS, INC.

Contract: GIBBS&HILL

Lab Code: H2MLAB

Case No.:

SAS No.:

SDG No.: GIB055

Matrix (soil/water): SOIL

Lab Sample ID: 9010275

Level (low/med): LOW

Date Received: 09/24/90

% Solids: 79.9

Concentration Units (ug/L or mg/kg dry weight): MG/KG

CAS No.	Analyte	Concentration	C	Q	M
7429-90-5	Aluminum	3580	*		P
7440-36-0	Antimony	11.0	U		P
7440-38-2	Arsenic	0.98	B		F
7440-39-3	Barium	16.4	B		P
7440-41-7	Beryllium	0.25	U		P
7440-43-9	Cadmium	0.90	U*		P
7440-70-2	Calcium	451	B/E		P
7440-47-3	Chromium	5.0			P
7440-48-4	Cobalt	1.3	U		P
7440-50-8	Copper	4.9	B*		P
7439-89-6	Iron	3700	*		P
7439-92-1	Lead	11.7	S		F
7439-95-4	Magnesium	391	B		P
7439-96-5	Manganese	42.6	*		P
7439-97-6	Mercury	0.06	U		CV
7440-02-0	Nickel	4.5	B*		P
7440-09-7	Potassium	195	B		P
7782-49-2	Selenium	0.30	U/NW		F
7440-22-4	Silver	2.5	U		A
7440-23-5	Sodium	23.5	B		P
7440-28-0	Thallium	0.28	U		F
7440-62-2	Vanadium	5.8	B		P
7440-66-6	Zinc	33.9	*		P
	Cyanide	1.3	U		C

Color Before: BROWN

Clarity Before:

Texture: MEDIUM

Color After: YELLOW


Clarity After: CLEAR

Artifacts: NO

Comments:

DATE REPORTED: December 6, 1990

S00119

\*\*\*\*\*  
  
 \*\*\*\*\*

John J. Molloy, P.E.

# H2M LABS, INC.

575 Broad Hollow Road, Melville, N.Y. 117  
(516) 694-3040 FAX: (516) 694-4122

1A  
VOLATILE ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

SD-3

Lab Name: H2M

Contract: NYSDEC

Lab Code: H2M

Case No.: G&H

SAS No.:

SDG No.: 55

Matrix: (soil/water) SOIL

Lab Sample ID: 9010276

Sample wt/vol: 3.560 (g/mL) G

Lab File ID: P4236

Level: (low/med) LOW

Date Received: 9/24/90

% Moisture: not dec. 8.

Date Analyzed: 9/28/90

Column: (pack/cap) CAP

Dilution Factor: 1.00

CAS NO. COMPOUND CONCENTRATION UNITS:  
(ug/L or ug/Kg) UG/KG Q

74-87-3	-----Chloromethane	15.	U
74-83-9	-----Bromomethane	15.	U
75-01-4	-----Vinyl Chloride	15.	U
75-00-3	-----Chloroethane	15.	U
75-09-2	-----Methylene Chloride	8.	U
67-64-1	-----Acetone	15.	U
75-15-0	-----Carbon Disulfide	8.	U
75-35-4	-----1,1-Dichloroethene	8.	U
75-34-3	-----1,1-Dichloroethane	8.	U
540-59-0	-----1,2-Dichloroethene (total)	8.	U
67-66-3	-----Chloroform	8.	U
107-06-2	-----1,2-Dichloroethane	8.	U
78-93-3	-----2-Butanone	15.	U
71-55-6	-----1,1,1-Trichloroethane	8.	U
56-23-5	-----Carbon Tetrachloride	8.	U
108-05-4	-----Vinyl Acetate	15.	U
75-27-4	-----Bromodichloromethane	8.	U
78-87-5	-----1,2-Dichloropropane	8.	U
10061-01-5	-----cis-1,3-Dichloropropene	8.	U
79-01-6	-----Trichloroethene	8.	U
124-48-1	-----Dibromochloromethane	8.	U
79-00-5	-----1,1,2-Trichloroethane	8.	U
71-43-2	-----Benzene	8.	U
10061-02-6	-----trans-1,3-Dichloropropene	8.	U
75-25-2	-----Bromoform	8.	U
108-10-1	-----4-Methyl-2-Pentanone	15.	U
591-78-6	-----2-Hexanone	15.	U
127-18-4	-----Tetrachloroethene	94.	
79-34-5	-----1,1,2,2-Tetrachloroethane	8.	U
108-88-3	-----Toluene	8.	U
108-90-7	-----Chlorobenzene	8.	U
100-41-4	-----Ethylbenzene	8.	U
100-42-5	-----Styrene	8.	U
1330-20-7	-----Xylene (total)	8.	U

*John J. Molloy*  
John J. Molloy, P.E.  
Laboratory Director

DATE REPORTED: NOV 2 1990

SOIL



# H2A LABS, INC.

575 Broad Hollow Road, Melville, N.Y. 11747  
(516) 694-3040 FAX: (516) 694-4122

1E

EPA SAMPLE NO.

## VOLATILE ORGANICS ANALYSIS DATA SHEET TENTATIVELY IDENTIFIED COMPOUNDS

SD-3

Lab Name: H2M

Contract: NYSDEC

Lab Code: H2M

Case No.: G&H

SAS No.:

SDG No.: 55

Matrix: (soil/water) SOIL

Lab Sample ID: 9010276

Sample wt/vol: 3.560 (g/mL) G

Lab File ID: P4236

Level: (low/med) LOW

Date Received: 9/24/90

% Moisture: not dec. 8.

Date Analyzed: 9/28/90

Column: (pack/cap) CAP

Dilution Factor: 1.00

CONCENTRATION UNITS:  
(ug/L or ug/Kg) UG/KG

Number TICs found: 0

CAS NUMBER	COMPOUND NAME	RT	EST. CONC.	Q
1.				
2.				
3.				
4.				
5.				
6.				
7.				
8.				
9.				
10.				
11.				
12.				
13.				
14.				
15.				
16.				
17.				
18.				
19.				
20.				
21.				
22.				
23.				
24.				
25.				
26.				
27.				
28.				
29.				
30.				

DATE REPORTED: Nov 2, 1990

\*\*\*\*\*

*John J. Mulloy*

John J. Mulloy, P.E.  
Laboratory Director

# H2M LABS, INC.

755 Broad Hollow Road, Melville, N.Y. 117  
 (516) 694-3040 FAX: (516) 694-4122

1B  
 SEMI-VOLATILE ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

SD-3

Lab Name: H2M LABS INC. Contract: GIBBS & HILL  
 Lab Code: ----- Case No.: ----- SAS No.: ----- SDG No.: G&H 55  
 Matrix: (soil/water) SOIL Lab Sample ID: 9010276  
 Sample wt/vol: 30.0 (g/mL) G Lab File ID: >E2983  
 Level: (low/med) LOW Date Received: 9/24/90  
 % Moisture: not dec. 8.0 dec. -- Date Extracted: 9/27/90  
 Extraction: (Sepf/Cont/Sonc) SONC Date Analyzed: 10/11/90  
 GPC Cleanup: (Y/N) Y pH: 7.5 Dilution Factor: 1.00000

CAS NO.	COMPOUND	CONCENTRATION UNITS: (ug/L or ug/Kg) ug/Kg	Q
108-95-2	Phenol	720.	IU
111-44-4	bis(2-Chloroethyl)Ether	720.	IU
95-57-8	2-Chlorophenol	720.	IU
541-73-1	1,3-Dichlorobenzene	720.	IU
106-46-7	1,4-Dichlorobenzene	720.	IU
100-51-6	Benzyl alcohol	720.	IU
95-50-1	1,2-Dichlorobenzene	720.	IU
95-48-7	2-Methylphenol	720.	IU
39638-32-9	bis(2-chloroisopropyl)ether	720.	IU
106-44-5	4-Methylphenol	720.	IU
621-64-7	N-Nitroso-Di-n-propylamine	720.	IU
67-72-1	Hexachloroethane	720.	IU
98-95-3	Nitrobenzene	720.	IU
78-59-1	Isophorone	720.	IU
88-75-5	2-Nitrophenol	720.	IU
105-67-9	2,4-Dimethylphenol	720.	IU
65-85-0	Benzoic acid	3600.	IU
111-91-1	bis(2-Chloroethoxy)methane	720.	IU
120-83-2	2,4-Dichlorophenol	720.	IU
120-82-1	1,2,4-Trichlorobenzene	720.	IU
91-20-3	Naphthalene	240	IJ
106-47-8	4-Chloroaniline	720.	IU
87-68-3	Hexachlorobutadiene	720.	IU
59-50-7	4-Chloro-3-methylphenol	720.	IU
91-57-6	2-Methylnaphthalene	720.	IU
77-47-4	Hexachlorocyclopentadiene	720.	IU
88-06-2	2,4,6-Trichlorophenol	720.	IU
95-95-4	2,4,5-Trichlorophenol	3600.	IU
91-58-7	2-Chloronaphthalene	720.	IU
88-74-4	2-Nitroaniline	3600.	IU
131-11-3	Dimethylphthalate	720.	IU
208-96-8	Acenaphthylene	720.	IU
606-20-2	2,6-Dinitrotoluene	720.	IU

DATE REPORTED: Laboratory Director

500124

# H2M LABS, INC.

575 Broad Hollow Road, Melville, N.Y. 11747  
(516) 694-3040 FAX: (516) 694-4122

1C  
SEMIVOLATILE ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

SD-3

Lab Name: H2M LABS INC.

Contract: GIBBS & HILL

Lab Code: -----

Case No.: -----

SAS No.: -----

SDG No.: G&H 55

Matrix: (soil/water) SOIL

Lab Sample ID: 9010276

Sample wt/vol: 30.0 (g/mL) G

Lab File ID: >E2983

Level: (low/med) LOW

Date Received: 9/24/90

% Moisture: not dec. 8.0 dec. --

Date Extracted: 9/27/90

Extraction: (Sepf/Cont/Sonc) SONC

Date Analyzed: 10/11/90

GPC Cleanup: (Y/N) Y pH: 7.5

Dilution Factor: 1.00000

CONCENTRATION UNITS:  
(ug/L or ug/Kg) ug/Kg

CAS NO.	COMPOUND	CONCENTRATION UNITS: (ug/L or ug/Kg) ug/Kg	Q
99-09-2-----	3-Nitroaniline	3600.	IU
83-32-9-----	Acenaphthene	600	IJ
51-28-5-----	2,4-Dinitrophenol	3600.	IU
100-02-7-----	4-Nitrophenol	3600.	IU
132-64-9-----	Dibenzofuran	290	IJ
121-14-2-----	2,4-Dinitrotoluene	720.	IU
84-66-2-----	Diethylphthalate	720.	IU
7005-72-3-----	4-Chlorophenyl-phenylether	720.	IU
86-73-7-----	Fluorene	580	IJ
100-01-6-----	4-Nitroaniline	3600.	IU
534-52-1-----	4,6-Dinitro-2-methylphenol	3600.	IU
86-30-6-----	N-Nitrosodiphenylamine (1)	720.	IU
101-55-3-----	4-Bromophenyl-phenylether	720.	IU
118-74-1-----	Hexachlorobenzene	720.	IU
87-86-5-----	Pentachlorophenol	3600.	IU
85-01-8-----	Phenanthrene	6000	I
120-12-7-----	Anthracene	1200	I
84-74-2-----	Di-n-butylphthalate	320	IJ
206-44-0-----	Fluoranthene	7900.	I
129-00-0-----	Pyrene	6600	I
85-68-7-----	Butylbenzylphthalate	560	IJ
91-94-1-----	3,3'-Dichlorobenzidine	1400.	IU
56-55-3-----	Benzo(a)anthracene	3400	I
218-01-9-----	Chrysene	3600	I
117-81-7-----	bis(2-Ethylhexyl)phthalate	13000.	I B
117-84-0-----	Di-n-octylphthalate	720.	IU
205-99-2-----	Benzo(b)fluoranthene	720.	IU
207-08-9-----	Benzo(k)fluoranthene	720.	IU
50-32-8-----	Benzo(a)pyrene	2600	I
193-39-5-----	Indeno(1,2,3-cd)pyrene	1800	I
53-70-3-----	Dibenz(a,h)anthracene	500	IJ
191-24-2-----	Benzo(g,h,i)perylene	1800.	I

DATE REPORTED: Nov - 1 1990 John J. Stoney, P.E.

(1) - Cannot be separated from Diphenyl ether Laboratory Director

SC0120

1/87 Rev

# H2M LABS, INC.

575 Broad Hollow Road, Melville, N.Y. 11747  
 (516) 694-3040 FAX: (516) 694-4122

1F  
 SEMI-VOLATILE ORGANICS ANALYSIS DATA SHEET  
 TENTATIVELY IDENTIFIED COMPOUNDS

EPA SAMPLE NO.

Lab Name: H2M LABS INC.

Contract: GIBBS & HILL

SD-3

Lab Code: ----- Case No.: -----

SAS No.: ----- SDG No.: G&H 55

Matrix: (soil/water) SOIL

Lab Sample ID: 9010276

Sample wt/vol: 30.0 (g/mL) G

Lab File ID: >E2983

Level: (low/med) LOW

Date Received: 9/24/90

% Moisture: not dec. 8.0 dec. --

Date Extracted: 9/27/90

Extraction: (Sepf/Cont/Sonc) SONC

Date Analyzed: 10/11/90

GPC Cleanup: (Y/N) Y pH: 7.5

Dilution Factor: 1.00000

Number TICs found: 12

CONCENTRATION UNITS:  
 (ug/L or ug/Kg) ug/Kg

CAS NUMBER	COMPOUND NAME	RT	EST. CONC.	Q
1.	Unknown	3.82	360.	J
2.	86748 19H-Carbazole (9CI)	25.06	290.	J
3.	57103 1Hexadecanoic acid (9CI)	26.58	290.	J
4.	Unknown	26.78	510.	J
5.	Unknown	29.04	580.	J
6.	243174 11H-Benzo[b]fluorene (8CI9CI)	29.71	360.	J
7.	Unknown	31.58	360.	J
8.	203123 1Benzo[ghi]fluoranthene (8CI9	31.71	360.	J
9.	205823 1Benzo[j]fluoranthene (8CI9CI)	35.51	2200.	J
10.	192972 1Benzo[e]pyrene (8CI9CI)	36.20	1700.	J
11.	Unknown	38.01	1200.	J
12.	Unknown	38.79	1000.	J
13.				
14.				
15.				
16.				
17.				
18.				
19.				
20.				
21.				
22.				
23.				
24.				
25.				
26.				
27.				
28.				
29.				
30.				

DATE REPORTED: NOV 21 1990

\*\*\*\*\*  
 \* *Andrade* \*  
 \*\*\*

500124

10  
PESTICIDE ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

SD-3

Lab Name: H2M LABS, INC. Contract: \_\_\_\_\_

Lab Code: \_\_\_\_\_ Case No.: GH55 SAS No.: \_\_\_\_\_ SDG No.: \_\_\_\_\_

Matrix: (soil/water) SOIL Lab Sample ID: 9010276

Sample wt/vol: 30.0 (g/mL) @ \_\_\_\_\_ Lab File ID: \_\_\_\_\_

Level: (low/med) LOW Date Received: 09/24/90

% Moisture: not dec. 8 dec. \_\_\_\_\_ Date Extracted: 09/27/90

Extraction: (SepF/Cont/Sonc) SONC Date Analyzed: 10/11/90

GPC Cleanup: (Y/N) Y pH: 7.0 Dilution Factor: 1.00

CONCENTRATION UNITS:

CAS NO.	COMPOUND	(ug/L or ug/Kg) <u>UG/KG</u>	@
319-84-6	alpha-BHC	8.7	U
319-85-7	beta-BHC	8.7	U
319-86-8	delta-BHC	8.7	U
58-89-9	Lindane	8.7	U
76-44-8	Heptachlor	8.7	U
309-00-2	Aldrin	67	U
1024-57-3	Heptachlor epoxide	8.7	U
959-98-8	Endosulfan I	8.7	U
40-57-1	Dieldrin	17	U
72-85-9	4,4'-DDE	17	U
72-20-8	Endrin	17	U
53213-65-9	Endosulfan II	17	U
72-84-8	4,4'-DDD	17	U
1031-07-8	Endosulfan sulfate	17	U
50-29-3	4,4'-DDT	17	U
72-43-5	Methoxychlor	87	U
53494-70-5	Endrin ketone	17	U
5103-71-9	alpha-Chlordane	87	U
5103-74-2	gamma-Chlordane	87	U
8001-35-2	Toxaphene	170	U
12674-11-2	Aroclor-1016	87	U
11104-28-2	Aroclor-1221	87	U
11141-16-5	Aroclor-1232	87	U
53469-21-9	Aroclor-1242	87	U
12672-29-6	Aroclor-1248	87	U
11097-69-1	Aroclor-1254	170	U
11096-82-5	Aroclor-1260	170	U

DATE REPORTED: NOV 15 1990

\*\*\*\*\*  
\* *John J. McLoey* \*  
\*\*\*\*\*

John J. McLoey, P.E.  
Laboratory Director

U.S. EPA - CLP

EPA SAMPLE NO.

1  
 INORGANIC ANALYSIS DATA SHEET

XXXSD3

Lab Name: H2M LABS, INC.

Contract: GIBBS&HILL

Lab Code: H2MLAB

Case No.:

SAS No.:

SDG No.: GIB050

Matrix (soil/water): SOIL

Lab Sample ID: 9010276

Level (low/med): LOW

Date Received: 09/24/90

% Solids: 92.0

Concentration Units (ug/L or mg/kg dry weight): MG/KG

CAS No.	Analyte	Concentration	C	Q	M
7429-90-5	Aluminum	2670	*		P
7440-36-0	Antimony	9.5	U		P
7440-38-2	Arsenic	2.0	B		F
7440-39-3	Barium	49.8			P
7440-41-7	Beryllium	0.26	B		P
7440-43-9	Cadmium	6.2	*		P
7440-70-2	Calcium	6420	E		P
7440-47-3	Chromium	38.2			P
7440-48-4	Cobalt	2.5	B		P
7440-50-8	Copper	198	*		P
7439-89-6	Iron	23400	*		P
7439-92-1	Lead	80.87			F
7439-95-4	Magnesium	3140			P
7439-96-5	Manganese	195	*		P
7439-97-6	Mercury	0.09	U		CV
7440-02-0	Nickel	68.9	*		P
7440-09-7	Potassium	256	B		P
7782-49-2	Selenium	0.26	U/NW		F
7440-22-4	Silver	2.2	U		A
7440-23-5	Sodium	103	B		P
7440-28-0	Thallium	0.24	U		F
7440-62-2	Vanadium	13.8			P
7440-66-6	Zinc	339	*		P
	Cyanide	1.1	U		C

Color Before: BROWN

Clarity Before:

Texture: MEDIUM

Color After: YELLOW

Clarity After: CLEAR

Artifacts:

Comments:

\*\*\*\*\*  
*John J. Molloy*  
 \*\*\*\*\*

DATE REPORTED: DECEMBER 6, 1990

500126

John J. Molloy, P.E.  
 Laboratory Director

# H2M LABS, INC.

575 Broad Hollow Road, Melville, N.Y. 11747  
(516) 694-3040 FAX: (516) 694-4122

1A  
VOLATILE ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

TRIPVBLK

Lab Name: H2M Contract: NYSDEC  
Lab Code: H2M Case No.: G&H SAS No.: SDG No.: 55  
Matrix: (soil/water) WATER Lab Sample ID: 9010277  
Sample wt/vol: 5.000 (g/mL) ML Lab File ID: P4179  
Level: (low/med) LOW Date Received: 9/24/90  
% Moisture: not dec. 100. Date Analyzed: 9/26/90  
Column: (pack/cap) CAP Dilution Factor: 1.00

CAS NO. COMPOUND CONCENTRATION UNITS:  
(ug/L or ug/Kg) UG/L Q

74-87-3	-----Chloromethane	10.	U
74-83-9	-----Bromomethane	10.	U
75-01-4	-----Vinyl Chloride	10.	U
75-00-3	-----Chloroethane	10.	U
75-09-2	-----Methylene Chloride	5.	J
67-64-1	-----Acetone	10.	U
75-15-0	-----Carbon Disulfide	5.	U
75-35-4	-----1,1-Dichloroethene	5.	U
75-34-3	-----1,1-Dichloroethane	5.	U
540-59-0	-----1,2-Dichloroethene (total)	5.	U
67-66-3	-----Chloroform	5.	U
107-06-2	-----1,2-Dichloroethane	5.	U
78-93-3	-----2-Butanone	10.	U
71-55-6	-----1,1,1-Trichloroethane	5.	U
56-23-5	-----Carbon Tetrachloride	5.	U
108-05-4	-----Vinyl Acetate	10.	U
75-27-4	-----Bromodichloromethane	5.	U
78-87-5	-----1,2-Dichloropropane	5.	U
10061-01-5	-----cis-1,3-Dichloropropene	5.	U
79-01-6	-----Trichloroethene	5.	U
124-48-1	-----Dibromochloromethane	5.	U
79-00-5	-----1,1,2-Trichloroethane	5.	U
71-43-2	-----Benzene	5.	U
10061-02-6	-----trans-1,3-Dichloropropene	5.	U
75-25-2	-----Bromoform	5.	U
108-10-1	-----4-Methyl-2-Pentanone	10.	U
591-78-6	-----2-Hexanone	10.	U
127-18-4	-----Tetrachloroethene	5.	U
79-34-5	-----1,1,2,2-Tetrachloroethane	5.	U
108-88-3	-----Toluene	5.	U
108-90-7	-----Chlorobenzene *****	5.	U
100-41-4	-----Ethylbenzene * * *	5.	U
100-42-5	-----Styrene * * *	5.	U
1330-20-7	-----Xylene (total) ***	5.	U

DATA REPORTED Nov. 2, 1990

John J. Malloy, PE  
Laboratory Director

# H2M LABS, INC.

575 Broad Hollow Road, Melville, N.Y. 117  
(516) 694-3040 FAX (516) 694-4122  
EPA SAMPLE NO.

## VOLATILE ORGANICS ANALYSIS DATA SHEET TENTATIVELY IDENTIFIED COMPOUNDS

TRIPVBLK

Lab Name: H2M

Contract: NYSDEC

Lab Code: H2M

Case No.: G&H

SAS No.:

SDG No.: 55

Matrix: (soil/water) WATER

Lab Sample ID: 9010277

Sample wt/vol: 5.000 (g/mL) ML

Lab File ID: P4179

Level: (low/med) LOW

Date Received: 9/24/90

% Moisture: not dec. 100.

Date Analyzed: 9/26/90

Column: (pack/cap) CAP

Dilution Factor: 1.00

Number TICs found: 0

CONCENTRATION UNITS:  
(ug/L or ug/Kg) UG/L

CAS NUMBER	COMPOUND NAME	RT	EST. CONC.	Q
1.				
2.				
3.				
4.				
5.				
6.				
7.				
8.				
9.				
10.				
11.				
12.				
13.				
14.				
15.				
16.				
17.				
18.				
19.				
20.				
21.				
22.				
23.				
24.				
25.				
26.				
27.				
28.				
29.				
30.				

\*\*\*\*\*  
\* *John I. Maloy* \*  
\*\*\*\*\*  
John I. Maloy, PE  
Laboratory Director

DATE REPORTED: 10/2/90



# H2O LABS, INC.

575 Broad Hollow Road, Melville, N.Y. 11747  
(516) 694-3040 FAX: (516) 694-4122

1A

EPA SAMPLE NO.

## VOLATILE ORGANICS ANALYSIS DATA SHEET

VBLK92

Lab Name: H2M

Contract: NYSDEC

Lab Code: H2M

Case No.: G&H

SAS No.:

SDG No.: 55

Matrix: (soil/water) WATER

Lab Sample ID: BLANK926

Sample wt/vol: 5.000 (g/mL) ML

Lab File ID: P4177

Level: (low/med) LOW

Date Received: 0/ 0/ 0

% Moisture: not dec. 100.

Date Analyzed: 9/26/90

Column: (pack/cap) CAP

Dilution Factor: 1.00

CAS NO. COMPOUND CONCENTRATION UNITS:  
(ug/L or ug/Kg) UG/L Q

74-87-3	-----Chloromethane	10.	U
74-83-9	-----Bromomethane	10.	U
75-01-4	-----Vinyl Chloride	10.	U
75-00-3	-----Chloroethane	10.	U
75-09-2	-----Methylene Chloride	5.	U
67-64-1	-----Acetone	10.	U
75-15-0	-----Carbon Disulfide	5.	U
75-35-4	-----1,1-Dichloroethene	5.	U
75-34-3	-----1,1-Dichloroethane	5.	U
540-59-0	-----1,2-Dichloroethene (total)	5.	U
67-66-3	-----Chloroform	5.	U
107-06-2	-----1,2-Dichloroethane	5.	U
78-93-3	-----2-Butanone	10.	U
71-55-6	-----1,1,1-Trichloroethane	5.	U
56-23-5	-----Carbon Tetrachloride	5.	U
108-05-4	-----Vinyl Acetate	10.	U
75-27-4	-----Bromodichloromethane	5.	U
78-87-5	-----1,2-Dichloropropane	5.	U
10061-01-5	-----cis-1,3-Dichloropropene	5.	U
79-01-6	-----Trichloroethene	5.	U
124-48-1	-----Dibromochloromethane	5.	U
79-00-5	-----1,1,2-Trichloroethane	5.	U
71-43-2	-----Benzene	5.	U
10061-02-6	-----trans-1,3-Dichloropropene	5.	U
75-25-2	-----Bromoform	5.	U
108-10-1	-----4-Methyl-2-Pentanone	10.	U
591-78-6	-----2-Hexanone	10.	U
127-18-4	-----Tetrachloroethene	5.	U
79-34-5	-----1,1,2,2-Tetrachloroethane	5.	U
108-88-3	-----Toluene	5.	U
108-90-7	-----Chlorobenzene	5.	U
100-41-4	-----Ethylbenzene	5.	U
100-42-5	-----Styrene	5.	U
1330-20-7	-----Xylene (total)	5.	U

John J. J. P.E.

Laboratory Director

SG0167

# H2M LABS, INC.

575 Broad Hollow Road, Melville, N.Y. 11747  
(516) 694-3000 FAX (516) 694-4122  
EPA SAMPLE NO.

## VOLATILE ORGANICS ANALYSIS DATA SHEET TENTATIVELY IDENTIFIED COMPOUNDS

VBLK92

Lab Name: H2M

Contract: NYSDEC

Lab Code: H2M

Case No.: G&H

SAS No.:

SDG No.: 55

Matrix: (soil/water) WATER

Lab Sample ID: BLANK926

Sample wt/vol: 5.000 (g/mL) ML

Lab File ID: P4177

Level: (low/med) LOW

Date Received: 0/ 0/ 0

% Moisture: not dec. 100.

Date Analyzed: 9/26/90

Column: (pack/cap) CAP

Dilution Factor: 1.00

Number TICs found: 0

CONCENTRATION UNITS:  
(ug/L or ug/Kg) UG/L

CAS NUMBER	COMPOUND NAME	RT	EST. CONC.	Q
1.				
2.				
3.				
4.				
5.				
6.				
7.				
8.				
9.				
10.				
11.				
12.				
13.				
14.				
15.				
16.				
17.				
18.				
19.				
20.				
21.				
22.				
23.				
24.				
25.				
26.				
27.				
28.				
29.				
30.				

DATE REPORTED: DEC 03 1990

\*\*\*\*\*  
*John J. Mellov*  
\*\*\*\*\*  
John J. Mellov, P.E.  
Laboratory Director

# H2M LABS, INC.

575 Broad Hollow Road, Melville, N.Y. 11747  
(516) 694-3040 FAX: (516) 694-4122

1A

EPA SAMPLE NO.

## VOLATILE ORGANICS ANALYSIS DATA SHEET

VBLK92

Lab Name: H2M

Contract: NYSDEC

Lab Code: H2M

Case No.: G&H

SAS No.:

SDG No.: 55

Matrix: (soil/water) WATER

Lab Sample ID: BLANK927

Sample wt/vol: 5.000 (g/mL) ML

Lab File ID: P4195

Level: (low/med) LOW

Date Received: 0/ 0/ 0

% Moisture: not dec. 100.

Date Analyzed: 9/27/90

Column: (pack/cap) CAP

Dilution Factor: 1.00

CONCENTRATION UNITS:  
(ug/L or ug/Kg) UG/L

CAS NO.

COMPOUND

Q

74-87-3	-----Chloromethane	10.	U
74-83-9	-----Bromomethane	10.	U
75-01-4	-----Vinyl Chloride	10.	U
75-00-3	-----Chloroethane	10.	U
75-09-2	-----Methylene Chloride	3.	J
67-64-1	-----Acetone	10.	U
75-15-0	-----Carbon Disulfide	5.	U
75-35-4	-----1,1-Dichloroethane	5.	U
75-34-3	-----1,1-Dichloroethane	5.	U
540-59-0	-----1,2-Dichloroethene (total)	5.	U
67-66-3	-----Chloroform	5.	U
107-06-2	-----1,2-Dichloroethane	5.	U
78-93-3	-----2-Butanone	10.	U
71-55-6	-----1,1,1-Trichloroethane	5.	U
56-23-5	-----Carbon Tetrachloride	5.	U
108-05-4	-----Vinyl Acetate	10.	U
75-27-4	-----Bromodichloromethane	5.	U
78-87-5	-----1,2-Dichloropropane	5.	U
10061-01-5	-----cis-1,3-Dichloropropene	5.	U
79-01-6	-----Trichloroethene	5.	U
124-48-1	-----Dibromochloromethane	5.	U
79-00-5	-----1,1,2-Trichloroethane	5.	U
71-43-2	-----Benzene	5.	U
10061-02-6	-----trans-1,3-Dichloropropene	5.	U
75-25-2	-----Bromoform	5.	U
108-10-1	-----4-Methyl-2-Pentanone	10.	U
591-78-6	-----2-Hexanone	10.	U
127-18-4	-----Tetrachloroethene	2.	J
79-34-5	-----1,1,2,2-Tetrachloroethane	5.	U
108-88-3	-----Toluene	5.	U
108-90-7	-----Chlorobenzene	5.	U
100-41-4	-----Ethylbenzene	5.	U
100-42-5	-----Styrene	5.	U
1330-20-7	-----Xylene (total)	5.	U

DATE REPORTED: DEC 09 1990

*John J. Malloy*  
John J. Malloy, P.E.  
Laboratory Director

SC0169

# H2M LABS, INC.

575 Broad Hollow Road, Melville, N.Y. 11747  
(516) 694-3040 FAX (516) 694-4122

## VOLATILE ORGANICS ANALYSIS DATA SHEET TENTATIVELY IDENTIFIED COMPOUNDS

VBLK92

Lab Name: H2M

Contract: NYSDEC

Lab Code: H2M

Case No.: G&H

SAS No.:

SDG No.: 55

Matrix: (soil/water) WATER

Lab Sample ID: BLANK927

Sample wt/vol: 5.000 (g/mL) ML

Lab File ID: P4195

Level: (low/med) LOW

Date Received: 0/ 0/ 0

% Moisture: not dec. 100.

Date Analyzed: 9/27/90

Column: (pack/cap) CAP

Dilution Factor: 1.00

Number TICs found: 0

CONCENTRATION UNITS:  
(ug/L or ug/Kg) UG/L

CAS NUMBER	COMPOUND NAME	RT	EST. CONC.	Q
1.				
2.				
3.				
4.				
5.				
6.				
7.				
8.				
9.				
10.				
11.				
12.				
13.				
14.				
15.				
16.				
17.				
18.				
19.				
20.				
21.				
22.				
23.				
24.				
25.				
26.				
27.				
28.				
29.				
30.				

DATE REPORTED: DEC 03 1990

*[Signature]*  
John I. Molloy, DT  
LABORATORY DIRECTOR

# H2M LABS, INC.

575 Broad Hollow Road, Melville, N.Y. 11747  
 (516) 694-3040 FAX: (516) 694-4122

1A  
 VOLATILE ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

VBLK92

Lab Name: H2M

Contract: NYSDEC

Lab Code: H2M

Case No.: G&H

SAS No.:

SDG No.: 55

Matrix: (soil/water) SOIL

Lab Sample ID: BLANK928

Sample wt/vol: 5.000 (g/mL) G

Lab File ID: P4216

Level: (low/med) LOW

Date Received: 0/ 0/ 0

% Moisture: not dec. 0.

Date Analyzed: 9/28/90

Column: (pack/cap) CAP

Dilution Factor: 1.00

CAS NO. COMPOUND CONCENTRATION UNITS:  
 (ug/L or ug/Kg) UG/KG Q

74-87-3	-----Chloromethane	10.	U
74-83-9	-----Bromomethane	10.	U
75-01-4	-----Vinyl Chloride	10.	U
75-00-3	-----Chloroethane	10.	U
75-09-2	-----Methylene Chloride	5.	U
67-64-1	-----Acetone	9.	J
75-15-0	-----Carbon Disulfide	5.	U
75-35-4	-----1,1-Dichloroethene	5.	U
75-34-3	-----1,1-Dichloroethane	5.	U
540-59-0	-----1,2-Dichloroethene (total)	5.	U
67-66-3	-----Chloroform	5.	U
107-06-2	-----1,2-Dichloroethane	5.	U
78-93-3	-----2-Butanone	10.	U
71-55-6	-----1,1,1-Trichloroethane	5.	U
56-23-5	-----Carbon Tetrachloride	5.	U
108-05-4	-----Vinyl Acetate	10.	U
75-27-4	-----Bromodichloromethane	5.	U
78-87-5	-----1,2-Dichloropropane	5.	U
10061-01-5	-----cis-1,3-Dichloropropene	5.	U
79-01-6	-----Trichloroethene	5.	U
124-48-1	-----Dibromochloromethane	5.	U
79-00-5	-----1,1,2-Trichloroethane	5.	U
71-43-2	-----Benzene	5.	U
10061-02-6	-----trans-1,3-Dichloropropene	5.	U
75-25-2	-----Bromoform	5.	U
108-10-1	-----4-Methyl-2-Pentanone	10.	U
591-78-6	-----2-Hexanone	10.	U
127-18-4	-----Tetrachloroethene	5.	U
79-34-5	-----1,1,2,2-Tetrachloroethane	5.	U
108-88-3	-----Toluene	5.	U
108-90-7	-----Chlorobenzene	5.	U
100-41-4	-----Ethylbenzene	5.	U
100-42-5	-----Styrene	5.	U
1330-20-7	-----Xylene (total)	5.	U

\*\*\*\*\*  
*John L. Mahon*  
 Laboratory Director

DATE REPORTED: DEC 03 1990

SG0171

# H2M LABS, INC.

575 Broad Hollow Road, Melville, N.Y. 11747  
(516) 694-3040 FAX: (516) 694-4122

1E

## VOLATILE ORGANICS ANALYSIS DATA SHEET TENTATIVELY IDENTIFIED COMPOUNDS

EPA SAMPLE NO.

VBLK92

Lab Name: H2M

Contract: NYSDEC

Lab Code: H2M

Case No.: G&H

SAS No.:

SDG No.: 55

Matrix: (soil/water) SOIL

Lab Sample ID: BLANK928

Sample wt/vol: 5.000 (g/mL) G

Lab File ID: P4216

Level: (low/med) LOW

Date Received: 0/ 0/ 0

% Moisture: not dec. 0.

Date Analyzed: 9/28/90

Column: (pack/cap) CAP

Dilution Factor: 1.00

Number TICs found: 0

CONCENTRATION UNITS:  
(ug/L or ug/Kg) UG/KG

CAS NUMBER	COMPOUND NAME	RT	EST. CONC.	Q
1.				
2.				
3.				
4.				
5.				
6.				
7.				
8.				
9.				
10.				
11.				
12.				
13.				
14.				
15.				
16.				
17.				
18.				
19.				
20.				
21.				
22.				
23.				
24.				
25.				
26.				
27.				
28.				
29.				
30.				

DATE REPORTED: DEC 03 1990

\*\*\*\*\*

*[Signature]*

# H2M LABS, INC.

575 Broad Hollow Road, Melville, N.Y. 11747  
(516) 694-3040 FAX: (516) 694-4122

18  
SEMIVOLATILE ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

SBLK 978

Lab Name: H2M LABS INC.

Contract: GIBBS & HILL

Lab Code: -----

Case No.: -----

SAS No.: -----

SDG No.: G&H 55

Matrix: (soil/water) WATER

Lab Sample ID: SBLK 978

Sample wt/vol: 1000 (g/mL) ML

Lab File ID: >E2931

Level: (low/med) LOW

Date Received: -----

% Moisture: not dec. -- dec. --

Date Extracted: 9/26/90

Extraction: (Sepf/Cont/Sonc) SEPF

Date Analyzed: 10/06/90

GPC Cleanup: (Y/N) N pH: --

Dilution Factor: 1.00000

CAS NO.	COMPOUND	CONCENTRATION UNITS: (ug/L or ug/Kg) ug/L	Q
108-95-2	Phenol	10.	1U
111-44-4	bis(2-Chloroethyl)Ether	10.	1U
95-57-8	2-Chlorophenol	10.	1U
541-73-1	1,3-Dichlorobenzene	10.	1U
106-46-7	1,4-Dichlorobenzene	10.	1U
100-51-6	Benzyl alcohol	10.	1U
95-50-1	1,2-Dichlorobenzene	10.	1U
95-48-7	2-Methylphenol	10.	1U
39638-32-9	bis(2-chloroisopropyl)ether	10.	1U
106-44-5	4-Methylphenol	10.	1U
621-64-7	N-Nitroso-Di-n-propylamine	10.	1U
67-72-1	Hexachloroethane	10.	1U
98-95-3	Nitrobenzene	10.	1U
78-59-1	Isophorone	10.	1U
88-75-5	2-Nitrophenol	10.	1U
105-67-9	2,4-Dimethylphenol	10.	1U
65-85-0	Benzoic acid	50.	1U
111-91-1	bis(2-Chloroethoxy)methane	10.	1U
120-83-2	2,4-Dichlorophenol	10.	1U
120-82-1	1,2,4-Trichlorobenzene	10.	1U
91-20-3	Naphthalene	10.	1U
106-47-8	4-Chloroaniline	10.	1U
87-68-3	Hexachlorobutadiene	10.	1U
59-50-7	4-Chloro-3-methylphenol	10.	1U
91-57-6	2-Methylnaphthalene	10.	1U
77-47-4	Hexachlorocyclopentadiene	10.	1U
88-06-2	2,4,6-Trichlorophenol	10.	1U
95-95-4	2,4,5-Trichlorophenol	50.	1U
91-58-7	2-Chloronaphthalene	10.	1U
88-74-4	2-Nitroaniline	10.	1U
131-11-3	Dimethylphthalate	10.	1U
208-96-8	Acenaphthylene	10.	1U
606-20-2	2,6-Dinitrotoluene	10.	1U

*Handwritten signature: J. J. Molloy*

John J. Molloy, P.E. 10.

DATE REPORTED: NOV 21 1990

Laboratory Director

S06175

# H2M LABS, INC.

575 Broad Hollow Road, Melville, N.Y. 117  
(516) 694-3040 FAX: (516) 694-4122

1C  
SEMIVOLATILE ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

Lab Name: H2M LABS INC.

Contract: GIBBS & HILL

SBLK 978

Lab Code: -----

Case No.: -----

SAS No.: -----

SDG No.: G&H 55

Matrix: (soil/water) WATER

Lab Sample ID: SBLK 978

Sample wt/vol: 1000 (g/mL) ML

Lab File ID: >E2931

Level: (low/med) LOW

Date Received: -----

% Moisture: not dec. -- dec. --

Date Extracted: 9/26/90

Extraction: (Sepf/Cont/Sonc) SEPF

Date Analyzed: 10/06/90

GPC Cleanup: (Y/N) N pH: --

Dilution Factor: 1.00000

CAS NO.	COMPOUND	CONCENTRATION UNITS: (ug/L or ug/Kg) ug/L	Q
99-09-2	3-Nitroaniline	50.	IU
83-32-9	Acenaphthene	10.	IU
51-28-5	2,4-Dinitrophenol	50.	IU
100-02-7	4-Nitrophenol	50.	IU
132-64-9	Dibenzofuran	10.	IU
121-14-2	2,4-Dinitrotoluene	10.	IU
84-66-2	Diethylphthalate	10.	IU
7005-72-3	4-Chlorophenyl-phenylether	10.	IU
86-73-7	Fluorene	10.	IU
100-01-6	4-Nitroaniline	50.	IU
534-52-1	4,6-Dinitro-2-methylphenol	50.	IU
86-30-6	N-Nitrosodiphenylamine (1)	10.	IU
101-55-3	4-Bromophenyl-phenylether	10.	IU
118-74-1	Hexachlorobenzene	10.	IU
87-86-5	Pentachlorophenol	50.	IU
85-01-8	Phenanthrene	10.	IU
120-12-7	Anthracene	10.	IU
84-74-2	Di-n-butylphthalate	10.	IU
206-44-0	Fluoranthene	10.	IU
129-00-0	Pyrene	10.	IU
85-68-7	Butylbenzylphthalate	10.	IU
91-94-1	3,3'-Dichlorobenzidine	20.	IU
56-55-3	Benzo(a)anthracene	10.	IU
218-01-9	Chrysene	10.	IU
117-81-7	bis(2-Ethylhexyl)phthalate	10.	IU
117-84-0	Di-n-octylphthalate	10.	IU
205-99-2	Benzo(b)fluoranthene	10.	IU
207-08-9	Benzo(k)fluoranthene	10.	IU
50-32-8	Benzo(a)pyrene	10.	IU
193-39-5	Indeno(1,2,3-cd)pyrene	10.	IU
53-70-3	Dibenz(a,h)anthracene	10.	IU
191-24-2	Benzo(g,h,i)perylene	10.	IU

John J. Amboy, Laboratory Director

\$60180

(1) - Cannot be separated from Diphenylamine  
DATE REPORTED: NOV 21 1990



# H2M LABS, INC.

575 Broad Hollow Road, Melville, N.Y. 11747  
 (516) 694-3040 FAX: (516) 694-4122

1F  
 SEMI-VOLATILE ORGANICS ANALYSIS DATA SHEET  
 TENTATIVELY IDENTIFIED COMPOUNDS

EPA SAMPLE NO.

SBLK 978

Lab Name: H2M LABS INC.

Contract: GIBBS & HILL

Lab Code: ----- Case No.: ----- SAS No.: ----- SDG No.: G&H 55

Matrix: (soil/water) WATER

Lab Sample ID: SBLK 978

Sample wt/vol: 1000 (g/mL) ML

Lab File ID: >E2931

Level: (low/med) LOW

Date Received: -----

% Moisture: not dec. -- dec. --

Date Extracted: 9/26/90

Extraction: (Sepf/Cont/Sonc) SEPF

Date Analyzed: 10/06/90

GPC Cleanup: (Y/N) N pH: --

Dilution Factor: 1.00000

CONCENTRATION UNITS:  
 (ug/L or ug/Kg) ug/L

Number TICs found: 0

CAS NUMBER	COMPOUND NAME	RT	EST. CONC.	Q
1.	No non-targeted compounds were found.			
2.				
3.				
4.				
5.				
6.				
7.				
8.				
9.				
10.				
11.				
12.				
13.				
14.				
15.				
16.				
17.				
18.				
19.				
20.				
21.				
22.				
23.				
24.				
25.				
26.				
27.				
28.				
29.				
30.				

DATE REPORTED: NOV 21 1990

\*\*\*\*\*  
*M. J. Maddy*  
 \*\*\*\*\*

John J. Maddy, P.E.  
 Laboratory Director

# H2M LABS, INC.

575 Broad Hollow Road, Melville, N.Y. 11747  
 (516) 694-3040 FAX: (516) 694-4122

1B  
 SEMI-VOLATILE ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

Lab Name: H2M LARS INC.

Contract: GIBBS & HILL

SBLK 980

Lab Code: -----

Case No.: -----

SAS No.: -----

SDG No.: G&H 55

Matrix: (soil/water) SOIL

Lab Sample ID: SBLK 980

Sample wt/vol: 30.0 (g/mL) G

Lab File ID: >E2977

Level: (low/med) LOW

Date Received: -----

% Moisture: not dec. -- dec. --

Date Extracted: 9/27/90

Extraction: (Sepf/Cont/Sonc) SONC

Date Analyzed: 10/11/90

GPC Cleanup: (Y/N) N pH: --

Dilution Factor: 1.00000

CAS NO.	COMPOUND	CONCENTRATION UNITS: (ug/L or ug/Kg) ug/Kg	Q
108-95-2	Phenol	330.	IU
111-44-4	bis(2-Chloroethyl)Ether	330.	IU
95-57-8	2-Chlorophenol	330.	IU
541-73-1	1,3-Dichlorobenzene	330.	IU
106-46-7	1,4-Dichlorobenzene	330.	IU
100-51-6	Benzyl alcohol	330.	IU
95-50-1	1,2-Dichlorobenzene	330.	IU
95-48-7	2-Methylphenol	330.	IU
39638-32-9	bis(2-chloroisopropyl)ether	330.	IU
106-44-5	4-Methylphenol	330.	IU
621-64-7	N-Nitroso-Di-n-propylamine	330.	IU
67-72-1	Hexachloroethane	330.	IU
98-95-3	Nitrobenzene	330.	IU
78-59-1	Isophorone	330.	IU
88-75-5	2-Nitrophenol	330.	IU
105-67-9	2,4-Dimethylphenol	330.	IU
65-85-0	Benzoic acid	1600.	IU
111-91-1	bis(2-Chloroethoxy)methane	330.	IU
120-83-2	2,4-Dichlorophenol	330.	IU
120-82-1	1,2,4-Trichlorobenzene	330.	IU
91-20-3	Naphthalene	330.	IU
106-47-8	4-Chloroaniline	330.	IU
87-68-3	Hexachlorobutadiene	330.	IU
59-50-7	4-Chloro-3-methylphenol	330.	IU
91-57-6	2-Methylnaphthalene	330.	IU
77-47-4	Hexachlorocyclopentadiene	330.	IU
88-06-2	2,4,6-Trichlorophenol	330.	IU
95-95-4	2,4,5-Trichlorophenol	1600.	IU
91-58-7	2-Chloronaphthalene	330.	IU
88-74-4	2-Nitroaniline	1600.	IU
131-11-3	Dimethylphthalate	330.	IU
208-96-8	Acenaphthylene	330.	IU
606-20-2	2,6-Dinitrotoluene	330.	IU

DATE REPORTED: Nov 21 1990

500182

# H2M LABS, INC.

575 Broad Hollow Road, Melville, N.Y. 11747  
(516) 694-3040 FAX: (516) 694-4122

1C  
SEMIVOLATILE ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

SBLK 980

Lab Name: H2M LABS INC.

Contract: GIBBS & HILL

Lab Code: -----

Case No.: -----

SAS No.: -----

SDG No.: G&H 55

Matrix: (soil/water) SOIL

Lab Sample ID: SBLK 980

Sample wt/vol: 30.0 (g/mL) G

Lab File ID: >E2977

Level: (low/med) LOW

Date Received: -----

% Moisture: not dec. --- dec. --

Date Extracted: 9/27/90

Extraction: (Sepf/Cont/Sonc) SONC

Date Analyzed: 10/11/90

GPC Cleanup: (Y/N) N pH: --

Dilution Factor: 1.00000

CAS NO.	COMPOUND	CONCENTRATION UNITS: (ug/L or ug/Kg) ug/Kg	Q
99-09-2	3-Nitroaniline	1600.	1U
83-32-9	Acenaphthene	330.	1U
51-28-5	2,4-Dinitrophenol	1600.	1U
100-02-7	4-Nitrophenol	1600.	1U
132-64-9	Dibenzofuran	330.	1U
121-14-2	2,4-Dinitrotoluene	330.	1U
84-66-2	Diethylphthalate	330.	1U
7005-72-3	4-Chlorophenyl-phenylether	330.	1U
86-73-7	Fluorene	330.	1U
100-01-6	4-Nitroaniline	1600.	1U
534-52-1	4,6-Dinitro-2-methylphenol	1600.	1U
86-30-6	N-Nitrosodiphenylamine (1)	330.	1U
101-55-3	4-Bromophenyl-phenylether	330.	1U
118-74-1	Hexachlorobenzene	330.	1U
87-86-5	Pentachlorophenol	1600.	1U
85-01-8	Phenanthrene	330.	1U
120-12-7	Anthracene	330.	1U
84-74-2	Di-n-butylphthalate	330.	1U
206-44-0	Fluoranthene	330.	1U
129-00-0	Pyrene	330.	1U
85-68-7	Butylbenzylphthalate	330.	1U
91-94-1	3,3'-Dichlorobenzidine	660.	1U
56-55-3	Benzo(a)anthracene	330.	1U
218-01-9	Chrysene	330.	1U
117-81-7	bis(2-Ethylhexyl)phthalate	330.	1U
117-84-0	Di-n-octylphthalate	330.	1U
205-99-2	Benzo(b)fluoranthene	330.	1U
207-08-9	Benzo(k)fluoranthene	330.	1U
50-32-8	Benzo(a)pyrene	330.	1U
193-39-5	Indeno(1,2,3-cd)pyrene	330.	1U
53-70-3	Dibenz(a,h)anthracene	330.	1U
191-24-2	Benzo(g,h,i)perylene	330.	1U

DATE REPORTED: NOV 21 1990

Laboratory Director

(1) - Cannot be separated from Diphenylamine

500153

# H2M LABS INC.

575 Broad Hollow Road, Melville, N.Y. 11747  
 (516) 694-3040 FAX: (516) 694-4122

1F  
 SEMIVOLATILE ORGANICS ANALYSIS DATA SHEET  
 TENTATIVELY IDENTIFIED COMPOUNDS

EPA SAMPLE NO.

Lab Name: H2M LABS INC.

Contract: GIBBS & HILL

SBLK 980

Lab Code: ----- Case No.: -----

SAS No.: ----- SDG No.: G&H 55

Matrix: (soil/water) SOIL

Lab Sample ID: SBLK 980

Sample wt/vol: 30.0 (g/mL) G

Lab File ID: >E2977

Level: (low/med) LDW

Date Received: -----

% Moisture: not dec. -- dec. --

Date Extracted: 9/27/90

Extraction: (Sepf/Cont/Sonc) SONC

Date Analyzed: 10/11/90

GPC Cleanup: (Y/N) N pH: --

Dilution Factor: 1.00000

Number TICs found: 0

CONCENTRATION UNITS:  
 (ug/L or ug/Kg) ug/Kg

CAS NUMBER	COMPOUND NAME	RT	EST. CONC.	Q
1.	No non-targeted compounds were found.			
2.				
3.				
4.				
5.				
6.				
7.				
8.				
9.				
10.				
11.				
12.				
13.				
14.				
15.				
16.				
17.				
18.				
19.				
20.				
21.		*****	*****	
22.	DATE REPORTED: 10/11/90	* <i>John J. Henry</i> *		
23.		*****	*****	
24.				
25.		John J. Henry, P.E.		
26.		Laboratory Director		
27.				
28.				
29.				
30.				

506184

# H2M LABS, INC.

575 Broad Hollow Road, Melville, N.Y. 11747  
(516) 694-3040 FAX: (516) 694-4122

1B  
SEMIVOLATILE ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

SBLK 982

Lab Name: H2M LABS INC.

Contract: GIBBS & HILL

Lab Code: -----

Case No.: -----

SAS No.: -----

SDG No.: G&H 55

Matrix: (soil/water) SOIL

Lab Sample ID: SBLK 982

Sample wt/vol: 30.0 (g/mL) G

Lab File ID: >E2978

Level: (low/med) LOW

Date Received: -----

% Moisture: not dec. --- dec. ---

Date Extracted: 9/27/90

Extraction: (Sepf/Cont/Sonc) SONC

Date Analyzed: 10/11/90

GPC Cleanup: (Y/N) Y pH: --

Dilution Factor: 1.00000

CAS NO.	COMPOUND	CONCENTRATION UNITS: (ug/L or ug/Kg) ug/Kg	Q
108-95-2	Phenol	660.	IU
111-44-4	bis(2-Chloroethyl)Ether	660.	IU
95-57-8	2-Chlorophenol	660.	IU
541-73-1	1,3-Dichlorobenzene	660.	IU
106-46-7	1,4-Dichlorobenzene	660.	IU
100-51-6	Benzyl alcohol	660.	IU
95-50-1	1,2-Dichlorobenzene	660.	IU
95-48-7	2-Methylphenol	660.	IU
39638-32-9	bis(2-chloroisopropyl)ether	660.	IU
106-44-5	4-Methylphenol	660.	IU
621-64-7	N-Nitroso-Di-n-propylamine	660.	IU
67-72-1	Hexachloroethane	660.	IU
98-95-3	Nitrobenzene	660.	IU
78-59-1	Isophorone	660.	IU
88-75-5	2-Nitrophenol	660.	IU
105-67-9	2,4-Dimethylphenol	660.	IU
65-85-0	Benzoic acid	3300.	IU
111-91-1	bis(2-Chloroethoxy)methane	660.	IU
120-83-2	2,4-Dichlorophenol	660.	IU
120-82-1	1,2,4-Trichlorobenzene	660.	IU
91-20-3	Naphthalene	660.	IU
106-47-8	4-Chloroaniline	660.	IU
87-68-3	Hexachlorobutadiene	660.	IU
59-50-7	4-Chloro-3-methylphenol	660.	IU
91-57-6	2-Methylnaphthalene	660.	IU
77-47-4	Hexachlorocyclopentadiene	660.	IU
88-06-2	2,4,6-Trichlorophenol	660.	IU
95-95-4	2,4,5-Trichlorophenol	3300.	IU
91-58-7	2-Chloronaphthalene	660.	IU
88-74-4	2-Nitroaniline	* 3300.	IU
131-11-3	Dimethylphthalate	* 660.	IU
208-96-8	Acenaphthylene	660.	IU
606-20-2	2,6-Dinitrotoluene	660.	IU

DATE REPORTED: 10/21/90

Laboratory Director

# H2M LABS, INC.

575 Broad Hollow Road, Melville, N.Y. 117  
(516) 694-3040 FAX: (516) 694-4122

1C  
SEMIVOLATILE ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

SBLK 982

Lab Name: H2M LABS INC.

Contract: GIBBS & HILL

Lab Code: -----

Case No.: -----

SAS No.: -----

SDG No.: G&H 55

Matrix: (soil/water) SOIL

Lab Sample ID: SBLK 982

Sample wt/vol: 30.0 (g/mL) G

Lab File ID: >E2978

Level: (low/med) LOW

Date Received: -----

% Moisture: not dec. --- dec. ---

Date Extracted: 9/27/90

Extraction: (Sepf/Cont/Sonc) SONC

Date Analyzed: 10/11/90

GPC Cleanup: (Y/N) Y pH: --

Dilution Factor: 1.00000

CAS NO.	COMPOUND	CONCENTRATION UNITS: (ug/L or ug/Kg) ug/Kg	Q
99-09-2	3-Nitroaniline	3300.	IU
83-32-9	Acenaphthene	660.	IU
51-28-5	2,4-Dinitrophenol	3300.	IU
100-02-7	4-Nitrophenol	3300.	IU
132-64-9	Dibenzofuran	660.	IU
121-14-2	2,4-Dinitrotoluene	660.	IU
84-66-2	Diethylphthalate	660.	IU
7005-72-3	4-Chlorophenyl-phenylether	660.	IU
86-73-7	Fluorene	660.	IU
100-01-6	4-Nitroaniline	3300.	IU
534-52-1	4,6-Dinitro-2-methylphenol	3300.	IU
86-30-6	N-Nitrosodiphenylamine (1)	660.	IU
101-55-3	4-Bromophenyl-phenylether	660.	IU
118-74-1	Hexachlorobenzene	660.	IU
87-86-5	Pentachlorophenol	3300.	IU
85-01-8	Phenanthrene	660.	IU
120-12-7	Anthracene	660.	IU
84-74-2	Di-n-butylphthalate	660.	IU
206-44-0	Fluoranthene	660.	IU
129-00-0	Pyrene	660.	IU
85-68-7	Butylbenzylphthalate	660.	IU
91-94-1	3,3'-Dichlorobenzidine	1300.	IU
56-55-3	Benzo(a)anthracene	660.	IU
218-01-9	Chrysene	660.	IU
117-81-7	bis(2-Ethylhexyl)phthalate	220.	IJB
117-84-0	Di-n-octylphthalate	660.	IU
205-99-2	Benzo(b)fluoranthene	660.	IU
207-08-9	Benzo(k)fluoranthene	660.	IU
50-32-8	Benzo(a)pyrene	660.	IU
193-39-5	Indeno(1,2,3-cd)pyrene	660.	IU
53-70-3	Dibenz(a,h)anthracene	660.	IU
191-24-2	Benzo(g,h,i)perylene	660.	IU

DATE REPORTED: 10/11/90

(1) - Cannot be separated from Diphenylamine Laboratory Director

SC0256

# H2M LABS, INC.

575 Broad Hollow Road, Melville, N.Y. 11747  
 (516) 694-3040 FAX: (516) 694-4122

1F  
 SEMI-VOLATILE ORGANICS ANALYSIS DATA SHEET  
 TENTATIVELY IDENTIFIED COMPOUNDS

EPA SAMPLE NO.

SBLK 982

Lab Name: H2M LABS INC.

Contract: GIBBS & HILL

Lab Code: ----- Case No.: ----- SAS No.: ----- SDG No.: G&H 55

Matrix: (soil/water) SOIL Lab Sample ID: SBLK 982

Sample wt/vol: 30.0 (g/mL) G Lab File ID: >E2978

Level: (low/med) LOW Date Received: -----

% Moisture: not dec. -- dec. -- Date Extracted: 9/27/90

Extraction: (Sepf/Cont/Sonc) SONC Date Analyzed: 10/11/90

GPC Cleanup: (Y/N) Y pH: -- Dilution Factor: 1.00000

Number TICs found: 0 CONCENTRATION UNITS:  
 (ug/L or ug/Kg) ug/Kg-

CAS NUMBER	COMPOUND NAME	RT	EST. CONC.	Q
1.	No non-targeted compounds were found.			
2.				
3.				
4.				
5.				
6.				
7.				
8.				
9.				
10.				
11.				
12.				
13.				
14.				
15.				
16.				
17.				
18.				
19.				
20.				
21.				
22.				
23.				
24.				
25.				
26.				
27.				
28.				
29.				
30.				

DATE REPORTED: OCT 21 1990

\*\*\*\*\*  
*[Signature]*  
 \*\*\*\*\*  
 J. J. [Name], P.E.  
 Laboratory Director

# H2M LABS, INC.

575 Broad Hollow Road, Melville, N.Y. 11747  
(516) 694-3040 FAX: (516) 694-4122

18  
SEMIVOLATILE ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.:

SBLK 046

Lab Name: H2M LABS INC.

Contract: GIBBS & HILL

Lab Code: ----- Case No.: ----- SAS No.: ----- SDG No.: 55

Matrix: (soil/water) WATER

Lab Sample ID: SBLK 046

Sample wt/vol: 1000 (g/mL) ML

Lab File ID: >E3102

Level: (low/med) LOW

Date Received: -----

% Moisture: not dec. --- dec. --

Date Extracted: 10/18/90

Extraction: (Sepf/Cont/Sonc) SEPF

Date Analyzed: 11/01/90

GPC Cleanup: (Y/N) N pH: --

Dilution Factor: 1.00000

CAS NO.	COMPOUND	CONCENTRATION UNITS: (ug/L or ug/Kg) ug/L	Q
108-95-2	Phenol	10.	IU
111-44-4	bis(2-Chloroethyl)Ether	10.	IU
95-57-8	2-Chlorophenol	10.	IU
541-73-1	1,3-Dichlorobenzene	10.	IU
106-46-7	1,4-Dichlorobenzene	10.	IU
100-51-6	Benzyl alcohol	10.	IU
95-50-1	1,2-Dichlorobenzene	10.	IU
95-48-7	2-Methylphenol	10.	IU
39638-32-9	bis(2-chloroisopropyl)ether	10.	IU
106-44-5	4-Methylphenol	10.	IU
621-64-7	N-Nitroso-Di-n-propylamine	10.	IU
67-72-1	Hexachloroethane	10.	IU
98-95-3	Nitrobenzene	10.	IU
78-59-1	Isophorone	10.	IU
88-75-5	2-Nitrophenol	10.	IU
105-67-9	2,4-Dimethylphenol	10.	IU
65-85-0	Benzoic acid	50.	IU
111-91-1	bis(2-Chloroethoxy)methane	10.	IU
120-83-7	2,4-Dichlorophenol	10.	IU
120-82-1	1,2,4-Trichlorobenzene	10.	IU
91-20-3	Naphthalene	10.	IU
106-47-8	4-Chloroaniline	10.	IU
87-68-3	Hexachlorobutadiene	10.	IU
59-50-7	4-Chloro-3-methylphenol	10.	IU
91-57-6	2-Methylnaphthalene	10.	IU
77-47-4	Hexachlorocyclopentadiene	10.	IU
88-06-2	2,4,6-Trichlorophenol	10.	IU
95-95-4	2,4,5-Trichlorophenol	50.	IU
91-58-7	2-Chloronaphthalene	10.	IU
88-74-4	2-Nitroaniline	50.	IU
131-11-3	Dimethylphthalate	10.	IU
208-96-8	Acenaphthylene	10.	IU
606-20-2	2,6-Dinitrotoluene	10.	IU

DATE REPORTED: NOV 21 1990

John J. [Signature], PE.  
Laboratory Director



# H2M LABS, INC.

575 Broad Hollow Road, Melville, N.Y. 11747  
 (516) 694-3040 FAX: (516) 694-4122

1C  
 SEMI-VOLATILE ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

SBLK 046

Lab Name: H2M LABS INC.

Contract: GIBBS & HILL

Lab Code: -----

Case No.: -----

SAS No.: -----

SDG No.: 55

Matrix: (soil/water) WATER

Lab Sample ID: SBLK 046

Sample wt/vol: 1000 (g/mL) ML

Lab File ID: >E3102

Level: (low/med) LOW

Date Received: -----

% Moisture: not dec. -- dec. --

Date Extracted: 10/18/90

Extraction: (Sepf/Cont/Sonc) SEPF

Date Analyzed: 11/01/90

GPC Cleanup: (Y/N) N pH: --

Dilution Factor: 1.00000

CAS NO. COMPOUND CONCENTRATION UNITS: (ug/L or ug/Kg) ug/L Q

CAS NO.	COMPOUND	CONCENTRATION UNITS: (ug/L or ug/Kg)	ug/L	Q
99-09-2	3-Nitroaniline	50.	10	
83-32-9	Acenaphthene	10.	10	
51-28-5	2,4-Dinitrophenol	50.	10	
100-02-7	4-Nitrophenol	10.	10	
132-64-9	Dibenzofuran	10.	10	
121-14-2	2,4-Dinitrotoluene	10.	10	
84-66-2	Diethylphthalate	10.	10	
7005-72-3	4-Chlorophenyl-phenylether	10.	10	
86-73-7	Fluorene	10.	10	
100-01-6	4-Nitroaniline	50.	10	
534-52-1	4,6-Dinitro-2-methylphenol	50.	10	
86-30-6	N-Nitrosodiphenylamine (1)	10.	10	
101-55-3	4-Bromophenyl-phenylether	10.	10	
118-74-1	Hexachlorobenzene	10.	10	
87-86-5	Pentachlorophenol	10.	10	
85-01-8	Phenanthrene	10.	10	
120-12-7	Anthracene	10.	10	
84-74-2	Di-n-butylphthalate	10.	10	
206-44-0	Fluoranthene	10.	10	
129-00-0	Pyrene	10.	10	
85-68-7	Butylbenzylphthalate	10.	10	
91-94-1	3,3'-Dichlorobenzidine	20.	10	
56-55-3	Benzo(a)anthracene	10.	10	
218-01-9	Chrysene	10.	10	
117-81-7	bis(2-Ethylhexyl)phthalate	10.	10	
117-84-0	Di-n-octylphthalate	10.	10	
205-99-2	Benzo(b)fluoranthene	10.	10	
207-08-9	Benzo(k)fluoranthene	10.	10	
50-32-8	Benzo(a)pyrene	10.	10	
193-39-5	Indeno(1,2,3-cd)pyrene	10.	10	
53-70-3	Dibenz(a,h)anthracene	10.	10	
191-24-2	Benzo(g,h,i)perylene	10.	10	

John P. Laboratory Director

(1) - Cannot be separated from Diphenylamine

DATE REPORTED: Nov 21 1990

FORM 1 SU-2

S00185

1/87 Rev

# H2M LABS, INC.

575 Broad Hollow Road, Melville, N.Y. 11747  
 (516) 694-3040 FAX: (516) 694-4122

1F  
 SEMI-VOLATILE ORGANICS ANALYSIS DATA SHEET  
 TENTATIVELY IDENTIFIED COMPOUNDS

EPA SAMPLE NO.:

Lab Name: H2M LABS INC.

Contract: GIBBS & HILL

SBLK 046

Lab Code: ----- Case No.: -----

SAS No.: ----- SDG No.: G&H 55

Matrix: (soil/water) WATER

Lab Sample ID: SBLK 046

Sample wt/vol: 1000 (g/mL) ML

Lab File ID: >E3102

Level: (low/med) LOW

Date Received: -----

% Moisture: not dec. -- dec. --

Date Extracted: 10/18/90

Extraction: (Sepf/Cont/Sonc) SEPF

Date Analyzed: 11/01/90

GPC Cleanup: (Y/N) N pH: --

Dilution Factor: 1.00000

Number TICs found: 0

CONCENTRATION UNITS:  
 (ug/L or ug/Kg) ug/L

CAS NUMBER	COMPOUND NAME	RT	EST. CONC.	Q
1.	No non-targeted compounds were found.			
2.				
3.				
4.				
5.				
6.				
7.				
8.				
9.				
10.				
11.				
12.				
13.				
14.				
15.				
16.				
17.				
18.				
19.				
20.				
21.				
22.	DATE REPORTED: NOV 21 1990			
23.				
24.				
25.				
26.				
27.				
28.				
29.				
30.				

\*\*\*\*\*  
 \* *Arndel* \*  
 \*\*\*\*\*  
 John J. Day, PE  
 Laboratory Director

### 3. CASE NARRATIVES

10/21/77

601

10/22/77

602

**ENVIRONMENTAL and INDUSTRIAL ANALYTICAL LABORATORY**

**Case Narrative for Volatile Organics  
Gibbs & Hill 50 & 51  
Rec'd: 9/7/90 and 9/10/90**

For Samples:	B-1	B-6
	B-2	
	B-3	Trip Blank 9/7/90 9008247
	B-4	Trip Blank 9/7/90 9008250
	B-5	Trip Blank 9/10/90 9008547

QC Data

All quality control and calibration criteria were met for the above data. The matrix spike and matrix spike duplicate of sample B-3 was re-analyzed at a lesser amount of sample since tetrachloroethylene was above the calibration range in the initial analysis. Both sets of data are included.

Sample Analysis

Several samples were re-analyzed at a lesser amount of sample since tetrachloroethylene was above the calibration range in the initial analysis. Both sets of data are included for your review.

Sample B-2 was analyzed after sample B-1 which had a high concentration of tetrachloroethylene. 64 ug/kg of tetrachloroethylene was detected in sample B-2. To confirm its presence in the sample (not carryover from previous run) the sample was re-analyzed. 56 ug/kg of tetrachloroethylene was detected in the re-analysis. Both sets of data are included for your review.

I certify that this data package is in compliance with the terms and conditions of the contract, both technically and for completeness, for other than the conditions detailed above. Release has been authorized by the Laboratory Manager or his designee, as verified by the following signature.

Date reported: October 26, 1990

\*\*\*\*\*  
\*  \*  
\*\*\*\*\*

Joann Slavin  
Quality Assurance Manager



---

ENVIRONMENTAL and INDUSTRIAL ANALYTICAL LABORATORY

---

Case Narrative for Base Neutral/Acid Extractables  
Gibbs & Hill 50 & 51  
Rec'd.: 9/7/90 & 9/10/90

I certify that this data package is in compliance with the terms and conditions of the contract, both technically and for completeness, for other than the conditions detailed above. Release has been authorized by the Laboratory Manager or his designee, as verified by the following signature.

Date reported: October 26, 1990

\*\*\*\*\*  
\* *Joann Slavin* \*  
\* *10/26/90* \*  
\*\*\*\*\*

Joann Slavin  
Quality Assurance Manager

ENVIRONMENTAL and INDUSTRIAL ANALYTICAL LABORATORY

CASE NARRATIVE FOR PESTICIDES/PCB's  
Gibbs & Hill 50  
Received 9/7/90

For Samples: B-1  
B-2  
B-6

QC Data

The surrogate standard DBC was very low in two of the five extracts. The areas are not recorded because they were under the area reject. The cause of the problem appears to have been a spiking error.

This group of samples did not include a sample to be analyzed for the matrix spike duplicates.

Two blanks were analyzed with this group of samples, one underwent GPC cleanup (B-938) and the other (B-936) was not subject to GPC cleanup. No compounds interfering with any of the targeted analytes were observed in either of the two blanks.

Calibration and System Performance

The primary sequence, started on 9/26/90, was only acceptable up to run AC11579 (Ind A injected at 06:16 9/29/90), because the next EVAL B standard showed breakdown problems. This EVAL B standard and the previous five samples were not included in the sequence.

The secondary sequence, started on 9/26/90, is only valid up to run BC11567 (Ind B injected at 22:01 on 9/28/90) because the next standard run, an EVAL B, had breakdown of DDT greater than 20%.

The linearity requirements were not met for the confirmatory column sequence of 9/26/90. No compounds had to be qualified from the secondary column.

The reextract of B-1 were analyzed in sequences started on 10/24/90. The confirmatory sequence did not meet criteria for the continuous calibration for INDA. The sequence is only acceptable up to the last standard that met QC criteria, EVALB. The samples before the INDA were reanalyzed.

Sample Analyses

All samples were extracted and analyzed within their holding times. Two of the samples B-6 and B-1 and one of the blanks

S60032

ENVIRONMENTAL and INDUSTRIAL ANALYTICAL LABORATORY

CASE NARRATIVE FOR PESTICIDES/PCB's  
Gibbs & Hill 50  
Received 9/7/90

B-938 were GPC cleaned. The reporting limit for these 3 extracts was raised by a factor of two.

A low level PCB was found in B-1, but the concentration was under contract required reporting limits and therefore not reported (protocol D-IV-47, 6.2.1)

Because the surrogate standard for B-1 was not recovered (or not spiked) the sample was reextracted. The reextract was not subject to GPC cleanups resulting in lower reporting limits. The quantities found for the aroclor match the level found in the original extract. Both sets of data are submitted.

The data system applies a 1% window for tentative identification. The data are reviewed by the analyst and the following codes are used to indicate reasons for rejections of identifications:

- L1 smaller than the contract required reporting limit on primary column
- L2 smaller than the contract required reporting limit on the secondary column
- M1 outside the actual retention time window established on primary column
- M2 outside the actual retention time window on secondary column

I certify that this data package is in compliance with the terms and conditions of the contract, both technically and for completeness, for other than the conditions detailed above. Release has been authorized by the Laboratory Manager or his designee, as verified by the following signature.

Date reported: October 30, 1990

\*\*\*\*\*

\* *Ursula Middel* \*

\*\*\*\*\*

Ursula Middel  
Technical Manager



---

**ENVIRONMENTAL and INDUSTRIAL ANALYTICAL LABORATORY**

---

Case Narrative for Pesticides/PCB's  
Gibbs & Hill 51  
Received 9/10/90

For Samples:	B-3 MS/MSD	9008544 MS/MSD
	B-4	9008545
	B-5	9008546

QC DATA

The recoveries for the surrogate standard DBC were all within the advisory QC limits. Good accuracy and precision data were achieved for the spiked sample and blank. The QC limits were met for all compounds in the MS, MSD and MSB.

Two blanks were extracted with Group Gibbs and Hill 51. One of the two blanks, blank 942 was subjected to GPC cleanup. No compounds interfering with any of the targeted analytes were observed in either of the two blanks.

Calibration and System Performance

The primary sequence, started on 9/26/90, was only acceptable up to run AC11579 (Ind A injected at 06:16, 9/29/90), because the next EVAL B standard showed breakdown problems. This EVAL B standard and the previous five samples were not included in the sequence.

The secondary sequence, started on 9/26/90, is only valid up to run AC11567 (Ind B injected at 22:01 on 9/28/90) because the next standard run, an EVAL B had breakdown of DDT greater than 20 percent.

The linearity requirements were not met for the confirmatory column sequence of 9/26/90. No compounds had to be qualified from the secondary column.

Sample Analyses

All samples were extracted and analyzed within their holding times. All extracts, except for the MSB and blank B-940, were GPC cleaned. Because of the aliquot taken, the reporting limits were raised by a factor of 2.

Case Narrative for Pesticides/PCB's  
Gibbs & Hill 51  
Received 9/10/90

Page 2

I certify that this data package is in compliance with the terms and conditions of the contract, both technically and for completeness, for other than the conditions detailed above. Release has been authorized by the Laboratory Manager or his designee, as verified by the following signature.

Date reported: October 24, 1990

\*\*\*\*\*

\* *Ursula Middel*

\*\*\*\*\*

Ursula Middel  
Technical Manager

**ENVIRONMENTAL and INDUSTRIAL ANALYTICAL LABORATORY**

**CASE NARRATIVE FOR INORGANICS ANALYSIS  
GIB 50, 51**

DATE REC'D: 9/07/90

For Samples: B-6  
B-2  
B-3 MS/MSD  
B-4  
B-5

The instruments used for metals analysis include a Perkin-Elmer 5100/HGA-600 and a Varian Spectra-30/GTA-96 for furnace AA technique. A Perkin-Elmer 2380 was used for flame AA and mercury cold vapor techniques. ICP analysis was performed using an ARL 3560.

The lead and manganese matrix spike recoveries for sample B-3 are not within 75-125%. Lead and manganese data are reported flagged with an "N" on Forms I and V(a) for all samples associated with sample B-3.

The arsenic post digestion spike recovery for sample B-3 and the selenium post digestion spike recoveries for samples B-3 and B-3 duplicate are not within 85-115%. Arsenic and selenium data are flagged with a "W" on the B-3 data sheet.

The iron and aluminum duplicate analyses of sample B-3 have RPD's that exceed 20% while the results are greater than 5X CRDL. The silver, manganese and chromium duplicate analyses of sample B-3 have absolute differences that exceed their CRDL's while the results are less than 5X CRDL.

I certify that this data package is in compliance with the terms and conditions of the contract, both technically and for completeness, for other than the conditions detailed above. Release of the data contained in this hardcopy data package has been authorized by the Laboratory Manager or his designee, as verified by the following signature.

Date Reported: 10-29-90

\*\*\*\*\*

\*  
\*  
\*  
\*  
\*\*\*\*\*

Joann Slavin  
Quality Assurance Manager

S00035

- 4. SAMPLE REPORTS
  - 4.1 VOLATILES
  - 4.2 BASE/NEUTRAL/ACIDS
  - 4.3 PESTICIDE/PCBs
  - 4.4 METALS AND CYANIDE

## QUALIFIERS FOR REPORTING ORGANICS DATA

- Value - If the result is a value greater than or equal to the quantification limit, report the value.
- U - Indicates compound was analyzed for but not detected. Report the minimum quantification limit for the sample with the U (e.g., 10U) based on necessary concentration/dilution actions. (This is not necessarily the instrument detection limit). The footnote should read: U-Compound was analyzed for but not detected. The number is the minimum attainable quantification limit for the sample.
- J - Indicates as estimated value. This flag is used either when estimating a concentration for tentatively identified compounds where a 1:1 response is assumed or when the mass spectral data indicates the presence of a compound that meets the identification criteria but the result is less than the specified quantification limit but greater than zero (e.g.: If limit of quantification is 10 ug/l and a concentration of 3 ug/l is calculated, report as 3J).
- C - This flag applies to pesticide parameters where the identification has been confirmed by GC/MS. Single component pesticides  $\geq 10$  ng/ul in the final extract should be confirmed by GC/MS.
- B - This flag is used when the analyte is found in the blank as well as a sample. It indicates possible/probable blank contamination and warns the data user to take appropriate action.
- E - This flag identifies compounds whose concentrations are outside the calibration range of the analysis. If one or more compounds have a response greater than full scale, the extract must be diluted and reanalyzed, according to the specifications in Exhibit D. All compounds with a response greater than full scale should be flagged with an "E" on the original report of analysis. If the dilution of the extract causes any compounds identified in the first analysis to be below the calibration range in the second analysis, then the results of both analyses shall be reported on separate Forms I. The Form I for the diluted sample shall have the "DL" suffix appended to the sample number. NOTE: for total xylenes, where three isomers are quantified as two peaks, the calibration range of each peak should be considered separately.
- D - This flag identifies all compounds identified in an analysis at a secondary dilution factor. If a sample is re-analyzed at a higher dilution factor, as in the "E" flag above, the "DL" suffix is appended to the sample number on the Form I for the diluted sample, and all concentration values reported on that Form I are flagged with the "D" flag.
- X - This flag indicates compounds with spectra that do not meet identification criteria as detailed in Exhibit(E)E-61 section 6.1.3 but are believed to be present.
- Z - Indicates analyte was present at the reported concentration in the pre-screening analysis.

## QUALIFIERS FOR METALS ANALYSIS

- E - The reported value is estimated because of the presence of interference. An explanatory note is included in the case narrative.
- M - Duplicate injection precision not met.
- N - Matrix spiked sample recovery not within control limits.
- S - The reported value was determined by the Method of Standard Additions.
- + - Correlation coefficient for the MSA is less than 0.995.
- W - Post digestion spike for Furnace AA analysis is out of control limits (85-115%), while sample absorbance is less than 50% of spike absorbance.
- \* - Duplicate analysis not within control limits.
- D - Matrix spiked sample required dilution beyond the instrument detection limit due to background interference. An analytical spike was performed and recovery is within 85-115%.
- P - Matrix spiked sample required dilution beyond the instrument detection limit due to background interference. An analytical spike was performed and recovery is not within 85-115%.

## Concentration Qualifiers

- B - Entered if the reported value is less than the Contract Required Detection Limit (CRDL) but greater than the Instrument Detection Limit (IDL).
- U - Entered if the analyte was analyzed for but not detected, less than the IDL.

1A  
 VOLATILE ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

TRIPVBLK

Lab Name: H2M

Contract: NYSDEC

Lab Code: H2M

Case No.: G&H

SAS No.:

SDG No.: 50

Matrix: (soil/water) WATER

Lab Sample ID: 9008247

Sample wt/vol: 5.000 (g/mL) ML

Lab File ID: P4093

Level: (low/med) LOW

Date Received: 9/ 7/90

% Moisture: not dec. 100.

Date Analyzed: 9/14/90

Column: (pack/cap) CAP

Dilution Factor: 1.00

CAS NO. COMPOUND CONCENTRATION UNITS:  
 (ug/L or ug/Kg) UG/L Q

74-87-3	Chloromethane	10.	U
74-83-9	Bromomethane	10.	U
75-01-4	Vinyl Chloride	10.	U
75-00-3	Chloroethane	10.	U
75-09-2	Methylene Chloride	5.	U
67-64-1	Acetone	10.	U
75-15-0	Carbon Disulfide	5.	U
75-35-4	1,1-Dichloroethene	5.	U
75-34-3	1,1-Dichloroethane	5.	U
540-59-0	1,2-Dichloroethene (total)	5.	U
67-66-3	Chloroform	5.	U
107-06-2	1,2-Dichloroethane	5.	U
78-93-3	2-Butanone	10.	U
71-55-6	1,1,1-Trichloroethane	5.	U
56-23-5	Carbon Tetrachloride	5.	U
108-05-4	Vinyl Acetate	10.	U
75-27-4	Bromodichloromethane	5.	U
78-87-5	1,2-Dichloropropane	5.	U
10061-01-5	cis-1,3-Dichloropropene	5.	U
79-01-6	Trichloroethene	5.	U
124-48-1	Dibromochloromethane	5.	U
79-00-5	1,1,2-Trichloroethane	5.	U
71-43-2	Benzene	5.	U
10061-02-6	trans-1,3-Dichloropropene	5.	U
75-25-2	Bromoform	5.	U
108-10-1	4-Methyl-2-Pentanone	10.	U
591-78-6	2-Hexanone	10.	U
127-18-4	Tetrachloroethene	5.	U
79-34-5	1,1,2,2-Tetrachloroethane	5.	U
108-88-3	Toluene	5.	U
108-90-7	Chlorobenzene	5.	U
100-41-4	Ethylbenzene	5.	U
100-42-5	Styrene	5.	U
1330-20-7	Xylene (total)	5.	U

DATE REPORTED: 067 25 1990

John J. Molloy, P.E.

Laboratory Director

S00039



575 Broad Hollow Road, Melville, N.Y. 11747  
(516) 694-3040 FAX: (516) 694-4122

1E  
VOLATILE ORGANICS ANALYSIS DATA SHEET  
TENTATIVELY IDENTIFIED COMPOUNDS

EPA SAMPLE NO.

TRIPVBLK

Lab Name: H2M

Contract: NYSDEC

Lab Code: H2M

Case No.: G&H

SAS No.:

SDG No.: 50

Matrix: (soil/water) WATER

Lab Sample ID: 9008247

Sample wt/vol: 5.000 (g/mL) ML

Lab File ID: P4093

Level: (low/med) LOW

Date Received: 9/ 7/90

Moisture: not dec. 100.

Date Analyzed: 9/14/90

Column: (pack/cap) CAP

Dilution Factor: 1.00

Number TICs found: 0

CONCENTRATION UNITS:  
(ug/L or ug/Kg) UG/L

CAS NUMBER	COMPOUND NAME	RT	EST. CONC.	Q
1.				
2.				
3.				
4.				
5.				
6.				
7.				
8.				
9.				
10.				
11.				
12.				
13.				
14.				
15.				
16.				
17.				
18.				
19.				
20.				
21.				
22.				
23.				
24.				
25.				
26.				
27.				
28.				
29.				
30.				

\*\*\*\*\*  
\* [Signature] \*  
\*\*\*\*\*

DATE REPORTED: 09 20 1990

Laboratory Director

S00010





575 Broad Hollow Road, Melville, N.Y. 11747  
(516) 694-3040 FAX: (516) 694-4122

1A  
VOLATILE ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

VBLKTRIP

Lab Name: H2M

Contract: NYSDEC

Lab Code: H2M

Case No.: G&H

SAS No.:

SDG No.: 50

Matrix: (soil/water) WATER

Lab Sample ID: 9008250

Sample wt/vol: 5.000 (g/mL) ML

Lab File ID: P4094

Level: (low/med) LOW

Date Received: 9/ 7/90

Moisture: not dec. 100.

Date Analyzed: 9/14/90

Column: (pack/cap) CAP

Dilution Factor: 1.00

CAS NO. COMPOUND CONCENTRATION UNITS:  
(ug/L or ug/Kg) UG/L Q

74-87-3	-----Chloromethane	10.	U
74-83-9	-----Bromomethane	10.	U
75-01-4	-----Vinyl Chloride	10.	U
75-00-3	-----Chloroethane	10.	U
75-09-2	-----Methylene Chloride	5.	U
67-64-1	-----Acetone	10.	U
75-15-0	-----Carbon Disulfide	5.	U
75-35-4	-----1,1-Dichloroethene	5.	U
75-34-3	-----1,1-Dichloroethane	5.	U
540-59-0	-----1,2-Dichloroethene (total)	5.	U
67-66-3	-----Chloroform	5.	U
107-06-2	-----1,2-Dichloroethane	5.	U
78-93-3	-----2-Butanone	10.	U
71-55-6	-----1,1,1-Trichloroethane	5.	U
56-23-5	-----Carbon Tetrachloride	5.	U
108-05-4	-----Vinyl Acetate	10.	U
75-27-4	-----Bromodichloromethane	5.	U
78-87-5	-----1,2-Dichloropropane	5.	U
10061-01-5	-----cis-1,3-Dichloropropene	5.	U
79-01-6	-----Trichloroethene	5.	U
124-48-1	-----Dibromochloromethane	5.	U
79-00-5	-----1,1,2-Trichloroethane	5.	U
71-43-2	-----Benzene	5.	U
10061-02-6	-----trans-1,3-Dichloropropene	5.	U
75-25-2	-----Bromoform	5.	U
108-10-1	-----4-Methyl-2-Pentanone	10.	U
591-78-6	-----2-Hexanone	10.	U
127-18-4	-----Tetrachloroethene	5.	U
79-34-5	-----1,1,2,2-Tetrachloroethane	5.	U
108-88-3	-----Toluene	5.	U
108-90-7	-----Chlorobenzene	5.	U
100-41-4	-----Ethylbenzene	5.	U
100-42-5	-----Styrene	5.	U
1330-20-7	-----Xylene (total)	5.	U

John J. M... PE.  
Laboratory Director

DATE REPORTED: OCT 25 1990

S00041



575 Broad Hollow Road, Melville, N.Y. 11747  
(516) 694-3040 FAX: (516) 694-4122

1E  
VOLATILE ORGANICS ANALYSIS DATA SHEET  
TENTATIVELY IDENTIFIED COMPOUNDS

EPA SAMPLE NO.

VBLKTRIP

Lab Name: H2M

Contract: NYSDEC

Lab Code: H2M

Case No.: G&H

SAS No.:

SDG No.: 50

Matrix: (soil/water) WATER

Lab Sample ID: 9008250

Sample wt/vol: 5.000 (g/mL) ML

Lab File ID: P4094

Level: (low/med) LOW

Date Received: 9/ 7/90

Moisture: not dec. 100.

Date Analyzed: 9/14/90

Column: (pack/cap) CAP

Dilution Factor: 1.00

Number TICs found: 0

CONCENTRATION UNITS:  
(ug/L or ug/Kg) UG/L

CAS NUMBER	COMPOUND NAME	RT	EST. CONC.	Q
1.				
2.				
3.				
4.				
5.				
6.				
7.				
8.				
9.				
10.				
11.				
12.				
13.				
14.				
15.				
16.				
17.				
18.				
19.				
20.				
21.				
22.				
23.				
24.				
25.				
26.				
27.				
28.				
29.				
30.				

DATE REPORTED: OCT 25 1990

\*\*\*\*\*  
*John J. Molloy*

John J. Molloy, PE  
Laboratory Director

8000-12

1A  
 VOLATILE ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

TRIPBLK

Lab Name: H2M Contract: NYSDEC  
 Lab Code: H2M Case No.: G&H SAS No.: SDG No.: 50  
 Matrix: (soil/water) WATER Lab Sample ID: 9008547  
 Sample wt/vol: 5.000 (g/mL) ML Lab File ID: P4098  
 Level: (low/med) LOW Date Received: 9/10/90  
 Moisture: not dec. 100. Date Analyzed: 9/14/90  
 Column: (pack/cap) CAP Dilution Factor: 1.00

CONCENTRATION UNITS:  
 (ug/L or ug/Kg) UG/L

CAS NO. COMPOUND Q

74-87-3	-----Chloromethane	10.	U
74-83-9	-----Bromomethane	10.	U
75-01-4	-----Vinyl Chloride	10.	U
75-00-3	-----Chloroethane	10.	U
75-09-2	-----Methylene Chloride	5.	U
67-64-1	-----Acetone	10.	U
75-15-0	-----Carbon Disulfide	5.	U
75-35-4	-----1,1-Dichloroethene	5.	U
75-34-3	-----1,1-Dichloroethane	5.	U
540-59-0	-----1,2-Dichloroethene (total)	5.	U
67-66-3	-----Chloroform	5.	U
107-06-2	-----1,2-Dichloroethane	5.	U
78-93-3	-----2-Butanone	10.	U
71-55-6	-----1,1,1-Trichloroethane	5.	U
56-23-5	-----Carbon Tetrachloride	5.	U
108-05-4	-----Vinyl Acetate	10.	U
75-27-4	-----Bromodichloromethane	5.	U
78-87-5	-----1,2-Dichloropropane	5.	U
10061-01-5	-----cis-1,3-Dichloropropene	5.	U
79-01-6	-----Trichloroethene	5.	U
124-48-1	-----Dibromochloromethane	5.	U
79-00-5	-----1,1,2-Trichloroethane	5.	U
71-43-2	-----Benzene	5.	U
10061-02-6	-----trans-1,3-Dichloropropene	5.	U
75-25-2	-----Bromoform	5.	U
108-10-1	-----4-Methyl-2-Pentanone	10.	U
591-78-6	-----2-Hexanone	10.	U
127-18-4	-----Tetrachloroethene	5.	U
79-34-5	-----1,1,2,2-Tetrachloroethane	5.	U
108-88-3	-----Toluene	5.	U
108-90-7	-----Chlorobenzene	5.	U
100-41-4	-----Ethylbenzene	5.	U
100-42-5	-----Styrene	5.	U
1330-20-7	-----Xylene (total)	5.	U

5000-13



575 Broad Hollow Road, Melville, N.Y. 11747  
(516) 694-3040 FAX: (516) 694-4122

1E  
VOLATILE ORGANICS ANALYSIS DATA SHEET  
TENTATIVELY IDENTIFIED COMPOUNDS

EPA SAMPLE NO.

TRIPBLK

Lab Name: H2M

Contract: NYSDEC

Lab Code: H2M

Case No.: G&H

SAS No.:

SDG No.: 50

Matrix: (soil/water) WATER

Lab Sample ID: 9008547

Sample wt/vol: 5.000 (g/mL) ML

Lab File ID: P4098

Level: (low/med) LOW

Date Received: 9/10/90

Moisture: not dec. 100.

Date Analyzed: 9/14/90

Column: (pack/cap) CAP

Dilution Factor: 1.00

Number TICs found: 0

CONCENTRATION UNITS:  
(ug/L or ug/Kg) UG/L

CAS NUMBER	COMPOUND NAME	RT	EST. CONC.	Q
1.				
2.				
3.				
4.				
5.				
6.				
7.				
8.				
9.				
10.				
11.				
12.				
13.				
14.				
15.				
16.				
17.				
18.				
19.				
20.				
21.				
22.				
23.				
24.				
25.				
26.				
27.				
28.				
29.				
30.				

DATE REPORTED: 09/25/90

John J. ... PE.  
Laboratory Director

500077

1A  
 VOLATILE ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

B-1

Lab Name: H2M Contract: NYSDEC  
 Lab Code: H2M Case No.: G&H SAS No.: SDG No.: 50  
 Matrix: (soil/water) SOIL Lab Sample ID: 9008248  
 Sample wt/vol: 5.040 (g/mL) G Lab File ID: P4057  
 Level: (low/med) LOW Date Received: 9/ 7/90  
 Moisture: not dec. 3.3 Date Analyzed: 9/12/90  
 Column: (pack/cap) CAP Dilution Factor: 1.00

CAS NO. COMPOUND CONCENTRATION UNITS:  
 (ug/L or ug/Kg) UG/KG Q

74-87-3	-----Chloromethane	10.	U
74-83-9	-----Bromomethane	10.	U
75-01-4	-----Vinyl Chloride	10.	U
75-00-3	-----Chloroethane	10.	U
75-09-2	-----Methylene Chloride	5.	U
67-64-1	-----Acetone	5.	J
75-15-0	-----Carbon Disulfide	5.	U
75-35-4	-----1,1-Dichloroethene	5.	U
75-34-3	-----1,1-Dichloroethane	5.	U
540-59-0	-----1,2-Dichloroethene (total)	5.	U
67-66-3	-----Chloroform	5.	U
107-06-2	-----1,2-Dichloroethane	5.	U
78-93-3	-----2-Butanone	10.	U
71-55-6	-----1,1,1-Trichloroethane	5.	U
56-23-5	-----Carbon Tetrachloride	5.	U
108-05-4	-----Vinyl Acetate	10.	U
75-27-4	-----Bromodichloromethane	5.	U
78-87-5	-----1,2-Dichloropropane	5.	U
10061-01-5	-----cis-1,3-Dichloropropene	5.	U
79-01-6	-----Trichloroethene	15.	
124-48-1	-----Dibromochloromethane	5.	U
79-00-5	-----1,1,2-Trichloroethane	5.	U
71-43-2	-----Benzene	5.	U
10061-02-6	-----trans-1,3-Dichloropropene	5.	U
75-25-2	-----Bromoform	5.	U
108-10-1	-----4-Methyl-2-Pentanone	10.	U
591-78-6	-----2-Hexanone	10.	U
127-18-4	-----Tetrachloroethene	710.	E
79-34-5	-----1,1,2,2-Tetrachloroethane	5.	U
108-88-3	-----Toluene	2.	J
108-90-7	-----Chlorobenzene	5.	U
100-41-4	-----Ethylbenzene	5.	U
100-42-5	-----Styrene	5.	U
1330-20-7	-----Xylene (total)	14.	

John J. Molloy, P.E.

Laboratory Director

DATE REPORTED

S00045

1E  
 VOLATILE ORGANICS ANALYSIS DATA SHEET  
 TENTATIVELY IDENTIFIED COMPOUNDS

EPA SAMPLE NO.

B-1

Lab Name: H2M Contract: NYSDEC  
 Lab Code: H2M Case No.: G&H SAS No.: SDG No.: 50  
 Matrix: (soil/water) SOIL Lab Sample ID: 9008248  
 Sample wt/vol: 5.040 (g/mL) G Lab File ID: P4057  
 Level: (low/med) LOW Date Received: 9/ 7/90  
 Moisture: not dec. 3.3 Date Analyzed: 9/12/90  
 Column: (pack/cap) CAP Dilution Factor: 1.00

Number TICs found: 10 CONCENTRATION UNITS:  
 (ug/L or ug/Kg) UG/KG

CAS NUMBER	COMPOUND NAME	RT	EST. CONC.	Q
1.	- - ETHYL METHYL BENZENE ISOMER	14.16	20.	J
2.	- - TRIMETHYL BENZENE ISOMER	14.23	20.	J
3.	124-18-5 Decane (8CI9CI)	14.41	7.	J
4.	- - ETHYL METHYL BENZENE ISOMER	14.55	20.	J
5.	- - ETHYL METHYL BENZENE ISOMER	14.79	40.	J
6.	- - ETHYL DIMETHYL BENZENE ISOMER	15.19	6.	J
7.	- - ETHYL METHYL OCTANE ISOMER	15.29	10.	J
8.	- - TRIMETHYL BENZENE ISOMER	15.41	70.	J
9.	- - METHYL PROPYL BENZENE ISOMER	15.75	200.	J
10.	- - ETHYL DIMETHYL BENZENE ISOMER	15.84	200.	J
11.				
12.				
13.				
14.				
15.				
16.				
17.				
18.				
19.				
20.				
21.				
22.				
23.				
24.				
25.				
26.				
27.				
28.				
29.				
30.	DATE REPORTED: OCT 25 1990			

\*\*\*\*\*  
 \*  
 \* *[Signature]* \*  
 \*\*\*\*\*

John J. Roy, P.E.  
 Laboratory Director

SC00-13

1A  
 VOLATILE ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

B-1 RE

Lab Name: H2M Contract: NYSDEC  
 Lab Code: H2M Case No.: G&H SAS No.: SDG No.: 50  
 Matrix: (soil/water) SOIL Lab Sample ID: 9008248 DL  
 Sample wt/vol: 1.010 (g/mL) G Lab File ID: P4070  
 Level: (low/med) LOW Date Received: 9/ 7/90  
 % Moisture: not dec. 5. Date Analyzed: 9/13/90  
 Column: (pack/cap) CAP Dilution Factor: 1.00

CONCENTRATION UNITS:  
 (ug/L or ug/Kg) UG/KG

CAS NO. COMPOUND Q

74-87-3	-----Chloromethane	52.	U
74-83-9	-----Bromomethane	52.	U
75-01-4	-----Vinyl Chloride	52.	U
75-00-3	-----Chloroethane	52.	U
75-09-2	-----Methylene Chloride	26.	U
67-64-1	-----Acetone	52.	U
75-15-0	-----Carbon Disulfide	26.	U
75-35-4	-----1,1-Dichloroethene	26.	U
75-34-3	-----1,1-Dichloroethane	26.	U
540-59-0	-----1,2-Dichloroethene (total)	26.	U
67-66-3	-----Chloroform	26.	U
107-06-2	-----1,2-Dichloroethane	26.	U
78-93-3	-----2-Butanone	52.	U
71-55-6	-----1,1,1-Trichloroethane	26.	U
56-23-5	-----Carbon Tetrachloride	26.	U
108-05-4	-----Vinyl Acetate	52.	U
75-27-4	-----Bromodichloromethane	26.	U
78-87-5	-----1,2-Dichloropropane	26.	U
10061-01-5	-----cis-1,3-Dichloropropene	26.	U
79-01-6	-----Trichloroethene	26.	U
124-48-1	-----Dibromochloromethane	26.	U
79-00-5	-----1,1,2-Trichloroethane	26.	U
71-43-2	-----Benzene	26.	U
10061-02-6	-----trans-1,3-Dichloropropene	26.	U
75-25-2	-----Bromoform	26.	U
108-10-1	-----4-Methyl-2-Pentanone	52.	U
591-78-6	-----2-Hexanone	52.	U
127-18-4	-----Tetrachloroethene	580.	
79-34-5	-----1,1,2,2-Tetrachloroethane	26.	U
108-88-3	-----Toluene	26.	U
108-90-7	-----Chlorobenzene	26.	U
100-41-4	-----Ethylbenzene	26.	U
100-42-5	-----Styrene	26.	U
1330-20-7	-----Xylene (total)	26.	U

DATE REPORTED: Oct 2, 1990  
 John J. [Signature] Director

S000-17

# H2M LABS, INC

575 Broad Hollow Road, Melville, N.Y. 11747  
(516) 694-3040 FAX: (516) 694-4122

1E

EPA SAMPLE NO.

## VOLATILE ORGANICS ANALYSIS DATA SHEET TENTATIVELY IDENTIFIED COMPOUNDS

B-1	RE
-----	----

Lab Name: H2M Contract: NYSDEC  
Lab Code: H2M Case No.: G&H SAS No.: SDG No.: 50  
Matrix: (soil/water) SOIL Lab Sample ID: 9008248 DL  
Sample wt/vol: 1.010 (g/mL) G Lab File ID: P4070  
Level: (low/med) LOW Date Received: 9/ 7/90  
Moisture: not dec. 5. Date Analyzed: 9/13/90  
Column: (pack/cap) CAP Dilution Factor: 1.00

Number TICs found: 1

CONCENTRATION UNITS:  
(ug/L or ug/Kg) UG/KG

CAS NUMBER	COMPOUND NAME	RT	EST. CONC.	Q
1. - -	TRIMETHYL BENZENE ISOMER	15.55	40.	J
2.				
3.				
4.				
5.				
6.				
7.				
8.				
9.				
10.				
11.				
12.				
13.				
14.				
15.				
16.				
17.				
18.				
19.				
20.				
21.				
22.				
23.				
24.				
25.				
26.		*****	*****	
27.		*		
28.		* 17.1		
29.	DATE REPORTED: OCT 20 1990	****		
30.				

\*\*\*\*\*  
\*  
\* 17.1  
\*\*\*\*  
Laboratory Director



# H2M LABS, INC.

575 Broad Hollow Road, Melville, N.Y. 11747  
 (516) 694-3040 FAX: (516) 694-4122

18  
 SEMI-VOLATILE ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

B-1

Lab Name: H2M LABS INC.

Contract: GIBBS & HILL

Lab Code: -----

Case No.: -----

SAS No.: -----

SDG No.: G&H 50/51

Matrix: (soil/water) SOIL

Lab Sample ID: 9008248

Sample wt/vol: 30.0 (g/mL) G

Lab File ID: >E2842

Level: (low/med) LOW

Date Received: 9/07/90

% Moisture: not dec. 3.3 dec. --

Date Extracted: 9/07/90

Extraction: (Sepf/Cont/Sonc) SONC

Date Analyzed: 9/28/90

GPC Cleanup: (Y/N) Y pH: 9.8

Dilution Factor: 1.00000

CONCENTRATION UNITS:

(ug/L or ug/Kg) ug/Kg

Q

CAS NO.	COMPOUND	CONCENTRATION UNITS: (ug/L or ug/Kg) ug/Kg	Q
108-95-2	Phenol	680.	IU
111-44-4	bis(2-Chloroethyl)Ether	680.	IU
95-57-8	2-Chlorophenol	680.	IU
541-73-1	1,3-Dichlorobenzene	680.	IU
106-46-7	1,4-Dichlorobenzene	680.	IU
100-51-6	Benzyl alcohol	680.	IU
95-50-1	1,2-Dichlorobenzene	680.	IU
95-48-7	2-Methylphenol	680.	IU
39638-32-9	bis(2-chloroisopropyl)ether	680.	IU
106-44-5	4-Methylphenol	680.	IU
621-64-7	N-Nitroso-Di-n-propylamine	680.	IU
67-72-1	Hexachloroethane	680.	IU
98-95-3	Nitrobenzene	680.	IU
78-59-1	Isophorone	680.	IU
88-75-5	2-Nitrophenol	680.	IU
105-67-9	2,4-Dimethylphenol	680.	IU
65-85-0	Benzoic acid	3400.	IU
111-91-1	bis(2-Chloroethoxy)methane	680.	IU
120-83-2	2,4-Dichlorophenol	680.	IU
120-82-1	1,2,4-Trichlorobenzene	680.	IU
91-20-3	Naphthalene	680.	IU
106-47-8	4-Chloroaniline	680.	IU
87-68-3	Hexachlorobutadiene	680.	IU
59-50-7	4-Chloro-3-methylphenol	680.	IU
91-57-6	2-Methylnaphthalene	330.	IJ
77-47-4	Hexachlorocyclopentadiene	680.	IU
88-06-2	2,4,6-Trichlorophenol	680.	IU
95-95-4	2,4,5-Trichlorophenol	3400.	IU
91-58-7	2-Chloronaphthalene	680.	IU
88-74-4	2-Nitroaniline	3400.	IU
131-11-3	Dimethylphthalate	680.	IU
208-96-8	Acenaphthylene	680.	IU
606-20-2	2,6-Dinitrotoluene	680.	IU

John J. Malloy, P.E.  
 Laboratory Director

800019

## SEMIVOLATILE ORGANICS ANALYSIS DATA SHEET

575 Broad Hollow Road, Melville, N.Y. 11747  
 (516) 694-3040 FAX: (516) 694-4122  
 EPA SAMPLE NO. \_\_\_\_\_

Lab Name: H2M LABS INC.  
 Contract: GIBBS & HILL  
 B-1

Lab Code: ----- Case No.: ----- SAS No.: ----- SDG No.: G8H 50/51

Matrix: (soil/water) SOIL Lab Sample ID: 9008248

Sample wt/vol: 30.0 (g/mL) G Lab File ID: >E2842

Level: (low/med) LQM Date Received: 9/07/90

% Moisture: not dec. 3.3 dec. -- Date Extracted: 9/07/90

Extraction: (Sepf/Cont/Sonc) SONC Date Analyzed: 9/28/90

GPC Cleanup: (Y/N) Y PH: 9.8 Dilution Factor: 1.0000

CONCENTRATION UNITS:

CAS NO. COMPOUND (ug/L or ug/kg) ug/kg

99-09-2	3-Nitroaniline	3400
83-32-9	Acenaphthene	680
51-28-5	2,4-Dinitrophenol	3400
100-02-7	4-Nitrophenol	3400
132-64-9	Dibenzofuran	680
121-14-2	2,4-Dinitrotoluene	680
84-66-2	Diethylphthalate	680
7005-72-3	4-Chlorophenyl-phenylether	680
86-73-7	Fluorene	680
100-01-6	4-Nitroaniline	3400
534-52-1	4,6-Dinitro-2-methylphenol	3400
86-30-6	N-Nitrosodiphenylamine (1)	680
101-55-3	4-Bromophenyl-phenylether	680
118-74-1	Hexachlorobenzene	680
87-86-5	Pentachlorophenol	3400
85-01-8	Phenanthrene	680
120-12-7	Anthracene	680
84-74-2	Di-n-butylphthalate	680
206-44-0	Fluoranthene	680
129-00-0	Pyrene	680
85-68-7	Butylbenzylphthalate	680
91-94-1	3,3'-Dichlorobenzidine	1400
56-55-3	Benzo(a)anthracene	680
218-01-9	Chrysene	680
117-81-7	Bis(2-Ethylhexyl)phthalate	560
117-84-0	Di-n-octylphthalate	680
205-99-2	Benzo(b)fluoranthene	680
207-08-9	Benzo(k)fluoranthene	680
50-32-8	Benzo(a)pyrene	680
193-39-5	Indeno(1,2,3-cd)pyrene	680
53-70-3	Dibenz(a,h)anthracene	680
191-24-2	Benzo(g,h,i)perylene	680

(1) - Cannot be separated from Diphenylamine, PE

DATA RECORDED BY: Laboratory Director

FORM 1 SU-2

1/87 Rev.

S00050

1F

EPA SAMPLE NO.

SEMIVOLATILE ORGANICS ANALYSIS DATA SHEET  
 TENTATIVELY IDENTIFIED COMPOUNDS

B-1

Lab Name: H2M LABS INC.

Contract: GIBBS & HILL

Lab Code: ----- Case No.: ----- SAS No.: ----- SOG No.: G&H 50/51

Matrix: (soil/water) SOIL Lab Sample ID: 9008248

Sample wt/vol: 30.00 (g/mL) g Lab File ID: >E2842

Level: (low/med) LDW Date Received: 9/07/90

% Moisture: not dec. 3.3 dec. -- Date Extracted: 9/07/90

Extraction: (Sepf/Cont/Sonc) SONC Date Analyzed: 9/28/90

GPC Cleanup: (Y/N) Y pH: 9.8 Dilution Factor: 1.00000

CONCENTRATION UNITS:  
 (ug/L or ug/Kg) ug/Kg

Number TICs found: 19

CAS NUMBER	COMPOUND NAME	RT	EST. CONC.	Q
1.	Trimethyldecane isomer	9.87	4200.	J
2.	Ethyl-methylbenzene isomer	10.13	3600.	J
3.	Ethyl-methylbenzene isomer	10.30	1400.	J
4.	Unk. Aliphatic Hydrocarbon	11.39	2200.	J
5.	Unk. Aliphatic Hydrocarbon	11.61	1400.	J
6.	Unk. Aliphatic Hydrocarbon	11.68	7000.	J
7.	Methyl-propylbenzene isomer	12.04	3400.	J
8.	Tetramethylbenzene isomer	13.63	6600.	J
9.	Unknown	14.07	1400.	J
10.	Dihydromethyl-indene isomer	14.15	2000.	J
11.	Unknown	14.54	1700.	J
12.	Unknown	14.62	1500.	J
13.	Unknown	14.82	4800.	J
14.	54120626 Benzene, ethyl-1,2,4-trimethyl	15.42	3600.	J
15.	Unknown	15.53	1100.	J
16.	Unknown	15.70	1800.	J
17.	Unknown	15.86	3000.	J
18.	6682719 1H-Indene, 2,3-dihydro-4,7-d	16.18	1900.	J
19.	Unknown	16.72	2600.	J
20.				
21.				
22.				
23.				
24.				
25.				
26.				
27.				
28.	DATE REPORTED: OCT 2, 1990			
29.				
30.				

500052

PESTICIDE ORGANICS ANALYSIS DATA SHEET

LAB SAMPLE NO.

B-1

Lab Name: H2M LABS, INC. Contract: \_\_\_\_\_  
 Lab Code: \_\_\_\_\_ Case No.: GH50 SAS No.: \_\_\_\_\_ SDG No.: \_\_\_\_\_  
 Matrix: (soil/water) SOIL Lab Sample ID: 9008296  
 Sample wt/vol: 30.0 (g/mL) G Lab File ID: \_\_\_\_\_  
 Level: (low/med/h) LOW Date Received: 09/07/90  
 % Moisture: not dec. 3 dec. \_\_\_\_\_ Date Extracted: 09/07/90  
 Extraction: (SepF/Cont/Sonc) SONC Date Analyzed: 09/27/90  
 BPC Cleanup: (Y/N) Y pH: 7.0 Dilution Factor: 1.00

CONCENTRATION UNITS:

CAS NO. COMPOUND (ug/L or ug/Kg) UG/KG g

CAS NO.	COMPOUND	(ug/L or ug/Kg)	UG/KG	g
319-84-6	alpha-BHC	16	10	
319-85-7	beta-BHC	16	10	
319-86-8	delta-BHC	16	10	
58-89-9	Lindane	16	10	
76-44-8	Heptachlor	16	10	
309-00-2	Aldrin	16	10	
1024-57-3	Heptachlor epoxide	16	10	
959-98-8	Endosulfan I	16	10	
60-57-1	Dieldrin	33	10	
72-55-9	4,4'-DDE	33	10	
72-20-8	Endrin	33	10	
33213-65-9	Endosulfan II	33	10	
72-54-8	4,4'-DDD	33	10	
1031-07-8	Endosulfan sulfate	33	10	
50-29-3	4,4'-DDT	33	10	
72-43-5	Methoxychlor	160	10	
53494-70-5	Endrin ketone	33	10	
5103-71-9	alpha-Chlordane	160	10	
5103-74-2	gamma-Chlordane	160	10	
8001-35-2	Toxaphene	330	10	
12674-11-2	Aroclor-1016	160	10	
11104-28-2	Aroclor-1221	160	10	
11141-16-5	Aroclor-1232	160	10	
53469-21-9	Aroclor-1242	160	10	
12672-29-6	Aroclor-1248	160	10	
11097-69-1	Aroclor-1254	330	10	
11096-82-5	Aroclor-1260	330	10	

DATE REPORTED: OCT 22 1990

\*\*\*\*\*  
*John J. Mooney*  
 \*\*\*\*\*

John J. Mooney, PE  
 Laboratory Director

1D  
PESTICIDE ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

B-1RE

Lab Name: H2M LABS. INC. Contract: \_\_\_\_\_

Lab Code: \_\_\_\_\_ Case No.: GH50 SAS No.: \_\_\_\_\_ SDG No.: \_\_\_\_\_

Matrix: (soil/water) SOIL Lab Sample ID: 900824SRE

Sample wt/vol: 30.0 (g/mL) G Lab File ID: \_\_\_\_\_

Level: (low/med) LOW Date Received: 09/07/90

% Moisture: not dec. 3 dec. \_\_\_\_\_ Date Extracted: 10/22/90

Extraction: (SepF/Cont/Sonc) SONC Date Analyzed: 10/25/90

BPC Cleanup: (Y/N) N pH: 7.0 Dilution Factor: 1.00

CAS NO.	COMPOUND	CONCENTRATION UNITS: (ug/L or ug/Kg) <u>UG/KG</u>		g
319-84-6	alpha-BHC	8.2	U	
319-85-7	beta-BHC	8.2	U	
319-86-8	delta-BHC	8.2	U	
58-29-9	Lindane	8.2	U	
76-44-8	Heptachlor	8.2	U	
309-00-2	Aldrin	8.2	U	
1024-57-3	Heptachlor epoxide	8.2	U	
959-98-8	Endosulfan I	8.2	U	
60-57-1	Dieldrin	16	U	
72-55-9	4,4'-DDE	16	U	
72-20-8	Endrin	16	U	
33213-65-9	Endosulfan II	16	U	
72-54-8	4,4'-DDD	16	U	
1031-07-8	Endosulfan sulfate	16	U	
50-29-3	4,4'-DDT	16	U	
72-43-5	Methoxychlor	82	U	
53494-70-5	Endrin ketone	16	U	
5103-71-9	alpha-Chlordane	82	U	
5103-74-2	gamma-Chlordane	82	U	
8001-35-2	Toxaphene	160	U	
12674-11-2	Aroclor-1016	82	U	
11104-28-2	Aroclor-1221	82	U	
11141-16-5	Aroclor-1232	82	U	
53469-21-9	Aroclor-1242	82	U	
12672-29-6	Aroclor-1248	82	U	
11097-69-1	Aroclor-1254	260		
11096-82-5	Aroclor-1260	160	U	

S00053

U.S. EPA - CLP

EPA SAMPLE NO.

1  
 INORGANIC ANALYSIS DATA SHEET

XXXXB1

Lab Name: H2M LABS, INC.

Contract: GIBBS&HILL

Lab Code: H2MLAB

Case No.:

SAS No.:

SDG No.: GIB050

Matrix (soil/water): SDIL

Lab Sample ID: 9008248

Level (low/med): LOW

Date Received: 09/07/90

% Solids: 96.7

Concentration Units (ug/L or mg/kg dry weight): MG/KG

CAS No.	Analyte	Concentration	C	Q	M
7429-90-5	Aluminum	658	*		P
7440-36-0	Antimony	7.9	U		P
7440-38-2	Arsenic	0.97	B		F
7440-39-3	Barium	3.4	B		P
7440-41-7	Beryllium	0.12	U		P
7440-43-9	Cadmium	0.81	U		P
7440-70-2	Calcium	96.5	B		P
7440-47-3	Chromium	3.3	*		P
7440-48-4	Cobalt	10.0	B		P
7440-50-8	Copper	3.0	B		P
7439-89-6	Iron	1520	*		P
7439-92-1	Lead	2.5	N		F
7439-95-4	Magnesium	89.3	B		P
7439-96-5	Manganese	12.6	N*		P
7439-97-6	Mercury	0.09	U		CV
7440-02-0	Nickel	1.7	U		P
7440-09-7	Potassium	94.9	U		P
7782-49-2	Selenium	0.23	U		F
7440-22-4	Silver	4.1	*		A
7440-23-5	Sodium	121	U		P
7440-28-0	Thallium	0.21	U		F
7440-62-2	Vanadium	0.93	U		P
7440-66-6	Zinc	7.1			P
	Cyanide	1.0	U		C

Color Before: BROWN

Clarity Before:

Texture: COARSE


Color After: YELLOW

Clarity After: CLEAR

Artifacts:

Comments:

DATE REPORTED: OCTOBER 24, 1990

\*\*\*\*\*  
  
 \*\*\*\*\*

John J. Molloy, P.E.  
 Laboratory Director

50005-1

1A  
 VOLATILE ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

B-2

Lab Name: H2M Contract: NYSDEC  
 Lab Code: H2M Case No.: G&H SAS No.: SDG No.: 50  
 Matrix: (soil/water) SOIL Lab Sample ID: 9008249  
 Sample wt/vol: 5.250 (g/mL) G Lab File ID: P4058  
 Level: (low/med) LOW Date Received: 9/ 7/90  
 Moisture: not dec. 12.7 Date Analyzed: 9/12/90  
 Column: (pack/cap) CAP Dilution Factor: 1.00

CAS NO. COMPOUND CONCENTRATION UNITS:  
 (ug/L or ug/Kg) UG/KG Q

74-87-3	-----Chloromethane	11.	U
74-83-9	-----Bromomethane	11.	U
75-01-4	-----Vinyl Chloride	11.	U
75-00-3	-----Chloroethane	11.	U
75-09-2	-----Methylene Chloride	5.	U
67-64-1	-----Acetone	11.	U
75-15-0	-----Carbon Disulfide	5.	U
75-35-4	-----1,1-Dichloroethene	5.	U
75-34-3	-----1,1-Dichloroethane	5.	U
540-59-0	-----1,2-Dichloroethene (total)	5.	U
67-66-3	-----Chloroform	5.	U
107-06-2	-----1,2-Dichloroethane	5.	U
78-93-3	-----2-Butanone	11.	U
71-55-6	-----1,1,1-Trichloroethane	5.	U
56-23-5	-----Carbon Tetrachloride	5.	U
108-05-4	-----Vinyl Acetate	11.	U
75-27-4	-----Bromodichloromethane	5.	U
78-87-5	-----1,2-Dichloropropane	5.	U
10061-01-5	-----cis-1,3-Dichloropropene	5.	U
79-01-6	-----Trichloroethene	5.	U
124-48-1	-----Dibromochloromethane	5.	U
79-00-5	-----1,1,2-Trichloroethane	5.	U
71-43-2	-----Benzene	5.	U
10061-02-6	-----trans-1,3-Dichloropropene	5.	U
75-25-2	-----Bromoform	5.	U
108-10-1	-----4-Methyl-2-Pentanone	11.	U
591-78-6	-----2-Hexanone	11.	U
127-18-4	-----Tetrachloroethene	64.	
79-34-5	-----1,1,2,2-Tetrachloroethane	5.	U
108-88-3	-----Toluene	5.	U
108-90-7	-----Chlorobenzene	5.	U
100-41-4	-----Ethylbenzene	5.	U
100-42-5	-----Styrene	5.	U
1330-20-7	-----Xylene (total)	5.	U

John J. Malloy, P.E.  
 Laboratory Director

S00055



575 Broad Hollow Road, Melville, N.Y. 11747  
(516) 694-3040 FAX: (516) 694-4122

1E  
VOLATILE ORGANICS ANALYSIS DATA SHEET  
TENTATIVELY IDENTIFIED COMPOUNDS

EPA SAMPLE NO.

B-2

Lab Name: H2M

Contract: NYSDEC

Lab Code: H2M

Case No.: G&H

SAS No.:

SDG No.: 50

Matrix: (soil/water) SOIL

Lab Sample ID: 9008249

Sample wt/vol: 5.250 (g/mL) G

Lab File ID: P4058

Level: (low/med) LOW

Date Received: 9/ 7/90

Moisture: not dec. 12.7

Date Analyzed: 9/12/90

Column: (pack/cap) CAP

Dilution Factor: 1.00

Number TICs found: 1

CONCENTRATION UNITS:  
(ug/L or ug/Kg) UG/KG

CAS NUMBER	COMPOUND NAME	RT	EST. CONC.	Q
1. - -	ETHYL TRIMETHYL BENZENE ISOM	10.60	10.	J
2.				
3.				
4.				
5.				
6.				
7.				
8.				
9.				
10.				
11.				
12.				
13.				
14.				
15.				
16.				
17.				
18.				
19.				
20.				
21.				
22.				
23.				
24.				
25.				
26.				
27.				
28.				
29.				
30.				

DATE REPORTED: OCT 23 1990

\*\*\*\*  
*John J. Conroy*  
\*\*\*\*  
John J. Conroy, P.E.

Laboratory Director

S00056



1A  
 VOLATILE ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

B-2	RE
-----	----

Lab Name: H2M

Contract: NYSDEC

Lab Code: H2M

Case No.: G&H

SAS No.:

SDG No.: 50

Matrix: (soil/water) SOIL

Lab Sample ID: 9008249 RE

Sample wt/vol: 4.810 (g/mL) G

Lab File ID: P4069

Level: (low/med) LOW

Date Received: 9/ 7/90

Moisture: not dec. 13.

Date Analyzed: 9/13/90

Column: (pack/cap) CAP

Dilution Factor: 1.00

CAS NO. COMPOUND CONCENTRATION UNITS:  
 (ug/L or ug/Kg) UG/KG Q

74-87-3	-----Chloromethane	12.	U
74-83-9	-----Bromomethane	12.	U
75-01-4	-----Vinyl Chloride	12.	U
75-00-3	-----Chloroethane	12.	U
75-09-2	-----Methylene Chloride	6.	U
67-64-1	-----Acetone	12.	U
75-15-0	-----Carbon Disulfide	6.	U
75-35-4	-----1,1-Dichloroethene	6.	U
75-34-3	-----1,1-Dichloroethane	6.	U
540-59-0	-----1,2-Dichloroethene (total)	6.	U
67-66-3	-----Chloroform	6.	U
107-06-2	-----1,2-Dichloroethane	6.	U
78-93-3	-----2-Butanone	12.	U
71-55-6	-----1,1,1-Trichloroethane	6.	U
56-23-5	-----Carbon Tetrachloride	6.	U
108-05-4	-----Vinyl Acetate	12.	U
75-27-4	-----Bromodichloromethane	6.	U
78-87-5	-----1,2-Dichloropropane	6.	U
10061-01-5	-----cis-1,3-Dichloropropene	6.	U
79-01-6	-----Trichloroethene	6.	U
124-48-1	-----Dibromochloromethane	6.	U
79-00-5	-----1,1,2-Trichloroethane	6.	U
71-43-2	-----Benzene	6.	U
10061-02-6	-----trans-1,3-Dichloropropene	6.	U
75-25-2	-----Bromoform	6.	U
108-10-1	-----4-Methyl-2-Pentanone	12.	U
591-78-6	-----2-Hexanone	12.	U
127-18-4	-----Tetrachloroethene	56.	
79-34-5	-----1,1,2,2-Tetrachloroethane	6.	U
108-88-3	-----Toluene	6.	U
108-90-7	-----Chlorobenzene	6.	U
100-41-4	-----Ethylbenzene	6.	U
100-42-5	-----Styrene	6.	U
1330-20-7	-----Xylene (total)	6.	U

John J. Molloy, P.E.

500057

# H2M LABS, INC.

575 Broad Hollow Road, Melville, N.Y. 11747  
(516) 694-3040 FAX: (516) 694-4122

1E

## VOLATILE ORGANICS ANALYSIS DATA SHEET TENTATIVELY IDENTIFIED COMPOUNDS

EPA SAMPLE NO.

B-2 RE

Lab Name: H2M

Contract: NYSDEC

Lab Code: H2M

Case No.: G&H

SAS No.:

SDG No.: 50

Matrix: (soil/water) SOIL

Lab Sample ID: 9008249 RE

Sample wt/vol: 4.810 (g/mL) G

Lab File ID: P4069

Level: (low/med) LOW

Date Received: 9/ 7/90

Moisture: not dec. 13.

Date Analyzed: 9/13/90

Column: (pack/cap) CAP

Dilution Factor: 1.00

Number TICs found: 0

CONCENTRATION UNITS:  
(ug/L or ug/Kg) UG/KG

CAS NUMBER	COMPOUND NAME	RT	EST. CONC.	Q
1.				
2.				
3.				
4.				
5.				
6.				
7.				
8.				
9.				
10.				
11.				
12.				
13.				
14.				
15.				
16.				
17.				
18.				
19.				
20.				
21.				
22.				
23.				
24.				
25.				
26.				
27.				
28.				
29.				
30.	DATE REPORTED: OCT 25 1990			

\*\*\*\*  
\* *[Signature]* \*  
\*\*\*\*

John J. Molloy, P.E.  
Laboratory Director SC0038



575 Broad Hollow Road, Melville, N.Y. 11747  
(516) 694-3040 FAX: (516) 694-4122

1B

EPA SAMPLE NO.

SEMIVOLATILE ORGANICS ANALYSIS DATA SHEET

B-2

Lab Name: H2M LABS INC.

Contract: GIBBS & HILL

Lab Code: ----- Case No.: ----- SAS No.: ----- SOG No.: G&H 50/51

Matrix: (soil/water) SOIL Lab Sample ID: 9008249

Sample wt/vol: 30.0 (g/mL) G Lab File ID: >E2843

Level: (low/med) LOW Date Received: 9/07/90

% Moisture: not dec. 12.7 dec. -- Date Extracted: 9/07/90

Extraction: (Sepf/Cont/Sonc) SONC Date Analyzed: 9/28/90

GPC Cleanup: (Y/N) N pH: 7.4 Dilution Factor: 1.00000

CONCENTRATION UNITS:

CAS NO. COMPOUND (ug/L or ug/Kg) ug/Kg Q

108-95-2-----	Phenol	380.	UI
111-44-4-----	bis(2-Chloroethyl)Ether	380.	UI
95-57-8-----	2-Chlorophenol	380.	UI
541-73-1-----	1,3-Dichlorobenzene	380.	UI
106-46-7-----	1,4-Dichlorobenzene	380.	UI
100-51-6-----	Benzyl alcohol	380.	UI
95-50-1-----	1,2-Dichlorobenzene	380.	UI
95-48-7-----	2-Methylphenol	380.	UI
39638-32-9-----	bis(2-chloroisopropyl)ether	380.	UI
106-44-5-----	4-Methylphenol	380.	UI
621-64-7-----	N-Nitroso-Di-n-propylamine	380.	UI
67-72-1-----	Hexachloroethane	380.	UI
98-95-3-----	Nitrobenzene	380.	UI
78-59-1-----	Isophorone	380.	UI
88-75-5-----	2-Nitrophenol	380.	UI
105-67-9-----	2,4-Dimethylphenol	380.	UI
65-85-0-----	Benzoic acid	1900.	UI
111-91-1-----	bis(2-Chloroethoxy)methane	380.	UI
120-83-2-----	2,4-Dichlorophenol	380.	UI
120-82-1-----	1,2,4-Trichlorobenzene	380.	UI
91-20-3-----	Naphthalene	380.	UI
106-47-8-----	4-Chloroaniline	380.	UI
87-68-3-----	Hexachlorobutadiene	380.	UI
59-50-7-----	4-Chloro-3-methylphenol	380.	UI
91-57-6-----	2-Methylnaphthalene	380.	UI
77-47-4-----	Hexachlorocyclopentadiene	380.	UI
88-06-2-----	2,4,6-Trichlorophenol	380.	UI
95-95-4-----	2,4,5-Trichlorophenol	1900.	UI
91-58-7-----	2-Chloronaphthalene	380.	UI
88-74-4-----	2-Nitroaniline	*1900.	UI
131-11-3-----	Dimethylphthalate	*380.	UI
208-96-8-----	Acenaphthylene	380.	UI
606-20-2-----	2,6-Dinitrotoluene	380.	UI

John J. Minoy, P.E.  
Laboratory Director

500059

1C

EPA SAMPLE NO.

SEMIVOLATILE ORGANICS ANALYSIS DATA SHEET

B-2

Lab Name: H2M LABS INC.

Contract: GIBBS & HILL

Lab Code: -----

Case No.: -----

SAS No.: -----

SDG No.: G&H 50/51

Matrix: (soil/water) SOIL

Lab Sample ID: 9008249

Sample wt/vol: 30.0 (g/mL) G

Lab File ID: >E2843

Level: (low/med) LDW

Date Received: 9/07/90

% Moisture: not dec. 12.7 dec. --

Date Extracted: 9/07/90

Extraction: (Sepf/Cont/Sonc) SONC

Date Analyzed: 9/28/90

GPC Cleanup: (Y/N) N pH: 7.4

Dilution Factor: 1.00000

CAS NO.	COMPOUND	CONCENTRATION UNITS: (ug/L or ug/Kg) ug/Kg	Q
99-09-2	3-Nitroaniline	1900.	IU
83-32-9	Acenaphthene	380.	IU
51-28-5	2,4-Dinitrophenol	1900.	IU
100-02-7	4-Nitrophenol	1900.	IU
132-64-9	Dibenzofuran	380.	IU
121-14-2	2,4-Dinitrotoluene	380.	IU
84-66-2	Diethylphthalate	380.	IU
7005-72-3	4-Chlorophenyl-phenylether	380.	IU
86-73-7	Fluorene	380.	IU
100-01-6	4-Nitroaniline	1900.	IU
534-52-1	4,6-Dinitro-2-methylphenol	1900.	IU
86-30-6	N-Nitrosodiphenylamine (1)	380.	IU
101-55-3	4-Bromophenyl-phenylether	380.	IU
118-74-1	Hexachlorobenzene	380.	IU
87-86-5	Pentachlorophenol	1900.	IU
85-01-8	Phenanthrene	380.	IU
120-12-7	Anthracene	380.	IU
84-74-2	Di-n-butylphthalate	380.	IU
206-44-0	Fluoranthene	380.	IU
129-00-0	Pyrene	380.	IU
85-68-7	Butylbenzylphthalate	380.	IU
91-94-1	3,3'-Dichlorobenzidine	760.	IU
56-55-3	Benzo(a)anthracene	380.	IU
218-01-9	Chrysene	380.	IU
117-81-7	bis(2-Ethylhexyl)phthalate	110.	IJB
117-84-0	Di-n-octylphthalate	380.	IU
205-99-2	Benzo(b)fluoranthene	380.	IU
207-08-9	Benzo(k)fluoranthene	380.	IU
50-32-8	Benzo(a)pyrene	380.	IU
193-39-5	Indeno(1,2,3-cd)pyrene	380.	IU
53-70-3	Dibenz(a,h)anthracene	380.	IU
191-24-2	Benzo(g,h,i)perylene	380.	IU

SC0030

(1) - Cannot be separated from Diphenylamine  
 J. M. Moly, Ph.D.  
 Laboratory Director

## SEMIVOLATILE ORGANICS ANALYSIS DATA SHEET TENTATIVELY IDENTIFIED COMPOUNDS

B-2

Lab Name: H2M LABS INC.

Contract: GIBBS & HILL

Lab Code: ----- Case No.: -----

SAS No.: ----- SDG No.: G&H 50/51

Matrix: (soil/water) SOIL

Lab Sample ID: 9008249

Sample wt/vol: 30.00 (g/mL) G

Lab File ID: >E2843

Level: (low/med) LOW

Date Received: 9/07/90

% Moisture: not dec. 12.7 dec. --

Date Extracted: 9/07/90

Extraction: (Sepf/Cont/Sonc) SONC

Date Analyzed: 9/28/90

GPC Cleanup: (Y/N) N pH: 7.4

Dilution Factor: 1.00000

### CONCENTRATION UNITS:

Number TICs found: 0

(ug/L or ug/Kg) ug/Kg

CAS NUMBER	COMPOUND NAME	RT	EST. CONC.	D
1.	No non-targeted compounds were found.			
2.				
3.				
4.				
5.				
6.				
7.				
8.				
9.				
10.				
11.				
12.				
13.				
14.				
15.				
16.				
17.				
18.				
19.				
20.				
21.				
22.				
23.				
24.				
25.				
26.				
27.				
28.				
29.				
30.				

DATE REPORTED: OCT 23 1990

9008249

10  
PESTICIDE ORGANICS ANALYSIS DATA SHEET

MFA SAMPLE NO.

B-2

Lab Name: H2M LABS, INC. Contract: \_\_\_\_\_

Lab Code: \_\_\_\_\_ Case No.: GH50 SAS No.: \_\_\_\_\_ SDG No.: \_\_\_\_\_

Matrix: (soil/water) SOIL Lab Sample ID: 9008248

Sample wt/vol: 30.0 (g/mL) g Lab File ID: \_\_\_\_\_

Level: (low/med) LOW Date Received: 09/07/90

% Moisture: not dec. 13 dec. \_\_\_\_\_ Date Extracted: 09/07/90

Extraction: (SepF/Cont/Sonc) SONC Date Analyzed: 09/27/90

SFC Cleanup: (Y/N) N pH: 7.0 Dilution Factor: 1.00

CAS NO.	COMPOUND	CONCENTRATION UNITS: (ug/L or ug/Kg) <u>UG/KG</u>	g
319-84-6	alpha-BHC	9.2	U
319-85-7	beta-BHC	9.2	U
319-86-8	delta-BHC	9.2	U
58-89-9	Lindane	9.2	U
76-44-8	Heptachlor	9.2	U
309-00-2	Aldrin	9.2	U
1024-57-3	Heptachlor epoxide	9.2	U
959-98-8	Endosulfan I	9.2	U
60-57-1	Dieldrin	18	U
72-55-9	4,4'-DDE	18	U
72-20-8	Endrin	18	U
33213-65-9	Endosulfan II	18	U
72-54-8	4,4'-DDD	18	U
1031-07-8	Endosulfan sulfate	18	U
50-29-3	4,4'-DDT	18	U
72-43-5	Methoxychlor	92	U
53494-70-5	Endrin ketone	18	U
5103-71-9	alpha-Chlordane	92	U
5103-74-2	gamma-Chlordane	92	U
8001-35-2	Toxaphene	180	U
12674-11-2	Aroclor-1016	92	U
11104-28-2	Aroclor-1221	92	U
11141-16-5	Aroclor-1232	92	U
53469-21-9	Aroclor-1242	92	U
12672-29-6	Aroclor-1248	92	U
11097-69-1	Aroclor-1254	180	U
11096-82-5	Aroclor-1260	180	U

DATE REPORTED: OCT 22 1990

\*\*\*\*\*  
\* *W d del* \*  
\*\*\*\*\*

John J. M. Esq., P.E.  
Laboratory Director

# H2MLAB, INC

575 Broad Hollow Road, Melville, N.Y. 11747  
 (516) 694-3040 FAX: (516) 694-4122

U.S. EPA - CLP

EPA SAMPLE NO.

1  
**INORGANIC ANALYSIS DATA SHEET**

XXXXB2

Lab Name: H2M LABS, INC.

Contract: GIBBS&HILL

Lab Code: H2MLAB

Case No.:

SAS No.:

SDG No.: GIB050

Matrix (soil/water): SOIL

Lab Sample ID: 9008249

Level (low/med): LOW

Date Received: 09/07/90

% Solids: 87.3

Concentration Units (ug/L or mg/kg dry weight): MG/KG

CAS No.	Analyte	Concentration	C	Q	M
7429-90-5	Aluminum	4890	*		P
7440-36-0	Antimony	8.7	U		P
7440-38-2	Arsenic	3.6			F
7440-39-3	Barium	14.4	B		P
7440-41-7	Beryllium	0.23	B		P
7440-43-9	Cadmium	0.89	U		P
7440-70-2	Calcium	1760			P
7440-47-3	Chromium	9.6	*		P
7440-48-4	Cobalt	12.9			P
7440-50-8	Copper	5.7	B		P
7439-89-6	Iron	4670	*		P
7439-92-1	Lead	5.5	N		F
7439-95-4	Magnesium	577	B		P
7439-96-5	Manganese	87.8	N*		P
7439-97-6	Mercury	0.11	U		CV
7440-02-0	Nickel	2.9	B		P
7440-09-7	Potassium	345	B		P
7782-49-2	Selenium	0.25	U		F
7440-22-4	Silver	2.3	*		A
7440-23-5	Sodium	134	U		P
7440-28-0	Thallium	0.23	U		F
7440-62-2	Vanadium	7.1	B		P
7440-66-6	Zinc	13.2			P
	Cyanide	1.1	U		C

Color Before: BROWN

Clarity Before:

Texture: MEDIUM

Color After: YELLOW

Clarity After: CLEAR

Artifacts:

Comments:

DATE REPORTED: OCTOBER 24, 1990

\*\*\*\*\*  
*John J. Moilanen*  
 \*\*\*\*\*

John J. Moilanen, P.E.  
 Laboratory Director

S00060

1A  
VOLATILE ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

B-3

Lab Name: H2M

Contract: NYSDEC

Lab Code: H2M

Case No.: G&amp;H

SAS No.:

SDG No.: 50

Matrix: (soil/water) SOIL

Lab Sample ID: 9008544

Sample wt/vol: 5.320 (g/mL) G

Lab File ID: P4059

Level: (low/med) LOW

Date Received: 9/10/90

% Moisture: not dec. 8.9

Date Analyzed: 9/12/90

Column: (pack/cap) CAP

Dilution Factor: 1.00

CAS NO. COMPOUND CONCENTRATION UNITS:  
(ug/L or ug/Kg) UG/KG Q

74-87-3	-----Chloromethane	10.	U
74-83-9	-----Bromomethane	10.	U
75-01-4	-----Vinyl Chloride	10.	U
75-00-3	-----Chloroethane	10.	U
75-09-2	-----Methylene Chloride	5.	U
67-64-1	-----Acetone	8.	J
75-15-0	-----Carbon Disulfide	5.	U
75-35-4	-----1,1-Dichloroethene	5.	U
75-34-3	-----1,1-Dichloroethane	5.	U
540-59-0	-----1,2-Dichloroethene (total)	6.	
67-66-3	-----Chloroform	5.	U
107-06-2	-----1,2-Dichloroethane	5.	U
78-93-3	-----2-Butanone	10.	U
71-55-6	-----1,1,1-Trichloroethane	5.	U
56-23-5	-----Carbon Tetrachloride	5.	U
108-05-4	-----Vinyl Acetate	10.	U
75-27-4	-----Bromodichloromethane	5.	U
78-87-5	-----1,2-Dichloropropane	5.	U
10061-01-5	-----cis-1,3-Dichloropropene	5.	U
79-01-6	-----Trichloroethene	7.	
124-48-1	-----Dibromochloromethane	5.	U
79-00-5	-----1,1,2-Trichloroethane	5.	U
71-43-2	-----Benzene	5.	U
10061-02-6	-----trans-1,3-Dichloropropene	5.	U
75-25-2	-----Bromoform	5.	U
108-10-1	-----4-Methyl-2-Pentanone	10.	U
591-78-6	-----2-Hexanone	10.	U
127-18-4	-----Tetrachloroethene	360.	E
79-34-5	-----1,1,2,2-Tetrachloroethane	5.	U
108-88-3	-----Toluene	5.	U
108-90-7	-----Chlorobenzene	5.	U
100-41-4	-----Ethylbenzene	5.	U
100-42-5	-----Styrene	5.	U
1330-20-7	-----Xylene (total)	5.	U

DATE REPORTED: OCT 25 1990

S00001



# H2A LABS, INC.

575 Broad Hollow Road, Melville, N.Y. 11747  
(516) 694-3040 FAX: (516) 694-4122

1E

## VOLATILE ORGANICS ANALYSIS DATA SHEET TENTATIVELY IDENTIFIED COMPOUNDS

EPA SAMPLE NO.

B-3

Lab Name: H2M

Contract: NYSDEC

Lab Code: H2M

Case No.: G&H

SAS No.:

SDG No.: 50

Matrix: (soil/water) SOIL

Lab Sample ID: 9008544

Sample wt/vol: 5.320 (g/mL) G

Lab File ID: P4059

Level: (low/med) LOW

Date Received: 9/10/90

Moisture: not dec. 8.9

Date Analyzed: 9/12/90

Column: (pack/cap) CAP

Dilution Factor: 1.00

Number TICs found: 0

CONCENTRATION UNITS:  
(ug/L or ug/Kg) UG/KG

CAS NUMBER	COMPOUND NAME	RT	EST. CONC.	Q
1.				
2.				
3.				
4.				
5.				
6.				
7.				
8.				
9.				
10.				
11.				
12.				
13.				
14.				
15.				
16.				
17.				
18.				
19.				
20.				
21.				
22.				
23.				
24.				
25.				
26.				
27.				
28.				
29.	DATE REPORTED: OCT 25 1990			
30.				

\*\*\*\*  
\*\*\*\*\*  
\*  
\*  
\*\*\*\*

John J. Melloy, P.E.  
Laboratory Director

S00065

1A  
 VOLATILE ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

B-3 RE

Lab Name: H2M Contract: NYSDEC  
 Lab Code: H2M Case No.: G&H SAS No.: SDG No.: 50  
 Matrix: (soil/water) SOIL Lab Sample ID: 9008544 DL  
 Sample wt/vol: 1.000 (g/mL) G Lab File ID: P4071  
 Level: (low/med) LOW Date Received: 9/10/90  
 % Moisture: not dec. 9. Date Analyzed: 9/13/90  
 Column: (pack/cap) CAP Dilution Factor: 1.00

CONCENTRATION UNITS:  
 (ug/L or ug/Kg) UG/KG

CAS NO. COMPOUND Q

74-87-3	-----Chloromethane	55.	U
74-83-9	-----Bromomethane	55.	U
75-01-4	-----Vinyl Chloride	55.	U
75-00-3	-----Chloroethane	55.	U
75-09-2	-----Methylene Chloride	27.	U
67-64-1	-----Acetone	33.	J
75-15-0	-----Carbon Disulfide	27.	U
75-35-4	-----1,1-Dichloroethene	27.	U
75-34-3	-----1,1-Dichloroethane	27.	U
540-59-0	-----1,2-Dichloroethene (total)	27.	U
67-66-3	-----Chloroform	27.	U
107-06-2	-----1,2-Dichloroethane	27.	U
78-93-3	-----2-Butanone	55.	U
71-55-6	-----1,1,1-Trichloroethane	27.	U
56-23-5	-----Carbon Tetrachloride	27.	U
108-05-4	-----Vinyl Acetate	55.	U
75-27-4	-----Bromodichloromethane	27.	U
78-87-5	-----1,2-Dichloropropane	27.	U
10061-01-5	-----cis-1,3-Dichloropropene	27.	U
79-01-6	-----Trichloroethene	27.	U
124-48-1	-----Dibromochloromethane	27.	U
79-00-5	-----1,1,2-Trichloroethane	27.	U
71-43-2	-----Benzene	27.	U
10061-02-6	-----trans-1,3-Dichloropropene	27.	U
75-25-2	-----Bromoform	27.	U
108-10-1	-----4-Methyl-2-Pentanone	55.	U
591-78-6	-----2-Hexanone	55.	U
127-18-4	-----Tetrachloroethene	240.	
79-34-5	-----1,1,2,2-Tetrachloroethane	27.	U
108-88-3	-----Toluene	27.	U
108-90-7	-----Chlorobenzene	27.	U
100-41-4	-----Ethylbenzene	27.	U
100-42-5	-----Styrene	27.	U
1330-20-7	-----Xylene (total)	27.	U

*John J. Minoy*  
 John J. Minoy, P.E.  
 Laboratory Director

DATE REPORTED: OCT 25 1990

500066



18  
 SEMI-VOLATILE ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

B-3

Lab Name: H2M LABS INC.

Contract: GIBBS & HILL

Lab Code: ----- Case No.: ----- SAS No.: ----- SDG No.: G&H 51

Matrix: (soil/water) SOIL Lab Sample ID: 9008544

Sample wt/vol: 30.0 (g/mL) G Lab File ID: >E2991

Level: (low/med) LOW Date Received: 9/10/90

% Moisture: not dec. 8.9 dec. -- Date Extracted: 10/10/90

Extraction: (Sepf/Cont/Sonc) SONC Date Analyzed: 10/12/90

GPC Cleanup: (Y/N) Y pH: 11.0 Dilution Factor: 1.00000

CAS NO.	COMPOUND	CONCENTRATION UNITS: (ug/L or ug/Kg) ug/Kg	Q
108-95-2	Phenol	730.	IU
111-44-4	bis(2-Chloroethyl)Ether	730.	IU
95-57-8	2-Chlorophenol	730.	IU
541-73-1	1,3-Dichlorobenzene	730.	IU
106-46-7	1,4-Dichlorobenzene	730.	IU
100-51-6	Benzyl alcohol	730.	IU
95-50-1	1,2-Dichlorobenzene	730.	IU
95-48-7	2-Methylphenol	730.	IU
39638-32-9	bis(2-chloroisopropyl)ether	730.	IU
106-44-5	4-Methylphenol	730.	IU
621-64-7	N-Nitroso-Di-n-propylamine	730.	IU
67-72-1	Hexachloroethane	730.	IU
98-95-3	Nitrobenzene	730.	IU
78-59-1	Isophorone	730.	IU
88-75-5	2-Nitrophenol	730.	IU
105-67-9	2,4-Dimethylphenol	730.	IU
65-85-0	Benzoic acid	3600.	IU
111-91-1	bis(2-Chloroethoxy)methane	730.	IU
120-83-2	2,4-Dichlorophenol	730.	IU
120-82-1	1,2,4-Trichlorobenzene	730.	IU
91-20-3	Naphthalene	730.	IU
106-47-8	4-Chloroaniline	730.	IU
87-68-3	Hexachlorobutadiene	730.	IU
59-50-7	4-Chloro-3-methylphenol	730.	IU
91-57-6	2-Methylnaphthalene	730.	IU
77-47-4	Hexachlorocyclopentadiene	730.	IU
88-06-2	2,4,6-Trichlorophenol	730.	IU
95-95-4	2,4,5-Trichlorophenol	3600.	IU
91-58-7	2-Chloronaphthalene	730.	IU
88-74-4	2-Nitroaniline	3600.	IU
131-11-3	Dimethylphthalate	730.	IU
208-96-8	Acenaphthylene	730.	IU
606-20-2	2,6-Dinitrotoluene	730.	IU

50006

DATE REPORTED: OCT 29 1990

John J. Malloy, P.E.

# H2M LABS, INC.

575 Broad Hollow Road, Melville, N.Y. 11747  
(516) 694-3040 FAX: (516) 694-4122

1C  
SEMIVOLATILE ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

B-3

Lab Name: H2M LABS INC.

Contract: GIBBS & HILL

Lab Code: -----

Case No.: -----

SAS No.: -----

SDG No.: G&H 51

Matrix: (soil/water) SOIL

Lab Sample ID: 9008544

Sample wt/vol: 30.0 (g/mL) G

Lab File ID: >E2991

Level: (low/med) LOW

Date Received: 9/10/90

% Moisture: not dec. 8.9 dec. --

Date Extracted: 10/10/90

Extraction: (Sepf/Cont/Sonc) SONC

Date Analyzed: 10/12/90

GPC Cleanup: (Y/N) Y pH: 11.0

Dilution Factor: 1.00000

CONCENTRATION UNITS:

(ug/L or ug/Kg) ug/Kg

CAS NO.	COMPOUND	(ug/L or ug/Kg) ug/Kg	Q
99-09-2	3-Nitroaniline	3600.	1U
83-32-9	Acenaphthene	730.	1U
51-28-5	2,4-Dinitrophenol	3600.	1U
100-02-7	4-Nitrophenol	3600.	1U
132-64-9	Dibenzofuran	730.	1U
121-14-2	2,4-Dinitrotoluene	730.	1U
84-66-2	Diethylphthalate	730.	1U
7005-72-3	4-Chlorophenyl-phenylether	730.	1U
86-73-7	Fluorene	730.	1U
100-01-6	4-Nitroaniline	3600.	1U
534-52-1	4,6-Dinitro-2-methylphenol	3600.	1U
86-30-6	N-Nitrosodiphenylamine (1)	730.	1U
101-55-3	4-Bromophenyl-phenylether	730.	1U
118-74-1	Hexachlorobenzene	730.	1U
87-86-5	Pentachlorophenol	3600.	1U
85-01-8	Phenanthrene	730.	1U
120-12-7	Anthracene	730.	1U
84-74-2	Di-n-butylphthalate	730.	1U
206-44-0	Fluoranthene	730.	1U
129-00-0	Pyrene	730.	1U
85-68-7	Butylbenzylphthalate	730.	1U
91-94-1	3,3'-Dichlorobenzidine	1500.	1U
56-55-3	Benzo(a)anthracene	730.	1U
218-01-9	Chrysene	730.	1U
117-81-7	bis(2-Ethylhexyl)phthalate	480.	1JB
117-84-0	Di-n-octylphthalate	730.	1U
205-99-2	Benzo(b)fluoranthene	730.	1U
207-08-9	Benzo(k)fluoranthene	730.	1U
50-32-8	Benzo(a)pyrene	730.	1U
193-39-5	Indeno(1,2,3-cd)pyrene	730.	1U
53-70-3	Dibenz(a,h)anthracene	730.	1U
191-24-2	Benzo(g,h,i)perylene	730.	1U

(1) - Cannot be separated from Diphenylamine

500069

# H2M LABS, INC.

575 Broad Hollow Road, Melville, N.Y. 11747  
(516) 694-3040 FAX: (516) 694-4122

1F  
SEMIVOLATILE ORGANICS ANALYSIS DATA SHEET  
TENTATIVELY IDENTIFIED COMPOUNDS

EPA SAMPLE NO.

B-3

Lab Name: H2M LABS INC.

Contract: GIBBS & HILL

Lab Code: ----- Case No.: -----

SAS No.: ----- SDG No.: G&H 51

Matrix: (soil/water) SOIL

Lab Sample ID: 9008544

Sample wt/vol: 30.0 (g/mL) G

Lab File ID: >E2991

Level: (low/med) LOW

Date Received: 9/10/90

% Moisture: not dec. 8.9 dec. --

Date Extracted: 10/10/90

Extraction: (Sepf/Cont/Sonc) SONC

Date Analyzed: 10/12/90

GPC Cleanup: (Y/N) Y

pH: 11.0

Dilution Factor: 1.00000

Number TICs found: 2

CONCENTRATION UNITS:  
(ug/L or ug/Kg) ug/Kg

CAS NUMBER	COMPOUND NAME	RT	EST. CONC.	Q
1.	Unknown	7.48	460.	J
2.	930687 2-Cyclohexen-1-one (8CI9CI)	8.57	960.	J
3.				
4.				
5.				
6.				
7.				
8.				
9.				
10.				
11.				
12.				
13.				
14.				
15.				
16.				
17.				
18.				
19.				
20.				
21.				
22.				
23.				
24.				
25.				
26.				
27.				
28.				
29.				
30.				

DATE REPORTED

*[Handwritten signature]*  
300070

11- PESTICIDE ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

B-3

Lab Name: H2M LABS, INC. Contract: \_\_\_\_\_  
 Lab Code: \_\_\_\_\_ Case No.: 0451 SAS No.: \_\_\_\_\_ SWV No.: \_\_\_\_\_  
 Matrix: (soil/water) SOIL Lab Sample ID: 9008504  
 Sample wt/vol: 30.0 (g/mL) 0 Lab File ID: \_\_\_\_\_  
 Level: (low/med/h) LOW Date Received: 09/10/90  
 % Moisture: not dec. 9 dec. \_\_\_\_\_ Date Extracted: 09/11/90  
 Extraction: (SepF/Cont/Sonc) SONC Date Analyzed: 09/27/90  
 SPC Cleanup: (Y/N) Y pH: 7.0 Dilution Factor: 1.00

CONCENTRATION UNITS:

CAS NO.	COMPOUND	(ug/L or ug/Kg)	UG/KG	Q
319-84-6	alpha-BHC	18	10	
319-85-7	beta-BHC	18	10	
319-86-8	delta-BHC	18	10	
58-89-9	Lindane	18	10	
76-44-8	Heptachlor	18	10	
309-00-2	Aldrin	18	10	
1024-57-3	Heptachlor epoxide	18	10	
959-98-8	Endosulfan I	18	10	
60-57-1	Dieldrin	35	10	
72-55-9	4,4'-DDE	35	10	
72-20-8	Endran	35	10	
33213-65-9	Endosulfan II	35	10	
72-54-8	4,4'-DDO	35	10	
1031-07-8	Endosulfan sulfate	35	10	
50-29-3	4,4'-DDT	35	10	
72-43-5	Methoxychlor	180	10	
53494-70-5	Endrin ketone	35	10	
5103-71-9	alpha-Chlordane	180	10	
5103-74-2	gamma-Chlordane	180	10	
8001-35-2	Toxaphene	350	10	
12674-11-2	Aroclor-1016	180	10	
11104-28-2	Aroclor-1221	180	10	
11141-16-5	Aroclor-1232	180	10	
53469-21-9	Aroclor-1242	180	10	
12672-29-6	Aroclor-1248	180	10	
11097-69-1	Aroclor-1254	350	10	
11096-82-5	Aroclor-1260	350	10	

DATE REPORTED: OCT 23 1990

\*\*\*\*\*  
 \* *Model* \*  
 \*\*\*\*\*

John J. Malloy, P.E.  
 Laboratory Director



575 Broad Hollow Road, Melville, N.Y. 11747  
 (516) 694-3040 FAX: (516) 694-4122

U.S. EPA - CLP

EPA SAMPLE NO.

1  
 INORGANIC ANALYSIS DATA SHEET

XXXXB3

Lab Name: H2M LABS, INC.

Contract: GIBBS&HILL

Lab Code: H2MLAB

Case No.:

SAS No.:

SDG No.: GIB050

Matrix (soil/water): SOIL

Lab Sample ID: 9008544

Level (low/med): LOW

Date Received: 09/10/90

% Solids: 91.1

Concentration Units (ug/L or mg/kg dry weight): MG/KG

CAS No.	Analyte	Concentration	C	Q	M
7429-90-5	Aluminum	722		*	P
7440-36-0	Antimony	8.4	U		P
7440-38-2	Arsenic	0.66	U	W	F
7440-39-3	Barium	2.9	B		P
7440-41-7	Beryllium	0.13	U		P
7440-43-9	Cadmium	0.86	U		P
7440-70-2	Calcium	646	B		P
7440-47-3	Chromium	1.7	U	*	P
7440-48-4	Cobalt	10.4	B		P
7440-50-8	Copper	2.3	B		P
7439-89-6	Iron	1290		*	P
7439-92-1	Lead	2.3		N	F
7439-95-4	Magnesium	165	B		P
7439-96-5	Manganese	14.4		N*	P
7439-97-6	Mercury	0.10	U		CV
7440-02-0	Nickel	1.8	U		P
7440-09-7	Potassium	101	U		P
7782-49-2	Selenium	0.24	U		F
7440-22-4	Silver	2.2	U	*	A
7440-23-5	Sodium	129	U		P
7440-28-0	Thallium	0.22	U		F
7440-62-2	Vanadium	0.99	U		P
7440-66-6	Zinc	5.9			P
	Cyanide	1.1	U		C

Color Before: BROWN

Clarity Before:

Texture: MEDIUM

Color After: YELLOW

Clarity After: CLEAR

Artifacts: YES

Comments:

ROCKS PRESENT IN SAMPLE MATRIX  
 DATE REPORTED: OCTOBER 24, 1990

\*\*\*\*\*  
*John J. Mellow*  
 \*\*\*\*\*

S00072

John J. Mellow, PI



1A  
 VOLATILE ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

B-4

Lab Name: H2M Contract: NYSDEC  
 Lab Code: H2M Case No.: G&H SAS No.: SDG No.: 50  
 Matrix: (soil/water) SOIL Lab Sample ID: 9008545  
 Sample wt/vol: 4.790 (g/mL) G Lab File ID: P4062  
 Level: (low/med) LOW Date Received: 9/10/90  
 % Moisture: not dec. 7.3 Date Analyzed: 9/12/90  
 Column: (pack/cap) CAP Dilution Factor: 1.00

CONCENTRATION UNITS:  
 (ug/L or ug/Kg) UG/KG

CAS NO. COMPOUND Q

74-87-3	-----Chloromethane	11.	U
74-83-9	-----Bromomethane	11.	U
75-01-4	-----Vinyl Chloride	11.	U
75-00-3	-----Chloroethane	11.	U
75-09-2	-----Methylene Chloride	6.	U
67-64-1	-----Acetone	32.	
75-15-0	-----Carbon Disulfide	4.	J
75-35-4	-----1,1-Dichloroethene	6.	U
75-34-3	-----1,1-Dichloroethane	6.	U
540-59-0	-----1,2-Dichloroethene (total)	6.	U
67-66-3	-----Chloroform	6.	U
107-06-2	-----1,2-Dichloroethane	6.	U
78-93-3	-----2-Butanone	6.	U
71-55-6	-----1,1,1-Trichloroethane	6.	U
56-23-5	-----Carbon Tetrachloride	6.	U
108-05-4	-----Vinyl Acetate	11.	U
75-27-4	-----Bromodichloromethane	6.	U
78-87-5	-----1,2-Dichloropropane	6.	U
10061-01-5	-----cis-1,3-Dichloropropene	6.	U
79-01-6	-----Trichloroethene	6.	U
124-48-1	-----Dibromochloromethane	6.	U
79-00-5	-----1,1,2-Trichloroethane	6.	U
71-43-2	-----Benzene	6.	U
10061-02-6	-----trans-1,3-Dichloropropene	6.	U
75-25-2	-----Bromoform	6.	U
108-10-1	-----4-Methyl-2-Pentanone	11.	U
591-78-6	-----2-Hexanone	11.	U
127-18-4	-----Tetrachloroethene	5.	J
79-34-5	-----1,1,2,2-Tetrachloroethane	6.	U
108-88-3	-----Toluene	6.	U
108-90-7	-----Chlorobenzene	6.	U
100-41-4	-----Ethylbenzene	6.	U
100-42-5	-----Styrene	6.	U
1330-20-7	-----Xylene (total)	6.	U

*DL 6 U J gms 10/25/90*

*John J. [Signature]*  
 P.E.

DATE REPORTED: OCT 25 1990

Laborator: Director

S00073

1E  
**VOLATILE ORGANICS ANALYSIS DATA SHEET**  
**TENTATIVELY IDENTIFIED COMPOUNDS**

EPA SAMPLE NO.

B-4

Lab Name: H2M Contract: NYSDEC  
 Lab Code: H2M Case No.: G&H SAS No.: SDG No.: 50  
 Matrix: (soil/water) SOIL Lab Sample ID: 9008545  
 Sample wt/vol: 4.790 (g/mL) G Lab File ID: P4062  
 Level: (low/med) LOW Date Received: 9/10/90  
 Moisture: not dec. 7.3 Date Analyzed: 9/12/90  
 Column: (pack/cap) CAP Dilution Factor: 1.00

Number TICs found: 4 CONCENTRATION UNITS:  
 (ug/L or ug/Kg) UG/KG

CAS NUMBER	COMPOUND NAME	RT	EST. CONC.	Q
1. 4889-83-2	Bicyclo[3.1.1]hept-2-ene, 3,	13.64	40.	J
2. - -	DIMETHYL METHYLENE BICYCLO[2	14.33	20.	J
3. 127-91-3	.beta.-Pinene	14.57	20.	J
4. - -	ETHYL DIMETHYL BENZENE ISOME	15.24	7.	J
5.				
6.				
7.				
8.				
9.				
10.				
11.				
12.				
13.				
14.				
15.				
16.				
17.				
18.				
19.				
20.				
21.				
22.				
23.				
24.				
25.				
26.				
27.				
28.				
29.				
30.				

DATE REPORTED: OCT 25 1990

\*\*\*\*\*  
 \*\*\*\*\*  
 \*\*\*\*\*

John J. Molloy, P.E.  
 Laboratory Director 800074



575 Broad Hollow Road, Melville, N.Y. 11747  
(516) 694-3040 FAX: (516) 694-4122

1B  
SEMIVOLATILE ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

B-4

Lab Name: H2M LABS INC.

Contract: GIBBS & HILL

Lab Code: -----

Case No.: -----

SAS No.: -----

SDG No.: G&H 51

Matrix: (soil/water) SOIL

Lab Sample ID: 9008545

Sample wt/vol: 30.0 (g/mL) G

Lab File ID: >E2994

Level: (low/med) LOW

Date Received: 9/10/90

% Moisture: not dec. 7.3 dec. --

Date Extracted: 10/10/90

Extraction: (Sepf/Cont/Sonc) SONC

Date Analyzed: 10/12/90

GPC Cleanup: (Y/N) Y pH: 11.2

Dilution Factor: 1.00000

CONCENTRATION UNITS:

CAS NO. COMPOUND (ug/L or ug/Kg) ug/Kg Q

CAS NO.	COMPOUND	(ug/L or ug/Kg)	ug/Kg	Q
108-95-2	Phenol	710.	10	
111-44-4	bis(2-Chloroethyl)Ether	710.	10	
95-57-8	2-Chlorophenol	710.	10	
541-73-1	1,3-Dichlorobenzene	710.	10	
106-46-7	1,4-Dichlorobenzene	710.	10	
100-51-6	Benzyl alcohol	710.	10	
95-50-1	1,2-Dichlorobenzene	710.	10	
95-48-7	2-Methylphenol	710.	10	
39638-32-9	bis(2-chloroisopropyl)ether	710.	10	
106-44-5	4-Methylphenol	710.	10	
621-64-7	N-Nitroso-Di-n-propylamine	710.	10	
67-72-1	Hexachloroethane	710.	10	
98-95-3	Nitrobenzene	710.	10	
78-59-1	Isophorone	710.	10	
88-75-5	2-Nitrophenol	710.	10	
105-67-9	2,4-Dimethylphenol	710.	10	
65-85-0	Benzoic acid	3600.	10	
111-91-1	bis(2-Chloroethoxy)methane	710.	10	
120-83-2	2,4-Dichlorophenol	710.	10	
120-82-1	1,2,4-Trichlorobenzene	710.	10	
91-20-3	Naphthalene	710.	10	
106-47-8	4-Chloroaniline	710.	10	
87-68-3	Hexachlorobutadiene	710.	10	
59-50-7	4-Chloro-3-methylphenol	710.	10	
91-57-6	2-Methylnaphthalene	710.	10	
77-47-4	Hexachlorocyclopentadiene	710.	10	
88-06-2	2,4,6-Trichlorophenol	710.	10	
95-95-4	2,4,5-Trichlorophenol	3600.	10	
91-58-7	2-Chloronaphthalene	710.	10	
88-74-4	2-Nitroaniline	3600.	10	
131-11-3	Dimethylphthalate	710.	10	
208-96-8	Acenaphthylene	710.	10	
606-20-2	2,6-Dinitrotoluene	710.	10	

John J. Monroy, P.E.  
Laboratory Director

500075

1C  
 SEMI-VOLATILE ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

B-4

Lab Name: H2M LABS INC.

Contract: GIBBS & HILL

Lab Code: ----- Case No.: ----- SAS No.: ----- SDG No.: G&H 51

Matrix: (soil/water) SOIL Lab Sample ID: 9008545

Sample wt/vol: 30.0 (g/mL) G Lab File ID: >E2994

Level: (low/med) LDW Date Received: 9/10/90

% Moisture: not dec. 7.3 dec. -- Date Extracted: 10/10/90

Extraction: (Sepf/Cont/Sonc) SONC Date Analyzed: 10/12/90

GPC Cleanup: (Y/N) Y pH: 11.2 Dilution Factor: 1.00000

CAS NO.	COMPOUND	CONCENTRATION UNITS: (ug/L or ug/Kg) ug/Kg	Q
99-09-2	3-Nitroaniline	3600.	IU
83-32-9	Acenaphthene	710.	IU
51-28-5	2,4-Dinitrophenol	3600.	IU
100-02-7	4-Nitrophenol	3600.	IU
132-64-9	Dibenzofuran	710.	IU
121-14-2	2,4-Dinitrotoluene	710.	IU
84-66-2	Diethylphthalate	710.	IU
7005-72-3	4-Chlorophenyl-phenylether	710.	IU
86-73-7	Fluorene	710.	IU
100-01-6	4-Nitroaniline	3600.	IU
534-52-1	4,6-Dinitro-2-methylphenol	3600.	IU
86-30-6	N-Nitrosodiphenylamine (1)	710.	IU
101-55-3	4-Bromophenyl-phenylether	710.	IU
118-74-1	Hexachlorobenzene	710.	IU
87-86-5	Pentachlorophenol	260.	IJ
85-01-8	Phenanthrene	710.	IU
120-12-7	Anthracene	710.	IU
84-74-2	Di-n-butylphthalate	710.	IU
206-44-0	Fluoranthene	710.	IU
129-00-0	Pyrene	130.	IJ
85-68-7	Butylbenzylphthalate	710.	IU
91-94-1	3,3'-Dichlorobenzidine	1400.	IU
56-55-3	Benzo(a)anthracene	710.	IU
218-01-9	Chrysene	710.	IU
117-81-7	bis(2-Ethylhexyl)phthalate	1200.	I B
117-84-0	Di-n-octylphthalate	710.	IU
205-99-2	Benzo(b)fluoranthene	710.	IU
207-08-9	Benzo(k)fluoranthene	710.	IU
50-32-8	Benzo(a)pyrene	710.	IU
193-39-5	Indeno(1,2,3-cd)pyrene	710.	IU
53-70-3	Dibenz(a,h)anthracene	710.	IU
191-24-2	Benzo(g,h,i)perylene	710.	IU

(1) - Cannot be separated from Diphenylamine  
 REPORTED BY: [Signature] Director

50007



575 Broad Hollow Road, Melville, N.Y. 11747  
(516) 694-3040 FAX: (516) 694-4122

SEMIVOLATILE ORGANICS ANALYSIS DATA SHEET  
TENTATIVELY IDENTIFIED COMPOUNDS

EPA SAMPLE NO.

B-4

Lab Name: H2M LABS INC.

Contract: GIBBS & HILL

Lab Code: ----- Case No.: -----

SAS No.: ----- SDG No.: G&H 51

Matrix: (soil/water) SOIL

Lab Sample ID: 9008545

Sample wt/vol: 30.0 (g/mL) G

Lab File ID: >E2994

Level: (low/med) LOW

Date Received: 9/10/90

% Moisture: not dec. 7.3 dec. --

Date Extracted: 10/10/90

Extraction: (Sepf/Cont/Sonc) SONC

Date Analyzed: 10/12/90

GPC Cleanup: (Y/N) Y pH: 11.2

Dilution Factor: 1.00000

CONCENTRATION UNITS:

Number TICs found: 5

(ug/L or ug/Kg) ug/Kg

CAS NUMBER	COMPOUND NAME	RT	EST. CONC.	Q
1. 930687	12-Cyclohexen-1-one (8CI9CI)	8.59	740.	J
2.	Unknown	27.88	670.	J
3.	Unk. Aliphatic Hydrocarbon	33.76	320.	J
4.	Unk. Aliphatic Hydrocarbon	34.73	550.	J
5.	Unk. Aliphatic Hydrocarbon	35.67	380.	J
6.				
7.				
8.				
9.				
10.				
11.				
12.				
13.				
14.				
15.				
16.				
17.				
18.				
19.				
20.				
21.				
22.				
23.				
24.				
25.				
26.				
27.				
28.				
29.				
30.				

DATE REPORTED: OCT 30 1990

*[Handwritten signature]*  
500077

10  
PESTICIDE ORGANIC ANALYSIS DATA SHEET

EPA SAMPLE NO.

B-4

Lab Name: H2M LABS, INC.

Contract: \_\_\_\_\_

Lab Code: \_\_\_\_\_ Case No.: GH51

SAS No.: \_\_\_\_\_

SDG No.: \_\_\_\_\_

Matrix: (soil/water) SOIL

Lab Sample ID: 9008545

Sample wt/vol: 30.0 (g/mL) G

Lab File ID: \_\_\_\_\_

Level: (low/med) LOW

Date Received: 09/10/90

Moisture: not dec. 7 dec. \_\_\_\_\_

Date Extracted: 09/11/90

Extraction: (SepF/Cont/Sonc) SONC

Date Analyzed: 09/27/90

PC Cleanup: (Y/N) Y

pH: 7.0

Dilution Factor: 1.00

CONCENTRATION UNITS:

CAS NO. COMPOUND (ug/L or ug/kg) UG/KG U

319-84-6	alpha-BHC	17	U
319-85-7	beta-BHC	17	U
319-86-8	delta-BHC	17	U
58-89-9	Lindane	17	U
76-44-8	Heptachlor	17	U
309-00-2	Aldrin	17	U
1024-57-3	Heptachlor epoxide	17	U
959-98-8	Endosulfan I	17	U
60-57-1	Dieldrin	34	U
72-55-9	4,4'-DDE	34	U
72-20-8	Endrin	34	U
33213-65-9	Endosulfan II	34	U
72-54-8	4,4'-DDD	34	U
1031-07-8	Endosulfan sulfate	34	U
50-29-3	4,4'-DDT	34	U
72-43-5	Methoxychlor	170	U
53494-70-5	Endrin ketone	34	U
5103-71-9	alpha-Chlordane	170	U
5103-74-2	gamma-Chlordane	170	U
8001-35-2	Toxaphene	340	U
12674-11-2	Aroclor-1016	170	U
11104-28-2	Aroclor-1221	170	U
11141-16-5	Aroclor-1232	170	U
53489-21-9	Aroclor-1242	170	U
12672-29-6	Aroclor-1248	170	U
11097-69-1	Aroclor-1254	340	U
11096-82-5	Aroclor-1260	340	U

DATE REPORTED: OCT 23 1990

\*\*\*\*\*  
\* *Middle* \*  
\*\*\*\*\*

John J. Molloy, P.E.  
Laboratory Director

U.S. EPA - CLP

EPA SAMPLE NO.

1  
 INORGANIC ANALYSIS DATA SHEET

XXXXB4

Lab Name: H2M LABS, INC.

Contract: GIBBS&HILL

Lab Code: H2MLAB

Case No.:

SAS No.:

SDG No.: GIB050

Matrix (soil/water): SOIL

Lab Sample ID: 9008545

Level (low/med): LOW

Date Received: 09/10/90

% Solids: 92.7

Concentration Units (ug/L or mg/kg dry weight): MG/KG

CAS No.	Analyte	Concentration	C	Q	M
7429-90-5	Aluminum	5360	*		P
7440-36-0	Antimony	8.2	U		P
7440-38-2	Arsenic	5.2			F
7440-39-3	Barium	33.1	B		P
7440-41-7	Beryllium	0.24	B		P
7440-43-9	Cadmium	0.97	B		P
7440-70-2	Calcium	2900			P
7440-47-3	Chromium	11.3	*		P
7440-48-4	Cobalt	11.8			P
7440-50-8	Copper	7.6			P
7439-89-6	Iron	7420	*		P
7439-92-1	Lead	32.3		N	F
7439-95-4	Magnesium	1380			P
7439-96-5	Manganese	83.6		N*	P
7439-97-6	Mercury	0.09	U		CV
7440-02-0	Nickel	4.6	B		P
7440-09-7	Potassium	1070	B		P
7782-49-2	Selenium	0.26	U		F
7440-22-4	Silver	4.3		*	A
7440-23-5	Sodium	127	U		P
7440-28-0	Thallium	0.37	B		F
7440-62-2	Vanadium	13.4			P
7440-66-6	Zinc	31.9			P
	Cyanide	1.1	U		C

Color Before: BROWN

Clarity Before:

Texture: COARSE

Color After: YELLOW

Clarity After: CLEAR

Artifacts:

Comments:

DATE REPORTED: OCTOBER 24, 1990

\*\*\*\*\*  
*John J. McIlroy*  
 \*\*\*\*\*

John J. McIlroy, P.E.  
 Laboratory Director

500079

1A  
 VOLATILE ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

B-5

Lab Name: H2M

Contract: NYSDEC

Lab Code: H2M

Case No.: G&H

SAS No.:

SDG No.: 50

Matrix: (soil/water) SOIL

Lab Sample ID: 9008546

Sample wt/vol: 5.070 (g/mL) G

Lab File ID: P4074

Level: (low/med) LOW

Date Received: 9/10/90

Moisture: not dec. 3.

Date Analyzed: 9/13/90

Column: (pack/cap) CAP

Dilution Factor: 1.00

CAS NO. COMPOUND CONCENTRATION UNITS:  
 (ug/L or ug/Kg) UG/KG Q

74-87-3	-----Chloromethane	10.	U
74-83-9	-----Bromomethane	10.	U
75-01-4	-----Vinyl Chloride	10.	U
75-00-3	-----Chloroethane	10.	U
75-09-2	-----Methylene Chloride	5.	U
67-64-1	-----Acetone	10.	U
75-15-0	-----Carbon Disulfide	5.	U
75-35-4	-----1,1-Dichloroethene	5.	U
75-34-3	-----1,1-Dichloroethane	5.	U
540-59-0	-----1,2-Dichloroethene (total)	5.	U
67-66-3	-----Chloroform	5.	U
107-06-2	-----1,2-Dichloroethane	5.	U
78-93-3	-----2-Butanone	10.	U
71-55-6	-----1,1,1-Trichloroethane	5.	U
56-23-5	-----Carbon Tetrachloride	5.	U
108-05-4	-----Vinyl Acetate	10.	U
75-27-4	-----Bromodichloromethane	5.	U
78-87-5	-----1,2-Dichloropropane	5.	U
10061-01-5	-----cis-1,3-Dichloropropene	5.	U
79-01-6	-----Trichloroethene	5.	U
124-48-1	-----Dibromochloromethane	5.	U
79-00-5	-----1,1,2-Trichloroethane	5.	U
71-43-2	-----Benzene	5.	U
10061-02-6	-----trans-1,3-Dichloropropene	5.	U
75-25-2	-----Bromoform	5.	U
108-10-1	-----4-Methyl-2-Pentanone	10.	U
591-78-6	-----2-Hexanone	10.	U
127-18-4	-----Tetrachloroethene	16.	U
79-34-5	-----1,1,2,2-Tetrachloroethane	5.	U
108-88-3	-----Toluene	5.	U
108-90-7	-----Chlorobenzene	5.	U
100-41-4	-----Ethylbenzene	5.	U
100-42-5	-----Styrene	5.	U
1330-20-7	-----Xylene (total)	5.	U

John J. Molloy, P.E.

DATE REPORTED: OCT 25 1990

Laboratory Director

50050





575 Broad Hollow Road, Melville, N.Y. 11747  
(516) 694-3040 FAX: (516) 694-4122

1E

EPA SAMPLE NO.

VOLATILE ORGANICS ANALYSIS DATA SHEET  
TENTATIVELY IDENTIFIED COMPOUNDS

B-5

Lab Name: H2M Contract: NYSDEC

Lab Code: H2M Case No.: G&H SAS No.: SDG No.: 50

Matrix: (soil/water) SOIL Lab Sample ID: 9008546

Sample wt/vol: 5.070 (g/mL) G Lab File ID: P4074

Level: (low/med) LOW Date Received: 9/10/90

Moisture: not dec. 3.1 Date Analyzed: 9/13/90

Column: (pack/cap) CAP Dilution Factor: 1.00

Number TICs found: 0

CONCENTRATION UNITS:  
(ug/L or ug/Kg) UG/KG

CAS NUMBER	COMPOUND NAME	RT	EST. CONC.	Q
1.				
2.				
3.				
4.				
5.				
6.				
7.				
8.				
9.				
10.				
11.				
12.				
13.				
14.				
15.				
16.				
17.				
18.				
19.				
20.				
21.				
22.				
23.				
24.				
25.				
26.				
27.				
28.				
29.				
30.				

DATE REPORTED: 09/13/90

\*\*\*\*\*  
\* *John I. Molloy* \*  
\*\*\*\*\*

John I. Molloy, P.E.  
Laboratory Director

1B  
 SEMI-VOLATILE ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO

B-5

Lab Name: H2M LABS INC.

Contract: GIBBS & HILL

Lab Code: ----- Case No.: ----- SAS No.: ----- SDG No.: G&H 51

Matrix: (soil/water) SOIL Lab Sample ID: 9008546

Sample wt/vol: 30.0 (g/mL) G Lab File ID: >E3000

Level: (low/med) LDW Date Received: 9/10/90

% Moisture: not dec. 2.5 dec. -- Date Extracted: 10/10/90

Extraction: (Sepf/Cont/Sonc) SONC Date Analyzed: 10/13/90

GPC Cleanup: (Y/N) N pH: 9.4 Dilution Factor: 1.00000

CONCENTRATION UNITS:  
 (ug/L or ug/Kg) ug/Kg

CAS NO.	COMPOUND	CONCENTRATION UNITS: (ug/L or ug/Kg) ug/Kg	Q
108-95-2	Phenol	340.	IU
111-44-4	bis(2-Chloroethyl)Ether	340.	IU
95-57-8	2-Chlorophenol	340.	IU
541-73-1	1,3-Dichlorobenzene	340.	IU
106-46-7	1,4-Dichlorobenzene	340.	IU
100-51-6	Benzyl alcohol	340.	IU
95-50-1	1,2-Dichlorobenzene	340.	IU
95-48-7	2-Methylphenol	340.	IU
39638-32-9	bis(2-chloroisopropyl)ether	340.	IU
106-44-5	4-Methylphenol	340.	IU
621-64-7	N-Nitroso-Di-n-propylamine	340.	IU
67-72-1	Hexachloroethane	340.	IU
98-95-3	Nitrobenzene	340.	IU
78-59-1	Isophorone	340.	IU
88-75-5	2-Nitrophenol	340.	IU
105-67-9	2,4-Dimethylphenol	340.	IU
65-85-0	Benzoic acid	1700.	IU
111-91-1	bis(2-Chloroethoxy)methane	340.	IU
120-83-2	2,4-Dichlorophenol	340.	IU
120-82-1	1,2,4-Trichlorobenzene	340.	IU
91-20-3	Naphthalene	340.	IU
106-47-8	4-Chloroaniline	340.	IU
87-68-3	Hexachlorobutadiene	340.	IU
59-50-7	4-Chloro-3-methylphenol	340.	IU
91-57-6	2-Methylnaphthalene	340.	IU
77-47-4	Hexachlorocyclopentadiene	340.	IU
88-06-2	2,4,6-Trichlorophenol	340.	IU
95-95-4	2,4,5-Trichlorophenol	1700.	IU
91-58-7	2-Chloronaphthalene	340.	IU
88-74-4	2-Nitroaniline	1700.	IU
131-11-3	Dimethylphthalate	340.	IU
208-96-8	Acenaphthylene	340.	IU
606-20-2	2,6-Dinitrotoluene	340.	IU

John J. Molloy, P.E.  
 Laboratory Director

1C  
 SEMI-VOLATILE ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

B-5

Lab Name: H2M LARS INC.

Contract: GIBBS & HILL

Lab Code: ----- Case No.: ----- SAS No.: ----- SDG No.: G&H 51

Matrix: (soil/water) SOIL Lab Sample ID: 9008546

Sample wt/vol: 30.0 (g/mL) G Lab File ID: >E3000

Level: (low/med) LOW Date Received: 9/10/90

% Moisture: not dec. 2.5 dec. -- Date Extracted: 10/10/90

Extraction: (Sepf/Cont/Sonc) SONC Date Analyzed: 10/13/90

GPC Cleanup: (Y/N) N pH: 9.4 Dilution Factor: 1.00000

CAS NO.	COMPOUND	CONCENTRATION UNITS: (ug/L or ug/Kg) ug/Kg	Q
99-09-2	3-Nitroaniline	1700.	IU
83-32-9	Acenaphthene	340.	IU
51-28-5	2,4-Dinitrophenol	1700.	IU
100-02-7	4-Nitrophenol	1700.	IU
132-64-9	Dibenzofuran	340.	IU
121-14-2	2,4-Dinitrotoluene	340.	IU
84-66-2	Diethylphthalate	340.	IU
7005-72-3	4-Chlorophenyl-phenylether	340.	IU
86-73-7	Fluorene	340.	IU
100-01-6	4-Nitroaniline	1700.	IU
534-52-1	4,6-Dinitro-2-methylphenol	1700.	IU
86-30-6	N-Nitrosodiphenylamine (1)	340.	IU
101-55-3	4-Bromophenyl-phenylether	340.	IU
118-74-1	Hexachlorobenzene	340.	IU
87-96-5	Pentachlorophenol	1700.	IU
85-01-8	Phenanthrene	340.	IU
120-12-7	Anthracene	340.	IU
84-74-2	Di-n-butylphthalate	340.	IU
206-44-0	Fluoranthene	340.	IU
129-00-0	Pyrene	340.	IU
85-68-7	Butylbenzylphthalate	340.	IU
91-94-1	3,3'-Dichlorobenzidine	680.	IU
56-55-3	Benzo(a)anthracene	340.	IU
218-01-9	Chrysene	340.	IU
117-81-7	bis(2-Ethylhexyl)phthalate	450.	I B
117-84-0	Di-n-octylphthalate	340.	IU
205-99-2	Benzo(b)fluoranthene	340.	IU
207-08-9	Benzo(k)fluoranthene	340.	IU
50-32-8	Benzo(a)pyrene	340.	IU
193-39-5	Indeno(1,2,3-cd)pyrene	340*	IU
53-70-3	Dibenz(a,h)anthracene	340*	IU
191-24-2	Benzo(g,h,i)perylene	340*	IU

(1) - Cannot be separated from Diphenylamine

DATE REPORTED: OCT 15 1990

Laboratory Director

S00053

1F

SEMIVOLATILE ORGANICS ANALYSIS DATA SHEET  
 TENTATIVELY IDENTIFIED COMPOUNDS

EPA SAMPLE NO.

B-5

Lab Name: H2M LABS INC.

Contract: GIBBS & HILL

Lab Code: ----- Case No.: -----

SAS No.: ----- SDG No.: G&H 51

Matrix: (soil/water) SOIL

Lab Sample ID: 9008546

Sample wt/vol: 30.0 (g/mL) G

Lab File ID: >E3000

Level: (low/med) LOW

Date Received: 9/10/90

% Moisture: not dec. 2.5 dec. --

Date Extracted: 10/10/90

Extraction: (Sepf/Cont/Sonc) SONC

Date Analyzed: 10/13/90

GPC Cleanup: (Y/N) N pH: 9.4

Dilution Factor: 1.00000

Number TICs found: 0

CONCENTRATION UNITS:  
 (ug/L or ug/Kg) ug/Kg

CAS NUMBER	COMPOUND NAME	RT	EST. CONC.	Q
1.	No non-targeted compounds were found.			
2.				
3.				
4.				
5.				
6.				
7.				
8.				
9.				
10.				
11.				
12.				
13.				
14.				
15.				
16.				
17.				
18.				
19.				
20.				
21.				
22.				
23.				
24.				
25.				
26.				
27.				
28.				
29.	DATE REPORTED: OCT 23 1990			
30.				

10  
PESTICIDE ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

B-5

Lab Name: H2M LABS, INC. Contract: \_\_\_\_\_

Lab Code: \_\_\_\_\_ Case No.: GH51 SAS No.: \_\_\_\_\_ SDG No.: \_\_\_\_\_

Matrix: (soil/water) SOIL Lab Sample ID: 9008546

Sample wt/vol: 30.0 (g/mL) G Lab File ID: \_\_\_\_\_

Level: (low/med) LOW Date Received: 09/10/90

Moisture: not dec. 3 dec. \_\_\_\_\_ Date Extracted: 09/11/90

Extraction: (SepF/Cont/Sonc) SDMC Date Analyzed: 09/27/90

PC Cleanup: (Y/N) Y pH: 7.0 Dilution Factor: 1.00

CONCENTRATION UNITS:

CAS NO.                      COMPOUND                      (ug/L or ug/Kg) UG/KG                      U

319-84-6	alpha-BHC	16	U
319-85-7	beta-BHC	16	U
319-86-8	delta-BHC	16	U
58-89-9	Lindane	16	U
76-44-8	Heptachlor	16	U
309-00-2	Aldrin	16	U
1024-57-3	Heptachlor epoxide	16	U
959-98-8	Endosulfan I	16	U
60-57-1	Dieldrin	33	U
72-55-9	4,4'-DDE	33	U
72-20-8	Endrin	33	U
33213-65-9	Endosulfan II	33	U
72-54-8	4,4'-DDD	33	U
1031-07-8	Endosulfan sulfate	33	U
50-29-3	4,4'-DDT	33	U
72-43-5	Methoxychlor	160	U
53494-70-5	Endrin ketone	33	U
5103-71-9	alpha-Chlordane	160	U
5103-74-2	gamma-Chlordane	160	U
8001-35-2	Toxaphene	330	U
12674-11-2	Aroclor-1016	160	U
11104-28-2	Aroclor-1221	160	U
11141-16-5	Aroclor-1232	160	U
53469-21-9	Aroclor-1242	160	U
12672-29-6	Aroclor-1248	160	U
11097-69-1	Aroclor-1254	330	U
11096-82-5	Aroclor-1260	330	U

DATE REPORTED: OCT 23 1990

\*\*\*\*\*  
\* *W. J. Molloy* \*  
\*\*\*\*\*

John J. Molloy, P.E.  
Laboratory Director

U.S. EPA - CLP

EPA SAMPLE NO.

1  
 INORGANIC ANALYSIS DATA SHEET

XXXXB5

Lab Name: H2M LABS, INC.

Contract: GIBBS&HILL

Lab Code: H2MLAB

Case No.:

SAS No.:

SDG No.: GIB050

Matrix (soil/water): SOIL

Lab Sample ID: 9008546

Level (low/med): LOW

Date Received: 09/10/90

% Solids: 97.5

Concentration Units (ug/L or mg/kg dry weight): MG/KG

CAS No.	Analyte	Concentration	C	Q	M
7429-90-5	Aluminum	573	*		P
7440-36-0	Antimony	7.8	U		P
7440-38-2	Arsenic	0.76	B		F
7440-39-3	Barium	2.2	B		P
7440-41-7	Beryllium	0.12	U		P
7440-43-9	Cadmium	0.80	U		P
7440-70-2	Calcium	47.8	U		P
7440-47-3	Chromium	1.8	B*		P
7440-48-4	Cobalt	9.8	B		P
7440-50-8	Copper	2.3	B		P
7439-89-6	Iron	1310	*		P
7439-92-1	Lead	1.2		N	F
7439-95-4	Magnesium	66.8	B		P
7439-96-5	Manganese	13.3		N*	P
7439-97-6	Mercury	0.09	U		CV
7440-02-0	Nickel	1.7	U		P
7440-09-7	Potassium	94.2	U		P
7782-49-2	Selenium	0.22	U		F
7440-22-4	Silver	2.1		*	A
7440-23-5	Sodium	120	U		P
7440-28-0	Thallium	0.21	U		F
7440-62-2	Vanadium	0.92	U		P
7440-66-6	Zinc	4.6			P
	Cyanide	1.0	U		C

Color Before: BROWN

Clarity Before:

Texture: COARSE

Color After: YELLOW

Clarity After: CLEAR

Artifacts:

Comments:

DATE REPORTED: OCTOBER 24, 1990

\*\*\*\*\*  
 \*  
 \*  
 \*\*\*\*\*

John J. Molloy, P.E. S00036  
 Laboratory Director



575 Broad Hollow Road, Melville, N.Y. 11747  
(516) 694-3040 FAX: (516) 694-4122

1A  
VOLATILE ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

B-6

Lab Name: H2M Contract: NYSDEC  
 Lab Code: H2M Case No.: G&H SAS No.: SDG No.: 50  
 Matrix: (soil/water) SOIL Lab Sample ID: 9008246  
 Sample wt/vol: 5.220 (g/mL) G Lab File ID: P4056  
 Level: (low/med) LOW Date Received: 9/ 7/90  
 Moisture: not dec. 4.6 Date Analyzed: 9/12/90  
 Column: (pack/cap) CAP Dilution Factor: 1.00

CAS NO. COMPOUND CONCENTRATION UNITS:  
(ug/L or ug/Kg) UG/KG Q

74-87-3	-----Chloromethane	10.	U
74-83-9	-----Bromomethane	10.	U
75-01-4	-----Vinyl Chloride	10.	U
75-00-3	-----Chloroethane	10.	U
75-09-2	-----Methylene Chloride	5.	U
67-64-1	-----Acetone	10.	U
75-15-0	-----Carbon Disulfide	5.	U
75-35-4	-----1,1-Dichloroethene	5.	U
75-34-3	-----1,1-Dichloroethane	5.	U
540-59-0	-----1,2-Dichloroethene (total)	5.	U
67-66-3	-----Chloroform	5.	U
107-06-2	-----1,2-Dichloroethane	5.	U
78-93-3	-----2-Butanone	10.	U
71-55-6	-----1,1,1-Trichloroethane	5.	U
56-23-5	-----Carbon Tetrachloride	5.	U
108-05-4	-----Vinyl Acetate	10.	U
75-27-4	-----Bromodichloromethane	5.	U
78-87-5	-----1,2-Dichloropropane	5.	U
10061-01-5	-----cis-1,3-Dichloropropene	5.	U
79-01-6	-----Trichloroethene	5.	U
124-48-1	-----Dibromochloromethane	5.	U
79-00-5	-----1,1,2-Trichloroethane	5.	U
71-43-2	-----Benzene	5.	U
10061-02-6	-----trans-1,3-Dichloropropene	5.	U
75-25-2	-----Bromoform	5.	U
108-10-1	-----4-Methyl-2-Pentanone	10.	U
591-78-6	-----2-Hexanone	10.	U
127-18-4	-----Tetrachloroethene	5.	U
79-34-5	-----1,1,2,2-Tetrachloroethane	5.	U
108-88-3	-----Toluene	5.	U
108-90-7	-----Chlorobenzene *****	5.	U
100-41-4	-----Ethylbenzene * <i>John J. Molloy</i> *	5.	U
100-42-5	-----Styrene * <i>John J. Molloy</i> *	5.	U
1330-20-7	-----Xylene (total) *****	5.	U

John J. Molloy, P.E.  
Laboratory Director

DATE REPORTED: OCT 20 1990

S00037

John J. ...  
Laboratory Director

1/87 Rev. S00039

CAS NUMBER	COMPOUND NAME	RT	EST. CONC.
30			
29			
28			
27			
26			
25			
24			
23			
22			
21			
20			
19			
18			
17			
16			
15			
14			
13			
12			
11			
10			
9			
8			
7			
6			
5			
4			
3			
2			
1			

DATE REPORTED: OCT 2 1990

Number TICs found: 0  
 Column: (pack/cap) CAP  
 Moisture: not dec. 9.6  
 Level: (low/med) LOW  
 sample wt/vol: 5.220 (g/mL) G  
 matrix: (soil/water) SOIL  
 Lab Code: H2M Case No.: G&H SAS No.:  
 Lab Sample ID: 9008246 Lab File ID: P4056  
 Date Received: 9/7/90 Date Analyzed: 9/12/90  
 Dilution Factor: 1.00  
 CONCENTRATION UNITS: (ug/L or ug/Kg) UG/KG

ab Name: H2M Contract: NYSDEC

VOLATILE ORGANICS ANALYSIS DATA SHEET  
 TENTATIVELY IDENTIFIED COMPOUNDS

B-6





U.S. EPA - CLP

EPA SAMPLE NO.

1  
 INORGANIC ANALYSIS DATA SHEET

XXXXB6

Lab Name: H2M LABS, INC.

Contract: GIBBS&HILL

Lab Code: H2MLAB

Case No.:

SAS No.:

SDG No.: GIB050

Matrix (soil/water): SOIL

Lab Sample ID: 9008246

Level (low/med): LOW

Date Received: 09/07/90

% Solids: 95.4

Concentration Units (ug/L or mg/kg dry weight): MG/KG

CAS No.	Analyte	Concentration	C	G	M
7429-90-5	Aluminum	1660	*		P
7440-36-0	Antimony	8.0	U		P
7440-38-2	Arsenic	1.4	B		F
7440-39-3	Barium	2.9	B		P
7440-41-7	Beryllium	0.13	U		P
7440-43-9	Cadmium	0.82	U		P
7440-70-2	Calcium	103	B		P
7440-47-3	Chromium	6.4	*		P
7440-48-4	Cobalt	11.5			P
7440-50-8	Copper	4.0	B		P
7439-89-6	Iron	4660	*		P
7439-92-1	Lead	2.6		N	F
7439-95-4	Magnesium	434	B		P
7439-96-5	Manganese	40.6		N*	P
7439-97-6	Mercury	0.08	U		CV
7440-02-0	Nickel	1.9	B		P
7440-09-7	Potassium	114	B		P
7782-49-2	Selenium	0.23	U		F
7440-22-4	Silver	2.1	*		A
7440-23-5	Sodium	123	U		P
7440-28-0	Thallium	0.21	U		F
7440-62-2	Vanadium	3.2	B		P
7440-66-6	Zinc	11.1			P
	Cyanide	1.0	U		C

Color Before: BROWN

Clarity Before:

Texture: MEDIUM

Color After: YELLOW

Clarity After: CLEAR

Artifacts:

Comments:

\*\*\*\*\*  
 \*  
 \*  
 \*\*\*\*\*

DATE REPORTED: OCTOBER 24, 1990

John J. McManus  
 Laboratory Director

1C

EPA SAMPLE NO.

SEMIVOLATILE ORGANICS ANALYSIS DATA SHEET

B-6

Lab Name: H2M LABS INC. Contract: GIBBS & HILL

Lab Code: ----- Case No.: ----- SAS No.: ----- SDG No.: G&H 50/51

Matrix: (soil/water) SOIL Lab Sample ID: 9008246

Sample wt/vol: 30.0 (g/mL) G Lab File ID: >E2841

Level: (low/med) LOW Date Received: 9/07/90

% Moisture: not dec. 4.6 dec. -- Date Extracted: 9/07/90

Extraction: (Sepf/Cont/Sonc) SONC Date Analyzed: 9/28/90

GPC Cleanup: (Y/N) Y pH: 7.7 Dilution Factor: 1.00000

CONCENTRATION UNITS:  
 (ug/L or ug/Kg) ug/Kg

CAS NO.	COMPOUND	CONCENTRATION UNITS: (ug/L or ug/Kg) ug/Kg	Q
99-09-2	3-Nitroaniline	3500.	IU
83-32-9	Acenaphthene	690.	IU
51-28-5	2,4-Dinitrophenol	3500.	IU
100-02-7	4-Nitrophenol	3500.	IU
132-64-9	Dibenzofuran	690.	IU
121-14-2	2,4-Dinitrotoluene	690.	IU
84-66-2	Diethylphthalate	690.	IU
7005-72-3	4-Chlorophenyl-phenylether	690.	IU
86-73-7	Fluorene	690.	IU
100-01-6	4-Nitroaniline	3500.	IU
534-52-1	4,6-Dinitro-2-methylphenol	3500.	IU
86-30-6	N-Nitrosodiphenylamine (1)	690.	IU
101-55-3	4-Bromophenyl-phenylether	690.	IU
118-74-1	Hexachlorobenzene	690.	IU
87-86-5	Pentachlorophenol	3500.	IU
85-01-8	Phenanthrene	690.	IU
120-12-7	Anthracene	690.	IU
84-74-2	Di-n-butylphthalate	690.	IU
206-44-0	Fluoranthene	690.	IU
129-00-0	Pyrene	690.	IU
85-68-7	Butylbenzylphthalate	690.	IU
91-94-1	3,3'-Dichlorobenzidine	1400.	IU
56-55-3	Benzo(a)anthracene	690.	IU
218-01-9	Chrysene	690.	IU
117-81-7	bis(2-Ethylhexyl)phthalate	940.	I B
117-84-0	Di-n-octylphthalate	690.	IU
205-99-2	Benzo(b)fluoranthene	690.	IU
207-08-9	Benzo(k)fluoranthene	690.	IU
50-32-8	Benzo(a)pyrene	690.	IU
193-39-5	Indeno(1,2,3-cd)pyrene	690.	IU
53-70-3	Dibenz(a,h)anthracene	690.	IU
191-24-2	Benzo(g,h,i)perylene	690.	IU

(1) - Cannot be separated from Diphenylamine Director

560030

1F  
 SEMI-VOLATILE ORGANICS ANALYSIS DATA SHEET  
 TENTATIVELY IDENTIFIED COMPOUNDS

EPA SAMPLE NO.

B-6

Lab Name: H2M LABS INC.

Contract: GIBBS & HILL

Lab Code: ----- Case No.: -----

SAS No.: ----- SDG No.: G&H 50/51

Matrix: (soil/water) SOIL

Lab Sample ID: 9008246

Sample wt/vol: 30.00 (g/mL) g

Lab File ID: >E2841

Level: (low/med) LOW

Date Received: 9/07/90

% Moisture: not dec. 4.6 dec. --

Date Extracted: 9/07/90

Extraction: (Sepf/Cont/Sonc) SONC

Date Analyzed: 9/28/90

GPC Cleanup: (Y/N) Y pH: 7.7

Dilution Factor: 1.00000

CONCENTRATION UNITS:

Number TICs found: 3

(ug/L or ug/Kg) ug/Kg

CAS NUMBER	COMPOUND NAME	RT	EST. CONC.	Q
1.	Unknown	4.37	500.	J
2.	100527 Benzaldehyde (ACN)(DOT)(8CI9)	9.89	980.	J
3.	Unknown	23.46	400.	J
4.				
5.				
6.				
7.				
8.				
9.				
10.				
11.				
12.				
13.				
14.				
15.				
16.				
17.				
18.				
19.				
20.				
21.				
22.				
23.				
24.				
25.				
26.				
27.				
28.				
29.	DATE REPORTED: OCT 28 1990			
30.				

SEMIVOLATILE ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO. \_\_\_\_\_

B-6

Lab Name: H2M LARS INC.

Contract: GIBBS & HILL

Lab Code: -----

Case No.: -----

SAS No.: -----

SDG No.: G&H 50/51

Matrix: (soil/water) SOIL

Lab Sample ID: 9008246

Sample wt/vol: 30.0 (g/mL) G

Lab File ID: >E2841

Level: (low/med) LOW

Date Received: 9/07/90

% Moisture: not dec. 4.6 dec. --

Date Extracted: 9/07/90

Extraction: (Sepf/Cont/Sonc) SONC

Date Analyzed: 9/28/90

GPC Cleanup: (Y/N) Y pH: 7.7

Dilution Factor: 1.00000

CAS NO. COMPOUND CONCENTRATION UNITS:  
 (ug/L or ug/Kg) ug/Kg 0

108-95-2	Phenol	690.	IU
111-44-4	bis(2-Chloroethyl)Ether	690.	IU
95-57-8	2-Chlorophenol	690.	IU
541-73-1	1,3-Dichlorobenzene	690.	IU
106-46-7	1,4-Dichlorobenzene	690.	IU
100-51-6	Benzyl alcohol	690.	IU
95-50-1	1,2-Dichlorobenzene	690.	IU
95-48-7	2-Methylphenol	690.	IU
39638-32-9	bis(2-chloroisopropyl)ether	690.	IU
106-44-5	4-Methylphenol	690.	IU
621-64-7	N-Nitroso-Di-n-propylamine	690.	IU
67-72-1	Hexachloroethane	690.	IU
98-95-3	Nitrobenzene	690.	IU
78-59-1	Isophorone	690.	IU
88-75-5	2-Nitrophenol	690.	IU
105-67-9	2,4-Dimethylphenol	690.	IU
65-85-0	Benzoic acid	430.	IJ
111-91-1	bis(2-Chloroethoxy)methane	690.	IU
120-83-2	2,4-Dichlorophenol	690.	IU
120-82-1	1,2,4-Trichlorobenzene	690.	IU
91-20-3	Naphthalene	690.	IU
106-47-8	4-Chloroaniline	690.	IU
87-68-3	Hexachlorobutadiene	690.	IU
59-50-7	4-Chloro-3-methylphenol	690.	IU
91-57-6	2-Methylnaphthalene	690.	IU
77-47-4	Hexachlorocyclopentadiene	690.	IU
88-06-2	2,4,6-Trichlorophenol	690.	IU
95-95-4	2,4,5-Trichlorophenol	3500.	IU
91-58-7	2-Chloronaphthalene	690.	IU
88-74-4	2-Nitroaniline	3500.	IU
131-11-3	Dimethylphthalate	690.	IU
208-96-8	Acenaphthylene	690.	IU
606-20-2	2,6-Dinitrotoluene	690.	IU

John J. Wilhoj, P.E. Laboratory Director

500092

10  
 PESTICIDE ORGANIC ANALYSIS DATA SHEET:

EPA SAMPLE NO.

P-4

Lab Name: H2M LABS, INC. Contract: \_\_\_\_\_  
 Lab Code: \_\_\_\_\_ Case No.: GH50 SAS No.: \_\_\_\_\_ SDG No.: \_\_\_\_\_  
 Matrix: (soil/water) SOIL Lab Sample ID: 9008246  
 Sample wt/vol: 30.0 (g/mL) G Lab File ID: \_\_\_\_\_  
 Level: (low/med) LOW Date Received: 09/07/90  
 Moisture: not dec. 5 dec. \_\_\_\_\_ Date Extracted: 09/07/90  
 Extraction: (SepF/Cont/Sonc) SONC Date Analyzed: 9/27/90  
 PC Cleanup: (Y/N) Y pH: 7.0 Dilution Factor: 1.00

CONCENTRATION UNITS:

CAS NO.	COMPOUND	(ug/L or ug/Kg) <u>UG/KG</u>	<u>U</u>
319-84-6	alpha-BHC	17	10
319-85-7	beta-BHC	17	10
319-86-8	delta-BHC	17	10
58-89-9	Lindane	17	10
76-44-8	Heptachlor	17	10
309-00-2	Aldrin	17	10
1024-57-3	Heptachlor epoxide	17	10
959-98-8	Endosulfan I	17	10
60-57-1	Dieldrin	34	10
72-55-9	4,4'-DDE	34	10
72-20-8	Endrin	34	10
33213-65-9	Endosulfan II	34	10
72-54-8	4,4'-DDD	34	10
1031-07-8	Endosulfan sulfate	34	10
50-29-3	4,4'-DDT	34	10
72-43-5	Methoxychlor	170	10
53494-70-5	Endrin ketone	34	10
5103-71-9	alpha-Chlordane	170	10
5103-74-2	gamma-Chlordane	170	10
8001-35-2	Toxaphene	340	10
12674-11-2	Aroclor-1016	170	10
11104-28-2	Aroclor-1221	170	10
11141-16-5	Aroclor-1232	170	10
53469-21-9	Aroclor-1242	170	10
12672-29-6	Aroclor-1248	170	10
11097-69-1	Aroclor-1254	340	10
11096-82-5	Aroclor-1260	340	10

DATE REPORTED: OCT 22 1990

\*\*\*\*\*  
 \* *W. J. M. J.* \*  
 \*\*\*\*\*

John J. M. J., PE  
 Laboratory Director

- 9. BLANK SUMMARY DATA AND RESULTS
  - 9.1 VOLATILES
  - 9.2 BASE/NEUTRAL/ACIDS
  - 9.3 PESTICIDE/PCBs
  - 9.4 METALS AND CYANIDE

4A  
VOLATILE METHOD BLANK SUMMARY

Lab Name: H2M LABS INC.

Contract: G&H

Lab Code: .

Case No.: .

SAS No.: .

SDG No.: .

Lab File ID: >P4091

Lab Sample ID: UBLK

Date Analyzed: 9/14/90

Time Analyzed: 14:53

Matrix: (soil/water) WATER

Level: (low/med) LOW

Instrument ID: 70 3

THIS METHOD BLANK APPLIES TO THE FOLLOWING SAMPLES, MS AND MSD:

	EPA SAMPLE NO.	LAB SAMPLE ID	LAB FILE ID	TIME ANALYZED
01	HOLD UBLK	BLANK9/7/90	>P4092	15:20
02	TRIP BLANK	19008247	>P4093	15:55
03	TRIP BLANK	19008250	>P4094	16:26
04	HOLD UBLK	BLANK9/10	>P4097	17:52
05	TRIP UBLK	19008547	>P4098	18:26
06				
07				
08				
09				
10				
11				
12				
13				
14				
15				
16				
17				
18				
19				
20				
21				
22				
23				
24				
25				
26				
27				
28				
29				
30				

COMMENTS: \_\_\_\_\_

S00116

1A  
VOLATILE ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

UBLK 9/14

Lab Name: H2M LABS INC.

Contract: CD&M

Lab Code: .

Case No.: .

SAS No.: .

SDG No.: B-6

Matrix: (soil/water) WATER

Lab Sample ID: BLANK

Sample wt/vol: 5 (g/mL) ML

Lab File ID: >P4091

Level: (low/med) LOW

Date Received: -----

% Moisture: not dec. \_

Date Analyzed: 9/14/90

Column: (pack/cap) CAP

Dilution Factor: 1

CONCENTRATION UNITS:

CAS NO.                      COMPOUND                      (ug/L or ug/Kg) UG/L                      Q

74-87-3	-----Chloromethane	10.	IU
74-83-9	-----Bromomethane	10.	IU
75-01-4	-----Vinyl Chloride	10.	IU
75-00-3	-----Chloroethane	10.	IU
75-09-2	-----Methylene Chloride	5.	IU
67-64-1	-----Acetone	10.	IU
75-15-0	-----Carbon Disulfide	5.	IU
75-35-4	-----1,1-Dichloroethene	5.	IU
75-34-3	-----1,1-Dichloroethane	5.	IU
540-59-0	-----1,2-Dichloroethene (total)	5.	IU
67-66-3	-----Chloroform	5.	IU
107-06-2	-----1,2-Dichloroethane	5.	IU
78-93-3	-----2-Butanone	10.	IU
71-55-6	-----1,1,1-Trichloroethane	5.	IU
56-23-5	-----Carbon Tetrachloride	5.	IU
108-05-4	-----Vinyl Acetate	10.	IU
75-27-4	-----Bromodichloromethane	5.	IU
78-87-5	-----1,2-Dichloropropane	5.	IU
10061-01-5	-----cis-1,3-Dichloropropene	5.	IU
79-01-6	-----Trichloroethene	5.	IU
124-48-1	-----Dibromochloromethane	5.	IU
79-00-5	-----1,1,2-Trichloroethane	5.	IU
71-43-2	-----Benzene	5.	IU
10061-02-6	-----trans-1,3-Dichloropropene	5.	IU
75-25-2	-----Bromoform	5.	IU
108-10-1	-----4-Methyl-2-pentanone	10.	IU
591-78-6	-----2-Hexanone	10.	IU
127-18-4	-----Tetrachloroethene	5.	IU
79-34-5	-----1,1,2,2-Tetrachloroethane	5.	IU
108-88-3	-----Toluene	5.	IU
108-90-7	-----Chlorobenzene	5.	IU
100-41-4	-----Ethylbenzene	5.	IU
100-42-5	-----Styrene	5.	IU
133-02-7	-----Xylene (total)	5.	IU

John J. Molloy, P.E.

Laboratory Director

DATE REPORTED: 09/14/90

500117



1A  
 VOLATILE ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

VBLK 9

Lab Name: H2M

Contract: NYSDEC

Lab Code: H2M

Case No.: G&H

SAS No.:

SDG No.: 50

Matrix: (soil/water) SOIL

Lab Sample ID: VBLK 912

Sample wt/vol: 5.000 (g/mL) G

Lab File ID: P4054

Level: (low/med) LOW

Date Received: 0/ 0/ 0

Moisture: not dec. 0.

Date Analyzed: 9/12/90

Column: (pack/cap) CAP

Dilution Factor: 1.00

CAS NO. COMPOUND CONCENTRATION UNITS:  
 (ug/L or ug/Kg) UG/KG Q

74-87-3	-----Chloromethane	10.	U
74-83-9	-----Bromomethane	10.	U
75-01-4	-----Vinyl Chloride	10.	U
75-00-3	-----Chloroethane	10.	U
75-09-2	-----Methylene Chloride	5.	U
67-64-1	-----Acetone	10.	U
75-15-0	-----Carbon Disulfide	5.	U
75-35-4	-----1,1-Dichloroethene	5.	U
75-34-3	-----1,1-Dichloroethane	5.	U
540-59-0	-----1,2-Dichloroethene (total)	5.	U
67-66-3	-----Chloroform	5.	U
107-06-2	-----1,2-Dichloroethane	5.	U
78-93-3	-----2-Butanone	10.	U
71-55-6	-----1,1,1-Trichloroethane	5.	U
56-23-5	-----Carbon Tetrachloride	5.	U
108-05-4	-----Vinyl Acetate	10.	U
75-27-4	-----Bromodichloromethane	5.	U
78-87-5	-----1,2-Dichloropropane	5.	U
10061-01-5	-----cis-1,3-Dichloropropene	5.	U
79-01-6	-----Trichloroethene	5.	U
124-48-1	-----Dibromochloromethane	5.	U
79-00-5	-----1,1,2-Trichloroethane	5.	U
71-43-2	-----Benzene	5.	U
10061-02-6	-----trans-1,3-Dichloropropene	5.	U
75-25-2	-----Bromoform	5.	U
108-10-1	-----4-Methyl-2-Pentanone	10.	U
591-78-6	-----2-Hexanone	10.	U
127-18-4	-----Tetrachloroethene	5.	U
79-34-5	-----1,1,2,2-Tetrachloroethane	5.	U
108-88-3	-----Toluene	5.	U
108-90-7	-----Chlorobenzene	5.	U
100-41-4	-----Ethylbenzene	5.	U
100-42-5	-----Styrene	5.	U
1330-20-7	-----Xylene (total)	5.	U

DATE REPORTED: OCT 25 1990

John J. McIlroy, P.E.  
 Laboratory Director

500125

1E  
 VOLATILE ORGANICS ANALYSIS DATA SHEET  
 TENTATIVELY IDENTIFIED COMPOUNDS

EPA SAMPLE NO.

VBLK 9

Lab Name: H2M

Contract: NYSDEC

Lab Code: H2M

Case No.: G&H

SAS No.:

SDG No.: 50

Matrix: (soil/water) SOIL

Lab Sample ID: VBLK 912

Sample wt/vol: 5.000 (g/mL) G

Lab File ID: P4054

Level: (low/med) LOW

Date Received: 0/ 0/ 0

Moisture: not dec. 0.

Date Analyzed: 9/12/90

Column: (pack/cap) CAP

Dilution Factor: 1.00

Number TICs found: 0

CONCENTRATION UNITS:  
 (ug/L or ug/Kg) UG/KG

CAS NUMBER	COMPOUND NAME	RT	EST. CONC.	Q
1.				
2.				
3.				
4.				
5.				
6.				
7.				
8.				
9.				
10.				
11.				
12.				
13.				
14.				
15.				
16.				
17.				
18.				
19.				
20.				
21.				
22.				
23.				
24.				
25.				
26.				
27.				
28.				
29.				
30.				

DATE REPORTED: OCT 2, 1990

\*\*\*\*\*  
 \*  
 \*  
 John J. [Signature] P.E.  
 Laboratory Director

1A  
 VOLATILE ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

VBLK9/

Lab Name: H2M Contract: NYSDEC  
 Lab Code: H2M Case No.: G&H SAS No.: SDG No.: 50  
 Matrix: (soil/water) SOIL Lab Sample ID: VBLK9/13  
 Sample wt/vol: 5.000 (g/mL) G Lab File ID: P4067  
 Level: (low/med) LOW Date Received: 0/ 0/ 0  
 Moisture: not dec. 0. Date Analyzed: 9/13/90  
 Column: (pack/cap) CAP Dilution Factor: 1.00

CONCENTRATION UNITS:  
 (ug/L or ug/Kg) UG/KG

CAS NO.	COMPOUND	CONCENTRATION UNITS: (ug/L or ug/Kg) UG/KG	Q
74-87-3	-----Chloromethane	10.	U
74-83-9	-----Bromomethane	10.	U
75-01-4	-----Vinyl Chloride	10.	U
75-00-3	-----Chloroethane	10.	U
75-09-2	-----Methylene Chloride	5.	U
67-64-1	-----Acetone	10.	U
75-15-0	-----Carbon Disulfide	5.	U
75-35-4	-----1,1-Dichloroethene	5.	U
75-34-3	-----1,1-Dichloroethane	5.	U
540-59-0	-----1,2-Dichloroethene (total)	5.	U
67-66-3	-----Chloroform	5.	U
107-06-2	-----1,2-Dichloroethane	5.	U
78-93-3	-----2-Butanone	10.	U
71-55-6	-----1,1,1-Trichloroethane	5.	U
56-23-5	-----Carbon Tetrachloride	5.	U
108-05-4	-----Vinyl Acetate	10.	U
75-27-4	-----Bromodichloromethane	5.	U
78-87-5	-----1,2-Dichloropropane	5.	U
10061-01-5	-----cis-1,3-Dichloropropene	5.	U
79-01-6	-----Trichloroethene	5.	U
124-48-1	-----Dibromochloromethane	5.	U
79-00-5	-----1,1,2-Trichloroethane	5.	U
71-43-2	-----Benzene	5.	U
10061-02-6	-----trans-1,3-Dichloropropene	5.	U
75-25-2	-----Bromoform	5.	U
108-10-1	-----4-Methyl-2-Pentanone	10.	U
591-78-6	-----2-Hexanone	10.	U
127-18-4	-----Tetrachloroethene	5.	U
79-34-5	-----1,1,2,2-Tetrachloroethane	5.	U
108-88-3	-----Toluene	5.	U
108-90-7	-----Chlorobenzene	5.	U
100-41-4	-----Ethylbenzene	5.	U
100-42-5	-----Styrene	5.	U
1330-20-7	-----Xylene (total)	5.	U

DATE REPORTED: OCT 25 1990

*John J. Mollov*  
 John J. Mollov, P.E.  
 Laboratory

S00127



575 Broad Hollow Road, Melville, N.Y. 11747  
(516) 694-3040 FAX: (516) 694-4122

1E

EPA SAMPLE NO.

VOLATILE ORGANICS ANALYSIS DATA SHEET  
TENTATIVELY IDENTIFIED COMPOUNDS

VBLK9/

Lab Name: H2M

Contract: NYSDEC

Lab Code: H2M

Case No.: G&H

SAS No.:

SDG No.: 50

Matrix: (soil/water) SOIL

Lab Sample ID: VBLK9/13

Sample wt/vol: 5.000 (g/mL) G

Lab File ID: P4067

Level: (low/med) LOW

Date Received: 0/ 0/ 0

Moisture: not dec. 0.

Date Analyzed: 9/13/90

Column: (pack/cap) CAP

Dilution Factor: 1.00

Number TICs found: 0

CONCENTRATION UNITS:  
(ug/L or ug/Kg) UG/KG

CAS NUMBER	COMPOUND NAME	RT	EST. CONC.	Q
1.				
2.				
3.				
4.				
5.				
6.				
7.				
8.				
9.				
10.				
11.				
12.				
13.				
14.				
15.				
16.				
17.				
18.				
19.				
20.				
21.				
22.				
23.				
24.				
25.				
26.				
27.				
28.				
29.				
30.				

\*\*\*\*\*  
 \*  
 \*  
 \*\*\*\*\*  
 ✓ John J. [Signature]  
 Laboratory Director

500125

4B  
 SEMI-VOLATILE METHOD BLANK SUMMARY


Lab Name: H2M LABS INC. Contract: GIBBS & HILL  
 Lab Code: ----- Case No.: ----- SAS No.: ----- SOG No.: G&H 51  
 Lab File ID: >E2990 Lab Sample ID: SBLK 028  
 Date Extracted 10/10/90 Extraction: (SepF/Cont/Sonc) SONC  
 Date Analyzed: 10/12/90 Time Analyzed: 13:00  
 Matrix: (soil/water) SOIL Level: (low/med) LOW  
 Instrument ID: 70 2

THIS METHOD BLANK APPLIES TO THE FOLLOWING SAMPLES, MS AND MSD:

EPA SAMPLE NO.	LAB SAMPLE ID	LAB FILE ID	DATE ANALYZED
01 B-3	19008544	>E2991	10/12/90
02 B-3 MS	19008544 MS	>E2992	10/12/90
03 B-3 MSD	19008544 MSD	>E2993	10/12/90
04 B-4	19008545	>E2994	10/12/90
05 B-5	19008546	>E3000	10/13/90
06 MSB (10-10)	MSB (10-10)	>E3001	10/13/90
07			
08			
09			
10			
11			
12			
13			
14			
15			
16			
17			
18			
19			
20			
21			
22			
23			
24			
25			
26			
27			
28			
29			
30			

COMMENTS:

S00129



575 Broad Hollow Road, Melville, N.Y. 11747  
(516) 694-3040 FAX: (516) 694-4122

4B

SEMIVOLATILE METHOD BLANK SUMMARY

Lab Name: H2M LABS INC.

Contract: GIBBS & HILL

Lab Code: -----

Case No.: -----

SAS No.: -----

SDG No.: G&H 50/51

Lab File ID: >E2840

Lab Sample ID: SBLK 938

Date Extracted 9/07/90

Extraction: (SepF/Cont/Sonc) SONC

Date Analyzed: 9/28/90

Time Analyzed: 19:23

Matrix: (soil/water) SOIL

Level: (low/med) LOW

Instrument ID: 70 2

THIS METHOD BLANK APPLIES TO THE FOLLOWING SAMPLES, MS AND MSD:

	EPA SAMPLE NO.	LAB SAMPLE ID	LAB FILE ID	DATE ANALYZED
01	B-6	9008246	>E2841	9/28/90
02	B-1	9008248	>E2842	9/28/90
03				
04				
05				
06				
07				
08				
09				
10				
11				
12				
13				
14				
15				
16				
17				
18				
19				
20				
21				
22				
23				
24				
25				
26				
27				
28				
29				
30				

COMMENTS:

\_\_\_\_\_

S00130

4B  
SEMIVOLATILE METHOD BLANK SUMMARY

Lab Name: H2M LABS INC. Contract: GIBBS & HILL  
Lab Code: ----- Case No.: ----- SAS No.: ----- SDG No.: G&H 50/51  
Lab File ID: >E2839 Lab Sample ID: SBLK 936  
Date Extracted 9/07/90 Extraction: (SepF/Cont/Sonc) SDNC  
Date Analyzed: 9/28/90 Time Analyzed: 18:29  
Matrix: (soil/water) SOIL Level: (low/med) LOW  
Instrument ID: 70 2

THIS METHOD BLANK APPLIES TO THE FOLLOWING SAMPLES, MS AND MSD:

	EPA SAMPLE NO.	LAB SAMPLE ID	LAB FILE ID	DATE ANALYZED
01	B-2	9008249	>E2843	9/28/90
02				
03				
04				
05				
06				
07				
08				
09				
10				
11				
12				
13				
14				
15				
16				
17				
18				
19				
20				
21				
22				
23				
24				
25				
26				
27				
28				
29				
30				

COMMENTS: \_\_\_\_\_

1B  
 SEMI-VOLATILE ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

SBLK 028

Lab Name: H2M LABS INC.

Contract: GIBBS & HILL

Lab Code: -----

Case No.: -----

SAS No.: -----

SDG No.: G&H 51

Matrix: (soil/water) SOIL

Lab Sample ID: SBLK 028

Sample wt/Vol: 30.0 (g/mL) G

Lab File ID: >E2990

Level: (low/med) LOW

Date Received: -----

% Moisture: not dec. --- dec. --

Date Extracted: 10/10/90

Extraction: (Sepf/Cont/Sonc) SONC

Date Analyzed: 10/12/90

GPC Cleanup: (Y/N) Y pH: --

Dilution Factor: 1.00000

CONCENTRATION UNITS:

(ug/L or ug/Kg) ug/Kg

CAS NO.	COMPOUND	CONCENTRATION UNITS: (ug/L or ug/Kg) ug/Kg	Q
108-95-2	Phenol	660.	1U
111-44-4	bis(2-Chloroethyl)Ether	660.	1U
95-57-8	2-Chlorophenol	660.	1U
541-73-1	1,3-Dichlorobenzene	660.	1U
106-46-7	1,4-Dichlorobenzene	660.	1U
100-51-6	Benzyl alcohol	660.	1U
95-50-1	1,2-Dichlorobenzene	660.	1U
95-48-7	2-Methylphenol	660.	1U
39638-32-9	bis(2-chloroisopropyl)ether	660.	1U
106-44-5	4-Methylphenol	660.	1U
621-64-7	N-Nitroso-Di-n-propylamine	660.	1U
67-72-1	Hexachloroethane	660.	1U
98-95-3	Nitrobenzene	660.	1U
78-59-1	Isophorone	660.	1U
88-75-5	2-Nitrophenol	660.	1U
105-67-9	2,4-Dimethylphenol	660.	1U
65-85-0	Benzoic acid	3300.	1U
111-91-1	bis(2-Chloroethoxy)methane	660.	1U
120-83-2	2,4-Dichlorophenol	660.	1U
120-82-1	1,2,4-Trichlorobenzene	660.	1U
91-20-3	Naphthalene	660.	1U
106-47-8	4-Chloroaniline	660.	1U
87-68-3	Hexachlorobutadiene	660.	1U
59-50-7	4-Chloro-3-methylphenol	660.	1U
91-57-6	2-Methylnaphthalene	660.	1U
77-47-4	Hexachlorocyclopentadiene	660.	1U
88-06-2	2,4,6-Trichlorophenol	660.	1U
95-95-4	2,4,5-Trichlorophenol	3300.	1U
91-58-7	2-Chloronaphthalene	660.	1U
88-74-4	2-Nitroaniline	3300.	1U
131-11-3	Dimethylphthalate	660.	1U
208-96-8	Acenaphthylene	660.	1U
606-20-2	2,6-Dinitrotoluene	660.	1U

*John J. Molloy*  
 Laboratory Director

SG0132





575 Broad Hollow Road, Meville, N.Y. 11747  
(516) 694-3040 FAX: (516) 694-4122

1C  
SEMIVOLATILE ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

SBLK 028

Lab Name: H2M LABS INC.

Contract: GIBBS & HILL

Lab Code: ----- Case No.: ----- SAS No.: ----- SDG No.: G&H 51

Matrix: (soil/water) SDIL Lab Sample ID: SBLK 028

Sample wt/vol: 30.0 (g/mL) G Lab File ID: >E2990

Level: (low/med) LDM Date Received: -----

% Moisture: not dec.-- dec. -- Date Extracted: 10/10/90

Extraction: (Sepf/Cont/Sonc) SONC Date Analyzed: 10/12/90

GPC Cleanup: (Y/N) Y pH:-- Dilution Factor: 1.00000

CONCENTRATION UNITS:

CAS NO. COMPOUND (ug/L or ug/Kg) ug/Kg Q

99-09-2-----3-Nitroaniline	3300.	IU
83-32-9-----Acenaphthene	660.	IU
51-28-5-----2,4-Dinitrophenol	3300.	IU
100-02-7-----4-Nitrophenol	3300.	IU
132-64-9-----Dibenzofuran	660.	IU
121-14-2-----2,4-Dinitrotoluene	660.	IU
84-66-2-----Diethylphthalate	660.	IU
7005-72-3-----4-Chlorophenyl-phenylether	660.	IU
86-73-7-----Fluorene	660.	IU
100-01-6-----4-Nitroaniline	3300.	IU
534-52-1-----4,6-Dinitro-2-methylphenol	3300.	IU
86-30-6-----N-Nitrosodiphenylamine_(1)	660.	IU
101-55-3-----4-Bromophenyl-phenylether	660.	IU
118-74-1-----Hexachlorobenzene	660.	IU
87-86-5-----Pentachlorophenol	3300.	IU
85-01-8-----Phenanthrene	660.	IU
120-12-7-----Anthracene	660.	IU
84-74-2-----Di-n-butylphthalate	660.	IU
206-44-0-----Fluoranthene	660.	IU
129-00-0-----Pyrene	660.	IU
85-68-7-----Butylbenzylphthalate	660.	IU
91-94-1-----3,3'-Dichlorobenzidine	1300.	IU
56-55-3-----Benzo(a)anthracene	660.	IU
218-01-9-----Chrysene	660.	IU
117-81-7-----bis(2-Ethylhexyl)phthalate	250.	IJB
117-84-0-----Di-n-octylphthalate	660.	IU
205-99-2-----Benzo(b)fluoranthene	660.	IU
207-08-9-----Benzo(k)fluoranthene	660.	IU
50-32-8-----Benzo(a)pyrene	660.	IU
193-39-5-----Indeno(1,2,3-cd)pyrene	660.	IU
53-70-3-----Dibenz(a,h)anthracene	660.	IU
191-24-2-----Benzo(g,h,i)perylene	660.	IU

(1) Cannot be separated from Diphenylamine  
DATE REPORTED: OCT 25 1990 Laboratory Director

S00133

1F  
 SEMI-VOLATILE ORGANICS ANALYSIS DATA SHEET  
 TENTATIVELY IDENTIFIED COMPOUNDS

EPA SAMPLE NO.

SBLK 028

Lab Name: H2M LABS INC.

Contract: GIBBS & HILL

Lab Code: ----- Case No.: ----- SAS No.: ----- SDG No.: G&H 51

Matrix: (soil/water) SDIL Lab Sample ID: SBLK 028

Sample wt/vol: 30.0 (g/mL) G Lab File ID: >E2990

Level: (low/med) LOW Date Received: -----

% Moisture: not dec. -- dec. -- Date Extracted: 10/10/90

Extraction: (Sepf/Cont/Sonc) SONC Date Analyzed: 10/12/90

GPC Cleanup: (Y/N) Y pH: -- Dilution Factor: 1.00000

CONCENTRATION UNITS:

Number TICs found: 0 (ug/L or ug/Kg) ug/Kg

CAS NUMBER	COMPOUND NAME	RT	EST. CONC.	Q
1.	No non-targeted compounds were found.			
2.				
3.				
4.				
5.				
6.				
7.				
8.				
9.				
10.				
11.				
12.				
13.				
14.				
15.				
16.				
17.				
18.				
19.				
20.				
21.				
22.				
23.				
24.				
25.				
26.				
27.				
28.				
29.				
30.				

DATE REPORTED: OCT 20 1990

S0013

1B  
 SEMI-VOLATILE ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

Lab Name: H2M LABS INC.

Contract: GIRBS & HILL

SBLK 936

Lab Code: ----- Case No.: ----- SAS No.: ----- SDG No.: G&H 50/51

Matrix: (soil/water) SOIL Lab Sample ID: SBLK 936

Sample wt/vol: 30.0 (g/mL) G Lab File ID: >E2839

Level: (low/med) LOW Date Received: -----

% Moisture: not dec. -- dec. -- Date Extracted: 9/07/90

Extraction: (Sepf/Cont/Sonc) SONC Date Analyzed: 9/28/90

GPC Cleanup: (Y/N) N pH: -- Dilution Factor: 1.00000

CONCENTRATION UNITS:

CAS NO. COMPOUND (ug/L or ug/Kg) ug/Kg Q

108-95-2	Phenol	330.	U
111-44-4	bis(2-Chloroethyl)Ether	330.	U
95-57-8	2-Chlorophenol	330.	U
541-73-1	1,3-Dichlorobenzene	330.	U
106-46-7	1,4-Dichlorobenzene	330.	U
100-51-6	Benzyl alcohol	330.	U
95-50-1	1,2-Dichlorobenzene	330.	U
95-48-7	2-Methylphenol	330.	U
39638-32-9	bis(2-chloroisopropyl)ether	330.	U
106-44-5	4-Methylphenol	330.	U
621-64-7	N-Nitroso-Di-n-propylamine	330.	U
67-72-1	Hexachloroethane	330.	U
98-95-3	Nitrobenzene	330.	U
78-59-1	Isophorone	330.	U
88-75-5	2-Nitrophenol	330.	U
105-67-9	2,4-Dimethylphenol	330.	U
65-85-0	Benzoic acid	1600.	U
111-91-1	bis(2-Chloroethoxy)methane	330.	U
120-83-2	2,4-Dichlorophenol	330.	U
120-82-1	1,2,4-Trichlorobenzene	330.	U
91-20-3	Naphthalene	330.	U
106-47-8	4-Chloroaniline	330.	U
87-68-3	Hexachlorobutadiene	330.	U
59-50-7	4-Chloro-3-methylphenol	330.	U
91-57-6	2-Methylnaphthalene	330.	U
77-47-4	Hexachlorocyclopentadiene	330.	U
88-06-2	2,4,6-Trichlorophenol	330.	U
95-95-4	2,4,5-Trichlorophenol	1600.	U
91-58-7	2-Chloronaphthalene	330.	U
88-74-4	2-Nitroaniline	1600.	U
131-11-3	Dimethylphthalate	330.	U
208-96-8	Acenaphthylene	330.	U
606-20-2	2,6-Dinitrotoluene	330.	U

S00135



575 Broad Hollow Road, Melville, N.Y. 11747  
(516) 694-3040 FAX: (516) 694-4122

1C  
SEMIVOLATILE ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

SBLK 936

Lab Name: H2M LABS INC.

Contract: GIBBS & HILL

Lab Code: -----

Case No.: -----

SAS No.: -----

SDG No.: G&H 50/51

Matrix: (soil/water) SOIL

Lab Sample ID: SBLK 936

Sample wt/vol: 30.0 (g/mL) G

Lab File ID: >E2839

Level: (low/med) LOW

Date Received: -----

% Moisture: not dec.-- dec.--

Date Extracted: 9/07/90

Extraction: (Sepf/Cont/Sonc) SONC

Date Analyzed: 9/28/90

GPC Cleanup: (Y/N) N pH:--

Dilution Factor: 1.00000

CAS NO.	COMPOUND	CONCENTRATION UNITS: (ug/L or ug/Kg) ug/Kg	Q
99-09-2	3-Nitroaniline	1600.	IU
83-32-9	Acenaphthene	330.	IU
51-28-5	2,4-Dinitrophenol	1600.	IU
100-02-7	4-Nitrophenol	1600.	IU
132-64-9	Dibenzofuran	330.	IU
121-14-2	2,4-Dinitrotoluene	330.	IU
84-66-2	Diethylphthalate	330.	IU
7005-72-3	4-Chlorophenyl-phenylether	330.	IU
86-73-7	Fluorene	330.	IU
100-01-6	4-Nitroaniline	1600.	IU
534-52-1	4,6-Dinitro-2-methylphenol	1600.	IU
86-30-6	N-Nitrosodiphenylamine (1)	330.	IU
101-55-3	4-Bromophenyl-phenylether	330.	IU
118-74-1	Hexachlorobenzene	330.	IU
87-86-5	Pentachlorophenol	1600.	IU
85-01-8	Phenanthrene	330.	IU
120-12-7	Anthracene	330.	IU
84-74-2	Di-n-butylphthalate	330.	IU
206-44-0	Fluoranthene	330.	IU
129-00-0	Pyrene	330.	IU
85-68-7	Butylbenzylphthalate	330.	IU
91-94-1	3,3'-Dichlorobenzidine	660.	IU
56-55-3	Benzo(a)anthracene	330.	IU
218-01-9	Chrysene	330.	IU
117-81-7	bis(2-Ethylhexyl)phthalate	70.	IJB
117-84-0	Di-n-octylphthalate	330.	IU
205-99-2	Benzo(b)fluoranthene	330.	IU
207-08-9	Benzo(k)fluoranthene	330.	IU
50-32-8	Benzo(a)pyrene	330.	IU
193-39-5	Indeno(1,2,3-cd)pyrene	330.	IU
53-70-3	Dibenz(a,h)anthracene	330.	IU
191-24-2	Benzo(g,h,i)perylene	330.	IU

(1) - Cannot be separated from Diphenylamine; *see* *see* *see*

S00130

1F  
 SEMI-VOLATILE ORGANICS ANALYSIS DATA SHEET  
 TENTATIVELY IDENTIFIED COMPOUNDS

SBLK 936

Lab Name: H2M LABS INC.

Contract: GIBBS & HILL

Lab Code: ----- Case No.: ----- SAS No.: ----- SDG No.: G&H 50/51

Matrix: (soil/water) SOIL Lab Sample ID: SBLK 936

Sample wt/vol: 30.00 (g/mL) g Lab File ID: >E2839

Level: (low/med) LOW Date Received: -----

% Moisture: not dec. -- dec. -- Date Extracted: 9/07/90

Extraction: (Sepf/Cont/Sonc) SONC Date Analyzed: 9/28/90

GPC Cleanup: (Y/N) N pH: -- Dilution Factor: 1.00000

CONCENTRATION UNITS:  
 (ug/L or ug/Kg) ug/Kg

Number TICs found: 1

CAS NUMBER	COMPOUND NAME	RT	EST. CONC.	Q
1.	Unknown	19.83	190.	J
2.				
3.				
4.				
5.				
6.				
7.				
8.				
9.				
10.				
11.				
12.				
13.				
14.				
15.				
16.				
17.				
18.				
19.				
20.				
21.				
22.				
23.				
24.				
25.				
26.		*****	*****	
27.		*	*	
28.		* <i>M. J. McInnis</i> *		
29.		*****	*****	
29.	DATE REPORTED: JUL 23 1990			
30.		<i>John J. McInnis</i> P.E. Laboratory Director		S00137

SEMIVOLATILE ORGANICS ANALYSIS DATA SHEET

SBLK 938

Lab Name: H2M LABS INC.

Contract: GIBBS & HILL

Lab Code: -----

Case No.: -----

SAS No.: -----

SDG No.: G&H 50/51

Matrix: (soil/water) SOIL

Lab Sample ID: SBLK 938

Sample wt/vol: 30.0 (g/mL) G

Lab File ID: >E2840

Level: (low/med) LOW

Date Received: -----

% Moisture: not dec. -- dec. --

Date Extracted: 9/07/90

Extraction: (Sepf/Cont/Sonc) SONC

Date Analyzed: 9/28/90

GPC Cleanup: (Y/N) Y pH: --

Dilution Factor: 1.00000

CAS NO.	COMPOUND	CONCENTRATION UNITS: (ug/L or ug/Kg) ug/Kg	Q
108-95-2	Phenol	660.	IU
111-44-4	bis(2-Chloroethyl)Ether	660.	IU
95-57-8	2-Chlorophenol	660.	IU
541-73-1	1,3-Dichlorobenzene	660.	IU
106-46-7	1,4-Dichlorobenzene	660.	IU
100-51-6	Benzyl alcohol	660.	IU
95-50-1	1,2-Dichlorobenzene	660.	IU
95-48-7	2-Methylphenol	660.	IU
39638-32-9	bis(2-chloroisopropyl)ether	660.	IU
106-44-5	4-Methylphenol	660.	IU
621-64-7	N-Nitroso-Di-n-propylamine	660.	IU
67-72-1	Hexachloroethane	660.	IU
98-95-3	Nitrobenzene	660.	IU
78-59-1	Isophorone	660.	IU
88-75-5	2-Nitrophenol	660.	IU
105-67-9	2,4-Dimethylphenol	660.	IU
65-85-0	Benzoic acid	3300.	IU
111-91-1	bis(2-Chloroethoxy)methane	660.	IU
120-83-2	2,4-Dichlorophenol	660.	IU
120-82-1	1,2,4-Trichlorobenzene	660.	IU
91-20-3	Naphthalene	660.	IU
106-47-8	4-Chloroaniline	660.	IU
87-68-3	Hexachlorobutadiene	660.	IU
59-50-7	4-Chloro-3-methylphenol	660.	IU
91-57-6	2-Methylnaphthalene	660.	IU
77-47-4	Hexachlorocyclopentadiene	660.	IU
88-06-2	2,4,6-Trichlorophenol	660.	IU
95-95-4	2,4,5-Trichlorophenol	3300.	IU
91-58-7	2-Chloronaphthalene	660.	IU
88-74-4	2-Nitroaniline	3300.	IU
131-11-3	Dimethylphthalate	660.	IU
208-96-8	Acenaphthylene	660.	IU
606-20-2	2,6-Dinitrotoluene	660.	IU

S00138

J. Moily, P.E.

FORM 10 SU-1 Laboratory Director

1/87 Rev.



575 Broad Hollow Road, Melville, N.Y. 11747  
(516) 694-3040 FAX: (516) 694-4122

1C  
SEMIVOLATILE ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

SBLK 938

Lab Name: H2M LABS INC.

Contract: GIBBS & HILL

Lab Code: ----- Case No.: ----- SAS No.: ----- SDG No.: G&H 50/51

Matrix: (soil/water) SOIL Lab Sample ID: SBLK 938

Sample wt/vol: 30.0 (g/mL) G Lab File ID: >E2840

Level: (low/med) LOW Date Received: -----

% Moisture: not dec. -- dec. -- Date Extracted: 9/07/90

Extraction: (Sepf/Cont/Sonc) SONC Date Analyzed: 9/28/90

GPC Cleanup: (Y/N) Y pH: -- Dilution Factor: 1.00000

CAS NO.	COMPOUND	CONCENTRATION UNITS: (ug/L or ug/Kg) ug/Kg	Q
99-09-2	3-Nitroaniline	3300.	IU
83-32-9	Acenaphthene	660.	IU
51-28-5	2,4-Dinitrophenol	3300.	IU
100-02-7	4-Nitrophenol	3300.	IU
132-64-9	Dibenzofuran	660.	IU
121-14-2	2,4-Dinitrotoluene	660.	IU
84-66-2	Diethylphthalate	660.	IU
7005-72-3	4-Chlorophenyl-phenylether	660.	IU
86-73-7	Fluorene	660.	IU
100-01-6	4-Nitroaniline	3300.	IU
534-52-1	4,6-Dinitro-2-methylphenol	3300.	IU
86-30-6	N-Nitrosodiphenylamine (1)	660.	IU
101-55-3	4-Bromophenyl-phenylether	660.	IU
118-74-1	Hexachlorobenzene	660.	IU
87-86-5	Pentachlorophenol	3300.	IU
85-01-8	Phenanthrene	660.	IU
120-12-7	Anthracene	660.	IU
84-74-2	Di-n-butylphthalate	660.	IU
206-44-0	Fluoranthene	660.	IU
129-00-0	Pyrene	660.	IU
85-68-7	Butylbenzylphthalate	660.	IU
91-94-1	3,3'-Dichlorobenzidine	1300.	IU
56-55-3	Benzo(a)anthracene	660.	IU
218-01-9	Chrysene	660.	IU
117-81-7	bis(2-Ethylhexyl)phthalate	700.	I B
117-84-0	Di-n-octylphthalate	660.	IU
205-99-2	Benzo(b)fluoranthene	660.	IU
207-08-9	Benzo(k)fluoranthene	660.	IU
50-32-8	Benzo(a)pyrene	660.	IU
193-39-5	Indeno(1,2,3-cd)pyrene	660.	IU
53-70-3	Dibenz(a,h)anthracene	660.	IU
191-24-2	Benzo(g,h,i)perylene	660.	IU

(1) - Cannot be separated from Diphenylamine

DATE REPORTED

FORM I SU-2

Lab

1/87 Rev.

SU0139

1F

## SEMIVOLATILE ORGANICS ANALYSIS DATA SHEET TENTATIVELY IDENTIFIED COMPOUNDS

EPA SAMPLE NO.

SBLK 938

Lab Name: H2M LABS INC.

Contract: GIBBS & HILL

Lab Code: ----- Case No.: -----

SAS No.: ----- SDG No.: G&H 50/51

Matrix: (soil/water) SOIL

Lab Sample ID: SBLK 938

Sample wt/vol: 30.00 (g/mL) g

Lab File ID: >E2840

Level: (low/med) LOW

Date Received: -----

% Moisture: not dec. -- dec. --

Date Extracted: 9/07/90

Extraction: (Sepf/Cont/Sonc) SONC

Date Analyzed: 9/28/90

GPC Cleanup: (Y/N) Y pH: --

Dilution Factor: 1.00000

Number TICs found: 1

CONCENTRATION UNITS:  
(ug/L or ug/Kg) ug/Kg

CAS NUMBER	COMPOUND NAME	RT	EST. CONC.	Q
1.	Unknown	5.73	280.	J
2.				
3.				
4.				
5.				
6.				
7.				
8.				
9.				
10.				
11.				
12.				
13.				
14.				
15.				
16.				
17.				
18.				
19.				
20.				
21.				
22.				
23.				
24.				
25.				
26.				
27.				
28.				
29.				
30.				

DATE REPORTED: OCT 28 1990




Analytical Data Package For

**GIBBS & HILL PROJECT  
GIBBS & HILL, INC.  
BAILER BLANKS**

Water Samples  
Received September 19, 1990

**SAMPLE DATA  
SUMMARY PACKAGE**

September 1990



**H2M LABS, INC.**

Environmental Testing Laboratories  
575 Broad Hollow Road, Melville, N.Y. 11747

### 3. CASE NARRATIVES

ENVIRONMENTAL and INDUSTRIAL ANALYTICAL LABORATORY

CASE NARRATIVE FOR VOLATILE ORGANICS  
GIB054

FOR SAMPLE NO'S.: BAILER 1 (9009470) BAILER 5 (9009474)  
BAILER 2 (9009471) BAILER 6 (9009475)  
BAILER 3 (9009472) BAILER 7 (9009476)  
BAILER 4 (9009473)

QC DATA

All QC requirements were met for this data package.

TUNING CRITERIA/CALIBRATION

All tuning criteria were met for this data package. All QC requirements were met for the initial calibration performed 09/13/90. Two continuing calibration check standards were analyzed on 09/14/90 to meet the initial calibration. The CCC analyte vinyl chloride still failed to meet required QC limits of < 25% D. This analyte was not detected in any analyzed samples and this deviation is not believed to effect the quality of the data submitted.

SAMPLE ANALYSIS

All samples were analyzed within the contract specified holding time.

I certify that this data package is in compliance with the terms and conditions of the contract, both technically and for completeness, for other than the conditions detailed above. Release of the data contained in this hardcopy data package has been authorized by the Laboratory Manager or his designee, as verified by the following signature.

Date Reported: 1/09/90

\*\*\*\*\*  
\* *Glenn Bochicchio* \*  
\*\*\*\*\*

Glenn Bochicchio  
GC/MS Supervisor

**ENVIRONMENTAL and INDUSTRIAL ANALYTICAL LABORATORY**

**CASE NARRATIVE FOR SEMI VOLATILE ORGANICS  
GIB054**

FOR SAMPLE NO'S.: BAILER 1 (9009470) BAILER 5 (9009474)  
BAILER 2 (9009471) BAILER 6 (9009475)  
BAILER 3 (9009472) BAILER 7 (9009476)  
BAILER 4 (9009473)

QC DATA

Phenol-d6 exceeded surrogate recovery limits for samples Bailer 1,3,6,7. Six spiked analytes failed QC recovery limits for the MSB extracted 10/18/90.

TUNING CRITERIA/CALIBRATION

All tuning requirements for this data package were met. All QC requirements for the initial calibration performed 10/23/90 were met. Ten analytes exceeded a % difference of 20% for the calibration standard analyzed 10/24/90.

The response factors from the calibration standard analyzed 10/24/90 were not updated in the ID file. All calculated values reflect the response factors from this standard.

The quantitation ion of 4-Nitrophenol was changed from 139 to 65 due to interference from Dibenzofuran.

SAMPLE ANALYSIS

All samples originally extracted 9/19/90 were re-extracted 10/18/90 due to the extracts being contaminated with toluene. It is suspected that the batch of solvent was the source of contamination. There was insufficient sample volume to repeat the MS/MSD extraction.

I certify that this data package is in compliance with the terms and conditions of the contract, both technically and for completeness, for other than the conditions detailed above. Release of the data contained in this hardcopy data package has been authorized by the Laboratory Manager or his designee, as verified by the following signature.

Date Reported: 1/21/90

\*\*\*\*\*

\* *Glenn Bochicchio* \*

\*\*\*\*\*  
Glenn Bochicchio  
GC/MS Supervisor

S 0023

ENVIRONMENTAL and INDUSTRIAL ANALYTICAL LABORATORY

CASE NARRATIVE FOR PESTICIDES/PCB's  
GIB054

FOR SAMPLES:	Bailer-1 MS/MSD	9009470 MS/MSD
	Bailer-2	9009471
	Bailer-3	9009472
	Bailer-4	9009473
	Bailer-5	9009474
	Bailer-6	9009475
	Bailer-7	9009476

QC DATA

Surrogate recoveries for DBC was exceeded in one of the eleven extracts. recovery data for matrix spike and matrix spike duplicate met the QC limits. In the matrix spike blank three of the six spiked compound recoveries were under 75%. One blank was extracted and analyzed with this group of samples; no compounds interfering with the targeted analytes were observed.

CALIBRATION

System performance checks and continuous calibration for primary sequence, started on 10/08/90, were in compliance with the protocol. Response for 4,4-DDT was not linear, but none of the sample contained DDT.

The confirmatory sequence, started on 10/09/90, was valid up to the EVAL B standard injected on 10/12/90 at 00:41. The next standard injected, an individual STD A did not meet the continuous calibration criteria. All samples analyzed after the last compliant standard were reanalyzed in a different confirmatory sequence, started on 10/15/90. In this sequence all system performance checks were in compliance with the protocol.

SAMPLE ANALYSIS

All samples were extracted and analyzed within holding times. None contained targeted analytes.

The data system applies a 1 % window for tentative identification. The data are reviewed by the analyst and the following codes are used to indicate reasons for rejections of identifications:

# H2M LABS, INC.

- L smaller than the contract required reporting limit on primary column
- M outside the actual retention time window established
- N PCB isomer interfering with pesticides (Raise reporting limit for pesticide)
- Q2 Quantification on secondary column due to interference coeluting on primary column

I certify that this data package is in compliance with the terms and conditions of the contract, both technically and for completeness, for other than the conditions detailed above. Release of the data contained in this hardcopy data package has been authorized by the Laboratory Manager or his designee, as verified by the following signature:

Date Reported: 1-18-91

\*\*\*\*\*  
\* *Ursula Middel* \*  
\*\*\*\*\*  
Ursula Middel  
Technical Manager

## QUALIFIERS FOR REPORTING ORGANICS DATA

- Value - If the result is a value greater than or equal to the quantification limit, report the value.
- U - Indicates compound was analyzed for but not detected. Report the minimum quantification limit for the sample with the U (e.g., 10U) based on necessary concentration/dilution actions. (This is not necessarily the instrument detection limit). The footnote should read: U-Compound was analyzed for but not detected. The number is the minimum attainable quantification limit for the sample.
- J - Indicates as estimated value. This flag is used either when estimating a concentration for tentatively identified compounds where a 1:1 response is assumed or when the mass spectral data indicates the presence of a compound that meets the identification criteria but the result is less than the specified quantification limit but greater than zero (e.g.: If limit of quantification is 10 ug/l and a concentration of 3 ug/l is calculated, report as 3J).
- C - This flag applies to pesticide parameters where the identification has been confirmed by GC/MS. Single component pesticides  $\geq 10$  ng/ul in the final extract should be confirmed by GC/MS.
- B - This flag is used when the analyte is found in the blank as well as a sample. It indicates possible/probable blank contamination and warns the data user to take appropriate action.
- E - This flag identifies compounds whose concentrations are outside the calibration range of the analysis. If one or more compounds have a response greater than full scale, the extract must be diluted and reanalyzed, according to the specifications in Exhibit D. All compounds with a response greater than full scale should be flagged with an "E" on the original report of analysis. If the dilution of the extract causes any compounds identified in the first analysis to be below the calibration range in the second analysis, then the results of both analyses shall be reported on separate Forms I. The Form I for the diluted sample shall have the "DL" suffix appended to the sample number. NOTE: for total xylenes, where three isomers are quantified as two peaks, the calibration range of each peak should be considered separately.
- D - This flag identifies all compounds identified in an analysis at a secondary dilution factor. If a sample is re-analyzed at a higher dilution factor, as in the "E" flag above, the "DL" suffix is appended to the sample number on the Form I for the diluted sample, and all concentration values reported on that Form I are flagged with the "D" flag.
- X - This flag indicates compounds with spectra that do not meet identification criteria as detailed in Exhibit(E)E-61 section 6.1.3 but are believed to be present.
- Z - Indicates analyte was present at the reported concentration in the pre-screening analysis.

## QUALIFIERS FOR METALS ANALYSIS

- E - The reported value is estimated because of the presence of interference. An explanatory note is included in the case narrative.
- M - Duplicate injection precision is not met.
- N - Matrix spiked sample recovery is not within control limits.
- S - The reported value was determined by the Method of Standard Additions.
- + - Correlation coefficient for the MSA is less than 0.995.
- W - Post digestion spike for Furnace AA analysis is out of control limits (85-115%), while sample absorbance is less than 50% of spike absorbance.
- \* - Duplicate analysis not within control limits.

## Concentration Qualifiers

- B - Entered if the reported value is less than the Contract Required Detection Limit (CRDL) but greater than the Instrument Detection Limit (IDL).
- U - Entered if the analyte was analyzed for but not detected, less than the IDL.



# H2M LABS, INC.

575 Broad Hollow Road, Melville, N.Y. 11747  
(516) 694-3040 FAX: (516) 694-4122

1A  
VOLATILE ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

BAILER#3

Lab Name: H2M Contract: NYSDEC  
 Lab Code: H2M Case No.: G&H SAS No.: SDG No.: 54  
 Matrix: (soil/water) WATER Lab Sample ID: 9009472  
 Sample wt/vol: 5.000 (g/mL) ML Lab File ID: P4169  
 Level: (low/med) LOW Date Received: 9/19/90  
 % Moisture: not dec. 100. Date Analyzed: 9/24/90  
 Column: (pack/cap) CAP Dilution Factor: 1.00

CONCENTRATION UNITS:  
(ug/L or ug/Kg) UG/L

CAS NO.	COMPOUND	CONCENTRATION UNITS: (ug/L or ug/Kg) UG/L	Q
74-87-3	-----Chloromethane	10.	U
74-83-9	-----Bromomethane	10.	U
75-01-4	-----Vinyl Chloride	10.	U
75-00-3	-----Chloroethane	10.	U
75-09-2	-----Methylene Chloride	5.	U
67-64-1	-----Acetone	15.	U
75-15-0	-----Carbon Disulfide	5.	U
75-35-4	-----1,1-Dichloroethene	5.	U
75-34-3	-----1,1-Dichloroethane	5.	U
540-59-0	-----1,2-Dichloroethene (total)	5.	U
67-66-3	-----Chloroform	5.	U
107-06-2	-----1,2-Dichloroethane	5.	U
78-93-3	-----2-Butanone	10.	U
71-55-6	-----1,1,1-Trichloroethane	5.	U
56-23-5	-----Carbon Tetrachloride	5.	U
108-05-4	-----Vinyl Acetate	10.	U
75-27-4	-----Bromodichloromethane	5.	U
78-87-5	-----1,2-Dichloropropane	5.	U
10061-01-5	-----cis-1,3-Dichloropropene	5.	U
79-01-6	-----Trichloroethene	5.	U
124-48-1	-----Dibromochloromethane	5.	U
79-00-5	-----1,1,2-Trichloroethane	5.	U
71-43-2	-----Benzene	5.	U
10061-02-6	-----trans-1,3-Dichloropropene	5.	U
75-25-2	-----Bromoform	5.	U
108-10-1	-----4-Methyl-2-Pentanone	10.	U
591-78-6	-----2-Hexanone	10.	U
127-18-4	-----Tetrachloroethene	5.	U
79-34-5	-----1,1,2,2-Tetrachloroethane	5.	U
108-88-3	-----Toluene	5.	U
108-90-7	-----Chlorobenzene	5.	U
100-41-4	-----Ethylbenzene	5.	U
100-42-5	-----Styrene	5.	U
1330-20-7	-----Xylene (total)	5.	U

\*\*\*\*\*  
*John J. Molloy*  
 \*\*\*\*\*  
 John J. Molloy, P.E.  
 Laboratory Director

DATE REPORTED: JAN 17 1991

# H2A LABS, INC.

1E

## VOLATILE ORGANICS ANALYSIS DATA SHEET TENTATIVELY IDENTIFIED COMPOUNDS

575 Broad Hollow Road, Melville, N.Y. 11747  
(516) 694-3040 FAX: (516) 694-4122

EPA SAMPLE NO.

BAILER#3

Lab Name: H2M

Contract: NYSDEC

Lab Code: H2M

Case No.: G&H

SAS No.:

SDG No.: 54

Matrix: (soil/water) WATER

Lab Sample ID: 9009472

Sample wt/vol: 5.000 (g/mL) ML

Lab File ID: P4169

Level: (low/med) LOW

Date Received: 9/19/90

% Moisture: not dec. 100.

Date Analyzed: 9/24/90

Column: (pack/cap) CAP

Dilution Factor: 1.00

Number TICs found: 0

CONCENTRATION UNITS:  
(ug/L or ug/Kg) UG/L

CAS NUMBER	COMPOUND NAME	RT	EST. CONC.	Q
1.				
2.				
3.				
4.				
5.				
6.				
7.				
8.				
9.				
10.				
11.				
12.				
13.				
14.				
15.				
16.				
17.				
18.				
19.				
20.				
21.				
22.				
23.				
24.				
25.				
26.				
27.				
28.				
29.				
30.				

DATE REPORTED: JAN 17 1991

\*\*\*\*\*  
\* J. J. Molloy \*  
\*\*\*\*\*

John J. Molloy, PE  
Laboratory Director

# H2M LABS, INC.

575 Broad Hollow Road, Melville, N.Y. 11747  
(516) 694-3040 FAX: (516) 694-4122

1B  
SEMIVOLATILE ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

BAILER3

Lab Name: H2M LA Contract: NYSDEC  
 Lab Code: H2M LA Case No.: G&H 54 SAS No.: SDG No.: 54  
 Matrix: (soil/water) WATER Lab Sample ID: 9009472  
 Sample wt/vol: 1000.0 (g/mL) ML Lab File ID: H0072  
 Level: (low/med) LOW Date Received: 9/19/90  
 % Moisture: not dec. 100. dec. \_\_\_\_\_ Date Extracted: 10/18/90  
 Extraction: (SepF/Cont/Sonc) SEPF Date Analyzed: 10/24/90  
 CPC Cleanup: (Y/N) N pH: 7.0 Dilution Factor: 1.00

CAS NO. COMPOUND CONCENTRATION UNITS:  
(ug/L or ug/Kg) UG/L Q

108-95-2	Phenol	10.	U
111-44-4	bis(2-Chloroethyl)ether	10.	U
95-57-8	2-Chlorophenol	10.	U
541-73-1	1,3-Dichlorobenzene	10.	U
106-46-7	1,4-Dichlorobenzene	10.	U
100-51-6	Benzyl alcohol	10.	U
95-50-1	1,2-Dichlorobenzene	10.	U
95-48-7	2-Methylphenol	10.	U
108-60-1	bis(2-Chloroisopropyl)ether	10.	U
106-44-5	4-Methylphenol	10.	U
621-64-7	N-Nitroso-di-n-propylamine	10.	U
67-72-1	Hexachloroethane	10.	U
98-95-3	Nitrobenzene	10.	U
78-59-1	Isophorone	10.	U
88-75-5	2-Nitrophenol	10.	U
105-67-9	2,4-Dimethylphenol	10.	U
65-85-0	Benzoic acid	50.	U
111-91-1	bis(2-Chloroethoxy)methane	10.	U
120-83-2	2,4-Dichlorophenol	10.	U
120-82-1	1,2,4-Trichlorobenzene	10.	U
91-20-3	Naphthalene	10.	U
106-47-8	4-Chloroaniline	10.	U
87-68-3	Hexachlorobutadiene	10.	U
59-50-7	4-Chloro-3-methylphenol	10.	U
91-57-6	2-Methylnaphthalene	10.	U
77-47-4	Hexachlorocyclopentadiene	10.	U
88-06-2	2,4,6-Trichlorophenol	10.	U
95-95-4	2,4,5-Trichlorophenol	50.	U
91-58-7	2-Chloronaphthalene	10.	U
88-74-4	2-Nitroaniline	50.	U
131-11-3	Dimethylphthalate	10.	U
208-96-8	Acenaphthylene	10.	U
606-20-2	2,6-Dinitrotoluene	10.	U

DATE REPORTED: JAN 17 1991

John J. Mollóy, P.E.  
Laboratory Director

S 0048

# HAMLAB INC

575 Broad Hollow Road, Melville, N.Y. 11747  
 (516) 694-3040 FAX: (516) 694-4122

1C  
 SEMIVOLATILE ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

BAILER3

Lab Name: H2M LA

Contract: NYSDEC

Lab Code: H2M LA

Case No.: G&H 54 SAS No.:

SDG No.: 54

Matrix: (soil/water) WATER

Lab Sample ID: 9009472

Sample wt/vol: 1000.0 (g/mL) ML "

Lab File ID: H0072

Level: (low/med) LOW

Date Received: 9/19/90

% Moisture: not dec. 100. dec. \_\_\_\_\_

Date Extracted: 10/18/90

Extraction: (SepF/Cont/Sonc) SEPF

Date Analyzed: 10/24/90

GPC Cleanup: (Y/N) N

pH: 7.0

Dilution Factor: 1.00

CAS NO. COMPOUND CONCENTRATION UNITS:  
 (ug/L or ug/Kg) UG/L Q

99-09-2	3-Nitroaniline	50.	U
83-32-9	Acenaphthene	10.	U
51-28-5	2,4-Dinitrophenol	50.	U
100-02-7	4-Nitrophenol	50.	U
132-64-9	Dibenzofuran	10.	U
121-14-2	2,4-Dinitrotoluene	10.	U
84-66-2	Diethylphthalate	10.	U
7005-72-3	4-Chlorophenyl-phenylether	10.	U
86-73-7	Fluorene	10.	U
100-01-6	4-Nitroaniline	50.	U
534-52-1	4,6-Dinitro-2-methylphenol	50.	U
86-30-6	N-Nitrosodiphenylamine (1)	10.	U
101-55-3	4-Bromophenyl-phenylether	10.	U
118-74-1	Hexachlorobenzene	10.	U
87-86-5	Pentachlorophenol	50.	U
85-01-8	Phenanthrene	10.	U
120-12-7	Anthracene	10.	U
84-74-2	Di-n-butylphthalate	10.	U
206-44-0	Fluoranthene	10.	U
129-00-0	Pyrene	10.	U
85-68-7	Butylbenzylphthalate	10.	U
91-94-1	3,3'-Dichlorobenzidine	20.	U
56-55-3	Benzo(a)anthracene	10.	U
218-01-9	Chrysene	10.	U
117-81-7	bis(2-Ethylhexyl)phthalate	10.	U
117-84-0	Di-n-octylphthalate	10.	U
205-99-2	Benzo(b)fluoranthene	10.	U
207-08-9	Benzo(k)fluoranthene	10.	U
50-32-8	Benzo(a)pyrene	10.	U
193-39-5	Indeno(1,2,3-cd)pyrene	10.	U
53-70-3	Dibenz(a,h)anthracene	10.	U
191-24-2	Benzo(g,h,i)perylene	10.	U

DATE REPORTED: JAN 17 1991

Laboratory Director

(1) - Cannot be separated from diphenylamine

S 0049

# H2M LABS, INC.

575 Broad Hollow Road, Melville, N.Y. 11747  
(516) 694-3040 FAX: (516) 694-4122

1F  
SEMIVOLATILE ORGANICS ANALYSIS DATA SHEET  
TENTATIVELY IDENTIFIED COMPOUNDS

EPA SAMPLE NO.

BAILER3

Lab Name: H2M LA

Contract: NYSDEC

Lab Code: H2M LA

Case No.: G&H 54 SAS No.:

SDG No.: 54

Matrix: (soil/water) WATER

Lab Sample ID: 9009472

Sample wt/vol: 1000.0 (g/mL) ML "

Lab File ID: H0072

Level: (low/med) LOW

Date Received: 9/19/90

Moisture: not dec. 100. dec. \_\_\_\_\_

Date Extracted: 10/18/90

Extraction: (SepF/Cont/Sonc) SEPF

Date Analyzed: 10/24/90

GPC Cleanup: (Y/N) N

pH: 7.0

Dilution Factor: 1.00

Number TICs found: 0

CONCENTRATION UNITS:  
(ug/L or ug/Kg) UG/L

CAS NUMBER	COMPOUND NAME	RT	EST. CONC.	Q
1.				
2.				
3.				
4.				
5.				
6.				
7.				
8.				
9.				
10.				
11.				
12.				
13.				
14.				
15.				
16.				
17.				
18.				
19.				
20.				
21.				
22.				
23.				
24.				
25.				
26.				
27.				
28.				
29.				
30.				

DATE REPORTED: JAN 17 1991

*John J. Molloy*  
John J. Molloy, P.E.  
Laboratory Director

PESTICIDE ORGANICS ANALYSIS DATA SHEET

1D

BAILEK-3

Lab Name: H2M LABS, INC. Contract: \_\_\_\_\_

Lab Code: Case No.: GHS4 SAS No.: SDG No.: \_\_\_\_\_

Matrix: (soil/water) WATER

Lab Sample ID: 9009472

Sample wt/vol: 980.0 (g/mL) mL Lab File ID: \_\_\_\_\_

Level: (low/med) LOW Date Received: 09/19/90

% Moisture: not dec. dec. Date Extracted: 09/20/90

Extraction: (Sepf/Cont/Sonc) SEPF Date Analyzed: 10/10/90

GFC Cleanup: (Y/N) N pH: 9.0 Dilution Factor: 1.00

CAS NO. COMPOUND CONCENTRATION UNITS (ug/L or ng/kg) ug/L g

319-84-6	alpha-BHC	0.10U
319-85-7	beta-BHC	0.10U
319-86-8	delta-BHC	0.10U
58-89-9	Lindane	0.10U
76-44-8	Heptachlor	0.10U
309-00-2	Aldrin	0.10U
1024-57-3	Heptachlor epoxide	0.10U
959-98-8	Endosulfan I	0.10U
60-57-1	Dieldrin	0.20U
72-55-9	4,4'-DDE	0.20U
72-20-8	Endrin	0.20U
33213-65-9	Endosulfan II	0.20U
72-54-8	4,4'-DDD	0.20U
1031-07-8	Endosulfan sulfate	0.20U
50-29-3	4,4'-DDT	0.20U
72-43-5	Methoxychlor	1.0U
53494-70-5	Endrin ketone	0.20U
5103-71-9	alpha-Chlordane	1.0U
5103-74-2	gamma-Chlordane	1.0U
8001-35-2	Toxaphene	2.0U
12674-11-2	Aroclor-1019	1.0U
11104-28-2	Aroclor-1221	1.0U
11141-16-5	Aroclor-1232	1.0U
53469-21-9	Aroclor-1242	1.0U
12672-29-6	Aroclor-1248	1.0U
11097-69-1	Aroclor-1254	2.0U
11096-82-5	Aroclor-1260	2.0U

DATE RECORDED: NOV 21 1990

John J. Miley, PE  
Laboratory Director  
\*\*\*\*\*  
*JJM*  
\*\*\*\*\*

FORM I PEST

1/87 Rev.

S 0351

# H2M LABS, INC.

575 Broad Hollow Road, Melville, N.Y. 11747  
 (516) 694-3040 FAX: (516) 694-4122

U.S. EPA - CLP

EPA SAMPLE NO.

1  
 INORGANIC ANALYSIS DATA SHEET

XXXXX3

Lab Name: H2M LABS, INC.

Contract: GIBBS&HILL

Lab Code: H2MLAB

Case No.:

SAS No.:

SDG No.: GIB054

Matrix (soil/water): WATER

Lab Sample ID: 9009472

Level (low/med): LOW

Date Received: 09/19/90

% Solids: 0.0

Concentration Units (ug/L or mg/kg dry weight): UG/L

CAS No.	Analyte	Concentration	C	Q	M
7429-90-5	Aluminum	24.6	B		P
7440-36-0	Antimony	43.9	U		P
7440-38-2	Arsenic	3.4	U		F
7440-39-3	Barium	3.4	U		P
7440-41-7	Beryllium	1.0	U		P
7440-43-9	Cadmium	3.6	U		P
7440-70-2	Calcium	84.7	B		P
7440-47-3	Chromium	9.2	U		P
7440-48-4	Cobalt	5.2	U		P
7440-50-8	Copper	3.5	U		P
7439-89-6	Iron	43.1	B		P
7439-92-1	Lead	1.4	U		F
7439-95-4	Magnesium	32.4	B		P
7439-96-5	Manganese	1.6	U		P
7439-97-6	Mercury	0.20	U		CV
7440-02-0	Nickel	8.7	U		P
7440-09-7	Potassium	49.8	U		P
7782-49-2	Selenium	1.2	U		F
7440-22-4	Silver	4.1	U/N*		P
7440-23-5	Sodium	152	B		P
7440-28-0	Thallium	1.1	U		F
7440-62-2	Vanadium	4.8	U		P
7440-66-6	Zinc	4.6	B		P
	Cyanide	10.0	U		C

\*\*\*\*\*  
 \*  
 \*  
 \*\*\*\*\*

John J. Molloy, P.R.  
 Laboratory Director

Color Before: COLORLESS

Clarity Before: CLEAR

Texture:

Color After: COLORLESS

Clarity After: CLEAR

Artifacts:

Comments:

DATE REPORTED: NOVEMBER 9, 1990

GIBBS & HILL, INC.  
NORM HINSEY  
11 PENN PLAZA  
NEW YORK, NY 10001

TYPE..... MISCELLANEOUS LIQUID  
SPECIAL

DATE COLLECTED. 09/19/90  
DATE RECEIVED.. 09/19/90  
COLLECTED BY... HMM03

POINT NO:  
LOCATION: BAILER #3

REMARKS: BAILER BLANKS

---

<u>PARAMETER (S)</u>	<u>RESULTS</u>	<u>UNITS</u>
COD	15	mg/l
SPECIFIC CONDUCTIVITY	2	umhos
PH	6.7	units
SUSPENDED SOLIDS	<5	mg/l
TOTAL DISSOLVED SOLIDS	<5	mg/l

COPIES TO:

DATE ISSUED 01/15/91

ORIGINAL

*Stanley Rose*  
LABORATORY DIRECTOR

S 0053



**APPENDIX D  
HISTORIC LITERATURE**

## HISTORIC LITERATURE

### CONTENTS

D.1	Hydrology of the Babylon-Islip Area Suffolk County, Long Island, New York	D-3
D.2	Hydrogeologic Data, Long Island, New York	D-15
D.3	Existing Condition of the Site Dated 3/17/81	D-31
D.4	Suffolk County Water Authority - 1986 Annual Report	D-32
D.5	USGS Header File 1987	D-37
D.6	Telephone Conversation Record	D-48
D.7	EPA RCRA Treatment, Storage, and Disposal Facility Inspection Form,	D-51
D.8	Suffolk County DHS Memorandum	D-63
D.9	Suffolk County DHS Memorandum	D-64
D.10	Suffolk County DHS Industrial Waste and Hazardous Material Control Report	D-65
D.11	NYSDEC Memorandum	D-69
D.12	Roux Associates Telephone Conversation Record	D-71
D.13	Roux Associates Telephone Conversation Record	D-72
D.14	NYSDEC Memorandum	D-73
D.15	Roux Associates Telephone Conversation Record	D-74
D.16	NYSDEC Inactive Hazardous Waste Disposal Site Report	D-75
D.17	SCDOHS Report	D-77
D.18	SCDOHS Report	D-79
D.19	Updated Registry Prepared by Roux Associates	D-81
D.20	September 1981 EPA Site Inspection Report	D-82

D-1  
ROUX ASSOCIATES

Hydrology of  
the Babylon-Islip Area  
Suffolk County  
Long Island, New York

---

GEOLOGICAL SURVEY WATER-SUPPLY PAPER 1768

*Prepared in cooperation with the Suffolk  
County Board of Supervisors, Suffolk  
County Water Authority, and the New  
York State Water Resources Commission*



## INTRODUCTION

### PURPOSE

The rapid expansion of population and industry in southwestern Suffolk County, particularly since 1950 (fig. 2), has resulted in sharply increased withdrawals from the ground-water reservoir which, at present, supplies all water used in the area. However, the fact that there is substantial streamflow from the area indicates that additional development of the water resources is possible. Because an adequate water supply is essential to the continued growth of the area, knowledge of the occurrence, quality, and availability of water, both underground and in streams, is required by industry and the public. Because the source of all water on Long Island is precipitation, evaluation of the water potential of the area requires following the path of water from its inception as precipitation to its ultimate return to the atmosphere.

The objectives of the investigation were (a) to evaluate and summarize present data on quantity, quality, and availability of both ground water and surface water; (b) to determine the interrelation of ground water and surface water; (c) to evaluate the water balance for the ground-water reservoir, and (d) to evaluate any existing or potential water-supply problems.

This report is part of a continuing cooperative program sponsored jointly by the U.S. Geological Survey, the Suffolk County Water Authority, the Suffolk County Board of Supervisors, and the New York State Water Resources Commission.

### LOCATION AND EXTENT OF AREA

The report area includes the Town of Babylon, virtually all of the Town of Islip, and small parts of the Towns of Huntington, Smithtown, and Brookhaven in southwestern Suffolk County, and a small area in the southeastern part of Nassau County (fig. 1). The area comprises about 270 square miles, of which 190 square miles are on the main part of Long Island; the barrier beaches, islands, and Great South Bay comprise the remainder. The area is roughly rectangular in shape; it is about 20 miles long and from 11 to 13 miles wide. The western boundary is mainly along the interstream ground-water divide west of Carman Creek near Amityville (pl. 7). The eastern boundary is mainly along the interstream ground-water divide east of Tuthills Creek near Patchogue (pl. 7). Both eastern and western boundaries extend south to the barrier beaches. The northern boundary is along the main ground-water divide that traverses Long Island and the southern boundary is the Atlantic Ocean.




FIGURE 1.—Map of Long Island, New York, showing area of investigation.

## METHODS OF INVESTIGATION

Fieldwork began in July 1958 and was completed in March 1961. Well and geologic data were obtained from the files of the New York State Water Resources Commission and from records collected in the field. During the summer of 1958, 44 water-table observation wells were driven in areas where data were scanty. Water-level measurements were obtained at all available observation wells and at several public, industrial, and institutional supply wells. Water samples were collected from the observation wells and analyzed for selected constituents. In October 1958, a water-temperature and water-stage recorder was installed at Champlin Creek at Islip. In November 1958, four temporary recorders were placed in operation on streams for which continuous records of stage were not previously available. The partial-record stream-gaging program in Suffolk County was expanded to include several streams that had never been measured. Three streams, Santapogus River at Lindenhurst, Sampawams Creek at Babylon, and Champlin Creek at Islip, were selected for seepage studies, and discharge measurements were obtained bimonthly at selected sites. In December 1958, a three-element thermograph was placed in operation at Sampawams Creek at Babylon to obtain stream, air, and ground-water temperatures simultaneously.

During May 1959, three lines of shallow observation wells, each line consisting of four wells, were driven adjacent to Champlin Creek to study the relation of ground water to surface water. In addition, three wells were driven directly into the streambed at selected sites to study vertical changes in hydraulic head below the stream. Another line of four wells was driven, in October 1960, just upstream from the gaging station to aid in preparation of a water-table map and to provide additional sampling points for obtaining data on quality of water. To study the effect of ground-water evapotranspiration, a shallow water-table well was dug in August 1960 adjacent to Sampawams Creek, and a recorder was installed to detect water-level fluctuations.

Water samples were collected from selected wells and streams in August 1959, March 1960, September 1960, and March 1961 for determination of synthetic-detergent content. Water samples from four selected wells tapping different aquifers were collected for chemical analysis.

To facilitate office computations of streamflow data, the records of six primary gaging stations in the area and the records for Massapequa Creek at Massapequa in Nassau County were processed by an electronic computer. The processed data included duration tables of daily flow by water years and minimum-mean discharge.

## PREVIOUS INVESTIGATIONS

A study of the water resources of Long Island by Veatch and others (1906), contains some descriptive data on ground water and surface water in the Babylon-Islip area. Maps of the water table of Long Island including the report area have been prepared by Burr and others (1904), Veatch (1906), Suter (1937), Jacob (1945), and Luszczynski and Johnson (1952). A map of the surficial geology of Long Island (Fuller, 1914) and contour maps of the subsurface formations (Suter, deLaguna, and Perlmutter, 1949) contain geologic data on the report area. A report on the geology and hydrology of the nearby Towns of Huntington and Smithtown (Lubke, 1961) has been freely drawn upon for data in the parts of those towns included in the area covered by this report. Perlmutter and Crandell (1959) have described geologic conditions and the occurrence of ground water beneath the barrier beaches. Many of the well logs utilized in the subsurface mapping of geologic units are included in publications of the New York State Water Resources Commission (Leggette and others, 1938; Roberts and Brushers, 1945; and Johnson and others, 1952). Water-level measurements for some observation wells, records of daily discharge for gaging stations, and results of discharge measurements made at partial-record sites, are published in annual water-supply papers and open-file reports of the U.S. Geological Survey.

## ACKNOWLEDGMENTS

The writers acknowledge the assistance of well drillers, the New York State Department of Public Works, and the Suffolk County Water Authority, in furnishing hydrologic and geologic data. The New York State Department of Health, the Suffolk County Department of Health, the Suffolk County Water Authority, and several privately owned laboratories furnished much of the chemical data included in the report. R. L. Barnell, formerly of the U.S. Geological Survey, supervised the construction of observation wells, and prepared a preliminary map of the water table.

## GEOGRAPHY

## TOPOGRAPHY

The Babylon-Islip area lies within the Atlantic Coastal Plain physiographic province and may be subdivided into a small northern region of irregular hills and a large southern region composed of a broad gently sloping plain. These topographic features are mostly

1.3.12

geologic units mapped as Ronkonkoma terminal moraine and Manetto Gravel (pl. 1). The highest land surface altitude on Long Island, about 400 feet above sea level, is on the Ronkonkoma terminal moraine, about 3 miles southwest of Huntington Station. Summit altitudes on the terminal moraine and adjacent hills are commonly as much as 150 feet or more above the outwash plain, which abuts the hills at an altitude of about 120 feet above sea level. The outwash plain is characterized by a gently rolling land surface, which slopes southward at about 20 feet per mile.

Marshlands, at or slightly above mean sea level, fringe the south shore of the area, adjacent to Great South Bay. The bay, which separates the main part of Long Island from the narrow low-lying barrier beaches, is generally less than 3 feet deep in the western part of the area and less than 10 feet deep in the eastern part. In boat channels the depth may be as much as 30 feet.

#### POPULATION

The substantial population upsurge in Suffolk County since 1950 is primarily the result of migration from New York City. Figure 2 illustrates the rate of population growth in the Towns of Babylon and Islip. The combined population of both towns was 117,021 in 1950, and 315,268 in 1960, an increase of nearly 170 percent. The Town of Babylon had a slightly greater rate of growth than the Town of Islip between 1950 and 1960, which was probably due to its closer location to New York City. The major factor contributing to urbanization of western Suffolk County is the improved rail and highway transportation.

With the exception of the northwestern part which is largely an area of cemeteries, population density in the Town of Babylon is fairly uniform (pl. 6). Centers of greatest population are near the south shore and in eastern parts of the town. In the Town of Islip, population density is greatest west of Connetquot River. Pilgrim State Hospital, the largest hospital in the world, is in the extreme northwestern part of the Town of Islip. Another center of high population density is Central Islip State Hospital, northeast of the headwaters of Champlin Creek. Large areas adjacent to and east of Connetquot River are still in their natural state. The extensive construction activity in western Suffolk County has just begun to reach the eastern part of the Town of Islip, which is still predominantly rural (1961).

#### INDUSTRY

Industrial growth in the Towns of Babylon and Islip has paralleled population growth. Industrialization of the area has resulted in large increases in the number of manufacturing plants and the number of employees. The major factor contributing to urbanization of western Suffolk County is the improved rail and highway transportation.




FIGURE 2.—Population of the Towns of Babylon and Islip, 1910-60.

Nearly two-thirds of the companies in the area have been established since the end of World War II. Most concerns are small, employing fewer than 100 people; however, two large plants, Republic Aviation Corp. and Fairchild Engine and Aircraft Co., each employ several thousand. Republic Aviation Corp., which is in the northwestern part of the Town of Babylon, is the largest industrial concern in Suffolk County, and employed 16,000 persons in 1958. Of the 625 industrial plants in Suffolk County in June 1956, nearly 60 percent were in the Towns of Babylon and Islip (Leonard and Stonier, 1956, p. 51).

The major industries in Suffolk County are aviation, instruments, electronics, and fabrication of metals; smaller industries include furniture, printing and publishing, textiles, and apparel. The aviation industry has been well established on Long Island since the end of World War I. Production of scientific and professional instruments is a major adjunct to the aviation industry. Similarly

8 HYDROLOGY OF THE BABYLON-ISLIP AREA, NEW YORK

the development of the all-metal airplane created a need for metal-fabricating shops. The post-World War II boom in electronics and electrical equipment found Suffolk County well prepared for the new industry owing to its established aviation firms, and the presence of the required skilled personnel.

AGRICULTURE AND VEGETATION

Although the value of crops produced and marketed in Suffolk County ranks highest of all the counties in New York State, agricultural production in the Babylon-Islip area is relatively small. The soils in the southern and eastern parts of the area have been classified by Lounsberry and others (1928, p. 13) as Sassafras Sandy Loam and Dukes Loamy Sand. These soils are not as productive as the soils in the northern and eastern parts of the county. The Sassafras Loam soils in the northwestern and north-central parts of the area are fairly productive. Proximity of this area to metropolitan markets spurred the development of numerous truck farms. The major crops produced by these farms are tomatoes, cauliflower, corn, string beans, peas, and cucumbers. Intensive urbanization, however, has reduced farm acreage so sharply that only a few farms remained in 1961.

Extensive tracts of natural vegetation are limited principally to the northern and eastern parts of the area. Much of the hilly area of the Ronkonkoma terminal moraine is forested with well-developed stands of deciduous trees. Low moisture retention characterizes the sandy, well-drained soils of the eastern part of the area and thereby precludes extensive forest development. Stands of scrub oak or pitch pine are common here in conjunction with an undergrowth of huckleberry, sweetfern, and wintergreen.

GEOLOGY

The composition, thickness, and geologic history of the deposits underlying the Babylon-Islip area determine the water-bearing characteristics, and the lateral and vertical extent of aquifers and aquicludes that form the hydrologic environment. The stratigraphy of the geologic formations is known almost exclusively from well records and samples, as outcrops, especially those of Cretaceous age, are rare.

STRATIGRAPHY

The Babylon-Islip area is underlain by unconsolidated sediments of Cretaceous, Tertiary, and Quaternary age, which lie on crystalline

GEOLOGY

member. Above the Raritan Formation is a thick sequence of deposits of late Cretaceous age which is in part, correlative with the Magothy Formation of New Jersey, but also includes some formations that are younger than the Magothy (Perlmutter and Crandell, 1959, p. 1066). Pending a more specific identification, these beds are referred to as the Magothy(?) Formation. Deposits of Quaternary, and possibly Tertiary age overlie the Cretaceous deposits. These consist, from oldest to youngest, of the Mannetto Gravel of doubtful Tertiary (Pliocene ?) age, the Gardiners Clay, and the upper Pleistocene and Recent deposits.

TABLE 1.—Summary of stratigraphy of the Babylon-Islip area

Era	Period	Epoch	Geologic unit		Remarks
Cenozoic	Quaternary	Recent	Recent deposits		Stream, beach, and marsh deposits; small areal extent
		Pleistocene	Upper Pleistocene deposits		Till and outwash deposits of the Wisconsin glaciation
			Gardiners Clay		Fossiliferous marine clay of probable Sangamon age
		Tertiary(?)	Pliocene(?)	Mannetto Gravel	
	Mesozoic	Cretaceous	Late Cretaceous	Magothy(?) Formation	
Raritan Formation				Clay member	Dominantly clay but may contain some silty and sandy zones locally.
				Lloyd Sand Member	Sand, gravel, and interbedded clay and silt.
Proterozoic and early Paleozoic(?)			Bedrock		Schist and gneiss containing some granitic intrusions.

THE BEDROCK

No wells in the Babylon-Islip area have reached bedrock. However, information obtained from wells in nearby parts of Long Island (Suter and others, 1949, p. 30-32, pls. 8 and 9) suggests that the bedrock in the area consists chiefly of schist and gneiss and contains some granitic intrusions. The bedrock is probably correlative in part with igneous and metamorphic rocks of Connecticut.

The bedrock surface dips southeastward at a rate of approximately 50 to 100 feet per mile. The altitude of the surface ranges from about 1,200 feet below sea level in the northwestern part of the area to about 1,800 feet below sea level in the extreme southeastern part. This bedrock surface represents the lower limit of the ground-water

1.5.12

## RARITAN FORMATION

The Raritan Formation of Late Cretaceous age directly overlies the bedrock. It is divided into the Lloyd Sand Member below and an unnamed clay member above, and has been correlated with the Raritan Formation of New Jersey on the basis of lithology and stratigraphic position. Because the Raritan Formation has been penetrated by only one test well in the area, its lithology, thickness, and altitude are inferred from data obtained in adjacent areas.

## LLOYD SAND MEMBER

The Lloyd Sand Member of the Raritan Formation lies directly on the bedrock surface. It has an estimated thickness of 150 to 300 feet, and is thickest in the southern part of the area. The altitude of the top of the Lloyd is estimated to be approximately 800 to 1,500 feet below sea level, being lowest in the southeast, under Fire Island. It is inferred from examination of cores from wells N3355<sup>1</sup> and S6409 (1½ miles northwest of the northwest corner of the Town of Babylon, and approximately 15 miles east of Lake Ronkonkoma, respectively), and the log of well S42 (pl. 1) that the Lloyd Sand Member underlying the area is probably composed of light-colored sand and gravel and lenses of clay and silty clay. Logs of several wells in eastern Suffolk County, indicate that the Lloyd Sand Member may be more clayey in that area, possibly because of a facies change along the northeasterly strike of the formation.

## CLAY MEMBER

On the basis of descriptions of samples from wells in other parts of Long Island and the log of well S42 in the area, the clay member of the Raritan Formation probably consists of 170 to 300 feet of gray, blue, black, red and white clay, silt, and some very fine to fine sand. The altitude of the top of the clay member at well S42 in the northwest corner of the Town of Islip is 670 feet below sea level, and under Fire Island the clay member may be as much as 1,300 feet below sea level.

## MAGOTHY(?) FORMATION

The Magothy(?) Formation of Late Cretaceous age has been completely penetrated by only one well (S42) in the area; therefore, its thickness and the nature of its contact with the underlying clay member of the Raritan Formation is known only approximately. The Magothy(?) is about 600 to 700 feet thick in the northern part of the area, and 1,000 to 1,200 feet thick in the southern part. The

<sup>1</sup> Wells in each county on Long Island are numbered serially by the New York State Water Resources Commission. The well number is prefixed by the initial letter of the county in which the well is located. Thus, well N3355 is in Nassau County and well S6409 is in Suffolk County.

altitude of the top of the formation ranges from 200 feet above to more than 100 feet below sea level. Relief on the Magothy(?) surface is due to stream erosion, mostly during late Pliocene and Pleistocene time. Contour lines on the Magothy(?) surface are shown on plate 2.

The Magothy(?) Formation consists mostly of nonfossiliferous beds and lenses of gray and white fine quartz sand, clayey and silty sand, and clay. However, the upper 50 to 200 feet of the formation beneath the barrier beaches consists of beds of fossiliferous green and gray glauconitic clay and sandy clay, which have been tentatively correlated with the Monmouth Group of New Jersey (Perlmutter and Crandell, 1959, p. 1066). Layers of lignite, pyrite, and iron-oxide concretions are common. Medium to coarse sand occurs in lenses irregularly throughout the formation, particularly in the upper and lower zones. West and north of the Babylon-Islip area, where the formation has been more fully explored, a gravel-bearing zone as much as 200 feet thick is found in the lower (basal) zone of the Magothy(?). Records of a few wells suggest that the gravelly zone occurs also in the area.

## MANNETTO GRAVEL

The Mannetto Gravel, which consists of stratified and crossbedded quartz gravel, containing some highly weathered erratic material, was considered by Veatch (1906) and Fuller (1914) to represent the earliest deposit of Pleistocene age on Long Island. Currently it is considered to be of doubtful Tertiary (Pliocene(?)) age (Suter and other, 1949, p. 9) and probably correlative with the Bryn Mawr terrace-gravel deposits of Pennsylvania (Cooke, Gardiner, and Woodring, 1943).

The Mannetto Gravel has been recognized only in the northwestern part of the Babylon-Islip area where it crops out in the West and the Half Hollow Hills. It is difficult to distinguish the Mannetto in drillers' logs from the overlying glacial deposits, and its subsurface distribution is not well known.

## PLEISTOCENE DEPOSITS

Deposits of Pleistocene age comprise the uppermost 50 to 150 feet of sediments in most of the area. The Jameco Gravel, a major aquifer in western Long Island, is not found in the Babylon-Islip area. The oldest formation of Pleistocene age is the Gardiners Clay, an interglacial deposit. The Gardiners Clay is overlain by upper Pleistocene deposits of Wisconsin age.

## GARDINERS CLAY

The Gardiners Clay is a marine interglacial deposit of probable Sangamon age and has been recognized in wells along the south shore.



of the area (pl. 2). Generally it is not found more than a mile north of Great South Bay, although it occurs in the middle of Long Island, at Brookhaven National Laboratory (Weiss, 1954), 11 miles east of the Babylon-Islip area. The Gardiners Clay is overlain by upper Pleistocene deposits of Wisconsin age. It is difficult to determine the lower boundary of the Gardiners Clay from drillers' logs in some places because the underlying Magothy(?) Formation contains beds of similar lithology. The abundance of biotite and chlorite and the presence of foraminifers are used to differentiate the Gardiners from the Magothy(?) Formation where samples are available.

The Gardiners Clay is generally 20 to 40 feet thick, and the altitude of the top of the formation ranges from about 50 to 110 feet below sea level (p. 2). The formation consists of dark-colored clay, lenses of green silt and very fine sand, and thin layers of fine gravel. The layers of clay and silt are generally fossiliferous.

#### UPPER PLEISTOCENE DEPOSITS

The upper Pleistocene deposits include (a) outwash deposits of stratified medium to coarse sand and gravel, (b) terminal moraine deposits consisting of till and ice-contact deposits of stratified sand and gravel, (c) till, composed of unstratified clay, sand, gravel, and boulders in the form of ground moraine (not exposed), and (d) glacio-lacustrine deposits of clay and silt (not exposed). The surficial distribution of the till and outwash deposits is shown on Plate 1.

Outwash is the most extensive upper Pleistocene deposit in the area. The outwash is underlain by the Gardiners Clay and Magothy(?) Formation, and is partly overlain by younger glacial and Recent deposits. The thickness of the outwash ranges from zero where it abuts Cretaceous and Tertiary sediments in the northwestern part of the area, to more than 100 feet in the eastern part. In parts of the area as much as 120 feet of poorly to well stratified ice-contact deposits are found above the outwash. These deposits form the bulk of the Ronkonkoma terminal moraine, a discontinuous ridge marking the maximum advance of a continental glacier. Quartz is by far the most abundant mineral in the outwash and ice-contact deposits; however, igneous and metamorphic rock particles, muscovite, biotite, and some heavy minerals are common in many beds.

A buried till sheet probably underlies the outwash deposits north of the Ronkonkoma moraine, but the till has not been definitely identified (Lubke, 1961, p. 38). A glacial clay, which underlies much of the Town of Smithtown (Lubke, 1961, p. 39), extends into the northeastern part of the area, but the data are too scanty to define the southern limit.

#### RECENT DEPOSITS

Deposits of Recent age are found along stream channels, in marshes and ponds, on the barrier beaches, and under Great South Bay. Stream channel deposits consist of a veneer of discontinuous reworked outwash deposits. Beds of very fine sand, silt, and clay are accumulating in marshes and ponds, and under Great South Bay. The barrier beaches consist of beach and dune sands as much as 50 feet thick. The Recent deposits commonly contain shells of mollusks.

#### GEOLOGIC HISTORY

A knowledge of the geologic history is important in understanding the nature and distribution of the geologic formations. The following summary is adapted largely from a report by Suter, and others (1949, p. 29-46).

During the Cretaceous Period, sediments derived from highlands in northeastern North America were deposited on a relatively flat bedrock surface sloping in a general southeasterly direction. The sediments thus deposited form a part of the present-day coastal plain extending from Long Island to the Gulf of Mexico. Long Island, which was approximately at the strand line of the Cretaceous sea, received mostly continental deposits. The great thickness of sediments deposited near sea level suggest concurrent depression of the bedrock surface during deposition. The variable and lenticular nature of the Cretaceous sediments indicates that deposition took place in shifting river channels, flood plains, swamps, and marshes.

The apparent absence of deposits of Tertiary age on Long Island, except for the nonmarine Mannetto Gravel, suggests either nondeposition or deposition followed by extensive erosion. The present distribution of the Mannetto Gravel is a remnant of the formerly extensive stream deposit.

Large continental glaciers, which were formed at the beginning of the Pleistocene Epoch, resulted in a general lowering of sea level. This lowering, in turn, caused stream rejuvenation and widespread erosion of pre-Pleistocene sediments and deepening of existing valleys. The area was drained then, as now, primarily by southward flowing streams, which cut partly into the Magothy(?) deposits but probably nowhere removed them completely. The eroded surface of the Magothy(?) is shown by contours on plate 2. The high area on the Cretaceous surface in the northwestern part of the area is a remnant of a dissected former divide between northward- and southward-flowing streams.

It is generally believed that the Pleistocene Epoch included four major glaciations, and therefore four cycles of eustatic sea level changes. The first three glacial advances did not reach Long Island

The only evidence of their presence near Long Island is the Jameco Gravel, an outwash deposit found in some parts of the island, but not in the Babylon-Islip area. The Gardiners Clay was deposited in shallow water during an interglaciation (Sangamon) when sea level was relatively high, but about 50 feet below its present altitude. The final, or Wisconsin glaciation of the Pleistocene Epoch, consisted of the Ronkonkoma and Harbor Hill stades. During the first Wisconsin ice advance, meltwater deposited outwash, which was partially overridden by the ice until stagnation occurred. During this stagnation period, stratified sand and gravel in the form of outwash was deposited south of the glacier by meltwater streams, and stratified ice-contact deposits were deposited along the southern terminus of the glacier to form the Ronkonkoma terminal moraine. Melting of the ice left a thin sheet of unstratified ground moraine, which was subsequently buried by younger outwash. The second Wisconsin ice advance did not move as far south as the first. Meltwater streams from the second advance deposited stratified sand and gravel north of the Ronkonkoma terminal moraine and, in places, breached the moraine so that Harbor Hill outwash may be found above the outwash of the Ronkonkoma Stade from which it cannot be distinguished readily.

Some of the large streams in the area did not erode their present valleys, but occupy valleys eroded by streams which issued from glaciers during the Pleistocene Epoch. The largest valleys in the area, those of Carls River, Connetquot River, and Sampawama Creek, can be traced northward to breaches in the Ronkonkoma moraine (pl. 1).

Melting of the continental glaciers was accompanied by a rise in sea level to its present position. Erosion by stream and wave action is presently occurring simultaneously with deposition by these same agents.

## HYDROLOGY

### HYDROLOGIC ENVIRONMENT

Water in the Babylon-Islip area occurs in the interstices of unconsolidated sediments and in streams and ponds. The ground-water reservoir consists of saturated unconsolidated deposits ranging in thickness from 1,300 to 1,800 feet. The water table, which forms the boundary between the zone of saturation and the overlying zone of aeration (unsaturated zone), is the upper limit of the reservoir, and the impervious bedrock is the lower limit. Water in marshes, ponds, or streams in the Babylon-Islip area is nearly always hydraulically connected with the water table. The availability of ground water and surface water for man's use is controlled to a large extent by the

physical characteristics of the aquifers, streams, and ponds. These characteristics include the capacity of ponds, size and gradient of streams, and the extent, nature of boundaries, and water-bearing properties of aquifers.

### AQUIFERS

Three aquifers of wide areal extent are recognized in the deposits underlying the Babylon-Islip area: (a) a shallow water-table aquifer, (b) an intermediate artesian aquifer, and (c) a deep artesian aquifer. Perched water may occur locally in the northern part of the area in lenses of sand and gravel separated from the main water table by deposits of clay or glacial till. The hydrologic environment of perched-water bodies is similar to that of the water-table aquifer, except that perched-water bodies are small and localized and generally are not a dependable source of supply.

### WATER-TABLE AQUIFER

The water-table aquifer is composed almost entirely of highly permeable upper Pleistocene deposits that constitute the uppermost zone of the ground-water reservoir. The upper surface of this aquifer is the water table, or top of the zone of saturation. The configuration of the water table (pl. 3) is controlled by the topography, and by the thickness, water-bearing properties, and quantity of recharge to and discharge from the aquifer.

The water table is a subdued replica of the topography. A conspicuous "high" on the water table occurs under the West Hills, south of Huntington Station, where the land surface reaches altitudes as high as 400 feet. Another "high" northeast of Lake Ronkonkoma is coincident in part with the Ronkonkoma terminal moraine where the land surface altitude is commonly as high as 300 feet. The saddle in the ground-water divide south of Hauppauge is probably largely the result of substantial quantities of ground-water discharge into the relatively deep valleys of the Nissequogue and Connetquot rivers, situated north and south of the divide, respectively.

Depth of the water table below land surface is shown on plate 4. In general, the depth to water increases northward from zero along Great South Bay and stream channels to as much as 200 to 300 feet beneath parts of the Ronkonkoma terminal moraine, West Hills, and Half Hollow Hills. The southern half of the area is drained by many effluent streams and depths to water are commonly 25 feet or less.

The lower boundary of the water-table aquifer is defined in most of the area by the occurrence of beds of predominantly low permeability in the upper part of the Magothy(?) Formation. Where the upper part of the Magothy(?) is composed of permeable material, these beds form a part of the water-table aquifer, and the lower surface of the

21.9.1

The hydraulic coefficients of the water-table aquifer at one well near Central Islip State Hospital are given below:

Well	Depth (feet)	Specific Yield (percent)	Specific Storage (percent)	Coefficient of permeability (ft)
100	27-32	2.7	23	27.2

Hydraulic coefficients of outwash deposits in the water-table aquifer. (Determination by the Hydrologic Laboratory, U.S. Geol. Survey)

Because of the high permeability of the beds and generally shallow depth to the water table, wells are both productive and economical in the area underlain by outwash deposits (pl. 1). The water-table aquifer presently (1961) supplies approximately 84 percent of the total pumpage of ground water in the Babylon-Islip area.

INTERMEDIATE ARTESIAN AQUIFERS

The intermediate artesian aquifer is composed of lenticular permeable deposits of the Magothy(?) Formation. The upper surface of the clay member of the Karitan Formation defines the lower boundary of the aquifer. Clayey and silty lenses in the upper part of the Magothy(?) Formation and the Gardiners Clay, where present, constitute the upper boundary. Unlike the top of the water-table aquifer, the upper boundary of the intermediate artesian aquifer generally is not a sharply defined surface such as the water table, but contains a transitional zone of relatively low permeability. Where clayey beds are replaced by sandy zones, hydraulic continuity exists between the water-table and intermediate artesian aquifers. However permeable zones in the Magothy(?) Formation are lensular, it is difficult to predict their occurrence and thickness, except for a basal zone. As in many parts of western Long Island, an extensive zone of sand and gravel about 100 feet thick probably lies immediately above the clay member of the Karitan Formation in the Babylon-Islip area but the data are too scanty to permit mapping the zone as a separate unit. (See well S42, pl. 1.) Test drilling is generally necessary to locate permeable zones which can yield as much as 1,500 gpm to individual wells. Specific capacities of wells range from 1 to 49 gpm per foot of drawdown. These wells tapping zones composed chiefly of sand and gravel commonly have specific capacities ranging from 20 to 40 gpm per ft. The method of computing transmissibility

Clay forms the lower boundary of the water-table aquifer. In the extreme southern part of the area, the Gardiners aquifer is at the first impermeable zone below the top of the Magothy(?). In the extreme southern part of the area, the Gardiners aquifer is present everywhere in the Babylon-Islip area, but it is very thin in some places and contains salt water in others. In the northwestern part of the area, the water table is mainly in the Magothy(?) Formation rather than in upper Pleistocene deposits. As a result, the water-table aquifer is thin, owing to the clayey nature of most of the saturated beds. The Recent and upper Pleistocene deposits which compose the water-table aquifer beneath Great South Bay contain only salt water. Beneath the barrier beaches, fresh water in the water-table aquifer occurs in small discontinuous lenses in beach and dune deposits of Recent age. These fresh-water lenses are underlain by salt water.

The approximate thickness of the water-table aquifer may be determined by subtracting algebraically the altitude of the top of the Magothy(?) Formation, or Gardiners Clay where it is present (pl. 2), from that of the water table (pl. 3). The thickness of the water-table aquifer ranges from almost zero in the northwestern part of the Babylon-Islip area to more than 100 feet in the eastern part. The average thickness is about 75 feet. Wells screened in the outwash deposits may be as high as 135 gpm per foot of drawdown, but are commonly 40 to 75 in thoroughly developed, large-diameter wells. The specific capacity of a well is a useful parameter for estimating water-bearing properties of an aquifer. Coefficients of transmissibility estimated from specific capacities (Theis and others, 1954) were used to compute the approximate coefficients of permeability of the outwash deposits given in the following table:

Estimated permeabilities of outwash deposits in the water-table aquifer

Well	Approximate coefficient of permeability (ft)	Specific capacity (gpm per ft)	Yield (gpm)	Drawdown (feet)	Area (sq ft)
810,007	28	20	200	80-81	110-140
811,151	20	20	1,825	80-81	1,000
812,321	66	20	1,200	84-78	1,000
812,310	66	100	1,000	80-78	1,000
812,872	70	70	1,212	78-103	1,212
812,873	42	42	800	85-60	800
810,170	85	21	1,020	81-117	1,020
810,008	28	20	200	80-81	110-140

from specific capacities (Theis and others, 1954) yields only approximate values for the intermediate artesian aquifer because of the unknown effects of partial penetration and the heterogeneous nature of the aquifer. However, in the absence of other laboratory or field determinations, the specific capacity is used as a means of estimating the coefficients of transmissibility of the aquifer. Coefficients of transmissibility estimated from specific capacities of four wells screened in various zones of the aquifer were used to compute the coefficients of permeability listed in the following table:

*Estimated permeabilities of water-bearing zones in the intermediate artesian aquifer*

[Thickness of water-bearing zone determined from well log]

Well	Screened zone (feet below mean sea level)	Thickness of water-bearing zone (feet)	Specific capacity (gpm per ft)	Field co- efficient of permeability (gpd per sq ft)
S11279	378-308	80	8.6	408
S14583	308-122	89	18.9	400
S15775	180-273	96	31.7	800
S16256	800-583	78	33.7	1,200

Wells S15775 and S16256 are screened in coarse sand and gravel whereas wells S11279 and S14583 are screened in fine to medium sand. Hence on the basis of data in the above table, approximate coefficients of permeability of 1,000 gpd (gallons per day) per square foot and 400 gpd per sq ft may be assumed for coarse sand and gravel and for fine to medium sand, respectively. The aquifer also consists of lenses of very fine to fine sand, silt, and clay, for which an average permeability of 20 gpd per sq ft may be assumed (Wenzel, 1942, p. 13). Based on the geologist's log of well S42 (Leggette and others, 1938, p. 30-32) 29 percent of the intermediate aquifer is sand and gravel, 52 percent is predominantly sand, and 19 percent is fine sand, silt, and clay. On the basis of these data, the average coefficient of permeability of the intermediate aquifer is estimated to be about 500 gpd per sq ft.

#### DEEP ARTESIAN AQUIFER

The deep artesian aquifer is the lowermost water-bearing zone in the ground-water reservoir. Its boundaries coincide with those of the Lloyd Sand Member of the Raritan Formation. Although no wells penetrate the deep artesian aquifer, it probably underlies the entire area. The bedrock, which contains only small quantities of water, marks the lower limit of the deep aquifer. The upper limit is at the base of the clay member of the Raritan Formation which acts as an effective confining unit for the deep artesian aquifer.

Specific capacities of 10 to 20 gpm per ft of drawdown are com-

County. Test wells screened in the Lloyd in central Suffolk County at Brookhaven National Laboratory had specific capacities of only 2.0 and 2.5 gpm per ft. If the Lloyd becomes increasingly clayey to the east (as the scanty data suggest), specific capacities of wells may range from about 10 to 20 gpm per ft in the western part of the area and 5 to 15 gpm per ft in the eastern part.

#### STREAMS AND PONDS

Surface-water resources have played a significant role in the growth of Long Island since its original settlement. Early industrial requirements focused on a need for power to operate sawmills and gristmills. The first gristmill in the Babylon-Islip area was constructed about 1860 on Connetquot River (Sander, 1954, p. 64). Artificial ponds were developed on many streams to supply the head required to drive water wheels. When steam and electric power came into use, gristmills and sawmills were abandoned, and now the principal use of streams and ponds is for recreation.

To meet demands for water by New York City, the surface-water resources of Nassau County were intensively developed in the early 1900's. A plan was proposed shortly thereafter to tap about 10 large streams in Suffolk County for additional supplies. The plan was abandoned only after strong protests were voiced throughout the county, especially by officials who envisioned the day when this invaluable resource might be required for local use. A county-wide plan is now in effect to purchase and preserve, in its natural state, land bordering on the few remaining undeveloped streams to be used for recreation and conservation.

All major streams in the area flow in a southerly direction, and, in general, are less than 3 miles long. The largest streams are Carlls River in the Town of Babylon, and Connetquot River in the Town of Islip. Both streams have fairly well developed tributary systems, and extend approximately 5 miles above the head of tidewater. All streams have gentle gradients that average about 2 feet per 1,000 feet.

With the exception of Lake Ronkonkoma, almost all ponds in the area are manmade. In the late 1800's ponds were utilized for industrial purposes; however, most are used only for recreation at present. Lake Ronkonkoma occupies a kettle hole whose bottom extends about 60 feet below the water table. The lake has a surface area of about 220 acres. The total area of all ponds and lakes is about 1.4 square miles or 0.7 percent of the total Babylon Islip area.

#### HYDROLOGIC CYCLE

The term "hydrologic cycle" denotes the general circulation of water in its various states (liquid, solid, or gaseous) from ocean to

atmosphere, from the atmosphere over and through the ground, and back to the ocean again.

Atmospheric water vapor will, if favorable conditions exist, condense into tiny droplets which increase in size until they can no longer be supported by air currents. If temperatures are above freezing, water vapor will precipitate as rain. If temperatures are at or below freezing during the condensation process, water vapor will precipitate as snow, sleet, or hail.

The time required for precipitation to return to the atmosphere depends principally upon the nature of the incident surface. Impervious or water-saturated surficial deposits cause precipitation to flow overland into streams or ponds. Precipitation falling upon and retained by vegetative surfaces will evaporate and return directly to the atmosphere. Some of the precipitation reaching the land surface will also evaporate; however, a substantial part will infiltrate into the ground if the soil is permeable. The first demand the infiltrating water must satisfy is that of the soil. Soil moisture is depleted primarily by vegetation and direct-surface evaporation. After soil-moisture requirements are fulfilled, residual water percolates slowly downward through interstices in the earth materials underlying the soil zone until it reaches the ground-water reservoir. While in the ground-water reservoir, the water moves slowly down gradient and is discharged into streams, bays, and the ocean. After discharge into the ocean, water completes the hydrologic cycle by eventually returning to the atmosphere by evaporation.

#### QUANTITATIVE HYDROLOGY

One of the principal objectives of this report was to evaluate the water balance for the ground-water reservoir. The accomplishment of this objective requires the collection and interpretation of data on precipitation, ground-water levels, and streamflow. These data are based on a network of gauging stations throughout the area.

In evaluating the water balance, the inflow or recharge to the ground-water reservoir is equated to the outflow or discharge, plus or minus changes in the reservoir storage. Recharge is essentially equal to discharge if the period of study selected is long enough to minimize the effect of changes in ground-water storage. The hydrologic factors affecting the water balance include precipitation, ground-water runoff, direct runoff, evapotranspiration, and underflow.

Precipitation, the largest factor, is fortunately the easiest to measure. Five U.S. Weather Bureau cooperative stations in or near the area have records of sufficient length to be of value in determining average precipitation. The average streamflow of the area was computed

from the existing network of primary, secondary, and partial-record gaging stations. That part of total streamflow which reflects direct runoff was computed from an analysis of the discharge hydrographs of the primary gaging stations; the remainder of the streamflow represents ground-water runoff. Precipitation and streamflow are the factors most amenable to quantitative analysis. Estimates of evapotranspiration losses are much more difficult to obtain. These estimates depend on studies made in nearby areas where geologic conditions do not preclude computing evapotranspiration indirectly. Ground-water evapotranspiration was computed from an analysis of water-table fluctuations in a part of the area where such losses are significant. The only unknown factor in the water-balance equation for the area is underflow at the north shore of Great South Bay (submarine outflow) which, therefore, may be computed from the equation.

To evaluate the various hydrologic factors, it is desirable to compute data for a period common to all. Too, as previously noted, it is essential to choose a period of sufficient length to eliminate the effect of change in storage in the ground-water reservoir. The period selected for study was the 1944-59 water years which corresponds to the length of the longest streamflow record in the Babylon-Isip area. Hence, all computations represent the averages for this period and may be assumed to be approximately equivalent to the true long-term averages.

#### PRECIPITATION

Precipitation in its various forms is the source of all water on Long Island. A favorable geographic location with respect to available sources of moisture provides Long Island with an abundant and fairly uniform supply of precipitation throughout the year. The two principal meteorological factors which produce precipitation on Long Island are the active extra-tropical cyclonic disturbances which are prevalent from November through April, and local convective summer storms. A secondary source of precipitation is tropical cyclones, often of spectacular size, but fortunately of infrequent occurrence. The primary sources of moisture for all storms affecting Long Island are the Gulf of Mexico and the southwestern part of the North Atlantic Ocean.

There are no long-term rainfall stations within the Babylon-Isip area; however, the records for Farmingdale, Babylon, and Brentwood (pl. 7), are of sufficient length to be of value in computing the mean annual precipitation for the base period. In addition, the rainfall stations at Patchogue (pl. 7) and Setauket (fig. 1), although outside the area, are considered to be sufficiently close that their records may be given same weight in determination of mean annual precipitation. With the

D-13

1.11.12

exception of the records for Setauket, which data back to 1886, the records of these stations go back less than 25 years.

Precipitation is heaviest in the south-central part of the Babylon-Islip area, as comparison of the mean annual precipitation at Babylon with other stations in or near the area shows (table 2). Somewhat heavier precipitation than that recorded at Babylon may occur in the hilly region of the northern part of the area; however, owing to lack of data, the orographic influence is not known. The apparent heavier rainfall at Babylon may be due to any one, or to a combination of, the following reasons: (a) proximity to the ocean, (b) local effects such as rain-gage exposure, or (c) to chance. A comparison of the mean annual precipitation at New York City and Setauket for the base period (1944-59 water years) with the long-term averages in table 2 indicates only slight variations. For example, average precipitation during the base period was about three-quarters of an inch greater than that for the long-term period at New York City, and less than a quarter of an inch lower than at Setauket. It may be inferred, therefore, that a water balance computed for the base period will be representative of the long-term averages. For the Babylon-Islip area, the mean annual precipitation for the base period was computed to be 46.3 inches by the Thiessen method (Williams, 1950, p. 276-278). Only slight weight was given to the Setauket record in the computations and none at all to that of New York City, which is too distant from the area.

TABLE 2.—Mean, maximum, and minimum annual precipitation, in inches, for selected stations

Station	Period of record	Mean	Maximum	Minimum	Mean for base period (1944-59)
New York City.....	1828-1958	42.3	58.7	28.8	43.8
Setauket.....	1886-1959	45.8	59.3	33.4	44.8
Farmingdale.....	(*)	45.9	58.4	32.4	44.3
Babylon.....	1838-59	48.6	66.7	34.7	48.7
Brentwood.....	1942-59	44.0	60.0	34.4	45.9
Patchogue.....	1938-59	45.0	58.6	36.0	45.0

\* 1971-72, 1928-33, 1940-58.  
 † Adjusted to base period.

On the basis of the records for Setauket and New York City for the period 1886-1960, annual precipitation may be expected to range from 30 to 60 inches in the area (fig. 3). If the 74-year record at Setauket is considered representative of average precipitation in the area, the curve in figure 3 may be used to predict future rainfall. For example, the probability is about three chances in five that annual precipitation in any one year will be between 40 and 50 inches.





FIGURE 3.—Annual precipitation duration curves for New York City and Setauket, 1886-1960

D-14

1.12...

**Hydrogeologic Data from Selected Wells  
and Test Holes in Suffolk County,  
Long Island, New York, 1972-80**



U.S. GEOLOGICAL SURVEY  
Open-File Report 81-500

Prepared in cooperation with  
SUFFOLK COUNTY DEPARTMENT OF HEALTH SERVICES  
SUFFOLK COUNTY WATER AUTHORITY



2.2.16

HYDROGEOLOGIC DATA FROM SELECTED WELLS  
AND TEST HOLES IN SUFFOLK COUNTY,  
LONG ISLAND, NEW YORK, 1972-80  
By Richard K. Krulikas

---

U.S. GEOLOGICAL SURVEY  
Open-File Report 81-500

Prepared in cooperation with  
SUFFOLK COUNTY DEPARTMENT OF HEALTH SERVICES  
SUFFOLK COUNTY WATER AUTHORITY



Syosset, New York

1981



Table 2. Hydrogeologic units and well completion data from selected wells and test holes in Suffolk County, New York.

EXPLANATION OF COLUMNAR DATA AND ABBREVIATIONS

Well Number

Well numbers are assigned by the New York State Department of Environmental Conservation. A prefix letter S, which designates Suffolk County, is omitted from the well number; thus, the official number of well 40161, for example, is S 40161. Wells are listed in numerical order.

Location of Well

Locations of wells are given by map coordinates, based on latitude and longitude, as shown on plate 1. Map coordinates are based on a latitude and longitude grid system established for Long Island (Veatch and others, 1906; Jensen and Soren, 1971). In this system, 5-minute intervals of latitude are lettered consecutively from south to north, and 5-minute intervals of longitude are numbered consecutively from west to east. The grid coordinates for Suffolk County are shown along the margins of plate 1. Thus, a well whose map coordinates are D15 is in the grid square bounded by lat 40°45' and 40°50'N and long 72°55' and 72°50'W.

Wells are also numbered according to the national well-numbering system of the U.S. Geological Survey. This system locates wells to the nearest second of latitude and longitude and gives a sequence number to the well to denote the chronological order in which wells within a 1-second quadrangle were recorded. For example, in well number 404707N0731905.01 (S 18075), the first six numbers indicate latitude 40°47'07" North; the remaining numbers before the period indicate longitude 073°19'05". The 01 after the period is the sequence number. Thus this well was the first one recorded in the 1-second quadrangle defined by the latitude and the longitude.

Well depth

The figures give well depth or total depth of the drilled test hole, in feet below land surface.

Hydrogeologic Unit Penetrated and Elevation of Unit Surface

Elevations of the tops of the hydrogeologic units penetrated by wells are given in feet above or below National Geodetic Vertical Datum of 1929. A minus (-) sign preceding the elevation figure indicates that the elevation is below National Geodetic Vertical Datum of 1929. The number in the "upper glacial aquifer" column is the elevation of the land surface at the well site. Absence of an elevation figure indicates that the test hole did not penetrate the unit.

Table 2.--Explanation (continued)

Year Completed

Year completed refers to the year in which the well was reported to have been completed or accepted by the original well owner. It may not always be the year in which the well was actually drilled.

Elevation of Land-Surface Datum (LSD)  
(feet above National Geodetic Vertical Datum of 1929)

The elevation of land surface at the well was estimated from U.S. Geological Survey 7-1/2-minute quadrangle topographic maps.

Use of Water

The following abbreviations indicate the primary purpose in 1977 for which the water from the well was reported to be used.

ARCD	air conditioning	IND	industrial
COM	commercial	IRR	irrigation
DOM	domestic	OTHR	other
FRPT	fire protection	P.S.	public supply
INST	institutional		

Use of Well

The following abbreviations indicate the principal use of the well or the purpose for which the well or hole was drilled.

DEST	well destroyed	TEST	test hole
OBS	observation well	UNSD	well unused
RECH	recharge water	WTDR	withdrawal of water

Screen Setting and Total Screen Length

The elevations of the top and bottom of the screened interval are given in feet above or below (-) National Geodetic Vertical Datum of 1929. The total length of screen or perforated pipe in that interval is given in feet. In some wells, screen was set at two or more intervals; in such cases the difference between the elevations of the two screen settings is different from the total screen length.

Diameter of Well

The diameter of the well is the inside diameter of the smallest casing at land surface, in inches.

## Table 2.--Explanation (continued)

Water Level (feet below land-surface datum)

The water level given is the reported original static water level, in feet above or below land surface, when the well was completed.

Date of Measurement

The date of water-level measurement is given by month (M), day (D), and year (Y).

Lift Type

The following abbreviations indicate the type of pump or other conveyance known or assumed to have been used in 1977 to bring water to the surface.

CENT	centrifugal	TURB	turbine
JET	jet	NONE	no pump in well
SUBM	submersible	OTHR	some other type of lift

Aquifer Developed

The following abbreviations indicate the hydrogeologic unit that yields water to the well. Where two or more units yield water to the well, the probable principal unit is given.

UPGLAC	Upper glacial aquifer
GARD	Gardiners Clay
MONMOUTH	Monmouth greensand
MAGOTHY	Magothy aquifer
RARITAN	Raritan clay
LLOYD	Lloyd aquifer

Table 2.--Explanation (continued)

Specific Capacity

The value in this column is the number of gallons per minute pumped from the well per foot of drawdown in the well, as reported by drillers.

Abbreviations

COORD	coordinates
D	day
DIAM	diameter
FT	feet
GPM/FT	gallons per minute pumped per foot of drawdown in the well
IN	inches
LSD	land surface datum
M	month
MEAS	measurement
NGVD	National Geodetic Vertical Datum of 1929.
Y	year

Table 2. Hydrogeologic Unit Penetration and Elevation of Unit Interface, in Feet Above or Below National Geodetic Vertical Datum of 1989

Well number	Location of well		Well depth (ft)	Upper glacial aquifer	Gardners Clay	Nonmach greenband	Pogothe aquifer	Baritan clay	Linyd aquifer	Bedrock
	Map record	Latitude and Longitude								
18173	D10	404707 073190.01	427	110						
18181	D10	404707 073190.01	388	110			-155			
18182	D10	404706 073190.01	201	110						
18567	F10	405556 073192.01	28	15						
20461	C 8	404224 073171.01	280	80					-280	
20462	C 8	404224 073171.02	585	80						
21714	F 8	405319 073190.01	453	64					-298	
22371	E10	405362 073192.01	283	10	- 62					
22564	D10	404705 073190.01	415	114					-145	
22623	D11	404704 073190.01	400	125					-151	
23133	D18	404801 073193.01	321	15						
23442	D11	404813 073192.01	400	125					-103	
23524	E13	405158 073030.01	446	110						
23609	E12	405318 073189.01	484	125						
26247	E 9	405058 073233.01	447	178					-324	
26490	D11	404503 073137.01	110	40						
26600	E12	405200 073055.01	323	123						
26661	E 8	405246 073253.01	400	10						
29703	F24	405336 072038.01	302	30	-113					-470
29823	D 9	404521 073252.01	622	76		-120		-239		- 6
30008	E 9	405038 073233.01	488	185						
30114	B 9	408800 073233.01	327	10	-100					
30118	D12	404910 073093.01	192	58					-133	
30421	D 9	404718 073243.01	272	125						
30506	D 9	404515 073255.01	621	75						
31269	F13	405512 073010.01	337	138						
31711	E11	405143 073110.01	600	125					- 94	
31734	E13	405453 073025.02	1125	163						
31976	F18	405936 072352.01	112	65					- 35	-573
32821	F12	405614 0730610.01	600	75						-730
33060	E12	405157 0730740.01	410	95						-495
33203	E12	405149 0730756.01	380	95						
33204	E12	405149 0730752.01	317	95						
33205	E12	405150 0730748.01	436	93						
33206	E12	405134 0730801.01	381	93						
33991	D11	404511 0731127.01	696	35	-46				- 93	
34016	E13	405156 0730451.01	712	95						
34451	E12	405147 0730740.01	417	94						
34652	E12	405148 0730753.01	102	94						
34653	E12	405149 0730801.01	700	93						
34893	F14	405517 0723749.01	840	125						
36448	F15	405627 0725407.01	404	132					-555	-719
36711	E14	405333 0723629.01	163	81						
36965	F22	405638 0721811.01	181	52					- 83	
37140	D11	404510 0731125.01	330	35	-69				- 84	
37276	D11	404918 0731330.01	400	40						
37496	D10	404717 0723856.03	622	60						
37991	E15	405456 0725327.01	141	102					-300	
38035	D 9	404723 0732455.01	450	130						
38194	F14	405652 0725900.02	775	157						-593
38320	D13	404756 0730255.02	173	75						
38321	D13	404756 0730255.03	303	63						
38595	E12	405257 0730501.01	605	108					-133	
38784	E13	405256 0730456.02	603	105					-200	
38785	E 9	405135 0732335.01	701	202					-200	

2.8.16

from selected wells and test holes in Suffolk County, New York.

WELL-COMPLETION DATA

Well Number	Year Com- pleted	Elevation of LSD (ft above or below MVD)	Use of Water	Use of well	Screen Setting (ft above or below MVD)	Total Screen Length (ft)	Dia. of well (in)	Water level (ft below LSD)	Date of Re- test (M-D-Y)	Well Test	Specific Gravity
18275	1959	110	UNSD	TEST	-180 TO -265	85	16	67	01-12-62	UPDCA	1.00
18281	1960	110	P.S.	WTDR	-34 TO -91	57	36	51	03-21-64	UPDCA	1.00
19767	1961	15	IRR	WTDR	-110 TO -188	78	12	25	09-11-69	UPDCA	1.00
20641	1962	60	P.S.	WTDR	-645 TO -505	81	20	25	04-12-64	UPDCA	1.00
27042	1962	64	OTPA	WTDR	-375 TO -285	12	4	4	01-12-62	UPDCA	1.00
22103	1963	10	OTPA	WTDR	-235 TO -275	12	4	4	01-12-62	UPDCA	1.00
22348	1964	114	UNSD	WTDR	-225 TO -288	56	42	42	01-12-62	UPDCA	1.00
22823	1964	125	IND	WTDR	-224 TO -275	51	12	12	01-12-62	UPDCA	1.00
23423	1962	15	IRR	WTDR	-255 TO -306	51	10	4	03-02-65	UPDCA	1.00
23424	1962	125	UNSD	UNSD	-249 TO -275	26	12	12	01-12-62	UPDCA	1.00
23425	1962	110	P.S.	WTDR	-310 TO -328	118	16	46	08-21-65	UPDCA	1.00
23429	1963	125	IRR	WTDR	-329 TO -358	30	10	9	03-12-68	UPDCA	1.00
26447	1963	128	P.S.	WTDR	-186 TO -249	163	20	133	12-14-64	UPDCA	1.00
26490	1965	40	P.S.	WTDR	-32 TO -67	35	30	17	09-22-65	UPDCA	1.00
26491	1966	123	UNSD	TEST	-167 TO -167	2	8	8	03-12-68	UPDCA	1.00
26481	1966	10	P.S.	WTDR	-515 TO -587	72	16	7	01-12-62	UPDCA	1.00
29443	1967	56	UNSD	ONS	-89 TO -160	11	4	4	01-11-62	UPDCA	1.00
29423	1967	76	UNSD	TEST							
30306	1967	165	P.S.	WTDR	-228 TO -282	54	20	13*	03-21-62	UPDCA	1.00
30311	1967	10	IRR	WTDR	-235 TO -300	66	10	8	03-21-62	UPDCA	1.00
30318	1967	56	P.S.	WTDR	-93 TO -136	51	16	67	03-21-62	UPDCA	1.00
30621	1967	125	ANCD	WTDR	-471 TO -543	82	6	26	07-01-65	UPDCA	1.00
30506	1967	75	P.S.	WTDR					07-23-65	UPDCA	1.00
31269	1967	128	UNSD	TEST						UPDCA	1.00
31711	1967	125	UNSD	TEST						UPDCA	1.00
31734	1967	163	UNSD	TEST						UPDCA	1.00
31976	1967	63	IND	WTDR	-18 TO -47	31	12	12		UPDCA	1.00
32821	1968	75	UNSD	TEST						UPDCA	1.00
33060	1968	85	ANCD	WTDR	-262 TO -315	53	16	50	04-12-68	UPDCA	1.00
33203	1968	95	OTPA	RECH	-425 TO -485	60	16	51	04-12-68	UPDCA	1.00
33204	1968	95	OTPA	RECH	-381 TO -422	61	16	50	04-12-68	UPDCA	1.00
33205	1968	93	ANCD	WTDR	-287 TO -345	60	16	50	04-12-68	UPDCA	1.00
33206	1968	93	OTPA	RECH	-428 TO -486	60	16	53	04-12-68	UPDCA	1.00
33891	1968	31	UNSD	TEST						UPDCA	1.00
34016	1968	93	UNSD	ONS						UPDCA	1.00
34051	1969	8	ANCD	WTDR	-258 TO -318	60	16	46	04-10-69	UPDCA	1.00
34052	1969	8	ANCD	WTDR	-45 TO -76	31	16	22	03-12-69	UPDCA	1.00
34053	1969	91	UNSD	ONS	-505 TO -601	102	8	49	03-13-69	UPDCA	1.00
34893	1969	123	UNSD	ONS						UPDCA	1.00
34916	1970	81	UNSD	ONS						UPDCA	1.00
34941	1970	55	P.S.	WTDR	-28 TO -58	30	12	35	04-13-70	UPDCA	1.00
37140	1970	35	P.S.	WTDR	-71 TO -101	30	12	34	03-13-70	UPDCA	1.00
37276	1970	40	ANCD	WTDR	-225 TO -285	70	20	18	03-13-70	UPDCA	1.00
37494	1970	60	UNSD	WTDR	-309 TO -359	50	36	13	03-01-70	UPDCA	1.00
37891	1970	102	P.S.	WTDR	-13 TO -39	26	16	45	09-16-70	UPDCA	1.00
38035	1970	120	UNSD	UNSD						UPDCA	1.00
38194	1970	137	P.S.	WTDR	-313 TO -323	60	20	133	12-10-70	UPDCA	1.00
38320	1970	75	P.S.	WTDR	-33 TO -82	47	20	39	11-16-70	UPDCA	1.00
38321	1971	63	P.S.	WTDR	-176 TO -237	61	20	38	01-08-71	UPDCA	1.00
38595	1970	105	UNSD	TEST						UPDCA	1.00
38784	1970	105	P.S.	WTDR	-422 TO -492	70	20	44	09-23-71	UPDCA	1.00
38785	1971	202	P.S.	WTDR	-370 TO -461	91	20	137	03-20-71	UPDCA	1.00



2.10.14

from selected wells and test holes in Suffolk County, New York.

WELL-COMPLETION DATA

Well Number	Year Com- pleted	Elevation of LBD (ft above or below MVD)	Size of Hole	Use of Well	Screen Setting (ft above or below MVD)	Total Screen Length (ft)	Diam of Well (in)	Water Level (ft below MVD)	Date of Inst. (M-D-Y)	Life Type	Acquirer Desc.	Specific Capacity (GPM/ft)
28916	1971	227	MSD	TEST	-507 TO -607	100	10				MSCTM	
29184	1971	93	MSD	MECH	-436 TO -516	100	10				UPGLAC	
29185	1971	93	MSD	MECH	-480 TO -580	100	10				UPGLAC	
29186	1971	93	MSD	MECH	-503 TO -603	100	10				UPGLAC	
29187	1971	93	MSD	MECH							UPGLAC	
29232	1971	64	MSD	TEST	-546 TO -546	22	16	33	04-09-72		MSCTM	106
29233	1971	128	P.S.	TEST	- 8 TO - 68	40	10	69	07-04-71		UPGLAC	
29234	1971	78	MSD	TEST	-516 TO -616	100	8	47	10-01-71		MSCTM	57
29235	1971	53	P.S.	WTR	-149 TO -219	70	20	23			MSCTM	
29236	1971	5	P.S.	WTR	-313 TO -458	143	12	FLOWING	12-20-72		MSCTM	
29708	1971	123	P.S.	WTR	-382 TO -462	80	20	155	09-01-71		UPGLAC	36
40161	1971	85	MSD	TEST	-545 TO -620	35	30	56	07-21-71		MSCTM	3
40311	1971	80	P.S.	WTR	- 14 TO - 54	40	20	43	03-28-71		UPGLAC	35
40311	1971	87	P.S.	WTR							UPGLAC	
40333	1972	110	MSD	WTR	-403 TO -415	10	6	74	06-21-72		UPGLAC	7
40407	1971	10	P.P.P.	WTR	-109 TO -129	20	16	4	09-13-71		UPGLAC	
40497	1971	74	P.S.	WTR	-150 TO -219	60	10	32	03-10-72		MSCTM	44
40498	1972	24	P.S.	WTR	-447 TO -718	20	20	20	10-12-71		UPGLAC	54
40709	1971	90	P.S.	WTR	-320 TO -390	60	20	31			UPGLAC	87
40710	1972	70	P.S.	WTR	-291 TO -387	90	20	33	10-28-71		MSCTM	126
40818	1971	70	P.S.	WTR	-153 TO -203	30	4	37	09-04-71		UPGLAC	86
40837	1972	195	MSD	TEST	- 28 TO - 82	54	20	160	01-10-72		MSCTM	9
40838	1972	195	P.S.	WTR	- 44 TO - 89	55	20	182	04-04-72		UPGLAC	10
40980	1972	223	P.S.	WTR	-319 TO -348	69	20	191	03-10-72		MSCTM	20
40981	1971	100	MSD	TEST	-353 TO -373	30	8	34	11-02-71		MSCTM	7
41241	1972	73	MSD	TEST							MSCTM	
41242	1972	120	MSD	TEST							MSCTM	
41243	1971	110	MSD	TEST							MSCTM	
41244	1971	79	MSD	TEST							MSCTM	
41245	1972	237	MSD	TEST							UPGLAC	
41246	1972	110	MSD	TEST							MSCTM	
41247	1972	106	MSD	TEST							MSCTM	
41248	1972	50	MSD	TEST							MSCTM	
41249	1971	79	MSD	TEST							MSCTM	
41250	1972	237	MSD	TEST							UPGLAC	
41251	1972	110	MSD	TEST							MSCTM	
41252	1972	110	P.S.	WTR							UPGLAC	
41253	1971	110	P.S.	WTR							UPGLAC	
41254	1972	106	MSD	TEST							MSCTM	
41255	1972	50	MSD	TEST							MSCTM	
41256	1972	40	MSD	TEST							MSCTM	
41257	1972	110	P.S.	WTR							UPGLAC	
41258	1972	110	P.S.	WTR							UPGLAC	
41259	1972	110	P.S.	WTR							UPGLAC	
41260	1972	78	MSD	WTR							MSCTM	
41261	1972	76	MSD	WTR							MSCTM	
41262	1972	110	P.S.	WTR							UPGLAC	
41263	1972	110	P.S.	WTR							UPGLAC	
41264	1972	130	P.S.	WTR							UPGLAC	
41265	1972	75	P.S.	WTR							MSCTM	
41266	1972	24	P.S.	WTR							MSCTM	
41267	1972	35	P.S.	WTR							MSCTM	
41268	1972	230	P.S.	WTR							UPGLAC	
41269	1972	20	MSD	TEST							MSCTM	
41270	1972	90	MSD	TEST							MSCTM	
41271	1972	40	MSD	TEST							MSCTM	
41272	1972	102	P.S.	WTR							UPGLAC	
41273	1972	55	MSD	TEST							UPGLAC	
41274	1972	66	MSD	TEST							UPGLAC	
41275	1972	10	MSD	TEST							UPGLAC	
41276	1972	50	MSD	TEST							UPGLAC	



2.11.16

Table 2.--Hydrologic units and well logs, section 125

HYDROLOGIC UNIT PENETRATED AND ELEVATION OF UNIT SURFACE, IN FEET ABOVE OR BELOW NATIONAL GEODETIC VERTICAL DATUM OF 1929										
Location of well			Well depth (ft)	Upper glacial aquifer	Cardinal Clay	Nonmouth greensand	Mogogy aquifer	Benton clay	Liquid aquifer	Bedrock
Well number	Map coord	Latitude and Longitude								
✓43811	D 9	404530 0732411.01	90	102						
✓43813	C 9	404158 0732258.02	78	35						
✓43814	C 9	404455 0732150.01	50	40						
✓43816	C 9	404237 0732296.02	80	40						
✓43817	D 9	404418 0732050.01	56	70						
✓43819	C 9	404250 0732023.02	78	30						
✓43820	D10	404669 0731845.01	98	110						
✓43822	C10	404352 0731855.02	74	20						
44032	E12	405147 0730648.01	753	118			-136			
44137	C10	404432 0731513.01	720	39	- 46		- 75			
44186	E13	405004 0730227.01	673	180				- 88		
44378	E 9	405322 0732114.01	467	27						
44487	E15	405122 0729407.00	713	105				-107		
44640	F14	405710 0725713.01	205	155						
44774	D11	404920 0731428.01	293	79						
44775	E13	405407 0730009.01	755	150						
44914	E 9	405234 0732142.01	25	30						
✓44918	D13	404812 0730412.01	85	85						
✓45053	E 9	405330 0732424.01	125	185						
✓45207	E10	405132 0731814.01	146	165						
✓45208	Z 9	405005 0732337.01	137	150						
✓45210	D10	404943 0731745.01	109	125						
✓45212	E10	405336 0731920.01	114	120						
45220	C12	404305 0730853.00	724	10	- 76	-104	-202			
45347	D10	404726 0731826.01	643	130			-200			
45348	D10	404729 0731828.01	650	130						
✓45402	E10	405239 0731622.01	170	180						
✓45446	C10	404600 0731544.02	41	38						
✓45447	D12	404606 0730500.01	82	52						
✓45594	D10	404920 0731509.01	85	105						
45610	Z 9	405322 0732114.04	313	15						
✓45637	D12	404508 0730809.01	82	13						
45638	D 9	404804 0732037.01	725	170						
45639	D 9	404804 0732037.02	740	170						
✓45717	D10	404618 0731645.01	75	93						
✓45719	D11	404625 0731016.01	82	26						
✓45720	D11	404716 0731316.02	81	90						
✓45722	D11	404516 0731228.01	91	37						
45808	E15	405201 0725442.00	707	93			-103			
45839	D11	404503 0731312.03	724	40			-105			
45935	D10	404851 0731851.01	605	285				-344		
46165	F11	405521 0731005.01	481	15						
46235	C10	404432 0731513.01	713	39	- 46		- 75			
✓46281	E 8	405237 0732505.00	51	34						
✓46283	D 9	404823 0732118.00	239	275						
✓46284	D12	404648 0730734.01	106	110						
✓46286	D11	404836 0731109.01	107	120						
46400	E13	405002 0730226.00	264	180				- 84		
46509	C12	404317 0730859.01	315	15	- 75	-115	-201			
46712	D16	404803 0724640.01	100	20						
46713	D16	404804 0724944.01	444	20	- 76	- 95	-144			
46830	D10	404606 0731746.01	655	76	- 46		- 60			
46871	E 8	405041 0732515.01	836	196				-428		
✓46911	D16	404920 0724845.02	34	41						
46912	D16	404919 0724845.01	32	42						

D-25

2.12.16

Table 2--Hydrologic units and well-completions

Location of well				HYDROLOGIC UNIT IDENTIFIED AND ALTITUDE OF UNIT 5 FEET IN FEET ABOVE OR BELOW NATIONAL GEODETIC VERTICAL DATUM OF 1929							
Well number	Well group	Latitude and Longitude	Well depth (ft)	Upper strata aquifer	Confined clay	Unconfined aquifer	Barrier clay	Lower aquifer	Bedrock		
48928	E11	404455 072028.01	65	166							
✓48963	E12	404726 072021.01	133	162							
✓48964	E10	404726 072121.00	116	123							
✓48965	E10	404720 072144.00	152	164							
48966	D16	404491 0724105.01	88	88							
43002	E19	405106 072305.01	163	90		-210		-221			
43024	D17	404628 0724308.00	377	10							
43157	D11	404933 0721342.01	23	105							
43218	E16	405335 0725429.00	703	71				-207			
✓43222	C10	404400 0721635.01	28	75							
✓43223	C12	404351 0720541.01	30	55							
✓43224	D15	404817 0725323.00	33	20							
43225	E16	405318 0725411.01	31	31							
43227	E16	405340 0724814.01	100	40							
43228	E16	405306 0724827.01	101	40							
✓43231	F18	405341 0723531.00	40	40							
✓43232	G20	410348 0722729.00	51	11							
✓43233	C21	410213 0722327.00	27	7							
43235	C23	410037 0721451.01	22	5							
43236	C23	410156 0721326.01	60	33							
43281	E17	405349 0724413.02	275	140		-78		-90			
43282	E17	405844 0724415.03	283	140				-93			
43436	E13	405126 0725408.01	186	105							
43437	E13	405126 0725408.02	179	105							
43438	E15	405126 0725408.03	269	105				-103			
43439	D14	404739 0724627.02	707	71				-114			
43453	D12	404804 0730513.00	443	100				-102			
43452	D11	404810 0731132.00	726	100				-241			
43473	E11	405342 0721058.01	279	157							
43475	E12	405311 0720458.01	70	80							
43486	E12	405309 0720408.01	104	131							
43711	C 9	404119 0722212.01	221	32				-47			
43718	D12	404818 0724843.01	31	68							
43741	D12	405211 0722507.00	519	70							
✓43743	D13	404942 0720584.01	100	35							
43745	E16	404947 0723227.01	32	62							
✓43746	D16	404842 0725713.00	86	90							
✓43747	D15	404710 0725452.00	35	31							
43748	F13	404943 0725147.00	36	110							
43750	E13	405206 0725154.00	95	95							
✓43752	D16	404607 0725847.01	100	33							
43755	E16	404136 0724645.00	56	63							
43756	D16	404922 0725850.01	69	89							
43757	E13	405008 0720253.01	128	160							
43758	D12	404431 0720200.01	102	121							
43865	C 9	404326 0723220.01	509	43				-47			
43867	C 8	404044 0723221.02	648	28				-64			
43965	F14	403448 0725551.01	142	163							
43972	F12	403806 0720443.01	90	94							
43974	F13	403532 0720257.01	150	249							
43975	E14	403050 0723933.01	139	153							
43976	F14	403405 0725915.01	128	150							
43977	D15	404711 0725150.00	35	38							
48014	E12	403203 0720855.01	243	226							
48193	D 9	404513 0722235.02	534	20				-109			

D-26

2.13.16

Table 2. Hydrologic units and well-completion data

Well	No.	Loc. (E1)	Latitude and Longitude	Depth (ft)	Upper (ft)	Location of well						
						Gardiner	Clay	Greenland	Neotoma	Hartman	Lloyd	Backrock
53226	G20	41028	072297.01	92	60							
53227	G20	41022	072298.01	64	24							
53228	G20	41017	0722818.01	71	30							
53229	G20	41070	072202.01	52	15							
53230	G21	41022	072298.01	64	24							
53231	G21	41022	072298.01	64	24							
53232	F19	40543	072243.01	45	25							
53233	F19	40524	072243.01	74	51							
53234	F19	40529	0722038.01	53	32							
53235	G20	41030	0722677.01	37	16							
53236	G19	41001	0722155.01	42	18							
53237	H22	41006	072171.01	52	20							
53238	H22	41042	0722613.01	63	35							
53239	G20	40422	073005.01	78	50							
53240	E10	40503	0731628.02	703	141							
53241	E10	40513	0731598.01	52	148							
53242	D12	40495	073035.01	173	90							
53243	D12	40495	073035.02	721	90							
53244	E17	40520	0726306.01	137	167							
53245	E18	40512	0723538.03	161	47							
53247	E10	40514	0731910.01	453	171							
53248	E17	40520	0726306.02	291	167							
53249	E13	40502	0730321.01	703	170							
53250	E10	40432	0731725.01	721	38							
53251	E10	40539	0731828.01	543	151							
53252	D12	40480	0730515.02	313	100							
53253	D12	40479	0731225.01	797	109							
53254	D12	40479	0731225.01	630	5							
53255	E13	40503	0730321.03	312	170							
53256	F18	40590	0723528.01	125	45							
53257	F18	40587	0723528.01	467	65							
53258	C 8	40420	0732502.02	423	45							
53259	B10	40382	0731505.01	750	8							
53260	D11	40418	0731231.01	378	50							
53261	E25	40532	0722420.01	161	50							
53262	F18	40586	0723540.01	243	68							
53263	E 9	40512	0732327.01	180	185							
53264	E10	40432	0731842.02	333	70							
53265	E10	40432	0731761.01	233	28							
53266	C10	40418	0731718.01	800	50							
53267	D13	40452	0730123.01	704	6							
53268	D13	40495	0730015.01	178	107							
53269	F18	40525	0730548.01	104	35							
53270	D10	40458	0731642.01	635	111							
53271	E 8	40512	0732727.01	257	50							
53272	C26	41024	0733545.01	93	32							
53273	D 9	40464	0732458.01	270	105							
53274	C13	40422	0730450.01	807	21							
53275	F 8	40520	0732938.01	418	82							
53276	F12	40514	0730515.01	582	100							
53277	F13	40531	0730452.01	703	187							
53278	D10	40495	0731231.01	423	132							
53279	E13	40524	0730307.02	723	130							
53280	D10	40495	0731231.01	252	140							
53281	E13	40524	0730307.02	723	130							
53282	F13	40531	0730452.01	703	187							
53283	E 9	40512	0732327.01	180	185							
53284	D13	40495	0730015.01	178	107							
53285	E 8	40512	0732727.01	257	50							
53286	E 8	40512	0732727.01	257	50							
53287	D13	40495	0730015.01	178	107							
53288	F18	40525	0730548.01	104	35							
53289	D10	40458	0731642.01	635	111							
53290	E 8	40512	0732727.01	257	50							
53291	D13	40495	0730015.01	178	107							
53292	E 8	40512	0732727.01	257	50							
53293	E10	40513	0731598.01	52	148							
53294	D12	40495	073035.01	173	90							
53295	D12	40495	073035.02	721	90							
53296	E17	40520	0726306.01	137	167							
53297	E18	40512	0723538.03	161	47							
53298	E10	40514	0731910.01	453	171							
53299	E13	40502	0730321.01	703	170							
53300	E10	40432	0731725.01	721	38							
53301	E10	40539	0731828.01	543	151							
53302	D12	40480	0730515.02	313	100							
53303	D12	40479	0731225.01	797	109							
53304	D12	40479	0731225.01	630	5							
53305	E13	40503	0730321.03	312	170							
53306	F18	40590	0723528.01	125	45							
53307	F18	40587	0723528.01	467	65							
53308	C 8	40420	0732502.02	423	45							
53309	B10	40382	0731505.01	750	8							
53310	D11	40418	0731231.01	378	50							
53311	E25	40532	0722420.01	161	50							
53312	F18	40586	0723540.01	243	68							
53313	E 9	40512	0732327.01	180	185							
53314	E10	40432	0731842.02	333	70							
53315	E10	40432	0731761.01	233	28							
53316	C10	40418	0731718.01	800	50							
53317	D13	40452	0730123.01	704	6							
53318	D13	40495	0730015.01	178	107							
53319	F18	40525	0730548.01	104	35							
53320	D10	40458	0731642.01	635	111							
53321	E 8	40512	0732727.01	257	50							
53322	C26	41024	0733545.01	93	32							
53323	D 9	40464	0732458.01	270	105							
53324	C13	40422	0730450.01	807	21							
53325	F 8	40520	0732938.01	418	82							
53326	F12	40514	0730515.01	582	100							
53327	F13	40531	0730452.01	703	187							
53328	D10	40495	0731231.01	423	132							
53329	E13	40524	0730307.02	723	130							
53330	E13	40524	0730307.02	723	130							
53331	D10	40495	0731231.01	252	140							
53332	E13	40524	0730307.02	723	130							
53333	F13	40531	0730452.01	703	187							
53334	E 9	40512	0732327.01	180	185							
53335	D13	40495	0730015.01	178	107							
53336	E 8	40512	0732727.01	257	50							
53337	E 8	40512	0732727.01	257	50							
53338	D13	40495	0730015.01	178	107							
53339	F18	40525	0730548.01	104	35							
53340	D10	40458	0731642.01	635	111							
53341	E 8	40512	0732727.01	257	50							
53342	C26	41024	0733545.01	93	32							
53343	D 9	40464	0732458.01	270	105							
53344	C13	40422	0730450.01	807	21							
53345	F 8	40520	0732938.01	418	82							
53346	F12	40514	0730515.01	582	100							
53347	F13	40531	0730452.01	703	187							
53348	D10	40495	0731231.01	423	132							
53349	E13	40524	0730307.02	723	130							
53350	E13	40524	0730307.02	723	130							

107

2.14.

from selected wells and low water in Suffolk County, New York.

WELL-COMPLETION DATA

Well Number	Year Completed	Elevation (ft above or below M.D.M.)	Use of Water	Use of Well	Setting (ft above or below M.D.M.)	Total Screen Length (ft)	Diam of Well (in)	Water Level (ft below M.D.M.)	Date of Meas. (M-D-Y)	Lift Type	Acifier Service	Specific Capacity (GPM/ft)
53320	1974	10	UNSD	OBS	-19 TO -29	10	4				UPGLAC	76
53321	1974	14	UNSD	OBS	-8 TO -18	10	4				UPGLAC	
53322	1974	10	UNSD	OBS	-9 TO -19	10	4				UPGLAC	
53329	1975	10	UNSD	OBS	-24 TO -41	15	8				UPGLAC	
53330	1975	10	UNSD	OBS	-17 TO -37	20	4				UPGLAC	
53331	1974	8	UNSD	OBS	-11 TO -21	10	4				UPGLAC	
53332	1974	10	UNSD	OBS	-8 TO -18	10	4				UPGLAC	
53333	1974	10	UNSD	OBS	-11 TO -21	10	4				UPGLAC	
53334	1974	10	UNSD	OBS	-9 TO -19	10	4				UPGLAC	
53335	1974	14	UNSD	OBS	-9 TO -19	10	4				UPGLAC	
53336	1974	15	UNSD	OBS	-12 TO -22	10	4				UPGLAC	
53337	1975	10	UNSD	OBS	-12 TO -22	10	4				UPGLAC	
53338	1974	10	UNSD	OBS	-14 TO -24	10	4				UPGLAC	
53339	1974	10	UNSD	TEST	-40 TO -56	16	4				UPGLAC	
53360	1975	10	P.S.	WTDR	-28 TO -36	19	20	80	02-27-75	TURB	MAGNETRY	
53361	1975	10	P.S.	WTDR	-28 TO -36	80	20	111	05-13-75	TURB	MAGNETRY	
53497	1975	10	P.S.	WTDR	-25 TO -40	35	42	111	05-13-75	TURB	UPGLAC	
53498	1975	10	P.S.	WTDR	-37 TO -62	35	42	114	05-27-75	TURB	UPGLAC	
53522	1974	10	P.S.	WTDR	-71 TO -111	40	20	38	12-17-74	TURB	MAGNETRY	
53593	1974	10	P.S.	WTDR	-199 TO -377	78	20	111	10-03-75	TURB	MAGNETRY	
53747	1975	10	UNSD	TEST	-304 TO -374	70	20	130	02-27-75	TURB	MAGNETRY	
54201	1975	10	P.S.	WTDR	-149 TO -210	61	20	35	04-02-75	TURB	UPGLAC	
54208	1975	10	P.S.	WTDR	-613 TO -683	70	20	71	04-04-75	TURB	MAGNETRY	
54323	1975	10	P.S.	WTDR	-375 TO -425	50	12	10	04-04-75	TURB	MAGNETRY	
54453	1975	10	P.S.	WTDR	-78 TO -138	61	20	113	07-14-75	TURB	MAGNETRY	
54478	1975	8	UNSD	TEST	-29 TO -40	31	13	54	05-31-75	TURB	MAGNETRY	
54679	1975	8	UNSD	OBS	-397 TO -402	10	6	23	03-12-75	TURB	MAGNETRY	
54586	1975	8	P.S.	WTDR	-295 TO -374	83	20	4	07-21-75	TURB	MAGNETRY	
54731	1975	10	P.S.	WTDR	-811 TO -742	51	14	4	03-12-75	TURB	MAGNETRY	
54957	1976	10	P.S.	WTDR	-248 TO -323	35	20	19	08-01-75	TURB	UPGLAC	
55028	1975	10	P.S.	WTDR	-75 TO -110	35	10	43	08-01-75	TURB	UPGLAC	
55076	1975	10	UNSD	TEST	-142 TO -182	50	20	14	09-25-75	TURB	UPGLAC	
55094	1975	10	UNSD	TEST	-157 TO -261	104	20	23	03-12-76	TURB	UPGLAC	
55733	1975	10	UNSD	TEST	-15 TO -65	0	20	31			UPGLAC	
56123	1976	10	UNSD	TEST	-15 TO -65	0	20	31			UPGLAC	
56423	1975	10	UNSD	TEST	-15 TO -65	0	20	31			UPGLAC	
56508	1976	10	UNSD	TEST	-15 TO -65	0	20	31			UPGLAC	
56674	1975	10	UNSD	WTDR	-415 TO -521	103	20	56	12-26-75	TURB	UPGLAC	
56980	1974	10	UNSD	WTDR	-163 TO -204	41	12	62	02-22-74	TURB	LLDPE	
57008	1974	10	P.S.	WTDR	-26 TO -37	31	10	29	04-28-74	TURB	UPGLAC	
57354	1976	10	P.S.	WTDR	-135 TO -165	30	8	43	06-10-76	TURB	UPGLAC	
57357	1976	10	UNSD	WTDR	-231 TO -236	5	4	78	02-15-76	TURB	UPGLAC	
57466	1976	10	UNSD	WTDR	-289 TO -419	90	20	59	02-28-76	TURB	UPGLAC	
57723	1976	10	UNSD	WTDR	-443 TO -513	70	20	144	01-02-77	TURB	UPGLAC	
57748	1977	10	UNSD	WTDR	-197 TO -237	60	20	81	09-28-76	TURB	UPGLAC	
57979	1976	10	UNSD	WTDR	-6 TO -12	6	4	62	08-15-77	TURB	UPGLAC	
57980	1977	10	P.S.	WTDR	-522 TO -593	71	20	22			UPGLAC	
58206	1976	10	UNSD	WTDR	-19 TO -24	5	4				UPGLAC	
58255	1976	10	UNSD	WTDR	-19 TO -24	5	4				UPGLAC	
58374	1977	10	UNSD	WTDR	-19 TO -24	5	4				UPGLAC	
58821	1974	10	UNSD	OBS	-19 TO -24	5	4				UPGLAC	

1.08

2.15.16

Table 2.--Hydrologic units and well-completion data

HYDROLOGIC UNIT PENETRATED AND ELEVATION OF UNIT SURFACE, IN FEET ABOVE OR BELOW NATIONAL GEODETIC VERTICAL DATUM OF 1929										
Well number	Location of well		Well depth (ft)	Upper glacial aquifer	Cardinets Clay	Hamouth greensand	Magoohy aquifer	Maritan clay	Lloyd aquifer	Bedrock
	Map coord	Latitude and Longitude								
64847	D11	404905 0731320.01	834	40			-11A			
64927	E 9	405304 0732331.01	821	95						
64928	D11	404851 0731203.01	742	65	- 58		- 71			
65196	D10	404529 0731719.01	124	69	- 39		- 48			
65221	E17	405243 0724117.01	304	258	- 35					
65340	D12	404436 0730709.01	804	70			-282			
65505	C 9	404352 0732158.01	650	54			-132			
65796	D11	404759 0731228.01	796	100			-110			
66132	D 9	404405 0732417.01	140	100			40			
66133	C 9	404330 0732441.01	181	66			- 30			
66134	C 9	404235 0732411.01	150	31			- 53			
66135	C11	404430 0731233.01	168	34	- 36		- 59			
66136	B 9	403815 0732350.01	143	7	- 57		- 69			
66137	D 9	404618 0732121.01	143	140			70			
66138	C 9	404430 0732158.01	150	67	- 27		- 41			
66139	C 9	404332 0732122.01	153	42			- 44			
66140	C 9	404203 0732100.01	112	21			- 54			
66141	C 9	404058 0732025.02	133	5	- 53		-105			
66142	D10	404815 0731832.01	203	140	- 15		- 33			
66143	D10	404341 0731803.01	185	70	- 34		- 45			
66144	C10	404448 0731841.01	143	39	- 31		- 59			
66145	C10	404433 0731712.01	175	42			- 58			
66146	C10	404201 0731638.01	143	12	- 39		- 63			
66147	C12	404251 0730954.01	184	12	- 87	-104	-143			
66148	D11	404614 0731236.01	153	66			- 53			
66149	D11	404524 0731234.01	183	38			- 74			
66150	C11	404430 0731233.01	163	26	- 58		- 77			
66151	C11	404308 0731318.01	150	7	- 68		- 98			
66152	D11	404810 0731219.01	193	107			- 57			
66153	D11	404645 0731053.01	163	50			- 68			
66154	D11	404548 0731010.01	153	31	- 64		- 91			
66155	C11	404447 0731041.01	135	28	- 73		- 91			
66156	C12	404334 0730953.01	173	18	- 92		-112			
66183	D13	404722 0730303.03	343	71	-139		-159			
66266	E 9	405158 0732548.01	479	170						
66496	E12	405058 0730509.01	793	127	- 53		- 78			
66556	C 9	404308 0732431.01	733	50			- 48			
66733	P23	403816 0721008.01	607	45			-485			
66823	F13	403623 0730592.01	646	160						
66825	E21	403333 0722417.01	385	50			-162			
66880	E19	405031 0721890.01	216	5		-124	-239			
67074	D12	404432 0730708.01	832	70			-374			
67081	B11	403301 0731237.01	125	4	- 87	-102				
67082	B11	403739 0731432.01	234	12	- 73	-100	-206			
67083	B10	403729 0731701.01	125	12	- 80	- 97				
67084	B10	403825 0731823.01	205	9	- 73	- 91	-147			
67085	B 9	403813 0732007.01	122	10	- 70					
67086	B 9	403739 0731201.01	125	10	- 74					
67087	B 9	403457 0732421.01	205	10	- 74	- 95	-140			
67088	B 8	403640 0732527.01	225	10	- 74	- 95	-151			
67197	D11	404652 0731203.01	763	65	- 58		- 71			
67974	D14	404552 0725617.01	790	30		- 98	-130			

D-29

from selected wells and test holes in Suffolk County, New York.

WELL-COMPLETION DATA

Well Number	Year Com. pleted	Elevation of LSD (ft above or below MVD)	Use of Water	Use of Well	Screen Setting (ft above or below MVD)	Total Screen Length (ft)	Diam of Well (in)	Water Level (ft below LSD)	Date of Instal. (M-D-Y)	Equip. Devs. - Code	Specific Capacity (GPM/ft)
64867	1979	40	P.S.	UTM	-488 TO -390	112	20	14	01-08-79	MAGCNY UPGLAC	39
64927	1978	93	UMSD	TEST						MAGCNY	
64928	1978	63	UMSD	TEST						MAGCNY	
65196	1978	89	UMSD	TEST						UPGLAC	
65321	1978	259	UMSD	UMSD	2 TO - 6	10	4				
65340	1978	70	UMSD	TEST	-521 TO -391	70	20	21		MAGCNY	
65305	1979	34	P.S.	UTM						MAGCNY	
65766	1978	100	UMSD	UMSD	10 TO 0	10	6	73	07-11-79	MAGCNY	
66132	1978	100	UMSD	UMSD	- 48 TO - 76	10	6	47	07-11-79	MAGCNY	
66133	1979	88	UMSD	UMSD						MAGCNY	
66134	1979	51	UMSD	UMSD	- 83 TO - 93	10	4	34	07-11-79	MAGCNY	
66135	1979	34	UMSD	UMSD	- 93 TO -103	10	4	21	07-11-79	MAGCNY	
66136	1979	3	UMSD	UMSD	-118 TO -128	10	4	4	07-11-79	MAGCNY	
66137	1979	140	UMSD	UMSD	20 TO 10	10	6	71	07-11-79	MAGCNY	
66138	1979	63	UMSD	UMSD	- 58 TO - 66	10	6	41	07-11-79	MAGCNY	
66139	1979	42	UMSD	UMSD	- 76 TO - 86	10	6	34	07-11-79	MAGCNY	
66140	1979	21	UMSD	UMSD	- 63 TO - 72	10	6	16	07-11-79	MAGCNY	
66141	1979	5	UMSD	UMSD	-105 TO -115	10	6	4	07-11-79	MAGCNY	
66142	1979	140	UMSD	UMSD	- 32 TO - 42	10	6	60	07-11-79	MAGCNY	
66143	1979	70	UMSD	UMSD	- 96 TO -106	10	6	47	07-11-79	MAGCNY	
66144	1979	59	UMSD	UMSD	- 67 TO - 77	10	6	41	07-11-79	MAGCNY	
66145	1979	42	UMSD	UMSD	-103 TO -113	10	6	27	07-11-79	MAGCNY	
66146	1979	12	UMSD	UMSD	-151 TO -155	10	6	8	07-11-79	MAGCNY	
66147	1979	32	UMSD	UMSD	-143 TO -155	10	6	11	07-11-79	MAGCNY	
66148	1979	66	UMSD	UMSD	- 67 TO - 74	10	6	42	07-11-79	MAGCNY	
66149	1979	38	UMSD	UMSD	-119 TO -129	10	6	23	07-11-79	MAGCNY	
66150	1979	26	UMSD	UMSD	- 64 TO - 94	10	6	17	07-11-79	MAGCNY	
66151	1979	7	UMSD	UMSD	-137 TO -127	10	6	9	07-11-79	MAGCNY	
66152	1979	107	UMSD	UMSD	- 88 TO - 78	10	6	43	07-11-79	MAGCNY	
66153	1979	50	UMSD	UMSD	- 98 TO -108	10	6	31	07-11-79	MAGCNY	
66154	1979	31	UMSD	UMSD	- 87 TO -107	10	6	21	07-11-79	MAGCNY	
66155	1979	28	UMSD	UMSD	-107 TO -115	10	6	18	07-11-79	MAGCNY	
66156	1979	18	UMSD	UMSD	-134 TO -144	10	6	12	07-11-79	MAGCNY	
66183	1979	71	UMSD	UMSD						UPGLAC	59
66264	1979	170	P.S.	UTM	-230 TO -290	60	20	133	04-04-79	UPGLAC	
66496	1979	127	UMSD	UMSD						MAGCNY	
66536	1979	50	UMSD	UMSD						MAGCNY	
66733	1979	45	UMSD	TEST						UPGLAC	
66823	1979	160	UMSD	UMSD						MAGCNY	
66825	1979	50	UMSD	UMSD						MAGCNY	
66880	1979	5	UMSD	UMSD	-201 TO -211	10	2			MAGCNY	
67074	1979	70	UMSD	UMSD						UPGLAC	
67081	1979	4	UMSD	TEST	-208 TO -218	10	6			MAGCNY	
67082	1979	12	UMSD	UMSD						UPGLAC	
67083	1979	12	UMSD	TEST						MAGCNY	
67084	1979	9	UMSD	UMSD	-158 TO -168	10	6			UPGLAC	
67085	1979	10	UMSD	TEST						UPGLAC	
67086	1979	10	UMSD	UMSD						MAGCNY	
67087	1979	10	UMSD	TEST						MAGCNY	
67088	1979	10	UMSD	TEST						MAGCNY	
67187	1979	63	UMSD	UMSD						MAGCNY	
67874	1980	30	UMSD	UMSD						UPGLAC	

D-30


Continued Recorded Existing Conditions Noted by Inspector 3/17/81

Visited HWD and spoke with Andrew Conley, Gen'l. Manager, who was very cooperative in supplying information on the plant. It was determined that there exists an Ammonium-Hydroxide scrubbing process on an acid storage tank that is operating without a certificate to operate. A violation was issued to Mr. Conley for operating without that permit.

A tour of the grounds further disclosed that only 3 of the 6-10 large steel cylinder tanks mentioned referred to by D. O'Brig in his report of 3/11/81 were remaining at the location indicated by Mr. O'Brig. None of the 55 gal. drums were there. There was liquid waste in one of the tanks and sludge waste in the other 2. The liquid & sludge waste were going to be transferred to 55 gal. drums for further transfer to a waste treatment plant in New Jersey via the yard foreman.

Kevin O'Brien

1986  
Annual  
Report



SUFFOLK  
COUNTY  
WATER  
AUTHORITY

D.4





# Plant Facilities



AS OF MAY 31, 1985

AS OF MAY 31, 1986

Service Areas or Plants	Wells				Pumping Plants			Storage Facilities		Active Services				
	Active	Inactive	No.	Capacity-1000 Gals. Daily*	No.	Capacity In 1000 Gallons								
BABYLON	48	48	8	8	19	19	82,102	82,102	9	8	7,815	7,515	54,311	54,893
BAY SHORE	47	49	14	13	20	20	81,274	83,722	7	7	6,012	6,012	47,485	48,024
EAST HAMPTON	33	32	1	2	18	18	23,652	22,860	4	5	3,720	5,720	10,675	10,948
HUNTINGTON	52	53	3	3	21	21	63,878	64,886	11	11	11,842	11,842	28,676	28,880
PATCHOGUE	65	66	8	7	27	27	108,792	110,592	11	11	11,465	11,465	53,377	52,131
PORT JEFFERSON	67	69	2	1	28	28	107,741	109,901	7	7	7,404	7,404	33,885	34,880
SMITHTOWN	48	48	3	3	21	21	83,578	83,578	6	6	6,100	6,100	23,398	23,772
WESTHAMPTON	23	23	-	-	7	7	16,524	16,524	3	4	2,350	3,350	4,724	9,301
<b>TOTALS</b>	<b>383</b>	<b>388</b>	<b>39</b>	<b>37</b>	<b>161</b>	<b>161</b>	<b>567,541</b>	<b>574,165</b>	<b>58</b>	<b>59</b>	<b>56,708</b>	<b>59,408</b>	<b>256,531</b>	<b>262,829</b>

\*Based on 24-hour operation and on actual capacity of pumping equipment for active wells



7.4.5



S20041  
S20042

SITE

REPUBLIC AIRPORT

MAYWOOD

FARMINGDALE

FOUR WELLS


NORTH AMITYVILLE

86858

S12016

S47886  
S34595

3 MILE RADIUS



D.5

D.5

USGS HEADER FILE 1987

Public-Supply and Observation  
Well Data

USGS  
5 Aerial Way  
Syosset, New York

D-37

5	1323.	14040470732520	04040470732520	7	SO	194	4156	3	00	46	000	0	0	004		
5	1320.	14040470732520	06040470732520	7	SO	194	4156	3	00	60	000	0	0	005		
5	1330.	14040470732520	02040470732520	211MGTY	7	SO	194	4156	3	260	60	000	0	0	002	
5	1601.	1404150073212301	4041500732123	211MGTY	7	SO	452	0	0	0	00	0	0	001		
5	1602.	1404150073212302	4041500732123	211MGTY	7	SO	452	0	0	0	00	0	0	001		
5	3572.	1405005073271001	4050050732710	7	SF	318	7	0	0	00	26010470	0	0	001		
5	3574.	1405005073271002	4050050732710	7	SF	318	7	0	0	00	24310559	0	0	002		
5	6251.	1404634073243101	4046340732431	211MGTY	7	SH	435	7151	01440	202	000	149	0	20701		
5	771.	1405040073161401	4050430731615	112GLCLU7	7	SH	963	11169	01400	147	000	126	146	15101		
5	10641.	1404220073190301	4042190731905	112GLCLU7	7	SO	594	4157	0	190	60	000	37	58	6001	
5	11991.	1405054073151001	4050540731510	112GLCLU7	7	SH1024	11162	0	700	110	6614	86	108	32801		
5	12016.	1404202073242301	4042030732422	112GLCLU7	7	SN	296	0	0	00	0	000	0	0	001	
5	12079.	1404750073241501	4047500732415	211MGTY	7	SJ	431T	7148	01410	445	000	364	444	60201		
5	12130.	1405120073273902	4051200732736	112GLCLU7	7	SE	326	7131	0	700	307	000	266	305	30802	
5	13175.	1405015073234302	4050150732343	112GLCLU7	7	SG	513T	7151	01780	263	000	169	263	41802		
5	13534.	1404331073150401	4043290731504	112GLCLU7	7	SH	907T	3187	0	620	126	000	89	119	12001	
5	13973.	1405015073263301	4050150732630	211MGTY	7	SF	358	7151	01200	298	000	246	298	44801		
5	14213.	1404201073242301	4042030732424	112GLCLU7	7	SN	296	4156	0	350	85	000	54	84	8701	
5	14521.	1405143073201901	4051430732019	112GLCLU7	7	SF	758	7137	02000	552	000	459	552	55201		
5	14820.	1405114073251001	4051140732605	112GLCLU7	7	SF	401	7144	02220	508	000	355	440	59501		
5	15470.	1404203073242201	4042030732419	112GLCLU7	7	SN	296	4166	0	420	87	000	53	87	8901	
5	15776.	1405115073263901	4051150732608	112GLCLU7	7	SF	401	7144	02300	50423000	440	500	001			
5	15992.	1404330073163301	4043370731634	112GLCLU7	7	SM	823	6190	0	700	128	7841	95	128	13301	
5	15923.	1405134073155901	4051450731554	112GLCLU7	7	SG1006	11169	01400	264	000	148	263	36201			
5	16740.	1404632073220701	4046320732207	112GLCLU7	7	SH	579	7133	02100	326	000	266	319	40001		
5	16137.	1405027073250301	4050270732503	112GLCLU7	7	SF	449	7151	01600	604	000	540	602	60401		
5	16175.	1404534073163101	4045340731631	112GLCLU7	7	SM	823	6190	0	700	130	7314	95	130	13001	
5	16174.	1404523073150901	4045280731506	112GLCLU7	7	SM	907	8202	0	620	117	000	81	117	12101	
5	16526.	1404707073252101	4047070732521	211MGTY	7	SJ	355T	7148	01200	301	000	0	0	001		
5	16603.	1404733073153601	4047330731536	7	SK	929	3189	01100	140	000	110	140	16801			
5	16506.	1404328073150501	4043290731505	211MGTY	7	SM	907	4187	0	620	383	000	322	383	65301	
5	19049.	1404301073161201	4043040731617	211MGTY	7	SO	773	6193	0	250	727	000	663	726	73501	
5	19534.	1404240073225010	4042350732256	112GLCLU7	7	SN	385	4165	0	450	100	4129	65	100	10501	
5	19505.	14043220732225010	4043250732222	7	SM	439	4161	0	00	93	4649	63	0	9801		
5	20741.	1404444073251101	4044440732511	112GLCLU7	7	SL	303	4	0	0	800	268	000	190	264	001
5	20057.	14043190732251010	4045200732245	211MGTY	7	SL	453	4167	0	790	200	8101	170	200	20001	
5	20307.	14043160732251010	40445210732243	211MGTY	7	SL	453	4167	0	750	232	6064	201	232	23201	
5	20319.	1404733073153101	4047330731531	211MGTY	7	SL	920T	8189	01100	436	000	370	430	60501		
5	20380.	1404930073152501	4049360731525	211MGTY	7	SJ	984	11169	01200	312	000	260	310	31201		
5	20407.	1404240073225007	4042350732256	211MGTY	7	SN	395T	4165	0	470	499	4356	424	494	76902	
5	20506.	1404317073153601	4043340731541	211MGTY	7	SO	320	8157	0	260	755	2964	710	772	75501	
5	20735.	1404150073212301	4041550732123	211MGTY	7	SO	453	4166	0	220	630	2299	557	627	63001	
5	21006.	1404809073191101	4048090731913	112GLCLU7	7	SJ	728	7	0	01430	376	000	310	372	40201	
5	21121.	1405134073235707	4051340732357	112GLCLU7	7	SF	532	7146	02200	60021800	490	555	62102			
5	21134.	1405138073174201	4051060731742	211MGTY	7	SG	897	7169	01600	547	000	499	540	68001		
5	21244.	1404304073162001	4043040731615	211MGTY	7	SO	773	8137	0	230	602	2750	465	593	73001	
5	21306.	1404357073181801	4043570731816	211MGTY	7	SN	693	6209	0	430	470	4652	414	454	47001	
5	21375.	1404220073190302	4042220731904	211MGTY	7	SO	593	4157	0	180	501	2020	445	495	50302	
5	21407.	1404320073224010	4043220732224	211MGTY	7	SM	439	4166	0	430	340	000	262	340	34001	
5	22000.	1404210073180301	4042100731803	21	Y	SR		0		28	000	28		00		

D-38

9.2.9

9.3.9

7627	26070733332	211MGT	7	1	0	0	260	648	2394	480	645	013
7628	26070733332	211MGT	7	3	0	0	220	533	000	373	530	001
7629	26070733332	211MGT	7	5	0	0	2220	698	000	452	559	001
7630	26070733332	211MGT	7	3	0	0	1170	551	11890	463	550	003
7631	26070733332	211MGT	7	3	0	0	1630	550	000	458	545	002
7632	26070733332	211MGT	7	3	0	0	2530	473	25442	408	468	001
7633	26070733332	211MGT	7	3	0	0	2530	396	000	314	396	002
7634	26070733332	211MGT	7	3	0	0	1250	373	000	312	373	002
7635	26070733332	211MGT	7	3	0	0	1260	490	000	429	490	003
7636	26070733332	211MGT	7	3	0	0	2180	375	22249	320	370	001
7637	26070733332	211MGT	7	3	0	0	2580	568	000	503	563	001
7638	26070733332	211MGT	7	3	0	0	2300	565	24540	500	560	001
7639	26070733332	211MGT	7	3	0	0	2170	459	000	394	454	001
7640	26070733332	211MGT	7	2	0	0	3100	404	000	330	400	001
7641	26070733332	211MGT	7	1	0	0	110	700	000	525	585	004
7642	26070733332	211MGT	7	1	0	0	110	590	000	525	585	006
7643	26070733332	211MGT	7	1	0	0	800	550	8514	485	585	001
7644	26070733332	211MGT	7	1	0	0	400	590	000	515	585	001
7645	26070733332	211MGT	7	3	90	3	770	457	000	399	450	61505
7646	26070733332	211MGT	7	3	90	3	770	457	000	399	450	61505
7647	26070733332	211MGT	7	3	99	3	770	457	000	400	450	007
7648	26070733332	211MGT	7	1	0	3	960	523	9899	433	519	001
7649	26070733332	211MGT	7	3	0	0	870	745	9528	679	740	001
7650	26070733332	211MGT	7	2	0	0	31200	564	12882	490	564	001
7651	26070733332	211MGT	7	1	0	0	230	513	000	389	510	51303
7652	26070733332	211MGT	7	3	0	0	2220	588	22216	515	588	001
7653	26070733332	211MGT	7	3	0	0	1780	585	000	510	585	001
7654	26070733332	211MGT	7	3	0	0	160	543	000	483	543	001
7655	26070733332	211MGT	7	3	0	0	160	543	000	483	543	001
7656	26070733332	211MGT	7	3	0	0	900	230	000	181	230	68702
7657	26070733332	211MGT	7	1	0	0	240	625	2813	560	620	007
7658	26070733332	211MGT	7	3	0	0	370	686	4078	605	686	004
7659	26070733332	211MGT	7	1	0	0	340	665	000	600	660	001
7660	26070733332	211MGT	7	1	0	0	360	508	000	0	0	004
7661	26070733332	211MGT	7	3	0	0	1630	495	000	400	490	001
7662	26070733332	211MGT	7	1	0	0	480	485	4906	420	480	005
7663	26070733332	211MGT	7	1	0	0	240	690	000	563	695	001
7664	26070733332	211MGT	7	1	0	0	810	547	8053	389	547	003
7665	26070733332	211MGT	7	1	0	0	970	674	000	574	674	004
7666	26070733332	211MGT	7	3	100	0	530	168	5438	120	165	003
7667	26070733332	211MGT	7	1	0	0	580	625	000	609	625	007
7668	26070733332	211MGT	7	1	0	0	580	625	000	609	625	007

D-39

74565	140443507324490304044350732449	211MGTY 1	SJ 514	0 0 01546	11515407	107	112	004
74566	140443507324490304044350732449	211MGTY 1	SL 316	4 99 0 860	441 8575	433	436	003
74567	140443507324490304044350732449	211MGTY 1	SL 316	4 99 0 860	196 8576	189	193	004
75033	140443507324490504044350732449	112GLCLU1	SL 316	4 99 0 865	62 8599	47	52	005
75034	140443507324490104044350732449	211MGTY 1	SL 316	4 99 0 865	698 8624	688	693	84001
75034	240443507324490204044350732449	211MGTY 1	SL 316	0 0 0 865	698 8624	688	693	002
75454	1404659073194001 4046590731940	211MGTY 1	SJ 721	7133 02307	74023056	730	735	85501
75454	2404659073194002 4046590731940	211MGTY 1	SJ 721	0 0 0 02307	74023056	730	735	002
75455	1404659073194003 4046590731940	211MGTY 1	SJ 721	0 0 0 02302	50822988	500	505	003
75455	1404659073194004 4046590731940	112GLCLU1	SJ 721	7133 02305	20322952	195	200	004
76016	2404530073181102x4045300731811	211MGTY 1	SM 721	0 0 0 635	762 6317	752	757	002
76017	1404530073181103x4045300731811	211MGTY 1	SM 721	0 0 0 632	503 6285	495	500	003
76019	1404530073181104x4045300731811	211MGTY 1	SM 721	0 0 0 700	194 6276	186	191	004
76019	1404530073181105x4045300731811	112GLCLU1	SM 721	0 0 0 700	62 6286	57	62	005
76673	1404942073175501 4049420731755	211MGTY 1	SH 848	7169 01300	63312867	625	630	74201
76673	2404942073175502 4049420731755	211MGTY 1	SH 848	0 0 0 01300	63312867	625	630	002
76674	1404942073175503 4049420731755	211MGTY 1	SH 848	0 0 0 01300	46312908	455	460	003
76675	1404942073175504 4049420731755	211MGTY 1	SH 848	0 0 0 01300	25312928	245	250	004
77407	140393507323500304039370732350	211LLYD .1	SP 256	4158 3 781219	74211921214124003			
77408	140393507323500404039370732350	211MGTY 1	SP 256	4158 3 78	680 722	670	675	70204
77408	140435407322590104043540732259	112GLCLU1	SM 4049	4 0 0 599	30 000	0	0	001
77408	240435407322590204043540732259	112GLCLU1	SM 4049	4 0 0 598	50 000	0	0	002
77408	340435307322590304043530732259	112GLCLU1	SM 4049	4 0 0 580	69 000	0	0	001
77408	440435407322590404043540732259	112GLCLU1	SM 404C	4 0 0 596	70 000	0	0	003
77408	140432207323040104043220732304	112GLCLU1	SM 398A	4 0 0 531	24 000	0	0	001
77408	2404322073230402 4043220732304	112GLCLU1	SM 398B	4 0 0 531	49 000	0	0	002
77408	3404322073230403 4043220732304	112GLCLU1	SM 398C	4 0 0 532	90 000	0	0	003
77408	4404322073230404 4043220732304	112GLCLU1	SM 418A	4 0 0 537	26 000	0	0	001
77408	1404322073230401 4043220732304	112GLCLU1	SM 418B	4 0 0 539	46 000	0	0	002
77408	2404322073230402 4043220732304	112GLCLU1	SM 418C	4 0 0 538	77 000	0	0	003
77408	3404322073230403 4043220732304	112GLCLU1	SM 418C	4 0 0 398	25 000	0	0	001
77408	1404312073221501x4043120732215	112GLCLU1	SN 431A	4 0 0 397	46 000	0	0	002
77408	2404312073221502x4043120732215	112GLCLU1	SN 431B	4 0 0 398	70 000	0	0	003
77408	3404312073221503x4043120732215	112GLCLU1	SN 431C	4 0 0 00	54 000	0	0	004
77408	4404312073221504x4043120732215	112GLCLU1	SN 431C	4 0 0 400	84 000	0	0	005
77408	1404350073231401 4043500732314	1	SM 304	4 0 0 00	205 000	0	0	001
77408	125. 1404354073225301 4043540732253	112GLCLU1	SM 414A	4 0 0 00	44 000	0	0	001
77408	107. 1404732073352401 4047350733524	211MGTY 7	NF 706	3119 02110	49520259	455	495	001
77408	103. 2403531073431002 4048190733531	7	NF 700	0 89 02450	298 000	275	298	002
77408	131. 2403949073341705 4039490733417	211MGTY 7	NG1350	1 13 0 110	530 000	467	523	005
77408	132. 1403952073342001 4039510733419	211MGTY 7	NG1350	1 13 0 200	515 000	466	507	001
77408	133. 1403952073342002 4039530733420	211MGTY 7	NG1259	1 13 0 200	529 000	471	512	001
77408	134. 1403951073341501 4039500733415	211MGTY 7	NG1360	1 13 0 200	528 000	467	517	001
77408	142. 1404444073521001 4044410733207	211MGTY 7	NH 976	3104 01150	15911617	128	153	001
77408	143. 140462707331120104046260733112	112GLCLU7	NJ 813	3104 01620	15316306	130	150	001
77408	150. 140462707331120204046290733111	112GLCLU7	NJ 813	3104 01620	149 000	122	142	001
77408	157. 1404831073345101 4048420733448	211MGTY 7	NG 628	3 0 02180	36021841	335	360	001
77408	160. 240444907326490104044490732649	211MGTY 7	NL 955	3 92 31450	184 000	149	184	19002
77408	192. 240443207329010204044320732901	211MGTY 7	NK 937	3 92 01045	176 000	112	173	17602
77408	190. 2403950073310001 4039500733114	112GLCLU7	SP 250	2 27 0190				

D-40

9.4.4



5107	2404041073343302	40404107333438	211MGTY 7
5209	2404120073322501	40411907333227	211MGTY 7
5307	1404240073314301	40424607333143	211MGTY 7
5305	1404320073329501	40452407332944	211MGTY 7
5319	1404155073345001	40415407333453	211MGTY 7
5320	1404155073344801	40415507333447	211MGTY 7
5321	1404240073320201	40424207333157	211MGTY 7
5322	1404240073315302	40424307333202	211MGTY 7
5335	2404441073320301	40444107333207	211MGTY 7
5404	3404419073364304	40442007333644	211MGTY 7
5405	3404420073365503	40442307333655	211MGTY 7
5545	1404450073372501	40445407333726	211MGTY 7
5554	1404451073352501	40445107333525	211MGTY 7
5595	1403420073354301	40392207333543	211MGTY 7
5596	2403460073341501	40394307333415	211MGTY 7
5703	1404154073325100304041500732620	4041500732620	211MGTY 7
5707	14040540733294001	4040540732948	211MGTY 7
5803	1404032073328000304040320732800	4040320732800	211MGTY 7
5824	1404032073328002504040320732800	4040320732800	211MGTY 7
5994	14052110733371801	40521107333718	211MGTY 7
6045	2404432073365602	4044320733656	211MGTY 7
6046	2404419073365501	4044107333548	211MGTY 7
6075	2404650073329110204046500732911	4046500732911	211MGTY 7
6077	2404651073329130104046490732910	4046490732910	211MGTY 7
6078	140453707332848017	4045350732848	211MGTY 7
6092	14049000733275101	40491207332751	211MGTY 7
6093	14049000733275102	40490007332751	211MGTY 7
6149	24042100733273301	40421007332733	211MGTY 7
6149	240421507332622030	40421507332622	211MGTY 7
6150	24042400733290301040424507332903	40424507332903	211MGTY 7
6191	2404776073303301	4047070733049	211MGTY 7
6115	1404525073362602	4045200733626	211MGTY 7
6442	14041230733285003040412307332852	40412307332852	211MGTY 7
6443	14041230733285002040412307332852	40412307332852	211MGTY 7
6507	24046300733293001	40463007332938	211MGTY 7
6644	14044090733271301040440007332713	40440007332713	211MGTY 7
6705	14040410733283401040403907332835	40403907332835	211MGTY 7
6707	14040430733283601040403907332835	40403907332835	211MGTY 7
6843	14040460733354501	40404907333544	211MGTY 7
6915	14044000733283201	40440107332831	211MGTY 7
6916	24043500733283102	40435007332831	211MGTY 7
6954	14043570733270501040435007332705	40435007332705	211MGTY 7
7000	1404035073331001	4040350733311	211MGTY 7
7076	1404339073330401	40433907333040	211MGTY 7
7243	14043750733371001	40437507333714	211MGTY 7
7242	24043000733371403	40437507333714	211MGTY 7
7377	14043120733274301	40431300732750	211MGTY 7
7407	1404002073333303	40400207333332	211MGTY 7
7407	2404002073333313	40400207333332	211MGTY 7
7414	14040500733261101040405407332613	40405407332613	211MGTY 7

NG1234	1	0	0	370	501	000	445	495	002
NH1159	1	0	0	390	317	000	241	312	002
NJ1009	1	25	3	660	489	000	431	484	001
NJ 991	3	0	0	1290	167	000	115	167	001
NG1125	1	0	0	580	315	000	260	310	001
NG1135	1	0	0	600	384	000	319	379	001
NH1180	1	0	0	710	514	7048	449	509	001
NH1170	1	0	0	700	515	000	470	510	001
NH 976	3	0	0	1140	528	000	472	523	003
NF 928	1	0	3	900	575	9130	500	572	004
NF 918	1	0	3	920	557	9449	473	553	003
NE 994	2	0	0	21060	4681	10652	403	463	001
NF 995	2	0	3	980	340	9959	275	335	001
NF1383	1	0	0	240	529	2533	466	526	001
NG136J	1	0	0	200	523	000	463	518	002
NL1175	3	0	0	370	459	000	384	459	001
NJ1292	1	0	0	260	384	000	305	384	001
NK1295	3	0	0	90	143	000	0	0	003
NK1295	3	0	0	90	127	000	0	0	025
NE 493	3	0	0	1300	226	000	173	226	001
NF 917	1	0	3	970	328	8721	277	328	002
NF 979	1	0	0	31010	175	9060	145	175	002
NK 821	3	0	0	1580	358	000	296	358	002
NK 821	3	0	0	1580	465	000	398	460	002
NK 849	3	0	0	1230	280	12970	225	275	001
NK 024	3	0	0	2410	637	000	561	631	001
NK 094	3	0	0	2590	612	000	546	606	001
NL1112	3	0	0	510	566	000	462	561	002
NL1173	3	0	0	420	640	000	585	640	003
NK1039	3	0	0	610	612	000	545	607	002
NJ 739	3	0	0	1760	555	000	489	550	002
NF 941	2	0	0	31070	3531	10436	298	348	001
NK1149	3	0	0	310	612	000	524	612	002
NK1149	3	0	0	310	268	000	190	268	003
NK 803	3	0	0	1580	6011	16003	523	596	002
NL 939	3	0	0	31010	227	000	175	222	23301
NK1264	3	0	0	260	626	2739	566	626	001
NK1264	3	0	0	260	492	2746	414	492	002
NF1283	1	0	0	420	565	000	500	560	003
NK1060	3	0	0	950	514	9445	556	606	001
NK1061	3	0	0	950	613	9433	561	611	002
NL 837	3	0	0	1780	602	000	514	597	002
NH 812	3	0	0	1580	5311	16280	480	530	001
NJ1043	1	0	0	910	674	9239	569	674	002
NE1097	1	0	0	610	587	000	394	444	002
NE1097	1	0	2	610	444	000	394	444	003
NK1096	3	0	0	670	758	000	608	758	001
NG1298	1	0	0	240	0	2394	378	530	003
NG1298	1	0	0	240	648	2394	480	645	013
NH 1292	1	0	0	210	527	000	273	527	001

D-41

9.5.9

179.	24049170732920J2	4049170732920	211MGTY	7	NK 603	3126	02370	616	000	566	616	002			
179.	14049200732931J1	4049220732924	211MGTY	7	NK 613	3126	02330	61123351	544	599		001			
1605.	1404454073295401	4044550732955	211MGTY	7	NJ 984	3	0	01200	109	000	68	101	001		
1506.	1404441073295201	4045000732956	211MGTY	7	NJ 983	3	0	01220	108	000	81	103	001		
1779.	1404510073295304	4045180732953	211MGTY	7	NJ 981	3	0	01250	105	000	80	105	004		
1959.	2404515073293501	4045170732942	211MGTY	7	NJ 991	3	0	01260	175	000	135	165	002		
1923.	1404441073295001	4044420732953	211MGTY	7	NJ 986	3	0	01140	359	000	293	348	001		
1937.	1404409073271101	4044090732711	211MGTY	7	NL 939	3	99	31060	150	000	121	146	001		
2377.	1404639073311101	4046340733111	112GLCLU7		NJ 813	3	0	01620	159	000	138	159	001		
2315.	1405100073372501	4051070733723	112GLCLU7		NE 581	3	0	01570	170	000	0	170	001		
2528.	2405171073343401	4050010733432	211MGTY	7	NG 538	3	0	0	930	328	9396	278	282	002	
2589.	2404523073314504	4043230733145	211MGTY	7	NH1095	1	0	0	750	357	000	321	357	004	
2603.	14040500732605020	4040500732605	112GLCLU7		NL1292	3	0	0	240	71	000	34	66	001	
2747.	2404440073345001	4044400733650	211MGTY	7	NF 925	2	52	3	920	333	9297	278	328	002	
2743.	3404445073365101	4044450733651	211MGTY	7	NF 915	2	52	3	940	515	9396	460	510	003	
3456.	4404302073332504	4043020733325	211MGTY	7	NH1007	1	0	0	770	560	000	494	555	004	
3457.	1404310073331501	4043080733320	211MGTY	7	NH1007	1	0	0	800	325	000	280	320	001	
3403.	1404132073311701	4041320733114	211MGTY	7	NJ1118	1	0	0	300	303	000	247	299	30301	
3405.	4404305073333104	4043050733331	211MGTY	7	NG1097	1	0	0	770	585	000	519	580	004	
3406.	1405115073372501	4051130733727	112GLCLU7		NE 580	3	100	0	530	177	4940	148	173	002	
3403.	2404445073310101	4044450733104	211MGTY	7	NJ 925	3	0	0	01170	169	000	116	169	002	
3557.	2404453073320401	40445407333203	211MGTY	7	NH 974	3	0	0	01190	169	000	116	169	002	
3553.	2404455073324901	40445307333246	211MGTY	7	NH 934	3	0	0	01170	152	000	99	152	002	
3617.	1404340073314701	40433007333046	211MGTY	7	NJ1043	1	0	0	890	420	7850	377	418	004	
3700.	2404220073293501	4042200732935	112GLCLU7		NK1101	1	0	0	580	142	000	89	142	002	
376.	1404355073291201	4043520732911	211MGTY	7	NK1021	3	0	0	910	386	000	328	386	001	
3893.	1404223073293401	40422607332933	211MGTY	7	NK1101	1	0	0	580	150	000	98	151	005	
3995.	2404119073323001	4041190733231	211MGTY	7	NH1159	1	0	0	410	349	000	312	349	50302	
3934.	1404475073370901	4044020733709	211MGTY	7	NF1001	1	14	2	860	422	8834	377	417	001	
3935.	1404401073370501	4044000733705	211MGTY	7	NF1001	1	14	2	840	415	8625	370	410	001	
4042.	1404309073274501	4043090732745	112GLCLU7		NL1096	3	0	0	520	154	000	96	154	001	
4097.	2404573073284901	4045320732849	211MGTY	7	NK 940	3	0	0	01240	233	000	145	233	004	
4097.	1404631073329301	40463107332939	211MGTY	7	NK 803	3	0	0	01580	470	000	413	463	001	
4153.	1404605073303901	40460907333034	211MGTY	7	NJ 751	3	0	0	01920	445	000	400	450	001	
4144.	2404533073284901	4045330732849	211MGTY	7	NK 940	3	0	0	01240	235	000	153	235	004	
440.	1404011073310505	4040110733105			NJ1227	1	46	0	90	80	000	0	0	8036	
4706.	1404524073363201	4045240733632	211MGTY	7	NF 931	2	0	0	01060	36010869	305	355	001		
4246.	1404622073315201	4046020733128	211MGTY	7	NJ 702	3	0	0	02000	458	000	403	453	001	
4209.	1404755073372401	4047550733724	211MGTY	7	NE 783	2	0	0	02150	49019961	435	485	001		
4407.	2405221073300701	40515407332958	211MGTY	7	NJ 485	3	0	0	0	360	302	3590	214	302	002
4425.	1404301073371401	4042590733715	211MGTY	7	NE1098	1	0	0	2	580	365	000	325	365	001
4443.	1404300073372901	4043070733328	211MGTY	7	NG1097	1	0	0	790	555	8514	500	550	001	
4450.	1404323073314401	4043230733136	211MGTY	7	NH1095	1	0	0	810	472	000	415	466	001	
4451.	3404429073305502	4044290733055	211MGTY	7	NJ 937	1	0	0	01100	40810923	353	403	005		
4403.	1404154073261902	4041540732620	211MGTY	7	NL1175	3	0	0	370	184	000	113	184	002	
4700.	1404524073295501	40451807333018	211MGTY	7	NJ 961	3	0	0	01220	169	000	149	169	001	
4755.	2404207073343501	4042060733432	211MGTY	7	NG1124	1	0	0	610	312	000	245	307	002	
4757.	2404209073345501	4042100733454	211MGTY	7	NG1124	1	0	0	590	324	000	257	314	002	
4758.	2404209073345001	4042090733448	211MGTY	7	NG1124	1	0	0	550	446	000	363	441	002	
4759.	1404000073300002	404000007330000	211MGTY	7	NK 134	3	0	0	560	717	000	283	355	003	

D-42

9.6.9

37551	1405141073191001	4051380731905	211MGTY	7	SG	821	7140	01710	60916576	515	605	66301
37551	1404230073223501	4042320732256	211MGTY	7	SN	375	4165	0 420	583 3636	0	574	59301
38192	1404523073150402	4045310731501	211MGTY	7	SM	906	8180	0 659	306 000	0	0	60502
38785	1405135073235501	4051350732400	211MGTY	7	SF	532	7146	51050	66620157	572	663	70201
39724	1404350073191801	4043550731315	211MGTY	7	SN	683	3199	0 450	623 000	0	623	65501
39759	1404450073252201	4044500732522	211MGTY	7	SL	292	4 0	3 850	712 000	650	705	72301
40330	1404321073222601	4043240732222	211MGTY	7	SM	439	4166	0 430	329 000	262	328	33701
40497	1404610073174402	4046090731752	211MGTY	7	SL	757	4 0	0 740	283 7429	220	280	70802
41353	1403617073163301	4036170731633	211MGTY	7	SS	640	0 0	0 100	290 000	0	0	001
42725	1405015073234201	4050150732343	211MGTY	7	SG	513	7 0	01100	79018000	690	785	79001
42762	1404305073161401	4043050731615	211MGTY	7	SO	793	8187	0 260	714 2102	650	710	73901
43001	1405113073260901	4051140732609	112GLCLU7		SF	401	7146	02300	53323000	446	526	59701
43632	1404304073204401	4043040732044	211MGTY	7	SJ	636	7133	01636	72516434	658	720	75001
43659	1404303073205701	4043030732047	211MGTY	7	SJ	636	7133	01545	74515600	660	735	74801
43740	1404213073190400	4042180731904	211MGTY	7	SO	594	0 0	0 00	315 000	251	311	38401
43935	1404351073195101	4043510731951	112GLCLU7		SJ	763	4159	02850	60528500	539	599	66001
43935	1404432073151303	4044320731513	211MGTY	7	SN	374	2167	0 190	713 3740	649	710	002
43939	1404075073174401	4040750731746	211MGTY	7	SL	747	0 0	0 760	655 6775	550	651	66301
47964	1404214073242701	4042140732420	211MGTY	7	SN	296	0 0	0 430	509 3669	428	505	52301
47967	1404033073232102	4040330732321	211MGTY	7	SO	194	0 0	0 260	648 1732	554	645	65702
48193	1404313073225502	4043130732255	211MGTY	7	SL	453	0 0	0 900	534 7311	470	530	53402
49542	1404607073245001	4046070732459	211MGTY	7	SN	254T	0 0	0 450	560 000	540	560	001
49542	2404230732450001	404230732459	045.00	7	T		0 0	0 450	0 000	0	0	002
49544	1404432073151303	4044320731513	211MGTY	7	SN	874	0 0	0 390	669 3645	604	665	003
51214	1404210073250201	4042100732502	211MGTY	7	SN	244	0 0	0 450	395 000	330	390	39501
51457	1404321073222602	4043230732222	211MGTY	7	SM	439	4157	0 00	623 3241	0	623	002
51673	1404223073193001	4042230731930	211MGTY	7	SO	572	0 0	0 00	763 2227	669	760	77201
40492	1404230073204101	404230732041	211MGTY	7	SN	519	4 0	0 240	746 2366	671	743	78001
53360	1405032073142902	4050340731618	211MGTY	7	SH	954	0 0	01410	70313790	551	667	002
53361	1405135073155001	4051430731556	211MGTY	7	SG	1006	0169	01480	52114307	437	517	001
53747	140514073191001	4051360731902	211MGTY	7	SG	821	0 0	01710	453 000	370	448	001
54562	1404213073250202	4042130732502	211MGTY	7	SN	244	0 0	0 450	423 000	338	421	002
54751	1403322073155001	4033220731550	211MGTY	7	SS	691	8 0	0 80	750 000	699	750	001
54752	1405144073313501	4051440733135	112PGWF		NH	496	3 0	0 900	517 000	451	512	55601
55754	140432073174102	404320731741	211MGTY	7	SN	708	0 0	0 00	0 000	0	0	002
57754	140512073273303	405120732737	112GLCLU7		SE	326	7 0	0 500	257 000	213	254	27303
57903	140493073152701	404930731525	211MGTY	7	SJ	984	0 0	01320	42312470	329	389	001
59147	1404419073171501	4044190731716	211MGTY	7	SN	752	0 0	0 510	463 000	388	458	51501
63906	1405053073150001	4050530731509	211MGTY	7	SH	1034	11169	0 790	653 6903	560	650	001
65905	1404352073215301	4043520732158	211MGTY	7	SM	466	4167	0 540	650 000	575	645	001
66303	2403921073353201	4039220733532	211MGTY	7	NF	1393	1 13	0 200	510 000	450	500	002
66306	140515073254901	405150732548	112GLCLU7		SE	446	7146	01700	479 000	400	460	001
66429	140432073174103	404320731741	211MGTY	7	SN	708	8209	0 00	718 2983	0	718	003
66556	1404308073243101	4043080732431	211MGTY	7	SM	307	4 0	3 500	728 000	647	707	75301
67064	1403825073192301	4038250731923	211MGTY	7	SR	546	4 0	0 90	205 000	167	172	001
71023	140432073150701	404320731507	211MGTY	7	SM	907	8137	0 619	798 5643	0	798	001
72	1404255073371901	4042590733716	211MGTY	7	NE	1096	1 16	0 590	135 000	82	131	001
73	2404259073371601	4042590733716	211MGTY	7	NE	1098	1 16	0 590	361 000	336	375	009
77	240425073370001	4042520733714	211MGTY	7	NE	1099	1 16	2 619	450 000	338	428	002
80	140425073371501	404250733712	211MGTY	7	NF	1098	1 16	2 550	493 5794	423	475	001

D.43

9.7.9

22359.	14J4357073181502x	4043570731814	211MGTY 7	SN 683	8209	0	449	466	000	0	465	50302	
22471.	14U4922073162201	4049220731629	211MGTY 7	SJ 914	7169	01650	383	000	312	3P1	60201		
22542.	14J4705073190700x	4047050731902	211MGTY 7	SK 716	7159	01140	41511668	347	403	54101			
23145.	14U5226073231701	4052250732317	112GLCLU7	SE 597	7141	01950	600	000	520	600	60501		
23445.	14J4659073164101x	4046590731642	211MGTY 7	SL 842	8189	01100	61011356	541	605	61001			
23522.	14U467073191301	404670731913	112GLCLU7	SJ 728	7133	01450	424	000	358	420	42401		
23523.	14U475073215001	404750732150	112GLCLU7	SJ 576	7133	01900	445	000	327	440	45801		
23715.	14U4955073170402	4049550731704	112GLCLU7	SH 898	11169	01550	340	000	238	310	34002		
23732.	14U4922073162701	4049220731628	211MGTY 7	SJ 914	7169	01650	40517000	313	402	40901			
23849.	14U4430073211301x	4044300732113	211MGTY 7	SM 523	4167	0	500	634	5234	558	631	66901	
23997.	14U5050073214501	4050440732147	211MGTY 7	SG 643	7141	02000	62519250	540	621	70501			
23997.	14U5140073222101	4051400732221	211MGTY 7	SF 635	7141	02200	60122670	525	597	66601			
24346.	14U467073151400x	404670731514	211MGTY 7	SL 927	9189	0	900	597	000	461	517	59701	
24574.	14U4471773211401x	4044310732115	211MGTY 7	SM 523	4167	0	500	625	5330	550	625	65401	
26071.	24J4720073261002	4047200732610	211MGTY 7	SJ 301	7	0	02600	334	000	293	334	33402	
26247.	14U5059073233701	4050590732337	211MGTY 7	SF 548	7146	01780	447	000	264	447	50101		
26249.	14U46070732530010	4046070732530	7	SK 312	7	0	51000	552	000	512	552	54701	
26535.	14U4318073153901x	4043380731540	211MGTY 7	SO 620	8187	0	260	776	2925	710	773	78201	
27070.	14U5134073235602	4051340732358	112GLCLU7	SF 532	7151	02090	560	000	494	557	61202		
26534.	14U40470732523010	4040470732521	112GLCLU7	SO 194	4156	3	250	79	000	53	78	8501	
26535.	14U40470732521040	4040470732521	7	SO 194	4156	3	250	78	000	0	0	7804	
27491.	14U41200732216010	4041210732246	211MGTY 7	SO 364	4161	0	250	499	2451	390	493	65201	
27932.	14U5042073195501	4050420731957	211MGTY 7	SG 747	7139	01900	607	000	530	601	69001		
29932.	14U4632073220702	4046320732207	112GLCLU7	SH 579	7133	02080	675	000	485	546	67702		
30207.	14U4670732530027	40467070732530	211MGTY 7	SK 312	7148	01010	595	000	510	590	002		
30208.	14U5058073233901	4050580732339	211MGTY 7	SF 548	7146	01850	488	000	423	483	48501		
30506.	14U43150732235010	4043150732244	211MGTY 7	SL 453	4167	0	750	614	7746	546	618	63001	
31039.	14U4155073212205	4041560732125	211MGTY 7	SO 452	4164	0	190	528	000	424	525	55505	
31104.	14U4723073164401x	4047230731641	211MGTY 7	SL 842	8189	01100	65810547	592	655	66501			
32417.	14U473073153201	404730731532	7	SK 929	8189	01100	900	000	0	0	90001		
32501.	14U40460732521015	4040470732521	211MGTY 7	SO 194	4156	3	260	632	1967	560	630	66301	
32706.	14U5132073155901	4051430731554	211MGTY 7	SG1006	11169	01470	50414194	436	503	51201			
33421.	14U3826073173201	4038260731732	7	B SR 597	4	0	0	110	306	000	295	305	30601
34021.	14U47230732313010	4047030732313	211MGTY 7	SJ 479	7133	02600	710	000	615	705	71001		
34030.	14U433073210301x	404330732108	211MGTY 7	SL 554	4167	0	540	538	5845	0	538	56301	
34031.	14U433073210901x	404330732109	211MGTY 7	SL 555	4167	0	541	521	000	0	521	56301	
34032.	14U427073191201	404270731912	112GLCLU7	SJ 738	7133	01500	441	000	369	436	44101		
34067.	14U467073214001x	404670732140	211MGTY 7	SK 556	7148	02000	736	000	656	736	74201		
34068.	14U467073214002x	404670732140	211MGTY 7	SK 556	7148	02000	632	000	0	0	66402		
34069.	14U427073242202	404270732422	211MGTY 7	SN 286	4156	0	436	482	3765	412	482	51302	
34070.	14U4723073173201	4047230731735	7	SR 588	4157	0	00	310	000	300	310	31002	
34071.	14U4916073253201	4049160732532	211MGTY 7	SG 397	7144	02320	66023250	575	660	70101			
34072.	14U5140073190301	4051400731904	211MGTY 7	SG 821	7149	01710	53317541	468	530	62201			
34074.	14U4450073192301x	404450731924	211MGTY 7	SM 704	4159	0	630	308	000	244	304	35402	
34079.	14U4219073190401	4042190731904	211MGTY 7	SO 594	4157	0	140	336	1400	272	336	38301	
34079.	14U5014773161401	405047731615	211MGTY 7	SH 963	7169	01400	67413752	534	670	68001			
34076.	14U4922073162701	4049220731628	211MGTY 7	SJ 913	0169	01600	418	000	331	418	45801		
34080.	14U5116773205701	4051167732057	7	SG 700	7141	0	00	688	000	542	688	68801	
34081.	14U5141073191001	4051410731905	211MGTY 7	SG 821	7149	01710	40916574	515	405	66301			
34081.	42	327	64	20	54	MGTY	75	165	20	36	0	58	

D-44

9.8.


D-45

Well I.D. #	Latitude / Longitude coord.	Aquifer screened	Well Use #	SO	SH	SJ	SK	SL	SP	SO	SH	SJ	SK	SL	SP	SO	SH	SJ	SK	SL	SP
40220	12041200732457	404120732457	1	250	0	0	0	0	0	15	2659	10	15	0	0	0	0	0	0	0	0
40317	12044900732462	404900732462	112GLCLU	441	0	0	0	1496	831	4957	78	83	0	0	0	0	0	0	0	0	0
40318	12047370732514	4047370732516	112GLCLU	361	0	0	0	0	60	000	55	60	0	0	0	0	0	0	0	0	0
40719	12046230732530	4046230732530	1	310	0	0	0	0	45	090	40	45	0	0	0	0	0	0	0	0	0
40720	12045450732545	4045457732545	1	294	4	0	3	0	27	9773	25	27	0	0	0	0	0	0	0	0	0
40503	12045360732110	4045360732110	1	554	0	0	0	0	13	5712	11	13	0	0	0	0	0	0	0	0	0
40504	12040480732244	4040480732244	1	369	0	0	0	0	10	1376	8	10	0	0	0	0	0	0	0	0	0
40505	12040500732254	4040500732254	1	348	0	0	0	0	10	1649	8	10	0	0	0	0	0	0	0	0	0
40506	12040390732326	4040390732326	1	309	0	0	0	0	10	1589	8	10	0	0	0	0	0	0	0	0	0
40507	12040350732336	4040350732336	1	299	0	0	0	0	15	2030	13	15	0	0	0	0	0	0	0	0	0
40508	12040290732423	4040290732423	1	248	0	0	0	0	8	1120	6	8	0	0	0	0	0	0	0	0	0
40509	12040260732427	4040260732427	1	246	0	0	0	0	15	1316	13	15	0	0	0	0	0	0	0	0	0
40573	12040100732448	4040100732448	1	210	0	0	0	0	6	408	4	6	0	0	0	0	0	0	0	0	0
40571	12040170732443	4040170732443	1	229	0	0	0	0	13	1683	11	13	0	0	0	0	0	0	0	0	0
40572	12040320732449	4040320732449	1	227	0	0	0	0	10	1209	8	10	0	0	0	0	0	0	0	0	0
40574	12040440732445	4040440732445	1	236	0	0	0	0	9	1651	6	9	0	0	0	0	0	0	0	0	0
40576	12040450732454	4040450732454	1	225	0	0	0	0	15	2008	13	15	0	0	0	0	0	0	0	0	0

Aquifer screened  
GLCLU - Upper glacial MGTY-Magohy

\* Well Use: #1 = Observation well  
#7 = Public-Supply well

999  
666




10.11

# NATIONAL WETLANDS INVENTORY

UNITED STATES DEPARTMENT OF THE INTERIOR

12.1.1



## ROUX ASSOCIATES, INC.

## Telephone Conversation Sheet

Caller J. B. Jones  
 Company E. Farmingdale Water District  
 Contact Mr. John Ferrera Telephone # (516) 299 4211

DATE	COMMENTS
7/8/87	Mr. Ferrera informed me that presently 4 public supply-wells are in operation supplying ground water to 5200 people.
	Four wells: #2122-72 Gazzo B
	#31 - 1000 ft North of
	Daniel St. on Rt 110.
	#41 - Intersection of
	New Highway and South State Pkwy.
	Boundaries of District:
	West - Suffolk - Nassau Co. line
	East - Wellwood Ave
	North - Babylon - Oyster Bay town line
	South - Southern State Pkwy



ROUX ASSOCIATES, INC.

Telephone Conversation Sheet

Caller J. Byrnes  
Company S. Farmingdale Water District  
Contact Mr. Limblade Telephone # (516) 249-3330

DATE	COMMENTS
7/8/87	Mr. Limblade informed me that the district has 11 supply wells in operation serving from 45-48,000 people
	Boundaries of District:
	West - Hicksville Rd
	East - Carmans Rd
	North - Hempstead Tpk
	South - Jerusalem Ave

ROUX ASSOCIATES, INC.

Telephone Conversation Sheet

Caller J. Byrnes  
 Company Plainview - Bethpage Water District  
 Contact \_\_\_\_\_ Telephone # (516) 931-0097  
Huntington Town Water District (516) 927-03

DATE Mr. K. Bonneau COMMENTS

7/13 Plainview- Bethpage Water DIST	8,300 Served by supply wells Boundaries: West - Seaboard Oyster Bay Exp. <small>St. James Sec.</small> North - Miriam & Lark South - Larkspur East - Becker - Seaford & Nassau
7/13 Huntington Water District	<del>8,300</del> Has 9000 accounts in District. $9000 \times 3.8 (\# \text{ of people per household}) = 34,200$ Boundaries: W - Pinelawn Rd E - Comack Rd N - Old Country Rd S - Bagatelle Ave (Basylo - Huntington Border)

RCA TREATMENT, STORAGE AND DISPOSAL FACILITY INSPECTION FORM  
FOR TSD FACILITIES ONLY

COMPANY NAME: HAZARDOUS WASTE DISPOSAL, INC.  
EPA I.D. NUMBER: NYT 4111 2-274

COMPANY ADDRESS: 11A RICHMOND BLVD.,  
STATEN ISLAND, NY 11555

COMPANY CONTACT OR OFFICIAL: MR. GREGG S. ANDERSON

TITLE: President

INSPECTOR'S NAME: Gregg S. Anderson

BRANCH/ORGANIZATION: HAZARDOUS WASTE DISPOSAL, INC.

DATE OF INSPECTION: 9-2-81

TIME OF DAY INSPECTION TOOK PLACE: 2:15 P.M.

RECEIVE

OCT 26 1981

DIRECTOR'S OFFICE

DIVISION OF SOLID WASTE

Company admits that its waste is hazardous during the inspection.

Company admitted the waste is hazardous in its RCRA notification and/or Part A Permit Application.

The waste material is listed in the regulations as a hazardous waste from a specific source (§261.32)

The waste material is listed in the regulations as a hazardous waste from a nonspecific source (§261.31)

The material or product is listed in the regulations as a discarded commercial chemical product (§261.33)

EPA testing has shown characteristics of ignitability, corrosivity, reactivity or extraction procedure toxicity, or has revealed hazardous constituents (please attach analysts report)

Company is unsure but there is reason to believe that waste materials are hazardous. (Explain)

Is there reason to believe that there are hazardous wastes on-site which the company claims are merely products or raw materials?

Please explain: CLAIMS THAT A PART OF THE SOLVENT IS USED AS AN ALTERNATE FOR OTHERS.

Identify the hazardous wastes that are on-site, and estimate approximate quantities of each. SPENT SOLVENTS AND ACIDS, 1900 DRAWS, FWS & 250 GAL. ACID TANK.

(2) Does the facility generate hazardous wastes?

(3) Does the facility transport hazardous wastes?

(4) Does the facility treat, store or dispose of hazardous wastes?

INSPECTION REPORT

NEW YORK STATE DEPARTMENT OF ENVIRONMENTAL CONSERVATION

181

0000000000

0000000000

0000000000

0000000000

0000000000

0000000000

0000000000

0000000000

0000000000

0000000000

0000000000

0000000000

0000000000

0000000000

0000000000

0000000000

VISUAL OBSERVATIONS

- |  | YES                                 | NO                                  | DON'T<br>KNOW                       |
|--|-------------------------------------|-------------------------------------|-------------------------------------|
| (5) <u>SITE SECURITY</u> (\$265.14)  |                                     |                                     |                                     |
| a. Is there a 24-hour surveillance system?<br><i>24-HOUR SECURITY GUARD - 7 DAYS PER WEEK.</i>   | <input checked="" type="checkbox"/> | <input type="checkbox"/>            | <input type="checkbox"/>            |
| b. Is there a suitable barrier which completely surrounds the active portion of the facility?<br><i>FENCE</i>  | <input checked="" type="checkbox"/> | <input type="checkbox"/>            | <input type="checkbox"/>            |
| c. Are there "Danger-Unauthorized Personnel Keep Out" signs posted at each entrance to the facility?<br><i>THERE IS A WARNING SIGN, BUT IS NOT THE ONE REQUIRED BY THE REGULATIONS.</i>  | <input type="checkbox"/>            | <input checked="" type="checkbox"/> | <input type="checkbox"/>            |
| (6) Are there <u>ignitable, reactive or incompatible wastes on site?</u> (\$265.27)  | <input checked="" type="checkbox"/> | <input type="checkbox"/>            | <input type="checkbox"/>            |
| a. If "YES", what are the approximate quantities?<br><i>1900 DRUMS COMPRISED OF METALS AND NONMETALS WASTE.</i>  |                                     |                                     |                                     |
| b. If "YES", have precautions been taken to prevent accidental ignition or reaction of ignitable or reactive waste?<br><i>AUTHORISED PERSONNEL ONLY AND EXPLOSION-PROOF LIGHTS ARE USED, THE STORAGE DROPS ARE STORED AND EXPOSED TO THE ELEMENTS.</i> |                                     |                                     | <input checked="" type="checkbox"/> |
| c. If "YES", explain   |                                     |                                     |                                     |
| d. In your opinion, are proper precautions taken so that these wastes do not:  |                                     |                                     |                                     |
| - generate extreme heat or pressure, fire or explosion, or violent reaction?   | <input type="checkbox"/>            | <input checked="" type="checkbox"/> | <input type="checkbox"/>            |
| - produce uncontrolled toxic mists, fumes, dusts, or gases in sufficient quantities to threaten human health?  | <input type="checkbox"/>            | <input checked="" type="checkbox"/> | <input type="checkbox"/>            |
| - produce uncontrolled flammable fumes or gases in sufficient quantities to pose a risk of fire or explosions?   | <input type="checkbox"/>            | <input checked="" type="checkbox"/> | <input type="checkbox"/>            |
| - damage the structural integrity of the device or facility containing the waste?  | <input type="checkbox"/>            | <input checked="" type="checkbox"/> | <input type="checkbox"/>            |
| - threaten human health or the environment?  | <input type="checkbox"/>            | <input checked="" type="checkbox"/> | <input type="checkbox"/>            |

Please explain your answers, and comment if necessary.

- e. Are there any additional precautions which you would recommend to improve hazardous waste handling procedures at the facility?  
*YES, A COMPLETE RENOVATION OF THE STORAGE AREA. ONE IMPRESSION IS THAT THE OWNER OF THE FACILITY SIMPLY PUT THE DRUMS OUTSIDE THERE IS AVAILABLE SPACE WITH MINIMAL ATTENTION TO SAFETY AND HIS EMPLOYEES.*
- (7) Does the facility comply with preparedness and prevention requirements including maintaining: (\$265.32)  
*SAFETY, PUBLIC HEALTH AND THE ENVIRONMENT.*

- a manifest document number
- c. Does each manifest (or a representative sample) have the following information?
  - b. How many post-November 19 manifestes does it have? (If the number is large, you may estimate)
  - a. If "YES", does it appear that the facility has a copy of a manifest for each hazardous waste load received?

*COMPANY RECEIVES WASTES A FEW TIMES PER WEEK*

- (10) Has the facility received hazardous waste from an off-site source since Nov. 19, 1980 (effective date of the regulations)?

*RECORDS INSPECTION DAY WILL IS SIMPLY UNCOVERED GROUP. SHEET LISTED THE STORAGE AREA AND THE ASSUMING GROUPS WOULD TO EXIST UNDER THE FACILITY. ADVERSELY, THE (OR HEAVY) RESISTANCE IN CIRCUMSTANCES OF CONTAMINATION OF THE FACILITY IS SUCH THAT NEARBY*

- c. If "YES", explain the location of the material is such that nearby may affect groundwater quality?
- b. Do you believe that operation of this facility will affect groundwater quality? If "YES", explain.
- a. Is there any reason to believe that groundwater contamination already exists from this facility? If "YES", explain.

- (8) Have you inspected to verify that the groundwater monitoring wells (if any) mentioned in the facility's groundwater monitoring plan (see no. 19 below) are properly installed?
  - If you have, please comment, as appropriate.
  - If "NO", explain. *FACILITY IS NOT A LANDFILL, HOWEVER, A BODI WELLS LOCATED WITHIN OF THE FACILITY ARE*
  - *N/A*

*ALL OF THE ABOVE PROCEDURES ARE NEEDED*

In your opinion, do the types of wastes on site require all of the above procedures, or are some not needed? Explain.

- In your opinion, do the types of wastes on site require all of the above procedures, or are some not needed? Explain.
- adequate site space?
- portable fire equipment?
- a telephone or other device to summon emergency assistance from local authorities?
- an internal communications or alarm system?

YES  NO  DON'T

(13) PERSONNEL TRAINING (\$265.16)

a. Is there written documentation of the following:

- job title for each position at the facility related to hazardous waste management and the name of the employee filling each job? --- --- ---
- type and amount of training to be given to personnel in jobs related to hazardous waste management? --- --- ---
- actual training or experience received by personnel? --- --- ---

INADVERTENTLY NOT OBTAINED

(14) Does the facility have a written contingency plan for emergency procedures designed to deal with fires, explosion or any unplanned release of hazardous waste? (\$265.51)

- a. Does the plan describe arrangements made with local authorities?  --- ---
- b. Has the contingency plan been submitted to local authorities?  --- ---  
How do you know?
- c. Does the plan list names, addresses, and phone numbers of Emergency Coordinators?  --- ---
- d. Does the plan have a list of what emergency equipment is available?  --- ---
- e. Is there a provision for evacuating facility personnel?  --- ---
- f. Was an Emergency Coordinator present or on call at the time of the inspection?  --- ---

(15) Does the owner/operator keep a written operating record with: (\$265.73)

- a description of wastes received with methods and dates of treatment, storage or disposal?  --- ---
- location and quantity of each waste?  --- ---
- detailed records and results of waste analysis and treatability tests performed on wastes coming into the facility?  --- ---
- detailed operating summary reports and description of all emergency incidents that required the implementation of the facility contingency plan?  --- ---

(ATTACHED ENVIRONMENTAL STATEMENT) KSPS DISTRICT DIVISION OF ALL THE ANALYSIS, LAG IS LOCATED THERE.

(16) Does the facility have written closure and post-closure plans? (\$265.110)

FACILITY IS UNDER BEST CASE TO NOT BEAM, PARTIALLY SATISFYING CLOSURE REQUIREMENTS

- a. Does the written closure plan include: (SEE ATTACHED COURT ORDER)
  - a description of how and when the facility will be partially (if applicable) and ultimately closed? --- --- ---

\* Effective date for this requirement is May 19, 1981.

4.5.22

YES NO DON'T KNOW

SEE  
SECRET  
ORDER

- an estimate of the maximum inventory of wastes in storage or treatment at any time during the life of the facility?
- a description of the steps necessary to decontaminate facility equipment during closure?
- a schedule for final closure including the anticipated date when wastes will no longer be received and when final closure will be completed?
- b. What is the anticipated date for final closure?
- 7c. Does the owner/operator have a written post-closure plan identifying the activities which will be carried on after closure and the frequency of these activities?
- d. Does the written post-closure plan include:
  - a description of planned groundwater monitoring activities and their frequencies during post-closure?
  - a description of planned maintenance activities and frequencies to ensure integrity of final cover during post-closure?
  - the name, address and phone number of a person or office to contact during post-closure?
- \*(17) Does the owner/operator have a written estimate of the cost of closing the facility? (\$265.142) What is it?     
*COST ESTIMATE BY MR. LAWRENCE IS \$200,000*
- \*(18) Does the owner/operator have a written estimate of the cost for post-closure monitoring and maintenance? What is it? (\$265.144)
- \*(19) Has a groundwater monitoring plan been submitted to the Regional Administrator for facilities containing a surface impoundment, landfill or land treatment process? (This requirement does not apply to recycling facilities.) (\$265.90)    *N/A*
- a. Does the plan indicate that at least one monitoring well has been installed hydraulically upgradient from the limit of the waste management area?    *N/A*
- b. Does the plan indicate that there are at least three monitoring wells installed hydraulically downgradient at the limit of the waste management area?    *N/A*

† This section applies only to disposal facilities.  
 \* Effective date for this requirement is May 19, 1981.

SITE-SPECIFIC

Please circle all appropriate activities and answer questions on indicated pages for all activities circled. When you submit your report, include only those site-specific pages that you have used.

<u>STORAGE</u>	<u>TREATMENT</u>	<u>DISPOSAL</u>
Waste Pile p. 9	Tank p. 8	Landfill pp. 10-11
Surface Impoundment p. 8	Surface Impoundment pp. 8-9	Land Treatment pp. 9, 10
Container p. 7	Incineration pp. 12-13	Surface Impoundment p. 8
Tank, above ground p. 8	Thermal Treatment pp. 12-13	Other _____
Tank, below ground p. 8	Land Treatment pp. 9-10	
Other _____	Chemical, Physical p. 13 and Biological Treatment (other than in tanks, surface impoundment or land treatment facilities)	YES NO DON'T KNOW
	Other _____	

CONTAINERS (5265.170)

1. Are there any leaking containers?  
If "YES", explain. MAJORITY OF CONTAINERS WERE LEAKING (SEE COMMENTS IN GENERATOR INSPECTION FORM, P. 4.)
2. Are there any containers which appear in danger of leaking?  
If "YES", explain. \_\_\_\_\_
3. Do wastes appear compatible with container materials? \_\_\_\_\_  \_\_\_\_\_
4. Are all containers closed except those in use? \_\_\_\_\_  \_\_\_\_\_
5. Do containers appear to be opened, handled or stored in a manner which may rupture the containers or cause them to leak?  \_\_\_\_\_
6. How often does the plant manager claim to inspect container storage areas? \_\_\_\_\_
7. Does it appear that incompatible wastes are being stored in close proximity to one another?  
If "YES", explain. \_\_\_\_\_  \_\_\_\_\_
8. Are containers holding ignitable or reactive wastes located at least 15 meters (50 feet) from the facility's property line?  \_\_\_\_\_
9. What is the approximate number and size of containers with hazardous wastes?  
1900



	YES	NO	DON'T KNOW
<u>TANKS</u> (\$265.190)			
1. Are there any leaking tanks? If "YES", explain.	---	✓	---
2. Are there any tanks which appear in danger of leaking. If "YES", explain.	---	✓	---
3. Are wastes or treatment reagents being placed in tanks which could cause them to rupture, leak, corrode or otherwise fail? If "YES", explain.	---	---	✓
4. Do uncovered tanks have at least 2 feet of freeboard or an adequate containment structure?	N/A		
5. Where hazardous waste is continuously fed into a tank, is the tank equipped with a means to stop this inflow?	✓	---	---
6. Does it appear that incompatible wastes are being stored in close proximity to one another, or in the same tank? If "YES", explain.	✓	---	---
7. How often does the plant manager claim to inspect container storage areas?	DAILY		
8. Are ignitable or reactive wastes stored in a manner which protects them from a source of ignition or reaction? If "YES", explain.	N/A		
9. What is the approximate number and size of tanks containing hazardous wastes?	ONE 250 GALLON ACID TANK.		

	YES	NO	DON'T KNOW
<u>SURFACE IMPOUNDMENTS</u> (\$265.220) N/A			
1. Is there at least 2 feet of freeboard in the impoundment?	---	---	---
2. Do all earthen dikes have a protective cover to preserve their structural integrity? If "YES", specify type of covering.	---	---	---
3. Is there reason to believe that incompatible wastes are being placed in the same surface impoundment? If "YES", explain.	---	---	---

4.8.27

- 4. Are ignitable or reactive wastes being placed in surface impoundments without being treated to remove these characteristics? If "YES", explain. \_\_\_ \_\_\_ \_\_\_
- 5. Are there any leaks, failures or is there any deterioration in the impoundments? If "YES", explain. \_\_\_ \_\_\_ \_\_\_
- 6. Give the approximate size of surface impoundments (gallons or cubic feet). \_\_\_ \_\_\_ \_\_\_

WASTE PILES (\$265.250) N/A

- 1. Is the waste pile protected from wind erosion? \_\_\_ \_\_\_ \_\_\_
  - a. Does it appear to need such protection? \_\_\_ \_\_\_ \_\_\_
  - b. Explain what type of protection exists.
- 2. Does it appear that incompatible wastes are being stored in the same waste pile? If "YES", explain. \_\_\_ \_\_\_ \_\_\_
- 3. Is leachate run-off from a pile a hazardous waste? If "YES", explain this determination and answer (a) and (b) below. \_\_\_ \_\_\_ \_\_\_
  - a. Is the pile placed on an impermeable base that is compatible with the waste? \_\_\_ \_\_\_ \_\_\_
  - b. Is the pile protected from precipitation and run-on? \_\_\_ \_\_\_ \_\_\_
- 4. In your judgment, are ignitable or reactive wastes managed in such a way that they are protected from any material or conditions which may cause them to ignite? Please explain or indicate if no such wastes are present. \_\_\_ \_\_\_ \_\_\_

Are they placed on an existing pile so that they no longer meet the definition of ignitable or reactive waste? Please explain. \_\_\_ \_\_\_ \_\_\_

- 5. How many waste piles are on site, and approximately how large are they? \_\_\_ \_\_\_ \_\_\_

LAND TREATMENT (\$265.270) N/A

- 1. Can the facility operator demonstrate that the hazardous waste has been made less or non-hazardous by biological degradation or chemical reactions occurring in or on the soil? Please explain. \_\_\_ \_\_\_ \_\_\_

Effective date for these requirements is May 19, 1981.  
These requirements are effective November 19, 1981.

LANDFILLS (5265.300) N/A

12.	Is run-off from active portions of the landfill collected?	---	---
11.	Is run-on diverted away from the active portions of the landfill?	---	---
10.	What is the area of the land receiving hazardous waste treatment?	---	---
9.	Are incompatible wastes placed in the same land treatment area? If "YES", explain.	---	---
8.	Is ignitable or reactive waste immediately incorporated into the soil so the resulting waste no longer meets that definition? If "YES", explain.	---	---
c.	compliance with requirements for the growth of food-chain crops (if they are present)?	---	---
b.	control of run-off, release of airborne particulate contaminants?	---	---
a.	control of migration of hazardous wastes into the groundwater?	---	---
7.	Do the closure and post-closure plans address: a. control of migration of hazardous wastes into the groundwater? b. control of run-off, release of airborne particulate contaminants? c. compliance with requirements for the growth of food-chain crops (if they are present)?	---	---
6.	Are there records of the application dates, application rates, quantities and location of each hazardous waste placed in the facility?	---	---
5.	Is there a written and implemented plan for unsaturated zone monitoring? a. If "YES", can the facility operator document that arsenic, lead and mercury will not be transferred to the crop or ingested by food chain animals or - will not occur in greater concentrations in the crops grown on the land treatment facility than in the same crops grown on untreated soils. b. Has notification of the growing of the food chain crops been made to the Regional Administrator?	---	---
4.	Are food chain crops being grown on the facility property?	---	---
3.	Is run-off collected?	---	---
2.	Is run-on diverted away from the active portions of the land treatment facility?	---	---

YES NO DON'T

3. Is waste which is subject to wind dispersal controlled? Explain. \_\_\_\_\_
4. Does the owner/operator maintain a map with:
- the exact location and dimensions of each cell \_\_\_\_\_
  - the contents of each cell and approximate location of each hazardous waste type \_\_\_\_\_
5. Do the closure and post-closure plans address:
- control of pollutant migration via ground water? \_\_\_\_\_
  - control of surface water infiltration? \_\_\_\_\_
  - prevention of erosion? \_\_\_\_\_
6. Is ignitable or reactive waste treated before being placed in the landfill? Explain how you know. \_\_\_\_\_
7. Are precautions taken to insure that incompatible wastes are not placed in the same landfill cell? If "NO", explain. \_\_\_\_\_
8. Are bulk or non-containerized wastes containing free liquids placed in the landfill? If "YES",
- a. Does the landfill have a liner which is chemically and physically resistant to the added liquid? \_\_\_\_\_
  - b. Is the waste treated and stabilized so that free liquids are no longer present? \_\_\_\_\_
9. Are containers holding liquid waste or waste containing free liquids placed in the landfill? \_\_\_\_\_
10. Are empty containers (e.g. those containing less than 1/2 inch of liquid) placed in the landfills? \_\_\_\_\_
- If so, are they crushed flat, shredded or similarly reduced in volume before they are buried? \_\_\_\_\_
11. What is the approximate area of the hazardous waste landfill? \_\_\_\_\_

\* Effective date for this requirement is November 19, 1981.

4.11.22

INCINERATORS AND THERMAL TREATMENT  
(§§265.340 and 265.379)

N/A

YES   NO   DON'T KNOW

1. What type of incinerator or thermal treatment is at the site (e.g. waterwall incinerator, boiler, fluidized bed, etc.)? ---
  
2. Was hazardous waste being incinerated or thermally treated during your inspection? ---  
If "YES", answer all following questions.  
If "NO", answer only questions 3 and 7.
  
3. Has waste analysis been performed (and written records kept) to include:
  - heating value of the waste ---
  - halogen content ---
  - sulfur content ---
  - concentration of lead ---
  - concentration of mercury ---

NOTE: Waste analysis need not be performed on each waste load if there are documented data available to show waste characteristics that do not vary. If there are such documented data available, check here 1.

4. Does it appear that the owner/operator brings his thermal treatment process to steady state (normal) conditions of operation before introducing hazardous wastes? ---
  
5. Did it appear during your inspection that there was adequate monitoring and inspection by owner/operator every 15 minutes during hazardous waste incineration for:
  - waste feed ---
  - auxiliary fuel feed ---
  - air flow ---
  - incinerator temperature ---
  - scrubber flow ---
  - scrubber pH ---
  - relevant level controls ---

Every hour for:

- stack plume (color and opacity) ---

5. Is there open burning of hazardous waste? ---

4.12.22

- a. If "YES", what is being burned?  
(only burning or detonation  
of explosives is permitted)
  
- b. If open burning or detonation of explosives is taking  
place, approximately what is the distance from the open  
burning or detonation to the property of others?

	YES	NO	DON'T KNOW
6. Does the incinerator appear to be operating properly? (Do emergency shutdown controls and system alarms seem to be in good working order?) Please explain.	---	---	---
a. Is there any evidence of fugitive emissions?	---	---	---
7. Is the residue from the incinerator treated by the owner as a hazardous waste? Please explain.	---	---	---
8. What types of air pollution control devices (if any) are installed on the incinerator?	---	---	---

CHEMICAL, PHYSICAL AND BIOLOGICAL TREATMENT (\$265,400) N/A

- 1. Does the treatment process system show any signs of ruptures, leaks, or corrosion? Please explain.
  
- 2. Is there a means to stop the inflow of continuously-fed hazardous wastes?
  
- 3. Is there ignitable or reactive waste fed into the treatment system?  
  
If "YES", has it been treated or protected from any material or conditions which may cause it to ignite or react? If so, explain how.

Are the incompatible wastes placed in the same treatment process?  
If "YES", explain.

- 5. Describe the treatment system at this facility.

MEMORANDUM

TO: James C. Maloney, P.E.  
FROM: John V. Soderberg, P.E.  
DATE: March 12, 1981  
RE: Hazardous Waste Disposal (H.W.D.)

---

On March 11, 1981 the writer was requested to accompany representatives of the Toxic Waste Handling Group in their investigation of the above premises.

At the time of my inspection there were no visible emissions occurring from the process tank in question. However, the East Farmingdale Fire District indicated a visible plume of from 150 to 200' in vertical height on or about noon of that date.

As part of my inspection, I spoke with representatives of Pront Printing (11D Picone Boulevard, Farmingdale). They indicated that the situation has been occurring sporadically since last September and was particularly severe last Summer. Concerning the specific incident, they were unsure about specifics and reported no property damage or lost time that they can contribute directly to the incident.

I recommend first that a detailed industrial survey be made of the premises and secondly that the firm be placed under routine surveillance for at least three months.

JVS:mew

D. G. S.

MEMORANDUM

TO: JAMES C. MALONEY  
 FROM: JOHN V SODERBERG  
 DATE: MARCH 16, 1981  
 RE: H W D.

-----

In follow up to my memo concerning the March 11, 1981 investigation of the above firm, an air pollution emission inspection was not performed at that time (due to inclement weather and potential safety hazard).

The water pollution file contains no information either confirming or denying the presence of such sources (only the H. W. D. environmental check-list submitted by them to Babylon Town indicating no process emissions).

I have therefore requested that such a survey be performed.

JVS:ets



SUFFOLK COUNTY DEPARTMENT OF HEALTH SERVICES  
 INDUSTRIAL WASTE AND HAZARDOUS MATERIALS CONTROL  
 65 Jolson Lane, P.O. Box G, Central Islip, NY 11724  
 (516) 231-2622, 4260

D.10

NAME OF CITY	OWNER/OFFICER	PAGE 1 OF
COMPANY NAME	CONTACT	TEL.
PLANT ADDRESS	VILLAGE	TOWN
MAILING ADDRESS		ZIP
DATE <u>12 MAY 81</u>	TIME	ORIG. PERIODIC RE. WASTE NO. H & H
INDUSTRY		SEWAGE SYSTEM PUBLIC PRIVATE
ISSUES OR SPECIAL COMMENTS		360 PERMIT? YES NO FORM NO.

INDUSTRIAL PROCESSES					
NO.	PROCESS	CHEMICALS USED AND APPROXIMATE QUANTITY	IND. LIQUID WASTE DISCHARGE	DISCHARGED TO	AIR POLL. SOURCE
	MR. JOSEPH PICONE	Pipe ended immediately	Noted properly		
		End of pipe was covered approx. 6-2 years ago. Steam drawn in ground into			

INSPECTOR	TEL.
APPROVED YES NO	PICK UP RECORDS AVAILABLE YES NO
	RECORDS CONSISTENT WITH EXPECTED WASTE GENERATION YES NO

AIR POLLUTION SOURCES							
O.	PROCESS	AIR POLL. SOURCE DESCRIPTION	EMISSION POINTS	TYPE OF EMISSION	AMT. OF EMISSION/CONSUME	HOURS/OP.	CONTROL TYPE

EXISTING DISTANCE TYPE	REG. NAME	FIRING RATE
NO. USE	WASTE SUPPLY	CHARGING RATE

EMISION IS GRANTED BY THIS FACILITY TO THE SUFFOLK COUNTY DEPARTMENT OF HEALTH SERVICES TO CONDUCT ROUTINE SAMPLING OF EFFLUENTS, ATMOSPHERE, AND OTHER DISCHARGE POINTS AT THE FACILITY.

INSPECTION SCHEDULED ON OR AFTER . FAILURE TO CORRECT UNSATISFACTORY CONDITIONS BY REINSPECTION DATE MAY RESULT IN HEARING AND/OR FINE.

IGN. OF PERSON	TITLE	INSPECTOR
EC. REPORT		

4.20.22

INFORMATION OBTAINED FROM MR. JOSEPH PICONE, OF  
USEPH PICONE + SON INC. AT #1637 BROAD HOLLOW RD. FARMINGDALE.

I INTERVIEWED MR. JOSEPH PICONE ON MAY 5, 1981,  
BETWEEN 1:05 - 3:45 IN THE AFTERNOON AT HIS OFFICE AT  
1637 BROAD HOLLOW RD. FARMINGDALE.


THE INFORMATION REQUESTED ~~WAS~~ <sup>WAS THE</sup> CONSTRUCTION  
DETAILS CONCERNING THE STREET STORM ~~WAS~~ <sup>DRAIN</sup> SYSTEM  
LOCATED ON PICONE BLVD. FARMINGDALE.

MR. PICONE TOLD ME THAT HE INSTALLED THE STORM  
DRAIN SYSTEM HIMSELF. WE THEN LEFT MR. PICONE'S OFFICE  
AND BY CAR INSPECTED THE AREA IN QUESTION. WE DID  
NOT GO TO THE IMMEDIATE VICINITY OF HOWZINC BECAUSE THE  
ROAD WAS BLOCKED BY TRUCKS. HOWEVER MR. PICONE STATED  
THAT ALL THE STORM DRAINS IN THAT VICINITY DO RUN INTO  
A COMMON PIPE WHICH RUNS INTO THE SWAMP SWAMP  
LOCATED TO THE NORTH EAST OF HOWZINC. ~~BECAUSE~~. AT ONE TIME  
THE PIPE ACTUALLY ENTERED THE SWAMP, BUT HAS BEEN FILLED  
IN AND THE END OF THE PIPE COVERED. MR. PICONE SAID THAT  
THE DRAINAGE SYSTEM STILL WORKS BECAUSE ONLY DURING  
THE HEAVIEST OF RAIN DO THEY HAVE ANY RUNOFF PROBLEMS.

MR. PICONE ALSO STATED THAT THROUGH HIS LAWYERS,  
HE HAS ASKED HOWZINC. TO LOCATE THEIR (DRAINAGE)  
BY JUNE 1, 1981

4.21.22

(2)



4.22.27

CONTINUED: INSPECTORS OBSERVATIONS OR INTERVIEWS  
5 MAY 81 JOSEPH PICONE + SON INC.  
249-5800

7:00pm - 3:05am


Information obtained from interview with Mr. Joseph Picone, of ~~Part of~~ <sup>1637</sup> ~~Picone Realty Inc.~~ located at Rt 110, Farmingdale, <sup>Broadhollow Rd.</sup>


The storm drain system was installed by Mr. Picone himself on Picone Blvd. in the vicinity of HWD Inc.

I accompanied Mr. Picone to the location and he pointed out the various drains and how they ran. We did not go to the immediate vicinity of HWD Inc. because the road was blocked by trucks. However Mr. Picone stated that all the storm drains in that vicinity do run into a common pipe which runs towards the small swamp located to the North East of the HWD Inc. property.

At one time the pipe actually entered the swamp, but the swamp has been filled in and the end of the pipe has been covered. Mr. Picone said the the system still ~~works~~ works because only during the heaviest of rain do they have any run off problems.

Mr. Picone also stated that ~~the~~ <sup>his</sup> lawyer has asked HWD Inc. to ~~locate~~ locate their establishment by June 1, 1981.





New York State Department of Environmental Conservation

D.H.  
111 -

MEMORANDUM

TO: D. Middleton  
FROM: A. Machlin  
SUBJECT: Monthly Report - Environmental Quality, April 1981  
DATE: April 28, 1981

A. Accomplishments

1. Town of Oyster Bay - Solid Waste

A meeting was held with the Town and representatives of DEC, NCDH, and USEPA on the Town's proposed resource-recovery facility to expedite necessary permits including the PSD permit being handled by DSLPA.

In addition, the Town has submitted a report on wastewater management for the proposed resource-recovery project, as well as landfill leachate and incinerator discharges, which were reviewed at a meeting with the Town, its consultants (Lockwood, Kessler & Bartlett), and NCDH.

2. Town of North Hempstead/PASNY/Resource Recovery

PASNY is preparing a proposal to build a resource-recovery facility which will be presented to the Town on or about June 1, 1981. This Department has been involved in meetings with PASNY, USEPA, NCDH, and the Town to expedite necessary permits including the PSD permit presently being handled by USEPA.

3. Groundwater Management Program

Continued progress was made towards completion of early work tasks of the project and initiation of intermediate technical tasks. The final draft report of Criteria for Defining Groundwater/Water Supply Problems was transmitted to USEPA.

4. RD Projects

Meetings were held on 4/23/81 with USEPA consultants and Region staff, local agencies, and DEC staff to initiate Consumer Products, Spill Response, and Fertilizer/Pesticides projects in terms of contract preparations, work plans, etc., and to determine the nature and extent of involvement of USEPA consultants in the projects.

5. South Tuxton & Hurricane Protection Program

The final Wetlands permit was issued for the Moriches Inlet breach repair/revestment project.

6. Air Resources - Agreements with RLDI and SLDIS

Memoranda of Agreement for carrying out DEC programs by RLDI and SLDIS have been completed.

2. Applied Environmental Services-(AES) and Hazardous Waste Disposal (HWD) Corp.

On 4/14/81, a meeting was held between representatives of the Bureau of Hazardous Waste and this Region concerning the carrying out of that program in this Region. It was indicated that Region 1 had the most commercial hazardous waste facilities in the State. Also, a major part of the discussion related to HWD in Farmingdale and AES in Glenwood Landing. Since HWD was not a pre-existing facility and commenced operation in July of 1979 without a Part 360 Permit, it was determined that it was operating illegally and should be closed until a permit is received. On the other hand, AES was a pre-existing facility but does not yet have a completed Part 360 application which would allow it to operate legally. It was determined that an Order on Consent would be utilized to allow the continued operation of AES, with a three-month milestone to allow for completion of the application and continued cleanup. If the application is completed at that time, the Order on Consent would continue to be utilized to allow the operation until the permit process was completed.

On 4/23/81, a meeting was held with representatives of AES and HWD to inform them of this Department's determinations. The owner of the firm indicated that, if HWD was closed, the firm could not afford to keep AES open since the operations were interdependent. The owner offered to correct any deficiencies on HWD as soon as possible if DEC would allow continued operation. The Division of Solid Waste attorney stated that he would bring this matter to the attention of this Department's Executive Staff for a review and determination within the week.

3. Water Quality Accidents

There were forty-four new spills reported: twenty-eight in Nassau County and sixteen in Suffolk County

4. Sheridan Industrial Waste Oil Corp.

Nassau County Department of Public Works has indicated that it cannot temporarily accept the oil-contaminated water that is removed from Sheridan's waste oil collection operation, as originally hoped, because it is considered a hazardous waste by USEPA and would need an extensive effort on their part to meet USEPA regulatory requirements. Since Sheridan presently has no disposal point for this material, it is not picking up this material which will probably result in increased illegal disposal.

5. County of Nassau Solid Waste

The County of Nassau has indicated several provisions of the Order on Consent with the County of Nassau and a conference has been scheduled for 5/6/81 on this matter.

6. County of Nassau Solid Waste

The County of Nassau has indicated to the Town calls for involvement in resource recovery.

ROUX ASSOCIATES, INC.

Telephone Conversation Sheet

Caller Joanne Yeary

Company Little Joseph Realty Inc.

Contact Vic Emanuella Telephone # CH9-3400

in Reference to Hazardous Waste Disposal

DATE COMMENTS

June 10<sup>th</sup> Asked to speak to owner of HWD Joseph Picone. He (Vic Emanuella) told me that HWD is owned by Little Joseph Realty, Inc. He wants me to mail him letters of authorization before he lets me set up a visit to the site. He wanted to know if I was in contact with the DEC, and who at the DEC. He says he will call back after receiving the letters.

Mailed letter w/ authorization letters June 10<sup>th</sup>. (12)

Little Joseph Realty, Inc  
 1637 Broad Hollow Rd.  
 Farmingdale, NY 11735

D, 13

ROUX ASSOCIATES, INC.

Telephone Conversation Sheet

Caller Joanne Yeary  
Company Environmental Services Inc.  
Contact George Lawrence office Telephone # 273-3150


in Reference to Hazardous Waste Disposal.

DATE	COMMENTS
June 10 <sup>th</sup>	Lawrence said that Hazardous Waste Disposal has been closed by the Suffolk County Health Dept. He said that if we wanted to visit the site we would have to get in touch with the owner - Joseph Picone CH 9-3400.



D.14

New York State Department of Environmental Conservation  
Building 40 - State University of New York  
Stony Brook, New York 11794  
(516) 751-7900



Robert F. Flacke  
Commissioner

May 29, 1981

Mr. William R. Southard  
Assistant Regional Director  
Interstate Commerce Commission  
Suite 501  
150 Causeway Street  
Boston, Massachusetts 02114

Dear Mr. Southard:

Please be advised that Hazardous Waste Disposal, Inc. has been operating without the required Part 360 Permit, pursuant to Article 27, Title 7, of the New York State Environmental Conservation Law. They have also been operating without a Siting Board Permit, as required under Section 27-1105.

They are, therefore, operating illegally and I am attaching hereto, a copy of the Department's Notice of Hearing and Complaint. I would suggest that you consider these facts in reviewing their temporary Permit to Operate.

Very truly yours,

JOAN B. SCHERB  
Regional Attorney

JBS:cm  
Attachment  
cc: Town of North Hempstead  
bc: Morris Bruckman ✓

ROUX ASSOCIATES, INC.

Telephone Conversation Sheet

Caller J. BYRNES

Company Suffolk County Department of Health Service

Contact Mr. David Obrig Telephone # (516) 451-963

DATE	COMMENTS
7/15	In reference to the alledge sludge pit. Mr. Obrig informed me that the cement lined pit was used during clean-up operations. Wastes from on-site drums were emptied into this pit and after wastes solidified they were removed from pit and transported off-site.
	Storm drains - the 2 storm drains empty into the nearby sump. This was proven when a dye test was performed by Mr. Obrig and the local fire department.
	Mr. Obrig also stated that very early samples were taken from the on-site storm drains and high concentrations of Styrene found.

(47-15-11 (10/83)

NEW YORK STATE DEPARTMENT OF ENVIRONMENTAL CONSERVATION  
DIVISION OF SOLID AND HAZARDOUS WASTE  
INACTIVE HAZARDOUS WASTE DISPOSAL SITE REPORT

PRIORITY CODE: \_\_\_\_\_ SITE CODE: 152113  
NAME OF SITE: Hazardous Waste Disposal REGION: I  
STREET ADDRESS: 11 A Picone Blvd.  
TOWN/CITY: Farmingdale COUNTY: Suffolk  
NAME OF CURRENT OWNER OF SITE: Little Joseph Realty, Inc.  
ADDRESS OF CURRENT OWNER OF SITE: 1637 Broad Hollow Rd., Farmingdale, NY

TYPE OF SITE: OPEN DUMP  STRUCTURE  LAGOON   
LANDFILL  TREATMENT POND

ESTIMATED SIZE: 0.5 ACRES

SITE DESCRIPTION: Located in an industrial park, the site is a paved and fenced in lot. the site was used for the temporary storage of hazardous wastes. Wastes were stored in 55-gallon drums, sludge pit and tanks. The DEC conducted a site inspection in July 1985 and observed several poorly conditioned drums and a strong solvent odor.

As of Roux Associates' site inspection on June 25, 2987, the site shows no signs of any hazardous materials or conditions.

HAZARDOUS WASTE DISPOSED: CONFIRMED <input checked="" type="checkbox"/>	SUSPECTED <input type="checkbox"/>
TYPE AND QUANTITY OF HAZARDOUS WASTES DISPOSED:	QUANTITY (POUNDS, DRUMS, TONS, GALLONS)
<u>chlorinated and non-chlorinated solvents</u>	<u>unknown</u>
<u>paint sludge</u>	<u>unknown</u>
<u>waste oils</u>	<u>unknown</u>
<u>waste resins</u>	<u>unknown</u>

PAGE

TIME PERIOD SITE WAS USED FOR HAZARDOUS WASTE DISPOSAL:

\_\_\_\_\_, 19 79 TO \_\_\_\_\_, 19 84

OWNER(S) DURING PERIOD OF USE: George Lawrence

SITE OPERATOR DURING PERIOD OF USE: George Lawrence

ADDRESS OF SITE OPERATOR: 1 Shore Rd., Glenwood Landing, NY

ANALYTICAL DATA AVAILABLE: AIR  SURFACE WATER  GROUNDWATER   
SOIL  SEDIMENT  NONE

CONTRAVENTION OF STANDARDS: GROUNDWATER  DRINKING WATER   
SURFACE WATER  AIR

SOIL TYPE: unconsolidated sand and gravel

DEPTH TO GROUNDWATER TABLE: 25 - 30 feet

LEGAL ACTION: TYPE: \_\_\_\_\_ STATE  FEDERAL

STATUS: IN PROGRESS  COMPLETED

REMEDIAL ACTION: PROPOSED  UNDER DESIGN

IN PROGRESS  COMPLETED

NATURE OF ACTION: \_\_\_\_\_

ASSESSMENT OF ENVIRONMENTAL PROBLEMS:

Potential soil and ground-water contamination

ASSESSMENT OF HEALTH PROBLEMS:

N/A

PERSON(S) COMPLETING THIS FORM:

NEW YORK STATE DEPARTMENT OF ENVIRONMENTAL CONSERVATION

NAME J. Patrick Byrnes

TITLE Geologist

NAME Roux Associates, Inc.

TITLE \_\_\_\_\_

DATE: \_\_\_\_\_

NEW YORK STATE DEPARTMENT OF HEALTH

NAME \_\_\_\_\_

TITLE \_\_\_\_\_

NAME \_\_\_\_\_

TITLE \_\_\_\_\_

DATE: \_\_\_\_\_

PAGE

D-76

SUFFOLK COUNTY DEPARTMENT OF HEALTH SERVICES  
 INDUSTRIAL WASTE AND HAZARDOUS MATERIALS CONTROL  
 65 JETSON LA., PO BOX G, CENTRAL ISLIP, NY 11722  
 (516) 234-2622

gll  
 D.17

NAME OF FACILITY		OWNER/OFFICER <u>George Lawrence</u>	PAGE 1 OF
COMPANY NAME <u>HWD INC.</u>		CONTACT	TEL.
PLANT ADDRESS <u>PICONE BLVD.</u>		VILLAGE <u>Farmingdale</u> TOWN <u>Bab.</u>	ZIP
MAILING ADDRESS			
DATE <u>14 Sept. 82</u>	TIME <u>9:00 AM</u>	ORIG. PERIODIC <input checked="" type="radio"/>	WASTE NO WASTE <input checked="" type="radio"/> SEWAGE SYSTEM PUBLIC PRIVATE

INDUSTRY <u>Industrial Waste Sawyer</u>	
SPDES OR NPDES PERMIT? YES NO PERMIT NO.	360 PERMIT? YES NO PERMIT NO.

SCAVENGER		TEL.	
SCAVENGER APPROVED YES NO	PICK UP RECORDS AVAILABLE YES NO	RECORDS CONSISTENT WITH EXPECTED WASTE GENERATION YES NO	
HEATING SYSTEM-MFG NAME		FUEL TYPE	FIRING RATE
INCIN. NAME		WASTE BURNED	RATE

DRUM STORAGE YES NO	NUMBER OF DRUMS STORED <u>840</u> <sup>CONTAINING MATERIAL</sup> <u>420</u> <sup>EMPTY</sup>	TYPE OF MATERIAL STORED WASTE RAW BOTH
TANK STORAGE YES NO	ABOVE GROUND X UNDER GROUND BOTH	TYPE OF MATERIAL STORED WASTE RAW BOTH
HAVE TANKS BEEN REGISTERED YES NO	CONDITION OF ABOVEGROUND TANKS GOOD FAIR POOR <u>POOR</u>	ANY ART. XII VIOLATIONS YES NO

- ① Spills noted in drum storage area were cleaned up with absorbent material.
- ② Empty drums outside dyked area had material within them.
- ③ Drums containing material 840x55gal.  
Drums empty- 420x55gal.
- ④ Article 12 Violations → Outside, unsecured, pad not impervious. ~~etc.~~

PERMISSION IS GRANTED BY THIS FACILITY TO THE SUFFOLK COUNTY DEPARTMENT OF HEALTH SERVICES TO CONDUCT ROUTINE SAMPLING OF CESSPOOLS, STORMDRAINS, AND OTHER DISCHARGE POINTS AT THE FACILITY.

REINSPECTION SCHEDULED ON OR AFTER \_\_\_\_\_ FAILURE TO CORRECT UNSATISFACTORY CONDITIONS BY REINSPECTION DATE MAY RESULT IN A HEARING AND/OR FINE.

INSPECTOR DAVID CORRIGAN

SIGN OF PERSON REC REPORT \_\_\_\_\_ TITLE \_\_\_\_\_

D.77



INDUSTRIAL WASTE PROCESS

NO.	PROCESS	CHEMICALS USED AND APPROXIMATE QUANTITY	DISCHARGE	DISCHARGE TO
5	Furthest west blue sludge tank, 8-12" MATERIAL Next to furthest west	8-12" LIQUID (BLACK) 8-12" MATERIAL (SLUDGE)		
6	Blue tank middle of drums,	1/2 full as per Geo. Lawrence.		
7	Pit, covered with black plastic full to top sludges			
8	2x blue dumpsters, each 1/2 full, by inspection.			

D-76

NO.	PROCESS

HUDON RIVER  
 PIONEER BLVD.  
 FARMINGDALE, NY  
 11 SEP 82



4.14.27




SUFFOLK COUNTY  
DEPT OF  
HEALTH SERVICES

JOB HWD INC D.18  
SHEET NO. PICOUZ BLVD. FARMING DATE OF \_\_\_\_\_  
CALCULATED BY [Signature] DATE \_\_\_\_\_  
CHECKED BY \_\_\_\_\_ DATE \_\_\_\_\_  
SCALE \_\_\_\_\_

30 JUNE 82 - 11:50 AM



Log  Reinsp \_\_\_\_\_  
New \_\_\_\_\_ Letter \_\_\_\_\_  
Art XII  Sample \_\_\_\_\_  
Air \_\_\_\_\_ File \_\_\_\_\_  
Alex S.



- ① OBSERVED NO WORK AT SITE DURING INSPECTION.
- ② OBSERVED NO OBVIOUS RILLS.
- ③ Drums were uncovered & exposed to weather.
- ④ New pad area has been constructed to the South of the old drum storage. Drums two (2) high have been stored between the tanks & the transfer pump.
- ⑤ Waste pit North of Acid/Basic mix tank covered with black plastic.

D. Obry

4.16.22



15 Sept - Acid tank to be pumped

Spill in drum area had absorbent material on floor  
 Empty drums cut s. to dipper area and enclosed in same.





NEW YORK STATE DEPARTMENT OF ENVIRONMENTAL CONSERVATION  
DIVISION OF SOLID AND HAZARDOUS WASTE  
INACTIVE HAZARDOUS WASTE DISPOSAL REPORT

CLASSIFICATION CODE: 2a          REGION: 1          SITE CODE: 152113  
EPA ID:

NAME OF SITE: Hazardous Waste Disposal  
STREET ADDRESS: 11A Picone Blvd.  
TOWN/CITY: Farmingdale          COUNTY: Suffolk          ZIP:

SITE TYPE: Open Dump- Structure- Lagoon-X Landfill- Treatment Pond-  
ESTIMATED SIZE: 0.5 Acres

SITE OWNER/OPERATOR INFORMATION:

CURRENT OWNER NAME....: Little Joseph Realty  
CURRENT OWNER ADDRESS.: 1637 Broad Hollow Rd.  
OWNER(S) DURING USE...: George Lawrence  
OPERATOR DURING USE...: 1 Shore Rd., Glenwood Landing, NY 11547  
OPERATOR ADDRESS.....: 1 Shore Road, Glenwood Landing  
PERIOD ASSOCIATED WITH HAZARDOUS WASTE: From about 1979 To 1983

SITE DESCRIPTION:

A paved and fenced in lot in a small industrial park. Site was used as a temporary storage facility for hazardous wastes picked up by a formerly permitted transporter. Site inspection was done by DEC July 1985. Several old battered drums were observed on site and a strong pungent odor of solvents was present.

In 1984 the site owner removed all wastes from site and ceased operations. A DEC site inspection in July 1985 confirmed this. The site is currently used as a parking lot.

HAZARDOUS WASTE DISPOSED: TYPE	Confirmed-X	Suspected- QUANTITY (units)
-----	-----	-----
paint lacquer		
ink thinners		
chlorinated solvents		
non-chlorinated solvents		
waste oils		
waste resins		
acids		

TD-207

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

RCRA TRANSPORTER INSPECTION CHECKLIST

3-26 FH '81  
ENVIRONMENTAL PROTECTION AGENCY  
NEW YORK, N.Y. 10007

Transporter Name: HAZARDOUS WASTE DISPOSAL, INC. EPA I.D.: NYT 000603844  
Transporter Address: 11 A PICONE BLVD. Driver: \_\_\_\_\_  
FARMINGDALE, N.Y.

CONTACT PERSON: MR. GEORGE R. LAWRENCE  
TITLE: PRESIDENT

- |   | <u>Yes</u> | <u>No</u> |
|---|------------|-----------|
| Does the transporter have an EPA I.D. number?             | ( X )      | ( )       |
| Is the transporter carrying hazardous waste?              | ( X )      | ( )       |
| Does the transporter have a manifest?                     | ( X )      | ( )       |
| Does the manifest show the following information:         |            |           |
| a. Name, address, I.D. of generator                       | ( X )      | ( )       |
| b. Name, address, I.D. of transporter                     | ( X )      | ( )       |
| c. Name, address, I.D. of designated facility             | ( X )      | ( )       |
| d. Name of alternative facility                           | ( )        | ( X )     |
| e. DOT waste description                                  | ( X )      | ( )       |
| f. Quantity of waste—volume, weight, number of containers | ( X )      | ( )       |
| g. Signed certification statement                         | ( X )      | ( )       |
| Does the manifest information confirm vehicle load?       | ( X )      | ( )       |
| Is the vehicle placarded for hazardous waste?             | ( X )      | ( )       |

General comments:

THIS WAS NOT A HIGHWAY STOP OF A TRUCK  
BUT RATHER AN OFFICE TYPE INSPECTION.

RECEIVED

OCT 26 1981

Inspected by: George Lawrence  
Date: Sept 2, 1981

DIRECTOR'S OFFICE  
DIVISION OF SOLID WASTE [D-82]

1981 11 INSPECTION

RCRA GENERATOR INSPECTION FORM

COMPANY NAME:

Hazardous Waste Disposal, Inc.

EPA I.D. NUMBER:

NY 2000000000

COMPANY ADDRESS:

11A PIONEER BLVD.  
FARMINGDALE, N.Y. 11735

COMPANY CONTACT OR OFFICIAL:

MR. GEORGE R. LAWRENCE

INSPECTOR'S NAME:

George Lawrence / RCRA Generator  
Branch/Organization: Solid Waste

TITLE:

PRESIDENT

DATE OF INSPECTION:

9-2-81

CHECK IF FACILITY IS ALSO A TSD

FACILITY

YES

NO

DON  
KNC

(1) Is there reason to believe that the facility has hazardous waste on site?

a. If yes, what leads you to believe it is hazardous waste? Check appropriate box:

Company admits that its waste is hazardous during the inspection.

Company admitted the waste is hazardous in its RCRA notification and/or Part A Permit Application.

The waste material is listed in the regulations as a hazardous waste from a nonspecific source (§261.31)

The waste material is listed in the regulations as a hazardous waste from a specific source (§261.32)

The material or product is listed in the regulations as a discarded commercial chemical product (§261.33)

EPA testing has shown characteristics of ignitability, corrosivity, reactivity or extraction procedure toxicity, or has revealed hazardous constituents (please attach analysis report)

Company is unsure but there is reason to believe that waste materials are hazardous. (Explain)

RECEIVED  
OCT 15 5 11  
NEW YORK, N.Y. 10007  
ENFORCEMENT SECTION

RECEIVED

OCT 26 1981

DIRECTOR'S OFFICE  
DIVISION OF SOLID WASTE

T 10-27

YES NO

- b. Is there reason to believe that there are hazardous wastes on-site which the company claims are merely products or raw materials?  YES  NO

Please explain: ALTERNATE FUEL SUPPLIERS FROM WASTE OILS AND SOLVENTS.

- c. Identify the hazardous wastes that are on-site, and estimate approximate quantities of each.  
1900 DRUMS (55-GAL) CONTAINING IGNITABLES AND NON-IGNITABLE; PLUS ONE 250 GALLON ACID TANK.

- d. Describe the activities that result in the generation of hazardous waste.  
RESIDUES FROM THE RECOVERY OF ALTERNATE FUEL.

- (2) Is hazardous waste stored on site?  YES  NO

- a. What is the longest period that it has been accumulated?  
USUALLY 72 HOURS.

- b. Is the date when drums were placed in storage marked on each drum? NOT ALL OF THEM. DRUMS ARE STORED UNPROTECTED FROM ELEMENTS, WITHOUT AISLE SPACING. MOST DRUMS ARE CORRODED AND LEAKED. HOWEVER, THIS IS ALSO A STORAGE AREA.

- (3) Has hazardous waste been shipped from this facility since November 19, 1980?  YES  NO

- a. If "yes," approximately how many shipments were made?  
A FEW TIMES PER WEEK

- (4) Approximately how many hazardous waste shipments off site have been made since November 19, 1980?

- a. Does it appear from the available information that there is a manifest copy available for each hazardous waste shipment that has been made?  YES  NO

- b. If "no" or "don't know," please elaborate.

YES NO DON'T KNOW

c. Does each manifest (or a representative sample) have the following information?

- a manifest document number  YES  NO  DON'T KNOW
- the generator's name, mailing address, telephone number, and EPA identification number  YES  NO  DON'T KNOW
- the name, and EPA identification number of each transporter  YES  NO  DON'T KNOW
- the name, address and EPA identification number of the designated facility and an alternate facility, if any:  YES  NO  DON'T KNOW
- a description of the wastes (DOT)  YES  NO  DON'T KNOW
- the total quantity of each hazardous waste by units of weight or volume, and the type and number of containers as loaded into or onto the transport vehicle  YES  NO  DON'T KNOW
- a certification that the materials are properly classified, described, packaged, marked, and labeled, and are in proper condition for transportation under regulations of the Department of Transportation and the EPA  YES  NO  DON'T KNOW

(5) Were there any hazardous wastes stored on site at the time of the inspection?

a. If "yes," do they appear properly packaged (if in containers) or, if in tanks, are the tanks secure?

*NO. DRUMS ARE CORRODED AND THEY LEAK. THERE IS INADEQUATE BERM AND INADEQUATE CONTAINMENT. RUNOFF IS VISIBLE LEADING TOWARD DRY WELL. POTENTIAL TO ENTER & SEEMS TO EXIT IF HEAVY PRECIPITATION OCCURS.* <sup>AN</sup> <sub>(BUT NOT ENTERING)</sub>

b. If not properly packaged or in secure tanks, please explain.

c. Are containers clearly marked and labelled? *NOT ALL OF THEM.*

*SOME LABELS ARE INDISTINCT DUE TO LEAKS (SOLVENTS WASHED AWAY PAINT)*

d. Do any containers appear to be leaking?

*MAJORITY OF CONTAINERS ARE LEAKING*

e. If "yes," approximately how many?

*MAJORITY OF VISIBLE CONTAINERS WERE LEAKING*

*STORAGE TANKS*

\* (6) Has the generator submitted an annual report to EPA covering the previous calendar year? N/A

a. How do you know?

(7) Has the generator received signed copies (from the TSD facility) of all manifests for wastes shipped off site more than 35 days ago? ✓

a. If "no," have Exception Reports been submitted to EPA covering these shipments?

(8) General comments.

MANAGEMENT OF STORED DRUMS IS EXTREMELY POOR. CAN BE DESCRIBED AS A DISASTER AREA. THE WHOLE AREA IS CONTAMINATED WITH SOLVENTS AND OTHER CHEMICALS STORED IN DRUMS (DUE TO LEAKS). YOU CAN SEE ALL THE COLORS OF THE RAINBOW IN THE POOL OF LEAKED SOLVENTS THAT HAD ACCUMULATED ON THE GROUND. THE STORAGE AREA IS INADEQUATELY DIKED BY A TWO-INCH BERM ON TOP OF WHICH WOODCHIPS WERE PLACED, AT LEAST AN INCH OF LIQUID WASTES WERE CONTAINED BY THE BERM. LIQUID WASTES WERE VISIBLE AND WERE ESCAPING THE BERMED AREA AND HEADING IN THE DIRECTION OF A DRY WELL. THE OPENING OF THE DRY WELL WAS PROTECTED BY AN OIL RETAINING COLLAR. DRUMS WERE EXPOSED TO THE ELEMENTS, DENSELY CROWDED TOGETHER WITHOUT AISLE SPACE. THE STORAGE AREA IS A POTENTIAL FIRE HAZARD AND THE WASTES ARE IMPROPERLY STORED.

\* The effective date for this requirement is March 1, 1982.



ANALYTICAL DATA AVAILABLE:

Air  Surface Water  Groundwater  Sediment   
Soil  None

CONTRAVENTION OF STANDARDS:

Groundwater  Drinking Water  Surface Water  Air

LEGAL ACTION:

TYPE: State  Federal   
STATUS: In Progress  Order Signed

REMEDIAL ACTION:

Proposed  Under Design  In Progress  Completed

NATURE OF ACTION:

GEOTECHNICAL INFORMATION:

SOIL TYPE: Fine to coarse sand and gravel  
GROUNDWATER DEPTH: 6.5 to 14.5 ft

ASSESSMENT OF ENVIRONMENTAL PROBLEMS:

The Phase II investigation shows migration of chlorinated hydrocarbon organic compounds into the groundwater. Soil samples indicated the presence of several organic compounds.

ASSESSMENT OF HEALTH PROBLEMS: