


KOST ENVIRONMENTAL SERVICES, INC.

117 NORTH 6th STREET, LINDENHURST, NEW YORK 11757-TELEPHONE (516) 241-9856-FAX (631) 239-5112



September 19, 2007

Mr. Jamie Ascher
New York State Department of Environmental Conservation
Division of Environmental Remediation, Region One
Building 40 – SUNY
Stony Brook, New York 11790-2356

**Re: GROUNDWATER/SOIL VAPOR INVESTIGATION
STORMWATER DRAIN #3
GLARO, INC.
NYSDEC SITE #1-52-124**

Dear Mr. Ascher:

Attached are two (2) copies of the **Groundwater/Soil Vapor Investigation Stormwater Drain #3** report for your review and comments.

This work was performed in accordance with the previously submitted "Revised Supplemental Investigation Work Plan for Storm Drain #3: December 2006" except for soil vapor sampling at five (5) feet above the groundwater table.

Soil vapor sampling was performed at fifteen (15) and 38 (thirty-eight) below grade but due to site geology and the inability of the drilling equipment to penetrate this geology, a soil vapor sample was not obtained at the five (5) foot above groundwater depth as stated in the work plan.

In addition, due to the elevated soil vapor concentrations obtained at location SG3, Glaro, Inc., through its contractor Environmental Assessment & Remediation (EAR), has directed EAR to re-activate soil vapor extraction operations for the SG3 location. This operation is scheduled to go begin within two weeks.

Upon receipt of this report and your review thereof, we request to have a meeting with you to discuss the details and future work required regarding the groundwater and soil vapor results.

If you have any questions, feel free to contact me at 516-241-9856.

Sincerely,

A handwritten signature in dark ink, appearing to read "Darrel J. Kost".

Darrel J. Kost P.E.
cc.Mr. N. Glass, Glaro, Inc.
Mr. R. Betenski, Glaro, Inc.

**GROUNDWATER/SOIL VAPOR INVESTIGATION
STORMWATER DRAIN #3**

**GLARO, INC.
735 OLD WILLETS PATH
HAUPPAUGE, NEW YORK 11788**

NYSDEC SITE #1-52-124

September 2007



**PROJECT REQUESTED BY: NEW YORK STATE DEPARTMENT OF
ENVIRONMENTAL CONSERVATION**

**PREPARED BY: KOST ENVIRONMENTAL SERVICES, INC.
117 NO. 6TH STREET
LINDENHURST, NEW YORK 11757**

**Phone: (516) 241-9856
Fax: (631) 239-5112**



TABLE OF CONTENTS

	PAGE
BACKGROUND	1
EXISTING MONITORING WELLS	4
NEW MONITORING WELLS	5
GROUNDWATER SAMPLING	6
SOIL VAPOR SAMPLING	7
FINDINGS	9
APPENDIX	12

BACKGROUND INFORMATION

The historical events that comprise this issue are as follows:

- The contamination was identified in as a result of a Suffolk County Department of Health Services (SCDHS) routine inspection this past February 2005 of a storm water leaching basin (Storm Drain #3) located on the easterly sector of the property (letter attached).
- Subsequent to the notification by the SCDHS, Glaro, Inc. contracted with Environmental Inc. of Mastic who performed a cleanup of the leaching pool in May with end-point samples taken (analytical results attached).
- The end-point analytical results were found to have elevated concentrations of 1,1,1 – trichloroethane, tetrachloroethene, trichloroethene, and xylenes.
- Based upon these results and the past cleanup activities at the Glaro site, the SCDHS referred this matter to the NYSDEC for any future cleanup activities.
- A work plan was submitted to the NYSDEC Region One office in September, which was reviewed and revised to include the following:
 - Pump off storm water liquids from basin;
 - Perform continuous sampling with PID head-space sampling;
 - Terminate soil sampling when two continuous head-space samples are non-detect and obtain a groundwater sample;
 - Submit two soil samples exhibiting the highest PID readings as well as the final (end-point) soil sample for analytical testing for volatile organic compounds via EPA 8260 with Category B deliverables;
 - Dependent upon the analytical results, a determination will be made regarding remedial actions i.e. no action, additional soil removal, groundwater monitoring, etc.
- On November 29, 2005 the soil sampling and groundwater sampling was performed by Environmental Assessment & Remediation (EAR).
- In December 2005, a report was submitted to the NYSDEC (see Appendix) indicating the following findings:
 - The initial soil sampling (18'-22') below grade indicates elevated concentrations of volatile organics above **NYSDEC TAGM** values

- Soil sampling and PID readings subsequent to the 18'-22' depth decrease significantly and are below **NYSDEC TAGM** values
- Groundwater sampling indicates elevated concentrations of volatile organics above **NYS Ambient Water Quality Standards And Guidance Values**
- The soil and groundwater results are summarized in the following Tables:

TABLE 2
SOIL SAMPLES WITH TWO HIGHEST PID READINGS & END POINT
SAMPLE

SAMPLE SD-3 (18'-22')

PARAMETER	RESULT, ug/kg
c-1,2-Dichloroethene	170
Trichloroethene	4,400
Tetrachloroethene	56,000
Ethyl Benzene	550
m+p xylene	1,300
o xylene	280
135-Trimethylbenzene	140
124-Trimethylbenzene	260
Sec-butylbenzene	260
p-Isopropyltoluene	590
Hexachlorobutadiene	640
p-Ethyltoluene	130
1245-Tetramethylbenzene	130

SAMPLE SD-3 (22'-26')

PARAMETER	RESULT, ug/kg
111Trichlorethane	11
Trichloroethene	6.3
Tetrachloroethene	430
p-Isopropyltoluene	11
Hexachlorobutadiene	27

SAMPLE SD-3 (46'-48') End Point

PARAMETER	RESULT, ug/kg
NO DETECTABLE CONCENTRATIONS	

TABLE 3
GROUNDWATER SAMPLE
SAMPLE SD-3

PARAMETER	RESULT, ug/L	NYS GW ST'DS, ug/L
1,1Dichloroethene	3	0.07
1,1 Dichloroethane	4	5
c-1,2-Dichloroethene	77	5
111 Trichloroethane	530	5
Trichloroethene	400	5
Tetrachloroethene	700	5

- The contamination associated with this storm drain is isolated from the original contamination at Glaro, Inc., which was addressed in the Record of Decision in March 1997. The cleanup of the contamination addressed in the ROD of 1997 has been nearly completed utilizing a soil vent/air sparge recovery system.
- In August 2007 a "Supplemental Investigation Work Plan Stormwater Drain #3" was submitted to the NYSDEC and subsequently revised in December 2006.
- In February 2007, the NYSDEC approved the "Revised Supplemental Investigation Work Plan".
- In May 2007, Environmental Assessment & Remediations (EAR) in accordance with the approved "Revised Supplemental Investigation Work Plan" installed four (4) multi-level groundwater monitoring wells.
- In June 2007, Environmental Assessment & Remediations (EAR) in accordance with the approved "Revised Supplemental Investigation Work Plan" performed soil/vapor sampling at three (3) locations along with ambient air sampling.
- In July 2007, Environmental Assessment & Remediations (EAR) in accordance with the approved "Revised Supplemental Investigation Work Plan" sampled the four (4) multi-level groundwater monitoring wells.

EXISTING MONITORING WELLS

There are eight (8) existing monitoring wells located on the subject property (see Figure 1 Site Plan). Five (5) of these monitoring wells (W-1 thru W-5) consist of four inch (4") polyvinylchloride (PVC) material, are screened at the water table with twenty (20) feet of PVC slotted pipe and were installed in the mid-1980s. The three (3) remaining monitoring wells were installed in 1996 and consisted of multi-level sampling points.

The multi-level wells were constructed of one-half (1/2) inch diameter schedule 40 PVC flush joint risers with a terminus of 1/2" diameter by one foot 0.010" slotted schedule 40 PVC flush joint screen. Each 1/2" diameter well was "bundled" around a 2" diameter schedule 40 PVC flush joint riser with a 2" diameter by 5 ft. schedule 40, 0.010" slotted PVC joint screen. The screen intervals started at 112.5 ft., 138 ft., and 120 ft. below grade for ML-1, ML-2 and ML-3 respectively. Successive 1/2" diameter wells were staggered at 7.5 ft. higher than the previous location with the highest well located at 75 ft., 85.5 ft., and 67.5 ft. below grade for ML-1, ML-2 and ML-3 respectively. Historically, a total of twenty-two groundwater samples have been obtained from these "cluster" wells for one sampling event.

None of the eight existing monitoring wells are located down-gradient of storm drain #3 (SD#3). Monitoring wells W-3 and W-5 are located to the north and south of SD#3 and are both groundwater interface wells.

NEW MONITORING WELLS

Four (4) new multi-level monitoring wells were installed to identify the areal extent of groundwater contamination i.e. vertical and lateral extent of contamination.

The multi-level wells were identified and located as follows (see Figure 1):

- ML-4 located adjacent to SD-3
- ML-5 located approximately 100' downgradient of SD-3 and at the easterly property line of Glaro, Inc.
- ML-6 located approximately 150' to the southeast of SD-3
- ML-7 located approximately 400' upgradient of SD-3 and at the westerly property line of Glaro, Inc.

In addition, existing multi-level well ML-2 was utilized as the northerly most well for sampling purposes.

The multi-level wells were constructed of one-half (1/2) inch diameter schedule 40 PVC flush joint risers with a terminus of 1/2" diameter by one foot, 0.010" slotted schedule 40 PVC flush joint screen. Each 1/2" diameter well was "bundled" around a 1.5" diameter schedule 40 PVC flush joint riser with a 1.5" diameter by 10 ft. schedule 40, 0.010" slotted PVC joint screen. The screen intervals were installed at 75 ft., 85 ft., 95 ft., 105 ft., 115ft., 125 ft., 135 ft. and 145 ft. below grade.

The monitoring wells were installed utilizing a rotary drill rig equipped with hollow stem augers. This work was performed in accordance with **DER-10 "Technical Guidance for Site Investigation and Remediation"** and other pertinent NYSDEC Technical and Administrative Guidance Memoranda. All down-hole equipment, along with all monitoring well materials, were steam cleaned prior to use at each bore hole location. A drill log for each bore hole was kept at the site by the on-site geologist.

As the multi-level monitoring wells were installed and the hollow stem augers were

ML-6F Matri Water	7/31/2007	1255	7/31/2007	8/6/2007	EcoTest L ₄	273319.1	95-49-8	2-Chlorotoluene	1	ug/L
ML-6F Matri Water	7/31/2007	1255	7/31/2007	8/6/2007	EcoTest L ₄	273319.1	106-43-4	4-Chlorotoluene	1	ug/L
ML-6F Matri Water	7/31/2007	1255	7/31/2007	8/6/2007	EcoTest L ₄	273319.1	67-64-1	Acetone	10	ug/L
ML-6F Matri Water	7/31/2007	1255	7/31/2007	8/6/2007	EcoTest L ₄	273319.1	71-43-2	Benzene	21	ug/L
ML-6F Matri Water	7/31/2007	1255	7/31/2007	8/6/2007	EcoTest L ₄	273319.1	108-86-1	Bromobenzene	1	ug/L
ML-6F Matri Water	7/31/2007	1255	7/31/2007	8/6/2007	EcoTest L ₄	273319.1	74-97-5	Bromochloromethane	1	ug/L
ML-6F Matri Water	7/31/2007	1255	7/31/2007	8/6/2007	EcoTest L ₄	273319.1	75-27-4	Bromodichloromethane	1	ug/L
ML-6F Matri Water	7/31/2007	1255	7/31/2007	8/6/2007	EcoTest L ₄	273319.1	75-25-2	Bromoform	1	ug/L
ML-6F Matri Water	7/31/2007	1255	7/31/2007	8/6/2007	EcoTest L ₄	273319.1	74-83-9	Bromomethane	1	ug/L
ML-6F Matri Water	7/31/2007	1255	7/31/2007	8/6/2007	EcoTest L ₄	273319.1	156-59-2	c-1,2-Dichloroethene	1	ug/L
ML-6F Matri Water	7/31/2007	1255	7/31/2007	8/6/2007	EcoTest L ₄	273319.1	10061-01-1	c-1,3-Dichloropropene	1	ug/L
ML-6F Matri Water	7/31/2007	1255	7/31/2007	8/6/2007	EcoTest L ₄	273319.1	56-23-5	Carbon Tetrachloride	1	ug/L
ML-6F Matri Water	7/31/2007	1255	7/31/2007	8/6/2007	EcoTest L ₄	273319.1	108-90-7	Chlorobenzene	1	ug/L
ML-6F Matri Water	7/31/2007	1255	7/31/2007	8/6/2007	EcoTest L ₄	273319.1	124-48-1	Chlorodibromomethane	1	ug/L
ML-6F Matri Water	7/31/2007	1255	7/31/2007	8/6/2007	EcoTest L ₄	273319.1	75-45-6	Chlorodifluoromethane	1	ug/L
ML-6F Matri Water	7/31/2007	1255	7/31/2007	8/6/2007	EcoTest L ₄	273319.1	75-00-3	Chloroethane	1	ug/L
ML-6F Matri Water	7/31/2007	1255	7/31/2007	8/6/2007	EcoTest L ₄	273319.1	67-66-3	Chloroform	1	ug/L
ML-6F Matri Water	7/31/2007	1255	7/31/2007	8/6/2007	EcoTest L ₄	273319.1	74-87-3	Chloromethane	1	ug/L
ML-6F Matri Water	7/31/2007	1255	7/31/2007	8/6/2007	EcoTest L ₄	273319.1	96-12-8	Dibromochloropropane	1	ug/L
ML-6F Matri Water	7/31/2007	1255	7/31/2007	8/6/2007	EcoTest L ₄	273319.1	74-95-3	Dibromomethane	1	ug/L
ML-6F Matri Water	7/31/2007	1255	7/31/2007	8/6/2007	EcoTest L ₄	273319.1	75-71-8	Dichlorodifluoromethane	1	ug/L
ML-6F Matri Water	7/31/2007	1255	7/31/2007	8/6/2007	EcoTest L ₄	273319.1	100-41-4	Ethyl Benzene	1	ug/L
ML-6F Matri Water	7/31/2007	1255	7/31/2007	8/6/2007	EcoTest L ₄	273319.1	76-13-1	Freon 113	1	ug/L
ML-6F Matri Water	7/31/2007	1255	7/31/2007	8/6/2007	EcoTest L ₄	273319.1	87-68-3	Hexachlorobutadiene	1	ug/L
ML-6F Matri Water	7/31/2007	1255	7/31/2007	8/6/2007	EcoTest L ₄	273319.1	98-82-8	Isopropylbenzene	1	ug/L
ML-6F Matri Water	7/31/2007	1255	7/31/2007	8/6/2007	EcoTest L ₄	273319.1	XYL-IMP	m + p Xylene	2	ug/L
ML-6F Matri Water	7/31/2007	1255	7/31/2007	8/6/2007	EcoTest L ₄	273319.1	78-93-3	Methyl Ethyl Ketone	10	ug/L
ML-6F Matri Water	7/31/2007	1255	7/31/2007	8/6/2007	EcoTest L ₄	273319.1	108-10-1	Methyl Chloride	1	ug/L
ML-6F Matri Water	7/31/2007	1255	7/31/2007	8/6/2007	EcoTest L ₄	273319.1	104-51-8	Methylisobutylketone	1	ug/L
ML-6F Matri Water	7/31/2007	1255	7/31/2007	8/6/2007	EcoTest L ₄	273319.1	103-65-1	n-Butylbenzene	1	ug/L
ML-6F Matri Water	7/31/2007	1255	7/31/2007	8/6/2007	EcoTest L ₄	273319.1	91-20-3	n-Propylbenzene	1	ug/L
ML-6F Matri Water	7/31/2007	1255	7/31/2007	8/6/2007	EcoTest L ₄	273319.1	95-47-6	Naphthalene(v)	1	ug/L
ML-6F Matri Water	7/31/2007	1255	7/31/2007	8/6/2007	EcoTest L ₄	273319.1	105-05-5	o Xylene	1	ug/L
ML-6F Matri Water	7/31/2007	1255	7/31/2007	8/6/2007	EcoTest L ₄	273319.1	622-96-8	p Diethylbenzene	1	ug/L
ML-6F Matri Water	7/31/2007	1255	7/31/2007	8/6/2007	EcoTest L ₄	273319.1	99-87-6	p-Ethyltoluene	1	ug/L
ML-6F Matri Water	7/31/2007	1255	7/31/2007	8/6/2007	EcoTest L ₄	273319.1	135-98-8	p-Isopropyltoluene	1	ug/L
ML-6F Matri Water	7/31/2007	1255	7/31/2007	8/6/2007	EcoTest L ₄	273319.1	100-42-5	sec-Butylbenzene	1	ug/L
ML-6F Matri Water	7/31/2007	1255	7/31/2007	8/6/2007	EcoTest L ₄	273319.1	156-60-5	Styrene	1	ug/L
ML-6F Matri Water	7/31/2007	1255	7/31/2007	8/6/2007	EcoTest L ₄	273319.1	10061-02-1	t-1,2-Dichloroethene	1	ug/L
ML-6F Matri Water	7/31/2007	1255	7/31/2007	8/6/2007	EcoTest L ₄	273319.1	1634-04-4	t-1,3-Dichloropropene	1	ug/L
ML-6F Matri Water	7/31/2007	1255	7/31/2007	8/6/2007	EcoTest L ₄	273319.1	98-06-6	ter-ButylMethylEther	1	ug/L
ML-6F Matri Water	7/31/2007	1255	7/31/2007	8/6/2007	EcoTest L ₄	273319.1	127-18-4	tert-Butylbenzene	1	ug/L
ML-6F Matri Water	7/31/2007	1255	7/31/2007	8/6/2007	EcoTest L ₄	273319.1	108-88-3	Tetrachloroethene	1	ug/L
ML-6F Matri Water	7/31/2007	1255	7/31/2007	8/6/2007	EcoTest L ₄	273319.1	79-01-6	Toluene	1	ug/L
ML-6F Matri Water	7/31/2007	1255	7/31/2007	8/6/2007	EcoTest L ₄	273319.1	75-69-4	Trichloroethene	1	ug/L
ML-6F Matri Water	7/31/2007	1255	7/31/2007	8/6/2007	EcoTest L ₄	273319.1	75-01-4	Trichlorofluoromethane	1	ug/L
ML-6F Matri Water	7/31/2007	1255	7/31/2007	8/6/2007	EcoTest L ₄	273319.1	75-34-3	Vinyl Chloride	1	ug/L
ML-6F Matri Water	7/31/2007	1255	7/31/2007	8/6/2007	EcoTest L ₄	273319.1	75-35-4	1,1-Dichloroethane	1	ug/L
ML-6F Matri Water	7/31/2007	1255	7/31/2007	8/6/2007	EcoTest L ₄	273319.1	563-58-6	1,1-Dichloroethene	1	ug/L
ML-6F Matri Water	7/31/2007	1255	7/31/2007	8/6/2007	EcoTest L ₄	273319.1	95-50-1	1,1-Dichloropropene	1	ug/L
ML-6F Matri Water	7/31/2007	1255	7/31/2007	8/6/2007	EcoTest L ₄	273319.1	106-93-4	1,2-Dibromomethane	1	ug/L
ML-6F Matri Water	7/31/2007	1255	7/31/2007	8/6/2007	EcoTest L ₄	273319.1	107-06-2	1,2-Dichloroethene (v)	1	ug/L
ML-6F Matri Water	7/31/2007	1255	7/31/2007	8/6/2007	EcoTest L ₄	273319.1	78-87-5	1,2-Dichloropropane	1	ug/L
ML-6F Matri Water	7/31/2007	1255	7/31/2007	8/6/2007	EcoTest L ₄	273319.1	541-73-1	1,3-Dichlorobenzene (v)	1	ug/L
ML-6F Matri Water	7/31/2007	1255	7/31/2007	8/6/2007	EcoTest L ₄	273319.1	142-28-9	1,3-Dichloropropane	1	ug/L
ML-6F Matri Water	7/31/2007	1255	7/31/2007	8/6/2007	EcoTest L ₄	273319.1	106-46-7	1,4-Dichlorobenzene (v)	1	ug/L
ML-6F Matri Water	7/31/2007	1255	7/31/2007	8/6/2007	EcoTest L ₄	273319.1	71-55-6	1,1-Trichloroethane	1	ug/L

ML-6G	Water	EPA8260	7/31/2007	1310	7/31/2007	8/7/2007	EcoTest L ₅	273319.1	630-20-6	1112Tetrachloroethane	0	1	U	ug/L
ML-6G	Water	EPA8260	7/31/2007	1310	7/31/2007	8/7/2007	EcoTest L ₅	273319.1	79-00-5	112 Trichloroethane	0	1	U	ug/L
ML-6G	Water	EPA8260	7/31/2007	1310	7/31/2007	8/7/2007	EcoTest L ₅	273319.1	79-34-5	1122Tetrachloroethane	0	1	U	ug/L
ML-6G	Water	EPA8260	7/31/2007	1310	7/31/2007	8/7/2007	EcoTest L ₅	273319.1	87-61-6	123-Trichlorobenzene	0	1	U	ug/L
ML-6G	Water	EPA8260	7/31/2007	1310	7/31/2007	8/7/2007	EcoTest L ₅	273319.1	96-18-4	123-Trichloropropane	0	1	U	ug/L
ML-6G	Water	EPA8260	7/31/2007	1310	7/31/2007	8/7/2007	EcoTest L ₅	273319.1	120-82-1	124-Trichlorobenzene (v)	0	1	U	ug/L
ML-6G	Water	EPA8260	7/31/2007	1310	7/31/2007	8/7/2007	EcoTest L ₅	273319.1	95-63-6	124-Trichlorobenzene	0	1	U	ug/L
ML-6G	Water	EPA8260	7/31/2007	1310	7/31/2007	8/7/2007	EcoTest L ₅	273319.1	95-93-2	1245 Tetramethylbenz	0	1	U	ug/L
ML-6G	Water	EPA8260	7/31/2007	1310	7/31/2007	8/7/2007	EcoTest L ₅	273319.1	108-67-8	135-Trimethylbenzene	0	1	U	ug/L
ML-6G	Water	EPA8260	7/31/2007	1310	7/31/2007	8/7/2007	EcoTest L ₅	273319.1	594-20-7	2,2-Dichloropropane	0	1	U	ug/L
ML-6G	Water	EPA8260	7/31/2007	1310	7/31/2007	8/7/2007	EcoTest L ₅	273319.1	95-49-8	2-Chlorotoluene	0	1	U	ug/L
ML-6G	Water	EPA8260	7/31/2007	1310	7/31/2007	8/7/2007	EcoTest L ₅	273319.1	108-43-4	4-Chlorotoluene	0	10	U	ug/L
ML-6G	Water	EPA8260	7/31/2007	1310	7/31/2007	8/7/2007	EcoTest L ₅	273319.1	67-64-1	Acetone	0	1	U	ug/L
ML-6G	Water	EPA8260	7/31/2007	1310	7/31/2007	8/7/2007	EcoTest L ₅	273319.1	71-43-2	Benzene	0	1	U	ug/L
ML-6G	Water	EPA8260	7/31/2007	1310	7/31/2007	8/7/2007	EcoTest L ₅	273319.1	108-86-1	Bromobenzene	0	1	U	ug/L
ML-6G	Water	EPA8260	7/31/2007	1310	7/31/2007	8/7/2007	EcoTest L ₅	273319.1	74-97-5	Bromochloromethane	0	1	U	ug/L
ML-6G	Water	EPA8260	7/31/2007	1310	7/31/2007	8/7/2007	EcoTest L ₅	273319.1	75-27-4	Bromodichloromethane	0	1	U	ug/L
ML-6G	Water	EPA8260	7/31/2007	1310	7/31/2007	8/7/2007	EcoTest L ₅	273319.1	75-25-2	Bromoform	0	1	U	ug/L
ML-6G	Water	EPA8260	7/31/2007	1310	7/31/2007	8/7/2007	EcoTest L ₅	273319.1	74-83-9	Bromomethane	0	1	U	ug/L
ML-6G	Water	EPA8260	7/31/2007	1310	7/31/2007	8/7/2007	EcoTest L ₅	273319.1	156-59-2	c-1,2-Dichloroethene	0	1	U	ug/L
ML-6G	Water	EPA8260	7/31/2007	1310	7/31/2007	8/7/2007	EcoTest L ₅	273319.1	10061-01-1	c-1,3-Dichloropropene	0	1	U	ug/L
ML-6G	Water	EPA8260	7/31/2007	1310	7/31/2007	8/7/2007	EcoTest L ₅	273319.1	56-23-5	Carbon Tetrachloride	0	1	U	ug/L
ML-6G	Water	EPA8260	7/31/2007	1310	7/31/2007	8/7/2007	EcoTest L ₅	273319.1	108-90-7	Chlorobenzene	0	1	U	ug/L
ML-6G	Water	EPA8260	7/31/2007	1310	7/31/2007	8/7/2007	EcoTest L ₅	273319.1	124-48-1	Chlorodibromomethane	0	1	U	ug/L
ML-6G	Water	EPA8260	7/31/2007	1310	7/31/2007	8/7/2007	EcoTest L ₅	273319.1	75-45-6	Chlorodifluoromethane	0	1	U	ug/L
ML-6G	Water	EPA8260	7/31/2007	1310	7/31/2007	8/7/2007	EcoTest L ₅	273319.1	75-00-3	Chloroethane	0	1	U	ug/L
ML-6G	Water	EPA8260	7/31/2007	1310	7/31/2007	8/7/2007	EcoTest L ₅	273319.1	67-66-3	Chloroform	0	1	U	ug/L
ML-6G	Water	EPA8260	7/31/2007	1310	7/31/2007	8/7/2007	EcoTest L ₅	273319.1	74-87-3	Chloromethane	0	1	U	ug/L
ML-6G	Water	EPA8260	7/31/2007	1310	7/31/2007	8/7/2007	EcoTest L ₅	273319.1	96-12-8	Dibromochloropropane	0	1	U	ug/L
ML-6G	Water	EPA8260	7/31/2007	1310	7/31/2007	8/7/2007	EcoTest L ₅	273319.1	74-95-3	Dibromomethane	0	1	U	ug/L
ML-6G	Water	EPA8260	7/31/2007	1310	7/31/2007	8/7/2007	EcoTest L ₅	273319.1	75-71-8	Dichlorodifluoromethane	0	1	U	ug/L
ML-6G	Water	EPA8260	7/31/2007	1310	7/31/2007	8/7/2007	EcoTest L ₅	273319.1	100-41-4	Ethyl Benzene	0	1	U	ug/L
ML-6G	Water	EPA8260	7/31/2007	1310	7/31/2007	8/7/2007	EcoTest L ₅	273319.1	78-13-1	Freon 113	0	1	U	ug/L
ML-6G	Water	EPA8260	7/31/2007	1310	7/31/2007	8/7/2007	EcoTest L ₅	273319.1	87-68-3	Hexachlorobutadiene	0	1	U	ug/L
ML-6G	Water	EPA8260	7/31/2007	1310	7/31/2007	8/7/2007	EcoTest L ₅	273319.1	98-82-8	Isopropylbenzene	0	1	U	ug/L
ML-6G	Water	EPA8260	7/31/2007	1310	7/31/2007	8/7/2007	EcoTest L ₅	273319.1	XYL-MP	m + p Xylene	0	2	U	ug/L
ML-6G	Water	EPA8260	7/31/2007	1310	7/31/2007	8/7/2007	EcoTest L ₅	273319.1	78-93-3	Methyl Ethyl Ketone	0	1	U	ug/L
ML-6G	Water	EPA8260	7/31/2007	1310	7/31/2007	8/7/2007	EcoTest L ₅	273319.1	75-09-2	Methylene Chloride	0	1	U	ug/L
ML-6G	Water	EPA8260	7/31/2007	1310	7/31/2007	8/7/2007	EcoTest L ₅	273319.1	108-10-1	Methylisobutylketone	0	10	U	ug/L
ML-6G	Water	EPA8260	7/31/2007	1310	7/31/2007	8/7/2007	EcoTest L ₅	273319.1	104-51-8	n-Butylbenzene	0	1	U	ug/L
ML-6G	Water	EPA8260	7/31/2007	1310	7/31/2007	8/7/2007	EcoTest L ₅	273319.1	103-65-1	n-Propylbenzene	0	1	U	ug/L
ML-6G	Water	EPA8260	7/31/2007	1310	7/31/2007	8/7/2007	EcoTest L ₅	273319.1	91-20-3	Naphthalene(v)	0	1	U	ug/L
ML-6G	Water	EPA8260	7/31/2007	1310	7/31/2007	8/7/2007	EcoTest L ₅	273319.1	95-47-6	o Xylene	0	1	U	ug/L
ML-6G	Water	EPA8260	7/31/2007	1310	7/31/2007	8/7/2007	EcoTest L ₅	273319.1	105-05-5	p Diethylbenzene	0	1	U	ug/L
ML-6G	Water	EPA8260	7/31/2007	1310	7/31/2007	8/7/2007	EcoTest L ₅	273319.1	622-96-8	p-Ethyltoluene	0	1	U	ug/L
ML-6G	Water	EPA8260	7/31/2007	1310	7/31/2007	8/7/2007	EcoTest L ₅	273319.1	99-87-6	p-Isopropyltoluene	0	1	U	ug/L
ML-6G	Water	EPA8260	7/31/2007	1310	7/31/2007	8/7/2007	EcoTest L ₅	273319.1	135-98-8	sec-Butylbenzene	0	1	U	ug/L
ML-6G	Water	EPA8260	7/31/2007	1310	7/31/2007	8/7/2007	EcoTest L ₅	273319.1	156-60-5	Styrene	0	1	U	ug/L
ML-6G	Water	EPA8260	7/31/2007	1310	7/31/2007	8/7/2007	EcoTest L ₅	273319.1	10061-02-1	t-1,2-Dichloroethene	0	1	U	ug/L
ML-6G	Water	EPA8260	7/31/2007	1310	7/31/2007	8/7/2007	EcoTest L ₅	273319.1	1634-04-4	ter. ButylMethylEther	1	1	U	ug/L
ML-6G	Water	EPA8260	7/31/2007	1310	7/31/2007	8/7/2007	EcoTest L ₅	273319.1	98-06-6	tert-Butylbenzene	0	1	U	ug/L
ML-6G	Water	EPA8260	7/31/2007	1310	7/31/2007	8/7/2007	EcoTest L ₅	273319.1	127-18-4	Tetrachloroethene	0	1	U	ug/L
ML-6G	Water	EPA8260	7/31/2007	1310	7/31/2007	8/7/2007	EcoTest L ₅	273319.1	108-88-3	Toluene	0	1	U	ug/L
ML-6G	Water	EPA8260	7/31/2007	1310	7/31/2007	8/7/2007	EcoTest L ₅	273319.1	79-01-6	Trichloroethene	0	1	U	ug/L
ML-6G	Water	EPA8260	7/31/2007	1310	7/31/2007	8/7/2007	EcoTest L ₅	273319.1	75-89-4	Trichlorofluoromethane	0	1	U	ug/L
ML-6G	Water	EPA8260	7/31/2007	1310	7/31/2007	8/7/2007	EcoTest L ₅	273319.1	75-01-4	Vinyl Chloride	0	1	U	ug/L
ML-6H	Water	EPA8260	7/31/2007	1317	7/31/2007	8/7/2007	EcoTest L ₅	273319.1	75-34-3	1,1 Dichloroethane	0	1	U	ug/L

ML-6H	Water	EPA8260	7/31/2007	1317	7/31/2007	8/7/2007	EcoTest L ₁	273319.1	75-35-4	1,1-Dichloroethene	0	1	U	ug/L
ML-6H	Water	EPA8260	7/31/2007	1317	7/31/2007	8/7/2007	EcoTest L ₁	273319.1	563-58-6	1,1-Dichloropropene	0	1	U	ug/L
ML-6H	Water	EPA8260	7/31/2007	1317	7/31/2007	8/7/2007	EcoTest L ₁	273319.1	106-93-4	1,2-Dibromoethane	0	1	U	ug/L
ML-6H	Water	EPA8260	7/31/2007	1317	7/31/2007	8/7/2007	EcoTest L ₁	273319.1	95-50-1	1,2-Dichlorobenzene (v)	0	1	U	ug/L
ML-6H	Water	EPA8260	7/31/2007	1317	7/31/2007	8/7/2007	EcoTest L ₁	273319.1	107-06-2	1,2-Dichloroethane	0	1	U	ug/L
ML-6H	Water	EPA8260	7/31/2007	1317	7/31/2007	8/7/2007	EcoTest L ₁	273319.1	78-87-5	1,2-Dichloropropane	0	1	U	ug/L
ML-6H	Water	EPA8260	7/31/2007	1317	7/31/2007	8/7/2007	EcoTest L ₁	273319.1	541-73-1	1,3-Dichlorobenzene (v)	0	1	U	ug/L
ML-6H	Water	EPA8260	7/31/2007	1317	7/31/2007	8/7/2007	EcoTest L ₁	273319.1	142-28-9	1,3-Dichloropropane	0	1	U	ug/L
ML-6H	Water	EPA8260	7/31/2007	1317	7/31/2007	8/7/2007	EcoTest L ₁	273319.1	106-46-7	1,4-Dichlorobenzene (v)	0	1	U	ug/L
ML-6H	Water	EPA8260	7/31/2007	1317	7/31/2007	8/7/2007	EcoTest L ₁	273319.1	71-55-6	111 Trichloroethane	0	1	U	ug/L
ML-6H	Water	EPA8260	7/31/2007	1317	7/31/2007	8/7/2007	EcoTest L ₁	273319.1	630-20-6	1112Tetrachloroethane	0	1	U	ug/L
ML-6H	Water	EPA8260	7/31/2007	1317	7/31/2007	8/7/2007	EcoTest L ₁	273319.1	79-00-5	112 Trichloroethane	0	1	U	ug/L
ML-6H	Water	EPA8260	7/31/2007	1317	7/31/2007	8/7/2007	EcoTest L ₁	273319.1	79-34-5	122Tetrachloroethane	0	1	U	ug/L
ML-6H	Water	EPA8260	7/31/2007	1317	7/31/2007	8/7/2007	EcoTest L ₁	273319.1	87-61-6	123-Trichlorobenzene	0	1	U	ug/L
ML-6H	Water	EPA8260	7/31/2007	1317	7/31/2007	8/7/2007	EcoTest L ₁	273319.1	96-18-4	123-Trichloropropane	0	1	U	ug/L
ML-6H	Water	EPA8260	7/31/2007	1317	7/31/2007	8/7/2007	EcoTest L ₁	273319.1	120-82-1	124-Trichlorobenzene (v)	0	1	U	ug/L
ML-6H	Water	EPA8260	7/31/2007	1317	7/31/2007	8/7/2007	EcoTest L ₁	273319.1	95-63-6	124-Trimethylbenzene	0	1	U	ug/L
ML-6H	Water	EPA8260	7/31/2007	1317	7/31/2007	8/7/2007	EcoTest L ₁	273319.1	95-93-2	1245 Tetramethylbenz	0	1	U	ug/L
ML-6H	Water	EPA8260	7/31/2007	1317	7/31/2007	8/7/2007	EcoTest L ₁	273319.1	108-87-8	135-Trimethylbenzene	0	1	U	ug/L
ML-6H	Water	EPA8260	7/31/2007	1317	7/31/2007	8/7/2007	EcoTest L ₁	273319.1	594-20-7	2,2-Dichloropropane	0	1	U	ug/L
ML-6H	Water	EPA8260	7/31/2007	1317	7/31/2007	8/7/2007	EcoTest L ₁	273319.1	95-49-8	2-Chlorotoluene	0	1	U	ug/L
ML-6H	Water	EPA8260	7/31/2007	1317	7/31/2007	8/7/2007	EcoTest L ₁	273319.1	108-43-4	4-Chlorotoluene	0	10	U	ug/L
ML-6H	Water	EPA8260	7/31/2007	1317	7/31/2007	8/7/2007	EcoTest L ₁	273319.1	67-64-1	Acetone	0	1	U	ug/L
ML-6H	Water	EPA8260	7/31/2007	1317	7/31/2007	8/7/2007	EcoTest L ₁	273319.1	71-43-2	Benzene	0	1	U	ug/L
ML-6H	Water	EPA8260	7/31/2007	1317	7/31/2007	8/7/2007	EcoTest L ₁	273319.1	108-86-1	Bromobenzene	0	1	U	ug/L
ML-6H	Water	EPA8260	7/31/2007	1317	7/31/2007	8/7/2007	EcoTest L ₁	273319.1	74-97-5	Bromochloromethane	0	1	U	ug/L
ML-6H	Water	EPA8260	7/31/2007	1317	7/31/2007	8/7/2007	EcoTest L ₁	273319.1	75-27-4	Bromodichloromethane	0	1	U	ug/L
ML-6H	Water	EPA8260	7/31/2007	1317	7/31/2007	8/7/2007	EcoTest L ₁	273319.1	75-25-2	Bromoform	0	1	U	ug/L
ML-6H	Water	EPA8260	7/31/2007	1317	7/31/2007	8/7/2007	EcoTest L ₁	273319.1	74-83-9	Bromomethane	0	1	U	ug/L
ML-6H	Water	EPA8260	7/31/2007	1317	7/31/2007	8/7/2007	EcoTest L ₁	273319.1	156-59-2	c-1,2-Dichloroethene	0	1	U	ug/L
ML-6H	Water	EPA8260	7/31/2007	1317	7/31/2007	8/7/2007	EcoTest L ₁	273319.1	10061-01-1	c-1,3-Dichloropropene	0	1	U	ug/L
ML-6H	Water	EPA8260	7/31/2007	1317	7/31/2007	8/7/2007	EcoTest L ₁	273319.1	56-23-5	Carbon Tetrachloride	0	1	U	ug/L
ML-6H	Water	EPA8260	7/31/2007	1317	7/31/2007	8/7/2007	EcoTest L ₁	273319.1	108-90-7	Chlorobenzene	0	1	U	ug/L
ML-6H	Water	EPA8260	7/31/2007	1317	7/31/2007	8/7/2007	EcoTest L ₁	273319.1	124-48-1	Chlorodibromomethane	0	1	U	ug/L
ML-6H	Water	EPA8260	7/31/2007	1317	7/31/2007	8/7/2007	EcoTest L ₁	273319.1	75-45-6	Chlorodifluoromethane	4.9	1	U	ug/L
ML-6H	Water	EPA8260	7/31/2007	1317	7/31/2007	8/7/2007	EcoTest L ₁	273319.1	75-00-3	Chloroethane	0	1	U	ug/L
ML-6H	Water	EPA8260	7/31/2007	1317	7/31/2007	8/7/2007	EcoTest L ₁	273319.1	67-66-3	Chloroform	0	1	U	ug/L
ML-6H	Water	EPA8260	7/31/2007	1317	7/31/2007	8/7/2007	EcoTest L ₁	273319.1	74-87-3	Chloromethane	0	1	U	ug/L
ML-6H	Water	EPA8260	7/31/2007	1317	7/31/2007	8/7/2007	EcoTest L ₁	273319.1	96-12-8	Dibromochloropropane	0	1	U	ug/L
ML-6H	Water	EPA8260	7/31/2007	1317	7/31/2007	8/7/2007	EcoTest L ₁	273319.1	74-95-3	Dibromomethane	0	1	U	ug/L
ML-6H	Water	EPA8260	7/31/2007	1317	7/31/2007	8/7/2007	EcoTest L ₁	273319.1	75-71-8	Dichlorodifluoromethane	0	1	U	ug/L
ML-6H	Water	EPA8260	7/31/2007	1317	7/31/2007	8/7/2007	EcoTest L ₁	273319.1	100-41-4	Ethyl Benzene	0	1	U	ug/L
ML-6H	Water	EPA8260	7/31/2007	1317	7/31/2007	8/7/2007	EcoTest L ₁	273319.1	76-13-1	Freon 113	0	1	U	ug/L
ML-6H	Water	EPA8260	7/31/2007	1317	7/31/2007	8/7/2007	EcoTest L ₁	273319.1	87-68-3	Hexachlorobutadiene	0	1	U	ug/L
ML-6H	Water	EPA8260	7/31/2007	1317	7/31/2007	8/7/2007	EcoTest L ₁	273319.1	98-82-8	Isopropylbenzene	0	2	U	ug/L
ML-6H	Water	EPA8260	7/31/2007	1317	7/31/2007	8/7/2007	EcoTest L ₁	273319.1	XYL-MP	m + p Xylene	0	10	U	ug/L
ML-6H	Water	EPA8260	7/31/2007	1317	7/31/2007	8/7/2007	EcoTest L ₁	273319.1	78-93-3	Methyl Ethyl Ketone	0	1	U	ug/L
ML-6H	Water	EPA8260	7/31/2007	1317	7/31/2007	8/7/2007	EcoTest L ₁	273319.1	75-09-2	Methylene Chloride	0	1	U	ug/L
ML-6H	Water	EPA8260	7/31/2007	1317	7/31/2007	8/7/2007	EcoTest L ₁	273319.1	108-10-1	Methylisobutylketone	0	1	U	ug/L
ML-6H	Water	EPA8260	7/31/2007	1317	7/31/2007	8/7/2007	EcoTest L ₁	273319.1	104-51-8	n-Butylbenzene	0	1	U	ug/L
ML-6H	Water	EPA8260	7/31/2007	1317	7/31/2007	8/7/2007	EcoTest L ₁	273319.1	103-65-1	n-Propylbenzene	0	1	U	ug/L
ML-6H	Water	EPA8260	7/31/2007	1317	7/31/2007	8/7/2007	EcoTest L ₁	273319.1	95-47-6	Naphthalene(v)	0	1	U	ug/L
ML-6H	Water	EPA8260	7/31/2007	1317	7/31/2007	8/7/2007	EcoTest L ₁	273319.1	105-05-5	p Diethylbenzene	0	1	U	ug/L
ML-6H	Water	EPA8260	7/31/2007	1317	7/31/2007	8/7/2007	EcoTest L ₁	273319.1	622-96-8	p-Ethyltoluene	0	1	U	ug/L
ML-6H	Water	EPA8260	7/31/2007	1317	7/31/2007	8/7/2007	EcoTest L ₁	273319.1	99-87-6	p-Isopropyltoluene	0	1	U	ug/L
ML-6H	Water	EPA8260	7/31/2007	1317	7/31/2007	8/7/2007	EcoTest L ₁	273319.1	135-98-8	sec-Butylbenzene	0	1	U	ug/L
ML-6H	Water	EPA8260	7/31/2007	1317	7/31/2007	8/7/2007	EcoTest L ₁	273319.1	100-42-5	Styrene	0	1	U	ug/L

ML-6H	Water	EPA8260	7/31/2007	1317	7/31/2007	8/7/2007	EcoTest L ₁	273319.1	156-60-5	t-1,2-Dichloroethene	0	1	U	ug/L
ML-6H	Water	EPA8260	7/31/2007	1317	7/31/2007	8/7/2007	EcoTest L ₁	273319.1	10061-02-1	1,3-Dichloropropene	0	1	U	ug/L
ML-6H	Water	EPA8260	7/31/2007	1317	7/31/2007	8/7/2007	EcoTest L ₁	273319.1	1634-04-4	tert-ButylMethylEther	1.3	1	U	ug/L
ML-6H	Water	EPA8260	7/31/2007	1317	7/31/2007	8/7/2007	EcoTest L ₁	273319.1	98-06-6	tert-Butylbenzene	0	1	U	ug/L
ML-6H	Water	EPA8260	7/31/2007	1317	7/31/2007	8/7/2007	EcoTest L ₁	273319.1	127-18-4	Tetrachloroethene	0	1	U	ug/L
ML-6H	Water	EPA8260	7/31/2007	1317	7/31/2007	8/7/2007	EcoTest L ₁	273319.1	108-88-3	Toluene	0	1	U	ug/L
ML-6H	Water	EPA8260	7/31/2007	1317	7/31/2007	8/7/2007	EcoTest L ₁	273319.1	79-01-6	Trichloroethene	0	1	U	ug/L
ML-6H	Water	EPA8260	7/31/2007	1317	7/31/2007	8/7/2007	EcoTest L ₁	273319.1	75-69-4	Trichlorofluoromethane	0	1	U	ug/L
ML-6H	Water	EPA8260	7/31/2007	1317	7/31/2007	8/7/2007	EcoTest L ₁	273319.1	75-01-4	Vinyl Chloride	0	1	U	ug/L
ML-2A	Water	EPA8260	7/31/2007	1525	7/31/2007	8/7/2007	EcoTest L ₁	273319.1	75-34-3	1,1-Dichloroethane	0	1	U	ug/L
ML-2A	Water	EPA8260	7/31/2007	1525	7/31/2007	8/7/2007	EcoTest L ₁	273319.1	75-35-4	1,1-Dichloroethene	0	1	U	ug/L
ML-2A	Water	EPA8260	7/31/2007	1525	7/31/2007	8/7/2007	EcoTest L ₁	273319.1	563-58-6	1,1-Dichloropropene	0	1	U	ug/L
ML-2A	Water	EPA8260	7/31/2007	1525	7/31/2007	8/7/2007	EcoTest L ₁	273319.1	106-93-4	1,2-Dibromoethane	0	1	U	ug/L
ML-2A	Water	EPA8260	7/31/2007	1525	7/31/2007	8/7/2007	EcoTest L ₁	273319.1	95-50-1	1,2-Dichlorobenzene (v)	0	1	U	ug/L
ML-2A	Water	EPA8260	7/31/2007	1525	7/31/2007	8/7/2007	EcoTest L ₁	273319.1	107-06-2	1,2-Dichloroethane	0	1	U	ug/L
ML-2A	Water	EPA8260	7/31/2007	1525	7/31/2007	8/7/2007	EcoTest L ₁	273319.1	78-87-5	1,2-Dichloropropane	0	1	U	ug/L
ML-2A	Water	EPA8260	7/31/2007	1525	7/31/2007	8/7/2007	EcoTest L ₁	273319.1	541-73-1	1,3-Dichlorobenzene (v)	0	1	U	ug/L
ML-2A	Water	EPA8260	7/31/2007	1525	7/31/2007	8/7/2007	EcoTest L ₁	273319.1	142-28-9	1,3-Dichloropropane	0	1	U	ug/L
ML-2A	Water	EPA8260	7/31/2007	1525	7/31/2007	8/7/2007	EcoTest L ₁	273319.1	106-46-7	1,4-Dichlorobenzene (v)	0	1	U	ug/L
ML-2A	Water	EPA8260	7/31/2007	1525	7/31/2007	8/7/2007	EcoTest L ₁	273319.1	71-55-6	1,1-Trichloroethane	0	1	U	ug/L
ML-2A	Water	EPA8260	7/31/2007	1525	7/31/2007	8/7/2007	EcoTest L ₁	273319.1	630-20-6	1,1,1-Trichloroethane	0	1	U	ug/L
ML-2A	Water	EPA8260	7/31/2007	1525	7/31/2007	8/7/2007	EcoTest L ₁	273319.1	79-00-5	1,1,2-Trichloroethane	0	1	U	ug/L
ML-2A	Water	EPA8260	7/31/2007	1525	7/31/2007	8/7/2007	EcoTest L ₁	273319.1	79-34-5	1,1,2,2-Tetrachloroethane	0	1	U	ug/L
ML-2A	Water	EPA8260	7/31/2007	1525	7/31/2007	8/7/2007	EcoTest L ₁	273319.1	87-61-6	1,2,3-Trichlorobenzene	0	1	U	ug/L
ML-2A	Water	EPA8260	7/31/2007	1525	7/31/2007	8/7/2007	EcoTest L ₁	273319.1	96-18-4	1,2,3-Trichloropropane	0	1	U	ug/L
ML-2A	Water	EPA8260	7/31/2007	1525	7/31/2007	8/7/2007	EcoTest L ₁	273319.1	120-82-1	1,2,4-Trichlorobenzene (v)	0	1	U	ug/L
ML-2A	Water	EPA8260	7/31/2007	1525	7/31/2007	8/7/2007	EcoTest L ₁	273319.1	95-63-6	1,2,4-Trimethylbenzene	0	1	U	ug/L
ML-2A	Water	EPA8260	7/31/2007	1525	7/31/2007	8/7/2007	EcoTest L ₁	273319.1	95-93-2	1,2,4,5-Tetramethylbenz	0	1	U	ug/L
ML-2A	Water	EPA8260	7/31/2007	1525	7/31/2007	8/7/2007	EcoTest L ₁	273319.1	594-20-7	1,3,5-Trimethylbenzene	0	1	U	ug/L
ML-2A	Water	EPA8260	7/31/2007	1525	7/31/2007	8/7/2007	EcoTest L ₁	273319.1	95-49-8	2,2-Dichloropropane	0	1	U	ug/L
ML-2A	Water	EPA8260	7/31/2007	1525	7/31/2007	8/7/2007	EcoTest L ₁	273319.1	106-43-4	2-Chlorotoluene	0	1	U	ug/L
ML-2A	Water	EPA8260	7/31/2007	1525	7/31/2007	8/7/2007	EcoTest L ₁	273319.1	67-64-1	4-Chlorotoluene	0	10	U	ug/L
ML-2A	Water	EPA8260	7/31/2007	1525	7/31/2007	8/7/2007	EcoTest L ₁	273319.1	71-43-2	Acetone	0	1	U	ug/L
ML-2A	Water	EPA8260	7/31/2007	1525	7/31/2007	8/7/2007	EcoTest L ₁	273319.1	108-86-1	Benzene	0	1	U	ug/L
ML-2A	Water	EPA8260	7/31/2007	1525	7/31/2007	8/7/2007	EcoTest L ₁	273319.1	74-97-5	Bromobenzene	0	1	U	ug/L
ML-2A	Water	EPA8260	7/31/2007	1525	7/31/2007	8/7/2007	EcoTest L ₁	273319.1	75-27-4	Bromochloromethane	0	1	U	ug/L
ML-2A	Water	EPA8260	7/31/2007	1525	7/31/2007	8/7/2007	EcoTest L ₁	273319.1	75-25-2	Bromodichloromethane	0	1	U	ug/L
ML-2A	Water	EPA8260	7/31/2007	1525	7/31/2007	8/7/2007	EcoTest L ₁	273319.1	74-83-9	Bromoform	0	1	U	ug/L
ML-2A	Water	EPA8260	7/31/2007	1525	7/31/2007	8/7/2007	EcoTest L ₁	273319.1	155-59-2	Bromomethane	0	1	U	ug/L
ML-2A	Water	EPA8260	7/31/2007	1525	7/31/2007	8/7/2007	EcoTest L ₁	273319.1	10064-01-1	c-1,2-Dichloroethene	0	1	U	ug/L
ML-2A	Water	EPA8260	7/31/2007	1525	7/31/2007	8/7/2007	EcoTest L ₁	273319.1	56-23-5	c-1,3-Dichloropropene	0	1	U	ug/L
ML-2A	Water	EPA8260	7/31/2007	1525	7/31/2007	8/7/2007	EcoTest L ₁	273319.1	108-90-7	Carbon Tetrachloride	0	1	U	ug/L
ML-2A	Water	EPA8260	7/31/2007	1525	7/31/2007	8/7/2007	EcoTest L ₁	273319.1	124-48-1	Chlorobenzene	0	1	U	ug/L
ML-2A	Water	EPA8260	7/31/2007	1525	7/31/2007	8/7/2007	EcoTest L ₁	273319.1	75-45-6	Chlorodibromomethane	0	1	U	ug/L
ML-2A	Water	EPA8260	7/31/2007	1525	7/31/2007	8/7/2007	EcoTest L ₁	273319.1	67-66-3	Chlorodifluoromethane	0	1	U	ug/L
ML-2A	Water	EPA8260	7/31/2007	1525	7/31/2007	8/7/2007	EcoTest L ₁	273319.1	75-00-3	Chloroethane	0	1	U	ug/L
ML-2A	Water	EPA8260	7/31/2007	1525	7/31/2007	8/7/2007	EcoTest L ₁	273319.1	74-87-3	Chloroform	0	1	U	ug/L
ML-2A	Water	EPA8260	7/31/2007	1525	7/31/2007	8/7/2007	EcoTest L ₁	273319.1	96-12-8	Dibromochloromethane	0	1	U	ug/L
ML-2A	Water	EPA8260	7/31/2007	1525	7/31/2007	8/7/2007	EcoTest L ₁	273319.1	74-95-3	Dibromomethane	0	1	U	ug/L
ML-2A	Water	EPA8260	7/31/2007	1525	7/31/2007	8/7/2007	EcoTest L ₁	273319.1	75-71-8	Dichlorodifluoromethane	0	1	U	ug/L
ML-2A	Water	EPA8260	7/31/2007	1525	7/31/2007	8/7/2007	EcoTest L ₁	273319.1	100-41-4	Ethyl Benzene	0	1	U	ug/L
ML-2A	Water	EPA8260	7/31/2007	1525	7/31/2007	8/7/2007	EcoTest L ₁	273319.1	76-13-1	Freon 113	0	1	U	ug/L
ML-2A	Water	EPA8260	7/31/2007	1525	7/31/2007	8/7/2007	EcoTest L ₁	273319.1	87-68-3	Hexachlorobutadiene	0	1	U	ug/L
ML-2A	Water	EPA8260	7/31/2007	1525	7/31/2007	8/7/2007	EcoTest L ₁	273319.1	98-82-8	Isopropylbenzene	0	2	U	ug/L
ML-2A	Water	EPA8260	7/31/2007	1525	7/31/2007	8/7/2007	EcoTest L ₁	273319.1	XYL-MP	m + p Xylene	0	10	U	ug/L
ML-2A	Water	EPA8260	7/31/2007	1525	7/31/2007	8/7/2007	EcoTest L ₁	273319.1	78-93-3	Methyl Ethyl Ketone	0	1	U	ug/L
ML-2A	Water	EPA8260	7/31/2007	1525	7/31/2007	8/7/2007	EcoTest L ₁	273319.1	75-09-2	Methylene Chloride	0	1	U	ug/L

Station	Time_Collected	Matrix	Lab	Lab_ID	Method	parameter	result	reporting_limit	q	units
ML-7A	7/30/2007 14:00	Water	Ecotest Laboratories, Inc.	273288.01	EPA 8260	s Butylbenzene	0		1	U ug/L
ML-7A	7/30/2007 14:00	Water	Ecotest Laboratories, Inc.	273288.01	EPA 8260	Styrene	0		1	U ug/L
ML-7A	7/30/2007 14:00	Water	Ecotest Laboratories, Inc.	273288.01	EPA 8260	trans-1,2-Dichloroethene	0		1	U ug/L
ML-7A	7/30/2007 14:00	Water	Ecotest Laboratories, Inc.	273288.01	EPA 8260	t 1,3 Dichloropropene	0		1	U ug/L
ML-7A	7/30/2007 14:00	Water	Ecotest Laboratories, Inc.	273288.01	EPA 8260	t butylmethylether	0		1	U ug/L
ML-7A	7/30/2007 14:00	Water	Ecotest Laboratories, Inc.	273288.01	EPA 8260	Benzene, (1,1-dimethylethyl)	0		1	U ug/L
ML-7A	7/30/2007 14:00	Water	Ecotest Laboratories, Inc.	273288.01	EPA 8260	Tetrachloroethene	0		1	U ug/L
ML-7A	7/30/2007 14:00	Water	Ecotest Laboratories, Inc.	273288.01	EPA 8260	Toluene	0		1	U ug/L
ML-7A	7/30/2007 14:00	Water	Ecotest Laboratories, Inc.	273288.01	EPA 8260	Trichloroethylene	0		1	U ug/L
ML-7A	7/30/2007 14:00	Water	Ecotest Laboratories, Inc.	273288.01	EPA 8260	Trichlorofluoromethane	0		1	U ug/L
ML-7A	7/30/2007 14:00	Water	Ecotest Laboratories, Inc.	273288.01	EPA 8260	Vinyl Chloride	0		1	U ug/L
ML-7A	7/30/2007 14:00	Water	Ecotest Laboratories, Inc.	273288.01	EPA 8260	Total BTEX	0		6	U ug/L
ML-7A	7/30/2007 14:00	Water	Ecotest Laboratories, Inc.	273288.01	EPA 8260	1,1 Dichloroethane	15		1	U ug/L
ML-7A	7/30/2007 14:00	Water	Ecotest Laboratories, Inc.	273288.01	EPA 8260	1,1 Dichloroethene	0		1	U ug/L
ML-7A	7/30/2007 14:00	Water	Ecotest Laboratories, Inc.	273288.01	EPA 8260	1,1 Dichloropropene	0		1	U ug/L
ML-7A	7/30/2007 14:00	Water	Ecotest Laboratories, Inc.	273288.01	EPA 8260	1,2 Dibromoethane	0		1	U ug/L
ML-7A	7/30/2007 14:00	Water	Ecotest Laboratories, Inc.	273288.01	EPA 8260	1,2 Dichlorobenzene	0		1	U ug/L
ML-7A	7/30/2007 14:00	Water	Ecotest Laboratories, Inc.	273288.01	EPA 8260	1,2 Dichloroethane	0		1	U ug/L
ML-7A	7/30/2007 14:00	Water	Ecotest Laboratories, Inc.	273288.01	EPA 8260	1,2 Dichloropropane	0		1	U ug/L
ML-7A	7/30/2007 14:00	Water	Ecotest Laboratories, Inc.	273288.01	EPA 8260	1,3 Dichlorobenzene	0		1	U ug/L
ML-7A	7/30/2007 14:00	Water	Ecotest Laboratories, Inc.	273288.01	EPA 8260	1,4 Dichlorobenzene	0		1	U ug/L
ML-7A	7/30/2007 14:00	Water	Ecotest Laboratories, Inc.	273288.01	EPA 8260	1,1,1 Trichloroethane	2		1	U ug/L
ML-7A	7/30/2007 14:00	Water	Ecotest Laboratories, Inc.	273288.01	EPA 8260	1,1,1,2 Tetrachloroethane	0		1	U ug/L
ML-7A	7/30/2007 14:00	Water	Ecotest Laboratories, Inc.	273288.01	EPA 8260	1,1,2 Trichloroethane	0		1	U ug/L
ML-7A	7/30/2007 14:00	Water	Ecotest Laboratories, Inc.	273288.01	EPA 8260	1,1,2,2 Tetrachloroethane	0		1	U ug/L
ML-7A	7/30/2007 14:00	Water	Ecotest Laboratories, Inc.	273288.01	EPA 8260	1,2,3 Trichlorobenzene	0		1	U ug/L
ML-7A	7/30/2007 14:00	Water	Ecotest Laboratories, Inc.	273288.01	EPA 8260	1,2,3 Trichloropropane	0		1	U ug/L
ML-7A	7/30/2007 14:00	Water	Ecotest Laboratories, Inc.	273288.01	EPA 8260	1,2,4 Trichlorobenzene	0		1	U ug/L
ML-7A	7/30/2007 14:00	Water	Ecotest Laboratories, Inc.	273288.01	EPA 8260	1,2,4 Trimethylbenzene	0		1	U ug/L
ML-7A	7/30/2007 14:00	Water	Ecotest Laboratories, Inc.	273288.01	EPA 8260	1,2,4,5 Tetramethylbenzene	0		1	U ug/L
ML-7A	7/30/2007 14:00	Water	Ecotest Laboratories, Inc.	273288.01	EPA 8260	1,3,5 Trimethylbenzene	0		1	U ug/L
ML-7A	7/30/2007 14:00	Water	Ecotest Laboratories, Inc.	273288.01	EPA 8260	2,2 Dichloropropane	0		1	U ug/L
ML-7A	7/30/2007 14:00	Water	Ecotest Laboratories, Inc.	273288.01	EPA 8260	2 Chlorotoluene	0		1	U ug/L
ML-7A	7/30/2007 14:00	Water	Ecotest Laboratories, Inc.	273288.01	EPA 8260	4 Chlorotoluene	0		10	U ug/L
ML-7A	7/30/2007 14:00	Water	Ecotest Laboratories, Inc.	273288.01	EPA 8260	Acetone	0		1	U ug/L
ML-7A	7/30/2007 14:00	Water	Ecotest Laboratories, Inc.	273288.01	EPA 8260	Benzene	0		1	U ug/L
ML-7A	7/30/2007 14:00	Water	Ecotest Laboratories, Inc.	273288.01	EPA 8260	Bromobenzene	0		1	U ug/L
ML-7A	7/30/2007 14:00	Water	Ecotest Laboratories, Inc.	273288.01	EPA 8260	Bromochloromethane	0		1	U ug/L
ML-7A	7/30/2007 14:00	Water	Ecotest Laboratories, Inc.	273288.01	EPA 8260	Bromodichloromethane	0		1	U ug/L
ML-7A	7/30/2007 14:00	Water	Ecotest Laboratories, Inc.	273288.01	EPA 8260	Bromoform	0		1	U ug/L
ML-7A	7/30/2007 14:00	Water	Ecotest Laboratories, Inc.	273288.01	EPA 8260	Bromomethane	0		1	U ug/L
ML-7A	7/30/2007 14:00	Water	Ecotest Laboratories, Inc.	273288.01	EPA 8260	cis-1,2-Dichloroethene	0		1	U ug/L
ML-7A	7/30/2007 14:00	Water	Ecotest Laboratories, Inc.	273288.01	EPA 8260	c 1,3 Dichloropropene	0		1	U ug/L
ML-7A	7/30/2007 14:00	Water	Ecotest Laboratories, Inc.	273288.01	EPA 8260	Carbon Tetrachloride	0		1	U ug/L
ML-7A	7/30/2007 14:00	Water	Ecotest Laboratories, Inc.	273288.01	EPA 8260	Chlorobenzene	0		1	U ug/L

ML-7A	7/30/2007 14:00 Water	Ecotest Laboratories, Inc.	273288.01	EPA 8260	Chlorodibromomethane	0	1 U ug/L
ML-7A	7/30/2007 14:00 Water	Ecotest Laboratories, Inc.	273288.01	EPA 8260	Chlorodifluoromethane	0	1 U ug/L
ML-7A	7/30/2007 14:00 Water	Ecotest Laboratories, Inc.	273288.01	EPA 8260	Chloroethane	0	1 U ug/L
ML-7A	7/30/2007 14:00 Water	Ecotest Laboratories, Inc.	273288.01	EPA 8260	Chloroform	0	1 U ug/L
ML-7A	7/30/2007 14:00 Water	Ecotest Laboratories, Inc.	273288.01	EPA 8260	Chloromethane	0	1 U ug/L
ML-7A	7/30/2007 14:00 Water	Ecotest Laboratories, Inc.	273288.01	EPA 8260	Dibromochloropropane	0	1 U ug/L
ML-7A	7/30/2007 14:00 Water	Ecotest Laboratories, Inc.	273288.01	EPA 8260	Dibromomethane	0	1 U ug/L
ML-7A	7/30/2007 14:00 Water	Ecotest Laboratories, Inc.	273288.01	EPA 8260	Dichlorodifluoromethane	0	1 U ug/L
ML-7A	7/30/2007 14:00 Water	Ecotest Laboratories, Inc.	273288.01	EPA 8260	Ethylbenzene	0	1 U ug/L
ML-7A	7/30/2007 14:00 Water	Ecotest Laboratories, Inc.	273288.01	EPA 8260	1,2,2 Trifluoro-1,1,2 Trichloroethane	0	1 U ug/L
ML-7A	7/30/2007 14:00 Water	Ecotest Laboratories, Inc.	273288.01	EPA 8260	Hexachloro-1,3-Butadiene	0	1 U ug/L
ML-7A	7/30/2007 14:00 Water	Ecotest Laboratories, Inc.	273288.01	EPA 8260	Isopropylbenzene	0	1 U ug/L
ML-7A	7/30/2007 14:00 Water	Ecotest Laboratories, Inc.	273288.01	EPA 8260	m + p Xylene	0	2 U ug/L
ML-7A	7/30/2007 14:00 Water	Ecotest Laboratories, Inc.	273288.01	EPA 8260	Methyl Ethyl Ketone	0	10 U ug/L
ML-7A	7/30/2007 14:00 Water	Ecotest Laboratories, Inc.	273288.01	EPA 8260	Methylene Chloride	0	1 U ug/L
ML-7A	7/30/2007 14:00 Water	Ecotest Laboratories, Inc.	273288.01	EPA 8260	4-Methyl-2-Pentanone	0	1 U ug/L
ML-7A	7/30/2007 14:00 Water	Ecotest Laboratories, Inc.	273288.01	EPA 8260	n Butylbenzene	0	1 U ug/L
ML-7A	7/30/2007 14:00 Water	Ecotest Laboratories, Inc.	273288.01	EPA 8260	n Propylbenzene	0	1 U ug/L
ML-7A	7/30/2007 14:00 Water	Ecotest Laboratories, Inc.	273288.01	EPA 8260	Naphthalene	0	1 U ug/L
ML-7A	7/30/2007 14:00 Water	Ecotest Laboratories, Inc.	273288.01	EPA 8260	o-Xylene	0	1 U ug/L
ML-7A	7/30/2007 14:00 Water	Ecotest Laboratories, Inc.	273288.01	EPA 8260	p Diethylbenzene	0	1 U ug/L
ML-7A	7/30/2007 14:00 Water	Ecotest Laboratories, Inc.	273288.01	EPA 8260	4-Ethyltoluene	0	1 U ug/L
ML-7A	7/30/2007 14:00 Water	Ecotest Laboratories, Inc.	273288.01	EPA 8260	p Isopropyltoluene	0	1 U ug/L
ML-7B	7/30/2007 15:25 Water	Ecotest Laboratories, Inc.	273288.02	EPA 8260	1,1 Dichloroethane	0	1 U ug/L
ML-7B	7/30/2007 15:25 Water	Ecotest Laboratories, Inc.	273288.02	EPA 8260	1,1 Dichloroethene	0	1 U ug/L
ML-7B	7/30/2007 15:25 Water	Ecotest Laboratories, Inc.	273288.02	EPA 8260	1,1 Dichloropropene	0	1 U ug/L
ML-7B	7/30/2007 15:25 Water	Ecotest Laboratories, Inc.	273288.02	EPA 8260	1,2 Dibromomethane	0	1 U ug/L
ML-7B	7/30/2007 15:25 Water	Ecotest Laboratories, Inc.	273288.02	EPA 8260	1,2 Dichlorobenzene	0	1 U ug/L
ML-7B	7/30/2007 15:25 Water	Ecotest Laboratories, Inc.	273288.02	EPA 8260	1,2 Dichloroethane	0	1 U ug/L
ML-7B	7/30/2007 15:25 Water	Ecotest Laboratories, Inc.	273288.02	EPA 8260	1,2 Dichloropropane	0	1 U ug/L
ML-7B	7/30/2007 15:25 Water	Ecotest Laboratories, Inc.	273288.02	EPA 8260	1,3 Dichlorobenzene	0	1 U ug/L
ML-7B	7/30/2007 15:25 Water	Ecotest Laboratories, Inc.	273288.02	EPA 8260	1,3 Dichloropropane	0	1 U ug/L
ML-7B	7/30/2007 15:25 Water	Ecotest Laboratories, Inc.	273288.02	EPA 8260	1,4 Dichlorobenzene	0	1 U ug/L
ML-7B	7/30/2007 15:25 Water	Ecotest Laboratories, Inc.	273288.02	EPA 8260	1,1,1 Trichloroethane	0	1 U ug/L
ML-7B	7/30/2007 15:25 Water	Ecotest Laboratories, Inc.	273288.02	EPA 8260	1,1,1,2 Tetrachloroethane	0	1 U ug/L
ML-7B	7/30/2007 15:25 Water	Ecotest Laboratories, Inc.	273288.02	EPA 8260	1,1,2 Trichloroethane	0	1 U ug/L
ML-7B	7/30/2007 15:25 Water	Ecotest Laboratories, Inc.	273288.02	EPA 8260	1,1,2,2 Tetrachloroethane	0	1 U ug/L
ML-7B	7/30/2007 15:25 Water	Ecotest Laboratories, Inc.	273288.02	EPA 8260	1,2,3 Trichlorobenzene	0	1 U ug/L
ML-7B	7/30/2007 15:25 Water	Ecotest Laboratories, Inc.	273288.02	EPA 8260	1,2,3 Trichloropropane	0	1 U ug/L
ML-7B	7/30/2007 15:25 Water	Ecotest Laboratories, Inc.	273288.02	EPA 8260	1,2,4 Trichlorobenzene	0	1 U ug/L
ML-7B	7/30/2007 15:25 Water	Ecotest Laboratories, Inc.	273288.02	EPA 8260	1,2,4 Trimethylbenzene	0	1 U ug/L
ML-7B	7/30/2007 15:25 Water	Ecotest Laboratories, Inc.	273288.02	EPA 8260	1,2,4,5 Tetramethylbenzene	0	1 U ug/L
ML-7B	7/30/2007 15:25 Water	Ecotest Laboratories, Inc.	273288.02	EPA 8260	1,3,5 Trimethylbenzene	0	1 U ug/L
ML-7B	7/30/2007 15:25 Water	Ecotest Laboratories, Inc.	273288.02	EPA 8260	2,2 Dichloropropane	0	1 U ug/L
ML-7B	7/30/2007 15:25 Water	Ecotest Laboratories, Inc.	273288.02	EPA 8260	2 Chlorotoluene	0	1 U ug/L
ML-7B	7/30/2007 15:25 Water	Ecotest Laboratories, Inc.	273288.02	EPA 8260	4 Chlorotoluene	0	10 U ug/L
ML-7B	7/30/2007 15:25 Water	Ecotest Laboratories, Inc.	273288.02	EPA 8260	Acetone	0	

ML-7B	7/30/2007	15:25	Water	Ecotest Laboratories, Inc.	273288.02	EPA 8260	Benzene	0	1 U ug/L
ML-7B	7/30/2007	15:25	Water	Ecotest Laboratories, Inc.	273288.02	EPA 8260	Bromobenzene	0	1 U ug/L
ML-7B	7/30/2007	15:25	Water	Ecotest Laboratories, Inc.	273288.02	EPA 8260	Bromochloromethane	0	1 U ug/L
ML-7B	7/30/2007	15:25	Water	Ecotest Laboratories, Inc.	273288.02	EPA 8260	Bromodichloromethane	0	1 U ug/L
ML-7B	7/30/2007	15:25	Water	Ecotest Laboratories, Inc.	273288.02	EPA 8260	Bromoform	0	1 U ug/L
ML-7B	7/30/2007	15:25	Water	Ecotest Laboratories, Inc.	273288.02	EPA 8260	Bromomethane	0	1 U ug/L
ML-7B	7/30/2007	15:25	Water	Ecotest Laboratories, Inc.	273288.02	EPA 8260	cis-1,2-Dichloroethene	0	1 U ug/L
ML-7B	7/30/2007	15:25	Water	Ecotest Laboratories, Inc.	273288.02	EPA 8260	c 1,3 Dichloropropene	0	1 U ug/L
ML-7B	7/30/2007	15:25	Water	Ecotest Laboratories, Inc.	273288.02	EPA 8260	Carbon Tetrachloride	0	1 U ug/L
ML-7B	7/30/2007	15:25	Water	Ecotest Laboratories, Inc.	273288.02	EPA 8260	Chlorobenzene	0	1 U ug/L
ML-7B	7/30/2007	15:25	Water	Ecotest Laboratories, Inc.	273288.02	EPA 8260	Chlorodibromomethane	0	1 U ug/L
ML-7B	7/30/2007	15:25	Water	Ecotest Laboratories, Inc.	273288.02	EPA 8260	Chlorodifluoromethane	0	1 U ug/L
ML-7B	7/30/2007	15:25	Water	Ecotest Laboratories, Inc.	273288.02	EPA 8260	Chloroethane	0	1 U ug/L
ML-7B	7/30/2007	15:25	Water	Ecotest Laboratories, Inc.	273288.02	EPA 8260	Chloroform	0	1 U ug/L
ML-7B	7/30/2007	15:25	Water	Ecotest Laboratories, Inc.	273288.02	EPA 8260	Chloromethane	0	1 U ug/L
ML-7B	7/30/2007	15:25	Water	Ecotest Laboratories, Inc.	273288.02	EPA 8260	Dibromochloropropane	0	1 U ug/L
ML-7B	7/30/2007	15:25	Water	Ecotest Laboratories, Inc.	273288.02	EPA 8260	Dibromomethane	0	1 U ug/L
ML-7B	7/30/2007	15:25	Water	Ecotest Laboratories, Inc.	273288.02	EPA 8260	Dichlorodifluoromethane	0	1 U ug/L
ML-7B	7/30/2007	15:25	Water	Ecotest Laboratories, Inc.	273288.02	EPA 8260	Ethylbenzene	0	1 U ug/L
ML-7B	7/30/2007	15:25	Water	Ecotest Laboratories, Inc.	273288.02	EPA 8260	1,2,2 Trifluoro-1,1,2 Trichloroethane	0	1 U ug/L
ML-7B	7/30/2007	15:25	Water	Ecotest Laboratories, Inc.	273288.02	EPA 8260	Hexachloro-, 1,3-Butadiene	0	1 U ug/L
ML-7B	7/30/2007	15:25	Water	Ecotest Laboratories, Inc.	273288.02	EPA 8260	Isopropylbenzene	0	1 U ug/L
ML-7B	7/30/2007	15:25	Water	Ecotest Laboratories, Inc.	273288.02	EPA 8260	m + p Xylene	0	2 U ug/L
ML-7B	7/30/2007	15:25	Water	Ecotest Laboratories, Inc.	273288.02	EPA 8260	Methyl Ethyl Ketone	0	10 U ug/L
ML-7B	7/30/2007	15:25	Water	Ecotest Laboratories, Inc.	273288.02	EPA 8260	Methylene Chloride	0	1 U ug/L
ML-7B	7/30/2007	15:25	Water	Ecotest Laboratories, Inc.	273288.02	EPA 8260	4-Methyl-2-Pentanone	0	10 U ug/L
ML-7B	7/30/2007	15:25	Water	Ecotest Laboratories, Inc.	273288.02	EPA 8260	n Butylbenzene	0	1 U ug/L
ML-7B	7/30/2007	15:25	Water	Ecotest Laboratories, Inc.	273288.02	EPA 8260	n Propylbenzene	0	1 U ug/L
ML-7B	7/30/2007	15:25	Water	Ecotest Laboratories, Inc.	273288.02	EPA 8260	Naphthalene	0	1 U ug/L
ML-7B	7/30/2007	15:25	Water	Ecotest Laboratories, Inc.	273288.02	EPA 8260	o-Xylene	0	1 U ug/L
ML-7B	7/30/2007	15:25	Water	Ecotest Laboratories, Inc.	273288.02	EPA 8260	p Diethylbenzene	0	1 U ug/L
ML-7B	7/30/2007	15:25	Water	Ecotest Laboratories, Inc.	273288.02	EPA 8260	4-Ethyltoluene	0	1 U ug/L
ML-7B	7/30/2007	15:25	Water	Ecotest Laboratories, Inc.	273288.02	EPA 8260	p Isopropyltoluene	0	1 U ug/L
ML-7B	7/30/2007	15:25	Water	Ecotest Laboratories, Inc.	273288.02	EPA 8260	s Butylbenzene	0	1 U ug/L
ML-7B	7/30/2007	15:25	Water	Ecotest Laboratories, Inc.	273288.02	EPA 8260	Styrene	0	1 U ug/L
ML-7B	7/30/2007	15:25	Water	Ecotest Laboratories, Inc.	273288.02	EPA 8260	trans-1,2-Dichloroethene	0	1 U ug/L
ML-7B	7/30/2007	15:25	Water	Ecotest Laboratories, Inc.	273288.02	EPA 8260	t 1,3 Dichloropropene	0	1 U ug/L
ML-7B	7/30/2007	15:25	Water	Ecotest Laboratories, Inc.	273288.02	EPA 8260	t butylmethylether	1	1 U ug/L
ML-7B	7/30/2007	15:25	Water	Ecotest Laboratories, Inc.	273288.02	EPA 8260	Benzene, (1,1-dimethylethyl)	0	1 U ug/L
ML-7B	7/30/2007	15:25	Water	Ecotest Laboratories, Inc.	273288.02	EPA 8260	Tetrachloroethene	0	1 U ug/L
ML-7B	7/30/2007	15:25	Water	Ecotest Laboratories, Inc.	273288.02	EPA 8260	Toluene	0	1 U ug/L
ML-7B	7/30/2007	15:25	Water	Ecotest Laboratories, Inc.	273288.02	EPA 8260	Trichloroethylene	0	1 U ug/L
ML-7B	7/30/2007	15:25	Water	Ecotest Laboratories, Inc.	273288.02	EPA 8260	Trichlorofluoromethane	0	1 U ug/L
ML-7B	7/30/2007	15:25	Water	Ecotest Laboratories, Inc.	273288.02	EPA 8260	Vinyl Chloride	0	1 U ug/L
ML-7B	7/30/2007	15:25	Water	Ecotest Laboratories, Inc.	273288.02	EPA 8260	Total BTEX	0	6 U ug/L
ML-7C	7/30/2007	15:14	Water	Ecotest Laboratories, Inc.	273288.03	EPA 8260	1,1 Dichloroethane	0	1 U ug/L
ML-7C	7/30/2007	15:14	Water	Ecotest Laboratories, Inc.	273288.03	EPA 8260	1,1 Dichloroethene	0	1 U ug/L

ML-7C	7/30/2007 15:14	Water	Ecotest Laboratories, Inc.	273288.03	EPA 8260	4-Methyl-2-Pentanone	0	10	U ug/L
ML-7C	7/30/2007 15:14	Water	Ecotest Laboratories, Inc.	273288.03	EPA 8260	n Butylbenzene	0	1	U ug/L
ML-7C	7/30/2007 15:14	Water	Ecotest Laboratories, Inc.	273288.03	EPA 8260	n Propylbenzene	0	1	U ug/L
ML-7C	7/30/2007 15:14	Water	Ecotest Laboratories, Inc.	273288.03	EPA 8260	Naphthalene	0	1	U ug/L
ML-7C	7/30/2007 15:14	Water	Ecotest Laboratories, Inc.	273288.03	EPA 8260	o-Xylene	0	1	U ug/L
ML-7C	7/30/2007 15:14	Water	Ecotest Laboratories, Inc.	273288.03	EPA 8260	p Diethylbenzene	0	1	U ug/L
ML-7C	7/30/2007 15:14	Water	Ecotest Laboratories, Inc.	273288.03	EPA 8260	4-Ethyltoluene	0	1	U ug/L
ML-7C	7/30/2007 15:14	Water	Ecotest Laboratories, Inc.	273288.03	EPA 8260	p Isopropyltoluene	0	1	U ug/L
ML-7C	7/30/2007 15:14	Water	Ecotest Laboratories, Inc.	273288.03	EPA 8260	s Butylbenzene	0	1	U ug/L
ML-7C	7/30/2007 15:14	Water	Ecotest Laboratories, Inc.	273288.03	EPA 8260	Styrene	0	1	U ug/L
ML-7C	7/30/2007 15:14	Water	Ecotest Laboratories, Inc.	273288.03	EPA 8260	trans-1,2-Dichloroethene	0	1	U ug/L
ML-7C	7/30/2007 15:14	Water	Ecotest Laboratories, Inc.	273288.03	EPA 8260	t 1,3 Dichloropropene	0	1	U ug/L
ML-7C	7/30/2007 15:14	Water	Ecotest Laboratories, Inc.	273288.03	EPA 8260	t butylmethyl ether	0	1	U ug/L
ML-7C	7/30/2007 15:14	Water	Ecotest Laboratories, Inc.	273288.03	EPA 8260	Benzene, (1,1-dimethylethyl)	0	1	U ug/L
ML-7C	7/30/2007 15:14	Water	Ecotest Laboratories, Inc.	273288.03	EPA 8260	Tetrachloroethene	0	1	U ug/L
ML-7C	7/30/2007 15:14	Water	Ecotest Laboratories, Inc.	273288.03	EPA 8260	Toluene	0	1	U ug/L
ML-7C	7/30/2007 15:14	Water	Ecotest Laboratories, Inc.	273288.03	EPA 8260	Trichlorethylene	0	1	U ug/L
ML-7C	7/30/2007 15:14	Water	Ecotest Laboratories, Inc.	273288.03	EPA 8260	Trichlorofluoromethane	0	1	U ug/L
ML-7C	7/30/2007 15:14	Water	Ecotest Laboratories, Inc.	273288.03	EPA 8260	Vinyl Chloride	0	1	U ug/L
ML-7C	7/30/2007 15:14	Water	Ecotest Laboratories, Inc.	273288.03	EPA 8260	Total BTEX	0	6	U ug/L
ML-7D	7/30/2007 15:20	Water	Ecotest Laboratories, Inc.	273288.04	EPA 8260	1,1 Dichloroethane	0	1	U ug/L
ML-7D	7/30/2007 15:20	Water	Ecotest Laboratories, Inc.	273288.04	EPA 8260	1,1 Dichloroethene	0	1	U ug/L
ML-7D	7/30/2007 15:20	Water	Ecotest Laboratories, Inc.	273288.04	EPA 8260	1,2 Dichloropropene	0	1	U ug/L
ML-7D	7/30/2007 15:20	Water	Ecotest Laboratories, Inc.	273288.04	EPA 8260	1,2 Dibromomethane	0	1	U ug/L
ML-7D	7/30/2007 15:20	Water	Ecotest Laboratories, Inc.	273288.04	EPA 8260	1,2 Dichloroethane	0	1	U ug/L
ML-7D	7/30/2007 15:20	Water	Ecotest Laboratories, Inc.	273288.04	EPA 8260	1,2 Dichloroethane	0	1	U ug/L
ML-7D	7/30/2007 15:20	Water	Ecotest Laboratories, Inc.	273288.04	EPA 8260	1,3 Dichlorobenzene	0	1	U ug/L
ML-7D	7/30/2007 15:20	Water	Ecotest Laboratories, Inc.	273288.04	EPA 8260	1,3 Dichloropropane	0	1	U ug/L
ML-7D	7/30/2007 15:20	Water	Ecotest Laboratories, Inc.	273288.04	EPA 8260	1,4 Dichlorobenzene	0	1	U ug/L
ML-7D	7/30/2007 15:20	Water	Ecotest Laboratories, Inc.	273288.04	EPA 8260	1,1,1 Trichloroethane	0	1	U ug/L
ML-7D	7/30/2007 15:20	Water	Ecotest Laboratories, Inc.	273288.04	EPA 8260	1,1,1,2 Tetrachloroethane	0	1	U ug/L
ML-7D	7/30/2007 15:20	Water	Ecotest Laboratories, Inc.	273288.04	EPA 8260	1,1,2 Trichloroethane	0	1	U ug/L
ML-7D	7/30/2007 15:20	Water	Ecotest Laboratories, Inc.	273288.04	EPA 8260	1,2,3 Trichlorobenzene	0	1	U ug/L
ML-7D	7/30/2007 15:20	Water	Ecotest Laboratories, Inc.	273288.04	EPA 8260	1,2,3 Trichloropropane	0	1	U ug/L
ML-7D	7/30/2007 15:20	Water	Ecotest Laboratories, Inc.	273288.04	EPA 8260	1,2,4 Trichlorobenzene	0	1	U ug/L
ML-7D	7/30/2007 15:20	Water	Ecotest Laboratories, Inc.	273288.04	EPA 8260	1,2,4 Trimethylbenzene	0	1	U ug/L
ML-7D	7/30/2007 15:20	Water	Ecotest Laboratories, Inc.	273288.04	EPA 8260	1,2,4,5 Tetramethylbenzene	0	1	U ug/L
ML-7D	7/30/2007 15:20	Water	Ecotest Laboratories, Inc.	273288.04	EPA 8260	1,3,5 Trimethylbenzene	0	1	U ug/L
ML-7D	7/30/2007 15:20	Water	Ecotest Laboratories, Inc.	273288.04	EPA 8260	2,2 Dichloropropane	0	1	U ug/L
ML-7D	7/30/2007 15:20	Water	Ecotest Laboratories, Inc.	273288.04	EPA 8260	2 Chlorotoluene	0	1	U ug/L
ML-7D	7/30/2007 15:20	Water	Ecotest Laboratories, Inc.	273288.04	EPA 8260	4 Chlorotoluene	0	10	ug/L
ML-7D	7/30/2007 15:20	Water	Ecotest Laboratories, Inc.	273288.04	EPA 8260	Acetone	11	1	U ug/L
ML-7D	7/30/2007 15:20	Water	Ecotest Laboratories, Inc.	273288.04	EPA 8260	Benzene	0	1	U ug/L
ML-7D	7/30/2007 15:20	Water	Ecotest Laboratories, Inc.	273288.04	EPA 8260	Bromobenzene	0	1	U ug/L
ML-7D	7/30/2007 15:20	Water	Ecotest Laboratories, Inc.	273288.04	EPA 8260	Bromochloromethane	0	1	U ug/L

ML-7D	7/30/2007 15:20	Water	Ecotest Laboratories, Inc.	273288.04	EPA 8260	Bromodichloromethane	1 U ug/L
ML-7D	7/30/2007 15:20	Water	Ecotest Laboratories, Inc.	273288.04	EPA 8260	Bromoform	1 U ug/L
ML-7D	7/30/2007 15:20	Water	Ecotest Laboratories, Inc.	273288.04	EPA 8260	Bromomethane	1 U ug/L
ML-7D	7/30/2007 15:20	Water	Ecotest Laboratories, Inc.	273288.04	EPA 8260	cis-1,2-Dichloroethene	1 U ug/L
ML-7D	7/30/2007 15:20	Water	Ecotest Laboratories, Inc.	273288.04	EPA 8260	c 1,3 Dichloropropene	1 U ug/L
ML-7D	7/30/2007 15:20	Water	Ecotest Laboratories, Inc.	273288.04	EPA 8260	Carbon Tetrachloride	1 U ug/L
ML-7D	7/30/2007 15:20	Water	Ecotest Laboratories, Inc.	273288.04	EPA 8260	Chlorobenzene	1 U ug/L
ML-7D	7/30/2007 15:20	Water	Ecotest Laboratories, Inc.	273288.04	EPA 8260	Chlorodibromomethane	1 U ug/L
ML-7D	7/30/2007 15:20	Water	Ecotest Laboratories, Inc.	273288.04	EPA 8260	Chlorodifluoromethane	1 U ug/L
ML-7D	7/30/2007 15:20	Water	Ecotest Laboratories, Inc.	273288.04	EPA 8260	Chloroethane	1 U ug/L
ML-7D	7/30/2007 15:20	Water	Ecotest Laboratories, Inc.	273288.04	EPA 8260	Chloroform	1 U ug/L
ML-7D	7/30/2007 15:20	Water	Ecotest Laboratories, Inc.	273288.04	EPA 8260	Chloromethane	1 U ug/L
ML-7D	7/30/2007 15:20	Water	Ecotest Laboratories, Inc.	273288.04	EPA 8260	Dibromochloropropane	1 U ug/L
ML-7D	7/30/2007 15:20	Water	Ecotest Laboratories, Inc.	273288.04	EPA 8260	Dibromomethane	1 U ug/L
ML-7D	7/30/2007 15:20	Water	Ecotest Laboratories, Inc.	273288.04	EPA 8260	Dichlorodifluoromethane	1 U ug/L
ML-7D	7/30/2007 15:20	Water	Ecotest Laboratories, Inc.	273288.04	EPA 8260	Ethylbenzene	1 U ug/L
ML-7D	7/30/2007 15:20	Water	Ecotest Laboratories, Inc.	273288.04	EPA 8260	1,2,2 Trifluoro-1,1,2 Trichloroethane	1 U ug/L
ML-7D	7/30/2007 15:20	Water	Ecotest Laboratories, Inc.	273288.04	EPA 8260	Hexachloro-1,3-Butadiene	1 U ug/L
ML-7D	7/30/2007 15:20	Water	Ecotest Laboratories, Inc.	273288.04	EPA 8260	Isopropylbenzene	2 U ug/L
ML-7D	7/30/2007 15:20	Water	Ecotest Laboratories, Inc.	273288.04	EPA 8260	m + p Xylene	10 U ug/L
ML-7D	7/30/2007 15:20	Water	Ecotest Laboratories, Inc.	273288.04	EPA 8260	Methyl Ethyl Ketone	1 U ug/L
ML-7D	7/30/2007 15:20	Water	Ecotest Laboratories, Inc.	273288.04	EPA 8260	Methylene Chloride	1 U ug/L
ML-7D	7/30/2007 15:20	Water	Ecotest Laboratories, Inc.	273288.04	EPA 8260	4-Methyl-2-Pentanone	10 U ug/L
ML-7D	7/30/2007 15:20	Water	Ecotest Laboratories, Inc.	273288.04	EPA 8260	n Butylbenzene	1 U ug/L
ML-7D	7/30/2007 15:20	Water	Ecotest Laboratories, Inc.	273288.04	EPA 8260	n Propylbenzene	1 U ug/L
ML-7D	7/30/2007 15:20	Water	Ecotest Laboratories, Inc.	273288.04	EPA 8260	Naphthalene	1 U ug/L
ML-7D	7/30/2007 15:20	Water	Ecotest Laboratories, Inc.	273288.04	EPA 8260	o-Xylene	1 U ug/L
ML-7D	7/30/2007 15:20	Water	Ecotest Laboratories, Inc.	273288.04	EPA 8260	p Diethylbenzene	1 U ug/L
ML-7D	7/30/2007 15:20	Water	Ecotest Laboratories, Inc.	273288.04	EPA 8260	4-Ethyltoluene	1 U ug/L
ML-7D	7/30/2007 15:20	Water	Ecotest Laboratories, Inc.	273288.04	EPA 8260	p Isopropyltoluene	1 U ug/L
ML-7D	7/30/2007 15:20	Water	Ecotest Laboratories, Inc.	273288.04	EPA 8260	s Butylbenzene	1 U ug/L
ML-7D	7/30/2007 15:20	Water	Ecotest Laboratories, Inc.	273288.04	EPA 8260	Styrene	1 U ug/L
ML-7D	7/30/2007 15:20	Water	Ecotest Laboratories, Inc.	273288.04	EPA 8260	trans-1,2-Dichloroethene	1 U ug/L
ML-7D	7/30/2007 15:20	Water	Ecotest Laboratories, Inc.	273288.04	EPA 8260	t 1,3 Dichloropropene	1 U ug/L
ML-7D	7/30/2007 15:20	Water	Ecotest Laboratories, Inc.	273288.04	EPA 8260	t butylmethylether	1 U ug/L
ML-7D	7/30/2007 15:20	Water	Ecotest Laboratories, Inc.	273288.04	EPA 8260	Benzene, (1,1-dimethylethyl)	1 U ug/L
ML-7D	7/30/2007 15:20	Water	Ecotest Laboratories, Inc.	273288.04	EPA 8260	Tetrachloroethene	1 U ug/L
ML-7D	7/30/2007 15:20	Water	Ecotest Laboratories, Inc.	273288.04	EPA 8260	Toluene	1 U ug/L
ML-7D	7/30/2007 15:20	Water	Ecotest Laboratories, Inc.	273288.04	EPA 8260	Trichloroethylene	1 U ug/L
ML-7D	7/30/2007 15:20	Water	Ecotest Laboratories, Inc.	273288.04	EPA 8260	Trichlorofluoromethane	1 U ug/L
ML-7D	7/30/2007 15:20	Water	Ecotest Laboratories, Inc.	273288.04	EPA 8260	Vinyl Chloride	6 U ug/L
ML-7D	7/30/2007 15:20	Water	Ecotest Laboratories, Inc.	273288.04	EPA 8260	Total BTEX	1 U ug/L
ML-7D	7/30/2007 15:20	Water	Ecotest Laboratories, Inc.	273288.05	EPA 8260	1,1 Dichloroethane	1 U ug/L
ML-7E	7/30/2007 14:32	Water	Ecotest Laboratories, Inc.	273288.05	EPA 8260	1,1 Dichloroethene	1 U ug/L
ML-7E	7/30/2007 14:32	Water	Ecotest Laboratories, Inc.	273288.05	EPA 8260	1,1 Dichloropropene	1 U ug/L
ML-7E	7/30/2007 14:32	Water	Ecotest Laboratories, Inc.	273288.05	EPA 8260	1,2 Dibromoethane	1 U ug/L
ML-7E	7/30/2007 14:32	Water	Ecotest Laboratories, Inc.	273288.05	EPA 8260	1,2 Dichlorobenzene	1 U ug/L

[illegible]

ML-7E	7/30/2007 14:32	Water	Ecotest Laboratories, Inc.	273288.05	EPA 8260	Naphthalene	0	1	ug/L
ML-7E	7/30/2007 14:32	Water	Ecotest Laboratories, Inc.	273288.05	EPA 8260	o-Xylene	0	1	ug/L
ML-7E	7/30/2007 14:32	Water	Ecotest Laboratories, Inc.	273288.05	EPA 8260	p Diethylbenzene	0	1	ug/L
ML-7E	7/30/2007 14:32	Water	Ecotest Laboratories, Inc.	273288.05	EPA 8260	4-Ethyltoluene	0	1	ug/L
ML-7E	7/30/2007 14:32	Water	Ecotest Laboratories, Inc.	273288.05	EPA 8260	p Isopropyltoluene	0	1	ug/L
ML-7E	7/30/2007 14:32	Water	Ecotest Laboratories, Inc.	273288.05	EPA 8260	s Butylbenzene	0	1	ug/L
ML-7E	7/30/2007 14:32	Water	Ecotest Laboratories, Inc.	273288.05	EPA 8260	Styrene	0	1	ug/L
ML-7E	7/30/2007 14:32	Water	Ecotest Laboratories, Inc.	273288.05	EPA 8260	trans-1,2-Dichloroethene	0	1	ug/L
ML-7E	7/30/2007 14:32	Water	Ecotest Laboratories, Inc.	273288.05	EPA 8260	t 1,3 Dichloropropene	0	1	ug/L
ML-7E	7/30/2007 14:32	Water	Ecotest Laboratories, Inc.	273288.05	EPA 8260	t butylmethylether	0	1	ug/L
ML-7E	7/30/2007 14:32	Water	Ecotest Laboratories, Inc.	273288.05	EPA 8260	Benzene, (1,1-dimethylethyl)	0	1	ug/L
ML-7E	7/30/2007 14:32	Water	Ecotest Laboratories, Inc.	273288.05	EPA 8260	Tetrachloroethene	0	1	ug/L
ML-7E	7/30/2007 14:32	Water	Ecotest Laboratories, Inc.	273288.05	EPA 8260	Toluene	0	1	ug/L
ML-7E	7/30/2007 14:32	Water	Ecotest Laboratories, Inc.	273288.05	EPA 8260	Trichloroethylene	0	1	ug/L
ML-7E	7/30/2007 14:32	Water	Ecotest Laboratories, Inc.	273288.05	EPA 8260	Trichlorofluoromethane	0	1	ug/L
ML-7E	7/30/2007 14:32	Water	Ecotest Laboratories, Inc.	273288.05	EPA 8260	Vinyl Chloride	0	1	ug/L
ML-7E	7/30/2007 14:32	Water	Ecotest Laboratories, Inc.	273288.05	EPA 8260	Total BTEX	0	6	ug/L
ML-7E_MatrixSpike	7/30/2007 14:32	Water	Ecotest Laboratories, Inc.	273288.06	EPA 8260	1,1 Dichloroethane	23	1	ug/L
ML-7E_MatrixSpike	7/30/2007 14:32	Water	Ecotest Laboratories, Inc.	273288.06	EPA 8260	1,1 Dichloroethene	25	1	ug/L
ML-7E_MatrixSpike	7/30/2007 14:32	Water	Ecotest Laboratories, Inc.	273288.06	EPA 8260	1,1 Dichloropropene	23	1	ug/L
ML-7E_MatrixSpike	7/30/2007 14:32	Water	Ecotest Laboratories, Inc.	273288.06	EPA 8260	1,2 Dibromoethane	25	1	ug/L
ML-7E_MatrixSpike	7/30/2007 14:32	Water	Ecotest Laboratories, Inc.	273288.06	EPA 8260	1,2 Dichlorobenzene	20	1	ug/L
ML-7E_MatrixSpike	7/30/2007 14:32	Water	Ecotest Laboratories, Inc.	273288.06	EPA 8260	1,2 Dichloroethane	23	1	ug/L
ML-7E_MatrixSpike	7/30/2007 14:32	Water	Ecotest Laboratories, Inc.	273288.06	EPA 8260	1,2 Dichloropropane	21	1	ug/L
ML-7E_MatrixSpike	7/30/2007 14:32	Water	Ecotest Laboratories, Inc.	273288.06	EPA 8260	1,3 Dichlorobenzene	21	1	ug/L
ML-7E_MatrixSpike	7/30/2007 14:32	Water	Ecotest Laboratories, Inc.	273288.06	EPA 8260	1,3 Dichloropropane	25	1	ug/L
ML-7E_MatrixSpike	7/30/2007 14:32	Water	Ecotest Laboratories, Inc.	273288.06	EPA 8260	1,4 Dichlorobenzene	20	1	ug/L
ML-7E_MatrixSpike	7/30/2007 14:32	Water	Ecotest Laboratories, Inc.	273288.06	EPA 8260	1,1,1 Trichloroethane	23	1	ug/L
ML-7E_MatrixSpike	7/30/2007 14:32	Water	Ecotest Laboratories, Inc.	273288.06	EPA 8260	1,1,1,2 Tetrachloroethane	20	1	ug/L
ML-7E_MatrixSpike	7/30/2007 14:32	Water	Ecotest Laboratories, Inc.	273288.06	EPA 8260	1,1,2 Trichloroethane	30	1	ug/L
ML-7E_MatrixSpike	7/30/2007 14:32	Water	Ecotest Laboratories, Inc.	273288.06	EPA 8260	1,1,2,2 Tetrachloroethane	22	1	ug/L
ML-7E_MatrixSpike	7/30/2007 14:32	Water	Ecotest Laboratories, Inc.	273288.06	EPA 8260	1,2,3 Trichlorobenzene	20	1	ug/L
ML-7E_MatrixSpike	7/30/2007 14:32	Water	Ecotest Laboratories, Inc.	273288.06	EPA 8260	1,2,3 Trichloropropane	21	1	ug/L
ML-7E_MatrixSpike	7/30/2007 14:32	Water	Ecotest Laboratories, Inc.	273288.06	EPA 8260	1,2,4 Trichlorobenzene	20	1	ug/L
ML-7E_MatrixSpike	7/30/2007 14:32	Water	Ecotest Laboratories, Inc.	273288.06	EPA 8260	1,2,4 Trimethylbenzene	21	1	ug/L
ML-7E_MatrixSpike	7/30/2007 14:32	Water	Ecotest Laboratories, Inc.	273288.06	EPA 8260	1,2,4,5 Tetramethylbenzene	20	1	ug/L
ML-7E_MatrixSpike	7/30/2007 14:32	Water	Ecotest Laboratories, Inc.	273288.06	EPA 8260	1,3,5 Trimethylbenzene	21	1	ug/L
ML-7E_MatrixSpike	7/30/2007 14:32	Water	Ecotest Laboratories, Inc.	273288.06	EPA 8260	2,2 Dichloropropane	18	1	ug/L
ML-7E_MatrixSpike	7/30/2007 14:32	Water	Ecotest Laboratories, Inc.	273288.06	EPA 8260	2 Chlorotoluene	21	1	ug/L
ML-7E_MatrixSpike	7/30/2007 14:32	Water	Ecotest Laboratories, Inc.	273288.06	EPA 8260	4 Chlorotoluene	21	1	ug/L
ML-7E_MatrixSpike	7/30/2007 14:32	Water	Ecotest Laboratories, Inc.	273288.06	EPA 8260	Acetone	110	10	ug/L
ML-7E_MatrixSpike	7/30/2007 14:32	Water	Ecotest Laboratories, Inc.	273288.06	EPA 8260	Benzene	22	1	ug/L
ML-7E_MatrixSpike	7/30/2007 14:32	Water	Ecotest Laboratories, Inc.	273288.06	EPA 8260	Bromobenzene	20	1	ug/L
ML-7E_MatrixSpike	7/30/2007 14:32	Water	Ecotest Laboratories, Inc.	273288.06	EPA 8260	Bromochloromethane	23	1	ug/L
ML-7E_MatrixSpike	7/30/2007 14:32	Water	Ecotest Laboratories, Inc.	273288.06	EPA 8260	Bromodichloromethane	21	1	ug/L
ML-7E_MatrixSpike	7/30/2007 14:32	Water	Ecotest Laboratories, Inc.	273288.06	EPA 8260	Bromoform	19	1	ug/L
ML-7E_MatrixSpike	7/30/2007 14:32	Water	Ecotest Laboratories, Inc.	273288.06	EPA 8260	Bromomethane	20	1	ug/L

ML-7E_MatrixSpike	7/30/2007 14:32	Water	Ecotest Laboratories, Inc.	273288.06	EPA 8260	cis-1,2-Dichloroethene	1	ug/L
ML-7E_MatrixSpike	7/30/2007 14:32	Water	Ecotest Laboratories, Inc.	273288.06	EPA 8260	c 1,3 Dichloropropene	1	ug/L
ML-7E_MatrixSpike	7/30/2007 14:32	Water	Ecotest Laboratories, Inc.	273288.06	EPA 8260	Carbon Tetrachloride	1	ug/L
ML-7E_MatrixSpike	7/30/2007 14:32	Water	Ecotest Laboratories, Inc.	273288.06	EPA 8260	Chlorobenzene	21	ug/L
ML-7E_MatrixSpike	7/30/2007 14:32	Water	Ecotest Laboratories, Inc.	273288.06	EPA 8260	Chlorodibromomethane	1	ug/L
ML-7E_MatrixSpike	7/30/2007 14:32	Water	Ecotest Laboratories, Inc.	273288.06	EPA 8260	Chlorodifluoromethane	1	ug/L
ML-7E_MatrixSpike	7/30/2007 14:32	Water	Ecotest Laboratories, Inc.	273288.06	EPA 8260	Chloroethane	20	ug/L
ML-7E_MatrixSpike	7/30/2007 14:32	Water	Ecotest Laboratories, Inc.	273288.06	EPA 8260	Chloroform	24	ug/L
ML-7E_MatrixSpike	7/30/2007 14:32	Water	Ecotest Laboratories, Inc.	273288.06	EPA 8260	Chloromethane	19	ug/L
ML-7E_MatrixSpike	7/30/2007 14:32	Water	Ecotest Laboratories, Inc.	273288.06	EPA 8260	Dibromochloropropane	20	ug/L
ML-7E_MatrixSpike	7/30/2007 14:32	Water	Ecotest Laboratories, Inc.	273288.06	EPA 8260	Dibromomethane	21	ug/L
ML-7E_MatrixSpike	7/30/2007 14:32	Water	Ecotest Laboratories, Inc.	273288.06	EPA 8260	Dichlorodifluoromethane	18	ug/L
ML-7E_MatrixSpike	7/30/2007 14:32	Water	Ecotest Laboratories, Inc.	273288.06	EPA 8260	Ethylbenzene	21	ug/L
ML-7E_MatrixSpike	7/30/2007 14:32	Water	Ecotest Laboratories, Inc.	273288.06	EPA 8260	1,2,2 Trifluoro-1,1,2 Trichloroethane	24	ug/L
ML-7E_MatrixSpike	7/30/2007 14:32	Water	Ecotest Laboratories, Inc.	273288.06	EPA 8260	Hexachloro-, 1,3-Butadiene	21	ug/L
ML-7E_MatrixSpike	7/30/2007 14:32	Water	Ecotest Laboratories, Inc.	273288.06	EPA 8260	Isopropylbenzene	21	ug/L
ML-7E_MatrixSpike	7/30/2007 14:32	Water	Ecotest Laboratories, Inc.	273288.06	EPA 8260	m + p Xylene	42	ug/L
ML-7E_MatrixSpike	7/30/2007 14:32	Water	Ecotest Laboratories, Inc.	273288.06	EPA 8260	Methyl Ethyl Ketone	110	ug/L
ML-7E_MatrixSpike	7/30/2007 14:32	Water	Ecotest Laboratories, Inc.	273288.06	EPA 8260	Methylene Chloride	23	ug/L
ML-7E_MatrixSpike	7/30/2007 14:32	Water	Ecotest Laboratories, Inc.	273288.06	EPA 8260	4-Methyl-2-Pentanone	130	ug/L
ML-7E_MatrixSpike	7/30/2007 14:32	Water	Ecotest Laboratories, Inc.	273288.06	EPA 8260	n Butylbenzene	21	ug/L
ML-7E_MatrixSpike	7/30/2007 14:32	Water	Ecotest Laboratories, Inc.	273288.06	EPA 8260	n Propylbenzene	21	ug/L
ML-7E_MatrixSpike	7/30/2007 14:32	Water	Ecotest Laboratories, Inc.	273288.06	EPA 8260	Naphthalene	20	ug/L
ML-7E_MatrixSpike	7/30/2007 14:32	Water	Ecotest Laboratories, Inc.	273288.06	EPA 8260	o-Xylene	21	ug/L
ML-7E_MatrixSpike	7/30/2007 14:32	Water	Ecotest Laboratories, Inc.	273288.06	EPA 8260	p Diethylbenzene	20	ug/L
ML-7E_MatrixSpike	7/30/2007 14:32	Water	Ecotest Laboratories, Inc.	273288.06	EPA 8260	4-Ethyltoluene	21	ug/L
ML-7E_MatrixSpike	7/30/2007 14:32	Water	Ecotest Laboratories, Inc.	273288.06	EPA 8260	p Isopropyltoluene	21	ug/L
ML-7E_MatrixSpike	7/30/2007 14:32	Water	Ecotest Laboratories, Inc.	273288.06	EPA 8260	s Butylbenzene	21	ug/L
ML-7E_MatrixSpike	7/30/2007 14:32	Water	Ecotest Laboratories, Inc.	273288.06	EPA 8260	Styrene	21	ug/L
ML-7E_MatrixSpike	7/30/2007 14:32	Water	Ecotest Laboratories, Inc.	273288.06	EPA 8260	trans-1,2-Dichloroethene	24	ug/L
ML-7E_MatrixSpike	7/30/2007 14:32	Water	Ecotest Laboratories, Inc.	273288.06	EPA 8260	t 1,3 Dichloropropene	26	ug/L
ML-7E_MatrixSpike	7/30/2007 14:32	Water	Ecotest Laboratories, Inc.	273288.06	EPA 8260	t butylmethylether	22	ug/L
ML-7E_MatrixSpike	7/30/2007 14:32	Water	Ecotest Laboratories, Inc.	273288.06	EPA 8260	Benzene, (1,1-dimethylethyl)	21	ug/L
ML-7E_MatrixSpike	7/30/2007 14:32	Water	Ecotest Laboratories, Inc.	273288.06	EPA 8260	Tetrachloroethene	21	ug/L
ML-7E_MatrixSpike	7/30/2007 14:32	Water	Ecotest Laboratories, Inc.	273288.06	EPA 8260	Toluene	27	ug/L
ML-7E_MatrixSpike	7/30/2007 14:32	Water	Ecotest Laboratories, Inc.	273288.06	EPA 8260	Trichlorethylene	23	ug/L
ML-7E_MatrixSpike	7/30/2007 14:32	Water	Ecotest Laboratories, Inc.	273288.06	EPA 8260	Trichlorofluoromethane	21	ug/L
ML-7E_MatrixSpike	7/30/2007 14:32	Water	Ecotest Laboratories, Inc.	273288.06	EPA 8260	Vinyl Chloride	22	ug/L
ML-7E_MatrixSpike	7/30/2007 14:32	Water	Ecotest Laboratories, Inc.	273288.06	EPA 8260	Total BTEX	133	ug/L
ML-7E_MatrixSpike_Dup.	7/30/2007 14:32	Water	Ecotest Laboratories, Inc.	273288.07	EPA 8260	1,1 Dichloroethane	22	ug/L
ML-7E_MatrixSpike_Dup.	7/30/2007 14:32	Water	Ecotest Laboratories, Inc.	273288.07	EPA 8260	1,1 Dichloroethene	23	ug/L
ML-7E_MatrixSpike_Dup.	7/30/2007 14:32	Water	Ecotest Laboratories, Inc.	273288.07	EPA 8260	1,1 Dichloropropene	21	ug/L
ML-7E_MatrixSpike_Dup.	7/30/2007 14:32	Water	Ecotest Laboratories, Inc.	273288.07	EPA 8260	1,2 Dibromoethane	22	ug/L
ML-7E_MatrixSpike_Dup.	7/30/2007 14:32	Water	Ecotest Laboratories, Inc.	273288.07	EPA 8260	1,2 Dichlorobenzene	21	ug/L
ML-7E_MatrixSpike_Dup.	7/30/2007 14:32	Water	Ecotest Laboratories, Inc.	273288.07	EPA 8260	1,2 Dichloroethane	23	ug/L
ML-7E_MatrixSpike_Dup.	7/30/2007 14:32	Water	Ecotest Laboratories, Inc.	273288.07	EPA 8260	1,2 Dichloropropane	21	ug/L
ML-7E_MatrixSpike_Dup.	7/30/2007 14:32	Water	Ecotest Laboratories, Inc.	273288.07	EPA 8260	1,3 Dichlorobenzene	21	ug/L

ML-7E_MatrixSpike_Dup.	7/30/2007 14:32	Water	Ecotest Laboratories, Inc.	273288.07	EPA 8260	1,3 Dichloropropane	22	1	ug/L
ML-7E_MatrixSpike_Dup.	7/30/2007 14:32	Water	Ecotest Laboratories, Inc.	273288.07	EPA 8260	1,4 Dichlorobenzene	20	1	ug/L
ML-7E_MatrixSpike_Dup.	7/30/2007 14:32	Water	Ecotest Laboratories, Inc.	273288.07	EPA 8260	1,1,1 Trichloroethane	22	1	ug/L
ML-7E_MatrixSpike_Dup.	7/30/2007 14:32	Water	Ecotest Laboratories, Inc.	273288.07	EPA 8260	1,1,1,2 Tetrachloroethane	19	1	ug/L
ML-7E_MatrixSpike_Dup.	7/30/2007 14:32	Water	Ecotest Laboratories, Inc.	273288.07	EPA 8260	1,1,2 Trichloroethane	29	1	ug/L
ML-7E_MatrixSpike_Dup.	7/30/2007 14:32	Water	Ecotest Laboratories, Inc.	273288.07	EPA 8260	1,1,2,2 Tetrachloroethane	24	1	ug/L
ML-7E_MatrixSpike_Dup.	7/30/2007 14:32	Water	Ecotest Laboratories, Inc.	273288.07	EPA 8260	1,2,3 Trichlorobenzene	21	1	ug/L
ML-7E_MatrixSpike_Dup.	7/30/2007 14:32	Water	Ecotest Laboratories, Inc.	273288.07	EPA 8260	1,2,4 Trichlorobenzene	24	1	ug/L
ML-7E_MatrixSpike_Dup.	7/30/2007 14:32	Water	Ecotest Laboratories, Inc.	273288.07	EPA 8260	1,2,4 Trimethylbenzene	21	1	ug/L
ML-7E_MatrixSpike_Dup.	7/30/2007 14:32	Water	Ecotest Laboratories, Inc.	273288.07	EPA 8260	1,2,4,5 Tetramethylbenzene	20	1	ug/L
ML-7E_MatrixSpike_Dup.	7/30/2007 14:32	Water	Ecotest Laboratories, Inc.	273288.07	EPA 8260	1,3,5 Trimethylbenzene	21	1	ug/L
ML-7E_MatrixSpike_Dup.	7/30/2007 14:32	Water	Ecotest Laboratories, Inc.	273288.07	EPA 8260	2,2 Dichloropropane	18	1	ug/L
ML-7E_MatrixSpike_Dup.	7/30/2007 14:32	Water	Ecotest Laboratories, Inc.	273288.07	EPA 8260	2 Chlorotoluene	21	1	ug/L
ML-7E_MatrixSpike_Dup.	7/30/2007 14:32	Water	Ecotest Laboratories, Inc.	273288.07	EPA 8260	4 Chlorotoluene	21	1	ug/L
ML-7E_MatrixSpike_Dup.	7/30/2007 14:32	Water	Ecotest Laboratories, Inc.	273288.07	EPA 8260	Acetone	120	10	ug/L
ML-7E_MatrixSpike_Dup.	7/30/2007 14:32	Water	Ecotest Laboratories, Inc.	273288.07	EPA 8260	Benzene	22	1	ug/L
ML-7E_MatrixSpike_Dup.	7/30/2007 14:32	Water	Ecotest Laboratories, Inc.	273288.07	EPA 8260	Bromobenzene	21	1	ug/L
ML-7E_MatrixSpike_Dup.	7/30/2007 14:32	Water	Ecotest Laboratories, Inc.	273288.07	EPA 8260	Bromochloromethane	22	1	ug/L
ML-7E_MatrixSpike_Dup.	7/30/2007 14:32	Water	Ecotest Laboratories, Inc.	273288.07	EPA 8260	Bromodichloromethane	21	1	ug/L
ML-7E_MatrixSpike_Dup.	7/30/2007 14:32	Water	Ecotest Laboratories, Inc.	273288.07	EPA 8260	Bromoform	16	1	ug/L
ML-7E_MatrixSpike_Dup.	7/30/2007 14:32	Water	Ecotest Laboratories, Inc.	273288.07	EPA 8260	Bromomethane	20	1	ug/L
ML-7E_MatrixSpike_Dup.	7/30/2007 14:32	Water	Ecotest Laboratories, Inc.	273288.07	EPA 8260	cis-1,2-Dichloroethene	22	1	ug/L
ML-7E_MatrixSpike_Dup.	7/30/2007 14:32	Water	Ecotest Laboratories, Inc.	273288.07	EPA 8260	c 1,3 Dichloropropene	25	1	ug/L
ML-7E_MatrixSpike_Dup.	7/30/2007 14:32	Water	Ecotest Laboratories, Inc.	273288.07	EPA 8260	Carbon Tetrachloride	19	1	ug/L
ML-7E_MatrixSpike_Dup.	7/30/2007 14:32	Water	Ecotest Laboratories, Inc.	273288.07	EPA 8260	Chlorobenzene	21	1	ug/L
ML-7E_MatrixSpike_Dup.	7/30/2007 14:32	Water	Ecotest Laboratories, Inc.	273288.07	EPA 8260	Chlorodibromomethane	19	1	ug/L
ML-7E_MatrixSpike_Dup.	7/30/2007 14:32	Water	Ecotest Laboratories, Inc.	273288.07	EPA 8260	Chlorodifluoromethane	20	1	ug/L
ML-7E_MatrixSpike_Dup.	7/30/2007 14:32	Water	Ecotest Laboratories, Inc.	273288.07	EPA 8260	Chloroethane	18	1	ug/L
ML-7E_MatrixSpike_Dup.	7/30/2007 14:32	Water	Ecotest Laboratories, Inc.	273288.07	EPA 8260	Chloroform	21	1	ug/L
ML-7E_MatrixSpike_Dup.	7/30/2007 14:32	Water	Ecotest Laboratories, Inc.	273288.07	EPA 8260	Chloromethane	19	1	ug/L
ML-7E_MatrixSpike_Dup.	7/30/2007 14:32	Water	Ecotest Laboratories, Inc.	273288.07	EPA 8260	Dibromochloropropane	23	1	ug/L
ML-7E_MatrixSpike_Dup.	7/30/2007 14:32	Water	Ecotest Laboratories, Inc.	273288.07	EPA 8260	Dibromomethane	22	1	ug/L
ML-7E_MatrixSpike_Dup.	7/30/2007 14:32	Water	Ecotest Laboratories, Inc.	273288.07	EPA 8260	Dichlorodifluoromethane	18	1	ug/L
ML-7E_MatrixSpike_Dup.	7/30/2007 14:32	Water	Ecotest Laboratories, Inc.	273288.07	EPA 8260	Ethylbenzene	19	1	ug/L
ML-7E_MatrixSpike_Dup.	7/30/2007 14:32	Water	Ecotest Laboratories, Inc.	273288.07	EPA 8260	1,2,2 Trifluoro-1,1,2 Trichloroethane	22	1	ug/L
ML-7E_MatrixSpike_Dup.	7/30/2007 14:32	Water	Ecotest Laboratories, Inc.	273288.07	EPA 8260	Hexachloro-1,3-Butadiene	22	1	ug/L
ML-7E_MatrixSpike_Dup.	7/30/2007 14:32	Water	Ecotest Laboratories, Inc.	273288.07	EPA 8260	Isopropylbenzene	20	1	ug/L
ML-7E_MatrixSpike_Dup.	7/30/2007 14:32	Water	Ecotest Laboratories, Inc.	273288.07	EPA 8260	m + p Xylene	34	2	ug/L
ML-7E_MatrixSpike_Dup.	7/30/2007 14:32	Water	Ecotest Laboratories, Inc.	273288.07	EPA 8260	Methyl Ethyl Ketone	120	10	ug/L
ML-7E_MatrixSpike_Dup.	7/30/2007 14:32	Water	Ecotest Laboratories, Inc.	273288.07	EPA 8260	Methylene Chloride	22	1	ug/L
ML-7E_MatrixSpike_Dup.	7/30/2007 14:32	Water	Ecotest Laboratories, Inc.	273288.07	EPA 8260	4-Methyl-2-Pentanone	160	10	ug/L
ML-7E_MatrixSpike_Dup.	7/30/2007 14:32	Water	Ecotest Laboratories, Inc.	273288.07	EPA 8260	n Butylbenzene	22	1	ug/L
ML-7E_MatrixSpike_Dup.	7/30/2007 14:32	Water	Ecotest Laboratories, Inc.	273288.07	EPA 8260	n Propylbenzene	21	1	ug/L
ML-7E_MatrixSpike_Dup.	7/30/2007 14:32	Water	Ecotest Laboratories, Inc.	273288.07	EPA 8260	Naphthalene	23	1	ug/L
ML-7E_MatrixSpike_Dup.	7/30/2007 14:32	Water	Ecotest Laboratories, Inc.	273288.07	EPA 8260	o-Xylene	17	1	ug/L
ML-7E_MatrixSpike_Dup.	7/30/2007 14:32	Water	Ecotest Laboratories, Inc.	273288.07	EPA 8260	p Diethylbenzene	21	1	ug/L

ML-7E_MatrixSpike_Dup.	7/30/2007 14:32	Water	Ecotest Laboratories, Inc.	273288.07	EPA 8260	4-Ethyltoluene	21	1	ug/L
ML-7E_MatrixSpike_Dup.	7/30/2007 14:32	Water	Ecotest Laboratories, Inc.	273288.07	EPA 8260	p Isopropyltoluene	21	1	ug/L
ML-7E_MatrixSpike_Dup.	7/30/2007 14:32	Water	Ecotest Laboratories, Inc.	273288.07	EPA 8260	s Butylbenzene	21	1	ug/L
ML-7E_MatrixSpike_Dup.	7/30/2007 14:32	Water	Ecotest Laboratories, Inc.	273288.07	EPA 8260	Styrene	17	1	ug/L
ML-7E_MatrixSpike_Dup.	7/30/2007 14:32	Water	Ecotest Laboratories, Inc.	273288.07	EPA 8260	trans-1,2-Dichloroethene	22	1	ug/L
ML-7E_MatrixSpike_Dup.	7/30/2007 14:32	Water	Ecotest Laboratories, Inc.	273288.07	EPA 8260	t 1,3 Dichloropropene	24	1	ug/L
ML-7E_MatrixSpike_Dup.	7/30/2007 14:32	Water	Ecotest Laboratories, Inc.	273288.07	EPA 8260	t butylmethylether	23	1	ug/L
ML-7E_MatrixSpike_Dup.	7/30/2007 14:32	Water	Ecotest Laboratories, Inc.	273288.07	EPA 8260	Benzene, (1,1-dimethylethyl)	21	1	ug/L
ML-7E_MatrixSpike_Dup.	7/30/2007 14:32	Water	Ecotest Laboratories, Inc.	273288.07	EPA 8260	Tetrachloroethene	20	1	ug/L
ML-7E_MatrixSpike_Dup.	7/30/2007 14:32	Water	Ecotest Laboratories, Inc.	273288.07	EPA 8260	Toluene	26	1	ug/L
ML-7E_MatrixSpike_Dup.	7/30/2007 14:32	Water	Ecotest Laboratories, Inc.	273288.07	EPA 8260	Trichloroethene	22	1	ug/L
ML-7E_MatrixSpike_Dup.	7/30/2007 14:32	Water	Ecotest Laboratories, Inc.	273288.07	EPA 8260	Trichlorofluoromethane	20	1	ug/L
ML-7E_MatrixSpike_Dup.	7/30/2007 14:32	Water	Ecotest Laboratories, Inc.	273288.07	EPA 8260	Vinyl Chloride	20	1	ug/L
ML-7E_MatrixSpike_Dup.	7/30/2007 14:32	Water	Ecotest Laboratories, Inc.	273288.07	EPA 8260	Total BTEX	118	6	ug/L
ML-7F	7/30/2007 14:20	Water	Ecotest Laboratories, Inc.	273288.08	EPA 8260	1,1 Dichloroethane	0	1	U ug/L
ML-7F	7/30/2007 14:20	Water	Ecotest Laboratories, Inc.	273288.08	EPA 8260	1,1 Dichloroethene	0	1	U ug/L
ML-7F	7/30/2007 14:20	Water	Ecotest Laboratories, Inc.	273288.08	EPA 8260	1,1 Dichloropropene	0	1	U ug/L
ML-7F	7/30/2007 14:20	Water	Ecotest Laboratories, Inc.	273288.08	EPA 8260	1,2 Dibromoethane	0	1	U ug/L
ML-7F	7/30/2007 14:20	Water	Ecotest Laboratories, Inc.	273288.08	EPA 8260	1,2 Dichlorobenzene	0	1	U ug/L
ML-7F	7/30/2007 14:20	Water	Ecotest Laboratories, Inc.	273288.08	EPA 8260	1,2 Dichloroethane	0	1	U ug/L
ML-7F	7/30/2007 14:20	Water	Ecotest Laboratories, Inc.	273288.08	EPA 8260	1,2 Dichloropropene	0	1	U ug/L
ML-7F	7/30/2007 14:20	Water	Ecotest Laboratories, Inc.	273288.08	EPA 8260	1,3 Dichlorobenzene	0	1	U ug/L
ML-7F	7/30/2007 14:20	Water	Ecotest Laboratories, Inc.	273288.08	EPA 8260	1,3 Dichloropropene	0	1	U ug/L
ML-7F	7/30/2007 14:20	Water	Ecotest Laboratories, Inc.	273288.08	EPA 8260	1,4 Dichlorobenzene	0	1	U ug/L
ML-7F	7/30/2007 14:20	Water	Ecotest Laboratories, Inc.	273288.08	EPA 8260	1,1,1 Trichloroethane	0	1	U ug/L
ML-7F	7/30/2007 14:20	Water	Ecotest Laboratories, Inc.	273288.08	EPA 8260	1,1,1,2 Tetrachloroethane	0	1	U ug/L
ML-7F	7/30/2007 14:20	Water	Ecotest Laboratories, Inc.	273288.08	EPA 8260	1,1,2 Trichloroethane	0	1	U ug/L
ML-7F	7/30/2007 14:20	Water	Ecotest Laboratories, Inc.	273288.08	EPA 8260	1,1,2,2 Tetrachloroethane	0	1	U ug/L
ML-7F	7/30/2007 14:20	Water	Ecotest Laboratories, Inc.	273288.08	EPA 8260	1,2,3 Trichlorobenzene	0	1	U ug/L
ML-7F	7/30/2007 14:20	Water	Ecotest Laboratories, Inc.	273288.08	EPA 8260	1,2,3 Trichloropropene	0	1	U ug/L
ML-7F	7/30/2007 14:20	Water	Ecotest Laboratories, Inc.	273288.08	EPA 8260	1,2,4 Trichlorobenzene	0	1	U ug/L
ML-7F	7/30/2007 14:20	Water	Ecotest Laboratories, Inc.	273288.08	EPA 8260	1,2,4 Trimethylbenzene	0	1	U ug/L
ML-7F	7/30/2007 14:20	Water	Ecotest Laboratories, Inc.	273288.08	EPA 8260	1,2,4,5 Tetramethylbenzene	0	1	U ug/L
ML-7F	7/30/2007 14:20	Water	Ecotest Laboratories, Inc.	273288.08	EPA 8260	1,3,5 Trimethylbenzene	0	1	U ug/L
ML-7F	7/30/2007 14:20	Water	Ecotest Laboratories, Inc.	273288.08	EPA 8260	2,2 Dichloropropene	0	1	U ug/L
ML-7F	7/30/2007 14:20	Water	Ecotest Laboratories, Inc.	273288.08	EPA 8260	2 Chlorotoluene	0	1	U ug/L
ML-7F	7/30/2007 14:20	Water	Ecotest Laboratories, Inc.	273288.08	EPA 8260	4 Chlorotoluene	0	1	U ug/L
ML-7F	7/30/2007 14:20	Water	Ecotest Laboratories, Inc.	273288.08	EPA 8260	Acetone	11	10	ug/L
ML-7F	7/30/2007 14:20	Water	Ecotest Laboratories, Inc.	273288.08	EPA 8260	Benzene	0	1	U ug/L
ML-7F	7/30/2007 14:20	Water	Ecotest Laboratories, Inc.	273288.08	EPA 8260	Bromobenzene	0	1	U ug/L
ML-7F	7/30/2007 14:20	Water	Ecotest Laboratories, Inc.	273288.08	EPA 8260	Bromochloromethane	0	1	U ug/L
ML-7F	7/30/2007 14:20	Water	Ecotest Laboratories, Inc.	273288.08	EPA 8260	Bromodichloromethane	0	1	U ug/L
ML-7F	7/30/2007 14:20	Water	Ecotest Laboratories, Inc.	273288.08	EPA 8260	Bromoform	0	1	U ug/L
ML-7F	7/30/2007 14:20	Water	Ecotest Laboratories, Inc.	273288.08	EPA 8260	Bromomethane	0	1	U ug/L
ML-7F	7/30/2007 14:20	Water	Ecotest Laboratories, Inc.	273288.08	EPA 8260	cis-1,2-Dichloroethene	0	1	U ug/L
ML-7F	7/30/2007 14:20	Water	Ecotest Laboratories, Inc.	273288.08	EPA 8260	c 1,3 Dichloropropene	0	1	U ug/L
ML-7F	7/30/2007 14:20	Water	Ecotest Laboratories, Inc.	273288.08	EPA 8260	Carbon Tetrachloride	0	1	U ug/L

ML-7F	7/30/2007 14:20 Water	Ecotest Laboratories, Inc.	273288.08	EPA 8260	Chlorobenzene	0	1 U ug/L
ML-7F	7/30/2007 14:20 Water	Ecotest Laboratories, Inc.	273288.08	EPA 8260	Chlorodibromomethane	0	1 U ug/L
ML-7F	7/30/2007 14:20 Water	Ecotest Laboratories, Inc.	273288.08	EPA 8260	Chlorodifluoromethane	0	1 U ug/L
ML-7F	7/30/2007 14:20 Water	Ecotest Laboratories, Inc.	273288.08	EPA 8260	Chloroethane	0	1 U ug/L
ML-7F	7/30/2007 14:20 Water	Ecotest Laboratories, Inc.	273288.08	EPA 8260	Chloroform	0	1 U ug/L
ML-7F	7/30/2007 14:20 Water	Ecotest Laboratories, Inc.	273288.08	EPA 8260	Chloromethane	0	1 U ug/L
ML-7F	7/30/2007 14:20 Water	Ecotest Laboratories, Inc.	273288.08	EPA 8260	Dibromochloropropane	0	1 U ug/L
ML-7F	7/30/2007 14:20 Water	Ecotest Laboratories, Inc.	273288.08	EPA 8260	Dibromomethane	0	1 U ug/L
ML-7F	7/30/2007 14:20 Water	Ecotest Laboratories, Inc.	273288.08	EPA 8260	Dichlorodifluoromethane	0	1 U ug/L
ML-7F	7/30/2007 14:20 Water	Ecotest Laboratories, Inc.	273288.08	EPA 8260	Ethylbenzene	0	1 U ug/L
ML-7F	7/30/2007 14:20 Water	Ecotest Laboratories, Inc.	273288.08	EPA 8260	1,2,2 Trifluoro-1,1,2 Trichloroethane	0	1 U ug/L
ML-7F	7/30/2007 14:20 Water	Ecotest Laboratories, Inc.	273288.08	EPA 8260	Hexachloro-1,3-Butadiene	0	1 U ug/L
ML-7F	7/30/2007 14:20 Water	Ecotest Laboratories, Inc.	273288.08	EPA 8260	Isopropylbenzene	0	1 U ug/L
ML-7F	7/30/2007 14:20 Water	Ecotest Laboratories, Inc.	273288.08	EPA 8260	m + p Xylene	0	2 U ug/L
ML-7F	7/30/2007 14:20 Water	Ecotest Laboratories, Inc.	273288.08	EPA 8260	Methyl Ethyl Ketone	0	10 U ug/L
ML-7F	7/30/2007 14:20 Water	Ecotest Laboratories, Inc.	273288.08	EPA 8260	Methylene Chloride	0	1 U ug/L
ML-7F	7/30/2007 14:20 Water	Ecotest Laboratories, Inc.	273288.08	EPA 8260	4-Methyl-2-Pentanone	0	10 U ug/L
ML-7F	7/30/2007 14:20 Water	Ecotest Laboratories, Inc.	273288.08	EPA 8260	n Butylbenzene	0	1 U ug/L
ML-7F	7/30/2007 14:20 Water	Ecotest Laboratories, Inc.	273288.08	EPA 8260	n Propylbenzene	0	1 U ug/L
ML-7F	7/30/2007 14:20 Water	Ecotest Laboratories, Inc.	273288.08	EPA 8260	Naphthalene	0	1 U ug/L
ML-7F	7/30/2007 14:20 Water	Ecotest Laboratories, Inc.	273288.08	EPA 8260	o-Xylene	0	1 U ug/L
ML-7F	7/30/2007 14:20 Water	Ecotest Laboratories, Inc.	273288.08	EPA 8260	p Diethylbenzene	0	1 U ug/L
ML-7F	7/30/2007 14:20 Water	Ecotest Laboratories, Inc.	273288.08	EPA 8260	4-Ethyltoluene	0	1 U ug/L
ML-7F	7/30/2007 14:20 Water	Ecotest Laboratories, Inc.	273288.08	EPA 8260	p Isopropyltoluene	0	1 U ug/L
ML-7F	7/30/2007 14:20 Water	Ecotest Laboratories, Inc.	273288.08	EPA 8260	s Butylbenzene	0	1 U ug/L
ML-7F	7/30/2007 14:20 Water	Ecotest Laboratories, Inc.	273288.08	EPA 8260	Styrene	0	1 U ug/L
ML-7F	7/30/2007 14:20 Water	Ecotest Laboratories, Inc.	273288.08	EPA 8260	trans-1,2-Dichloroethene	0	1 U ug/L
ML-7F	7/30/2007 14:20 Water	Ecotest Laboratories, Inc.	273288.08	EPA 8260	t 1,3 Dichloropropene	0	1 U ug/L
ML-7F	7/30/2007 14:20 Water	Ecotest Laboratories, Inc.	273288.08	EPA 8260	t butylmethyl ether	0	1 U ug/L
ML-7F	7/30/2007 14:20 Water	Ecotest Laboratories, Inc.	273288.08	EPA 8260	Benzene, (1,1-dimethylethyl)	0	1 U ug/L
ML-7F	7/30/2007 14:20 Water	Ecotest Laboratories, Inc.	273288.08	EPA 8260	Tetrachloroethene	0	1 U ug/L
ML-7F	7/30/2007 14:20 Water	Ecotest Laboratories, Inc.	273288.08	EPA 8260	Toluene	0	1 U ug/L
ML-7F	7/30/2007 14:20 Water	Ecotest Laboratories, Inc.	273288.08	EPA 8260	Trichloroethylene	0	1 U ug/L
ML-7F	7/30/2007 14:20 Water	Ecotest Laboratories, Inc.	273288.08	EPA 8260	Trichlorofluoromethane	0	1 U ug/L
ML-7F	7/30/2007 14:20 Water	Ecotest Laboratories, Inc.	273288.08	EPA 8260	Vinyl Chloride	0	1 U ug/L
ML-7G	7/30/2007 13:05 Water	Ecotest Laboratories, Inc.	273288.08	EPA 8260	Total BTEX	0	6 U ug/L
ML-7G	7/30/2007 13:05 Water	Ecotest Laboratories, Inc.	273288.08	EPA 8260	1,1 Dichloroethane	0	1 U ug/L
ML-7G	7/30/2007 13:05 Water	Ecotest Laboratories, Inc.	273288.08	EPA 8260	1,1 Dichloroethene	0	1 U ug/L
ML-7G	7/30/2007 13:05 Water	Ecotest Laboratories, Inc.	273288.08	EPA 8260	1,1 Dichloropropene	0	1 U ug/L
ML-7G	7/30/2007 13:05 Water	Ecotest Laboratories, Inc.	273288.08	EPA 8260	1,2 Dibromoethane	0	1 U ug/L
ML-7G	7/30/2007 13:05 Water	Ecotest Laboratories, Inc.	273288.08	EPA 8260	1,2 Dichlorobenzene	0	1 U ug/L
ML-7G	7/30/2007 13:05 Water	Ecotest Laboratories, Inc.	273288.08	EPA 8260	1,2 Dichloroethane	0	1 U ug/L
ML-7G	7/30/2007 13:05 Water	Ecotest Laboratories, Inc.	273288.08	EPA 8260	1,2 Dichloropropane	0	1 U ug/L
ML-7G	7/30/2007 13:05 Water	Ecotest Laboratories, Inc.	273288.08	EPA 8260	1,3 Dichlorobenzene	0	1 U ug/L
ML-7G	7/30/2007 13:05 Water	Ecotest Laboratories, Inc.	273288.08	EPA 8260	1,3 Dichloropropane	0	1 U ug/L
ML-7G	7/30/2007 13:05 Water	Ecotest Laboratories, Inc.	273288.08	EPA 8260	1,4 Dichlorobenzene	0	1 U ug/L
ML-7G	7/30/2007 13:05 Water	Ecotest Laboratories, Inc.	273288.08	EPA 8260	1,1,1 Trichloroethane	0	1 U ug/L

ML-7G	7/30/2007 13:05 Water	Ecotest Laboratories, Inc.	273288.09 EPA 8260	1,1,1,2 Tetrachloroethane	0	1 U ug/L
ML-7G	7/30/2007 13:05 Water	Ecotest Laboratories, Inc.	273288.09 EPA 8260	1,1,2 Trichloroethane	0	1 U ug/L
ML-7G	7/30/2007 13:05 Water	Ecotest Laboratories, Inc.	273288.09 EPA 8260	1,1,2,2 Tetrachloroethane	0	1 U ug/L
ML-7G	7/30/2007 13:05 Water	Ecotest Laboratories, Inc.	273288.09 EPA 8260	1,2,3 Trichlorobenzene	0	1 U ug/L
ML-7G	7/30/2007 13:05 Water	Ecotest Laboratories, Inc.	273288.09 EPA 8260	1,2,3 Trichloropropane	0	1 U ug/L
ML-7G	7/30/2007 13:05 Water	Ecotest Laboratories, Inc.	273288.09 EPA 8260	1,2,4 Trichlorobenzene	0	1 U ug/L
ML-7G	7/30/2007 13:05 Water	Ecotest Laboratories, Inc.	273288.09 EPA 8260	1,2,4 Trimethylbenzene	0	1 U ug/L
ML-7G	7/30/2007 13:05 Water	Ecotest Laboratories, Inc.	273288.09 EPA 8260	1,2,4,5 Tetramethylbenzene	0	1 U ug/L
ML-7G	7/30/2007 13:05 Water	Ecotest Laboratories, Inc.	273288.09 EPA 8260	1,3,5 Trimethylbenzene	0	1 U ug/L
ML-7G	7/30/2007 13:05 Water	Ecotest Laboratories, Inc.	273288.09 EPA 8260	2,2 Dichloropropane	0	1 U ug/L
ML-7G	7/30/2007 13:05 Water	Ecotest Laboratories, Inc.	273288.09 EPA 8260	2 Chlorotoluene	0	1 U ug/L
ML-7G	7/30/2007 13:05 Water	Ecotest Laboratories, Inc.	273288.09 EPA 8260	4 Chlorotoluene	0	1 U ug/L
ML-7G	7/30/2007 13:05 Water	Ecotest Laboratories, Inc.	273288.09 EPA 8260	Acetone	0	10 U ug/L
ML-7G	7/30/2007 13:05 Water	Ecotest Laboratories, Inc.	273288.09 EPA 8260	Benzene	0	1 U ug/L
ML-7G	7/30/2007 13:05 Water	Ecotest Laboratories, Inc.	273288.09 EPA 8260	Bromobenzene	0	1 U ug/L
ML-7G	7/30/2007 13:05 Water	Ecotest Laboratories, Inc.	273288.09 EPA 8260	Bromochloromethane	0	1 U ug/L
ML-7G	7/30/2007 13:05 Water	Ecotest Laboratories, Inc.	273288.09 EPA 8260	Bromodichloromethane	0	1 U ug/L
ML-7G	7/30/2007 13:05 Water	Ecotest Laboratories, Inc.	273288.09 EPA 8260	Bromoform	0	1 U ug/L
ML-7G	7/30/2007 13:05 Water	Ecotest Laboratories, Inc.	273288.09 EPA 8260	Bromomethane	0	1 U ug/L
ML-7G	7/30/2007 13:05 Water	Ecotest Laboratories, Inc.	273288.09 EPA 8260	cis-1,2-Dichloroethene	0	1 U ug/L
ML-7G	7/30/2007 13:05 Water	Ecotest Laboratories, Inc.	273288.09 EPA 8260	c 1,3 Dichloropropene	0	1 U ug/L
ML-7G	7/30/2007 13:05 Water	Ecotest Laboratories, Inc.	273288.09 EPA 8260	Carbon Tetrachloride	0	1 U ug/L
ML-7G	7/30/2007 13:05 Water	Ecotest Laboratories, Inc.	273288.09 EPA 8260	Chlorobenzene	0	1 U ug/L
ML-7G	7/30/2007 13:05 Water	Ecotest Laboratories, Inc.	273288.09 EPA 8260	Chlorodibromomethane	0	1 U ug/L
ML-7G	7/30/2007 13:05 Water	Ecotest Laboratories, Inc.	273288.09 EPA 8260	Chlorodifluoromethane	0	1 U ug/L
ML-7G	7/30/2007 13:05 Water	Ecotest Laboratories, Inc.	273288.09 EPA 8260	Chloroethane	0	1 U ug/L
ML-7G	7/30/2007 13:05 Water	Ecotest Laboratories, Inc.	273288.09 EPA 8260	Chloroform	0	1 U ug/L
ML-7G	7/30/2007 13:05 Water	Ecotest Laboratories, Inc.	273288.09 EPA 8260	Chloromethane	0	1 U ug/L
ML-7G	7/30/2007 13:05 Water	Ecotest Laboratories, Inc.	273288.09 EPA 8260	Dibromochloropropane	0	1 U ug/L
ML-7G	7/30/2007 13:05 Water	Ecotest Laboratories, Inc.	273288.09 EPA 8260	Dibromomethane	0	1 U ug/L
ML-7G	7/30/2007 13:05 Water	Ecotest Laboratories, Inc.	273288.09 EPA 8260	Dichlorodifluoromethane	0	1 U ug/L
ML-7G	7/30/2007 13:05 Water	Ecotest Laboratories, Inc.	273288.09 EPA 8260	Ethylbenzene	0	1 U ug/L
ML-7G	7/30/2007 13:05 Water	Ecotest Laboratories, Inc.	273288.09 EPA 8260	1,2,2 Trifluoro-1,1,2 Trichloroethane	0	1 U ug/L
ML-7G	7/30/2007 13:05 Water	Ecotest Laboratories, Inc.	273288.09 EPA 8260	Hexachloro-1,3-Butadiene	0	1 U ug/L
ML-7G	7/30/2007 13:05 Water	Ecotest Laboratories, Inc.	273288.09 EPA 8260	Isopropylbenzene	0	1 U ug/L
ML-7G	7/30/2007 13:05 Water	Ecotest Laboratories, Inc.	273288.09 EPA 8260	m + p Xylene	0	2 U ug/L
ML-7G	7/30/2007 13:05 Water	Ecotest Laboratories, Inc.	273288.09 EPA 8260	Methyl Ethyl Ketone	0	10 U ug/L
ML-7G	7/30/2007 13:05 Water	Ecotest Laboratories, Inc.	273288.09 EPA 8260	Methylene Chloride	0	1 U ug/L
ML-7G	7/30/2007 13:05 Water	Ecotest Laboratories, Inc.	273288.09 EPA 8260	4-Methyl-2-Pentanone	0	10 U ug/L
ML-7G	7/30/2007 13:05 Water	Ecotest Laboratories, Inc.	273288.09 EPA 8260	n Butylbenzene	0	1 U ug/L
ML-7G	7/30/2007 13:05 Water	Ecotest Laboratories, Inc.	273288.09 EPA 8260	n Propylbenzene	0	1 U ug/L
ML-7G	7/30/2007 13:05 Water	Ecotest Laboratories, Inc.	273288.09 EPA 8260	Naphthalene	0	1 U ug/L
ML-7G	7/30/2007 13:05 Water	Ecotest Laboratories, Inc.	273288.09 EPA 8260	o-Xylene	0	1 U ug/L
ML-7G	7/30/2007 13:05 Water	Ecotest Laboratories, Inc.	273288.09 EPA 8260	p Diethylbenzene	0	1 U ug/L
ML-7G	7/30/2007 13:05 Water	Ecotest Laboratories, Inc.	273288.09 EPA 8260	4-Ethyltoluene	0	1 U ug/L
ML-7G	7/30/2007 13:05 Water	Ecotest Laboratories, Inc.	273288.09 EPA 8260	p Isopropyltoluene	0	1 U ug/L
ML-7G	7/30/2007 13:05 Water	Ecotest Laboratories, Inc.	273288.09 EPA 8260	s Butylbenzene	0	1 U ug/L

ML-7G	7/30/2007 13:05	Water	Ecotest Laboratories, Inc.	273288.09	EPA 8260	Styrene	0	1 U ug/L
ML-7G	7/30/2007 13:05	Water	Ecotest Laboratories, Inc.	273288.09	EPA 8260	trans-1,2-Dichloroethene	0	1 U ug/L
ML-7G	7/30/2007 13:05	Water	Ecotest Laboratories, Inc.	273288.09	EPA 8260	t 1,3 Dichloropropene	0	1 U ug/L
ML-7G	7/30/2007 13:05	Water	Ecotest Laboratories, Inc.	273288.09	EPA 8260	t butylmethylether	2	1 U ug/L
ML-7G	7/30/2007 13:05	Water	Ecotest Laboratories, Inc.	273288.09	EPA 8260	Benzene, (1,1-dimethylethyl)	0	1 U ug/L
ML-7G	7/30/2007 13:05	Water	Ecotest Laboratories, Inc.	273288.09	EPA 8260	Tetrachloroethene	0	1 U ug/L
ML-7G	7/30/2007 13:05	Water	Ecotest Laboratories, Inc.	273288.09	EPA 8260	Toluene	0	1 U ug/L
ML-7G	7/30/2007 13:05	Water	Ecotest Laboratories, Inc.	273288.09	EPA 8260	Trichlorethylene	0	1 U ug/L
ML-7G	7/30/2007 13:05	Water	Ecotest Laboratories, Inc.	273288.09	EPA 8260	Trichlorofluoromethane	0	1 U ug/L
ML-7G	7/30/2007 13:05	Water	Ecotest Laboratories, Inc.	273288.09	EPA 8260	Vinyl Chloride	0	1 U ug/L
ML-7G	7/30/2007 13:05	Water	Ecotest Laboratories, Inc.	273288.09	EPA 8260	Total BTEX	0	6 U ug/L
ML-7H	7/30/2007 13:22	Water	Ecotest Laboratories, Inc.	273288.1	EPA 8260	1,1 Dichloroethane	0	1 U ug/L
ML-7H	7/30/2007 13:22	Water	Ecotest Laboratories, Inc.	273288.1	EPA 8260	1,1 Dichloroethene	0	1 U ug/L
ML-7H	7/30/2007 13:22	Water	Ecotest Laboratories, Inc.	273288.1	EPA 8260	1,1 Dichloropropene	0	1 U ug/L
ML-7H	7/30/2007 13:22	Water	Ecotest Laboratories, Inc.	273288.1	EPA 8260	1,2 Dibromoethane	0	1 U ug/L
ML-7H	7/30/2007 13:22	Water	Ecotest Laboratories, Inc.	273288.1	EPA 8260	1,2 Dichlorobenzene	0	1 U ug/L
ML-7H	7/30/2007 13:22	Water	Ecotest Laboratories, Inc.	273288.1	EPA 8260	1,2 Dichloroethane	0	1 U ug/L
ML-7H	7/30/2007 13:22	Water	Ecotest Laboratories, Inc.	273288.1	EPA 8260	1,2 Dichloropropane	0	1 U ug/L
ML-7H	7/30/2007 13:22	Water	Ecotest Laboratories, Inc.	273288.1	EPA 8260	1,3 Dichlorobenzene	0	1 U ug/L
ML-7H	7/30/2007 13:22	Water	Ecotest Laboratories, Inc.	273288.1	EPA 8260	1,4 Dichlorobenzene	0	1 U ug/L
ML-7H	7/30/2007 13:22	Water	Ecotest Laboratories, Inc.	273288.1	EPA 8260	1,1,1 Trichloroethane	0	1 U ug/L
ML-7H	7/30/2007 13:22	Water	Ecotest Laboratories, Inc.	273288.1	EPA 8260	1,1,1,2 Tetrachloroethane	0	1 U ug/L
ML-7H	7/30/2007 13:22	Water	Ecotest Laboratories, Inc.	273288.1	EPA 8260	1,1,2 Trichloroethane	0	1 U ug/L
ML-7H	7/30/2007 13:22	Water	Ecotest Laboratories, Inc.	273288.1	EPA 8260	1,1,2,2 Tetrachloroethane	0	1 U ug/L
ML-7H	7/30/2007 13:22	Water	Ecotest Laboratories, Inc.	273288.1	EPA 8260	1,2,3 Trichlorobenzene	0	1 U ug/L
ML-7H	7/30/2007 13:22	Water	Ecotest Laboratories, Inc.	273288.1	EPA 8260	1,2,3 Trichloropropane	0	1 U ug/L
ML-7H	7/30/2007 13:22	Water	Ecotest Laboratories, Inc.	273288.1	EPA 8260	1,2,4 Trichlorobenzene	0	1 U ug/L
ML-7H	7/30/2007 13:22	Water	Ecotest Laboratories, Inc.	273288.1	EPA 8260	1,2,4,5 Tetramethylbenzene	0	1 U ug/L
ML-7H	7/30/2007 13:22	Water	Ecotest Laboratories, Inc.	273288.1	EPA 8260	1,3,5 Trimethylbenzene	0	1 U ug/L
ML-7H	7/30/2007 13:22	Water	Ecotest Laboratories, Inc.	273288.1	EPA 8260	2,2 Dichloropropane	0	1 U ug/L
ML-7H	7/30/2007 13:22	Water	Ecotest Laboratories, Inc.	273288.1	EPA 8260	2 Chlorotoluene	0	1 U ug/L
ML-7H	7/30/2007 13:22	Water	Ecotest Laboratories, Inc.	273288.1	EPA 8260	4 Chlorotoluene	0	10 U ug/L
ML-7H	7/30/2007 13:22	Water	Ecotest Laboratories, Inc.	273288.1	EPA 8260	Acetone	0	1 U ug/L
ML-7H	7/30/2007 13:22	Water	Ecotest Laboratories, Inc.	273288.1	EPA 8260	Benzene	0	1 U ug/L
ML-7H	7/30/2007 13:22	Water	Ecotest Laboratories, Inc.	273288.1	EPA 8260	Bromobenzene	0	1 U ug/L
ML-7H	7/30/2007 13:22	Water	Ecotest Laboratories, Inc.	273288.1	EPA 8260	Bromochloromethane	0	1 U ug/L
ML-7H	7/30/2007 13:22	Water	Ecotest Laboratories, Inc.	273288.1	EPA 8260	Bromodichloromethane	0	1 U ug/L
ML-7H	7/30/2007 13:22	Water	Ecotest Laboratories, Inc.	273288.1	EPA 8260	Bromoform	0	1 U ug/L
ML-7H	7/30/2007 13:22	Water	Ecotest Laboratories, Inc.	273288.1	EPA 8260	Bromomethane	0	1 U ug/L
ML-7H	7/30/2007 13:22	Water	Ecotest Laboratories, Inc.	273288.1	EPA 8260	cis-1,2-Dichloroethene	0	1 U ug/L
ML-7H	7/30/2007 13:22	Water	Ecotest Laboratories, Inc.	273288.1	EPA 8260	c 1,3 Dichloropropene	0	1 U ug/L
ML-7H	7/30/2007 13:22	Water	Ecotest Laboratories, Inc.	273288.1	EPA 8260	Carbon Tetrachloride	0	1 U ug/L
ML-7H	7/30/2007 13:22	Water	Ecotest Laboratories, Inc.	273288.1	EPA 8260	Chlorobenzene	0	1 U ug/L
ML-7H	7/30/2007 13:22	Water	Ecotest Laboratories, Inc.	273288.1	EPA 8260	Chlorodibromomethane	0	1 U ug/L
ML-7H	7/30/2007 13:22	Water	Ecotest Laboratories, Inc.	273288.1	EPA 8260	Chlorodifluoromethane	3	1 U ug/L

ML-7H	7/30/2007 13:22	Water	Ecotest Laboratories, Inc.	273288.1	EPA 8260	Chloroethane	0	1 U ug/L
ML-7H	7/30/2007 13:22	Water	Ecotest Laboratories, Inc.	273288.1	EPA 8260	Chloroform	0	1 U ug/L
ML-7H	7/30/2007 13:22	Water	Ecotest Laboratories, Inc.	273288.1	EPA 8260	Chloromethane	0	1 U ug/L
ML-7H	7/30/2007 13:22	Water	Ecotest Laboratories, Inc.	273288.1	EPA 8260	Dibromochloropropane	0	1 U ug/L
ML-7H	7/30/2007 13:22	Water	Ecotest Laboratories, Inc.	273288.1	EPA 8260	Dibromomethane	0	1 U ug/L
ML-7H	7/30/2007 13:22	Water	Ecotest Laboratories, Inc.	273288.1	EPA 8260	Dichlorodifluoromethane	0	1 U ug/L
ML-7H	7/30/2007 13:22	Water	Ecotest Laboratories, Inc.	273288.1	EPA 8260	Ethylbenzene	0	1 U ug/L
ML-7H	7/30/2007 13:22	Water	Ecotest Laboratories, Inc.	273288.1	EPA 8260	1,2,2 Trifluoro-1,1,2 Trichloroethane	0	1 U ug/L
ML-7H	7/30/2007 13:22	Water	Ecotest Laboratories, Inc.	273288.1	EPA 8260	Hexachloro-, 1,3-Butadiene	0	1 U ug/L
ML-7H	7/30/2007 13:22	Water	Ecotest Laboratories, Inc.	273288.1	EPA 8260	Isopropylbenzene	0	1 U ug/L
ML-7H	7/30/2007 13:22	Water	Ecotest Laboratories, Inc.	273288.1	EPA 8260	m + p Xylene	0	2 U ug/L
ML-7H	7/30/2007 13:22	Water	Ecotest Laboratories, Inc.	273288.1	EPA 8260	Methyl Ethyl Ketone	0	10 U ug/L
ML-7H	7/30/2007 13:22	Water	Ecotest Laboratories, Inc.	273288.1	EPA 8260	Methylene Chloride	0	1 U ug/L
ML-7H	7/30/2007 13:22	Water	Ecotest Laboratories, Inc.	273288.1	EPA 8260	4-Methyl-2-Pentanone	0	10 U ug/L
ML-7H	7/30/2007 13:22	Water	Ecotest Laboratories, Inc.	273288.1	EPA 8260	n Butylbenzene	0	1 U ug/L
ML-7H	7/30/2007 13:22	Water	Ecotest Laboratories, Inc.	273288.1	EPA 8260	n Propylbenzene	0	1 U ug/L
ML-7H	7/30/2007 13:22	Water	Ecotest Laboratories, Inc.	273288.1	EPA 8260	Naphthalene	0	1 U ug/L
ML-7H	7/30/2007 13:22	Water	Ecotest Laboratories, Inc.	273288.1	EPA 8260	o-Xylene	0	1 U ug/L
ML-7H	7/30/2007 13:22	Water	Ecotest Laboratories, Inc.	273288.1	EPA 8260	p Diethylbenzene	0	1 U ug/L
ML-7H	7/30/2007 13:22	Water	Ecotest Laboratories, Inc.	273288.1	EPA 8260	4-Ethyltoluene	0	1 U ug/L
ML-7H	7/30/2007 13:22	Water	Ecotest Laboratories, Inc.	273288.1	EPA 8260	p Isopropyltoluene	0	1 U ug/L
ML-7H	7/30/2007 13:22	Water	Ecotest Laboratories, Inc.	273288.1	EPA 8260	s Butylbenzene	0	1 U ug/L
ML-7H	7/30/2007 13:22	Water	Ecotest Laboratories, Inc.	273288.1	EPA 8260	Styrene	0	1 U ug/L
ML-7H	7/30/2007 13:22	Water	Ecotest Laboratories, Inc.	273288.1	EPA 8260	trans-1,2-Dichloroethene	0	1 U ug/L
ML-7H	7/30/2007 13:22	Water	Ecotest Laboratories, Inc.	273288.1	EPA 8260	t 1,3 Dichloropropene	0	1 U ug/L
ML-7H	7/30/2007 13:22	Water	Ecotest Laboratories, Inc.	273288.1	EPA 8260	t butylmethyl ether	2	1 U ug/L
ML-7H	7/30/2007 13:22	Water	Ecotest Laboratories, Inc.	273288.1	EPA 8260	Benzene, (1,1-dimethylethyl)	0	1 U ug/L
ML-7H	7/30/2007 13:22	Water	Ecotest Laboratories, Inc.	273288.1	EPA 8260	Tetrachloroethene	0	1 U ug/L
ML-7H	7/30/2007 13:22	Water	Ecotest Laboratories, Inc.	273288.1	EPA 8260	Toluene	0	1 U ug/L
ML-7H	7/30/2007 13:22	Water	Ecotest Laboratories, Inc.	273288.1	EPA 8260	Trichlorethylene	0	1 U ug/L
ML-7H	7/30/2007 13:22	Water	Ecotest Laboratories, Inc.	273288.1	EPA 8260	Trichlorofluoromethane	0	1 U ug/L
ML-7H	7/30/2007 13:22	Water	Ecotest Laboratories, Inc.	273288.1	EPA 8260	Vinyl Chloride	0	1 U ug/L
ML-7H	7/30/2007 13:22	Water	Ecotest Laboratories, Inc.	273288.1	EPA 8260	Total BTEX	0	6 U ug/L

SOIL VAPOR ANALYSIS



2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2661 • www.lancasterlabs.com

Analysis Report

ANALYTICAL RESULTS

Prepared for:

Environmental Assessment & Rem
225 Atlantic Avenue
Patchogue NY 11772-5140

631-447-6400

Prepared by:

Lancaster Laboratories
2425 New Holland Pike
Lancaster, PA 17605-2425

SAMPLE GROUP

The sample group for this submittal is 1043807. Samples arrived at the laboratory on Friday, June 22, 2007.
The PO# for this group is 1-52-124.

<u>Client Description</u>			<u>Lancaster Labs Number</u>
Ambient Air Sample #1	Grab	Air	5087093
SG1A	Grab	Air	5087094
SG1B	Grab	Air	5087095
SG2A	Grab	Air	5087096
SG2B	Grab	Air	5087097
SG3A	Grab	Air	5087098
SG3B	Grab	Air	5087099
Ambient Air Sample #2	Grab	Air	5087100

1 COPY TO

Environmental Assessment & Rem

Attn: John Hofmann



Analysis Report

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2661 • www.lancasterlabs.com

Questions? Contact your Client Services Representative
Loran A Carter at (717) 656-2300

Respectfully Submitted,

A handwritten signature in black ink, appearing to read "R. H. Karam", followed by a horizontal line.

Richard H. Karam
Group Leader



Analysis Report

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Page 1 of 3

Lancaster Laboratories Sample No. AQ 5087093

Ambient Air Sample #1 Grab Air
Glaro-Hauppauge, NY
DUNS# COC: 0154045 Ambient #1

Collected: 06/19/2007 08:36 by BS
through 06/19/2007 09:36
Submitted: 06/22/2007 09:25
Reported: 07/12/2007 at 10:36
Discard: 09/11/2007

Account Number: 05936

Environmental Assessment & Rem
225 Atlantic Avenue
Patchogue NY 11772-5140

CAT No.	Analysis Name	CAS Number	As Received Final Result	MDL	Units	As Received Final Result	MDL	Units	DF
05298	TO 15 VOA Ext. List								
02076	tert-Butyl Alcohol	75-65-0	N.D.	0.61	ug/m3	N.D.	0.20	ppb (v)	1
07201	Propene	115-07-1	N.D.	0.34	ug/m3	N.D.	0.20	ppb (v)	1
07202	Dichlorodifluoromethane	75-71-8	2.5	J 0.99	ug/m3	0.51	J 0.20	ppb (v)	1
07203	Chlorodifluoromethane	75-45-6	1.0	J 0.71	ug/m3	0.29	J 0.20	ppb (v)	1
07204	Freon 114	76-14-2	N.D.	1.4	ug/m3	N.D.	0.20	ppb (v)	1
07205	Chloromethane	74-87-3	1.4	J 0.41	ug/m3	0.70	J 0.20	ppb (v)	1
07206	Vinyl Chloride	75-01-4	N.D.	0.51	ug/m3	N.D.	0.20	ppb (v)	1
07207	1,3-Butadiene	106-99-0	N.D.	1.1	ug/m3	N.D.	0.50	ppb (v)	1
07208	Bromomethane	74-83-9	N.D.	0.78	ug/m3	N.D.	0.20	ppb (v)	1
07209	Chloroethane	75-00-3	N.D.	0.53	ug/m3	N.D.	0.20	ppb (v)	1
07210	Dichlorofluoromethane	75-43-4	N.D.	0.84	ug/m3	N.D.	0.20	ppb (v)	1
07212	Trichlorofluoromethane	75-69-4	1.3	J 1.1	ug/m3	0.23	J 0.20	ppb (v)	1
07213	Pentane	109-66-0	N.D.	0.59	ug/m3	N.D.	0.20	ppb (v)	1
07214	Acrolein	107-02-8	N.D.	1.1	ug/m3	N.D.	0.50	ppb (v)	1
07215	1,1-Dichloroethene	75-35-4	N.D.	0.79	ug/m3	N.D.	0.20	ppb (v)	1
07216	Freon 113	76-13-1	N.D.	3.8	ug/m3	N.D.	0.50	ppb (v)	1
07217	Acetone	67-64-1	14.	1.2	ug/m3	5.8	0.50	ppb (v)	1
07218	Methyl Iodide	74-88-4	N.D.	1.2	ug/m3	N.D.	0.20	ppb (v)	1
07219	Carbon Disulfide	75-15-0	N.D.	0.62	ug/m3	N.D.	0.20	ppb (v)	1
07220	Acetonitrile	75-05-8	N.D.	0.84	ug/m3	N.D.	0.50	ppb (v)	1
07221	3-Chloropropene	107-05-1	N.D.	1.6	ug/m3	N.D.	0.50	ppb (v)	1
07222	Methylene Chloride	75-09-2	N.D.	0.69	ug/m3	N.D.	0.20	ppb (v)	1
07223	Acrylonitrile	107-13-1	N.D.	1.1	ug/m3	N.D.	0.50	ppb (v)	1
07224	trans-1,2-Dichloroethene	156-60-5	N.D.	0.79	ug/m3	N.D.	0.20	ppb (v)	1
07225	Methyl t-Butyl Ether	1634-04-4	N.D.	0.72	ug/m3	N.D.	0.20	ppb (v)	1
07226	Hexane	110-54-3	N.D.	0.70	ug/m3	N.D.	0.20	ppb (v)	1
07227	1,1-Dichloroethane	75-34-3	N.D.	0.81	ug/m3	N.D.	0.20	ppb (v)	1
07228	Vinyl Acetate	108-05-4	N.D.	0.70	ug/m3	N.D.	0.20	ppb (v)	1
07230	cis-1,2-Dichloroethene	156-59-2	N.D.	0.79	ug/m3	N.D.	0.20	ppb (v)	1
07231	2-Butanone	78-93-3	N.D.	1.5	ug/m3	N.D.	0.50	ppb (v)	1
07232	Ethyl Acetate	141-78-6	N.D.	0.72	ug/m3	N.D.	0.20	ppb (v)	1
07233	Methyl Acrylate	96-33-3	N.D.	0.70	ug/m3	N.D.	0.20	ppb (v)	1
07234	Chloroform	67-66-3	N.D.	0.98	ug/m3	N.D.	0.20	ppb (v)	1
07235	1,1,1-Trichloroethane	71-55-6	N.D.	1.1	ug/m3	N.D.	0.20	ppb (v)	1
07236	Carbon Tetrachloride	56-23-5	N.D.	1.3	ug/m3	N.D.	0.20	ppb (v)	1
07237	1,2-Dichloroethane	107-06-2	N.D.	0.81	ug/m3	N.D.	0.20	ppb (v)	1
07238	Benzene	71-43-2	0.77	J 0.64	ug/m3	0.24	J 0.20	ppb (v)	1



Analysis Report

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Page 2 of 3

Lancaster Laboratories Sample No. AQ 5087093

Ambient Air Sample #1 Grab Air
Glaro-Hauppauge, NY
DUNS# COC: 0154045 Ambient #1

Collected: 06/19/2007 08:36
through 06/19/2007 09:36
Submitted: 06/22/2007 09:25
Reported: 07/12/2007 at 10:36
Discard: 09/11/2007

by BS

Account Number: 05936

Environmental Assessment & Rem
225 Atlantic Avenue
Patchogue NY 11772-5140

CAT No.	Analysis Name	CAS Number	As Received Final		Units	As Received Final		Units	DF
			Result	MDL		Result	MDL		
07239	Isooctane	540-84-1	N.D.	0.93	ug/m3	N.D.	0.20	ppb (v)	1
07240	Heptane	142-82-5	N.D.	0.82	ug/m3	N.D.	0.20	ppb (v)	1
07241	Trichloroethene	79-01-6	N.D.	1.1	ug/m3	N.D.	0.20	ppb (v)	1
07242	Ethyl Acrylate	140-88-5	N.D.	0.82	ug/m3	N.D.	0.20	ppb (v)	1
07243	1,2-Dichloropropane	78-87-5	N.D.	0.92	ug/m3	N.D.	0.20	ppb (v)	1
07244	Methyl Methacrylate	80-62-6	N.D.	0.82	ug/m3	N.D.	0.20	ppb (v)	1
07245	Dibromomethane	74-95-3	N.D.	1.4	ug/m3	N.D.	0.20	ppb (v)	1
07246	1,4-Dioxane	123-91-1	N.D.	0.72	ug/m3	N.D.	0.20	ppb (v)	1
07247	Bromodichloromethane	75-27-4	N.D.	1.3	ug/m3	N.D.	0.20	ppb (v)	1
07248	cis-1,3-Dichloropropene	10061-01-5	N.D.	0.91	ug/m3	N.D.	0.20	ppb (v)	1
07249	4-Methyl-2-Pentanone	108-10-1	N.D.	2.0	ug/m3	N.D.	0.50	ppb (v)	1
07250	Toluene	108-88-3	2.7 J	0.75	ug/m3	0.71 J	0.20	ppb (v)	1
07251	Octane	111-65-9	N.D.	0.93	ug/m3	N.D.	0.20	ppb (v)	1
07252	trans-1,3-Dichloropropene	10061-02-6	N.D.	0.91	ug/m3	N.D.	0.20	ppb (v)	1
07253	Ethyl Methacrylate	97-63-2	N.D.	0.93	ug/m3	N.D.	0.20	ppb (v)	1
07254	1,1,2-Trichloroethane	79-00-5	N.D.	1.1	ug/m3	N.D.	0.20	ppb (v)	1
07255	Tetrachloroethene	127-18-4	N.D.	1.4	ug/m3	N.D.	0.20	ppb (v)	1
07256	2-Hexanone	591-78-6	N.D.	2.0	ug/m3	N.D.	0.50	ppb (v)	1
07257	Dibromochloromethane	124-48-1	N.D.	1.7	ug/m3	N.D.	0.20	ppb (v)	1
07258	1,2-Dibromoethane	106-93-4	N.D.	1.5	ug/m3	N.D.	0.20	ppb (v)	1
07259	Chlorobenzene	108-90-7	N.D.	0.92	ug/m3	N.D.	0.20	ppb (v)	1
07260	1,1,1,2-Tetrachloroethane	630-20-6	N.D.	1.4	ug/m3	N.D.	0.20	ppb (v)	1
07261	Ethylbenzene	100-41-4	0.96 J	0.87	ug/m3	0.22 J	0.20	ppb (v)	1
07262	m/p-Xylene	1330-20-7	4.3	0.87	ug/m3	1.0	0.20	ppb (v)	1
07263	o-Xylene	95-47-6	1.9 J	0.87	ug/m3	0.44 J	0.20	ppb (v)	1
07264	Styrene	100-42-5	N.D.	0.85	ug/m3	N.D.	0.20	ppb (v)	1
07265	Bromoform	75-25-2	N.D.	2.1	ug/m3	N.D.	0.20	ppb (v)	1
07266	Cumene	98-82-8	N.D.	0.98	ug/m3	N.D.	0.20	ppb (v)	1
07267	1,1,2,2-Tetrachloroethane	79-34-5	N.D.	1.4	ug/m3	N.D.	0.20	ppb (v)	1
07268	1,2,3-Trichloropropane	96-18-4	N.D.	1.2	ug/m3	N.D.	0.20	ppb (v)	1
07269	Bromobenzene	108-86-1	N.D.	1.3	ug/m3	N.D.	0.20	ppb (v)	1
07270	4-Ethyltoluene	622-96-8	1.1 J	0.98	ug/m3	0.22 J	0.20	ppb (v)	1
07271	1,3,5-Trimethylbenzene	108-67-8	N.D.	0.98	ug/m3	N.D.	0.20	ppb (v)	1
07272	Alpha Methyl Styrene	98-83-9	N.D.	0.97	ug/m3	N.D.	0.20	ppb (v)	1
07273	1,2,4-Trimethylbenzene	95-63-6	2.5 J	0.98	ug/m3	0.50 J	0.20	ppb (v)	1
07274	1,3-Dichlorobenzene	541-73-1	N.D.	1.2	ug/m3	N.D.	0.20	ppb (v)	1
07275	1,4-Dichlorobenzene	106-46-7	N.D.	1.2	ug/m3	N.D.	0.20	ppb (v)	1
07277	1,2-Dichlorobenzene	95-50-1	N.D.	1.2	ug/m3	N.D.	0.20	ppb (v)	1
07278	Hexachloroethane	67-72-1	N.D.	1.9	ug/m3	N.D.	0.20	ppb (v)	1
07279	1,2,4-Trichlorobenzene	120-82-1	N.D.	3.7	ug/m3	N.D.	0.50	ppb (v)	1



Analysis Report

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Page 3 of 3

Lancaster Laboratories Sample No. AQ 5087093

Ambient Air Sample #1 Grab Air
Glaro-Hauppauge, NY
DUNS# COC: 0154045 Ambient #1

Collected: 06/19/2007 08:36 by BS
through 06/19/2007 09:36
Submitted: 06/22/2007 09:25
Reported: 07/12/2007 at 10:36
Discard: 09/11/2007

Account Number: 05936

Environmental Assessment & Rem
225 Atlantic Avenue
Patchogue NY 11772-5140

CAT	Analysis Name	CAS Number	As Received Final Result	MDL	Units	As Received Final Result	MDL	Units	DF
No.									
07280	Hexachlorobutadiene	87-68-3	N.D.	5.3	ug/m3	N.D.	0.50	ppb(v)	1
A targeted library search was performed for SF6. SF6 was not detected in the targeted library search of this sample.									

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

MDL = Method Detection Limit

Laboratory Chronicle

CAT	Analysis Name	Method	Trial#	Analysis Date and Time	Analyst	Dilution Factor
No.						
05298	TO 15 VOA Ext. List	EPA TO-15	1	07/02/2007 18:08	Fanella S Zamcho	1



Analysis Report

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Page 1 of 3

Lancaster Laboratories Sample No. AQ 5087094

SG1A Grab Air
Glaro-Hauppauge, NY
DUNS# COC: 0154045 SG1A

Collected: 06/19/2007 10:13 by BS
through 06/19/2007 11:13
Submitted: 06/22/2007 09:25
Reported: 07/12/2007 at 10:36
Discard: 09/11/2007

Account Number: 05936

Environmental Assessment & Rem
225 Atlantic Avenue
Patchogue NY 11772-5140

CAT No.	Analysis Name	CAS Number	As Received Final Result	MDL	Units	As Received Final Result	MDL	Units	DF
05298	TO 15 VOA Ext. List								
02076	tert-Butyl Alcohol	75-65-0	15.	0.73	ug/m3	5.1	0.24	ppb (v)	1.2
07201	Propene	115-07-1	N.D.	0.41	ug/m3	N.D.	0.24	ppb (v)	1.2
07202	Dichlorodifluoromethane	75-71-8	15.	1.2	ug/m3	3.0	0.24	ppb (v)	1.2
07203	Chlorodifluoromethane	75-45-6	5.9	0.85	ug/m3	1.7	0.24	ppb (v)	1.2
07204	Freon 114	76-14-2	N.D.	1.7	ug/m3	N.D.	0.24	ppb (v)	1.2
07205	Chloromethane	74-87-3	10.	0.50	ug/m3	4.9	0.24	ppb (v)	1.2
07206	Vinyl Chloride	75-01-4	N.D.	0.61	ug/m3	N.D.	0.24	ppb (v)	1.2
07207	1,3-Butadiene	106-99-0	23.	1.3	ug/m3	10.	0.60	ppb (v)	1.2
07208	Bromomethane	74-83-9	N.D.	0.93	ug/m3	N.D.	0.24	ppb (v)	1.2
07209	Chloroethane	75-00-3	2.6	J 0.63	ug/m3	0.97	J 0.24	ppb (v)	1.2
07210	Dichlorofluoromethane	75-43-4	3.1	J 1.0	ug/m3	0.73	J 0.24	ppb (v)	1.2
07212	Trichlorofluoromethane	75-69-4	6.0	J 1.3	ug/m3	1.1	J 0.24	ppb (v)	1.2
07213	Pentane	109-66-0	60.	0.71	ug/m3	20.	0.24	ppb (v)	1.2
07214	Acrolein	107-02-8	N.D.	1.4	ug/m3	N.D.	0.60	ppb (v)	1.2
07215	1,1-Dichloroethene	75-35-4	180.	9.5	ug/m3	46.	2.4	ppb (v)	12
07216	Freon 113	76-13-1	N.D.	4.6	ug/m3	N.D.	0.60	ppb (v)	1.2
07217	Acetone	67-64-1	680.	14.	ug/m3	280.	6.0	ppb (v)	12
07218	Methyl Iodide	74-88-4	N.D.	1.4	ug/m3	N.D.	0.24	ppb (v)	1.2
07219	Carbon Disulfide	75-15-0	3.0	J 0.75	ug/m3	0.97	J 0.24	ppb (v)	1.2
07220	Acetonitrile	75-05-8	N.D.	1.0	ug/m3	N.D.	0.60	ppb (v)	1.2
07221	3-Chloropropene	107-05-1	N.D.	1.9	ug/m3	N.D.	0.60	ppb (v)	1.2
07222	Methylene Chloride	75-09-2	2.4	J 0.83	ug/m3	0.68	J 0.24	ppb (v)	1.2
07223	Acrylonitrile	107-13-1	N.D.	1.3	ug/m3	N.D.	0.60	ppb (v)	1.2
07224	trans-1,2-Dichloroethene	156-60-5	N.D.	0.95	ug/m3	N.D.	0.24	ppb (v)	1.2
07225	Methyl t-Butyl Ether	1634-04-4	N.D.	0.87	ug/m3	N.D.	0.24	ppb (v)	1.2
07226	Hexane	110-54-3	11.	0.85	ug/m3	3.1	0.24	ppb (v)	1.2
07227	1,1-Dichloroethane	75-34-3	3.6	J 0.97	ug/m3	0.89	J 0.24	ppb (v)	1.2
07228	Vinyl Acetate	108-05-4	N.D.	0.85	ug/m3	N.D.	0.24	ppb (v)	1.2
07230	cis-1,2-Dichloroethene	156-59-2	18.	0.95	ug/m3	4.4	0.24	ppb (v)	1.2
07231	2-Butanone	78-93-3	18.	1.8	ug/m3	6.1	0.60	ppb (v)	1.2
07232	Ethyl Acetate	141-78-6	N.D.	0.86	ug/m3	N.D.	0.24	ppb (v)	1.2
07233	Methyl Acrylate	96-33-3	N.D.	0.85	ug/m3	N.D.	0.24	ppb (v)	1.2
07234	Chloroform	67-66-3	N.D.	1.2	ug/m3	N.D.	0.24	ppb (v)	1.2
07235	1,1,1-Trichloroethane	71-55-6	490.	13.	ug/m3	89.	2.4	ppb (v)	12
07236	Carbon Tetrachloride	56-23-5	N.D.	1.5	ug/m3	N.D.	0.24	ppb (v)	1.2
07237	1,2-Dichloroethane	107-06-2	N.D.	0.97	ug/m3	N.D.	0.24	ppb (v)	1.2
07238	Benzene	71-43-2	3.5	J 0.77	ug/m3	1.1	J 0.24	ppb (v)	1.2



Analysis Report

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Page 2 of 3

Lancaster Laboratories Sample No. AQ 5087094

SG1A Grab Air
Glaro-Hauppauge, NY
DUNS# COC: 0154045 SG1A

Collected: 06/19/2007 10:13
through 06/19/2007 11:13
Submitted: 06/22/2007 09:25
Reported: 07/12/2007 at 10:36
Discard: 09/11/2007

by BS

Account Number: 05936

Environmental Assessment & Rem
225 Atlantic Avenue
Patchogue NY 11772-5140

CAT No.	Analysis Name	CAS Number	As Received Final			As Received Final			Units	DF
			Result	MDL	Units	Result	MDL	Units		
07239	Isooctane	540-84-1	84.	1.1	ug/m3	18.	0.24	ppb (v)	1.2	
07240	Heptane	142-82-5	5.3	0.98	ug/m3	1.3	0.24	ppb (v)	1.2	
07241	Trichloroethene	79-01-6	7.4	1.3	ug/m3	1.4	0.24	ppb (v)	1.2	
07242	Ethyl Acrylate	140-88-5	N.D.	0.98	ug/m3	N.D.	0.24	ppb (v)	1.2	
07243	1,2-Dichloropropane	78-87-5	N.D.	1.1	ug/m3	N.D.	0.24	ppb (v)	1.2	
07244	Methyl Methacrylate	80-62-6	N.D.	0.98	ug/m3	N.D.	0.24	ppb (v)	1.2	
07245	Dibromomethane	74-95-3	N.D.	1.7	ug/m3	N.D.	0.24	ppb (v)	1.2	
07246	1,4-Dioxane	123-91-1	N.D.	0.86	ug/m3	N.D.	0.24	ppb (v)	1.2	
07247	Bromodichloromethane	75-27-4	N.D.	1.6	ug/m3	N.D.	0.24	ppb (v)	1.2	
07248	cis-1,3-Dichloropropene	10061-01-5	N.D.	1.1	ug/m3	N.D.	0.24	ppb (v)	1.2	
07249	4-Methyl-2-Pentanone	108-10-1	N.D.	2.5	ug/m3	N.D.	0.60	ppb (v)	1.2	
07250	Toluene	108-88-3	54.	0.90	ug/m3	14.	0.24	ppb (v)	1.2	
07251	Octane	111-65-9	3.1	J 1.1	ug/m3	0.66	J 0.24	ppb (v)	1.2	
07252	trans-1,3-Dichloropropene	10061-02-6	N.D.	1.1	ug/m3	N.D.	0.24	ppb (v)	1.2	
07253	Ethyl Methacrylate	97-63-2	N.D.	1.1	ug/m3	N.D.	0.24	ppb (v)	1.2	
07254	1,1,2-Trichloroethane	79-00-5	N.D.	1.3	ug/m3	N.D.	0.24	ppb (v)	1.2	
07255	Tetrachloroethene	127-18-4	N.D.	1.6	ug/m3	N.D.	0.24	ppb (v)	1.2	
07256	2-Hexanone	591-78-6	N.D.	2.5	ug/m3	N.D.	0.60	ppb (v)	1.2	
07257	Dibromochloromethane	124-48-1	N.D.	2.0	ug/m3	N.D.	0.24	ppb (v)	1.2	
07258	1,2-Dibromoethane	106-93-4	N.D.	1.8	ug/m3	N.D.	0.24	ppb (v)	1.2	
07259	Chlorobenzene	108-90-7	N.D.	1.1	ug/m3	N.D.	0.24	ppb (v)	1.2	
07260	1,1,1,2-Tetrachloroethane	630-20-6	N.D.	1.6	ug/m3	N.D.	0.24	ppb (v)	1.2	
07261	Ethylbenzene	100-41-4	1.9	J 1.0	ug/m3	0.44	J 0.24	ppb (v)	1.2	
07262	m/p-Xylene	1330-20-7	5.9	1.0	ug/m3	1.4	0.24	ppb (v)	1.2	
07263	o-Xylene	95-47-6	2.6	J 1.0	ug/m3	0.61	J 0.24	ppb (v)	1.2	
07264	Styrene	100-42-5	63.	1.0	ug/m3	15.	0.24	ppb (v)	1.2	
07265	Bromoform	75-25-2	N.D.	2.5	ug/m3	N.D.	0.24	ppb (v)	1.2	
07266	Cumene	98-82-8	N.D.	1.2	ug/m3	N.D.	0.24	ppb (v)	1.2	
07267	1,1,2,2-Tetrachloroethane	79-34-5	N.D.	1.6	ug/m3	N.D.	0.24	ppb (v)	1.2	
07268	1,2,3-Trichloropropane	96-18-4	N.D.	1.4	ug/m3	N.D.	0.24	ppb (v)	1.2	
07269	Bromobenzene	108-86-1	N.D.	1.5	ug/m3	N.D.	0.24	ppb (v)	1.2	
07270	4-Ethyltoluene	622-96-8	2.2	J 1.2	ug/m3	0.44	J 0.24	ppb (v)	1.2	
07271	1,3,5-Trimethylbenzene	108-67-8	N.D.	1.2	ug/m3	N.D.	0.24	ppb (v)	1.2	
07272	Alpha Methyl Styrene	98-83-9	N.D.	1.2	ug/m3	N.D.	0.24	ppb (v)	1.2	
07273	1,2,4-Trimethylbenzene	95-63-6	2.3	J 1.2	ug/m3	0.47	J 0.24	ppb (v)	1.2	
07274	1,3-Dichlorobenzene	541-73-1	8.7	1.4	ug/m3	1.4	0.24	ppb (v)	1.2	
07275	1,4-Dichlorobenzene	106-46-7	N.D.	1.4	ug/m3	N.D.	0.24	ppb (v)	1.2	
07277	1,2-Dichlorobenzene	95-50-1	N.D.	1.4	ug/m3	N.D.	0.24	ppb (v)	1.2	
07278	Hexachloroethane	67-72-1	N.D.	2.3	ug/m3	N.D.	0.24	ppb (v)	1.2	
07279	1,2,4-Trichlorobenzene	120-82-1	N.D.	4.5	ug/m3	N.D.	0.60	ppb (v)	1.2	

Lancaster Laboratories Sample No. AQ 5087094

SG1A Grab Air
Glaro-Hauppauge, NY
DUNS# COC: 0154045 SG1A

Collected: 06/19/2007 10:13 by BS
through 06/19/2007 11:13
Submitted: 06/22/2007 09:25
Reported: 07/12/2007 at 10:36
Discard: 09/11/2007

Account Number: 05936

Environmental Assessment & Rem
225 Atlantic Avenue
Patchogue NY 11772-5140

CAT No.	Analysis Name	CAS Number	As Received Final Result	MDL	Units	As Received Final Result	MDL	Units	DF
07280	Hexachlorobutadiene	87-68-3	N.D.	6.4	ug/m3	N.D.	0.60	ppb (v)	1.2

A targeted library search was performed for SF6. SF6 was not detected in the targeted library search of this sample.

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

IDL = Method Detection Limit

Laboratory Chronicle

CAT No.	Analysis Name	Method	Trial#	Analysis Date and Time	Analyst	Dilution Factor
05298	TO 15 VOA Ext. List	EPA TO-15	1	07/02/2007 18:48	Fanella S Zamcho	12
05298	TO 15 VOA Ext. List	EPA TO-15	1	07/02/2007 19:38	Fanella S Zamcho	1.2



Analysis Report

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Page 1 of 3

Lancaster Laboratories Sample No. AQ 5087095

SG1B Grab Air
Glaro-Hauppauge, NY
DUNS# COC: 0154045 SG1B

Collected: 06/19/2007 13:10 by BS
through 06/19/2007 14:10
Submitted: 06/22/2007 09:25
Reported: 07/12/2007 at 10:36
Discard: 09/11/2007

Account Number: 05936

Environmental Assessment & Rem
225 Atlantic Avenue
Patchogue NY 11772-5140

CAT No.	Analysis Name	CAS Number	As Received Final Result	MDL	Units	As Received Final Result	MDL	Units	DF
05298	TO 15 VOA Ext. List								
02076	tert-Butyl Alcohol	75-65-0	N.D.	18.	ug/m3	N.D.	6.0	ppb (v)	30
07201	Propene	115-07-1	N.D.	10.	ug/m3	N.D.	6.0	ppb (v)	30
07202	Dichlorodifluoromethane	75-71-8	N.D.	30.	ug/m3	N.D.	6.0	ppb (v)	30
07203	Chlorodifluoromethane	75-45-6	N.D.	21.	ug/m3	N.D.	6.0	ppb (v)	30
07204	Freon 114	76-14-2	N.D.	42.	ug/m3	N.D.	6.0	ppb (v)	30
07205	Chloromethane	74-87-3	18. J	12.	ug/m3	8.7 J	6.0	ppb (v)	30
07206	Vinyl Chloride	75-01-4	N.D.	15.	ug/m3	N.D.	6.0	ppb (v)	30
07207	1,3-Butadiene	106-99-0	N.D.	33.	ug/m3	N.D.	15.	ppb (v)	30
07208	Bromomethane	74-83-9	N.D.	23.	ug/m3	N.D.	6.0	ppb (v)	30
07209	Chloroethane	75-00-3	N.D.	16.	ug/m3	N.D.	6.0	ppb (v)	30
07210	Dichlorofluoromethane	75-43-4	N.D.	25.	ug/m3	N.D.	6.0	ppb (v)	30
07212	Trichlorofluoromethane	75-69-4	N.D.	34.	ug/m3	N.D.	6.0	ppb (v)	30
07213	Pentane	109-66-0	N.D.	18.	ug/m3	N.D.	6.0	ppb (v)	30
07214	Acrolein	107-02-8	N.D.	34.	ug/m3	N.D.	15.	ppb (v)	30
07215	1,1-Dichloroethene	75-35-4	N.D.	24.	ug/m3	N.D.	6.0	ppb (v)	30
07216	Freon 113	76-13-1	N.D.	110.	ug/m3	N.D.	15.	ppb (v)	30
07217	Acetone	67-64-1	130. J	36.	ug/m3	56. J	15.	ppb (v)	30
07218	Methyl Iodide	74-88-4	N.D.	35.	ug/m3	N.D.	6.0	ppb (v)	30
07219	Carbon Disulfide	75-15-0	N.D.	19.	ug/m3	N.D.	6.0	ppb (v)	30
07220	Acetonitrile	75-05-8	N.D.	25.	ug/m3	N.D.	15.	ppb (v)	30
07221	3-Chloropropene	107-05-1	N.D.	47.	ug/m3	N.D.	15.	ppb (v)	30
07222	Methylene Chloride	75-09-2	53. J	21.	ug/m3	15. J	6.0	ppb (v)	30
07223	Acrylonitrile	107-13-1	N.D.	33.	ug/m3	N.D.	15.	ppb (v)	30
07224	trans-1,2-Dichloroethene	156-60-5	N.D.	24.	ug/m3	N.D.	6.0	ppb (v)	30
07225	Methyl t-Butyl Ether	1634-04-4	N.D.	22.	ug/m3	N.D.	6.0	ppb (v)	30
07226	Hexane	110-54-3	N.D.	21.	ug/m3	N.D.	6.0	ppb (v)	30
07227	1,1-Dichloroethane	75-34-3	N.D.	24.	ug/m3	N.D.	6.0	ppb (v)	30
07228	Vinyl Acetate	108-05-4	N.D.	21.	ug/m3	N.D.	6.0	ppb (v)	30
07230	cis-1,2-Dichloroethene	156-59-2	N.D.	24.	ug/m3	N.D.	6.0	ppb (v)	30
07231	2-Butanone	78-93-3	N.D.	44.	ug/m3	N.D.	15.	ppb (v)	30
07232	Ethyl Acetate	141-78-6	N.D.	22.	ug/m3	N.D.	6.0	ppb (v)	30
07233	Methyl Acrylate	96-33-3	N.D.	21.	ug/m3	N.D.	6.0	ppb (v)	30
07234	Chloroform	67-66-3	N.D.	29.	ug/m3	N.D.	6.0	ppb (v)	30
07235	1,1,1-Trichloroethane	71-55-6	N.D.	33.	ug/m3	N.D.	6.0	ppb (v)	30
07236	Carbon Tetrachloride	56-23-5	N.D.	38.	ug/m3	N.D.	6.0	ppb (v)	30



Analysis Report

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Page 2 of 3

Lancaster Laboratories Sample No. AQ 5087095

SG1B Grab Air
Glaro-Hauppauge, NY
DUNS# COC: 0154045 SG1B

Collected: 06/19/2007 13:10 by BS
through 06/19/2007 14:10
Submitted: 06/22/2007 09:25
Reported: 07/12/2007 at 10:36
Discard: 09/11/2007

Account Number: 05936

Environmental Assessment & Rem
225 Atlantic Avenue
Patchogue NY 11772-5140

CAT No.	Analysis Name	CAS Number	As Received Final	MDL	Units	As Received Final	MDL	Units	DF
			Result			Result			
07237	1,2-Dichloroethane	107-06-2	N.D.	24.	ug/m3	N.D.	6.0	ppb (v)	30
07238	Benzene	71-43-2	N.D.	19.	ug/m3	N.D.	6.0	ppb (v)	30
07239	Isooctane	540-84-1	N.D.	28.	ug/m3	N.D.	6.0	ppb (v)	30
07240	Heptane	142-82-5	N.D.	25.	ug/m3	N.D.	6.0	ppb (v)	30
07241	Trichloroethene	79-01-6	N.D.	32.	ug/m3	N.D.	6.0	ppb (v)	30
07242	Ethyl Acrylate	140-88-5	N.D.	25.	ug/m3	N.D.	6.0	ppb (v)	30
07243	1,2-Dichloropropane	78-87-5	N.D.	28.	ug/m3	N.D.	6.0	ppb (v)	30
07244	Methyl Methacrylate	80-62-6	N.D.	25.	ug/m3	N.D.	6.0	ppb (v)	30
07245	Dibromomethane	74-95-3	N.D.	43.	ug/m3	N.D.	6.0	ppb (v)	30
07246	1,4-Dioxane	123-91-1	N.D.	22.	ug/m3	N.D.	6.0	ppb (v)	30
07247	Bromodichloromethane	75-27-4	N.D.	40.	ug/m3	N.D.	6.0	ppb (v)	30
07248	cis-1,3-Dichloropropene	10061-01-5	N.D.	27.	ug/m3	N.D.	6.0	ppb (v)	30
07249	4-Methyl-2-Pentanone	108-10-1	N.D.	61.	ug/m3	N.D.	15.	ppb (v)	30
07250	Toluene	108-88-3	N.D.	23.	ug/m3	N.D.	6.0	ppb (v)	30
07251	Octane	111-65-9	N.D.	28.	ug/m3	N.D.	6.0	ppb (v)	30
07252	trans-1,3-Dichloropropene	10061-02-6	N.D.	27.	ug/m3	N.D.	6.0	ppb (v)	30
07253	Ethyl Methacrylate	97-63-2	N.D.	28.	ug/m3	N.D.	6.0	ppb (v)	30
07254	1,1,2-Trichloroethane	79-00-5	N.D.	33.	ug/m3	N.D.	6.0	ppb (v)	30
07255	Tetrachloroethene	127-18-4	N.D.	41.	ug/m3	N.D.	6.0	ppb (v)	30
07256	2-Hexanone	591-78-6	N.D.	61.	ug/m3	N.D.	15.	ppb (v)	30
07257	Dibromochloromethane	124-48-1	N.D.	51.	ug/m3	N.D.	6.0	ppb (v)	30
07258	1,2-Dibromoethane	106-93-4	N.D.	46.	ug/m3	N.D.	6.0	ppb (v)	30
07259	Chlorobenzene	108-90-7	N.D.	28.	ug/m3	N.D.	6.0	ppb (v)	30
07260	1,1,1,2-Tetrachloroethane	630-20-6	N.D.	41.	ug/m3	N.D.	6.0	ppb (v)	30
07261	Ethylbenzene	100-41-4	N.D.	26.	ug/m3	N.D.	6.0	ppb (v)	30
07262	m/p-Xylene	1330-20-7	N.D.	26.	ug/m3	N.D.	6.0	ppb (v)	30
07263	o-Xylene	95-47-6	N.D.	26.	ug/m3	N.D.	6.0	ppb (v)	30
07264	Styrene	100-42-5	N.D.	26.	ug/m3	N.D.	6.0	ppb (v)	30
07265	Bromoform	75-25-2	N.D.	62.	ug/m3	N.D.	6.0	ppb (v)	30
07266	Cumene	98-82-8	N.D.	29.	ug/m3	N.D.	6.0	ppb (v)	30
07267	1,1,2,2-Tetrachloroethane	79-34-5	N.D.	41.	ug/m3	N.D.	6.0	ppb (v)	30
07268	1,2,3-Trichloropropane	96-18-4	N.D.	36.	ug/m3	N.D.	6.0	ppb (v)	30
07269	Bromobenzene	108-86-1	N.D.	39.	ug/m3	N.D.	6.0	ppb (v)	30
07270	4-Ethyltoluene	622-96-8	N.D.	29.	ug/m3	N.D.	6.0	ppb (v)	30
07271	1,3,5-Trimethylbenzene	108-67-8	N.D.	29.	ug/m3	N.D.	6.0	ppb (v)	30
07272	Alpha Methyl Styrene	98-83-9	N.D.	29.	ug/m3	N.D.	6.0	ppb (v)	30
07273	1,2,4-Trimethylbenzene	95-63-6	N.D.	29.	ug/m3	N.D.	6.0	ppb (v)	30
07274	1,3-Dichlorobenzene	541-73-1	N.D.	36.	ug/m3	N.D.	6.0	ppb (v)	30
07275	1,4-Dichlorobenzene	106-46-7	N.D.	36.	ug/m3	N.D.	6.0	ppb (v)	30
07277	1,2-Dichlorobenzene	95-50-1	N.D.	36.	ug/m3	N.D.	6.0	ppb (v)	30



Analysis Report

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Page 3 of 3

Lancaster Laboratories Sample No. AQ 5087095

SG1B Grab Air
Glaro-Hauppage, NY
DUNS# COC: 0154045 SG1B

Collected: 06/19/2007 13:10 by BS
through 06/19/2007 14:10
Submitted: 06/22/2007 09:25
Reported: 07/12/2007 at 10:36
Discard: 09/11/2007

Account Number: 05936

Environmental Assessment & Rem
225 Atlantic Avenue
Patchogue NY 11772-5140

CAT No.	Analysis Name	CAS Number	As Received	MDL	Units	As Received	MDL	Units	DF
			Final Result			Final Result			
07278	Hexachloroethane	67-72-1	N.D.	58.	ug/m3	N.D.	6.0	ppb(v)	30
07279	1,2,4-Trichlorobenzene	120-82-1	N.D.	110.	ug/m3	N.D.	15.	ppb(v)	30
07280	Hexachlorobutadiene	87-68-3	N.D.	160.	ug/m3	N.D.	15.	ppb(v)	30

A targeted library search was performed for SF6. SF6 was not detected in the targeted library search of this sample.

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

MDL = Method Detection Limit

Laboratory Chronicle

CAT No.	Analysis Name	Method	Analysis		Analyst	Dilution Factor
			Trial#	Date and Time		
05298	TO 15 VOA Ext. List	EPA TO-15	1	07/02/2007 22:45	Fanella S Zamcho	30

Lancaster Laboratories Sample No. AQ 5087096

SG2A Grab Air
Glaro-Haupauge, NY
DUNS# COC: 0154045 SG2A

Collected: 06/19/2007 16:37 by BS
through 06/19/2007 17:37
Submitted: 06/22/2007 09:25
Reported: 07/12/2007 at 10:36
Discard: 09/11/2007

Account Number: 05936

Environmental Assessment & Rem
225 Atlantic Avenue
Patchogue NY 11772-5140

CAT No.	Analysis Name	CAS Number	As Received Final Result	MDL	Units	As Received Final Result	MDL	Units	DF
05298	TO 15 VOA Ext. List								
02076	tert-Butyl Alcohol	75-65-0	7.1	0.61	ug/m3	2.3	0.20	ppb (v)	1
07201	Propene	115-07-1	N.D.	0.34	ug/m3	N.D.	0.20	ppb (v)	1
07202	Dichlorodifluoromethane	75-71-8	2.5	J 0.99	ug/m3	0.50	J 0.20	ppb (v)	1
07203	Chlorodifluoromethane	75-45-6	2.0	J 0.71	ug/m3	0.56	J 0.20	ppb (v)	1
07204	Freon 114	76-14-2	N.D.	1.4	ug/m3	N.D.	0.20	ppb (v)	1
07205	Chloromethane	74-87-3	1.1	J 0.41	ug/m3	0.54	J 0.20	ppb (v)	1
07206	Vinyl Chloride	75-01-4	N.D.	0.51	ug/m3	N.D.	0.20	ppb (v)	1
07207	1,3-Butadiene	106-99-0	5.5	1.1	ug/m3	2.5	0.50	ppb (v)	1
07208	Bromomethane	74-83-9	N.D.	0.78	ug/m3	N.D.	0.20	ppb (v)	1
07209	Chloroethane	75-00-3	N.D.	0.53	ug/m3	N.D.	0.20	ppb (v)	1
07210	Dichlorofluoromethane	75-43-4	1.1	J 0.84	ug/m3	0.27	J 0.20	ppb (v)	1
07212	Trichlorofluoromethane	75-69-4	1.6	J 1.1	ug/m3	0.29	J 0.20	ppb (v)	1
07213	Pentane	109-66-0	21.	0.59	ug/m3	7.1	0.20	ppb (v)	1
07214	Acrolein	107-02-8	N.D.	1.1	ug/m3	N.D.	0.50	ppb (v)	1
07215	1,1-Dichloroethene	75-35-4	57.	0.79	ug/m3	14.	0.20	ppb (v)	1
07216	Freon 113	76-13-1	N.D.	3.8	ug/m3	N.D.	0.50	ppb (v)	1
07217	Acetone	67-64-1	330.	12.	ug/m3	140.	5.0	ppb (v)	10
07218	Methyl Iodide	74-88-4	N.D.	1.2	ug/m3	N.D.	0.20	ppb (v)	1
07219	Carbon Disulfide	75-15-0	2.3	J 0.62	ug/m3	0.73	J 0.20	ppb (v)	1
07220	Acetonitrile	75-05-8	N.D.	0.84	ug/m3	N.D.	0.50	ppb (v)	1
07221	3-Chloropropene	107-05-1	N.D.	1.6	ug/m3	N.D.	0.50	ppb (v)	1
07222	Methylene Chloride	75-09-2	28.	0.69	ug/m3	8.0	0.20	ppb (v)	1
07223	Acrylonitrile	107-13-1	N.D.	1.1	ug/m3	N.D.	0.50	ppb (v)	1
07224	trans-1,2-Dichloroethene	156-60-5	19.	0.79	ug/m3	4.7	0.20	ppb (v)	1
07225	Methyl t-Butyl Ether	1634-04-4	N.D.	0.72	ug/m3	N.D.	0.20	ppb (v)	1
07226	Hexane	110-54-3	9.1	0.70	ug/m3	2.6	0.20	ppb (v)	1
07227	1,1-Dichloroethane	75-34-3	N.D.	0.81	ug/m3	N.D.	0.20	ppb (v)	1
07228	Vinyl Acetate	108-05-4	N.D.	0.70	ug/m3	N.D.	0.20	ppb (v)	1
07230	cis-1,2-Dichloroethene	156-59-2	29.	0.79	ug/m3	7.4	0.20	ppb (v)	1
07231	2-Butanone	78-93-3	N.D.	1.5	ug/m3	N.D.	0.50	ppb (v)	1
07232	Ethyl Acetate	141-78-6	N.D.	0.72	ug/m3	N.D.	0.20	ppb (v)	1
07233	Methyl Acrylate	96-33-3	N.D.	0.70	ug/m3	N.D.	0.20	ppb (v)	1
07234	Chloroform	67-66-3	8.7	0.98	ug/m3	1.8	0.20	ppb (v)	1
07235	1,1,1-Trichloroethane	71-55-6	1,000.	11.	ug/m3	180.	2.0	ppb (v)	10
07236	Carbon Tetrachloride	56-23-5	N.D.	1.3	ug/m3	N.D.	0.20	ppb (v)	1
07237	1,2-Dichloroethane	107-06-2	N.D.	0.81	ug/m3	N.D.	0.20	ppb (v)	1
07238	Benzene	71-43-2	3.4	0.64	ug/m3	1.1	0.20	ppb (v)	1



Analysis Report

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Page 2 of 3

Lancaster Laboratories Sample No. AQ 5087096

SG2A Grab Air
Glaro-Hauppauge, NY
DUNS# COC: 0154045 SG2A

Collected: 06/19/2007 16:37 by BS
through 06/19/2007 17:37
Submitted: 06/22/2007 09:25
Reported: 07/12/2007 at 10:36
Discard: 09/11/2007

Account Number: 05936

Environmental Assessment & Rem
225 Atlantic Avenue
Patchogue NY 11772-5140

CAT No.	Analysis Name	CAS Number	As Received Final	MDL	Units	As Received Final	MDL	Units	DF
			Result			Result			
07239	Isooctane	540-84-1	79.	0.93	ug/m3	17.	0.20	ppb (v)	1
07240	Heptane	142-82-5	7.1	0.82	ug/m3	1.7	0.20	ppb (v)	1
07241	Trichloroethene	79-01-6	1,100.	11.	ug/m3	200.	2.0	ppb (v)	10
07242	Ethyl Acrylate	140-88-5	N.D.	0.82	ug/m3	N.D.	0.20	ppb (v)	1
07243	1,2-Dichloropropane	78-87-5	N.D.	0.92	ug/m3	N.D.	0.20	ppb (v)	1
07244	Methyl Methacrylate	80-62-6	N.D.	0.82	ug/m3	N.D.	0.20	ppb (v)	1
07245	Dibromomethane	74-95-3	N.D.	1.4	ug/m3	N.D.	0.20	ppb (v)	1
07246	1,4-Dioxane	123-91-1	N.D.	0.72	ug/m3	N.D.	0.20	ppb (v)	1
07247	Bromodichloromethane	75-27-4	N.D.	1.3	ug/m3	N.D.	0.20	ppb (v)	1
07248	cis-1,3-Dichloropropene	10061-01-5	N.D.	0.91	ug/m3	N.D.	0.20	ppb (v)	1
07249	4-Methyl-2-Pentanone	108-10-1	N.D.	2.0	ug/m3	N.D.	0.50	ppb (v)	1
07250	Toluene	108-88-3	7.2	0.75	ug/m3	1.9	0.20	ppb (v)	1
07251	Octane	111-65-9	4.3	0.93	ug/m3	0.91	0.20	ppb (v)	1
07252	trans-1,3-Dichloropropene	10061-02-6	N.D.	0.91	ug/m3	N.D.	0.20	ppb (v)	1
07253	Ethyl Methacrylate	97-63-2	N.D.	0.93	ug/m3	N.D.	0.20	ppb (v)	1
07254	1,1,2-Trichloroethane	79-00-5	N.D.	1.1	ug/m3	N.D.	0.20	ppb (v)	1
07255	Tetrachloroethene	127-18-4	260.	14.	ug/m3	38.	2.0	ppb (v)	10
07256	2-Hexanone	591-78-6	N.D.	2.0	ug/m3	N.D.	0.50	ppb (v)	1
07257	Dibromochloromethane	124-48-1	N.D.	1.7	ug/m3	N.D.	0.20	ppb (v)	1
07258	1,2-Dibromoethane	106-93-4	N.D.	1.5	ug/m3	N.D.	0.20	ppb (v)	1
07259	Chlorobenzene	108-90-7	N.D.	0.92	ug/m3	N.D.	0.20	ppb (v)	1
07260	1,1,1,2-Tetrachloroethane	630-20-6	N.D.	1.4	ug/m3	N.D.	0.20	ppb (v)	1
07261	Ethylbenzene	100-41-4	20.	0.87	ug/m3	4.6	0.20	ppb (v)	1
07262	m/p-Xylene	1330-20-7	67.	0.87	ug/m3	15.	0.20	ppb (v)	1
07263	o-Xylene	95-47-6	12.	0.87	ug/m3	2.8	0.20	ppb (v)	1
07264	Styrene	100-42-5	N.D.	0.85	ug/m3	N.D.	0.20	ppb (v)	1
07265	Bromoform	75-25-2	N.D.	2.1	ug/m3	N.D.	0.20	ppb (v)	1
07266	Cumene	98-82-8	N.D.	0.98	ug/m3	N.D.	0.20	ppb (v)	1
07267	1,1,2,2-Tetrachloroethane	79-34-5	N.D.	1.4	ug/m3	N.D.	0.20	ppb (v)	1
07268	1,2,3-Trichloropropane	96-18-4	N.D.	1.2	ug/m3	N.D.	0.20	ppb (v)	1
07269	Bromobenzene	108-86-1	N.D.	1.3	ug/m3	N.D.	0.20	ppb (v)	1
07270	4-Ethyltoluene	622-96-8	5.8	0.98	ug/m3	1.2	0.20	ppb (v)	1
07271	1,3,5-Trimethylbenzene	108-67-8	2.7	0.98	ug/m3	0.54	0.20	ppb (v)	1
07272	Alpha Methyl Styrene	98-83-9	N.D.	0.97	ug/m3	N.D.	0.20	ppb (v)	1
07273	1,2,4-Trimethylbenzene	95-63-6	7.9	0.98	ug/m3	1.6	0.20	ppb (v)	1
07274	1,3-Dichlorobenzene	541-73-1	7.3	1.2	ug/m3	1.2	0.20	ppb (v)	1
07275	1,4-Dichlorobenzene	106-46-7	N.D.	1.2	ug/m3	N.D.	0.20	ppb (v)	1
07277	1,2-Dichlorobenzene	95-50-1	N.D.	1.2	ug/m3	N.D.	0.20	ppb (v)	1
07278	Hexachloroethane	67-72-1	N.D.	1.9	ug/m3	N.D.	0.20	ppb (v)	1
07279	1,2,4-Trichlorobenzene	120-82-1	N.D.	3.7	ug/m3	N.D.	0.50	ppb (v)	1



Analysis Report

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Page 3 of 3

Lancaster Laboratories Sample No. AQ 5087096

SG2A Grab Air
Glaro-Hauppauge, NY
DUNS# COC: 0154045 SG2A

Collected: 06/19/2007 16:37 by BS
through 06/19/2007 17:37
Submitted: 06/22/2007 09:25
Reported: 07/12/2007 at 10:36
Discard: 09/11/2007

Account Number: 05936

Environmental Assessment & Rem
225 Atlantic Avenue
Patchogue NY 11772-5140

CAT	Analysis Name	CAS Number	As Received Final Result	MDL	Units	As Received Final Result	MDL	Units	DF
07280	Hexachlorobutadiene	87-68-3	N.D.	5.3	ug/m3	N.D.	0.50	ppb(v)	1
A targeted library search was performed for SF6. SF6 was not detected in the targeted library search of this sample.									

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

DL = Method Detection Limit

Laboratory Chronicle

CAT	Analysis Name	Method	Analysis Trial#	Date and Time	Analyst	Dilution Factor
05298	TO 15 VOA Ext. List	EPA TO-15	1	07/02/2007 23:25	Fanella S Zamcho	10
05298	TO 15 VOA Ext. List	EPA TO-15	1	07/03/2007 00:09	Fanella S Zamcho	1



Analysis Report

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Page 1 of 3

Lancaster Laboratories Sample No. AQ 5087097

SG2B Grab Air
Glaro-Hauppauge, NY
DUNS# COC: 0154045 SG2B

Collected: 06/20/2007 09:02 by BS
through 06/20/2007 10:02
Submitted: 06/22/2007 09:25
Reported: 07/12/2007 at 10:36
Discard: 09/11/2007

Account Number: 05936

Environmental Assessment & Rem
225 Atlantic Avenue
Patchogue NY 11772-5140

CAT No.	Analysis Name	CAS Number	As Received Final Result	MDL	Units	As Received Final Result	MDL	Units	DF
05298	TO 15 VOA Ext. List								
02076	tert-Butyl Alcohol	75-65-0	25. J	12.	ug/m3	8.2 J	4.0	ppb (v)	20
07201	Propene	115-07-1	N.D.	6.9	ug/m3	N.D.	4.0	ppb (v)	20
07202	Dichlorodifluoromethane	75-71-8	N.D.	20.	ug/m3	N.D.	4.0	ppb (v)	20
07203	Chlorodifluoromethane	75-45-6	N.D.	14.	ug/m3	N.D.	4.0	ppb (v)	20
07204	Freon 114	76-14-2	N.D.	28.	ug/m3	N.D.	4.0	ppb (v)	20
07205	Chloromethane	74-87-3	N.D.	8.3	ug/m3	N.D.	4.0	ppb (v)	20
07206	Vinyl Chloride	75-01-4	N.D.	10.	ug/m3	N.D.	4.0	ppb (v)	20
07207	1,3-Butadiene	106-99-0	N.D.	22.	ug/m3	N.D.	10.	ppb (v)	20
07208	Bromomethane	74-83-9	N.D.	16.	ug/m3	N.D.	4.0	ppb (v)	20
07209	Chloroethane	75-00-3	N.D.	11.	ug/m3	N.D.	4.0	ppb (v)	20
07210	Dichlorofluoromethane	75-43-4	N.D.	17.	ug/m3	N.D.	4.0	ppb (v)	20
07212	Trichlorofluoromethane	75-69-4	N.D.	22.	ug/m3	N.D.	4.0	ppb (v)	20
07213	Pentane	109-66-0	130.	12.	ug/m3	44.	4.0	ppb (v)	20
07214	Acrolein	107-02-8	N.D.	23.	ug/m3	N.D.	10.	ppb (v)	20
07215	1,1-Dichloroethene	75-35-4	130.	16.	ug/m3	33.	4.0	ppb (v)	20
07216	Freon 113	76-13-1	N.D.	77.	ug/m3	N.D.	10.	ppb (v)	20
07217	Acetone	67-64-1	1,800.	240.	ug/m3	780.	100.	ppb (v)	200
07218	Methyl Iodide	74-88-4	N.D.	23.	ug/m3	N.D.	4.0	ppb (v)	20
07219	Carbon Disulfide	75-15-0	80.	12.	ug/m3	26.	4.0	ppb (v)	20
07220	Acetonitrile	75-05-8	N.D.	17.	ug/m3	N.D.	10.	ppb (v)	20
07221	3-Chloropropene	107-05-1	N.D.	31.	ug/m3	N.D.	10.	ppb (v)	20
07222	Methylene Chloride	75-09-2	49. J	14.	ug/m3	14. J	4.0	ppb (v)	20
07223	Acrylonitrile	107-13-1	N.D.	22.	ug/m3	N.D.	10.	ppb (v)	20
07224	trans-1,2-Dichloroethene	156-60-5	79. J	16.	ug/m3	20. J	4.0	ppb (v)	20
07225	Methyl t-Butyl Ether	1634-04-4	N.D.	14.	ug/m3	N.D.	4.0	ppb (v)	20
07226	Hexane	110-54-3	89.	14.	ug/m3	25.	4.0	ppb (v)	20
07227	1,1-Dichloroethane	75-34-3	N.D.	16.	ug/m3	N.D.	4.0	ppb (v)	20
07228	Vinyl Acetate	108-05-4	N.D.	14.	ug/m3	N.D.	4.0	ppb (v)	20
07230	cis-1,2-Dichloroethene	156-59-2	610.	16.	ug/m3	150.	4.0	ppb (v)	20
07231	2-Butanone	78-93-3	52. J	29.	ug/m3	18. J	10.	ppb (v)	20
07232	Ethyl Acetate	141-78-6	N.D.	14.	ug/m3	N.D.	4.0	ppb (v)	20
07233	Methyl Acrylate	96-33-3	N.D.	14.	ug/m3	N.D.	4.0	ppb (v)	20
07234	Chloroform	67-66-3	N.D.	20.	ug/m3	N.D.	4.0	ppb (v)	20
07235	1,1,1-Trichloroethane	71-55-6	2,100.	22.	ug/m3	390.	4.0	ppb (v)	20
07236	Carbon Tetrachloride	56-23-5	N.D.	25.	ug/m3	N.D.	4.0	ppb (v)	20



Analysis Report

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Page 2 of 3

Lancaster Laboratories Sample No. AQ 5087097

SG2B Grab Air
Glaro-Hauppauge, NY
DUNS# COC: 0154045 SG2B

Collected: 06/20/2007 09:02
through 06/20/2007 10:02
Submitted: 06/22/2007 09:25
Reported: 07/12/2007 at 10:36
Discard: 09/11/2007

by BS

Account Number: 05936

Environmental Assessment & Rem
225 Atlantic Avenue
Patchogue NY 11772-5140

CAT No.	Analysis Name	CAS Number	As Received Final		Units	As Received Final		Units	DF
			Result	MDL		Result	MDL		
07237	1,2-Dichloroethane	107-06-2	N.D.	16.	ug/m3	N.D.	4.0	ppb (v)	20
07238	Benzene	71-43-2	29. J	13.	ug/m3	9.2 J	4.0	ppb (v)	20
07239	Isooctane	540-84-1	830.	19.	ug/m3	180.	4.0	ppb (v)	20
07240	Heptane	142-82-5	30. J	16.	ug/m3	7.2 J	4.0	ppb (v)	20
07241	Trichloroethene	79-01-6	890.	21.	ug/m3	170.	4.0	ppb (v)	20
07242	Ethyl Acrylate	140-88-5	N.D.	16.	ug/m3	N.D.	4.0	ppb (v)	20
07243	1,2-Dichloropropane	78-87-5	N.D.	18.	ug/m3	N.D.	4.0	ppb (v)	20
07244	Methyl Methacrylate	80-62-6	N.D.	16.	ug/m3	N.D.	4.0	ppb (v)	20
07245	Dibromomethane	74-95-3	N.D.	28.	ug/m3	N.D.	4.0	ppb (v)	20
07246	1,4-Dioxane	123-91-1	N.D.	14.	ug/m3	N.D.	4.0	ppb (v)	20
07247	Bromodichloromethane	75-27-4	N.D.	27.	ug/m3	N.D.	4.0	ppb (v)	20
07248	cis-1,3-Dichloropropene	10061-01-5	N.D.	18.	ug/m3	N.D.	4.0	ppb (v)	20
07249	4-Methyl-2-Pentanone	108-10-1	N.D.	41.	ug/m3	N.D.	10.	ppb (v)	20
07250	Toluene	108-88-3	300.	15.	ug/m3	79.	4.0	ppb (v)	20
07251	Octane	111-65-9	N.D.	19.	ug/m3	N.D.	4.0	ppb (v)	20
07252	trans-1,3-Dichloropropene	10061-02-6	N.D.	18.	ug/m3	N.D.	4.0	ppb (v)	20
07253	Ethyl Methacrylate	97-63-2	N.D.	19.	ug/m3	N.D.	4.0	ppb (v)	20
07254	1,1,2-Trichloroethane	79-00-5	N.D.	22.	ug/m3	N.D.	4.0	ppb (v)	20
07255	Tetrachloroethene	127-18-4	46. J	27.	ug/m3	6.8 J	4.0	ppb (v)	20
07256	2-Hexanone	591-78-6	N.D.	41.	ug/m3	N.D.	10.	ppb (v)	20
07257	Dibromochloromethane	124-48-1	N.D.	34.	ug/m3	N.D.	4.0	ppb (v)	20
07258	1,2-Dibromoethane	106-93-4	N.D.	31.	ug/m3	N.D.	4.0	ppb (v)	20
07259	Chlorobenzene	108-90-7	N.D.	18.	ug/m3	N.D.	4.0	ppb (v)	20
07260	1,1,1,2-Tetrachloroethane	630-20-6	N.D.	27.	ug/m3	N.D.	4.0	ppb (v)	20
07261	Ethylbenzene	100-41-4	110.	17.	ug/m3	26.	4.0	ppb (v)	20
07262	m/p-Xylene	1330-20-7	410.	17.	ug/m3	95.	4.0	ppb (v)	20
07263	o-Xylene	95-47-6	180.	17.	ug/m3	42.	4.0	ppb (v)	20
07264	Styrene	100-42-5	N.D.	17.	ug/m3	N.D.	4.0	ppb (v)	20
07265	Bromoform	75-25-2	N.D.	41.	ug/m3	N.D.	4.0	ppb (v)	20
07266	Cumene	98-82-8	N.D.	20.	ug/m3	N.D.	4.0	ppb (v)	20
07267	1,1,2,2-Tetrachloroethane	79-34-5	N.D.	27.	ug/m3	N.D.	4.0	ppb (v)	20
07268	1,2,3-Trichloropropane	96-18-4	N.D.	24.	ug/m3	N.D.	4.0	ppb (v)	20
07269	Bromobenzene	108-86-1	N.D.	26.	ug/m3	N.D.	4.0	ppb (v)	20
07270	4-Ethyltoluene	622-96-8	280.	20.	ug/m3	57.	4.0	ppb (v)	20
07271	1,3,5-Trimethylbenzene	108-67-8	81. J	20.	ug/m3	16. J	4.0	ppb (v)	20
07272	Alpha Methyl Styrene	98-83-9	N.D.	19.	ug/m3	N.D.	4.0	ppb (v)	20
07273	1,2,4-Trimethylbenzene	95-63-6	240.	20.	ug/m3	49.	4.0	ppb (v)	20
07274	1,3-Dichlorobenzene	541-73-1	N.D.	24.	ug/m3	N.D.	4.0	ppb (v)	20



Analysis Report

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Page 3 of 3

Lancaster Laboratories Sample No. AQ 5087097

SG2B Grab Air
Glaro-Hauppauge, NY
DUNS# COC: 0154045 SG2B

Collected: 06/20/2007 09:02 by BS
through 06/20/2007 10:02
Submitted: 06/22/2007 09:25
Reported: 07/12/2007 at 10:36
Discard: 09/11/2007

Account Number: 05936

Environmental Assessment & Rem
225 Atlantic Avenue
Patchogue NY 11772-5140

CAT No.	Analysis Name	CAS Number	As Received	MDL	Units	As Received	MDL	Units	DF
			Final Result			Final Result			
07275	1,4-Dichlorobenzene	106-46-7	N.D.	24.	ug/m3	N.D.	4.0	ppb(v)	20
07277	1,2-Dichlorobenzene	95-50-1	N.D.	24.	ug/m3	N.D.	4.0	ppb(v)	20
07278	Hexachloroethane	67-72-1	N.D.	39.	ug/m3	N.D.	4.0	ppb(v)	20
07279	1,2,4-Trichlorobenzene	120-82-1	N.D.	74.	ug/m3	N.D.	10.	ppb(v)	20
07280	Hexachlorobutadiene	87-68-3	N.D.	110.	ug/m3	N.D.	10.	ppb(v)	20

A targeted library search was performed for SF6. SF6 was not detected in the targeted library search of this sample.

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

MDL = Method Detection Limit

Laboratory Chronicle

CAT No.	Analysis Name	Method	Analysis		Analyst	Dilution Factor
			Trial#	Date and Time		
05298	TO 15 VOA Ext. List	EPA TO-15	1	07/03/2007 19:32	Fanella S Zamcho	20
05298	TO 15 VOA Ext. List	EPA TO-15	1	07/03/2007 21:37	Fanella S Zamcho	200



Analysis Report

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Page 1 of 3

Lancaster Laboratories Sample No. AQ 5087098

SG3A Grab Air
Glaro-Hauppauge, NY
DUNS# COC: 0154045 SG3A

Collected: 06/20/2007 11:40 by BS
through 06/20/2007 12:40
Submitted: 06/22/2007 09:25
Reported: 07/12/2007 at 10:36
Discard: 09/11/2007

Account Number: 05936

Environmental Assessment & Rem
225 Atlantic Avenue
Patchogue NY 11772-5140

CAT No.	Analysis Name	CAS Number	As Received Final Result	MDL	Units	As Received Final Result	MDL	Units	DF
05298	TO 15 VOA Ext. List								
02076	tert-Butyl Alcohol	75-65-0	N.D.	1,200.	ug/m3	N.D.	400.	ppb (v)	2000
07201	Propene	115-07-1	N.D.	690.	ug/m3	N.D.	400.	ppb (v)	2000
07202	Dichlorodifluoromethane	75-71-8	N.D.	2,000.	ug/m3	N.D.	400.	ppb (v)	2000
07203	Chlorodifluoromethane	75-45-6	N.D.	1,400.	ug/m3	N.D.	400.	ppb (v)	2000
07204	Freon 114	76-14-2	N.D.	2,800.	ug/m3	N.D.	400.	ppb (v)	2000
07205	Chloromethane	74-87-3	N.D.	830.	ug/m3	N.D.	400.	ppb (v)	2000
07206	Vinyl Chloride	75-01-4	3,900. J	1,000.	ug/m3	1,500. J	400.	ppb (v)	2000
07207	1,3-Butadiene	106-99-0	N.D.	2,200.	ug/m3	N.D.	1,000.	ppb (v)	2000
07208	Bromomethane	74-83-9	N.D.	1,600.	ug/m3	N.D.	400.	ppb (v)	2000
07209	Chloroethane	75-00-3	N.D.	1,100.	ug/m3	N.D.	400.	ppb (v)	2000
07210	Dichlorofluoromethane	75-43-4	N.D.	1,700.	ug/m3	N.D.	400.	ppb (v)	2000
07212	Trichlorofluoromethane	75-69-4	N.D.	2,200.	ug/m3	N.D.	400.	ppb (v)	2000
07213	Pentane	109-66-0	7,300.	1,200.	ug/m3	2,500.	400.	ppb (v)	2000
07214	Acrolein	107-02-8	N.D.	2,300.	ug/m3	N.D.	1,000.	ppb (v)	2000
07215	1,1-Dichloroethene	75-35-4	4,000. J	1,600.	ug/m3	1,000. J	400.	ppb (v)	2000
07216	Freon 113	76-13-1	N.D.	7,700.	ug/m3	N.D.	1,000.	ppb (v)	2000
07217	Acetone	67-64-1	21,000.	2,400.	ug/m3	8,900.	1,000.	ppb (v)	2000
07218	Methyl Iodide	74-88-4	N.D.	2,300.	ug/m3	N.D.	400.	ppb (v)	2000
07219	Carbon Disulfide	75-15-0	14,000.	1,200.	ug/m3	4,400.	400.	ppb (v)	2000
07220	Acetonitrile	75-05-8	N.D.	1,700.	ug/m3	N.D.	1,000.	ppb (v)	2000
07221	3-Chloropropene	107-05-1	N.D.	3,100.	ug/m3	N.D.	1,000.	ppb (v)	2000
07222	Methylene Chloride	75-09-2	11,000.	1,400.	ug/m3	3,100.	400.	ppb (v)	2000
07223	Acrylonitrile	107-13-1	N.D.	2,200.	ug/m3	N.D.	1,000.	ppb (v)	2000
07224	trans-1,2-Dichloroethene	156-60-5	N.D.	1,600.	ug/m3	N.D.	400.	ppb (v)	2000
07225	Methyl t-Butyl Ether	1634-04-4	N.D.	1,400.	ug/m3	N.D.	400.	ppb (v)	2000
07226	Hexane	110-54-3	8,800.	1,400.	ug/m3	2,500.	400.	ppb (v)	2000
07227	1,1-Dichloroethane	75-34-3	1,600. J	1,600.	ug/m3	400. J	400.	ppb (v)	2000
07228	Vinyl Acetate	108-05-4	N.D.	1,400.	ug/m3	N.D.	400.	ppb (v)	2000
07230	cis-1,2-Dichloroethene	156-59-2	570,000.	16,000.	ug/m3	140,000.	4,000.	ppb (v)	20000
07231	2-Butanone	78-93-3	N.D.	2,900.	ug/m3	N.D.	1,000.	ppb (v)	2000
07232	Ethyl Acetate	141-78-6	N.D.	1,400.	ug/m3	N.D.	400.	ppb (v)	2000
07233	Methyl Acrylate	96-33-3	N.D.	1,400.	ug/m3	N.D.	400.	ppb (v)	2000
07234	Chloroform	67-66-3	N.D.	2,000.	ug/m3	N.D.	400.	ppb (v)	2000
07235	1,1,1-Trichloroethane	71-55-6	20,000.	2,200.	ug/m3	3,600.	400.	ppb (v)	2000
07236	Carbon Tetrachloride	56-23-5	N.D.	2,500.	ug/m3	N.D.	400.	ppb (v)	2000



Analysis Report

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Page 2 of 3

Lancaster Laboratories Sample No. AQ 5087098

SG3A Grab Air
Glaro-Hauppauge, NY
DUNS# COC: 0154045 SG3A

Collected: 06/20/2007 11:40 by BS
through 06/20/2007 12:40
Submitted: 06/22/2007 09:25
Reported: 07/12/2007 at 10:36
Discard: 09/11/2007

Account Number: 05936

Environmental Assessment & Rem
225 Atlantic Avenue
Patchogue NY 11772-5140

CAT No.	Analysis Name	CAS Number	As Received Final	MDL	Units	As Received Final	MDL	Units	DF
			Result			Result			
07237	1,2-Dichloroethane	107-06-2	N.D.	1,600.	ug/m3	N.D.	400.	ppb (v)	2000
07238	Benzene	71-43-2	5,300. J	1,300.	ug/m3	1,700. J	400.	ppb (v)	2000
07239	Isooctane	540-84-1	16,000.	1,900.	ug/m3	3,400.	400.	ppb (v)	2000
07240	Heptane	142-82-5	4,400. J	1,600.	ug/m3	1,100. J	400.	ppb (v)	2000
07241	Trichloroethene	79-01-6	2,500,00 0.	21,000.	ug/m3	470,000.	4,000.	ppb (v)	20000
07242	Ethyl Acrylate	140-88-5	N.D.	1,600.	ug/m3	N.D.	400.	ppb (v)	2000
07243	1,2-Dichloropropane	78-87-5	N.D.	1,800.	ug/m3	N.D.	400.	ppb (v)	2000
07244	Methyl Methacrylate	80-62-6	N.D.	1,600.	ug/m3	N.D.	400.	ppb (v)	2000
07245	Dibromomethane	74-95-3	N.D.	2,800.	ug/m3	N.D.	400.	ppb (v)	2000
07246	1,4-Dioxane	123-91-1	N.D.	1,400.	ug/m3	N.D.	400.	ppb (v)	2000
07247	Bromodichloromethane	75-27-4	N.D.	2,700.	ug/m3	N.D.	400.	ppb (v)	2000
07248	cis-1,3-Dichloropropene	10061-01-5	N.D.	1,800.	ug/m3	N.D.	400.	ppb (v)	2000
07249	4-Methyl-2-Pentanone	108-10-1	N.D.	4,100.	ug/m3	N.D.	1,000.	ppb (v)	2000
07250	Toluene	108-88-3	67,000.	1,500.	ug/m3	18,000.	400.	ppb (v)	2000
07251	Octane	111-65-9	3,300. J	1,900.	ug/m3	700. J	400.	ppb (v)	2000
07252	trans-1,3-Dichloropropene	10061-02-6	N.D.	1,800.	ug/m3	N.D.	400.	ppb (v)	2000
07253	Ethyl Methacrylate	97-63-2	N.D.	1,900.	ug/m3	N.D.	400.	ppb (v)	2000
07254	1,1,2-Trichloroethane	79-00-5	N.D.	2,200.	ug/m3	N.D.	400.	ppb (v)	2000
07255	Tetrachloroethene	127-18-4	140,000.	2,700.	ug/m3	20,000.	400.	ppb (v)	2000
07256	2-Hexanone	591-78-6	N.D.	4,100.	ug/m3	N.D.	1,000.	ppb (v)	2000
07257	Dibromochloromethane	124-48-1	N.D.	3,400.	ug/m3	N.D.	400.	ppb (v)	2000
07258	1,2-Dibromoethane	106-93-4	N.D.	3,100.	ug/m3	N.D.	400.	ppb (v)	2000
07259	Chlorobenzene	108-90-7	N.D.	1,800.	ug/m3	N.D.	400.	ppb (v)	2000
07260	1,1,1,2-Tetrachloroethane	630-20-6	N.D.	2,700.	ug/m3	N.D.	400.	ppb (v)	2000
07261	Ethylbenzene	100-41-4	17,000.	1,700.	ug/m3	4,000.	400.	ppb (v)	2000
07262	m/p-Xylene	1330-20-7	62,000.	1,700.	ug/m3	14,000.	400.	ppb (v)	2000
07263	o-Xylene	95-47-6	23,000.	1,700.	ug/m3	5,400.	400.	ppb (v)	2000
07264	Styrene	100-42-5	4,000. J	1,700.	ug/m3	940. J	400.	ppb (v)	2000
07265	Bromoform	75-25-2	N.D.	4,100.	ug/m3	N.D.	400.	ppb (v)	2000
07266	Cumene	98-82-8	N.D.	2,000.	ug/m3	N.D.	400.	ppb (v)	2000
07267	1,1,2,2-Tetrachloroethane	79-34-5	N.D.	2,700.	ug/m3	N.D.	400.	ppb (v)	2000
07268	1,2,3-Trichloropropane	96-18-4	N.D.	2,400.	ug/m3	N.D.	400.	ppb (v)	2000
07269	Bromobenzene	108-86-1	N.D.	2,600.	ug/m3	N.D.	400.	ppb (v)	2000
07270	4-Ethyltoluene	622-96-8	26,000.	2,000.	ug/m3	5,400.	400.	ppb (v)	2000
07271	1,3,5-Trimethylbenzene	108-67-8	7,800. J	2,000.	ug/m3	1,600. J	400.	ppb (v)	2000
07272	Alpha Methyl Styrene	98-83-9	N.D.	1,900.	ug/m3	N.D.	400.	ppb (v)	2000
07273	1,2,4-Trimethylbenzene	95-63-6	24,000.	2,000.	ug/m3	4,800.	400.	ppb (v)	2000



Analysis Report

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Page 3 of 3

Lancaster Laboratories Sample No. AQ 5087098

SG3A Grab Air
Glaro-Hauppage, NY
DUNS# COC: 0154045 SG3A

Collected: 06/20/2007 11:40 by BS
through 06/20/2007 12:40
Submitted: 06/22/2007 09:25
Reported: 07/12/2007 at 10:36
Discard: 09/11/2007

Account Number: 05936

Environmental Assessment & Rem
225 Atlantic Avenue
Patchogue NY 11772-5140

CAT No.	Analysis Name	CAS Number	As Received	MDL	Units	As Received	MDL	Units	DF
			Final Result			Final Result			
07274	1,3-Dichlorobenzene	541-73-1	N.D.	2,400.	ug/m3	N.D.	400.	ppb(v)	2000
07275	1,4-Dichlorobenzene	106-46-7	N.D.	2,400.	ug/m3	N.D.	400.	ppb(v)	2000
07277	1,2-Dichlorobenzene	95-50-1	N.D.	2,400.	ug/m3	N.D.	400.	ppb(v)	2000
07278	Hexachloroethane	67-72-1	N.D.	3,900.	ug/m3	N.D.	400.	ppb(v)	2000
07279	1,2,4-Trichlorobenzene	120-82-1	N.D.	7,400.	ug/m3	N.D.	1,000.	ppb(v)	2000
07280	Hexachlorobutadiene	87-68-3	N.D.	11,000.	ug/m3	N.D.	1,000.	ppb(v)	2000

A targeted library search was performed for SF6. SF6 was not detected in the targeted library search of this sample.

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

MDL = Method Detection Limit

Laboratory Chronicle

CAT No.	Analysis Name	Method	Analysis		Analyst	Dilution Factor
			Trial#	Date and Time		
05298	TO 15 VOA Ext. List	EPA TO-15	1	07/03/2007 02:14	Fanella S Zamcho	20000
05298	TO 15 VOA Ext. List	EPA TO-15	1	07/03/2007 02:55	Fanella S Zamcho	2000



Analysis Report

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Page 1 of 3

Lancaster Laboratories Sample No. AQ 5087099

SG3B Grab Air
Glaro-Hauppauge, NY
DUNS# COC: 0154045 SG3B

Collected: 06/20/2007 13:50 by BS
through 06/20/2007 14:50
Submitted: 06/22/2007 09:25
Reported: 07/12/2007 at 10:36
Discard: 09/11/2007

Account Number: 05936

Environmental Assessment & Rem
225 Atlantic Avenue
Patchogue NY 11772-5140

CAT No.	Analysis Name	CAS Number	As Received Final Result	MDL	Units	As Received Final Result	MDL	Units	DF
05298	TO 15 VOA Ext. List								
02076	tert-Butyl Alcohol	75-65-0	N.D.	61.	ug/m3	N.D.	20.	ppb (v)	100
07201	Propene	115-07-1	N.D.	34.	ug/m3	N.D.	20.	ppb (v)	100
07202	Dichlorodifluoromethane	75-71-8	N.D.	99.	ug/m3	N.D.	20.	ppb (v)	100
07203	Chlorodifluoromethane	75-45-6	N.D.	71.	ug/m3	N.D.	20.	ppb (v)	100
07204	Freon 114	76-14-2	N.D.	140.	ug/m3	N.D.	20.	ppb (v)	100
07205	Chloromethane	74-87-3	N.D.	41.	ug/m3	N.D.	20.	ppb (v)	100
07206	Vinyl Chloride	75-01-4	1,100.	51.	ug/m3	440.	20.	ppb (v)	100
07207	1,3-Butadiene	106-99-0	N.D.	110.	ug/m3	N.D.	50.	ppb (v)	100
07208	Bromomethane	74-83-9	N.D.	78.	ug/m3	N.D.	20.	ppb (v)	100
07209	Chloroethane	75-00-3	N.D.	53.	ug/m3	N.D.	20.	ppb (v)	100
07210	Dichlorofluoromethane	75-43-4	N.D.	84.	ug/m3	N.D.	20.	ppb (v)	100
07212	Trichlorofluoromethane	75-69-4	200. J	110.	ug/m3	35. J	20.	ppb (v)	100
07213	Pentane	109-66-0	490.	59.	ug/m3	170.	20.	ppb (v)	100
07214	Acrolein	107-02-8	N.D.	110.	ug/m3	N.D.	50.	ppb (v)	100
07215	1,1-Dichloroethene	75-35-4	160. J	79.	ug/m3	41. J	20.	ppb (v)	100
07216	Freon 113	76-13-1	N.D.	380.	ug/m3	N.D.	50.	ppb (v)	100
07217	Acetone	67-64-1	2,700.	120.	ug/m3	1,100.	50.	ppb (v)	100
07218	Methyl Iodide	74-88-4	N.D.	120.	ug/m3	N.D.	20.	ppb (v)	100
07219	Carbon Disulfide	75-15-0	1,300.	62.	ug/m3	400.	20.	ppb (v)	100
07220	Acetonitrile	75-05-8	N.D.	84.	ug/m3	N.D.	50.	ppb (v)	100
07221	3-Chloropropene	107-05-1	N.D.	160.	ug/m3	N.D.	50.	ppb (v)	100
07222	Methylene Chloride	75-09-2	860.	69.	ug/m3	250.	20.	ppb (v)	100
07223	Acrylonitrile	107-13-1	N.D.	110.	ug/m3	N.D.	50.	ppb (v)	100
07224	trans-1,2-Dichloroethene	156-60-5	N.D.	79.	ug/m3	N.D.	20.	ppb (v)	100
07225	Methyl t-Butyl Ether	1634-04-4	N.D.	72.	ug/m3	N.D.	20.	ppb (v)	100
07226	Hexane	110-54-3	600.	70.	ug/m3	170.	20.	ppb (v)	100
07227	1,1-Dichloroethane	75-34-3	140. J	81.	ug/m3	35. J	20.	ppb (v)	100
07228	Vinyl Acetate	108-05-4	N.D.	70.	ug/m3	N.D.	20.	ppb (v)	100
07230	cis-1,2-Dichloroethene	156-59-2	22,000.	790.	ug/m3	5,600.	200.	ppb (v)	1000
07231	2-Butanone	78-93-3	N.D.	150.	ug/m3	N.D.	50.	ppb (v)	100
07232	Ethyl Acetate	141-78-6	N.D.	72.	ug/m3	N.D.	20.	ppb (v)	100
07233	Methyl Acrylate	96-33-3	N.D.	70.	ug/m3	N.D.	20.	ppb (v)	100
07234	Chloroform	67-66-3	N.D.	98.	ug/m3	N.D.	20.	ppb (v)	100
07235	1,1,1-Trichloroethane	71-55-6	1,300.	110.	ug/m3	240.	20.	ppb (v)	100
07236	Carbon Tetrachloride	56-23-5	N.D.	130.	ug/m3	N.D.	20.	ppb (v)	100



Analysis Report

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Page 2 of 3

Lancaster Laboratories Sample No. AQ 5087099

SG3B Grab Air
Glaro-Hauppauge, NY
DUNS# COC: 0154045 SG3B

Collected: 06/20/2007 13:50
through 06/20/2007 14:50
Submitted: 06/22/2007 09:25
Reported: 07/12/2007 at 10:36
Discard: 09/11/2007

by BS

Account Number: 05936

Environmental Assessment & Rem
225 Atlantic Avenue
Patchogue NY 11772-5140

CAT No.	Analysis Name	CAS Number	As Received Final	MDL	Units	As Received Final	MDL	Units	DF
			Result			Result			
07237	1,2-Dichloroethane	107-06-2	N.D.	81.	ug/m3	N.D.	20.	ppb (v)	100
07238	Benzene	71-43-2	530.	64.	ug/m3	170.	20.	ppb (v)	100
07239	Isooctane	540-84-1	1,600.	93.	ug/m3	340.	20.	ppb (v)	100
07240	Heptane	142-82-5	320.	82.	ug/m3	77.	20.	ppb (v)	100
07241	Trichloroethene	79-01-6	J 57,000.	1,100.	ug/m3	J 11,000.	200.	ppb (v)	1000
07242	Ethyl Acrylate	140-88-5	N.D.	82.	ug/m3	N.D.	20.	ppb (v)	100
07243	1,2-Dichloropropane	78-87-5	N.D.	92.	ug/m3	N.D.	20.	ppb (v)	100
07244	Methyl Methacrylate	80-62-6	N.D.	82.	ug/m3	N.D.	20.	ppb (v)	100
07245	Dibromomethane	74-95-3	N.D.	140.	ug/m3	N.D.	20.	ppb (v)	100
07246	1,4-Dioxane	123-91-1	N.D.	72.	ug/m3	N.D.	20.	ppb (v)	100
07247	Bromodichloromethane	75-27-4	N.D.	130.	ug/m3	N.D.	20.	ppb (v)	100
07248	cis-1,3-Dichloropropene	10061-01-5	N.D.	91.	ug/m3	N.D.	20.	ppb (v)	100
07249	4-Methyl-2-Pentanone	108-10-1	N.D.	200.	ug/m3	N.D.	50.	ppb (v)	100
07250	Toluene	108-88-3	5,500.	75.	ug/m3	1,500.	20.	ppb (v)	100
07251	Octane	111-65-9	210.	93.	ug/m3	44.	20.	ppb (v)	100
07252	trans-1,3-Dichloropropene	10061-02-6	J N.D.	91.	ug/m3	J N.D.	20.	ppb (v)	100
07253	Ethyl Methacrylate	97-63-2	N.D.	93.	ug/m3	N.D.	20.	ppb (v)	100
07254	1,1,2-Trichloroethane	79-00-5	N.D.	110.	ug/m3	N.D.	20.	ppb (v)	100
07255	Tetrachloroethene	127-18-4	2,700.	140.	ug/m3	400.	20.	ppb (v)	100
07256	2-Hexanone	591-78-6	N.D.	200.	ug/m3	N.D.	50.	ppb (v)	100
07257	Dibromochloromethane	124-48-1	N.D.	170.	ug/m3	N.D.	20.	ppb (v)	100
07258	1,2-Dibromoethane	106-93-4	N.D.	150.	ug/m3	N.D.	20.	ppb (v)	100
07259	Chlorobenzene	108-90-7	N.D.	92.	ug/m3	N.D.	20.	ppb (v)	100
07260	1,1,1,2-Tetrachloroethane	630-20-6	N.D.	140.	ug/m3	N.D.	20.	ppb (v)	100
07261	Ethylbenzene	100-41-4	1,300.	87.	ug/m3	290.	20.	ppb (v)	100
07262	m/p-Xylene	1330-20-7	4,300.	87.	ug/m3	990.	20.	ppb (v)	100
07263	o-Xylene	95-47-6	1,600.	87.	ug/m3	370.	20.	ppb (v)	100
07264	Styrene	100-42-5	N.D.	85.	ug/m3	N.D.	20.	ppb (v)	100
07265	Bromoform	75-25-2	N.D.	210.	ug/m3	N.D.	20.	ppb (v)	100
07266	Cumene	98-82-8	N.D.	98.	ug/m3	N.D.	20.	ppb (v)	100
07267	1,1,2,2-Tetrachloroethane	79-34-5	N.D.	140.	ug/m3	N.D.	20.	ppb (v)	100
07268	1,2,3-Trichloropropane	96-18-4	N.D.	120.	ug/m3	N.D.	20.	ppb (v)	100
07269	Bromobenzene	108-86-1	N.D.	130.	ug/m3	N.D.	20.	ppb (v)	100
07270	4-Ethyltoluene	622-96-8	1,700.	98.	ug/m3	340.	20.	ppb (v)	100
07271	1,3,5-Trimethylbenzene	108-67-8	490.	98.	ug/m3	99.	20.	ppb (v)	100
07272	Alpha Methyl Styrene	98-83-9	J N.D.	97.	ug/m3	J N.D.	20.	ppb (v)	100
07273	1,2,4-Trimethylbenzene	95-63-6	1,300.	98.	ug/m3	270.	20.	ppb (v)	100
07274	1,3-Dichlorobenzene	541-73-1	N.D.	120.	ug/m3	N.D.	20.	ppb (v)	100
07275	1,4-Dichlorobenzene	106-46-7	N.D.	120.	ug/m3	N.D.	20.	ppb (v)	100



Analysis Report

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Page 3 of 3

Lancaster Laboratories Sample No. AQ 5087099

SG3B Grab Air
Glaro-Hauppauge, NY
DUNS# COC: 0154045 SG3B

Collected: 06/20/2007 13:50 by BS
through 06/20/2007 14:50
Submitted: 06/22/2007 09:25
Reported: 07/12/2007 at 10:36
Discard: 09/11/2007

Account Number: 05936

Environmental Assessment & Rem
225 Atlantic Avenue
Patchogue NY 11772-5140

CAT No.	Analysis Name	CAS Number	As Received	MDL	Units	As Received	MDL	Units	DF
			Final			Final			
07277	1,2-Dichlorobenzene	95-50-1	N.D.	120.	ug/m3	N.D.	20.	ppb(v)	100
07278	Hexachloroethane	67-72-1	N.D.	190.	ug/m3	N.D.	20.	ppb(v)	100
07279	1,2,4-Trichlorobenzene	120-82-1	N.D.	370.	ug/m3	N.D.	50.	ppb(v)	100
07280	Hexachlorobutadiene	87-68-3	N.D.	530.	ug/m3	N.D.	50.	ppb(v)	100

A targeted library search was performed for SF6. SF6 was not detected in the targeted library search of this sample.

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

MDL = Method Detection Limit

Laboratory Chronicle

CAT No.	Analysis Name	Method	Analysis		Analyst	Dilution Factor
			Trial#	Date and Time		
05298	TO 15 VOA Ext. List	EPA TO-15	1	07/03/2007 03:36	Fanella S Zamcho	1000
05298	TO 15 VOA Ext. List	EPA TO-15	1	07/03/2007 04:19	Fanella S Zamcho	100



Analysis Report

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Page 1 of 3

Lancaster Laboratories Sample No. AQ 5087100

Ambient Air Sample #2 Grab Air
Glaro-Hauppauge, NY
DUNS# COC: 0154045 Ambient #2

Collected: 06/20/2007 11:54 by BS
through 06/20/2007 12:54
Submitted: 06/22/2007 09:25
Reported: 07/12/2007 at 10:36
Discard: 09/11/2007

Account Number: 05936

Environmental Assessment & Rem
225 Atlantic Avenue
Patchogue NY 11772-5140

CAT No.	Analysis Name	CAS Number	As Received Final			Units	As Received Final			Units	DF
			Result	MDL			Result	MDL			
05298	TO 15 VOA Ext. List										
02076	tert-Butyl Alcohol	75-65-0	1.8	J	0.61	ug/m3	0.58	J	0.20	ppb (v)	1
07201	Propene	115-07-1	N.D.		0.34	ug/m3	N.D.		0.20	ppb (v)	1
07202	Dichlorodifluoromethane	75-71-8	2.5	J	0.99	ug/m3	0.50	J	0.20	ppb (v)	1
07203	Chlorodifluoromethane	75-45-6	0.88	J	0.71	ug/m3	0.25	J	0.20	ppb (v)	1
07204	Freon 114	76-14-2	N.D.		1.4	ug/m3	N.D.		0.20	ppb (v)	1
07205	Chloromethane	74-87-3	1.6	J	0.41	ug/m3	0.78	J	0.20	ppb (v)	1
07206	Vinyl Chloride	75-01-4	N.D.		0.51	ug/m3	N.D.		0.20	ppb (v)	1
07207	1,3-Butadiene	106-99-0	N.D.		1.1	ug/m3	N.D.		0.50	ppb (v)	1
07208	Bromomethane	74-83-9	N.D.		0.78	ug/m3	N.D.		0.20	ppb (v)	1
07209	Chloroethane	75-00-3	N.D.		0.53	ug/m3	N.D.		0.20	ppb (v)	1
07210	Dichlorofluoromethane	75-43-4	N.D.		0.84	ug/m3	N.D.		0.20	ppb (v)	1
07212	Trichlorofluoromethane	75-69-4	1.5	J	1.1	ug/m3	0.26	J	0.20	ppb (v)	1
07213	Pentane	109-66-0	N.D.		0.59	ug/m3	N.D.		0.20	ppb (v)	1
07214	Acrolein	107-02-8	N.D.		1.1	ug/m3	N.D.		0.50	ppb (v)	1
07215	1,1-Dichloroethene	75-35-4	N.D.		0.79	ug/m3	N.D.		0.20	ppb (v)	1
07216	Freon 113	76-13-1	N.D.		3.8	ug/m3	N.D.		0.50	ppb (v)	1
07217	Acetone	67-64-1	29.		1.2	ug/m3	12.		0.50	ppb (v)	1
07218	Methyl Iodide	74-88-4	N.D.		1.2	ug/m3	N.D.		0.20	ppb (v)	1
07219	Carbon Disulfide	75-15-0	N.D.		0.62	ug/m3	N.D.		0.20	ppb (v)	1
07220	Acetonitrile	75-05-8	N.D.		0.84	ug/m3	N.D.		0.50	ppb (v)	1
07221	3-Chloropropene	107-05-1	N.D.		1.6	ug/m3	N.D.		0.50	ppb (v)	1
07222	Methylene Chloride	75-09-2	0.90	J	0.69	ug/m3	0.26	J	0.20	ppb (v)	1
07223	Acrylonitrile	107-13-1	N.D.		1.1	ug/m3	N.D.		0.50	ppb (v)	1
07224	trans-1,2-Dichloroethene	156-60-5	N.D.		0.79	ug/m3	N.D.		0.20	ppb (v)	1
07225	Methyl t-Butyl Ether	1634-04-4	N.D.		0.72	ug/m3	N.D.		0.20	ppb (v)	1
07226	Hexane	110-54-3	N.D.		0.70	ug/m3	N.D.		0.20	ppb (v)	1
07227	1,1-Dichloroethane	75-34-3	N.D.		0.81	ug/m3	N.D.		0.20	ppb (v)	1
07228	Vinyl Acetate	108-05-4	N.D.		0.70	ug/m3	N.D.		0.20	ppb (v)	1
07230	cis-1,2-Dichloroethene	156-59-2	N.D.		0.79	ug/m3	N.D.		0.20	ppb (v)	1
07231	2-Butanone	78-93-3	8.4		1.5	ug/m3	2.9		0.50	ppb (v)	1
07232	Ethyl Acetate	141-78-6	N.D.		0.72	ug/m3	N.D.		0.20	ppb (v)	1
07233	Methyl Acrylate	96-33-3	N.D.		0.70	ug/m3	N.D.		0.20	ppb (v)	1
07234	Chloroform	67-66-3	N.D.		0.98	ug/m3	N.D.		0.20	ppb (v)	1
07235	1,1,1-Trichloroethane	71-55-6	N.D.		1.1	ug/m3	N.D.		0.20	ppb (v)	1
07236	Carbon Tetrachloride	56-23-5	N.D.		1.3	ug/m3	N.D.		0.20	ppb (v)	1
07237	1,2-Dichloroethane	107-06-2	N.D.		0.81	ug/m3	N.D.		0.20	ppb (v)	1
07238	Benzene	71-43-2	0.67	J	0.64	ug/m3	0.21	J	0.20	ppb (v)	1

Lancaster Laboratories Sample No. AQ 5087100

Ambient Air Sample #2 Grab Air
Glaro-Hauppauge, NY
DUNS# COC: 0154045 Ambient #2

Collected: 06/20/2007 11:54
through 06/20/2007 12:54
Submitted: 06/22/2007 09:25
Reported: 07/12/2007 at 10:36
Discard: 09/11/2007

by BS

Account Number: 05936

Environmental Assessment & Rem
225 Atlantic Avenue
Patchogue NY 11772-5140

CAT No.	Analysis Name	CAS Number	As Received Final			As Received Final			DF
			Result	MDL	Units	Result	MDL	Units	
07239	Isooctane	540-84-1	N.D.	0.93	ug/m3	N.D.	0.20	ppb (v)	1
07240	Heptane	142-82-5	N.D.	0.82	ug/m3	N.D.	0.20	ppb (v)	1
07241	Trichloroethene	79-01-6	N.D.	1.1	ug/m3	N.D.	0.20	ppb (v)	1
07242	Ethyl Acrylate	140-88-5	N.D.	0.82	ug/m3	N.D.	0.20	ppb (v)	1
07243	1,2-Dichloropropane	78-87-5	N.D.	0.92	ug/m3	N.D.	0.20	ppb (v)	1
07244	Methyl Methacrylate	80-62-6	N.D.	0.82	ug/m3	N.D.	0.20	ppb (v)	1
07245	Dibromomethane	74-95-3	N.D.	1.4	ug/m3	N.D.	0.20	ppb (v)	1
07246	1,4-Dioxane	123-91-1	N.D.	0.72	ug/m3	N.D.	0.20	ppb (v)	1
07247	Bromodichloromethane	75-27-4	N.D.	1.3	ug/m3	N.D.	0.20	ppb (v)	1
07248	cis-1,3-Dichloropropene	10061-01-5	N.D.	0.91	ug/m3	N.D.	0.20	ppb (v)	1
07249	4-Methyl-2-Pentanone	108-10-1	N.D.	2.0	ug/m3	N.D.	0.50	ppb (v)	1
07250	Toluene	108-88-3	4.3	0.75	ug/m3	1.2	0.20	ppb (v)	1
07251	Octane	111-65-9	N.D.	0.93	ug/m3	N.D.	0.20	ppb (v)	1
07252	trans-1,3-Dichloropropene	10061-02-6	N.D.	0.91	ug/m3	N.D.	0.20	ppb (v)	1
07253	Ethyl Methacrylate	97-63-2	N.D.	0.93	ug/m3	N.D.	0.20	ppb (v)	1
07254	1,1,2-Trichloroethane	79-00-5	N.D.	1.1	ug/m3	N.D.	0.20	ppb (v)	1
07255	Tetrachloroethene	127-18-4	6.4	J 1.4	ug/m3	0.95	J 0.20	ppb (v)	1
07256	2-Hexanone	591-78-6	N.D.	2.0	ug/m3	N.D.	0.50	ppb (v)	1
07257	Dibromochloromethane	124-48-1	N.D.	1.7	ug/m3	N.D.	0.20	ppb (v)	1
07258	1,2-Dibromoethane	106-93-4	N.D.	1.5	ug/m3	N.D.	0.20	ppb (v)	1
07259	Chlorobenzene	108-90-7	N.D.	0.92	ug/m3	N.D.	0.20	ppb (v)	1
07260	1,1,1,2-Tetrachloroethane	630-20-6	N.D.	1.4	ug/m3	N.D.	0.20	ppb (v)	1
07261	Ethylbenzene	100-41-4	N.D.	0.87	ug/m3	N.D.	0.20	ppb (v)	1
07262	m/p-Xylene	1330-20-7	2.1	J 0.87	ug/m3	0.49	J 0.20	ppb (v)	1
07263	o-Xylene	95-47-6	N.D.	0.87	ug/m3	N.D.	0.20	ppb (v)	1
07264	Styrene	100-42-5	4.4	0.85	ug/m3	1.0	0.20	ppb (v)	1
07265	Bromoform	75-25-2	N.D.	2.1	ug/m3	N.D.	0.20	ppb (v)	1
07266	Cumene	98-82-8	N.D.	0.98	ug/m3	N.D.	0.20	ppb (v)	1
07267	1,1,2,2-Tetrachloroethane	79-34-5	N.D.	1.4	ug/m3	N.D.	0.20	ppb (v)	1
07268	1,2,3-Trichloropropane	96-18-4	N.D.	1.2	ug/m3	N.D.	0.20	ppb (v)	1
07269	Bromobenzene	108-86-1	N.D.	1.3	ug/m3	N.D.	0.20	ppb (v)	1
07270	4-Ethyltoluene	622-96-8	1.1	J 0.98	ug/m3	0.22	J 0.20	ppb (v)	1
07271	1,3,5-Trimethylbenzene	108-67-8	N.D.	0.98	ug/m3	N.D.	0.20	ppb (v)	1
07272	Alpha Methyl Styrene	98-83-9	N.D.	0.97	ug/m3	N.D.	0.20	ppb (v)	1
07273	1,2,4-Trimethylbenzene	95-63-6	1.1	J 0.98	ug/m3	0.22	J 0.20	ppb (v)	1
07274	1,3-Dichlorobenzene	541-73-1	8.8	1.2	ug/m3	1.5	0.20	ppb (v)	1
07275	1,4-Dichlorobenzene	106-46-7	N.D.	1.2	ug/m3	N.D.	0.20	ppb (v)	1
07277	1,2-Dichlorobenzene	95-50-1	N.D.	1.2	ug/m3	N.D.	0.20	ppb (v)	1
07278	Hexachloroethane	67-72-1	N.D.	1.9	ug/m3	N.D.	0.20	ppb (v)	1
07279	1,2,4-Trichlorobenzene	120-82-1	N.D.	3.7	ug/m3	N.D.	0.50	ppb (v)	1



Analysis Report

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Page 3 of 3

Lancaster Laboratories Sample No. AQ 5087100

Ambient Air Sample #2 Grab Air
Glaro-Hauppauge, NY
DUNS# COC: 0154045 Ambient #2

Collected: 06/20/2007 11:54 by BS
through 06/20/2007 12:54
Submitted: 06/22/2007 09:25
Reported: 07/12/2007 at 10:36
Discard: 09/11/2007

Account Number: 05936

Environmental Assessment & Rem
225 Atlantic Avenue
Patchogue NY 11772-5140

CAT			As Received Final			As Received Final			
No.	Analysis Name	CAS Number	Result	MDL	Units	Result	MDL	Units	DF
07280	Hexachlorobutadiene	87-68-3	N.D.	5.3	ug/m3	N.D.	0.50	ppb(v)	1

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

MDL = Method Detection Limit

Laboratory Chronicle

CAT				Analysis		
No.	Analysis Name	Method	Trial#	Date and Time	Analyst	Dilution Factor
05298	TO 15 VOA Ext. List	EPA TO-15	1	07/03/2007 15:24	Fanella S Zamcho	1

Quality Control Summary

Client Name: Environmental Assessment & Rem
Reported: 07/12/07 at 10:36 AM

Group Number: 1043807

Matrix QC may not be reported if site-specific QC samples were not submitted. In these situations, to demonstrate precision and accuracy at a batch level, a LCS/LCSD was performed, unless otherwise specified in the method.

Laboratory Compliance Quality Control

Analysis Name	Blank Result	Blank MDL	Report Units	LCS %REC	LCSD %REC	LCS/LCSD Limits	RPD	RPD Max
Batch number: A0717930C								
Sample number(s): 5087093-5087096, 5087098-5087099								
tert-Butyl Alcohol	N.D.	0.61	ug/m3					
Propene	N.D.	0.34	ug/m3					
Dichlorodifluoromethane	N.D.	0.99	ug/m3	77	74	58-125	3	20
Chlorodifluoromethane	N.D.	0.71	ug/m3					
Freon 114	N.D.	1.4	ug/m3	84	81	60-128	4	20
Chloromethane	N.D.	0.41	ug/m3	80	79	54-125	1	20
Vinyl Chloride	N.D.	0.51	ug/m3	78	80	48-133	2	20
1,3-Butadiene	N.D.	1.1	ug/m3					
Bromomethane	N.D.	0.78	ug/m3	76	77	41-128	0	20
Chloroethane	N.D.	0.53	ug/m3	70	74	59-126	6	20
Dichlorofluoromethane	N.D.	0.84	ug/m3					
Trichlorofluoromethane	N.D.	1.1	ug/m3	79	80	60-126	1	20
Pentane	N.D.	0.59	ug/m3					
Acrolein	N.D.	1.1	ug/m3					
1,1-Dichloroethene	N.D.	0.79	ug/m3	83	82	56-127	1	20
Freon 113	N.D.	3.8	ug/m3	83	82	61-135	1	20
Acetone	N.D.	1.2	ug/m3					
Methyl Iodide	N.D.	1.2	ug/m3					
Carbon Disulfide	N.D.	0.62	ug/m3					
Acetonitrile	N.D.	0.84	ug/m3					
3-Chloropropene	N.D.	1.6	ug/m3					
Methylene Chloride	N.D.	0.69	ug/m3	87	87	53-133	1	20
Acrylonitrile	N.D.	1.1	ug/m3					
trans-1,2-Dichloroethene	N.D.	0.79	ug/m3					
Methyl t-Butyl Ether	N.D.	0.72	ug/m3					
Hexane	N.D.	0.70	ug/m3					
1,1-Dichloroethane	N.D.	0.81	ug/m3	81	80	56-128	1	20
Vinyl Acetate	N.D.	0.70	ug/m3					
cis-1,2-Dichloroethene	N.D.	0.79	ug/m3	86	83	52-125	4	20
2-Butanone	N.D.	1.5	ug/m3					
Ethyl Acetate	N.D.	0.72	ug/m3					
Methyl Acrylate	N.D.	0.70	ug/m3					
Chloroform	N.D.	0.98	ug/m3	87	90	62-133	3	20
1,1,1-Trichloroethane	N.D.	1.1	ug/m3	89	85	61-134	5	20
Carbon Tetrachloride	N.D.	1.3	ug/m3	78	77	53-123	2	20
1,2-Dichloroethane	N.D.	0.81	ug/m3	96	97	68-156	2	20
Benzene	N.D.	0.64	ug/m3	85	87	54-135	3	20
Isooctane	N.D.	0.93	ug/m3					
Heptane	N.D.	0.82	ug/m3					
Trichloroethene	N.D.	1.1	ug/m3	87	90	57-138	3	20
Ethyl Acrylate	N.D.	0.82	ug/m3					
1,2-Dichloropropane	N.D.	0.92	ug/m3	88	92	55-143	4	20
Methyl Methacrylate	N.D.	0.82	ug/m3					
Dibromomethane	N.D.	1.4	ug/m3					
1,4-Dioxane	N.D.	0.72	ug/m3					
Bromodichloromethane	N.D.	1.3	ug/m3					

*- Outside of specification

- (1) The result for one or both determinations was less than five times the LOQ.
- (2) The background result was more than four times the spike added.

Quality Control Summary

Client Name: Environmental Assessment & Rem
Reported: 07/12/07 at 10:36 AM

Group Number: 1043807

Laboratory Compliance Quality Control

Analysis Name	Blank Result	Blank MDL	Report Units	LCS %REC	LCSD %REC	LCS/LCSD Limits	RPD	RPD Max
cis-1,3-Dichloropropene	N.D.	0.91	ug/m3	86	89	48-132	3	20
4-Methyl-2-Pentanone	N.D.	2.0	ug/m3					
Toluene	N.D.	0.75	ug/m3	98	100	58-147	2	20
Octane	N.D.	0.93	ug/m3					
trans-1,3-Dichloropropene	N.D.	0.91	ug/m3	119	115	57-151	3	20
Ethyl Methacrylate	N.D.	0.93	ug/m3					
1,1,2-Trichloroethane	N.D.	1.1	ug/m3	106	107	54-132	1	20
Tetrachloroethene	N.D.	1.4	ug/m3	92	92	51-133	0	20
2-Hexanone	N.D.	2.0	ug/m3					
Dibromochloromethane	N.D.	1.7	ug/m3					
1,2-Dibromoethane	N.D.	1.5	ug/m3	126	122	53-158	3	20
Chlorobenzene	N.D.	0.92	ug/m3	120	113	64-134	6	20
1,1,1,2-Tetrachloroethane	N.D.	1.4	ug/m3					
Ethylbenzene	N.D.	0.87	ug/m3	111	110	63-140	1	20
m/p-Xylene	N.D.	0.87	ug/m3	112	108	64-145	4	20
o-Xylene	N.D.	0.87	ug/m3	120	113	62-160	6	20
Styrene	N.D.	0.85	ug/m3	138	130	61-169	5	20
Bromoform	N.D.	2.1	ug/m3					
Cumene	N.D.	0.98	ug/m3					
1,1,2,2-Tetrachloroethane	N.D.	1.4	ug/m3	121	115	35-192	5	20
1,2,3-Trichloropropane	N.D.	1.2	ug/m3					
Bromobenzene	N.D.	1.3	ug/m3					
4-Ethyltoluene	N.D.	0.98	ug/m3					
1,3,5-Trimethylbenzene	N.D.	0.98	ug/m3	131	122	56-156	7	20
Alpha Methyl Styrene	N.D.	0.97	ug/m3					
1,2,4-Trimethylbenzene	N.D.	0.98	ug/m3	125	118	58-168	6	20
1,3-Dichlorobenzene	N.D.	1.2	ug/m3	127	119	60-157	6	20
1,4-Dichlorobenzene	N.D.	1.2	ug/m3	113	105	60-161	7	20
1,2-Dichlorobenzene	N.D.	1.2	ug/m3	112	109	50-177	2	20
Hexachloroethane	N.D.	1.9	ug/m3					
1,2,4-Trichlorobenzene	N.D.	3.7	ug/m3	101	91	42-247	10	20
Hexachlorobutadiene	N.D.	5.3	ug/m3	107	101	32-227	6	20
Batch number: A0718430A Sample number(s): 5087097, 5087100								
tert-Butyl Alcohol	N.D.	0.61	ug/m3					
Propene	N.D.	0.34	ug/m3					
Dichlorodifluoromethane	N.D.	0.99	ug/m3	83	81	58-125	2	20
Chlorodifluoromethane	N.D.	0.71	ug/m3					
Freon 114	N.D.	1.4	ug/m3	85	88	60-128	3	20
Chloromethane	N.D.	0.41	ug/m3	84	87	54-125	4	20
Vinyl Chloride	N.D.	0.51	ug/m3	86	88	48-133	3	20
1,3-Butadiene	N.D.	1.1	ug/m3					
Bromomethane	N.D.	0.78	ug/m3	87	87	41-128	1	20
Chloroethane	N.D.	0.53	ug/m3	80	80	59-126	1	20
Dichlorofluoromethane	N.D.	0.84	ug/m3					
Trichlorofluoromethane	N.D.	1.1	ug/m3	83	87	60-126	5	20
Pentane	N.D.	0.59	ug/m3					
Acrolein	N.D.	1.1	ug/m3					
1,1-Dichloroethene	N.D.	0.79	ug/m3	87	92	56-127	6	20
Freon 113	N.D.	3.8	ug/m3	87	92	61-135	6	20
Acetone	N.D.	1.2	ug/m3					
Methyl Iodide	N.D.	1.2	ug/m3					
Carbon Disulfide	N.D.	0.62	ug/m3					
Acetonitrile	N.D.	0.84	ug/m3					
3-Chloropropene	N.D.	1.6	ug/m3					

*- Outside of specification

- (1) The result for one or both determinations was less than five times the LOQ.
- (2) The background result was more than four times the spike added.

Quality Control Summary

Client Name: Environmental Assessment & Rem
Reported: 07/12/07 at 10:36 AM

Group Number: 1043807

Laboratory Compliance Quality Control

Analysis Name	Blank Result	Blank MDL	Report Units	LCS %REC	LCSD %REC	LCS/LCSD Limits	RPD	RPD Max
Methylene Chloride	N.D.	0.69	ug/m3	94	96	53-133	2	20
Acrylonitrile	N.D.	1.1	ug/m3					
trans-1,2-Dichloroethene	N.D.	0.79	ug/m3					
Methyl t-Butyl Ether	N.D.	0.72	ug/m3					
Hexane	N.D.	0.70	ug/m3					
1,1-Dichloroethane	N.D.	0.81	ug/m3	84	87	56-128	3	20
Vinyl Acetate	N.D.	0.70	ug/m3					
cis-1,2-Dichloroethene	N.D.	0.79	ug/m3	88	93	52-125	5	20
2-Butanone	N.D.	1.5	ug/m3					
Ethyl Acetate	N.D.	0.72	ug/m3					
Methyl Acrylate	N.D.	0.70	ug/m3					
Chloroform	N.D.	0.98	ug/m3	94	97	62-133	3	20
1,1,1-Trichloroethane	N.D.	1.1	ug/m3	88	91	61-134	3	20
Carbon Tetrachloride	N.D.	1.3	ug/m3	81	85	53-123	5	20
1,2-Dichloroethane	N.D.	0.81	ug/m3	116	112	68-156	4	20
Benzene	N.D.	0.64	ug/m3	106	100	54-135	5	20
Isooctane	N.D.	0.93	ug/m3					
Heptane	N.D.	0.82	ug/m3					
Trichloroethene	N.D.	1.1	ug/m3	102	99	57-138	3	20
Ethyl Acrylate	N.D.	0.82	ug/m3					
1,2-Dichloropropane	N.D.	0.92	ug/m3	104	101	55-143	3	20
Methyl Methacrylate	N.D.	0.82	ug/m3					
Dibromomethane	N.D.	1.4	ug/m3					
1,4-Dioxane	N.D.	0.72	ug/m3					
Bromodichloromethane	N.D.	1.3	ug/m3					
cis-1,3-Dichloropropene	N.D.	0.91	ug/m3	101	100	48-132	1	20
4-Methyl-2-Pentanone	N.D.	2.0	ug/m3					
Toluene	N.D.	0.75	ug/m3	118	114	58-147	3	20
Octane	N.D.	0.93	ug/m3					
trans-1,3-Dichloropropene	N.D.	0.91	ug/m3	137	132	57-151	4	20
Ethyl Methacrylate	N.D.	0.93	ug/m3					
1,1,2-Trichloroethane	N.D.	1.1	ug/m3	127	121	54-132	5	20
Tetrachloroethene	N.D.	1.4	ug/m3	105	103	51-133	1	20
2-Hexanone	N.D.	2.0	ug/m3					
Dibromochloromethane	N.D.	1.7	ug/m3					
1,2-Dibromoethane	N.D.	1.5	ug/m3	143	141	53-158	1	20
Chlorobenzene	N.D.	0.92	ug/m3	127	122	64-134	4	20
1,1,1,2-Tetrachloroethane	N.D.	1.4	ug/m3					
Ethylbenzene	N.D.	0.87	ug/m3	121	120	63-140	0	20
m/p-Xylene	N.D.	0.87	ug/m3	123	119	64-145	4	20
o-Xylene	N.D.	0.87	ug/m3	129	125	62-160	3	20
Styrene	N.D.	0.85	ug/m3	146	143	61-169	2	20
Bromoform	N.D.	2.1	ug/m3					
Cumene	N.D.	0.98	ug/m3					
1,1,2,2-Tetrachloroethane	N.D.	1.4	ug/m3	129	132	35-192	2	20
1,2,3-Trichloropropane	N.D.	1.2	ug/m3					
Bromobenzene	N.D.	1.3	ug/m3					
4-Ethyltoluene	N.D.	0.98	ug/m3					
1,3,5-Trimethylbenzene	N.D.	0.98	ug/m3	135	132	56-156	3	20
Alpha Methyl Styrene	N.D.	0.97	ug/m3					
1,2,4-Trimethylbenzene	N.D.	0.98	ug/m3	130	125	58-168	4	20
1,3-Dichlorobenzene	N.D.	1.2	ug/m3	119	119	60-157	0	20
1,4-Dichlorobenzene	N.D.	1.2	ug/m3	104	110	60-161	6	20
1,2-Dichlorobenzene	N.D.	1.2	ug/m3	108	112	50-177	4	20
Hexachloroethane	N.D.	1.9	ug/m3					

*- Outside of specification

- (1) The result for one or both determinations was less than five times the LOQ.
- (2) The background result was more than four times the spike added.

Quality Control Summary

Client Name: Environmental Assessment & Rem
Reported: 07/12/07 at 10:36 AM

Group Number: 1043807

Laboratory Compliance Quality Control

<u>Analysis Name</u>	<u>Blank Result</u>	<u>Blank MDL</u>	<u>Report Units</u>	<u>LCS %REC</u>	<u>LCSD %REC</u>	<u>LCS/LCSD Limits</u>	<u>RPD</u>	<u>RPD Max</u>
1,2,4-Trichlorobenzene	N.D.	3.7	ug/m3	146	150	42-247	3	20
Hexachlorobutadiene	N.D.	5.3	ug/m3	115	138	32-227	18	20

*- Outside of specification

- (1) The result for one or both determinations was less than five times the LOQ.
- (2) The background result was more than four times the spike added.

Analysis Request / Environmental Services Chain of Custody



For Lancaster Laboratories use only

Acct. # **8514**

Group # **1043807** Sample # **5087093-100**

COC # **0154045**

Please print. Instructions on reverse side correspond with circled numbers.

1 **Env. Assessment + Remediation**

Client: **225 Atlantic Ave** Acct. #: **08514**
 Project Name: **Claro-Hopping** NY State PWSB #: **1-52-124**
 Project Manager: **J. Hofmann** P.O. #: **—**
 Sampler: **BS** Quote #: **—**
 Name of state where samples were collected: **NY**

For Lab Use Only

FSC: **—**
 SCR#: **—**

5 Preservation Codes

Preservation Codes
 H=HCl T=Thiosulfate
 N=HNO₃ B=NaOH
 S=H₂SO₄ O=Other

Analysis: **TO-15**
+SF₆ as FCC

Remarks

CW# 027
 CW# 144
 CW# 061
 CW# 148
 CW# 208
 CW# 419
 CW# 194
 CW# 021

Note: Regularly on SGIB did not
 move from -30th during sampling

Ambient Air Sample #1
 SG1A 6/19/07 0816-0936 ✓
 SG1B 6/19/07 1013-1113 ✓
 SG2A 6/19/07 1310-1410 ✓
 SG2B 6/19/07 1637-1737 ✓
 SG3A 6/20/07 0900-1000 ✓
 SG3B 6/20/07 1140-1240 ✓
 Ambient Air Sample #2 6/20/07 1350-1450 ✓
 6/20/07 1154-1254 ✓

7 Turnaround Time Requested (TAT) (please circle): **Normal** Rush

(Rush TAT is subject to Lancaster Laboratories approval and surcharge.)

Date results are needed:

Rush results requested by (please circle): **Phone** **Fax** **E-mail**

Phone #: **—** Fax #: **—** E-mail address: **—**

8 Data Package Options (please circle if required)

Type I (validation/NJ Reg) TX TRRP-13 SDG Complete? Yes No
 Type II (Tier II) MA MCP CT RCP Yes No
 Type III (Reduced NJ) Site-specific QC (MS/MSD/Dup)? Yes No
 Type IV (CLP SOW) (If yes, indicate QC sample and submit replicate volume)
 Type VI (Raw Data Only) Internal COC Required? Yes / No

Relinquished by: **EAR**

Relinquished by: **BS**

Relinquished by: **—**

Relinquished by: **—**

Relinquished by: **—**

Received by: **Fed Ex** Date **6/24/07** Time **1500**

Received by: **—** Date **—** Time **—**

Received by: **—** Date **—** Time **—**

Received by: **—** Date **—** Time **—**

Received by: **—** Date **—** Time **—**

Received by: **—** Date **—** Time **—**

Received by: **—** Date **—** Time **—**

Received by: **—** Date **—** Time **—**

Received by: **—** Date **—** Time **—**

Received by: **—** Date **—** Time **—**

Lancaster Laboratories, Inc., 2425 New Holland Pike, Lancaster, PA 17601 (717) 656-2300 Fax: (717) 656-6766
 Copies: White and yellow should accompany samples to Lancaster Laboratories. The pink copy should be retained by the client.

Lancaster Laboratories Explanation of Symbols and Abbreviations

The following defines common symbols and abbreviations used in reporting technical data:

N.D.	none detected	BMQL	Below Minimum Quantitation Level
TNTC	Too Numerous To Count	MPN	Most Probable Number
IU	International Units	CP Units	cobalt-chloroplatinate units
umhos/cm	micromhos/cm	NTU	nephelometric turbidity units
C	degrees Celsius	F	degrees Fahrenheit
Cal	(diet) calories	lb.	pound(s)
meq	milliequivalents	kg	kilogram(s)
g	gram(s)	mg	milligram(s)
ug	microgram(s)	l	liter(s)
ml	milliliter(s)	ul	microliter(s)
m3	cubic meter(s)	fib >5 um/ml	fibers greater than 5 microns in length per ml
<	less than – The number following the sign is the <u>limit of quantitation</u> , the smallest amount of analyte which can be reliably determined using this specific test.		
>	greater than		
ppm	parts per million – One ppm is equivalent to one milligram per kilogram (mg/kg), or one gram per million grams. For aqueous liquids, ppm is usually taken to be equivalent to milligrams per liter (mg/l), because one liter of water has a weight very close to a kilogram. For gases or vapors, one ppm is equivalent to one microliter of gas per liter of gas.		
ppb	parts per billion		
Dry weight basis	Results printed under this heading have been adjusted for moisture content. This increases the analyte weight concentration to approximate the value present in a similar sample without moisture.		

U.S. EPA data qualifiers:

Organic Qualifiers

A	TIC is a possible aldol-condensation product
B	Analyte was also detected in the blank
C	Pesticide result confirmed by GC/MS
D	Compound quantitated on a diluted sample
E	Concentration exceeds the calibration range of the instrument
J	Estimated value
N	Presumptive evidence of a compound (TICs only)
P	Concentration difference between primary and confirmation columns >25%
U	Compound was not detected
X,Y,Z	Defined in case narrative

Inorganic Qualifiers

B	Value is <CRDL, but ≥IDL
E	Estimated due to interference
M	Duplicate injection precision not met
N	Spike amount not within control limits
S	Method of standard additions (MSA) used for calculation
U	Compound was not detected
W	Post digestion spike out of control limits
*	Duplicate analysis not within control limits
+	Correlation coefficient for MSA <0.995

Analytical test results for methods listed on the laboratories' accreditation scope meet all requirements of NELAC unless otherwise noted under the individual analysis.

Tests results relate only to the sample tested. Clients should be aware that a critical step in a chemical or microbiological analysis is the collection of the sample. Unless the sample analyzed is truly representative of the bulk of material involved, the test results will be meaningless. If you have questions regarding the proper techniques of collecting samples, please contact us. We cannot be held responsible for sample integrity, however, unless sampling has been performed by a member of our staff. This report shall not be reproduced except in full, without the written approval of the laboratory.

WARRANTY AND LIMITS OF LIABILITY – In accepting analytical work, we warrant the accuracy of test results for the sample as submitted. THE FOREGOING EXPRESS WARRANTY IS EXCLUSIVE AND IS GIVEN IN LIEU OF ALL OTHER WARRANTIES, EXPRESSED OR IMPLIED. WE DISCLAIM ANY OTHER WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING A WARRANTY OF FITNESS FOR PARTICULAR PURPOSE AND WARRANTY OF MERCHANTABILITY. IN NO EVENT SHALL LANCASTER LABORATORIES BE LIABLE FOR INDIRECT, SPECIAL, CONSEQUENTIAL, OR INCIDENTAL DAMAGES INCLUDING, BUT NOT LIMITED TO, DAMAGES FOR LOSS OF PROFIT OR GOODWILL REGARDLESS OF (A) THE NEGLIGENCE (EITHER SOLE OR CONCURRENT) OF LANCASTER LABORATORIES AND (B) WHETHER LANCASTER LABORATORIES HAS BEEN INFORMED OF THE POSSIBILITY OF SUCH DAMAGES. We accept no legal responsibility for the purposes for which the client uses the test results. No purchase order or other order work shall be accepted by Lancaster Laboratories which includes any conditions that vary from the Standard Terms and Conditions of Lancaster Laboratories and we hereby object to any conflicting terms contained in any acceptance or order submitted by client.