


KOST ENVIRONMENTAL SERVICES, INC.

117 NORTH 6th STREET, LINDENHURST, NEW YORK 11757-TELEPHONE (516) 241-9856-FAX (631) 239-5112

August 21, 2009

Mr. Jamie Ascher
New York State Dept. of Env. Conservation
Division of Environmental Remediation, Region One
Bldg. 40 -SUNY
Stony Brook, New York 11790-2356



Re: **Glaro Inc.**
Site ID No. 1-52-124
Groundwater Quality Results for Down-Gradient Multi-level Well MW-8

Dear Mr. Ascher:

In my previous correspondence to you dated May 11, 2009, reference was made regarding the relocation of multi-level well ML-8 from the easterly section of #15 Power Drive to the easterly portion of the Town of Smithtown (TOS) right-of-way for Power Drive.

Environmental Assessment & Remediation (EAR)/Clearwater Drilling performed the installation of relocated ML-8 on June 23, 2009. Groundwater was encountered at a depth of 71.81'. Sampling intervals were constructed at depths of approximately 70'(ML-8A), 80'(ML-8B), 90'(ML-8C), 100'(ML-8D), 110'(ML-8E), 120'(ML-8F), and 130'(ML-8G) below grade. PID readings were taken on the drill cuttings, which ranged between 4 and 9 ppm. Numerous attempts were made to drill below the 130 foot depth but was not obtainable due to subsurface conditions (Boring Log is attached).

On July 22, 2009, EAR purged the well and performed groundwater sampling. Groundwater samples were obtained at depths of 80'(ML-8B) thru 130'(ML-8G). The 70'(ML-8A) depth well was dry and was not sampled.

The groundwater results indicated the following (Laboratory Results attached):

ML-8B

1,1 Dichloroethene 1ppb
c-1,2-Dichloroethene 15ppb
111 Trichloroethane 5ppb
Trichloroethene 18ppb
Tetrachloroethane 10ppb

All remaining parameters @ non-detectable concentrations

ML-8C

All parameters @ non-detectable concentrations

ML-8D

All parameters @ non-detectable concentrations

ML-8E

All parameters @ non-detectable concentrations

ML-8F

All parameters @ non-detectable concentrations


ML-8G

All parameters @ non-detectable concentrations

In accordance with the approved Work Plan, the remaining monitoring wells are scheduled for sampling and analysis in the month of September. However, the Work Plan also included soil gas and vapor intrusion sampling being performed concurrently with the groundwater sampling. It is requested that the soil gas and vapor intrusion sampling be postponed until the winter months.

If you have any questions, feel free to call me at 516-241-9856

Sincerely,



Darrel J. Kost P.E.

cc. W. Parish P.E., NYSDEC
N. Glass, Glaro, Inc.

ML-8 INSTALLATION




GLARO-ML-8-06/23/09

ML-8 BORING LOG


DRILLING LOG - Multi-Level Well Installation


DRILLING DETAILS	WELL CONSTRUCTION
PROJECT/SITE NAME <u>GLARO-HAUPPAUGE</u>	CENTRAL RISER CASING
SITE ADDRESS <u>735 Calebs Path</u> <u>Hauppauge, NY</u>	Type <u>PVC</u> Diameter <u>1.5"</u> Length <u>128.02'</u>
SPILL NUMBER <u>N/A</u>	CENTRAL RISER SCREEN
WELL I.D. <u>ML-8</u>	Type <u>PVC</u> Diameter <u>1.5"</u> Slot <u>20</u> Length <u>1'</u>
DRILLING METHOD <u>Hollow Stem Auger</u>	GRAVEL PACK <u>Native Fill 130'-3' BGS and 2'-1' BGS</u>
DRILLING COMPANY <u>Clearwater Drilling Inc.</u>	CASING SEAL <u>1' Bentonite Seal (hydrated pellets) 3'-2' BGS</u>
HEAD DRILLER <u>R. Allegrezza</u>	SECURITY <u>Dome Caps and Bolt Down, 8" Steel</u> <u>Manhole Cover</u>
LOGGED BY <u>S. Goetz</u>	FINISH <u>12"X12" Cement Apron</u>
BOREHOLE DIAMETER <u>7.5"</u>	COMMENTS <u>ML-8 is 6.02' ENE of E curbside on Calebs Path,</u> <u>67' NNW of 15 Calebs Path N edge of driveway,</u> <u>and 44.83' ENE of W curbside of Calebs Path.</u>
SAMPLE METHOD <u>Auger Cuttings (AC)</u>	
DEPTH-TO-WATER <u>71.81'</u>	
TOTAL WELL DEPTH <u>129.02'</u>	

Depth Below Grade	Well Design	Soil Lithology/Field Observations				
		Depth	Description/Classification	Sample Type	Screening Interval	PID Reading
		0'-4'	Brown silt and fine sand, trace coarse sand, trace fine gravel, trace organic material (tree root), moist, no odor.	Post Hole	0'-4'	3.4 ppm
		4'-10'	Brown silty fine sand, little medium sand, trace coarse sand, trace fine gravel, moist, no odor.	AC	4'-10'	9.0 ppm
		10'-25'	Brown silty fine and medium sand, trace coarse sand, trace fine gravel, moist, no odor.	AC	10'-15'	10.0 ppm
				AC	15'-20'	7.4 ppm
				AC	20'-25'	8.8 ppm
		25'-40'	Brown silty fine and medium sand, little coarse sand, little fine gravel, moist, no odor.	AC	25'-30'	6.1 ppm
				AC	30'-35'	7.5 ppm
				AC	35'-40'	3.9 ppm
		40'-50'	Brown silty fine and medium sand, some coarse sand, little fine gravel, moist, no odor.	AC	40'-45'	4.6 ppm
				AC	45'-50'	3.8 ppm
		50'-55'	Brown silty fine and medium sand, some coarse sand, trace fine gravel, moist, no odor.	AC	50'-55'	3.6 ppm
		55'-65'	Brown silty fine and medium sand, little coarse sand, trace fine gravel, moist, no odor.	AC	55'-60'	3.2 ppm
				AC	60'-65'	5.0 ppm
		65'-70'	Brown silty fine and medium sand, little coarse sand, little fine gravel, moist, no odor.	AC	65'-70'	3.4 ppm
	TWD 129.02'	70'-75'	Brown silty fine and medium sand, little coarse sand, trace fine gravel, moist, no odor.	AC	70'-75'	3.3 ppm

Backfill
 Bentonite
 Cement
 Gravel
 "Trace", 1 - 10%
"Some", 20 - 30%
"Little", 10 - 20%
"And", 30 - 50%

DRILLING LOG - Multi-Level Well Installation

PLAN VIEW	PIEZOMETER DETAILS																								
<p>WELL I.D. <u>ML-8</u></p>  <p style="text-align: center;">Not to scale.</p>	<p>6 - 0.5" diameter and 1 - 1.5" diameter with 1' - 0.020" screened section at 10' intervals.</p> <table border="1" style="width: 100%; border-collapse: collapse; text-align: center;"> <thead> <tr> <th>Piezometer</th> <th>Depth below grade</th> <th>Diameter</th> </tr> </thead> <tbody> <tr><td>A</td><td>70'</td><td>0.5"</td></tr> <tr><td>B</td><td>80'</td><td>0.5"</td></tr> <tr><td>C</td><td>90'</td><td>0.5"</td></tr> <tr><td>D</td><td>100'</td><td>0.5"</td></tr> <tr><td>E</td><td>110'</td><td>0.5"</td></tr> <tr><td>F</td><td>120'</td><td>0.5"</td></tr> <tr><td>G</td><td>130'</td><td>1.5"</td></tr> </tbody> </table>	Piezometer	Depth below grade	Diameter	A	70'	0.5"	B	80'	0.5"	C	90'	0.5"	D	100'	0.5"	E	110'	0.5"	F	120'	0.5"	G	130'	1.5"
Piezometer	Depth below grade	Diameter																							
A	70'	0.5"																							
B	80'	0.5"																							
C	90'	0.5"																							
D	100'	0.5"																							
E	110'	0.5"																							
F	120'	0.5"																							
G	130'	1.5"																							

Depth Below Grade	Well Design	Soil Lithology/Field Observations					
		Depth	Description/Classification	Sample Type	Screening Interval	PID Reading	
	 <p style="text-align: center;">Not to Scale</p>	75'-80'	Brown fine and medium sand, little silt, little coarse sand, trace fine gravel, moist, no odor.	AC	75'-80'	4.3 ppm	
		80'-85'	Brown fine and medium sand, some coarse sand, little silt, trace fine gravel, moist, no odor.	AC	80'-85'	7.5 ppm	
		85'-95'	Brown fine and medium sand, little coarse sand, trace silt, moist, no odor.	AC	85'-90'	4.3 ppm	
▼ 71.81'			95'-100'	Brown fine and medium sand, little coarse sand, trace silt, trace fine gravel, moist, no odor.	AC	90'-95'	4.3 ppm
			100'-110'	Brown fine and medium sand, little coarse sand, moist, no odor.	AC	95'-100'	5.8 ppm
					AC	100'-105'	5.4 ppm
					AC	115'-120'	7.9 ppm
			110'-115'	Tan fine and medium sand, little coarse sand, moist, no odor.	AC	110'-115'	4.0 ppm
			115'-120'	Tan fine and medium sand, little coarse sand, trace fine gravel, moist, no odor.	AC	115'-120'	6.0 ppm
			120'-130'	Tan fine and medium sand, some coarse sand, moist, no odor.	AC	120'-125'	9.5 ppm
					AC	125'-130'	6.7 ppm
			<p>Driller's Note: Drilling activities terminated short of target depth (145') due to extreme resistance on augers at 130'.</p>				
		TWD 129.02'					

Backfill	Bentonite	Cement	Gravel	"Trace", 1 - 10%	"Some", 20 - 30%
				"Little", 10 - 20%	"And", 30 - 50%

ML-8 LABORATORY RESULTS

RX Date/Time
08/04/2009 15:34

08/04/2009 14:43 6314225770
6314225770 ECOTESTLABS

P.002
PAGE 02/26

Ecotest Laboratories Inc
377 Sheffield Ave
North Babylon, NY 11703
631 422-5777

LAB NO.293018.01

08/04/09

Environmental Assessment & Remediation
225 Atlantic Avenue
Patchogue, NY 11772

ATTN: John Hoffman

PO#:

SOURCE OF SAMPLE: GLARO-Hauppauge

SOURCE OF SAMPLE: 1-52-124

COLLECTED BY: Client

DATE COL'D:07/22/09 RECEIVED:07/22/09

TIME COL'D:1048

MATRIX:Water SAMPLE: ML-8B

ANALYTICAL PARAMETERS	UNITS	RESULT	DATE TIME	FLAG	OF ANALYSIS	LRL	ANALYTICAL METHOD
Dichlorodifluoromethane	ug/L	< 1	072409			1	EPA8260
Chloromethane	ug/L	< 1	072409			1	EPA8260
Vinyl Chloride	ug/L	< 1	072409			1	EPA8260
Bromomethane	ug/L	< 1	072409			1	EPA8260
Chloroethane	ug/L	< 1	072409			1	EPA8260
Trichlorofluoromethane	ug/L	< 1	072409			1	EPA8260
1,1 Dichloroethene	ug/L	< 1	072409			1	EPA8260
Methylene Chloride	ug/L	< 1	072409			1	EPA8260
t-1,2-Dichloroethene	ug/L	< 1	072409			1	EPA8260
1,1 Dichloroethane	ug/L	1	072409			1	EPA8260
2,2-Dichloropropane	ug/L	< 1	072409			1	EPA8260
c-1,2-Dichloroethene	ug/L	15	072409			1	EPA8260
Bromochloromethane	ug/L	< 1	072409			1	EPA8260
Chloroform	ug/L	< 1	072409			1	EPA8260
111 Trichloroethane	ug/L	5	072409			1	EPA8260
Carbon Tetrachloride	ug/L	< 1	072409			1	EPA8260
1,1-Dichloropropene	ug/L	< 1	072409			1	EPA8260
Benzene	ug/L	< 1	072409			1	EPA8260
1,2 Dichloroethane	ug/L	< 1	072409			1	EPA8260
Trichloroethene	ug/L	18	072409			1	EPA8260
1,2 Dichloropropane	ug/L	< 1	072409			1	EPA8260
Dibromomethane	ug/L	< 1	072409			1	EPA8260
Bromodichloromethane	ug/L	< 1	072409			1	EPA8260
c-1,3Dichloropropene	ug/L	< 1	072409			1	EPA8260
Toluene	ug/L	< 1	072409			1	EPA8260

cc:

LRL=laboratory Reporting Limit

REMARKS:

DIRECTOR



rn = 16888

NYSDOH ID # 10320

Page 1 of 3

RX Date/Time
08/04/2009 15:34

08/04/2009 14:43 6314225770
6314225770 ECOTESTLABS

P.003
PAGE 03/26

EcoTest Laboratories Inc
377 Sheffield Ave
North Babylon, NY 11703
631 422-5777

LAB NO.293018.01

08/04/09

Environmental Assessment & Remediation
225 Atlantic Avenue
Patchogue, NY 11772

ATTN: John Hoffman

PO#:

SOURCE OF SAMPLE: GLARO-Hauppauge

SOURCE OF SAMPLE: 1-52-124

COLLECTED BY: Client

DATE COL'D:07/22/09 RECEIVED:07/22/09

TIME COL'D:1048

MATRIX:Water SAMPLE: ML-8B

ANALYTICAL PARAMETERS	UNITS	RESULT	DATE TIME	FLAG	OF ANALYSIS	LRL	ANALYTICAL METHOD
t-1,3Dichloropropene	ug/L	< 1	072409			1	EPA8260
112 Trichloroethane	ug/L	< 1	072409			1	EPA8260
Tetrachloroethene	ug/L	10	072409			1	EPA8260
1,3-Dichloropropane	ug/L	< 1	072409			1	EPA8260
Chlorodibromomethane	ug/L	< 1	072409			1	EPA8260
1,2 Dibromoethane	ug/L	< 1	072409			1	EPA8260
Chlorobenzene	ug/L	< 1	072409			1	EPA8260
Ethyl Benzene	ug/L	< 1	072409			1	EPA8260
1112Tetrachloroethane	ug/L	< 1	072409			1	EPA8260
m + p Xylene	ug/L	< 2	072409			2	EPA8260
o Xylene	ug/L	< 1	072409			1	EPA8260
Styrene	ug/L	< 1	072409			1	EPA8260
Bromoform	ug/L	< 1	072409			1	EPA8260
Isopropylbenzene	ug/L	< 1	072409			1	EPA8260
Bromobenzene	ug/L	< 1	072409			1	EPA8260
1122Tetrachloroethane	ug/L	< 1	072409			1	EPA8260
123-Trichloropropane	ug/L	< 1	072409			1	EPA8260
n-Propylbenzene	ug/L	< 1	072409			1	EPA8260
2-Chlorotoluene	ug/L	< 1	072409			1	EPA8260
135-Trimethylbenzene	ug/L	< 1	072409			1	EPA8260
4-Chlorotoluene	ug/L	< 1	072409			1	EPA8260
tert-Butylbenzene	ug/L	< 1	072409			1	EPA8260
124-Trimethylbenzene	ug/L	< 1	072409			1	EPA8260
sec-Butylbenzene	ug/L	< 1	072409			1	EPA8260
p-Isopropyltoluene	ug/L	< 1	072409			1	EPA8260

cc:

LRL=laboratory Reporting Limit

REMARKS:

DIRECTOR



rn = 16889

NYSDOH ID # 10320

Page 2 of 3

RX Date/Time
08/04/2009 15:34

08/04/2009 14:43 6314225770
6314225770 ECOTESTLABS

P.004
PAGE 04/26

EcoTest Laboratories Inc
377 Sheffield Ave
North Babylon, NY 11703
631 422-5777

LAB NO.293018.01

08/04/09

Environmental Assessment & Remediation
225 Atlantic Avenue
Patchogue, NY 11772

ATTN: John Hoffman

PO#:

SOURCE OF SAMPLE: GLARO-Hauppauge

SOURCE OF SAMPLE: 1-52-124

COLLECTED BY: Client

DATE COL'D:07/22/09 RECEIVED:07/22/09

TIME COL'D:1048

MATRIX:Water SAMPLE: ML-8B

ANALYTICAL PARAMETERS	UNITS	RESULT	DATE TIME	FLAG	OF ANALYSIS	LRL	ANALYTICAL METHOD
1,3 Dichlorobenzene (v)	ug/L	< 1	072409			1	EPA8260
1,4 Dichlorobenzene (v)	ug/L	< 1	072409			1	EPA8260
n-Butylbenzene	ug/L	< 1	072409			1	EPA8260
1,2 Dichlorobenzene (v)	ug/L	< 1	072409			1	EPA8260
Dibromochloropropane	ug/L	< 1	072409			1	EPA8260
124-Trichlorobenzene (v)	ug/L	< 1	072409			1	EPA8260
Hexachlorobutadiene	ug/L	< 1	072409			1	EPA8260
Naphthalene(v)	ug/L	< 1	072409			1	EPA8260
123-Trichlorobenzene	ug/L	< 1	072409			1	EPA8260
ter. ButylMethylEther	ug/L	< 1	072409			1	EPA8260
p-Ethyltoluene	ug/L	< 1	072409			1	EPA8260
Freon 113	ug/L	< 1	072409			1	EPA8260
1245 Tetramethylbenz	ug/L	< 1	072409			1	EPA8260
Acetone	ug/L	< 10	072409			10	EPA8260
Methyl Ethyl Ketone	ug/L	< 10	072409			10	EPA8260
Methylisobutylketone	ug/L	< 10	072409			10	EPA8260
Chlorodifluoromethane	ug/L	< 1	072409			1	EPA8260
p Diethylbenzene	ug/L	< 1	072409			1	EPA8260

cc:

LRL=laboratory Reporting Limit

REMARKS:

DIRECTOR



RX Date/Time
08/04/2009 15:34

08/04/2009 14:43 6314225770
6314225770 ECOTESTLABS

P.005
PAGE 05/26

EcoTest Laboratories Inc
377 Sheffield Ave
North Babylon, NY 11703
631 422-5777

LAB NO.293018.02

08/04/09

Environmental Assessment & Remediation
225 Atlantic Avenue
Patchogue, NY 11772

ATTN: John Hoffman

PO#:

SOURCE OF SAMPLE: GLARO-Hauppauge

SOURCE OF SAMPLE: 1-52-124

COLLECTED BY: Client

DATE COL'D:07/22/09 RECEIVED:07/22/09

TIME COL'D:1111

MATRIX:Water SAMPLE: ML-8C


ANALYTICAL PARAMETERS	UNITS	RESULT	DATE TIME FLAG OF ANALYSIS	LRL	ANALYTICAL METHOD
Dichlorodifluoromethane	ug/L	< 1	072409	1	EPA8260
Chloromethane	ug/L	< 1	072409	1	EPA8260
Vinyl Chloride	ug/L	< 1	072409	1	EPA8260
Bromomethane	ug/L	< 1	072409	1	EPA8260
Chloroethane	ug/L	< 1	072409	1	EPA8260
Trichlorofluoromethane	ug/L	< 1	072409	1	EPA8260
1,1 Dichloroethene	ug/L	< 1	072409	1	EPA8260
Methylene Chloride	ug/L	< 1	072409	1	EPA8260
t-1,2-Dichloroethene	ug/L	< 1	072409	1	EPA8260
1,1 Dichloroethane	ug/L	< 1	072409	1	EPA8260
2,2-Dichloropropane	ug/L	< 1	072409	1	EPA8260
c-1,2-Dichloroethene	ug/L	< 1	072409	1	EPA8260
Bromochloromethane	ug/L	< 1	072409	1	EPA8260
Chloroform	ug/L	< 1	072409	1	EPA8260
111 Trichloroethane	ug/L	< 1	072409	1	EPA8260
Carbon Tetrachloride	ug/L	< 1	072409	1	EPA8260
1,1-Dichloropropene	ug/L	< 1	072409	1	EPA8260
Benzene	ug/L	< 1	072409	1	EPA8260
1,2 Dichloroethane	ug/L	< 1	072409	1	EPA8260
Trichloroethene	ug/L	< 1	072409	1	EPA8260
1,2 Dichloropropane	ug/L	< 1	072409	1	EPA8260
Dibromomethane	ug/L	< 1	072409	1	EPA8260
Bromodichloromethane	ug/L	< 1	072409	1	EPA8260
c-1,3Dichloropropene	ug/L	< 1	072409	1	EPA8260
Toluene	ug/L	< 1	072409	1	EPA8260

cc:

LRL=laboratory Reporting Limit

REMARKS:

DIRECTOR



RX Date/Time
08/04/2009 15:34

08/04/2009 14:43 6314225770
6314225770 ECOTESTLABS

P.006
PAGE 06/26

EcoTest Laboratories Inc
377 Sheffield Ave
North Babylon, NY 11703
631 422-5777

LAB NO.293018.02

08/04/09

Environmental Assessment & Remediation
225 Atlantic Avenue
Patchogue, NY 11772

ATTN: John Hoffman

PO#:

SOURCE OF SAMPLE: GLARO-Hauppauge

SOURCE OF SAMPLE: 1-52-124

COLLECTED BY: Client

DATE COL'D:07/22/09 RECEIVED:07/22/09

TIME COL'D:1111

MATRIX:Water SAMPLE: ML-8C


ANALYTICAL PARAMETERS	UNITS	RESULT	DATE TIME	FLAG OF ANALYSIS	LRL	ANALYTICAL METHOD
t-1,3Dichloropropene	ug/L	< 1	072409		1	EPA8260
112 Trichloroethane	ug/L	< 1	072409		1	EPA8260
Tetrachloroethene	ug/L	< 1	072409		1	EPA8260
1,3-Dichloropropane	ug/L	< 1	072409		1	EPA8260
Chlorodibromomethane	ug/L	< 1	072409		1	EPA8260
1,2 Dibromoethane	ug/L	< 1	072409		1	EPA8260
Chlorobenzene	ug/L	< 1	072409		1	EPA8260
Ethyl Benzene	ug/L	< 1	072409		1	EPA8260
112Tetrachloroethane	ug/L	< 1	072409		1	EPA8260
m + p Xylene	ug/L	< 2	072409		2	EPA8260
o Xylene	ug/L	< 1	072409		1	EPA8260
Styrene	ug/L	< 1	072409		1	EPA8260
Bromoform	ug/L	< 1	072409		1	EPA8260
Isopropylbenzene	ug/L	< 1	072409		1	EPA8260
Bromobenzene	ug/L	< 1	072409		1	EPA8260
1122Tetrachloroethane	ug/L	< 1	072409		1	EPA8260
123-Trichloropropane	ug/L	< 1	072409		1	EPA8260
n-Propylbenzene	ug/L	< 1	072409		1	EPA8260
2-Chlorotoluene	ug/L	< 1	072409		1	EPA8260
135-Trimethylbenzene	ug/L	< 1	072409		1	EPA8260
4-Chlorotoluene	ug/L	< 1	072409		1	EPA8260
tert-Butylbenzene	ug/L	< 1	072409		1	EPA8260
124-Trimethylbenzene	ug/L	< 1	072409		1	EPA8260
sec-Butylbenzene	ug/L	< 1	072409		1	EPA8260
p-Isopropyltoluene	ug/L	< 1	072409		1	EPA8260

cc:

LRL=laboratory Reporting Limit

REMARKS:

DIRECTOR



rn = 16892

NYSDOH ID # 10320

Page 2 of 3

RX Date/Time
08/04/2009 15:34

08/04/2009 14:43 6314225770
6314225770 ECOTESTLABS

P.007
PAGE 07/25

EcoTest Laboratories Inc
377 Sheffield Ave
North Babylon, NY 11703
631 422-5777

LAB NO.293018.02

08/04/09

Environmental Assessment & Remediation
225 Atlantic Avenue
Patchogue, NY 11772

ATTN: John Hoffman

PO#:

SOURCE OF SAMPLE: GLARO-Hauppauge

SOURCE OF SAMPLE: 1-52-124

COLLECTED BY: Client

DATE COL'D:07/22/09 RECEIVED:07/22/09
TIME COL'D:1111

MATRIX:Water SAMPLE: ML-8C


ANALYTICAL PARAMETERS	UNITS	RESULT	DATE TIME	FLAG	OF ANALYSIS	LRL	ANALYTICAL METHOD
1,3 Dichlorobenzene (v)	ug/L	< 1	072409			1	EPA8260
1,4 Dichlorobenzene (v)	ug/L	< 1	072409			1	EPA8260
n-Butylbenzene	ug/L	< 1	072409			1	EPA8260
1,2 Dichlorobenzene (v)	ug/L	< 1	072409			1	EPA8260
Dibromochloropropane	ug/L	< 1	072409			1	EPA8260
124-Trichlorobenzene (v)	ug/L	< 1	072409			1	EPA8260
Hexachlorobutadiene	ug/L	< 1	072409			1	EPA8260
Naphthalene(v)	ug/L	< 1	072409			1	EPA8260
123-Trichlorobenzene	ug/L	< 1	072409			1	EPA8260
ter. ButylMethylEther	ug/L	< 1	072409			1	EPA8260
p-Ethyltoluene	ug/L	< 1	072409			1	EPA8260
Freon 113	ug/L	< 1	072409			1	EPA8260
1245 Tetramethylbenz	ug/L	< 1	072409			1	EPA8260
Acetone	ug/L	< 10	072409			10	EPA8260
Methyl Ethyl Ketone	ug/L	< 10	072409			10	EPA8260
Methylisobutylketone	ug/L	< 10	072409			10	EPA8260
Chlorodifluoromethane	ug/L	< 1	072409			1	EPA8260
p Diethylbenzene	ug/L	< 1	072409			1	EPA8260

cc:

LRL=laboratory Reporting Limit

REMARKS:

DIRECTOR



rn = 16893

NYSDOH ID # 10320

Page 3 of 3

RX Date/Time
08/04/2009 15:34

08/04/2009 14:43 6314225770
6314225770 ECOTESTLABS

P.008
PAGE 08/26

EcoTest Laboratories Inc
377 Sheffield Ave
North Babylon, NY 11703
631 422-5777

LAB NO.293018.03

08/04/09

Environmental Assessment & Remediation
225 Atlantic Avenue
Patchogue, NY 11772

ATTN: John Hoffman

PO#:

SOURCE OF SAMPLE: GLARO-Hauppauge

SOURCE OF SAMPLE: 1-52-124

COLLECTED BY: Client

DATE COL'D:07/22/09 RECEIVED:07/22/09

TIME COL'D:1139

MATRIX:Water SAMPLE: ML-8D

ANALYTICAL PARAMETERS	UNITS	RESULT	DATE TIME	FLAG	OF ANALYSIS	LRL	ANALYTICAL METHOD
Dichlorodifluoromethane	ug/L	< 1	072409			1	EPA8260
Chloromethane	ug/L	< 1	072409			1	EPA8260
Vinyl Chloride	ug/L	< 1	072409			1	EPA8260
Bromomethane	ug/L	< 1	072409			1	EPA8260
Chloroethane	ug/L	< 1	072409			1	EPA8260
Trichlorofluoromethane	ug/L	< 1	072409			1	EPA8260
1,1 Dichloroethene	ug/L	< 1	072409			1	EPA8260
Methylene Chloride	ug/L	< 1	072409			1	EPA8260
t-1,2-Dichloroethene	ug/L	< 1	072409			1	EPA8260
1,1 Dichloroethane	ug/L	< 1	072409			1	EPA8260
2,2-Dichloropropane	ug/L	< 1	072409			1	EPA8260
c-1,2-Dichloroethene	ug/L	< 1	072409			1	EPA8260
Bromochloromethane	ug/L	< 1	072409			1	EPA8260
Chloroform	ug/L	< 1	072409			1	EPA8260
111 Trichloroethane	ug/L	< 1	072409			1	EPA8260
Carbon Tetrachloride	ug/L	< 1	072409			1	EPA8260
1,1-Dichloropropene	ug/L	< 1	072409			1	EPA8260
Benzene	ug/L	< 1	072409			1	EPA8260
1,2 Dichloroethane	ug/L	< 1	072409			1	EPA8260
Trichloroethene	ug/L	< 1	072409			1	EPA8260
1,2 Dichloropropane	ug/L	< 1	072409			1	EPA8260
Dibromomethane	ug/L	< 1	072409			1	EPA8260
Bromodichloromethane	ug/L	< 1	072409			1	EPA8260
c-1,3Dichloropropene	ug/L	< 1	072409			1	EPA8260
Toluene	ug/L	< 1	072409			1	EPA8260

cc:

LRL=laboratory Reporting Limit

REMARKS:

DIRECTOR



RX Date/Time
08/04/2009 15:34

08/04/2009
6314225770

14:43

6314225770

ECOTESTLABS

P.009
PAGE 09/26

EcoTest Laboratories Inc
377 Sheffield Ave
North Babylon, NY 11703
631 422-5777

LAB NO.293018.03

08/04/09

Environmental Assessment & Remediation
225 Atlantic Avenue
Patchogue, NY 11772

ATTN: John Hoffman

PO#:

SOURCE OF SAMPLE: GLARO-Hauppauge

SOURCE OF SAMPLE: 1-52-124

COLLECTED BY: Client

DATE COL'D:07/22/09 RECEIVED:07/22/09

TIME COL'D:1139

MATRIX:Water SAMPLE: ML-8D


ANALYTICAL PARAMETERS	UNITS	RESULT	DATE TIME	FLAG OF ANALYSIS	LRL	ANALYTICAL METHOD
t-1,3Dichloropropene	ug/L	< 1	072409		1	EPA8260
112 Trichloroethane	ug/L	< 1	072409		1	EPA8260
Tetrachloroethene	ug/L	< 1	072409		1	EPA8260
1,3-Dichloropropene	ug/L	< 1	072409		1	EPA8260
Chlorodibromomethane	ug/L	< 1	072409		1	EPA8260
1,2 Dibromoethane	ug/L	< 1	072409		1	EPA8260
Chlorobenzene	ug/L	< 1	072409		1	EPA8260
Ethyl Benzene	ug/L	< 1	072409		1	EPA8260
1112Tetrachloroethane	ug/L	< 1	072409		1	EPA8260
m + p Xylene	ug/L	< 2	072409		2	EPA8260
o Xylene	ug/L	< 1	072409		1	EPA8260
Styrene	ug/L	< 1	072409		1	EPA8260
Bromoform	ug/L	< 1	072409		1	EPA8260
Isopropylbenzene	ug/L	< 1	072409		1	EPA8260
Bromobenzene	ug/L	< 1	072409		1	EPA8260
1122Tetrachloroethane	ug/L	< 1	072409		1	EPA8260
123-Trichloropropane.	ug/L	< 1	072409		1	EPA8260
n-Propylbenzene	ug/L	< 1	072409		1	EPA8260
2-Chlorotoluene	ug/L	< 1	072409		1	EPA8260
135-Trimethylbenzene	ug/L	< 1	072409		1	EPA8260
4-Chlorotoluene	ug/L	< 1	072409		1	EPA8260
tert-Butylbenzene	ug/L	< 1	072409		1	EPA8260
124-Trimethylbenzene	ug/L	< 1	072409		1	EPA8260
sec-Butylbenzene	ug/L	< 1	072409		1	EPA8260
p-Isopropyltoluene	ug/L	< 1	072409		1	EPA8260

cc:

LRL=laboratory Reporting Limit

REMARKS:

DIRECTOR



RX Date/Time
08/04/2009 15:34

08/04/2009
6314225770

14:43

6314225770

ECOTESTLABS

P.010
PAGE 10/26

EcoTest Laboratories Inc
377 Sheffield Ave
North Babylon, NY 11703
631 422-5777

LAB NO.293018.03

08/04/09

Environmental Assessment & Remediation
225 Atlantic Avenue
Patchogue, NY 11772

ATTN: John Hoffman

PO#:

SOURCE OF SAMPLE: GLARO-Hauppauge

SOURCE OF SAMPLE: 1-52-124

COLLECTED BY: Client

DATE COL'D:07/22/09 RECEIVED:07/22/09

TIME COL'D:1139

MATRIX:Water SAMPLE: ML-8D

ANALYTICAL PARAMETERS	UNITS	RESULT	DATE TIME	FLAG	OF ANALYSIS	LRL	ANALYTICAL METHOD
1,3 Dichlorobenzene (v)	ug/L	< 1	072409			1	EPA8260
1,4 Dichlorobenzene (v)	ug/L	< 1	072409			1	EPA8260
n-Butylbenzene	ug/L	< 1	072409			1	EPA8260
1,2 Dichlorobenzene (v)	ug/L	< 1	072409			1	EPA8260
Dibromochloropropane	ug/L	< 1	072409			1	EPA8260
124-Trichlorobenzene (v)	ug/L	< 1	072409			1	EPA8260
Hexachlorobutadiene	ug/L	< 1	072409			1	EPA8260
Naphthalene(v)	ug/L	< 1	072409			1	EPA8260
123-Trichlorobenzene	ug/L	< 1	072409			1	EPA8260
ter. ButylMethylEther	ug/L	< 1	072409			1	EPA8260
p-Ethyltoluene	ug/L	< 1	072409			1	EPA8260
Freon 113	ug/L	< 1	072409			1	EPA8260
1245 Tetramethylbenz	ug/L	< 1	072409			1	EPA8260
Acetone	ug/L	< 10	072409			10	EPA8260
Methyl Ethyl Ketone	ug/L	< 10	072409			10	EPA8260
Methylisobutylketone	ug/L	< 10	072409			10	EPA8260
Chlorodifluoromethane	ug/L	< 1	072409			1	EPA8260
p Diethylbenzene	ug/L	< 1	072409			1	EPA8260

cc:

LRL=laboratory Reporting Limit

REMARKS:

DIRECTOR



RX Date/Time
08/04/2009 15:34

08/04/2009 14:43 6314225770
6314225770 ECOTESTLABS

P.011
PAGE 11/26

EcoTest Laboratories Inc
377 Sheffield Ave
North Babylon, NY 11703
631 422-5777

LAB NO.293018.04 08/04/09

Environmental Assessment & Remediation
225 Atlantic Avenue
Patchogue, NY 11772

ATTN: John Hoffman PO#:

SOURCE OF SAMPLE: GLARO-Hauppauge
SOURCE OF SAMPLE: 1-52-124
COLLECTED BY: Client DATE COL'D:07/22/09 RECEIVED:07/22/09
TIME COL'D:1205


MATRIX:Water SAMPLE: ML-8E

ANALYTICAL PARAMETERS	UNITS	RESULT	DATE TIME FLAG OF ANALYSIS	LRL	ANALYTICAL METHOD
Dichlorodifluoromethane	ug/L	< 1	072409	1	EPA8260
Chloromethane	ug/L	< 1	072409	1	EPA8260
Vinyl Chloride	ug/L	< 1	072409	1	EPA8260
Bromomethane	ug/L	< 1	072409	1	EPA8260
Chloroethane	ug/L	< 1	072409	1	EPA8260
Trichlorofluoromethane	ug/L	< 1	072409	1	EPA8260
1,1 Dichloroethene	ug/L	< 1	072409	1	EPA8260
Methylene Chloride	ug/L	< 1	072409	1	EPA8260
t-1,2-Dichloroethene	ug/L	< 1	072409	1	EPA8260
1,1 Dichloroethane	ug/L	< 1	072409	1	EPA8260
2,2-Dichloropropane	ug/L	< 1	072409	1	EPA8260
c-1,2-Dichloroethene	ug/L	< 1	072409	1	EPA8260
Bromochloromethane	ug/L	< 1	072409	1	EPA8260
Chloroform	ug/L	< 1	072409	1	EPA8260
111 Trichloroethane	ug/L	< 1	072409	1	EPA8260
Carbon Tetrachloride	ug/L	< 1	072409	1	EPA8260
1,1-Dichloropropene	ug/L	< 1	072409	1	EPA8260
Benzene	ug/L	< 1	072409	1	EPA8260
1,2 Dichloroethane	ug/L	< 1	072409	1	EPA8260
Trichloroethene	ug/L	< 1	072409	1	EPA8260
1,2 Dichloropropane	ug/L	< 1	072409	1	EPA8260
Dibromomethane	ug/L	< 1	072409	1	EPA8260
Bromodichloromethane	ug/L	< 1	072409	1	EPA8260
c-1,3Dichloropropene	ug/L	< 1	072409	1	EPA8260
Toluene	ug/L	< 1	072409	1	EPA8260

cc:

LRL=laboratory Reporting Limit

REMARKS:

DIRECTOR 

RX Date/Time
08/04/2009 15:34

08/04/2009
6314225770

14:43

6314225770

ECOTESTLABS

P.012
PAGE 12/26

EcoTest Laboratories Inc
377 Sheffield Ave
North Babylon, NY 11703
631 422-5777

LAB NO.293018.04

08/04/09

Environmental Assessment & Remediation
225 Atlantic Avenue
Patchogue, NY 11772

ATTN: John Hoffman

PO#:

SOURCE OF SAMPLE: GLARO-Hauppauge

SOURCE OF SAMPLE: 1-52-124

COLLECTED BY: Client

DATE COL'D:07/22/09 RECEIVED:07/22/09

TIME COL'D:1205

MATRIX:Water SAMPLE: ML-8E

ANALYTICAL PARAMETERS	UNITS	RESULT	DATE TIME	FLAG	OF ANALYSIS	LRL	ANALYTICAL METHOD
t-1,3Dichloropropene	ug/L	< 1	072409			1	EPA8260
112 Trichloroethane	ug/L	< 1	072409			1	EPA8260
Tetrachloroethene	ug/L	< 1	072409			1	EPA8260
1,3-Dichloropropane	ug/L	< 1	072409			1	EPA8260
Chlorodibromomethane	ug/L	< 1	072409			1	EPA8260
1,2 Dibromoethane	ug/L	< 1	072409			1	EPA8260
Chlorobenzene	ug/L	< 1	072409			1	EPA8260
Ethyl Benzene	ug/L	< 1	072409			1	EPA8260
1112Tetrachloroethane	ug/L	< 1	072409			1	EPA8260
m + p Xylene	ug/L	< 2	072409			2	EPA8260
o Xylene	ug/L	< 1	072409			1	EPA8260
Styrene	ug/L	< 1	072409			1	EPA8260
Bromoform	ug/L	< 1	072409			1	EPA8260
Isopropylbenzene	ug/L	< 1	072409			1	EPA8260
Bromobenzene	ug/L	< 1	072409			1	EPA8260
1122Tetrachloroethane	ug/L	< 1	072409			1	EPA8260
123-Trichloropropane	ug/L	< 1	072409			1	EPA8260
n-Propylbenzene	ug/L	< 1	072409			1	EPA8260
2-Chlorotoluene	ug/L	< 1	072409			1	EPA8260
135-Trimethylbenzene	ug/L	< 1	072409			1	EPA8260
4-Chlorotoluene	ug/L	< 1	072409			1	EPA8260
tert-Butylbenzene	ug/L	< 1	072409			1	EPA8260
124-Trimethylbenzene	ug/L	< 1	072409			1	EPA8260
sec-Butylbenzene	ug/L	< 1	072409			1	EPA8260
p-Isopropyltoluene	ug/L	< 1	072409			1	EPA8260

cc:

LRL=laboratory Reporting Limit

REMARKS:

DIRECTOR

Page 2 of 3

rn = 16898

NYSDOH ID # 10320

RX Date/Time
08/04/2009 15:34

08/04/2009 14:43 6314225770
6314225770 ECOTESTLABS

P.013
PAGE 13/26

EcoTest Laboratories Inc
377 Sheffield Ave
North Babylon, NY 11703
631 422-5777

LAB NO.293018.04

08/04/09

Environmental Assessment & Remediation
225 Atlantic Avenue
Patchogue, NY 11772

ATTN: John Hoffman

PO#:

SOURCE OF SAMPLE: GLARO-Hauppauge

SOURCE OF SAMPLE: 1-52-124

COLLECTED BY: Client

DATE COL'D:07/22/09 RECEIVED:07/22/09

TIME COL'D:1205

MATRIX:Water SAMPLE: ML-8E

ANALYTICAL PARAMETERS	UNITS	RESULT	DATE TIME	FLAG	OF ANALYSIS	LRL	ANALYTICAL METHOD
1,3 Dichlorobenzene (v)	ug/L	< 1	072409			1	EPAS260
1,4 Dichlorobenzene (v)	ug/L	< 1	072409			1	EPAS260
n-Butylbenzene	ug/L	< 1	072409			1	EPAS260
1,2 Dichlorobenzene (v)	ug/L	< 1	072409			1	EPAS260
Dibromochloropropane	ug/L	< 1	072409			1	EPAS260
124-Trichlorobenzene (v)	ug/L	< 1	072409			1	EPAS260
Hexachlorobutadiene	ug/L	< 1	072409			1	EPAS260
Naphthalene(v)	ug/L	< 1	072409			1	EPAS260
123-Trichlorobenzene	ug/L	< 1	072409			1	EPAS260
ter-ButylMethylEther	ug/L	< 1	072409			1	EPAS260
p-Ethyltoluene	ug/L	< 1	072409			1	EPAS260
Freon 113	ug/L	< 1	072409			1	EPAS260
1245 Tetramethylbenz	ug/L	< 1	072409			1	EPAS260
Acetone	ug/L	< 10	072409			10	EPAS260
Methyl Ethyl Ketone	ug/L	< 10	072409			10	EPAS260
Methylisobutylketone	ug/L	< 10	072409			10	EPAS260
Chlorodifluoromethane	ug/L	< 1	072409			1	EPAS260
p Diethylbenzene	ug/L	< 1	072409			1	EPAS260

cc:

LRL=laboratory Reporting Limit

REMARKS:

DIRECTOR



rn = 16899

NYSDOH ID # 10320

Page 3 of 3

RX Date/Time
08/04/2009 15:34

08/04/2009
6314225770

14:43

6314225770

ECOTESTLABS

P.014
PAGE 14/26

EcoTest Laboratories Inc
377 Sheffield Ave
North Babylon, NY 11703
631 422-5777

LAB NO.293018.05

08/04/09

Environmental Assessment & Remediation
225 Atlantic Avenue
Patchogue, NY 11772

ATTN: John Hoffman

PO#:

SOURCE OF SAMPLE: GLARO-Hauppauge

SOURCE OF SAMPLE: 1-52-124

COLLECTED BY: Client

DATE COL'D:07/22/09 RECEIVED:07/22/09

TIME COL'D:1244

MATRIX:Water

SAMPLE: ML-8F


ANALYTICAL PARAMETERS	UNITS	RESULT	DATE TIME	FLAG	OF ANALYSIS	LRL	ANALYTICAL METHOD
Dichlorodifluoromethane	ug/L	< 1	072409			1	EPAS260
Chloromethane	ug/L	< 1	072409			1	EPAS260
Vinyl Chloride	ug/L	< 1	072409			1	EPAS260
Bromomethane	ug/L	< 1	072409			1	EPAS260
Chloroethane	ug/L	< 1	072409			1	EPAS260
Trichlorofluoromethane	ug/L	< 1	072409			1	EPAS260
1,1 Dichloroethene	ug/L	< 1	072409			1	EPAS260
Methylene Chloride	ug/L	< 1	072409			1	EPAS260
t-1,2-Dichloroethene	ug/L	< 1	072409			1	EPAS260
1,1 Dichloroethane	ug/L	< 1	072409			1	EPAS260
2,2-Dichloropropane	ug/L	< 1	072409			1	EPAS260
c-1,2-Dichloroethene	ug/L	< 1	072409			1	EPAS260
Bromochloromethane	ug/L	< 1	072409			1	EPAS260
Chloroform	ug/L	< 1	072409			1	EPAS260
111 Trichloroethane	ug/L	< 1	072409			1	EPAS260
Carbon Tetrachloride	ug/L	< 1	072409			1	EPAS260
1,1-Dichloropropene	ug/L	< 1	072409			1	EPAS260
Benzene	ug/L	< 1	072409			1	EPAS260
1,2 Dichloroethane	ug/L	< 1	072409			1	EPAS260
Trichloroethene	ug/L	< 1	072409			1	EPAS260
1,2 Dichloropropane	ug/L	< 1	072409			1	EPAS260
Dibromomethane	ug/L	< 1	072409			1	EPAS260
Bromodichloromethane	ug/L	< 1	072409			1	EPAS260
c-1,3Dichloropropene	ug/L	< 1	072409			1	EPAS260
Toluene	ug/L	< 1	072409			1	EPAS260

cc:

LRL=laboratory Reporting Limit

REMARKS:

DIRECTOR



rn = 16900

NYSDOH ID # 10320

Page 1 of 3

RX Date/Time
08/04/2009 15:34

08/04/2009 14:43 6314225770
6314225770 ECOTESTLABS

P.015
PAGE 15/26

EcoTest Laboratories Inc
377 Sheffield Ave
North Babylon, NY 11703
631 422-5777

LAB NO.293018.05

08/04/09

Environmental Assessment & Remediation
225 Atlantic Avenue
Patchogue, NY 11772

ATTN: John Hoffman

PO#:

SOURCE OF SAMPLE: GLARO-Hauppauge

SOURCE OF SAMPLE: 1-52-124

COLLECTED BY: Client

DATE COL'D:07/22/09 RECEIVED:07/22/09

TIME COL'D:1244

MATRIX:Water SAMPLE: ML-8F


ANALYTICAL PARAMETERS	UNITS	RESULT	DATE TIME	FLAG	OF ANALYSIS	LRL	ANALYTICAL METHOD
t-1,3Dichloropropene	ug/L	< 1	072409			1	EPAS260
112 Trichloroethane	ug/L	< 1	072409			1	EPAS260
Tetrachloroethene	ug/L	< 1	072409			1	EPAS260
1,3-Dichloropropane	ug/L	< 1	072409			1	EPAS260
Chlorodibromomethane	ug/L	< 1	072409			1	EPAS260
1,2 Dibromoethane	ug/L	< 1	072409			1	EPAS260
Chlorobenzene	ug/L	< 1	072409			1	EPAS260
Ethyl Benzene	ug/L	< 1	072409			1	EPAS260
1112Tetrachloroethane	ug/L	< 1	072409			1	EPAS260
m + p Xylene	ug/L	< 2	072409			2	EPAS260
o Xylene	ug/L	< 1	072409			1	EPAS260
Styrene	ug/L	< 1	072409			1	EPAS260
Bromoform	ug/L	< 1	072409			1	EPAS260
Isopropylbenzene	ug/L	< 1	072409			1	EPAS260
Bromobenzene	ug/L	< 1	072409			1	EPAS260
1122Tetrachloroethane	ug/L	< 1	072409			1	EPAS260
123-Trichloropropane	ug/L	< 1	072409			1	EPAS260
n-Propylbenzene	ug/L	< 1	072409			1	EPAS260
2-Chlorotoluene	ug/L	< 1	072409			1	EPAS260
135-Trimethylbenzene	ug/L	< 1	072409			1	EPAS260
4-Chlorotoluene	ug/L	< 1	072409			1	EPAS260
tert-Butylbenzene	ug/L	< 1	072409			1	EPAS260
124-Trimethylbenzene	ug/L	< 1	072409			1	EPAS260
sec-Butylbenzene	ug/L	< 1	072409			1	EPAS260
p-Isopropyltoluene	ug/L	< 1	072409			1	EPAS260

cc:

LRL=laboratory Reporting Limit

REMARKS:

DIRECTOR



rn = 16901

NYSDOH ID # 10320

Page 2 of 3

RX Date/Time
08/04/2009 15:34

08/04/2009
6314225770

14:43

6314225770

ECOTESTLABS

P.016
PAGE 16/26

EcoTest Laboratories Inc
377 Sheffield Ave
North Babylon, NY 11703
631 422-5777

LAB NO.293018.05

08/04/09

Environmental Assessment & Remediation
225 Atlantic Avenue
Patchogue, NY 11772

ATTN: John Hoffman

PO#:

SOURCE OF SAMPLE: GLARO-Hauppauge

SOURCE OF SAMPLE: 1-52-124

COLLECTED BY: Client

DATE COL'D:07/22/09 RECEIVED:07/22/09

TIME COL'D:1244

MATRIX:Water

SAMPLE: ML-8F


ANALYTICAL PARAMETERS	UNITS	RESULT	DATE TIME	FLAG	OF ANALYSIS	LRL	ANALYTICAL METHOD
1,3 Dichlorobenzene (v)	ug/L	< 1	072409			1	EPA8260
1,4 Dichlorobenzene (v)	ug/L	< 1	072409			1	EPA8260
n-Butylbenzene	ug/L	< 1	072409			1	EPA8260
1,2 Dichlorobenzene (v)	ug/L	< 1	072409			1	EPA8260
Dibromochloropropane	ug/L	< 1	072409			1	EPA8260
124-Trichlorobenzene (v)	ug/L	< 1	072409			1	EPA8260
Hexachlorobutadiene	ug/L	< 1	072409			1	EPA8260
Naphthalene(v)	ug/L	< 1	072409			1	EPA8260
123-Trichlorobenzene	ug/L	< 1	072409			1	EPA8260
ter. ButylMethylEther	ug/L	< 1	072409			1	EPA8260
p-Ethyltoluene	ug/L	< 1	072409			1	EPA8260
Freon 113	ug/L	< 1	072409			1	EPA8260
1245 Tetramethylbenz	ug/L	< 1	072409			1	EPA8260
Acetone	ug/L	< 10	072409			10	EPA8260
Methyl Ethyl Ketone	ug/L	< 10	072409			10	EPA8260
Methylisobutyiketone	ug/L	< 10	072409			10	EPA8260
Chlorodifluoromethane	ug/L	< 1	072409			1	EPA8260
p Diethylbenzene	ug/L	< 1	072409			1	EPA8260

cc:

LRL=laboratory Reporting Limit

REMARKS:

DIRECTOR



rn = 16902

NYSDOH ID # 10320

Page 3 of 3

RX Date/Time
08/04/2009 15:34

08/04/2009
6314225770

14:43

6314225770

ECOTESTLABS

P.017
PAGE 17/26

EcoTest Laboratories Inc
377 Sheffield Ave
North Babylon, NY 11703
631 422-5777

LAB NO.293018.06

08/04/09

Environmental Assessment & Remediation
225 Atlantic Avenue
Patchogue, NY 11772

ATTN: John Hoffman

PO#:

SOURCE OF SAMPLE: GLARO-Hauppauge

SOURCE OF SAMPLE: 1-52-124

COLLECTED BY: Client

DATE COL'D:07/22/09 RECEIVED:07/22/09

TIME COL'D:1349

MATRIX:Water

SAMPLE: ML-8G


ANALYTICAL PARAMETERS	UNITS	RESULT	DATE TIME	FLAG	OF ANALYSIS	LRL	ANALYTICAL METHOD
Dichlorodifluoromethane	ug/L	< 1	072409			1	EPAS260
Chloromethane	ug/L	< 1	072409			1	EPAS260
Vinyl Chloride	ug/L	< 1	072409			1	EPAS260
Bromomethane	ug/L	< 1	072409			1	EPAS260
Chloroethane	ug/L	< 1	072409			1	EPAS260
Trichlorofluoromethane	ug/L	< 1	072409			1	EPAS260
1,1 Dichloroethene	ug/L	< 1	072409			1	EPAS260
Methylene Chloride	ug/L	< 1	072409			1	EPAS260
t-1,2-Dichloroethene	ug/L	< 1	072409			1	EPAS260
1,1 Dichloroethane	ug/L	< 1	072409			1	EPAS260
2,2-Dichloropropane	ug/L	< 1	072409			1	EPAS260
c-1,2-Dichloroethene	ug/L	< 1	072409			1	EPAS260
Bromochloromethane	ug/L	< 1	072409			1	EPAS260
Chloroform	ug/L	< 1	072409			1	EPAS260
111 Trichloroethane	ug/L	< 1	072409			1	EPAS260
Carbon Tetrachloride	ug/L	< 1	072409			1	EPAS260
1,1-Dichloropropene	ug/L	< 1	072409			1	EPAS260
Benzene	ug/L	< 1	072409			1	EPAS260
1,2 Dichloroethane	ug/L	< 1	072409			1	EPAS260
Trichloroethene	ug/L	< 1	072409			1	EPAS260
1,2 Dichloropropane	ug/L	< 1	072409			1	EPAS260
Dibromomethane	ug/L	< 1	072409			1	EPAS260
Bromodichloromethane	ug/L	< 1	072409			1	EPAS260
c-1,3Dichloropropene	ug/L	< 1	072409			1	EPAS260
Toluene	ug/L	< 1	072409			1	EPAS260

cc:

LRL=laboratory Reporting Limit

REMARKS:

DIRECTOR



rn = 16903

NYSDOH ID # 10320

RX Date/Time
08/04/2009 15:34

08/04/2009
6314225770

14:43

6314225770

ECOTESTLABS

P.018

PAGE 18/26

EcoTest Laboratories Inc
377 Sheffield Ave
North Babylon, NY 11703
631 422-5777

LAB NO.293018.06

08/04/09

Environmental Assessment & Remediation
225 Atlantic Avenue
Patchogue, NY 11772

ATTN: John Hoffman

PO#:

SOURCE OF SAMPLE: GLARO-Hauppauge

SOURCE OF SAMPLE: 1-52-124

COLLECTED BY: Client

DATE COL'D:07/22/09 RECEIVED:07/22/09

TIME COL'D:1349

MATRIX:Water SAMPLE: ML-8G

ANALYTICAL PARAMETERS	UNITS	RESULT	DATE TIME	FLAG	OF ANALYSIS	LRL	ANALYTICAL METHOD
t-1,3Dichloropropene	ug/L	< 1	072409			1	EPA8260
1,1,2 Trichloroethane	ug/L	< 1	072409			1	EPA8260
Tetrachloroethane	ug/L	< 1	072409			1	EPA8260
1,3-Dichloropropane	ug/L	< 1	072409			1	EPA8260
Chlorodibromomethane	ug/L	< 1	072409			1	EPA8260
1,2 Dibromoethane	ug/L	< 1	072409			1	EPA8260
Chlorobenzene	ug/L	< 1	072409			1	EPA8260
Ethyl Benzene	ug/L	< 1	072409			1	EPA8260
1,1,2Tetrachloroethane	ug/L	< 1	072409			1	EPA8260
m + p Xylene	ug/L	< 2	072409			2	EPA8260
o Xylene	ug/L	< 1	072409			1	EPA8260
Styrene	ug/L	< 1	072409			1	EPA8260
Bromoform	ug/L	< 1	072409			1	EPA8260
Isopropylbenzene	ug/L	< 1	072409			1	EPA8260
Bromobenzene	ug/L	< 1	072409			1	EPA8260
1,1,2,2Tetrachloroethane	ug/L	< 1	072409			1	EPA8260
1,2,3-Trichloropropane	ug/L	< 1	072409			1	EPA8260
n-Propylbenzene	ug/L	< 1	072409			1	EPA8260
2-Chlorotoluene	ug/L	< 1	072409			1	EPA8260
1,3,5-Trimethylbenzene	ug/L	< 1	072409			1	EPA8260
4-Chlorotoluene	ug/L	< 1	072409			1	EPA8260
tert-Butylbenzene	ug/L	< 1	072409			1	EPA8260
1,2,4-Trimethylbenzene	ug/L	< 1	072409			1	EPA8260
sec-Butylbenzene	ug/L	< 1	072409			1	EPA8260
p-Isopropyltoluene	ug/L	< 1	072409			1	EPA8260

cc:

LRL=laboratory Reporting Limit

REMARKS:

DIRECTOR

Page 2 of 3

rn = 16904

NYSDOH ID # 10320

RX Date/Time
08/04/2009 15:34

08/04/2009 14:43 6314225770
6314225770 ECOTESTLABS

P.019
PAGE 19/26

EcoTest Laboratories Inc
377 Sheffield Ave
North Babylon, NY 11703
631 422-5777

LAB NO.293018.06

08/04/09

Environmental Assessment & Remediation
225 Atlantic Avenue
Patchogue, NY 11772

ATTN: John Hoffman

PO#:

SOURCE OF SAMPLE: GLARO-Hauppauge

SOURCE OF SAMPLE: 1-52-124

COLLECTED BY: Client

DATE COL'D:07/22/09 RECEIVED:07/22/09

TIME COL'D:1349

MATRIX:Water

SAMPLE: ML-8G


ANALYTICAL PARAMETERS	UNITS	RESULT	DATE TIME	FLAG	OF ANALYSIS	LRL	ANALYTICAL METHOD
1,3 Dichlorobenzene (v)	ug/L	< 1	072409			1	EPA8260
1,4 Dichlorobenzene (v)	ug/L	< 1	072409			1	EPA8260
n-Butylbenzene	ug/L	< 1	072409			1	EPA8260
1,2 Dichlorobenzene (v)	ug/L	< 1	072409			1	EPA8260
Dibromochloropropane	ug/L	< 1	072409			1	EPA8260
124-Trichlorobenzene (v)	ug/L	< 1	072409			1	EPA8260
Hexachlorobutadiene	ug/L	< 1	072409			1	EPA8260
Naphthalene(v)	ug/L	< 1	072409			1	EPA8260
123-Trichlorobenzene	ug/L	< 1	072409			1	EPA8260
ter. ButylMethylEther	ug/L	< 1	072409			1	EPA8260
p-Ethyltoluene	ug/L	< 1	072409			1	EPA8260
Freon 113	ug/L	< 1	072409			1	EPA8260
1245 Tetramethylbenz	ug/L	< 1	072409			1	EPA8260
Acetone	ug/L	< 10	072409			10	EPA8260
Methyl Ethyl Ketone	ug/L	< 10	072409			10	EPA8260
Methylisobutyiketone	ug/L	< 10	072409			10	EPA8260
Chlorodifluoromethane	ug/L	< 1	072409			1	EPA8260
p Diethylbenzene	ug/L	< 1	072409			1	EPA8260

cc:

LRL=laboratory Reporting Limit

REMARKS:

DIRECTOR



rn = 16905

NYSDOH ID # 10320

Page 3 of 3

RX Date/Time
08/04/2009 15:34

08/04/2009
6314225770

14:43

6314225770

ECOTESTLABS

P.020
PAGE 20/26

EcoTest Laboratories Inc
377 Sheffield Ave
North Babylon, NY 11703
631 422-5777

LAB NO.293018.07

08/04/09

Environmental Assessment & Remediation
225 Atlantic Avenue
Patchogue, NY 11772

ATTN: John Hoffman

PO#:

SOURCE OF SAMPLE: GLARO-Hauppauge

SOURCE OF SAMPLE: 1-52-124

COLLECTED BY: Client

DATE COL'D:07/21/09 RECEIVED:07/22/09

TIME COL'D:1038

MATRIX:Water SAMPLE: Trip Blank

ANALYTICAL PARAMETERS	UNITS	RESULT	DATE TIME FLAG OF ANALYSIS	LRL	ANALYTICAL METHOD
Dichlorodifluoromethane	ug/L	< 1	072409	1	EPA8260
Chloromethane	ug/L	< 1	072409	1	EPA8260
Vinyl Chloride	ug/L	< 1	072409	1	EPA8260
Bromomethane	ug/L	< 1	072409	1	EPA8260
Chloroethane	ug/L	< 1	072409	1	EPA8260
Trichlorofluoromethane	ug/L	< 1	072409	1	EPA8260
1,1 Dichloroethene	ug/L	< 1	072409	1	EPA8260
Methylene Chloride	ug/L	< 1	072409	1	EPA8260
t-1,2-Dichloroethene	ug/L	< 1	072409	1	EPA8260
1,1 Dichloroethane	ug/L	< 1	072409	1	EPA8260
2,2-Dichloropropane	ug/L	< 1	072409	1	EPA8260
c-1,2-Dichloroethene	ug/L	< 1	072409	1	EPA8260
Bromochloromethane	ug/L	< 1	072409	1	EPA8260
Chloroform	ug/L	< 1	072409	1	EPA8260
111 Trichloroethane	ug/L	< 1	072409	1	EPA8260
Carbon Tetrachloride	ug/L	< 1	072409	1	EPA8260
1,1-Dichloropropene	ug/L	< 1	072409	1	EPA8260
Benzene	ug/L	< 1	072409	1	EPA8260
1,2 Dichloroethane	ug/L	< 1	072409	1	EPA8260
Trichloroethene	ug/L	< 1	072409	1	EPA8260
1,2 Dichloropropane	ug/L	< 1	072409	1	EPA8260
Dibromomethane	ug/L	< 1	072409	1	EPA8260
Bromodichloromethane	ug/L	< 1	072409	1	EPA8260
c-1,3Dichloropropene	ug/L	< 1	072409	1	EPA8260
Toluene	ug/L	< 1	072409	1	EPA8260

cc:

LRL=laboratory Reporting Limit

REMARKS:

DIRECTOR



RX Date/Time
08/04/2009 15:34

08/04/2009 14:43 6314225770
6314225770 ECOTESTLABS

P.021
PAGE 21/26

EcoTest Laboratories Inc
377 Sheffield Ave
North Babylon, NY 11703
631 422-5777

LAB NO.293018.07

08/04/09

Environmental Assessment & Remediation
225 Atlantic Avenue
Patchogue, NY 11772

ATTN: John Hoffman

PO#:

SOURCE OF SAMPLE: GLARO-Hauppauge

SOURCE OF SAMPLE: 1-52-124

COLLECTED BY: Client

DATE COL'D:07/21/09 RECEIVED:07/22/09

TIME COL'D:1038


MATRIX:Water SAMPLE: Trip Blank

ANALYTICAL PARAMETERS	UNITS	RESULT	DATE TIME	FLAG	OF ANALYSIS	LRL	ANALYTICAL METHOD
t-1,3Dichloropropene	ug/L	< 1	072409			1	EPA8260
112 Trichloroethane	ug/L	< 1	072409			1	EPA8260
Tetrachloroethene	ug/L	< 1	072409			1	EPA8260
1,3-Dichloropropane	ug/L	< 1	072409			1	EPA8260
Chlorodibromomethane	ug/L	< 1	072409			1	EPA8260
1,2 Dibromoethane	ug/L	< 1	072409			1	EPA8260
Chlorobenzene	ug/L	< 1	072409			1	EPA8260
Ethyl Benzene	ug/L	< 1	072409			1	EPA8260
1112Tetrachloroethane	ug/L	< 1	072409			1	EPA8260
m + p Xylene	ug/L	< 2	072409			2	EPA8260
o Xylene	ug/L	< 1	072409			1	EPA8260
Styrene	ug/L	< 1	072409			1	EPA8260
Bromoform	ug/L	< 1	072409			1	EPA8260
Isopropylbenzene	ug/L	< 1	072409			1	EPA8260
Bromobenzene	ug/L	< 1	072409			1	EPA8260
1122Tetrachloroethane	ug/L	< 1	072409			1	EPA8260
123-Trichloropropane	ug/L	< 1	072409			1	EPA8260
n-Propylbenzene	ug/L	< 1	072409			1	EPA8260
2-Chlorotoluene	ug/L	< 1	072409			1	EPA8260
135-Trimethylbenzene	ug/L	< 1	072409			1	EPA8260
4-Chlorotoluene	ug/L	< 1	072409			1	EPA8260
tert-Butylbenzene	ug/L	< 1	072409			1	EPA8260
124-Trimethylbenzene	ug/L	< 1	072409			1	EPA8260
sec-Butylbenzene	ug/L	< 1	072409			1	EPA8260
p-Isopropyltoluene	ug/L	< 1	072409			1	EPA8260
cc:							

LRL=laboratory Reporting Limit

REMARKS:

DIRECTOR



RX Date/Time
08/04/2009 15:34

08/04/2009 14:43 6314225770
6314225770 ECOTESTLABS

P.022
PAGE 22/26

Ecotest Laboratories Inc
377 Sheffield Ave
North Babylon, NY 11703
631 422-5777

LAB NO.293018.07

08/04/09

Environmental Assessment & Remediation
225 Atlantic Avenue
Patchogue, NY 11772

ATTN: John Hoffman

PO#:

SOURCE OF SAMPLE: GLARO-Hauppauge

SOURCE OF SAMPLE: 1-52-124

COLLECTED BY: Client

DATE COL'D:07/21/09 RECEIVED:07/22/09

TIME COL'D:1038

MATRIX:Water SAMPLE: Trip Blank

ANALYTICAL PARAMETERS	UNITS	RESULT	DATE TIME	FLAG	OF ANALYSIS	LRL	ANALYTICAL METHOD
1,3 Dichlorobenzene (v)	ug/L	< 1	072409			1	EPA8260
1,4 Dichlorobenzene (v)	ug/L	< 1	072409			1	EPA8260
n-Butylbenzene	ug/L	< 1	072409			1	EPA8260
1,2 Dichlorobenzene (v)	ug/L	< 1	072409			1	EPA8260
Dibromochloropropane	ug/L	< 1	072409			1	EPA8260
124-Trichlorobenzene (v)	ug/L	< 1	072409			1	EPA8260
Hexachlorobutadiene	ug/L	< 1	072409			1	EPA8260
Naphthalene(v)	ug/L	< 1	072409			1	EPA8260
123-Trichlorobenzene	ug/L	< 1	072409			1	EPA8260
ter. ButylMethylEther	ug/L	< 1	072409			1	EPA8260
p-Ethyltoluene	ug/L	< 1	072409			1	EPA8260
Freon 113	ug/L	< 1	072409			1	EPA8260
1245 Tetramethylbenz	ug/L	< 1	072409			1	EPA8260
Acetone	ug/L	< 10	072409			10	EPA8260
Methyl Ethyl Ketone	ug/L	< 10	072409			10	EPA8260
Methylisobutylketone	ug/L	< 10	072409			10	EPA8260
Chlorodifluoromethane	ug/L	< 1	072409			1	EPA8260
p Diethylbenzene	ug/L	< 1	072409			1	EPA8260

cc:

LRL=laboratory Reporting Limit

REMARKS:

DIRECTOR 

rn = 16908

NYSDOH ID # 10320

Page 3 of 3

RX Date/Time
08/04/2009 15:34

08/04/2009 14:43 6314225770
6314225770 ECOTESTLABS

P.023
PAGE 23/26

EcoTest Laboratories Inc
377 Sheffield Ave
North Babylon, NY 11703
631 422-5777

LAB NO.293018.08

08/04/09

Environmental Assessment & Remediation
225 Atlantic Avenue
Patchogue, NY 11772

ATTN: John Hoffman

PO#:

SOURCE OF SAMPLE: GLARO-Hauppauge

SOURCE OF SAMPLE: 1-52-124

COLLECTED BY: Client

DATE COL'D:07/22/09 RECEIVED:07/22/09

TIME COL'D:1300

MATRIX:Water SAMPLE: Field Blank


ANALYTICAL PARAMETERS	UNITS	RESULT	DATE TIME	FLAG	OF ANALYSIS	LRL	ANALYTICAL METHOD
Dichlorodifluoromethane	ug/L	< 1	072409			1	EPA8260
Chloromethane	ug/L	< 1	072409			1	EPA8260
Vinyl Chloride	ug/L	< 1	072409			1	EPA8260
Bromomethane	ug/L	< 1	072409			1	EPA8260
Chloroethane	ug/L	< 1	072409			1	EPA8260
Trichlorofluoromethane	ug/L	< 1	072409			1	EPA8260
1,1 Dichloroethene	ug/L	< 1	072409			1	EPA8260
Methylene Chloride	ug/L	< 1	072409			1	EPA8260
t-1,2-Dichloroethene	ug/L	< 1	072409			1	EPA8260
1,1 Dichloroethane	ug/L	< 1	072409			1	EPA8260
2,2-Dichloropropane	ug/L	< 1	072409			1	EPA8260
c-1,2-Dichloroethene	ug/L	< 1	072409			1	EPA8260
Bromochloromethane	ug/L	< 1	072409			1	EPA8260
Chloroform	ug/L	< 1	072409			1	EPA8260
111 Trichloroethane	ug/L	< 1	072409			1	EPA8260
Carbon Tetrachloride	ug/L	< 1	072409			1	EPA8260
1,1-Dichloropropene	ug/L	< 1	072409			1	EPA8260
Benzene	ug/L	< 1	072409			1	EPA8260
1,2 Dichloroethane	ug/L	< 1	072409			1	EPA8260
Trichloroethene	ug/L	< 1	072409			1	EPA8260
1,2 Dichloropropane	ug/L	< 1	072409			1	EPA8260
Dibromomethane	ug/L	< 1	072409			1	EPA8260
Bromodichloromethane	ug/L	< 1	072409			1	EPA8260
c-1,3Dichloropropene	ug/L	< 1	072409			1	EPA8260
Toluene	ug/L	< 1	072409			1	EPA8260

cc:

LRL=laboratory Reporting Limit

REMARKS:

DIRECTOR



rn = 16909

NYSDOH ID # 10320

Page 1 of 3

RX Date/Time
08/04/2009 15:34

08/04/2009 14:43 6314225770
6314225770 ECOTESTLABS

P.024
PAGE 24/26

EcoTest Laboratories Inc
377 Sheffield Ave
North Babylon, NY 11703
631 422-5777

LAB NO.293018.08

08/04/09

Environmental Assessment & Remediation
225 Atlantic Avenue
Patchogue, NY 11772

ATTN: John Hoffman

PO#:

SOURCE OF SAMPLE: GLARO-Hauppauge

SOURCE OF SAMPLE: 1-52-124

COLLECTED BY: Client

DATE COL'D:07/22/09 RECEIVED:07/22/09

TIME COL'D:1300

MATRIX:Water SAMPLE: Field Blank

ANALYTICAL PARAMETERS	UNITS	RESULT	DATE TIME	FLAG	OF ANALYSIS	LRL	ANALYTICAL METHOD
t-1,3Dichloropropene	ug/L	< 1	072409			1	EPA8260
112 Trichloroethane	ug/L	< 1	072409			1	EPA8260
Tetrachloroethene	ug/L	< 1	072409			1	EPA8260
1,3-Dichloropropane	ug/L	< 1	072409			1	EPA8260
Chlorodibromomethane	ug/L	< 1	072409			1	EPA8260
1,2 Dibromoethane	ug/L	< 1	072409			1	EPA8260
Chlorobenzene	ug/L	< 1	072409			1	EPA8260
Ethyl Benzene	ug/L	< 1	072409			1	EPA8260
1112Tetrachloroethane	ug/L	< 1	072409			1	EPA8260
m + p Xylene	ug/L	< 2	072409			2	EPA8260
o Xylene	ug/L	< 1	072409			1	EPA8260
Styrene	ug/L	< 1	072409			1	EPA8260
Bromoform	ug/L	< 1	072409			1	EPA8260
Isopropylbenzene	ug/L	< 1	072409			1	EPA8260
Bromobenzene	ug/L	< 1	072409			1	EPA8260
1122Tetrachloroethane	ug/L	< 1	072409			1	EPA8260
123-Trichloropropane	ug/L	< 1	072409			1	EPA8260
n-Propylbenzene	ug/L	< 1	072409			1	EPA8260
2-Chlorotoluene	ug/L	< 1	072409			1	EPA8260
135-Trimethylbenzene	ug/L	< 1	072409			1	EPA8260
4-Chlorotoluene	ug/L	< 1	072409			1	EPA8260
tert-Butylbenzene	ug/L	< 1	072409			1	EPA8260
124-Trimethylbenzene	ug/L	< 1	072409			1	EPA8260
sec-Butylbenzene	ug/L	< 1	072409			1	EPA8260
p-Isopropyltoluene	ug/L	< 1	072409			1	EPA8260
cc:							

LRL=laboratory Reporting Limit

REMARKS:

DIRECTOR



rn = 16910

NYSDOH ID # 10320

Page 2 of 3

RX Date/Time
08/04/2009 15:34

08/04/2009
6314225770

14:43

6314225770

ECOTESTLABS

P.025
PAGE 25/26

EcoTest Laboratories Inc
377 Sheffield Ave
North Babylon, NY 11703
631 422-5777

LAB NO.293018.08

08/04/09

Environmental Assessment & Remediation
225 Atlantic Avenue
Patchogue, NY 11772

ATTN: John Hoffman

PO#:

SOURCE OF SAMPLE: GLARO-Hauppauge

SOURCE OF SAMPLE: 1-52-124

COLLECTED BY: Client

DATE COL'D:07/22/09 RECEIVED:07/22/09

TIME COL'D:1300

MATRIX:Water

SAMPLE: Field Blank


ANALYTICAL PARAMETERS	UNITS	RESULT	DATE TIME	FLAG	OF ANALYSIS	LRL	ANALYTICAL METHOD
1,3 Dichlorobenzene (v)	ug/L	< 1	072409			1	EPA8260
1,4 Dichlorobenzene (v)	ug/L	< 1	072409			1	EPA8260
n-Butylbenzene	ug/L	< 1	072409			1	EPA8260
1,2 Dichlorobenzene (v)	ug/L	< 1	072409			1	EPA8260
Dibromochloropropane	ug/L	< 1	072409			1	EPA8260
124-Trichlorobenzene (v)	ug/L	< 1	072409			1	EPA8260
Hexachlorobutadiene	ug/L	< 1	072409			1	EPA8260
Naphthalene(v)	ug/L	< 1	072409			1	EPA8260
123-Trichlorobenzene	ug/L	< 1	072409			1	EPA8260
ter. ButylMethylEther	ug/L	< 1	072409			1	EPA8260
p-Ethyltoluene	ug/L	< 1	072409			1	EPA8260
Freon 113	ug/L	< 1	072409			1	EPA8260
1245 Tetramethylbenz	ug/L	< 1	072409			1	EPA8260
Acetone	ug/L	< 10	072409			10	EPA8260
Methyl Ethyl Ketone	ug/L	< 10	072409			10	EPA8260
Methylisobutylketone	ug/L	< 10	072409			10	EPA8260
Chlorodifluoromethane	ug/L	< 1	072409			1	EPA8260
p Diethylbenzene	ug/L	< 1	072409			1	EPA8260

cc:

LRL=laboratory Reporting Limit

REMARKS:

DIRECTOR



rn = 16911

NYSDOH ID # 10320

