

**-DRAFT-**

June 15, 2006

Jeffrey E. Trad, P.E.  
Division of Environmental Remediation  
New York State Department of Environmental Conservation  
625 Broadway, 12th Floor  
Albany, NY 12233-7013

Re: Active Industrial Uniform Site (Site No. 1-52-125)  
D&B Work Assignment No. D003600-45  
Quarterly Report No. 5 - January 1, 2006 through March 31, 2006  
D&B No. 2307-04

Dear Mr. Trad:

The purpose of this letter is to summarize the performance of the groundwater extraction and treatment system, located at 63 West Montauk Highway in the Village of Lindenhurst, Suffolk County, New York (see Attachment A, Figure 1), for the period of January 1, 2006 through March 31, 2006. Presented below is a summary of system operations during the quarter, as well as the results of sampling performed in accordance with the work plan for the referenced work assignment.

**Groundwater Extraction and Treatment System Operations**

During this period, extraction well RW-1 operated at an average pump rate of approximately 65 gallons per minute (gpm) and extraction well RW-2 operated at an average pump rate of approximately 79 gpm. RW-2 was not in operation from February 12, 2006 through the end of the quarter, due to a faulty wire connection between the treatment building and the well head. Approximately 12,798,800 gallons of treated groundwater were discharged to Little Neck Creek during this period.

During this period, the entire groundwater extraction system was inoperative for approximately 112 hours due to system alarm conditions and routine maintenance. In addition, RW-2 was inoperative for approximately 1,068 hours, due to faulty wiring between the treatment system building and the RW-2 well head. D&B is in the process of obtaining cost estimates to rectify this situation. A description of system alarm conditions is presented in Attachment B. Copies of routine system maintenance reports, as prepared by EnviroTrac, Inc. are presented in Attachment C.

### **Groundwater Extraction and Treatment System Sampling (Aqueous)**

Monthly samples were collected from the combined influent sample tap (COMB-INF) and from the treatment system discharge sample tap (COMB-EFF) on January 24, 2006, February 24, 2006 and March 22, 2006. Each sample was analyzed for volatile organic compounds (VOCs) by United States Environmental Protection Agency (USEPA) Method 8260. The samples collected from the combined influent sample tap were also analyzed for Target Analyte List (TAL) metals by New York State Department of Environmental Conservation (NYSDEC) 6/00 Analytical Services Protocol (ASP) Method ILM04.0 and for pH by USEPA Method 9040.

Quarterly samples were to be collected on March 22, 2006 from both extraction wells (RW-1 and RW-2), the sample tap located between the two air strippers (AS-MID) and from the treatment system discharge sample tap. However, since RW-2 was not in operation, the sample from RW-2 was not collected and the sample for RW-1 was collected from the combined influent sample tap. The treatment system discharge sample was also analyzed for TAL metals by NYSDEC 6/00 ASP Method ILM04.0.

Sample results are presented in Attachment D. The sample results from the air stripper discharge are compared to the site-specific effluent limits. As can be seen from the summary report in Attachment E, all results for the period were below effluent limits. Approximately 45 pounds of total VOCs were removed from the extracted groundwater during the period. The average total VOC removal efficiency for this quarter was approximately 99 percent. Refer to Attachment E for a summary of the extraction and treatment system performance results for this period.

### **Groundwater Extraction and Treatment System Sampling (Air)**

Air samples were collected from the influent sample tap (VPCV-INF), the sample tap located between the carbon vessels (VPCV-MID) and the vapor phase carbon adsorption system effluent sample tap (VPCV-EFF) on January 24, 2006, February 24, 2006 and March 22, 2006. Each sample was analyzed for VOCs by USEPA Method TO-15.

Sample results are presented in Attachment D. The results of the vapor phase carbon adsorption system discharge samples are compared to the site-specific effluent limits. All air discharge results were below effluent limits for the period.

### **Groundwater Quality Data**

The network of monitoring wells was sampled to determine groundwater quality at, and in the vicinity of, the site. Samples were collected from eight on-site monitoring wells (MW-101 through MW-108) and two off-site monitoring wells (MW-109 and MW-111) on March 13 and

14, 2006, and analyzed for VOCs by USEPA Method 8260. Monitoring well MW-110 could not be located and has reportedly been paved over and, as a result, was not sampled. The locations of the on-site monitoring wells are shown in Figure 2 in Attachment A. The locations of the off-site monitoring wells are shown in Figure 3 in Attachment A.

The sample results from the monitoring wells are presented in Attachment D, in comparison to the NYSDEC Class GA groundwater standards and guidance values. Concentrations of total VOCs detected in the on-site monitoring wells ranged from non-detect to 362 micrograms per liter (ug/l). Three on-site monitoring wells (MW-103, MW-104, and MW-106) contained at least one VOC at a concentration above the standards or guidance values. Monitoring well MW-106 contained the greatest concentration of total VOCs (362 ug/l), with vinyl chloride (VC), cis-1,2-dichlorethene (cis-1,2-DCE), trichloroethene (TCE) and tetrachloroethene (PCE) detected at concentrations exceeding standards. No VOCs were detected at concentrations above standards or guidance values in on-site monitoring wells MW-101, MW-102, MW-105, MW-107 or MW-108.

Concentrations of total VOCs detected in off-site monitoring wells MW-109 and MW-111 were 17 ug/l and nondetect, respectively. Tetrachloroethene was detected at 6 ug/l in MW-109, slightly above the standard of 5 ug/l. Attachment F includes graphs which summarize historic concentrations of VC, 1,2-DCE, TCE, PCE and total VOCs detected in the on-site and off-site monitoring wells.

### **Data Validation**

The data packages submitted by Mitkem Corporation (Mitkem) have been reviewed for completeness and compliance with NYSDEC ASP Quality Assurance/Quality Control (QA/QC) requirements. The air samples were subcontracted by Mitkem to STL Vermont, a New York State Department of Health (NYSDOH) certified air laboratory. All sample results have been deemed valid and usable for environmental assessment purposes as qualified below:

- All samples were analyzed within the method specified holding times and all QA/QC requirements (surrogate recoveries, calibrations, blanks, etc.) were met.
- COMB INF samples collected on February 24, 2006 and March 22, 2006 required reanalysis at secondary dilutions due to concentrations of PCE exceeding the instrument calibration range. The results have been taken from the diluted analyses and are flagged "D" on the data summary tables.
- Similarly, the samples collected from MW-106 required reanalysis at a secondary dilution due to concentrations of cis-1,2-DCE exceeding the instrument calibration

range. The cis-1,2-DCE result has been taken from the diluted analysis and is flagged "D" on the data summary table.

### **Conclusions**

Based on the results of performance monitoring conducted during the period, we offer the following conclusions:

- The results of system influent samples show that the combined flow extraction wells RW-1 and RW-2, when operating, are continuing to capture VOC-contaminated groundwater.
- The results of liquid discharge samples show that the air stripping towers are effectively removing the captured VOCs to concentrations below the discharge criteria.
- The results of vapor discharge samples show that the vapor phase carbon vessels are effectively removing VOCs to concentrations below their respective discharge limits.
- Three of the eight on-site monitoring wells contain at least one VOC at a concentration exceeding its NYSDEC Class GA groundwater standard.
- Off-site monitoring well MW-109 contained a tetrachloroethene concentration of 6 ug/l slightly exceeding the NYSDEC Class GA groundwater standard of 5 ug/l.
- Continue efforts to obtain cost estimates to diagnose and repair the faulty wiring between the treatment system building and the RW-2 well head. NYSDEC is currently allocating funds to perform required repairs.

### **Recommendations**

Based on the results of performance monitoring performed during the period, we offer the following recommendations:

- Continued operation of the groundwater extraction and treatment system is recommended to minimize downgradient migration of site-related contaminants currently being captured by the system.

Jeffrey E. Trad, P.E.  
Division of Environmental Remediation  
New York State Department of Environmental Conservation  
June 15, 2006

Page 5

- Continued groundwater monitoring through the existing monitoring well network is recommended to determine contaminant concentration trends over time and to evaluate the effectiveness of the remediation system.

Please do not hesitate to contact me at (516) 364-9890 if you have any questions.

Very truly yours,

Frank DeVita  
Project Manager

FD/MDW/all  
Attachments  
cc: P. Long (NYSDEC)  
M. Wright (D&B)  
♦2307\FD05156JET-LTR(R05)

**ATTACHMENT A**

**FIGURES**




SOURCE: USGS FREEPORT AND LYNBROOK QUADRANGLES


ACTIVE INDUTRIAL UNIFORM SITE  
VILLAGE OF LINDENHURST, NEW YORK

## PROJECT SITE LOCATION MAP



FIGURE 1





## **ATTACHMENT B**

### **DESCRIPTION OF SYSTEM ALARM CONDITIONS**

**ACTIVE INDUSTRIAL UNIFORM SITE  
NYSDEC SITE No. 1-52-125  
SUMMARY OF SYSTEM DOWNTIME**

**NOTES:**

- ## 1. Maintenance events performed by EnviroTrac Ltd.

**ATTACHMENT C**

**SYSTEM MAINTENANCE REPORT**



**MAINTENANCE AND INSPECTION REPORT  
ACTIVE INDUSTRIAL SITE, LINDENHURST, NY**

Check off items that were completed:

- Carbon Removal and Replacement
  - Remove and Replace Air Stripper Packing
  - Solids Filtration System Maintenance
  - Non-routine Maintenance
  - Other  
  - Snow Removal
  - Pressure Blower Maintenance
  - Pressure Blower Fan Wheel Replacement
  - Transfer Pump Maintenance
  - Air Stripper Maintenance

Work Completed:

## Troubleshooting BW-1 and BW-2 pump failures

Corrected wiring for BW-1 column in control panel.

Diagnosed RW-2 pump problem – electrical conduit, wiring and junction box in well vault need to be replaced.

In signing this I hereby certify that to the best of my knowledge the maintenance and inspection activities performed during this event conform to the requirements specified under contract between EnviroTrac Ltd., and Dvirka and Bartlucci.

3/16/06

James W. Jackson  
and Viking Publishing

**Signature / Print / Date**

James H. Johnson

**ATTACHMENT D**

**ANALYTICAL RESULTS**

ACTIVE INDUSTRIAL UNIFORM SITE  
NYSDEC SITE No. 1-32-125

RESULTS OF SYSTEM COMBINED INFLUENT ANALYSIS - VOLATILE ORGANIC COMPOUNDS (VOCs)

SAMPLE ID	COMB INF WATER	COMB INF WATER	COMB INF WATER	NYSDEC CLASS GA GROUNDWATER STANDARDS AND GUIDANCE VALUES (ug/L)
SAMPLE TYPE	1/24/06	2/24/06	D&B	
DATE OF COLLECTION			(ug/L)	
COLLECTED BY				
UNITS				
VOCS				
Chloromethane	U	U	U	5 GV
Vinyl chloride	U	U	U	—
Bromomethane	U	U	U	2 ST
Chloroethane	U	U	U	5 ST
Trichlorofluoromethane	U	U	U	5 ST
1,1-Dichloroethene	U	U	U	5 ST
Acetone	U	U	U	5 ST
Iodomethane	U	U	U	50 GV
Carbon disulfide	U	U	U	—
Methylene chloride	U	U	U	60 GV
trans - 1,2-Dichloroethene	U	U	U	60 GV
Methyl tert butyl ether	U	U	U	5 ST
1,1-Dichloroethane	U	U	U	10 GV
Vinyl acetate	U	U	U	5 ST
2-Butanone	U	U	U	—
cis-1,2-Dichloroethene	U	U	U	50 GV
2,2-Dichloropropane	U	U	U	5 ST
Bromochloromethane	U	U	U	5 ST
Chlordane	U	U	U	7 ST
1,1,1-Trichloroethane	U	U	U	5 ST
1,1-Dichloropropane	U	U	U	5 ST
Carbon tetrachloride	U	U	U	5 ST
1,2-Dichloroethane	U	U	U	0.6 ST
Benzene	U	U	U	1 ST
Trichloroethane	U	U	U	5 ST
1,2-Dichloropropane	U	U	U	1 ST
Bromodichloromethane	U	U	U	5 ST
cis-1,3-Dichloropropene	U	U	U	0.4 ST
4-Methyl-2-pentanone	U	U	U	—
Toluene	U	U	U	5 ST
trans-1,3-Dichloropropene	U	U	U	0.4 ST
1,1,2-Trichloroethane	U	U	U	1 ST
1,3-Dichloropropane	U	U	U	5 ST
Tetrachloroethene	U	U	U	5 ST
2-Hexanone	U	U	U	5 ST
Dibromochloromethane	U	U	U	50 GV
1,2-Dibromoethane	U	U	U	5 ST
Chlorobenzene	U	U	U	5 ST
1,1,1,2-Tetrachloroethane	U	U	U	5 ST
Ethylbenzene	U	U	U	5 ST
Xylene (total)	U	U	U	5 ST
Styrene	U	U	U	50 GV
Bromoform	U	U	U	5 ST
Isopropylbenzene	U	U	U	5 ST
1,1,2,2-Tetrachloroethane	U	U	U	5 ST
Bromobenzene	U	U	U	0.04 ST
1,2,3-Trichloropropane	U	U	U	5 ST
n-Propylbenzene	U	U	U	5 ST
2-Chlorotoluene	U	U	U	5 ST
1,3,5-Trimethylbenzene	U	U	U	5 ST
4-Chlorotoluene	U	U	U	5 ST
tert-Butylbenzene	U	U	U	5 ST
1,2,4-Trimethylbenzene	U	U	U	3 ST
sec-Butylbenzene	U	U	U	0.04 ST
4-Isopropyltoluene	U	U	U	5 ST
1,3-Dichlorobenzene	U	U	U	3 ST
1,4-Dichlorobenzene	U	U	U	3 ST
n-Butylbenzene	U	U	U	3 ST
1,2-Dichlorobenzene	U	U	U	0.5 ST
1,2-Dibromo-3-chloropropane	U	U	U	0.5 ST
1,2,4-Trichlorobenzene	U	U	U	10 GV
Hexachlorobutadiene	U	U	U	5 ST
Naphthalene	U	U	U	—
1,2,3-Trichlorobenzene	U	U	U	5 ST
Total VOCs	258	390	540	

NOTES: \_\_\_\_\_ Concentration exceeds NYSDEC Class GA Groundwater Standard or Guidance Value  
\_\_\_\_\_ Not established  
—: Not established

ABBREVIATIONS:  
ug/L = Micrograms per liter  
ST: Standard Value  
GV: Guidance Value

QUALIFIERS:  
U: Compound analyzed for but not detected  
J: Compound found at a concentration below CRDI, value estimated  
D: Result taken from reanalysis at a secondary dilution. Results qualified as estimated due to validation criteria

ACTIVE INDUSTRIAL UNIFORM SITE  
NYSDEC SITE NO. I-92-125  
RESULTS OF SYSTEM COMBINED INFLUENT ANALYSIS - INORGANIC COMPOUNDS AND GENERAL CHEMISTRY

SAMPLE ID	COMB INF WATER	COMB INF WATER	COMB INF WATER	NYSDEC Site Specific Effluent Limitation
SAMPLE TYPE	1/24/06	2/24/06	3/22/06	
DATE OF COLLECTION	D&B	D&B	D&B	
COLLECTED BY UNITS	(ug/L)	(ug/L)	(ug/L)	(ug/L)
INORGANIC COMPOUNDS				
Aluminum	U	U	U	U
Antimony	U	U	U	U
Arsenic	27.5	23.1	20.2	140
Barium	U	U	U	NL
Beryllium	0.44	U	0.21	NL
Cadmium	95.300	22.200	23.300	30
Calcium	U	0.48	U	NL
Chromium	1.3	1.9	1.2	NL
Cobalt	16.0	18.7	7.7	38
Copper	709	484	198	4,000
Iron	U	2.2	2.6	NL
Lead	107,000	4,030	4,080	NL
Magnesium	2,070	1,380	1,360	2,000
Manganese	1.8	2.2	1.6	65
Nickel	30,300	3,140	2,810	NL
Potassium	U	U	U	NL
Selenium	U	1.8	U	9
Silver	894,000	20,900	23,300	NL
Sodium	U	4.5	3.4	NL
Thallium	U	0.42	U	NL
Vanadium	31.9	38.0	31.2	370
Zinc	U	U	U	NL
Mercury				
GENERAL CHEMISTRY	6.3	6.1	6.1	6 - 9
pH(S.U.)				

ABBREVIATIONS:

ug/L: Micrograms per liter

QUALIFIERS:

B: Analyte detected greater than ID, but less than CRDL.

U: Compound analyzed for but not detected.

## ACTIVE INDUSTRIAL UNIFORM SITE

NYSDEC SITE NO. 432-125

## RESULTS OF ANALYSIS OF SAMPLES COLLECTED BETWEEN AIR STRIPPERS - VOLATILE ORGANIC COMPOUNDS (VOCs)

SAMPLE ID	AS-MID	WATER		NYSDEC CLASS GA GROUNDWATER STANDARDS AND GUIDANCE VALUES (ug/L)
SAMPLE TYPE				
DATE OF COLLECTION	3/22/06	D&B		
COLLECTED BY				
UNITS	(ug/L)			
VOCS				
Dichlorodifluoromethane	U			
Chloroethane	U	U		
Vinyl chloride	U	U		
Bromomethane				
Chloroethane				
Trichlorofluoromethane				
1,1-Dichloroethene				
Acetone				
Iodomethane				
Carbon disulfide				
Methylene chloride				
trans 1,2-Dichloroethene				
Methyl-Tert butyl ether				
1,1-Dichloroethane				
Vinyl acetate				
2-Butanone				
cis-1,2-Dichloroethene				
2,2-Dichloropropane				
Bromochloromethane				
Chloroform				
1,1,1-Trichloroethane				
1,1-Dichloropropane				
Carbon tetrachloride				
1,2-Dichloroethane				
Benzene				
Trichloroethene				
1,2-Dichloropropane				
Bromodichloromethane				
cis-1,3-Dichloropropene				
4-Methyl-2-pentanone				
Toluene				
trans-1,3-Dichloropropene				
1,1,2-Trichloroethane				
1,3-Dichloropropane				
Tetrachloroethene				
2-Hexanone				
Dibromoethane				
Dibromochloromethane				
Chlorobenzene				
1,1,1,2-Tetrachloroethane				
Ethylbenzene				
Xylene (total)				
Styrene				
Bromotoluene				
Isopropylbenzene				
1,1,2,2-Tetrachloroethane				
Bromobenzene				
1,2,3-Trichloropropane				
n-Propylbenzene				
2-Chlorotoluene				
1,3,5-Trimethylbenzene				
4-Chlorotoluene				
tert-Butylbenzene				
1,2,4-Timethylbenzene				
sec-Butylbenzene				
4-Sopropyltoluene				
1,3-Dichlorobenzene				
1,4-Dichlorobenzene				
n-Butylbenzene				
1,2-Dichlorobenzene				
1,2-Dibromo-3-chloropropane				
1,2,4-Trichlorobenzene				
Hexachlorobutadiene				
Naphthalene				
1,2,3-Tribromobenzene				
Total VOCs	U			

NOTES: \_\_\_\_\_ Concentration exceeds NYSDEC Class GA Groundwater Standard or Guidance Value

QUALIFIERS:

Abbreviations

ug/L = Micrograms per liter

ST: Standard Value

G.V.: Guidance Value

--: Not established

U: Compound analyzed for but not detected

J: Compound found at a concentration below CRDL, value estimated

ACTIVE INDUSTRIAL UNIFORM SITE  
NYSDEC SITE No. 1-32-125

RESULTS OF SYSTEM EFFLUENT ANALYSIS - VOLATILE ORGANIC COMPOUNDS (VOCs)

SAMPLE ID	SAMPLE TYPE	COLLECTED BY	DATE OF COLLECTION	UNITS	COMB EFF WATER	COMB EFF D&B	COMB EFF D&B	NYSDEC Site Specific Effluent Limitation
				(ug/L)	(ug/L)	(ug/L)	(ug/L)	
VOCS	Dichlorodifluoromethane			U	U	U	U	
	Chloromethane			U	U	U	U	
	Vinyl chloride			U	U	U	U	
	Bromoethane			U	U	U	U	
	Chloroethane			U	U	U	U	
	Trichlorofluoromethane			U	U	U	U	
	1,1-Dichloroethene			U	U	U	U	
	Acetone			U	U	U	U	
	Iodomethane			U	U	U	U	
	Carbon disulfide			U	U	U	U	
	Methylene chloride			U	U	U	U	
	trans 1,2-Dichloroethene			U	U	U	U	
	Methyl-tert butyl ether			U	U	U	U	
	1,1-Dichloroethane			U	U	U	U	
	Vinyl acetate			U	U	U	U	
	2-Butanone			U	U	U	U	
	cis-1,2-Dichloroethene			U	U	U	U	
	2,2-Dichloropropane			U	U	U	U	
	Bromochloromethane			U	U	U	U	
	Chloroform			U	U	U	U	
	1,1,1-Trichloroethane			U	U	U	U	
	1,1-Dichloropropene			U	U	U	U	
	Carbon tetrachloride			U	U	U	U	
	1,2-Dichloroethane			U	U	U	U	
	Benzene			U	U	U	U	
	Trichloroethene			U	U	U	U	
	1,2-Dichloropropane			U	U	U	U	
	Bromodichloromethane			U	U	U	U	
	cis-1,3-Dichloropropene			U	U	U	U	
	4-Methyl-2-pentanone			U	U	U	U	
	Toluene			U	U	U	U	
	trans-1,3-Dichloropropene			U	U	U	U	
	1,1,2-Trichloroethane			U	U	U	U	
	1,3-Dichloropropane			U	U	U	U	
	Tetrachloroethene			U	U	U	U	
	2-Hexanone			U	U	U	U	
	Dibromodichloromethane			U	U	U	U	
	Chlorobenzene			U	U	U	U	
	Ethylbenzene			U	U	U	U	
	Xylenes (total)			U	U	U	U	
	Styrene			U	U	U	U	
	Bromform			U	U	U	U	
	Isopropylbenzene			U	U	U	U	
	1,1,2,2-Tetrachloroethane			U	U	U	U	
	Bromobenzene			U	U	U	U	
	1,2,3-Trichloropropane			U	U	U	U	
	n-Propylbenzene			U	U	U	U	
	2-Chlorobutadiene			U	U	U	U	
	1,3,5-Tri methylbenzene			U	U	U	U	
	4-Chlorobutene			U	U	U	U	
	tert-Butylbenzene			U	U	U	U	
	1,2,4-Tri methylbenzene			U	U	U	U	
	sec-Butylbenzene			U	U	U	U	
	4-Isopropylbenzene			U	U	U	U	
	1,3-Dichlorobenzene			U	U	U	U	
	1,4-Dichlorobenzene			U	U	U	U	
	n-Butylbenzene			U	U	U	U	
	1,2-Dichlorobenzene			U	U	U	U	
	1,2-Dibromo-3-chloropropane			U	U	U	U	
	1,2,4-Trichlorobenzene			U	U	U	U	
	Hexachlorobutadiene			U	U	U	U	
	Naphthalene			U	U	U	U	
	1,2,3-Trichlorobenzene			U	U	U	U	
	Total VOCs			U	U	U	U	

NOTES:

[REDACTED] Concentration exceeds NYSDEC Class GA Groundwater Standard or Guidance Value

\* - Effluent limitation for 1,2-Dichloroethene (Total)

\*\* - Effluent limit for xylenes= 5 ug/m, xylenes-&nbsp; = 10 ug/l

ABBREVIATIONS

ug/L Micrograms per liter

ST: Standard Value

GV: Guidance Value

NL: No limit specified

QUALIFIERS:

U: Compound analyzed for but not detected

ACTIVE INDUSTRIAL UNIFORM SITE  
NYSDEC SITE No. A-32-125  
RESULTS OF SYSTEM EFFLUENT ANALYSIS - INORGANIC COMPOUNDS

SAMPLE ID	COMB_EFF					NYSDEC Site Specific Effluent Limitation
SAMPLE TYPE	WATER					(ug/L)
DATE OF COLLECTION	3/22/06	D&B				
COLLECTED BY						
UNITS	(ug/L)					
INORGANIC COMPOUNDS						
Aluminum	U					
Antimony	U					
Arsenic	9.4	U				
Barium	22,700	U				
Beryllium	0.74	B				
Cadmium	3.8	B				
Calcium	157	U				
Chromium	3,980	B				
Cobalt	249	U				
Copper	2,770	B				
Iron	22,900	U				
Lead	2.1	B				
Magnesium	1.3	B				
Manganese	14.1	B				
Nickel	14.1	B				
Potassium	370	U				
Selenium	9	U				
Silver	NS					
Sodium	30	U				
Thallium	30	U				
Vanadium	30	U				
Zinc	30	U				
Mercury	NL					
GENERAL CHEMISTRY						
pH (S.U.)	NS					
						6 - 9

ABBREVIATIONS:

ug/L: Micrograms per liter  
NL: No limit specified  
NS: Not sampled

QUALIFIERS:

B: Concentration above IDL but less than CRDL.  
U: Compound analyzed for but not detected.  
E: Compound concentration exceeds instrument calibration range, value estimated

ACTIVE INDUSTRIAL UNIFORM SITE  
NYSDEC SITE No. 1-52-125

## RESULTS OF ANALYSIS OF VAPOR PHASE CARBON VESSEL (VPCV) INFLUENT - VOLATILE ORGANIC COMPOUNDS (VOCs)

SAMPLE ID	VPCV-INF	AIR	VPCV-INF	AIR	VPCV-INF	AIR
SAMPLE TYPE						
DATE OF COLLECTION	1/24/06		2/24/06		3/22/06	
COLLECTED BY	D&B		D&B		D&B	
UNITS	(ug/m <sup>3</sup> )		(ug/m <sup>3</sup> )		(ug/m <sup>3</sup> )	
VOCS						
Dichlorodifluoromethane	4.9		4.7			
Chloromethane	2.0		1.7			
Vinyl chloride	1.0		U			
Bromomethane	U		U			
Chloroethane	U		U			
Trichlorofluoromethane	2.5		1.8			
Freon 1F	U		U			
1,1-Dichloroethene	9.7		U			
Methylene chloride	1.1		U			
trans-1,2-Dichloroethene	2.0		U			
1,1-Dichloroethane	79		U			
cis-1,2-Dichloroethene	2.5		U			
Chloroform	79		U			
1,1,1-Trichloroethane	2.5		U			
Carbon tetrachloride	U		U			
1,2-Dichloroethane	U		U			
Benzene	1.6		0.64			
Trichloroethene	51		17			
1,2-Dichloropropane	U		U			
cis-1,3-Dichloropropene	U		U			
Toluene	12		4.5			
trans-1,3-Dichloropropene	180		88			
1,1,2-Trichloroethane	U		U			
Tetrachloroethene	U		U			
Chlorobenzene	U		U			
Ethylbenzene	1.0		U			
Xylene (total)	4.6		U			
Styrene	U		U			
1,1,2,2-Tetrachloroethane	U		U			
1,3-Dichlorobenzene	U		U			
1,4-Dichlorobenzene	U		U			
1,2-Dichlorobenzene	U		U			
1,2,4-Trichlorobenzene	U		U			
Hexachlorobutadiene	U		U			
1,3,5-Trimethylbenzene	U		U			
1,2,4-Trimethylbenzene	U		U			
1,2-Dichloroertrafluoroethane	2.4		U			
1,2-Dibromoethane	U		U			
1,3-Butadiene	U		U			
Carbon disulfide	U		U			
Cyclohexane	U		U			
Dibromochloromethane	0.96		U			
Bromoform	U		U			
Bromodichloromethane	U		U			
4-Ethylioluene	1.6		U			
3-Chloropropane	U		U			
2,2,4-Trimethylpentane	1.0		U			
Bromoethane	4.2		U			
2-Chlorotoluene	6.1		U			
n-Hexane	U		U			
n-Heptane	U		U			
Total VOCs	370		137		2,907	

## QUALIFIERS:

U: Compound analyzed for but not detected.

D: Result taken from reanalysis at a secondary dilution

## ABBREVIATIONS:

ug/m<sup>3</sup> - Micrograms per cubic meter

**ACTIVE INDUSTRIAL UNIFORM SITE**  
**NYSDEC SITE No. 1-52-125**

**RESULTS OF ANALYSIS OF SAMPLES COLLECTED BETWEEN VAPOR PHASE CARBON VESSELS (VPCV) - VOLATILE ORGANIC COMPOUNDS (VOCs)**

SAMPLE ID	SAMPLE TYPE	VPCV-MID AIR	VPCV-MID AIR	VPCV-MID AIR
DATE OF COLLECTION	1/24/06	2/24/06	3/22/06	
COLLECTED BY	D&B	D&B	D&B	
UNITS	(ug/m <sup>3</sup> )	(ug/m <sup>3</sup> )	(ug/m <sup>3</sup> )	(ug/m <sup>3</sup> )
VOCS				
Dichlorodifluoromethane	U	4.6	4.2	
Chloromethane	U	1.5	1.9	
Vinyl chloride	3.1	U	U	
Bromomethane	U	U	U	
Chloroethane	U	U	U	
Trichlorofluoromethane	U	1.8	1.9	
Freon TF	U	U	U	
1,1-Dichloroethene	2.3	U	U	
Methylene chloride	U	U	U	
trans-1,2-Dichloroethene	4.0	U	U	
1,1-Dichloroethane	7.3	2.0	U	
cis-1,2-Dichloroethene	340	U	U	
Chloroform	12	U	U	
1,1,1-Trichloroethane	U	U	U	
Carbon tetrachloride	1.7	U	U	
1,2-Dichloroethane	280	U	U	
Benzene	15	U	U	
Trichloroethene	350	U	U	
1,2-Dichloropropane	1.2	U	U	
cis-1,3-Dichloropropene	U	U	U	
Toluene	0.98	U	U	
trans-1,3-Dichloropropene	6.8	U	U	
1,1,2-Trichloroethane	3.9	U	U	
Tetrachloroethene	0.73	U	U	
Chlorobenzene	3.9	U	U	
Ethylbenzene	4.8	U	U	
Xylene (total)	5.7	U	U	
Styrene	6.4	U	U	
1,1,2,2-Tetrachloroethane	10	U	U	
1,3-Dichlorobenzene	1.2	U	U	
1,4-Dichlorobenzene	1.2	U	U	
1,2-Dichlorobenzene	1.2	U	U	
1,2,4-Trichlorobenzene	9.8	U	U	
Hexachlorobutadiene	10	U	U	
1,3,5-Trimethylbenzene	10	U	U	
1,2,4-Trimethylbenzene	37	U	U	
1,2-Dichlorotetrafluoroethane	1.7	U	U	
1,2-Dibromoethane	1.7	U	U	
1,3-Butadiene	1.7	U	U	
Carbon disulfide	1.7	U	U	
Cyclohexane	1.7	U	U	
Dibromochloromethane	1.7	U	U	
Bromoform	1.7	U	U	
Bromodichloromethane	1.7	U	U	
4-Ethyltoluene	1.7	U	U	
3-Chloropropene	1.7	U	U	
2,2,4-Trimethylpentane	1.7	U	U	
Bromoethene	1.7	U	U	
2-Chlorotoluene	1.7	U	U	
n-Hexane	1.7	U	U	
n-Heptane	1.7	U	U	
Total VOCs	1,082.2	25	34	

**ABBREVIATIONS:**

ug/m<sup>3</sup> - Micrograms per cubic meter

**QUALIFIERS:**  
U: Compound analyzed for but not detected.

**ACTIVE INDUSTRIAL UNIFORM SITE  
NYSDEC SITE No. 1-52-125**

**RESULTS OF ANALYSIS OF VAPOR PHASE CARBON VESSEL (VPCV) EFFLUENT - VOLATILE ORGANIC COMPOUNDS (VOCs)**

SAMPLE ID	SAMPLE TYPE	VPCV-EFF AIR	VPCV-EFF AIR	VPCV-EFF AIR
DATE OF COLLECTION	1/24/06	2/24/06	3/22/06	
COLLECTED BY	D&B	D&B	D&B	
UNITS	(ug/m <sup>3</sup> )	(ug/m <sup>3</sup> )	(ug/m <sup>3</sup> )	(ug/m <sup>3</sup> )
VOCs				
Dichlorodifluoromethane	4.8	U	U	3.8
Chloromethane	2.0	U	U	1.7
Viny chloride	1.1	U	U	U
Bromomethane	U	U	U	U
Chloroethane	2.4	U	U	1.7
Trichlorofluoromethane	U	U	U	U
Freon TF	U	U	U	U
1,1-Dichloroethene	1.1	U	U	U
Methylene chloride	3.1	U	U	U
trans-1,2-Dichloroethene	1.5	U	U	U
1,1-Dichloroethane	2.5	U	U	U
cis-1,2-Dichloroethene	140	U	U	2.2
Chloroform	4.9	U	U	3.1
1,1,1-Trichloroethane	10	U	U	2.5
Carbon tetrachloride	280	U	U	280
1,2-Dichloroethane	U	U	U	U
Benzene	1.2	U	U	3.1
Trichloroethene	59	U	U	0.73
1,2-Dichloropropane	U	U	U	U
cis-1,3-Dichloropropene	U	U	U	U
Toluene	5.3	U	U	2.7
trans-1,3-Dichloropropene	33	U	U	2.7
1,1,2-Trichloroethane	5.3	U	U	2.5
Tetrachloroethene	U	U	U	U
Chlorobenzene	U	U	U	U
Ethylbenzene	U	U	U	U
Xylene (total)	33	U	U	3.4
Styrene	U	U	U	U
1,1,2,2-Tetrachloroethane	U	U	U	U
1,3-Dichlorobenzene	U	U	U	U
1,4-Dichlorobenzene	U	U	U	U
1,2-Dichlorobenzene	U	U	U	U
1,2,4-Trichlorobenzene	U	U	U	U
Hexachlorobutadiene	U	U	U	U
1,3,5-Trimethylbenzene	U	U	U	U
1,2,4-Trimethylbenzene	U	U	U	U
1,2-Dichlorotetrafluoroethane	U	U	U	U
1,2-Dibromoethane	U	U	U	U
1,3-Butadiene	U	U	U	U
Carbon disulfide	U	U	U	U
Cyclohexane	U	U	U	U
Dibromochloromethane	U	U	U	U
Bromoform	U	U	U	U
Bromodichloromethane	U	U	U	U
4-Ethyltoluene	U	U	U	U
3-Chloropropene	U	U	U	U
2,2,4-Trimethylpentane	2.2	U	U	U
Bromoethane	U	U	U	U
2-Chlorotoluene	4.9	U	U	U
n-Hexane	5.3	U	U	U
n-Heptane	277	U	U	14
Total VOCs	277	U	U	473

**ABBREVIATIONS:**  
ug/m<sup>3</sup> - Micrograms per cubic meter

**QUALIFIERS:**

U: Compound analyzed for but not detected.

D: Result taken from reanalysis at a secondary dilution

**ACTIVE INDUSTRIAL UNIFORM SITE  
NYSDEC SITE No. 1-52-125  
SUMMARY OF VAPOR EMISSION RATES**

Vapor Phase Carbon Vessel Effluent (VPCV-EFF) Sample Collection Date: 1/24/06

Compound Detected <sup>(1)</sup>	Concentration ( $\mu\text{g}/\text{m}^3$ )	Flow Rate ( $\text{ft}^3/\text{min}$ )	Emission Rate (lbs/hr)	NYSDEC Required Effluent Limits (lbs/hr)
Dichlorodifluoromethane	4.8	1,169	0.000021	NL
Chloromethane	2.0	1,169	0.000009	NL
Vinyl Chloride	1.1	1,169	0.000005	0.014
Trichlorofluoromethane	2.4	1,169	0.000011	NL
1,1-Dichloroethene	1.1	1,169	0.000005	NL
Methylene chloride	3.1	1,169	0.000014	NL
trans-1,2-Dichloroethylene	1.5	1,169	0.000007	NL
1,1-Dichloroethane	2.5	1,169	0.000011	NL
cis-1,2-Dichloroethene	140	1,169	0.000614	0.003
1,1,1-Trichloroethane	4.9	1,169	0.000021	0.001
Benzene	1.2	1,169	0.000005	NL
Trichloroethylene	59	1,169	0.000259	0.006
Toluene	5.3	1,169	0.000023	NL
Tetrachloroethylene	33	1,169	0.000145	0.007
Cyclohexane	2.4	1,169	0.000011	NL
2,2,4-Trimethylpentane	2.2	1,169	0.000010	NL
n-Hexane	4.9	1,169	0.000021	NL
n-Heptane	5.3	1,169	0.000023	NL
Total VOCs	277	1,169	0.001214	0.5

Vapor Phase Carbon Vessel Effluent (VPCV-EFF) Sample Collection Date: 2/24/06

Compound Detected <sup>(1)</sup>	Concentration ( $\mu\text{g}/\text{m}^3$ )	Flow Rate ( $\text{ft}^3/\text{min}$ )	Emission Rate (lbs/hr)	NYSDEC Required Effluent Limits (lbs/hr)
trans-1,2-Dichloroethene	2.2	1,206	0.000010	NL
1,1-Dichloroethane	3.1	1,206	0.000014	NL
cis-1,2-Dichloroethene	280	1,206	0.001266	0.003
1,1,1-Trichloroethane	10	1,206	0.000045	0.001
Trichloroethylene	120	1,206	0.000543	0.006
Toluene	2.5	1,206	0.000011	NL
Tetrachloroethylene	55	1,206	0.000249	0.007
Total VOCs	473	1,206	0.002139	0.5

Vapor Phase Carbon Vessel Effluent (VPCV-EFF) Sample Collection Date: 3/22/2006

Compound Detected <sup>(1)</sup>	Concentration ( $\mu\text{g}/\text{m}^3$ )	Flow Rate ( $\text{ft}^3/\text{min}$ )	Emission Rate (lbs/hr)	NYSDEC Required Effluent Limits (lbs/hr)
Dichlorodifluoromethane	3.8	1,204	0.000017	NL
Chloromethane	1.7	1,204	0.000008	NL
Trichlorofluoromethane	1.7	1,204	0.000008	NL
Benzene	0.73	1,204	0.000003	NL
Toluene	2.7	1,204	0.000012	NL
Tetrachloroethylene	3.4	1,204	0.000015	0.007
Total VOCs	14.03	1,204	0.000063	0.5

**NOTES:**

- Only detected compounds are listed. All other VOCs were undetected during this sampling event.

Concentration exceeds NYSDEC permitted effluent limits

**ABBREVIATIONS:**

NL - No limit specified in permit application  
 $\mu\text{g}/\text{m}^3$  - Micrograms per cubic meter  
 $\text{ft}^3/\text{min}$  - Cubic feet per minute  
 lbs/hr - Pounds per hour

## ACTIVE INDUSTRIAL UNIFORM SITE

NYSDEC SITE No. 1-52-125

## RESULTS OF ANALYSIS OF GROUNDWATER SAMPLING - VOLATILE ORGANIC COMPOUNDS (VOCs)

SAMPLE ID	MW-101 WATER 3/13/06	MW-102 WATER 3/13/06	MW-103 WATER 3/13/06	MW-104 WATER 3/13/06	MW-105 WATER 3/13/06	MW-106 WATER 3/13/06	MW-107 WATER 3/13/06	MW-108 WATER 3/14/06	NYSDEC CLASS GA GROUNDWATER STANDARDS AND GUIDANCE VALUES (ug/L)
SAMPLE TYPE									
DATE OF COLLECTION	3/13/06								
COLLECTED BY	D&B (ug/L)								
UNITS									
TOCS									
Chlorodifluoromethane	U	U	U	U	U	U	U	U	5 GV
Chloromethane	U	U	U	U	U	U	U	U	2 ST
Vinyl chloride	U	U	U	U	U	U	U	U	5 ST
Bromonethane	U	U	U	U	U	U	U	U	5 ST
Chloroethane	U	U	U	U	U	U	U	U	5 ST
Trichlorofluoromethane	U	U	U	U	U	U	U	U	50 GV
1,1-Dichloroethene	U	U	U	U	U	U	U	U	-
Acetone	U	U	U	U	U	U	U	U	80 GV
Iodomethane	U	U	U	U	U	U	U	U	5 ST
Carbon disulfide	U	U	U	U	U	U	U	U	5 ST
Methylene chloride	U	U	U	U	U	U	U	U	10 GV
trans 1,2-Dichloroethane	U	U	U	U	U	U	U	U	5 ST
Methyl tert butyl ether	U	U	U	U	U	U	U	U	5 ST
1,1-Dichloroethane	U	U	U	U	U	U	U	U	-
Vinyl acetate	U	U	U	U	U	U	U	U	50 GV
2-Butane	U	U	U	U	U	U	U	U	5 ST
cis-1,2-Dichloroethene	U	U	U	U	U	U	U	U	5 ST
2,2-Dichloropropane	U	U	U	U	U	U	U	U	5 ST
Bromoform	U	U	U	U	U	U	U	U	7 ST
Chloroform	U	U	U	U	U	U	U	U	5 ST
1,1,1-Trichloroethane	U	U	U	U	U	U	U	U	5 ST
1,1-Dichloropropane	U	U	U	U	U	U	U	U	5 ST
Carbon tetrachloride	U	U	U	U	U	U	U	U	0.6 ST
1,2-Dichloroethane	U	U	U	U	U	U	U	U	1 ST
Trichloroethene	U	U	U	U	U	U	U	U	5 ST
1,2-Dichloropropane	U	U	U	U	U	U	U	U	1 ST
Bromodichloromethane	U	U	U	U	U	U	U	U	5 ST
cis-1,3-Dichloropropene	U	U	U	U	U	U	U	U	0.4 ST
4-Methyl-2-pentanone	U	U	U	U	U	U	U	U	-
Toluene	U	U	U	U	U	U	U	U	5 ST
trans-1,3-Dichloropropene	U	U	U	U	U	U	U	U	0.4 ST
1,1,2-Trichloroethane	U	U	U	U	U	U	U	U	1 ST
1,3-Dichloropropane	U	U	U	U	U	U	U	U	5 ST
Tetrachloroethene	U	U	U	U	U	U	U	U	5 ST
2-Hexanone	U	U	U	U	U	U	U	U	50 GV
Dibromochloromethane	U	U	U	U	U	U	U	U	5 ST
1,2-Dibromoethane	U	U	U	U	U	U	U	U	5 ST
Bromobenzene	U	U	U	U	U	U	U	U	0.04 ST
1,1,2-Tetrachloroethane	U	U	U	U	U	U	U	U	5 ST
Ethylnitrobenzene	U	U	U	U	U	U	U	U	5 ST
Xylene (total)	U	U	U	U	U	U	U	U	5 ST
Styrene	U	U	U	U	U	U	U	U	5 ST
Bromoform	U	U	U	U	U	U	U	U	5 ST
Isopropylbenzene	U	U	U	U	U	U	U	U	5 ST
1,1,2,2-Tetrachloroethane	U	U	U	U	U	U	U	U	3 ST
Bromobenzene	U	U	U	U	U	U	U	U	0.04 ST
1,2,3-Trichloropropane	U	U	U	U	U	U	U	U	5 ST
n-Propylbenzene	U	U	U	U	U	U	U	U	5 ST
2-Chlorotoluene	U	U	U	U	U	U	U	U	5 ST
1,3,5-Trimethylbenzene	U	U	U	U	U	U	U	U	5 ST
4-Chlorotoluene	U	U	U	U	U	U	U	U	5 ST
tert-Butylbenzene	U	U	U	U	U	U	U	U	5 ST
1,2,4-Trimethylbenzene	U	U	U	U	U	U	U	U	5 ST
sec-Butylbenzene	U	U	U	U	U	U	U	U	5 ST
4-Isopropyltoluene	U	U	U	U	U	U	U	U	3 ST
1,3-Dichlorobenzene	U	U	U	U	U	U	U	U	0.04 ST
1,4-Dichlorobenzene	U	U	U	U	U	U	U	U	5 ST
1,2-Dibromoethene	U	U	U	U	U	U	U	U	0.04 ST
1,2-Dibromo-3-chloropropane	U	U	U	U	U	U	U	U	5 ST
1,2,4-Trichlorobenzene	U	U	U	U	U	U	U	U	0.5 ST
Hexachlorobutadiene	U	U	U	U	U	U	U	U	10 GV
Naphthalene	U	U	U	U	U	U	U	U	5 ST
1,2,3-Trichlorobenzene	U	U	U	U	U	U	U	U	2
Total TOCs	U	U	U	U	U	U	U	U	5
									NOTES:
									Concentration exceeds NYSDEC Class GA Groundwater Standard or Guidance Value

## ABBREVIATIONS

ug/L = Micrograms per liter  
-: Not established  
ST: Standard Value  
GV: Guidance Value

## QUALIFIERS:

U: Compound analyzed for but not detected below CRDL, value estimated  
J: Compound found at a concentration below CRDL, value estimated  
D: Result taken from reanalysis at a secondary dilution

ACTIVE INDUSTRIAL UNIFORM SITE

**RESULTS OF ANALYSIS OF GROUNDWATER SAMPLING - VOLATILE ORGANIC COMPOUNDS (VOCs)**

卷之三

SAMPLE ID	SAMPLE TYPE	MW-109	MW-110 <sup>(1)</sup>	MW-111	NYSDEC CLASS GA GROUNDWATER STANDARDS AND GUIDANCE VALUES (ug/L)
DATE OF COLLECTION	WATER	WATER	WATER	WATER	
COLLECTED BY	3/14/06	3/14/06	—	D&B	
UNITS	(ug/L)	(ug/L)	(ug/L)	(ug/L)	
VOCs					
Dichlorofluoromethane					5 GV
Chloromethane					—
Vinyl chloride					2 ST
Bromomethane					5 ST
Chloroethane					5 ST
Trichlorofluoromethane					5 ST
Iodomethane					5 ST
1,1-Dichloroethene					50 GV
Acetone					—
Carbon disulfide					60 GV
Methylene chloride					5 ST
trans - 1,2-Dichloroethene					5 ST
Methyl-tert-butyl ether					10 GV
Vinyl acetate					5 ST
2-Buane					—
cis - 1,2-Dichloroethene					50 GV
2,2,2-Dichloropropane					5 ST
Bromochloromethane					5 ST
Chloroform					0.6 ST
1,1,1-Trichloroethane					1 ST
1,1-Dichloropropane					5 ST
cis - 1,3-Dichloropropene					0.2 ST
Carbon tetrachloride					5 ST
1,2-Dichloroethane					1 ST
Benzene					5 ST
Trichloroethene					1 ST
1,2-Dichloropropane					5 ST
Bromodichloromethane					0.4 ST
1,1,2-Trichloropropane					—
4-Methyl-2-pentanone					5 ST
Toluene					0.4 ST
trans - 1,3-Dichloropropene					5 ST
1,1,2-Trichloroethane					5 ST
1,3-Dichlorononane					5 ST
Tetrachloroethene					50 GV
2-Hexanone					50 GV
Dibromoethermethane					5 ST
1,2-Dibromoethane					5 ST
Chlorobenzene					5 ST
1,1,1,2-Tetrachloroethane					5 ST
Ethylenbenzene					5 ST
Xylene (total)					5 ST
Styrene					5 ST
Bromoborm					50 GV
Isopropylbenzene					5 ST
Isobutabenzene					0.04 ST
1,1,2,2-Tetrachloroethane					5 ST
n-Propylbenzene					5 ST
2-Chlorotoluene					5 ST
1,3,5-Timethylbenzene					5 ST
4-Chlorotoluene					5 ST
tert - Butylbenzene					5 ST
1,2,4-Timethylbenzene					5 ST
sec - Butylbenzene					5 ST
4-Isopropyltoluene					3 ST
1,3-Dichlorobenzene					3 ST
4,4-Dichlorobenzene					5 ST
n-Butylbenzene					3 ST
Heptachlorobutadiene					0.04 ST
Naphthalene					5 ST
1,2-Dichlorobenzene					5 ST
1,2-Dibromo-3-chloropropane					0.5 ST
1,2,4-Trichlorobutadiene					0.5 ST
Heptachlorobutadiene					0.04 ST
Naphthalene					0.04 ST
1,2,3-Trichlorobenzene					17

NOTES

## ABBREVIATIONS

DIALEIERS

**QUALIFIERS:**  
U: Compound analyzed for but not detected  
J: Compound found at a concentration below CRDL, value estimated  
D: Result taken from reanalysis at a secondary dilution

**ATTACHMENT E**

**PERFORMANCE SUMMARY**

**ACTIVE INDUSTRIAL UNIFORM SITE  
EXTRACTION AND TREATMENT SYSTEM PERFORMANCE RESULTS - AQUEOUS  
NYDEC SITE No. 1-52-125**

SAMPLE COLLECTION DATE	SYSTEM INFLOW AVERAGE EXTRACTION RATE (gpm)	SYSTEM INFLOW TOTAL VOC CONCENTRATION ( $\mu\text{g/L}$ )	SYSTEM EFFLUENT TOTAL VOC CONCENTRATION ( $\mu\text{g/L}$ )	TOTAL VOC REMOVAL EFFICIENCY (%)	ESTIMATED AVERAGE TOTAL VOC REMOVAL RATE ( $\text{lb/hr}$ )	ESTIMATED SYSTEM RUNTIME (hr)	CUMULATIVE TOTAL VOC REMOVAL (lbs)
-	-	-	-	-	-	-	784.00 (1)
2/23/05	84.60 (RW-1) 0.00 (RW-2)	484	< 5.0	98.97%	2.05E-02	172	787.53
3/21/05	83.90 (RW-1) 0.00 (RW-2)	303	< 5.0	98.35%	1.27E-02	838	798.19 (2)
4/19/05	79.80 (RW-1) 0.00 (RW-2)	562	3 J	99.47%	2.24E-02	444	808.15
5/16/05	77.67 (RW-1) 0.00 (RW-2)	636	< 5.0	99.21%	2.47E-02	644	824.08
6/2/05	75.85 (RW-1) 0.00 (RW-2)	633	< 5.0	99.26%	2.63E-02	1033	832.56 (2)
7/25/05 (3)	69.61 (RW-1) 82.32 (RW-2)	378	< 5.0	98.68%	2.87E-02	576 (RW-1) 464 (RW-2)	867.36
8/30/05 (3)	70.25 (RW-1) 83.00 (RW-2)	277	< 5.0	98.19%	2.12E-02	599 (RW-1) 599 (RW-2)	880.08
9/30/05 (3)	68.70 (RW-1) 82.50 (RW-2)	535	< 5.0	99.07%	4.05E-02	785 (RW-1) 460 (RW-2)	904.13 (2)
10/24/05	67.10 (RW-1) 82.70 (RW-2)	387	< 5.0	98.74%	2.97E-02	559 (RW-1) 559 (RW-2)	920.76
11/12/05	63.88 (RW-1) 84.58 (RW-2)	464	< 5.0	98.92%	3.37E-02	669 (RW-1) 669 (RW-2)	943.35
12/19/05	63.82 (RW-1) 80.60 (RW-2)	244	< 5.0	97.95%	1.76E-02	969 (RW-1) 969 (RW-2)	960.44 (2)
1/24/06	63.00 (RW-1) 78.85 (RW-2)	258	< 5.0	98.06%	1.83E-02	566 (RW-1) 566 (RW-2)	970.79
2/24/06	67.00 (RW-1) 78.00 (RW-2)	390	< 5.0	98.72%	2.86E-02	673 (RW-1) 442 (RW-2)	989.97
3/22/06	66.55 (RW-1) 0.00 (RW-2)	540	< 5.0	99.07%	1.80E-02	846 (RW-1) 0 (RW-2)	1005.21 (2)

- NOTES:**

  1. Total mass of VOC recovered through December 31, 2004 based on information contained in the Fourth Quarter 2004 Operation and Maintenance Report prepared by Blue Water Environmental Inc.
  2. Estimated through the end of the reporting period.
  3. Extraction well RW-2 restarted on 7/5/05 @ 16:20. Mass removal rates reflect operation of both extraction wells RW-1 and RW-2.
  4. Performance results for the reporting period are shaded.


卷之三

### ABBREVIATIONS


**ATTACHMENT F**

**MONITORING WELL TREND BAR GRAPHS**

**Active Industrial Uniform Site  
NYSDEC Site No. 1-52-125**  
**Summary of Groundwater Sampling Results - cis-1,2-Dichloroethene**




**Active Industrial Uniform Site  
NYSDEC Site No. 1-52-125  
Summary of Groundwater Sampling Results - Trichloroethene**




\* MW-110 was not sampled since it could not be located and has reportedly been paved over by the local municipality.

**Active Industrial Uniform Site  
NYSDEC Site No. 1-52-125**  
**Summary of Groundwater Sampling Results - Tetrachloroethene**



**Active Industrial Uniform Site  
NYSDEC Site No. 1-52-125  
Summary of Groundwater Sampling Results - Total VOCs**



\* MW-110 was not sampled since it could not be located and has reportedly been paved over by the local municipality.