



MOVE YOUR ENVIRONMENT FORWARD

QUARTERLY OPERATION AND MAINTENANCE REPORT – FIRST QUARTER 2022

Active Industrial Uniform Superfund Site

63 West Merrick Road
Lindenhurst, New York

NYSDEC Site Number: 152125

Prepared For:

New York State Department of Environmental Conservation
625 Broadway
Albany, New York 12233
Contract #D009808

Prepared By:

HRP Associates, Inc.
197 Scott Swamp Road
Farmington, CT 06032

HRP #: DEC1004.OM

Issued On: May 11, 2022



TABLE OF CONTENTS

1.0 INTRODUCTION1

2.0 SITE BACKGROUND2

2.1 Site Location and Description2

2.2 Site Geology and Hydrogeology.....2

2.3 Background and Remedial History2

2.4 Site Cleanup Objectives3

3.0 OPERATIONS AND MAINTENANCE PROGRAM4

3.1 Groundwater Extraction and Treatment System Operations and Maintenance4

3.2 Site Maintenance Activities.....4

4.0 MONITORING PROGRAM5

4.1 Groundwater Sampling5

5.0 MAINTENANCE ISSUES AND RECOMMENDED SOLUTIONS.....9

6.0 FUTURE ACTIVITIES10

7.0 PROGRESS TOWARD CLEANUP OBJECTIVES11

Figures

Figure 1	Site Location
Figure 2	Site Map Showing Groundwater Sampling Locations
Figure 3	Site and Surrounding Area: Groundwater Sampling Locations
Figure 4	Groundwater Contour Map

Tables

Table 1	Target VOCs in Groundwater
Table 2	Metals in Groundwater

Appendices

Appendix A	Operation and Maintenance Reports
Appendix B	Temporal Variations of Measured Parameters

General Information

Project/Site Information:

Active Industrial Uniform Superfund Site
63 West Merrick Road
Lindenhurst, New York

Consultant Information:


HRP Associates, Inc.
197 Scott Swamp Road
Farmington, CT 06032
Phone: 860-674-9570
E-mail: david.feinson@hrpassociates.com
Project Number: DEC1004.OM

Client Information:

New York State Department of
Environmental Conservation
625 Broadway
Albany, NY 12233

Report Date: 5/11/2022

Report Author:


A. Sasha Isenberg
Senior Project Scientist

Project Manager:


David J. Feinson
Project Manager

1.0 INTRODUCTION

HRP Associates, Inc. (HRP) has been contracted by the New York State Department of Environmental Conservation (NYSDEC) for Site management tasks under Standby Engineering Contract D009808. Under this contract, on-going Site management was assigned to HRP for the Active Industrial Uniform Superfund Site, NYSDEC Site No. 152125, located at 63 West Merrick Road, Lindenhurst, New York (herein referred to as the "Site"). The Site location is depicted on **Figure 1**. The Site is currently listed on the New York State Registry of Inactive Hazardous Waste Sites as a Class 2 site. This designation is for sites at which the disposal of hazardous waste has been confirmed and the presence of such hazardous waste or its components or breakdown products represents a significant threat to public health or the environment; or sites at which hazardous waste disposal has not been confirmed, but the site has been listed on the Federal National Priorities List (NPL). The United States Environmental Protection Agency (USEPA) oversaw the operations and maintenance (O&M) and Site management from 2001 to 2012. NYSDEC assumed responsibility for Site management in 2012. The on-going Site management was assigned to HRP in April 2020. This work assignment (WA) includes the following tasks:

- Task 1 – Scoping.
- Task 2 – Site Management Plan.
- Task 3 – Operation and Maintenance.
- Task 4 – Monitoring and Reporting.
- Task 5 – Periodic Review and Report.
- Task 6 – Remedial System Optimization.

This quarterly Operations and Maintenance (O&M) Report summarizes the O&M and monitoring activities completed during the first quarter of 2022 (January through March 2022). This report provides a description of the work performed throughout the reporting period, a discussion of the data obtained, and documents the relevant performance monitoring.

2.0 **SITE BACKGROUND**

2.1 **Site Location and Description**

The Active Industrial Uniform Site is a 0.5-acre parcel of land located at 63 West Merrick Road (a.k.a. West Montauk Highway, or State Route 27A). The Site is accessed via a driveway from Tompkins Lane. A fence with locked gate completely surrounds the property. The Site location is shown on **Figure 1**.

The following features are present at the Site:

- 35'x35' treatment shed;
- The remnants of two concrete floor slabs (east and northwest) where one-story concrete block buildings were formerly located (both buildings were demolished in February 1995); and
- A paved parking area.

Site features are depicted on **Figure 2**, and general Site area features are shown on **Figure 3**.

2.2 **Site Geology and Hydrogeology**

According to the surficial materials map of New York, the surficial geology of the Site consists of outwash sand and gravel, defined as coarse to fine gravel with sand with variable thickness (2-20 meters). Based on reported observations from shallow hand auger soil vapor points installed during the 2007/2008 soil vapor evaluation, the upper ten feet of overburden in the vicinity of the Site is typified by loose medium to coarse sand. The ground surface and uppermost overburden varies from disturbed native sand to topsoil, silty sand, or asphalt.

Depth to groundwater ranged from 0.43 (in MW-109) to 9.33 (in RW-1) feet below ground surface, as measured during the January 2022 groundwater sampling event. Groundwater flows predominantly to the south, as shown on **Figure 4**, *Groundwater Contour Map*.

2.3 **Background and Remedial History**

This facility operated as a dry cleaner and laundry between 1970 and 1987. Historically, there were two dry cleaning solvent storage areas at the Site: an underground solvent storage tank located on the northwest corner of the property that was removed in 1985, and two above ground solvent storage tanks that were located on a concrete pad near the southwest corner of the property and were removed in October of 1987.

Previous investigations revealed two areas of historical releases of tetrachloroethene (PCE) that have impacted the soil and groundwater at the Site. Remediation at the Site achieved soil cleanup objectives for commercial use and is considered complete. Residual contamination in the soil and groundwater is being managed under a Site Management Plan. A Groundwater Extraction & Treatment (GWE&T) System was installed to control a chlorinated solvent groundwater contamination plume emanating from the Site.

The GWE&T system operated between 2001 and 2018. The GWE&T system was shut down in 2018 under NYSDEC approval. The air stripping towers were decommissioned in late 2020 and removed from the Site in 2021.

2.4 Site Cleanup Objectives

The remedial goals for the Site have been established through the remedy selection process and documented in the Record of Decision (ROD), dated March 26, 1997. According to the ROD, the "overall goal is to meet all appropriate Standards, Criteria, and Guidance (SCGs) and to be protective of human health and the environment". The site-specific goals are presented below:

- Reduce, control, or eliminate to the extent practicable the contamination present within the soils on the Site;
- Eliminate the threat to surface waters by remediating to the extent practicable contaminated groundwater;
- Eliminate the potential for direct human or animal contact with the contaminated soils on the Site;
- Mitigate the impacts of contaminated groundwater to the environment;
- Prevent, to the extent possible, migration of contaminants;
- Provide for attainment of SCGs for groundwater quality at the limits of the area of concern, to the extent practicable; and
- Reduce the threat to homes from high groundwater.

3.0 OPERATIONS AND MAINTENANCE PROGRAM

The operations and maintenance program for the Active Industrial Uniform Site is presented below.

- Periodic groundwater monitoring, including reporting sampling data to NYSDEC.
- Inventory/inspections/maintenance of all groundwater monitoring wells.
- The GWE&T system was shut down on November 30, 2018, under NYSDEC approval. The air stripping towers were decommissioned in late 2020 and removed in 2021. As such, only building maintenance, including routine fire/safety inspection of the treatment plant, is performed on a monthly basis.
- Site maintenance, including (but not limited to) structures and Site grounds upkeep and maintenance (the length of the grass should not exceed six inches per Town ordinance) conducted on a monthly basis or as needed during the summer.

HRP performed the groundwater sampling at the Site as well as the Site maintenance activities. Summary reports prepared during each visit are included in **Appendix A**. Below is a summary of activities performed during the first quarter of 2022.

3.1 Groundwater Extraction and Treatment System Operations and Maintenance

The GWE&T consists of two 4-inch diameter extraction wells, RW-1 and RW-2, designed to pump groundwater to the treatment system housed in the system remediation building. RW-1 is located in the southwestern portion of the Site. RW-2 is located off-site, approximately 1,500 feet southwest of the Site (see **Figures 2 and 3**).

The GWE&T system was shut down in 2018 under NYSDEC approval. The air stripping towers were decommissioned in late 2020 and removed from the Site in 2021. Prior to 2020, an inspection of RW-2 indicated that the screen had collapsed. The previous consultants' attempts at redevelopment of RW-2 were not successful.

3.2 Site Maintenance Activities

Routine Maintenance

On January 5, February 24, and March 31, 2022, HRP performed routine maintenance and site inspection activities. Monthly inspections of fire extinguisher and emergency lighting and exit sign tests were performed on the same dates. Emergency lighting passed the monthly tests. No issues were identified.

Non-Routine Maintenance

No non-routine activities were performed during the first quarter of 2022.

4.0 MONITORING PROGRAM

The monitoring program for the Active Industrial Uniform Superfund Site includes periodic sampling of select groundwater monitoring wells and two extraction wells (see Table 1 below), including 11 on-site monitoring wells (MW-101 through MW-108, MW-4D, MW-5S, and RW-1) and four off-site monitoring wells (MW-109, MW-111, MW-2S, and RW-2). The locations of the wells are depicted on **Figures 2 and 3**. Per the request from NYSDEC, the frequency of sampling has been reduced from quarterly to every fifth quarter as of January 7, 2022.

4.1 Groundwater Sampling

On January 5-6, 2022, HRP conducted groundwater sampling at the Site. Groundwater samples were collected from each monitoring well and submitted to a State-certified laboratory, Con-Test/Pace Analytical, and analyzed for VOCs via the EPA 8260 method and metals via EPA 6010 method. The analytical results are summarized in Tables 1 and 2 below.

Table 1: Target VOCs in Groundwater

Monitoring Well ID and Location	Site-Specific VOCs Concentrations, ug/L							
	PCE		TCE		Cis-1,2-DCE		Vinyl Chloride	
Sampling Period	2021 Q4	2022 Q1	2021 Q4	2022 Q1	2021 Q4	2022 Q1	2021 Q4	2022 Q1
MW-4D (on-site)	24	31	39	31	35	22	22	19
MW-5S (on-site)	1.5	1.6	<1	<0.18	<1	<0.15	<1	<0.2
MW-101 (on-site)	NS	0.86	NS	0.28	NS	<0.15	NS	<0.2
MW-102 (on-site)	NS	0.56	NS	<0.18	NS	<0.15	NS	<0.2
MW-103 (on-site)	3.2	3.8	0.84	0.89	<1	<0.15	<1	<0.2
MW-104 (on-site)	74	37	7.5	4.5	2.2	0.67	<1	<0.2
MW-105 (on-site)	3.1	5.5	<1	0.39	1.9	0.82	<1	<0.2
MW-105 Dup (MW-B)	2.8	5.3	<1	<0.9	2.0	0.74	0.19	<0.2
MW-106 (on-site)	12	6.4	3.7	2.6	12	10	0.67	0.26
MW-107 (on-site)	3.5	3.1	0.56	0.26	0.38	<0.15	<1	<0.2
MW-108 (on-site)	NS	3.6	NS	0.31	NS	0.40	NS	<0.2
RW-1 (on-site)	<1	<0.2	<1	<0.18	<1	<0.15	<1	<0.2
MW-2S (off-site)	3.8	16	0.86	5.7	7.5	44	<1	2.3
MW-109 (off-site)	NS	<0.2	NS	0.43	NS	0.66	NS	<0.2
MW-111 (off-site)	NS	<0.2	NS	<0.18	NS	<0.15	NS	<0.2
RW-2 (off-site)	<1	<1	<1	<0.9	0.65	<0.75	<1	<1
RW-2 Dup (MW-A)	<1	<1	<1	<0.9	0.6	<0.75	<1	<1
Class GA Groundwater Standard, ug/L	5		5		5		2	

Notes:

- 1 Parameter reported at a concentration greater than applicable regulatory standard/criterion
ND = not detected; NS = not sampled; ug/L = microgram per liter

Table 1 summarizes the on-site and off-site concentrations of the site-specific contaminants of concern (COCs), which include PCE and associated degradation products (trichloroethylene [TCE], cis-1,2-dichloroethylene [cis-1,2-DCE], and vinyl chloride). The results were compared to the

previous, fourth quarter of 2021, findings. The previous data is included in the table for comparison purposes. Charts showing the variations of PCE, TCE, cis-1,2-DCE, and vinyl chloride in the monitoring wells are provided in **Appendix B**. Laboratory reports are provided directly to NYSDEC by the contracted laboratory.

The findings of the sampling are discussed below.

- **MW-4D:** The monitoring well is located in the southwestern portion of the Site and downgradient of the historical dry-cleaning activities. The well is screened at 60 to 70 feet below grade (fbg). PCE, TCE, cis-1,2-DCE and vinyl chloride were detected in this monitoring well at concentrations exceeding the Class GA Groundwater Standards.
- **MW-5S:** The monitoring well is located in the western portion of the Site and screened at 14 to 24 fbg. None of the contaminants of concern were detected above the laboratory reporting limits, except for PCE, which was detected below the applicable standards.
- **MW-101:** The monitoring well is located on the northeastern portion of the Site and screened at 5-15 fbg. PCE and TCE were detected at a concentration below the Class GA Standards. Cis-1,2-DCE and vinyl chloride were not detected above the laboratory reporting limit.
- **MW-102:** The monitoring well is located on the north-central portion of the Site and screened at 5-15 fbg. None of the contaminants of concern were detected above the laboratory reporting limits, except for PCE, which was detected below the applicable standards.
- **MW-103:** The monitoring well is located in the northern portion of the Site and screened at 5 to 15 fbg. PCE and TCE were detected at concentrations below the applicable Class GA Standards. Cis-1,2-DCE and vinyl chloride were not detected above the laboratory reporting limit.
- **MW-104:** The monitoring well is located on the western portion of the Site and screened at 5 to 15 fbg. PCE was detected in exceedance of the Class GA Standards. TCE and cis-1,2-DCE were detected at a concentration below the Class GA Standards. Vinyl chloride was not detected above the laboratory reporting limit.
- **MW-105:** The monitoring well is located near the southwestern corner of the treatment building and screened at 5 to 15 fbg. PCE was detected in exceedance of the Class GA Standards. TCE and cis-1,2-DCE were detected at a concentration below the Class GA Standards. Vinyl chloride was not detected above the laboratory reporting limit. MW-B was collected as a duplicate of sample MW-105. Detected concentrations of PCE, TCE, cis-1,2-DCE, and vinyl chloride were similar between the two samples.
- **MW-106:** The monitoring well is located in the southeastern corner of the Site and screened at 5 to 15 fbg. PCE and cis-1,2-DCE were detected in exceedance of the Class GA Standards. TCE and vinyl chloride were detected at concentrations below the Class GA Standards.
- **MW-107:** The monitoring well is located in the southern portion of the Site and screened at 5 to 15 fbg. PCE and TCE were detected at concentrations below the Class GA Standards. Cis-1,2-DCE and vinyl chloride were not detected above the laboratory reporting limits.

- **MW-108:** The monitoring well is located in the southwestern corner of the Site and screened at 5 to 15 fbg. PCE, TCE, and cis-1,2-DCE were detected at concentrations below the Class GA Standards. Vinyl chlorides were not detected above the laboratory reporting limits.
- **RW-1:** The 4-inch extraction well is located in the southwestern portion of the Site and screened at 10-35 fbg. None of the contaminants of concern were detected above the laboratory reporting limits.
- **MW-2S:** The monitoring well is located on Tompkins Street, approximately 200 feet to the south of the Site and screened at 12 to 22 fbg. PCE, TCE, cis-1,2-DCE, and vinyl chloride were detected in this monitoring well at concentrations exceeding the Class GA Groundwater Standards.
- **MW-109:** The monitoring well is located on Orchard Street, approximately 1,700 feet to the southwest of the Site and screened at 25-35 fbg. TCE and cis-1,2-DCE were detected at concentrations below the Class GA Standards. PCE and vinyl chloride were not detected above the laboratory reporting limits.
- **MW-111:** The monitoring well is located on Lane Street, approximately 500 feet to the southwest of the Site, and screened at 25-35 fbg. None of the contaminants of concern were detected above the laboratory reporting limits.
- **RW-2:** The 4-inch extraction well is located on Orchard Street, approximately 1,500 feet to the southwest of the Site, and screened at 12-37 fbg. Sample MW-A was collected as a duplicate of sample RW-2. None of the contaminants of concern were detected above the laboratory reporting limits.

In addition to the constituents listed in the tables, several other VOCs were detected in the groundwater samples at concentrations below the Class GA Standards.

Groundwater from recovery wells RW-1 and RW-2 was analyzed for metals. The results are presented in Table 2 below:

Table 2: Metals in groundwater

Sample Name:			RW-1	RW-2	RW-2 Dup	RW-1	RW-2	RW-2 Dup
Analytes	Unit	Class GA Criteria	Sampled 10/25/2021			Sampled January 2022		
Aluminum, Total	ug/l	NE	< 200	118	107	< 49	< 49	< 49
Antimony	ug/l	3	< 20.0	< 20.0	< 20.0	< 13	< 13	< 13
Arsenic	ug/l	25	< 15.0	< 15.0	< 15.0	< 6.8	< 6.8	< 6.8
Barium	ug/l	1,000	< 200	< 200	< 200	18	25	24
Beryllium	ug/l	3	< 2.0	< 2.0	< 2.0	< 1.1	< 1.1	< 1.1
Cadmium	ug/l	5	< 4.0	< 4.0	< 4.0	< 1.6	< 1.6	< 1.6
Calcium	ug/l	NE	27,500	31,100	32,800	30,000	67,000	65,000
Chromium, Total	ug/l	50	< 10.0	< 10.0	< 10.0	< 5	< 5	< 5
Cobalt	ug/l	NE	< 50.0	< 50.0	< 50.0	< 2	< 2	< 2
Copper	ug/l	200	< 25.0	11.1	11.7	< 3	< 3	< 3
Iron	ug/l	300	286	2,550	2,680	220	5,000	4,600

Sample Name:			RW-1	RW-2	RW-2 Dup	RW-1	RW-2	RW-2 Dup
Analytes	Unit	Class GA Criteria	Sampled 10/25/2021			Sampled January 2022		
Lead	ug/l	25	3.1	3.5	2.8	5.9	< 5.3	< 5.3
Magnesium	ug/l	35,000	4,520	22,300	23,400	4,600	110,000	110,000
Manganese	ug/l	300	1,910	119	125	1,600	230	220
Mercury	ug/l	0.7	< 0.20	< 0.20	< 0.20	< 0.05	< 0.05	< 0.05
Nickel	ug/l	100	< 40.0	< 40.0	< 40.0	< 3	< 3	< 3
Potassium, Total	ug/l	NE	2,390	11,100	11,700	3,300	41,000	40,000
Selenium	ug/l	10	< 20.0	< 20.0	< 20.0	< 13	< 13	< 13
Silver	ug/l	50	< 10.0	< 10.0	< 10.0	< 4	< 4	< 4
Sodium, Total	ug/l	20,000	33,500	219,000	231,000	41,000	930,000	840,000
Thallium	ug/l	0.5	< 20.0	< 20.0	< 20.0	< 21	< 21	< 21
Vanadium	ug/l	NE	< 50.0	< 50.0	< 50.0	< 3	17	17
Zinc	ug/l	2,000	< 30.0	14.1	16.5	< 3.7	4.3	< 3.7

5.0 MAINTENANCE ISSUES AND RECOMMENDED SOLUTIONS

No maintenance issues were identified during the first quarter of 2022.

6.0 FUTURE ACTIVITIES


Future maintenance and monitoring activities at the Site include the following:

- Routine monthly maintenance activities will continue;
- A contractor will be retained in 2022 to remove the AST from inside the building, per approval by the NYSDEC; and
- Groundwater monitoring will be completed every 5th quarter, per approval by the NSYDEC. The next groundwater monitoring event is scheduled to be completed in the second quarter of 2023.


7.0 PROGRESS TOWARD CLEANUP OBJECTIVES

Based on review of O&M field notes and laboratory analysis of samples collected from the groundwater well network, continued monitoring is recommended to monitor the natural attenuation of the dissolved-phase chlorinated solvents detected in groundwater.

FIGURES



Copyright:© 2013 National Geographic Society, i-cubed






USGS Quadrangle Information
Quad ID: 40073-F3
Name: Bay Shore West, New York
Date Rev: 1978
Date Pub: 1979

Figure 1
Site Location
63 West Montauk Highway
Lindenhurst, New York
NYSDEC Site No. 152125
HRP # DEC1004.OM
Scale 1" = 2,000'

HRP
MOVE YOUR ENVIRONMENT FORWARD
ONE FAIRCHILD SQUARE
SUITE 110
CLIFTON PARK, NY 12065
(518) 877-7101
HRPASSOCIATES.COM

Legend

-  Groundwater Recovery Well
-  Groundwater Monitoring Well
-  Approximate Property Line



MOVE YOUR ENVIRONMENT FORWARD

ONE FAIRCHILD SQUARE
SUITE 110
CLIFTON PARK, NY 12065
(518) 877-7101
HRPASSOCIATES.COM




Figure 2
Site Map showing
Groundwater Sampling
Locations
63 West Montauk Highway
Lindenhurst, New York
NYSDEC Site No. 152125
HRP # DEC1004.OM
Scale 1" = 30'

Source: Esri, Maxar, GeoEye, Earthstar Geographics, CNES/Airbus DS, USDA, USGS, AeroGRID, IGN, and the GIS User Community

Path: S:\Data\NYSDEC - NEW YORK STATE DEPARTMENT OF ENVIRONMENTAL CONSERVATION\BABLON\63 WEST MERRICK ROAD\DEC1004\OM\GIS\Figure 3 - 63 West Montauk.mxd





HRP
MOVE YOUR ENVIRONMENT FORWARD

ONE FAIRCHILD SQUARE
SUITE 110
CLIFTON PARK, NY 12065
(518) 877-7101
HRPASSOCIATES.COM

Site and Surrounding Area:
Groundwater Sampling Locations

63 West Montauk Highway
Lindenhurst, New York
NYSDEC Site No. 152125

ASI
DESIGNED BY:

BOB
DRAWN BY:

DJF
REVIEWED BY:

11X17
SHEET SIZE:

08/04/2020
DATE:

DEC1004.OM
PROJECT NUMBER:

North

1 in = 150 ft

0

75


150

Ft

FIGURE

3

Monitoring Well ID	Groundwater Elevation, feet
MW-101	2.27
MW-102	2.26
MW-103	2.23
MW-104	2.36
MW-105	2.19
MW-106	2.16
MW-107	2.15
MW-108	2.52
MW-109	0.78
MW-111	1.61
MW-2S	1.92
MW-4D	2.14
MW-5S	2.27
RW-1	2.14
RW-2	1.06



ONE FAIRCHILD SQUARE
SUITE 110
CLIFTON PARK, NY 12065
(518) 877-7101
HRPASSOCIATES.COM

January 2022
Groundwater Contour Map

63 West Montauk Highway
Lindenhurst, New York
NYSDEC Site No. 152125

ASI
DESIGNED BY:

BOB
DRAWN BY:

DJF
REVIEWED BY:

11X17
SHEET SIZE:

05/11/2022
DATE:

DEC1004.OM
PROJECT NUMBER:

North




FIGURE
4

APPENDIX A

Operation and Maintenance Reports

Fire Safety Inspection Log
Active Industrial Uniform Site
NYSDEC Site No. 152125
63 West Merrick Road, Lindenhurst, NY

Monthly Fire Safety Inspection Items			
Item	Description	Result	
1	Exit signs internally or externally illuminated	<u>Yes</u>	No
2	Smoke alarms tested and functioning	<u>Yes</u>	No
3	Water leaks/water damage observed inside building	Yes	<u>No</u>
4	Fire extinguishers within expiration or inspected annually	<u>Yes</u>	No
5	All fire extinguishers present	<u>Yes</u>	No
6	Electrical Breaker Panel Issues	Yes	<u>No</u>
7	Covers present on all junction boxes, electrical switches, and outlets	<u>Yes</u>	No
8	Any evidence of pests present inside building (rodents, insects, etc.)	Yes	<u>No</u>
9	Emergency lighting tested and functioning	<u>Yes</u>	No

Periodic System Testing and Inspection				
Item	Description	Frequency	Date Last Performed	Date Due
10	Sprinkler system testing	Annual		
11	Battery powered emergency lighting tested	Annual		
12	Fire Extinguishers annual inspection	Annual		
13	Emergency Lighting Testing	Monthly	1-5-2022	

Inspected By: Dave Adam
Inspection Date: 1-5-2022

Other Items Noted:

Fire Safety Inspection Log
Active Industrial Uniform Site
NYSDEC Site No. 152125
63 West Merrick Road, Lindenhurst, NY

Monthly Fire Safety Inspection Items			
Item	Description	Result	
1	Exit signs internally or externally illuminated	Yes	No
2	Smoke alarms tested and functioning	Yes	No
3	Water leaks/water damage observed inside building	Yes	No
4	Fire extinguishers within expiration or inspected annually	Yes	No
5	All fire extinguishers present	Yes	No
6	Electrical Breaker Panel Issues	Yes	No
7	Covers present on all junction boxes, electrical switches, and outlets	Yes	No
8	Any evidence of pests present inside building (rodents, insects, etc.)	Yes	No
9	Emergency lighting tested and functioning	Yes	No

Periodic System Testing and Inspection				
Item	Description	Frequency	Date Last Performed	Date Due
10	Sprinkler system testing	Annual		
11	Battery powered emergency lighting tested	Annual		
12	Fire Extinguishers annual inspection	Annual		
13	Emergency Lighting Testing	Monthly		

Inspected By: 74G
Inspection Date: 2/24/22

Other Items Noted:

Fire Safety Inspection Log
Active Industrial Uniform Site
NYSDEC Site No. 152125
63 West Merrick Road, Lindenhurst, NY

Monthly Fire Safety Inspection Items			
Item	Description	Result	
1	Exit signs internally or externally illuminated	Yes	No
2	Smoke alarms tested and functioning	Yes	No
3	Water leaks/water damage observed inside building	Yes	No
4	Fire extinguishers within expiration or inspected annually	Yes	No
5	All fire extinguishers present	Yes	No
6	Electrical Breaker Panel Issues	Yes	No
7	Covers present on all junction boxes, electrical switches, and outlets	Yes	No
8	Any evidence of pests present inside building (rodents, insects, etc.)	Yes	No
9	Emergency lighting tested and functioning	Yes	No

Periodic System Testing and Inspection				
Item	Description	Frequency	Date Last Performed	Date Due
10	Sprinkler system testing	Annual		
11	Battery powered emergency lighting tested	Annual		
12	Fire Extinguishers annual inspection	Annual		
13	Emergency Lighting Testing	Monthly		

Inspected By: *DJA*

Inspection Date: *3-31-22*

Other Items Noted:

HRP Associates, Inc.

197 Scott Swamp Rd.

Farmington, CT 06032

(860) 674-9570

Monitor Well Data Sheet

Page 1 of 1

Well ID: MW-2s

Site Background Information

Site Location: 63 West Merrick Rd, Lindenhurst, NY
 Job Number: DEC1004.OM
 Weather: M. Cloudy, 39°F

Sampling Dates: 1/5-6/22
 Field Team Leader: —
 Team Personnel: KG, DJA, CJL

Ground Water Elevation Data

Date	Time	Sampler Name	Equipment Model	Depth to Water (ft)	Depth to Bottom (ft)
1-5-22	8:40	CJL	Solinst-101	uncorrected —	uncorrected —
			corr. factor 0	corrected 5.20	corrected 18.50

Measurement Point: 2" pvc HW

Well Condition (circle one)

General Condition	Visible Well ID	Well Cap Present	Well Plumbness	Lock
Good	yes	yes	Good	yes
Concrete Collar	Ponded Water	Comments: BHS		
Good	No			

Well Purging Data

Date	Time						Sampler Initials	Instrument Calibration Date
	Equipment Set-up		Purging		Sample Collection			
	Start	Finish	Start	Finish	Start	Finish		
1-6-22	10:24	10:29	10:29	11:03	11:03	11:04	CJL	1-6-22

Instrument Mfg & Model

pH	YSI 600XL-M / YSI 556 Serial # 19A01
Temp.	
Sp. Cond.	
ORP	
DO	
Turbidity	HF Scientific DRT-15CE - Serial # HRP-7

Initial Water Depth (ft):			Time:					
Time	Water Depth (ft)	Flow Rate (ml/min)	pH (s.u.)	Temp (°C)	Sp Con (uS)	ORP (mV)	DO (mg/l)	Turbidity (ntu)
10:32	5.22	120	6.12	12.74	354	163.5	1.96	3.54
10:37	5.22		6.15	13.08	354	163.8	1.80	1.77
10:42	5.22		6.16	13.27	354	164.5	1.68	1.26
10:47	5.22		6.17	13.57	359	164.9	1.64	1.17
10:52	5.22		6.18	13.40	361	165.2	1.61	1.04
10:57	5.22		6.19	13.67	370	165.5	1.48	0.77
11:02	5.22	↓	6.19	13.62	369	165.8	1.46	0.87
Req. Limits for Last 3 Readings			+/- 0.1	3%	3%	+/- 10 mv	10% > 0.5	10% > 5

Pump Mfg & Model	Color	Odor	Purge Vol (ml)	Sample Depth (ft.)
peristaltic pump	clear	—	4080	13.50

Sample Containers

Type & No.	Volume	Preservative	Type & No.	Volume	Preservative
2 vials	2x 40mL	HCl			

HRP Associates, Inc.

197 Scott Swamp Rd.

Farmington, CT 06032

(860) 674-9570

Monitor Well Data Sheet

Page 1 of 2

Well ID: MW-4d

Site Background Information

Site Location:	63 West Merrick Rd, Lindenhurst, NY	Sampling Dates:	1-5 - 1-6-22
Job Number:	DEC1004.OM	Field Team Leader:	
Weather:	rain 35°F	Team Personnel:	DJA, CJC

Ground Water Elevation Data

Date	Time	Sampler Name	Equipment Model	Depth to Water (ft)	Depth to Bottom (ft)
1-5-22	8:49	DJA	Solinst-101	uncorrected	uncorrected
			corr. factor 0	corrected 6.12	corrected 67.41

Measurement Point: 4" pvc HW

Well Condition (circle one)

General Condition	Visible Well ID	Well Cap Present	Well Plumbness	Lock
good	WO	yes	good	NO
Concrete Collar	Ponded Water	Comments:		
good	NO			

Well Purging Data

Date	Time						Sampler Initials	Instrument Calibration Date
	Equipment Set-up		Purging		Sample Collection			
	Start	Finish	Start	Finish	Start	Finish		
1-5-22	8:15	9:00	9:00	9:35	9:55	9:56	DJA	1-4-22

Instrument Mfg & Model

pH	YSI 600XL-M / YSI 556 - Serial # <i>prot plus 35101232</i>
Temp.	
Sp. Cond.	
ORP	
DO	
Turbidity	HF Scientific DRT-15CE - Serial # <i>HRP #1</i>

Initial Water Depth (ft):		8.19	Time:		6.12			
Time	Water Depth (ft)	Flow Rate (ml/min)	pH (s.u.)	Temp (°C)	Sp Con (uS)	ORP (mV)	DO (mg/l)	Turbidity (ntu)
9:05	6.16	130	6.98	13.8	253.3	-102.9	0.05	14.8
9:10	6.16		6.96	14.2	246.6	-138.5	0.47	11.5
9:15	6.16		6.97	14.1	246.1	-158.0	0.39	12.9
9:20	6.16		6.98	14.3	247.6	-170.0	0.32	10.3
9:25	6.16		6.99	14.4	248.0	-188.5	0.28	10.7
9:30	6.16		6.99	14.4	248.5	-210.0	0.25	10.2
9:35	6.16		7.02	14.4	249.4	-231.2	0.23	10.6
9:40	6.16		7.02	14.6	249.5	-241.5	0.21	10.3
9:45	6.16		7.03	14.5	250.3	-247.9	0.21	10.2
Req. Limits for Last 3 Readings			+/- 0.1	3%	3%	+/- 10 mv	10% > 0.5	10% > 5

Pump Mfg & Model	Color	Odor	Purge Vol (ml)	Sample Depth (ft.)
peristaltic pump	clear	organic	7150	62.41

Sample Containers

Type & No.	Volume	Preservative	Type & No.	Volume	Preservative
3 vials	3 x 40mL	HCl			

(860) 674-9570

Page 2 of 2

∴ now 4d

sun/cloudy, 35°

$$1.5 - 1.672$$

Team Personnel:

MDA 072

[illegible]

HRP Associates, Inc.

197 Scott Swamp Rd.

Farmington, CT 06032

(860) 674-9570

Monitor Well Data Sheet

Well ID: MW-5s

Page 1 of 1

Site Background Information

Site Location:

63 West Merrick Rd, Lindenhurst, NY

Job Number:

DEC1004.OM

Weather:

clouds 98

Sampling Dates:

1-5-16-22

Field Team Leader:

Team Personnel:

GTL, OJA

Ground Water Elevation Data

Date	Time	Sampler Name	Equipment Model	Depth to Water (ft)	Depth to Bottom (ft)
1-5-22	9:25A	OJA	Solinst-101	uncorrected	uncorrected
			corr. factor 0	corrected 6.06	corrected 23.58

Measurement Point: 2" pvc HW

Well Condition (circle one)

General Condition	Visible Well ID	Well Cap Present	Well Plumbness	Lock
good	yes	yes	good	yes
Concrete Collar	Ponded Water	Comments:		
good	no			

Well Purging Data

Date	Time						Sampler Initials	Instrument Calibration Date
	Equipment Set-up		Purging		Sample Collection			
	Start	Finish	Start	Finish	Start	Finish		
1-5-22	1:35	1:45	1:45	2:15	2:14	2:16	DJA	1-9-22

Instrument Mfg & Model

pH	YSI 600XL-M / YSI 556 - Serial # 3510132 prof plus
Temp.	
Sp. Cond.	
ORP	
DO	
Turbidity	HF Scientific DRT-15CE - Serial # Map #1

Initial Water Depth (ft): 6.03			Time: 1:42					
Time	Water Depth (ft)	Flow Rate (ml/min)	pH (s.u.)	Temp (°C)	Sp Con (uS)	ORP (mV)	DO (mg/l)	Turbidity (ntu)
1:50	6.04	190	6.46	15.2	292.4	152.9	0.55	0.54
1:55	6.04		6.18	15.5	294.2	136.1	0.57	0.23
2:00	6.04		6.13	15.7	293.3	122.8	0.38	0.03
2:05	6.04		6.12	15.8	293.3	114.6	0.31	0.10
2:10	6.04		6.11	15.8	293.3	108.3	0.27	0.26
2:15	6.04		6.11	15.8	293.7	105.2	0.25	0.08
2:20								

Req. Limits for Last 3 Readings

+/- 0.1

3%

3%

+/- 10 mv

10% > 0.5

10% > 5

Pump Mfg & Model

Color

Odor

Purge Vol (ml)

Sample Depth (ft.)

peristaltic pump

40

-

4200

18.58

Sample Containers

Type & No.	Volume	Preservative
3 vials	3 x 40mL	HCl

Type & No.	Volume	Preservative

HRP Associates, Inc.

197 Scott Swamp Rd.

Farmington, CT 06032

(860) 674-9570

Monitor Well Data Sheet

Page 1 of 1

Well ID: MW-101

Site Background Information

Site Location:	63 West Merrick Rd, Lindenhurst, NY	Sampling Dates:	1/5 - 1/6/22
Job Number:	DEC1004.OM	Field Team Leader:	
Weather:	Cloudy, 44°F	Team Personnel:	DJA, CJL, KG

Ground Water Elevation Data

Date	Time	Sampler Name	Equipment Model	Depth to Water (ft)		Depth to Bottom (ft)	
1-5-22	9:28	CJL	Solinst-101	uncorrected	—	uncorrected	—
			corr. factor 0	corrected	6.56	corrected	14.56

Measurement Point: 2" pvc, HW

Well Condition (circle one)

General Condition	Visible Well ID	Well Cap Present	Well Plumbness	Lock
Good	Yes	yes	Good	yes
Concrete Collar	Ponded Water	Comments:		
Good	No			

Well Purging Data

Date	Time						Sampler Initials	Instrument Calibration Date
	Equipment Set-up		Purging		Sample Collection			
	Start	Finish	Start	Finish	Start	Finish		
1-5-22	1:47	1:55	1:55	2:24	2:24	2:25	CJL	1-4-22

Instrument Mfg & Model

pH	YSI 600XL-M / YSI 556 - Serial # 19A01
Temp.	
Sp. Cond.	
ORP	
DO	
Turbidity	HF Scientific DRT-15CE - Serial # HRP-7

Initial Water Depth (ft): 6.55			Time: 1:54					
Time	Water Depth (ft)	Flow Rate (ml/min)	pH (s.u.)	Temp (°C)	Sp Con (uS)	ORP (mV)	DO (mg/l)	Turbidity (ntu)
1:58	6.57	120	6.79	12.72	302	114.2	1.44	1.87
2:03	6.57		6.75	13.00	311	113.5	0.71	1.55
2:08	6.57		6.78	12.99	315	111.0	0.73	1.49
2:13	6.57		6.82	13.04	322	105.6	0.76	1.21
2:18	6.57		6.84	13.08	321	101.2	0.80	1.39
2:23	6.57	✓	6.85	13.03	327	97.4	0.82	1.12

Req. Limits for Last 3 Readings	+/- 0.1	3%	3%	+/- 10 mv	10% > 0.5	10% > 5
---------------------------------	---------	----	----	-----------	-----------	---------

Pump Mfg & Model	Color	Odor	Purge Vol (ml)	Sample Depth (ft.)
peristaltic pump	clear	—	3480	10.55

Sample Containers

Type & No.	Volume	Preservative	Type & No.	Volume	Preservative
2 vials	2 x 40mL	HCl			

HRP Associates, Inc.

197 Scott Swamp Rd.

Farmington, CT 06032

(860) 674-9570

Monitor Well Data Sheet

 Page 1 of 1

Well ID: MW-102

Site Background Information

Site Location:	63 West Merrick Rd, Lindenhurst, NY	Sampling Dates:	1/5 - 1/6/22
Job Number:	DEC1004.OM	Field Team Leader:	
Weather:	Fog, 44°F	Team Personnel:	DJA, CJL, KG

Ground Water Elevation Data

Date	Time	Sampler Name	Equipment Model	Depth to Water (ft)		Depth to Bottom (ft)	
1-5-22	9:26	CJL	Solinst-101	uncorrected	—	uncorrected	—
			corr. factor 0	corrected	6.40	corrected	14.31

Measurement Point: 2" pvc, HW

Well Condition (circle one)

General Condition	Visible Well ID	Well Cap Present	Well Plumbness	Lock
Good	yes	yes	Good	yes
Concrete Collar	Ponded Water	Comments: (1) Bolt hole broken		
Good	No			

Well Purging Data

Date	Time						Sampler Initials	Instrument Calibration Date
	Equipment Set-up		Purging		Sample Collection			
	Start	Finish	Start	Finish	Start	Finish		
1-5-22	1:01	1:14	1:14	1:43	1:43	1:44	CJL	1-4-22

Instrument Mfg & Model

pH	YSI 600XL-M / YSI 556- Serial # 19A01
Temp.	
Sp. Cond.	
ORP	
DO	
Turbidity	HF Scientific DRT-15CE - Serial # HRP-7

Initial Water Depth (ft): 6.37			Time: 1:13					
Time	Water Depth (ft)	Flow Rate (ml/min)	pH (s.u.)	Temp (°C)	Sp Con (uS)	ORP (mV)	DO (mg/l)	Turbidity (ntu)
1:17	6.37	120	7.00	12.62	315	105.4	1.15	0.66
1:22	6.37		7.00	13.09	313	101.7	0.81	0.43
1:27	6.37		6.99	13.08	312	101.2	0.81	0.40
1:32	6.37		6.97	13.18	311	100.6	0.79	0.46
1:37	6.37		6.97	13.10	313	100.1	0.78	0.53
1:42	6.37	✓	6.93	13.21	309	100.0	0.81	0.26

Req. Limits for Last 3 Readings	+/- 0.1	3%	3%	+/- 10 mv	10% > 0.5	10% > 5
---------------------------------	---------	----	----	-----------	-----------	---------

Pump Mfg & Model	Color	Odor	Purge Vol (ml)	Sample Depth (ft.)
peristaltic pump	clear	—	3480	10.35

Sample Containers

Type & No.	Volume	Preservative	Type & No.	Volume	Preservative
2 vials	2x 40mL	HCl			

HRP Associates, Inc.

197 Scott Swamp Rd.

Farmington, CT 06032

(860) 674-9570

Monitor Well Data Sheet

 Page 1 of 1

Well ID: MW-103

Site Background Information

Site Location:	63 West Merrick Rd, Lindenhurst, NY	Sampling Dates:	1/5 - 1/6/22
Job Number:	DEC1004.OM	Field Team Leader:	
Weather:	Drizzle, 43°F	Team Personnel:	DJA, CJL, KG

Ground Water Elevation Data

Date	Time	Sampler Name	Equipment Model	Depth to Water (ft)		Depth to Bottom (ft)	
1-5-22	9:30	CJL	Solinst-101	uncorrected	—	uncorrected	—
			corr. factor 0	corrected	6.34	corrected	12.76

Measurement Point: 2" pvc, HW

Well Condition (circle one)

General Condition	Visible Well ID	Well Cap Present	Well Plumbness	Lock
Good	yes	yes	Good	yes
Concrete Collar	Ponded Water	Comments:		
Good	No			

Well Purging Data

Date	Time						Sampler Initials	Instrument Calibration Date
	Equipment Set-up		Purging		Sample Collection			
	Start	Finish	Start	Finish	Start	Finish		
1-5-22	12:14	12:23	12:23	12:52	12:52	12:53	CJL	1-4-22

Instrument Mfg & Model

pH	YSI 600XL-M / YSI 556 Serial # 19A01
Temp.	
Sp. Cond.	
ORP	
DO	
Turbidity	HF Scientific DRT-15CE - Serial # HRP-7

Initial Water Depth (ft): 6.31			Time: 12:22					
Time	Water Depth (ft)	Flow Rate (ml/min)	pH (s.u.)	Temp (°C)	Sp Con (uS)	ORP (mV)	DO (mg/l)	Turbidity (ntu)
12:26	6.32	120	6.76	12.54	346	102.4	3.81	3.56
12:31	6.32		6.83	13.00	357	103.7	3.40	2.44
12:36	6.32		6.84	12.71	361	106.2	3.50	1.55
12:41	6.32		6.84	12.74	363	107.4	3.48	1.12
12:46	6.32		6.84	12.81	368	108.1	3.47	1.26
12:51	6.32		6.84	12.86	366	109.2	3.43	0.97
Req. Limits for Last 3 Readings			+/- 0.1	3%	3%	+/- 10 mv	10% > 0.5	10% > 5

Pump Mfg & Model	Color	Odor	Purge Vol (ml)	Sample Depth (ft.)
peristaltic pump	clear	—	3480	9.55

Sample Containers

Type & No.	Volume	Preservative	Type & No.	Volume	Preservative
2 vials	2 x 40mL	HCl			

HRP Associates, Inc.
197 Scott Swamp Rd.
Farmington, CT 06032
(860) 674-9570

Monitor Well Data Sheet

Well ID: MW-104

Page 1 of 2

Site Background Information

Site Location:	63 West Merrick Rd, Lindenhurst, NY	Sampling Dates:	1-5-22 - 1-6-22
Job Number:	DEC1004.OM	Field Team Leader:	
Weather:	rain 44°/5	Team Personnel:	LSL, DJA

Ground Water Elevation Data

Date	Time	Sampler Name	Equipment Model	Depth to Water (ft)	Depth to Bottom (ft)
1-5-22	7:23A	OSL	Solinst-101	uncorrected	uncorrected
			corr. factor 0	corrected 6.34	corrected 14.45

Measurement Point: 2" pvc HW

Well Condition (circle one)

General Condition	Visible Well ID	Well Cap Present	Well Plumbness	Lock
good	yes	yes	good	yes
Concrete Collar	Ponded Water	Comments:		
good	no			

Well Purging Data

Date	Time						Sampler Initials	Instrument Calibration Date
	Equipment Set-up		Purging		Sample Collection			
	Start	Finish	Start	Finish	Start	Finish		
1-5-22	12:00p	12:24	12:24	1:29	1:29	1:30	DJA	1-4-22

Instrument Mfg & Model

pH	YSI 600XL-M / YSI 556 - Serial # prof plus 3510132
Temp.	
Sp. Cond.	
ORP	
DO	
Turbidity	HF Scientific DRT-15CE - Serial # /MP #1

Initial Water Depth (ft): 6.31			Time: 12:21					
Time	Water Depth (ft)	Flow Rate (ml/min)	pH (s.u.)	Temp (°C)	Sp Con (uS)	ORP (mV)	DO (mg/l)	Turbidity (ntu)
12:27	6.31	140	7.08	14.0	260.7	138.4	7.37	4.85
12:29	6.31		7.11	14.2	251.0	140.2	7.14	3.42
12:30	6.31		7.12	14.1	256.4	142.2	7.10	2.56
12:40	6.31		7.13	13.9	269.6	144.9	6.96	1.76
12:42	6.31		7.14	14.0	270.6	145.2	6.90	1.15
12:54	6.31		7.14	13.9	283.4	147.0	6.83	0.79
12:58	6.31		7.14	13.9	288.8	147.9	6.86	0.76
1:00	6.31		7.14	13.8	298.7	148.2	6.83	0.44
1:02	6.31		7.14	13.9	303.5	148.3	6.76	0.45
Req. Limits for Last 3 Readings			+/- 0.1	3%	3%	+/- 10 mv	10% > 0.5	10% > 5

Pump Mfg & Model	Color	Odor	Purge Vol (ml)	Sample Depth (ft.)
peristaltic pump	blue		9100	10.38'

Sample Containers

Type & No.	Volume	Preservative	Type & No.	Volume	Preservative
2 vials	3 x 40mL	HCl			

(860) 674-9570

26-102

Page 2 of 2

Team Personnel: LJL, DSA

[illegible]

HRP Associates, Inc.

197 Scott Swamp Rd.

Farmington, CT 06032

(860) 674-9570

Monitor Well Data Sheet

Page 1 of 1

Well ID: MW-105

Site Background Information

Site Location:	63 West Merrick Rd, Lindenhurst, NY	Sampling Dates:	1/5 - 1/6/27
Job Number:	DEC1004.OM	Field Team Leader:	
Weather:	Rain, 41°F	Team Personnel:	DJA, CJL, KG

Ground Water Elevation Data

Date	Time	Sampler Name	Equipment Model	Depth to Water (ft)		Depth to Bottom (ft)	
1-5-22	9:32	CJL	Solinst-101	uncorrected	—	uncorrected	—
			corr. factor 0	corrected	6.39	corrected	14.34

Measurement Point: 2" pvc, HW

Well Condition (circle one)

General Condition	Visible Well ID	Well Cap Present	Well Plumbness	Lock
Good	Yes	Yes	Good	Yes
Concrete Collar	Ponded Water	Comments:		
Good	No	(Dupe = MW-B)		

Well Purging Data

Date	Time						Sampler Initials	Instrument Calibration Date
	Equipment Set-up		Purging		Sample Collection			
	Start	Finish	Start	Finish	Start	Finish		
1-5-22	11:28	11:39	11:39	12:08	12:08	12:10	CJL	1-4-22

Instrument Mfg & Model

pH	YSI 600XL-M / YSI 556- Serial # 19A01
Temp.	
Sp. Cond.	
ORP	
DO	
Turbidity	HF Scientific DRT-15CE - Serial # HRP-7

Initial Water Depth (ft): 6.39			Time: 11:38					
Time	Water Depth (ft)	Flow Rate (ml/min)	pH (s.u.)	Temp (°C)	Sp Con (uS)	ORP (mV)	DO (mg/l)	Turbidity (ntu)
11:42	6.40	120	6.38	13.97	315	71.8	1.03	2.16
11:47	6.40		6.48	14.42	352	86.0	0.75	1.34
11:52	6.40		6.49	14.56	352	87.5	0.72	0.91
11:57	6.40		6.48	14.51	347	90.9	0.74	0.75
12:02	6.40		6.48	14.65	353	92.2	0.75	0.61
12:07	6.40	Y	6.51	14.52	356	91.1	0.77	0.49

Req. Limits for Last 3 Readings	+/- 0.1	3%	3%	+/- 10 mv	10% > 0.5	10% > 5
---------------------------------	---------	----	----	-----------	-----------	---------

Pump Mfg & Model	Color	Odor	Purge Vol (ml)	Sample Depth (ft.)
peristaltic pump	Clear	—	3480	10.36

Sample Containers

Type & No.	Volume	Preservative	Type & No.	Volume	Preservative
2 vials	2x 40mL	HCl			

HRP Associates, Inc.

197 Scott Swamp Rd.

Farmington, CT 06032

(860) 674-9570

Monitor Well Data Sheet

Well ID: MW-106

Page 1 of 1

Site Background Information

Site Location:

63 West Merrick Rd, Lindenhurst, NY

Job Number:

DEC1004.OM

Weather:

Cloudy, 38°F

Sampling Dates:

1/5 - 1/6/22

Field Team Leader:

Team Personnel:

DJA, CJL, KG

Ground Water Elevation Data

Date	Time	Sampler Name	Equipment Model	Depth to Water (ft)	Depth to Bottom (ft)
1-5-22	9:36	CJL	Solinst-101	uncorrected —	uncorrected —
			corr. factor 0	corrected 6.34	corrected 13.68

Measurement Point: 2" pvc, HW

Well Condition (circle one)

General Condition	Visible Well ID	Well Cap Present	Well Plumbness	Lock
Fair	yes	yes	Good	yes
Concrete Collar	Ponded Water	Comments:		
Good	No			

Well Purging Data

Date	Equipment Set-up		Time Purging		Sample Collection		Sampler Initials	Instrument Calibration Date
	Start	Finish	Start	Finish	Start	Finish		
1-5-22	9:40	9:57	9:57	10:26	10:26	10:27	CJL	1-4-22

Instrument Mfg & Model

pH	YSI 600XL-M / (YSI 556) - Serial # 19A01
Temp.	
Sp. Cond.	
ORP	
DO	
Turbidity	HF Scientific DRT-15CE - Serial # HRP-7

Initial Water Depth (ft):			Time:					
Time	Water Depth (ft)	Flow Rate (ml/min)	pH (s.u.)	Temp (°C)	Sp Con (uS)	ORP (mV)	DO (mg/l)	Turbidity (ntu)
10:00	6.35	120	6.58	13.47	272	6.9	0.95	4.51
10:05	6.35	1	6.52	13.63	267	-6.5	0.80	2.45
10:10	6.35	1	6.51	13.65	265	-17.0	0.71	2.21
10:15	6.35	1	6.48	13.53	254	-19.4	0.68	1.55
10:20	6.35	✓	6.47	13.85	254	-23.7	0.70	1.69
10:25	6.35	✓	6.47	13.83	255	-25.4	0.73	1.45

Req. Limits for Last 3 Readings	+/- 0.1	3%	3%	+/- 10 mv	10% > 0.5	10% > 5
---------------------------------	---------	----	----	-----------	-----------	---------

Pump Mfg & Model	Color	Odor	Purge Vol (ml)	Sample Depth (ft.)
peristaltic pump	Clear	—	3480	10.01

Sample Containers

Type & No.	Volume	Preservative	Type & No.	Volume	Preservative
2 vials	2 x 40mL	HCl			

HRP Associates, Inc.

197 Scott Swamp Rd.
Farmington, CT 06032
(860) 674-9570

Monitor Well Data Sheet

Page 1 of 1

Well ID: MW-107

Site Background Information

Site Location:	63 West Merrick Rd, Lindenhurst, NY	Sampling Dates:	1/5 - 1/6/92
Job Number:	DEC1004.OM	Field Team Leader:	-
Weather:	Light Rain Showers, 39°F	Team Personnel:	DJA, CJL, KG

Ground Water Elevation Data

Date	Time	Sampler Name	Equipment Model	Depth to Water (ft)		Depth to Bottom (ft)	
1-5-22	9:34	CJL	Solinst-101	uncorrected	—	uncorrected	—
			corr. factor 0	corrected	6.29	corrected	14.60

Measurement Point: 2" pvc HW

Well Condition (circle one)

General Condition	Visible Well ID	Well Cap Present	Well Plumbness	Lock
Good	yes	yes	Good	yes
Concrete Collar	Ponded Water	Comments:		
Good	No			

Well Purging Data

Date	Time						Sampler Initials	Instrument Calibration Date
	Equipment Set-up		Purging		Sample Collection			
	Start	Finish	Start	Finish	Start	Finish		
1-5-22	10:30	10:39	10:39	11:23	11:23	11:24	CJL	1-4-22

Instrument Mfg & Model

pH	YSI 600XL-M / (YSI 556) Serial # 19A01
Temp.	
Sp. Cond.	
ORP	
DO	
Turbidity	HF Scientific DRT-15CE - Serial # HRP-7

Initial Water Depth (ft):		6.29	Time:		10:38				
Time	Water Depth (ft)	Flow Rate (ml/min)	pH (s.u.)	Temp (°C)	Sp Con (uS)	ORP (mV)	DO (mg/l)	Turbidity (ntu)	
10:42	6.30	120	6.51	13.86	269	77.9	1.17	6.75	
10:47	6.30		6.59	14.03	273	62.8	1.06	5.83	
10:52	6.30		6.66	14.18	282	26.1	0.91	8.91	
10:57	6.30		6.69	14.06	288	8.3	0.88	3.93	
11:02	6.30		6.71	14.08	292	-8.2	0.85	3.21	
11:07	6.30		6.73	14.00	296	-15.5	0.84	3.86	
11:12	6.30		6.75	14.17	300	-26.9	0.81	2.71	
11:17	6.30	✓	6.76	14.07	305	-29.7	0.84	2.07	
11:22	6.30	✓	6.76	14.16	305	-35.9	0.85	1.99	

Req. Limits for Last 3 Readings +/- 0.1 3% 3% +/- 10 mv 10% > 0.5 10% > 5

Pump Mfg & Model	Color	Odor	Purge Vol (ml)	Sample Depth (ft.)
peristaltic pump	clear	—	5280	10.44

Sample Containers

Type & No.	Volume	Preservative	Type & No.	Volume	Preservative
3 vials	3 x 40mL	HCl			

HRP Associates, Inc.
197 Scott Swamp Rd.
Farmington, CT 06032
(860) 674-9570

Monitor Well Data Sheet

Well ID: Mw-108

Page 1 of 1

Site Background Information

Site Location:
Job Number:
Weather:

63 West Merrick Rd, Lindenhurst, NY
DEC1004.OM

Sampling Dates: 1-5 - 1-6-22
Field Team Leader:
Team Personnel: LSA, DSA

Ground Water Elevation Data

Date	Time	Sampler Name	Equipment Model	Depth to Water (ft)	Depth to Bottom (ft)
<u>1/5/22</u>	<u>9:18A</u>	<u>DL</u>	Solinst-101	uncorrected	uncorrected
			corr. factor 0	corrected <u>6.70</u>	corrected 14.42

Measurement Point: 2" pvc HW

Well Condition (circle one)

General Condition	Visible Well ID	Well Cap Present	Well Plumbness	Lock
<u>fair</u>	<u>yes</u>	<u>yes</u>	<u>good</u>	<u>yes</u>
Concrete Collar	Ponded Water	Comments:		
<u>good</u>	<u>no</u>			

Well Purging Data

Date	Equipment Set-up		Time Purging		Sample Collection		Sampler Initials	Instrument Calibration Date
	Start	Finish	Start	Finish	Start	Finish		
<u>1-5-22</u>	<u>11:00</u>	<u>11:24</u>	<u>11:24</u>	<u>12:09</u>	<u>12:04</u>	<u>12:05</u>	<u>DLA</u>	<u>1/4/22</u>

Instrument Mfg & Model

pH	YSI 600XL-M / YSI 556 - Serial # <u>prof plus 35101232</u>
Temp.	
Sp. Cond.	
ORP	
DO	
Turbidity	HF Scientific DRT-15CE - Serial # <u>HP #1</u>

Initial Water Depth (ft): <u>6.66</u>			Time: <u>11:21</u>					
Time	Water Depth (ft)	Flow Rate (ml/min)	pH (s.u.)	Temp (°C)	Sp Con (uS)	ORP (mV)	DO (mg/l)	Turbidity (ntu)
<u>11:29</u>	<u>6.65</u>	<u>190</u>	<u>6.50</u>	<u>14.2</u>	<u>390.5</u>	<u>121.4</u>	<u>1.33</u>	<u>6.28</u>
<u>11:34</u>	<u>6.65</u>		<u>6.39</u>	<u>14.4</u>	<u>399.8</u>	<u>110.8</u>	<u>1.35</u>	<u>6.02</u>
<u>11:39</u>	<u>6.65</u>		<u>6.39</u>	<u>14.5</u>	<u>409.0</u>	<u>101.4</u>	<u>1.18</u>	<u>4.91</u>
<u>11:44</u>	<u>6.65</u>		<u>6.39</u>	<u>14.6</u>	<u>417.1</u>	<u>93.4</u>	<u>0.89</u>	<u>3.84</u>
<u>11:49</u>	<u>6.65</u>		<u>6.40</u>	<u>14.6</u>	<u>415.6</u>	<u>89.9</u>	<u>0.84</u>	<u>3.06</u>
<u>11:54</u>	<u>6.65</u>		<u>6.40</u>	<u>14.6</u>	<u>422.7</u>	<u>81.2</u>	<u>0.71</u>	<u>2.06</u>
<u>11:59</u>	<u>6.65</u>		<u>6.40</u>	<u>14.7</u>	<u>422.0</u>	<u>76.7</u>	<u>0.71</u>	<u>1.59</u>
<u>12:04</u>	<u>6.65</u>		<u>6.40</u>	<u>14.6</u>	<u>424.7</u>	<u>73.6</u>	<u>0.73</u>	<u>1.39</u>
Req. Limits for Last 3 Readings			+/- 0.1	3%	3%	+/- 10 mv	10% > 0.5	10% > 5

Pump Mfg & Model	Color	Odor	Purge Vol (ml)	Sample Depth (ft.)
<u>peristaltic pump</u>	<u>blue</u>	<u>-</u>	<u>5600</u>	<u>10.56</u>

Sample Containers

Type & No.	Volume	Preservative	Type & No.	Volume	Preservative
<u>3 vials</u>	<u>3 x 40mL</u>	<u>HCl</u>			

HRP Associates, Inc.

197 Scott Swamp Rd.

Farmington, CT 06032

(860) 674-9570

Monitor Well Data Sheet

Page 1 of 1

Well ID: Mw-109

Site Background Information

Site Location: 63 West Merrick Rd, Lindenhurst, NY
 Job Number: DEC1004.OM
 Weather: Cloudy, Sunny 37

Sampling Dates: 1-5-22 - 1-6-22
 Field Team Leader:
 Team Personnel: DJA, JSL, KLG

Ground Water Elevation Data

Date	Time	Sampler Name	Equipment Model	Depth to Water (ft)	Depth to Bottom (ft)
1-5-22	8:56 AM	JSL	Solinst-101	uncorrected	uncorrected
			corr. factor 0	corrected 0.93	corrected 34.50

Measurement Point: 2" pvc HW

Well Condition (circle one)

General Condition	Visible Well ID	Well Cap Present	Well Plumbness	Lock
good	yes	yes	good	no
Concrete Collar	Ponded Water	Comments:		
good	no			

Well Purging Data

Date	Equipment Set-up		Time Purging		Sample Collection		Sampler Initials	Instrument Calibration Date
	Start	Finish	Start	Finish	Start	Finish		
1-6-22	9:30	10:07	10:07	10:45	10:45	10:46	DJA	1-6-22

Instrument Mfg & Model

pH	YSI 600XL-M / YSI 556 - Serial # 3510232	prof plus
Temp.		
Sp. Cond.		
ORP		
DO		
Turbidity	HF Scientific DRT-15CE - Serial # HRP #1	

Initial Water Depth (ft): 0.76			Time: 10:02					
Time	Water Depth (ft)	Flow Rate (ml/min)	pH (s.u.)	Temp (°C)	Sp Con (uS)	ORP (mV)	DO (mg/l)	Turbidity (ntu)
10:00	0.68	120	5.58	10.3	32367	158.3	0.87	1.44
10:15	0.68		6.10	10.5	33658	148.1	0.42	1.97
10:20	0.68		6.24	11.0	33760	139.4	0.39	0.62
10:25	0.68		6.32	11.0	33795	132.3	0.66	0.98
10:30	0.66		6.37	11.4	33847	124.3	0.55	0.89
10:35	0.66		6.40	11.3	33921	119.0	0.46	0.77
10:40	0.63		6.42	11.4	33866	114.3	0.39	0.96
10:45	0.63		6.44	11.5	33903	111.4	0.34	0.89

Req. Limits for Last 3 Readings +/- 0.1 3% 3% +/- 10 mv 10% > 0.5 10% > 5

Pump Mfg & Model	Color	Odor	Purge Vol (ml)	Sample Depth (ft.)
peristaltic pump	black	-	4560	29.5

Sample Containers

Type & No.	Volume	Preservative	Type & No.	Volume	Preservative
3 vials	3 x 40mL	HCl			

HRP Associates, Inc.
197 Scott Swamp Rd.
Farmington, CT 06032
(860) 674-9570

Monitor Well Data Sheet

Well ID: MW-111

Page 1 of 1

Site Background Information

Site Location: 63 West Merrick Rd, Lindenhurst, NY
Job Number: DEC1004.OM
Weather: M. Cloudy, 39°F
Sampling Dates: 1/5-6/22
Field Team Leader:
Team Personnel: KG, DJA, CJL

Ground Water Elevation Data

Date	Time	Sampler Name	Equipment Model	Depth to Water (ft)	Depth to Bottom (ft)
1-5-22	8:47	CJL	Solinst-101 corr. factor 0	uncorrected — corrected 2.75	uncorrected — corrected 34.40

Measurement Point: 2" pvc HW

Well Condition (circle one)

General Condition	Visible Well ID	Well Cap Present	Well Plumbness	Lock
Good	yes	yes	Good	yes
Concrete Collar	Ponded Water	Comments: Both bell-hole tabs broken.		
Good	No			

Well Purging Data

Date	Equipment Set-up		Time Purging		Sample Collection		Sampler Initials	Instrument Calibration Date
	Start	Finish	Start	Finish	Start	Finish		
1-6-22	9:42	9:49	9:49	10:18	10:18	10:19	CJL	1-6-22

Instrument Mfg & Model

pH	YSI 600XL-M / YSI 556 - Serial # 19A01
Temp.	
Sp. Cond.	
ORP	
DO	
Turbidity	HF Scientific DRT-15CE - Serial # HRP-7

Initial Water Depth (ft):		2.87	Time: 9:48					
Time	Water Depth (ft)	Flow Rate (ml/min)	pH (s.u.)	Temp (°C)	Sp Con (uS)	ORP (mV)	DO (mg/l)	Turbidity (ntu)
9:52	2.94	120	7.01	11.53	448	105.1	1.57	5.11
9:57	2.95		6.11	12.05	414	136.7	0.94	4.31
10:02	2.95		6.06	12.16	407	147.9	0.83	3.93
10:07	2.95		6.02	12.32	405	155.3	0.80	4.05
10:12	2.95		6.00	12.34	401	160.0	0.77	3.76
10:17	2.95	✓	5.99	12.54	399	163.6	0.75	4.66

Req. Limits for Last 3 Readings +/- 0.1 3% 3% +/- 10 mv 10% > 0.5 10% > 5

Pump Mfg & Model	Color	Odor	Purge Vol (ml)	Sample Depth (ft.)
peristaltic pump	Clear w/ Drq. Part.	—	3480	29.40

Sample Containers

Type & No.	Volume	Preservative	Type & No.	Volume	Preservative
2 vials	2 x 40mL	HCl			

HRP Associates, Inc.

197 Scott Swamp Rd.

Farmington, CT 06032

(860) 674-9570

Monitor Well Data Sheet

Page 1 of 1

Well ID: RW-1

Site Background Information

Site Location:

63 West Merrick Rd, Lindenhurst, NY

Sampling Dates: 1-5-22 1-6-22

Job Number:

DEC1004.OM

Field Team Leader:

Weather:

cloud 35Team Personnel: CSC, DJA

Ground Water Elevation Data

Date	Time	Sampler Name	Equipment Model	Depth to Water (ft)	Depth to Bottom (ft)
<u>1-5-22</u>	<u>9:13</u>	<u>CSC</u>	Solinst-101	uncorrected	uncorrected
			corr. factor 0	corrected <u>9.33</u>	corrected 33.92

Measurement Point: 8" steel recovery well

Well Condition (circle one)

General Condition	Visible Well ID	Well Cap Present	Well Plumbness	Lock
<u>good</u>	<u>yes</u>	<u>yes</u>	<u>good</u>	<u>NO</u>
Concrete Collar	Ponded Water	Comments:		
<u>good</u>	<u>NO</u>			

Well Purging Data

Date	Equipment Set-up		Time		Sample Collection		Sampler Initials	Instrument Calibration Date
	Start	Finish	Start	Finish	Start	Finish		
<u>1-5-22</u>	<u>10:00</u>	<u>10:16</u>	<u>10:16</u>	<u>10:53</u>	<u>10:53</u>	<u>10:58</u>	<u>DJA</u>	<u>1-4-22</u>

Instrument Mfg & Model

pH	YSI 600XL-M / YSI 556 - Serial # <u>not plus 35101232</u>
Temp.	
Sp. Cond.	
ORP	
DO	
Turbidity	HF Scientific DRT-15CE - Serial # <u>110p #1</u>

Initial Water Depth (ft): <u>9.36</u>			Time: <u>10:15</u>					
Time	Water Depth (ft)	Flow Rate (ml/min)	pH (s.u.)	Temp (°C)	Sp Con (uS)	ORP (mV)	DO (mg/l)	Turbidity (ntu)
<u>10:22</u>	<u>9.35</u>	<u>140</u>	<u>6.91</u>	<u>17.3</u>	<u>319.0</u>	<u>70.3</u>	<u>0.58</u>	<u>4.87</u>
<u>10:25</u>	<u>9.35</u>		<u>6.93</u>	<u>14.3</u>	<u>326.1</u>	<u>38.6</u>	<u>0.48</u>	<u>1.25</u>
<u>10:30</u>	<u>9.35</u>		<u>6.92</u>	<u>14.4</u>	<u>326.1</u>	<u>18.4</u>	<u>0.35</u>	<u>2.39</u>
<u>10:35</u>	<u>9.35</u>		<u>6.91</u>	<u>14.5</u>	<u>325.9</u>	<u>1.2</u>	<u>0.57</u>	<u>1.82</u>
<u>10:40</u>	<u>9.35</u>		<u>6.91</u>	<u>14.4</u>	<u>326.2</u>	<u>-4.8</u>	<u>0.93</u>	<u>2.03</u>
<u>10:45</u>	<u>9.35</u>		<u>6.90</u>	<u>15.0</u>	<u>326.5</u>	<u>-8.5</u>	<u>0.32</u>	<u>2.66</u>
<u>10:50</u>	<u>9.35</u>		<u>6.90</u>	<u>15.1</u>	<u>326.8</u>	<u>-10.7</u>	<u>0.27</u>	<u>2.24</u>
<u>10:55</u>	<u>9.35</u>		<u>6.89</u>	<u>15.1</u>	<u>326.8</u>	<u>-11.4</u>	<u>0.25</u>	<u>1.49</u>

Req. Limits for Last 3 Readings

+/- 0.1

3%

3%

+/- 10 mv

10% > 0.5

10% > 5

Pump Mfg & Model

Color

Odor

Purge Vol (ml)

Sample Depth (ft.)

peristaltic pump

0.12✓540028.92

Sample Containers

Type & No.	Volume	Preservative
3 vials	3 x 40mL	HCl
1 plastic	250mL	HNO3

Type & No.	Volume	Preservative

HRP Associates, Inc.
197 Scott Swamp Rd.
Farmington, CT 06032
(860) 674-9570

Monitor Well Data Sheet

Well ID: RW-2

Page 1 of 2

Site Background Information

Site Location:	63 West Merrick Rd, Lindenhurst, NY	Sampling Dates:	4/5 - 4/6/22
Job Number:	DEC1004.OM	Field Team Leader:	
Weather:	Overcast 39°F	Team Personnel:	DJA, CJL/KB

Ground Water Elevation Data

Date	Time	Sampler Name	Equipment Model	Depth to Water (ft)	Depth to Bottom (ft)
4/5/22	9:00	CJC	Solinst-101	uncorrected	uncorrected
			corr. factor 0	corrected 0.45	corrected 35.05

Measurement Point: 8" steel recovery well

Well Condition (circle one)

General Condition	Visible Well ID	Well Cap Present	Well Plumbness	Lock
Good	No	Yes No	Good	No
Concrete Collar	Ponded Water	Comments: Dupe = MW-A		
Good	Yes			

Well Purging Data

Date	Equipment Set-up		Time		Sample Collection		Sampler Initials	Instrument Calibration Date
	Start	Finish	Start	Finish	Start	Finish		
4/6/22	9:54	9:54	9:54	11:19	11:19	11:25	KA	4/6/22

Instrument Mfg & Model

pH	YSI 600XL-M / YSI 556 - Serial # 040266AB
Temp.	
Sp. Cond.	
ORP	
DO	
Turbidity	HF Scientific DRT-15CE - Serial # 10714

Initial Water Depth (ft): 0.52			Time: 9:54					
Time	Water Depth (ft)	Flow Rate (ml/min)	pH (s.u.)	Temp (°C)	Sp Con (uS)	ORP (mV)	DO (mg/l)	Turbidity (ntu)
10:03	0.54	120	8.43	9.55	4771	45.1	5.99	61.1
10:05	0.57	↓	8.48	10.19	4826	33.9	0.62	48.1
10:13	0.56		8.51	10.46	4825	0.7	0.57	93.9
10:18	0.58		8.53	10.55	4818	-26.4	0.47	84.7
10:23	0.58		8.55	10.64	4825	-48.9	0.44	84.4
10:28	0.60		8.56	10.74	4813	-91.8	0.42	82.6
10:33	0.63		8.57	10.90	4816	-125.8	0.38	61.1
10:38	0.67		8.57	10.97	4816	-138.0	0.38	50.3
10:43	0.72		8.57	10.90	4815	-160.0	0.38	44.3
Req. Limits for Last 3 Readings			+/- 0.1	3%	3%	+/- 10 mv	10% > 0.5	10% > 5

Pump Mfg & Model	Color	Odor	Purge Vol (ml)	Sample Depth (ft.)
peristaltic pump	cloudy	-	1600	30.05

Sample Containers



Type & No.	Volume	Preservative	Type & No.	Volume	Preservative
3 vials	3 x 40mL	HCl			
1 plastic	250mL	HNO3			

DAILY INSPECTION REPORT

Page 1 of 9

Report No. (Site Name) - NYSDEC Site No. 152125

Date: 02/24/22

NYSDEC Division of Environmental Remediation		 Department of Environmental Conservation				NYSDEC Contract No. D011107		
Site Location: 63 West Montauk Highway Lindenhurst, NY						Superintendent: NYSDEC PM: P. Long Consultant PM: D. Feinson Consultant Site Inspectors: D. Adam K. Gandarillas		
Weather Conditions								
General Description	sunny	AM		PM				
Temperature	30	AM		PM				
Wind	SW	AM		PM				
Health & Safety If any box below is checked "Yes", provide explanation under "Health & Safety Comments".								
Were there any changes to the Health & Safety Plan?						*Yes	No	NA
Were there any exceedances of the perimeter air monitoring reported on this date?						*Yes	No	NA
Were there any nuisance issues reported/observed on this date?						*Yes	No	NA
Health & Safety Comments								
Summary of Work Performed		Arrived at site:	10:15am	Departed Site:	10:45am			
Monthly building/fire inspection.								
Equipment/Material Tracking If any box below is checked "Yes", provide explanation under "Material Tracking Comments".								
Were there any vehicles which did not display proper D.O.T numbers and placards?						*Yes	No	NA
Were there any vehicles which were not tarped?						*Yes	No	NA
Were there any vehicles which were not decontaminated prior to exiting the work site?						*Yes	No	NA
Personnel and Equipment								
Individual	Company	Trade	Total Hours					
David Adam	HRP	Technician	.5					
Keith Gandarillas	HRP	Technician	.5					
Equipment Description		Contractor/Vendor		Qty	Used			

DAILY INSPECTION REPORT

Page 2 of 9

Report No. (Site Name) - NYSDEC Site No. 152125

Date: 02/24/22

[illegible][illegible]

*On-Site scale for off-site shipment, delivery ticket for material received

Equipment/Material Tracking Comments:

DAILY INSPECTION REPORT

Report No. (Site Name) - NYSDEC Site No. 152125

Date: 02/24/22

Visitors to Site			
Name	Representing	Entered Exclusion/CRZ Zone	
		Yes	No
		Yes	No
		Yes	No
		Yes	No
		Yes	No
		Yes	No
		Yes	No
		Yes	No
		Yes	No
Site Representatives			
Name	Representing		
Project Schedule Comments			
Issues Pending			
Interaction with Public, Property Owners, Media, etc.			

DAILY INSPECTION REPORT

Page 4 of 9

Report No. (Site Name) - NYSDEC Site No. 152125

Date: 02/24/22

Include (insert) figures with markups showing location of work and job progress

DAILY INSPECTION REPORT

Page 5 of 9

Report No. (Site Name) - NYSDEC Site No. 152125

Date: 02/24/22

DAILY INSPECTION REPORT

Page 6 of 9

Report No. (Site Name) - NYSDEC Site No. 152125

Date: 02/24/22

Site Photographs (Descriptions Below)	

DAILY INSPECTION REPORT

Page 7 of 9

Report No. (Site Name) - NYSDEC Site No. 152125

Date: 02/24/22

Comments	
Site Inspector(s):	Date:

DAILY INSPECTION REPORT

Report No. (Site Name) - NYSDEC Site No. 152125

Date: 02/24/22

DAILY HEALTH CHECKLIST

Is social distancing being practiced?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>
Is the tail gate safety meeting held outdoors?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>
Are remote/call in job meetings being held in lieu of meeting in person where possible?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>
Were personal protective gloves, masks, and eye protection being used?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>
Are sanitizing wipes, wash stations or spray available?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>
Have any workers/visitors been excluded based on close contact with individuals diagnosed with COVID-19, have recently traveled to restricted areas or countries, or are symptomatic (fever, chills, cough/shortness of breath)?	Yes <input type="checkbox"/>	No <input checked="" type="checkbox"/>
<u>Comments:</u>		

REMEDIAL ACTIVITIES AT PROPERTIES

1. Have anyone at this location been tested and confirmed to have COVID-19?	Yes <input type="checkbox"/>	No <input checked="" type="checkbox"/>
2. Is anyone at this location isolated or quarantined for COVID-19?	Yes <input type="checkbox"/>	No <input checked="" type="checkbox"/>
3. Has anyone at this locaton had contact with anyone known to have COVID-19 in the past 14 days?	Yes <input type="checkbox"/>	No <input checked="" type="checkbox"/>
4. Does anyone at this locaton have any symptoms of a respiratory infection (e.g., cough, sore throat, fever, or shortness of breath)?	Yes <input type="checkbox"/>	No <input checked="" type="checkbox"/>
5. Does the Department and its contractors have your permission to enter the property at this time?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>
If Yes to <u>any</u> of 1-4 above: <ul style="list-style-type: none"> If it is <u>not</u> critical that service/entry be carried out immediately and can be postponed until the risk of COVID-19 is lower, or can be accomplished remotely/without entry, postpone or conduct service without entry. If it <u>is</u> critical that service/entry be carried out immediately, advise occupants that as a precaution and for our own protection, project personnel will be donning appropriate PPE* (including respiratory protection) - and do so prior to entry. 	Yes <input type="checkbox"/>	No <input type="checkbox"/>
<u>Comments:</u>		

DAILY INSPECTION REPORT

Report No. (Site Name) - NYSDEC Site No. 152125

Date: 02/24/22



NUISANCE CHECKLIST

Were there any community complaints related to work on this date?	Yes <input type="checkbox"/>	No <input checked="" type="checkbox"/>	N/A <input type="checkbox"/>
Were there any odors detected on this date?	Yes <input type="checkbox"/>	No <input checked="" type="checkbox"/>	N/A <input type="checkbox"/>
Was noise outside specification and/or above background on this date?	Yes <input type="checkbox"/>	No <input checked="" type="checkbox"/>	N/A <input type="checkbox"/>
Were vibration readings outside specification and/or above background on this date?	Yes <input type="checkbox"/>	No <input type="checkbox"/>	N/A <input checked="" type="checkbox"/>
Any visible dust observed beyond the work perimeter on this date?	Yes <input type="checkbox"/>	No <input type="checkbox"/>	N/A <input checked="" type="checkbox"/>
Any visible contrast (turbidity) beyond engineering controls observed on this date?	Yes <input type="checkbox"/>	No <input type="checkbox"/>	N/A <input checked="" type="checkbox"/>
Was turbidity checked at the Montauk Highway outfall?	AM <input type="checkbox"/>	PM <input type="checkbox"/>	N/A <input checked="" type="checkbox"/>
Were any property owners NOT provided advance notice for work performed on this property on this date?	Yes <input type="checkbox"/>	No <input type="checkbox"/>	N/A <input checked="" type="checkbox"/>
Was the temporary fabric structure closed at the end of the day?	Yes <input type="checkbox"/>	No <input type="checkbox"/>	N/A <input checked="" type="checkbox"/>
Has Contractor failed to protect all foundations and structures adjacent to and adjoining the site which are affected by the excavations or other operations connected with performance of the Work?	Yes <input type="checkbox"/>	No <input type="checkbox"/>	N/A <input checked="" type="checkbox"/>
If yes, has Contractor been notified?	Yes <input type="checkbox"/>	No <input type="checkbox"/>	N/A <input checked="" type="checkbox"/>
<u>Comments:</u>			

DAILY INSPECTION REPORT

Report No. (Site Name) - NYSDEC Site No. 152125

Date: 03/31/22

NYSDEC Division of Environmental Remediation		 Department of Environmental Conservation				NYSDEC Contract No. D011107		
Site Location: 63 West Montauk Highway Lindenhurst, NY						Superintendent: NYSDEC PM: P. Long Consultant PM: D. Feinson Consultant Site Inspectors: D. Adam		
Weather Conditions								
General Description	cloudy	AM		PM				
Temperature	55	AM		PM				
Wind	SSW	AM		PM				
Health & Safety If any box below is checked "Yes", provide explanation under "Health & Safety Comments".								
Were there any changes to the Health & Safety Plan?						*Yes	No	NA
Were there any exceedances of the perimeter air monitoring reported on this date?						*Yes	No	NA
Were there any nuisance issues reported/observed on this date?						*Yes	No	NA
Health & Safety Comments								
Summary of Work Performed		Arrived at site:	9:50am	Departed Site:	10:20am			
Monthly building/fire inspection.								
Equipment/Material Tracking If any box below is checked "Yes", provide explanation under "Material Tracking Comments".								
Were there any vehicles which did not display proper D.O.T numbers and placards?						*Yes	No	NA
Were there any vehicles which were not tarped?						*Yes	No	NA
Were there any vehicles which were not decontaminated prior to exiting the work site?						*Yes	No	NA
Personnel and Equipment								
Individual	Company	Trade	Total Hours					
David Adam	HRP	Technician	.5					
			.5					
Equipment Description		Contractor/Vendor		Qty	Used			

DAILY INSPECTION REPORT

Page 2 of 9

Report No. (Site Name) - NYSDEC Site No. 152125

Date: 03/31/22

[illegible][illegible]

*On-Site scale for off-site shipment, delivery ticket for material received

Equipment/Material Tracking Comments:

DAILY INSPECTION REPORT

Report No. (Site Name) - NYSDEC Site No. 152125

Date: 03/31/22

Visitors to Site			
Name	Representing	Entered Exclusion/CRZ Zone	
		Yes	No
		Yes	No
		Yes	No
		Yes	No
		Yes	No
		Yes	No
		Yes	No
		Yes	No
		Yes	No
Site Representatives			
Name	Representing		
Project Schedule Comments			
Issues Pending			
Interaction with Public, Property Owners, Media, etc.			

DAILY INSPECTION REPORT

Page 4 of 9

Report No. (Site Name) - NYSDEC Site No. 152125

Date: 03/31/22

Include (insert) figures with markups showing location of work and job progress



Department of
Environmental
Conservation



DAILY INSPECTION REPORT

Page 5 of 9

Report No. (Site Name) - NYSDEC Site No. 152125

Date: 03/31/22

DAILY INSPECTION REPORT

Page 6 of 9

Report No. (Site Name) - NYSDEC Site No. 152125

Date: 03/31/22

Site Photographs (Descriptions Below)	

DAILY INSPECTION REPORT

Page 7 of 9

Report No. (Site Name) - NYSDEC Site No. 152125

Date: 03/31/22

Comments	
Site Inspector(s):	Date:

DAILY INSPECTION REPORT

Report No. (Site Name) - NYSDEC Site No. 152125

Date: 03/31/22

DAILY HEALTH CHECKLIST

Is social distancing being practiced?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>
Is the tail gate safety meeting held outdoors?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>
Are remote/call in job meetings being held in lieu of meeting in person where possible?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>
Were personal protective gloves, masks, and eye protection being used?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>
Are sanitizing wipes, wash stations or spray available?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>
Have any workers/visitors been excluded based on close contact with individuals diagnosed with COVID-19, have recently traveled to restricted areas or countries, or are symptomatic (fever, chills, cough/shortness of breath)?	Yes <input type="checkbox"/>	No <input checked="" type="checkbox"/>
<u>Comments:</u>		

REMEDIAL ACTIVITIES AT PROPERTIES

1. Have anyone at this location been tested and confirmed to have COVID-19?	Yes <input type="checkbox"/>	No <input checked="" type="checkbox"/>
2. Is anyone at this location isolated or quarantined for COVID-19?	Yes <input type="checkbox"/>	No <input checked="" type="checkbox"/>
3. Has anyone at this locaton had contact with anyone known to have COVID-19 in the past 14 days?	Yes <input type="checkbox"/>	No <input checked="" type="checkbox"/>
4. Does anyone at this locaton have any symptoms of a respiratory infection (e.g., cough, sore throat, fever, or shortness of breath)?	Yes <input type="checkbox"/>	No <input checked="" type="checkbox"/>
5. Does the Department and its contractors have your permission to enter the property at this time?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>
If Yes to <u>any</u> of 1-4 above: <ul style="list-style-type: none"> If it is <u>not</u> critical that service/entry be carried out immediately and can be postponed until the risk of COVID-19 is lower, or can be accomplished remotely/without entry, postpone or conduct service without entry. If it <u>is</u> critical that service/entry be carried out immediately, advise occupants that as a precaution and for our own protection, project personnel will be donning appropriate PPE* (including respiratory protection) - and do so prior to entry. 	Yes <input type="checkbox"/>	No <input type="checkbox"/>
<u>Comments:</u>		

DAILY INSPECTION REPORT

Report No. (Site Name) - NYSDEC Site No. 152125

Date: 03/31/22

NUISANCE CHECKLIST

Were there any community complaints related to work on this date?	Yes <input type="checkbox"/>	No <input checked="" type="checkbox"/>	N/A <input type="checkbox"/>
Were there any odors detected on this date?	Yes <input type="checkbox"/>	No <input checked="" type="checkbox"/>	N/A <input type="checkbox"/>
Was noise outside specification and/or above background on this date?	Yes <input type="checkbox"/>	No <input checked="" type="checkbox"/>	N/A <input type="checkbox"/>
Were vibration readings outside specification and/or above background on this date?	Yes <input type="checkbox"/>	No <input type="checkbox"/>	N/A <input checked="" type="checkbox"/>
Any visible dust observed beyond the work perimeter on this date?	Yes <input type="checkbox"/>	No <input type="checkbox"/>	N/A <input checked="" type="checkbox"/>
Any visible contrast (turbidity) beyond engineering controls observed on this date?	Yes <input type="checkbox"/>	No <input type="checkbox"/>	N/A <input checked="" type="checkbox"/>
Was turbidity checked at the Montauk Highway outfall?	AM <input type="checkbox"/>	PM <input type="checkbox"/>	N/A <input checked="" type="checkbox"/>
Were any property owners NOT provided advance notice for work performed on this property on this date?	Yes <input type="checkbox"/>	No <input type="checkbox"/>	N/A <input checked="" type="checkbox"/>
Was the temporary fabric structure closed at the end of the day?	Yes <input type="checkbox"/>	No <input type="checkbox"/>	N/A <input checked="" type="checkbox"/>
Has Contractor failed to protect all foundations and structures adjacent to and adjoining the site which are affected by the excavations or other operations connected with performance of the Work?	Yes <input type="checkbox"/>	No <input type="checkbox"/>	N/A <input checked="" type="checkbox"/>
If yes, has Contractor been notified?	Yes <input type="checkbox"/>	No <input type="checkbox"/>	N/A <input checked="" type="checkbox"/>
<u>Comments:</u>			

Report No. (Site Name) - NYSDEC Site No. 152125

Date: 01/05/22



NEW YORK STATE
Department of
Environmental
Conservation
50

Report No. (Site Name) - NYSDEC Site No. 152125

Date: 01/05/22

[illegible]

Equipment/Material Tracking Comments:

DAILY INSPECTION REPORT

Report No. (Site Name) - NYSDEC Site No. 152125

Date: 01/05/22

Visitors to Site			
Name	Representing	Entered Exclusion/CRZ Zone	
		Yes	No
		Yes	No
		Yes	No
		Yes	No
		Yes	No
		Yes	No
		Yes	No
		Yes	No
		Yes	No
Site Representatives			
Name	Representing		
Project Schedule Comments			
Issues Pending			
Interaction with Public, Property Owners, Media, etc.			

DAILY INSPECTION REPORT

Page 4 of 9

Report No. _____ (Site Name) - NYSDEC Site No. 152125 Date: 01/05/22

Include (insert) figures with markups showing location of work and job progress

DAILY INSPECTION REPORT

Page 5 of 9

Report No. (Site Name) - NYSDEC Site No. 152125

Date: 01/05/22



Department of
Environmental
Conservation



DAILY INSPECTION REPORT

Page 6 of 9

Report No. (Site Name) - NYSDEC Site No. 152125

Date: 01/05/22

Site Photographs (Descriptions Below)	

DAILY INSPECTION REPORT

Page 7 of 9

Report No. (Site Name) - NYSDEC Site No. 152125

Date: 01/05/22

Comments	
Site Inspector(s):	Date:

DAILY INSPECTION REPORT

Report No. (Site Name) - NYSDEC Site No. 152125

Date: 01/05/22

DAILY HEALTH CHECKLIST

Is social distancing being practiced?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>
Is the tail gate safety meeting held outdoors?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>
Are remote/call in job meetings being held in lieu of meeting in person where possible?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>
Were personal protective gloves, masks, and eye protection being used?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>
Are sanitizing wipes, wash stations or spray available?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>
Have any workers/visitors been excluded based on close contact with individuals diagnosed with COVID-19, have recently traveled to restricted areas or countries, or are symptomatic (fever, chills, cough/shortness of breath)?	Yes <input type="checkbox"/>	No <input checked="" type="checkbox"/>
<u>Comments:</u>		

REMEDIAL ACTIVITIES AT PROPERTIES

1. Have anyone at this location been tested and confirmed to have COVID-19?	Yes <input type="checkbox"/>	No <input checked="" type="checkbox"/>
2. Is anyone at this location isolated or quarantined for COVID-19?	Yes <input type="checkbox"/>	No <input checked="" type="checkbox"/>
3. Has anyone at this locaton had contact with anyone known to have COVID-19 in the past 14 days?	Yes <input type="checkbox"/>	No <input checked="" type="checkbox"/>
4. Does anyone at this locaton have any symptoms of a respiratory infection (e.g., cough, sore throat, fever, or shortness of breath)?	Yes <input type="checkbox"/>	No <input checked="" type="checkbox"/>
5. Does the Department and its contractors have your permission to enter the property at this time?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>
If Yes to <u>any</u> of 1-4 above: <ul style="list-style-type: none"> If it is <u>not</u> critical that service/entry be carried out immediately and can be postponed until the risk of COVID-19 is lower, or can be accomplished remotely/without entry, postpone or conduct service without entry. If it <u>is</u> critical that service/entry be carried out immediately, advise occupants that as a precaution and for our own protection, project personnel will be donning appropriate PPE* (including respiratory protection) - and do so prior to entry. 	Yes <input type="checkbox"/>	No <input type="checkbox"/>
<u>Comments:</u>		

DAILY INSPECTION REPORT

Report No. (Site Name) - NYSDEC Site No. 152125

Date: 01/05/22

NUISANCE CHECKLIST

Were there any community complaints related to work on this date?	Yes <input type="checkbox"/>	No <input checked="" type="checkbox"/>	N/A <input type="checkbox"/>
Were there any odors detected on this date?	Yes <input type="checkbox"/>	No <input checked="" type="checkbox"/>	N/A <input type="checkbox"/>
Was noise outside specification and/or above background on this date?	Yes <input type="checkbox"/>	No <input checked="" type="checkbox"/>	N/A <input type="checkbox"/>
Were vibration readings outside specification and/or above background on this date?	Yes <input type="checkbox"/>	No <input type="checkbox"/>	N/A <input checked="" type="checkbox"/>
Any visible dust observed beyond the work perimeter on this date?	Yes <input type="checkbox"/>	No <input type="checkbox"/>	N/A <input checked="" type="checkbox"/>
Any visible contrast (turbidity) beyond engineering controls observed on this date?	Yes <input type="checkbox"/>	No <input type="checkbox"/>	N/A <input checked="" type="checkbox"/>
Was turbidity checked at the Montauk Highway outfall?	AM <input type="checkbox"/>	PM <input type="checkbox"/>	N/A <input checked="" type="checkbox"/>
Were any property owners NOT provided advance notice for work performed on this property on this date?	Yes <input type="checkbox"/>	No <input type="checkbox"/>	N/A <input checked="" type="checkbox"/>
Was the temporary fabric structure closed at the end of the day?	Yes <input type="checkbox"/>	No <input type="checkbox"/>	N/A <input checked="" type="checkbox"/>
Has Contractor failed to protect all foundations and structures adjacent to and adjoining the site which are affected by the excavations or other operations connected with performance of the Work?	Yes <input type="checkbox"/>	No <input type="checkbox"/>	N/A <input checked="" type="checkbox"/>
If yes, has Contractor been notified?	Yes <input type="checkbox"/>	No <input type="checkbox"/>	N/A <input checked="" type="checkbox"/>
<u>Comments:</u>			

Report No. (Site Name) - NYSDEC Site No. 152125

Date: 01/06/22



NEW YORK STATE
Department of
Environmental
Conservation
50

DAILY INSPECTION REPORT

Page 2 of 9

Report No. (Site Name) - NYSDEC Site No. 152125

Date: 01/06/22

[illegible][illegible]

*On-Site scale for off-site shipment, delivery ticket for material received

Equipment/Material Tracking Comments:

DAILY INSPECTION REPORT

Report No. (Site Name) - NYSDEC Site No. 152125

Date: 01/06/22

Visitors to Site			
Name	Representing	Entered Exclusion/CRZ Zone	
		Yes	No
		Yes	No
		Yes	No
		Yes	No
		Yes	No
		Yes	No
		Yes	No
		Yes	No
		Yes	No
Site Representatives			
Name	Representing		
Project Schedule Comments			
Issues Pending			
Interaction with Public, Property Owners, Media, etc.			

DAILY INSPECTION REPORT

Page 4 of 9

Report No. (Site Name) - NYSDEC Site No. 152125

Date: 01/06/22

Include (insert) figures with markups showing location of work and job progress

DAILY INSPECTION REPORT

Page 5 of 9

Report No. (Site Name) - NYSDEC Site No. 152125

Date: 01/06/22

DAILY INSPECTION REPORT

Page 6 of 9

Report No. (Site Name) - NYSDEC Site No. 152125

Date: 01/06/22

Site Photographs (Descriptions Below)	



Department of
Environmental
Conservation



DAILY INSPECTION REPORT

Page 7 of 9

Report No. (Site Name) - NYSDEC Site No. 152125

Date: 01/06/22

Comments	
Site Inspector(s):	Date:

DAILY INSPECTION REPORT

Report No. (Site Name) - NYSDEC Site No. 152125

Date: 01/06/22

DAILY HEALTH CHECKLIST

Is social distancing being practiced?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>
Is the tail gate safety meeting held outdoors?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>
Are remote/call in job meetings being held in lieu of meeting in person where possible?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>
Were personal protective gloves, masks, and eye protection being used?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>
Are sanitizing wipes, wash stations or spray available?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>
Have any workers/visitors been excluded based on close contact with individuals diagnosed with COVID-19, have recently traveled to restricted areas or countries, or are symptomatic (fever, chills, cough/shortness of breath)?	Yes <input type="checkbox"/>	No <input checked="" type="checkbox"/>
<u>Comments:</u>		

REMEDIAL ACTIVITIES AT PROPERTIES

1. Have anyone at this location been tested and confirmed to have COVID-19?	Yes <input type="checkbox"/>	No <input checked="" type="checkbox"/>
2. Is anyone at this location isolated or quarantined for COVID-19?	Yes <input type="checkbox"/>	No <input checked="" type="checkbox"/>
3. Has anyone at this locaton had contact with anyone known to have COVID-19 in the past 14 days?	Yes <input type="checkbox"/>	No <input checked="" type="checkbox"/>
4. Does anyone at this locaton have any symptoms of a respiratory infection (e.g., cough, sore throat, fever, or shortness of breath)?	Yes <input type="checkbox"/>	No <input checked="" type="checkbox"/>
5. Does the Department and its contractors have your permission to enter the property at this time?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>
If Yes to <u>any</u> of 1-4 above: <ul style="list-style-type: none"> If it is <u>not</u> critical that service/entry be carried out immediately and can be postponed until the risk of COVID-19 is lower, or can be accomplished remotely/without entry, postpone or conduct service without entry. If it <u>is</u> critical that service/entry be carried out immediately, advise occupants that as a precaution and for our own protection, project personnel will be donning appropriate PPE* (including respiratory protection) - and do so prior to entry. 	Yes <input type="checkbox"/>	No <input type="checkbox"/>
<u>Comments:</u>		

DAILY INSPECTION REPORT

Report No. (Site Name) - NYSDEC Site No. 152125

Date: 01/06/22

NUISANCE CHECKLIST


Were there any community complaints related to work on this date?	Yes <input type="checkbox"/>	No <input checked="" type="checkbox"/>	N/A <input type="checkbox"/>
Were there any odors detected on this date?	Yes <input type="checkbox"/>	No <input checked="" type="checkbox"/>	N/A <input type="checkbox"/>
Was noise outside specification and/or above background on this date?	Yes <input type="checkbox"/>	No <input checked="" type="checkbox"/>	N/A <input type="checkbox"/>
Were vibration readings outside specification and/or above background on this date?	Yes <input type="checkbox"/>	No <input type="checkbox"/>	N/A <input checked="" type="checkbox"/>
Any visible dust observed beyond the work perimeter on this date?	Yes <input type="checkbox"/>	No <input type="checkbox"/>	N/A <input checked="" type="checkbox"/>
Any visible contrast (turbidity) beyond engineering controls observed on this date?	Yes <input type="checkbox"/>	No <input type="checkbox"/>	N/A <input checked="" type="checkbox"/>
Was turbidity checked at the Montauk Highway outfall?	AM <input type="checkbox"/>	PM <input type="checkbox"/>	N/A <input checked="" type="checkbox"/>
Were any property owners NOT provided advance notice for work performed on this property on this date?	Yes <input type="checkbox"/>	No <input type="checkbox"/>	N/A <input checked="" type="checkbox"/>
Was the temporary fabric structure closed at the end of the day?	Yes <input type="checkbox"/>	No <input type="checkbox"/>	N/A <input checked="" type="checkbox"/>
Has Contractor failed to protect all foundations and structures adjacent to and adjoining the site which are affected by the excavations or other operations connected with performance of the Work?	Yes <input type="checkbox"/>	No <input type="checkbox"/>	N/A <input checked="" type="checkbox"/>
If yes, has Contractor been notified?	Yes <input type="checkbox"/>	No <input type="checkbox"/>	N/A <input checked="" type="checkbox"/>
<u>Comments:</u> 			

APPENDIX B

Temporal Variations of VOCs Concentrations


Temporal Variations of VOCs Concentrations
Active Industrial Uniform Superfund Site #152125
63 West Merrick Road, Lindenhurst, New York
HRP# DEC1004.OM

MW-101




Temporal Variations of VOCs Concentrations
Active Industrial Uniform Superfund Site #152125
63 West Merrick Road, Lindenhurst, New York
HRP# DEC1004.OM

MW-102




Temporal Variations of VOCs Concentrations
Active Industrial Uniform Superfund Site #152125
63 West Merrick Road, Lindenhurst, New York
HRP# DEC1004.OM

MW-103




Temporal Variations of VOCs Concentrations
Active Industrial Uniform Superfund Site #152125
63 West Merrick Road, Lindenhurst, New York
HRP# DEC1004.OM

MW-104




Temporal Variations of VOCs Concentrations
Active Industrial Uniform Superfund Site #152125
63 West Merrick Road, Lindenhurst, New York
HRP# DEC1004.OM

MW-105




Temporal Variations of VOCs Concentrations
Active Industrial Uniform Superfund Site #152125
63 West Merrick Road, Lindenhurst, New York
HRP# DEC1004.OM

MW-106




Temporal Variations of VOCs Concentrations
Active Industrial Uniform Superfund Site #152125
63 West Merrick Road, Lindenhurst, New York
HRP# DEC1004.OM

MW-107



Temporal Variations of VOCs Concentrations
Active Industrial Uniform Superfund Site #152125
63 West Merrick Road, Lindenhurst, New York
HRP# DEC1004.OM

MW-108




	2018 Q3	2019 Q1	2020 Q3	2021 Q1	2021 Q3	2022 Q1
■ PCE	0.54	9.8	3.4	9.8	3.5	3.6
● TCE	0	0.7	0.32	0.64	1	0.31
● Cis-1,2-DCE	0	0	1	1	0.33	0.4
● Vinyl Chloride	0	0	1	1	1	0.2

Sampling period

Temporal Variations of VOCs Concentrations
Active Industrial Uniform Superfund Site #152125
63 West Merrick Road, Lindenhurst, New York
HRP# DEC1004.OM

MW-109




	2018 Q3	2019 Q1	2020 Q3	2021 Q1	2021 Q3	2022 Q1
■ PCE	1.1	0	0.84	1.6	1	0.2
● TCE	1.9	0	1.6	2.5	0.63	0.43
● Cis-1,2-DCE	1.7	0	1.9	2.7	1.1	0.66
● Vinyl Chloride	0	0	1	1	1	0.2

Sampling period


Temporal Variations of VOCs Concentrations
Active Industrial Uniform Superfund Site #152125
63 West Merrick Road, Lindenhurst, New York
HRP# DEC1004.OM

MW-111




Temporal Variations of VOCs Concentrations
Active Industrial Uniform Superfund Site #152125
63 West Merrick Road, Lindenhurst, New York
HRP# DEC1004.OM

MW-2S




Temporal Variations of VOCs Concentrations
Active Industrial Uniform Superfund Site #152125
63 West Merrick Road, Lindenhurst, New York
HRP# DEC1004.OM

MW-4D




Temporal Variations of VOCs Concentrations
Active Industrial Uniform Superfund Site #152125
63 West Merrick Road, Lindenhurst, New York
HRP# DEC1004.OM

MW-5S



Temporal Variations of VOCs Concentrations
Active Industrial Uniform Superfund Site #152125
63 West Merrick Road, Lindenhurst, New York
HRP# DEC1004.OM

RW-1



Temporal Variations of VOCs Concentrations
Active Industrial Uniform Superfund Site #152125
63 West Merrick Road, Lindenhurst, New York
HRP# DEC1004.OM

RW-2

