




O'BRIEN & GERE



June 15, 2006

Mr. Jeff Dyber, P.E.
Environmental Engineer 2
New York State Department of Environmental Conservation
Division of Environmental Remediation
Bureau of Eastern Remedial Action
625 Broadway
Albany, New York 12233

Re: National Heatset Printing
**Operation & Maintenance Report-
May 2006**
1 Adams Boulevard
Farmingdale, New York
NYSDEC Site 1-52-140

File: 10653/35518 #5

Dear Mr. Dyber:

This letter provides an overview of the ongoing operation of the soil vapor extraction (SVE) system at the National Heatset Printing Site in Farmingdale, New York (Figure 1). A site visit was performed by YEC, Inc. (YEC) personnel on May 4, 2006 on behalf of O'Brien & Gere Engineers, Inc (OBG) in accordance with our approved Work Plan.

System Operation

The SVE system operated for 100% of the reporting period (April 12, 2006 to May 4, 2006). The system operational data is summarized in Table 1 and on the site visit data collection form provided in Appendix A. Based on the run time meter, the system was operational for a total of 525 hours.

A flow of 189 cfm and a vacuum of 51 inches of water column were observed at the extraction well. The SVE blower operated at a flow of 199 cubic feet per minute (cfm) as measured at the SVE influent. Field personnel recorded a tetrachloroethene (PCE) concentration of 2.0 ppm (by Draeger tube) and a concentration of volatile organic compounds (VOCs) of 17.9 ppm (by PID) from the extraction well (pre-dilution).

VOC concentrations of 7.8 ppm (by PID) and a PCE concentration of 5.0 ppm (by Draeger Tube) were observed at the SVE influent port during the site visit. VOC concentrations of 0.1 ppm (by PID) and a PCE concentration of 0.0 ppm (by Draeger Tube) were observed from the Vapor-phase Granular Activated Carbon (VGAC) mid sampling port, and a VOC concentration of 0.0 ppm (by PID) and a PCE concentration of 0.0 ppm (by Draeger Tube) were observed from the effluent sampling port. Refer to Table 1.

Monitoring Probes

A vacuum of 3.0, 0.52, 0.25, 0.5, 0.35, 0.05 and 0.05 inches of water column were observed during the site visit at vapor monitoring points VP-1, VP-2, VP-3, VP-7, VP-8, VP-10 and VP-11 respectively. The vapor points will continue to be monitored during future site visits.

Mr. Jeff Dyber, P.E.
June 15, 2006
Page 2

PCE Removal

PCE removal was calculated for this reporting period using SVE influent PCE concentrations and flow rate measured at the SVE influent sampling point. The SVE system removed approximately 9 pounds of PCE from the extraction well during this reporting period and has removed approximately 2,419 pounds of PCE to date. A summary of the estimated PCE mass removal over time is presented in Table 2.

Air Discharge Monitoring

YEC personnel collected an air sample from the system effluent and submitted the sample to Mitkem Corporation for analysis. The sample was analyzed for volatile organic compounds (VOCs) using USEPA method TO-14. Concentrations of PCE, TCE and cis-1, 2-DCE were not detected in the effluent sample above a detection limit of 1 mg/m³. Analytical results are summarized in Table 3 and the laboratory data report is presented in Appendix B. A summary of the field monitoring and laboratory air discharge monitoring results is presented as Table 4.

Based on the effluent sampling results, no TCE, PCE, or cis-1, 2-DCE was discharged. A total of 1.29 lb of PCE has been discharged during the year 2006 toward the permitted annual discharge limit of 270 lb. A total of 0.0 lb of cis-1, 2-DCE has been discharged during the year 2006 toward the permitted annual discharge limit of 5,510 lbs. A total of 0.0 lb of TCE has been discharged during the year 2006 toward the permitted annual discharge limit of 120 lb.

Conclusions and Recommendations

Based on the data collected from the SVE system during this reporting period, OBG recommends continued operation of the SVE system. The extraction well (MW-F) valve was adjusted from 75% open to the 100% open position after monitoring activities had concluded. The dilution valve remained at the 50% open position during this site visit.

Please do not hesitate to contact me at 315-437-6100 with any questions you might have regarding this report.

Very truly yours,

O'BRIEN & GERE ENGINEERS, INC.



Marc J. Dent P.E.
Managing Engineer

cc. Trevor Staniec – O'Brien & Gere
Dan Simpson - YEC

TABLES

**TABLE 1
SUMMARY OF SOIL VAPOR EXTRACTION SYSTEM READINGS
NATIONAL HEATSET PRINTING
1 ADAMS BLVD., FARMINGDALE, NY**

| Date | Run Time Meter Reading | Run Time Since Last Visit (hours) | | Operation Time Since Last Visit (%) | Dilution Valve Position (% Open) | Extraction Well MVV-F Valve Position (% Open) | Air Flow at Well (scfm) | Vacuum at Well (inches H2O) | Pre-Dilution PID (ppm) | Pre-Dilution PCE (ppm) | Influent SVE | | | | | Mid GAC | | | | Effluent GAC | | | | | | | | | | |
|-------------------------------|------------------------|-----------------------------------|--------------------|-------------------------------------|----------------------------------|---|-------------------------|-----------------------------|------------------------|------------------------|------------------------|---------------------|------------|-----------|-----------|--------------------|------------|-----------|-----------|--------------------|------------|-----------|-----------|--|--|--|--|--|--|--|
| | | Available | Actual | | | | | | | | Blower Flow (cfm) | Vacuum (inches H2O) | Temp. (°F) | PID (ppm) | PCE (ppm) | Flow (cfm) | Temp. (°F) | PID (ppm) | PCE (ppm) | Flow (cfm) | Temp. (°F) | PID (ppm) | PCE (ppm) | | | | | | | |
| 9/18/2002 | -- | -- | -- | | | | | | | | SVE PILOT TEST STARTUP | | | | | | | | | | | | | | | | | | | |
| 9/30/2002 | 304 | 294 | 294 | 100% | 100 | 50 | 34.5 | 5 | 2,000 | 500 | 256 | 25 | 107.2 | 1,015 | -- | 317 | 102.3 | 0 | -- | 290 | 89.5 | 0 | -- | | | | | | | |
| 10/14/2002 | 642 | 343 | 338 | 99% | 100 | 50 | 38 | 7 | 1,011 | 400 | 258 | 27 | -- | 75.3 | 50 | -- | -- | 0 | -- | -- | -- | 0 | -- | | | | | | | |
| 11/19/2002 | 1508 | 882 | 866 | 98% | 100 | 50 | 49 | 12 | 0 | 0 | 120 | 28 | 106 | 0 | 0 | 209 | 92 | 0 | -- | 290 | 80.3 | 0 | -- | | | | | | | |
| 12/4/2002 | -- | 368 | -- | -- | -- | -- | -- | -- | 77 | 200 | -- | -- | -- | 14.3 | 10 | -- | -- | 15.5 | 10 | -- | -- | 0 | 0 | | | | | | | |
| 12/16/2002 | 2153 | 294 | 645 | 98% | 100 | 50 | 36.5 | 10 | 560 | 200 | 253 | 28 | 92 | 46.4 | 50 | 302 | 60 | 3.4 | -- | 340 | 53.9 | 0 | -- | | | | | | | |
| 1/21/2003 | 3016 | 882 | 863 | 98% | 100 | 50 | -- | -- | -- | -- | 70 | 52 | 98 | 0 | 0 | 220 | -- | 0 | -- | 220 | -- | 0 | -- | | | | | | | |
| 2/10/2003 | 3496 | 490 | 480 | 98% | 100 | 50 | 38 | -- | 639 | 400 | 262 | 27 | 102 | 72 | 50 | 266 | 90 | 26 | 10 | 258 | 83 | 3.2 | 10 | | | | | | | |
| 3/18/2003 | 4360 | 882 | 864 | 98% | 100 | 50 | 92 | 12 | 125 | 100 | 266 | 25 | 123 | 15 | 10 | 278 | 124 | 0 | 0 | 282 | 117 | 0 | 0 | | | | | | | |
| 4/29/2003 | 5359 | 1029 | 999 | 97% | 75 | 50 | 75 | 50 | 152 | 50 | 132 | 16 | 118.5 | 48.2 | 25 | 302 | 96 | 18.6 | 10 | 287 | 86 | 0.6 | 0 | | | | | | | |
| 5/13/2003 | 5700 | 343 | 341 | 99% | 75 | 50 | 78 | -- | 127 | 50 | 239 | 48 | 130 | 41.8 | 50 | 246 | 108 | 46 | 25 | 245 | 97 | 0.6 | 0 | | | | | | | |
| 6/30/2003 | 6850 | 1176 | 1150 | 98% | 50 | 50 | 115 | 32 | 82.4 | 50 | 140 | 66 | 173 | 36.8 | 50 | 198 | 157 | 25.1 | 25 | 240 | 150 | 29.8 | 100 | | | | | | | |
| 7/10/2003 | 6851 | 245 | 1 | 0% | 50 | 50 | 99.5 | 25 | 406 | 400 | 151 | 68 | 156 | 221 | 215 | 260 | 76 | 0 | 0 | 222 | 81.9 | 0 | 0 | | | | | | | |
| 7/22/2003 | 7144 | 294 | 294 | 100 | 50 | 50 | -- | -- | 127 | -- | -- | -- | 168 | 65 | -- | -- | 107 | 0 | -- | -- | 106 | 0 | -- | | | | | | | |
| 8/26/2003 | 7957 | 858 | 813 | 95 | 50 | 50 | 79 | 13.5 | 137 | 10 | 186 | 65 | 170 | 51.4 | 5 | 291 | -- | 55.4 | 10 | 232 | -- | 35.6 | 10 | | | | | | | |
| 9/23/2003 | 8274 | 686 | 317 | 46 | 50 | 50 | 218 | 33 | 141 | 15 | 194 | 64 | 160 | 55 | 30 | 254 | 124 | 0 | 0 | 210 | 110 | 0 | 0 | | | | | | | |
| 10/21/2003 | 8945 | 686 | 671 | 98 | 50 | 50 | 166 | 45 | -- | 20 | 158 | 68 | 166 | 37.5 | 25 | 214 | 130 | 30.7 | 15 | 225 | 112 | 0 | 0 | | | | | | | |
| 11/24/2003 | 9749 | 833 | 805 | 97 | 50 | 50 | 130 | 46 | 141 | 125 | 178 | 72 | 138 | 261 | 200 | 225 | 52 | 0 | 0 | 205 | 51.4 | 0 | 0 | | | | | | | |
| 1/6/2004 | 9750 | 1054 | 1 | 0 | 50 | 50 | 98.5 | 74 | 118 | 100 | 164 | 12 | 140 | 247 | 250 | 224 | 48.6 | 0 | 0 | 200 | 48.4 | 0 | 0 | | | | | | | |
| 2/9/2004 | 10336 | 833 | 586 | 70 | 50 | 50 | 121 | 44 | 23.1 | 10 | 172 | 70 | 155.8 | 29.8 | 25 | 233 | 137 | 41.4 | 25 | 235 | 117 | 0 | 0 | | | | | | | |
| 3/30/2004 | 11289 | 1225 | 953 | 78 | 50 | 50 | 103 | >50 | 34 | <10 | 198 | 70 | 160 | 22 | <10 | 240 | 128 | 22 | <10 | 160 | 115 | 24 | <5 | | | | | | | |
| 4/8/2004 | 11441 | 221 | 152 | 69 | 50 | 75 | 127 | -- | 23.7 | <10 | -- | -- | -- | -- | -- | 180 | 83 | 30 | -- | 206 | 83 | 0.9 | -- | | | | | | | |
| 4/29/2004 | 11768 | 515 | 327 | 64 | 50 | 75 | 131 | >60 | 2.4 | 0 | -- | 76 | 170 | 2.2 | 0 | 209 | 128 | 0 | 0 | 255 | 116 | 0 | 0 | | | | | | | |
| 5/24/2004 | 12264 | 613 | 496 | 81 | 50 | 75 | 144 | 75 | 43.8 | 50 | 172 | 75 | 178 | 33.1 | <50 | 250 | 121 | 4.4 | 0 | 198 | 111 | 0 | 0 | | | | | | | |
| 6/22/2004 | 12817 | 711 | 553 | 78 | 50 | 75 | 127 | 74 | 57 | 10 | 140 | 76 | 180 | 52 | 30 | 181 | 123 | 25.8 | 15 | 210 | 113 | 0 | 0 | | | | | | | |
| 7/28/2004 | 13630 | 882 | 813 | 92 | 50 | 75 | 142 | 76.5 | 53.2 | 7 | 161 | 76.5 | 159 | 41.1 | 25 | 216 | 137 | 35.3 | 20 | 181 | 109 | 3.1 | 0 | | | | | | | |
| 8/31/2004 | 13989 | 833 | 359 | 43 | 25 | 90 | 157 | 58 | 48 | 0 | 104 | 74 | 137 | 202 | 200 | 180 | 98 | 2.2 | 0 | 187 | 91 | 0.1 | 0 | | | | | | | |
| 9/29/2004 | 14256 | 711 | 267 | 38 | 50 | 75 | 139 | 60 | -- | -- | 140 | 76 | 153 | 27.7 | -- | 194 | 126 | 0 | -- | 205 | 102.1 | 0 | -- | | | | | | | |
| 10/20/2004 | 14729 | 515 | 473 | 92 | 50 | 75 | 155 | 58 | -- | -- | 120 | 76 | 160 | 19.1 | 10 | 202 | 122 | 0 | 0 | 230 | 101 | 0 | 0 | | | | | | | |
| 11/17/2004 | 15229 | 686 | 499 | 73 | 75 | 50 | 160 | 80 | 17.9 | <5 | 148 | 77 | 160 | 13.5 | <10 | 152 | 112 | 7.2 | <5 | 173 | 94 | 0 | 0 | | | | | | | |
| 12/22/2004 | 15565 | 858 | 337 | 39 | 75 | 50 | 143 | 80 | 15.8 | <5 | 125 | 85 | 160 | 18.3 | 10 | 127 | 116 | 16 | 5 | 131 | 93.4 | 0 | 0 | | | | | | | |
| 1/20/2005 | 15933 | 711 | 368 | 52 | 25 | 100 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | | | | | | | |
| 2/23/2005 | 15933 | 833 | 0 | 0 | 75 | 50 | 87.5 | 36 | 174 | 50 | 188 | 58 | 110 | 93 | 50 | 265 | 56 | 0 | 0 | 245 | 38.5 | 0 | 0 | | | | | | | |
| 3/29/2005 | 16217 | 833 | 284 | 34 | 75 | 50 | 87 ⁽¹⁾ | 40 | -- | -- | 158 ⁽¹⁾ | -- | 121 | 6.4 | 4.5 | 255 ⁽¹⁾ | 97 | 3.4 | 3 | 234 ⁽¹⁾ | 81 | 0 | <2 | | | | | | | |
| 4/28/2005 | -- | 720 | 720 ⁽²⁾ | 100 | 75 | 50 | 86 | 39 | -- | -- | 227 | -- | 126 | 8.9 | 5 | 244 | 109 | 8 | 4 | 222 | 84.2 | 0 | <2 | | | | | | | |
| 5/31/2005 | -- | 792 | 792 ⁽²⁾ | 100 | 50 | 50 | 98 | 39 | 7.4 | 9.5 | 208 | -- | 124.2 | 10.4 | 10 | 227 | 118.6 | 17.6 | 10 | 223 | 112.3 | 0 | <2 | | | | | | | |
| 6/24/2005 | -- | 576 | 576 ⁽²⁾ | 100 | 50 | 50 | 125 | 25 | 28.5 | 16 | 266 | -- | 152 | 8.3 | 7 | 283 | 133 | 13.9 | 16 | 242 | 116 | 10.1 | 15 | | | | | | | |
| 8/4/2005 | 17972 | 984 | 984 ⁽²⁾ | 100 | 75 | 65 | 216 | 26 | 38.1 | 19 | 353 | -- | 153.4 | 8.8 | 12 | 423 | 135.7 | 10.5 | 12 | 381 | 120.7 | 7.5 | 12 | | | | | | | |
| Spent Carbon Replaced 8/10/05 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 9/13/2005 | 859 | 960 | 960 ⁽²⁾ | 100 | 75 | 50 | 89.5 | 25 | 59.6 | 14 | 226 | -- | 164.5 | 18.3 | 12 | 265 | 143 | 0.5 | 0 | 248 | 124.6 | 0 | 0 | | | | | | | |
| 10/10/2005 | 1502 | 643 | 643 | 100 | 75 | 35 | 86 | 27 | 59.2 | 19 | 222 | -- | 101.3 | 21.7 | 10 | 225 | 110 | 15.1 | 0 | 211 | 99.3 | 0 | 0 | | | | | | | |
| 11/11/2005 | 2271 | 769 | 769 | 100 | 50 | 50 | 79 | 31 | -- | 5 | 209 | -- | 110.9 | 12.2 | 9 | 242 | 99.4 | 2.6 | 2 | 239 | 83.1 | 0 | 0 | | | | | | | |

Notes:

⁽¹⁾ Calculated flows based on the average of flows measured on 3-29-05 and 4-28-05

⁽²⁾ Run time meter reading not indicative of SVE system run time; actual hours run is assumed 100% of available.

PID = Total VOC concentration measured with photoionization detector

ppm = parts per million (volume/volume basis)

PCE = Tetrachloroethene (PCE) concentration measured with Drager tube of 10-500 ppm range

scfm = standard cubic feet per minute

cfm = cubic feet per minute

-- = measurement not recorded or not applicable.

Influent SVE = Readings collected between the SVE Blower and the Carbon Units

Mid GAC = Readings collected between the lead and lag carbon units

Effluent GAC = Readings collected after the lag carbon unit

GAC = granular activated carbon unit

As of 4/28/05, the calculation of "Available" run time hours is based on 24 hours, rather than 24.5 hours as previously calculated.

TABLE 3
AIR SAMPLE ANALYTICAL RESULTS
NATIONAL HEATSET PRINTING
1 ADAMS BLVD., FARMINGDALE, NY

| SVE Influent Concentration (mg/m3) | | | |
|---|-------------------------------|--------------------------------|------------------------|
| Date | cis-1,2-Dichloroethene | Tetrachloroethene (PCE) | Trichloroethene |
| 9/18/2002 | 5 | 600E | 31 |
| 9/30/2002 | ND (5) | 360E | 23 |
| 10/14/2002 | -- | -- | -- |
| 11/19/2002 | -- | -- | -- |

| VGAC Effluent Concentration (mg/m3) | | | |
|--|-------------------------------|--------------------------------|------------------------|
| Date | cis-1,2-Dichloroethene | Tetrachloroethene (PCE) | Trichloroethene |
| 9/18/2002 | -- | -- | -- |
| 9/30/2002 | -- | -- | -- |
| 10/14/2002 | -- | -- | -- |
| 11/19/2002 | -- | -- | -- |
| 12/16/2002 | ND (5) | ND (5) | ND (5) |
| 1/21/2003 | -- | -- | -- |
| 2/10/2003 | ND (5) | 8 | 6 |
| 3/18/2003 | -- | -- | -- |
| 4/29/2003 | -- | -- | -- |
| 5/13/2003 | ND (1) | 5 | ND (1) |
| 6/30/2003 | -- | -- | -- |
| 7/22/2003 | ND (1) | ND (1) | ND (1) |
| 8/26/2003 | ND (5) | 29 | 3.6 |
| 9/23/2003 | ND (5) | ND (5) | ND (5) |
| 10/21/2003 | ND (5) | ND (5) | ND (5) |
| 11/24/2003 | -- | -- | -- |
| 1/6/2004 | -- | -- | -- |
| 2/9/2004 | 10 | ND (5) | ND (5) |
| 3/30/2004 | 2J | 77 | 1J |
| 4/29/2004 | ND (5) | 10 | ND (5) |
| 5/24/2004 | ND (1) | ND (1) | ND (1) |
| 6/22/2004 | ND (1) | ND (1) | ND (1) |
| 7/28/2004 | ND (5) | ND (5) | ND (5) |
| 8/12/2004 | -- | -- | -- |
| 9/29/2004 | ND (1) | ND (1) | ND (1) |
| 10/20/2004 | ND (1) | ND (1) | ND (1) |
| 11/17/2004 | ND (1) | ND (1) | ND (1) |
| 12/22/2004 | ND (1) | ND (1) | ND (1) |
| 1/20/2005 | -- | -- | -- |
| 3/29/2005 | 2 | ND (1) | ND (1) |
| 4/28/2005 | 1 | 0.5J | ND (1) |
| 5/31/2005 | 1 | 5 | 2 |
| 6/24/2005 | 0.8J | 64 | 2 |
| 8/4/2005 | 0.7J | 57 | 1J |
| Spent Carbon Replaced 8/10/05 | | | |
| 9/13/2005 | ND (1) | ND (1) | ND (1) |
| 10/10/2005 | ND (1) | ND (1) | ND (1) |
| 11/11/2005 | ND (1) | ND (1) | ND (1) |
| 12/8/2005 | ND (1) | ND (1) | ND (1) |
| 1/6/2006 | ND (1) | ND (1) | ND (1) |
| Spent Carbon Replaced 1/25/06 | | | |
| 2/6/2006 | ND (1) | 1 | ND (1) |

Notes:

Only compounds that were detected above the method reporting limit were presented above

ND (5) = Not detected above method reporting limit in parenthesis

E = Concentration exceeded calibration range

-- = sample not collected

SVE = Soil vapor extraction

J = Estimated Value

VGAC = vapor-phase granular activated carbon

mg/m3 = milligrams per cubic meter

**TABLE 4
AIR DISCHARGE MONITORING
NATIONAL HEATSET PRINTING
1 ADAMS BLVD., FARMINGDALE, NY**

| Date | System Effluent Flow Rate (cfm) | Field Monitoring | | Elapsed Time (day) | Laboratory Results | | | Discharge based on Field Monitoring | | Discharge based on Laboratory Results | | | | | | |
|---------------------|---------------------------------|--|--|--------------------|--------------------|----------------|------------------------|--|-------------------------------------|---------------------------------------|-------------------------------------|--|-------------------------------------|--|---|--------------|
| | | PCE System Effluent Concentration (ppmv) | System Effluent VOC Concentration (ppmv) | | PCE (mg/cu m.) | TCE (mg/cu m.) | cis-1,2-DCE (mg/cu m.) | PCE Discharge Since Last Visit (lb/hr) | PCE Discharge Since Last Visit (lb) | PCE Discharge Since Last Visit: lb/hr | PCE Discharge Since Last Visit (lb) | TCE Discharge Since Last Visit (lb/hr) | TCE Discharge Since Last Visit (lb) | cis-1,2-DCE Discharge Since Last Visit (lb/hr) | cis-1,2-DCE Discharge Since Last Visit (lb) | |
| 9/18/2002 | SVE PILOT TEST STARTUP | | | | | | | | | | | | | | | |
| 9/30/2002 | 290 | -- | 0 | 12 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 10/14/2002 | -- | -- | 0 | 14 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 11/19/2002 | 290 | -- | 0 | 36 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 12/16/2002 | 340 | -- | 0 | 27 | ND (5) | ND (5) | ND (5) | -- | -- | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| 1/13/2003 | 45 | 0 | -- | 28 | -- | -- | -- | 0.0000 | 0.00 | -- | -- | -- | -- | -- | -- | -- |
| 1/21/2003 | 220 | -- | 0 | 8 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 2/10/2003 | 258 | 10 | 3.2 | 20 | 8.0 | 6.0 | ND (5) | 0.0654 | 31.40 | 0.008 | 3.71 | 0.006 | 2.78 | 0.00 | 0.00 | 0.00 |
| 3/5/2003 | 305 | -- | 0 | 23 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 3/18/2003 | 282 | 0 | 0 | 13 | -- | -- | -- | 0.0000 | 0.00 | -- | -- | -- | -- | -- | -- | -- |
| 4/29/2003 | 287 | 0 | 0.6 | 42 | -- | -- | -- | 0.0000 | 0.00 | -- | -- | -- | -- | -- | -- | -- |
| 5/13/2003 | 245 | 0 | 0.6 | 14 | 5.0 | ND (1) | ND (1) | 0.0000 | 0.00 | 0.005 | 1.54 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| 6/30/2003 | 240 | 100 | 29.8 | 48 | -- | -- | -- | 0.3043 | 350.56 | -- | -- | -- | -- | -- | -- | -- |
| 7/22/2003 | 222 | -- | 0 | 12 | ND (1) | ND (1) | ND (1) | -- | -- | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| 8/26/2003 | 232 | 10 | 35.6 | 35 | 29.0 | 3.6 | ND (5) | 0.0588 | 49.42 | 0.025 | 21.17 | 0.003 | 2.63 | 0.00 | 0.00 | 0.00 |
| 9/23/2003 | 210 | 0 | 0 | 28 | ND (5) | ND (5) | ND (5) | 0.0000 | 0.00 | 0.000 | 0.00 | 0.000 | 0.00 | 0.00 | 0.00 | 0.00 |
| 10/21/2003 | 225 | 0 | 0 | 28 | ND (5) | ND (5) | ND (5) | 0.0000 | 0.00 | 0.000 | 0.00 | 0.000 | 0.00 | 0.00 | 0.00 | 0.00 |
| 11/24/2003 | 205 | 0 | 0 | 34 | -- | -- | -- | 0.0000 | 0.00 | -- | -- | -- | -- | -- | -- | -- |
| 2003 Totals: | | | | | | | | | 431.38 | | 26.42 | | 5.41 | | | 0.00 |
| 1/6/2004 | 200 | 0 | 0 | 43 | -- | -- | -- | 0.0000 | 0.00 | -- | -- | -- | -- | -- | -- | -- |
| 2/9/2004 | 235 | 0 | 0 | 34 | ND (5) | ND (5) | 10 | 0.0000 | 0.00 | 0.000 | 0.00 | 0.000 | 0.00 | 0.009 | 0.009 | 7.18 |
| 3/30/2004 | 160 | 5 | 24 | 50 | 77 | 1J | 2J | 0.0203 | 24.34 | 0.046 | 55.38 | 0.001 | 0.72 | 0.001 | 1.44 | 1.44 |
| 4/29/2004 | 255 | 0 | 0 | 30 | 10 | ND (5) | ND (5) | 0.0000 | 0.00 | 0.010 | 6.88 | 0.001 | 0.69 | 0.002 | 1.38 | 1.38 |
| 5/24/2004 | 198 | 0 | 0 | 25 | ND (1) | ND (1) | ND (1) | 0.0000 | 0.00 | 0.000 | 0.00 | 0.000 | 0.00 | 0.000 | 0.00 | 0.00 |
| 6/22/2004 | 210 | 0 | 0 | 29 | ND (1) | ND (1) | ND (1) | 0.0000 | 0.00 | 0.000 | 0.00 | 0.000 | 0.00 | 0.000 | 0.00 | 0.00 |
| 7/28/2004 | 181 | 0 | 3.1 | 36 | ND (5) | ND (5) | ND (5) | 0.0000 | 0.00 | 0.000 | 0.00 | 0.000 | 0.00 | 0.000 | 0.00 | 0.00 |
| 8/12/2004 | 187 | 0 | 0.1 | 15 | -- | -- | -- | 0.0000 | 0.00 | -- | -- | -- | -- | -- | -- | -- |
| 9/29/2004 | 205 | -- | 0 | 48 | ND (1) | ND (1) | ND (1) | -- | -- | 0.000 | 0.00 | 0.000 | 0.00 | 0.000 | 0.000 | 0.00 |
| 10/20/2004 | 230 | 0 | 0 | 21 | ND (1) | ND (1) | ND (1) | 0.0000 | 0.00 | 0.000 | 0.00 | 0.000 | 0.00 | 0.000 | 0.000 | 0.00 |
| 11/17/2004 | 173 | 0 | 0 | 28 | ND (1) | ND (1) | ND (1) | 0.0000 | 0.00 | 0.000 | 0.00 | 0.000 | 0.00 | 0.000 | 0.000 | 0.00 |
| 12/22/2004 | 131 | 0 | 0 | 35 | ND (1) | ND (1) | ND (1) | 0.0000 | 0.00 | 0.000 | 0.00 | 0.000 | 0.00 | 0.000 | 0.000 | 0.00 |
| 2004 Totals: | | | | | | | | | 24.34 | | 62.26 | | 1.41 | | | 10.00 |

Notes: -- = Measurement not recorded (1) Calculated flows based on the average of flows measured on 3-29-05 and 4-28-05
Discharge Rate (Field Mon., lb/hr) = [(flow(cfm)*influent conc.(ppmv)*MW*12.187)/(273.15+C)]*1 cu. m./35.31 cu. ft*1g/1000 mg*1 lb/453.6 g*60 min/1 hr
Discharge (Field Mon., lb) = Discharge Rate (lb/hr) * # of days*24hours/day*60 minutes/hr
Discharge Rate (Lab Res., lb/hr) = flow (cfm)*effluent conc. (mg/cu. m.)*1g/1000mg*1lb/453.6g*1cu. m./35.31cu. ft*60min/1 hr
Discharge (Lab Res., lb) = Discharge Rate (lb/hr) * # of days*24hours/day

Where: C = degrees centigrade, assumed to be 25
 J = Estimated Value
 hr = hours
 Molecular weight (MW) of PCE=165.85; TCE=131.4; cis-1,2-DCE=96.94
 cfm = cubic feet per minute ppmv = parts per million (vol./vol.)
 mg/cu. m = milligrams per cubic meter lb = pounds

| Permit Limit | | |
|--------------|-------|-------|
| | lb/hr | lb/yr |
| PCE | 0.031 | 270 |
| TCE | 0.014 | 120 |
| cis-1,2-DCE | 0.63 | 5,510 |

**TABLE 4
AIR DISCHARGE MONITORING
NATIONAL HEATSET PRINTING
1 ADAMS BLVD., FARMINGDALE, NY**

| Date | System Effluent Flow Rate (cfm) | Field Monitoring | | Elapsed Time (day) | Laboratory Results | | | Discharge based on Field Monitoring | | Discharge based on Laboratory Results | | | | | | |
|--------------------------------------|---------------------------------|--|--|--------------------|--------------------|----------------|------------------------|--|-------------------------------------|--|-------------------------------------|--|-------------------------------------|--|---|------|
| | | PCE System Effluent Concentration (ppmv) | System Effluent VOC Concentration (ppmv) | | PCE (mg/cu m.) | TCE (mg/cu m.) | cis-1,2-DCE (mg/cu m.) | PCE Discharge Since Last Visit (lb/hr) | PCE Discharge Since Last Visit (lb) | PCE Discharge Since Last Visit (lb/hr) | PCE Discharge Since Last Visit (lb) | TCE Discharge Since Last Visit (lb/hr) | TCE Discharge Since Last Visit (lb) | cis-1,2-DCE Discharge Since Last Visit (lb/hr) | cis-1,2-DCE Discharge Since Last Visit (lb) | |
| 1/20/2005 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 2/23/2005 | 245 | 0 | 0 | 34 | -- | -- | -- | 0.0000 | 0.00 | -- | -- | -- | -- | -- | -- | -- |
| 3/29/2005 | 234 ⁽¹⁾ | 0 | 0 | 34 | ND (1) | ND (1) | 2 | 0.0000 | 0.00 | 0.000 | 0.00 | 0.000 | 0.00 | 0.002 | 1.43 | |
| 4/28/2005 | 222 | 0 | 0 | 30 | 0.5 | ND (1) | 1 | 0.0000 | 0.00 | 0.0004 | 0.30 | 0.000 | 0.00 | 0.001 | 0.60 | |
| 5/31/2005 | 223 | 0 | 0 | 33 | 5 | 2 | 1 | 0.0000 | 0.00 | 0.0042 | 3.31 | 0.0017 | 1.32 | 0.001 | 0.66 | |
| 6/24/2005 | 242 | 10.1 | 15 | 24 | 64 | 2 | 0.8J | 0.0620 | 35.70 | 0.0580 | 33.42 | 0.0018 | 1.04 | 0.001 | 0.42 | |
| 8/4/2005 | 381 | 12 | 7.5 | 41 | 57 | 1J | 0.7J | 0.1159 | 114.09 | 0.0814 | 80.05 | 0.0014 | 1.40 | 0.001 | 0.98 | |
| Spent Carbon Replaced 8/10/05 | | | | | | | | | | | | | | | | |
| 9/13/2005 | 248 | 0 | 0 | 40 | ND (1) | ND (1) | ND (1) | 0.0000 | 0.00 | 0.0000 | 0.00 | 0.0000 | 0.00 | 0.000 | 0.00 | 0.00 |
| 10/10/2005 | 211 | 0 | 0 | 27 | ND (1) | ND (1) | ND (1) | 0.0000 | 0.00 | 0.0000 | 0.00 | 0.0000 | 0.00 | 0.000 | 0.00 | 0.00 |
| 11/11/2005 | 239 | 0 | 0 | 32 | ND (1) | ND (1) | ND (1) | 0.0000 | 0.00 | 0.0000 | 0.00 | 0.0000 | 0.00 | 0.000 | 0.00 | 0.00 |
| 12/8/2005 | 212 | 0 | 0.1 | 27 | ND (1) | ND (1) | ND (1) | 0.0000 | 0.00 | 0.0000 | 0.00 | 0.0000 | 0.00 | 0.000 | 0.00 | 0.00 |
| 2005 Totals: | | | | | | | | | 149.79 | | 117.08 | | 3.77 | | 4.09 | |
| 1/6/2006 | 265 | 0 | 5.8 | 29 | ND (1) | ND (1) | ND (1) | 0.0000 | 0.00 | 0.0000 | 0.00 | 0.0000 | 0.00 | 0.000 | 0.00 | 0.00 |
| Spent Carbon Replaced 1/25/06 | | | | | | | | | | | | | | | | |
| 2/6/2006 | 322 | 0 | 0 | 30 | 1 | ND (1) | ND (1) | 0.0000 | 0.00 | 0.0012 | 0.87 | 0.0000 | 0.00 | 0.000 | 0.00 | 0.00 |
| 3/14/2006 | 232 | 0 | 0 | 36 | ND (1) | ND (1) | ND (1) | 0.0000 | 0.00 | 0.0000 | 0.00 | 0.0000 | 0.00 | 0.000 | 0.00 | 0.00 |
| 4/12/2006 | 271 | 0 | 0 | 29 | 0.6J | ND (1) | ND (1) | 0.0000 | 0.00 | 0.0006 | 0.42 | 0.0000 | 0.00 | 0.000 | 0.00 | 0.00 |
| 5/4/2006 | 214 | 0 | 0 | 22 | ND (1) | ND (1) | ND (1) | 0.0000 | 0.00 | 0.0000 | 0.00 | 0.0000 | 0.00 | 0.000 | 0.00 | 0.00 |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| 2006 Totals: | | | | | | | | | 0.00 | | 1.29 | | 0.00 | | 0.00 | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |


Notes: -- = Measurement not recorded ⁽¹⁾ Calculated flows based on the average of flows measured on 3-29-05 and 4-28-05
Discharge Rate (Field Mon., lb/hr) = [(flow(cfm)*influent conc.(ppmv)*MW*12.187)/(273.15+C)]*1 cu. m./35.31 cu. ft*1g/1000 mg*1 lb/453.6 g*60 min/1 hr
Discharge (Field Mon., lb) = Discharge Rate (lb/hr) * # of days*24hours/day*60 minutes/hr
Discharge Rate (Lab Res., lb/hr) = flow (cfm)*effluent conc. (mg/cu. m.)*1g/1000mg*1lb/453.6g*1cu. m./35.31cu. ft*60min/1 hr
Discharge (Lab Res., lb) = Discharge Rate (lb/hr) * # of days*24hours/day

Where: C = degrees centigrade, assumed to be 25 Molecular weight (MW) of PCE=165.85; TCE=131.4; cis-1,2-DCE=96.94
 J = Estimated Value cfm = cubic feet per minute ppmv = parts per million (vol./vol.)
 hr = hours mg/cu. m = milligrams per cubic meter lb = pounds

| Permit Limit | | |
|--------------|-------|-------|
| | lb/hr | lb/yr |
| PCE | 0.031 | 270 |
| TCE | 0.014 | 120 |
| cis-1,2-DCE | 0.63 | 5,510 |

FIGURES

FIGURE 1



LEGEND

- ==== TRAIN TRACK
- ⊙ AIR SAMPLING POINT (LOCATIONS APPROXIMATE AS SHOWN)
- ▲ SAMPLING/ VAPOR MONITORING POINT
- + VAPOR MONITORING POINT
- ⊕ DEEP MONITORING WELL (>30')
- ⊕ SHALLOW MONITORING WELL (<30')
- MANHOLE OR ACCESS POINT
- x—x— FENCE LINE
- ES- ELECTRIC LINE
- o-o- GAS LINE
- s-s- SANITARY SEWER
- - - PROPERTY LINE
- - - - INTERIOR BUILDING WALL (DIVIDES WAREHOUSE)

NATIONAL HEATSET PRINTING
FARMINGDALE, NEW YORK

SUBSLAB INVESTIGATION LOCATIONS



FILE NO. 10653.35518.003
NOVEMBER 2005

NOTE
FIGURE DEVELOPED BY SHAW ENVIRONMENTAL, INC.
REVISED BY OBG (4/28/05 AND 11/3/05).

Jan 12, 2006 - 8:25am
 C:\0071\Projects\10653\35518\Drawings\10653-35518-003.dwg

APPENDIX A
SITE VISIT DOCUMENTATION

National Heatset Printing

1 Adams Boulevard, Farmingdale, New York
O'Brien & Gere Eng. - Job # 35518.005

Personnel: Dan Simpson Time: 1000
Weather: Sunny 70* Date: 5/4/2006

System Status:

Arrival: 1000
Departure: 1300
Run Timer Reading: 641963
Electric Meter Reading: 04424, .39, 8.18, 0021

System Data:

Extraction Well F Gate Valve: 75 % Open
Dilution Valve: 50 % Open

Pre-Bleed Air (Extraction Well):

Flow: 189 CFM
Vacuum: 51 "H2O
PID Reading: 17.9 PPM
Draeger Tube: 2 PPM
Temperature: 77.7 °F

Post-Bleed Air (SVE Influent):

Flow: 198.7 CFM
Vacuum: -- "H2O
PID Reading: 7.8 PPM
Draeger Tube: 5 PPM
Temperature: 145.2 °F

Carbon Monitoring:

Mid: 0.1 PPM 185.5 136.1 Temp. (°F) 0.0 PPM (Drager)
Effluent: 0.0 PPM 214 CFM 117.8 Temp. (°F) 0.0 PPM (Drager)

Carbon effluent sample collected & shipped to lab? Yes

Knockout Tank Drained? No
Gallons: N/A
Purge water drums on-site: 11 Full

Monitoring Well Gauging / Vapor Point Monitoring:

| Well/V.P. ID: | MW-C | MW-E | MW-G | VP-3 | VP-1 | VP-2 | VP-8 | VP-7 | VP-11 | VP-10 |
|---------------|-------|-------|------|------|------|------|------|------|-------|-------|
| DTW (ft): | 14.12 | 14.12 | 14.3 | -- | -- | -- | -- | -- | -- | -- |
| Vac. (" H2O): | -- | -- | -- | 0.25 | 3.0 | 0.52 | 0.35 | 0.5 | 0.05 | 0.05 |
| PID (PPM): | -- | -- | -- | -- | -- | -- | 0.2 | 0.0 | 0.0 | 0.0 |

Comments:

*F Gate valve moved to 100% after monitoring was completed
*Increase drum count due to groundwater sampling event conducted by O'Brien & Gere

APPENDIX B
LABORATORY REPORT OF ANALYSES



"Environmental Testing For The New Millennium"

May 23, 2006

O'Brien & Gere
5000 Brittonfield Parkway
P. O. Box 4873
Syracuse, NY 13221-4873
Attn: Mr. Marc Dent

RE: Client Project: National Heatset, 05/04/06
Lab Project #: E0593

Dear Mr. Dent:

Enclosed please find the data report of the required analysis for the sample associated with the above referenced project. If you have any questions regarding this report, please call me.

We appreciate your business.

Sincerely,

A handwritten signature in black ink, appearing to read "Agnes R. Ng".

Agnes R. Ng
CLP Project Manager



Report of Laboratory Analyses for O'Brien & Gere

Client Project: National Heatset, 05/04/06

Mitkem Work Order ID: E0593

May 23, 2006

Prepared For: O'Brien & Gere
5000 Brittonfield Parkway
P. O. Box 4873
Syracuse, NY 13221-4873
Attn: Mr. Marc Dent

Prepared By: Mitkem Corporation
175 Metro Center Boulevard
Warwick, RI 02886
(401) 732-3400



Client: O'Brien & Gere

Client Project: National Heatset, 05/04/06

Lab Project: E0468

Date samples received: 05/08/06

Project Narrative

This data report includes the analysis results for one (1) air sample in a Tedlar bag that was received from O'Brien & Gere on May 8, 2006. Analyses were performed per specification in the Chain of Custody form. For reference, a copy of the Mitkem Work Order form is included for cross-referencing the client sample ID and laboratory sample ID.

All of the analyses were performed according to method specifications, as modified by Mitkem. No unusual occurrences were noted during sample analysis.

All pages in this report have been numbered consecutively, starting with the title page and ending with a page saying only "Last Page of Data Report".

This data report has been reviewed and is authorized for release as evidenced by the signature below.

A handwritten signature in black ink, appearing to read "Agnes Ng", is written over a light blue horizontal line.

Agnes Ng
CLP Project Manager

1A
VOLATILE ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

| |
|--------------|
| SVE-EFFLUENT |
|--------------|

Lab Name: MITKEM CORPORATION

Contract:

Lab Code: MITKEM

Case No.:

SAS No.:

SDG No.: ME0593

Matrix: (soil/water) AIR

Lab Sample ID: E0593-01A

Sample wt/vol: 25 (g/mL) ML

Lab File ID: V2H4737

Level: (low/med) LOW

Date Received: 05/08/06

% Moisture: not dec. _____

Date Analyzed: 05/11/06

GC Column: DB-624 ID: 0.25 (mm)

Dilution Factor: 1.0

Soil Extract Volume: _____ (uL)

Soil Aliquot Volume: _____ (uL)

| CAS NO. | COMPOUND | CONCENTRATION UNITS: (ug/L or ug/Kg) MG/M3 | Q |
|---------|----------|---|---|
|---------|----------|---|---|

| | | | |
|-----------------|--------------------------|---|---|
| 75-71-8----- | Dichlorodifluoromethane | 1 | U |
| 74-87-3----- | Chloromethane | 1 | U |
| 75-01-4----- | Vinyl Chloride | 1 | U |
| 74-83-9----- | Bromomethane | 1 | U |
| 75-00-3----- | Chloroethane | 1 | U |
| 75-69-4----- | Trichlorofluoromethane | 1 | U |
| 75-35-4----- | 1,1-Dichloroethene | 1 | U |
| 67-64-1----- | Acetone | 1 | U |
| 74-88-4----- | Iodomethane | 1 | U |
| 75-15-0----- | Carbon Disulfide | 1 | U |
| 75-09-2----- | Methylene Chloride | 1 | U |
| 156-60-5----- | trans-1,2-Dichloroethene | 1 | U |
| 1634-04-4----- | Methyl tert-butyl ether | 1 | U |
| 75-34-3----- | 1,1-Dichloroethane | 1 | U |
| 108-05-4----- | Vinyl acetate | 1 | U |
| 78-93-3----- | 2-Butanone | 1 | U |
| 156-59-2----- | cis-1,2-Dichloroethene | 1 | U |
| 590-20-7----- | 2,2-Dichloropropane | 1 | U |
| 74-97-5----- | Bromochloromethane | 1 | U |
| 67-66-3----- | Chloroform | 1 | U |
| 91-20-3----- | Naphthalene | 1 | U |
| 71-55-6----- | 1,1,1-Trichloroethane | 1 | U |
| 563-58-6----- | 1,1-Dichloropropene | 1 | U |
| 56-23-5----- | Carbon Tetrachloride | 1 | U |
| 87-68-3----- | Hexachlorobutadiene | 1 | U |
| 107-06-2----- | 1,2-Dichloroethane | 1 | U |
| 71-43-2----- | Benzene | 1 | U |
| 79-01-6----- | Trichloroethene | 1 | U |
| 78-87-5----- | 1,2-Dichloropropane | 1 | U |
| 74-95-3----- | Dibromomethane | 1 | U |
| 75-27-4----- | Bromodichloromethane | 1 | U |
| 10061-01-5----- | cis-1,3-Dichloropropene | 1 | U |
| 108-10-1----- | 4-Methyl-2-pentanone | 1 | U |
| 120-82-1----- | 1,2,4-Trichlorobenzene | 1 | U |

1A
VOLATILE ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

SVE-EFFLUENT

Lab Name: MITKEM CORPORATION

Contract:

Lab Code: MITKEM

Case No.:

SAS No.:

SDG No.: ME0593

Matrix: (soil/water) AIR

Lab Sample ID: E0593-01A

Sample wt/vol: 25 (g/mL) ML

Lab File ID: V2H4737

Level: (low/med) LOW

Date Received: 05/08/06

% Moisture: not dec. _____

Date Analyzed: 05/11/06

GC Column: DB-624 ID: 0.25 (mm)

Dilution Factor: 1.0

Soil Extract Volume: _____ (uL)

Soil Aliquot Volume: _____ (uL)

| CAS NO. | COMPOUND | CONCENTRATION UNITS: (ug/L or ug/Kg) MG/M3 | Q |
|------------|-----------------------------|---|-----|
| 108-88-3 | Toluene | | 1 U |
| 10061-02-6 | trans-1,3-Dichloropropene | | 1 U |
| 79-00-5 | 1,1,2-Trichloroethane | | 1 U |
| 142-28-9 | 1,3-Dichloropropane | | 1 U |
| 127-18-4 | Tetrachloroethene | | 1 U |
| 591-78-6 | 2-Hexanone | | 1 U |
| 124-48-1 | Dibromochloromethane | | 1 U |
| 106-93-4 | 1,2-Dibromoethane | | 1 U |
| 108-90-7 | Chlorobenzene | | 1 U |
| 630-20-6 | 1,1,1,2-Tetrachloroethane | | 1 U |
| 100-41-4 | Ethylbenzene | | 1 U |
| | m,p-Xylene | | 1 U |
| 95-47-6 | o-Xylene | | 1 U |
| 1330-20-7 | Xylene (Total) | | 1 U |
| 100-42-5 | Styrene | | 1 U |
| 75-25-2 | Bromoform | | 1 U |
| 98-82-8 | Isopropylbenzene | | 1 U |
| 96-12-8 | 1,2-Dibromo-3-chloropropane | | 1 U |
| 79-34-5 | 1,1,2,2-Tetrachloroethane | | 1 U |
| 108-86-1 | Bromobenzene | | 1 U |
| 96-18-4 | 1,2,3-Trichloropropane | | 1 U |
| 103-65-1 | n-Propylbenzene | | 1 U |
| 95-49-8 | 2-Chlorotoluene | | 1 U |
| 108-67-8 | 1,3,5-Trimethylbenzene | | 1 U |
| 106-43-4 | 4-Chlorotoluene | | 1 U |
| 98-06-6 | tert-Butylbenzene | | 1 U |
| 95-63-6 | 1,2,4-Trimethylbenzene | | 1 U |
| 135-98-8 | sec-Butylbenzene | | 1 U |
| 99-87-6 | 4-Isopropyltoluene | | 1 U |
| 541-73-1 | 1,3-Dichlorobenzene | | 1 U |
| 106-46-7 | 1,4-Dichlorobenzene | | 1 U |
| 104-51-8 | n-Butylbenzene | | 1 U |
| 95-50-1 | 1,2-Dichlorobenzene | | 1 U |
| 87-61-6 | 1,2,3-Trichlorobenzene | | 1 U |

1A
VOLATILE ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

VBLK2B

Lab Name: MITKEM CORPORATION

Contract:

Lab Code: MITKEM

Case No.:

SAS No.:

SDG No.: ME0593

Matrix: (soil/water) AIR

Lab Sample ID: MB-23644

Sample wt/vol: 25 (g/mL) ML

Lab File ID: V2H4732

Level: (low/med) LOW

Date Received: _____

% Moisture: not dec. _____

Date Analyzed: 05/11/06

GC Column: DB-624 ID: 0.25 (mm)

Dilution Factor: 1.0

Soil Extract Volume: _____ (uL)

Soil Aliquot Volume: _____ (uL)

CONCENTRATION UNITS:
(ug/L or ug/Kg) MG/M3 Q

| CAS NO. | COMPOUND | CONCENTRATION UNITS: (ug/L or ug/Kg) MG/M3 | Q |
|------------|-----------------------------|---|---|
| 108-88-3 | Toluene | 1 | U |
| 10061-02-6 | trans-1,3-Dichloropropene | 1 | U |
| 79-00-5 | 1,1,2-Trichloroethane | 1 | U |
| 142-28-9 | 1,3-Dichloropropane | 1 | U |
| 127-18-4 | Tetrachloroethene | 1 | U |
| 591-78-6 | 2-Hexanone | 1 | U |
| 124-48-1 | Dibromochloromethane | 1 | U |
| 106-93-4 | 1,2-Dibromoethane | 1 | U |
| 108-90-7 | Chlorobenzene | 1 | U |
| 630-20-6 | 1,1,1,2-Tetrachloroethane | 1 | U |
| 100-41-4 | Ethylbenzene | 1 | U |
| | m,p-Xylene | 1 | U |
| 95-47-6 | o-Xylene | 1 | U |
| 1330-20-7 | Xylene (Total) | 1 | U |
| 100-42-5 | Styrene | 1 | U |
| 75-25-2 | Bromoform | 1 | U |
| 98-82-8 | Isopropylbenzene | 1 | U |
| 96-12-8 | 1,2-Dibromo-3-chloropropane | 1 | U |
| 79-34-5 | 1,1,2,2-Tetrachloroethane | 1 | U |
| 108-86-1 | Bromobenzene | 1 | U |
| 96-18-4 | 1,2,3-Trichloropropane | 1 | U |
| 103-65-1 | n-Propylbenzene | 1 | U |
| 95-49-8 | 2-Chlorotoluene | 1 | U |
| 108-67-8 | 1,3,5-Trimethylbenzene | 1 | U |
| 106-43-4 | 4-Chlorotoluene | 1 | U |
| 98-06-6 | tert-Butylbenzene | 1 | U |
| 95-63-6 | 1,2,4-Trimethylbenzene | 1 | U |
| 135-98-8 | sec-Butylbenzene | 1 | U |
| 99-87-6 | 4-Isopropyltoluene | 1 | U |
| 541-73-1 | 1,3-Dichlorobenzene | 1 | U |
| 106-46-7 | 1,4-Dichlorobenzene | 1 | U |
| 104-51-8 | n-Butylbenzene | 1 | U |
| 95-50-1 | 1,2-Dichlorobenzene | 1 | U |
| 87-61-6 | 1,2,3-Trichlorobenzene | 1 | U |

4A
VOLATILE METHOD BLANK SUMMARY

EPA SAMPLE NO.

| |
|--------|
| VBLK2B |
|--------|

Lab Name: MITKEM CORPORATION

Contract:

Lab Code: MITKEM Case No.:

SAS No.:

SDG No.: ME0593

Lab File ID: V2H4732

Lab Sample ID: MB-23644

Date Analyzed: 05/11/06

Time Analyzed: 1144

GC Column: DB-624 ID: 0.25 (mm)

Heated Purge: (Y/N) N

Instrument ID: V2

THIS METHOD BLANK APPLIES TO THE FOLLOWING SAMPLES, MS and MSD:

| | EPA SAMPLE NO. | LAB SAMPLE ID | LAB FILE ID | TIME ANALYZED |
|----|-------------------|------------------|----------------|------------------|
| 01 | SVE-EFFLUENT | E0593-01A | V2H4737 | 1446 |
| 02 | | | | |
| 03 | | | | |
| 04 | | | | |
| 05 | | | | |
| 06 | | | | |
| 07 | | | | |
| 08 | | | | |
| 09 | | | | |
| 10 | | | | |
| 11 | | | | |
| 12 | | | | |
| 13 | | | | |
| 14 | | | | |
| 15 | | | | |
| 16 | | | | |
| 17 | | | | |
| 18 | | | | |
| 19 | | | | |
| 20 | | | | |
| 21 | | | | |
| 22 | | | | |
| 23 | | | | |
| 24 | | | | |
| 25 | | | | |
| 26 | | | | |
| 27 | | | | |
| 28 | | | | |
| 29 | | | | |
| 30 | | | | |

COMMENTS:

Client ID: OBG
Project: National Heatset
Location:
Comments: Level 2 for air samples

Case:
SDG:
PO: HEATSET

Report Level: ASP-B
EDD: CLF
HC Due: 05/29/06
Fax Due: 05/22/06

| Sample ID | Client Sample ID | Collection Date | Date Received | Matrix | Test Code | Lab Test Comments | Hold | MS | SEL | Storage |
|-----------|------------------|-----------------|---------------|--------|-----------|-------------------|--------------------------|--------------------------|--------------------------|---------|
| E0593-01A | SVE-EFFLUENT | 05/04/06 11:30 | 05/08/06 | Air | TO14 | | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | VOA |

MITKEM CORPORATION

Sample Condition Form

| | | | | | | | | |
|---|--|------------------------|--|---------------------|--------------------------------|---------------------|------|--------------------------------------|
| Received By: <u>DKD</u> | | Reviewed By: <u>GA</u> | | Date: <u>5/8/06</u> | | MITKEM Workorder #: | | |
| Client Project: <u>National Heatset 10</u> | | | | Client: <u>BSG</u> | | | | |
| | | Lab Sample ID | | Preservation (pH) | | | | Soil Headspace or Air Bubbles ≥ 1/4" |
| | | | | HNO ₃ | H ₂ SO ₄ | HCl | NaOH | |
| 1) Cooler Sealed <input type="checkbox"/> Yes / <input checked="" type="checkbox"/> No | | <u>E0593 01</u> | | | | | | |
| 2) Custody Seal(s) <input checked="" type="checkbox"/> Present / <input type="checkbox"/> Absent | | | | | | | | |
| <input checked="" type="checkbox"/> Coolers / <input type="checkbox"/> Bottles | | | | | | | | |
| <input checked="" type="checkbox"/> Intact / <input type="checkbox"/> Broken | | | | | | | | |
| 3) Custody Seal Number(s) <u>N/A</u> | | | | | | | | |
| 4) Chain-of-Custody <input checked="" type="checkbox"/> Present / <input type="checkbox"/> Absent | | | | | | | | |
| 5) Cooler Temperature <u>ambient</u> | | | | | | | | |
| Coolant Condition <u>N/A</u> | | | | | | | | |
| 6) Airbill(s) <input checked="" type="checkbox"/> Present / <input type="checkbox"/> Absent | | | | | | | | |
| Airbill Number(s) <u>FedEx</u> | | | | | | | | |
| <u>8527 0777 3957</u> | | | | | | | | |
| 7) Sample Bottles <input checked="" type="checkbox"/> Intact / <input type="checkbox"/> Broken / <input type="checkbox"/> Leaking | | | | | | | | |
| 8) Date Received <u>5/8/06</u> | | | | | | | | |
| 9) Time Received <u>08:30</u> | | | | | | | | |
| Preservative Name/Lot No: | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |

VOA Matrix Key:

US = Unpreserved Soil **A** = Air

UA = Unpreserved Aqu. **H** = HCl

M = MeOH **E** = Encore

N = NaHSO₄ **F** = Freeze

See Sample Condition Notification/Corrective Action Form yes / no

Rad OK yes/ no

Last Page of Data Report