




O'BRIEN & GERE

February 8, 2007



Mr. Jeff Dyber, P.E.
Environmental Engineer 2
New York State Department of Environmental Conservation
Division of Environmental Remediation
Bureau of Eastern Remedial Action
625 Broadway
Albany, New York 12233

Re: National Heatset Printing
**Operation & Maintenance Report-
November-December 2006**
1 Adams Boulevard
Farmingdale, New York
NYSDEC Site 1-52-140

File: 10653/35518 #5

Dear Mr. Dyber:

This letter provides an overview of the ongoing operation of the soil vapor extraction (SVE) system at the National Heatset Printing Site in Farmingdale, New York (Figure 1). A site visit was performed by YEC, Inc. (YEC) personnel on December 21, 2006 on behalf of O'Brien & Gere Engineers, Inc (OBG) in accordance with our approved Work Plan.

System Operation

Based on the run time meter, the system was operational for a total of 528 hours during this reporting period (November 29, 2006 to December 21, 2006). The system operational data is summarized in Table 1 and on the site visit data collection form provided in Appendix A.

A flow of 132 cfm and a vacuum of 54 inches of water column were observed at the extraction well. The SVE blower operated at a flow of 178 cubic feet per minute (cfm) as measured at the SVE influent. Field personnel recorded a tetrachloroethene (PCE) concentration of 1.0 ppm (by Draeger tube) and a concentration of volatile organic compounds (VOCs) of 0.1 ppm (by PID) from the extraction well (pre-dilution).

VOC concentrations of 4.6 ppm (by PID) and a PCE concentration of 3.0 ppm (by Draeger Tube) were observed at the SVE influent port during the site visit. VOC concentrations of 0.0 ppm (by PID) and a PCE concentration of 0.0 ppm (by Draeger Tube) were observed from the Vapor-phase Granular Activated Carbon (VGAC) mid sampling port and the effluent sampling port. Refer to Table 1.

Monitoring Probes

A vacuum of 2.2, 0.7, 0.33, 0.45, 0.31, 0.2, 0.21, 0.05, 0.025, 0.00, and 0.00 inches of water column were observed during the site visit at vapor monitoring points VP-1, VP-2, VP-3, VP-7, VP-8, VP-9, VP-11, VP-12, VP-13, VP-14, and VP-15, respectively. Monitoring point VP-10 was covered by cardboard pallets in Eagle Box Company and was inaccessible. The vapor points will continue to be monitored during future site visits.

Mr. Jeff Dyber, P.E.
February 8, 2007
Page 2

PCE Removal

PCE removal was calculated for this reporting period using SVE influent PCE concentrations and flow rate measured at the SVE influent sampling point. The SVE system removed approximately 5 pounds of PCE from the extraction well during this reporting period and has removed approximately 2,534 pounds of PCE to date. A summary of the estimated PCE mass removal over time is presented in Table 2.

Air Discharge Monitoring

YEC personnel collected an air sample from the system effluent during the December 21 site visit. This sample was submitted to Mitkem Corporation for analysis, however, the lab reported that the bag was received partially deflated, indicating a possible leak. YEC returned to the Site on December 28, 2006 to collect an additional effluent sample. The December 28 sample was analyzed for volatile organic compounds (VOCs) using USEPA method TO-14. Concentrations of PCE, TCE and Cis-1, 2-DCE were not detected above the method detection limit of 1.0 mg/m³. Analytical results are summarized in Table 3 and the laboratory data report is presented in Appendix B. A summary of the field monitoring and laboratory air discharge monitoring results is presented as Table 4.

Based on the effluent sampling results, no PCE, TCE or Cis-1, 2-DCE was discharged during the reporting period. A total of 4.11 lb of PCE has been discharged during the year 2006 toward the permitted annual discharge limit of 270 lb. A total of 0.71 lb of cis-1, 2-DCE has been discharged during the year 2006 toward the permitted annual discharge limit of 5,510 lbs. A total of 0.66 lb of TCE has been discharged during the year 2006 toward the permitted annual discharge limit of 120 lb.

Conclusions and Recommendations

Based on the data collected from the SVE system during this reporting period, OBG recommends continued operation of the SVE system. As was recommended in the October-November Operation and Maintenance Report, the dilution valve was reduced to the 25% open position. The extraction well (MW-F) valve remained at the 100% open position.

Please do not hesitate to contact me at 315-437-6100 with any questions you might have regarding this report.

Very truly yours,

O'BRIEN & GERE ENGINEERS, INC.



Marc J. Dent P.E.
Managing Engineer

cc. Trevor Staniec -- O'Brien & Gere
Dan Simpson - YEC

TABLES

TABLE 1
SUMMARY OF SOIL VAPOR EXTRACTION SYSTEM READINGS
NATIONAL HEATSET PRINTING
1 ADAMS BLVD., FARMINGDALE, NY

Date	Run Time Meter Reading (hours)		Run Time Since Last Visit (hours)		Operation Time Since Last Visit (%)	Dilution Valve Position (% Open)	Extraction Well MW-F Valve Position (% Open)	Air Flow at Well (scfm)	Vacuum at Well (inches H2O)	Pre-Dilution PID (ppm)	Pre-Dilution PCE (ppm)	Influent SVE			Mid GAC			Effluent GAC					
	Available	Actual	Available	Actual								Blower Flow (cfm)	Vacuum (inches H2O)	Temp. (°F)	PID (ppm)	PCE (ppm)	Flow (cfm)	Temp. (°F)	PID (ppm)	PCE (ppm)	Flow (cfm)	Temp. (°F)	PID (ppm)
12/8/2005	2918	647	100	647	100	50	79	29	29	22.2	5.0	235	113.5	7.2	2.0	227	96.7	6.8	2	212	79.8	0.1	0.0
1/6/2006	3614	696	100	696	100	50	120	42	42	2.7	2.0	245	82	32.5	4.0	280	83.9	19.0	2.0	265	77.5	5.8	0.0
Spent Carbon Replaced 1/25/06																							
2/6/2006	4332	744	97	718	97	75	80	25	25	16.3	3.0	292	78	3.6	2.0	333	90.9	0.0	0.0	322	77	0.0	0.0
3/14/2006	5200	868	100	868	100	75	188	49	49	12.9	2.0	212	132.8	5.5	5.0	287	135.6	0.0	0.0	232	115.1	0.0	0.0
4/12/2006	5895	695	100%	695	100%	75	115	47	47	14.1	2.0	259	152.1	6.1	6.0	249	153.2	0.0	0.0	271	135.1	0.0	0.0
5/4/2006	6420	525	100%	525	100%	75	189	51	51	17.9	2.0	199	145.2	7.8	5.0	186	136.1	0.1	0.0	214	117.8	0.0	0.0
6/12/2006	7354	934	100%	934	100%	50	156	53	53	5.5	4.0	216	141	7.9	9.0	270	134	4.1	3.0	253	116	0.0	0.0
7/12/2006	8074	720	100%	720	100%	100	163	54	54	8.1	2.0	191	146	8.3	8.0	210	145	8.8	10.0	196	134	0.0	0.0
8/7/2006	8696	622	100%	622	100%	100	136	54	54	11.3	4.0	201	148.7	8.7	7.5	239	135.6	2.0	0.0	210	118.3	0.0	0.0
9/21/2006	9781	1085	100%	1085	100%	100	124.5	53	53	8.9	4.0	227	127	7.7	9.0	143	106.9	9.7	7.0	203	99.2	2.1	0.0
Spent Carbon Replaced 10/11/06																							
10/18/2006	10417	636	100%	636	100%	100	130	54	54	1.0	4.0	231	154.8	6.0	8.0	154	130.3	0.0	0.0	236	131.1	0.0	0.0
11/29/2006	11425	1008	100%	1008	100%	100	130	52	52	0.6	1.0	193.5	138.8	1.6	4.0	226	137.8	0.0	0.0	202	118.0	0.0	0.0
12/21/2006	11953	528	100%	528	100%	100	132	54	54	0.1	1.0	178	107.8	4.6	3.0	254	107.4	0.0	0.0	210	93.3	0.0	0.0

Notes:

⁽¹⁾ Calculated flows based on the average of flows measured on 3-29-05 and 4-28-05

⁽²⁾ Run time meter reading not indicative of SVE system run time; actual hours run is assumed 100% of available.

PID = Total VOC concentration measured with photoionization detector

ppm = parts per million (volumes/volume basis)

PCE = Tetrachloroethene (PCE) concentration measured with Dräger tube of 10-500 ppm range

scfm = standard cubic feet per minute

cfm = cubic feet per minute

-- = measurement not recorded or not applicable.

Influent SVE = Readings collected between the SVE Blower and the Carbon Units

Mid GAC = Readings collected between the lead and lag carbon units

Effluent GAC = Readings collected after the lag carbon unit

GAC = granular activated carbon unit

As of 4/28/05, the calculation of "Available" run time hours is based on 24 hours, rather than 24.5 hours as previously calculated.

**TABLE 2
PCE
REMOVAL ESTIMATE
NATIONAL HEATSET PRINTING
1 ADAMS BLVD., FARMINGDALE, NY**

Date	VOC Influent Concentration (ppmv)	PCE Influent Concentration (ppmv)	% PCE of Total VOCs	Extraction Well Flow Rate (cfm) ⁽²⁾	Elapsed Time Since Last Visit (day)	PCE Removal Since Last Visit (lb)	Cumulative PCE Removal (lb)
SVE PILOT TEST STARTUP							
9/18/2002							
9/30/2002	2000 ⁽¹⁾	500 ⁽¹⁾	25.0	34.5	12	126	126
10/14/2002	1,011	400	39.6	38	14	127	253
11/19/2002	0	0	--	49	36	113	367
12/16/2002	560	200	35.7	36.5	27	69	436
1/13/2003	485	400	82.5	28.5	28	154	589
1/21/2003	0	0	--	0	8	63	652
2/10/2003	639	400	62.6	38	20	64	715
3/5/2003	263	200	76.0	24.4	23	129	844
3/18/2003	125	100	80.0	92	13	76	920
4/29/2003	152	50	32.9	75	42	105	1,025
5/13/2003	127	50	39.4	78	14	65	1,090
6/30/2003	82.4	50	60.7	115	48	89	1,179
7/22/2003	406	400	98.5	99.5	12	187	1,367
8/26/2003	137	10	7.3	79	35	276	1,643
9/23/2003	141	15	10.6	218	14	14	1,657
10/21/2003	37.5	20	53.3	166	28	41	1,698
11/24/2003	141	125	88.7	130	34	179	1,877
1/6/2004	118	100	84.7	98.5	43	--	1,877
2/9/2004	23.1	10	43.3	121	34	91	1,968
3/30/2004	22	10	45.5	103	50	22	1,990
4/29/2004	2.4	0	0.0	131	30	8	1,999
5/24/2004	43.8	50	114.2	144	25	49	2,047
6/22/2004	57	10	17.5	127	29	54	2,102
7/28/2004	53.2	7	13.2	142	36	21	2,122
8/12/2004	48	0	0	157	15	8	2,130
9/29/2004	27.7	0	--	139	48	0	2,130
10/20/2004	19.1	10	--	140	21	14	2,144
11/17/2004	17.9	10	55.9	160	28	16	2,160
12/22/2004	15.8	5	31.6	143	35	9	2,169
1/20/2005	--	--	--	--	--	--	--
2/23/2005	174	50	28.7	87.5	34	--	--
Date	VOC Influent Concentration (ppmv)	PCE Influent Concentration (ppmv)	% PCE of Total VOCs	SVE Influent Flow Rate (cfm) ⁽²⁾	Elapsed Time Since Last Visit (day)	PCE Removal Since Last Visit (lb)	Cumulative PCE Removal (lb)
3/29/2005	6.4	4.5	70.3	158	34	11	2,180
4/28/2005	8.9	5	56.2	227	30	10	2,190
5/31/2005	10.4	10	96.2	208	33	18	2,208
6/24/2005	8.3	7	84.3	266	24	16	2,224
8/4/2005	8.8	12	136.4	353	41	39	2,263

Notes:

⁽¹⁾ = VOC concentrations of 2,000 ppm and PCE concentrations of 500 ppm are greater than the limit of their respective monitoring device and are to be taken as estimations.

⁽²⁾ SVE Influent (post-dilution) monitoring point data used for calculation of PCE Removal for dates including and subsequent to March 29, 2005; Removal updated on 1-3-06 to represent SVE Influent flow rate.

Removal Rate = [(flow(cfm)*influent conc.(ppmv)*MW*12.187)/(273.15+C)]*1 cu. m./35.31 cu. ft*1g/1000 mg*1 lb/453.6 g
*60 min/1 hr*24 hr/1 day*days of operation

⁽³⁾ Run time meter reading not indicative of SVE system run time; actual hours run is assumed equal to elapsed time.

Where: MW = molecular weight
Molecular weight (MW) of PCE is 165.85
C = degrees centigrade, as measured
flow = average of the present and the previous months measured SVE influent rate in cubic feet per minute (cfm)
lb = pounds
ppmv = parts per million (volume/volume basis)
-- = information not available

TABLE 3
AIR SAMPLE ANALYTICAL RESULTS
NATIONAL HEATSET PRINTING
1 ADAMS BLVD., FARMINGDALE, NY

SVE Influent Concentration (mg/m3)			
Date	cis-1,2-Dichloroethene	Tetrachloroethene (PCE)	Trichloroethene
9/18/2002	5	600E	31
9/30/2002	ND (5)	360E	23
10/14/2002	--	--	--
11/19/2002	--	--	--

VGAC Effluent Concentration (mg/m3)			
Date	cis-1,2-Dichloroethene	Tetrachloroethene (PCE)	Trichloroethene
9/18/2002	--	--	--
9/30/2002	--	--	--
10/14/2002	--	--	--
11/19/2002	--	--	--
12/16/2002	ND (5)	ND (5)	ND (5)
1/21/2003	--	--	--
2/10/2003	ND (5)	8	6
3/18/2003	--	--	--
4/29/2003	--	--	--
5/13/2003	ND (1)	5	ND (1)
6/30/2003	--	--	--
7/22/2003	ND (1)	ND (1)	ND (1)
8/26/2003	ND (5)	29	3.6
9/23/2003	ND (5)	ND (5)	ND (5)
10/21/2003	ND (5)	ND (5)	ND (5)
11/24/2003	--	--	--
1/6/2004	--	--	--
2/9/2004	10	ND (5)	ND (5)
3/30/2004	2J	77	1J
4/29/2004	ND (5)	10	ND (5)
5/24/2004	ND (1)	ND (1)	ND (1)
6/22/2004	ND (1)	ND (1)	ND (1)
7/28/2004	ND (5)	ND (5)	ND (5)
8/12/2004	--	--	--
9/29/2004	ND (1)	ND (1)	ND (1)
10/20/2004	ND (1)	ND (1)	ND (1)
11/17/2004	ND (1)	ND (1)	ND (1)
12/22/2004	ND (1)	ND (1)	ND (1)
1/20/2005	--	--	--
3/29/2005	2	ND (1)	ND (1)
4/28/2005	1	0.5J	ND (1)
5/31/2005	1	5	2
6/24/2005	0.8J	64	2
8/4/2005	0.7J	57	1J
Spent Carbon Replaced 8/10/05			
9/13/2005	ND (1)	ND (1)	ND (1)
10/10/2005	ND (1)	ND (1)	ND (1)
11/11/2005	ND (1)	ND (1)	ND (1)
12/8/2005	ND (1)	ND (1)	ND (1)
1/6/2006	ND (1)	ND (1)	ND (1)
Spent Carbon Replaced 1/25/06			
2/6/2006	ND (1)	1	ND (1)

Notes:

Only compounds that were detected above the method reporting limit were presented above

ND (5) = Not detected above method reporting limit in parenthesis

E = Concentration exceeded calibration range

-- = sample not collected

SVE = Soil vapor extraction

J = Estimated Value

VGAC = vapor-phase granular activated carbon

mg/m3 = milligrams per cubic meter

TABLE 4
AIR DISCHARGE MONITORING
NATIONAL HEATSET PRINTING
1 ADAMS BLVD., FARMINGDALE, NY

Date	Field Monitoring			Laboratory Results			Discharge based on Field Monitoring						Discharge based on Laboratory Results					
	System Effluent Flow Rate (cfm)	PCE System Effluent Concentration (ppmv)	System Effluent VOC Concentration (ppmv)	Elapsed Time (day)	PCE (mg/cu m.)	TCE (mg/cu m.)	cis-1,2-DCE (mg/cu m.)	PCE Discharge Since Last Visit (lb/hr)	PCE Discharge Since Last Visit (lb)	PCE Discharge Since Last Visit (lb/hr)	PCE Discharge Since Last Visit (lb)	TCE Discharge Since Last Visit (lb/hr)	TCE Discharge Since Last Visit (lb)	cis-1,2-DCE Discharge Since Last Visit (lb/hr)	cis-1,2-DCE Discharge Since Last Visit (lb)	cis-1,2-DCE Discharge Since Last Visit (lb/hr)	cis-1,2-DCE Discharge Since Last Visit (lb)	
9/18/2002																		
9/30/2002	290	--	0	12	--	--	--	--	--	--	--	--	--	--	--	--	--	
10/14/2002	--	--	0	14	--	--	--	--	--	--	--	--	--	--	--	--	--	
11/19/2002	290	--	0	36	--	--	--	--	--	--	--	--	--	--	--	--	--	
12/16/2002	340	--	0	27	ND (5)	ND (5)	ND (5)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
1/13/2003	45	0	--	28	--	--	--	0.0000	0.00	--	--	--	--	--	--	--	--	
1/21/2003	220	--	0	8	--	--	--	--	--	--	--	--	--	--	--	--	--	
2/10/2003	258	10	3.2	20	8.0	6.0	ND (5)	0.0654	31.40	0.008	3.71	0.006	0.00	2.78	0.00	0.00	0.00	
3/5/2003	305	--	0	23	--	--	--	--	--	--	--	--	--	--	--	--	--	
3/18/2003	282	0	0	13	--	--	--	0.0000	0.00	--	--	--	--	--	--	--	--	
4/29/2003	287	0	0.6	42	--	--	--	0.0000	0.00	--	--	--	--	--	--	--	--	
5/13/2003	245	0	0.6	14	5.0	ND (1)	ND (1)	0.0000	0.00	0.005	1.54	0.00	0.00	0.00	0.00	0.00	0.00	
6/30/2003	240	100	29.8	48	--	--	--	0.3043	350.56	--	--	--	--	--	--	--	--	
7/22/2003	222	--	0	12	ND (1)	ND (1)	ND (1)	--	--	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
8/26/2003	232	10	35.6	35	29.0	3.6	ND (5)	0.0588	49.42	0.025	21.17	0.003	0.00	2.63	0.00	0.00	0.00	
9/23/2003	210	0	0	28	ND (5)	ND (5)	ND (5)	0.0000	0.00	0.000	0.00	0.000	0.00	0.00	0.00	0.00	0.00	
10/21/2003	225	0	0	28	ND (5)	ND (5)	ND (5)	0.0000	0.00	0.000	0.00	0.000	0.00	0.00	0.00	0.00	0.00	
11/24/2003	205	0	0	34	--	--	--	0.0000	0.00	--	--	--	--	--	--	--	--	
2003 Totals:									431.38		26.42		5.41				10.00	
1/6/2004	200	0	0	43	--	--	--	0.0000	0.00	--	--	--	--	--	--	--	--	
2/9/2004	235	0	0	34	ND (5)	ND (5)	10	0.0000	0.00	0.000	0.00	0.000	0.00	0.00	0.009	0.00	7.18	
3/30/2004	160	5	24	50	7.7	1.1	2J	0.0203	24.34	0.046	55.38	0.001	0.72	0.001	0.001	1.44	1.44	
4/29/2004	255	0	0	30	10	ND (5)	ND (5)	0.0000	0.00	0.010	6.88	0.001	0.69	0.002	0.000	1.38	1.38	
5/24/2004	198	0	0	25	ND (1)	ND (1)	ND (1)	0.0000	0.00	0.000	0.00	0.000	0.00	0.000	0.000	0.00	0.00	
6/22/2004	210	0	0	29	ND (1)	ND (1)	ND (1)	0.0000	0.00	0.000	0.00	0.000	0.00	0.000	0.000	0.00	0.00	
7/28/2004	181	0	3.1	36	ND (5)	ND (5)	ND (5)	0.0000	0.00	0.000	0.00	0.000	0.00	0.000	0.000	0.00	0.00	
8/12/2004	187	0	0.1	15	--	--	--	0.0000	0.00	--	--	--	--	--	--	--	--	
9/29/2004	205	--	0	48	ND (1)	ND (1)	ND (1)	--	--	0.000	0.00	0.000	0.00	0.000	0.000	0.00	0.00	
10/20/2004	230	0	0	21	ND (1)	ND (1)	ND (1)	0.0000	0.00	0.000	0.00	0.000	0.00	0.000	0.000	0.00	0.00	
11/17/2004	173	0	0	28	ND (1)	ND (1)	ND (1)	0.0000	0.00	0.000	0.00	0.000	0.00	0.000	0.000	0.00	0.00	
12/22/2004	131	0	0	35	ND (1)	ND (1)	ND (1)	0.0000	0.00	0.000	0.00	0.000	0.00	0.000	0.000	0.00	0.00	
2004 Totals:									24.34		62.26		1.41				10.00	

Notes: -- = Measurement not recorded ⁽¹⁾ Calculated flows based on the average of flows measured on 3-29-05 and 4-28-05

Discharge Rate (Field Mon., lb/hr) = [(flow(cfm)*inflow conc.(ppmv)*MW*12.187)/(273.15+C)]*1 cu. m./35.31 cu. ft**1g/1000 mg*1 lb/453.6 g*60 min/1 hr

Discharge Rate (Lab Res., lb) = Discharge Rate (lb/hr) * # of days*24hours/day*60 minutes/hr

Discharge Rate (Lab Res., lb/hr) = flow (cfm)*effluent conc. (mg/cu. m.)*1g/1000mg*1lb/453.6g*1cu. m./35.31cu. ft*60min/1 hr

Discharge (Lab Res., lb) = Discharge Rate (lb/hr) * # of days*24hours/day

Where: C = degrees centigrade, assumed to be 25

J = Estimated Value

hr = hours

Molecular weight (MW) of PCE=165.85; TCE=131.4; cis-1,2-DCE=96.94
 cfm = cubic feet per minute
 ppmv = parts per million (vol./vol.)
 mg/cu. m = milligrams per cubic meter
 lb = pounds

Permit Limit	
lb/hr	lb/yr
PCE	0.031
TCE	0.014
cis-1,2-DCE	0.63
	270
	120
	5,510

TABLE 4
AIR DISCHARGE MONITORING
NATIONAL HEATSET PRINTING
1 ADAMS BLVD., FARMINGDALE, NY

Date	System Effluent Flow Rate (cfm)		Field Monitoring		Laboratory Results			Discharge based on Field Monitoring					Discharge based on Laboratory Results				
	PCE System Effluent Concentration (ppmv)	System Effluent VOC Concentration (ppmv)	Elapsed Time (day)	PCE (mg/cu m.)	TCE (mg/cu m.)	cis-1,2-DCE (mg/cu m.)	PCE Discharge Since Last Visit (lb/hr)	PCE Discharge Since Last Visit (lb)	PCE Discharge Since Last Visit (lb/hr)	PCE Discharge Since Last Visit (lb)	TCE Discharge Since Last Visit (lb/hr)	TCE Discharge Since Last Visit (lb)	cis-1,2-DCE Discharge Since Last Visit (lb/hr)	cis-1,2-DCE Discharge Since Last Visit (lb)	cis-1,2-DCE Discharge Since Last Visit (lb/hr)	cis-1,2-DCE Discharge Since Last Visit (lb)	
1/20/2005	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
2/23/2005	0	0	34	ND (1)	ND (1)	2	0.0000	0.00	0.0000	0.00	0.0000	0.00	0.0000	0.00	0.0000	0.00	
3/29/2005	0	0	34	ND (1)	ND (1)	1	0.0000	0.00	0.0000	0.00	0.0000	0.00	0.0000	0.00	0.0000	1.43	
4/28/2005	0	0	30	0.5	ND (1)	1	0.0000	0.00	0.0004	0.00	0.0000	0.00	0.0001	0.00	0.0001	0.60	
5/31/2005	0	0	33	5	2	1	0.0000	0.00	0.0042	0.00	0.0017	0.00	0.0001	0.00	0.0001	0.66	
6/24/2005	10.1	15	24	64	2	0.8J	0.0620	35.70	0.0580	0.0018	1.04	0.0001	0.0001	0.00	0.0001	0.42	
8/4/2005	12	7.5	41	57	1J	0.7J	0.1159	114.09	0.0814	0.0014	1.40	0.0001	0.0001	0.00	0.0001	0.98	
<i>Spent Carbon Replaced 8/10/05</i>																	
9/13/2005	0	0	40	ND (1)	ND (1)	ND (1)	0.0000	0.00	0.0000	0.0000	0.00	0.0000	0.00	0.0000	0.00	0.00	
10/10/2005	0	0	27	ND (1)	ND (1)	ND (1)	0.0000	0.00	0.0000	0.0000	0.00	0.0000	0.00	0.0000	0.00	0.00	
11/11/2005	0	0	32	ND (1)	ND (1)	ND (1)	0.0000	0.00	0.0000	0.0000	0.00	0.0000	0.00	0.0000	0.00	0.00	
12/8/2005	0	0.1	27	ND (1)	ND (1)	ND (1)	0.0000	0.00	0.0000	0.0000	0.00	0.0000	0.00	0.0000	0.00	0.00	
2005 Totals:							149.79		117.08		3.77		4.09		0.00	0.00	
1/6/2006	0	5.8	29	ND (1)	ND (1)	ND (1)	0.0000	0.00	0.0000	0.0000	0.00	0.0000	0.00	0.0000	0.00	0.00	
<i>Spent Carbon Replaced 1/25/06</i>																	
2/6/2006	0	0	30	1	ND (1)	ND (1)	0.0000	0.00	0.0012	0.0000	0.00	0.0000	0.00	0.0000	0.00	0.00	
3/14/2006	0	0	36	ND (1)	ND (1)	ND (1)	0.0000	0.00	0.0000	0.0000	0.00	0.0000	0.00	0.0000	0.00	0.00	
4/12/2006	0	0	29	0.6J	ND (1)	ND (1)	0.0000	0.00	0.0006	0.0000	0.00	0.0000	0.00	0.0000	0.00	0.00	
5/4/2006	0	0	22	ND (1)	ND (1)	ND (1)	0.0000	0.00	0.0000	0.0000	0.00	0.0000	0.00	0.0000	0.00	0.00	
6/12/2006	0	0	39	ND (1)	ND (1)	ND (1)	0.0000	0.00	0.0000	0.0000	0.00	0.0000	0.00	0.0000	0.00	0.00	
7/12/2006	0	0	30	ND (1)	ND (1)	0.6J	0.0000	0.00	0.0000	0.0000	0.00	0.0000	0.00	0.0001	0.00	0.38	
8/7/2006	0	0	26	1	ND (1)	ND (1)	0.0000	0.00	0.0008	0.0000	0.49	0.0000	0.00	0.0000	0.00	0.00	
9/21/2006	0	2.1	45	2	0.8J	0.4J	0.0000	0.00	0.0015	0.0006	1.64	0.0000	0.00	0.0003	0.66	0.33	
<i>Spent Carbon Replaced 10/11/06</i>																	
10/18/2006	0	0	27	--	--	--	0.0000	0.00	--	--	--	--	--	--	--	--	
11/29/2006	0	0	42	0.9J	ND (1)	ND (1)	0.0000	0.00	0.0007	0.0000	0.69	0.0000	0.00	0.0000	0.00	0.00	
12/21/2006	0	0	22	ND (1)	ND (1)	ND (1)	0.0000	0.00	0.0000	0.0000	0.00	0.0000	0.00	0.0000	0.00	0.00	
2006 Totals:							0.00		4.11		0.66		0.71		0.00	0.00	

Notes:
 -- = Measurement not recorded
 Discharge Rate (Field Mon., lb/hr) = [(flow/cfm)*influent conc. (ppmv)*MW*12.187]/(273.15+C)*1 cu. m./35.31 cu. ft*1g/1000 mg*1 lb/453.6 g*60 min/1 hr
 Discharge Rate (Lab Res., lb/hr) = flow (cfm) * # of days*24hours/day*60 minutes/hr
 Discharge Rate (Lab Res., lb) = flow (cfm)*effluent conc. (mg/cu. m.)*1g/1000mg*1lb/453.6g*1cu. m./35.31cu. ft*60min/1 hr
 Discharge (Lab Res., lb) = Discharge Rate (lb/hr) * # of days*24hours/day

Where:
 C = degrees centigrade, assumed to be 25
 J = Estimated Value
 hr = hours
 Molecular weight (MW) of PCE=165.85; TCE=131.4; cis-1,2-DCE=96.94
 cfm = cubic feet per minute
 ppmv = parts per million (vol./vol.)
 mg/cu. m = milligrams per cubic meter
 lb = pounds

Permit Limit	
lb/hr	lb/yr
PCE	0.031
TCE	0.014
cis-1,2-DCE	0.63
	5,510


FIGURES

FIGURE 1


- LEGEND**
- TRAIN TRACK
 - ⊙ AIR SAMPLING POINT (LOCATIONS APPROXIMATE AS SHOWN)
 - ▲ SAMPLING/ VAPOR MONITORING POINT
 - + VAPOR MONITORING POINT
 - ⊕ DEEP MONITORING WELL (>30')
 - ⊕ SHALLOW MONITORING WELL (<30')
 - MANHOLE OR ACCESS POINT
 - ✕ FENCE LINE
 - ES- ELECTRIC LINE
 - G- GAS LINE
 - S- SANITARY SEWER
 - PROPERTY LINE
 - INTERIOR BUILDING WALL (DIVIDES WAREHOUSE)

NATIONAL HEATSET PRINTING
 FARMINGDALE, NEW YORK

SUBSLAB INVESTIGATION
 LOCATIONS



FILE NO. 10653.35518.003
 NOVEMBER 2005



NOTE
 FIGURE DEVELOPED BY SHAW ENVIRONMENTAL, INC.
 REVISED BY OBG (4/28/05 AND 11/3/05).

APPENDIX A
SITE VISIT DOCUMENTATION

National Heatset Printing
 1 Adams Boulevard, Farmingdale, New York
 O'Brien & Gere Eng. - Job # 35518.005

Personnel: Fernando Perez Time: 830
 Weather: Cloudy 41° Date: 12/21/2006

System Status:

Arrival: 830
 Departure: 1215
 Run Timer Reading: 1195348
 Electric Meter Reading: 6456 Kwh

System Data:

Extraction Well F Gate Valve: 100 % Open
 Dilution Valve: 50 % Open

Pre-Bleed Air (Extraction Well):

Flow: 132.0 CFM
 Vacuum: 54 "H2O
 PID Reading: 0.1 PPM
 Draeger Tube: 1.0 PPM
 Temperature: 59.7 °F

Post-Bleed Air (SVE Influent):

Flow: 178 CFM
 Vacuum: -- "H2O
 PID Reading: 4.6 PPM
 Draeger Tube: 3 PPM
 Temperature: 107.8 °F

Carbon Monitoring:

Mid: 0.0 PPM 254 CFM 107.4 Temp. (°F) 0.0 PPM (Drager)
 Effluent: 0.0 PPM 210 CFM 93.3 Temp. (°F) 0.0 PPM (Drager)

Carbon effluent sample collected & shipped to lab? Yes

Knockout Tank Drained? No
 # Gallons: N/A
 Purge water drums on-site: 0

Monitoring Well Gauging / Vapor Point Monitoring:

Well/V.P. ID:	MW-C	MW-E	MW-G	VP-1	VP-2	VP-3	VP-7	VP-8	VP-9	VP-10	VP-11	VP-12	VP-13	VP-14	VP-15
DTW (ft):	15.35	15.33	15.52	--	--	--	--	--	--	--	--	--	--	--	--
Vac. (" H2O):	--	--	--	2.2	0.70	0.33	0.45	0.31	0.2	N/A	0.21	0.05	0.025	0.0	0.0
PID (PPM):	--	--	--	--	--	--	0.0	0.1	0.0	N/A	0.0	0.0	0.0	0.0	0.0

Comments:

Lights inside the warehouse are burnt out. VP 1, 2, 3, 7, 8 & 9 have no lights. No Access to VP-10, Cardboard Pallets on top.
No water was observed on the sight glass. Turn Dilution Valve to 25% at 1130. No water was observed on the sight glass at 1140
and again on 11/22/06 1345. Collected SVE-Effluent air sample at 1125 and on 11/28/06 1440.

APPENDIX B
LABORATORY REPORT OF ANALYSES

January 15, 2007

O'Brien & Gere
5000 Brittonfield Parkway
Syracuse, NY 13221-4873
Attn: Mr. Marc Dent

RE: Client Project: NYSDEC – National Heatset
Lab Project #: E1998

Dear Mr. Dent:

Enclosed please find the data report of the required analyses for the samples associated with the above referenced project. If you have any questions regarding this report, please call me.

We appreciate your business.

Sincerely,



Agnes R. Ng
CLP Project Manager



Report of Laboratory Analyses for O'Brien & Gere

Client Project: National Heatset, 12/28/06

Mitkem Work Order ID: E1998

January 15, 2007

Prepared For: O'Brien & Gere
5000 Brittonfield Parkway
P. O. Box 4873
Syracuse, NY 13221-4873
Attn: Mr. Marc Dent

Prepared By: Mitkem Corporation
175 Metro Center Boulevard
Warwick, RI 02886
(401) 732-3400



Client: O'Brien & Gere

Client Project: National Heatset, 12/28/06

Lab Project: E1854

Date samples received: 12/29/06


Project Narrative

This data report includes the analysis results for one (1) air sample in a Tedlar bag that was received from O'Brien & Gere on December 29, 2006. Analyses were performed per specification in the Chain of Custody form, following discussions with the client. For reference, a copy of the Mitkem Work Order form is included for cross-referencing the client sample ID and laboratory sample ID.

All of the analyses were performed according to method specifications, as modified by Mitkem. No unusual occurrences were noted during sample analysis.

All pages in this report have been numbered consecutively, starting with the title page and ending with a page saying only "Last Page of Data Report".

This data report has been reviewed and is authorized for release as evidenced by the signature below.


Agnes Ng
CLP Project Manager

1A
VOLATILE ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

SVE-EFFLUENT

Lab Name: MITKEM CORPORATION

Contract:

Lab Code: MITKEM Case No.:

SAS No.:

SDG No.: ME1998

Matrix: (soil/water) AIR

Lab Sample ID: E1998-01A

Sample wt/vol: 25 (g/mL) ML

Lab File ID: V6E8594

Level: (low/med) LOW

Date Received: 12/29/06

% Moisture: not dec. _____

Date Analyzed: 01/03/07

GC Column: DB-624 ID: 0.25 (mm)

Dilution Factor: 1.0

Soil Extract Volume: _____ (uL)

Soil Aliquot Volume: _____ (uL)

CONCENTRATION UNITS:
(ug/L or ug/Kg) MG/M3

CAS NO.	COMPOUND	Q
75-71-8-----	Dichlorodifluoromethane_____	1 U
74-87-3-----	Chloromethane_____	1 U
75-01-4-----	Vinyl Chloride_____	1 U
74-83-9-----	Bromomethane_____	1 U
75-00-3-----	Chloroethane_____	1 U
75-69-4-----	Trichlorofluoromethane_____	1 U
75-35-4-----	1,1-Dichloroethene_____	1 U
67-64-1-----	Acetone_____	1 U
74-88-4-----	Iodomethane_____	1 U
75-15-0-----	Carbon Disulfide_____	1 U
75-09-2-----	Methylene Chloride_____	1 U
156-60-5-----	trans-1,2-Dichloroethene_____	1 U
1634-04-4-----	Methyl tert-butyl ether_____	1 U
75-34-3-----	1,1-Dichloroethane_____	1 U
108-05-4-----	Vinyl acetate_____	1 U
78-93-3-----	2-Butanone_____	1 U
156-59-2-----	cis-1,2-Dichloroethene_____	1 U
590-20-7-----	2,2-Dichloropropane_____	1 U
74-97-5-----	Bromochloromethane_____	1 U
67-66-3-----	Chloroform_____	1 U
71-55-6-----	1,1,1-Trichloroethane_____	1 U
563-58-6-----	1,1-Dichloropropene_____	1 U
56-23-5-----	Carbon Tetrachloride_____	1 U
107-06-2-----	1,2-Dichloroethane_____	1 U
71-43-2-----	Benzene_____	1 U
79-01-6-----	Trichloroethene_____	1 U
78-87-5-----	1,2-Dichloropropane_____	1 U
74-95-3-----	Dibromomethane_____	1 U
75-27-4-----	Bromodichloromethane_____	1 U
10061-01-5-----	cis-1,3-Dichloropropene_____	1 U
108-10-1-----	4-Methyl-2-pentanone_____	1 U
108-88-3-----	Toluene_____	1 U
10061-02-6-----	trans-1,3-Dichloropropene_____	1 U
79-00-5-----	1,1,2-Trichloroethane_____	1 U

1A
VOLATILE ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

SVE-EFFLUENT

Lab Name: MITKEM CORPORATION

Contract:

Lab Code: MITKEM

Case No.:

SAS No.:

SDG No.: ME1998

Matrix: (soil/water) AIR

Lab Sample ID: E1998-01A

Sample wt/vol: 25 (g/mL) ML

Lab File ID: V6E8594

Level: (low/med) LOW

Date Received: 12/29/06

% Moisture: not dec. _____

Date Analyzed: 01/03/07

GC Column: DB-624 ID: 0.25 (mm)

Dilution Factor: 1.0

Soil Extract Volume: _____ (uL)

Soil Aliquot Volume: _____ (uL)

CONCENTRATION UNITS:
(ug/L or ug/Kg) MG/M3

CAS NO.	COMPOUND	Q
142-28-9	1,3-Dichloropropane	1 U
127-18-4	Tetrachloroethene	1 U
591-78-6	2-Hexanone	1 U
124-48-1	Dibromochloromethane	1 U
106-93-4	1,2-Dibromoethane	1 U
108-90-7	Chlorobenzene	1 U
630-20-6	1,1,1,2-Tetrachloroethane	1 U
100-41-4	Ethylbenzene	1 U
	m,p-Xylene	1 U
95-47-6	o-Xylene	1 U
1330-20-7	Xylene (Total)	1 U
100-42-5	Styrene	1 U
75-25-2	Bromoform	1 U
98-82-8	Isopropylbenzene	1 U
79-34-5	1,1,2,2-Tetrachloroethane	1 U
108-86-1	Bromobenzene	1 U
96-18-4	1,2,3-Trichloropropane	1 U
103-65-1	n-Propylbenzene	1 U
95-49-8	2-Chlorotoluene	1 U
108-67-8	1,3,5-Trimethylbenzene	1 U
106-43-4	4-Chlorotoluene	1 U
98-06-6	tert-Butylbenzene	1 U
95-63-6	1,2,4-Trimethylbenzene	1 U
135-98-8	sec-Butylbenzene	1 U
99-87-6	4-Isopropyltoluene	1 U
541-73-1	1,3-Dichlorobenzene	1 U
106-46-7	1,4-Dichlorobenzene	1 U
104-51-8	n-Butylbenzene	1 U
95-50-1	1,2-Dichlorobenzene	1 U
96-12-8	1,2-Dibromo-3-chloropropane	1 U
120-82-1	1,2,4-Trichlorobenzene	1 U
87-68-3	Hexachlorobutadiene	1 U
91-20-3	Naphthalene	1 U
87-61-6	1,2,3-Trichlorobenzene	1 U

Client ID: OBG

Project: National Heatset

Location:

Comments: Level 2 for air samples

Case:

SDG:

PO: HEATSET

Report Level: ASP-B

EDD: CLF

HC Due: 01/19/07

Fax Due: 01/12/07

Sample ID	Client Sample ID	Collection Date	Date Recv'd	Matrix	Test Code	Lab Test Comments	Hold	MS	SEL	Storage
E1998-01A	SVE-EFFLUENT	12/28/2006 14:40	12/29/2006	Air	TO14		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	VOA



175 Metro Center Boulevard
 Warwick, Rhode Island 02886-1755
 (401) 732-3400 • Fax (401) 732-3499
 email: mitkem@mitkem.com

CHAIN-OF-CUSTODY RECORD

REPORT TO				INVOICE TO		LAB PROJECT #:			
COMPANY D'BIEN & GREE	PHONE (315) 437-6100	COMPANY NAME <i>SAM & /</i>	PHONE (315) 437-6100	LAB PROJECT #: E1998					
NAME MARC DEBT	FAX	ADDRESS 5000 Biltownfield Pkwy P.O. Box 4873	FAX	TURNAROUND TIME: SPD					
ADDRESS E. SYRACUSE, N.Y. 13221	CITY/ST/ZIP	CLIENT PROJECT #: 13221	CITY/ST/ZIP						
CLIENT PROJECT NAME: NATIONAL TEST SET	CLIENT PROJECT #:	REQUESTED ANALYSES <i>11-14</i>							
SAMPLE IDENTIFICATION SUE-EFFLUENT	DATE/TIME SAMPLED 12/28/06 1440	COMPOSITE	GRAB	WATER	SOIL	OTHER	LAB ID Air - 01	# OF CONTAINERS	COMMENTS
			X			Air - 01			
TSF#	RELINQUISHED BY	DATE/TIME	ACCEPTED BY	DATE/TIME	ADDITIONAL REMARKS:	COOLER TEMP:			
	Fernando A. Perez-B	12/28/06 1500	Fred Esp Arment	12/29/06 1500	Fed Esp Arment #	Ambient			
			<i>[Signature]</i>	12/29/06 09:00	8546 199-4427-				

WHITE: LABORATORY COPY YELLOW: REPORT COPY PINK: CLIENT'S COPY

MITKEM CORPORATION

Sample Condition Form

Received By: <u>J. Healey</u>	Reviewed By: <u>RL</u>	Date: <u>12/28</u>	MITKEM Workorder #: <u>E1998</u>			
Client Project: <u>NATIONAL HEATSET</u>		Client: <u>OBG</u>			Soil Headspace or Air Bubbles ≥ 1/4"	
1) Cooler Sealed <input checked="" type="radio"/> Yes / <input type="radio"/> No	Lab Sample ID	Preservation (pH)				VOA Matrix
	<u>E1998 01</u>	HNO ₃	H ₂ SO ₄	HCl	NaOH	<u>AIR</u>
2) Custody Seal(s) <input checked="" type="radio"/> Present / <input type="radio"/> Absent <input checked="" type="radio"/> Coolers / <input type="radio"/> Bottles <input checked="" type="radio"/> Intact / <input type="radio"/> Broken						
3) Custody Seal Number(s) <u>N/A</u>						
4) Chain-of-Custody <input checked="" type="radio"/> Present / <input type="radio"/> Absent						
5) Cooler Temperature <u>AMBIENT</u> Coolant Condition <u>---</u>						
6) Airbill(s) <input checked="" type="radio"/> Present / <input type="radio"/> Absent Airbill Number(s) <u>FED EX</u> <u>8546 1199 4427</u>						
7) Sample Bottles <input checked="" type="radio"/> Intact / <input type="radio"/> Broken / <input type="radio"/> Leaking						
8) Date Received <u>12/29/06</u>						
9) Time Received <u>09:00</u>						
Preservative Name/Lot No: _____ _____						

VOA Matrix Key:
 US = Unpreserved Soil A = Air
 UA = Unpreserved Aqu. H = HCl
 M = MeOH E = Encore
 N = NaHSO₄ F = Freeze

See Sample Condition Notification/Corrective Action Form yes / no

Rad OK yes / no

Last Page of Data Report