



EA Engineering, P.C.  
EA Science and Technology

6712 Brooklawn Parkway, Suite 104  
Syracuse, New York 13211-2158  
Telephone: 315-431-4610  
Fax: 315-431-4280  
[www.eaest.com](http://www.eaest.com)

12 February 2013

Mr. Jeff Dyber, P.E. - Environmental Engineer 2  
New York State Department of Environmental Conservation  
Division of Environmental Remediation  
Bureau of Eastern Remedial Action  
625 Broadway  
Albany, New York 12233

RE: National Heatset Printing Site / Soil Vapor Extraction System  
Operation & Maintenance Report (November 2012–January 2013)  
1 Adams Boulevard, Farmingdale, New York  
New York State Department of Environmental Conservation Site No. 1-52-140  
EA Project No. 14907.16

Dear Mr. Dyber:

This letter report provides an overview of the ongoing operation of the soil vapor extraction (SVE) system at the National Heatset Printing site in Farmingdale, New York (Figure 1). EA Engineering, P.C. and its affiliate EA Science & Technology, Inc. (EA) assumed management of the onsite SVE system under Work Assignment No. D004441-29. EA is currently performing site management under Work Assignment No. D007624-16, which was approved on 6 November 2012. The activities are being conducted under the New York State Department of Environmental Conservation (NYSDEC) State Superfund Standby Contract. SVE system details are presented in an Operation & Maintenance (O&M) Manual (Shaw, 2003)<sup>1</sup>.

During the reporting period, an O&M visit was performed on the following date by EA personnel.

Date	Purpose
01/24/13	Quarterly Visit (January 2013)

## 1. SYSTEM OPERATION

Based on the motor's hour meter, the system was operational for a total of 1,681 hours out of an available 1,681 hours (100 percent of the total available) during this reporting period (15 November 2012 to 24 January 2013).

Operational data for this period have been based on the measurements and effluent sample data collected on 24 January 2013. Operational data are summarized in Table 1 and on the site visit data collection form provided in Attachment A. Key operating parameters for the SVE system are summarized below.

<sup>1</sup> The Shaw Group. 2003. Soil Vapor Extraction Operation and Maintenance Manual. October.



Mr. Jeff Dyber  
NYSDEC  
12 February 2013  
Page 2

Date	Extraction Well Flow rate (cfm)	Extraction Well Vacuum (H <sub>2</sub> O)	SVE Blower Flow rate (cfm)	DCE Conc. <sup>1</sup> (mg/m <sup>3</sup> )	TCE Conc. <sup>1</sup> (mg/m <sup>3</sup> )	PCE Conc. <sup>1</sup> (mg/m <sup>3</sup> )
01/24/13	200	21	319	0.023	0.180	1.7

<sup>1</sup>PCE, DCE, and TCE concentration measured via laboratory analysis.

NOTE: cfm = Cubic feet per minute.  
mg/m<sup>3</sup> = Milligrams per cubic meter  
DCE = cis-1,2-Dichloroethene  
TCE = Trichloroethene.  
PCE = Tetrachloroethylene.

A complete set of operational data collected are presented in Tables 1 and 2, as well as Attachment A.

## AUTO-DIALER ISSUE

The auto-dialer was repaired by Sensaphone and returned to EA on 10 January 2013. EA returned to the site on 15 January 2013 to reinstall and reprogram the unit. The unit was operating upon departure from the site.

## 2. MONITORING PROBES

The following vacuum data (inches of water column) were observed at the listed vapor monitoring points during the monitoring period.

Vapor Monitoring Point	Vacuum Reading (Inches H <sub>2</sub> O)
	24 January 2013
VP-1	0.5
VP-2	0.3
VP-3	0.4
VP-7	0.1
VP-8	0.0
VP-9	0.1
VP-10	0.0
VP-11	0.0
VP-12	0.0
VP-13	0.0
VP-14	0.0
VP-15	---

NOTE: --- = Unable to access monitoring point.

The vapor points will continue to be monitored during future site visits.



### 3. DEPTH-TO-WATER MEASUREMENTS

The following gauging data (feet below top-of-casing) were collected during the monitoring period.

Date	MW-C	MW-E	MW-G
01/24/13	17.51	17.69	17.90

The wells will continue to be gauged during future site visits.

### 4. AIR DISCHARGE MONITORING

EA personnel collected a grab air sample from the system effluent using a Tedlar bag and submitted the sample to Eurofins Air Toxics, Inc. The sample was analyzed for VOCs using U.S. Environmental Protection Agency Method TO-15. PCE, TCE, and DCE were detected at the following concentrations:

Date	DCE	TCE	PCE
01/24/13	0.023	0.180	1.7
NOTE: Units	= mg/m <sup>3</sup>		

Analytical results are summarized in Table 1 and the laboratory data reports are presented in Attachment B. A summary of the field monitoring and laboratory air discharge analytical results are presented as Table 3.

Based on the effluent sampling results, a total of 2.14 lbs of PCE has been discharged during the year 2013 toward the permitted annual discharge limit of 270 lbs. A total of 0.23 lbs of TCE has been discharged during the year 2013 toward the permitted annual discharge limit of 120 lbs. A negligible amount of DCE was discharged during the reporting period (the annual discharge limit is 5,510 lbs).



Mr. Jeff Dyber  
NYSDEC  
12 February 2013  
Page 4

## 5. CONCLUSIONS AND RECOMMENDATIONS

Based on the data collected from the SVE system during this reporting period, EA recommends continued operation of the SVE system.

Please do not hesitate to contact me at 315-431-4610 with any questions you might have regarding this report.

Sincerely,

EA SCIENCE AND  
TECHNOLOGY, INC.

A handwritten signature in black ink that reads "James C. Hayward".

James C. Hayward, P.E.  
Project Manager

JCH/drs

Enclosures

**TABLE 1**  
**SUMMARY OF SOIL VAPOR EXTRACTION SYSTEM READINGS**  
**NATIONAL HEATSET PRINTING**  
**1 ADAMS BLVD., FARMINGDALE, NY**

Date	Run Time Meter Reading (hours)	Run Time Since Last Visit (hours)		Operation Time Since Last Visit (%)	Dilution Valve Position (% Open)	Extraction Well MW-F Valve Position (%) Open	Air Flow at Well (scfm)	Vacuum at Well (inches H <sub>2</sub> O)	Pre-Dilution PID (ppm)	Pre-Dilution PCE (ppm)	Influent SVE					Mid GAC				Effluent GAC			
		Available	Actual								Blower Flow (cfm)	Vacuum (inches H <sub>2</sub> O)	Temp. (°F)	PID (ppm)	PCE (ppm)	Flow (cfm)	Temp. (°F)	PID (ppm)	PCE (ppm)	Flow (cfm)	Temp. (°F)	PID (ppm)	PCE (ppm)
SVE PILOT TEST STARTUP																							
9/18/2002	--	294	294	100%	100	50	34.5	5	2,000	500	256	25	107.2	1,015	--	317	102.3	0	--	290	89.5	0	--
9/30/2002	304	294	294	99%	100	50	38	7	1,011	400	258	27	--	75.3	50	--	0	--	--	--	0	--	--
10/14/2002	642	343	338	99%	100	50	49	12	0	0	120	28	106	0	0	209	92	0	--	290	80.3	0	--
11/19/2002	1508	882	866	98%	100	50	--	--	--	77	200	--	--	--	14.3	10	--	15.5	10	--	--	0	0
12/4/2002	--	368	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
12/16/2002	2153	294	645	98%	100	50	36.5	10	560	200	253	28	92	46.4	50	302	60	3.4	--	340	53.9	0	--
1/21/2003	3016	882	863	98%	100	50	--	--	--	--	70	52	98	0	0	220	--	0	--	220	--	0	--
2/10/2003	3496	490	480	98%	100	50	38	--	639	400	262	27	102	72	50	266	90	26	10	258	83	3.2	10
3/18/2003	4360	882	864	98%	100	50	92	12	125	100	266	25	123	15	10	278	124	0	0	282	117	0	0
4/29/2003	5359	1029	999	97%	75	50	75	50	152	50	132	16	118.5	48.2	25	302	96	18.6	10	287	86	0.6	0
5/13/2003	5700	343	341	99%	75	50	78	--	127	50	239	48	130	41.8	50	246	108	46	25	245	97	0.6	0
6/30/2003	6850	1176	1150	98%	50	50	115	32	82.4	50	140	66	173	36.8	50	198	157	25.1	25	240	150	29.8	100
7/10/2003	6851	245	1	0%	50	50	99.5	25	406	400	151	68	156	221	215	260	76	0	0	222	81.9	0	0
7/22/2003	7144	294	294	100	50	50	--	--	127	--	--	--	168	65	--	--	107	0	--	--	106	0	--
8/26/2003	7957	858	813	95	50	50	79	13.5	137	10	186	65	170	51.4	5	291	--	55.4	10	232	--	35.6	10
9/23/2003	8274	686	317	46	50	50	218	33	141	15	194	64	160	55	30	254	124	0	0	210	110	0	0
10/21/2003	8945	686	671	98	50	50	166	45	--	20	158	68	166	37.5	25	214	130	30.7	15	225	112	0	0
11/24/2003	9749	833	805	97	50	50	130	46	141	125	178	72	138	261	200	225	52	0	0	205	51.4	0	0
1/6/2004	9750	1054	1	0	50	50	98.5	74	118	100	164	12	140	247	250	224	48.6	0	0	200	48.4	0	0
2/9/2004	10336	833	586	70	50	50	121	44	23.1	10	172	70	155.8	29.8	25	233	137	41.4	25	235	117	0	0
3/30/2004	11289	1225	953	78	50	50	103	>50	34	<10	198	70	160	22	<10	240	128	22	<10	160	115	24	<5
4/8/2004	11441	221	152	69	50	75	75	127	--	23.7	<10	--	--	--	--	180	83	30	--	206	83	0.9	--
4/29/2004	11768	515	327	64	50	75	131	>60	2.4	0	--	76	170	2.2	0	209	128	0	0	255	116	0	0
5/24/2004	12264	613	496	81	50	75	144	75	43.8	50	172	75	178	33.1	<50	250	121	4.4	0	198	111	0	0
6/22/2004	12817	711	553	78	50	75	127	74	57	10	140	76	180	52	30	181	123	25.8	15	210	113	0	0
7/28/2004	13630	882	813	92	50	75	142	76.5	53.2	7	161	76.5	159	41.1	25	216	137	35.3	20	181	109	3.1	0
8/31/2004	13989	833	359	43	25	90	157	58	48	0	104	74	137	202	200	180	98	2.2	0	187	91	0.1	0
9/29/2004	14256	711	267	38	50	75	139	60	--	140	76	153	27.7	--	194	126	0	--	205	102.1	0	--	
10/20/2004	14729	515	473	92	50	75	155	58	--	120	76	160	19.1	10	202	122	0	0	230	101	0	0	
11/17/2004	15229	686	499	73	75	50	160	80	17.9	<5	148	77	160	13.5	<10	152	112	7.2	<5	173	94	0	0
12/22/2004	15565	858	337	39	75	50	143	80	15.8	<5	125	85	160	18.3	10	127	116	16	5	131	93.4	0	0
1/20/2005	15933	711	368	52	25	100	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
2/23/2005	15933	833	0	0	75	50	87.5	36	174	50	188	58	110	93	50	265	56	0	0	245	38.5	0	0
3/29/2005	16217	833	284	34	75	50	87 <sup>(1)</sup>	40	--	--	158 <sup>(1)</sup>	--	121	6.4	4.5	255 <sup>(1)</sup>	97	3.4	3	234 <sup>(1)</sup>	81	0	<2
4/28/2005	--	720	720 <sup>(2)</sup>	100	75	50	86	39	--	--	227	--	126	8.9	5	244	109	8	4	222	84.2	0	<2
5/31/2005	--	792	792 <sup>(2)</sup>	100	50	50	98	39	7.4	9.5	208	--	124.2	10.4	10	227	118.6	17.6	10	223	112.3	0	<2
6/24/2005	--	576	576 <sup>(2)</sup>	100	50	50	125	25	28.5	16	266	--	152	8.3	7	283	133	13.9	16	242	116	10.1	15
8/4/2005	17972	984	984 <sup>(2)</sup>	100	75	65	216	26	38.1	19	353	--	153.4	8.8	12	423	135.7	10.5	12	381	120.7	7.5	12
Spent Carbon Replaced 8/10/05																							
9/13/2005	859	960	960 <sup>(2)</sup>	100	75	50	89.5	25	59.6	14	226	--	164.5	18.3	12	265	143	0.5	0	248	124.6	0	0
10/10/2005	1502	643	643	100	75	35	86	27	59.2	19	222	--	101.3	21.7	10	225	110	15.1	0	211	99.3	0	0
11/11/2005	2271	769	769	100	50	50	79	31	--	5	209	--	110.9	12.2	9	242	99.4	2.6	2	239	83.1	0	0

Notes:

<sup>(1)</sup> Calculated flows based on the average of flows measured on 3-29-05 and 4-28-05

<sup>(2)</sup> Run time meter reading not indicative of SVE system run time; actual hours run is assumed 100% of available.

-- = measurement not recorded or not applicable.

Influent SVE = Readings collected between the SVE Blower and the Carbon Units

Mid GAC = Readings collected between the lead and lag carbon units

Effluent GAC = Readings collected after the lag carbon unit

GAC = granular activated carbon unit

As of 4/28/05, the calculation of "Available" run time hours is based on 24 hours, rather than 24.5 hours as previously calculated.

**TABLE 1**  
**SUMMARY OF SOIL VAPOR EXTRACTION SYSTEM READINGS**  
**NATIONAL HEATSET PRINTING**  
**1 ADAMS BLVD., FARMINGDALE, NY**

Date	Run Time Meter Reading (hours)	Run Time Since Last Visit (hours)		Operation Time Since Last Visit (%)	Dilution Valve Position (% Open)	Extraction Well MW-F Valve Position (%) Open	Air Flow at Well (scfm)	Vacuum at Well (inches H2O)	Pre-Dilution PID (ppm)	Pre-Dilution PCE (ppm)	Influent SVE				Mid GAC								
		Available	Actual								Blower Flow (cfm)	Vacuum (inches H2O)	Temp. (°F)	PID (ppm)	PCE (ppm)	Flow (cfm)	Temp. (°F)	PID (ppm)	PCE (ppm)				
12/8/2005	2918	647	647	100%	50	50	79	29	22.2	5.0	235	--	113.5	7.2	2.0	227	96.7	6.8	2	212	79.8	0.1	0.0
1/6/2006	3614	696	696	100%	50	75	120	42	2.7	2.0	245	--	82	32.5	4.0	280	83.9	19.0	2.0	265	77.5	5.8	0.0
<i>Spent Carbon Replaced 1/25/06</i>																							
2/6/2006	4332	744	718	100%	75	75	80	25	16.3	3.0	292	--	78	3.6	2.0	333	90.9	0.0	0.0	322	77	0.0	0.0
3/14/2006	5200	868	868	100%	75	75	188	49	12.9	2.0	212	--	132.8	5.5	5.0	287	135.6	0.0	0.0	232	115.1	0.0	0.0
4/12/2006	5895	695	695	100%	75	75	115	47	14.1	2.0	259	--	152.1	6.1	6.0	249	153.2	0.0	0.0	271	135.1	0.0	0.0
5/4/2006	6420	525	525	100%	50	75	189	51	17.9	2.0	199	--	145.2	7.8	5.0	186	136.1	0.1	0.0	214	117.8	0.0	0.0
6/12/2006	7354	934	934	100%	50	100	156	53	5.5	4.0	216	--	141	7.9	9.0	270	134	4.1	3.0	253	116	0.0	0.0
7/12/2006	8074	720	720	100%	50	100	163	54	8.1	2.0	191	--	146	8.3	8.0	210	145	8.8	10.0	196	134	0.0	0.0
8/7/2006	8696	622	622	100%	50	100	136	54	11.3	4.0	201	--	148.7	8.7	7.5	239	135.6	2.0	0.0	210	118.3	0.0	0.0
9/21/2006	9781	1085	1085	100%	50	100	124.5	53	8.9	4.0	227	--	127	7.7	9.0	143	106.9	9.7	7.0	203	99.2	2.1	0.0
<i>Spent Carbon Replaced 10/11/06</i>																							
10/18/2006	10417	636	636	100%	50	100	130	54	1.0	4.0	231	--	154.8	6.0	8.0	154	130.3	0.0	0.0	236	131.1	0.0	0.0
11/29/2006	11425	1008	1008	100%	50	100	130	52	0.6	1.0	193.5	--	138.8	1.6	4.0	226	137.8	0.0	0.0	202	118.0	0.0	0.0
12/21/2006	11953	528	528	100%	50	100	132	54	0.1	1.0	178	--	107.8	4.6	3.0	254	107.4	0.0	0.0	210	93.3	0.0	0.0
1/26/2007	12820	867	867	100%	25	100	156	80	0.0	0.0	142.5	--	135.0	0.4	4.0	123	124.0	0.0	0.0	142	102.3	0.0	0.0
3/19/2007	13296	1248	476	38%	25	100	162.5	80	0.2	2.0	135	--	140.7	7.3	5.0	215	110.1	2.4	0.0	172	120.0	0.0	0.0
4/27/2007	13964	936	668	71%	25	100	218.0	88	0.0	15.0	126	--	180.2	51.7	20.0	149	69.1	0.0	0.0	125	66.8	0.0	0.0
5/24/2007	13968	648	4	1%	25	75	135	84	15.2	1.8	100	--	127	108.0	35.0	181	123	0.7	0.0	170	106	0.0	0.0
6/21/2007	13984	672	16	2%	25	100	232	40	1.8	35.0	130.5	--	107	61.1	38.0	228	107	1.7	0.0	199	89	0.1	0.0
7/24/2007	14775	792	792	100%	50	100	75	29	13.2	2.0	205	--	132.6	3.5	3.0	202	140.5	1.9	0.0	194	138.4	0.0	0.0
8/28/2007	15615	840	840	100%	50	100	85.5	20	16.3	2.0	232	--	139.2	2.7	0.0	190	144.5	3.5	0.0	184	129.1	0.0	0.0
9/18/2007	16120	504	504	100%	50	100	99.2	28	11.7	2.0	214.5	--	138.5	5.2	0.0	184	16.8	1.4	2.0	164	129.8	0.0	0.0
10/31/2007	17151	1032	1032	100%	50	100	80	25	9.9	2.0	216	--	111.9	1.1	0.0	206	118.4	0.0	0.0	231	104.7	0.0	0.0
11/28/2007	17825	672	674	100%	50	100	79	27	9.5	1.0	211	--	117	0.4	0.0	247	116	0.0	0.0	213	110	0.0	0.0
1/4/2008	18714	888	889	100%	50	100	102.4	28	7.0	0.0	268	--	110	0.0	0.0	318	116	0.0	0.0	243	96	0.0	0.0
1/23/2008	19171	456	457	100%	50	100	114	36	6.6	0.0	222	--	112	0.6	0.0	266	126	0.0	0.0	192	108	0.0	0.0
2/28/2008	19269	864	98	11%	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
4/29/2008	19441	1464	172	12%	50	100	129	41	0.0	0.0	230	*	121	3.7	0.0	246	112	0.0	0.0	206	99	0.0	0.0
5/23/2008	20014	576	573	99%	75	100	90	33	10.4	1.0	223	17	126	0.5	1.0	312	138	3.5	0.0	259	115	0.0	0.0
6/26/2008	20832	816	818	100%	75	100	98	34	9.3	2.0	213	18	143	2.1	0.0	304	155	4.4	0.0	202	138	2.4	0.0
7/28/2008	21601	768	769	100%	75	100	91	30	10.8	0.0	237	18	148	1.8	0.0	280	154	0.8	0.0	202	138	2.8	0.0
8/28/2008	22345	744	744	100%	75	100	89	31	11.6	2.0	221	17	153	2.4	0.0	238	157	1.3	0.0	191	135	1.9	0.0
9/25/2008	23015	672	670	100%	75	100	110	33	10.8	0.0	245	18	136	0.9	0.0	244	138	0.0	0.0	215	119	0.0	0.0
10/31/2008	23880	864	865	100%	75	100	102	32	7.3	0.0	250	18	125	0.2	0.0	262	128	0.0	0.0	264	113	0.0	0.0
11/24/2008	24456	576	576	100%	75	100	112	32	4.8	0.0	243	20	116	0.0	0.0	251	119	0.0	0.0	254	104	0.0	0.0
12/22/2008	25129	672	673	100%	75	100	72	19	7.6	0.0	235	10	104	1.9	0.0	230	100	0.5	0.0	176	82	0.3	0.0
1/26/2009	25970	840	841	100%	75	100	111	31	5.7	0.0	243	18	113	1.6	0.0	270	114	1.1	0.0	278	104	0.6	0.0
2/26/2009	26374	744	404	54%	75	100	108	23	44.8	0.0	235	18	111	13.1	0.0	268	114	0.0	0.0	290	82	0.0	0.0
3/26/2009	27046	672	672	100%	75	100	100	31	6.2	0.0	248	18	128	4.8	0.0	265	129	2.9	0.0	268	114	1.3	0.0
4/28/2009	27838	792	792	100%	75	100	89	31	6.0	0.0	257	18	142	1.6	0.0	256	135	2.7	0.0	286	118	1.1	0.0
5/18/2009	28317	480	479	100%	75	100	100	32	8.3	0.0	252	18	142	2.4	0.0	280	129	3.8	0.0	271	125	2.0	0.0
6/23/2009	29181	864	864	100%	75	100	91	30	0.0	0.0	241	19	131	0.0	0.0	240	152	1.0	0.0	272	135	1.8	0.0
9/22/2009	31365	2184	2184	100%	75	100	93	31	10.0	0.0	232	20	129	5.3	0.0	264	154	4.3	0.0	200	135	4.0	0.0
12/21/2009	33527	2160	2162	100%	25	100	157	70	6.1	0.0	184	9	149.5	4.0	0.0	145	151	6.3	0.0	126	123	0.0	0.0
3/31/2010	35169	2400	1642	68%	25 / 75	100	100	82	55.8	0.0	255	18	103	20.5	15.0	250	85.2	4.4	0.0	285	78.7	0.0	0.0
6/28/2010	37303	2136	2134	100%	75	100	170	24	7.9	NA	215	20	98.2	1.6	0.0	236	173	2.9	0.0	283	154	4.4	0.0
9/27/2010	39486	2184	2183	100%	75	100	80	21	145.0	NA	275	21	141.4	42.4	0.0	280	142	19.3	0.0	275	126	8.8	0.0
12/28/2010	40702	2208	1216	55%	75	100	90	25	51.0	NA	275	18	103	13.7	NA	285	73.7	0.9	NA	300	45.5	0.1	NA
3/3/2011	42257	1560	1555	100%	75	100	47	10	9.7	NA	97	8	142	1.1	NA	140	103	0.4	NA	124	80	0.2	NA
6/27/2011	44346	2784	2089	75%	75	100	125	44	0.1	NA	186.5	17	158.6	1.8	NA	129	147.5	1.6	NA	175	118	0.1	NA
12/21/2011																							

TABLE 2 AIR SAMPLE ANALYTICAL RESULTS

VGAC Effluent Concentration (mg/m <sup>3</sup> )			
Date	cis -1,2-Dichloroethene	Tetrachloroethene	Trichloroethene
3/31/2010	0.020	0.690	0.040
6/28/2010	0.197	14.100	0.306
9/27/2010	0.122	4.180	0.240
12/28/2010	0.015	0.318	0.041
3/3/2011	0.073	3.220	0.162
6/27/2011	0.068	1.460	0.220
1/31/2012	0.089	4.280	0.091
4/24/2012	0.110	5.950	0.193
7/9/2012	0.096	3.070	0.252
11/15/2012	0.003	0.092	0.022
1/24/2013	0.023	1.700	0.180

NOTE: VGAC = Vapor-phase granular activated carbon  
mg/m<sup>3</sup> = Milligrams per cubic meter

TABLE 3 AIR DISCHARGE MONITORING

Date	System Effluent Flow Rate (cfm)	Field Monitoring		Elapsed Time (day)	Laboratory Results			Discharge based on Field Monitoring		Discharge based on Laboratory Results					
		PCE System Effluent Concentration (ppmv)	System Effluent VOC Concentration (ppmv)		PCE (mg/cu m.)	TCE (mg/cu m.)	cis-1,2-DCE (mg/cu m.)	PCE Discharge Since Last Visit (lb/hr)	PCE Discharge Since Last Visit (lb)	PCE Discharge Since Last Visit: lb/hr	PCE Discharge Since Last Visit (lb)	TCE Discharge Since Last Visit (lb/hr)	TCE Discharge Since Last Visit (lb)	cis-1,2-DCE Discharge Since Last Visit (lb/hr)	cis-1,2-DCE Discharge Since Last Visit (lb)
<b>18 September 2002-24 November 2003 (Total)</b>															
1/13/2003	45	0	--	28	--	--	--	0.0000	0.00	--	--	--	--	--	--
1/21/2003	220	--	0	8	--	--	--	--	--	--	--	--	--	--	--
2/10/2003	258	10	3.2	20	8.0	6.0	ND (5)	0.0654	31.40	0.008	3.71	0.006	2.78	0.00	0.00
3/5/2003	305	--	0	23	--	--	--	--	--	--	--	--	--	--	--
3/18/2003	282	0	0	13	--	--	--	0.0000	0.00	--	--	--	--	--	--
4/29/2003	287	0	0.6	42	--	--	--	0.0000	0.00	--	--	--	--	--	--
5/13/2003	245	0	0.6	14	5.0	ND (1)	ND (1)	0.0000	0.00	0.005	1.54	0.00	0.00	0.00	0.00
6/30/2003	240	100	29.8	48	--	--	--	0.3043	350.56	--	--	--	--	--	--
7/22/2003	222	--	0	12	ND (1)	ND (1)	ND (1)	--	--	0.00	0.00	0.00	0.00	0.00	0.00
8/26/2003	232	10	35.6	35	29.0	3.6	ND (5)	0.0588	49.42	0.025	21.17	0.003	2.63	0.00	0.00
9/23/2003	210	0	0	28	ND (5)	ND (5)	ND (5)	0.0000	0.00	0.000	0.00	0.00	0.00	0.00	0.00
10/21/2003	225	0	0	28	ND (5)	ND (5)	ND (5)	0.0000	0.00	0.000	0.00	0.00	0.00	0.00	0.00
11/24/2003	205	0	0	34	--	--	--	0.0000	0.00	--	--	--	--	--	--
										431.38		26.42		5.41	
<b>6 January 2004-22 December 2004 (Total)</b>															
1/6/2004	200	0	0	43	--	--	--	0.0000	0.00	--	--	--	--	--	--
2/9/2004	235	0	0	34	ND (5)	ND (5)	10	0.0000	0.00	0.000	0.00	0.000	0.00	0.009	7.18
3/30/2004	160	5	24	50	77	IJ	2J	0.0203	24.34	0.046	55.38	0.001	0.72	0.001	1.44
4/29/2004	255	0	0	30	10	ND (5)	ND (5)	0.0000	0.00	0.010	6.88	0.001	0.69	0.002	1.38
5/24/2004	198	0	0	25	ND (1)	ND (1)	ND (1)	0.0000	0.00	0.000	0.00	0.000	0.00	0.000	0.00
6/22/2004	210	0	0	29	ND (1)	ND (1)	ND (1)	0.0000	0.00	0.000	0.00	0.000	0.00	0.000	0.00
7/28/2004	181	0	3.1	36	ND (5)	ND (5)	ND (5)	0.0000	0.00	0.000	0.00	0.000	0.00	0.000	0.00
8/12/2004	187	0	0.1	15	--	--	--	0.0000	0.00	--	--	--	--	--	--
9/29/2004	205	--	0	48	ND (1)	ND (1)	ND (1)	--	--	0.000	0.00	0.000	0.00	0.000	0.00
10/20/2004	230	0	0	21	ND (1)	ND (1)	ND (1)	0.0000	0.00	0.000	0.00	0.000	0.00	0.000	0.00
11/17/2004	173	0	0	28	ND (1)	ND (1)	ND (1)	0.0000	0.00	0.000	0.00	0.000	0.00	0.000	0.00
12/22/2004	131	0	0	35	ND (1)	ND (1)	ND (1)	0.0000	0.00	0.000	0.00	0.000	0.00	0.000	0.00
										24.34		62.26		1.41	
<b>20 January 2005-8 December 2005 (Total)</b>															
1/20/2005	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
2/23/2005	245	0	0	34	--	--	--	0.0000	0.00	--	--	--	--	--	--
3/29/2005	234 <sup>(1)</sup>	0	0	34	ND (1)	ND (1)	2	0.0000	0.00	0.000	0.00	0.000	0.00	0.002	1.43
4/28/2005	222	0	0	30	0.5	ND (1)	1	0.0000	0.00	0.0044	0.30	0.000	0.00	0.001	0.60
5/31/2005	223	0	0	33	5	2	1	0.0000	0.00	0.0042	3.31	0.0017	1.32	0.001	0.66
6/24/2005	242	10.1	15	24	64	2	0.8J	0.0620	35.70	0.0580	33.42	0.0018	1.04	0.001	0.42
8/4/2005	381	12	7.5	41	57	IJ	0.7J	0.1159	114.09	0.0814	80.05	0.0014	1.40	0.001	0.98
<i>Spent Carbon Replaced 8/10/05</i>															
9/13/2005	248	0	0	40	ND (1)	ND (1)	ND (1)	0.0000	0.00	0.0000	0.00	0.0000	0.00	0.000	0.00
10/10/2005	211	0	0	27	ND (1)	ND (1)	ND (1)	0.0000	0.00	0.0000	0.00	0.0000	0.00	0.000	0.00
11/11/2005	239	0	0	32	ND (1)	ND (1)	ND (1)	0.0000	0.00	0.0000	0.00	0.0000	0.00	0.000	0.00
12/8/2005	212	0	0.1	27	ND (1)	ND (1)	ND (1)	0.0000	0.00	0.0000	0.00	0.0000	0.00	0.000	0.00
										149.79		117.08		3.77	
														4.09	

6 January 2006-21 December 2006 (Total)															
1/6/2006	265	0	5.8	29	ND (1)	ND (1)	ND (1)	0.0000	0.00	0.0000	0.00	0.0000	0.00	0.0000	0.00
Spent Carbon Replaced 1/25/06															
2/6/2006	322	0	0	30	1	ND (1)	ND (1)	0.0000	0.00	0.0012	0.87	0.0000	0.00	0.0000	0.00
3/14/2006	232	0	0	36	ND (1)	ND (1)	ND (1)	0.0000	0.00	0.0000	0.00	0.0000	0.00	0.0000	0.00
4/12/2006	271	0	0	29	0.6J	ND (1)	ND (1)	0.0000	0.00	0.0006	0.42	0.0000	0.00	0.0000	0.00
5/4/2006	214	0	0	22	ND (1)	ND (1)	ND (1)	0.0000	0.00	0.0000	0.00	0.0000	0.00	0.0000	0.00
6/12/2006	253	0	0	39	ND (1)	ND (1)	ND (1)	0.0000	0.00	0.0000	0.00	0.0000	0.00	0.0000	0.00
7/12/2006	196	0	0	30	ND (1)	ND (1)	0.6 J	0.0000	0.00	0.0000	0.00	0.0000	0.00	0.001	0.38
8/7/2006	210	0	0	26	1	ND (1)	ND (1)	0.0000	0.00	0.0008	0.49	0.0000	0.00	0.0000	0.00
9/21/2006	203	0	2.1	45	2	0.8 J	0.4 J	0.0000	0.00	0.0015	1.64	0.0006	0.66	0.0003	0.33
Spent Carbon Replaced 10/11/06															
10/18/2006	236	0	0	27	--	--	--	0.0000	0.00	--	--	--	--	--	--
11/29/2006	202	0	0	42	0.9J	ND (1)	ND (1)	0.0000	0.00	0.0007	0.69	0.0000	0.00	0.0000	0.00
12/21/2006	210	0	0	22	ND (1)	ND (1)	ND (1)	0.0000	0.00	0.0000	0.00	0.0000	0.00	0.0000	0.00
											0.00		4.11		0.66
26 January 2007-4 January 2008 (Total)															
1/26/2007	142	0	0	36	ND (1)	ND (1)	ND (1)	0.0000	0.00	0.0000	0.00	0.0000	0.00	0.0000	0.00
3/19/2007	172	0	0	20	ND (1)	ND (1)	ND (1)	0.0000	0.00	0.0000	0.00	0.0000	0.00	0.0000	0.00
4/27/2007	125	0	0	28	ND (1)	ND (1)	ND (1)	0.0000	0.00	0.0000	0.00	0.0000	0.00	0.0000	0.00
5/24/2007	170	0	0	27	ND (1)	ND (1)	ND (1)	0.0000	0.00	0.0000	0.00	0.0000	0.00	0.0000	0.00
6/21/2007	199	0	0.1	28	ND (1)	ND (1)	ND (1)	0.0000	0.00	0.0000	0.00	0.0000	0.00	0.0000	0.00
7/24/2007	194	0	0	33	0.22 J	ND (1)	ND (1)	0.0000	0.00	0.0002	0.13	0.0000	0.00	0.0000	0.00
8/28/2007	129	0	0	35	0.35 J	ND (1)	0.29 J	0.0000	0.00	0.0002	0.14	0.0000	0.00	0.0001	0.12
9/18/2007	164	0	0	21	ND (1)	ND (1)	ND (1)	0.0000	0.00	0.0002	0.00	0.0000	0.00	0.0000	0.00
10/31/2007	231	0	0	43	ND (1)	ND (1)	ND (1)	0.0000	0.00	0.0000	0.00	0.0000	0.00	0.0000	0.00
11/28/2007	213	0	0	28	ND (1)	ND (1)	ND (1)	0.0000	0.00	0.0000	0.00	0.0000	0.00	0.0000	0.00
1/4/2008	243	0	0	37	ND (1)	ND (1)	ND (1)	0.0000	0.00	0.0000	0.00	0.0000	0.00	0.0000	0.00
											0.00		0.27		0.00
23 January 2008-22 December 2008 (Total)															
1/23/2008	192	0	0	19	ND (1)	ND (1)	ND (1)	0.0000	0.00	0.0000	0.00	0.0000	0.00	0.0000	0.00
2/28/2008	--	--	--	36	--	--	--	0.0000	0.00	0.0000	0.00	0.0000	0.00	0.0000	0.00
4/29/2008	206	0	0	61	ND (1)	ND (1)	ND (1)	0.0000	0.00	0.0000	0.00	0.0000	0.00	0.0000	0.00
5/23/2008	259	0	0	24	ND (1)	1.2	0.22 J	0.0000	0.00	0.0000	0.00	0.0000	0.00	0.0012	0.67
6/26/2008	202	0	2.4	34	10	1.3	0.24 J	0.0000	0.00	0.0076	6.18	0.0010	0.80	0.0000	0.00
7/28/2008	202	0	2.8	32	11	0.49 J	0.25 J	0.0000	0.00	0.0083	6.40	0.0000	0.00	0.0000	0.00
8/28/2008	191	0	1.9	31	13.6	0.48	0.22	0.0000	0.00	0.0097	7.25	0.0003	0.26	0.0000	0.00
9/25/2008	215	0	0	28	9.4	0.36	0.14	0.0000	0.00	0.0076	5.09	0.0003	0.19	0.0000	0.00
10/31/2008	264	0	0	36	4	0.17	0.1	0.0000	0.00	0.0040	3.42	0.0002	0.15	0.0000	0.00
11/24/2008	254	0	0	24	2.3	0.13	0.06	0.0000	0.00	0.0022	1.26	0.0001	0.07	0.0000	0.00
12/22/2008	176	0	0.3	28	1.2	0.06	0.03	0.0000	0.00	0.0008	0.53	0.0000	0.03	0.0000	0.00
											30.13		2.17		0.00
26 January 2009-21 December 2009 (Total)															
1/26/2009	278	0	0.6	35	2.3	0.14	0.07	0.0000	0.00	0.0024	2.01	0.0001	0.12	0.000	0.00
2/26/2009	290	0	0	31	0.1	0.01	0.005	0.0000	0.00	0.0001	0.08	0.0000	0.01	0.000	0.00
3/26/2009	268	0	1.3	28	2.9	0.25	0.11	0.0000	0.00	0.0029	1.96	0.0003	0.17	0.000	0.00
4/28/2009	286	0	1.1	33	3.3	0.21	0.08	0.0000	0.00	0.0035	2.80	0.0002	0.18	0.000	0.00
5/18/2009	271	0	2	20	6.1	0.35	0.1	0.0000	0.00	0.0062	2.97	0.0004	0.17	0.000	0.00
6/23/2009	272	0	1.8	36	18.2	0.44	0.19	0.0000	0.00	0.0186	16.04	0.0004	0.39	0.000	0.00
9/22/2009	200	0	4	91	5.36	0.13	0.11	0.0000	0.00	0.0040	8.78	0.0001	0.21	0.000	0.00
12/21/2009	126	0	0	90	4.82	0.38	0.09	0.0000	0.00	0.0023	4.92	0.0002	0.39	0.000	0.00
											39.56		1.64		0.00

31 March 2010-28 December 2010															
3/31/2010	285	0	0	100	0.69	0.04	0.02	0.0000	0.00	0.0007	1.77	0.0000	0.10	0.000	0.00
6/28/2010	283	0	4.4	89	14.1	0.306	0.197	0.0000	0.00	0.0150	31.95	0.0003	0.69	0.000	0.00
9/27/2010	275	0	8.8	91	4.18	0.24	0.122	0.0000	0.00	0.0043	9.41	0.0002	0.54	0.000	0.00
12/28/2010	300	NA	0.1	92	0.318	0.041	0.015	NA	NA	0.0004	0.79	0.0000	0.10	0.000	0.00
											43.92		1.44		
3 March 2011-27 June 2011															
3/3/2011	124	NA	0.2	65	3.22	0.162	0.0734	NA	NA	0.0015	2.34	0.0001	0.12	0.000	0.00
6/27/2011	175	NA	0.1	116	1.46	0.22	0.0678	NA	NA	0.0010	2.67	0.0001	0.40	0.000	0.00
											5.00		0.52		
31 January 2012-15 November 2012															
1/31/2012	252	NA	0.1	101	4.28	0.091	0.0892	NA	NA	0.0040	9.80	0.0001	0.21	0.000	0.00
4/24/2012	268	NA	2.0	84	5.95	0.193	0.110	NA	NA	0.0060	12.05	0.0002	0.39	0.000	0.00
7/9/2012	246	NA	0.0	76	3.07	0.252	0.0959	NA	NA	0.0028	5.16	0.0002	0.42	0.000	0.00
11/15/2012	255	NA	0.0	129	0.092	0.022	0.0030	NA	NA	0.0001	0.27	0.0000	0.07	0.000	0.00
											27.29		1.09		
2013															
1/24/2013	200	NA	0.0	70	1.7	0.18	0.0230	NA	NA	0.0013	2.14	0.0001	0.23	0.000	0.00
												2013 TOTALS =	2.14	0.23	

NOTE: cfm = cubic feet per minute  
ppmv = parts per million (vol.vol.)  
mg/cu. m = milligrams per cubic meter  
PCE = Tetrachloroethylene  
TCE = Trichloroethene  
*cis*-1,2-DCE = *cis*-1,2-Dichloroethene  
Discharge Rate (Field Mon., lb/hr) = [(flow(cfm)\*influent conc.(ppmv)\*MW\*12.187)/(273.15+C)]\*1 cu. m./35.31 cu. ft\*1g/1000 mg\*1 lb/453.6 g\*60 min/1 hr  
Discharge (Field Mon., lb) = Discharge Rate (lb/hr) \* # of days\*24hours/day\*60 minutes/hr  
Discharge Rate (Lab Res., lb/hr) = flow (cfm)\*effluent conc. (mg/cu. m.)\*1g/1000mg\*1lb/453.6g\*1cu. m./35.31cu. ft\*60min/1 hr  
Discharge (Lab Res., lb) = Discharge Rate (lb/hr) \* # of days\*24hours/day  
Permit limit for PCE is 0.031 lb/hr and 270 lb/yr; TCE is 0.014 lb/hr and 120 lb/year; *cis*-1,2-DCE is 0.63 lb/hr and 5,510 lb/year

## **Attachment A**

**National Heatset Printing**  
1 Adams Boulevard, Farmingdale, New York  
EA Engineering

Personnel: Robert Peterson  
Weather: 26F, Sunny

Time: 12:25  
Date: 1/24/2013

**System Status:**

Arrival: Running  
Departure: Running  
Run Timer Reading: 55,022.50  
Electric Meter Reading: 22354, 00.41, 39.05, 0103

**System Data:**

Extraction Well F Gate Valve: 100 % Open  
Dilution Valve: 75 % Open

**Pre-Bleed Air (Extraction Well):**

Flow: 200 CFM  
Vacuum: 21 "H<sub>2</sub>O  
PID Reading: 1.1 PPM  
Temperature: 57.6 °F

**Post-Bleed Air (SVE Influent):**

Flow: 319 CFM  
Pressure: 15 "H<sub>2</sub>O via magnehelic  
PID Reading: 0.0 PPM  
Temperature: 119.3 °F

**Carbon Monitoring:**

Mid: 0.0 PPM      6.7 "H<sub>2</sub>O  
Effluent: 0.0 PPM

Carbon effluent sample collected & shipped to lab? Yes

Knockout Tank Drained? No water observed

# Gallons: N/A  
Purge water drums on-site: N/A

**Monitoring Well Gauging / Vapor Point Monitoring:**

Well/V.P. ID:	MW-C	MW-E	MW-G	VP-1	VP-2	VP-3	VP-7	VP-8	VP-9	VP-10	VP-11	VP-12	VP-13	VP-14	VP-15
DTW (ft):	17.51	17.69	17.90	--	--	--	--	--	--	--	--	--	--	--	--
Vac. (" H <sub>2</sub> O):	--	--	--	0.5	0.3	0.4	0.1	0.0	0.1	0.0	0.0	0.0	0.0	0.0	--
PID (PPM):	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	--

**Comments:**

SVE-Effluent sample collected @ 12:40, PID: 0.0 ppm

## **Attachment B**

2/7/2013

Mr. Jim Hayward  
EA Engineering  
6712 Brooklawn Parkway

Syracuse NY 13211

Project Name: National Headset

Project #: 1490716.002

Workorder #: 1301441

Dear Mr. Jim Hayward

The following report includes the data for the above referenced project for sample(s) received on 1/25/2013 at Air Toxics Ltd.

The data and associated QC analyzed by Modified TO-15 are compliant with the project requirements or laboratory criteria with the exception of the deviations noted in the attached case narrative.

Thank you for choosing Air Toxics Ltd. for your air analysis needs. Air Toxics Ltd. is committed to providing accurate data of the highest quality. Please feel free to contact the Project Manager: Ausha Scott at 916-985-1000 if you have any questions regarding the data in this report.

Regards,



Ausha Scott  
Project Manager

**A Eurofins Lancaster Laboratories Company**

## WORK ORDER #: 1301441

## Work Order Summary

<b>CLIENT:</b>	Mr. Jim Hayward EA Engineering 6712 Brooklawn Parkway Syracuse, NY 13211	<b>BILL TO:</b>	Ms. Accounts Payable EA Engineering 3 Washington Center Newburgh, NY 12550
<b>PHONE:</b>	315-431-4610	<b>P.O. #</b>	1490716
<b>FAX:</b>	315-431-4280	<b>PROJECT #</b>	1490716.002 National Headset
<b>DATE RECEIVED:</b>	01/25/2013	<b>CONTACT:</b>	Ausha Scott
<b>DATE COMPLETED:</b>	02/07/2013		

<u>FRACTION #</u>	<u>NAME</u>	<u>TEST</u>	<u>RECEIPT</u>	<u>FINAL</u>
			<u>VAC./PRES.</u>	<u>PRESSURE</u>
01A	SVE Effluent	Modified TO-15	Tedlar Bag	Tedlar Bag
02A	Lab Blank	Modified TO-15	NA	NA
03A	CCV	Modified TO-15	NA	NA
04A	LCS	Modified TO-15	NA	NA
04AA	LCSD	Modified TO-15	NA	NA

CERTIFIED BY:

*Heidi Hayes*

DATE: 02/07/13

Technical Director

Certification numbers: AZ Licensure AZ0775, CA NELAP - 12282CA, NY NELAP - 11291,  
 TX NELAP - T104704434-12-5, UT NELAP CA009332012-3, WA NELAP - C935

Name of Accrediting Agency: NELAP/ORELAP (Oregon Environmental Laboratory Accreditation Program)

Accreditation number: CA300005, Effective date: 10/18/2011, Expiration date: 10/17/2012.

Eurofins Air Toxics Ltd. certifies that the test results contained in this report meet all requirements of the NELAC standards

This report shall not be reproduced, except in full, without the written approval of Eurofins Air Toxics, Inc.

180 BLUE RAVINE ROAD, SUITE B FOLSOM, CA - 9563  
 (916) 985-1000 . (800) 985-5955 . FAX (916) 985-1020



**LABORATORY NARRATIVE  
EPA Method TO-15  
EA Engineering  
Workorder# 1301441**

One Client Tedlar Bag sample was received on January 25, 2013. The laboratory performed analysis via EPA Method TO-15 using GC/MS in the full scan mode.

This workorder was independently validated prior to submittal using 'USEPA National Functional Guidelines' as generally applied to the analysis of volatile organic compounds in air. A rules-based, logic driven, independent validation engine was employed to assess completeness, evaluate pass/fail of relevant project quality control requirements and verification of all quantified amounts.

#### **Receiving Notes**

There were no receiving discrepancies.

#### **Analytical Notes**

Method TO-15 is validated for samples collected in specially treated canisters. As such, the use of Tedlar bags for sample collection is outside the scope of the method and not recommended for ambient or indoor air samples. It is the responsibility of the data user to determine the usability of TO-15 results generated from Tedlar bags.

Dilution was performed on sample SVE Effluent due to the presence of high level target species.

All Quality Control Limit exceedances and affected sample results are noted by flags. Each flag is defined at the bottom of this Case Narrative and on each Sample Result Summary page. Target compound non-detects in the samples that are associated with high bias in QC analyses have not been flagged.

#### **Definition of Data Qualifying Flags**

Eight qualifiers may have been used on the data analysis sheets and indicates as follows:

B - Compound present in laboratory blank greater than reporting limit (background subtraction not performed).

J - Estimated value.

E - Exceeds instrument calibration range.

S - Saturated peak.

Q - Exceeds quality control limits.

U - Compound analyzed for but not detected above the reporting limit.

UJ- Non-detected compound associated with low bias in the CCV and/or LCS.

N - The identification is based on presumptive evidence.

File extensions may have been used on the data analysis sheets and indicates as follows:

a-File was requantified

b-File was quantified by a second column and detector

r1-File was requantified for the purpose of reissue

**Summary of Detected Compounds  
EPA METHOD TO-15 GC/MS FULL SCAN**

**Client Sample ID: SVE Effluent**

**Lab ID#: 1301441-01A**

Compound	Rpt. Limit (ppbv)	Amount (ppbv)	Rpt. Limit (ug/m3)	Amount (ug/m3)
Ethanol	4.0	26	7.5	50
2-Propanol	4.0	6.3	9.8	16
Hexane	1.0	1.0	3.5	3.7
cis-1,2-Dichloroethene	1.0	5.8	4.0	23
1,1,1-Trichloroethane	1.0	1.2	5.4	6.7
Trichloroethene	1.0	33	5.4	180
Toluene	1.0	6.9	3.8	26
Tetrachloroethene	1.0	250	6.8	1700
Ethyl Benzene	1.0	1.2	4.3	5.4
m,p-Xylene	1.0	5.5	4.3	24
o-Xylene	1.0	1.9	4.3	8.1
4-Ethyltoluene	1.0	2.0	4.9	9.9
1,2,4-Trimethylbenzene	1.0	2.3	4.9	11



Air Toxics

Client Sample ID: SVE Effluent

Lab ID#: 1301441-01A

## EPA METHOD TO-15 GC/MS FULL SCAN

File Name:	3012617	Date of Collection: 1/24/13 12:40:00 PM		
Dil. Factor:	2.00	Date of Analysis: 1/26/13 07:25 PM		
Compound	Rpt. Limit (ppbv)	Amount (ppbv)	Rpt. Limit (ug/m3)	Amount (ug/m3)
Freon 12	1.0	Not Detected	4.9	Not Detected
Freon 114	1.0	Not Detected	7.0	Not Detected
Chloromethane	10	Not Detected	21	Not Detected
Vinyl Chloride	1.0	Not Detected	2.6	Not Detected
1,3-Butadiene	1.0	Not Detected	2.2	Not Detected
Bromomethane	10	Not Detected	39	Not Detected
Chloroethane	4.0	Not Detected	10	Not Detected
Freon 11	1.0	Not Detected	5.6	Not Detected
Ethanol	4.0	26	7.5	50
Freon 113	1.0	Not Detected	7.7	Not Detected
1,1-Dichloroethene	1.0	Not Detected	4.0	Not Detected
Acetone	10	Not Detected	24	Not Detected
2-Propanol	4.0	6.3	9.8	16
Carbon Disulfide	4.0	Not Detected	12	Not Detected
3-Chloropropene	4.0	Not Detected	12	Not Detected
Methylene Chloride	10	Not Detected	35	Not Detected
Methyl tert-butyl ether	1.0	Not Detected	3.6	Not Detected
trans-1,2-Dichloroethene	1.0	Not Detected	4.0	Not Detected
Hexane	1.0	1.0	3.5	3.7
1,1-Dichloroethane	1.0	Not Detected	4.0	Not Detected
2-Butanone (Methyl Ethyl Ketone)	4.0	Not Detected	12	Not Detected
cis-1,2-Dichloroethene	1.0	5.8	4.0	23
Tetrahydrofuran	1.0	Not Detected	2.9	Not Detected
Chloroform	1.0	Not Detected	4.9	Not Detected
1,1,1-Trichloroethane	1.0	1.2	5.4	6.7
Cyclohexane	1.0	Not Detected	3.4	Not Detected
Carbon Tetrachloride	1.0	Not Detected	6.3	Not Detected
2,2,4-Trimethylpentane	1.0	Not Detected	4.7	Not Detected
Benzene	1.0	Not Detected	3.2	Not Detected
1,2-Dichloroethane	1.0	Not Detected	4.0	Not Detected
Heptane	1.0	Not Detected	4.1	Not Detected
Trichloroethene	1.0	33	5.4	180
1,2-Dichloropropane	1.0	Not Detected	4.6	Not Detected
1,4-Dioxane	4.0	Not Detected	14	Not Detected
Bromodichloromethane	1.0	Not Detected	6.7	Not Detected
cis-1,3-Dichloropropene	1.0	Not Detected	4.5	Not Detected
4-Methyl-2-pentanone	1.0	Not Detected	4.1	Not Detected
Toluene	1.0	6.9	3.8	26
trans-1,3-Dichloropropene	1.0	Not Detected	4.5	Not Detected
1,1,2-Trichloroethane	1.0	Not Detected	5.4	Not Detected
Tetrachloroethene	1.0	250	6.8	1700
2-Hexanone	4.0	Not Detected	16	Not Detected



Air Toxics

Client Sample ID: SVE Effluent

Lab ID#: 1301441-01A

**EPA METHOD TO-15 GC/MS FULL SCAN**

<b>File Name:</b>	<b>3012617</b>	<b>Date of Collection: 1/24/13 12:40:00 PM</b>		
<b>Dil. Factor:</b>	<b>2.00</b>	<b>Date of Analysis: 1/26/13 07:25 PM</b>		
<b>Compound</b>	<b>Rpt. Limit (ppbv)</b>	<b>Amount (ppbv)</b>	<b>Rpt. Limit (ug/m3)</b>	<b>Amount (ug/m3)</b>
Dibromochloromethane	1.0	Not Detected	8.5	Not Detected
1,2-Dibromoethane (EDB)	1.0	Not Detected	7.7	Not Detected
Chlorobenzene	1.0	Not Detected	4.6	Not Detected
Ethyl Benzene	1.0	1.2	4.3	5.4
m,p-Xylene	1.0	5.5	4.3	24
o-Xylene	1.0	1.9	4.3	8.1
Styrene	1.0	Not Detected	4.2	Not Detected
Bromoform	1.0	Not Detected	10	Not Detected
Cumene	1.0	Not Detected	4.9	Not Detected
1,1,2,2-Tetrachloroethane	1.0	Not Detected	6.9	Not Detected
Propylbenzene	1.0	Not Detected	4.9	Not Detected
4-Ethyltoluene	1.0	2.0	4.9	9.9
1,3,5-Trimethylbenzene	1.0	Not Detected	4.9	Not Detected
1,2,4-Trimethylbenzene	1.0	2.3	4.9	11
1,3-Dichlorobenzene	1.0	Not Detected	6.0	Not Detected
1,4-Dichlorobenzene	1.0	Not Detected	6.0	Not Detected
alpha-Chlorotoluene	1.0	Not Detected	5.2	Not Detected
1,2-Dichlorobenzene	1.0	Not Detected	6.0	Not Detected
1,2,4-Trichlorobenzene	4.0	Not Detected	30	Not Detected
Hexachlorobutadiene	4.0	Not Detected	43	Not Detected

**Container Type: Client Tedlar Bag**

<b>Surrogates</b>	<b>%Recovery</b>	<b>Method Limits</b>
Toluene-d8	91	70-130
1,2-Dichloroethane-d4	108	70-130
4-Bromofluorobenzene	111	70-130



Air Toxics

## Client Sample ID: Lab Blank

Lab ID#: 1301441-02A

## EPA METHOD TO-15 GC/MS FULL SCAN

File Name:	3012606	Date of Collection: NA		
Dil. Factor:	1.00	Date of Analysis: 1/26/13 12:39 PM		
Compound	Rpt. Limit (ppbv)	Amount (ppbv)	Rpt. Limit (ug/m3)	Amount (ug/m3)
Freon 12	0.50	Not Detected	2.5	Not Detected
Freon 114	0.50	Not Detected	3.5	Not Detected
Chloromethane	5.0	Not Detected	10	Not Detected
Vinyl Chloride	0.50	Not Detected	1.3	Not Detected
1,3-Butadiene	0.50	Not Detected	1.1	Not Detected
Bromomethane	5.0	Not Detected	19	Not Detected
Chloroethane	2.0	Not Detected	5.3	Not Detected
Freon 11	0.50	Not Detected	2.8	Not Detected
Ethanol	2.0	Not Detected	3.8	Not Detected
Freon 113	0.50	Not Detected	3.8	Not Detected
1,1-Dichloroethene	0.50	Not Detected	2.0	Not Detected
Acetone	5.0	Not Detected	12	Not Detected
2-Propanol	2.0	Not Detected	4.9	Not Detected
Carbon Disulfide	2.0	Not Detected	6.2	Not Detected
3-Chloropropene	2.0	Not Detected	6.3	Not Detected
Methylene Chloride	5.0	Not Detected	17	Not Detected
Methyl tert-butyl ether	0.50	Not Detected	1.8	Not Detected
trans-1,2-Dichloroethene	0.50	Not Detected	2.0	Not Detected
Hexane	0.50	Not Detected	1.8	Not Detected
1,1-Dichloroethane	0.50	Not Detected	2.0	Not Detected
2-Butanone (Methyl Ethyl Ketone)	2.0	Not Detected	5.9	Not Detected
cis-1,2-Dichloroethene	0.50	Not Detected	2.0	Not Detected
Tetrahydrofuran	0.50	Not Detected	1.5	Not Detected
Chloroform	0.50	Not Detected	2.4	Not Detected
1,1,1-Trichloroethane	0.50	Not Detected	2.7	Not Detected
Cyclohexane	0.50	Not Detected	1.7	Not Detected
Carbon Tetrachloride	0.50	Not Detected	3.1	Not Detected
2,2,4-Trimethylpentane	0.50	Not Detected	2.3	Not Detected
Benzene	0.50	Not Detected	1.6	Not Detected
1,2-Dichloroethane	0.50	Not Detected	2.0	Not Detected
Heptane	0.50	Not Detected	2.0	Not Detected
Trichloroethene	0.50	Not Detected	2.7	Not Detected
1,2-Dichloropropane	0.50	Not Detected	2.3	Not Detected
1,4-Dioxane	2.0	Not Detected	7.2	Not Detected
Bromodichloromethane	0.50	Not Detected	3.4	Not Detected
cis-1,3-Dichloropropene	0.50	Not Detected	2.3	Not Detected
4-Methyl-2-pentanone	0.50	Not Detected	2.0	Not Detected
Toluene	0.50	Not Detected	1.9	Not Detected
trans-1,3-Dichloropropene	0.50	Not Detected	2.3	Not Detected
1,1,2-Trichloroethane	0.50	Not Detected	2.7	Not Detected
Tetrachloroethene	0.50	Not Detected	3.4	Not Detected
2-Hexanone	2.0	Not Detected	8.2	Not Detected



Air Toxics

## Client Sample ID: Lab Blank

Lab ID#: 1301441-02A

## EPA METHOD TO-15 GC/MS FULL SCAN

File Name:	3012606	Date of Collection:	NA	
Dil. Factor:	1.00	Date of Analysis:	1/26/13 12:39 PM	
Compound	Rpt. Limit (ppbv)	Amount (ppbv)	Rpt. Limit (ug/m3)	Amount (ug/m3)
Dibromochloromethane	0.50	Not Detected	4.2	Not Detected
1,2-Dibromoethane (EDB)	0.50	Not Detected	3.8	Not Detected
Chlorobenzene	0.50	Not Detected	2.3	Not Detected
Ethyl Benzene	0.50	Not Detected	2.2	Not Detected
m,p-Xylene	0.50	Not Detected	2.2	Not Detected
o-Xylene	0.50	Not Detected	2.2	Not Detected
Styrene	0.50	Not Detected	2.1	Not Detected
Bromoform	0.50	Not Detected	5.2	Not Detected
Cumene	0.50	Not Detected	2.4	Not Detected
1,1,2,2-Tetrachloroethane	0.50	Not Detected	3.4	Not Detected
Propylbenzene	0.50	Not Detected	2.4	Not Detected
4-Ethyltoluene	0.50	Not Detected	2.4	Not Detected
1,3,5-Trimethylbenzene	0.50	Not Detected	2.4	Not Detected
1,2,4-Trimethylbenzene	0.50	Not Detected	2.4	Not Detected
1,3-Dichlorobenzene	0.50	Not Detected	3.0	Not Detected
1,4-Dichlorobenzene	0.50	Not Detected	3.0	Not Detected
alpha-Chlorotoluene	0.50	Not Detected	2.6	Not Detected
1,2-Dichlorobenzene	0.50	Not Detected	3.0	Not Detected
1,2,4-Trichlorobenzene	2.0	Not Detected	15	Not Detected
Hexachlorobutadiene	2.0	Not Detected	21	Not Detected

Container Type: NA - Not Applicable

Surrogates	%Recovery	Method Limits
Toluene-d8	87	70-130
1,2-Dichloroethane-d4	100	70-130
4-Bromofluorobenzene	94	70-130



Air Toxics

Client Sample ID: CCV

Lab ID#: 1301441-03A

**EPA METHOD TO-15 GC/MS FULL SCAN**

File Name:	3012602	Date of Collection:	NA
Dil. Factor:	1.00	Date of Analysis:	1/26/13 10:25 AM

Compound	%Recovery
Freon 12	114
Freon 114	109
Chloromethane	114
Vinyl Chloride	112
1,3-Butadiene	115
Bromomethane	122
Chloroethane	109
Freon 11	116
Ethanol	116
Freon 113	110
1,1-Dichloroethene	115
Acetone	117
2-Propanol	124
Carbon Disulfide	113
3-Chloropropene	117
Methylene Chloride	118
Methyl tert-butyl ether	133 Q
trans-1,2-Dichloroethene	122
Hexane	129
1,1-Dichloroethane	116
2-Butanone (Methyl Ethyl Ketone)	111
cis-1,2-Dichloroethene	113
Tetrahydrofuran	125
Chloroform	111
1,1,1-Trichloroethane	111
Cyclohexane	120
Carbon Tetrachloride	109
2,2,4-Trimethylpentane	124
Benzene	100
1,2-Dichloroethane	102
Heptane	114
Trichloroethene	100
1,2-Dichloropropane	102
1,4-Dioxane	98
Bromodichloromethane	98
cis-1,3-Dichloropropene	106
4-Methyl-2-pentanone	117
Toluene	101
trans-1,3-Dichloropropene	119
1,1,2-Trichloroethane	103
Tetrachloroethene	103
2-Hexanone	122



Air Toxics

Client Sample ID: CCV

Lab ID#: 1301441-03A

**EPA METHOD TO-15 GC/MS FULL SCAN**

File Name:	3012602	Date of Collection:	NA
Dil. Factor:	1.00	Date of Analysis:	1/26/13 10:25 AM

Compound	%Recovery
Dibromochloromethane	105
1,2-Dibromoethane (EDB)	105
Chlorobenzene	103
Ethyl Benzene	114
m,p-Xylene	117
o-Xylene	122
Styrene	126
Bromoform	108
Cumene	125
1,1,2,2-Tetrachloroethane	104
Propylbenzene	118
4-Ethyltoluene	121
1,3,5-Trimethylbenzene	129
1,2,4-Trimethylbenzene	130
1,3-Dichlorobenzene	106
1,4-Dichlorobenzene	108
alpha-Chlorotoluene	121
1,2-Dichlorobenzene	106
1,2,4-Trichlorobenzene	99
Hexachlorobutadiene	99

Q = Exceeds Quality Control limits.

Container Type: NA - Not Applicable

Surrogates	%Recovery	Method Limits
Toluene-d8	97	70-130
1,2-Dichloroethane-d4	106	70-130
4-Bromofluorobenzene	103	70-130



Air Toxics

Client Sample ID: LCS

Lab ID#: 1301441-04A

**EPA METHOD TO-15 GC/MS FULL SCAN**

File Name:	3012603	Date of Collection:	NA
Dil. Factor:	1.00	Date of Analysis:	1/26/13 11:02 AM

Compound	%Recovery
Freon 12	120
Freon 114	115
Chloromethane	118
Vinyl Chloride	120
1,3-Butadiene	123
Bromomethane	120
Chloroethane	116
Freon 11	118
Ethanol	116
Freon 113	117
1,1-Dichloroethene	130
Acetone	123
2-Propanol	128
Carbon Disulfide	146 Q
3-Chloropropene	142 Q
Methylene Chloride	119
Methyl tert-butyl ether	137 Q
trans-1,2-Dichloroethene	142 Q
Hexane	134 Q
1,1-Dichloroethane	118
2-Butanone (Methyl Ethyl Ketone)	118
cis-1,2-Dichloroethene	116
Tetrahydrofuran	125
Chloroform	116
1,1,1-Trichloroethane	117
Cyclohexane	125
Carbon Tetrachloride	113
2,2,4-Trimethylpentane	130
Benzene	101
1,2-Dichloroethane	99
Heptane	112
Trichloroethene	98
1,2-Dichloropropane	103
1,4-Dioxane	95
Bromodichloromethane	96
cis-1,3-Dichloropropene	106
4-Methyl-2-pentanone	111
Toluene	100
trans-1,3-Dichloropropene	119
1,1,2-Trichloroethane	103
Tetrachloroethene	102
2-Hexanone	117



Air Toxics

Client Sample ID: LCS

Lab ID#: 1301441-04A

**EPA METHOD TO-15 GC/MS FULL SCAN**

File Name:	3012603	Date of Collection:	NA
Dil. Factor:	1.00	Date of Analysis:	1/26/13 11:02 AM

Compound	%Recovery
Dibromochloromethane	104
1,2-Dibromoethane (EDB)	106
Chlorobenzene	103
Ethyl Benzene	114
m,p-Xylene	119
o-Xylene	124
Styrene	123
Bromoform	106
Cumene	127
1,1,2,2-Tetrachloroethane	106
Propylbenzene	121
4-Ethyltoluene	118
1,3,5-Trimethylbenzene	129
1,2,4-Trimethylbenzene	130
1,3-Dichlorobenzene	109
1,4-Dichlorobenzene	110
alpha-Chlorotoluene	116
1,2-Dichlorobenzene	109
1,2,4-Trichlorobenzene	113
Hexachlorobutadiene	107

Q = Exceeds Quality Control limits.

Container Type: NA - Not Applicable

Surrogates	%Recovery	Method Limits
Toluene-d8	95	70-130
1,2-Dichloroethane-d4	106	70-130
4-Bromofluorobenzene	102	70-130



Air Toxics

Client Sample ID: LCSD

Lab ID#: 1301441-04AA

**EPA METHOD TO-15 GC/MS FULL SCAN**

File Name:	3012604	Date of Collection:	NA
Dil. Factor:	1.00	Date of Analysis:	1/26/13 11:33 AM

Compound	%Recovery
Freon 12	116
Freon 114	111
Chloromethane	114
Vinyl Chloride	117
1,3-Butadiene	119
Bromomethane	118
Chloroethane	111
Freon 11	115
Ethanol	114
Freon 113	114
1,1-Dichloroethene	129
Acetone	121
2-Propanol	125
Carbon Disulfide	141 Q
3-Chloropropene	141 Q
Methylene Chloride	115
Methyl tert-butyl ether	135 Q
trans-1,2-Dichloroethene	138 Q
Hexane	131 Q
1,1-Dichloroethane	116
2-Butanone (Methyl Ethyl Ketone)	111
cis-1,2-Dichloroethene	116
Tetrahydrofuran	121
Chloroform	113
1,1,1-Trichloroethane	113
Cyclohexane	124
Carbon Tetrachloride	109
2,2,4-Trimethylpentane	127
Benzene	97
1,2-Dichloroethane	94
Heptane	110
Trichloroethene	96
1,2-Dichloropropane	98
1,4-Dioxane	90
Bromodichloromethane	93
cis-1,3-Dichloropropene	104
4-Methyl-2-pentanone	108
Toluene	96
trans-1,3-Dichloropropene	117
1,1,2-Trichloroethane	101
Tetrachloroethene	100
2-Hexanone	115



Air Toxics

Client Sample ID: LCSD

Lab ID#: 1301441-04AA

**EPA METHOD TO-15 GC/MS FULL SCAN**

File Name:	3012604	Date of Collection:	NA
Dil. Factor:	1.00	Date of Analysis:	1/26/13 11:33 AM

Compound	%Recovery
Dibromochloromethane	101
1,2-Dibromoethane (EDB)	104
Chlorobenzene	101
Ethyl Benzene	112
m,p-Xylene	116
o-Xylene	121
Styrene	119
Bromoform	104
Cumene	124
1,1,2,2-Tetrachloroethane	104
Propylbenzene	118
4-Ethyltoluene	116
1,3,5-Trimethylbenzene	128
1,2,4-Trimethylbenzene	127
1,3-Dichlorobenzene	107
1,4-Dichlorobenzene	109
alpha-Chlorotoluene	114
1,2-Dichlorobenzene	106
1,2,4-Trichlorobenzene	111
Hexachlorobutadiene	105

Q = Exceeds Quality Control limits.

Container Type: NA - Not Applicable

Surrogates	%Recovery	Method Limits
Toluene-d8	93	70-130
1,2-Dichloroethane-d4	102	70-130
4-Bromofluorobenzene	102	70-130



## **CHAIN-OF-CUSTODY RECORD**

Project Manager James Hayward

**Collected by:** (Print and Sign) Robert Peterson 

Company EA Engineering Email jhayward@eaest.com

Address 6712 Brooklawn Pkwy. City Syracuse State NY Zip 13211

Phone 315-431-4610 Fax 315-431-4280

## **Sample Transportation Notice**

Relinquishing signature on this document indicates that sample is being shipped in compliance with all applicable local, State, Federal, national, and international laws, regulations and ordinances of any kind. Air Toxics Limited assumes no liability with respect to the collection, handling or shipping of these samples. Relinquishing signature also indicates agreement to hold harmless, defend, and indemnify Air Toxics Limited against any claim, demand, or action, of any kind, related to the collection, handling, or shipping of samples. D.O.T. Hotline (800) 467-4922

**180 BLUE RAVINE ROAD, SUITE B  
FOLSOM, CA 95630-4719  
(916) 985-1000 FAX (916) 985-1020**

Page 1 of 1

<b>Project Info:</b>	<b>Turn Around Time:</b>	<i>Lab Use Only</i>
P.O. # <u>1490716</u>	<input checked="" type="checkbox"/> Normal	Pressurized by: _____
Project # <u>1490716.0002</u>	<input type="checkbox"/> Rush	Date: _____
Project Name <u>National Heatset</u>	specify _____	Pressurization Gas: _____
		N <sub>2</sub> He

Relinquished by: (signature)	Date/Time	Received by: (signature)	Date/Time	Notes:
<i>Robert Peterson</i>	01/24/2013 1350	<i>FedEx</i>	01/24/13 1350	
Relinquished by: (signature)	Date/Time	Received by: (signature)	Date/Time	
		<i>Karen DeLoach</i>	ATL 01/25/13 0945	
Relinquished by: (signature)	Date/Time	Received by: (signature)	Date/Time	