



**Periodic Review Report No. 3
January 1, 2016 – December 31, 2016
National Heatset Printing Co. Site (152140)**

**Town of Babylon
Suffolk County, New York**

Prepared for

New York State Department of Environmental Conservation
Division of Environmental Remediation
Remedial Bureau E
625 Broadway
Albany, New York 12233-7017

Prepared by

EA Engineering, P.C. and Its Affiliate
EA Science and Technology
6712 Brooklawn Parkway, Suite 104
Syracuse, New York 13211
(315) 431-4610

December 2017
Version: FINAL
EA Project No. 14907.16

This page left intentionally blank

**Periodic Review Report No. 3
January 1, 2016 – December 31, 2016
National Heatset Printing Co. Site (152140)**

**Town of Babylon
Suffolk County, New York**

Prepared for

New York State Department of Environmental Conservation
Division of Environmental Remediation
Remedial Bureau E
625 Broadway
Albany, New York 12233-7017

Prepared by


EA Engineering, P.C and Its Affiliate
EA Science and Technology
6712 Brooklawn Parkway, Suite 104
Syracuse, New York 13211
(315) 431-4610



Donald Conan, P.E.
Vice President

19 December 2017

DATE



James Hayward, P.E.
Project Manager

19 December 2017

DATE

December 2017
Version: FINAL
EA Project No. 14907.16

This page left intentionally blank

TABLE OF CONTENTS

	<u>Page</u>
LIST OF FIGURES	iv
LIST OF TABLES	v
LIST OF ACRONYMS AND ABBREVIATIONS	vi
ES. EXECUTIVE SUMMARY.....	ES-1
1. SITE OVERVIEW	1
1.1 LOCATION	1
1.2 NATURE AND EXTENT OF CONTAMINATION (PRE-REMEDIAL ACTION)	1
1.3 REMEDIAL ACTION OBJECTIVES	1
1.3.1 Groundwater Remedial Action Objectives	2
1.3.2 Soil Remedial Action Objectives	2
1.3.3 Surface Water Remedial Action Objectives	2
1.3.4 Sediment Remedial Action Objectives	3
1.4 SUMMARY OF REMEDIAL ACTIONS	3
1.5 GEOLOGY AND HYDROGEOLOGY	3
1.5.1 Source Area	4
1.5.2 Non-Source Area	5
1.5.3 Remaining Contamination	5
1.5.4 Final Engineering Report	6
1.6 SITE MANAGEMENT PLAN	6
1.7 CRITERIA FOR COMPLETION OF REMEDIATION/TERMINATION OF REMEDIAL SYSTEM	7
1.7.1 Soil Vapor Extraction System	7
1.7.2 Density Driven Convection Systems	8
2. EVALUATION OF REMEDY PERFORMANCE, EFFECTIVENESS, AND PROTECTIVENESS	10
3. INSTITUTIONAL CONTROLS/ENGINEERING CONTROLS PLAN COMPLIANCE REPORT	12
3.1 INSTITUTIONAL CONTROLS/ENGINEERING CONTROLS REQUIREMENTS AND COMPLIANCE	12
3.1.1 Institutional Controls	12
3.1.2 Engineering Controls	13

3.1.2.1	Soil Vapor Extraction System.....	13
3.1.2.2	Density Driven Convection Systems	15
3.1.3	Institutional Controls/Engineering Controls Compliance.....	16
3.2	INSTITUTIONAL CONTROLS/ENGINEERING CONTROLS CERTIFICATION	17
4.	MONITORING PLAN COMPLIANCE REPORT	18
4.1	GROUNDWATER MONITORING AND SAMPLING	18
4.1.1	Chlorinated Volatile Organic Compounds.....	19
4.2	CONFIRM COMPLIANCE WITH MONITORING PLAN.....	21
4.3	CONFIRM THAT PERFORMANCE STANDARDS ARE BEING MET	21
4.4	CONCLUSIONS AND RECOMMENDATIONS FOR CHANGES	22
5.	OPERATION & MAINTENANCE PLAN COMPLIANCE REPORT.....	24
5.1	SITE INSPECTION.....	24
5.1.1	Soil Vapor Extraction Treatment System	24
5.1.2	Onsite and Offsite Density Driven Convection Treatment Systems	24
5.2	SUMMARY OF OPERATION & MAINTENANCE COMPLETED DURING REPORTING PERIOD.....	25
5.2.1	Onsite System Maintenance.....	28
5.2.1.1	First Quarter Maintenance (January – March 2016).....	28
5.2.1.2	Second Quarter Maintenance (April – June 2016)	28
5.2.1.3	Third Quarter Maintenance (July – September 2016)	29
5.2.1.4	Fourth Quarter Maintenance (October – December 2016)	30
5.2.2	Offsite System Maintenance	30
5.2.2.1	First Quarter Maintenance (January – March 2016).....	30
5.2.2.2	Second Quarter Maintenance (April – June 2016)	30
5.2.2.3	Third Quarter Maintenance (July – September 2016)	31
5.2.2.4	Fourth Quarter Maintenance (October – December 2016)	31
5.3	EVALUATION OF REMEDIAL SYSTEMS.....	31
5.3.1	Soil Vapor Extraction System.....	32
5.3.2	Onsite Density Driven Convection Systems.....	34
5.3.3	Offsite Density Driven Convection System.....	34

5.4	CONFIRM THAT PERFORMANCE STANDARDS ARE BEING MET	35
5.5	CONFIRM COMPLIANCE WITH OPERATION & MAINTENANCE PLAN..	
	35
5.6	CONCLUSIONS AND RECOMMENDATIONS FOR IMPROVEMENT	35
5.6.1	System Influent/Effluent Air Monitoring	35
5.6.2	Site Inspection and Maintenance	36
6.	COST EVALUATION	38
7.	GREEN REMEDIATION	40
7.1	METRICS FOR SITE MANAGEMENT	40
7.2	ENVIRONMENTAL FOOTPRINT	40
8.	OVERALL PERIODIC REVIEW REPORT CONCLUSIONS AND RECOMMENDATIONS	42
8.1	COMPLIANCE WITH SITE MANAGEMENT PLAN	42
8.1.1	Groundwater Monitoring	42
8.1.2	System Influent/Effluent Air Monitoring	42
8.1.3	Site Inspection and Maintenance	42
8.2	PERFORMANCE AND EFFECTIVENESS OF REMEDY	43
8.3	SUMMARY OF RECOMMENDATIONS	43
8.3.1	Soil Vapor Extraction System.....	44
8.3.2	Density Driven Convection Systems	44
8.4	FUTURE PERIODIC REVIEW REPORT SUBMITTALS.....	44
9.	REFERENCES	46
APPENDIX A:	INSTITUTIONAL/ENGINEERING CONTROL CERTIFICATION	
APPENDIX B:	ANNUAL INSPECTION	
APPENDIX C:	GREEN REMEDIATION	

LIST OF FIGURES

<u>Number</u>	<u>Title</u>
1	Site Location Map
2	Site, Surrounding Area and Monitoring Well Network
3A	Onsite Treatment System Location (SVE system)
3B	Onsite Treatment System Locations (DDC #1 and DDC #2)
3C	Offsite Treatment System Location
4	Onsite Groundwater Flow Direction (October 2016)
5	Offsite Groundwater Flow Direction (October 2016)
6A	Onsite Shallow Wells (CVOC Trend Graphs June 2010 – December 2016)
6B	Onsite Deep Wells (CVOC Trend Graphs June 2010 – December 2016)
6C	Offsite Shallow Wells (CVOC Trend Graphs July 2012 – December 2016)
6D	Offsite Deep Wells (CVOC Trend Graphs July 2012 – December 2016)

LIST OF TABLES

<u>Number</u>	<u>Title</u>
1	Well Gauging Data
2A	Summary of Detected Volatile Organic Compounds in Onsite Groundwater Samples (Quarterly Sampling Events, 2016)
2B	Summary of detected volatile organic compounds in offsite groundwater samples (quarterly sampling events, 2016)
3A	Treatment System Runtimes
3B	Summary of Estimated Recovery Rate via Soil Vapor Extraction System
3C	Summary of Estimated Recovery Rate via Onsite DDC System #1
3D	Summary of Estimated Recovery Rate via Onsite DDC System #2
3E	Summary of Estimated Recovery Rate via Offsite DDC System (Blower B501)
3F	Summary of Estimated Recovery Rate via Offsite DDC System (Blower B502)

LIST OF ACRONYMS AND ABBREVIATIONS

µg/L	Microgram(s) per liter
amsl	Above mean sea level
AWQS	Ambient Water Quality Standard
AWT	AWT Environmental Services, Inc.
bgs	Below ground surface
cfm	Cubic feet per minute
CVOC	Chlorinated volatile organic compound
DCE	Dichloroethene
D&D	D&D Electric Motors & Compressors
DDC	Density driven convection
DER	Division of Environmental Remediation
DTI	Directional Technologies, Inc.
EA	EA Engineering, P.C. and Its Affiliate EA Science and Technology
EC	Engineering control
EN	Environmental notice
ft	Feet (foot)
FS	Feasibility Study
GAC	Granular activated carbon
GHG	Greenhouse gases
HPT	Hydraulic profiling tool
Hz	Cycle per second
IC	Institutional control
IDW	Investigation derived waste
in.	Inch(es)
lb	Pound(s)
mi	Miles
MIP	Membrane interface probe
MJ	M.J. Engineering and Land Surveying, P.C.
MW	Monitoring well
NHP	National Heatset Printing Co.
No.	Number

NYSDEC	New York State Department of Environmental of Conservation
NYSDOH	New York State Department of Health
O&M	Operation and maintenance
PCE	Tetrachloroethene
PID	Photoionization detection
PLC	Programmable Logic Controls
ppb	Parts per billion
PRR	Periodic Review Report
PSEG	Public Service Enterprise Group
RA	Remedial action
RAO	Remedial action objectives
RD	Remedial design
RI	Remedial investigation
ROD	Record of decision
RSO	Remedial system optimization
SCDHS	Suffolk County Department of Health Services
SCG	Standards, Criteria, and Guidance
SCWA	Suffolk County Water Authority
SMP	Site Management Plan
SVE	Soil vapor extraction
TAGM	Technical and Administrative Guidance Memorandum
TCE	Trichloroethene
VFD	Variable frequency drive
VC	Vinyl chloride
VOC	Volatile organic compound

This page left intentionally blank

ES. EXECUTIVE SUMMARY

The New York State Department of Environmental Conservation (NYSDEC) tasked EA Engineering, P.C. and Its Affiliate EA Science and Technology (EA) to provide site management services from January 1, 2016 through December 31, 2016 at the National Heatset Printing Co. site (Site Number [No.] 152140) in Babylon, Suffolk County, New York (**Figure 1**). This Work Assignment is being conducted under NYSDEC Standby Engineering Services Contract No. D007624-16.

Operation, maintenance, and monitoring program activities have been conducted at the National Heatset Printing Co. site since April 2013 in accordance with the New York State Inactive Hazardous Waste Disposal Site Remedial Program and as stipulated in the Record of Decision (NYSDEC 1999) and Site Management Plan (EA 2013a) in order to attain identified cleanup goals.

The purpose of this Periodic Review Report is to summarize the results of the January 2016 through December 2016 quarterly groundwater monitoring, system influent/effluent air monitoring, and site inspection events; evaluate the effectiveness of the remedial actions implemented at the site; and to provide sufficient documentation that the remedy remains in place, is performing properly and effectively, and is protective of public health and the environment. Specifically, this report provides the following information:

- Results of groundwater monitoring
- Evaluation of the current groundwater quality conditions
- Results of system influent/effluent air monitoring
- Results of site inspections
- Maintenance activities performed
- Remedial System Optimization (RSO) activities conducted.

This report also documents any problems or changes necessary for the site to be in compliance with the Site Management Plan (SMP) including removal of Institutional Controls/Engineering Controls that are no longer applicable, modifications in monitoring requirements, as applicable, or a Corrective Action Work Plan and schedule, as necessary.

ES.1 EFFECTIVENESS OF REMEDIAL PROGRAM

Groundwater Monitoring

Groundwater sampling was completed at the onsite and offsite monitoring well networks on a quarterly basis during the reporting period. Groundwater concentrations of total chlorinated volatile organic compounds (CVOCs) showed an overall decreasing trend from baseline conditions onsite. Offsite concentrations of CVOCs are more inconsistent. During the 2016 reporting period, total volatile organic compounds (VOCs) concentrations generally decreased in onsite shallow groundwater. However, offsite shallow groundwater exhibited more variation in

total VOC concentration than onsite shallow groundwater. A general decreasing trend in total VOC concentrations was also observed in deep groundwater at the onsite wells; however, no clear trend was observed in deep groundwater at the offsite wells.

While spikes of individual CVOC concentrations were noted in several wells onsite and offsite, it is expected that additional CVOC mass will be removed from the onsite and offsite groundwater system through the operation of the treatment systems. Groundwater CVOC concentration spikes during system downtime and CVOC mass recoveries suggest that a functioning treatment system suppresses the migration of the CVOCs by intercepting the impacted groundwater in the wells. This supports that the system continues to function as it was designed.

System Influent/Effluent Air Monitoring

Influent/effluent system air sampling at the soil vapor extraction (SVE) system, onsite density-driven convection (DDC) system, and offsite DDC system was completed on a quarterly basis. The mass recoveries calculated using system information and laboratory air results confirm that while the systems are up and running, they continue to be effective at removing primary CVOCs and daughter compounds.

Remedial System Optimization (Soil Vapor Extraction System)

In February 2016, soil and soil vapor sampling was performed as part of the overall RSO program. Soil samples were collected from borings advanced through the building foundation at 1 Adams Boulevard. Soil boring and boreholes were field screened for VOCs using a hand-held photoionization detection (PID). New vapor monitoring points were installed in the building based on the results of the PID screening. Vapor samples were collected from the new vapor monitoring points under the building foundation at 1 Adams Boulevard. The samples were sent to a laboratory for CVOC analysis. Results of this sampling effort were incorporated into follow-on modifications to the SVE system.

Over the course of Spring/Summer 2016, the original SVE system design was modified to include additional SVE wells, in a horizontal configuration. The intent of this approach was to enhance the recovery of contaminants from the source area, promote the mitigation of indoor air issues, and ultimately reduce the timeframe associated with addressing potential source area mass (thereby, reducing overall remedial costs). In June 2016, the SVE system was shut down in preparation for the installation of new horizontal wells to expand the SVE system. Five new horizontal wells were installed and connected to the SVE system through a manifold mounted to the south side of the treatment trailer. The system was restarted in August 2016 using all five wells simultaneously and operated in that manner for the remainder of the reporting period.

Remedial System Optimization (Groundwater Plume Delineation)

In May 2016, a Membrane Interface Probe (MIP) study was implemented to advance plume delineation efforts at the site. The MIP program was performed at 25 sample locations over a

period of 2 weeks, via direct-push technology. Field data and observations from MIP study were used to select locations associated with the subsequent Hydraulic Profiling Tool (HPT) program, which was implemented at 10 locations over the course of 4 weeks. Sample depths associated with both programs ranged from approximately 8 to 85 feet (ft) below ground surface (bgs). In addition, groundwater samples from the HPT program were sent to a laboratory for CVOC analysis.

Site Inspection and Maintenance

Site inspection and maintenance was completed on a monthly/quarterly basis during site visits associated with system operation and maintenance. A more detailed annual inspection was performed in December 2016. The fencing, locks, and access gates/doors were in good condition. Both the asphalt/concrete areas and the grassy areas were in good condition. There was no evidence of vandalism observed to the DDC wells, treatment systems, or utilities, and penetrations (including poles, posts, or stakes) were not observed.

The SVE system and surrounding areas were generally observed to be in good condition during the annual inspection. There was no evidence of vandalism to the SVE treatment system and new outdoor manifold. Additionally, a roof drain from the 1 Adams Boulevard building (located near the horizontal well manifold) was observed to be eroding the soil cover for the well lines and entering the system during heavy rain events. Modifications will be made in early 2017 to divert flow away from the SVE treatment trailer. Inside the building, vapor-monitoring points sustained continual wear and tear due to the daily operations of the tenant. At the time of inspection, it was noted that one of the well covers for MW-G was broken. The cap will be replaced in early 2017.

Minor damage was observed at the offsite DDC system enclosure during the October 2016 quarterly event. Upon arrival, it was observed that a tree branch from the Suffolk County Water Authority (SCWA) – Albany Avenue Well Field property, had fallen onto the west fence line of the equipment trailer compound. The branch was removed and placed back on SCWA property. A portion of the west fence line is bent slightly as a result, but still retains its functionality.

The DDC treatment systems were observed to be in good condition during the annual inspection; no additional damage to the system enclosures or wellheads in either location was noted at that time. All gauges and meters read within acceptable levels and all remote communication equipment was functional. The equipment was not noted to be making any abnormal noises. The heating and ventilation for the enclosure had not changed since the last inspection.

ES.2 COMPLIANCE

No areas of noncompliance regarding the major elements of the SMP were identified during performance of site management services from January – December 2016 at the National Heatset Printing Co. site.

ES.3 RECOMMENDATIONS

- Site management tasks should continue during the next period (2017). This includes annual site inspections, maintenance (as needed), quarterly groundwater monitoring and sampling, and quarterly DDC system influent and effluent/SVE system air monitoring.
- New dial-out units (i.e., Sensaphone) should be installed at the SVE and both onsite DDC systems with more modern cellular-based setups to improve the reliability of these features.
- Based upon the results of the MIP/HPT investigation, the Conceptual Site Model should be refined. In addition, new permanent monitoring wells should be installed to augment the existing well network in order to further refine plume delineation efforts at the site.
- Depending on the outcome of additional groundwater plume delineation efforts, enhancement of the remedial approach may be warranted through the use of complementary technologies such as *in situ* bioremediation or chemical oxidation in order to reduce the overall remedial timeframe and achieve remedial action objectives.
- The SMP should be updated to reflect changes to the SVE system and any additional changes to the DDC systems and/or monitoring well networks.

1. SITE OVERVIEW

1.1 LOCATION

The National Heatset Printing Co. (NHP) site is currently a Class 4 site listed on the New York State Department of Environmental Conservation (NYSDEC) Registry of Inactive Hazardous Waste Sites (Number [No.] 152140). The site is located at 1 Adams Boulevard in the Hamlet of Farmingdale, Town of Babylon, Suffolk County, New York, and is identified as Block 1.00 and Lot 20.001 on the Town of Babylon Tax Map No. 132.20-1-3.2. A site location map is presented in **Figure 1**. The site is currently owned by 1 Adams Boulevard Realty Corporation, managed by Finkelstein Realty, and leased by a tenant. The site contains one industrial building and is 4.5 acres in size. The site is located in an industrial area and is bounded by railroad tracks to the north, Adams Boulevard and an industrial property to the south, an industrial property to the east, and an industrial property to the west (**Figure 2**).

NHP occupied a portion of this building from July 1983 to April 1989. Their operations consisted of lithographic tri-color printing of newspaper and periodical advertisements, and the manufacturer of lithographic printing plates. NHP had been using organic solvents at the site since 1983. An inspection by the Suffolk County Department of Health Services (SCDHS) in 1983 revealed that NHP was discharging photo-plating waste to the onsite sanitary system. In March 1986, an inspection performed by the SCDHS revealed strong evidence of dumping from staining of inks and oils on the ground. The inspection report indicated that drums were being stored improperly both inside and outside of the building.

NHP filed for bankruptcy in 1987. The SCDHS discovered that after filing for bankruptcy, NHP disposed of its chemical inventory by dumping the materials onto the soil and into a leaching pool located off the rear of the building in the northeast side of the property.

In February 1988, a water sample collected by SCDHS from the leaching pool off the northeast side of the building contained elevated levels of volatile organic compounds (VOCs) (i.e., 24,000 parts per billion [ppb] of 1,2-dichloroethene [DCE] and 1,000 ppb of p-ethyltoluene). At the request of SCDHS, the leaching pool bottom sediments were excavated to a depth of 15 feet (ft) and end-point samples were collected in November 1988. The end-point soil samples indicated that the remaining leaching pool sediment still contained elevated levels of VOCs (i.e., 13,000 parts per million of tetrachloroethene [PCE]).

1.2 NATURE AND EXTENT OF CONTAMINATION (PRE-REMEDIAL ACTION)

A remedial investigation (RI)/feasibility study (FS) was performed at the site in 1999 to determine the nature and extent of contamination in onsite soil, determine the onsite and offsite groundwater conditions, evaluate potential qualitative risks to human health and the environment of site-related contaminants, and determine the best remedial technology to remediate soil and groundwater contamination onsite and offsite. The results of the RI are described in detail in the RI/FS Report (H2M 1999). Potential remedial alternatives for the site were identified, screened, and evaluated in the FS.

The RI/FS report is summarized below:

- Six surface soil samples were obtained from 0 to 6 inches (in.) bgs at the leaching pool area and were tested for VOCs. None of the surface soils exhibited concentrations exceeding NYSDEC recommended soil cleanup objectives included in the Technical and Administrative Guidance Memorandum (TAGM) 4046: Determination of Soil Cleanup Objectives and Cleanup Levels (NYSDEC 1994).
- Subsurface soil samples were collected from saturated and unsaturated soils to characterize the extent of contamination from the leaching pool. Prior to the RI, contaminated soils in the source area were excavated down to 15 ft bgs and were backfilled with clean sand under the supervision of the SCDHS. Analytical results revealed no soil contaminants in unsaturated soils, which are above 15 ft bgs. PCE was detected in the saturated soils located directly below the leaching pool at concentrations exceeding the NYSDEC recommended soil cleanup objective. The exceedances ranged from 8.2 to 7,700 parts per million.
- Twelve groundwater monitoring wells were sampled including one upgradient, seven onsite, and four downgradient wells. Seventy-four Geoprobe[®] groundwater samples were also obtained, including 8 upgradient, 39 onsite and 27 downgradient.
 - Elevated concentrations of PCE, trichloroethene (TCE), and 1,2-DCE were detected in the Geoprobe[®] groundwater samples obtained below the onsite leaching pool. Concentrations of PCE (496–7,690 ppb), TCE (162–9,620 ppb), and 1,2-DCE (124–12,200 ppb) exceeded the NYSDEC groundwater standard of 5 ppb. Samples from shallow and deep monitoring wells below the leaching pool exhibited concentrations ranging from 210 to 330 ppb. VOC-contaminated groundwater was observed to be migrating offsite in a southeast direction.
- In summary, the RI determined that, based on the Standards, Criteria, and Guidance (SCGs) for the site, subsurface soil and groundwater contained VOCs contamination that was to be addressed in the remedy selection.

Based on the RI and FS (H2M 1999), the NYSDEC issued a Record of Decision (ROD) document dated June 17, 1999 (NYSDEC 1999) which identified the selected remedy for the site, cleanup objectives/goals, and site closure criteria.

1.3 REMEDIAL ACTION OBJECTIVES

The overall remedial goal for the site is to meet all SCGs and be protective of human health and the environment.

The remedial action objectives (RAOs) for this site, as presented in the ROD, are as follows:

- Eliminate, to the extent practicable, the source area contamination by remediating the groundwater directly below the leaching pool.
- Eliminate, to the extent practicable, ingestion of groundwater affected by the site that does not attain New York State Department of Health (NYSDOH) drinking water standards.
- Eliminate, to the extent practicable, further offsite migration of groundwater that does not attain NYSDEC Class GA Ambient Water Quality Criteria (AWQS).

1.3.1 Groundwater Remedial Action Objectives

RAOs for Public Health Protection

- Monitor groundwater containing contaminant levels exceeding drinking water standards, and evaluate any potential public health issues.
- Prevent contact with, or inhalation of, volatiles emanating from contaminated groundwater.

RAOs for Environmental Protection

- Maintain, to the extent possible, ambient groundwater quality standards by eliminating potential groundwater contamination source(s).

1.3.2 Soil Remedial Action Objectives

RAOs for Public Health Protection

- Prevent ingestion/direct contact with contaminated soil.
- Prevent inhalation of or exposure to, contaminants volatilizing from contaminated soil.

RAOs for Environmental Protection

- Prevent migration of contaminants that would result in groundwater contamination.
- Prevent impacts to biota due to ingestion/direct contact with contaminated soil that would cause toxicity or bioaccumulation through the terrestrial food chain.

1.3.3 Surface Water Remedial Action Objectives

Not applicable.

1.3.4 Sediment Remedial Action Objectives

Not applicable.

1.4 SUMMARY OF REMEDIAL ACTIONS

Potential remedial alternatives for the site were identified, screened, and evaluated in the FS. Based on the RI and FS (H2M 1999), NYSDEC issued the ROD document (NYSDEC 1999), which identified the selected remedy for the site. The remedy included groundwater treatment using pump and treat, or an alternate technology (i.e., in-well vapor stripping) for three locations: (1) source area, (2) downgradient edge of the site, and (3) downgradient edge of the offsite plume (**Figures 3A, 3B, and 3C**).

1.5 GEOLOGY AND HYDROGEOLOGY

The geologic formations that underlie Suffolk County are composed of a series of thick deposits of unconsolidated water bearing sediments of late Cretaceous and Pleistocene age. These unconsolidated deposits are underlain by crystalline bedrock of Precambrian age. The site is located approximately 4 miles (mi) north of South Oyster Bay, which is just north of Jones Beach Island and the Atlantic Ocean. The site topography and surrounding area is relatively flat.

There are three primary water bearing aquifers underlying Suffolk County. These aquifers, from shallow to deep, are the Upper Glacial, Magothy, and Lloyd. The aquifers are considered to be hydraulically connected, with the Glacial and Magothy contributing recharge for the underlying Lloyd aquifer. Together, they are a federally designated sole source of drinking water for Long Island.

During the glacial retreat, the area was covered with outwash deposits that constitute most of the Upper Glacial aquifer of Long Island. Because these sand and gravel deposits contain virtually no interstitial clay and silt, the Upper Glacial aquifer is the most permeable. The estimated average horizontal hydraulic conductivity of the outwash is from 1,000 to 1,500 gallons per day/square feet. The direction of groundwater movement through Long Island's aquifers is horizontal and is generally more rapid than the movement in the vertical direction. This arises because of an anisotropic effect; the largest dimensions of particles in the interbedded fine- and coarse-grained layers tend to be oriented horizontally.

Groundwater in the Upper Glacial aquifer flows away from two major highs on the main water table divide on Long Island. The general directions of groundwater flow of the island are north toward the Long Island Sound and south toward the Great South Bay. Groundwater has been encountered onsite at depths ranging from approximately 4 to 19 ft below ground surface (bgs). Based on site-specific data, local groundwater flow at the site moves south to southeast toward the Great South Bay with a gradient of 0.0014 ft/ft and velocity of approximately 1.34 ft/day. Overburden groundwater flow is shown in **Figures 4 and 5**.

1.5.1 Source Area

The remedy in the ROD was refined during the remedial design (RD). An additional investigation performed during the RD concluded that injection of sodium and potassium permanganate would be the most effective source area remedy. Therefore, an RD and construction contract (Contract No. D005272) was prepared for implementation of this technology.

Sampling during the RD (obtained in 2001) revealed the presence of contaminated soil beneath the onsite building's slab. In addition, four indoor air samples (AS-1, AS-2, AS-3, and AS-4) were collected from the onsite commercial building in July 2001 and analyzed for VOCs. The concentration of PCE in sample AS-1, collected near the identified source area, exceeded the corresponding NYSDOH guidance value; no other samples reported a PCE concentration above the NYSDOH guidance value. As this VOC contamination was affecting the indoor air, the NYSDEC installed a soil vapor extraction (SVE) system to remediate the contaminated soil beneath the building slab and address potential vapor intrusion.

The SVE system has been running since September 2002 (**Figure 3A**). In July 2014, the vertical extraction well was converted to a buried horizontal screen in order to accommodate the daily operations of a new building tenant, as well as to improve the capacity for extraction. In February 2016, soil and soil vapor sampling was performed as part of the overall Remedial System Optimization (RSO) program. Soil samples were collected from borings advanced through the building foundation at 1 Adams Boulevard. Soil boring and boreholes were field screened for VOCs using a hand-held photoionization detection (PID). New vapor monitoring points were installed in the building based on the results of the PID screening. Vapor samples were collected from the new vapor monitoring points under the building foundation at 1 Adams Boulevard. The samples were sent to a laboratory for CVOC analysis. Results of this sampling effort were presented in the Sampling and Delineation; 1 Adams Boulevard Memorandum (EA Engineering, P.C. and its affiliate EA Science and Technology [EA 2016a]), which was approved by NYSDEC. The results were also incorporated into follow-on modifications to the SVE system as discussed below.

Over the course of Spring/Summer 2016, the original SVE system design was modified to include additional SVE wells, in a horizontal configuration. The intent of this approach was to enhance the recovery of contaminants from the source area, promote the mitigation of indoor air issues, and ultimately reduce the timeframe associated with addressing potential source area mass (thereby, reducing overall remedial costs). In June 2016, the SVE system was shut down in preparation for the installation of new horizontal wells to expand the SVE system. Five new horizontal wells were installed and connected to the SVE system through a manifold mounted to the south side of the treatment trailer. The system was restarted in August 2016 using all five wells simultaneously and operated in that manner for the remainder of the reporting period. A description of the construction activities (including as-built drawings) associated with the modification of the SVE system will be presented in a Construction Completion Report (to be provided in 2017).

1.5.2 Non-Source Area

For the two non-source area treatment systems, the NYSDEC awarded Contract No. D005539 to Earth Tech to construct in-well vapor stripping systems (**Figures 3B and 3C**). The previous standby engineer, O'Brien and Gere, managed the in-well stripping pilot test performed in 2006, which was accepted by NYSDEC. Based on the pilot test data, the effectiveness of the density driven convection (DDC) system was determined and full scale (onsite and offsite) DDC construction was implemented. This system became known as onsite treatment system #1. In 2010, an additional DDC well was added to the pilot study system and a second onsite system (treatment system # 2) was constructed (**Figure 3B**). Treatment system #2 consists of two DDC wells. In 2012, the offsite DDC system was constructed at the Suffolk County Water Authority (SCWA) – Albany Avenue Well Field (**Figure 3C**). The system consists of six DDC wells and two treatment trailers. Detailed descriptions of the above remedial systems can be found in Section 1.4.1 of the Site Management Plan (SMP) (EA 2013a). The site is being remediated in accordance with the RD, which included two construction contracts described above and the SVE work plan (EarthTech 2006, 2007; Shaw 2003).

The NYSDEC prepared an Environmental Notice (EN) for the site, which was issued in lieu of an Environmental Easement/Deed Restriction as referenced in Division of Environmental Remediation (DER)-33. The document includes a map of the property subject to the EN, and identifies certain limitations, which apply to the cleanup of contamination disposed at the property. The EN was prepared on March 28, 2013, and recorded at the Suffolk County Clerk's Office on April 16, 2013.

1.5.3 Remaining Contamination

After completion of the remedial work described in the onsite and offsite Remedial Action (RA) Work Plans (AECOM 2009, 2011), some contamination was left in the subsurface soil and groundwater at this site, which is hereafter referred to as remaining contamination. The SMP (EA 2013a) was prepared to manage remaining contamination at the site.

Soil/Soil Vapor

As previously mentioned, the SVE system was installed to remediate the remaining contaminated soil beneath the building slab and address potential vapor intrusion. The system has been remediating the soil and vadose zone since 2002, and has been modified in 2014 and again in 2016.

Groundwater

Groundwater contamination is present onsite and offsite. The groundwater plume extends approximately 7,100 ft downgradient of the site. Historically, the highest concentrations of PCE in groundwater have been detected at approximately 80 ft bgs. Concentrations of VOCs greater than 1,000 ppb (maximum 12,021 ppb) in groundwater have been present in the 75–85 ft sampling interval approximately 4,100 ft downgradient (south-southeast) of the site. The intent

of the two onsite DDC systems is to mitigate further migration of contaminants downgradient. The intent of the offsite DDC system is to capture contamination at the end of the plume and mitigate further migration of contaminants to the south-southeast.

In May 2016, a Membrane Interface Probe (MIP) study was implemented to advance plume delineation efforts at the site. The MIP program was performed at 25 sample locations over a period of 2 weeks, via direct-push technology. Field data and observations from MIP study were used to select locations associated with the subsequent Hydraulic Profiling Tool (HPT) program, which was implemented at 10 locations over the course of 4 weeks. Sample depths associated with both programs ranged from approximately 8 to 85 ft bgs. In addition, groundwater samples from the HPT program were sent to a laboratory for CVOC analysis. Preliminary results from the MIP/HPT programs generally align with historical understanding of groundwater plume; the results will be further evaluated and presented in a separate deliverable (to be provided in 2017).

Since contaminated soil, soil vapor, and groundwater remain at the onsite and offsite locations after completion of the RA, engineering controls (ECs) and institutional controls (ICs) are required to protect human health and the environment. The SMP (EA 2013a) provides a detailed description of all procedures required to manage remaining contamination at the site after completion of the RA, including: (1) implementation and long-term management of all ECs and ICs, (2) media monitoring, (3) operation and maintenance (O&M) of all treatment, collection, containment, or recovery systems, (4) performance of periodic inspections, certification of results, and submittal of this Periodic Review Report (PRR), and (5) defining criteria for termination of treatment system operations.

1.5.4 Final Engineering Report

The Final Engineering Report (EA 2013b) was completed in August 2013 and details the remedial activities conducted at the NHP site.

1.6 SITE MANAGEMENT PLAN

The SMP (EA 2013a) was originally completed in June 2013 and detailed the future management of the NHP site. The SMP specifies the methods necessary to ensure compliance with all ECs and ICs required by the EN for contamination that remains at the site. Environmental monitoring points at the NHP site have been maintained and sampled during the monitoring period in accordance with the SMP. This included collection of groundwater and system influent/effluent air samples at various locations across the site, periodic inspection of the systems, and treatment system and monitoring well maintenance. Sampling locations, sampling methodology, list of analytes, analytical methods, inspection methodology, and site maintenance objectives are documented in the SMP.

The objectives of the monitoring and maintenance program are to:

- Collect representative groundwater and system influent/effluent air samples and evaluate the data to confirm that the remedy continues to be effective in protecting public health and the environment.
- Assess compliance with applicable NYSDEC SCGs, particularly ambient groundwater standards and assess achievement of the remedial performance criteria.
- Periodically inspect the site and provide routine maintenance, as necessary.
- Document and report this information to the NYSDEC.

It is anticipated that the SMP will be updated in 2017 to reflect any changes to the treatment systems and associated monitoring well networks.

1.7 CRITERIA FOR COMPLETION OF REMEDIATION/TERMINATION OF REMEDIAL SYSTEM

Generally, remedial processes are considered completed when effectiveness monitoring indicates that the remedy has achieved the remediation goals identified by the ROD (NYSDEC 1999). The framework for determining when remedial processes are complete is provided in Section 6.4 of NYSDEC DER-10.

1.7.1 Soil Vapor Extraction System

The SVE system will continue to be monitored on a monthly basis to determine whether the system remains necessary at the site, or if the RA objectives were achieved. The decision to terminate operation of the SVE system will be based upon the evaluation of whether soil remediation is complete by assessing system performance/monitoring data, soil sampling results, and soil gas results. The following is a list of factors that may influence the commencement of shut down:

- System Off-gas Analysis
 - Total influent or individual VOCs extracted from area of influence are not evident.
 - Total influent or individual VOCs extracted from area of influence reach predetermined level.
 - Total influent or individual VOCs extracted from area of influence reach asymptotic conditions and design deemed adequate.

- No rebound is observed in influent concentrations upon system restart, following reasonable system shut down period.
- Operation costs greatly exceed value of continued vapor removal (operator's decision).
- Soil Gas Analysis
 - Soil gas constituents collected from remediation area reach asymptotic conditions, and extraction and monitoring system designs deemed adequate.
 - Soil gas constituents collected from the remediation area indicate levels of non-detection with reasonable detection limits and concentrations.
 - Soil gas constituents collected from the remediation area indicate low levels of residual mass that is no longer threat to groundwater.
 - Soil gas concentrations do not significantly rebound following reasonable system shut down period.
- Soil Sample Analysis
 - Soil constituents collected from the area being remediated indicated levels below regulatory requirements or levels of non-detection (confirmatory analyses).

The SVE system will not be discontinued unless prior written approval is granted by the NYSDEC. In the event that monitoring data indicate that the SVE system is no longer required, a proposal to discontinue the system will be submitted by the property owner.

1.7.2 Density Driven Convection Systems

The DDC systems will continue to be monitored on a monthly basis to determine whether the systems remain necessary at the site, or if the RA objectives were achieved. The DDC systems will not be discontinued unless prior written approval is granted by the NYSDEC. In the event that monitoring data indicate that the DDC systems are no longer required, a proposal to discontinue the systems will be submitted by the property owner. Conditions that warrant discontinuing the DDC systems include contaminant concentrations in groundwater that: (1) reach levels that are consistently below NYSDEC AWQS, (2) have become asymptotic to a low level over an extended period of time as accepted by the NYSDEC, or (3) the NYSDEC has determined that the DDC systems have reached the limit of their effectiveness. In addition, the remedial status of the groundwater contaminant plume between the onsite and offsite DDC systems must be determined before the DDC systems can be discontinued. This assessment will be based in part on post-remediation contaminant levels in groundwater collected from monitoring wells located throughout the site (both onsite and offsite). Systems will remain in

place and operational until permission to discontinue their use is granted in writing by the NYSDEC.

2. EVALUATION OF REMEDY PERFORMANCE, EFFECTIVENESS, AND PROTECTIVENESS

This section provides a brief summary evaluating remedy performance, effectiveness, and protectiveness at the NHP site, based upon assessment of historical groundwater data and mass removal rates. Groundwater data is presented in **Tables 1, 2A and 2B**; and mass removal data is provided in **Tables 3A through 3F**. Additional discussions of groundwater data and mass removal rates are provided in Sections 4 and 5 of this PRR.

Groundwater Data

- Historical groundwater data from 2010 to 2016 showed a general decreasing trend in total VOCs in shallow onsite and offsite groundwater. Trend graphs prepared for VOC concentrations in site groundwater are presented in **Figures 6A, 6B, 6C, and 6D**.
- During the 2016 reporting period, total VOC concentrations generally decreased in onsite shallow groundwater. However, offsite shallow groundwater exhibited more seasonal variation in total VOC concentration than onsite shallow groundwater.
- A general decreasing trend in total VOC concentrations was also observed in both shallow and deep groundwater at the onsite wells.
- No clear trend was observed across the entire set of offsite wells; however, concentrations in upgradient-nested wells (MW-1S/MW-1D) have shown a decreasing trend since offsite system installation in 2012. Specifically, MW-1D has shown an order of magnitude decrease in total CVOCs since 2012, and MW-1S had no detections in 2016.

Mass Removal

SVE system air monitoring/sampling has been continuously performed at the site since August 2008. DDC influent/effluent air monitoring has been continuously performed on a quarterly basis at the site since June 2010 (onsite DDC systems) and July 2012 (offsite DDC system). Summaries of the VOC mass recovery rates for the SVE and DDC systems can be found in **Tables 3A through 3C**. During the January 2016 – December 2016 reporting period, the following mass removal amounts were observed:

- Approximately 19.04 pounds (lb) of PCE, 1.15 lb of TCE, and 1.58 lb of DCE have been removed from the source area via the SVE system.
- Approximately 18.89 lb of PCE, 0.03 lb of TCE and 0.00 lb of DCE have been removed from onsite groundwater by onsite DDC system #1.

- Approximately 3.57 lb of PCE, 0.08 lb of TCE and 0.46 lb of DCE have been removed from onsite groundwater by onsite DDC system #2.
- Approximately 6.91 lb of PCE, 3.2 lb of TCE, and 4.43 lb of DCE have been removed from offsite groundwater by the offsite DDC system.

Based upon the results for groundwater monitoring and mass removal, it appears that remedial system operation is reducing total VOC concentrations in source area soil, as well as both onsite and offsite groundwater.

- Based on the first 5 months of monitoring and laboratory data obtained from the SVE system (August 2016 – December 2016), it appears the system modifications performed in Spring/Summer 2016 have been particularly effective for increasing mass recovery from the source area soil.
- Mass recovery observed at onsite DDC system #1 is similar to the previous reporting period.
- Mass recovery continues to be observed at onsite DDC system #2; however, the overall mass removed in 2016 has decreased approximately 50 percent when compared to 2015.
- Mass recovery continues to be observed at the offsite; however, the overall mass removed in 2016 has decreased more than 50 percent when compared to 2015. It should be noted that a significant decrease in groundwater concentrations upgradient of the offsite system (MW-1S/MW-1D) has been observed during the same period.

3. INSTITUTIONAL CONTROLS/ENGINEERING CONTROLS PLAN COMPLIANCE REPORT

The SMP (EA 2013a) was submitted and approved as final by the NYSDEC in June 2013.

3.1 INSTITUTIONAL CONTROLS/ENGINEERING CONTROLS REQUIREMENTS AND COMPLIANCE

Since remaining contaminated soil, soil vapor, and groundwater exists at the site, ICs and ECs are required to protect human health and the environment.

3.1.1 Institutional Controls

A series of ICs are required by the ROD (NYSDEC 1999) to: (1) implement, maintain, and monitor EC systems, (2) prevent future exposure to remaining contamination by controlling disturbances of the subsurface contamination, and (3) limit the use and development of the site to industrial uses only. ICs consist of:

- Compliance with the SMP
- Compliance with the EN—ICs identified in the EN may not be discontinued without an amendment to or extinguishment of the EN. The site has a series ICs in the form of site restrictions which include:
 - The property may only be used for industrial use provided that the long-term ECs and ICs are employed.
 - The property may not to be used for a higher level of use, such as unrestricted, restricted residential or commercial uses without additional remediation and amendment of the EN, as approved by NYSDEC.
 - There shall be no disturbance or excavation of the property which threatens the integrity of the ECs or which results or may result in a significantly increased threat of harm or damage at any site as a result of exposure to soils.
 - The use of the groundwater underlying the property is prohibited without treatment rendering it safe for intended use unless the user first obtains permission to do so from NYSDEC.
 - The potential for vapor intrusion must be evaluated for any buildings developed within the site boundaries, and any potential impacts that are identified must be monitored or mitigated.

- Vegetable gardens and farming on the property are prohibited.
- Site owner or remedial party will submit to NYSDEC a written statement that controls employed at the Controlled Property are unchanged or any changes have approval of NYSDEC.
- Development of an Excavation Work Plan (included as an appendix to the SMP), which identifies the procedures and protocols required to be implemented should any remaining contamination be breached, penetrated or temporarily removed.
- Compliance with O&M Plan (as defined in the SMP).
- Compliance with Monitoring Plan (as defined in the SMP).
- Compliance with IC/EC Plan (as defined in the SMP).

3.1.2 Engineering Controls

ECs, which consist of an SVE system (source area) and several DDC systems (onsite DDC systems #1 and #2, and offsite DDC system), are fully in place. A description of each EC, their objective(s), and an explanation of how the performance of each EC is evaluated is provided below.

3.1.2.1 Soil Vapor Extraction System

Objectives

The remedial objectives for the SVE system include soil remediation and soil vapor intrusion mitigation. The SVE system was designed to operate continuously. Potential exposure to indoor air impacted with VOCs within the site building is mitigated by the SVE system. In order to achieve the remedial objectives, long-term monitoring programs are in place to monitor the effectiveness of the SVE system.

Description

The equipment associated with SVE is housed in an enclosure (20 ft long × 8 ft wide × 8 ft high) located adjacent to the north wall of the site building. Modifications to the system were made in Spring/Summer 2016. As of August 2016, five horizontal well legs were installed and in use, and are oriented west to east beneath the 1 Adams Boulevard building. The five wells are connected to the SVE system via underground piping to the manifold housed on the exterior of the system enclosure. Inside the enclosure, the 2-in. diameter SVE piping contains a ball valve to control the airflow and vacuum, as well as sampling ports for drawing air samples and conducting flow measurements. The 2-in. piping is connected to the existing vacuum blower designed to extract a maximum of 400 cubic feet per minute (cfm) of airflow from the subsurface. Vapors from the source area are extracted by applying vacuum via the blower

system. A 10-horse power regenerative blower develops a maximum vacuum of approximately 98 in. of water. Vapors extracted from below the building foundation are treated through two treatment vessels containing granular activated carbon (GAC) before being discharged to the atmosphere. In addition, the SVE system has a dial-out telemetry system to provide notification of system alarms.

Evaluation Methods

Performance monitoring data showing mass removal rates versus time will be used to evaluate trends for the source area. The SVE system is currently monitored on a monthly basis to evaluate system performance, to assure that all components are in working order, and to maintain compliance with the requirements of a NYSDEC Air Discharge Permit.

Monitoring the performance of the SVE system (i.e., off-gas samples, air concentration readings) in reducing contaminant concentrations in soils is necessary to determine the effectiveness of the SVE system. The mass removed during long-term monitoring can be calculated using vapor concentration and flow rate measurements taken at the manifold. The instantaneous and cumulative mass removal is then plotted versus time. The contaminant mass removed during an operating period can be calculated using the equation provided below.

$$M = C \times Q \times t$$

where: M = cumulative mass removed
 C = vapor concentration
 Q = extraction flow rate
 t = operational period

Remedial progress of SVE systems typically exhibits asymptotic behavior with respect to both vapor concentration reduction and cumulative mass removal. At this point, the composition of the vapor should be determined and compared with soil vapor samples. This comparison will enable confirmation that there has been a shift in composition toward less volatile components. Soil vapor samples may indicate the composition and extent of the residual contamination. When asymptotic behavior begins to occur, the operator should closely evaluate alternatives that increase mass removal rate such as pulsing. Pulsing involves the periodic shut down and start-up operation of extraction wells to allow the subsurface environment to equilibrate (shut down) and then begin extracting vapors again (start-up). Other more aggressive steps to curb asymptotic behavior can include installation of additional extraction wells.

If asymptotic behavior is persistent for periods greater than 6 months, and the concentration rebound is sufficiently small following periods of pulsing, termination of operations may be appropriate if residual levels are at or below regulatory limits.

Effectiveness

Based upon the results for mass removal, it appears that SVE system operation is reducing total VOC concentrations in source area soil. Additional discussion of SVE system monitoring and effectiveness is presented in Section 5.

Conclusions and Recommendations for Changes

It is recommended that a new dial-out unit (i.e., Sensaphone) be installed at the SVE system with more modern cellular-based setup to improve the reliability of these features.

Once 6 months of baseline data has been obtained while operating all five legs simultaneously, it may be desirable to focus mass recovery efforts on individual legs or pairings of individual legs. By focusing on one or two legs, it may be possible to improve mass recovery from those areas farthest away from the SVE system trailer (i.e., VP-20 along east side of 1 Adams Boulevard building) where higher soil gas concentrations have been observed.

3.1.2.2 Density Driven Convection Systems

Objectives

The remedial objectives for the DDC systems include achieving groundwater standards and preventing further offsite migration of contaminated groundwater. The DDC systems were designed to operate continuously. In order to achieve the remedial objectives, long-term monitoring programs are in place to monitor the effectiveness of the systems.

Description

The DDC systems consist of blowers that both extract and inject pressurized air into the wells, heat exchangers that reduce the blower discharge temperature, and carbon adsorbers for VOC treatment before re-injection back into the wells. The systems are controlled by variable frequency drives (VFDs) for the blower speed and programmable logic controls (PLCs) for automation of the systems. The onsite DDC systems have dial-out telemetry systems to provide notification of system alarms; the offsite DDC system has a bi-directional telemetry system that enables remote control of the treatment system, as well as the ability to obtain performance data. All supplied equipment is housed in ventilated and insulated shipping containers.

Evaluation Methods

Performance monitoring data showing mass removal rates (as well as changes in groundwater concentrations) versus time will be used to evaluate trends for the source area and downgradient area. The DDC systems are currently monitored on a monthly/quarterly basis to evaluate system performance and to assure that all components are in working order.

Monitoring the performance of the DDC systems (i.e., off-gas samples, air concentration readings, and groundwater sampling data) in reducing contaminant concentrations in groundwater is necessary to determine the effectiveness of the DDC systems. Similar to the SVE system, the mass removed during long-term monitoring can be calculated using vapor concentration and flow rate measurements taken at each DDC system.

Effectiveness

Based upon the results for groundwater monitoring and mass removal, it appears that DDC system operation is reducing total VOC concentrations in both onsite and offsite groundwater. Additional discussion of DDC system monitoring and effectiveness is presented in Section 5.

Conclusions and Recommendations for Changes

The following changes are recommended for the DDC systems:

- New dial-out (i.e., Sensaphone) units should be installed at both of the onsite DDC systems with more modern cellular-based setups to improve the reliability of these features.
- A modification was made to the operation of the offsite DDC system in January 2015 to reduce the power consumption of the system and reduce the change-out frequency of the GAC and blowers. The offsite DDC system configuration has been modified to allow one blower to operate all six DDC wells. Monthly monitoring and quarterly sampling has confirmed the effectiveness of this reconfiguration and operation. EA recommends continuing to rotate blower operation every 3 months to equalize wear and tear to the blower and usage of carbon.

3.1.3 Institutional Controls/Engineering Controls Compliance

Determination of compliance with the ICs/ECs at the NHP site is made on the following criteria:

- The ICs/ECs applied at the site are in place and unchanged since completion of the remedial activities and issuance of the SMP.
- No changes or occurrences of activity have impaired or influenced the ability of such controls to protect human health and the environment, or constitute a violation or failure to comply with any element of the SMP for such controls.
- Access to the NHP site will continue to be provided for evaluation of the remedy, including access to the site-monitoring network and other controls (e.g., SVE/DDC systems) for continued monitoring and/or maintenance.

3.2 INSTITUTIONAL CONTROLS/ENGINEERING CONTROLS CERTIFICATION

The IC/EC certification form has been included as **Appendix A** of this PRR. The IC/EC – Property Owner Survey, which was completed by the property owner on May 5, 2016, has also been included in **Appendix A** of this PRR.

4. MONITORING PLAN COMPLIANCE REPORT

This PRR assesses whether the NHP site is being remediated and managed as set forth in the SMP (EA 2013a) and ROD (NYSDEC 1999). The Monitoring Plan includes a description of the methods and rationale to be used for assessing the remedy effectiveness, and addresses the following elements:

- Sampling and analysis of all appropriate media (e.g., groundwater, SVE and DDC system influent/effluent air)
- Assessing compliance with applicable NYSDEC SCGs, particularly ambient groundwater standards
- Assessing achievement of the remedial performance criteria
- Evaluating site information periodically to confirm that the remedy continues to be effective in protecting public health and the environment.

Sampling and analysis of SVE and DDC system influent/effluent air is presented and discussed in Section 5 of this PRR.

4.1 GROUNDWATER MONITORING AND SAMPLING

Groundwater monitoring and sampling has been continuously performed in the vicinity of the onsite system since June 2010, as well as in the vicinity of the offsite system since July 2012. During the reporting period (January 2016 – December 2016), four groundwater monitoring, and sampling events were completed. Prior to groundwater sampling activities, monitoring wells were gauged to measure groundwater depth, determine potentiometric surface elevations, and evaluate groundwater flow paths.

The following table identifies the monitoring well network that is included in the monitoring plan for the site. All monitoring wells identified in this table were sampled during each quarterly sampling event for this reporting period. Quarterly sampling events took place in January, April, July, and October 2016.

Monitoring Plan – Monitoring Wells

Onsite System	Well Status/Notes	Offsite System	Well Status/Notes
DDC-2-PD	Good	DDC-5-PD	Good
DDC-2-PS	Good	DDC-5-PS	Good
DDC-4-PD	Good	DDC-6-PD	Good
DDC-4-PS	Good	DDC-6-PS	Good
MW-14D	Good – Repairs made in 2/2016	DDC-7-PD	Good
MW-14S	Good	DDC-7-PS	Good
MW-15D	No bolts for well cap	DDC-8-PD	Good
MW-15S	Good	DDC-8-PS	Good
MW-1D	No bolts for well cap	DDC-9-PD	Good
MW-1S	Good	DDC-9-PS	Good
MW-2A	Good – Repairs made in 2/2016	DDC-10-PD	Good
MW-2AD	Good – Repairs made in 2/2016	DDC-10-PS	Good
MW-3D	Good	MW-1D	Good
MW-3S	Good	MW-1S	Good
MW-5D	Good	MW-2D	Good
MW-5S	Good	MW-2S	Good
MW-6S	Good	MW-3D	Good
		MW-3S	Good

Local groundwater flow direction based on groundwater elevation data collected both historically and during the reporting period is generally in a south-southeast direction towards the Great South Bay. Interpreted groundwater contour maps illustrating the direction of groundwater flow for the most recent onsite and offsite groundwater gauging events are shown in **Figures 4 and 5**, respectively. A summary of groundwater gauging data is provided in **Table 1**.

Groundwater depth at the site could potentially be influenced by temporal changes and seasonal precipitation events. Onsite shallow groundwater depths during the reporting period ranged from 43.84 ft above mean sea level (amsl) (MW-6S) in April 2016 to 37.51 ft amsl (MW-15S) in October 2016. Offsite shallow groundwater depths during the reporting period ranged from 28.03 ft amsl (MW-1S) in April 2016 to 23.87 ft amsl (MWS-3S) in October 2016. A copy of the daily field reports and photograph logs completed during monitoring and sampling activities are provided in quarterly reports submitted to the NYSDEC. Additionally, monitoring well gauging, purging, and sampling forms are provided in the quarterly reports.

4.1.1 Chlorinated Volatile Organic Compounds

During the reporting period, concentrations of at least one CVOC (PCE, TCE, DCE, and vinyl chloride [VC]) were consistently reported in at least 16 of the 17 onsite monitoring well locations and in at least 16 of the 18 offsite monitoring wells. A summary of VOCs detected in groundwater samples collected from site monitoring wells is provided in **Tables 2A and 2B**. Trend graphs summarizing CVOC concentrations at each monitoring location and including historical data are presented on **Figures 6A through 6D**. Full laboratory reports from quarterly groundwater sampling are provided in the quarterly reports submitted to the NYSDEC.

Onsite Monitoring Wells

CVOCs were detected in all onsite wells during at least one sampling event throughout the reporting period. Concentrations of one or more CVOC in all wells except MW-1S, DDC-4-PS, and DDC-4-PD were above NYSDEC AWQS from January – December 2016.

Trend graphs for onsite shallow and deep wells (**Figures 6A and 6B**) show a general reduction of concentrations in most wells over time, with total CVOC concentrations during the reporting period on average lower than the baseline (June 2010) concentrations at each well except MW-3S, MW-6S, and MW-14S. The concentration spikes that were observed in several of the onsite wells during the previous reporting periods (2013–2015) came during or immediately following an extended period of system downtime. However, the correlation between system downtime and increased CVOC concentrations cannot be clearly seen during this reporting period. VC was detected in eight onsite wells in January 2016 and in DDC-2-PS and MW-5S during the other reporting periods.

Offsite Monitoring Wells

CVOCs were detected in all offsite wells during at least one sampling event throughout the reporting period. Concentrations of one or more CVOC in all wells except MW-1S, MW-2D, and MW-3S were above NYSDEC AWQS from January – December 2016. The majority of offsite wells has exceedances in July and October 2016.

Trend graphs for offsite shallow wells (**Figure 6C**) show a relatively consistent concentration of CVOCs for the January – December 2016 reporting period. However, there is an overall reduction of concentrations in nearly half of the wells since system start-up, with total CVOC concentrations during the reporting period on average lower than the baseline (July 2012) concentrations at each well. Wells MW-3D, DDC-10-PD, DDC-9-PS, DDC-9-PD, DDC-7-PS, DDC-7-PD, and MW-2S did not exhibit total CVOCs lower than baseline conditions. CVOC detections at DDC-10-PD and DDC-9-PS have fluctuated between lower and higher concentrations since 2012. Additionally, CVOC concentrations in MW-3D, DDC-9-PD, DDC-7-PS, DDC-7-PD, and MW-2S have increased in 2016. No VC has been detected in the offsite wells. Even though no clear trend was observed in the offsite deep well network as a whole (**Figure 6D**), it should be noted that a significant decrease in groundwater concentrations upgradient of the offsite system (MW-1S/MW-1D) has been observed during the same period.

4.2 CONFIRM COMPLIANCE WITH MONITORING PLAN

The following table identifies the SMP (EA 2013a) requirements on an annual basis and demonstrates that compliance with the monitoring plan has been, or is scheduled to be achieved, prior to the end of the 2016 calendar year.

Monitoring Program Activity	Required Frequency*		Compliance Dates
	Quarterly	Monthly	
Groundwater monitoring/sampling	x		January – December 2016
*The frequency of events will be conducted as specified until otherwise approved by NYSDEC.			

4.3 CONFIRM THAT PERFORMANCE STANDARDS ARE BEING MET

Tables 2A and 2B provide a summary of groundwater results for the reporting period. Overall, onsite groundwater concentrations of primary CVOCs (PCE/TCE) have remained at or below baseline concentrations. Since the last reporting period; however, there has been an increase in total CVOC concentrations at the following wells:

- DDC-2-PS (high of 997 micrograms per liter [$\mu\text{g/L}$] in July 2016)
- MW-14S (high of 35.2 $\mu\text{g/L}$ in October 2016)
- MW-5S (high of 314.7 $\mu\text{g/L}$ in February 2016)
- MW-15D (high of 35.2 $\mu\text{g/L}$ in October 2016)
- MW-5D (high of 25.8 $\mu\text{g/L}$ in October 2016).

Similarly, daughter compounds (VC) remained at or below concentrations previously seen during the reporting period. Total groundwater CVOC concentrations in onsite wells continues to remain less than or similar to baseline conditions in the former source area.

Offsite groundwater concentrations of individual CVOCs in shallow wells have remained at or below concentrations previously seen in the wells during the reporting period and display a decreasing trend, except in DDC-7-PS where concentrations of PCE, TCE, and DCE hit historic highs in January 2016 of 46 $\mu\text{g/L}$, 36 $\mu\text{g/L}$, and 87 $\mu\text{g/L}$, respectively. DCE was also detected in more wells and at higher concentrations in wells MW-2S and DDC-9-PS where the concentration of DCE hit historic highs of 5.3 $\mu\text{g/L}$ and 13 $\mu\text{g/L}$, respectively. However, CVOC concentrations in MW-1S and MW-1D, immediately upgradient of DDC-7-PS, MW-2S, and DDC-9-PS, continued to decrease, suggesting that the high baseline CVOC concentrations seen in MW-1S/1D in 2012 have migrated downgradient toward the offsite DDC treatment wells. Offsite shallow and deep wells continue to have a total CVOC mass below or similar to the baseline CVOC concentrations in the former source area (1 Adams Boulevard).

4.4 CONCLUSIONS AND RECOMMENDATIONS FOR CHANGES

While spikes in individual CVOC concentrations were noted in several wells onsite and offsite, groundwater results generated during this reporting period generally show an overall decreasing trend for total CVOCs. The number of onsite wells with AWQS exceedances decreased from January to October 2016 and remained consistent through the end of the period.

In May 2016, the MIP/HPT study was implemented to advance plume delineation efforts at the site. The MIP program was performed at 25 sample locations over a period of 2 weeks, via direct-push technology. The subsequent HPT program was implemented at 10 locations over the course of 4 weeks. Sample depths associated with both programs ranged from approximately 8 to 85 ft bgs. Groundwater samples from the HPT program were sent to a laboratory for CVOC analysis. Preliminary results from the MIP/HPT programs generally align with historical understanding of groundwater plume. The results will be used to refine the extents of the CVOC plume and conceptual site model, and be presented in a future deliverable. In the follow-up report, the existing monitoring well network will be evaluated to determine the need and location of new permanent monitoring wells, and if any modifications need to be made to the existing wells sampling program. The SMP will also be updated accordingly.

This page left intentionally blank

5. OPERATION & MAINTENANCE PLAN COMPLIANCE REPORT

The O&M Plan describes the measures necessary to operate, monitor, and maintain the mechanical components of the remedy in place at the site, and includes the following elements:

- The steps necessary to allow individuals unfamiliar with the site to operate and maintain the SVE and DDC systems
- An O&M Contingency Plan.

The O&M Plan will be updated periodically to reflect changes in site conditions or the manner in which the systems are operated and maintained.

5.1 SITE INSPECTION

The condition of the overall site and individual systems was noted during all monthly O&M visits, as well as during quarterly groundwater/air monitoring and sampling events. A more detailed annual site-wide inspection was completed on December 22, 2016. The fencing, locks, and access gates/doors were in good condition. Both the asphalt/concrete areas and the grassy areas were in good condition. There was no evidence of vandalism observed to the DDC wells, treatment systems, or utilities, and penetrations (including poles, posts, or stakes) were not observed.

5.1.1 Soil Vapor Extraction Treatment System

The SVE system and surrounding areas were generally observed to be in good condition during the annual inspection (**Appendix B**). There was no evidence of vandalism to the SVE treatment system and new outdoor manifold. Additionally, a roof drain from the 1 Adams Boulevard building (located near the horizontal well manifold) was observed to be eroding the soil cover for the well lines and entering the system during heavy rain events. Modifications will be made in early 2017 to divert flow away from the SVE treatment trailer. Inside the building, vapor-monitoring points sustain continual wear and tear due to the daily operations of the tenant. At the time of inspection, it was noted that one of the well covers for MW-G was broken. The cap will be replaced in early 2017.

5.1.2 Onsite and Offsite Density Driven Convection Treatment Systems

Minor damage was observed at the offsite DDC system enclosure during the October 2016 quarterly event. Upon arrival, it was observed that a tree branch from the SCWA – Albany Avenue Well Field property had fallen onto the west fence line of the equipment trailer compound. The branch was removed and placed back on SCWA property. A portion of the west fence line is bent slightly as a result, but still retains its functionality.

The DDC treatment systems were observed to be in good condition during the annual inspection; no additional damage to the system enclosures or wellheads in either location was noted at that

time. All gauges and meters read within acceptable levels and all remote communication equipment was functional. The equipment was not noted to be making any abnormal noises. The heating and ventilation for the enclosure had not changed since the last inspection.

5.2 SUMMARY OF OPERATION & MAINTENANCE COMPLETED DURING REPORTING PERIOD

Over the reporting period, average runtimes for the NHP systems were 71.9 percent for the SVE system, 88.9 percent for onsite DDC system #1, 85.3 percent for the onsite DDC system #2, and 49.13 percent for blower B-501 and 51.49 percent for blower B-502 at the offsite DDC treatment system. Offsite system blowers have run percentages around 50 percent due to the practice of switching the blowers used to run the system about every 6 months. The following table summarizes site visits and the maintenance that was performed.

National Heatset Site Visits and Maintenance		
Date	System	Purpose
1/18/16 – 1/21/16	Onsite and offsite	Quarterly visit and sampling. Replaced DDC-6 sump pump. Restarted offsite system.
2/8/16	Onsite and offsite	Monthly visit. Onsite DDC system #2 was off upon arrival due to a “power loss” alarm (but no dial-out alarm was received). Restarted DDC system #2. Onsite DDC system #1 was off upon arrival due to a “low drive/voltage flux” alarm (but no dial-out alarm was received). Restarted DDC system #1. SVE system shut down after O&M completed in preparation for drilling and sampling activities in 1 Adams Boulevard.
2/25/16	SVE	SVE system was restarted following completion of drilling and sampling activities in 1 Adams Boulevard.
3/2/16	Onsite	Unscheduled visit to check systems following a “power failure” alarm.
3/8/16	Onsite and offsite	Monthly visit. SVE running at high temperature on arrival. Opened dilution valve fully to let blower cool down, then closed to 50 percent dilution. Sump pump for DDC-9 (offsite system) was down due to debris. The offsite DDC system was shut down briefly to repair the sump pump; then the system was restarted.
4/11/16 – 4/14/16	Onsite and offsite	Quarterly visit and sampling. Replaced DDC-7 sump pump that was damaged and inoperable due to debris. Switched system to run-off blower B-501 previously ran off blower B-502.
5/15/16 – 5/17/16	Onsite and offsite	Monthly visit. Onsite system #2 was off upon arrival due to a “high after cooler temperature” and “high carbon temperature” alarm were triggered. No alarm call out was received; could not restart system. D&D determined two temperature sensors needed to be replaced. Hose in the offsite system carbon trailer was kinked/cracked which was affecting flow rates in the return lines. Switched offsite system to run off blower B-502 pending repairs to hose on the blower B-501 side of the system.
5/23/16-5/24/16	Onsite and offsite	Carbon change-out of onsite systems. Performed O&M and site maintenance. Replaced sump pump at DDC-3. Repaired damaged hose at the offsite system and restarted system-using blower B-501.
6/8/16 – 6/10/16	Onsite and offsite	Monthly visit. Shut SVE system down for remedial system optimization work.
7/12/16 – 7/14/16	Onsite and offsite	Quarterly visit and sampling. Collected groundwater and system air samples at onsite and offsite treatment systems. SVE system still off due to horizontal drilling.
8/12/16	Onsite	High temperature alarm at onsite system #1; shut system down due to high summer temperatures.
8/17/16 – 8/18/16	Onsite and offsite	Monthly visit. Turned onsite system #1 back on and let run for approximately 1 hour before collecting system readings. Air samples collected.
8/26/16	Onsite	High temperature alarm at onsite system #1; shut system down due to high summer temperatures.
9/12/16	Onsite and offsite	Monthly visit. Turned onsite system #1 back on and let run for approximately 1 hour before collecting system readings.
9/30/16	Onsite	Sampled influent and effluent of SVE system.
10/25/16 – 10/26/16	Onsite and offsite	Quarterly visit and sampling. Collected groundwater and system air samples at onsite and offsite systems.
11/15/16	Onsite and offsite	Monthly visit. Observed roof drain located near new SVE manifold draining water to area behind SVE treatment trailer. Shut SVE system down to prevent water from entering system.
11/17/16	Onsite	Drained knockout tank at SVE system. Restarted system and cleaned out each well leg. Drained knockout tank once again and collected system measurements
11/30/16	Onsite	Sampled influent and effluent samples of SVE system.
12/21/16	Onsite and offsite	Monthly visit. Knockout tank full upon arrival. Collected system measurements at SVE system. Shut down SVE system and drained knockout tank.
12/22/16	Onsite and offsite	Monthly visit. Restarted SVE system and sampled influent and effluent of SVE system. Conducted monthly O&M on DDC systems.
Note: DDC = Density driven convection SVE = Soil vapor extraction O&M = Operation and maintenance D&D = D&D Electric Motors & Compressors		

This page left intentionally blank

5.2.1 Onsite System Maintenance

5.2.1.1 First Quarter Maintenance (January – March 2016)

SVE System

The SVE system remained inactive from the last quarter of 2015 (December 13, 2015) until January 20, 2016, due to the need for repairs to the bearings on the blower motor. The SVE blower was repaired and reinstalled by D&D Electric Motors & Compressors (D&D) on January 8, 2016, and the system was left off until EA conducted the quarterly O&M visit the week of January 18, 2016. On January 20, 2016, EA restarted the SVE system and collected a vapor sample from the influent stream immediately following start-up using a Summa[®] canister. EA also collected additional influent vapor samples 1-, 5-, and 24-hours after start-up.

The SVE system then operated continuously until the February O&M event. The system was shut down on February 8, 2016, following completion of the O&M, in preparation for drilling and sampling activities at 1 Adams Boulevard. In February 2016, EA collected soil samples, installed, and sampled permanent vapor points to assess the nature and extent of sub-slab contamination at 1 Adams Boulevard; evaluate the zone of influence of the SVE system; and provide data for potential improvements to the SVE system. Further information on the work performed and results of this investigation can be found in the Sampling and Delineation, 1 Adams Boulevard Memorandum (EA 2016a). The SVE system was restarted following completion of drilling and sampling activities on February 25, 2016. The dilution valve was adjusted as necessary during the March 2016 visit in order to reduce the blower discharge temperature.

Onsite DDC Systems

During the February 2016 monthly visit, onsite DDC system #2 was off upon arrival due to a power failure alarm; EA restarted the system the same day. Onsite DDC system #1 was also off upon arrival due to a “low drive/voltage flux” alarm and EA restarted DDC system #1 as well. An unscheduled visit was performed on March 2, 2016 following a power failure alarm to check the systems.

5.2.1.2 Second Quarter Maintenance (April – June 2016)

SVE System

The SVE system operated continuously until the system was shut down for a few hours to change out the carbon in May 2016. Following the change out, the SVE system was restarted and operated continuously until June 2016. In June 2016, the system was shut down to begin drilling of the horizontal wells to expand the SVE system. The system was off for the remainder of the quarter.

Onsite DDC System

On May 15, 2016, onsite DDC system #2 was off upon arrival due to “high carbon temperature” and “high aftercooler temperature” alarms. No alarm call out was received. EA attempted to restart the system after resetting the alarms, but the system would not operate more than 15 seconds before the alarms were triggered again. EA arranged a site visit with D&D to repair onsite DDC system #2. It was determined the two faulty temperature sensors were incapable of resetting after the alarms had been cleared on the control panel. D&D reset the temperature sensors and restarted the system. New temperature sensors were ordered and replaced in July 2016.

During May 24–25, 2016, the onsite systems were shut down briefly to change out the carbon. Both systems were restarted following the carbon change out; however, onsite DDC system #1 was off upon arrival during the June 2016 monthly visit due to a high temperature alarm. Comparison of the run times between the carbon change out and the June 2016 monthly event show that the system only ran for approximately one day before the alarm was triggered. No alarm callout was received. DDC system #1 was restarted on June 8, 2016. The high temperature alarm was tripped again the evening of June 8, 2016. On June 9, 2016, the system was restarted and the blower speed was reduced from 42 cycles per second (Hz) to 32 Hz to decrease the heat generated by the blower.

5.2.1.3 Third Quarter Maintenance (July – September 2016)

SVE System

In June 2016, the system was shut down to begin drilling new horizontal wells to expand the SVE system. The system was off for the remainder of the second quarter until August 3, 2016 when the five new horizontal wells were connected to the SVE system, and the system was restarted using all five wells simultaneously. The system was operated using all five horizontal wells for the remainder of the quarter.

Onsite DDC Systems

On August 12, 2016, a high temperature alarm was triggered at the onsite DDC system #1 due to high summer temperatures. Preferred Environmental Services mobilized to the site the same day to shut the system down. The system remained off until the following week when EA restarted the system during a monthly O&M visit. Another high temperature alarm was triggered on August 26, 2016, due to high ambient temperatures. The system was shut down for a period of 2 weeks until it was restarted again on September 12, 2016, and remained operational for the rest of the third quarter.

In the previous quarter, it was discovered that two temperature sensors in onsite DDC system #2 were beginning to malfunction and needed to be replaced. On July 14, 2016, the two temperature sensors were replaced by D&D.

5.2.1.4 Fourth Quarter Maintenance (October – December 2016)

SVE System

During the reporting period, the SVE system was temporarily shut down on November 15, 2016, during the monthly visit due to heavy rain; water was observed discharging from a roof drain at 1 Adams Boulevard in the vicinity of the new horizontal well manifold. Water was entering was observed eroding the soil cover for the well lines and entering the system during heavy rain events. As such, the system was shut down on November 15, 2016, and restarted on November 17, 2016, to stop additional water from being drawn into the system during the rain event. Modifications will be made in early 2017 to divert flow away from the SVE treatment trailer. During the reporting period, the SVE system was only shut down for a few hours at a time to remove accumulated water from the knockout tank. No other operational issues were observed with the SVE system during the reporting period.

Onsite DDC System

On December 22, 2016, it was noted that the BP-01 pressure gauge on the blower in onsite DDC system #2 might be faulty. A replacement was ordered though D&D and repairs are scheduled for early 2017; in the interim, the system will remain operational.

5.2.2 Offsite System Maintenance

5.2.2.1 First Quarter Maintenance (January – March 2016)

EA restarted the offsite DDC system the week of January 18, 2016, after replacing the faulty DDC-6 sump pump on SCWA property. The offsite system was shut down during the previous O&M visit on December 16, 2016, which resulted in a lower number of operational hours for the month of January.

During the monthly event in March 2016, EA discovered that the sump pump for DDC-9 at the offsite sump gallery was down due to debris, which damaged the pump impellers. The offsite system was then shut down briefly in order to repair the sump pump and was restarted upon completion of repairs.

5.2.2.2 Second Quarter Maintenance (April – June 2016)

During the quarterly event in April 2016, EA discovered that the sump pump for DDC-7 in the offsite sump gallery was down due to debris entering the pump and damaging the impellers. The offsite system was shut down briefly in order to replace the pump. The system was restarted using blower B-501 to operate all DDC wells. Blower B-502 was used to operate all the DDC wells in the previous quarter.

During the following monthly event on May 16, 2016, EA noted that airflows in the return lines for all the offsite DDC wells were lower than usual. It was discovered that a damaged section of

flex hose connecting the carbon vessels associated with blower B-501 was leaking significantly. EA restarted the system using blower B-502 pending further repairs to the flex hose. On May 25, 2016, EA repaired the section of damaged flex hose in the carbon trailer and restarted the system using blower B-501.

5.2.2.3 Third Quarter Maintenance (July – September 2016)

No operational issues were observed with the offsite DDC systems during the third quarter.

5.2.2.4 Fourth Quarter Maintenance (October – December 2016)

No operational issues were observed with the offsite DDC system during the fourth quarter.

5.3 EVALUATION OF REMEDIAL SYSTEMS

SVE system air monitoring and sampling has been continuously performed at the NHP site since August 2008 to assure that all components are in working order, and to maintain compliance with the requirements of a NYSDEC Air Discharge Permit. From August 2008 to June 2009, monitoring and sampling were performed monthly. Between June 2009 and December 2015, O&M was performed quarterly. Since January 2016, O&M has been performed monthly and monthly sampling began in August 2016.

DDC influent/effluent air monitoring has been continuously performed on a quarterly basis since June 2010 (onsite DDC systems) and July 2012 (offsite DDC system). During the reporting period (January – December 2016), four air monitoring, and sampling events were completed at the site.

System Influent/Effluent Air Monitoring

Location Identification	Sampling Date								Notes
	January 2016	April 2016	July 2016	August 2016	September 2016	October 2016	November 2016	December 2016	
SVE Influent	X			X	X	X	X	X	
SVE Effluent	X	X	X	X	X	X	X	X	
Treatment System #1 Influent	X	X	X			X			
Treatment System #1 Mid GAC	X	X	X			X			
Treatment System #1 Effluent	X	X	X			X			
Treatment System #2 Influent #1	X	X	X			X			
Treatment System #2 Influent #2	X	X	X			X			
Treatment System #2 Effluent	X	X	X			X			
B-501 Influent (VI-401B)	X		X			X			
B-501 Intermediate #1 (VI-403B)	X		X			X			
B-501 Intermediate #2 (VI-401A)	X		X			X			
B-501 Effluent (VI-501)	X		X			X			
B-502 Influent (VI-402B)		X							
B-502 Intermediate #1 (VI-403A)		X							
B-502 Intermediate #2 (VI-402A)		X							
B-502 Effluent (VI-502)		X							
Note: "X" indicates that the location was sampled.									

5.3.1 Soil Vapor Extraction System

A summary of the field monitoring results, laboratory air discharge analytical results, and estimated mass recovery are presented in **Table 3A**; the laboratory data reports are presented in the quarterly reports submitted to the NYSDEC.

Based on the difference between the influent and effluent sampling results, and estimated 19.04 lb of PCE, 1.15 lb of TCE, and 1.58 lb of DCE have been removed from the source area since modifications were completed to the SVE system in August 2016 and December 2016.

This page left intentionally blank

Using effluent sampling results, it was determined an estimated 3.09 lbs of PCE has been discharged during the reporting period of January – December 2016 toward the permitted annual discharge limit of 270 lb. An estimated total of 0.06 lb of TCE has been discharged during the reporting period toward the permitted annual discharge limit of 120 lb. A negligible amount of DCE has been discharge during the reporting period (the annual discharge limit is 5,510 lb).

Based on the first 5 months of monitoring and laboratory data obtained from the SVE system (August – December 2016), it appears the system modifications performed in Spring/Summer 2016 have been particularly effective for increasing mass recovery from the source area soil.

5.3.2 Onsite Density Driven Convection Systems

A summary of the field monitoring results, laboratory air discharge analytical results, and estimated mass recovery are presented in **Tables 3B and 3C**; the laboratory data reports are provided in the quarterly reports.

Based on the difference between the influent and effluent sampling results, an estimated total of 18.89 lb (onsite DDC system #1) and 3.57 lb (onsite DDC system #2) of PCE were recovered from the subsurface in the vicinity of the source area during the reporting period. An estimated total of 0.03 lb (onsite DDC system #1) and 0.08 lb (onsite DDC system #2) of TCE were recovered from the subsurface in the vicinity of the source area during the reporting period. An estimated total 0.46 lb (onsite DDC system #2) of DCE were recovered from the subsurface in the vicinity of the source area during the reporting period. A negligible amount of DCE was recovered from onsite DDC system #1 during the reporting period. Mass recovery observed at onsite DDC system #1 is similar to the previous reporting period, and continues to be observed at onsite DDC system #2; however, the overall mass removed in 2016 has decreased approximately 50 percent when compared to 2015.

5.3.3 Offsite Density Driven Convection System

A summary of the field monitoring results, laboratory air discharge analytical results, and estimated mass recovery are presented in **Tables 3D and 3F**; the laboratory data reports are presented in the quarterly reports.

Based on the difference between the influent and effluent sampling results, an estimated total of 3.61 lb (offsite DDC system B-501) and 3.30 lb (offsite DDC system B-502) of PCE were recovered from the subsurface in the vicinity of the source area during the reporting period. An estimated total of 1.80 lb (offsite DDC system B-501) and 1.40 lb (offsite DDC system B-502) of TCE were recovered from the subsurface in the vicinity of the source area during the reporting period. An estimated total of 2.91 lb (offsite DDC system B-501) and 1.52 lbs (offsite DDC system B-502) of DCE were recovered from the subsurface during the reporting period.

Mass recovery continues to be observed at the offsite; however, the overall mass removed in 2016 has decreased more than 50 percent when compared to 2015. It should be noted

that a significant decrease in groundwater concentrations upgradient of the offsite system (MW-1S/MW-1D) has been observed during the same period.

5.4 CONFIRM THAT PERFORMANCE STANDARDS ARE BEING MET

Tables 3A through 3E provide a summary of the influent/effluent system air results for the reporting period. The mass recoveries shown in these tables confirm that while the systems are up and running, they continue to be effective at removing primary CVOCs and daughter compounds.

It is expected that additional CVOC mass will be removed from the onsite and offsite groundwater system through both the operation of the treatment systems and natural attenuation. The concentration spikes during system downtime, as well as mass recoveries, suggest that a functioning treatment system suppresses the migration of the CVOCs by intercepting the contaminants in the wells. This supports the conclusion that the system continues to function as it was designed.

5.5 CONFIRM COMPLIANCE WITH OPERATION & MAINTENANCE PLAN

The following table identifies the O&M Plan (EA 2013a) requirements on an annual basis and demonstrates that compliance with the monitoring plan has been or is scheduled to be achieved prior to the end of the 2016 calendar year.

Monitoring Program Activity	Required Frequency*		Compliance Dates
	Quarterly	Monthly	
SVE Influent/Effluent Air Sampling	X	X	January – December 2016
DDC Systems Air Sampling	X		January – December 2016
System O&M		X	January – December 2016
*The frequency of events will be conducted as specified until otherwise approved by NYSDEC. Monthly sampling of the SVE system began in August 2016. Note: SVE = Soil vapor extraction DDC = Density driven convection O&M = Operation and maintenance			

5.6 CONCLUSIONS AND RECOMMENDATIONS FOR IMPROVEMENT

5.6.1 System Influent/Effluent Air Monitoring

System influent/effluent air monitoring will continue on a quarterly basis at DDC systems; monthly sampling will continue at the SVE system. Mass removal calculations show that when the systems are on, they are functioning as designed.

5.6.2 Site Inspection and Maintenance

The SVE system and surrounding areas were observed to be in good condition with no major problems noted. The SVE blower required repair at the end of 2015 and was taken offsite to have the motor bearing replaced. The SVE blower was replaced and the system was back-up and running as of January 18, 2016. The horizontal trench installed in 1 Adams Boulevard in 2014 has been damaged by wear and tear due to daily operations of the tenant. Cracks to the concrete were repaired in early 2016. As mentioned, a roof drain from the 1 Adams Boulevard building was discharging water adjacent to the SVE system trailer.

With the exception of the temperature sensors needing to be replaced at onsite DDC system #2 and the slight damage to the offsite system fencing, the systems were observed to be in good overall condition.

Site inspection and maintenance of the SVE system, onsite DDC systems, and offsite DDC systems will continue on a monthly basis during site visits to complete O&M. A more detailed inspection will continue to be performed on an annual basis.

This page left intentionally blank

6. COST EVALUATION

Total costs for reporting and site management services, including groundwater monitoring and sampling, site inspection, and system air sampling was \$941,948 for the reporting period. A breakdown of major costs for January 1, 2016 – December 31, 2016 is provided in the table below.

Site Management Activity	Cost Incurred for the period of January – December 2016
1. Monitoring, Sampling, Inspection, Oversight, Supplies/Equipment, Travel, and Reporting (EA)	\$433,208
2. Analytical Laboratory (Eurofins Air Toxics and Hampton Clarke-Veritech)	\$33,593
3. O&M Field Support (Preferred Environmental Services)	\$7,162
4. Carbon Change-Out (General Carbon)	\$21,751
5. Kaiser Blower Maintenance (D&D Electric Motors & Compressors)	\$13,865
6. Electricity	\$60,620
7. Soil Sampling & Delineation at 1 Adams Boulevard (Clearwater Drilling) (NYSDEC callout)	\$18,932
8. SVE Horizontal Well Drilling (DTI)	\$205,238
9. SVE IDW (AWT)	\$14,595
10. MPI/HPT Groundwater Delineation (Cascade)	\$125,539
11. Surveying Services (MJ)	\$7,445
TOTAL	\$941,948
Note: EA = EA Engineering, P.C. and Its Affiliate EA Science and Technology O&M = Operation and maintenance NYSDC = New York State Department of Environmental Conservation IDW = Investigation derived waste DTI = Directional Technologies, Inc. AWT = AWT Environmental Services, Inc. MJ = M.J. Engineering and Land Surveying, P.C.	

The monitoring, sampling, inspection, oversight, and reporting costs, which are billed by EA, include costs associated with project management, quality assurance, and periodic reporting throughout the reporting period. These monitoring and reporting costs are based on fiscal data generated and tracked by an EA internal financial management system and includes travel expenses, equipment/supply costs, and other direct charges. The analytical costs, billed by Eurofins Air Toxics, Inc. of Folsom, California, covered monthly/quarterly system air analyses, and Hampton Clarke-Veritech of Fairfield, New Jersey, covered quarterly groundwater analyses and RSO-related sampling activities (for sub-slab soil sampling at 1 Adams Boulevard and groundwater plume delineation). The electricity costs, billed by Public Service Enterprise Group (PSEG) - Long Island, cover power for operating the SVE system and each DDC system. The costs associated with item numbers 1 and 2 are higher than previous years due to EA's effort

with RSO oversight, reporting, and deliverables. The activities included in items 3 through 6 are primarily reflective of the typical site management services, and the remaining costs (items 7 through 11) are associated with the subcontractor costs for RSO activities completed in 2016.

7. GREEN REMEDIATION

7.1 METRICS FOR SITE MANAGEMENT

NYSDEC DER-31, Green Remediation (NYSDEC 2011 [January]) provides concepts and techniques of green remediation and guidance on how to apply them to DER's remedial program, and applies to all phases of the site cleanup process from investigation through completion of remediation. It is intended to be a holistic approach, which improves the sustainability of the cleanups by promoting the use of more sustainable practices and technologies. Such practices and technologies are, for example, less disruptive to the environment, generate less waste, increase reuse and recycling, and emit fewer pollutants, including greenhouse gases (GHGs), to the atmosphere.

As with prior PRRs, EA prepared a summary table, which presents green remediation metrics for site management (**Appendix C**). These metrics include energy usage, solid waste generation, transportation/shipping, water usage, and land use/ecosystems. This table is intended to be used to track the quantities established for each metric over time, with the goal of minimizing energy consumption, reducing GHG emissions, and conserving natural resources. This table will be updated in conjunction with future PRR revisions and revised accordingly.

The quantity of electricity utilized by the SVE and DDC systems was obtained from PSEG-Long Island utility bills associated with this monitoring period (January – December 2016). The majority of solid waste generated during 2016 was associated with spent GAC media from the DDC systems during the carbon change out that occurred in May 2016, and the RSO modifications to the SVE system. Drilling of the five horizontal well legs for the SVE system generated approximately five roll-off containers of soil and soil/water slurry.

Metrics for transportation were primarily associated with travel to and from the site for the performance of system O&M and monitoring. In 2016, there were three unscheduled visits to the site due to system alarms, averaging less than once per quarter. One unscheduled visit occurred in the first quarter. The subsequent visits occurred in the third quarter and were to shut the systems down due to high ambient temperatures. In comparison to 2015, there were less unscheduled visits to the site in 2016, reducing the amount of emissions and energy used through transportation.

7.2 ENVIRONMENTAL FOOTPRINT

In the two previous PRRs (PRR No. 1 [EA 2015] and PRR No. 2 [EA 2016b]), EA also evaluated the environmental impact of the NHP treatment systems and green remediation techniques that could be applied to the site. EA utilized SiteWise™ Tool for Green and Sustainable Remediation, developed by the United States Navy, United States Army Corps of Engineers, and Battelle to calculate the environmental footprint of the overall remedial approach. The tool consists of a series of spreadsheets which provide a baseline assessment of several quantifiable sustainability metrics including: GHG emissions, energy usage, and electricity usage from renewable and non-renewable sources; criteria air pollutants that include sulfur

oxides, oxides of nitrogen, and particulate matter; water usage; resource consumption; and accident risk (Battelle 2013).

Four alternatives were compared to evaluate the environmental impacts of the system and potential for improvements. The four alternatives modeled emissions savings that could be achieved through reducing travel to the site, reducing operation of DDC systems (if appropriate) to save electricity, and utilizing refurbished treatment media (GAC) instead of virgin materials in all onsite and offsite systems. A full description of the four alternatives can be found in the PRR No. 2 (EA 2016b).

Currently the systems are still operated and running in the same manner as the previous 2015 reporting period: all onsite and offsite system utilize a telemetry alarm system, regenerated GAC was used in the May 2016 change out, and the offsite system runs all offsite DDC wells with one blower. As such, the sustainability savings of these measures (outlined in PRR No. 2 [EA 2016b]) are still being recognized.

8. OVERALL PERIODIC REVIEW REPORT CONCLUSIONS AND RECOMMENDATIONS

8.1 COMPLIANCE WITH SITE MANAGEMENT PLAN

8.1.1 Groundwater Monitoring

While spikes in individual CVOC concentrations were noted in several wells onsite and offsite, groundwater results generated since the inception of the project generally show an overall decreasing trend from baseline conditions for total CVOCs. The number of wells with AWQS exceedances also decreased over the reporting period (January – December 2016) in onsite wells. In offsite wells, the number of wells with AWQS exceedances increased over the reporting period, with the highest number of wells (12 wells) with exceedances occurring in July 2016 and October 2016. Continued groundwater monitoring and sampling will allow for further assessment of the capability and efficiency.

8.1.2 System Influent/Effluent Air Monitoring

System influent/effluent air monitoring should be continued on a monthly basis at the SVE system and on a quarterly basis at the DDC systems. Mass removal calculations show that when the systems are operating, they are functioning as designed.

8.1.3 Site Inspection and Maintenance

The SVE system and surrounding areas were observed to be in good condition with no major problems noted. The SVE blower required repair at the end of 2015 and was taken offsite to have the motor bearing replaced. The SVE blower was replaced and the system was back-up and running as of January 18, 2016. The horizontal trench installed in 1 Adams Boulevard in 2014 has been damaged by wear and tear due to daily operations of the tenant. Cracks to the concrete were repaired in early 2016. As mentioned, a roof drain from the 1 Adams Boulevard building was discharging water adjacent to the SVE system trailer.

With the exception of the temperature sensors needing to be replaced at onsite DDC system #2 and the slight damage to the offsite system fencing, the systems were observed to be in good overall condition.

Site inspection and maintenance of the SVE system, onsite DDC systems, and offsite DDC systems will continue on a monthly basis during site visits to complete O&M. A more detailed inspection will continue to be performed on an annual basis.

8.2 PERFORMANCE AND EFFECTIVENESS OF REMEDY

Based upon the results for groundwater monitoring and mass removal, it appears that the remedial systems are operating as designed, which is reducing total VOC concentrations in source area soil as well as both onsite and offsite groundwater.

- Based on the first 5 months of monitoring and laboratory data obtained from the SVE system (August – December 2016), it appears the system modifications performed in Spring/Summer 2016 have been particularly effective for increasing mass recovery from the source area soil.
- Mass recovery observed at onsite DDC system #1 is similar to the previous reporting period.
- Mass recovery continues to be observed at onsite DDC system #2; however, the overall mass removed in 2016 has decreased approximately 50 percent when compared to 2015.
- Mass recovery continues to be observed at the offsite; however, the overall mass removed in 2016 has decreased more than 50 percent when compared to 2015. It should be noted that a significant decrease in groundwater concentrations upgradient of the offsite system (MW-1S/MW-1D) has been observed during the same period.

8.3 SUMMARY OF RECOMMENDATIONS

The following actions are recommended for future site management activities at the NHP site:

- Site management tasks should continue during the next period (2017). This includes annual site inspections, maintenance (as needed), quarterly groundwater monitoring and sampling, and quarterly DDC system influent and effluent/monthly SVE system air monitoring.
- New dial-out units (i.e., Sensaphone) should be installed at the SVE and both onsite DDC systems with more modern cellular-based setups to improve the reliability of these features.
- Based upon the results of the MIP/HPT investigation, the Conceptual Site Model should be refined. If necessary, additional permanent monitoring wells should be installed to further the plume delineation efforts at the site, and modifications should be made to the sampling program to incorporate any new wells and reduce the number of existing wells sampled.
- SMP to reflect changes to the SVE system and any additional changes to the DDC systems and/or monitoring well networks.

- Depending on the outcome of additional groundwater plume delineation efforts, enhancement of the remedial approach may be warranted through the use of complementary technologies such as *in situ* bioremediation or chemical oxidation in order to reduce the overall remedial timeframe and achieve remedial action objectives.

8.3.1 Soil Vapor Extraction System

- New dial-out (i.e., Sensaphone) units should be installed at the SVE system with more modern cellular-based setups to improve the reliability of these features.
- Once 6 months of baseline data has been obtained while operating all five legs simultaneously, it may be desirable to focus mass recovery efforts on individual legs or pairings of individual legs. By focusing on one or two legs, it may be possible to improve mass recovery from those areas farthest away from the SVE system trailer (i.e., VP-20 along east side of 1 Adams Boulevard building) where higher soil gas concentrations have been observed.

8.3.2 Density Driven Convection Systems

- Onsite DDC system #1 should continue running as is to address the contaminant mass in the source area.
- Given the lower mass recovery at onsite DDC system #2 during the reporting period, the mass removal rates should continue to be monitored for a decreasing trend. After a few more months of monitoring, it may be appropriate to cycle onsite DDC system #2 on and off on a monthly basis to save energy.
- While the mass removal at the offsite DDC system has reduced by more than 50 percent, the system should continue to operate as is. Total CVOC concentrations in MW-1D (upgradient of the system) have decreased since system installation in 2012 and CVOCs are beginning to be detected further downgradient.
- Installation of additional gauges (i.e., vacuum, pressure) and sampling ports is recommended in each system at select locations to improve data collection and the operator's understanding of equipment performance. In addition, new dial-out (i.e., Sensaphone) units should be installed at both onsite DDC systems with more modern cellular-based setups to improve the reliability of these features.

8.4 FUTURE PERIODIC REVIEW REPORT SUBMITTALS

Future PRRs should be prepared and submitted on an annual basis until further notice in order to evaluate the effectiveness of the remedial actions implemented at the site; provide sufficient documentation that the remedy remains in place, is performing properly and effectively, and is protective of public health and the environment; and to capture proposed/planned follow-on activities at the site.

This page left intentionally blank

9. REFERENCES



- AECOM, 2009. *Onsite Remedial Action Work Plan*. July.
- . 2011. *Offsite Remedial Action Work Plan*. August.
- Battelle, United States Navy, and USACE, 2013. *SiteWise™ Tool for Green and Sustainable Remediation*. July.
- EA Engineering, P.C. and Its Affiliate EA Science and Technology (EA). 2013a. *Site Management Plan. Final – Revision No.1 National Heatset Printing Site, Babylon, Suffolk County, New York*. June.
- . 2013b. *National Heatset Printing Co. State Superfund Site. Suffolk County, Babylon, New York. Final Engineering Report. NYSDEC Site No. 152140*. August
- . 2015. *National Heatset Printing Co. State Superfund Site. Suffolk County, Babylon, New York. Periodic Review Report No. 1. October 2013 – December 2014*. December.
- . 2016a. *Sampling and Delineation Memorandum; 1 Adams Boulevard*. May.
- . 2016b. *National Heatset Printing Co. State Superfund Site. Suffolk County, Babylon, New York. Periodic Review Report No. 2. January 2015 – December 2015*. May.
- Earth Tech. 2006. *Sampling and Analysis Plan*. April.
- . 2007. *Pilot Study Report DDC In-Well Stripping System*. May.
- H2M. 1999. *RI/FS Report*.
- New York State Department of Environmental Conservation (NYSDEC). 1994. *TAGM 4046: Determination of Soil Cleanup Objectives and Cleanup Levels*. Note: The soil cleanup objectives in TAGM 4046 have since been replaced by 6 NYCRR Part 375.
- . 1999. *Record of Decision, National Heatset Printing Site, Babylon, Suffolk County, Site Number 152140*. June.
- . 2011. *Final Program Policy DER-31*. January 20, 2011.
- Shaw. 2003. *Soil Vapor Extraction Operation & Maintenance Manual*. October.

This page left intentionally blank

Figures

This page intentionally left blank

G:\Projects\State & Local\NYSDEC - D007624\D007624 - Work Assignments\14907_16 - National Heatset Printing SM\GIS\Protects\PRR\2016 PRR\NationalHeatset Figure1_rev2.mxd



Legend
★ Site Location




Figure 1
SITE LOCATION MAP
NATIONAL HEATSET SITE (152140)
BABYLON, NEW YORK
SUFFOLK COUNTY

Map Date: 8/11/2016
Source: ESRI, 2011



Department of
Environmental
Conservation





Legend





-  DDC Well Cluster
-  Groundwater Monitoring Well
-  Vapor Extraction Point
-  Site Location

Figure 2
SITE, SURROUNDING AREA, AND
MONITORING WELL NETWORK
 NATIONAL HEATSET SITE (152140)
 BABYLON, NEW YORK
 SUFFOLK COUNTY

Map Date: 2/15/2017
 Source: ESRI, 2011



Department of
Environmental
Conservation






Figure 3
ONSITE GROUNDWATER
FLOW DIRECTION
(October 2016)
NATIONAL HEATSET
SITE (152140)
BABYLON, NEW YORK
SUFFOLK COUNTY



VICINITY MAP



Legend

- DDC Well Cluster
- Groundwater Monitoring Well
- Interpreted Groundwater Contour

Map Date: 2/15/2017








Figure 4
OFFSITE GROUNDWATER
FLOW DIRECTION
(October 2016)
 NATIONAL HEATSET
 SITE (152140)
 BABYLON, NEW YORK
 SUFFOLK COUNTY



Legend

- HSVE Solid PVC Pipe
- HSVE Well Screen
- HSVE Well Piping (EA Installed)
- HSVE Trench
- HSVE Manifold Shed
- 1 Adams Blvd Building Outline
- ★ Site Location
- Catch Basin Square
- Catch Basin Round
- Manhole
- Sanitary Manhole
- Soil Boring / Vapor Point
- Soil Boring
- Monitoring Well
- Chainlink Fence

Figure 5A
ONSITE TREATMENT
SYSTEM LOCATION
SVE System
 NATIONAL HEATSET SITE (152140)
 BABYLON, NEW YORK
 SUFFOLK COUNTY
 Map Date: 2/23/2017
 Source: ESRI, 2011



Legend
★ Site Location


Figure 5B
ONSITE TREATMENT SYSTEM LOCATIONS
DDC #1 and DDC #2
NATIONAL HEATSET SITE (152140)
BABYLON, NEW YORK
SUFFOLK COUNTY


Map Date: 7/22/2016
Source: ESRI, 2011




Department of
Environmental
Conservation







Source: Esri, DigitalGlobe, GeoEye, Earthstar Geographics, CNES/Airbus DS, USDA, USGS, AEX, Getmapping, Aerogrid, IGN, IGP, swisstopo, and the GIS User Community



0 25 50 100
Feet

Legend

- DDC Well Cluster
- Groundwater Monitoring Well
- System 1 Down Time
- System 2 Down Time
- Site Location
- PCE
- TCE
- cis-1,2-DCE
- VC
- Groundwater


Figure 6A
ONSITE SHALLOW WELLS
CVOC TREND GRAPHS
June 2010 - December 2016
NATIONAL HEATSET SITE (152140)
BABYLON, NEW YORK
SUFFOLK COUNTY

Map Date: 2/15/2017
Source: ESRI, 2011



Department of
Environmental
Conservation





Source: Esri, DigitalGlobe, GeoEye, Earthstar Geographics, CNES/Airbus DS, USDA, USGS, AEX, Getmapping, Aerogrid, IGN, IGP, swisstopo, and the GIS User Community

Legend

- DDC Well Cluster
- Groundwater Monitoring Well
- System 1 Down Time
- System 2 Down Time
- Site Location
- PCE
- TCE
- cis-1,2-DCE
- VC
- Groundwater

Figure 6B
ONSITE DEEP WELLS
CVOC TREND GRAPHS
 June 2010 - December 2016
 NATIONAL HEATSET SITE (152140)
 BABYLON, NEW YORK
 SUFFOLK COUNTY

Map Date: 2/15/2017
 Source: ESRI, 2011



Department of
Environmental
Conservation







Figure 6C
OFFSITE SHALLOW WELLS
CVOC TREND GRAPHS
 June 2012 - December 2016
 NATIONAL HEATSET SITE (152140)
 BABYLON, NEW YORK
 SUFFOLK COUNTY

Map Date: 2/15/2017
 Source: ESRI, 2011



Department of
 Environmental
 Conservation





Legend

- DDC Well Cluster
- Groundwater Monitoring Well
- System 1 Down Time
- System 2 Down Time
- Site Location
- PCE
- TCE
- cis-1,2-DCE
- VC
- Groundwater

Figure 6D

OFFSITE DEEP WELLS CVOC TREND GRAPHS

June 2012 - December 2016
NATIONAL HEATSET SITE (152140)
BABYLON, NEW YORK
SUFFOLK COUNTY

Map Date: 2/15/2017
Source: ESRI, 2011



Department of
Environmental
Conservation



This page intentionally left blank

Tables

This page intentionally left blank

Table 1 Well Gauging Data

Onsite				Offsite			
Well ID	Depth to Groundwater (ft btoc)	Top of Casing Elevation (ft AMSL)	Groundwater Table Elevation (ft AMSL)	Well ID	Depth to Groundwater (ft btoc)	Top of Casing Elevation (ft AMSL)	Groundwater Table Elevation (ft AMSL)
January 2016							
MW-1S	18.9	57.83	38.93	MW-1S	9.75	36.88	27.13
MW-1D	18.39	58.17	39.779	MW-1D	10.45	36.86	26.41
MW-2A	18.7	58.20	39.5	MW-2S	14.02	40.34	26.32
MW-2AD	19.25	58.51	39.26	MW-2D	14.12	40.39	26.27
MW-3S	18.96	58.60	39.64	MW-3S	10.02	35.87	25.85
MW-3D	19.12	58.65	39.53	MW-3D	10.13	35.82	25.69
MW-5S	17.5	56.88	39.38	DDC-5-PS	10.79	37.24	26.45
MW-5D	17.7	56.19	38.49	DDC-5-PD	16.21	37.24	21.03
MW-6S	18.52	58.08	39.56	DDC-6-PS	10.41	36.49	26.08
MW-14S	18.02	57.19	39.17	DDC-6-PD	10.56	36.51	25.95
MW-14D	18.2	57.31	39.11	DDC-7-PS	10.58	38.59	28.01
MW-15S	18.2	57.29	39.09	DDC-7-PD	12.55	38.59	26.04
MW-15D	18.22	57.25	39.03	DDC-8-PS	10.28	39.87	29.59
DDC-2-PS	16.34	56.70	40.36	DDC-8-PD	14.91	39.87	24.96
DDC-2-PD	16.49	56.70	40.21	DDC-9-PS	11.41	41.37	29.96
DDC-4-PS	12.32	56.50	44.18	DDC-9-PD	15.58	41.37	25.79
DDC-4-PD	17.83	56.50	38.67	DDC-10-PS	12	40.56	28.56
				DDC-10-PD	13.9	40.56	26.66
NOTE: ID = Identification ft btoc = feet below top of casing ft AMSL = ft Above Mean Sea Level Horizontal Datum NAD 83(1996) - New York State Plane Coordinate System, Long Island Zone, U.S. foot Vertical Datum NAVD 1988, U.S. foot							

Table 1 Well Gauging Data

Onsite				Offsite			
Well ID	Depth to Groundwater (ft btoc)	Top of Casing Elevation (ft AMSL)	Groundwater Table Elevation (ft AMSL)	Well ID	Depth to Groundwater (ft btoc)	Top of Casing Elevation (ft AMSL)	Groundwater Table Elevation (ft AMSL)
April 2016							
MW-1S	14.05	57.83	43.78	MW-1S	8.85	36.88	28.03
MW-1D	14.20	58.17	43.969	MW-1D	9.55	36.86	27.31
MW-2A	14.52	58.20	43.68	MW-2S	13.13	40.34	27.21
MW-2AD	15.16	58.51	43.35	MW-2D	13.21	40.39	27.18
MW-3S	14.80	58.60	43.8	MW-3S	9.12	35.87	26.75
MW-3D	15.01	58.65	43.64	MW-3D	9.26	35.82	26.56
MW-5S	13.2	56.88	43.68	DDC-5-PS	9.89	37.24	27.35
MW-5D	12.62	56.19	43.57	DDC-5-PD	15.51	37.24	21.73
MW-6S	14.24	58.08	43.84	DDC-6-PS	9.49	36.49	27.00
MW-14S	13.63	57.19	43.56	DDC-6-PD	9.56	36.51	26.95
MW-14D	14.18	57.31	43.13	DDC-7-PS	9.72	38.59	28.87
MW-15S	14.1	57.29	43.19	DDC-7-PD	11.54	38.59	27.05
MW-15D	14.1	57.25	43.15	DDC-8-PS	9.38	39.87	30.49
DDC-2-PS	10.12	56.70	46.58	DDC-8-PD	13.45	39.87	26.42
DDC-2-PD	13.31	56.70	43.39	DDC-9-PS	10.49	41.37	30.88
DDC-4-PS	8.26	56.50	48.24	DDC-9-PD	14.70	41.37	26.67
DDC-4-PD	14.41	56.50	42.09	DDC-10-PS	11.07	40.56	29.49
				DDC-10-PD	12.45	40.56	28.11

Table 1 Well Gauging Data

Onsite				Offsite			
Well ID	Depth to Groundwater (ft btoc)	Top of Casing Elevation (ft AMSL)	Groundwater Table Elevation (ft AMSL)	Well ID	Depth to Groundwater (ft btoc)	Top of Casing Elevation (ft AMSL)	Groundwater Table Elevation (ft AMSL)
July 2016							
MW-1S	17.93	57.83	39.9	MW-1S	10.05	36.88	26.83
MW-1D	18.16	58.17	40.009	MW-1D	11.13	36.86	25.73
MW-2A	18.4	58.20	39.8	MW-2S	14.38	40.34	25.96
MW-2AD	19.01	58.51	39.5	MW-2D	14.51	40.39	25.88
MW-3S	16.69	58.60	41.91	MW-3S	10.46	35.87	25.41
MW-3D	18.74	58.65	39.91	MW-3D	10.59	35.82	25.23
MW-5S	17.15	56.88	39.73	DDC-5-PS	12.31	37.24	24.93
MW-5D	16.36	56.19	39.83	DDC-5-PD	16.71	37.24	20.53
MW-6S	17.58	58.08	40.5	DDC-6-PS	10.82	36.49	25.67
MW-14S	17.62	57.19	39.57	DDC-6-PD	11.02	36.51	25.49
MW-14D	17.61	57.31	39.7	DDC-7-PS	11.00	38.59	27.59
MW-15S	17.88	57.29	39.41	DDC-7-PD	12.05	38.59	26.54
MW-15D	17.92	57.25	39.33	DDC-8-PS	10.74	39.87	29.13
DDC-2-PS	16.1	56.70	40.6	DDC-8-PD	15.19	39.87	24.68
DDC-2-PD	16.2	56.70	40.5	DDC-9-PS	11.72	41.37	29.65
DDC-4-PS	11.41	56.50	45.09	DDC-9-PD	15.84	41.37	25.53
DDC-4-PD	17.52	56.50	38.98	DDC-10-PS	12.01	40.56	28.55
				DDC-10-PD	11.4	40.56	29.16

Table 1 Well Gauging Data

Onsite				Offsite			
Well ID	Depth to Groundwater (ft btoc)	Top of Casing Elevation (ft AMSL)	Groundwater Table Elevation (ft AMSL)	Well ID	Depth to Groundwater (ft btoc)	Top of Casing Elevation (ft AMSL)	Groundwater Table Elevation (ft AMSL)
October 2016							
MW-1S	19.9	57.83	37.93	MW-1S	11.71	36.88	25.17
MW-1D	20.31	58.17	37.859	MW-1D	12.35	36.86	24.51
MW-2A	20.4	58.20	37.8	MW-2S	16.02	40.34	24.32
MW-2AD	20.95	58.51	37.56	MW-2D	16.12	40.39	24.27
MW-3S	20.71	58.60	37.89	MW-3S	12.00	35.87	23.87
MW-3D	20.73	58.65	37.92	MW-3D	12.09	35.82	23.73
MW-5S	19.2	56.88	37.68	DDC-5-PS	16.8	37.24	20.44
MW-5D	18.31	56.19	37.88	DDC-5-PD	16.89	37.24	20.35
MW-6S	20.21	58.08	37.87	DDC-6-PS	12.42	36.49	24.07
MW-14S	19.68	57.19	37.51	DDC-6-PD	12.52	36.51	23.99
MW-14D	19.54	57.31	37.77	DDC-7-PS	12.42	38.59	26.17
MW-15S	19.78	57.29	37.51	DDC-7-PD	14.4	38.59	24.19
MW-15D	19.13	57.25	38.12	DDC-8-PS	12.25	39.87	27.62
DDC-2-PS	17.95	56.70	38.75	DDC-8-PD	16.4	39.87	23.47
DDC-2-PD	18.13	56.70	38.57	DDC-9-PS	13.2	41.37	28.17
DDC-4-PS	17.67	56.50	38.83	DDC-9-PD	17.26	41.37	24.11
DDC-4-PD	17.81	56.50	38.69	DDC-10-PS	13.4	40.56	27.16
				DDC-10-PD	13.71	40.56	26.85

Table 2A Summary of Detected Volatile Organic Compounds in Onsite Groundwater Samples (Quarterly Sampling Events, 2016)

January 2016																						
Parameters List EPA Method 8260B	Sample ID	DDC-2-PD		DDC-2-PS		DDC-4-PD		DDC-4-PS		MW-1D		MW-1S		MW-2A		MW-2AD		MW-6S		152140-FD-02022016		NYSDEC AWQS (µg/L)
	Sample Type	Groundwater		Groundwater		Groundwater		Groundwater		Groundwater		Groundwater		Groundwater		Groundwater		Groundwater		Duplicate		
	Sample Date	1/14/15		1/14/15		1/14/15		1/14/15		1/14/15		1/14/15		1/14/15		1/14/15		1/14/15				
cis - 1,2-Dichloroethene	(µg/L)	(<1)	U	69		4.8		3.4		(<1)	U	(<1)	U	(<1)	U	(<1)	U	2		(<1)	U	5 (s)
trans -1,2-Dichloroethene	(µg/L)	(<1)	U	(<1)	U	(<1)	U	(<1)	U	(<1)	U	(<1)	U	(<1)	U	(<1)	U	(<1)	U	(<1)	U	5 (s)
Trichloroethene	(µg/L)	1.6		21		(<1)	U	(<1)	U	(<1)	U	(<1)	U	(<1)	U	(<1)	U	(<1)	U	(<1)	U	2 (s)
Tetrachloroethene	(µg/L)	2.3		6.9		2.1		1.9		11		3.3		5.9		(<1)	U	27		6.5		5 (s)
Vinyl Chloride	(µg/L)	(<1)	U	2.1		(<1)	U	(<1)	U	(<1)	U	(<1)	U	(<1)	U	(<1)	U	(<1)	U	(<1)	U	5 (s)
Parameters List EPA Method 8260B	Sample ID	MW-3S		FD-011415		MW-3D		MW-5D		MW-5S		MW-14D		MW-14S		MW-15D		MW-15S		152140-FD-02		NYSDEC AWQS (µg/L)
	Sample Type	Groundwater		Duplicate		Groundwater		Groundwater		Groundwater		Groundwater		Groundwater		Groundwater		Groundwater		Duplicate		
	Sample Date	1/14/15		1/14/15		1/14/15		1/14/15		1/14/15		1/14/15		1/14/15		1/14/15		1/14/15				
cis - 1,2-Dichloroethene	(µg/L)	(<1)	U	3.8		(<1)	U	9.6		4.6		(<1)	U	(<1)	U	(<1)	U	(<1)	U	1.2		5 (s)
trans -1,2-Dichloroethene	(µg/L)	(<1)	U	(<1)	U	(<1)	U	(<1)	U	(<1)	U	(<1)	U	(<1)	U	(<1)	U	(<1)	U	(<1)	U	5 (s)
Trichloroethene	(µg/L)	(<1)	U	(<1)	U	(<1)	U	(<1)	U	(<1)	U	(<1)	U	(<1)	U	(<1)	U	(<1)	U	(<1)	U	2 (s)
Tetrachloroethene	(µg/L)	(<1)	U	3.7		(<1)	U	2		1.4		(<1)	U	(<1)	U	(<1)	U	(<1)	U	17		5 (s)
Vinyl Chloride	(µg/L)	26		17		10		2.1		20		15		16		39		22		(<1)	U	5 (s)
NOTE: EPA = U.S. Environmental Protection Agency ID = Identification NYSDEC = New York State Department of Environmental Conservation AWQS = Ambient Water Quality Standard µg/L = Micrograms per liter (parts per billion) U = Analyte not detected at the listed laboratory reporting limit. MW = Monitoring well FD-011415 & 152140-FD-02 were blind field duplicate quality assurance/quality control samples of on-site sample MW-15S for this sampling event.; 152140-FD-0202216 collected from MW-2A during February resampling Shaded cells indicate results from resampling in February for samples that were damaged during shipping. Bold values indicate that the analyte was detected greater than the NYSDEC AWQS.																						

Table 2A Summary of Detected Volatile Organic Compounds in Onsite Groundwater Samples (Quarterly Sampling Events, 2016)

April 2016																						
Parameters List EPA Method 8260B	Sample ID	DDC-2-PD		DDC-2-PS		DDC-4-PD		DDC-4-PS		MW-1D		MW-1S		MW-2A		MW-2AD		MW-6S		152140-FD-01		NYSDEC AWQS (µg/L)
	Sample Type	Groundwater		Groundwater		Groundwater		Groundwater		Groundwater		Groundwater		Groundwater		Groundwater		Groundwater		Duplicate		
	Sample Date	4/12/2016		4/12/2016		4/12/2016		4/12/2016		4/12/2016		4/12/2016		4/11/2016		4/12/2016		4/12/2016				
cis - 1,2-Dichloroethene	(µg/L)	(<1)	U	290		(<1)	U	4.3		(<1)	U	(<1)	U	(<1)	U	(<1)	U	1.4		1.2		5 (s)
trans -1,2-Dichloroethene	(µg/L)	(<1)	U	(<1)	U	(<1)	U	(<1)	U	(<1)	U	(<1)	U	(<1)	U	(<1)	U	(<1)	U	(<1)	U	5 (s)
Trichloroethene	(µg/L)	1.2		4		(<1)	U	(<1)	U	(<1)	U	(<1)	U	(<1)	U	(<1)	U	(<1)	U	(<1)	U	2 (s)
Tetrachloroethene	(µg/L)	1.4		9.2		1		3.7		7.4		2.2		24		(<1)	U	26		5.5		5 (s)
Vinyl Chloride	(µg/L)	(<1)	U	6.5		(<1)	U	(<1)	U	(<1)	U	(<1)	U	(<1)	U	(<1)	U	(<1)	U	(<1)	U	5 (s)
Parameters List EPA Method 8260B	Sample ID	MW-3S		MW-3D		MW-5D		MW-5S		MW-14D		MW-14S		MW-15D		MW-15S						NYSDEC AWQS (µg/L)
	Sample Type	Groundwater		Groundwater		Groundwater		Groundwater		Groundwater		Groundwater		Groundwater		Groundwater						
	Sample Date	4/11/2016		4/11/2016		4/11/2016		4/11/2016		4/11/2016		4/11/2016		4/11/2016		4/1/2016						
cis - 1,2-Dichloroethene	(µg/L)	1.3		(<1)	U	(<1)	U	(<1)	U	1.1		1.2		1.6		(<1)	U					5 (s)
trans -1,2-Dichloroethene	(µg/L)	(<1)	U	(<1)	U	(<1)	U	(<1)	U	(<1)	U	(<1)	U	(<1)	U	(<1)	U					5 (s)
Trichloroethene	(µg/L)	(<1)	U	(<1)	U	(<1)	U	(<1)	U	(<1)	U	(<1)	U	(<1)	U	(<1)	U					2 (s)
Tetrachloroethene	(µg/L)	32		7.9		(<1)	U	11		23		5.7		15		6		5 (s)				
Vinyl Chloride	(µg/L)	(<1)	U	(<1)	U	(<1)	U	(<1)	U	(<1)	U	(<1)	U	(<1)	U	(<1)	U	5 (s)				
NOTE: 152140-FD-01 was a blind field duplicate quality assurance/quality control sample of on-site sample MW-15S for this sampling event.																						
July 2016																						
Parameters List EPA Method 8260B	Sample ID	DDC-2-PD		DDC-2-PS		DDC-4-PD		DDC-4-PS		MW-1D		MW-1S		MW-2A		MW-2AD		MW-6S		152140-FD-01		NYSDEC AWQS (µg/L)
	Sample Type	Groundwater		Groundwater		Groundwater		Groundwater		Groundwater		Groundwater		Groundwater		Groundwater		Groundwater		Duplicate		
	Sample Date	7/11/2016		7/11/2016		7/11/2016		7/11/2016		7/13/2016		7/12/2016		7/13/2016		7/13/2016		7/11/2016				
cis - 1,2-Dichloroethene	(µg/L)	(<1)	U	850		(<1)	U	1.1		(<1)	U	(<1)	U	(<1)	U	(<1)	U	(<1)	U	1.2		5 (s)
trans -1,2-Dichloroethene	(µg/L)	(<1)	U	7.1		(<1)	U	(<1)	U	(<1)	U	(<1)	U	(<1)	U	(<1)	U	(<1)	U	(<1)	U	5 (s)
Trichloroethene	(µg/L)	1.3		100		(<1)	U	(<1)	U	(<1)	U	(<1)	U	2.7		(<1)	U	(<1)	U	(<1)	U	2 (s)
Tetrachloroethene	(µg/L)	1.1		10		(<1)	U	1.4		5.8		2.6		13		(<1)	U	29		2		5 (s)
Vinyl Chloride	(µg/L)	(<1)	U	37		(<1)	U	1		(<1)	U	(<1)	U	(<1)	U	(<1)	U	(<1)	U	(<1)	U	5 (s)
Parameters List EPA Method 8260B	Sample ID	MW-3S		MW-3D		MW-5D		MW-5S		MW-14D		MW-14S		MW-15D		MW-15S						NYSDEC AWQS (µg/L)
	Sample Type	Groundwater		Groundwater		Groundwater		Groundwater		Groundwater		Groundwater		Groundwater		Groundwater						
	Sample Date	7/12/2016		7/11/2016		7/11/2016		7/11/2016		7/12/2016		7/12/2016		7/11/2016		7/11/2016						
cis - 1,2-Dichloroethene	(µg/L)	(<1)	U	(<1)	U	(<1)	U	3.4		2.3		(<1)	U	(<1)	U	(<1)	U					5 (s)
trans -1,2-Dichloroethene	(µg/L)	(<1)	U	(<1)	U	(<1)	U	(<1)	U	(<1)	U	(<1)	U	(<1)	U	(<1)	U					5 (s)
Trichloroethene	(µg/L)	(<1)	U	(<1)	U	(<1)	U	3.6		(<1)	U	(<1)	U	(<1)	U	(<1)	U					2 (s)
Tetrachloroethene	(µg/L)	26		6.1		(<1)	U	12		22		(<1)	U	5.1		3.6		5 (s)				
Vinyl Chloride	(µg/L)	(<1)	U	(<1)	U	(<1)	U	(<1)	U	(<1)	U	(<1)	U	(<1)	U	(<1)	U	5 (s)				
NOTE: 152140-FD-01 was a blind field duplicate quality assurance/quality control sample of on-site sample MW-15S for this sampling event.																						

Table 2A Summary of Detected Volatile Organic Compounds in Onsite Groundwater Samples (Quarterly Sampling Events, 2016)

October 2016																						
Parameters List EPA Method 8260B	Sample ID	DDC-2-PD		DDC-2-PS		DDC-4-PD		DDC-4-PS		MW-1D		MW-1S		MW-2A		MW-2AD		MW-6S		152140-FD-01		NYSDEC AWQS (µg/L)
	Sample Type	Groundwater		Groundwater		Groundwater		Groundwater		Groundwater		Groundwater		Groundwater		Groundwater		Groundwater		Duplicate		
	Sample Date	10/25/2016		10/25/2016		10/25/2016		10/25/2016		10/25/2016		10/25/2016		10/25/2016		10/25/2016		10/25/2016		10/25/2016		
cis - 1,2-Dichloroethene	(µg/L)	(<1)	U	(<1)	U	(<1)	U	(<1)	U	(<1)	U	(<1)	U	17		(<1)	U	(<1)	U	(<1)	U	5 (s)
trans -1,2-Dichloroethene	(µg/L)	(<1)	U	(<1)	U	(<1)	U	(<1)	U	(<1)	U	(<1)	U	(<1)	U	(<1)	U	(<1)	U	(<1)	U	5 (s)
Trichloroethene	(µg/L)	1		(<1)	U	(<1)	U	(<1)	U	(<1)	U	(<1)	U	3.8		(<1)	U	(<1)	U	(<1)	U	2 (s)
Tetrachloroethene	(µg/L)	1.9		3.5		1.3		(<1)	U	19		2.1		3.5		1.3		12		9.2		5 (s)
Vinyl Chloride	(µg/L)	(<1)	U	(<1)	U	(<1)	U	(<1)	U	(<1)	U	(<1)	U	(<1)	U	(<1)	U	(<1)	U	(<1)	U	5 (s)
Parameters List EPA Method 8260B	Sample ID	MW-3D		MW-3S		MW-5D		MW-5S		MW-14D		MW-14S		MW-15D		MW-15S						NYSDEC AWQS (µg/L)
	Sample Type	Groundwater		Groundwater		Groundwater		Groundwater		Groundwater		Groundwater		Groundwater		Groundwater						
	Sample Date	10/25/2016		10/25/2016		10/25/2016		10/25/2016		10/25/2016		10/25/2016		10/25/2016		10/25/2016						
cis - 1,2-Dichloroethene	(µg/L)	(<1)	U	(<1)	U	7		86		(<1)	U	(<1)	U	(<1)	U	(<1)	U					5 (s)
trans -1,2-Dichloroethene	(µg/L)	(<1)	U	(<1)	U	(<1)	U	1.6		(<1)	U	(<1)	U	(<1)	U	(<1)	U					5 (s)
Trichloroethene	(µg/L)	1.8		(<1)	U	8.8		2.3		(<1)	U	(<1)	U	(<1)	U	(<1)	U	2 (s)				
Tetrachloroethene	(µg/L)	7.5		9.6		10		20		30		35		35		2.7		5 (s)				
Vinyl Chloride	(µg/L)	(<1)	U	(<1)	U	(<1)	U	30		(<1)	U	(<1)	U	(<1)	U	(<1)	U	5 (s)				
NOTE: 152140-FD-01 was a blind field duplicate quality assurance/quality control sample of on-site sample MW-3S for this sampling event.																						

Table 2B Summary of Detected Volatile Organic Compounds in Offsite Groundwater Samples (Quarterly Sampling Events, 2016)

January 2016																						
Parameters List EPA Method 8260B	Sample ID	DDC-5-PD		DDC-5-PS		DDC-6-PD		DDC-6-PS		DDC-7-PD		DDC-7-PS		152140-FD-03		DDC-8-PD		DDC-8PS			NYSDEC AWQS (µg/L)	
	Sample Type	Groundwater		Groundwater		Groundwater		Groundwater		Groundwater		Groundwater		Duplicate		Groundwater		Groundwater				
	Sample Date	1/20/2016		1/20/2016		1/20/2016		1/20/2016		1/20/2016		1/20/2016		1/20/2016		1/20/2016		1/20/2016				
cis - 1,2-Dichloroethene	(µg/L)	(<1)	U	(<1)	U	14		(<1)	U	180		87		190		17		12			5 (s)	
trans -1,2-Dichloroethene	(µg/L)	(<1)	U	(<1)	U	(<1)	U	(<1)	U	1.8		(<1)	U	(<1)	U	(<1)	U	(<1)	U		5 (s)	
Vinyl Chloride	(µg/L)	(<1)	U	(<1)	U	(<1)	U	(<1)	U	(<1)	U	(<1)	U	(<1)	U	(<1)	U	(<1)	U		2 (s)	
Trichloroethene	(µg/L)	(<1)	U	(<1)	U	4.9		(<1)	U	170		36		170		26		12		5 (s)		
Tetrachloroethene	(µg/L)	(<1)	U	1		10		(<1)	U	280		46		280		66		27		5 (s)		
Parameters List EPA Method 8260B	Sample ID	DDC-9-PD		DDC-9-PS		DDC-10-PD		DDC-10-PS		MW-1D		MW-1S		MW-2D		MW-2S		MW-3D		MW-3S		NYSDEC AWQS (µg/L)
	Sample Type	Groundwater		Groundwater		Groundwater		Groundwater		Groundwater		Groundwater		Groundwater		Groundwater		Groundwater		Groundwater		
	Sample Date	1/20/2016		1/20/2016		1/20/2016		1/20/2016		1/20/2016		1/20/2016		1/20/106		1/20/2016		1/20/2016		1/20/2016		
cis - 1,2-Dichloroethene	(µg/L)	12		4.3	U	(<1)	U	(<1)	U	50		(<1)	U	(<1)	U	(<1)	U	2.8		(<1)	U	5 (s)
trans -1,2-Dichloroethene	(µg/L)	(<1)	U	(<1)	U	(<1)	U	(<1)	U	(<1)	U	(<1)	U	(<1)	U	(<1)	U	(<1)	U	(<1)	U	5 (s)
Vinyl Chloride	(µg/L)	(<1)	U	(<1)	U	(<1)	U	(<1)	U	(<1)	U	(<1)	U	(<1)	U	(<1)	U	(<1)	U	(<1)	U	2 (s)
Trichloroethene	(µg/L)	13		3.4		1.3	U	(<1)	U	29		(<1)	U	1.1		(<1)	U	1		(<1)	U	5 (s)
Tetrachloroethene	(µg/L)	27		5.8		1.1	U	(<1)	U	410		(<1)	U	(<1)	U	(<1)	U	3.4		(<1)	U	5 (s)
NOTE: EPA = U.S. Environmental Protection Agency ID = Identification NYSDEC = New York State Department of Environmental Conservation AWQS = Ambient Water Quality Standard µg/L = Micrograms per liter (parts per billion) U = Analyte not detected at the listed laboratory reporting limit. MW = Monitoring well 152140-FD-03 was a blind field duplicate quality assurance/quality control sample of off-site sample DDC-7-PD for this sampling event. Bold values indicate that the analyte was detected greater than the NYSDEC AWQS.																						

Table 2B Summary of Detected Volatile Organic Compounds in Offsite Groundwater Samples (Quarterly Sampling Events, 2016)

April 2016																					
Parameters List EPA Method 8260B	Sample ID	DDC-5-PD		DDC-5-PS		DDC-6-PD		DDC-6-PS		DDC-7-PD		DDC-7-PS		DDC-8-PD		DDC-8-PS		152140-FD-02			NYSDEC AWQS (µg/L)
	Sample Type	Groundwater		Groundwater		Groundwater		Groundwater		Groundwater		Groundwater		Groundwater		Groundwater		Duplicate			
	Sample Date	4/12/2016		4/12/2016		4/12/2016		4/12/2016		4/13/2016		4/13/2016		4/13/2016		4/13/2016					
cis - 1,2-Dichloroethene	(µg/L)	(<1)	U	(<1)	U	(<1)	U	(<1)	U	1		16		4.9		5.7		1.1			
trans -1,2-Dichloroethene	(µg/L)	(<1)	U	(<1)	U	(<1)	U	(<1)	U	(<1)	U	(<1)	U	(<1)	U	(<1)	U	(<1)	U		
Vinyl Chloride	(µg/L)	(<1)	U	(<1)	U	(<1)	U	(<1)	U	(<1)	U	(<1)	U	(<1)	U	(<1)	U	(<1)	U		
Trichloroethene	(µg/L)	(<1)	U	(<1)	U	(<1)	U	(<1)	U	2.6		6.7		3.4		3.2		(<1)	U		
Tetrachloroethene	(µg/L)	(<1)	U	(<1)	U	2.3		(<1)	U	14		8.5		6.2		4.6		3.9			
Parameters List EPA Method 8260B	Sample ID	DDC-9-PD		DDC-9-PS		DDC-10-PD		DDC-10-PS		MW-1D		MW-1S		MW-2D		MW-2S		MW-3D		MW-3S	
	Sample Type	Groundwater		Groundwater		Groundwater		Groundwater		Groundwater		Groundwater		Groundwater		Groundwater		Groundwater		Groundwater	
	Sample Date	4/13/2016		4/13/2016		4/13/2016		4/13/2016		4/13/2016		4/13/2016		4/13/2016		4/13/2016		4/13/2016		4/12/2016	
cis - 1,2-Dichloroethene	(µg/L)	1.5		1.4		(<1)	U	(<1)	U	84		(<1)	U	(<1)	U	(<1)	U	4.9		(<1)	U
trans -1,2-Dichloroethene	(µg/L)	(<1)	U	(<1)	U	(<1)	U	(<1)	U	1.2		(<1)	U	(<1)	U	(<1)	U	(<1)	U	(<1)	U
Vinyl Chloride	(µg/L)	(<1)	U	(<1)	U	(<1)	U	(<1)	U	(<1)	U	(<1)	U	(<1)	U	(<1)	U	(<1)	U	(<1)	U
Trichloroethene	(µg/L)	4.9		1.4		4		1.1		48		(<1)	U	1.2		(<1)	U	2.4		(<1)	U
Tetrachloroethene	(µg/L)	5.9		1.7		1.2		(<1)	U	210		(<1)	U	(<1)	U	(<1)	U	4.7		(<1)	U
NOTE: 152140-FD-02 was a blind field duplicate quality assurance/quality control sample of off-site sample DDC-6-PD for this sampling event.																					
July 2016																					
Parameters List EPA Method 8260B	Sample ID	DDC-5-PD		DDC-5-PS		DDC-6-PD		DDC-6-PS		DDC-7-PD		DDC-7-PS		DDC-8-PD		DDC-8-PS		152140-FD-02			NYSDEC AWQS (µg/L)
	Sample Type	Groundwater		Groundwater		Groundwater		Groundwater		Groundwater		Groundwater		Groundwater		Groundwater		Duplicate			
	Sample Date	7/12/2016		7/12/2016		7/12/2016		7/12/2016		7/12/2016		7/12/2016		7/12/2016		7/12/2016					
cis - 1,2-Dichloroethene	(µg/L)	5.1		9.3		1.3		7.8		4.8		27		8.2		14		170			
trans -1,2-Dichloroethene	(µg/L)	(<1)	U	(<1)	U	(<1)	U	(<1)	U	(<1)	U	(<1)	U	(<1)	U	(<1)	U	1.8			
Vinyl Chloride	(µg/L)	(<1)	U	(<1)	U	(<1)	U	(<1)	U	(<1)	U	(<1)	U	(<1)	U	(<1)	U	(<1)	U		
Trichloroethene	(µg/L)	(<1)	U	(<1)	U	(<1)	U	(<1)	U	3		4.2		2.1		1.8		58			
Tetrachloroethene	(µg/L)	(<1)	U	(<1)	U	(<1)	U	(<1)	U	12		5.4		5		2.8		160			
Parameters List EPA Method 8260B	Sample ID	DDC-9-PD		DDC-9-PS		DDC-10-PD		DDC-10-PS		MW-1D		MW-1S		MW-2D		MW-2S		MW-3D		MW-3S	
	Sample Type	Groundwater		Groundwater		Groundwater		Groundwater		Groundwater		Groundwater		Groundwater		Groundwater		Groundwater		Groundwater	
	Sample Date	7/12/2016		7/12/2016		7/13/2016		7/13/2016		7/12/2016		7/12/2016		7/12/2016		7/12/2016		7/12/2016		7/12/2016	
cis - 1,2-Dichloroethene	(µg/L)	1.4		8.4		(<1)	U	5.4		170		(<1)	U	(<1)	U	3		13		(<1)	U
trans -1,2-Dichloroethene	(µg/L)	(<1)	U	(<1)	U	(<1)	U	(<1)	U	1.8		(<1)	U	(<1)	U	(<1)	U	(<1)	U	(<1)	U
Vinyl Chloride	(µg/L)	(<1)	U	(<1)	U	(<1)	U	(<1)	U	(<1)	U	(<1)	U	(<1)	U	(<1)	U	(<1)	U	(<1)	U
Trichloroethene	(µg/L)	3		(<1)	U	2.7		(<1)	U	57		(<1)	U	(<1)	U	(<1)	U	2.8		(<1)	U
Tetrachloroethene	(µg/L)	3.2		(<1)	U	1.5		(<1)	U	170		(<1)	U	(<1)	U	(<1)	U	7.3		(<1)	U
NOTE: 152140-FD-02 was a blind field duplicate quality assurance/quality control sample of on-site sample DDC-6-PD for this sampling event.																					

Table 2B Summary of Detected Volatile Organic Compounds in Offsite Groundwater Samples (Quarterly Sampling Events, 2016)

October 2016																							
Parameters List EPA Method 8260B	Sample ID	DDC-5-PD		DDC-5-PS		DDC-6-PD		DDC-6-PS		DDC-7-PD		DDC-7-PS		DDC-8-PD		DDC-8-PS		152140-FD-02			NYSDEC AWQS (µg/L)		
	Sample Type	Groundwater		Groundwater		Groundwater		Groundwater		Groundwater		Groundwater		Groundwater		Groundwater		Duplicate					
	Sample Date	10/26/2016		10/26/2016		10/26/2016		10/26/2016		10/26/2016		10/26/2016		10/26/2016		10/26/2016		10/26/2016					
cis - 1,2-Dichloroethene	(µg/L)	4.4		12		<1	U	<1	U	1.3		17		9.2		16		14				5 (s)	
trans -1,2-Dichloroethene	(µg/L)	<1	U	<1	U	<1	U	<1	U	<1	U	<1	U	<1	U	<1	U	<1	U			5 (s)	
Vinyl Chloride	(µg/L)	<1	U	<1	U	<1	U	<1	U	<1	U	<1	U	<1	U	<1	U	<1	U			2 (s)	
Trichloroethene	(µg/L)	<1	U	<1	U	<1	U	<1	U	1.1		1.7		2.6		<1	U	<1	U	5 (s)			
Tetrachloroethene	(µg/L)	5.5		<1	U	<1	U	<1	U	4.8		<1	U	6.1		2.3		<1	U	5 (s)			
Parameters List EPA Method 8260B	Sample ID	DDC-9-PD		DDC-9-PS		DDC-10-PD		DDC-10-PS		MW-1D		MW-1S		MW-2D		MW-2S		MW-3D		MW-3S		NYSDEC AWQS (µg/L)	
	Sample Type	Groundwater		Groundwater		Groundwater		Groundwater		Groundwater		Groundwater		Groundwater		Groundwater		Groundwater		Groundwater			
	Sample Date	10/26/2016		10/26/2016		10/26/2016		10/26/2016		10/25/2016		10/25/2016		10/26/2016		10/26/2016		10/26/2016		10/26/2016			
cis - 1,2-Dichloroethene	(µg/L)	3		13		<1	U	10		100		<1	U	<1	U	<1	U	4.4		<1	U		5 (s)
trans -1,2-Dichloroethene	(µg/L)	<1	U	<1	U	<1	U	<1	U	1.4		<1	U	<1	U	<1	U	<1	U	<1	U		5 (s)
Vinyl Chloride	(µg/L)	<1	U	<1	U	<1	U	<1	U	<1	U	<1	U	<1	U	<1	U	<1	U	<1	U		2 (s)
Trichloroethene	(µg/L)	5.6		1.2		5.4		<1	U	50		<1	U	<1	U	<1	U	1.6		<1	U	5 (s)	
Tetrachloroethene	(µg/L)	4.3		1.4		<1	U	<1	U	170		<1	U	<1	U	5.3		6.8		<1	U	5 (s)	
NOTE: 152140-FD-02 was a blind field duplicate quality assurance/quality control sample of on-site sample DDC-5-PS for this sampling event.																							

Table 3A Treatment System Runtimes

System Readings																										
Date	Notes	SVE System					Onsite DDC Treatment System															Offsite DDC Treatment System				
		SVE Blower					System #1					System #2					Blower B-501					Blower B-502				
		Meter Reading (Hrs)	Time	Elapsed Runtime (Hrs.)	Elapsed Available (Hrs.)	Runtime (%)	Meter Reading (Hrs)	Time	Elapsed Runtime (Hrs.)	Elapsed Available (Hrs.)	Runtime (%)	Meter Reading (Hrs)	Time	Elapsed Runtime (Hrs.)	Elapsed Available (Hrs.)	Runtime (%)	Meter Reading (Hrs)	Time	Elapsed Runtime (Hrs.)	Elapsed Available (Hrs.)	Runtime (%)	Meter Reading (Hrs)	Time	Elapsed Runtime (Hrs.)	Elapsed Available (Hrs.)	Runtime (%)
01/21/16		17,379.00	8:00	21.86	857.82	2.55	33,218.30	8:00	859.60	859.83	99.97	39,855.00	8:24	858.00	859.32	99.85	--	15:00	--	862.67	--	15,395.8	15:00	43.70	862.7	5.07
02/08/16		17,812.64	12:00	433.64	436.00	99.46	33,653.50	11:30	435.20	435.50	100	40,102.70	8:35	247.70	432.18	57.31	--	13:30	--	430.5	--	15,846.4	13:30	430.50	430.5	100.00
03/08/16		18,099.78	13:45	287.14	697.75	41.15	34,327.30	13:30	673.80	701.50	96.05	40,349.30	14:05	246.60	701.50	35.15	--	15:00	--	697.5	--	16,523.4	15:00	677.00	697.5	97.06
Quarterly Run-Time		--	--	742.64	1991.57	37.29	--	--	1968.60	1996.83	98.59	--	--	1352.30	1993.00	67.85			0.00	1990.67	0.00			1151.20	1990.67	57.83
04/12/16		18,960.11	10:30	836.75	836.75	100.00	35,186.80	10:00	859.50	836.50	100.00	41,009.50	8:20	660.20	834.25	79.14	19,007.10	8:00	--	833.00	--	17,384.30	8:00	860.90	833.00	100.00
05/16/16		19,778.02	13:45	819.25	819.25	100.00	35,982.20	13:40	795.40	819.67	97.04	41,333.70	15:50	324.20	823.50	39.37	19,796.00	14:35	788.90	822.58	95.91	17,393.00	14:35	8.70	822.58	1.06
06/08/16		20,341.11	8:34	546.82	546.82	100.00	36,171.30	16:00	189.10	554.33	34.11	41,859.20	16:30	525.50	552.67	95.08	20,141.20	13:00	345.20	550.42	62.72	17,434.30	13:00	41.30	550.42	7.50
Quarterly Run-Time				2202.82	2202.82	100.00			1844.00	2210.50	83.42			1509.90	2210.42	68.31			1134.10	2206.00	51.41			910.90	2206.00	41.29
07/11/16		20,341.11	12:00	0.00	795.43	0.00	36,947.50	11:00	776.20	787.00	98.63	42,648.20	8:20	789.00	783.83	100.00	21025.9	10:00	884.70	789.00	112.13	17,434.30	10:00	--	789.00	--
08/18/16		20,702.07	8:18	360.96	908.30	39.74	37,269.60	9:10	322.10	910.17	35.39	43,553.60	15:50	905.40	919.50	98.47	21,824.30	16:27	798.40	918.45	86.93	17,434.30	16:27	--	918.45	--
09/12/16		21,341.11	12:35	639.04	604.28	100.00	37,846.86	13:00	577.26	603.83	95.60	44,157.60	16:30	604.00	600.67	100.00	22,446.20	14:00	621.90	597.55	104.07	17,434.30	14:00	--	597.55	--
Quarterly Run-Time				1000.00	2308.02	43.33			1675.56	2301.00	72.82			2298.40	2304.00	99.76			2305.00	2305.00	100.00			0.00	2305.00	0.00
10/26/16		22,394.93	10:24	1053.82	1053.82	100.00	38,498.10	12:00	1055.00	1055.00	100.00	45,187.50	9:27	1029.90	1048.95	98.18	23,502.90	15:21	1056.70	1057.35	99.94	17,438.60	17:00	4.30	1059.00	0.41
11/15/16		22,874.03	9:30	479.10	479.10	100.00	38,974.85	8:45	476.75	476.75	100.00	45,689.70	8:15	502.20	478.80	100.00	23,478.70	10:30	--	475.15	--	17,913.10	10:30	474.50	473.50	100.21
12/22/16		23,752.03	13:30	878.00	892.00	98.43	39,888.20	8:30	887.75	887.75	100.00	46,577.80	8:30	888.10	888.25	99.98	23,478.70	10:20	--	887.83	--	18,800.80	10:20	887.70	887.83	99.98
12/31/16	A, D	23,978.51	23:59	226.48	226.48	100.00	40,119.68	23:59	231.48	231.48	100.00	46,809.28	23:59	231.48	231.48	100.00	23,478.70	23:59	--	229.65	--	19,030.45	23:59	229.65	229.65	100.00
Quarterly Run-Time				2637.40	2651.40	99.47			2650.98	2650.98	100.00			2651.68	2651.68	100.00			1056.70	2649.98	40.00			2649.98	2649.98	100.00
PERIOD TOTALS =				6582.86	9153.80	71.91			8139.14	9159.32	88.86			7812.28	9159.10	85.30			4495.80	9151.65	49.13			4712.08	9151.65	51.49
NOTE: SVE = Soil Vapor Extraction DDC = Density Driven Convection --- = A = "Meter Reading" value was corrected for the SVE system to override a malfunctioning run-clock meter B = "Meter Reading" value was updated and calculation overridden to incorporate new run-clock meter C = On-site DDC System #1 not running. Hour reading only parameter collected D = Hours were projected to close reporting period E = Hours were corrected to align with new run-clock meter 10/26/16: Switched blowers at the Offsite System; switched from blower B-501 to B-502																										

Table 3B Summary of Estimated Recovery Rate via Soil Vapor Extraction System

Date	Field/System Data			Elapsed Run-Time (day)	Laboratory Results						Mass Discharged						Recovery based on Laboratory Results						
	SVE Blower Flow Rate (cfm)	Applied Vacuum (in. H ₂ O)	System Discharge VOC Concentration (ppmv)		SYS INFLUENT			SYS EFFLUENT			PCE Discharge During Period: lb/hr	PCE Discharge During Period (lb)	TCE Discharge During Period (lb/hr)	TCE Discharge During Period (lb)	cis -1,2-DCE Discharge During Period (lb/hr)	cis -1,2-DCE Discharge During Period (lb)	PCE Recovery During Period: lb/hr	PCE Recovery During Period (lb)	TCE Recovery During Period (lb/hr)	TCE Recovery During Period (lb)	cis -1,2-DCE Recovery During Period (lb/hr)	cis -1,2-DCE Recovery During Period (lb)	
					PCE (mg/m ³)	TCE (mg/m ³)	cis -1,2-DCE (mg/m ³)	PCE (mg/cu m.)	TCE (mg/cu m.)	cis -1,2-DCE (mg/cu m.)													
1/21/2016	162	96	34.0	0.91	--	--	--	0.500	0.004	ND	0.0003	0.007	0.0000	0.00	0.0000	0.00	--	--	--	--	--	--	
4/12/2016	200	63	1.0	34.86	--	--	--	4.9	0.091	0.0089	0.0037	3.074	0.0001	0.06	0.0000	0.00	--	--	--	--	--	--	
7/11/2016	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
8/18/2016	227	57	0.0	15.04	16.00	1.10	0.32	0.0	0.000	0.0000	0.0000	0.000	0.0000	0.00	0.0000	0.00	0.0136	4.9150	0.0009	0.3379	0.000	1.4836	
9/12/2016	230	56	0.0	25	0.00	0.01	0.03	0.0	0.000	0.0000	0.0000	0.000	0.0000	0.00	0.0000	0.00	0.0000	0.0000	0.0000	0.0050	0.000	0.0129	
10/26/2016	200	63	0.0	44	12.0	0.660	0.1000	0.0	0.000	0.0360	0.0000	0.000	0.0000	0.00	0.0000	0.00	0.0090	9.5015	0.0005	0.5226	0.000	0.0507	
11/30/2016	200	65	0.0	35	6.60	0.41	0.07	0.0	0.000	0.0240	0.0000	0.000	0.0000	0.00	0.0000	0.00	0.0049	4.1569	0.0003	0.2582	0.000	0.0258	
12/22/2016	218	62	0.0	22	1.10	0.06	0.01	0.023	0.000	0.0000	0.0000	0.010	0.0000	0.00	0.0000	0.00	0.0009	0.4648	0.0000	0.0263	0.000	0.0039	
ANNUAL TOTALS =												3.09			0.06		0.00		19.04		1.15		1.58
NOTE: SVE = Soil Vapor Extraction cfm = cubic feet per minute ppmv = parts per million (vol./vol.) mg/m ³ = milligrams per cubic meter PCE = Tetrachloroethylene TCE = Trichloroethene cis -1,2-DCE = cis-1,2-Dichloroethene Mass Recovery (Lab Res., lb/hr) = flow (cfm)*effluent conc. (mg/cu. m.)*1g/1000mg*1lb/453.6g*1cu. m./35.31cu. ft*60min/1 hr Mass Recovery (Lab Res., lb) = Discharge Rate (lb/hr) * # of days*24hours/day Permit limit for PCE is 0.031 lb/hr and 270 lb/yr; TCE is 0.014 lb/hr and 120 lb/year; cis-1,2-DCE is 0.63 lb/hr and 5,510 lb/year Samples for month of September 2016 were collected on 9/30/16, while sample measurements were taken on 9/12/16 Shaded cells indicate O&M events performed during a previous reporting period. NOTE: Air samples were collected on 8/18/16 after SVE system was restarted with five new horizontal SVE wells. Carbon change out occurred in 05/2016																							

Table 3C Summary of Estimated Recovery Rate via Onsite DDC System #1

Date	Field/System Data			Elapsed Run-Time (days)	Laboratory Results									Recovery based on Laboratory Results					
	Vacuum Flow Rate (cfm)	Applied Vacuum (in. H ₂ O)	System Influent VOC Concentration (ppmv)		SYS1-INF1			SYS1-MIDGAC			SYS1-EFF			PCE Recovery During Period: lb/hr	PCE Recovery During Period (lb)	TCE Recovery During Period (lb/hr)	TCE Recovery During Period (lb)	<i>cis</i> -1,2-DCE Recovery During Period (lb/hr)	<i>cis</i> -1,2-DCE Recovery During Period (lb)
					PCE (mg/m ³)	TCE (mg/m ³)	<i>cis</i> -1,2-DCE (mg/m ³)	PCE (mg/m ³)	TCE (mg/m ³)	<i>cis</i> -1,2-DCE (mg/m ³)	PCE (mg/m ³)	TCE (mg/m ³)	<i>cis</i> -1,2-DCE (mg/m ³)						
1/21/2016	154	28	4.561	36	4.8	0.019	0.11	4.8	0	0.097	0.78	0.011	0.13	0.0034	6.62	0.0000	0.01	0.0000	0.00
2/9/2016	280	32	3.3	18	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
3/8/2016	235	27	1.8	28	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
4/12/2016	185	25	-	36	6.1	0.024	0.12	6	0.02	0.13	0.9	0.011	0.11	0.0041	7.50	0.0000	0.02	0.0000	0.00
5/16/2016	126	43	3.966	33	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
6/8/2016	315	60	1.358	8	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
7/11/2016	222	42	1.975	32	0.072	0	0	0	0	0	0	0	0	0.0001	0.11	0.0000	0.00	0.0000	0.00
8/18/2016	258	42	1.876	13	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
9/12/2016	270	42	4.408	24	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
10/26/2016	266	44	1.26	44	1.900	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.0019	4.6590	0.0000	0.0000	0.0000	0.0000
11/30/2016	280	42	0.325	20	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
12/22/2016	265	43	1.23	37	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
ANNUAL TOTALS=															18.89		0.03		0.00
NOTE: cfm = cubic feet per minute VOC = Volatile organic compound ppmv = parts per million (vol./vol.) mg/m ³ = milligrams per cubic meter PCE = Tetrachloroethylene TCE = Trichloroethene <i>cis</i> -1,2-DCE = cis-1,2-Dichloroethene Mass Recovery (Lab Res., lb/hr) = flow (cfm)*effluent conc. (mg/cu. m.)*1g/1000mg*1lb/453.6g*1cu. m./35.31cu. ft*60min/1 hr Mass Recovery (Lab Res., lb) = Discharge Rate (lb/hr) * # of days*24hours/day Shaded cells indicate O&M events performed during a previous reporting period.																			

Table 3D Summary of Estimated Recovery Rate via Onsite DDC System #2

Date	Field/System Data			Elapsed Run-Time (day)	Laboratory Results									Recovery based on Laboratory Results					
	Vacuum Flow Rate (cfm)	Applied Vacuum (in. H ₂ O)	System Influent VOC Concentration (ppmv)		SYS2-INF1			SYS2-INF2			SYS2-EFF			PCE Recovery During Period: lb/hr	PCE Recovery During Period (lb)	TCE Recovery During Period (lb/hr)	TCE Recovery During Period (lb)	<i>cis</i> -1,2-DCE Recovery During Period (lb/hr)	<i>cis</i> -1,2-DCE Recovery During Period (lb)
					PCE (mg/m ³)	TCE (mg/m ³)	<i>cis</i> -1,2-DCE (mg/m ³)	PCE (mg/m ³)	TCE (mg/m ³)	<i>cis</i> -1,2-DCE (mg/m ³)	PCE (mg/m ³)	TCE (mg/m ³)	<i>cis</i> -1,2-DCE (mg/m ³)						
1/21/2016	374	0.0	0.0492	36	0.27	0.0074	0.15	0.32	0.0086	0.18	0	0	0.14	0.0004	0.50	0.0000	0.01	0.0000	0.02
2/8/2016	376	13.6	0	10	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
3/8/2016	353	6.8	0.64	10	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
4/12/2016	350	6.8	0.19	28	0.67	0.011	0.3	0.58	0.0095	0.28	0	0	0.14	0.0009	1.32	0.0000	0.02	0.0002	0.32
5/16/2016	350	6.8	0.716	14	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
6/8/2016	346	13.6	0.108	22	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
7/11/2016	354	34.0	1.309	33	0.31	0.0056	0.047	0.2	--	0.028	0	0	0.0088	0.0004	0.98	0.0000	0.02	0.0001	0.12
8/18/2016	366	20.4	0.601	38	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
9/12/2016	385	14.9	2.349	25	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
10/26/2016	375	13.6	1.042	44	0.22	0.007	0.005	0.18	0.005	0.038	0	0	0.029	0.0003	0.7592	0.0000	0.0242	0.0000	0.0000
11/15/2016	385	13.6	0.304	20	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
12/22/2016	383	13.6	0.748	37	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
ANNUAL TOTALS =															3.57		0.08		0.46
NOTE: cfm = cubic feet per minute VOC = Volatile organic compound ppmv = parts per million (vol./vol.) mg/m ³ = milligrams per cubic meter PCE = Tetrachloroethylene TCE = Trichloroethene <i>cis</i> -1,2-DCE = <i>cis</i> -1,2-Dichloroethene Mass Recovery (Lab Res., lb/hr) = flow (cfm)*effluent conc. (mg/cu. m.)*1g/1000mg*1lb/453.6g*1cu. m./35.31cu. ft*60min/1 hr Mass Recovery (Lab Res., lb) = Discharge Rate (lb/hr) * # of days*24hours/day Shaded cells indicate O&M events performed during a previous reporting period.																			

Table 3E Summary of Estimated Recovery Rate via Offsite DDC System (Blower B501)

Date	Field/System Data			Elapsed Run-Time (day)	Laboratory Results												Recovery based on Laboratory Results					
	Vacuum Flow Rate (cfm)	Applied Vacuum (in. H ₂ O)	System Influent VOC Concentration (ppmv)		B501-INF1			B501-INTER1			B501-INTER2			B501-EFF			PCE Recovery During Period: lb/hr	PCE Recovery During Period (lb)	TCE Recovery During Period (lb/hr)	TCE Recovery During Period (lb)	cis -1,2-DCE Recovery During Period (lb/hr)	cis -1,2-DCE Recovery During Period (lb)
					PCE (mg/m ³)	TCE (mg/m ³)	cis -1,2-DCE (mg/m ³)	PCE (mg/m ³)	TCE (mg/m ³)	cis -1,2-DCE (mg/m ³)	PCE (mg/m ³)	TCE (mg/m ³)	cis -1,2-DCE (mg/m ³)	PCE (mg/m ³)	TCE (mg/m ³)	cis -1,2-DCE (mg/m ³)						
1/21/2016	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
2/8/2016	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
3/8/2016	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
4/12/2016*	--	--	--	--	0.3800	0.1700	0.2500	0.0000	0.0000	0.6900	0.0000	0.0000	0.0090	0.0000	0.0000	0.0000	0.0007	0.8094	0.0003	0.3621	0.0005	0.53
5/16/2016	459	52	1.494	33	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
6/8/2016	543	54	1.207	14	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
7/11/2016	518	54	1.093	37	0.400	0.190	0.870	0.000	0.0710	0.0990	0.0000	0.0000	0.5200	0.0000	0.0000	0.8200	0.0007	1.7179	0.0004	0.8160	0.0001	0.21
8/18/2016	509	54	0.586	33	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
9/12/2016	464	54	0.995	26	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
10/26/2016	631	54	0.726	44	0.210	0.120	1.1000	0.051	2.000	1.400	0.0000	0.0000	0.8300	0.0000	0.0000	0.6800	0.0004	1.0829	0.0003	0.6188	0.0009	2.17
11/15/2016**	546	55	0.511	20	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
12/22/2016**	529	55	0.702	37	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
ANNUAL TOTALS = 3.61 1.80 2.91																						
NOTE: cfm = cubic feet per minute VOC = Volatile organic compound ppmv = parts per million (vol./vol.) mg/m ³ = milligrams per cubic meter PCE = Tetrachloroethylene TCE = Trichloroethene cis -1,2-DCE = cis-1,2-Dichloroethene Mass Recovery (Lab Res., lb/hr) = flow (cfm)*effluent conc. (mg/cu. m.)*1g/1000mg*1lb/453.6g*1cu. m./35.31cu. ft*60min/1 hr Mass Recovery (Lab Res., lb) = Discharge Rate (lb/hr) * # of days*24hours/day Shaded cells indicate O&M events performed during a previous reporting period. * 4/13/16: Switched blowers at the Offsite System; switched from blower B-502 to B-501. Samples collected from B-502 ** 10/16/2016 Switched from B-501 from B-502. Samples collected from B-501; B-501 operational data was combined with B-502 system operational data to determine mass recovery for the whole quarter																						

Table 3F Summary of Estimated Recovery Rate via Offsite DDC System (Blower B502)

Date	Field/System Data			Elapsed Run-Time (day)	Laboratory Results												Recovery based on Laboratory Results					
	Vacuum Flow Rate (cfm)	Applied Vacuum (in. H ₂ O)	System Influent VOC Concentration (ppmv)		B502-INF1			B502-INTER1			B502-INTER2			B502-EFF			PCE Recovery During Period: lb/hr	PCE Recovery During Period (lb)	TCE Recovery During Period (lb/hr)	TCE Recovery During Period (lb)	cis -1,2-DCE Recovery During Period (lb/hr)	cis -1,2-DCE Recovery During Period (lb)
					PCE (mg/m ³)	TCE (mg/m ³)	cis -1,2-DCE (mg/m ³)	PCE (mg/m ³)	TCE (mg/m ³)	cis -1,2-DCE (mg/m ³)	PCE (mg/m ³)	TCE (mg/m ³)	cis -1,2-DCE (mg/m ³)	PCE (mg/m ³)	TCE (mg/m ³)	cis -1,2-DCE (mg/m ³)						
1/21/2016	316	54	0.000	2	2.2000	0.9200	0.9200	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0024	2.72	0.0010	1.14	0.0010	1.14
2/8/2016	275	54	0.000	18	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
3/8/2016	268	56	0.095	28	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
4/12/2016	472	56	0.360	36	0.3800	0.1700	0.2500	0.0000	0.0000	0.6900	0.0000	0.0000	0.0090	0.0000	0.0000	0.0000	0.0007	0.58	0.0003	0.26	0.0004	0.38
5/16/2016	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
6/8/2016	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
7/11/2016	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
8/18/2016	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
9/12/2016	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
10/26/2016**	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
11/15/2016**	546	55	0.511	20	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
12/22/2016**	529	55	0.702	37	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
ANNUAL TOTALS =																		3.30	1.40	1.40	1.52	
NOTE: cfm = cubic feet per minute VOC = Volatile organic compound ppmv = parts per million (vol./vol.) mg/m ³ = milligrams per cubic meter PCE = Tetrachloroethylene TCE = Trichloroethene cis -1,2-DCE = cis-1,2-Dichloroethene Mass Recovery (Lab Res., lb/hr) = flow (cfm)*effluent conc. (mg/cu. m.)*1g/1000mg*1lb/453.6g*1cu. m./35.31cu. ft*60min/1 hr Mass Recovery (Lab Res., lb) = Discharge Rate (lb/hr) * # of days*24hours/day Shaded cells indicate O&M events performed during a previous reporting period. * 4/13/16: Switched blowers at the Offsite System; switched from blower B-502 to B-501. Samples collected from B-502 * 10/26/16 Switched blowers from B-501 to B-502. Samples collected from B-501; B-501 operational data was combined with B-502 system operational data to determine mass recovery for the whole quarter																						

Appendix A

Institutional/Engineering Control Certification

This page left intentionally blank



Enclosure 1
Engineering Controls - Standby Consultant/Contractor Certification Form



Site Details		Box 1
Site No.	152140	
Site Name National Heatset Printing Co.		
Site Address: 1 Adams Boulevard	Zip Code: 11735	
City/Town: East Farmingdale		
County: Suffolk		
Site Acreage: 4.3		
Reporting Period: January 30, 2016 to January 30, 2017 December 31, 2016 JCH		
		YES NO
1. Is the information above correct?		<input checked="" type="checkbox"/> <input checked="" type="checkbox"/> JCH
<input checked="" type="checkbox"/> If NO, include <u>handwritten above</u> or on a separate sheet.		
2. To your knowledge has some or all of the site property been sold, subdivided, merged, or undergone a tax map amendment during this Reporting Period?	<input type="checkbox"/>	<input checked="" type="checkbox"/>
3. To your knowledge has there been any change of use at the site during this Reporting Period (see 6NYCRR 375-1.11(d))?	<input type="checkbox"/>	<input checked="" type="checkbox"/>
4. To your knowledge have any federal, state, and/or local permits (e.g., building, discharge) been issued for or at the property during this Reporting Period?	<input type="checkbox"/>	<input checked="" type="checkbox"/>
If you answered YES to questions 2 thru 4, include documentation or evidence that documentation has been previously submitted with this certification form.		
5. To your knowledge is the site currently undergoing development?	<input type="checkbox"/>	<input checked="" type="checkbox"/>
		Box 2
		YES NO
6. Is the current site use consistent with the use(s) listed below? Industrial	<input checked="" type="checkbox"/>	<input type="checkbox"/>
7. Are all ICs/ECs in place and functioning as designed?	<input checked="" type="checkbox"/>	<input type="checkbox"/>
IF THE ANSWER TO EITHER QUESTION 6 OR 7 IS NO, sign and date below and contact the DEC PM regarding the development of a Corrective Measures Work Plan to address these issues.		
Signature of Standby Consultant/Contractor _____		Date _____

SITE NO. 152140

Box 3

Description of Institutional Controls

Parcel

Owner

Institutional Control

100.097-0001-020.001

Michael Adamowicz III

Ground Water Use Restriction
Monitoring Plan
Site Management Plan
O&M Plan
IC/EC Plan

Landuse Restriction

The environmental notice provides an alert that the groundwater use is restricted.

Box 4

Description of Engineering Controls

Parcel

Engineering Control

100.097-0001-020.001

Groundwater Treatment System
Vapor Mitigation
Air Sparging/Soil Vapor Extraction

The site contains a soil vapor extraction system and an in-well vapor stripping system. The soil vapor extraction system remediates soil contamination beneath the on-site building and provides vapor mitigation for the building. The in-well vapor stripping system remediates groundwater contamination.

Periodic Review Report (PRR) Certification Statements

1. I certify by checking "YES" below that:

a) the Periodic Review report and all attachments were prepared under the direction of, and reviewed by, the party making the certification, including data and material prepared by previous contractors for the current certifying period, if any;

b) to the best of my knowledge and belief, the work and conclusions described in this certification are in accordance with the requirements of the site remedial program, and generally accepted engineering practices; and the information presented is accurate and complete.

YES NO



2. If this site has an IC/EC Plan (or equivalent as required in the Decision Document), for each Institutional or Engineering control listed in Boxes 3 and/or 4, I certify by checking "YES" below that all of the following statements are true:

(a) the Institutional Control and/or Engineering Control(s) employed at this site is unchanged since the date that the Control was put in-place, or was last approved by the Department;

(b) nothing has occurred that would impair the ability of such Control, to protect public health and the environment;

(c) nothing has occurred that would constitute a failure to comply with the Site Management Plan, or equivalent if no Site Management Plan exists.

YES NO



IF THE ANSWER TO QUESTION 2 IS NO, sign and date below and contact the DEC PM regarding the development of a Corrective Measures Work Plan to address these issues.

Signature of Standby Consultant/Contractor

Date

IC/EC CERTIFICATIONS

Professional Engineer Signature

I certify that all information in Boxes 2 through 5 are true. I understand that a false statement made herein is punishable as a Class "A" misdemeanor, pursuant to Section 210.45 of the Penal Law.

I JAMES C. HAYWARD at 6712 BROOKLAWN PARKWAY
print name


SUITE 104

SYRACUSE, NY 13211

(print business address)

am certifying as a Professional Engineer.

James C. Hayward
Signature of Professional Engineer



12/19/2017
Date

Appendix B

Annual Inspection

This page left intentionally blank

SITE-WIDE INSPECTION**Day:****Thurs****Date:****12/22/16**

NYSDEC		Temperature: (F)	35	(am)	48	(pm)
		Wind Direction:	W	(am)		(pm)
National Heatset Printing Site		Weather:	(am) Partly Cloudy			
NYSDEC Site # 152140			(pm) Partly Cloudy			
Contract # 1490716.0003		Arrive at site	0630	(am)		
Babylon, New York		Leave site:	1300	(pm)		

Site Security**Evidence of vandalism (wells, protective cover damage):**

None

Evidence of penetrations (poles, posts, stakes):

None

General site condition (gates, access, storm drains):

Good. Damage to offsite enclosure fence in October 2016.

Additional Comments:

None

SVE System Enclosure**Is there any damage to the system enclosure?**

No

Does system piping appear to be compromised in any way? If so, describe:

Yes. Erosion near new horizontal well manifold on South side of system trailer. Water from roof drain on 1 Adams Blvd. building possibly entering system

Do gauges and meters read within acceptable levels?

Yes. Flow rates and PID readings of individual well legs lower than normal. Typically due to water in knockout tank. Once tank drained, system operating properly.

Is equipment making any abnormal noises?

No

Is remote communication equipment functional?

No. No call out received in advance of arrival on 12/21/16. "High high water level" alarm on knockout tank triggered, yet no call out received.

Has enclosure heating and ventilation changed since the last inspection?

No

Is there any damage to the well heads?

No, except for erosion around horizontal well manifold piping.

On-Site DDC Treatment System**Is there any damage to the system enclosure?**

No

Does system piping appear to be compromised in any way? If so, describe:

No

Do gauges and meters read within acceptable levels?

Yes, with the exception of pressure gauge on blower in Onsite DDC System #2. Gauge on blower panel suspected to be faulty. Often reads zero, when should not.

SITE-WIDE INSPECTIONDay: **Thurs**

Date:

12/22/16**Is equipment making any abnormal noises?**

No

Is remote communication equipment functional?

Yes, at times. During 2016 there were a few alarms triggered that were not called-out.

Has enclosure heating and ventilation changed since the last inspection?

No

Is there any damage to the well heads?

No

Off-site DDC Treatment System**Is there any damage to the system enclosure?**

No

Does system piping appear to be compromised in any way? If so, describe:

No

Do gauges and meters read within acceptable levels?

Yes

Is equipment making any abnormal noises?

No

Is remote communication equipment functional?

Yes

Has enclosure heating and ventilation changed since the last inspection?

No

SITE-WIDE INSPECTION

Day: Thurs

Date: 12/22/16

Is there any damage to the well heads?

No

INSPECTION PHOTOLOG



Tree from SCWA property on off-site system fence line (1 of 2)



Tree from SCWA property on off-site system fence line (2 of 2)



Damage to fence from tree



Water from roof drain ponding over horizontal well manifold

SITE-WIDE INSPECTION

Day: Thurs Date: 12/22/16



Erosion near SVE manifold



Missing well cap inside 1 Adams Blvd.



Well cap for MW-H



Blower in System #2 with faulty pressure gauge.

This page intentionally left blank

Appendix C

Green Remediation

This page left intentionally blank

Summary of Green Remediation Metrics for Site Management

Site Name: National Heatset Printing Co. _____ Site Code: 152140 _____
 Address: 1 Adams Blvd _____ City: Farmingdale _____
 State: NY _____ Zip Code: _____ County: Nassau _____

Initial Report Period (Start Date of period covered by the Initial Report submittal)

Start Date: October 15, 2013 _____

Current Reporting Period

Reporting Period From: 1 January 2016 _____ To: 31 December 2016 _____

Contact Information

Preparer's Name: James Hayward _____ Phone No.: (315) 431-4610 x1857 _____
 Preparer's Affiliation: EA Engineering _____

I. Energy Usage: Quantify the amount of energy used directly on-site and the portion of that derived from renewable energy sources.

	Current Reporting Period	Total to Date
Fuel Type 1 (e.g. natural gas (cf))	0	0
Fuel Type 2 (e.g. fuel oil, propane (gals))	0	0
Electricity (kWh)	383,255	1,199,515
Of that Electric usage, provide quantity:		
Derived from renewable sources (e.g. solar, wind, and hydropower)	57,182 (~14.92%)	118,354 (~10%)
Other energy sources (e.g. geothermal, solar thermal (Btu))	0	0

Provide a description of all energy usage reduction programs for the site in the space provided on Page 3.

II. Solid Waste Generation: Quantify the management of solid waste generated on-site.

	Current Reporting Period (lb)	Total to Date (lb)
Total waste generated on-site		
OM&M generated waste	<5	<15
Of that total amount, provide quantity:		
Transported off-site to landfills	<5	<15
Transported off-site to other disposal facilities		1,800
Transported off-site for recycling/reuse	5,077	19,077
Reused on-site	0	0

Provide a description of any implemented waste reduction programs for the site in the space provided on Page 3.

III. Transportation/Shipping: Quantify the distances travelled for delivery of supplies, shipping of laboratory samples, and the removal of waste.

	Current Reporting Period (miles)	Total to Date (miles)
Standby Engineer/Contractor	17,640	52,920
Laboratory Courier/Delivery Service	350	550
Waste Removal/Hauling	888	1,988

Provide a description of all mileage reduction programs for the site in the space provided on Page 3. Include specifically any local vendor/services utilized that are within 50 miles of the site.

IV. Water Usage: Quantify the volume of water used on-site from various sources.

	Current Reporting Period (gallons)	Total to Date (gallons)
Total quantity of water used on-site	0	0
Of that total amount, provide quantity:		
Public potable water supply usage	0	0
Surface water usage	0	0
On-site groundwater usage	0	0
Collected or diverted storm water usage	0	0

Provide a description of any implemented water consumption reduction programs for the site in the space provided on Page 3.

V. Land Use and Ecosystems: Quantify the amount of land and/or ecosystems disturbed and the area of land and/or ecosystems restored to a pre-development condition (i.e. Green Infrastructure).

	Current Reporting Period (acres)	Total to Date (acres)
Land disturbed	0	0
Land restored	0	0

Provide a description of any implemented land restoration/green infrastructure programs for the site in the space provided on Page 3.

Description of green remediation programs reported above (Attach additional sheets if needed)
Energy Usage: PSE&G Environmental Information for Basic Generation states: Solar 2.75%, Wind 7.97%, Solid Waste 2.48%, Fuel Cells 0.02%, Hydro 0.01%, Captured Methane Gas 1.69%. https://www.pseg.com/info/environment/envirolabel.jsp
Waste Generation: Primarily spent GAC shipped off site for reactivation or blending to Darlington, PA
Transportation/Shipping: Primarily spent GAC shipped off site for reactivation or blending. Miles associated with Lab work increased when taking into account shipment of glassware to Syracuse office prior to sampling and shipping from site to the lab following sampling.
Water usage:
Land Use and Ecosystems:
Other: Modify operation of off-site DDC system to use single 100-HP blower (vs. two), which would also reduce amount of spent GAC. Potential to cycle/alternate on-site DDC systems (based on groundwater velocity). Use of “local” standby subcontractor to respond to system alarms (20 mi round trip for PES vs. 600 mi round trip for EA) Use of nearby GAC vendor (100 mi round trip) for changeout support. Use of dial-outs or remote communications to determine system status. Green metrics for RSO work performed during 2016 will be captured in the 2017 PRR once quantities have been established.

Environmental Information for Basic Generation Service, PSE&G

Electricity supplied from June 1, 2015 – May 31, 2016

Electricity can be generated in a number of ways with different impacts on the environment. The standardized environmental information shown below allows you to compare this electricity product with electricity products offered by other electric suppliers.

Energy Source

PSE&G relied on these energy resources to provide this electricity product.

Coal	20.83%
Gas	22.30%
Hydroelectric (large)	0.04%
Nuclear	41.71%
Oil	0.20%

Renewable energy

Captured Methane Gas	1.69%
Fuel Cells	0.02%
Geothermal	0%
Hydroelectric (small)	0.01%
Solar	2.75%
Solid Waste	2.48%
Wind	7.97%
Wood or other biomass	0%

Total	100%
--------------	-------------

Renewable energy sources subtotal: 14.92%

Air Emissions

The amount of air pollution associated with the generation of the electricity product is shown. This amount is compared to a New Jersey benchmark. The benchmark approximates the average emission rate for all electricity generation in New Jersey.

CO₂ is a "greenhouse gas" which may contribute to global climate change. SO₂ and NO_x react to form acids found in acid rain. NO_x also reacts to form ground level ozone, an unhealthy component of "smog."



Energy Conservation

Electricity generation and associated air emissions avoided through PSE&G's investments in conservation measures. Energy conservation measures mean less electricity needs to be generated and pollution is avoided.

Avoided Generation	Avoided Air Emissions
194,016,261 KWh	107,853 tons CO ₂
	92 tons NO _x
	214 tons SO ₂

See your Terms of Service for further information regarding this electricity product. You may also call PSE&G for additional information, or a copy of the Terms of Service at 1-800-706-PSEG.