



May 3, 2019

Transmitted: PDF File Transmission and 1st Class USPS Mail to Copy List

Mr. Kent Johnson
Senior Engineering Geologist
New York State Dept. of Environmental Conservation
Division of Environmental Remediation
Remedial Section B – Remedial Bureau E
625 Broadway
Albany, NY 12233-7017

**SUBJECT: Groundwater Monitoring Program Report
Safety-Kleen Service Center – 60 Seabro Avenue
North Amityville, New York**

Dear Mr. Johnson:

This letter serves as the Safety-Kleen Systems, Inc. (Safety-Kleen) March 2019 groundwater monitoring report for the referenced site (**Attachment 1 – Site Map**).

1.0 MODIFICATIONS TO THE PROGRAM

No modifications to the program were implemented during this monitoring period.

2.0 GROUNDWATER SAMPLING PROGRAM

Groundwater monitoring and sampling activities were conducted between March 25 and 26, 2019 by Clean Harbors Environmental Services. The following tasks were performed during the monitoring event (as required):

- The ORC-A® filter socks were removed from wells GT-1, GT-6, and VE-1R;
- Following equilibration of the water table, field data and laboratory samples were collected from the monitoring locations as follows:
 - Measurement of the depth to water (DTW) at each monitoring well, four vapor points and one catch basin/drywell; and
 - Collection of groundwater samples by low-flow sampling techniques from site monitoring locations;
- Post sampling, filter socks were replaced in wells GT-1, GT-6 and VE-1R; and
- The samples were packed on ice for delivery to a laboratory sample collection location, laboratory courier, or shipment to the laboratory via overnight commercial courier.

Samples were sent to TestAmerica, Inc. (TestAmerica) in Edison, NJ for analysis of Mineral Spirit Range Organics (MSRO) and Volatile Organic Compounds (VOCs). TestAmerica holds both New York NELAP and NYSDOH ELAP certifications.

2.1 Monitoring Point Field Parameter Collection & Summary

Wells GT-1 through GT-7, VE-1R, VE-5, VP-A, VP-B and DW-1 were gauged and field indicator parameters were noted during sampling. Temperature, pH, conductivity, dissolved oxygen (DO), oxidation/reduction potential (ORP), and turbidity were recorded. The field/sampling data from the March 2019 sampling event are included as **Attachment 2**. The historic to current field data are presented as **Attachment 3 - Table 1**.

Depth-to-water in monitoring wells ranged from 13.02(GT-4) to 16.03 (VP-A) feet below grade in March 2019 in exterior wells. Comparatively, the water table was on average 4.4 feet higher than reported for the previous event (September 2018) indicative of seasonal variance.

The depth-to-water at select site monitoring wells is presented below as **Figure 1**. Despite a general rise in groundwater depth over the last few events, the historical data indicate that the water table has generally trended deeper.







Figure 2 below depicts the flow conditions for March 2019. The direction of groundwater flow was southeast and generally consistent with historic trends. The average gradient was measured at 0.21%, slightly more than that reported for September 2018 at 0.15%.



The DO concentrations ranged between 3.61 milligrams per liter (mg/l) at GT-1 to 21.15 mg/l at VE-1R in March 2019. Three wells (GT-1, GT-6, and VE-1R) had ORC-A® filter socks replaced as part of March 2019 monitoring event activities. **Figure 3** shows the historic trend in DO concentrations in select wells.



The pH (**Figure 4**) ranged from 6.23 (GT-5) to 12.57 (VE-1R) in March 2019. Higher pH is a known effect from ORC-A® dissolution, and may affect the pH in wells where ORC-A® socks were deployed (GT-1, GT-6, and VE-1R).



2.2 Groundwater Sampling

Monitoring wells GT-1, GT-2, GT-3, GT-5, GT-6, GT-7, vapor extraction/monitoring points VE-1R, VE-5, VP-A, and VP-B, and drywell DW-1 were sampled by low-flow sampling techniques per the updated Quality Assurance Project Plan (QAPP) approved by NYSDEC on March 1, 2017. A duplicate sample was collected from well GT-1 (GW-DUP). Groundwater samples were placed into pre-preserved, laboratory-supplied containers provided by TestAmerica as specified for each analysis.

Samples were kept cool during transport to the laboratory, accompanied by chain-of-custody documents and trip blanks. The samples arrived at the TestAmerica laboratory facility within acceptable USEPA and NYSDEC holding times and preservation requirements. TestAmerica analyzed the groundwater samples for VOCs via EPA Method 8260c and MSRO via Modified EPA Method 8015d. Note that the sample bottle for MSRO from VP-B broke during transport to the laboratory; therefore, groundwater from VP-B was not analyzed for MSRO during this monitoring period.

3.0 ANALYTICAL RESULTS



Historic data through March 2019 are presented in **Attachment 3 - Table 2**. The laboratory analytical report is included as **Attachment 4** (on CD, Detection Summary in print).

VOCs: Site-related VOCs detected in groundwater samples above the method detection limits included tetrachloroethene in GT-2 (2.0J ug/L) and DW-1 (0.73J ug/L), each below the standard of 5 ug/L for this constituent. Acetone (46J), benzene (1.4 ug/L), toluene (6.3 ug/L), ethylbenzene (0.67J ug/L), and total xylenes (6J ug/L) were also detected in the water sample from DW-1, with benzene, toluene, and total xylenes exceeding their respective standards.

MSRO: The only reportable detection of MSRO during the March 2019 sampling event was in the water sample collected from DW-1 (60 ug/L), which was above its standard of 50 micrograms per liter (ug/L).

The VOC and MSRO detections exceeding standards in water from DW-1 during the March 2019 event are not consistent with historical results from this location, and may be attributable to increased rainfall of more than 1-inch of rain experienced in the three days prior to the sample event and the unusually high water table observed during this event. Sample results from DW-1 will be closely monitored during future events to further evaluate these detections.

Historic MSRO concentrations for the Warehouse Area, the primary business portion of the site, are presented in **Figure 5** and for the GT-1/VE-1R and downgradient (GT-6) area are presented in **Figure 6**.



4.0 QUALITY CONTROL

As of March 2017, sample collection methodology was revised to low-flow sampling techniques in accordance with the updated QAPP for the site dated February 2017, as approved by electronic mail from the NYSDEC on March 1, 2017. Specific items related to sample results from the March 2019 sampling event are noted below:

- The two equipment rinse blanks included estimated concentrations of xylenes below the reporting limit.
- The trip blank included estimated concentrations of xylenes below reporting limit.

Due to its presence in both the equipment and trip blanks, the estimated detection of total xylenes reported from DW-1 was qualified in **Table 2**.

5.0 SUMMARY

1. Groundwater elevations in March 2019 were 4.4 feet higher on average than recorded in September 2018, indicative of seasonal variance; the overall direction and magnitude of groundwater flow is similar to historic trends.
2. DO concentrations were generally higher in most wells than the previous monitoring event (September 2018).
3. ORC-A® filter socks were removed and replaced in wells GT-1, GT-6 and VE-1R to remediate residual dissolved organic concentrations.
4. Total MSRO was non-detect below the 50 ppb standard in all wells with the exception of DW-1 (60 ug/L).
5. Benzene, toluene, and total xylenes were detected above their respective standards in the water sample from DW-1. No VOCs were detected above standards in groundwater from any other monitoring wells.

6.0 RECOMMENDATIONS

The VOC and MSRO detections exceeding standards in water from DW-1 during the March 2019 event are not consistent with historical results from this location, and may be attributable to increased rainfall of more than 1-inch of rain experienced in the three days prior to the sample event and the unusually high water table observed during this event. Sample results from DW-1 will be closely monitored during future events to further evaluate these detections.

Groundwater sampling results for all other monitoring wells in March 2019 continue to indicate compliance with VOCs as observed since March 2015. The presence of MSRO has been limited to wells GT-1, GT-6 and VE-1R since implementation of low-flow sampling in March 2017, but was not detected in any of these wells during the March 2019 event.

Safety-Kleen will continue to deploy oxygen releasing compound filter socks at wells GT-1, GT 6, and VE-1R, and sampling will be conducted on a semi-annual schedule, with the next sampling event in September 2019.

I am available to discuss the results with you and proposed changes to the site monitoring program at your convenience. Please do not hesitate to contact me at (513) 227-5340. As always,

Safety-Kleen appreciates the Department's assistance with this site.

Safety-Kleen Systems, Inc.



Stephen D. Fleming, P.E., CHMM
Senior Remediation Manager

FIGURES (in text)

- 1 Depth to Water Across the Site
- 2 Groundwater Contour Map
- 3 Dissolved Oxygen Across the Site
- 4 pH Across the Site
- 5 MSRO – Warehouse Area (Former R/F)
- 6 MSRO - GT-1/VE-1R/GT-6 Area

ATTACHMENTS


- 1 Site Map
- 2 Media Sampling - Field Parameter and Lab Sampling Summaries
- 3 Tables
 - Table 1 – Historic Groundwater Field Data Summary (to Current)
 - Table 2 –Groundwater Monitoring Results Summary (to Current)
- 4 Laboratory Analytical Report (on CD) – Detection Summary Attached

Distribution

<u>Person/Department</u>	<u>Method of Transmission</u>
E. Badaracco, Town of Babylon, HW Dept., Lindenhurst, NY	hard copy – 1 st Class Mail
A. Everett, USEPA Region II, New York, NY	hard copy – 1 st Class Mail
T. Cowans, Safety-Kleen, N. Amityville, NY	electronic mail
N. Nelhuebel, VP Env. Liabilities, Clean Harbors, Norwell, MA	compact disk
A. Proctor, Woodard & Curran, Middletown, CT	electronic mail
J. Gray, Cozy Corp. 79	hard copy – 1 st Class Mail
S. R. Kroll, Esq.	hard copy – 1 st Class Mail

ATTACHMENT 1 - SITE MAP

LONG ISLAND RAILROAD (CENTRAL BRANCH)




SOURCE:
 MAP BASED ON SAFETY KLEEN BASE MAP
 ENTITLED "SITE PLAN EXISTING" DATED
 8/16/00; DRAWING NO. 7039-SPOO-001.
 REV. 1 BY RM - SCALE: 1"=20'

0 20 40 60 80
 Scale in Feet

LEGEND

- GT-3-MONITORING WELL LOCATION
- DRYWELL (ADDRESSED IN CLOSURE)
- 23 ○ DRYWELL (EXISTING)
- CB-20 ○ OVER-FLOW POOL
- VEVP-X ○ VAPOR EXTRACTION WELL
- ALREADY COMPLETED BORING
- 6" LINE CONNECTING OFF TO DRYWELL
- PROPERTY LINE



0 10 20 30 40
 Scale in Feet

Basile Environmental
 Solutions, LLC
 1188 Hillside Dr.
 Cortland, NY 13045

5/23/12
 SCALE
 AS SHOWN
 LAST FILE
 7039-1A

DESIGNED BY
 J.B.
 CHECKED BY
 J.B.
 DATE
 1

SITE PLAN

SAFETY-KLEEN SYSTEMS INC.
 60 SEABRO AVENUE
 NORTH AMITYVILLE, NY

ATTACHMENT 2 - MEDIA SAMPLING

Field Parameter and Lab Sampling Summaries

SAMPLING INSTRUCTIONS & FIELD OBSERVATION LOG

GROUNDWATER SAMPLING RECORD

SITE NAME	Safety-Kleen Service Center 60 Seabro Ave, N. Amityville, NY	DATE	3/25/19
		Weather	59°F, Overcast
Sampler	Ed Biodzinski + Ken Mason		

Well Name / ID	GT-1	GT-2	GT-3	GT-4	DW-1*	GT-5	GT-6	GT-7	VE-1R	VE-5**	VP-A	VP-B
Lab Analysis - EPA 8260c VOCs	Collect Samples as listed on the pre-printed Chain-of-Custody. Questions, contact Melissa Haas at Tel 203.944.1310.											
Lab Analysis - EPA 8015d MSRO												

Duplicate Sample Sample Equipment Rinse Blank*	Collect Samples as listed on the pre-printed Chain-of-Custody. Questions, contact Melissa Haas.											
---	--	--	--	--	--	--	--	--	--	--	--	--

ORC Socks Deployed	Yes	No	No	No	No	No	No	Yes	No	Yes	No	Yes	Yes
Socks Changed ("C"), Redeployed ("R")	C							C		C			
Collect Field Parameters	Yes	Yes	Yes	Yes-Only	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Diameter of Well Casing	2 in	2 in	2 in	2 in	Manhole	2 in	2 in	2 in	4 in	1 in	2 in	2 in	
Depth of Well (ft.)	26.0	27.40	27.48	26.18	10.50	21.2	26.46	28.3	24.80	24.80	27.5	23.0	
Depth to Groundwater (ft.)	14.04	14.56	13.59	13.02	7.20	14.98	14.91	14.60	14.40	14.13	16.03	14.58	
Water Column Height (ft.)	26.00	27.40	27.48	26.18		21.20	26.46	28.30	24.80	24.80	27.50	23.00	
Volume Purged (gal)	1	1	1	N/A	N/A	1	1	1	1	1	1	1	
Purging Method	low-flow	low-flow	low-flow		low-flow*	low-flow	low-flow	low-flow	low-flow	low-flow**	low-flow	low-flow	
Sampling Time	1150	1445	1535	N/A	1350	1645	0955	0915	1100	1555	0735	0815	
Sample date	3/26	3/25	3/25	N/A	3/25	3/25	3/26	3/26	3/27	3/25	3/26	3/26	
GW Visual Observations													
color	gray	clear	clear	red/brown	clear	clear	gray/tan	tan	gray	clear	tan	clear	
sheen (slight, moderate, heavy)	none	none	none	none	none	none	none	none	none	none	none	none	
odor (slight, moderate, heavy)	none	none	none	none	none	none	none	none	none	none	none	none	
carbon/particulates/settled matter (lo, med, high)	lo	lo	lo	med	med	med	high	high	med	lo	med	med	
GW Field Parameters													
Temperature (C)	12.19	12.02	10.77	12.13	9.40	14.24	12.05	12.76	11.96	12.59	13.96	14.47	
pH	8.89	6.49	6.43	6.50	7.45	6.23	6.63	6.28	12.57	6.27	6.33	6.30	
Conductivity in uS	392	429	174	172	435	268	372	191	1887	268	2231	188	
Dissolved Oxygen (mg/L)	3.61	7.28	9.63	8.05	4.37	5.09	8.37	4.39	21.15	7.95	11.07	10.57	
ORP (Eh (Mv))	101.5	137.1	156.7	92.2	-13.1	177.0	191.8	210.7	-83.5	169.7	175.5	216.9	
Turbidity (visual / NTU)	6.64	1.86	8.43	39.3	58.1	13.4	70.0	288	34.8	1.74	42.3	26.6	

Comments	Containerize all fluids as directed by Terri Cowans at the facility. Tel: 631.443.4509 (cell). Coordinate with Terri in regards to moving all IDW back to the facility from wells GT-6 & GT-7. Under no circumstances are drums or debris to be left near wells GT-6 & 7. Both wells are located off-site. SK/consultants have permission from the property owner to access the wells. On-arrival at the facility, check-in at the main office, and notify Terri you are on-site. Follow all facility rules, and any direction with regard to well access, facility access, * If DW-1 is dry, Collect a soil sample by hand auger and a rinse blank for the soil sampling equipment. ** Use a bladder pump for low-flow sampling with the exception of VE-5. Use a peristaltic pump for VE-5 due to the well diameter. Complete field data in these rows.
-----------------	--

ATTACHMENT 3 - TABLES

Table 1 – Historic Groundwater Field Data Summary (to Current)

Table 2 – Groundwater Monitoring Results Summary (to Current)

Table 1 - Historic Groundwater Field Data Summary (to Current)

KEY

Temperature recorded in C
 Conductivity measured in uS
 Dissolved Oxygen measured in mg/l
 Eh measured in Mv
 Ozone measured in mg/l
 B = Analyte in a blank
 Total Concentration / Duplicate Concentration (Dissolved Concentration)

GT-1	PARAMETER									
	Depth to water (ft)	Groundwater Elevation (ft)	Temp °C	pH	Cond. uS	D.O. mg/L	Eh mV	Ozone	MSRO ug/L	
3/12/09	16.47	-16.47	12.2	7.00	459	2.96	163	ND	500	
6/17/09	15.73	-15.73	13.5	7.75	381	5.20	48	0.10	50	
9/22/09	17.05	-17.05	17.0	7.65	224	4.40	-29	0.10	530	
12/30/09	16.49	-16.49	15.0	6.85	182	2.80	91	0.08	1300	
2/2/10	16.75	-16.75	13.5	7.03	179	7.35	45	0.00	1000	
3/24/10	13.80	-13.80	12.0	7.08	603	31.50	165	0.60	6400	
6/22/10	15.30	-15.30	15.5	7.03	182	6.57	32	0.00	3000	
9/22/10	18.70	-18.70	17.8	7.08	176	3.98	28	n/m	18000	
12/15/10	19.28	-19.28	15.3	7.13	157	2.95	10	0.00	12000	
3/24/11	17.83	-17.83	13.0	7.60	198	3.21	25	0.00	18000	
6/16/11	17.01	-17.01	14.7	7.03	259	3.68	20	0.02	8500	
9/15/11	15.88	-15.88	19.0	7.06	197	3.62	-62	0.00	12000	
12/16/11	16.40	-16.40	16.0	7.03	186	3.45	-55	0.00	15000	
3/14/12	17.65	-17.65	14.2	7.06	136	2.95	-60	0.00	16000	
6/20/12	17.48	-17.48	16.8	7.06	138	2.88	-45	0.00	9200	
8/28/12	18.46	-18.46	18.0	7.18	118	2.80	-75	0.00	15000	
10/25/12	19.18	-19.18	18.0	7.12	196	4.22	11	0.20	23000	
12/20/12	19.38	-19.38	15.7	7.12	119	2.88	-50	0.00	12000	
3/14/13	17.57	-17.57	12.1	7.30	137	2.90	-20	0.00	22000	
6/20/13	16.23	-16.23	14.8	7.02	213	3.87	-11	0.00	16000	
9/24/13	19.07	-19.07	17.1	11.00	637	8.22	25	0.00	41000	
12/18/13	20.28	-20.28	16.5	10.62	1070	7.88	n/m	0.00	5700	
2/25/14	19.42	-19.42	13.7	9.80	249	5.49	30	0.00	6100	
6/11/14	17.32	-17.32	13.8	11.01		9.29	38.5	0.00	1400	
8/26/14	17.64	-17.64	17.5	8.58	414	6.01	41	n/m	520	
11/13/14	19.51	-19.51	17.0	7.20	477	1.08	162	0.00	120	
12/15/14	17.99	-17.99	15.6	6.45	541	2.06	24	n/m		
3/10/15	17.09	-17.09	11.7	5.82	502	3.42	-224.7	n/m		
6/25/15	18.01	-18.01	13.4	5.42	474	3.58	85.9	n/m		
9/24/15	20.22	-20.22	15.8	7.00	409	12.01	-7.3	n/m	320 B	
12/8/15	20.98	-20.98	15.5	10.07	597	6.54	15.3	n/m	950	
3/23/16	19.21	-19.21	14.0	10.12	678	10.82	208.3	n/m	2500 (<50)	
6/15/16	19.82	-19.82	15.0	9.20	413	4.77	115.4	n/m	5000 (470)	
9/27/16	21.54	-21.54	19.3	6.50	--	8.30	325	n/m	420 (<48)	
12/20/16	21.77	-21.77	14.6	10.74	800	7.54	-21.1	n/m	4700 (<48)	
3/28/17	20.62	-20.62	10.2	7.38	805	4.28	-61.7	n/m		
6/14/17	19.30	-19.30	15.8	8.33	545	4.95	152.2	n/m	110	
9/26/17	20.39	-20.39	20.4	10.44	2985	18.29	8.1	n/m	240 B	
3/27/18	17.57	-17.57	12.55	6.89	607	8.27	-62.1	n/m	510	
9/25/18	18.98	-18.98	18.16	12.15	2098	8.75	12.8	n/m	120	
3/26/19	14.64	-14.64	12.19	8.89	392	3.61	101.5	n/m		

Table 1 - Historic Groundwater Field Data Summary (to Current)

KEY

Temperature recorded in C
 Conductivity measured in uS
 Dissolved Oxygen measured in mg/l
 Eh measured in Mv
 Ozone measured in mg/l
 B = Analyte in a blank
 Total Concentration / Duplicate Concentration (Dissolved Concentration)

GT-2	PARAMETER								
	Depth to water (ft)	Groundwater Elevation (ft)	Temp °C	pH	Cond. uS	D.O. mg/L	Eh mV	Ozone	MSRO ug/L
3/12/09	16.38	-16.38	12.9	7.14	500	0.77	167	ND	
6/17/09	15.63	-15.63	13.0	7.63	270	3.29	57	0.06	
9/22/09	16.95	-16.95	17.0	7.01	711	2.00	77	0.40	
12/30/09	16.40	-16.40	14.2	6.95	427	2.05	95	0.02	
2/2/10	16.66	-16.66	12.8	7.14	330	2.84	232	0.00	67
3/24/10	13.70	-13.70	12.7	7.11	452	2.00	92	0.00	
6/22/10	15.10	-15.10	16.5	7.14	1064	1.17	-29	0.00	
9/22/10	18.61	-18.61	17.0	7.09	302	2.55	-33	n/m	
12/15/10	19.22	-19.22	13.8	7.09	384	2.80	-40	0.00	
3/24/11	17.77	-17.77	11.6	7.05	530	3.14	-25	0.00	
6/16/11	16.90	-16.90	16.0	7.02	667	3.36	-30	0.00	
9/15/11	15.77	-15.77	19.0	7.06	644	2.92	-141	0.00	
12/16/11	16.33	-16.33	15.1	7.10	476	3.05	-105	0.00	
3/13/12	17.57	-17.57	14.0	7.05	403	3.00	-55	0.00	
6/20/12	17.40	-17.40	16.8	7.08	426	2.68	-38	0.00	
8/28/12	18.36	-18.36	18.5	7.17	398	3.07	-40	0.00	
10/25/12	19.10	-19.10	17.5	7.06	315	2.11	-10	0.00	
12/20/12	19.30	-19.30	15.3	7.42	319	3.50	-55	0.00	
3/14/13	17.50	-17.50	12.1	7.32	317	3.05	-40	0.00	
6/20/13	16.13	-16.13	16.0	7.11	350	2.31	-21	0.00	
9/24/13	19.00	-19.00	17.2	7.05	404	2.04	-2	0.00	
12/18/13	20.21	-20.21	14.6	7.05	288	2.47	4	0.00	
2/25/14	19.37	-19.37	12.2	8.11	187	3.50	240	0.00	
6/11/14	17.22	-17.22	14.5	6.07		3.76	200.4	0.00	
8/26/14	17.61	-17.61	17.5	7.58	647	3.07	189	n/m	
11/12/14	19.38	-19.38	16.2	7.30	575	2.98	156	0.00	
12/16/14	17.86	-17.86	13.8	6.69	619	8.26	110	n/m	
3/10/15	16.99	-16.99	11.7	6.85	513	5.10	-198.9	n/m	
6/25/15	17.95	-17.95	14.1	4.74	387	6.18	301	n/m	
9/23/15	20.10	-20.10	17.5	7.50	559	7.29	245.2	n/m	100
12/7/15	20.91	-20.91	14.8	6.21	689	5.51	67.5	n/m	
3/23/16	19.11	-19.11	12.6	7.96	715	6.41	238.9	n/m	
6/14/16	19.72	-19.72	15.0	6.46	659	7.72	193.1	n/m	
9/27/16	21.58	-21.58	17.8	7.53	328	5.83	254.2	n/m	
12/19/16	21.69	-21.69	10.0	6.96	631	3.53	37.8	n/m	
3/27/17	20.57	-20.57	10.4	6.17	622	5.27	108.8	n/m	
6/13/17	19.18	-19.18	16.6	5.95	498	3.96	-101.9	n/m	
9/25/17	20.35	-20.35	20.4	6.39	440	3.93	105.6	n/m	
3/26/18	17.50	-17.50	11.76	6.39	503	6.08	206.2	n/m	
9/25/18	18.88	-18.88	18.66	6.39	532	4.76	115.8	n/m	
3/25/19	14.56	-14.56	12.02	6.49	429	7.28	137.1	n/m	

Table 1 - Historic Groundwater Field Data Summary (to Current)

KEY

Temperature recorded in C
 Conductivity measured in uS
 Dissolved Oxygen measured in mg/l
 Eh measured in Mv
 Ozone measured in mg/l
 B = Analyte in a blank
 Total Concentration / Duplicate Concentration (Dissolved Concentration)

GT-3	PARAMETER								
	Depth to water (ft)	Groundwater Elevation (ft)	Temp °C	pH	Cond. uS	D.O. mg/L	Eh mV	Ozone	MSRO ug/L
3/12/09	15.28	-15.28	11.7	7.36	214	6.60	125	0.20	
6/17/09	14.52	-14.52	13.3	7.69	219	6.30	68	0.10	
9/22/09	15.83	-15.83	18.0	7.25	300	6.70	50	0.01	
12/30/09	15.31	-15.31	14.4	6.95	186	4.22	97	0.05	
2/2/10	15.58	-15.58	13.2	7.13	215	7.68	243	0.05	
3/24/10	12.63	-12.63	10.9	7.08	174	8.24	118	0.00	
6/22/10	14.11	-14.11	16.0	7.10	226	6.30	49	0.00	
9/22/10	17.49	-17.49	18.0	7.07	176	2.00	55	n/m	
12/15/10	18.15	-18.15	14.2	7.07	120	2.18	15	0.00	
3/24/11	16.84	-16.84	10.7	7.60	160	7.36	15	0.00	
6/16/11	16.00	-16.00	14.0	7.44	226	7.85	21	0.00	
9/15/11	14.85	-14.85	19.0	7.02	158	6.99	-37	0.00	
12/16/11	15.37	-15.37	16.0	7.06	189	4.95	-42	0.00	
3/14/12	16.65	-16.65	14.0	7.04	191	3.58	-30	0.00	
6/20/12	16.49	-16.49	16.0	7.21	82	3.54	-10	0.00	
8/28/12	17.41	-17.41	20.2	7.05	402	6.01	-11	0.00	
10/25/12	18.15	-18.15	18.4	7.43	134	3.18	-11	0.00	
12/20/12	18.37	-18.37	15.3	7.85	97	3.81	25	0.00	
3/14/13	16.54	-16.54	11.1	7.35	314	3.10	9	0.00	
6/20/13	15.21	-15.21	15.6	7.16	135	6.15	7	0.00	
9/24/13	18.03	-18.03	17.5	7.66	189	4.01	14	0.00	120
12/18/13	19.29	-19.29	13.8	7.59	293	4.28	11	0.00	81
2/25/14	18.42	-18.42	11.6	8.69	306	8.06	206	0.00	
6/11/14	16.28	-16.28	13.0	8.29		10.62	182.4	0.00	
8/26/14	16.66	-16.66	17.0	8.40	300	7.95	106	n/m	
11/12/14	18.45	-18.45	16.3	7.18	615	4.88	170	0.00	
12/15/14	16.93	-16.93	17.0	6.73	224	6.34	72	n/m	
3/10/15	16.06	-16.06	8.1	7.88	86	13.37	-203.4	n/m	
6/25/15	17.00	-17.00	12.9	8.25	371	8.70	83	n/m	
9/23/15	19.13	-19.13	17.8	7.21	502	8.16	210.4	n/m	
12/7/15	19.96	-19.96	16.3	11.48	875	11.11	29.9	n/m	
3/23/16	18.18	-18.18	11.3	10.50	302	11.56	175.9	n/m	
6/14/16	18.79	-18.79	13.7	10.63	452	12.09	84.4	n/m	
9/27/16	20.62	-20.62	18.9	11.58	1050	13.09	16.6	n/m	
12/19/16	20.78	-20.78	11.5	8.22	392	3.87	19.7	n/m	
3/27/17	19.64	-19.64	9.0	9.50	359	10.41	100.6	n/m	
6/13/17	18.24	-18.24	16.3	9.08	238	8.94	6.7	n/m	
9/25/17	19.40	-19.40	18.5	9.81	298	15.15	7.19	n/m	
3/26/18	16.57	-16.57	7.97	6.93	80	11.93	196.5	n/m	37
9/25/18	17.94	-17.94	19.90	6.11	930	5.96	135	n/m	
3/25/19	13.59	-13.59	10.77	6.43	174	9.63	156.7	n/m	

Table 1 - Historic Groundwater Field Data Summary (to Current)

KEY

Temperature recorded in C
 Conductivity measured in uS
 Dissolved Oxygen measured in mg/l
 Eh measured in Mv
 Ozone measured in mg/l
 B = Analyte in a blank
 Total Concentration / Duplicate Concentration (Dissolved Concentration)

GT-4		PARAMETER									
	Depth to water (ft)	Groundwater Elevation (ft)	Temp	pH	Cond.	D.O.	Eh	Ozone	MSRO		
			°C							us	mg/L
12/30/09	14.85	-14.85	15.0	7.75	171	2.05	75	over range			
2/2/10	15.11	-15.11	11.9	7.11	268	5.26	76	over range			
3/24/10	12.14	-12.14	11.8	7.03	160	6.88	22	over range			
6/22/10	13.61	-13.61	14.0	7.08	73	3.01	65	over range			
9/22/10	17.12	-17.12	16.9	7.04	212	2.82	49	n/m			
12/15/10	17.65	-17.65	16.8	7.02	232	3.05	50	0			
3/24/11	16.20	-16.20	12.8	7.70	190	4.20	50	0			
6/16/11	15.42	-15.42	13.5	7.03	130	3.50	30	0			
9/15/11	14.31	-14.31	17.0	7.32	154	3.85	15	0			
12/16/11	14.73	-14.73	16.8	7.13	177	3.58	10	over range			
3/14/12	16.03	-16.03	14.3	7.03	197	3.95	11	over range			
6/20/12	15.89	-15.89	15.2	7.05	188	4.20	15	over range			
8/28/12	16.90	-16.90	17.2	7.10	190	2.60	10	over range			
10/25/12	17.57	-17.57	18.0	7.14	150	3.55	20	over range			
12/20/12	17.73	-17.73	16.5	8.20	119	4.05	-22	0.00			
3/14/13	15.96	-15.96	13.3	7.88	121	4.00	-10	0.00			
6/20/13	14.65	-14.65	14.0	8.14	143	3.05	-5	0.00			
9/24/13	17.50	-17.50	15.9	7.41	119	3.22	1				
12/18/13	18.64	-18.64	16.0	7.48	143	3.80	5	0.00			
2/25/14	17.78	-17.78	12.6	8.28	98	6.28	176	0.00			
6/11/14	15.68	-15.68	12.2	5.62		4.30	206	0.00			
8/26/14	16.02	-16.02	16.5	7.55		5.88	-55	n/m			
11/12/14	17.90	-17.90	18.0	7.60	156	4.55	-60	0.00			
12/15/14	16.27	-16.27	17.0	6.73	224	6.34	72	n/m			
3/10/15	15.42	-15.42	12.3	9.42	57	10.90	-178	n/m			
6/25/15	16.47	-16.47	12.6	4.10	217	3.45	288.9	n/m			
9/23/15	18.59	-18.59	16.0	8.83	331	5.23	15.3	n/m			
12/7/15	19.34	-19.34	15.9	6.39	369	4.46	4.9	n/m			
3/23/16	17.55	-17.55	12.8	8.93	157	4.80	254.5	n/m			
6/14/16	18.17	-18.17	14.0	7.25	176	4.83	50	n/m			
9/27/16	20.03	-20.03	16.7	9.08	228	2.99	165.1	n/m			
12/19/16	20.10	-20.10	12.6	7.62	681	2.34	-63.8	n/m			
3/28/17	18.96	-18.96	9.8	7.22	135	3.49	78.8	n/m			
6/13/17	17.62	-17.62	15.7	6.12	192	5.55	-71.2	n/m			
9/25/17	18.84	-18.84	18.9	5.09	180	5.87	141.1	n/m			
3/26/18	15.89	-15.89	13.58	6.60	242	2.31	226.6	n/m			
9/24/18	17.36	-17.36	17.12	6.55	176	2.49	122.8	n/m			
3/25/19	13.02	-13.02	12.13	6.50	172	8.05	92.2	n/m			

Table 1 - Historic Groundwater Field Data Summary (to Current)

KEY

Temperature recorded in C
 Conductivity measured in uS
 Dissolved Oxygen measured in mg/l
 Eh measured in Mv
 Ozone measured in mg/l
 B = Analyte in a blank
 Total Concentration / Duplicate Concentration (Dissolved Concentration)

GT-5	PARAMETER								
	Depth to water (ft)	Groundwater Elevation (ft)	Temp °C	pH	Cond. uS	D.O. mg/L	Eh mV	Ozone	MSRO ug/L
3/12/09	16.75	-16.75	13.2	7.14	190	5.44	127	0.10	
6/17/09	16.03	-16.03	14.5	7.11	221	7.30	50	0.15	
9/22/09	17.4	-17.40	15.0	7.71	452	6.51	34	0.09	
12/30/09	16.81	-16.81	12.5	6.92	231	4.96	112	0.10	
2/2/10	17.03	-17.03	12.9	7.13	315	6.21	113	0.00	
3/24/10	14.10	-14.10	13.0	7.12	218	5.95	217	0.00	
6/22/10	15.61	-15.61	15.0	7.09	207	8.02	-46	0.00	
9/22/10	19.08	-19.08	15.4	7.07	294	4.25	-35	n/m	
12/15/10	19.61	-19.61	14.8	7.07	243	3.55	-10	0.00	
3/24/11	18.18	-18.18	13.9	7.34	326	4.08	-15	0.00	
6/16/11	17.33	-17.33	15.0	7.05	236	4.00	-10	0.00	
9/15/11	16.23	-16.23	17.0	7.38	142	6.95	6	0.00	
12/16/11	16.68	-16.68	15.7	7.09	173	5.20	10	0.00	
3/14/12	18.00	-18.00	15.2	7.07	302	4.02	15	0.00	
6/20/12	17.81	-17.81	15.8	7.07	315	4.00	15	0.00	
8/28/12	18.81	-18.81	16.1	7.80	186	5.59	11	0.00	
10/25/12	19.51	-19.51	15.8	7.15	232	3.95	14	0.00	
12/20/12	19.71	-19.71	15.0	7.84	110	3.70	40	0.00	
3/14/13	17.90	-17.90	12.0	7.25	516	2.88	-8	0.00	
6/20/13	16.56	-16.56	15.1	7.90	129	6.03	2	0.00	570
9/24/13	19.42	-19.42	15.0	10.98	991	6.88	10		
12/18/13	20.60	-20.60	15.1	9.81	410	6.81	14	0.00	
2/25/14	19.73	-19.73	11.0	9.06	306	7.46	60	0.00	
6/11/14	17.62	-17.62	14.1	11.27		12.54	-6.7		140
8/26/14	17.97	-17.97	17.0	8.80	324	8.01	59	n/m	300
11/12/14	19.80	-19.80	16.0	6.98	596	2.88	70	0.00	
12/15/14	18.24	-18.24	12.1	6.30	336	6.76	123	n/m	
3/10/15	17.39	-17.39	12.5	6.53	245	5.42	-207.3	n/m	
6/25/15	18.39	-18.39	12.7	5.76	256	6.75	140	n/m	
9/24/15	20.53	-20.53	13.7	6.45	585	14.85	126.5	n/m	
12/8/15	21.31	-21.31	14.5	10.58	965	12.78	-3.4	n/m	
3/23/16	19.51	-19.51	14.4	9.83	581	13.48	201.5	n/m	
6/15/16	20.13	-20.13	15.3	9.95	427	10.61	86.2	n/m	
9/27/16	21.98	-21.98	16.2	10.21	--	11.32	152.5	n/m	
12/19/16	22.06	-22.06	14.0	6.46	816	5.08	-48.9	n/m	
3/28/17	20.92	-20.92	9.7	7.84	347	7.36	65.1	n/m	
3/28/17	20.92	-20.92	9.7	7.84	347	7.36	65.1	n/m	
6/13/17	19.58	-19.58	16.7	11.11	617	13.57	-122.2	n/m	
9/25/17	20.78	-20.78	18.7	11.86	1383	22.28	5.2	n/m	
3/27/18	17.89	-17.89	10.97	6.96	344	5.09	201	n/m	
9/25/18	19.30	-19.30	17.53	5.86	262	4.31	165	n/m	
3/25/19	14.98	-14.98	14.24	6.23	268	5.09	177	n/m	

Table 1 - Historic Groundwater Field Data Summary (to Current)

KEY

Temperature recorded in C
 Conductivity measured in uS
 Dissolved Oxygen measured in mg/l
 Eh measured in Mv
 Ozone measured in mg/l
 B = Analyte in a blank
 Total Concentration / Duplicate Concentration (Dissolved Concentration)

GT-6									
PARAMETER									
	Depth to Water (ft)	Groundwater Elevation (ft)	Temp °C	pH	Cond. uS	D.O. mg/L	Eh mV	Ozone	MSRO ug/L
8/26/14	17.35	-17.35	Meters did not stabilize. Data not considered reliable.						3600
11/12/14	19.74	-19.74	16.9	7.33	603	2.20	130	n/m	1300
12/15/14	18.16	-18.16	15.4	6.24	708	4.61	33.8	n/m	3600
3/10/15	17.32	-17.32	12.9	7.04	342	3.70	-234.1	n/m	240 / 350
6/25/15	18.33	-18.33	12.9	4.16	369	4.40	280	n/m	1300 / 1100
9/24/15	20.49	-20.49	15.8	7.53	613	10.38	-24.3	n/m	4900 / 3800
12/8/15	21.28	-21.28	15.7	8.36	510	3.94	38.8	n/m	2600 / 1700
3/23/16	19.46	-19.46	13.4	6.49	425	4.82	88.1	n/m	170 (120)
3/23/16	Duplicate								140 (130)
6/15/16	20.08	-20.08	14.4	6.71	443	6.06	160.9	n/m	110 (<48)
6/15/16	Duplicate								94 (<48)
9/27/16	21.95	-21.95	17.5	10.64	--	8.33	928	n/m	<48 (<48)
9/27/16	Duplicate								200 (220)
12/20/16	22.01	-22.01	14.8	6.60	775	4.38	-4.5	n/m	
3/28/17	20.89	-20.89	8.8	8.52	402	3.97	153.2	n/m	
6/13/17	19.54	-19.54	8.8	8.52	402	3.97	153.2	n/m	220
9/26/17	20.75	-20.75	17.4	7.36	455	6.84	246.3	n/m	190 B
3/27/18	17.83	-17.83	12.39	8.09	474	10.43	176.3	n/m	40
9/25/18	19.23	-19.23	18.81	10.52	463	10.48	149.0	n/m	60
3/26/19	14.91	-14.91	12.05	6.63	372	8.37	191.8	n/m	
GT-7									
PARAMETER									
	Depth to Water (ft)	Groundwater Elevation (ft)	Temp °C	pH	Cond. uS	D.O. mg/L	Eh mV	Ozone	MSRO ug/L
8/26/14	17.41	-17.41	Meter did not stabilize. Data not considered reliable.						
11/12/14	19.40	-19.40	17.0	7.58	547	3.20	162	n/m	
12/15/14	17.83	-17.83	15.3	6.29	400	2.70	107	n/m	
3/10/15	17.02	-17.02	12.2	6.46	304	4.36	-212.6	n/m	
6/25/15	17.96	-17.96	13.2	5.04	391	6.14	180.3	n/m	
9/24/15	20.12	-20.12	15.5	6.73	580	10.80	7.9	n/m	80
12/8/15	20.9	-20.90	14.4	7.44	614	6.46	40.8	n/m	
3/23/16	19.12	-19.12	13.2	5.92	717	6.67	58.5	n/m	
6/15/16	19.68	-19.68	14.8	6.10	520	6.25	184.2	n/m	
9/27/16	21.59	-21.59	16.8	9.78	425	6.29	195	n/m	
12/20/16	21.56	-21.56	14.0	7.22	864	3.52	35.7	n/m	
3/28/17	20.53	-20.53	9.3	6.20	436	4.95	75.9	n/m	
6/13/17	19.19	-19.19	15.8	7.02	471	4.68	-61.2	n/m	
9/26/17	20.39	-20.39	18.4	5.80	314	4.57	274.8	n/m	
3/27/18	17.48	-17.48	11.69	6.23	426	4.72	213.7	n/m	
9/25/18	18.90	-18.90	17.52	6.13	264	4.84	263	n/m	
3/26/19	14.60	-14.60	12.76	6.28	191	4.39	210.7	n/m	

Table 1 - Historic Groundwater Field Data Summary (to Current)

KEY

Temperature recorded in C
 Conductivity measured in uS
 Dissolved Oxygen measured in mg/l
 Eh measured in Mv
 Ozone measured in mg/l
 B = Analyte in a blank
 Total Concentration / Duplicate Concentration (Dissolved Concentration)

VE-1(R)									
	Depth to water (ft)	Groundwater Elevation (ft)	Temp °C	pH	Cond. uS	D.O. mg/L	Eh mV	Ozone	MSRO ug/L
3/12/09	16.57		12.0	6.94	212	5.63	178	0.11	8000
6/17/09	15.53		17.0	7.84	388	1.97	-109	over range	23000
9/22/09	17.15		19.2	7.64	547	1.60	-123	0.03	8400
12/30/09	16.59		12.0	6.75	334	1.66	-49	0.09	23000
2/2/10	16.83		12.0	7.09	221	2.60	-15	0.02	43000
3/24/10	13.90		12.1	7.39	392	34.70	202	over range	5400
6/22/10	15.36		17.1	7.08	261	3.93	-60	0.00	8100
9/22/10	DRY								
12/15/10	DRY								
3/24/11	17.95		11.8	7.10	267	4.42	-10	0.00	8300
6/16/11	17.13		16.8	7.02	251	3.26	-15	0.00	13000
9/15/11	16.00		19.5	7.09	184	1.61	-122	0.00	680
12/16/11	16.51		14.2	7.00	181	1.88	-104	0.00	10000
3/14/12	17.78		14.6	7.20	205	1.80	-120	0.00	2600
6/20/12	17.62		18.5	7.10	229	2.10	-105	0.00	2400
8/28/12	Dry								
10/25/12	18.90		19.2	7.17	232	3.95	14	0.18	20000
12/20/12	19.10		16.2	7.02	141	1.88	-50	0.00	12000
3/14/13	17.29		12.0	7.21	169	2.05	-50	0.00	9900
6/20/13	16.03		14.5	7.07	234	2.20	-10	0.00	22000
9/24/13	18.75		17.8	10.73	492	6.90	18	0.00	42000
12/18/13	20.00		16.6	9.43	225	6.98	20	0.00	44000
2/25/14	19.11		10.9	9.97	463	5.07	-10	0.00	14000
6/11/14	17.02		13.7	8.66		5.40	-102	0.00	18000
8/26/14	17.38		18.0	8.66	487	6.04	65	n/m	36000
11/12/14	19.28		17.0	7.28	2839	3.98	163	0.00	110
12/16/14	17.63		12.6	6.56	703	1.52	119.1	n/m	
6/25/15	17.78		12.8	4.61	569	1.83	57.3	n/m	110 B
9/24/15	19.89		17.9	6.80	551	7.90	-88.1	n/m	250 B
12/8/15	20.71		15.8	9.33	1387	3.02	-18.6	n/m	383
3/23/16	19.94		13.2	9.36	686	6.66	225.7	n/m	180 (130)
6/15/16	19.50		14.4	9.17	736	5.28	-95.5	n/m	410 (<48)
9/27/16	23.01		19.1	12.10	2186	15.51	-52.5	n/m	1200 (240)
12/20/16	23.92		15.0	11.45	3314	9.49	-73	n/m	1900 (<48)
3/28/17	20.39		9.5	7.92	643	6.98	84.9	n/m	270 (79)
6/14/17	19.02		15.4	6.45	502	1.62	-169	n/m	100 / 120
9/26/17	20.09		21.7	5.51	657	4.60	123.4	n/m	50 JB / 84 B
3/27/18	17.32		11.6	12.45	2946	19.44	-75.2	n/m	
9/25/18	18.71		21.9	9.52	151	5.98	183.1	n/m	
3/26/19	14.40		12.0	12.57	1887	21.15	-83.5	n/m	

Table 1 - Historic Groundwater Field Data Summary (to Current)

KEY

Temperature recorded in C
 Conductivity measured in uS
 Dissolved Oxygen measured in mg/l
 Eh measured in Mv
 Ozone measured in mg/l
 B = Analyte in a blank
 Total Concentration / Duplicate Concentration (Dissolved Concentration)

VE-5	PARAMETER								
	Depth to water (ft)	Groundwater Elevation (ft)	Temp °C	pH	Cond. uS	D.O. mg/L	Eh mV	Ozone	MSRO ug/L
3/12/09	15.94		12.0	6.94	212	5.63	178	0.11	190
6/17/09	15.20		15.5	8.01	259	5.60	55	0.06	390
9/22/09	16.53		19.0	7.50	313	9.65	30	0.01	
12/30/09	15.97		13.0	6.55	249	5.22	131	over range	
2/2/10	16.23		12.5	7.12	252	8.00	382	over range	
3/24/10	13.26		12.5	7.13	218	8.20	153	over range	
6/22/10	14.76		16.8	7.10	275	8.16	-36	over range	
9/22/10	18.20		19.0	7.04	210	3.20	-40	n/m	
12/15/10	18.80		15.0	7.08	221	3.05	20	0	
3/24/11	17.33		11.9	7.12	188	6.02	5	0	
6/16/11	16.50		15.8	7.04	255	6.15	7	over range	
9/14/11	15.38		18.0	7.04	184	4.70	37	0	
12/16/11	15.90		14.6	7.08	220	3.85	25	over range	
3/14/12	17.14		14.8	7.07	188	3.25	10	over range	
6/20/12	17.00		18.0	7.07	162	3.05	2	over range	
8/28/12	17.95		18.4	7.15	205	5.20	10	over range	
10/25/12	N/S								
12/20/12	18.90		15.0	7.03	163	3.80	11	0.00	
3/14/13	17.07		11.0	7.20	163	3.71	18	0.00	
6/20/13	15.57		17.4	7.40	257	6.70	14	0.00	
9/24/13	18.59		17.8	7.62	180	4.01	5	0.00	
12/18/13	19.83		13.8	8.01	119	3.82	2	0.00	
2/14/14	18.95		8.9	7.55	316	2.09	235	0.00	
6/11/14	16.83		14.4	6.96		8.27	241.2	0.00	
8/26/14	17.25		18.5	7.48	165	3.04	79	n/m	
11/13/14	19.07		17.5	7.50	205	3.35	85	0.00	
12/16/14	17.44		13.2	7.25	254	17.92	138	n/m	
3/10/15	16.56		10.7	7.18	215	8.06	-198.5	n/m	
6/25/15	17.53		19.8	7.38	317	7.22	156.9	n/m	
9/23/15	19.69		17.7	8.49	365	13.74	145.8	n/m	97
12/7/15	20.51		13.4	8.96	624	7.45	147.8	n/m	
3/23/16	18.72		11.8	9.39	557	7.86	199.8	n/m	
6/14/16	19.32		16.5	7.70	318	7.11	148.7	n/m	
9/27/16	21.12		18.6	6.10	253	9.02	209.5	n/m	
12/19/16	21.28		8.7	7.90	437	4.28	60.7	n/m	
3/28/17	20.16		8.9	6.97	225	7.53	747	n/m	
6/13/17	18.79		13.1	6.10	246	6.49	-86.1	n/m	
9/26/17	19.95		18.6	6.08	234	7.56	256.3	n/m	
3/27/18	17.09		10.35	6.53	208	6.75	165.0	n/m	
9/24/18	18.47		19.73	6.04	299	5.74	137.1	n/m	
3/25/19	14.13		12.59	6.27	268	7.95	169.7	n/m	

Table 1 - Historic Groundwater Field Data Summary (to Current)

KEY

Temperature recorded in C
 Conductivity measured in uS
 Dissolved Oxygen measured in mg/l
 Eh measured in Mv
 Ozone measured in mg/l
 B = Analyte in a blank
 Total Concentration / Duplicate Concentration (Dissolved Concentration)

VP-A	PARAMETER								
	Depth to water (ft)	Groundwater Elevation (ft)	Temp	pH	Cond.	D.O.	Eh	Ozone	MSRO
			°C		uS	mg/L	mV		ug/L
12/30/09		Not Accessible							99
2/2/10	18.13		14.1	7.11	350	9.15	224	0.00	
3/24/10	15.18		13.5	7.11	271	9.66	144	over range	
6/22/10	16.50		15.5	7.13	188	10.23	-60	over range	
9/22/10	20.05		17.5	7.11	376	3.95	-45	n/m	
12/15/10	20.68		16.0	7.06	292	3.55	-35	0	
3/24/11	19.20		13.5	7.10	255	6.10	-20	0	
6/16/11	18.40		13.8	7.57	318	8.30	-12	0	
9/15/11	17.30		18.0	7.07	90	7.30	28	0	
12/16/11	17.79		16.6	7.06	233	5.88	15	0	
3/14/12	19.06		14.8	7.03	254	4.01	20	0	
6/20/12	18.90		15.5	7.04	294	3.55	18	0	
8/28/12	19.84		16.8	7.16	367	6.20	8	0	
10/25/12	N/S								
12/20/12	20.78		16.0	7.02	255	1.80	-22	0.00	
3/14/13	17.07		11.0	7.20	163	3.71	18	0.00	
6/20/13	17.63		14.1	7.28	250	7.05	-1	0.00	
9/24/13	20.49		16.9	7.70	156	5.01	-10	0.00	100
12/18/13	21.69		14.7	7.05	277	4.92	-5	0.00	110
2/25/14	20.84		12.7	7.78	326	4.20	247	0.00	
6/11/14	18.71		12.9	8.88		11.39	168.4	0.00	
8/26/14	19.16		17.0	8.59	477	5.33	46	n/m	
11/13/14	18.50		17.8	7.85	485	3.88	125	0.00	
12/15/14	19.32		15.7	6.77	337	15.20	101	n/m	
3/10/15	18.45		13.9	8.26	323	107.00	-178	n/m	
6/25/15	19.42		12.2	9.46	415	10.86	122.6	n/m	
9/23/15	21.60		15.1	10.00	629	13.95	80.2	n/m	90
12/9/15	22.37		15.1	10.32	715	9.82	44.4	n/m	
3/23/16	20.61		14.4	11.32	618	127.70	119.1	n/m	
6/14/16	21.19		13.6	10.76	653	12.50	65.9	n/m	71
9/27/16	23.11		20.5	6.51	--	9.03	251.9	n/m	
12/20/16	23.17		13.3	8.63	614	5.96	-53.9	n/m	
3/28/17	22.04		11.5	7.38	351	9.47	128.3	n/m	
6/13/17	20.67		15.8	9.28	423	9.67	45.7	n/m	
9/26/17	21.86		19.0	8.41	319	10.98	218.3	n/m	
3/27/18	18.99		13.18	7.39	370	7.88	175.6	n/m	
9/25/18	20.38		16.54	9.28	328	10.96	228.5	n/m	
3/26/19	16.03		13.96	6.33	231	11.07	175.5	n/m	

Table 1 - Historic Groundwater Field Data Summary (to Current)

KEY

Temperature recorded in C
 Conductivity measured in uS
 Dissolved Oxygen measured in mg/l
 Eh measured in Mv
 Ozone measured in mg/l
 B = Analyte in a blank
 Total Concentration / Duplicate Concentration (Dissolved Concentration)

VP-B	PARAMETER								
	Depth to water (ft)	Groundwater Elevation (ft)	Temp	pH	Cond.	D.O.	Eh	Ozone	MSRO
			°C		uS	mg/L	mV		ug/L
12/30/09	16.28		15.1	7.53	211	1.79	170	0.03	58
2/2/10	16.55		14.1	7.04	340	9.01	190	over range	66
3/24/10	13.68		13.8	7.09	229	7.14	137	over range	120
6/22/10	15.08		15.5	7.13	245	9.40	12	over range	
9/22/10	18.61		17.0	7.09	370	4.00	16	n/m	
12/15/10	19.20		14.9	7.03	370	2.97	20	0	
3/24/11	17.75		13.8	7.57	196	5.95	-15	0	
6/16/11	16.92		14.0	7.02	161	8.39	-19	over range	
9/15/11	15.81		17.5	7.30	96	7.40	-27	0	
12/16/11	16.30		16.3	7.56	171	4.99	-30	over range	
3/14/12	17.57		14.5	7.05	198	3.91	-15	over range	
6/20/12	17.40		15.8	7.03	150	3.88	-10	over range	
8/28/12	18.39		17.0	7.18	164	5.88	-25	over range	
10/25/12	N/S								
12/20/12	19.30		16.0	7.03	183	2.55	-30	0.00	
3/14/13	17.53		13.2	7.51	503	2.80	-22	0.00	
6/20/13	16.16		13.7	7.64	157	6.72	-10	0.00	
9/24/13	19.00		16.8	7.77	170	4.80	-2	0.00	100
12/18/13	20.21		14.6	7.19	191	4.01	-1	0.00	93
2/25/14	19.35		14.0	7.87	189	7.41	239	0.00	
6/11/14	17.21		12.9	7.93		9.80	219.9	0.00	
8/26/14	17.67		16.2	8.22	332	6.52	94	n/m	
11/13/14	19.35		17.5	7.91	395	4.01	105	0.00	
12/15/14	17.81		15.9	6.60	312	11.48	109	n/m	
3/10/15	16.98		14.0	6.74	250	100.30	-175	n/m	
6/25/15	17.92		12.0	9.91	355	11.07	156.9	n/m	
9/23/15	20.10		15.1	10.44	613	12.48	76	n/m	69
12/9/15	20.90		15.6	10.48	775	8.25	44.1	n/m	
3/23/16	19.11		14.7	10.08	594	9.91	122.4	n/m	
6/14/16	19.72		13.7	10.06	518	11.79	81.1	n/m	69
9/27/16	21.47		17.4	7.11	--	7.99	263	n/m	
12/19/16	21.68		14.9	6.28	728	2.90	-74.8	n/m	
3/28/17	20.54		12.4	6.70	383	6.59	103	n/m	
6/14/17	19.17		14.6	7.77	372	7.49	34	n/m	
9/26/17	20.43		17.4	7.47	304	10.53	242.9	n/m	
3/27/18	17.51		14.82	6.70	289	7.89	203.3	n/m	
9/25/18	18.89		16.53	8.36	272	10.15	268.7	n/m	
3/26/19	14.58		14.47	6.30	188	10.57	216.9	n/m	

Table 1 - Historic Groundwater Field Data Summary (to Current)

KEY

Temperature recorded in C
 Conductivity measured in uS
 Dissolved Oxygen measured in mg/l
 Eh measured in Mv
 Ozone measured in mg/l
 B = Analyte in a blank
 Total Concentration / Duplicate Concentration (Dissolved Concentration)

DW-1	PARAMETER								
	Depth to water (ft)	Groundwater Elevation (ft)	Temp	pH	Cond.	D.O.	Eh	Ozone	MSRO
			°C		uS	mg/L	mV		ug/L
3/24/05			7.7	7.51	543	5.8	95	n/c	
6/27/05			20.6	6.53	105	1.94	125	0	
9/20/05	9.50		25.5	6.27	110	1.87	-35	0	
12/13/05	6.95		12.0	7.41	43	11.21	45	0	
3/15/06	10.36		8.6	7.78	97	7.41	102	0.1	
6/22/06	8.90		18.5	7.46	66	7.00	88	-0.08	
9/26/06	8.36		22.4	7.03	65	3.74	34	0.05	
12/19/06	10.35		12.5	7.31	94	4.25	-41	-0.01	
3/27/07	8.70		8.5	7.16	209	5.2	-60	-0.08	
6/26/07	8.98		21.3	7.13	67	4.80	-25	0.10	
9/20/07	9.58		23.0	7.08	63	6.70	-46	0.07	
12/20/07	7.65		8.5	7.02	72	5.28	25	NA	
3/27/08	7.90		8.1	7.21	82	4.85	-123	ND	
6/19/08	4.30		22.4	7.13	56	6.55	-10	0.08	
9/25/08	DRY		n/a	n/a	n/a	n/a	n/a	n/a	
12/18/08	DRY	soil sample coll.	n/a	n/a	n/a	n/a	n/a	n/a	
3/12/09	10.48	soil sample coll.	13.0	7.30	65	6.55	-8	ND	
6/17/09	DRY	soil sample coll.	n/a	n/a	n/a	n/a	n/a	n/a	
9/22/09	DRY	soil sample coll.	n/a	n/a	n/a	n/a	n/a	n/a	
12/30/09	DRY	soil sample coll.	n/a	n/a	n/a	n/a	n/a	n/a	
2/2/10	DRY	soil sample coll.	n/a	n/a	n/a	n/a	n/a	n/a	
3/24/10	DRY	soil sample coll.	n/a	n/a	n/a	n/a	n/a	n/a	
6/22/10	DRY	soil sample coll.	n/a	n/a	n/a	n/a	n/a	n/a	
9/22/10	DRY	soil sample coll.	n/a	n/a	n/a	n/a	n/a	n/a	
12/15/10	DRY	soil sample coll.	n/a	n/a	n/a	n/a	n/a	n/a	
3/24/11	9.82		8.5	7.10	25	10.50	80	0.00	
6/16/11	8.58		22.0	7.09	67	5.60	45	0.00	
9/15/11	DRY	soil sample coll.							
12/16/11	DRY	soil sample coll.							
3/14/12	DRY	soil sample coll.							
6/20/12	DRY	soil sample coll.							
8/28/12	N/S								
10/25/12	DRY	soil sample coll.							
3/14/13	DRY	soil sample coll.							
6/20/13	DRY	soil sample coll.							
9/24/13	DRY	soil sample coll.							
12/18/13	DRY	soil sample coll.							
2/25/14	DRY	soil sample coll.							
6/11/14	DRY	soil sample coll.							
8/26/14	DRY	soil sample coll.							
11/12/14	DRY	soil sample coll.							
12/16/14	DRY	soil sample coll.							

Table 1 - Historic Groundwater Field Data Summary (to Current)

KEY

Temperature recorded in C
 Conductivity measured in uS
 Dissolved Oxygen measured in mg/l
 Eh measured in Mv
 Ozone measured in mg/l
 B = Analyte in a blank
 Total Concentration / Duplicate Concentration (Dissolved Concentration)

DW-1	PARAMETER								
continued	Depth to water (ft)	Groundwater Elevation (ft)	Temp	pH	Cond.	D.O.	Eh	Ozone	MSRO
			°C		uS	mg/L	mV		ug/L
3/10/15	9.71		4.4	6.34	442	146.20	-215.6	n/m	
6/25/15	n/m		20.2	6.56	40	4.98	228.5	n/m	
9/23/15	DRY	soil sample coll.							
12/9/15	DRY	soil sample coll.							
3/23/16	9.84		9.1	7.99	49	10.07	64.4	n/m	
6/14/16	9.72		21.4	9.19	53	7.27	102.4	n/m	
9/26/16	10.10		24.4	9.91	--	3.25	150.9	n/m	
12/19/16	8.73		7.4	7.28	79	6.36	-53	n/m	
3/28/17	9.85		5.0	7.45	218	9.72	80.2	n/m	
6/12/17	10.22		19.8	6.60	66	3.20	-200.5	n/m	
9/26/17	--		27.3	7.46	69	1.48	92.5	n/m	
3/26/18	7.75		8.22	7.19	59	9.65	192.2	n/m	42
9/24/18	9.40		24.12	6.93	61	1.38	22.2	n/m	
3/25/19	7.20		9.40	7.45	435	4.37	-13.1	n/m	60

Table 2
Groundwater Monitoring Results Summary (to Current)
Safety-Kleen Systems, Inc. - Corrective Action Program
N. Amityville, New York Facility

Sample ID	Sample Date	Acetone	Benzene	Toluene	Ethylbenzene	Xylenes (Total)	Tetrachloroethene	Chlorobenzene	Dichlorobenzene	Dichlorobenzene	Total 1,2-Dichlorobenzene	Trichloroethene	1,1,1-Trichloroethane	Mineral Spirits
GT-1	3/14/1994	<50	<1	<5	61	410	<5	110	<5	21	81	<5	<5	NS
GT-1	2/9/1996	<50	<1	<5	5	16	<5	24	<5	13	12	<5	<5	444
GT-1	8/28/1996	<50	<1	<5	5	16	<5	24	<5	13	12	<5	<5	186
GT-1	12/21/1996	<50	<1	<5	5	16	<5	24	<5	13	12	<5	<5	244
GT-1	2/27/1997	<50	<1	<5	0.8	29	<5	16	<5	7	10	<5	<5	NS
GT-1	2/27/1997	<50	<1	<5	34	42	<5	18	<5	9	10	<5	<5	NS
GT-1	5/28/1997	<50	<1	<5	6	52	<5	22	<5	12	12	<5	<5	170
GT-1	8/28/1997	<50	<1	<5	6	52	<5	22	<5	12	12	<5	<5	113
GT-1	9/9/1997	<50	<1	<5	22	157	<5	64.5	<5	23	38	<5	<5	43
GT-1	DUPPLICATE	<50	<1	<5	16.6	130	<5	62	<5	16	18	<5	<5	5000
GT-1	SPLIT	<50	<1	<5	17	130	<5	62	<5	16	18	<5	<5	277
GT-1	12/18/1997	<50	<1	<5	9	61	<5	26	<5	9	11	<5	<5	5000
GT-1	DUPPLICATE	<50	<1	<5	8	23.2	<5	26	<5	4	14	<5	<5	33
GT-1	6/25/1998	<50	<1	<5	8	23.2	<5	26	<5	4	14	<5	<5	43
GT-1	DUPPLICATE	<50	<1	<5	8.9	70.3	<5	37.4	<5	19	21.4	<5	<5	55.4
GT-1	10/13/1998	<50	<1	<5	18	22.9	<5	15.5	<5	15	15	<5	<5	96
GT-1	SPLIT	<50	<1	<5	18	22.9	<5	15.5	<5	15	15	<5	<5	96
GT-1	DUPPLICATE	<50	<1	<5	8.7	51	<5	25.2	<5	14.9	16.1	<5	<5	128
GT-1	12/4/1998	<50	<1	<5	8.7	51	<5	25.2	<5	14.9	16.1	<5	<5	113
GT-1	DUPPLICATE	<50	<1	<5	8.9	59.8	<5	26.1	<5	15.6	16.8	<5	<5	98
GT-1	6/16/1999	<50	<1	<5	8.1	41.5	<5	26.1	<5	15.6	16.8	<5	<5	118
GT-1	DUPPLICATE	<50	<1	<5	8.9	59.8	<5	26.1	<5	15.6	16.8	<5	<5	128
GT-1	8/30/1999	<50	<1	<5	14.2	71.4	<5	45.4	<5	31.2	34.7	<5	<5	335
GT-1	DUPPLICATE	<50	<1	<5	15.7	60.1	<5	49.4	<5	36.9	41.4	<5	<5	335
GT-1	12/22/1999	<50	<1	<5	8.4	42.7	<5	22.5	<5	6.2	25.8	<5	<5	2480
GT-1	DUPPLICATE	<50	<1	<5	1	9	<5	5	<5	1	3	<5	<5	2480
GT-1	6/28/2000	<50	<1	<5	7	36.3	<5	19.4	<5	13.2	14.8	<5	<5	250
GT-1	DUPPLICATE	<50	<1	<5	7	36.3	<5	19.4	<5	13.2	14.8	<5	<5	250
GT-1	8/20/2000	<50	<1	<5	24.9	110	<5	11.2	<5	13	19	<5	<5	31.4
GT-1	DUPPLICATE	<50	<1	<5	10	10	<5	5	<5	6	10	<5	<5	23
GT-1	12/20/2000	<50	<1	<5	7.9	37	<5	6.8	<5	7.6	10	<5	<5	87.4
GT-1	DUPPLICATE	<50	<1	<5	8.2	20.1	<5	6.9	<5	7.6	10	<5	<5	4
GT-1	8/23/2001	<50	<1	<5	5.1	17	<5	8	<5	8	11.9	<5	<5	186
GT-1	DUPPLICATE	<50	<1	<5	5.1	17	<5	8	<5	8	11.9	<5	<5	186
GT-1	11/6/2001	<50	<1	<5	7	22	<5	8	<5	8	11.9	<5	<5	450
GT-1	DUPPLICATE	<50	<1	<5	5	27	<5	15	<5	24	0.8	<5	<5	100
GT-1	2/5/2002	<50	<1	<5	4	120	<5	11	<5	18	2	<5	<5	110
GT-1	DUPPLICATE	<50	<1	<5	4	120	<5	11	<5	18	2	<5	<5	110
GT-1	4/12/2002	<50	<1	<5	63	63	<5	98	<5	160	57	<5	<5	360000
GT-1	DUPPLICATE	<50	<1	<5	63	63	<5	98	<5	160	57	<5	<5	360000
GT-1	10/12/2002	<50	<1	<5	19	170	<5	77	<5	66	110	<5	<5	4900000
GT-1	DUPPLICATE	<50	<1	<5	19	170	<5	77	<5	66	110	<5	<5	4900000
GT-1	1/2/2003	<50	<1	<5	5	10	<5	20	<5	4	18	<5	<5	340
GT-1	DUPPLICATE	<50	<1	<5	5	10	<5	20	<5	4	18	<5	<5	340
GT-1	7/22/2003	<50	<1	<5	11	11	<5	20	<5	4	18	<5	<5	310
GT-1	DUPPLICATE	<50	<1	<5	11	11	<5	20	<5	4	18	<5	<5	310
GT-1	7/22/2003	<50	<1	<5	15	15	<5	20	<5	4	18	<5	<5	240
GT-1	DUPPLICATE	<50	<1	<5	15	15	<5	20	<5	4	18	<5	<5	240
GT-1	12/3/2003	<50	<1	<5	6	22	<5	21	<5	3	22	<5	<5	750
GT-1	DUPPLICATE	<50	<1	<5	6	22	<5	21	<5	3	22	<5	<5	750
GT-1	3/29/2004	<50	<1	<5	19	19	<5	44	<5	9	41	<5	<5	490
GT-1	DUPPLICATE	<50	<1	<5	19	19	<5	44	<5	9	41	<5	<5	490
GT-1	6/29/2004	<50	<1	<5	5	5	<5	13	<5	8	14	<5	<5	510
GT-1	DUPPLICATE	<50	<1	<5	5	5	<5	13	<5	8	14	<5	<5	510
GT-1	10/4/2004	<50	<1	<5	18	18	<5	6	<5	3	8	<5	<5	<50
GT-1	DUPPLICATE	<50	<1	<5	18	18	<5	6	<5	3	8	<5	<5	<50
GT-1	10/4/2004	<50	<1	<5	18	18	<5	6	<5	3	8	<5	<5	<50
GT-1	DUPPLICATE	<50	<1	<5	18	18	<5	6	<5	3	8	<5	<5	<50
GT-1	10/4/2004	<50	<1	<5	18	18	<5	6	<5	3	8	<5	<5	<50
GT-1	DUPPLICATE	<50	<1	<5	18	18	<5	6	<5	3	8	<5	<5	<50
GT-1	10/4/2004	<50	<1	<5	18	18	<5	6	<5	3	8	<5	<5	<50
GT-1	DUPPLICATE	<50	<1	<5	18	18	<5	6	<5	3	8	<5	<5	<50
GT-1	10/4/2004	<50	<1	<5	18	18	<5	6	<5	3	8	<5	<5	<50
GT-1	DUPPLICATE	<50	<1	<5	18	18	<5	6	<5	3	8	<5	<5	<50
GT-1	10/4/2004	<50	<1	<5	18	18	<5	6	<5	3	8	<5	<5	<50
GT-1	DUPPLICATE	<50	<1	<5	18	18	<5	6	<5	3	8	<5	<5	<50
GT-1	10/4/2004	<50	<1	<5	18	18	<5	6	<5	3	8	<5	<5	<50
GT-1	DUPPLICATE	<50	<1	<5	18	18	<5	6	<5	3	8	<5	<5	<50
GT-1	10/4/2004	<50	<1	<5	18	18	<5	6	<5	3	8	<5	<5	<50
GT-1	DUPPLICATE	<50	<1	<5	18	18	<5	6	<5	3	8	<5	<5	<50
GT-1	10/4/2004	<50	<1	<5	18	18	<5	6	<5	3	8	<5	<5	<50
GT-1	DUPPLICATE	<50	<1	<5	18	18	<5	6	<5	3	8	<5	<5	<50
GT-1	10/4/2004	<50	<1	<5	18	18	<5	6	<5	3	8	<5	<5	<50
GT-1	DUPPLICATE	<50	<1	<5	18	18	<5	6	<5	3	8	<5	<5	<50
GT-1	10/4/2004	<50	<1	<5	18	18	<5	6	<5	3	8	<5	<5	<50
GT-1	DUPPLICATE	<50	<1	<5	18	18	<5	6	<5	3	8	<5	<5	<50
GT-1	10/4/2004	<50	<1	<5	18	18	<5	6	<5	3	8	<5	<5	<50
GT-1	DUPPLICATE	<50	<1	<5	18	18	<5	6	<5	3	8	<5	<5	<50
GT-1	10/4/2004	<50	<1	<5	18	18	<5	6	<5	3	8	<5	<5	<50
GT-1	DUPPLICATE	<50	<1	<5	18	18	<5	6	<5	3	8	<5	<5	<50
GT-1	10/4/2004	<50	<1	<5	18	18	<5	6	<5	3	8	<5	<5	<50
GT-1	DUPPLICATE	<50	<1	<5	18	18	<5	6	<5	3	8	<5	<5	<50
GT-1	10/4/2004	<50	<1	<5	18	18	<5	6	<5	3	8	<5	<5	<50
GT-1	DUPPLICATE	<50	<1	<5	18	18	<5	6	<5	3	8	<5	<5	<50
GT-1	10/4/2004	<50	<1	<5	18	18	<5	6	<5	3	8	<5	<5	<50
GT-1	DUPPLICATE	<50	<1	<5	18	18	<5	6	<5	3	8	<5	<5	<50
GT-1	10/4/2004	<50	<1	<5	18	18	<5	6	<5	3	8	<5	<5	<50
GT-1	DUPPLICATE	<50	<1	<5	18	18	<5	6	<5	3	8	<5	<5	<50
GT-1	10/4/2004	<50	<1	<5	18	18	<5	6	<5	3	8	<5	<5	<50
GT-1	DUPPLICATE	<50	<1	<5	18	18	<5	6	<5	3	8	<5	<5	<50
GT-1	10/4/2004	<50	<1	<5	18	18	<5	6	<5	3	8	<5	<5	<50
GT-1	DUPPLICATE	<50	<1	<5	18	18	<5	6	<5	3	8	<5	<5	<50
GT-1	10/4/2004	<50	<1	<5	18	18	<5	6	<5	3	8	<5	<5	<50
GT-1	DUPPLICATE	<50	<1	<5	18	18	<5	6	<5	3	8	<5	<5	<50
GT-1	10/4/2004	<50	<1	<5	18	18	<5	6	<5	3	8	<5	<5	<50
GT-1	DUPPLICATE	<50	<1	<5	18	18	<5	6	<5	3	8	<5	<5	<50
GT-1	10/4/2004	<50	<1	<5	18	18	<5	6	<5	3	8	<5	<5	<50
GT-1	DUPPLICATE</													

Table 2
Groundwater Monitoring Results Summary (to Current)
Safety-Kleen Systems, Inc. - Corrective Action Program
N. Amityville, New York Facility

T.O.G.S 1.1.1 Standards		50	1	5	5	5	5	5	3	3	3	5	5	50
Sample ID	Sample Date	Acetone	Benzene	Toluene	Ethylbenzene	Xylenes (Total)	Tetrachloroethene	Chlorobenzene	Dichlorobenzene	Dichlorobenzene	Dichlorobenzene	Total 1,2-Dichloroethene	1,1,1-Trichloroethane	Mineral Spirits
GT-1	12/28/2004	<50	<1	<5	<5	6	<5	11	11	3	16	<2	<5	320
GT-1	3/24/2005	<50	<1	<5	<5	<5	<5	<5	<3	<3	6	<2	<5	440
GT-1	7/6/2005	<50	<1	<5	<5	<5	<5	<5	<3	<3	4	<2	<5	56
GT-1	DUPLICATE	<50	<1	<5	<5	<5	<5	<5	<3	<3	<3	<2	<5	<50
GT-1	9/20/2005	<50	<1	<5	<5	<5	<5	4	9	3	13	<2	<5	160
GT-1	12/13/2005	<50	<1	<5	<5	8	<5	10	17	6	32	<2	<5	1400
GT-1	3/15/2006	<50	<1	<5	<5	6	<5	9	26	5	26	<2	<5	2600
GT-1	6/22/2006	<50	<1	<5	<5	6	<5	9	24	9	29	<2	<5	3300
GT-1	9/26/2006	<50	<1	<5	<5	<5	<5	<5	15	3	15	<2	<5	3100
GT-1	12/19/2006	<50	<1	<5	<5	7	<5	<5	23	4	20	<2	<5	2500
GT-1	DUPLICATE	<50	<1	<5	<5	5	<5	<5	17	3	16	<2	<5	2700
GT-1	3/27/2007	<50	<1	<5	<5	<5	<5	<5	12	<3	12	<2	<5	1600
GT-1	DUPLICATE	<50	<1	<5	<5	<5	<5	<5	13	<3	13	<2	<5	1400
GT-1	6/26/2007	<50	<1	<5	<5	<5	<5	<5	10	<3	12	<2	<5	880
GT-1	DUPLICATE	<50	<1	<5	<5	<5	<5	<5	8	<3	9	<2	<5	1400
GT-1	9/20/2007	<50	<1	<5	<5	5	<5	<5	19	5	20	<2	<5	2400
GT-1	DUPLICATE	<50	<1	<5	<5	7	<5	<5	24	5	24	<2	<5	3000
GT-1	10/16/2007	<50	<1	<5	<5	<5	<5	<5	<3	<3	4	<2	<5	200
GT-1	DUPLICATE	<50	<1	<5	<5	8	<5	6	24	7	31	<2	<5	2800
GT-1	12/20/2007	<50	<1	<5	<5	<5	<5	<5	7	<3	7	<2	<5	720
GT-1	DUPLICATE	<50	<1	<5	<5	<5	<5	<5	7	<3	7	<2	<5	550
GT-1	3/27/2008	<50	<1	<5	<5	<5	<5	<5	8	<3	8	<2	<5	480
GT-1	DUPLICATE	<50	<1	<5	<5	<5	<5	<5	6	<3	9	<2	<5	1300
GT-1	6/19/2008	<50	<1	<5	<5	<5	<5	<5	7	<3	10	<2	<5	1900
GT-1	DUPLICATE	<50	<1	<5	<5	<5	<5	<5	8	<3	10	<2	<5	1800
GT-1	9/25/2008	<50	<1	<5	<5	<5	<5	<5	18	4	20	<2	<5	3100
GT-1	DUPLICATE	<50	<1	<5	<5	<5	<5	<5	18	4	21	<2	<5	3000
GT-1	12/18/2008	<50	<1	<5	<5	<5	<5	<5	8.7	<3	11	<2	<5	1300
GT-1	DUPLICATE	<50	<1	<5	<5	<5	<5	<5	8.6	<3	11	<2	<5	4800
GT-1	3/12/2009	<50	<1	5.7	<5	<5	<5	<5	6.3	<3	10	<2	<5	500
GT-1	DUPLICATE	<50	<1	6.3	<5	<5	<5	<5	5.8	<3	9.4	<2	<5	710
GT-1	6/17/2009	<50	<1	<5	<5	<5	<5	<5	<3	<3	<3	<2	<5	50
GT-1	DUPLICATE	<50	<1	<5	<5	<5	<5	<5	<3	<3	<3	<2	<5	71
GT-1	9/22/2009	<50	<1	<5	<5	<5	<5	<5	3.5	<3	6.2	<2	<5	530
GT-1	DUPLICATE	<50	<1	<5	<5	<5	<5	<5	3.1	<3	5.8	<2	<5	680
GT-1	12/30/2009	<0.58	<0.14	<0.18	<0.14	<0.3	3.8J	<0.057	1.3J	0.52J	2.3J	<0.24	<0.16	1300E
GT-1	DUPLICATE	1.2J	<0.14	<0.18	<0.14	<0.3	3.2J	<0.057	1.2J	0.56J	2.3J	<0.24	<0.16	1400E
GT-1	2/2/2010	0.55J	<0.14	<0.18	<0.14	2.7J	2.5J	<0.057	2.6J	0.88J	<0.17	<0.24	<0.16	1000
GT-1	DUPLICATE	<0.58	<0.14	<0.18	<0.14	<0.3	3.4J	0.11J	1.2J	0.54J	2.3J	<0.24	<0.16	1100E
GT-1	3/24/2010	5.7J	<0.14	<0.18	<0.14	<0.3	0.88	<0.057	1.6J	1.1J	4.1J	<0.24	<0.16	6400
GT-1	DUPLICATE	7.6J	<0.14	<0.18	<0.14	<0.3	0.88	<0.057	1.6J	1.1J	4.2J	<0.24	<0.16	4500
GT-1	6/22/2010	0.74JB	<0.14	<0.18	<0.14	<0.3	1.6J	<0.057	1.3JH	0.56J	2.5J	<0.24	<0.16	3000
GT-1	DUPLICATE	0.59JB	<0.14	<0.18	<0.14	<0.3	1.6J	<0.057	1.5J	0.64J	2.9J	<0.24	<0.16	2400
GT-1	9/22/2010	1.1J	<0.14	<0.18	<0.14	0.71J	<0.11	<0.057	4.9	2.5J	11	<0.24	<0.16	1600
GT-1	DUPLICATE	1.4J	<0.14	<0.18	<0.14	<0.3	<0.11	<0.057	4.9	2.6J	11	<0.24	<0.16	16000
GT-1	12/15/2010	<2.3	<0.56	<0.72	<0.56	<1.2	0.52J	<0.23	9.1J	5.2J	21	<0.96	<0.64	12000
GT-1	DUPLICATE	<2.3	<0.56	<0.72	<0.56	0.91J	0.40J	<0.23	9.1	5.1	20	<0.96	<0.64	39000
GT-1	3/24/2011	4.1J	<0.14	<0.18	<0.14	0.65J	0.74J	<0.057	6.8	4	15	<0.24	<0.16	18000
GT-1	DUPLICATE	3.2J	<0.14	<0.18	<0.14	0.71J	0.92J	<0.057	6.9	4.1	15	<0.24	<0.16	24000
GT-1	6/16/2011	1.2JB	<0.14	<0.18	<0.14	0.38J	0.75J	<0.057	2.3J	1.8J	5.5	0.27J	<0.16	8500
GT-1	DUPLICATE	2.4J	<0.14	<0.18	<0.14	1.9J	0.77J	<0.057	2.8J	2.3J	7.2	0.40J	<0.16	11000
GT-1	8/19/2011	1.5J	<0.14	<0.18	<0.14	<0.3	1.1J	<0.057	2.0J	1.7J	5.5	<0.24	<0.16	12000
GT-1	DUPLICATE	<0.58	<0.14	<0.18	<0.14	<0.3	1.1J	<0.057	2.0J	1.8J	5.5	<0.24	<0.16	10000
GT-1	12/16/2011	<2.5	<0.13	<0.09	<0.25	<0.43	0.71J	<0.16	2.2J	1.9J	5.6	<0.29	<0.25	15000
GT-1	DUPLICATE	<2.5	<0.13	<0.09	<0.25	<0.43	1.3J	<0.16	1.6J	1.3JH	4	<0.29	<0.25	7400
GT-1	3/14/2012	<2.7	<0.08	<0.15	<0.1	<0.13	0.28J	<0.11	2.2J	2.1J	6.4	<0.29	<0.06	16000
GT-1	DUPLICATE	<2.7	<0.08	<0.15	<0.1	<0.13	0.23J	<0.11	2.1J	2.0J	6.1	<0.29	<0.06	14000
GT-1	6/20/2012	<2.7	<0.08	<0.15	<0.1	<0.13	0.28JH	<0.11	1.3JH	1.3JH	4.0H	<0.29	<0.06	15000H
GT-1	DUPLICATE	<2.7	<0.08	<0.15	<0.1	<0.13	0.33JH	<0.11	1.3JH	1.3JH	4.0H	<0.29	<0.06	12000H
GT-1	8/28/2012	<2.7	<0.08	<0.15	<0.1	<0.13	0.29J	<0.11	1.7J	1.5J	4.5	<0.29	<0.06	9200
GT-1	DUPLICATE	<2.7	<0.08	<0.15	<0.1	<0.13	0.20J	<0.11	1.9J	1.5J	4.8	<0.29	<0.06	10000
GT-1	10/25/2012	17J	<0.08	<0.15	<0.1	<0.13	<0.1	<0.11	4.7	4.2	13	<0.29	<0.06	23000

Table 2
Groundwater Monitoring Results Summary (to Current)
Safety-Kleen Systems, Inc. - Corrective Action Program
N. Amityville, New York Facility

T.O.S 1.1.1 Standards		50	1	5	5	5	5	5	3	3	3	5	5	50
Sample ID	Sample Date	Acetone	Benzene	Toluene	Ethylbenzene	Xylenes (Total)	Tetrachloroethene	Chlorobenzene	1,2-Dichlorobenzene	1,3-Dichlorobenzene	1,4-Dichlorobenzene	Total 1,2-Dichloroethene	1,1,1-Trichloroethane	Mineral Spirits
GT-1	DUPLICATE	17J	<0.08	<0.15	<0.1	<0.13	0.15J	<0.11	4.8	4.5	13	<0.29	<0.06	21000
GT-1	12/20/2012	<2.7	<0.08	<0.15	<0.1	<0.13	<0.1	<0.11	4	3.6	11	<0.29	<0.06	24000
GT-1	DUPLICATE	<2.7	<0.08	<0.15	<0.1	<0.13	<0.1	<0.11	3.9	3.5	11	<0.29	<0.06	32000
GT-1	3/14/2013	<2.7	<0.08	<0.15	<0.1	<0.13	0.12J	<0.11	0.84J	1.4J	3.6	<0.29	<0.06	22000
GT-1	DUPLICATE	<2.7	<0.08	<0.15	<0.1	<0.13	0.11J	<0.11	0.87J	1.4J	3.8	<0.29	<0.06	21000
GT-1	6/20/2013	<2.7	<0.08	<0.15	<0.1	<0.13	0.19J	<0.11	0.24J	0.62J	1.4J	<0.29	<0.06	16000
GT-1	DUPLICATE	<2.7	<0.08	<0.15	<0.1	<0.13	0.38J	<0.11	0.25J	0.66J	1.4J	<0.29	<0.06	15000
GT-1	9/24/2013	ND	ND	ND	ND	ND	0.15J	ND	0.88J	1.6J	4	<0.29	<0.06	15000
GT-1	DUPLICATE	ND	ND	ND	ND	ND	0.14J	ND	0.93J	1.7J	4.1	<0.29	<0.06	41000
GT-1	12/18/2013	14J	<0.08	<0.15	<0.1	<0.13	0.19J	<0.11	0.45J	1.0J	2.3J	<0.29	<0.06	42000
GT-1	DUPLICATE	17J	<0.08	<0.15	<0.1	<0.13	0.20J	<0.11	0.47J	1.0J	2.3J	<0.29	<0.06	5100
GT-1	2/25/2014	<2.7	<0.08	<0.15	<0.1	<0.13	0.24J	<0.11	0.35J	0.98J	2.1J	<0.29	<0.06	6100
GT-1	DUPLICATE	<2.7	<0.08	<0.15	<0.1	<0.13	0.23J	<0.11	0.33J	0.98J	2.1J	<0.29	<0.06	6100
GT-1	8/11/2014	11J	<0.08	<0.15	<0.1	<0.13	0.27J	<0.11	<0.21	0.19J	2.3J	<0.29	<0.06	1400
GT-1	DUPLICATE	11J	<0.08	<0.15	<0.1	<0.13	0.27J	<0.11	<0.21	0.19J	2.3J	<0.29	<0.06	1400
GT-1	8/26/2014	ND	ND	ND	ND	ND	0.22J	ND	<0.21	<0.14	<0.23	<0.29	<0.06	520
GT-1	DUPLICATE	ND	ND	ND	ND	ND	0.22J	ND	ND	0.21J	0.48J	<0.29	<0.06	520
GT-1	11/13/2014	<2.7	<0.08	<0.15	<0.1	<0.13	0.24J	ND	ND	0.21J	0.42J	<0.29	<0.06	1500
GT-1	DUPLICATE	<2.7	<0.08	<0.15	<0.1	<0.13	<0.1	<0.11	<0.21	<0.14	<0.23	<0.29	<0.06	120
GT-1	12/15/2014	<2.7	<0.08	<0.15	<0.1	<0.13	<0.1	<0.11	<0.21	<0.14	<0.23	<0.29	<0.06	<50
GT-1	3/10/2015	<1.1	<0.19	<0.25	<0.3	<0.28	<0.12	<0.24	<0.22	<0.33	<0.33	<0.18	<0.28	<50
GT-1	6/25/2015	18J	<0.09	<0.25	<0.3	<0.28	<0.12	<0.24	<0.22	<0.33	<0.33	<0.18	<0.28	<50
GT-1	9/24/2015	<1.1	<0.09	<0.25	<0.3	<0.28	<0.12	<0.24	<0.22	<0.33	<0.33	<0.18	<0.28	<50
GT-1	12/8/2015	<1.1	<0.09	<0.25	<0.3	<0.28	<0.12	<0.24	<0.22	<0.33	<0.33	<0.18	<0.28	320
GT-1	3/23/2016	<1.1	<0.09	<0.25	<0.3	<0.28	<0.12	<0.24	<0.22	<0.33	<0.33	<0.18	<0.28	950
GT-1	6/15/2016	<1.1	<0.09	<0.25	<0.3	<0.28	<0.12	<0.24	<0.22	<0.33	<0.33	<0.18	<0.28	2500
GT-1	9/27/2016	<1.1	<0.09	<0.25	<0.3	<0.28	<0.12	<0.24	<0.22	<0.33	<0.33	<0.18	<0.28	<50
GT-1	12/20/2016	<1.1	<0.09	<0.25	<0.3	<0.28	<0.12	<0.24	<0.22	<0.33	<0.33	<0.18	<0.28	420
GT-1	DUPLICATE	<1.1	<0.09	<0.25	<0.3	<0.28	<0.12	<0.24	<0.22	<0.33	<0.33	<0.18	<0.28	4700
GT-1	3/27/2017	<1.1	<0.09	<0.25	<0.3	<0.28	<0.12	<0.24	<0.22	<0.33	<0.33	<0.18	<0.28	4100
GT-1	DUPLICATE	<1.1	<0.09	<0.25	<0.3	<0.28	<0.12	<0.24	<0.22	<0.33	<0.33	<0.18	<0.28	<51
GT-1	5/13/2017	<1.1	<0.09	<0.25	<0.3	<0.28	<0.12	<0.24	<0.22	<0.33	<0.33	<0.18	<0.28	<51
GT-1	9/26/2017	<1.1	<0.09	<0.25	<0.3	<0.28	<0.12	<0.24	<0.22	<0.33	<0.33	<0.18	<0.28	110
GT-1	3/27/2018	6.0JB	<0.09	<0.25	<0.3	<0.28	<0.12	<0.24	<0.22	<0.33	<0.33	<0.18	<0.28	240 B
GT-1	9/25/2018	9.2JB	<0.43	<0.38	<0.30	<0.65	<0.25	<0.38	<0.43	<0.34	<0.76	<0.44	<0.24	510
GT-1	3/26/2019	<5.0	<0.43	<0.38	<0.30	<0.65	<0.25	<0.38	<0.43	<0.34	<0.76	<0.44	<0.24	120
GT-1	DUPLICATE	<5.0	<0.43	<0.38	<0.30	<0.65	<0.25	<0.38	<0.43	<0.34	<0.76	<0.44	<0.24	<13
GT-2	2/9/1996	<50	<1	<5	<5	<5	<5	<5	<3	<3	<3	<2	<5	<50
GT-2	5/28/1996	<50	<1	<5	<5	<5	<5	<5	<3	<3	<3	<2	<5	<50
GT-2	8/22/1996	<50	<1	<5	<5	<5	<5	<5	<3	<3	<3	<2	<5	<50
GT-2	12/2/1996	<50	<1	<5	<5	<5	<5	<5	<3	<3	<3	<2	<5	<50
GT-2	2/27/1997	<50	<1	<5	<5	<5	<5	<5	<3	<3	<3	<2	<5	<50
GT-2	5/28/1997	<50	<1	<5	<5	<5	<5	<5	<3	<3	<3	<2	<5	<50
GT-2	9/9/1997	<50	<1	<5	<5	<5	<5	<5	<3	<3	<3	<2	<5	<50
GT-2	12/18/1997	<50	<1	<5	<5	<5	<5	<5	<3	<3	<3	<2	<5	<50
GT-2	6/25/1998	<50	<1	<5	<5	<5	<5	<5	<3	<3	<3	<2	<5	<50
GT-2	10/13/1998	<50	<1	<5	<5	<5	<5	<5	<3	<3	<3	<2	<5	<50
GT-2	1/24/1999	<50	<1	<5	<5	<5	<5	<5	<3	<3	<3	<2	<5	<50
GT-2	6/16/1999	<50	<1	<5	<5	<5	<5	<5	<3	<3	<3	<2	<5	<50
GT-2	9/30/1999	<50	<1	<5	<5	<5	<5	<5	<3	<3	<3	<2	<5	<50
GT-2	12/22/1999	<50	<1	<5	<5	<5	<5	<5	<3	<3	<3	<2	<5	<50
GT-2	3/15/2000	<50	<1	<5	<5	<5	<5	<5	<3	<3	<3	<2	<5	<50
GT-2	6/28/2000	<50	<1	<5	<5	<5	<5	<5	<3	<3	<3	<2	<5	<50
GT-2	9/20/2000	<50	<1	<5	<5	<5	<5	<5	<3	<3	<3	<2	<5	<50
GT-2	12/20/2000	<50	<1	<5	<5	<5	<5	<5	<3	<3	<3	<2	<5	<50
GT-2	3/15/2001	<50	<1	<5	<5	<5	<5	<5	<3	<3	<3	<2	<5	<50
GT-2	8/23/2001	<50	<1	<5	<5	<5	<5	<5	<3	<3	<3	<2	<5	<50
GT-2	11/6/2001	<50	<1	<5	<5	<5	<5	<5	<3	<3	<3	<2	<5	<50
GT-2	2/5/2002	<50	<1	<5	<5	<5	<5	<5	<3	<3	<3	<2	<5	<50
GT-2	4/16/2002	<50	<1	<5	<5	<5	<5	<5	<3	<3	<3	<2	<5	<50
GT-2	10/11/2002	<50	<1	<5	<5	<5	<5	<5	<3	<3	<3	<2	<5	<50
GT-2	1/23/2003	<50	<1	<5	<5	<5	<5	<5	<3	<3	<3	<2	<5	<50

Table 2
Groundwater Monitoring Results Summary (to Current)
Safety-Kleen Systems, Inc. - Corrective Action Program
N. Amityville, New York Facility

T.O.G.S.1.1.1 Standards		50	1	5	5	5	5	5	3	3	3	5	5	50
Sample ID	Sample Date	Acetone	Benzene	Toluene	Ethylbenzene	Xylenes (Total)	Tetrachloroethene	Chlorobenzene	1,2-Dichlorobenzene	1,3-Dichlorobenzene	1,4-Dichlorobenzene	Total 1,2-Dichloroethene	1,1,1-Trichloroethane	Mineral Spirits
GT-2	7/22/2003	<50	<1	<5	<5	<5	<5	<5	<3	<3	<3	<2	<5	<50
GT-2	12/9/2003	<50	<1	<5	<5	<5	<5	<5	<3	<3	<3	<2	<5	<50
GT-2	4/22/2004	<50	<1	<5	<5	<5	<5	<5	<3	<3	<3	<2	<5	<50
GT-2	8/29/2004	<50	<1	<5	<5	<5	<5	<5	<3	<3	<3	<2	<5	<50
GT-2	10/4/2004	<50	<1	<5	<5	<5	<5	<5	<3	<3	<3	<2	<5	<50
GT-2	12/18/2004	<50	<1	<5	<5	<5	<5	<5	<3	<3	<3	<2	<5	<50
GT-2	3/24/2005	<50	<1	<5	<5	<5	<5	<5	<3	<3	<3	<2	<5	<50
GT-2	DUPPLICATE	<50	<1	<5	<5	<5	<5	<5	<3	<3	<3	<2	<5	<50
GT-2	7/6/2005	<50	<1	<5	<5	<5	<5	<5	<3	<3	<3	<2	<5	<50
GT-2	9/20/2005	<50	<1	<5	<5	<5	<5	<5	<3	<3	<3	<2	<5	<50
GT-2	12/13/2005	<50	<1	<5	<5	<5	<5	<5	<3	<3	<3	<2	<5	<50
GT-2	3/15/2006	<50	<1	<5	<5	<5	<5	<5	<3	<3	<3	<2	<5	<50
GT-2	6/22/2006	<50	<1	<5	<5	<5	<5	<5	<3	<3	<3	<2	<5	<50
GT-2	9/25/2006	<50	<1	<5	<5	<5	<5	<5	<3	<3	<3	<2	<5	<50
GT-2	12/19/2006	<50	<1	<5	<5	<5	<5	<5	<3	<3	<3	<2	<5	<50
GT-2	3/27/2007	<50	<1	<5	<5	<5	<5	<5	<3	<3	<3	<2	<5	<50
GT-2	6/26/2007	<50	<1	<5	<5	<5	<5	<5	<3	<3	<3	<2	<5	<50
GT-2	9/20/2007	<50	<1	<5	<5	<5	<5	<5	<3	<3	<3	<2	<5	<50
GT-2	12/20/2007	<50	<1	<5	<5	<5	<5	<5	<3	<3	<3	<2	<5	<50
GT-2	3/27/2008	<50	<1	<5	<5	<5	<5	<5	<3	<3	<3	<2	<5	<50
GT-2	6/19/2008	<50	<1	<5	<5	<5	<5	<5	<3	<3	<3	<2	<5	<50
GT-2	9/25/2008	<50	<1	<5	<5	<5	<5	<5	<3	<3	<3	<2	<5	<50
GT-2	12/18/2008	<50	<1	<5	<5	<5	<5	<5	<3	<3	<3	<2	<5	<50
GT-2	3/12/2009	<50	<1	<5	<5	<5	<5	<5	<3	<3	<3	<2	<5	<50
GT-2	6/17/2009	<50	<1	<5	<5	<5	<5	<5	<3	<3	<3	<2	<5	<50
GT-2	9/22/2009	<50	<1	<5	<5	<5	<5	<5	<3	<3	<3	<2	<5	<50
GT-2	12/30/2009	<0.58	<0.14	<0.18	<0.14	<0.3	0.28J	<0.057	<0.063	<0.072	<0.17	<0.24	<0.16	<50
GT-2	2/2/2010	0.59J	<0.14	<0.18	<0.14	<0.3	<0.11	<0.057	<0.063	<0.072	<0.17	<0.24	<0.16	67
GT-2	3/24/2010	<0.58	<0.14	<0.18	<0.14	<0.3	0.21J	<0.057	<0.063	<0.072	<0.17	<0.24	<0.16	<50
GT-2	6/22/2010	0.60JB	<0.14	<0.18	<0.14	<0.3	0.60J	<0.057	<0.063	<0.072	<0.17	<0.24	<0.16	<50
GT-2	9/22/2010	1.1J	<0.14	<0.18	<0.14	<0.3	<0.11	<0.057	<0.063	<0.072	<0.17	<0.24	<0.16	<50
GT-2	12/15/2010	1.1J	<0.56	<0.72	<0.56	<1.2	0.54J	<0.23	<0.25	<0.29	0.17J	<0.56	<0.64	<50
GT-2	3/24/2011	1.6JB	<0.14	<0.18	<0.14	<0.3	1.2J	<0.057	<0.063	<0.072	<0.17	<0.24	<0.16	<50
GT-2	6/16/2011	<0.58	<0.14	<0.18	<0.14	<0.3	1.2J	<0.057	<0.063	<0.072	<0.17	<0.24	<0.16	<50
GT-2	9/15/2011	<0.58	<0.14	<0.18	<0.14	<0.3	1.0J	<0.057	<0.063	<0.072	<0.17	<0.24	<0.16	<50
GT-2	12/16/2011	11J	<0.13	<0.09	<0.25	<0.43	1.5J	<0.16	<0.18	<0.22	<0.15	<0.29	<0.25	<50
GT-2	3/14/2012	24J	<0.08	<0.15	<0.1	<0.13	0.18J	<0.11	<0.21	<0.14	<0.23	<0.29	<0.06	<50
GT-2	6/20/2012	29JH	<0.08	<0.15	<0.1	<0.13	0.66JH	<0.11	<0.21	<0.14	<0.23	<0.29	<0.06	<50
GT-2	8/28/2012	25J	<0.08	<0.15	<0.1	<0.13	0.52J	<0.11	<0.21	<0.14	<0.23	<0.29	<0.06	<50
GT-2	10/25/2012	19J	<0.08	<0.15	<0.1	<0.13	0.38J	<0.11	<0.21	<0.14	<0.23	<0.29	<0.06	<50
GT-2	12/20/2012	<2.7	<0.08	<0.15	<0.1	<0.13	2.2J	<0.11	<0.21	<0.14	<0.23	<0.29	<0.06	<50
GT-2	3/14/2013	<2.7	<0.08	<0.15	<0.1	<0.13	0.33J	<0.11	<0.21	<0.14	<0.23	<0.29	<0.06	<50
GT-2	6/20/2013	<2.7	<0.08	<0.15	<0.1	<0.13	0.14J	<0.11	<0.21	<0.14	<0.23	<0.29	<0.06	<50
GT-2	9/24/2013	ND	ND	ND	ND	ND	0.45J	ND	ND	ND	ND	ND	ND	<50
GT-2	12/18/2013	84	<0.08	<0.15	<0.1	<0.13	1.0J	<0.11	<0.21	<0.14	<0.23	<0.29	<0.06	<50
GT-2	2/25/2014	36J	<0.08	<0.15	<0.1	<0.13	0.75J	<0.11	<0.21	<0.14	<0.23	<0.29	<0.06	<50
GT-2	6/11/2014	41J	<0.08	<0.15	<0.1	<0.13	0.40J	<0.11	<0.21	<0.14	<0.23	<0.29	<0.06	<50
GT-2	8/28/2014	ND	ND	ND	ND	ND	0.20J	ND	ND	ND	ND	<0.29	<0.06	<50
GT-2	11/12/2014	<2.7	<0.08	<0.15	<0.1	<0.13	0.42J	<0.11	<0.21	<0.14	<0.23	<0.29	<0.06	<50
GT-2	12/18/2014	<2.7	<0.08	<0.15	<0.1	<0.13	<0.1	<0.11	<0.21	<0.14	<0.23	<0.29	<0.06	<50
GT-2	3/10/2015	<1.1	<0.19	<0.25	<0.3	<0.28	<0.36	<0.24	<0.22	<0.33	<0.33	<0.18	<0.28	<50
GT-2	6/25/2015	<1.1	<0.09	<0.25	<0.3	<0.28	0.94J	<0.24	<0.22	<0.33	<0.33	<0.18	<0.28	<50
GT-2	9/23/2015	<1.1	<0.09	<0.25	<0.3	<0.28	0.23J	<0.24	<0.22	<0.33	<0.33	<0.18	<0.28	100
GT-2	12/7/2015	<1.1	<0.09	<0.25	<0.3	<0.28	0.42J	<0.24	<0.22	<0.33	<0.33	<0.18	<0.28	<50
GT-2	3/22/2016	<1.1	<0.09	<0.25	<0.3	<0.28	0.33J	<0.24	<0.22	<0.33	<0.33	<0.18	<0.28	<50
GT-2	6/14/2016	<1.1	<0.09	<0.25	<0.3	<0.28	0.45J	<0.24	<0.22	<0.33	<0.33	<0.18	<0.28	<48
GT-2	9/26/2016	<1.1	<0.09	<0.25	<0.3	<0.28	0.95J	<0.24	<0.22	<0.33	<0.33	<0.18	<0.28	<48
GT-2	12/18/2016	<1.1	<0.09	<0.25	<0.3	<0.28	0.62J	<0.24	<0.22	<0.33	<0.33	<0.18	<0.28	<48
GT-2	3/27/2017	<1.1	<0.090	<0.25	<0.3	<0.28	0.36J	<0.24	<0.22	<0.33	<0.33	<0.18	<0.28	<48
GT-2	6/13/2017	<1.1	<0.090	<0.25	<0.3	<0.28	0.12J	<0.24	<0.22	<0.33	<0.33	<0.18	<0.28	<48
GT-2	9/26/2017	<1.1	<0.090	<0.25	<0.3	<0.28	0.34J	<0.24	<0.22	<0.33	<0.33	<0.18	<0.28	<50
GT-2	3/26/2018	1.8JB	<0.090	<0.25	<0.3	<0.28	0.35J	<0.24	<0.22	<0.33	<0.33	<0.18	<0.28	<13

Table 2
Groundwater Monitoring Results Summary (to Current)
Safety-Kleen Systems, Inc. - Corrective Action Program
N. Amityville, New York Facility

T.O.G.S.1.1.1 Standards		50	1	5	5	5	5	5	3	3	3	3	5	50
Sample ID	Sample Date	Acetone	Benzene	Toluene	Ethylbenzene	Xylenes (Total)	Tetrachloroethene	Chlorobenzene	1,2-Dichlorobenzene	1,3-Dichlorobenzene	1,4-Dichlorobenzene	Total 1,2-Dichloroethane	1,1,1-Trichloroethane	Mineral Spirits
GT-2	9/25/2018	<5.0	<0.43	<0.38	<0.3	<0.65	0.30J	<0.38	<0.43	<0.34	<0.76	<0.44	<0.24	<13
GT-2	3/25/2019	<5.0	<0.43	<0.38	<0.3	<0.65	2.0J	<0.38	<0.43	<0.34	<0.76	<0.44	<0.24	<13
GT-3	2/8/1996	<50	<1	<5	<5	<5	<5	<5	<3	<3	<3	<2	<5	<50
GT-3	5/28/1996	<50	<1	<5	<5	<5	<5	<5	<3	<3	<3	<2	<5	<50
GT-3	8/22/1996	<50	<1	<5	<5	<5	<5	<5	<3	<3	<3	<2	<5	<50
GT-3	DUPLICATE	<50	<1	<5	<5	<5	<5	<5	<3	<3	<3	<2	<5	<50
GT-3	12/2/1996	<50	<1	<5	<5	<5	<5	<5	<3	<3	<3	<2	<5	<50
GT-3	DUPLICATE	<50	<1	<5	<5	<5	<5	<5	<3	<3	<3	<2	<5	<50
GT-3	2/27/1997	<50	<1	<5	<5	<5	<5	<5	<3	<3	<3	<2	<5	<50
GT-3	5/28/1997	<50	<1	<5	<5	<5	<5	<5	<3	<3	<3	<2	<5	<50
GT-3	9/9/1997	<50	<1	<5	<5	<5	<5	<5	<3	<3	<3	<2	<5	<50
GT-3	12/18/1997	<50	<1	<5	<5	<5	<5	<5	<3	<3	<3	<2	<5	<50
GT-3	6/25/1998	<50	<1	<5	<5	<5	<5	<5	<3	<3	<3	<2	<5	<50
GT-3	10/13/1998	<50	<1	<5	<5	<5	<5	<5	<3	<3	<3	<2	<5	<50
GT-3	DUPLICATE	<50	<1	<5	<5	<5	<5	<5	<3	<3	<3	<2	<5	<50
GT-3	12/4/1998	<50	<1	<5	<5	<5	<5	<5	<3	<3	<3	<2	<5	<50
GT-3	6/16/1999	<50	<1	<5	<5	<5	<5	<5	<3	<3	<3	<2	<5	<50
GT-3	DUPLICATE	<50	<1	<5	<5	<5	<5	<5	<3	<3	<3	<2	<5	<50
GT-3	9/30/1999	<50	<1	<5	<5	<5	<5	<5	<3	<3	<3	<2	<5	0.9
GT-3	DUPLICATE	<50	<1	<5	<5	<5	<5	<5	<3	<3	<3	<2	<5	<50
GT-3	12/22/1999	<50	<1	<5	<5	<5	<5	<5	<3	<3	<3	<2	<5	<50
GT-3	3/15/2000	<50	<1	<5	<5	<5	<5	<5	<3	<3	<3	<2	<5	<50
GT-3	6/28/2000	<50	<1	<5	<5	<5	<5	<5	<3	<3	<3	<2	<5	<50
GT-3	9/20/2000	<50	<1	<5	<5	<5	<5	<5	<3	<3	<3	<2	<5	<50
GT-3	12/20/2000	<50	<1	<5	<5	<5	<5	<5	<3	<3	<3	<2	<5	<50
GT-3	3/15/2001	<50	<1	<5	<5	<5	<5	<5	<3	<3	<3	<2	<5	<50
GT-3	8/23/2001	<50	<1	<5	<5	<5	<5	<5	<3	<3	<3	<2	<5	<50
GT-3	11/8/2001	<50	<1	<5	<5	<5	<5	<5	<3	<3	<3	<2	<5	<50
GT-3	2/5/2002	<50	<1	<5	<5	<5	<5	<5	<3	<3	<3	<2	<5	<50
GT-3	4/16/2002	<50	<1	<5	<5	<5	<5	<5	<3	<3	<3	<2	<5	<50
GT-3	10/11/2002	<50	<1	<5	<5	<5	<5	<5	<3	<3	<3	<2	<5	<50
GT-3	1/23/2003	<50	<1	<5	<5	<5	<5	<5	<3	<3	<3	<2	<5	<50
GT-3	2/27/2003	<50	<1	<5	<5	<5	<5	<5	<3	<3	<3	<2	<5	170
GT-3	2/27/2003	<50	<1	<5	<5	<5	<5	<5	<3	<3	<3	<2	<5	<50
GT-3	4/22/2003	<50	<1	<5	<5	<5	<5	<5	<3	<3	<3	<2	<5	<50
GT-3	7/22/2003	<50	<1	<5	<5	<5	<5	<5	<3	<3	<3	<2	<5	<50
GT-3	12/9/2003	<50	<1	<5	<5	<5	<5	<5	<3	<3	<3	<2	<5	<50
GT-3	4/22/2004	<50	<1	<5	<5	<5	<5	<5	<3	<3	<3	<2	<5	<50
GT-3	6/29/2004	<50	<1	<5	<5	<5	<5	<5	<3	<3	<3	<2	<5	<50
GT-3	10/4/2004	<50	<1	<5	<5	<5	<5	<5	<3	<3	<3	<2	<5	<50
GT-3	12/28/2004	<50	<1	<5	<5	<5	<5	<5	<3	<3	<3	<2	<5	<50
GT-3	3/24/2005	<50	<1	<5	<5	<5	<5	<5	<3	<3	<3	<2	<5	<50
GT-3	7/6/2005	<50	<1	<5	<5	<5	<5	<5	<3	<3	<3	<2	<5	<50
GT-3	12/13/2005	<50	<1	<5	<5	<5	<5	<5	<3	<3	<3	<2	<5	<50
GT-3	3/15/2006	<50	<1	<5	<5	<5	<5	<5	<3	<3	<3	<2	<5	<50
GT-3	6/22/2006	<50	<1	<5	<5	<5	<5	<5	<3	<3	<3	<2	<5	<50
GT-3	9/26/2006	<50	<1	<5	<5	<5	<5	<5	<3	<3	<3	<2	<5	<50
GT-3	12/19/2006	<50	<1	<5	<5	<5	<5	<5	<3	<3	<3	<2	<5	<50
GT-3	3/27/2007	<50	<1	<5	<5	<5	<5	<5	<3	<3	<3	<2	<5	<50
GT-3	6/26/2007	<50	<1	<5	<5	<5	<5	<5	<3	<3	<3	<2	<5	<50
GT-3	9/20/2007	<50	<1	<5	<5	<5	<5	<5	<3	<3	<3	<2	<5	<50
GT-3	12/20/2007	<50	<1	<5	<5	<5	<5	<5	<3	<3	<3	<2	<5	<50
GT-3	3/27/2008	<50	<1	<5	<5	<5	<5	<5	<3	<3	<3	<2	<5	<50
GT-3	6/19/2008	<50	<1	<5	<5	<5	<5	<5	<3	<3	<3	<2	<5	<50
GT-3	9/25/2008	<50	<1	<5	<5	<5	<5	<5	<3	<3	<3	<2	<5	<50
GT-3	12/18/2008	<50	<1	<5	<5	<5	<5	<5	<3	<3	<3	<2	<5	<50
GT-3	3/12/2009	<50	<1	<5	<5	<5	<5	<5	<3	<3	<3	<2	<5	<50
GT-3	6/12/2009	<50	<1	<5	<5	<5	<5	<5	<3	<3	<3	<2	<5	<50
GT-3	9/22/2009	<50	<1	<5	<5	<5	<5	<5	<3	<3	<3	<2	<5	<50
GT-3	12/30/2009	<50	<1	<5	<5	<5	<5	<5	<3	<3	<3	<2	<5	<50
GT-3	2/2/2010	<50	<1	<5	<5	<5	<5	<5	<3	<3	<3	<2	<5	<50
GT-3	3/24/2010	<50	<1	<5	<5	<5	<5	<5	<3	<3	<3	<2	<5	<50

Table 2
Groundwater Monitoring Results Summary (to Current)
Safety-Kleen Systems, Inc. - Corrective Action Program
N. Amityville, New York Facility

T.O.G.S 1.1.1 Standards		50	1	5	5	5	5	5	3	3	3	5	5	50
Sample ID	Sample Date	Acetone	Benzene	Toluene	Ethylbenzene	Xylenes (Total)	Tetrachloroethene	Chlorobenzene	1,2-Dichlorobenzene	1,3-Dichlorobenzene	1,4-Dichlorobenzene	Total 1,2-Dichloroethene	1,1,1-Trichloroethane	Mineral Spirits
GT-3	6/22/2010	<50	<1	<5	<5	<5	<5	<5	<3	<3	<3	<2	<5	<50
GT-3	9/22/2010	<50	<1	<5	<5	<5	<5	<5	<3	<3	<3	<2	<5	<50
GT-3	12/15/2010	<2.3	<0.56	<0.72	<0.56	<1.2	0.18J	<0.23	<0.25	<0.29	<0.68	<0.96	<0.84	<50
GT-3	3/24/2011	0.84J	<0.14	<0.18	<0.14	<0.3	<0.11	<0.057	<0.063	<0.072	<0.17	<0.24	<0.16	<50
GT-3	6/16/2011	1.6JB	<0.14	<0.18	<0.14	0.59J	<0.11	<0.057	<0.063	<0.072	<0.17	<0.24	<0.16	<50
GT-3	9/15/2011	1.9J	<0.14	<0.18	<0.14	<0.3	<0.11	<0.057	<0.063	<0.072	<0.17	<0.24	<0.16	<50
GT-3	12/16/2011	<2.5	<0.13	<0.09	<0.25	<0.43	0.20J	<0.11	<0.21	<0.14	<0.23	<0.29	<0.08	<50
GT-3	3/14/2012	<2.7	<0.08	<0.15	<0.1	<0.13	<0.1	<0.11	<0.21	<0.14	<0.23	<0.29	<0.08	<50
GT-3	6/20/2012	<2.7	<0.08	<0.15	<0.1	<0.13	<0.1	<0.11	<0.21	<0.14	<0.23	<0.29	<0.08	<50
GT-3	8/28/2012	<2.7	<0.08	<0.15	<0.1	<0.13	0.11J	<0.11	<0.21	<0.14	<0.23	<0.29	<0.08	<50
GT-3	10/25/2012	<2.7	<0.08	<0.15	<0.1	<0.13	0.15J	<0.11	<0.21	<0.14	<0.23	<0.29	<0.08	<50
GT-3	12/20/2012	<2.7	<0.08	<0.15	<0.1	<0.13	<0.1	<0.11	<0.21	<0.14	<0.23	<0.29	<0.08	<50
GT-3	3/14/2013	<2.7	<0.08	<0.15	<0.1	<0.13	<0.1	<0.11	<0.21	<0.14	<0.23	<0.29	<0.08	<50
GT-3	6/20/2013	<2.7	<0.08	<0.15	<0.1	<0.13	0.11J	<0.11	<0.21	<0.14	<0.23	<0.29	<0.08	<50
GT-3	9/24/2013	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	120
GT-3	12/18/2013	<2.7	<0.08	<0.15	<0.1	<0.13	0.16J	<0.11	<0.21	<0.14	<0.23	<0.29	<0.08	81
GT-3	2/25/2014	<2.7	<0.08	<0.15	<0.1	<0.13	0.12J	<0.11	<0.21	<0.14	<0.23	<0.29	<0.08	<50
GT-3	6/11/2014	<2.7	<0.08	<0.15	<0.1	<0.13	0.14J	<0.11	<0.21	<0.14	<0.23	<0.29	<0.08	<50
GT-3	8/26/2014	0.12J	ND	ND	ND	ND	0.28J	ND	ND	ND	ND	ND	ND	<50
GT-3	11/12/2014	<2.7	<0.08	<0.15	<0.1	<0.13	0.19J	<0.11	<0.21	<0.14	<0.23	<0.29	<0.08	<50
GT-3	12/16/2014	<2.7	<0.08	<0.15	<0.1	<0.13	<0.1	<0.11	<0.21	<0.14	<0.23	<0.29	<0.08	<50
GT-3	3/10/2015	5.9J	<0.19	<0.25	<0.3	<0.28	<0.36	<0.24	<0.22	<0.33	<0.33	<0.18	<0.28	<50
GT-3	6/23/2015	<1.1	<0.09	<0.25	<0.3	<0.28	0.25J	<0.24	<0.22	<0.33	<0.33	<0.18	<0.28	<50
GT-3	9/23/2015	<1.1	<0.09	<0.25	<0.3	<0.28	<0.12	<0.24	<0.22	<0.33	<0.33	<0.18	<0.28	<50
GT-3	12/7/2015	<1.1	<0.09	<0.25	<0.3	<0.28	<0.12	<0.24	<0.22	<0.33	<0.33	<0.18	<0.28	<50
GT-3	3/22/2016	<1.1	<0.09	<0.25	<0.3	<0.28	<0.12	<0.24	<0.22	<0.33	<0.33	<0.18	<0.28	<50
GT-3	6/14/2016	<1.1	<0.09	<0.25	<0.3	<0.28	<0.12	<0.24	<0.22	<0.33	<0.33	<0.18	<0.28	<48
GT-3	9/26/2016	<1.1	<0.09	<0.25	<0.3	<0.28	<0.12	<0.24	<0.22	<0.33	<0.33	<0.18	<0.28	<48
GT-3	12/19/2016	<1.1	<0.09	<0.25	<0.3	<0.28	<0.12	<0.24	<0.22	<0.33	<0.33	<0.18	<0.28	<48
GT-3	3/27/2017	<1.1	<0.09	<0.25	<0.3	<0.28	<0.12	<0.24	<0.22	<0.33	<0.33	<0.18	<0.28	<48
GT-3	6/13/2017	<1.1	<0.09	<0.25	<0.3	<0.28	<0.12	<0.24	<0.22	<0.33	<0.33	<0.18	<0.28	<48
GT-3	9/26/2017	<1.1	<0.09	<0.25	<0.3	<0.28	<0.12	<0.24	<0.22	<0.33	<0.33	<0.18	<0.28	<51
GT-3	3/26/2018	3.5JB	<0.09	<0.25	<0.3	<0.28	<0.12	<0.24	<0.22	<0.33	<0.33	<0.18	<0.28	37
GT-3	9/25/2018	<5.0	<0.43	<0.63	<0.3	<0.65	<0.25	<0.38	<0.43	<0.34	<0.76	<0.44	<0.24	<13
GT-3	3/25/2019	<5.0	<0.43	<0.63	<0.3	<0.65	<0.25	<0.38	<0.43	<0.34	<0.76	<0.44	<0.24	<13
GT-4	2/9/1996	<50	<1	<5	<5	<5	<5	<5	<3	<3	<3	<2	<5	<50
GT-4	5/28/1996	<50	<1	<5	<5	<5	<5	<5	<3	<3	<3	<2	<5	<50
GT-4	8/22/1996	<50	<1	<5	<5	<5	<5	<5	<3	<3	<3	<2	<5	<50
GT-4	12/7/1996	<50	<1	<5	<5	<5	<5	<5	<3	<3	<3	<2	<5	<50
GT-4	2/7/1997	<50	<1	<5	<5	<5	<5	<5	<3	<3	<3	<2	<5	<50
GT-4	5/28/1997	<50	<1	<5	<5	<5	<5	<5	<3	<3	<3	<2	<5	<50
GT-4	9/9/1997	<50	<1	<5	<5	<5	<5	<5	<3	<3	<3	<2	<5	<50
GT-4	12/18/1997	<50	<1	<5	<5	<5	<5	<5	<3	<3	<3	<2	<5	<50
GT-4	6/25/1998	<50	<1	<5	<5	<5	<5	<5	<3	<3	<3	<2	<5	<50
GT-4	10/13/1998	<50	<1	<5	<5	<5	<5	<5	<3	<3	<3	<2	<5	<50
GT-4	12/4/1998	<50	<1	<5	<5	<5	<5	<5	<3	<3	<3	<2	<5	<50
GT-4	6/16/1999	<50	<1	<5	<5	<5	<5	<5	<3	<3	<3	<2	<5	<50
GT-4	9/30/1999	<50	<1	<5	<5	<5	<5	<5	<3	<3	<3	<2	<5	<50
GT-4	12/22/1999	<50	<1	<5	<5	<5	<5	<5	<3	<3	<3	<2	<5	<50
GT-4	3/15/2000	<50	<1	<5	<5	<5	<5	<5	<3	<3	<3	<2	<5	<50
GT-4	6/28/2000	<50	<1	<5	<5	<5	<5	<5	<3	<3	<3	<2	<5	<50
GT-4	9/26/2000	<50	<1	<5	<5	<5	<5	<5	<3	<3	<3	<2	<5	<50
GT-4	12/20/2000	<50	<1	<5	<5	<5	<5	<5	<3	<3	<3	<2	<5	<50
GT-4	3/15/2001	<50	<1	<5	<5	<5	<5	<5	<3	<3	<3	<2	<5	<50
GT-4	8/23/2001	<50	<1	<5	<5	<5	<5	<5	<3	<3	<3	<2	<5	<50
GT-4	11/6/2001	<50	<1	<5	<5	<5	<5	<5	<3	<3	<3	<2	<5	<50
GT-4	2/5/2002	<50	<1	<5	<5	<5	<5	<5	<3	<3	<3	<2	<5	<50
GT-4	4/16/2002	<50	<1	<5	<5	<5	<5	<5	<3	<3	<3	<2	<5	<50
GT-4	10/11/2002	<50	<1	<5	<5	<5	<5	<5	<3	<3	<3	<2	<5	<50
GT-4	1/23/2003	<50	<1	<5	<5	<5	<5	<5	<3	<3	<3	<2	<5	<50
GT-4	4/22/2003	<50	<1	<5	<5	<5	<5	<5	<3	<3	<3	<2	<5	<50
GT-4	7/22/2003	<50	<1	<5	<5	<5	<5	<5	<3	<3	<3	<2	<5	<50

Table 2
Groundwater Monitoring Results Summary (to Current)
Safety-Kleen Systems, Inc. - Corrective Action Program
N. Amityville, New York Facility

T.O.G.S 1.1.1 Standards		50	1	5	5	5	5	5	3	3	5	5	50	
Sample ID	Sample Date	Acetone	Benzene	Toluene	Ethylbenzene	Xylenes (Total)	Tetrachloroethene	Chlorobenzene	1,2-Dichlorobenzene	1,3-Dichlorobenzene	1,4-Dichlorobenzene	Total 1,2-Dichloroethene	1,1,1-Trichloroethane	Mineral Spirits
GT-4	12/9/2003	<50	<1	<5	<5	<5	<5	<5	<3	<3	<3	<2	<5	<50
GT-4	4/22/2004	<50	<1	<5	<5	<5	<5	<5	<3	<3	<3	<2	<5	<50
GT-4	6/29/2004	<50	<1	<5	<5	<5	<5	<5	<3	<3	<3	<2	<5	<50
GT-4	10/4/2004	<50	<1	<5	<5	<5	<5	<5	<3	<3	<3	<2	<5	<50
GT-4	12/28/2004	<50	<1	<5	<5	<5	<5	<5	<3	<3	<3	<2	<5	<50
GT-4	3/24/2005	<50	<1	<5	<5	<5	<5	<5	<3	<3	<3	<2	<5	<50
GT-4	9/20/2005	<50	<1	<5	<5	<5	<5	<5	<3	<3	<3	<2	<5	<50
GT-4	12/13/2005	<50	<1	<5	<5	<5	<5	<5	<3	<3	<3	<2	<5	<50
GT-5	3/14/1994	<50	<1	<5	<5	<5	<5	<5	<3	<3	<3	27	<5	NS
GT-5	2/9/1996	<50	<1	<5	<5	<5	<5	<5	<3	<3	<3	<2	<5	<50
GT-5	5/28/1996	<50	<1	<5	<5	<5	<5	<5	<3	<3	<3	18	<5	<50
GT-5	DUPLICATE	<50	<1	<5	<5	<5	<5	<5	<3	<3	<3	27	<5	<50
GT-5	8/22/1996	<50	<1	<5	<5	<5	<5	<5	<3	<3	<3	83	<5	<50
GT-5	DUPLICATE	<50	<1	<5	<5	<5	<5	<5	<3	<3	<3	112	<5	<50
GT-5	12/2/1996	<50	<1	<5	<5	<5	<5	<5	<3	<3	<3	<2	<5	<50
GT-5	DUPLICATE	<50	<1	<5	<5	<5	<5	<5	<3	<3	<3	<2	<5	<50
GT-5	2/27/1997	<50	<1	<5	<5	<5	<5	<5	<3	<3	<3	33	<5	<50
GT-5	DUPLICATE	<50	<1	<5	<5	<5	<5	<5	<3	<3	<3	28	<5	<50
GT-5	5/28/1997	<50	<1	<5	<5	<5	<5	<5	<3	<3	<3	11	<5	<50
GT-5	9/9/1997	<50	<1	<5	<5	<5	<5	<5	<3	<3	<3	38	<5	<50
GT-5	12/18/1997	<50	<1	<5	<5	<5	<5	<5	<3	<3	<3	2	<5	<50
GT-5	6/25/1998	<50	<1	<5	<5	<5	<5	<5	<3	<3	<3	<2	<5	<50
GT-5	10/13/1998	<50	<1	<5	<5	<5	<5	<5	7.9	<3	<3	5.1	<5	<50
GT-5	12/14/1998	<50	<1	<5	<5	<5	<5	<5	<3	<3	<3	<2	<5	<50
GT-5	6/16/1999	<50	<1	<5	<5	<5	<5	<5	<3	<3	<3	15.2	<5	<50
GT-5	9/30/1999	<50	<1	<5	6.1	<5	<5	17.2	13	<3	<3	13.4	<5	<50
GT-5	12/22/1999	<50	<1	<5	<5	<5	<5	<5	<3	<3	<3	<2	<5	<50
GT-5	DUPLICATE	<50	<1	<5	<5	<5	<5	<5	<3	<3	<3	<2	<5	<50
GT-5	3/15/2000	<50	<1	<5	<5	<5	<5	<5	<3	<3	<3	8.7	<5	<50
GT-5	DUPLICATE	<50	<1	<5	<5	<5	<5	<5	<3	<3	<3	10.8	<5	<50
GT-5	6/28/2000	<50	<1	<5	<5	<5	<5	<5	18	<3	<3	<2	<5	<50
GT-5	DUPLICATE	<50	<1	<5	<5	<5	<5	<5	15.5	<3	<3	<2	<5	<50
GT-5	9/20/2000	<50	<1	<5	<5	<5	<5	<5	10.5	14.1	<3	<2	<5	<50
GT-5	DUPLICATE	<50	<1	<5	<5	<5	<5	<5	7.2	9.7	<3	<2	<5	<50
GT-5	12/20/2000	<50	<1	<5	<5	<5	<5	<5	<3	<3	<3	<2	<5	<50
GT-5	DUPLICATE	<50	<1	<5	<5	<5	<5	<5	<3	<3	<3	<2	<5	<50
GT-5	3/15/2001	<50	<1	<5	<5	<5	<5	<5	<3	<3	<3	<2	<5	<50
GT-5	DUPLICATE	<50	<1	<5	<5	<5	<5	<5	<3	<3	<3	<2	<5	<50
GT-5	8/23/2001	<50	<1	<5	<5	<5	<5	<5	<3	<3	<3	<2	<5	<50
GT-5	DUPLICATE	<50	<1	<5	<5	<5	<5	<5	<3	<3	<3	<2	<5	<50
GT-5	11/6/2001	<50	<1	<5	<5	<5	<5	<5	<3	<3	<3	<2	<5	<50
GT-5	1/23/2003	<50	<1	<5	<5	<5	<5	<5	<3	<3	<3	<2	<5	<50
GT-5	4/22/2003	<50	<1	<5	<5	<5	<5	<5	<3	<3	<3	<2	<5	<50
GT-5	7/22/2003	<50	<1	<5	<5	<5	<5	<5	<3	<3	<3	<2	<5	<50
GT-5	12/9/2003	<50	<1	<5	<5	<5	<5	<5	<3	<3	<3	<2	<5	<50
GT-5	3/25/2004	<50	<1	<5	<5	<5	<5	<5	<3	<3	<3	<2	<5	<50
GT-5	6/29/2004	<50	<1	<5	<5	<5	<5	<5	<3	<3	<3	<2	<5	<50
GT-5	10/4/2004	<50	<1	<5	<5	<5	<5	<5	<3	<3	<3	<2	<5	<50
GT-5	12/28/2004	<50	<1	<5	<5	<5	<5	<5	<3	<3	<3	<2	<5	<50
GT-5	3/24/2005	<50	<1	<5	<5	<5	<5	<5	<3	<3	<3	<2	<5	<50
GT-5	7/6/2005	<50	<1	<5	<5	<5	<5	<5	<3	<3	<3	<2	<5	<50
GT-5	9/20/2005	<50	<1	<5	<5	<5	<5	<5	<3	<3	<3	<2	<5	<50
GT-5	DUPLICATE	<50	<1	<5	<5	<5	<5	<5	<3	<3	<3	<2	<5	<50
GT-5	12/13/2005	<50	<1	<5	<5	<5	<5	<5	<3	<3	<3	<2	<5	<50
GT-5	3/15/2006	<50	<1	<5	<5	<5	<5	<5	<3	<3	<3	<2	<5	<50
GT-5	DUPLICATE	<50	<1	<5	<5	<5	<5	<5	<3	<3	<3	<2	<5	<50
GT-5	6/22/2006	<50	<1	<5	<5	<5	<5	<5	<3	<3	<3	<2	<5	<50
GT-5	9/26/2006	<50	<1	<5	<5	<5	<5	<5	<3	<3	<3	<2	<5	<50
GT-5	12/19/2006	<50	<1	<5	<5	<5	<5	<5	<3	<3	<3	<2	<5	<50
GT-5	3/27/2007	<50	<1	<5	<5	<5	<5	<5	<3	<3	<3	<2	<5	<50
GT-5	6/26/2007	<50	<1	<5	<5	<5	<5	<5	<3	<3	<3	<2	<5	<50
GT-5	9/20/2007	<50	<1	<5	<5	<5	<5	<5	<3	<3	<3	<2	<5	<50

Table 2
Groundwater Monitoring Results Summary (to Current)
Safety-Kleen Systems, Inc. - Corrective Action Program
N. Amityville, New York Facility

T.O.G.S 1.1.1 Standards		Volatile Organic Compounds Method 8260B (ug/L)											50	
Sample ID	Sample Date	Acetone	Benzene	Toluene	Ethylbenzene	Xylenes (Total)	Tetrachloroethene	Chlorobenzene	Dichlorobenzene	1,3-Dichlorobenzene	1,4-Dichlorobenzene	Total 1,2-Dichloroethene	1,1,1-Trichloroethane	Mineral Spirits
GT-5	12/20/2007	<50	<1	<5	<5	<5	<5	<5	<3	<3	<3	<2	<5	<50
GT-5	3/27/2008	<50	<1	<5	<5	<5	<5	<5	<3	<3	<3	<2	<5	<50
GT-5	6/19/2008	<50	<1	<5	<5	<5	<5	<5	<3	<3	<3	<2	<5	<50
GT-5	9/25/2008	<50	<1	<5	<5	<5	<5	<5	<3	<3	<3	<2	<5	<50
GT-5	12/18/2008	<50	<1	<5	<5	<5	<5	<5	<3	<3	<3	<2	<5	<50
GT-5	3/12/2009	<50	<1	<5	<5	<5	<5	<5	<3	<3	<3	<2	<5	<50
GT-5	6/17/2009	<50	<1	<5	<5	<5	<5	<5	<3	<3	<3	<2	<5	<50
GT-5	9/22/2009	<50	<1	<5	<5	<5	<5	<5	<3	<3	<3	<2	<5	<50
GT-5	12/30/2009	<50	<1	<5	<5	<5	<5	<5	<3	<3	<3	<2	<5	<50
GT-5	2/2/2010	<50	<1	<5	<5	<5	<5	<5	<3	<3	<3	<2	<5	<50
GT-5	3/24/2010	<50	<1	<5	<5	<5	<5	<5	<3	<3	<3	<2	<5	<50
GT-5	6/22/2010	0.61JB	<0.14	<0.18	<0.14	<0.3	<0.11	<0.057	<0.063	<0.072	<0.17	<0.24	<0.16	<50
GT-5	9/22/2010	1.4J	<0.14	<0.18	<0.14	<0.3	<0.11	<0.057	<0.063	<0.072	<0.17	<0.24	<0.16	<50
GT-5	12/15/2010	<2.3	<0.56	<0.72	<0.56	<1.2	<0.44	<0.23	<0.25	<0.29	<0.68	<0.96	<0.64	<50
GT-5	3/24/2011	1.1J	<0.14	<0.18	<0.14	<0.3	<0.11	<0.057	<0.063	<0.072	<0.17	<0.24	<0.16	<50
GT-5	6/16/2011	1.6JB	<0.14	<0.18	<0.14	<0.3	<0.11	<0.057	<0.063	<0.072	<0.17	<0.24	<0.16	<50
GT-5	9/15/2011	2.5J	<0.14	<0.18	<0.14	<0.3	0.71J	<0.057	<0.063	<0.072	<0.17	<0.24	<0.16	<50
GT-5	12/16/2011	<2.5	<0.13	<0.09	<0.25	<0.43	<0.2	<0.16	<0.16	<0.22	<0.15	<0.29	<0.25	<50
GT-5	3/14/2012	<2.7	<0.08	<0.15	<0.1	<0.13	0.11J	<0.11	<0.21	<0.14	<0.23	<0.29	<0.08	<50
GT-5	6/20/2012	<2.7	<0.08	<0.15	<0.1	<0.13	0.23JH	<0.11	<0.21	<0.14	<0.23	<0.29	<0.08	<50
GT-5	8/25/2012	<2.7	<0.08	<0.15	<0.1	<0.13	0.24J	<0.11	<0.21	<0.14	<0.23	<0.29	<0.08	<50
GT-5	10/25/2012	<2.7	<0.08	<0.15	<0.1	<0.13	0.22J	<0.11	<0.21	<0.14	<0.23	<0.29	<0.08	<50
GT-5	12/20/2012	<2.7	<0.08	<0.15	<0.1	<0.13	<0.1	<0.11	<0.21	<0.14	<0.23	<0.29	<0.08	<50
GT-5	3/14/2013	<2.7	<0.08	<0.15	<0.1	<0.13	<0.1	<0.11	<0.21	<0.14	<0.23	<0.29	<0.08	<50
GT-5	6/20/2013	<2.7	<0.08	<0.15	<0.1	<0.13	0.19J	<0.11	<0.21	<0.14	<0.23	<0.29	<0.08	670
GT-5	9/24/2013	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	<50
GT-5	DUPLICATE	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	<50
GT-5	12/18/2013	<2.7	<0.08	<0.15	<0.1	<0.13	0.16J	<0.11	<0.21	<0.14	<0.23	<0.29	<0.08	<50
GT-5	2/25/2014	<2.7	<0.08	<0.15	<0.1	<0.13	0.17J	<0.11	<0.21	<0.14	<0.23	<0.29	<0.08	<50
GT-5	6/11/2014	<2.7	<0.08	<0.15	<0.1	<0.13	0.22J	<0.11	<0.21	<0.14	<0.23	<0.29	<0.08	140
GT-5	8/26/2014	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	300
GT-5	11/12/2014	<2.7	<0.08	<0.15	<0.1	<0.13	<0.1	<0.11	<0.21	<0.14	<0.23	<0.29	<0.08	<50
GT-5	12/15/2014	<2.7	<0.08	<0.15	<0.1	<0.13	<0.1	<0.11	<0.21	<0.14	<0.23	<0.29	<0.08	<50
GT-5	3/10/2015	<1.1	<0.19	<0.25	<0.3	<0.28	<0.36	<0.24	<0.22	<0.33	<0.33	<0.18	<0.28	<50
GT-5	6/25/2015	<1.1	<0.09	<0.25	<0.3	<0.28	<0.12	<0.24	<0.22	<0.33	<0.33	<0.18	<0.28	<50
GT-5	9/24/2015	<1.1	<0.09	<0.25	<0.3	<0.28	<0.12	<0.24	<0.22	<0.33	<0.33	<0.18	<0.28	<50
GT-5	12/8/2015	<1.1	<0.09	<0.25	<0.3	<0.28	<0.12	<0.24	<0.22	<0.33	<0.33	<0.18	<0.28	<50
GT-5	3/23/2016	<1.1	<0.09	<0.25	<0.3	<0.28	<0.12	<0.24	<0.22	<0.33	<0.33	<0.18	<0.28	<50
GT-5	6/15/2016	<1.1	<0.09	<0.25	<0.3	<0.28	<0.12	<0.24	<0.22	<0.33	<0.33	<0.18	<0.28	<48
GT-5	9/27/2016	<1.1	<0.09	<0.25	<0.3	<0.28	<0.12	<0.24	<0.22	<0.33	<0.33	<0.18	<0.28	<48
GT-5	12/20/2016	<1.1	<0.09	<0.25	<0.3	<0.28	<0.12	<0.24	<0.22	<0.33	<0.33	<0.18	<0.28	<48
GT-5	3/28/2017	<1.1	<0.09	<0.25	<0.3	<0.28	<0.12	<0.24	<0.22	<0.33	<0.33	<0.18	<0.28	<48
GT-5	6/13/2017	<1.1	<0.09	<0.25	<0.3	<0.28	<0.12	<0.24	<0.22	<0.33	<0.33	<0.18	<0.28	<50
GT-5	9/26/2017	<1.1	<0.09	<0.25	<0.3	<0.28	<0.12	<0.24	<0.22	<0.33	<0.33	<0.18	<0.28	<51
GT-5	3/27/2018	<1.1	<0.09	<0.25	<0.3	<0.28	<0.12	<0.24	<0.22	<0.33	<0.33	<0.18	<0.28	<13
GT-5	9/25/2018	<5.0	<0.43	<0.38	<0.3	<0.65	<0.25	<0.38	<0.43	<0.34	<0.76	<0.44	<0.24	<13
GT-5	3/25/2019	<5.0	<0.43	<0.38	<0.3	<0.65	<0.25	<0.38	<0.43	<0.34	<0.76	<0.44	<0.24	<13
GT-6	8/26/2014	ND	ND	ND	ND	ND	0.15J	0.79J	0.61J	1.3J	2.3J	ND	ND	3400E
GT-6	11/12/2013	<2.7	<0.08	<0.15	<0.1	<0.13	<0.1	<0.11	<0.21	0.30J	0.55J	<0.29	<0.06	1300
GT-6	12/15/2014	<2.7	<0.08	<0.15	<0.1	<0.13	<0.1	<0.11	0.68J	1.2J	3.3	<0.29	<0.06	3600
GT-6	3/10/2015	<1.1	<0.19	<0.25	<0.3	<0.28	<0.36	<0.24	0.28J	0.49J	1.6J	<0.18	<0.28	240
GT-6	DUPLICATE	<1.1	<0.19	<0.25	<0.3	<0.28	<0.36	<0.24	0.28J	0.49J	1.6J	<0.18	<0.28	350
GT-6	6/25/2015	<1.1	<0.09	<0.25	<0.3	<0.28	<0.12	<0.24	0.30J	0.61J	1.7J	<0.18	<0.28	1300
GT-6	DUPLICATE	<1.1	<0.09	<0.25	<0.3	<0.28	<0.12	<0.24	0.28J	0.58J	1.6J	<0.18	<0.28	1100
GT-6	9/24/2015	<1.1	<0.09	<0.25	<0.3	<0.28	<0.12	<0.24	0.23J	0.53J	1.1J	<0.18	<0.28	4900
GT-6	DUPLICATE	<1.1	<0.09	<0.25	<0.3	<0.28	<0.12	<0.24	<0.22	0.50J	1.1J	<0.18	<0.28	3800
GT-6	12/8/2015	<1.1	<0.09	<0.25	<0.3	<0.28	<0.12	<0.24	<0.22	0.54J	1.6J	<0.18	<0.28	2600
GT-6	DUPLICATE	<1.1	<0.09	<0.25	<0.3	<0.28	<0.12	<0.24	<0.22	0.71J	0.75J	<0.18	<0.28	1700
GT-6	3/23/2016	<1.1	<0.09	<0.25	<0.3	<0.28	<0.12	<0.24	<0.22	0.35 J	0.95 J	<0.18	<0.28	170
GT-6	DUPLICATE	<1.1	<0.09	<0.25	<0.3	<0.28	<0.12	<0.24	<0.22	<0.33	0.69J	<0.18	<0.28	140
GT-6	6/15/2016	<1.1	<0.09	<0.25	<0.3	<0.28	<0.12	<0.24	<0.22	<0.33	<0.33	<0.18	<0.28	110
GT-6	DUPLICATE	<1.1	<0.09	<0.25	<0.3	<0.28	<0.12	<0.24	<0.22	<0.33	<0.33	<0.18	<0.28	94

Table 2
Groundwater Monitoring Results Summary (to Current)
Safety-Kleen Systems, Inc. - Corrective Action Program
N. Amityville, New York Facility

Table 2
Groundwater Monitoring Results Summary (to Current)
Safety-Kleen Systems, Inc. - Corrective Action Program
N. Amityville, New York Facility

Table 2
Groundwater Monitoring Results Summary (to Current)
Safety-Kleen Systems, Inc. - Corrective Action Program
N. Amityville, New York Facility

T.O.G.S 11.1 Standards		Volatile Organic Compounds Method 8260B (ug/L)													
Sample ID	Sample Date	50	1	5	5	5	5	5	3	1,2	1,3	3	5	5	50
		Acetone	Benzene	Toluene	Ethylbenzene	Xylenes (Total)	Tetrachloroethene	Chlorobenzene	Dichlorobenzene	Dichlorobenzene	Dichlorobenzene	Dichloroethene	Trichloroethene	Mineral Spirits	
VE-5	6/25/2015	<1.1	<0.09	<0.25	<0.3	<0.28	<0.12	<0.24	<0.22	<0.33	<0.33	<0.18	<0.28	<50	
VE-5	9/23/2015	<1.1	<0.09	<0.25	<0.3	<0.28	1.7J	<0.24	<0.22	<0.33	<0.33	<0.18	<0.28	<50	97
VE-5	12/7/2015	<1.1	<0.09	<0.25	<0.3	<0.28	0.70J	<0.24	<0.22	<0.33	<0.33	<0.18	<0.28	<50	
VE-5	3/22/2016	<1.1	<0.09	<0.25	<0.3	<0.28	0.37J	<0.24	<0.22	<0.33	<0.33	<0.18	<0.28	<50	
VE-5	6/14/2016	<1.1	<0.09	<0.25	<0.3	<0.28	0.28J	<0.24	<0.22	<0.33	<0.33	<0.18	<0.28	<50	
VE-5	9/28/2016	<1.1	<0.09	<0.25	<0.3	<0.28	1.5J	<0.24	<0.22	<0.33	<0.33	<0.18	<0.28	<50	
VE-5	12/19/2016	<1.1	<0.09	<0.25	<0.3	<0.28	0.33J	<0.24	<0.22	<0.33	<0.33	<0.18	<0.28	<50	
VE-5	3/28/2017	<1.1	<0.09	<0.25	<0.3	<0.28	0.19J	<0.24	<0.22	<0.33	<0.33	<0.18	<0.28	<50	
VE-5	6/13/2017	<1.1	<0.09	<0.25	<0.3	<0.28	0.83J	<0.24	<0.22	<0.33	<0.33	<0.18	<0.28	<50	
VE-5	9/28/2017	<1.1	<0.09	<0.25	<0.3	<0.28	0.27J	<0.24	<0.22	<0.33	<0.33	<0.18	<0.28	<50	
VE-5	3/27/2018	1.6J B	<0.09	<0.25	<0.3	<0.28	0.85J	<0.38	<0.43	<0.34	<0.34	<0.18	<0.28	<50	
VE-5	9/24/2018	<5.0	<0.43	<0.38	<0.3	<0.65	<0.25	<0.38	<0.43	<0.34	<0.34	<0.18	<0.28	<50	
VE-5	3/25/2019	<5.0	<0.43	<0.38	<0.3	<0.65	<0.11	<0.057	<0.063	<0.072	<0.17	<0.24	<0.16	<50	
VP-A	3/24/2016	9.1J	<0.14	<0.18	<0.14	<0.3	0.71J	<0.057	<0.063	<0.072	<0.17	<0.24	<0.16	<50	
VP-A	6/22/2016	0.77J B	<0.14	<0.18	<0.14	<0.3	1.5J	<0.057	<0.063	<0.072	<0.17	<0.24	<0.16	<50	
VP-A	9/22/2016	1.7J	<0.14	<0.18	<0.14	<0.3	0.75J	<0.057	<0.063	<0.072	<0.17	<0.24	<0.16	<50	
VP-A	12/15/2016	<2.3	<0.56	<0.72	<0.56	<1.2	0.52J	<0.057	<0.063	<0.072	<0.17	<0.24	<0.16	<50	
VP-A	3/24/2017	1.4J	<0.14	<0.18	<0.14	<0.3	0.82J	<0.057	<0.063	<0.072	<0.17	<0.24	<0.16	<50	
VP-A	6/16/2017	1.6J B	<0.14	<0.18	<0.14	<0.3	1.1J	<0.057	<0.063	<0.072	<0.17	<0.24	<0.16	<50	
VP-A	9/15/2017	<0.58	<0.13	<0.09	<0.25	<0.43	1.0J	<0.16	<0.21	<0.14	<0.23	<0.29	<0.06	<50	
VP-A	12/16/2017	<2.5	<0.13	<0.09	<0.25	<0.43	0.66J	<0.11	<0.21	<0.14	<0.23	<0.29	<0.06	<50	
VP-A	3/14/2018	<2.7	<0.08	<0.15	<0.1	<0.13	0.54J	<0.11	<0.21	<0.14	<0.23	<0.29	<0.06	<50	
VP-A	6/29/2018	<2.7	<0.08	<0.15	<0.1	<0.13	0.54J	<0.11	<0.21	<0.14	<0.23	<0.29	<0.06	<50	
VP-A	8/28/2018	<2.7	<0.08	0.82J	<0.1	<0.13	<0.1	<0.11	<0.21	<0.14	<0.23	<0.29	<0.06	<50	
VP-A	12/20/2018	<2.7	<0.08	<0.15	<0.1	<0.13	0.26J	<0.11	<0.21	<0.14	<0.23	<0.29	<0.06	<50	
VP-A	3/14/2019	<2.7	<0.08	<0.15	<0.1	<0.13	0.89J	<0.11	<0.21	<0.14	<0.23	<0.29	<0.06	<50	
VP-A	6/29/2019	<2.7	<0.08	<0.15	<0.1	<0.13	0.15J	ND	ND	ND	ND	ND	ND	100	
VP-A	9/24/2019	<2.7	ND	ND	ND	ND	0.47J	<0.11	<0.21	<0.14	<0.23	<0.29	<0.06	<50	
VP-A	12/18/2019	<2.7	<0.08	<0.15	<0.1	<0.13	0.25J	<0.11	<0.21	<0.14	<0.23	<0.29	<0.06	<50	
VP-A	2/25/2020	<2.7	<0.08	<0.15	<0.1	<0.13	0.21J	<0.11	<0.21	<0.14	<0.23	<0.29	<0.06	<50	
VP-A	6/11/2020	<2.7	<0.08	<0.15	<0.1	<0.13	0.57J	ND	ND	ND	ND	ND	ND	<50	
VP-A	8/28/2020	ND	ND	ND	ND	ND	0.31J	<0.11	<0.21	<0.14	<0.23	<0.29	<0.06	<50	
VP-A	11/13/2020	<2.7	<0.08	<0.15	<0.1	<0.13	0.53J	<0.11	<0.21	<0.14	<0.23	<0.29	<0.06	<50	
VP-A	12/16/2020	<2.7	<0.08	<0.15	<0.1	<0.13	0.40J	<0.24	<0.22	<0.33	<0.33	<0.18	<0.28	<50	
VP-A	3/10/2021	<1.1	<0.19	<0.25	<0.3	<0.28	0.28J	<0.24	<0.22	<0.33	<0.33	<0.18	<0.28	<50	
VP-A	6/25/2021	<1.1	<0.09	<0.25	<0.3	<0.28	0.80J	<0.24	<0.22	<0.33	<0.33	<0.18	<0.28	<50	
VP-A	9/23/2021	<1.1	<0.09	<0.25	<0.3	<0.28	0.12	<0.24	<0.22	<0.33	<0.33	<0.18	<0.28	<50	
VP-A	12/9/2021	<1.1	<0.09	<0.25	<0.3	<0.28	0.34J	<0.24	<0.22	<0.33	<0.33	<0.18	<0.28	<50	
VP-A	3/22/2022	<1.1	<0.09	<0.25	<0.3	<0.28	0.25J	<0.24	<0.22	<0.33	<0.33	<0.18	<0.28	<50	
VP-A	6/14/2022	<1.1	<0.090	<0.25	<0.3	<0.28	1.1J	<0.24	<0.22	<0.33	<0.33	<0.18	<0.28	<50	
VP-A	9/28/2022	<1.1	<0.090	<0.25	<0.3	<0.28	1.8J	<0.24	<0.22	<0.33	<0.33	<0.18	<0.28	<50	
VP-A	12/20/2022	<1.1	<0.090	<0.25	<0.3	<0.28	0.29J	<0.24	<0.22	<0.33	<0.33	<0.18	<0.28	<50	
VP-A	3/23/2023	<1.1	<0.090	<0.25	<0.3	<0.28	0.92J	<0.24	<0.22	<0.33	<0.33	<0.18	<0.28	<50	
VP-A	6/13/2023	<1.1	<0.090	<0.25	<0.3	<0.28	<0.12	<0.24	<0.22	<0.33	<0.33	<0.18	<0.28	<50	
VP-A	9/28/2023	<1.1	<0.090	<0.25	<0.3	<0.28	0.26J	<0.24	<0.22	<0.33	<0.33	<0.18	<0.28	<50	
VP-A	3/27/2024	1.4J B	<0.090	<0.25	<0.3	<0.65	0.41J	<0.38	<0.43	<0.34	<0.34	<0.18	<0.28	<50	
VP-A	9/25/2024	<5.0	<0.43	<0.38	<0.3	<0.65	<0.25	<0.38	<0.43	<0.34	<0.34	<0.18	<0.28	<50	
VP-A	3/25/2025	<5.0	<0.43	<0.38	<0.3	<0.65	<0.25	<0.38	<0.43	<0.34	<0.34	<0.18	<0.28	<50	
VP-B	2/2/2010	0.77J	<0.14	<0.18	<0.14	<0.3	0.77J	<0.057	<0.063	<0.072	<0.17	<0.24	<0.16	<50	
VP-B	3/24/2010	130E	<0.14	<0.18	<0.14	<0.3	0.38J	<0.057	<0.063	<0.072	<0.17	<0.24	<0.16	<50	
VP-B	6/22/2010	1.4J B	<0.14	<0.18	<0.14	<0.3	1.7J	<0.057	<0.063	<0.072	<0.17	<0.24	<0.16	<50	
VP-B	9/22/2010	1.3J B	<0.14	<0.18	<0.14	<0.3	1.8J	<0.057	<0.063	<0.072	<0.17	<0.24	<0.16	<50	
VP-B	12/15/2010	<2.3	<0.56	<0.72	<0.56	<1.2	0.82J	<0.23	<0.25	<0.29	<0.29	<0.18	<0.28	<50	
VP-B	3/24/2011	1.6J B	<0.14	<0.18	<0.14	<0.3	0.33J	<0.057	<0.063	<0.072	<0.17	<0.24	<0.16	<50	
VP-B	6/16/2011	2.3J B	<0.14	<0.18	<0.14	<0.3	1.4J	<0.057	<0.063	<0.072	<0.17	<0.24	<0.16	<50	
VP-B	9/15/2011	<0.58	<0.13	<0.09	<0.25	<0.43	1.1J	<0.16	<0.21	<0.14	<0.23	<0.29	<0.06	<50	
VP-B	12/16/2011	<2.5	<0.13	<0.09	<0.25	<0.43	1.8J	<0.11	<0.21	<0.14	<0.23	<0.29	<0.06	<50	
VP-B	3/14/2012	<2.7	<0.08	<0.15	<0.1	<0.13	0.65JH	<0.11	<0.21	<0.14	<0.23	<0.29	<0.06	<50	
VP-B	6/29/2012	<2.7	<0.08	<0.15	<0.1	<0.13	0.52J	<0.11	<0.21	<0.14	<0.23	<0.29	<0.06	<50	
VP-B	8/28/2012	<2.7	<0.08	<0.15	<0.1	<0.13	0.52J	<0.11	<0.21	<0.14	<0.23	<0.29	<0.06	<50	
VP-B	12/20/2012	<2.7	<0.08	0.23J	<0.1	<0.13	0.35J	<0.11	<0.21	<0.14	<0.23	<0.29	<0.06	<50	
VP-B	3/14/2013	<2.7	<0.08	<0.15	<0.1	<0.13	0.40J	<0.11	<0.21	<0.14	<0.23	<0.29	<0.06	<50	

Table 2
Groundwater Monitoring Results Summary (to Current)
Safety-Kleen Systems, Inc. - Corrective Action Program
N. Amityville, New York Facility

T.O.G.S 1.1.1 Standards		50	1	5	5	5	5	5	3	3	3	3	5	50
Sample ID	Sample Date	Acetone	Benzene	Toluene	Ethylbenzene	Xylenes (Total)	Tetrachloroethene	Chlorobenzene	Dichlorobenzene	Dichlorobenzene	Dichlorobenzene	Total 1,2-Dichloroethene	Trichloroethene	Mineral Spirits
VP-B	6/20/2013	<2.7	<0.08	<0.15	<0.1	<0.13	0.44J	<0.11	<0.21	<0.14	<0.23	<0.29	<0.06	<50
VP-B	9/24/2013	ND	ND	ND	ND	ND	0.20J	ND	ND	ND	ND	ND	ND	100
VP-B	12/18/2013	<2.7	<0.08	<0.15	<0.1	<0.13	0.56J	<0.11	<0.21	<0.14	<0.23	<0.29	<0.06	93
VP-B	2/25/2014	<2.7	<0.08	<0.15	<0.1	<0.13	0.31J	<0.11	<0.21	<0.14	<0.23	<0.29	<0.06	<50
VP-B	6/11/2014	<2.7	<0.08	<0.15	<0.1	<0.13	0.29J	<0.11	<0.21	<0.14	<0.23	<0.29	<0.06	<50
VP-B	8/26/2014	ND	ND	ND	ND	ND	0.89J	ND	ND	ND	ND	ND	ND	<50
VP-B	11/13/2014	<2.7	<0.08	<0.15	<0.1	<0.13	0.49J	<0.11	<0.21	<0.14	<0.23	<0.29	<0.06	<50
VP-B	12/16/2014	<2.7	<0.08	<0.15	<0.1	<0.13	0.73J	<0.11	<0.21	<0.14	<0.23	<0.29	<0.06	<50
VP-B	3/10/2015	<1.1	<0.19	<0.25	<0.3	<0.28	0.75J	<0.24	<0.22	<0.33	<0.33	<0.18	<0.28	<50
VP-B	6/25/2015	<1.1	<0.09	<0.25	<0.3	<0.28	0.29J	<0.24	<0.22	<0.33	<0.33	<0.18	<0.28	69
VP-B	8/23/2015	<1.1	<0.09	<0.25	<0.3	<0.28	0.77J	<0.24	<0.22	<0.33	<0.33	<0.18	<0.28	<50
VP-B	12/9/2015	<1.1	<0.09	<0.25	<0.3	<0.28	<0.12	<0.24	<0.22	<0.33	<0.33	<0.18	<0.28	<50
VP-B	3/22/2016	<1.1	<0.09	<0.25	<0.3	<0.28	0.48J	<0.24	<0.22	<0.33	<0.33	<0.18	<0.28	<50
VP-B	6/14/2016	<1.1	<0.90	<0.25	<0.3	<0.28	0.30J	<0.24	<0.22	<0.33	<0.33	<0.18	<0.28	69
VP-B	9/27/2016	<1.1	<0.90	<0.25	<0.3	<0.28	0.62J	<0.24	<0.22	<0.33	<0.33	<0.18	<0.28	<13
VP-B	12/19/2016	<1.1	<0.90	<0.25	<0.3	<0.28	0.58J	<0.24	<0.22	<0.33	<0.33	<0.18	<0.28	<48
VP-B	3/28/2017	<1.1	<0.90	<0.25	<0.3	<0.28	0.29J	<0.24	<0.22	<0.33	<0.33	<0.18	<0.28	<51
VP-B	6/14/2017	<1.1	<0.90	<0.25	<0.3	<0.28	0.31J	<0.24	<0.22	<0.33	<0.33	<0.18	<0.28	<51
VP-B	9/25/2017	<1.1	<0.90	<0.25	<0.3	<0.28	0.45J	<0.24	<0.22	<0.33	<0.33	<0.18	<0.28	<51
VP-B	3/27/2018	2.2JB	<0.90	<0.25	<0.3	<0.28	<0.12	<0.24	<0.22	<0.33	<0.33	<0.18	<0.28	<13
VP-B	9/25/2018	<5.0	<0.43	<0.38	<0.3	<0.65	0.40J	<0.38	<0.43	<0.34	<0.76	<0.44	<0.24	<13
VP-B	3/26/2019	<5.0	<0.43	<0.38	<0.3	<0.65	<0.11	<0.057	<0.063	<0.072	<0.17	<0.24	<0.16	<50
DW-1 Water	3/24/2011	5.8J	<0.14	<0.18	<0.14	<0.3	<0.11	<0.057	<0.063	<0.072	<0.17	<0.24	<0.16	<50
DW-1 Water	6/18/2011	3.3J	<0.14	<0.18	<0.14	<0.3	<0.11	<0.057	<0.063	<0.072	<0.17	<0.24	<0.16	<50
DW-1 Water	3/10/2015	18J	<0.19	<0.25	<0.3	<0.28	<0.36	<0.24	<0.22	<0.33	<0.33	<0.18	<0.28	<50
DW-1 Water	DUPLICATE	18J	<0.19	<0.25	<0.3	<0.28	<0.36	<0.24	<0.22	<0.33	<0.33	<0.18	<0.28	<50
DW-1 Water	6/25/2015	<1.1	<0.09	<0.25	<0.3	<0.28	<0.12	<0.24	<0.22	<0.33	<0.33	<0.18	<0.28	<50
DW-1 Water	DUPLICATE	<1.1	<0.09	<0.25	<0.3	<0.28	<0.12	<0.24	<0.22	<0.33	<0.33	<0.18	<0.28	<50
DW-1 Water	3/22/2016	<1.1	<0.09	<0.25	<0.3	<0.28	<0.12	<0.24	<0.22	<0.33	<0.33	<0.18	<0.28	<51
DW-1 Water	DUPLICATE	<1.1	<0.09	<0.25	<0.3	<0.28	<0.12	<0.24	<0.22	<0.33	<0.33	<0.18	<0.28	<51
DW-1 Water	6/14/2016	<1.1	<0.09	<0.25	<0.3	<0.28	<0.12	<0.24	<0.22	<0.33	<0.33	<0.18	<0.28	<48
DW-1 Water	DUPLICATE	<1.1	<0.09	<0.25	<0.3	<0.28	<0.12	<0.24	<0.22	<0.33	<0.33	<0.18	<0.28	<48
DW-1 Water	9/26/2016	<1.1	<0.09	<0.25	<0.3	<0.28	<0.12	<0.24	<0.22	<0.33	<0.33	<0.18	<0.28	<48
DW-1 Water	DUPLICATE	<1.1	<0.09	<0.25	<0.3	<0.28	<0.12	<0.24	<0.22	<0.33	<0.33	<0.18	<0.28	<48
DW-1 Water	12/19/2016	<1.1	<0.09	<0.25	<0.3	<0.28	<0.12	<0.24	<0.22	<0.33	<0.33	<0.18	<0.28	<48
DW-1 Water	3/28/2017	19J	<0.09	<0.25	<0.3	<0.28	<0.12	<0.24	<0.22	<0.33	<0.33	<0.18	<0.28	<51
DW-1 Water	6/12/2017	<1.1	<0.09	<0.25	<0.3	<0.28	<0.12	<0.24	<0.22	<0.33	<0.33	<0.18	<0.28	<50
DW-1 Water	9/26/2017	<1.1	<0.09	<0.25	<0.3	<0.28	<0.12	<0.24	<0.22	<0.33	<0.33	<0.18	<0.28	<51
DW-1 Water	3/26/2018	3.8JB	<0.09	<0.25	<0.3	<0.28	<0.12	<0.24	<0.22	<0.33	<0.33	<0.18	<0.28	<42
DW-1 Water	9/24/2018	<5.0	<0.43	1.2J	<0.3	<0.65	<0.25	<0.38	<0.43	<0.34	<0.76	<0.44	<0.24	<13
DW-1 Water	3/25/2019	46J	1.4	6.3	0.67J	6JB	0.73J	<0.38	<0.43	<0.34	<0.76	<0.44	<0.24	60

Notes:
ND = Not detected
NA = Not analyzed
ug/L = micrograms per liter
B = Constituent detected in blank
J = Estimated concentration
Bold = Constituent detected above the method detection limit.
Constituent detected above the T.O.G.S. 1.1.1 Standards or Project-Specific Reporting Limits)

ATTACHMENT 4- LABORATORY ANALYTICAL REPORT

Detection Summary and Report (on CD)

Detection Summary

Client: Safety-Kleen Systems, Inc
Project/Site: Safety-Kleen Amityville

Job ID: 460-178404-1

Client Sample ID: GT-1

Lab Sample ID: 460-178404-1

No Detections.

Client Sample ID: GT-2

Lab Sample ID: 460-178404-2

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Tetrachloroethene	2.0	J	5.0	0.25	ug/L	1		8260C	Total/NA

Client Sample ID: GT-3

Lab Sample ID: 460-178404-3

No Detections.

Client Sample ID: GT-5

Lab Sample ID: 460-178404-4

No Detections.

Client Sample ID: GT-6

Lab Sample ID: 460-178404-5

No Detections.

Client Sample ID: GT-7

Lab Sample ID: 460-178404-6

No Detections.

Client Sample ID: VE-1R

Lab Sample ID: 460-178404-7

No Detections.

Client Sample ID: VE-5

Lab Sample ID: 460-178404-8

No Detections.

Client Sample ID: VP-A

Lab Sample ID: 460-178404-9

No Detections.

Client Sample ID: VP-B

Lab Sample ID: 460-178404-10

No Detections.

Client Sample ID: GW-DUP

Lab Sample ID: 460-178404-11

No Detections.

Client Sample ID: TRIP BLANK

Lab Sample ID: 460-178404-12

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
m&p-Xylene	0.69	J	10	0.30	ug/L	1		8260C	Total/NA
Xylenes, Total	0.69	J	15	0.30	ug/L	1		8260C	Total/NA

Client Sample ID: Rinse-GW

Lab Sample ID: 460-178404-13

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
m&p-Xylene	0.36	J	10	0.30	ug/L	1		8260C	Total/NA
Xylenes, Total	0.36	J	15	0.30	ug/L	1		8260C	Total/NA

Client Sample ID: Rinse-GW2

Lab Sample ID: 460-178404-14

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
m&p-Xylene	0.40	J	10	0.30	ug/L	1		8260C	Total/NA
Xylenes, Total	0.40	J	15	0.30	ug/L	1		8260C	Total/NA

This Detection Summary does not include radiochemical test results.

Eurofins TestAmerica, Edison

Detection Summary

Client: Safety-Kleen Systems, Inc
Project/Site: Safety-Kleen Amityville

Job ID: 460-178404-1

Client Sample ID: DW-1

Lab Sample ID: 460-178404-15

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Acetone	46	J	50	5.0	ug/L	1		8260C	Total/NA
Benzene	1.4		1.0	0.43	ug/L	1		8260C	Total/NA
4-Methyl-2-pentanone (MIBK)	6.8		5.0	2.7	ug/L	1		8260C	Total/NA
Ethylbenzene	0.67	J	5.0	0.30	ug/L	1		8260C	Total/NA
2-Butanone (MEK)	4.2	J	50	1.9	ug/L	1		8260C	Total/NA
m&p-Xylene	3.7	J	10	0.30	ug/L	1		8260C	Total/NA
o-Xylene	2.3	J	5.0	0.36	ug/L	1		8260C	Total/NA
Tetrachloroethene	0.73	J	5.0	0.25	ug/L	1		8260C	Total/NA
Toluene	6.3		5.0	0.38	ug/L	1		8260C	Total/NA
Xylenes, Total	6.0	J	15	0.30	ug/L	1		8260C	Total/NA
Mineral Spirits	60		13	3.3	ug/L	1		8015D	Total/NA

This Detection Summary does not include radiochemical test results.

Eurofins TestAmerica, Edison