



January 15, 2020

Transmitted: PDF File Transmission and 1st Class USPS Mail to Copy List

Mr. Kent Johnson
Senior Engineering Geologist
New York State Dept. of Environmental Conservation
Division of Environmental Remediation
Remedial Section B – Remedial Bureau E
625 Broadway
Albany, NY 12233-7017

**SUBJECT: Groundwater Monitoring Program Report
Safety-Kleen Service Center – 60 Seabro Avenue
North Amityville, New York**

Dear Mr. Johnson:

This letter serves as the Safety-Kleen Systems, Inc. (Safety-Kleen) September 2020 groundwater monitoring report for the referenced site (**Attachment 1 – Site Map**).

1.0 MODIFICATIONS TO THE PROGRAM

No modifications to the program were implemented during this monitoring period.

2.0 GROUNDWATER SAMPLING PROGRAM

Groundwater monitoring and sampling activities were conducted between September 23 and 25, 2020 by Clean Harbors Environmental Services. The following tasks were performed during the monitoring event (as required):

- The ORC-A® filter socks were removed from wells GT-1, GT-6, and VE-1R;
- Following equilibration of the water table, field data and laboratory samples were collected from the monitoring locations as follows:
 - Measurement of the depth to water (DTW) at each monitoring well, four vapor points and one catch basin/drywell; and
 - Collection of groundwater samples by low-flow sampling techniques from site monitoring locations;
- Post sampling, filter socks were replaced in wells GT-1, GT-6 and VE-1R; and
- The samples were packed on ice for delivery to a laboratory sample collection location, laboratory courier, or shipment to the laboratory via overnight commercial courier.

Samples were sent to Eurofins TestAmerica, Inc. (TestAmerica) in Edison, NJ for analysis of Mineral Spirit Range Organics (MSRO) and Volatile Organic Compounds (VOCs). TestAmerica holds both New York NELAP and NYSDOH ELAP certifications.

2.1 Monitoring Point Field Parameter Collection & Summary

Wells GT-1 through GT-7, VE-1R, VE-5, VP-A, VP-B and DW-1 were gauged and field indicator parameters were noted during sampling. Temperature, pH, conductivity, dissolved oxygen (DO), oxidation/reduction potential (ORP), and turbidity were recorded. The field/sampling data from the September 2020 sampling event are included as **Attachment 2**. The historic to current field data are presented as **Attachment 3 - Table 1**.

Depth-to-water in exterior monitoring wells ranged from 17.04 (GT-4) to 18.98 (GT-5) feet below grade in September 2020. Comparatively, the water table was on average 2.2 feet lower than reported for the previous event (April 2020) indicative of seasonal variance.

The depth- to- water at select site monitoring wells is presented below as Figure 1. A rise in groundwater depth had been observed at the Site since 2016, but has been generally decreasing the last few monitoring events.







Figure 2 below depicts the flow conditions for September 2020. The direction of groundwater flow was southeast and generally consistent with historic trends. The average gradient was measured at 0.18%, similar to what was reported for April 2020.



The DO concentrations ranged between 1.47 milligrams per liter (mg/l) at GT-6 to 6.99 mg/l at VP-A in September 2020. Three wells (GT-1, GT-6, and VE-1R) had ORC-A® filter socks redeployed as part of September 2020 monitoring event activities. **Figure 3** shows the historic trend in DO concentrations in select wells.



The pH (**Figure 4**) ranged from 6.05 (GT-4) to 10.90 (VE-1R) in September 2020. Higher pH is a known effect from ORC-A® dissolution, and may affect the pH in wells where ORC-A® socks were deployed (GT-1, GT-6, and VE-1R).



2.2 Groundwater Sampling

Monitoring wells GT-1, GT-2, GT-3, GT-5, GT-6, GT-7, vapor extraction/monitoring points VE-1R, VE-5, VP-A, and VP-B, and drywell DW-1 were sampled by low-flow sampling techniques per the updated Quality Assurance Project Plan (QAPP) approved by NYSDEC on March 1, 2017. A duplicate sample was collected from well GT-6 (GW-DUP). Groundwater samples were placed into pre-preserved, laboratory-supplied containers provided by TestAmerica as specified for each analysis.



Samples were kept cool during transport to the laboratory, accompanied by chain-of-custody documents and trip blanks. The samples arrived at the TestAmerica laboratory facility within acceptable USEPA and NYSDEC holding times and preservation requirements. TestAmerica analyzed the groundwater samples for VOCs via EPA Method 8260c and MSRO via Modified EPA Method 8015d.

3.0 ANALYTICAL RESULTS

Historic data through September 2020 are presented in **Attachment 3 - Table 2**. The laboratory analytical report is included as **Attachment 4**.

- VOCs:** Site-related VOCs detected in groundwater samples at estimated concentrations above the method detection limits included tetrachloroethene from GT-2, VE-5, VP-A and VP-B at 0.34J to 1.1J micrograms per liter (ug/L); toluene from VE-1R and DW-1 at 0.61J to 1.4J; and total xylenes from VE-1R and DW-1 at 0.30J to 1.1J all well below the standard of 5 ug/L for these constituents. Acetone (5.6 J ug/L), chlorobenzene (2.7 J ug/L), 1,2-dichlorobenzene (0.32 J ug/L), and 1,4-dichlorobenzene (1.2 J ug/L) were also detected at estimated concentrations the duplicate sample for GT-6, well below the applicable standards for these constituents.
- MSRO:** An MSRO concentration of 88 ug/L was detected from GT-1, exceeding its standard of 50 ug/L. No reportable concentrations of MSRO were detected from any other wells during the September 2020 sampling event.

Historic MSRO concentrations for the Warehouse Area, the primary business portion of the site, are presented in **Figure 5** and for the GT-1/VE-1R and downgradient (GT-6) area are presented in **Figure 6**.



4.0 QUALITY CONTROL

As of September 2017, sample collection methodology was revised to low-flow sampling techniques in accordance with the updated QAPP for the site dated February 2017, as approved by electronic mail from the NYSDEC on March 1, 2017. Specific items related to sample results from the September 2020 sampling event are noted below:

- The equipment rinse blanks included estimated concentrations of methylene chloride, ethylbenzene, toluene, and/or xylenes below their reporting limits.

- The trip blank included an estimated concentration of methylene chloride below its reporting limit.

Following the detection of MSRO at 88 ug/L (and above the 50 ug/L standard) in the sample from GT-1 in September 2020, re-analysis of this samples was conducted on December 11, 2020 using the silica gel cleanup procedure. This re-analysis resulted in MSRO concentration of 110 H ug/L; however, this higher result remains in question due to laboratory issues so should not be considered to evaluate regulatory compliance.

5.0 SUMMARY

1. Groundwater elevations in September 2020 was 2.2 feet lower on average than recorded in April 2020, indicative of seasonal variance; the overall direction and magnitude of groundwater flow is similar to historic trends.
2. DO concentrations were generally lower in most wells than the previous monitoring event (April 2020).
3. ORC-A® filter socks were removed and redeployed in wells GT-1, GT-6 and VE-1R to continue remediating residual dissolved organic concentrations.
4. Total MSRO was non-detect below the 13 ppb reporting limit and the 50 ppb standard in all wells except GT-1, where it was detected at a concentration of 88 ug/L.
5. No VOCs were detected above standards in groundwater from any monitoring wells sampled.

6.0 RECOMMENDATIONS

Groundwater sampling results from all monitoring wells in September 2020 continue to indicate compliance with VOCs as observed since March 2015. The presence of MSRO has been limited to wells GT-1, GT-6 and VE-1R since implementation of low-flow sampling in March 2017, and was detected during the September 2020 in event GT-1 at a concentration of 88 ug/L and above its regulatory standard. This is the first event during which MRSO has been detected in any well since 2018, and based on this and the higher detection of MSRO in the re-analysis using the silica gel cleanup method, the MSRO results from GT-1 in September 2020 are suspect. Therefore, an interim sampling event will be conducted in January 2021, prior to the next semi-annual sampling event in March 2021, to further evaluate this recent detection.

Safety-Kleen will continue to deploy oxygen releasing compound filter socks at wells GT-1, GT 6, and VE-1R, and sampling will be conducted on a semi-annual schedule, with the next sampling event in September 2020.

I am available to discuss the results with you and proposed changes to the site monitoring program at your convenience. Please do not hesitate to contact me at (513) 227-5340. As always,

Safety-Kleen appreciates the Department's assistance with this site.

Safety-Kleen Systems, Inc.

A handwritten signature in blue ink, reading "Stephen D. Fleming". The signature is fluid and cursive, with a long horizontal stroke extending to the right.

Stephen D. Fleming, P.E., CHMM
Senior Remediation Manager

FIGURES (in text)

- 1** Depth to Water Across the Site
- 2** Groundwater Contour Map
- 3** Dissolved Oxygen Across the Site
- 4** pH Across the Site
- 5** MSRO – Warehouse Area (Former R/F)
- 6** MSRO - GT-1/VE-1R/GT-6 Area

ATTACHMENTS

- 1 Site Map
- 2 Media Sampling - Field Parameter and Lab Sampling Summaries
- 3 Tables
 - Table 1 – Historic Groundwater Field Data Summary (to Current)
 - Table 2 –Groundwater Monitoring Results Summary (to Current)
- 4 Laboratory Analytical Report

Distribution


<u>Person/Department</u>	<u>Method of Transmission</u>
E. Badaracco, Town of Babylon, HW Dept., Lindenhurst, NY	hard copy – 1 st Class Mail
A. Everett, USEPA Region II, New York, NY	hard copy – 1 st Class Mail
T. Cowans, Safety-Kleen, N. Amityville, NY	electronic mail
N. Nelhuebel, VP Env. Liabilities, Clean Harbors, Norwell, MA	compact disk
J. Markey, Woodard & Curran, Middletown, CT	electronic mail
J. Gray, Cozy Corp. 79	hard copy – 1 st Class Mail
S. R. Kroll, Esq.	hard copy – 1 st Class Mail

ATTACHMENT 1 - SITE MAP


LONG ISLAND RAILROAD (CENTRAL BRANCH)



SOURCE:
 MAP BASED ON SAFETY KLEEN BASE MAP
 ENTITLED "SITE PLAN EXISTING" DATED
 8/26/00; DRAWING NO. 7039-SPOO-001,
 REV. 1 BY RM - SCALE: 1"=20'



- LEGEND**
- GT-3 MONITORING WELL LOCATION
 - DRYWELL (ADDRESSED IN CLOSURE)
 - 23 DRYWELL (EXISTING)
 - CB-2B OVER-FLOW POOL
 - VE/VP-x VAPOR EXTRACTION WELL
 - ALREADY COMPLETED BORING
 - 6" LINE CONNECTING OFF TO DRYWELL
 - PROPERTY LINE



Basile Environmental Solutions, LLC 1188 Hillside Dr. Cortland, NY 13045		5/23/12
SCALE: AS SHOWN		SITE PLAN SAFETY-KLEEN SYSTEMS INC. 60 SEABRO AVENUE NORTH AMITYVILLE, NY
CAD FILE: 7039-1A		
DRAWN BY: JB CHECKED BY: J.B. FIGURE No: 1		

ATTACHMENT 2 - MEDIA SAMPLING

Field Parameter and Lab Sampling Summaries

SAMPLING INSTRUCTIONS & FIELD OBSERVATION LOG

GROUNDWATER SAMPLING RECORD

SITE NAME	Safety-Kleen Service Center 60 Seabro Ave, N. Amityville, NY	DATE	9/23/20 → 9/25/20
		Weather	Clear, temps 68-75°F
Sampler	John Talley		

Well Name / ID	warehouse											
	GT-1	GT-2	GT-3	GT-4	DW-1*	GT-5	GT-6	GT-7	VE-1R	VE-5	VP-A	VP-B
Lab Analysis - EPA 8260c VOCs	Collect Samples as listed on the pre-printed Chain-of-Custody. Questions, contact Melissa Haas at Tel 203.944.1310.											
Lab Analysis - EPA 8015d MSRO												
	Duplicate Set collected from GT-6.											
Duplicate Sample:	Collect Samples as listed on the pre-printed Chain-of-Custody. Questions, contact Melissa Haas.											
Sample Equipment Rinse Blank												
MS/MSD												
ORC Socks Deployed	Yes	No	Yes	No	No	Yes	Yes	No	Yes	No	Yes	Yes
Socks Changed ("C") or Redeployed ("R")												
Collect Field Parameters	Yes	Yes	Yes	Yes-Only	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Diameter of Well Casing	2 in	2 in	2 in	2 in	Manhole	2 in	2 in	2 in	4 in	1 in	2 in	2 in
Depth of Well (ft.)	26.0	27.40	27.48	26.18	10.50	21.2	26.46	28.3	24.80	24.80	27.5	23.0
Depth to Groundwater (ft.)	18.69	18.60	17.67	17.04	9.00	18.98	18.94	18.54	18.46	18.20	20.09	18.62
Water Column Height (ft.)	7.31	8.80	9.81	9.14	2.08	2.22	7.52	9.86	6.34	6.60	7.41	4.38
Volume Purged (gal)	3.0	1.4	1.4	0.2	0.2	1.8	1.8	1.8	2.4	1.0	2.6	2.0
Purging Method	Bladder	Bladder	Bladder	N/A	Peristaltic	Bladder	Bladder	Bladder	Bladder	Peristaltic	Bladder	Bladder
Collect additional sample for analysis of dissolved MSRO.	Yes								Yes			
Sampling Time	1800	0920	1410	NA	1000	1825	1835	1535	1245	1530	1235	1325
Sample date	9/24	9/24	9/24	NA	9/25	9/23	9/23	9/23	9/25	9/24	9/24	9/24
GW Visual Observations												
color	Gray	Clear	Clear	Clear	Clear	Clear	Clear	tan	Clear	Clear	Clear	Clear
sheen (slight, moderate, heavy)	No	No	No	No	No	No	No	No	No	No	No	No
odor (slight, moderate, heavy)	No	No	No	No	No	No	No	No	No	No	No	No
carbon/particulates/settled matter (lo, med, high)	No	No	No	No	No	No	No	No	No	No	No	No
GW Field Parameters												
Temperature (C)	17.86	19.36	19.46	20.96	24.94	16.01	17.94	18.03	19.88	18.88	17.14	16.72
pH	10.54	6.55	6.24	6.05	7.90	6.31	6.59	6.08	10.90	6.16	6.09	6.17
Conductivity in μ S	0.453	0.585	3.68	2.00	0.076	4.02	2.30	2.65	0.612	2.08	0.265	2.46
Dissolved Oxygen (mg/L)	3.51	2.75	2.05	2.62	1.55	2.15	1.47	2.83	2.49	5.27	6.99	6.64
ORP (Eh (Mv))	18.0	63.8	89.7	96.2	-18.3	65.6	38.2	84.2	4.85	98.4	103.1	102.6
Turbidity (visual / NTU)	14.2	3.42	0.82	25.0	5.82	1.44	3.60	4.22	4.85	1.72	4.69	4.85
									5.74			

Containerize all fluids as directed by Terri Cowans at the facility. Tel: 631.443.4509 (cell). Coordinate with Terri in regards to moving all IDW back to the facility from wells GT-6 & GT-7. Under no circumstances are drums or debris to be left near wells GT-6 & 7. Both wells are located off-site. SK/consultants have permission from the property owner to access the wells.

Comments

On-arrival at the facility, check-in at the main office, and notify Terri you are on-site. Follow all facility rules, and any direction with regard to well access, facility access,

Sample Collection Equipment: Collect samples with Bladder or Peristaltic Pump. DW-1 Soil Bottom Sample - Collect with Hand-Auger.

Complete field data in these rows.

* If DW-1 is dry, Collect a soil sample by hand auger and a rinse blank for the soil sampling equipment.

S-K Amityville, NY Low-Flow Sampling Sheet

Well ID:

Date:

Field Personnel:

Well Elevation Details (NGVD):

Top of PVC: to Water:

Top of Screen:

Bottom of Well:

Total Well Depth:

[illegible]

Notes:

If three turbidity readings are below 5 NTU consider turbidity stabilized

If three DO readings are less than 0.5 mg/L consider DO stabilized

1

GT-7

9/23/20

John Talley

18.54'

78301

2015

Comments

[illegible]

Notes:

If three turbidity readings are below 5 NTU consider turbidity stabilized

If three DO readings are less than 0.5 mg/L consider DO stabilized

S-K Amityville, NY Low-Flow Sampling Sheet

Well ID:

Date:

Field Personnel:

Well Elevation Details (NGVD):

Top of PVC: to Water:

Top of Screen:

Bottom of Well:

Total Well Depth:

[illegible]

Notes:

If three turbidity readings are below 5 NTU consider turbidity stabilized

If three DO readings are less than 0.5 mg/L consider DO stabilized

S-K Amityville, NY Low-Flow Sampling Sheet

Well ID:

Date:

Field Personnel:

Well Elevation Details (NGVD):

Top of PVC: to Water:

Top of Screen:

Bottom of Well:

Total Well Depth:

[illegible]

Notes:

If three turbidity readings are below 5 NTU consider turbidity stabilized

If three DO readings are less than 0.5 mg/L consider DO stabilized

S-K Amityville, NY Low-Flow Sampling Sheet

Well ID:

Date:

Field Personnel:

Well Elevation Details (NGVD):

Top of PVC: to Water:

Top of Screen:

Bottom of Well:

Total Well Depth:

[illegible]

Notes:

If three turbidity readings are below 5 NTU consider turbidity stabilized

If three DO readings are less than 0.5 mg/L consider DO stabilized

S-K Amityville, NY Low-Flow Sampling Sheet

Well ID:

Date:

Field Personnel:

Well Elevation Details (NGVD):

Top of PVC: to Water:

Top of Screen:

Bottom of Well:

Total Well Depth:

[illegible]

Notes:

If three turbidity readings are below 5 NTU consider turbidity stabilized

If three DO readings are less than 0.5 mg/L consider DO stabilized

S-K Amityville, NY Low-Flow Sampling Sheet

Well ID:

Date:

Field Personnel:

Well Elevation Details (NGVD):

Top of PVC: to Water:

Top of Screen:

Bottom of Well:

Total Well Depth:

[illegible]

Notes:

If three turbidity readings are below 5 NTU consider turbidity stabilized

If three DO readings are less than 0.5 mg/L consider DO stabilized

S-K Amityville, NY Low-Flow Sampling Sheet

Well ID:

Date:

Field Personnel:

Well Elevation Details (NGVD):

Top of PVC: to Water:

Top of Screen:

Bottom of Well:

Total Well Depth:

[illegible]

Notes:

If three turbidity readings are below 5 NTU consider turbidity stabilized

If three DO readings are less than 0.5 mg/L consider DO stabilized

S-K Amityville, NY Low-Flow Sampling Sheet

Well ID:

Date:

Field Personnel:

Well Elevation Details (NGVD):

Top of PVC: to water:

Top of Screen:

Bottom of Well:

Total Well Depth:

[illegible]

Notes:

If three turbidity readings are below 5 NTU consider turbidity stabilized

If three DO readings are less than 0.5 mg/L consider DO stabilized

S-K Amityville, NY Low-Flow Sampling Sheet

Well ID:

Date:

Field Personnel:

Well Elevation Details (NGVD):

Top of PVC: to Water:

Top of Screen:

Bottom of Well:

Total Well Depth: (Measured Below Grade) 11.08'

[illegible]

Notes:

If three turbidity readings are below 5 NTU consider turbidity stabilized

If three DO readings are less than 0.5 mg/L consider DO stabilized

S-K Amityville, NY Low-Flow Sampling Sheet

Well ID:

Date:

Field Personnel:

Well Elevation Details (NGVD):

Top of PVC: to water:

Top of Screen:

Bottom of Well:

Total Well Depth:

[illegible]

Notes:

If three turbidity readings are below 5 NTU consider turbidity stabilized

If three DO readings are less than 0.5 mg/L consider DO stabilized

ATTACHMENT 3 - TABLES

Table 1 – Historic Groundwater Field Data Summary (to Current)

Table 2 – Groundwater Monitoring Results Summary (to Current)

Table 1
Historic Groundwater Field Data Summary (to Current)
Safety-Kleen Systems, Inc. - Corrective Action Program
N. Amityville, New York Facility

Date	PARAMETER								
	Depth to water (ft)	Groundwater Elevation (ft)	Temp °C	pH	Cond. uS	D.O. mg/L	Eh mV	Ozone	MSRO ug/L
GT-1									
3/12/09	16.47	37.64	12.2	7.00	459	2.96	163	ND	500
6/17/09	15.73	38.38	13.5	7.75	381	5.20	48	0.10	50
9/22/09	17.05	37.06	17.0	7.65	224	4.40	-29	0.10	530
12/30/09	16.49	37.62	15.0	6.85	182	2.80	91	0.08	1300
2/2/10	16.75	37.36	13.5	7.03	179	7.35	45	0.00	1000
3/24/10	13.80	40.31	12.0	7.08	603	31.50	165	0.60	6400
6/22/10	15.30	38.81	15.5	7.03	182	6.57	32	0.00	3000
9/22/10	18.70	35.41	17.8	7.08	176	3.98	28	--	18000
12/15/10	19.28	34.83	15.3	7.13	157	2.95	10	0.00	12000
3/24/11	17.83	36.28	13.0	7.60	198	3.21	25	0.00	18000
6/16/11	17.01	37.10	14.7	7.03	259	3.68	20	0.02	8500
9/15/11	15.88	38.23	19.0	7.06	197	3.62	-62	0.00	12000
12/16/11	16.40	37.71	16.0	7.03	186	3.45	-55	0.00	15000
3/14/12	17.65	36.46	14.2	7.06	136	2.95	-60	0.00	16000
6/20/12	17.48	36.63	16.8	7.06	138	2.88	-45	0.00	9200
8/28/12	18.46	35.65	18.0	7.18	118	2.80	-75	0.00	15000
10/25/12	19.18	34.93	18.0	7.12	196	4.22	11	0.20	23000
12/20/12	19.38	34.73	15.7	7.12	119	2.88	-50	0.00	12000
3/14/13	17.57	36.54	12.1	7.30	137	2.90	-20	0.00	22000
6/20/13	16.23	37.88	14.8	7.02	213	3.87	-11	0.00	16000
9/24/13	19.07	35.04	17.1	11.00	637	8.22	25	0.00	41000
12/18/13	20.28	33.83	16.5	10.62	1070	7.88	--	0.00	5700
2/25/14	19.42	34.69	13.7	9.80	249	5.49	30	0.00	6100
6/11/14	17.32	36.79	13.8	11.01	--	9.29	38.5	0.00	1400
8/26/14	17.64	36.47	17.5	8.58	414	6.01	41	--	520
11/13/14	19.51	34.60	17.0	7.20	477	1.08	162	0.00	120
12/15/14	17.99	36.12	15.6	6.45	541	2.06	24	--	ND
3/10/15	17.09	37.02	11.7	5.82	502	3.42	-224.7	--	ND
6/25/15	18.01	36.10	13.4	5.42	474	3.58	85.9	--	ND
9/24/15	20.22	33.89	15.8	7.00	409	12.01	-7.3	--	320 B
12/8/15	20.98	33.13	15.5	10.07	597	6.54	15.3	--	950
3/23/16	19.21	34.90	14.0	10.12	678	10.82	208.3	--	2500 (<50)
6/15/16	19.82	34.29	15.0	9.20	413	4.77	115.4	--	5000 (470)
9/27/16	21.54	32.57	19.3	6.50	--	8.30	325	--	420 (<48)
12/20/16	21.77	32.34	14.6	10.74	800	7.54	-21.1	--	4700 (<48)
3/28/17	20.62	33.49	10.2	7.38	805	4.28	-61.7	--	ND
6/14/17	19.30	34.81	15.8	8.33	545	4.95	152.2	--	110
9/26/17	20.39	33.72	20.4	10.44	2985	18.29	8.1	--	240 B
3/27/18	17.57	36.54	12.55	6.89	607	8.27	-62.1	--	510
9/25/18	18.98	35.13	18.16	12.15	2098	8.75	12.8	--	120
3/26/19	14.64	39.47	12.19	8.89	392	3.61	101.5	--	ND
9/25/19	17.46	36.65	19.00	12.21	1525	6.80	-87.7	--	ND
4/28/20	16.49	37.62	12.36	10.45	347	3.34	77.3	--	ND
9/23/20	18.69	35.42	17.86	10.54	0.453	3.51	18	--	88

Table 1
Historic Groundwater Field Data Summary (to Current)
Safety-Kleen Systems, Inc. - Corrective Action Program
N. Amityville, New York Facility

Date	PARAMETER								
	Depth to water (ft)	Groundwater Elevation (ft)	Temp	pH	Cond.	D.O.	Eh	Ozone	MSRO
			°C		uS	mg/L	mV		ug/L
GT-2									
3/12/09	16.38	37.75	12.9	7.14	500	0.77	167	ND	ND
6/17/09	15.63	38.50	13.0	7.63	270	3.29	57	0.06	ND
9/22/09	16.95	37.18	17.0	7.01	711	2.00	77	0.40	ND
12/30/09	16.40	37.73	14.2	6.95	427	2.05	95	0.02	ND
2/2/10	16.66	37.47	12.8	7.14	330	2.84	232	0.00	67
3/24/10	13.70	40.43	12.7	7.11	452	2.00	92	0.00	ND
6/22/10	15.10	39.03	16.5	7.14	1064	1.17	-29	0.00	ND
9/22/10	18.61	35.52	17.0	7.09	302	2.55	-33	--	ND
12/15/10	19.22	34.91	13.8	7.09	384	2.80	-40	0.00	ND
3/24/11	17.77	36.36	11.6	7.05	530	3.14	-25	0.00	ND
6/16/11	16.90	37.23	16.0	7.02	667	3.36	-30	0.00	ND
9/15/11	15.77	38.36	19.0	7.06	644	2.92	-141	0.00	ND
12/16/11	16.33	37.80	15.1	7.10	476	3.05	-105	0.00	ND
3/13/12	17.57	36.56	14.0	7.05	403	3.00	-55	0.00	ND
6/20/12	17.40	36.73	16.8	7.08	426	2.68	-38	0.00	ND
8/28/12	18.36	35.77	18.5	7.17	398	3.07	-40	0.00	ND
10/25/12	19.10	35.03	17.5	7.06	315	2.11	-10	0.00	ND
12/20/12	19.30	34.83	15.3	7.42	319	3.50	-55	0.00	ND
3/14/13	17.50	36.63	12.1	7.32	317	3.05	-40	0.00	ND
6/20/13	16.13	38.00	16.0	7.11	350	2.31	-21	0.00	ND
9/24/13	19.00	35.13	17.2	7.05	404	2.04	-2	0.00	ND
12/18/13	20.21	33.92	14.6	7.05	288	2.47	4	0.00	ND
2/25/14	19.37	34.76	12.2	8.11	187	3.50	240	0.00	ND
6/11/14	17.22	36.91	14.5	6.07	--	3.76	200.4	0.00	ND
8/26/14	17.61	36.52	17.5	7.58	647	3.07	189	--	ND
11/12/14	19.38	34.75	16.2	7.30	575	2.98	156	0.00	ND
12/16/14	17.86	36.27	13.8	6.69	619	8.26	110	--	ND
3/10/15	16.99	37.14	11.7	6.85	513	5.10	-198.9	--	ND
6/25/15	17.95	36.18	14.1	4.74	387	6.18	301	--	ND
9/23/15	20.10	34.03	17.5	7.50	559	7.29	245.2	--	100
12/7/15	20.91	33.22	14.8	6.21	689	5.51	67.5	--	ND
3/23/16	19.11	35.02	12.6	7.96	715	6.41	238.9	--	ND
6/14/16	19.72	34.41	15.0	6.46	659	7.72	193.1	--	ND
9/27/16	21.58	32.55	17.8	7.53	328	5.83	254.2	--	ND
12/19/16	21.69	32.44	10.0	6.96	631	3.53	37.8	--	ND
3/27/17	20.57	33.56	10.4	6.17	622	5.27	108.8	--	ND
6/13/17	19.18	34.95	16.6	5.95	498	3.96	-101.9	--	ND
9/25/17	20.35	33.78	20.4	6.39	440	3.93	105.6	--	ND
3/26/18	17.50	36.63	11.76	6.39	503	6.08	206.2	--	ND
9/25/18	18.88	35.25	18.66	6.39	532	4.76	115.8	--	ND
3/25/19	14.56	39.57	12.02	6.49	429	7.28	137.1	--	ND
9/25/19	17.34	36.79	19.20	6.40	459	3.25	89.8	--	ND
4/28/20	16.36	37.77	15.56	6.28	365	1.67	168.3	--	ND
9/23/20	18.60	35.53	19.36	6.55	0.585	2.75	63.8	--	ND

Table 1
Historic Groundwater Field Data Summary (to Current)
Safety-Kleen Systems, Inc. - Corrective Action Program
N. Amityville, New York Facility

Date	PARAMETER								
	Depth to water (ft)	Groundwater Elevation (ft)	Temp	pH	Cond.	D.O.	Eh	Ozone	MSRO
			°C		uS	mg/L	mV		ug/L
GT-3									
3/12/09	15.28	38.24	11.7	7.36	214	6.60	125	0.20	ND
6/17/09	14.52	39.00	13.3	7.69	219	6.30	68	0.10	ND
9/22/09	15.83	37.69	18.0	7.25	300	6.70	50	0.01	ND
12/30/09	15.31	38.21	14.4	6.95	186	4.22	97	0.05	ND
2/2/10	15.58	37.94	13.2	7.13	215	7.68	243	0.05	ND
3/24/10	12.63	40.89	10.9	7.08	174	8.24	118	0.00	ND
6/22/10	14.11	39.41	16.0	7.10	226	6.30	49	0.00	ND
9/22/10	17.49	36.03	18.0	7.07	176	2.00	55	--	ND
12/15/10	18.15	35.37	14.2	7.07	120	2.18	15	0.00	ND
3/24/11	16.84	36.68	10.7	7.60	160	7.36	15	0.00	ND
6/16/11	16.00	37.52	14.0	7.44	226	7.85	21	0.00	ND
9/15/11	14.85	38.67	19.0	7.02	158	6.99	-37	0.00	ND
12/16/11	15.37	38.15	16.0	7.06	189	4.95	-42	0.00	ND
3/14/12	16.65	36.87	14.0	7.04	191	3.58	-30	0.00	ND
6/20/12	16.49	37.03	16.0	7.21	82	3.54	-10	0.00	ND
8/28/12	17.41	36.11	20.2	7.05	402	6.01	-11	0.00	ND
10/25/12	18.15	35.37	18.4	7.43	134	3.18	-11	0.00	ND
12/20/12	18.37	35.15	15.3	7.85	97	3.81	25	0.00	ND
3/14/13	16.54	36.98	11.1	7.35	314	3.10	9	0.00	ND
6/20/13	15.21	38.31	15.6	7.16	135	6.15	7	0.00	ND
9/24/13	18.03	35.49	17.5	7.66	189	4.01	14	0.00	120
12/18/13	19.29	34.23	13.8	7.59	293	4.28	11	0.00	81
2/25/14	18.42	35.10	11.6	8.69	306	8.06	206	0.00	ND
6/11/14	16.28	37.24	13.0	8.29	--	10.62	182.4	0.00	ND
8/26/14	16.66	36.86	17.0	8.40	300	7.95	106	--	ND
11/12/14	18.45	35.07	16.3	7.18	615	4.88	170	0.00	ND
12/15/14	16.93	36.59	17.0	6.73	224	6.34	72	--	ND
3/10/15	16.06	37.46	8.1	7.88	86	13.37	-203.4	--	ND
6/25/15	17.00	36.52	12.9	8.25	371	8.70	83	--	ND
9/23/15	19.13	34.39	17.8	7.21	502	8.16	210.4	--	ND
12/7/15	19.96	33.56	16.3	11.48	875	11.11	29.9	--	ND
3/23/16	18.18	35.34	11.3	10.50	302	11.56	175.9	--	ND
6/14/16	18.79	34.73	13.7	10.63	452	12.09	84.4	--	ND
9/27/16	20.62	32.90	18.9	11.58	1050	13.09	16.6	--	ND
12/19/16	20.78	32.74	11.5	8.22	392	3.87	19.7	--	ND
3/27/17	19.64	33.88	9.0	9.50	359	10.41	100.6	--	ND
6/13/17	18.24	35.28	16.3	9.08	238	8.94	6.7	--	ND
9/25/17	19.40	34.12	18.5	9.81	298	15.15	7.19	--	ND
3/26/18	16.57	36.95	7.97	6.93	80	11.93	196.5	--	37
9/25/18	17.94	35.58	19.90	6.11	930	5.96	135	--	ND
3/25/19	13.59	39.93	10.77	6.43	174	9.63	156.7	--	ND
9/25/19	16.36	37.16	20.80	6.34	339.4	0.34	68.4	--	ND
4/28/20	15.37	38.15	12.81	6.47	287	5.92	57.6	--	ND
9/23/20	17.67	35.85	19.46	6.24	0.368	2.05	89.7	--	ND

Table 1
Historic Groundwater Field Data Summary (to Current)
Safety-Kleen Systems, Inc. - Corrective Action Program
N. Amityville, New York Facility

Date	PARAMETER								
	Depth to water (ft)	Groundwater Elevation (ft)	Temp	pH	Cond.	D.O.	Eh	Ozone	MSRO
			°C		uS	mg/L	mV		ug/L
GT-4									
12/30/09	14.85	37.45	15.0	7.75	171	2.05	75	over range	ND
2/2/10	15.11	37.19	11.9	7.11	268	5.26	76	over range	ND
3/24/10	12.14	40.16	11.8	7.03	160	6.88	22	over range	ND
6/22/10	13.61	38.69	14.0	7.08	73	3.01	65	over range	ND
9/22/10	17.12	35.18	16.9	7.04	212	2.82	49	--	ND
12/15/10	17.65	34.65	16.8	7.02	232	3.05	50	0	ND
3/24/11	16.20	36.10	12.8	7.70	190	4.20	50	0	ND
6/16/11	15.42	36.88	13.5	7.03	130	3.50	30	0	ND
9/15/11	14.31	37.99	17.0	7.32	154	3.85	15	0	ND
12/16/11	14.73	37.57	16.8	7.13	177	3.58	10	over range	ND
3/14/12	16.03	36.27	14.3	7.03	197	3.95	11	over range	ND
6/20/12	15.89	36.41	15.2	7.05	188	4.20	15	over range	ND
8/28/12	16.90	35.40	17.2	7.10	190	2.60	10	over range	ND
10/25/12	17.57	34.73	18.0	7.14	150	3.55	20	over range	ND
12/20/12	17.73	34.57	16.5	8.20	119	4.05	-22	0.00	ND
3/14/13	15.96	36.34	13.3	7.88	121	4.00	-10	0.00	ND
6/20/13	14.65	37.65	14.0	8.14	143	3.05	-5	0.00	ND
9/24/13	17.50	34.80	15.9	7.41	119	3.22	1	--	ND
12/18/13	18.64	33.66	16.0	7.48	143	3.80	5	0.00	ND
2/25/14	17.78	34.52	12.6	8.28	98	6.28	176	0.00	ND
6/11/14	15.68	36.62	12.2	5.62	--	4.30	206	0.00	ND
8/26/14	16.02	36.28	16.5	7.55	--	5.88	-55	--	ND
11/12/14	17.90	34.40	18.0	7.60	156	4.55	-60	0.00	ND
12/15/14	16.27	36.03	17.0	6.73	224	6.34	72	--	ND
3/10/15	15.42	36.88	12.3	9.42	57	10.90	-178	--	ND
6/25/15	16.47	35.83	12.6	4.10	217	3.45	288.9	--	ND
9/23/15	18.59	33.71	16.0	8.83	331	5.23	15.3	--	ND
12/7/15	19.34	32.96	15.9	6.39	369	4.46	4.9	--	ND
3/23/16	17.55	34.75	12.8	8.93	157	4.80	254.5	--	ND
6/14/16	18.17	34.13	14.0	7.25	176	4.83	50	--	ND
9/27/16	20.03	32.27	16.7	9.08	228	2.99	165.1	--	ND
12/19/16	20.10	32.20	12.6	7.62	681	2.34	-63.8	--	ND
3/28/17	18.96	33.34	9.8	7.22	135	3.49	78.8	--	ND
6/13/17	17.62	34.68	15.7	6.12	192	5.55	-71.2	--	ND
9/25/17	18.84	33.46	18.9	5.09	180	5.87	141.1	--	ND
3/26/18	15.89	36.41	13.58	6.60	242	2.31	226.6	--	ND
9/24/18	17.36	34.94	17.12	6.55	176	2.49	122.8	--	ND
3/25/19	13.02	39.28	12.13	6.50	172	8.05	92.2	--	ND
9/25/19	15.85	36.45	18.10	6.24	191.1	1.65	220	--	ND
4/28/20	14.82	37.48	12.40	6.37	274	4.20	97.5	--	ND
9/23/20	17.04	35.26	20.96	6.05	0.200	2.62	9.62	--	ND

Table 1
Historic Groundwater Field Data Summary (to Current)
Safety-Kleen Systems, Inc. - Corrective Action Program
N. Amityville, New York Facility

Date	PARAMETER								
	Depth to water (ft)	Groundwater Elevation (ft)	Temp °C	pH	Cond. uS	D.O. mg/L	Eh mV	Ozone	MSRO ug/L
GT-5									
3/12/09	16.75	37.54	13.2	7.14	190	5.44	127	0.10	ND
6/17/09	16.03	38.26	14.5	7.11	221	7.30	50	0.15	ND
9/22/09	17.4	36.89	15.0	7.71	452	6.51	34	0.09	ND
12/30/09	16.81	37.48	12.5	6.92	231	4.96	112	0.10	ND
2/2/10	17.03	37.26	12.9	7.13	315	6.21	113	0.00	ND
3/24/10	14.10	40.19	13.0	7.12	218	5.95	217	0.00	ND
6/22/10	15.61	38.68	15.0	7.09	207	8.02	-46	0.00	ND
9/22/10	19.08	35.21	15.4	7.07	294	4.25	-35	--	ND
12/15/10	19.61	34.68	14.8	7.07	243	3.55	-10	0.00	ND
3/24/11	18.18	36.11	13.9	7.34	326	4.08	-15	0.00	ND
6/16/11	17.33	36.96	15.0	7.05	236	4.00	-10	0.00	ND
9/15/11	16.23	38.06	17.0	7.38	142	6.95	6	0.00	ND
12/16/11	16.68	37.61	15.7	7.09	173	5.20	10	0.00	ND
3/14/12	18.00	36.29	15.2	7.07	302	4.02	15	0.00	ND
6/20/12	17.81	36.48	15.8	7.07	315	4.00	15	0.00	ND
8/28/12	18.81	35.48	16.1	7.80	186	5.59	11	0.00	ND
10/25/12	19.51	34.78	15.8	7.15	232	3.95	14	0.00	ND
12/20/12	19.71	34.58	15.0	7.84	110	3.70	40	0.00	ND
3/14/13	17.90	36.39	12.0	7.25	516	2.88	-8	0.00	ND
6/20/13	16.56	37.73	15.1	7.90	129	6.03	2	0.00	570
9/24/13	19.42	34.87	15.0	10.98	991	6.88	10	--	ND
12/18/13	20.60	33.69	15.1	9.81	410	6.81	14	0.00	ND
2/25/14	19.73	34.56	11.0	9.06	306	7.46	60	0.00	ND
6/11/14	17.62	36.67	14.1	11.27	--	12.54	-6.7	--	140
8/26/14	17.97	36.32	17.0	8.80	324	8.01	59	--	300
11/12/14	19.80	34.49	16.0	6.98	596	2.88	70	0.00	ND
12/15/14	18.24	36.05	12.1	6.30	336	6.76	123	--	ND
3/10/15	17.39	36.90	12.5	6.53	245	5.42	-207.3	--	ND
6/25/15	18.39	35.90	12.7	5.76	256	6.75	140	--	ND
9/24/15	20.53	33.76	13.7	6.45	585	14.85	126.5	--	ND
12/8/15	21.31	32.98	14.5	10.58	965	12.78	-3.4	--	ND
3/23/16	19.51	34.78	14.4	9.83	581	13.48	201.5	--	ND
6/15/16	20.13	34.16	15.3	9.95	427	10.61	86.2	--	ND
9/27/16	21.98	32.31	16.2	10.21	--	11.32	152.5	--	ND
12/19/16	22.06	32.23	14.0	6.46	816	5.08	-48.9	--	ND
3/28/17	20.92	33.37	9.7	7.84	347	7.36	65.1	--	ND
3/28/17	20.92	33.37	9.7	7.84	347	7.36	65.1	--	ND
6/13/17	19.58	34.71	16.7	11.11	617	13.57	-122.2	--	ND
9/25/17	20.78	33.51	18.7	11.86	1383	22.28	5.2	--	ND
3/27/18	17.89	36.40	10.97	6.96	344	5.09	201	--	ND
9/25/18	19.30	34.99	17.53	5.86	262	4.31	165	--	ND
3/25/19	14.98	39.31	14.24	6.23	268	5.09	177	--	ND
9/25/19	17.78	36.51	15.80	6.26	420.7	4.03	81	--	ND
4/28/20	16.83	37.46	12.82	6.17	318	4.51	183	--	ND
9/23/20	18.98	35.31	16.01	6.31	0.402	2.15	66	--	ND

Table 1
Historic Groundwater Field Data Summary (to Current)
Safety-Kleen Systems, Inc. - Corrective Action Program
N. Amityville, New York Facility

Date	PARAMETER								
	Depth to water (ft)	Groundwater Elevation (ft)	Temp °C	pH	Cond. uS	D.O. mg/L	Eh mV	Ozone	MSRO ug/L
GT-6									
8/26/14	17.35	36.88	Meters did not stabilize. Data not considered reliable.						3600
11/12/14	19.74	34.49	16.9	7.33	603	2.20	130	--	1300
12/15/14	18.16	36.07	15.4	6.24	708	4.61	33.8	--	3600
3/10/15	17.32	36.91	12.9	7.04	342	3.70	-234.1	--	240 / 350
6/25/15	18.33	35.90	12.9	4.16	369	4.40	280	--	1300 / 1100
9/24/15	20.49	33.74	15.8	7.53	613	10.38	-24.3	--	4900 / 3800
12/8/15	21.28	32.95	15.7	8.36	510	3.94	38.8	--	2600 / 1700
3/23/16	19.46	34.77	13.4	6.49	425	4.82	88.1	--	170 (120)
3/23/16	Duplicate	--	--	--	--	--	--	--	140 (130)
6/15/16	20.08	34.15	14.4	6.71	443	6.06	160.9	--	110 (<48)
6/15/16	Duplicate	--	--	--	--	--	--	--	94 (<48)
9/27/16	21.95	32.28	17.5	10.64	--	8.33	928	--	<48 (<48)
9/27/16	Duplicate	--	--	--	--	--	--	--	200 (220)
12/20/16	22.01	32.22	14.8	6.60	775	4.38	-4.5	--	ND
3/28/17	20.89	33.34	8.8	8.52	402	3.97	153.2	--	ND
6/13/17	19.54	34.69	8.8	8.52	402	3.97	153.2	--	220
9/26/17	20.75	33.48	17.4	7.36	455	6.84	246.3	--	190 B
3/27/18	17.83	36.40	12.39	8.09	474	10.43	176.3	--	40
9/25/18	19.23	35.00	18.81	10.52	463	10.48	149.0	--	60
3/26/19	14.91	39.32	12.05	6.63	372	8.37	191.8	--	ND
9/25/19	17.74	36.49	18.60	6.66	235.1	1.95	208.9	--	ND
4/28/20	16.73	37.50	12.98	7.38	287	5.64	225.4	--	ND
9/23/20	18.94	35.29	19.94	6.59	0.230	1.47	38.2	--	ND
GT-7									
8/26/14	17.41	36.37	Meter did not stabilize. Data not considered reliable.						ND
11/12/14	19.40	34.38	17.0	7.58	547	3.20	162	--	ND
12/15/14	17.83	35.95	15.3	6.29	400	2.70	107	--	ND
3/10/15	17.02	36.76	12.2	6.46	304	4.36	-212.6	--	ND
6/25/15	17.96	35.82	13.2	5.04	391	6.14	180.3	--	ND
9/24/15	20.12	33.66	15.5	6.73	580	10.80	7.9	--	80
12/8/15	20.9	32.88	14.4	7.44	614	6.46	40.8	--	ND
3/23/16	19.12	34.66	13.2	5.92	717	6.67	58.5	--	ND
6/15/16	19.68	34.10	14.8	6.10	520	6.25	184.2	--	ND
9/27/16	21.59	32.19	16.8	9.78	425	6.29	195	--	ND
12/20/16	21.56	32.22	14.0	7.22	864	3.52	35.7	--	ND
3/28/17	20.53	33.25	9.3	6.20	436	4.95	75.9	--	ND
6/13/17	19.19	34.59	15.8	7.02	471	4.68	-61.2	--	ND
9/26/17	20.39	33.39	18.4	5.80	314	4.57	274.8	--	ND
3/27/18	17.48	36.30	11.69	6.23	426	4.72	213.7	--	ND
9/25/18	18.90	34.88	17.52	6.13	264	4.84	263	--	ND
3/26/19	14.60	39.18	12.76	6.28	191	4.39	210.7	--	ND
9/25/19	17.35	36.43	19.20	6.15	207.9	2.39	92.4	--	ND
4/28/20	16.37	37.41	12.81	5.81	381	2.94	205.2	--	ND
9/23/20	18.54	35.24	18.03	6.08	0.265	2.83	8.42	--	ND

Table 1
Historic Groundwater Field Data Summary (to Current)
Safety-Kleen Systems, Inc. - Corrective Action Program
N. Amityville, New York Facility

Date	PARAMETER								
	Depth to water (ft)	Groundwater Elevation (ft)	Temp °C	pH	Cond. uS	D.O. mg/L	Eh mV	Ozone	MSRO ug/L
VE-1(R)									
3/12/09	16.57	--	12.0	6.94	212	5.63	178	0.11	8000
6/17/09	15.53	--	17.0	7.84	388	1.97	-109	over range	23000
9/22/09	17.15	--	19.2	7.64	547	1.60	-123	0.03	8400
12/30/09	16.59	--	12.0	6.75	334	1.66	-49	0.09	23000
2/2/10	16.83	--	12.0	7.09	221	2.60	-15	0.02	43000
3/24/10	13.90	--	12.1	7.39	392	34.70	202	over range	5400
6/22/10	15.36	--	17.1	7.08	261	3.93	-60	0.00	8100
9/22/10	DRY	--	--	--	--	--	--	--	--
12/15/10	DRY	--	--	--	--	--	--	--	--
3/24/11	17.95	--	11.8	7.10	267	4.42	-10	0.00	8300
6/16/11	17.13	--	16.8	7.02	251	3.26	-15	0.00	13000
9/15/11	16.00	--	19.5	7.09	184	1.61	-122	0.00	680
12/16/11	16.51	--	14.2	7.00	181	1.88	-104	0.00	10000
3/14/12	17.78	--	14.6	7.20	205	1.80	-120	0.00	2600
6/20/12	17.62	--	18.5	7.10	229	2.10	-105	0.00	2400
8/28/12	DRY	--	--	--	--	--	--	--	--
10/25/12	18.90	--	19.2	7.17	232	3.95	14	0.18	20000
12/20/12	19.10	--	16.2	7.02	141	1.88	-50	0.00	12000
3/14/13	17.29	--	12.0	7.21	169	2.05	-50	0.00	9900
6/20/13	16.03	--	14.5	7.07	234	2.20	-10	0.00	22000
9/24/13	18.75	--	17.8	10.73	492	6.90	18	0.00	42000
12/18/13	20.00	--	16.6	9.43	225	6.98	20	0.00	44000
2/25/14	19.11	--	10.9	9.97	463	5.07	-10	0.00	14000
6/11/14	17.02	--	13.7	8.66	--	5.40	-102	0.00	18000
8/26/14	17.38	--	18.0	8.66	487	6.04	65	--	36000
11/12/14	19.28	--	17.0	7.28	2839	3.98	163	0.00	110
12/16/14	17.63	--	12.6	6.56	703	1.52	119.1	--	ND
6/25/15	17.78	--	12.8	4.61	569	1.83	57.3	--	110 B
9/24/15	19.89	--	17.9	6.80	551	7.90	-88.1	--	250 B
12/8/15	20.71	--	15.8	9.33	1387	3.02	-18.6	--	383
3/23/16	19.94	--	13.2	9.36	686	6.66	225.7	--	180 (130)
6/15/16	19.50	--	14.4	9.17	736	5.28	-95.5	--	410 (<48)
9/27/16	23.01	--	19.1	12.10	2186	15.51	-52.5	--	1200 (240)
12/20/16	23.92	--	15.0	11.45	3314	9.49	-73	--	1900 (<48)
3/28/17	20.39	--	9.5	7.92	643	6.98	84.9	--	270 (79)
6/14/17	19.02	--	15.4	6.45	502	1.62	-169	--	100 / 120
9/26/17	20.09	--	21.7	5.51	657	4.60	123.4	--	50 JB / 84 B
3/27/18	17.32	--	11.6	12.45	2946	19.44	-75.2	--	ND
9/25/18	18.71	--	21.9	9.52	151	5.98	183.1	--	ND
3/26/19	14.40	--	12.0	12.57	1887	21.15	-83.5	--	ND
9/25/19	17.14	--	19.4	11.52	664	4.80	20.2	--	ND
4/28/20	16.26	--	12.3	12.34	1528	9.30	-14	--	ND
9/23/20	18.46	--	19.9	10.90	0.612	2.49	5.7	--	ND

Table 1
Historic Groundwater Field Data Summary (to Current)
Safety-Kleen Systems, Inc. - Corrective Action Program
N. Amityville, New York Facility

Date	PARAMETER								
	Depth to water (ft)	Groundwater Elevation (ft)	Temp °C	pH	Cond. uS	D.O. mg/L	Eh mV	Ozone	MSRO ug/L
VE-5									
3/12/09	15.94	--	12.0	6.94	212	5.63	178	0.11	190
6/17/09	15.20	--	15.5	8.01	259	5.60	55	0.06	390
9/22/09	16.53	--	19.0	7.50	313	9.65	30	0.01	ND
12/30/09	15.97	--	13.0	6.55	249	5.22	131	over range	ND
2/2/10	16.23	--	12.5	7.12	252	8.00	382	over range	ND
3/24/10	13.26	--	12.5	7.13	218	8.20	153	over range	ND
6/22/10	14.76	--	16.8	7.10	275	8.16	-36	over range	ND
9/22/10	18.20	--	19.0	7.04	210	3.20	-40	--	ND
12/15/10	18.80	--	15.0	7.08	221	3.05	20	0	ND
3/24/11	17.33	--	11.9	7.12	188	6.02	5	0	ND
6/16/11	16.50	--	15.8	7.04	255	6.15	7	over range	ND
9/14/11	15.38	--	18.0	7.04	184	4.70	37	0	ND
12/16/11	15.90	--	14.6	7.08	220	3.85	25	over range	ND
3/14/12	17.14	--	14.8	7.07	188	3.25	10	over range	ND
6/20/12	17.00	--	18.0	7.07	162	3.05	2	over range	ND
8/28/12	17.95	--	18.4	7.15	205	5.20	10	over range	ND
10/25/12	--	--	--	--	--	--	--	--	--
12/20/12	18.90	--	15.0	7.03	163	3.80	11	0.00	ND
3/14/13	17.07	--	11.0	7.20	163	3.71	18	0.00	ND
6/20/13	15.57	--	17.4	7.40	257	6.70	14	0.00	ND
9/24/13	18.59	--	17.8	7.62	180	4.01	5	0.00	ND
12/18/13	19.83	--	13.8	8.01	119	3.82	2	0.00	ND
2/14/14	18.95	--	8.9	7.55	316	2.09	235	0.00	ND
6/11/14	16.83	--	14.4	6.96		8.27	241.2	0.00	ND
8/26/14	17.25	--	18.5	7.48	165	3.04	79	--	ND
11/13/14	19.07	--	17.5	7.50	205	3.35	85	0.00	ND
12/16/14	17.44	--	13.2	7.25	254	17.92	138	--	ND
3/10/15	16.56	--	10.7	7.18	215	8.06	-198.5	--	ND
6/25/15	17.53	--	19.8	7.38	317	7.22	156.9	--	ND
9/23/15	19.69	--	17.7	8.49	365	13.74	145.8	--	97
12/7/15	20.51	--	13.4	8.96	624	7.45	147.8	--	ND
3/23/16	18.72	--	11.8	9.39	557	7.86	199.8	--	ND
6/14/16	19.32	--	16.5	7.70	318	7.11	148.7	--	ND
9/27/16	21.12	--	18.6	6.10	253	9.02	209.5	--	ND
12/19/16	21.28	--	8.7	7.90	437	4.28	60.7	--	ND
3/28/17	20.16	--	8.9	6.97	225	7.53	747	--	ND
6/13/17	18.79	--	13.1	6.10	246	6.49	-86.1	--	ND
9/26/17	19.95	--	18.6	6.08	234	7.56	256.3	--	ND
3/27/18	17.09	--	10.35	6.53	208	6.75	165.0	--	ND
9/24/18	18.47	--	19.73	6.04	299	5.74	137.1	--	ND
3/25/19	14.13	--	12.59	6.27	268	7.95	169.7	--	ND
9/25/19	16.93	--	19.20	6.04	184.8	5.26	115.0	--	ND
4/28/20	15.93	--	14.25	14.25	219	3.94	185.7	--	ND
9/23/20	18.20	--	18.88	6.16	0.208	5.27	98.4	--	ND

Table 1
Historic Groundwater Field Data Summary (to Current)
Safety-Kleen Systems, Inc. - Corrective Action Program
N. Amityville, New York Facility

Date	PARAMETER								
	Depth to water (ft)	Groundwater Elevation (ft)	Temp	pH	Cond.	D.O.	Eh	Ozone	MSRO
			°C		uS	mg/L	mV		ug/L
VP-A									
12/30/09		--							99
2/2/10	18.13	--	14.1	7.11	350	9.15	224	0.00	ND
3/24/10	15.18	--	13.5	7.11	271	9.66	144	over range	ND
6/22/10	16.50	--	15.5	7.13	188	10.23	-60	over range	ND
9/22/10	20.05	--	17.5	7.11	376	3.95	-45	--	ND
12/15/10	20.68	--	16.0	7.06	292	3.55	-35	0	ND
3/24/11	19.20	--	13.5	7.10	255	6.10	-20	0	ND
6/16/11	18.40	--	13.8	7.57	318	8.30	-12	0	ND
9/15/11	17.30	--	18.0	7.07	90	7.30	28	0	ND
12/16/11	17.79	--	16.6	7.06	233	5.88	15	0	ND
3/14/12	19.06	--	14.8	7.03	254	4.01	20	0	ND
6/20/12	18.90	--	15.5	7.04	294	3.55	18	0	ND
8/28/12	19.84	--	16.8	7.16	367	6.20	8	0	ND
10/25/12	--	--	--	--	--	--	--	--	--
12/20/12	20.78	--	16.0	7.02	255	1.80	-22	0.00	ND
3/14/13	17.07	--	11.0	7.20	163	3.71	18	0.00	ND
6/20/13	17.63	--	14.1	7.28	250	7.05	-1	0.00	ND
9/24/13	20.49	--	16.9	7.70	156	5.01	-10	0.00	100
12/18/13	21.69	--	14.7	7.05	277	4.92	-5	0.00	110
2/25/14	20.84	--	12.7	7.78	326	4.20	247	0.00	ND
6/11/14	18.71	--	12.9	8.88	--	11.39	168.4	0.00	ND
8/26/14	19.16	--	17.0	8.59	477	5.33	46	--	ND
11/13/14	18.50	--	17.8	7.85	485	3.88	125	0.00	ND
12/15/14	19.32	--	15.7	6.77	337	15.20	101	--	ND
3/10/15	18.45	--	13.9	8.26	323	107.00	-178	--	ND
6/25/15	19.42	--	12.2	9.46	415	10.86	122.6	--	ND
9/23/15	21.60	--	15.1	10.00	629	13.95	80.2	--	90
12/9/15	22.37	--	15.1	10.32	715	9.82	44.4	--	ND
3/23/16	20.61	--	14.4	11.32	618	127.70	119.1	--	ND
6/14/16	21.19	--	13.6	10.76	653	12.50	65.9	--	71
9/27/16	23.11	--	20.5	6.51	--	9.03	251.9	--	ND
12/20/16	23.17	--	13.3	8.63	614	5.96	-53.9	--	ND
3/28/17	22.04	--	11.5	7.38	351	9.47	128.3	--	ND
6/13/17	20.67	--	15.8	9.28	423	9.67	45.7	--	ND
9/26/17	21.86	--	19.0	8.41	319	10.98	218.3	--	ND
3/27/18	18.99	--	13.18	7.39	370	7.88	175.6	--	ND
9/25/18	20.38	--	16.54	9.28	328	10.96	228.5	--	ND
3/26/19	16.03	--	13.96	6.33	231	11.07	175.5	--	ND
9/25/19	18.82	--	17.40	6.00	210.7	6.71	116.9	--	ND
4/28/20	17.88	--	13.53	13.53	164	7.19	186.8	--	ND
9/23/20	20.09	--	17.14	6.09	0.265	6.99	103.1	--	ND

Table 1
Historic Groundwater Field Data Summary (to Current)
Safety-Kleen Systems, Inc. - Corrective Action Program
N. Amityville, New York Facility

Date	PARAMETER								
	Depth to water (ft)	Groundwater Elevation (ft)	Temp °C	pH	Cond. uS	D.O. mg/L	Eh mV	Ozone	MSRO ug/L
VP-B									
12/30/09	16.28	--	15.1	7.53	211	1.79	170	0.03	58
2/2/10	16.55	--	14.1	7.04	340	9.01	190	over range	66
3/24/10	13.68	--	13.8	7.09	229	7.14	137	over range	120
6/22/10	15.08	--	15.5	7.13	245	9.40	12	over range	ND
9/22/10	18.61	--	17.0	7.09	370	4.00	16	--	ND
12/15/10	19.20	--	14.9	7.03	370	2.97	20	0	ND
3/24/11	17.75	--	13.8	7.57	196	5.95	-15	0	ND
6/16/11	16.92	--	14.0	7.02	161	8.39	-19	over range	ND
9/15/11	15.81	--	17.5	7.30	96	7.40	-27	0	ND
12/16/11	16.30	--	16.3	7.56	171	4.99	-30	over range	ND
3/14/12	17.57	--	14.5	7.05	198	3.91	-15	over range	ND
6/20/12	17.40	--	15.8	7.03	150	3.88	-10	over range	ND
8/28/12	18.39	--	17.0	7.18	164	5.88	-25	over range	ND
10/25/12	--	--	--	--	--	--	--	--	--
12/20/12	19.30	--	16.0	7.03	183	2.55	-30	0.00	ND
3/14/13	17.53	--	13.2	7.51	503	2.80	-22	0.00	ND
6/20/13	16.16	--	13.7	7.64	157	6.72	-10	0.00	ND
9/24/13	19.00	--	16.8	7.77	170	4.80	-2	0.00	100
12/18/13	20.21	--	14.6	7.19	191	4.01	-1	0.00	93
2/25/14	19.35	--	14.0	7.87	189	7.41	239	0.00	ND
6/11/14	17.21	--	12.9	7.93		9.80	219.9	0.00	ND
8/26/14	17.67	--	16.2	8.22	332	6.52	94	--	ND
11/13/14	19.35	--	17.5	7.91	395	4.01	105	0.00	ND
12/15/14	17.81	--	15.9	6.60	312	11.48	109	--	ND
3/10/15	16.98	--	14.0	6.74	250	100.30	-175	--	ND
6/25/15	17.92	--	12.0	9.91	355	11.07	156.9	--	ND
9/23/15	20.10	--	15.1	10.44	613	12.48	76	--	69
12/9/15	20.90	--	15.6	10.48	775	8.25	44.1	--	ND
3/23/16	19.11	--	14.7	10.08	594	9.91	122.4	--	ND
6/14/16	19.72	--	13.7	10.06	518	11.79	81.1	--	69
9/27/16	21.47	--	17.4	7.11	--	7.99	263	--	ND
12/20/16	21.68	--	14.9	6.28	728	2.90	-74.8	--	ND
3/28/17	20.54	--	12.4	6.70	383	6.59	103	--	ND
6/13/17	19.17	--	14.6	7.77	372	7.49	34	--	ND
9/26/17	20.43	--	17.4	7.47	304	10.53	242.9	--	ND
3/27/18	17.51	--	14.82	6.70	289	7.89	203.3	--	ND
9/25/18	18.89	--	16.53	8.36	272	10.15	268.7	--	ND
3/26/19	14.58	--	14.47	6.30	188	10.57	216.9	--	ND
9/25/19	17.33	--	16.90	5.94	234.7	7.07	131.2	--	ND
4/28/20	16.39	--	14.21	14.21	136	8.20	189.2	--	ND
9/23/20	18.62	--	16.72	6.17	0.246	6.64	102.6	--	ND

Table 1
Historic Groundwater Field Data Summary (to Current)
Safety-Kleen Systems, Inc. - Corrective Action Program
N. Amityville, New York Facility

Date	PARAMETER								
	Depth to water (ft)	Groundwater Elevation (ft)	Temp °C	pH	Cond. uS	D.O. mg/L	Eh mV	Ozone	MSRO ug/L
DW-1									
3/24/05	--	--	7.7	7.51	543	5.8	95	--	ND
6/27/05	--	--	20.6	6.53	105	1.94	125	0	ND
9/20/05	9.50	--	25.5	6.27	110	1.87	-35	0	ND
12/13/05	6.95	--	12.0	7.41	43	11.21	45	0	ND
3/15/06	10.36	--	8.6	7.78	97	7.41	102	0.1	ND
6/22/06	8.90	--	18.5	7.46	66	7.00	88	-0.08	ND
9/26/06	8.36	--	22.4	7.03	65	3.74	34	0.05	ND
12/19/06	10.35	--	12.5	7.31	94	4.25	-41	-0.01	ND
3/27/07	8.70	--	8.5	7.16	209	5.2	-60	-0.08	ND
6/26/07	8.98	--	21.3	7.13	67	4.80	-25	0.10	ND
9/20/07	9.58	--	23.0	7.08	63	6.70	-46	0.07	ND
12/20/07	7.65	--	8.5	7.02	72	5.28	25	--	ND
3/27/08	7.90	--	8.1	7.21	82	4.85	-123	ND	ND
6/19/08	4.30	--	22.4	7.13	56	6.55	-10	0.08	ND
9/25/08	DRY	--	--	--	--	--	--	--	--
12/18/08	DRY	soil sample coll.	--	--	--	--	--	--	--
3/12/09	10.48	soil sample coll.	13.0	7.30	65	6.55	-8	ND	ND
6/17/09	DRY	soil sample coll.	--	--	--	--	--	--	--
9/22/09	DRY	soil sample coll.	--	--	--	--	--	--	--
12/30/09	DRY	soil sample coll.	--	--	--	--	--	--	--
2/2/10	DRY	soil sample coll.	--	--	--	--	--	--	--
3/24/10	DRY	soil sample coll.	oil sample wa	--	--	--	--	--	--
6/22/10	DRY	soil sample coll.	--	--	--	--	--	--	--
9/22/10	DRY	soil sample coll.	--	--	--	--	--	--	--
12/15/10	DRY	soil sample coll.	--	--	--	--	--	--	--
3/24/11	9.82	--	8.5	7.10	25	10.50	80	0.00	ND
6/16/11	8.58	--	22.0	7.09	67	5.60	45	0.00	ND
9/15/11	DRY	soil sample coll.	--	--	--	--	--	--	--
12/16/11	DRY	soil sample coll.	--	--	--	--	--	--	--
3/14/12	DRY	soil sample coll.	--	--	--	--	--	--	--
6/20/12	DRY	soil sample coll.	--	--	--	--	--	--	--
8/28/12	N/S	--	--	--	--	--	--	--	--
10/25/12	DRY	soil sample coll.	--	--	--	--	--	--	--
3/14/13	DRY	soil sample coll.	--	--	--	--	--	--	--
6/20/13	DRY	soil sample coll.	--	--	--	--	--	--	--
9/24/13	DRY	soil sample coll.	--	--	--	--	--	--	--
12/18/13	DRY	soil sample coll.	--	--	--	--	--	--	--
2/25/14	DRY	soil sample coll.	--	--	--	--	--	--	--
6/11/14	DRY	soil sample coll.	--	--	--	--	--	--	--
8/26/14	DRY	soil sample coll.	--	--	--	--	--	--	--
11/12/14	DRY	soil sample coll.	--	--	--	--	--	--	--
12/16/14	DRY	soil sample coll.	--	--	--	--	--	--	--
3/10/15	9.71	--	4.4	6.34	442	146.20	-215.6	--	ND
6/25/15	--	--	20.2	6.56	40	4.98	228.5	--	ND

Table 1
Historic Groundwater Field Data Summary (to Current)
Safety-Kleen Systems, Inc. - Corrective Action Program
N. Amityville, New York Facility

Date	PARAMETER								
	Depth to water (ft)	Groundwater Elevation (ft)	Temp °C	pH	Cond. uS	D.O. mg/L	Eh mV	Ozone	MSRO ug/L
DW-1 (Continued)									
9/23/15	DRY	soil sample coll.	--	--	--	--	--	--	--
12/9/15	DRY	soil sample coll.	--	--	--	--	--	--	--
3/23/16	9.84	--	9.1	7.99	49	10.07	64.4	--	ND
6/14/16	9.72	--	21.4	9.19	53	7.27	102.4	--	ND
9/26/16	10.10	--	24.4	9.91	--	3.25	150.9	--	ND
12/19/16	8.73	--	7.4	7.28	79	6.36	-53	--	ND
3/28/17	9.85	--	5.0	7.45	218	9.72	80.2	--	ND
6/12/17	10.22	--	19.8	6.60	66	3.20	-200.5	--	ND
9/26/17	--	--	27.3	7.46	69	1.48	92.5	--	ND
3/26/18	7.75	--	8.22	7.19	59	9.65	192.2	--	42
9/24/18	9.40	--	24.12	6.93	61	1.38	22.2	--	ND
3/25/19	7.20	--	9.40	7.45	435	4.37	-13.1	--	60
9/25/19	10.20	--	26.30	6.24	75.4	1.09	158.7	--	ND
4/28/20	7.95	--	12.05	7.58	62	7.30	192.9	--	ND
9/23/20	9.00	--	24.94	7.90	0.076	1.55	-18.3	--	ND
Notes: Temperature recorded in C Conductivity measured in uS Dissolved Oxygen measured in mg/l Eh measured in Mv Ozone measured in mg/l B = Analyte in a blank ND = Not detected "--" = Not measured or not applicable Total Concentration / Duplicate Concentration (Dissolved Concentration)									

Table 2
Groundwater Monitoring Results Summary (to Current)
Safety-Kleen Systems, Inc. - Corrective Action Program
N. Amityville, New York Facility

T.O.G.S 1.1.1 Standards		Volatile Organic Compounds Method 8260B (ug/L)												
Sample ID	Sample Date	50 Acetone	1 Benzene	5 Toluene	5 Ethylbenzene	5 Xylenes (Total)	5 Tetrachloroethene	5 Chlorobenzene	3 1,2- Dichlorobenzene	3 1,3- Dichlorobenzene	3 1,4- Dichlorobenzene	5 Total 1,2- Dichloroethene	5 1,1,1- Trichloroethane	50 Mineral Spirits
GT-1	3/14/94	<50	<1	<5	51	410	<5	170	<3	21	81	<2	<5	NS
GT-1	2/9/96	<50	<1	<5	5	49	<5	19	13	<3	12	<2	<5	444
GT-1	5/28/96	<50	<1	<5	<5	16	<5	24	10	<3	13	<2	<5	186
GT-1	DUPLICATE	<50	<1	<5	<5	16	<5	23	<3	<3	13	11	<5	244
GT-1	8/22/96	<50	<1	<5	8	76	<5	41	20	5	23	<2	<5	588
GT-1	12/2/96	<50	<1	<5	<5	42	<5	18	10	<3	10	<2	<5	NS
GT-1	2/27/97	<50	<1	<5	<5	34	<5	16	7	<3	8	<2	<5	113
GT-1	2/27/97	<50	<1	<5	0.8	29	<5	17	9	3	13	<2	<5	170
GT-1	5/28/97	<50	<1	<5	6	52	<5	22	12	<3	11	<2	<5	<50
GT-1	DUPLICATE	<50	<1	<5	6	52	<5	22	12	<3	11	<2	<5	<50
GT-1	5/28/97	<50	<1	<5	6	47	<5	20	9	<3	10	<2	<5	51
GT-1	9/9/97	<50	<1	<5	22	167	<5	72.9	33.1	9.4	38.2	<2	<5	308
GT-1	DUPLICATE	<50	<1	<5	18.6	150	<5	64.8	29.1	8.5	32.6	<2	<5	277
GT-1	SPLIT	<50	<1	<5	17	130	<5	62	33	9	38	<2	<5	5000
GT-1	12/18/97	<50	<1	<5	9	62	<5	26	16	4	18	<2	<5	43
GT-1	DUPLICATE	<50	<1	<5	8	61	<5	26	14	4	16	<2	<5	33
GT-1	6/25/98	<50	<1	<5	<5	23.2	<5	15.6	17	<3	15.9	<2	<5	50.6
GT-1	DUPLICATE	<50	<1	<5	<5	22.9	<5	15.5	16.6	<3	15	<2	<5	55.4
GT-1	SPLIT	<50	<1	<5	<5	18	<5	<5	19	<3	16	<2	<5	<50
GT-1	10/13/98	<50	<1	<5	8.9	70.3	<5	37.4	14.9	<3	21.4	<2	<5	96
GT-1	DUPLICATE	<50	<1	<5	7	55.8	<5	25.2	13.6	<3	16.9	<2	<5	113
GT-1	12/4/98	<50	<1	<5	8.7	51	<5	26.5	16.1	<3	16.8	<2	<5	128
GT-1	DUPLICATE	<50	<1	<5	9.1	47.5	<5	26.1	15.6	<3	16	<2	<5	115
GT-1	6/16/99	<50	<1	<5	9.5	53.9	<5	28.9	30.5	7.9	36.8	<2	<5	820
GT-1	DUPLICATE	<50	<1	<5	5.9	36.6	<5	18	26.5	7.5	34.7	<2	<5	335
GT-1	9/30/99	<50	<1	<5	14.2	71.4	<5	45.4	31.2	7.2	34.2	<2	<5	<50
GT-1	DUPLICATE	<50	<1	<5	15.7	80.1	<5	49.4	36.9	8.9	41.4	<2	<5	<50
GT-1	12/22/99	<50	<1	<5	9.4	42.7	<5	22.5	21.9	6.2	25.8	<2	<5	2480
GT-1	3/15/00	<50	<1	<5	<5	<5	<5	<5	<3	<3	<3	<2	<5	<50
GT-1	DUPLICATE	<50	<1	<5	1	9	<5	5	4	1	4	0.3	<5	250
GT-1	6/28/00	<50	<1	<5	7	36.3	<5	19.4	12.7	<3	13.2	<2	<5	92
GT-1	DUPLICATE	<50	<1	0.3	5	37	<5	19	17	4	19	2	<5	38.4
GT-1	9/20/00	<50	<1	<5	<5	24.9	<5	11.2	13	<3	14.8	<2	<5	118
GT-1	DUPLICATE	<50	<1	<5	<5	10	<5	5	6	2	10	1	<5	23
GT-1	12/20/00	<50	<1	<5	<5	7.9	<5	5.9	6.8	<3	7.6	<2	<5	87.4
GT-1	DUPLICATE	<50	<1	<5	<5	<5	<5	<5	<3	<3	<3	<2	<5	4
GT-1	3/15/01	<50	<1	<5	<5	8.2	<5	6.9	5.9	<3	5.7	<2	<5	<50
GT-1	DUPLICATE	<50	<1	<5	<5	17	<5	8	9	<3	8	<2	<5	3
GT-1	8/23/01	<50	<1	<5	5.1	20.1	<5	7.5	12.9	<3	11.9	<2	<5	186
GT-1	DUPLICATE	<50	<1	<5	5	22	<5	8	18	<3	<3	0.8	<5	450
GT-1	11/6/01	<50	<1	<5	7	35	<5	15	25	<3	24	<2	<5	100
GT-1	DUPLICATE	<50	<1	<5	5	27	<5	11	20	<3	18	<2	<5	110
GT-1	2/5/02	<50	<1	<5	<5	120	<5	<5	98	<3	92	<2	<5	120000
GT-1	DUPLICATE	<50	<1	<5	<5	170	<5	<5	160	<3	160	<2	<5	140000
GT-1	4/16/02	<50	<1	<5	<5	53	<5	<5	68	<3	57	<2	<5	360000
GT-1	DUPLICATE	<50	<1	<5	<5	63	<5	<5	77	<3	66	<2	<5	490000
GT-1	10/11/02	<50	<1	<5	5	17	<5	<5	20	4	18	<2	<5	130
GT-1	DUPLICATE	<50	<1	<5	5	19	<5	5	22	4	21	<2	<5	880
GT-1	1/23/03	<50	<1	<5	<5	10	<5	<5	15	<3	13	<2	<5	340
GT-1	DUPLICATE	<50	<1	<5	<5	8	<5	<5	14	<3	12	<2	<5	800
GT-1	4/22/03	<50	<1	<5	<5	11	<5	<5	20	4	18	<2	<5	310
GT-1	DUPLICATE	<50	<1	<5	<5	6	<5	<5	19	3	17	<2	<5	240
GT-1	7/22/03	<50	<1	<5	<5	15	<5	<5	27	5	22	<2	<5	<50
GT-1	DUPLICATE	<50	<1	<5	<5	12	<5	<5	21	4	18	<2	<5	<50
GT-1	12/9/03	<50	<1	<5	5	22	<5	13	33	9	40	<2	<5	560
GT-1	DUPLICATE	<50	<1	<5	5	22	<5	14	34	9	42	<2	<5	710
GT-1	3/25/2004 *	<50	<1	<5	<5	19	<5	8	44	9	41	<2	<5	490
GT-1	DUPLICATE	<50	<1	<5	<5	18	<5	9	42	9	43	<2	<5	<50
GT-1	6/29/04	<50	<1	<5	<5	<5	<5	<5	8	<3	9	<2	<5	510
GT-1	DUPLICATE	<50	<1	<5	<5	5	<5	<5	13	<3	14	<2	<5	<50
GT-1	10/4/04	<50	<1	<5	<5	<5	<5	6	5	<3	8	<2	<5	<50
GT-1	DUPLICATE	<50	<1	<5	<5	5	<5	10	10	3	14	<2	<5	<50

Table 2
Groundwater Monitoring Results Summary (to Current)
Safety-Kleen Systems, Inc. - Corrective Action Program
N. Amityville, New York Facility

T.O.G.S 1.1.1 Standards		Volatile Organic Compounds Method 8260B (ug/L)												
Sample ID	Sample Date	50 Acetone	1 Benzene	5 Toluene	5 Ethylbenzene	5 Xylenes (Total)	5 Tetrachloroethene	5 Chlorobenzene	3 1,2- Dichlorobenzene	3 1,3- Dichlorobenzene	3 1,4- Dichlorobenzene	5 Total 1,2- Dichloroethene	5 1,1,1- Trichloroethane	50 Mineral Spirits
GT-1	12/28/04	<50	<1	<5	<5	6	<5	11	11	3	16	<2	<5	320
GT-1	3/24/05	<50	<1	<5	<5	<5	<5	<5	<3	<3	6	<2	<5	440
GT-1	7/6/05	<50	<1	<5	<5	<5	<5	<5	<3	<3	4	<2	<5	56
GT-1	DUPLICATE	<50	<1	<5	<5	<5	<5	<5	<3	<3	<3	<2	<5	<50
GT-1	9/20/05	<50	<1	<5	<5	<5	<5	4	9	3	13	<2	<5	180
GT-1	12/13/05	<50	<1	<5	<5	8	<5	10	17	6	32	<2	<5	1400
GT-1	3/15/06	<50	<1	<5	<5	6	<5	9	26	5	26	<2	<5	2600
GT-1	6/22/06	<50	<1	<5	<5	6	<5	9	24	9	29	<2	<5	3300
GT-1	9/26/06	<50	<1	<5	<5	<5	<5	<5	15	3	15	<2	<5	3100
GT-1	12/19/06	<50	<1	<5	<5	7	<5	<5	23	4	20	<2	<5	2500
GT-1	DUPLICATE	<50	<1	<5	<5	5	<5	<5	17	3	16	<2	<5	2700
GT-1	3/27/07	<50	<1	<5	<5	<5	<5	<5	12	<3	12	<2	<5	1600
GT-1	DUPLICATE	<50	<1	<5	<5	<5	<5	<5	13	<3	13	<2	<5	1400
GT-1	6/26/07	<50	<1	<5	<5	<5	<5	<5	10	<3	12	<2	<5	880
GT-1	DUPLICATE	<50	<1	<5	<5	<5	<5	<5	8	<3	9	<2	<5	1400
GT-1	9/20/07	<50	<1	<5	<5	5	<5	<5	18	5	20	<2	<5	2400
GT-1	DUPLICATE	<50	<1	<5	<5	7	<5	<5	24	5	24	<2	<5	3000
GT-1	10/16/07	<50	<1	<5	<5		<5	<5	<3	<3	4	<2	<5	200
GT-1	DUPLICATE	<50	<1	<5	<5	8	<5	6	24	7	31	<2	<5	2800
GT-1	12/20/07	<50	<1	<5	<5	<5	<5	<5	7	<3	7	<2	<5	720
GT-1	DUPLICATE	<50	<1	<5	<5	<5	<5	<5	7	<3	7	<2	<5	550
GT-1	3/27/08	<50	<1	<5	<5	<5	<5	<5	6	<3	8	<2	<5	480
GT-1	DUPLICATE	<50	<1	<5	<5	<5	<5	<5	6	<3	9	<2	<5	1300
GT-1	6/19/08	<50	<1	<5	<5	<5	<5	<5	7	<3	10	<2	<5	1900
GT-1	DUPLICATE	<50	<1	<5	<5	<5	<5	<5	8	<3	10	<2	<5	1900
GT-1	9/25/08	<50	<1	<5	<5	<5	<5	<5	18	4	20	<2	<5	3100
GT-1	DUPLICATE	<50	<1	<5	<5	<5	<5	<5	18	4	21	<2	<5	3000
GT-1	12/18/08	<50	<1	<5	<5	<5	<5	<5	8.7	<3	11	<2	<5	1300
GT-1	DUPLICATE	<50	<1	<5	<5	<5	<5	<5	8.6	<3	11	<2	<5	4800
GT-1	3/12/09	<50	<1	5.7	<5	<5	<5	<5	6.3	<3	10	<2	<5	500
GT-1	DUPLICATE	<50	<1	6.3	<5	<5	<5	<5	5.6	<3	9.4	<2	<5	710
GT-1	6/17/09	<50	<1	<5	<5	<5	<5	<5	<3	<3	<3	<2	<5	50
GT-1	DUPLICATE	<50	<1	<5	<5	<5	<5	<5	<3	<3	<3	<2	<5	73
GT-1	9/22/09	<50	<1	<5	<5	<5	<5	<5	3.5	<3	6.2	<2	<5	530
GT-1	DUPLICATE	<50	<1	<5	<5	<5	<5	<5	3.1	<3	5.8	<2	<5	680
GT-1	12/30/09	<0.58	<0.14	<0.18	<0.14	<0.3	3.0J	<0.057	1.3J	0.52J	2.3J	<0.24	<0.16	1300E
GT-1	DUPLICATE	1.2J	<0.14	<0.18	<0.14	<0.3	3.2J	<0.057	1.2J	0.55J	<0.17	<0.24	<0.16	1400E
GT-1	2/2/10	0.65J	<0.14	<0.18	<0.14	2.7J	2.5J	0.14J	2.0J	0.80J	<0.17	<0.24	<0.16	1000
GT-1	DUPLICATE	<0.58	<0.14	<0.18	<0.14	<0.3	3.4J	0.11J	1.2J	0.54J	2.3J	<0.24	<0.16	1100E
GT-1	3/24/10	5.7J	<0.14	<0.18	<0.14	<0.3	0.88	<0.057	1.6J	1.1J	4.1J	<0.24	<0.16	6400
GT-1	DUPLICATE	7.6J	<0.14	<0.18	<0.14	<0.3	0.88	<0.057	1.6J	1.1J	4.2J	<0.24	<0.16	4500
GT-1	6/22/10	0.74JB	<0.14	<0.18	<0.14	<0.3	1.6J	<0.057	1.3JH	0.56J	2.5J	<0.24	<0.16	3000
GT-1	DUPLICATE	0.59JB	<0.14	<0.18	<0.14	<0.3	1.6J	<0.057	1.5J	0.64J	2.9J	<0.24	<0.16	2400
GT-1	9/22/10	1.1J	<0.14	<0.18	<0.14	0.71J	<0.11	<0.057	4.9	2.5J	10	<0.24	<0.16	18000
GT-1	DUPLICATE	1.4J	<0.14	<0.18	<0.14	<0.3	<0.11	<0.057	4.9	2.6J	11	<0.24	<0.16	16000
GT-1	12/15/10	<2.3	<0.56	<0.72	<0.56	<1.2	0.52J	<0.23	9.1J	5.2J	21	<0.96	<0.64	12000
GT-1	DUPLICATE	<2.3	<0.56	<0.72	<0.56	0.91J	0.40J	<0.23	9.1	5.1	20	<0.96	<0.64	39000
GT-1	3/24/11	4.1J	<0.14	<0.18	<0.14	0.65J	0.74J	<0.057	6.8	4	15	0.25J	<0.16	18000
GT-1	DUPLICATE	3.2J	<0.14	<0.18	<0.14	0.71J	0.92J	<0.057	6.9	4.1	15	<0.24	<0.16	24000
GT-1	6/16/11	1.2JB	<0.14	<0.18	<0.14	0.38J	0.75J	<0.057	2.3J	1.8J	6.5	0.27J	<0.16	8500
GT-1	DUPLICATE	2.4J	<0.14	<0.18	<0.14	1.9J	0.77J	<0.057	2.8J	2.3J	7.2	0.40J	<0.16	11000
GT-1	9/15/11	1.8J	<0.14	<0.18	<0.14	<0.3	1.1J	<0.057	2.0J	1.7J	5.5	<0.24	<0.16	12000
GT-1	DUPLICATE	<0.58	<0.14	<0.18	<0.14	<0.3	1.1J	<0.057	2.0J	1.8J	5.3	<0.24	<0.16	10000
GT-1	12/16/11	<2.5	<0.13	<0.09	<0.25	<0.43	0.71J	<0.16	2.2J	1.9J	5.6	<0.29	<0.25	15000
GT-1	DUPLICATE	<2.5	<0.13	<0.09	<0.25	<0.43	1.3J	<0.16	1.6J	1.3JH	4	<0.29	<0.25	7400
GT-1	3/14/12	<2.7	<0.08	<0.15	<0.1	<0.13	0.28J	<0.11	2.2J	2.1J	6.4	<0.29	<0.06	16000
GT-1	DUPLICATE	<2.7	<0.08	<0.15	<0.1	<0.13	0.23J	<0.11	2.1J	2.0J	6.1	0.32J	<0.06	14000
GT-1	6/20/12	<2.7	<0.08	<0.15	<0.1	<0.13	0.28JH	<0.11	1.3JH	1.3JH	4.0H	<0.29	<0.06	15000H
GT-1	DUPLICATE	<2.7	<0.08	<0.15	<0.1	<0.13	0.33JH	<0.11	1.3JH	1.3JH	4.0H	<0.29	<0.06	12000H
GT-1	8/28/12	<2.7	<0.08	<0.15	<0.1	<0.13	0.29J	<0.11	1.7J	1.5J	4.5	<0.29	<0.06	9200
GT-1	DUPLICATE	<2.7	<0.08	<0.15	<0.1	<0.13	0.20J	<0.11	1.9J	1.5J	4.8	<0.29	<0.06	10000
GT-1	10/25/12	17J	<0.08	<0.15	<0.1	<0.13	<0.1	<0.11	4.7	4.2	13	<0.29	<0.06	23000
GT-1	DUPLICATE	17J	<0.08	<0.15	<0.1	<0.13	0.15J	<0.11	4.8	4.5	13	<0.29	<0.06	21000

Table 2
Groundwater Monitoring Results Summary (to Current)
Safety-Kleen Systems, Inc. - Corrective Action Program
N. Amityville, New York Facility

T.O.G.S 1.1.1 Standards		Volatile Organic Compounds Method 8260B (ug/L)												
Sample ID	Sample Date	50 Acetone	1 Benzene	5 Toluene	5 Ethylbenzene	5 Xylenes (Total)	5 Tetrachloroethene	5 Chlorobenzene	3 1,2- Dichlorobenzene	3 1,3- Dichlorobenzene	3 1,4- Dichlorobenzene	5 Total 1,2- Dichloroethene	5 1,1,1- Trichloroethane	50 Mineral Spirits
GT-1	12/20/12	<2.7	<0.08	<0.15	<0.1	<0.13	<0.1	<0.11	4	3.6	11	<0.29	<0.06	24000
GT-1	DUPLICATE	<2.7	<0.08	<0.15	<0.1	<0.13	<0.1	<0.11	3.9	3.5	11	<0.29	<0.06	32000
GT-1	3/14/13	<2.7	<0.08	<0.15	<0.1	<0.13	0.12J	<0.11	0.84J	1.4J	3.6	<0.29	<0.06	22000
GT-1	DUPLICATE	<2.7	<0.08	<0.15	<0.1	<0.13	0.11J	<0.11	0.87J	1.4J	3.8	<0.29	<0.06	21000
GT-1	6/20/13	<2.7	<0.08	<0.15	<0.1	<0.13	0.19J	<0.11	0.24J	0.62J	1.4J	<0.29	<0.06	16000
GT-1	DUPLICATE	<2.7	<0.08	<0.15	<0.1	<0.13	0.30J	<0.11	0.25J	0.60J	1.4J	<0.29	<0.06	15000
GT-1	9/24/13	ND	ND	ND	ND	ND	0.15J	ND	0.88J	1.6J	4	ND	ND	41000
GT-1	DUPLICATE	ND	ND	ND	ND	ND	0.14J	ND	0.93J	1.7J	4.1	ND	ND	42000
GT-1	12/18/13	14J	<0.08	<0.15	<0.1	<0.13	0.19J	<0.11	0.45J	1.0J	2.3J	<0.29	<0.06	5700
GT-1	DUPLICATE	17J	<0.08	<0.15	<0.1	<0.13	0.20J	<0.11	0.47J	1.0J	2.3J	<0.29	<0.06	5100
GT-1	2/25/14	<2.7	<0.08	<0.15	<0.1	<0.13	0.24J	<0.11	0.33J	0.98J	2.1J	<0.29	<0.06	6100
GT-1	DUPLICATE	<2.7	<0.08	<0.15	<0.1	<0.13	0.23J	<0.11	0.35J	1.0J	2.3J	<0.29	<0.06	6100
GT-1	6/11/14	11J	<0.08	<0.15	<0.1	<0.13	0.27J	<0.11	<0.21	0.19J	0.53J	<0.29	<0.06	1400
GT-1	DUPLICATE	11J	<0.08	<0.15	<0.1	<0.13	0.27J	<0.11	<0.21	<0.14	<0.23	<0.29	<0.06	1400
GT-1	8/26/14	ND	ND	ND	ND	ND	0.22J	ND	ND	0.21J	0.46J	ND	ND	520
GT-1	DUPLICATE	ND	ND	ND	ND	ND	0.24J	ND	ND	0.21J	0.42J	ND	ND	1500
GT-1	11/13/14	<2.7	<0.08	<0.15	<0.1	<0.13	<0.1	<0.11	<0.21	<0.14	<0.23	<0.29	<0.06	120
GT-1	DUPLICATE	<2.7	<0.08	<0.15	<0.1	<0.13	<0.1	<0.11	<0.21	<0.14	<0.23	<0.29	<0.06	<50
GT-1	12/15/14	<2.7	<0.08	<0.15	<0.1	<0.13	<0.1	<0.11	<0.21	<0.14	<0.23	<0.29	<0.06	<50
GT-1	3/10/15	<1.1	<0.19	<0.25	<0.3	<0.28	<0.36	<0.24	<0.22	<0.33	<0.33	<0.18	<0.28	<50
GT-1	6/25/15	18J	<0.09	<0.25	<0.3	<0.28	<0.12	<0.24	<0.22	<0.33	<0.33	<0.18	<0.28	<50
GT-1	9/24/15	<1.1	<0.09	<0.25	<0.3	<0.28	<0.12	<0.24	<0.22	<0.33	<0.33	<0.18	<0.28	320
GT-1	12/8/15	<1.1	<0.090	<0.25	<0.3	<0.28	<0.12	<0.24	<0.22	<0.33	<0.33	<0.18	<0.28	950
GT-1	3/23/16	<1.1	<0.090	<0.25	<0.3	<0.28	<0.12	<0.24	<0.22	<0.33	<0.33	<0.18	<0.28	2500
GT-1	6/15/16	<1.1	<0.090	<0.25	<0.3	<0.28	<0.12	<0.24	<0.22	<0.33	<0.33	<0.18	<0.28	5000
GT-1	9/27/16	<1.1	<0.090	<0.25	<0.3	<0.28	<0.12	<0.24	<0.22	<0.33	<0.33	<0.18	<0.28	420
GT-1	12/20/16	<1.1	<0.090	<0.25	<0.3	<0.28	<0.12	<0.24	<0.22	<0.33	<0.33	<0.18	<0.28	4700
GT-1	DUPLICATE	<1.1	<0.090	<0.25	<0.3	<0.28	<0.12	<0.24	<0.22	<0.33	<0.33	<0.18	<0.28	4100
GT-1	3/27/17	<1.1	<0.090	<0.25	<0.3	<0.28	<0.12	<0.24	<0.22	<0.33	<0.33	<0.18	<0.28	<51
GT-1	DUPLICATE	<1.1	<0.090	<0.25	<0.3	<0.28	<0.12	<0.24	<0.22	<0.33	<0.33	<0.18	<0.28	<51
GT-1	6/13/17	<1.1	<0.090	<0.25	<0.3	<0.28	<0.12	<0.24	<0.22	<0.33	<0.33	<0.18	<0.28	110
GT-1	9/26/17	<1.1	<0.090	<0.25	<0.30	<0.28	<0.12	<0.24	<0.22	<0.33	<0.33	<0.18	<0.28	240 B
GT-1	3/27/18	6.0JB	<0.090	<0.25	<0.30	<0.28	<0.12	<0.24	<0.22	<0.33	<0.33	<0.18	<0.28	510
GT-1	9/25/18	9.2JB	<0.43	<0.38	<0.30	<0.65	<0.25	<0.38	<0.43	<0.34	<0.76	<0.44	<0.24	120
GT-1	3/26/19	<5.0	<0.43	<0.38	<0.30	<0.65	<0.25	<0.38	<0.43	<0.34	<0.76	<0.44	<0.24	<13
GT-1	DUPLICATE	<5.0	<0.43	<0.38	<0.30	<0.65	<0.25	<0.38	<0.43	<0.34	<0.76	<0.44	<0.24	<13
GT-1	9/25/19	7.5JB	<0.20	<0.38	<0.30	<0.65	<0.25	<0.38	<0.43	<0.34	<0.76	<0.44	<0.24	<13
GT-1	DUPLICATE	7.0JB	<0.20	<0.38	<0.30	<0.65	<0.25	<0.38	<0.43	<0.34	<0.76	<0.44	<0.24	<13
GT-1	4/29/20	<4.4	<0.20	<0.38	<0.30	<0.65	<0.25	<0.38	<0.43	<0.34	<0.76	<0.44	<0.24	<13
GT-1	DUPLICATE	<4.4	<0.20	<0.38	<0.30	<0.65	<0.25	<0.38	<0.43	<0.34	<0.76	<0.44	<0.24	<13
GT-1	9/23/20	<4.4	<0.20	<0.38	<0.30	<0.65	<0.25	<0.38	<0.43	<0.34	<0.76	<0.44	<0.24	88 ⁽¹⁾
GT-2	2/9/96	<50	<1	<5	<5	<5	<5	<5	<3	<3	<3	<2	<5	<50
GT-2	5/28/96	<50	<1	<5	<5	<5	<5	<5	<3	<3	<3	<2	<5	<50
GT-2	8/22/96	<50	<1	<5	<5	<5	<5	<5	<3	<3	<3	<2	<5	<50
GT-2	12/2/96	<50	<1	<5	<5	<5	<5	<5	<3	<3	<3	<2	<5	<50
GT-2	2/27/97	<50	<1	<5	<5	<5	<5	<5	<3	<3	<3	<2	<5	<50
GT-2	5/28/97	<50	<1	<5	<5	<5	<5	<5	<3	<3	<3	<2	<5	<50
GT-2	9/9/97	<50	<1	<5	<5	<5	<5	<5	<3	<3	<3	<2	<5	<50
GT-2	12/18/97	<50	<1	<5	<5	<5	<5	<5	<3	<3	<3	<2	<5	<50
GT-2	6/25/98	<50	<1	<5	<5	<5	<5	<5	<3	<3	<3	<2	<5	<50
GT-2	10/13/98	<50	<1	<5	<5	<5	<5	<5	<3	<3	<3	<2	<5	<50
GT-2	12/4/98	<50	<1	<5	<5	<5	<5	<5	<3	<3	<3	<2	<5	<50
GT-2	6/16/99	<50	<1	<5	<5	<5	<5	<5	<3	<3	<3	<2	<5	<50
GT-2	9/30/99	<50	<1	<5	<5	<5	<5	<5	<3	<3	<3	<2	<5	<50
GT-2	12/22/99	<50	<1	<5	<5	<5	<5	<5	<3	<3	<3	<2	<5	<50
GT-2	3/15/00	<50	<1	<5	<5	<5	<5	<5	<3	<3	<3	<2	<5	<50
GT-2	6/28/00	<50	<1	<5	<5	<5	<5	<5	<3	<3	<3	<2	<5	<50
GT-2	9/20/00	<50	<1	<5	<5	<5	<5	<5	<3	<3	<3	<2	<5	<50
GT-2	12/20/00	<50	<1	<5	<5	<5	<5	<5	<3	<3	<3	<2	<5	<50
GT-2	3/15/01	<50	<1	<5	<5	<5	<5	<5	<3	<3	<3	<2	<5	<50
GT-2	8/23/01	<50	<1	<5	<5	<5	<5	<5	<3	<3	<3	<2	<5	<50
GT-2	11/6/01	<50	<1	<5	<5	<5	<5	<5	<3	<3	<3	<2	<5	<50
GT-2	2/5/02	<50	<1	<5	<5	<5	<5	<5	<3	<3	<3	<2	<5	<50

Table 2
Groundwater Monitoring Results Summary (to Current)
Safety-Kleen Systems, Inc. - Corrective Action Program
N. Amityville, New York Facility

T.O.G.S 1.1.1 Standards		Volatile Organic Compounds Method 8260B (ug/L)												
Sample ID	Sample Date	50 Acetone	1 Benzene	5 Toluene	5 Ethylbenzene	5 Xylenes (Total)	5 Tetrachloroethene	5 Chlorobenzene	3 1,2- Dichlorobenzene	3 1,3- Dichlorobenzene	3 1,4- Dichlorobenzene	5 Total 1,2- Dichloroethene	5 1,1,1- Trichloroethane	50 Mineral Spirits
GT-2	4/16/02	<50	<1	<5	<5	<5	<5	<5	<3	<3	<3	<2	<5	<50
GT-2	10/11/02	<50	<1	<5	<5	<5	<5	<5	<3	<3	<3	<2	<5	<50
GT-2	1/23/03	<50	<1	<5	<5	<5	<5	<5	<3	<3	<3	<2	<5	<50
GT-2	7/22/03	<50	<1	<5	<5	<5	<5	<5	<3	<3	<3	<2	<5	<50
GT-2	12/9/03	<50	<1	<5	<5	<5	<5	<5	<3	<3	<3	<2	<5	<50
GT-2	4/22/04	<50	<1	<5	<5	<5	<5	<5	<3	<3	<3	<2	<5	<50
GT-2	6/29/04	<50	<1	<5	<5	<5	<5	<5	<3	<3	<3	<2	<5	<50
GT-2	10/4/04	<50	<1	<5	<5	<5	<5	<5	<3	<3	<3	<2	<5	<50
GT-2	12/28/04	<50	<1	<5	<5	<5	<5	<5	<3	<3	<3	<2	<5	<50
GT-2	3/24/05	<50	<1	<5	<5	<5	<5	<5	<3	<3	<3	<2	<5	<50
GT-2	DUPLICATE	<50	<1	<5	<5	<5	<5	<5	<3	<3	<3	<2	<5	<50
GT-2	7/6/05	<50	<1	<5	<5	<5	<5	<5	<3	<3	<3	<2	<5	<50
GT-2	9/20/05	<50	<1	<5	<5	<5	<5	<5	<3	<3	<3	<2	<5	<50
GT-2	12/13/05	<50	<1	<5	<5	<5	<5	<5	<3	<3	<3	<2	<5	<50
GT-2	3/15/06	<50	<1	<5	<5	<5	<5	<5	<3	<3	<3	<2	<5	<50
GT-2	6/22/06	<50	<1	<5	<5	<5	<5	<5	<3	<3	<3	<2	<5	<50
GT-2	9/26/06	<50	<1	<5	<5	<5	<5	<5	<3	<3	<3	<2	<5	<50
GT-2	12/19/06	<50	<1	<5	<5	<5	<5	<5	<3	<3	<3	<2	<5	<50
GT-2	3/27/07	<50	<1	<5	<5	<5	<5	<5	<3	<3	<3	<2	<5	<50
GT-2	6/26/07	<50	<1	<5	<5	<5	<5	<5	<3	<3	<3	<2	<5	<50
GT-2	9/20/07	<50	<1	<5	<5	<5	<5	<5	<3	<3	<3	<2	<5	<50
GT-2	12/20/07	<50	<1	<5	<5	<5	<5	<5	<3	<3	<3	<2	<5	<50
GT-2	3/27/08	<50	<1	<5	<5	<5	<5	<5	<3	<3	<3	<2	<5	<50
GT-2	6/19/08	<50	<1	<5	<5	<5	<5	<5	<3	<3	<3	<2	<5	<50
GT-2	9/25/08	<50	<1	<5	<5	<5	<5	<5	<3	<3	<3	<2	<5	<50
GT-2	12/18/08	<50	<1	<5	<5	<5	<5	<5	<3	<3	<3	<2	<5	<50
GT-2	3/12/09	<50	<1	<5	<5	<5	<5	<5	<3	<3	<3	<2	<5	<50
GT-2	6/17/09	<50	<1	<5	<5	<5	<5	<5	<3	<3	<3	<2	<5	<50
GT-2	9/22/09	<50	<1	<5	<5	<5	<5	<5	<3	<3	<3	<2	<5	<50
GT-2	12/30/09	<0.58	<0.14	<0.18	<0.14	<0.3	0.28J	<0.057	<0.063	<0.072	<0.17	<0.24	<0.16	<50
GT-2	2/2/10	0.59J	<0.14	<0.18	<0.14	<0.3	<0.11	<0.057	<0.063	<0.072	<0.17	<0.24	<0.16	67
GT-2	3/24/10	<0.58	<0.14	<0.18	<0.14	<0.3	0.21J	<0.057	<0.063	<0.072	<0.17	<0.24	<0.16	<50
GT-2	6/22/10	0.60JB	<0.14	<0.18	<0.14	<0.3	<0.057	<0.063	<0.072	<0.057	<0.17	<0.24	<0.16	<50
GT-2	9/22/10	1.7J	<0.14	<0.18	<0.14	<0.3	<0.11	<0.057	<0.063	<0.072	<0.17	<0.24	<0.16	<50
GT-2	12/15/10	1.1J	<0.56	<0.72	<0.56	<1.2	0.54J	<0.23	<0.25	<0.29	0.17J	<0.96	<0.64	<50
GT-2	3/24/11	1.6JB	<0.14	<0.18	<0.14	<0.3	1.2J	<0.057	<0.063	<0.072	<0.17	<0.24	<0.16	<50
GT-2	6/16/11	<0.58	<0.14	<0.18	<0.14	<0.3	1.2J	<0.057	<0.063	<0.072	<0.17	<0.24	<0.16	<50
GT-2	9/15/11	<0.58	<0.14	<0.18	<0.14	<0.3	1.0J	<0.057	<0.063	<0.072	<0.17	<0.24	<0.16	<50
GT-2	12/16/11	11J	<0.13	<0.09	<0.25	<0.43	1.5J	<0.16	<0.16	<0.22	<0.15	<0.29	<0.25	<50
GT-2	3/14/12	24J	<0.08	<0.15	<0.1	<0.13	0.18J	<0.11	<0.21	<0.14	<0.23	<0.29	<0.06	<50
GT-2	6/20/12	29JH	<0.08	<0.15	<0.1	<0.13	0.66JH	<0.11	<0.21	<0.14	<0.23	<0.29	<0.06	<50
GT-2	8/28/12	25J	<0.08	<0.15	<0.1	<0.13	0.52J	<0.11	<0.21	<0.14	<0.23	<0.29	<0.06	<50
GT-2	10/25/12	19J	<0.08	<0.15	<0.1	<0.13	0.38J	<0.11	<0.21	<0.14	<0.23	<0.29	<0.06	<50
GT-2	12/20/12	<2.7	<0.08	<0.15	<0.1	<0.13	2.2J	<0.11	<0.21	<0.14	<0.23	<0.29	<0.06	<50
GT-2	3/14/13	<2.7	<0.08	<0.15	<0.1	<0.13	0.33J	<0.11	<0.21	<0.14	<0.23	<0.29	<0.06	<50
GT-2	6/20/13	<2.7	<0.08	<0.15	<0.1	<0.13	0.14J	<0.11	<0.21	<0.14	<0.23	<0.29	<0.06	<50
GT-2	9/24/13	ND	ND	ND	ND	ND	0.45J	ND	ND	ND	ND	ND	ND	<50
GT-2	12/18/13	84	<0.08	<0.15	<0.1	<0.13	1.0J	<0.11	<0.21	<0.14	<0.23	<0.29	<0.06	<50
GT-2	2/25/14	36J	<0.08	<0.15	<0.1	<0.13	0.75J	<0.11	<0.21	<0.14	<0.23	<0.29	<0.06	<50
GT-2	6/11/14	41J	<0.08	<0.15	<0.1	<0.13	0.40J	<0.11	<0.21	<0.14	<0.23	<0.29	<0.06	<50
GT-2	8/26/14	ND	ND	ND	ND	ND	0.20J	ND	ND	ND	ND	ND	ND	<50
GT-2	11/12/14	<2.7	<0.08	<0.15	<0.1	<0.13	0.42J	<0.11	<0.21	<0.14	<0.23	<0.29	<0.06	<50
GT-2	12/16/14	<2.7	<0.08	<0.15	<0.1	<0.13	<0.1	<0.11	<0.21	<0.14	<0.23	<0.29	<0.06	<50
GT-2	3/10/15	<1.1	<0.19	<0.25	<0.3	<0.28	<0.36	<0.24	<0.22	<0.33	<0.33	<0.18	<0.28	<50
GT-2	6/25/15	<1.1	<0.09	<0.25	<0.3	<0.28	0.94J	<0.24	<0.22	<0.33	<0.33	<0.18	<0.28	<50
GT-2	9/23/15	<1.1	<0.09	<0.25	<0.3	<0.28	0.23J	<0.24	<0.22	<0.33	<0.33	<0.18	<0.28	100
GT-2	12/7/15	<1.1	<0.09	<0.25	<0.3	<0.28	0.42J	<0.24	<0.22	<0.33	<0.33	<0.18	<0.28	<50
GT-2	3/22/16	<1.1	<0.09	<0.25	<0.3	<0.28	0.33J	<0.24	<0.22	<0.33	<0.33	<0.18	<0.28	<50
GT-2	6/14/16	<1.1	<0.09	<0.25	<0.3	<0.28	0.45J	<0.24	<0.22	<0.33	<0.33	<0.18	<0.28	<48
GT-2	9/26/16	<1.1	<0.09	<0.25	<0.3	<0.28	0.95J	<0.24	<0.22	<0.33	<0.33	<0.18	<0.28	<48
GT-2	12/19/16	<1.1	<0.09	<0.25	<0.3	<0.28	0.62J	<0.24	<0.22	<0.33	<0.33	<0.18	<0.28	<48
GT-2	3/27/17	<1.1	<0.090	<0.25	<0.3	<0.28	0.36J	<0.24	<0.22	<0.33	<0.33	<0.18	<0.28	<48
GT-2	6/13/17	<1.1	<0.090	<0.25	<0.3	<0.28	0.12J	<0.24	<0.22	<0.33	<0.33	<0.18	<0.28	<50

Table 2
Groundwater Monitoring Results Summary (to Current)
Safety-Kleen Systems, Inc. - Corrective Action Program
N. Amityville, New York Facility

T.O.G.S 1.1.1 Standards		Volatile Organic Compounds Method 8260B (ug/L)												
Sample ID	Sample Date	50 Acetone	1 Benzene	5 Toluene	5 Ethylbenzene	5 Xylenes (Total)	5 Tetrachloroethene	5 Chlorobenzene	3 1,2- Dichlorobenzene	3 1,3- Dichlorobenzene	3 1,4- Dichlorobenzene	5 Total 1,2- Dichloroethene	5 1,1,1- Trichloroethane	50 Mineral Spirits
GT-2	9/26/17	<1.1	<0.090	<0.25	<0.3	<0.28	0.34J	<0.24	<0.22	<0.33	<0.33	<0.18	<0.28	<51
GT-2	3/26/18	1.8JB	<0.090	<0.25	<0.3	<0.28	0.35J	<0.24	<0.22	<0.33	<0.33	<0.18	<0.28	<13
GT-2	9/25/18	<5.0	<0.43	<0.38	<0.3	<0.65	0.30J	<0.38	<0.43	<0.34	<0.76	<0.44	<0.24	<13
GT-2	3/25/19	<5.0	<0.43	<0.38	<0.3	<0.65	2.0J	<0.38	<0.43	<0.34	<0.76	<0.44	<0.24	<13
GT-2	9/25/19	<4.4	<0.20	<0.38	<0.30	<0.65	<0.25	<0.38	<0.43	<0.34	<0.76	<0.44	<0.24	<13
GT-2	4/29/20	<4.4	<0.20	<0.38	<0.30	<0.65	<0.25	<0.38	<0.43	<0.34	<0.76	<0.44	<0.24	<13
GT-2	9/23/20	<4.4	<0.20	<0.38	<0.30	<0.65	0.34 J	<0.38	<0.43	<0.34	<0.76	<0.44	<0.24	<13
GT-3	2/9/96	<50	<1	<5	<5	<5	<5	<5	<3	<3	<3	<2	<5	<50
GT-3	5/28/96	<50	<1	<5	<5	<5	<5	<5	<3	<3	<3	<2	<5	<50
GT-3	8/22/96	<50	<1	<5	<5	<5	<5	<5	<3	<3	<3	<2	<5	<50
GT-3	DUPLICATE	<50	<1	<5	<5	<5	<5	<5	<3	<3	<3	<2	<5	<50
GT-3	12/2/96	<50	<1	<5	<5	<5	<5	<5	<3	<3	<3	<2	<5	<50
GT-3	DUPLICATE	<50	<1	<5	<5	<5	<5	<5	<3	<3	<3	<2	<5	<50
GT-3	2/27/97	<50	<1	<5	<5	<5	<5	<5	<3	<3	<3	<2	<5	<50
GT-3	5/28/97	<50	<1	<5	<5	<5	<5	<5	<3	<3	<3	<2	<5	<50
GT-3	9/9/97	<50	<1	<5	<5	<5	<5	<5	<3	<3	<3	<2	<5	<50
GT-3	12/18/97	<50	<1	<5	<5	<5	<5	<5	<3	<3	<3	<2	<5	<50
GT-3	6/25/98	<50	<1	<5	<5	<5	<5	<5	<3	<3	<3	<2	<5	<50
GT-3	10/13/98	<50	<1	<5	<5	<5	<5	<5	<3	<3	<3	<2	<5	<50
GT-3	DUPLICATE	<50	<1	<5	<5	<5	<5	<5	<3	<3	<3	<2	<5	<50
GT-3	12/4/98	<50	<1	<5	<5	<5	<5	<5	<3	<3	<3	<2	<5	<50
GT-3	6/16/99	<50	<1	<5	<5	<5	<5	<5	<3	<3	<3	<2	<5	<50
GT-3	DUPLICATE	<50	<1	<5	<5	<5	<5	<5	<3	<3	<3	<2	<5	0.9
GT-3	9/30/99	<50	<1	<5	<5	<5	<5	<5	<3	<3	<3	<2	<5	<50
GT-3	DUPLICATE	<50	<1	<5	<5	<5	<5	<5	<3	<3	<3	<2	<5	<50
GT-3	12/22/99	<50	<1	<5	<5	<5	<5	<5	<3	<3	<3	<2	<5	<50
GT-3	3/15/00	<50	<1	<5	<5	<5	<5	<5	<3	<3	<3	<2	<5	<50
GT-3	6/28/00	<50	<1	<5	<5	<5	<5	<5	<3	<3	<3	<2	<5	<50
GT-3	9/20/00	<50	<1	<5	<5	<5	<5	<5	<3	<3	<3	<2	<5	<50
GT-3	12/20/00	<50	<1	<5	<5	<5	<5	<5	<3	<3	<3	<2	<5	<50
GT-3	3/15/01	<50	<1	<5	<5	<5	<5	<5	<3	<3	<3	<2	<5	<50
GT-3	8/23/01	<50	<1	<5	<5	<5	<5	<5	<3	<3	<3	<2	<5	<50
GT-3	11/6/01	<50	<1	<5	<5	<5	<5	<5	<3	<3	<3	<2	<5	<50
GT-3	2/5/02	<50	<1	<5	<5	<5	<5	<5	<3	<3	<3	<2	<5	<50
GT-3	4/16/02	<50	<1	<5	<5	<5	<5	<5	<3	<3	<3	<2	<5	<50
GT-3	10/11/02	<50	<1	<5	<5	<5	<5	<5	<3	<3	<3	<2	<5	<50
GT-3	1/23/03	<50	<1	<5	<5	<5	<5	<5	<3	<3	<3	<2	<5	170
GT-3	2/27/03	<50	<1	<5	<5	<5	<5	<5	<3	<3	<3	<2	<5	<50
GT-3	2/27/03	<50	<1	<5	<5	<5	<5	<5	<3	<3	<3	<2	<5	<50
GT-3	4/22/03	<50	<1	<5	<5	<5	<5	<5	<3	<3	<3	<2	<5	<50
GT-3	7/22/03	<50	<1	<5	<5	<5	<5	<5	<3	<3	<3	<2	<5	<50
GT-3	12/9/03	<50	<1	<5	<5	<5	<5	<5	<3	<3	<3	<2	<5	<50
GT-3	4/22/04	<50	<1	<5	<5	<5	<5	<5	<3	<3	<3	<2	<5	<50
GT-3	6/29/04	<50	<1	<5	<5	<5	<5	<5	<3	<3	<3	<2	<5	<50
GT-3	10/4/04	<50	<1	<5	<5	<5	<5	<5	<3	<3	<3	<2	<5	<50
GT-3	12/28/04	<50	<1	<5	<5	<5	<5	<5	<3	<3	<3	<2	<5	<50
GT-3	3/24/05	<50	<1	<5	<5	<5	<5	<5	<3	<3	<3	<2	<5	<50
GT-3	7/6/05	<50	<1	<5	<5	<5	<5	<5	<3	<3	<3	<2	<5	<50
GT-3	12/13/05	<50	<1	<5	<5	<5	<5	<5	<3	<3	<3	<2	<5	<50
GT-3	3/15/06	<50	<1	<5	<5	<5	<5	<5	<3	<3	<3	<2	<5	<50
GT-3	6/22/06	<50	<1	<5	<5	<5	<5	<5	<3	<3	<3	<2	<5	<50
GT-3	9/26/06	<50	<1	<5	<5	<5	<5	<5	<3	<3	<3	<2	<5	<50
GT-3	12/19/06	<50	<1	<5	<5	<5	<5	<5	8	<3	<3	<2	<5	<50
GT-3	3/27/07	<50	<1	<5	<5	<5	<5	<5	<3	<3	<3	<2	<5	<50
GT-3	6/26/07	<50	<1	<5	<5	<5	<5	<5	<3	<3	<3	<2	<5	<50
GT-3	9/20/07	<50	<1	<5	<5	<5	<5	<5	<3	<3	<3	<2	<5	<50
GT-3	12/20/07	<50	<1	<5	<5	<5	<5	<5	<3	<3	<3	<2	<5	<50
GT-3	3/27/08	<50	<1	<5	<5	<5	<5	<5	<3	<3	<3	<2	<5	<50
GT-3	6/19/08	<50	<1	<5	<5	<5	<5	<5	<3	<3	<3	<2	<5	<50
GT-3	9/25/08	<50	<1	<5	<5	<5	<5	<5	<3	<3	<3	<2	<5	<50
GT-3	12/18/08	<50	<1	<5	<5	<5	<5	<5	<3	<3	<3	<2	<5	<50
GT-3	3/12/09	<50	<1	<5	<5	<5	<5	<5	<3	<3	<3	<2	<5	<50
GT-3	6/17/09	<50	<1	<5	<5	<5	<5	<5	<3	<3	<3	<2	<5	<50

Table 2
Groundwater Monitoring Results Summary (to Current)
Safety-Kleen Systems, Inc. - Corrective Action Program
N. Amityville, New York Facility

T.O.G.S 1.1.1 Standards		Volatile Organic Compounds Method 8260B (ug/L)												
Sample ID	Sample Date	50 Acetone	1 Benzene	5 Toluene	5 Ethylbenzene	5 Xylenes (Total)	5 Tetrachloroethene	5 Chlorobenzene	3 1,2- Dichlorobenzene	3 1,3- Dichlorobenzene	3 1,4- Dichlorobenzene	5 Total 1,2- Dichloroethene	5 1,1,1- Trichloroethane	50 Mineral Spirits
GT-3	9/22/09	<50	<1	<5	<5	<5	<5	<5	<3	<3	<3	<2	<5	<50
GT-3	12/30/09	<50	<1	<5	<5	<5	<5	<5	<3	<3	<3	<2	<5	<50
GT-3	2/2/10	<50	<1	<5	<5	<5	<5	<5	<3	<3	<3	<2	<5	<50
GT-3	3/24/10	<50	<1	<5	<5	<5	<5	<5	<3	<3	<3	<2	<5	<50
GT-3	6/22/10	<50	<1	<5	<5	<5	<5	<5	<3	<3	<3	<2	<5	<50
GT-3	9/22/10	<50	<1	<5	<5	<5	<5	<5	<3	<3	<3	<2	<5	<50
GT-3	12/15/10	<2.3	<0.56	<0.72	<0.56	<1.2	0.18J	<0.23	<0.25	<0.29	<0.68	<0.96	<0.64	<50
GT-3	3/24/11	0.84J	<0.14	<0.18	<0.14	<0.3	<0.11	<0.057	<0.063	<0.072	<0.17	<0.24	<0.16	<50
GT-3	6/16/11	1.6JB	<0.14	<0.18	<0.14	0.59J	<0.11	<0.057	<0.063	<0.072	<0.17	<0.24	<0.16	<50
GT-3	9/15/11	1.9J	<0.14	<0.18	<0.14	<0.3	<0.11	<0.057	<0.063	<0.072	<0.17	<0.24	<0.16	<50
GT-3	12/16/11	<2.5	<0.13	<0.09	<0.25	<0.43	<0.2	<0.16	<0.16	<0.22	<0.15	<0.29	<0.25	<50
GT-3	3/14/12	<2.7	<0.08	<0.15	<0.1	<0.13	0.20J	<0.11	<0.21	<0.14	<0.23	<0.29	<0.06	<50
GT-3	6/20/12	<2.7	<0.08	<0.15	<0.1	<0.13	<0.1	<0.11	<0.21	<0.14	<0.23	<0.29	<0.06	<50
GT-3	8/28/12	<2.7	<0.08	<0.15	<0.1	<0.13	0.11J	<0.11	<0.21	<0.14	<0.23	<0.29	<0.06	<50
GT-3	10/25/12	<2.7	<0.08	<0.15	<0.1	<0.13	0.15J	<0.11	<0.21	<0.14	<0.23	<0.29	<0.06	<50
GT-3	12/20/12	<2.7	<0.08	<0.15	<0.1	<0.13	<0.1	<0.11	<0.21	<0.14	<0.23	<0.29	<0.06	<50
GT-3	3/14/13	<2.7	<0.08	<0.15	<0.1	<0.13	<0.1	<0.11	<0.21	<0.14	<0.23	<0.29	<0.06	<50
GT-3	6/20/13	<2.7	<0.08	<0.15	<0.1	<0.13	0.11J	<0.11	<0.21	<0.14	<0.23	<0.29	<0.06	<50
GT-3	9/24/13	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	120
GT-3	12/18/13	<2.7	<0.08	<0.15	<0.1	<0.13	0.16J	<0.11	<0.21	<0.14	<0.23	<0.29	<0.06	81
GT-3	2/25/14	<2.7	<0.08	<0.15	<0.1	<0.13	0.12J	<0.11	<0.21	<0.14	<0.23	<0.29	<0.06	<50
GT-3	6/11/14	<2.7	<0.08	<0.15	<0.1	<0.13	0.14J	<0.11	<0.21	<0.14	<0.23	<0.29	<0.06	<50
GT-3	8/26/14	0.12J	ND	ND	ND	ND	0.28J	ND	ND	ND	ND	ND	ND	<50
GT-3	11/12/14	<2.7	<0.08	<0.15	<0.1	<0.13	0.19J	<0.11	<0.21	<0.14	<0.23	<0.29	<0.06	<50
GT-3	12/16/14	<2.7	<0.08	<0.15	<0.1	<0.13	<0.1	<0.11	<0.21	<0.14	<0.23	<0.29	<0.06	<50
GT-3	3/10/15	5.9J	<0.19	<0.25	<0.3	<0.28	<0.36	<0.24	<0.22	<0.33	<0.33	<0.18	<0.28	<50
GT-3	6/25/15	<1.1	<0.09	<0.25	<0.3	<0.28	0.25J	<0.24	<0.22	<0.33	<0.33	<0.18	<0.28	<50
GT-3	9/23/15	<1.1	<0.09	<0.25	<0.3	<0.28	<0.12	<0.24	<0.22	<0.33	<0.33	<0.18	<0.28	<50
GT-3	12/7/15	<1.1	<0.09	<0.25	<0.3	<0.28	<0.12	<0.24	<0.22	<0.33	<0.33	<0.18	<0.28	<50
GT-3	3/22/16	<1.1	<0.09	<0.25	<0.3	<0.28	<0.12	<0.24	<0.22	<0.33	<0.33	<0.18	<0.28	<50
GT-3	6/14/16	<1.1	<0.09	<0.25	<0.3	<0.28	<0.12	<0.24	<0.22	<0.33	<0.33	<0.18	<0.28	<48
GT-3	9/26/16	<1.1	<0.09	<0.25	<0.3	<0.28	<0.12	<0.24	<0.22	<0.33	<0.33	<0.18	<0.28	<48
GT-3	12/19/16	<1.1	<0.09	<0.25	<0.3	<0.28	<0.12	<0.24	<0.22	<0.33	<0.33	<0.18	<0.28	<48
GT-3	3/27/17	<1.1	<0.09	<0.25	<0.3	<0.28	<0.12	<0.24	<0.22	<0.33	<0.33	<0.18	<0.28	<48
GT-3	6/13/17	<1.1	<0.09	<0.25	<0.3	<0.28	<0.12	<0.24	<0.22	<0.33	<0.33	<0.18	<0.28	<50
GT-3	9/26/17	<1.1	<0.09	<0.25	<0.3	<0.28	<0.12	<0.24	<0.22	<0.33	<0.33	<0.18	<0.28	<51
GT-3	3/26/18	3.5JB	<0.09	<0.25	<0.3	<0.28	<0.12	<0.24	<0.22	<0.33	<0.33	<0.18	<0.28	37
GT-3	9/25/18	<5.0	<0.43	<0.83	<0.3	<0.65	<0.25	<0.38	<0.43	<0.34	<0.76	<0.44	<0.24	<13
GT-3	3/25/19	<5.0	<0.43	<0.83	<0.3	<0.65	<0.25	<0.38	<0.43	<0.34	<0.76	<0.44	<0.24	<13
GT-3	9/25/19	<4.4	<0.20	<0.38	<0.30	<0.65	<0.25	<0.38	<0.43	<0.34	<0.76	<0.44	<0.24	<13
GT-3	4/29/20	<4.4	<0.20	<0.38	<0.30	<0.65	<0.25	<0.38	<0.43	<0.34	<0.76	<0.44	<0.24	<13
GT-3	9/23/20	<4.4	<0.20	<0.38	<0.30	<0.65	<0.25	<0.38	<0.43	<0.34	<0.76	<0.44	<0.24	<13
GT-4	2/9/96	<50	<1	<5	<5	<5	<5	<5	<3	<3	<3	<2	<5	<50
GT-4	5/28/96	<50	<1	<5	<5	<5	<5	<5	<3	<3	<3	<2	<5	<50
GT-4	8/22/96	<50	<1	<5	<5	<5	<5	<5	<3	<3	<3	<2	<5	<50
GT-4	12/2/96	<50	<1	<5	<5	<5	<5	<5	<3	<3	<3	<2	<5	<50
GT-4	2/27/97	<50	<1	<5	<5	<5	<5	<5	<3	<3	<3	<2	<5	<50
GT-4	5/28/97	<50	<1	<5	<5	<5	<5	<5	<3	<3	<3	<2	<5	<50
GT-4	9/9/97	<50	<1	<5	<5	<5	<5	<5	<3	<3	<3	<2	<5	<50
GT-4	12/18/97	<50	<1	<5	<5	<5	<5	<5	<3	<3	<3	<2	<5	<50
GT-4	6/25/98	<50	<1	<5	<5	<5	<5	<5	<3	<3	<3	<2	<5	<50
GT-4	10/13/98	<50	<1	<5	<5	<5	<5	<5	<3	<3	<3	<2	<5	<50
GT-4	12/4/98	<50	<1	<5	<5	<5	<5	<5	<3	<3	<3	<2	<5	<50
GT-4	6/16/99	<50	<1	<5	<5	<5	<5	<5	<3	<3	<3	<2	<5	<50
GT-4	9/30/99	<50	<1	<5	<5	<5	<5	<5	<3	<3	<3	<2	<5	<50
GT-4	12/22/99	<50	<1	<5	<5	<5	<5	<5	<3	<3	<3	<2	<5	<50
GT-4	3/15/00	<50	<1	<5	<5	<5	<5	<5	<3	<3	<3	<2	<5	<50
GT-4	6/28/00	<50	<1	<5	<5	<5	<5	<5	<3	<3	<3	<2	<5	<50
GT-4	9/20/00	<50	<1	<5	<5	<5	<5	<5	<3	<3	<3	<2	<5	<50
GT-4	12/20/00	<50	<1	<5	<5	<5	<5	<5	<3	<3	<3	<2	<5	<50
GT-4	3/15/01	<50	<1	<5	<5	<5	<5	<5	<3	<3	<3	<2	<5	<50
GT-4	8/23/01	<50	<1	<5	<5	<5	<5	<5	<3	<3	<3	<2	<5	<50
GT-4	11/6/01	<50	<1	<5	<5	<5	<5	<5	<3	<3	<3	<2	<5	<50

Table 2
Groundwater Monitoring Results Summary (to Current)
Safety-Kleen Systems, Inc. - Corrective Action Program
N. Amityville, New York Facility

T.O.G.S 1.1.1 Standards		Volatile Organic Compounds Method 8260B (ug/L)												
Sample ID	Sample Date	50 Acetone	1 Benzene	5 Toluene	5 Ethylbenzene	5 Xylenes (Total)	5 Tetrachloroethene	5 Chlorobenzene	3 1,2- Dichlorobenzene	3 1,3- Dichlorobenzene	3 1,4- Dichlorobenzene	5 Total 1,2- Dichloroethene	5 1,1,1- Trichloroethane	50 Mineral Spirits
GT-4	2/5/02	<50	<1	<5	<5	<5	<5	<5	<3	<3	<3	<2	<5	<50
GT-4	4/16/02	<50	<1	<5	<5	<5	<5	<5	<3	<3	<3	<2	<5	<50
GT-4	10/11/02	<50	<1	<5	<5	<5	<5	<5	<3	<3	<3	<2	<5	<50
GT-4	1/23/03	<50	<1	<5	<5	<5	<5	<5	<3	<3	<3	<2	<5	<50
GT-4	4/22/03	<50	<1	<5	<5	<5	<5	<5	<3	<3	<3	<2	<5	<50
GT-4	7/22/03	<50	<1	<5	<5	<5	<5	<5	<3	<3	<3	<2	<5	<50
GT-4	12/9/03	<50	<1	<5	<5	<5	<5	<5	<3	<3	<3	<2	<5	<50
GT-4	4/22/04	<50	<1	<5	<5	<5	<5	<5	<3	<3	<3	<2	<5	<50
GT-4	6/29/04	<50	<1	<5	<5	<5	<5	<5	<3	<3	<3	<2	<5	<50
GT-4	10/4/04	<50	<1	<5	<5	<5	<5	<5	<3	<3	<3	<2	<5	<50
GT-4	12/28/04	<50	<1	<5	<5	<5	<5	<5	<3	<3	<3	<2	<5	<50
GT-4	3/24/05	<50	<1	<5	<5	<5	<5	<5	<3	<3	<3	<2	<5	<50
GT-4	9/20/05	<50	<1	<5	<5	<5	<5	<5	<3	<3	<3	<2	<5	<50
GT-4	12/13/05	<50	<1	<5	<5	<5	<5	<5	<3	<3	<3	<2	<5	<50
GT-5	3/14/94	<50	<1	<5	<5	<5	<5	<5	<3	<3	<3	27	<5	NS
GT-5	2/9/96	<50	<1	<5	<5	<5	<5	<5	<3	<3	<3	<2	<5	<50
GT-5	5/28/96	<50	<1	<5	<5	<5	<5	<5	<3	<3	<3	18	<5	<50
GT-5	DUPLICATE	<50	<1	<5	<5	<5	<5	<5	<3	<3	<3	27	<5	<50
GT-5	8/22/96	<50	<1	<5	<5	<5	<5	<5	<3	<3	<3	83	<5	<50
GT-5	DUPLICATE	<50	<1	<5	<5	<5	<5	<5	<3	<3	<3	112	<5	<50
GT-5	12/2/96	<50	<1	<5	<5	<5	<5	<5	<3	<3	<3	<2	<5	<50
GT-5	DUPLICATE	<50	<1	<5	<5	<5	<5	<5	<3	<3	<3	<2	<5	<50
GT-5	2/27/97	<50	<1	<5	<5	<5	<5	<5	<3	<3	<3	33	<5	<50
GT-5	DUPLICATE	<50	<1	<5	<5	<5	<5	<5	<3	<3	<3	28	<5	<50
GT-5	5/28/97	<50	<1	<5	<5	<5	<5	<5	<3	<3	<3	11	<5	<50
GT-5	9/9/97	<50	<1	<5	<5	<5	<5	<5	<3	<3	<3	38	<5	<50
GT-5	12/18/97	<50	<1	<5	<5	<5	<5	<5	<3	<3	<3	2	<5	<50
GT-5	6/25/98	<50	<1	<5	<5	<5	<5	<5	<3	<3	<3	<2	<5	<50
GT-5	10/13/98	<50	<1	<5	<5	<5	<5	<5	7.9	<3	<3	5.1	<5	<50
GT-5	12/4/98	<50	<1	<5	<5	<5	<5	<5	<3	<3	<3	<2	<5	<50
GT-5	6/16/99	<50	<1	<5	<5	<5	<5	<5	<3	<3	<3	15.2	<5	<50
GT-5	9/30/99	<50	<1	<5	5.1	<5	<5	17.2	13	<3	<3	13.4	<5	<50
GT-5	12/22/99	<50	<1	<5	<5	<5	<5	<5	<3	<3	<3	<2	<5	<50
GT-5	DUPLICATE	<50	<1	<5	<5	<5	<5	<5	<3	<3	<3	<2	<5	<50
GT-5	3/15/00	<50	<1	<5	<5	<5	<5	<5	<3	<3	<3	8.7	<5	<50
GT-5	DUPLICATE	<50	<1	<5	<5	<5	<5	<5	<3	<3	<3	10.8	<5	<50
GT-5	6/28/00	<50	<1	<5	<5	<5	<5	<5	18	<3	<3	<2	<5	<50
GT-5	DUPLICATE	<50	<1	<5	<5	<5	<5	<5	15.5	<3	<3	<2	<5	<50
GT-5	9/20/00	<50	<1	<5	<5	<5	<5	10.5	14.1	<3	<3	<2	<5	<50
GT-5	DUPLICATE	<50	<1	<5	<5	<5	<5	7.2	9.7	<3	<3	<2	<5	<50
GT-5	12/20/00	<50	<1	<5	<5	<5	<5	<5	<3	<3	<3	<2	<5	<50
GT-5	DUPLICATE	<50	<1	<5	<5	<5	<5	<5	<3	<3	<3	<2	<5	<50
GT-5	3/15/01	<50	<1	<5	<5	<5	<5	<5	<3	<3	<3	<2	<5	<50
GT-5	DUPLICATE	<50	<1	<5	<5	<5	<5	<5	<3	<3	<3	<2	<5	<50
GT-5	8/23/01	<50	<1	<5	<5	<5	<5	<5	<3	<3	<3	<2	<5	<50
GT-5	DUPLICATE	<50	<1	<5	<5	<5	<5	<5	<3	<3	<3	<2	<5	<50
GT-5	11/6/01	<50	<1	<5	<5	<5	<5	<5	<3	<3	<3	<2	<5	<50
GT-5	1/23/03	<50	<1	<5	<5	<5	<5	<5	<3	<3	<3	<2	<5	<50
GT-5	4/22/03	<50	<1	<5	<5	<5	<5	<5	<3	<3	<3	<2	<5	<50
GT-5	7/22/03	<50	<1	<5	<5	<5	<5	<5	<3	<3	<3	<2	<5	<50
GT-5	12/9/03	<50	<1	<5	<5	<5	<5	<5	<3	<3	<3	<2	<5	<50
GT-5	3/25/04	<50	<1	<5	<5	<5	<5	<5	<3	<3	<3	<2	<5	<50
GT-5	6/29/04	<50	<1	<5	<5	<5	<5	<5	<3	<3	<3	<2	<5	<50
GT-5	10/4/04	<50	<1	<5	<5	<5	<5	<5	<3	<3	<3	<2	<5	<50
GT-5	12/28/04	<50	<1	<5	<5	<5	<5	<5	<3	<3	<3	<2	<5	<50
GT-5	3/24/05	<50	<1	<5	<5	<5	<5	<5	<3	<3	<3	<2	<5	<50
GT-5	7/6/05	<50	<1	<5	<5	<5	<5	<5	<3	<3	<3	<2	<5	<50
GT-5	9/20/05	<50	<1	<5	<5	<5	<5	<5	<3	<3	<3	<2	<5	<50
GT-5	DUPLICATE	<50	<1	<5	<5	<5	<5	<5	<3	<3	<3	<2	<5	<50
GT-5	12/13/05	<50	<1	<5	<5	<5	<5	<5	<3	<3	<3	<2	<5	<50
GT-5	3/15/06	<50	<1	<5	<5	<5	<5	<5	<3	<3	<3	<2	<5	<50
GT-5	DUPLICATE	<50	<1	<5	<5	<5	<5	<5	<3	<3	<3	<2	<5	<50
GT-5	6/22/06	<50	<1	<5	<5	<5	<5	<5	<3	<3	<3	<2	<5	<50

Table 2
Groundwater Monitoring Results Summary (to Current)
Safety-Kleen Systems, Inc. - Corrective Action Program
N. Amityville, New York Facility

T.O.G.S 1.1.1 Standards		Volatile Organic Compounds Method 8260B (ug/L)												
Sample ID	Sample Date	50 Acetone	1 Benzene	5 Toluene	5 Ethylbenzene	5 Xylenes (Total)	5 Tetrachloroethene	5 Chlorobenzene	3 1,2-Dichlorobenzene	3 1,3-Dichlorobenzene	3 1,4-Dichlorobenzene	5 Total 1,2-Dichloroethene	5 1,1,1-Trichloroethane	50 Mineral Spirits
GT-5	9/26/06	<50	<1	<5	<5	<5	<5	<5	<3	<3	<3	<2	<5	<50
GT-5	12/19/06	<50	<1	<5	<5	<5	<5	<5	<3	<3	<3	<2	<5	<50
GT-5	3/27/07	<50	<1	<5	<5	<5	<5	<5	<3	<3	<3	<2	<5	<50
GT-5	6/26/07	<50	<1	<5	<5	<5	<5	<5	<3	<3	<3	<2	<5	<50
GT-5	9/20/07	<50	<1	<5	<5	<5	<5	<5	<3	<3	<3	<2	<5	<50
GT-5	12/20/07	<50	<1	<5	<5	<5	<5	<5	<3	<3	<3	<2	<5	<50
GT-5	3/27/08	<50	<1	<5	<5	<5	<5	<5	<3	<3	<3	<2	<5	<50
GT-5	6/19/08	<50	<1	<5	<5	<5	<5	<5	<3	<3	<3	<2	<5	<50
GT-5	9/25/08	<50	<1	<5	<5	<5	<5	<5	<3	<3	<3	<2	<5	<50
GT-5	12/18/08	<50	<1	<5	<5	<5	<5	<5	<3	<3	<3	<2	<5	<50
GT-5	3/12/09	<50	<1	<5	<5	<5	<5	<5	<3	<3	<3	<2	<5	<50
GT-5	6/17/09	<50	<1	<5	<5	<5	<5	<5	<3	<3	<3	<2	<5	<50
GT-5	9/22/09	<50	<1	<5	<5	<5	<5	<5	<3	<3	<3	<2	<5	<50
GT-5	12/30/09	<50	<1	<5	<5	<5	<5	<5	<3	<3	<3	<2	<5	<50
GT-5	2/2/10	<50	<1	<5	<5	<5	<5	<5	<3	<3	<3	<2	<5	<50
GT-5	3/24/10	<50	<1	<5	<5	<5	<5	<5	<3	<3	<3	<2	<5	<50
GT-5	6/22/10	0.61JB	<0.14	<0.18	<0.14	<0.3	<0.11	<0.057	<0.063	<0.072	<0.17	<0.24	<0.16	<50
GT-5	9/22/10	1.4J	<0.14	<0.18	<0.14	<0.3	<0.11	<0.057	<0.063	<0.072	<0.17	<0.24	<0.16	<50
GT-5	12/15/10	<2.3	<0.56	<0.72	<0.56	<1.2	<0.44	<0.23	<0.25	<0.29	<0.68	<0.96	<0.64	<50
GT-5	3/24/11	1.1J	<0.14	<0.18	<0.14	<0.3	<0.11	<0.057	<0.063	<0.072	<0.17	<0.24	<0.16	<50
GT-5	6/16/11	1.6JB	<0.14	<0.18	<0.14	<0.3	<0.11	<0.057	<0.063	<0.072	<0.17	<0.24	<0.16	<50
GT-5	9/15/11	2.5J	<0.14	<0.18	<0.14	<0.3	0.71J	<0.057	<0.063	<0.072	<0.17	<0.24	<0.16	<50
GT-5	12/16/11	<2.5	<0.13	<0.09	<0.25	<0.43	<0.2	<0.16	<0.16	<0.22	<0.15	<0.29	<0.25	<50
GT-5	3/14/12	<2.7	<0.08	<0.15	<0.1	<0.13	0.11J	<0.11	<0.21	<0.14	<0.23	<0.29	<0.06	<50
GT-5	6/20/12	<2.7	<0.08	<0.15	<0.1	<0.13	0.20JH	<0.11	<0.21	<0.14	<0.23	<0.29	<0.06	<50
GT-5	8/28/12	<2.7	<0.08	<0.15	<0.1	<0.13	0.24J	<0.11	<0.21	<0.14	<0.23	<0.29	<0.06	<50
GT-5	10/25/12	<2.7	<0.08	<0.15	<0.1	<0.13	0.22J	<0.11	<0.21	<0.14	<0.23	<0.29	<0.06	<50
GT-5	12/20/12	<2.7	<0.08	<0.15	<0.1	<0.13	<0.1	<0.11	<0.21	<0.14	<0.23	<0.29	<0.06	<50
GT-5	3/14/13	<2.7	<0.08	<0.15	<0.1	<0.13	<0.1	<0.11	<0.21	<0.14	<0.23	<0.29	<0.06	<50
GT-5	6/20/13	<2.7	<0.08	<0.15	<0.1	<0.13	0.19J	<0.11	<0.21	<0.14	<0.23	<0.29	<0.06	570
GT-5	9/24/13	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	<50
GT-5	DUPLICATE	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	<50
GT-5	12/18/13	<2.7	<0.08	<0.15	<0.1	<0.13	0.16J	<0.11	<0.21	<0.14	<0.23	<0.29	<0.06	<50
GT-5	2/25/14	<2.7	<0.08	<0.15	<0.1	<0.13	0.17J	<0.11	<0.21	<0.14	<0.23	<0.29	<0.06	<50
GT-5	6/11/14	<2.7	<0.08	<0.15	<0.1	<0.13	0.22J	<0.11	<0.21	<0.14	<0.23	<0.29	<0.06	140
GT-5	8/26/14	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	300
GT-5	11/12/14	<2.7	<0.08	<0.15	<0.1	<0.13	<0.1	<0.11	<0.21	<0.14	<0.23	<0.29	<0.06	<50
GT-5	12/15/14	<2.7	<0.08	<0.15	<0.1	<0.13	<0.1	<0.11	<0.21	<0.14	<0.23	<0.29	<0.06	<50
GT-5	3/10/15	<1.1	<0.19	<0.25	<0.3	<0.28	<0.36	<0.24	<0.22	<0.33	<0.33	<0.18	<0.28	<50
GT-5	6/25/15	<1.1	<0.09	<0.25	<0.3	<0.28	<0.12	<0.24	<0.22	<0.33	<0.33	<0.18	<0.28	<50
GT-5	9/24/15	<1.1	<0.09	<0.25	<0.3	<0.28	<0.12	<0.24	<0.22	<0.33	<0.33	<0.18	<0.28	<50
GT-5	12/8/15	<1.1	<0.09	<0.25	<0.3	<0.28	<0.12	<0.24	<0.22	<0.33	<0.33	<0.18	<0.28	<50
GT-5	3/23/16	<1.1	<0.09	<0.25	<0.3	<0.28	<0.12	<0.24	<0.22	<0.33	<0.33	<0.18	<0.28	<50
GT-5	6/15/16	<1.1	<0.09	<0.25	<0.3	<0.28	<0.12	<0.24	<0.22	<0.33	<0.33	<0.18	<0.28	<48
GT-5	9/27/16	<1.1	<0.09	<0.25	<0.3	<0.28	<0.12	<0.24	<0.22	<0.33	<0.33	<0.18	<0.28	<48
GT-5	12/20/16	<1.1	<0.09	<0.25	<0.3	<0.28	<0.12	<0.24	<0.22	<0.33	<0.33	<0.18	<0.28	<48
GT-5	3/28/17	<1.1	<0.09	<0.25	<0.3	<0.28	<0.12	<0.24	<0.22	<0.33	<0.33	<0.18	<0.28	<48
GT-5	6/13/17	<1.1	<0.09	<0.25	<0.3	<0.28	<0.12	<0.24	<0.22	<0.33	<0.33	<0.18	<0.28	<50
GT-5	9/26/17	<1.1	<0.09	<0.25	<0.3	<0.28	<0.12	<0.24	<0.22	<0.33	<0.33	<0.18	<0.28	<51
GT-5	3/27/18	<1.1	<0.09	<0.25	<0.3	<0.28	<0.12	<0.24	<0.22	<0.33	<0.33	<0.18	<0.28	<13
GT-5	9/25/18	<5.0	<0.43	<0.38	<0.3	<0.65	<0.25	<0.38	<0.43	<0.34	<0.76	<0.44	<0.24	<13
GT-5	3/25/19	<5.0	<0.43	<0.38	<0.3	<0.65	<0.25	<0.38	<0.43	<0.34	<0.76	<0.44	<0.24	<13
GT-5	9/25/19	<4.4	<0.20	<0.38	<0.30	<0.65	<0.25	<0.38	<0.43	<0.34	<0.76	<0.44	<0.24	<13
GT-5	4/29/20	<4.4	<0.20	<0.38	<0.30	<0.65	<0.25	<0.38	<0.43	<0.34	<0.76	<0.44	<0.24	<13
GT-5	9/23/20	<4.4	<0.20	<0.38	<0.30	<0.65	<0.25	<0.38	<0.43	<0.34	<0.76	<0.44	<0.24	<13
GT-6	8/26/14	ND	ND	ND	ND	ND	0.15J	0.79J	0.61J	1.3J	2.3J	ND	ND	3400E
GT-6	11/12/13	<2.7	<0.08	<0.15	<0.1	<0.13	<0.1	<0.11	<0.21	0.30J	0.65J	<0.29	<0.06	1300
GT-6	12/15/14	<2.7	<0.08	<0.15	<0.1	<0.13	<0.1	<0.11	0.68J	1.2J	3.3	<0.29	<0.06	3600
GT-6	3/10/15	<1.1	<0.19	<0.25	<0.3	<0.28	<0.36	<0.24	0.28J	0.49J	1.6J	<0.18	<0.28	240
GT-6	DUPLICATE	<1.1	<0.19	<0.25	<0.3	<0.28	<0.36	<0.24	<0.22	0.54J	1.6J	<0.18	<0.28	350
GT-6	6/25/15	<1.1	<0.09	<0.25	<0.3	<0.28	<0.12	<0.24	0.30J	0.61J	1.7J	<0.18	<0.28	1300
GT-6	DUPLICATE	<1.1	<0.09	<0.25	<0.3	<0.28	<0.12	<0.24	0.28J	0.58J	1.6J	<0.18	<0.28	1100
GT-6	9/24/15	<1.1	<0.09	<0.25	<0.3	<0.28	<0.12	<0.24	0.23J	0.53J	1.1J	<0.18	<0.28	4900

Table 2
Groundwater Monitoring Results Summary (to Current)
Safety-Kleen Systems, Inc. - Corrective Action Program
N. Amityville, New York Facility

T.O.G.S 1.1.1 Standards		Volatile Organic Compounds Method 8260B (ug/L)												
Sample ID	Sample Date	50 Acetone	1 Benzene	5 Toluene	5 Ethylbenzene	5 Xylenes (Total)	5 Tetrachloroethene	5 Chlorobenzene	3 1,2-Dichlorobenzene	3 1,3-Dichlorobenzene	3 1,4-Dichlorobenzene	5 Total 1,2-Dichloroethene	5 1,1,1-Trichloroethane	50 Mineral Spirits
GT-6	DUPLICATE	<1.1	<0.09	<0.25	<0.3	<0.28	<0.12	<0.24	<0.22	0.50J	1.1J	<0.18	<0.28	3800
GT-6	12/8/15	<1.1	<0.09	<0.25	<0.3	<0.28	<0.12	<0.24	<0.22	0.39 J	0.76 J	<0.18	<0.28	2600
GT-6	DUPLICATE	<1.1	<0.09	<0.25	<0.3	<0.28	<0.12	<0.24	<0.22	0.37J	0.75J	<0.18	<0.28	1700
GT-6	3/23/16	<1.1	<0.09	<0.25	<0.3	<0.28	<0.12	<0.24	<0.22	0.35 J	0.95 J	<0.18	<0.28	170
GT-6	DUPLICATE	<1.1	<0.09	<0.25	<0.3	<0.28	<0.12	<0.24	<0.22	<0.33	0.69J	<0.18	<0.28	140
GT-6	6/15/16	<1.1	<0.09	<0.25	<0.3	<0.28	<0.12	<0.24	<0.22	<0.33	<0.33	<0.18	<0.28	110
GT-6	DUPLICATE	<1.1	<0.09	<0.25	<0.3	<0.28	<0.12	<0.24	<0.22	<0.33	<0.33	<0.18	<0.28	94
GT-6	9/27/16	<1.1	<0.09	<0.25	<0.3	<0.28	<0.12	<0.24	<0.22	<0.33	<0.33	<0.18	<0.28	<48
GT-6	DUPLICATE	<1.1	<0.09	<0.25	<0.3	<0.28	<0.12	<0.24	<0.22	<0.33	<0.33	<0.18	<0.28	200
GT-6	12/20/16	<1.1	<0.09	<0.25	<0.3	<0.28	<0.12	<0.24	<0.22	<0.33	<0.33	<0.18	<0.28	<48
GT-6	3/28/17	<1.1	<0.09	<0.25	<0.3	<0.28	<0.12	<0.24	<0.22	<0.33	<0.33	<0.18	<0.28	<48
GT-6	6/13/17	<1.1	<0.09	<0.25	<0.3	<0.28	<0.12	<0.24	<0.22	<0.33	<0.33	<0.18	<0.28	220
GT-6	9/26/17	<1.1	<0.09	<0.25	<0.3	<0.28	<0.12	<0.24	<0.22	<0.33	0.34J	<0.18	<0.28	190 B
GT-6	3/27/18	5.6JB	<0.09	<0.25	<0.3	<0.28	<0.12	<0.24	<0.22	<0.33	<0.33	<0.18	<0.28	40
GT-6	9/25/18	<5.0	<0.43	<0.38	<0.3	<0.65	<0.25	<0.38	<0.43	<0.34	<0.76	<0.44	<0.24	60
GT-6	3/26/19	<5.0	<0.43	<0.38	<0.3	<0.65	<0.25	<0.38	<0.43	<0.34	<0.76	<0.44	<0.24	<13
GT-6	9/25/19	<4.4	<0.20	<0.38	<0.30	<0.65	<0.25	<0.38	<0.43	<0.34	<0.76	<0.44	<0.24	<13
GT-6	4/29/20	<4.4	<0.20	<0.38	<0.30	<0.65	<0.25	<0.38	<0.43	<0.34	<0.76	<0.44	<0.24	<13
GT-6	9/23/20	<4.4	<0.20	<0.38	<0.30	<0.65	<0.25	<0.38	<0.43	<0.34	<0.76	<0.44	<0.24	<13
GT-6	GT-6 DUPLICATE	5.6 J	<0.20	<0.38	<0.30	<0.65	<0.25	2.7 J	0.32 J	<0.34	1.2 J	<0.44	<0.24	<13
GT-7	11/12/14	<2.7	<0.08	<0.15	<0.1	<0.13	0.18J	<0.11	<0.21	<0.14	<0.23	<0.29	<0.06	<50
GT-7	12/15/14	<2.7	<0.08	<0.15	<0.1	<0.13	<0.1	<0.11	<0.21	<0.14	<0.23	<0.29	<0.06	<50
GT-7	3/10/15	<1.1	<0.19	<0.25	<0.3	<0.28	<0.36	<0.24	<0.22	<0.33	<0.33	<0.18	<0.28	<50
GT-7	6/25/15	<1.1	<0.09	<0.25	<0.3	<0.28	<0.12	<0.24	<0.22	<0.33	<0.33	<0.18	<0.28	<50
GT-7	9/24/15	<1.1	<0.09	<0.25	<0.3	<0.28	0.13J	<0.24	<0.22	<0.33	<0.33	<0.18	<0.28	80
GT-7	12/8/15	<1.1	<0.09	<0.25	<0.3	<0.28	<0.12	<0.24	<0.22	<0.33	<0.33	<0.18	<0.28	<50
GT-7	3/23/16	<1.1	<0.09	<0.25	<0.3	<0.28	<0.12	<0.24	<0.22	<0.33	<0.33	<0.18	<0.28	<50
GT-7	6/15/16	<1.1	<0.09	<0.25	<0.3	<0.28	<0.12	<0.24	<0.22	<0.33	<0.33	<0.18	<0.28	<48
GT-7	9/27/16	<1.1	<0.09	<0.25	<0.3	<0.28	<0.12	<0.24	<0.22	<0.33	<0.33	<0.18	<0.28	<48
GT-7	12/20/16	<1.1	<0.09	<0.25	<0.3	<0.28	<0.12	<0.24	<0.22	<0.33	<0.33	<0.18	<0.28	<48
GT-7	3/28/17	<1.1	<0.09	<0.25	<0.3	<0.28	<0.12	<0.24	<0.22	<0.33	<0.33	<0.18	<0.28	<50
GT-7	6/13/17	<1.1	<0.09	<0.25	<0.3	<0.28	<0.12	<0.24	<0.22	<0.33	<0.33	<0.18	<0.28	<51
GT-7	9/26/17	<1.1	<0.09	<0.25	<0.3	<0.28	<0.12	<0.24	<0.22	<0.33	<0.33	<0.18	<0.28	<51
GT-7	3/27/18	<1.1	<0.09	<0.25	<0.3	<0.28	0.15J	<0.24	<0.22	<0.33	<0.33	<0.18	<0.28	<13
GT-7	9/25/18	<5.0	<0.43	<0.38	<0.3	<0.65	<0.25	<0.38	<0.43	<0.34	<0.76	<0.44	<0.24	<13
GT-7	3/26/19	<5.0	<0.43	<0.38	<0.3	<0.65	<0.25	<0.38	<0.43	<0.34	<0.76	<0.44	<0.24	<13
GT-7	9/25/19	<4.4	<0.20	<0.38	<0.30	<0.65	<0.25	<0.38	<0.43	<0.34	<0.76	<0.44	<0.24	<13
GT-7	4/29/20	<4.4	<0.20	<0.38	<0.30	<0.65	<0.25	<0.38	<0.43	<0.34	<0.76	<0.44	<0.24	<13
GT-7	9/23/20	<4.4	<0.20	<0.38	<0.30	<0.65	<0.25	<0.38	<0.43	<0.34	<0.76	<0.44	<0.24	<13
VE-1	7/6/05	<50	<1	<5	<5	5	<5	<5	41	7	27	<2	<5	5600
VE-1	12/13/05	<50	<1	<5	<5	18	<5	<5	97	72	71	<2	<5	24000
VE-1	3/15/06	<50	<1	<5	<5	19J	<5	<5	98J	83J	83J	<2	<5	39000
VE-1	6/22/06	<50	<1	<5	<5	9	<5	<5	57	<3	61	<2	<5	17000
VE-1	9/26/06	<50	<1	<5	<5	<5	<5	<5	18	8	26	<2	<5	8600
VE-1	DUPLICATE	<50	<1	<5	<5	<5	<5	<5	21	5	20	<2	<5	3900
VE-1	12/19/06	<50	<1	<5	<5	<5	<5	<5	37	12	45	<2	<5	27000
VE-1	3/27/07	<50	<1	<5	<5	<5	<5	<5	21	9	31	<2	<5	34000
VE-1	6/26/07	<50	<1	<5	<5	<5	<5	<5	27	13	40	<2	<5	30000
VE-1	9/20/07	<50	<1	<5	<5	<5	<5	<5	6	4	12	<2	<5	9500
VE-1	12/20/07	<50	<1	<5	<5	<5	<5	<5	9	7	19	<2	<5	33000
VE-1	3/27/08	<50	<1	<5	<5	<5	<5	<5	9	7	18	<2	<5	430
VE-1	6/19/08	<50	<1	<5	<5	<5	<5	<5	6	5	12	<2	<5	21000
VE-1	9/25/08	<50	<1	<5	<5	<5	<5	<5	<3	<3	<3	<2	<5	23000
VE-1	12/18/08	<50	<1	<5	<5	<5	<5	<5	<3	<3	7.2	<2	<5	15000
VE-1	3/12/09	<50	<1	<5	<5	<5	<5	<5	<3	<3	3.9	<2	<5	8000
VE-1	6/17/09	<50	<1	<5	<5	<5	<5	<5	<3	<3	6	<2	<5	23000
VE-1	9/22/09	<50	<1	<5	<5	<5	<5	<5	<3	<3	<3	<2	<5	8400
VE-1	12/30/09	2.6J	<0.14	<0.18	<0.14	<0.3	0.89J	<0.057	<0.063	<0.072	1.5J	<0.24	<0.16	23000E
VE-1	2/2/10	0.82J	<0.14	<0.18	<0.14	<0.3	1.2J	<0.057	<0.063	<0.072	<0.17	<0.24	<0.16	43000E
VE-1	3/24/10	44	<0.14	<0.18	<0.14	<0.3	0.33J	<0.057	<0.063	<0.072	0.19J	<0.24	<0.16	5400
VE-1	6/22/10	1.2JB	<0.14	<0.18	<0.14	<0.3	1.1J	<0.057	<0.063	<0.072	<0.17	<0.24	<0.16	8100
VE-1	3/24/11	1.8J	<0.14	<0.18	<0.14	<0.3	0.72J	<0.057	<0.063	<0.072	<0.17	<0.24	<0.16	8300
VE-1	6/16/11	2.4J	<0.14	<0.18	<0.14	<0.3	0.97J	<0.057	<0.063	<0.072	<0.17	<0.24	<0.16	13000

Table 2
Groundwater Monitoring Results Summary (to Current)
Safety-Kleen Systems, Inc. - Corrective Action Program
N. Amityville, New York Facility

T.O.G.S 1.1.1 Standards		Volatile Organic Compounds Method 8260B (ug/L)												
Sample ID	Sample Date	50 Acetone	1 Benzene	5 Toluene	5 Ethylbenzene	5 Xylenes (Total)	5 Tetrachloroethene	5 Chlorobenzene	3 1,2- Dichlorobenzene	3 1,3- Dichlorobenzene	3 1,4- Dichlorobenzene	5 Total 1,2- Dichloroethene	5 1,1,1- Trichloroethane	50 Mineral Spirits
VE-1	9/15/11	<0.58	<0.14	<0.18	<0.14	<0.3	0.38J	<0.057	<0.063	<0.072	<0.17	<0.24	<0.16	680
VE-1	12/16/11	<2.5	<0.13	<0.09	<0.25	<0.43	0.24J	<0.16	<0.16	<0.22	<0.15	<0.29	<0.25	10000
VE-1	3/14/12	<2.7	<0.08	<0.15	<0.1	<0.13	0.40J	<0.11	<0.21	<0.14	<0.23	<0.29	<0.06	2600
VE-1	6/20/12	<2.7	<0.08	<0.15	<0.1	<0.13	0.34JH	<0.11	<0.21	<0.14	<0.23	<0.29	<0.06	2400H
VE-1R	10/25/12	8.8J	<0.08	<0.15	<0.1	<0.13	0.38J	<0.11	<0.21	<0.14	<0.23	<0.29	<0.06	20000
VE-1R	12/20/12	<2.7	<0.08	<0.15	<0.1	<0.13	<0.1	<0.11	<0.21	<0.14	<0.23	<0.29	<0.06	12000
VE-1R	3/14/13	<2.7	<0.08	<0.15	<0.1	<0.13	0.23J	<0.11	<0.21	<0.14	<0.23	<0.29	<0.06	9900
VE-1R	6/20/13	<2.7	<0.08	<0.15	<0.1	<0.13	0.31J	<0.11	<0.21	<0.14	<0.23	<0.29	<0.06	22000
VE-1R	9/24/13	ND	ND	ND	ND	ND	0.20J	ND	ND	ND	ND	ND	ND	42000
VE-1R	12/18/13	19J	<0.08	<0.15	<0.1	<0.13	<0.1	<0.11	<0.21	<0.14	<0.23	<0.29	<0.06	44000
VE-1R	2/25/14	21J	<0.08	<0.15	<0.1	<0.13	0.27J	<0.11	<0.21	<0.14	<0.23	<0.29	<0.06	14000
VE-1R	6/11/14	<2.7	<0.08	<0.15	<0.1	<0.13	0.22J	<0.11	<0.21	<0.14	<0.23	<0.29	<0.06	18000
VE-1R	8/26/14	ND	ND	ND	ND	ND	0.26J	ND	ND	ND	ND	ND	ND	36000
VE-1R	11/13/14	<2.7	<0.08	<0.15	<0.1	<0.13	<0.1	<0.11	<0.21	<0.14	<0.23	<0.29	<0.06	110
VE-1R	12/16/14	<2.7	<0.08	<0.15	<0.1	<0.13	<0.1	<0.11	<0.21	<0.14	<0.23	<0.29	<0.06	<50
VE-1R	6/25/15	<1.1	<0.09	<0.25	<0.3	<0.28	<0.12	<0.24	<0.22	<0.33	<0.33	<0.18	<0.28	110
VE-1R	9/24/15	<1.1	<0.09	<0.25	<0.3	<0.28	<0.12	<0.24	<0.22	<0.33	<0.33	<0.18	<0.28	250
VE-1R	12/8/15	<1.1	<0.09	<0.25	<0.3	<0.28	<0.12	<0.24	<0.22	<0.33	<0.33	<0.18	<0.28	383
VE-1R	3/23/16	3.4J	<0.09	<0.25	<0.3	<0.28	0.18J	<0.24	<0.22	<0.33	<0.33	<0.18	<0.28	180
VE-1R	6/15/16	<1.1	<0.09	<0.25	<0.3	<0.28	<0.12	<0.24	<0.22	<0.33	<0.33	<0.18	<0.28	410
VE-1R	9/27/16	<1.1	<0.09	<0.25	<0.3	<0.28	<0.12	<0.24	<0.22	<0.33	<0.33	<0.18	<0.28	1200
VE-1R	12/20/16	28J	<0.09	<0.25	<0.3	<0.28	<0.12	<0.24	<0.22	<0.33	<0.33	<0.18	<0.28	1900
VE-1R	3/28/17	20J	<0.09	0.50J	<0.3	<0.28	0.35J	<0.24	<0.22	<0.33	<0.33	<0.18	<0.28	270
VE-1R	6/14/17	<1.1	<0.09	<0.25	<0.3	<0.28	<0.12	<0.24	<0.22	<0.33	<0.33	<0.18	<0.28	100
VE-1R	Duplicate	<1.1	<0.09	<0.25	<0.3	<0.28	<0.12	<0.24	<0.22	<0.33	<0.33	<0.18	<0.28	120
VE-1R	9/26/17	<1.1	<0.09	<0.25	<0.3	<0.28	<0.12	<0.24	<0.22	<0.33	<0.33	<0.18	<0.28	50 JB
VE-1R	Duplicate	<1.1	<0.09	<0.25	<0.3	<0.28	<0.12	<0.24	<0.22	<0.33	<0.33	<0.18	<0.28	84 JB
VE-1R	3/27/18	3.0JB	<0.09	<0.25	<0.3	<0.28	<0.12	<0.24	<0.22	<0.33	<0.33	<0.18	<0.28	<13
VE-1R	Duplicate	4.4JB	<0.09	<0.25	<0.3	<0.28	<0.12	<0.24	<0.22	<0.33	<0.33	<0.18	<0.28	<13
VE-1R	9/25/18	<5.0	<0.43	<0.38	<0.3	<0.65	<0.25	<0.38	<0.43	<0.34	<0.76	<0.44	<0.24	<13
VE-1R	Duplicate	5.9JB	<0.43	<0.38	<0.3	<0.65	<0.25	<0.38	<0.43	<0.34	<0.76	<0.44	<0.24	<13
VE-1R	3/26/19	<5.0	<0.43	<0.38	<0.3	<0.65	<0.25	<0.38	<0.43	<0.34	<0.76	<0.44	<0.24	<13
VE-1R	9/25/19	<4.4	<0.20	<0.38	<0.30	<0.65	<0.25	<0.38	<0.43	<0.34	<0.76	<0.44	<0.24	<13
VE-1R	4/29/20	<4.4	<0.20	<0.38	<0.30	<0.65	<0.25	<0.38	<0.43	<0.34	<0.76	<0.44	<0.24	<13
VE-1R	9/23/20	<4.4	<0.20	0.61 J	<0.30	0.30 J	<0.25	<0.38	<0.43	<0.34	<0.76	<0.44	<0.24	<13
VE-5	3/24/05	<50	<1	<5	<5	<5	<5	<5	<3	<3	<3	<2	<5	<50
VE-5	7/6/05	<50	<1	<5	<5	<5	<5	<5	<3	<3	<3	<2	<5	<50
VE-5	9/20/05	<50	<1	<5	<5	<5	<5	<5	<3	<3	<3	<2	<5	<50
VE-5	12/13/05	<50	<1	<5	<5	<5	<5	<5	<3	<3	<3	<2	<5	<50
VE-5	3/15/06	<50	<1	<5	<5	<5	<5	<5	<3	<3	<3	<2	<5	<50
VE-5	6/22/06	<50	<1	<5	<5	<5	<5	<5	<3	<3	<3	<2	<5	<50
VE-5	9/26/06	<50	<1	<5	<5	<5	<5	<5	<3	<3	<3	<2	<5	<50
VE-5	12/19/06	<50	<1	<5	<5	<5	<5	<5	<3	<3	<3	<2	<5	<50
VE-5	3/27/07	<50	<1	<5	<5	<5	<5	<5	<3	<3	<3	<2	<5	<50
VE-5	6/26/07	<50	<1	<5	<5	<5	<5	<5	<3	<3	<3	<2	<5	<50
VE-5	9/20/07	<50	<1	<5	<5	<5	<5	<5	<3	<3	<3	<2	<5	<50
VE-5	12/20/07	<50	<1	<5	<5	<5	<5	<5	<3	<3	<3	<2	<5	<50
VE-5	3/27/08	<50	<1	<5	<5	<5	<5	<5	<3	<3	<3	<2	<5	60
VE-5	6/19/08	<50	<1	<5	<5	<5	<5	<5	<3	<3	<3	<2	<5	<50
VE-5	9/25/08	<50	<1	<5	<5	<5	<5	<5	<3	<3	<3	<2	<5	<50
VE-5	12/18/08	<50	<1	<5	<5	<5	<5	<5	<3	<3	<3	<2	<5	<50
VE-5	3/12/09	<50	<1	<5	<5	<5	<5	<5	<3	<3	<3	<2	<5	<50
VE-5	6/17/09	<50	<1	<5	<5	<5	<5	<5	<3	<3	<3	<2	<5	<50
VE-5	9/22/09	<50	<1	<5	<5	<5	<5	<5	<3	<3	<3	<2	<5	<50
VE-5	12/30/09	0.72J	<0.14	<0.18	<0.14	<0.3	6.3J	<0.057	<0.063	<0.072	<0.17	<0.24	<0.16	190
VE-5	2/2/10	1.2J	<0.14	<0.18	<0.14	<0.3	<0.11	<0.057	<0.063	<0.072	<0.17	<0.24	<0.16	390
VE-5	3/24/10	<0.58	<0.14	<0.18	<0.14	<0.3	<0.11	<0.057	<0.063	<0.072	<0.17	<0.24	<0.16	<50
VE-5	6/22/10	0.66JB	<0.14	<0.18	<0.14	<0.3	0.46J	<0.057	<0.063	<0.072	<0.17	<0.24	<0.16	<50
VE-5	9/22/10	1.8J	<0.14	<0.18	<0.14	<0.3	<0.11	<0.057	<0.063	<0.072	<0.17	<0.24	<0.16	<50
VE-5	12/15/10	2.0J	<0.56	<0.72	<0.56	<1.2	0.46J	<0.23	<0.25	<0.29	<0.68	<0.96	<0.64	<50
VE-5	3/24/11	1.6JB	<0.14	<0.18	<0.14	<0.3	0.22J	<0.057	<0.063	<0.072	<0.17	<0.24	<0.16	<50
VE-5	6/16/11	1.1JB	<0.14	<0.18	<0.14	<0.3	<0.11	<0.057	<0.063	<0.072	<0.17	<0.24	<0.16	<50
VE-5	9/15/11	2.0J	<0.14	<0.18	<0.14	<0.3	0.88J	<0.057	<0.063	<0.072	<0.17	<0.24	<0.16	<50

Table 2
Groundwater Monitoring Results Summary (to Current)
Safety-Kleen Systems, Inc. - Corrective Action Program
N. Amityville, New York Facility

T.O.G.S 1.1.1 Standards		Volatile Organic Compounds Method 8260B (ug/L)												
Sample ID	Sample Date	50 Acetone	1 Benzene	5 Toluene	5 Ethylbenzene	5 Xylenes (Total)	5 Tetrachloroethene	5 Chlorobenzene	3 1,2- Dichlorobenzene	3 1,3- Dichlorobenzene	3 1,4- Dichlorobenzene	5 Total 1,2- Dichloroethene	5 1,1,1- Trichloroethane	50 Mineral Spirits
VE-5	12/16/11	<2.5	<0.13	<0.09	<0.25	<0.43	<0.2	<0.16	<0.16	<0.22	<0.15	<0.29	<0.25	<50
VE-5	3/14/12	<2.7	<0.08	<0.15	<0.1	<0.13	0.12J	<0.11	<0.21	<0.14	<0.23	<0.29	<0.06	<50
VE-5	6/20/12	<2.7	<0.08	<0.15	<0.1	<0.13	0.45JH	<0.11	<0.21	<0.14	<0.23	<0.29	<0.06	<50
VE-5	8/28/12	<2.7	<0.08	<0.15	<0.1	<0.13	1.1J	<0.11	<0.21	<0.14	<0.23	<0.29	<0.06	<50
VE-5	12/20/12	<2.7	<0.08	<0.15	<0.1	<0.13	<0.1	<0.11	<0.21	<0.14	<0.23	<0.29	<0.06	<50
VE-5	3/14/13	<2.7	<0.08	<0.15	<0.1	<0.13	0.34J	<0.11	<0.21	<0.14	<0.23	<0.29	<0.06	<50
VE-5	6/20/13	<2.7	<0.08	<0.15	<0.1	<0.13	0.30J	<0.11	<0.21	<0.14	<0.23	<0.29	<0.06	<50
VE-5	9/24/13	ND	ND	ND	ND	ND	0.23J	ND	ND	ND	ND	ND	ND	<50
VE-5	12/18/13	<2.7	<0.08	<0.15	<0.1	<0.13	0.59J	<0.11	<0.21	<0.14	<0.23	<0.29	<0.06	<50
VE-5	2/25/14	<2.7	<0.08	<0.15	<0.1	<0.13	0.39J	<0.11	<0.21	<0.14	<0.23	<0.29	<0.06	<50
VE-5	6/11/14	<2.7	<0.08	<0.15	<0.1	<0.13	0.37J	<0.11	<0.21	<0.14	<0.23	<0.29	<0.06	<50
VE-5	8/26/14	ND	ND	ND	ND	ND	0.62J	ND	ND	ND	ND	ND	ND	<50
VE-5	11/13/14	6.2J	<0.08	<0.15	<0.1	<0.13	0.52J	<0.11	<0.21	<0.14	<0.23	<0.29	<0.06	<50
VE-5	12/16/14	<2.7	<0.08	<0.15	<0.1	<0.13	0.96J	<0.11	<0.21	<0.14	<0.23	<0.29	<0.06	<50
VE-5	3/10/15	<1.1	<0.19	<0.25	<0.3	<0.28	<0.36	<0.24	<0.22	<0.33	<0.33	<0.18	<0.28	<50
VE-5	6/25/15	<1.1	<0.09	<0.25	<0.3	<0.28	<0.12	<0.24	<0.22	<0.33	<0.33	<0.18	<0.28	<50
VE-5	9/23/15	<1.1	<0.09	<0.25	<0.3	<0.28	1.7J	<0.24	<0.22	<0.33	<0.33	<0.18	<0.28	97
VE-5	12/7/15	<1.1	<0.09	<0.25	<0.3	<0.28	0.70J	<0.24	<0.22	<0.33	<0.33	<0.18	<0.28	<50
VE-5	3/22/16	<1.1	<0.09	<0.25	<0.3	<0.28	0.37J	<0.24	<0.22	<0.33	<0.33	<0.18	<0.28	<50
VE-5	6/14/16	<1.1	<0.09	<0.25	<0.3	<0.28	0.28J	<0.24	<0.22	<0.33	<0.33	<0.18	<0.28	<48
VE-5	9/26/16	<1.1	<0.09	<0.25	<0.3	<0.28	1.5J	<0.24	<0.22	<0.33	<0.33	<0.18	<0.28	<48
VE-5	12/19/16	<1.1	<0.09	<0.25	<0.3	<0.28	1.3J	<0.24	<0.22	<0.33	<0.33	<0.18	<0.28	<48
VE-5	3/28/17	<1.1	<0.09	<0.25	<0.3	<0.28	0.33J	<0.24	<0.22	<0.33	<0.33	<0.18	<0.28	<51
VE-5	6/13/17	<1.1	<0.09	<0.25	<0.3	<0.28	0.19J	<0.24	<0.22	<0.33	<0.33	<0.18	<0.28	<50
VE-5	9/26/17	<1.1	<0.09	<0.25	<0.3	<0.28	0.83J	<0.24	<0.22	<0.33	<0.33	<0.18	<0.28	<51
VE-5	3/27/18	1.6J B	<0.09	<0.25	<0.3	<0.28	0.27J	<0.24	<0.22	<0.33	<0.33	<0.18	<0.28	NA
VE-5	9/24/18	<5.0	<0.43	<0.38	<0.3	<0.65	0.85J	<0.38	<0.43	<0.34	<0.76	<0.44	<0.24	<13
VE-5	3/25/19	<5.0	<0.43	<0.38	<0.3	<0.65	<0.25	<0.38	<0.43	<0.34	<0.76	<0.44	<0.24	<13
VE-5	9/25/19	<4.4	<0.20	<0.38	<0.30	<0.65	0.29J	<0.38	<0.43	<0.34	<0.76	<0.44	<0.24	<13
VE-5	4/29/20	<4.4	<0.20	<0.38	<0.30	<0.65	<0.25	<0.38	<0.43	<0.34	<0.76	<0.44	<0.24	<13
VE-5	9/23/20	<4.4	<0.20	<0.38	<0.30	<0.65	0.94 J	<0.38	<0.43	<0.34	<0.76	<0.44	<0.24	<13
VP-A	3/24/10	9.1J	<0.14	<0.18	<0.14	<0.3	<0.11	<0.057	<0.063	<0.072	<0.17	<0.24	<0.16	<50
VP-A	6/22/10	0.77JB	<0.14	<0.18	<0.14	<0.3	0.71J	<0.057	<0.063	<0.072	<0.17	<0.24	<0.16	<50
VP-A	9/22/10	1.7J	<0.14	<0.18	<0.14	<0.3	1.0J	<0.057	<0.063	<0.072	<0.17	<0.24	<0.16	<50
VP-A	12/15/10	<2.3	<0.56	<0.72	<0.56	<1.2	0.75J	<0.23	<0.25	<0.29	<0.68	<0.96	<0.64	<50
VP-A	3/24/11	1.4J	<0.14	<0.18	<0.14	<0.3	0.52J	<0.057	<0.063	<0.072	<0.17	<0.24	<0.16	<50
VP-A	6/16/11	1.6JB	<0.14	<0.18	<0.14	<0.3	0.82J	<0.057	<0.063	<0.072	<0.17	<0.24	<0.16	<50
VP-A	9/15/11	<0.58	<0.14	<0.18	<0.14	<0.3	1.1J	<0.057	<0.063	<0.072	<0.17	<0.24	<0.16	<50
VP-A	12/16/11	<2.5	<0.13	<0.09	<0.25	<0.43	1.0J	<0.16	<0.16	<0.22	<0.15	<0.29	<0.25	<50
VP-A	3/14/12	<2.7	<0.08	<0.15	<0.1	<0.13	0.66J	<0.11	<0.21	<0.14	<0.23	<0.29	<0.06	<50
VP-A	6/20/12	<2.7	<0.08	<0.15	<0.1	<0.13	0.86JH	<0.11	<0.21	<0.14	<0.23	<0.29	<0.06	<50
VP-A	8/28/12	<2.7	<0.08	<0.15	<0.1	<0.13	0.54J	<0.11	<0.21	<0.14	<0.23	<0.29	<0.06	<50
VP-A	12/20/12	<2.7	<0.08	0.82J	<0.1	<0.13	<0.1	<0.11	<0.21	<0.14	<0.23	<0.29	<0.06	<50
VP-A	3/14/13	<2.7	<0.08	<0.15	<0.1	<0.13	0.26J	<0.11	<0.21	<0.14	<0.23	<0.29	<0.06	<50
VP-A	6/20/13	<2.7	<0.08	<0.15	<0.1	<0.13	0.89J	<0.11	<0.21	<0.14	<0.23	<0.29	<0.06	<50
VP-A	9/24/13	ND	ND	ND	ND	ND	0.15J	ND	ND	ND	ND	ND	ND	100
VP-A	12/18/13	<2.7	<0.08	<0.15	<0.1	<0.13	0.47J	<0.11	<0.21	<0.14	<0.23	<0.29	<0.06	110
VP-A	2/25/14	<2.7	<0.08	<0.15	<0.1	<0.13	0.25J	<0.11	<0.21	<0.14	<0.23	<0.29	<0.06	<50
VP-A	6/11/14	<2.7	<0.08	<0.15	<0.1	<0.13	0.21J	<0.11	<0.21	<0.14	<0.23	<0.29	<0.06	<50
VP-A	8/26/14	ND	ND	ND	ND	ND	0.57J	ND	ND	ND	ND	ND	ND	<50
VP-A	11/13/14	<2.7	<0.08	<0.15	<0.1	<0.13	0.31J	<0.11	<0.21	<0.14	<0.23	<0.29	<0.06	<50
VP-A	12/16/14	<2.7	<0.08	<0.15	<0.1	<0.13	0.53J	<0.11	<0.21	<0.14	<0.23	<0.29	<0.06	<50
VP-A	3/10/15	<2.7	<0.19	<0.25	<0.3	<0.28	0.40J	<0.24	<0.22	<0.33	<0.33	<0.18	<0.28	<50
VP-A	6/25/15	<1.1	<0.09	<0.25	<0.3	<0.28	0.28J	<0.24	<0.22	<0.33	<0.33	<0.18	<0.28	<50
VP-A	9/23/15	<1.1	<0.09	<0.25	<0.3	<0.28	0.80J	<0.24	<0.22	<0.33	<0.33	<0.18	<0.28	90
VP-A	12/9/15	<1.1	<0.09	<0.25	<0.3	<0.28	<0.12	<0.24	<0.22	<0.33	<0.33	<0.18	<0.28	<50
VP-A	3/22/16	<1.1	<0.09	<0.25	<0.3	<0.28	0.34J	<0.24	<0.22	<0.33	<0.33	<0.18	<0.28	<50
VP-A	6/14/16	<1.1	<0.090	<0.25	<0.3	<0.28	0.25J	<0.24	<0.22	<0.33	<0.33	<0.18	<0.28	71
VP-A	9/26/16	<1.1	<0.090	<0.25	<0.3	<0.28	1.1J	<0.24	<0.22	<0.33	<0.33	<0.18	<0.28	<48
VP-A	12/20/16	<1.1	<0.090	<0.25	<0.3	<0.28	1.6J	<0.24	<0.22	<0.33	<0.33	<0.18	<0.28	<48
VP-A	3/28/17	<1.1	<0.090	<0.25	<0.3	<0.28	0.29J	<0.24	<0.22	<0.33	<0.33	<0.18	<0.28	<51
VP-A	6/13/17	<1.1	<0.090	<0.25	<0.3	<0.28	<0.12	<0.24	<0.22	<0.33	<0.33	<0.18	<0.28	<51
VP-A	9/26/17	<1.1	<0.090	<0.25	<0.3	<0.28	0.52J	<0.24	<0.22	<0.33	<0.33	<0.18	<0.28	<51

Table 2
Groundwater Monitoring Results Summary (to Current)
Safety-Kleen Systems, Inc. - Corrective Action Program
N. Amityville, New York Facility

T.O.G.S 1.1.1 Standards		Volatile Organic Compounds Method 8260B (ug/L)												
Sample ID	Sample Date	50 Acetone	1 Benzene	5 Toluene	5 Ethylbenzene	5 Xylenes (Total)	5 Tetrachloroethene	5 Chlorobenzene	3 1,2-Dichlorobenzene	3 1,3-Dichlorobenzene	3 1,4-Dichlorobenzene	5 Total 1,2-Dichloroethene	5 1,1,1-Trichloroethane	50 Mineral Spirits
VP-A	3/27/18	1.4J B	<0.090	<0.25	<0.3	<0.28	0.26J	<0.24	<0.22	<0.33	<0.33	<0.18	<0.28	<13
VP-A	9/25/18	<5.0	<0.43	<0.38	<0.3	<0.65	0.41J	<0.38	<0.43	<0.34	<0.76	<0.44	<0.24	<13
VP-A	3/26/19	<5.0	<0.43	<0.38	<0.3	<0.65	<0.25	<0.38	<0.43	<0.34	<0.76	<0.44	<0.24	<13
VP-A	9/25/19	<4.4	<0.20	<0.38	<0.30	<0.65	0.44J	<0.38	<0.43	<0.34	<0.76	<0.44	<0.24	<13
VP-A	4/29/20	<4.4	<0.20	<0.38	<0.30	<0.65	0.41J	<0.38	<0.43	<0.34	<0.76	<0.44	<0.24	<13
VP-A	9/23/20	<4.4	<0.20	<0.38	<0.30	<0.65	1.1 J	<0.38	<0.43	<0.34	<0.76	<0.44	<0.24	<13
VP-B	2/2/10	0.77J	<0.14	<0.18	<0.14	<0.3	0.77J	<0.057	<0.063	<0.072	<0.17	<0.24	<0.16	66
VP-B	3/24/10	130E	<0.14	<0.18	<0.14	<0.3	0.38J	<0.057	<0.063	<0.072	<0.17	<0.24	<0.16	120
VP-B	6/22/10	1.4JB	<0.14	<0.18	<0.14	<0.3	1.7J	<0.057	<0.063	<0.072	<0.17	<0.24	<0.16	<50
VP-B	9/22/10	1.2JB	<0.14	<0.18	<0.14	<0.3	1.0J	<0.057	<0.063	<0.072	<0.17	0.24J	<0.16	<50
VP-B	12/15/10	<2.3	<0.56	<0.72	<0.56	<1.2	0.82J	<0.23	<0.25	<0.29	<0.68	<0.96	<0.64	<50
VP-B	3/24/11	1.6JB	<0.14	<0.18	<0.14	<0.3	0.33J	<0.057	<0.063	<0.072	<0.17	<0.24	<0.16	<50
VP-B	6/16/11	2.3JB	<0.14	<0.18	<0.14	<0.3	1.4J	<0.057	<0.063	<0.072	<0.17	<0.24	<0.16	<50
VP-B	9/15/11	<0.58	<0.14	<0.18	<0.14	<0.3	0.77J	<0.057	<0.063	<0.072	<0.17	<0.24	<0.16	<50
VP-B	12/16/11	<2.5	<0.13	<0.09	<0.25	<0.43	1.1J	<0.16	<0.16	<0.22	<0.15	<0.29	<0.25	<50
VP-B	3/14/12	<2.7	<0.08	<0.15	<0.1	<0.13	1.0J	<0.11	<0.21	<0.14	<0.23	<0.29	<0.06	<50
VP-B	6/20/12	<2.7	<0.08	<0.15	<0.1	<0.13	0.65JH	<0.11	<0.21	<0.14	<0.23	<0.29	<0.06	<50
VP-B	8/28/12	<2.7	<0.08	<0.15	<0.1	<0.13	0.52J	<0.11	<0.21	<0.14	<0.23	<0.29	<0.06	<50
VP-B	12/20/12	<2.7	<0.08	0.23J	<0.1	<0.13	0.35J	<0.11	<0.21	<0.14	<0.23	<0.29	<0.06	<50
VP-B	3/14/13	<2.7	<0.08	<0.15	<0.1	<0.13	0.40J	<0.11	<0.21	<0.14	<0.23	<0.29	<0.06	<50
VP-B	6/20/13	<2.7	<0.08	<0.15	<0.1	<0.13	0.44J	<0.11	<0.21	<0.14	<0.23	<0.29	<0.06	<50
VP-B	9/24/13	ND	ND	ND	ND	ND	0.20J	ND	ND	ND	ND	ND	ND	100
VP-B	12/18/13	<2.7	<0.08	<0.15	<0.1	<0.13	0.56J	<0.11	<0.21	<0.14	<0.23	<0.29	<0.06	93
VP-B	2/25/14	<2.7	<0.08	<0.15	<0.1	<0.13	0.31J	<0.11	<0.21	<0.14	<0.23	<0.29	<0.06	<50
VP-B	6/11/14	<2.7	<0.08	<0.15	<0.1	<0.13	0.29J	<0.11	<0.21	<0.14	<0.23	<0.29	<0.06	<50
VP-B	8/26/14	ND	ND	ND	ND	ND	0.89J	ND	ND	ND	ND	ND	ND	<50
VP-B	11/13/14	<2.7	<0.08	<0.15	<0.1	<0.13	0.49J	<0.11	<0.21	<0.14	<0.23	<0.29	<0.06	<50
VP-B	12/16/14	<2.7	<0.08	<0.15	<0.1	<0.13	0.73J	<0.11	<0.21	<0.14	<0.23	<0.29	<0.06	<50
VP-B	3/10/15	<1.1	<0.19	<0.25	<0.3	<0.28	0.75J	<0.24	<0.22	<0.33	<0.33	<0.18	<0.28	<50
VP-B	6/25/15	<1.1	<0.09	<0.25	<0.3	<0.28	0.29J	<0.24	<0.22	<0.33	<0.33	<0.18	<0.28	<50
VP-B	9/23/15	<1.1	<0.09	<0.25	<0.3	<0.28	0.77J	<0.24	<0.22	<0.33	<0.33	<0.18	<0.28	69
VP-B	12/9/15	<1.1	<0.09	<0.25	<0.3	<0.28	<0.12	<0.24	<0.22	<0.33	<0.33	<0.18	<0.28	<50
VP-B	3/22/16	<1.1	<0.09	<0.25	<0.3	<0.28	0.48J	<0.24	<0.22	<0.33	<0.33	<0.18	<0.28	<50
VP-B	6/14/16	<1.1	<0.90	<0.25	<0.3	<0.28	0.30J	<0.24	<0.22	<0.33	<0.33	<0.18	<0.28	69
VP-B	9/27/16	<1.1	<0.90	<0.25	<0.3	<0.28	0.62J	<0.24	<0.22	<0.33	<0.33	<0.18	<0.28	<48
VP-B	12/19/16	<1.1	<0.90	<0.25	<0.3	<0.28	0.58J	<0.24	<0.22	<0.33	<0.33	<0.18	<0.28	<48
VP-B	3/28/17	<1.1	<0.90	0.47J	<0.3	<0.28	0.29J	<0.24	<0.22	<0.33	<0.33	<0.18	<0.28	<51
VP-B	6/14/17	<1.1	<0.90	<0.25	<0.3	<0.28	0.31J	<0.24	<0.22	<0.33	<0.33	<0.18	<0.28	<51
VP-B	9/26/17	<1.1	<0.90	<0.25	<0.3	<0.28	0.45J	<0.24	<0.22	<0.33	<0.33	<0.18	<0.28	<51
VP-B	3/27/18	2.2JB	<0.90	<0.25	<0.3	<0.28	<0.12	<0.24	<0.22	<0.33	<0.33	<0.18	<0.28	<13
VP-B	9/25/18	<5.0	<0.43	<0.38	<0.3	<0.65	0.40J	<0.38	<0.43	<0.34	<0.76	<0.44	<0.24	<13
VP-B	3/26/19	<5.0	<0.43	<0.38	<0.3	<0.65	<0.25	<0.38	<0.43	<0.34	<0.76	<0.44	<0.24	NA
VP-B	9/25/19	<4.4	<0.20	<0.38	<0.30	<0.65	0.47J	<0.38	<0.43	<0.34	<0.76	<0.44	<0.24	<13
VP-B	4/29/20	<4.4	<0.20	<0.38	<0.30	<0.65	0.26J	<0.38	<0.43	<0.34	<0.76	<0.44	<0.24	<13
VP-B	9/23/20	<4.4	<0.20	<0.38	<0.30	<0.65	0.53 J	<0.38	<0.43	<0.34	<0.76	<0.44	<0.24	<13
DW-1 Water	3/24/11	5.8J	<0.14	<0.18	<0.14	<0.3	<0.11	<0.057	<0.063	<0.072	<0.17	<0.24	<0.16	<50
DW-1 Water	6/16/11	3.3J	<0.14	<0.18	<0.14	<0.3	<0.11	<0.057	<0.063	<0.072	<0.17	<0.24	<0.16	<50
DW-1 Water	3/10/15	18J	<0.19	<0.25	<0.3	<0.28	<0.36	<0.24	<0.22	<0.33	<0.33	<0.18	<0.28	<50
DW-1 Water	DUPLICATE	18J	<0.19	<0.25	<0.3	<0.28	<0.36	<0.24	<0.22	<0.33	<0.33	<0.18	<0.28	<50
DW-1 Water	6/25/15	<1.1	<0.09	<0.25	<0.3	<0.28	<0.12	<0.24	<0.22	<0.33	<0.33	<0.18	<0.28	<50
DW-1 Water	DUPLICATE	<1.1	<0.09	<0.25	<0.3	<0.28	<0.12	<0.24	<0.22	<0.33	<0.33	<0.18	<0.28	<50
DW-1 Water	3/22/16	<1.1	<0.09	<0.25	<0.3	<0.28	<0.12	<0.24	<0.22	<0.33	<0.33	<0.18	<0.28	<51
DW-1 Water	DUPLICATE	<1.1	<0.09	<0.25	<0.3	<0.28	<0.12	<0.24	<0.22	<0.33	<0.33	<0.18	<0.28	<51
DW-1 Water	6/14/16	<1.1	<0.09	<0.25	<0.3	<0.28	<0.12	<0.24	<0.22	<0.33	<0.33	<0.18	<0.28	<48
DW-1 Water	DUPLICATE	<1.1	<0.09	<0.25	<0.3	<0.28	<0.12	<0.24	<0.22	<0.33	<0.33	<0.18	<0.28	<48
DW-1 Water	9/26/16	<1.1	<0.09	<0.25	<0.3	<0.28	<0.12	<0.24	<0.22	<0.33	<0.33	<0.18	<0.28	<48
DW-1 Water	DUPLICATE	<1.1	<0.09	<0.25	<0.3	<0.28	<0.12	<0.24	<0.22	<0.33	<0.33	<0.18	<0.28	<48
DW-1 Water	12/19/16	<1.1	<0.09	<0.25	<0.3	<0.28	<0.12	<0.24	<0.22	<0.33	<0.33	<0.18	<0.28	<48
DW-1 Water	3/28/17	19J	<0.09	<0.25	<0.3	<0.28	<0.12	<0.24	<0.22	<0.33	<0.33	<0.18	<0.28	<51
DW-1 Water	6/12/17	<1.1	<0.09	<0.25	<0.3	<0.28	<0.12	<0.24	<0.22	<0.33	<0.33	<0.18	<0.28	<50
DW-1 Water	9/26/17	<1.1	<0.09	<0.25	<0.3	<0.28	<0.12	<0.24	<0.22	<0.33	<0.33	<0.18	<0.28	<51
DW-1 Water	3/26/18	3.8JB	<0.09	<0.25	<0.3	<0.28	<0.12	<0.24	<0.22	<0.33	<0.33	<0.18	<0.28	42
DW-1 Water	9/24/18	<5.0	<0.43	1.2J	<0.3	<0.65	<0.25	<0.38	<0.43	<0.34	<0.76	<0.44	<0.24	<13

Table 2
Groundwater Monitoring Results Summary (to Current)
Safety-Kleen Systems, Inc. - Corrective Action Program
N. Amityville, New York Facility

T.O.G.S 1.1.1 Standards		Volatile Organic Compounds Method 8260B (ug/L)												
		50	1	5	5	5	5	5	3	3	3	5	5	50
Sample ID	Sample Date	Acetone	Benzene	Toluene	Ethylbenzene	Xylenes (Total)	Tetrachloroethene	Chlorobenzene	1,2-Dichlorobenzene	1,3-Dichlorobenzene	1,4-Dichlorobenzene	Total 1,2-Dichloroethene	1,1,1-Trichloroethane	Mineral Spirits
DW-1 Water	3/25/19	46J	1.4	6.3	0.67J	6JB	0.73J	<0.38	<0.43	<0.34	<0.76	<0.44	<0.24	60
DW-1 Water	9/24/19	6.4JB	<0.20	<0.38	<0.30	<0.65	0.47J	<0.38	<0.43	<0.34	<0.76	<0.44	<0.24	<13
DW-1 Water	4/29/20	<4.4	<0.20	<0.38	<0.30	<0.65	<0.25	<0.38	<0.43	<0.34	<0.76	<0.44	<0.24	<13
DW-1 Water	9/23/20	<4.4	<0.20	1.4 J	<0.30	1.1 J	<0.25	<0.38	<0.43	<0.34	<0.76	<0.44	<0.24	<13
Notes: ND = Not detected NA = Not analyzed ug/L = micrograms per liter ug/kg = micrograms per kilogram B = Constituent detected in blank J = Estimated concentration H = Analysis performed outside of sample hold time Bold = Constituent detected above the method detection limit. Constituent detected above the T.O.G.S. 1.1.1 Standards or Project-Specific Reporting Limits) (1) This result is from the 10/3/20 analysis of the sample collected from GT-1 on 9/23/20. This sample was was re-analyzed on 12/11/20 past its hold time using the silica gel cleanup procedure with a result of 110 H ug/L.														

ATTACHMENT 4- LABORATORY ANALYTICAL REPORT

Detection Summary and Report (on CD)

ANALYTICAL REPORT

Eurofins TestAmerica, Edison
777 New Durham Road
Edison, NJ 08817
Tel: (732)549-3900

Laboratory Job ID: 460-219427-1
Client Project/Site: Safety-Kleen Amityville

For:
Safety-Kleen Systems, Inc
4120 Thunderbird Ln
Fairfield, Ohio 45014

Attn: Mr. Steve Fleming, P.E.



Authorized for release by:
10/13/2020 2:13:40 PM

Elizabeth Flannery, Project Manager I
(732)549-3900
Elizabeth.Flannery@Eurofinset.com

LINKS

Review your project
results through

TotalAccess

Have a Question?



Visit us at:

www.eurofinsus.com/Env

The test results in this report meet all 2003 NELAC, 2009 TNI, and 2016 TNI requirements for accredited parameters, exceptions are noted in this report. This report may not be reproduced except in full, and with written approval from the laboratory. For questions please contact the Project Manager at the e-mail address or telephone number listed on this page.

This report has been electronically signed and authorized by the signatory. Electronic signature is intended to be the legally binding equivalent of a traditionally handwritten signature.

Results relate only to the items tested and the sample(s) as received by the laboratory.



Table of Contents

Cover Page	1
Table of Contents	2
Definitions/Glossary	3
Case Narrative	4
Detection Summary	6
Client Sample Results	8
Surrogate Summary	31
QC Sample Results	32
QC Association Summary	37
Lab Chronicle	39
Certification Summary	42
Method Summary	43
Sample Summary	44
Chain of Custody	45
Receipt Checklists	48

Definitions/Glossary

Client: Safety-Kleen Systems, Inc
Project/Site: Safety-Kleen Amityville

Job ID: 460-219427-1

Qualifiers

GC/MS VOA

Qualifier	Qualifier Description
J	Indicates an estimated value.
U	Analyzed for but not detected.

GC Semi VOA

Qualifier	Qualifier Description
U	Analyzed for but not detected.

Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
□	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CFU	Colony Forming Unit
CNF	Contains No Free Liquid
DER	Duplicate Error Ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL	Detection Limit (DoD/DOE)
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision Level Concentration (Radiochemistry)
EDL	Estimated Detection Limit (Dioxin)
LOD	Limit of Detection (DoD/DOE)
LOQ	Limit of Quantitation (DoD/DOE)
MCL	EPA recommended "Maximum Contaminant Level"
MDA	Minimum Detectable Activity (Radiochemistry)
MDC	Minimum Detectable Concentration (Radiochemistry)
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
MPN	Most Probable Number
MQL	Method Quantitation Limit
NC	Not Calculated
ND	Not Detected at the reporting limit (or MDL or EDL if shown)
NEG	Negative / Absent
POS	Positive / Present
PQL	Practical Quantitation Limit
PRES	Presumptive
QC	Quality Control
RER	Relative Error Ratio (Radiochemistry)
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)
TNTC	Too Numerous To Count

Case Narrative

Client: Safety-Kleen Systems, Inc
Project/Site: Safety-Kleen Amityville

Job ID: 460-219427-1

Job ID: 460-219427-1

Laboratory: Eurofins TestAmerica, Edison

Narrative

CASE NARRATIVE

Client: Safety-Kleen Systems, Inc

Project: Safety-Kleen Amityville

Report Number: 460-219427-1

This case narrative is in the form of an exception report, where only the anomalies related to this report, method specific performance and/or QA/QC issues are discussed. If there are no issues to report, this narrative will include a statement that documents that there are no relevant data issues.

It should be noted that samples with elevated Reporting Limits (RLs) as a result of a dilution may not be able to satisfy customer reporting limits in some cases. Such increases in the RLs are unavoidable but acceptable consequence of sample dilution that enables quantification of target analytes or interferences which exceed the calibration range of the instrument.

Calculations are performed before rounding to avoid round-off errors in calculated results.

All holding times were met and proper preservation noted for the methods performed on these samples, unless otherwise detailed in the individual sections below.

RECEIPT

The samples were received on 9/29/2020 9:30 AM; the samples arrived in good condition, and where required, properly preserved and on ice. The temperatures of the 4 coolers at receipt time were 4.5° C, 5.3° C, 5.8° C and 6.0° C.

Receipt Exceptions

One of Two Amber glass containers for the following sample was received broken: VP-A (460-219427-9).

Per laboratory policy, the Trip Blank sample date/time was added to reflect the latest sample date/time of sampling event: TRIP BLANK 1 (460-219427-13)

Technical and Operational Guidance Series subpart 1.1.1 (The New York State Ambient Water Quality Standards and Guidance Values) references a class GA standard of 0.04 ug/L for 1,2-dibromo-3-Chloropropane and 1,2,3-Trichloropropane, and 0.2 ug/L for trans-1,3-Dichloropropene. The laboratory is unable to meet this standard by reporting to their established reporting limit (RL) or method detection limit (MDL).

The following analytes are included in this report but certification is not offered by the governing authority: Mineral Spirits.

Note: All samples which require thermal preservation are considered acceptable if the arrival temperature is within 2C of the required temperature or method specified range. For samples with a specified temperature of 4C, samples with a temperature ranging from just above freezing temperature of water to 6C shall be acceptable. Samples that are hand delivered immediately following collection may not meet these criteria, however they will be deemed acceptable according to NELAC standards, if there is evidence that the chilling process has begun, such as arrival on ice, etc.

VOLATILE ORGANIC COMPOUNDS (GC-MS)

Samples GT-1 (460-219427-1), GT-2 (460-219427-2), GT-3 (460-219427-3), GT-5 (460-219427-4), GT-6 (460-219427-5), GT-7 (460-219427-6), VE-1R (460-219427-7), VE-5 (460-219427-8), VP-A (460-219427-9), VP-B (460-219427-10), GW-DUP (460-219427-11), DW-1 (460-219427-12), TRIP BLANK 1 (460-219427-13), Rinse-GW (460-219427-14) and Rinse-GW2 (460-219427-15) were analyzed for Volatile organic compounds (GC-MS) in accordance with EPA SW-846 Methods 8260C. The samples were analyzed on 10/03/2020.

The laboratory observed that the following sample with ID "GW-DUP" has detections in it that are not present in any other sample in this job: GW-DUP (460-219427-11). Field labels have been checked and are correct.

Case Narrative

Client: Safety-Kleen Systems, Inc
Project/Site: Safety-Kleen Amityville

Job ID: 460-219427-1

Job ID: 460-219427-1 (Continued)

Laboratory: Eurofins TestAmerica, Edison (Continued)

No other difficulties were encountered during the volatiles analysis.

All other quality control parameters were within the acceptance limits.

MINERAL RANGE ORGANICS (MRO)

Samples GT-1 (460-219427-1), GT-2 (460-219427-2), GT-3 (460-219427-3), GT-5 (460-219427-4), GT-6 (460-219427-5), GT-7 (460-219427-6), VE-1R (460-219427-7), VE-5 (460-219427-8), VP-A (460-219427-9), VP-B (460-219427-10), GW-DUP (460-219427-11), DW-1 (460-219427-12), Rinse-GW (460-219427-14) and Rinse-GW2 (460-219427-15) were analyzed for Mineral Range Organics (MRO) in accordance with EPA SW-846 Method 8015D_ID. The samples were prepared on 09/30/2020 and 10/01/2020 and analyzed on 10/03/2020.

No difficulties were encountered during the MRO analysis.

All quality control parameters were within the acceptance limits.

Detection Summary

Client: Safety-Kleen Systems, Inc
Project/Site: Safety-Kleen Amityville

Job ID: 460-219427-1

Client Sample ID: GT-1

Lab Sample ID: 460-219427-1

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Mineral Spirits	88		13	2.5	ug/L	1		8015D	Total/NA

Client Sample ID: GT-2

Lab Sample ID: 460-219427-2

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Chloromethane	0.97	J	5.0	0.40	ug/L	1		8260C	Total/NA
Tetrachloroethene	0.34	J	5.0	0.25	ug/L	1		8260C	Total/NA

Client Sample ID: GT-3

Lab Sample ID: 460-219427-3

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Chloroform	0.35	J	7.0	0.33	ug/L	1		8260C	Total/NA
Chloromethane	0.43	J	5.0	0.40	ug/L	1		8260C	Total/NA

Client Sample ID: GT-5

Lab Sample ID: 460-219427-4

No Detections.

Client Sample ID: GT-6

Lab Sample ID: 460-219427-5

No Detections.

Client Sample ID: GT-7

Lab Sample ID: 460-219427-6

No Detections.

Client Sample ID: VE-1R

Lab Sample ID: 460-219427-7

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
m&p-Xylene	0.30	J	10	0.30	ug/L	1		8260C	Total/NA
Toluene	0.61	J	5.0	0.38	ug/L	1		8260C	Total/NA

Client Sample ID: VE-5

Lab Sample ID: 460-219427-8

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Tetrachloroethene	0.94	J	5.0	0.25	ug/L	1		8260C	Total/NA

Client Sample ID: VP-A

Lab Sample ID: 460-219427-9

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Chloroform	2.7	J	7.0	0.33	ug/L	1		8260C	Total/NA
Chloromethane	2.0	J	5.0	0.40	ug/L	1		8260C	Total/NA
Tetrachloroethene	1.1	J	5.0	0.25	ug/L	1		8260C	Total/NA

Client Sample ID: VP-B

Lab Sample ID: 460-219427-10

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Chloroform	0.82	J	7.0	0.33	ug/L	1		8260C	Total/NA
Tetrachloroethene	0.53	J	5.0	0.25	ug/L	1		8260C	Total/NA

Client Sample ID: GW-DUP

Lab Sample ID: 460-219427-11

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Acetone	5.6	J	50	4.4	ug/L	1		8260C	Total/NA
Chlorobenzene	2.7	J	5.0	0.38	ug/L	1		8260C	Total/NA
1,2-Dichlorobenzene	0.32	J	3.0	0.21	ug/L	1		8260C	Total/NA
1,4-Dichlorobenzene	1.2	J	3.0	0.33	ug/L	1		8260C	Total/NA

This Detection Summary does not include radiochemical test results.

Eurofins TestAmerica, Edison

Detection Summary

Client: Safety-Kleen Systems, Inc
Project/Site: Safety-Kleen Amityville

Job ID: 460-219427-1

Client Sample ID: DW-1

Lab Sample ID: 460-219427-12

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
m&p-Xylene	0.74	J	10	0.30	ug/L	1		8260C	Total/NA
o-Xylene	0.39	J	5.0	0.36	ug/L	1		8260C	Total/NA
Toluene	1.4	J	5.0	0.38	ug/L	1		8260C	Total/NA
Xylenes, Total	1.1	J	15	0.65	ug/L	1		8260C	Total/NA

Client Sample ID: TRIP BLANK 1

Lab Sample ID: 460-219427-13

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Methylene Chloride	0.35	J	5.0	0.32	ug/L	1		8260C	Total/NA

Client Sample ID: Rinse-GW

Lab Sample ID: 460-219427-14

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Ethylbenzene	0.41	J	5.0	0.30	ug/L	1		8260C	Total/NA
Methylene Chloride	0.44	J	5.0	0.32	ug/L	1		8260C	Total/NA
m&p-Xylene	1.7	J	10	0.30	ug/L	1		8260C	Total/NA
o-Xylene	0.70	J	5.0	0.36	ug/L	1		8260C	Total/NA
Toluene	2.8	J	5.0	0.38	ug/L	1		8260C	Total/NA
Xylenes, Total	2.4	J	15	0.65	ug/L	1		8260C	Total/NA

Client Sample ID: Rinse-GW2

Lab Sample ID: 460-219427-15

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Methylene Chloride	0.37	J	5.0	0.32	ug/L	1		8260C	Total/NA

This Detection Summary does not include radiochemical test results.

Eurofins TestAmerica, Edison

Client Sample Results

Client: Safety-Kleen Systems, Inc
Project/Site: Safety-Kleen Amityville

Job ID: 460-219427-1

Client Sample ID: GT-1

Lab Sample ID: 460-219427-1

Date Collected: 09/24/20 18:00

Matrix: Water

Date Received: 09/29/20 09:30

Method: 8260C - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Acetone	50	U	50	4.4	ug/L			10/03/20 17:41	1
Acetonitrile	10	U	10	5.0	ug/L			10/03/20 17:41	1
Benzene	1.0	U	1.0	0.20	ug/L			10/03/20 17:41	1
Benzyl chloride	10	U	10	0.34	ug/L			10/03/20 17:41	1
Bromodichloromethane	50	U	50	0.34	ug/L			10/03/20 17:41	1
Bromoform	5.0	U	5.0	0.54	ug/L			10/03/20 17:41	1
Bromomethane	5.0	U	5.0	0.55	ug/L			10/03/20 17:41	1
4-Methyl-2-pentanone (MIBK)	5.0	U	5.0	1.3	ug/L			10/03/20 17:41	1
Carbon disulfide	60	U	60	0.82	ug/L			10/03/20 17:41	1
Carbon tetrachloride	5.0	U	5.0	0.21	ug/L			10/03/20 17:41	1
Chlorobenzene	5.0	U	5.0	0.38	ug/L			10/03/20 17:41	1
Chloroethane	5.0	U	5.0	0.32	ug/L			10/03/20 17:41	1
2-Chloroethyl vinyl ether	20	U	20	0.43	ug/L			10/03/20 17:41	1
Chloroform	7.0	U	7.0	0.33	ug/L			10/03/20 17:41	1
Chloromethane	5.0	U	5.0	0.40	ug/L			10/03/20 17:41	1
cis-1,3-Dichloropropene	1.0	U	1.0	0.22	ug/L			10/03/20 17:41	1
Dibromochloromethane	50	U	50	0.28	ug/L			10/03/20 17:41	1
Dibromomethane	5.0	U	5.0	0.60	ug/L			10/03/20 17:41	1
1,2-Dibromo-3-Chloropropane	1.0	U	1.0	0.38	ug/L			10/03/20 17:41	1
1,2-Dichlorobenzene	3.0	U	3.0	0.21	ug/L			10/03/20 17:41	1
1,3-Dichlorobenzene	3.0	U	3.0	0.34	ug/L			10/03/20 17:41	1
1,4-Dichlorobenzene	3.0	U	3.0	0.33	ug/L			10/03/20 17:41	1
Dichlorodifluoromethane	5.0	U	5.0	0.31	ug/L			10/03/20 17:41	1
1,1-Dichloroethane	5.0	U	5.0	0.26	ug/L			10/03/20 17:41	1
1,2-Dichloroethane	1.0	U	1.0	0.43	ug/L			10/03/20 17:41	1
1,1-Dichloroethene	5.0	U	5.0	0.26	ug/L			10/03/20 17:41	1
1,2-Dichloroethene, Total	2.0	U	2.0	0.44	ug/L			10/03/20 17:41	1
1,2-Dichloropropane	1.0	U	1.0	0.35	ug/L			10/03/20 17:41	1
Ethylbenzene	5.0	U	5.0	0.30	ug/L			10/03/20 17:41	1
2-Butanone (MEK)	50	U	50	1.9	ug/L			10/03/20 17:41	1
Methylene Chloride	5.0	U	5.0	0.32	ug/L			10/03/20 17:41	1
Methyl methacrylate	50	U	50	0.97	ug/L			10/03/20 17:41	1
m&p-Xylene	10	U	10	0.30	ug/L			10/03/20 17:41	1
o-Xylene	5.0	U	5.0	0.36	ug/L			10/03/20 17:41	1
Styrene	5.0	U	5.0	0.42	ug/L			10/03/20 17:41	1
1,1,1,2-Tetrachloroethane	5.0	U	5.0	0.27	ug/L			10/03/20 17:41	1
1,1,2,2-Tetrachloroethane	5.0	U	5.0	0.37	ug/L			10/03/20 17:41	1
Tetrachloroethene	5.0	U	5.0	0.25	ug/L			10/03/20 17:41	1
trans-1,2-Dichloroethene	5.0	U	5.0	0.24	ug/L			10/03/20 17:41	1
trans-1,3-Dichloropropene	1.0	U	1.0	0.22	ug/L			10/03/20 17:41	1
1,1,1-Trichloroethane	5.0	U	5.0	0.24	ug/L			10/03/20 17:41	1
1,1,2-Trichloroethane	1.0	U	1.0	0.20	ug/L			10/03/20 17:41	1
Trichloroethene	5.0	U	5.0	0.31	ug/L			10/03/20 17:41	1
1,2,3-Trichloropropane	1.0	U	1.0	0.66	ug/L			10/03/20 17:41	1
Toluene	5.0	U	5.0	0.38	ug/L			10/03/20 17:41	1
Vinyl acetate	5.0	U	5.0	0.83	ug/L			10/03/20 17:41	1
Vinyl chloride	2.0	U	2.0	0.17	ug/L			10/03/20 17:41	1
Xylenes, Total	15	U	15	0.65	ug/L			10/03/20 17:41	1
2-Hexanone	50	U	50	1.1	ug/L			10/03/20 17:41	1

Eurofins TestAmerica, Edison

Client Sample Results

Client: Safety-Kleen Systems, Inc
Project/Site: Safety-Kleen Amityville

Job ID: 460-219427-1

Client Sample ID: GT-1

Lab Sample ID: 460-219427-1

Date Collected: 09/24/20 18:00

Matrix: Water

Date Received: 09/29/20 09:30

Method: 8260C - Volatile Organic Compounds by GC/MS (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
cis-1,2-Dichloroethene	5.0	U	5.0	0.22	ug/L			10/03/20 17:41	1
1,2-Dibromoethane	5.0	U	5.0	0.50	ug/L			10/03/20 17:41	1
Ethyl methacrylate	5.0	U	5.0	0.26	ug/L			10/03/20 17:41	1
Iodomethane	5.0	U	5.0	0.48	ug/L			10/03/20 17:41	1
trans-1,4-Dichloro-2-butene	5.0	U	5.0	0.34	ug/L			10/03/20 17:41	1
Methacrylonitrile	5.0	U	5.0	2.1	ug/L			10/03/20 17:41	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	98		75 - 123		10/03/20 17:41	1
4-Bromofluorobenzene	99		76 - 120		10/03/20 17:41	1
Toluene-d8 (Surr)	104		80 - 120		10/03/20 17:41	1
Dibromofluoromethane (Surr)	99		77 - 124		10/03/20 17:41	1

Method: 8015D - Hydrocarbon Product Identification (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Mineral Spirits	88		13	2.5	ug/L		10/01/20 09:50	10/03/20 15:50	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
o-Terphenyl	90		38 - 149				10/01/20 09:50	10/03/20 15:50	1

Client Sample ID: GT-2

Lab Sample ID: 460-219427-2

Date Collected: 09/24/20 09:20

Matrix: Water

Date Received: 09/29/20 09:30

Method: 8260C - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Acetone	50	U	50	4.4	ug/L			10/03/20 21:31	1
Acetonitrile	10	U	10	5.0	ug/L			10/03/20 21:31	1
Benzene	1.0	U	1.0	0.20	ug/L			10/03/20 21:31	1
Benzyl chloride	10	U	10	0.34	ug/L			10/03/20 21:31	1
Bromodichloromethane	50	U	50	0.34	ug/L			10/03/20 21:31	1
Bromoform	5.0	U	5.0	0.54	ug/L			10/03/20 21:31	1
Bromomethane	5.0	U	5.0	0.55	ug/L			10/03/20 21:31	1
4-Methyl-2-pentanone (MIBK)	5.0	U	5.0	1.3	ug/L			10/03/20 21:31	1
Carbon disulfide	60	U	60	0.82	ug/L			10/03/20 21:31	1
Carbon tetrachloride	5.0	U	5.0	0.21	ug/L			10/03/20 21:31	1
Chlorobenzene	5.0	U	5.0	0.38	ug/L			10/03/20 21:31	1
Chloroethane	5.0	U	5.0	0.32	ug/L			10/03/20 21:31	1
2-Chloroethyl vinyl ether	20	U	20	0.43	ug/L			10/03/20 21:31	1
Chloroform	7.0	U	7.0	0.33	ug/L			10/03/20 21:31	1
Chloromethane	0.97	J	5.0	0.40	ug/L			10/03/20 21:31	1
cis-1,3-Dichloropropene	1.0	U	1.0	0.22	ug/L			10/03/20 21:31	1
Dibromochloromethane	50	U	50	0.28	ug/L			10/03/20 21:31	1
Dibromomethane	5.0	U	5.0	0.60	ug/L			10/03/20 21:31	1
1,2-Dibromo-3-Chloropropane	1.0	U	1.0	0.38	ug/L			10/03/20 21:31	1
1,2-Dichlorobenzene	3.0	U	3.0	0.21	ug/L			10/03/20 21:31	1
1,3-Dichlorobenzene	3.0	U	3.0	0.34	ug/L			10/03/20 21:31	1
1,4-Dichlorobenzene	3.0	U	3.0	0.33	ug/L			10/03/20 21:31	1
Dichlorodifluoromethane	5.0	U	5.0	0.31	ug/L			10/03/20 21:31	1
1,1-Dichloroethane	5.0	U	5.0	0.26	ug/L			10/03/20 21:31	1
1,2-Dichloroethane	1.0	U	1.0	0.43	ug/L			10/03/20 21:31	1

Eurofins TestAmerica, Edison

Client Sample Results

Client: Safety-Kleen Systems, Inc
Project/Site: Safety-Kleen Amityville

Job ID: 460-219427-1

Client Sample ID: GT-2

Lab Sample ID: 460-219427-2

Date Collected: 09/24/20 09:20

Matrix: Water

Date Received: 09/29/20 09:30

Method: 8260C - Volatile Organic Compounds by GC/MS (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	5.0	U	5.0	0.26	ug/L			10/03/20 21:31	1
1,2-Dichloroethene, Total	2.0	U	2.0	0.44	ug/L			10/03/20 21:31	1
1,2-Dichloropropane	1.0	U	1.0	0.35	ug/L			10/03/20 21:31	1
Ethylbenzene	5.0	U	5.0	0.30	ug/L			10/03/20 21:31	1
2-Butanone (MEK)	50	U	50	1.9	ug/L			10/03/20 21:31	1
Methylene Chloride	5.0	U	5.0	0.32	ug/L			10/03/20 21:31	1
Methyl methacrylate	50	U	50	0.97	ug/L			10/03/20 21:31	1
m&p-Xylene	10	U	10	0.30	ug/L			10/03/20 21:31	1
o-Xylene	5.0	U	5.0	0.36	ug/L			10/03/20 21:31	1
Styrene	5.0	U	5.0	0.42	ug/L			10/03/20 21:31	1
1,1,1,2-Tetrachloroethane	5.0	U	5.0	0.27	ug/L			10/03/20 21:31	1
1,1,2,2-Tetrachloroethane	5.0	U	5.0	0.37	ug/L			10/03/20 21:31	1
Tetrachloroethene	0.34	J	5.0	0.25	ug/L			10/03/20 21:31	1
trans-1,2-Dichloroethene	5.0	U	5.0	0.24	ug/L			10/03/20 21:31	1
trans-1,3-Dichloropropene	1.0	U	1.0	0.22	ug/L			10/03/20 21:31	1
1,1,1-Trichloroethane	5.0	U	5.0	0.24	ug/L			10/03/20 21:31	1
1,1,2-Trichloroethane	1.0	U	1.0	0.20	ug/L			10/03/20 21:31	1
Trichloroethene	5.0	U	5.0	0.31	ug/L			10/03/20 21:31	1
1,2,3-Trichloropropane	1.0	U	1.0	0.66	ug/L			10/03/20 21:31	1
Toluene	5.0	U	5.0	0.38	ug/L			10/03/20 21:31	1
Vinyl acetate	5.0	U	5.0	0.83	ug/L			10/03/20 21:31	1
Vinyl chloride	2.0	U	2.0	0.17	ug/L			10/03/20 21:31	1
Xylenes, Total	15	U	15	0.65	ug/L			10/03/20 21:31	1
2-Hexanone	50	U	50	1.1	ug/L			10/03/20 21:31	1
cis-1,2-Dichloroethene	5.0	U	5.0	0.22	ug/L			10/03/20 21:31	1
1,2-Dibromoethane	5.0	U	5.0	0.50	ug/L			10/03/20 21:31	1
Ethyl methacrylate	5.0	U	5.0	0.26	ug/L			10/03/20 21:31	1
Iodomethane	5.0	U	5.0	0.48	ug/L			10/03/20 21:31	1
trans-1,4-Dichloro-2-butene	5.0	U	5.0	0.34	ug/L			10/03/20 21:31	1
Methacrylonitrile	5.0	U	5.0	2.1	ug/L			10/03/20 21:31	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	106		75 - 123		10/03/20 21:31	1
4-Bromofluorobenzene	102		76 - 120		10/03/20 21:31	1
Toluene-d8 (Surr)	103		80 - 120		10/03/20 21:31	1
Dibromofluoromethane (Surr)	104		77 - 124		10/03/20 21:31	1

Method: 8015D - Hydrocarbon Product Identification (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Mineral Spirits	13	U	13	2.5	ug/L		10/01/20 09:50	10/03/20 16:01	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
<i>o</i> -Terphenyl	89		38 - 149				10/01/20 09:50	10/03/20 16:01	1

Client Sample ID: GT-3

Lab Sample ID: 460-219427-3

Date Collected: 09/24/20 14:10

Matrix: Water

Date Received: 09/29/20 09:30

Method: 8260C - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Acetone	50	U	50	4.4	ug/L			10/03/20 18:02	1

Eurofins TestAmerica, Edison

Client Sample Results

Client: Safety-Kleen Systems, Inc
Project/Site: Safety-Kleen Amityville

Job ID: 460-219427-1

Client Sample ID: GT-3

Lab Sample ID: 460-219427-3

Date Collected: 09/24/20 14:10

Matrix: Water

Date Received: 09/29/20 09:30

Method: 8260C - Volatile Organic Compounds by GC/MS (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Acetonitrile	10	U	10	5.0	ug/L			10/03/20 18:02	1
Benzene	1.0	U	1.0	0.20	ug/L			10/03/20 18:02	1
Benzyl chloride	10	U	10	0.34	ug/L			10/03/20 18:02	1
Bromodichloromethane	50	U	50	0.34	ug/L			10/03/20 18:02	1
Bromoform	5.0	U	5.0	0.54	ug/L			10/03/20 18:02	1
Bromomethane	5.0	U	5.0	0.55	ug/L			10/03/20 18:02	1
4-Methyl-2-pentanone (MIBK)	5.0	U	5.0	1.3	ug/L			10/03/20 18:02	1
Carbon disulfide	60	U	60	0.82	ug/L			10/03/20 18:02	1
Carbon tetrachloride	5.0	U	5.0	0.21	ug/L			10/03/20 18:02	1
Chlorobenzene	5.0	U	5.0	0.38	ug/L			10/03/20 18:02	1
Chloroethane	5.0	U	5.0	0.32	ug/L			10/03/20 18:02	1
2-Chloroethyl vinyl ether	20	U	20	0.43	ug/L			10/03/20 18:02	1
Chloroform	0.35	J	7.0	0.33	ug/L			10/03/20 18:02	1
Chloromethane	0.43	J	5.0	0.40	ug/L			10/03/20 18:02	1
cis-1,3-Dichloropropene	1.0	U	1.0	0.22	ug/L			10/03/20 18:02	1
Dibromochloromethane	50	U	50	0.28	ug/L			10/03/20 18:02	1
Dibromomethane	5.0	U	5.0	0.60	ug/L			10/03/20 18:02	1
1,2-Dibromo-3-Chloropropane	1.0	U	1.0	0.38	ug/L			10/03/20 18:02	1
1,2-Dichlorobenzene	3.0	U	3.0	0.21	ug/L			10/03/20 18:02	1
1,3-Dichlorobenzene	3.0	U	3.0	0.34	ug/L			10/03/20 18:02	1
1,4-Dichlorobenzene	3.0	U	3.0	0.33	ug/L			10/03/20 18:02	1
Dichlorodifluoromethane	5.0	U	5.0	0.31	ug/L			10/03/20 18:02	1
1,1-Dichloroethane	5.0	U	5.0	0.26	ug/L			10/03/20 18:02	1
1,2-Dichloroethane	1.0	U	1.0	0.43	ug/L			10/03/20 18:02	1
1,1-Dichloroethene	5.0	U	5.0	0.26	ug/L			10/03/20 18:02	1
1,2-Dichloroethene, Total	2.0	U	2.0	0.44	ug/L			10/03/20 18:02	1
1,2-Dichloropropane	1.0	U	1.0	0.35	ug/L			10/03/20 18:02	1
Ethylbenzene	5.0	U	5.0	0.30	ug/L			10/03/20 18:02	1
2-Butanone (MEK)	50	U	50	1.9	ug/L			10/03/20 18:02	1
Methylene Chloride	5.0	U	5.0	0.32	ug/L			10/03/20 18:02	1
Methyl methacrylate	50	U	50	0.97	ug/L			10/03/20 18:02	1
m&p-Xylene	10	U	10	0.30	ug/L			10/03/20 18:02	1
o-Xylene	5.0	U	5.0	0.36	ug/L			10/03/20 18:02	1
Styrene	5.0	U	5.0	0.42	ug/L			10/03/20 18:02	1
1,1,1,2-Tetrachloroethane	5.0	U	5.0	0.27	ug/L			10/03/20 18:02	1
1,1,2,2-Tetrachloroethane	5.0	U	5.0	0.37	ug/L			10/03/20 18:02	1
Tetrachloroethene	5.0	U	5.0	0.25	ug/L			10/03/20 18:02	1
trans-1,2-Dichloroethene	5.0	U	5.0	0.24	ug/L			10/03/20 18:02	1
trans-1,3-Dichloropropene	1.0	U	1.0	0.22	ug/L			10/03/20 18:02	1
1,1,1-Trichloroethane	5.0	U	5.0	0.24	ug/L			10/03/20 18:02	1
1,1,2-Trichloroethane	1.0	U	1.0	0.20	ug/L			10/03/20 18:02	1
Trichloroethene	5.0	U	5.0	0.31	ug/L			10/03/20 18:02	1
1,2,3-Trichloropropane	1.0	U	1.0	0.66	ug/L			10/03/20 18:02	1
Toluene	5.0	U	5.0	0.38	ug/L			10/03/20 18:02	1
Vinyl acetate	5.0	U	5.0	0.83	ug/L			10/03/20 18:02	1
Vinyl chloride	2.0	U	2.0	0.17	ug/L			10/03/20 18:02	1
Xylenes, Total	15	U	15	0.65	ug/L			10/03/20 18:02	1
2-Hexanone	50	U	50	1.1	ug/L			10/03/20 18:02	1
cis-1,2-Dichloroethene	5.0	U	5.0	0.22	ug/L			10/03/20 18:02	1

Eurofins TestAmerica, Edison

Client Sample Results

Client: Safety-Kleen Systems, Inc
Project/Site: Safety-Kleen Amityville

Job ID: 460-219427-1

Client Sample ID: GT-3

Lab Sample ID: 460-219427-3

Date Collected: 09/24/20 14:10

Matrix: Water

Date Received: 09/29/20 09:30

Method: 8260C - Volatile Organic Compounds by GC/MS (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,2-Dibromoethane	5.0	U	5.0	0.50	ug/L			10/03/20 18:02	1
Ethyl methacrylate	5.0	U	5.0	0.26	ug/L			10/03/20 18:02	1
Iodomethane	5.0	U	5.0	0.48	ug/L			10/03/20 18:02	1
trans-1,4-Dichloro-2-butene	5.0	U	5.0	0.34	ug/L			10/03/20 18:02	1
Methacrylonitrile	5.0	U	5.0	2.1	ug/L			10/03/20 18:02	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	97		75 - 123		10/03/20 18:02	1
4-Bromofluorobenzene	99		76 - 120		10/03/20 18:02	1
Toluene-d8 (Surr)	103		80 - 120		10/03/20 18:02	1
Dibromofluoromethane (Surr)	99		77 - 124		10/03/20 18:02	1

Method: 8015D - Hydrocarbon Product Identification (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Mineral Spirits	13	U	13	2.5	ug/L		10/01/20 09:50	10/03/20 16:13	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
o-Terphenyl	99		38 - 149				10/01/20 09:50	10/03/20 16:13	1

Client Sample ID: GT-5

Lab Sample ID: 460-219427-4

Date Collected: 09/23/20 14:25

Matrix: Water

Date Received: 09/29/20 09:30

Method: 8260C - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Acetone	50	U	50	4.4	ug/L			10/03/20 18:22	1
Acetonitrile	10	U	10	5.0	ug/L			10/03/20 18:22	1
Benzene	1.0	U	1.0	0.20	ug/L			10/03/20 18:22	1
Benzyl chloride	10	U	10	0.34	ug/L			10/03/20 18:22	1
Bromodichloromethane	50	U	50	0.34	ug/L			10/03/20 18:22	1
Bromoform	5.0	U	5.0	0.54	ug/L			10/03/20 18:22	1
Bromomethane	5.0	U	5.0	0.55	ug/L			10/03/20 18:22	1
4-Methyl-2-pentanone (MIBK)	5.0	U	5.0	1.3	ug/L			10/03/20 18:22	1
Carbon disulfide	60	U	60	0.82	ug/L			10/03/20 18:22	1
Carbon tetrachloride	5.0	U	5.0	0.21	ug/L			10/03/20 18:22	1
Chlorobenzene	5.0	U	5.0	0.38	ug/L			10/03/20 18:22	1
Chloroethane	5.0	U	5.0	0.32	ug/L			10/03/20 18:22	1
2-Chloroethyl vinyl ether	20	U	20	0.43	ug/L			10/03/20 18:22	1
Chloroform	7.0	U	7.0	0.33	ug/L			10/03/20 18:22	1
Chloromethane	5.0	U	5.0	0.40	ug/L			10/03/20 18:22	1
cis-1,3-Dichloropropene	1.0	U	1.0	0.22	ug/L			10/03/20 18:22	1
Dibromochloromethane	50	U	50	0.28	ug/L			10/03/20 18:22	1
Dibromomethane	5.0	U	5.0	0.60	ug/L			10/03/20 18:22	1
1,2-Dibromo-3-Chloropropane	1.0	U	1.0	0.38	ug/L			10/03/20 18:22	1
1,2-Dichlorobenzene	3.0	U	3.0	0.21	ug/L			10/03/20 18:22	1
1,3-Dichlorobenzene	3.0	U	3.0	0.34	ug/L			10/03/20 18:22	1
1,4-Dichlorobenzene	3.0	U	3.0	0.33	ug/L			10/03/20 18:22	1
Dichlorodifluoromethane	5.0	U	5.0	0.31	ug/L			10/03/20 18:22	1
1,1-Dichloroethane	5.0	U	5.0	0.26	ug/L			10/03/20 18:22	1
1,2-Dichloroethane	1.0	U	1.0	0.43	ug/L			10/03/20 18:22	1
1,1-Dichloroethene	5.0	U	5.0	0.26	ug/L			10/03/20 18:22	1

Eurofins TestAmerica, Edison

Client Sample Results

Client: Safety-Kleen Systems, Inc
Project/Site: Safety-Kleen Amityville

Job ID: 460-219427-1

Client Sample ID: GT-5

Lab Sample ID: 460-219427-4

Date Collected: 09/23/20 14:25

Matrix: Water

Date Received: 09/29/20 09:30

Method: 8260C - Volatile Organic Compounds by GC/MS (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,2-Dichloroethene, Total	2.0	U	2.0	0.44	ug/L			10/03/20 18:22	1
1,2-Dichloropropane	1.0	U	1.0	0.35	ug/L			10/03/20 18:22	1
Ethylbenzene	5.0	U	5.0	0.30	ug/L			10/03/20 18:22	1
2-Butanone (MEK)	50	U	50	1.9	ug/L			10/03/20 18:22	1
Methylene Chloride	5.0	U	5.0	0.32	ug/L			10/03/20 18:22	1
Methyl methacrylate	50	U	50	0.97	ug/L			10/03/20 18:22	1
m&p-Xylene	10	U	10	0.30	ug/L			10/03/20 18:22	1
o-Xylene	5.0	U	5.0	0.36	ug/L			10/03/20 18:22	1
Styrene	5.0	U	5.0	0.42	ug/L			10/03/20 18:22	1
1,1,1,2-Tetrachloroethane	5.0	U	5.0	0.27	ug/L			10/03/20 18:22	1
1,1,2,2-Tetrachloroethane	5.0	U	5.0	0.37	ug/L			10/03/20 18:22	1
Tetrachloroethene	5.0	U	5.0	0.25	ug/L			10/03/20 18:22	1
trans-1,2-Dichloroethene	5.0	U	5.0	0.24	ug/L			10/03/20 18:22	1
trans-1,3-Dichloropropene	1.0	U	1.0	0.22	ug/L			10/03/20 18:22	1
1,1,1-Trichloroethane	5.0	U	5.0	0.24	ug/L			10/03/20 18:22	1
1,1,2-Trichloroethane	1.0	U	1.0	0.20	ug/L			10/03/20 18:22	1
Trichloroethene	5.0	U	5.0	0.31	ug/L			10/03/20 18:22	1
1,2,3-Trichloropropane	1.0	U	1.0	0.66	ug/L			10/03/20 18:22	1
Toluene	5.0	U	5.0	0.38	ug/L			10/03/20 18:22	1
Vinyl acetate	5.0	U	5.0	0.83	ug/L			10/03/20 18:22	1
Vinyl chloride	2.0	U	2.0	0.17	ug/L			10/03/20 18:22	1
Xylenes, Total	15	U	15	0.65	ug/L			10/03/20 18:22	1
2-Hexanone	50	U	50	1.1	ug/L			10/03/20 18:22	1
cis-1,2-Dichloroethene	5.0	U	5.0	0.22	ug/L			10/03/20 18:22	1
1,2-Dibromoethane	5.0	U	5.0	0.50	ug/L			10/03/20 18:22	1
Ethyl methacrylate	5.0	U	5.0	0.26	ug/L			10/03/20 18:22	1
Iodomethane	5.0	U	5.0	0.48	ug/L			10/03/20 18:22	1
trans-1,4-Dichloro-2-butene	5.0	U	5.0	0.34	ug/L			10/03/20 18:22	1
Methacrylonitrile	5.0	U	5.0	2.1	ug/L			10/03/20 18:22	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	100		75 - 123					10/03/20 18:22	1
4-Bromofluorobenzene	101		76 - 120					10/03/20 18:22	1
Toluene-d8 (Surr)	103		80 - 120					10/03/20 18:22	1
Dibromofluoromethane (Surr)	100		77 - 124					10/03/20 18:22	1

Method: 8015D - Hydrocarbon Product Identification (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Mineral Spirits	13	U	13	2.5	ug/L		09/30/20 20:55	10/03/20 15:04	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
o-Terphenyl	86		38 - 149				09/30/20 20:55	10/03/20 15:04	1

Client Sample ID: GT-6

Lab Sample ID: 460-219427-5

Date Collected: 09/23/20 18:35

Matrix: Water

Date Received: 09/29/20 09:30

Method: 8260C - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Acetone	50	U	50	4.4	ug/L			10/03/20 18:44	1
Acetonitrile	10	U	10	5.0	ug/L			10/03/20 18:44	1

Eurofins TestAmerica, Edison

Client Sample Results

Client: Safety-Kleen Systems, Inc
Project/Site: Safety-Kleen Amityville

Job ID: 460-219427-1

Client Sample ID: GT-6

Lab Sample ID: 460-219427-5

Date Collected: 09/23/20 18:35

Matrix: Water

Date Received: 09/29/20 09:30

Method: 8260C - Volatile Organic Compounds by GC/MS (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	1.0	U	1.0	0.20	ug/L			10/03/20 18:44	1
Benzyl chloride	10	U	10	0.34	ug/L			10/03/20 18:44	1
Bromodichloromethane	50	U	50	0.34	ug/L			10/03/20 18:44	1
Bromoform	5.0	U	5.0	0.54	ug/L			10/03/20 18:44	1
Bromomethane	5.0	U	5.0	0.55	ug/L			10/03/20 18:44	1
4-Methyl-2-pentanone (MIBK)	5.0	U	5.0	1.3	ug/L			10/03/20 18:44	1
Carbon disulfide	60	U	60	0.82	ug/L			10/03/20 18:44	1
Carbon tetrachloride	5.0	U	5.0	0.21	ug/L			10/03/20 18:44	1
Chlorobenzene	5.0	U	5.0	0.38	ug/L			10/03/20 18:44	1
Chloroethane	5.0	U	5.0	0.32	ug/L			10/03/20 18:44	1
2-Chloroethyl vinyl ether	20	U	20	0.43	ug/L			10/03/20 18:44	1
Chloroform	7.0	U	7.0	0.33	ug/L			10/03/20 18:44	1
Chloromethane	5.0	U	5.0	0.40	ug/L			10/03/20 18:44	1
cis-1,3-Dichloropropene	1.0	U	1.0	0.22	ug/L			10/03/20 18:44	1
Dibromochloromethane	50	U	50	0.28	ug/L			10/03/20 18:44	1
Dibromomethane	5.0	U	5.0	0.60	ug/L			10/03/20 18:44	1
1,2-Dibromo-3-Chloropropane	1.0	U	1.0	0.38	ug/L			10/03/20 18:44	1
1,2-Dichlorobenzene	3.0	U	3.0	0.21	ug/L			10/03/20 18:44	1
1,3-Dichlorobenzene	3.0	U	3.0	0.34	ug/L			10/03/20 18:44	1
1,4-Dichlorobenzene	3.0	U	3.0	0.33	ug/L			10/03/20 18:44	1
Dichlorodifluoromethane	5.0	U	5.0	0.31	ug/L			10/03/20 18:44	1
1,1-Dichloroethane	5.0	U	5.0	0.26	ug/L			10/03/20 18:44	1
1,2-Dichloroethane	1.0	U	1.0	0.43	ug/L			10/03/20 18:44	1
1,1-Dichloroethene	5.0	U	5.0	0.26	ug/L			10/03/20 18:44	1
1,2-Dichloroethene, Total	2.0	U	2.0	0.44	ug/L			10/03/20 18:44	1
1,2-Dichloropropane	1.0	U	1.0	0.35	ug/L			10/03/20 18:44	1
Ethylbenzene	5.0	U	5.0	0.30	ug/L			10/03/20 18:44	1
2-Butanone (MEK)	50	U	50	1.9	ug/L			10/03/20 18:44	1
Methylene Chloride	5.0	U	5.0	0.32	ug/L			10/03/20 18:44	1
Methyl methacrylate	50	U	50	0.97	ug/L			10/03/20 18:44	1
m&p-Xylene	10	U	10	0.30	ug/L			10/03/20 18:44	1
o-Xylene	5.0	U	5.0	0.36	ug/L			10/03/20 18:44	1
Styrene	5.0	U	5.0	0.42	ug/L			10/03/20 18:44	1
1,1,1,2-Tetrachloroethane	5.0	U	5.0	0.27	ug/L			10/03/20 18:44	1
1,1,2,2-Tetrachloroethane	5.0	U	5.0	0.37	ug/L			10/03/20 18:44	1
Tetrachloroethene	5.0	U	5.0	0.25	ug/L			10/03/20 18:44	1
trans-1,2-Dichloroethene	5.0	U	5.0	0.24	ug/L			10/03/20 18:44	1
trans-1,3-Dichloropropene	1.0	U	1.0	0.22	ug/L			10/03/20 18:44	1
1,1,1-Trichloroethane	5.0	U	5.0	0.24	ug/L			10/03/20 18:44	1
1,1,2-Trichloroethane	1.0	U	1.0	0.20	ug/L			10/03/20 18:44	1
Trichloroethene	5.0	U	5.0	0.31	ug/L			10/03/20 18:44	1
1,2,3-Trichloropropane	1.0	U	1.0	0.66	ug/L			10/03/20 18:44	1
Toluene	5.0	U	5.0	0.38	ug/L			10/03/20 18:44	1
Vinyl acetate	5.0	U	5.0	0.83	ug/L			10/03/20 18:44	1
Vinyl chloride	2.0	U	2.0	0.17	ug/L			10/03/20 18:44	1
Xylenes, Total	15	U	15	0.65	ug/L			10/03/20 18:44	1
2-Hexanone	50	U	50	1.1	ug/L			10/03/20 18:44	1
cis-1,2-Dichloroethene	5.0	U	5.0	0.22	ug/L			10/03/20 18:44	1
1,2-Dibromoethane	5.0	U	5.0	0.50	ug/L			10/03/20 18:44	1

Eurofins TestAmerica, Edison

Client Sample Results

Client: Safety-Kleen Systems, Inc
Project/Site: Safety-Kleen Amityville

Job ID: 460-219427-1

Client Sample ID: GT-6

Lab Sample ID: 460-219427-5

Date Collected: 09/23/20 18:35

Matrix: Water

Date Received: 09/29/20 09:30

Method: 8260C - Volatile Organic Compounds by GC/MS (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Ethyl methacrylate	5.0	U	5.0	0.26	ug/L			10/03/20 18:44	1
Iodomethane	5.0	U	5.0	0.48	ug/L			10/03/20 18:44	1
trans-1,4-Dichloro-2-butene	5.0	U	5.0	0.34	ug/L			10/03/20 18:44	1
Methacrylonitrile	5.0	U	5.0	2.1	ug/L			10/03/20 18:44	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	102		75 - 123					10/03/20 18:44	1
4-Bromofluorobenzene	101		76 - 120					10/03/20 18:44	1
Toluene-d8 (Surr)	104		80 - 120					10/03/20 18:44	1
Dibromofluoromethane (Surr)	100		77 - 124					10/03/20 18:44	1

Method: 8015D - Hydrocarbon Product Identification (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Mineral Spirits	13	U	13	2.5	ug/L		09/30/20 20:55	10/03/20 15:15	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
o-Terphenyl	82		38 - 149				09/30/20 20:55	10/03/20 15:15	1

Client Sample ID: GT-7

Lab Sample ID: 460-219427-6

Date Collected: 09/23/20 15:35

Matrix: Water

Date Received: 09/29/20 09:30

Method: 8260C - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Acetone	50	U	50	4.4	ug/L			10/03/20 19:04	1
Acetonitrile	10	U	10	5.0	ug/L			10/03/20 19:04	1
Benzene	1.0	U	1.0	0.20	ug/L			10/03/20 19:04	1
Benzyl chloride	10	U	10	0.34	ug/L			10/03/20 19:04	1
Bromodichloromethane	50	U	50	0.34	ug/L			10/03/20 19:04	1
Bromoform	5.0	U	5.0	0.54	ug/L			10/03/20 19:04	1
Bromomethane	5.0	U	5.0	0.55	ug/L			10/03/20 19:04	1
4-Methyl-2-pentanone (MIBK)	5.0	U	5.0	1.3	ug/L			10/03/20 19:04	1
Carbon disulfide	60	U	60	0.82	ug/L			10/03/20 19:04	1
Carbon tetrachloride	5.0	U	5.0	0.21	ug/L			10/03/20 19:04	1
Chlorobenzene	5.0	U	5.0	0.38	ug/L			10/03/20 19:04	1
Chloroethane	5.0	U	5.0	0.32	ug/L			10/03/20 19:04	1
2-Chloroethyl vinyl ether	20	U	20	0.43	ug/L			10/03/20 19:04	1
Chloroform	7.0	U	7.0	0.33	ug/L			10/03/20 19:04	1
Chloromethane	5.0	U	5.0	0.40	ug/L			10/03/20 19:04	1
cis-1,3-Dichloropropene	1.0	U	1.0	0.22	ug/L			10/03/20 19:04	1
Dibromochloromethane	50	U	50	0.28	ug/L			10/03/20 19:04	1
Dibromomethane	5.0	U	5.0	0.60	ug/L			10/03/20 19:04	1
1,2-Dibromo-3-Chloropropane	1.0	U	1.0	0.38	ug/L			10/03/20 19:04	1
1,2-Dichlorobenzene	3.0	U	3.0	0.21	ug/L			10/03/20 19:04	1
1,3-Dichlorobenzene	3.0	U	3.0	0.34	ug/L			10/03/20 19:04	1
1,4-Dichlorobenzene	3.0	U	3.0	0.33	ug/L			10/03/20 19:04	1
Dichlorodifluoromethane	5.0	U	5.0	0.31	ug/L			10/03/20 19:04	1
1,1-Dichloroethane	5.0	U	5.0	0.26	ug/L			10/03/20 19:04	1
1,2-Dichloroethane	1.0	U	1.0	0.43	ug/L			10/03/20 19:04	1
1,1-Dichloroethene	5.0	U	5.0	0.26	ug/L			10/03/20 19:04	1
1,2-Dichloroethene, Total	2.0	U	2.0	0.44	ug/L			10/03/20 19:04	1

Eurofins TestAmerica, Edison

Client Sample Results

Client: Safety-Kleen Systems, Inc
Project/Site: Safety-Kleen Amityville

Job ID: 460-219427-1

Client Sample ID: GT-7

Lab Sample ID: 460-219427-6

Date Collected: 09/23/20 15:35

Matrix: Water

Date Received: 09/29/20 09:30

Method: 8260C - Volatile Organic Compounds by GC/MS (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,2-Dichloropropane	1.0	U	1.0	0.35	ug/L			10/03/20 19:04	1
Ethylbenzene	5.0	U	5.0	0.30	ug/L			10/03/20 19:04	1
2-Butanone (MEK)	50	U	50	1.9	ug/L			10/03/20 19:04	1
Methylene Chloride	5.0	U	5.0	0.32	ug/L			10/03/20 19:04	1
Methyl methacrylate	50	U	50	0.97	ug/L			10/03/20 19:04	1
m&p-Xylene	10	U	10	0.30	ug/L			10/03/20 19:04	1
o-Xylene	5.0	U	5.0	0.36	ug/L			10/03/20 19:04	1
Styrene	5.0	U	5.0	0.42	ug/L			10/03/20 19:04	1
1,1,1,2-Tetrachloroethane	5.0	U	5.0	0.27	ug/L			10/03/20 19:04	1
1,1,2,2-Tetrachloroethane	5.0	U	5.0	0.37	ug/L			10/03/20 19:04	1
Tetrachloroethene	5.0	U	5.0	0.25	ug/L			10/03/20 19:04	1
trans-1,2-Dichloroethene	5.0	U	5.0	0.24	ug/L			10/03/20 19:04	1
trans-1,3-Dichloropropene	1.0	U	1.0	0.22	ug/L			10/03/20 19:04	1
1,1,1-Trichloroethane	5.0	U	5.0	0.24	ug/L			10/03/20 19:04	1
1,1,2-Trichloroethane	1.0	U	1.0	0.20	ug/L			10/03/20 19:04	1
Trichloroethene	5.0	U	5.0	0.31	ug/L			10/03/20 19:04	1
1,2,3-Trichloropropane	1.0	U	1.0	0.66	ug/L			10/03/20 19:04	1
Toluene	5.0	U	5.0	0.38	ug/L			10/03/20 19:04	1
Vinyl acetate	5.0	U	5.0	0.83	ug/L			10/03/20 19:04	1
Vinyl chloride	2.0	U	2.0	0.17	ug/L			10/03/20 19:04	1
Xylenes, Total	15	U	15	0.65	ug/L			10/03/20 19:04	1
2-Hexanone	50	U	50	1.1	ug/L			10/03/20 19:04	1
cis-1,2-Dichloroethene	5.0	U	5.0	0.22	ug/L			10/03/20 19:04	1
1,2-Dibromoethane	5.0	U	5.0	0.50	ug/L			10/03/20 19:04	1
Ethyl methacrylate	5.0	U	5.0	0.26	ug/L			10/03/20 19:04	1
Iodomethane	5.0	U	5.0	0.48	ug/L			10/03/20 19:04	1
trans-1,4-Dichloro-2-butene	5.0	U	5.0	0.34	ug/L			10/03/20 19:04	1
Methacrylonitrile	5.0	U	5.0	2.1	ug/L			10/03/20 19:04	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	102		75 - 123		10/03/20 19:04	1
4-Bromofluorobenzene	101		76 - 120		10/03/20 19:04	1
Toluene-d8 (Surr)	105		80 - 120		10/03/20 19:04	1
Dibromofluoromethane (Surr)	102		77 - 124		10/03/20 19:04	1

Method: 8015D - Hydrocarbon Product Identification (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Mineral Spirits	13	U	13	2.5	ug/L		09/30/20 20:55	10/03/20 15:27	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
o-Terphenyl	79		38 - 149	09/30/20 20:55	10/03/20 15:27	1

Client Sample ID: VE-1R

Lab Sample ID: 460-219427-7

Date Collected: 09/25/20 12:45

Matrix: Water

Date Received: 09/29/20 09:30

Method: 8260C - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Acetone	50	U	50	4.4	ug/L			10/03/20 19:25	1
Acetonitrile	10	U	10	5.0	ug/L			10/03/20 19:25	1
Benzene	1.0	U	1.0	0.20	ug/L			10/03/20 19:25	1

Eurofins TestAmerica, Edison

Client Sample Results

Client: Safety-Kleen Systems, Inc
Project/Site: Safety-Kleen Amityville

Job ID: 460-219427-1

Client Sample ID: VE-1R

Lab Sample ID: 460-219427-7

Date Collected: 09/25/20 12:45

Matrix: Water

Date Received: 09/29/20 09:30

Method: 8260C - Volatile Organic Compounds by GC/MS (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzyl chloride	10	U	10	0.34	ug/L			10/03/20 19:25	1
Bromodichloromethane	50	U	50	0.34	ug/L			10/03/20 19:25	1
Bromoform	5.0	U	5.0	0.54	ug/L			10/03/20 19:25	1
Bromomethane	5.0	U	5.0	0.55	ug/L			10/03/20 19:25	1
4-Methyl-2-pentanone (MIBK)	5.0	U	5.0	1.3	ug/L			10/03/20 19:25	1
Carbon disulfide	60	U	60	0.82	ug/L			10/03/20 19:25	1
Carbon tetrachloride	5.0	U	5.0	0.21	ug/L			10/03/20 19:25	1
Chlorobenzene	5.0	U	5.0	0.38	ug/L			10/03/20 19:25	1
Chloroethane	5.0	U	5.0	0.32	ug/L			10/03/20 19:25	1
2-Chloroethyl vinyl ether	20	U	20	0.43	ug/L			10/03/20 19:25	1
Chloroform	7.0	U	7.0	0.33	ug/L			10/03/20 19:25	1
Chloromethane	5.0	U	5.0	0.40	ug/L			10/03/20 19:25	1
cis-1,3-Dichloropropene	1.0	U	1.0	0.22	ug/L			10/03/20 19:25	1
Dibromochloromethane	50	U	50	0.28	ug/L			10/03/20 19:25	1
Dibromomethane	5.0	U	5.0	0.60	ug/L			10/03/20 19:25	1
1,2-Dibromo-3-Chloropropane	1.0	U	1.0	0.38	ug/L			10/03/20 19:25	1
1,2-Dichlorobenzene	3.0	U	3.0	0.21	ug/L			10/03/20 19:25	1
1,3-Dichlorobenzene	3.0	U	3.0	0.34	ug/L			10/03/20 19:25	1
1,4-Dichlorobenzene	3.0	U	3.0	0.33	ug/L			10/03/20 19:25	1
Dichlorodifluoromethane	5.0	U	5.0	0.31	ug/L			10/03/20 19:25	1
1,1-Dichloroethane	5.0	U	5.0	0.26	ug/L			10/03/20 19:25	1
1,2-Dichloroethane	1.0	U	1.0	0.43	ug/L			10/03/20 19:25	1
1,1-Dichloroethene	5.0	U	5.0	0.26	ug/L			10/03/20 19:25	1
1,2-Dichloroethene, Total	2.0	U	2.0	0.44	ug/L			10/03/20 19:25	1
1,2-Dichloropropane	1.0	U	1.0	0.35	ug/L			10/03/20 19:25	1
Ethylbenzene	5.0	U	5.0	0.30	ug/L			10/03/20 19:25	1
2-Butanone (MEK)	50	U	50	1.9	ug/L			10/03/20 19:25	1
Methylene Chloride	5.0	U	5.0	0.32	ug/L			10/03/20 19:25	1
Methyl methacrylate	50	U	50	0.97	ug/L			10/03/20 19:25	1
m&p-Xylene	0.30	J	10	0.30	ug/L			10/03/20 19:25	1
o-Xylene	5.0	U	5.0	0.36	ug/L			10/03/20 19:25	1
Styrene	5.0	U	5.0	0.42	ug/L			10/03/20 19:25	1
1,1,1,2-Tetrachloroethane	5.0	U	5.0	0.27	ug/L			10/03/20 19:25	1
1,1,2,2-Tetrachloroethane	5.0	U	5.0	0.37	ug/L			10/03/20 19:25	1
Tetrachloroethene	5.0	U	5.0	0.25	ug/L			10/03/20 19:25	1
trans-1,2-Dichloroethene	5.0	U	5.0	0.24	ug/L			10/03/20 19:25	1
trans-1,3-Dichloropropene	1.0	U	1.0	0.22	ug/L			10/03/20 19:25	1
1,1,1-Trichloroethane	5.0	U	5.0	0.24	ug/L			10/03/20 19:25	1
1,1,2-Trichloroethane	1.0	U	1.0	0.20	ug/L			10/03/20 19:25	1
Trichloroethene	5.0	U	5.0	0.31	ug/L			10/03/20 19:25	1
1,2,3-Trichloropropane	1.0	U	1.0	0.66	ug/L			10/03/20 19:25	1
Toluene	0.61	J	5.0	0.38	ug/L			10/03/20 19:25	1
Vinyl acetate	5.0	U	5.0	0.83	ug/L			10/03/20 19:25	1
Vinyl chloride	2.0	U	2.0	0.17	ug/L			10/03/20 19:25	1
Xylenes, Total	15	U	15	0.65	ug/L			10/03/20 19:25	1
2-Hexanone	50	U	50	1.1	ug/L			10/03/20 19:25	1
cis-1,2-Dichloroethene	5.0	U	5.0	0.22	ug/L			10/03/20 19:25	1
1,2-Dibromoethane	5.0	U	5.0	0.50	ug/L			10/03/20 19:25	1
Ethyl methacrylate	5.0	U	5.0	0.26	ug/L			10/03/20 19:25	1

Eurofins TestAmerica, Edison

Client Sample Results

Client: Safety-Kleen Systems, Inc
Project/Site: Safety-Kleen Amityville

Job ID: 460-219427-1

Client Sample ID: VE-1R

Date Collected: 09/25/20 12:45

Date Received: 09/29/20 09:30

Lab Sample ID: 460-219427-7

Matrix: Water

Method: 8260C - Volatile Organic Compounds by GC/MS (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Iodomethane	5.0	U	5.0	0.48	ug/L			10/03/20 19:25	1
trans-1,4-Dichloro-2-butene	5.0	U	5.0	0.34	ug/L			10/03/20 19:25	1
Methacrylonitrile	5.0	U	5.0	2.1	ug/L			10/03/20 19:25	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	99		75 - 123					10/03/20 19:25	1
4-Bromofluorobenzene	98		76 - 120					10/03/20 19:25	1
Toluene-d8 (Surr)	104		80 - 120					10/03/20 19:25	1
Dibromofluoromethane (Surr)	100		77 - 124					10/03/20 19:25	1

Method: 8015D - Hydrocarbon Product Identification (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Mineral Spirits	13	U	13	2.5	ug/L		10/01/20 09:50	10/03/20 16:49	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
o-Terphenyl	79		38 - 149				10/01/20 09:50	10/03/20 16:49	1

Client Sample ID: VE-5

Date Collected: 09/24/20 15:30

Date Received: 09/29/20 09:30

Lab Sample ID: 460-219427-8

Matrix: Water

Method: 8260C - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Acetone	50	U	50	4.4	ug/L			10/03/20 19:46	1
Acetonitrile	10	U	10	5.0	ug/L			10/03/20 19:46	1
Benzene	1.0	U	1.0	0.20	ug/L			10/03/20 19:46	1
Benzyl chloride	10	U	10	0.34	ug/L			10/03/20 19:46	1
Bromodichloromethane	50	U	50	0.34	ug/L			10/03/20 19:46	1
Bromoform	5.0	U	5.0	0.54	ug/L			10/03/20 19:46	1
Bromomethane	5.0	U	5.0	0.55	ug/L			10/03/20 19:46	1
4-Methyl-2-pentanone (MIBK)	5.0	U	5.0	1.3	ug/L			10/03/20 19:46	1
Carbon disulfide	60	U	60	0.82	ug/L			10/03/20 19:46	1
Carbon tetrachloride	5.0	U	5.0	0.21	ug/L			10/03/20 19:46	1
Chlorobenzene	5.0	U	5.0	0.38	ug/L			10/03/20 19:46	1
Chloroethane	5.0	U	5.0	0.32	ug/L			10/03/20 19:46	1
2-Chloroethyl vinyl ether	20	U	20	0.43	ug/L			10/03/20 19:46	1
Chloroform	7.0	U	7.0	0.33	ug/L			10/03/20 19:46	1
Chloromethane	5.0	U	5.0	0.40	ug/L			10/03/20 19:46	1
cis-1,3-Dichloropropene	1.0	U	1.0	0.22	ug/L			10/03/20 19:46	1
Dibromochloromethane	50	U	50	0.28	ug/L			10/03/20 19:46	1
Dibromomethane	5.0	U	5.0	0.60	ug/L			10/03/20 19:46	1
1,2-Dibromo-3-Chloropropane	1.0	U	1.0	0.38	ug/L			10/03/20 19:46	1
1,2-Dichlorobenzene	3.0	U	3.0	0.21	ug/L			10/03/20 19:46	1
1,3-Dichlorobenzene	3.0	U	3.0	0.34	ug/L			10/03/20 19:46	1
1,4-Dichlorobenzene	3.0	U	3.0	0.33	ug/L			10/03/20 19:46	1
Dichlorodifluoromethane	5.0	U	5.0	0.31	ug/L			10/03/20 19:46	1
1,1-Dichloroethane	5.0	U	5.0	0.26	ug/L			10/03/20 19:46	1
1,2-Dichloroethane	1.0	U	1.0	0.43	ug/L			10/03/20 19:46	1
1,1-Dichloroethene	5.0	U	5.0	0.26	ug/L			10/03/20 19:46	1
1,2-Dichloroethene, Total	2.0	U	2.0	0.44	ug/L			10/03/20 19:46	1
1,2-Dichloropropane	1.0	U	1.0	0.35	ug/L			10/03/20 19:46	1

Eurofins TestAmerica, Edison

Client Sample Results

Client: Safety-Kleen Systems, Inc
Project/Site: Safety-Kleen Amityville

Job ID: 460-219427-1

Client Sample ID: VE-5

Lab Sample ID: 460-219427-8

Date Collected: 09/24/20 15:30

Matrix: Water

Date Received: 09/29/20 09:30

Method: 8260C - Volatile Organic Compounds by GC/MS (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Ethylbenzene	5.0	U	5.0	0.30	ug/L			10/03/20 19:46	1
2-Butanone (MEK)	50	U	50	1.9	ug/L			10/03/20 19:46	1
Methylene Chloride	5.0	U	5.0	0.32	ug/L			10/03/20 19:46	1
Methyl methacrylate	50	U	50	0.97	ug/L			10/03/20 19:46	1
m&p-Xylene	10	U	10	0.30	ug/L			10/03/20 19:46	1
o-Xylene	5.0	U	5.0	0.36	ug/L			10/03/20 19:46	1
Styrene	5.0	U	5.0	0.42	ug/L			10/03/20 19:46	1
1,1,1,2-Tetrachloroethane	5.0	U	5.0	0.27	ug/L			10/03/20 19:46	1
1,1,2,2-Tetrachloroethane	5.0	U	5.0	0.37	ug/L			10/03/20 19:46	1
Tetrachloroethene	0.94	J	5.0	0.25	ug/L			10/03/20 19:46	1
trans-1,2-Dichloroethene	5.0	U	5.0	0.24	ug/L			10/03/20 19:46	1
trans-1,3-Dichloropropene	1.0	U	1.0	0.22	ug/L			10/03/20 19:46	1
1,1,1-Trichloroethane	5.0	U	5.0	0.24	ug/L			10/03/20 19:46	1
1,1,2-Trichloroethane	1.0	U	1.0	0.20	ug/L			10/03/20 19:46	1
Trichloroethene	5.0	U	5.0	0.31	ug/L			10/03/20 19:46	1
1,2,3-Trichloropropane	1.0	U	1.0	0.66	ug/L			10/03/20 19:46	1
Toluene	5.0	U	5.0	0.38	ug/L			10/03/20 19:46	1
Vinyl acetate	5.0	U	5.0	0.83	ug/L			10/03/20 19:46	1
Vinyl chloride	2.0	U	2.0	0.17	ug/L			10/03/20 19:46	1
Xylenes, Total	15	U	15	0.65	ug/L			10/03/20 19:46	1
2-Hexanone	50	U	50	1.1	ug/L			10/03/20 19:46	1
cis-1,2-Dichloroethene	5.0	U	5.0	0.22	ug/L			10/03/20 19:46	1
1,2-Dibromoethane	5.0	U	5.0	0.50	ug/L			10/03/20 19:46	1
Ethyl methacrylate	5.0	U	5.0	0.26	ug/L			10/03/20 19:46	1
Iodomethane	5.0	U	5.0	0.48	ug/L			10/03/20 19:46	1
trans-1,4-Dichloro-2-butene	5.0	U	5.0	0.34	ug/L			10/03/20 19:46	1
Methacrylonitrile	5.0	U	5.0	2.1	ug/L			10/03/20 19:46	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	104		75 - 123		10/03/20 19:46	1
4-Bromofluorobenzene	100		76 - 120		10/03/20 19:46	1
Toluene-d8 (Surr)	103		80 - 120		10/03/20 19:46	1
Dibromofluoromethane (Surr)	103		77 - 124		10/03/20 19:46	1

Method: 8015D - Hydrocarbon Product Identification (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Mineral Spirits	13	U	13	2.5	ug/L		10/01/20 09:50	10/03/20 17:00	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
o-Terphenyl	85		38 - 149	10/01/20 09:50	10/03/20 17:00	1

Client Sample ID: VP-A

Lab Sample ID: 460-219427-9

Date Collected: 09/24/20 12:35

Matrix: Water

Date Received: 09/29/20 09:30

Method: 8260C - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Acetone	50	U	50	4.4	ug/L			10/03/20 20:07	1
Acetonitrile	10	U	10	5.0	ug/L			10/03/20 20:07	1
Benzene	1.0	U	1.0	0.20	ug/L			10/03/20 20:07	1
Benzyl chloride	10	U	10	0.34	ug/L			10/03/20 20:07	1

Eurofins TestAmerica, Edison

Client Sample Results

Client: Safety-Kleen Systems, Inc
Project/Site: Safety-Kleen Amityville

Job ID: 460-219427-1

Client Sample ID: VP-A

Lab Sample ID: 460-219427-9

Date Collected: 09/24/20 12:35

Matrix: Water

Date Received: 09/29/20 09:30

Method: 8260C - Volatile Organic Compounds by GC/MS (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Bromodichloromethane	50	U	50	0.34	ug/L			10/03/20 20:07	1
Bromoform	5.0	U	5.0	0.54	ug/L			10/03/20 20:07	1
Bromomethane	5.0	U	5.0	0.55	ug/L			10/03/20 20:07	1
4-Methyl-2-pentanone (MIBK)	5.0	U	5.0	1.3	ug/L			10/03/20 20:07	1
Carbon disulfide	60	U	60	0.82	ug/L			10/03/20 20:07	1
Carbon tetrachloride	5.0	U	5.0	0.21	ug/L			10/03/20 20:07	1
Chlorobenzene	5.0	U	5.0	0.38	ug/L			10/03/20 20:07	1
Chloroethane	5.0	U	5.0	0.32	ug/L			10/03/20 20:07	1
2-Chloroethyl vinyl ether	20	U	20	0.43	ug/L			10/03/20 20:07	1
Chloroform	2.7	J	7.0	0.33	ug/L			10/03/20 20:07	1
Chloromethane	2.0	J	5.0	0.40	ug/L			10/03/20 20:07	1
cis-1,3-Dichloropropene	1.0	U	1.0	0.22	ug/L			10/03/20 20:07	1
Dibromochloromethane	50	U	50	0.28	ug/L			10/03/20 20:07	1
Dibromomethane	5.0	U	5.0	0.60	ug/L			10/03/20 20:07	1
1,2-Dibromo-3-Chloropropane	1.0	U	1.0	0.38	ug/L			10/03/20 20:07	1
1,2-Dichlorobenzene	3.0	U	3.0	0.21	ug/L			10/03/20 20:07	1
1,3-Dichlorobenzene	3.0	U	3.0	0.34	ug/L			10/03/20 20:07	1
1,4-Dichlorobenzene	3.0	U	3.0	0.33	ug/L			10/03/20 20:07	1
Dichlorodifluoromethane	5.0	U	5.0	0.31	ug/L			10/03/20 20:07	1
1,1-Dichloroethane	5.0	U	5.0	0.26	ug/L			10/03/20 20:07	1
1,2-Dichloroethane	1.0	U	1.0	0.43	ug/L			10/03/20 20:07	1
1,1-Dichloroethene	5.0	U	5.0	0.26	ug/L			10/03/20 20:07	1
1,2-Dichloroethene, Total	2.0	U	2.0	0.44	ug/L			10/03/20 20:07	1
1,2-Dichloropropane	1.0	U	1.0	0.35	ug/L			10/03/20 20:07	1
Ethylbenzene	5.0	U	5.0	0.30	ug/L			10/03/20 20:07	1
2-Butanone (MEK)	50	U	50	1.9	ug/L			10/03/20 20:07	1
Methylene Chloride	5.0	U	5.0	0.32	ug/L			10/03/20 20:07	1
Methyl methacrylate	50	U	50	0.97	ug/L			10/03/20 20:07	1
m&p-Xylene	10	U	10	0.30	ug/L			10/03/20 20:07	1
o-Xylene	5.0	U	5.0	0.36	ug/L			10/03/20 20:07	1
Styrene	5.0	U	5.0	0.42	ug/L			10/03/20 20:07	1
1,1,1,2-Tetrachloroethane	5.0	U	5.0	0.27	ug/L			10/03/20 20:07	1
1,1,2,2-Tetrachloroethane	5.0	U	5.0	0.37	ug/L			10/03/20 20:07	1
Tetrachloroethene	1.1	J	5.0	0.25	ug/L			10/03/20 20:07	1
trans-1,2-Dichloroethene	5.0	U	5.0	0.24	ug/L			10/03/20 20:07	1
trans-1,3-Dichloropropene	1.0	U	1.0	0.22	ug/L			10/03/20 20:07	1
1,1,1-Trichloroethane	5.0	U	5.0	0.24	ug/L			10/03/20 20:07	1
1,1,2-Trichloroethane	1.0	U	1.0	0.20	ug/L			10/03/20 20:07	1
Trichloroethene	5.0	U	5.0	0.31	ug/L			10/03/20 20:07	1
1,2,3-Trichloropropane	1.0	U	1.0	0.66	ug/L			10/03/20 20:07	1
Toluene	5.0	U	5.0	0.38	ug/L			10/03/20 20:07	1
Vinyl acetate	5.0	U	5.0	0.83	ug/L			10/03/20 20:07	1
Vinyl chloride	2.0	U	2.0	0.17	ug/L			10/03/20 20:07	1
Xylenes, Total	15	U	15	0.65	ug/L			10/03/20 20:07	1
2-Hexanone	50	U	50	1.1	ug/L			10/03/20 20:07	1
cis-1,2-Dichloroethene	5.0	U	5.0	0.22	ug/L			10/03/20 20:07	1
1,2-Dibromoethane	5.0	U	5.0	0.50	ug/L			10/03/20 20:07	1
Ethyl methacrylate	5.0	U	5.0	0.26	ug/L			10/03/20 20:07	1
Iodomethane	5.0	U	5.0	0.48	ug/L			10/03/20 20:07	1

Eurofins TestAmerica, Edison

Client Sample Results

Client: Safety-Kleen Systems, Inc
Project/Site: Safety-Kleen Amityville

Job ID: 460-219427-1

Client Sample ID: VP-A

Lab Sample ID: 460-219427-9

Date Collected: 09/24/20 12:35

Matrix: Water

Date Received: 09/29/20 09:30

Method: 8260C - Volatile Organic Compounds by GC/MS (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
trans-1,4-Dichloro-2-butene	5.0	U	5.0	0.34	ug/L			10/03/20 20:07	1
Methacrylonitrile	5.0	U	5.0	2.1	ug/L			10/03/20 20:07	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	103		75 - 123					10/03/20 20:07	1
4-Bromofluorobenzene	99		76 - 120					10/03/20 20:07	1
Toluene-d8 (Surr)	103		80 - 120					10/03/20 20:07	1
Dibromofluoromethane (Surr)	102		77 - 124					10/03/20 20:07	1

Method: 8015D - Hydrocarbon Product Identification (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Mineral Spirits	13	U	13	2.5	ug/L		10/01/20 09:50	10/03/20 17:12	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
o-Terphenyl	100		38 - 149				10/01/20 09:50	10/03/20 17:12	1

Client Sample ID: VP-B

Lab Sample ID: 460-219427-10

Date Collected: 09/24/20 13:25

Matrix: Water

Date Received: 09/29/20 09:30

Method: 8260C - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Acetone	50	U	50	4.4	ug/L			10/03/20 20:28	1
Acetonitrile	10	U	10	5.0	ug/L			10/03/20 20:28	1
Benzene	1.0	U	1.0	0.20	ug/L			10/03/20 20:28	1
Benzyl chloride	10	U	10	0.34	ug/L			10/03/20 20:28	1
Bromodichloromethane	50	U	50	0.34	ug/L			10/03/20 20:28	1
Bromoform	5.0	U	5.0	0.54	ug/L			10/03/20 20:28	1
Bromomethane	5.0	U	5.0	0.55	ug/L			10/03/20 20:28	1
4-Methyl-2-pentanone (MIBK)	5.0	U	5.0	1.3	ug/L			10/03/20 20:28	1
Carbon disulfide	60	U	60	0.82	ug/L			10/03/20 20:28	1
Carbon tetrachloride	5.0	U	5.0	0.21	ug/L			10/03/20 20:28	1
Chlorobenzene	5.0	U	5.0	0.38	ug/L			10/03/20 20:28	1
Chloroethane	5.0	U	5.0	0.32	ug/L			10/03/20 20:28	1
2-Chloroethyl vinyl ether	20	U	20	0.43	ug/L			10/03/20 20:28	1
Chloroform	0.82	J	7.0	0.33	ug/L			10/03/20 20:28	1
Chloromethane	5.0	U	5.0	0.40	ug/L			10/03/20 20:28	1
cis-1,3-Dichloropropene	1.0	U	1.0	0.22	ug/L			10/03/20 20:28	1
Dibromochloromethane	50	U	50	0.28	ug/L			10/03/20 20:28	1
Dibromomethane	5.0	U	5.0	0.60	ug/L			10/03/20 20:28	1
1,2-Dibromo-3-Chloropropane	1.0	U	1.0	0.38	ug/L			10/03/20 20:28	1
1,2-Dichlorobenzene	3.0	U	3.0	0.21	ug/L			10/03/20 20:28	1
1,3-Dichlorobenzene	3.0	U	3.0	0.34	ug/L			10/03/20 20:28	1
1,4-Dichlorobenzene	3.0	U	3.0	0.33	ug/L			10/03/20 20:28	1
Dichlorodifluoromethane	5.0	U	5.0	0.31	ug/L			10/03/20 20:28	1
1,1-Dichloroethane	5.0	U	5.0	0.26	ug/L			10/03/20 20:28	1
1,2-Dichloroethane	1.0	U	1.0	0.43	ug/L			10/03/20 20:28	1
1,1-Dichloroethene	5.0	U	5.0	0.26	ug/L			10/03/20 20:28	1
1,2-Dichloroethene, Total	2.0	U	2.0	0.44	ug/L			10/03/20 20:28	1
1,2-Dichloropropane	1.0	U	1.0	0.35	ug/L			10/03/20 20:28	1
Ethylbenzene	5.0	U	5.0	0.30	ug/L			10/03/20 20:28	1

Eurofins TestAmerica, Edison

Client Sample Results

Client: Safety-Kleen Systems, Inc
Project/Site: Safety-Kleen Amityville

Job ID: 460-219427-1

Client Sample ID: VP-B

Lab Sample ID: 460-219427-10

Date Collected: 09/24/20 13:25

Matrix: Water

Date Received: 09/29/20 09:30

Method: 8260C - Volatile Organic Compounds by GC/MS (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
2-Butanone (MEK)	50	U	50	1.9	ug/L			10/03/20 20:28	1
Methylene Chloride	5.0	U	5.0	0.32	ug/L			10/03/20 20:28	1
Methyl methacrylate	50	U	50	0.97	ug/L			10/03/20 20:28	1
m&p-Xylene	10	U	10	0.30	ug/L			10/03/20 20:28	1
o-Xylene	5.0	U	5.0	0.36	ug/L			10/03/20 20:28	1
Styrene	5.0	U	5.0	0.42	ug/L			10/03/20 20:28	1
1,1,1,2-Tetrachloroethane	5.0	U	5.0	0.27	ug/L			10/03/20 20:28	1
1,1,2,2-Tetrachloroethane	5.0	U	5.0	0.37	ug/L			10/03/20 20:28	1
Tetrachloroethene	0.53	J	5.0	0.25	ug/L			10/03/20 20:28	1
trans-1,2-Dichloroethene	5.0	U	5.0	0.24	ug/L			10/03/20 20:28	1
trans-1,3-Dichloropropene	1.0	U	1.0	0.22	ug/L			10/03/20 20:28	1
1,1,1-Trichloroethane	5.0	U	5.0	0.24	ug/L			10/03/20 20:28	1
1,1,2-Trichloroethane	1.0	U	1.0	0.20	ug/L			10/03/20 20:28	1
Trichloroethene	5.0	U	5.0	0.31	ug/L			10/03/20 20:28	1
1,2,3-Trichloropropane	1.0	U	1.0	0.66	ug/L			10/03/20 20:28	1
Toluene	5.0	U	5.0	0.38	ug/L			10/03/20 20:28	1
Vinyl acetate	5.0	U	5.0	0.83	ug/L			10/03/20 20:28	1
Vinyl chloride	2.0	U	2.0	0.17	ug/L			10/03/20 20:28	1
Xylenes, Total	15	U	15	0.65	ug/L			10/03/20 20:28	1
2-Hexanone	50	U	50	1.1	ug/L			10/03/20 20:28	1
cis-1,2-Dichloroethene	5.0	U	5.0	0.22	ug/L			10/03/20 20:28	1
1,2-Dibromoethane	5.0	U	5.0	0.50	ug/L			10/03/20 20:28	1
Ethyl methacrylate	5.0	U	5.0	0.26	ug/L			10/03/20 20:28	1
Iodomethane	5.0	U	5.0	0.48	ug/L			10/03/20 20:28	1
trans-1,4-Dichloro-2-butene	5.0	U	5.0	0.34	ug/L			10/03/20 20:28	1
Methacrylonitrile	5.0	U	5.0	2.1	ug/L			10/03/20 20:28	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	103		75 - 123		10/03/20 20:28	1
4-Bromofluorobenzene	99		76 - 120		10/03/20 20:28	1
Toluene-d8 (Surr)	104		80 - 120		10/03/20 20:28	1
Dibromofluoromethane (Surr)	101		77 - 124		10/03/20 20:28	1

Method: 8015D - Hydrocarbon Product Identification (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Mineral Spirits	13	U	13	2.5	ug/L		10/01/20 09:50	10/03/20 17:23	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
o-Terphenyl	100		38 - 149	10/01/20 09:50	10/03/20 17:23	1

Client Sample ID: GW-DUP

Lab Sample ID: 460-219427-11

Date Collected: 09/23/20 12:00

Matrix: Water

Date Received: 09/29/20 09:30

Method: 8260C - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Acetone	5.6	J	50	4.4	ug/L			10/03/20 20:49	1
Acetonitrile	10	U	10	5.0	ug/L			10/03/20 20:49	1
Benzene	1.0	U	1.0	0.20	ug/L			10/03/20 20:49	1
Benzyl chloride	10	U	10	0.34	ug/L			10/03/20 20:49	1
Bromodichloromethane	50	U	50	0.34	ug/L			10/03/20 20:49	1

Eurofins TestAmerica, Edison

Client Sample Results

Client: Safety-Kleen Systems, Inc
Project/Site: Safety-Kleen Amityville

Job ID: 460-219427-1

Client Sample ID: GW-DUP

Lab Sample ID: 460-219427-11

Date Collected: 09/23/20 12:00

Matrix: Water

Date Received: 09/29/20 09:30

Method: 8260C - Volatile Organic Compounds by GC/MS (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Bromoform	5.0	U	5.0	0.54	ug/L			10/03/20 20:49	1
Bromomethane	5.0	U	5.0	0.55	ug/L			10/03/20 20:49	1
4-Methyl-2-pentanone (MIBK)	5.0	U	5.0	1.3	ug/L			10/03/20 20:49	1
Carbon disulfide	60	U	60	0.82	ug/L			10/03/20 20:49	1
Carbon tetrachloride	5.0	U	5.0	0.21	ug/L			10/03/20 20:49	1
Chlorobenzene	2.7	J	5.0	0.38	ug/L			10/03/20 20:49	1
Chloroethane	5.0	U	5.0	0.32	ug/L			10/03/20 20:49	1
2-Chloroethyl vinyl ether	20	U	20	0.43	ug/L			10/03/20 20:49	1
Chloroform	7.0	U	7.0	0.33	ug/L			10/03/20 20:49	1
Chloromethane	5.0	U	5.0	0.40	ug/L			10/03/20 20:49	1
cis-1,3-Dichloropropene	1.0	U	1.0	0.22	ug/L			10/03/20 20:49	1
Dibromochloromethane	50	U	50	0.28	ug/L			10/03/20 20:49	1
Dibromomethane	5.0	U	5.0	0.60	ug/L			10/03/20 20:49	1
1,2-Dibromo-3-Chloropropane	1.0	U	1.0	0.38	ug/L			10/03/20 20:49	1
1,2-Dichlorobenzene	0.32	J	3.0	0.21	ug/L			10/03/20 20:49	1
1,3-Dichlorobenzene	3.0	U	3.0	0.34	ug/L			10/03/20 20:49	1
1,4-Dichlorobenzene	1.2	J	3.0	0.33	ug/L			10/03/20 20:49	1
Dichlorodifluoromethane	5.0	U	5.0	0.31	ug/L			10/03/20 20:49	1
1,1-Dichloroethane	5.0	U	5.0	0.26	ug/L			10/03/20 20:49	1
1,2-Dichloroethane	1.0	U	1.0	0.43	ug/L			10/03/20 20:49	1
1,1-Dichloroethene	5.0	U	5.0	0.26	ug/L			10/03/20 20:49	1
1,2-Dichloroethene, Total	2.0	U	2.0	0.44	ug/L			10/03/20 20:49	1
1,2-Dichloropropane	1.0	U	1.0	0.35	ug/L			10/03/20 20:49	1
Ethylbenzene	5.0	U	5.0	0.30	ug/L			10/03/20 20:49	1
2-Butanone (MEK)	50	U	50	1.9	ug/L			10/03/20 20:49	1
Methylene Chloride	5.0	U	5.0	0.32	ug/L			10/03/20 20:49	1
Methyl methacrylate	50	U	50	0.97	ug/L			10/03/20 20:49	1
m&p-Xylene	10	U	10	0.30	ug/L			10/03/20 20:49	1
o-Xylene	5.0	U	5.0	0.36	ug/L			10/03/20 20:49	1
Styrene	5.0	U	5.0	0.42	ug/L			10/03/20 20:49	1
1,1,1,2-Tetrachloroethane	5.0	U	5.0	0.27	ug/L			10/03/20 20:49	1
1,1,2,2-Tetrachloroethane	5.0	U	5.0	0.37	ug/L			10/03/20 20:49	1
Tetrachloroethene	5.0	U	5.0	0.25	ug/L			10/03/20 20:49	1
trans-1,2-Dichloroethene	5.0	U	5.0	0.24	ug/L			10/03/20 20:49	1
trans-1,3-Dichloropropene	1.0	U	1.0	0.22	ug/L			10/03/20 20:49	1
1,1,1-Trichloroethane	5.0	U	5.0	0.24	ug/L			10/03/20 20:49	1
1,1,2-Trichloroethane	1.0	U	1.0	0.20	ug/L			10/03/20 20:49	1
Trichloroethene	5.0	U	5.0	0.31	ug/L			10/03/20 20:49	1
1,2,3-Trichloropropane	1.0	U	1.0	0.66	ug/L			10/03/20 20:49	1
Toluene	5.0	U	5.0	0.38	ug/L			10/03/20 20:49	1
Vinyl acetate	5.0	U	5.0	0.83	ug/L			10/03/20 20:49	1
Vinyl chloride	2.0	U	2.0	0.17	ug/L			10/03/20 20:49	1
Xylenes, Total	15	U	15	0.65	ug/L			10/03/20 20:49	1
2-Hexanone	50	U	50	1.1	ug/L			10/03/20 20:49	1
cis-1,2-Dichloroethene	5.0	U	5.0	0.22	ug/L			10/03/20 20:49	1
1,2-Dibromoethane	5.0	U	5.0	0.50	ug/L			10/03/20 20:49	1
Ethyl methacrylate	5.0	U	5.0	0.26	ug/L			10/03/20 20:49	1
Iodomethane	5.0	U	5.0	0.48	ug/L			10/03/20 20:49	1
trans-1,4-Dichloro-2-butene	5.0	U	5.0	0.34	ug/L			10/03/20 20:49	1

Eurofins TestAmerica, Edison

Client Sample Results

Client: Safety-Kleen Systems, Inc
Project/Site: Safety-Kleen Amityville

Job ID: 460-219427-1

Client Sample ID: GW-DUP

Lab Sample ID: 460-219427-11

Date Collected: 09/23/20 12:00

Matrix: Water

Date Received: 09/29/20 09:30

Method: 8260C - Volatile Organic Compounds by GC/MS (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Methacrylonitrile	5.0	U	5.0	2.1	ug/L			10/03/20 20:49	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	105		75 - 123					10/03/20 20:49	1
4-Bromofluorobenzene	101		76 - 120					10/03/20 20:49	1
Toluene-d8 (Surr)	103		80 - 120					10/03/20 20:49	1
Dibromofluoromethane (Surr)	101		77 - 124					10/03/20 20:49	1

Method: 8015D - Hydrocarbon Product Identification (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Mineral Spirits	13	U	13	2.5	ug/L		09/30/20 20:55	10/03/20 15:38	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
o-Terphenyl	82		38 - 149				09/30/20 20:55	10/03/20 15:38	1

Client Sample ID: DW-1

Lab Sample ID: 460-219427-12

Date Collected: 09/25/20 10:00

Matrix: Water

Date Received: 09/29/20 09:30

Method: 8260C - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Acetone	50	U	50	4.4	ug/L			10/03/20 21:10	1
Acetonitrile	10	U	10	5.0	ug/L			10/03/20 21:10	1
Benzene	1.0	U	1.0	0.20	ug/L			10/03/20 21:10	1
Benzyl chloride	10	U	10	0.34	ug/L			10/03/20 21:10	1
Bromodichloromethane	50	U	50	0.34	ug/L			10/03/20 21:10	1
Bromoform	5.0	U	5.0	0.54	ug/L			10/03/20 21:10	1
Bromomethane	5.0	U	5.0	0.55	ug/L			10/03/20 21:10	1
4-Methyl-2-pentanone (MIBK)	5.0	U	5.0	1.3	ug/L			10/03/20 21:10	1
Carbon disulfide	60	U	60	0.82	ug/L			10/03/20 21:10	1
Carbon tetrachloride	5.0	U	5.0	0.21	ug/L			10/03/20 21:10	1
Chlorobenzene	5.0	U	5.0	0.38	ug/L			10/03/20 21:10	1
Chloroethane	5.0	U	5.0	0.32	ug/L			10/03/20 21:10	1
2-Chloroethyl vinyl ether	20	U	20	0.43	ug/L			10/03/20 21:10	1
Chloroform	7.0	U	7.0	0.33	ug/L			10/03/20 21:10	1
Chloromethane	5.0	U	5.0	0.40	ug/L			10/03/20 21:10	1
cis-1,3-Dichloropropene	1.0	U	1.0	0.22	ug/L			10/03/20 21:10	1
Dibromochloromethane	50	U	50	0.28	ug/L			10/03/20 21:10	1
Dibromomethane	5.0	U	5.0	0.60	ug/L			10/03/20 21:10	1
1,2-Dibromo-3-Chloropropane	1.0	U	1.0	0.38	ug/L			10/03/20 21:10	1
1,2-Dichlorobenzene	3.0	U	3.0	0.21	ug/L			10/03/20 21:10	1
1,3-Dichlorobenzene	3.0	U	3.0	0.34	ug/L			10/03/20 21:10	1
1,4-Dichlorobenzene	3.0	U	3.0	0.33	ug/L			10/03/20 21:10	1
Dichlorodifluoromethane	5.0	U	5.0	0.31	ug/L			10/03/20 21:10	1
1,1-Dichloroethane	5.0	U	5.0	0.26	ug/L			10/03/20 21:10	1
1,2-Dichloroethane	1.0	U	1.0	0.43	ug/L			10/03/20 21:10	1
1,1-Dichloroethene	5.0	U	5.0	0.26	ug/L			10/03/20 21:10	1
1,2-Dichloroethene, Total	2.0	U	2.0	0.44	ug/L			10/03/20 21:10	1
1,2-Dichloropropane	1.0	U	1.0	0.35	ug/L			10/03/20 21:10	1
Ethylbenzene	5.0	U	5.0	0.30	ug/L			10/03/20 21:10	1
2-Butanone (MEK)	50	U	50	1.9	ug/L			10/03/20 21:10	1

Eurofins TestAmerica, Edison

Client Sample Results

Client: Safety-Kleen Systems, Inc
Project/Site: Safety-Kleen Amityville

Job ID: 460-219427-1

Client Sample ID: DW-1

Lab Sample ID: 460-219427-12

Date Collected: 09/25/20 10:00

Matrix: Water

Date Received: 09/29/20 09:30

Method: 8260C - Volatile Organic Compounds by GC/MS (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Methylene Chloride	5.0	U	5.0	0.32	ug/L			10/03/20 21:10	1
Methyl methacrylate	50	U	50	0.97	ug/L			10/03/20 21:10	1
m&p-Xylene	0.74	J	10	0.30	ug/L			10/03/20 21:10	1
o-Xylene	0.39	J	5.0	0.36	ug/L			10/03/20 21:10	1
Styrene	5.0	U	5.0	0.42	ug/L			10/03/20 21:10	1
1,1,1,2-Tetrachloroethane	5.0	U	5.0	0.27	ug/L			10/03/20 21:10	1
1,1,2,2-Tetrachloroethane	5.0	U	5.0	0.37	ug/L			10/03/20 21:10	1
Tetrachloroethene	5.0	U	5.0	0.25	ug/L			10/03/20 21:10	1
trans-1,2-Dichloroethene	5.0	U	5.0	0.24	ug/L			10/03/20 21:10	1
trans-1,3-Dichloropropene	1.0	U	1.0	0.22	ug/L			10/03/20 21:10	1
1,1,1-Trichloroethane	5.0	U	5.0	0.24	ug/L			10/03/20 21:10	1
1,1,2-Trichloroethane	1.0	U	1.0	0.20	ug/L			10/03/20 21:10	1
Trichloroethene	5.0	U	5.0	0.31	ug/L			10/03/20 21:10	1
1,2,3-Trichloropropane	1.0	U	1.0	0.66	ug/L			10/03/20 21:10	1
Toluene	1.4	J	5.0	0.38	ug/L			10/03/20 21:10	1
Vinyl acetate	5.0	U	5.0	0.83	ug/L			10/03/20 21:10	1
Vinyl chloride	2.0	U	2.0	0.17	ug/L			10/03/20 21:10	1
Xylenes, Total	1.1	J	15	0.65	ug/L			10/03/20 21:10	1
2-Hexanone	50	U	50	1.1	ug/L			10/03/20 21:10	1
cis-1,2-Dichloroethene	5.0	U	5.0	0.22	ug/L			10/03/20 21:10	1
1,2-Dibromoethane	5.0	U	5.0	0.50	ug/L			10/03/20 21:10	1
Ethyl methacrylate	5.0	U	5.0	0.26	ug/L			10/03/20 21:10	1
Iodomethane	5.0	U	5.0	0.48	ug/L			10/03/20 21:10	1
trans-1,4-Dichloro-2-butene	5.0	U	5.0	0.34	ug/L			10/03/20 21:10	1
Methacrylonitrile	5.0	U	5.0	2.1	ug/L			10/03/20 21:10	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	104		75 - 123		10/03/20 21:10	1
4-Bromofluorobenzene	102		76 - 120		10/03/20 21:10	1
Toluene-d8 (Surr)	103		80 - 120		10/03/20 21:10	1
Dibromofluoromethane (Surr)	101		77 - 124		10/03/20 21:10	1

Method: 8015D - Hydrocarbon Product Identification (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Mineral Spirits	13	U	13	2.5	ug/L		10/01/20 09:50	10/03/20 17:35	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
o-Terphenyl	93		38 - 149	10/01/20 09:50	10/03/20 17:35	1

Client Sample ID: TRIP BLANK 1

Lab Sample ID: 460-219427-13

Date Collected: 09/25/20 13:15

Matrix: Water

Date Received: 09/29/20 09:30

Method: 8260C - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Acetone	50	U	50	4.4	ug/L			10/03/20 17:20	1
Acetonitrile	10	U	10	5.0	ug/L			10/03/20 17:20	1
Benzene	1.0	U	1.0	0.20	ug/L			10/03/20 17:20	1
Benzyl chloride	10	U	10	0.34	ug/L			10/03/20 17:20	1
Bromodichloromethane	50	U	50	0.34	ug/L			10/03/20 17:20	1
Bromoform	5.0	U	5.0	0.54	ug/L			10/03/20 17:20	1

Eurofins TestAmerica, Edison

Client Sample Results

Client: Safety-Kleen Systems, Inc
Project/Site: Safety-Kleen Amityville

Job ID: 460-219427-1

Client Sample ID: TRIP BLANK 1

Lab Sample ID: 460-219427-13

Date Collected: 09/25/20 13:15

Matrix: Water

Date Received: 09/29/20 09:30

Method: 8260C - Volatile Organic Compounds by GC/MS (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Bromomethane	5.0	U	5.0	0.55	ug/L			10/03/20 17:20	1
4-Methyl-2-pentanone (MIBK)	5.0	U	5.0	1.3	ug/L			10/03/20 17:20	1
Carbon disulfide	60	U	60	0.82	ug/L			10/03/20 17:20	1
Carbon tetrachloride	5.0	U	5.0	0.21	ug/L			10/03/20 17:20	1
Chlorobenzene	5.0	U	5.0	0.38	ug/L			10/03/20 17:20	1
Chloroethane	5.0	U	5.0	0.32	ug/L			10/03/20 17:20	1
2-Chloroethyl vinyl ether	20	U	20	0.43	ug/L			10/03/20 17:20	1
Chloroform	7.0	U	7.0	0.33	ug/L			10/03/20 17:20	1
Chloromethane	5.0	U	5.0	0.40	ug/L			10/03/20 17:20	1
cis-1,3-Dichloropropene	1.0	U	1.0	0.22	ug/L			10/03/20 17:20	1
Dibromochloromethane	50	U	50	0.28	ug/L			10/03/20 17:20	1
Dibromomethane	5.0	U	5.0	0.60	ug/L			10/03/20 17:20	1
1,2-Dibromo-3-Chloropropane	1.0	U	1.0	0.38	ug/L			10/03/20 17:20	1
1,2-Dichlorobenzene	3.0	U	3.0	0.21	ug/L			10/03/20 17:20	1
1,3-Dichlorobenzene	3.0	U	3.0	0.34	ug/L			10/03/20 17:20	1
1,4-Dichlorobenzene	3.0	U	3.0	0.33	ug/L			10/03/20 17:20	1
Dichlorodifluoromethane	5.0	U	5.0	0.31	ug/L			10/03/20 17:20	1
1,1-Dichloroethane	5.0	U	5.0	0.26	ug/L			10/03/20 17:20	1
1,2-Dichloroethane	1.0	U	1.0	0.43	ug/L			10/03/20 17:20	1
1,1-Dichloroethene	5.0	U	5.0	0.26	ug/L			10/03/20 17:20	1
1,2-Dichloroethene, Total	2.0	U	2.0	0.44	ug/L			10/03/20 17:20	1
1,2-Dichloropropane	1.0	U	1.0	0.35	ug/L			10/03/20 17:20	1
Ethylbenzene	5.0	U	5.0	0.30	ug/L			10/03/20 17:20	1
2-Butanone (MEK)	50	U	50	1.9	ug/L			10/03/20 17:20	1
Methylene Chloride	0.35	J	5.0	0.32	ug/L			10/03/20 17:20	1
Methyl methacrylate	50	U	50	0.97	ug/L			10/03/20 17:20	1
m&p-Xylene	10	U	10	0.30	ug/L			10/03/20 17:20	1
o-Xylene	5.0	U	5.0	0.36	ug/L			10/03/20 17:20	1
Styrene	5.0	U	5.0	0.42	ug/L			10/03/20 17:20	1
1,1,1,2-Tetrachloroethane	5.0	U	5.0	0.27	ug/L			10/03/20 17:20	1
1,1,2,2-Tetrachloroethane	5.0	U	5.0	0.37	ug/L			10/03/20 17:20	1
Tetrachloroethene	5.0	U	5.0	0.25	ug/L			10/03/20 17:20	1
trans-1,2-Dichloroethene	5.0	U	5.0	0.24	ug/L			10/03/20 17:20	1
trans-1,3-Dichloropropene	1.0	U	1.0	0.22	ug/L			10/03/20 17:20	1
1,1,1-Trichloroethane	5.0	U	5.0	0.24	ug/L			10/03/20 17:20	1
1,1,2-Trichloroethane	1.0	U	1.0	0.20	ug/L			10/03/20 17:20	1
Trichloroethene	5.0	U	5.0	0.31	ug/L			10/03/20 17:20	1
1,2,3-Trichloropropane	1.0	U	1.0	0.66	ug/L			10/03/20 17:20	1
Toluene	5.0	U	5.0	0.38	ug/L			10/03/20 17:20	1
Vinyl acetate	5.0	U	5.0	0.83	ug/L			10/03/20 17:20	1
Vinyl chloride	2.0	U	2.0	0.17	ug/L			10/03/20 17:20	1
Xylenes, Total	15	U	15	0.65	ug/L			10/03/20 17:20	1
2-Hexanone	50	U	50	1.1	ug/L			10/03/20 17:20	1
cis-1,2-Dichloroethene	5.0	U	5.0	0.22	ug/L			10/03/20 17:20	1
1,2-Dibromoethane	5.0	U	5.0	0.50	ug/L			10/03/20 17:20	1
Ethyl methacrylate	5.0	U	5.0	0.26	ug/L			10/03/20 17:20	1
Iodomethane	5.0	U	5.0	0.48	ug/L			10/03/20 17:20	1
trans-1,4-Dichloro-2-butene	5.0	U	5.0	0.34	ug/L			10/03/20 17:20	1
Methacrylonitrile	5.0	U	5.0	2.1	ug/L			10/03/20 17:20	1

Eurofins TestAmerica, Edison

Client Sample Results

Client: Safety-Kleen Systems, Inc
Project/Site: Safety-Kleen Amityville

Job ID: 460-219427-1

Client Sample ID: TRIP BLANK 1

Lab Sample ID: 460-219427-13

Date Collected: 09/25/20 13:15

Matrix: Water

Date Received: 09/29/20 09:30

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	96		75 - 123		10/03/20 17:20	1
4-Bromofluorobenzene	100		76 - 120		10/03/20 17:20	1
Toluene-d8 (Surr)	105		80 - 120		10/03/20 17:20	1
Dibromofluoromethane (Surr)	98		77 - 124		10/03/20 17:20	1

Client Sample ID: Rinse-GW

Lab Sample ID: 460-219427-14

Date Collected: 09/25/20 09:55

Matrix: Water

Date Received: 09/29/20 09:30

Method: 8260C - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Acetone	50	U	50	4.4	ug/L			10/03/20 21:52	1
Acetonitrile	10	U	10	5.0	ug/L			10/03/20 21:52	1
Benzene	1.0	U	1.0	0.20	ug/L			10/03/20 21:52	1
Benzyl chloride	10	U	10	0.34	ug/L			10/03/20 21:52	1
Bromodichloromethane	50	U	50	0.34	ug/L			10/03/20 21:52	1
Bromoform	5.0	U	5.0	0.54	ug/L			10/03/20 21:52	1
Bromomethane	5.0	U	5.0	0.55	ug/L			10/03/20 21:52	1
4-Methyl-2-pentanone (MIBK)	5.0	U	5.0	1.3	ug/L			10/03/20 21:52	1
Carbon disulfide	60	U	60	0.82	ug/L			10/03/20 21:52	1
Carbon tetrachloride	5.0	U	5.0	0.21	ug/L			10/03/20 21:52	1
Chlorobenzene	5.0	U	5.0	0.38	ug/L			10/03/20 21:52	1
Chloroethane	5.0	U	5.0	0.32	ug/L			10/03/20 21:52	1
2-Chloroethyl vinyl ether	20	U	20	0.43	ug/L			10/03/20 21:52	1
Chloroform	7.0	U	7.0	0.33	ug/L			10/03/20 21:52	1
Chloromethane	5.0	U	5.0	0.40	ug/L			10/03/20 21:52	1
cis-1,3-Dichloropropene	1.0	U	1.0	0.22	ug/L			10/03/20 21:52	1
Dibromochloromethane	50	U	50	0.28	ug/L			10/03/20 21:52	1
Dibromomethane	5.0	U	5.0	0.60	ug/L			10/03/20 21:52	1
1,2-Dibromo-3-Chloropropane	1.0	U	1.0	0.38	ug/L			10/03/20 21:52	1
1,2-Dichlorobenzene	3.0	U	3.0	0.21	ug/L			10/03/20 21:52	1
1,3-Dichlorobenzene	3.0	U	3.0	0.34	ug/L			10/03/20 21:52	1
1,4-Dichlorobenzene	3.0	U	3.0	0.33	ug/L			10/03/20 21:52	1
Dichlorodifluoromethane	5.0	U	5.0	0.31	ug/L			10/03/20 21:52	1
1,1-Dichloroethane	5.0	U	5.0	0.26	ug/L			10/03/20 21:52	1
1,2-Dichloroethane	1.0	U	1.0	0.43	ug/L			10/03/20 21:52	1
1,1-Dichloroethene	5.0	U	5.0	0.26	ug/L			10/03/20 21:52	1
1,2-Dichloroethene, Total	2.0	U	2.0	0.44	ug/L			10/03/20 21:52	1
1,2-Dichloropropane	1.0	U	1.0	0.35	ug/L			10/03/20 21:52	1
Ethylbenzene	0.41	J	5.0	0.30	ug/L			10/03/20 21:52	1
2-Butanone (MEK)	50	U	50	1.9	ug/L			10/03/20 21:52	1
Methylene Chloride	0.44	J	5.0	0.32	ug/L			10/03/20 21:52	1
Methyl methacrylate	50	U	50	0.97	ug/L			10/03/20 21:52	1
m&p-Xylene	1.7	J	10	0.30	ug/L			10/03/20 21:52	1
o-Xylene	0.70	J	5.0	0.36	ug/L			10/03/20 21:52	1
Styrene	5.0	U	5.0	0.42	ug/L			10/03/20 21:52	1
1,1,1,2-Tetrachloroethane	5.0	U	5.0	0.27	ug/L			10/03/20 21:52	1
1,1,2,2-Tetrachloroethane	5.0	U	5.0	0.37	ug/L			10/03/20 21:52	1
Tetrachloroethene	5.0	U	5.0	0.25	ug/L			10/03/20 21:52	1
trans-1,2-Dichloroethene	5.0	U	5.0	0.24	ug/L			10/03/20 21:52	1

Eurofins TestAmerica, Edison

Client Sample Results

Client: Safety-Kleen Systems, Inc
Project/Site: Safety-Kleen Amityville

Job ID: 460-219427-1

Client Sample ID: Rinse-GW

Lab Sample ID: 460-219427-14

Date Collected: 09/25/20 09:55

Matrix: Water

Date Received: 09/29/20 09:30

Method: 8260C - Volatile Organic Compounds by GC/MS (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
trans-1,3-Dichloropropene	1.0	U	1.0	0.22	ug/L			10/03/20 21:52	1
1,1,1-Trichloroethane	5.0	U	5.0	0.24	ug/L			10/03/20 21:52	1
1,1,2-Trichloroethane	1.0	U	1.0	0.20	ug/L			10/03/20 21:52	1
Trichloroethene	5.0	U	5.0	0.31	ug/L			10/03/20 21:52	1
1,2,3-Trichloropropane	1.0	U	1.0	0.66	ug/L			10/03/20 21:52	1
Toluene	2.8	J	5.0	0.38	ug/L			10/03/20 21:52	1
Vinyl acetate	5.0	U	5.0	0.83	ug/L			10/03/20 21:52	1
Vinyl chloride	2.0	U	2.0	0.17	ug/L			10/03/20 21:52	1
Xylenes, Total	2.4	J	15	0.65	ug/L			10/03/20 21:52	1
2-Hexanone	50	U	50	1.1	ug/L			10/03/20 21:52	1
cis-1,2-Dichloroethene	5.0	U	5.0	0.22	ug/L			10/03/20 21:52	1
1,2-Dibromoethane	5.0	U	5.0	0.50	ug/L			10/03/20 21:52	1
Ethyl methacrylate	5.0	U	5.0	0.26	ug/L			10/03/20 21:52	1
Iodomethane	5.0	U	5.0	0.48	ug/L			10/03/20 21:52	1
trans-1,4-Dichloro-2-butene	5.0	U	5.0	0.34	ug/L			10/03/20 21:52	1
Methacrylonitrile	5.0	U	5.0	2.1	ug/L			10/03/20 21:52	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	104		75 - 123		10/03/20 21:52	1
4-Bromofluorobenzene	99		76 - 120		10/03/20 21:52	1
Toluene-d8 (Surr)	104		80 - 120		10/03/20 21:52	1
Dibromofluoromethane (Surr)	103		77 - 124		10/03/20 21:52	1

Method: 8015D - Hydrocarbon Product Identification (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Mineral Spirits	13	U	13	2.5	ug/L		10/01/20 09:50	10/03/20 17:46	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
o-Terphenyl	89		38 - 149	10/01/20 09:50	10/03/20 17:46	1

Client Sample ID: Rinse-GW2

Lab Sample ID: 460-219427-15

Date Collected: 09/25/20 13:15

Matrix: Water

Date Received: 09/29/20 09:30

Method: 8260C - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Acetone	50	U	50	4.4	ug/L			10/03/20 16:59	1
Acetonitrile	10	U	10	5.0	ug/L			10/03/20 16:59	1
Benzene	1.0	U	1.0	0.20	ug/L			10/03/20 16:59	1
Benzyl chloride	10	U	10	0.34	ug/L			10/03/20 16:59	1
Bromodichloromethane	50	U	50	0.34	ug/L			10/03/20 16:59	1
Bromoform	5.0	U	5.0	0.54	ug/L			10/03/20 16:59	1
Bromomethane	5.0	U	5.0	0.55	ug/L			10/03/20 16:59	1
4-Methyl-2-pentanone (MIBK)	5.0	U	5.0	1.3	ug/L			10/03/20 16:59	1
Carbon disulfide	60	U	60	0.82	ug/L			10/03/20 16:59	1
Carbon tetrachloride	5.0	U	5.0	0.21	ug/L			10/03/20 16:59	1
Chlorobenzene	5.0	U	5.0	0.38	ug/L			10/03/20 16:59	1
Chloroethane	5.0	U	5.0	0.32	ug/L			10/03/20 16:59	1
2-Chloroethyl vinyl ether	20	U	20	0.43	ug/L			10/03/20 16:59	1
Chloroform	7.0	U	7.0	0.33	ug/L			10/03/20 16:59	1
Chloromethane	5.0	U	5.0	0.40	ug/L			10/03/20 16:59	1

Eurofins TestAmerica, Edison

Client Sample Results

Client: Safety-Kleen Systems, Inc
Project/Site: Safety-Kleen Amityville

Job ID: 460-219427-1

Client Sample ID: Rinse-GW2

Lab Sample ID: 460-219427-15

Date Collected: 09/25/20 13:15

Matrix: Water

Date Received: 09/29/20 09:30

Method: 8260C - Volatile Organic Compounds by GC/MS (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
cis-1,3-Dichloropropene	1.0	U	1.0	0.22	ug/L			10/03/20 16:59	1
Dibromochloromethane	50	U	50	0.28	ug/L			10/03/20 16:59	1
Dibromomethane	5.0	U	5.0	0.60	ug/L			10/03/20 16:59	1
1,2-Dibromo-3-Chloropropane	1.0	U	1.0	0.38	ug/L			10/03/20 16:59	1
1,2-Dichlorobenzene	3.0	U	3.0	0.21	ug/L			10/03/20 16:59	1
1,3-Dichlorobenzene	3.0	U	3.0	0.34	ug/L			10/03/20 16:59	1
1,4-Dichlorobenzene	3.0	U	3.0	0.33	ug/L			10/03/20 16:59	1
Dichlorodifluoromethane	5.0	U	5.0	0.31	ug/L			10/03/20 16:59	1
1,1-Dichloroethane	5.0	U	5.0	0.26	ug/L			10/03/20 16:59	1
1,2-Dichloroethane	1.0	U	1.0	0.43	ug/L			10/03/20 16:59	1
1,1-Dichloroethene	5.0	U	5.0	0.26	ug/L			10/03/20 16:59	1
1,2-Dichloroethene, Total	2.0	U	2.0	0.44	ug/L			10/03/20 16:59	1
1,2-Dichloropropane	1.0	U	1.0	0.35	ug/L			10/03/20 16:59	1
Ethylbenzene	5.0	U	5.0	0.30	ug/L			10/03/20 16:59	1
2-Butanone (MEK)	50	U	50	1.9	ug/L			10/03/20 16:59	1
Methylene Chloride	0.37	J	5.0	0.32	ug/L			10/03/20 16:59	1
Methyl methacrylate	50	U	50	0.97	ug/L			10/03/20 16:59	1
m&p-Xylene	10	U	10	0.30	ug/L			10/03/20 16:59	1
o-Xylene	5.0	U	5.0	0.36	ug/L			10/03/20 16:59	1
Styrene	5.0	U	5.0	0.42	ug/L			10/03/20 16:59	1
1,1,1,2-Tetrachloroethane	5.0	U	5.0	0.27	ug/L			10/03/20 16:59	1
1,1,2,2-Tetrachloroethane	5.0	U	5.0	0.37	ug/L			10/03/20 16:59	1
Tetrachloroethene	5.0	U	5.0	0.25	ug/L			10/03/20 16:59	1
trans-1,2-Dichloroethene	5.0	U	5.0	0.24	ug/L			10/03/20 16:59	1
trans-1,3-Dichloropropene	1.0	U	1.0	0.22	ug/L			10/03/20 16:59	1
1,1,1-Trichloroethane	5.0	U	5.0	0.24	ug/L			10/03/20 16:59	1
1,1,2-Trichloroethane	1.0	U	1.0	0.20	ug/L			10/03/20 16:59	1
Trichloroethene	5.0	U	5.0	0.31	ug/L			10/03/20 16:59	1
1,2,3-Trichloropropane	1.0	U	1.0	0.66	ug/L			10/03/20 16:59	1
Toluene	5.0	U	5.0	0.38	ug/L			10/03/20 16:59	1
Vinyl acetate	5.0	U	5.0	0.83	ug/L			10/03/20 16:59	1
Vinyl chloride	2.0	U	2.0	0.17	ug/L			10/03/20 16:59	1
Xylenes, Total	15	U	15	0.65	ug/L			10/03/20 16:59	1
2-Hexanone	50	U	50	1.1	ug/L			10/03/20 16:59	1
cis-1,2-Dichloroethene	5.0	U	5.0	0.22	ug/L			10/03/20 16:59	1
1,2-Dibromoethane	5.0	U	5.0	0.50	ug/L			10/03/20 16:59	1
Ethyl methacrylate	5.0	U	5.0	0.26	ug/L			10/03/20 16:59	1
Iodomethane	5.0	U	5.0	0.48	ug/L			10/03/20 16:59	1
trans-1,4-Dichloro-2-butene	5.0	U	5.0	0.34	ug/L			10/03/20 16:59	1
Methacrylonitrile	5.0	U	5.0	2.1	ug/L			10/03/20 16:59	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	95		75 - 123		10/03/20 16:59	1
4-Bromofluorobenzene	100		76 - 120		10/03/20 16:59	1
Toluene-d8 (Surr)	106		80 - 120		10/03/20 16:59	1
Dibromofluoromethane (Surr)	98		77 - 124		10/03/20 16:59	1

Method: 8015D - Hydrocarbon Product Identification (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Mineral Spirits	13	U	13	2.5	ug/L		10/01/20 09:50	10/03/20 17:58	1

Eurofins TestAmerica, Edison

Client Sample Results

Client: Safety-Kleen Systems, Inc
Project/Site: Safety-Kleen Amityville

Job ID: 460-219427-1

Client Sample ID: Rinse-GW2

Lab Sample ID: 460-219427-15

Date Collected: 09/25/20 13:15

Matrix: Water

Date Received: 09/29/20 09:30

<u>Surrogate</u>	<u>%Recovery</u>	<u>Qualifier</u>	<u>Limits</u>	<u>Prepared</u>	<u>Analyzed</u>	<u>Dil Fac</u>
o-Terphenyl	100		38 - 149	10/01/20 09:50	10/03/20 17:58	1

Surrogate Summary

Client: Safety-Kleen Systems, Inc
Project/Site: Safety-Kleen Amityville

Job ID: 460-219427-1

Method: 8260C - Volatile Organic Compounds by GC/MS

Matrix: Water

Prep Type: Total/NA

Lab Sample ID	Client Sample ID	Percent Surrogate Recovery (Acceptance Limits)			
		DCA (75-123)	BFB (76-120)	TOL (80-120)	DBFM (77-124)
460-219427-1	GT-1	98	99	104	99
460-219427-2	GT-2	106	102	103	104
460-219427-3	GT-3	97	99	103	99
460-219427-4	GT-5	100	101	103	100
460-219427-5	GT-6	102	101	104	100
460-219427-6	GT-7	102	101	105	102
460-219427-7	VE-1R	99	98	104	100
460-219427-8	VE-5	104	100	103	103
460-219427-9	VP-A	103	99	103	102
460-219427-10	VP-B	103	99	104	101
460-219427-11	GW-DUP	105	101	103	101
460-219427-12	DW-1	104	102	103	101
460-219427-13	TRIP BLANK 1	96	100	105	98
460-219427-14	Rinse-GW	104	99	104	103
460-219427-15	Rinse-GW2	95	100	106	98
LCS 460-728741/14	Lab Control Sample	94	99	105	102
LCSD 460-728741/15	Lab Control Sample Dup	95	100	106	100
MB 460-728741/17	Method Blank	95	99	106	98

Surrogate Legend

DCA = 1,2-Dichloroethane-d4 (Surr)
BFB = 4-Bromofluorobenzene
TOL = Toluene-d8 (Surr)
DBFM = Dibromofluoromethane (Surr)

Method: 8015D - Hydrocarbon Product Identification (GC)

Matrix: Water

Prep Type: Total/NA

Lab Sample ID	Client Sample ID	Percent Surrogate Recovery (Acceptance Limits)			
		OTPH (38-149)			
460-219427-1	GT-1	90			
460-219427-2	GT-2	89			
460-219427-3	GT-3	99			
460-219427-4	GT-5	86			
460-219427-5	GT-6	82			
460-219427-6	GT-7	79			
460-219427-7	VE-1R	79			
460-219427-8	VE-5	85			
460-219427-9	VP-A	100			
460-219427-10	VP-B	100			
460-219427-11	GW-DUP	82			
460-219427-12	DW-1	93			
460-219427-14	Rinse-GW	89			
460-219427-15	Rinse-GW2	100			
LCS 460-728041/2-A	Lab Control Sample	89			
LCSD 460-728041/3-A	Lab Control Sample Dup	97			
MB 460-728041/1-A	Method Blank	98			

Surrogate Legend

OTPH = o-Terphenyl

Eurofins TestAmerica, Edison

QC Sample Results

Client: Safety-Kleen Systems, Inc
Project/Site: Safety-Kleen Amityville

Job ID: 460-219427-1

Method: 8260C - Volatile Organic Compounds by GC/MS

Lab Sample ID: MB 460-728741/17

Matrix: Water

Analysis Batch: 728741

Client Sample ID: Method Blank

Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Acetone	50	U	50	4.4	ug/L			10/03/20 16:38	1
Acetonitrile	10	U	10	5.0	ug/L			10/03/20 16:38	1
Benzene	1.0	U	1.0	0.20	ug/L			10/03/20 16:38	1
Benzyl chloride	10	U	10	0.34	ug/L			10/03/20 16:38	1
Bromodichloromethane	50	U	50	0.34	ug/L			10/03/20 16:38	1
Bromoform	5.0	U	5.0	0.54	ug/L			10/03/20 16:38	1
Bromomethane	5.0	U	5.0	0.55	ug/L			10/03/20 16:38	1
4-Methyl-2-pentanone (MIBK)	5.0	U	5.0	1.3	ug/L			10/03/20 16:38	1
Carbon disulfide	60	U	60	0.82	ug/L			10/03/20 16:38	1
Carbon tetrachloride	5.0	U	5.0	0.21	ug/L			10/03/20 16:38	1
Chlorobenzene	5.0	U	5.0	0.38	ug/L			10/03/20 16:38	1
Chloroethane	5.0	U	5.0	0.32	ug/L			10/03/20 16:38	1
2-Chloroethyl vinyl ether	20	U	20	0.43	ug/L			10/03/20 16:38	1
Chloroform	7.0	U	7.0	0.33	ug/L			10/03/20 16:38	1
Chloromethane	5.0	U	5.0	0.40	ug/L			10/03/20 16:38	1
cis-1,3-Dichloropropene	1.0	U	1.0	0.22	ug/L			10/03/20 16:38	1
Dibromochloromethane	50	U	50	0.28	ug/L			10/03/20 16:38	1
Dibromomethane	5.0	U	5.0	0.60	ug/L			10/03/20 16:38	1
1,2-Dibromo-3-Chloropropane	1.0	U	1.0	0.38	ug/L			10/03/20 16:38	1
1,2-Dichlorobenzene	3.0	U	3.0	0.21	ug/L			10/03/20 16:38	1
1,3-Dichlorobenzene	3.0	U	3.0	0.34	ug/L			10/03/20 16:38	1
1,4-Dichlorobenzene	3.0	U	3.0	0.33	ug/L			10/03/20 16:38	1
Dichlorodifluoromethane	5.0	U	5.0	0.31	ug/L			10/03/20 16:38	1
1,1-Dichloroethane	5.0	U	5.0	0.26	ug/L			10/03/20 16:38	1
1,2-Dichloroethane	1.0	U	1.0	0.43	ug/L			10/03/20 16:38	1
1,1-Dichloroethene	5.0	U	5.0	0.26	ug/L			10/03/20 16:38	1
1,2-Dichloroethene, Total	2.0	U	2.0	0.44	ug/L			10/03/20 16:38	1
1,2-Dichloropropane	1.0	U	1.0	0.35	ug/L			10/03/20 16:38	1
Ethylbenzene	5.0	U	5.0	0.30	ug/L			10/03/20 16:38	1
2-Butanone (MEK)	50	U	50	1.9	ug/L			10/03/20 16:38	1
Methylene Chloride	5.0	U	5.0	0.32	ug/L			10/03/20 16:38	1
Methyl methacrylate	50	U	50	0.97	ug/L			10/03/20 16:38	1
m&p-Xylene	10	U	10	0.30	ug/L			10/03/20 16:38	1
o-Xylene	5.0	U	5.0	0.36	ug/L			10/03/20 16:38	1
Styrene	5.0	U	5.0	0.42	ug/L			10/03/20 16:38	1
1,1,1,2-Tetrachloroethane	5.0	U	5.0	0.27	ug/L			10/03/20 16:38	1
1,1,2,2-Tetrachloroethane	5.0	U	5.0	0.37	ug/L			10/03/20 16:38	1
Tetrachloroethene	5.0	U	5.0	0.25	ug/L			10/03/20 16:38	1
trans-1,2-Dichloroethene	5.0	U	5.0	0.24	ug/L			10/03/20 16:38	1
trans-1,3-Dichloropropene	1.0	U	1.0	0.22	ug/L			10/03/20 16:38	1
1,1,1-Trichloroethane	5.0	U	5.0	0.24	ug/L			10/03/20 16:38	1
1,1,2-Trichloroethane	1.0	U	1.0	0.20	ug/L			10/03/20 16:38	1
Trichloroethene	5.0	U	5.0	0.31	ug/L			10/03/20 16:38	1
1,2,3-Trichloropropane	1.0	U	1.0	0.66	ug/L			10/03/20 16:38	1
Toluene	5.0	U	5.0	0.38	ug/L			10/03/20 16:38	1
Vinyl acetate	5.0	U	5.0	0.83	ug/L			10/03/20 16:38	1
Vinyl chloride	2.0	U	2.0	0.17	ug/L			10/03/20 16:38	1
Xylenes, Total	15	U	15	0.65	ug/L			10/03/20 16:38	1

Eurofins TestAmerica, Edison

QC Sample Results

Client: Safety-Kleen Systems, Inc
Project/Site: Safety-Kleen Amityville

Job ID: 460-219427-1

Method: 8260C - Volatile Organic Compounds by GC/MS (Continued)

Lab Sample ID: MB 460-728741/17

Matrix: Water

Analysis Batch: 728741

Client Sample ID: Method Blank

Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
2-Hexanone	50	U	50	1.1	ug/L			10/03/20 16:38	1
cis-1,2-Dichloroethene	5.0	U	5.0	0.22	ug/L			10/03/20 16:38	1
1,2-Dibromoethane	5.0	U	5.0	0.50	ug/L			10/03/20 16:38	1
Ethyl methacrylate	5.0	U	5.0	0.26	ug/L			10/03/20 16:38	1
Iodomethane	5.0	U	5.0	0.48	ug/L			10/03/20 16:38	1
trans-1,4-Dichloro-2-butene	5.0	U	5.0	0.34	ug/L			10/03/20 16:38	1
Methacrylonitrile	5.0	U	5.0	2.1	ug/L			10/03/20 16:38	1

Surrogate	MB %Recovery	MB Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	95		75 - 123		10/03/20 16:38	1
4-Bromofluorobenzene	99		76 - 120		10/03/20 16:38	1
Toluene-d8 (Surr)	106		80 - 120		10/03/20 16:38	1
Dibromofluoromethane (Surr)	98		77 - 124		10/03/20 16:38	1

Lab Sample ID: LCS 460-728741/14

Matrix: Water

Analysis Batch: 728741

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Acetone	100	87.4		ug/L		87	61 - 134
Acetonitrile	200	281		ug/L		140	29 - 150
Benzene	20.0	22.1		ug/L		110	78 - 126
Benzyl chloride	20.0	20.4		ug/L		102	16 - 150
Bromodichloromethane	20.0	20.2	J	ug/L		101	72 - 121
Bromoform	20.0	20.0		ug/L		100	38 - 144
Bromomethane	20.0	18.9		ug/L		95	10 - 150
4-Methyl-2-pentanone (MIBK)	100	101		ug/L		101	78 - 125
Carbon disulfide	20.0	21.6	J	ug/L		108	64 - 138
Carbon tetrachloride	20.0	19.4		ug/L		97	56 - 131
Chlorobenzene	20.0	21.1		ug/L		105	80 - 119
Chloroethane	20.0	18.3		ug/L		92	29 - 150
2-Chloroethyl vinyl ether	20.0	22.2		ug/L		111	29 - 148
Chloroform	20.0	20.6		ug/L		103	78 - 125
Chloromethane	20.0	19.2		ug/L		96	38 - 150
cis-1,3-Dichloropropene	20.0	21.3		ug/L		106	74 - 125
Dibromochloromethane	20.0	21.8	J	ug/L		109	58 - 130
Dibromomethane	20.0	19.7		ug/L		99	72 - 122
1,2-Dibromo-3-Chloropropane	20.0	20.8		ug/L		104	41 - 143
1,2-Dichlorobenzene	20.0	21.2		ug/L		106	79 - 122
1,3-Dichlorobenzene	20.0	20.5		ug/L		103	80 - 121
1,4-Dichlorobenzene	20.0	20.9		ug/L		104	80 - 118
Dichlorodifluoromethane	20.0	16.3		ug/L		81	31 - 150
1,1-Dichloroethane	20.0	21.7		ug/L		109	73 - 130
1,2-Dichloroethane	20.0	19.3		ug/L		96	75 - 121
1,1-Dichloroethene	20.0	22.1		ug/L		110	68 - 133
1,2-Dichloroethene, Total	40.0	43.6		ug/L		109	77 - 122
1,2-Dichloropropane	20.0	23.1		ug/L		116	76 - 126
Ethylbenzene	20.0	21.8		ug/L		109	78 - 120

Eurofins TestAmerica, Edison

QC Sample Results

Client: Safety-Kleen Systems, Inc
Project/Site: Safety-Kleen Amityville

Job ID: 460-219427-1

Method: 8260C - Volatile Organic Compounds by GC/MS (Continued)

Lab Sample ID: LCS 460-728741/14

Matrix: Water

Analysis Batch: 728741

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
2-Butanone (MEK)	100	92.9		ug/L		93	69 - 128
Methylene Chloride	20.0	20.6		ug/L		103	74 - 127
Methyl methacrylate	40.0	43.4	J	ug/L		109	50 - 133
m&p-Xylene	20.0	22.6		ug/L		113	78 - 123
o-Xylene	20.0	21.7		ug/L		108	78 - 122
Styrene	20.0	22.8		ug/L		114	75 - 127
1,1,1,2-Tetrachloroethane	20.0	20.6		ug/L		103	63 - 129
1,1,2,2-Tetrachloroethane	20.0	20.3		ug/L		102	63 - 139
Tetrachloroethene	20.0	20.4		ug/L		102	70 - 127
trans-1,2-Dichloroethene	20.0	21.6		ug/L		108	74 - 126
trans-1,3-Dichloropropene	20.0	18.6		ug/L		93	66 - 127
1,1,1-Trichloroethane	20.0	19.7		ug/L		98	68 - 128
1,1,2-Trichloroethane	20.0	21.5		ug/L		107	74 - 125
Trichloroethene	20.0	20.4		ug/L		102	71 - 121
1,2,3-Trichloropropane	20.0	21.7		ug/L		108	64 - 127
Toluene	20.0	21.8		ug/L		109	78 - 119
Vinyl acetate	40.0	34.1		ug/L		85	55 - 142
Vinyl chloride	20.0	19.9		ug/L		99	61 - 144
Xylenes, Total	40.0	44.2		ug/L		111	78 - 122
2-Hexanone	100	102		ug/L		102	74 - 127
cis-1,2-Dichloroethene	20.0	22.0		ug/L		110	78 - 121
1,2-Dibromoethane	20.0	21.3		ug/L		107	69 - 126
Ethyl methacrylate	20.0	21.6		ug/L		108	56 - 131
Iodomethane	20.0	21.9		ug/L		109	10 - 150
trans-1,4-Dichloro-2-butene	20.0	20.1		ug/L		101	45 - 132
Methacrylonitrile	200	216		ug/L		108	63 - 136

Surrogate	LCS %Recovery	LCS Qualifier	Limits
1,2-Dichloroethane-d4 (Surr)	94		75 - 123
4-Bromofluorobenzene	99		76 - 120
Toluene-d8 (Surr)	105		80 - 120
Dibromofluoromethane (Surr)	102		77 - 124

Lab Sample ID: LCSD 460-728741/15

Matrix: Water

Analysis Batch: 728741

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
Acetone	100	86.5		ug/L		86	61 - 134	1	30
Acetonitrile	200	268		ug/L		134	29 - 150	5	30
Benzene	20.0	22.0		ug/L		110	78 - 126	0	30
Benzyl chloride	20.0	19.3		ug/L		97	16 - 150	6	30
Bromodichloromethane	20.0	19.9	J	ug/L		100	72 - 121	1	30
Bromoform	20.0	20.0		ug/L		100	38 - 144	0	30
Bromomethane	20.0	19.1		ug/L		96	10 - 150	1	30
4-Methyl-2-pentanone (MIBK)	100	102		ug/L		102	78 - 125	1	30
Carbon disulfide	20.0	21.2	J	ug/L		106	64 - 138	2	30
Carbon tetrachloride	20.0	19.3		ug/L		96	56 - 131	1	30

Eurofins TestAmerica, Edison

QC Sample Results

Client: Safety-Kleen Systems, Inc
Project/Site: Safety-Kleen Amityville

Job ID: 460-219427-1

Method: 8260C - Volatile Organic Compounds by GC/MS (Continued)

Lab Sample ID: LCSD 460-728741/15

Matrix: Water

Analysis Batch: 728741

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
Chlorobenzene	20.0	20.8		ug/L		104	80 - 119	1	30
Chloroethane	20.0	18.4		ug/L		92	29 - 150	0	30
2-Chloroethyl vinyl ether	20.0	21.9		ug/L		110	29 - 148	1	30
Chloroform	20.0	20.5		ug/L		103	78 - 125	1	30
Chloromethane	20.0	19.5		ug/L		97	38 - 150	2	30
cis-1,3-Dichloropropene	20.0	20.9		ug/L		105	74 - 125	2	30
Dibromochloromethane	20.0	21.4	J	ug/L		107	58 - 130	2	30
Dibromomethane	20.0	19.8		ug/L		99	72 - 122	1	30
1,2-Dibromo-3-Chloropropane	20.0	20.5		ug/L		103	41 - 143	2	30
1,2-Dichlorobenzene	20.0	21.0		ug/L		105	79 - 122	1	30
1,3-Dichlorobenzene	20.0	20.2		ug/L		101	80 - 121	2	30
1,4-Dichlorobenzene	20.0	20.6		ug/L		103	80 - 118	1	30
Dichlorodifluoromethane	20.0	16.5		ug/L		83	31 - 150	1	30
1,1-Dichloroethane	20.0	21.1		ug/L		106	73 - 130	3	30
1,2-Dichloroethane	20.0	19.0		ug/L		95	75 - 121	1	30
1,1-Dichloroethene	20.0	21.1		ug/L		105	68 - 133	5	30
1,2-Dichloroethene, Total	40.0	43.0		ug/L		107	77 - 122	1	30
1,2-Dichloropropane	20.0	23.1		ug/L		115	76 - 126	0	30
Ethylbenzene	20.0	22.3		ug/L		111	78 - 120	2	30
2-Butanone (MEK)	100	92.0		ug/L		92	69 - 128	1	30
Methylene Chloride	20.0	20.5		ug/L		102	74 - 127	1	30
Methyl methacrylate	40.0	41.6	J	ug/L		104	50 - 133	4	30
m&p-Xylene	20.0	22.2		ug/L		111	78 - 123	2	30
o-Xylene	20.0	21.7		ug/L		108	78 - 122	0	30
Styrene	20.0	22.6		ug/L		113	75 - 127	1	30
1,1,1,2-Tetrachloroethane	20.0	20.3		ug/L		101	63 - 129	1	30
1,1,2,2-Tetrachloroethane	20.0	19.7		ug/L		99	63 - 139	3	30
Tetrachloroethene	20.0	20.5		ug/L		103	70 - 127	1	30
trans-1,2-Dichloroethene	20.0	21.2		ug/L		106	74 - 126	2	30
trans-1,3-Dichloropropene	20.0	18.9		ug/L		95	66 - 127	2	30
1,1,1-Trichloroethane	20.0	19.4		ug/L		97	68 - 128	2	30
1,1,2-Trichloroethane	20.0	21.8		ug/L		109	74 - 125	1	30
Trichloroethene	20.0	20.4		ug/L		102	71 - 121	0	30
1,2,3-Trichloropropane	20.0	20.2		ug/L		101	64 - 127	7	30
Toluene	20.0	21.5		ug/L		108	78 - 119	1	30
Vinyl acetate	40.0	31.8		ug/L		80	55 - 142	7	30
Vinyl chloride	20.0	20.0		ug/L		100	61 - 144	1	30
Xylenes, Total	40.0	43.9		ug/L		110	78 - 122	1	30
2-Hexanone	100	103		ug/L		103	74 - 127	1	30
cis-1,2-Dichloroethene	20.0	21.8		ug/L		109	78 - 121	1	30
1,2-Dibromoethane	20.0	21.0		ug/L		105	69 - 126	2	30
Ethyl methacrylate	20.0	22.1		ug/L		111	56 - 131	2	30
Iodomethane	20.0	21.8		ug/L		109	10 - 150	1	30
trans-1,4-Dichloro-2-butene	20.0	19.2		ug/L		96	45 - 132	5	30
Methacrylonitrile	200	215		ug/L		108	63 - 136	0	30

Surrogate	LCSD %Recovery	LCSD Qualifier	LCSD Limits
1,2-Dichloroethane-d4 (Surr)	95		75 - 123

Eurofins TestAmerica, Edison

QC Sample Results

Client: Safety-Kleen Systems, Inc
Project/Site: Safety-Kleen Amityville

Job ID: 460-219427-1

Method: 8260C - Volatile Organic Compounds by GC/MS (Continued)

Lab Sample ID: LCSD 460-728741/15

Matrix: Water

Analysis Batch: 728741

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

	LCSD	LCSD	
Surrogate	%Recovery	Qualifier	Limits
4-Bromofluorobenzene	100		76 - 120
Toluene-d8 (Surr)	106		80 - 120
Dibromofluoromethane (Surr)	100		77 - 124

Method: 8015D - Hydrocarbon Product Identification (GC)

Lab Sample ID: MB 460-728041/1-A

Matrix: Water

Analysis Batch: 728817

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 728041

Analyte	MB	MB	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Mineral Spirits	Result	Qualifier					09/30/20 20:55	10/03/20 14:29	1
	13	U	13	2.5	ug/L				
Surrogate	MB	MB	Limits				Prepared	Analyzed	Dil Fac
o-Terphenyl	%Recovery	Qualifier					09/30/20 20:55	10/03/20 14:29	1
	98		38 - 149						

Lab Sample ID: LCS 460-728041/2-A

Matrix: Water

Analysis Batch: 728817

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 728041

Analyte	Spike	LCS	LCS	Unit	D	%Rec	%Rec.
Mineral Spirits	Added	Result	Qualifier				Limits
	10000	10400		ug/L		104	50 - 130
Surrogate	LCS	LCS	Limits				
o-Terphenyl	%Recovery	Qualifier					
	89		38 - 149				

Lab Sample ID: LCSD 460-728041/3-A

Matrix: Water

Analysis Batch: 728817

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

Prep Batch: 728041

Analyte	Spike	LCSD	LCSD	Unit	D	%Rec	%Rec.	RPD
Mineral Spirits	Added	Result	Qualifier				Limits	Limit
	10000	10900		ug/L		109	50 - 130	5 30
Surrogate	LCSD	LCSD	Limits					
o-Terphenyl	%Recovery	Qualifier						
	97		38 - 149					

QC Association Summary

Client: Safety-Kleen Systems, Inc
Project/Site: Safety-Kleen Amityville

Job ID: 460-219427-1

GC/MS VOA

Analysis Batch: 728741

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
460-219427-1	GT-1	Total/NA	Water	8260C	
460-219427-2	GT-2	Total/NA	Water	8260C	
460-219427-3	GT-3	Total/NA	Water	8260C	
460-219427-4	GT-5	Total/NA	Water	8260C	
460-219427-5	GT-6	Total/NA	Water	8260C	
460-219427-6	GT-7	Total/NA	Water	8260C	
460-219427-7	VE-1R	Total/NA	Water	8260C	
460-219427-8	VE-5	Total/NA	Water	8260C	
460-219427-9	VP-A	Total/NA	Water	8260C	
460-219427-10	VP-B	Total/NA	Water	8260C	
460-219427-11	GW-DUP	Total/NA	Water	8260C	
460-219427-12	DW-1	Total/NA	Water	8260C	
460-219427-13	TRIP BLANK 1	Total/NA	Water	8260C	
460-219427-14	Rinse-GW	Total/NA	Water	8260C	
460-219427-15	Rinse-GW2	Total/NA	Water	8260C	
MB 460-728741/17	Method Blank	Total/NA	Water	8260C	
LCS 460-728741/14	Lab Control Sample	Total/NA	Water	8260C	
LCSD 460-728741/15	Lab Control Sample Dup	Total/NA	Water	8260C	

GC Semi VOA

Prep Batch: 728041

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
460-219427-1	GT-1	Total/NA	Water	3510C	
460-219427-2	GT-2	Total/NA	Water	3510C	
460-219427-3	GT-3	Total/NA	Water	3510C	
460-219427-4	GT-5	Total/NA	Water	3510C	
460-219427-5	GT-6	Total/NA	Water	3510C	
460-219427-6	GT-7	Total/NA	Water	3510C	
460-219427-7	VE-1R	Total/NA	Water	3510C	
460-219427-8	VE-5	Total/NA	Water	3510C	
460-219427-9	VP-A	Total/NA	Water	3510C	
460-219427-10	VP-B	Total/NA	Water	3510C	
460-219427-11	GW-DUP	Total/NA	Water	3510C	
460-219427-12	DW-1	Total/NA	Water	3510C	
460-219427-14	Rinse-GW	Total/NA	Water	3510C	
460-219427-15	Rinse-GW2	Total/NA	Water	3510C	
MB 460-728041/1-A	Method Blank	Total/NA	Water	3510C	
LCS 460-728041/2-A	Lab Control Sample	Total/NA	Water	3510C	
LCSD 460-728041/3-A	Lab Control Sample Dup	Total/NA	Water	3510C	

Analysis Batch: 728817

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
460-219427-1	GT-1	Total/NA	Water	8015D	728041
460-219427-2	GT-2	Total/NA	Water	8015D	728041
460-219427-3	GT-3	Total/NA	Water	8015D	728041
460-219427-4	GT-5	Total/NA	Water	8015D	728041
460-219427-5	GT-6	Total/NA	Water	8015D	728041
460-219427-6	GT-7	Total/NA	Water	8015D	728041
460-219427-7	VE-1R	Total/NA	Water	8015D	728041
460-219427-8	VE-5	Total/NA	Water	8015D	728041

Eurofins TestAmerica, Edison

QC Association Summary

Client: Safety-Kleen Systems, Inc
Project/Site: Safety-Kleen Amityville

Job ID: 460-219427-1

GC Semi VOA (Continued)

Analysis Batch: 728817 (Continued)

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
460-219427-9	VP-A	Total/NA	Water	8015D	728041
460-219427-10	VP-B	Total/NA	Water	8015D	728041
460-219427-11	GW-DUP	Total/NA	Water	8015D	728041
460-219427-12	DW-1	Total/NA	Water	8015D	728041
460-219427-14	Rinse-GW	Total/NA	Water	8015D	728041
460-219427-15	Rinse-GW2	Total/NA	Water	8015D	728041
MB 460-728041/1-A	Method Blank	Total/NA	Water	8015D	728041
LCS 460-728041/2-A	Lab Control Sample	Total/NA	Water	8015D	728041
LCSD 460-728041/3-A	Lab Control Sample Dup	Total/NA	Water	8015D	728041

Lab Chronicle

Client: Safety-Kleen Systems, Inc
Project/Site: Safety-Kleen Amityville

Job ID: 460-219427-1

Client Sample ID: GT-1

Date Collected: 09/24/20 18:00

Date Received: 09/29/20 09:30

Lab Sample ID: 460-219427-1

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260C		1	728741	10/03/20 17:41	SZD	TAL EDI
Total/NA	Prep	3510C			728041	10/01/20 09:50	JMS	TAL EDI
Total/NA	Analysis	8015D		1	728817	10/03/20 15:50	KMH	TAL EDI

Client Sample ID: GT-2

Date Collected: 09/24/20 09:20

Date Received: 09/29/20 09:30

Lab Sample ID: 460-219427-2

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260C		1	728741	10/03/20 21:31	SZD	TAL EDI
Total/NA	Prep	3510C			728041	10/01/20 09:50	JMS	TAL EDI
Total/NA	Analysis	8015D		1	728817	10/03/20 16:01	KMH	TAL EDI

Client Sample ID: GT-3

Date Collected: 09/24/20 14:10

Date Received: 09/29/20 09:30

Lab Sample ID: 460-219427-3

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260C		1	728741	10/03/20 18:02	SZD	TAL EDI
Total/NA	Prep	3510C			728041	10/01/20 09:50	JMS	TAL EDI
Total/NA	Analysis	8015D		1	728817	10/03/20 16:13	KMH	TAL EDI

Client Sample ID: GT-5

Date Collected: 09/23/20 14:25

Date Received: 09/29/20 09:30

Lab Sample ID: 460-219427-4

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260C		1	728741	10/03/20 18:22	SZD	TAL EDI
Total/NA	Prep	3510C			728041	09/30/20 20:55	JMS	TAL EDI
Total/NA	Analysis	8015D		1	728817	10/03/20 15:04	KMH	TAL EDI

Client Sample ID: GT-6

Date Collected: 09/23/20 18:35

Date Received: 09/29/20 09:30

Lab Sample ID: 460-219427-5

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260C		1	728741	10/03/20 18:44	SZD	TAL EDI
Total/NA	Prep	3510C			728041	09/30/20 20:55	JMS	TAL EDI
Total/NA	Analysis	8015D		1	728817	10/03/20 15:15	KMH	TAL EDI

Client Sample ID: GT-7

Date Collected: 09/23/20 15:35

Date Received: 09/29/20 09:30

Lab Sample ID: 460-219427-6

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260C		1	728741	10/03/20 19:04	SZD	TAL EDI

Eurofins TestAmerica, Edison

Lab Chronicle

Client: Safety-Kleen Systems, Inc
Project/Site: Safety-Kleen Amityville

Job ID: 460-219427-1

Client Sample ID: GT-7

Lab Sample ID: 460-219427-6

Date Collected: 09/23/20 15:35

Matrix: Water

Date Received: 09/29/20 09:30

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	3510C			728041	09/30/20 20:55	JMS	TAL EDI
Total/NA	Analysis	8015D		1	728817	10/03/20 15:27	KMH	TAL EDI

Client Sample ID: VE-1R

Lab Sample ID: 460-219427-7

Date Collected: 09/25/20 12:45

Matrix: Water

Date Received: 09/29/20 09:30

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260C		1	728741	10/03/20 19:25	SZD	TAL EDI
Total/NA	Prep	3510C			728041	10/01/20 09:50	JMS	TAL EDI
Total/NA	Analysis	8015D		1	728817	10/03/20 16:49	KMH	TAL EDI

Client Sample ID: VE-5

Lab Sample ID: 460-219427-8

Date Collected: 09/24/20 15:30

Matrix: Water

Date Received: 09/29/20 09:30

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260C		1	728741	10/03/20 19:46	SZD	TAL EDI
Total/NA	Prep	3510C			728041	10/01/20 09:50	JMS	TAL EDI
Total/NA	Analysis	8015D		1	728817	10/03/20 17:00	KMH	TAL EDI

Client Sample ID: VP-A

Lab Sample ID: 460-219427-9

Date Collected: 09/24/20 12:35

Matrix: Water

Date Received: 09/29/20 09:30

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260C		1	728741	10/03/20 20:07	SZD	TAL EDI
Total/NA	Prep	3510C			728041	10/01/20 09:50	JMS	TAL EDI
Total/NA	Analysis	8015D		1	728817	10/03/20 17:12	KMH	TAL EDI

Client Sample ID: VP-B

Lab Sample ID: 460-219427-10

Date Collected: 09/24/20 13:25

Matrix: Water

Date Received: 09/29/20 09:30

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260C		1	728741	10/03/20 20:28	SZD	TAL EDI
Total/NA	Prep	3510C			728041	10/01/20 09:50	JMS	TAL EDI
Total/NA	Analysis	8015D		1	728817	10/03/20 17:23	KMH	TAL EDI

Client Sample ID: GW-DUP

Lab Sample ID: 460-219427-11

Date Collected: 09/23/20 12:00

Matrix: Water

Date Received: 09/29/20 09:30

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260C		1	728741	10/03/20 20:49	SZD	TAL EDI

Eurofins TestAmerica, Edison

Lab Chronicle

Client: Safety-Kleen Systems, Inc
Project/Site: Safety-Kleen Amityville

Job ID: 460-219427-1

Client Sample ID: GW-DUP

Lab Sample ID: 460-219427-11

Date Collected: 09/23/20 12:00

Matrix: Water

Date Received: 09/29/20 09:30

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	3510C			728041	09/30/20 20:55	JMS	TAL EDI
Total/NA	Analysis	8015D		1	728817	10/03/20 15:38	KMH	TAL EDI

Client Sample ID: DW-1

Lab Sample ID: 460-219427-12

Date Collected: 09/25/20 10:00

Matrix: Water

Date Received: 09/29/20 09:30

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260C		1	728741	10/03/20 21:10	SZD	TAL EDI
Total/NA	Prep	3510C			728041	10/01/20 09:50	JMS	TAL EDI
Total/NA	Analysis	8015D		1	728817	10/03/20 17:35	KMH	TAL EDI

Client Sample ID: TRIP BLANK 1

Lab Sample ID: 460-219427-13

Date Collected: 09/25/20 13:15

Matrix: Water

Date Received: 09/29/20 09:30

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260C		1	728741	10/03/20 17:20	SZD	TAL EDI

Client Sample ID: Rinse-GW

Lab Sample ID: 460-219427-14

Date Collected: 09/25/20 09:55

Matrix: Water

Date Received: 09/29/20 09:30

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260C		1	728741	10/03/20 21:52	SZD	TAL EDI
Total/NA	Prep	3510C			728041	10/01/20 09:50	JMS	TAL EDI
Total/NA	Analysis	8015D		1	728817	10/03/20 17:46	KMH	TAL EDI

Client Sample ID: Rinse-GW2

Lab Sample ID: 460-219427-15

Date Collected: 09/25/20 13:15

Matrix: Water

Date Received: 09/29/20 09:30

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260C		1	728741	10/03/20 16:59	SZD	TAL EDI
Total/NA	Prep	3510C			728041	10/01/20 09:50	JMS	TAL EDI
Total/NA	Analysis	8015D		1	728817	10/03/20 17:58	KMH	TAL EDI

Laboratory References:

TAL EDI = Eurofins TestAmerica, Edison, 777 New Durham Road, Edison, NJ 08817, TEL (732)549-3900

Accreditation/Certification Summary

Client: Safety-Kleen Systems, Inc
Project/Site: Safety-Kleen Amityville

Job ID: 460-219427-1

Laboratory: Eurofins TestAmerica, Edison

Unless otherwise noted, all analytes for this laboratory were covered under each accreditation/certification below.

Authority	Program	Identification Number	Expiration Date
New York	NELAP	11452	04-01-21

The following analytes are included in this report, but the laboratory is not certified by the governing authority. This list may include analytes for which the agency does not offer certification.

Analysis Method	Prep Method	Matrix	Analyte
8015D	3510C	Water	Mineral Spirits
8260C		Water	1,2-Dichloroethene, Total

Method Summary

Client: Safety-Kleen Systems, Inc
Project/Site: Safety-Kleen Amityville

Job ID: 460-219427-1

Method	Method Description	Protocol	Laboratory
8260C	Volatile Organic Compounds by GC/MS	SW846	TAL EDI
8015D	Hydrocarbon Product Identification (GC)	SW846	TAL EDI
3510C	Liquid-Liquid Extraction (Separatory Funnel)	SW846	TAL EDI
5030C	Purge and Trap	SW846	TAL EDI

Protocol References:

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

Laboratory References:

TAL EDI = Eurofins TestAmerica, Edison, 777 New Durham Road, Edison, NJ 08817, TEL (732)549-3900

Sample Summary

Client: Safety-Kleen Systems, Inc
Project/Site: Safety-Kleen Amityville

Job ID: 460-219427-1

Lab Sample ID	Client Sample ID	Matrix	Collected	Received	Asset ID
460-219427-1	GT-1	Water	09/24/20 18:00	09/29/20 09:30	
460-219427-2	GT-2	Water	09/24/20 09:20	09/29/20 09:30	
460-219427-3	GT-3	Water	09/24/20 14:10	09/29/20 09:30	
460-219427-4	GT-5	Water	09/23/20 14:25	09/29/20 09:30	
460-219427-5	GT-6	Water	09/23/20 18:35	09/29/20 09:30	
460-219427-6	GT-7	Water	09/23/20 15:35	09/29/20 09:30	
460-219427-7	VE-1R	Water	09/25/20 12:45	09/29/20 09:30	
460-219427-8	VE-5	Water	09/24/20 15:30	09/29/20 09:30	
460-219427-9	VP-A	Water	09/24/20 12:35	09/29/20 09:30	
460-219427-10	VP-B	Water	09/24/20 13:25	09/29/20 09:30	
460-219427-11	GW-DUP	Water	09/23/20 12:00	09/29/20 09:30	
460-219427-12	DW-1	Water	09/25/20 10:00	09/29/20 09:30	
460-219427-13	TRIP BLANK 1	Water	09/25/20 13:15	09/29/20 09:30	
460-219427-14	Rinse-GW	Water	09/25/20 09:55	09/29/20 09:30	
460-219427-15	Rinse-GW2	Water	09/25/20 13:15	09/29/20 09:30	

Boston
#215

Chain of Custody Record

Environmental Testing
Laboratory

Client Information		Lab PM		Carrier Tracking No(s)		COC No					
Mr. Steve Fleming, P.E.		John Talley		Flannery, Elizabeth J		460-132254-85702.1					
Company: Safety-Kleen Systems, Inc		Phone: 781-247-8396		E-Mail: Elizabeth.Flannery@Eurofins.com		Page: Page 1 of 3					
Address: 4120 Thunderbird Ln		Due Date Requested:		Analysis Requested		Job #: 219427					
City: Fairfield		TAT Requested (days):									
State, Zip: OH, 45014											
Phone: 513-956-2172(Tel) 513-563-1645(Fax)		PO #									
Email: stephen.fleming@safety-kleen.com		WO #									
Project Name: 2020 Safety-Kleen Amityville		Project #									
Site: 60 Seabra Ave., Amityville, NY		SSOW #									
Sample Identification	Sample Date	Sample Time	Sample Type (C=Comp, G=grab)	Matrix (W=water, S=solid, O=wasteoil, BT=tissue, A=air)	Field Filtered Sample (Yes or No)	Performance MS/MSD (Yes or No)	8260C - VOC	8260C - (MOD) OL M4.2 Compound List	8260C - (MOD) OL M4.2 Compound List	8260C - (MOD) OL M4.2 Compound List	Special Instructions/Note:
GT-1	9/24/20	1800	G	Water	N	N	A				1
GT-2	9/24/20	0920		Water							2
GT-3	9/24/20	1410		Water							3
GT-5	9/23/20	1425		Water							4
GT-6	9/23/20	1835		Water							5
GT-7	9/23/20	1535		Water							6
VE-1R	9/25/20	1245		Water							7
VE-5	9/24/20	1530		Water							8
VP-A	9/24/20	1235		Water							9
VP-B	9/24/20	1325		Water							10
GW-DUP	9/23/20	1200	V	Water							11
Possible Hazard Identification ☐ Non-Hazard ☐ Flammable ☐ Skin Irritant ☐ Poison B ☒ Unknown ☐ Radiological											
Deliverable Requested: I, II, III, IV, Other (specify)											
Empty Kit Relinquished by:											
Relinquished by: John Talley Date/Time: 9/26/20 @ 1130 Company: CHES											
Relinquished by: Date/Time: 9-28-20 @ 1200 Company: CHES											
Relinquished by: Date/Time: 9/28/20 1600 Company: TA											
Custody Seals Intact: ☒ Yes ☐ No											
Custody Seal No.: 4R11 5.8°C, 5.3°C, 4.5°C, 6.0°C											

Client Information Client Contact: Mr. Steve Fleming, P.E. Company: Safety-Kleen Systems, Inc. Address: 4120 Thunderbird Ln City: Fairfield State: OH, Zip: 45014 Phone: 513-956-2172(Tel) 513-563-1645(Fax) Email: stephen.fleming@safety-kleen.com Project Name: 2020 Safety-Kleen Amityville Site: <i>60 Sea br Ave, Amityville, NY</i>		Sample: <i>John Tally</i> Lab PM: Flannery, Elizabeth J Phone: <i>781-247-1396</i> E-Mail: Elizabeth.Flannery@Eurofins.com		Carrier Tracking No(s): COC No: 460-132254-85702.2 Page: Page 2 of 2 Job #: <i>29427</i>	
Due Date Requested: TAT Requested (days): PO #: W190333227 WO #: Project #: 46008953 SSOW#		Analysis Requested 8260C - VOC 8260C - (MOD) OLMO4.2 Compound List 8260C - (MOD) OLMO4.2 Compound List 8150_ID - Mineral Spirits Range Organics Perform MS/MSD (Yes or No) Field Filtered Sample (Yes or No)			
Sample Identification Sample Date: <i>9/25/20</i> Sample Time: <i>1000</i> Matrix: <i>Water</i> Sample Type: <i>G</i> Preservation Code:		Total Number of Containers: <i>5</i> Special Instructions/Note: <i>12</i>			
DW-1 TRIP BLANK 1 TRIP BLANK 2 TRIP BLANK 3 TRIP BLANK 4 DW-1 DW-1 DUP Rinse-GW Rinse-GW2		Special Instructions/Note: <i>13</i> Special Instructions/Note: <i>14</i> Special Instructions/Note: <i>15</i>			
Possible Hazard Identification ☐ Non-Hazard ☐ Flammable ☐ Skin Irritant ☐ Poison B ☒ Unknown ☐ Radiological					
Deliverable Requested: I, II, III, IV, Other (specify):					
Empty Kit Relinquished by:					
Relinquished by: <i>John Tally</i> Date/Time: <i>9/26/20 @ 1130</i> Relinquished by: <i>John Tally</i> Date/Time: <i>9-28-20 @ 1200</i> Relinquished by: <i>John Tally</i> Date/Time: <i>9/24/20 16:10</i>		Received by: <i>Seaveridge@BAM</i> Date/Time: <i>9/26/20 @ 1130</i> Received by: <i>Seaveridge@BAM</i> Date/Time: <i>9/26/20 @ 1200</i> Received by: <i>Seaveridge@BAM</i> Date/Time: <i>9/26/20 @ 1200</i>		Company: <i>CHES</i> Company: <i>CHES</i> Company: <i>CHES</i> Company: <i>CHES</i>	
Custody Seals Intact: ☒ Yes ☐ No		Cooler Temperature(s) °C and Other Remarks: <i>DR1 58, 4.5°, 5.3°, 6.0°</i>			

Job Number:

Number of Coolers:

IR Gun #

Cooler Temperatures

	RAW	CORRECTED
Cooler #1:	5.8	°C
Cooler #2:	5.3	°C
Cooler #3:	4.5	°C

	RAW	CORRECTED
Cooler #4:	6.0	°C
Cooler #5:	°C	°C
Cooler #6:	°C	°C

	RAW	CORRECTED
Cooler #7:	°C	°C
Cooler #8:	°C	°C
Cooler #9:	°C	°C

[illegible]

If pH adjustments are required record the information below:

Sample No(s). adjusted:

Preservative Name/Conc.:

Volume of Preservative used (ml):

Lot # of Preservative(s):

Expiration Date:

The appropriate Project Manager and Department Manager should be notified about the samples which were pH adjusted.

* Samples for Metal analysis which are out of compliance must be acidified at least 24 hours prior to analysis.

EDS-WI-038, Rev 4.1
10/22/2019

Initials:

Date:

9/29/20

Login Sample Receipt Checklist

Client: Safety-Kleen Systems, Inc

Job Number: 460-219427-1

Login Number: 219427

List Source: Eurofins TestAmerica, Edison

List Number: 1

Creator: Rivera, Kenneth

Question	Answer	Comment
Radioactivity wasn't checked or is $\leq$ background as measured by a survey meter.	N/A	
The cooler's custody seal, if present, is intact.	True	
Sample custody seals, if present, are intact.	True	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
Is the Field Sampler's name present on COC?	True	
There are no discrepancies between the containers received and the COC.	True	
Samples are received within Holding Time (excluding tests with immediate HTs)	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	False	Refer to Job Narrative for details.
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified.	True	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
Containers requiring zero headspace have no headspace or bubble is $<6\text{mm}$ (1/4").	True	
Multiphasic samples are not present.	True	
Samples do not require splitting or compositing.	True	
Residual Chlorine Checked.	N/A	

ANALYTICAL REPORT

Eurofins TestAmerica, Edison
777 New Durham Road
Edison, NJ 08817
Tel: (732)549-3900

Laboratory Job ID: 460-219427-3

Client Project/Site: Safety-Kleen Amityville

For:

Safety-Kleen Systems, Inc
4120 Thunderbird Ln
Fairfield, Ohio 45014

Attn: Mr. Steve Fleming, P.E.



Authorized for release by:
12/11/2020 4:09:02 PM

Elizabeth Flannery, Project Manager I
(732)549-3900
Elizabeth.Flannery@Eurofinset.com

LINKS

Review your project
results through

TotalAccess

Have a Question?



Visit us at:

www.eurofinsus.com/Env

The test results in this report meet all 2003 NELAC, 2009 TNI, and 2016 TNI requirements for accredited parameters, exceptions are noted in this report. This report may not be reproduced except in full, and with written approval from the laboratory. For questions please contact the Project Manager at the e-mail address or telephone number listed on this page.

This report has been electronically signed and authorized by the signatory. Electronic signature is intended to be the legally binding equivalent of a traditionally handwritten signature.

Results relate only to the items tested and the sample(s) as received by the laboratory.

Table of Contents

Cover Page	1
Table of Contents	2
Definitions/Glossary	3
Case Narrative	4
Detection Summary	5
Client Sample Results	6
Surrogate Summary	7
QC Sample Results	8
QC Association Summary	9
Lab Chronicle	10
Certification Summary	11
Method Summary	12
Sample Summary	13
Chain of Custody	14
Receipt Checklists	17



Definitions/Glossary

Client: Safety-Kleen Systems, Inc
Project/Site: Safety-Kleen Amityville

Job ID: 460-219427-3

Qualifiers

GC Semi VOA

Qualifier	Qualifier Description
H	Sample was prepped or analyzed beyond the specified holding time
U	Analyzed for but not detected.

Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
α	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CFU	Colony Forming Unit
CNF	Contains No Free Liquid
DER	Duplicate Error Ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL	Detection Limit (DoD/DOE)
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision Level Concentration (Radiochemistry)
EDL	Estimated Detection Limit (Dioxin)
LOD	Limit of Detection (DoD/DOE)
LOQ	Limit of Quantitation (DoD/DOE)
MCL	EPA recommended "Maximum Contaminant Level"
MDA	Minimum Detectable Activity (Radiochemistry)
MDC	Minimum Detectable Concentration (Radiochemistry)
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
MPN	Most Probable Number
MQL	Method Quantitation Limit
NC	Not Calculated
ND	Not Detected at the reporting limit (or MDL or EDL if shown)
NEG	Negative / Absent
POS	Positive / Present
PQL	Practical Quantitation Limit
PRES	Presumptive
QC	Quality Control
RER	Relative Error Ratio (Radiochemistry)
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)
TNTC	Too Numerous To Count

Case Narrative

Client: Safety-Kleen Systems, Inc
Project/Site: Safety-Kleen Amityville

Job ID: 460-219427-3

Job ID: 460-219427-3

Laboratory: Eurofins TestAmerica, Edison

Narrative

CASE NARRATIVE

Client: Safety-Kleen Systems, Inc

Project: Safety-Kleen Amityville

Report Number: 460-219427-3

This case narrative is in the form of an exception report, where only the anomalies related to this report, method specific performance and/or QA/QC issues are discussed. If there are no issues to report, this narrative will include a statement that documents that there are no relevant data issues.

It should be noted that samples with elevated Reporting Limits (RLs) as a result of a dilution may not be able to satisfy customer reporting limits in some cases. Such increases in the RLs are unavoidable but acceptable consequence of sample dilution that enables quantification of target analytes or interferences which exceed the calibration range of the instrument.

Calculations are performed before rounding to avoid round-off errors in calculated results.

All holding times were met and proper preservation noted for the methods performed on these samples, unless otherwise detailed in the individual sections below.

RECEIPT

The samples were received on 9/29/2020 9:30 AM; the samples arrived in good condition, and where required, properly preserved and on ice. The temperatures of the 4 coolers at receipt time were 4.5° C, 5.3° C, 5.8° C and 6.0° C.

Receipt Exceptions

Technical and Operational Guidance Series subpart 1.1.1 (The New York State Ambient Water Quality Standards and Guidance Values) references a class GA standard of 0.04 ug/L for 1,2-dibromo-3-Chloropropane and 1,2,3-Trichloropropane, and 0.2 ug/L for trans-1,3-Dichloropropene. The laboratory is unable to meet this standard by reporting to their established reporting limit (RL) or method detection limit (MDL).

The following analytes are included in this report but certification is not offered by the governing authority: Mineral Spirits.

The following sample was activated for Mineral Spirits with silica gel cleanup by the client past hold time: GT-1 (460-219427-1).

Note: All samples which require thermal preservation are considered acceptable if the arrival temperature is within 2C of the required temperature or method specified range. For samples with a specified temperature of 4C, samples with a temperature ranging from just above freezing temperature of water to 6C shall be acceptable. Samples that are hand delivered immediately following collection may not meet these criteria, however they will be deemed acceptable according to NELAC standards, if there is evidence that the chilling process has begun, such as arrival on ice, etc.

MINERAL RANGE ORGANICS (MRO)

Sample GT-1 (460-219427-1) was analyzed for Mineral Range Organics (MRO) in accordance with EPA SW-846 Method 8015D_ID. The samples were prepared on 12/10/2020 and analyzed on 12/11/2020.

No difficulties were encountered during the MRO analysis.

All quality control parameters were within the acceptance limits.

Detection Summary

Client: Safety-Kleen Systems, Inc
Project/Site: Safety-Kleen Amityville

Job ID: 460-219427-3

Client Sample ID: GT-1

Lab Sample ID: 460-219427-1

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Mineral Spirits	110	H	13	2.5	ug/L	1		8015D	Total/NA

This Detection Summary does not include radiochemical test results.

Eurofins TestAmerica, Edison

Client Sample Results

Client: Safety-Kleen Systems, Inc
Project/Site: Safety-Kleen Amityville

Job ID: 460-219427-3

Client Sample ID: GT-1

Date Collected: 09/24/20 18:00

Date Received: 09/29/20 09:30

Lab Sample ID: 460-219427-1

Matrix: Water

Method: 8015D - Hydrocarbon Product Identification (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Mineral Spirits	110	H	13	2.5	ug/L		12/10/20 12:22	12/11/20 09:49	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
o-Terphenyl	109		38 - 149				12/10/20 12:22	12/11/20 09:49	1

Surrogate Summary

Client: Safety-Kleen Systems, Inc
Project/Site: Safety-Kleen Amityville

Job ID: 460-219427-3

Method: 8015D - Hydrocarbon Product Identification (GC)

Matrix: Water

Prep Type: Total/NA

Percent Surrogate Recovery (Acceptance Limits)

Lab Sample ID	Client Sample ID	OTPH (38-149)
460-219427-1	GT-1	109
LCS 460-745926/2-A	Lab Control Sample	79
LCSD 460-745926/3-A	Lab Control Sample Dup	79
MB 460-745926/1-A	Method Blank	96

Surrogate Legend

OTPH = o-Terphenyl

QC Sample Results

Client: Safety-Kleen Systems, Inc
Project/Site: Safety-Kleen Amityville

Job ID: 460-219427-3

Method: 8015D - Hydrocarbon Product Identification (GC)

Lab Sample ID: MB 460-745926/1-A

Matrix: Water

Analysis Batch: 746179

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 745926

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Mineral Spirits	13	U	13	2.5	ug/L		12/10/20 12:22	12/11/20 10:58	1
Surrogate	MB %Recovery	MB Qualifier	Limits				Prepared	Analyzed	Dil Fac
o-Terphenyl	96		38 - 149				12/10/20 12:22	12/11/20 10:58	1

Lab Sample ID: LCS 460-745926/2-A

Matrix: Water

Analysis Batch: 746179

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 745926

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Mineral Spirits	5000	4830		ug/L		97	50 - 130
Surrogate	LCS %Recovery	LCS Qualifier	Limits				
o-Terphenyl	79		38 - 149				

Lab Sample ID: LCSD 460-745926/3-A

Matrix: Water

Analysis Batch: 746179

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

Prep Batch: 745926

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
Mineral Spirits	5000	4640		ug/L		93	50 - 130	4	30
Surrogate	LCSD %Recovery	LCSD Qualifier	Limits						
o-Terphenyl	79		38 - 149						

QC Association Summary

Client: Safety-Kleen Systems, Inc
Project/Site: Safety-Kleen Amityville

Job ID: 460-219427-3

GC Semi VOA

Prep Batch: 745926

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
460-219427-1	GT-1	Total/NA	Water	3510C	
MB 460-745926/1-A	Method Blank	Total/NA	Water	3510C	
LCS 460-745926/2-A	Lab Control Sample	Total/NA	Water	3510C	
LCSD 460-745926/3-A	Lab Control Sample Dup	Total/NA	Water	3510C	

Analysis Batch: 746179

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
460-219427-1	GT-1	Total/NA	Water	8015D	745926
MB 460-745926/1-A	Method Blank	Total/NA	Water	8015D	745926
LCS 460-745926/2-A	Lab Control Sample	Total/NA	Water	8015D	745926
LCSD 460-745926/3-A	Lab Control Sample Dup	Total/NA	Water	8015D	745926

Lab Chronicle

Client: Safety-Kleen Systems, Inc
Project/Site: Safety-Kleen Amityville

Job ID: 460-219427-3

Client Sample ID: GT-1

Lab Sample ID: 460-219427-1

Date Collected: 09/24/20 18:00

Matrix: Water

Date Received: 09/29/20 09:30

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	3510C			745926	12/10/20 12:22	JMS	TAL EDI
Total/NA	Analysis	8015D		1	746179	12/11/20 09:49	KMH	TAL EDI

Laboratory References:

TAL EDI = Eurofins TestAmerica, Edison, 777 New Durham Road, Edison, NJ 08817, TEL (732)549-3900

Accreditation/Certification Summary

Client: Safety-Kleen Systems, Inc
Project/Site: Safety-Kleen Amityville

Job ID: 460-219427-3

Laboratory: Eurofins TestAmerica, Edison

Unless otherwise noted, all analytes for this laboratory were covered under each accreditation/certification below.

Authority	Program	Identification Number	Expiration Date
New York	NELAP	11452	04-01-21

The following analytes are included in this report, but the laboratory is not certified by the governing authority. This list may include analytes for which the agency does not offer certification.

Analysis Method	Prep Method	Matrix	Analyte
8015D	3510C	Water	Mineral Spirits

Method Summary

Client: Safety-Kleen Systems, Inc
Project/Site: Safety-Kleen Amityville

Job ID: 460-219427-3

Method	Method Description	Protocol	Laboratory
8015D	Hydrocarbon Product Identification (GC)	SW846	TAL EDI
3510C	Liquid-Liquid Extraction (Separatory Funnel)	SW846	TAL EDI

Protocol References:

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

Laboratory References:

TAL EDI = Eurofins TestAmerica, Edison, 777 New Durham Road, Edison, NJ 08817, TEL (732)549-3900

Sample Summary

Client: Safety-Kleen Systems, Inc
Project/Site: Safety-Kleen Amityville

Job ID: 460-219427-3

Lab Sample ID	Client Sample ID	Matrix	Collected	Received	Asset ID
460-219427-1	GT-1	Water	09/24/20 18:00	09/29/20 09:30	

1

2

3

4

5

6

7

8

9

10

11

12

13

14

15

Client Information Client Contact: Mr. Steve Fleming, P.E. Company: Safety-Kleen Systems, Inc. Address: 4120 Thunderbird Ln City: Fairfield State: OH, Zip: 45014 Phone: 513-956-2172(Tel) 513-563-1645(Fax) Email: stephen.fleming@safety-kleen.com Project Name: 2020 Safety-Kleen Amityville Site: <i>60 Sea br Ave, Amityville, NY</i>		Sample: <i>John Tally</i> Lab PM: Flannery, Elizabeth J Phone: <i>781-247-1396</i> E-Mail: Elizabeth.Flannery@Eurofinset.com		Carrier Tracking No(s): 460-132254-85702.2 Page: 2 of 2 Job #: <i>29477</i>	
Due Date Requested: TAT Requested (days): PO #: W190333227 WO #: Project #: 46008953 SSOW#:		Analysis Requested 8260C - VOC 8260C - (MOD) OLMO4.2 Compound List 8260C - (MOD) OLMO4.2 Compound List 8150 ID - Mineral Spirits Range Organics Perform MS/MSD (Yes or No) Field Filtered Sample (Yes or No)			
Sample Identification Sample Date: <i>9/25/20</i> Sample Time: <i>1000</i> Sample Type: <i>G</i> Matrix: <i>Water</i> Preservation Code:		Total Number of Containers: <i>5</i> Special Instructions/Note: <i>12</i>			
DW-1 TRIP BLANK 1 TRIP BLANK 2 TRIP BLANK 3 TRIP BLANK 4 DW-1 DW-1 DUP Rinse-GW Rinse-GW2		Special Instructions/Note: <i>13</i> Special Instructions/Note: <i>14</i> Special Instructions/Note: <i>15</i>			
Possible Hazard Identification ☐ Non-Hazard ☐ Flammable ☐ Skin Irritant ☐ Poison B ☒ Unknown ☐ Radiological					
Deliverable Requested: I, II, III, IV, Other (specify):					
Empty Kit Relinquished by:					
Relinquished by: <i>John Tally</i> Date/Time: <i>9/26/20 @ 1130</i> Relinquished by: <i>John Tally</i> Date/Time: <i>9-28-20 @ 1200</i> Relinquished by: <i>John Tally</i> Date/Time: <i>9/24/20 16:10</i>		Received by: <i>Seaveridge@BOM</i> Date/Time: <i>9/26/20 @ 1130</i> Received by: <i>Seaveridge@BOM</i> Date/Time: <i>9/26/20 @ 1200</i> Received by: <i>Seaveridge@BOM</i> Date/Time: <i>9/26/20 @ 1200</i>		Company: <i>CHES</i> Company: <i>CHES</i> Company: <i>CHES</i> Company: <i>CHES</i>	
Custody Seals Intact: ☒ Yes ☐ No		Cooler Temperature(s) °C and Other Remarks: <i>DR1 58, 4.5°, 5.3°, 6.0°</i>			

Number of Coolers:

IR Gun #

Cooler Temperatures

	RAW	CORRECTED
Cooler #1:	5.8	℃
Cooler #2:	5.3	℃
Cooler #3:	4.5	℃
Cooler #4:	6.0	℃
Cooler #5:	℃	℃
Cooler #6:	℃	℃
Cooler #7:	℃	℃
Cooler #8:	℃	℃
Cooler #9:	℃	℃

[illegible]

If pH adjustments are required record the information below:

Sample No(s). adjusted:

Preservative Name/Conc.:

Volume of Preservative used (ml):

Lot # of Preservative(s):

Expiration Date:

The appropriate Project Manager and Department Manager should be notified about the samples which were pH adjusted.

Samples for Metal analysis which are out of compliance must be acidified at least 24 hours prior to analysis.

EDS-WI-038, Rev 4.1
10/22/2019

Initials:

Date:

Login Sample Receipt Checklist

Client: Safety-Kleen Systems, Inc

Job Number: 460-219427-3

Login Number: 219427

List Number: 1

Creator: Rivera, Kenneth

List Source: Eurofins TestAmerica, Edison

Question	Answer	Comment
Radioactivity wasn't checked or is $\leq$ background as measured by a survey meter.	N/A	
The cooler's custody seal, if present, is intact.	True	
Sample custody seals, if present, are intact.	True	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
Is the Field Sampler's name present on COC?	True	
There are no discrepancies between the containers received and the COC.	True	
Samples are received within Holding Time (excluding tests with immediate HTs)	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	False	Refer to Job Narrative for details.
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified.	True	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
Containers requiring zero headspace have no headspace or bubble is $<6\text{mm}$ (1/4").	True	
Multiphasic samples are not present.	True	
Samples do not require splitting or compositing.	True	
Residual Chlorine Checked.	N/A	