



architects + engineers

175 Pinelawn Road, Ste 308
Melville, NY 11747

tel 631.756.8000
fax 631.393.6322

March 7, 2013

Mr. Chek Beng Ng, P.E.
Environmental Engineer 2
Division of Environmental Remediation
Remedial Bureau A, 11th Floor
New York State Department of Environmental Conservation
625 Broadway
Albany, NY 12233-7015

Re: Indoor Air/Sub-slab Soil Vapor Sampling and Laboratory Analyses
Summary Report
Luitpold Pharmaceuticals, Inc.
26 Precision Drive Facility
Shirley, New York
H2M Project No. LUIT 1301

Dear Mr. Ng:

Holzmacher, McLendon, & Murrell, P.C. (H2M) was retained by Luitpold Pharmaceuticals, Inc. (Luitpold) to conduct indoor air/sub-slab soil vapor sampling/analyses at the above referenced location.

All work was conducted on January 24, 2013 as described in the H2M December 20, 2010 Revised Indoor Air/Sub-slab Soil Vapor Sampling and Laboratory Analyses Work Plan approved by NYSDEC/NYSDOH.

A summary of our work is presented below.

All work was conducted as described in the H2M December 20, 2010 Revised Indoor Air/Sub-slab Soil Vapor Sampling and Laboratory Analyses Work Plan (Work Plan) submitted to and approved by NYSDEC/NYSDOH.

Air Sample Collection

Air samples were collected during the heating season (i.e., January 24, 2013) at nine locations depicted on the attached Figure 1.0 (Locations of Indoor Air and Sub-slab Soil Vapor Samples). Sub-slab air sample locations are depicted in red and indoor air sample points are depicted in green. Two (i.e., north and south) ambient air samples were also collected in conjunction with the indoor air/sub-slab soil vapor sampling.

All sub-slab and indoor air samples were collected over an eight hour period utilizing summa canisters and analyzed for the complete TO-15 analyte list by H2M Labs, Inc. (NYSDOH ID No. 10478).

A product inventory was performed in conjunction with the air sampling round. A copy of the product inventory is presented in Appendix A (Indoor Air Quality Questionnaire and Building/Product Inventory).

Analytical Data Summary

Each of the air samples were analyzed for volatile organic compounds (VOCs) by EPA Method TO-15. Laboratory analyses were performed by H2M Labs, Inc. (NYSDOH ID No. 10478). All results are represented in micrograms per cubic meter.

In order to assess the analytical data for compounds which do not have decision matrices as per the NYSDOH October 2006 document entitled "Guidance for Evaluating Soil Vapor Intrusion in the State of New York", H2M compared the indoor air lab results to the USEPA Target Indoor Air Concentrations for the identified compounds.

As summarized on Table 1 (Summary of Analytical Results for Volatile Organic Compounds), three compounds were present at concentrations in excess of their respective USEPA Target Indoor Air Concentration at five of the sample locations.

As presented on Table 1, 1,2,4-trimethylbenzene was present at a concentration in excess of its respective USEPA Target Indoor Air Concentration (i.e., 6 micrograms per cubic meter) at AQ-2, AQ-3, AQ-5, and AQ-9.

Acetone was present at a concentration in excess of its respective USEPA Target Indoor Air Concentration (i.e., 350 micrograms per cubic meter) at AQ-9.

Finally, ethylbenzene was present at a concentration in excess of its respective USEPA Target Indoor Air Concentration (22 micrograms per cubic meter) at AQ-1, AQ-2, AQ-3, and AQ-9.

The remaining compounds were either present at concentrations below their respective laboratory reporting limits or USEPA Target Indoor Air Concentrations.

In order to assess the analytical data for compounds which have decision matrices (TCA, TCE, and PCE), H2M compared the indoor air/sub-slab soil analytical data to the decision matrices presented in the NYSDOH October 2006 document.

TCA

TCA was detected at concentrations below the laboratory reporting limit for the compound at each of the nine indoor air sampling locations and at concentrations ranging from 7.8 to 589 micrograms per cubic meter at the sub-slab sampling locations. Utilizing the criteria identified in NYSDOH Soil Vapor/Indoor Air Matrix 2, no further action is warranted at sample locations 3, 4, 5, 7, and 8, and continued monitoring is warranted at sample locations 1, 2, 6, and 9.

TCE

TCE was detected at concentrations ranging from < 1.36 to 3.26 micrograms per cubic meter at the indoor air sample locations and from 1.42 to 67,100 micrograms per cubic meter in the sub-slab sample locations.



Utilizing the criteria identified in NYSDOH Soil Vapor/Indoor Air Matrix 2, mitigation is warranted at sample location 1 and continued monitoring at sample locations 2, 3, 4, 5, and 9. Further, continued monitoring/mitigation is warranted at sample location 6 and reasonable/practical actions to identify sources/reduce exposures are warranted at sample location 7. No further action is warranted with respect to sample location 8.

Carbon Tetrachloride

Carbon tetrachloride was detected at concentrations below the laboratory reporting limit for the compound at all indoor air/sub-slab sampling locations.

Tetrachloroethene (PCE)

PCE was detected at concentrations ranging from < 1.36 to 3.26 micrograms per cubic meter at the indoor air sample locations and from 1.42 to 67,100 micrograms per cubic meter at the sub-slab sample locations.

Utilizing the decision criteria in NYSDOH Soil Vapor/Indoor Air Matrix 2, mitigation would be required at sample location 1, continued monitoring required at sample locations 2 through 5, monitoring/mitigation required at sample locations 6 and 7, no further action required at sample location 8, and continued monitoring required at sample location 9.

DCE

DCE was detected at concentrations below the laboratory reporting limit at all indoor air sample locations. Further, DCE was detected at concentrations below the laboratory reporting limit at all sub-surface sample locations, with the exception of SS-1 (2,430 micrograms per cubic meter).

Laboratory reports presenting the results of our analyses are shown in Appendix B (Laboratory Reports).



Ambient Air Samples: Ambient North and Ambient South

As presented on the attached laboratory reports and on Table 1, results of our lab analyses indicated that all VOCs were ND in both ambient air samples, with the exception of acetone, Benzene, chloromethane, dichlorodifluoromethane, and methylene chloride. Each of these contaminants were identified at relatively low concentrations and as such, are typically considered to be laboratory contaminants. Therefore, it is our opinion that the results of our ambient air analyses are not indicative of a source of contamination.

Summary and Conclusions

H2M conducted a round of sub-slab/indoor air sampling and analyses at the subject facility during the heating season. Evaluation of our analytical data utilizing the previously referenced NYSDOH guidance document indicated that continued heating season monitoring, consisting of annual indoor air/sub-slab sampling/analyses, is warranted with respect to the subject facility.

If you should have any questions or comments, please contact Mr. Christopher J. Flynn at (631) 756-8000, Extension 1484.

Very truly yours,

HOLZMACHER, McLENDON & MURRELL, P.C.

A handwritten signature in blue ink, appearing to read 'Chris J. Flynn', followed by a horizontal line and the initials 'LJF'.

Christopher J. Flynn
Sr. Project Manager

cc: Paul Dialosa/Luitpold
Elizabeth Tilton/Luitpold

FIGURES

● Sub-slab sample point

● Indoor air sample point

All locations are approximate.




Figure 1.0
Final Locations of Indoor Air and
Sub-slab Soil Vapor Samples : January 24, 2013 Sampling Round

H2M Project No. LUIT13-01 X:\LUIT1301 (One Luipold Dr)\Final Report\Final Figures

TABLES

APPENDIX A

**INDOOR AIR QUALITY QUESTIONNAIRE AND BUILDING/PRODUCT
INVENTORY**

**NEW YORK STATE DEPARTMENT OF HEALTH
INDOOR AIR QUALITY QUESTIONNAIRE AND BUILDING INVENTORY
CENTER FOR ENVIRONMENTAL HEALTH**

This form must be completed for each residence involved in indoor air testing.

Preparer's Name Matthew Jensen Date/Time Prepared 2/22/2013

Preparer's Affiliation Environmental Consultant Phone No. 631-756-8000

Purpose of Investigation Soil vapor intrusion investigation

1. OCCUPANT:

Interviewed: Y / N

Last Name: Luitpold Pharmaceuticals Inc First Name: _____

Address: 26 Precision Drive, Shirley, NY 11967

County: Suffolk

Home Phone: _____ Office Phone: 631-924-4000

Number of Occupants/persons at this location _____ Age of Occupants _____

2. OWNER OR LANDLORD: (Check if same as occupant ____)

Interviewed: Y / N

Last Name: Luitpold Pharmaceuticals Inc First Name: _____

Address: 26 Precision Drive, Shirley, NY 11967

County: Suffolk

Home Phone: _____ Office Phone: 631-924-4000

3. BUILDING CHARACTERISTICS

Type of Building: (Circle appropriate response)

Residential
Industrial

School
Church

Commercial/Multi-use
Other: _____

If the property is residential, type? (Circle appropriate response)

Ranch	2-Family	3-Family
Raised Ranch	Split Level	Colonial
Cape Cod	Contemporary	Mobile Home
Duplex	Apartment House	Townhouses/Condos
Modular	Log Home	Other: _____

If multiple units, how many? _____

If the property is commercial, type?

Business Type(s) Pharmaceutical

Does it include residences (i.e., multi-use)? Y / N If yes, how many? _____

Other characteristics:

Number of floors 1

Building age 30

Is the building insulated? Y / N

How air tight? Tight / Average / Not Tight

4. AIRFLOW

Use air current tubes or tracer smoke to evaluate airflow patterns and qualitatively describe:

Airflow between floors

One floor only

Airflow near source

No identified source

Outdoor air infiltration

None

Infiltration into air ducts

None

5. BASEMENT AND CONSTRUCTION CHARACTERISTICS (Circle all that apply)

- a. Above grade construction: wood frame concrete stone brick
- b. Basement type: full crawlspace slab other N/A
- c. Basement floor: concrete dirt stone other N/A
- d. Basement floor: uncovered covered covered with N/A
- e. Concrete floor: unsealed sealed sealed with _____
- f. Foundation walls: poured block stone other _____
- g. Foundation walls: unsealed sealed sealed with _____
- h. The basement is: wet damp dry moldy
- i. The basement is: finished unfinished partially finished
- j. Sump present? Y / N
- k. Water in sump? Y / N / not applicable

Basement/Lowest level depth below grade: N/A (feet)

Identify potential soil vapor entry points and approximate size (e.g., cracks, utility ports, drains)

A few cracks throughout the floor in the warehouse but the floor was sealed.

6. HEATING, VENTING and AIR CONDITIONING (Circle all that apply)

Type of heating system(s) used in this building: (circle all that apply – note primary)

Hot air circulation	Heat pump	Hot water baseboard	
Space Heaters	Stream radiation	Radiant floor	
Electric baseboard	Wood stove	Outdoor wood boiler	Other _____

The primary type of fuel used is:

Natural Gas	Fuel Oil	Kerosene
Electric	Propane	Solar
Wood	Coal	

Domestic hot water tank fueled by: Electric

Boiler/furnace located in: Basement Outdoors Main Floor Other _____

Air conditioning: Central Air Window units Open Windows None

Are there air distribution ducts present? Y / N

Describe the supply and cold air return ductwork, and its condition where visible, including whether there is a cold air return and the tightness of duct joints. Indicate the locations on the floor plan diagram.

7. OCCUPANCY

Is basement/lowest level occupied? Full-time Occasionally Seldom Almost Never

Level **General Use of Each Floor (e.g., familyroom, bedroom, laundry, workshop, storage)**

Basement	None
1 st Floor	Commercial factory and office space
2 nd Floor	None
3 rd Floor	None
4 th Floor	None

8. FACTORS THAT MAY INFLUENCE INDOOR AIR QUALITY

- a. Is there an attached garage? Y / N
- b. Does the garage have a separate heating unit? Y / N / NA
- c. Are petroleum-powered machines or vehicles stored in the garage (e.g., lawnmower, atv, car) Y / N / NA
Please specify _____
- d. Has the building ever had a fire? Y / N When? _____
- e. Is a kerosene or unvented gas space heater present? Y / N Where? _____
- f. Is there a workshop or hobby/craft area? Y / N Where & Type? _____
- g. Is there smoking in the building? Y / N How frequently? _____
- h. Have cleaning products been used recently? Y / N When & Type? _____
- i. Have cosmetic products been used recently? Y / N When & Type? _____

- j. Has painting/staining been done in the last 6 months? Y / N Where & When? _____
- k. Is there new carpet, drapes or other textiles? Y / N Where & When? _____
- l. Have air fresheners been used recently? Y / N When & Type? _____
- m. Is there a kitchen exhaust fan? Y / N If yes, where vented? _____
- n. Is there a bathroom exhaust fan? Y / N If yes, where vented? Through the roof
- o. Is there a clothes dryer? Y / N If yes, is it vented outside? Y / N
- p. Has there been a pesticide application? Y / N When & Type? _____
- Are there odors in the building? Y / N
If yes, please describe: _____

Do any of the building occupants use solvents at work? Y / N
(e.g., chemical manufacturing or laboratory, auto mechanic or auto body shop, painting, fuel oil delivery, boiler mechanic, pesticide application, cosmetologist)

If yes, what types of solvents are used? Organic solvents

If yes, are their clothes washed at work? Y / N

Do any of the building occupants regularly use or work at a dry-cleaning service? (Circle appropriate response)

Yes, use dry-cleaning regularly (weekly)	No
Yes, use dry-cleaning infrequently (monthly or less)	Unknown
Yes, work at a dry-cleaning service	

Is there a radon mitigation system for the building/structure? Y / N Date of Installation: _____
Is the system active or passive? Active/Passive

9. WATER AND SEWAGE

Water Supply: Public Water Drilled Well Driven Well Dug Well Other: _____

Sewage Disposal: Public Sewer Septic Tank Leach Field Dry Well Other: _____

10. RELOCATION INFORMATION (for oil spill residential emergency)

- a. Provide reasons why relocation is recommended: _____
- b. Residents choose to: remain in home relocate to friends/family relocate to hotel/motel
- c. Responsibility for costs associated with reimbursement explained? Y / N
- d. Relocation package provided and explained to residents? Y / N



Float away Neutral ph extraction cleaner - 1 gal

WD-40 1-12 oz can

Lysol 12- 24oz cans

Time mist air freshener 8- 30 day canisters

Trendsetter Sealer/Finisher – 5 gal bucket


Spartan Rinse free strip-finish remover – 5 gal bucket

Somerset stainless steel polish – 1- 16 oz bottle

Terra green glass cleaner one spray bottle

Maxima glass cleaner – 3 spray bottles

APPENDIX B
LABORATORY REPORTS



labs

575 Broad Hollow Road, Melville, NY
TEL: (631) 694-3040 FAX: (631) 420-8436
NYSDOH ID#10478

LABORATORY RESULTS

Results for the samples and analytes requested

Sample Information...

Luitpold Pharmaceuticals

Lab No. : **1301B16-001**

Type : Air

Client Sample ID: AMBIENT NORTH

Attn To : H2MPC

Origin:

Collected : 1/24/2013 5:00:00 PM

Received : 1/24/2013 6:07:00 PM

Method: ETO-15							
Parameter(s)	Result	Units	Qualifier	D.F.	Result	Units	Date Analyzed
1,1,1-Trichloroethane	< 0.20	ppbv		1	< 1.09	µg/m³	01/25/2013 11:12 PM
1,1,2,2-Tetrachloroethane	< 0.20	ppbv		1	< 1.37	µg/m³	01/25/2013 11:12 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	< 0.20	ppbv		1	< 1.53	µg/m³	01/25/2013 11:12 PM
1,1,2-Trichloroethane	< 0.20	ppbv		1	< 1.09	µg/m³	01/25/2013 11:12 PM
1,1-Dichloroethane	< 0.20	ppbv		1	< 0.81	µg/m³	01/25/2013 11:12 PM
1,1-Dichloroethene	< 0.20	ppbv		1	< 0.79	µg/m³	01/25/2013 11:12 PM
1,2,4-Trichlorobenzene	< 0.20	ppbv		1	< 1.48	µg/m³	01/25/2013 11:12 PM
1,2,4-Trimethylbenzene	< 0.20	ppbv		1	< 0.98	µg/m³	01/25/2013 11:12 PM
1,2-Dibromoethane	< 0.20	ppbv		1	< 1.54	µg/m³	01/25/2013 11:12 PM
1,2-Dichlorobenzene	< 0.20	ppbv		1	< 1.20	µg/m³	01/25/2013 11:12 PM
1,2-Dichloroethane	< 0.20	ppbv		1	< 0.81	µg/m³	01/25/2013 11:12 PM
1,2-Dichloroethene (cis)	< 0.20	ppbv		1	< 0.79	µg/m³	01/25/2013 11:12 PM
1,2-Dichloroethene (trans)	< 0.20	ppbv		1	< 0.79	µg/m³	01/25/2013 11:12 PM
1,2-Dichloropropane	< 0.20	ppbv		1	< 0.92	µg/m³	01/25/2013 11:12 PM
1,2-Dichlorotetrafluoroethane	< 0.20	ppbv		1	< 1.40	µg/m³	01/25/2013 11:12 PM
1,3,5-Trimethylbenzene	< 0.20	ppbv		1	< 0.98	µg/m³	01/25/2013 11:12 PM
1,3-Dichlorobenzene	< 0.20	ppbv		1	< 1.20	µg/m³	01/25/2013 11:12 PM
1,3-Dichloropropene (cis)	< 0.20	ppbv		1	< 0.91	µg/m³	01/25/2013 11:12 PM
1,3-Dichloropropene (trans)	< 0.20	ppbv		1	< 0.91	µg/m³	01/25/2013 11:12 PM
1,3-Hexachlorobutadiene	< 0.20	ppbv		1	< 2.13	µg/m³	01/25/2013 11:12 PM
1,4-Dichlorobenzene	< 0.20	ppbv		1	< 1.20	µg/m³	01/25/2013 11:12 PM
Acetone	0.85	ppbv		1	2.02	µg/m³	01/25/2013 11:12 PM
Benzene	< 0.20	ppbv		1	< 0.64	µg/m³	01/25/2013 11:12 PM
Bromodichloromethane	< 0.20	ppbv		1	< 1.34	µg/m³	01/25/2013 11:12 PM
Bromoform	< 0.20	ppbv		1	< 2.07	µg/m³	01/25/2013 11:12 PM
Bromomethane	< 0.20	ppbv		1	< 0.78	µg/m³	01/25/2013 11:12 PM
Carbon disulfide	< 0.20	ppbv		1	< 0.62	µg/m³	01/25/2013 11:12 PM
Carbon tetrachloride	< 0.20	ppbv		1	< 1.26	µg/m³	01/25/2013 11:12 PM
Chlorobenzene	< 0.20	ppbv		1	< 0.92	µg/m³	01/25/2013 11:12 PM
Chloroethane	< 0.20	ppbv		1	< 0.53	µg/m³	01/25/2013 11:12 PM
Chloroform	< 0.20	ppbv		1	< 0.98	µg/m³	01/25/2013 11:12 PM
Chloromethane	0.41	ppbv		1	0.85	µg/m³	01/25/2013 11:12 PM
Dibromochloromethane	< 0.20	ppbv		1	< 1.70	µg/m³	01/25/2013 11:12 PM
Dichlorodifluoromethane	0.39	ppbv		1	1.93	µg/m³	01/25/2013 11:12 PM
Ethylbenzene	< 0.20	ppbv		1	< 0.87	µg/m³	01/25/2013 11:12 PM
Methyl butyl ketone	< 0.20	ppbv		1	< 0.82	µg/m³	01/25/2013 11:12 PM
Methyl ethyl ketone	< 0.20	ppbv		1	< 0.59	µg/m³	01/25/2013 11:12 PM

Qualifiers: E = Value above quantitation range
B = Found in Blank
D.F. = Dilution Factor D = Results for Dilution
H = Received/analyzed outside of analytical holding time
+ = ELAP / NELAC does not offer certification for this analyte
c = Calibration acceptability criteria exceeded for this analyte
r = Reporting limit below calibration range
J = Estimated value - below calibration range
s = Recovery exceeded control limits for this analyte
N = Indicates presumptive evidence of compound


Joann M. Alarini

Laboratory Manager

Date Reported :

Page 1 of 40

PCLUI003 S18

**labs**

575 Broad Hollow Road, Melville, NY

TEL: (631) 694-3040 FAX: (631) 420-8436
NYSDCH ID#10478**LABORATORY RESULTS**

Results for the samples and analytes requested

Luitpold Pharmaceuticals**Lab No. : 1301B16-001****Client Sample ID: AMBIENT NORTH****Sample Information...****Type : Air****Origin:****Attn To : H2MPC****Collected : 1/24/2013 5:00:00 PM****Received : 1/24/2013 6:07:00 PM****Method: ETO-15**

Parameter(s)	Result	Units	Qualifier	D.F.	Result	Units	Date Analyzed
Methyl isobutyl ketone	< 0.20	ppbv		1	< 0.82	µg/m³	01/25/2013 11:12 PM
Methyl tert-butyl ether	< 0.20	ppbv		1	< 0.72	µg/m³	01/25/2013 11:12 PM
Methylene chloride	0.25	ppbv		1	0.97	µg/m³	01/25/2013 11:12 PM
Styrene	< 0.20	ppbv		1	< 0.85	µg/m³	01/25/2013 11:12 PM
Tetrachloroethene	< 0.20	ppbv		1	< 1.36	µg/m³	01/25/2013 11:12 PM
Toluene	< 0.20	ppbv		1	< 0.75	µg/m³	01/25/2013 11:12 PM
Trichloroethene	< 0.20	ppbv		1	< 1.07	µg/m³	01/25/2013 11:12 PM
Trichlorofluoromethane	< 0.20	ppbv		1	< 1.12	µg/m³	01/25/2013 11:12 PM
Vinyl acetate	< 0.20	ppbv		1	< 0.70	µg/m³	01/25/2013 11:12 PM
Vinyl chloride	< 0.20	ppbv		1	< 0.51	µg/m³	01/25/2013 11:12 PM
Xylenes (m&p)	< 0.20	ppbv		1	< 0.87	µg/m³	01/25/2013 11:12 PM
Xylenes (o)	< 0.20	ppbv		1	< 0.87	µg/m³	01/25/2013 11:12 PM
Surr:4 -Bromofluorobenzene	98.5	%REC	Limit	70-130	No M.W. Data		01/25/2013 11:12 PM

Qualifiers: E = Value above quantitation range

B = Found in Blank

D.F. = Dilution Factor D = Results for Dilution

H = Received/analyzed outside of analytical holding time

+ = ELAP / NELAC does not offer certification for this analyte

c = Calibration acceptability criteria exceeded for this analyte

r = Reporting limit below calibration range

J = Estimated value - below calibration range

s = Recovery exceeded control limits for this analyte


N = Indicates presumptive evidence of compound

Laboratory Manager

Date Reported :

Page 2 of 40

PCLUI003 S19



labs

575 Broad Hollow Road, Melville, NY

TEL: (631) 694-3040 FAX: (631) 420-8436
NYSDCH ID#10478

LABORATORY RESULTS

Results for the samples and analytes requested

Luitpold Pharmaceuticals

Lab No. : 1301B16-002

Client Sample ID: AMBIENTSOUTH

Sample Information...

Type : Air

Attn To : H2MPC

Origin:

Collected : 1/24/2013 3:20:00 PM

Received : 1/24/2013 6:07:00 PM

Method: ETO-15							
Parameter(s)	Result	Units	Qualifier	D.F.	Result	Units	Date Analyzed
1,1,1-Trichloroethane	< 0.20	ppbv		1	< 1.09	µg/m³	01/25/2013 11:53 PM
1,1,2,2-Tetrachloroethane	< 0.20	ppbv		1	< 1.37	µg/m³	01/25/2013 11:53 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	< 0.20	ppbv		1	< 1.53	µg/m³	01/25/2013 11:53 PM
1,1,2-Trichloroethane	< 0.20	ppbv		1	< 1.09	µg/m³	01/25/2013 11:53 PM
1,1-Dichloroethane	< 0.20	ppbv		1	< 0.81	µg/m³	01/25/2013 11:53 PM
1,1-Dichloroethene	< 0.20	ppbv		1	< 0.79	µg/m³	01/25/2013 11:53 PM
1,2,4-Trichlorobenzene	< 0.20	ppbv		1	< 1.48	µg/m³	01/25/2013 11:53 PM
1,2,4-Trimethylbenzene	< 0.20	ppbv		1	< 0.98	µg/m³	01/25/2013 11:53 PM
1,2-Dibromoethane	< 0.20	ppbv		1	< 1.54	µg/m³	01/25/2013 11:53 PM
1,2-Dichlorobenzene	< 0.20	ppbv		1	< 1.20	µg/m³	01/25/2013 11:53 PM
1,2-Dichloroethane	< 0.20	ppbv		1	< 0.81	µg/m³	01/25/2013 11:53 PM
1,2-Dichloroethene (cis)	< 0.20	ppbv		1	< 0.79	µg/m³	01/25/2013 11:53 PM
1,2-Dichloroethene (trans)	< 0.20	ppbv		1	< 0.79	µg/m³	01/25/2013 11:53 PM
1,2-Dichloropropane	< 0.20	ppbv		1	< 0.92	µg/m³	01/25/2013 11:53 PM
1,2-Dichlorotetrafluoroethane	< 0.20	ppbv		1	< 1.40	µg/m³	01/25/2013 11:53 PM
1,3,5-Trimethylbenzene	< 0.20	ppbv		1	< 0.98	µg/m³	01/25/2013 11:53 PM
1,3-Dichlorobenzene	< 0.20	ppbv		1	< 1.20	µg/m³	01/25/2013 11:53 PM
1,3-Dichloropropene (cis)	< 0.20	ppbv		1	< 0.91	µg/m³	01/25/2013 11:53 PM
1,3-Dichloropropene (trans)	< 0.20	ppbv		1	< 0.91	µg/m³	01/25/2013 11:53 PM
1,3-Hexachlorobutadiene	< 0.20	ppbv		1	< 2.13	µg/m³	01/25/2013 11:53 PM
1,4-Dichlorobenzene	< 0.20	ppbv		1	< 1.20	µg/m³	01/25/2013 11:53 PM
Acetone	1.55	ppbv		1	3.68	µg/m³	01/25/2013 11:53 PM
Benzene	0.25	ppbv		1	0.80	µg/m³	01/25/2013 11:53 PM
Bromodichloromethane	< 0.20	ppbv		1	< 1.34	µg/m³	01/25/2013 11:53 PM
Bromoform	< 0.20	ppbv		1	< 2.07	µg/m³	01/25/2013 11:53 PM
Bromomethane	< 0.20	ppbv		1	< 0.78	µg/m³	01/25/2013 11:53 PM
Carbon disulfide	< 0.20	ppbv		1	< 0.62	µg/m³	01/25/2013 11:53 PM
Carbon tetrachloride	< 0.20	ppbv		1	< 1.26	µg/m³	01/25/2013 11:53 PM
Chlorobenzene	< 0.20	ppbv		1	< 0.92	µg/m³	01/25/2013 11:53 PM
Chloroethane	< 0.20	ppbv		1	< 0.53	µg/m³	01/25/2013 11:53 PM
Chloroform	< 0.20	ppbv		1	< 0.98	µg/m³	01/25/2013 11:53 PM
Chloromethane	0.42	ppbv		1	0.87	µg/m³	01/25/2013 11:53 PM
Dibromochloromethane	< 0.20	ppbv		1	< 1.70	µg/m³	01/25/2013 11:53 PM
Dichlorodifluoromethane	0.40	ppbv		1	1.98	µg/m³	01/25/2013 11:53 PM
Ethylbenzene	< 0.20	ppbv		1	< 0.87	µg/m³	01/25/2013 11:53 PM
Methyl butyl ketone	< 0.20	ppbv		1	< 0.82	µg/m³	01/25/2013 11:53 PM
Methyl ethyl ketone	< 0.20	ppbv		1	< 0.59	µg/m³	01/25/2013 11:53 PM

Qualifiers: E = Value above quantitation range

B = Found in Blank

D.F. = Dilution Factor D = Results for Dilution

H = Received/analyzed outside of analytical holding time

+ = ELAP / NELAC does not offer certification for this analyte

c = Calibration acceptability criteria exceeded for this analyte

r = Reporting limit below calibration range

J = Estimated value - below calibration range

s = Recovery exceeded control limits for this analyte

N = Indicates presumptive evidence of compound


Joann M. Slavim

Laboratory Manager

Date Reported :

Page 3 of 40

PCLU1003 S21



labs

575 Broad Hollow Road, Melville, NY
TEL: (631) 694-3040 FAX: (631) 420-6436
NYSDOH ID#10478

LABORATORY RESULTS

Results for the samples and analytes requested

Luitpold Pharmaceuticals

Lab No. : **1301B16-002**

Client Sample ID: AMBIENTSOUTH

Sample Information...

Type : Air

Origin:

Attn To : H2MPC

Collected : 1/24/2013 3:20:00 PM

Received : 1/24/2013 6:07:00 PM

Method: ETO-15

Parameter(s)	Result	Units	Qualifier	D.F.	Result	Units	Date Analyzed
Methyl isobutyl ketone	< 0.20	ppbv		1	< 0.82	µg/m³	01/25/2013 11:53 PM
Methyl tert-butyl ether	< 0.20	ppbv		1	< 0.72	µg/m³	01/25/2013 11:53 PM
Methylene chloride	0.33	ppbv		1	1.28	µg/m³	01/25/2013 11:53 PM
Styrene	< 0.20	ppbv		1	< 0.85	µg/m³	01/25/2013 11:53 PM
Tetrachloroethene	< 0.20	ppbv		1	< 1.36	µg/m³	01/25/2013 11:53 PM
Toluene	< 0.20	ppbv		1	< 0.75	µg/m³	01/25/2013 11:53 PM
Trichloroethene	< 0.20	ppbv		1	< 1.07	µg/m³	01/25/2013 11:53 PM
Trichlorofluoromethane	< 0.20	ppbv		1	< 1.12	µg/m³	01/25/2013 11:53 PM
Vinyl acetate	< 0.20	ppbv		1	< 0.70	µg/m³	01/25/2013 11:53 PM
Vinyl chloride	< 0.20	ppbv		1	< 0.51	µg/m³	01/25/2013 11:53 PM
Xylenes (m&p)	< 0.20	ppbv		1	< 0.87	µg/m³	01/25/2013 11:53 PM
Xylenes (o)	< 0.20	ppbv		1	< 0.87	µg/m³	01/25/2013 11:53 PM
Surr:4 -Bromofluorobenzene	97.4	%REC	Limit	70-130	No M.W. Data		01/25/2013 11:53 PM

Qualifiers: E = Value above quantitation range

B = Found in Blank

D.F. = Dilution Factor D = Results for Dilution

H = Received/analyzed outside of analytical holding time

+ = ELAP / NELAC does not offer certification for this analyte

c = Calibration acceptability criteria exceeded for this analyte

r = Reporting limit below calibration range

J = Estimated value - below calibration range

s = Recovery exceeded control limits for this analyte


N = Indicates presumptive evidence of compound

Laboratory Manager

Date Reported :

Page 4 of 40

PCLUI003 S22



labs

575 Broad Hollow Road, Melville, NY
TEL: (631) 694-3040 FAX: (631) 420-8436
NYSDOH ID#10478

LABORATORY RESULTS

Results for the samples and analytes requested

Sample Information...

Luitpold Pharmaceuticals

Lab No. : 1301B16-003

Type : Air

Client Sample ID:AQ-1

Attn To : H2MPC

Origin:

Collected : 1/24/2013 3:32:00 PM

Received : 1/24/2013 6:07:00 PM

Method: ETO-15							
Parameter(s)	Result	Units	Qualifier	D.F.	Result	Units	Date Analyzed
1,1,1-Trichloroethane	< 0.20	ppbv		1	< 1.09	µg/m³	01/26/2013 12:36 AM
1,1,2,2-Tetrachloroethane	< 0.20	ppbv		1	< 1.37	µg/m³	01/26/2013 12:36 AM
1,1,2-Trichloro-1,2,2-trifluoroethane	< 0.20	ppbv		1	< 1.53	µg/m³	01/26/2013 12:36 AM
1,1,2-Trichloroethane	< 0.20	ppbv		1	< 1.09	µg/m³	01/26/2013 12:36 AM
1,1-Dichloroethane	< 0.20	ppbv		1	< 0.81	µg/m³	01/26/2013 12:36 AM
1,1-Dichloroethene	< 0.20	ppbv		1	< 0.79	µg/m³	01/26/2013 12:36 AM
1,2,4-Trichlorobenzene	< 0.20	ppbv		1	< 1.48	µg/m³	01/26/2013 12:36 AM
1,2,4-Trimethylbenzene	1.16	ppbv		1	5.70	µg/m³	01/26/2013 12:36 AM
1,2-Dibromoethane	< 0.20	ppbv		1	< 1.54	µg/m³	01/26/2013 12:36 AM
1,2-Dichlorobenzene	< 0.20	ppbv		1	< 1.20	µg/m³	01/26/2013 12:36 AM
1,2-Dichloroethane	< 0.20	ppbv		1	< 0.81	µg/m³	01/26/2013 12:36 AM
1,2-Dichloroethene (cis)	< 0.20	ppbv		1	< 0.79	µg/m³	01/26/2013 12:36 AM
1,2-Dichloroethene (trans)	< 0.20	ppbv		1	< 0.79	µg/m³	01/26/2013 12:36 AM
1,2-Dichloropropane	< 0.20	ppbv		1	< 0.92	µg/m³	01/26/2013 12:36 AM
1,2-Dichlorotetrafluoroethane	< 0.20	ppbv		1	< 1.40	µg/m³	01/26/2013 12:36 AM
1,3,5-Trimethylbenzene	0.61	ppbv		1	3.00	µg/m³	01/26/2013 12:36 AM
1,3-Dichlorobenzene	< 0.20	ppbv		1	< 1.20	µg/m³	01/26/2013 12:36 AM
1,3-Dichloropropene (cis)	< 0.20	ppbv		1	< 0.91	µg/m³	01/26/2013 12:36 AM
1,3-Dichloropropene (trans)	< 0.20	ppbv		1	< 0.91	µg/m³	01/26/2013 12:36 AM
1,3-Hexachlorobutadiene	< 0.20	ppbv		1	< 2.13	µg/m³	01/26/2013 12:36 AM
1,4-Dichlorobenzene	< 0.20	ppbv		1	< 1.20	µg/m³	01/26/2013 12:36 AM
Acetone	111	ppbv	D	10	264	µg/m³	01/29/2013 2:28 PM
Benzene	< 0.20	ppbv		1	< 0.64	µg/m³	01/26/2013 12:36 AM
Bromodichloromethane	< 0.20	ppbv		1	< 1.34	µg/m³	01/26/2013 12:36 AM
Bromoform	< 0.20	ppbv		1	< 2.07	µg/m³	01/26/2013 12:36 AM
Bromomethane	< 0.20	ppbv		1	< 0.78	µg/m³	01/26/2013 12:36 AM
Carbon disulfide	< 0.20	ppbv		1	< 0.62	µg/m³	01/26/2013 12:36 AM
Carbon tetrachloride	< 0.20	ppbv		1	< 1.26	µg/m³	01/26/2013 12:36 AM
Chlorobenzene	< 0.20	ppbv		1	< 0.92	µg/m³	01/26/2013 12:36 AM
Chloroethane	< 0.20	ppbv		1	< 0.53	µg/m³	01/26/2013 12:36 AM
Chloroform	< 0.20	ppbv		1	< 0.98	µg/m³	01/26/2013 12:36 AM
Chloromethane	0.39	ppbv		1	0.81	µg/m³	01/26/2013 12:36 AM
Dibromochloromethane	< 0.20	ppbv		1	< 1.70	µg/m³	01/26/2013 12:36 AM
Dichlorodifluoromethane	0.41	ppbv		1	2.03	µg/m³	01/26/2013 12:36 AM
Ethylbenzene	6.81	ppbv		1	29.6	µg/m³	01/26/2013 12:36 AM
Methyl butyl ketone	< 0.20	ppbv		1	< 0.82	µg/m³	01/26/2013 12:36 AM
Methyl ethyl ketone	< 0.20	ppbv		1	< 0.59	µg/m³	01/26/2013 12:36 AM


Qualifiers: E = Value above quantitation range
B = Found in Blank
D.F. = Dilution Factor D = Results for Dilution
H = Received/analyzed outside of analytical holding time
+ = ELAP / NELAC does not offer certification for this analyte
c = Calibration acceptability criteria exceeded for this analyte
r = Reporting limit below calibration range
J = Estimated value - below calibration range
s = Recovery exceeded control limits for this analyte
N = Indicates presumptive evidence of compound

Joann M. Slavine
Laboratory Manager

Date Reported :

Page 5 of 40

PCLUI003 S24

**labs**

575 Broad Hollow Road, Melville, NY

TEL: (631) 694-3040 FAX: (631) 420-8436
NYSDOH ID#10478**LABORATORY RESULTS**

Results for the samples and analytes requested

Luitpold Pharmaceuticals

Lab No. : **1301B16-003**

Client Sample ID: AQ-1

Sample Information...

Type : Air

Origin:

Attn To : H2MPC

Collected : 1/24/2013 3:32:00 PM

Received : 1/24/2013 6:07:00 PM

Method: ETO-15

Parameter(s)	Result	Units	Qualifier	D.F.	Result	Units	Date Analyzed
Methyl isobutyl ketone	< 0.20	ppbv		1	< 0.82	µg/m³	01/26/2013 12:36 AM
Methyl tert-butyl ether	< 0.20	ppbv		1	< 0.72	µg/m³	01/26/2013 12:36 AM
Methylene chloride	0.30	ppbv		1	1.16	µg/m³	01/26/2013 12:36 AM
Styrene	0.29	ppbv		1	1.24	µg/m³	01/26/2013 12:36 AM
Tetrachloroethene	0.48	ppbv		1	3.26	µg/m³	01/26/2013 12:36 AM
Toluene	5.24	ppbv		1	19.7	µg/m³	01/26/2013 12:36 AM
Trichloroethene	< 0.20	ppbv		1	< 1.07	µg/m³	01/26/2013 12:36 AM
Trichlorofluoromethane	0.30	ppbv		1	1.69	µg/m³	01/26/2013 12:36 AM
Vinyl acetate	< 0.20	ppbv		1	< 0.70	µg/m³	01/26/2013 12:36 AM
Vinyl chloride	< 0.20	ppbv		1	< 0.51	µg/m³	01/26/2013 12:36 AM
Xylenes (m&p)	24.1	ppbv		1	105	µg/m³	01/26/2013 12:36 AM
Xylenes (o)	8.36	ppbv		1	36.3	µg/m³	01/26/2013 12:36 AM
Surr:4 -Bromofluorobenzene	95.2	%REC	Limit	70-130	No M.W. Data		01/26/2013 12:36 AM

Qualifiers: E = Value above quantitation range

B = Found in Blank

D.F. = Dilution Factor D = Results for Dilution

H = Received/analyzed outside of analytical holding time

+ = ELAP / NELAC does not offer certification for this analyte

c = Calibration acceptability criteria exceeded for this analyte

r = Reporting limit below calibration range

J = Estimated value - below calibration range

s = Recovery exceeded control limits for this analyte


N = Indicates presumptive evidence of compound

Laboratory Manager

Date Reported :

Page 6 of 40

PCLUI003 S25

**labs**

575 Broad Hollow Road, Melville, NY

TEL: (631) 694-3040 FAX: (631) 420-8436
NYSDOH ID#10478**LABORATORY RESULTS**

Results for the samples and analytes requested

Luitpold Pharmaceuticals**Lab No. : 1301B16-004****Client Sample ID:AQ-2****Sample Information...**

Type : Air

Origin:

Attn To : H2MPC

Collected : 1/24/2013 3:50:00 PM

Received : 1/24/2013 6:07:00 PM

Method: ETO-15 Parameter(s)	Result	Units	Qualifier	D.F.	Result	Units	Date Analyzed
1,1,1-Trichloroethane	< 0.20	ppbv		1	< 1.09	µg/m³	01/26/2013 1:18 AM
1,1,2,2-Tetrachloroethane	< 0.20	ppbv		1	< 1.37	µg/m³	01/26/2013 1:18 AM
1,1,2-Trichloro-1,2,2-trifluoroethane	< 0.20	ppbv		1	< 1.53	µg/m³	01/26/2013 1:18 AM
1,1,2-Trichloroethane	< 0.20	ppbv		1	< 1.09	µg/m³	01/26/2013 1:18 AM
1,1-Dichloroethane	< 0.20	ppbv		1	< 0.81	µg/m³	01/26/2013 1:18 AM
1,1-Dichloroethene	< 0.20	ppbv		1	< 0.79	µg/m³	01/26/2013 1:18 AM
1,2,4-Trichlorobenzene	< 0.20	ppbv		1	< 1.48	µg/m³	01/26/2013 1:18 AM
1,2,4-Trimethylbenzene	1.46	ppbv		1	7.18	µg/m³	01/26/2013 1:18 AM
1,2-Dibromoethane	< 0.20	ppbv		1	< 1.54	µg/m³	01/26/2013 1:18 AM
1,2-Dichlorobenzene	< 0.20	ppbv		1	< 1.20	µg/m³	01/26/2013 1:18 AM
1,2-Dichloroethane	< 0.20	ppbv		1	< 0.81	µg/m³	01/26/2013 1:18 AM
1,2-Dichloroethene (cis)	< 0.20	ppbv		1	< 0.79	µg/m³	01/26/2013 1:18 AM
1,2-Dichloroethene (trans)	< 0.20	ppbv		1	< 0.79	µg/m³	01/26/2013 1:18 AM
1,2-Dichloropropane	< 0.20	ppbv		1	< 0.92	µg/m³	01/26/2013 1:18 AM
1,2-Dichlorotetrafluoroethane	< 0.20	ppbv		1	< 1.40	µg/m³	01/26/2013 1:18 AM
1,3,5-Trimethylbenzene	0.78	ppbv		1	3.83	µg/m³	01/26/2013 1:18 AM
1,3-Dichlorobenzene	< 0.20	ppbv		1	< 1.20	µg/m³	01/26/2013 1:18 AM
1,3-Dichloropropene (cis)	< 0.20	ppbv		1	< 0.91	µg/m³	01/26/2013 1:18 AM
1,3-Dichloropropene (trans)	< 0.20	ppbv		1	< 0.91	µg/m³	01/26/2013 1:18 AM
1,3-Hexachlorobutadiene	< 0.20	ppbv		1	< 2.13	µg/m³	01/26/2013 1:18 AM
1,4-Dichlorobenzene	< 0.20	ppbv		1	< 1.20	µg/m³	01/26/2013 1:18 AM
Acetone	130	ppbv	D	10	309	µg/m³	01/29/2013 3:10 PM
Benzene	0.23	ppbv		1	0.73	µg/m³	01/26/2013 1:18 AM
Bromodichloromethane	< 0.20	ppbv		1	< 1.34	µg/m³	01/26/2013 1:18 AM
Bromoform	< 0.20	ppbv		1	< 2.07	µg/m³	01/26/2013 1:18 AM
Bromomethane	< 0.20	ppbv		1	< 0.78	µg/m³	01/26/2013 1:18 AM
Carbon disulfide	< 0.20	ppbv		1	< 0.62	µg/m³	01/26/2013 1:18 AM
Carbon tetrachloride	< 0.20	ppbv		1	< 1.26	µg/m³	01/26/2013 1:18 AM
Chlorobenzene	< 0.20	ppbv		1	< 0.92	µg/m³	01/26/2013 1:18 AM
Chloroethane	< 0.20	ppbv		1	< 0.53	µg/m³	01/26/2013 1:18 AM
Chloroform	< 0.20	ppbv		1	< 0.98	µg/m³	01/26/2013 1:18 AM
Chloromethane	0.43	ppbv		1	0.89	µg/m³	01/26/2013 1:18 AM
Dibromochloromethane	< 0.20	ppbv		1	< 1.70	µg/m³	01/26/2013 1:18 AM
Dichlorodifluoromethane	0.39	ppbv		1	1.93	µg/m³	01/26/2013 1:18 AM
Ethylbenzene	6.81	ppbv		1	29.6	µg/m³	01/26/2013 1:18 AM
Methyl butyl ketone	< 0.20	ppbv		1	< 0.82	µg/m³	01/26/2013 1:18 AM
Methyl ethyl ketone	0.21	ppbv		1	0.62	µg/m³	01/26/2013 1:18 AM

Qualifiers: E = Value above quantitation range

B = Found in Blank

D.F. = Dilution Factor D = Results for Dilution

H = Received/analyzed outside of analytical holding time

+ = ELAP / NELAC does not offer certification for this analyte

c = Calibration acceptability criteria exceeded for this analyte

r = Reporting limit below calibration range

J = Estimated value - below calibration range

s = Recovery exceeded control limits for this analyte

N = Indicates presumptive evidence of compound


Joann M. Slavins

Laboratory Manager

Date Reported :

Page 7 of 40

PCLUI003 S28



labs

576 Broad Hollow Road, Melville, NY

TEL: (631) 694-3040 FAX: (631) 420-8436
NYSDOH ID#10478

LABORATORY RESULTS

Results for the samples and analytes requested

Luitpold Pharmaceuticals

Lab No. : **1301B16-004**

Client Sample ID: AQ-2

Sample Information...

Type : Air

Origin:

Attn To : H2MPC

Collected : 1/24/2013 3:50:00 PM

Received : 1/24/2013 6:07:00 PM


Method: ETO-15

Parameter(s)	Result	Units	Qualifier	D.F.	Result	Units	Date Analyzed
Methyl isobutyl ketone	< 0.20	ppbv		1	< 0.82	µg/m³	01/26/2013 1:18 AM
Methyl tert-butyl ether	< 0.20	ppbv		1	< 0.72	µg/m³	01/26/2013 1:18 AM
Methylene chloride	0.36	ppbv		1	1.40	µg/m³	01/26/2013 1:18 AM
Styrene	1.34	ppbv		1	5.71	µg/m³	01/26/2013 1:18 AM
Tetrachloroethene	0.38	ppbv		1	2.58	µg/m³	01/26/2013 1:18 AM
Toluene	5.58	ppbv		1	21.0	µg/m³	01/26/2013 1:18 AM
Trichloroethene	< 0.20	ppbv		1	< 1.07	µg/m³	01/26/2013 1:18 AM
Trichlorofluoromethane	0.29	ppbv		1	1.63	µg/m³	01/26/2013 1:18 AM
Vinyl acetate	< 0.20	ppbv		1	< 0.70	µg/m³	01/26/2013 1:18 AM
Vinyl chloride	< 0.20	ppbv		1	< 0.51	µg/m³	01/26/2013 1:18 AM
Xylenes (m&p)	23.7	ppbv		1	103	µg/m³	01/26/2013 1:18 AM
Xylenes (o)	8.11	ppbv		1	35.2	µg/m³	01/26/2013 1:18 AM
Surr:4 -Bromofluorobenzene	98.6	%REC	Limit	70-130	No M.W. Data		01/26/2013 1:18 AM

Qualifiers: E = Value above quantitation range
B = Found in Blank
D.F. = Dilution Factor D = Results for Dilution
H = Received/analyzed outside of analytical holding time
+ = ELAP / NELAC does not offer certification for this analyte
c = Calibration acceptability criteria exceeded for this analyte
r = Reporting limit below calibration range
J = Estimated value - below calibration range
s = Recovery exceeded control limits for this analyte
N = Indicates presumptive evidence of compound

Date Reported :

Laboratory Manager

**labs**

575 Broad Hollow Road, Melville, NY
 TEL: (631) 694-3040 FAX: (631) 420-8436
 NYSDOH ID#10478

LABORATORY RESULTS

Results for the samples and analytes requested

Sample Information...

Luitpold Pharmaceuticals

Lab No. : **1301B16-005**

Type : Air

Client Sample ID:AQ-3

Origin:

Attn To : H2MPC

Collected : 1/24/2013 4:07:00 PM

Received : 1/24/2013 6:07:00 PM

Method: ETO-15							
Parameter(s)	Result	Units	Qualifier	D.F.	Result	Units	Date Analyzed
1,1,1-Trichloroethane	< 0.20	ppbv		1	< 1.09	µg/m³	01/26/2013 2:01 AM
1,1,2,2-Tetrachloroethane	< 0.20	ppbv		1	< 1.37	µg/m³	01/26/2013 2:01 AM
1,1,2-Trichloro-1,2,2-trifluoroethane	< 0.20	ppbv		1	< 1.53	µg/m³	01/26/2013 2:01 AM
1,1,2-Trichloroethane	< 0.20	ppbv		1	< 1.09	µg/m³	01/26/2013 2:01 AM
1,1-Dichloroethane	< 0.20	ppbv		1	< 0.81	µg/m³	01/26/2013 2:01 AM
1,1-Dichloroethene	< 0.20	ppbv		1	< 0.79	µg/m³	01/26/2013 2:01 AM
1,2,4-Trichlorobenzene	< 0.20	ppbv		1	< 1.48	µg/m³	01/26/2013 2:01 AM
1,2,4-Trimethylbenzene	1.70	ppbv		1	8.36	µg/m³	01/26/2013 2:01 AM
1,2-Dibromoethane	< 0.20	ppbv		1	< 1.54	µg/m³	01/26/2013 2:01 AM
1,2-Dichlorobenzene	< 0.20	ppbv		1	< 1.20	µg/m³	01/26/2013 2:01 AM
1,2-Dichloroethane	< 0.20	ppbv		1	< 0.81	µg/m³	01/26/2013 2:01 AM
1,2-Dichloroethene (cis)	< 0.20	ppbv		1	< 0.79	µg/m³	01/26/2013 2:01 AM
1,2-Dichloroethene (trans)	< 0.20	ppbv		1	< 0.79	µg/m³	01/26/2013 2:01 AM
1,2-Dichloropropane	< 0.20	ppbv		1	< 0.92	µg/m³	01/26/2013 2:01 AM
1,2-Dichlorotetrafluoroethane	< 0.20	ppbv		1	< 1.40	µg/m³	01/26/2013 2:01 AM
1,3,5-Trimethylbenzene	0.89	ppbv		1	4.38	µg/m³	01/26/2013 2:01 AM
1,3-Dichlorobenzene	< 0.20	ppbv		1	< 1.20	µg/m³	01/26/2013 2:01 AM
1,3-Dichloropropene (cis)	< 0.20	ppbv		1	< 0.91	µg/m³	01/26/2013 2:01 AM
1,3-Dichloropropene (trans)	< 0.20	ppbv		1	< 0.91	µg/m³	01/26/2013 2:01 AM
1,3-Hexachlorobutadiene	< 0.20	ppbv		1	< 2.13	µg/m³	01/26/2013 2:01 AM
1,4-Dichlorobenzene	< 0.20	ppbv		1	< 1.20	µg/m³	01/26/2013 2:01 AM
Acetone	129	ppbv	D	10	307	µg/m³	01/29/2013 3:53 PM
Benzene	0.21	ppbv		1	0.67	µg/m³	01/26/2013 2:01 AM
Bromodichloromethane	< 0.20	ppbv		1	< 1.34	µg/m³	01/26/2013 2:01 AM
Bromoform	< 0.20	ppbv		1	< 2.07	µg/m³	01/26/2013 2:01 AM
Bromomethane	< 0.20	ppbv		1	< 0.78	µg/m³	01/26/2013 2:01 AM
Carbon disulfide	< 0.20	ppbv		1	< 0.62	µg/m³	01/26/2013 2:01 AM
Carbon tetrachloride	< 0.20	ppbv		1	< 1.26	µg/m³	01/26/2013 2:01 AM
Chlorobenzene	< 0.20	ppbv		1	< 0.92	µg/m³	01/26/2013 2:01 AM
Chloroethane	< 0.20	ppbv		1	< 0.53	µg/m³	01/26/2013 2:01 AM
Chloroform	< 0.20	ppbv		1	< 0.98	µg/m³	01/26/2013 2:01 AM
Chloromethane	0.41	ppbv		1	0.85	µg/m³	01/26/2013 2:01 AM
Dibromochloromethane	< 0.20	ppbv		1	< 1.70	µg/m³	01/26/2013 2:01 AM
Dichlorodifluoromethane	0.40	ppbv		1	1.98	µg/m³	01/26/2013 2:01 AM
Ethylbenzene	8.12	ppbv		1	35.3	µg/m³	01/26/2013 2:01 AM
Methyl butyl ketone	< 0.20	ppbv		1	< 0.82	µg/m³	01/26/2013 2:01 AM
Methyl ethyl ketone	0.22	ppbv		1	0.65	µg/m³	01/26/2013 2:01 AM

Qualifiers: E = Value above quantitation range

B = Found in Blank

D.F. = Dilution Factor D = Results for Dilution

H = Received/analyzed outside of analytical holding time

+ = ELAP / NELAC does not offer certification for this analyte

c = Calibration acceptability criteria exceeded for this analyte

r = Reporting limit below calibration range

J = Estimated value - below calibration range

s = Recovery exceeded control limits for this analyte

N = Indicates presumptive evidence of compound


Joann M. Slawin

Laboratory Manager

Date Reported :

Page 9 of 40

PCLUI003 S32

**labs**

575 Broad Hollow Road, Melville, NY

TEL: (631) 694-3040 FAX: (631) 420-8436
NYSDOH ID#10478**LABORATORY RESULTS**

Results for the samples and analytes requested

Luitpold Pharmaceuticals

Lab No. : **1301B16-005**

Client Sample ID: AQ-3

Sample Information...

Type : Air

Origin:

Attn To : H2MPC

Collected : 1/24/2013 4:07:00 PM

Received : 1/24/2013 6:07:00 PM

Method: ETO-15

Parameter(s)	Result	Units	Qualifier	D.F.	Result	Units	Date Analyzed
Methyl isobutyl ketone	< 0.20	ppbv		1	< 0.82	µg/m³	01/26/2013 2:01 AM
Methyl tert-butyl ether	< 0.20	ppbv		1	< 0.72	µg/m³	01/26/2013 2:01 AM
Methylene chloride	0.30	ppbv		1	1.16	µg/m³	01/26/2013 2:01 AM
Styrene	0.28	ppbv		1	1.19	µg/m³	01/26/2013 2:01 AM
Tetrachloroethene	0.26	ppbv		1	1.76	µg/m³	01/26/2013 2:01 AM
Toluene	6.45	ppbv		1	24.3	µg/m³	01/26/2013 2:01 AM
Trichloroethene	< 0.20	ppbv		1	< 1.07	µg/m³	01/26/2013 2:01 AM
Trichlorofluoromethane	0.28	ppbv		1	1.57	µg/m³	01/26/2013 2:01 AM
Vinyl acetate	< 0.20	ppbv		1	< 0.70	µg/m³	01/26/2013 2:01 AM
Vinyl chloride	< 0.20	ppbv		1	< 0.51	µg/m³	01/26/2013 2:01 AM
Xylenes (m&p)	28.7	ppbv		1	125	µg/m³	01/26/2013 2:01 AM
Xylenes (o)	9.77	ppbv		1	42.4	µg/m³	01/26/2013 2:01 AM
Surr:4 -Bromofluorobenzene	97.5	%REC	Limit	70-130	No M.W. Data		01/26/2013 2:01 AM


Qualifiers: E = Value above quantitation range
 B = Found in Blank
 D.F. = Dilution Factor D = Results for Dilution
 H = Received/analyzed outside of analytical holding time
 + = ELAP / NELAC does not offer certification for this analyte
 c = Calibration acceptability criteria exceeded for this analyte
 r = Reporting limit below calibration range
 J = Estimated value - below calibration range
 s = Recovery exceeded control limits for this analyte
 N = Indicates presumptive evidence of compound

Joann M. Slawinski
 Laboratory Manager

Date Reported :

Page 10 of 40

PCLUI003 S33



labs

575 Broad Hollow Road, Melville, NY

TEL: (631) 694-3040 FAX: (631) 420-8436
NYSDOH ID#10478

LABORATORY RESULTS

Results for the samples and analytes requested

Sample Information...

Luitpold Pharmaceuticals

Lab No. : **1301B16-006**

Type : Air

Client Sample ID:AQ-4

Attn To : H2MPC

Origin:

Collected : 1/24/2013 4:10:00 PM

Received : 1/24/2013 6:07:00 PM

Method: ETO-15							
Parameter(s)	Result	Units	Qualifier	D.F.	Result	Units	Date Analyzed
1,1,1-Trichloroethane	< 0.20	ppbv		1	< 1.09	µg/m³	01/26/2013 2:44 AM
1,1,2,2-Tetrachloroethane	< 0.20	ppbv		1	< 1.37	µg/m³	01/26/2013 2:44 AM
1,1,2-Trichloro-1,2,2-trifluoroethane	< 0.20	ppbv		1	< 1.53	µg/m³	01/26/2013 2:44 AM
1,1,2-Trichloroethane	< 0.20	ppbv		1	< 1.09	µg/m³	01/26/2013 2:44 AM
1,1-Dichloroethane	< 0.20	ppbv		1	< 0.81	µg/m³	01/26/2013 2:44 AM
1,1-Dichloroethene	< 0.20	ppbv		1	< 0.79	µg/m³	01/26/2013 2:44 AM
1,2,4-Trichlorobenzene	< 0.20	ppbv		1	< 1.48	µg/m³	01/26/2013 2:44 AM
1,2,4-Trimethylbenzene	1.08	ppbv		1	5.31	µg/m³	01/26/2013 2:44 AM
1,2-Dibromoethane	< 0.20	ppbv		1	< 1.54	µg/m³	01/26/2013 2:44 AM
1,2-Dichlorobenzene	< 0.20	ppbv		1	< 1.20	µg/m³	01/26/2013 2:44 AM
1,2-Dichloroethane	< 0.20	ppbv		1	< 0.81	µg/m³	01/26/2013 2:44 AM
1,2-Dichloroethene (cis)	< 0.20	ppbv		1	< 0.79	µg/m³	01/26/2013 2:44 AM
1,2-Dichloroethene (trans)	< 0.20	ppbv		1	< 0.79	µg/m³	01/26/2013 2:44 AM
1,2-Dichloropropane	< 0.20	ppbv		1	< 0.92	µg/m³	01/26/2013 2:44 AM
1,2-Dichlorotetrafluoroethane	< 0.20	ppbv		1	< 1.40	µg/m³	01/26/2013 2:44 AM
1,3,5-Trimethylbenzene	0.56	ppbv		1	2.75	µg/m³	01/26/2013 2:44 AM
1,3-Dichlorobenzene	< 0.20	ppbv		1	< 1.20	µg/m³	01/26/2013 2:44 AM
1,3-Dichloropropene (cis)	< 0.20	ppbv		1	< 0.91	µg/m³	01/26/2013 2:44 AM
1,3-Dichloropropene (trans)	< 0.20	ppbv		1	< 0.91	µg/m³	01/26/2013 2:44 AM
1,3-Hexachlorobutadiene	< 0.20	ppbv		1	< 2.13	µg/m³	01/26/2013 2:44 AM
1,4-Dichlorobenzene	< 0.20	ppbv		1	< 1.20	µg/m³	01/26/2013 2:44 AM
Acetone	89.7	ppbv	D	5	213	µg/m³	01/29/2013 4:35 PM
Benzene	< 0.20	ppbv		1	< 0.64	µg/m³	01/26/2013 2:44 AM
Bromodichloromethane	< 0.20	ppbv		1	< 1.34	µg/m³	01/26/2013 2:44 AM
Bromoform	< 0.20	ppbv		1	< 2.07	µg/m³	01/26/2013 2:44 AM
Bromomethane	< 0.20	ppbv		1	< 0.78	µg/m³	01/26/2013 2:44 AM
Carbon disulfide	< 0.20	ppbv		1	< 0.62	µg/m³	01/26/2013 2:44 AM
Carbon tetrachloride	< 0.20	ppbv		1	< 1.26	µg/m³	01/26/2013 2:44 AM
Chlorobenzene	< 0.20	ppbv		1	< 0.92	µg/m³	01/26/2013 2:44 AM
Chloroethane	< 0.20	ppbv		1	< 0.53	µg/m³	01/26/2013 2:44 AM
Chloroform	< 0.20	ppbv		1	< 0.98	µg/m³	01/26/2013 2:44 AM
Chloromethane	0.41	ppbv		1	0.85	µg/m³	01/26/2013 2:44 AM
Dibromochloromethane	< 0.20	ppbv		1	< 1.70	µg/m³	01/26/2013 2:44 AM
Dichlorodifluoromethane	0.41	ppbv		1	2.03	µg/m³	01/26/2013 2:44 AM
Ethylbenzene	4.45	ppbv		1	19.3	µg/m³	01/26/2013 2:44 AM
Methyl butyl ketone	< 0.20	ppbv		1	< 0.82	µg/m³	01/26/2013 2:44 AM
Methyl ethyl ketone	< 0.20	ppbv		1	< 0.59	µg/m³	01/26/2013 2:44 AM

Qualifiers: E = Value above quantitation range

B = Found in Blank

D.F. = Dilution Factor D = Results for Dilution

H = Received/analyzed outside of analytical holding time

+ = ELAP / NELAC does not offer certification for this analyte

c = Calibration acceptability criteria exceeded for this analyte

r = Reporting limit below low calibration range

J = Estimated value - below calibration range

s = Recovery exceeded control limits for this analyte

N = Indicates presumptive evidence of compound


Joann M. Starina

Laboratory Manager

Date Reported :

Page 11 of 40

PCLU1003 S36

**labs**

575 Broad Hollow Road, Melville, NY

TEL: (631) 694-3040 FAX: (631) 420-8436
NYSDOH ID#10478**LABORATORY RESULTS**

Results for the samples and analytes requested

Luitpold Pharmaceuticals

Lab No. : **1301B16-006**

Client Sample ID: AQ-4

Sample Information...

Type : Air

Origin:

Attn To : H2MPC

Collected : 1/24/2013 4:10:00 PM

Received : 1/24/2013 6:07:00 PM

Method: ETO-15

Parameter(s)	Result	Units	Qualifier	D.F.	Result	Units	Date Analyzed
Methyl isobutyl ketone	< 0.20	ppbv		1	< 0.82	µg/m³	01/26/2013 2:44 AM
Methyl tert-butyl ether	< 0.20	ppbv		1	< 0.72	µg/m³	01/26/2013 2:44 AM
Methylene chloride	0.37	ppbv		1	1.44	µg/m³	01/26/2013 2:44 AM
Styrene	0.23	ppbv		1	0.98	µg/m³	01/26/2013 2:44 AM
Tetrachloroethene	< 0.20	ppbv		1	< 1.36	µg/m³	01/26/2013 2:44 AM
Toluene	3.43	ppbv		1	12.9	µg/m³	01/26/2013 2:44 AM
Trichloroethene	< 0.20	ppbv		1	< 1.07	µg/m³	01/26/2013 2:44 AM
Trichlorofluoromethane	0.34	ppbv		1	1.91	µg/m³	01/26/2013 2:44 AM
Vinyl acetate	< 0.20	ppbv		1	< 0.70	µg/m³	01/26/2013 2:44 AM
Vinyl chloride	< 0.20	ppbv		1	< 0.51	µg/m³	01/26/2013 2:44 AM
Xylenes (m&p)	15.7	ppbv		1	68.2	µg/m³	01/26/2013 2:44 AM
Xylenes (o)	5.45	ppbv		1	23.7	µg/m³	01/26/2013 2:44 AM
Surr:4 -Bromofluorobenzene	97.7	%REC	Limit	70-130	No M.W. Data		01/26/2013 2:44 AM

Qualifiers: E = Value above quantitation range

B = Found in Blank

D.F. = Dilution Factor D = Results for Dilution

H = Received/analyzed outside of analytical holding time

+ = ELAP / NELAC does not offer certification for this analyte

c = Calibration acceptability criteria exceeded for this analyte

r = Reporting limit below calibration range

J = Estimated value - below calibration range

s = Recovery exceeded control limits for this analyte


N = Indicates presumptive evidence of compound

Laboratory Manager

Date Reported :

Page 12 of 40

PCLUI003 S37



labs

575 Broad Hollow Road, Melville, NY

TEL: (631) 694-3040 FAX: (631) 420-8436
NYSDOH ID#10478

LABORATORY RESULTS

Results for the samples and analytes requested

Luitpold Pharmaceuticals

Lab No. : 1301B16-007

Client Sample ID:AQ-5

Sample Information...

Type : Air

Origin:

Attn To : H2MPC

Collected : 1/24/2013 4:22:00 PM

Received : 1/24/2013 6:07:00 PM

Method: ETO-15 Parameter(s)	Result	Units	Qualifier	D.F.	Result	Units	Date Analyzed
1,1,1-Trichloroethane	< 0.20	ppbv		1	< 1.09	µg/m³	01/26/2013 3:26 AM
1,1,2,2-Tetrachloroethane	< 0.20	ppbv		1	< 1.37	µg/m³	01/26/2013 3:26 AM
1,1,2-Trichloro-1,2,2-trifluoroethane	< 0.20	ppbv		1	< 1.53	µg/m³	01/26/2013 3:26 AM
1,1,2-Trichloroethane	< 0.20	ppbv		1	< 1.09	µg/m³	01/26/2013 3:26 AM
1,1-Dichloroethane	< 0.20	ppbv		1	< 0.81	µg/m³	01/26/2013 3:26 AM
1,1-Dichloroethene	< 0.20	ppbv		1	< 0.79	µg/m³	01/26/2013 3:26 AM
1,2,4-Trichlorobenzene	< 0.20	ppbv		1	< 1.48	µg/m³	01/26/2013 3:26 AM
1,2,4-Trimethylbenzene	1.34	ppbv		1	6.59	µg/m³	01/26/2013 3:26 AM
1,2-Dibromoethane	< 0.20	ppbv		1	< 1.54	µg/m³	01/26/2013 3:26 AM
1,2-Dichlorobenzene	< 0.20	ppbv		1	< 1.20	µg/m³	01/26/2013 3:26 AM
1,2-Dichloroethane	< 0.20	ppbv		1	< 0.81	µg/m³	01/26/2013 3:26 AM
1,2-Dichloroethene (cis)	< 0.20	ppbv		1	< 0.79	µg/m³	01/26/2013 3:26 AM
1,2-Dichloroethene (trans)	< 0.20	ppbv		1	< 0.79	µg/m³	01/26/2013 3:26 AM
1,2-Dichloropropane	< 0.20	ppbv		1	< 0.92	µg/m³	01/26/2013 3:26 AM
1,2-Dichlorotetrafluoroethane	< 0.20	ppbv		1	< 1.40	µg/m³	01/26/2013 3:26 AM
1,3,5-Trimethylbenzene	0.68	ppbv		1	3.34	µg/m³	01/26/2013 3:26 AM
1,3-Dichlorobenzene	< 0.20	ppbv		1	< 1.20	µg/m³	01/26/2013 3:26 AM
1,3-Dichloropropene (cis)	< 0.20	ppbv		1	< 0.91	µg/m³	01/26/2013 3:26 AM
1,3-Dichloropropene (trans)	< 0.20	ppbv		1	< 0.91	µg/m³	01/26/2013 3:26 AM
1,3-Hexachlorobutadiene	< 0.20	ppbv		1	< 2.13	µg/m³	01/26/2013 3:26 AM
1,4-Dichlorobenzene	< 0.20	ppbv		1	< 1.20	µg/m³	01/26/2013 3:26 AM
Acetone	81.8	ppbv	D	5	194	µg/m³	01/26/2013 5:18 PM
Benzene	0.23	ppbv		1	0.73	µg/m³	01/26/2013 3:26 AM
Bromodichloromethane	< 0.20	ppbv		1	< 1.34	µg/m³	01/26/2013 3:26 AM
Bromoform	< 0.20	ppbv		1	< 2.07	µg/m³	01/26/2013 3:26 AM
Bromomethane	< 0.20	ppbv		1	< 0.78	µg/m³	01/26/2013 3:26 AM
Carbon disulfide	< 0.20	ppbv		1	< 0.62	µg/m³	01/26/2013 3:26 AM
Carbon tetrachloride	< 0.20	ppbv		1	< 1.26	µg/m³	01/26/2013 3:26 AM
Chlorobenzene	< 0.20	ppbv		1	< 0.92	µg/m³	01/26/2013 3:26 AM
Chloroethane	< 0.20	ppbv		1	< 0.53	µg/m³	01/26/2013 3:26 AM
Chloroform	< 0.20	ppbv		1	< 0.98	µg/m³	01/26/2013 3:26 AM
Chloromethane	0.49	ppbv		1	1.01	µg/m³	01/26/2013 3:26 AM
Dibromochloromethane	< 0.20	ppbv		1	< 1.70	µg/m³	01/26/2013 3:26 AM
Dichlorodifluoromethane	0.49	ppbv		1	2.42	µg/m³	01/26/2013 3:26 AM
Ethylbenzene	4.33	ppbv		1	18.8	µg/m³	01/26/2013 3:26 AM
Methyl butyl ketone	< 0.20	ppbv		1	< 0.82	µg/m³	01/26/2013 3:26 AM
Methyl ethyl ketone	0.25	ppbv		1	0.74	µg/m³	01/26/2013 3:26 AM

Qualifiers: E = Value above quantitation range
B = Found in Blank
D.F.= Dilution Factor D = Results for Dilution
H = Received/analyzed outside of analytical holding time
+ = ELAP / NELAC does not offer certification for this analyte
c = Calibration acceptability criteria exceeded for this analyte
r = Reporting limit below calibration range
J = Estimated value - below calibration range
s = Recovery exceeded control limits for this analyte
N = Indicates presumptive evidence of compound


Joann M. Slavins

Laboratory Manager

Date Reported :

Page 13 of 40

PCLUI003 S40

**H2M labs**

575 Broad Hollow Road, Melville, NY

TEL: (631) 694-3040 FAX: (631) 420-8436
NYSDOH ID#10478**LABORATORY RESULTS**

Results for the samples and analytes requested

Luitpold Pharmaceuticals**Lab No. : 1301B16-007****Client Sample ID: AQ-5**

Sample Information...

Type : Air

Origin:

Attn To : H2MPC

Collected : 1/24/2013 4:22:00 PM

Received : 1/24/2013 6:07:00 PM

Method: ETO-15

Parameter(s)	Result	Units	Qualifier	D.F.	Result	Units	Date Analyzed
Methyl isobutyl ketone	< 0.20	ppbv		1	< 0.82	µg/m³	01/26/2013 3:26 AM
Methyl tert-butyl ether	< 0.20	ppbv		1	< 0.72	µg/m³	01/26/2013 3:26 AM
Methylene chloride	0.47	ppbv		1	1.83	µg/m³	01/26/2013 3:26 AM
Styrene	0.37	ppbv		1	1.58	µg/m³	01/26/2013 3:26 AM
Tetrachloroethene	0.30	ppbv		1	2.03	µg/m³	01/26/2013 3:26 AM
Toluene	3.49	ppbv		1	13.1	µg/m³	01/26/2013 3:26 AM
Trichloroethene	< 0.20	ppbv		1	< 1.07	µg/m³	01/26/2013 3:26 AM
Trichlorofluoromethane	0.41	ppbv		1	2.30	µg/m³	01/26/2013 3:26 AM
Vinyl acetate	< 0.20	ppbv		1	< 0.70	µg/m³	01/26/2013 3:26 AM
Vinyl chloride	< 0.20	ppbv		1	< 0.51	µg/m³	01/26/2013 3:26 AM
Xylenes (m&p)	15.1	ppbv		1	65.5	µg/m³	01/26/2013 3:26 AM
Xylenes (o)	5.27	ppbv		1	22.9	µg/m³	01/26/2013 3:26 AM
Surr:4 -Bromofluorobenzene	97.6	%REC	Limit	70-130	No M.W. Data		01/26/2013 3:26 AM

Qualifiers: E = Value above quantitation range

B = Found in Blank

D.F. = Dilution Factor D = Results for Dilution

H = Received/analyzed outside of analytical holding time

+ = ELAP / NELAC does not offer certification for this analyte

c = Calibration acceptability criteria exceeded for this analyte

r = Reporting limit below calibration range

J = Estimated value - below calibration range

s = Recovery exceeded control limits for this analyte


N = Indicates presumptive evidence of compound

Laboratory Manager

Date Reported :

Page 14 of 40

PCLUI003 S41

**labs**

575 Broad Hollow Road, Melville, NY

TEL: (631) 694-3040 FAX: (631) 420-8436
NYSDOH ID#10478**LABORATORY RESULTS**

Results for the samples and analytes requested

Luitpold Pharmaceuticals

Lab No. : **1301B16-008**

Client Sample ID: AQ-6

Sample Information...

Type : Air

Origin:

Attn To : H2MPC

Collected : 1/24/2013 4:32:00 PM

Received : 1/24/2013 6:07:00 PM

Method: ETO-15							
Parameter(s)	Result	Units	Qualifier	D.F.	Result	Units	Date Analyzed
1,1,1-Trichloroethane	< 0.20	ppbv		1	< 1.09	µg/m³	01/26/2013 4:08 AM
1,1,2,2-Tetrachloroethane	< 0.20	ppbv		1	< 1.37	µg/m³	01/26/2013 4:08 AM
1,1,2-Trichloro-1,2,2-trifluoroethane	< 0.20	ppbv		1	< 1.53	µg/m³	01/26/2013 4:08 AM
1,1,2-Trichloroethane	< 0.20	ppbv		1	< 1.09	µg/m³	01/26/2013 4:08 AM
1,1-Dichloroethane	< 0.20	ppbv		1	< 0.81	µg/m³	01/26/2013 4:08 AM
1,1-Dichloroethene	< 0.20	ppbv		1	< 0.79	µg/m³	01/26/2013 4:08 AM
1,2,4-Trichlorobenzene	< 0.20	ppbv		1	< 1.48	µg/m³	01/26/2013 4:08 AM
1,2,4-Trimethylbenzene	0.34	ppbv		1	1.67	µg/m³	01/26/2013 4:08 AM
1,2-Dibromoethane	< 0.20	ppbv		1	< 1.54	µg/m³	01/26/2013 4:08 AM
1,2-Dichlorobenzene	< 0.20	ppbv		1	< 1.20	µg/m³	01/26/2013 4:08 AM
1,2-Dichloroethane	< 0.20	ppbv		1	< 0.81	µg/m³	01/26/2013 4:08 AM
1,2-Dichloroethene (cis)	< 0.20	ppbv		1	< 0.79	µg/m³	01/26/2013 4:08 AM
1,2-Dichloroethene (trans)	< 0.20	ppbv		1	< 0.79	µg/m³	01/26/2013 4:08 AM
1,2-Dichloropropane	< 0.20	ppbv		1	< 0.92	µg/m³	01/26/2013 4:08 AM
1,2-Dichlorotetrafluoroethane	< 0.20	ppbv		1	< 1.40	µg/m³	01/26/2013 4:08 AM
1,3,5-Trimethylbenzene	< 0.20	ppbv		1	< 0.98	µg/m³	01/26/2013 4:08 AM
1,3-Dichlorobenzene	< 0.20	ppbv		1	< 1.20	µg/m³	01/26/2013 4:08 AM
1,3-Dichloropropene (cis)	< 0.20	ppbv		1	< 0.91	µg/m³	01/26/2013 4:08 AM
1,3-Dichloropropene (trans)	< 0.20	ppbv		1	< 0.91	µg/m³	01/26/2013 4:08 AM
1,3-Hexachlorobutadiene	< 0.20	ppbv		1	< 2.13	µg/m³	01/26/2013 4:08 AM
1,4-Dichlorobenzene	< 0.20	ppbv		1	< 1.20	µg/m³	01/26/2013 4:08 AM
Acetone	39.6	ppbv		1	94.0	µg/m³	01/26/2013 4:08 AM
Benzene	< 0.20	ppbv		1	< 0.64	µg/m³	01/26/2013 4:08 AM
Bromodichloromethane	< 0.20	ppbv		1	< 1.34	µg/m³	01/26/2013 4:08 AM
Bromoform	< 0.20	ppbv		1	< 2.07	µg/m³	01/26/2013 4:08 AM
Bromomethane	< 0.20	ppbv		1	< 0.78	µg/m³	01/26/2013 4:08 AM
Carbon disulfide	< 0.20	ppbv		1	< 0.62	µg/m³	01/26/2013 4:08 AM
Carbon tetrachloride	< 0.20	ppbv		1	< 1.26	µg/m³	01/26/2013 4:08 AM
Chlorobenzene	< 0.20	ppbv		1	< 0.92	µg/m³	01/26/2013 4:08 AM
Chloroethane	< 0.20	ppbv		1	< 0.53	µg/m³	01/26/2013 4:08 AM
Chloroform	< 0.20	ppbv		1	< 0.98	µg/m³	01/26/2013 4:08 AM
Chloromethane	0.42	ppbv		1	0.87	µg/m³	01/26/2013 4:08 AM
Dibromochloromethane	< 0.20	ppbv		1	< 1.70	µg/m³	01/26/2013 4:08 AM
Dichlorodifluoromethane	0.46	ppbv		1	2.27	µg/m³	01/26/2013 4:08 AM
Ethylbenzene	1.41	ppbv		1	6.12	µg/m³	01/26/2013 4:08 AM
Methyl butyl ketone	< 0.20	ppbv		1	< 0.82	µg/m³	01/26/2013 4:08 AM
Methyl ethyl ketone	0.20	ppbv		1	0.59	µg/m³	01/26/2013 4:08 AM

Qualifiers: E = Value above quantitation range

B = Found in Blank

D.F. = Dilution Factor D = Results for Dilution

H = Received/analyzed outside of analytical holding time

+ = ELAP / NELAC does not offer certification for this analyte

c = Calibration acceptability criteria exceeded for this analyte

r = Reporting limit below low calibration range

J = Estimated value - below calibration range

s = Recovery exceeded control limits for this analyte

N = Indicates presumptive evidence of compound


Joann M. Slavin

Laboratory Manager

Date Reported :

Page 15 of 40

PCLUI003 S44

**labs**

575 Broad Hollow Road, Melville, NY

TEL: (631) 694-3040 FAX: (631) 420-8436
NYSDOH ID#10478**LABORATORY RESULTS**

Results for the samples and analytes requested

Luitpold Pharmaceuticals

Lab No. : **1301B16-008**

Client Sample ID:AQ-6

Sample Information...

Type : Air

Origin:

Attn To : H2MPC

Collected : 1/24/2013 4:32:00 PM

Received : 1/24/2013 6:07:00 PM

Method: ETO-15

Parameter(s)	Result	Units	Qualifier	D.F.	Result	Units	Date Analyzed
Methyl isobutyl ketone	< 0.20	ppbv		1	< 0.82	µg/m³	01/26/2013 4:08 AM
Methyl tert-butyl ether	< 0.20	ppbv		1	< 0.72	µg/m³	01/26/2013 4:08 AM
Methylene chloride	0.34	ppbv		1	1.32	µg/m³	01/26/2013 4:08 AM
Styrene	0.21	ppbv		1	0.89	µg/m³	01/26/2013 4:08 AM
Tetrachloroethene	< 0.20	ppbv		1	< 1.36	µg/m³	01/26/2013 4:08 AM
Toluene	1.35	ppbv		1	5.09	µg/m³	01/26/2013 4:08 AM
Trichloroethene	< 0.20	ppbv		1	< 1.07	µg/m³	01/26/2013 4:08 AM
Trichlorofluoromethane	1.08	ppbv		1	6.07	µg/m³	01/26/2013 4:08 AM
Vinyl acetate	< 0.20	ppbv		1	< 0.70	µg/m³	01/26/2013 4:08 AM
Vinyl chloride	< 0.20	ppbv		1	< 0.51	µg/m³	01/26/2013 4:08 AM
Xylenes (m&p)	4.83	ppbv		1	21.0	µg/m³	01/26/2013 4:08 AM
Xylenes (o)	1.68	ppbv		1	7.30	µg/m³	01/26/2013 4:08 AM
Surr:4 -Bromofluorobenzene	95.4	%REC	Limit	70-130	No M.W. Data		01/26/2013 4:08 AM

Qualifiers: E = Value above quantitation range

B = Found in Blank

D.F. = Dilution Factor D = Results for Dilution

H = Received/analyzed outside of analytical holding time

+ = ELAP / NELAC does not offer certification for this analyte

c = Calibration acceptability criteria exceeded for this analyte

r = Reporting limit below calibration range

J = Estimated value - below calibration range

s = Recovery exceeded control limits for this analyte


N = Indicates presumptive evidence of compound

Laboratory Manager

Date Reported :

Page 16 of 40

PCLUI003 S45



labs

575 Broad Hollow Road, Melville, NY

TEL: (631) 694-3040 FAX: (631) 420-8436
NYSDOH ID#10478

LABORATORY RESULTS

Results for the samples and analytes requested

Sample Information...

Luitpold Pharmaceuticals

Lab No. : **1301B16-009**

Type : Air

Client Sample ID:AQ-7

Attn To : H2MPC

Origin:

Collected : 1/24/2013 4:50:00 PM

Received : 1/24/2013 6:07:00 PM

Method: ETO-15							
Parameter(s)	Result	Units	Qualifier	D.F.	Result	Units	Date Analyzed
1,1,1-Trichloroethane	< 0.20	ppbv		1	< 1.09	µg/m³	01/26/2013 4:50 AM
1,1,2,2-Tetrachloroethane	< 0.20	ppbv		1	< 1.37	µg/m³	01/26/2013 4:50 AM
1,1,2-Trichloro-1,2,2-trifluoroethane	< 0.20	ppbv		1	< 1.53	µg/m³	01/26/2013 4:50 AM
1,1,2-Trichloroethane	< 0.20	ppbv		1	< 1.09	µg/m³	01/26/2013 4:50 AM
1,1-Dichloroethane	< 0.20	ppbv		1	< 0.81	µg/m³	01/26/2013 4:50 AM
1,1-Dichloroethene	< 0.20	ppbv		1	< 0.79	µg/m³	01/26/2013 4:50 AM
1,2,4-Trichlorobenzene	< 0.20	ppbv		1	< 1.48	µg/m³	01/26/2013 4:50 AM
1,2,4-Trimethylbenzene	0.48	ppbv		1	2.36	µg/m³	01/26/2013 4:50 AM
1,2-Dibromoethane	< 0.20	ppbv		1	< 1.54	µg/m³	01/26/2013 4:50 AM
1,2-Dichlorobenzene	< 0.20	ppbv		1	< 1.20	µg/m³	01/26/2013 4:50 AM
1,2-Dichloroethane	< 0.20	ppbv		1	< 0.81	µg/m³	01/26/2013 4:50 AM
1,2-Dichloroethene (cis)	< 0.20	ppbv		1	< 0.79	µg/m³	01/26/2013 4:50 AM
1,2-Dichloroethene (trans)	< 0.20	ppbv		1	< 0.79	µg/m³	01/26/2013 4:50 AM
1,2-Dichloropropane	< 0.20	ppbv		1	< 0.92	µg/m³	01/26/2013 4:50 AM
1,2-Dichlorotetrafluoroethane	< 0.20	ppbv		1	< 1.40	µg/m³	01/26/2013 4:50 AM
1,3,5-Trimethylbenzene	0.23	ppbv		1	1.13	µg/m³	01/26/2013 4:50 AM
1,3-Dichlorobenzene	< 0.20	ppbv		1	< 1.20	µg/m³	01/26/2013 4:50 AM
1,3-Dichloropropene (cis)	< 0.20	ppbv		1	< 0.91	µg/m³	01/26/2013 4:50 AM
1,3-Dichloropropene (trans)	< 0.20	ppbv		1	< 0.91	µg/m³	01/26/2013 4:50 AM
1,3-Hexachlorobutadiene	< 0.20	ppbv		1	< 2.13	µg/m³	01/26/2013 4:50 AM
1,4-Dichlorobenzene	< 0.20	ppbv		1	< 1.20	µg/m³	01/26/2013 4:50 AM
Acetone	50.2	ppbv	D	2	119	µg/m³	01/29/2013 6:01 PM
Benzene	0.21	ppbv		1	0.67	µg/m³	01/26/2013 4:50 AM
Bromodichloromethane	< 0.20	ppbv		1	< 1.34	µg/m³	01/26/2013 4:50 AM
Bromoform	< 0.20	ppbv		1	< 2.07	µg/m³	01/26/2013 4:50 AM
Bromomethane	< 0.20	ppbv		1	< 0.78	µg/m³	01/26/2013 4:50 AM
Carbon disulfide	< 0.20	ppbv		1	< 0.62	µg/m³	01/26/2013 4:50 AM
Carbon tetrachloride	< 0.20	ppbv		1	< 1.26	µg/m³	01/26/2013 4:50 AM
Chlorobenzene	< 0.20	ppbv		1	< 0.92	µg/m³	01/26/2013 4:50 AM
Chloroethane	< 0.20	ppbv		1	< 0.53	µg/m³	01/26/2013 4:50 AM
Chloroform	< 0.20	ppbv		1	< 0.98	µg/m³	01/26/2013 4:50 AM
Chloromethane	0.47	ppbv		1	0.97	µg/m³	01/26/2013 4:50 AM
Dibromochloromethane	< 0.20	ppbv		1	< 1.70	µg/m³	01/26/2013 4:50 AM
Dichlorodifluoromethane	0.47	ppbv		1	2.32	µg/m³	01/26/2013 4:50 AM
Ethylbenzene	2.00	ppbv		1	8.69	µg/m³	01/26/2013 4:50 AM
Methyl butyl ketone	< 0.20	ppbv		1	< 0.82	µg/m³	01/26/2013 4:50 AM
Methyl ethyl ketone	< 0.20	ppbv		1	< 0.59	µg/m³	01/26/2013 4:50 AM

Qualifiers: E = Value above quantitation range

B = Found in Blank

D.F. = Dilution Factor D = Results for Dilution

H = Received/analyzed outside of analytical holding time

+ = ELAP / NELAC does not offer certification for this analyte

c = Calibration acceptability criteria exceeded for this analyte

r = Reporting limit below calibration range

J = Estimated value - below calibration range

s = Recovery exceeded control limits for this analyte

N = Indicates presumptive evidence of compound


Joann M. Slavicek

Laboratory Manager

Date Reported :

Page 17 of 40

PCLUI003 S47

**labs**

575 Broad Hollow Road, Melville, NY

TEL: (631) 694-3040 FAX: (631) 420-8436

NYSDOH ID#10478

LABORATORY RESULTS

Results for the samples and analytes requested

Luitpold Pharmaceuticals

Lab No. : **1301B16-009**

Client Sample ID:AQ-7

Sample Information...

Type : Air

Origin:

Attn To : H2MPC

Collected : 1/24/2013 4:50:00 PM

Received : 1/24/2013 6:07:00 PM

Method: ETO-15

Parameter(s)	Result	Units	Qualifier	D.F.	Result	Units	Date Analyzed
Methyl isobutyl ketone	< 0.20	ppbv		1	< 0.82	µg/m³	01/26/2013 4:50 AM
Methyl tert-butyl ether	< 0.20	ppbv		1	< 0.72	µg/m³	01/26/2013 4:50 AM
Methylene chloride	0.32	ppbv		1	1.24	µg/m³	01/26/2013 4:50 AM
Styrene	0.27	ppbv		1	1.15	µg/m³	01/26/2013 4:50 AM
Tetrachloroethene	< 0.20	ppbv		1	< 1.36	µg/m³	01/26/2013 4:50 AM
Toluene	1.87	ppbv		1	7.04	µg/m³	01/26/2013 4:50 AM
Trichloroethene	< 0.20	ppbv		1	< 1.07	µg/m³	01/26/2013 4:50 AM
Trichlorofluoromethane	0.86	ppbv		1	4.83	µg/m³	01/26/2013 4:50 AM
Vinyl acetate	< 0.20	ppbv		1	< 0.70	µg/m³	01/26/2013 4:50 AM
Vinyl chloride	< 0.20	ppbv		1	< 0.51	µg/m³	01/26/2013 4:50 AM
Xylenes (m&p)	7.02	ppbv		1	30.5	µg/m³	01/26/2013 4:50 AM
Xylenes (o)	2.42	ppbv		1	10.5	µg/m³	01/26/2013 4:50 AM
Surr:4 -Bromofluorobenzene	97.5	%REC	Limit	70-130	No M.W. Data		01/26/2013 4:50 AM

Qualifiers: E = Value above quantitation range

B = Found in Blank

D.F.= Dilution Factor D = Results for Dilution

H = Received/analyzed outside of analytical holding time

+ = ELAP / NELAC does not offer certification for this analyte

c = Calibration acceptability criteria exceeded for this analyte

r = Reporting limit below calibration range

J = Estimated value - below calibration range

s = Recovery exceeded control limits for this analyte


N = Indicates presumptive evidence of compound

Laboratory Manager

Date Reported :

Page 18 of 40

PCLUI003 S48



labs

575 Broad Hollow Road, Melville, NY
TEL: (631) 694-3040 FAX: (631) 420-8436
NYSDOH ID#10478

LABORATORY RESULTS

Results for the samples and analytes requested

Sample Information...

Luitpold Pharmaceuticals

Lab No. : **1301B16-010**

Type : Air

Client Sample ID:AQ-8

Attn To : H2MPC

Origin:

Collected : 1/24/2013 4:40:00 PM

Received : 1/24/2013 6:07:00 PM

Method: ETO-15							
Parameter(s)	Result	Units	Qualifier	D.F.	Result	Units	Date Analyzed
1,1,1-Trichloroethane	< 0.20	ppbv		1	< 1.09	µg/m³	01/26/2013 5:33 AM
1,1,2,2-Tetrachloroethane	< 0.20	ppbv		1	< 1.37	µg/m³	01/26/2013 5:33 AM
1,1,2-Trichloro-1,2,2-trifluoroethane	< 0.20	ppbv		1	< 1.53	µg/m³	01/26/2013 5:33 AM
1,1,2-Trichloroethane	< 0.20	ppbv		1	< 1.09	µg/m³	01/26/2013 5:33 AM
1,1-Dichloroethane	< 0.20	ppbv		1	< 0.81	µg/m³	01/26/2013 5:33 AM
1,1-Dichloroethene	< 0.20	ppbv		1	< 0.79	µg/m³	01/26/2013 5:33 AM
1,2,4-Trichlorobenzene	< 0.20	ppbv		1	< 1.48	µg/m³	01/26/2013 5:33 AM
1,2,4-Trimethylbenzene	< 0.20	ppbv		1	< 0.98	µg/m³	01/26/2013 5:33 AM
1,2-Dibromoethane	< 0.20	ppbv		1	< 1.54	µg/m³	01/26/2013 5:33 AM
1,2-Dichlorobenzene	< 0.20	ppbv		1	< 1.20	µg/m³	01/26/2013 5:33 AM
1,2-Dichloroethane	< 0.20	ppbv		1	< 0.81	µg/m³	01/26/2013 5:33 AM
1,2-Dichloroethene (cis)	< 0.20	ppbv		1	< 0.79	µg/m³	01/26/2013 5:33 AM
1,2-Dichloroethene (trans)	< 0.20	ppbv		1	< 0.79	µg/m³	01/26/2013 5:33 AM
1,2-Dichloropropane	< 0.20	ppbv		1	< 0.92	µg/m³	01/26/2013 5:33 AM
1,2-Dichlorotetrafluoroethane	< 0.20	ppbv		1	< 1.40	µg/m³	01/26/2013 5:33 AM
1,3,5-Trimethylbenzene	< 0.20	ppbv		1	< 0.98	µg/m³	01/26/2013 5:33 AM
1,3-Dichlorobenzene	< 0.20	ppbv		1	< 1.20	µg/m³	01/26/2013 5:33 AM
1,3-Dichloropropene (cis)	< 0.20	ppbv		1	< 0.91	µg/m³	01/26/2013 5:33 AM
1,3-Dichloropropene (trans)	< 0.20	ppbv		1	< 0.91	µg/m³	01/26/2013 5:33 AM
1,3-Hexachlorobutadiene	< 0.20	ppbv		1	< 2.13	µg/m³	01/26/2013 5:33 AM
1,4-Dichlorobenzene	< 0.20	ppbv		1	< 1.20	µg/m³	01/26/2013 5:33 AM
Acetone	20.9	ppbv		1	49.7	µg/m³	01/26/2013 5:33 AM
Benzene	< 0.20	ppbv		1	< 0.64	µg/m³	01/26/2013 5:33 AM
Bromodichloromethane	< 0.20	ppbv		1	< 1.34	µg/m³	01/26/2013 5:33 AM
Bromoform	< 0.20	ppbv		1	< 2.07	µg/m³	01/26/2013 5:33 AM
Bromomethane	< 0.20	ppbv		1	< 0.78	µg/m³	01/26/2013 5:33 AM
Carbon disulfide	< 0.20	ppbv		1	< 0.62	µg/m³	01/26/2013 5:33 AM
Carbon tetrachloride	< 0.20	ppbv		1	< 1.26	µg/m³	01/26/2013 5:33 AM
Chlorobenzene	< 0.20	ppbv		1	< 0.92	µg/m³	01/26/2013 5:33 AM
Chloroethane	< 0.20	ppbv		1	< 0.53	µg/m³	01/26/2013 5:33 AM
Chloroform	< 0.20	ppbv		1	< 0.98	µg/m³	01/26/2013 5:33 AM
Chloromethane	0.45	ppbv		1	0.93	µg/m³	01/26/2013 5:33 AM
Dibromochloromethane	< 0.20	ppbv		1	< 1.70	µg/m³	01/26/2013 5:33 AM
Dichlorodifluoromethane	0.47	ppbv		1	2.32	µg/m³	01/26/2013 5:33 AM
Ethylbenzene	0.65	ppbv		1	2.82	µg/m³	01/26/2013 5:33 AM
Methyl butyl ketone	< 0.20	ppbv		1	< 0.82	µg/m³	01/26/2013 5:33 AM
Methyl ethyl ketone	< 0.20	ppbv		1	< 0.59	µg/m³	01/26/2013 5:33 AM

Qualifiers: E = Value above quantitation range

B = Found in Blank

D.F. = Dilution Factor D = Results for Dilution

H = Received/analyzed outside of analytical holding time

+ = ELAP / NELAC does not offer certification for this analyte

c = Calibration acceptability criteria exceeded for this analyte

r = Reporting limit below calibration range

J = Estimated value - below calibration range

s = Recovery exceeded control limits for this analyte

N = Indicates presumptive evidence of compound


Joann M. Slavine

Laboratory Manager

Date Reported :

Page 19 of 40

PCLUI003 S51



labs

575 Broad Hollow Road, Melville, NY

TEL: (631) 694-3040 FAX: (631) 420-8436
NYSDOH ID#10478

LABORATORY RESULTS

Results for the samples and analytes requested

Sample Information...

Luitpold Pharmaceuticals

Lab No. : **1301B16-010**

Type : Air

Client Sample ID:AQ-8

Attn To : H2MPC

Origin:

Collected : 1/24/2013 4:40:00 PM

Received : 1/24/2013 6:07:00 PM

Method: ETO-15

Parameter(s)	Result	Units	Qualifier	D.F.	Result	Units	Date Analyzed
Methyl isobutyl ketone	< 0.20	ppbv		1	< 0.82	µg/m³	01/26/2013 5:33 AM
Methyl tert-butyl ether	< 0.20	ppbv		1	< 0.72	µg/m³	01/26/2013 5:33 AM
Methylene chloride	0.57	ppbv		1	2.21	µg/m³	01/26/2013 5:33 AM
Styrene	< 0.20	ppbv		1	< 0.85	µg/m³	01/26/2013 5:33 AM
Tetrachloroethene	< 0.20	ppbv		1	< 1.36	µg/m³	01/26/2013 5:33 AM
Toluene	0.72	ppbv		1	2.71	µg/m³	01/26/2013 5:33 AM
Trichloroethene	< 0.20	ppbv		1	< 1.07	µg/m³	01/26/2013 5:33 AM
Trichlorofluoromethane	0.53	ppbv		1	2.98	µg/m³	01/26/2013 5:33 AM
Vinyl acetate	< 0.20	ppbv		1	< 0.70	µg/m³	01/26/2013 5:33 AM
Vinyl chloride	< 0.20	ppbv		1	< 0.51	µg/m³	01/26/2013 5:33 AM
Xylenes (m&p)	2.20	ppbv		1	9.56	µg/m³	01/26/2013 5:33 AM
Xylenes (o)	0.76	ppbv		1	3.30	µg/m³	01/26/2013 5:33 AM
Surr:4 -Bromofluorobenzene	97.2	%REC	Limit	70-130	No M.W. Data		01/26/2013 5:33 AM

Qualifiers: E = Value above quantitation range

B = Found in Blank

D.F.= Dilution Factor D = Results for Dilution

H = Received/analyzed outside of analytical holding time

+ = ELAP / NELAC does not offer certification for this analyte

c = Calibration acceptability criteria exceeded for this analyte

r = Reporting limit below calibration range

J = Estimated value - below calibration range

s = Recovery exceeded control limits for this analyte

N = Indicates presumptive evidence of compound


Joann M. Slavins

Laboratory Manager

Date Reported :

Page 20 of 40

PCLUI003 S52

**labs**

575 Broad Hollow Road, Melville, NY

TEL: (631) 694-3040

FAX: (631) 420-8436

NYSDOH ID#10478

LABORATORY RESULTS

Results for the samples and analytes requested

Luitpold Pharmaceuticals

Lab No. : **1301B16-011**

Client Sample ID:AQ-9

Sample Information...

Type : Air

Origin:

Attn To : H2MPC

Collected : 1/24/2013 3:42:00 PM

Received : 1/24/2013 6:07:00 PM

Method: ETO-15 Parameter(s)	Result	Units	Qualifier	D.F.	Result	Units	Date Analyzed
1,1,1-Trichloroethane	< 0.20	ppbv		1	< 1.09	µg/m³	01/26/2013 6:15 AM
1,1,2,2-Tetrachloroethane	< 0.20	ppbv		1	< 1.37	µg/m³	01/26/2013 6:15 AM
1,1,2-Trichloro-1,2,2-trifluoroethane	< 0.20	ppbv		1	< 1.53	µg/m³	01/26/2013 6:15 AM
1,1,2-Trichloroethane	< 0.20	ppbv		1	< 1.09	µg/m³	01/26/2013 6:15 AM
1,1-Dichloroethane	< 0.20	ppbv		1	< 0.81	µg/m³	01/26/2013 6:15 AM
1,1-Dichloroethene	< 0.20	ppbv		1	< 0.79	µg/m³	01/26/2013 6:15 AM
1,2,4-Trichlorobenzene	< 0.20	ppbv		1	< 1.48	µg/m³	01/26/2013 6:15 AM
1,2,4-Trimethylbenzene	1.26	ppbv		1	6.19	µg/m³	01/26/2013 6:15 AM
1,2-Dibromoethane	< 0.20	ppbv		1	< 1.54	µg/m³	01/26/2013 6:15 AM
1,2-Dichlorobenzene	< 0.20	ppbv		1	< 1.20	µg/m³	01/26/2013 6:15 AM
1,2-Dichloroethane	< 0.20	ppbv		1	< 0.81	µg/m³	01/26/2013 6:15 AM
1,2-Dichloroethene (cis)	< 0.20	ppbv		1	< 0.79	µg/m³	01/26/2013 6:15 AM
1,2-Dichloroethene (trans)	< 0.20	ppbv		1	< 0.79	µg/m³	01/26/2013 6:15 AM
1,2-Dichloropropane	< 0.20	ppbv		1	< 0.92	µg/m³	01/26/2013 6:15 AM
1,2-Dichlorotetrafluoroethane	< 0.20	ppbv		1	< 1.40	µg/m³	01/26/2013 6:15 AM
1,3,5-Trimethylbenzene	0.66	ppbv		1	3.24	µg/m³	01/26/2013 6:15 AM
1,3-Dichlorobenzene	< 0.20	ppbv		1	< 1.20	µg/m³	01/26/2013 6:15 AM
1,3-Dichloropropene (cis)	< 0.20	ppbv		1	< 0.91	µg/m³	01/26/2013 6:15 AM
1,3-Dichloropropene (trans)	< 0.20	ppbv		1	< 0.91	µg/m³	01/26/2013 6:15 AM
1,3-Hexachlorobutadiene	< 0.20	ppbv		1	< 2.13	µg/m³	01/26/2013 6:15 AM
1,4-Dichlorobenzene	< 0.20	ppbv		1	< 1.20	µg/m³	01/26/2013 6:15 AM
Acetone	152	ppbv	D	10	362	µg/m³	01/30/2013 12:35 AM
Benzene	0.22	ppbv		1	0.70	µg/m³	01/26/2013 6:15 AM
Bromodichloromethane	< 0.20	ppbv		1	< 1.34	µg/m³	01/26/2013 6:15 AM
Bromoform	< 0.20	ppbv		1	< 2.07	µg/m³	01/26/2013 6:15 AM
Bromomethane	< 0.20	ppbv		1	< 0.78	µg/m³	01/26/2013 6:15 AM
Carbon disulfide	< 0.20	ppbv		1	< 0.62	µg/m³	01/26/2013 6:15 AM
Carbon tetrachloride	< 0.20	ppbv		1	< 1.26	µg/m³	01/26/2013 6:15 AM
Chlorobenzene	< 0.20	ppbv		1	< 0.92	µg/m³	01/26/2013 6:15 AM
Chloroethane	< 0.20	ppbv		1	< 0.53	µg/m³	01/26/2013 6:15 AM
Chloroform	< 0.20	ppbv		1	< 0.98	µg/m³	01/26/2013 6:15 AM
Chloromethane	0.42	ppbv		1	0.87	µg/m³	01/26/2013 6:15 AM
Dibromochloromethane	< 0.20	ppbv		1	< 1.70	µg/m³	01/26/2013 6:15 AM
Dichlorodifluoromethane	0.41	ppbv		1	2.03	µg/m³	01/26/2013 6:15 AM
Ethylbenzene	6.90	ppbv		1	30.0	µg/m³	01/26/2013 6:15 AM
Methyl butyl ketone	< 0.20	ppbv		1	< 0.82	µg/m³	01/26/2013 6:15 AM
Methyl ethyl ketone	< 0.20	ppbv		1	< 0.59	µg/m³	01/26/2013 6:15 AM

Qualifiers: E = Value above quantitation range

B = Found in Blank

D.F. = Dilution Factor D = Results for Dilution

H = Received/analyzed outside of analytical holding time

+ = ELAP / NELAC does not offer certification for this analyte

c = Calibration acceptability criteria exceeded for this analyte

r = Reporting limit below calibration range

J = Estimated value - below calibration range

s = Recovery exceeded control limits for this analyte

N = Indicates presumptive evidence of compound


Joann M. Slavin

Laboratory Manager

Date Reported :

Page 21 of 40

PCLUI003 S54

**H2M labs**

575 Broad Hollow Road, Melville, NY

TEL: (631) 694-3040 FAX: (631) 420-8436
NYSDOH ID#10478**LABORATORY RESULTS**

Results for the samples and analytes requested

Luitpold Pharmaceuticals

Lab No. : **1301B16-011**

Client Sample ID: AQ-9

Sample Information...

Type : Air

Origin:

Attn To : H2MPC

Collected : 1/24/2013 3:42:00 PM

Received : 1/24/2013 6:07:00 PM

Method: ETO-15

Parameter(s)	Result	Units	Qualifier	D.F.	Result	Units	Date Analyzed
Methyl isobutyl ketone	< 0.20	ppbv		1	< 0.82	µg/m³	01/26/2013 6:15 AM
Methyl tert-butyl ether	< 0.20	ppbv		1	< 0.72	µg/m³	01/26/2013 6:15 AM
Methylene chloride	0.29	ppbv		1	1.13	µg/m³	01/26/2013 6:15 AM
Styrene	0.54	ppbv		1	2.30	µg/m³	01/26/2013 6:15 AM
Tetrachloroethene	0.23	ppbv		1	1.56	µg/m³	01/26/2013 6:15 AM
Toluene	5.73	ppbv		1	21.6	µg/m³	01/26/2013 6:15 AM
Trichloroethene	< 0.20	ppbv		1	< 1.07	µg/m³	01/26/2013 6:15 AM
Trichlorofluoromethane	0.31	ppbv		1	1.74	µg/m³	01/26/2013 6:15 AM
Vinyl acetate	< 0.20	ppbv		1	< 0.70	µg/m³	01/26/2013 6:15 AM
Vinyl chloride	< 0.20	ppbv		1	< 0.51	µg/m³	01/26/2013 6:15 AM
Xylenes (m&p)	24.0	ppbv		1	104	µg/m³	01/26/2013 6:15 AM
Xylenes (o)	8.11	ppbv		1	35.2	µg/m³	01/26/2013 6:15 AM
Surr: 4-Bromofluorobenzene	101	%REC	Limit	70-130	No M.W. Data		01/26/2013 6:15 AM

Qualifiers: E = Value above quantitation range

B = Found in Blank

D.F. = Dilution Factor D = Results for Dilution

H = Received/analyzed outside of analytical holding time

+ = ELAP / NELAC does not offer certification for this analyte

c = Calibration acceptability criteria exceeded for this analyte

r = Reporting limit below calibration range

J = Estimated value - below calibration range

s = Recovery exceeded control limits for this analyte


N = Indicates presumptive evidence of compound

Laboratory Manager

Date Reported :

Page 22 of 40

PCLUI003 S55



labs

575 Broad Hollow Road, Melville, NY

TEL: (631) 694-3040 FAX: (631) 420-8436
NYSDOH ID#10478

LABORATORY RESULTS

Results for the samples and analytes requested

Sample Information...

Luitpold Pharmaceuticals

Lab No. : 1301B16-012

Type : Air

Client Sample ID:SS-1

Attn To : H2MPC

Origin:

Collected : 1/24/2013 3:30:00 PM

Received : 1/24/2013 6:07:00 PM

Method: ETO-15 Parameter(s)	Result	Units	Qualifier	D.F.	Result	Units	Date Analyzed
1,1,1-Trichloroethane	108	ppbv	D	400	589	µg/m³	01/30/2013 6:40 PM
1,1,2,2-Tetrachloroethane	< 0.20	ppbv		1	< 1.37	µg/m³	01/26/2013 6:57 AM
1,1,2-Trichloro-1,2,2-trifluoroethane	2.34	ppbv		1	17.9	µg/m³	01/26/2013 6:57 AM
1,1,2-Trichloroethane	< 0.20	ppbv		1	< 1.09	µg/m³	01/26/2013 6:57 AM
1,1-Dichloroethane	1.82	ppbv		1	7.37	µg/m³	01/26/2013 6:57 AM
1,1-Dichloroethene	5.27	ppbv		1	20.9	µg/m³	01/26/2013 6:57 AM
1,2,4-Trichlorobenzene	< 0.20	ppbv		1	< 1.48	µg/m³	01/26/2013 6:57 AM
1,2,4-Trimethylbenzene	< 0.20	ppbv		1	< 0.98	µg/m³	01/26/2013 6:57 AM
1,2-Dibromoethane	< 0.20	ppbv		1	< 1.54	µg/m³	01/26/2013 6:57 AM
1,2-Dichlorobenzene	< 0.20	ppbv		1	< 1.20	µg/m³	01/26/2013 6:57 AM
1,2-Dichloroethane	< 0.20	ppbv		1	< 0.81	µg/m³	01/26/2013 6:57 AM
1,2-Dichloroethene (cis)	612	ppbv	D	400	2430	µg/m³	01/30/2013 6:40 PM
1,2-Dichloroethene (trans)	10.6	ppbv		1	41.9	µg/m³	01/26/2013 6:57 AM
1,2-Dichloropropane	< 0.20	ppbv		1	< 0.92	µg/m³	01/26/2013 6:57 AM
1,2-Dichlorotetrafluoroethane	< 0.20	ppbv		1	< 1.40	µg/m³	01/26/2013 6:57 AM
1,3,5-Trimethylbenzene	< 0.20	ppbv		1	< 0.98	µg/m³	01/26/2013 6:57 AM
1,3-Dichlorobenzene	< 0.20	ppbv		1	< 1.20	µg/m³	01/26/2013 6:57 AM
1,3-Dichloropropene (cis)	< 0.20	ppbv		1	< 0.91	µg/m³	01/26/2013 6:57 AM
1,3-Dichloropropene (trans)	< 0.20	ppbv		1	< 0.91	µg/m³	01/26/2013 6:57 AM
1,3-Hexachlorobutadiene	< 0.20	ppbv		1	< 2.13	µg/m³	01/26/2013 6:57 AM
1,4-Dichlorobenzene	< 0.20	ppbv		1	< 1.20	µg/m³	01/26/2013 6:57 AM
Acetone	3.33	ppbv		1	7.91	µg/m³	01/26/2013 6:57 AM
Benzene	0.26	ppbv		1	0.83	µg/m³	01/26/2013 6:57 AM
Bromodichloromethane	< 0.20	ppbv		1	< 1.34	µg/m³	01/26/2013 6:57 AM
Bromoform	< 0.20	ppbv		1	< 2.07	µg/m³	01/26/2013 6:57 AM
Bromomethane	< 0.20	ppbv		1	< 0.78	µg/m³	01/26/2013 6:57 AM
Carbon disulfide	1.94	ppbv		1	6.04	µg/m³	01/26/2013 6:57 AM
Carbon tetrachloride	< 0.20	ppbv		1	< 1.26	µg/m³	01/26/2013 6:57 AM
Chlorobenzene	< 0.20	ppbv		1	< 0.92	µg/m³	01/26/2013 6:57 AM
Chloroethane	< 0.20	ppbv		1	< 0.53	µg/m³	01/26/2013 6:57 AM
Chloroform	0.92	ppbv		1	4.49	µg/m³	01/26/2013 6:57 AM
Chloromethane	< 0.20	ppbv		1	< 0.41	µg/m³	01/26/2013 6:57 AM
Dibromochloromethane	< 0.20	ppbv		1	< 1.70	µg/m³	01/26/2013 6:57 AM
Dichlorodifluoromethane	< 0.20	ppbv		1	< 0.99	µg/m³	01/26/2013 6:57 AM
Ethylbenzene	< 0.20	ppbv		1	< 0.87	µg/m³	01/26/2013 6:57 AM
Methyl butyl ketone	< 0.20	ppbv		1	< 0.82	µg/m³	01/26/2013 6:57 AM
Methyl ethyl ketone	< 0.20	ppbv		1	< 0.59	µg/m³	01/26/2013 6:57 AM

Qualifiers: E = Value above quantitation range

B = Found in Blank

D.F. = Dilution Factor D = Results for Dilution

H = Received/analyzed outside of analytical holding time

+ = ELAP / NELAC does not offer certification for this analyte

c = Calibration acceptability criteria exceeded for this analyte

r = Reporting limit below low calibration range

J = Estimated value - below calibration range

s = Recovery exceeded control limits for this analyte

N = Indicates presumptive evidence of compound


Joann M. Slavins

Laboratory Manager

Date Reported :

Page 23 of 40

PCLUI003 S58



labs

575 Broad Hollow Road, Melville, NY

TEL: (631) 894-3040

FAX: (631) 420-8436

NYSDOH ID#10478

LABORATORY RESULTS

Results for the samples and analytes requested

Luitpold Pharmaceuticals

Lab No. : **1301B16-012**

Client Sample ID:SS-1

Sample Information...

Type : Air

Origin:

Attn To : H2MPC

Collected : 1/24/2013 3:30:00 PM

Received : 1/24/2013 6:07:00 PM

Method: ETO-15							
Parameter(s)	Result	Units	Qualifier	D.F.	Result	Units	Date Analyzed
Methyl isobutyl ketone	< 0.20	ppbv		1	< 0.82	µg/m³	01/26/2013 6:57 AM
Methyl tert-butyl ether	< 0.20	ppbv		1	< 0.72	µg/m³	01/26/2013 6:57 AM
Methylene chloride	0.71	ppbv		1	2.76	µg/m³	01/26/2013 6:57 AM
Styrene	< 0.20	ppbv		1	< 0.85	µg/m³	01/26/2013 6:57 AM
Tetrachloroethene	9,900	ppbv	D	400	67100	µg/m³	01/30/2013 6:40 PM
Toluene	0.20	ppbv		1	0.75	µg/m³	01/26/2013 6:57 AM
Trichloroethene	344	ppbv	D	400	1850	µg/m³	01/30/2013 6:40 PM
Trichlorofluoromethane	2.67	ppbv		1	15.0	µg/m³	01/26/2013 6:57 AM
Vinyl acetate	< 0.20	ppbv		1	< 0.70	µg/m³	01/26/2013 6:57 AM
Vinyl chloride	0.24	ppbv		1	0.61	µg/m³	01/26/2013 6:57 AM
Xylenes (m&p)	< 0.20	ppbv		1	< 0.87	µg/m³	01/26/2013 6:57 AM
Xylenes (o)	< 0.20	ppbv		1	< 0.87	µg/m³	01/26/2013 6:57 AM
Surr:4 -Bromofluorobenzene	104	%REC	Limit	70-130	No M.W. Data		01/26/2013 6:57 AM

Qualifiers: E = Value above quantitation range

B = Found in Blank

D.F. = Dilution Factor D = Results for Dilution

H = Received/analyzed outside of analytical holding time

+ = ELAP / NELAC does not offer certification for this analyte

c = Calibration acceptability criteria exceeded for this analyte

r = Reporting limit below calibration range

J = Estimated value - below calibration range

s = Recovery exceeded control limits for this analyte

N = Indicates presumptive evidence of compound

Laboratory Manager

Date Reported :

Page 24 of 40

PCLUI003 S59

**labs**

575 Broad Hollow Road, Melville, NY

TEL: (631) 694-3040 FAX: (631) 420-8436
NYSOCH ID#10478**LABORATORY RESULTS**

Results for the samples and analytes requested

Luitpold Pharmaceuticals

Lab No. : **1301B16-013**

Client Sample ID:SS-2

Sample Information...

Type : Air

Origin:

Attn To : H2MPC

Collected : 1/24/2013 3:52:00 PM

Received : 1/24/2013 6:07:00 PM

Method: ETO-15	Parameter(s)	Result	Units	Qualifier	D.F.	Result	Units	Date Analyzed
	1,1,1-Trichloroethane	35.6	ppbv	D	10	194	µg/m³	01/29/2013 11:38 AM
	1,1,2,2-Tetrachloroethane	< 0.20	ppbv		1	< 1.37	µg/m³	01/30/2013 1:18 AM
	1,1,2-Trichloro-1,2,2-trifluoroethane	< 0.20	ppbv		1	< 1.53	µg/m³	01/30/2013 1:18 AM
	1,1,2-Trichloroethane	< 0.20	ppbv		1	< 1.09	µg/m³	01/30/2013 1:18 AM
	1,1-Dichloroethane	< 0.20	ppbv		1	< 0.81	µg/m³	01/30/2013 1:18 AM
	1,1-Dichloroethene	< 0.20	ppbv		1	< 0.79	µg/m³	01/30/2013 1:18 AM
	1,2,4-Trichlorobenzene	< 0.20	ppbv		1	< 1.48	µg/m³	01/30/2013 1:18 AM
	1,2,4-Trimethylbenzene	< 0.20	ppbv		1	< 0.98	µg/m³	01/30/2013 1:18 AM
	1,2-Dibromoethane	< 0.20	ppbv		1	< 1.54	µg/m³	01/30/2013 1:18 AM
	1,2-Dichlorobenzene	< 0.20	ppbv		1	< 1.20	µg/m³	01/30/2013 1:18 AM
	1,2-Dichloroethane	< 0.20	ppbv		1	< 0.81	µg/m³	01/30/2013 1:18 AM
	1,2-Dichloroethene (cis)	< 0.20	ppbv		1	< 0.79	µg/m³	01/30/2013 1:18 AM
	1,2-Dichloroethene (trans)	< 0.20	ppbv		1	< 0.79	µg/m³	01/30/2013 1:18 AM
	1,2-Dichloropropane	< 0.20	ppbv		1	< 0.92	µg/m³	01/30/2013 1:18 AM
	1,2-Dichlorotetrafluoroethane	< 0.20	ppbv		1	< 1.40	µg/m³	01/30/2013 1:18 AM
	1,3,5-Trimethylbenzene	< 0.20	ppbv		1	< 0.98	µg/m³	01/30/2013 1:18 AM
	1,3-Dichlorobenzene	< 0.20	ppbv		1	< 1.20	µg/m³	01/30/2013 1:18 AM
	1,3-Dichloropropene (cis)	< 0.20	ppbv		1	< 0.91	µg/m³	01/30/2013 1:18 AM
	1,3-Dichloropropene (trans)	< 0.20	ppbv		1	< 0.91	µg/m³	01/30/2013 1:18 AM
	1,3-Hexachlorobutadiene	< 0.20	ppbv		1	< 2.13	µg/m³	01/30/2013 1:18 AM
	1,4-Dichlorobenzene	< 0.20	ppbv		1	< 1.20	µg/m³	01/30/2013 1:18 AM
	Acetone	10.0	ppbv		1	23.8	µg/m³	01/30/2013 1:18 AM
	Benzene	< 0.20	ppbv		1	< 0.64	µg/m³	01/30/2013 1:18 AM
	Bromodichloromethane	< 0.20	ppbv		1	< 1.34	µg/m³	01/30/2013 1:18 AM
	Bromoform	< 0.20	ppbv		1	< 2.07	µg/m³	01/30/2013 1:18 AM
	Bromomethane	< 0.20	ppbv		1	< 0.78	µg/m³	01/30/2013 1:18 AM
	Carbon disulfide	1.79	ppbv		1	5.57	µg/m³	01/30/2013 1:18 AM
	Carbon tetrachloride	< 0.20	ppbv		1	< 1.26	µg/m³	01/30/2013 1:18 AM
	Chlorobenzene	< 0.20	ppbv		1	< 0.92	µg/m³	01/30/2013 1:18 AM
	Chloroethane	< 0.20	ppbv		1	< 0.53	µg/m³	01/30/2013 1:18 AM
	Chloroform	< 0.20	ppbv		1	< 0.98	µg/m³	01/30/2013 1:18 AM
	Chloromethane	< 0.20	ppbv		1	< 0.41	µg/m³	01/30/2013 1:18 AM
	Dibromochloromethane	< 0.20	ppbv		1	< 1.70	µg/m³	01/30/2013 1:18 AM
	Dichlorodifluoromethane	< 0.20	ppbv		1	< 0.99	µg/m³	01/30/2013 1:18 AM
	Ethylbenzene	0.24	ppbv		1	1.04	µg/m³	01/30/2013 1:18 AM
	Methyl butyl ketone	< 0.20	ppbv		1	< 0.82	µg/m³	01/30/2013 1:18 AM
	Methyl ethyl ketone	< 0.20	ppbv		1	< 0.59	µg/m³	01/30/2013 1:18 AM

Qualifiers: E = Value above quantitation range

B = Found in Blank

D.F. = Dilution Factor D = Results for Dilution

H = Received/analyzed outside of analytical holding time

+ = ELAP / NELAC does not offer certification for this analyte

c = Calibration acceptability criteria exceeded for this analyte

r = Reporting limit below calibration range

J = Estimated value - below calibration range

s = Recovery exceeded control limits for this analyte


N = Indicates presumptive evidence of compound

Laboratory Manager

Date Reported :

Page 25 of 40

PCLUI003 S62

**H2M labs**

575 Broad Hollow Road, Melville, NY

TEL: (631) 694-3040 FAX: (631) 420-8436
NYSDOH ID#10478**LABORATORY RESULTS**

Results for the samples and analytes requested

Luipold Pharmaceuticals

Lab No. : **1301B16-013**

Client Sample ID:SS-2

Sample Information...

Type : Air

Origin:

Attn To : H2MPC

Collected : 1/24/2013 3:52:00 PM

Received : 1/24/2013 6:07:00 PM

Method: ETO-15 Parameter(s)	Result	Units	Qualifier	D.F.	Result	Units	Date Analyzed
Methyl isobutyl ketone	< 0.20	ppbv		1	< 0.82	µg/m³	01/30/2013 1:18 AM
Methyl tert-butyl ether	< 0.20	ppbv		1	< 0.72	µg/m³	01/30/2013 1:18 AM
Methylene chloride	0.27	ppbv		1	1.05	µg/m³	01/30/2013 1:18 AM
Styrene	< 0.20	ppbv		1	< 0.85	µg/m³	01/30/2013 1:18 AM
Tetrachloroethene	41.2	ppbv	D	10	279	µg/m³	01/29/2013 11:38 AM
Toluene	0.32	ppbv		1	1.21	µg/m³	01/30/2013 1:18 AM
Trichloroethene	< 0.20	ppbv		1	< 1.07	µg/m³	01/30/2013 1:18 AM
Trichlorofluoromethane	9.34	ppbv		1	52.5	µg/m³	01/30/2013 1:18 AM
Vinyl acetate	< 0.20	ppbv		1	< 0.70	µg/m³	01/30/2013 1:18 AM
Vinyl chloride	< 0.20	ppbv		1	< 0.51	µg/m³	01/30/2013 1:18 AM
Xylenes (m&p)	0.78	ppbv		1	3.39	µg/m³	01/30/2013 1:18 AM
Xylenes (o)	0.28	ppbv		1	1.22	µg/m³	01/30/2013 1:18 AM
Surr:4 -Bromofluorobenzene	102	%REC	Limit	70-130	No M.W. Data		01/30/2013 1:18 AM

Qualifiers: E = Value above quantitation range

B = Found in Blank

D.F. = Dilution Factor D = Results for Dilution

H = Received/analyzed outside of analytical holding time

+ = ELAP / NELAC does not offer certification for this analyte

c = Calibration acceptability criteria exceeded for this analyte

r = Reporting limit below calibration range

J = Estimated value - below calibration range

s = Recovery exceeded control limits for this analyte


N = Indicates presumptive evidence of compound

Laboratory Manager

Date Reported :

Page 26 of 40

PCLUI003 S63

**labs**

575 Broad Hollow Road, Melville, NY

TEL: (631) 694-3040 FAX: (631) 420-8436
NYSDOH ID#10478**LABORATORY RESULTS**

Results for the samples and analytes requested

Sample Information...

Luitpold Pharmaceuticals

Lab No. : **1301B16-014**

Type : Air

Client Sample ID:SS-3

Attn To : H2MPC

Origin:

Collected : 1/24/2013 4:05:00 PM

Received : 1/24/2013 6:07:00 PM

Method: ETO-15							
Parameter(s)	Result	Units	Qualifier	D.F.	Result	Units	Date Analyzed
1,1,1-Trichloroethane	15.9	ppbv		1	86.6	µg/m³	01/30/2013 2:00 AM
1,1,2,2-Tetrachloroethane	< 0.20	ppbv		1	< 1.37	µg/m³	01/30/2013 2:00 AM
1,1,2-Trichloro-1,2,2-trifluoroethane	< 0.20	ppbv		1	< 1.53	µg/m³	01/30/2013 2:00 AM
1,1,2-Trichloroethane	< 0.20	ppbv		1	< 1.09	µg/m³	01/30/2013 2:00 AM
1,1-Dichloroethane	< 0.20	ppbv		1	< 0.81	µg/m³	01/30/2013 2:00 AM
1,1-Dichloroethene	< 0.20	ppbv		1	< 0.79	µg/m³	01/30/2013 2:00 AM
1,2,4-Trichlorobenzene	< 0.20	ppbv		1	< 1.48	µg/m³	01/30/2013 2:00 AM
1,2,4-Trimethylbenzene	0.62	ppbv		1	3.05	µg/m³	01/30/2013 2:00 AM
1,2-Dibromoethane	< 0.20	ppbv		1	< 1.54	µg/m³	01/30/2013 2:00 AM
1,2-Dichlorobenzene	< 0.20	ppbv		1	< 1.20	µg/m³	01/30/2013 2:00 AM
1,2-Dichloroethane	< 0.20	ppbv		1	< 0.81	µg/m³	01/30/2013 2:00 AM
1,2-Dichloroethene (cis)	< 0.20	ppbv		1	< 0.79	µg/m³	01/30/2013 2:00 AM
1,2-Dichloroethene (trans)	< 0.20	ppbv		1	< 0.79	µg/m³	01/30/2013 2:00 AM
1,2-Dichloropropane	< 0.20	ppbv		1	< 0.92	µg/m³	01/30/2013 2:00 AM
1,2-Dichlorotetrafluoroethane	< 0.20	ppbv		1	< 1.40	µg/m³	01/30/2013 2:00 AM
1,3,5-Trimethylbenzene	0.32	ppbv		1	1.57	µg/m³	01/30/2013 2:00 AM
1,3-Dichlorobenzene	< 0.20	ppbv		1	< 1.20	µg/m³	01/30/2013 2:00 AM
1,3-Dichloropropene (cis)	< 0.20	ppbv		1	< 0.91	µg/m³	01/30/2013 2:00 AM
1,3-Dichloropropene (trans)	< 0.20	ppbv		1	< 0.91	µg/m³	01/30/2013 2:00 AM
1,3-Hexachlorobutadiene	< 0.20	ppbv		1	< 2.13	µg/m³	01/30/2013 2:00 AM
1,4-Dichlorobenzene	< 0.20	ppbv		1	< 1.20	µg/m³	01/30/2013 2:00 AM
Acetone	53.4	ppbv	D	10	127	µg/m³	01/29/2013 12:20 PM
Benzene	< 0.20	ppbv		1	< 0.64	µg/m³	01/30/2013 2:00 AM
Bromodichloromethane	< 0.20	ppbv		1	< 1.34	µg/m³	01/30/2013 2:00 AM
Bromoform	< 0.20	ppbv		1	< 2.07	µg/m³	01/30/2013 2:00 AM
Bromomethane	< 0.20	ppbv		1	< 0.78	µg/m³	01/30/2013 2:00 AM
Carbon disulfide	0.22	ppbv		1	0.69	µg/m³	01/30/2013 2:00 AM
Carbon tetrachloride	< 0.20	ppbv		1	< 1.26	µg/m³	01/30/2013 2:00 AM
Chlorobenzene	< 0.20	ppbv		1	< 0.92	µg/m³	01/30/2013 2:00 AM
Chloroethane	< 0.20	ppbv		1	< 0.53	µg/m³	01/30/2013 2:00 AM
Chloroform	< 0.20	ppbv		1	< 0.98	µg/m³	01/30/2013 2:00 AM
Chloromethane	< 0.20	ppbv		1	< 0.41	µg/m³	01/30/2013 2:00 AM
Dibromochloromethane	< 0.20	ppbv		1	< 1.70	µg/m³	01/30/2013 2:00 AM
Dichlorodifluoromethane	0.29	ppbv		1	1.43	µg/m³	01/30/2013 2:00 AM
Ethylbenzene	3.12	ppbv		1	13.6	µg/m³	01/30/2013 2:00 AM
Methyl butyl ketone	< 0.20	ppbv		1	< 0.82	µg/m³	01/30/2013 2:00 AM
Methyl ethyl ketone	0.28	ppbv		1	0.83	µg/m³	01/30/2013 2:00 AM

Qualifiers: E = Value above quantitation range

B = Found in Blank

D.F. = Dilution Factor D = Results for Dilution

H = Received/analyzed outside of analytical holding time

+ = ELAP / NELAC does not offer certification for this analyte

c = Calibration acceptability criteria exceeded for this analyte

r = Reporting limit below calibration range

J = Estimated value - below calibration range

s = Recovery exceeded control limits for this analyte


N = Indicates presumptive evidence of compound

Laboratory Manager

Date Reported :

Page 27 of 40

PCLUI003 S66

**labs**

575 Broad Hollow Road, Melville, NY

TEL: (631) 694-3040 FAX: (631) 420-8436
NYSDOH ID#10478**LABORATORY RESULTS**

Results for the samples and analytes requested

Luitpold Pharmaceuticals

Lab No. : **1301B16-014**

Client Sample ID:SS-3

Sample Information...

Type : Air

Origin:

Attn To : H2MPC

Collected : 1/24/2013 4:05:00 PM

Received : 1/24/2013 6:07:00 PM

Method: ETO-15

Parameter(s)	Result	Units	Qualifier	D.F.	Result	Units	Date Analyzed
Methyl isobutyl ketone	< 0.20	ppbv		1	< 0.82	µg/m³	01/30/2013 2:00 AM
Methyl tert-butyl ether	< 0.20	ppbv		1	< 0.72	µg/m³	01/30/2013 2:00 AM
Methylene chloride	0.30	ppbv		1	1.16	µg/m³	01/30/2013 2:00 AM
Styrene	< 0.20	ppbv		1	< 0.85	µg/m³	01/30/2013 2:00 AM
Tetrachloroethene	89.1	ppbv	D	10	604	µg/m³	01/29/2013 12:20 PM
Toluene	2.60	ppbv		1	9.79	µg/m³	01/30/2013 2:00 AM
Trichloroethene	< 0.20	ppbv		1	< 1.07	µg/m³	01/30/2013 2:00 AM
Trichlorofluoromethane	2.28	ppbv		1	12.8	µg/m³	01/30/2013 2:00 AM
Vinyl acetate	< 0.20	ppbv		1	< 0.70	µg/m³	01/30/2013 2:00 AM
Vinyl chloride	< 0.20	ppbv		1	< 0.51	µg/m³	01/30/2013 2:00 AM
Xylenes (m&p)	10.8	ppbv		1	46.8	µg/m³	01/30/2013 2:00 AM
Xylenes (o)	3.73	ppbv		1	16.2	µg/m³	01/30/2013 2:00 AM
Surr:4 -Bromofluorobenzene	101	%REC	Limit	70-130	No M.W. Data		01/30/2013 2:00 AM

Qualifiers: E = Value above quantitation range

B = Found in Blank

D.F. = Dilution Factor D = Results for Dilution

H = Received/analyzed outside of analytical holding time

+ = ELAP / NELAC does not offer certification for this analyte

c = Calibration acceptability criteria exceeded for this analyte

r = Reporting limit below calibration range

J = Estimated value - below calibration range

s = Recovery exceeded control limits for this analyte


N = Indicates presumptive evidence of compound

Laboratory Manager

Date Reported :

Page 28 of 40

PCLUI003 S67



labs

575 Broad Hollow Road, Melville, NY

TEL: (631) 694-3040 FAX: (631) 420-8436
NYSDOH ID#10478

LABORATORY RESULTS

Results for the samples and analytes requested

Luitpold Pharmaceuticals

Lab No. : **1301B16-015**

Client Sample ID:SS-4

Sample Information...

Type : Air

Origin:

Attn To : H2MPC

Collected : 1/24/2013 4:12:00 PM

Received : 1/24/2013 5:07:00 PM

Method: ETO-15							
Parameter(s)	Result	Units	Qualifier	D.F.	Result	Units	Date Analyzed
1,1,1-Trichloroethane	9.80	ppbv		1	53.5	µg/m³	01/30/2013 2:43 AM
1,1,2,2-Tetrachloroethane	< 0.20	ppbv		1	< 1.37	µg/m³	01/30/2013 2:43 AM
1,1,2-Trichloro-1,2,2-trifluoroethane	< 0.20	ppbv		1	< 1.53	µg/m³	01/30/2013 2:43 AM
1,1,2-Trichloroethane	< 0.20	ppbv		1	< 1.09	µg/m³	01/30/2013 2:43 AM
1,1-Dichloroethane	< 0.20	ppbv		1	< 0.81	µg/m³	01/30/2013 2:43 AM
1,1-Dichloroethene	< 0.20	ppbv		1	< 0.79	µg/m³	01/30/2013 2:43 AM
1,2,4-Trichlorobenzene	< 0.20	ppbv		1	< 1.48	µg/m³	01/30/2013 2:43 AM
1,2,4-Trimethylbenzene	< 0.20	ppbv		1	< 0.98	µg/m³	01/30/2013 2:43 AM
1,2-Dibromoethane	< 0.20	ppbv		1	< 1.54	µg/m³	01/30/2013 2:43 AM
1,2-Dichlorobenzene	< 0.20	ppbv		1	< 1.20	µg/m³	01/30/2013 2:43 AM
1,2-Dichloroethane	< 0.20	ppbv		1	< 0.81	µg/m³	01/30/2013 2:43 AM
1,2-Dichloroethene (cis)	< 0.20	ppbv		1	< 0.79	µg/m³	01/30/2013 2:43 AM
1,2-Dichloroethene (trans)	< 0.20	ppbv		1	< 0.79	µg/m³	01/30/2013 2:43 AM
1,2-Dichloropropane	< 0.20	ppbv		1	< 0.92	µg/m³	01/30/2013 2:43 AM
1,2-Dichlorotetrafluoroethane	< 0.20	ppbv		1	< 1.40	µg/m³	01/30/2013 2:43 AM
1,3,5-Trimethylbenzene	< 0.20	ppbv		1	< 0.98	µg/m³	01/30/2013 2:43 AM
1,3-Dichlorobenzene	< 0.20	ppbv		1	< 1.20	µg/m³	01/30/2013 2:43 AM
1,3-Dichloropropene (cis)	< 0.20	ppbv		1	< 0.91	µg/m³	01/30/2013 2:43 AM
1,3-Dichloropropene (trans)	< 0.20	ppbv		1	< 0.91	µg/m³	01/30/2013 2:43 AM
1,3-Hexachlorobutadiene	< 0.20	ppbv		1	< 2.13	µg/m³	01/30/2013 2:43 AM
1,4-Dichlorobenzene	< 0.20	ppbv		1	< 1.20	µg/m³	01/30/2013 2:43 AM
Acetone	33.2	ppbv	D	5	78.9	µg/m³	01/30/2013 12:24 PM
Benzene	< 0.20	ppbv		1	< 0.64	µg/m³	01/30/2013 2:43 AM
Bromodichloromethane	< 0.20	ppbv		1	< 1.34	µg/m³	01/30/2013 2:43 AM
Bromoform	< 0.20	ppbv		1	< 2.07	µg/m³	01/30/2013 2:43 AM
Bromomethane	< 0.20	ppbv		1	< 0.78	µg/m³	01/30/2013 2:43 AM
Carbon disulfide	0.48	ppbv		1	1.49	µg/m³	01/30/2013 2:43 AM
Carbon tetrachloride	< 0.20	ppbv		1	< 1.26	µg/m³	01/30/2013 2:43 AM
Chlorobenzene	< 0.20	ppbv		1	< 0.92	µg/m³	01/30/2013 2:43 AM
Chloroethane	< 0.20	ppbv		1	< 0.53	µg/m³	01/30/2013 2:43 AM
Chloroform	< 0.20	ppbv		1	< 0.98	µg/m³	01/30/2013 2:43 AM
Chloromethane	0.22	ppbv		1	0.45	µg/m³	01/30/2013 2:43 AM
Dibromochloromethane	< 0.20	ppbv		1	< 1.70	µg/m³	01/30/2013 2:43 AM
Dichlorodifluoromethane	< 0.20	ppbv		1	< 0.99	µg/m³	01/30/2013 2:43 AM
Ethylbenzene	1.06	ppbv		1	4.60	µg/m³	01/30/2013 2:43 AM
Methyl butyl ketone	< 0.20	ppbv		1	< 0.82	µg/m³	01/30/2013 2:43 AM
Methyl ethyl ketone	0.37	ppbv		1	1.09	µg/m³	01/30/2013 2:43 AM

Qualifiers: E = Value above quantitation range

B = Found in Blank

D.F. = Dilution Factor D = Results for Dilution

H = Received/analyzed outside of analytical holding time

+ = ELAP / NELAC does not offer certification for this analyte

c = Calibration acceptability criteria exceeded for this analyte

r = Reporting limit below calibration range

J = Estimated value - below calibration range

s = Recovery exceeded control limits for this analyte

N = Indicates presumptive evidence of compound


Joann M. Slavina

Laboratory Manager

Date Reported :

Page 29 of 40

PCLUI003 S70

**H2M labs**

575 Broad Hollow Road, Melville, NY

TEL: (631) 694-3040 FAX: (631) 420-8436
NYSDOH ID#10478**LABORATORY RESULTS**

Results for the samples and analytes requested

Luitpold Pharmaceuticals

Lab No. : **1301B16-015**

Client Sample ID:SS-4

Sample Information...

Type : Air

Origin:

Attn To : H2MPC

Collected : 1/24/2013 4:12:00 PM

Received : 1/24/2013 6:07:00 PM

Method: ETO-15							
Parameter(s)	Result	Units	Qualifier	D.F.	Result	Units	Date Analyzed
Methyl isobutyl ketone	< 0.20	ppbv		1	< 0.82	µg/m³	01/30/2013 2:43 AM
Methyl tert-butyl ether	< 0.20	ppbv		1	< 0.72	µg/m³	01/30/2013 2:43 AM
Methylene chloride	0.30	ppbv		1	1.16	µg/m³	01/30/2013 2:43 AM
Styrene	< 0.20	ppbv		1	< 0.85	µg/m³	01/30/2013 2:43 AM
Tetrachloroethene	68.3	ppbv	D	5	463	µg/m³	01/30/2013 12:24 PM
Toluene	1.15	ppbv		1	4.33	µg/m³	01/30/2013 2:43 AM
Trichloroethene	< 0.20	ppbv		1	< 1.07	µg/m³	01/30/2013 2:43 AM
Trichlorofluoromethane	1.33	ppbv		1	7.47	µg/m³	01/30/2013 2:43 AM
Vinyl acetate	< 0.20	ppbv		1	< 0.70	µg/m³	01/30/2013 2:43 AM
Vinyl chloride	< 0.20	ppbv		1	< 0.51	µg/m³	01/30/2013 2:43 AM
Xylenes (m&p)	3.20	ppbv		1	13.9	µg/m³	01/30/2013 2:43 AM
Xylenes (o)	1.06	ppbv		1	4.60	µg/m³	01/30/2013 2:43 AM
Surr:4 -Bromofluorobenzene	100	%REC	Limit	70-130	No M.W. Data		01/30/2013 2:43 AM

Qualifiers: E = Value above quantitation range

B = Found in Blank

D.F. = Dilution Factor D = Results for Dilution

H = Received/analyzed outside of analytical holding time

+ = ELAP / NELAC does not offer certification for this analyte

c = Calibration acceptability criteria exceeded for this analyte

r = Reporting limit below calibration range

J = Estimated value - below calibration range

s = Recovery exceeded control limits for this analyte


N = Indicates presumptive evidence of compound

Laboratory Manager

Date Reported :

Page 30 of 40

PCLUI003 S71



labs

575 Broad Hollow Road, Melville, NY

TEL: (631) 694-3040 FAX: (631) 420-8436
NYSDOH ID#10478

LABORATORY RESULTS

Results for the samples and analytes requested

Luifpold Pharmaceuticals

Lab No. : 1301B16-016

Client Sample ID:SS-5

Sample Information...

Type : Air

Origin:

Attn To : H2MPC

Collected : 1/24/2013 4:20:00 PM

Received : 1/24/2013 6:07:00 PM

Method: ETO-15 Parameter(s)	Result	Units	Qualifier	D.F.	Result	Units	Date Analyzed
1,1,1-Trichloroethane	12.1	ppbv		1	66.1	µg/m³	01/29/2013 6:43 PM
1,1,2,2-Tetrachloroethane	< 0.20	ppbv		1	< 1.37	µg/m³	01/29/2013 6:43 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	< 0.20	ppbv		1	< 1.53	µg/m³	01/29/2013 6:43 PM
1,1,2-Trichloroethane	< 0.20	ppbv		1	< 1.09	µg/m³	01/29/2013 6:43 PM
1,1-Dichloroethane	< 0.20	ppbv		1	< 0.81	µg/m³	01/29/2013 6:43 PM
1,1-Dichloroethene	< 0.20	ppbv		1	< 0.79	µg/m³	01/29/2013 6:43 PM
1,2,4-Trichlorobenzene	< 0.20	ppbv	s	1	< 1.48	µg/m³	01/29/2013 6:43 PM
1,2,4-Trimethylbenzene	< 0.20	ppbv		1	< 0.98	µg/m³	01/29/2013 6:43 PM
1,2-Dibromoethane	< 0.20	ppbv		1	< 1.54	µg/m³	01/29/2013 6:43 PM
1,2-Dichlorobenzene	< 0.20	ppbv		1	< 1.20	µg/m³	01/29/2013 6:43 PM
1,2-Dichloroethane	< 0.20	ppbv		1	< 0.81	µg/m³	01/29/2013 6:43 PM
1,2-Dichloroethene (cis)	< 0.20	ppbv		1	< 0.79	µg/m³	01/29/2013 6:43 PM
1,2-Dichloroethene (trans)	< 0.20	ppbv		1	< 0.79	µg/m³	01/29/2013 6:43 PM
1,2-Dichloropropane	< 0.20	ppbv		1	< 0.92	µg/m³	01/29/2013 6:43 PM
1,2-Dichlorotetrafluoroethane	< 0.20	ppbv		1	< 1.40	µg/m³	01/29/2013 6:43 PM
1,3,5-Trimethylbenzene	< 0.20	ppbv		1	< 0.98	µg/m³	01/29/2013 6:43 PM
1,3-Dichlorobenzene	< 0.20	ppbv		1	< 1.20	µg/m³	01/29/2013 6:43 PM
1,3-Dichloropropene (cis)	< 0.20	ppbv		1	< 0.91	µg/m³	01/29/2013 6:43 PM
1,3-Dichloropropene (trans)	< 0.20	ppbv		1	< 0.91	µg/m³	01/29/2013 6:43 PM
1,3-Hexachlorobutadiene	< 0.20	ppbv		1	< 2.13	µg/m³	01/29/2013 6:43 PM
1,4-Dichlorobenzene	< 0.20	ppbv		1	< 1.20	µg/m³	01/29/2013 6:43 PM
Acetone	5.64	ppbv		1	13.4	µg/m³	01/29/2013 6:43 PM
Benzene	< 0.20	ppbv		1	< 0.64	µg/m³	01/29/2013 6:43 PM
Bromodichloromethane	< 0.20	ppbv		1	< 1.34	µg/m³	01/29/2013 6:43 PM
Bromoform	< 0.20	ppbv		1	< 2.07	µg/m³	01/29/2013 6:43 PM
Bromomethane	< 0.20	ppbv		1	< 0.78	µg/m³	01/29/2013 6:43 PM
Carbon disulfide	< 0.20	ppbv		1	< 0.62	µg/m³	01/29/2013 6:43 PM
Carbon tetrachloride	< 0.20	ppbv		1	< 1.26	µg/m³	01/29/2013 6:43 PM
Chlorobenzene	< 0.20	ppbv		1	< 0.92	µg/m³	01/29/2013 6:43 PM
Chloroethane	< 0.20	ppbv		1	< 0.53	µg/m³	01/29/2013 6:43 PM
Chloroform	< 0.20	ppbv		1	< 0.98	µg/m³	01/29/2013 6:43 PM
Chloromethane	< 0.20	ppbv		1	< 0.41	µg/m³	01/29/2013 6:43 PM
Dibromochloromethane	< 0.20	ppbv		1	< 1.70	µg/m³	01/29/2013 6:43 PM
Dichlorodifluoromethane	< 0.20	ppbv		1	< 0.99	µg/m³	01/29/2013 6:43 PM
Ethylbenzene	< 0.20	ppbv		1	< 0.87	µg/m³	01/29/2013 6:43 PM
Methyl butyl ketone	< 0.20	ppbv		1	< 0.82	µg/m³	01/29/2013 6:43 PM
Methyl ethyl ketone	< 0.20	ppbv		1	< 0.59	µg/m³	01/29/2013 6:43 PM

Qualifiers: E = Value above quantitation range

B = Found in Blank

D.F. = Dilution Factor D = Results for Dilution

H = Received/analyzed outside of analytical holding time

+ = ELAP / NELAC does not offer certification for this analyte

c = Calibration acceptability criteria exceeded for this analyte

r = Reporting limit below calibration range

J = Estimated value - below calibration range

s = Recovery exceeded control limits for this analyte

N = Indicates presumptive evidence of compound


Joann M. Slavins

Laboratory Manager

Date Reported :

Page 31 of 40

PCLU1003 S74

**H2M labs**

575 Broad Hollow Road, Melville, NY

TEL: (631) 694-3040 FAX: (631) 420-8436

NYSDOH ID#10478

LABORATORY RESULTS

Results for the samples and analytes requested

Luitpold Pharmaceuticals

Lab No. : **1301B16-016**

Client Sample ID: SS-5

Sample Information...

Type : Air

Origin:

Attn To : H2MPC

Collected : 1/24/2013 4:20:00 PM

Received : 1/24/2013 6:07:00 PM

Method: ETO-15 Parameter(s)	Result	Units	Qualifier	D.F.	Result	Units	Date Analyzed
Methyl isobutyl ketone	< 0.20	ppbv		1	< 0.82	µg/m³	01/29/2013 6:43 PM
Methyl tert-butyl ether	< 0.20	ppbv		1	< 0.72	µg/m³	01/29/2013 6:43 PM
Methylene chloride	0.38	ppbv		1	1.48	µg/m³	01/29/2013 6:43 PM
Styrene	< 0.20	ppbv		1	< 0.85	µg/m³	01/29/2013 6:43 PM
Tetrachloroethene	27.6	ppbv		1	187	µg/m³	01/29/2013 6:43 PM
Toluene	0.26	ppbv		1	0.98	µg/m³	01/29/2013 6:43 PM
Trichloroethene	< 0.20	ppbv		1	< 1.07	µg/m³	01/29/2013 6:43 PM
Trichlorofluoromethane	22.2	ppbv		1	125	µg/m³	01/29/2013 6:43 PM
Vinyl acetate	< 0.20	ppbv		1	< 0.70	µg/m³	01/29/2013 6:43 PM
Vinyl chloride	< 0.20	ppbv		1	< 0.51	µg/m³	01/29/2013 6:43 PM
Xylenes (m&p)	0.42	ppbv		1	1.82	µg/m³	01/29/2013 6:43 PM
Xylenes (o)	< 0.20	ppbv		1	< 0.87	µg/m³	01/29/2013 6:43 PM
Surr:4 -Bromofluorobenzene	96.9	%REC	Limit	70-130	No M.W.Da ta		01/29/2013 6:43 PM

Qualifiers: E = Value above quantitation range

B = Found in Blank

D.F. = Dilution Factor D = Results for Dilution

H = Received/analyzed outside of analytical holding time

+ = ELAP / NELAC does not offer certification for this analyte

c = Calibration acceptability criteria exceeded for this analyte

r = Reporting limit below calibration range

J = Estimated value - below calibration range

s = Recovery exceeded control limits for this analyte


N = Indicates presumptive evidence of compound

Laboratory Manager

Date Reported :

Page 32 of 40

PCLUI003 S75

**labs**

575 Broad Hollow Road, Melville, NY

TEL: (631) 694-3040 FAX: (631) 420-8436

NYSDOH ID#10478

LABORATORY RESULTS

Results for the samples and analytes requested

Luitpold Pharmaceuticals

Lab No. : **1301B16-017**

Client Sample ID:SS-6

Sample Information...

Type : Air

Origin:

Attn To : H2MPC

Collected : 1/24/2013 4:30:00 PM

Received : 1/24/2013 6:07:00 PM

Method: ETO-15 Parameter(s)	Result	Units	Qualifier	D.F.	Result	Units	Date Analyzed
1,1,1-Trichloroethane	29.2	ppbv		1	159	µg/m³	01/30/2013 3:25 AM
1,1,2,2-Tetrachloroethane	< 0.20	ppbv		1	< 1.37	µg/m³	01/30/2013 3:25 AM
1,1,2-Trichloro-1,2,2-trifluoroethane	< 0.20	ppbv		1	< 1.53	µg/m³	01/30/2013 3:25 AM
1,1,2-Trichloroethane	< 0.20	ppbv		1	< 1.09	µg/m³	01/30/2013 3:25 AM
1,1-Dichloroethane	< 0.20	ppbv		1	< 0.81	µg/m³	01/30/2013 3:25 AM
1,1-Dichloroethene	< 0.20	ppbv		1	< 0.79	µg/m³	01/30/2013 3:25 AM
1,2,4-Trichlorobenzene	< 0.20	ppbv		1	< 1.48	µg/m³	01/30/2013 3:25 AM
1,2,4-Trimethylbenzene	< 0.20	ppbv		1	< 0.98	µg/m³	01/30/2013 3:25 AM
1,2-Dibromoethane	< 0.20	ppbv		1	< 1.54	µg/m³	01/30/2013 3:25 AM
1,2-Dichlorobenzene	< 0.20	ppbv		1	< 1.20	µg/m³	01/30/2013 3:25 AM
1,2-Dichloroethane	< 0.20	ppbv		1	< 0.81	µg/m³	01/30/2013 3:25 AM
1,2-Dichloroethene (cis)	< 0.20	ppbv		1	< 0.79	µg/m³	01/30/2013 3:25 AM
1,2-Dichloroethene (trans)	< 0.20	ppbv		1	< 0.79	µg/m³	01/30/2013 3:25 AM
1,2-Dichloropropane	< 0.20	ppbv		1	< 0.92	µg/m³	01/30/2013 3:25 AM
1,2-Dichlorotetrafluoroethane	< 0.20	ppbv		1	< 1.40	µg/m³	01/30/2013 3:25 AM
1,3,5-Trimethylbenzene	< 0.20	ppbv		1	< 0.98	µg/m³	01/30/2013 3:25 AM
1,3-Dichlorobenzene	< 0.20	ppbv		1	< 1.20	µg/m³	01/30/2013 3:25 AM
1,3-Dichloropropene (cis)	< 0.20	ppbv		1	< 0.91	µg/m³	01/30/2013 3:25 AM
1,3-Dichloropropene (trans)	< 0.20	ppbv		1	< 0.91	µg/m³	01/30/2013 3:25 AM
1,3-Hexachlorobutadiene	< 0.20	ppbv		1	< 2.13	µg/m³	01/30/2013 3:25 AM
1,4-Dichlorobenzene	< 0.20	ppbv		1	< 1.20	µg/m³	01/30/2013 3:25 AM
Acetone	14.2	ppbv		1	33.8	µg/m³	01/30/2013 3:25 AM
Benzene	< 0.20	ppbv		1	< 0.64	µg/m³	01/30/2013 3:25 AM
Bromodichloromethane	< 0.20	ppbv		1	< 1.34	µg/m³	01/30/2013 3:25 AM
Bromoform	< 0.20	ppbv		1	< 2.07	µg/m³	01/30/2013 3:25 AM
Bromomethane	< 0.20	ppbv		1	< 0.78	µg/m³	01/30/2013 3:25 AM
Carbon disulfide	< 0.20	ppbv		1	< 0.62	µg/m³	01/30/2013 3:25 AM
Carbon tetrachloride	< 0.20	ppbv		1	< 1.26	µg/m³	01/30/2013 3:25 AM
Chlorobenzene	< 0.20	ppbv		1	< 0.92	µg/m³	01/30/2013 3:25 AM
Chloroethane	< 0.20	ppbv		1	< 0.53	µg/m³	01/30/2013 3:25 AM
Chloroform	< 0.20	ppbv		1	< 0.98	µg/m³	01/30/2013 3:25 AM
Chloromethane	< 0.20	ppbv		1	< 0.41	µg/m³	01/30/2013 3:25 AM
Dibromochloromethane	< 0.20	ppbv		1	< 1.70	µg/m³	01/30/2013 3:25 AM
Dichlorodifluoromethane	< 0.20	ppbv		1	< 0.99	µg/m³	01/30/2013 3:25 AM
Ethylbenzene	0.30	ppbv		1	1.30	µg/m³	01/30/2013 3:25 AM
Methyl butyl ketone	< 0.20	ppbv		1	< 0.82	µg/m³	01/30/2013 3:25 AM
Methyl ethyl ketone	< 0.20	ppbv		1	< 0.59	µg/m³	01/30/2013 3:25 AM

Qualifiers: E = Value above quantitation range

B = Found in Blank

D.F. = Dilution Factor D = Results for Dilution

H = Received/analyzed outside of analytical holding time

+ = ELAP / NELAC does not offer certification for this analyte

c = Calibration acceptability criteria exceeded for this analyte

r = Reporting limit below calibration range

J = Estimated value - below calibration range

s = Recovery exceeded control limits for this analyte


N = Indicates presumptive evidence of compound

Laboratory Manager

Date Reported :

Page 33 of 40

PCLUI003 S77

**labs**

575 Broad Hollow Road, Melville, NY

TEL: (631) 694-3040 FAX: (631) 420-8436
NYSDOH ID#10478**LABORATORY RESULTS**

Results for the samples and analytes requested

Luitpold Pharmaceuticals

Lab No. : **1301B16-017**

Client Sample ID:SS-6

Sample Information...

Type : Air

Origin:

Attn To : H2MPC

Collected : 1/24/2013 4:30:00 PM

Received : 1/24/2013 6:07:00 PM

Method: ETO-15							
Parameter(s)	Result	Units	Qualifier	D.F.	Result	Units	Date Analyzed
Methyl isobutyl ketone	< 0.20	ppbv		1	< 0.82	µg/m³	01/30/2013 3:25 AM
Methyl tert-butyl ether	< 0.20	ppbv		1	< 0.72	µg/m³	01/30/2013 3:25 AM
Methylene chloride	0.37	ppbv		1	1.44	µg/m³	01/30/2013 3:25 AM
Styrene	< 0.20	ppbv		1	< 0.85	µg/m³	01/30/2013 3:25 AM
Tetrachloroethene	24.6	ppbv		1	167	µg/m³	01/30/2013 3:25 AM
Toluene	0.50	ppbv		1	1.88	µg/m³	01/30/2013 3:25 AM
Trichloroethene	< 0.20	ppbv		1	< 1.07	µg/m³	01/30/2013 3:25 AM
Trichlorofluoromethane	3.17	ppbv		1	17.8	µg/m³	01/30/2013 3:25 AM
Vinyl acetate	< 0.20	ppbv		1	< 0.70	µg/m³	01/30/2013 3:25 AM
Vinyl chloride	< 0.20	ppbv		1	< 0.51	µg/m³	01/30/2013 3:25 AM
Xylenes (m&p)	0.87	ppbv		1	3.78	µg/m³	01/30/2013 3:25 AM
Xylenes (o)	0.30	ppbv		1	1.30	µg/m³	01/30/2013 3:25 AM
Surr:4 -Bromofluorobenzene	101	%REC	Limit	70-130	No M.W. Data		01/30/2013 3:25 AM

Qualifiers: E = Value above quantitation range

B = Found in Blank

D.F. = Dilution Factor D = Results for Dilution

H = Received/analyzed outside of analytical holding time

+ = ELAP / NELAC does not offer certification for this analyte

c = Calibration acceptability criteria exceeded for this analyte

r = Reporting limit below calibration range

J = Estimated value - below calibration range

s = Recovery exceeded control limits for this analyte


N = Indicates presumptive evidence of compound

Laboratory Manager

Date Reported :

Page 34 of 40

PCLUI003 S78



labs

575 Broad Hollow Road, Melville, NY

TEL: (631) 694-3040

FAX: (631) 420-8436

NYSDCH ID#10478

LABORATORY RESULTS

Results for the samples and analytes requested

Sample Information...

Luitpold Pharmaceuticals

Lab No. : **1301B16-018**

Type : Air

Client Sample ID:SS-7

Attn To : H2MPC

Origin:

Collected : 1/24/2013 4:52:00 PM

Received : 1/24/2013 6:07:00 PM

Method: ETO-15 Parameter(s)	Result	Units	Qualifier	D.F.	Result	Units	Date Analyzed
1,1,1-Trichloroethane	14.3	ppbv		1	78.0	µg/m³	01/30/2013 4:08 AM
1,1,2,2-Tetrachloroethane	< 0.20	ppbv		1	< 1.37	µg/m³	01/30/2013 4:08 AM
1,1,2-Trichloro-1,2,2-trifluoroethane	< 0.20	ppbv		1	< 1.53	µg/m³	01/30/2013 4:08 AM
1,1,2-Trichloroethane	< 0.20	ppbv		1	< 1.09	µg/m³	01/30/2013 4:08 AM
1,1-Dichloroethane	< 0.20	ppbv		1	< 0.81	µg/m³	01/30/2013 4:08 AM
1,1-Dichloroethene	< 0.20	ppbv		1	< 0.79	µg/m³	01/30/2013 4:08 AM
1,2,4-Trichlorobenzene	< 0.20	ppbv		1	< 1.48	µg/m³	01/30/2013 4:08 AM
1,2,4-Trimethylbenzene	< 0.20	ppbv		1	< 0.98	µg/m³	01/30/2013 4:08 AM
1,2-Dibromoethane	< 0.20	ppbv		1	< 1.54	µg/m³	01/30/2013 4:08 AM
1,2-Dichlorobenzene	< 0.20	ppbv		1	< 1.20	µg/m³	01/30/2013 4:08 AM
1,2-Dichloroethane	< 0.20	ppbv		1	< 0.81	µg/m³	01/30/2013 4:08 AM
1,2-Dichloroethene (cis)	< 0.20	ppbv		1	< 0.79	µg/m³	01/30/2013 4:08 AM
1,2-Dichloroethene (trans)	< 0.20	ppbv		1	< 0.79	µg/m³	01/30/2013 4:08 AM
1,2-Dichloropropane	< 0.20	ppbv		1	< 0.92	µg/m³	01/30/2013 4:08 AM
1,2-Dichlorotetrafluoroethane	< 0.20	ppbv		1	< 1.40	µg/m³	01/30/2013 4:08 AM
1,3,5-Trimethylbenzene	< 0.20	ppbv		1	< 0.98	µg/m³	01/30/2013 4:08 AM
1,3-Dichlorobenzene	< 0.20	ppbv		1	< 1.20	µg/m³	01/30/2013 4:08 AM
1,3-Dichloropropene (cis)	< 0.20	ppbv		1	< 0.91	µg/m³	01/30/2013 4:08 AM
1,3-Dichloropropene (trans)	< 0.20	ppbv		1	< 0.91	µg/m³	01/30/2013 4:08 AM
1,3-Hexachlorobutadiene	< 0.20	ppbv		1	< 2.13	µg/m³	01/30/2013 4:08 AM
1,4-Dichlorobenzene	< 0.20	ppbv		1	< 1.20	µg/m³	01/30/2013 4:08 AM
Acetone	29.0	ppbv		1	68.8	µg/m³	01/30/2013 4:08 AM
Benzene	< 0.20	ppbv		1	< 0.64	µg/m³	01/30/2013 4:08 AM
Bromodichloromethane	< 0.20	ppbv		1	< 1.34	µg/m³	01/30/2013 4:08 AM
Bromoform	< 0.20	ppbv		1	< 2.07	µg/m³	01/30/2013 4:08 AM
Bromomethane	< 0.20	ppbv		1	< 0.78	µg/m³	01/30/2013 4:08 AM
Carbon disulfide	0.42	ppbv		1	1.31	µg/m³	01/30/2013 4:08 AM
Carbon tetrachloride	< 0.20	ppbv		1	< 1.26	µg/m³	01/30/2013 4:08 AM
Chlorobenzene	< 0.20	ppbv		1	< 0.92	µg/m³	01/30/2013 4:08 AM
Chloroethane	< 0.20	ppbv		1	< 0.53	µg/m³	01/30/2013 4:08 AM
Chloroform	< 0.20	ppbv		1	< 0.98	µg/m³	01/30/2013 4:08 AM
Chloromethane	0.22	ppbv		1	0.45	µg/m³	01/30/2013 4:08 AM
Dibromochloromethane	< 0.20	ppbv		1	< 1.70	µg/m³	01/30/2013 4:08 AM
Dichlorodifluoromethane	< 0.20	ppbv		1	< 0.99	µg/m³	01/30/2013 4:08 AM
Ethylbenzene	0.57	ppbv		1	2.48	µg/m³	01/30/2013 4:08 AM
Methyl butyl ketone	< 0.20	ppbv		1	< 0.82	µg/m³	01/30/2013 4:08 AM
Methyl ethyl ketone	0.22	ppbv		1	0.65	µg/m³	01/30/2013 4:08 AM

Qualifiers: E = Value above quantitation range

B = Found in Blank

D.F. = Dilution Factor D = Results for Dilution

H = Received/analyzed outside of analytical holding time

+ = ELAP / NELAC does not offer certification for this analyte

c = Calibration acceptability criteria exceeded for this analyte

r = Reporting limit below calibration range

J = Estimated value - below calibration range

s = Recovery exceeded control limits for this analyte

N = Indicates presumptive evidence of compound


Joann M. Slavin

Laboratory Manager

Date Reported :

Page 35 of 40

PCLU1003 S80



labs

575 Broad Hollow Road, Melville, NY

TEL: (631) 694-3040 FAX: (631) 420-8436
NYSDOH ID#10478

LABORATORY RESULTS

Results for the samples and analytes requested

Sample Information...

Luitpold Pharmaceuticals

Lab No. : **1301B16-018**

Type : Air

Client Sample ID:SS-7

Origin:

Attn To : H2MPC

Collected : 1/24/2013 4:52:00 PM

Received : 1/24/2013 6:07:00 PM

Method: ETO-15 Parameter(s)	Result	Units	Qualifier	D.F.	Result	Units	Date Analyzed
Methyl isobutyl ketone	< 0.20	ppbv		1	< 0.82	µg/m³	01/30/2013 4:08 AM
Methyl tert-butyl ether	< 0.20	ppbv		1	< 0.72	µg/m³	01/30/2013 4:08 AM
Methylene chloride	0.27	ppbv		1	1.05	µg/m³	01/30/2013 4:08 AM
Styrene	< 0.20	ppbv		1	< 0.85	µg/m³	01/30/2013 4:08 AM
Tetrachloroethene	6.87	ppbv		1	46.6	µg/m³	01/30/2013 4:08 AM
Toluene	0.85	ppbv		1	3.20	µg/m³	01/30/2013 4:08 AM
Trichloroethene	< 0.20	ppbv		1	< 1.07	µg/m³	01/30/2013 4:08 AM
Trichlorofluoromethane	2.78	ppbv		1	15.6	µg/m³	01/30/2013 4:08 AM
Vinyl acetate	< 0.20	ppbv		1	< 0.70	µg/m³	01/30/2013 4:08 AM
Vinyl chloride	< 0.20	ppbv		1	< 0.51	µg/m³	01/30/2013 4:08 AM
Xylenes (m&p)	1.70	ppbv		1	7.38	µg/m³	01/30/2013 4:08 AM
Xylenes (o)	0.55	ppbv		1	2.39	µg/m³	01/30/2013 4:08 AM
Surr:4 -Bromofluorobenzene	101	%REC	Limit	70-130	No M.W. Data		01/30/2013 4:08 AM


Qualifiers: E = Value above quantitation range
B = Found in Blank
D.F. = Dilution Factor D = Results for Dilution
H = Received/analyzed outside of analytical holding time
+ = ELAP / NELAC does not offer certification for this analyte
c = Calibration acceptability criteria exceeded for this analyte
r = Reporting limit below calibration range
J = Estimated value - below calibration range
s = Recovery exceeded control limits for this analyte
N = Indicates presumptive evidence of compound

Joann M. Slavins
Laboratory Manager

Date Reported :

Page 36 of 40

PCLUI003 S81



labs

575 Broad Hollow Road, Melville, NY

TEL: (631) 694-3040 FAX: (631) 420-8436
NYSDOH ID#10478

LABORATORY RESULTS

Results for the samples and analytes requested

Luitpold Pharmaceuticals

Lab No. : **1301B16-019**

Client Sample ID:SS-8

Sample Information...

Type : Air

Origin:

Attn To : H2MPC

Collected : 1/24/2013 4:42:00 PM

Received : 1/24/2013 6:07:00 PM

Method: ETO-15 Parameter(s)	Result	Units	Qualifier	D.F.	Result	Units	Date Analyzed
1,1,1-Trichloroethane	1.43	ppbv		1	7.80	µg/m³	01/30/2013 4:51 AM
1,1,2,2-Tetrachloroethane	< 0.20	ppbv		1	< 1.37	µg/m³	01/30/2013 4:51 AM
1,1,2-Trichloro-1,2,2-trifluoroethane	< 0.20	ppbv		1	< 1.53	µg/m³	01/30/2013 4:51 AM
1,1,2-Trichloroethane	< 0.20	ppbv		1	< 1.09	µg/m³	01/30/2013 4:51 AM
1,1-Dichloroethane	< 0.20	ppbv		1	< 0.81	µg/m³	01/30/2013 4:51 AM
1,1-Dichloroethene	< 0.20	ppbv		1	< 0.79	µg/m³	01/30/2013 4:51 AM
1,2,4-Trichlorobenzene	< 0.20	ppbv		1	< 1.48	µg/m³	01/30/2013 4:51 AM
1,2,4-Trimethylbenzene	< 0.20	ppbv		1	< 0.98	µg/m³	01/30/2013 4:51 AM
1,2-Dibromoethane	< 0.20	ppbv		1	< 1.54	µg/m³	01/30/2013 4:51 AM
1,2-Dichlorobenzene	< 0.20	ppbv		1	< 1.20	µg/m³	01/30/2013 4:51 AM
1,2-Dichloroethane	< 0.20	ppbv		1	< 0.81	µg/m³	01/30/2013 4:51 AM
1,2-Dichloroethene (cis)	< 0.20	ppbv		1	< 0.79	µg/m³	01/30/2013 4:51 AM
1,2-Dichloroethene (trans)	< 0.20	ppbv		1	< 0.79	µg/m³	01/30/2013 4:51 AM
1,2-Dichloropropane	< 0.20	ppbv		1	< 0.92	µg/m³	01/30/2013 4:51 AM
1,2-Dichlorotetrafluoroethane	< 0.20	ppbv		1	< 1.40	µg/m³	01/30/2013 4:51 AM
1,3,5-Trimethylbenzene	< 0.20	ppbv		1	< 0.98	µg/m³	01/30/2013 4:51 AM
1,3-Dichlorobenzene	< 0.20	ppbv		1	< 1.20	µg/m³	01/30/2013 4:51 AM
1,3-Dichloropropene (cis)	< 0.20	ppbv		1	< 0.91	µg/m³	01/30/2013 4:51 AM
1,3-Dichloropropene (trans)	< 0.20	ppbv		1	< 0.91	µg/m³	01/30/2013 4:51 AM
1,3-Hexachlorobutadiene	< 0.20	ppbv		1	< 2.13	µg/m³	01/30/2013 4:51 AM
1,4-Dichlorobenzene	< 0.20	ppbv		1	< 1.20	µg/m³	01/30/2013 4:51 AM
Acetone	9.71	ppbv		1	23.1	µg/m³	01/30/2013 4:51 AM
Benzene	< 0.20	ppbv		1	< 0.64	µg/m³	01/30/2013 4:51 AM
Bromodichloromethane	< 0.20	ppbv		1	< 1.34	µg/m³	01/30/2013 4:51 AM
Bromoform	< 0.20	ppbv		1	< 2.07	µg/m³	01/30/2013 4:51 AM
Bromomethane	< 0.20	ppbv		1	< 0.78	µg/m³	01/30/2013 4:51 AM
Carbon disulfide	< 0.20	ppbv		1	< 0.62	µg/m³	01/30/2013 4:51 AM
Carbon tetrachloride	< 0.20	ppbv		1	< 1.26	µg/m³	01/30/2013 4:51 AM
Chlorobenzene	< 0.20	ppbv		1	< 0.92	µg/m³	01/30/2013 4:51 AM
Chloroethane	< 0.20	ppbv		1	< 0.53	µg/m³	01/30/2013 4:51 AM
Chloroform	< 0.20	ppbv		1	< 0.98	µg/m³	01/30/2013 4:51 AM
Chloromethane	0.27	ppbv		1	0.56	µg/m³	01/30/2013 4:51 AM
Dibromochloromethane	< 0.20	ppbv		1	< 1.70	µg/m³	01/30/2013 4:51 AM
Dichlorodifluoromethane	< 0.20	ppbv		1	< 0.99	µg/m³	01/30/2013 4:51 AM
Ethylbenzene	< 0.20	ppbv		1	< 0.87	µg/m³	01/30/2013 4:51 AM
Methyl butyl ketone	< 0.20	ppbv		1	< 0.82	µg/m³	01/30/2013 4:51 AM
Methyl ethyl ketone	< 0.20	ppbv		1	< 0.59	µg/m³	01/30/2013 4:51 AM

Qualifiers: E = Value above quantitation range

B = Found in Blank

D.F. = Dilution Factor D = Results for Dilution

H = Received/analyzed outside of analytical holding time

+ = ELAP / NELAC does not offer certification for this analyte

c = Calibration acceptability criteria exceeded for this analyte

r = Reporting limit below calibration range

J = Estimated value - below calibration range

s = Recovery exceeded control limits for this analyte

N = Indicates presumptive evidence of compound


Joann M. Blawie

Laboratory Manager

Date Reported :

Page 37 of 40

PCLU1003 S83

**labs**

575 Broad Hollow Road, Melville, NY

TEL: (631) 694-3040 FAX: (631) 420-8436
NYSDOH ID#10478**LABORATORY RESULTS**

Results for the samples and analytes requested

Luitpold Pharmaceuticals

Lab No. : **1301B16-019**

Client Sample ID:SS-8

Sample Information...

Type : Air

Origin:

Attn To : H2MPC

Collected : 1/24/2013 4:42:00 PM

Received : 1/24/2013 6:07:00 PM

Method: ETO-15

Parameter(s)	Result	Units	Qualifier	D.F.	Result	Units	Date Analyzed
Methyl isobutyl ketone	< 0.20	ppbv		1	< 0.82	µg/m³	01/30/2013 4:51 AM
Methyl tert-butyl ether	< 0.20	ppbv		1	< 0.72	µg/m³	01/30/2013 4:51 AM
Methylene chloride	0.28	ppbv		1	1.09	µg/m³	01/30/2013 4:51 AM
Styrene	< 0.20	ppbv		1	< 0.85	µg/m³	01/30/2013 4:51 AM
Tetrachloroethene	0.21	ppbv		1	1.42	µg/m³	01/30/2013 4:51 AM
Toluene	0.38	ppbv		1	1.43	µg/m³	01/30/2013 4:51 AM
Trichloroethene	< 0.20	ppbv		1	< 1.07	µg/m³	01/30/2013 4:51 AM
Trichlorofluoromethane	4.41	ppbv		1	24.8	µg/m³	01/30/2013 4:51 AM
Vinyl acetate	< 0.20	ppbv		1	< 0.70	µg/m³	01/30/2013 4:51 AM
Vinyl chloride	< 0.20	ppbv		1	< 0.51	µg/m³	01/30/2013 4:51 AM
Xylenes (m&p)	0.60	ppbv		1	2.61	µg/m³	01/30/2013 4:51 AM
Xylenes (o)	0.21	ppbv		1	0.91	µg/m³	01/30/2013 4:51 AM
Surr:4 -Bromofluorobenzene	101	%REC	Limit	70-130	No M.W. Data		01/30/2013 4:51 AM

Qualifiers: E = Value above quantitation range

B = Found in Blank

D.F. = Dilution Factor D = Results for Dilution

H = Received/analyzed outside of analytical holding time

+ = ELAP / NELAC does not offer certification for this analyte

c = Calibration acceptability criteria exceeded for this analyte

r = Reporting limit below calibration range

J = Estimated value - below calibration range

s = Recovery exceeded control limits for this analyte


N = Indicates presumptive evidence of compound

Laboratory Manager

Date Reported :

Page 38 of 40

PCLUI003 S84



labs

575 Broad Hollow Road, Melville, NY

TEL: (631) 694-3040

FAX: (631) 420-8436

NYSDOH ID#10478

LABORATORY RESULTS

Results for the samples and analytes requested

Sample Information...

Luitpold Pharmaceuticals

Lab No. : **1301B16-020**

Type : Air

Client Sample ID:SS-9

Attn To : H2MPC

Origin:

Collected : 1/24/2013 3:40:00 PM

Received : 1/24/2013 6:07:00 PM

Method: ETO-15 Parameter(s)	Result	Units	Qualifier	D.F.	Result	Units	Date Analyzed
1,1,1-Trichloroethane	19.7	ppbv		1	107	µg/m³	01/30/2013 5:34 AM
1,1,2,2-Tetrachloroethane	< 0.20	ppbv		1	< 1.37	µg/m³	01/30/2013 5:34 AM
1,1,2-Trichloro-1,2,2-trifluoroethane	< 0.20	ppbv		1	< 1.53	µg/m³	01/30/2013 5:34 AM
1,1,2-Trichloroethane	< 0.20	ppbv		1	< 1.09	µg/m³	01/30/2013 5:34 AM
1,1-Dichloroethane	0.28	ppbv		1	1.13	µg/m³	01/30/2013 5:34 AM
1,1-Dichloroethene	< 0.20	ppbv		1	< 0.79	µg/m³	01/30/2013 5:34 AM
1,2,4-Trichlorobenzene	< 0.20	ppbv		1	< 1.48	µg/m³	01/30/2013 5:34 AM
1,2,4-Trimethylbenzene	0.46	ppbv		1	2.26	µg/m³	01/30/2013 5:34 AM
1,2-Dibromoethane	< 0.20	ppbv		1	< 1.54	µg/m³	01/30/2013 5:34 AM
1,2-Dichlorobenzene	< 0.20	ppbv		1	< 1.20	µg/m³	01/30/2013 5:34 AM
1,2-Dichloroethane	< 0.20	ppbv		1	< 0.81	µg/m³	01/30/2013 5:34 AM
1,2-Dichloroethene (cis)	< 0.20	ppbv		1	< 0.79	µg/m³	01/30/2013 5:34 AM
1,2-Dichloroethene (trans)	< 0.20	ppbv		1	< 0.79	µg/m³	01/30/2013 5:34 AM
1,2-Dichloropropane	< 0.20	ppbv		1	< 0.92	µg/m³	01/30/2013 5:34 AM
1,2-Dichlorotetrafluoroethane	< 0.20	ppbv		1	< 1.40	µg/m³	01/30/2013 5:34 AM
1,3,5-Trimethylbenzene	0.22	ppbv		1	1.08	µg/m³	01/30/2013 5:34 AM
1,3-Dichlorobenzene	< 0.20	ppbv		1	< 1.20	µg/m³	01/30/2013 5:34 AM
1,3-Dichloropropene (cis)	< 0.20	ppbv		1	< 0.91	µg/m³	01/30/2013 5:34 AM
1,3-Dichloropropene (trans)	< 0.20	ppbv		1	< 0.91	µg/m³	01/30/2013 5:34 AM
1,3-Hexachlorobutadiene	< 0.20	ppbv		1	< 2.13	µg/m³	01/30/2013 5:34 AM
1,4-Dichlorobenzene	< 0.20	ppbv		1	< 1.20	µg/m³	01/30/2013 5:34 AM
Acetone	46.2	ppbv	D	5	110	µg/m³	01/30/2013 11:40 AM
Benzene	< 0.20	ppbv		1	< 0.64	µg/m³	01/30/2013 5:34 AM
Bromodichloromethane	< 0.20	ppbv		1	< 1.34	µg/m³	01/30/2013 5:34 AM
Bromoform	< 0.20	ppbv		1	< 2.07	µg/m³	01/30/2013 5:34 AM
Bromomethane	< 0.20	ppbv		1	< 0.78	µg/m³	01/30/2013 5:34 AM
Carbon disulfide	0.30	ppbv		1	0.93	µg/m³	01/30/2013 5:34 AM
Carbon tetrachloride	< 0.20	ppbv		1	< 1.26	µg/m³	01/30/2013 5:34 AM
Chlorobenzene	< 0.20	ppbv		1	< 0.92	µg/m³	01/30/2013 5:34 AM
Chloroethane	< 0.20	ppbv		1	< 0.53	µg/m³	01/30/2013 5:34 AM
Chloroform	< 0.20	ppbv		1	< 0.98	µg/m³	01/30/2013 5:34 AM
Chloromethane	< 0.20	ppbv		1	< 0.41	µg/m³	01/30/2013 5:34 AM
Dibromochloromethane	< 0.20	ppbv		1	< 1.70	µg/m³	01/30/2013 5:34 AM
Dichlorodifluoromethane	0.28	ppbv		1	1.38	µg/m³	01/30/2013 5:34 AM
Ethylbenzene	1.62	ppbv		1	7.04	µg/m³	01/30/2013 5:34 AM
Methyl butyl ketone	< 0.20	ppbv		1	< 0.82	µg/m³	01/30/2013 5:34 AM
Methyl ethyl ketone	< 0.20	ppbv		1	< 0.59	µg/m³	01/30/2013 5:34 AM

Qualifiers: E = Value above quantitation range

B = Found in Blank

D.F. = Dilution Factor D = Results for Dilution

H = Received/analyzed outside of analytical holding time

+ = ELAP / NELAC does not offer certification for this analyte

c = Calibration acceptability criteria exceeded for this analyte

r = Reporting limit below calibration range

J = Estimated value - below calibration range


s = Recovery exceeded control limits for this analyte

N = Indicates presumptive evidence of compound

Date Reported :

Joann M. Blawie

Laboratory Manager



labs

575 Broad Hollow Road, Melville, NY

TEL: (631) 694-3040 FAX: (631) 420-8436
NYSDOH ID#10478

LABORATORY RESULTS

Results for the samples and analytes requested

Luitpold Pharmaceuticals

Lab No. : **1301B16-020**

Client Sample ID:SS-9

Sample Information...

Type : Air

Origin:

Attn To : H2MPC

Collected : 1/24/2013 3:40:00 PM

Received : 1/24/2013 6:07:00 PM

Method: **ETO-15**

Parameter(s)	Result	Units	Qualifier	D.F.	Result	Units	Date Analyzed
Methyl isobutyl ketone	< 0.20	ppbv		1	< 0.82	µg/m³	01/30/2013 5:34 AM
Methyl tert-butyl ether	< 0.20	ppbv		1	< 0.72	µg/m³	01/30/2013 5:34 AM
Methylene chloride	1.08	ppbv		1	4.19	µg/m³	01/30/2013 5:34 AM
Styrene	0.21	ppbv		1	0.89	µg/m³	01/30/2013 5:34 AM
Tetrachloroethene	73.2	ppbv	D	5	496	µg/m³	01/30/2013 11:40 AM
Toluene	1.44	ppbv		1	5.42	µg/m³	01/30/2013 5:34 AM
Trichloroethene	< 0.20	ppbv		1	< 1.07	µg/m³	01/30/2013 5:34 AM
Trichlorofluoromethane	0.39	ppbv		1	2.19	µg/m³	01/30/2013 5:34 AM
Vinyl acetate	< 0.20	ppbv		1	< 0.70	µg/m³	01/30/2013 5:34 AM
Vinyl chloride	< 0.20	ppbv		1	< 0.51	µg/m³	01/30/2013 5:34 AM
Xylenes (m&p)	5.55	ppbv		1	24.1	µg/m³	01/30/2013 5:34 AM
Xylenes (o)	2.93	ppbv		1	12.7	µg/m³	01/30/2013 5:34 AM
Surr:4 -Bromofluorobenzene	100	%REC	Limit	70-130	No M.W. Data		01/30/2013 5:34 AM

Qualifiers: E = Value above quantitation range

B = Found in Blank

D.F. = Dilution Factor D = Results for Dilution

H = Received/analyzed outside of analytical holding time

+ = ELAP / NELAC does not offer certification for this analyte

c = Calibration acceptability criteria exceeded for this analyte

r = Reporting limit below calibration range

J = Estimated value - below calibration range

s = Recovery exceeded control limits for this analyte

N = Indicates presumptive evidence of compound

Joann M. Slawin

Laboratory Manager

Date Reported :

Page 40 of 40

PCLUI003 S87