

Second Half 2015  
Semi-Annual Groundwater Monitoring Report  
Patchogue Former MGP Site  
NYSDEC Site No. 1-52-182  
Village of Patchogue, Suffolk County, New York

---

Prepared for  
National Grid USA  
Hicksville, New York  
March 2016

Second Half 2016  
Semi-Annual Groundwater Monitoring Report  
Patchogue Former MGP Site  
NYSDEC Site No. 1-52-182  
Village of Patchogue, Suffolk County, New York

---

Prepared for  
National Grid USA  
175 East Old Country Road  
Hicksville, New York 11801

March 2016

Project Number: 142128.720.005



Brown and Caldwell Associates  
2 Park Way, Suite 2A  
Upper Saddle River, New Jersey 07458

# Table of Contents

Appendices .....	i
List of Tables .....	ii
List of Figures .....	ii
1. Introduction.....	1-1
1.1 Background .....	1-1
2. Scope of Work.....	2-1
3. Results and Findings.....	3-1
3.1 Water Level Data.....	3-1
3.2 NAPL Gauging.....	3-1
3.3 Groundwater Quality Data .....	3-1
4. Summary and Conclusions .....	4-1
5. References.....	5-1

## Appendices

---

Appendix A	Field Sampling Sheets
Appendix B	Laboratory Data Report (CD-ROM)
Appendix C	Data Usability Summary Report (DUSR)
Appendix D	Electronic Data Deliverable (CD-ROM)

## List of Tables

---

Table 1. Water Elevation and NAPL Monitoring Data

Table 2. Groundwater Analysis Results

Table 3. Summary of Historical BTEX Concentrations

Table 4. Summary of Historical PAH Concentrations

## List of Figures

---

Figure 1. Water Table Elevation Contour Map – December 21, 2015



## Section 1

# Introduction

This Semi-Annual Groundwater Monitoring Report documents the implementation and summarizes the results of the groundwater monitoring activities conducted during the second half of 2015 at the Patchogue Former Manufactured Gas Plant (MGP) Site (hereinafter referred to as the “Site”). The groundwater monitoring activities included the performance of the water level measurements, non-aqueous phase liquid (NAPL) gauging and groundwater sampling activities.

The groundwater monitoring event and the preparation of this report are part of the routine groundwater monitoring program being conducted at the Site. This report has been prepared for submittal to the New York State Department of Environmental Conservation (NYSDEC) and includes the following:

- Description of the scope of the field activities, methods and procedures;
- Table summarizing the results of the water level measurements and the gauging of the monitoring wells and piezometers for the presence of NAPL (see Table 1);
- Table summarizing the analytical results for the groundwater samples obtained during the second half 2015 monitoring event including a comparison to the applicable groundwater quality criteria (see Table 2);
- Comparison of data from this monitoring period to data from historical monitoring events (Tables 3 and 4);
- Discussion of the results and findings from the groundwater monitoring data;
- A water table elevation contour map depicting the generalized direction of groundwater flow based on groundwater elevation data obtained from monitoring wells and piezometers, as well as surface water elevation data obtained from staff gauges installed in the Patchogue River (Figure 1);
- Field Sampling Data Sheets (Appendix A);
- Laboratory Data Report (Appendix B);
- Data Usability Summary Report (Appendix C); and
- Electronic Data Deliverable (Appendix D).

## 1.1 Background

Groundwater monitoring events have been conducted at the Site since March 2008 including two monitoring events conducted as part of the Remedial Investigation (RI) in March 2008 and July 2008. The groundwater monitoring event conducted in December 2015 is the subject of this report. The results of previous monitoring events have had fairly consistent concentrations and areal distribution of constituents in groundwater. Prior to the March 2010 groundwater monitoring event, site-related dissolved phase constituents [e.g., benzene, toluene, ethylbenzene, xylenes (BTEX) and polycyclic aromatic hydrocarbons (PAHs)] were detected at concentrations above the Class GA groundwater quality criteria [i.e., standards from the 6 NYCRR Part 703 Standards and guidance values from the Division of Water Technical and Operational Guidance Series (TOGS) 1.1.1] in a limited area near the center of the Site. These elevated concentrations did not extend downgradient to the wells closer to the Patchogue River. However, during the March 2010 and September 2010 monitoring events, detections of BTEX and PAH compounds were more widely distributed than during previous events. It was surmised that this change was the result of a temporary dewatering operation at a construction project conducted by

the Village of Patchogue at their wastewater treatment facility (WWTF) directly across the river from the Site. Based on the understanding of Site conditions, it was anticipated that when the dewatering operations had ceased, concentrations in groundwater would re-equilibrate with steady-state (i.e., pre-dewatering) groundwater flow conditions, and eventually return to levels similar to those prior to dewatering. To confirm this, National Grid increased the frequency of the groundwater monitoring from semi-annually to quarterly. The subsequent six quarterly monitoring events documented the return of groundwater flow and groundwater quality to conditions consistent with those prior to the dewatering operations.

Based on this finding, in a May 24, 2012 email, National Grid proposed to the NYSDEC that the frequency of groundwater sampling and analysis return to a semi-annual basis with the schedule for water level monitoring and NAPL gauging remaining on a quarterly basis. NYSDEC agreed with this proposal. Collection of water level data remained on a quarterly schedule to provide additional water level data from the piezometers that had been installed in the first half of 2012 in support of the Pre-Remedial Design Investigation. Subsequently, in an October 8, 2013 letter to the NYSDEC, National Grid proposed that the frequency of all components of the groundwater monitoring program (i.e., water level measurements, NAPL gauging and groundwater sampling) be returned to the semi-annual schedule. This proposal was made because the data from the water level measurements and NAPL gauging, including data from the newer piezometers, continued to indicate very consistent findings from quarter to quarter and confirmed the understanding of groundwater flow conditions and NAPL occurrence at the Site. The NYSDEC concurred with this proposal in a December 9, 2013 email.



## Section 2

# Scope of Work

Field activities for the second half 2015 groundwater monitoring were conducted by Brown and Caldwell Associates (BC) on December 21 and 22, 2015. The activities conducted during this monitoring event are described below. Locations of the monitoring wells, piezometers and staff gauges referenced below are depicted on Figure 1.

Prior to groundwater sampling, water level measurements and NAPL gauging was performed in the piezometers and monitoring wells associated with the Site. The level of the Patchogue River was measured at two staff gauges. Water level measurements and NAPL gauging were made using an electronic oil/water interface probe, and measured to the nearest 0.01 foot. Monitoring wells MW-8S and MW-8D, located on the adjacent off-site property to the east, were not accessible during this monitoring event. MW-8S and MW-8D were blocked by a large roll-off container placed by the property owner. At the locations where NAPL was detected using the oil/water interface probe, a 3-foot long threaded rod attached to a nylon mason line was lowered into the monitoring well or piezometer to confirm the presence of the NAPL. The threaded rod was lowered to the bottom of the monitoring well to measure the approximate thickness of the NAPL accumulation.

Groundwater sampling was conducted at ten monitoring wells following the water level and NAPL gauging activities. Monitoring wells MW-5 and MW-6 were not sampled during this monitoring period due to the presence of NAPL in these wells. The presence of NAPL in these wells is consistent with observations during previous gauging activities. The standard protocol is that if NAPL is observed in a well during gauging or sampling, groundwater samples are not submitted for laboratory analyses. Groundwater sampling was conducted using low flow purging and sampling techniques in accordance with the United States Environmental Protection Agency (USEPA) protocol (USEPA, July 1996, Revised January 2010). Samples were submitted to Aqua Pro-Tech Laboratories (APL) located in Fairfield, New Jersey. APL is certified (Certification No. 11634) through the New York State Department of Health (NYSDOH) Environmental Laboratory Approval Program (ELAP).

The groundwater samples were analyzed for: BTEX compounds and methyl tertiary-butyl ether (MTBE) using USEPA SW-846 Method 8260B; and PAHs using USEPA SW-846 Method 8270C. The groundwater samples were also analyzed in the field for pH, specific conductivity, temperature, turbidity, oxidation-reduction potential (ORP), and dissolved oxygen (see Appendix A for field data sheets).

The laboratory report from APL is provided in Appendix B. Laboratory analytical data were provided to BC in electronic form by APL and have been incorporated into the environmental database maintained by BC for the Site.

In addition to the samples described above, quality assurance/quality control (QA/QC) samples were also collected. The QA/QC samples included: trip blanks (one per cooler containing samples for BTEX and MTBE analysis), a field duplicate, and an equipment blank. Also, extra sample volume was collected from one location to provide for matrix spike/matrix spike duplicate (MS/MSD) analysis. The trip blanks were analyzed for BTEX and MTBE only. The other QA/QC samples were analyzed for BTEX, MTBE, and PAHs.

Laboratory results for the groundwater sample analyses were forwarded to a data validator, Environmental Data Services, Inc. of Williamsburg, Virginia, for review and preparation of a Data Usability Summary Report (DUSR). The DUSR presents a summary of data usability including a discussion of qualified data. The DUSR is provided as Appendix C. As described in the DUSR, the data were considered by the validator to be valid and usable. An Electronic Data Deliverable (EDD) of the validated analytical data, prepared in accordance with NYSDEC requirements, is provided in Appendix D.





## Section 3

# Results and Findings

### 3.1 Water Level Data

Table 1 provides the water level data and calculated water elevations from the December 21, 2015 measurements. Figure 1 illustrates the elevation contours of the water table based on these data. The contours were developed using water level elevation data from the shallow monitoring wells and shallow piezometers at the Site (i.e., those with screens that straddle, or are just below, the water table) and the two surface water staff gauges in the Patchogue River. The water level elevations used for contouring are representative of water table elevations at the Site. The groundwater elevation (hydraulic head) values for the wells and piezometers screened in deeper intervals are also depicted for reference on Figure 1. The water table is relatively shallow and is typically positioned in the fill that overlies the native alluvial deposits and outwash deposits. The water table contours indicate that lateral groundwater flow is from northwest to southeast across the Site toward the Patchogue River. Comparisons of the groundwater elevations in the monitoring wells to the river elevation, as measured at staff gauge locations, demonstrate that groundwater elevations are higher than the river level indicating that groundwater is discharging to the Patchogue River. The upward vertical hydraulic gradient measured at well pairs adjacent to the river (well pairs MW-4S and MW-4D, and MW-9S and MW-9D) is indicative of a discharge area and provides further support to the conclusion that groundwater is discharging to the Patchogue River. The general configuration of the water table contours, developed using the December 21, 2015 data, and the interpreted groundwater flow patterns are consistent with those from previous rounds of water level measurements with one exception. The exception occurred during the March 2010 sampling event when the large-scale dewatering activities were being conducted on the WWTF site located east of the Site on the opposite side of the river (see discussion in Section 1.1). Operation of this dewatering system temporarily altered groundwater flow patterns and levels at the Site (see “Groundwater Monitoring Report, Second Semiannual 2010 Sampling Event” [GEI, November 2010]).

### 3.2 NAPL Gauging

Table 1 presents the results of the NAPL gauging conducted in the monitoring wells and piezometers associated with the Site during the December 2015 groundwater monitoring event. NAPL was identified in the following wells during the gauging activities:

- **MW-5:** NAPL with moth ball-like odor on the lower 0.45 feet of the threaded rod.
- **MW-6:** Sporadic NAPL blebs on the 3-foot threaded rod.

NAPL had been observed in MW-5 and MW-6 in previous gauging events.

### 3.3 Groundwater Quality Data

Table 2 provides the results of the laboratory analyses of the groundwater samples collected during the December 2015 monitoring event and a comparison of the data to the New York State Class GA groundwater quality criteria. Comparisons of total BTEX and total PAH concentrations from this sampling event to previous sampling events are provided as Tables 3 and 4, respectively.

As previously stated, NAPL was identified in two of the 12 monitoring wells (MW-5 and MW-6) associated with the Site. These two wells are located in the central part of the Site in the area of former MGP

operations (refer to Figure 1). As discussed in Section 2, because they contained NAPL, groundwater samples were not collected from MW-5 and MW-6. Groundwater samples were collected from the remaining ten monitoring wells and submitted to the laboratory for analysis.

In general, the constituent concentrations in groundwater samples collected during the December 2015 monitoring event were consistent with those measured during previous monitoring events. BTEX compounds, MTBE and PAH compounds were either not detected or were detected at concentrations below the Class GA groundwater quality criteria at all ten monitoring wells that sampled during the December 2015 monitoring event.



## Section 4

# Summary and Conclusions

As noted in previous monitoring events, NAPL was identified in two of the monitoring wells, MW-5 and MW-6 during the December 2015 event. MW-5 and MW-6 are located in the center of the Site in the area of former MGP operations where NAPL has been identified in the soil.

BTEX compounds, MTBE and PAH compounds were either not detected or were detected at concentrations below the Class GA groundwater quality criteria at all ten monitoring wells that sampled during the December 2015 monitoring event. Monitoring will continue in order to confirm these conditions.

## Section 5

# References

Brown and Caldwell Associates, December 2012, Construction Completion Report Utility Corridor Work Plan Implementation, Patchogue Former MGP Site, Village of Patchogue, Suffolk County, New York, Site ID No. 1-52-182.

GEI, November 2010. Groundwater Monitoring Report, Second Semiannual 2010 Sampling Event, Patchogue Former MGP Site, Town of Brookhaven, Suffolk County, Long Island, New York, Site ID No. 1-52-182.

USEPA, July 1996; Revised January 2010. Low-Stress (low flow) Purging and Sampling Procedure for the Collection of Groundwater Samples from Monitoring Wells.

## Tables

---



**TABLE 1**  
**WATER ELEVATIONS AND NAPL MONITORING DATA**  
**SECOND HALF 2015**  
**PATCHOGUE FORMER MGP SITE**  
**PATCHOGUE, NEW YORK**

<u>12/21/2015</u>						
Well ID	Top of Casing Elevation <sup>(a)</sup> (ft., NAVD)	Depth to Water (ft., BTOC)	Water Elevation (ft., NAVD)	Depth to NAPL (ft., BTOC)	Total Depth of Well (ft., BGS)	Remarks
MW-1	11.47	5.82	5.65	NI	15.19	
MW-3	5.56	2.22	3.34	NI	10.4	
MW-4S	7.97	4.98	2.99	NI	12.23	
MW-4D	7.79	4.75	3.04	NI	26.65	
MW-5	8.66	4.58	4.08	10.05	10.5	NAPL on lower 0.45' of threaded rod.
MW-6	5.03	0.44	4.59	NI	18.4	Sporadic NAPL blebs on 3-foot threaded rod. Used threaded rod due to historical NAPL Detections at this well.
MW-7S	8.45	4.53	3.92	NI	12.46	
MW-7D	8.31	4.33	3.98	NI	28.2	
MW-8S	5.08	--	--	--	--	Access to monitoring well blocked by roll-off container.
MW-8D	4.98	--	--	--	--	Access to monitoring well blocked by roll-off container.
MW-9S	4.47	1.42	3.05	NI	10.22	
MW-9D	4.66	1.37	3.29	NI	22.9	
SG-1	5.23	3.71	1.52	NI	--	
SG-2	5.17	3.41	1.76	NI	--	
PZ-1A	8.05	3.63	4.42	NI	10.03	
PZ-1B	8.91	4.54	4.37	NI	22.49	
PZ-2A	8.77	4.41	4.36	NI	8.05	
PZ-2B	8.29	3.88	4.41	NI	18	
PZ-3A	8.78	4.83	3.95	3.65	8.86	Slight moth ball-like odor on oil/water interface probe. Black silt with sheen on lower 0.3' of threaded rod.
PZ-3B	8.9	5.13	3.77	NI	21.21	Slight fuel-like odor on oil/water interface probe.
PZ-4A	4.79	1.64	3.15	NI	4.88	

**Notes:**

NAVD - North American Vertical Datum

BGS - Below Ground Surface

BTOC - Below Top of Casing

NAPL - Non-aqueous phase liquid

NI - NAPL Not Indicated by Oil/Water Interface Probe

(a) - Monitoring wells resurveyed on 7/3/12 following utility corridor construction activities. See "Construction Completion Report, Utility Corridor Work Plan Implementation (Brown and Caldwell, December 2012)". Above ground casing at MW-5 was lowered during utility corridor construction activities and was resurveyed in September 2015.

(--) - Not Measured

**TABLE 2**  
**GROUNDWATER ANALYSIS RESULTS**  
**PATCHOGUE FORMER MGP SITE**  
**PATCHOGUE, NEW YORK**

Constituent	Class GA Groundwater Criteria		Loc ID	Date	MW-1	MW-3	MW-4S	MW-4D	MW-7S
	TOGS 1.1.1	NYS Part 703							
Guidance	Standard	Units							
<b><i>Volatile Organic Compounds (VOCs)</i></b>									
<b>BTEX</b>									
Benzene	NE	1	µg/L		0.129 U	0.129 U	0.129 U	0.129 U	0.549 J
Ethylbenzene	NE	5	µg/L		0.244 U	0.244 U	0.244 U	0.244 U	0.244 U
m&p-Xylenes	NE	5	µg/L		0.461 U	0.461 U	0.461 U	0.461 U	0.461 U
o-Xylene	NE	5	µg/L		0.244 U	0.244 U	0.244 U	0.244 U	0.244 U
Toluene	NE	5	µg/L		0.205 U	0.205 U	0.205 U	0.205 U	0.205 U
Xylenes, Total	NE	NE	µg/L		0.705 U	0.705 U	0.705 U	0.705 U	0.705 U
Total BTEX	NE	NE	µg/L		ND	ND	ND	ND	0.549
<b>Other VOCs</b>									
Methyl Tertiary Butyl Ether	10	NE	µg/L		0.596 U	0.596 U	0.596 U	0.596 U	0.596 U
Tert-Butyl alcohol					8.17 U	8.17 U	8.17 U	8.17 U	8.17 U
<b><i>Semi-Volatile Organic Compounds (SVOCs)</i></b>									
<b>Polycyclic Aromatic Hydrocarbons (PAHs)</b>									
Acenaphthene	20	NE	µg/L		0.652 U	0.652 U	0.626 U	0.639 U	0.632 U
Acenaphthylene	NE	NE	µg/L		0.288 U	0.288 U	0.277 U	0.282 U	0.279 U
Anthracene	50	NE	µg/L		0.339 U	0.339 U	0.326 U	0.332 U	0.329 U
Benzo(a)anthracene	0.002	NE	µg/L		0.502 U	0.502 U	0.482 U	0.492 U	0.487 U
Benzo(a)pyrene	NE	0	µg/L		0.373 U	0.373 U	0.358 U	0.366 U	0.362 U
Benzo(b)fluoranthene	0.002	NE	µg/L		0.45 U	0.45 U	0.432 U	0.441 U	0.436 U
Benzo(g,h,i)perylene	NE	NE	µg/L		0.527 U	0.527 U	0.505 U	0.516 U	0.51 U
Benzo(k)fluoranthene	0.002	NE	µg/L		0.461 U	0.461 U	0.442 U	0.451 U	0.446 U
Chrysene	0.002	NE	µg/L		0.459 U	0.459 U	0.44 U	0.449 U	0.444 U
Dibenzo(a,h)anthracene	NE	NE	µg/L		0.427 U	0.427 U	0.409 U	0.418 U	0.413 U
Fluoranthene	50	NE	µg/L		0.32 U	0.32 U	0.307 U	0.314 U	0.31 U
Fluorene	50	NE	µg/L		0.19 U	0.19 U	0.183 U	0.186 U	0.185 U
Indeno(1,2,3-cd)pyrene	0.002	NE	µg/L		0.456 U	0.456 U	0.438 U	0.447 U	0.442 U

**TABLE 2**  
**GROUNDWATER ANALYSIS RESULTS**  
**PATCHOGUE FORMER MGP SITE**  
**PATCHOGUE, NEW YORK**

Constituent	Class GA Groundwater Criteria		Loc ID Date	MW-1	MW-3	MW-4S	MW-4D	MW-7S
	TOGS 1.1.1 Guidance	NYS Part 703 Standard		Units	12/21/2015	12/21/2015	12/21/2015	12/21/2015
Naphthalene	10	NE	µg/L	0.577 U	0.577 U	0.553 U	0.565 U	0.935 J
Phenanthrene	50	NE	µg/L	0.491 U	0.491 U	0.471 U	0.481 U	0.476 U
Pyrene	50	NE	µg/L	0.395 U	0.395 U	0.379 U	0.386 U	0.382 U
Total PAHs	NE	NE	µg/L	ND	ND	ND	ND	0.935



**TABLE 2**  
**GROUNDWATER ANALYSIS RESULTS**  
**PATCHOGUE FORMER MGP SITE**  
**PATCHOGUE, NEW YORK**

Constituent	Class GA Groundwater Criteria		Units	Loc ID Date	MW-7D	MW-8S	MW-8S DUP	MW-8D	MW-9S	MW-9D
	TOGS 1.1.1 Guidance	NYS Part 703 Standard			12/21/2015	12/22/2015	12/22/2015	12/22/2015	12/22/2015	6/22/2015
<b><i>Volatile Organic Compounds (VOCs)</i></b>										
<b>BTEX</b>										
Benzene	NE	1	µg/L		0.129 U	0.129 U	0.129 U	0.129 U	0.129 U	0.129 U
Ethylbenzene	NE	5	µg/L		0.244 U	0.244 U	0.244 U	0.244 U	0.244 U	0.244 U
m&p-Xylenes	NE	5	µg/L		0.461 U	0.461 U	0.461 U	0.461 U	0.461 U	0.461 U
o-Xylene	NE	5	µg/L		0.244 U	0.244 U	0.244 U	0.244 U	0.244 U	0.244 U
Toluene	NE	5	µg/L		0.205 U	0.205 U	0.205 U	0.205 U	0.205 U	0.205 U
Xylenes, Total	NE	NE	µg/L		0.705 U	0.705 U	0.705 U	0.705 U	0.705 U	0.705 U
Total BTEX	NE	NE	µg/L		ND	ND	ND	ND	ND	ND
<b>Other VOCs</b>										
Methyl Tertiary Butyl Ether	10	NE	µg/L		0.596 U	0.596 U	0.596 U	0.596 U	0.596 U	0.596 U
Tert-Butyl alcohol					8.17 U	8.17 U	8.17 U	8.17 U	8.17 U	8.17 U
<b><i>Semi-Volatile Organic Compounds (SVOCs)</i></b>										
<b>Polycyclic Aromatic Hydrocarbons (PAHs)</b>										
Acenaphthene	20	NE	µg/L		0.613 U	0.639 U	0.613 U	0.613 U	2.6	0.632 U
Acenaphthylene	NE	NE	µg/L		0.271 U	0.282 U	0.271 U	0.271 U	0.311 U	0.279 U
Anthracene	50	NE	µg/L		0.319 U	0.332 U	0.319 U	0.319 U	0.367 U	0.329 U
Benzo(a)anthracene	0.002	NE	µg/L		0.472 U	0.492 U	0.472 U	0.472 U	0.543 U	0.487 U
Benzo(a)pyrene	NE	0	µg/L		0.351 U	0.366 U	0.351 U	0.351 U	0.403 U	0.362 U
Benzo(b)fluoranthene	0.002	NE	µg/L		0.423 U	0.441 U	0.423 U	0.423 U	0.486 U	0.436 U
Benzo(g,h,i)perylene	NE	NE	µg/L		0.495 U	0.516 U	0.495 U	0.495 U	0.569 U	0.51 U
Benzo(k)fluoranthene	0.002	NE	µg/L		0.433 U	0.451 U	0.433 U	0.433 U	0.498 U	0.446 U
Chrysene	0.002	NE	µg/L		0.431 U	0.449 U	0.431 U	0.431 U	0.495 U	0.444 U
Dibenzo(a,h)anthracene	NE	NE	µg/L		0.401 U	0.418 U	0.401 U	0.401 U	0.461 U	0.413 U
Fluoranthene	50	NE	µg/L		0.301 U	0.314 U	0.301 U	0.301 U	0.74 J	0.31 U
Fluorene	50	NE	µg/L		0.179 U	0.186 U	0.179 U	0.179 U	0.206 U	0.185 U
Indeno(1,2,3-cd)pyrene	0.002	NE	µg/L		0.429 U	0.447 U	0.429 U	0.429 U	0.493 U	0.442 U

**TABLE 2**  
**GROUNDWATER ANALYSIS RESULTS**  
**PATCHOGUE FORMER MGP SITE**  
**PATCHOGUE, NEW YORK**

Constituent	Class GA Groundwater Criteria		Units	Loc ID Date	MW-7D	MW-8S	MW-8S DUP	MW-8D	MW-9S	MW-9D
	TOGS 1.1.1 Guidance	NYS Part 703 Standard			12/21/2015	12/22/2015	12/22/2015	12/22/2015	12/22/2015	6/22/2015
Naphthalene	10	NE	µg/L		0.542 U	0.565 U	0.542 U	0.542 U	0.623 U	0.559 U
Phenanthrene	50	NE	µg/L		0.462 U	0.481 U	0.462 U	0.462 U	0.531 U	0.476 U
Pyrene	50	NE	µg/L		0.371 U	0.386 U	0.371 U	0.371 U	0.584 J	0.382 U
Total PAHs	NE	NE	µg/L		ND	ND	ND	ND	3.924	ND

**Notes:**

J - Estimated concentration. The result is below the practical quantitation limit but above the method detection limit.

U - The analyte was analyzed for, but was not detected.

µg/L - micrograms per liter

ND - Not detected.

NE - Not established.

NS- Not sampled

Boxed concentrations are above New York State Class GA Groundwater Quality Criteria (Standards or Guidance values).

**TABLE 3**  
**SUMMARY OF HISTORICAL BTEX CONCENTRATIONS**  
**PATCHOGUE FORMER MGP SITE**  
**PATCHOGUE, NEW YORK**

Sampling Date	Total BTEX Concentrations (µg/L) <sup>(a)</sup>														
	Monitoring Well														
	MW-1	MW-2S	MW-2D	MW-3	MW-4S	MW-4D	MW-5	MW-6	MW-7S	MW-7D	MW-8S	MW-8D	MW-9S	MW-9D	PZ-4A
Mar-08	0	0	0	0	3.4	0	1016	57	NS	NS	NS	NS	NS	NS	NI
Jul-08	NS	0	0	0	0	0	678	0	0	0	0	0	0	0	NI
Mar-09	0	0	0	0	0	0	975	0	0	1	0	0	0	0	NI
Sep-09	0	0	0	0	0	0	1257	1	0	0	0	0	0	0	NI
Mar-10	0	0	0	0	0	0	637	2	0	9	0	0	0	0	NI
Sep-10	0	0	0	0	0	0	NS	0	0	0	0	0	27	0	NI
Jan-11	1.7	0	0	0	0	0	NS	NS	0	0	0	0	1	0	NI
Apr-11	0	0	0	0	0	0	NS	NS	0	0	0	0	0	0	NI
Aug-11	0	0	0	0	0	0	NS	NS	0	0	0	0	0	0	NI
Nov-11	0	0	0	0	0	0	NS	NS	0	0	0	0	0	0	NI
Feb-12	0	0	0	0	0	0	NS	NS	0	0	0	0	0	0	NI
May-12	0	0	0	0	0	0	NS	NS	0	0	0	0	0	0	NI
Nov-12	0	-- (b)	-- (a)	0	12	0	NS	NS	1	0	0	0	NS	NS	NI
Jun-13	0	-- (b)	-- (b)	0	0.8	0	NS	NS	0.7	0	0	0	0	NS	NI
Dec-13	0	-- (b)	-- (b)	NS	0	0	NS	NS	0.8	0	0	0	NS	NS	NI
Jun-14	0	-- (b)	-- (b)	0	0	0	NS	NS	0.8	0	0	0	NS	NS	0
Dec-14	0	-- (b)	-- (b)	0	0	0	NS	NS	1.3	0	0	0	0	0	NS
Jun-15	0	-- (b)	-- (b)	0	0	0	NS	NS	0	0	0	0	0	0	NS
Dec-15	0	-- (b)	-- (b)	0	0	0	NS	NS	0.549	0	0	0	0	0	NS
Minimum	0.0	0.0	0.0	0.0	0.0	0.0	637.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Maximum	1.7	0.0	0.0	0.0	12.0	0.0	1257.0	57.3	1.3	9.0	0.0	0.0	27.0	0.0	0.0
Mean	0.1	0.0	0.0	0.0	0.9	0.0	912.6	10.1	0.3	0.6	0.0	0.0	1.9	0.0	0.0

**Notes:**

BTEX - Benzene, toluene, ethylbenzene and xylene isomers

µg/L - micrograms per liter

NS - Not sampled.

NI - Piezometer not installed at time of sampling.

(a) - To calculate Total BTEX concentration, a value of zero is used for non-detect values.

(b) - Monitoring well was decommissioned on 6/4/12 as part of the Utility Corridor Construction activities. See "Construction Completion Report, Utility Corridor Work Plan Implementation (Brown and Caldwell, December 2012)".

**TABLE 4  
SUMMARY OF HISTORICAL PAH CONCENTRATIONS  
PATCHOGUE FORMER MGP SITE  
PATCHOGUE, NEW YORK**

Sampling Date	Total PAH Concentrations (µg/L) <sup>(a)</sup>														
	Monitoring Well														
	MW-1	MW-2S	MW-2D	MW-3	MW-4S	MW-4D	MW-5	MW-6	MW-7S	MW-7D	MW-8S	MW-8D	MW-9S	MW-9D	PZ-4A
Mar-08	0	0	0	0.76	0.6	4.3	1774	214	NS	NS	NS	NS	NS	NS	NI
Jul-08	NS	0.7	0	0	8.0	0	1799	154	0	0.47	0	0	12.0	0	NI
Mar-09	0	0	0	0	0	0	2730	0	0	0	0	0	0	0	NI
Sep-09	0	0	0	0	0	0	3373	1	0	0	0	0	0	0	NI
Mar-10	0	0	0	0	0	39	2390	17	0	0	22	0	2	0	NI
Sep-10	0	0	0	128	0	6	NS	14	0	0	11	0	396	0	NI
Jan-11	22	0	0	17	0	12	NS	NS	0	0	6	0	42	5	NI
Apr-11	0	0	0	6	0	20	NS	NS	0	0	0	0	9	0	NI
Aug-11	0	0	0.1	14	0.1	0	NS	NS	0	0	0.4	0	16	1.2	NI
Nov-11	0	0	0.2	10	0.4	0	NS	NS	0	0	0.8	0.2	8	3.4	NI
Feb-12	0.2	0	0	6	0.6	4	NS	NS	0.1	0	0.6	0	5	2.9	NI
May-12	0.4	0.1	0.6	5	0	5.8	NS	NS	0.1	0.3	1	0	6	2.8	NI
Nov-12	0.1	-- (b)	-- (b)	5.6	0.4	11.7	NS	NS	2.5	2.6	0.8	1.2	NS	NS	NI
Jun-13	0.8	-- (b)	-- (b)	NS	0.3	3.7	NS	NS	1.3	0.4	0.4	0.6	2	NS	NI
Dec-13	0	-- (b)	-- (b)	NS	0	2.5	NS	NS	0.8	0.4	0.3	0	NS	NS	NI
Jun-14	0	-- (b)	-- (b)	2.2	0.9	0	NS	NS	0.8	0.3	0.2	0	NS	NS	0.3
Dec-14	0.1	-- (b)	-- (b)	1.2	0.4	0	NS	NS	3	0	0.1	0	21.4	0.3	NS
Jun-15	0	-- (b)	-- (b)	1.1	0.9	0	NS	NS	0.9	0	0.3	0	10.4	0.3	NS
Dec-15	0	-- (b)	-- (b)	0	0	0	NS	NS	0.935	0	0	0	3.924	0	NS
Min	0.0	0.0	0.0	0.0	0.0	0.0	1773.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3
Max	22.0	0.7	0.6	128.0	8.0	39.0	3373.0	214.2	3.0	2.6	22.0	1.2	396.0	5.0	0.3
Mean	1.3	0.1	0.1	11.6	0.7	5.7	2413.1	66.7	0.6	0.2	2.4	0.1	35.6	1.1	0.3

**Notes:**

PAH - Polycyclic aromatic hydrocarbons

µg/L - micrograms per liter

NS - Not sampled.

NI - Piezometer not installed at time of sampling.

(a) - To calculate Total PAH concentration, a value of zero is used for non-detect values.


(b) - Monitoring well was decommissioned on 6/4/12 as part of the Utility Corridor Construction activities. See "Construction Completion Report, Utility Corridor Work Plan Implementation (Brown and Caldwell, December 2012)".




## Figures

---





- LEGEND:**
- — — — — PROPERTY LINE
  - x - x - FENCE
  - 10 — TOPOGRAPHIC CONTOUR
  - ⊕ MONITORING WELL LOCATION
  - PIEZOMETER LOCATION
  - STAFF GAUGE LOCATION
  - 4 — WATER TABLE CONTOUR (FT., NAVD)  
DASHED WHERE INFERRED
  - (5.66) WATER ELEVATION (FT., NAVD) FOR SHALLOW  
MONITORING WELL, PIEZOMETER OR STAFF GAUGE
  - (3.72) GROUNDWATER HEAD ELEVATION (FT., NAVD) FOR WELLS  
OR PIEZOMETERS SCREENED BELOW WATER TABLE  
(FROM DEEP MONITORING WELL OR PIEZOMETER)
  - (NM) NOT MEASURED
  - ➔ GENERALIZED DIRECTION OF GROUNDWATER FLOW



SCALE: 1" = 50'  
142128  
DATE: February 24, 2016

NATIONAL GRID  
PATCHOGUE FORMER MGP SITE  
VILLAGE OF PATCHOGUE, NEW YORK

WATER TABLE ELEVATION CONTOUR MAP  
DECEMBER 21, 2015

## Appendix A: Field Sampling Data Sheets

---





Upper Saddle River, NJ Office

### LOW-FLOW GROUNDWATER SAMPLING FIELD DATA

Well Number: MW-1  
Sample I.D.: MW-1-20151221 (from well no.)

Project: Ng Parkhogue  
Personnel: TMB TJP

Date: 12/21/15 Time: 1124  
Weather: cloudy Air Temp.: 50°

#### WELL DATA:

Casing Diameter: 6"  Stainless Steel  Steel  PVC  Teflon®  Other: \_\_\_\_\_  
 Intake Diameter: 2"  Stainless Steel  Galv. Steel  PVC  Teflon®  Open rock  
 DEPTH TO: Static Water Level: 5.82 ft Bottom of Well: 15.1 ft  
 DATUM:  Top of Protective Casing  Top of Well Casing  Other: \_\_\_\_\_  
 CONDITION: Is Well clearly labeled?  Yes  No Is well clean to bottom?  Yes  No  
 Is Prot. Casing/Surface Mount in Good Cond.? (not bent or corroded)  Yes  No  
 Does Weep Hole adequately drain well head?  Yes  No  
 Is Concrete Pad Intact? (not cracked or frost heaved)  Yes  No  
 Is Padlock Functional?  Yes  No  NA Is Inner Casing Intact?  Yes  No  
 Is Inner Casing Properly Capped and Vented?  Yes  No  
 VOLUME OF WATER: Standing in well: NA To be purged: NA

#### PURGE DATA:

METHOD:  Bailer, Size: \_\_\_\_\_  Bladder Pump  2" Submersible Pump  4" Submersible Pump  
 Centrifugal Pump  Peristaltic Pump  Inertial Lift Pump  Other: \_\_\_\_\_  
 MATERIALS: Pump/Bailer:  Teflon®  Stainless Steel  PVC  Other: \_\_\_\_\_  
 Tubing/Rope:  Teflon®  Polyethylene  Polypropylene  Other: \_\_\_\_\_  
 Pumping Rate: 200 ml/min Elapsed Time: 30 min Volume Pumped: 2 gal  
 Was well Evacuated?  Yes  No Number of Well Volumes Removed: NA  
 PURGING EQUIPMENT:  Dedicated  Prepared Off-Site  Field Cleaned

#### SAMPLING DATA:

METHOD:  Bailer, Size: \_\_\_\_\_  Bladder Pump  2" Submersible Pump  4" Submersible Pump  
 Syringe Sampler  Peristaltic Pump  Inertial Lift Pump  Other: \_\_\_\_\_  
 MATERIALS: Pump/Bailer:  Teflon®  Stainless Steel  
 Tubing/Rope:  Teflon®  Polyethylene  
 SAMPLING EQUIPMENT:  Dedicated  Prepared Off-Site  Field Cleaned  
 Metals samples field filtered?  Yes  No Method: \_\_\_\_\_  
 APPEARANCE:  Clear  Turbid  Color: \_\_\_\_\_  Contains Immiscible Liquid  
 FIELD DETERMINATIONS: See attached form for field parameter data.

DUP:  No  Yes Name: \_\_\_\_\_  
 MS/MSD:  No  Yes Name: MW-1-20151221-MS/MSD

I certify that this sample was collected and handled in accordance with applicable regulatory and project protocols

Signature: [Signature] Date: 12/21/15

2645 Rt 112  
Woodford NJ 07763



## NJ FIELD LAB ID# 02023 LOW-FLOW GROUNDWATER FIELD DATA SHEET

Project Name: <u>Ná Patohoguel</u>	Project Number: <u>142128</u>
Client: <u>National Grid</u>	Date: <u>12/21/15</u>
Personnel: <u>TMB / TJP</u>	Well ID: <u>MW-1</u>
Purge/Sample Depth: <u>~12</u>	Sample ID: <u>MW-1-20151221</u>

Actual Time	Certified Parameters						DTW (ft)	Pumping Rate (mL/min)	Comments
	pH	Temp (°C)	Cond (µmhos)	DO (mg/L)	Turbidity (NTU)	ORP (mV)			
1124	6.83	13.77	1.31	2.25	409	127			
1127	6.94	14.22	1.49	1.36	549	97			
1130	7.09	14.50	1.35	0.95	530	48		emptied Horiba	
1133	7.10	14.70	1.34	0.48	444	35			
1136	7.13	14.74	1.34	0.18	297	23			
1139	7.13	14.79	1.34	0.07	90.2	12			
1142	7.15	14.87	1.35	0.00	88.9	8			
1145	7.15	14.89	1.35	0.00	83.9	7	5.88		
1148	7.15	14.96	1.35	0.00	75.0	6			
1151	7.14	14.98	1.35	0.00	64.0	3			
1154	7.11	15.12	1.40	0.00	85.3	3			
1157	Sample MW-1-20151221								

**Certified Sample Information:**

Time of Sample: 1157

Analyst Signature: [Signature]

**Instrument Data:**

Manufacturer/Model: Horiba U-52

Serial No. Unit: \_\_\_\_\_

Serial No. Handheld: \_\_\_\_\_

Calibration Date/Time: \_\_\_\_\_

Are low-flow parameters subject to field lab certification?  Yes  No (not required for CERCLA sites or sites outside of NJ)

If yes, low-flow data must be accompanied by a completed "Field Calibration Record, Horiba U-52" form or equivalent.

**LOW-FLOW GROUNDWATER SAMPLING FIELD DATA**

Well Number: mw-3  
Sample I.D.: mw-3-20151221 (if different from well no.)

Project: Patchogue  
Personnel: TOP/TMB

Date: 12/21/15 Time: 1222  
Weather: Cloudy Air Temp.: 50°

**WELL DATA:**

Casing Diameter: 8"  Stainless Steel  Steel  PVC  Teflon®  Other: \_\_\_\_\_  
Intake Diameter: 2"  Stainless Steel  Galv. Steel  PVC  Teflon®  Open rock  
DEPTH TO: Static Water Level: 2.22 ft Bottom of Well: 10.40 ft  
DATUM:  Top of Protective Casing  Top of Well Casing  Other:  
CONDITION: Is Well clearly labeled?  Yes  No Is well clean to bottom?  Yes  No  
Is Prot. Casing/Surface Mount in Good Cond. (not bent or corroded)?  Yes  No  
Does Weep Hole adequately drain well head?  Yes  No  
Is Concrete Pad Intact? (not cracked or frost heaved)  Yes  No  
Is Padlock Functional?  Yes  No  NA Is Inner Casing Intact?  Yes  No  
Is Inner Casing Properly Capped and Vented?  Yes  No

VOLUME OF WATER: Standing in well: NA To be purged: NA

**PURGE DATA:**

METHOD:  Bailor, Size: \_\_\_\_\_  Bladder Pump  2" Submersible Pump  4" Submersible Pump  
 Centrifugal Pump  Peristaltic Pump  Inertial Lift Pump  Other: \_\_\_\_\_

MATERIALS: Pump/Bailor:  Teflon®  Stainless Steel  PVC  Other: \_\_\_\_\_  
Tubing/Rope:  Teflon®  Polyethylene  Polypropylene  Other: \_\_\_\_\_

Pumping Rate: 300 Elapsed Time: 30min Volume Pumped: 2.75 gal  
Was well Evacuated?  Yes  No Number of Well Volumes Removed: NA

PURGING EQUIPMENT:  Dedicated  Prepared Off-Site  Field Cleaned

**SAMPLING DATA:**

METHOD:  Bailor, Size: \_\_\_\_\_  Bladder Pump  2" Submersible Pump  4" Submersible Pump  
 Syringe Sampler  Peristaltic Pump  Inertial Lift Pump  Other: \_\_\_\_\_

MATERIALS: Pump/Bailor:  Teflon®  Stainless Steel  PVC  Other: \_\_\_\_\_  
Tubing/Rope:  Teflon®  Polyethylene  Polypropylene  Other: \_\_\_\_\_

SAMPLING EQUIPMENT:  Dedicated  Prepared Off-Site  Field Cleaned

Metals samples field filtered?  Yes  No Method: \_\_\_\_\_

APPEARANCE:  Clear  Turbid  Color: \_\_\_\_\_  Contains Immiscible Liquid

FIELD DETERMINATIONS See attached form for field parameter data.

DUP:  No  Yes Name: \_\_\_\_\_  
MS/MSD:  No  Yes Name: \_\_\_\_\_

I certify that this sample was collected and handled in accordance with applicable regulatory and project protocols

Signature: [Signature] Date: 12/21/15



2 Park Way, Upper Saddle River, NJ 07458  
 Phone (201) 574-4700 Fax (201) 236 1607

**NJ FIELD LAB ID# 02023**  
**LOW-FLOW GROUNDWATER FIELD DATA SHEET**

Project Name: <u>Niagara Patchogue</u>	Project Number: <u>142128</u>
Client: <u>National Grid</u>	Date: <u>12/21/15</u>
Personnel: <u>THB TJP</u>	Well ID: <u>MW-3</u>
Purge/Sample Depth: <u>~ 8'</u>	Sample ID: <u>MW-3-20151221</u>

Actual Time	Certified Parameters					ORP (mV)	DTW (ft)	Pumping Rate (mL/min)	Comments
	pH	Temp (°C)	Cond (µmS/cm)	DO (mg/L)	Turbidity (NTU)				
1222	7.44	13.13	0.865	0.33	50.8	37	2.3		
1225	7.27	13.11	0.844	0.00	53.4	31			
1228	7.20	13.19	0.825	0.00	41.1	22			
1231	7.15	13.24	0.811	0.00	32.4	20			
1234	7.11	13.31	0.802	0.00	20.3	22			
1237	7.09	13.33	0.802	0.00	14.3	24	2.30		
1240	7.09	13.34	0.801	0.00	11.7	25			
1243	7.09	13.34	0.801	0.00	7.5	27			
1246	7.09	13.34	0.802	0.00	6.0	29			
1249	7.09	13.35	0.802	0.00	4.7	30			
1252	7.08	13.35	0.801	0.00	3.5	31			
1255	Sample	MW-3-20151221							

**Certified Sample Information:**  
 Time of Sample 1255 Analyst Signature [Signature]

**Instrument Data:**  
 Manufacturer/Model Horiba U-59 Serial No. Unit \_\_\_\_\_ Serial No. Handheld \_\_\_\_\_  
 Calibration Date/Time \_\_\_\_\_

Are low-flow parameters subject to field lab certification?  Yes  No (not required for CERCLA sites or sites outside of NJ)  
 If yes, low-flow data must be accompanied by a completed "Field Calibration Record, Horiba U-52" form or equivalent.



**LOW-FLOW GROUNDWATER SAMPLING FIELD DATA**

Well Number: MW-4D

Sample I.D.: \_\_\_\_\_ (if different from well no.)

Project: NA Patchogue  
Personnel: msb/ltp

Date: 12/21/15 Time: 1430  
Weather: cloudy Air Temp.: 50°

**WELL DATA:**

Casing Diameter: 6"  Stainless Steel  Steel  PVC  Teflon®  Other: \_\_\_\_\_  
Intake Diameter: 2"  Stainless Steel  Galv. Steel  PVC  Teflon®  Open rock  
DEPTH TO: Static Water Level: 4.75 ft Bottom of Well: 26.45 ft  
DATUM:  Top of Protective Casing  Top of Well Casing  Other: \_\_\_\_\_  
CONDITION: Is Well clearly labeled?  Yes  No Is well clean to bottom?  Yes  No  
Is Prot. Casing/Surface Mount in Good Cond.? (not bent or corroded)  Yes  No  
Does Weep Hole adequately drain well head?  Yes  No  
Is Concrete Pad Intact? (not cracked or frost heaved)  Yes  No  
Is Padlock Functional?  Yes  No  NA Is Inner Casing Intact?  Yes  No  
Is Inner Casing Properly Capped and Vented?  Yes  No

VOLUME OF WATER: Standing in well: NA To be purged: NA

**PURGE DATA:**

METHOD:  Bailer, Size: \_\_\_\_\_  Bladder Pump  2" Submersible Pump  4" Submersible Pump  
 Centrifugal Pump  Peristaltic Pump  Inertial Lift Pump  Other: \_\_\_\_\_

MATERIALS: Pump/Bailer:  Teflon®  Stainless Steel  PVC  Other: \_\_\_\_\_  
Tubing/Rope:  Teflon®  Polyethylene  Polypropylene  Other: \_\_\_\_\_

Pumping Rate: 200ml/min Elapsed Time: 30 min Volume Pumped: 2 gal  
Was well Evacuated?  Yes  No Number of Well Volumes Removed: NA

PURGING EQUIPMENT:  Dedicated  Prepared Off-Site  Field Cleaned

**SAMPLING DATA:**

METHOD:  Bailer, Size: \_\_\_\_\_  Bladder Pump  2" Submersible Pump  4" Submersible Pump  
 Syringe Sampler  Peristaltic Pump  Inertial Lift Pump  Other: \_\_\_\_\_

MATERIALS: Pump/Bailer:  Teflon®  Stainless Steel  
Tubing/Rope:  Teflon®  Polyethylene

SAMPLING EQUIPMENT:  Dedicated  Prepared Off-Site  Field Cleaned

Metals samples field filtered?  Yes  No Method: \_\_\_\_\_

APPEARANCE:  Clear  Turbid  Color: \_\_\_\_\_  Contains Immiscible Liquid

FIELD DETERMINATIONS: See attached form for field parameter data.

DUP:  No  Yes Name: \_\_\_\_\_

MS/MSD:  No  Yes Name: \_\_\_\_\_

I certify that this sample was collected and handled in accordance with applicable regulatory and project protocols

Signature: [Handwritten Signature] Date: 12/21/15

## NJ FIELD LAB ID# 02023 LOW-FLOW GROUNDWATER FIELD DATA SHEET

Project Name: <u>NG Patchogue</u>	Project Number: <u>147128</u>
Client: <u>National Grid</u>	Date: <u>12/21/15</u>
Personnel: <u>TMB/TJP</u>	Well ID: <u>MW-4D</u>
Purge/Sample Depth: <u>~ 23'</u>	Sample ID: <u>MW-4D-2015/221</u>

Actual Time	Certified Parameters					ORP (mV)	DTW (ft)	Pumping Rate (mL/min)	Comments
	pH	Temp (°C)	Cond (µmS/cm)	DO (mg/L)	Turbidity (NTU)				
1430	6.82	13.69	0.575	0.54	81.0	100	4.73		
1433	6.36	13.81	0.601	2.62	124	116	4.78		
1436	6.24	13.80	0.626	1.63	123	123	4.78		
1439	6.16	13.82	0.635	0.77	98.2	132	4.78		
1442	6.11	13.79	0.639	0.51	76.0	140	4.79		
1445	6.10	13.76	0.639	0.15	63.7	141	4.79		
1448	6.10	13.79	0.640	0.00	49.7	143	4.79		
1451	6.09	13.78	0.639	0.00	37.7	145	4.80		
1454	6.08	13.67	0.639	0.00	28.6	145	4.80		
1457	6.09	13.67	0.641	0.00	34.1	147			
1500	6.08	13.64	0.642	0.00	32.6	147			
1503	Sample MW-4D-2015/221								
<div style="font-size: 2em; opacity: 0.5;">TMB</div> <div style="font-size: 2em; opacity: 0.5;">12/21/15</div>									

**Certified Sample Information:**

Time of Sample: 1503

Analyst Signature: [Signature]

**Instrument Data:**

Manufacturer/Model: Horiba U-52

Serial No. Unit: \_\_\_\_\_

Serial No. Handheld: SXE 2AXSP

Calibration Date/Time: \_\_\_\_\_

Are low-flow parameters subject to field lab certification?  Yes  No (not required for CERCLA sites or sites outside of NJ)

If yes, low-flow data must be accompanied by a completed "Field Calibration Record, Horiba U-52" form or equivalent.

**LOW-FLOW GROUNDWATER SAMPLING FIELD DATA**

Well Number: MW-45  
 Sample I.D.: MW-45-20151221 (if different from well no.)

Project: Patehogue  
 Personnel: TJB TJP

Date: 12/21/15 Time: 1515  
 Weather: clouds Air Temp: 50°

**WELL DATA:**

Casing Diameter: 6"  Stainless Steel  Steel  PVC  Teflon®  Other: \_\_\_\_\_  
 Intake Diameter: 2"  Stainless Steel  Galv. Steel  PVC  Teflon®  Open rock  
 DEPTH TO: Static Water Level: 5.11 ft Bottom of Well: 12.25 ft  
 DATUM:  Top of Protective Casing  Top of Well Casing  Other: \_\_\_\_\_  
 CONDITION: Is Well clearly labeled?  Yes  No Is well clean to bottom?  Yes  No  
 Is Prot. Casing/Surface Mount in Good Cond.? (not bent or corroded)  Yes  No  
 Does Weep Hole adequately drain well head?  Yes  No  
 Is Concrete Pad Intact? (not cracked or frost heaved)  Yes  No  
 Is Padlock Functional?  Yes  No  NA Is Inner Casing Intact?  Yes  No  
 Is Inner Casing Properly Capped and Vented?  Yes  No  
 VOLUME OF WATER: Standing in well: NA To be purged: NA

**PURGE DATA:**

METHOD:  Bailer, Size: \_\_\_\_\_  Bladder Pump  2" Submersible Pump  4" Submersible Pump  
 Centrifugal Pump  Peristaltic Pump  Inertial Lift Pump  Other: \_\_\_\_\_  
 MATERIALS: Pump/Bailer:  Teflon®  Stainless Steel  PVC  Other: \_\_\_\_\_  
 Tubing/Rope:  Teflon®  Polyethylene  Polypropylene  Other: \_\_\_\_\_  
 Pumping Rate: 300ml/min Elapsed Time: 30 min Volume Pumped: 3 gal  
 Was well Evacuated?  Yes  No Number of Well Volumes Removed: NA  
 PURGING EQUIPMENT:  Dedicated  Prepared Off-Site  Field Cleaned

**SAMPLING DATA:**

METHOD:  Bailer, Size: \_\_\_\_\_  Bladder Pump  2" Submersible Pump  4" Submersible Pump  
 Syringe Sampler  Peristaltic Pump  Inertial Lift Pump  Other: \_\_\_\_\_  
 MATERIALS: Pump/Bailer:  Teflon®  Stainless Steel  PVC  Other: \_\_\_\_\_  
 Tubing/Rope:  Teflon®  Polyethylene  
 SAMPLING EQUIPMENT:  Dedicated  Prepared Off-Site  Field Cleaned  
 Metals samples field filtered?  Yes  No Method: \_\_\_\_\_  
 APPEARANCE:  Clear  Turbid  Color: \_\_\_\_\_  Contains Immiscible Liquid  
 FIELD DETERMINATIONS: See attached form for field parameter data.

DUP:  No  Yes Name: \_\_\_\_\_  
 MS/MSD:  No  Yes Name: \_\_\_\_\_

I certify that this sample was collected and handled in accordance with applicable regulatory and project protocols

Signature: [Signature] Date: 12/21/15



# Brown AND Caldwell

2 Park Way, Upper Saddle River, NJ 07458  
 Phone (201) 574-4700 Fax (201) 236-1607

## NJ FIELD LAB ID# 02023 LOW-FLOW GROUNDWATER FIELD DATA SHEET

Project Name: <u>NO Patchogue</u>	Project Number: <u>142128</u>
Client: <u>Natural Area</u>	Date: <u>12/21/15</u>
Personnel: <u>TMR TJP</u>	Well ID: <u>MW-45</u>
Purge/Sample Depth: <u>~9.5</u>	Sample ID: <u>MW-45-20151221</u>

Actual Time	Certified Parameters					ORP (mV)	DTW (ft)	Pumping Rate (mL/min)	Comments
	pH	Temp (°C)	Cond (µmS/cm)	DO (mg/L)	Turbidity (NTU)				
1515	6.71	13.30	0.586	0.20	492	73	5.11		
1518	6.97	13.51	0.579	0.00	259	14			
1521	7.07	13.54	0.578	0.00	157	-5			
1524	7.16	13.61	0.581	0.00	104	-20			
1527	7.21	13.65	0.584	0.00	92.1	-28			
1530	7.23	13.65	0.586	0.00	90.7	-32			
1533	7.24	13.69	0.587	0.00	78.8	-36			
1536	7.26	13.68	0.589	0.00	70.7	-40			
1539	7.26	13.69	0.590	0.00	65.2	-42			
1542	7.27	13.72	0.593	0.00	60.7	-45			
1545	7.28	13.94	0.594	0.00	51.3	-47			
1548	Sample MW-45-20151221								

**Certified Sample Information:**

Time of Sample: 1548

Analyst Signature: 

**Instrument Data:**

Manufacturer/Model: Horiba U-52

Serial No. Unit: \_\_\_\_\_

Serial No. Handheld: \_\_\_\_\_

Calibration Date/Time: \_\_\_\_\_

Are low-flow parameters subject to field lab certification?  Yes  No (not required for CERCLA sites or sites outside of NJ)

If yes, low-flow data must be accompanied by a completed "Field Calibration Record, Horiba U-52" form or equivalent.

**LOW-FLOW GROUNDWATER SAMPLING FIELD DATA**

Well Number: MW-75  
Sample I.D.: MW-75-2015/221 (different from well no.)

Project: NG Antelope  
Personnel: TMB TJP

Date: 12/21/15 Time: 1612  
Weather: Clouds Air Temp: 50

**WELL DATA:**

Casing Diameter: 6"  Stainless Steel  Steel  PVC  Teflon®  Other:  
Intake Diameter: 2"  Stainless Steel  Galv. Steel  PVC  Teflon®  Open rock  
DEPTH TO: Static Water Level: 4.53 ft Bottom of Well: 12.46  
DATUM:  Top of Protective Casing  Top of Well Casing  Other:  
CONDITION: Is Well clearly labeled?  Yes  No Is well clean to bottom?  Yes  No  
Is Prot. Casing/Surface Mount in Good Cond.? (not bent or corroded)  Yes  No  
Does Weep Hole adequately drain well head?  Yes  No  
Is Concrete Pad Intact? (not cracked or frost heaved)  Yes  No  
Is Padlock Functional?  Yes  No  NA Is Inner Casing Intact?  Yes  No  
Is Inner Casing Properly Capped and Vented?  Yes  No

VOLUME OF WATER: Standing in well: NA To be purged: NA

**PURGE DATA:**

METHOD:  Bailer, Size: \_\_\_\_\_  Bladder Pump  2" Submersible Pump  4" Submersible Pump  
 Centrifugal Pump  Peristaltic Pump  Inertial Lift Pump  Other: \_\_\_\_\_  
MATERIALS: Pump/Bailer:  Teflon®  Stainless Steel  PVC  Other: \_\_\_\_\_  
Tubing/Rope:  Teflon®  Polyethylene  Polypropylene  Other: \_\_\_\_\_  
Pumping Rate: 300ml/min Elapsed Time: 30min Volume Pumped: 3gal  
Was well Evacuated?  Yes  No Number of Well Volumes Removed: NA  
PURGING EQUIPMENT:  Dedicated  Prepared Off-Site  Field Cleaned

**SAMPLING DATA:**

METHOD:  Bailer, Size: \_\_\_\_\_  Bladder Pump  2" Submersible Pump  4" Submersible Pump  
 Syringe Sampler  Peristaltic Pump  Inertial Lift Pump  Other: \_\_\_\_\_  
MATERIALS: Pump/Bailer:  Teflon®  Stainless Steel  
Tubing/Rope:  Teflon®  Polyethylene  
SAMPLING EQUIPMENT:  Dedicated  Prepared Off-Site  Field Cleaned  
Metals samples field filtered?  Yes  No Method: \_\_\_\_\_  
APPEARANCE:  Clear  Turbid  Color: \_\_\_\_\_  Contains Immiscible Liquid  
FIELD DETERMINATIONS: See attached form for field parameter data.  
DUP:  No  Yes Name: \_\_\_\_\_  
MS/MSD:  No  Yes Name: \_\_\_\_\_

I certify that this sample was collected and handled in accordance with applicable regulatory and project protocols

Signature: [Signature] Date: 12/21/15



## NJ FIELD LAB ID# 02023 LOW-FLOW GROUNDWATER FIELD DATA SHEET

Project Name: <u>NG Patchogue</u>	Project Number: <u>14228</u>
Client: <u>National Grid</u>	Date: <u>12/21/15</u>
Personnel: <u>TMB TSP</u>	Well ID: <u>MW-75</u>
Purge/Sample Depth: <u>~10'</u>	Sample ID: <u>MW-75-20151221</u>

Actual Time	Certified Parameters					ORP (mV)	DTW (ft)	Pumping Rate (mL/min)	Comments
	pH	Temp (°C)	Cond (µS/cm)	DO (mg/L)	Turbidity (NTU)				
1612	7.31	12.59	0.725	2.89	251	-57	4.45	300 mL	
1615	7.42	12.63	0.726	0.41	195	-66			
1618	7.46	12.68	0.727	0.00	124	-74			
1621	7.49	12.71	0.727	0.00	105	-76			
1624	7.50	12.72	0.726	0.00	98.5	-79			
1627	7.53	12.75	0.725	0.00	81.1	-83	4.66		
1630	7.53	12.76	0.725	0.00	68.2	-84			
1633	7.54	12.90	0.722	0.00	71.0	-89			
1636	7.54	12.90	0.723	0.00	66.0	-90			
1639	7.55	12.90	0.723	0.00	50.9	-91			
1642	7.55	12.89	0.724	0.00	46.4	-92			
1645	Sample MW-75-20151221								
<p>TMB</p> <p>12/21/15</p>									

Certified Sample Information: Time of Sample: 1645 Analyst Signature: [Signature]

Instrument Data: Manufacturer/Model: Horiba U-52 Serial No. Unit: \_\_\_\_\_ Serial No. Handheld: \_\_\_\_\_

Calibration Date/Time: \_\_\_\_\_

Are low-flow parameters subject to field lab certification?  Yes  No (not required for CERCLA sites or sites outside of NJ)

If yes, low-flow data must be accompanied by a completed "Field Calibration Record, Horiba U-52" form or equivalent.

**LOW-FLOW GROUNDWATER SAMPLING FIELD DATA**

Well Number: MW-7D  
 Sample I.D. MW-7D-20151221 (if different from well no)

Project: Patchogue  
 Personnel: TMB / TJP

Date: 12/21/15 Time: 1:50  
 Weather: Cloudy Air Temp: 50

**WELL DATA:**

Casing Diameter: 6"  Stainless Steel  Steel  PVC  Teflon®  Other: \_\_\_\_\_  
 Intake Diameter: 2"  Stainless Steel  Galv. Steel  PVC  Teflon®  Open rock  
 DEPTH TO: Static Water Level: 4.35 ft Bottom of Well 28.2 ft  
 DATUM:  Top of Protective Casing  Top of Well Casing  Other: \_\_\_\_\_  
 CONDITION: Is Well clearly labeled?  Yes  No Is well clean to bottom?  Yes  No  
 Is Prot. Casing/Surface Mount in Good Cond.? (not bent or corroded)  Yes  No  
 Does Weep Hole adequately drain well head?  Yes  No  
 Is Concrete Pad Intact? (not cracked or frost heaved)  Yes  No  
 Is Padlock Functional?  Yes  No  NA Is Inner Casing Intact?  Yes  No  
 Is Inner Casing Properly Capped and Vented?  Yes  No  
 VOLUME OF WATER: Standing in well: NA To be purged: NA

**PURGE DATA:**

METHOD:  Bailer, Size: \_\_\_\_\_  Bladder Pump  2" Submersible Pump  4" Submersible Pump  
 Centrifugal Pump  Peristaltic Pump  Inertial Lift Pump  Other: \_\_\_\_\_  
 MATERIALS: Pump/Bailer:  Teflon®  Stainless Steel  PVC  Other: \_\_\_\_\_  
 Tubing/Rope:  Teflon®  Polyethylene  Polypropylene  Other: \_\_\_\_\_  
 Pumping Rate: 250 ml/min Elapsed Time: 3:45 Volume Pumped: 3 gal  
 Was well Evacuated?  Yes  No Number of Well Volumes Removed: NA  
 PURGING EQUIPMENT:  Dedicated  Prepared Off-Site  Field Cleaned

**SAMPLING DATA:**

METHOD:  Bailer, Size: \_\_\_\_\_  Bladder Pump  2" Submersible Pump  4" Submersible Pump  
 Syringe Sampler  Peristaltic Pump  Inertial Lift Pump  Other: \_\_\_\_\_  
 MATERIALS: Pump/Bailer:  Teflon®  Stainless Steel  
 Tubing/Rope:  Teflon®  Polyethylene  
 SAMPLING EQUIPMENT:  Dedicated  Prepared Off-Site  Field Cleaned  
 Metals samples field filtered?  Yes  No Method: \_\_\_\_\_  
 APPEARANCE:  Clear  Turbid  Color: \_\_\_\_\_  Contains Immiscible Liquid  
 FIELD DETERMINATIONS: See attached form for field parameter data.

DUP:  No  Yes Name: \_\_\_\_\_  
 MS/MSD:  No  Yes Name: \_\_\_\_\_

I certify that this sample was collected and handled in accordance with applicable regulatory and project protocols

Signature: [Signature] Date: 12/21/15

## NJ FIELD LAB ID# 02023 LOW-FLOW GROUNDWATER FIELD DATA SHEET

Project Name: <u>Ng Patheogue</u>	Project Number: <u>142128</u>
Client: <u>National Grid</u>	Date: <u>12/21/15</u>
Personnel: <u>MJB TJP</u>	Well ID: <u>MW-7D</u>
Purge/Sample Depth: <u>~25'</u>	Sample ID: <u>MW-7D-20151221</u>

Actual Time	Certified Parameters					ORP (mV)	DTW (ft)	Pumping Rate (mL/min)	Comments
	pH	Temp (°C)	Cond (µS/cm)	DO (mg/L)	Turbidity (NTU)				
1650	7.54	13.62	0.460	3.82	228	-80	4.35	250 ↓	
1653	7.11	13.91	0.510	2.16	336	-52	4.35		
1656	6.83	14.00	0.542	1.71	366	-31	4.36		
1659	6.70	14.01	0.555	1.57	355	-17	4.37		
1702	6.66	14.05	0.572	1.72	376	-4	4.38		analytical chamber
1705	6.60	14.01	0.572	1.54	331	1	4.37		
1708	6.59	14.01	0.504	3.04	279	6	4.37		
1711	6.50	14.00	0.541	2.16	242	17	4.36		
1714	6.48	13.99	0.558	1.72	192	22	4.35		
1717	6.47	14.03	0.565	1.48	191	25	4.35		
1720	6.46	14.01	0.565	1.35	170	28	4.36		
1723	6.45	14.01	0.561	1.24	140	31	4.36		
1726	6.44	14.03	0.554	1.10	103	33	4.35		
1729	6.42	14.02	0.555	1.08	94.8	37	4.36		
1732	6.41	14.03	0.556	1.07	81.8	39	4.36		
1735	6.40	14.04	0.560	1.07	60.6	41	4.37		
1738	Sample MW-7D-20151221								

**Certified Sample Information:**

Time of Sample 1738

Analyst Signature [Signature]

**Instrument Data:**

Manufacturer/Model: Horiba U-52

Serial No. Unit: \_\_\_\_\_ Serial No. Handheld: \_\_\_\_\_

Calibration Date/Time: \_\_\_\_\_

Are low-flow parameters subject to field lab certification?  Yes  No (not required for CERCLA sites or sites outside of NJ)

If yes, low-flow data must be accompanied by a completed "Field Calibration Record, Horiba U-52" form or equivalent.



**LOW-FLOW GROUNDWATER SAMPLING FIELD DATA**

Well Number: MW-8D  
Sample I.D.: \_\_\_\_\_ (if different from well no.)

Project: NG Patchogue  
Personnel: TMB TJP

Date: 12/22/15 Time: 0925  
Weather: clouds/rain Air Temp: 53°

**WELL DATA:**

Casing Diameter: 8"  Stainless Steel  Steel  PVC  Teflon®  Other: \_\_\_\_\_  
Intake Diameter: 2"  Stainless Steel  Galv. Steel  PVC  Teflon®  Open rock  
DEPTH TO: Static Water Level: 0.7 ft Bottom of Well 25.10 ft  
DATUM:  Top of Protective Casing  Top of Well Casing  Other: \_\_\_\_\_  
CONDITION: Is Well clearly labeled?  Yes  No Is well clean to bottom?  Yes  No  
Is Prot. Casing/Surface Mount in Good Cond.? (not bent or corroded)  Yes  No  
Does Weep Hole adequately drain well head?  Yes  No  
Is Concrete Pad Intact? (not cracked or frost heaved)  Yes  No  
Is Padlock Functional?  Yes  No  NA Is Inner Casing Intact?  Yes  No  
Is Inner Casing Properly Capped and Vented?  Yes  No  
VOLUME OF WATER: Standing in well: NA To be purged: NA

**PURGE DATA:**

METHOD:  Bailer, Size: \_\_\_\_\_  Bladder Pump  2" Submersible Pump  4" Submersible Pump  
 Centrifugal Pump  Peristaltic Pump  Inertial Lift Pump  Other: \_\_\_\_\_  
MATERIALS: Pump/Bailer:  Teflon®  Stainless Steel  PVC  Other: \_\_\_\_\_  
Tubing/Rope:  Teflon®  Polyethylene  Polypropylene  Other: \_\_\_\_\_  
Pumping Rate: 200 ml/min Elapsed Time: Brush Volume Pumped: 2 gal  
Was well Evacuated?  Yes  No Number of Well Volumes Removed: NA  
PURGING EQUIPMENT:  Dedicated  Prepared Off-Site  Field Cleaned

**SAMPLING DATA:**

METHOD:  Bailer, Size: \_\_\_\_\_  Bladder Pump  2" Submersible Pump  4" Submersible Pump  
 Syringe Sampler  Peristaltic Pump  Inertial Lift Pump  Other: \_\_\_\_\_  
MATERIALS: Pump/Bailer:  Teflon®  Stainless Steel  
Tubing/Rope:  Teflon®  Polyethylene  
SAMPLING EQUIPMENT:  Dedicated  Prepared Off-Site  Field Cleaned  
Metals samples field filtered?  Yes  No Method: \_\_\_\_\_  
APPEARANCE:  Clear  Turbid  Color: \_\_\_\_\_  Contains Immiscible Liquid  
FIELD DETERMINATIONS: See attached form for field parameter data.

DUP:  No  Yes Name: \_\_\_\_\_  
MS/MSD:  No  Yes Name: MW-8D - 20151222 - MB/MSD

I certify that this sample was collected and handled in accordance with applicable regulatory and project protocols

Signature: [Signature] Date: 12/22/15

## NJ FIELD LAB ID# 02023 LOW-FLOW GROUNDWATER FIELD DATA SHEET

Project Name: <u>NG Patchogue</u>	Project Number: <del>142128</del> <u>142128</u>
Client: <u>National Grid</u>	Date: <u>12/22/15</u>
Personnel: <u>TMB, TJP</u>	Well ID: <u>MW-8D</u>
Purge/Sample Depth: <u>~20'</u>	Sample ID: <u>MW-8D-20151222</u>

Actual Time	Certified Parameters					ORP (mV)	DTW (ft)	Pumping Rate (mL/min)	Comments
	pH	Temp (°C)	Cond (µS/cm)	DO (mg/L)	Turbidity (NTU)				
0925	6.65	14.71	0.414	11.71	263	129	0.7		
0928	6.64	14.91	0.432	2.06	187	128	0.7		
0931	6.66	14.93	0.447	0.88	176	127	0.7		
0934	6.67	14.97	0.459	0.31	154	124	0.7		
0937	6.68	14.96	0.466	0.08	148	123	0.7		
0940	6.69	14.99	0.470	0.00	131	120			
0943	6.73	14.90	0.482	0.00	120	121			
0946	6.71	14.93	0.482	0.00	111	122			
0949	6.70	14.92	0.482	0.00	103	121			
0952	6.67	14.92	0.484	0.00	98.6	121			
0955	6.68	14.92	0.485	0.00	89.3	120			
0958	6.66	14.95	0.485	0.00	81.2	120			
1001	Sample MW-8D-20151222 + MS/MSD								

**Certified Sample Information:**

Time of Sample: 1001 Analyst Signature: [Signature]

Instrument Data: Manufacturer/Model: Horiba U-52 Serial No. Unit: \_\_\_\_\_ Serial No. Handheld: \_\_\_\_\_

Calibration Date/Time: \_\_\_\_\_

Are low-flow parameters subject to field lab certification?  Yes  No (not required for CERCLA sites or sites outside of NJ)

If yes, low-flow data must be accompanied by a completed "Field Calibration Record, Horiba U-52" form or equivalent.

**LOW-FLOW GROUNDWATER SAMPLING FIELD DATA**

Well Number: MW-85  
Sample I.D.: MW-85-2015/222 (if different from A.S.I. no.)

Project: NG Retention  
Personnel: JMB JTP

Date: 12/22/15 Time: 1025  
Weather: Rain Air Temp: 53°

**WELL DATA:**

Casing Diameter: 8"  Stainless Steel  Steel  PVC  Teflon®  Other:  
Intake Diameter: 2"  Stainless Steel  Galv. Steel  PVC  Teflon®  Open rock  
DEPTH TO: Static Water Level: 0.8 ft Bottom of Well: 0.00  
DATUM:  Top of Protective Casing  Top of Well Casing  Other:  
CONDITION: Is Well clearly labeled?  Yes  No Is well clean to bottom?  Yes  No  
Is Prot. Casing/Surface Mount in Good Cond.? (not bent or corroded)  Yes  No  
Does Weep Hole adequately drain well head?  Yes  No  
Is Concrete Pad Intact? (not cracked or frost heaved)  Yes  No  
Is Padlock Functional?  Yes  No  NA Is Inner Casing Intact?  Yes  No  
Is Inner Casing Properly Capped and Vented?  Yes  No

VOLUME OF WATER: Standing in well: NA To be purged: NA

**PURGE DATA:**

METHOD:  Bailer, Size:       Bladder Pump  2" Submersible Pump  4" Submersible Pump  
 Centrifugal Pump  Peristaltic Pump  Inertial Lift Pump  Other:  
MATERIALS: Pump/Bailer:  Teflon®  Stainless Steel  PVC  Other:  
Tubing/Rope:  Teflon®  Polyethylene  Polypropylene  Other:  
Pumping Rate: 250ml/min Elapsed Time: 40min Volume Pumped: 3gal  
Was well Evacuated?  Yes  No Number of Well Volumes Removed: NA  
PURGING EQUIPMENT:  Dedicated  Prepared Off-Site  Field Cleaned

**SAMPLING DATA:**

METHOD:  Bailer, Size:       Bladder Pump  2" Submersible Pump  4" Submersible Pump  
 Syringe Sampler  Peristaltic Pump  Inertial Lift Pump  Other:  
MATERIALS: Pump/Bailer:  Teflon®  Stainless Steel  
Tubing/Rope:  Teflon®  Polyethylene  
SAMPLING EQUIPMENT:  Dedicated  Prepared Off-Site  Field Cleaned  
Metals samples field filtered?  Yes  No Method:       
APPEARANCE:  Clear  Turbid  Color:       Contains Immiscible Liquid  
FIELD DETERMINATIONS: See attached form for field parameter data.

DUP:  No  Yes Name: Dup-2015/222  
MS/MSD:  No  Yes Name:     

I certify that this sample was collected and handled in accordance with applicable regulatory and project protocols

Signature: [Signature] Date: 12/22/15



## NJ FIELD LAB ID# 02023 LOW-FLOW GROUNDWATER FIELD DATA SHEET

Project Name: <u>NGN Patchogue</u>	Project Number: _____
Client: <u>Natl Grid</u>	Date: <u>12/22/15</u>
Personnel: <u>JMB, TJP</u>	Well ID: <u>MW-85</u>
Purge/Sample Depth: <u>~8'</u>	Sample ID: <u>MW-85-20151222</u>

Actual Time	Certified Parameters					ORP (mV)	DTW (ft)	Pumping Rate (mL/min)	Comments
	pH	Temp (°C)	Cond (µS/cm)	DO (mg/L)	Turbidity (NTU)				
1031	6.84	14.01	0.707	0.00	768	12	0.8	250	
1034	6.88	13.96	0.709	0.00	632	3			
1037	6.89	13.98	0.709	0.00	481	-3			
1040	6.91	13.93	0.693	0.00	310	-4			
1043	6.92	13.41	0.659	0.25	234	-3			
1046	6.92	13.42	0.642	0.27	240	-3			emptied chamber
1049	6.96	13.80	0.695	0.87	280	-9			
1052	6.95	13.92	0.698	9.36	215	-12			
1055	6.95	14.01	0.696	8.32	160	-13			
1058	6.96	14.09	0.695	7.97	130	-14			
1101	6.96	14.10	0.695	7.93	115	-14			
1104	6.97	14.15	0.680	7.25	99.8	-15			
1107	6.97	14.27	0.684	6.61	82.3	-16			
1110	6.97	14.25	0.674	6.25	79.3	-16			
1113	Sample		MW-85		-20151222				+ Dip 20151222

Certified Sample Information:  
 Time of Sample: 1113 Analyst Signature: [Signature]

Instrument Data:  
 Manufacturer/Model: Horiba U-52 Serial No. Handheld: \_\_\_\_\_  
 Serial No. Unit: \_\_\_\_\_ Calibration Date/Time: \_\_\_\_\_

Are low-flow parameters subject to field lab certification?  Yes  No (not required for CERCLA sites or sites outside of NJ)  
 If yes, low-flow data must be accompanied by a completed "Field Calibration Record, Horiba U-52" form or equivalent.

**LOW-FLOW GROUNDWATER SAMPLING FIELD DATA**

Well Number: MW-95  
Sample I.D.: MW-95-20151222 (if different from well no.)

Project: NO Patheque  
Personnel: TMB TJP

Date: 12/22/15 Time: 1145  
Weather: rain Air Temp.: 50°

**WELL DATA:**

Casing Diameter: 8"  Stainless Steel  Steel  PVC  Teflon®  Other: \_\_\_\_\_  
Intake Diameter: 2"  Stainless Steel  Galv. Steel  PVC  Teflon®  Open rock  
DEPTH TO: Static Water Level: 1.55 ft Bottom of Well: 1020  
DATUM:  Top of Protective Casing  Top of Well Casing  Other: \_\_\_\_\_  
CONDITION: Is Well clearly labeled?  Yes  No Is well clean to bottom?  Yes  No  
Is Prot. Casing/Surface Mount in Good Cond.? (not bent or corroded)  Yes  No  
Does Weep Hole adequately drain well head?  Yes  No  
Is Concrete Pad Intact? (not cracked or frost heaved)  Yes  No  
Is Padlock Functional?  Yes  No  NA Is Inner Casing Intact?  Yes  No  
Is Inner Casing Properly Capped and Vented?  Yes  No

VOLUME OF WATER: Standing in well: NA To be purged: NA

**PURGE DATA:**

METHOD:  Bailer, Size: \_\_\_\_\_  Bladder Pump  2" Submersible Pump  4" Submersible Pump  
 Centrifugal Pump  Peristaltic Pump  Inertial Lift Pump  Other: \_\_\_\_\_  
MATERIALS: Pump/Bailer:  Teflon®  Stainless Steel  PVC  Other: \_\_\_\_\_  
Tubing/Rope:  Teflon®  Polyethylene  Polypropylene  Other: \_\_\_\_\_  
Pumping Rate: 200ml/min Elapsed Time: 45min Volume Pumped: 2.5gal  
Was well Evacuated?  Yes  No Number of Well Volumes Removed: NA  
PURGING EQUIPMENT:  Dedicated  Prepared Off-Site  Field Cleaned

**SAMPLING DATA:**

METHOD:  Bailer, Size: \_\_\_\_\_  Bladder Pump  2" Submersible Pump  4" Submersible Pump  
 Syringe Sampler  Peristaltic Pump  Inertial Lift Pump  Other: \_\_\_\_\_  
MATERIALS: Pump/Bailer:  Teflon®  Stainless Steel  
Tubing/Rope:  Teflon®  Polyethylene  
SAMPLING EQUIPMENT:  Dedicated  Prepared Off-Site  Field Cleaned  
Metals samples field filtered?  Yes  No Method: \_\_\_\_\_  
APPEARANCE:  Clear  Turbid  Color: \_\_\_\_\_  Contains Immiscible Liquid  
FIELD DETERMINATIONS: See attached form for field parameter data.

DUP:  No  Yes Name: \_\_\_\_\_  
MS/MSD:  No  Yes Name: \_\_\_\_\_

I certify that this sample was collected and handled in accordance with applicable regulatory and project protocols

Signature: [Signature] Date: 12/22/15



# Brown AND Caldwell

2 Park Way, Upper Saddle River, NJ 07458  
 Phone: (201) 574-4700 Fax: (201) 236-1607

## NJ FIELD LAB ID# 02023 LOW-FLOW GROUNDWATER FIELD DATA SHEET

Project Name: <u>NG Patchogue</u>	Project Number: <u>142128</u>
Client: <u>National Grid</u>	Date: <u>12/22/15</u>
Personnel: <u>TMB / JBP</u>	Well ID: <u>MW-9S</u>
Purge/Sample Depth: <u>27'</u>	Sample ID: <u>MW-9S-20151222</u>

Actual Time	Certified Parameters						ORP (mV)	DTW (ft)	Pumping Rate (mL/min)	Comments
	pH	Temp (°C)	Cond (µS/cm)	DO (mg/L)	Turbidity (NTU)					
1145	6.92	13.15	0.605	5.34	8.29	-27	1.55	200		
1148	6.89	13.14	0.611	0.55	791	-27				
1151	6.89	13.14	0.612	0.00	702	-27				
1154	6.90	13.25	0.612	0.00	589	-29				
1157	6.93	13.28	0.607	0.00	460	-31				
1200	6.93	13.29	0.607	0.00	432	-32			emptied chamber	
1203	7.00	13.36	0.605	0.00	359	-37				
1206	7.00	13.43	0.607	0.00	281	-39				
1209	7.01	13.48	0.609	0.00	258	-41				
1212	7.01	13.57	0.608	0.00	217	-43				
1215	7.01	13.62	0.609	0.00	177	-43				
1218	7.03	13.69	0.610	0.00	141	-45				
1221	7.05	13.71	0.610	0.00	115	-48				
1224	7.06	13.78	0.612	0.00	99.6	-49				
1227	7.08	13.83	0.611	0.00	73.7	-51				
1230	7.09	13.84	0.616	0.00	68.6	-53				
1233	Sample MW-9S-20151222									

TMB  
 12/22/15

**Certified Sample Information:**

Time of Sample: 1233 Analyst Signature: TMB  
 Instrument Data: Manufacturer/Model: Horiba U-52 Serial No. Handheld: \_\_\_\_\_  
 Calibration Date/Time: \_\_\_\_\_

Are low-flow parameters subject to field lab certification?  Yes  No (not required for CERCLA sites or sites outside of NJ)

If yes, low-flow data must be accompanied by a completed "Field Calibration Record, Horiba U-52" form or equivalent.

**LOW-FLOW GROUNDWATER SAMPLING FIELD DATA**

Well Number: MW-9D  
Sample I.D.: MW-9D-20151222 (if different from well no.)

Project: Pathecoyne  
Personnel: TMB TJP

Date: 12/22/15 Time: 1240  
Weather: Rain Air Temp: 53°

**WELL DATA:**

Casing Diameter: 8"  Stainless Steel  Steel  PVC  Teflon®  Other: \_\_\_\_\_  
Intake Diameter: 2"  Stainless Steel  Galv. Steel  PVC  Teflon®  Open rock  
DEPTH TO: Static Water Level: 1.37 ft Bottom of Well: 22.9 ft  
DATUM:  Top of Protective Casing  Top of Well Casing  Other: \_\_\_\_\_  
CONDITION: Is Well clearly labeled?  Yes  No Is well clean to bottom?  Yes  No  
Is Prot. Casing/Surface Mount in Good Cond.? (not bent or corroded)  Yes  No  
Does Weep Hole adequately drain well head?  Yes  No  
Is Concrete Pad Intact? (not cracked or frost heaved)  Yes  No  
Is Padlock Functional?  Yes  No  NA Is Inner Casing Intact?  Yes  No  
Is Inner Casing Properly Capped and Vented?  Yes  No

VOLUME OF WATER: Standing in well: NA To be purged: NA

**PURGE DATA:**

METHOD:  Bailer, Size: \_\_\_\_\_  Bladder Pump  2" Submersible Pump  4" Submersible Pump  
 Centrifugal Pump  Peristaltic Pump  Inertial Lift Pump  Other: \_\_\_\_\_

MATERIALS: Pump/Bailer:  Teflon®  Stainless Steel  PVC  Other: \_\_\_\_\_  
Tubing/Rope:  Teflon®  Polyethylene  Polypropylene  Other: \_\_\_\_\_

Pumping Rate: \_\_\_\_\_ Elapsed Time: \_\_\_\_\_ Volume Pumped: \_\_\_\_\_  
Was well Evacuated?  Yes  No Number of Well Volumes Removed: NA

PURGING EQUIPMENT:  Dedicated  Prepared Off-Site  Field Cleaned

**SAMPLING DATA:**

METHOD:  Bailer, Size: \_\_\_\_\_  Bladder Pump  2" Submersible Pump  4" Submersible Pump  
 Syringe Sampler  Peristaltic Pump  Inertial Lift Pump  Other: \_\_\_\_\_

MATERIALS: Pump/Bailer:  Teflon®  Stainless Steel  
Tubing/Rope:  Teflon®  Polyethylene

SAMPLING EQUIPMENT:  Dedicated  Prepared Off-Site  Field Cleaned

Metals samples field filtered?  Yes  No Method: \_\_\_\_\_

APPEARANCE:  Clear  Turbid  Color: \_\_\_\_\_  Contains Immiscible Liquid

FIELD DETERMINATIONS: See attached form for field parameter data.

DUP:  No  Yes Name: \_\_\_\_\_

MS/MSD:  No  Yes Name: \_\_\_\_\_

I certify that this sample was collected and handled in accordance with applicable regulatory and project protocols

Signature: [Signature] Date: 12/22/15

# Brown AND Caldwell

2 Park Way, Upper Saddle River, NJ 07458  
Phone (201) 574-4700 Fax (201) 236 1607

## NJ FIELD LAB ID# 02023 LOW-FLOW GROUNDWATER FIELD DATA SHEET

Project Name: <u>Patohogue</u>	Project Number: <u>142128</u>
Client: <u>National Grid</u>	Date: <u>12/22/15</u>
Personnel: <u>TMR TJD</u>	Well ID: <u>MW-9D</u>
Purge/Sample Depth: <u>~18'</u>	Sample ID: <u>MW-9D-20151222</u>

Actual Time	Certified Parameters					ORP (mV)	DTW (ft)	Pumping Rate (mL/min)	Comments
	pH	Temp (°C)	Cond (µS/cm)	DO (mg/L)	Turbidity (NTU)				
1240	6.72	14.36	0.480	2.85	75.2	30	1.37		
1243	6.10	14.53	0.494	1.04	89.2	19			
1246	6.80	14.55	0.495	0.32	139	45			
1249	6.07	14.62	0.482	2.11	109	48			
1252	6.07	14.77	0.476	0.83	52.2	54			
1255	6.05	14.72	0.478	3.43	69.9	57			
1258	6.89	14.72	0.483	1.59	85.9	67			
1301	5.70	14.66	0.481	0.33	92.1	79			
1304	5.56	14.60	0.485	0.00	97.1	76			
1307	5.51	14.58	0.485	0.00	95.4	80			
1310	5.48	14.52	0.485	0.00	93.6	82			
1313	Sample MW-9D-20151222								
<p><i>TMR</i> <i>12/22/15</i></p>									

**Certified Sample Information:**

Time of Sample: 1313

Analyst Signature: *TJD*

**Instrument Data:**

Manufacturer/Model: Moriba U-52

Serial No. Unil: \_\_\_\_\_

Serial No. Handheld: \_\_\_\_\_

Calibration Date/Time: \_\_\_\_\_

Are low-flow parameters subject to field lab certification?  Yes  No (not required for CERCLA sites or sites outside of NJ)

If yes, low-flow data must be accompanied by a completed "Field Calibration Record, Horiba U-52" form or equivalent.

## Appendix B: Laboratory Reports (CD-ROM)

---



## **Appendix C: Data Usability Summary Report (DUSR)**

---



**DATA USABILITY SUMMARY REPORT  
NATIONAL GRID, PATCHOGUE, NEW YORK**

Client: Brown and Caldwell, Upper Saddle River, New Jersey  
 SDG: 5120721  
 Laboratory: Aqua Pro-Tech Laboratories, Fairfield, New Jersey  
 Site: National Grid, Patchogue, New York  
 Date: February 18, 2016

EDS ID	Client Sample ID	Laboratory Sample ID	Matrix
1	MW-1-20151221	5120721-01	Water
2	MW-3-20151221	5120721-02	Water
3	MW-4D-20151221	5120721-03	Water
4	MW-4S-20151221	5120721-04	Water
5	MW-7S-20151221	5120721-05	Water
6	MW-7D-20151221	5120721-06	Water
7	MW-8D-20151222	5120721-07	Water
7MS	MW-8D-20151222MS	5120721-07MS	Water
7MSD	MW-8D-20151222MSD	5120721-07MSD	Water
8	MW-8S-20151222	5120721-08	Water
9	FB-20151222	5120721-09	Water
10	DUP-20151222	5120721-10	Water
11	MW-9S-20151222	5120721-11	Water
12	MW-9D-20151222	5120721-12	Water
13*	TRIP BLANK	5120721-13	Water

\* - VOC only

A Data Usability Summary Review was performed on the analytical data for eleven water samples, one aqueous field blank sample, and one aqueous trip blank sample collected on December 21-22, 2015 by Brown and Caldwell at the National Grid, Patchogue, New York Site. The samples were analyzed under Environmental Protection Agency (USEPA) "Test Methods for the Evaluation of Solid Waste, USEPA SW-846, Third Edition, September 1986, with revisions".

Specific method references are as follows:

Analysis

VOC (BTEX and MTBE)  
 SVOC (PAH)

Method References

USEPA SW-846 Method 8260B  
 USEPA SW-846 Method 8270C

The data have been validated according to the protocols and quality control (QC) requirements of the analytical methods and the USEPA Region II Data Review Standard Operating Procedures (SOPs) as follows:



- SOP Number HW-24, Revision 4, September 2014: Validating Volatile Organic Compounds by SW-846 Method 8260B & 8260C;
- SOP Number HW-22, Revision 4, August 2008: Validating Semivolatile Organic Compounds by SW-846 Method 8270D;
- and the reviewer's professional judgment.

The following items/criteria were reviewed:

### *Organics*

- Data Completeness
- Holding times and sample preservation
- Surrogate Spike recoveries
- Matrix Spike/Matrix Spike Duplicate (MS/MSD) recoveries
- Laboratory Control Sample (LCS) recoveries
- Method blank and field blank contamination
- Gas Chromatography (GC)/Mass Spectroscopy (MS) tuning
- Initial and continuing calibration summaries
- Compound Quantitation
- Internal standard area and retention time summary forms
- Field Duplicate sample precision

### Overall Usability Issues:

There were no rejections of data.

Overall the data is acceptable for the intended purposes as qualified for the following deficiencies.

- All PAH compounds were qualified as estimated in one sample due to a low surrogate recovery.
- Five PAH compounds were qualified as estimated in one sample due to low MS/MSD recoveries.

### Data Completeness

- The data is a complete Category B data package as defined under the requirements for the NYS Department of Environmental Conservation Analytical Services Protocol.

### Volatile Organic Compounds (BTEX and MTBE)

#### Holding Times

- All samples were analyzed within 14 days for preserved water samples.

### Surrogate Spike Recoveries

- All samples exhibited acceptable surrogate %R values.

### Matrix Spike/Matrix Spike Duplicate (MS/MSD) Recoveries

- The MS/MSD sample exhibited acceptable percent recoveries (%R) and/or relative percent differences (RPD).

### Laboratory Control Samples

- The LCS sample exhibited acceptable %R values.

### Method Blank

- The method blanks were free of contamination.

### Field Blank

- The following table summarizes field blank contamination.

Blank ID	Compound	Conc. ug/L	Action Level ug/L	Qualifier	Affected Samples
FB-20151222	None - ND	-	-	-	-
TRIP BLANK	None - ND	-	-	-	-

### GC/MS Tuning

- All criteria were met.

### Initial Calibration

- All %RSD and average RRF criteria were met.

### Continuing Calibration

- All %D and RRF criteria were met.



### Compound Quantitation

- All criteria were met.

### Internal Standard (IS) Area Performance

- All internal standards met response and retention time (RT) criteria.

### Field Duplicate Sample Precision

- Field duplicate results are summarized below. The precision was acceptable.

VOC				
Compound	MW-8S-20151222 ug/L	DUP-20151222 ug/L	RPD	Qualifier
None	ND	ND	-	-

## Semivolatile Organic Compounds (PAH)

### Holding Times

- All samples were extracted within 7 days for water samples and analyzed within 40 days.

### Surrogate Spike Recoveries

- The following table presents surrogate percent recoveries (%R) outside the QC limits. A low %R may indicate a potential low bias while a high %R may indicate a potential high bias. For a low %R, positive results are considered estimated and qualified (J) while non-detects are estimated and qualified (UJ). For a high %R, positive results are considered estimated and qualified (J).

Sample ID	Surrogate	%R	Qualifier
12	Nitrobenzene-d5	27.2%	J/UJ

### Matrix Spike/Matrix Spike Duplicate (MS/MSD) Recoveries

- The following table presents MS/MSD samples that exhibited percent recoveries (%R) outside the QC limits and/or relative percent differences (RPD) above QC limits. A low %R may indicate a potential low bias while a high %R may indicate a potential high bias. For a low %R, positive results are considered estimated and qualified (J) while non-detects are estimated and qualified (UJ). For a high %R, positive results are considered estimated and qualified (J). Results are valid and usable, however possibly biased.

MS/MSD Sample ID	Compound	MS %R/MSD %R/ RPD	Qualifier
7	Benzo(b)fluoranthene	69.6%/OK/OK	J/UJ
	Benzo(k)fluoranthene	OK/67.7%/OK	
	Benzo(g,h,i)perylene	59.7%/OK/OK	
	Dibenzo(a,h)anthracene	59.7%/67.3%/OK	
	Indeno(1,2,3-cd)pyrene	63.2%/66.7%/OK	

### Laboratory Control Samples

- The LCS samples exhibited acceptable %R values.

### Method Blank

- The method blanks were free of contamination.

### Field Blanks

- The following table summarizes field blank contamination.

Blank ID	Compound	Conc. ug/L	Action Level ug/L	Qualifier	Affected Samples
FB-20151222	None - ND	-	-	-	-

### GC/MS Tuning

- All criteria were met.

### Initial Calibration

- All %RSD and mean RRF criteria were met.

### Continuing Calibration

- All %D and RRF criteria were met.

### Compound Quantitation

- All criteria were met.

### Internal Standard (IS) Area Performance

- All internal standards met response and retention time (RT) criteria.

### Field Duplicate Sample Precision

- Field duplicate results are summarized below. The precision was acceptable.

PAH				
Compound	MW-8S-20151222 ug/L	DUP-20151222 ug/L	RPD	Qualifier
None	ND	ND	-	-

Please contact the undersigned at (757) 564-0090 if you have any questions or need further information.

Signed: Nancy Weaver  
Nancy Weaver  
Senior Chemist

Dated: 2/19/16

## Data Qualifiers

- J = The analyte was positively identified; the associated numerical value is the approximate concentration of the analyte in the sample.
- UJ = The analyte was not detected above the sample reporting limit; and the reporting limit is approximate.
- U = The analyte was analyzed for, but was not detected above the sample reporting limit.
- R = The sample results is rejected due to serious deficiencies. The presence or absence of the analyte cannot be verified.



# ANALYSIS DATA SHEET

Volatile Organics - GC/MS - SW 846 8260B

Client: Brown and Caldwell USR  
 Client Sample ID: MW-1-20151221  
 Lab Sample ID: 5120721-01  
 Project: NG-Patchogue  
 Work Order: 5120721

Date Sampled: 12/21/15 11:57	Prep Date: 12/31/15 13:37	File ID: 4V18075.D
Init/Final Vol: 5 mL / 5 mL	Prep Batch: B6A0417	Analyzed: 12/31/15 13:37
Dilution: 1	Matrix: Ground Water	Sequence: S6A0407
Prep Method: PURGE & TRAP 8000		

CAS NO.	COMPOUND	CONC. (ug/L)	MDL	RL	Q
71-43-2	Benzene	ND	0.129	1.00	U
100-41-4	EthylBenzene	ND	0.244	1.00	U
179601-23-1	m+p-Xylenes	ND	0.461	2.00	U
1634-04-4	Methyl tert-Butyl Ether	ND	0.596	1.00	U
95-47-6	o-Xylene	ND	0.244	1.00	U
75-65-0	tert-Butyl alcohol	ND	8.17	10.0	U
108-88-3	Toluene	ND	0.205	1.00	U
1330-20-7	Total Xylenes	ND	0.705	1.00	U

10

  
 10.2.

ND - Indicates compound analyzed for but not detected  
 J - Indicates estimated value  
 B - Indicates compound found in associated blank  
 E - Concentration exceeds highest calibration standard

D - Indicates result is based on a dilution  
 P - Greater than 25% diff. between 2 GC columns.  
 MDL - Minimum detection limit  
 RL - Reporting limit

MW 2/18/16

2

# ANALYSIS DATA SHEET

Volatile Organics - GC/MS - SW 846 8260B

Client: Brown and Caldwell USR  
Client Sample ID: MW-3-20151221  
Lab Sample ID: 5120721-02  
Project: NG-Patchogue  
Work Order: 5120721

Date Sampled:	12/21/15 12:55	Prep Date:	12/31/15 14:02	File ID:	4V18076.D
Init/Final Vol:	5 mL / 5 mL	Prep Batch:	B6A0417	Analyzed:	12/31/15 14:02
Dilution:	1	Matrix:	Ground Water	Sequence:	S6A0407
		Prep Method:	PURGE & TRAP 8000		

CAS NO.	COMPOUND	CONC. (ug/L)	MDL	RL	Q
71-43-2	Benzene	ND	0.129	1.00	U
100-41-4	EthylBenzene	ND	0.244	1.00	U
179601-23-1	m+p-Xylenes	ND	0.461	2.00	U
1634-04-4	Methyl tert-Butyl Ether	ND	0.596	1.00	U
95-47-6	o-Xylene	ND	0.244	1.00	U
75-65-0	tert-Butyl alcohol	ND	8.17	10.0	U
108-88-3	Toluene	ND	0.205	1.00	U
1330-20-7	Total Xylenes	ND	0.705	1.00	U

10  
10.2.

ND - Indicates compound analyzed for but not detected  
J - Indicates estimated value  
B - Indicates compound found in associated blank  
E - Concentration exceeds highest calibration standard

D - Indicates result is based on a dilution  
P - Greater than 25% diff. between 2 GC columns.  
MDL - Minimum detection limit  
RL - Reporting limit

MW2108114



3

### ANALYSIS DATA SHEET

Volatile Organics - GC/MS - SW 846 8260B

Client: **Brown and Caldwell USR**  
Client Sample ID: **MW-4D-20151221**  
Lab Sample ID: **5120721-03**  
Project: **NG-Patchogue**  
Work Order: **5120721**

Date Sampled:	12/21/15 15:03	Prep Date:	12/31/15 14:28	File ID:	4V18077.D
Init/Final Vol:	5 mL / 5 mL	Prep Batch:	B6A0417	Analyzed:	12/31/15 14:28
Dilution:	1	Matrix:	Ground Water	Sequence:	S6A0407
		Prep Method:	PURGE & TRAP 8000		

CAS NO.	COMPOUND	CONC. (ug/L)	MDL	RL	Q
71-43-2	Benzene	ND	0.129	1.00	U
100-41-4	EthylBenzene	ND	0.244	1.00	U
179601-23-1	m+p-Xylenes	ND	0.461	2.00	U
1634-04-4	Methyl tert-Butyl Ether	ND	0.596	1.00	U
95-47-6	o-Xylene	ND	0.244	1.00	U
75-65-0	tert-Butyl alcohol	ND	8.17	10.0	U
108-88-3	Toluene	ND	0.205	1.00	U
1330-20-7	Total Xylenes	ND	0.705	1.00	U

10  
10.2.

ND - Indicates compound analyzed for but not detected  
J - Indicates estimated value  
B - Indicates compound found in associated blank  
E - Concentration exceeds highest calibration standard

D - Indicates result is based on a dilution  
P - Greater than 25% diff. between 2 GC columns.  
MDL - Minimum detection limit  
RL - Reporting limit

MW 21814

4

### ANALYSIS DATA SHEET

Volatile Organics - GC/MS - SW 846 8260B

Client: Brown and Caldwell USR  
Client Sample ID: MW-4S-20151221  
Lab Sample ID: 5120721-04  
Project: NG-Patchogue  
Work Order: 5120721

Date Sampled:	12/21/15 15:48	Prep Date:	12/31/15 14:53	File ID:	4V18078.D
Init/Final Vol:	5 mL / 5 mL	Prep Batch:	B6A0417	Analyzed:	12/31/15 14:53
Dilution:	1	Matrix:	Ground Water	Sequence:	S6A0407
		Prep Method:	PURGE & TRAP 8000		

CAS NO.	COMPOUND	CONC. (ug/L)	MDL	RL	Q
71-43-2	Benzene	ND	0.129	1.00	U
100-41-4	EthylBenzene	ND	0.244	1.00	U
179601-23-1	m+p-Xylenes	ND	0.461	2.00	U
1634-04-4	Methyl tert-Butyl Ether	ND	0.596	1.00	U
95-47-6	o-Xylene	ND	0.244	1.00	U
75-65-0	tert-Butyl alcohol	ND	8.17	10.0	U
108-88-3	Toluene	ND	0.205	1.00	U
1330-20-7	Total Xylenes	ND	0.705	1.00	U

10  
10.2

ND - Indicates compound analyzed for but not detected  
J - Indicates estimated value  
B - Indicates compound found in associated blank  
E - Concentration exceeds highest calibration standard

D - Indicates result is based on a dilution  
P - Greater than 25% diff between 2 GC columns.  
MDL - Minimum detection limit  
RL - Reporting limit

sw 2118116

## ANALYSIS DATA SHEET

Volatile Organics - GC/MS - SW 846 8260B

Client: Brown and Caldwell USR  
 Client Sample ID: MW-7S-20151221  
 Lab Sample ID: 5120721-05  
 Project: NG-Patchogue  
 Work Order: 5120721

Date Sampled: 12/21/15 16:45	Prep Date: 12/31/15 15:19	File ID: 4V18079.D
Init/Final Vol: 5 mL / 5 mL	Prep Batch: B6A0417	Analyzed: 12/31/15 15:19
Dilution: 1	Matrix: Ground Water	Sequence: S6A0407
Prep Method: PURGE & TRAP 8000		

CAS NO.	COMPOUND	CONC. (ug/L)	MDL	RL	Q
71-43-2	Benzene	0.549	0.129	1.00	J
100-41-4	EthylBenzene	ND	0.244	1.00	U
179601-23-1	m+p-Xylenes	ND	0.461	2.00	U
1634-04-4	Methyl tert-Butyl Ether	ND	0.596	1.00	U
95-47-6	o-Xylene	ND	0.244	1.00	U
75-65-0	tert-Butyl alcohol	ND	8.17	10.0	U
108-88-3	Toluene	ND	0.205	1.00	U
1330-20-7	Total Xylenes	ND	0.705	1.00	U

10

10.2.

ND - Indicates compound analyzed for but not detected  
 J - Indicates estimated value  
 B - Indicates compound found in associated blank  
 E - Concentration exceeds highest calibration standard

D - Indicates result is based on a dilution  
 P - Greater than 25% diff. between 2 GC columns.  
 MDL - Minimum detection limit  
 RL - Reporting limit

MW 2/18/16

6

# ANALYSIS DATA SHEET

Volatile Organics - GC/MS - SW 846 8260B

Client: Brown and Caldwell USR  
Client Sample ID: MW-7D-20151221  
Lab Sample ID: 5120721-06  
Project: NG-Patchogue  
Work Order: 5120721

Date Sampled:	12/21/15 17:48	Prep Date:	12/31/15 15:45	File ID:	4V18080.D
Init/Final Vol:	5 mL / 5 mL	Prep Batch:	B6A0417	Analyzed:	12/31/15 15:45
Dilution:	1	Matrix:	Ground Water	Sequence:	S6A0407
		Prep Method:	PURGE & TRAP 8000		

CAS NO.	COMPOUND	CONC. (ug/L)	MDL	RL	Q
71-43-2	Benzene	ND	0.129	1.00	U
100-41-4	EthylBenzene	ND	0.244	1.00	U
179601-23-1	m+p-Xylenes	ND	0.461	2.00	U
1634-04-4	Methyl tert-Butyl Ether	ND	0.596	1.00	U
95-47-6	o-Xylene	ND	0.244	1.00	U
75-65-0	tert-Butyl alcohol	ND	8.17	10.0	U
108-88-3	Toluene	ND	0.205	1.00	U
1330-20-7	Total Xylenes	ND	0.705	1.00	U

10  
10.2.

ND - Indicates compound analyzed for but not detected  
 J - Indicates estimated value  
 B - Indicates compound found in associated blank  
 E - Concentration exceeds highest calibration standard

D - Indicates result is based on a dilution  
 P - Greater than 25% diff. between 2 GC columns.  
 MDL - Minimum detection limit  
 RL - Reporting limit

new 2/18/16

7

### ANALYSIS DATA SHEET

Volatile Organics - GC/MS - SW 846 8260B

Client: Brown and Caldwell USR  
Client Sample ID: MW-8D-20151222  
Lab Sample ID: 5120721-07  
Project: NG-Patchogue  
Work Order: 5120721

Date Sampled:	12/22/15 10:01	Prep Date:	12/31/15 16:11	File ID:	4V18081.D
Init/Final Vol:	5 mL / 5 mL	Prep Batch:	B6A0417	Analyzed:	12/31/15 16:11
Dilution:	1	Matrix:	Ground Water	Sequence:	S6A0407
		Prep Method:	PURGE & TRAP 8000		

CAS NO.	COMPOUND	CONC. (ug/L)	MDL	RL	Q
71-43-2	Benzene	ND	0.129	1.00	U
100-41-4	EthylBenzene	ND	0.244	1.00	U
179601-23-1	m+p-Xylenes	ND	0.461	2.00	U
1634-04-4	Methyl tert-Butyl Ether	ND	0.596	1.00	U
95-47-6	o-Xylene	ND	0.244	1.00	U
75-65-0	tert-Butyl alcohol	ND	8.17	10.0	U
108-88-3	Toluene	ND	0.205	1.00	U
1330-20-7	Total Xylenes	ND	0.705	1.00	U

10

10.2.

ND - Indicates compound analyzed for but not detected  
J - Indicates estimated value  
B - Indicates compound found in associated blank  
E - Concentration exceeds highest calibration standard

D - Indicates result is based on a dilution  
P - Greater than 25% diff. between 2 GC columns.  
MDL - Minimum detection limit  
RL - Reporting limit

MW 2/18/16

8

### ANALYSIS DATA SHEET

Volatile Organics - GC/MS - SW 846 8260B

Client: Brown and Caldwell USR  
Client Sample ID: MW-8S-20151222  
Lab Sample ID: 5120721-08  
Project: NG-Patchogue  
Work Order: 5120721

Date Sampled:	12/22/15 11:13	Prep Date:	12/31/15 16:36	File ID:	4V18082.D
Init/Final Vol:	5 mL / 5 mL	Prep Batch:	B6A0417	Analyzed:	12/31/15 16:36
Dilution:	1	Matrix:	Ground Water	Sequence:	S6A0407
		Prep Method:	PURGE & TRAP 8000		

CAS NO.	COMPOUND	CONC. (ug/L)	MDL	RL	Q
71-43-2	Benzene	ND	0.129	1.00	U
100-41-4	EthylBenzene	ND	0.244	1.00	U
179601-23-1	m+p-Xylenes	ND	0.461	2.00	U
1634-04-4	Methyl tert-Butyl Ether	ND	0.596	1.00	U
95-47-6	o-Xylene	ND	0.244	1.00	U
75-65-0	tert-Butyl alcohol	ND	8.17	10.0	U
108-88-3	Toluene	ND	0.205	1.00	U
1330-20-7	Total Xylenes	ND	0.705	1.00	U

10  
10.2

ND - Indicates compound analyzed for but not detected  
J - Indicates estimated value  
B - Indicates compound found in associated blank  
E - Concentration exceeds highest calibration standard

D - Indicates result is based on a dilution  
P - Greater than 25% diff. between 2 GC columns.  
MDL - Minimum detection limit  
RL - Reporting limit

see 2/18/16



9

### ANALYSIS DATA SHEET

Volatile Organics - GC/MS - SW 846 8260B

Client: Brown and Caldwell USR  
Client Sample ID: FB-20151222  
Lab Sample ID: 5120721-09  
Project: NG-Patchogue  
Work Order: 5120721

Date Sampled:	12/22/15 11:30	Prep Date:	12/31/15 18:42	File ID:	4V18087.D
Init/Final Vol:	5 mL / 5 mL	Prep Batch:	B6A0417	Analyzed:	12/31/15 18:42
Dilution:	1	Matrix:	Ground Water	Sequence:	S6A0407
		Prep Method:	PURGE & TRAP 8000		

CAS NO.	COMPOUND	CONC. (ug/L)	MDL	RL	Q
71-43-2	Benzene	ND	0.129	1.00	U
100-41-4	EthylBenzene	ND	0.244	1.00	U
179601-23-1	m+p-Xylenes	ND	0.461	2.00	U
1634-04-4	Methyl tert-Butyl Ether	ND	0.596	1.00	U
95-47-6	o-Xylene	ND	0.244	1.00	U
75-65-0	tert-Butyl alcohol	ND	8.17	10.0	U
108-88-3	Toluene	ND	0.205	1.00	U
1330-20-7	Total Xylenes	ND	0.705	1.00	U

10  
10.2.

ND - Indicates compound analyzed for but not detected  
J - Indicates estimated value  
B - Indicates compound found in associated blank  
E - Concentration exceeds highest calibration standard

D - Indicates result is based on a dilution  
P - Greater than 25% diff. between 2 GC columns.  
MDL - Minimum detection limit  
RL - Reporting limit

sw 2/18/16

### ANALYSIS DATA SHEET

Volatile Organics - GC/MS - SW 846 8260B

Client: Brown and Caldwell USR  
Client Sample ID: DUP-20151222  
Lab Sample ID: 5120721-10  
Project: NG-Patchogue  
Work Order: 5120721

Date Sampled:	12/22/15 00:00	Prep Date:	12/31/15 17:01	File ID:	4V18083.D
Init/Final Vol:	5 mL / 5 mL	Prep Batch:	B6A0417	Analyzed:	12/31/15 17:01
Dilution:	1	Matrix:	Ground Water	Sequence:	S6A0407
		Prep Method:	PURGE & TRAP 8000		

CAS NO.	COMPOUND	CONC. (ug/L)	MDL	RL	Q
71-43-2	Benzene	ND	0.129	1.00	U
100-41-4	EthylBenzene	ND	0.244	1.00	U
179601-23-1	m+p-Xylenes	ND	0.461	2.00	U
1634-04-4	Methyl tert-Butyl Ether	ND	0.596	1.00	U
95-47-6	o-Xylene	ND	0.244	1.00	U
75-65-0	tert-Butyl alcohol	ND	8.17	10.0	U
108-88-3	Toluene	ND	0.205	1.00	U
1330-20-7	Total Xylenes	ND	0.705	1.00	U

10  
10.2.

ND - Indicates compound analyzed for but not detected  
J - Indicates estimated value  
B - Indicates compound found in associated blank  
E - Concentration exceeds highest calibration standard

D - Indicates result is based on a dilution  
P - Greater than 25% diff between 2 GC columns.  
MDL - Minimum detection limit  
RL - Reporting limit

*mwz 11/8/16*

# ANALYSIS DATA SHEET

Volatile Organics - GC/MS - SW 846 8260B

Client: Brown and Caldwell USR  
Client Sample ID: MW-9S-20151222  
Lab Sample ID: 5120721-11  
Project: NG-Patchogue  
Work Order: 5120721

Date Sampled:	12/22/15 12:33	Prep Date:	12/31/15 17:26	File ID:	4V18084.D
Init/Final Vol:	5 mL / 5 mL	Prep Batch:	B6A0417	Analyzed:	12/31/15 17:26
Dilution:	1	Matrix:	Ground Water	Sequence:	S6A0407
		Prep Method:	PURGE & TRAP 8000		

CAS NO.	COMPOUND	CONC. (ug/L)	MDL	RL	Q
71-43-2	Benzene	ND	0.129	1.00	U
100-41-4	EthylBenzene	ND	0.244	1.00	U
179601-23-1	m+p-Xylenes	ND	0.461	2.00	U
1634-04-4	Methyl tert-Butyl Ether	ND	0.596	1.00	U
95-47-6	o-Xylene	ND	0.244	1.00	U
75-65-0	tert-Butyl alcohol	ND	8.17	10.0	U
108-88-3	Toluene	ND	0.205	1.00	U
1330-20-7	Total Xylenes	ND	0.705	1.00	U

10  
10.2

ND - Indicates compound analyzed for but not detected  
J - Indicates estimated value  
B - Indicates compound found in associated blank  
E - Concentration exceeds highest calibration standard

D - Indicates result is based on a dilution  
P - Greater than 25% diff between 2 GC columns.  
MDL - Minimum detection limit  
RL - Reporting limit

MW 2118146

12

### ANALYSIS DATA SHEET

Volatile Organics - GC/MS - SW 846 8260B

Client: Brown and Caldwell USR  
Client Sample ID: MW-9D-20151222  
Lab Sample ID: 5120721-12  
Project: NG-Patchogue  
Work Order: 5120721

Date Sampled:	12/22/15 13:13	Prep Date:	12/31/15 17:51	File ID:	4V18085.D
Ini/Final Vol:	5 mL / 5 mL	Prep Batch:	B6A0417	Analyzed:	12/31/15 17:51
Dilution:	1	Matrix:	Ground Water	Sequence:	S6A0407
		Prep Method:	PURGE & TRAP 8000		

CAS NO.	COMPOUND	CONC. (ug/L)	MDL	RL	Q
71-43-2	Benzene	ND	0.129	1.00	U
100-41-4	EthylBenzene	ND	0.244	1.00	U
179601-23-1	m+p-Xylenes	ND	0.461	2.00	U
1634-04-4	Methyl tert-Butyl Ether	ND	0.596	1.00	U
95-47-6	o-Xylene	ND	0.244	1.00	U
75-65-0	tert-Butyl alcohol	ND	8.17	10.0	U
108-88-3	Toluene	ND	0.205	1.00	U
1330-20-7	Total Xylenes	ND	0.705	1.00	U

10  
10.2

ND - Indicates compound analyzed for but not detected  
J - Indicates estimated value  
B - Indicates compound found in associated blank  
E - Concentration exceeds highest calibration standard

D - Indicates result is based on a dilution  
P - Greater than 25% diff between 2 GC columns.  
MDL - Minimum detection limit  
RL - Reporting limit

MW 2/18/16

**ANALYSIS DATA SHEET**  
Volatile Organics - GC/MS - SW 846 8260B

**Client:** Brown and Caldwell USR  
**Client Sample ID:** Trip Blank  
**Lab Sample ID:** 5120721-13  
**Project:** NG-Patchogue  
**Work Order:** 5120721

Date Sampled:	12/22/15 00:00	Prep Date:	12/31/15 18:16	File ID:	4V18086.D
Init/Final Vol:	5 mL / 5 mL	Prep Batch:	B6A0417	Analyzed:	12/31/15 18:16
Dilution:	1	Matrix:	Ground Water	Sequence:	S6A0407
		Prep Method:	PURGE & TRAP 8000		

CAS NO.	COMPOUND	CONC. (ug/L)	MDL	RL	Q
71-43-2	Benzene	ND	0.129	1.00	U
100-41-4	EthylBenzene	ND	0.244	1.00	U
179601-23-1	m+p-Xylenes	ND	0.461	2.00	U
1634-04-4	Methyl tert-Butyl Ether	ND	0.596	1.00	U
95-47-6	o-Xylene	ND	0.244	1.00	U
75-65-0	tert-Butyl alcohol	ND	8.17	10.0	U
108-88-3	Toluene	ND	0.205	1.00	U
1330-20-7	Total Xylenes	ND	0.705	1.00	U

10  
10.2

ND - Indicates compound analyzed for but not detected  
 J - Indicates estimated value  
 B - Indicates compound found in associated blank  
 E - Concentration exceeds highest calibration standard

D - Indicates result is based on a dilution  
 P - Greater than 25% diff. between 2 GC columns.  
 MDL - Minimum detection limit  
 RL - Reporting limit

*rwz11811p*





# ANALYSIS DATA SHEET

Semivolatile Organics - GC/MS - SW 846 8270C

Client: Brown and Caldwell USR  
 Client Sample ID: MW-1-20151221  
 Lab Sample ID: 5120721-01  
 Project: NG-Patchogue  
 Work Order: 5120721

Date Sampled: 12/21/15 11:57	Prep Date: 12/28/15 08:23	File ID: DS06413.D
Init/Final Vol: 940 mL / 1 mL	Prep Batch: B5L2807	Analyzed: 12/28/15 19:11
Dilution: 1	Matrix: Ground Water	Sequence: S6A0408
Prep Method: Sep Funnel MS 8000		

CAS NO.	COMPOUND	CONC. (ug/L)	MDL	RL	Q
83-32-9	Acenaphthene	ND	0.652	2.13	U
208-96-8	Acenaphthylene	ND	0.288	2.13	U
120-12-7	Anthracene	ND	0.339	2.13	U
56-55-3	Benzo(a)anthracene	ND	0.502	2.13	U
50-32-8	Benzo(a)pyrene	ND	0.373	2.13	U
205-99-2	Benzo(b)fluoranthene	ND	0.450	2.13	U
191-24-2	Benzo(g,h,i)perylene	ND	0.527	2.13	U
207-08-9	Benzo(k)fluoranthene	ND	0.461	2.13	U
218-01-9	Chrysene	ND	0.459	2.13	U
53-70-3	Dibenzo(a,h)anthracene	ND	0.427	2.13	U
206-44-0	Fluoranthene	ND	0.320	2.13	U
86-73-7	Fluorene	ND	0.190	2.13	U
193-39-5	Indeno(1,2,3-cd)pyrene	ND	0.456	2.13	U
91-20-3	Naphthalene	ND	0.577	2.13	U
85-01-8	Phenanthrene	ND	0.491	2.13	U
129-00-0	Pyrene	ND	0.395	2.13	U

ND - Indicates compound analyzed for but not detected  
 J - Indicates estimated value  
 B - Indicates compound found in associated blank  
 E - Concentration exceeds highest calibration standard

D - Indicates result is based on a dilution  
 P - Greater than 25% diff between 2 GC columns  
 MDL - Minimum detection limit  
 RL - Reporting limit

mwzlc8116

9  
9.2.

2

### ANALYSIS DATA SHEET

Semivolatile Organics - GC/MS - SW 846 8270C

Client: **Brown and Caldwell USR**  
 Client Sample ID: **MW-3-20151221**  
 Lab Sample ID: **5120721-02**  
 Project: **NG-Patchogue**  
 Work Order: **5120721**

Date Sampled:	12/21/15 12:55	Prep Date:	12/28/15 08:23	File ID:	DS06414.D
Init/Final Vol:	940 mL / 1 mL	Prep Batch:	B5L2807	Analyzed:	12/28/15 19:38
Dilution:	1	Matrix:	Ground Water	Sequence:	S6A0408
		Prep Method:	Sep Funnel MS 8000		



9.2.

CAS NO.	COMPOUND	CONC. (ug/L)	MDL	RL	Q
83-32-9	Acenaphthene	ND	0.652	2.13	U
208-96-8	Acenaphthylene	ND	0.288	2.13	U
120-12-7	Anthracene	ND	0.339	2.13	U
56-55-3	Benzo(a)anthracene	ND	0.502	2.13	U
50-32-8	Benzo(a)pyrene	ND	0.373	2.13	U
205-99-2	Benzo(b)fluoranthene	ND	0.450	2.13	U
191-24-2	Benzo(g,h,i)perylene	ND	0.527	2.13	U
207-08-9	Benzo(k)fluoranthene	ND	0.461	2.13	U
218-01-9	Chrysene	ND	0.459	2.13	U
53-70-3	Dibenzo(a,h)anthracene	ND	0.427	2.13	U
206-44-0	Fluoranthene	ND	0.320	2.13	U
86-73-7	Fluorene	ND	0.190	2.13	U
193-39-5	Indeno(1,2,3-cd)pyrene	ND	0.456	2.13	U
91-20-3	Naphthalene	ND	0.577	2.13	U
85-01-8	Phenanthrene	ND	0.491	2.13	U
129-00-0	Pyrene	ND	0.395	2.13	U

ND - Indicates compound analyzed for but not detected  
 J - Indicates estimated value  
 B - Indicates compound found in associated blank  
 E - Concentration exceeds highest calibration standard

D - Indicates result is based on a dilution  
 P - Greater than 25% diff. between 2 GC columns.  
 MDL - Minimum detection limit  
 RL - Reporting limit

MW 2/18/16

3

### ANALYSIS DATA SHEET

Semivolatile Organics - GC/MS - SW 846 8270C

Client: Brown and Caldwell USR  
 Client Sample ID: MW-4D-20151221  
 Lab Sample ID: 5120721-03  
 Project: NG-Patchogue  
 Work Order: 5120721

Date Sampled:	12/21/15 15:03	Prep Date:	12/28/15 08:23	File ID:	DS06415.D
Init/Final Vol:	960 mL / 1 mL	Prep Batch:	B5L2807	Analyzed:	12/28/15 20:05
Dilution:	1	Matrix:	Ground Water	Sequence:	S6A0408
		Prep Method:	Sep Funnel MS 8000		

CAS NO.	COMPOUND	CONC. (ug/L)	MDL	RL	Q
83-32-9	Acenaphthene	ND	0.639	2.08	U
208-96-8	Acenaphthylene	ND	0.282	2.08	U
120-12-7	Anthracene	ND	0.332	2.08	U
56-55-3	Benzo(a)anthracene	ND	0.492	2.08	U
50-32-8	Benzo(a)pyrene	ND	0.366	2.08	U
205-99-2	Benzo(b)fluoranthene	ND	0.441	2.08	U
191-24-2	Benzo(g,h,i)perylene	ND	0.516	2.08	U
207-08-9	Benzo(k)fluoranthene	ND	0.451	2.08	U
218-01-9	Chrysene	ND	0.449	2.08	U
53-70-3	Dibenzo(a,h)anthracene	ND	0.418	2.08	U
206-44-0	Fluoranthene	ND	0.314	2.08	U
86-73-7	Fluorene	ND	0.186	2.08	U
193-39-5	Indeno(1,2,3-cd)pyrene	ND	0.447	2.08	U
91-20-3	Naphthalene	ND	0.565	2.08	U
85-01-8	Phenanthrene	ND	0.481	2.08	U
129-00-0	Pyrene	ND	0.386	2.08	U

9.2

ND - Indicates compound analyzed for but not detected  
 J - Indicates estimated value  
 B - Indicates compound found in associated blank  
 E - Concentration exceeds highest calibration standard

D - Indicates result is based on a dilution  
 P - Greater than 25% diff. between 2 GC columns.  
 MDL - Minimum detection limit  
 RL - Reporting limit

MW 2118116

4

### ANALYSIS DATA SHEET

Semivolatile Organics - GC/MS - SW 846 8270C

Client: Brown and Caldwell USR  
 Client Sample ID: MW-4S-20151221  
 Lab Sample ID: 5120721-04  
 Project: NG-Patchogue  
 Work Order: 5120721

Date Sampled:	12/21/15 15:48	Prep Date:	12/28/15 08:23	File ID:	DS06416.D
Init/Final Vol:	980 mL / 1 mL	Prep Batch:	B5L2807	Analyzed:	12/28/15 20:32
Dilution:	1	Matrix:	Ground Water	Sequence:	S6A0408
		Prep Method:	Sep Funnel MS 8000		

CAS NO.	COMPOUND	CONC. (ug/L)	MDL	RL	Q
83-32-9	Acenaphthene	ND	0.626	2.04	U
208-96-8	Acenaphthylene	ND	0.277	2.04	U
120-12-7	Anthracene	ND	0.326	2.04	U
56-55-3	Benzo(a)anthracene	ND	0.482	2.04	U
50-32-8	Benzo(a)pyrene	ND	0.358	2.04	U
205-99-2	Benzo(b)fluoranthene	ND	0.432	2.04	U
191-24-2	Benzo(g,h,i)perylene	ND	0.505	2.04	U
207-08-9	Benzo(k)fluoranthene	ND	0.442	2.04	U
218-01-9	Chrysene	ND	0.440	2.04	U
53-70-3	Dibenzo(a,h)anthracene	ND	0.409	2.04	U
206-44-0	Fluoranthene	ND	0.307	2.04	U
86-73-7	Fluorene	ND	0.183	2.04	U
193-39-5	Indeno(1,2,3-cd)pyrene	ND	0.438	2.04	U
91-20-3	Naphthalene	ND	0.553	2.04	U
85-01-8	Phenanthrene	ND	0.471	2.04	U
129-00-0	Pyrene	ND	0.379	2.04	U

9  
9.2.

ND - Indicates compound analyzed for but not detected  
 J - Indicates estimated value  
 B - Indicates compound found in associated blank  
 E - Concentration exceeds highest calibration standard

D - Indicates result is based on a dilution  
 P - Greater than 25% diff. between 2 GC columns.  
 MDL - Minimum detection limit  
 RL - Reporting limit

MW 2/18/16

### ANALYSIS DATA SHEET

Semivolatile Organics - GC/MS - SW 846 8270C

Client: Brown and Caldwell USR  
 Client Sample ID: MW-7S-20151221  
 Lab Sample ID: 5120721-05  
 Project: NG-Patchogue  
 Work Order: 5120721

Date Sampled:	12/21/15 16:45	Prep Date:	12/28/15 08:23	File ID:	DS06417.D
Init/Final Vol:	970 mL / 1 mL	Prep Batch:	B5L2807	Analyzed:	12/28/15 20:59
Dilution:	1	Matrix:	Ground Water	Sequence:	S6A0408
		Prep Method:	Sep Funnel MS 8000		

CAS NO.	COMPOUND	CONC. (ug/L)	MDL	RL	Q
83-32-9	Acenaphthene	ND	0.632	2.06	U
208-96-8	Acenaphthylene	ND	0.279	2.06	U
120-12-7	Anthracene	ND	0.329	2.06	U
56-55-3	Benzo(a)anthracene	ND	0.487	2.06	U
50-32-8	Benzo(a)pyrene	ND	0.362	2.06	U
205-99-2	Benzo(b)fluoranthene	ND	0.436	2.06	U
191-24-2	Benzo(g,h,i)perylene	ND	0.510	2.06	U
207-08-9	Benzo(k)fluoranthene	ND	0.446	2.06	U
218-01-9	Chrysene	ND	0.444	2.06	U
53-70-3	Dibenzo(a,h)anthracene	ND	0.413	2.06	U
206-44-0	Fluoranthene	ND	0.310	2.06	U
86-73-7	Fluorene	ND	0.185	2.06	U
193-39-5	Indeno(1,2,3-cd)pyrene	ND	0.442	2.06	U
91-20-3	Naphthalene	0.935	0.559	2.06	J
85-01-8	Phenanthrene	ND	0.476	2.06	U
129-00-0	Pyrene	ND	0.382	2.06	U

9  
9.2.

ND - Indicates compound analyzed for but not detected  
 J - Indicates estimated value  
 B - Indicates compound found in associated blank  
 E - Concentration exceeds highest calibration standard

D - Indicates result is based on a dilution  
 P - Greater than 25% diff between 2 GC columns.  
 MDL - Minimum detection limit  
 RL - Reporting limit

sw 2/18/16

6

### ANALYSIS DATA SHEET

Semivolatile Organics - GC/MS - SW 846 8270C

Client: **Brown and Caldwell USR**  
 Client Sample ID: **MW-7D-20151221**  
 Lab Sample ID: **5120721-06**  
 Project: **NG-Patchogue**  
 Work Order: **5120721**

Date Sampled:	12/21/15 17:48	Prep Date:	12/28/15 08:23	File ID:	DS06418.D
Init/Final Vol:	1000 mL / 1 mL	Prep Batch:	B5L2807	Analyzed:	12/28/15 21:26
Dilution:	1	Matrix:	Ground Water	Sequence:	S6A0408
		Prep Method:	Sep Funnel MS 8000		

9  
9.2

CAS NO.	COMPOUND	CONC. (ug/L)	MDL	RL	Q
83-32-9	Acenaphthene	ND	0.613	2.00	U
208-96-8	Acenaphthylene	ND	0.271	2.00	U
120-12-7	Anthracene	ND	0.319	2.00	U
56-55-3	Benzo(a)anthracene	ND	0.472	2.00	U
50-32-8	Benzo(a)pyrene	ND	0.351	2.00	U
205-99-2	Benzo(b)fluoranthene	ND	0.423	2.00	U
191-24-2	Benzo(g,h,i)perylene	ND	0.495	2.00	U
207-08-9	Benzo(k)fluoranthene	ND	0.433	2.00	U
218-01-9	Chrysene	ND	0.431	2.00	U
53-70-3	Dibenzo(a,h)anthracene	ND	0.401	2.00	U
206-44-0	Fluoranthene	ND	0.301	2.00	U
86-73-7	Fluorene	ND	0.179	2.00	U
193-39-5	Indeno(1,2,3-cd)pyrene	ND	0.429	2.00	U
91-20-3	Naphthalene	ND	0.542	2.00	U
85-01-8	Phenanthrene	ND	0.462	2.00	U
129-00-0	Pyrene	ND	0.371	2.00	U

ND - Indicates compound analyzed for but not detected  
 J - Indicates estimated value  
 B - Indicates compound found in associated blank  
 E - Concentration exceeds highest calibration standard

D - Indicates result is based on a dilution  
 P - Greater than 25% diff between 2 GC columns.  
 MDL - Minimum detection limit  
 RL - Reporting limit

sw 211816p



7

### ANALYSIS DATA SHEET

Semivolatile Organics - GC/MS - SW 846 8270C

Client: Brown and Caldwell USR  
 Client Sample ID: MW-8D-20151222  
 Lab Sample ID: 5120721-07  
 Project: NG-Patchogue  
 Work Order: 5120721

Date Sampled:	12/22/15 10:01	Prep Date:	12/28/15 08:23	File ID:	DS06419.D
Init/Final Vol:	1000 mL / 1 mL	Prep Batch:	B5L2807	Analyzed:	12/28/15 21:52
Dilution:	1	Matrix:	Ground Water	Sequence:	S6A0408
		Prep Method:	Sep Funnel MS 8000		

9

9.2

CAS NO.	COMPOUND	CONC. (ug/L)	MDL	RL	
83-32-9	Acenaphthene	ND	0.613	2.00	U
208-96-8	Acenaphthylene	ND	0.271	2.00	U
120-12-7	Anthracene	ND	0.319	2.00	U
56-55-3	Benzo(a)anthracene	ND	0.472	2.00	U
50-32-8	Benzo(a)pyrene	ND	0.351	2.00	U
205-99-2	Benzo(b)fluoranthene	ND	0.423	2.00	U J
191-24-2	Benzo(g,h,i)perylene	ND	0.495	2.00	U J
207-08-9	Benzo(k)fluoranthene	ND	0.433	2.00	U J
218-01-9	Chrysene	ND	0.431	2.00	U
53-70-3	Dibenzo(a,h)anthracene	ND	0.401	2.00	U J
206-44-0	Fluoranthene	ND	0.301	2.00	U
86-73-7	Fluorene	ND	0.179	2.00	U
193-39-5	Indeno(1,2,3-cd)pyrene	ND	0.429	2.00	U J
91-20-3	Naphthalene	ND	0.542	2.00	U
85-01-8	Phenanthrene	ND	0.462	2.00	U
129-00-0	Pyrene	ND	0.371	2.00	U

ND - Indicates compound analyzed for but not detected  
 J - Indicates estimated value  
 B - Indicates compound found in associated blank  
 E - Concentration exceeds highest calibration standard

D - Indicates result is based on a dilution  
 P - Greater than 25% diff. between 2 GC columns  
 MDL - Minimum detection limit  
 RL - Reporting limit

MW 3/10/16

8

## ANALYSIS DATA SHEET

Semivolatile Organics - GC/MS - SW 846 8270C

Client: Brown and Caldwell USR  
 Client Sample ID: MW-8S-20151222  
 Lab Sample ID: 5120721-08  
 Project: NG-Patchogue  
 Work Order: 5120721

Date Sampled: 12/22/15 11:13	Prep Date: 12/28/15 08:23	File ID: DS06420.D
Init/Final Vol: 960 mL / 1 mL	Prep Batch: B5L2807	Analyzed: 12/28/15 22:19
Dilution: 1	Matrix: Ground Water	Sequence: S6A0408
	Prep Method: Sep Funnel MS 8000	

CAS NO.	COMPOUND	CONC. (ug/L)	MDL	RL	Q
83-32-9	Acenaphthene	ND	0.639	2.08	U
208-96-8	Acenaphthylene	ND	0.282	2.08	U
120-12-7	Anthracene	ND	0.332	2.08	U
56-55-3	Benzo(a)anthracene	ND	0.492	2.08	U
50-32-8	Benzo(a)pyrene	ND	0.366	2.08	U
205-99-2	Benzo(b)fluoranthene	ND	0.441	2.08	U
191-24-2	Benzo(g,h,i)perylene	ND	0.516	2.08	U
207-08-9	Benzo(k)fluoranthene	ND	0.451	2.08	U
218-01-9	Chrysene	ND	0.449	2.08	U
53-70-3	Dibenzo(a,h)anthracene	ND	0.418	2.08	U
206-44-0	Fluoranthene	ND	0.314	2.08	U
86-73-7	Fluorene	ND	0.186	2.08	U
193-39-5	Indeno(1,2,3-cd)pyrene	ND	0.447	2.08	U
91-20-3	Naphthalene	ND	0.565	2.08	U
85-01-8	Phenanthrene	ND	0.481	2.08	U
129-00-0	Pyrene	ND	0.386	2.08	U

9  
9.2.

ND - Indicates compound analyzed for but not detected  
 J - Indicates estimated value  
 B - Indicates compound found in associated blank  
 E - Concentration exceeds highest calibration standard

D - Indicates result is based on a dilution  
 P - Greater than 25% diff between 2 GC columns.  
 MDL - Minimum detection limit  
 RL - Reporting limit

mwzlk811p

9

## ANALYSIS DATA SHEET

Semivolatile Organics - GC/MS - SW 846 8270C

Client: **Brown and Caldwell USR**  
 Client Sample ID: **FB-20151222**  
 Lab Sample ID: **5120721-09**  
 Project: **NG-Patchogue**  
 Work Order: **5120721**

Date Sampled: 12/22/15 11:30	Prep Date: 12/28/15 08:23	File ID: DS06421.D
Init/Final Vol: 1000 mL / 1 mL	Prep Batch: B5L2807	Analyzed: 12/28/15 22:46
Dilution: 1	Matrix: Ground Water	Sequence: S6A0408
	Prep Method: Sep Funnel MS 8000	

CAS NO.	COMPOUND	CONC. (ug/L)	MDL	RL	Q
83-32-9	Acenaphthene	ND	0.613	2.00	U
208-96-8	Acenaphthylene	ND	0.271	2.00	U
120-12-7	Anthracene	ND	0.319	2.00	U
56-55-3	Benzo(a)anthracene	ND	0.472	2.00	U
50-32-8	Benzo(a)pyrene	ND	0.351	2.00	U
205-99-2	Benzo(b)fluoranthene	ND	0.423	2.00	U
191-24-2	Benzo(g,h,i)perylene	ND	0.495	2.00	U
207-08-9	Benzo(k)fluoranthene	ND	0.433	2.00	U
218-01-9	Chrysene	ND	0.431	2.00	U
53-70-3	Dibenzo(a,h)anthracene	ND	0.401	2.00	U
206-44-0	Fluoranthene	ND	0.301	2.00	U
86-73-7	Fluorene	ND	0.179	2.00	U
193-39-5	Indeno(1,2,3-cd)pyrene	ND	0.429	2.00	U
91-20-3	Naphthalene	ND	0.542	2.00	U
85-01-8	Phenanthrene	ND	0.462	2.00	U
129-00-0	Pyrene	ND	0.371	2.00	U

9  
9.2.

ND - Indicates compound analyzed for but not detected  
 J - Indicates estimated value  
 B - Indicates compound found in associated blank  
 E - Concentration exceeds highest calibration standard

D - Indicates result is based on a dilution  
 P - Greater than 25% diff. between 2 GC columns.  
 MDL - Minimum detection limit  
 RL - Reporting limit

5120721

10

### ANALYSIS DATA SHEET

Semivolatiles Organics - GC/MS - SW 846 8270C

Client: Brown and Caldwell USR  
 Client Sample ID: DUP-20151222  
 Lab Sample ID: 5120721-10  
 Project: NG-Patchogue  
 Work Order: 5120721

Date Sampled:	12/22/15 00:00	Prep Date:	12/28/15 08:23	File ID:	DS06422.D
Init/Final Vol:	1000 mL / 1 mL	Prep Batch:	B5L2807	Analyzed:	12/28/15 23:12
Dilution:	1	Matrix:	Ground Water	Sequence:	S6A0408
		Prep Method:	Sep Funnel MS 8000		

9

9.2

CAS NO.	COMPOUND	CONC. (ug/L)	MDL	RL	
83-32-9	Acenaphthene	ND	0.613	2.00	U
208-96-8	Acenaphthylene	ND	0.271	2.00	U
120-12-7	Anthracene	ND	0.319	2.00	U
56-55-3	Benzo(a)anthracene	ND	0.472	2.00	U
50-32-8	Benzo(a)pyrene	ND	0.351	2.00	U
205-99-2	Benzo(b)fluoranthene	ND	0.423	2.00	U
191-24-2	Benzo(g,h,i)perylene	ND	0.495	2.00	U
207-08-9	Benzo(k)fluoranthene	ND	0.433	2.00	U
218-01-9	Chrysene	ND	0.431	2.00	U
53-70-3	Dibenzo(a,h)anthracene	ND	0.401	2.00	U
206-44-0	Fluoranthene	ND	0.301	2.00	U
86-73-7	Fluorene	ND	0.179	2.00	U
193-39-5	Indeno(1,2,3-cd)pyrene	ND	0.429	2.00	U
91-20-3	Naphthalene	ND	0.542	2.00	U
85-01-8	Phenanthrene	ND	0.462	2.00	U
129-00-0	Pyrene	ND	0.371	2.00	U

ND - Indicates compound analyzed for but not detected  
 J - Indicates estimated value  
 B - Indicates compound found in associated blank  
 E - Concentration exceeds highest calibration standard

D - Indicates result is based on a dilution  
 P - Greater than 25% diff. between 2 GC columns  
 MDL - Minimum detection limit  
 RL - Reporting limit

sw 3/10/16

11

### ANALYSIS DATA SHEET

Semivolatile Organics - GC/MS - SW 846 8270C

Client: **Brown and Caldwell USR**  
 Client Sample ID: **MW-9S-20151222**  
 Lab Sample ID: **5120721-11**  
 Project: **NG-Patchogue**  
 Work Order: **5120721**

Date Sampled:	12/22/15 12:33	Prep Date:	12/28/15 08:23	File ID:	DS06423.D
Init/Final Vol:	870 mL / 1 mL	Prep Batch:	B5L2807	Analyzed:	12/28/15 23:39
Dilution:	1	Matrix:	Ground Water	Sequence:	S6A0408
		Prep Method:	Sep Funnel MS 8000		

CAS NO.	COMPOUND	CONC. (ug/L)	MDL	RL	Q
83-32-9	Acenaphthene	2.60	0.705	2.30	
208-96-8	Acenaphthylene	ND	0.311	2.30	U
120-12-7	Anthracene	ND	0.367	2.30	U
56-55-3	Benzo(a)anthracene	ND	0.543	2.30	U
50-32-8	Benzo(a)pyrene	ND	0.403	2.30	U
205-99-2	Benzo(b)fluoranthene	ND	0.486	2.30	U
191-24-2	Benzo(g,h,i)perylene	ND	0.569	2.30	U
207-08-9	Benzo(k)fluoranthene	ND	0.498	2.30	U
218-01-9	Chrysene	ND	0.495	2.30	U
53-70-3	Dibenzo(a,h)anthracene	ND	0.461	2.30	U
206-44-0	Fluoranthene	0.740	0.346	2.30	J
86-73-7	Fluorene	ND	0.206	2.30	U
193-39-5	Indeno(1,2,3-cd)pyrene	ND	0.493	2.30	U
91-20-3	Naphthalene	ND	0.623	2.30	U
85-01-8	Phenanthrene	ND	0.531	2.30	U
129-00-0	Pyrene	0.584	0.426	2.30	J

9  
9.2

ND - Indicates compound analyzed for but not detected  
 J - Indicates estimated value  
 B - Indicates compound found in associated blank  
 E - Concentration exceeds highest calibration standard

D - Indicates result is based on a dilution  
 P - Greater than 25% diff. between 2 GC columns  
 MDL - Minimum detection limit  
 RL - Reporting limit

mw 2/18/16

12

### ANALYSIS DATA SHEET

Semivolatile Organics - GC/MS - SW 846 8270C

Client: Brown and Caldwell USR  
 Client Sample ID: MW-9D-20151222  
 Lab Sample ID: 5120721-12  
 Project: NG-Patchogue  
 Work Order: 5120721

Date Sampled:	12/22/15 13:13	Prep Date:	12/28/15 08:23	File ID:	DS06424.D
Init/Final Vol:	970 mL / 1 mL	Prep Batch:	B5L2807	Analyzed:	12/29/15 00:06
Dilution:	1	Matrix:	Ground Water	Sequence:	S6A0408
		Prep Method:	Sep Funnel MS 8000		

CAS NO.	COMPOUND	CONC. (ug/L)	MDL	RL	Q
83-32-9	Acenaphthene	ND	0.632	2.06	U <i>uJ</i>
208-96-8	Acenaphthylene	ND	0.279	2.06	U
120-12-7	Anthracene	ND	0.329	2.06	U
56-55-3	Benzo(a)anthracene	ND	0.487	2.06	U
50-32-8	Benzo(a)pyrene	ND	0.362	2.06	U
205-99-2	Benzo(b)fluoranthene	ND	0.436	2.06	U
191-24-2	Benzo(g,h,i)perylene	ND	0.510	2.06	U
207-08-9	Benzo(k)fluoranthene	ND	0.446	2.06	U
218-01-9	Chrysene	ND	0.444	2.06	U
53-70-3	Dibenzo(a,h)anthracene	ND	0.413	2.06	U
206-44-0	Fluoranthene	ND	0.310	2.06	U
86-73-7	Fluorene	ND	0.185	2.06	U
193-39-5	Indeno(1,2,3-cd)pyrene	ND	0.442	2.06	U
91-20-3	Naphthalene	ND	0.559	2.06	U
85-01-8	Phenanthrene	ND	0.476	2.06	U
129-00-0	Pyrene	ND	0.382	2.06	U

9  
9.2

ND - Indicates compound analyzed for but not detected  
 J - Indicates estimated value  
 B - Indicates compound found in associated blank  
 E - Concentration exceeds highest calibration standard

D - Indicates result is based on a dilution  
 P - Greater than 25% diff. between 2 GC columns.  
 MDL - Minimum detection limit  
 RL - Reporting limit

*new 2/18/16*



## **Appendix D: Electronic Data Deliverable (CD-ROM)**

---

