

## DAILY STATUS REPORT

Prepared By: Dominick Basilone

WEATHER	Snow		Rain		Overcast		Partly Cloudy	X	Bright Sun	
TEMP.	< 32		32-50		50-70	X	70-85		>85	

<b>Project Name:</b>	3547 Webster Avenue	<b>Date:</b>	10/01/2024
----------------------	---------------------	--------------	------------

<b>Consultant:</b> Vektor Consultants – Dominick Basilone and Antonio Cardenas	<b>Personnel On-Site:</b> General Contractor – B Management Concrete Contractor – Raptor Concrete
---	---

### Work Activities Performed:

- Raptor Concrete performed general housekeeping duties sitewide.
- Raptor Concrete installed rebar and vapor barrier material (20-mil Stego Wrap) for footings throughout Grid B.
- 14 truckloads of screened clean RCA stone from Alloco Recycling in Brooklyn, NY were brought onsite. Material was used to backfill in the north portions of the site.
- Raptor Concrete exported 20 trucks of non-hazardous soil from the site from Grids A (0-4) to Bayshore Soil Management in Keasbey, NJ.
- Raptor Concrete continued excavating in Grid A for footings and end point sampling
- An intact 14' x 5' UST was partially uncovered in Grid A during excavation, preventing further excavation. The UST was temporarily covered in plastic in preparation for pumping and removal tomorrow.
- Vektor collected endpoint samples in Grids A and B (EP-1 (4'), EP-2 (4'), EP-3 (4'), EP-5 (4'), EP-6 (4'), and EP-9 (8')).
- Raptor Concrete began installing footings in Grid A.

### Samples Collected:

- EP-1 (4'), EP-2 (4'), EP-3 (4'), EP-5 (4'), EP-6 (4'), and EP-9 (8').

### Community Air Monitoring Program (CAMP)

Implementation of a real-time Community Air Monitoring Plan (CAMP) was conducted during drilling and sampling work. All air monitoring equipment was calibrated at the start of the workday. An upwind and downwind CAMP stations were placed near the perimeters of Site during intrusive work. The upwind CAMP station was located in the northern portion of the Site and the downwind CAMP station was located in the southern portion of the Site as the wind was consistently coming from the north. All air monitoring data is appended to the end of this report.

Background Levels (Initial Readings at Start of Day):

PID: 0.0 ppm      Dust: 0.031mg/m<sup>3</sup>

Highest Levels:

PID: 0.0 ppm      Dust: 0.282 mg/m<sup>3</sup>

- Upwind CAMP was implemented during drilling and sampling activities. CAMP equipment consisted of a DustTrack II Model 8530; S/N: 8530214907, AND MiniRAE 3000, Model PGM-7320 photoionization detector (PID); S/N: 592-913438
- Downwind CAMP was implemented during drilling and sampling activities. CAMP equipment consisted of a DustTrack II Model 8530; S/N: 8530193101, AND MiniRAE 3000+, Model PGM-7320 photoionization detector (PID); S/N: 592-913481
- The downwind CAMP detected elevated dust readings from 1:17 to 1:32 PM (0.282 mg/m<sup>3</sup>) due to the proximity of stone backfill. Raptor Concrete applied water for dust suppression and readings returned to background levels shortly after.
- The Downwind CAMP station had network issues from 12:32 to 1:32 PM. After troubleshooting the network issues were resolved and readings resumed.
- No VOC concentrations were detected in exceedance of the New York State Department of Health Generic CAMP Response Levels at the work area CAMP station.

### Problems Encountered

- A 14' x 5' UST was discovered in Grid A during excavation.


**Planned Activities for the Next Day**

- Continued general housekeeping
- Continued footing installation and excavation in Grid A
- Continue stockpile soil removal and backfill delivery
- Empty and remove UST

**SOIL AND C&D DISPOSAL QUANTITIES AND FACILITY DESTINATIONS**

Facility # Name/ Location Type of Waste Solid Or Liquid	Mount Materials 100 Pipe Mill Road, Fairless Hills, PA C&D		Bayshore Soil Management 75 Crows Mill Road Keasbey, NJ Non-hazardous Soil			
(Trucks, Cu.Yds. Or Gallons)	Trucks	Cu. Yards	Trucks	Cu. Yards	Trucks	Cu. Yards
Today	0	0	20	400	0	0
Total	25	~500	68	~1360	0	0

# **SITE PLAN WITH LOCATIONS**





**Photo Log**

Photo 1:  
Footings in Grid B facing North during  
gravel backfilling, facing north.



Photo 2:  
Export of stockpiled material from  
Grid A, facing south.





Photo 3:  
Rebar and vapor barrier installation at  
footings in Grid B, facing West.




Photo 4:  
14' x 5' UST in Grid A uncovered  
during excavation, facing north.





Photo 5:  
Vapor barrier (Stego Wrap)  
installation and backfilling, facing  
north.



Photo 6:  
Covering of UST with poly sheeting,  
facing northwest.





## Trucking Log

Date	Manifest/Part 360 Number	Truck Company	Truck Number	License Plate	Material	Facility	Volume (cubic yards)
10/1/2024	EO851952	H & A	7	AU857D	Grid A- C (0-4)	Bayshore	20
10/1/2024	EO851953	H & A	8	AU322P	Grid A- C (0-4)	Bayshore	20
10/1/2024	EO851954	H & A	1	AP552Y	Grid A- C (0-4)	Bayshore	20
10/1/2024	EO851955	Andrades	8	AT477J	Grid A- C (0-4)	Bayshore	20
10/1/2024	EO851956	Andrades	6	AW858W	Grid A- C (0-4)	Bayshore	20
10/1/2024	EO851957	Andrades	1	AX406N	Grid A- C (0-4)	Bayshore	20
10/1/2024	EO851958	Mesa	5	AY391G	Grid A- C (0-4)	Bayshore	20
10/1/2024	EO851959	Joel	10	AZ373A	Grid A- C (0-4)	Bayshore	20
10/1/2024	EO851960	Mesa	2	AU927B	Grid A- C (0-4)	Bayshore	20
10/1/2024	EO851961	Joel	9	AZ37A	Grid A- C (0-4)	Bayshore	20
10/1/2024	EO851962	Joel	7	AZ370A	Grid A- C (0-4)	Bayshore	20
10/1/2024	EO851963	Mesa	3	AY553W	Grid A- C (0-4)	Bayshore	20
10/1/2024	EO851964	H & A	8	AU322P	Grid A- C (0-4)	Bayshore	20
10/1/2024	EO851965	H & A	1	AP552Y	Grid A- C (0-4)	Bayshore	20
10/1/2024	EO851966	Andrades	6	AW858W	Grid A- C (0-4)	Bayshore	20
10/1/2024	EO851967	Andrades	8	AT477J	Grid A- C (0-4)	Bayshore	20
10/1/2024	EO851968	Andrades	1	AX406N	Grid A- C (0-4)	Bayshore	20
10/1/2024	EO851969	H & A	1	AP552Y	Grid A- C (0-4)	Bayshore	20
10/1/2024	EO851970	H & A	1	AP552Y	Grid A- C (0-4)	Bayshore	20
10/1/2024	EO851971	Andrades	8	AT477J	Grid A- C (0-4)	Bayshore	20

<div>vEKtor consultants</div> <div>37 W. 37th St, 6th Floor - New York, NY</div>	<div>DAILY AIR MONITORING REPORT</div> <div>3547 Webster Avenue</div> <div>Bronx, New York</div>	10/01/2024	
		Rev. No. 0	Page 1 of 2
		Project Number:	
		Dust Action Level	150 µg/m³
		VOC Action Level	5 ppm


Weather Data Range for Work Day		Wind Direction	NE	Relative Humidity (%)	69.0 - 86.0	Daily Rain Total (in)	0.00	Readings in the summary table and graphs below are the reported downwind concentrations.
Temperature (°F)	59.0 - 69.0	Wind Speed (MPH)	1.8 - 5.5	Barometer (inHg)	30.00 - 30.10	Avg. Dew Point Temp (°F)	58.0	

Station Location	Daily Avg. Dust Concentration ( $\mu\text{g}/\text{m}^3$ )	Max 15-Min Dust Concentration ( $\mu\text{g}/\text{m}^3$ )	Time of Max Dust Reading	Daily Avg. VOC Concentration (ppm)	Max 15-Min VOC Concentration (ppm)	Time of Max VOC Reading
Upwind	24.5	58.3	15:17	0.0	0.0	15:32
Downwind	41.5	282.4	15:17	0.0	0.0	7:47



**Air Monitoring Notes:**

**Weather Notes:**



Tuesday, October 1, 2024				
Number of Instances Where Downwind Particulates				1
Number of Comparable Data Points =				34
Start Time:				7:32
End Time:				16:02
PARTICULATE DATA				
Upwind		Downwind		Exceeds Particulate Alarm Limit
Time	15-Min Avg Concentration (ug/m <sup>3</sup> )	Time	15-Min Avg Concentration (ug/m <sup>3</sup> )	
7:32	18.7	7:32	30.6	-
7:47	15.6	7:47	33.0	-
8:02	10.7	8:02	16.0	-
8:17	22.3	8:17	23.9	-
8:32	27.3	8:32	23.8	-
8:47	31.4	8:47	11.6	-
9:02	43.2	9:02	13.2	-
9:17	29.6	9:17	18.3	-
9:32	13.7	9:32	35.3	-
9:47	15.8	9:47	31.4	-
10:02	7.8	10:02	23.3	-
10:17	6.3	10:17	25.7	-
10:32	7.1	10:32	25.1	-
10:47	8.0	10:47	19.1	-
11:02	18.4	11:02	44.4	-
11:17	11.0	11:17	22.2	-
11:32	23.4	11:32	21.7	-
11:47	37.7	11:47	31.1	-
12:02	20.9	12:02	21.6	-
12:17	19.9	12:17	34.0	-
12:32	20.7	12:32	-	-
12:47	25.1	12:47	-	-
13:02	33.2	13:02	-	-
13:17	12.7	13:17	-	-
13:32	-	13:32	-	-
13:47	21.5	13:47	21.5	-
14:02	19.5	14:02	25.9	-
14:17	38.9	14:17	34.6	-
14:32	44.5	14:32	26.4	-
14:47	23.3	14:47	32.2	-
15:02	34.3	15:02	23.1	-
15:17	58.3	15:17	282.4	X
15:32	47.7	15:32	47.6	-
15:47	32.1	15:47	56.1	-
16:02	27.4	16:02	16.9	-

Tuesday, October 1, 2024				
Number of Instances Where Downwind VOCs Exceeds				0
Number of Comparable Data Points =				0
Start Time:				7:32
End Time:				16:02
PID DATA				
Upwind		Downwind		Exceeds VOC Alarm Limit
Time	15-Min Avg Concentration (ppm)	Time	15-Min Avg Concentration (ppm)	
7:32	0.0	7:32	0.0	-
7:47	0.0	7:47	0.0	-
8:02	0.0	8:02	0.0	-
8:17	0.0	8:17	0.0	-
8:32	0.0	8:32	0.0	-
8:47	0.0	8:47	0.0	-
9:02	0.0	9:02	0.0	-
9:17	0.0	9:17	0.0	-
9:32	0.0	9:32	0.0	-
9:47	0.0	9:47	0.0	-
10:02	0.0	10:02	0.0	-
10:17	0.0	10:17	0.0	-
10:32	0.0	10:32	0.0	-
10:47	0.0	10:47	0.0	-
11:02	0.0	11:02	0.0	-
11:17	0.0	11:17	0.0	-
11:32	0.0	11:32	0.0	-
11:47	0.0	11:47	0.0	-
12:02	0.0	12:02	0.0	-
12:17	0.0	12:17	0.0	-
12:32	0.0	12:32	-	-
12:47	0.0	12:47	-	-
13:02	0.0	13:02	-	-
13:17	0.0	13:17	-	-
13:32	-	13:32	-	-
13:47	0.0	13:47	0.0	-
14:02	0.0	14:02	0.0	-
14:17	0.0	14:17	0.0	-
14:32	0.0	14:32	0.0	-
14:47	0.0	14:47	0.0	-
15:02	0.0	15:02	0.0	-
15:17	0.0	15:17	0.0	-
15:32	0.0	15:32	0.0	-
15:47	0.0	15:47	0.0	-
16:02	0.0	16:02	0.0	-



## DAILY STATUS REPORT

Prepared By: Dominick Basilone

WEATHER	Snow		Rain		Overcast		Partly Cloudy	X	Bright Sun	
TEMP.	< 32		32-50		50-70	X	70-85		>85	

<b>Project Name:</b>	3547 Webster Avenue	<b>Date:</b>	10/2/2024
----------------------	---------------------	--------------	-----------

<b>Consultant:</b> Vektor Consultants – Dominick Basilone	<b>Personnel On-Site:</b> General Contractor – B Management Concrete Contractor – Raptor Concrete
--	---

### Work Activities Performed:

- Raptor Concrete performed general housekeeping duties sitewide.
- Raptor Concrete continued installing rebar and vapor barrier material (20-mil Stego Wrap) for footings in Grid A.
- 15 truckloads of screened clean RCA stone from Alloco Recycling in Brooklyn, NY were brought onsite. Material was used to backfill throughout both grids.
- Raptor Concrete continued excavating in Grid A for footings and end point sampling

### Samples Collected:

- No samples were collected

### Community Air Monitoring Program (CAMP)

Implementation of a real-time Community Air Monitoring Plan (CAMP) was conducted during drilling and sampling work. All air monitoring equipment was calibrated at the start of the workday. An upwind and downwind CAMP stations were placed near the perimeters of Site during intrusive work. The upwind CAMP station was located in the northern portion of the Site and the downwind CAMP station was located in the southern portion of the Site as the wind was consistently coming from the north. All air monitoring data is appended to the end of this report.

Background Levels (Initial Readings at Start of Day):

PID: 0.0 ppm      Dust: 0.010 mg/m<sup>3</sup>

Highest Levels:

PID: 0.1 ppm      Dust: 0.052 mg/m<sup>3</sup>

- Upwind CAMP was implemented during drilling and sampling activities. CAMP equipment consisted of a DustTrack II Model 8530; S/N: 8530214907, AND MiniRAE 3000, Model PGM-7320 photoionization detector (PID); S/N: 592-913438
- Downwind CAMP was implemented during drilling and sampling activities. CAMP equipment consisted of a DustTrack II Model 8530; S/N: 8530193101, AND MiniRAE 3000+, Model PGM-7320 photoionization detector (PID); S/N: 592-913481
- No VOC or particulate concentrations were detected in exceedance of the New York State Department of Health Generic CAMP Response Levels at the work area CAMP station.

### Problems Encountered

- None

### Planned Activities for the Next Week

- Continue general housekeeping
- Continue footing installation and excavation in Grid A
- Continue stockpile soil removal
- Continue endpoint sampling and surveying
- Pour concrete in Grid B
- Empty and remove solid contents from UST, and sample UST area


**SOIL AND C&D DISPOSAL QUANTITIES AND FACILITY DESTINATIONS**

Facility # Name/ Location Type of Waste Solid Or Liquid	Mount Materials 100 Pipe Mill Road, Fairless Hills, PA C&D		Bayshore Soil Management 75 Crows Mill Road Keasbey, NJ Non-hazardous Soil			
(Trucks, Cu.Yds. Or Gallons)	Trucks	Cu. Yards	Trucks	Cu. Yards	Trucks	Cu. Yards
Today	0	0	0	0	0	0
Total	25	~500	68	~1360	0	0

Soil stockpile  
covered in plastic

# TE PLAN WITH LOCATIONS

N



vEktor consultants

**Photo Log**

Photo 1:  
Footings installation in Grid A facing  
South.



Photo 2:  
View of Grid B during gravel  
backfilling facing NW.





Photo 3:  
Excavation in Grid A.



Photo 4:  
View of site facing South at end of  
workday





Photo 5:  
Vapor barrier (Stego Wrap-20 mil)  
installation and backfilling of RCA in  
Grid A, facing South at end of  
workday





Photo 6:  
Stockpile covered with poly sheeting  
at the end of workday



vEktor consultants	<b>DAILY AIR MONITORING REPORT</b> <b>3547 Webster Avenue</b> <b>Bronx, New York</b>					10/02/2024	
						Rev. No. 0	Page 1 of 2
						Project Number:	
						Dust Action Level	150 $\mu\text{g}/\text{m}^3$
37 W. 37th St, 6th Floor - New York, NY						VOC Action Level	5 ppm

Weather Data Range for Work Day		Wind Direction	NE	Relative Humidity (%)	56.0 - 91.0	Daily Rain Total (in)	0.00	Readings in the summary table and graphs below are the reported downwind concentrations.
Temperature (°F)	57.0 - 70.0	Wind Speed (MPH)	1.2 - 4.3	Barometer (inHg)	30.00 - 30.00	Avg. Dew Point Temp (°F)	56.2	


Station Location	Daily Avg. Dust Concentration ( $\mu\text{g}/\text{m}^3$ )	Max 15-Min Dust Concentration ( $\mu\text{g}/\text{m}^3$ )	Time of Max Dust Reading	Daily Avg. VOC Concentration (ppm)	Max 15-Min VOC Concentration (ppm)	Time of Max VOC Reading
Upwind	10.0	10.5	7:27	0.0	0.0	7:27
Downwind	29.4	52.6	11:42	0.1	0.1	N/A



**Air Monitoring Notes:**

**Weather Notes:**





Wednesday, October 2, 2024				
Number of Instances Where Downwind Particulates				0
Number of Comparable Data Points =				34
Start Time:				7:27
End Time:				15:42
PARTICULATE DATA				
Upwind		Downwind		Exceeds Particulate Alarm Limit
Time	15-Min Avg Concentration (ug/m <sup>3</sup> )	Time	15-Min Avg Concentration (ug/m <sup>3</sup> )	
7:27	10.5	7:27	29.7	-
7:42	10.0	7:42	23.9	-
7:57	10.0	7:57	46.1	-
8:12	10.0	8:12	39.6	-
8:27	10.0	8:27	31.3	-
8:42	10.0	8:42	42.0	-
8:57	10.0	8:57	26.8	-
9:12	10.0	9:12	25.2	-
9:27	10.0	9:27	38.8	-
9:42	10.0	9:42	30.2	-
9:57	10.0	9:57	22.0	-
10:12	10.0	10:12	20.7	-
10:27	10.0	10:27	26.1	-
10:42	10.0	10:42	26.3	-
10:57	10.0	10:57	26.3	-
11:12	10.0	11:12	25.8	-
11:27	10.0	11:27	24.9	-
11:42	10.0	11:42	52.6	-
11:57	10.0	11:57	38.4	-
12:12	10.0	12:12	28.9	-
12:27	10.0	12:27	23.4	-
12:42	10.0	12:42	19.9	-
12:57	10.0	12:57	24.3	-
13:12	10.0	13:12	21.0	-
13:27	10.0	13:27	39.2	-
13:42	10.0	13:42	24.8	-
13:57	10.0	13:57	18.5	-
14:12	10.0	14:12	18.2	-
14:27	10.0	14:27	25.6	-
14:42	10.0	14:42	29.0	-
14:57	10.0	14:57	36.3	-
15:12	10.0	15:12	35.7	-
15:27	10.0	15:27	20.5	-
15:42	10.0	15:42	-	-

Wednesday, October 2, 2024				
Number of Instances Where Downwind VOCs Exceeds				0
Number of Comparable Data Points =				0
Start Time:				7:27
End Time:				15:42
PID DATA				
Upwind		Downwind		Exceeds VOC Alarm Limit
Time	15-Min Avg Concentration (ppm)	Time	15-Min Avg Concentration (ppm)	
7:27	0.0	7:27	0.1	-
7:42	0.0	7:42	0.1	-
7:57	0.0	7:57	0.1	-
8:12	0.0	8:12	0.1	-
8:27	0.0	8:27	0.1	-
8:42	0.0	8:42	0.1	-
8:57	0.0	8:57	0.1	-
9:12	0.0	9:12	0.1	-
9:27	0.0	9:27	0.1	-
9:42	0.0	9:42	0.1	-
9:57	0.0	9:57	0.1	-
10:12	0.0	10:12	0.1	-
10:27	0.0	10:27	0.1	-
10:42	0.0	10:42	0.1	-
10:57	0.0	10:57	0.1	-
11:12	0.0	11:12	0.0	-
11:27	0.0	11:27	0.1	-
11:42	0.0	11:42	0.1	-
11:57	0.0	11:57	0.1	-
12:12	0.0	12:12	0.1	-
12:27	0.0	12:27	0.1	-
12:42	0.0	12:42	0.0	-
12:57	0.0	12:57	0.0	-
13:12	0.0	13:12	0.1	-
13:27	0.0	13:27	0.1	-
13:42	0.0	13:42	0.1	-
13:57	0.0	13:57	0.0	-
14:12	0.0	14:12	0.0	-
14:27	0.0	14:27	0.0	-
14:42	0.0	14:42	0.0	-
14:57	0.0	14:57	0.0	-
15:12	0.0	15:12	0.0	-
15:27	0.0	15:27	0.0	-
15:42	0.0	15:42	-	-

## DAILY STATUS REPORT

Prepared By: Dominick Basilone

WEATHER	Snow		Rain		Overcast		Partly Cloudy		Bright Sun	x
TEMP.	< 32		32-50		50-70	x	70-85		>85	

<b>Project Name:</b>	3547 Webster Avenue	<b>Date:</b>	10/07/2024
----------------------	---------------------	--------------	------------

<b>Consultant:</b> Vektor Consultants – Dominick Basilone	<b>Personnel On-Site:</b> General Contractor – B Management Concrete Contractor – Raptor Concrete Environmental Group – RSK
--	--

### Work Activities Performed:

- Raptor Concrete performed general housekeeping duties sitewide.
- Raptor Concrete continued installing rebar and vapor barrier material (20-mil Stego Wrap) for footings in Grid A.
- Prepared to install form work for footings in Grid A.
- 10 truckloads of screened clean RCA stone from Alloco Recycling in Brooklyn, NY were brought onsite. Material was used to backfill throughout both grids.
- 5 truckloads of clean soil were exported from the site stockpile to Bayshore Soil Management in Keasbey, NJ.
- RSK opened and assessed the UST found on 10/1 for pumping and removal tomorrow

### Samples Collected:

- No samples were collected

### Community Air Monitoring Program (CAMP)

Implementation of a real-time Community Air Monitoring Plan (CAMP) was conducted during drilling and sampling work. All air monitoring equipment was calibrated at the start of the workday. An upwind and downwind CAMP stations were placed near the perimeters of Site during intrusive work. The upwind CAMP station was located in the northern portion of the Site and the downwind CAMP station was located in the southern portion of the Site as the wind was consistently coming from the north. All air monitoring data is appended to the end of this report.

Background Levels (Initial Readings at Start of Day):

PID: 0.0 ppm      Dust: 0.039 ug/m<sup>3</sup>

Highest Levels:

PID: 0.3 ppm      Dust: 0.184 ug/m<sup>3</sup>

- Upwind CAMP was implemented during drilling and sampling activities. CAMP equipment consisted of a DustTrack II Model 8530; S/N: 8530214907, AND MiniRAE 3000, Model PGM-7320 photoionization detector (PID); S/N: 592-913438
- Downwind CAMP was implemented during drilling and sampling activities. CAMP equipment consisted of a DustTrack II Model 8530; S/N: 8530193101, AND MiniRAE 3000+, Model PGM-7320 photoionization detector (PID); S/N: 592-913481
- No VOC concentrations were detected in exceedance of the New York State Department of Health Generic CAMP Response Levels at the work area CAMP station.
- Elevated particulate levels were detected during backfilling of Grid B with imported stone. Particulate levels in exceedance of the New York State Department of Health Generic CAMP Response Levels were detected upwind at 16:00-16:15. Backfilling was halted until particulate levels fell below the exceedance level.

### Problems Encountered


- None

### Planned Activities for the Next Day

- Continue general housekeeping
- Continue footing formwork and rebar installation and excavation in Grid A
- Pour concrete in Grid A footings
- Empty and remove solid contents from UST, and sample UST area

**SOIL AND C&D DISPOSAL QUANTITIES AND FACILITY DESTINATIONS**

Facility # Name/ Location Type of Waste Solid Or Liquid	Mount Materials 100 Pipe Mill Road, Fairless Hills, PA C&D		Bayshore Soil Management 75 Crows Mill Road Keasbey, NJ Non-hazardous Soil			
(Trucks, Cu.Yds. Or Gallons)	Trucks	Cu. Yards	Trucks	Cu. Yards	Trucks	Cu. Yards
Today	0	0	5	100	0	0
Total	25	~500	73	~1460	0	0





**Photo Log**

Photo 1:  
Footings and vapor barrier installation  
in Grid A facing South.



Photo 2:  
View of Grid B during gravel  
backfilling facing NW.





Photo 3:  
Overview of Grid A footings and rebar  
installation. Area of anticipated  
concrete pouring.



Photo 4:  
RSK opening and assessing the UST  
discovered 10/1, determined to be a  
14'x5' 3000-gallon tank contained  
mixed oil. The contents of the tank  
were pumped halfway and then  
recovered.





Photo 5:

Visible dust due to backfilling with imported stone around time of particulate exceedance. Work was halted until visible dust dissipated and particulate readings were below the maximum permissible level.



Photo 6:

UST covered with poly sheeting at the end of workday.





Photo 7:  
Stockpile covered with poly sheeting  
at the end of workday.



vEKtor consultants	<b>DAILY AIR MONITORING REPORT</b> <b>3547 Webster Avenue</b> <b>Bronx, New York</b>	10/07/2024	
		Rev. No. 0	Page 1 of 2
		Project Number:	
		Dust Action Level	150 µg/m <sup>3</sup>
		VOC Action Level	5 ppm
37 W. 37th St, 6th Floor - New York, NY			

Weather Data Range for Work Day		Wind Direction	NW	Relative Humidity (%)	41.0 - 86.0	Daily Rain Total (in)	0.02	Readings in the summary table and graphs below are the reported downwind concentrations.
Temperature (°F)	64.0 - 77.0	Wind Speed (MPH)	2.4 - 8.6	Barometer (inHg)	29.80 - 29.80	Avg. Dew Point Temp (°F)	57.8	


Station Location	Daily Avg. Dust Concentration ( $\mu\text{g}/\text{m}^3$ )	Max 15-Min Dust Concentration ( $\mu\text{g}/\text{m}^3$ )	Time of Max Dust Reading	Daily Avg. VOC Concentration (ppm)	Max 15-Min VOC Concentration (ppm)	Time of Max VOC Reading
Upwind	54.5	184.1	16:00	0.2	0.3	12:30
Downwind	41.1	94.0	8:00	0.0	0.1	8:00



Air Monitoring Notes:

Weather Notes:





vEktor - Webster Ave  
Air Monitoring  
10/07/24  
Wind Speed & Direction  
Daily Readings

Monday, October 7, 2024				
Number of Instances Where Downwind Particulates				0
Number of Comparable Data Points =				35
Start Time:				8:00
End Time:				16:30
PARTICULATE DATA				
Upwind		Downwind		Exceeds Particulate Alarm Limit
Time	15-Min Avg Concentration (ug/m <sup>3</sup> )	Time	15-Min Avg Concentration (ug/m <sup>3</sup> )	
8:00	38.9	8:00	94.0	-
8:15	28.9	8:15	39.7	-
8:30	36.1	8:30	37.0	-
8:45	36.2	8:45	29.9	-
9:00	39.0	9:00	24.1	-
9:15	46.9	9:15	26.7	-
9:30	56.3	9:30	32.2	-
9:45	27.6	9:45	23.3	-
10:00	28.2	10:00	20.5	-
10:15	23.7	10:15	16.5	-
10:30	24.9	10:30	17.2	-
10:45	54.9	10:45	31.9	-
11:00	38.8	11:00	46.5	-
11:15	29.5	11:15	35.8	-
11:30	44.0	11:30	37.6	-
11:45	40.3	11:45	49.8	-
12:00	43.2	12:00	51.2	-
12:15	64.3	12:15	61.0	-
12:30	36.2	12:30	46.6	-
12:45	52.5	12:45	52.6	-
13:00	42.6	13:00	50.0	-
13:15	38.5	13:15	48.0	-
13:30	47.8	13:30	61.4	-
13:45	38.0	13:45	23.4	-
14:00	40.7	14:00	21.1	-
14:15	57.4	14:15	41.8	-
14:30	86.8	14:30	65.5	-
14:45	98.8	14:45	65.6	-
15:00	56.4	15:00	55.5	-
15:15	42.4	15:15	46.5	-
15:30	62.4	15:30	41.9	-
15:45	73.4	15:45	43.6	-
16:00	184.1	16:00	32.5	-
16:15	140.2	16:15	28.5	-
16:30	121.3	16:30	48.1	-

Monday, October 7, 2024				
Number of Instances Where Downwind VOCs Exceeds				0
Number of Comparable Data Points =				0
Start Time:				8:00
End Time:				16:30
PID DATA				
Upwind		Downwind		Exceeds VOC Alarm Limit
Time	15-Min Avg Concentration (ppm)	Time	15-Min Avg Concentration (ppm)	
8:00	0.1	8:00	0.0	-
8:15	0.0	8:15	0.1	-
8:30	0.0	8:30	0.1	-
8:45	0.1	8:45	0.0	-
9:00	0.1	9:00	0.0	-
9:15	0.1	9:15	0.0	-
9:30	0.1	9:30	0.0	-
9:45	0.1	9:45	0.0	-
10:00	0.1	10:00	0.0	-
10:15	0.1	10:15	0.0	-
10:30	0.1	10:30	0.0	-
10:45	0.1	10:45	0.0	-
11:00	0.1	11:00	0.0	-
11:15	0.2	11:15	0.0	-
11:30	0.3	11:30	0.0	-
11:45	0.3	11:45	0.0	-
12:00	0.3	12:00	0.0	-
12:15	0.3	12:15	0.0	-
12:30	0.3	12:30	0.0	-
12:45	0.3	12:45	0.0	-
13:00	0.3	13:00	0.0	-
13:15	0.3	13:15	0.0	-
13:30	0.2	13:30	0.0	-
13:45	0.2	13:45	0.0	-
14:00	0.2	14:00	0.0	-
14:15	0.2	14:15	0.0	-
14:30	0.2	14:30	0.0	-
14:45	0.2	14:45	0.0	-
15:00	0.1	15:00	0.0	-
15:15	0.1	15:15	0.0	-
15:30	0.0	15:30	0.0	-
15:45	0.0	15:45	0.0	-
16:00	0.0	16:00	0.0	-
16:15	0.0	16:15	0.0	-
16:30	0.0	16:30	0.0	-

## DAILY STATUS REPORT

Prepared By: Dominick Basilone

WEATHER	Snow		Rain		Overcast		Partly Cloudy		Bright Sun	x
TEMP.	< 32		32-50		50-70	x	70-85		>85	

<b>Project Name:</b>	3547 Webster Avenue	<b>Date:</b>	10/08/2024
----------------------	---------------------	--------------	------------

<b>Consultant:</b> Vektor Consultants – Dominick Basilone	<b>Personnel On-Site:</b> General Contractor – B Management Concrete Contractor – Raptor Concrete Environmental Group – RSK
--	--

### Work Activities Performed:

- Raptor Concrete performed general housekeeping duties sitewide.
- Raptor Concrete continued installing rebar and vapor barrier material (20-mil Stego Wrap) for footings in Grid A.
- Raptor Concrete installed formwork and footings in Grid A.
- Concrete was poured in footings in Grids A and B.
- RSK pumped, cleaned, and removed the UST found on 10/1

### Samples Collected:

- Samples UST-3N, UST-3E, UST-3W, UST-3S, and UST-3B were collected and sent to York Labs for analysis.

### Community Air Monitoring Program (CAMP)

Implementation of a real-time Community Air Monitoring Plan (CAMP) was conducted during drilling and sampling work. All air monitoring equipment was calibrated at the start of the workday. An upwind and downwind CAMP stations were placed near the perimeters of Site during intrusive work. The upwind CAMP station was located in the northern portion of the Site and the downwind CAMP station was located in the southern portion of the Site as the wind was consistently coming from the north. All air monitoring data is appended to the end of this report.

Background Levels (Initial Readings at Start of Day):

PID: 0.1 ppm      Dust: 0.052 ug/m<sup>3</sup>

Highest Levels:

PID: 0.1 ppm      Dust: 0.052 ug/m<sup>3</sup>

- Upwind CAMP was implemented during drilling and sampling activities. CAMP equipment consisted of a DustTrack II Model 8530; S/N: 8530214907, AND MiniRAE 3000, Model PGM-7320 photoionization detector (PID); S/N: 592-913438
- Downwind CAMP was implemented during drilling and sampling activities. CAMP equipment consisted of a DustTrack II Model 8530; S/N: 8530193101, AND MiniRAE 3000+, Model PGM-7320 photoionization detector (PID); S/N: 592-913481
- No VOC or particulate concentrations were detected in exceedance of the New York State Department of Health Generic CAMP Response Levels at the work area CAMP station.

### Problems Encountered

- None

### Planned Activities for the Next Day

- Continue general housekeeping
- Continue footing formwork and rebar installation in Grid A

**SOIL AND C&D DISPOSAL QUANTITIES AND FACILITY DESTINATIONS**

Facility # Name/ Location Type of Waste Solid Or Liquid	Mount Materials 100 Pipe Mill Road, Fairless Hills, PA C&D		Bayshore Soil Management 75 Crows Mill Road Keasbey, NJ Non-hazardous Soil			
(Trucks, Cu.Yds. Or Gallons)	Trucks	Cu. Yards	Trucks	Cu. Yards	Trucks	Cu. Yards
Today	0	0	0	0	0	0
Total	25	~500	73	~1460	0	0






Photo Log

Photo 1:  
Concrete pouring in Grid A.



Photo 2:  
RSK pumping and cleaning UST  
found 10/1.





Photo 3:  
Overview of Grid A footings and rebar  
installation.



Photo 4:  
Freshly poured concrete in Grid B  
view facing South.





Photo 5:  
UST removal.



Photo 6:  
Cross section of emptied UST during  
removal.



Photo 7:  
UST covered with poly sheeting at  
the end of workday.







<b>vEktor consultants</b>  37 W. 37th St, 6th Floor - New York, NY	<b>DAILY AIR MONITORING REPORT</b>  <b>3547 Webster Avenue</b>  <b>Bronx, New York</b>				<b>10/08/2024</b>	
					Rev. No. 0	Page 1 of 2
					Project Number:	
					Dust Action Level	150 $\mu\text{g}/\text{m}^3$
		VOC Action Level	5 ppm			


Weather Data Range for Work Day		Wind Direction	NW	Relative Humidity (%)	31.0 - 75.0	Daily Rain Total (in)	0.00	Readings in the summary table and graphs below are the reported downwind concentrations.
Temperature (°F)	54.0 - 71.0	Wind Speed (MPH)	1.8 - 7.0	Barometer (inHg)	29.90 - 30.00	Avg. Dew Point Temp (°F)	44.8	

Station Location	Daily Avg. Dust Concentration ( $\mu\text{g}/\text{m}^3$ )	Max 15-Min Dust Concentration ( $\mu\text{g}/\text{m}^3$ )	Time of Max Dust Reading	Daily Avg. VOC Concentration (ppm)	Max 15-Min VOC Concentration (ppm)	Time of Max VOC Reading
Upwind	12.2	33.9	16:42	0.0	0.1	8:27
Downwind	22.8	52.3	8:12	0.0	0.1	8:12



Air Monitoring Notes:

Weather Notes:



vEKtor - Webster Ave  
Air Monitoring  
10/08/24  
Wind Speed & Direction  
Daily Readings

Tuesday, October 8, 2024				
Number of Instances Where Downwind Particulates				0
Number of Comparable Data Points =				36
Start Time:				8:12
End Time:				16:57
PARTICULATE DATA				
Upwind		Downwind		Exceeds Particulate Alarm Limit
Time	15-Min Avg Concentration (ug/m <sup>3</sup> )	Time	15-Min Avg Concentration (ug/m <sup>3</sup> )	
8:12	4.3	8:12	52.3	-
8:27	6.2	8:27	19.7	-
8:42	5.6	8:42	23.5	-
8:57	7.8	8:57	30.5	-
9:12	8.6	9:12	41.8	-
9:27	10.7	9:27	39.6	-
9:42	13.0	9:42	13.0	-
9:57	4.4	9:57	13.0	-
10:12	8.1	10:12	15.7	-
10:27	20.2	10:27	15.2	-
10:42	8.1	10:42	15.5	-
10:57	12.8	10:57	16.5	-
11:12	11.1	11:12	16.2	-
11:27	5.3	11:27	17.8	-
11:42	6.1	11:42	17.6	-
11:57	7.1	11:57	18.9	-
12:12	5.5	12:12	20.3	-
12:27	5.6	12:27	21.0	-
12:42	8.0	12:42	28.2	-
12:57	9.0	12:57	23.4	-
13:12	5.0	13:12	21.9	-
13:27	10.9	13:27	17.3	-
13:42	4.7	13:42	22.7	-
13:57	8.1	13:57	22.9	-
14:12	16.3	14:12	23.4	-
14:27	19.6	14:27	27.2	-
14:42	14.5	14:42	24.0	-
14:57	16.0	14:57	24.1	-
15:12	9.9	15:12	22.7	-
15:27	23.0	15:27	24.7	-
15:42	23.1	15:42	22.5	-
15:57	19.4	15:57	22.7	-
16:12	13.4	16:12	21.4	-
16:27	29.4	16:27	20.6	-
16:42	33.9	16:42	19.4	-
16:57	24.1	16:57	20.2	-

Tuesday, October 8, 2024				
Number of Instances Where Downwind VOCs Exceeds				0
Number of Comparable Data Points =				0
Start Time:				8:12
End Time:				16:57
PID DATA				
Upwind		Downwind		Exceeds VOC Alarm Limit
Time	15-Min Avg Concentration (ppm)	Time	15-Min Avg Concentration (ppm)	
8:12	0.1	8:12	0.0	-
8:27	0.1	8:27	0.0	-
8:42	0.1	8:42	0.0	-
8:57	0.1	8:57	0.0	-
9:12	0.1	9:12	0.0	-
9:27	0.0	9:27	0.0	-
9:42	0.0	9:42	0.0	-
9:57	0.0	9:57	0.0	-
10:12	0.0	10:12	0.0	-
10:27	0.0	10:27	0.0	-
10:42	0.0	10:42	0.0	-
10:57	0.0	10:57	0.0	-
11:12	0.0	11:12	0.0	-
11:27	0.0	11:27	0.0	-
11:42	0.0	11:42	0.0	-
11:57	0.0	11:57	0.0	-
12:12	0.0	12:12	0.0	-
12:27	0.0	12:27	0.0	-
12:42	0.0	12:42	0.0	-
12:57	0.0	12:57	0.0	-
13:12	0.0	13:12	0.0	-
13:27	0.0	13:27	0.0	-
13:42	0.0	13:42	0.1	-
13:57	0.0	13:57	0.1	-
14:12	0.0	14:12	0.1	-
14:27	0.0	14:27	0.1	-
14:42	0.0	14:42	0.1	-
14:57	0.0	14:57	0.1	-
15:12	0.0	15:12	0.0	-
15:27	0.0	15:27	0.0	-
15:42	0.0	15:42	0.0	-
15:57	0.0	15:57	0.0	-
16:12	0.0	16:12	0.0	-
16:27	0.0	16:27	0.0	-
16:42	0.0	16:42	0.0	-
16:57	0.0	16:57	0.0	-



## DAILY STATUS REPORT

Prepared By: Dominick Basilone

WEATHER	Snow		Rain		Overcast		Partly Cloudy		Bright Sun	x
TEMP.	< 32		32-50		50-70	x	70-85		>85	

<b>Project Name:</b>	3547 Webster Avenue	<b>Date:</b>	10/09/2024
----------------------	---------------------	--------------	------------

<b>Consultant:</b> Vektor Consultants – Dominick Basilone	<b>Personnel On-Site:</b> General Contractor – B Management Concrete Contractor – Raptor Concrete Environmental Group – RSK
--	--

### Work Activities Performed:

- Raptor Concrete performed general housekeeping duties sitewide.
- Raptor Concrete continued installing rebar and vapor barrier material (20-mil Stego Wrap) for footings in Grid A.
- Raptor Concrete installed formwork and footings in Grid A.
- RSK completed removal of the approximate 3,000-gallon UST
- EP-2 and the UST endpoint sample areas were surveyed

### Samples Collected:

- No samples were collected.

### Community Air Monitoring Program (CAMP)

Implementation of a real-time Community Air Monitoring Plan (CAMP) was conducted during drilling and sampling work. All air monitoring equipment was calibrated at the start of the workday. An upwind and downwind CAMP stations were placed near the perimeters of Site during intrusive work. The upwind CAMP station was located in the northern portion of the Site and the downwind CAMP station was located in the southern portion of the Site as the wind was consistently coming from the north. All air monitoring data is appended to the end of this report.

Background Levels (Initial Readings at Start of Day):

PID: 0.0 ppm      Dust: 0.009 ug/m<sup>3</sup>

Highest Levels:

PID: 0.0 ppm      Dust: 0.077 ug/m<sup>3</sup>

- Upwind CAMP was implemented during drilling and sampling activities. CAMP equipment consisted of a DustTrack II Model 8530; S/N: 8530214907, AND MiniRAE 3000, Model PGM-7320 photoionization detector (PID); S/N: 592-913438
- Downwind CAMP was implemented during drilling and sampling activities. CAMP equipment consisted of a DustTrack II Model 8530; S/N: 8530193101, AND MiniRAE 3000+, Model PGM-7320 photoionization detector (PID); S/N: 592-913481
- No VOC or particulate concentrations were detected in exceedance of the New York State Department of Health Generic CAMP Response Levels at the work area CAMP station. Upwind CAMP data for VOCs was collected manually from 8:45-13:45 due to a server issue and are noted in the logs.

### Problems Encountered

- None

### Planned Activities for the Next Day

- Continue general housekeeping
- Continue footing formwork and rebar installation in Grid A
- Continue pouring concrete in Grid A

**SOIL AND C&D DISPOSAL QUANTITIES AND FACILITY DESTINATIONS**

Facility # Name/ Location Type of Waste Solid Or Liquid	Mount Materials 100 Pipe Mill Road, Fairless Hills, PA C&D		Bayshore Soil Management 75 Crows Mill Road Keasbey, NJ Non-hazardous Soil			
(Trucks, Cu.Yds. Or Gallons)	Trucks	Cu. Yards	Trucks	Cu. Yards	Trucks	Cu. Yards
Today	0	0	0	0	0	0
Total	25	~500	73	~1460	0	0

SITE PLAN WITH LOCATIONS




Photo Log

Photo 1:  
View of work in Grid A facing  
Southeast.



Photo 2:  
Area of removed UST.





Photo 3:  
Taking manual readings from PID for  
VOCs.




Photo 4:  
Remaining portion of UST removed  
by RSK.





Photo 5:  
Overview of Grid B facing Northeast.



<div>vEKtor consultants</div> <div>37 W. 37th St, 6th Floor - New York, NY</div>	<div>DAILY AIR MONITORING REPORT</div> <div>3547 Webster Avenue</div> <div>Bronx, New York</div>	10/09/2024	
		Rev. No. 0	Page 1 of 2
		Project Number:	
		Dust Action Level	150 µg/m <sup>3</sup>
		VOC Action Level	5 ppm


Weather Data Range for Work Day		Wind Direction	W	Relative Humidity (%)	34.0 - 65.0	Daily Rain Total (in)	0.00	Readings in the summary table and graphs below are the reported downwind concentrations.
Temperature (°F)	58.0 - 71.0	Wind Speed (MPH)	1.1 - 7.7	Barometer (inHg)	29.90 - 30.00	Avg. Dew Point Temp (°F)	44.1	

Station Location	Daily Avg. Dust Concentration ( $\mu\text{g}/\text{m}^3$ )	Max 15-Min Dust Concentration ( $\mu\text{g}/\text{m}^3$ )	Time of Max Dust Reading	Daily Avg. VOC Concentration (ppm)	Max 15-Min VOC Concentration (ppm)	Time of Max VOC Reading
Upwind	26.6	77.1	13:15	0.0	0.0	8:45
Downwind	13.7	59.9	14:45	0.0	0.0	8:45



**Air Monitoring Notes:**

**Weather Notes:**





Wednesday, October 9, 2024				
Number of Instances Where Downwind Particulates				0
Number of Comparable Data Points =				31
Start Time:				8:45
End Time:				16:15
PARTICULATE DATA				
Upwind		Downwind		Exceeds Particulate Alarm Limit
Time	15-Min Avg Concentration (ug/m <sup>3</sup> )	Time	15-Min Avg Concentration (ug/m <sup>3</sup> )	
8:45	9.4	8:45	38.6	-
9:00	51.3	9:00	6.2	-
9:15	48.8	9:15	4.9	-
9:30	54.5	9:30	14.3	-
9:45	20.9	9:45	5.6	-
10:00	12.9	10:00	5.2	-
10:15	30.5	10:15	5.0	-
10:30	47.1	10:30	4.9	-
10:45	32.9	10:45	5.3	-
11:00	27.2	11:00	5.5	-
11:15	31.6	11:15	5.6	-
11:30	21.8	11:30	5.4	-
11:45	36.5	11:45	9.7	-
12:00	22.2	12:00	6.1	-
12:15	20.3	12:15	5.4	-
12:30	42.5	12:30	5.0	-
12:45	37.1	12:45	6.7	-
13:00	48.3	13:00	7.1	-
13:15	77.1	13:15	6.8	-
13:30	57.3	13:30	7.2	-
13:45	35.0	13:45	5.0	-
14:00	18.2	14:00	5.8	-
14:15	6.1	14:15	30.3	-
14:30	5.0	14:30	22.9	-
14:45	5.2	14:45	59.9	-
15:00	5.4	15:00	33.7	-
15:15	5.8	15:15	21.1	-
15:30	5.6	15:30	34.2	-
15:45	5.1	15:45	28.7	-
16:00	6.1	16:00	-	-
16:15	6.9	16:15	-	-

Wednesday, October 9, 2024				
Number of Instances Where Downwind VOCs Exceeds				0
Number of Comparable Data Points =				0
Start Time:				8:45
End Time:				16:15
PID DATA				
Upwind		Downwind		Exceeds VOC Alarm Limit
Time	15-Min Avg Concentration (ppm)	Time	15-Min Avg Concentration (ppm)	
8:45	0.0	8:45	0.0	-
9:00	0.0	9:00	0.0	-
9:15	0.0	9:15	0.0	-
9:30	0.0	9:30	0.0	-
9:45	0.0	9:45	0.0	-
10:00	0.0	10:00	0.0	-
10:15	0.0	10:15	0.0	-
10:30	0.0	10:30	0.0	-
10:45	0.0	10:45	0.0	-
11:00	0.0	11:00	0.0	-
11:15	0.0	11:15	0.0	-
11:30	0.0	11:30	0.0	-
11:45	0.0	11:45	0.0	-
12:00	0.0	12:00	0.0	-
12:15	0.0	12:15	0.0	-
12:30	0.0	12:30	0.0	-
12:45	0.0	12:45	0.0	-
13:00	0.0	13:00	0.0	-
13:15	0.0	13:15	0.0	-
13:30	0.0	13:30	0.0	-
13:45	0.0	13:45	0.0	-
14:00	0.0	14:00	0.0	-
14:15	0.0	14:15	0.0	-
14:30	0.0	14:30	0.0	-
14:45	0.0	14:45	0.0	-
15:00	0.0	15:00	0.0	-
15:15	0.0	15:15	0.0	-
15:30	0.0	15:30	0.0	-
15:45	0.0	15:45	0.0	-
16:00	0.0	16:00	-	-
16:15	0.0	16:15	-	-

\*Note manual logs are italicized

## DAILY STATUS REPORT

Prepared By: David Klein

WEATHER	Snow		Rain		Overcast		Partly Cloudy		Bright Sun	x
TEMP.	< 32		32-50		50-70	x	70-85		>85	

<b>Project Name:</b>	3547 Webster Avenue	<b>Date:</b>	10/10/2024
----------------------	---------------------	--------------	------------

<b>Consultant:</b> Vektor Consultants – David Klein	<b>Personnel On-Site:</b> General Contractor – B Management Concrete Contractor – Raptor Concrete Environmental Group – RSK
--	--

### Work Activities Performed:

- Raptor Concrete performed general housekeeping duties sitewide.
- Raptor Concrete continued installing rebar and vapor barrier material (20-mil Stego Wrap) for footings in Grid A.
- Raptor Concrete poured concrete for footings in Grid A.

### Samples Collected:

- No samples were collected.

### Community Air Monitoring Program (CAMP)

Implementation of a real-time Community Air Monitoring Plan (CAMP) was conducted during drilling and sampling work. All air monitoring equipment was calibrated at the start of the workday. An upwind and downwind CAMP stations were placed near the perimeters of Site during intrusive work. The upwind CAMP station was located in the northern portion of the Site and the downwind CAMP station was located in the southern portion of the Site as the wind was consistently coming from the north. All air monitoring data is appended to the end of this report.

Background Levels (Initial Readings at Start of Day):

PID: 0.0 ppm      Dust: 0.018 ug/m<sup>3</sup>

Highest Levels:

PID: 0.0 ppm      Dust: 0.046 ug/m<sup>3</sup>

- Upwind CAMP was implemented during drilling and sampling activities. CAMP equipment consisted of a DustTrack II Model 8530; S/N: 8530214907, AND MiniRAE 3000, Model PGM-7320 photoionization detector (PID); S/N: 592-913438
- Downwind CAMP was implemented during drilling and sampling activities. CAMP equipment consisted of a DustTrack II Model 8530; S/N: 8530193101, AND MiniRAE 3000+, Model PGM-7320 photoionization detector (PID); S/N: 592-913481
- No VOC or particulate concentrations were detected in exceedance of the New York State Department of Health Generic CAMP Response Levels at the work area CAMP station.

### Problems Encountered

- None

### Planned Activities for the Next Day

- Continue general housekeeping
- Continue footing formwork and rebar installation in Grid A
- Continue pouring concrete in Grid A

**SOIL AND C&D DISPOSAL QUANTITIES AND FACILITY DESTINATIONS**

Facility # Name/ Location Type of Waste Solid Or Liquid	Mount Materials 100 Pipe Mill Road, Fairless Hills, PA C&D		Bayshore Soil Management 75 Crows Mill Road Keasbey, NJ Non-hazardous Soil			
(Trucks, Cu.Yds. Or Gallons)	Trucks	Cu. Yards	Trucks	Cu. Yards	Trucks	Cu. Yards
Today	0	0	0	0	0	0
Total	25	~500	73	~1460	0	0



# SITE PLAN WITH LOCATIONS



9/27 Discovered  
UST

Vapor barrier,  
rebar installation,  
and concrete  
pouring for  
footings

550-gallon UST

10/01/24  
Discovered  
UST (14'x5'-  
3000-gallon)



Downwind CAMP

Upwind CAMP

Monitoring Well Location



Vapor Barrier

Underground Storage Tank

Concrete poured footings

Area of installed RCA




Photo Log

Photo 1:  
View of Site facing south



Photo 2:  
View of rebar installation




Photo 3:  
View of installed Stego Wrap-20 mil  
vapor barrier for footing and rebar  
installation





Photo 4:  
View of installed Stego Wrap-20 mil  
vapor barrier and Stego tape





Photo 5:  
View of pouring concrete for footings  
facing southeast



<b>vEktor consultants</b>  37 W. 37th St, 6th Floor - New York, NY	<b>DAILY AIR MONITORING REPORT</b>  <b>3547 Webster Avenue</b>  <b>Bronx, New York</b>				<b>10/10/2024</b>	
					Rev. No. 0	Page 1 of 2
					Project Number:	
					Dust Action Level	150 $\mu\text{g}/\text{m}^3$
		VOC Action Level	5 ppm			


Weather Data Range for Work Day		Wind Direction	NNW	Relative Humidity (%)	39.0 - 68.0	Daily Rain Total (in)	0.00	Readings in the summary table and graphs below are the reported downwind concentrations.
Temperature (°F)	50.0 - 62.0	Wind Speed (MPH)	3.5 - 8.6	Barometer (inHg)	30.10 - 30.10	Avg. Dew Point Temp (°F)	39.3	

Station Location	Daily Avg. Dust Concentration ( $\mu\text{g}/\text{m}^3$ )	Max 15-Min Dust Concentration ( $\mu\text{g}/\text{m}^3$ )	Time of Max Dust Reading	Daily Avg. VOC Concentration (ppm)	Max 15-Min VOC Concentration (ppm)	Time of Max VOC Reading
Upwind	3.9	18.4	10:14	0.0	0.0	10:14
Downwind	16.1	45.9	10:29	0.0	0.0	8:44



**Air Monitoring Notes:**

**Weather Notes:**





Thursday, October 10, 2024				
Number of Instances Where Downwind Particulates				0
Number of Comparable Data Points =				24
Start Time:				8:29
End Time:				14:14
PARTICULATE DATA				
Upwind		Downwind		Exceeds Particulate Alarm Limit
Time	15-Min Avg Concentration (ug/m <sup>3</sup> )	Time	15-Min Avg Concentration (ug/m <sup>3</sup> )	
8:29	1.9	8:29	18.1	-
8:44	2.3	8:44	10.4	-
8:59	0.4	8:59	2.0	-
9:14	6.0	9:14	2.0	-
9:29	4.6	9:29	2.0	-
9:44	16.4	9:44	2.0	-
9:59	7.2	9:59	2.0	-
10:14	18.4	10:14	5.8	-
10:29	2.0	10:29	45.9	-
10:44	2.0	10:44	39.9	-
10:59	2.0	10:59	40.4	-
11:14	2.0	11:14	12.5	-
11:29	2.0	11:29	9.7	-
11:44	2.0	11:44	15.7	-
11:59	2.0	11:59	9.2	-
12:14	2.0	12:14	14.8	-
12:29	2.0	12:29	19.8	-
12:44	2.0	12:44	11.3	-
12:59	2.0	12:59	10.6	-
13:14	2.0	13:14	13.2	-
13:29	2.0	13:29	11.2	-
13:44	2.0	13:44	24.7	-
13:59	2.0	13:59	43.0	-
14:14	7.2	14:14	35.3	-

Thursday, October 10, 2024				
Number of Instances Where Downwind VOCs Exceeds				0
Number of Comparable Data Points =				0
Start Time:				8:29
End Time:				14:14
PID DATA				
Upwind		Downwind		Exceeds VOC Alarm Limit
Time	15-Min Avg Concentration (ppm)	Time	15-Min Avg Concentration (ppm)	
8:29	0.0	8:29	0.0	-
8:44	0.0	8:44	0.0	-
8:59	0.0	8:59	0.0	-
9:14	0.0	9:14	0.0	-
9:29	0.0	9:29	0.0	-
9:44	0.0	9:44	0.0	-
9:59	0.0	9:59	0.0	-
10:14	0.0	10:14	0.0	-
10:29	0.0	10:29	0.0	-
10:44	0.0	10:44	0.0	-
10:59	0.0	10:59	0.0	-
11:14	0.0	11:14	0.0	-
11:29	0.0	11:29	0.0	-
11:44	0.0	11:44	0.0	-
11:59	0.0	11:59	0.0	-
12:14	0.0	12:14	0.0	-
12:29	0.0	12:29	0.0	-
12:44	0.0	12:44	0.0	-
12:59	0.0	12:59	0.0	-
13:14	0.0	13:14	0.0	-
13:29	0.0	13:29	0.0	-
13:44	0.0	13:44	0.0	-
13:59	0.0	13:59	0.0	-
14:14	0.0	14:14	0.0	-

## DAILY STATUS REPORT

Prepared By: David Klein

WEATHER	Snow		Rain		Overcast		Partly Cloudy		Bright Sun	x
TEMP.	< 32		32-50		50-70	x	70-85		>85	

<b>Project Name:</b>	3547 Webster Avenue	<b>Date:</b>	10/14/2024
----------------------	---------------------	--------------	------------

<b>Consultant:</b> Vektor Consultants – David Klein	<b>Personnel On-Site:</b> General Contractor – B Management Concrete Contractor – Raptor Concrete
--	---

### Work Activities Performed:

- Raptor Concrete performed general housekeeping duties sitewide.
- Raptor Concrete removed formwork in Grid A.

### Samples Collected:

- No samples were collected.

### Community Air Monitoring Program (CAMP)

Implementation of a real-time Community Air Monitoring Plan (CAMP) was conducted during drilling and sampling work. All air monitoring equipment was calibrated at the start of the workday. An upwind and downwind CAMP stations were placed near the perimeters of Site during intrusive work. The upwind CAMP station was located in the northern portion of the Site and the downwind CAMP station was located in the southern portion of the Site as the wind was consistently coming from the north. All air monitoring data is appended to the end of this report.

Background Levels (Initial Readings at Start of Day):

PID: 0.0 ppm      Dust: 0.048 ug/m<sup>3</sup>

Highest Levels:

PID: 0.0 ppm      Dust: 0.075 ug/m<sup>3</sup>

- Upwind CAMP was implemented during drilling and sampling activities. CAMP equipment consisted of a DustTrack II Model 8530; S/N: 8530214907, AND MiniRAE 3000, Model PGM-7320 photoionization detector (PID); S/N: 592-913438
- Downwind CAMP was implemented during drilling and sampling activities. CAMP equipment consisted of a DustTrack II Model 8530; S/N: 8530193101, AND MiniRAE 3000+, Model PGM-7320 photoionization detector (PID); S/N: 592-913481
- No VOC or particulate concentrations were detected in exceedance of the New York State Department of Health Generic CAMP Response Levels at the work area CAMP station.

### Problems Encountered

- None

### Planned Activities for the Next Day

- Continue general housekeeping

**SOIL AND C&D DISPOSAL QUANTITIES AND FACILITY DESTINATIONS**

Facility # Name/ Location Type of Waste Solid Or Liquid	Mount Materials 100 Pipe Mill Road, Fairless Hills, PA C&D		Bayshore Soil Management 75 Crows Mill Road Keasbey, NJ Non-hazardous Soil			
(Trucks, Cu.Yds. Or Gallons)	Trucks	Cu. Yards	Trucks	Cu. Yards	Trucks	Cu. Yards
Today	0	0	0	0	0	0
Total	25	~500	73	~1460	0	0

SITE PLAN WITH LOCATIONS






Photo Log

Photo 1:  
View of Site facing south



Photo 2:  
View upwind CAMP station and Site looking south



Photo 3:  
View of Raptor Concrete removing  
formwork



Photo 4:  
View of Raptor Concrete removing  
formwork







vEktor consultants	<b>DAILY AIR MONITORING REPORT</b> <b>3547 Webster Avenue</b> <b>Bronx, New York</b>					10/14/2024	
						Rev. No. 0	Page 1 of 2
						Project Number:	
						Dust Action Level	150 $\mu\text{g}/\text{m}^3$
37 W. 37th St, 6th Floor - New York, NY						VOC Action Level	5 ppm


Weather Data Range for Work Day		Wind Direction	W, NNW	Relative Humidity (%)	23.0 - 90.0	Daily Rain Total (in)	0.01	Readings in the summary table and graphs below are the reported downwind concentrations.
Temperature (°F)	55.0 - 70.0	Wind Speed (MPH)	0.5 - 16.2	Barometer (inHg)	29.60 - 29.60	Avg. Dew Point Temp (°F)	50.8	

Station Location	Daily Avg. Dust Concentration ( $\mu\text{g}/\text{m}^3$ )	Max 15-Min Dust Concentration ( $\mu\text{g}/\text{m}^3$ )	Time of Max Dust Reading	Daily Avg. VOC Concentration (ppm)	Max 15-Min VOC Concentration (ppm)	Time of Max VOC Reading
Upwind	41.8	61.9	11:39	0.0	0.0	12:54
Downwind	34.4	75.3	13:24	0.0	0.0	8:54



**Air Monitoring Notes:**

**Weather Notes:**





Monday, October 14, 2024				
Number of Instances Where Downwind Particulates				0
Number of Comparable Data Points =				23
Start Time:				8:24
End Time:				13:54
PARTICULATE DATA				
Upwind		Downwind		Exceeds Particulate Alarm Limit
Time	15-Min Avg Concentration (ug/m <sup>3</sup> )	Time	15-Min Avg Concentration (ug/m <sup>3</sup> )	
8:24	48.4	8:24	39.2	-
8:39	41.6	8:39	45.1	-
8:54	48.8	8:54	47.8	-
9:09	53.7	9:09	32.7	-
9:24	40.6	9:24	24.8	-
9:39	34.9	9:39	31.7	-
9:54	24.7	9:54	40.5	-
10:09	25.0	10:09	42.7	-
10:24	40.9	10:24	48.1	-
10:39	52.9	10:39	67.7	-
10:54	54.8	10:54	40.1	-
11:09	59.8	11:09	36.8	-
11:24	59.7	11:24	33.8	-
11:39	61.9	11:39	33.0	-
11:54	50.7	11:54	36.1	-
12:09	43.0	12:09	23.6	-
12:24	41.8	12:24	21.5	-
12:39	27.2	12:39	13.4	-
12:54	18.7	12:54	6.1	-
13:09	24.3	13:09	6.4	-
13:24	31.1	13:24	75.3	-
13:39	35.2	13:39	27.3	-
13:54	28.6	13:54	19.2	-

Monday, October 14, 2024				
Number of Instances Where Downwind VOCs Exceeds				0
Number of Comparable Data Points =				0
Start Time:				8:24
End Time:				13:54
PID DATA				
Upwind		Downwind		Exceeds VOC Alarm Limit
Time	15-Min Avg Concentration (ppm)	Time	15-Min Avg Concentration (ppm)	
8:24	0.0	8:24	0.0	-
8:39	0.0	8:39	0.0	
8:54	0.0	8:54	0.0	-
9:09	0.0	9:09	0.0	-
9:24	0.0	9:24	0.0	-
9:39	0.0	9:39	0.0	-
9:54	0.0	9:54	0.0	-
10:09	0.0	10:09	0.0	-
10:24	0.0	10:24	0.0	-
10:39	0.0	10:39	0.0	-
10:54	0.0	10:54	0.0	-
11:09	0.0	11:09	0.0	-
11:24	0.0	11:24	0.0	-
11:39	0.0	11:39	0.0	-
11:54	0.0	11:54	0.0	-
12:09	0.0	12:09	0.0	-
12:24	0.0	12:24	0.0	-
12:39	0.0	12:39	0.0	-
12:54	0.0	12:54	0.0	-
13:09	0.0	13:09	0.0	-
13:24	0.0	13:24	0.0	-
13:39	0.0	13:39	0.0	-
13:54	0.0	13:54	0.0	-

## DAILY STATUS REPORT

Prepared By: David Klein

WEATHER	Snow		Rain		Overcast		Partly Cloudy		Bright Sun	x
TEMP.	< 32		32-50		50-70	x	70-85		>85	

<b>Project Name:</b>	3547 Webster Avenue	<b>Date:</b>	10/15/2024
----------------------	---------------------	--------------	------------

<b>Consultant:</b> Vektor Consultants – David Klein	<b>Personnel On-Site:</b> General Contractor – B Management Concrete Contractor – Raptor Concrete
--	---

### Work Activities Performed:

- Raptor Concrete performed general housekeeping duties sitewide.

### Samples Collected:

- No samples were collected.

### Community Air Monitoring Program (CAMP)

Implementation of a real-time Community Air Monitoring Plan (CAMP) was conducted during drilling and sampling work. All air monitoring equipment was calibrated at the start of the workday. An upwind and downwind CAMP stations were placed near the perimeters of Site during intrusive work. The upwind CAMP station was located in the northern portion of the Site and the downwind CAMP station was located in the southern portion of the Site as the wind was consistently coming from the north. All air monitoring data is appended to the end of this report.

Background Levels (Initial Readings at Start of Day):

PID: 0.0 ppm      Dust: 0.004 ug/m<sup>3</sup>

Highest Levels:

PID: 0.0 ppm      Dust: 0.013 ug/m<sup>3</sup>

- Upwind CAMP was implemented during drilling and sampling activities. CAMP equipment consisted of a DustTrack II Model 8530; S/N: 8530214907, AND MiniRAE 3000, Model PGM-7320 photoionization detector (PID); S/N: 592-913438
- Downwind CAMP was implemented during drilling and sampling activities. CAMP equipment consisted of a DustTrack II Model 8530; S/N: 8530193101, AND MiniRAE 3000+, Model PGM-7320 photoionization detector (PID); S/N: 592-913481
- No VOC or particulate concentrations were detected in exceedance of the New York State Department of Health Generic CAMP Response Levels at the work area CAMP station.

### Problems Encountered

- None

### Planned Activities for the Next Day

- Continue general housekeeping

**SOIL AND C&D DISPOSAL QUANTITIES AND FACILITY DESTINATIONS**

Facility # Name/ Location Type of Waste Solid Or Liquid	Mount Materials 100 Pipe Mill Road, Fairless Hills, PA C&D		Bayshore Soil Management 75 Crows Mill Road Keasbey, NJ Non-hazardous Soil			
(Trucks, Cu.Yds. Or Gallons)	Trucks	Cu. Yards	Trucks	Cu. Yards	Trucks	Cu. Yards
Today	0	0	0	0	0	0
Total	25	~500	73	~1460	0	0



SITE PLAN WITH LOCATIONS




Photo Log

Photo 1:  
View of Site facing north



Photo 2:  
View of Site facing north



Photo 3:  
View upwind CAMP station and Site  
looking south







<b>vEktor consultants</b>  37 W. 37th St, 6th Floor - New York, NY	<b>DAILY AIR MONITORING REPORT</b>  <b>3547 Webster Avenue</b>  <b>Bronx, New York</b>				<b>10/15/2024</b>	
					Rev. No. 0	Page 1 of 2
					Project Number:	
					Dust Action Level	150 $\mu\text{g}/\text{m}^3$
		VOC Action Level	5 ppm			


Weather Data Range for Work Day		Wind Direction	WNW	Relative Humidity (%)	43.0 - 66.0	Daily Rain Total (in)	0.00	Readings in the summary table and graphs below are the reported downwind concentrations.
Temperature (°F)	49.0 - 56.0	Wind Speed (MPH)	4.0 - 9.2	Barometer (inHg)	29.90 - 29.90	Avg. Dew Point Temp (°F)	37.4	

Station Location	Daily Avg. Dust Concentration ( $\mu\text{g}/\text{m}^3$ )	Max 15-Min Dust Concentration ( $\mu\text{g}/\text{m}^3$ )	Time of Max Dust Reading	Daily Avg. VOC Concentration (ppm)	Max 15-Min VOC Concentration (ppm)	Time of Max VOC Reading
Upwind	13.1	7.9	12:12	0.0	0.0	9:42
Downwind	3.5	4.9	11:57	0.0	0.0	9:42



**Air Monitoring Notes:**

**Weather Notes:**





Tuesday, October 15, 2024				
Number of Instances Where Downwind Particulates				0
Number of Comparable Data Points =				16
Start Time:				9:12
End Time:				12:57
PARTICULATE DATA				
Upwind		Downwind		Exceeds Particulate Alarm Limit
Time	15-Min Avg Concentration (ug/m <sup>3</sup> )	Time	15-Min Avg Concentration (ug/m <sup>3</sup> )	
9:12	4.6	9:12	3.2	-
9:27	5.1	9:27	6.8	-
9:42	3.7	9:42	3.8	-
9:57	3.4	9:57	3.2	-
10:12	3.7	10:12	2.6	-
10:27	6.3	10:27	2.8	-
10:42	5.7	10:42	2.6	-
10:57	6.4	10:57	2.9	-
11:12	7.0	11:12	3.3	-
11:27	7.9	11:27	4.1	-
11:42	7.8	11:42	4.1	-
11:57	7.9	11:57	4.9	-
12:12	7.9	12:12	4.1	-
12:27	50.7	12:27	36.1	-
12:42	43.0	12:42	23.6	-
12:57	41.8	12:57	21.5	-

Tuesday, October 15, 2024				
Number of Instances Where Downwind VOCs Exceeds				0
Number of Comparable Data Points =				0
Start Time:				9:12
End Time:				12:57
PID DATA				
Upwind		Downwind		Exceeds VOC Alarm Limit
Time	15-Min Avg Concentration (ppm)	Time	15-Min Avg Concentration (ppm)	
9:12	0.0	9:12	0.0	-
9:27	0.0	9:27	0.0	-
9:42	0.0	9:42	0.0	-
9:57	0.0	9:57	0.0	-
10:12	0.0	10:12	0.0	-
10:27	0.0	10:27	0.0	-
10:42	0.0	10:42	0.0	-
10:57	0.0	10:57	0.0	-
11:12	0.0	11:12	0.0	-
11:27	0.0	11:27	0.0	-
11:42	0.0	11:42	0.0	-
11:57	0.0	11:57	0.0	-
12:12	0.0	12:12	0.0	-
12:27	0.0	12:27	0.0	-
12:42	0.0	12:42	0.0	-
12:57	0.0	12:57	0.0	-

## DAILY STATUS REPORT

Prepared By: David Klein

WEATHER	Snow		Rain		Overcast		Partly Cloudy		Bright Sun	x
TEMP.	< 32		32-50		50-70	x	70-85		>85	

<b>Project Name:</b>	3547 Webster Avenue	<b>Date:</b>	10/16/2024
----------------------	---------------------	--------------	------------

<b>Consultant:</b> Vektor Consultants – David Klein	<b>Personnel On-Site:</b> General Contractor – B Management Concrete Contractor – Raptor Concrete
--	---

### Work Activities Performed:

- Raptor Concrete performed general housekeeping duties sitewide.

### Samples Collected:

- No samples were collected.

### Community Air Monitoring Program (CAMP)

Implementation of a real-time Community Air Monitoring Plan (CAMP) was conducted during drilling and sampling work. All air monitoring equipment was calibrated at the start of the workday. An upwind and downwind CAMP stations were placed near the perimeters of Site during intrusive work. The upwind CAMP station was located in the northern portion of the Site and the downwind CAMP station was located in the southern portion of the Site as the wind was consistently coming from the north. All air monitoring data is appended to the end of this report.

Background Levels (Initial Readings at Start of Day):

PID: 0.0 ppm      Dust: 0.002 ug/m<sup>3</sup>

Highest Levels:

PID: 0.0 ppm      Dust: 0.007 ug/m<sup>3</sup>

- Upwind CAMP was implemented during drilling and sampling activities. CAMP equipment consisted of a DustTrack II Model 8530; S/N: 8530214907, AND MiniRAE 3000, Model PGM-7320 photoionization detector (PID); S/N: 592-913438
- Downwind CAMP was implemented during drilling and sampling activities. CAMP equipment consisted of a DustTrack II Model 8530; S/N: 8530193101, AND MiniRAE 3000+, Model PGM-7320 photoionization detector (PID); S/N: 592-913481
- No VOC or particulate concentrations were detected in exceedance of the New York State Department of Health Generic CAMP Response Levels at the work area CAMP station.

### Problems Encountered


- None

### Planned Activities for the Next Day

- The Site will be closed from 10/17/2024-10/25/2024 for the observance of religious holidays
- No stockpiles are currently present at the Site

**SOIL AND C&D DISPOSAL QUANTITIES AND FACILITY DESTINATIONS**

Facility # Name/ Location Type of Waste Solid Or Liquid	Mount Materials 100 Pipe Mill Road, Fairless Hills, PA C&D		Bayshore Soil Management 75 Crows Mill Road Keasbey, NJ Non-hazardous Soil			
(Trucks, Cu.Yds. Or Gallons)	Trucks	Cu. Yards	Trucks	Cu. Yards	Trucks	Cu. Yards
Today	0	0	0	0	0	0
Total	25	~500	73	~1460	0	0





vEktor consultants

**Photo Log**

Photo 1:  
View of MW-7 and Site facing  
southeast



Photo 2:  
View of Site facing south





Photo 3:  
View of Site looking north



<b>vEktor consultants</b>  37 W. 37th St, 6th Floor - New York, NY	<b>DAILY AIR MONITORING REPORT</b>  <b>3547 Webster Avenue</b>  <b>Bronx, New York</b>				<b>10/16/2024</b>	
					Rev. No. 0	Page 1 of 2
					Project Number:	
					Dust Action Level	150 $\mu\text{g}/\text{m}^3$
		VOC Action Level	5 ppm			


Weather Data Range for Work Day		Wind Direction	NW	Relative Humidity (%)	44.0 - 59.0	Daily Rain Total (in)	0.00	Readings in the summary table and graphs below are the reported downwind concentrations.
Temperature (°F)	49.0 - 57.0	Wind Speed (MPH)	8.2 - 10.8	Barometer (inHg)	30.00 - 30.10	Avg. Dew Point Temp (°F)	34.4	

Station Location	Daily Avg. Dust Concentration ( $\mu\text{g}/\text{m}^3$ )	Max 15-Min Dust Concentration ( $\mu\text{g}/\text{m}^3$ )	Time of Max Dust Reading	Daily Avg. VOC Concentration (ppm)	Max 15-Min VOC Concentration (ppm)	Time of Max VOC Reading
Upwind	4.3	6.9	12:23	0.0	0.0	9:53
Downwind	3.4	4.5	11:38	0.0	0.0	9:53



**Air Monitoring Notes:**

**Weather Notes:**





Wednesday, October 16, 2024				
Number of Instances Where Downwind Particulates				0
Number of Comparable Data Points =				16
Start Time:				9:08
End Time:				12:53
PARTICULATE DATA				
Upwind		Downwind		Exceeds Particulate Alarm Limit
Time	15-Min Avg Concentration (ug/m <sup>3</sup> )	Time	15-Min Avg Concentration (ug/m <sup>3</sup> )	
9:08	2.1	9:08	2.9	-
9:23	3.7	9:23	2.2	
9:38	4.2	9:38	3.4	
9:53	2.9	9:53	2.8	
10:08	0.7	10:08	2.1	-
10:23	1.0	10:23	2.3	-
10:38	2.2	10:38	2.6	-
10:53	3.2	10:53	3.5	-
11:08	4.4	11:08	3.7	-
11:23	5.1	11:23	3.7	-
11:38	6.3	11:38	4.5	-
11:53	6.5	11:53	4.1	-
12:08	6.8	12:08	4.1	-
12:23	6.9	12:23	3.9	-
12:38	6.8	12:38	4.0	-
12:53	6.2	12:53	4.4	-

Wednesday, October 16, 2024				
Number of Instances Where Downwind VOCs Exceeds				0
Number of Comparable Data Points =				0
Start Time:				9:08
End Time:				12:53
PID DATA				
Upwind		Downwind		Exceeds VOC Alarm Limit
Time	15-Min Avg Concentration (ppm)	Time	15-Min Avg Concentration (ppm)	
9:08	0.0	9:08	0.0	-
9:23	0.0	9:23	0.0	-
9:38	0.0	9:38	0.0	-
9:53	0.0	9:53	0.0	-
10:08	0.0	10:08	0.0	-
10:23	0.0	10:23	0.0	-
10:38	0.0	10:38	0.0	-
10:53	0.0	10:53	0.0	-
11:08	0.0	11:08	0.0	-
11:23	0.0	11:23	0.0	-
11:38	0.0	11:38	0.0	-
11:53	0.0	11:53	0.0	-
12:08	0.0	12:08	0.0	-
12:23	0.0	12:23	0.0	-
12:38	0.0	12:38	0.0	-
12:53	0.0	12:53	0.0	-