

01 February 2024

TECHNICAL MEMORANDUM

TO: Michael MacCabe, P.E., NYSDEC Project Manager

FROM: Christopher Sanson, EA Project Manager

SUBJECT: Supplemental Investigation - Site Characterization
Empire Electric – New York State Department of Environmental Conservation Site
224015, Kings County, Brooklyn, New York
Contract/ Work Assignment No. D009806-19
EA Project No. 1602519

EA Engineering, P.C. and its affiliate EA Science and Technology (EA) were tasked by the New York State Department of Environmental Conservation (NYSDEC) under Work Assignment (WA) Number (No.) D009806-19 to complete a Focused Feasibility Study (FFS) at the Empire Electric Site (Site). As part of the FFS, EA completed a supplemental investigation to delineate polychlorinated biphenyls (PCB) concentration in soil down gradient of the Site and/or source area. This technical memorandum summarizes the supplemental investigation activities at the Site from 27 November to 30 November 2023.

1. DRILLING AND SOIL SAMPLING ACTIVITIES

EA and their subcontractor Coastal Drilling completed eight soil borings to a depth of 30 ft below ground surface (bgs) using a Fraste/Eijkelpkamp CRS XL 140 DUO Sonic Drill Rig and a Geoprobe 6620DT. Prior to the start of drilling activities soil boring locations were cleared to a depth of 5 ft bgs using an air knife with an air compressor and a trailer mounted vacuum to verify no underground utilities were present. Five soil borings were completed with the Fraste/Eijkelpkamp CRS XL 140 DUO Sonic Drill Rig (SB-1, SB-2, SB-3, SB-6, and SB-7) and due to mechanical issues with the sonic rig the other three borings were completed with the Geoprobe 6620DT (SB-4, SB-5, SB-8). Soil boring logs were completed at each boring location by an EA geologist and are provided in **Attachment 1**. At each soil boring location ten soil samples were collected in 2 ft intervals from 18 ft bgs to 30 ft bgs. Each 2 ft interval of soil was homogenized, and a composite sample was collected and analyzed for PCBs and percent solids. All drill cuttings were containerized in a single 55-gal drum and staged onsite. An investigative derived waste (IDW) sample was collected from the drum and analyzed for TCLP VOCs, TCPL SVOCs, TCLP Metals, PCBs, and percent solids. All samples were sent to Pace Analytical for analysis. Sample chain of custody (COCs) are provided in **Attachment 2**.

2. SAMPLING RESULTS

Soil sample results from the supplemental investigation are detailed in **Table 1** and displayed in **Figure 1**. PCBs were not detected in soil borings SB-4, SB-5, and SB-8. PCBs were detected in the five remaining soil borings with the highest concentrations of PCBs detected at SB-1 and SB-2, immediately adjacent to monitoring well MW-05R. The highest concentrations of PCBs in SB-1 were detected from 28-30 ft bgs with a result of 5500 mg/kg. The highest concentration of PCBs in SB-2 were detected from 24-26 ft bgs with a result of 360 mg/kg.

Sincerely yours,

EA SCIENCE AND TECHNOLOGY



Chris Sanson
Project Manager

EA ENGINEERING, P.C.



Donald F. Conan, P.E., P.G.
Program Manager

Figures

- | | |
|---|----------------------------------|
| 1 | PCB Concentrations November 2023 |
|---|----------------------------------|

Tables


- | | |
|---|---|
| 1 | Supplemental Investigation PCB Analytical Results |
|---|---|

Attachment

- | | |
|---|------------------|
| 1 | Soil Boring Logs |
| 2 | Chain of Custody |

Figures

\\syracuse\h\Syracuse\GIS\data\StateandLocal\Empire Electric\PROJECTS\ArcPro\aprx\1602519_NYSDEC_EmpireElectric_FS.aprx




VICINITY MAP



Legend

- Site Boundary
- Soil Boring
- Monitoring Well



Map Date: 1/25/2024
Projection: NAD 1983 State Plane
New York Long Island FIPS 3104 (US Feet)



Notes:

Total PCB concentrations are shown in units of milligrams per kilogram (mg/kg)
ft bgs = Feet below ground surface
ND = Non-detect
PCBs = Polychlorinated biphenyls

Figure 1
PCB Concentrations
November 2023

Empire Electric Company Site (224015)
Brooklyn, New York

This page intentionally left blank

Tables

Table 1 - Soil Boring PCB Results

Parameter List ^(a)	Location ID	SB-1	SB-1	SB-1	SB-1	SB-1	6 NYCRR Part 375 Soil Cleanup Objectives - Unrestricted Use ^(b)	6 NYCRR Part 375 Soil Cleanup Objectives - Commercial Use ^(b)	6 NYCRR Part 375 Soil Cleanup Objectives - Industrial Use ^(b)
	Sample Name	224015-SB-1-18-20	224015-SB-1-20-22	224015-SB-1-22-24	224015-SB-1-24-26	224015-SB-FD-03			
	Parent Sample ID					224015-SB-1-24-26			
	Sample Interval (ft bgs)	18-20	20-22	22-24	24-26	24-26			
	Sample Date	11/29/2023	11/29/2023	11/29/2023	11/29/2023	11/29/2023			
PCB-1254 (Aroclor 1254)	mg/kg	< 0.035 U	< 0.29 U	< 0.6 U	< 3.1 U	< 0.68 U	--	--	--
PCB-1260 (Aroclor 1260)	mg/kg	<0.031 U	9.7	30	83	31	--	--	--
Aroclors (Total)	mg/kg	ND	9.7	30	83	31	0.1	1	25
Parameter List ^(a)	Location ID	SB-1	SB-1	SB-2	SB-2	SB-2	6 NYCRR Part 375 Soil Cleanup Objectives - Unrestricted Use ^(b)	6 NYCRR Part 375 Soil Cleanup Objectives - Commercial Use ^(b)	6 NYCRR Part 375 Soil Cleanup Objectives - Industrial Use ^(b)
	Sample Name	224015-SB-1-26-28	224015-SB-1-28-30	224015-SB-2-10-20	224015-SB-2-20-22	224015-SB-2-22-24			
	Parent Sample ID								
	Sample Interval (ft bgs)	26-28	28-30	45585	20-22	22-24			
	Sample Date	11/29/2023	11/29/2023	11/29/2023	11/29/2023	11/29/2023			
PCB-1254 (Aroclor 1254)	mg/kg	< 15 U	< 280 U	< 0.03 U	< 0.03 U	< 0.03 U	--	--	--
PCB-1260 (Aroclor 1260)	mg/kg	270	5500	0.091 J	0.027 J	0.031 J	--	--	--
Aroclors (Total)	mg/kg	270	5500	0.091	0.027	0.031	0.1	1	25
Parameter List ^(a)	Location ID	SB-2	SB-2	SB-2	SB-2	SB-3	6 NYCRR Part 375 Soil Cleanup Objectives - Unrestricted Use ^(b)	6 NYCRR Part 375 Soil Cleanup Objectives - Commercial Use ^(b)	6 NYCRR Part 375 Soil Cleanup Objectives - Industrial Use ^(b)
	Sample Name	224015-SB-2-24-26	224015-SB-FD-01	224015-SB-2-26-28	224015-SB-2-28-30	224015-SB-3-18-20			
	Parent Sample ID		224015-SB-2-24-26						
	Sample Interval (ft bgs)	24-26	24-26	26-28	28-30	18-20			
	Sample Date	11/29/2023	11/29/2023	11/29/2023	11/29/2023	11/29/2023			
PCB-1254 (Aroclor 1254)	mg/kg	< 15 U	< 2.9 U	< 0.6 U	< 0.03 U	< 0.033 U	--	--	--
PCB-1260 (Aroclor 1260)	mg/kg	360	58	25	0.26	0.040 J	--	--	--
Aroclors (Total)	mg/kg	360	58	25	0.26	0.04	0.1	1	25
Parameter List ^(a)	Location ID	SB-3	SB-3	SB-3	SB-3	SB-3	6 NYCRR Part 375 Soil Cleanup Objectives - Unrestricted Use ^(b)	6 NYCRR Part 375 Soil Cleanup Objectives - Commercial Use ^(b)	6 NYCRR Part 375 Soil Cleanup Objectives - Industrial Use ^(b)
	Sample Name	224015-SB-3-20-22	224015-SB-3-22-24	224015-SB-3-24-26	224015-SB-3-26-28	224015-SB-3-28-30			
	Parent Sample ID								
	Sample Interval (ft bgs)	20-22	22-24	24-26	26-28	28-30			
	Sample Date	11/29/2023	11/29/2023	11/29/2023	11/29/2023	11/29/2023			
PCB-1254 (Aroclor 1254)	mg/kg	< 0.031 U	< 0.03 U	< 0.029 U	< 0.028 U	< 0.03 U	--	--	--
PCB-1260 (Aroclor 1260)	mg/kg	0.11	0.053 J	0.040 J	< 0.025 U	< 0.026 U	--	--	--
Aroclors (Total)	mg/kg	0.11	0.053	0.04	ND	ND	0.1	1	25
Parameter List ^(a)	Location ID	SB-4	SB-4	SB-4	SB-4	SB-4	6 NYCRR Part 375 Soil Cleanup Objectives - Unrestricted Use ^(b)	6 NYCRR Part 375 Soil Cleanup Objectives - Commercial Use ^(b)	6 NYCRR Part 375 Soil Cleanup Objectives - Industrial Use ^(b)
	Sample Name	224015-SB-4-15-20	224015-SB-4-20-22	224015-SB-4-22-24	224015-SB-4-24-26	224015-SB-4-26-28			
	Parent Sample ID								
	Sample Interval (ft bgs)	15-20	20-22	22-24	24-26	26-28			
	Sample Date	11/30/2023	11/30/2023	11/30/2023	11/30/2023	11/30/2023			
PCB-1254 (Aroclor 1254)	mg/kg	< 0.031 U	< 0.028 U	< 0.028 U	< 0.03 U	< 0.026 U	--	--	--
PCB-1260 (Aroclor 1260)	mg/kg	< 0.027 U	< 0.025 U	< 0.025 U	< 0.027 U	< 0.023 U	--	--	--
Aroclors (Total)	mg/kg	ND	ND	ND	ND	ND	0.1	1	25
Parameter List ^(a)	Location ID	SB-4	SB-5	SB-5	SB-5	SB-5	6 NYCRR Part 375 Soil Cleanup Objectives - Unrestricted Use ^(b)	6 NYCRR Part 375 Soil Cleanup Objectives - Commercial Use ^(b)	6 NYCRR Part 375 Soil Cleanup Objectives - Industrial Use ^(b)
	Sample Name	224015-SB-4-28-30	224015-SB-5-18-20	224015-SB-5-20-22	224015-SB-5-22-24	224015-SB-5-24-26			
	Parent Sample ID								
	Sample Interval (ft bgs)	28-30	18-20	20-22	22-24	24-26			
	Sample Date	11/30/2023	11/30/2023	11/30/2023	11/30/2023	11/30/2023			
PCB-1254 (Aroclor 1254)	mg/kg	< 0.026 U	< 0.027 U	< 0.03 U	< 0.027 U	< 0.026 U	--	--	--
PCB-1260 (Aroclor 1260)	mg/kg	< 0.023 U	< 0.024 U	< 0.026 U	< 0.024 U	< 0.023 U	--	--	--
Aroclors (Total)	mg/kg	ND	ND	ND	ND	ND	0.1	1	25
Parameter List ^(a)	Location ID	SB-5	SB-5	SB-6	SB-6	SB-6	6 NYCRR Part 375 Soil Cleanup Objectives - Unrestricted Use ^(b)	6 NYCRR Part 375 Soil Cleanup Objectives - Commercial Use ^(b)	6 NYCRR Part 375 Soil Cleanup Objectives - Industrial Use ^(b)
	Sample Name	224015-SB-5-26-28	224015-SB-5-28-30	224015-SB-6-10-20	224015-SB-6-20-22	224015-SB-6-22-24			
	Parent Sample ID								
	Sample Interval (ft bgs)	26-28	28-30	10-20	20-22	22-24			
	Sample Date	11/30/2023	11/30/2023	11/29/2023	11/29/2023	11/29/2023			
PCB-1254 (Aroclor 1254)	mg/kg	< 0.028 U	< 0.029 U	< 0.027 U	< 0.028 U	< 0.028 U	--	--	--
PCB-1260 (Aroclor 1260)	mg/kg	< 0.025 U	< 0.026 U	0.046 J	< 0.024 U	0.082 J	--	--	--
Aroclors (Total)	mg/kg	ND	ND	0.046	ND	0.082	0.1	1	25
Parameter List ^(a)	Location ID	SB-6	SB-6	SB-6	SB-7	SB-7	6 NYCRR Part 375 Soil Cleanup Objectives - Unrestricted Use ^(b)	6 NYCRR Part 375 Soil Cleanup Objectives - Commercial Use ^(b)	6 NYCRR Part 375 Soil Cleanup Objectives - Industrial Use ^(b)
	Sample Name	224015-SB-6-24-26	224015-SB-6-26-28	224015-SB-6-28-30	224015-SB-7-18-20	224015-SB-7-20-22			
	Parent Sample ID								
	Sample Interval (ft bgs)	24-26	26-28	28-30	18-20	20-22			
	Sample Date	11/29/2023	11/29/2023	11/29/2023	11/29/2023	11/29/2023			
PCB-1254 (Aroclor 1254)	mg/kg	< 0.03 U	< 0.027 U	< 0.028 U	< 0.032 U	0.033 J	--	--	--
PCB-1260 (Aroclor 1260)	mg/kg	< 0.027 U	< 0.024 U	< 0.025 U	< 0.029 U	< 0.026 U	--	--	--
Aroclors (Total)	mg/kg	ND	ND	ND	ND	0.033	0.1	1	25
Parameter List ^(a)	Location ID	SB-7	SB-7	SB-7	SB-7	SB-7	6 NYCRR Part 375 Soil Cleanup Objectives - Unrestricted Use ^(b)	6 NYCRR Part 375 Soil Cleanup Objectives - Commercial Use ^(b)	6 NYCRR Part 375 Soil Cleanup Objectives - Industrial Use ^(b)
	Sample Name	224015-SB-7-22-24	224015-SB-7-24-26	224015-SB-FD-02	224015-SB-7-26-28	224015-SB-7-28-30			
	Parent Sample ID			224015-SB-7-24-26					
	Sample Interval (ft bgs)	22-24	24-26	24-26	26-28	28-30			
	Sample Date	11/29/2023	11/29/2023	11/29/2023	11/29/2023	11/29/2023			
PCB-1254 (Aroclor 1254)	mg/kg	0.033 J	< 0.028 U	< 0.028 U	< 0.027 U	< 0.026 U	--	--	--
PCB-1260 (Aroclor 1260)	mg/kg	0.062 J	< 0.025 U	< 0.025 U	< 0.024 U	< 0.023 U	--	--	--
Aroclors (Total)	mg/kg	0.095	ND	ND	ND	ND	0.1	1	25
Parameter List ^(a)	Location ID	SB-8	SB-8	SB-8	SB-8	SB-8	6 NYCRR Part 375 Soil Cleanup Objectives - Unrestricted Use ^(b)	6 NYCRR Part 375 Soil Cleanup Objectives - Commercial Use ^(b)	6 NYCRR Part 375 Soil Cleanup Objectives - Industrial Use ^(b)
	Sample Name	224015-SB-8-18-20	224015-SB-8-20-22	224015-SB-8-22-24	224015-SB-8-24-26	224015-SB-8-26-28			
	Parent Sample ID								
	Sample Interval (ft bgs)	18-20	20-22	22-24	24-26	26-28			
	Sample Date	11/30/2023	11/30/2023	11/30/2023	11/30/2023	11/30/2023			
PCB-1254 (Aroclor 1254)	mg/kg	< 0.031 U	< 0.029 U	< 0.028 U	< 0.03 U	< 0.031 U	--	--	--
PCB-1260 (Aroclor 1260)	mg/kg	< 0.027 U	< 0.026 U	< 0.025 U	< 0.027 U	< 0.027 U	--	--	--
Aroclors (Total)	mg/kg	ND	ND	ND	ND	ND	0.1	1	25
Parameter List ^(a)	Location ID	SB-8					6 NYCRR Part 375 Soil Cleanup Objectives - Unrestricted Use ^(b)	6 NYCRR Part 375 Soil Cleanup Objectives - Commercial Use ^(b)	6 NYCRR Part 375 Soil Cleanup Objectives - Industrial Use ^(b)
	Sample Name	224015-SB-8-28-30							
	Parent Sample ID								
	Sample Interval (ft bgs)	28-30							
	Sample Date	11/30/2023							
PCB-1254 (Aroclor 1254)	mg/kg	< 0.029 U	--	--	--				
PCB-1260 (Aroclor 1260)	mg/kg	< 0.026 U	--	--	--				
Aroclors (Total)	mg/kg	ND	0.1	1	25				
Notes:									
(a) Only those analytes detected in one or more samples during this sampling event are presented.									
(b) NYSDEC Division of Environmental Remediation. 2006 6 New York Code of Rules and Regulations Part 375 Environmental Remediation Programs.									
Concentrations in bold indicate the concentration exceeds the 6 NYCRR Part 375 Soil Cleanup Objectives - Unrestricted Use									
Concentrations in bold and yellow shaded indicate the concentration exceeds the 6 NYCRR Part 375 Soil Cleanup Objectives - Commercial Use									
Concentrations in bold and red shaded indicate the concentration exceeds the 6 NYCRR Part 375 Soil Cleanup Objectives - Industrial Use									
-- = No standard.									
mg/kg - Miligram(s) per kilogram									
U = Non detect									
J = Concentration is estimated									
ND = Not detected									
ft bgs = Feet below ground surface									

This page intentionally left blank

Attachment 1

Soil Boring Logs



EA Engineering, P.C. and Its Affiliate
EA Science and Technology

SOIL BORING LOG

Coordinates: Northing _____ Easting: _____

Surface Elevation: _____

Casing Below Surface: _____

Reference Elevation: _____

Reference Description: _____

Job No. 1602519	Client: NYSDEC Project: Empire Electric	Location:
Drilling Method: <u>Sonic</u>		Soil Boring Number: <u>SB-1</u>
Sampling Method: <u>Macrocom</u>		Sheet 1 of 1
Water Level:		Drilling
Time:		Start
Date:		Finish
		DATE <u>11/29</u> DATE <u>11/29</u>
		TIME <u>1126</u> TIME <u>1146</u>

Blow Counts (140-lb)	Ft. Driven/ Ft. Record	Boring Diagram	PID (ppm)	Depth in Feet	USCS Log	Surface Conditions: Weather: <u>Gravel</u> <u>Sunny / windy</u> Temperature: <u>30F</u>
	<u>1 1/2</u>			<u>0</u>		
			<u>0.0</u>			<u>Dark brown, loose, medium silty</u>
				<u>9</u>		<u>sand with gravel, and debris (wood,</u>
						<u>plastic), dry</u>
	<u>1 1/2.5</u>		<u>0.0</u>	<u>10</u>		<u>Orangey-brown fine to loose</u>
						<u>fine to medium sand, dry</u>
				<u>14</u>		<u>Orangey brown fine loose fine</u>
						<u>sand, dry</u>
				<u>18</u>		<u>medium brown medium dense</u>
						<u>fine to medium sand, wet</u>
						<u>medium-dark grey, medium dense</u>
						<u>fine to medium sand, trace</u>
	<u>1 1/6</u>		<u>0.3</u>	<u>20</u>		<u>coarse sand, wet 224105-SB-L18-28@1130</u>
						<u>medium brown, loose, medium sand,</u>
			<u>3.7</u>	<u>24</u>		<u>wet, slight petroleum odor</u>
						<u>medium brown, loose, fine to</u>
						<u>medium sand, some cobbles,</u>
						<u>wet with ^{light} silty silt and</u>
			<u>6.1</u>	<u>26</u>		<u>petroleum odor</u>
						<u>medium brown, loose loose, medium</u>
						<u>sand, some cobbles, moist with</u>
			<u>11.0</u>	<u>29</u>		<u>slight petroleum odor</u>
						<u>medium to orangey-brown, dense,</u>
						<u>medium sand, moist, slight</u>
			<u>3.4</u>	<u>30</u>		<u>petroleum odor</u>
						<u>EOB 30-ft</u>
						<u>224105-SB-1-20-22 1140</u>
						<u>224105-SB-1-22-24 1142</u>
						<u>224105-SB-1-24-26 w/ FD-03 1144</u>
						<u>224105-SB-1-26-28 1146</u>
						<u>224105-SB-1-28-30 1148</u>

Monitoring Well Construction Information

Monitoring Well Diameter: _____ in
Bottom of Monitoring Well: _____ ft bgs
Stick Up or Flush Mount: _____
Screen Interval: _____ To _____ ft bgs
Riser Interval: _____ To _____ ft bgs
Sand Pack Interval: _____ To _____ ft bgs
Bentonite Seal: _____ To _____ ft bgs
Grout Interval: _____ To _____ ft bgs

Soil Vapor Point Installation Information

Depth of Soil Vapor Point: _____ ft
Bottom of Tubing: _____ ft
Top of Sand Pack: _____ ft
Top of Bentonite Seal: _____ ft

Logged by: Grant Reeder
Drilling Contractor: Coastal

Date: 11/29/2023
Driller: Dylan Jewell



EA Engineering, P.C. and Its Affiliate
EA Science and Technology

SOIL BORING LOG

Coordinates: Northing _____ Easting: _____
Surface Elevation: _____
Casing Below Surface: _____
Reference Elevation: _____
Reference Description: _____

Job No. 1602519	Client: NYSDEC	Location:
Project: Empire Electric		Soil Boring Number: SB-2
Drilling Method: Sonic		Sheet 1 of 1
Sampling Method:		Drilling
Water Level:		Start
Time:		Finish
Date:		DATE 11/29 TIME 0745

Blow Counts (140-lb)	Ft. Driven/ Ft. Record	Boring Diagram	PID (ppm)	Depth in Feet	USCS Log
				0	Surface Conditions: gravel
				0.2	Weather: sunny, windy
	10/1.5			10	Temperature: 29
					Dark brown loose medium sand
					with gravel, some debris (wood,
	10/0.8				concrete), dry & hand cleaned to 5ft
					Medium brown loose fine to medium
					sand, moist, very poor recovery.
					black medium sand with gravel
					and coal/slag chips coating outside
					of 10-20 interval
					Sample 224015-SB-2-10-20 collected
					for PCBs 0800
					Medium brown loose medium sand,
	10/7				trace cobbles, moist
					Light/medium brown loose medium
					sand, trace gravel, wet, sheen
					observed on soil, slight petroleum
					odor
					Medium brown medium dense fine
					to medium sand, trace silts, moist
					Medium brown medium dense with
					blocky texture fine to medium sand,
					trace silt, moist
					EOB 30'
					224105-SB-2-20-22 0810
					224105-SB-2-22-24 0812
					224105-SB-2-24-26 w/ FD-01 0814
					224105-SB-2-26-28 0816
					224105-SB-2-28-30 0818

Monitoring Well Construction Information

Monitoring Well Diameter: _____ in
Bottom of Monitoring Well: _____ ft bgs NA \$borehole
Stick Up or Flush Mount: _____ abandoned
Screen Interval: _____ To _____ ft bgs
Riser Interval: _____ To _____ ft bgs
Sand Pack Interval: _____ To _____ ft bgs
Bentonite Seal: 1 To 30 ft bgs
Grout Interval: _____ To _____ ft bgs

Soil Vapor Point Installation Information

Depth of Soil Vapor Point: _____ ft
Bottom of Tubing: _____ ft
Top of Sand Pack: _____ ft
Top of Bentonite Seal: _____ ft

Logged by: Grant Reeder
Drilling Contractor: Coastal

Date: 11/29/2023
Driller: Dylan Jewell

SOIL BORING LOG

Coordinates: Northing Easting:

Surface Elevation: _____

Casing Below Surface:

Reference Elevation: _____

Reference Description:

Job. No.	Client:	NYSDEC
1602519	Project:	Empire Electric

Location:

Drilling Method: Sonic

Soil Boring Number:

Sampling Method: Mark-recapture

Sheet 1 of 1

Water Level:

Start	Finish
-------	--------

Time:

DATE 1/29

Date:

TIME	OKASO
------	-------

Surface Conditions: Good

Weather: Sunny

Temperature: 30 ✓

Blow Counts (140-lb)	
----------------------------	--

Ft. Driven/ Ft. Record

Boring Diagram

PID
(ppm)

Depth
in
Feet

USCS Log

Dark brown/black loose medium sand with gravel and debris (wood, plastic, brick), dry
Orangey-brown loose fine sand, trace medium/coarse sand and gravel, dry
Orangey-brown loose fine sand trace globbles, moist
medium brown loose fine to medium sand, wet, no odor
dark brown loose fine/medium sand with silt, some woody debris, wet, 224105-SB-3-16-70 1005
medium brown, loose, fine to medium sand, trace silt, wet
orangey/brown and black mottled medium dense w/ blocky texture
fine to medium sand, moist
orangey-brown medium dense with blocky texture, medium sand, trace silt, moist
medium brown medium dense medium sand with silt, trace gravel, moist
EOB 30 ft
224105-SB-3-20-22 1012
224105-SB-3-22-24 w/m/s/mso 1014
224105-SB-3-24-26 1016
224105-SB-3-26-28 1018
224105-SB-28-30 1020

Monitoring Well Construction Information

Monitoring Well Diameter:	_____	in	N/A
Bottom of Monitoring Well:	_____	ft bgs	about 1 m
Stick Up or Flush Mount:	_____		
Screen Interval:	_____ To _____	ft bgs	
Riser Interval:	_____ To _____	ft bgs	
Sand Pack Interval:	_____ To _____	ft bgs	
Bentonite Seal:	1 _____ To _____	ft bgs	
Grout Interval:	_____ To _____	ft bgs	

Soil Vapor Point Installation Information

Depth of Soil Vapor Point:	_____ ft
Bottom of Tubing:	_____ ft
Top of Sand Pack:	_____ ft
Top of Bentonite Seal:	_____ ft

Logged by: Grant Reeder
Drilling Contractor: Coastal

Date: 11/29/2023
Driller: Quinn Fennell



EA Engineering, P.C. and Its Affiliate
EA Science and Technology

SOIL BORING LOG

Coordinates: Northing _____ Easting: _____

Surface Elevation: _____

Casing Below Surface: _____

Reference Elevation: _____

Reference Description: _____

Job No. 1602519	Client: Project: Empire Electric	NYSDEC	Location:
Drilling Method: <u>Geoprobe</u>			Soil Boring Number: <u>SB-4</u>
Sampling Method: <u>Macrocore</u>			Sheet 1 of 1
Water Level:			Drilling
Time:			Start
Date:			Finish
			DATE 11/30
			TIME 0745
			DATE 1130
			TIME 0900

Blow Counts (140-lb)	Ft. Driven/ Ft. Record	Boring Diagram	PID (ppm)	Depth in Feet	USCS Log	Surface Conditions: <u>Concrete</u> Weather: <u>37°F Sunny</u> Temperature: <u>37°F</u>
	<u>5/2</u>			<u>0</u>		
				<u>0.1</u>		<u>medium brown, loose, medium</u>
				<u>2.3</u>	<u>#5</u>	<u>sand with gravel, dry, slight</u>
	<u>5/2</u>			<u>6.2</u>		<u>petroleum odor</u>
						<u>medium brown w/ orange mottling,</u>
						<u>med. dense, fine to medium</u>
				<u>2.4</u>		<u>sand with gravel and debris</u>
						<u>(brick, concrete), gravel lenses at</u>
				<u>10</u>		<u>8 ft (1-inch thick), moist</u>
	<u>5/2.5</u>			<u>2.6</u>		<u>brown and black, medium dense,</u>
						<u>medium-sandy gravel and debris</u>
						<u>(crust/slag, brick, concrete, larger</u>
				<u>10.6</u>		<u>wood-chips 12.5-13, moist, slight</u>
				<u>13</u>		<u>organic odor</u>
						<u>Dark gray, loose, medium to</u>
						<u>coarse sand with gravel, trace gravel</u>
				<u>4.4</u>		<u>and debris, moist, slight petroleum</u>
				<u>15</u>		<u>odor</u>
	<u>5/1</u>			<u>4.3</u>		<u>Dark gray/black, loose, medium</u>
						<u>to coarse sand with silt, trace gravel,</u>
				<u>20</u>		<u>moist, no petroleum odor</u>
						<u>224105-SB-4-15-20 collected 0810</u>
	<u>5/3.5</u>			<u>5.2</u>		<u>medium brown/orange, dense, fine</u>
						<u>sand, trace medium sand, wet,</u>
				<u>4.2</u>	<u>23</u>	<u>no odor. 224105-SB-4-20-22 0840,</u>
						<u>224105-SB-4-22-24 0842, 224105-SB-4-24-26</u>
				<u>25</u>		<u>0844.</u>
	<u>5/2</u>			<u>10.5</u>		<u>medium brown/orange, dense, medium</u>
						<u>to coarse sand with gravel, wet,</u>
				<u>4.2</u>		<u>no odor. 224105-SB-4-26-28 w/ m3/m3 0909</u>
						<u>224105-SB-4-28-30 0902. EOB 30'</u>

Monitoring Well Construction Information		Soil Vapor Point Installation Information	
Monitoring Well Diameter: _____ in	Depth of Soil Vapor Point: _____ ft		
Bottom of Monitoring Well: _____ ft bgs	Bottom of Tubing: _____ ft		
Stick Up or Flush Mount: _____	Top of Sand Pack: _____ ft		
Screen Interval: _____ To _____ ft bgs	Top of Bentonite Seal: _____ ft		
Riser Interval: _____ To _____ ft bgs			
Sand Pack Interval: _____ To _____ ft bgs			
Bentonite Seal: _____ To _____ ft bgs			
Grout Interval: _____ To _____ ft bgs			

Logged by: <u>Grant Roeder</u>	Date: <u>11/30/2023</u>
Drilling Contractor: <u>Coastal</u>	Driller: <u>Dylan Farrell</u>



EA Engineering, P.C. and Its Affiliate
EA Science and Technology

SOIL BORING LOG

Coordinates: Northing _____ Easting: _____

Surface Elevation: _____

Casing Below Surface: _____

Reference Elevation: _____

Reference Description: _____

Job No. 1602519 Client: NYSDEC
Project: Empire Electric

Location: _____

Drilling Method: *Geoprobe*

Soil Boring Number: *SB-5*

Sampling Method: *Macrocone*

Sheet 1 of 1

Water Level: _____

Time: _____

Date: _____

Start _____ Finish _____

DATE *11/30* DATE *11/30*

TIME *0900* TIME *0945*

Surface Conditions: *Concrete*

Weather: *Sunny*

Temperature: *41F*

Blow Counts (140-lb)	Ft. Driven/ Ft. Record	Boring Diagram	PID (ppm)	Depth in Feet	USCS Log
	<i>5/1</i>			<i>0.6</i>	
				<i>5</i>	
	<i>5/2.5</i>			<i>5.6</i>	
				<i>3.6</i>	
				<i>4.2</i>	
				<i>10</i>	
				<i>2.7</i>	
				<i>4.9</i>	
				<i>2.5</i>	
				<i>14</i>	
	<i>5/3</i>			<i>3.6</i>	
				<i>5.4</i>	
				<i>20.6</i>	
	<i>5/3</i>			<i>1.3</i>	
				<i>20</i>	
	<i>5/3.5</i>			<i>4.1</i>	
				<i>10.4</i>	
				<i>25</i>	
	<i>5/3</i>			<i>4.5</i>	
				<i>4.7</i>	
				<i>4.5</i>	
				<i>5.8</i>	
				<i>30</i>	

medium brown, loose, medium sand with gravel and debris (concrete, asphalt), dry
orangey-brown, loose, fine to medium sand, trace gravel, dry - 3" lens of concrete @ 9 ft, no odor
orangey brown, med-dense, medium sand, moist, no odor
medium brown, medium dense, medium sand, some coarse sand, wet, no odor
orangey-brown, dense, fine sand, some medium sand, wet, no odor
224105-SB-5-18-20 0920
Orangey-brown, medium dense, medium sand, moist, no odor
224105-SB-5-20-22 0930, 224105-SB-5-22-24 0942, 224105-SB-5-24-26 0924
Orangey-brown, dense, fine sand, trace medium sand, wet, no odor
EOB 30-ft
224105-SB-5-26-28 0945
224105-SB-5-28-30 0947

Monitoring Well Construction Information

Monitoring Well Diameter: _____ in
Bottom of Monitoring Well: _____ ft bgs
Stick Up or Flush Mount: _____
Screen Interval: _____ To _____ ft bgs
Riser Interval: _____ To _____ ft bgs
Sand Pack Interval: _____ To _____ ft bgs
Bentonite Seal: _____ To _____ ft bgs
Grout Interval: _____ To _____ ft bgs

Soil Vapor Point Installation Information

Depth of Soil Vapor Point: _____ ft
Bottom of Tubing: _____ ft
Top of Sand Pack: _____ ft
Top of Bentonite Seal: _____ ft

Logged by: _____

Drilling Contractor: _____

Grant Beeder
Coastal

Date: _____

Driller: _____

11/30/2023
Dylan Jewell



EA Engineering, P.C. and Its Affiliate
EA Science and Technology

SOIL BORING LOG

Coordinates: Northing _____ Easting: _____

Surface Elevation: _____

Casing Below Surface: _____

Reference Elevation: _____

Reference Description: _____

Job No. 1602519 Client: NYSDEC
Project: Empire Electric

Location: _____

Drilling Method: SHANK

Soil Boring Number: SB-6

Sampling Method: MURKIN

Sheet 1 of 1

Water Level: _____

Time: _____

Date: _____

Start

DATE 11/29

TIME 0825

Finish

DATE 11/29

TIME 0850

Surface Conditions: Gravel

Weather: Sunny, windy

Temperature: 27°F

Blow Counts (140-lb)	Ft. Driven/ Ft. Record	Boring Diagram	PID (ppm)	Depth in Feet	USCS Log
	10/0		NA	0	
				10	
	10/1		5.9		
				2	
				20	
	10/7		0.6		
			0.6		
			0.6	22	
				23	
			0.6		
				25	
			0.0		
				26	
				30	

No recovery

light grey/white concrete debris.
fine sand with silt and gravel/cobbles
dry 224105-SB-6-11-20 collected 0830
for PCBs

Black loose coarse sand to gravel-
sized coal/slag debris with silt,
some gravel (rock fragments), moist
concrete

medium brown loose fine to medium
sand with silt. Some gravel, wet
mottled brown/orange and black

medium dense medium sand, trace
gravel and shell debris
medium brown medium dense with
blocky texture medium sand, trace
gravel, moist

EOB 30.4

224105-SB-6-20-22 0855

224105-SB-6-22-24 0900

224105-SB-6-24-26 0902

224105-SB-6-26-28 0904 w/ ms/msd

224105-SB-6-28-30 0906

Monitoring Well Construction Information

Monitoring Well Diameter: _____ in
Bottom of Monitoring Well: _____ ft bgs
Stick Up or Flush Mount: _____
Screen Interval: _____ To _____ ft bgs
Riser Interval: _____ To _____ ft bgs
Sand Pack Interval: _____ To _____ ft bgs
Bentonite Seal: _____ To _____ ft bgs
Grout Interval: _____ To _____ ft bgs

Soil Vapor Point Installation Information

Depth of Soil Vapor Point: _____ ft
Bottom of Tubing: _____ ft
Top of Sand Pack: _____ ft
Top of Bentonite Seal: _____ ft

Logged by: Grant Resder

Drilling Contractor: Crastal

Date: 11/29/23

Driller: Dylan Jewell



EA Engineering, P.C. and Its Affiliate
EA Science and Technology

SOIL BORING LOG

Coordinates: Northing _____ Easting _____

Surface Elevation: _____

Casing Below Surface: _____

Reference Elevation: _____

Reference Description: _____

Job No. 1602519 Client: NYSDEC
Project: Empire Electric

Location: _____

Drilling Method: Sonic

Soil Boring Number: SB-7

Sampling Method: Macrocone

Sheet 1 of 1

Water Level: _____

Time: _____

Date: _____

Start _____ Finish _____

DATE 11/28

TIME 0903

DATE 11/29

TIME 0925

Surface Conditions: Gravel

Weather: 29F windy, sunny

Temperature: 29F

Blow Counts (140-lb)	Ft. Driven/ Ft. Record	Boring Diagram	PID (ppm)	Depth in Feet	USCS Log
	10/			0	
	1.5		0.6	9	
				0.0	
	10/4		0.6	15	
			0.10	20	
				1.8	
	10/5.5		2.1	25	
				3.9	
				3.6	
				3.9	
				3.0	

Dark brown loose fine to medium sand with gravel and debris, and silt, dry
medium brown loose fine to medium sand, trace gravel, dry
medium brown fine to medium dense fine sand trace medium sand, wet
dark brown/black medium dense silt with sand and gravel, wet, trace organic fibers &
224105-SB-7-18-20 collected 0920 for PCBs
*Paper debris w/ organic decomposed odor observed
medium brown loose fine-sandy silt, wet, slight petroleum odor
medium/dark brown medium dense fine to medium sand with silt, trace gravel, wet, slight petroleum odor
medium brown medium dense medium to coarse sand with gravel, trace silt, moist, slight petroleum odor
orange/brown loose w/ blocky texture fine to medium sand, trace gravel and cobbles, moist
EOD 30'

Monitoring Well Construction Information

Monitoring Well Diameter: _____ in
Bottom of Monitoring Well: _____ ft bgs N/A boring abandoned
Stick Up or Flush Mount: _____
Screen Interval: _____ To _____ ft bgs
Riser Interval: _____ To _____ ft bgs
Sand Pack Interval: _____ To _____ ft bgs
Bentonite Seal: _____ To _____ ft bgs
Grout Interval: _____ To _____ ft bgs

Soil Vapor Point Installation Information

Depth of Soil Vapor Point: _____ ft
Bottom of Tubing: _____ ft
Top of Sand Pack: _____ ft
Top of Bentonite Seal: _____ ft

Logged by: Grant Becker

Drilling Contractor: Coastal

Date: 11/28/23

Driller: Dylan Beall



EA Engineering, P.C. and Its Affiliate
EA Science and Technology

SOIL BORING LOG

Coordinates: Northing _____ Easting: _____
Surface Elevation: _____
Casing Below Surface: _____
Reference Elevation: _____
Reference Description: _____

Job No. 1602519 Client: NYSDEC
Project: Empire Electric

Location:

Drilling Method: Geoprobe

Soil Boring Number: SB-8

Sampling Method: Macrocore

Sheet 1 of 1

Water Level: _____

Time: _____

Date: _____

Start

Finish

DATE 11/30

DATE 11/30

TIME 0950

TIME 1120

Surface Conditions: Concrete

Weather: Sunny

Temperature: 44F

Blow Counts (140-lb)	Ft. Driven/ Ft. Record	Boring Diagram	PID (ppm)	Depth in Feet	USCS Log
	5/1			9	Concrete debris
			2.1	+	orangey-brown, loose, medium sand, dry
	5/3		3.4	8	Concrete debris
			6.4	10	Orangey-brown, medium dense, fine- medium sand, trace coarse sand, dry
	5/3.5		7.2	13	orangey-brown, medium dense, medium to coarse sand, wet, no odor
			7.2		orangey-brown, medium dense, fine to medium sand, wet, no odor. 224105-SB-8-18-20 @ 1010
	5/3.5		6.8	17	medium brown, medium dense, medium sand, wet, no odor,
			7.7		2" orangey-brown silt lens @ 29.5ft
	5/3		4.0	20	224105-SB-8-20-22 1020
			1.7		224105-SB-8-22-24 1022
	5/4		9.3	30	224105-SB-8-24-26 1024
					224105-SB-8-26-28 1026
					224105-SB-8-28-30 1028
					EOS 30-ft

Monitoring Well Construction Information

Monitoring Well Diameter: _____ in
Bottom of Monitoring Well: _____ ft bgs
Stick Up or Flush Mount: _____
Screen Interval: _____ To _____ ft bgs
Riser Interval: _____ To _____ ft bgs
Sand Pack Interval: _____ To _____ ft bgs
Bentonite Seal: _____ To _____ ft bgs
Grout Interval: _____ To _____ ft bgs

Soil Vapor Point Installation Information

Depth of Soil Vapor Point: _____ ft
Bottom of Tubing: _____ ft
Top of Sand Pack: _____ ft
Top of Bentonite Seal: _____ ft

Logged by:

Drilling Contractor:

Grant Peedle
Coastal

Date:

Driller:

11/30/2023
Dylan Jewell

This page intentionally left blank

Attachment 2

Chain of Custody

Contact: <https://www.pacelabs.com/contact-us/contact-environmental-sciences/>

Sampled By: Grant Reeder, Lincoln Backman-Lowe

Requested Turnaround Time	
7-Day ☐	10-Day ☒
Due Date: _____	
Rush-Approval Required	
1-Day ☐	3-Day ☐
2-Day ☐	4-Day ☐
Data Delivery	
Format: PDF ☒	EXCEL ☒
Other: _____	
CLP Like Data Pkg Required: ☐	
Email To: <u>csanson@eaeast.com</u>	
Fax To #: _____	

ANALYSIS REQUESTED

☐ Lab to Filter

A = Amber Glass
G = Glass
P = Plastic
ST = Sterile
V = Vial
S = Summa Canister
T = Tedlar Bag
O = Other (please
define)

Pace Analytical Work Order#	Client Sample ID / Description	Beginning Date/Time	Ending Date/Time	Composite	Grab	Matrix Code	Conc Code
	224015-SB-1-18-20	11/29/23	1130	X	MA	SOL	U
	224015-SB-1-20-22	11/29/23	1140	X	MA	SOL	U
	224015-SB-1-22-24	11/29/23	1142	X	MA	SOL	U
	224015-SB-1-24-26	11/29/23	1144	X	MA	SOL	U
	224015-SB-1-26-28	11/29/23	1146	X	MA	SOL	U
	224015-SB-1-28-30	11/29/23	1148	X	MA	SOL	U
	224015-SB-2-10-20	11/29/23	0800	X	MA	SOL	U
	224015-SB-2-20-22	11/29/23	0810	X	MA	SOL	U
	224015-SB-2-22-24	11/29/23	0812	X	MA	SOL	U
	224015-SB-2-24-26	11/29/23	0814	X	MA	SOL	U

Comments: *Level 4 deliverable requested*

Please use the following codes to indicate possible sample concentration within the **Conc Code** column above:

H - High; M - Medium; L - Low; C - Clean; U - Unknown

Relinquished by: (signature)	Date/Time:
Received by: (signature)	Date/Time:
Relinquished by: (signature)	Date/Time:
Received by: (signature)	Date/Time:
Relinquished by: (signature)	Date/Time:
Received by: (signature)	Date/Time:

Program & Regulatory Information ☐ AWQ STDS ☐ NY TOGS ☐ NYC Sewer Discharge ☐ NY CP-51 ☐ Part 360 GW (Landfill) ☐ NY Restricted Use ☒ NY Unrestricted Use ☐ NY Part 375						Deliverables ☐ Enhanced Data Package ☒ NYSDEC EQUIS EDD ☐ EQUIS (Standard) EDD ☐ NY Regulatory EDD ☐ NY Regs Hits-Only EDD	
Other:		Other:					
Other:		NELAC and AIHA-LAP, LLC Accredited					
Project Entity ☒ Government ☐ Municipality ☐ MWRA ☐ WRTA ☐ Federal ☐ 21 J ☐ School ☐ City ☐ Brownfield ☐ MBTA						Other ☐ Chromatogram ☐ AIHA-LAP, LLC	



Other:

NELAC and AIHA-LAP, LLC Accredited

Other

AIHA-LAP, LLC

PCB ONLY

☐ Non Soxhlet

ANALYSIS REQUESTED

of Containers
² Preservation Code
³ Container Code
<i>Dissolved Metals Samples</i>
☐ Field Filtered
☐ Lab to Filter
<i>Orthophosphate Sample</i>
☐ Field Filtered
☐ Lab to Filter

Matrix Codes:
 GW = Ground Water
 WW = Waste Water
 DW = Drinking Water
 A = Air
 S = Soil
 SL = Sludge
 SOL = Solid
 O = Other (please
 define)

I = Iced
H = HCL
M = Methanol
N = Nitric Acid
S = Sulfuric Acid
B = Sodium Bisulfate
X = Sodium Hydroxide
T = Sodium
Thiosulfate
O = Other (please
define)

A = Amber Glass
G = Glass
P = Plastic
ST = Sterile
V = Vial
S = Summa Canister
T = Tedlar Bag
O = Other (please
define)

☐ Soxhlet
☐ Non Soxhlet

Relinquished by: (signature)	Date/Time:	Program & Regulatory Information ☐ AWQ STDS ☐ NY TOGS ☐ NYC Sewer Discharge ☐ NY CP-51 ☐ Part 360 GW (Landfill) ☐ NY Restricted Use ☐ NY Unrestricted Use ☐ NY Part 375			Deliverables ☐ Enhanced Data Package ☐ NYSDEC EQUIS EDD ☐ EQUIS (Standard) EDD ☐ NY Regulatory EDD ☐ NY Regs Hits-Only EDD	A = Amber Glass G = Glass P = Plastic ST = Sterile V = Vial S = Summa Canister T = Tedlar Bag O = Other (please define)
Received by: (signature)	Date/Time:	Other:		Other:		
Relinquished by: (signature)	Date/Time:	Other:		NELAC and AIHA-LAP, LLC Accredited		
Received by: (signature)	Date/Time:	Project Entity ☒ Government ☐ Municipality ☐ MWRA ☐ WRTA ☐ Federal ☐ 21 J ☐ School ☐ City ☐ Brownfield ☐ MBTA		Other ☐ Chromatogram ☐ AIHA-LAP, LLC		<u>PCB ONLY</u> ☐ Soxhlet ☐ Non Soxhlet
Relinquished by: (signature)	Date/Time:					
Received by: (signature)	Date/Time:					

ANALYSIS REQUESTED

Sampled By: Grant Reeder, Lincoln Backman-Lowe

[illegible]

of Containers
² Preservation Code
³ Container Code
<i>Dissolved Metals Samples</i>
☐ Field Filtered
☐ Lab to Filter
<i>Orthophosphate Samples</i>
☐ Field Filtered
☐ Lab to Filter

1 Matrix Codes:
GW = Ground Water
WW = Waste Water
DW = Drinking Water
A = Air
S = Soil
SL = Sludge
SOL = Solid
O = Other (please
define)

2 Preservation Codes:
 I = Iced
 H = HCL
 M = Methanol
 N = Nitric Acid
 S = Sulfuric Acid
 B = Sodium Bisulfate
 X = Sodium Hydroxide
 T = Sodium
 Thiosulfate
 O = Other (please
 define)

³ Container Codes:
A = Amber Glass
G = Glass
P = Plastic
ST = Sterile
V = Vial
S = Summa Canister
T = Tedlar Bag
O = Other (please
define)

Pace Analytical Work Order#	Client Sample ID / Description	Beginning Date/Time	Ending Date/Time	Composite	Grab	'Matrix Code	Conc Code	308
	224015-SB-4-22-24	11/30/23	0842	X	MR	SOL	U	X
	224015-SB-4-24-26	11/30/23	0844	X	MR	SOL	U	X
	224015-SB-4-26-28	11/30/23	0900	X		SOL	U	X
	224015-SB-4-28-30	11/30/23	0902	X		SOL	U	X
	224015-SB-5-18-20	11/30/23	0920	X		SOL	U	X
	224015-SB-5-20-22	11/30/23	0930	X		SOL	U	X
	224015-SB-5-22-24	11/30/23	0932	X		SOL	U	X
	224015-SB-5-24-26	11/30/23	0934	X		SOL	U	X
	224015-SB-5-26-28	11/30/23	0945	X		SOL	U	X
	224015-SB-5-28-30	11/30/23	0947	X		SOL	U	X

Comments: *Level 4 deliverable requested*

Please use the following codes to indicate possible sample concentration within the Conc Code column above:
H - High; M - Medium; L - Low; C - Clean; U - Unknown

Relinquished by: (signature) <i>[Signature]</i>	Date/Time: 12/1/23 12:15	Program & Regulatory Information ☐ AWQ STDS ☐ NY TOGS ☐ NYC Sewer Discharge ☐ NY CP-51 ☐ Part 360 GW (Landfill) ☐ NY Restricted Use ☐ NY Unrestricted Use ☐ NY Part 375						Deliverables ☐ Enhanced Data Package ☐ NYSDEC EQUIS EDD ☐ EQUIS (Standard) EDD ☐ NY Regulatory EDD ☐ NY Regs Hits-Only EDD	A = Amber Glass G = Glass P = Plastic ST = Sterile V = Vial S = Summa Canister T = Tedlar Bag O = Other (please define)
Received by: (signature)	Date/Time:					Other:			
Relinquished by: (signature)	Date/Time:					Other:			
Received by: (signature)	Date/Time:					Other:			
Relinquished by: (signature)	Date/Time:					Other:			
Received by: (signature)	Date/Time:					Other:			
Relinquished by: (signature)	Date/Time:					Other:			
Received by: (signature)	Date/Time:					Other:			
Relinquished by: (signature)	Date/Time:					Other:			
Received by: (signature)	Date/Time:					Other:			
Relinquished by: (signature)	Date/Time:					Other:			
Received by: (signature)	Date/Time:					Other:			
Relinquished by: (signature)	Date/Time:					Other:			
Received by: (signature)	Date/Time:					Other:			
Relinquished by: (signature)	Date/Time:					Other:			
Received by: (signature)	Date/Time:					Other:			
Relinquished by: (signature)	Date/Time:					Other:			
Received by: (signature)	Date/Time:					Other:			
Relinquished by: (signature)	Date/Time:					Other:			
Received by: (signature)	Date/Time:					Other:			
Relinquished by: (signature)	Date/Time:					Other:			
Received by: (signature)	Date/Time:					Other:			
Relinquished by: (signature)	Date/Time:					Other:			
Received by: (signature)	Date/Time:					Other:			
Relinquished by: (signature)	Date/Time:					Other:			
Received by: (signature)	Date/Time:					Other:			
Relinquished by: (signature)	Date/Time:					Other:			
Received by: (signature)	Date/Time:					Other:			
Relinquished by: (signature)	Date/Time:					Other:			
Received by: (signature)	Date/Time:					Other:			
Relinquished by: (signature)	Date/Time:					Other:			
Received by: (signature)	Date/Time:					Other:			
Relinquished by: (signature)	Date/Time:					Other:			
Received by: (signature)	Date/Time:					Other:			
Relinquished by: (signature)	Date/Time:					Other:			
Received by: (signature)	Date/Time:					Other:			
Relinquished by: (signature)	Date/Time:					Other:			
Received by: (signature)	Date/Time:					Other:			
Relinquished by: (signature)	Date/Time:					Other:			
Received by: (signature)	Date/Time:					Other:			
Relinquished by: (signature)	Date/Time:					Other:			
Received by: (signature)	Date/Time:					Other:			
Relinquished by: (signature)	Date/Time:					Other:			
Received by: (signature)	Date/Time:					Other:			
Relinquished by: (signature)	Date/Time:					Other:			
Received by: (signature)	Date/Time:					Other:			
Relinquished by: (signature)	Date/Time:					Other:			
Received by: (signature)	Date/Time:					Other:			
Relinquished by: (signature)	Date/Time:					Other:			
Received by: (signature)	Date/Time:					Other:			
Relinquished by: (signature)	Date/Time:					Other:			
Received by: (signature)	Date/Time:					Other:			
Relinquished by: (signature)	Date/Time:					Other:			
Received by: (signature)	Date/Time:					Other:			
Relinquished by: (signature)	Date/Time:					Other:			
Received by: (signature)	Date/Time:					Other:			
Relinquished by: (signature)	Date/Time:					Other:			
Received by: (signature)	Date/Time:					Other:			
Relinquished by: (signature)	Date/Time:					Other:			
Received by: (signature)	Date/Time:					Other:			
Relinquished by: (signature)	Date/Time:					Other:			
Received by: (signature)	Date/Time:					Other:			
Relinquished by: (signature)	Date/Time:					Other:			
Received by: (signature)	Date/Time:					Other:			
Relinquished by: (signature)	Date/Time:					Other:			
Received by: (signature)	Date/Time:					Other:			
Relinquished by: (signature)	Date/Time:					Other:			
Received by: (signature)	Date/Time:					Other:			
Relinquished by: (signature)	Date/Time:								

Sampled By: Grant Reeder, Lincoln Backman-Land

of Containers
² Preservation Code
³ Container Code
<i>Dissolved Metals Samples</i>
☐ Field Filtered
☐ Lab to Filter
<i>Orthophosphate Samples</i>
☐ Field Filtered
☐ Lab to Filter

1 Matrix Codes:
GW = Ground Water
WW = Waste Water
DW = Drinking Water
A = Air
S = Soil
SL = Sludge
SOL = Solid
O = Other (please
define)

2 Preservation Codes:
 I = Iced
 H = HCL
 M = Methanol
 N = Nitric Acid
 S = Sulfuric Acid
 B = Sodium Bisulfate
 X = Sodium Hydroxide
 T = Sodium
 Thiosulfate
 O = Other (please
 define)

3 **Container Codes:**
A = Amber Glass
G = Glass
P = Plastic
ST = Sterile
V = Vial
S = Summa Canister
T = Tedlar Bag
O = Other (please
define)

Pace Analytical Work Order#	Client Sample ID / Description	Beginning Date/Time	Ending Date/Time	Composite	Grab	'Matrix Code	Conc Code
	224015-SB-6-10-20	11/29/23	0830	X		SOL	U X
	224015-SB-6-20-22	11/29/23	0855	X		SOL	U X
	224015-SB-6-22-24	11/29/23	0900	X		SOL	U X
	224015-SB-6-24-26	11/29/23	0902	X		SOL	U X
	224015-SB-6-26-28	11/29/23	0904	X		SOL	U X
	224015-SB-6-28-30	11/29/23	0906	X		SOL	U X
	224015-SB-7-18-20	11/29/23	0920	X		SOL	U X
	224015-SB-7-20-22	11/29/23	0930	X		SOL	U X
	224015-SB-7-22-24	11/29/23	0932	X		SOL	U X
	224015-SB-7-24-26	11/29/23	0934	X		SOL	U X

Comments: *Level 4 deliverable requested*
Additional volume included w/ sample 224015-SB-6-26-28 to be used for m/mSD

Please use the following codes to indicate possible sample concentration within the **Conc Code** column above:

H - High; M - Medium; L - Low; C - Clean; U - Unknown

Relinquished by: (signature) <i>[Signature]</i>	Date/Time: 12/1/23 12:15	Program & Regulatory Information ☐ AWQ STDS ☐ NY TOGS ☐ NYC Sewer Discharge ☐ NY CP-51 ☐ Part 360 GW (Landfill) ☐ NY Restricted Use ☐ NY Unrestricted Use ☐ NY Part 375					Deliverables ☐ Enhanced Data Package ☐ NYSDEC EQUIS EDD ☐ EQUIS (Standard) EDD ☐ NY Regulatory EDD ☐ NY Regs Hits-Only EDD		G = Glass P = Plastic ST = Sterile V = Vial S = Summa Canister T = Tedlar Bag O = Other (please define)
Received by: (signature)	Date/Time:	Other:					Other:		
Relinquished by: (signature)	Date/Time:	Other:					Other:		
Received by: (signature)	Date/Time:	Other:					Other:		
Relinquished by: (signature)	Date/Time:	Other:					Other:		
Received by: (signature)	Date/Time:	Project Entity ☒ Government ☐ Municipality ☐ MWRA ☐ WRTA ☐ Federal ☐ 21 J ☐ School ☐ City ☐ Brownfield ☐ MBTA				NELAC and AIHA-LAP, LLC Accredited ☐ Chromatogram ☐ AIHA-LAP, LLC		<u>PCB ONLY</u> ☐ Soxhlet ☐ Non Soxhlet	

☐ Soxhlet

☐ Non Soxhlet

Relinquished by: (signature)	Date/Time:	Program & Regulatory Information					Deliverables	
Received by: (signature)	Date/Time:	☐ AWQ STDS ☐ NYC Sewer Discharge ☐ Part 360 GW (Landfill) ☐ NY Restricted Use ☒ NY Unrestricted Use ☐ NY Part 375	☐ NY TOGS ☐ NY CP-51	☐ Enhanced Data Package ☐ NYSDEC EQUIS EDD ☐ EQUIS (Standard) EDD ☐ NY Regulatory EDD ☐ NY Regs Hits-Only EDD				
Relinquished by: (signature)	Date/Time:	Other:					Other:	
Received by: (signature)	Date/Time:	Other:					NELAC and AIHA-LAP, LLC Accredited	
Relinquished by: (signature)	Date/Time:	Project Entity					Other	
Received by: (signature)	Date/Time:	☒ Government ☐ Federal ☐ City	☐ Municipality ☐ 21 J ☐ Brownfield	☐ MWRA ☐ School ☐ MBTA	☐ WRTA	☐ Chromatogram ☐ AIHA-LAP, LLC		

