NEW YORK STATE SUPERFUND STANDBY CONTRACT

PRELIMINARY SITE ASSESSMENT REPORT Volume II

BQE/Ansbacher Color and Dye Factory Site No.: 2-24-016

Work Assignment No. D002676-44

DATE: March 2000



Prepared for:

New York State Department of Environmental Conservation

50 Wolf Road, Albany, New York 12233 John Cahill, *Commissioner*

> Division of Environmental Remediation Michael J. O'Toole, Jr., P.E., *Director*

By: Lawler, Matusky & Skelly Engineers LLP

PRELIMINARY SITE ASSESSMENT REPORT

BQE/ANSBACHER COLOR & DYE FACTORY SITE NO. 2-24-016

VOLUME II - SUPPORTING DOCUMENTATION

Work Assignment No. D002676-44

Prepared for:

New York State Department of Environmental Conservation Division of Environmental Remediation

March 2000

LAWLER, MATUSKY & SKELLY ENGINEERS LLP ENVIRONMENTAL SCIENCE & ENGINEERING CONSULTANTS One Blue Hill Plaza Pearl River, New York 10965

LIST OF REFERENCES

- 1. U.S. Geological Survey (USGS). 7.5-minute Quadrangle Map: Brooklyn, NY, 1967, photorevised 1979.
- 2. Kings County Land & Tax Map Section 16, Blocks 2323 and 2331.
- 3. Ebasco Services, Inc. 1989. Phase 1B Hazardous Waste Investigation Brooklyn Queens Expressway Brooklyn, Kings County, New York. Prepared for the New York State Department of Transportation (NYSDOT). 1 June 1989.
- 4. Ebasco Services, Inc. 1989. Draft Specification Submittal for the Brooklyn Expressway Renovation Project Brooklyn, Kings County, New York. 22 February 1989.
- 5. Environmental Data Resources, Inc. 1999. The EDR-Radius Map with GeoCheck for BQE/Ansbacher site. 23 June 1999.
- 6. Ebasco Services, Inc. Brooklyn Queens Expressway Summary of Sampling Program and Locations.
- 7. New Jersey Department of Environmental Protection. 1989. Uniform Hazardous Waste Manifests.
- 8. Memorandum of Conversation between Randolph Hunt, NYSDOT, and John Thornburg, LMS, regarding the source area for soil disposed of during the BQE project. 24 November 1999.
- 9. Letter from Earl Barcomb, NYSDEC, to NYSDOT, regarding notification that the BQE/Ansbacher Color & Dye Factory site is listed on the Registry of Inactive Hazardous Waste Sites. 23 March 1989.
- 10. Letter from Robert Marino, NYSDEC, to NYSDOT, regarding notification that the Registry Classification of the BQE Ansbacher site was changed from a 2a to a 3. 16 March 1994.
- 11. Letter from John Swartwout, NYSDEC, to Selik Realty Co., regarding notification that the BQE/Ansbacher Color & Dye Factory site was being investigated. 21 May 1999.

kaw/lmsrvr-1/data/hazwaste/jobs/650-646/ BOEreferences.wpd/12/30/99 2:40 pm

LIST OF REFERENCES (Continued)

- 12. Letter from John Swartwout, NYSDEC, to Robert Laravie, NYSDOT, regarding notification that the BQE/Ansbacher Color & Dye Factory site was being investigated. 11 June 1999.
- 13. Letter from John Swartwout, NYSDEC, to the New York City Department of Parks and Recreation, regarding notification that the BQE/Ansbacher Color & Dye Factory site was being investigated. 11 June 1999.
- U. S. Department of Interior. Fish and Wildlife Service. Arsenic Hazards to Fish, Wildlife, and Invertebrates: A Synoptic Review. Bioligical Report 85 (1.12). January 1988.
- 15. Telephone conversation with Christina Manos and John Dydland, New York City Department of Environmental Protection with Edith Hollister, LMS regarding the active pumping wells. 29 September and 6 October 1999.
- 16. Map illustrating the locations of pumping wells for the Jamaica Water Supply Co. 1970.
- 17. LMS (a). 1999. Preliminary Site Assessment Report, BQE/Ansbacher Color and Dye Factory. Tables 4, 5, 10.
- 18. New York State Departments of Environment and Health, Registry of Inactive Hazardous Waste Disposal Sites in New York State. Volume 2, April 1999.
- 19. LMS (b). 1999. Preliminary Site Assessment Report, BQE/Ansbacher Color and Dye Factory. Appendix F.
- 20. Smolinsky, D.A, Buxton, H.T., and Shernoff, P.K. 1989. United States Geological Survey Hydrologic Investigations Atlas HA-709. Hydrogeologic Framework of Long Island, New York.
- 21. Doriski, T.P. 1987. United States Geological Survey Water-Resources Investigation Report 86-4189. Potentiometric-Surface of the Water-Table, Magothy, and Lloyd Aquifers On Long Island, New York in 1984.
- 22. LMS (c). 1999. Preliminary Site Assessment Report, BQE/Ansbacher Color and Dye Factory. Table 6.

kaw/Imsrvr-1/data/hazwaste/jobs/650-646/ BQEreferences.wpd/1/4/00 8:29 AM


LIST OF REFERENCES (Continued)

- 23. LMS (d). 1999. Preliminary Site Assessment Report, BQE/Ansbacher Color and Dye Factory. Appendix C.
- 24. Fetter, C.W. Applied Hydrogeology. 1988. Merrill Publishing Company. Columbus Ohio.
- 25. National Oceanic and Atmospheric Administration (NOAA). Climatological Data Annual Summary, New York. 1998. Volume 110, Number 13. ISSN 0364-5606.
- 26. New York State Atlas of Community Water System Sources. 1982. New York State Department of Health Division of Environmental Protection. Bureau of Water Supply Protection
- 27. http://www.epa.gov/iwi/counties/36047/wimdw.html. SDWIS database.
- Telephone conversation with James Luke, New York City Department of Health with Edith Hollister, LMS regarding potable drinking water wells in Brooklyn, New York.
 October 1999.
- 29. Holzmacher, McLendon and Murrell, P.C. 1982. Brooklyn-Queens Aquifer Management Feasibility Study. Prepared for the Department of the Army, New York District, Corps of Engineers (USACOE). May 1982.
- 30. LMS (e). 1999. Preliminary Site Assessment Report, BQE/Ansbacher Color and Dye Factory. Site observations.
- 31. U.S. Geological Survey (USGS). 7.5-minute Quadrangle Map: Jersey City, NJ., 1967, photorevised 1979.
- 32. Official Compilation Codes Rules and Regulations of the State of New York, 6 Conservation (6NYCRR), Chapter 10, Parts 701.13 and 890.6.
- 33. Wilks, D.S. and Cember, R.P. 1993. Northeast Regional Climate Center, Atlas of Precipitation Extremes for the Northeastern United States and Southeastern Canada. Publication No. RR 93-5 Cornell University, Ithica, New York.
- 34. National Flood Insurance Program Flood Insurance Rate Map (FIRM). City of New York, New York, Bronx, Richmond, Queens, and Kings Counties. Panel 56 of 131. Community Panel Number 360497 0056 C. November 16, 1983.


LIST OF REFERENCES (Continued)

- 35. United States Department of the Interior Fish and Wildlife Service. National Wetlands Inventory Map, Brooklyn, NY. 1980.
- 36. United States Department of the Interior Fish and Wildlife Service. National Wetlands Inventory Map, Jersey City, NJ. 1976.
- 37. http://www.dec.state.ny.us/website/dfwmr/marine/mhabitat.htm. Marine habitat protection.
- 38. LMS (f). 1999. Preliminary Site Assessment Report, BQE/Ansbacher Color and Dye Factory. Tables 3 and 8.
- 39. http://www.epa.gov/r10earth/pickup/national/nov30/s38719.txt. Population density/square mile.
- 40. Telephone conversation with a receptionist, Prayer Candle Company and Star Soap and Candle Company with Terry Schneider, LMS regarding number of persons employed at 306 North 7th Street. 22 December 1999.
- 41. Telephone conversation with an employee, JAG Carpet and Rug Distribution with Terry Schneider, LMS regarding number of persons employed at 297 North 7th Street. 22 December 1999.
- 42. New York State Department of Environmental Conservation, Division of Fish and Wildlife, Bureau of Wildlife. Significant Habitat Map, No. 1 of 1, New York Quadrangle. March 1981.

REFERENCE 1



REFERENCE 2



-



10,212

Contraction.

PHASE IB HAZARDOUS WASTE INVESTIGATION BROOKLYN-QUEENS EXPRESSWAY BROOKLYN, KINGS COUNTY, NEW YORK

FINAL REPORT

PREPARED FOR

DESIGN BUREAU NEW YORK STATE DEPARTMENT OF TRANSPORTATION

SUBMITTED BY

EBASCO SERVICES INCORPORATED 160 CHUBB AVENUE LYNDHURST, NJ 07071

RECE

JUNE 1, 1989

JUL 6 1959

BUREAU OF ENVIRONMENTAL EXPOSURE INVESTIGATION



al conte


the second

DRAFT SPECIFICATION SUBMITTAL FOR THE BROOKLYN EXPRESSWAY RENOVATION PROJECT BROOKLYN, KING COUNTY, NEW YORK

REVISED DRAFT

FEBRUARY 22, 1989

EBASCO SERVICES INCORPORATED



÷



فالتعريبانة

A STORE

Sind Sind

Contraction of the local distribution of the

l an edr company

The EDR-Radius Map with GeoCheck[®]

BQE/Ansbacher Meeker and 7th Brooklyn, NY 11211

Inquiry Number: 0382955.11r

June 23, 1999

The Source For Environmental Risk Management Data

3530 Post Road Southport, Connecticut 06490

Nationwide Customer Service

Telephone: 1-800-352-0050 Fax: 1-800-231-6802 Internet: www.edrnet.com

TABLE OF CONTENTS

SECTION

PAGE

Executive Summary	ES1
Topographic Map	2
GeoCheck Summary	3
Overview Map	5
Detail Map	6
Map Summary - All Sites	7
Map Summary - Sites with higher or the same elevation as the Target Property	8
Map Findings	9
Orphan Summary	95

APPENDICES

GeoCheck Version 2.1	A1
EPA Waste Codes	A3
Government Records Searched / Data Currency Tracking Addendum	A5

Thank you for your business. Please contact EDR at 1-800-352-0050 with any questions or comments.

Disclaimer and Other Information

This Report contains information obtained from a variety of public and other sources and Environmental Data Resources, Inc. (EDR) makes no representation or warranty regarding the accuracy, reliability, quality, suitability, or completeness of said information or the information contained in this report. The customer shall assume full responsibility for the use of this report. NO WARRANTY OF MERCHANTABILITY OR OF FITNESS FOR A PARTICULAR PURPOSE, EXPRESSED OR

IMPLIED, SHALL APPLY AND EDR SPECIFICALLY DISCLAIMS THE MAKING OF SUCH WARRANTIES. IN NO EVENT SHALL EDR BE LIABLE TO ANYONE FOR SPECIAL, INCIDENTAL, CONSEQUENTIAL OR EXEMPLARY DAMAGES. COPYRIGHT (C) 1998 BY ENVIRONMENTAL DATA RESOURCES, INC. ALL RIGHTS RESERVED.

Unless otherwise indicated, all trademarks used herein are the property of Environmental Data Resources, Inc. or its affiliates.

A search of available environmental records was conducted by Environmental Data Resources, Inc. (EDR). The report meets the government records search requirements of ASTM Standard Practice for Environmental Site Assessments, E 1527-97. Search distances are per ASTM standard or custom distances requested by the user.

The address of the subject property for which the search was intended is:

MEEKER AND 7TH BROOKLYN. NY 11211

No mapped sites were found in EDR's search of available ("reasonably ascertainable ") government records either on the subject property or within the ASTM E 1527-97 search radius around the subject property for the following Databases:

NPL:	- National Priority List
Delisted NPL:	NPL Deletions
RCRIS-TSD:	. Resource Conservation and Recovery Information System
CERC-NFRAP:	Comprehensive Environmental Response, Compensation. and Liability Information
	System
SWF/LF:	_ Facility Register
AST:	_ Petroleum Bulk Storage (AST)
RAATS:	. RCRA Administrative Action Tracking System
HMIRS:	Hazardous Materials Information Reporting System
PADS:	PCB Activity Database System
ERNS:	Emergency Response Notification System
FINDS:	- Facility Index System/Facility Identification Initiative Program Summary Report
TRIS:	. Toxic Chemical Release Inventory System
NPL Lien:	
	Toxic Substances Control Act
MLTS:	Material Licensing Tracking System
NY Spills:	
CBS UST:	. Chemical Bulk Storage (CBS) Database
MOSF UST:	_ Major Oil Storage Facilities Database
	_ Major Oil Storage Facilities Database
VCP:	_ Voluntary Cleanup Agreement
ROD:	ROD
CONSENT:	Superfund (CERCLA) Consent Decrees
MINES:	. Mines Master Index File

Unmapped (orphan) sites are not considered in the foregoing analysis.

Search Results:

Search results for the subject property and the search radius, are listed below:

Subject Property:

The subject property was not listed in any of the databases searched by EDR.

Surrounding Properties:

Elevations have been determined from the USGS 1 degree Digital Elevation Model and should be evaluated on a relative (not an absolute) basis. Relative elevation information between sites of close proximity should be field verified. EDR's definition of a site with an elevation equal to the subject property includes a tolerance of -10 feet. Sites with an elevation equal to or higher than the subject property have been differentiated below from sites with an elevation lower than the subject property (by more than 10 feet). Page numbers and map identification numbers refer to the EDR Radius Map report where detailed data on individual sites can be reviewed.

Sites listed in **bold italics** are in multiple databases.

SHWS: The State Hazardous Waste Sites records are the states' equivalent to CERCLIS. These sites may or may not already be listed on the federal CERCLIS list. Priority sites planned for cleanup using state funds (state equivalent of Superfund) are identified along with sites where cleanup will be paid for by potentially responsible parties. The data come from the Department of Environmental Conservation's Inactive Hazardous waste Disposal Sites in New York State.

A review of the SHWS list, as provided by EDR, has revealed that there is 1 SHWS site within approximately 1 mile of the subject property.

Lower Elevation	Address	Dist / Dir	Map ID	Page
BQE/ANSBACHER COLOR & DYE FACT	MEEKER AVENUE	1/4 - 1/2NE	46	87

CERCLIS: The Comprehensive Environmental Response, Compensation and Liability Information System contains data on potentially hazardous waste sites that have been reported to the USEPA by states, municipalities, private companies and private persons, pursuant to Section 103 of the Comprehensive Environmental Response, Compensation and Liability Act (CERCLA).

CERCLIS contains sites which are either proposed to or on the National Priorities List (NPL) and sites which are in the screening and assessment phase for possible inclusion on the NPL.

A review of the CERCLIS list, as provided by EDR, and dated 04/21/1999 has revealed that there is 1 CERCLIS site within approximately 0.5 miles of the subject property.

Equal/Higher Elevation	Address	Dist / Dir	Map ID	Page
SERVICE PLATING CO LTD	154 N 7TH ST	1/4 - 1/2 NW	H41	81

CORRACTS: CORRACTS is a list of handlers with RCRA Corrective Action Activity. This report shows which nationally-defined corrective action core events have occurred for every handler that has had corrective action activity.

A review of the CORRACTS list, as provided by EDR, and dated 03/01/1999 has revealed that there is 1 CORRACTS site within approximately 1 mile of the subject property.

Lower Elevation	Address	Dist / Dir	Map ID	Page
RADIAC RESEARCH CORP	33 S FIRST ST	1/2 - 1 W	49	93

LUST: The Leaking Underground Storage Tank Incident Reports contain an inventory of reported leaking underground storage tank incidents. The data come from the Department of Environmental Conservation's Spills Information Database.

A review of the LUST list, as provided by EDR, and dated 01/01/1999 has revealed that there are 15 LUST sites within approximately 0.5 miles of the subject property.

Equal/Higher Elevation

Equal/Higher Elevation	Address	Dist / Dir	Map ID	Page
522 METROPOLITAN AVE	522 METROPOLITAN AVE	0 - 1/8 SE	AЗ	10
S/W COR METROPOLITAN/MARC	S/W COR METROPOLITAN/MA	0 - 1/8 WSW	' B4	11
402 METROPOLITAN AVE.	402 METROPOLITAN AVE	1/8 - 1/4 WSW	E19	43
402 METROPOLITAN AV/BKLYN	402 METROPOLITAN AVENUE	1/8 - 1/4 WSW	E21	57
MEEKER DISCOUNT MUFFLERS	64 FROST ST	1/4 - 1/2NE	34	76
COOPER PARK	95 JACKSON ST	1/4 - 1/2ENE	35	77
68 RICHARDSON STREET	68 RICHARDSON ST	1/4 - 1/2 NE	F36	78
ST. VINCENT CHURCH/BKLYN	167 NORTH 5TH STREET	1/4 - 1/2WNW	37	78
273 SOUTH SECOND STREET	273 S 2ND ST	1/4 - 1/2 SW	G39	80
274 SOUTH 2ND ST	274 S 2ND ST	1/4 - 1/2SW	G40	80
154-158 NORTH 7TH ST/BKLY	154-158 N 7TH ST	1/4 - 1/2NW	H42	83
263 SOUTH 4TH ST/BKLYN	263 SOUTH 4TH STREET	1/4 - 1/2SW	143	83
2280 FLATBUSH AVE	SAME	1/4 - 1/2 SW	144	84
WILLIAMSBURG HOUSES	128 MAUJER ST	1/4 - 1/2 SE	47	88
Lower Elevation	Address	Dist / Dir	Map ID	Page
ENGINE COMPANY 229	75 RICHARDSON ST	1/4 - 1/2NE	F38	79

UST: The Underground Storage Tank database contains registered USTs. USTs are regulated under Subtitle I of the Resource Conservation and Recovery Act (RCRA). The data come from the Department of Environmental Conservation's Petroleum Bulk Storage (PBS) Database

A review of the UST list, as provided by EDR, and dated 01/01/1999 has revealed that there are 11 UST sites within approximately 0.25 miles of the subject property.

Equal/Higher Elevation	Address	Dist / Dir	Map ID	Page
OUR LADY OF MOUNT CARMEL R.C.	275 N 8TH ST	0-1/8 N	1	9
468/78 RODNEY STREET	468 RODNEY ST	0 - 1/8 SSW	5	12
FREMRO SERVICES INC.	447 UNION AVE	0 - 1/8 SE	A6	18
VAN ARSDALE H. S K650	257 N 6TH ST	0 - 1/8 W	C8	20
445 METROPOLITAN CORPORATION	445 METROPOLITAN AVE	0 - 1/8 WSW	B9	22
COASTAL SERVICE CENTER	25 SKILLMAN AVE	0-1/8 ENE	11	29
FREMRO SERVICE INC	433 UNION AVE	0 - 1/8 SSE	12	37
RIVER CREEK REALTY, INC. BUILD	417 UNION AVE	1/8 - 1/4 SSE	16	42
ALSEAL ISED CAR SALES INC.	402 METROPOLITAN AVE	1/8 - 1/4WSW	E20	44
BADAR CORPORATION	243 MEEKER AVE	1/8 - 1/4 NE	22	58
238 NORTH 9TH STREET REALTY CO	238 NORTH 9TH STREET	1/8 - 1/4 NNW	26	71

RCRIS: The Resource Conservation and Recovery Act database includes selected information on sites that generate, store, treat, or dispose of hazardous waste as defined by the Act. The source of this database is the U.S. EPA.

A review of the RCRIS-SQG list, as provided by EDR, and dated 04/26/1999 has revealed that there are 11 RCRIS-SQG sites within approximately 0.25 miles of the subject property.

Equal/Higher Elevation	Address	Dist / Dir	Map ID	Page
S KLENOSKY INC	543 METROPOLITAN AVE	0 - 1/8 ESE	10	28

Equal/Higher Elevation	Address	Dist / Dir	Map ID	Page
LEINOFF S F A INC	475 KEAP ST	0 - 1/8 SSE	D14	41
TOWNE HOUSE RESTORATIONS	475 KEAP ST - REAR ENTR	0 - 1/8 SSE	D15	41
BEACH-RUSS CO	544 UNION AVE	1/8 - 1/4 NNE	17	43
GREENE LIGHTING FIXTURES INC	40 WITHERS ST	1/8 - 1/4 NNE	18	43
BROTHERS CLEANERS	106 ROEBLING ST	1/8 - 1/4 WNW	24	70
D C CENTER CORP	130 HOPE ST	1/8 - 1/4 S	25	70
BROTHERS CLEANERS	122 ROEBLING ST	1/8 - 1/4 W	27	72
JOHN ORBAN & CO	53 HOPE ST	1/8 - 1/4 WSW	29	72
ATHLETIC NOVELTIES MFG CO	332 METROPOLITAN AVE	1/8 - 1/4 W	30	7 3
NYSDOT BQE PROJECT	MEEKER & LORIMER ST	1/8 - 1/4 NE	31	7 3

RCRIS: The Resource Conservation and Recovery Act database includes selected information on sites that generate, store, treat, or dispose of hazardous waste as defined by the Act. The source of this database is the U.S. EPA.

A review of the RCRIS-LQG list, as provided by EDR. and dated 04/26/1999 has revealed that there are 6 RCRIS-LQG sites within approximately 0.25 miles of the subject property.

Equal/Higher Elevation	Address	Dist / Dir	Map ID	Page
MTA NYCT - METROPOLITAN AVE ST	METROPOLITAN & UNION AV	0 - 1/8 SE	A2	10
NYC BD OF ED - H VAN ARSDALE H	257 N 6TH ST	0-1/8 W	C7	19
PURITAN LIGHTING FIXTURE CO	255 N 7TH ST	0-1/8 NW	13	40
TOP HAT CLEANERS	592 LORIMER ST	1/8 - 1/4 E	23	70
P & G PHOTO ENGRAVING CO INC	17 FROST ST	1/8 - 1/4 NNE	28	7 2
MTA NYCT HOPE STREET STATION	HOPE ST & UNION AVE	1/8 - 1/4 SSE	32	7 3

CBS AST: Chemical Bulk Storage Database. Registration data collected as required by 6 NYCRR Part 596. It includes facilities storing hazardous substances listed in 6 NYCRR Part 597, in aboveground tanks with capacities of 185 gallons or greater. and/or in underground tanks of any size. Includes facilities registered (and closed) since effective date of CBS regulations (July 15, 1988) through the date request is processed.

A review of the CBS AST list, as provided by EDR. and dated 01/01/1999 has revealed that there is 1 CBS AST site within approximately 0.25 miles of the subject property.

Equal/Higher Elevation	Address	Dist / Dir Map	DID Page
ROBINSON BROS. INDUSTRIES, COR	215 N 10TH ST	1/8 - 1/4 NNW 33	74

HSWDS: The Hazardous Substance Waste Disposal Site Inventory includes any known or suspected hazardous substance waste disposal sites. Also included are sites delisted from the Registry of Inactive Hazardous Waste Disposal Sites and non-registry sites which the U.S. EPA Preliminary Assessment (PA) reports or Site Investigation (SI) reports were prepared.

A review of the HSWDS list, as provided by EDR, and dated 09/01/1997 has revealed that there is 1 HSWDS site within approximately 0.5 miles of the subject property.

Lower Elevation	Address	Dist / Dir	Map ID	Page
CITY BARREL & DRUM CO INC	421 MEEKER AVE	1/4 - 1/2NE	45	85

(Coal Gas) Former Manufactured gas (Coal Gas) Sites: The existence and location of Coal Gas sites is provided exclusively to EDR by Real Property Scan. Inc. Copyright 1993 Real Property Scan. Inc. For a technical description of the types of hazards which may be found at such sites, contact your EDR customer service representative

A review of the Coal Gas list, as provided by EDR, has revealed that there are 2 Coal Gas sites within approximately 1 mile of the subject property.

Lower Elevation	Address	Dist / Dir	Map ID	Page
WILLIAMSBURGH GAS LIGHT CO.	41 N. 11TH ST	1/2 - 1 NNW		93
NASSAU GAS LIGHT CO.	540 KENT AVE.	1/2 - 1 SW		94


TC0382955 11 EXECUTIVE SUMMARY 5

Due to poor or inadequate address information, the following sites were not mapped:

Site Name	Database(s)
BROOKLYN BOROUGH GAS WORKS. CONEY ISLAND NYCDOS © 52ND ST BROOKLYN GETTY SVCE STATION ROADWAY 1402 8TH AVE/ARMORY 6418 8TH AVE/GETTY 118 8TH AVE/GETTY 118 8TH AVENUE AMOCO 801 BEDFORD AVE/MERIT BQE © 56TH ST EXIT FORT HAMILTON EXIT FT HAMI/OFF 1ST AVE B218 HAMILTON AVE & 6TH AVE MARINE HWY BR BEAR RT. MOBIL/GREENPOINT RECOVERY METROPOLITAIN AVE AND 44-21 9TH ST/NY TEL	SHWS SWF/LF LUST LUST LUST LUST LUST LUST LUST LUST
BERRY STREET HOUSING PROJECT	HSWDS

TC0382955 111 EXECUTIVE SUMMARY 6

TOPOGRAPHIC MAP - 0382955.11r - Lawler, Matusky & Skelly Eng.



INQUIRY #:

June 23, 1999 3:34 pm

DATE:

CITY/STATE/ZIP: LAT/LONG:

Brooklyn NY 11211 40.7143/73.9529

GEOCHECK VERSION 2.1 SUMMARY

TARGET PROPERTY COORDINATES

Latitude (North):	40.714291 - 40	42 51.4
Longitude (West):	73.952858 - 73	57 10.3
Universal Transverse Mercator	Zone 18	
UTM X (Meters):	588448 4	
UTM Y (Meters)	4507357.0	

USGS TOPOGRAPHIC MAP ASSOCIATED WITH THIS SITE

Target Property

2440073-F8 BROOKLYN, NY

GEOLOGIC AGE IDENTIFICATION[†]

Geologic Code:uKEra:MesozoicSystem:CretaceousSeries:Upper Cretaceous

ROCK STRATIGRAPHIC UNIT[†]

Category:

Stratified Sequence

GROUNDWATER FLOW INFORMATION

Groundwater flow direction for a particular site is best determined by a qualified environmental professional using site-specific well data. If such data is not reasonably ascertainable, it may be necessary to rely on other sources of information, including well data collected on nearby properties, regional groundwater flow information (from deep aquifers), or surface topography.[‡]

AQUIFLOW[™] Search Radius: 2.000 Miles

	DISTANCE	DIRECTION	GENERAL DIRECTION
MAP ID Not Reported	FROM TP	FROM TP	GROUNDWATER FLOW

General Topographic Gradient at Target Property: General NE General Hydrogeologic Gradient at Target Property: No hydrogeologic data available. Site-Specific Hydrogeological Data*: Search Radius: 2.0 miles Location Relative to TP: 1 - 2 Miles SW Site Name: Naval Station Ny Site EPA ID Number: NY5170022250 Groundwater Flow Direction: NOT AVAILABLE. Measured Depth to Water: 14 feet in a well located 1 mile southeast of the site. Hydraulic Connection: Information is not available about the hydraulic connection between the surficial aquifer (upper glacial till) and underlying aquifer(s). Bedrock is present at an estimated depth of 100 feet. Sole Source Aquifer: A sole source aquifer is persent at or near the site Data Quality: Information is inferred in the CERCLIS investigation report(s)

FEDERAL DATABASE WELL INFORMATION

WELL	DISTANCE		DEPTH TO
QUADRANT	FROM TP	LITHOLOGY	WATER TABLE
Southern	1 - 2 Miles	Sand	17 ft.

TC0382955.11r Page 3

GEOCHECK VERSION 2.1 SUMMARY

STATE DATABASE WELL INFORMATION

WELL DISTANCE

QUADRANT FROM TP

NO WELLS FOUND

PUBLIC WATER SUPPLY SYSTEM INFORMATION

Searched by Nearest PWS. NOTE: PWS System location is not always the same as well location.

 PWS Name:
 CAMP BNOS YAKOV SWAN LAKE. NY 12783

 Location Relative to TP:
 0 - 1/8 Mile West

 PWS currently has or has had major violation(s) or enforcement:
 No

AREA RADON INFORMATION


EPA Radon Zone for KINGS County: 3

Note: Zone 1 indoor average level > 4 pCi/L. Zone 2 indoor average level >= 2 pCi/L and <= 4 pCi/L. Zone 3 indoor average level < 2 pCi/L.


KINGS COUNTY NY

Number of sites tested: 51

Area	Average Activity	% <4 pCi/L	%₀ 4-20 pCi/L	%₀ >20 pCi/L
Living Area	0.750 pCi/L	100%	0 ^{0,} 0	0°.0
Basement	1.370 pCi/L	88%	10%	2°,0



DETAIL MAP - 0382955.11r - Lawler, Matusky & Skelly Eng.



DATE:

June 23, 1999 3:32 pm

40.7143/73.9529

LAT/LONG:

MAP FINDINGS SUMMARY SHOWING ALL SITES

Database	Target Property	Search Distance (Miles)	< 1/8	1/8 - 1/4	1/4 - 1/2	1/2 - 1	> 1	Total Plotted
NPL		1.000	0	0	0	0	NR	0
Delisted NPL		TP	NR	NB	NR	NR	NR	0
RCRIS-TSD		0.500	0	0	0	NR	NR	0
State Haz. Waste		1.000	0	0	1	0	NR	1
CERCLIS		0.500	0	0	1	NR	NR	1
CERC-NFRAP		TP	NR	NR	NR	NR	NR	0
CORRACTS		1.000	0	0	0	1	NR	1
State Landfill		0.500	0	0	0	NR	NR	0
LUST		0.500	2	2	11	NR	NR	15
UST		0.250	7	4	NR	NR	NR	11
AST		TP	NR	NR	NR	NR	NR	0
RAATS		TP	NR	NR	NR	NR	NR	0
RCRIS Sm. Quan. Gen.		0.250	З	8	NR	NR	NR	11
RCRIS Lg. Quan. Gen.		0.250	З	3	NR	NR	NR	6
HMIRS		TP	NR	NR	NR	NR	NR	0
PADS		TP	NR	NR	NR	NR	NR	0
ERNS		TP	NR	NR	NR	NR	NR	0
FINDS		ΤP	NR	NR	NR	NR	NR	0
TRIS		TP	NR	NR	NR	NR	NR	0
NPL Liens		TP	NR	NR	NR	NR	NR	0
TSCA		ΤP	NR	NR	NR	NR	NR	0
MLTS		TP	NR	NR	NR	NR	NR	0
NY Spills		TP	NR	NR	NR	NR	NR	0
CBS UST		0.250	0	0	NR	NR	NR	0
CBS AST		0.250	0	1	NR	NR	NR	1
MOSF UST		0.500	0	0	0	NR	NR	0
MOSF AST		0.500	0	0	0	NR	NR	0
HSWDS		0.500	0	0	1	NR	NR	1
VCP		0.500	0	0	0	NR	NR	0
ROD		1.000	0	0	0	0	NR	0
CONSENT		1.000	0	0	0	0	NR	0
Coal Gas		1.000	0	0	0	2	NR	2
MINES		0.250	0	0	NR	NR	NR	0

TP = Target Property

NR = Not Requested at this Search Distance

* Sites may be listed in more than one database

TC0382955.11r Page 7

MAP FINDINGS SUMMARY SHOWING ONLY SITES HIGHER THAN OR THE SAME ELEVATION AS TP

Database	Target Property	Search Distance (Miles)	< 1/8	1/8 - 1/4	1/4 - 1/2	1/2 - 1	> 1	Total Plotted
NPL		1.000	0	0	0	0	NR	0
Delisted NPL		TP	NR	NR	NR	NR	NR	0
RCRIS-TSD		0.500	0	0	0	NR	NR	0
State Haz. Waste		1.000	0	0	0	0	NR	0
CERCLIS		0.500	0	0	1	NR	NR	1
CERC-NFRAP		TP	NR	NR	NR	NR	NR	0
CORRACTS		1.000	0	0	0	0	NR	0
State Landfill		0.500	0	0	0	NB	NR	0
LUST		0.500	2	2	10	NR	NR	14
UST		0.250	7	4	NR	NR	NR	11
AST		TP	NR	NR	NR	NR	NR	0
RAATS		TP	NR	NR	NR	NR	NR	0
RCRIS Sm. Quan. Gen.		0.250	3	8	NR	NR	NR	11
RCRIS Lg. Quan. Gen.		0.250	3	3	NR	NR	NR	6
HMIRS		TP	NR	NR	NR	NR	NR	0
PADS		TP	NR	NR	NR	NR	NR	0
ERNS		TP	NR	NR	NR	NR	NR	0
FINDS		TP	NR	NR	NR	NR	NR	0
TRIS		TP	NR	NR	NR	NR	NR	0
NPL Liens		TP	NR	NR	NR	NR	NR	0
TSCA		TP	NR	NR	NR	NR	NR	0
MLTS		TP	NR	NR	NR	NR	NR	0
NY Spills		TP	NR	NR	NR	NR	NR	0
CBS UST		0.250	0	0	NR	NR	NR	0
CBS AST		0.250	0	1	NR	NR	NR	1
MOSF UST		0.500	0	0	0	NR	NR	0
MOSF AST		0.500	0	0	0	NR	NR	0
HSWDS		0.500	0	0	0	NR	NR	0
VCP		0.500	0	0	0	NR	NR	0
ROD		1.000	0	0	0	0	NR	0
CONSENT		1.000	0	0	0	0	NR	0
Coal Gas		1.000	0	0	0	0	NR	0
MINES		0.250	0	0	NR	NR	NR	0

TP = Target Property

C

NR = Not Requested at this Search Distance

* Sites may be listed in more than one database

Map ID MAP FINDINGS Direction Distance Distance (ft.) EDR ID Number Elevation Site Database(s) EPA ID Number OUR LADY OF MOUNT CARMEL R.C. CHURCH UST U000413804 1 North 275 N 8TH ST N/A < 1/8 BROOKLYN, NY 11211 325 Higher PBS UST PBS Number 2-130249 **CBS** Number Not reported SPDES Number Not reported SWIS ID: 6101 (718) 384-0223 Telephone. Operator OUR LADY OF MOUNT CARMEL CHURC Emergency Contact: MSGR, DAVID L, CASSATO, (718) 384-1516 Total Tanks: OUR LADY OF MOUNT CARMEL B.C. CHURCH Owner 275 NORTH 8TH STREET BROOKLYN, NY 11211 (718) 384-0223 Owner Type: Corporate/Commercial Owner Mark. First Owner Owner Subtype. Not reported OUR LADY OF MOUNT CARMEL R C. CHURCH Mailing Address: 275 NORTH 8TH STREET BROOKLYN, NY 11211 (718) 384-0223 ATTN SUPER FACILITY MANAGER Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1.100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility. 5000 Capacity (gals): UNDERGROUND Tank Location: Tank ID: 001 12/50 Install Date: Product Stored: NOS 1,2, OR 4 FUEL OIL Tank Type: Steel/carbon steel Tank Internal: Not reported Pipe Internal: Not reported Pipe Location: Underground Pipe Type: STEEL/IRON Tank External: Not reported Tank Status: in Service Tank Error Status: Minor Data Missing Pipe External: Not reported Second Containment: NONE NONE Leak Detection: Overfill Prot: Vent Whistle Dispenser: Gravity Date Tested: 05/98 Next Test Date: 05/03 HORNER Test Method: Date Closed: Not reported Deleted: Not reported Updated: True Dead Letter: False Owner Screen: No data missing FAMT Fiscal amount for registration fee is correct Renewal Date: 19970612 Total Capacity: Not reported Not reported Tank Screen: Minor data missing Federal ID: Renew Flag: Renwal has not been printed Facility Screen: No data missing Certification Flag: False Certification Date: 19980402 Old PBS Number Not reported Expiration Date: 19020710 Inspected Date: Not reported Inspector Not reported Inspection Result: Not reported Lat/long: Not reported Facility Type: OTHER UST Westchester County 3-410047 PBS Number: CBS Number Not reported SWIS ID: (914) 739-2244 5512 Telephone: SPDES Number: Not reported FIELD HOME/HOLY COMFORTER Operator: **Emergency Contact:** ANTHONY DEMAN, (914) 736-2789

MAP FINDINGS Map ID Direction Distance Distance (ft.) EDR ID Number Elevation EPA ID Number Site Database(s) OUR LADY OF MOUNT CARMEL R.C. CHURCH (Continued) U000413804 Total Tanks: Owner[.] FIELD HOME/HOLY COMFORTER Address: RD #4 BOX 278 A PEEKSKILL. NY 10566 (914) 739-2244 Telephone: Corporate/Commercial Туре. Mark: First Owner Subtype: Not reported Mailing Name FIELD HOME/HOLY COMFORTER Attention: Not reported RD #4 BOX 278 A Address: PEEKSKILL, NY 10566 (914) 739-2244 Telephone: Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1.100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility. Tank Location: Not reported Dead Letter False Owner Screen: Minor data missing FAMT Fiscal amount for registration fee is correct Total Capacity: 15000 Renewal Date: 19970902 Tank Screen: Minor data missing Federal ID: Not reported Facility Screen: Renew Flag Renwal has not been printed No data missing

MTA NYCT - METROPOLITAN AVE STATION A2 FINDS 1001224431 **METROPOLITAN & UNION AVE** SE RCRIS-LQG NYR000056481 BROOKLYN, NY 11211 < 1/8 375 Higher RCRIS: MTA NEW YORK CITY TRANSIT Owner: (212) 307-6010 WILLIAM JEHLE Contact: (212) 307-6010 Record Date: 06/12/1998 Classification: Large Quantity Generator

Certification Date: 19930310

Expiration Date: 19971116

Not reported

Inspector

Used Oil Recyc: No

Certification Flag:

Old PBS Number

Inspection Result:

Inspected Date:

Lat/long:

Facility Type:

False

Not reported

Not reported

Not reported

Not reported

OTHER

Violation Status: No violations found

522 METROPOLITAN AVE A3 LUST S102673301 **522 METROPOLITAN AVE** SE N/A < 1/8 **BROOKLYN, NY** 388 Higher LUST: Spill Number: 9515443 Region of Spill: 2 Facility Contact: MS CASTANO Facility Tele: (718) 782-4799 Investigator TOMASELLO SWIS: 61 Caller Name: SHANTEL VINSON Caller Agency: DEP

Map ID Direction					S		
Distance Distance (ft Elevation	.) Site					Database(s)	EDR ID Number EPA ID Number
	522 METROPOLITAN	AVE (Con	ntinued)				S102673301
	Caller Phone: Notifier Name: Notifier Name: Spiller Contact: Spiller Spiller Address: Spill Class: Spill Clased Dt: Spill Cause: Water Affected: Spill Notifier Spill Date: Cleanup Ceased Last Inspection: Cleanup Meets S Recommended F Spiller Cleanup Date: Investigation Cor UST Involvement	(718) 595 SHANTEL (718) 595 JACOB TERMINA Not report Known rel Willing Re Not report Local Age 02/29/199 Not report Not report Not report Not report Standard: I Penalty. D Date: I t: I	6-6777 L VINSON 6-6777 AL OIL COMPAN ted bease that create esponsible Party ted erfill ted ency 96 09:51 ted ted False No Penalty Not reported Not reported Not reported False	es potential for f	Resource Affected Spill Source: PBS Number	(718) 369-2825 Response.	
	Is Updated: Corrective Action Date Spill Entere Date Region Sen DEC Remarks: Spill Cause:	Han Subr Id In Compu It Summary Not report	False nitted: uter Data File: / to Central Offic ted		TIVE PHONE # 718	3-330-3236 MR MUNZO	
B4 WSW < 1/8 429	Is Updated: Corrective Action Date Spill Entere Date Region Sen DEC Remarks:	n Plan Subn Id In Compu Nt Summary Not report TANK OV	Faise nitted: uter Data File: / to Central Offic ted /ERFILL INTO S	03/01/1996 e: Not reported	ATIVE PHONE # 718	3-330-3236 MR MUNZO LUST	S100494686 N/A
WSW < 1/8	Is Updated: Corrective Action Date Spill Entere Date Region Sen DEC Remarks: Spill Cause: S/W COR METROPOL BROOKLYN, NY	h Plan Subn d In Compu- nt Summary Not report TANK OV	Faise nitted: uter Data File: / to Central Offic ted /ERFILL INTO S	03/01/1996 e: Not reported		LUST	
WSW < 1/8 429	Is Updated: Corrective Action Date Spill Entere Date Region Sen DEC Remarks: Spill Cause: S/W COR METROPOL S/W COR METROPOL BROOKLYN, NY	n Plan Subn ad In Compu- nt Summary Not report TANK OV LITAN/MAF LITAN/MAF	Faise nitted: uter Data File: / to Central Offic ted /ERFILL INTO S	03/01/1996 e: Not reported	Region of Spill:	LUST	
WSW < 1/8 429	Is Updated: Corrective Action Date Spill Entere Date Region Sen DEC Remarks: Spill Cause: S/W COR METROPOL S/W COR METROPOL BROOKLYN, NY LUST: Spill Number: Facility Contact: Investigator:	Plan Subn d In Compu- nt Summary Not report TANK OV LITAN/MAF LITAN/MAF 9212269 Not report ROMMEL	Faise nitted: uter Data File: / to Central Offic ted /ERFILL INTO S RC RC	03/01/1996 e: Not reported	Region of Spill: Facility Tele: SWIS:	LUST 2 Not reported 61	N/A
WSW < 1/8 429	Is Updated: Corrective Action Date Spill Entere Date Region Sen DEC Remarks: Spill Cause: S/W COR METROPOL S/W COR METROPOL BROOKLYN, NY LUST: Spill Number: Facility Contact: Investigator: Caller Name:	Plan Subn d In Compu- nt Summary Not report TANK OV LITAN/MAF LITAN/MAF 9212269 Not report ROMMEL DONNA L	Faise nitted: uter Data File: / to Central Offic ted /ERFILL INTO S RC RC RC	03/01/1996 e: Not reported	Region of Spill: Facility Tele: SWIS: Caller Agency:	LUST Not reported 61 SOIL MECHANICS CO.	N/A
WSW < 1/8 429	Is Updated: Corrective Action Date Spill Entere Date Region Sen DEC Remarks: Spill Cause: S/W COR METROPOL S/W COR METROPOL BROOKLYN, NY LUST: Spill Number: Facility Contact: Investigator:	Plan Subn d In Compu- nt Summary Not report TANK OV LITAN/MAF LITAN/MAF 9212269 Not report ROMMEL DONNA L (516) 221	Faise nitted: uter Data File: / to Central Offic ted /ERFILL INTO S RC RC RC	03/01/1996 e: Not reported	Region of Spill: Facility Tele: SWIS:	LUST 2 Not reported 61	N/A
WSW < 1/8 429	Is Updated: Corrective Action Date Spill Entere Date Region Sen DEC Remarks: Spill Cause: S/W COR METROPOL S/W COR METROPOL BROOKLYN, NY LUST: Spill Number: Facility Contact: Investigator: Caller Name: Caller Phone:	Plan Subn d In Compu- nt Summary Not report TANK OV LITAN/MAF LITAN/MAF 9212269 Not report ROMMEL DONNA L	Faise nitted: uter Data File: / to Central Offic ted /ERFILL INTO S RC RC RC LAKE I-7500 ted	03/01/1996 e: Not reported	Region of Spill: Facility Tele: SWIS: Caller Agency: Caller Extension: Notifier Agency: Notifier Extension:	LUST Not reported 61 SOIL MECHANICS CO. Not reported Not reported Not reported Not reported	N/A
WSW < 1/8 429	Is Updated: Corrective Action Date Spill Entere Date Region Sen DEC Remarks: Spill Cause: S/W COR METROPOL S/W COR METROPOL BROOKLYN, NY LUST: Spill Number Facility Contact: Investigator: Caller Name: Caller Name: Notifier Name: Notifier Phone: Spiller Contact:	9212269 Not report LITAN/MAF LITAN/MAF LITAN/MAF DONNA L (516) 221 Not report Not report Not report Not report	Faise nitted: uter Data File: / to Central Offic ted /ERFILL INTO S RC RC RC LAKE I-7500 ted ted ted	03/01/1996 e: Not reported	Region of Spill: Facility Tele: SWIS: Caller Agency: Caller Extension: Notifier Agency:	LUST Not reported 61 SOIL MECHANICS CO. Not reported Not reported	N/A
WSW < 1/8 429	Is Updated: Corrective Action Date Spill Entere Date Region Sen DEC Remarks: Spill Cause: S/W COR METROPOL S/W COR METROPOL BROOKLYN, NY LUST: Spill Number Facility Contact: Investigator: Caller Name: Caller Name: Notifier Name: Notifier Phone: Spiller Contact: Spiller:	9212269 Not report LITAN/MAF LITAN/MAF LITAN/MAF 00NNA L (516) 221 Not report Not report Not report Not report Not report	Faise nitted: uter Data File: / to Central Offic ted /ERFILL INTO S RC RC RC LAKE I-7500 ted ted ted ted TATION	03/01/1996 e: Not reported	Region of Spill: Facility Tele: SWIS: Caller Agency: Caller Extension: Notifier Agency: Notifier Extension:	LUST Not reported 61 SOIL MECHANICS CO. Not reported Not reported Not reported Not reported	N/A
WSW < 1/8 429	Is Updated: Corrective Action Date Spill Entere Date Region Sen DEC Remarks: Spill Cause: S/W COR METROPOL S/W COR METROPOL BROOKLYN, NY LUST: Spill Number Facility Contact: Investigator: Caller Name: Caller Name: Notifier Name: Notifier Phone: Spiller Contact: Spiller: Spiller Address:	9212269 Not report LITAN/MAF LITAN/MAF LITAN/MAF DONNA L (516) 221 Not report Not report Not report Not report Not report Not report Not report	Faise nitted: uter Data File: / to Central Offic ted /ERFILL INTO S RC RC RC LAKE I-7500 ted ted ted ted TATION ted	03/01/1996 e: Not reported	Region of Spill: Facility Tele: SWIS: Caller Agency: Caller Extension: Notifier Agency: Notifier Extension: Spiller Phone:	LUST Not reported 61 SOIL MECHANICS CO. Not reported Not reported Not reported Not reported Not reported	N/A
WSW < 1/8 429	Is Updated: Corrective Action Date Spill Entere Date Region Sen DEC Remarks: Spill Cause: S/W COR METROPOL S/W COR METROPOL BROOKLYN, NY LUST: Spill Number Facility Contact: Investigator: Caller Name: Caller Name: Notifier Name: Notifier Phone: Spiller Contact: Spiller:	9212269 Not report LITAN/MAF LITAN/MAF LITAN/MAF DONNA L (516) 221 Not report Not report Not report Not report Not report Not report Not report Not report Known re	Faise nitted: uter Data File: / to Central Offic ted /ERFILL INTO S RC RC RC LAKE I-7500 ted ted ted ted TATION ted	03/01/1996 e: Not reported OIL - ALTERNA	Region of Spill: Facility Tele: SWIS: Caller Agency: Caller Extension: Notifier Agency: Notifier Extension: Spiller Phone; fire or hazard. DEC	LUST Not reported 61 SOIL MECHANICS CO. Not reported Not reported Not reported Not reported Not reported	N/A
WSW < 1/8 429	Is Updated: Corrective Action Date Spill Entere Date Region Sen DEC Remarks: Spill Cause: S/W COR METROPOL S/W COR METROPOL BROOKLYN, NY LUST: Spill Number Facility Contact: Investigator: Caller Name: Caller Name: Caller Phone: Notifier Name: Notifier Phone: Spiller Contact: Spiller: Spiller Address: Spill Class: Spill Closed Dt:	9212269 Not report LITAN/MAF LITAN/MAF LITAN/MAF DONNA L (516) 221 Not report Not report Not report Not report Not report Not report Known re Willing Re Not report	Faise nitted: uter Data File: / to Central Offic ted /ERFILL INTO S RC RC RC I-7500 ted ted ted ted TATION ted ted sease with minin esponsible Party ted	03/01/1996 e: Not reported OIL - ALTERNA	Region of Spill: Facility Tele: SWIS: Caller Agency: Caller Extension: Notifier Agency: Notifier Extension: Spiller Phone; fire or hazard. DEC ion taken.	LUST Not reported 61 SOIL MECHANICS CO. Not reported Not reported Not reported Not reported Response.	N/A
WSW < 1/8 429	Is Updated: Corrective Action Date Spill Entere Date Region Sen DEC Remarks: Spill Cause: S/W COR METROPOL S/W COR METROPOL BROOKLYN, NY LUST: Spill Number Facility Contact: Investigator: Caller Name: Caller Name: Caller Name: Notifier Name: Notifier Phone: Spiller Contact: Spiller: Spiller Contact: Spiller: Spiller Address: Spill Closed Dt: Spill Cause:	9212269 Not report TANK OV LITAN/MAF LITAN/MAF LITAN/MAF DONNA L (516) 221 Not report Not report Not report Not report Not report Known re Willing Re Not report Tank Faili	Faise nitted: uter Data File: / to Central Offic ted /ERFILL INTO S RC RC RC LAKE I-7500 ted ted ted ted ted ted ted ted ted ted	03/01/1996 e: Not reported OIL - ALTERNA	Region of Spill: Facility Tele: SWIS: Caller Agency: Caller Extension: Notifier Agency: Notifier Extension: Spiller Phone: fire or hazard. DEC ion taken. Resource Affected	LUST Not reported 61 SOIL MECHANICS CO. Not reported Not reported Not reported Not reported Response. : On Land	N/A
WSW < 1/8 429	Is Updated: Corrective Action Date Spill Entere Date Region Sen DEC Remarks: Spill Cause: S/W COR METROPOL S/W COR METROPOL BROOKLYN, NY LUST: Spill Number Facility Contact: Investigator: Caller Name: Caller Name: Caller Phone: Notifier Name: Notifier Phone: Spiller Contact: Spiller Contact: Spiller: Spiller Address: Spill Class: Spill Class: Spill Class:	Plan Subn d In Compu- nt Summary Not report TANK OV LITAN/MAF LITAN/MAF UTAN/MAF DONNA L (516) 221 Not report Not report Not report Not report Not report Known re Willing Re Not report Tank Faili Not report	Faise nitted: uter Data File: / to Central Offic ted /ERFILL INTO S RC RC RC LAKE I-7500 ted ted ted ted ted ted ted ted ted ted	03/01/1996 e: Not reported OIL - ALTERNA	Region of Spill: Facility Tele: SWIS: Caller Agency: Caller Extension: Notifier Extension: Spiller Phone: fire or hazard. DEC ion taken. Resource Affected Spill Source:	LUST 2 Not reported 61 SOIL MECHANICS CO. Not reported Not reported Not reported Not reported Response. : On Land Gas Station	N/A
WSW < 1/8 429	Is Updated: Corrective Action Date Spill Entere Date Region Sen DEC Remarks: Spill Cause: S/W COR METROPOL S/W COR METROPOL BROOKLYN, NY LUST: Spill Number Facility Contact: Investigator: Caller Name: Caller Name: Caller Phone: Notifier Name: Notifier Phone: Spiller Contact: Spiller Contact: Spiller: Spiller Address: Spill Closed Dt: Spill Closed Dt: Spill Cause: Water Affected: Spill Notifier	9212269 Not report TANK OV LITAN/MAF LITAN/MAF LITAN/MAF DONNA L (516) 221 Not report Not report Not report Not report Not report Known re Willing Re Not report Tank Faili Not report CITGO S	Faise nitted: uter Data File: / to Central Offic ted /ERFILL INTO S RC RC RC I-7500 ted ted ted ted ted ted ted ted ted ted	03/01/1996 e: Not reported OIL - ALTERNA	Region of Spill: Facility Tele: SWIS: Caller Agency: Caller Extension: Notifier Extension: Spiller Phone: fire or hazard. DEC ion taken. Resource Affected Spill Source: PBS Number:	LUST Not reported 61 SOIL MECHANICS CO. Not reported Not reported Not reported Not reported Response. : On Land Gas Station Not reported	N/A
WSW < 1/8 429	Is Updated: Corrective Action Date Spill Entere Date Region Sen DEC Remarks: Spill Cause: S/W COR METROPOL S/W COR METROPOL BROOKLYN, NY LUST: Spill Number Facility Contact: Investigator: Caller Name: Caller Name: Caller Phone: Notifier Name: Notifier Phone: Spiller Contact: Spiller Contact: Spiller: Spiller Address: Spill Class: Spill Class: Spill Class:	9212269 Not report TANK OV LITAN/MAF LITAN/MAF LITAN/MAF DONNA L (516) 221 Not report Not report Not report Not report Not report Known re Willing Re Not report Tank Faili Not report CITGO S' Not report CITGO S' S' S' S' S' S' S' S' S' S' S' S' S	Faise nitted: uter Data File: / to Central Offic ted /ERFILL INTO S RC RC RC I-7500 ted ted ted ted ted ted ted ted ted ted	03/01/1996 e: Not reported OIL - ALTERNA	Region of Spill: Facility Tele: SWIS: Caller Agency: Caller Extension: Notifier Extension: Spiller Phone: fire or hazard. DEC ion taken. Resource Affected Spill Source: PBS Number:	LUST 2 Not reported 61 SOIL MECHANICS CO. Not reported Not reported Not reported Not reported Response. : On Land Gas Station	N/A
WSW < 1/8 429	Is Updated: Corrective Action Date Spill Entere Date Region Sen DEC Remarks: Spill Cause: S/W COR METROPOL S/W COR METROPOL BROOKLYN, NY LUST: Spill Number Facility Contact: Investigator: Caller Name: Caller Name: Caller Phone: Notifier Name: Notifier Phone: Spiller Contact: Spiller Contact: Spiller Address: Spill Class: Spill Date: Cleanup Ceased Last Inspection:	9212269 Not report TANK OV LITAN/MAF LITAN/MAF LITAN/MAF DONNA L (516) 221 Not report Not report Not report Not report Not report Known re Willing Re Not report Tank Faili Not report CITGO S' Not report CITGO S' Not report CITGO S' Not report Tank Faili Not report Other 01/28/199 L: Not report Not report	Faise nitted: uter Data File: / to Central Offic ted /ERFILL INTO S RC RC RC I-7500 ted ted ted ted ted ted ted ted ted ted	03/01/1996 e: Not reported OIL - ALTERNA	Region of Spill: Facility Tele: SWIS: Caller Agency: Caller Extension: Notifier Extension: Spiller Phone: fire or hazard. DEC ion taken. Resource Affected Spill Source: PBS Number:	LUST Not reported 61 SOIL MECHANICS CO. Not reported Not reported Not reported Not reported Response. : On Land Gas Station Not reported	N/A
WSW < 1/8 429	Is Updated: Corrective Action Date Spill Entere Date Region Sen DEC Remarks: Spill Cause: S/W COR METROPOL S/W COR METROPOL BROOKLYN, NY LUST: Spill Number Facility Contact: Investigator: Caller Name: Caller Name: Caller Phone: Notifier Name: Notifier Phone: Spiller Contact: Spiller Contact: Spiller Address: Spill Class: Spill Date: Cleanup Ceased Last Inspection: Cleanup Meets St	Plan Subn d In Compu- nt Summary Not report TANK OV LITAN/MAF LITAN/MAF UTAN/MAF DONNA L (516) 221 Not report Not report Not report Not report Not report Not report Not report Not report CITGO S' Not report CITGO S'	Faise nitted: uter Data File: / to Central Offic ted /ERFILL INTO S RC RC RC I-7500 ted ted TATION ted dease with minin esponsible Party ted ure ted 93 08:30 ted Faise	03/01/1996 e: Not reported OIL - ALTERNA	Region of Spill: Facility Tele: SWIS: Caller Agency: Caller Extension: Notifier Extension: Spiller Phone: fire or hazard. DEC ion taken. Resource Affected Spill Source: PBS Number:	LUST Not reported 61 SOIL MECHANICS CO. Not reported Not reported Not reported Not reported Response. : On Land Gas Station Not reported	N/A
WSW < 1/8 429	Is Updated: Corrective Action Date Spill Entere Date Region Sen DEC Remarks: Spill Cause: S/W COR METROPOL S/W COR METROPOL BROOKLYN, NY LUST: Spill Number Facility Contact: Investigator: Caller Name: Caller Name: Caller Phone: Notifier Name: Notifier Phone: Spiller Contact: Spiller Contact: Spiller Address: Spill Class: Spill Date: Cleanup Ceased Last Inspection:	Plan Subn d In Compu- nt Summary Not report TANK OV LITAN/MAF LITAN/MAF DONNA L (516) 221 Not report Not report Not report Not report Not report Not report Not report CITGO S' Not report Not report CITGO S' Not report CITGO S' Not report CITGO S' Not report CITGO S' Not report Standard: Penalty:	Faise nitted: uter Data File: / to Central Offic ted /ERFILL INTO S RC RC RC I-7500 ted ted ted TATION ted ted sponsible Party ted ure ted 93 08:30 ted ted ted	03/01/1996 e: Not reported OIL - ALTERNA	Region of Spill: Facility Tele: SWIS: Caller Agency: Caller Extension: Notifier Extension: Spiller Phone: fire or hazard. DEC ion taken. Resource Affected Spill Source: PBS Number:	LUST Not reported 61 SOIL MECHANICS CO. Not reported Not reported Not reported Not reported Response. : On Land Gas Station Not reported	N/A

Map ID Direction Distance		MAP FINDINGS		}	
Distance (ft. Elevation	.) Site			Database(s)	EDR ID Numb
	S/W COR METROPOLITAN	V/MARC (Continued)			S100494686
	DEC Remarks: 10/1 e tra	True ate: 08/08/1995 False Submitted: Not reported	ONITORING.		
5 SSW < 1/8 449	468/78 RODNEY STREET 468 RODNEY ST BROOKLYN. NY 11211			UST	U000412097 N/A
Higher	PBS UST				
	PBS Number SPDES Number	2-600384 Not reported	CBS Number	Not reported	
	SWIS ID. Operator Emergency Contact:	6101 JOSEPH MATARESE JOSEPH MATARESE, (718) 388-7110	Telephone:	(718) 388-7110	
	Total Tanks: Owner Owner Type: Owner Subtype: Mailing Address:	0 MATARESE REALTY CO 503 UNION AVENUE BROOKLYN, NY 11211 (718) 388-7110 Not reported Not reported WALTER T GORMAN,P.E. 115-14 BEACH CHANNEL DRIVE ROCKAWAY PARK, NY 11694 (718) 474-3400 ATTN: WALTER T GORMAN,P.E.,P.C	Owner Mark:	First Owner	
	Facility Status:	2 - Unregulated by PBS (the total capac Subpart 360-14.		01 gallons) and	
	Capacity (gals): Tank Location: Tank ID: Product Stored: Tank Internal: Pipe Location: Tank External: Tank Status: Tank Error Status: Pipe External: Second Containment:	4000 UNDERGROUND 001 UNLEADED GASOLINE Not reported Not reported Ciosed Before April 1, 1991 Minor Data Missing Not reported NONE	Install Date: Tank Type: Pipe Internal: Pipe Type:	03/73 Steel/carbon steel Not reported GALVANIZED STEE	L
	Leak Detection: Overfill Prot: Date Tested: Date Closed: Deleted: Dead Letter: FAMT: Total Capacity:	NONE None Not reported 00/00 Not reported False Fiscal amount for registration fee is not o Not reported	Renewal Date:	Not reported True Minor data missing Not reported	
	Tank Screen: Renew Flag: Certification Flag:	0 Renwal has not been printed False	Federal ID: Facility Screen: Certification Date	Not reported Minor data missing e:Not reported	

-

Map ID MAP FINDINGS
Direction
Distance
Distance (ft.)
Elevation Site Database(s)
468/78 RODNEY STREET (Continued)
U000412097

68	3/78 RODNEY STREET	(Continued)		L	100
	Old PBS Number: Inspected Date: Inspection Result: Lat/long: Facility Type:	Not reported Not reported Not reported Not reported Not reported	Expiration Date: Inspector	19020612 Not reported	
			0.000		
	PBS Number	2-600384	CBS Number	Not reported	
	SPDES Number SWIS ID:	Not reported 6101	Telephone:	(718) 388-7110	
	Operator:	JOSEPH MATARESE	relegnone.	(10) 300-1110	
	Emergency Contact:	JOSEPH MATARESE, (718) 388-7110			
	Total Tanks:	0			
	Owner [.]	MATARESE REALTY CO			
		503 UNION AVENUE			
		BROOKLYN, NY 11211			
		(718) 388-7110		First Owners	
	Owner Type. Owner Subtype:	Not reported	Owner Mark	First Owner	
	Mailing Address:	Not reported WALTER T GORMAN.P.E.			
	mainių nauroos.	115-14 BEACH CHANNEL DRIVE			
		ROCKAWAY PARK, NY 11694			
		(718) 474-3400			
		ATTN. WALTER T GORMAN.P.E.,P.C.			
	Facility Status:	2 - Unregulated by PBS (the total capacity	y is less than 1.10	1 gallons) and	
		Subpart 360-14.			
	Capacity (gals): Tank Location:	550 UNDERGROUND			
	Tank ID:	002	Install Date:	12/68	
	Product Stored:	DIESEL	Tank Type:	Steel/carbon steel	
	Tank Internal:	Not reported	Pipe Internal:	Not reported	
	Pipe Location:	Not reported	Pipe Type:	GALVANIZED STEEL	
	Tank External:	Not reported			
	Tank Status:	Closed Before April 1, 1991			
	Tank Error Status:	Minor Data Missing			
	Pipe External: Second Containment.	Not reported NONE			
	Leak Detection:	NONE			
	Overfill Prot:	None	Dispenser:	Suction	
	Date Tested:	Not reported	Next Test Date:	Not reported	
	Date Closed:	00/00	Test Method:	Not reported	
	Deleted:	Not reported	Updated:	True	
	Dead Letter: FAMT	False Fiscal amount for registration fee is not co	Owner Screen:	Minor data missing	
	Total Capacity:	Not reported	Renewal Date:	Not reported	
	Tank Screen:	0	Federal ID:	Not reported	
	Renew Flag:	Renwal has not been printed	Facility Screen:	Minor data missing	
	Certification Flag:	False	Certification Date	-	
	Old PBS Number:	Not reported	Expiration Date:	19020612	
	Inspected Date:	Not reported	Inspector:	Not reported	
	Inspection Result:	Not reported			
	Lat/long:	Not reported			
	Facility Type:	Not reported			
	PBS Number	2-600384	CBS Number:	Not reported	
	SPDES Number	Not reported			
	SWIS ID:	6101	Telephone:	(718) 388-7110	
	Operator:	JOSEPH MATARESE			

\$

MAP FINDINGS Map ID Direction Distance Distance (ft.) EDR ID Number Elevation EPA ID Number Site Database(s) 468/78 RODNEY STREET (Continued) U000412097 JOSEPH MATARESE, (718) 388-7110 **Emergency Contact:** Total Tanks: 0 Owner: MATARESE REALTY CO **503 UNION AVENUE** BROOKLYN, NY 11211 (718) 388-7110 Owner Type: Not reported Owner Mark: First Owner Owner Subtype: Not reported Mailing Address: WALTER T GORMAN, P.E 115-14 BEACH CHANNEL DRIVE ROCKAWAY PARK, NY 11694 (718) 474-3400 ATTN: WALTER T GORMAN, P.E., P.C. Facility Status: 2 - Unregulated by PBS (the total capacity is less than 1.101 gallons) and Subpart 360-14. Capacity (gals): 550 Tank Location. UNDERGROUND Tank ID: 003 Install Date: 12/68 Product Stored: DIESEL Tank Type. Steel/carbon steel Tank Internal: Not reported Pipe Internal Not reported Pipe Location. GALVANIZED STEEL Not reported Pipe Type: Tank External: Not reported Tank Status: Closed Before April 1 1991 Tank Error Status: Minor Data Missing Pipe External: Not reported Second Containment: NONE Leak Detection: NONE Overfill Prot: None Dispenser: Suction Date Tested: Not reported Next Test Date: Not reported Date Closed: 00/00 Test Method: Not reported Deleted: Not reported Updated: True Dead Letter: False Owner Screen: Minor data missing FAMT Fiscal amount for registration fee is not correct Total Capacity: Renewal Date: Not reported Not reported Tank Screen: Ω Federal 1D: Not reported Renew Flag: Renwal has not been printed Facility Screen: Minor data missing Certification Flag: False Certification Date:Not reported Old PBS Number: Not reported Expiration Date: 19020612 Inspected Date: Not reported Inspector: Not reported Inspection Result: Not reported Lat/long: Not reported Facility Type: Not reported PBS Number: 2-600384 CBS Number: Not reported SPDES Number Not reported SWIS ID: 6101 Telephone: . (718) 388-7110 Operator JOSEPH MATARESE Emergency Contact: JOSEPH MATARESE, (718) 388-7110 Total Tanks: 0 Owner: MATARESE REALTY CO **503 UNION AVENUE** BROOKLYN, NY 11211 (718) 388-7110 Owner Type: Not reported Owner Mark: First Owner Owner Subtype: Not reported Mailing Address: WALTER T GORMAN, P.E. 115-14 BEACH CHANNEL DRIVE

-

 Map ID
 MAP FINDINGS

 Direction
 Distance

 Distance (ft.)
 EDR ID Number

 Elevation
 Site

Database(s)
EPA ID Number

68/78 RODNEY STREET	(Continued)		U000412097
	ROCKAWAY PARK, NY 11694		
	(718) 474-3400		
	ATTN: WALTER T GORMAN, P.E., P.C.		
Facility Status:	2 - Unregulated by PBS (the total capacit Subpart 360-14.	ty is less than 1.10	1 gallons) and
Capacity (gals):	550		
Tank Location:	UNDERGROUND		
Tank ID:	004	Install Date:	12/68
Product Stored:	UNLEADED GASOLINE	Tank Type:	Steel/carbon steel
Tank Internal:	Not reported	Pipe Internal:	Not reported
Pipe Location:	Not reported	Pipe Type:	GALVANIZED STEEL
Tank External:	Not reported	ripe rype.	
Tank Status:	Closed Before April 1, 1991		
Tank Error Status:	Minor Data Missing		
Pipe External:	Not reported		
Second Containment:	NONE		
Leak Detection:	NONE		
Overfill Prot.	None	Dispenser	Suction
Date Tested	Note Not reported	Next Test Date:	Not reported
Date Closed:	00/00	Test Method:	Not reported
Deleted:	Not reported	Updated:	True
Dead Letter	False	Owner Screen:	Minor data missing
FAMT	Fiscal amount for registration fee is not c		Minor data missing
Total Capacity:	Not reported	Renewal Date:	Not reported
Tank Screen:	0	Federal ID:	Not reported
Renew Flag:	Renwal has not been printed	Facility Screen:	Minor data missing
Certification Flag:	False	Certification Date	5
Old PBS Number	Not reported	Expiration Date:	
Inspected Date:	Not reported	Inspector	Not reported
Inspection Result:	Not reported		
Lat/long:	Not reported		
Facility Type:	Not reported		
PBS Number:	2-600384	CBS Number:	Not reported
SPDES Number:	Not reported		
SWIS ID:	6101	Telephone:	(718) 388-7110
Operator:	JOSEPH MATARESE		· · ·
Emergency Contact:	JOSEPH MATARESE, (718) 388-7110		
Total Tanks:	0		
Owner:	MATARESE REALTY CO		
	503 UNION AVENUE		
	BROOKLYN, NY 11211		
	(718) 388-7110		
Owner Type:	Not reported	Owner Mark:	First Owner
Owner Subtype:	Not reported		
Mailing Address:	WALTER T GORMAN, P.E.		
	115-14 BEACH CHANNEL DRIVE		
	ROCKAWAY PARK, NY 11694		
	(718) 474-3400		
	ATTN: WALTER T GORMAN, P.E., P.C.		
Facility Status:	2 - Unregulated by PBS (the total capaci	ty is less than 1.10	1 gallons) and
A	Subpart 360-14.		
Capacity (gals):	550		
Tank Location:	UNDERGROUND		
Tank ID:	005	Install Date:	12/68
Product Stored:	UNLEADED GASOLINE	Tank Type:	Steel/carbon steel
Tank Internal:	Not reported	Pipe Internal:	Not reported

468/78 RODNEY STREET (Continued)

MAP FINDINGS

EDR ID Number EPA ID Number

U000412097

Database(s)

Pipe Location: Pipe Type: GALVANIZED STEEL Not reported Tank External: Not reported Tank Status: Closed Before April 1 1991 Tank Error Status: Minor Data Missing Pipe External. Not reported NONE Second Containment: NONE Leak Detection: Overfill Prot: None Dispenser Suction Date Tested: Not reported Next Test Date: Not reported Date Closed: 00/00 Test Method: Not reported Deleted Not reported Updated True Dead Letter False Owner Screen. Minor data missing FAMT Fiscal amount for registration fee is not correct Total Capacity: Renewal Date: Not reported Not reported Tank Screen: 0 Federal ID: Not reported Renew Flag: Renwal has not been printed Facility Screen: Minor data missing Certification Flag: Faise Certification Date:Not reported Old PBS Number Expiration Date: 19020612 Not reported Inspected Date: Not reported Inspector: Not reported Inspection Result: Not reported Lat/long: Not reported Facility Type: Not reported PBS Number 2-600384 CBS Number Not reported SPDES Number Not reported SWIS ID: 6101 Telephone: (718) 388-7110 Operator. JOSEPH MATARESE **Emergency Contact:** JOSEPH MATARESE, (718) 388-7110 Total Tanks: 0 MATARESE REALTY CO Owner: **503 UNION AVENUE** BROOKLYN, NY 11211 (718) 388-7110 Owner Type: Not reported Owner Mark: First Owner Owner Subtype: Not reported Mailing Address: WALTER T GORMAN, P.E. 115-14 BEACH CHANNEL DRIVE ROCKAWAY PARK, NY 11694 (718) 474-3400 ATTN: WALTER T GORMAN, P.E., P.C. 2 - Unregulated by PBS (the total capacity is less than 1.101 gallons) and Facility Status: Subpart 360-14. Capacity (gals): 550 UNDERGROUND

Tank Location: Tank ID: Product Stored: Tank Internal: Pipe Location: Tank External: Tank Status: Tank Error Status: Pipe External: Second Containment: Leak Detection: Overfill Prot: Date Tested: Date Closed:

006

Not reported

Not reported

Not reported

Not reported NONE

Not reported

NONE

None

00/00

Minor Data Missing

UNLEADED GASOLINE

Closed Before April 1, 1991

Install Date: 12/68 Tank Type: Steel/carbon steel Pipe Internal: Not reported Pipe Type: GALVANIZED STEEL

Dispenser: Suction Next Test Date: Not reported Test Methoa: Not reported

TC0382955.11r Page 16

.

 Map ID
 MAP FINDINGS

 Direction
 Distance

 Distance (ft.)
 EDR ID Number

 Elevation
 Site

Deleted:Not reportedUpdated:TrueDead Letter:FalseOwner ScreenMinor data missingFAMT:Fiscal amount for registration fee is not correctTotal Capacity:Not reportedTotal Capacity:Not reportedRenewal Date:Not reportedTank Screen:0Federal ID.Not reportedRenew Flag:Renwal has not been printedFacility Screen:Minor data missingCertification Flag:FalseCertification Date: Not reported	
Dead LetterFalseOwner ScreenMinor data missingFAMTFiscal amount for registration fee is not correctFormation fee is not correctTotal Capacity:Not reportedRenewal Date:Not reportedTank Screen:0Federal ID.Not reportedRenew Flag:Renwal has not been printedFacility Screen:Minor data missing	
FAMT: Fiscal amount for registration fee is not correct Total Capacity: Not reported Tank Screen: 0 Renew Flag: Renwal has not been printed	
Total Capacity:Not reportedRenewal Date:Not reportedTank Screen:0Federal ID.Not reportedRenew Flag:Renwal has not been printedFacility Screen:Minor data missing	
Tank Screen: 0 Federal ID. Not reported Renew Flag: Renwal has not been printed Facility Screen: Minor data missing	
Renew Flag: Renwal has not been printed Facility Screen: Minor data missing	
Optimication Date: Not reported	
Old PBS Number: Not reported Expiration Date: 19020612	
Inspected Date: Not reported Inspector Not reported	
Inspection Result: Not reported	
Lat/long: Not reported	
Facility Type: Not reported	
PBS Number: 2-600384 CBS Number: Not reported	
SPDES Number Not reported	
SWIS ID: 6101 Telephone. (718) 388-7110	
Operator JOSEPH MATARESE	
Emergency Contact: JOSEPH MATARESE. (718) 388-7110	
Total Tanks. 0	
Owner MATARESE REALTY CO	
503 UNION AVENUE	
BROOKLYN. NY 11211	
(718) 388-7110	
Owner Type: Not reported Owner Mark: First Owner	
Owner Subtype: Not reported	
Mailing Address: WALTER T GORMAN.P.E.	
115-14 BEACH CHANNEL DRIVE	
ROCKAWAY PARK. NY 11694	
(718) 474-3400	
ATTN: WALTER T GORMAN, P.E., P.C.	
Facility Status: 2 - Unregulated by PBS (the total capacity is less than 1,101 gallons) and	
Subpart 360-14.	
Capacity (gals): 550	
Tank Location: UNDERGROUND	
Tank ID: 007 Install Date: 00/00 Product Stored: EMPTY Tank Type: Steel/carbon steel	
Product Stored: EMPTY Tank Type: Steel/carbon steel Tank Internal: NONE Pipe Internal: NONE	
Pipe Location: Underground Pipe Type: STEEL/IRON	
Tank External: NONE/NONE	
Tank Status: Closed-In Place	
Tank Error Status: No Missing Data	
Pipe External: NONE/NONE	
Second Containment: NONE/NONE	
Leak Detection: NONE/NONE	
Overfill Prot: None Dispenser: Gravity	
Date Tested: Not reported Next Test Date: Not reported	
Date Closed: 04/97 Test Method: Not reported	
Deleted: Not reported Updated: True	
Dead Letter: False Owner Screen: Minor data missing	
FAMT: Fiscal amount for registration fee is not correct	
Total Capacity: Not reported Renewal Date: Not reported	
Tank Screen: 0 Federal ID: Not reported	
Renew Flag: Renwal has not been printed Facility Screen: Minor data missing	
Certification Flag: False Certification Date:Not reported	
Old PBS Number: Not reported Expiration Date: 19020612	
Inspected Date: Not reported Inspector: Not reported	
Inspection Result: Not reported	

MAP FINDINGS

EDR ID Number Database(s)

EPA ID Number

U000412097

468/78 RODNEY STREET (Continued)

Lat/long: Facility Type:	Not reported Not reported		
PBS Number SPDES Number	2-600384 Not reported	CBS Number	Not reported
SWIS ID:	6101	Telephone:	(718) 388-7110
Operator:	JOSEPH MATARESE	, e. ep e e.	(,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,
Emergency Contact:	JOSEPH MATARESE, (718) 388-7110		
Total Tanks.	0		
Owner	MATARESE REALTY CO		
	503 UNION AVENUE		
	BROOKLYN, NY 11211		
	(718) 388-7110		
Owner Type:	Not reported	Owner Mark:	First Owner
Owner Subtype.	Not reported		
Mailing Address:	WALTER T GORMAN, P.E.		
0	115-14 BEACH CHANNEL DRIVE		
	ROCKAWAY PARK, NY 11694		
	(718) 474-3400		
	ATTN: WALTER T GORMAN, P.E., P.C.		
Facility Status:	2 - Unregulated by PBS (the total capaci	ty is less than 1.10)1 gallons) and
	Subpart 360-14.		
Capacity (gals):	550		
Tank Location:	UNDERGROUND		
Tank ID:	008	Install Date:	00/00
Product Stored:	EMPTY	Tank Type:	Steel/carbon steel
Tank Internal:	NONE	Pipe Internal:	NONE
Pipe Location:	Underground	Pipe Type:	STEEL/IRON
Tank External:	NONE/NONE		
Tank Status:	Closed-In Place		
Tank Error Status:	No Missing Data		
Pipe External:	NONE/NONE		
Second Containment:	NONE/NONE		
Leak Detection:	NONE/NONE		- ·
Overfill Prot:	None	Dispenser	Gravity
Date Tested:	Not reported	Next Test Date:	
Date Closed:	04/97	Test Method:	Not reported
Deleted:	Not reported	Updated:	True
Dead Letter:	False	Owner Screen:	Minor data missing
FAMT:	Fiscal amount for registration fee is not c		Not vo conto d
Total Capacity: Tank Screen:	Not reported 0	Renewal Date: Federal ID:	Not reported Not reported
Renew Flag:	Renwal has not been printed	Facility Screen:	Minor data missing
Certification Flag:	False	Certification Date	5
Old PBS Number	Not reported	Expiration Date:	•
Inspected Date:	Not reported	Inspector:	Not reported
Inspection Result:	Not reported		
Lat/long:	Not reported		
Facility Type:	Not reported		

A6 FREMRO SERVICES INC. 447 UNION AVE

SE

< 1/8 BROOKLYN, NY 11211 469

Higher

PBS UST: PBS Number: SPDES Number:

2-603384 Not reported CBS Number

Not reported

UST

U003297832

N/A

	(Continued)			
SWIS ID: Operator Emotocom Contact	6101 HOWARD FRENDER	Telephone:	(718) 384-2171	
Emergency Contact. Total Tanks:	HOWARD FRENDER. (516) 221-3481			
Owner	1 FREMRO SERVICES INC.			
Jwilei	447 UNION AVENUE			
	BROOKLYN, NY 11211			
	(718) 384-2171			
Owner Type:	Corporate/Commercial	Owner Mark:	First Owner	
Owner Subtype:	Not reported	Owner Mark.	T trat Owner	
Mailing Address:	FREMRO SERVICES INC.			
inding / idd/coo.	2905 MANDALEY BEACH RD.			
	WONTAGH, NY 11793			
	(718) 221-3481			
	ATTN HOWARD FREMDER			
Facility Status:	4 - Subpart 360-14 only (active)			
Capacity (gals).	550			
Tank Location:	UNDERGROUND			
Tank ID;	004	Install Date:	03/98	
Product Stored:	USED OIL	Tank Type.	Steel/carbon steel	
Tank Internal:	NONE	Pipe Internal:	NONE	
Pipe Location.	Underground	Pipe Type	STEEL/IRON	
Tank External	NONE/NONE			
Tank Status:	Temporarily Out Of Service			
Tank Error Status:	No Missing Data			
Pipe External:	NONE/NONE			
Second Containment:	NONE/NONE			
Leak Detection:	NONE/NONE			
Overfill Prot:	None	Dispenser	None	
Date Tested:	Not reported	Next Test Date:	N.T.R	
Date Closed:	Not reported	Test Method:	Not reported	
Deleted:	Not reported	Updated:	True	
Dead Letter: FAMT	False	Owner Screen:	No data missing	
	Fiscal amount for registration fee is corre		Not reported	
Total Capacity: Tank Screen:	Not reported No data missing	Renewal Date: Federal ID:	Not reported Not reported	
Renew Flag:	Renwal has not been printed	Facility Screen:	•	
Certification Flag:	False	Certification Date	-	
Old PBS Number:	Not reported	Expiration Date	19030317	
Inspected Date:	Not reported	Inspector	Not reported	
Inspection Result:	Not reported	,	·	
	Not reported			
Lat/long:	Not reported			

C7 West < 1/8 546 Higher

C8 West

< 1/8 546 Higher R

FAMT

MAP FINDINGS

Database(s) EPA

UST

EDR ID Number EPA ID Number

1000104050

U001839931

N/A

NYC BD OF ED - H VAN ARSDALE H (Continued)
--

(CRIS:	
	Owner	NYC BD OF ED (212) 555-1212
	Contact:	FRANK CARDELLO (718) 706-3766
	Record Date.	11/06/1989
	Classification:	Large Quantity Generator
	Used Oil Recyc:	No
	Violation Status	No violations found

VAN ARSDALE H. S. - K650 257 N 6TH ST BROOKLYN. NY 11211

PBS UST 2-355348 PBS Number **CBS** Number Not reported SPDES Number Not reported SWIS ID: 6101 Telephone: (718) 391-6000 PLANT OPERATION Operator Emergency Contact: SCHOOL SAFETY, (212) 979-3300 Total Tanks: 2 CITY OF NEW YORK C/O BOARD OF EDUCATION Owner: 28-11 QUEENS PLAZA NORTH LONG ISLAND CITY, NY 11101 (718) 391-6832 Owner Type: Local Government Owner Mark: First Owner Owner Subtype: Not reported Mailing Address: BOARD OF EDUCATION 28-11 QUEENS PLAZA NORTH 5TH FLOOR LONG ISLAND CITY, NY 11101 (718) 391-6832 ATTN: FRANK CARDELLO NTROL Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1.100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility. Capacity (gais): 9000 UNDERGROUND Tank Location: Tank ID: 001 Install Date: 00/00 NOS 5 OR 6 FUEL OIL Tank Type: Product Stored: Steel/carbon steel Tank Internal: Not reported Pipe Internal: Not reported Pipe Location: Not reported Pipe Type: STEEL/IRON Tank External: Not reported Tank Status: In Service Tank Error Status: Minor Data Missing Pipe External: Not reported Second Containment: VAULT Leak Detection: NONE **Overfill Prot:** Product Level Gauge Dispenser Suction Date Tested: Not reported Next Test Date: N.T.R Date Closed: Not reported Test Method: Not reported Deleted: Not reported Updated: Not reported Dead Letter False Owner Screen: Minor data missing

Fiscal amount for registration fee is correct

]			
Map ID	MAP FINDINGS		
Direction			
Distance			
Distance (ft.)			EDR ID Number
Elevation Site		Database(s)	EPA ID Number

Total Capacity:	Not reported	Renewal Date:	19980401	
Tank Screen:	Minor data missing		Not reported	
Renew Flag:	Renwal has not been printed		No data missing	
Certification Flag	False	Certification Date:	5	
Old PBS Number	Not reported		19030628	
nspected Date	Not reported	Inspector	Not reported	
nspection Result:	Not reported		,	
Lat/long:	Not reported			
Facility Type:	SCHOOL			
PBS Number	2-355348	CBS Number	Not reported	
SPDES Number	Not reported			
SWIS ID	6101	Telephone	(718) 391-6000	
Operator [.]	PLANT OPERATION			
Emergency Contact:	SCHOOL SAFETY (212) 979-3300			
Total Tanks:	2			
Owner:	CITY OF NEW YORK C/O BOARD (OF EDUCATION		
	28-11 QUEENS PLAZA NORTH			
	LONG ISLAND CITY NY 11101			
	(718) 391-6832	0	F	
Owner Type:	Local Government	Owner Mark:	First Owner	
Owner Subtype: Mailing Address:				
Mailing Address:				
	28-11 QUEENS PLAZA NORTH 5TH FLOOR			
	LONG ISLAND CITY, NY 11101			
	(718) 391-6832			
		NTROL		
Facility Status:	1 · Active PBS facility, i.e. total capa		oreater than	
domly olatoo.	1,100 gallons, regardless if Subpart			
Capacity (gals):	9000			
Tank Location:	UNDERGROUND			
Tank ID:	002	Install Date:	00/00	
Product Stored:	NOS 5 OR 6 FUEL OIL	Tank Type:	Steel/carbon steel	
Tank Internal:	Not reported	Pipe Internal:	Not reported	
		ripe internat.		
Pipe Location:	Not reported	Pipe Type:	STEEL/IRON	
Pipe Location: Tank External:	Not reported Not reported		STEEL/IRON	
Tank External: Tank Status:	•		STEEL/IRON	
Tank External: Tank Status: Tank Error Status:	Not reported In Service Minor Data Missing		STEEL/IRON	
Tank External: Tank Status: Tank Error Status: Pipe External:	Not reported In Service Minor Data Missing Not reported		STEEL/IRON	
Tank External: Tank Status: Tank Error Status: Pipe External: Second Containment:	Not reported In Service Minor Data Missing Not reported VAULT		STEEL/IRON	
Tank External: Tank Status: Tank Error Status: Pipe External: Second Containment: Leak Detection:	Not reported In Service Minor Data Missing Not reported VAULT NONE	Ріре Туре:		
Tank External: Tank Status: Tank Error Status: Pipe External: Second Containment: Leak Detection: Overfill Prot:	Not reported In Service Minor Data Missing Not reported VAULT NONE Product Level Gauge	Pipe Type: Dispenser:	Suction	
Tank External: Tank Status: Tank Error Status: Pipe External: Second Containment: Leak Detection: Overfill Prot: Date Tested:	Not reported In Service Minor Data Missing Not reported VAULT NONE Product Level Gauge Not reported	Pipe Type: Dispenser: Next Test Date:	Suction N.T.R	
Tank External: Tank Status: Tank Error Status: Pipe External: Second Containment: Leak Detection: Overfill Prot: Date Tested: Date Closed:	Not reported In Service Minor Data Missing Not reported VAULT NONE Product Level Gauge Not reported Not reported	Pipe Type: Dispenser: Next Test Date: Test Method:	Suction N.T.R Not reported	
Tank External: Tank Status: Tank Error Status: Pipe External: Second Containment: Leak Detection: Overfill Prot: Date Tested: Date Closed: Deleted:	Not reported in Service Minor Data Missing Not reported VAULT NONE Product Level Gauge Not reported Not reported Not reported	Pipe Type: Dispenser: Next Test Date: Test Method: Updated:	Suction N.T.R Not reported Not reported	
Tank External: Tank Status: Tank Error Status: Pipe External: Second Containment: Leak Detection: Overfill Prot: Date Tested: Date Closed: Deleted: Dead Letter:	Not reported in Service Minor Data Missing Not reported VAULT NONE Product Level Gauge Not reported Not reported Not reported False	Pipe Type: Dispenser: Next Test Date: Test Method: Updated: Owner Screen:	Suction N.T.R Not reported	
Tank External: Tank Status: Tank Error Status: Pipe External: Second Containment: Leak Detection: Overfill Prot: Date Tested: Date Closed: Deleted: Dead Letter: FAMT:	Not reported in Service Minor Data Missing Not reported VAULT NONE Product Level Gauge Not reported Not reported Not reported False Fiscal amount for registration fee is	Pipe Type: Dispenser: Next Test Date: Test Method: Updated: Owner Screen: correct	Suction N.T.R Not reported Not reported Minor data missing	
Tank External: Tank Status: Tank Error Status: Pipe External: Second Containment: Leak Detection: Overfill Prot: Date Tested: Date Closed: Deleted: Dead Letter: FAMT: Total Capacity:	Not reported in Service Minor Data Missing Not reported VAULT NONE Product Level Gauge Not reported Not reported Not reported False Fiscal amount for registration fee is Not reported	Pipe Type: Dispenser: Next Test Date: Test Method: Updated: Owner Screen: correct Renewal Date:	Suction N.T.R Not reported Not reported Minor data missing 19980401	
Tank External: Tank Status: Tank Error Status: Pipe External: Second Containment: Leak Detection: Overfill Prot: Date Tested: Date Closed: Deleted: Dead Letter: FAMT: Total Capacity: Tank Screen:	Not reported in Service Minor Data Missing Not reported VAULT NONE Product Level Gauge Not reported Not reported Not reported False Fiscal amount for registration fee is Not reported Minor data missing	Pipe Type: Dispenser: Next Test Date: Test Method: Updated: Owner Screen: correct Renewal Date: Federal ID:	Suction N.T.R Not reported Not reported Minor data missing 19980401 Not reported	
Tank External: Tank Status: Tank Error Status: Pipe External: Second Containment: Leak Detection: Overfill Prot: Date Tested: Date Closed: Deleted: Dead Letter: FAMT: Total Capacity: Tank Screen: Renew Flag:	Not reported in Service Minor Data Missing Not reported VAULT NONE Product Level Gauge Not reported Not reported Not reported False Fiscal amount for registration fee is Not reported Minor data missing Renwal has not been printed	Pipe Type: Dispenser: Next Test Date: Test Method: Updated: Owner Screen: correct Renewal Date: Federal ID: Facility Screen:	Suction N.T.R Not reported Not reported Minor data missing 19980401 Not reported No data missing	
Tank External: Tank Status: Tank Error Status: Pipe External: Second Containment: Leak Detection: Overfill Prot: Date Tested: Date Closed: Deleted: Dead Letter: FAMT: Total Capacity: Tank Screen: Renew Flag; Certification Flag:	Not reported in Service Minor Data Missing Not reported VAULT NONE Product Level Gauge Not reported Not reported Not reported False Fiscal amount for registration fee is Not reported Minor data missing Renwal has not been printed False	Pipe Type: Dispenser: Next Test Date: Test Method: Updated: Owner Screen: correct Renewal Date: Federal ID: Facility Screen: Certification Date	Suction N.T.R Not reported Not reported Minor data missing 19980401 Not reported No data missing 19980902	
Tank External: Tank Status: Tank Status: Pipe External: Second Containment: Leak Detection: Overfill Prot: Date Tested: Date Closed: Deleted: Dead Letter: FAMT: Total Capacity: Tank Screen: Renew Flag: Certification Flag: Old PBS Number:	Not reported in Service Minor Data Missing Not reported VAULT NONE Product Level Gauge Not reported Not reported Not reported False Fiscal amount for registration fee is Not reported Minor data missing Renwal has not been printed False Not reported	Pipe Type: Dispenser: Next Test Date: Test Method: Updated: Owner Screen: correct Renewal Date: Federal ID: Facility Screen: Certification Date Expiration Date:	Suction N.T.R Not reported Not reported Minor data missing 19980401 Not reported No data missing 19980902 19030628	
Tank External: Tank Status: Tank Status: Pipe External: Second Containment: Leak Detection: Overfill Prot: Date Tested: Date Closed: Deleted: Dead Letter: FAMT: Total Capacity: Tank Screen: Renew Flag: Certification Flag: Old PBS Number: Inspected Date:	Not reported in Service Minor Data Missing Not reported VAULT NONE Product Level Gauge Not reported Not reported Not reported False Fiscal amount for registration fee is Not reported Minor data missing Renwal has not been printed False Not reported Not reported Not reported Not reported Not reported Not reported	Pipe Type: Dispenser: Next Test Date: Test Method: Updated: Owner Screen: correct Renewal Date: Federal ID: Facility Screen: Certification Date	Suction N.T.R Not reported Not reported Minor data missing 19980401 Not reported No data missing 19980902	
Tank External: Tank Status: Tank Error Status: Pipe External: Second Containment: Leak Detection: Overfill Prot: Date Tested: Date Closed: Deleted: Dead Letter: FAMT: Total Capacity: Tank Screen:	Not reported in Service Minor Data Missing Not reported VAULT NONE Product Level Gauge Not reported Not reported Not reported False Fiscal amount for registration fee is Not reported Minor data missing Renwal has not been printed False Not reported	Pipe Type: Dispenser: Next Test Date: Test Method: Updated: Owner Screen: correct Renewal Date: Federal ID: Facility Screen: Certification Date Expiration Date:	Suction N.T.R Not reported Not reported Minor data missing 19980401 Not reported No data missing 19980902 19030628	

1

Map ID Direction		MAP FINDINGS]		
-	Direction Distance Distance (ft.	/				EDR ID Number
-	Elevation	Site			Database(s)	EPA ID Number
~	B9 WSW < 1/8 552	445 METROPOLITAN COI 445 METROPOLITAN AVE BROOKLYN, NY 11211			UST	U003065866 N/A
-	Higher					
		PBS UST				
		PBS Number SPDES Number	2-477060 Not reported	CBS Number	Not reported	
		SWIS ID:	6101	Telephone:	(718) 782-2887	
		Operator:	MONAH	rolophono.	(1.10) 102 2007	
		Emergency Contact: Total Tanks:	MOSHE KESSLER. (718) 646-5647 8			
<u></u>		Owner [.]	445 METROPOLITAN CORPORATION			
			1311 BRIGHTWATER AVENUE			
			BROOKLYN, NY 11235 (718) 646-5647			
		Owner Type:	Corporate/Commercial	Owner Mark:	First Owner	
		Owner Subtype.	Not reported	owner mark.	i li si Owner	
		Mailing Address:	445 METROPOLITAN CORPORATION			
		·	1311 BRIGHTWATER AVENUE			
Value -			BROOKLYN, NY 11235			
			(718) 646-5647			
		Facility Status	ATTN: MOSHE KESSLER	of the PPS tenks is	areater than	
		Facility Status:	 Active PBS facility. i.e. total capacity of 1,100 gallons, regardless if Subpart 360- 			
****		Capacity (gals):	550		or at the facility.	
		Tank Location:	UNDERGROUND			
		Tank ID:	001	Install Date:	00/00	
***		Product Stored:	UNLEADED GASOLINE	Tank Type:	Steel/carbon steel	
		Tank Internal:	Not reported	Pipe Internal:	Not reported	
		Pipe Location:	Not reported	Pipe Type:	GALVANIZED STEE	<u> </u>
		Tank External: Tank Status:	Not reported Temporarily Out Of Service			
, jin		Tank Error Status:	Minor Data Missing			
		Pipe External:	Not reported			
		Second Containment:	VAULT			
		Leak Detection:	NONE			
		Overfill Prot:	Not reported	Dispenser	Suction	
		Date Tested:	03/95	Next Test Date:	N.T.R HORNER	
		Date Closed: Deleted:	Not reported Not reported	Test Method: Updated:	True	
-		Dead Letter:	False	Owner Screen:	No data missing	
		FAMT:	Fiscal amount for registration fee is corre		-	
		Total Capacity:	Not reported	Renewal Date:	19940504	
-		Tank Screen:	Minor data missing	Federal ID:	Not reported	
-		Renew Flag: Certification Flag:	Renwal has not been printed False	Facility Screen: Certification Date	No data missing	
		Old PBS Number	Not reported	Expiration Date:		
		Inspected Date:	Not reported	Inspector:	Not reported	
₩		Inspection Result:	Not reported			
		Lat/long:	Not reported			
		Facility Type:	RETAIL GASOLINE SALES			
		PBS Number	2-477060	CBS Number:	Not reported	
		SPDES Number:	Not reported			
		SWIS ID:	6101	Telephone:	(718) 782-2887	
William		Operator [.]	MONAH			
•		Emergency Contact:	MOSHE KESSLER, (718) 646-5647			

Г

ap ID irection		MAP FINDINGS			
istance istance (ft.)				EDR ID Numb
levation	Site			Database(s)	EPA ID Numbe
	445 METROPOLITAN COR	PORATION (Continued)			U003065866
	Total Tanks:	8			
	Owner	445 METROPOLITAN CORPORATION 1311 BRIGHTWATER AVENUE BROOKLYN, NY 11235 (718) 646-5647			
	Owner Type:	Corporate/Commercial	Owner Mark.	First Owner	
	Owner Subtype: Mailing Address	Not reported 445 METROPOLITAN CORPORATION 1311 BRIGHTWATER AVENUE BROOKLYN. NY 11235 (718) 646-5647 ATTN MOSHE KESSLER			
	Facility Status:	1 - Active PBS facility, i.e. total capacity c		0	
		1.100 gallons. regardless if Subpart 360-	14 tanks exist or no	ot at the facility.	
	Capacity (gals): Tank Location:	550 UNDERGROUND			
	Tank ID:	002	Install Date	00/00	
	Product Stored:	UNLEADED GASOLINE	Tank Type	Steel/carbon steel	
	Tank Internal:	Not reported	Pipe Internal.	Not reported	
	Pipe Location.	Not reported	Pipe Type	GALVANIZED STEI	=1
	Tank External.	Not reported	r ipe i ype		
	Tank Status:	Temporarily Out Of Service			
	Tank Error Status:	Minor Data Missing			
	Pipe External:	Not reported			
	Second Containment:	VAULT			
	Leak Detection:	NONE			
	Overfill Prot:	Not reported	Dispenser:	Suction	
	Date Tested:	03/95	Next Test Date:	N.T.R	
	Date Closed:	Not reported	Test Method:	HORNER	
	Deleted:	Not reported	Updated:	True	
	Dead Letter	False	Owner Screen:	No data missing	
	FAMT	Fiscal amount for registration fee is corre	ct		
	Total Capacity:	Not reported	Renewal Date:	19940504	
	Tank Screen:	Minor data missing	Federal ID:	Not reported	
	Renew Flag:	Renwal has not been printed	•	No data missing	
	Certification Flag:	False	Certification Date		
	Old PBS Number:	Not reported	Expiration Date:		
	Inspected Date:	Not reported	Inspector:	Not reported	
	Inspection Result: Lat/long:	Not reported Not reported			
	Facility Type:	RETAIL GASOLINE SALES			
	PBS Number:	2-477060	CBS Number:	Not reported	
	SPDES Number:	Not reported			
	SWIS ID:	6101	Telephone:	(718) 782-2887	
	Operator:	MONAH			
	Emergency Contact:	MOSHE KESSLER, (718) 646-5647			
	Total Tanks: Owner	8 445 METROPOLITAN CORPORATION 1311 BRIGHTWATER AVENUE BROOKLYN, NY 11235			
	Owner Turner	(718) 646-5647	Owner Marke	First Owner	
	Owner Type:	Corporate/Commercial	Owner Mark:	First Owner	
	Owner Subtype: Mailing Address:	Not reported 445 METROPOLITAN CORPORATION 1311 BRIGHTWATER AVENUE			

1000

1

MAP FINDINGS

) Site			Database(s)	EDR ID Num EPA ID Num
445 METROPOLITAN CO	RPORATION (Continued)			U003065866
	(718) 646-5647			
Facility Status:	ATTN: MOSHE KESSLER 1 - Active PBS facility. i.e. total capacity 1.100 gallons, regardless if Subpart 360		•	
Capacity (gals):	550			
Tank Location:	UNDERGROUND			
Tank ID:	003	install Date:	00/00	
Product Stored:	UNLEADED GASOLINE	Tank Type:	Steel/carbon steel	
Tank Internal:	Not reported	Pipe Internal.	Not reported	
Pipe Location:	Not reported	Pipe Type:	GALVANIZED STEE	1
Tank External	Not reported	. pe (jpe.		. –
Tank Status	Temporarily Out Of Service			
Tank Error Status:	Minor Data Missing			
Pipe External:	Not reported			
Second Containment.	VAULT			
Leak Detection:	NONE			
Overfill Prot:	Not reported	Dispenser	Suction	
Date Tested.	03/95	Next Test Date:	N.T.R	
Date Closed:	Not reported	Test Method:	HORNER	
Deleted:	Not reported	Updated:	True	
Dead Letter	False	Owner Screen:	No data missing	
FAMT	Fiscal amount for registration fee is corre		······································	
Total Capacity:	Not reported	Renewal Date:	19940504	
Tank Screen:	Minor data missing	Federal ID:	Not reported	
Renew Flag:	Renwal has not been printed	Facility Screen:	No data missing	
Certification Flag:	False	Certification Date	ç	
Ų				
Old PBS Number:	Not reported	Expiration Date:		
Inspected Date:	Not reported	Inspector:	Not reported	
Inspection Result:	Not reported			
Lat/long:	Not reported			
Facility Type:	RETAIL GASOLINE SALES			
PBS Number	2-477060	CBS Number:	Not reported	
SPDES Number:	Not reported			
SWIS ID:	6101	Telephone:	(718) 782-2887	
Operator:	MONAH		. ,	
Emergency Contact:	MOSHE KESSLER, (718) 646-5647			
Total Tanks:	8			
Owner [.]	445 METROPOLITAN CORPORATION			
e inter	1311 BRIGHTWATER AVENUE			
	BROOKLYN, NY 11235			
	(718) 646-5647			
		Owner Marks	First Ourser	
Owner Type:	Corporate/Commercial	Owner Mark:	First Owner	
Owner Subtype:	Not reported			
Mailing Address:	445 METROPOLITAN CORPORATION			
	1311 BRIGHTWATER AVENUE			
	BROOKLYN, NY 11235			
	(718) 646-5647			
	ATTN: MOSHE KESSLER			
Facility Status:	1 - Active PBS facility, i.e. total capacity of	of the PBS tanks is	greater than	
	1,100 gallons, regardless if Subpart 360-			
Capacity (gals):	550		,	
Tank Location:	UNDERGROUND			
Tank ID:	004	Install Date:	00/00	
Product Stored:	UNLEADED GASOLINE	Tank Type:	Steel/carbon steel	
Tank Internal:				
Pipe Location:	Not reported	Pipe Internal:	Not reported	
	Not reported	Pipe Type:	GALVANIZED STEEL	

MAP FINDINGS

445 METROPOLITAN CORPORATION (Continued)

Map ID Direction Distance Distance (ft.) Elevation Site

Database(s)

EDR ID Number EPA ID Number

U003065866

	(•••••••••••••••••••••••••		
Tank External:	Not reported		
Tank Status:	Temporarily Out Of Service		
Tank Error Status:	Minor Data Missing		
Pipe External	Not reported		
Second Containment:	VAULT		
Leak Detection:	NONE		
Overfill Prot:	Not reported	Dispenser:	Suction
Date Tested.	03/95	Next Test Date:	N.T.R
Date Closed:	Not reported	Test Methoa.	HORNER
Deleted:	Not reported	Updated:	True
Dead Letter	False	Owner Screen.	No data missing
FAMT	Fiscal amount for registration fee is corre	ct	
Total Capacity	Not reported	Renewal Date:	19940504
Tank Screen:	Minor data missing	Federal ID:	Not reported
Renew Flag	Renwal has not been printed	Facility Screen:	No data missing
Certification Flag	Faise	Certification Date	
Old PBS Number	Not reported	Expiration Date.	
Inspected Date:	Not reported	Inspector	Not reported
Inspection Result	Not reported		
Lat/long:	Not reported		
Facility Type.	RETAIL GASOLINE SALES		
PBS Number	2-477060	CBS Number	Not reported
SPDES Number:	Not reported		Notreponed
SWIS ID:	6101	Telephone:	(718) 782-2887
Operator:	MONAH	rolophone.	(, , , , , , , , , , , , , , , , , , ,
Emergency Contact:	MOSHE KESSLER. (718) 646-5647		
Total Tanks:	8		
Owner:	445 METROPOLITAN CORPORATION		
0	1311 BRIGHTWATER AVENUE		
	BROOKLYN, NY 11235		
	(718) 646-5647		
Owner Type:	Corporate/Commercial	Owner Mark:	First Owner
Owner Subtype:	Not reported		
Mailing Address:	445 METROPOLITAN CORPORATION		
	1311 BRIGHTWATER AVENUE		
	BROOKLYN, NY 11235		
	(718) 646-5647		
	ATTN: MOSHE KESSLER		
Facility Status:	1 - Active PBS facility, i.e. total capacity of	of the PBS tanks is	greater than
	1,100 gallons. regardless if Subpart 360-	14 tanks exist or n	ot at the facility.
Capacity (gais):	550		
Tank Location:	UNDERGROUND		
Tank ID:	005	Install Date:	00/00
Product Stored:	UNLEADED GASOLINE	Tank Type:	Steel/carbon steel
Tank Internal:	Not reported	Pipe Internal:	Not reported
Pipe Location:	Not reported	Pipe Type:	GALVANIZED STEEL
Tank External:	Not reported		
Tank Status:	Temporarily Out Of Service		
Tank Error Status:	Minor Data Missing		
Pipe External:	Not reported		
Second Containment:	VAULT		
Leak Detection:	NONE	-	
Overfill Prot:	Not reported	Dispenser:	Suction
Date Tested:	03/95	Next Test Date:	N.T.R
Date Closed:	Not reported	Test Method:	HORNER
Deleted:	Not reported	Updated:	True

1. all

٢

%as∦

MAP FINDINGS

EDR Database(s) EPA

EDR ID Number EPA ID Number

U003065866

	F ata a	Owner Careen	
Dead Letter	False	Owner Screen:	No data missing
FAMT [,]	Fiscal amount for registration fee is correct		10040504
Total Capacity:	Not reported	Renewal Date: Federal ID:	19940504 Not reported
Tank Screen:	Minor data missing		Not reported
Renew Flag:	Renwal has not been printed	Facility Screen:	No data missing
Certification Flag:	False	Certification Date	
Old PBS Number	Not reported	Expiration Date:	
Inspected Date:	Not reported	Inspector:	Not reported
Inspection Result:	Not reported		
Lat/long	Not reported		
Facility Type:	RETAIL GASOLINE SALES		
PBS Number	2-4 ⁻⁷ 060	CBS Number	Not reported
SPDES Number	Not reported		
SWIS ID:	6101	Telephone.	(718) 782-2887
Operator	MONAH		
Emergency Contact:	MOSHE KESSLER. (718) 646-5647		
Total Tanks:	8		
Owner [.]	445 METROPOLITAN CORPORATION		
	1311 BRIGHTWATER AVENUE		
	BROOKLYN, NY 11235		
	(718) 646-5647		
Owner Type:	Corporate/Commercial	Owner Mark:	First Owner
Owner Subtype	Not reported		
Mailing Address:	445 METROPOLITAN CORPORATION		
	1311 BRIGHTWATER AVENUE		
	BROOKLYN, NY 11235		
	(718) 646-5647		
	ATTN: MOSHE KESSLER		
Facility Status:	1 - Active PBS facility, i.e. total capacity of	the PBS tanks is	greater than
	1.100 gallons. regardless if Subpart 360-1		*
Capacity (gals):	550		
Tank Location:	UNDERGROUND		
Tank ID:	006	Install Date:	00/00
Product Stored:	UNLEADED GASOLINE	Tank Type:	Steel/carbon ste
Tank Internal:	Not reported	Pipe Internal:	Not reported
Pipe Location:	Not reported	Pipe Type:	GALVANIZED S
Tank External:	Not reported		0.1217.011229.0
Tank Status:	Temporarily Out Of Service		
Tank Error Status:	Minor Data Missing		
Pipe External:	Not reported		
Second Containment:			
Leak Detection:	NONE		
Overfill Prot:	Not reported	Dispenser:	Suction
Date Tested:	03/95	Next Test Date:	N.T.R
Date Closed:	Not reported	Test Method:	HORNER
Deleted:	•		True
	Not reported	Updated:	
Dead Letter	False Fiscal amount for registration foo is correc	Owner Screen:	No data missing
FAMT:	Fiscal amount for registration fee is correct		10040504
Total Capacity:	Not reported	Renewal Date:	19940504
Tank Screen:	Minor data missing	Federal ID:	Not reported
Renew Flag:	Renwal has not been printed	Facility Screen:	No data missing
Certification Flag:	False	Certification Date:	
Old PBS Number:	Not reported	•	19990808
Inspected Date:	Not reported	Inspector:	Not reported
Inspection Result: Lat/long:	Not reported Not reported		

Map ID MAP FINDINGS
Direction
Distance
Distance (ft.)
Elevation Site Database(s)
445 METROPOLITAN CORPORATION (Continued)
U003065866

Facility Type:	RETAIL GASOLINE SALES		
PBS Number	2-477060	CBS Number	Not reported
SPDES Number	Not reported		
SWIS ID:	6101	Telephone	(718) 782-2887
Operator:	MONAH		
Emergency Contact:	MOSHE KESSLER. (718) 646-5647		
Total Tanks:	8		
Owner:	445 METROPOLITAN CORPORATION		
	1311 BRIGHTWATER AVENUE		
	BROOKLYN, NY 11235		
→ ∓	(718) 646-5647	о н. I	5 0
Owner Type	Corporate/Commercial	Owner Mark.	First Owner
Owner Subtype:			
Mailing Address:	445 METROPOLITAN CORPORATION 1311 BRIGHTWATER AVENUE		
	BROOKLYN, NY 11235		
	(718) 646-5647		
	ATTN MOSHE KESSLER		
Facility Status.	1 - Active PBS facility i.e. total capacity c	the PBS tanks is	greater than
a donity oracida.	1.100 gallons, regardless if Subpart 360-		
Capacity (gals):	550		
Tank Location:	UNDERGROUND		
Tank ID:	007	Install Date:	00/00
Product Stored:	UNLEADED GASOLINE	Tank Type:	Steel/carbon steel
Tank Internal.	Not reported	Pipe Internal:	Not reported
Pipe Location:	Not reported	Pipe Type.	GALVANIZED STEEL
Tank External:	Not reported		
Tank Status:	Temporarily Out Of Service		
Tank Error Status:	Minor Data Missing		
Pipe External:	Not reported		
Second Containment:	VAULT		
Leak Detection:	NONE	D	0
Overfill Prot:	Not reported	Dispenser:	Suction
Date Tested	03/95 Net reported	Next Test Date: Test Method:	N.T.R HORNER
Date Closed: Deleted:	Not reported Not reported	Updated:	True
Dead Letter:	False	Owner Screen:	No data missing
FAMT:	Fiscal amount for registration fee is corre		No data missing
Total Capacity:	Not reported	Renewal Date:	19940504
Tank Screen:	Minor data missing	Federal ID:	Not reported
Renew Flag:	Renwal has not been printed	Facility Screen:	No data missing
Certification Flag:	False	Certification Date	-
Old PBS Number:	Not reported	Expiration Date:	19990808
Inspected Date:	Not reported	Inspector	Not reported
Inspection Result:	Not reported		
Lat/long:	Not reported		
Facility Type:	RETAIL GASOLINE SALES		
PBS Number:	2-477060	CBS Number:	Not reported
SPDES Number	Not reported		
SWIS ID:	6101	Telephone:	(718) 782-2887
Operator:	MONAH		
Emergency Contact:	MOSHE KESSLER, (718) 646-5647		
Total Tanks:	8		
Owner:	445 METROPOLITAN CORPORATION		
	1311 BRIGHTWATER AVENUE		

海港の

Map ID Direction		MAP FINDINGS		
Distance Distance (ff Elevation	l.) Site			Database(s)
	445 METROPOLITAN C	ORPORATION (Continued)		
	Owner Type: Owner Subtype: Mailing Address:	BROOKLYN, NY 11235 (718) 646-5647 Corporate/Commercial Not reported 445 METROPOLITAN CORPORATION 1311 BRIGHTWATER AVENUE BROOKLYN, NY 11235	Owner Mark:	First Owner

(718) 646-5647

UNDERGROUND

Not reported

VAULT

NONE

03/95

False

Minor Data Missing

UNLEADED GASOLINE

Temporarily Out Of Service

Fiscal amount for registration fee is correct

550

800

Facility Status:

Capacity (gals).

Tank Location: Tank ID.

Product Stored:

Tank Internal:

Pipe Location:

Tank External:

Tank Error Status:

Second Containment:

Tank Status:

Pipe External:

Leak Detection:

Overfill Prot:

Date Tested:

Date Closed:

Dead Letter

Total Capacity:

Deleted:

FAMT

ATTN. MOSHE KESSLER

1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1.100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.

Install Date:

Pipe Internal.

Tank Type

Pipe Type:

Dispenser

Updated:

Test Method:

Renewal Date:

Next Test Date: N.T.R

00/00

Suction

True Owner Screen: No data missing

HORNER

19940504

RCRIS-SQG

Steel/carbon steel

GALVANIZED STEEL

Not reported

EDR ID Number EPA ID Number

U003065866

	Tank Screen: Renew Flag: Certification Flag Old PBS Number Inspected Date: Inspection Result Lat/long: Facility Type:	r: Not reported Not reported	Federal ID: Not reported Facility Screen: No data missir Certification Date: 19960425 Expiration Date: 19990808 Inspector: Not reported	Not reported No data missing :: 19960425 19990808
10 ESE < 1/8 588 Higher	S KLENOSKY INC 543 METROPOLITAN AVE BROOKLYN, NY 11211		RCRIS	
	RCRIS: Owner:	S KLENOSKY INC (718) 782-7141		
	Contact:	IRWIN KLENOSKY (718) 782-7141		
	Record Date:	06/06/1994		
	Classification:	Small Quantity Generator		

TC0382955.11r Page 28

1000890352

NY0000348300

MAP FINDINGS

11 ENE

< 1/8

590

EDR ID Number Site Database(s) EPA ID Number S KLENOSKY INC (Continued) 1000890352 Used Oil Recyc. No Violation Status: No violations found COASTAL SERVICE CENTER UST U001330144 25 SKILLMAN AVE N/A BROOKLYN, NY 11211 Higher PBS UST PBS Number 2-601457 CBS Number Not reported SPDES Number Not reported SWIS ID. 6101 Telephone: (718) 389-7035 Operator: PAT TURTURRO **Emergency Contact:** PAT TURTURRO. (718) 384-3712 Total Tanks 10 MAP GASOLINE CORP Owner: 150 BANKER STREET BROOKLYN, NY 11211 (718) 384-3712 Owner Type: Owner Mark. First Owner Corporate/Commercial Owner Subtype: Not reported Mailing Address: MAP GASOLINE CORP 9 WYTLE AVENUE BROOKLYN, NY 11211 (718) 384-3712 ATTN. M Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility. Capacity (gals): 4000 UNDERGROUND Tank Location: Tank ID: Install Date: 00/00 Product Stored: UNLEADED GASOLINE Tank Type: Steel/carbon steel Tank Internal: NONE Pipe Internal: NONE GALVANIZED STEEL Underground Pipe Location: Pipe Type: NONE/PAINTED/ASPHALT COATING Tank External: Tank Status: In Service No Missing Data Tank Error Status: Pipe External: NONE/NONE Second Containment: NONE/NONE Leak Detection: NONE/NONE **Overfill Prot:** None Dispenser: Suction Date Tested: 03/92 Next Test Date: 03/97 Date Closed: Test Method: HORNER Not reported Deleted: Not reported Updated: True Dead Letter: Owner Screen: False No data missing FAMT: Fiscal amount for registration fee is correct Total Capacity: Not reported Renewal Date: 19980202 Tank Screen: Federal ID: Not reported No data missing Facility Screen: No data missing Renew Flag: Renwal has not been printed Certification Date: 19930421 Certification Flag: Faise Old PBS Number Not reported Expiration Date: 19980421 Inspected Date: Not reported Inspector: Not reported Inspection Result: Not reported Lat/long: Not reported

RETAIL GASOLINE SALES

Facility Type:

MAP FINDINGS

EDR ID Number Database(s) EPA ID Number

COASTAL SERVICE CENTER (Continued)

U001330144

PBS Number			
1 DO Mamber	2-601457	CBS Number	Not reported
SPDES Number	Not reported		
SWIS ID:	6101	Telephone	(718) 389-7035
Operator:	PAT TURTURRO		
Emergency Contact:	PAT TURTURRO. (718) 384-3712		
Total Tanks	10		
Owner:	MAP GASOLINE CORP		
	150 BANKER STREET		
	BROOKLYN, NY 11211		
Owner Ture	(718) 384-3712	Owner Mark:	First Owner
Owner Type Ov.ner Subtype	Corporate/Commercial Not reported	Owner Mark:	First Owner
Mailing Address:	MAP GASOLINE CORP		
Maliny Address.	9 WYTLE AVENUE		
	BROOKLYN, NY 11211		
	(718) 384-3712		
	ATTN M		
Facility Status	1 - Active PBS facility, i.e. total capacity (of the PBS tanks is	greater than
	1.100 gallons, regardless if Subpart 360-		
Capacity (gals):	4000		,
Tank Location	UNDERGROUND		
Tank ID:	2	Install Date:	00/00
Product Stored:	UNLEADED GASOLINE	Tank Type:	Steel/carbon steel
Tank Internal:	NONE	Pipe Internal:	NONE
Pipe Location:	Underground	Ріре Туре:	GALVANIZED STEEL
Tank External:	NONE/PAINTED/ASPHALT COATING		
Tank Status:	In Service		
Tank Error Status:	No Missing Data		
Pipe External:	NONE/NONE		
Second Containment:			
Leak Detection:	NONE/NONE	Dissesses	Custor
Overfill Prot: Date Tested:	None 03/92	Dispenser Next Test Date:	Suction 03/97
Date Closed:	Not reported	Test Method:	HORNER
Deleted:	Not reported	Updated:	True
Dead Letter:	False	Owner Screen:	No data missing
FAMT	Fiscal amount for registration fee is corre		No data misoing
Total Capacity:	Not reported	Renewal Date:	19980202
Tank Screen:	No data missing		Not reported
		Federal ID:	
Renew Flag:	Renwal has not been printed	Federal ID: Facility Screen:	No data missing
	6		No data missing
Renew Flag:	Renwal has not been printed	Facility Screen:	No data missing
Renew Flag: Certification Flag:	Renwal has not been printed False Not reported Not reported	Facility Screen: Certification Date	No data missing :19930421
Renew Flag: Certification Flag: Old PBS Number:	Renwal has not been printed False Not reported Not reported Not reported	Facility Screen: Certification Date Expiration Date:	No data missing 19930421 19980421
Renew Flag: Certification Flag: Old PBS Number: Inspected Date: Inspection Result: Lat/long:	Renwal has not been printed False Not reported Not reported Not reported Not reported	Facility Screen: Certification Date Expiration Date:	No data missing 19930421 19980421
Renew Flag: Certification Flag: Old PBS Number: Inspected Date: Inspection Result:	Renwal has not been printed False Not reported Not reported Not reported	Facility Screen: Certification Date Expiration Date:	No data missing 19930421 19980421
Renew Flag: Certification Flag: Old PBS Number: Inspected Date: Inspection Result: Lat/long:	Renwal has not been printed False Not reported Not reported Not reported Not reported	Facility Screen: Certification Date Expiration Date: Inspector:	No data missing 19930421 19980421 Not reported
Renew Flag: Certification Flag: Old PBS Number: Inspected Date: Inspection Result: Lat/long: Facility Type:	Renwal has not been printed False Not reported Not reported Not reported Not reported RETAIL GASOLINE SALES	Facility Screen: Certification Date Expiration Date:	No data missing 19930421 19980421
Renew Flag: Certification Flag: Old PBS Number: Inspected Date: Inspection Result: Lat/long: Facility Type: PBS Number:	Renwal has not been printed False Not reported Not reported Not reported Not reported RETAIL GASOLINE SALES 2-601457	Facility Screen: Certification Date Expiration Date: Inspector:	No data missing 19930421 19980421 Not reported
Renew Flag: Certification Flag: Old PBS Number: Inspected Date: Inspection Result: Lat/long: Facility Type: PBS Number: SPDES Number:	Renwal has not been printed False Not reported Not reported Not reported Not reported RETAIL GASOLINE SALES 2-601457 Not reported	Facility Screen: Certification Date Expiration Date: Inspector: CBS Number:	No data missing 19930421 19980421 Not reported Not reported
Renew Flag: Certification Flag: Old PBS Number: Inspected Date: Inspection Result: Lat/long: Facility Type: PBS Number: SPDES Number: SWIS ID: Operator: Emergency Contact:	Renwal has not been printed False Not reported Not reported Not reported Not reported RETAIL GASOLINE SALES 2-601457 Not reported 6101	Facility Screen: Certification Date Expiration Date: Inspector: CBS Number:	No data missing 19930421 19980421 Not reported Not reported
Renew Flag: Certification Flag: Old PBS Number: Inspected Date: Inspection Result: Lat/long: Facility Type: PBS Number: SPDES Number: SWIS ID: Operator: Emergency Contact: Total Tanks:	Renwal has not been printed False Not reported Not reported Not reported RETAIL GASOLINE SALES 2-601457 Not reported 6101 PAT TURTURRO PAT TURTURRO PAT TURTURRO, (718) 384-3712 10	Facility Screen: Certification Date Expiration Date: Inspector: CBS Number:	No data missing 19930421 19980421 Not reported Not reported
Renew Flag: Certification Flag: Old PBS Number: Inspected Date: Inspection Result: Lat/long: Facility Type: PBS Number: SPDES Number: SWIS ID: Operator: Emergency Contact:	Renwal has not been printed False Not reported Not reported Not reported RETAIL GASOLINE SALES 2-601457 Not reported 6101 PAT TURTURRO PAT TURTURRO PAT TURTURRO, (718) 384-3712 10 MAP GASOLINE CORP	Facility Screen: Certification Date Expiration Date: Inspector: CBS Number:	No data missing 19930421 19980421 Not reported Not reported
Renew Flag: Certification Flag: Old PBS Number: Inspected Date: Inspection Result: Lat/long: Facility Type: PBS Number: SPDES Number: SWIS ID: Operator: Emergency Contact: Total Tanks:	Renwal has not been printed False Not reported Not reported Not reported RETAIL GASOLINE SALES 2-601457 Not reported 6101 PAT TURTURRO PAT TURTURRO PAT TURTURRO, (718) 384-3712 10	Facility Screen: Certification Date Expiration Date: Inspector: CBS Number:	No data missing 19930421 19980421 Not reported Not reported

p ID ection		MAP FINDINGS			
tance tance (ft.)				EDR ID Numbe
vation	Site			Database(s)	EPA ID Numbe
	COASTAL SERVICE CENT	EB (Continued)			U001330144
		(718) 384-3712			
	Owner Type:	Corporate/Commercial	Owner Mark:	First Owner	
	Owner Subtype:	Not reported			
	Mailing Address:				
		9 WYTLE AVENUE BROOKLYN, NY 11211			
		(718) 384-3712			
		ATTN: M			
	Facility Status:	- Active PBS facility, i.e. total capacity (
	Capacity (calc);	1 100 gallons, regardless if Subpart 360-	14 tanks exist or no	of at the facility.	
	Capacity (gals): Tank Location:	550 UNDERGROUND, VAULTED, WITH AC	CESS		
	Tank ID:	3	Install Date:	00/00	
	Product Stored:	UNLEADED GASOLINE	Tank Type	Steel/carbon steel	
	Tank Internal:	NONE	Pipe Internal.	NONE	
	Pipe Location:		Pipe Type:	GALVANIZED STEE	EL.
	Tank External Tank Status	NONE/PAINTED/ASPHALT COATING			
	Tank Error Status:	No Missing Data			
	Pipe External:	NONE/NONE			
	Second Containment:	NONE/VAULT			
	Leak Detection:	NONE/NONE	D	C	
	Overfill Prot: Date Tested:	None 05/91	Dispenser Next Test Date	Suction N.T.R	
	Date Closed:	Not reported	Test Method:	HORNER	
	Deleted:	Not reported	Updated:	True	
	Dead Letter:	False	Owner Screen:	No data missing	
	FAMT	Fiscal amount for registration fee is corre		1000000	
	Total Capacity: Tank Screen:	Not reported No data missing	Renewal Date: Federal ID:	19980202 Not reported	
	Renew Flag:	Renwal has not been printed	Facility Screen:	No data missing	
	Certification Flag:	False	Certification Date	•	
	Old PBS Number:	Not reported	Expiration Date:	19980421	
	Inspected Date:	Not reported	Inspector	Not reported	
	Inspection Result:	Not reported Not reported			
	Lat/long: Facility Type:	RETAIL GASOLINE SALES			
	PBS Number	2-601457	CBS Number	Not reported	
	SPDES Number:	Not reported			
	SWIS ID:	6101	Telephone:	(718) 389-7035	
	Operator:	PAT TURTURRO			
	Emergency Contact: Total Tanks:	PAT TURTURRO, (718) 384-3712 10			
	Owner:	MAP GASOLINE CORP			
		150 BANKER STREET			
		BROOKLYN, NY 11211			
	• -	(718) 384-3712	A		
	Owner Type:	Corporate/Commercial	Owner Mark:	First Owner	
	Owner Subtype: Mailing Address:	Not reported			
	Mailing Address:	MAP GASOLINE CORP 9 WYTLE AVENUE			
		BROOKLYN, NY 11211			
		(718) 384-3712			
		ATTN: M			
	Facility Status:	1 - Active PBS facility, i.e. total capacity	of the PBS tanks is	oreater than	

đ

Constan-

Dir.

「「「「」」

Map ID	
Direction	
Distance	
Distance (fi	i.)
Elevation	Site

MAP FINDINGS

	EDR ID Number
Database(s)	EPA ID Number

U001330144 COASTAL SERVICE CENTER (Continued) 550 Capacity (gals): Tank Location: UNDERGROUND, VAULTED, WITH ACCESS Tank ID Install Date. 00/00 UNLEADED GASOLINE Product Stored: Tank Type. Steel/carbon steel Pipe Internal NONE Tank Internal: NONE Pipe Type: GALVANIZED STEEL Pipe Location. Underground NONE/PAINTED/ASPHALT COATING Tank External: Tank Status: In Service Tank Error Status: No Missing Data Pipe External: NONE/NONE Second Containment: NONE/VAULT NONE/NONE Leak Detection: Overfill Prot. None Dispenser: Suction Date Tested: 05/91 Next Test Date: N.T.R Date Closed: Not reported Test Method HORNER Deleted Not reported Updated: True Owner Screen: Dead Letter False No data missing FAMT Fiscal amount for registration fee is correct Total Capacity: Not reported **Renewal Date** 19980202 Tank Screen: No data missing Federal ID: Not reported Renwal has not been printed Facility Screen: No data missing Renew Flag: Certification Flag: False Certification Date: 19930421 Old PBS Number Not reported Expiration Date: 19980421 Inspected Date: Not reported Inspector Not reported Inspection Result: Not reported Lat/long: Not reported RETAIL GASOLINE SALES Facility Type: PBS Number 2-601457 **CBS** Number: Not reported SPDES Number Not reported SWIS ID: (718) 389-7035 6101 Telephone: Operator: PAT TURTURRO PAT TURTURRO, (718) 384-3712 **Emergency Contact:** Total Tanks: 10 MAP GASOLINE CORP Owner: 150 BANKER STREET BROOKLYN, NY 11211 (718) 384-3712 Owner Type: Corporate/Commercial Owner Mark: First Owner Owner Subtype: Not reported MAP GASOLINE CORP Mailing Address: 9 WYTLE AVENUE BROOKLYN, NY 11211 (718) 384-3712 ATTN: M Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility. Capacity (gals): 550 Tank Location: UNDERGROUND, VAULTED, WITH ACCESS Tank ID: 5 Install Date. 00/00 Product Stored: UNLEADED GASOLINE Tank Type: Steel/carbon steel Tank Internal: NONE Pipe Internal: NONE GALVANIZED STEEL Pipe Location: Underground Pipe Type: NONE/PAINTED/ASPHALT COATING Tank External: Tank Status: In Service No Missing Data Tank Error Status: Pipe External: NONE/NONE

 Map ID
 MAP FINDINGS

 Direction
 Distance

 Distance (ft.)
 EDR ID Number

 Elevation
 Site

 Database(s)
 EPA ID Number

COASTAL SERVICE CENTER (Continued) U001330144 Second Containment: NONE/VAULT Leak Detection: NONE/NONE Overfill Prot: Dispenser None Suction Date Tested: 05/91 Next Test Date: NT.R Date Closed: Not reported Test Method: HORNER Deleted: Not reported Updated: True Dead Letter Owner Screen: False No data missing Fiscal amount for registration fee is correct FAMT Total Capacity: Not reported Renewal Date: 19980202 Tank Screen. No data missing Federal ID: Not reported Renew Flag: Facility Screen: No data missing Renwal has not been printed Certification Flag: False Certification Date: 19930421 Old PBS Number Not reported Expiration Date: 19980421 Inspected Date: Not reported Inspector: Not reported Inspection Result: Not reported Lat/long Not reported RETAIL GASOLINE SALES Facility Type PBS Number 2-601457 CBS Number Not reported SPDES Number Not reported SWIS ID: 6101 Telephone: (718) 389-7035 Operator PAT TURTURRO PAT TURTURRO, (718) 384-3712 Emergency Contact: Total Tanks: 10 MAP GASOLINE CORP Owner[®] 150 BANKER STREET BROOKLYN, NY 11211 (718) 384-3712 Owner Type: Corporate/Commercial Owner Mark: First Owner Owner Subtype: Not reported MAP GASOLINE CORP Mailing Address: **9 WYTLE AVENUE** BROOKLYN, NY 11211 (718) 384-3712 ATTN: M 1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than Facility Status: 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility. Capacity (gals): 550 Tank Location: UNDERGROUND, VAULTED, WITH ACCESS Tank ID: Install Date: 00/00 6 Product Stored: UNLEADED GASOLINE Tank Type: Steel/carbon steel Tank Internal: NONE Pipe Internal: NONE GALVANIZED STEEL Pipe Location: Underground Pipe Type: NONE/PAINTED/ASPHALT COATING Tank External: Tank Status: In Service Tank Error Status: No Missing Data Pipe External: NONE/NONE Second Containment: NONE/VAULT Leak Detection: NONE/NONE Overfill Prot: Suction None Dispenser: Date Tested: 05/91 Next Test Date: N.T.R Date Closed: Not reported Test Method: HORNER Deleted: Not reported Updated: True Dead Letter: False Owner Screen: No data missing FAMT Fiscal amount for registration fee is correct Renewal Date: Total Capacity: Not reported

Tank Screen:

No data missing

Federal ID:

MAP FINDINGS

EDI Database(s) EPA

EDR ID Number EPA ID Number

COASTAL SERVICE CENTER (Continued)

ASTAL SERVICE CENT	ren (Commuea)		00
Renew Flag: Certification Flag: Old PBS Number Inspected Date: Inspection Result: Lat/long. Facility Type:	Renwal has not been printed False Not reported Not reported Not reported RETAIL GASOLINE SALES	Facility Screen: Certification Date Expiration Date. Inspector:	No data missing e: 19930421 19980421 Not reported
PBS Number SPDES Number	2-601457 Not reported	CBS Number	Not reported
SWIS ID:	6101	Telephone.	(718) 389-7035
Operator:	PAT TURTURRO	i diopriorio.	(, , , , , , , , , , , , , , , , , , ,
Emergency Contact:	PAT TURTURRO, (718) 384-3712		
Total Tanks:	10		
Owner [.]	MAP GASOLINE CORP 150 BANKER STREET BROOKLYN. NY 11211 (718) 384-3712		
Owner Type:	Corporate/Commercial	Owner Mark:	First Owner
Owner Subtype:	Not reported		
Mailing Address:	MAP GASOLINE CORP		
	9 WYTLE AVENUE		
	BROOKLYN, NY 11211		
	(718) 384-3712		
Facility Status:	ATTN: M 1 - Active PBS facility, i.e. total capacity of	of the PRS tanks is	areater than
a dinty Status.	1.100 gallons, regardless if Subpart 360-		•
Capacity (gals):	550		st at the radiity.
Tank Location:	UNDERGROUND, VAULTED, WITH AC	CESS	
Tank ID;	7	Install Date:	00/00
Product Stored:	UNLEADED GASOLINE	Tank Type:	Steel/carbon steel
Tank internal:	NONE	Pipe Internal:	NONE
Pipe Location:	Underground	Pipe Type:	GALVANIZED STEEL
Tank External:	NONE/PAINTED/ASPHALT COATING		
Tank Status:	In Service		
Tank Error Status:	No Missing Data		
Pipe External:	NONE/NONE		
Second Containment:	NONE/VAULT		
Leak Detection:	NONE/NONE		
Overfill Prot:	None	Dispenser:	Suction
Date Tested:	05/91	Next Test Date:	N.T.R
Date Closed:	Not reported	Test Method:	HORNER
Deleted:	Not reported	Updated:	True
Dead Letter FAMT:	False Fiscal amount for registration fee is corre	Owner Screen:	No data missing
Total Capacity:	Not reported	Renewal Date:	19980202
Tank Screen:	No data missing	Federal ID:	Not reported
Renew Flag:	Renwal has not been printed	Facility Screen:	No data missing
Certification Flag:	False	Certification Date	•
Old PBS Number:	Not reported	Expiration Date:	19980421
Inspected Date:	Not reported	Inspector:	Not reported
Inspection Result:	Not reported		
Lat/long:	Not reported		
Facility Type:	RETAIL GASOLINE SALES		
PBS Number	2-601457	CBS Number:	Not reported
SPDES Number	Not reported	COO Muniper.	Horieholien
2. 220			

MAP FINDINGS

Map ID Direction Distance Distance (ft.) Elevation Site

EDR ID Number Database(s) EPA ID Number ŝ

常

SWIS ID:	6101	Telephone:	(718) 389-7035
Operator	PAT TURTURRO		
Emergency Contact:	PAT TURTURRO. (718) 384-3712		
Total Tanks:	10		
Owner [.]	MAP GASOLINE CORP		
	150 BANKER STREET		
	BROOKLYN NY 11211		
	(718) 384-3712		
Owner Type:	Corporate/Commercial	Owner Mark:	First Owner
Owner Subtype:	Not reported		
Mailing Address:	MAP GASOLINE CORP		
	9 WYTLE AVENUE		
	BROOKLYN, NY 11211		
	(718) 384-3712		
	ATTN M		
Facility Status:	1 - Active PBS facility, i.e. total capacity (
Connectly (apla):	1.100 gallons, regardless if Subpart 360-	14 tanks exist or h	or at the facility.
Capacity (gals): Tank Location:	550 UNDERGROUND VAULTED WITH AC	CESS	
Tank Location: Tank ID:	8	Install Date:	00/00
Product Stored	© UNLEADED GASOLINE	Tank Type.	Steel/carbon steel
Tank Internal:	NONE	Pipe Internal	NONE
Pipe Location:	Underground	Pipe Type:	GALVANIZED STEEL
Tank External:	NONE/PAINTED/ASPHALT COATING	1 190 1 390.	
Tank Status:	In Service		
Tank Error Status:	No Missing Data		
Pipe External:	NONE/NONE		
Second Containment:	NONE/VAULT		
Leak Detection:	NONE/NONE		
Overfill Prot:	None	Dispenser:	Suction
Date Tested:	05/91	Next Test Date:	N.T.R
Date Closed:	Not reported	Test Method.	HORNER
Deleted:	Not reported	Updated:	True
Dead Letter:	False	Owner Screen:	No data missing
FAMT:	Fiscal amount for registration fee is corre	ect	
Total Capacity:	Not reported	Renewal Date:	19980202
Tank Screen:	No data missing	Federal ID:	Not reported
Renew Flag:	Renwal has not been printed	Facility Screen:	No data missing
Certification Flag:	False	Certification Date	
Old PBS Number:	Not reported	Expiration Date:	
Inspected Date:	Not reported	Inspector:	Not reported
Inspection Result:	Not reported		
Lat/long: Facility Type:	Not reported RETAIL GASOLINE SALES		
racinty rype.	HETAL GAODEINE GALLO		
PBS Number:	2-601457	CBS Number:	Not reported
SPDES Number	Not reported		
SWIS ID:	6101	Telephone:	(718) 389-7035
Operator:	PAT TURTURRO		
Emergency Contact:	PAT TURTURRO, (718) 384-3712		
Total Tanks:	10		
Owner:	MAP GASOLINE CORP		
	150 BANKER STREET		
	BROOKLYN, NY 11211		
	(718) 384-3712		
Owner Type:	Corporate/Commercial	Owner Mark:	First Owner
Owner Subtype:	Not reported		

÷

COASTAL SERVICE CENTER (Continued)

MAP FINDINGS

Database(s)	EPA	11

EDR ID Number EPA ID Number

U001330144

	-		
Mailing Address:	MAP GASOLINE CORP		
	9 WYTLE AVENUE BROOKLYN. NY 11211		
	(718) 384-3712 ATTN: M		
Facility Status:	1 - Active PBS facility, i.e. total capacity of 1.100 gallons, regardless if Subpart 360-		
Capacity (gals):	550		
Tank Location:	UNDERGROUND, VAULTED, WITH ACC	CESS	
Tank ID:	9	Install Date:	00/00
Product Stored:	UNLEADED GASOLINE	Tank Type.	Steel/carbon steel
Tari- Internat	NONE	Pipe Internal	NONE
Pipe Location:	Underground	Pipe Type:	GALVANIZED STEEL
Tank External:	NONE/PAINTED/ASPHALT COATING		
Tank Status:	In Service		
Tank Error Status:	No Missing Data		
Pipe External:	NONE/NONE		
Second Containment:	NONE/VAULT		
Leak Detection:	NONE/NONE	D	C
Overfill Prot:	None	Dispenser	Suction
Date Tested:	05/91	Next Test Date:	N.T.R HORNER
Date Closed: Deleted:	Not reported Not reported	Test Method: Updated:	True
Dead Letter	False	Owner Screen:	No data missing
FAMT	Fiscal amount for registration fee is correl		No uata missing
Total Capacity:	Not reported	Renewal Date:	19980202
Tank Screen:	No data missing	Federal ID:	Not reported
Renew Flag:	Renwal has not been printed	Facility Screen:	No data missing
Certification Flag:	False	Certification Date	
Old PBS Number:	Not reported	Expiration Date:	
Inspected Date:	Not reported	Inspector:	Not reported
Inspection Result:	Not reported		
Lat/long:	Not reported		
Facility Type:	RETAIL GASOLINE SALES		
PBS Number:	2-601457	CBS Number	Not reported
SPDES Number:	Not reported		
SWIS ID:	6101	Telephone:	(718) 389-7035
Operator	PAT TURTURRO		
Emergency Contact:	PAT TURTURRO. (718) 384-3712		
Total Tanks:			
Owner [.]	MAP GASOLINE CORP 150 BANKER STREET		
	BROOKLYN, NY 11211		
	(718) 384-3712		
Owner Type:	Corporate/Commercial	Owner Mark:	First Owner
Owner Subtype:	Not reported	ethio han	
Mailing Address:	MAP GASOLINE CORP		
5	9 WYTLE AVENUE		
	BROOKLYN, NY 11211		
	(718) 384-3712		
	ATTN: M		
Facility Status:	1 - Active PBS facility, i.e. total capacity o	f the PBS tanks is	greater than
	1,100 gallons, regardless if Subpart 360-1	4 tanks exist or no	ot at the facility.
Capacity (gals):	550		
Tank Location:	UNDERGROUND, VAULTED, WITH ACC		
Tank ID:	10	Install Date:	00/00

MAP FINDINGS

Map ID Direction Distance Distance (ft.) Elevation

EDR ID Number

÷

÷,

忀

ž

and the second se

Distance (f Elevation	t.) Site			Database(s)	EDR ID Numbe EPA ID Numbe
	COASTAL SERVICE CENT	FER (Continued)			U001330144
	Product Stored:	UNLEADED GASOLINE	Tank Type:	Steel/carbon steel	
	Tank Internal:	NONE	Pipe Internal:	NONE	
	Pipe Location:	Underground	Pipe Type:	GALVANIZED STEE	L
	Tank External:	NONE/PAINTED/ASPHALT COATING			
	Tank Status:	In Service			
	Tank Error Status:	No Missing Data			
	Pipe External:	NONE/NONE			
	Second Containment.	NONE/VAULT			
	Leak Detection:	NONE/NONE			
	Overfill Prot:	None	Dispenser:	Suction	
	Date Tested:	05/91	Next Test Date:	N.T.R	
	Date Closed:	Not reported	Test Method:	HORNER	
	Deleted:	Not reported	Updated.	True	
	Dead Letter	False	Owner Screen:	No data missing	
	FAMT	Fiscal amount for registration fee is corre	ect		
	Total Capacity:	Not reported	Renewal Date:	19980202	
	Tank Screen:	No data missing	Federal ID:	Not reported	
	Renew Flag:	Renwal has not been printed	Facility Screen.	No data missing	
	Certification Flag	False	Certification Date	19930421	
	Old PBS Number	Not reported	Expiration Date:	19980421	
	Inspected Date:	Not reported	Inspector:	Not reported	
	Inspection Result:	Not reported			
	Lat/long:	Not reported			
	Facility Type:	RETAIL GASOLINE SALES			
2	FREMRO SERVICE INC		<u> </u>	UST	U003066162
SE 1/8 13	FREMRO SERVICE INC 433 UNION AVE BROOKLYN, NY 11211			UST	U003066162 N/A
SE 1/8)3	433 UNION AVE				
SE 1/8 13	433 UNION AVE BROOKLYN, NY 11211	2-001538 Not reported	CBS Number:	UST Not reported	
SE 1/8)3	433 UNION AVE BROOKLYN, NY 11211 PBS UST PBS Number:		CBS Number: Telephone:		
SE 1/8 13	433 UNION AVE BROOKLYN, NY 11211 PBS UST PBS Number: SPDES Number	Not reported		Not reported	
SE 1/8 3	433 UNION AVE BROOKLYN, NY 11211 PBS UST PBS Number: SPDES Number SWIS ID:	Not reported 6101		Not reported	
SE 1/8 03	433 UNION AVE BROOKLYN, NY 11211 PBS UST PBS Number: SPDES Number SWIS ID: Operator	Not reported 6101 HOWARD FREMDO		Not reported	
2 SE 1/8)3 igher	433 UNION AVE BROOKLYN, NY 11211 PBS UST PBS Number: SPDES Number SWIS ID: Operator Emergency Contact:	Not reported 6101 HOWARD FREMDO HOWARD FREMDO, (516) 221-3481		Not reported	
SE 1/8)3	433 UNION AVE BROOKLYN, NY 11211 PBS UST ⁻ PBS Number: SPDES Number ⁻ SWIS ID: Operator ⁻ Emergency Contact: Total Tanks:	Not reported 6101 HOWARD FREMDO HOWARD FREMDO, (516) 221-3481 4 FREMRO SERVICE INC 433 UNION AVENUE		Not reported	
SE 1/8 3	433 UNION AVE BROOKLYN, NY 11211 PBS UST ⁻ PBS Number: SPDES Number ⁻ SWIS ID: Operator ⁻ Emergency Contact: Total Tanks:	Not reported 6101 HOWARD FREMDO HOWARD FREMDO, (516) 221-3481 4 FREMRO SERVICE INC		Not reported	
SE 1/8 3	433 UNION AVE BROOKLYN, NY 11211 PBS UST ⁻ PBS Number: SPDES Number ⁻ SWIS ID: Operator ⁻ Emergency Contact: Total Tanks: Owner:	Not reported 6101 HOWARD FREMDO HOWARD FREMDO, (516) 221-3481 4 FREMRO SERVICE INC 433 UNION AVENUE BROOKLYN, NY 11211 (718) 387-2171	Telephone:	Not reported (718) 387-2171	
SE 1/8 3	433 UNION AVE BROOKLYN, NY 11211 PBS UST [•] PBS Number: SPDES Number [•] SWIS ID [•] Operator [•] Emergency Contact: Total Tanks [•] Owner:	Not reported 6101 HOWARD FREMDO HOWARD FREMDO, (516) 221-3481 4 FREMRO SERVICE INC 433 UNION AVENUE BROOKLYN, NY 11211 (718) 387-2171 Private Resident		Not reported	
SE 1/8 3	433 UNION AVE BROOKLYN, NY 11211 PBS UST [•] PBS Number: SPDES Number [•] SWIS ID [•] Operator [•] Emergency Contact: Total Tanks [•] Owner:	Not reported 6101 HOWARD FREMDO HOWARD FREMDO, (516) 221-3481 4 FREMRO SERVICE INC 433 UNION AVENUE BROOKLYN, NY 11211 (718) 387-2171 Private Resident Not reported	Telephone:	Not reported (718) 387-2171	
SE 1/8 3	433 UNION AVE BROOKLYN, NY 11211 PBS UST [•] PBS Number: SPDES Number [•] SWIS ID [•] Operator [•] Emergency Contact: Total Tanks [•] Owner:	Not reported 6101 HOWARD FREMDO HOWARD FREMDO, (516) 221-3481 4 FREMRO SERVICE INC 433 UNION AVENUE BROOKLYN, NY 11211 (718) 387-2171 Private Resident Not reported FREMRO SERVICE INC	Telephone:	Not reported (718) 387-2171	
SE 1/8 3	433 UNION AVE BROOKLYN, NY 11211 PBS UST [•] PBS Number: SPDES Number [•] SWIS ID [•] Operator [•] Emergency Contact: Total Tanks [•] Owner:	Not reported 6101 HOWARD FREMDO HOWARD FREMDO, (516) 221-3481 4 FREMRO SERVICE INC 433 UNION AVENUE BROOKLYN, NY 11211 (718) 387-2171 Private Resident Not reported FREMRO SERVICE INC 433 UNION AVENUE	Telephone:	Not reported (718) 387-2171	
SE 1/8 3	433 UNION AVE BROOKLYN, NY 11211 PBS UST [•] PBS Number: SPDES Number [•] SWIS ID [•] Operator [•] Emergency Contact: Total Tanks [•] Owner:	Not reported 6101 HOWARD FREMDO HOWARD FREMDO, (516) 221-3481 4 FREMRO SERVICE INC 433 UNION AVENUE BROOKLYN, NY 11211 (718) 387-2171 Private Resident Not reported FREMRO SERVICE INC 433 UNION AVENUE BROOKLYN, NY 11211	Telephone:	Not reported (718) 387-2171	
SE 1/8 13	433 UNION AVE BROOKLYN, NY 11211 PBS UST [•] PBS Number: SPDES Number [•] SWIS ID [•] Operator [•] Emergency Contact: Total Tanks [•] Owner:	Not reported 6101 HOWARD FREMDO HOWARD FREMDO, (516) 221-3481 4 FREMRO SERVICE INC 433 UNION AVENUE BROOKLYN, NY 11211 (718) 387-2171 Private Resident Not reported FREMRO SERVICE INC 433 UNION AVENUE BROOKLYN, NY 11211 (718) 387-2171	Telephone:	Not reported (718) 387-2171	
SE 1/8 13	433 UNION AVE BROOKLYN, NY 11211 PBS UST [*] PBS Number: SPDES Number SWIS ID: Operator Emergency Contact: Total Tanks: Owner: Owner Type: Owner Type: Mailing Address:	Not reported 6101 HOWARD FREMDO HOWARD FREMDO, (516) 221-3481 4 FREMRO SERVICE INC 433 UNION AVENUE BROOKLYN, NY 11211 (718) 387-2171 Private Resident Not reported FREMRO SERVICE INC 433 UNION AVENUE BROOKLYN, NY 11211 (718) 387-2171 ATTN: BARRY SHANKER	Telephone: Owner Mark:	Not reported (718) 387-2171 First Owner	
SE 1/8 13	433 UNION AVE BROOKLYN, NY 11211 PBS UST [•] PBS Number: SPDES Number [•] SWIS ID [•] Operator [•] Emergency Contact: Total Tanks [•] Owner:	Not reported 6101 HOWARD FREMDO HOWARD FREMDO, (516) 221-3481 4 FREMRO SERVICE INC 433 UNION AVENUE BROOKLYN, NY 11211 (718) 387-2171 Private Resident Not reported FREMRO SERVICE INC 433 UNION AVENUE BROOKLYN, NY 11211 (718) 387-2171 ATTN: BARRY SHANKER 1 - Active PBS facility, i.e. total capacity	Telephone: Owner Mark: of the PBS tanks is	Not reported (718) 387-2171 First Owner	
SE 1/8 13	433 UNION AVE BROOKLYN, NY 11211 PBS UST [*] PBS Number: SPDES Number' SWIS ID: Operator' Emergency Contact: Total Tanks: Owner: Owner Type: Owner Type: Owner Subtype: Mailing Address: Facility Status:	Not reported 6101 HOWARD FREMDO HOWARD FREMDO, (516) 221-3481 4 FREMRO SERVICE INC 433 UNION AVENUE BROOKLYN, NY 11211 (718) 387-2171 Private Resident Not reported FREMRO SERVICE INC 433 UNION AVENUE BROOKLYN, NY 11211 (718) 387-2171 ATTN: BARRY SHANKER 1 - Active PBS facility, i.e. total capacity 1,100 gallons, regardless if Subpart 360	Telephone: Owner Mark: of the PBS tanks is	Not reported (718) 387-2171 First Owner	
SE 1/8 3	433 UNION AVE BROOKLYN, NY 11211 PBS UST [*] PBS Number: SPDES Number SWIS ID: Operator Emergency Contact: Total Tanks: Owner Type: Owner Type: Owner Subtype: Mailing Address: Facility Status: Capacity (gals):	Not reported 6101 HOWARD FREMDO HOWARD FREMDO, (516) 221-3481 4 FREMRO SERVICE INC 433 UNION AVENUE BROOKLYN, NY 11211 (718) 387-2171 Private Resident Not reported FREMRO SERVICE INC 433 UNION AVENUE BROOKLYN, NY 11211 (718) 387-2171 ATTN: BARRY SHANKER 1 - Active PBS facility, i.e. total capacity 1,100 gallons, regardless if Subpart 360 3000	Telephone: Owner Mark: of the PBS tanks is	Not reported (718) 387-2171 First Owner	
SE 1/8 13	433 UNION AVE BROOKLYN, NY 11211 PBS UST: PBS Number: SPDES Number: SWIS ID: Operator Emergency Contact: Total Tanks: Owner Type: Owner Type: Owner Subtype: Mailing Address: Facility Status: Capacity (gals): Tank Location:	Not reported 6101 HOWARD FREMDO HOWARD FREMDO, (516) 221-3481 4 FREMRO SERVICE INC 433 UNION AVENUE BROOKLYN, NY 11211 (718) 387-2171 Private Resident Not reported FREMRO SERVICE INC 433 UNION AVENUE BROOKLYN, NY 11211 (718) 387-2171 ATTN: BARRY SHANKER 1 - Active PBS facility, i.e. total capacity 1,100 gallons, regardless if Subpart 360 3000 UNDERGROUND	Telephone: Owner Mark: of the PBS tanks is)-14 tanks exist or n	Not reported (718) 387-2171 First Owner	
SE 1/8 3	433 UNION AVE BROOKLYN, NY 11211 PBS UST: PBS Number: SPDES Number: SWIS ID: Operator Emergency Contact: Total Tanks: Owner Type: Owner Type: Owner Subtype: Mailing Address: Facility Status: Capacity (gals): Tank Location: Tank ID:	Not reported 6101 HOWARD FREMDO HOWARD FREMDO, (516) 221-3481 4 FREMRO SERVICE INC 433 UNION AVENUE BROOKLYN, NY 11211 (718) 387-2171 Private Resident Not reported FREMRO SERVICE INC 433 UNION AVENUE BROOKLYN, NY 11211 (718) 387-2171 ATTN: BARRY SHANKER 1 - Active PBS facility, i.e. total capacity 1,100 gallons, regardless if Subpart 360 3000 UNDERGROUND 001	Telephone: Owner Mark: of the PBS tanks is)-14 tanks exist or n Install Date:	Not reported (718) 387-2171 First Owner	
SE 1/8 13	433 UNION AVE BROOKLYN, NY 11211 PBS UST [*] PBS Number: SPDES Number SWIS ID: Operator Emergency Contact: Total Tanks: Owner Type: Owner Type: Owner Subtype: Mailing Address: Facility Status: Capacity (gals): Tank Location: Tank ID: Product Stored:	Not reported 6101 HOWARD FREMDO HOWARD FREMDO, (516) 221-3481 4 FREMRO SERVICE INC 433 UNION AVENUE BROOKLYN, NY 11211 (718) 387-2171 Private Resident Not reported FREMRO SERVICE INC 433 UNION AVENUE BROOKLYN, NY 11211 (718) 387-2171 ATTN: BARRY SHANKER 1 - Active PBS facility, i.e. total capacity 1.100 gallons, regardless if Subpart 360 3000 UNDERGROUND 001 LEADED GASOLINE	Telephone: Owner Mark: of the PBS tanks is)-14 tanks exist or n Install Date: Tank Type:	Not reported (718) 387-2171 First Owner	
SE 1/8 13	433 UNION AVE BROOKLYN, NY 11211 PBS UST: PBS Number: SPDES Number: SWIS ID: Operator Emergency Contact: Total Tanks: Owner Type: Owner Type: Owner Subtype: Mailing Address: Facility Status: Capacity (gals): Tank Location: Tank ID: Product Stored: Tank internal:	Not reported 6101 HOWARD FREMDO HOWARD FREMDO, (516) 221-3481 4 FREMRO SERVICE INC 433 UNION AVENUE BROOKLYN, NY 11211 (718) 387-2171 Private Resident Not reported FREMRO SERVICE INC 433 UNION AVENUE BROOKLYN, NY 11211 (718) 387-2171 ATTN: BARRY SHANKER 1 - Active PBS facility, i.e. total capacity 1,100 gallons, regardless if Subpart 360 3000 UNDERGROUND 001 LEADED GASOLINE NONE	Telephone: Owner Mark: of the PBS tanks is)-14 tanks exist or n Install Date: Tank Type: Pipe Internal:	Not reported (718) 387-2171 First Owner s greater than not at the facility. 08/85 Steel/carbon steel NONE	
SE 1/8 13	433 UNION AVE BROOKLYN, NY 11211 PBS UST [*] PBS Number: SPDES Number SWIS ID: Operator Emergency Contact: Total Tanks: Owner Type: Owner Type: Owner Subtype: Mailing Address: Facility Status: Capacity (gals): Tank Location: Tank ID: Product Stored: Tank Internal: Pipe Location:	Not reported 6101 HOWARD FREMDO HOWARD FREMDO, (516) 221-3481 4 FREMRO SERVICE INC 433 UNION AVENUE BROOKLYN, NY 11211 (718) 387-2171 Private Resident Not reported FREMRO SERVICE INC 433 UNION AVENUE BROOKLYN, NY 11211 (718) 387-2171 ATTN: BARRY SHANKER 1 - Active PBS facility, i.e. total capacity 1,100 gallons, regardless if Subpart 360 3000 UNDERGROUND 001 LEADED GASOLINE NONE NONE	Telephone: Owner Mark: of the PBS tanks is)-14 tanks exist or n Install Date: Tank Type:	Not reported (718) 387-2171 First Owner	
SE 1/8)3	433 UNION AVE BROOKLYN, NY 11211 PBS UST: PBS Number: SPDES Number: SWIS ID: Operator Emergency Contact: Total Tanks: Owner Type: Owner Type: Owner Subtype: Mailing Address: Facility Status: Capacity (gals): Tank Location: Tank ID: Product Stored: Tank internal:	Not reported 6101 HOWARD FREMDO HOWARD FREMDO, (516) 221-3481 4 FREMRO SERVICE INC 433 UNION AVENUE BROOKLYN, NY 11211 (718) 387-2171 Private Resident Not reported FREMRO SERVICE INC 433 UNION AVENUE BROOKLYN, NY 11211 (718) 387-2171 ATTN: BARRY SHANKER 1 - Active PBS facility, i.e. total capacity 1,100 gallons, regardless if Subpart 360 3000 UNDERGROUND 001 LEADED GASOLINE NONE	Telephone: Owner Mark: of the PBS tanks is)-14 tanks exist or n Install Date: Tank Type: Pipe Internal:	Not reported (718) 387-2171 First Owner s greater than not at the facility. 08/85 Steel/carbon steel NONE	

FREMRO SERVICE INC (Continued)

Tank Error Status:

MAP FINDINGS

Database(s)

EDR ID Number EPA ID Number

U003066162

Pipe External: NONE/NONE Second Containment: Leak Detection: NONE/NONE Overfill Prot: None Dispenser: Suction 04/96 Next Test Date: 04/01 Date Tested: VPLT Test Method Date Closed. Not reported Updated: Deleted: Not reported True Dead Letter Faise Owner Screen: No data missing Fiscal amount for registration fee is correct FAMT 19960422 Total Capacity: Not reported Renewal Date: Tank Screen No data missing Federal ID Not reported Renwal has not been printed Facility Screen: No data missing Renew Flag Certification Flag False Certification Date 19960620 Old PBS Number: Not reported Expiration Date: 19010415 Not reported Inspected Date. Not reported Inspector Inspection Result: Not reported Lat/long. Not reported RETAIL GASOLINE SALES Facility Type. **PBS Number** 2-001538 **CBS** Number Not reported SPDES Number Not reported SWIS ID: 6101 Telephone (718) 387-2171 Operator HOWARD FREMDO HOWARD FREMDO, (516) 221-3481 Emergency Contact: Total Tanks: 4 Owner: FREMRO SERVICE INC 433 UNION AVENUE BROOKLYN, NY 11211 (718) 387-2171 Owner Type: Private Resident Owner Mark: First Owner Owner Subtype: Not reported Mailing Address: FREMRO SERVICE INC 433 UNION AVENUE BROOKLYN, NY 11211 (718) 387-2171 ATTN: BARRY SHANKER Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1.100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility. Capacity (gals): 3000 Tank Location: UNDERGROUND Tank ID: 002 Install Date: 08/85 Product Stored: UNLEADED GASOLINE Tank Type: Steel/carbon steel NONE Tank Internal: Pipe Internal: NONE Pipe Location: None Pipe Type: GALVANIZED STEEL Tank External: NONE/OTHER Tank Status: In Service Tank Error Status: No Missing Data NONE/NONE Pipe External: Second Containment: NONE/NONE Leak Detection: NONE/NONE Suction Overfill Prot: None Dispenser 04/96 04/01 Date Tested: Next Test Date: Date Closed: Not reported Test Method: VPLT Deleted: Not reported Updated: True Dead Letter: False Owner Screen: No data missing FAMT: Fiscal amount for registration fee is correct

No Missing Data

NONE/NONE

Facility Type:

MAP FINDINGS

EDR ID Number

U003066162

Database(s)

FREMRO SERVICE INC (Continued) Total Capacity: Not reported Renewal Date: 19960422 Federal ID: Tank Screen: No data missing Not reported Renew Flag: Renwal has not been printed Facility Screen: No data missing Certification Flag: False Certification Date 19960620 Old PBS Number Not reported Expiration Date: 19010415 Inspected Date: Not reported Inspector: Not reported Inspection Result: Not reported Lat/long Not reported Facility Type. RETAIL GASOLINE SALES PBS Number 2-001538 **CBS** Number Not reported SPDES Number Not reported SWIS ID: 6101 Telephone: (718) 387-2171 Operator HOWARD FREMDO **Emergency Contact:** HOWARD FREMDO, (516) 221-3481 Total Tanks: Owner FREMRO SERVICE INC 433 UNION AVENUE BROOKLYN, NY 11211 (718) 387-2171 Owner Type: Private Resident Owner Mark: First Owner Owner Subtype. Not reported FREMRO SERVICE INC Mailing Address: 433 UNION AVENUE BROOKLYN, NY 11211 (718) 387-2171 ATTN: BARRY SHANKER 1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than Facility Status: 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility. Capacity (gals): 3000 Tank Location: UNDERGROUND Tank ID 003 Install Date: 08/85 UNLEADED GASOLINE Product Stored: Tank Type: Steel/carbon steel Tank Internal: NONE Pipe Internal: NONE GALVANIZED STEEL Pipe Location: None Pipe Type: Tank External: NONE/NONE Tank Status: In Service Tank Error Status: No Missing Data NONE/NONE Pipe External: Second Containment: NONE/NONE NONE/NONE Leak Detection: Overfill Prot: Suction None Dispenser: Date Tested: 04/96 Next Test Date: 04/01 Date Closed: Not reported Test Method: VPLT Deleted: Not reported Updated: True Dead Letter: False Owner Screen: No data missing FAMT: Fiscal amount for registration fee is correct Total Capacity: Renewal Date: 19960422 Not reported Tank Screen: No data missing Federal ID: Not reported Renew Flag: Renwal has not been printed Facility Screen: No data missing Certification Date: 19960620 Certification Flag: False Expiration Date: 19010415 Old PBS Number: Not reported Inspector: Inspected Date: Not reported Not reported Inspection Result: Not reported Lat/long: Not reported

RETAIL GASOLINE SALES

MAP FINDINGS

EDR ID Number Database(s) EPA ID Number

FREMRO SERVICE INC (Continued)

U003066162

PBS Number	2-001538	CBS Number	Not reported
SPDES Number	Not reported	T - 1 - 1	(740) 007 0474
SWIS ID:	6101	Telephone:	(718) 387-2171
Operator	HOWARD FREMDO		
Emergency Contact:	HOWARD FREMDO (516) 221-3481		
Total Tanks:			
Owner:	FREMRO SERVICE INC		
	433 UNION AVENUE		
	BROOKLYN, NY 11211		
~ -	(718) 387-2171		5
Owner Type	Private Resident	Owner Mark	First Owner
Owner Subtype:	Not reported		
Mailing Address:	FREMRO SERVICE INC		
	433 UNION AVENUE		
	BROOKLYN, NY 11211		
	(718) 387-2171		
	ATTN: BARRY SHANKER		
Facility Status:	1 - Active PBS facility, i.e. total capacity		
• • • • • • •	1,100 gallons. regardless if Subpart 360	-14 tanks exist or n	ot at the facility
Capacity (gals):	550		
Tank Location:	UNDERGROUND		0.4/50
Tank ID	004	Install Date:	04/59
Product Stored:	OTHER	Tank Type:	Steel/carbon steel
Tank Internal:	NONE	Pipe Internal:	NONE
Pipe Location:	None	Pipe Type:	STEEL/IRON
Tank External:	NONE/OTHER		
Tank Status:	In Service		
Tank Error Status:	No Missing Data		
Pipe External:	NONE/NONE		
Second Containment:	NONE/NONE		
Leak Detection:	NONE/NONE		_
Overfill Prot:	None	Dispenser [.]	Submersible
Date Tested:	Not reported	Next Test Date:	N.T.R
Date Closed:	Not reported	Test Method:	Not reported
Deleted:	Not reported	Updated:	True
Dead Letter	False	Owner Screen:	No data missing
FAMT:	Fiscal amount for registration fee is corre		
Total Capacity:	Not reported	Renewal Date:	19960422
Tank Screen:	No data missing	Federal ID:	Not reported
Renew Flag:	Renwal has not been printed	Facility Screen:	No data missing
Certification Flag:	False	Certification Date	
Old PBS Number:	Not reported	Expiration Date:	
Inspected Date:	Not reported	Inspector:	Not reported
Inspection Result:	Not reported		
Lat/long:	Not reported		
Facility Type:	RETAIL GASOLINE SALES		

- 13 PURITAN LIGHTING FIXTURE CO
- NW 255 N 7TH ST < 1/8 BROOKLYN, NY 11211
- 605 Higher

FINDS 1000264355 RCRIS-LQG NYD063866545

Map ID MAP FINDINGS
Direction
Distance
Distance (ft.)
Elevation Site Database(s)
PURITAN LIGHTING FIXTURE CO (Continued)
1000264355

PURITAN LIGHTING	a FIXTURE CO (Continued)		1000264355
RCRIS: Owner	Not reported		
Contact:	NILDO FORTUNATO (718) 387-7511		
Record Date:	03/21/1985		
Classification	Large Quantity Generator		
Used Oil Recy	c: No		
Violation Statu	s' No violations found		
LEINOFF S F A INC 475 KEAP ST BROOKLYN. NY 1		RCRIS-SQG FINDS	1000318078 NYD982717548
RCRIS:			
Owner [.]	ARTHUR LEINOFF ANDREAS PFANNER (212) 555-1212		
Contact:	JOHN EVARTS (718) 388-4042		
Record Date:	11/17/1988		
Classification:	Small Quantity Generator		
Used Oil Recy	c: No		
Violation Statu	s: No violations found		
NY MANIFES Additional deta	r iil is available in NY MANIFEST Please contact your EDR Account	Executive for more inf	ormation.

D15	TOWNE HOUSE RESTORATIONS	RCRIS-SQG	1000554721
SSE	475 KEAP ST - REAR ENTRANCE	FINDS	NYD986971943
< 1/8	BROOKLYN, NY 11211		
621			

621 Higher

> RCRIS: Owner: ALLEN BARR (212) 555-1212 Contact: ALLEN BARR (718) 599-4520 Record Date: 06/26/1991 Classification: Small Quantity Generator

Map ID Direction Distance			GS		
Distance (ft Elevation	.) Site			Database(s)	EDR ID Numb
	TOWNE HOUSE RESTOR	ATIONS (Continued)			1000554721
	Used Oil Recyc: No				
	Violation Status: No v	violations found			
16 SSE 1/8-1/4 749 Higher	RIVER CREEK REALTY. I 417 UNION AVE BROOKLYN. NY 11211	NC. BUILDING		UST	U003127206 N/A
ingrici	PBS UST				
	PBS Number	2-602781	CBS Number	Not reported	
	SPDES Number	Not reported			
	SWIS ID	6101 ARTHUR LEINOFF/ANDREAS PF	Telephone:	(718, 388-4042	
	Operator: Emergency Contact:	ARTHUR LEINOFF/ANDREAS P		2	
	Total Tanks:	1			
	Owner	RIVER CREEK REALTY, INC. 117 UNION AVENUE BROOKLYN, NY 11211 (718) 388-4042			
	Owner Type:	Corporate/Commercial	Owner Mark:	Second Owner	
	Owner Subtype: Mailing Address:	Not reported RIVER CREEK REALTY, INC. 417 UNION AVENUE BROOKLYN, NY 11211 (718) 388-4042 ATTN: A.LEINOFF/A. PFANNER			
	Facility Status:	1 - Active PBS facility, i.e. total cap 1,100 gallons, regardless if Subpa			
	Capacity (gals):	3000			
	Tank Location: Tank ID:	UNDERGROUND 001	Install Date:	10/54	
	Product Stored:	NOS 1,2, OR 4 FUEL OIL	Tank Type:	Steel/carbon steel	
	Tank Internal:	NONE	Pipe Internal:	NONE	
	Pipe Location:		Pipe Type:	STEEL/IRON	
	Tank External: Tank Status:	PAINTED/ASPHALT COATING In Service			
	Tank Error Status:	No Missing Data			
	Pipe External:	NONE			
	Second Containment:	NONE			
	Leak Detection: Overfill Prot:	NONE None	Dispenser:	Suction	
	Date Tested:	08/96	Next Test Date:	08/01	
	Date Closed:	Not reported	Test Method:	HORNER	
	Deleted:	Not reported	Updated:	True	
	Dead Letter: FAMT:	False Fiscal amount for registration fee is	Owner Screen:	No data missing	
	Total Capacity:	Not reported	Renewal Date:	Not reported	
	Tank Screen:	No data missing	Federal ID:	Not reported	
	Renew Flag:	Renwal has not been printed	Facility Screen:	No data missing	
	Certification Flag:	False Not reported	Certification Date		
	Old PBS Number: Inspected Date:	Not reported Not reported	Expiration Date: Inspector	19011122 Not reported	
	Inspection Result:	Not reported	mapeciul	norreported	
	Lat/long:	Not reported			
	Facility Type:	OTHER			

Map ID MAP FINDINGS Direction Distance EDR ID Number Distance (ft.) Elevation Site EPA ID Number Database(s) 17 **BEACH-RUSS CO** RCRIS-SQG 1001079740 544 UNION AVE FINDS NYR000014472 NNE BROOKLYN. NY 11211 1/8-1/4 788 Higher RCRIS: **BEACH-PUSS CO** Owner[.] (718) 388-4090 CHARLES BEACH Contact: (718) 388-4090 Record Date 10/05/1995 Classification: Small Quantity Generator **BIENNIAL REPORTS** Last Biennial Reporting Year: 1995 <u>Waste</u> Quantity (Lbs) F002 3000 10 Used Oil Recyc. No Violation Status. No violations found NY MANIFEST Additional detail is available in NY MANIFEST. Please contact your EDR Account Executive for more information **GREENE LIGHTING FIXTURES INC** RCRIS-SQG 1000872878 18 **40 WITHERS ST** NNE FINDS NYD987040979 1/8-1/4 BROOKLYN, NY 11211 828 Higher RCRIS: HAROLD GREENE Owner: (212) 388-6800 HAROLD GREENE Contact: (718) 388-6800 Record Date: 09/15/1993 Classification: Small Quantity Generator Used Oil Recvc: No Violation Status: No violations found S100494817 402 METROPOLITAN AVE. LUST E19 **402 METROPOLITAN AVE** N/A wsw BROOKLYN, NY 1/8-1/4 850 Higher LUST: Region of Spill: 2 Spill Number: 9213355 Facility Contact: Not reported Facility Tele: Not reported O'DOWD SWIS: investigator: 61 Caller Name: CHRISTINA NALBONE Caller Agency: VIC CONSTRUCTION Caller Phone. (718) 497-3191 Caller Extension: Not reported Notifier Name: Not reported Notifier Agency: Not reported Notifier Phone: Not reported Notifier Extension: Not reported

Direction					
Distance Distance (fl Elevation	Site			Database(s)	EDR ID Num EPA ID Num
	402 METROPOLITAN A	AVE. (Continued)			S100494817
	Spiller	Not reported UNKNOWN OWNER-LANDLORD	Spiller Phone:	(718) 961-8880	
	Spill Class:	Not reported Known release with minimal poter Willing Responsible Party Correct		Response.	
	- 1	05/04/1995 Tank Test Failure	Pocouroo Atfostod	Onland	
		Not reported	Resource Affected Spill Source:	Gas Station	
		Tank Tester	PBS Number	Not reported	
		03/02/1993 20:00			
	Cleanup Ceased:				
	•	Not reported			
	Cleanup Meets Sta	•			
	Recommended Pe				
	Spiller Cleanup Da				
	Enforcement Date:	: Not reported			
	Investigation Comp	plete: Not reported			
	UST Involvement	True			
		Jpdate 05/04/1995			
	Is Updated.	False			
	Corrective Action F		eported		
		In Computer Data File: 03/10			
		Summary to Central Office: Not re	-	4	
	DEC Remarks:				
			nation about material spilled	nom m	
		e translation of the old spill file: NC	D LEAD.		
			D LEAD.		
WSW 1/8-1/4 850		e translation of the old spill file: NC TO EXCAVATE & INVEST & POS LES INC.	D LEAD.		U000405477 N/A
E20 WSW 1/8-1/4 850 Higher	Spill Cause: ALSEAL ISED CAR SA 402 METROPOLITAN A	e translation of the old spill file: NC TO EXCAVATE & INVEST & POS LES INC.	D LEAD.	_ # 9212269.	
WSW 1/8-1/4 850	Spill Cause: ALSEAL ISED CAR SA 402 METROPOLITAN A BROOKLYN, NY 11211 PBS UST ⁻ PBS Number ⁻ SPDES Number:	e translation of the old spill file: NC TO EXCAVATE & INVEST & POS LES INC. AVE 1 2-402850 Not reported	D LEAD. SSIBLY REPAIR SEE SPILL	. ≠ 9212269. UST	
WSW 1/8-1/4 850	Spill Cause: ALSEAL ISED CAR SA 402 METROPOLITAN A BROOKLYN, NY 11211 PBS UST ⁻ PBS Number ⁻ SPDES Number: SWIS ID:	e translation of the old spill file: NC TO EXCAVATE & INVEST & POS LES INC. AVE 1 2-402850 Not reported 6101	D LEAD. SSIBLY REPAIR SEE SPILL	- ≠ 9212269. UST	
WSW 1/8-1/4 850	Spill Cause: ALSEAL ISED CAR SA 402 METROPOLITAN A BROOKLYN, NY 11211 PBS UST ⁻ PBS Number ⁻ SPDES Number: SWIS ID: Operator	e translation of the old spill file: NC TO EXCAVATE & INVEST & POS LES INC. AVE 1 2-402850 Not reported 6101 ALSEAL USED CAR	D LEAD. SSIBLY REPAIR SEE SPILL CBS Number Telephone:	. ≠ 9212269. UST	
WSW 1/8-1/4 850	Spill Cause: ALSEAL ISED CAR SA 402 METROPOLITAN A BROOKLYN, NY 11211 PBS UST ⁻ PBS Number ⁻ SPDES Number: SWIS ID: Operator ⁻ Emergency Contact	e translation of the old spill file: NC TO EXCAVATE & INVEST & POS LES INC. AVE 1 2-402850 Not reported 6101 ALSEAL USED CAR : JOSEPH MACCHIA, JR, (71	D LEAD. SSIBLY REPAIR SEE SPILL CBS Number Telephone:	. ≠ 9212269. UST	
WSW 1/8-1/4 850	Spill Cause: ALSEAL ISED CAR SA 402 METROPOLITAN A BROOKLYN, NY 11211 PBS UST ⁻ PBS Number ⁻ SPDES Number ⁻ SWIS ID: Operator ⁻ Emergency Contact Total Tanks:	e translation of the old spill file: NC TO EXCAVATE & INVEST & POS LES INC. AVE 1 2-402850 Not reported 6101 ALSEAL USED CAR : JOSEPH MACCHIA, JR, (71 15	D LEAD. SSIBLY REPAIR SEE SPILL CBS Number Telephone:	. ≠ 9212269. UST	
WSW 1/8-1/4 850	Spill Cause: ALSEAL ISED CAR SA 402 METROPOLITAN A BROOKLYN, NY 11211 PBS UST ⁻ PBS Number ⁻ SPDES Number: SWIS ID: Operator ⁻ Emergency Contact	e translation of the old spill file: NC TO EXCAVATE & INVEST & POS LES INC. AVE 1 2-402850 Not reported 6101 ALSEAL USED CAR : JOSEPH MACCHIA, JR, (71 15 JOSEPH M. MATTONE	D LEAD. SSIBLY REPAIR SEE SPILL CBS Number Telephone:	. ≠ 9212269. UST	
WSW 1/8-1/4 850	Spill Cause: ALSEAL ISED CAR SA 402 METROPOLITAN A BROOKLYN, NY 11211 PBS UST ⁻ PBS Number ⁻ SPDES Number ⁻ SWIS ID: Operator ⁻ Emergency Contact Total Tanks:	e translation of the old spill file: NC TO EXCAVATE & INVEST & POS LES INC. AVE 1 ALSEAL USED CAR JOSEPH MACCHIA, JR, (71 15 JOSEPH M. MATTONE 159-17 NORTHERN BLVD.	D LEAD. SSIBLY REPAIR SEE SPILL CBS Number Telephone:	. ≠ 9212269. UST	
WSW 1/8-1/4 850	Spill Cause: ALSEAL ISED CAR SA 402 METROPOLITAN A BROOKLYN, NY 11211 PBS UST ⁻ PBS Number ⁻ SPDES Number ⁻ SWIS ID: Operator ⁻ Emergency Contact Total Tanks:	e translation of the old spill file: NC TO EXCAVATE & INVEST & POS LES INC. AVE 1 ALSEAL USED CAR JOSEPH MACCHIA, JR, (71 15 JOSEPH M. MATTONE 159-17 NORTHERN BLVD. FLUSHING, NY 11358	D LEAD. SSIBLY REPAIR SEE SPILL CBS Number Telephone:	. ≠ 9212269. UST	
WSW 1/8-1/4 850	Spill Cause: ALSEAL ISED CAR SA 402 METROPOLITAN A BROOKLYN, NY 11211 PBS UST: PBS Number: SPDES Number: SWIS ID: Operator: Emergency Contact Total Tanks: Owner:	e translation of the old spill file: NC TO EXCAVATE & INVEST & POS LES INC. AVE 1 ALSEAL USED CAR JOSEPH MACCHIA, JR, (71 15 JOSEPH M. MATTONE 159-17 NORTHERN BLVD. FLUSHING, NY 11358 (718) 961-8880	D LEAD. SSIBLY REPAIR SEE SPILL CBS Number Telephone:	. ≠ 9212269. UST	
WSW 1/8-1/4 850	Spill Cause: ALSEAL ISED CAR SA 402 METROPOLITAN A BROOKLYN, NY 11211 PBS UST: PBS Number: SPDES Number: SWIS ID: Operator: Emergency Contact Total Tanks: Owner: Owner Type:	e translation of the old spill file: NC TO EXCAVATE & INVEST & POS LES INC. AVE 1 ALSEAL USED CAR JOSEPH MACCHIA, JR, (71 15 JOSEPH M. MATTONE 159-17 NORTHERN BLVD. FLUSHING, NY 11358 (718) 961-8880 Not reported	D LEAD. SIBLY REPAIR SEE SPILL CBS Number Telephone: 8) 387-7700	L # 9212269. UST Not reported (718) 388-2424	
WSW 1/8-1/4 850	Spill Cause: ALSEAL ISED CAR SA 402 METROPOLITAN A BROOKLYN, NY 11211 PBS UST: PBS Number: SPDES Number: SWIS ID: Operator: Emergency Contact Total Tanks: Owner:	e translation of the old spill file: NC TO EXCAVATE & INVEST & POS LES INC. AVE 1 ALSEAL USED CAR JOSEPH MACCHIA, JR, (71 15 JOSEPH M. MATTONE 159-17 NORTHERN BLVD. FLUSHING, NY 11358 (718) 961-8880	D LEAD. SIBLY REPAIR SEE SPILL CBS Number Telephone: 8) 387-7700	L # 9212269. UST Not reported (718) 388-2424	
WSW 1/8-1/4 850	Spill Cause: ALSEAL ISED CAR SA 402 METROPOLITAN A BROOKLYN, NY 11211 PBS UST: PBS Number: SPDES Number: SWIS ID: Operator: Emergency Contact Total Tanks: Owner: Owner Type: Owner Subtype:	e translation of the old spill file: NC TO EXCAVATE & INVEST & POS LES INC. AVE 1 ALSEAL USED CAR JOSEPH MACCHIA, JR, (71 15 JOSEPH M. MATTONE 159-17 NORTHERN BLVD. FLUSHING, NY 11358 (718) 961-8880 Not reported Not reported	O LEAD. SSIBLY REPAIR SEE SPILL CBS Number Telephone: 8) 387-7700 Owner Mark:	L # 9212269. UST Not reported (718) 388-2424	
WSW 1/8-1/4 850	Spill Cause: ALSEAL ISED CAR SA 402 METROPOLITAN A BROOKLYN, NY 11211 PBS UST: PBS Number: SPDES Number: SWIS ID: Operator: Emergency Contact Total Tanks: Owner: Owner Type: Owner Subtype:	e translation of the old spill file: NC TO EXCAVATE & INVEST & POS LES INC. AVE 1 2-402850 Not reported 6101 ALSEAL USED CAR JOSEPH MACCHIA. JR, (71 15 JOSEPH M. MATTONE 159-17 NORTHERN BLVD. FLUSHING, NY 11358 (718) 961-8880 Not reported Not reported SAM ROSENTHAL	O LEAD. SSIBLY REPAIR SEE SPILL CBS Number Telephone: 8) 387-7700 Owner Mark:	L # 9212269. UST Not reported (718) 388-2424	
WSW 1/8-1/4 850	Spill Cause: ALSEAL ISED CAR SA 402 METROPOLITAN A BROOKLYN, NY 11211 PBS UST: PBS Number: SPDES Number: SWIS ID: Operator: Emergency Contact Total Tanks: Owner: Owner Type: Owner Subtype:	e translation of the old spill file: NC TO EXCAVATE & INVEST & POS LES INC. AVE 1 2-402850 Not reported 6101 ALSEAL USED CAR JOSEPH MACCHIA. JR, (71 15 JOSEPH M. MATTONE 159-17 NORTHERN BLVD. FLUSHING. NY 11358 (718) 961-8880 Not reported Not reported SAM ROSENTHAL 402 METROPOLITAN AVEN	O LEAD. SSIBLY REPAIR SEE SPILL CBS Number Telephone: 8) 387-7700 Owner Mark:	L # 9212269. UST Not reported (718) 388-2424	
WSW 1/8-1/4 850	Spill Cause: ALSEAL ISED CAR SA 402 METROPOLITAN A BROOKLYN, NY 11211 PBS UST: PBS Number: SPDES Number: SWIS ID: Operator: Emergency Contact Total Tanks: Owner: Owner Type: Owner Subtype:	e translation of the old spill file: NC TO EXCAVATE & INVEST & POS LES INC. AVE 1 2-402850 Not reported 6101 ALSEAL USED CAR JOSEPH MACCHIA. JR, (71 15 JOSEPH M. MATTONE 159-17 NORTHERN BLVD. FLUSHING, NY 11358 (718) 961-8880 Not reported Not reported SAM ROSENTHAL 402 METROPOLITAN AVEN BROOKLYN, NY 11211	O LEAD. SSIBLY REPAIR SEE SPILL CBS Number Telephone: 8) 387-7700 Owner Mark:	L # 9212269. UST Not reported (718) 388-2424	
WSW 1/8-1/4 850	Spill Cause: ALSEAL ISED CAR SA 402 METROPOLITAN A BROOKLYN, NY 11211 PBS UST: PBS Number: SPDES Number: SWIS ID: Operator: Emergency Contact Total Tanks: Owner: Owner Type: Owner Subtype:	e translation of the old spill file: NC TO EXCAVATE & INVEST & POS LES INC. AVE 1 2-402850 Not reported 6101 ALSEAL USED CAR JOSEPH MACCHIA. JR, (71 15 JOSEPH M. MATTONE 159-17 NORTHERN BLVD. FLUSHING, NY 11358 (718) 961-8880 Not reported Not reported Not reported SAM ROSENTHAL 402 METROPOLITAN AVEN BROOKLYN, NY 11211 (718) 388-2424	O LEAD. SSIBLY REPAIR SEE SPILL CBS Number Telephone: 8) 387-7700 Owner Mark:	L # 9212269. UST Not reported (718) 388-2424 Second Owner	
WSW 1/8-1/4 850	Spill Cause: ALSEAL ISED CAR SA 402 METROPOLITAN A BROOKLYN, NY 11211 PBS UST: PBS Number: SPDES Number: SWIS ID: Operator: Emergency Contact Total Tanks: Owner: Owner Type: Owner Type: Mailing Address:	e translation of the old spill file: NC TO EXCAVATE & INVEST & POS LES INC. AVE 1 2-402850 Not reported 6101 ALSEAL USED CAR JOSEPH MACCHIA, JR, (71 15 JOSEPH M. MATTONE 159-17 NORTHERN BLVD. FLUSHING, NY 11358 (718) 961-8880 Not reported Not reported SAM ROSENTHAL 402 METROPOLITAN AVEN BROOKLYN, NY 11211 (718) 388-2424 ATTN: SAM ROSENTHAL	CBS Number Telephone: 8) 387-7700 Owner Mark: IUE	L # 9212269. UST Not reported (718) 388-2424 Second Owner	
WSW 1/8-1/4 850	Spill Cause: ALSEAL ISED CAR SA 402 METROPOLITAN A BROOKLYN, NY 11211 PBS UST: PBS Number: SPDES Number: SWIS ID: Operator: Emergency Contact Total Tanks: Owner: Owner Type: Owner Type: Mailing Address:	e translation of the old spill file: NC TO EXCAVATE & INVEST & POS LES INC. AVE 1 2-402850 Not reported 6101 ALSEAL USED CAR JOSEPH MACCHIA, JR, (71 15 JOSEPH M. MATTONE 159-17 NORTHERN BLVD. FLUSHING, NY 11358 (718) 961-8880 Not reported Not reported SAM ROSENTHAL 402 METROPOLITAN AVEN BROOKLYN, NY 11211 (718) 388-2424 ATTN: SAM ROSENTHAL 1 - Active PBS facility, i.e. tot	CBS Number Telephone: 8) 387-7700 Owner Mark: IUE	L # 9212269. UST Not reported (718) 388-2424 Second Owner	
WSW 1/8-1/4 850	Spill Cause: ALSEAL ISED CAR SA 402 METROPOLITAN A BROOKLYN, NY 11211 PBS UST: PBS Number: SPDES Number: SWIS ID: Operator: Emergency Contact Total Tanks: Owner: Owner Type: Owner Type: Owner Subtype: Mailing Address: Facility Status:	e translation of the old spill file: NC TO EXCAVATE & INVEST & POS LES INC. AVE 1 2-402850 Not reported 6101 ALSEAL USED CAR JOSEPH MACCHIA, JR, (71 15 JOSEPH M. MATTONE 159-17 NORTHERN BLVD. FLUSHING, NY 11358 (718) 961-8880 Not reported Not reported Not reported SAM ROSENTHAL 402 METROPOLITAN AVEN BROOKLYN, NY 11211 (718) 388-2424 ATTN: SAM ROSENTHAL 1 - Active PBS facility, i.e. tot 1,100 gallons. regardless if S	CBS Number Telephone: 8) 387-7700 Owner Mark: IUE	L # 9212269. UST Not reported (718) 388-2424 Second Owner	
WSW 1/8-1/4 850	Spill Cause: ALSEAL ISED CAR SA 402 METROPOLITAN A BROOKLYN, NY 11211 PBS UST: PBS Number: SPDES Number: SWIS ID: Operator: Emergency Contact Total Tanks: Owner: Owner Type: Owner Type: Owner Subtype: Mailing Address: Facility Status: Capacity (gals):	e translation of the old spill file: NC TO EXCAVATE & INVEST & POS LES INC. AVE 1 2-402850 Not reported 6101 ALSEAL USED CAR JOSEPH MACCHIA, JR, (71 15 JOSEPH M. MATTONE 159-17 NORTHERN BLVD. FLUSHING, NY 11358 (718) 961-8880 Not reported Not reported SAM ROSENTHAL 402 METROPOLITAN AVEN BROOKLYN, NY 11211 (718) 388-2424 ATTN: SAM ROSENTHAL 1 - Active PBS facility, i.e. tot 1,100 gallons. regardless if S 4000	CBS Number Telephone: 8) 387-7700 Owner Mark: IUE	L # 9212269. UST Not reported (718) 388-2424 Second Owner	
WSW 1/8-1/4 850	ALSEAL ISED CAR SA 402 METROPOLITAN A BROOKLYN, NY 11211 PBS UST: PBS Number: SPDES Number: SWIS ID: Operator: Emergency Contact Total Tanks: Owner: Owner Type: Owner Type: Owner Subtype: Mailing Address: Facility Status: Capacity (gals): Tank Location:	e translation of the old spill file: NC TO EXCAVATE & INVEST & POS LES INC. AVE 1 2-402850 Not reported 6101 ALSEAL USED CAR JOSEPH MACCHIA, JR, (71 15 JOSEPH M. MATTONE 159-17 NORTHERN BLVD. FLUSHING, NY 11358 (718) 961-8880 Not reported Not reported Not reported SAM ROSENTHAL 402 METROPOLITAN AVEN BROOKLYN, NY 11211 (718) 388-2424 ATTN: SAM ROSENTHAL 1 - Active PBS facility, i.e. tot 1,100 gallons. regardless if S 4000 UNDERGROUND	CBS Number Telephone: 8) 387-7700 Owner Mark: IUE tal capacity of the PBS tanks Subpart 360-14 tanks exist o	L # 9212269. UST Not reported (718) 388-2424 Second Owner s is greater than or not at the facility.	
WSW 1/8-1/4 850	ALSEAL ISED CAR SA 402 METROPOLITAN A BROOKLYN, NY 11211 PBS UST: PBS Number: SPDES Number: SWIS ID: Operator: Emergency Contact Total Tanks: Owner: Owner Type: Owner Subtype: Mailing Address: Facility Status: Capacity (gals): Tank Location: Tank ID:	e translation of the old spill file: NC TO EXCAVATE & INVEST & POS LES INC. AVE 1 2-402850 Not reported 6101 ALSEAL USED CAR JOSEPH MACCHIA, JR, (71 15 JOSEPH M. MATTONE 159-17 NORTHERN BLVD. FLUSHING, NY 11358 (718) 961-8880 Not reported Not reported Not reported SAM ROSENTHAL 402 METROPOLITAN AVEN BROOKLYN, NY 11211 (718) 388-2424 ATTN: SAM ROSENTHAL 1 - Active PBS facility, i.e. tot 1,100 gallons, regardless if S 4000 UNDERGROUND 001	CBS Number Telephone: 8) 387-7700 Owner Mark: IUE tal capacity of the PBS tanks Subpart 360-14 tanks exist o Instail Date:	L # 9212269. UST Not reported (718) 388-2424 Second Owner Second Owner	

 Γ

MAP FINDINGS

Map ID Direction Distance Distance (ft.) Elevation Site

Database(s) EPA ID

EDR ID Number EPA ID Number

Tank External:	Not reported			
Tank Status:	In Service			
Tank Error Status:	Minor Data Missing			
Pipe External:	Not reported			
Second Containment:	NONE			
Leak Detection:	NONE			
Overfill Prot:	Not reported	Dispenser:	Suction	
Date Tested	03/93	Next Test Date:	03/98	
Date Closed:	Not reported	Test Method.	HORNER	
Deleted.	Not reported	Updated:	True	
Dead Letter	False	Owner Screen:	Minor data missing	
FAMT	Fiscal amount for registration fee is col			
Total Capacity:	Not reported	Renewal Date	19980901	
Tank Screen:	Minor data missing	Federal ID:	Not reported	
Renew Flag:	Renwal has been printed	Facility Screen:	-	
Certification Flag:	False	Certification Date		
Old PBS Number	Not reported	Expiration Date.		
Inspected Date.	Not reported	Inspector	Not reported	
Inspection Result.	Not reported			
Lat/long:	Not reported			
Facility Type:	OTHER RETAIL SALES			
PBS Number	2-402850	CBS Number	Not reported	
SPDES Number	Not reported			
SWIS ID:	6101	Telephone:	(718) 388-2424	
Operator [.]	ALSEAL USED CAR			
Emergency Contact: Total Tanks:	JOSEPH MACCHIA. JR, (718) 387-77 15	00		
Owner:	JOSEPH M. MATTONE			
	159-17 NORTHERN BLVD.			
	FLUSHING, NY 11358			
	(718) 961-8880			
Owner Type:	Not reported	Owner Mark:	Second Owner	
Owner Subtype:	Not reported			
Mailing Address:	SAM ROSENTHAL			
	402 METROPOLITAN AVENUE			
	BROOKLYN, NY 11211			
	(718) 388-2424			
	ATTN: SAM ROSENTHAL			
Facility Status:	1 - Active PBS facility, i.e. total capacit	•	-	
•	1,100 gallons, regardless if Subpart 36	0-14 tanks exist or n	ot at the facility.	
Capacity (gals):	550			
Tank Location:		In at-II Date:	05/69	
Tank ID:		Install Date:	05/68	
Product Stored:		Tank Type:	Steel/carbon steel	
Tank Internal:	Not reported	Pipe Internal:	Not reported	
Pipe Location:	Not reported	Pipe Type:	STEEL/IRON	
Tank External:	Not reported			
Tank Status:	In Service			
Tank Error Status:	Minor Data Missing			
Pipe External:	Not reported			
Second Containment:	NONE			
Leak Detection:	NONE	Disco	0	
Overfill Prot:	Not reported	Dispenser Novit To a Data		
Date Tested:	04/93	Next Test Date:	N.T.R	
Date Closed:	Not reported	Test Method:	HORNER	
Deleted:	Not reported	Updated:	True	

A COMPANY

Ą

Dead Letter:

Total Capacity:

Certification Flag:

Old PBS Number:

Inspection Result:

Inspected Date:

Lat/long:

SWIS ID:

Operator:

Owner

Total Tanks:

Owner Type:

Owner Subtype:

Mailing Address:

Facility Status:

Tank Location:

Tank Internal:

Pipe Location:

Tank External: Tank Status:

Pipe External:

Overfill Prot:

Date Tested:

Date Closed:

Dead Letter:

Total Capacity:

Inspection Result:

Not reported

Not reported

Tank Screen:

Renew Flag:

Lat/long:

Deleted:

FAMT:

Tank ID:

Facility Type:

PBS Number

SPDES Number

Emergency Contact:

Tank Screen.

Renew Flag.

FAMT

MAP FINDINGS

EDR ID Number Database(s) EPA ID Number

ALSEAL ISED CAR SALES INC. (Continued) False Owner Screen: Minor data missing Fiscal amount for registration fee is correct Renewal Date: 19980901 Not reported Federal ID. Minor data missing Not reported Renwal has been printed Facility Screen: No data missing False Certification Date: 19951227 Expiration Date: 19981115 Not reported Inspector: Not reported Not reported Not reported Not reported OTHER RETAIL SALES 2-402850 CBS Number Not reported Not reported 6101 Telephone: (718) 388-2424 ALSEAL USED CAR JOSEPH MACCHIA, JR. (718) 387-7700 15 JOSEPH M. MATTONE 159-17 NORTHERN BLVD. FLUSHING, NY 11358 (718) 961-8880 Not reported Owner Mark: Second Owner Not reported SAM ROSENTHAL 402 METROPOLITAN AVENUE BROOKLYN, NY 11211 (718) 388-2424 ATTN: SAM ROSENTHAL 1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.

Capacity (gals): 550 UNDERGROUND 003 Install Date: 05/68 Product Stored: UNLEADED GASOLINE Tank Type: Steel/carbon steel Not reported Pipe Internal: Not reported Not reported Pipe Type: STEEL/IRON Not reported In Service Minor Data Missing Tank Error Status: Not reported NONE Second Containment: NONE Leak Detection: Not reported Dispenser: Suction 04/93 Next Test Date: N.T.R Not reported HORNER Test Method: Not reported Updated: True False Owner Screen: Minor data missing Fiscal amount for registration fee is correct 19980901 Not reported Renewal Date: Minor data missing Federal ID: Not reported Renwal has been printed Facility Screen: No data missing Certification Flag: False Certification Date: 19951227 Old PBS Number: Not reported Expiration Date: 19981115 Inspected Date: Not reported inspector: Not reported

U000405477

Map ID Direction		MAP FINDINGS		
Distance				
Distance (f Elevation) Site		Database(s)	EDR ID Number EPA ID Number
	ALSEAL ISED CAR SALES	INC. (Continued)	<u> </u>	U000405477

CALIFE OAN OALEO	nie. (continued)			00
Facility Type:	OTHER RETAIL SALES			
PBS Number	2-402850	CBS Number	Not reported	
SPDES Number	Not reported	Telestere	(710) 000 0404	
SWIS ID:	6101	Telephone	(718) 388-2424	
Operator	ALSEAL USED CAR			
Emergency Contact	JOSEPH MACCHIA, JR. (718) 387-7700			
Total Tanks:	15			
Owner [.]	JOSEPH M. MATTONE			
	159-17 NORTHERN BLVD.			
	FLUSHING NY 11358			
	(718) 961-8880	Owner Marks	Coord Owner	
Owner Type:	Not reported	Owner Mark	Second Owner	
Owner Subtype:				
Mailing Address:	SAM ROSENTHAL			
	402 METROPOLITAN AVENUE			
	BROOKLYN, NY 11211 (718) 388-2424			
	ATTN. SAM ROSENTHAL			
Facility Status		the DPC tooke is	areator than	
r acinty Status	 Active PBS facility: i.e. total capacity o 1.100 gallons, regardless if Subpart 360-1 			
Capacity (gals):	550	4 tanks exist of hit	of at the facility.	
Tank Location	UNDERGROUND			
Tank ID:	004	Install Date:	05/68	
Product Stored:	UNLEADED GASOLINE	Tank Type:	Steel/carbon steel	
Tank Internal:	Not reported	Pipe Internal:	Not reported	
Pipe Location:	Not reported	Pipe Type:	STEEL/IRON	
Tank External:	Not reported		•,	
Tank Status:	In Service			
Tank Error Status:	Minor Data Missing			
Pipe External:	Not reported			
Second Containment:	NONE			
Leak Detection:	NONE			
Overfill Prot:	Not reported	Dispenser:	Suction	
Date Tested:	04/93	Next Test Date:	N.T.R	
Date Closed:	Not reported	Test Method:	HORNER	
Deleted:	Not reported	Updated:	True	
Dead Letter	False	Owner Screen:	Minor data missing	
FAMT	Fiscal amount for registration fee is correc			
Total Capacity:	Not reported	Renewal Date:	19980901	
Tank Screen:	Minor data missing	Federal ID:	Not reported	
Renew Flag:	Renwal has been printed	Facility Screen:	No data missing	
Certification Flag: Old PBS Number:	False	Certification Date		
Inspected Date:	Not reported	Expiration Date:	19981115 Not reported	
Inspection Result:	Not reported Not reported	Inspector:	Not reported	
Lat/long:	•			
Facility Type:	Not reported OTHER RETAIL SALES			
racinty rype.	OTHER RETAIL SALES			
PBS Number:	2-402850	CBS Number:	Not reported	
SPDES Number:	Not reported			
SWIS ID:	6101	Telephone:	(718) 388-2424	
Operator	ALSEAL USED CAR			
Emergency Contact:	JOSEPH MACCHIA, JR, (718) 387-7700			
Total Tanks:	15			
Owner:	JOSEPH M. MATTONE			
	159-17 NORTHERN BLVD.			

Map ID	MAP FINDINGS		
Direction	ų		
Distance			
Distance (ft.)			EDR ID Numbe
Elevation Site		Database(s)	EPA ID Number

	FLUSHING, NY 11358			
	(718) 961-8880			
Owner Type:	Not reported	Owner Mark:	Second Owner	
Owner Subtype:	Not reported			
Mailing Address:	SAM ROSENTHAL			
	402 METROPOLITAN AVENUE			
	BROOKLYN, NY 11211			
	(718) 388-2424			
	ATTN SAM ROSENTHAL			
Facility Status:	1 - Active PBS facility, i.e. total capacity of	of the PBS tanks is	greater than	
,	1.100 gallons, regardless if Subpart 360-			
Capacity (gals):	550		,	
Tank Location	UNDERGROUND			
Fank ID.	005	Install Date:	05/68	
Product Stored:	UNLEADED GASOLINE	Tank Type.	Steel/carbon steel	
Fank Internal:	Not reported	Pipe Internal:	Not reported	
Pipe Location:	Not reported	Pipe Type.	STEEL/IRON	
Fank External:	Not reported		,	
Fank Status:	In Service			
Fank Error Status.	Minor Data Missing			
Pipe External:	Not reported			
Second Containment:	NONE			
_eak Detection:	NONE			
Overfill Prot:	Not reported	Dispenser:	Suction	
Date Tested:	04/93	Next Test Date:	N.T.R	
Date Closed:	Not reported	Test Method:	HORNER	
Deleted:	Not reported	Updated:	True	
Dead Letter	False	Owner Screen:	Minor data missing	
FAMT:	Fiscal amount for registration fee is corre	ct	5	
Fotal Capacity:	Not reported	Renewal Date:	19980901	
Fank Screen:	Minor data missing	Federal ID:	Not reported	
Renew Flag:	Renwal has been printed	Facility Screen:	No data missing	
Certification Flag:	False	Certification Date	:19951227	
Old PBS Number:	Not reported	Expiration Date:	19981115	
nspected Date:	Not reported	Inspector:	Not reported	
nspection Result:	Not reported			
_at/long:	Not reported			
Facility Type:	OTHER RETAIL SALES			
	0.400050	000	N	
PBS Number	2-402850	CBS Number:	Not reported	
SPDES Number	Not reported	*		
SWIS ID:		Telephone:	(718) 388-2424	
Operator:	ALSEAL USED CAR			
Emergency Contact:	JOSEPH MACCHIA, JR, (718) 387-7700			
Fotal Tanks: Dwner:	15 JOSEPH M. MATTONE			
Jwner.				
	159-17 NORTHERN BLVD. FLUSHING, NY 11358			
	(718) 961-8880			
Owner Type:	Not reported	Owner Mark:	Second Owner	
Dwner Type: Dwner Subtype:		Owner Mark:	Second Owner	
Jwner Subtype: Mailing Address:	Not reported SAM ROSENTHAL			
Maining Address.	402 METROPOLITAN AVENUE			
	BROOKLYN. NY 11211 (718) 388-2424 ATTN: SAM ROSENTHAL			

 Map ID
 MAP FINDINGS

 Direction
 Distance

 Distance (ft.)
 EDR ID Number

 Elevation
 Site

 Database(s)
 EPA ID Number

ALSEAL ISED CAR SALES INC. (Continued) U000405477 Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1.100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility. Capacity (gals): 550 Tank Location UNDERGROUND Tank ID 006 Install Date: 05/68 Product Stored: UNLEADED GASOLINE Tank Type: Steel/carbon steel Tank Internal: Not reported Pipe Internal: Not reported Pipe Location: Not reported STEEL/IRON Pipe Type: Tank External: Not reported Tank Status: In Service Tank Error Status: Minor Data Missing Pipe External: Not reported Second Containment: NONE Leak Detection: NONE Overfill Prot: Not reported Dispenser: Suction Date Tested. 04/93 Next Test Date: N.T.R HORNER Date Closed Not reported Test Method: Deleted: Not reported Updated: True Dead Letter False Owner Screen: Minor data missing FAMT Fiscal amount for registration fee is correct Total Capacity: Not reported Renewal Date: 19980901 Tank Screen: Minor data missing Federal ID: Not reported Renew Flag: Renwal has been printed Facility Screen No data missing Certification Flag: Faise Certification Date: 19951227 Old PBS Number: Not reported Expiration Date: 19981115 Inspected Date: Not reported Inspector: Not reported Inspection Result: Not reported Lat/long: Not reported OTHER RETAIL SALES Facility Type: PBS Number 2-402850 CBS Number: Not reported SPDES Number: Not reported SWIS ID: 6101 Telephone: (718) 388-2424 ALSEAL USED CAR Operator: **Emergency Contact:** JOSEPH MACCHIA, JR. (718) 387-7700 Total Tanks: 15 JOSEPH M. MATTONE Owner: 159-17 NORTHERN BLVD. FLUSHING, NY 11358 (718) 961-8880 Owner Type: Not reported Owner Mark: Second Owner Owner Subtype: Not reported Mailing Address: SAM ROSENTHAL 402 METROPOLITAN AVENUE BROOKLYN, NY 11211 (718) 388-2424 ATTN: SAM ROSENTHAL Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility. Capacity (gals): 550 Tank Location: UNDERGROUND Tank ID: 007 Install Date: 05/68 Product Stored: UNLEADED GASOLINE Tank Type: Steel/carbon steel Tank Internal: Not reported Pipe Internal: Not reported Pipe Location: Not reported Pipe Type: STEEL/IRON Tank External: Not reported Tank Status: In Service

•

MAP FINDINGS

EDR ID Number Database(s)

EPA ID Number

ALSEAL ISED CAR SALES INC. (Continued) U000405477 Tank Error Status: Minor Data Missing Pipe External: Not reported Second Containment: NONE NONE Leak Detection: Overfill Prot: Not reported Dispenser: Suction Next Test Date: Date Tested 04/93 N.T.R HORNER Date Closed: Not reported Test Method: Not reported Updated True Deleted: Dead Letter False Owner Screen: Minor data missing FAMT Fiscal amount for registration fee is correct Total Capacity: Not reported Renewal Date: 19980901 Tank Screen: Minor data missing Federal ID: Not reported Renew Flag Renwal has been printed Facility Screen: No data missing Certification Flag Certification Date: 19951227 False Old PBS Number Not reported Expiration Date: 19981115 Not reported Inspected Date: Not reported Inspector Inspection Result. Not reported Lat/long Not reported Facility Type: OTHER RETAIL SALES PBS Number 2-402850 **CBS** Number Not reported SPDES Number Not reported SWIS ID 6101 Telephone (718) 388-2424 ALSEAL USED CAR Operator: **Emergency Contact:** JOSEPH MACCHIA, JR. (718) 387-7700 Total Tanks: 15 JOSEPH M. MATTONE Owner: 159-17 NORTHERN BLVD. FLUSHING, NY 11358 (718) 961-8880 Owner Type: Not reported Owner Mark: Second Owner Owner Subtype: Not reported Mailing Address: SAM ROSENTHAL 402 METROPOLITAN AVENUE BROOKLYN, NY 11211 (718) 388-2424 ATTN: SAM ROSENTHAL Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1.100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility. Capacity (gals): 550 UNDERGROUND Tank Location: Tank ID: 008 Install Date: 05/68 Product Stored: DIESEL Tank Type: Steel/carbon steel Tank Internal: Not reported Pipe Internal: Not reported Pipe Location: Not reported STEEL/IRON Pipe Type: Tank External: Not reported Tank Status: In Service Tank Error Status: Minor Data Missing Pipe External: Not reported NONE Second Containment: Leak Detection: NONE Overfill Prot: Not reported Dispenser: Suction 04/93 N.T.R Date Tested: Next Test Date: Date Closed: HORNER Not reported Test Method: Deleted: Not reported Updated: True Dead Letter: False Owner Screen: Minor data missing FAMT: Fiscal amount for registration fee is correct

 Map ID
 MAP FINDINGS

 Direction
 Distance

 Distance (ft.)
 EDR ID Number

 Elevation
 Site

 Database(s)
 EPA ID Number

ALSEAL ISED CAR SALES	SINC. (Continued)			U000405477
Total Capacity:	Not reported	Renewal Date	19980901	
Tank Screen:	Minor data missing	Federal ID:	Not reported	
Renew Flag:	Renwal has been printed	Facility Screen:	No data missing	
Certification Flag:	False	Certification Date	Ŷ	
Old PBS Number	Not reported	Expiration Date:		
Inspected Date:	Not reported	Inspector:	Not reported	
Inspection Result:	Not reported	inspector	Notreponeu	
Lat/long:	Not reported			
Facility Type	OTHER RETAIL SALES			
r donity r ype				
PBS Number	2-402850	CBS Number	Not reported	
SPDES Number	Not reported			
SWIS ID:	6101	Telephone:	(718) 388-2424	
Operator [.]	ALSEAL USED CAR			
Emergency Contact:	JOSEPH MACCHIA, JR. (718) 387-7700			
Total Tanks:	15			
Owner [.]	JOSEPH M MATTONE			
	159-17 NORTHERN BLVD			
	FLUSHING. NY 11358			
	(718) 961-8880			
Owner Type:	Not reported	Owner Mark.	Second Owner	
Owner Subtype:	Not reported			
Mailing Address:	SAM ROSENTHAL			
	402 METROPOLITAN AVENUE			
	BROOKLYN, NY 11211			
	(718) 388-2424			
	ATTN: SAM ROSENTHAL			
Facility Status:	1 - Active PBS facility, i.e. total capacity o			
	1.100 gallons. regardless if Subpart 360-	14 tanks exist or no	of at the facility.	
Capacity (gals):				
Tank Location:	UNDERGROUND 009	Install Data	05100	
Tank ID: Product Storodi	DIESEL	Install Date:	05/68 Steel/carbon steel	
Product Stored: Tank Internal:		Tank Type: Pipe Internal:		
Pipe Location:	Not reported	Pipe Type:	Not reported STEEL/IRON	
Tank External:	Not reported Not reported	Filte Type.	STELLINON	
Tank Status:	In Service			
Tank Error Status:	Minor Data Missing			
Pipe External:	Not reported			
Second Containment:	NONE			
Leak Detection:	NONE			
Overfill Prot:	Not reported	Dispenser:	Suction	
Date Tested:	04/93	Next Test Date	N.T.R	
Date Closed:	Not reported	Test Method:	HORNER	
Deleted:	Not reported	Updated:	True	
Dead Letter:	False	Owner Screen:	Minor data missing	
FAMT	Fiscal amount for registration fee is correl	ct		
Total Capacity:	Not reported	Renewal Date:	19980901	
Tank Screen:	Minor data missing	Federal ID:	Not reported	
Renew Flag:	Renwal has been printed	Facility Screen:	No data missing	
Certification Flag:	False	Certification Date	:19951227	
Old PBS Number:	Not reported	Expiration Date:	19981115	
Inspected Date:	Not reported	Inspector:	Not reported	
Inspection Result:	Not reported			
Lat/long:	Not reported			
Facility Type:	OTHER RETAIL SALES			
- • •				

Map ID Direction Distance Distance (ft.) Elevation Site MAP FINDINGS

EDR ID Number Database(s) EPA ID Number

ALSEAL ISED CAR SALES INC. (Continued)

U000405477

PBS Number	2-402850	CBS Number	Not reported
SPDES Number	Not reported		
SWIS ID:	6101	Telephone:	(718) 388-2424
Operator:	ALSEAL USED CAR		
Emergency Contact	JOSEPH MACCHIA, JR, (718) 387-7700		
Total Tanks:	15		
Owner:	JOSEPH M. MATTONE		
	159-17 NORTHERN BLVD.		
	FLUSHING, NY 11358		
	(718) 961-8880		
Owner Type:	Not reported	Owner Mark.	Second Owner
Owner Subtype.	Not reported		
Mailing Address:	SAM ROSENTHAL		
	402 METROPOLITAN AVENUE		
	BROOKLYN, NY 11211		
	(718) 388-2424		
E the Oter t	ATTN: SAM ROSENTHAL		
Facility Status.	1 - Active PBS facility, i.e. total capacity c		
Concerts (colo):	1.100 gallons, regardless if Subpart 360-	14 tanks exist or h	ot at the raciity
Capacity (gals): Tank Location.	550 UNDERGROUND		
Tank ID:	010	Install Date:	05/68
Product Stored:	DIESEL	Tank Type.	Steel/carbon steel
Tank Internal:	Not reported	Pipe Internal:	Not reported
Pipe Location:	Not reported	Pipe Type:	STEEL/IRON
Tank External:	Not reported		OTEEUNON
Tank Status:	In Service		
Tank Error Status:	Minor Data Missing		
Pipe External:	Not reported		
Second Containment:	NONE		
Leak Detection:	NONE		
Overfill Prot:	Not reported	Dispenser:	Suction
Date Tested:	04/93	Next Test Date:	N.T.R
Date Closed:	Not reported	Test Method:	HORNER
Deleted:	Not reported	Updated:	True
Dead Letter:	False	Owner Screen:	Minor data missing
FAMT:	Fiscal amount for registration fee is correct	ot	
Total Capacity:	Not reported	Renewal Date:	19980901
Tank Screen:	Minor data missing	Federal ID:	Not reported
Renew Flag:	Renwal has been printed	Facility Screen:	No data missing
Certification Flag:	False	Certification Date	
Old PBS Number	Not reported	Expiration Date:	19981115
Inspected Date:	Not reported	Inspector:	Not reported
Inspection Result:	Not reported		
Lat/long: Facility Type:	Not reported OTHER RETAIL SALES		
racinty rype.	OTHERNETALE SALES		
PBS Number:	2-402850	CBS Number:	Not reported
SPDES Number:	Not reported		nor opened
SWIS ID:	6101	Telephone:	(718) 388-2424
Operator:	ALSEAL USED CAR		· · · · · · · · · ·
Emergency Contact:	JOSEPH MACCHIA, JR, (718) 387-7700		
Total Tanks:	15		
Owner:	JOSEPH M. MATTONE		
	159-17 NORTHERN BLVD.		
	FLUSHING, NY 11358		

p ID ection		MAP FINDINGS			
tance stance (ft.) evation) Site			Database(s)	EDR ID Numbe EPA ID Numbe
	ALSEAL ISED CAR SALE	SINC. (Continued)			U000405477
	o –	(718) 961-8880			
	Owner Type:	Not reported	Owner Mark:	Second Owner	
	Owner Subtype:				
	Mailing Address:	SAM ROSENTHAL 402 METROPOLITAN AVENUE BROOKLYN. NY 11211 (718) 388-2424			
	Facility Status:	ATTN SAM ROSENTHAL 1 - Active PBS facility, i.e. total capacity o 1.100 gallons, regardless if Subpart 360-1			
	Capacity (gals):	550		,	
	Tank Location	UNDERGROUND			
	Tank ID:	011	Install Date:	05/68	
	Product Stored	DIESEL	Tank Type:	Steel/carbon steel	
	Tank Internal:	Not reported	Pipe Internal:	Not reported	
	Pipe Location:	Not reported	Pipe Type:	STEEL/IRON	
	Tank External:	Not reported			
	Tank Status:	In Service			
	Tank Error Status	Minor Data Missing			
	Pipe External:	Not reported			
	Second Containment. Leak Detection:	NONE NONE			
	Overfill Prot:	Not reported	Dispenser	Suction	
	Date Tested:	04/93	Next Test Date	N.T.R	
	Date Closed:	Not reported	Test Method:	HORNER	
	Deleted:	Not reported	Updated:	True	
	Dead Letter	False	Owner Screen:	Minor data missing	
	FAMT	Fiscal amount for registration fee is correct		innor data moong	
	Total Capacity:	Not reported	Renewal Date:	19980901	
	Tank Screen:	Minor data missing	Federal ID:	Not reported	
	Renew Flag:	Renwal has been printed	Facility Screen:	No data missing	
	Certification Flag:	False	Certification Date	:19951227	
	Old PBS Number	Not reported	Expiration Date	19981115	
	Inspected Date:	Not reported	Inspector:	Not reported	
	Inspection Result:	Not reported			
	Lat/long:	Not reported			
	Facility Type:	OTHER RETAIL SALES			
	PBS Number:	2-402850	CBS Number:	Not reported	
	SPDES Number	Not reported			
	SWIS ID:		Telephone:	(718) 388-2424	
	Operator: Emergency Contact:	ALSEAL USED CAR JOSEPH MACCHIA, JR, (718) 387-7700			
	Total Tanks:	15			
	Owner	JOSEPH M. MATTONE			
	00	159-17 NORTHERN BLVD.			
		FLUSHING, NY 11358			
		(718) 961-8880			
	Owner Type:	Not reported	Owner Mark:	Second Owner	
	Owner Subtype:	Not reported			
	Mailing Address:	SAM ROSENTHAL			
		402 METROPOLITAN AVENUE			
		BROOKLYN, NY 11211			
		(718) 388-2424			
		ATTN: SAM ROSENTHAL			
	Facility Status:		if the PBS tanks is		

Map ID Direction Distance Distance (ft.) Elevation Site

MAP FINDINGS

Database(s) EP

EDR ID Number EPA ID Number

Capacity (gals):	550			
Tank Location:	UNDERGROUND			
Tank ID:	012	Install Date:	05/68	
Product Stored:	DIESEL	Tank Type:	Steel/carbon steel	
Tank Internal:	Not reported	Pipe Internal:	Not reported	
Pipe Location:	Not reported	Pipe Type:	STEEL/IRON	
Tank External:	Not reported			
Tank Status [,]	In Service			
Tank Error Status:	Minor Data Missing			
Pipe External:	Not reported			
Second Containment:	NONE			
Leak Detection:	NONE			
Overfill Prot:	Not reported	Dispenser	Suction	
Date Tested:	04/93	Next Test Date.	N.T.R	
Date Closed	Not reported	Test Method:	HORNER	
Deleted:	Not reported	Updated:	True	
Dead Letter	False	Owner Screen	Minor data missing	
FAMT	Fiscal amount for registration fee is corre			
Total Capacity:	Not reported	Renewal Date:	19980901	
Tank Screen.	Minor data missing	Federal ID:	Not reported	
Renew Flag.	Renwal has been printed	Facility Screen.	No data missing	
Certification Flag:	False	Certification Date		
Old PBS Number	Nat reported	Expiration Date.		
Inspected Date:	Not reported	Inspector:	Not reported	
Inspection Result:	Not reported			
Lat/long:	Not reported			
Facility Type:	OTHER RETAIL SALES			
PBS Numper:	2-402850	CBS Number:	Not reported	
SPDES Number	Not reported		4	
SWIS ID:	6101	Telephone:	(718) 388-2424	
Operator:	ALSEAL USED CAR	, -	. ,	
Emergency Contact:	JOSEPH MACCHIA, JR. (718) 387-7700			
Total Tanks:	15			
Owner:	JOSEPH M. MATTONE			
	159-17 NORTHERN BLVD.			
	FLUSHING, NY 11358			
	(718) 961-8880			
Owner Type:	Not reported	Owner Mark:	Second Owner	
Owner Subtype:	Not reported		· · · · · ·	
Mailing Address:	SAM ROSENTHAL			
5	402 METROPOLITAN AVENUE			
	BROOKLYN, NY 11211			
	(718) 388-2424			
	ATTN: SAM ROSENTHAL			
Facility Status:	1 - Active PBS facility, i.e. total capacity o	f the PBS tanks is	greater than	
-	1,100 gallons, regardless if Subpart 360-1		-	
Capacity (gals):	550		-	
Tank Location:	UNDERGROUND			
Tank ID:	013	Install Date:	05/68	
Product Stored:	DIESEL	Tank Type:	Steel/carbon steel	
Tank Internal:	Not reported	Pipe Internal:	Not reported	
Pipe Location:	Not reported	Pipe Type:	STEEL/IRON	
Tank External:	Not reported	i ∠ 1= - 1		
Tank Status:	In Service			
Tank Status: Tank Error Status:	In Service Minor Data Missing			

MAP FINDINGS

Map ID Direction Distance Distance (ft.) Elevation Site

Database(s) EF

EDR ID Number EPA ID Number

Second Containment:	NONE		
Leak Detection:	NONE		
Overfill Prot:	Not reported	Dispenser:	Suction
Date Tested:	04/93	Next Test Date:	N.T.R
Date Closed.	Not reported	Test Method:	HORNER
Deleted:	Not reported	Updated [.]	True
Dead Letter	False	Owner Screen:	Minor data missing
FAMT	Fiscal amount for registration fee is correct	ct	
Total Capacity.	Not reported	Renewai Date:	19980901
Tank Screen:	Minor data missing	Federal ID:	Not reported
Renew Flag:	Renwal has been printed	Facility Screen:	5
Certification Flag	False	Certification Date	
Old PBS Number	Not reported	Expiration Date:	
Inspected Date:	Not reported	Inspector	Not reported
Inspection Result:	Not reported		
Lat/long:	Not reported		
Facility Type:	OTHER RETAIL SALES		
PBS Number	2-402850	CBS Number	Not reported
SPDES Number	Not reported		
SWIS ID:	6101	Telephone.	(718) 388-2424
Operator:	ALSEAL USED CAR		
Emergency Contact:	JOSEPH MACCHIA, JR. (718) 387-7700		
Total Tanks:	15		
Owner:	JOSEPH M. MATTONE		
	159-17 NORTHERN BLVD.		
	FLUSHING, NY 11358		
	(718) 961-8880		
Owner Type:	Not reported	Owner Mark:	Second Owner
Owner Subtype:	Not reported		
Mailing Address:	SAM ROSENTHAL		
	402 METROPOLITAN AVENUE		
	BROOKLYN, NY 11211		
	(718) 388-2424		
	ATTN: SAM ROSENTHAL		
Facility Status:	 Active PBS facility, i.e. total capacity of 1,100 gallons, regardless if Subpart 360- 		
Capacity (gals):	550		or at the facility.
Tank Location:	UNDERGROUND		
Tank ID:	014	Install Date:	05/68
Product Stored:	NOS 1.2, OR 4 FUEL OIL	Tank Type:	Steel/carbon steel
Tank Internal:	Not reported	Pipe Internal:	Not reported
Pipe Location:	Not reported	Pipe Type:	Not reported
Tank External:	Not reported		
Tank Status:	Tank Converted To Non-Regulated Use		
Tank Error Status:	Minor Data Missing		
Pipe External:	Not reported		
Second Containment:	NONE		
Leak Detection:	NONE		
Overfill Prot:	Not reported	Dispenser [.]	Gravity
Date Tested:	Not reported	Next Test Date:	Not reported
Date Closed:	08/96	Test Method:	Not reported
D I I I	Not reported	Updated:	True
Deleted:		0 0 0	Minor data missing
Deleted: Dead Letter	False	Owner Screen:	Minor data missing
	False Fiscal amount for registration fee is corre		winor data missing
Dead Letter			19980901

Map ID Direction Distance Distance (ft.) Elevation Site MAP FINDINGS

EDR ID Number Database(s)

EPA ID Number

U000405477

ALSEAL ISED CAR SALES INC. (Continued)

SEAL ISED CAR SALES	s inc. (Continueu)		
Renew Flag: Certification Flag: Old PBS Number Inspected Date: Inspection Result: Lat/long: Facility Type:	Renwal has been printed False Not reported Not reported Not reported OTHER RETAIL SALES	Facility Screen: Certification Date Expiration Date Inspector:	No data missing e:19951227 19981115 Not reported
PBS Number SPDES Number	2-402850 Not reported	CBS Number	Not reported
SWIS ID:	6101	Telephone	(718) 388-2424
	ALSEAL USED CAR	relephone	(710) 300-2424
Operator Emergency Contact. Total Tanks	JOSEPH MACCHIA, JR. (718) 387-7700 15		
Owner	JOSEPH M. MATTONE 159-17 NORTHERN BLVD. FLUSHING NY 11358 (718) 961-8880		
Owner Type.	Not reported	Owner Mark:	Second Owner
Owner Subtype:	Not reported		
Mailing Address.	SAM ROSENTHAL 402 METROPOLITAN AVENUE BROOKLYN. NY 11211 (718) 388-2424 ATTN ⁻ SAM ROSENTHAL		
Facility Status:	1 - Active PBS facility, i.e. total capacity of	f the PBS tanks is	greater than
r donity Otatao.	1,100 gallons, regardless if Subpart 360-		-
Capacity (gals):	550		
Tank Location:	UNDERGROUND		
Tank ID:	015	Install Date:	05/68
Product Stored:	OTHER	Tank Type:	Steel/carbon steel
Tank Internal:	Not reported	Pipe Internal:	Not reported
Pipe Location:	Not reported	Pipe Type:	Not reported
Tank External:	Not reported		
Tank Status:	In Service		
Tank Error Status:	Minor Data Missing		
Pipe External:	Not reported		
Second Containment:	NONE		
Leak Detection:	NONE		0
Overfill Prot:	Not reported	Dispenser:	Gravity
Date Tested:	Not reported	Next Test Date:	N.T.R
Date Closed: Deleted:	Not reported	Test Method: Updated:	Not reported Not reported
Dead Letter	Not reported False	Owner Screen:	Minor data missing
FAMT:	Fiscal amount for registration fee is correct		Minor data missing
Total Capacity:	Not reported	Renewal Date:	19980901
Tank Screen:	Minor data missing	Federal ID:	Not reported
Renew Flag:	Renwal has been printed	Facility Screen:	No data missing
Certification Flag:	False	Certification Date	0
Old PBS Number:	Not reported	Expiration Date:	19981115
Inspected Date:	Not reported	Inspector:	Not reported
Inspection Result:	Not reported		
Lat/long:	Not reported		
Facility Type:	OTHER RETAIL SALES		
		000	
PBS Number	2-402850	CBS Number	Not reported
SPDES Number	Not reported		

MAP FINDINGS

E21 WSW 1/8-1/4 850 Higher EDR ID Number EPA ID Number

Database(s)

SWIS ID:	6101	Telephone:	(718) 388-2424	
Operator:	ALSEAL USED CAR	,		
Emergency Contact:	JOSEPH MACCHIA, JR. (718) 387-7	700		
Total Tanks:	15			
Owner [.]	JOSEPH M. MATTONE			
	159-17 NORTHERN BLVD.			
	FLUSHING. NY 11358			
	(7*8) 961-8880			
Owner Type.	Not reported	Owner Mark:	Second Owner	
Owner Subtype:	Not reported			
Mailing Address:	SAM ROSENTHAL			
	402 METROPOLITAN AVENUE			
	BPOOKLYN, NY 11211			
	(718) 388-2424			
	ATTN. SAM ROSENTHAL			
Facility Status:	1 - Active PBS facility, i.e. total capac			
_	1.100 gallons, regardless if Subpart 3	60-14 tanks exist or	not at the facility.	
Capacity (gals):	550			
Tank Location:	UNDERGROUND			
Tank ID:	016	Install Date.	00/00	
Product Stored:	USED OIL	Tank Type:	Steel/carbon steel	
Tank Internal:	NONE	Pipe Internal	NONE	
Pipe Location:	Underground	Pipe ⊺ype:	STEEL/IRON	
Tank External:	NONE/NONE			
Tank Status	In Service			
Tank Error Status:	Minor Data Missing			
Pipe External:	NONE/NONE			
Second Containment:	Not reported			
Leak Detection:	Not reported			
Overfill Prot:	Not reported	Dispenser	Not reported	
Date Tested:	Not reported	Next Test Date		
Date Closed:	Not reported	Test Method:	Not reported	
Deleted:	Not reported	Updated:	True	
Dead Letter:	False	Owner Screen:	Minor data missing	
FAMT ¹	Fiscal amount for registration fee is c		1000001	
Total Capacity:	Not reported	Renewal Date:	19980901	
Tank Screen:	Minor data missing	Federal ID:	Not reported	
Renew Flag: Certification Flag:	Renwal has been printed False	Facility Screen Certification Da	-	
Old PBS Number	Not reported	Expiration Date		
Inspected Date:	Not reported	Inspector:	Not reported	
Inspection Result:	Not reported	inspector	norreported	
Lat/long:	Not reported			
Facility Type: METROPOLITAN AV/E	OTHER RETAIL SALES		LUST	S1001
	NUE			N/A
METROPOLITAN AVE V YORK CITY, NY				
V YORK CITY, NY				
V YORK CITY, NY UST [.]	7310	Region of Shill:		
V YORK CITY, NY UST Spill Number: 890		Region of Spill: 2		
V YORK CITY, NY UST Spill Number: 890 Facility Contact: Not	reported	Facility Tele: N	lot reported	
V YORK CITY, NY UST Spill Number: 890 Facility Contact: Not Investigator SUI	reported LIVAN	Facility Tele: N SWIS: 6	lot reported	
V YORK CITY, NY UST Spill Number: 890 Facility Contact: Not Investigator SUL Caller Name: HO	reported LIVAN WARD KALMAN	Facility Tele: M SWIS: 6 Caller Agency: M	lot reported 1 (ALCO	
V YORK CITY, NY Spill Number: 890 Facility Contact: Not Investigator: SUL Caller Name: HO Caller Phone: (718	reported LLIVAN WARD KALMAN 8) 626-8083	Facility Tele: N SWIS: 6 Caller Agency: F Caller Extension: N	lot reported	

Map ID Direction		MAP FINDING				
Distance Distance (ft Elevation	.) Site				Database(s)	EDR ID Nur EPA ID Nur
	402 METROPOLITAN AV	//BKLYN (Continued)				S10014566
	Spiller Contact: N	lot reported	Spiller Phone:	(718) 384	4-2705	
		ITAL ENERGY CORP	,			
		02 METROPOLITAN AVENUE				
		ROOKLYN, NY		A CIL		
		nown release that creates a file or haza esponsible Party. Corrective action tak		willing		
		5/04/1995				
		ank Test Failure	Resource Affected	Groundw	ater	
		ot reported	Spill Source	Other Co	mmercial/Indu	strial
	Spill Notifier: T	ank Tester	PBS Number	2-402850	-	
		0/24/1989 16:00	Reported to Dept:	10/24/19	89 16:42	
	Cleanup Ceased: 0					
	Last Inspection: N	•				
	Cleanup Meets Star Recommended Pen					
	Spiller Cleanup Date					
	Enforcement Date:	Not reported				
	Investigation Compl	ete: Not reported				
	UST Involvement:	True				
	Spill Record Last Up					
	ls Updated: Corrective Action Pl	False Not reported	4			
		an Submitted: Not reported n Computer Data File: 10/25/1989				
	Date Region Sent S	ummary to Central Office: Not reported	ł			
	DEC Remarks: N Spill Cause: (4	ummary to Central Office: Not reported ot reported 550 GAL TANKS MANIFOLDED FAIL 5LBS/1/2HR, NYCFD ON SCENE, TAI	LED AIR PRESSURE			
22	DEC Remarks: N Spill Cause: (4 1. E BADAR CORPORATION	ot reported 550 GAL TANKS MANIFOLDED FAIL 5LBS/1/2HR, NYCFD ON SCENE, TAI E SPILL # 9212269.	LED AIR PRESSURE			U000406810
22 NE 1/8-1/4 875 Higher	DEC Remarks: N Spill Cause: (4 1. E	ot reported 550 GAL TANKS MANIFOLDED FAIL 5LBS/1/2HR, NYCFD ON SCENE, TAI E SPILL # 9212269.	LED AIR PRESSURE		ESTED. S	5
NE 1/8-1/4 875	DEC Remarks: N Spill Cause: (4 1. E BADAR CORPORATION 243 MEEKER AVE BROOKLYN, NY 11211 PBS UST:	ot reported 550 GAL TANKS MANIFOLDED FAIL 5LBS/1/2HR, NYCFD ON SCENE. TAI E SPILL # 9212269.	LED AIR PRESSURE NKS TO BE ISOLATE	ED & RET	ESTED. S UST	U000406810
NE 1/8-1/4 875	DEC Remarks: N Spill Cause: (4 1. E BADAR CORPORATION 243 MEEKER AVE BROOKLYN, NY 11211 PBS UST: PBS Number:	ot reported 550 GAL TANKS MANIFOLDED FAIL 5LBS/1/2HR, NYCFD ON SCENE. TAI E SPILL # 9212269. 2-247405	LED AIR PRESSURE	ED & RET	ESTED. S	U000406810
NE 1/8-1/4 875	DEC Remarks: N Spill Cause: (4 1. E BADAR CORPORATION 243 MEEKER AVE BROOKLYN, NY 11211 PBS UST: PBS UST: PBS Number: SPDES Number:	ot reported 550 GAL TANKS MANIFOLDED FAIL 5LBS/1/2HR, NYCFD ON SCENE. TAI E SPILL # 9212269. 2-247405 Not reported	LED AIR PRESSURE NKS TO BE ISOLATE	ED & RET	ESTED. S UST	U000406810
NE 1/8-1/4 875	DEC Remarks: N Spill Cause: (4 1. E BADAR CORPORATION 243 MEEKER AVE BROOKLYN, NY 11211 PBS UST: PBS Number:	ot reported 550 GAL TANKS MANIFOLDED FAIL 5LBS/1/2HR, NYCFD ON SCENE. TAI E SPILL # 9212269. 2-247405	LED AIR PRESSURE NKS TO BE ISOLATE	ED & RET	ESTED. S UST	U000406810
NE 1/8-1/4 875	DEC Remarks: N Spill Cause: (4 1. E BADAR CORPORATION 243 MEEKER AVE BROOKLYN, NY 11211 PBS UST: PBS Number: SPDES Number: SWIS ID:	ot reported 550 GAL TANKS MANIFOLDED FAIL 5LBS/1/2HR, NYCFD ON SCENE. TAI E SPILL # 9212269. 2-247405 Not reported 6101	LED AIR PRESSURE NKS TO BE ISOLATE	ED & RET	ESTED. S UST	U000406810
NE 1/8-1/4 875	DEC Remarks: N Spill Cause: (4 1: E BADAR CORPORATION 243 MEEKER AVE BROOKLYN, NY 11211 PBS UST: PBS Number: SPDES Number: SWIS ID: Operator: Emergency Contact: Total Tanks:	ot reported 550 GAL TANKS MANIFOLDED FAIL 5LBS/1/2HR, NYCFD ON SCENE, TAIL E SPILL # 9212269. 2-247405 Not reported 6101 BADAR COPORATION ZAR KHAN, (917) 333-7086 4	LED AIR PRESSURE NKS TO BE ISOLATE CBS Number Telephone:	ED & RET	ESTED. S UST	U000406810
NE 1/8-1/4 875	DEC Remarks: N Spill Cause: (4 1: E BADAR CORPORATION 243 MEEKER AVE BROOKLYN, NY 11211 PBS UST: PBS Number: SPDES Number: SWIS ID: Operator: Emergency Contact:	ot reported 550 GAL TANKS MANIFOLDED FAIL 5LBS/1/2HR, NYCFD ON SCENE, TAIL E SPILL # 9212269. 2-247405 Not reported 6101 BADAR COPORATION ZAR KHAN, (917) 333-7086 4 6401 4TH AVENUE CORPORATION	LED AIR PRESSURE NKS TO BE ISOLATE CBS Number Telephone:	ED & RET	ESTED. S UST	U000406810
NE 1/8-1/4 875	DEC Remarks: N Spill Cause: (4 1: E BADAR CORPORATION 243 MEEKER AVE BROOKLYN, NY 11211 PBS UST: PBS Number: SPDES Number: SWIS ID: Operator: Emergency Contact: Total Tanks:	ot reported 550 GAL TANKS MANIFOLDED FAIL 5LBS/1/2HR, NYCFD ON SCENE, TAIL E SPILL # 9212269. 2-247405 Not reported 6101 BADAR COPORATION ZAR KHAN, (917) 333-7086 4 6401 4TH AVENUE CORPORATION 1158 BROADWAY	LED AIR PRESSURE NKS TO BE ISOLATE CBS Number Telephone:	ED & RET	ESTED. S UST	U000406810
NE 1/8-1/4 875	DEC Remarks: N Spill Cause: (4 1: E BADAR CORPORATION 243 MEEKER AVE BROOKLYN, NY 11211 PBS UST: PBS Number: SPDES Number: SWIS ID: Operator: Emergency Contact: Total Tanks:	ot reported 550 GAL TANKS MANIFOLDED FAIL 5LBS/1/2HR, NYCFD ON SCENE, TAIL E SPILL # 9212269. 2-247405 Not reported 6101 BADAR COPORATION ZAR KHAN, (917) 333-7086 4 6401 4TH AVENUE CORPORATION 1158 BROADWAY HEWLETT, NY 11557	LED AIR PRESSURE NKS TO BE ISOLATE CBS Number Telephone:	ED & RET	ESTED. S UST	U000406810
NE 1/8-1/4 875	DEC Remarks: N Spill Cause: (4 1: E BADAR CORPORATION 243 MEEKER AVE BROOKLYN, NY 11211 PBS UST: PBS Number: SPDES Number: SWIS ID: Operator: Emergency Contact: Total Tanks: Owner:	ot reported 550 GAL TANKS MANIFOLDED FAIL 5LBS/1/2HR, NYCFD ON SCENE, TAIL E SPILL # 9212269. 2-247405 Not reported 6101 BADAR COPORATION ZAR KHAN, (917) 333-7086 4 6401 4TH AVENUE CORPORATION 1158 BROADWAY HEWLETT, NY 11557 (516) 295-3400	LED AIR PRESSURE NKS TO BE ISOLATE CBS Number Telephone: ON	ED & RET	ESTED. S UST uST 387-6685	U000406810
NE 1/8-1/4 875	DEC Remarks: N Spill Cause: (4 1: E BADAR CORPORATION 243 MEEKER AVE BROOKLYN, NY 11211 PBS UST: PBS Number: SPDES Number: SWIS ID: Operator: Emergency Contact: Total Tanks:	ot reported 550 GAL TANKS MANIFOLDED FAIL 5LBS/1/2HR, NYCFD ON SCENE, TAIL E SPILL # 9212269. 2-247405 Not reported 6101 BADAR COPORATION ZAR KHAN, (917) 333-7086 4 6401 4TH AVENUE CORPORATION 1158 BROADWAY HEWLETT, NY 11557	LED AIR PRESSURE NKS TO BE ISOLATE CBS Number Telephone:	ED & RET	ESTED. S UST	U000406810
NE 1/8-1/4 875	DEC Remarks: N Spill Cause: (4 1: E BADAR CORPORATION 243 MEEKER AVE BROOKLYN, NY 11211 PBS UST: PBS Number: SPDES Number: SWIS ID: Operator: Emergency Contact: Total Tanks: Owner Type:	ot reported 550 GAL TANKS MANIFOLDED FAIL 5LBS/1/2HR, NYCFD ON SCENE, TAIL E SPILL # 9212269. 2-247405 Not reported 6101 BADAR COPORATION ZAR KHAN, (917) 333-7086 4 6401 4TH AVENUE CORPORATION 1158 BROADWAY HEWLETT, NY 11557 (516) 295-3400 Corporate/Commercial	LED AIR PRESSURE NKS TO BE ISOLATE CBS Number Telephone: ON	ED & RET	ESTED. S UST uST 387-6685	U000406810
NE 1/8-1/4 875	DEC Remarks: N Spill Cause: (4 1: E BADAR CORPORATION 243 MEEKER AVE BROOKLYN, NY 11211 PBS UST: PBS UST: PBS Number: SPDES Number: SWIS ID: Operator: Emergency Contact: Total Tanks: Owner Owner Type: Owner Subtype:	ot reported 550 GAL TANKS MANIFOLDED FAIL 5LBS/1/2HR, NYCFD ON SCENE, TAIL E SPILL # 9212269. 2-247405 Not reported 6101 BADAR COPORATION ZAR KHAN, (917) 333-7086 4 6401 4TH AVENUE CORPORATION 1158 BROADWAY HEWLETT, NY 11557 (516) 295-3400 Corporate/Commercial Not reported	LED AIR PRESSURE NKS TO BE ISOLATE CBS Number Telephone: ON	ED & RET	ESTED. S UST uST 387-6685	U000406810
NE 1/8-1/4 875	DEC Remarks: N Spill Cause: (4 1: E BADAR CORPORATION 243 MEEKER AVE BROOKLYN, NY 11211 PBS UST: PBS UST: PBS Number: SPDES Number: SWIS ID: Operator: Emergency Contact: Total Tanks: Owner Owner Type: Owner Subtype:	ot reported 550 GAL TANKS MANIFOLDED FAIL 5LBS/1/2HR, NYCFD ON SCENE, TAIL E SPILL # 9212269. 2-247405 Not reported 6101 BADAR COPORATION ZAR KHAN, (917) 333-7086 4 6401 4TH AVENUE CORPORATION 1158 BROADWAY HEWLETT, NY 11557 (516) 295-3400 Corporate/Commercial Not reported 6401 4TH AVENUE CORPORATION 1158 BROADWAY HEWLETT, NY 11557	LED AIR PRESSURE NKS TO BE ISOLATE CBS Number Telephone: ON	ED & RET	ESTED. S UST uST 387-6685	U000406810
NE 1/8-1/4 875	DEC Remarks: N Spill Cause: (4 1: E BADAR CORPORATION 243 MEEKER AVE BROOKLYN, NY 11211 PBS UST: PBS UST: PBS Number: SPDES Number: SWIS ID: Operator: Emergency Contact: Total Tanks: Owner Owner Type: Owner Subtype:	ot reported b) 550 GAL TANKS MANIFOLDED FAIL 5LBS/1/2HR, NYCFD ON SCENE, TAIL E SPILL # 9212269. 2-247405 Not reported 6101 BADAR COPORATION ZAR KHAN, (917) 333-7086 4 6401 4TH AVENUE CORPORATION 1158 BROADWAY HEWLETT, NY 11557 (516) 295-3400 Corporate/Commercial Not reported 6401 4TH AVENUE CORPORATION 1158 BROADWAY HEWLETT, NY 11557 (516) 295-3400	LED AIR PRESSURE NKS TO BE ISOLATE CBS Number Telephone: ON	ED & RET	ESTED. S UST uST 387-6685	U000406810
NE 1/8-1/4 875	DEC Remarks: N Spill Cause: (4 1: E BADAR CORPORATION 243 MEEKER AVE BROOKLYN, NY 11211 PBS UST: PBS Number: SPDES Number: SWIS ID: Operator: Emergency Contact: Total Tanks: Owner Owner Type: Owner Type: Owner Subtype: Mailing Address:	ot reported b) 550 GAL TANKS MANIFOLDED FAIL 5LBS/1/2HR, NYCFD ON SCENE, TAIL E SPILL # 9212269. 2-247405 Not reported 6101 BADAR COPORATION ZAR KHAN, (917) 333-7086 4 6401 4TH AVENUE CORPORATION 1158 BROADWAY HEWLETT, NY 11557 (516) 295-3400 Corporate/Commercial Not reported 6401 4TH AVENUE CORPORATION 1158 BROADWAY HEWLETT, NY 11557 (516) 295-3400 Not reported 6401 4TH AVENUE CORPORATION 1158 BROADWAY HEWLETT, NY 11557 (516) 295-3400 Not Reported 6401 Not Reported	LED AIR PRESSURE NKS TO BE ISOLATE CBS Number Telephone: ON Owner Mark:	ED & RET	ESTED. S UST eported 387-6685 Dwner	U000406810
NE 1/8-1/4 875	DEC Remarks: N Spill Cause: (4 1: E BADAR CORPORATION 243 MEEKER AVE BROOKLYN, NY 11211 PBS UST: PBS UST: PBS Number: SPDES Number: SWIS ID: Operator: Emergency Contact: Total Tanks: Owner Owner Type: Owner Subtype:	ot reported b) 550 GAL TANKS MANIFOLDED FAIL 5LBS/1/2HR, NYCFD ON SCENE, TAIL E SPILL # 9212269. 2-247405 Not reported 6101 BADAR COPORATION ZAR KHAN, (917) 333-7086 4 6401 4TH AVENUE CORPORATION 1158 BROADWAY HEWLETT, NY 11557 (516) 295-3400 Corporate/Commercial Not reported 6401 4TH AVENUE CORPORATION 1158 BROADWAY HEWLETT, NY 11557 (516) 295-3400 Not reported 6401 4TH AVENUE CORPORATION 158 BROADWAY HEWLETT, NY 11557 (516) 295-3400 Not Reported 1 - Active PBS facility, i.e. total capa	LED AIR PRESSURE NKS TO BE ISOLATE CBS Number Telephone: ON Owner Mark: ON	ED & RET	ESTED. S UST UST 387-6685 Dwner	U000406810
NE 1/8-1/4 875	DEC Remarks: N Spill Cause: (4 1: E BADAR CORPORATION 243 MEEKER AVE BROOKLYN, NY 11211 PBS UST: PBS Number: SPDES Number: SWIS ID: Operator: Emergency Contact: Total Tanks: Owner Owner Type: Owner Type: Owner Subtype: Mailing Address: Facility Status:	ot reported b) 550 GAL TANKS MANIFOLDED FAIL 5LBS/1/2HR, NYCFD ON SCENE, TAIL E SPILL # 9212269. 2-247405 Not reported 6101 BADAR COPORATION ZAR KHAN, (917) 333-7086 4 6401 4TH AVENUE CORPORATION 1158 BROADWAY HEWLETT, NY 11557 (516) 295-3400 Corporate/Commercial Not reported 6401 4TH AVENUE CORPORATION 1158 BROADWAY HEWLETT, NY 11557 (516) 295-3400 Corporate/Commercial Not reported 6401 4TH AVENUE CORPORATION 1158 BROADWAY HEWLETT, NY 11557 (516) 295-3400 Not Reported 1 - Active PBS facility, i.e. total capa 1,100 gallons. regardless if Subpart	LED AIR PRESSURE NKS TO BE ISOLATE CBS Number Telephone: ON Owner Mark: ON	ED & RET	ESTED. S UST UST 387-6685 Dwner	U000406810
NE 1/8-1/4 875	DEC Remarks: N Spill Cause: (4 1: E BADAR CORPORATION 243 MEEKER AVE BROOKLYN, NY 11211 PBS UST: PBS Number: SPDES Number: SWIS ID: Operator: Emergency Contact: Total Tanks: Owner Owner Type: Owner Type: Owner Subtype: Mailing Address: Facility Status: Capacity (gals):	ot reported b) 550 GAL TANKS MANIFOLDED FAIL 5LBS/1/2HR, NYCFD ON SCENE, TAIL E SPILL # 9212269. 2-247405 Not reported 6101 BADAR COPORATION ZAR KHAN, (917) 333-7086 4 6401 4TH AVENUE CORPORATION 1158 BROADWAY HEWLETT, NY 11557 (516) 295-3400 Corporate/Commercial Not reported 6401 4TH AVENUE CORPORATION 1158 BROADWAY HEWLETT, NY 11557 (516) 295-3400 Not reported 6401 4TH AVENUE CORPORATION 158 BROADWAY HEWLETT, NY 11557 (516) 295-3400 Not Reported 1 - Active PBS facility, i.e. total capa 1,100 gallons. regardless if Subpart 550	LED AIR PRESSURE NKS TO BE ISOLATE CBS Number Telephone: ON Owner Mark: ON	ED & RET	ESTED. S UST UST 387-6685 Dwner	U000406810
NE 1/8-1/4 875	DEC Remarks: N Spill Cause: (4 1: E BADAR CORPORATION 243 MEEKER AVE BROOKLYN, NY 11211 PBS UST: PBS Number: SPDES Number: SWIS ID: Operator: Emergency Contact: Total Tanks: Owner Owner Type: Owner Type: Owner Subtype: Mailing Address: Facility Status: Capacity (gals): Tank Location:	ot reported b) 550 GAL TANKS MANIFOLDED FAIL 5LBS/1/2HR, NYCFD ON SCENE, TAIL E SPILL # 9212269. 2-247405 Not reported 6101 BADAR COPORATION ZAR KHAN, (917) 333-7086 4 6401 4TH AVENUE CORPORATION 158 BROADWAY HEWLETT, NY 11557 (516) 295-3400 Corporate/Commercial Not reported 6401 4TH AVENUE CORPORATION 158 BROADWAY HEWLETT, NY 11557 (516) 295-3400 Corporate/Commercial Not reported 6401 4TH AVENUE CORPORATION 158 BROADWAY HEWLETT, NY 11557 (516) 295-3400 Not Reported 1 - Active PBS facility, i.e. total capa 1,100 gallons. regardless if Subpart 550 UNDERGROUND	LED AIR PRESSURE NKS TO BE ISOLATE CBS Number Telephone: ON Owner Mark: ON acity of the PBS tanks t 360-14 tanks exist o	ED & RET	ESTED. S UST UST 387-6685 Dwner	U000406810
NE 1/8-1/4 875	DEC Remarks: N Spill Cause: (4 1: E BADAR CORPORATION 243 MEEKER AVE BROOKLYN, NY 11211 PBS UST: PBS Number: SPDES Number: SWIS ID: Operator: Emergency Contact: Total Tanks: Owner Owner Type: Owner Type: Owner Subtype: Mailing Address: Facility Status: Capacity (gals):	ot reported b) 550 GAL TANKS MANIFOLDED FAIL 5LBS/1/2HR, NYCFD ON SCENE, TAIL E SPILL # 9212269. 2-247405 Not reported 6101 BADAR COPORATION ZAR KHAN, (917) 333-7086 4 6401 4TH AVENUE CORPORATION 1158 BROADWAY HEWLETT, NY 11557 (516) 295-3400 Corporate/Commercial Not reported 6401 4TH AVENUE CORPORATION 1158 BROADWAY HEWLETT, NY 11557 (516) 295-3400 Not reported 6401 4TH AVENUE CORPORATION 158 BROADWAY HEWLETT, NY 11557 (516) 295-3400 Not Reported 1 - Active PBS facility, i.e. total capa 1,100 gallons. regardless if Subpart 550	LED AIR PRESSURE NKS TO BE ISOLATE CBS Number Telephone: ON Owner Mark: ON	ED & RET 	ESTED. S UST UST 387-6685 Dwner	U000406810

Map ID MAP FINDINGS
Direction
Distance
Distance (ft.)
Elevation Site Database(s)

BADAR CORPORATION (Continued)			U000406810
Tank Internal:	Not reported	Pipe Internal:	Not reported	
Pipe Location:	Not reported	Pipe Type.	STEEL/IRON	
Tank External	Not reported	1		
Tank Status:	Closed Before April 1, 1991			
Tank Error Status.	Minor Data Missing			
Pipe External:	Not reported			
Second Containment:	NONE			
Leak Detection.	NONE			
Overfill Prot	Not reported	Dispenser:	Suction	
Date Tested:	Not reported	Next Test Date.	Not reported	
Date Closed:	00/00	Test Method:	Not reported	
Deleted:	Not reported	Updated:	Not reported	
Dead Letter	False	Owner Screen:	No data missing	
FAMT	Fiscal amount for registration fee is corre	ect		
Total Capacity:	Not reported	Renewal Date:	19970812	
Tank Screen:	Minor data missing	Federal ID:	Not reported	
Renew Flag:	Renwal has not been printed	Facility Screen:	No data missing	
Certification Flag:	Faise	Certification Date	19971021	
Old PBS Number	Not reported	Expiration Date:	19021023	
Inspected Date:	Not reported	Inspector	Not reported	
Inspection Result:	Not reported			
Lat/long:	Not reported			
Facility Type:	RETAIL GASOLINE SALES			
PBS Number	2-247405	CBS Number	Not reported	
SPDES Number:	Not reported	T . 1	(340) 003 0005	
SWIS ID:		Telephone:	(718) 387-6685	
Operator Emorganesi Contacti	BADAR COPORATION			
Emergency Contact: Total Tanks:	ZAR KHAN, (917) 333-7086 4			
Owner:	4 6401 4TH AVENUE CORPORATION			
Owner.	1158 BROADWAY			
	HEWLETT, NY 11557			
	(516) 295-3400			
Owner Type:	Corporate/Commercial	Owner Mark:	First Owner	
Owner Subtype:	Not reported	owner mark.		
Mailing Address:	6401 4TH AVENUE CORPORATION			
5	1158 BROADWAY			
	HEWLETT, NY 11557			
	(516) 295-3400			
	Not Reported			
Facility Status:	1 - Active PBS facility, i.e. total capacity			
	1,100 gallons. regardless if Subpart 360	-14 tanks exist or n	ot at the facility.	
Capacity (gals):	550			
Tank Location:	UNDERGROUND			
Tank ID:	002	Install Date:	09/39	
Product Stored:	UNLEADED GASOLINE	Tank Type:	Steel/carbon steel	
Tank Internal:	Not reported	Pipe Internal:	Not reported	
Pipe Location:	Not reported	Pipe Type:	STEEL/IRON	
Tank External:	Not reported			
Tank Status:	Closed Before April 1, 1991			
Tank Error Status:	Minor Data Missing			
Pipe External:	Not reported			
Second Containment:	NONE			
Leak Detection:	NONE	<u>.</u>		
Overfill Prot:	Not reported	Dispenser	Suction	
Date Tested:	Not reported	Next Test Date:	Not reported	

Map ID Direction Distance Distance (ft.) Elevation Site

MAP FINDINGS

EDR ID Number Database(s)

EPA ID Number

U000406810

BADAR CORPORATION (Continued)

ADAR CORPORATION (Continued)		
Date Closed: Deleted: Dead Letter FAMT ⁺ Total Capacity ⁻	00/00 Not reported False Fiscal amount for registration fee is corre Not reported	Renewal Date:	Not reported Not reported No data missing 19970812
Tank Screen: Renew Flag: Certification Flag: Old PBS Number: Inspected Date: inspection Result: Lat/long: Facility Type:	Minor data missing Renwal has not been printed False Not reported Not reported Not reported Not reported RETAIL GASOLINE SALES	Federal ID: Facility Screen: Certification Date Expiration Date. Inspector:	Not reported No data missing ::19971021 19021023 Not reported
PBS Number SPDES Number	2-247405 Not reported	CBS Number	Not reported
SWIS ID: Operator Emergency Contact: Total Tanks	6101 BADAR COPORATION ZAR KHAN, (917) 333-7086 4	Telephone:	(718) 387-6685
Owner [.]	6401 4TH AVENUE CORPORATION 1158 BROADWAY HEWLETT. NY 11557 (516) 295-3400		
Owner Type: Owner Subtype: Mailing Address:	Corporate/Commercial Not reported 6401 4TH AVENUE CORPORATION 1158 BROADWAY HEWLETT, NY 11557 (516) 295-3400 Not Reported	Owner Mark:	First Owner
Facility Status: Capacity (gals): Tank Location:	1 - Active PBS facility, i.e. total capacity of 1,100 gallons, regardless if Subpart 360- 550 UNDERGROUND		
Tank ID: Product Stored: Tank Internal: Pipe Location: Tank External: Tank Status: Tank Error Status: Pipe External: Second Containment: Leak Detection:	003 UNLEADED GASOLINE Not reported Not reported Closed Before April 1, 1991 Minor Data Missing Not reported NONE NONE	Install Date: Tank Type: Pipe Internal: Pipe Type:	09/39 Steel/carbon steel Not reported STEEL/IRON
Overfill Prot: Date Tested: Date Closed: Deleted: Dead Letter: FAMT:	Not reported Not reported 00/00 Not reported False Fiscal amount for registration fee is corre	Dispenser: Next Test Date: Test Method: Updated: Owner Screen:	Suction Not reported Not reported Not reported No data missing
Total Capacity: Tank Screen: Renew Flag: Certification Flag:	Not reported Minor data missing Renwal has not been printed False	Renewal Date: Federal ID: Facility Screen: Certification Date:	
Old PBS Number Inspected Date:	Not reported Not reported	Expiration Date: Inspector:	19021023 Not reported

BADAR CORPORATION	Continued)			U000406810
Inspection Result:	Not reported			
Lat/long:	Not reported			
Facility Type:	RETAIL GASOLINE SALES			
PBS Number	2-247405	CBS Number	Not reported	
SPDES Number	Not reported			
SWIS ID:	6101	Telephone:	(718) 387-6685	
Operator	BADAR COPORATION			
Emergency Contact:	ZAR KHAN. (917) 333-7086			
Total Tanks:				
Owner [.]	6401 4TH AVENUE CORPORATION			
	1158 BROADWAY			
	HEWLETT NY 11557 (516) 295-3400			
Owner Type:	Corporate/Commercial	Owner Mark:	First Owner	
Owner Subtype:	Not reported	Owner wark.	r list Owner	
Mailing Address:	6401 4TH AVENUE CORPORATION			
maning radiooo.	1158 BROADWAY			
	HEWLETT, NY 11557			
	(516) 295-3400			
	Not Reported			
Facility Status:	1 - Active PBS facility, i.e. total capacity	of the PBS tanks is	greater than	
	1.100 gallons, regardless if Subpart 360	-14 tanks exist or n	ot at the facility	
Capacity (gals):	550			
Tank Location:	UNDERGROUND			
Tank ID:	004	Install Date:	09/39	
Product Stored:	UNLEADED GASOLINE	Tank Type:	Steel/carbon steel	
Tank Internal:	Not reported	Pipe Internal:	Not reported	
Pipe Location: Tank External:	Not reported	Pipe Type:	STEEL/IRON	
Tank Status:	Not reported Closed Before April 1, 1991			
Tank Error Status:	Minor Data Missing			
Pipe External:	Not reported			
Second Containment:	NONE			
Leak Detection:	NONE			
Overfill Prot:	Not reported	Dispenser	Suction	
Date Tested:	Not reported	Next Test Date:	Not reported	
Date Closed:	00/00	Test Method:	Not reported	
Deleted:	Not reported	Updated:	Not reported	
Dead Letter:	False	Owner Screen:	No data missing	
FAMT ¹	Fiscal amount for registration fee is corre-		10070010	
Total Capacity: Tank Screen:	Not reported Minor data missing	Renewal Date: Federal ID:	19970812 Not reported	
Renew Flag:	Renwal has not been printed	Facility Screen:	Not reported No data missing	
Certification Flag:	False	Certification Date		
Old PBS Number:	Not reported	Expiration Date:		
Inspected Date:	Not reported	Inspector:	Not reported	
Inspection Result:	Not reported			
Lat/long:	Not reported			
Facility Type:	RETAIL GASOLINE SALES			
PBS Number:	2-247405	CBS Number	Not reported	
SPDES Number	Not reported			
SWIS ID:	6101	Telephone:	(718) 387-6685	
Operator:	BADAR COPORATION			
Emergency Contact:	ZAR KHAN. (917) 333-7086			
Total Tanks:	4			

Map ID Direction		MAP FINDINGS		
Distance Distance (Elevation	ft.) Site		Database(s)	EDR ID Number EPA ID Number
	BADAR CORPORA	ATION (Continued)		U000406810
	Owner	6401_4TH AVENUE CORPORATION		

Owner	6401 4TH AVENUE CORPORATION		
	1158 BROADWAY		
	HEWLETT, NY 11557		
	(516) 295-3400		
Owner Type:	Corporate/Commercial	Owner Mark:	First Owner
Owner Subtype	Not reported	Office mark.	i nor Omno.
	6401 4TH AVENUE CORPORATION		
Mailing Address			
	1158 BROADWAY		
	HEWLETT NY 11557		
	(516) 295-3400		
	Not Reported		
Facility Status:	1 Active PBS facility, i.e. total capacity	of the PBS tanks is	s greater than
	1,100 gallons. regardless if Subpart 360	-14 tanks exist or n	iot at the facility.
Capacity (gals)	550		
Tank Location:	UNDERGROUND		
Tank ID:	005	Install Date	08/66
Product Stored.	UNLEADED GASOLINE	Tank Type:	Steel/carbon steel
Tank Internal.		Pipe Internal:	
	Not reported		Not reported
Pipe Location:	Not reported	Ріре ⊤уре:	STEEL/IRON
Tank External	Not reported		
Tank Status:	Closed Before April 1 1991		
Tank Error Status:	Minor Data Missing		
Pipe External:	Not reported		
Second Containment:	NONE		
Leak Detection:	NONE		
Overfill Prot:	Not reported	Dispenser	Suction
Date Tested:	Not reported	Next Test Date:	Not reported
Date Closed:	00/00	Test Method:	Not reported
Deleted	Not reported	Updated.	Not reported
Dead Letter	False	Owner Screen:	No data missing
FAMT	Fiscal amount for registration fee is corre		NO Gata Inisaing
Total Capacity:	Not reported	Renewal Date:	19970812
· · ·			
Tank Screen:	Minor data missing	Federal ID:	Not reported
Renew Flag:	Renwal has not been printed	Facility Screen:	No data missing
Certification Flag:	False	Certification Date	
Old PBS Number	Not reported	Expiration Date:	19021023
Inspected Date:	Not reported	Inspector:	Not reported
Inspection Result:	Not reported		
Lat/long:	Not reported		
Facility Type:	RETAIL GASOLINE SALES		
PBS Number:	2-247405	CBS Number:	Not reported
SPDES Number:	Not reported		
SWIS ID:	6101	Telephone:	(718) 387-6685
Operator:	BADAR COPORATION		(, (0) 00, 0000
Emergency Contact:	ZAR KHAN, (917) 333-7086		
Total Tanks:	4		
Owner	6401 4TH AVENUE CORPORATION		
Owner			
	HEWLETT, NY 11557		
o	(516) 295-3400	_	
Owner Type:	Corporate/Commercial	Owner Mark:	First Owner
Owner Subtype:	Not reported		
Mailing Address:	6401 4TH AVENUE CORPORATION		
	1158 BROADWAY		
	HEWLETT, NY 11557		
	(516) 295-3400		

Tank External:

Not reported

EDR ID Number Database(s) EPA ID Number **BADAR CORPORATION (Continued)** U000406810 Not Reported Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1.100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility Capacity (gals): 550 Tank Location: UNDERGROUND Tank ID: 006 Install Date: 08/66 Product Stored UNLEADED GASOLINE Tank Type: Steel/carbon steel Tank Internal: Not reported Pipe Internal: Not reported Pipe Location: Pipe Type: STEEL/IRON Not reported Tank External: Not reported Tank Status: Closed Before April 1, 1991 Tank Error Status: Minor Data Missing Pipe External: Not reported Second Containment: NONE Leak Detection: NONE Overfill Prot: Not reported Dispenser Suction Date Tested Not reported Next Test Date: Not reported Date Closed. 00/00 Test Method: Not reported Deleted Not reported Updated. Not reported Dead Letter False Owner Screen: No data missing FAMT Fiscal amount for registration fee is correct 19970812 Total Capacity. Not reported Renewal Date: Federal ID: Tank Screen: Minor data missing Not reported Facility Screen: Renew Flag: Renwal has not been printed No data missing Certification Flag: Faise Certification Date: 19971021 Old PBS Number Not reported Expiration Date: 19021023 Inspected Date: Not reported Inspector: Not reported Inspection Result: Not reported Lat/long: Not reported Facility Type: RETAIL GASOLINE SALES PBS Number 2-247405 CBS Number Not reported SPDES Number: Not reported SWIS ID: 6101 Telephone: (718) 387-6685 Operator: **BADAR COPORATION Emergency Contact:** ZAR KHAN, (917) 333-7086 Total Tanks: 6401 4TH AVENUE CORPORATION Owner[.] 1158 BROADWAY HEWLETT, NY 11557 (516) 295-3400 Owner Type: Corporate/Commercial Owner Mark: First Owner Owner Subtype: Not reported 6401 4TH AVENUE CORPORATION Mailing Address: 1158 BROADWAY HEWLETT, NY 11557 (516) 295-3400 Not Reported 1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than Facility Status: 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility. Capacity (gals): 550 UNDERGROUND Tank Location: Tank ID: 007 Install Date: 08/66 Product Stored: UNLEADED GASOLINE Tank Type: Steel/carbon steel Tank Internal: Not reported Pipe Internal: Not reported Pipe Location: Not reported Pipe Type: STEEL/IRON

Map ID Direction Distance Distance (ft.) Elevation Site MAP FINDINGS

Database(s) E

EDR ID Number EPA ID Number

U000406810

BADAR CORPORATION (Continued)

ADAR CORPORATION (Continued)		
Tank Status: Tank Error Status: Pipe External: Second Containment:	Closed Before April 1, 1991 Minor Data Missing Not reported NONE		
Leak Detection: Overfill Prot: Date Tested: Date Closed: Detectod:	NONE Not reported Not reported 00/00	Dispenser Next Test Date: Test Method	Suction Not reported Not reported Not reported
Deleted: Dead Letter FAMT:	Not reported False Fiscal amount for registration fee is corri	Updated. Owner Screen	No data missing
Total Capacity Tank Screen: Renew Flag Certification Flag.	Not reported Minor data missing Renwal has not been printed False	Renewal Date Federal ID. Facility Screen: Certification Date	
Old PBS Number Inspected Date: Inspection Result. Lat/long Facility Type:	Not reported Not reported Not reported Not reported RETAIL GASOLINE SALES	Expiration Date: Inspector	19021023 Not reported
PBS Number SPDES Number	2-247405 Not reported	CBS Number	Not reported
SWIS ID: Operator Emergency Contact: Total Tanks:	6101 BADAR COPORATION ZAR KHAN, (917) 333-7086 4	Telephone.	(718) 387-6685
Owner	6401 4TH AVENUE CORPORATION 1158 BROADWAY HEWLETT, NY 11557 (516) 295-3400		
Owner Type: Owner Subtype: Mailing Address:	Corporate/Commercial Not reported 6401 4TH AVENUE CORPORATION 1158 BROADWAY HEWLETT. NY 11557 (516) 295-3400 Not Reported	Owner Mark:	First Owner
Facility Status:	1 - Active PBS facility, i.e. total capacity of 1.100 gallons, regardless if Subpart 360-		*
Capacity (gals): Tank Location: Tank ID: Product Stored: Tank Internal: Pipe Location: Tank External: Tank Status: Tank Error Status:	550 UNDERGROUND 008 UNLEADED GASOLINE Not reported Not reported Not reported Closed Before April 1, 1991 Minor Data Missing	Install Date: Tank Type: Pipe Internal: Pipe Type:	08/66 Steel/carbon steel Not reported STEEL/IRON
Pipe External: Second Containment: Leak Detection: Overfill Prot: Date Tested: Date Closed: Deleted: Dead Letter:	Not reported NONE NONE Not reported Not reported 00/00 Not reported False	Dispenser Next Test Date: Test Method: Updated: Owner Screen:	Suction Not reported Not reported Not reported No data missing

Map ID	MAP FINDINGS		
Direction Distance	۳		
Distance (ft.)			EDR ID Number
Elevation Site		Database(s)	EPA ID Number
BADAR CORPOR	ATION (Continued)		U000406810

E.

DAR CORPORATION (Continued)			υ
FAMT	Fiscal amount for registration fee is corre	ct		
Total Capacity:	Not reported	Renewal Date:	19970812	
Tank Screen:	Minor data missing	Federal ID:	Not reported	
Renew Flag:	Renwal has not been printed	Facility Screen:	No data missing	
Certification Flag.	False	Certification Date	19971021	
Old PBS Number	Not reported	Expiration Date:	19021023	
Inspected Date:	Not reported	Inspector	Not reported	
Inspection Result:	Not reported			
Lat/long:	Not reported			
Facility Type:	RETAIL GASOLINE SALES			
PBS Number	2-247405	CBS Number	Not reported	
SPDES Number	Not reported			
SWIS ID:	6101	Telephone	(718) 387-6685	
Operator	BADAR COPORATION			
Emergency Contact:	ZAR KHAN, (917) 333-7086			
Total Tanks:	4			
Owner	6401 4TH AVENUE CORPORATION			
	1158 BROADWAY			
	HEWLETT NY 11557			
	(516) 295-3400			
Owner Type:	Corporate/Commercial	Owner Mark:	First Owner	
Owner Subtype	Not reported			
Mailing Address:	6401 4TH AVENUE CORPORATION			
	1158 BROADWAY			
	HEWLETT, NY 11557			
	(516) 295-3400			
Facility Otation	Not Reported			
Facility Status:	1 - Active PBS facility, i.e. total capacity (
Capacity (gale):	1,100 gallons. regardless if Subpart 360- 550	14 TALIKS EXIST OF TIC	of at the facility.	
Capacity (gals): Tank Location:	UNDERGROUND			
Tank ID:	009	Install Date:	00/00	
Product Stored:	OTHER	Tank Type:	Steel/carbon steel	
Tank Internal:	Not reported	Pipe Internal:	Not reported	
Pipe Location:	Not reported	Pipe Type:	Not reported	
Tank External:	Not reported	· (pc ·)pc.		
Tank Status:	Closed Before April 1, 1991			
Tank Error Status:	Minor Data Missing			
Pipe External:	Not reported			
Second Containment:	NONE			
Leak Detection:	NONE			
Overfill Prot:	Not reported	Dispenser:	Gravity	
Date Tested:	Not reported	Next Test Date:	Not reported	
Date Closed:	00/00	Test Method:	Not reported	
Deleted:	Not reported	Updated:	Not reported	
Dead Letter:	False	Owner Screen:	No data missing	
FAMT:	Fiscal amount for registration fee is corre	ect		
Total Capacity:	Not reported	Renewal Date:	19970812	
Tank Screen:	Minor data missing	Federal ID:	Not reported	
Renew Flag:	Renwal has not been printed	Facility Screen:	No data missing	
Certification Flag:	False	Certification Date	:19971021	
Old PBS Number	Not reported	Expiration Date:	19021023	
Inspected Date:	Not reported	Inspector:	Not reported	
Inspection Result:	Not reported			
Lat/long:	Not reported			
Facility Type:	RETAIL GASOLINE SALES			

.'n₹

MAP FINDINGS

EDR ID Number EPA ID Number

Database(s)

BADAR CORPORATION (Continued)

U000406810

PBS Number	2-247405	CBS Number:	Not reported
SPDES Number	Not reported		
SWIS ID	6101	Telephone	(718) 387-6685
Operator	BADAR COPORATION		
Emergency Contact:	ZAR KHAN, (917) 333-7086		
Total Tanks	4		
Owner	6401 4TH AVENUE CORPORATION		
	1158 BROADWAY		
	HEWLETT NY 11557		
	(516) 295-3400		
Owner Type:	Corporate/Commercial	Owner Mark:	First Owner
Owner Subtype:	Not reported		
Mailing Address:	6401 4TH AVENUE CORPORATION		
	1158 BROADWAY		
	HEWLETT, NY 11557		
	(516) 295-3400		
	Not Reported		
Facility Status.	1 - Active PBS facility, i.e. total capacity	of the PBS tanks is	greater than
,	1.100 gallons, regardless if Subpart 360		
Capacity (gals):	550		,
Tank Location:	UNDERGROUND		
Tank ID [.]	109	Install Date:	00/00
Product Stored:	OTHER	Tank Type:	Steel/carbon steel
Tank Internal:	Not reported	Pipe Internal:	Not reported
Pipe Location:	Not reported	Pipe Type:	STEEL/IRON
Tank External:	Not reported		
Tank Status:	Closed Before April 1, 1991		
Tank Error Status:	Minor Data Missing		
Pipe External:	Not reported		
Second Containment:	NONE		
Leak Detection:	NONE		
Overfill Prot:	Not reported	Dispenser:	Submersible
Date Tested:	Not reported	Next Test Date:	Not reported
Date Closed:	00/00	Test Method:	Not reported
Deleted:	Not reported	Updated:	Not reported
Dead Letter:	False	Owner Screen:	No data missing
FAMT	Fiscal amount for registration fee is corre	ect	
Total Capacity:	Not reported	Renewal Date:	19970812
Tank Screen:	Minor data missing	Federal ID:	Not reported
Renew Flag:	Renwal has not been printed	Facility Screen:	No data missing
Certification Flag:	False	Certification Date	
Old PBS Number:	Not reported	Expiration Date:	19021023
Inspected Date:	Not reported	Inspector:	Not reported
Inspection Result:	Not reported		
Lat/long:	Not reported		
Facility Type:	RETAIL GASOLINE SALES		
PBS Number:	2-247405	CBS Number:	Not reported
SPDES Number	Not reported	Obo Number.	Notreponed
SWIS ID:	6101	Telephone:	(718) 387-6685
Operator:	BADAR COPORATION	relephone.	(110) 001-0000
Emergency Contact:	ZAR KHAN, (917) 333-7086		
Total Tanks:	4		
Owner:	6401 4TH AVENUE CORPORATION		
	1158 BROADWAY		
	HEWLETT, NY 11557		

Map ID MAP FINDINGS Direction Distance Distance (ft.) EDR ID Number Flevation Site Database(s) EPA ID Number **BADAR CORPORATION (Continued)** U000406810 (516) 295-3400 Owner Type: Corporate/Commercial Owner Mark First Owner Owner Subtype: Not reported Mailing Address: 6401 4TH AVENUE CORPORATION 1158 BROADWAY HEWLETT NY 11557 (516) 295-3400 Not Reported 1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than Facility Status: 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility. Capacity (gals): 4000 UNDERGROUND Tank Location. Tank ID. Install Date: 10/89 110 Product Stored. UNLEADED GASOLINE Tank Type Steel/carbon steel Tank Internal: Not reported Pipe Internal. Not reported Pipe Location: Not reported Pipe Type: Not reported SACRIFICIAL ANODE Tank External: In Service Tank Status: Tank Error Status: Minor Data Missing Pipe External: SACRIFICIAL ANODE Second Containment. DOUBLED-WALLED TANK Leak Detection: Not reported Overfill Prot: Product Level Gauge Dispenser Submersible Date Tested: Not reported Next Test Date: 10/04 Date Closed: Not reported Test Method: Not reported Deleted: Not reported Updated: Not reported Dead Letter: False Owner Screen: No data missing FAMT Fiscal amount for registration fee is correct 19970812 Total Capacity: Not reported Renewal Date: Tank Screen: Minor data missing Federal ID: Not reported Renew Flag: Renwal has not been printed Facility Screen: No data missing Certification Flag: False Certification Date: 19971021 Old PBS Number: Expiration Date: 19021023 Not reported Inspected Date: Not reported Inspector: Not reported Inspection Result: Not reported Lat/long: Not reported RETAIL GASOLINE SALES Facility Type: PBS Number: 2-247405 CBS Number Not reported SPDES Number Not reported SWIS ID: (718) 387-6685 6101 Telephone: Operator: BADAR COPORATION **Emergency Contact:** ZAR KHAN, (917) 333-7086 Total Tanks: 4 Owner: 6401 4TH AVENUE CORPORATION 1158 BROADWAY HEWLETT, NY 11557 (516) 295-3400 Owner Type: Corporate/Commercial Owner Mark: First Owner Owner Subtype: Not reported 6401 4TH AVENUE CORPORATION Mailing Address: 1158 BROADWAY HEWLETT, NY 11557 (516) 295-3400 Not Reported Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.

Map ID Direction Distance Distance (ft.) Elevation Site

MAP FINDINGS

EDR I Database(s) EPA I

EDR ID Number EPA ID Number

Capacity (gals):	4000		
Tank Location:	UNDERGROUND		
Tank ID [.]	111	Install Date	10/89
Product Stored:	UNLEADED GASOLINE	Tank Type	Steel/carbon steel
Tank Internal	Not reported	Pipe Internal:	Not reported
Pipe Location:	Not reported	Pipe Type	Not reported
Tank External:	SACRIFICIAL ANODE		
Tank Status	In Service		
Tank Error Status:	Minor Data Missing		
Pipe External:	SACRIFICIAL ANODE		
Second Containment:	DOUBLED-WALLED TANK		
Leak Detection:	Not reported		
Overfili Prot.	Product Level Gauge	Dispenser	Submersible
Date Tested:	Not reported	Next Test Date:	10/04
Date Closed.	Not reported	Test Method:	Not reported
Deleted:	Not reported	Updated	Not reported
Dead Letter	Faise	Owner Screen	No data missing
FAMT	Fiscal amount for registration fee is cor	rect	
Total Capacity:	Not reported	Renewal Date	19970812
Tank Screen.	Minor data missing	Federal ID:	Not reported
Renew Flag.	Renwal has not been printed	Facility Screen:	No data missing
Certification Flag.	False	Certification Date	
Old PBS Number	Not reported	Expiration Date:	19021023
nspected Date:	Not reported	Inspector:	Not reported
nspection Result:	Not reported		
_at/long.	Not reported		
Facility Type:	RETAIL GASOLINE SALES		
PBS Number	2-247405	CBS Number:	Not reported
SPDES Number:	Not reported		
SWIS ID:	6101	Telephone:	(718) 387-6685
Operator:	BADAR COPORATION		
Emergency Contact:	ZAR KHAN, (917) 333-7086		
Total Tanks:	4		
Owner:	6401 4TH AVENUE CORPORATION 1158 BROADWAY HEWLETT, NY 11557		
	(516) 295-3400		
Owner Type:	Corporate/Commercial	Owner Mark:	First Owner
Owner Subtype:	Not reported	Contor mark.	
Mailing Address:	6401 4TH AVENUE CORPORATION 1158 BROADWAY		
	HEWLETT, NY 11557 (516) 295-3400		
_	Not Reported		
Facility Status:	1 - Active PBS facility, i.e. total capacity 1,100 gallons, regardless if Subpart 360		•
Capacity (gals):	4000		
Tank Location:	UNDERGROUND		10/00
Tank ID:		Install Date:	10/89
Product Stored:	UNLEADED GASOLINE	Tank Type:	Steel/carbon steel
Tank Internal:	Not reported	Pipe Internal:	Not reported
Pipe Location:	Not reported	Pipe Type:	Not reported
Tank External:	SACRIFICIAL ANODE		
Tank Status:	In Service		
Tank Error Status: Pipe External:	Minor Data Missing SACRIFICIAL ANODE		

Map ID Direction		MAP FINDINGS			
Distance					
Distance (ft Elevation	.) Site			Database(s)	EDR ID Numbe EPA ID Numbe
	BADAR CORPORATION (Continued)			U000406810
	Second Containment: Leak Detection:	DOUBLED-WALLED TANK Not reported			
	Overfill Prot:	Product Level Gauge	Dispenser	Submersible	
	Date Tested:	Not reported	Next Test Date:	10/04	
	Date Closed:	Not reported	Test Method.	Not reported	
	Deleted:	Not reported	Updated:	Not reported	
	Dead Letter	False	Owner Screen	No data missing	
	FAMT	Fiscal amount for registration fee is corri		NO UAIA MISSING	
	Total Capacity:	5	Renewal Date	19970812	
	Tank Screen.	Not reported Minor data missing	Federal ID.		
	Renew Flag:	Renwal has not been printed		Not reported	
	0	False	 Facility Screen: Certification Date 	No data missing	
	Certification Flag:				
	Old PBS Number	Not reported	Expiration Date:		
	Inspected Date:	Not reported	Inspector:	Not reported	
	Inspection Result:	Not reported			
	Lat/long.	Not reported			
	Facility Type:	RETAIL GASOLINE SALES			
	PBS Number	2-247405	CBS Number	Not reported	
	SPDES Number	Not reported			
	SWIS ID:	6101	Telephone:	(718) 387-6685	
	Operator ⁻	BADAR COPORATION			
	Emergency Contact: Total Tanks:	ZAR KHAN. (917) 333-7086 4			
	Owner	4 6401 4TH AVENUE CORPORATION			
	Owner	1158 BROADWAY			
		HEWLETT, NY 11557			
		(516) 295-3400			
	Owner Type:	Corporate/Commercial	Owner Mark:	First Owner	
	Owner Subtype:	Not reported	Owner Mark.	Fillst Owner	
	Mailing Address:	6401 4TH AVENUE CORPORATION			
	Maining Address.	1158 BROADWAY			
		HEWLETT, NY 11557			
		(516) 295-3400			
		Not Reported			
	Facility Status:	1 - Active PBS facility, i.e. total capacity	of the PRS tanks is	areater than	
	r demty Gtatus.	1,100 gallons, regardless if Subpart 360			
	Capacity (gals):	4000		or at the facility!	
	Tank Location:	UNDERGROUND			
	Tank ID:	113	Install Date:	10/89	
	Product Stored:	UNLEADED GASOLINE	Tank Type:	Steel/carbon steel	
	Tank Internal:	Not reported	Pipe Internal:	Not reported	
	Pipe Location:	Not reported	Pipe Type:	Not reported	
	Tank External:	SACRIFICIAL ANODE			
	Tank Status:	In Service			
	Tank Error Status:	Minor Data Missing			
	Pipe External:	SACRIFICIAL ANODE			
	Second Containment:	DOUBLED-WALLED TANK			
	Leak Detection:	Not reported			
	Overfill Prot:	Product Level Gauge	Dispenser:	Submersible	
	Date Tested:	Not reported	Next Test Date:	10/04	
	Date Closed:	Not reported	Test Method:	Not reported	
	Deleted:	Not reported	Updated:	Not reported	
	Dead Letter:	False	Owner Screen:	No data missing	
	FAMT ²	Fiscal amount for registration fee is corr		no dala misoing	

Fiscal amount for registration fee is correct

Not reported

Minor data missing

FAMT[,]

Total Capacity:

Tank Screen:

Renewal Date: 19970812 Federal ID: Not reported

Flag: ation Flag: S Number ed Date: ion Result: g: Type. CLEANERS ER ST N. NY 1121: r' K (2 ct: H (7 d Date. 0 ification: L Oil Recyc: N ion Status: N	Y-SUNG SUNG 212) 555-1212 ICONTFIRST SUNG 718) 782-7779 11/29/1986 arge Quantity Generator		n Date:1997 Date: 1902		U000406810 1000116872 NYD98118324
ation Flag: S Number ed Date: ion Result: g: Type. CLEANERS ER ST N. NY 1121 r: K (2 ct: H (7 d Date. 0 ification: L Oil Recyc: N ion Status: N	False Not reported Not reported Not reported RETAIL GASOLINE SALES	Certification Expiration	n Date:1997 Date: 1902	71021 21023 reported	
ER ST N. NY 1121 r: K (2 ct: H (7 d Date. 0 ification: L Oil Recyc: N ion Status: N ANIFEST	(Y-SUNG SUNG 212) 555-1212 ICONTFIRST SUNG 718) 782-7779 I1/29/1986 arge Quantity Generator				
(2 ct: H (7 d Date. 0 ification: L Oil Recyc: N ion Status: N	212) 555-1212 ICONTFIRST SUNG 718) 782-7779 11/29/1986 arge Quantity Generator				
(2 ct: H (7 d Date. 0 ification: L Oil Recyc: N ion Status: N	212) 555-1212 ICONTFIRST SUNG 718) 782-7779 11/29/1986 .arge Quantity Generator				
(7 d Date. 0 ification: L Oil Recyc: N ion Status: N ANIFEST	718) 782-7779 11/29/1986 arge Quantity Generator lo				
ification: L Oil Recyc: N ion Status: N ANIFEST	arge Quantity Generator				
Oil Recyc: N Ion Status: N ANIFEST	10				
on Status: N					
ANIFEST	lo violations found				
	available in NY MANIFEST Please of	contact your EDR Acco	ount Executi	ive for more inf	ormation.
S CLEANER LING ST N, NY 11211				RCRIS-SQG FINDS	1001113364 NYR00002354
	NTHONY BLAKE 718) 782-6744				
	NTHONY BLAKE 718) 782-6744				
d Date: 05	5/06/1996				
fication: S	mall Quantity Generator				
Oil Recyc: N	lo				
on Status: N	lo violations found				
	available in NY MANIFEST. Please of	ontact your EDR Acco	ount Executi	ive for more info	ormation.
i	() rd Date: 0 ification: S Oil Recyc: N ion Status: N ANIFEST	(718) 782-6744 rd Date: 05/06/1996 ification: Small Quantity Generator Oil Recyc: No ion Status: No violations found ANIFEST	(718) 782-6744 rd Date: 05/06/1996 ification: Small Quantity Generator Oil Recyc: No ion Status: No violations found ANIFEST	(718) 782-6744 rd Date: 05/06/1996 ification: Small Quantity Generator Oil Recyc: No ion Status: No violations found ANIFEST	(718) 782-6744 rd Date: 05/06/1996 ification: Small Quantity Generator Oil Recyc: No ion Status: No violations found

South 130 HOPE ST 1/8-1/4 BROOKLYN, NY 11211 945 Higher

TC0382955.11r Page 70

	D C CENTER CORP	(Continued)				1001224458
	RCRIS Owner	HENRY STERN (718) 456-9700				
	Contact:	ALBERTO LEE (212) 555-1212				
	Record Date:	06/17/1998				
	Classification:	Small Quantity Generat	or			
	Used Oil Recyc					
	Violation Status	No violations found				
26 NNW 1/8-1/4 1026 Higher	238 NORTH 9TH ST 238 NORTH 9TH ST BKLYN. NY 11211	REET REALTY CORP. REET			UST	U003241825 N/A
	PBS UST					
	PBS Number	2-370045		CBS Number	Not reported	
	SPDES Number			Telephone	(710) 700 6400	
	SWIS ID: Operator Emergency Cont Total Tanks:	act: MARTIN AUSTE 1	H ST RLTY CORP R, (516) 334-2690	Telephone:	(718) 782-6400	
	Owner:	KEN AUSTER 43 RODNEY LA WESTBURY, N ^v (516) 333-0011				
	Owner Type:	Corporate/Comr	nercial	Owner Mark:	First Owner	
	Owner Subtype: Mailing Address:	Not reported 238 NORTH 9TH 238 NORTH 9TH BROOKLYN, NY (718) 782-6400 ATTN: KENNET	11211	PRPORATION		
	Facility Status:		acility, i.e. total capacity			
	Capacity (gals):	1.100 gallons, re 3000	gardless if Subpart 360	-14 tanks exist or n	ot at the facility.	
	Tank Location:	UNDERGROUN	D			
	Tank ID:	001		Install Date:	00/00	
	Product Stored:	NOS 1.2, OR 4	FUELOIL	Tank Type:	Steel/carbon steel	
	Tank Internal:	Not reported		Pipe Internal:	Not reported	
	Pipe Location: Tank External:	Not reported Not reported		Рире Туре:	STEEL/IRON	
	Tank Status:	In Service				
	Tank Error Statu	s. Minor Data Miss	ing			
	Pipe External:	Not reported				
	Second Contain					
	Leak Detection: Overfill Prot:	GROUNDWATE Product Level G		Dispenser:	Suction	
	Date Tested:	07/95	auye	Next Test Date:	07/00	
	Date Closed:	Not reported		Test Method:	HORNER	
	Deleted:	Not reported		Updated:	True	
	Dead Letter	False		Owner Screen:	No data missing	
	FAMT	Fiscal amount fo	or registration fee is corr	ect		
	Total Capacity:	Not reported		Renewal Date:	19970811	

Map ID Direction		MAP FIND	INGS		
Distance Distance (ft Elevation	.) Site			Database(s)	EDR ID Numb
	238 NORTH 9TH ST	REET REALTY CORP. (Continued)			U003241825
	Tank Screen: Renew Flag: Certification Flag Old PBS Numbe Inspected Date: Inspection Resu Lat/long Facility Type:	r Not reported Not reported	Federal ID: Facility Screen: Certification Date Expiration Date Inspector	Not reported Minor data missing :19971114 19021006 Not reported	
27 West 1/8-1/4 1026 Higher	BROTHERS CLEAN 122 ROEBLING ST BROOKLYN, NY 11			RCRIS-SQG	1001460209 NYR00006651
	RCRIS: Owner	CLARIBEL BLAKE (718) 782-6744			
	Contact:	ANTHONY BLAKE (718) 782-6744			
	Record Date:	02/03/1999			
	Classification:	Small Quantity Generator			
	Used Oil Recyc	: No			
	Violation Status	s: No violations found			
28 NNE 1/8-1/4 1057 Higher	P & G PHOTO ENGI 17 FROST ST BROOKLYN, NY 11			FINDS RCRIS-LQG	1000114892 NYD04435934
	RCRIS: Owner:	JOHN AMENTA & SAL PITTI (212) 555-1212			
	Contact:	JOHN AMENTA (718) 387-3005			
	Record Date:	10/09/1986			
	Classification:	Large Quantity Generator			
	Used Oil Recyc	:: No			
	Violation Status	s: No violations found			
29 WSW 1/8-1/4	JOHN ORBAN & CC 53 HOPE ST BROOKLYN, NY 11			RCRIS-SQG FINDS	1000305786 NYD05454275

JOHN ORBAN & CO 53 HOPE ST wsw 1/8-1/4 1075 BROOKLYN, NY 11211 Higher

		MAP FINDINGS		
(4.)				
(ft.)	Site		Database(s)	EDR ID Numb
	JOHN ORBAN & CO) (Continued)		1000305786
	RCRIS:			
	Owner	Not reported		
	Contact:	Not reported		
	Record Date:	12/31/1979		
	Classification:	Not reported		
	Used Oil Recyc	:: No		
	Violation Status	s: No violations found		
	ATHLETIC NOVELT		RCRIS-SQG	1000872209
	BROOKLYN. NY 11	N AVE	FINDS	NYD9870341
	RCRIS ⁻			
	Owner	ATHLETIC NOVELTIES MFG CO (~18) 387-9313		
	Contact:	AL VAZQUEZ (718) 387-9313		
	Record Date:	05/19/1993		
	Classification:	Small Quantity Generator		
	Used Oil Recyc	c: No		
	Violation Status	s: No violations found		
	NYSDOT BQE PRO MEEKER & LORIME BROOKLYN, NY 11	ER ST	RCRIS-SQG FINDS	1000191428 NYD9827285
	RCRIS:			
	Owner:	NYS DEPT TRANSPORTATION (212) 555-1212		
	Contact:	RICHARD SCHMALZ (718) 482-4636		
	Record Date:	04/17/1989		
	Classification:	Not reported		
	Used Oil Recyc	c: No		
	Violation Status	s: No violations found		
	MTA NYCT HOPE S	STREET STATION	FINDS	1001223858
	HOPE ST & UNION BROOKLYN, NY 11	AVE	RCRIS-LQG	NYR000050
	BROOKEIN, NI T			

Mail Contact:

EDWARD J MAGUIRE 215 NORTH 10TH ST. BROOKLYN, NY 11211

MAP FINDINGS

Direction		ų			
Distance					
Distance (ft Elevation) Site			Database(s)	EDR ID Numbe EPA ID Numbe
	MTA NYCT HOPE S	TREET STATION (Continued)			1001223858
	RCRIS:				
	Owner ⁻	MTA NEW YORK CITY TRANSIT (718) 743-4581			
	Contact:	HOWARD MATZA (718) 243-4581			
	Record Date:	02/18/1998			
	Classification:	Large Quantity Generator			
	Used Oil Recyc	: No			
		No violations found			
13 NW	ROBINSON BROS. I 215 N 10TH ST	NDUSTRIES. CORP.		CBS AST	S102638185 N/A
/8-1/4 282 ligher	BROOKLYN, NY 11	211			
iigiiei	ODO ACT				
	CBS AST CBS Number	2-000052	Telephone:	(718) 963-4260	
	Owner	ROBINSON BROS. INDUSTRIES		(718) 903-4200	
	O third	215 NORTH 10TH ST			
		BROOKLYN, NY 11211			
		(718) 963-4260			
	Facility Status:	3			
	Tank ID:	001	Total Tanks	0	
	Tank Status:	In Service			
	Tank Error Status	5			
	Tank Location:	Aboveground on crib, rack or cradi	le		
	Install Date: Capacity (Gal):	04/86 5000			
	Tank Type:	Plastic			
	Substance:	Single Hazardous Substance on D	FC List		
	Extrnl Protection:				
	Intrnl Protection:	None			
	Tank Containmer				
	Pipe Type:	PLASTIC	Pipe Location:	Aboveground	
	Pipe Internal:	Epoxy Liner			
	Pipe External:	Jacketed			
	Pipe Containmen	5	Haz Percent:	100	
	Leak Detection:	Concrete Pad w/channels			
	Overfill Protectior Chemical:				
	Acutely Hazardou	Hydrochloric acid Js: False	Tank Closed:	02/92	
	PBS Number:	Not reported	SWIS Code:	6101	
	MOSF Number	Not reported	CAS Number:	7647010	
	SPDES Number	Not reported	ICS Number	2-700268	
	Facility Type:	Chemical Distributor		2100200	
	Operator:	EDWARD J. MAGUIRE	Facility Town:	NEW YORK CITY	
	Emrgncy Contact		•	(914) 961-5944	
	Certified Date:	19910619	Expiration Date:		
	Owner type:	Corporate/Commercial	Enpiration Date.		
	Owner Sub Type:				
	Mail Name:	ROBINSON BROS. INDUSTRIES			
	Mail Contact:	EDWARD & MAGUIRE			

Map ID Direction	MAP FINDINGS		
Distance			
Distance (ft.)			EDR ID Number
Elevation Site		Database(s)	EPA ID Number

Mail Phone:	(718) 963-4260		
Tank Secret:	False	Date Entered:	06/06/1989 11:34-48
Last Test:	Not reported	Due Date:	Not reported
DEC Reportable Quar	titles: 100		·
Air Reportable Quantil			
CBS Number	2-000052	Telephone:	(718) 963-4260
Owner [.]	ROBINSON BROS INDUSTRIES		
	215 NORTH 10TH ST		
	BROOKLYN, NY 11211		
	(718) 963-4260		
Facility Status.	3		
Tank ID:	002	Total Tanks	0
Tank Status:	In Service		
Tank Error Status:	No Missing Data		
Tank Location.	Aboveground on crib, rack or cradle		
Install Date	01/86		
Capacity (Gal):	12000		
Tank Type	Other		
Substance.	Single Hazardous Substance on DEC L	_ist	
Extrnl Protection:	Painted/Asphalt Coating		
Intrnl Protection:	Rubber Liner		
Tank Containment:	Diking		
Pipe Type:	OTHER	Pipe Location:	Aboveground
Pipe Internal:	Rubber Liner	THE LUCATION.	Aboveground
Pipe External:	Jacketed		
Pipe Containment:		Haz Percent:	100
Leak Detection:	Diking Concrete Pad w/channels	haz reicem.	100
Overfill Protection:	Not reported		
Chemical:	Ammonium hydroxide		00/00
Acutely Hazardous:	False	Tank Closed:	02/92
PBS Number	Not reported	SWIS Code:	6101
MOSF Number	Not reported	CAS Number:	1336216
SPDES Number:	Not reported	ICS Number:	2-700268
Facility Type:	Chemical Distributor		
Operator:	EDWARD J. MAGUIRE	Facility Town:	NEW YORK CITY
Emrgncy Contact:	EDWARD J. MAGUIRE	Emrgncy Phone:	
Certified Date:	19910619	Expiration Date:	19930606
Owner type:	Corporate/Commercial		
Owner Sub Type:	Not reported		
Mail Name:	ROBINSON BROS. INDUSTRIES		
Mail Contact:	EDWARD J. MAGUIRE		
	215 NORTH 10TH ST		
	BROOKLYN, NY 11211		
Mail Phone:	(718) 963-4260		
Tank Secret:	False	Date Entered:	06/06/1989 11:35:25
Last Test:	Not reported	Due Date:	Not reported
DEC Reportable Quar	itities: 100		
Air Reportable Quantii	ies: Not reported		
CPS Number	2-000052	Tolophana	(718) 063.4060
CBS Number	ROBINSON BROS. INDUSTRIES	Telephone:	(718) 963-4260
Owner:			
	215 NORTH 10TH ST		
	BROOKLYN, NY 11211		
	(718) 963-4260		
Facility Status:	4		
Tank ID:	003	Total Tanks	0

Map ID Direction Distance Distance (ft.) Site Elevation

MAP FINDINGS

EDR ID Number Database(s)

EPA ID Number

S102638185

	Tank Status:	In Service			
	Tank Error Status:	Major Data Missing (which is on t	he certificate)		
	Tank Location:	Aboveground on crib, rack or crae	dle		
	Install Date:	01/86			
	Capacity (Gal):	2000			
	Tank Type.	Stainless steel alloy			
	Substance.	Not reported			
	Extrnl Protection.				
	Intrnl Protection:	Not reported			
	Tank Containment:	5			
	Pipe Type:	STAINLESS STEEL ALLOY	Pipe Location	n. Not reported	
	Pipe Internal	Not reported			
	Pipe External:	Not reported		N () () (
	Pipe Containment:	Not reported	Haz Percent:	Not reported	
	Leak Detection.	Not reported			
	Overfill Protection:	Not reported			
	Chemical:	Nitric acid	T 0 1	01/01	
	Acutely Hazardous		Tank Closed		
	PBS Number	Not reported	SWIS Code	6101	
	MOSF Number	Not reported	CAS Number		
	SPDES Number	Not reported	ICS Number	2-700268	
	Facility Type:	Chemical Distributor	Foodsto Tarra		
	Operator:	EDWARD J. MAGUIRE	Facility Town		
	Emrgncy Contact:	EDWARD J. MAGUIRE		one: (914) 961-5944	
	Certified Date:	19910619 Corporate/Commorcial	Expiration Da	ate: 19930606	
	Owner type:	Corporate/Commercial			
	Owner Sub Type: Mail Name:	Not reported	2		
	Mail Name: Mail Contact:	ROBINSON BROS. INDUSTRIES EDWARD J. MAGUIRE	د		
	Mail Contact.				
		215 NORTH 10TH ST BROOKLYN, NY 11211			
	Mail Dhone				
	Mail Phone:	(718) 963-4260 Falso	Data Catana	0. 06/06/1000 11:05-55	
	Tank Secret:	False	Date Entered		
	Last Test:	Not reported	Due Date:	Not reported	
	DEC Reportable Q	Janutes, IVV			
	Air Reportable Qua				
34	Air Reportable Qua	ntities: Not reported			c
34 NF	Air Reportable Qua	ntities: Not reported		LUST	5
NE	Air Reportable Qua MEEKER DISCOUNT M 64 FROST ST	ntities: Not reported		LUST	5
NE 1/4-1/2	Air Reportable Qua	ntities: Not reported		LUST	S
E /4-1/2 369	Air Reportable Qua MEEKER DISCOUNT M 64 FROST ST	ntities: Not reported		LUST	5
NE	Air Reportable Qua 	ntities: Not reported		LUST	5
NE 1/4-1/2 1369	Air Reportable Qua 	ntities: Not reported			5
IE /4-1/2 369	Air Reportable Qua 	ntities: Not reported MUFFLERS 9601530	Region of Spill:	2	5
E 4-1/2 69	Air Reportable Qua	ntities: Not reported MUFFLERS 9601530 Not reported	Facility Tele:	2 (718) 388-3329	5
IE /4-1/2 369	Air Reportable Qua MEEKER DISCOUNT N 64 FROST ST BROOKLYN, NY LUST: Spill Number: Facility Contact: Investigator:	ntities: Not reported MUFFLERS 9601530 Not reported O'DOWD	Facility Tele: SWIS:	2 (718) 388-3329 61	S
NE /4-1/2 369	Air Reportable Qua MEEKER DISCOUNT N 64 FROST ST BROOKLYN, NY LUST: Spill Number: Facility Contact: Investigator: Caller Name:	ntities: Not reported MUFFLERS 9601530 Not reported O'DOWD TOM LEDDY	Facility Tele: SWIS: Caller Agency:	2 (718) 388-3329 61 PRO TEST COMPANY	S
NE 1/4-1/2 1369	Air Reportable Qua MEEKER DISCOUNT N 64 FROST ST BROOKLYN, NY LUST: Spill Number: Facility Contact: Investigator: Caller Name: Caller Phone:	9601530 NUFFLERS 9601530 Not reported O'DOWD TOM LEDDY (516) 321-4670	Facility Tele: SWIS: Caller Agency: Caller Extension:	2 (718) 388-3329 61 PRO TEST COMPANY Not reported	S
NE 1/4-1/2 1369	Air Reportable Qua MEEKER DISCOUNT N 64 FROST ST BROOKLYN, NY LUST: Spill Number: Facility Contact: Investigator: Caller Name: Caller Phone: Notifier Name:	MUFFLERS 9601530 Not reported O'DOWD TOM LEDDY (516) 321-4670 TOM LEDDY	Facility Tele: SWIS: Caller Agency: Caller Extension: Notifier Agency:	2 (718) 388-3329 61 PRO TEST COMPANY Not reported PRO TEST COMPANY	S
NE 1/4-1/2 1369	Air Reportable Qua MEEKER DISCOUNT N 64 FROST ST BROOKLYN, NY LUST: Spill Number: Facility Contact: Investigator: Caller Name: Caller Phone: Notifier Name: Notifier Phone:	9601530 MUFFLERS 9601530 Not reported O'DOWD TOM LEDDY (516) 321-4670 TOM LEDDY (516) 321-4670	Facility Tele: SWIS: Caller Agency: Caller Extension: Notifier Agency: Notifier Extension:	2 (718) 388-3329 61 PRO TEST COMPANY Not reported PRO TEST COMPANY Not reported	S
NE 1/4-1/2 1369	Air Reportable Qua MEEKER DISCOUNT N 64 FROST ST BROOKLYN, NY LUST: Spill Number: Facility Contact: Investigator: Caller Name: Caller Phone: Notifier Phone: Spiller Contact:	9601530 MUFFLERS 9601530 Not reported O'DOWD TOM LEDDY (516) 321-4670 TOM LEDDY (516) 321-4670 Not reported	Facility Tele: SWIS: Caller Agency: Caller Extension: Notifier Agency:	2 (718) 388-3329 61 PRO TEST COMPANY Not reported PRO TEST COMPANY	S
NE 1/4-1/2 1369	Air Reportable Qua MEEKER DISCOUNT N 64 FROST ST BROOKLYN, NY LUST: Spill Number: Facility Contact: Investigator: Caller Name: Caller Name: Notifier Name: Notifier Phone: Spiller Contact: Spiller:	9601530 MUFFLERS 9601530 Not reported O'DOWD TOM LEDDY (516) 321-4670 TOM LEDDY (516) 321-4670 Not reported MEEKER DISCOUNT MUFFLERS	Facility Tele: SWIS: Caller Agency: Caller Extension: Notifier Agency: Notifier Extension:	2 (718) 388-3329 61 PRO TEST COMPANY Not reported PRO TEST COMPANY Not reported	S
NE 1/4-1/2 1369	Air Reportable Qua MEEKER DISCOUNT N 64 FROST ST BROOKLYN, NY LUST: Spill Number: Facility Contact: Investigator: Caller Name: Caller Name: Notifier Name: Notifier Phone: Spiller Contact: Spiller:	9601530 MUFFLERS 9601530 Not reported O'DOWD TOM LEDDY (516) 321-4670 TOM LEDDY (516) 321-4670 TOM LEDDY (516) 321-4670 Not reported MEEKER DISCOUNT MUFFLERS 64 FROST ST	Facility Tele: SWIS: Caller Agency: Caller Extension: Notifier Agency: Notifier Extension:	2 (718) 388-3329 61 PRO TEST COMPANY Not reported PRO TEST COMPANY Not reported	5
NE 1/4-1/2 1369	Air Reportable Qua MEEKER DISCOUNT N 64 FROST ST BROOKLYN, NY LUST: Spill Number: Facility Contact: Investigator: Caller Name: Caller Name: Notifier Name: Notifier Phone: Spiller Contact: Spiller: Spiller Address:	9601530 MUFFLERS 9601530 Not reported O'DOWD TOM LEDDY (516) 321-4670 TOM LEDDY (516) 321-4670 TOM LEDDY (516) 321-4670 Not reported MEEKER DISCOUNT MUFFLERS 64 FROST ST BROOKLYN, NY	Facility Tele: SWIS: Caller Agency: Caller Extension: Notifier Agency: Notifier Extension: Spiller Phone:	2 (718) 388-3329 61 PRO TEST COMPANY Not reported PRO TEST COMPANY Not reported (718) 388-3329	5
NE 1/4-1/2 1369	Air Reportable Qua MEEKER DISCOUNT N 64 FROST ST BROOKLYN, NY LUST: Spill Number: Facility Contact: Investigator: Caller Name: Caller Name: Notifier Name: Notifier Phone: Spiller Contact: Spiller:	9601530 MUFFLERS 9601530 Not reported O'DOWD TOM LEDDY (516) 321-4670 TOM LEDDY (516) 321-4670 TOM LEDDY (516) 321-4670 Not reported MEEKER DISCOUNT MUFFLERS 64 FROST ST BROOKLYN, NY Known release that creates potential for	Facility Tele: SWIS: Caller Agency: Caller Extension: Notifier Agency: Notifier Extension: Spiller Phone:	2 (718) 388-3329 61 PRO TEST COMPANY Not reported PRO TEST COMPANY Not reported (718) 388-3329	2
NE 1/4-1/2 1369	Air Reportable Qua	ntities: Not reported MUFFLERS 9601530 Not reported O'DOWD TOM LEDDY (516) 321-4670 TOM LEDDY (516) 321-4670 Not reported MEEKER DISCOUNT MUFFLERS 64 FROST ST BROOKLYN, NY Known release that creates potential for Willing Responsible Party. Corrective ad	Facility Tele: SWIS: Caller Agency: Caller Extension: Notifier Agency: Notifier Extension: Spiller Phone:	2 (718) 388-3329 61 PRO TEST COMPANY Not reported PRO TEST COMPANY Not reported (718) 388-3329	S
NE 1/4-1/2 1369	Air Reportable Qua MEEKER DISCOUNT N 64 FROST ST BROOKLYN, NY LUST: Spill Number: Facility Contact: Investigator: Caller Name: Caller Name: Notifier Name: Notifier Phone: Spiller Contact: Spiller: Spiller Address: Spill Class: Spill Closed Dt:	ntities: Not reported MUFFLERS 9601530 Not reported O'DOWD TOM LEDDY (516) 321-4670 TOM LEDDY (516) 321-4670 Not reported MEEKER DISCOUNT MUFFLERS 64 FROST ST BROOKLYN, NY Known release that creates potential for Willing Responsible Party. Corrective ad Not reported	Facility Tele: SWIS: Caller Agency: Caller Extension: Notifier Agency: Notifier Extension: Spiller Phone:	2 (718) 388-3329 61 PRO TEST COMPANY Not reported PRO TEST COMPANY Not reported (718) 388-3329	5
IE /4-1/2 369	Air Reportable Qua MEEKER DISCOUNT N 64 FROST ST BROOKLYN, NY LUST: Spill Number: Facility Contact: Investigator: Caller Name: Caller Name: Caller Phone: Notifier Phone: Notifier Phone: Spiller Contact: Spiller: Spill Class: Spill Closed Dt:	ntities: Not reported MUFFLERS 9601530 Not reported O'DOWD TOM LEDDY (516) 321-4670 TOM LEDDY (516) 321-4670 Not reported MEEKER DISCOUNT MUFFLERS 64 FROST ST BROOKLYN, NY Known release that creates potential for Willing Responsible Party. Corrective ad	Facility Tele: SWIS: Caller Agency: Caller Extension: Notifier Agency: Notifier Extension: Spiller Phone:	2 (718) 388-3329 61 PRO TEST COMPANY Not reported PRO TEST COMPANY Not reported (718) 388-3329	9

TC0382955.11r Page 76

S102232676 N/A

lap ID Arection		L	MAP FINDINGS			
Nistance Nistance (ft. Nevation) Site				Database(s)	EDR ID Numbe
	MEEKER DISCOUNT	MUFFLERS (Continued))			S102232676
	Date Region Sen DEC Remarks:	Not reported tandard: Faise renalty: No Penalty bate Not reported e: Not reported mplete: Not reported :: False Update: 05/23/1996 Faise Plan Submitted: d in Computer Data File: t Summary to Central Offi Not reported	Not reported 04/30/1996 ice. Not reported	Spill Source: PBS Number Reported to Dept.		strial
	Spill Cause:	caller belives its a bad lir	ne - 5 - 550 gal tai	hks manifolded toge	ether	
5 NE 14-1/2 517 igher	COOPER PARK 95 JACKSON ST BROOKLYN. NY				LUST	S101341307 N/A
•	LUST [.] Spill Number	9414271		Region of Spill:	2	
	Facility Contact: Investigator: Caller Name: Caller Phone: Notifier Name: Notifier Phone: Spiller Contact: Spiller:	Not reported HEALY SEBASTIAN LORIFICE (212) 306-3233 Not reported Not reported Not reported NYC HOUSING AUTHC Not reported		Facility Tele: SWIS: Caller Agency: Caller Extension: Notifier Agency: Notifier Extension: Spiller Phone:	(212) 306-3142	DRITY
	Spiller Address: Spill Class: Spill Class: Spill Cause: Water Affected: Spill Notifier: Spill Date: Cleanup Ceased Last Inspection:	Known release with mini Willing Responsible Par 03/29/1996 Tank Test Failure Not reported Tank Tester 01/27/1995 15:20 Not reported		on taken. Resource Affected Spill Source: PBS Number		/Industrial

Ser. C

Map ID MAP FINDINGS Direction Distance EDR ID Number Distance (ft.) EPA ID Number Elevation Site Database(s) LUST F36 **68 RICHARDSON STREET** S100879125 **68 RICHARDSON ST** NE N/A BROOKLYN, NY 1/4-1/2 1610 Same LUST Region of Spill: Spill Number 9312569 2 Facility Contact: Not reported Facility Tele: Not reported Investigator: MARTINKAT SWIS: 61 Caller Name: BOB DECK Caller Agency: PETRO TANK CLEANERS Caller Phone: (718) 624-4842 Caller Extension: Not reported Not reported Notifier Name: Not reported Notifier Agency: Notifier Extension: Not reported Notifier Phone: Not reported Spiller Contact. HARRY NADLER Spiller Phone: Not reported Spiller BERNSTEIN REALTY 855 6TH AVE Spiller Address: NEW YORK, NY 10001 Known release that creates potential for fire or hazard. DEC Response. Spill Class. Willing Responsible Party. Corrective action taken. Spill Closed Dt: Not reported Spill Cause: Tank Failure Resource Affected: Groundwater Not reported Water Affected: Spill Source: Other Commercial/Industrial PBS Number Spill Notifier Other Not reported Spill Date 01/25/1994 15:30 Reported to Dept: 01/25/1994 16:17 Cleanup Ceased: Not reported Last Inspection: Not reported Cleanup Meets Standard: False Recommended Penalty: No Penalty Spiller Cleanup Date: Not reported Enforcement Date Not reported Investigation Complete: Not reported UST Involvement: False Spill Record Last Update: 05/13/1996 Is Updated: False Corrective Action Plan Submitted: Not reported Date Spill Entered In Computer Data File: 01/28/1994 Date Region Sent Summary to Central Office: Not reported DEC Remarks: Not reported Spill Cause: AFTER TANK WAS CLEANED - OWNER FOUND RESIDUAL OIL PUMP PIT - CALLED BOB DECK, HE SAID THAT OIL SHOWED UP IN SUMP PIT OWNER ASKED TO SET UP TEMP. TANK (1080 GAL) AND CLEANED THE 2500 GAL UST. FOR INSPE 37 ST. VINCENT CHURCH/BKLYN LUST S100167758 WNW 167 NORTH 5TH STREET N/A

1/4-1/2 1619 Higher

LUST:

NEW YORK CITY, NY

Spiller:

Spill Number: 8906957 Facility Contact: Not reported Investigator: BATTISTA Caller Name: WILLIAM GUNDERSON Caller Phone: (516) 933-1085 Notifier Name: Not reported Notifier Phone: Not reported Spiller Contact: Not reported ST VINCENT CHURCH Spiller Address: 167 NORTH 5TH STREET BROOKLYN. NY

Region of Spill: 2 Facility Tele: Not reported SWIS 61 Caller Agency: GND Caller Extension: Not reported Notifier Agency: Not reported Notifier Extension: Not reported Spiller Phone: Not reported

ap ID rection		Ц		MAP FINDINGS			
stance stance (ft evation	.) Site					Database(s)	EDR ID Numbe EPA ID Numbe
	ST. VINCENT CHURC	H/BKLYN	(Continued)				S100167758
	Spill Class:	Known rel	ease with minir	nal potential for	fire or hazarc. DEC I	Response.	
		0		y. Corrective acti	on taken.		
	Spill Closed Dt Spill Cause:	Not report Tank Test			Resource Affected	On Land	
	Water Affected:	Not report	ed		Spill Source.	Other Non Commercia	al/Industrial
	Spill Notifier Spill Date:	Tank Test 10/16/198	-		PBS Number Reported to Dept:	Not reported	
	Cleanup Ceased				neponeu to Dept.	10/10/1989 13.38	
	Last Inspection:						
	Cleanup Meets S Recommended P		∽alse No Penalty				
	Spiller Cleanup D	Date I	Not reported				
	Enforcement Date Investigation Con		Not reported				
	UST Involvement	•	Not reported False				
	Spill Record Last						
	Is Updated Corrective Action		False	Not reported			
	Date Spill Entered		-	10/16/1989			
	Date Region Sen	•		ce. Not reported			
	DEC Remarks:	Not report					
	Spill Cause	5K TANK TEST	FAILED PETRI	O TITE WITH A	GROSS LEAK. WILI	L'ENCAVATE, ISOLAT	EARE
٤	·	TEST		O TITE WITH A	GROSS LEAK. WILI		
	Spill Cause ENGINE COMPANY 2 75 RICHARDSON ST	TEST		O TITE WITH A	GROSS LEAK. WILI	LEXCAVATE. ISOLAT	S102619299 N/A
i-1/2	ENGINE COMPANY 2	TEST		O TITE WITH A	GROSS LEAK. WILI		S102619299
-1/2 96	ENGINE COMPANY 2 75 RICHARDSON ST	TEST		O TITE WITH A	GROSS LEAK. WILI		S102619299
i-1/2 96	ENGINE COMPANY 2 75 RICHARDSON ST	TEST		O TITE WITH A	GROSS LEAK. WILI		S102619299
i-1/2 96	ENGINE COMPANY 2 75 RICHARDSON ST BROOKLYN, NY LUST: Spill Number:	TEST 29 9703488		O TITE WITH A	Region of Spill:	LUST	S102619299
- 1-1/2 96	ENGINE COMPANY 2 75 RICHARDSON ST BROOKLYN, NY LUST: Spill Number: Facility Contact:	TEST 29 9703488 LT MOLIN	NARO	O TITE WITH A	Region of Spill: Facility Tele:	LUST 2 Not reported	S102619299
= 1-1/2 96	ENGINE COMPANY 2 75 RICHARDSON ST BROOKLYN, NY LUST: Spill Number:	TEST 29 9703488	NARO LD	O TITE WITH A	Region of Spill:	LUST	S102619299 N/A
- 1-1/2 96	ENGINE COMPANY 2 75 RICHARDSON ST BROOKLYN, NY LUST: Spill Number: Facility Contact: Investigator: Caller Name: Caller Phone:	7EST 29 9703488 LT MOLIN KRIMGOI ROBERT (516) 499	NARO LD COLLIN - 1085	O TITE WITH A	Region of Spill: Facility Tele: SWIS: Caller Agency: Caller Extension:	LUST 2 Not reported 61 CHESNER ENGENER Not reported	S102619299 N/A
i-1/2 96	ENGINE COMPANY 2 75 RICHARDSON ST BROOKLYN, NY LUST: Spill Number: Facility Contact: Investigator: Caller Name:	7EST 29 9703488 LT MOLIN KRIMGOI ROBERT (516) 499 ROBERT	NARO LD COLLIN -1085 COLLIN	O TITE WITH A	Region of Spill: Facility Tele: SWIS: Caller Agency:	LUST 2 Not reported 61 CHESNER ENGENER Not reported CHESNER ENGENER	S102619299 N/A
- 1-1/2 96	ENGINE COMPANY 2 75 RICHARDSON ST BROOKLYN, NY LUST: Spill Number: Facility Contact: Investigator: Caller Name: Caller Phone: Notifier Name: Notifier Phone: Spiller Contact:	7EST 29 9703488 LT MOLIN KRIMGOI ROBERT (516) 499 ROBERT (516) 499 LT MOLIN	NARO LD COLLIN -1085 COLLIN -1085 NARO		Region of Spill: Facility Tele: SWIS: Caller Agency: Caller Extension: Notifier Agency:	LUST 2 Not reported 61 CHESNER ENGENER Not reported CHESNER ENGENER	S102619299 N/A
- 1-1/2 96	ENGINE COMPANY 2 75 RICHARDSON ST BROOKLYN, NY LUST: Spill Number: Facility Contact: Investigator: Caller Name: Caller Phone: Notifier Name: Notifier Phone: Spiller Contact: Spiller	7EST 29 9703488 LT MOLIN KRIMGOI ROBERT (516) 499 ROBERT (516) 499 LT MOLIN ENGINE (NARO LD COLLIN -1085 COLLIN -1085 NARO COMPANY 229		Region of Spill: Facility Tele: SWIS: Caller Agency: Caller Extension: Notifier Agency: Notifier Extension:	LUST 2 Not reported 61 CHESNER ENGENER Not reported CHESNER ENGENER Not reported	S102619299 N/A
E 1-1/2 96	ENGINE COMPANY 2 75 RICHARDSON ST BROOKLYN, NY LUST: Spill Number: Facility Contact: Investigator: Caller Name: Caller Phone: Notifier Name: Notifier Phone: Spiller Contact: Spiller Spiller Address:	7EST 29 9703488 LT MOLIN KRIMGOI ROBERT (516) 499 ROBERT (516) 499 LT MOLIN ENGINE (NARO LD COLLIN -1085 COLLIN -1085 NARO COMPANY 229 ARDSON ST		Region of Spill: Facility Tele: SWIS: Caller Agency: Caller Extension: Notifier Agency: Notifier Extension:	LUST 2 Not reported 61 CHESNER ENGENER Not reported CHESNER ENGENER Not reported	S102619299 N/A
i-1/2 96	ENGINE COMPANY 2 75 RICHARDSON ST BROOKLYN, NY LUST: Spill Number: Facility Contact: Investigator: Caller Name: Caller Phone: Notifier Name: Notifier Phone: Spiller Contact: Spiller	9703488 LT MOLIN KRIMGOI ROBERT (516) 499 ROBERT (516) 499 LT MOLIN ENGINE 55 RICHA BROOKL Known re	NARO LD COLLIN -1085 COLLIN -1085 NARO COMPANY 229 ARDSON ST YN lease that creat	es potential for f	Region of Spill: Facility Tele: SWIS: Caller Agency: Caller Extension: Notifier Extension: Notifier Extension: Spiller Phone: ire or hazard. DEC F	LUST 2 Not reported 61 CHESNER ENGENER Not reported CHESNER ENGENER Not reported Not reported	S102619299 N/A
- 1-1/2 96	ENGINE COMPANY 2 75 RICHARDSON ST BROOKLYN, NY LUST: Spill Number: Facility Contact: Investigator: Caller Name: Caller Phone: Notifier Name: Notifier Phone: Spiller Contact: Spiller Spiller Address: Spill Class:	9703488 LT MOLIN KRIMGOI ROBERT (516) 499 ROBERT (516) 499 LT MOLIN ENGINE 75 RICHA BROOKL Known re Willing Re	NARO LD COLLIN -1085 COLLIN -1085 NARO COMPANY 229 ARDSON ST YN lease that creat esponsible Part)	Region of Spill: Facility Tele: SWIS: Caller Agency: Caller Extension: Notifier Extension: Notifier Extension: Spiller Phone: ire or hazard. DEC F	LUST 2 Not reported 61 CHESNER ENGENER Not reported CHESNER ENGENER Not reported Not reported	S102619299 N/A
i-1/2 96	ENGINE COMPANY 2 75 RICHARDSON ST BROOKLYN, NY LUST: Spill Number: Facility Contact: Investigator: Caller Name: Caller Phone: Notifier Name: Notifier Phone: Spiller Contact: Spiller Spiller Address: Spill Class: Spill Closed Dt: Spill Cause:	29 9703488 LT MOLIN KRIMGOI ROBERT (516) 499 ROBERT (516) 499 LT MOLIN ENGINE (75 RICHA BROOKL Known re Willing Re Not repor Tank Fail	NARO LD COLLIN -1085 COLLIN -1085 NARO COMPANY 229 ARDSON ST YN lease that creat esponsible Part ted ure	es potential for f	Region of Spill: Facility Tele: SWIS: Caller Agency: Caller Extension: Notifier Extension: Notifier Extension: Spiller Phone: irre or hazard. DEC F ion taken. Resource Affected	LUST 2 Not reported 61 CHESNER ENGENER Not reported CHESNER ENGENER Not reported Not reported Response. : On Land	S102619299 N/A ERING ERING
-1/2 96	ENGINE COMPANY 2 75 RICHARDSON ST BROOKLYN, NY LUST: Spill Number: Facility Contact: Investigator: Caller Name: Caller Phone: Notifier Name: Notifier Name: Notifier Phone: Spiller Contact: Spiller Spiller Address: Spill Class: Spill Class Spill Classe: Water Affected:	29 9703488 LT MOLIN KRIMGOI ROBERT (516) 499 ROBERT (516) 499 LT MOLIN ENGINE (75 RICHA BROOKL Known re Willing Re Not repor Tank Fail Not repor	NARO LD COLLIN -1085 COLLIN -1085 NARO COMPANY 229 ARDSON ST YN lease that creat esponsible Part ted ure	es potential for f	Region of Spill: Facility Tele: SWIS: Caller Agency: Caller Extension: Notifier Extension: Notifier Extension: Spiller Phone: irre or hazard. DEC F ion taken. Resource Affected Spill Source:	LUST 2 Not reported 61 CHESNER ENGENER Not reported CHESNER ENGENER Not reported Not reported Response. : On Land Other Non Commercia	S102619299 N/A ERING ERING
-1/2 96	ENGINE COMPANY 2 75 RICHARDSON ST BROOKLYN, NY LUST: Spill Number: Facility Contact: Investigator: Caller Name: Caller Phone: Notifier Name: Notifier Phone: Spiller Contact: Spiller Contact: Spiller Spiller Address: Spill Class: Spill Class: Spill Closed Dt: Spill Cause: Water Affected: Spill Notifier	29 9703488 LT MOLIN KRIMGOI ROBERT (516) 499 ROBERT (516) 499 LT MOLIN ENGINE (75 RICHA BROOKL Known re Willing Re Not repor Tank Fail Not repor Other	NARO LD COLLIN -1085 COLLIN -1085 NARO COMPANY 229 ARDSON ST YN lease that creat esponsible Part ted ure ted	es potential for f	Region of Spill: Facility Tele: SWIS: Caller Agency: Caller Extension: Notifier Agency: Notifier Extension: Spiller Phone: inre or hazard. DEC F ion taken. Resource Affected Spill Source: PBS Number:	LUST 2 Not reported 61 CHESNER ENGENER Not reported CHESNER ENGENER Not reported Not reported Response. COn Land Other Non Commercia Not reported	S102619299 N/A ERING ERING
-1/2 96	ENGINE COMPANY 2 75 RICHARDSON ST BROOKLYN, NY LUST: Spill Number: Facility Contact: Investigator: Caller Name: Caller Phone: Notifier Name: Notifier Phone: Spiller Contact: Spiller Contact: Spiller Address: Spill Class: Spill	29 9703488 LT MOLIN KRIMGOI ROBERT (516) 499 ROBERT (516) 499 LT MOLIN ENGINE (75 RICHA BROOKL Known re Willing Re Not repor Tank Fail Not repor Other 06/20/199 : Not repor	NARO LD COLLIN -1085 COLLIN -1085 NARO COMPANY 229 ARDSON ST YN lease that creat esponsible Part ted ure ted 07 10:00 ted	es potential for f	Region of Spill: Facility Tele: SWIS: Caller Agency: Caller Extension: Notifier Agency: Notifier Extension: Spiller Phone: inre or hazard. DEC F ion taken. Resource Affected Spill Source: PBS Number:	LUST 2 Not reported 61 CHESNER ENGENER Not reported CHESNER ENGENER Not reported Not reported Response. : On Land Other Non Commercia	S102619299 N/A ERING ERING
-1/2 96	ENGINE COMPANY 2 75 RICHARDSON ST BROOKLYN, NY LUST: Spill Number: Facility Contact: Investigator: Caller Name: Caller Phone: Notifier Name: Notifier Name: Notifier Phone: Spiller Contact: Spiller Contact: Spiller Address: Spill Class: Spill Class: Spill Class: Spill Closed Dt: Spill Cause: Water Affected: Spill Notifier Spill Date: Cleanup Ceased Last Inspection:	29 9703488 LT MOLIN KRIMGOI ROBERT (516) 499 ROBERT (516) 499 LT MOLIN ENGINE 0 75 RICHA BROOKL Known re Willing Re Not repor Tank Fail Not repor Other 06/20/199 Not repor Not repor	NARO LD COLLIN -1085 COLLIN -1085 NARO COMPANY 229 ARDSON ST YN lease that creat esponsible Part ted ure ted 07 10:00 ted ted	es potential for f	Region of Spill: Facility Tele: SWIS: Caller Agency: Caller Extension: Notifier Agency: Notifier Extension: Spiller Phone: inre or hazard. DEC F ion taken. Resource Affected Spill Source: PBS Number:	LUST 2 Not reported 61 CHESNER ENGENER Not reported CHESNER ENGENER Not reported Not reported Response. COn Land Other Non Commercia Not reported	S102619299 N/A ERING ERING
- 1-1/2 96	ENGINE COMPANY 2 75 RICHARDSON ST BROOKLYN, NY LUST: Spill Number: Facility Contact: Investigator: Caller Name: Caller Phone: Notifier Name: Notifier Name: Notifier Phone: Spiller Contact: Spiller Contact: Spiller Address: Spill Class: Spill Class: Spill Class: Spill Closed Dt: Spill Cause: Water Affected: Spill Notifier Spill Date: Cleanup Ceased Last Inspection: Cleanup Meets S	29 9703488 LT MOLIN KRIMGOI ROBERT (516) 499 ROBERT (516) 499 LT MOLIN ENGINE 0 75 RICHA BROOKL Known re Willing Re Not repor Tank Fail Not repor Other 06/20/195 : Not repor Not repor Standard:	NARO LD COLLIN -1085 COLLIN -1085 NARO COMPANY 229 ARDSON ST YN lease that creat esponsible Part ted ure ted 07 10:00 ted ted False	es potential for f	Region of Spill: Facility Tele: SWIS: Caller Agency: Caller Extension: Notifier Agency: Notifier Extension: Spiller Phone: inre or hazard. DEC F ion taken. Resource Affected Spill Source: PBS Number:	LUST 2 Not reported 61 CHESNER ENGENER Not reported CHESNER ENGENER Not reported Not reported Response. COn Land Other Non Commercia Not reported	S102619299 N/A ERING ERING
= 1-1/2 96	ENGINE COMPANY 2 75 RICHARDSON ST BROOKLYN, NY LUST: Spill Number: Facility Contact: Investigator: Caller Name: Caller Phone: Notifier Name: Notifier Name: Notifier Phone: Spiller Contact: Spiller Contact: Spiller Address: Spill Class: Spill Class: Spill Class: Spill Class: Spill Class: Spill Class: Spill Class: Spill Class: Spill Class: Spill Class: Cleanup Ceased Last Inspection: Cleanup Meets S Recommended F Spiller Cleanup C	29 9703488 LT MOLIN KRIMGOI ROBERT (516) 499 ROBERT (516) 499 LT MOLIN ENGINE 0 75 RICHA BROOKL Known re Willing Re Not repor Tank Fail Not repor Other 06/20/199 : Not repor Not repor Standard: Penalty: Date:	NARO LD COLLIN -1085 COLLIN -1085 VARO COMPANY 229 ARDSON ST YN lease that creat esponsible Part ted ure ted 07 10:00 ted ted False No Penalty Not reported	es potential for f	Region of Spill: Facility Tele: SWIS: Caller Agency: Caller Extension: Notifier Agency: Notifier Extension: Spiller Phone: inre or hazard. DEC F ion taken. Resource Affected Spill Source: PBS Number:	LUST 2 Not reported 61 CHESNER ENGENER Not reported CHESNER ENGENER Not reported Not reported Response. COn Land Other Non Commercia Not reported	S102619299 N/A ERING ERING
E 4-1/2 96	ENGINE COMPANY 2 75 RICHARDSON ST BROOKLYN, NY LUST: Spill Number: Facility Contact: Investigator: Caller Name: Caller Phone: Notifier Name: Notifier Phone: Spiller Contact: Spiller Contact: Spiller Contact: Spiller Address: Spill Class: Spill Class: Spill Class: Spill Class: Spill Class: Spill Class: Spill Class: Spill Class: Spill Notifier: Spill Date: Cleanup Ceased Last Inspection: Cleanup Meets S Recommended F Spiller Cleanup C	29 9703488 LT MOLIN KRIMGOI ROBERT (516) 499 ROBERT (516) 499 LT MOLIN ENGINE 0 75 RICHA BROOKL Known re Willing Re Not repor Tank Failu Not repor Other 06/20/199 : Not repor Not repor Standard: Penalty: Date: te:	NARO LD COLLIN -1085 COLLIN -1085 VARO COMPANY 229 ARDSON ST YN lease that creat esponsible Part ted ure ted 07 10:00 ted ted False No Penalty Not reported Not reported	es potential for f	Region of Spill: Facility Tele: SWIS: Caller Agency: Caller Extension: Notifier Agency: Notifier Extension: Spiller Phone: inre or hazard. DEC F ion taken. Resource Affected Spill Source: PBS Number:	LUST 2 Not reported 61 CHESNER ENGENER Not reported CHESNER ENGENER Not reported Not reported Response. COn Land Other Non Commercia Not reported	S102619299 N/A ERING ERING
E 1-1/2 96	ENGINE COMPANY 2 75 RICHARDSON ST BROOKLYN, NY LUST: Spill Number: Facility Contact: Investigator: Caller Name: Caller Phone: Notifier Name: Notifier Phone: Spiller Contact: Spiller Contact: Spiller Contact: Spiller Address: Spill Class: Spill Class: Spill Class: Spill Closed Dt: Spill Cause: Water Affected: Spill Notifier Spill Date: Cleanup Ceased Last Inspection: Cleanup Meets S Recommended F Spiller Cleanup D Enforcement Dat Investigation Cor	TEST 29 9703488 LT MOLIN KRIMGOI ROBERT (516) 499 ROBERT (516) 499 LT MOLIN ENGINE 0 75 RICHA BROOKL Known re Willing Re Not repor Tank Failu Not repor Other 06/20/199 : Not repor Standard: Penalty: Date: te: mplete:	NARO LD COLLIN -1085 COLLIN -1085 VARO COMPANY 229 ARDSON ST YN lease that creat esponsible Part ted ure ted 27 10:00 ted ted False No Penalty Not reported Not reported Not reported	es potential for f	Region of Spill: Facility Tele: SWIS: Caller Agency: Caller Extension: Notifier Agency: Notifier Extension: Spiller Phone: inre or hazard. DEC F ion taken. Resource Affected Spill Source: PBS Number:	LUST 2 Not reported 61 CHESNER ENGENER Not reported CHESNER ENGENER Not reported Not reported Response. COn Land Other Non Commercia Not reported	S102619299 N/A ERING ERING
88 E 4-1/2 996 ower	ENGINE COMPANY 2 75 RICHARDSON ST BROOKLYN, NY LUST: Spill Number: Facility Contact: Investigator: Caller Name: Caller Phone: Notifier Name: Notifier Phone: Spiller Contact: Spiller Contact: Spiller Contact: Spiller Address: Spill Class: Spill Class: Spill Class: Spill Class: Spill Class: Spill Class: Spill Class: Spill Class: Spill Notifier: Spill Date: Cleanup Ceased Last Inspection: Cleanup Meets S Recommended F Spiller Cleanup C	TEST 29 9703488 LT MOLIN KRIMGOI ROBERT (516) 499 ROBERT (516) 499 ROBERT (516) 499 LT MOLIN ENGINE (75 RICHA BROOKL Known re Willing Re Not repor Tank Faill Not repor Other 06/20/199 : Not repor Other 06/20/199 : Not repor Standard: Penalty: Date: te: mplete: t;	NARO LD COLLIN -1085 COLLIN -1085 VARO COMPANY 229 ARDSON ST YN lease that creat esponsible Part ted ure ted 07 10:00 ted ted False No Penalty Not reported Not reported	es potential for f	Region of Spill: Facility Tele: SWIS: Caller Agency: Caller Extension: Notifier Agency: Notifier Extension: Spiller Phone: inre or hazard. DEC F ion taken. Resource Affected Spill Source: PBS Number:	LUST 2 Not reported 61 CHESNER ENGENER Not reported CHESNER ENGENER Not reported Not reported Response. COn Land Other Non Commercia Not reported	S102619299 N/A ERING ERING

Ż

Distance Distance (ft. Elevation) Site					Database(s)	EDR ID Numbe EPA ID Numbe	
	ENGINE COMPANY 22	9 (Continued)					S102619299	
	Date Region Sent DEC Remarks: Spill Cause:	Plan Submitted: In Computer Data File: Summary to Central Office Not reported DURING TANK CLOSURE TIVE PID ON ONE SAME	· SOIL SAMP	LE HAS BEEN TAK	EN AND TI	HEY RECIEVI	ED POSI	
G39 SW 1/4-1/2 1712 Higher	273 SOUTH SECOND S 273 S 2ND ST BROOKLYN. NY	STREET				LUST	S102959974 N/A	
riighei	LUST							
	Spill Number Facility Contact: Investigator Caller Name	9712027 JOHN LEDDY TOMASELLO JOHN LEDDY		Region of Spill: Facility Tele. SWIS: Caller Agency.	2 (516) 321- 61 PROTEST	4670 ENTERPRIS	ES	
		(516) 321-4670 JOHN LEDDY		Caller Extension Notifier Agency	Not report	ed ENTERPRIS	EC	
		(516) 321-4670		Notifier Extension.			25	
		MR STIMETZ		Spiller Phone.	(718) 387-	3783		
	Spiller Adaress	273 SOUTH SECOND STF 273 SOUTH SECOND STF BROOKLYN, NY						
	Spill Class: Known release that creates potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.							
	Spill Closed Dt:	Not reported						
		Tank Test Failure Not reported		Resource Affected: Spill Source:	: On Land Private Dw	ellina		
	Spill Notifier	Tank Tester		PBS Number	Not reporte	ed		
	Spill Date: Cleanup Ceased:	01/20/1998 11:30 Net reported		Reported to Dept:	01/28/1998	3 10:52		
	Last Inspection:							
	Cleanup Meets Sta	andard: False						
	Recommended Pe Spiller Cleanup Da							
	Enforcement Date							
	Investigation Com							
	UST Involvement:	False Jpdate: 01/28/1998						
	Is Updated:	False						
	Corrective Action F		Not reported					
		In Computer Data File: Summary to Central Office:	01/28/1998 Not reported					
	DEC Remarks:	NO PBS.						
	Spill Cause:	TANK TEST FAILURE				_		
G40 SW 1/4-1/2 1720 Higher	274 SOUTH 2ND ST 274 S 2ND ST BROOKLYN, NY				L	UST	S102662645 N/A	
	LUST:							
		9607724		Region of Spill:	2			
	Facility Contact:	TONY CARUCCI			(718) 894-9	9218		
	•	LUCE		SWIS:	61			

ſ

Map ID MAP FINDINGS Direction Distance Distance (ft.) EDR ID Number Elevation Site Database(s) EPA ID Number 274 SOUTH 2ND ST (Continued) S102662645 Caller Name: TONY CARUCCI Caller Agency: AJ LIBERTY PARK OIL CO Caller Phone: (718) 894-9218 Caller Extension: Not reported Notifier Name: JIM CASMO Notifier Agency: AJ LIBERTY OIL CO Notifier Extension: Not reported Notifier Phone: (718) 894-9218 Spiller Contact: TONY CARUCCI Spiller Phone: (718) 894-9218 Spiller. AJ LIBERTY PARK OIL CO Spiller Address: 67-70 73RD PLACE MIDDLE VILLAGE, NY 11379 Spill Class Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken. Spill Closed Dt: 10/29/1996 Spill Cause: Tank Overfill Resource Affected: On Land Water Affected: Not reported Spill Source Other Non Commercial/Industrial PBS Number Spill Notifier Responsible Party Not reported Spill Date: 09/19/1996 13:30 Reported to Dept: 09/19/1996 13:57 Cleanup Ceased. Not reported Last Inspection: Not reported Cleanup Meets Standard: False Recommended Penalty: No Penalty Spiller Cleanup Date: Not reported Enforcement Date: Not reported Investigation Complete: Not reported UST Involvement: False Spill Record Last Update: 11/19/1996 Is Updated: False Corrective Action Plan Submitted: Not reported Date Spill Entered In Computer Data File: 09/19/1996 Date Region Sent Summary to Central Office: Not reported SPOKE TO TONY - DRIVEWAY - DRIVERS CLEANING INSURANCE COMPANY GOING TO C DEC Remarks: HECK IT OUT - SWEET CLAIMS GAVE TONY'S #. ASKED TO CALL BACK WHEN HE KN OWS AMOUNT - HE SAID MAY BE 25-50 BUT HE DOESN'T KNOW. PBS REGISTRATION EXPIRED. Spill Cause: DRIVER OVERFILLED THE OIL TANK - ABSORBANTS ARE BEING APPLIED TO THE SPI 11 H41 SERVICE PLATING CO LTD CERCLIS 1000432493 NYD001384072 NW 154 N 7TH ST RCRIS-SQG 1/4-1/2 BROOKLYN, NY 11211 FINDS 1951 UST Higher

CERCLIS Classification D							
Site Incident Category:	Not reported	Federal Facility:	Not a Federal Facility				
Ownership Status:	Not reported	NPL Status:	Not on the NPL				
Contact:	BOBBY DEASE	Contact Tel:	(732) 906-6893				
Contact:	MARK SAVEDOFF	Contact Tel:	(732) 321-4341				
Contact:	MARK SAVEDOFF	Contact Tel:	(908) 321-4341				
Site Description:	NYC Dept. of Environmental Protection responded to odor complaints,						
	issued notice letters to which there was no action by the owner. The						
	site which is non-operational, contains acids, cyanides in open vats,						
	tanks, etc. Preliminary assessment indica te	es site is removal					
	eligible.						
CERCLIS Assessment Hi	story:						
Assessment:	REMOVAL ASSESSMENT	Completed:	19980810				
Assessment:	REMOVAL	Completed:	Not reported				
CERCLIS Site Status:							
Cleaned up							

Map ID Direction Distance Distance (ft.) Elevation Site

MAP FINDINGS

Database(s)

EDR ID Number EPA ID Number

SERVICE PLATING	CO LTD (Continued)		1000432493			
RCRIS: Owner	SERVICE PLATING COMPANY LTD)				
Omilei	(212) 555-1212					
Contact:	FRED ACCINELLIAL 718EV89360					
Record Date:	1/10/1980					
Classification:	Small Quantity Generator					
Used Oil Recyc	: No					
Violation Status	: No violations found					
NY MANIFEST Additional detail	is available in NY MANIFEST Please	e contact your EDR Account	Executive for more information.			
AIRS Facility National Com	Environmental Activity Identified at Site System (AIRS/AFS) ipliance Database (NCDB)	e:				
PBS UST [.] PBS Number [.] SPDES Number [.]	2-479748 Not reported	CBS Number	Not reported			
SWIS ID: Operator	6101 RUBEN A. MINERNSKY	Telephone:	(718) 388-9360			
Emergency Conta Total Tanks:	1	, ,				
Owner:	154 NORTH 7TH STREET R. 154 NORTH 7TH STREET BROOKLYN. NY 11211 (718) 388-9360	E. CORPORATION				
Owner Type: Owner Subtype: Mailing Address:	Corporate/Commercial Not reported ALL PLATING CORPORATIO 154 NORTH 7TH STREET BROOKLYN, NY 11211 (718) 388-9360 ATTN: RUBEN A. MIRENSKY		First Owner			
Facility Status:	1 - Active PBS facility, i.e. tota 1,100 gallons, regardless if Su	I capacity of the PBS tanks is				
Capacity (gals): Tank Location: Tank ID:	3000 UNDERGROUND 001	Install Date:	00/00			
Product Stored:	NOS 1,2, OR 4 FUEL OIL	Tank Type:	Steel/carbon steel			
Tank Internal: Pipe Location: Tank External: Tank Status:	NONE None NONE/NONE In Service	Pipe Internal: Pipe Type:	NONE STEEL/IRON			
Tank Error Status Pipe External: Second Containm Leak Detection:	:: No Missing Data NONE/NONE nent: NONE/NONE NONE/NONE					
Overfill Prot: Date Tested:	Product Level Gauge Not reported	Dispenser: Next Test Date:	Suction 12/87			
Date Closed:	Not reported	Test Method:	Not reported			
Deleted: Dead Letter:	Not reported False	Updated: Owner Screen:	True No data missing			
		Owner Oureen.	no data mooniy			

lap ID irection		M	AP FINDINGS			
istance istance (ft. levation) Site	<u> </u>			Database(s)	EDR ID Number EPA ID Number
	SERVICE PLATING CO	D LTD (Continued)				1000432493
	FAMT [:] Total Capacity: Tank Screen: Renew Flag: Certification Flag: Old PBS Number: Inspected Date: Inspection Result. Lat/long: Facility Type:	Fiscal amount for regi Not reported No data missing Renwal has not been Faise Not reported Not reported Not reported MANUFACTURING		Renewal Date Federal ID [.] Facility Screei	Not reported n: No data missing ate:19950130	
142 IW /4-1/2 951 ligher	154-158 NORTH 7TH 5 154-158 N 7TH ST BROOKLYN. NY	ST/BKLY			LUST	S100167798 N/A
	Is Updated: Corrective Action Date Spill Entere	Not reported tandard: False renalty: No Penalty Date: Not reported e: Not reported mplete: Not reported t: False Update: 11/15/1994 False	Fa SW Ca Ca No No Sp al potential for fire of Corrective action t Re Sp PE Re Re Not reported 01/23/1990 : Not reported	tifier Agency: tifier Extension: iller Phone: or hazard. DEC F taken. esource Affected: ill Source: S Number: eported to Dept:	(718) 388-9360 Response. Groundwater Other Commercial/Ind Not reported 01/16/1990 16:22	ustrial
13 W /4-1/2 254 ligher	263 SOUTH 4TH ST/B 263 SOUTH 4TH STRI NEW YORK CITY, NY	EET			LUST	S100146416 N/A
÷	LUST					

TC0382955.11r Page 83

Map ID Direction Distance Distance (ft.) Elevation Site

MAP FINDINGS

Database(s)

EDR ID Number EPA ID Number

S100146416

263 SOUTH 4TH ST/BKLYN (Continued)

Spill Number	9008048	3		Region of Spill:	2
Facility Contact:	Not repo	orted		Facility Tele:	Not reported
Investigator:	SULLIV	AN		SWIS:	61
Caller Name:	LLOYD	PETERSON		Caller Agency:	TANKNOLOGY
Caller Phone:	(607) 75	3-9111		Caller Extension.	Not reported
Notifier Name:	Not repo	orted		Notifier Agency.	Not reported
Notifier Phone:	Not repo	orted		Notifier Extension:	Not reported
Spiller Contact.	Not repo	orted		Spiller Phone	(718) 321-5016
Spiller	Not repo	orted			
Spiller Address:	Not repo	orted			
Spill Class:	Known r	elease that create	s a file or hazar	d. DEC Response.	Willing
	Respon	sible Party, Correc	tive action take	ń	
Spill Closed Dt:	Not repo	rted			
Spill Cause:	Tank Te	st Failure		Resource Affected	Groundwater
Water Affected:	Not repo	orted		Spill Source	Private Dwelling
Spill Notifier:	Tank Te	ster		PBS Number	Not reported
Spill Date:	10/23/19	90 17:00		Reported to Dept:	10/23/1990 17:49
Cleanup Ceased					
Last Inspection:		orted			
Cleanup Meets S		False			
Recommended P	,	No Penalty			
Spiller Cleanup D		Not reported			
Enforcement Date		Not reported			
Investigation Con	,	Not reported			
UST Involvement		True			
Spill Record Last	Update:				
Is Updated:		False			
Corrective Action			Not reported		
Date Spill Entered			11/01/1990		
0		ry to Central Office	: Not reported		
DEC Remarks:	Not repo				
Spill Cause:	2K LAN	K FAILED VACUT	ECH WITH A G	ROSS LEAK, WAT	ER IN LANK.

AND ELATRUCH AVE

Cleanup Ceased: Not reported

144 SW 1/4-1/2 2261 Higher	2280 FLATBUSH AVE SAME BROOKLYN, NY	E			NY Spills LUST	S102239839 N/A
	LUST					
	Spill Number:	9509901	Region of Spill:	2		
	Facility Contact:	TONY CARUCCI	Facility Tele:	(718) 89	94-9218	
	Investigator:	TIBBE	SWIS:	61		
	Caller Name:	TONY CARUCCI	Caller Agency:		ERTY PARK FU	EL OIL
	Caller Phone:	(718) 894-9218	Caller Extension:	Not repo		
	Notifier Name:	CASMO CARUCCI	Notifier Agency:		ERTY PARK FU	EL OIL
	Notifier Phone:	(718) 894-9218	Notifier Extension:			
	Spiller Contact:	TONY CARUCCI	Spiller Phone:	(718) 89	4-9218	
	Spiller:	HA LIBERTY PARK FUEL OIL				
	Spiller Address:	67-70 73RD PLACE				
		MIDDLEVILLAGE, NY 11379		-		
	Spill Class:	Known release with minimal potential for		Response	θ.	
		Willing Responsible Party. Corrective ac	tion taken.			
	Spill Closed Dt:	11/09/1995		A 1		
	Spill Cause:	Tank Overfill	Resource Affected			
	Water Affected:	Not reported	Spill Source:	Private [0	
	Spill Notifier	Responsible Party	PBS Number:	Not repo		
	Spill Date:	11/09/1995 11.40	Reported to Dept:	11/09/19	995 12:18	

Map ID MAP FINDINGS Direction Distance Distance (ft.) EDR ID Number Elevation Site Database(s) EPA ID Number 2280 FLATBUSH AVE (Continued) S102239839 Last Inspection: Not reported Cleanup Meets Standard: False Recommended Penalty: No Penalty Spiller Cleanup Date: Not reported Enforcement Date: Not reported Investigation Complete: Not reported False UST involvement Spill Record Last Update: 11/27/1995 Is Updated: False Corrective Action Plan Submitted: Not reported Date Spill Entered In Computer Data File: 11/09/1995 Date Region Sent Summary to Central Office: Not reported DEC Remarks Not reported THEY ORDERED TO MUCH OIL AND IT BACKED OUT THE FUEL TANK AREA WAS CLEANE Spill Cause: D UP BY CALLERS COMPANY S

SPILLS:					
Spill Number	9601349			Region of Spill:	2
Facility Contact	NYFD			Facility Tele	Not reported
Investigator	TANG			SWIS:	61
Caller Name:	CHERYL	WILLIAMS		Caller Agency.	DEP
Caller Phone:	(718) 59	5-6777		Caller Extension:	Not reported
Notifier Name:	DISPT37	70		Notifier Agency:	NYFD
Notifier Phone:	(718) 96	5-8261		Notifier Extension:	Not reported
Spiller Contact:	UNKNO	WN		Spiller Phone:	Not reported
Spiller	UNKNO	WN			
Spiller Address:	UNKNO	WN			
	UNKNO	WN			
Spill Class:	Known r	elease with minima	I potential for f	ire or hazard DEC	Response.
	Willing F	lesponsible Party. (Corrective acti	on taken.	
Spill Closed Dt:	04/30/19	98			
Spill Cause:	Traffic A	ccident		Resource Affected	: On Land
Water Affected:	Not repo	rted		Spill Source:	Commercial Vehicle
Spill Notifier:	Affected			PBS Number:	Not reported
Spill Date:		96 10:50		Reported to Dept:	04/26/1996 10:58
Cleanup Ceased:					
Last Inspection:	Not repo				
Cleanup Meets S					
Recommended P		No Penalty			
Spiller Cleanup D		Not reported			
Enforcement Date	-	Not reported			
Investigation Com	•	Not reported			
UST Involvement		False			
Spill Record Last	Update:	05/14/1998 False			
Is Updated: Corrective Action	Dian Cub		Not reported		
			Not reported 04/26/1996		
Date Spill Entered	•	y to Central Office:			
Remarks:		•	•	up yet live wires dow	10
DEC Remarks:	Not repo		uuctiio ciean	up yet inte wires do	ANT I
DED HEMarks.	norieho				

45 CITY BARREL & DRUM CO INC

NE 421 MEEKER AVE 1/4-1/2 BROOKLYN, NY 11222 2360 Lower
 RCRIS-SQG
 1000439573

 FINDS
 NYD068298835

 CERC-NFRAP
 HSWDS

Map ID		MA	P FINDING	S				
Direction Distance		۹				1		
Distance (ft. Elevation) Site						Database(s)	EDR ID Numbe
								1000 400570
		UM CO INC (Continued)						1000439573
	CERCLIS-NFRAP		5	odoral Eac	dito N	ot a Federal Fa		
		Site Incident Category: Not reported Ownership Status: Other			IPL Status:	-	ot on the NPL	Jinty
		Assessment History			I E Olulus.			
	Assessment: Assessment:	DISCOVERY PRELIMINARY ASSES	SMENT		Completed: Completed:		9800425 9870902	
	RCRIS.							
	Owner ⁻	HARRY GOLDSTEIN (212) 555-1212						
	Contact:	HARRY GOLDSTEIN (201) 388-9227						
	Record Date:	11/28/1980						
	Classification:	Hazardous Waste Transporter						
	Used Oil Recyc	No						
	Violation Status:	No violations found						
	NY HSWDS							
	Facility ID:	Not reported		EPA ID:	N	IYD068	298835	
	Facility Status:	None						
	Owner Type:	Puplic						
	Owner [.]	P						
	Owner Address	421 Meeker St. Brooklyn. NY 11222						
	Owner Phone:	(212)388-9227						
	Operator Type:	Same						
	Operator:	Unknown						
	Operator Addres							
	Operator Phone:	Not reported						
	Registry:	Not on NYS Registry of Inact	ive Haz Was	ste Disnosa	Sites			
	Registry Site ID:	0,		RCRA Per		Inknowr	1	
	Site Code:	1		Mailing:		lot repo		
	Quadrange:	Unknown		Lat/Long:			"N / 73 56'30"W	
	Acres:	0.00		Cost per A	Acre: 0			
	Investment Cost	: O		Estimated	Cost: 0			
	Future Est. cost:							
	Operator Date:	1940		Close Date		Inknowr		
	Completed:	PA There is no history of hereody		Active:	U	inknowr	1	
	Substance:	There is no history of hazardo		on site.				
		Storage site for reconditioned Compounds Disposed:	No					
	5	ganic Compounds Disposed:	No					
	PCB's Disposed		No					
	Pesticides Dispo		No					
	Metals Disposed		No					
	Asbestos Dispos		No					
	Analytical Info E		Not report	ed				
	Analytical Info E		None					
	Analytical Info Exists for Surface		Not reported					

Not reported

Not reported Not reported Not reported

Not reported

Analytical Info Exists for Surface:

Analytical Info Exists for Waste:

Analytical Info Exists for Sediments: Analytical Info Exists for Surface Soil: Analytical Info Exists for Substance:

Map ID Direction	MAP FINDINGS		
Distance			
Distance (ft.)			EDR ID Number
Elevation Site		Database(s)	EPA ID Number

CITY BARREL & DRI	UM CO INC (Continued)				1000439573
Analytical Info E Analytical Info E	at to Environment/Public Health. g of Site. Contamination: Body Class pontamination. assification Contamination: Supply is Active: n or Wildlife: Dosure. Iled Acess:	Not report Not report Not report No Unknown No Unknown No Unknown Unknown Unknown Unknown Unknown	ed		
	Banking System Score:				
	Ranking System Score:	Unknown			
Agencies Air	Not reported Not reported				
Building	Not reported				
Drink	Not reported				
Eptox	Not reported				
Fish	Not reported				
Ground	Not reported				
Ground	Not reported				
Hazardous Thre					
Leachate	Not reported				
Preparer	Not reported				
Reason	Not reported				
Sediment	Not reported				
Soil	Not reported				
Surface	Not reported				
Status	Not reported				
Surface Soil	Not reported				
Surface	Not reported				
Waste	Not reported				
BQE/ANSBACHER C MEEKER AVENUE BROOKLYN, NY	COLOR & DYE FACTORY			SHWS	S100115800 N/A
CHIMC.					
SHWS:	224016		EPA ID:	Not reported	
Facility ID:	224016			Not reported Landfill	
Region: Acres:	0.6		Site Type: User:	Ansbacher Color & D	we Eactory
Owner:	NYS Department of Transport	tation	0361.	Ansbacher Oolor d D	ye r actory
Crimer.	State Campus, Building 5	anon			
	Albany, NY 12232				
Operator:	Ansbacher Color & Dye Facto Meeker Avenue Brooklyn, NY	ory			
Lat/Long:	40 42 52" / 73 57" 12"				
Classification:	DOES NOT PRESENT A SIG ENVIRONMENT - ACTION M			IE PUBLIC HEALTH OR T	ΉE
Hazardous Was Analytical Data	te Disposed: unknow Available: Soil	n - unknowi			
Applicable Stan	dards Exceeded: Not repr	orted			

Not reported

Applicable Standards Exceeded:

and the second

Map ID Direction Distance Distance (ft.)

MAP FINDINGS

S10011580
U002034231
N/A
HORITY
al/Industrial

Recommended Penalty: No Penalty

Map ID Direction	MAP FINDINGS		
Distance Distance (ft.)			EDR ID Number
Elevation Site		 Database(s)	EPA ID Number
WILLIAMSBURG	HOUSES (Continued)		U002034231

		,			
Enforce Investig UST In Spill Re Is Upda Correct Date Sp Date Re	ive Action Plan S bill Entered In Co egion Sent Sumr emarks: Not re	False 9/27/1994 False		LEAK RATE.	
Investig Caller I Calier F Notifier Notifier Spiller	Contact. Not re gator: HEAL Name. ED M Phone: (212) Name: Not re Phone: Not re Contact: Not re	eported Y ALONE 306-8480 eported eported eported		Region of Spill: Facility Tele SWIS: Caller Agency: Caller Extension: Notifier Agency Notifier Extension Spiller Phone:	Not reported
Spill Cl	Address: Not re ass: Know Willin	HOUS: AUTH. eported in release that creates g Responsible Party. i/1994			Response.
Spill Ca Water J Spill No Spill Da Cleanu Last In: Cleanu Recom Spiller Enforce Investig UST In Spill Re Is Upda Correc Date S Date R DEC R Spill Ca	ause: Tank Affected: Not re otifier: Local ate: 03/15 p Ceased: 03/23 spection: Not re p Meets Standar mended Penalty Cleanup Date: ement Date: gation Complete: volvement: ecord Last Updat ated: tive Action Plan S pill Entered In Co egion Sent Sumr emarks: Not re ause: CON ED. 3	Overfill eported Agency 5/1994 11:00 5/1994 eported d: True : No Penalty Not reported Not reported False e: 09/07/1994 False Submitted: omputer Data File: mary to Central Office eported TAINED CLEANED L	IP BY BAYSID	E FUEL OIL - PUT I ON CONCRETE & /	Other Non Commercial/Industrial 2-601883 03/15/1994 15:14 INTO DRUM - SPEEDY DRY US ASPHALT AT PARKING LOT -
	gator: HEAI	eported		Region of Spill: Facility Tele: SWIS: Caller Agency:	2 Not reported 61 NYC HOUSING AUTHORITY

MARIO MANDALONE NYC HOUSING AUTHORITY Caller Name: Caller Agency: Caller Phone: (718) 442-6925 Caller Extension: Not reported Notifier Name: Not reported Notifier Agency: Not reported Notifier Phone: Not reported Notifier Extension: Not reported Spiller Contact: Not reported Spiller Phone: (718) 476-2220 Spiller **B&G NATIONAL** Spiller Address: 33-59 55TH STREET

「ない」

Map ID MAP FINDINGS
Direction
Distance
Distance (fl.)
Elevation Site

WILLIAMSBURG HOUSES (Continued)
WOODSIDE, NY 11377
Spiil Class: Known release with minimal potential for fire or hazard. DEC Response.
Willing Responsible Party. Corrective action taken

Willing Responsible Party. Corrective action taken. Spill Closed Dt: 08/25/1995 Spill Cause: Human Error Resource Affected. On Land Water Affected: Not reported Spill Source Other Non Commercial/Industrial Affected Persons PBS Number Not reported Spill Notifier Spill Date: 08/24/1995 12:00 Reported to Dept: 08/25/1995 11:39 Cleanup Ceased: 08/25/1995 Last Inspection: Not reported Cleanup Meets Standard: True Recommended Penalty: No Penalty Spiller Cleanup Date: Not reported Enforcement Date: Not reported Investigation Complete: Not reported UST Involvement: False Spill Record Last Update: 08/28/1995 Is Updated False Corrective Action Plan Submitted: Not reported Date Spill Entered in Computer Data File: 08/25/1995 Date Region Sent Summary to Central Office: Not reported CONTRACTOR FOR BROOKLYN UNION GAS WAS CONVERTING BOILER ROOM FROM OIL TO Remark: DUAL FUEL-LEFT COVERS OFF OIL STRAINERS. CAUSED LEAK TO FLOOR DRAINS AND SUMP. NO OIL GOT INTO SEWER. CONTRACTOR TO CLEAN **DEC Remarks:** Not reported This is the most recent NY SPILLS record for this site. The NY SPILLS database contains 3 additional records for this site. Please contact your EDR Account Executive for more information. PBS UST 2-601883 PBS Number: **CBS Number:** Not reported SPDES Number: Not reported SWIS ID: 6101 Telephone: (212) 306-3142 Operator RAFAEL VELEZ **Emergency Contact:** EMERGENCY SERVICE SQUAD, (212) 289-3940 Total Tanks: 2 Owner[.] NYC HOUSING AUTHORITY 250 BROADWAY NEW YORK, NY 10007 (212) 306-3142 Owner Type: Local Government Owner Mark: First Owner Owner Subtype: 51 Mailing Address: NYC HOUSING AUTHORITY 250 BROADWAY 16TH FLOOR NEW YORK, NY 10007 (212) 306-3142 ATTN: RAFAEL VELEZ Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1.100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility. 7000 Capacity (gals): UNDERGROUND Tank Location: Tank ID: Install Date: 001 12/78 Product Stored: NOS 1.2. OR 4 FUEL OIL Tank Type: Steel/carbon steel NONE Tank Internal: Pipe Internal: NONE

Pipe Type:

STEEL/IRON

Pipe Location:

Tank External:

Not reported

NONE

EDR ID Number EPA ID Number

U002034231

MAP FINDINGS

Map ID Direction Distance Distance (ft.) Elevation Site

Database(s)

EDR ID Number EPA ID Number

WILLIAMSBURG HOUSES	(Continued)			U002034231
Tank Status:	Closed-Removed			
Tank Error Status:	Minor Data Missing			
Pipe External:	WRAPPED [PIPING]			
Second Containment	NONE			
Leak Detection:	NONE	_	_	
Overfill Prot:	Product Level Gauge	Dispenser:	Suction	
Date Tested	Not reported	Next Test Date:	Not reported	
Date Closed:	08/94	Test Method:	Not reported	
Deleted:	Not reported	Updated:	True	
Dead Letter	False	Owner Screen:	Minor data missing	
FAMT	Fiscal amount for registration fee is corre			
Total Capacity.	Not reported	Renewal Date:	Not reported	
Tank Screen:	Minor data missing	Federal ID:	Not reported	
Renew Flag:	Renwal has not been printed	Facility Screen:	No data missing	
Certification Flag:	False	Certification Date		
Old PBS Number	Not reported	Expiration Date:		
Inspected Date:	Not reported	Inspector	Not reported	
Inspection Result:	Not reported			
Lat/long	Not reported			
Facility Type:	APARTMENT BUILDING			
PBS Number	2-601883	CBS Number	Not reported	
SPDES Number	Not reported			
SWIS ID:	6101	Telephone:	(212) 306-3142	
Operator	RAFAEL VELEZ			
Emergency Contact:	EMERGENCY SERVICE SQUAD, (212)	289-3940		
Total Tanks:	2			
Owner [,]	NYC HOUSING AUTHORITY			
	250 BROADWAY			
	NEW YORK, NY 10007			
	(212) 306-3142	.		
Owner Type:	Local Government	Owner Mark:	First Owner	
Owner Subtype:				
Mailing Address:	NYC HOUSING AUTHORITY			
	250 BROADWAY			
	16TH FLOOR			
	NEW YORK, NY 10007			
	(212) 306-3142			
Facility Status:	ATTN: RAFAEL VELEZ 1 - Active PBS facility, i.e. total capacity of	of the PRS tanks is	greater than	
Facility Status.	1,100 gallons, regardless if Subpart 360-		-	
Capacity (gals):	7400	14 LANKS EXISE OF IT	of at the facility.	
Capacity (gals): Tank Location:	UNDERGROUND, VAULTED, WITH AC	CESS		
Tank ID:	002	Install Date:	12/78	
Product Stored:	NOS 1,2. OR 4 FUEL OIL	Tank Type:	Steel/carbon steel	
Tank Internal:	NONE	Pipe Internal:	NONE	
Pipe Location:	None None None None None None None None	Pipe Type:	STEEL/IRON	
Tank External:	NONE	, po rypo.	or econion	
Tank Status:	In Service			
Tank Error Status:	Minor Data Missing			
Pipe External:	WRAPPED [PIPING]			
Second Containment:	NONE			
Leak Detection:	NONE			
Overfill Prot:	Product Level Gauge	Dispenser:	Suction	
Date Tested:	Not reported	Next Test Date:	N.T.R	
Date Closed:	Not reported	Test Method:	Not reported	
Deleted:	Not reported	Updated:	True	
	norreported	opualeu.	THUE	

語言で

100

Map ID Direction Distance Distance (ft.) Elevation Site

MAP FINDINGS

EDR ID Number EPA ID Number

Database(s)

U002034231

WILLIAMSBURG HOUSES	G (Continued)		
Dead Letter	False	Owner Screen:	Minor data missing
FAMT	Fiscal amount for registration fee is corre	ect	
Total Capacity:	Not reported	Renewal Date:	Not reported
Tank Screen:	Minor data missing	Federal ID:	Not reported
Renew Flag:	Renwal has not been printed	Facility Screen:	No data missing
Certification Flag	False	Certification Date	9.19940606
Old PBS Number	Not reported	Expiration Date.	19990602
Inspected Date:	Not reported	Inspector	Not reported
Inspection Result	Not reported		
Lat/long	Not reported		
Facility Type:	APARTMENT BUILDING		
PBS Number	2-601883	CBS Number	Not reported
SPDES Number:	Not reported		·
SWIS ID	6101	Telephone:	(212) 306-3142
Operator:	RAFAEL VELEZ		
Emergency Contact:	EMERGENCY SERVICE SQUAD. (212)	289-3940	
Total Tanks:	2		
Owner	NYC HOUSING AUTHORITY		
	250 BROADWAY		
	NEW YORK, NY 10007		
	(212) 306-3142		
Owner Type.	Local Government	Owner Mark	First Owner
Owner Subtype.	51		
Mailing Address.	NYC HOUSING AUTHORITY		
	250 BROADWAY		
	16TH FLOOR		
	NEW YORK, NY 10007		
	(212) 306-3142		
Epoility Status:	ATTN: RAFAEL VELEZ 1 - Active PBS facility, i.e. total capacity of	the DPS tanks in	areator than
Facility Status:	1,100 gallons, regardless if Subpart 360-		
Capacity (gals):	7000	14 LATING EXIST UT TR	n at the facility.
Tank Location:	UNDERGROUND		
Tank ID:	001	Install Date:	09/94
Product Stored:	NOS 1,2. OR 4 FUEL OIL	Tank Type:	Steel/carbon steel
Tank Internal:	Not reported	Pipe Internal:	NONE
Pipe Location:	Underground	Pipe Type:	STEEL/IRON
Tank External:	NONE/FIBERGLASS		
Tank Status:	In Service		
Tank Error Status:	Minor Data Missing		
Pipe External:	Not reported		
Second Containment:	NONE/DOUBLED-WALLED TANK		
Leak Detection:	NONE/INTERSTITIAL MONITORING		
Overfill Prot:	High Level Alarm, Product Level Gauge	Dispenser	Suction
Date Tested:	Not reported	Next Test Date:	09/09
Date Closed:	Not reported	Test Method:	Not reported
Deleted:	Not reported	Updated:	True
Dead Letter: FAMT:	False	Owner Screen:	Minor data missing
	Fiscal amount for registration fee is corre-		Notroported
Total Capacity: Tank Screen:	Not reported Minor data missing	Renewal Date: Federal ID:	Not reported Not reported
Renew Flag:	Renwal has not been printed	Facility Screen:	No data missing
Certification Flag:	Faise	Certification Date:	÷
Old PBS Number	Not reported		19990602
inspected Date:	Not reported	Inspector:	Not reported
Inspection Result:	Not reported	mapeoloi.	norreponeu
mepoonen noodit.			

Map ID Direction Distance Distance (Elevation

MAP FINDINGS

	WILLIAMSBURG HO	USES (Continued)				U002034231
	Lat/long: Facility Type:	Not reported APARTMENT BUI	LDING			
48 NNW 1/2-1 3417 Lower	WILLIAMSBURGH G 41 N. 11TH ST. BROOKLYN. NY 11:				Coal Gas	G00000438 N/A
		DESCRIPTION astern side of Kent Ave., be East River (D11) Site is a			on	
		Copyright 1993 1	Real Property Scan. Inc.			
49 West 1/2-1 3735 Lower	RADIAC RESEARCH 33 S FIRST ST BROOKLYN. NY 11				RCRIS-SQG FINDS RCRIS-TSD CORRACTS	1000245435 NYD04917829€
	CORRACTS Data: Prioritization. Status:	: Low RCRA Facility Assessm	ent Completed			
	RCRIS Corrective Effective Date. Legal Authority:	-	lent			
	RCRIS: Owner:	JOHN TEKIN-ELLEREY (212) 963-2233	FOLEY-ARTHUR GREE	Ν		
	Contact:	FRANCIS MCKENNA (718) 963-2233				
	Record Date:	07/21/1980				
	Classification: BIENNIAL REPOR	TSDF, Hazardous Waste RTS:	: Transporter			
		eporting Year 1995				
	Waste C D001 D003 D007 D009 D016 D022 D035 D039 F003 F006 U188 U188	Quantity (Lbs) 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.	Waste D002 D006 D008 D011 D018 D024 D038 F002 F005 U052	Quantity (Lbs) 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.		

8

Section 2.

3

MAP FINDINGS

EDR ID Number Database(s) EPA ID Number Site RADIAC RESEARCH CORP (Continued) 1000245435 Used Oil Recyc: No TSDF Activities: accepts waste from off-site Violation Status: Violation information exist There are 17 violation record(s) reported at this site. Date of Area of Violation Compliance Evaluation Compliance Evaluation Inspection (CEI) TSD-Land Ban Requirements **TSD-Other Requirements TSD-Other Requirements** TSD-Land Ban Requirements Compliance Evaluation Inspection (CEI) **TSD-Land Ban Requirements TSD-Other Requirements** 04/17/1996 RCRA CEI Performed with the Screening Checklist **TSD-Other Requirements** Compliance Evaluation Inspection (CEI) **TSD-Other Requirements** 04/17/1996 TSD-Other Requirements 01/30/1995 Compliance Evaluation Inspection (CEI) **TSD-Land Ban Requirements** 05/17/1995 **TSD-Other Requirements** 05/17/1995 Compliance Evaluation Inspection (CEI) **TSD-Other Requirements** 01/30/1992 Compliance Evaluation Inspection (CEI) **TSD-Other Requirements** 05/28/1991 Compliance Evaluation Inspection (CEI) **TSD-Other Requirements** 05/28/1991 **TSD-Other Requirements** Compliance Evaluation Inspection (CEI) 01/30/1992 Compliance Evaluation Inspection (CEI) **TSD-Other Requirements** 09/24/1990 Compliance Evaluation Inspection (CEI) **TSD-Other Requirements** 09/30/1986 Financial Record Review (FRR) **TSD-Financial Responsibility Requirements** 08/20/1986 TSD-Other Requirements Compliance Evaluation Inspection (CEI) 07/11/1986 07/12/1985 Compliance Evaluation Inspection (CEI) **TSD-Other Requirements** NY MANIFEST Additional detail is available in NY MANIFEST Please contact your EDR Account Executive for more information.

FINDS:

Other Pertinent Environmental Activity Identified at Site: Enforcement Docket System (DOCKET)

50 NASSAU GAS LIGHT CO.

 SW
 540 KENT AVE.

 1/2-1
 BROOKLYN, NY 11211

5279 Lower

COAL GAS SITE DESCRIPTION:

Site is on the western side of Kent Ave. between Clymer St. and Division St. (D12) Site is a CERCLIS Site I.D. #NYD980531990

Copyright 1993 Real Property Scan. Inc.

G000000437

N/A

Coal Gas

ORPHAN SUMMARY

City	EDR ID	Site Name	Site Address	Zip	Database(s)	Facility ID
BROOKLYN	S102872859	BERRY STREET HOUSING PROJECT	SOUTH 10TH STREET	11211	HSWDS	11\$2018
BROOKLYN	S103592357	NYCDOS @ 52ND ST BROOKLYN	52ND STREET / NY BAY		SWE/LF	24101
BROOKLYN	S102663224	BQE	65TH ST EXIT - EB LANE		NY Spills	9703861
BROOKLYN	S102672579	GETTY SVCE STATION	64023 7TH AVE		LUST	9406935
BROOKLYN	S102662728	ROADWAY	8402 8TH AVE		LUST	9610255
BROOKLYN	S100177757	1402 8TH AVE/ARMORY	1402 8TH AVE/ARMORY		LUST	9110377
BROOKLYN	S100177039	6418 8TH AVE/GETTY	6418 8TH AVE/GETTY		LUST	9105805
BROOKLYN	S101658301	118 8TH AVENUE	118 8TH AVENUE		LUST	9501711
BROOKLYN	S102673452	AMOCO	865 BEDFORD / REMSEN		LUST	9606534
BROOKLYN	S100493391	801 BEDFORD AVE/MERIT	801 BEDFORD AVE/MERH		LUST	9200519
BROOKLYN	S103560382	BOE of HAMILTON AVE EXIT	BQF @ HAMILTON AVE EXIT		NY Spills	9201096
BROOKLYN	S100153391	BQE 💩 56TH ST EXIT	BQE @ 56TH ST EXIT		LUST	9107100
BROOKLYN	S102150148	BQE EXPRESSWAY	BQF EXPRESSWAY		NY Spills	9502106
BROOKLYN	S102150342	BQE - SOUTH LIE BRIDGE	BOF - SOUTH LIF BRIDGE		NY Spills	9503184
BROOKLYN	S102149254	BQE - ATLANTIC AVE	BOE-ATLANTIC AV-NR BRIDGE		NY Spills	9412952
BROOKLYN	S102143931	BQE/TILLARY ROAD SPILL5/1	BROOKLYN-OUFEN EXPR\$WY EX		NY Spills	8600795
BROOKLYN	S102143940	BOE SADDLE TANK SPILL	BROOKLYN-QUFENS EXPRESSWY		NY Spills	860.0931
BROOKLYN	S103484621	ON THE BOE E/B	BTWN FLUSHING/TILLARY ST		NY Spills	9807584
BROOKLYN	94407747	CADMAN PLAZA BQE	CADMAN PLAZA BOF		FRNS	
BROOKLYN	S102662590	BQE & ATLANTIC AVE.	ENTRANCE RAMP BOE / ATLAN		NY Spills	9407938
BROOKLYN	1001203025	MTA NYCT - FLUSHING AVE STATION	FLUSHING AVE & UNION ST	11206	RCRIS-SOG, FINDS	
BROOKLYN	S102148895	FORT HAMILTON EXIT	FORT HAMILTON EXIT		NY Spills, LUST	9409676
BROOKLYN	St03571562	UNDER BQE	GARDNER/STEWART AVE		NY Spills	9711715
BROOKLYN	S100494204	FT HAMI/OFF 1ST AVE B218	FT HAMI/OFF 1ST AVE B218		LUST	9208531
BROOKLYN	S102238450	HAMILTON AVE & 6TH AVE	HAMILTON AVE / 61H AVE		NY Spills, LUST	8908683
BROOKLYN	S103560694	NYS DOT - BQE	KINGSLAND / MEEKER AVES		NY Spills	9502369
BROOKLYN	S100782138	MARINE HWY BR BEAR RT	MARINE HWY BR - BEAB RT		LUST	9310215
BROOKLYN	S101658490	MOBIL/GREENPOINT RECOVERY	MEEKER AVE/GREENPOINT		LUSI	9507023
BROOKLYN	1000791719	NYCDOT METROPOLITAN AVE BRG #2	METROPOLITAN AVE BRG OVER	11211	RCRIS-SQG, LINDS	
BROOKLYN	1001224430	MTA NYCT - MYRTLE & WILLOUGHBY AVE STA	MYRTLE & UNION AVE	11206	FINDS RCRIS-LOG	
BROOKLYN	S103350609	BROOKLYN BOROUGH GAS WORKS, CONEY ISLAND	NEPTUNE AVENUE CONFY ISLAND		SHWS	224026
BROOKLYN	S103038509	METROPOLITAIN AVE AND	ROFBLING ST		LUST	9713408
BROOKLYN	S100177516	44-21 9TH ST/NY TEL	44021 9TH ST		LUST	9110490
BROOKLYN	S103037408	DEL'S AUTO REPAIR	70 2ND ST/NEW UTRECT AVE		LUST	9713407
BROOKLYN	S102141358	NY UPPER BAY AT 26 BUOY	NY UPPER BAY AT 26 BOUY		NY Spills, EUST	9107222

GEOCHECK VERSION 2.1 ADDENDUM FEDERAL DATABASE WELL INFORMATION

Well Closest to Target Property (Southern Quadrant)

BASIC WELL DATA

Site ID:	404149073571201	Distance from TP ⁻	1 - 2 Miles
Site Type:	Single well, other than collector	or Ranney type	
Year Constructed:	Not Reported	County:	Kings
Altitude:	18.00 ft.	State:	New York
Weli Depth	56.00 ft.	Topographic Setting	Hillside (slope)
Depth to Water Table:	17.00 ft.	Prim Use of Site:	Observation
Date Measured:	04011933	Prim. Use of Water:	Unused

LITHOLOGIC DATA

Geologic Age ID (Era/System/Series):Cenozoic-Quaternary-PleistocenePrincipal Lithology of Unit:SandFurther Description:Not Reported

WATER LEVEL VARIABILITY

Not Reported

GEOCHECK VERSION 2.1 PUBLIC WATER SUPPLY SYSTEM INFORMATION

Searched by Nearest PWS.

PWS SUMMARY:

PWS ID: Date Initiated: PWS Name:	NY0022666 Not Reported CAMP BNOS YAKOV SWAN LAKE, NY 12		Active Not Reported	Distance from TP: Dir relative to TP	
Addressee / Facility:	System Owner/Respo SAMET MAX YESHIVATH KEHILA 206 WILSON STREE BROOKLYN, NY 112	TH YAKOV			
Facility Latitude City Served Treatment Class	40 42 51 LIBERTY (T) Not Reported		Facility Longitude. Population Served		

No

PWS currently has or has had major violation(s) or enforcement:

EPA Waste Codes Addendum

Code Des	cription
----------	----------

D001 IGNITABLE HAZARDOUS WASTES ARE THOSE WASTES WHICH HAVE A FLASHPOINT OF LESS THAN 140 DEGREES FAHRENHEIT AS DETERMINED BY A PENSKY-MARTENS CLOSED CUP FLASH POINT TESTER. ANOTHER METHOD OF DETERMINING THE FLASH POINT OF A WASTE IS TO REVIEW THE MATERIAL SAFETY DATA SHEET. WHICH CAN BE OBTAINED FROM THE MANUFACTURER OR DISTRIBUTOR OF THE MATERIAL. LACQUER THINNER IS AN EXAMPLE OF A COMMONLY USED SOLVENT WHICH WOULD BE CONSIDERED AS IGNITABLE HAZARDOUS WASTE.

D002 A WASTE WHICH HAS A PH OF LESS THAN 2 OR GREATER THAN 12.5 IS CONSIDERED TO BE A CORROSIVE HAZARDOUS WASTE. SODIUM HYDROXIDE. A CAUSTIC SOLUTION WITH A HIGH PH. IS OFTEN USED BY INDUSTRIES TO CLEAN OR DEGREASE PARTS. HYDROCHLORIC ACID. A SOLUTION WITH A LOW PH. IS USED BY MANY INDUSTRIES TO CLEAN METAL PARTS PRIOR TO PAINTING. WHEN THESE CAUSTIC OR ACID SOLUTIONS BECOME CONTAMINATED AND MUST BE DISPOSED. THE WASTE WOULD BE A CORROSIVE HAZARDOUS WASTE.

- D003 A MATERIAL IS CONSIDERED TO BE A REACTIVE HAZARDOUS WASTE IF IT IS NORMALLY UNSTABLE, REACTS VIOLENTLY WITH WATER. GENERATES TOXIC GASES WHEN EXPOSED TO WATER OR CORROSIVE MATERIALS. OR IF IT IS CAPABLE OF DETONATION OR EXPLOSION WHEN EXPOSED TO HEAT OR A FLAME. ONE EXAMPLE OF SUCH WASTE WOULD BY WASTE GUNPOWDER.
- D006 CADMIUM
- D007 CHROMIUM
- D008 LEAD
- D009 MERCURY
- D011 SILVER
- D016 2,4-D
- D018 BENZENE
- D022 CHLOROFORM
- D024 M-CRESOL
- D035 METHYL ETHYL KETONE
- D038 PYRIDINE
- D039 TETRACHLOROETHYLENE
- F002 THE FOLLOWING SPENT HALOGENATED SOLVENTS: TETRACHLOROETHYLENE, METHYLENE CHLORIDE, TRICHLOROETHYLENE, 1,1,1-TRICHLOROETHANE, CHLOROBENZENE, 1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE, ORTHO-DICHLOROBENZENE, TRICHLOROFLUOROMETHANE, AND 1,1,2-TRICHLOROETHANE; ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THE ABOVE HALOGENATED SOLVENTS OR THOSE LISTED IN F001, F004, OR F005, AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT

EPA Waste Codes Addendum

Code Description

SOLVENTS AND SPENT SOLVENT MIXTURES.

- F003 THE FOLLOWING SPENT NON-HALOGENATED SOLVENTS: XYLENE, ACETONE, ETHYL ACETATE, ETHYL BENZENE, ETHYL ETHER, METHYL ISOBUTYL KETONE, N-BUTYL ALCOHOL, CYCLOHEXANONE, AND METHANOL, ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, ONLY THE ABOVE SPENT NON-HALOGENATED SOLVENTS; AND ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, ONE OR MORE OF THE ABOVE NON-HALOGENATED SOLVENTS. AND, A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THOSE SOLVENTS LISTED IN F001, F002, F004, AND F005, AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.
- F005 THE FOLLOWING SPENT NON-HALOGENATED SOLVENTS: TOLUENE, METHYL ETHYL KETONE, CARBON DISULFIDE, ISOBUTANOL, PYRIDINE, BENZENE, 2-ETHOXYETHANOL, AND 2-NITROPROPANE: ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THE ABOVE NON-HALOGENATED SOLVENTS OR THOSE SOLVENTS LISTED IN F001, F002, OR F004: AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.
- F006 WASTEWATER TREATMENT SLUDGES FROM ELECTROPLATING OPERATIONS EXCEPT FROM THE FOLLOWING PROCESSES: (1) SULFURIC ACID ANODIZING OF ALUMINUM: (2) TIN PLATING ON CARBON STEEL. (3) ZINC PLATING (SEGREGATED BASIS) ON CARBON STEEL: (4) ALUMINUM OR ZINC-ALUMINUM PLATING ON CARBON STEEL: (5) CLEANING/STRIPPING ASSOCIATED WITH TIN, ZINC AND ALUMINUM PLATING ON CARBON STEEL; AND (6) CHEMICAL ETCHING AND MILLING OF ALUMINUM.
- U052 CRESOL (CRESYLIC ACID)
- U052 PHENOL, METHYL-
- U188 PHENOL

To maintain currency of the following federal and state databases. EDR contacts the appropriate governmental agency on a monthly or quarterly basis, as required.

Elapsed ASTM days: Provides confirmation that this EDR report meets or exceeds the 90-day updating requirement of the ASTM standard.

FEDERAL ASTM RECORDS:

CERCLIS: Comprehensive Environmental Response. Compensation, and Liability Information System Source: EPA

Telephone 703-413-0223

CERCLIS contains data on potentially hazardous waste sites that have been reported to the USEPA by states municipalities. private companies and private persons, pursuant to Section 103 of the Comprehensive Environmental Response. Compensation, and Liability Act (CERCLA). CERCLIS contains sites which are either proposed to or on the National Priorities List (NPL) and sites which are in the screening and assessment phase for possible inclusion on the NPL.

Date of Government Version: 04/21/99 Date Made Active at EDR: 06/09/99 Database Release Frequency Quarterly Date of Data Arrival at EDR 05/14/99 Elapsed ASTM days: 26 Date of Last EDR Contact: 03/03/99

ERNS: Emergency Response Notification System

Source. EPA/NTIS

Telephone 202-260-2342

Emergency Response Notification System. ERNS records and stores information on reported releases of oil and hazardous substances

Date of Government Version: 12/31/98 Date Made Active at EDR: 01/18/99 Database Release Frequency: Quarterly Date of Data Arrival at EDR: 01/13/99 Elapsed ASTM days: 5 Date of Last EDR Contact: 01/04/99

NPL: National Priority List

Source: EPA Telephone: N/A

National Priorities List (Superfund). The NPL is a subset of CERCLIS and identifies over 1,200 sites for priority cleanup under the Superfund Program. NPL sites may encompass relatively large areas. As such, EDR provides polygon coverage for over 1,000 NPL site boundaries produced by EPA's Environmental Photographic Interpretation Center (EPIC).

Date of Government Version: 05/10/99 Date Made Active at EDR: 06/09/99 Database Release Frequency: Semi-Annually Date of Data Arrival at EDR: 05/12/99 Elapsed ASTM days: 28 Date of Last EDR Contact: 02/08/99

RCRIS: Resource Conservation and Recovery Information System

Source: EPA/NTIS

Telephone: 800-424-9346

Resource Conservation and Recovery Information System. RCRIS includes selective information on sites which generate. transport, store, treat and/or dispose of hazardous waste as defined by the Resource Conservation and Recovery Act (RCRA).

Date of Government Version: 04/26/99 Date Made Active at EDR: 06/09/99 Database Release Frequency: Semi-Annually

CORRACTS: Corrective Action Report

Source: EPA Telephone: 800-424-9346

CORRACTS identifies hazardous waste handlers with RCRA corrective action activity.

Date of Government Version: 03/01/99 Date Made Active at EDR: 04/16/99 Database Release Frequency: Semi-Annually Date of Data Arrival at EDR: 05/14/99 Elapsed ASTM days: 26 Date of Last EDR Contact: 03/31/99

Date of Data Arrival at EDR: 03/17/99 Elapsed ASTM days: 30 Date of Last EDR Contact: 03/16/99

FEDERAL NON-ASTM RECORDS: BRS: Biennial Reporting System Source: EPA/NTIS Telephone: 800-424-9346 The Biennial Reporting System is a national system administered by the EPA that collects data on the generation and management of hazardous waste. BRS captures detailed data from two groups: Large Quantity Generators (LQG) and Treatment. Storage, and Disposal Facilities. Date of Government Version: 12/31/95 Date of Last EDR Contact: 03/25/99 Database Release Frequency: Biennially Date of Next Scheduled EDR Contact: 06/21/99 CONSENT: Superfund (CERCLA) Consent Decrees Source: EPA Regional Offices Telephone: Varies Major legal settlements that establish responsibility and standards for cleanup at NPL (Superfund) sites. Released periodically by United States District Courts after settlement by parties to litigation matters. Date of Government Version: Varies Date of Last EDR Contact' Varies Database Release Frequency' Varies Date of Next Scheduled EDR Contact: N/A FINDS: Facility Index System/Facility Identification Initiative Program Summary Report Source EPA Telephone: N/A Facility Index System. FINDS contains both facility information and pointers to other sources that contain more detail. EDR includes the following FINDS databases in this report. PCS (Permit Compliance System). AIRS (Aerometric Information Retrieval System), DOCKET (Enforcement Docket used to manage and track information on civil judicial enforcement cases for all environmental statutes). FURS (Federal Underground Injection Control), C-DOCKET (Criminal Docket System used to track criminal enforcement actions for all environmental statutes). FFIS (Federal Facilities Information System), STATE (State Environmental Laws and Statutes), and PADS (PCB Activity Data System). Date of Government Version: 04/01/99 Date of Last EDR Contact: 04/16/99 Date of Next Scheduled EDR Contact: 07/12/99 Database Release Frequency: Quarterly HMIRS: Hazardous Materials Information Reporting System Source: U.S. Department of Transportation Telephone: 202-366-4526 Hazardous Materials Incident Report System. HMIRS contains hazardous material spill incidents reported to DOT. Date of Government Version: 12/31/97 Date of Last EDR Contact: 03/24/99 Database Release Frequency: Annually Date of Next Scheduled EDR Contact: 04/26/99 MLTS: Material Licensing Tracking System Source: Nuclear Regulatory Commission Telephone: 301-415-7169 MLTS is maintained by the Nuclear Regulatory Commission and contains a list of approximately 8,100 sites which possess or use radioactive materials and which are subject to NRC licensing requirements. To maintain currency. EDR contacts the Agency on a quarterly basis. Date of Government Version: 12/08/98 Date of Last EDR Contact: 03/02/99 Database Release Frequency: Quarterly Date of Next Scheduled EDR Contact: 05/31/99 NPL LIENS: Federal Superfund Liens Source: EPA Telephone: 205-564-4267 Federal Superfund Liens. Under the authority granted the USEPA by the Comprehensive Environmental Response. Compensation and Liability Act (CERCLA) of 1980, the USEPA has the authority to file liens against real property in order to recover remedial action expenditures or when the property owner receives notification of potential liability. USEPA compiles a listing of filed notices of Superfund Liens. Date of Last EDR Contact: 02/22/98 Date of Government Version: 10/15/91 Date of Next Scheduled EDR Contact: 05/24/99 Database Release Frequency: No Update Planned

 PADS: PCB Activity Database System Source: EPA Telephone. 202-260-3936 PCB Activity Database. PADS Identifies generators. transporters. commerce of PCB's who are required to notify the EPA of such activities. 	cial storers and/or brokers and disposers
Date of Government Version: 09/22/97 Database Release Frequency. No Update Planned	Date of Last EDR Contact: 03/05/99 Date of Next Scheduled EDR Contact: 05/17/99
 RAATS: RCRA Administrative Action Tracking System Source: EPA Telephone. 202-564-4104 RCRA Administration Action Tracking System RAATS contains records base pertaining to major violators and includes administrative and civil actions actions after September 30. 1995. data entry in the RAATS database wa the database for historical records. It was necessary to terminate RAATS made it impossible to continue to update the information contained in the 	brought by the EPA. For administration as discontinued. EPA will retain a copy of S because a decrease in agency resources
Date of Government Version: 04/17/95 Database Release Frequency. No Update Planned	Date of Last EDR Contact: 03/15/99 Date of Next Scheduled EDR Contact: 06/14/99
ROD: Records Of Decision Source: NTIS Telephone: 703-416-0223 Record of Decision. ROD documents mandate a permanent remedy at an N and health information to aid in the cleanup	NPL (Superfund) site containing technical
Date of Government Version 01/31/99 Database Release Frequency: Annually	Date of Last EDR Contact: 04/19/99 Date of Next Scheduled EDR Contact, 07/19/99
 TRIS: Toxic Chemical Release Inventory System Source EPA Telephone: 202-260-1531 Toxic Release Inventory System. TRIS identifies facilities which release toxi land in reportable quantities under SARA Title III Section 313. 	ic chemicals to the air, water and
Date of Government Version: 12/31/97 Database Release Frequency: Annually	Date of Last EDR Contact: 04/01/99 Date of Next Scheduled EDR Contact: 06/28/99
TSCA: Toxic Substances Control Act Source: EPA Telephone: 202-260-1444 Toxic Substances Control Act. TSCA identifies manufacturers and importers TSCA Chemical Substance Inventory list. It includes data on the producti- site.	
Date of Government Version: 12/31/94 Database Release Frequency: Every 4 Years	Date of Last EDR Contact: 04/26/99 Date of Next Scheduled EDR Contact: 07/26/99
MINES: Mines Master Index File Source: Department of Labor. Mine Safety and Health Administration Telephone: 303-231-5959	
Date of Government Version: 08/01/98 Database Release Frequency: Semi-Annually	Date of Last EDR Contact: 04/08/99 Date of Next Scheduled EDR Contact: 07/05/99

STATE OF NEW YORK ASTM RECORDS:

 LUST: Spills Information Database Source: Department of Environmental Conservation Telephone: 518-457-2462 Leaking Underground Storage Tank Incident Reports. LUST records contain an investorage tank incidents. Not all states maintain these records, and the information 	
Date of Government Version: 01/01/99	Date of Data Arrival at EDR: 02/22/99
Date Made Active at EDR: 04/08/99	Elapsed ASTM days: 45
Database Release Frequency: Quarterly	Date of Last EDR Contact: 02/02/99
 SHWS: Inactive Hazardous Waste Disposal Sites in New York State Source Department of Environmental Conservation Telephone: 518-457-0747 State Hazardous Waste Sites. State hazardous waste site records are the states equivalent of already be listed on the federal CERCLIS list. Priority sites plants (state equivalent of Superfund) are identified along with sites where cleanup will be responsible parties. Available information varies by state. 	ed for cleanup using state funds
Date of Government Version: 04/01/98	Late of Data Arrival at EDR: 12/01/98
Date Made Active at EDR: 12/24/98	Elapsed ASTM days: 23
Database Release Frequency. Annually	Date of Last EDR Contact: 03/22/99
 LF: Facility Register Source: Department of Environmental Conservation Telephone: 518-457-2051 Solid Waste Facilities/Landfill Sites. SWF/LF type records typically contain an invention facilities or landfills in a particular state. Depending on the state, these may be accord or open dumps that failed to meet RCRA Subtitle D Section 4004 criteria for solid sites. 	tive or inactive facilities
Date of Government Version: 12/31/98	Date of Data Arrival at EDR: 02/26/99
Date Made Active at EDR: 03/29/99	Elapsed ASTM days: 31
Database Release Frequency: Semi-Annually	Date of Last EDR Contact: 02/08/99
UST: Petroleum Bulk Storage (PBS) Database Source: Department of Environmental Conservation Telephone: 518-457-4351 Facilities that have petroleum storage capacities in excess of 1,100 gallons and less	than 400,000 gallons.
Date of Government Version: 01/01/99	Date of Data Arrival at EDR: 02/22/99
Date Made Active at EDR: 03/17/99	Elapsed ASTM days: 23
Database Release Frequency: Quarterly	Date of Last EDR Contact: 02/02/99
CBS UST: Chemical Bulk Storage Database Source: NYSDEC Telephone: 518-457-4351 Facilities that store regulated hazardous substances in underground tanks of any size	ze
Date of Government Version: 01/01/99	Date of Data Arrival at EDR: 02/22/99
Date Made Active at EDR: 04/07/99	Elapsed ASTM days: 44
Database Release Frequency: Quarterly	Date of Last EDR Contact: 02/02/99
 MOSF UST: Major Oil Storage Facilities Database Source: NYSDEC Telephone: 518-457-4351 Facilities that may be onshore facilities or vessels, with petroleum storage capacities greater 	s of 400,000 gallons or
Date of Government Version: 01/01/99	Date of Data Arrival at EDR: 02/22/99
Date Made Active at EDR: 04/08/99	Elapsed ASTM days: 45
Database Release Frequency: Quarterly	Date of Last EDR Contact: 02/02/99

AST: Petroleum Bulk Storage (AST) Source: Department of Environmental Conservation Telephone: 518-457-4351 Registered Aboveground Storage Tanks.	
Date of Government Version: 01/01/99 Database Release Frequency: Quarterly	Date of Last EDR Contact: 02/02/99 Date of Next Scheduled EDR Contact: 05/00
CBS AST: Chemical Bulk Storage Database Source NYSDEC Telephone: 518-457-4351 Facilities that store regulated hazardous substances in abovegrour and/or in underground tanks of any size.	nd tanks with capacities of 185 gallons or greater
Date of Government Version 01/01/99 Database Release Frequency: Quarterly	Date of Last EDR Contact: 02/02/99 Date of Next Scheduled EDR Contact: 05/00
MOSF AST: Major Oil Storage Facilities Database Source: NYSDEC Telephone: 518-457-4351 Facilities that may be onshore facilities or vessels, with petroleum s greater	storage capacities of 400.000 gallons or
Date of Government Version: 01/01/99 Database Release Frequency: Quarterly	Date of Last EDR Contact: 02/02/99 Date of Next Scheduled EDR Contact: 05/03
HSWDS: Hazardous Substance Waste Disposal Site Inventory Source: Department of Environmental Conservation Telephone: 518-457-0639 The list includes any known or suspected hazardous substance wa from the Registry of Inactive Hazardous Waste Diposal Sites and Assessment (PA) reports or Site Investigation (SI) reports were	d non-registry sites which U.S. EPA Preliminary
Date of Government Version: 09/01/97 Database Release Frequency: Annually	Date of Last EDR Contact: 03/11/99 Date of Next Scheduled EDR Contact: 06/07
 SPILLS: Spills Information Database Source: Department of Environmental Conservation Telephone: 518-457-2462 Data collected on spills reported to NYSDEC as required by one or Law, 6 NYCRR Section 613.8 (from PBS regs). or 6 NYCRR Section 613.8 (from PBS regs). or 6 NYCRR Section 613.8 (from PBS regs). 	
Date of Government Version: 01/01/99 Database Release Frequency: Quarterly	Date of Last EDR Contact: 02/02/99 Date of Next Scheduled EDR Contact: 05/03,
VCP: Voluntary Cleanup Agreements Source: Department of Environmental Conservation Telephone: 518-457-7894 The voluntary remedial program uses private monies to get contam	
the sites' productive use. The program covers virtually any kind o	of site and contamination.

Database Release Frequency: Semi-Annually

Date of Last EDR Contact: 03/22/99 Date of Next Scheduled EDR Contact. 06/21/99

NEW YORK COUNTY RECORDS

CORTLAND COUNTY:

Cortland County UST Listing (AST)

Source: Cortland County Health Department Telephone: 607-753-5035

Date of Government Version: 03/15/99 Database Release Frequency: Quarterly

Cortland County UST Listing (UST)

Source: Cortland County Health Department Telephone: 607-753-5035

Date of Government Version: 03/15/99 Database Release Frequency Quarterly

NASSAU COUNTY:

Registered Tank Database

Source. Nassau County Health Department Telephone: 516-571-3314

Date of Government Version: 02/04/99 Database Release Frequency: Quarterly

Registered Tank Database

Source: Nassau County Health Department Telephone: 516-571-3314

Date of Government Version: 02/04/99 Database Release Frequency: Quarterly

ROCKLAND COUNTY:

Petroleum Bulk Storage Database (AST)

Source: Rockland County Health Department Telephone: 914-364-2605

Date of Government Version: 04/26/99 Database Release Frequency: Quarterly

Petroleum Bulk Storage Database (UST)

Source: Rockland County Health Department Telephone: 914-364-2605

Date of Government Version: 04/26/99 Database Release Frequency: Quarterly

SUFFOLK COUNTY:

Underground Storage Tank Database (AST)

Source: Suffolk County Department of Health Services Telephone: 516-854-2521

Date of Government Version: 03/01/98 Database Release Frequency: Annually Date of Last EDR Contact: 03/09/99 Date of Next Scheduled EDR Contact: 06/07/99

Date of Last EDR Contact: 03/09/99 Date of Next Scheduled EDR Contact: 06/07/99

Date of Last EDR Contact: 01/04/98 Date of Next Scheduled EDR Contact: 05/10/99

Date of Last EDR Contact: 01/04/99 Date of Next Scheduled EDR Contact: 05/10/99

Date of Last EDR Contact: 04/12/99 Date of Next Scheduled EDR Contact: 07/12/99

Date of Last EDR Contact: 04/12/99 Date of Next Scheduled EDR Contact: 07/12/99

Date of Last EDR Contact. 03/09/98 Date of Next Scheduled EDR Contact: 06/07/99

Underground Storage Tank Database (UST)

Source Suffolk County Department of Health Services Telephone: 516-854-2521

Date of Government Version: 03/01/99 Database Release Frequency: Annually Date of Last EDR Contact: 03/09/99 Date of Next Scheduled EDR Contact: 06/07/99

Historical and Other Database(s)

Depending on the geographic area covered by this report, the data provided in these specialty databases may or may not be complete. For example, the existence of wetlands information data in a specific report does not mean that all wetlands in the area covered by the report are included. Moreover, the absence of any reported wetlands information does not necessarily mean that wetlands do not exist in the area covered by the report.

Former Manufactured Gas (Coal Gas) Sites: The existence and location of Coal Gas sites is provided exclusively to EDR by Real Property Scan. Inc. Copyright 1993 Real Property Scan. Inc. For a technical description of the types of hazards which may be found at such sites, contact your EDR customer service representative

Disclaimer Provided by Real Property Scan. Inc.

The information contained in this report has predominantly been obtained from publicly available sources produced by entities other than Real Property Scan. While reasonable steps have been taken to insure the accuracy of this report. Real Property Scan does not guarantee the accuracy of this report. Any liability on the part of Real Property Scan is strictly limited to a refund of the amount paid. No claim is made for the actual existence of toxins at any site. This report does not constitute a legal opinion.

DELISTED NPL: NPL Deletions

Source: EPA

Telephone: N/A

The National Oil and Hazardous Substances Pollution Contingency Plan (NCP) establishes the criteria that the EPA uses to delete sites from the NPL. In accordance with 40 CFR 300.425.(e), sites may be deleted from the NPL where no further response is appropriate.

Date of Government Version: 04/23/99 Date Made Active at EDR: 06/09/99 Database Release Frequency: Semi-Annually Date of Data Arrival at EDR: 05/12/99 Elapsed ASTM days: 28 Date of Last EDR Contact: 02/08/99

NFRAP: No Further Remedial Action Planned

Source: EPA

Telephone: 703-413-0223

As of February 1995, CERCLIS sites designated "No Further Remedial Action Planned" (NFRAP) have been removed from CERCLIS. NFRAP sites may be sites where, following an initial investigation, no contamination was found, contamination was removed quickly without the need for the site to be placed on the NPL, or the contamination was not serious enough to require Federal Superfund action or NPL consideration. EPA has removed approximately 25,000 NFRAP sites to lift the unintended barriers to the redevelopment of these properties and has archived them as historical records so EPA does not needlessly repeat the investigations in the future. This policy change is part of the EPA's Brownfields Redevelopment Program to help cities, states, private investors and affected citizens to promote economic redevelopment of unproductive urban sites.

Date of Government Version: 04/21/99 Date Made Active at EDR: 06/09/99 Database Release Frequency: Quarterly Date of Data Arrival at EDR: 05/14/99 Elapsed ASTM days: 26 Date of Last EDR Contact: 03/03/99

PWS: Public Water Systems
Source: EPA/Office of Drinking Water
Telephone: 202-260-2805
Public Water System data from the Federal Reporting Data System. A PWS is any water system which provides water to at least 25 people for at least 60 days annually. PWSs provide water from wells, rivers and other sources.

PWS ENF: Public Water Systems Violation and Enforcement Data

Source: EPA/Office of Drinking Water

Telephone: 202-260-2805

Violation and Enforcement data for Public Water Systems from the Safe Drinking Water Information System (SWDIS) after August 1995. Prior to August 1995, the data came from the Federal Reporting Data System (FRDS).

Area Radon Information: The National Radon Database has been developed by the U.S. Environmental Protection Agency (USEPA, and is a compilation of the EPA/State Residential Radon Survey and the National Residential Radon Survey. The study covers the years 1986 - 1992. Where necessary data has been supplemented by information collected at private sources such as universities and research institutions.

EPA Radon Zones: Sections 307 & 309 of IRAA directed EPA to list and identify areas of U.S. with the potential for elevated indoor radon levels.

Oil/Gas Pipelines/Electrical Transmission Lines: This data was obtained by EDR from the USGS in 1994. It is referred to by USGS as GeoData Digital Line Graphs from 1:100.000-Scale Maps. It was extracted from the transportation category including some oil, but primarily gas pipelines and electrical transmission lines.

Sensitive Receptors: There are individuals deemed sensitive receptors due to their tragile immune systems and special sensitivity to environmental discharges. These sensitive receptors typically include the elderly the sick, and children. While the location of all sensitive receptors cannot be determined. EDR indicates those buildings and facilities - schools, daycares, hospitals, medical centers, and nursing homes - where individuals who are sensitive receptors are likely to be located.

USGS Water Wells: In November 1971 the United States Geological Survey (USGS) implemented a national water resource information tracking system. This database contains descriptive information on sites where the USGS collects or has collected data on surface water and/or groundwater. The groundwater data includes information on more than 900,000 wells, springs, and other sources of groundwater.

Flood Zone Data: This data, available in select counties across the country, was obtained by EDR in 1999 from the Federal Emergency Management Agency (FEMA). Data depicts 100-year and 500-year flood zones as defined by FEMA.

NWI: National Wetlands Inventory. This data, available in select counties across the country, was obtained by EDR in March 1997 from the U.S. Fish and Wildlife Service.

Epicenters: World earthquake epicenters. Richter 5 or greater Source: Department of Commerce, National Oceanic and Atmospheric Administration

Water Dams: National Inventory of Dams
 Source: Federal Emergency Management Agency
 Telephone: 202-646-2801
 National computer database of more than 74,000 dams maintained by the Federal Emergency Management Agency.

New York Public Water Wells Source: New York Department of Health Telephone: 518-458-6731

New York Facility and Manifest Data

Source: NYSDEC Telephone: 518-457-6585 Facility and manifest data. Manifest is a document that lists and tracks hazardous waste from the generator through transporters to a tsd facility.



MPLE SUBSET REFERENCE NUMBER	SAMPLE SUBSET DESCRIPTION	TOTAL EXCAVATION (CUBIC YARDS)	PERCENT OF TOTAL PROJECT EXCAVATION	NUMBER OF TEST BORINGS	TEST BORING LOCATIONS	TEST BORING DEPTH (FEET)	NUMBER OF	NUMBER OF NEAR SURFACE SAMPLE BORINGS	NUMBER OF MONITORING WELL INSTALLATIONS	NUMBER OF GROUNDWATER SAMPLES	NUMBER O	ANALYSES F SAMPLES WASTE CLASS
1	147+34 TO 148+50	3131.77	11.14%	1	148+04	35		2			1	4
2	148+50 TO 151+50	813.86	2.89%	5	148+90 149+41 149+93 150+47 151+01	45 45 45 20 45	1	1	1	1	1 1 1	4 3 2 5 2
3	151+50 TO 154+50	1251.28	4.45%	1	153+77	45		1				4
4	154+50 TO 157+50	1346.32	4.79%	1	156+42	45		1			1	3
5	157+50 TO 160+50	1139.98	4.05%	2	158+40 158+86	35 35	1	1				43
6	160+50 TO 163+50	1073.76	3.82%	1	162+16	45		1				4
7	163+50 TO 166+50	1860.16	6.62%	1	165+16	45		1			1	3
8	166+50 TO 169+50	1815.94	6.46%	Z	167+19 168+03	- <u>70</u> - 45	1	1	1	1	1	
9	169+50 TO 172+50	1966.62	6.99%	1	171+01	45		1				'
10	172+50 TO 175+50	1985.02	7.06%	2	174+10 174+10	45 45	1	1			1	3
11	175+50 TO 178+50	1453.40	5.17%	2	176+39 176+86	35 35	1	1			1	
12	178+50 TO 181+50	3110.63	11.06%	1	180+14	35		2			1	4
13	181+50 TO 184+50	1310.49	4.66%	1	183+26	35		1				
14	184+50 TO 187+50	1237.68	4.40%	1	186+11	35		1				
15	187+50 TO 190+50	944.74	3.36%	1	188+75	35		1			1	:
16	190+50 TO 193+50	1207.24	4.29%	1	191+60	35		1				
17	193+50 TO 196+50	1032.64	3.67%	1	194+96	45		1			1	
18	196+50 TO 199+50	873.02	3.10%	1	198+27	45		1	ļ			
19	199+50 TO 201+60	562.20	2.00%	2	201+60 201+60	35 _70	1		1	1	1 1	
_	TOTALS	28116.75	100.00%	28		1155	6	20	3	3	13	8

;

•

'

LEILIERS ZSSWAY PROJECT SLAMMARY OF SAMPLING PROGRAM AND LOCATIONS

+ 1 ---

1

I



f

ļ

ķ

. . . . ÷.

DUDU

2111.767

6001 1000

Clate of New Jerscy Department of Environmental Protection Division of reazarous Waste Management Handlest Section ON 026, Tronton, NJ (08625)

	UNFORM HAZARDOUS WASTE MANIFEST	Concess Calif		:	1997 - 1997 - 1997 1999 - 1997 - 1997 1997 - 1997 - 1997 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 1997 - 199	$\mathcal{A} = \mathcal{A}$	ł i	ng nga Tang	regio	if shaded a incloy Fedr
	n an an Anna an	. :				1	NJ	Α	062	2 <u>3965</u>
	General Frank		• •				i en en en e	1 - 10t's 1	;	- A get A
1	The state Company 2, 114						• *: 	• • • • • • • • •		any La • • · · · · · · · · · · · · · · · · · ·
	the for participant	·····	مرد المحاصية المداد با	505			· · ·	یت ، ۱۳۹۰ - ۲۰۰۰ ۱۳۹۰ - ۲۰۰۰ - ۲۰۰۰		
					all the end of the second sector as	and is not a a sub-	• · · ·	[.]) معدود معرف المحمد
4	$\phi_{i}(x_{i}) = \frac{1}{r}$							n a br	<u> </u>	
	1 us Distance provident to from story	ing to the state state			4 	11) 	Contraction of the local data and the	13 13	· · · · ·	<u></u>
Ļ.	····	·····			N/		<u>()</u>		····	Waste No
,]					с <u>т</u> .		۰. ۲۰. آبر ا	موامين د ادر د د در د	. ,	2 H - H
	÷ · · · · · ·	· ···· · ··· ·		-		<u></u> _		• · · •	_ <u>_</u>	<u>-1_1×</u>
	i Vi shaasa sa					<u>.</u>			۰. 	
G					1		· · ·			1.12 1.12
						,				
5	Angle or Success instanting as a	d Acore					7.7.	i teri	Vinter Cis	ited Above
		:							1	1
					-					
- 1	No to an	- '			,		'	e (1999)		
,										,
, , <u></u>	The second s		·····							in a the
,										. Termined to
:						•.	443 447 t 4		. / C / .2 	n i ogensentz Foto gensentz Foto gedisoi
	· · ·									rr wal bay
										
-	· · · ·		:					-		dunin Day
ξ ή	The can a second constant						· · · · ·			
r 	•				·					1 C.11-
· •	1.3	·								
· · · · ·		1 ** * cpr 1	, (t usets	•••	····· · · · · · · -		n 115	turith Cay
1	· · · · ·		· · · ·							ioran Lay

	- V T IF								., .	
	63		Department	tate of New J Lof Environme azardous Wat	ental Protec			·		
~.				Manifest Sec 28, Treuton, N	J 08625	£ core		ONE No	2050.000	• 19 Expires 9-30-9
	UNFOR	Noce listers (Form de lioned	Generator s	ar an	مندي و مري مانيا وي د ايندا بان مي ا		Page)	Informatio	on in the	shaded areas by Federat
1		E MANIFEST	WI CAL	1 the first inter		4 1 to 1 1	of State Man	ia w		i i i i i i i i i i i i i i i i i i i
		میں بین ہے۔ ساریب وال ہوتے ہوتے کی ملاح	n n n n n n n n n n n n n n n n n n n n	ي الحد ال	 		NJ		0623	3965
	4 Generatoris P				· ·	5 F.	State Geni	Spile	Depart	ant of the
	5 Transport i i			5 3 	PA JULIN		Cr Pasta	27.5 1 1 2 5 1 5 5 5 5 5 5 5 5 5 5 5 5 5 5	¥	and Klynye I
		Cur Jane Stree	**************************************		SEPARE 1. 1	· [,	 Trans Transporte 	- 5 Pr 700 1		
	- Df5-1 att 1 1.	UN AME SUF ADDE		1	ی دی مقطعه میں بردے بر ا		31511 1 ".		i_I	
1	and the second s		•, _,	54 B	× .:	<u>}</u>	Transporte		.)	
	and a second	ne processiones. Transformers	· · .		· ·		State Facilit Facility's Pt		Sam y	5-9100
	i i i i i i i i i i i i i i i i i i i	gross Including Proper Shippi	z ng Name, hataut (198 - JA15	• '7	12 Containa	ers	13 Iotal	14 Unit	Waste No.
G	a HM		-					iantii 	W: V6	
N E	X,	:	۰.,		-	in an the second se	بن شده معاملین 1994 کارل			1. 134
R	b		· ·- ·- ·-	······································	 	1	<u> </u>	19 - 10 - 10 - 10		
Ŭ Q R		۰. ۲۰۰۰ - ۲۰۰۰	•		L.	1021 P	西南西	1.1 ×.	ج المسر ج المسر ا	
	c					#			<u> </u>	
1									51	NOME
ł	d.						,			مریکھیں ^{میں} ا
										<u>1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 -</u>
	Aucmonal On	scriptions for Materials List	aor Abouve fr _ fr	. ng		r	sand ling C	19265 TOT 17V	astes Liste	CIADOVO + *
Į.	p 4.5	م الم الم الم الم الم الم الم الم الم ال	, ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,						ic.	<u> </u>
	N:2-1	A Star A ALEY Z				ļ,			d	1 1
İ.	1 35 Special Hand	ling invictions and works.	ina 'r Y 1. Y					, 	, t 6 ,	2
	•					, .			14. • 11.3	م معنف به از فرن
		gor and File Gatsold File		to e		in and a constant by and a constant grapher or there		- t - -t - tos		ANTER IT
	ancolding to a	group and an address of the pp true enternational and and a construction of the first	יסרשי אין יגרסי	· · · · · · · · · · · · · · · · · · ·		ul kird – car		·		taturn and to be
ł	1	on activation and attractive serve The movies of a companies and a	ted to the attention of the second se	a state	Acres 1	an posal curren In posal curren In pengination	- avai able t	ome which	minicizes	the present and
ł	the beau strategies and	A Competition total High S	Variation of the second	، بی		-			.,	onth Day C.
H	t F	Árstu, site i temeri e		antan Tanang Kabupatèn Ma						1141
	Printe-: 1,0+				•••				54	onth Gav Year
540	h	Arknowledgement of Rece	pt of thread				#			14
	Printeu suer			, i q ⇔ili,	f 1		···· · ·····		M	Ionth Day Year
	19 Disclemancy	en Stre		aa aa ah a		n sanan salah kurang si bina sara		748 L 044-9886.044		
•	:									
	13. 2	25 5050	25							
	Punter aper		of the optimization	ancis, nativat	GARGER LA (6)	is = habiter i cer		1 4.3 14.4.17		with Day Yma

; 1

611

-0.000

S 012-71125 AND DISCOBLESS OF ARREST DIS (DISCOLD OF

	State of State of F	A New Jarsey nyucomental Protection		
	Division of Hazard	lous Worte Menagemen fest Section	t	
aso type or pro the Block letters pro the or	C14 028, T	61 Fort, NJ 03625	Form Approved, OMB	No. 2050-0039. Expires 9
UNFORM HAZAHDOL	No	IL No Mandi	st 12 Plage 1 Inform	ation in the shadec are
WASTE MANIFEST			A State Manifest Do	
	الولى الإدارية		P. State Generators	0623965
4 Generitors Thomas ()	2 10 10 10 10 10 10 10 10 10 10 10 10 10			peparent at
5 Transport of Company Science	•	DETERADION IN STATE	And a second contract of the second contract of the second contract of the second contract of the second contra	4 - + B-1
7 the opening 2 Corry 1 S				134 / 1 / 1 / 1 / 1 / 1 / 1 / 1 / 1 / 1 /
		•	F TRESPONDENTIA	ne ()
Parker Carlos Provincias Altanta da Carlos Provincias			G State For 1. 1	A CONTRACT
11 US DOT De comption fincherse. Provins	E. , ong Name Have U.C s. a.	د از ماران مید و مستقدان شد. در وید و دیده از از با شیر میشو و بالود زار از سیسه مربعه در در د	Curtaine si ini si	
a	· · · · · · · · · · · · · · · · · · ·	·	4 Type Quantity	Wirvor - Waste No
		~~		
5		۱ ^{۰۰} ۰۰۰ ــــ		
		۰.		
c		• • •		. - : - 1'
-				一日五日
d ,			<u>the standard</u>	1. 14 14 14
				, , , , , , , , ,
Advien Derretters to the	a L t.d callers	<u></u>	K handlin, Drok in r	vasion Listed Above
U U				, ,
1				
b. Species is a part truction condi-	ky Siya an england tang an ang ang ang ang ang ang ang ang a		<u> </u>	<u> </u>
			•	
A GEN RATION CERTING.	and the second	are to property outpring		
lint i i i i i i i i i i i i i i i i i i	e andre geen van de state Na de state andre state		two concernated with the	n + er - JVE [−] +i + m + i k j + <u>j</u>
الاردية المراجعة الم المراجعة المراجعة الم	ang ang bertanang ber Bertanang bertang bertan	interaria e deserva da def	and the second second second	
	``````````````````````````````````		-	$\sim \sqrt{p}$ . The second
n - La seconda contra br>- La seconda contra c				
Freed of Mane	: -	C di		
15 Transmarth - C. Acknowledge unit of	Diversity At			<u></u>
ie lanshum v Aexbewenge und da Rafue - Nafue				$(x_{ij})_{ij}$
	ر می است.	. <u></u>		
1				

₹711/-----

Root Kern



-----

**Longenous** 

Warmalin.

Section of

-

ALC: NO

Service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the servic

Same and

and the second second

•

			MEMORAN CONVERS			
WHO:	Randolp	h Hunt				
OF:	NYSDC	DT				
SPOKE	WITH LM	IS EMPLO	YEE: JET			
TELEPH	IONE NU	MBER:	(718) 482-4641	CALLED: X	WAS	CALLED:
JOB:	Ansbacher	Color & Dy	/e		DATE:	24 November 1999
JOB NU	MBER:	650-642			TIME:	11:00 AM
CONCE	RNING:	Soil dispo	sal during BQE recons	truction		

**AND DECIDED:** NYSDOT did not have any record of the exact source area for soil that was disposed of during the BQE reconstruction. They have copies of the manifest for disposal but the soil was likely stockpiled from the entire project area for disposal.

CC:	-	 	 	 <b>REPLY:</b>	YES:	NO: [	
CC:		 	 	 REPLY:	YES:	 NO: [	



.

Sec. Sec.

Contraction of

Same States

a contraction of

in state line

.

ALL DOG

- TAKANA

New York State Department of Environmental Conservation 50 Wolf Road, Albany, New York 12233 7010



MAR 2 3 1989

Thomas C. Jorling Commissioner

# RECEIVED

MAR 3 1 1989

BUREAU OF ENVIRONMENTAL EXPOSURE INVESTIGATION

New York State Department of Transportation The W. Averill Harriman State Office Building Campus Albany, NY 12226

Dear Ladies/Gentlemen:

RETURN RECEIPT REQUESTED

CERTIFIED MAIL

As mandated by Section 27-1305 of the Environmental Conservation Law (ECL), copy enclosed, the New York State Department of Environmental Conservation (NYSDEC) must maintain a registry of all inactive disposal sites suspected or known to contain hazardous wastes. The ECL also mandates that this Department notify, by certified mail, the owner of all or any part of each site or area included in the Registry of Inactive Hazardous Waste Disposal Sites.

Our records indicate that you are the owner or part owner of the site listed below. Therefore, this letter constitutes notification of the inclusion of such site in the Registry of Inactive Hazardous Waste Disposal Sites in New York State.

DEC Site No.: 224016 Site Name: BQE/Ansbacher Color & Dye Factory Site Address: Meeker Avenue, Brooklyn, New York



Enclosed is a copy of the New York State Department of Environmental Conservation, Division of Hazardous Waste Remediation, Inactive Hazardous Waste Disposal Site Report form as it appears in the Registry and Annual Report, and an explanation of the site classifications. The Law allows the owner and/or operator of a site listed in the Registry to petition the Commissioner of the New York State Department of Environmental Conservation for deletion of such site, modification of site classification, or modification of any information regarding such site, by submitting a written statement setting forth the grounds of the petition. Such petition may be addressed to:

> Mr. Thomas C. Jorling Commissioner New York State Department of Environmental Conservation 50 Wolf Road Albany, New York 12233-1010

New York State Department of Transportation

Pursuant to Section 27-1317 of the ECL and Section 1389-d of the Public Health Law, enclosed is a copy of 6 NYCRR Part 375 Inactive Hazardous Waste Disposal Sites, which became effective on April 16, 1987. Section 375.9 of the previously referenced regulation mandates that no person may substantially change the manner in which an inactive hazardous waste disposal site listed in the Registry is used without notifying this Department and the New York State Department of Health.

For additional information, please contact Mr. Robert L. Marino, Chief, Site Control Section, Bureau of Hazardous Site Control, at (518) 457-0747.

Sincerely,

• .

Earl H. Barcomb, P.E. Director Bureau of Hazardous Site Control Division of Hazardous Waste Remediation

Enclosures

bcc: E. Barcomb
 R. Marino
 R. Tramontano, DOH
 D. Markell, DEE
 L. Concra, DRA
 S. Ervolina, R/2
 B. Rinaldi, R/2
 C. Johnson
 file

CJ/me

# **REFERENCE** 10

.

.

ĺ.

-

Sussilie and

-

فاستغذرهم

Su jilin

(

and a subscription

.



MAR 1 5 1994

New York State Department of Transportation Harriman State Office Building Campus Building 5 Albany, NY 12232

224016

Dear Sir/Madam:

As mandated by Section 27-1305 of the Environmental Conservation Law (ECL), the New York State Department of Environmental Conservation (NYSDEC) must maintain a registry of all inactive disposal sites known to contain hazardous waste. The ECL also mandates that this Department notify the owner of all or any part of each site or area included in the Registry of Inactive Hazardous Waste Disposal Sites as to changes in site classification.

Our records indicate that you are the owner or part owner of the site listed below. Therefore, this letter constitutes notification of change in the classification of such site in the Registry of Inactive Hazardous Waste Disposal Sites in New York State.

DEC Site No.: 224016 Site Name: BQE Ansbacher Site Address: Meeker Avenue, Brooklyn, NY

Classification Change from 2a to 3

The reason for the change is as follows: Since All of the contaminated soil is covered by existing layers of asphalt and concrete that are 2 feet deep, i.e., existing roadway, etc., there is no significant threat from the contaminated soil. A Phase II type investigation was conducted at the site by NYSDOT. Reconstruction at the BQE is in progress and soil removal in the "footprint" of the former color and dye facility as an IRM is complete.

Enclosed is a copy of the New York State Department of Environmental Conservation, Division of Hazardous Waste Remediation, Inactive Hazardous Waste Disposal Site Report form as it appears in the Registry and Annual Report, and an explanation of the site classifications. The Law allows the owner and/or operator of a site listed in the Registry to petition the Commissioner of the New York State Department of Environmental Conservation for deletion of such site, modification of site classification, or modification of any information regarding such site, by submitting a written statement setting forth the grounds of the petition. Such petition may be addressed to:

> Langdon Marsh, Acting Commissioner New York State Department of Environmental Conservation 50 Wolf Road Albany, New York 12233-0001

BQE Ansbecher Site No. 224016

For additional information, please contact me at (518) 457-0747.

Sincerely, Marino

Robert L. Marino Chief Site Control Section Bureau of Hazardous Site Control Division of Hazardous Waste Remediation

Enclosures

bcc: w/o Enc.

E. Barcomb

R. Marino

J. Swartwout

A. Sylvester

w/ Enc. (copy of Site Report form only)

R. Dana

G. Anders Carlson, NYSDOH L. Concra

Regional DRA

P. Gallay, R. 2

R. Gardineer R. 2

S. Ervolina

## NEW YORK STATE DEPARTMENT OF ENVIRONMENTAL CONSERVATION DIVISION OF HAZARDOUS WASTE REMEDIATION INACTIVE HAZARDOUS WASTE DISPOSAL REPORT

CLASSIFICATION CODE: 3	REGION: 2	SITE CODE: 224016 EPA ID:
NAME OF SITE : BQE/Ansbach STREET ADDRESS: Meeker Ave	ner Color & Dye Factory enue	
TOWN/CITY: Brooklyn, NY	COUNTY: Kings	ZIP:
SITE TYPE: Open Dump- Str ESTIMATED SIZE: 0.6	ructure- Lagoon- Landfi Acres	11-X Treatment Pond-
CURRENT OWNER ADDRESS.: St OWNER(S) DURING USE: Ar OPERATOR DURING USE: Ar	YS Dept. of Transportation tate Campus, Building 5, A asbacher Color & Dye Facto asbacher Color & Dye Facto teker Avenue, Brooklyn, N	Albany, NY ory ory Y
SITE DESCRIPTION: Most of this site lies under North 6th Street and North 7 8th Streets. It is believed Ansbacher Color & Dye Factor area resulting in high aresr Phase I analytical data reve 20.3 ppm. A Phase II type investigation	Th Street, and between No I that waste material and by may have been used as f ic and heavy metal values aled arsenic at 48 ppm (B	orth 7th Street and North debris from the former fill material in the project s in collected soil samples. EP Tox) and EP Tox lead at
		BQE and soil removal in the

"footprint" of the former color and dye facility as an IRM is complete. Since all of the contaminated soil is covered by existing layers of asphalt and concrete, that are two feet deep, i.e., existing roadway, etc., there is no significant threat from the contaminated soil.

TYPE

QUANTITY (units)

------

arsenic (D004 Waste) Lead (D008 Waste)

Unknown Unknown SITE CODE: 224016 ANALYTICAL DATA AVAILABLE: Air- Surface Water- Groundwater- Soil-X Sediment-CONTRAVENTION OF STANDARDS: Groundwater- Drinking Water- Surface Water- Air-LEGAL ACTION: TYPE..: State- Federal-STATUS: Negotiation in Progress- Order Signed-REMEDIAL ACTION: Proposed- Under design- In Progress- Completed-X NATURE OF ACTION: IRM Soil Removal GEOTECHNICAL INFORMATION: SOIL TYPE: Fill material and post-glacial alluvium GROUNDWATER DEPTH: 25 to 30 feet

ASSESSMENT OF ENVIRONMENTAL PROBLEMS:

The contaminated soil is covered by existing layers of asphalt and concrete.

ASSESSMENT OF HEALTH PROBLEMS:

Page 2 - 16



*

New York State Department of Environmental Conservation Division of Environmental Remediation Bureau of Hazardous Site Control, Room 252 50 Wolf Road, Albany, New York 12233-7010 Phone: (518) 457-0639 FAX: (518) 457-8989



May 21, 1999

CERTIFIED LETTER RETURN RECEIPT REQUESTED Selik Realty Company 304 North 7th Street Brooklyn, NY 11211-2145

### Re: New York State Superfund Chapter 857 Laws of 1982 Preliminary Site Assessments at Inactive Hazardous Waste Sites

Dear Selik Realty Company:

The New York State Department of Environmental Conservation (DEC), as required by Environmental Conservation Law Article 27 Title 13 (commonly known at the "New York State Superfund Law"), is conducting an investigation at the following inactive hazardous waste site:

Site Name:	BQE/Ansbacher Color and Dye Factory
NYSDEC Site ID #:	224016
Site Address:	Meeker Avenue between North 6 th and North 8 th Streets Brooklyn, New York 11211
Tax Map #:	Section 8, Volume 4, Block 2331, Lot 9

Our present records indicate that you are the owner and/or operator of a property within the site or near such site which is to be included in this investigation program.

This investigation, called a Preliminary Site Assessment, is to familiarize ourselves with the site and the immediate site vicinity. Conceptually, the Preliminary Site Assessment involves the collection of all available information, which includes but is not limited to the following: a site inspection including photographs; a geophysical survey to collect stratigraphic data; the installation of soil borings, groundwater probes and monitoring wells; laboratory analyses of samples collected from groundwater, surface water, soil, and waste material to determine the sources of contamination and to delineate the plume(s). The proposed study for the site may include some or all of the above items. The Environmental Conservation Law provides the authority for the DEC to recover the costs for these investigations from the owners or others deemed to be responsible for hazardous waste disposal at the site. The final cost of this investigation has yet to be determined.

This letter serves as notice of intent that the DEC will conduct this investigation and inspect and take samples at the site. This Preliminary Site Assessment will be performed over a two week period. The Environmental Conservation Law (ECL Section 27-1309.4) provides for a minimum of ten day's written notice of such intent. After ten days from the date of receipt or refusal of this notice, any duly designated officer or employee of DEC, or any State Agency, and any agent, consultant, contractor or the person so authorized, may enter the site and areas near such site and inspect and take samples of water, soil, air, surface water, and groundwater. In order to take such samples, the DEC may use or cause to be used such sampling methods as it determines to be necessary including, but not limited to, soil borings, groundwater probes and monitoring wells.

Selik Realty Company May 21, 1999 Page 2

In accordance with the Environmental Conservation Law (ECL) Section 27-1307, we would appreciate receiving all currently available information which would be helpful in our investigation work. This information includes the following:

- a. all generators of wastes deposited at the site
- b. types and quantities of such wastes
- c. period of time site was operated
- d. description of site operational practices
- e. description of any known health or environmental problems at the site
- f. any other information which may assist NYSDEC or its consultants to evaluate this site

If you have not already provided the above-referenced information pertinent to your property or have additional information, please provide the requested information to us. If necessary, the NYSDEC or its consultant will be contacting you in the near future to mutually agree upon a time and place to collect this information, and obtain copies of any documents from which this information was derived, as authorized by ECL Section 27-1309. Thank you in advance for your assistance and cooperation.

If you have any questions in connection with this matter, please contact me at the phone number or address listed above.

Sincerely,

David K. Aa FOL

John B. Swartwout, P.E. Chief Eastern Investigation Section Bureau of Hazardous Site Control

D. Harrington K. Wright, Lawler, Matusky & Skelly

CC:



distant and

### New York State Department of Environmental Conservation Division of Environmental Remediation Bureau of Hazardous Site Control, Room 252 50 Wolf Road, Albany, New York 12233-7010 Phone: (518) 457-0639 FAX: (518) 457-8989



June 11, 1999

CERTIFIED LETTER RETURN RECEIPT REQUESTED Mr. Robert Laravie, Regional Director New York State Department of Transportation 1 Hunters Point Plaza 47-40 21st Street Long Island City, NY 11101

### Re: New York State Superfund Chapter 857 Laws of 1982 Preliminary Site Assessments at Inactive Hazardous Waste Sites

Dear Mr. Laravie:

The New York State Department of Environmental Conservation (DEC), as required by Environmental Conservation Law Article 27 Title 13 (commonly known at the "New York State Superfund Law"), is conducting an investigation at the following inactive hazardous waste site:


Site Name:	BQE/Ansbacher Color & Dye Factory
NYSDEC Site ID #:	224016
Site Address:	Meeker Avenue between North 6 th and North 8 th Streets
	Brooklyn, New York 11211

Tax Map #:Section 8, Volume 4, Block 2331, Lot 9

Our present records indicate that you are the owner and/or operator of a property within the site or near such site which is to be included in this investigation program.

This investigation, called a Preliminary Site Assessment, is to familiarize ourselves with the site and the immediate site vicinity. Conceptually, the Preliminary Site Assessment involves the collection of all available information, which includes but is not limited to the following: a site inspection including photographs; a geophysical survey to collect stratigraphic data; the installation of soil borings, groundwater probes and monitoring wells; laboratory analyses of samples collected from groundwater, surface water, soil, and waste material to determine the sources of contamination and to delineate the plume(s). The proposed study for the site may include some or all of the above items. The Environmental Conservation Law provides the authority for the DEC to recover the costs for these investigations from the owners or others deemed to be responsible for hazardous waste disposal at the site. The final cost of this investigation has yet to be determined.

This letter serves as notice of intent that the DEC will conduct this investigation and inspect and take samples at the site. This Preliminary Site Assessment will be performed over a two week period. The Environmental Conservation Law (ECL Section 27-1309.4) provides for a minimum of ten day's written notice of such intent. After ten days from the date of receipt or refusal of this notice, any duly designated officer or employee of DEC, or any State Agency, and any agent, consultant, contractor or the person so authorized, may enter the site and areas near such site and inspect and take samples of water, soil, air, surface water, and groundwater. In order to take such samples, the DEC may use or cause to be used such sampling methods as it determines to be necessary including, but not limited to, soil borings, groundwater



probes and monitoring wells. In addition, by-products from such sampling methods (i.e. drill cuttings and development/purge water from the monitoring wells) may be stored or discharged on to the property.

In accordance with the Environmental Conservation Law (ECL) Section 27-1307, we would appreciate receiving all currently available information which would be helpful in our investigation work. This information includes the following:

- a. all generators of wastes deposited at the site
- b. types and quantities of such wastes
- c. period of time site was operated
- d. description of site operational practices
- e. description of any known health or environmental problems at the site
- f. any other information which may assist NYSDEC or its consultants to evaluate this site

If you have not already provided the above-referenced information pertinent to your property or have additional information, please provide the requested information to us. If necessary, the NYSDEC or its consultant will be contacting you in the near future to mutually agree upon a time and place to collect this information, and obtain copies of any documents from which this information was derived, as authorized by ECL Section 27-1309. Thank you in advance for your assistance and cooperation.

If you have any questions in connection with this matter, please contact me at the phone number or address listed above.

Sincerely,

David A. Harg FOR

John B. Swartwout, P.E[!] Chief Eastern Investigation Section Bureau of Hazardous Site Control

cc: D. Harrington K. Wright, Lawler, Matusky & Skelly

### **REFERENCE 13**

•

Section and

.

New York State Department of Environmental Conservation Division of Environmental Remediation Bureau of Hazardous Site Control, Room 252 50 Wolf Road, Albany, New York 12233-7010 Phone: (518) 457-0639 FAX: (518) 457-8989



June 11, 1999

CERTIFIED LETTER RETURN RECEIPT REQUESTED New York City Department of Parks and Recreation Arsenal West 16 West 61st Street New York, NY 10023

### Re: New York State Superfund Chapter 857 Laws of 1982 Preliminary Site Assessments at Inactive Hazardous Waste Sites

Dear NYC Department of Parks and Recreation:

The New York State Department of Environmental Conservation (DEC), as required by Environmental Conservation Law Article 27 Title 13 (commonly known at the "New York State Superfund Law"), is conducting an investigation at the following inactive hazardous waste site:

Site Name: NYSDEC Site ID #: Site Address:	BQE/Ansbacher Color & Dye Factory 224016 Meeker Avenue between North 6 th and North 8 th Streets Brooklyn, New York 11211
Tax Map #:	Section 8, Volume 4, Block 2323, Lot 31

Our present records indicate that you are the owner and/or operator of a property within the site or near such site which is to be included in this investigation program.

This investigation, called a Preliminary Site Assessment, is to familiarize ourselves with the site and the immediate site vicinity. Conceptually, the Preliminary Site Assessment involves the collection of all available information, which includes but is not limited to the following: a site inspection including photographs; a geophysical survey to collect stratigraphic data; the installation of soil borings, groundwater probes and monitoring wells; laboratory analyses of samples collected from groundwater, surface water, soil, and waste material to determine the sources of contamination and to delineate the plume(s). The proposed study for the site may include some or all of the above items. The Environmental Conservation Law provides the authority for the DEC to recover the costs for these investigations from the owners or others deemed to be responsible for hazardous waste disposal at the site. The final cost of this investigation has yet to be determined.

This letter serves as notice of intent that the DEC will conduct this investigation and inspect and take samples at the site. This Preliminary Site Assessment will be performed over a two week period. The Environmental Conservation Law (ECL Section 27-1309.4) provides for a minimum of ten day's written notice of such intent. After ten days from the date of receipt or refusal of this notice, any duly designated officer or employee of DEC, or any State Agency, and any agent, consultant, contractor or the person so authorized, may enter the site and areas near such site and inspect and take samples of water, soil, air, surface water, and groundwater. In order to take such samples, the DEC may use or cause to be used such sampling methods as it determines to be necessary including, but not limited to, soil borings, groundwater probes and monitoring wells. In addition, by-products from such sampling methods (i.e. drill cuttings and development/purge water from the monitoring wells) may be stored or discharged on to the property.

NYC Department of Parks and Recreation June 11, 1999 Page 2

In accordance with the Environmental Conservation Law (ECL) Section 27-1307, we would appreciate receiving all currently available information which would be helpful in our investigation work. This information includes the following:

- a. all generators of wastes deposited at the site
- b. types and quantities of such wastes
- c. period of time site was operated
- d. description of site operational practices
- e. description of any known health or environmental problems at the site
- f. any other information which may assist NYSDEC or its consultants to evaluate this site

If you have not already provided the above-referenced information pertinent to your property or have additional information, please provide the requested information to us. If necessary, the NYSDEC or its consultant will be contacting you in the near future to mutually agree upon a time and place to collect this information, and obtain copies of any documents from which this information was derived, as authorized by ECL Section 27-1309. Thank you in advance for your assistance and cooperation.

If you have any questions in connection with this matter, please contact me at the phone number or address listed above.

Sincerely,

David / . At FOR

John B. Swartwout, P.E. [∛] Chief Eastern Investigation Section Bureau of Hazardous Site Control

cc: D. Harrington K. Wright, Lawler, Matusky & Skelly



والتقاور

Second Second

ſ

Tenninel: at an a

-

Biological Report 85(1.12) January 1988 Contaminant Hazard Reviews Report No. 12

### ARSENIC HAZARDS TO FISH, WILDLIFE, AND INVERTEBRATES: A SYNOPTIC REVIEW

by

Ronald Eisler

U.S. Fish and Wildlife Service Patuxent Wildlife Research Center Laurel, MD 20708

<u>Fish and Wildlife Service</u> U.S. Department of the Interior dose dependent manner (Lee et al. 1986b). In an earlier study (Lee et al. 1985), As was about 10X more potent than As in effecting transformations. The birth defects were most pronounced in golden hamsters exposed to As during the 24-hour period of critical embryogenesis--i.e., day 8 of gestation (Ferm and Hanlon 1985)--when 1.7 mg As  $^+$ /kg body weight induced neural tube defects in about 90% of the fetuses. Hanlon and Ferm (1986a) showed that hamsters exposed to As  $^+$  and heat stress (39 °C for 50 minutes) on day 8 of gestation produced a greater  $^+$  percentage of malformed offspring (18 to 39%) than did hamsters exposed to As  $^+$  alone (4% to 8%).

### TERRESTRIAL PLANTS AND INVERTEBRATES

In general, arsenic availability to plants is highest in coarse-textured soils having little colloidal material and little ion exchange capacity, and lowest in fine-textured soils high in clay, organic material, iron, calcium, and phosphate (NRCC 1978). To be absorbed by plants, arsenic compounds must be in a mobile form in the soil solution. Except for locations where arsenic content is high, e.g., around smelters, the accumulated arsenic is distributed throughout the plant body in nontoxic amounts (NAS 1977). For most plants, a significant depression in crop yields was evident at soil-As concentrations of 3 to 28 mg/l of water soluble arsenic and 25 to 85 mg/kg of total arsenic (NRCC 1978). Yields of peas (Pisum sativum), a sensitive species, were decreased at 1 mg/l of water soluble arsenic or 25 mg/kg of total soil As; rice (Oryza sativum) yields were decreased 75% at 50 mg/l of disodium methylarsonate in silty loam; and soybeans (Glycine max) grew poorly when residues exceeded 1 mg As/kg (Table 3; NRCC 1978). Forage plants grown in soils contaminated with up to 80 mg total As/kg from arsenical orchard sprays contained up to 5.8 mg As/kg dry weight; however, these plants were considered nonhazardous to grazing ruminants (Merry et al. 1986).

Attention was focused arsenical pesticides after on inorganic accumulations of arsenic in soils eventually became toxic to several agricultural crops, especially on former orchards and cotton fields. Once toxicity is observed, it persists for several years even if no additional arsenic treatment is made (Woolson 1975). Poor crop growth was associated with bioavailability of arsenic in soils. For example, alfalfa (Medicago <u>sativa</u>) and barley (Hordeum vulgare) grew poorly in soils containing only 3.4 to 9.5 mg As/kg, provided the soils were acidic, lightly textured, low in phosphorus and aluminum, high in iron and calcium, and contained excess moisture (Woolson 1975). Use of inorganic arsenical herbicides, such as calcium arsenate, to golf course turfs for control of fungal blight sometimes exacerbates the disease. The use of arsenicals on Kentucky bluegrass (Poa pratensis) is discouraged under conditions of high moisture and root stress induced by previous arsenical applications (Smiley et al. 1985).

39



y

honos and X ( and a card a

ſ

l,

MEMORANDUM OF CONVERSATION		
WHO: Christina Manos		
OF: NYCDEP	<u> </u>	
SPOKE WITH LMS EMPLOYEE: E Hollister		
TELEPHONE NUMBER:       595-3419       CALLED:	WAS	CALLED: X
JOB: _Empire	DATE:	29 September, 1999
JOB NUMBER:	TIME:	14:50 PM
CONCERNING: Jamaica Water Supply Station #59		

### AND DECIDED:

-1

Jamaica Water Supply (JWS) Station #59 is in Springfield Gardens at the corner of Springfield Blvd. and Lucas Street, 11413. This well is pumped continuously and is added to drinking water from upstate reservoirs.

Christina also faxed me some generic words about the sale of JWS to NYCDEP. As well as gave me the phone number for John Dydland, who used to work for JWS (718) 595-5333 (office) and (718) 262-8383 (trailer).

At 15:15 spoke with JD regarding well. He confirmed well is pumped continuously and is added to drinking water from upstate reservoirs. He will get back to me on the depth of the well. He will also send me a list of locations of their wells.

They serve a total of 520,000 people in a 29mile² area. They pump 15-16 million gal/day and add another 15 million gals from NYC.

Pump rates for this well? 1400 gpm peak currently summer only Depth of well? 422

CC:	REPLY :	YES: NO:
CC:	REPLY	YES: NO:

### 6 October 1999 1:58 PM

EH spoke with JD again.

Spoke regarding list of wells/stations he faxed me. This info is for Queens. Only a few wells were on line during September 1999 (5, 5A, 13, 14, 23A, 36, 39A, 43A, 45, 50, 50A, 53, 53A, 56, and 59). Most of these wells are on as base wells (continuously), however, some were on as peak wells (helped out during peak usage demand). The wells that are off-line are as such due to many different reasons, mostly due to organic contamination, some due to iron or nitrate contamination, others due to pump failure.

He is putting a map showing all the locations of theold JWS wells in the mail to me. Some of these locations are in Nassau County. A contact name for the <u>Western Nassau Water Authority</u> is Robert Swartz (Chief of Operations, used to be with Jamaica Water), 516/327-4055.

There may be chemical analysis data available. For info on this, contact Ed Kunsch at 718/595-5348. He was the lab director for JWS and may have old data as well.

If we want well logs for any of these wells, we should send a request, in writing, toJD at:

Bureau of Water & Sewer Operations 59-17 Junction Blvd., 3rd floor, low rise Corona, NY 11368-5107

As far as Well Head Protection Area (WHPA) - he had at one point in time heard about some leagal action starting, but had not heard the end result. There was so much "cross-over" that any contamination to any area would basically move to other points easily, therefore, he said the whole area, with all their wells would basically be covered as a WHPA.

I have the list of wells and addresses if you are interested.

CC:	REPLY :	YES:	NO:
CC:	REPLY :	YES:	NO:



DEPARTMENT OF ENVIRONMENTAL PROTECTION JOEL A. MIELE, SR., P.E., COMMISSIONER

BUREAU OF WATER & SEWER OPERATIONS 59-17 Junction Blvd., 3rd floor, Low Rise, Corona, New York 11368-5107

DOUGLAS S. GREELEY, P.E., DEPUTY COMMISSIONER (718) 595-5330 FAX: (718) 595-5342

- DATE: 9-30-99
- DELIVER TO: EDITH HOLLISTER LMS
- FAX # 914-735-7466
- NO. OF PAGES (incl cover sheet): 3
- FROM: JOHN DYDLAND
- PHONE NO: 718-595-5333 (office) 718-262-8383 (TRAILER)

COMMENTS:

Convent -+ 9 7/99 Welle in service During Sept. Nort - base w-less Nort - base w-less 17 me

### D.E.P. GROUNDWATER DISTRIBUTION PUMPING STATION LOCATIONS (QUEENS COUNTY)

STATIONS	ADDR	PHONE #	
1 00	127-16 Metropolitan Av	Richmond Hill 11418	
K. P. Marter 3 3 N. Hake	109-25 120St	So Ozone Pk 11420	
5179 5, 5A	93-02 199St	Hollis 11423	468 - 0324
6/T16,17,27	1 IOAv & 164PI	So. Jamaica 11433	526 - 2890
7	91-01 209SI	Queens Village 11428	
8	131-02 88Av	Richmond Hill 11418	
10	116-32 224 St	Cambria Hieghts 11411	
11	111-14 143 St	So, Jamaica 11435	
13 13	214-01 89 Av	Holliswood 11427	
14 14	144 ST n/o Foch Bl	So. Jamaica 11436	
17	87-75 123 St	Richmond Hill 11418	·····
18 / TS	84-02 164 St	Jamaica Estates 11433	739 - 1731
19/T3	Highland Av s/o Homelawn St	Jamaica Estates 11433	
21/ T12	nwe Springfield Bl & Sawyer Rd	Holliswood 11427	464 - 4026
22 / 114	84-70 127 St	Kew Gardens 11415	805 - 9025
23/118 23A	114-36 224 St	Cambria Heights 11411	481 - 8595
24 / T6,15,26	180th St s/o 106th Rd	So. Jamaica 11433	
26	113-30 Frances Lewis Bl	St Albans 11412	
27/ T2,4,210 5	Dunton St n/o Keno Av	Jamaica Estates 11423	465 - 6276
29 / 122	216-15 102 Av	Hollis 11429	776 - 0592
31/IRP / T13	127-15 92 Av	Richmond Hill 11419	849 - 7827
32	126-15 111 Av	So Ozone Pk 11420	
33	nwc Union Hall St & 108 Av	So. Jamaica 11433	
361.125 36	129 AV e/o Brookville Bl	Rosedale 11422	525 - 6671
37	87-74 Chevy Chase St	Jamaica Estates 11432	
38	nec 193 ST & Jamaica Av	Queens Village 11428	464 - 4363
39 39A	nwc Springfield Bl & 91 Av	Queens Village 11428	
41	134-10 87 Av	Kew Gardens 11415	
42	swe Murdock Av & 198 St	St Albans 11412	
43 43A	118 ST n/o Hillside Av	Richmond Hill 11418	
45 45	120 St s/o 101 AV	Richmond Hill 11419	
46	193 St s/0 120 AV	St Albans 11412	
47	112 Rd e/o Springfield Bl	Queens Village 11429	

OvStation loss emergency plan

\{^{\$\$}

ب_ر کر ک

Γ

10

onv

STATIONS	ADD	PIIONE #	
48	Frances Lewis Bl s/o Hollis Av	Hollis 11423	464 - 2724
49	219 St s/o Hempstead Tpke	Queens Village 11429	
50 50 50 A	Parsons Bl s/o 77 Av	Flushing 11466	969 - 0797
51	164 ST n/o Union Tpke	Flushing 11466	
52	161 St n/o 72 Av	Flushing 11466	
53 53 53 h	76 Rd e/o 160 St	Flushing 11466	969 - 1312
54	nwc 228 St & Linden Bl	Combria Heights 11411	1
55	99 AV e/o 194 St	Hollis 11423	
56 / T29 56	222 ST s/o Merrick Rd	Springfield Gardens 11413	949 - 5264
58	S Grand Central e/o Midland Pky	Jamaica 11432	658 - 2089
59 59	Springfield Bl n/o Lucas St	Springfield Gardens 11413	
60	128 Dr e/o Frances Lws Bl	Springfield Gardens 11413	
TANKS			
TI	Audley St n/o Metropolitan Av	Richmond Hill 11418	
[28 (a/k/a Sta 4)	128 ST Mo Rocksway BI	So Ozone Pk 11420	843 - 6293
T31	sec 144 St & 130 Av	So. Jamaica 11436	
T32	swc 228 St 145 Av	Brookville 11413	· · · · · · · · · · · · · · · · · · ·
T33	swc Guy Brewer Bl & 132 Av	Jamaica 11434	
T34	nwc Foch BI & 145 St	So. Jamaica 11436	

CyStation locs emergency plan

]_

Ĺ

**C**.

9**4** 

]

_]

**`**]

]

Sep 30'99 13:34 No.002 P.03


NAC DEB MULEK SUPPLY TEL:718-595-5342

.

A CONTRACT OF A CONTRACT OF A CONTRACT OF A CONTRACT OF A CONTRACT OF A CONTRACT OF A CONTRACT OF A CONTRACT OF A CONTRACT OF A CONTRACT OF A CONTRACT OF A CONTRACT OF A CONTRACT OF A CONTRACT OF A CONTRACT OF A CONTRACT OF A CONTRACT OF A CONTRACT OF A CONTRACT OF A CONTRACT OF A CONTRACT OF A CONTRACT OF A CONTRACT OF A CONTRACT OF A CONTRACT OF A CONTRACT OF A CONTRACT OF A CONTRACT OF A CONTRACT OF A CONTRACT OF A CONTRACT OF A CONTRACT OF A CONTRACT OF A CONTRACT OF A CONTRACT OF A CONTRACT OF A CONTRACT OF A CONTRACT OF A CONTRACT OF A CONTRACT OF A CONTRACT OF A CONTRACT OF A CONTRACT OF A CONTRACT OF A CONTRACT OF A CONTRACT OF A CONTRACT OF A CONTRACT OF A CONTRACT OF A CONTRACT OF A CONTRACT OF A CONTRACT OF A CONTRACT OF A CONTRACT OF A CONTRACT OF A CONTRACT OF A CONTRACT OF A CONTRACT OF A CONTRACT OF A CONTRACT OF A CONTRACT OF A CONTRACT OF A CONTRACT OF A CONTRACT OF A CONTRACT OF A CONTRACT OF A CONTRACT OF A CONTRACT OF A CONTRACT OF A CONTRACT OF A CONTRACT OF A CONTRACT OF A CONTRACT OF A CONTRACT OF A CONTRACT OF A CONTRACT OF A CONTRACT OF A CONTRACT OF A CONTRACT OF A CONTRACT OF A CONTRACT OF A CONTRACT OF A CONTRACT OF A CONTRACT OF A CONTRACT OF A CONTRACT OF A CONTRACT OF A CONTRACT OF A CONTRACT OF A CONTRACT OF A CONTRACT OF A CONTRACT OF A CONTRACT OF A CONTRACT OF A CONTRACT OF A CONTRACT OF A CONTRACT OF A CONTRACT OF A CONTRACT OF A CONTRACT OF A CONTRACT OF A CONTRACT OF A CONTRACT OF A CONTRACT OF A CONTRACT OF A CONTRACT OF A CONTRACT OF A CONTRACT OF A CONTRACT OF A CONTRACT OF A CONTRACT OF A CONTRACT OF A CONTRACT OF A CONTRACT OF A CONTRACT OF A CONTRACT OF A CONTRACT OF A CONTRACT OF A CONTRACT OF A CONTRACT OF A CONTRACT OF A CONTRACT OF A CONTRACT OF A CONTRACT OF A CONTRACT OF A CONTRACT OF A CONTRACT OF A CONTRACT OF A CONTRACT OF A CONTRACT OF A CONTRACT OF A CONTRACT OF A CONTRACT OF A CONTRACT OF A CONTRACT OF A CONTRACT OF A CONTRACT OF A CONTRACT OF A CONTRACT OF A CONTRACT OF A CONTRACT OF A CONTRACT OF A CONTRACT OF A CONTRACT OF A CONTRACT OF A CONTRACT OF A



No. of Lot of Lo



## REFERENCE 17

.

.

# PRELIMINARY SITE ASSESSMENT REPORT Volume I

# **BQE/Ansbacher Color and Dye Factory**

## Site No.: 2-24-016

Work Assignment No. D002676-44

DATE: December 1999



# **New York State Department of Environmental Conservation**

50 Wolf Road, Albany, New York 12233 John Cahill, Commissioner

> **Division of Environmental Remediation** Michael J. O'Toole, Jr., P.E., Director

# By: Lawler, Matusky & Skelly Engineers LLP

### Table 4 (Page 1 of 2) 1988 EBASCO PHASE 1B EP TOXICITY RESULTS Brooklyn Queens Expressway

Sample Date Collected	801-53 08/02/1953	801-S6 09/02/1988	B02-81 09/14/1988	803-82 09/02/1988	803-S4 09/02/1988	B23-S2 09/20/1988	B23-85 09/20/1988	EP TOXICITY CRITERIA
Metais (mg/L)								
Arsenic	ND	ND	24.5	ND	ND	ND	ND	50
Barium	ND	ND	ND	ND	ND	ND	ND	100
Cadmium	ND	ND	ND	ND	ND	ND	ND	10
Chromium	ND	ND	ND	ND	ND	ND	ND	5.0
Lead	ND	ND	ND	ND	ND	ND	ND	50
Mercury	ND	ND	ND	ND	ND	ND	ND	0.2
Selenium	ND	ND	ND	ND	ND	ND	ND	10
Silver	ND	ND	ND	ND	ND	ND	ND	5.0
								*******
Sample	824-51	B24-82	B24-63	B24-S4	824-56	B25-81	B25-82	EP TOXICITY
Sample Date Collected	824-91 09/15/1988	B24-82 09/15/1984	B24-53 09/15/1988	B24-S4 09/15/1988	824-56 09/15/1988	B25-81 09/14/1985	B25-82 09/14/1988	EP TOXICITY CRITERIA
***************************************					********			
Date Collected Metals (mg/L)				09/15/1988	********	09/14/1985	09/14/1958	
Date Collected Metals (mg/L) Arsenic	<b>99/15/1965</b> ND	09/15/1988	00/15/1984	09/15/1988 ND	09/15/1988 ND	09/14/1985	09/14/1988 3.7	CRITERIA 5.0
Date Collected Metals (mg/L) Arsenic Barium	09/15/1988	09/15/1988 ND	99/15/1984 ND	09/15/1988	09/15/1988	09/14/1985 ND ND	09/14/1958	CRITERIA
Date Collected Metals (mg/L) Arsenic Barium Cadmium	09/15/1968 ND ND	09/15/1988 ND ND	99/15/1984 ND ND	09/15/1988 ND ND	09/15/1988 ND ND	09/14/1985 ND	09/14/1958 3.7 ND	CRITERIA 5.0 100
Date Collected Metals (mg/L) Arsenic Barium Cadmium Chromium	09/15/1968 ND ND ND	09/15/1988 ND ND ND ND	99/15/1984 ND ND ND ND	09/15/1988 ND ND ND ND	09/15/1988 ND ND ND ND	09/14/1985 ND ND ND ND	09/14/1958 3.7 ND ND	CRITERIA 5.0 100 1.0
Date Collected Metals (mg/L) Arsenic Barium Cadmium Chromium Lead	99/15/1948 ND ND ND ND ND	09/15/1988 ND ND ND ND ND	99/15/1984 ND ND ND ND ND	09/15/1988 ND ND ND ND ND ND	09/15/1988 ND ND ND ND ND ND	09/14/1985 ND ND ND ND ND ND	09/14/1958 3.7 ND ND ND ND	CRITERIA 5.0 100 1.0 5.0 5.0 5.0 5.0
Date Collected	99/15/1948 ND ND ND ND ND ND ND	09/15/1988 ND ND ND ND ND ND ND	99/15/1984 ND ND ND ND ND ND ND	05/15/1988 ND ND ND ND ND ND ND	09/15/1988 ND ND ND ND ND ND ND ND	09/14/1985 ND ND ND ND ND ND ND ND	09/14/1958 3.7 ND ND ND ND ND ND	5.0 100 1.0 5.0

نصفد ا

Note - Numbers in bold exceed criteria.

ND - Not detected.

+Disk No : \Ums-srvr1\data\-lazWeste\UOBS\600\650-646-BQE\eoilboringresults xts TABLE 3 01/04/2000 8:24 AM

The Conserve Remain Real and the second Region Remains Region Remains Region Remains Region Remains

# Table 4 (Page 2 of 2) 1988 EBASCO PHASE 1B EP TOXICITY RESULTS Brooklyn Queens Expressway

f

f

×.

ŧ

ľ

I

ŧ

ł

ŧ

1

Sample Date Collected	AG07-53 9/58	AG08-53 9/85	AG69-83 9/88	AG10-S3 9/58	AG24-S3 9/88	MW-01-S1 9/88	MW-01-52 9/88	MW-01-39 9/58	EP TOXICITY CRITERIA
Metals (mg/L)									
Arsenic	24.2	0.545	ND	ND	ND	48	21.6	ND	5.0
Barium	ND	ND	ND	ND	ND	ND	ND	ND	100
Cadmium	ND	ND	ND	ND	ND	ND	ND	ND	1.0
Chromium	ND	ND	ND	ND	ND	ND	ND	ND	5.0
Lead	ND	ND	20.3	ND	ND	ND	ND	ND	5.0
Mercury	ND	ND	ND	ND	ND	ND	ND	ND	0.2
Selenium	ND	ND	ND	ND	ND	ND	ND	ND	1.0
Silver	ND	ND	ND	ND	ND	ND	ND	ND	5.0

Note - Numbers in bold exceed criteria.

l

ŧ

1

ſ

f

ł

ND - Not detected.

Į

Ĩ

1

### Table 5 (Page 1 of 2) **1988 EBASCO PHASE IB - GROUNDWATER SAMPLING RESULTS BROOKLYN QUEENS EXPRESSWAY**

Sample ID Depth Date Collected	507-01 44' - 54' 11/88	MW-01 44" - 54" Unknown Unfiltered	MW-D1 44' - 54' Unknown Filtered	MW-04 5' - 15' 11/88 Unfiltered	MW-04 5' - 15' Unknown Unfiltered	MW-04 5' - 15' Unknown Filtered	NYSDEC CLASS GA OBJECTIVES (b)
Volatile Organic Com	pounds (ug/L)	-					
1.2-Dichloroethane	3 j	NR	NR	4 i	NR	NR	0.8
Toluene	1	NR	NR	NĎ	NR	NR	(h)
Total VOCs	4	NR	NR	4	NR	NR	
Semivolatile Organic	Compounds (ug/L)						
Naphthalene	26.0	NR	NR	ND	NR	NR	10 GV

(b) - Division of Water Technical and Operational Guidance Series (1.1.1) June 1998.
 GV - Value taken from NYSDEC Class GA Guidance Value.

- Estimated concentration; compound present below quantitation limit. i

ND Not detected at analytical detection limit.

NR - Not run.

Note: - Numbers in bold exceed objective.

+Disk No.:\\Lms-srvr1\data\HazWaste\JOBS\600\650-646\soilboringresults.xls 8:26 AM 01/04/2000

1988 EBASCO PHASE IB - GROUNDWATER SAMPLING RESULTS BROOKLYN QUEENS EXPRESSWAY									
	Sample ID Depth Date Collected	MW-01 44* - 54* 11/88 Unfiltered	MW-01 44* - 54* Unknown Unfiltered	MW-01 44' - 54' Unknown Filtered	MW-04 5' - 15' Unknown Unfiltered	MW-04 5' - 15' Unknown Unfiltered	MW-04 5' - 15' Unknown Filtered	NYSDEC CLASS GA OBJECTIVES (b)	
	Metals/Cyanide (ι	1a/L)							
	Aluminum	1230 J	NR	NR	40000 J	NR	NR	N/A	*
	Antimony	ND	NR	NR	ND	NR	NR	3	
	Arsenic	78 J	58	38	220 J	251	239	25	
	Barium	174 J	NR	NR	528 J	NR	NR	1000	
	Beryllium	5 R	NR	NR	5.6 R	NR	NR	3 GV	
	Cadmium	ND	NR	NR	ND	NR	NR	5	
	Calcium	89800 J	NR	NR	254000	NR	NR	NA	
	Chromium	36	NR	NR	86	NR	NR	50	
	Cobalt	ND	NR	NR	ND	NR	NR	N/A	
	Copper	40	NR	NR	145	NR	NR	200	8
	Iron	24700 J	NR	NR	89200 J	NR	NR	300	
	Lead	34 J	12	ND	568 J	290	ND	25	*
	Magnesium	39400 J	NR	NR	46800 J	NR	NR	35000 GV	
	Manganese	1990 J	NR	NR	3710	NR	NR	300	*
	Mercury	1.14 J	0.34	ND	2.4 J	0.95	ND	0.7	*
	Nickel	ND	NR	NR	61	NR	NR	100	
	Potassium	22600 J	NR	NR	55200	NR	NR	N/A	
	Selenium	ND	NR	NR	ND	NR	NR	10	
	Silver	ND	NR	NR	ND	NR	NR	50	8
	Sodium	78200 J	NR	NR	593000	NR	NR	20000	8
	Thallium	ND	NR	NR	ND	NR	NR	0.5 GV	
	Vanadium	ND	NR	NR	108	NR	NR	N/A	
	Zinc	85	NR	NR	368	NR	NR	2000 GV	
	Cyanide	ND	NR	NR	820 J	NR	NR	200	

Table 5 (Page 2 of 2) 1988 EBASCO PHASE IR - GROUNDWATER SAMPLING RESULTS

Ĩ

Ĭ

(b) - Division of Water Technical and Operational Guidance Series (1.1.1) June 1998.

GV - Value taken from NYSDEC Class GA Guidance Value.

1

£

I

N/A - Not available.

ND - Not detected at analytical detection limit.

NR - Not run.

J - Estimated value due to the quantitated value being below the detection limit or due to exceeding data validation criteria. R - Rejected value due to exceeding data validation criteria. Note: - Numbers in bold exceed objective.

### Table 10 (Page 1 of 4) **GROUNDWATER DATA SUMMARY - (September 1999) BQE/ANSBACHER COLOR AND DYE FACTORY** Site No. 2-24-016

Sample ID Date Collected	MVV-7 09/09/1999	NYSDEC CLASS GA STANDARDS (b)
Volatile Organic Compounds (ug/L) Methylene chloride Acetone Benzene Toluene Ethylbenzene Xylene (total) Total VOCs	3 j 7 j <b>2 j</b> 4 j 5 j <u><b>15</b></u> 26	5 50 GV 1 5 5 5 5 5 100 ¹

 This value applies to the total of all organic substances listed in the New York State Groundwater Effluent Limitations table from the Division of Water Technical and Operational Guidance Series (1.1.1) with a groundwater effluent limitation less than 100 ug/L.
 Division of Water Technical and Operational Guidance Series (1.1.1) June 1998. 1

(b)

- Estimated concentration; compound present below quantitation limit. i

GV - Value taken from NYSDEC Class GA Guidance Value.

Note: - Numbers in bold exceed standard.

f

f

Sample ID Date Collected	MVV-7 09/09/1999	NYSDEC CLASS GA STANDARDS (b)
Semivolatile Organic Compounds (ug/L)	[DL 1:10]	
Phenol	3 j	•
2-Methylphenol	3 j	N/A
4-Methylphenol	9 j	N/A
2,4-Dimethylphenol	27	50 GV
Naphthalene	580 d	10 GV
2-Methylnaphthalene	100 d	N/A
Acenaphthylene	2 ј	N/A
Acenaphthene	57	20 GV
Dibenzofuran	28	N/A
Fluorene	33	50 GV
Phenanthrene	37	50 GV
Anthracene	4 j	50 GV
Carbazole	28	N/A
Di-n-butylphthalate	2 j	50
Fluoranthene	ND	50 GV
Pyrene	5 j	50 GV
Benzo(a)anthracene	1j	0.002 GV
Benzo(b)fluoranthene	1 j	0.002 GV
Benzo(a)pyrene	<u>1</u> i	ND*
Total SVOCs	921	1001

1 - This value applies to the total of all organic substances listed in the New York State Groundwater Effluent Limitations table from the Division of Water Technical and Operational Guidance Series (1.1.1) with a groundwater effluent limitation less than 100 ug/.

(b) - Division of Water Technical and Operational Guidance Series (1.1.1) June 1998.

d - Compound analyzed at a secondary dilution factor.

j - Estimated concentration; compound present below quantitation limit.

DL - Dilution Factor.

1

-

- GV Value taken from NYSDEC Class GA Guidance Value.
- N/A Not applicable.
- ND Not detected at analytical detection limit.
- ND* A non-detectable concentration by the approved analytical methods.
- Note: Numbers in bold exceed standard.

ł

- Sum of SVOCs only includes those with standard or guidance values.

### Table 10 (Page 3 of 4) **GROUNDWATER DATA SUMMARY - (September 1999) BQE/ANSBACHER COLOR AND DYE FACTORY** Site No.: 2-24-016

Sample ID Date Collected	MW41 09/09/1999	MV-2 09/09/1999	MW-3 09/09/1999	MW-4 09/09/1999	MW-9** 09/09/1999	MV4-5 09/09/1999	NYSDEC CLASS GA STANDARDS (b)
METALS (µg/l)							
Aluminum	23300	1680	11600	28500	46800	2530	N/A
Antimony	8.1 B	ND	ND	ND	ND	ND	3
Arsenic	35	11.9	3 B	6.9 B	13.2	2.9 B	25
Barium	979	273	163 B	510	621	53.1 B	1000
Beryllium	1.3 B	0.22 B	0.61 B	2.2 B	2.9 B	0.26 B	3 GV
Cadmium	1.1 B	0.79 B	0.84 B	1.4 B	1.1 B	1.5 B	6
Calcium	222000	384000	96400	113000	111000	33100	N/A
Chromium	46.3	6.3 B	21.7	42.8	69.5	6.2 B	50
Cobalt	13 B	8.5 B	8.1 B	26.6 B	34.1 B	5.8 B	N/A
Copper	196	8.2 B	18.7 B	39.2	52.5	17.7 B	200
Iron	32800	1830	13800	29400	50400	3190	300
Lead	431 R g	ND	16.4 R g	70.8 R g	92.9 R g	ND	25
Magnesium	107000	102000	40000	27800	30100	11100	36000 GV
Manganese	1040	10100	3470	2680	2940	906	300
Mercury	2.9	ND	ND	ND	ND	0.23 B	0.7
Nickel	39.1 B	17.3 B	10.6 B	29.8 B	41.8	6.9 B	100
Potassium	38000	60800	8550	36500	35800	7530	N/A
Selenium	26.7	21.5	16.4	22.1	19.3	8.1	10
Silver	D	D	D	D	D	D	60
Sodium	90400	613000	59900	181000	179000	42600	20000
Thallium	6.9 B	14.2	5.9 B	4.6 B	6 B	6.5 B	0.5 GV
Vanadium	65.4	12.2 B	27.5 B	62.6	96.5	7.1 B	N/A
Zinc	351	19.9 B g	36.7 g	86.7 g	124 g	47.5 g	2000 GV
Cyanide	10	13	2.1 B	6.1 B	2 B	1.2 B	200

** - This sample is a blind duplicate of MW-4.

(b) - Division of Water Technical and Operational Guidance Series (1.1.1) June 1998.

g - Value considered estimated based on data validator's report (Appendix B).
 B - Value is less than the contract-required detection limit but greater than the instrument detection limit.

-

المتعنين الم

D - Value rejected by data validator and found to be unusable (Appendix B).

GV - Value taken from NYSDEC Class GA Guidance Value.

R - Duplicate analysis not within control limits.

N/A - Not available.

ND - Not detected at analytical detection limit. Note: - Numbers in bold exceed standard.

+Disk No.: \\Lms-srvr1\data\HazWaste\JOBS\600\650-646-BQE\organicsdatasum.xls Water-Metals 01/04/2000 8:14 AM

Table 10 (Page 4 of 4)				
GROUNDWATER DATA SUMMARY - (September 1999)				
BQE/ANSBACHER COLOR AND DYE FACTORY				
Site No.: 2-24-016				

l

1

ſ

ł

í

ŧ

Í

ŧ

ł

ŧ

ł

Ą

ł

Ŧ

I

ŧ

Sample ID Date Collected	MW-6 09/09/1999	MW-7 09/09/1999	MW-8 09/09/1999	NYSDEC CLASS GA STANDARDS (b)
METALS (µg/l)				
Aluminum	511	16600	1760	N/A
Antimony	ND	4.2 B	ND	3
Arsenic	1.7 B	15500	3020	25
Barium	57.2 B	396	98.4 B	1000
Beryllium	0.22 B	0.98 B	0.23 B	3 GV
Cadmium	0.84 B	1.1 B	1 B	5
Calcium	62700	162000	71800	N/A
Chromium	2 B	34.7	5 B	50
Cobalt	2.3 B	14.5 B	3.7 B	N/A
Copper	2.6 B	66.2	11.9 B	200
Iron	773	21400	2720	300
Lead	ND	280 R g	29.5 R g	25
Magnesium	21300	98800	26100	35000 GV
Manganese	2430	1110	949	300
Mercury	ND	62.6	43.9	0.7
Nickel	3.4 B	38.1 B	6.2 B	100
Potassium	5980	72800	18500	N/A
Selenium	12.3	20	7.9	10
Silver	D	D	D	50
Sodium	85100	940000	415000	20000
Thallium	4 B	6.1 B	4.4 B	0.5 GV
Vanadium	3.6 B	54.9	11.3 B	NVA
Zinc	5.9 B g	105 g	41.3 g	2000 GV
Cyanide	3 B	102	158	200

(b) - Division of Water Technical and Operational Guidance Series (1.1.1) June 1998.

g - Value considered estimated based on data validator's report (Appendix B).

B - Value is less than the contract-required detection limit but greater than the instrument detection limit.

D - Value rejected by data validator and found to be unusable (Appendix B).

GV - Value taken from NYSDEC Class GA Guidance Value.

R - Duplicate analysis not within control limits.

N/A - Not available.

ND - Not detected at analytical detection limit.

Note: - Numbers in bold exceed standard.

+Disk No.: \\Lms-srvr1\data\HazWaste\UOBS\600\650-646-BQE\organicsdatasum.xls Water-Metals 01/04/2000 8:14 AM



•

.



i.



Division of Environmental Remediation

# Registry of Inactive Hazardous Waste Disposal Sites in New York State

Volume 2 - List of Sites in:Bronx CountyKings CountyNew York CountyQueens CountyRichmond County

April 1999

A Joint Report of the New York State Departments of Environmental Conservation and Health George E. Pataki, *Governor* John P. Cahill, *Commissioner* 

¥.4

### NEW YORK STATE DEPARTMENT OF ENVIRONMENTAL CONSERVATION Division of Hazardous Waste Remediation

Inactive Hazardous Waste Disposal Report	4 / 1 / 1999	
Site Name: BQE/Ansbacher Color & Dye Factory Site Code:	224016	
Class Code: 3 Region: 2 County: Kings EPA Id:		
Address: Meeker Avenue City: Brooklyn Zip:	1	
Latitude:       40       42'       52"       Longitude:       73       57'       12"         Site Type:       Landfill       Estimated Size:       0.6       Acres		
Site Owner / Operator Information:		
Current Owner(s) Name: NYS Department of Transportation	{ •	
Current Owner(s) Address: State Campus, Building 5 Albany Owner(s) during disposal: Ansbacher Color & Dye Factory	NY 12232	
Operator(s) during disposal: Ansbacher Color & Dye Factory		
Stated Operator(s) Address: Meeker Avenue Brooklyn	NY	
Hazardous Waste Disposal Period: From unknown To unknown		

#### Site Description:

Most of this site lies underneath the elevated Brooklyn - Queens Express (I-278) along Meeker Avenue between North 6th and North 8th Streets in the Williamsburg Section of Brooklyn. It is believed that during the construction of the BQE, waste material and debris from the former Ansbacher Color & Dye Factory may have been used as fill material in the project area. A Phase II - type investigation was conducted by the New York State Department of Transportation in 1988. The investigation found hazardous levels of arsenic and lead in the soil and elevated levels of arsenic, lead and cyanide in the groundwater.

1997 S

During the reconstruction of the BQE in the early 1990s, the NYSDOT completed an IRM (soil removal) within the project's right-of way. The remaining contaminated soil is located beneath buildings, asphalt and concrete.

A Preliminary Site Assessment is scheduled for the summer of 1999 to evaluate the areas outside the BQE footprint.

Confirmed Hazardous Waste Disposal:	Quantity:
arsenic (D004 Waste)	unknown
lead (D008 Waste)	unknown

Analytical Data Available for: Groun Applicable Standards Exceeded in: Groun	dwater Soil dwater		<u></u>	4
Geotechnical Information: Soil/Rock Type: Fill materials atop post -	glacial alluvium	Depth to Groundwater:	25 to 30 feet	1
Legal Action: Type:		Status:		
Remedial Action: Complete	Nature of action:	IRM-soil removal.		

#### Assessment of Environmental Problems:

The contaminated soil is covered by existing layers of asphalt and concrete. The extent of groundwater contamination is unknown.

#### Assessment of Health Problems:

Contaminated surface soil was removed during reconstruction of the BQE. Soil with residual arsenic and lead contamination under the is covered with several layers of concrete and asphalt. Groundwater is contaminated but not used. Additional investigation is planned with determine if contamination is present in areas of the former factory beyond those now covered by the BQE. This data will be used to evaluate potential exposure pathways.



### NEW YORK STATE SUPERFUND STANDBY CONTRACT

# **BQE/Ansbacher Color and Dye Factory**

## Site No.: 2-24-016

Work Assignment No. D002676-44

**DATE:** December 1999




## New York State Department of **Environmental Conservation**

50 Wolf Road, Albany, New York 12233 John Cahill, Commissioner

> **Division of Environmental Remediation** Michael J. O'Toole, Jr., P.E., Director

## By: Lawler, Matusky & Skelly Engineers LLP





ALTITUDE OF THE UPPER SURFACE OF CRETACEOUS DEPOSITS, LONG ISLAND, NEW YORK

## HYDROGEOLOGIC FRAMEWORK OF LONG ISLAND, NEW YORK

By D.A. Smolensky, H.T. Buxton, and P.K. Shernoff **REFERENCE 21** 

.

.

transman .

Anne-

-

Service of


ŧ,

UNITED STATES DEPARTMENT OF THE INTERIOR GEOLOGICAL SURVEY

## POTENTIOMETRIC-SURFACE OF THE WATER-TABLE, MAGOTHY, AND LLOYD AQUIFERS ON LONG ISLAND, NEW YORK, IN 1984

Ву

Thomas P. Doriski



WATER-RESOURCES INVESTIGATIONS REPORT 86-4189

Plate 1. Water-table altitude

Plate 3. Potentiometric surface of Magothy aquifer

5

Plate 2. Water-table well numbers

Plate 4. Potentiometric surface of Lloyd aquifer

Prepared in cooperation with the

NASSAU COUNTY DEPARTMENT OF PUBLIC WORKS SUFFOLK COUNTY DEPARTMENT OF HEALTH SERVICES SUFFOLK COUNTY WATER AUTHORITY NEW YORK STATE DEPARTMENT OF ENVIRONMENTAL CONSERVATION

Syosset, New York

**REFERENCE 22** 

7

-

and states

Ť.

.

### **NEW YORK STATE SUPERFUND STANDBY CONTRACT**

## **BQE/Ansbacher Color and Dye Factory**

### Site No.: 2-24-016

Work Assignment No. D002676-44

DATE: December 1999



Prepared for:

## New York State Department of Environmental Conservation

50 Wolf Road, Albany, New York 12233 John Cahill, *Commissioner* 

> Division of Environmental Remediation Michael J. O'Toole, Jr., P.E., *Director*

## By: Lawler, Matusky & Skelly Engineers LLP

#### SUBSURFACE SOIL DATA SUMMARY (August 1999) **BQE/ANSBACHER COLOR AND DYE FACTORY** Site No. 2-24-016

Sample ID Date Collecte	SB-1(0-2) 05/18/1999				SB-1(8-10) 08/19/1999					68-2(6-8) 06/18/1989	6B-2(12-14) ⁴ 09/12/1999	RECOMMENDE SOIL CLEANUP OBJECTIVE (#)
Metals (mg/k	n)											
Aluminum	6170 R	7500 R	7310 R	6860 R	4420 R	7240 R	1510 R	1380 R	6860 R	8130 R	7190 R	<b>SB</b>
Antimony	ND N q	1.2 B N g	NDNq	ND N g	ND N q	ND N q	ND N q	0.36 B N q	0.71 B N g	ND N q	ND N q	88
Arsenic	17 R	56 R	162 R	124 R	53 R	2220 R	20 R	3.7 R	2630 R	1520 R	1470 R	75 or SB
Barium	75	298	162	245	149	565	17 B	9.9 B	58	66	78	300 or 98
Bervilium	0.79 B	0.35 B	0.31 B	0.4 B	0.28 B	0.59 B	0.16 B	0.1 B	0.37 B	0.46 B	0.48 B	O.1ti or SB
Cadmium	1.9	1.1	2.2	1.2	0.95 B	0.81 B	0.48 B	0.47 B	0.96 B	1.3	1.1	1 or 88
Calcium	3900	8400	14100	3390	4160	7450	2020	438 B	18700	2410	3370	<b>55</b>
Chromium	24 R	62 R	17 R	18 R	12 R	12 R	6.8 R	4.7 R	23 R	19 R	19 R	10 or SB
Cobalt	11 E	7.3 B E	8.2 E	6.9 B E	5.9 B E	5.8 B E	2.5 B E	1.8 B E	6.8 B E	8.5 B E	7.6 B E	30 of SB
Copper	91 N R g	39 N R g	60 N R g	69 N R g	75 N R g	75 N R g	22 N R g	7.1 N R g	63 N R g	22 N R g	27 N R g	25 ar 88
Iron	27300 R	16400 R	34600 R	19400 R	15800 R	11900 R	6210 R	5420 R	15900 R	24300 R	19900 R	2,000 or SB
Lead	112 N R g	755 N R g	371 N R g	483 N R g	405 N R g	361 N R g	36 N R g	22 N R g	74 N R g	33 N R g	51 N R g	<b>SB*</b>
Magnesium	2370	3380	7110	1810	1430	1310	693 B	446 B	8070	2550	2130	<b>SB</b>
Manganese	276 N R g	249 N R g	295 N R g	289 N R g	217 N R g	191 N R g	70 N R g	68 N R g	784 N R g	393 N R g	334 N R g	88
Mercury	0.14 N g	0.14 N g	4.3 N g	4.7 Ng	2.9 N g	0.32 N g	0.14 N g	ND N r	294 N g	1.5 N g	0.8 N g	Q1
Nickel	22	18	16	13	10	13	6.4 B	6.1 B	27	15	12	13 or 58
Potassium	618 B	ND	847	781 B	729 B	825 B	244 B	224 B	1330	1250	994	58
Selenium	D	D	D	D	D	D	D	D	D	D	D	2 or 98
Silver	D	D	D	D	D	D	D	D	D	D	D	<b>8</b>
Sodium	216 B	ND	486 B	401 B	230 B	1150	29 B	ND	137 B	ND	ND	<b>S</b> 8
Thallium	ND	ND g	ND g	ND	ND	ND	ND	ND	ND g	ND g	ND g	58
Vanadium	37	27	26	23	24	29	7.2 B	5.8 B	21.7	35	28	150 or 88
Zinc	429 g	128 E	212 E	201 E	144 E	149 E	83 E	ND g	ND g	ND g	42 E	20 or SB
Cyanide	ND N	0.85 N	0.42 B N	0.29 B N	0.35 B N	0.49 B N	ND N	ND N	12.8 g	0.29 B N	ND N	63

cont .

Levense Levense

Surger of

**L**ine Street

and the second

a company

and the second

.

ALL AND ALL AND

- Background levels for lead range from 4 - 61 mg/kg in undeveloped, rural areas to 200 - 500 mg/kg in metropolitan or suburban areas or near highways. - Some forms of Cyanide are complex and stable while other forms are pH dependent and hence are very unstable. ** Site-specific form(s) of Cyanide should be taken into consideration when establishing soil cleanup objectives.

v ste Tehle 6 12/22/1009 10 21 49 A

 NYSDEC Technical Administrative Guidance Memorandum, January 1994.
 Value considered estimated based on data validator's report (Appendix B). (a)

g B

- Value is less than the contract-required detection limit but greater than the instrument detection limit.

- Value rejected by data validator and found to be unusable (Appendix B). D

E - Value estimated due to interference.

EB - Equipment blank.

- Spiked sample recovery is not within control limits. Ν

ND - Not detected at analytical detection limit.

- Duplicate analysis not within control limits. R

SB - Site background.

Note: - Numbers in parentheses are sample depths.

- Numbers in bold exceed standard.

c - SB-2(12-14) is the blind duplicate of SB-2(6-8).

**C**itatical Section of

Hatel Waste UOB SIG 646-BOE Sol Hatasum and the second Sec. Sec. 1

#### TABLE 6 (Page 2 of 3)

1

1

I

ł

1

Ĩ

1

I

£

ł

#### SUBSURFACE SOIL DATA SUMMARY (August 1999) **BQE/ANSBACHER COLOR AND DYE FACTORY** Site No. 2-24-016

Sample ID Date Collecte	68-2(8-10) 06/18/1999	SB-2(10-12) 06/18/1995		58-3(2-4) 08/18/1999	<b>SE-3(4-0)</b> 08/18/1999		58-3(12-14) ⁴ 06/18/1999	SE-3(8-10) 08/19/1999		58-4(2-4) 08/19/1999	SB-4(4-5) 08/19/1999	RECOMMENDED SOIL CLEANUP OBJECTIVE (a)
Metals (mg/kg) Aluminum	7610 R	4910 R	6020 R	10200 R	4890 R	7410 R	6340 R	9650 R	8960	8690	11500	SE
Antimony	ND N g	NDNa	ND N g	ND N g	0.43 B N g	NDNa	ND N a	ND N a	ND N a	ND N q	ND N g	SB
Arsenic	2570 R	4510 R	98 R	35 R	10 R	19 R	14 R	5.2 R	95	37	37	7.5 or 58
Barium	2370 K 98	174	317	70	99	209	198	77	117	94	103	300 or SB
Beryllium	0.48 B	0.3 B	0.38 B	0.43 B	0.38 B	0.43 B	0.39 B	0.49 B	0.52 B	0.49 B	0.47 B	0.16 or SB
Cadmium	1.4	1.5	1.3	0.97 B	1.1	1.6	1.7	1.3	1.7	1.7	1.1	1 or SB
Calcium	6210	18500	6360	25400	3320	7040	8650	3310	5390	8470	1850	SB
Chromium	15 R	10 R	40 R	14 R	43 R	19 R	14 R	22 R	28	22	30	10 ar SB
Cobalt	6.5 B E	9BE	7.2 B E	6.8 B E	7.2 B E	7.4BE	6.7 B E	9.8 B E	9.1 B	8.1 B	7.1 B	30 or 66
Copper	34 N R g	37 N R g	71 N R g	11 N R g	29 N R g	74 N R g	52 N R g	25 N R g	63 g	58 g	29 g	25 0 88
Iron	24600 R	25800 R	17700 R	17100 R	17900 R	26700 R	28600 R	22100 R	29500	27800	19900	2.000 of SB
Lead	240 N R g	314 N R g	307 N R g	79 N R g	1360 N R g	444 N R g	325 N R g	82 N R g	179 g	152 a	85 g	SB*
Magnesium	2030	2280	2760	2600	1880	1850	1730	2330	2270	2310	2350	SE
Manganese	478 N R g	283 N R g	312 N R g	336 N R g	290 N R g	290 N R g	268 N R g	463 N R g	381 E g	310 E g	221 E a	SB
Mercury	0.23 N g	1.8 N g	2.4 N g	ND N r	0.71 N g	3.6 N g	4.3 N g	0.35 N q	3.7 g	3.3 q	6.8 g	01
Nickel	13	28	14	13	12	14	12	16 ^ĭ	17	15	16	13 or SB
Potassium	819 B	733 B	1140	671 B	795	830 B	729 B	925 B	977 B	901	826 B	SB
Selenium	D	D	D	D	D	D	D	D	Ð	D	D	2 or SB
Silver	D	D	D	D	D	D	D	D	D	D	D	SB
Sodium	352 B	722 B	ND	161 B	25 B	264 B	209 B	ND	ND	47.4 B	ND	<b>SB</b>
Thallium	ND	ND	ND g	ND	ND	ND	ND	ND	ND g	NDg	ND g	SB
Vanadium	23	22	31	24	23	26	24	30	31	29.9	32	150 or 88
Zinc	203 E	103 E	161 E	ND	68 E	193 E	148 E	ND	165 E	206 E	148 E	20 or S8
Cyanide	0.29 B N	ND N	ND N	ND N	ND N	ND N	ND N	ND	0.49 B N	0.57 N	0.064 B N	**

* - Background levels for lead range from 4 - 61 mg/kg in undeveloped, rural areas to 200 - 500 mg/kg in metropolitan or suburban areas or near highways.

ł

ŧ

** - Some forms of Cyanide are complex and stable while other forms are pH dependent and hence are very unstable.

Site-specific form(s) of Cyanide should be taken into consideration when establishing soil cleanup objectives.

(a) - NYSDEC Technical Administrative Guidance Memorandum, January 1994.

- Value considered estimated based on data validator's report (Appendix B). g

Ĕ - Value is less than the contract-required detection limit but greater than the instrument detection limit.

- Value rejected by data validator and found to be unusable (Appendix B). D

F - Value estimated due to interference.

1

ſ

1

× 1

I

1

ŧ

EB - Equipment blank.

N - Spiked sample recovery is not within control limits.

- Not detected at analytical detection limit. ND

R - Duplicate analysis not within control limits.

SB - Site background.

Note: ~ Numbers in parentheses are sample depths.

 Numbers in bold exceed standard.
 SB-3(12-14) is the blind duplicate of SB-3(6-8). С

#### TABLE 6 (Page 3 of 3)

#### SUBSURFACE SOIL DATA SUMMARY (August 1999) **BQE/ANSBACHER COLOR AND DYE FACTORY** Site No. 2-24-016

Sample ID Date Collecte		***************************************	SB-4(10-12) 08/19/1999			*******	58-5(8-10) 08/18/1999	SB-5(10-12) 09/19/1999	EB-1 06/18/1999 µg/l	RECOMMENDE SOIL CLEANUF OBJECTIVE (a)
Metals (mg/kg)	)									
Aluminum	4840	7310	4120	7490	5460	6320	6560	5290	43.5 B	SB
Antimony	35 g	ND N g	ND N g	4.6 B N g	36 N.g	1.4 B N g	ND N g	ND N g	3.4 B g	<b>SB</b>
Arsenic	71	36	9.4	1300	2670	794	63	132	ND	7.5 or SB
Barium	128	96	72	499	1760	643	417	244	1.7 B	300 or 68
Beryllium	0.42 B	0.48 B	0.27 B	0.36 B	0.14 B	0.45 B	0.43 B	0.45 B	ND	0.16 of SB
Cadmium	1.3	1.4	0.67B	1.3	1.8	0.97 B	1.3	0.86 B	2.8 B	1 or \$8
Calcium	6130	11600	3010	6480	9980	26700	19900	10400	168 B	<b>SB</b>
Chromium	23	17	11	218	1540	83	18	22	1.9 B	10 or 88
Cobalt	6.2 B	7.0 B	4.5 B	6.9 B	4.8 B	11 B	В	5.9 B	ND	30 or 58
Copper	132 g	50 g	32 g	352 g	383 g	185 g	66 g	48 g	9.8 B g	25 or \$8
Iron	20000	23900	11500	17500	17600	15500	22600	13900	15.8 B	2,000 or SB
Lead	3980 g	146 g	145 g	2730 g	10600 g	804 g	1380 g	533 g	NDg	<b>\$8</b> *
Magnesium	1490	2070	1320	2250	1820	2360	1750	1170 B	22.7 B	SB
Manganese	201 E g	277 E g	167 E g	361 E g	229 E g	284 E g	466 E g	236 E g	5.3 B g	<b>\$8</b>
Mercury	4.5 g	2.7 g	0.6 g	123 g	216 g	40 g	0.57 g	3.9 g	ND g	0.1
Nickel	12	14	7.6 B	14	12	20	13	13	4B	13 or 98
Potassium	579 B	791 B	495 B	859 B	800 B	742 B	1060 B	813 B	ND	<b>SB</b>
Selenium	D	D	D	D	D	D	D	D	D	2 ar \$8
Silver	D	D	D	D	D	D	D	D	D	<b>5</b> 8
Sodium	ND	107 B	39	179 B	232 B	436 B	695 B	616 B	1810 B	<b>88</b>
Thallium	ND g	ND	ND g	ND g	ND	ND g	ND	ND	ND	<b>SB</b>
Vanadium	21	24	16	23	15	23	28	30	ND	150 or SB
Zinc	118 E	150 E	68	170 E	197 E	423 E	161 E	156 E	65.9	20 or SB
Cyanide	0.60 N	0.63 N	ND N	2.3 N	29 N	30 N	0.45 B N	1.5 N	ND	**

(Bearington)

*

 Background levels for lead range from 4 - 61 mg/kg in undeveloped, rural areas to 200 - 500 mg/kg in metropolitan or suburban areas or near highways.
 Some forms of Cyanide are complex and stable while other forms are pH dependent and hence are very unstable.
 Site-specific form(s) of Cyanide should be taken into consideration when establishing soil cleanup objectives. **

(a) - NYSDEC Technical Administrative Guidance Memorandum, January 1994.
 g - Value considered estimated based on data validator's report (Appendix B).

 Value is less than the contract-required detection limit but greater than the instrument detection limit.
 Value rejected by data validator and found to be unusable (Appendix B). Ř

1214

D

ε - Value estimated due to interference.

EB - Equipment blank.

N - Spiked sample recovery is not within control limits. ND - Not detected at analytical detection limit.

Result

- Duplicate analysis not within control limits. R

SB - Site background.

3:50-6464

Wastel 📕

+D _____ms-sr

Note: - Numbers in parentheses are sample depths. - Numbers in bold exceed standard.



ł

er surveren der States ander

And the second second

Sec. 1

1 marshall

an sindawiking

Sector Street

terration of the

- San and a state

Sector March

.....

## PRELIMINARY SITE ASSESSMENT REPORT Volume I

## **BQE/Ansbacher Color and Dye Factory**

### Site No.: 2-24-016

Work Assignment No. D002676-44

**DATE:** December 1999



## **New York State Department of Environmental Conservation**

50 Wolf Road, Albany, New York 12233 John Cahill, Commissioner

> **Division of Environmental Remediation** Michael J. O'Toole, Jr., P.E., Director

## Bv: Lawler, Matusky & Skelly Engineers LLP



.


Ĵ

Constant of the local division of the local

Surfage and

Second State


Land Land





Section 2.

allow all



"I certify that this is an official publication of the National Oceanic and Atmospheric Administration (NOAA). It is compiled using information from weather observing sites supervised by NOAA/National Weather Service and received at the National Climatic Data Center (NCDC), Asheville, North Carolina 28801."

Thomas R Kal

DIRECTOR NATIONAL CLIMATIC DATA CENTER

noaa

National Oceanic and Atmospheric Administration National Environmental Satellite, Data and Information Service National Climatic Data Center Asheville, North Carolina

7



Ļ

Sec. and Sec.

hanister

Statute and

Sec.

P. P. Land

and the second

PROPERTY OF LAWLER, MATUSKY & SKELLY LIBRARY

18

٠**.**۴

٦,






ADAPTED FROM THE FOUR SHEET, 1-250,000 SCALE NEW YORK STATE MAP, () 1980 BY THE NEW YORK STATE DEPARTMENT OF TRANSPORTATION



lund.

1



All drinking water begins in a watershed. The source of your local drinking water system can
 be a river, lake, stream, or ground water well within that watershed. Community Water
 Systems (CWS) treat and distribute water from these sources and deliver it to consumer's
 taps.

Use the table below to locate your CWS (from the list of water systems which serve your  $\alpha$  county) in the watershed which provides the primary source of raw water for your water  $\beta$  system.

Hach CWS in the current inventory was assigned to a single watershed, based on data in the SDWIS that indicated the geographic location of the water intakes or ground water wellheads. Latitude longitude data was used where it was available. Where lat long data was not available, the CWS assignment to a specific watershed was based on surrogate data residing in SDWIS, the zip code associated with the CWS address or the principal county served by the water system. Using the Zip Code or the county does not guarantee that the CWS will be assigned to the correct watershed. Click here for more a more detailed discussion.

## There are no Community Water Systems found for this county in the SDWIS database

If you cannot find your CWS from the above table, or the above table does not exist, it may be because your CWS does not specify the principal county served information in the Safe
 Drinking Water Information System (SDWIS). Click here to display a table of all CWS that are located within the same state of your selected county.

 $\underbrace{\mathsf{EPA}}_{\text{HOME}} \underbrace{\mathsf{HOME}}_{\text{CONTACTS}} \underbrace{\mathsf{DISCLAIMER}}_{\text{VERSION}} \underbrace{\mathsf{ABOUT}}_{\text{FUOME}} \underbrace{\mathsf{HELP}}_{\text{COMMENTS}} \underbrace{\mathsf{COMMENTS}}_{\text{COMMENTS}}$ 

Last Revised: 10/25/1999

AT

₹

u.

MEMORANDUM OF CONVERSATION								
WHO: James Luke								
OF: NYC Dept. of Health (Public Health Engineering)								
SPOKE WITH LMS EMPLOYEE: E. Hollister								
TELEPHONE NUMBER:       (212) 676-1520       CALLED:	WAS	CALLED: X						
JOB: PSA's	DATE:	October 12, 1999						
JOB NUMBER: 098-000	TIME:	3:28 PM						
CONCERNING: Potable water supplies in Brooklyn								

#### AND DECIDED:

All wells must be permitted in Brooklyn. There are no permitted potable water wells in Brooklyn.

CC:	REPLY:	YES:	NO:	
CC:	REPLY:	YES:	NO: [	

### **REFERENCE 29**

.

haven

Sugar.

Real Property lies

No.

Sales No.

Tanki, vizual

Department of the Army New York District, Corps of Engineers

# Brooklyn-Queens Aquifer Management Feasibility Study

May 1982





1

ĺ

**Considered** 

and the second second

and the second

### **NEW YORK STATE SUPERFUND STANDBY CONTRACT**

## PRELIMINARY SITE ASSESSMENT REPORT Volume I

# **BQE/Ansbacher Color and Dye Factory**

## Site No.: 2-24-016

Work Assignment No. D002676-44

**DATE:** December 1999



## **New York State Department of Environmental Conservation**

50 Wolf Road, Albany, New York 12233 John Cahill, Commissioner

> **Division of Environmental Remediation** Michael J. O'Toole, Jr., P.E., Director

## By: Lawler, Matusky & Skelly Engineers LLP

### **REFERENCE 31**

Special States

Contraction of

.





and the second second

"Instantion

-

í.


Sec.

**Victoria** 

Section 200

. A STATE OF STATE

í.







REGULATIONS


OÍ

Îĥß

and.

## STATE OF NEW YORK





----



# NORTHEAST REGIONAL CLIMATE CENTER

## Atlas of Precipitation Extremes for the Northeastern United States and Southeastern Canada


Daniel S. Wilks Richard P. Cember



μE

F

**Cornell University Ithaca, New York** Publication No. RR 93-5 September 1993




17

Contraction of the local distance of the loc




-----

### **REFERENCE 34**







No. of Concession, Name						
1	ΚΕΥ ΤΟ ΜΑΡ					
	500-Year	Flood Boundary —				
		Flood Boundary ———	ZONE B			
/	Zone Desi					
Ro	Zone Desi	gnations				
7	100-Year	Flood Boundary ———	ZONE B			
	500-Year	Flood Boundary —				
$F \leq$		d Elevation Line ation In Feet**	513			
		d Elevation in Feet iform Within Zone**	(EL 987)			
	Elevation	Reference Mark	ERM 7 📥			
$\sim$	Zone D B	oundary————				
	River Mile	2	•M1.5			
2	**Referer	nced to the National Geodet	ic Vertical Datum of 1929			
	*EX.0					
	*ЕХР	LANATION OF ZON	NE DESIGNATIONS			
	ZONE	EXPLAN	NATION			
$\sim$	А	Areas of 100-year flood flood hazard factors not d	l; base flood elevations and letermined.			
17/	A0	Areas of 100-year shallow flooding where depth are between one (1) and three (3) feet; average depth of inundation are shown, but no flood hazard factor are determined.				
	АН	Areas of 100-year shallow flooding where depths are between one (1) and three (3) feet; base flood elevations are shown, but no flood hazard factors are determined.				
1	A1-A30	Areas of 100-year flood flood hazard factors deter	l; base flood elevations and rmined.			
	A99	protection system unde	d to be protected by flood er construction; base flood zard factors not determined.			
	В	year flood; or certain are ing with average depths le the contributing drainage	the 100-year flood and 500- as subject to 100-year flood- ss than one (1) foot or where e area is less than one square by levees from the base flood.			
	с	Areas of minimal flooding	g. (No shading)			
	D		but possible, flood hazards.			
	v		al flood with velocity (wave ions and flood hazard factors			
	V1-V30		al flood with velocity (wave ions and flood hazard factors			
	NOTES TO USER					
57	Certain areas not in the special flood hazard areas (zones A and V) may be protected by flood control structures.					
JOS A L CIRCL	This map is for flood insurance purposes only; it does not neces- sarily show all areas subject to flooding in the community or all planimetric features outside special flood hazard areas.					
$\left[ \right]$	For adjoining map panels, see separately printed Index To Map Panels.					
	Coastal base flood elevations shown on this map include the effects of wave action.					
/	Coastal base flood elevations apply only landward of the shoreline shown on this map.					
1//						
$\mathbf{Y}$		INITIAL IDENTIF				
м 🖊		JUNE 28 19	174			

i ;

į

JUNE 28 1974

.

ile and

Sec. Carrier

to realization of the

.....


.

S. Lawrence

1 - generation

a second

Service.



· ....

#### THE USER

s which have been field examined are indicated e map by an asterisk (*).

riance type (either vegetative or sedentary animal)

is or corrections to the wetlands information and on this map are solicited. Please forward such mation to the address indicated

e areas designated R4SB, R4SBW, or R4SBJ ttent streams) may not meet the definition of

٤		2
	Charloweria	

#### **AERIAL PHOTOGRAPHY**

- DATE: <u>4 / /80</u> SCALE. <u>1 80 000</u> TYPE. <u>B-W</u>
- DATE: / / /
   SCALE: _____
  - ТҮРЕ.____
- DATE: ____ / ___ /
- SCALE.
- ТҮРЕ.____



#### **U.S. DEPARTMENT OF THE INTERIOR**

#### FISH AND WILDLIFE SERVICE

Prepared by Office of Biological Services for the National Wetlands Inventory

			,					
<u> </u>				1000			-	
-								
•	,							
		n. A	r `	and the second				
•					:			
a					^		ECOLOGICAL	
• • • • • • •	M - MARIN	NE		a di			SYSTEM	
· · · · · · · · · · · · · · · · · · ·					÷ * -	• •	Ecological	
1 Subtidal	-			2 — Intertidal ² -	<u> </u>		Subsystem	
IDATED AB AQUATIC BED RF REEF	OW OPEN WATER Unknown Bottom	AB AQUATIC BLD	I RF REEF	FL FLAT	IS - ROCKY SHORE B	B BEACH BAR	CLASS	
el 1 Submergent Algal 1 Coral	ູ້ ,	Submergent Algat	1 Coral	1 Cobble/Gravel 1	Bedrock	1 Cobble/Gravel	Subclass	
2 Submergent Vascular 3 Worm     6 Unknown Submergent	2	2 Submergent Vascular 5 Unknown Submergen	nt		Vegetated Non-pioneer	2 Sand	en e	
15		·	ः द्वीं ा स्र	Non-pioneer	Ser Server	•		
an a straight in the state in the second	and a service the	A PARTY	1. <b></b> 		· · · · · · · · · · · · · · · · · · ·	الي التي التي التي التي التي التي التي ا		
🖷 👘 🔬 👘 👘	u v s grant v u v s grant v		لى بى		· · ·	2 VENS 20	ECOLOGICAL	
		No. St. Contraction of the		1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1		1942 a 1 - 1	SYSTEM	
		in the state of th			Line	د. والارت الي من درود.	Ecological	
and a star a Star a star	2 -	Littoral		11.1.1. (A. 16.291) (A. 17.	- 2"		Subsystem	
OCK UB - UNCONSCLIDATED		#	оску			'. OPEN WA'ER		
		FLAT TO SHO	Ae 🐚 88 -/ 1	BEACH/BAR EM EI	MERGENT Un	known Battom		
r 2 Sand 2 Submergent 3 Mud 3 Submergent	Algal Cobble/Gra Vascular 2 Sand Moss 3 Mud	avel 1 Bedr 2 Boul		bbble/Gravel 2 Nonp Ind 3 Narro 4 Broad	ersistent w leaved Nonper I leaved Nonpersi	Sisten	Subcless	
4 Organic 4 Floating leaving	ed States 4 Organic	Popeer Ist Wattreet					التقرير المراجع	
7 Unknown Su	bmergent 6 Vegetated	Non-planeer	er en	tan galan kuran San galan kuran	girlin a an an third grant and g	,	منعها منعها المعلمي ال المعلمي المعلمي	- ,
<u> </u>	To a " Stratistication of the		ر ويوني روي. جو اس ورويد روي		THE THERE A	<u></u>		*****
_ODIFYING TERMS			andra of An Sub-March - A	or the second second				
t abitats one or more of the water reginiterarchy. The farmed modifier may also	me, water chemistry	soil, or special i	modifiers 😜	A State of the second	SSE CONTRACTOR			الميليم بدينة للمنتي . 
weinstein in the tallbed mouther may also		cological system.	副教授 45.3	就是这些"四人"的"是"				
WATER CHI		all Ecosh Water	SOIL		IAL MODIFIE		an an agrina a state and a	
Coastal Salinity Inland Salinity	pH Modifiers for a	an LLASH 14 2191	g / Organic n Mineral	b Beaver (1982) d Partially Drained	Ditched 7 Ar	ked/Impounded tificial		



#### JERSEY CITY, N.J.

e been field examined are indicated h materisk (*).

(either vegetative or sedentary animal) the map by the interested user.

° E ions to the wetlands information hare solicited. Please forward such n e ddress indicated.

### PHOTOGRAPHY

0/29/76 1:80000 B-W




#### **U.S. DEPARTMENT OF THE INTERIOR**

#### FISH AND WILDLIFE SERVICE

Prepared by Office of Biological Services for the National Wetlands Inventory

h Diked Impounded





ned modifier may also be applied to the ecological system. WATER CHEMISTRY SPECIAL MODIFIERS SOIL Inland Salinity pH Modifiers for all Fresh Water Organic Mineral 9 b Beaver d Partially Drained Ditn" ed

h' war

and the second

-

New York State Department of Environmental Conservation • Home • Site Map

Division of Fish, Wildlife and Marine Resources

Marine Resources

### Welcome to Marine Habitat Protection

#### Marine Habitat Protection Links

Tidal Wetlands Permits (UPA Uniform Procedures Act) Tidal Wetlands Mapping Estuary Management Programs Tidal Wetlands Access EPA - Estuaries New York's marine habitats support a diverse array of fish, wildlife, and plant species. These productive areas include tidal wetlands, submerged aquatic vegetation like eelgrass, estuaries and open waters, mud and sandflats, and natural and artificial reefs. Habitats like these produce over 75% of the commercially and recreationally important finfish and shellfish species in the world. They also provide recreational opportunities for boating, hiking and birdwatching, and aesthetic value in the landscape. Marine habitats like tidal wetlands and barrier beaches also protect New York's shoreline from erosion and flooding. It is the responsibility of the DEC's Bureau of Marine Resources, Marine Habitat Protection Section to protect and restore these valuable resources for the benefit of all New Yorkers.

To accomplish this mission, we use a variety of regulatory and non-regulatory tools. You can explore these tools by visiting some of our programs.

#### Tell me more...

Tidal Wetland - A typical tidal wetland is the salt marsh which occurs in the near shore areas all around Long Island, the lower Hudson River, and along the entire Atlantic coast of the United States. These areas are dominated by grasses and other marsh plants which are adapted to the rise and fall of the tide and the salty water it brings. The blades of marsh grass provide a hiding place for small fish and other animals as well as becoming part of the food chain when they decay. The statutory definition of a tidal wetland can be found in New York's Environmental Conservation Law, Article 25, entitled "Tidal Wetlands Act"

**Estuary** - An estuary is typically a bay, harbor, or sound where fresh water flowing from the land mixes with salt water from the ocean. What makes these areas so special is the abundance of nutrients and sunlight which feeds the marine food web. Usually these areas near shore are also protected from harsh wave action and provide a safe haven for juvenile fish and crabs, migrating ducks, and even the occasional sea turtle. An estuary contains many other habitats within it like tidal wetlands, mudflats, and eelgrass beds. The U.S. Environmental Protection Agency has more information about estuaries at its web site.

This page was last modified Tuesday, September 7, 1999.



and the second

# PRELIMINARY SITE ASSESSMENT REPORT Volume I

# BQE/Ansbacher Color and Dye Factory

# Site No.: 2-24-016

Work Assignment No. D002676-44

DATE: December 1999



Prepared for:

# New York State Department of Environmental Conservation

50 Wolf Road, Albany, New York 12233 John Cahill, *Commissioner* 

> Division of Environmental Remediation Michael J. O'Toole, Jr., P.E., *Director*

# By: Lawler, Matusky & Skelly Engineers LLP

#### Table 3 (Page 1 of 2) **1988 EBASCO PHASE IB - BACKGROUND SOIL BORING RESULTS** Brookyin Queens Expressway

Sample ID Depti Date Collected	AG23-32 5' - 5' 9/88	RECOMMENDED SOIL CLEANUP OBJECTIVE (4)	
Volatile Organic Compound	Is (mg/kg) ND	-	
Semivolatile Organic Comp	ounds (mg/kg)		
Phenanthrene	0.17 j	50***	
Fluoranthene	0.21 j	50***	
Pyrene	0.19 j	50***	
Benzo(a)anthracene	0.11	0.224 or MOL	
Chrysene	0.12 j	0.4	
Benzo(b)fluoranthene	0.18 j	1,1	
Benzo(k)fluoranthene	0.18 j	1.1	
Benzo(a)pyrene	0.1 j	0.061 or MDL	
Total SVOCs	1.26	500	

(a)

- NYSDEC Technical Administrative Guidance Memorandum, January 1994. - Estimated value due to the quantitated value being below the detection limit or due to exceeding data validation crit

ND - Not detected at analytical detection limits.

MDL - Method Detection Limit.

- As per TAGM #4066, Total VOCs < 10 ppm, Total Semi-VOCs < 500 ppm, and individual Semi-VOCs < 50 ppm.

Note - Numbers in bold exceed cleanup objective.

Brookyin Queens Expressway						
Sample ID Depth Data Collected	AQ23-52 6' - 8' 9/88	AG23-S2 DUPLICATE 9/88	RECOMMENDED SOIL CLEANUP OBJECTIVE (a)			
Metals/Cyanide/Phen	ols/PHC (mg/kg)					
Aluminum	6520 J	6039	SB			
Antimony	ND	ND	SB			
Arsenic	1.7	1.7	7.5 or SB			
Barium	ND	ND	300 or SB			
Beryllium	0.96	ND	0.16 or SB			
Cadmium	ND	ND	1 or 58			
Calcium	797	995	SB			
Chromium	13	15	10 or SB			
Cobalt	ND	ND	30 or SB			
Copper	9.2	8.8	25 or SB			
Iron	23400 J	24800 E	2,000 or SB			
Lead	6.0 R	4.2 J	SB*			
Magnesium	1700	1690	SB			
Manganese	375 J	390	SB			
Mercury	ND	ND	0.1			
Nickel	8.6	8.6	13 or SB			
Potassium	846	808	SB			
Selenium	ND	ND	2 or SB			
Silver	ND	ND	SB			
Sodium	ND	ND	SB			
Thallium	ND	ND	SB			
Vanadium	20	20	150 or SB			
Zinc	30	30	20 or SB			
Cyanide	ND	ND	**			
Phenolics	ND	ND	N/A			
PHC	ND	ND	N/A			

 Table 3 (Page 2 of 2)

 1988 EBASCO PHASE IB - BACKGROUND SOIL BORING RESULTS

 Brookyin Queens Expressway

1

1

Background levels for lead range from 4 - 61 ppm in undeveloped, rural areas to 200 - 500 ppm in metropolitan or suburban areas or near highw
 Some forms of Cyanide are complex and stable while other forms are pH dependent and hence are very unstable.

Site-specific form(s) of Cyanide should be taken into consideration when establishing soil cleanup objectives.

(a) - NYSDEC Technical Administrative Guidance Memorandum, January 1994.

J - Estimated value due to the quantitated value being below the detection limit or due to exceeding data validation criteria.

E - Value estimated due to interference.

SB - Site background.

4

ť

f

ł

N/A - Not applicable.

ND - Not detected at analytical detection limits.

Note: - Numbers in bold exceed cleanup objective.

PHC - Petroleum Hydrocarbons.

R - Rejected value due to exceeding data validation criteria.

+Disk No.: 11Lms-srut 1/data/HazWaste/JOBS/600/650-646-BQE/sollbortroresility vie TARIE 3.01/04/2000 8:32 AM

#### TABLE 8 (Page 1 of 1) SHALLOW SOIL DATA SUMMARY (August 1999) **BQE/ANSBACHER COLOR AND DYE FACTORY**

Site No. 2-24-016

Sample ID Date Collected	55-1 08/19/1999	55-4 (DUP OF 55-1) 08/19/1999		85-3 08/19/1999		RECOMMENDED SOIL CLEANUP OBJECTIVE (a)
					¥\$/1	
Metals (mg/kg)						
Aluminum	9720	9050	8140	8660	54.6 B	58
Antimony	1.3 B N g	1.4 B N g	1.6 B N g	ND N g	ND g	SB
Arsenic	15 [–]	14 [°]	9.6	8	ND	7.5 or S8
Barium	89	87	122	62	2.2 B	300 or SB
Beryllium	0.34 B	0.31 B	0.31 B	0.29 B	0.12 B	0.16 or S8
Cadmium	3	2.8	1.9	1.6	ND	1 or \$8
Calcium	2220	2130	3090	2330	223 B	<b>SB</b>
Chromium	37	32	39	21	0.5 B	10 or SB
Cobalt	4.6 B	3.6 B	4.2 B	3.5 B	ND	30 or SB
Copper	119	114	81	54	3.2 B g	26 or SB
Iron	16200	14500	14400	13100	23.5 B	2,000 or SB
Lead	486	464	329	181	2.2 B g	58*
Magnesium	1220	1130	1380	1210	33.6 B	SB
Manganese	199 E g	173 E g	229 E g	197 E g	ND g	<b>SB</b>
Mercury	0.27	0.45	0.33	0.2	ND g	0.1
Nickel	21	19	17	13	ND	13 or SB
Potassium	392 B	359 B	467 B	482 B	ND	58
Selenium	D	D	D	D	D	2 or 58
Silver	D	D	D	D	D	58
Sodium	42	ND	66 B	ND	662 B	5 <b>8</b>
Thallium	ND	ND	ND	ND	ND	58
Vanadium	69	65	39	31	ND	150 or SB
Zinc	184 E g	200 E g	199 E g	133 E g	37.4	20 or SB
Cyanide	0.31 B N	0.44 B	0.061 B N	ND N	ND	••

* - Background levels for lead range from 4 - 61 mg/kg in undeveloped, rural areas to 200 - 500 mg/kg in metropolitan or suburban areas or near highways.

- Some forms of Cyanide are complex and stable while other forms are pH dependent and hence are very unstable. ** Site-specific form(s) of Cyanide should be taken into consideration when establishing soil cleanup objectives.

- NYSDEC Technical Administrative Guidance Memorandum, January 1994. (a)

- Value considered estimated based on data validator's report (Appendix B). g B

- Value is less than the contract-required detection limit but greater than the instrument detection limit.

D - Value rejected by data validator and found to be unusable (Appendix B).

Е - Value estimated due to interference.

EΒ - Equipment blank.

N - Spiked sample recovery is not within control limits.

- Not detected at analytical detection limit. ND

- Duplicate analysis not within control limits. R

- Site background. SB

Note: - Numbers in parentheses are sample depths.

- Numbers in bold exceed standard.

and a

No.

ſ

C.

Sand Star

Married L

allowing V

interes A <!--StartFragment-->
Summary for Distance Range of 0 to 4 mile(s).
------Processing
State Library NY36... 6508 Census Block Centroids within selected
library/map area.Processing State Library NJ34... 0 Census Block
Centroids within selected library/map area.Will now process statistics for 6508
Census Block Centroids... Total Population = 1805173 Household Units =

832473					Natio	nal	Population
	Summary	Compariso	n	By Or	igin:	Total	Stats
50 States/D.C.							- White
= 7786	90 43.	18 75	.6%	Bla	ck	= 4689	927 26.0%
11.8%	AmInd/Es	sk/Ale =	3940	0.2	ξ. Ο.	73	
Asian/PacIsnd	= 144371	8.0%		2.8%	Other		= 4902
0.3% 0.1	% F	lispanic	=	404343	22.4%	9.0	0% Total
People of Colo	r= 1026483	3 56.9%		24.4%	See note 2	. Avera	age Pop Density
per sq mi = 3	5856 (Cent	roids/Dista	ance I	Radius Ar	ea) E</td <td>ndFragme</td> <td>ent&gt;</td>	ndFragme	ent>

-----

and a second

A COLUMN

Seton C.

Same Same

Sec. Land

Summer

				ANDUM OF RSATION		
WHO:	Receptio	onist				
OF:	Prayer C	Candle Com	pany and Star Soap an	d Candle Company		
SPOKE	WITH LM	1S EMPLO	OYEE: Terry Schne	eider		
TELEPH	IONE NU	MBER:	(718) 389-7707	CALLED:	WAS	CALLED: X
JOB:	BQE PSA	Report			DATE:	22 December, 1999
JOB NU	MBER:	650-646			TIME:	1:07 PM
CONCE	RNING:	Number o	of Employees at 306 N	orth 7 th Street		

**AND DECIDED:** The company has moved. However there are still approximately 25 employees at this location who will be moving as well.

CC:	 REPLY:	YES:	NO:
CC:	 REPLY:	YES:	NO:



.

Contractory of

(Langer

**Vancinski** 

a provide the

No. of Concession, Name

Sec. Martin

and the second

the second second

The second se

Boult .

Same and

MEMORANDUM OF CONVERSATION							
WHO:	Employ	ee					
OF:	JAG Ca	rpet and Ru	g Distribution				
SPOKE	WITH LN	AS EMPLO	YEE: Terry So	chneider			
TELEPH	IONE NU	MBER:	(718) 599-4900	) CALLE	2D:	WAS	CALLED: X
JOB:	BQE PSA	Report				DATE:	22 December, 1999
JOB NU	MBER:	650-646				TIME:	1:14 PM
CONCE	RNING:	Number c	f Employees at 29	7 North 7th Stre	et		

**AND DECIDED:** There are 5 employees working at this address.

CC:	REPLY:	YES: NO:
CC:	REPLY:	YES: NO:

.

ř

time.

and the second second

Printer L

- Section

No.

Section and the section of the

