

Gowanus CSO Tank - CP2

Daily CAMP Report

Date: 3/12/2024

This Daily Air Monitoring Report summarizes perimeter air monitoring data collected during the referenced period in accordance with the Community Air Monitoring Plan (CAMP) which was included as part of the requirements of Spec Section 01 57 00 Temporary Controls for the Gowanus CSO-GC-SFS-RH3 CP2 Contract. Note: the information included in this daily summary is based on preliminary results and is subject to change based on data validation.

Report Period:	Tuesday, March 12, 2024	
Weather	Temperature: 44.2-65.7 °F Precipitation: 0.00 inch Relative Humidity: 36.14%	Wind Speed: 0.30-3.81 mph Prevailing Wind Direction: E
Summary of Site Activities	1. CAMP monitoring approximately 24 hours a day. 2. Slurry Wall Excavation Operations. 3. There were no 15 min average exceedances for PM10 over the course of the day. 4. A VOC Action Level on AMS-4 was triggered, an investigation was performed (results attached to this report) and it was concluded that the odor's are coming from an adjacent construction site located at 265 Nevins.	

Figure 1 - CAMP Station Locations



Daily Readings - VOCs

Data export

03/12/2024 00:00:00 to 03/12/2024 23:59:00

Averaging period: 15 minutes

Time	AMS-1	AMS-2	AMS-3	AMS-4	AMS-5	AMS-6	AMS-7	AMS-8
	VOC - AQS1 13032023-2241 (ppm)	VOC - AQS1 13032023-2244 (ppm)	VOC - AQS1 13032023-2240 (ppm)	VOC - AQS1 13032023-2238 (ppm)	VOC - AQS1 13032023-2239 (ppm)	VOC - AQS1 13032023-2237 (ppm)	VOC - AQS1 13032023-2243 (ppm)	VOC - AQS1 13032023-2242 (ppm)
3/12/2024 0:00	0	0	0	0.01	0	0	0	0
3/12/2024 0:15	0	0	0	0	0	0	0	0
3/12/2024 0:30	0	0	0	0	0	0	0	0
3/12/2024 0:45	0	0	0	0	0	0	0	0
3/12/2024 1:00	0	0	0	0.01	0	0	0	0
3/12/2024 1:15	0	0	0	0	0	0	0	0
3/12/2024 1:30	0	0	0	0	0	0	0	0
3/12/2024 1:45	0	0	0.01	0	0	0	0	0
3/12/2024 2:00	0	0	0.01	0	0	0	0	0
3/12/2024 2:15	0	0	0	0	0	0	0	0
3/12/2024 2:30	0	0	0	0	0	0	0	0
3/12/2024 2:45	0	0	0	0.02	0	0	0	0
3/12/2024 3:00	0	0	0.01	0.01	0	0	0	0
3/12/2024 3:15	0	0	0.01	0	0	0	0	0
3/12/2024 3:30	0	0	0	0	0	0	0	0
3/12/2024 3:45	0	0	0.01	0.01	0	0	0.01	0
3/12/2024 4:00	0	0	0.01	0.01	0	0	0	0
3/12/2024 4:15	0.01	0.02	0.01	0.02	0	0.02	0.02	0.01
3/12/2024 4:30	0.01	0.02	0.01	0.02	0	0.02	0.02	0.01
3/12/2024 4:45	0	0	0.01	0.01	0	0.01	0	0
3/12/2024 5:00	0	0.01	0.01	0.02	0	0.01	0.01	0.01
3/12/2024 5:15	0.01	0.01	0.01	0.03	0	0.01	0.02	0.01
3/12/2024 5:30	0	0.01	0.01	0.02	0	0.01	0.01	0.01
3/12/2024 5:45	0	0	0.01	0.01	0	0.01	0	0.01
3/12/2024 6:00	0	0.01	0.01	0.01	0	0.01	0.01	0.01
3/12/2024 6:15	0	0.01	0.02	0.02	0	0.01	0.01	0.01
3/12/2024 6:30	0.02	0.01	0.02	0.02	0	0.01	0.01	0.01
3/12/2024 6:45	0	0.01	0.02	0.03	0	0.01	0.01	0.01
3/12/2024 7:00	0	0	0.02	0.05	0	0.01	0	0
3/12/2024 7:15	0	0	0.02	0.05	0	0.01	0	0
3/12/2024 7:30	0	0	0.02	0.08	0	0.01	0.01	0.01
3/12/2024 7:45	0	0	0.02	0.07	0.03	0.01	0.01	0.01
3/12/2024 8:00	0	0.01	0.02	0.05	0	0.01	0.01	0.01
3/12/2024 8:15	0	0.02	0.02	0.06	0	0.02	0.01	0.01
3/12/2024 8:30	0.01	0.02	0.03	0.06	0	0.02	0.02	0.02
3/12/2024 8:45	0.01	0.02	0.03	0.05	0	0.02	0.01	0.01
3/12/2024 9:00	0.01	0.02	0.03	0.04	0	0.02	0.01	0.01
3/12/2024 9:15	0	0.01	0.03	0.03	0	0.02	0.01	0.01
3/12/2024 9:30	0	0	0.04	0.02	0	0.01	0	0
3/12/2024 9:45	0	0.01	0.04	0.01	0	0.01	0	0
3/12/2024 10:00	0	0.02	0.04	0.02	0	0.03	0	0
3/12/2024 10:15	0	0.02	0.05	0.02	0	0.02	0	0
3/12/2024 10:30	0	0.03	0.05	0.03	0	0.03	0	0
3/12/2024 10:45	0	0.04	0.06	0.03	0	0.03	0	0
3/12/2024 11:00	0	0.04	0.07	0.02	0	0.02	0	0
3/12/2024 11:15	0	0.01	0.07	0.01	0	0.01	0	0
3/12/2024 11:30	0	0	0.08	0.02	0	0.01	0	0
3/12/2024 11:45	0	0	0.09	0.01	0	0.01	0	0
3/12/2024 12:00	0	0	0.09	0.04	0	0	0	0
3/12/2024 12:15	0	0	0.09	0.02	0	0	0	0
3/12/2024 12:30	0	0	0.1	0.05	0		0	0
3/12/2024 12:45	0	0	0.1	0.02	0		0	0
3/12/2024 13:00	0	0	0.1	0.03	0		0	0
3/12/2024 13:15	0	0	0.1	0.03	0		0	0
3/12/2024 13:30	0	0.03	0.11	0.03	0		0	0
3/12/2024 13:45	0	0.06	0.11	0.05	0		0	0
3/12/2024 14:00	0	0.01	0.12	0.04	0		0	0
3/12/2024 14:15	0	0	0.12	0.01	0		0	0.02
3/12/2024 14:30	0	0	0.12	0.01	0		0	0
3/12/2024 14:45	0	0	0.13	0.02	0	0.04	0	0
3/12/2024 15:00	0	0	0.13	0	0	0.04	0	0
3/12/2024 15:15	0	0	0.14	0.02	0	0.06	0	0
3/12/2024 15:30	0	0	0.14	0.01	0	0.01	0	0
3/12/2024 15:45	0	0	0.14	0.01	0.1	0.02	0	0
3/12/2024 16:00	0	0	0.13	0	0	0.02	0	0
3/12/2024 16:15	0	0	0.13	0	0	0	0	0


Daily Readings - VOCs

Data export

03/12/2024 00:00:00 to 03/12/2024 23:59:00

Averaging period: 15 minutes

Time	AMS-1	AMS-2	AMS-3	AMS-4	AMS-5	AMS-6	AMS-7	AMS-8
	VOC - AQS1 13032023-2241 (ppm)	VOC - AQS1 13032023-2244 (ppm)	VOC - AQS1 13032023-2240 (ppm)	VOC - AQS1 13032023-2238 (ppm)	VOC - AQS1 13032023-2239 (ppm)	VOC - AQS1 13032023-2237 (ppm)	VOC - AQS1 13032023-2243 (ppm)	VOC - AQS1 13032023-2242 (ppm)
3/12/2024 16:30	0	0	0.12	0	0	0	0	0
3/12/2024 16:45	0	0	0.12	0	0	0	0	0
3/12/2024 17:00	0	0	0.11	0	0	0	0	0
3/12/2024 17:15	0	0	0.11	0	0	0	0	0
3/12/2024 17:30	0	0	0.11	0.01	0	0	0	0
3/12/2024 17:45	0	0	0.1	0.01	0	0	0	0
3/12/2024 18:00	0	0	0.1	0	0	0	0	0
3/12/2024 18:15	0	0.03	0.1	0.02	0	0	0	0
3/12/2024 18:30	0	0.01	0.1	0.03	0	0	0	0
3/12/2024 18:45	0	0	0.1	0.05	0	0	0	0
3/12/2024 19:00	0	0.02	0.1	0.22	0	0	0	0
3/12/2024 19:15	0	0.05	0.1	0.21	0	0	0	0
3/12/2024 19:30	0	0	0.1	0.2	0	0	0	0
3/12/2024 19:45	0	0.02	0.09	0.19	0	0.03	0.02	0.01
3/12/2024 20:00	0	0.01	0.09	0.17	0	0.02	0.02	0
3/12/2024 20:15	0	0.05	0.09	0.3	0	0.03	0	0
3/12/2024 20:30	0	0.12	0.09	0.39	0	0.04	0.03	0
3/12/2024 20:45	0.01	0.04	0.09	0.12	0	0.04	0.03	0.03
3/12/2024 21:00	0	0.01	0.08	0.18	0	0.04	0.05	0.04
3/12/2024 21:15	0.01	0.02	0.08	0.41	0	0.04	0.05	0.03
3/12/2024 21:30	0.01	0.03	0.08	1.26	0.04	0.05	0.05	0.03
3/12/2024 21:45	0.02	0.04	0.08	1.38	0.02	0.05	0.07	0.04
3/12/2024 22:00	0.02	0.04	0.08	1.97	0.03	0.05	0.06	0.04
3/12/2024 22:15	0.03	0.05	0.07	1.67	0.09	0.04	0.08	0.04
3/12/2024 22:30	0.04	0.12	0.07	1.81	0.17	0.07	0.08	0.04
3/12/2024 22:45	0.05	0.09	0.07	2.04	0.09	0.07	0.1	0.06
3/12/2024 23:00	0.04	0.18	0.08	2.06	0.13	0.07	0.1	0.05
3/12/2024 23:15		0.24	0.08	2.32	0.21	0.12	0.09	0.08
3/12/2024 23:30		0.26	0.09	2.64	0.19	0.11	0.13	0.08
3/12/2024 23:45	0.04	0.32	0.1	1.19	0.14	0.1	0.11	0.08



Target Analyte	Admin Level	Normal (green)	Alert Limit (yellow)	Response Limit (orange)	Action Limit (red)
Volatile Organic Compounds *	Between 0.3 and < 0.5 ppm as a 15 minute TWA	Below or equal to 0.5 ppm as a 15 minute TWA	>0.5 ppm and <=0.75 ppm as a 15 minute TWA or odors are observed	>0.75 to < 1.0 ppm as a 15 minute TWA or odors are observed	>=1 ppm as a 15 minute TWA or if odors are observed**

Daily Readings - PM10
Data export
03/12/2024 00:00:00 to 03/12/2024 23:59:00
Averaging period: 15 minutes

Time	AMS-1	AMS-2	AMS-3	AMS-4	AMS-5	AMS-6	AMS-7	AMS-8
	PM10 - AQS1 13032023-2241 (µg/m³)	PM10 - AQS1 13032023-2244 (µg/m³)	PM10 - AQS1 13032023-2240 (µg/m³)	PM10 - AQS1 13032023-2238 (µg/m³)	PM10 - AQS1 13032023-2239 (µg/m³)	PM10 - AQS1 13032023-2237 (µg/m³)	PM10 - AQS1 13032023-2243 (µg/m³)	PM10 - AQS1 13032023-2242 (µg/m³)
3/12/2024 0:00	1.17	0.66	2.81	2.28	1.17	4.19	1.1	1.08
3/12/2024 0:15	1.2	0.59	3.03	2.1	1.25	4.12	1.12	1.1
3/12/2024 0:30	1.1	0.67	3.1	2.12	1.17	4.19	1.28	1.14
3/12/2024 0:45	0.96	0.57	4.71	1.96	1.12	4.1	1.11	1.03
3/12/2024 1:00	0.97	0.54	3.65	2.35	1.24	4.09	1.14	1.06
3/12/2024 1:15	0.89	0.56	1.36	2.24	1.43	4.19	1.09	1.04
3/12/2024 1:30	0.88	0.51	1.72	2.65	1.35	4.04	1.01	0.95
3/12/2024 1:45	0.88	0.56	2.84	2.56	1.23	4.18	1.1	1.01
3/12/2024 2:00	0.93	0.72	4.22	2.56	1.08	4.06	1.16	1.05
3/12/2024 2:15	0.87	0.66	3.93	2.22	1.19	4.06	1.07	1.07
3/12/2024 2:30	1.04	0.79	4.99	2.36	1.47	4.16	1.16	1.13
3/12/2024 2:45	1.07	0.72	2.4	3.45	1.97	4.34	1.27	1.22
3/12/2024 3:00	1.03	0.62	1.81	3.76	3.15	4.24	1.24	1.25
3/12/2024 3:15	1.59	0.69	1.34	4.24	2.9	4.45	1.22	1.21
3/12/2024 3:30	1.13	0.82	1.32	3.45	2.97	4.36	1.43	1.42
3/12/2024 3:45	1.45	0.83	1.32	3.86	4.16	4.42	1.64	1.63
3/12/2024 4:00	1.23	0.79	1.29	2.79	2.86	4.45	1.43	1.48
3/12/2024 4:15	1.17	0.79	1.23	2.78	2.26	4.34	1.38	1.4
3/12/2024 4:30	1.26	0.87	1.6	3.04	2.87	4.4	1.4	1.51
3/12/2024 4:45	1.46	1.03	1.65	4.1	6.15	4.81	1.56	2.16
3/12/2024 5:00	1.64	1.13	1.7	4.59	5.86	4.81	1.74	2.27
3/12/2024 5:15	1.45	1.03	1.87	3.69	4.62	4.82	1.56	1.99
3/12/2024 5:30	1.9	1.22	2	3.56	3.11	4.95	1.69	2.06
3/12/2024 5:45	1.8	1.35	2.12	3.14	2.72	5.12	1.83	2.17
3/12/2024 6:00	1.77	1.34	1.96	3.06	4.54	5.03	1.93	2.37
3/12/2024 6:15	2.5	1.3	1.98	4.12	3.05	5.11	1.98	2.37
3/12/2024 6:30	3.09	1.46	2.04	2.64	3.07	5.2	2.28	2.75
3/12/2024 6:45	4.73	1.81	2.41	3.98	3.91	5.44	2.36	3.03
3/12/2024 7:00	4.89	12.52	2.64	4.14	3.16	5.88	2.28	2.77
3/12/2024 7:15	15.76	6.09	4.11	4.92	4.85	6.18	2.57	2.97
3/12/2024 7:30	24.89	4.28	4.23	6.87	6.38	7.83	3.25	3.67
3/12/2024 7:45	23.43	4.45	3.94	5.85	5.74	7.96	3.74	3.91
3/12/2024 8:00	5.78	4.23	3.15	4.91	6.34	7.6	3.44	3.73
3/12/2024 8:15	10.1	4.5	3.19	4.58	4.47	7.52	2.86	3.12
3/12/2024 8:30	14.5	4.96	3.6	5.22	3.61	7.06	2.74	3.3
3/12/2024 8:45	3.46	4.82	3.49	4.28	4.03	7.05	2.36	3.24
3/12/2024 9:00	7.13	4.43	4.31	4.25	4.31	6.75	2.14	3.23
3/12/2024 9:15	4.51	5.85	4.99	4.67	4.43	10.28	2.36	3.52
3/12/2024 9:30	3.56	5.55	4	4.96	4.61	7.51	2.65	3.63
3/12/2024 9:45	3.46	6.59	3.71	4.34	3.79	7.07	2.33	3.28
3/12/2024 10:00	7.95	7.06	3.44	4.41	4.1	7.11	2.35	3.41
3/12/2024 10:15	13.27	3.14	3.44	4.47	5.06	7	2.39	3.34
3/12/2024 10:30	10.28	2.15	3.42	5.29	3.86	7.39	2.31	3.34
3/12/2024 10:45	3.96	3.05	4.39	4.97	4.15	8.69	2.42	3.29
3/12/2024 11:00	3.37	2.01	3.82	4.59	3.51	6.77	2.07	3.18
3/12/2024 11:15	3.41	2.24	3.95	4.74	4.05	7.31	2.34	3.48
3/12/2024 11:30	4.21	2.46	5.31	4.81	3.97	7.72	2.56	3.79
3/12/2024 11:45	4.05	2.84	5.44	5.18	3.66	8.29	2.44	3.52
3/12/2024 12:00	4.32	2.19	3.86	5	4.23	6.98	2.34	3.52
3/12/2024 12:15	7.56	2.61	4.38	4.75	4.13	8.01	2.39	3.66
3/12/2024 12:30	3.87	2.36	3.95	5.06	4.04		2.33	3.48
3/12/2024 12:45	3.63	2.18	3.84	4.85	3.57		2.26	3.36
3/12/2024 13:00	3.9	2.35	3.96	4.84	3.86		2.26	3.49
3/12/2024 13:15	3.71	2.56	4.4	5.03	3.96		2.28	3.44
3/12/2024 13:30	3.88	2.66	4.03	4.75	4.22		2.41	3.55
3/12/2024 13:45	5.03	2.42	4.39	4.55	4.3		2.27	3.56
3/12/2024 14:00	4.62	2.25	3.9	4.81	3.55		2.12	3.53
3/12/2024 14:15	4.55	2.25	4.99	4.96	3.42		2.27	3.34
3/12/2024 14:30	4.38	2.18	5.23	4.84	3.28		2.21	3.17
3/12/2024 14:45	4.15	2.27	6.34	5.06	2.92	8.84	1.94	2.91
3/12/2024 15:00	9.2	2.42	7.16	4.21	2.94	13.54	1.95	2.92
3/12/2024 15:15	5.3	2.09	5.03	5.23	2.8	8.76	2	2.87
3/12/2024 15:30	3.38	2	6.38	4.21	3.12	7.74	1.97	2.91
3/12/2024 15:45	3.09	1.87	4.93	3.99	2.9	8.05	1.8	2.8
3/12/2024 16:00	3.08	1.84	5.01	3.76	2.78	7.7	2.05	2.7
3/12/2024 16:15	2.97	1.74	4.35	4.62	2.66	7.05	1.84	2.59


Daily Readings - PM10

Data export

03/12/2024 00:00:00 to 03/12/2024 23:59:00

Averaging period: 15 minutes

Time	AMS-1	AMS-2	AMS-3	AMS-4	AMS-5	AMS-6	AMS-7	AMS-8
	PM10 - AQS1 13032023-2241 (µg/m³)	PM10 - AQS1 13032023-2244 (µg/m³)	PM10 - AQS1 13032023-2240 (µg/m³)	PM10 - AQS1 13032023-2238 (µg/m³)	PM10 - AQS1 13032023-2239 (µg/m³)	PM10 - AQS1 13032023-2237 (µg/m³)	PM10 - AQS1 13032023-2243 (µg/m³)	PM10 - AQS1 13032023-2242 (µg/m³)
3/12/2024 16:30	3.35	1.6	4.7	3.66	2.73	6.24	1.85	2.65
3/12/2024 16:45	2.87	1.54	6.06	3.46	2.53	6.46	1.83	2.46
3/12/2024 17:00	2.83	1.39	6.35	3.69	2.45	6.2	1.77	2.44
3/12/2024 17:15	2.76	1.33	5.34	4.44	2.43	6.69	1.89	2.46
3/12/2024 17:30	2.7	1.27	8.33	3.55	2.29	5.42	1.68	2.38
3/12/2024 17:45	2.69	1.08	5.46	3.93	2.26	5.32	1.77	2.32
3/12/2024 18:00	2.6	1.1	6.14	3.97	2.42	5.32	1.55	2.38
3/12/2024 18:15	2.74	1.52	8.43	3.9	2.67	5.52	1.81	2.42
3/12/2024 18:30	2.73	1.23	7.62	4.5	2.41	5.22	1.68	2.33
3/12/2024 18:45	3.87	1.53	15.07	5.15	12.7	5.79	2.18	2.87
3/12/2024 19:00	3.66	5.34	26.76	7.1	13.87	6.04	2.54	3.17
3/12/2024 19:15	3.96	6.95	27.31	8.24	15.11	6.13	2.62	3.17
3/12/2024 19:30	3.94	2.8	6.22	8.35	24.52	6.8	3.58	4.32
3/12/2024 19:45	4.98	16.73	31.14	7.18	20.15	6.96	5.83	4.23
3/12/2024 20:00	4.85	5.01	8.26	5.34	22.3	7.22	4.43	4.46
3/12/2024 20:15	6.16	13.48	36.87	7.49	17.99	7.16	4.88	5.4
3/12/2024 20:30	6.5	22.16	38.66	21.05	55.72	7.93	7.83	5.97
3/12/2024 20:45	8.04	15.52	26.4	15.68	51.39	8.93	6.52	6.56
3/12/2024 21:00	8.66	10.88	14.04	14.38	37.98	9.08	7.91	7.16
3/12/2024 21:15	9.38	13.56	20.22	9.82	34.05	8.56	8.94	6.22
3/12/2024 21:30	8.37	12.68	20.31	6.47	32.2	8.04	7	5.72
3/12/2024 21:45	6.49	13.34	22.51	10.67	63.62	8.05	6.36	5.64
3/12/2024 22:00	7.2	9.35	15.45	13.05	41.91	8.47	6.35	5.83
3/12/2024 22:15	7.96	23.01	41.19	11.76	43.46	9.08	9.6	6.82
3/12/2024 22:30	8.78	38.99	57.12	16.43	70.88	8.88	7.81	7.48
3/12/2024 22:45	10.35	27.54	51.11	10.58	42.22	9.08	9.25	6.9
3/12/2024 23:00	9.93	46.18	71.28	23.27	59.14	10.55	12.19	7.35
3/12/2024 23:15		32.12	46.04	15.81	68.54	10.06	7.59	9.1
3/12/2024 23:30		43.3	67.8	13.42	68.01	11.53	10.4	8.14
3/12/2024 23:45	13.85	37.83	62.5	17.15	32.13	12.26	12.01	9.4



Target Analyte	Admin Level	Normal (green)	Alert Limit (yellow)	Response Limit (orange)	Action Limit (red)
Respirable particulate matter (PM10) *	>75 ug/m3 to 100 ug/m3 as a 15 minute TWA	<=100 ug/m3 as a 15 minute TWA	>100 ug/m3 and <=150 ug/m3 as a 15 minute TWA	See Alert Limit criteria	>150 ug/m3 as a 15 minute TWA

On Tuesday, March 12, 2024, at approximately 21:47 hours, a CAMP alert was received indicating a Volatile Organic Carbon (VOC) exceedance above the action limit of 1 ppm at the AMS-4 station which is located near the northeast corner of Nevins St. and Degraw St. VOC data from the AMS-4 is shown below.




Figure 1: CAMP VOC Data 11am 3/12 to 11am 3/13

At approximately 22:05 on 3/12/2024 the alerts were investigated by members of the Construction Management Team. A Photoionization Detector (PID) was utilized to record VOC readings during the investigation.

A Perimeter Odor inspection with VOC Measurement Mapping was performed and detailed within a Perimeter Odor inspection log that can be found at the end of this document.

During the investigation, while walking northeast up Nevins Street towards the intersection of Nevins St. and Degraw St, VOC readings began to rise as the intersection approached. A strong distinct petroleum odor was noticed. Near the entrance to the neighboring construction site at 265 Nevins St on the southeast corner of Degraw St. and Nevins Street, the PID reached its Lower Alarm Limit of 1.0 PPM and began to flash and alarm. The PID was brought to the “turnstile” entrance of the neighboring construction site on the corner of Nevins and Degraw St., where a maximum reading of 5.0 ppm was observed. Both the readings of the PID and the strength of the odor increased as the southeast corner of Degraw St. and Nevins Street (corner neighboring construction site at 265 Nevins St) was approached.

A “sweep” of the area was performed using the PID to delineate the source of the readings. The PID was “swept” NW towards the Gowanus CSO Site’s Degraw St. Gate, SW down Nevins St., NE up Nevins St., and SE down Degraw St., and through the inner “muck bin soil management area” of the site. PID readings during the sweep implied the source of the strong odor was emanating from neighboring construction site at 265 Nevins St.

The strongest readings during the sweep occurred walking away from the “turnstile” gate, heading SE on the South side of Degraw St, adjacent to 265 Nevins St, most notably near a slide gate installed in the line. Readings at this location reached 6.8PPM. Readings decreased in every direction from this location. The attached Odor Inspection Log provides a more detailed map of the PID readings in each direction from the 6.8ppm (source). Readings decreased in lesser rate downwind from the “source”.

ODOR INSPECTION LOG


Date: 3/12/24 Weather: Mostly Clear
Start Time: 22:05 Temperature: 54°
End Time: _____ Wind Speed / Direction: 3-7 mph WNW-ESW
CM Inspectors: R. Carr Contractors Inspectors: Julius W.

Construction Activities (CA) Performed During Inspection

CA-1 Soils Onsite, non-active CA-4 _____
CA-2 Inactive Hydromills Misting System Operating? (Yes/No) Yes
CA-3 _____ Soils Odor Control Status: flamed piles

Inspection Findings (Notes)

1. Strong petro odors near adjacent construction site. Focused
2. inspection in area of Navins / Degraw St. Parked
3. _____
4. _____
5. _____
6. _____
7. _____

WIND
DIRECTION

Inspection Findings (Location Markup)

